

Trichloroethylene (79-01-6) Bibliography: Supplemental File for the TSCA Scope Document

TABLE OF CONTENTS

Peer Reviewed Literature Search Results	2
Fate Literature Search Results.....	2
On Topic	2
Off Topic	21
Engineering Literature Search Results	274
On Topic	274
Off Topic	284
Exposure Literature Search Results.....	550
On Topic	550
Off Topic	571
Environmental Hazard Literature Search Results.....	825
On Topic	825
Off Topic	839
Human Health Hazard Literature Search Results	1116
On Topic	1116
Off Topic	1165
OPPT Risk Assessment, Problem Formulation or Scope Document	1317
On Topic	1317
Gray Literature Search Results	1328

This document provides the bibliographic citations that were identified and screened from the initial literature search and the initial categorization of whether citations are *on topic* or *off topic*. *On topic* references are those that may contain data and/or information relevant to the risk evaluation. *Off topic* references are those that do not appear to contain data or information relevant to the risk evaluation.

Because systematic review is an iterative process, EPA/OPPT expects that some references may move from the *on topic* to the *off topic* category and vice versa. Additional *on topic* references not initially identified in the initial search may also be identified as the systematic review process proceeds. Moreover, targeted supplemental searches may be conducted to address specific needs for the analysis phase (e.g., to locate specific data needed for modeling).

Some of the references supporting the “Scope of the Risk Evaluation for Trichloroethylene” may not be reflected in the “OPPT Risk Assessment, Problem Formulation or Scope Document” section of this bibliography document. Thus, please refer to the bibliography included in the final scope document for the full list of references.

PEER REVIEWED LITERATURE SEARCH RESULTS

The peer reviewed literature search results include studies posted on the [HERO project page for trichloroethylene](#) that were considered for the 2011 IRIS Toxicological Review of trichloroethylene and results from the comprehensive searches of bibliographic databases. The combined results were reviewed and determined to either be *on topic* or *off topic* with respect to the data needs of the five topic areas presented below. The full literature search strategy is presented in the *Strategy for Conducting Literature Searches for Trichloroethylene: Supplemental File for the TSCA Scope Document*.

Citations are presented in the format returned from database searches. In some instances citations may be incomplete (e.g., publication year or journal information may be missing). Efforts to complete citation information are underway. Because each reference was considered for each topic area during screening, a citation may be listed as *on topic* or *off topic* in more than one topic area.

Fate Literature Search Results

On Topic

- Adamson, DT; Anderson, RH; Mahendra, S; Newell, CJ. (2015). Evidence of 1,4-dioxane attenuation at groundwater sites contaminated with chlorinated solvents and 1,4-dioxane. *Environ Sci Technol.* 49: 6510-6518. <http://dx.doi.org/10.1021/acs.est.5b00964>.
- Adetutu, EM; Gundry, TD; Patil, SS; Golneshin, A; Adigun, J, oy; Bhaskarla, V; Aleer, S; Shahsavari, E; Ross, E; Ball, AS. (2015). Exploiting the intrinsic microbial degradative potential for field-based in situ dechlorination of trichloroethene contaminated groundwater. *J Hazard Mater.* 300: 48-57. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.055>.
- Aeppli, C; Hofstetter, TB; Amaral, HI; Kipfer, R; Schwarzenbach, RP; Berg, M. (2010). Quantifying in situ transformation rates of chlorinated ethenes by combining compound-specific stable isotope analysis, groundwater dating, and carbon isotope mass balances. *Environ Sci Technol.* 44: 3705-3711. <http://dx.doi.org/10.1021/es903895b>.
- Aggarwal, V; Li, H; Boyd, SA; Teppen, BJ. (2006). Enhanced sorption of trichloroethene by smectite clay exchanged with Cs+. *Environ Sci Technol.* 40: 894-899. <http://dx.doi.org/10.1021/es0500411>.
- Ahmed, AA; Chen, D. (2006). Field scale DNAPLs transport under nonequilibrium sorption conditions. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 41: 273-290. <http://dx.doi.org/10.1080/10934520500423097>.
- Ahmed, AA; Chen, D. (2010). Desorption kinetics of trichloroethylene and perchloroethylene from aged dense nonaqueous phase liquid-contaminated soil. *Water Environ J.* 24: 159-164. <http://dx.doi.org/10.1111/j.1747-6593.2009.00175.x>.
- Ahn, JY; Kim, C; Kim, HS; Hwang, KY; Hwang, I. (2016). Effects of oxidants on in situ treatment of a DNAPL source by nanoscale zero-valent iron: A field study. *Water Res.* 107: 57-65. <http://dx.doi.org/10.1016/j.watres.2016.10.037>.

Fate Literature Search Results

On Topic

- Aieta, EM; Reagan, KM; Lang, JS; McCreynolds, L; J-W, K; Glaze, WH. (1988). ADVANCED OXIDATION PROCESSES FOR TREATING GROUNDWATER CONTAMINATED WITH TCE AND PCE PILOT-SCALE EVALUATIONS (pp. 64-72). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/88/21973).
Aieta, EM; Reagan, KM; Lang, JS; McCreynolds, L; Kang J-W; Glaze, WH.
- Aiken, BS; Lapat-Polasko, L. (2003). Estimating chlorinated ethene bioattenuation rates from a single well. *ACS Symp Ser Am Chem Soc.* 837: 109-118.
- Ajo-Franklin, JB; Geller, J, iIT; Harris, JM. (2006). A survey of the geophysical properties of chlorinated DNAPLs. *Journal of Applied Geophysics.* 59: 177-189. <http://dx.doi.org/10.1016/j.jappgeo.2005.10.002>.
- Ala, NK; Domenico, PA. (1992). INVERSE ANALYTICAL TECHNIQUES APPLIED TO COINCIDENT CONTAMINANT DISTRIBUTIONS AT OTIS-AIR-FORCE-BASE, MASSACHUSETTS. *Ground Water.* 30: 212-218.
- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, MCF. (2010). Estimation of pollutant partition in sandy soils with different water contents. *Environ Monit Assess.* 171: 171-180. <http://dx.doi.org/10.1007/s10661-009-1269-y>.
- Allen-King, RM; Groenevelt, H; Warren, CJ; Mackay, DM. (1996). Non-linear chlorinated-solvent sorption in four aquitards. *J Contam Hydrol.* 22: 3-4.
- Al-Shamsi, MA; Thomson, NR. (2013). Competition by aquifer materials in a bimetallic nanoparticle/persulfate system for the treatment of trichloroethylene. *J Environ Monit.* 15: 1964-1968. <http://dx.doi.org/10.1039/c3em00285c>.
- An, YJ; Kampbell, DH; Weaver, JW; Wilson, JT; Jeong, SW. (2004). Natural attenuation of trichloroethene and its degradation products at a lake-shore site. *Environ Pollut.* 130: 325-335. <http://dx.doi.org/10.1016/j.envpol.2004.01.005>.
- Anderson, TA; Walton, BT. (1995). Comparative fate of (14C)trichloroethylene in the root zone of plants from a former solvent disposal site. *Environ Toxicol Chem.* 14: 2041-2047.
- Anon. (1995). BIOREMEDIATION DEGRADES TCE. *Pollution Engineering.* 27: 19-19.
- Anon. (1999). Removal of TCE from groundwater. *Chem Eng Tech.* 22: 728-729.
- Antonelli, R; Dal PRA, A. (1991). PROBLEMS OF CONTAMINATION AND PROTECTION OF UNDERGROUND WATERS IN THE VENETO ALLUVIAL PLAIN NORTHERN ITALY (pp. 20-21). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/92/13845). Antonelli, R; Dal PRA, A.
- Armstrong, JE; Frind, EO; Mclellan, RD. (1994). NONEQUILIBRIUM MASS-TRANSFER BETWEEN THE VAPOR, AQUEOUS, AND SOLID-PHASES IN UNSATURATED SOILS DURING VAPOR EXTRACTION. *Water Resour Res.* 30: 355-368.
- Asher, WE; Luo, W; Campo, KW; Bender, DA; Robinson, KW; Zogorski, JS; Pankow, TE. (2007). Application of a source apportionment model in consideration of volatile organic compounds in an urban stream. *Environ Toxicol Chem.* 26: 1606-1613.
- Assmuth, TW. (1996). Comparative risk analysis of waste site toxicants by indices based on concentration distributions, fluxes, environmental fate and critical effects. *J Hazard Mater.* 48: 121-135. [http://dx.doi.org/10.1016/0304-3894\(95\)00139-5](http://dx.doi.org/10.1016/0304-3894(95)00139-5).
- Atteia, O; Guillot, C. (2007). Factors controlling BTEX and chlorinated solvents plume length under natural attenuation conditions. *J Contam Hydrol.* 90: 81-104. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.012>.
- Atteia, O; Höhener, P. (2010). Semianalytical model predicting transfer of volatile pollutants from groundwater to the soil surface. *Environ Sci Technol.* 44: 6228-6232. <http://dx.doi.org/10.1021/es903477f>.
- Avila, MA; Breiter, R. (2008). Competitive sorption of cis-DCE and TCE in silica gel as a model porous mineral solid. *Chemosphere.* 72: 1807-1815. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.046>.
- Avon, L; Bredehoeft, JD. (1989). AN ANALYSIS OF TRICHLOROETHYLENE MOVEMENT IN GROUNDWATER AT CASTLE-AIR-FORCE-BASE, CALIFORNIA. *J Hydrol.* 110: 23-50.
- Azizian, MF; Istok, JD; Semprini, L. (2007). Evaluation of the in-situ aerobic cometabolism of chlorinated ethenes by toluene-utilizing microorganisms using push-pull tests. *J Contam Hydrol.* 90: 105-124. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.015>.
- Baduru, KK; Trapp, S; Burken, JG. (2008). Direct measurement of VOC diffusivities in tree tissues: Impacts on tree-based phytoremediation and plant contamination. *Environ Sci Technol.* 42: 1268-1275. <http://dx.doi.org/10.1021/es071552i>.
- Baek, JM; Park, SJ. (2000). Tracking the distribution of organic compounds using fugacity model. *Korean J Chem Eng.* 17: 12-16.
- Baek, NH; Jaffe, PR; Shingal, N. (1990). Simulating the degradation of TCE under methanogenesis. *J Environ Sci Health, Part A: Environ Sci Eng.* 25: 987-1006.
- Baker, RW; Wijmans, JG; Athayde, AL; Daniels, R; Ly, JH; Le, M. (1997). The effect of concentration polarization on the separation of volatile organic compounds from water by pervaporation. *J Memb Sci.* 137: 159-172.
- Balazova, A; Slodicka, M; Van Keer, R. (2006). Parameter determination for reductive dechlorination of chlorinated solvents. *Transport in Porous Media.* 65: 411-424. <http://dx.doi.org/10.1007/s11242-006-0001-4>.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (1997). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard. *Water Resour Res.* 33: 2741-2757.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (2001). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard" by W. P. Ball et al. (vol 33, pg 2741, 1997). *Water Resour Res.* 37: 189-189.
- Barbaro, JR; Neupane, PP. (2006). Use of plume mapping data to estimate chlorinated solvent mass loss. *Ground Water Monitoring and Remediation.* 26: 115-127.
- Bardoděj, Z. (1991). Exposure limits for occupational and environmental chemical pollutants in various media. *Sci Total Environ.* 101: 45-54.
- Barnier, C; Palmier, C; Atteia, O. (2013). Validation of a multilevel sampling device to determine the vertical variability of chlorinated solvent in a contaminated aquifer. *Environ Technol.* 34: 1543-1553. <http://dx.doi.org/10.1080/09593330.2012.758665>.
- Barrio-Lage, G; Parsons, FZ; Nassar, RS. (1987). KINETICS OF THE DEPLETION OF TRICHLOROETHENE. *Environ Sci Technol.* 21: 366-370.

Fate Literature Search Results

On Topic

- Bartelt-Hunt, SL; Smith, JA. (2002). Measurement of effective air diffusion coefficients for trichloroethene in undisturbed soil cores. *J Contam Hydrol.* 56: 193-208. [http://dx.doi.org/10.1016/S0169-7722\(01\)00209-1](http://dx.doi.org/10.1016/S0169-7722(01)00209-1).
- Barton, JW; Vodraska, CD; Flanary, SA; Davison, BH. (2008). Solubility of toluene, benzene and TCE in high-microbial concentration systems. *Chemosphere.* 73: 1737-1740. <http://dx.doi.org/10.1016/j.chemosphere.2008.09.008>.
- Basu, NB; Rao, PS; Poyer, IC; Annable, MD; Hatfield, K. (2006). Flux-based assessment at a manufacturing site contaminated with trichloroethylene. *J Contam Hydrol.* 86: 105-127. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.011>.
- Basu, NB; Suresh, P; Rao, C; Poyer, IC; Nandy, S; Mallavarapu, M; Naidu, R; Davis, GB; Patterson, BM; Annable, MD; Hatfield, K. (2009). Integration of traditional and innovative characterization techniques for flux-based assessment of dense non-aqueous phase liquid (DNAPL) sites. *J Contam Hydrol.* 105: 161-172. <http://dx.doi.org/10.1016/j.jconhyd.2008.12.005>.
- Bates, BA; Brenniman, GR; Allen, RJ; Anderson, RJ. (1991). ELUTION PROFILES OF 3 CHLORINATED HYDROCARBONS LEACHING THROUGH SANDY SOIL. *J Environ Eng.* 117: 279-290.
- Bauer, S; Bayer-Raich, M; Holder, T; Kolesar, C; Müller, D; Ptak, T. (2004). Quantification of groundwater contamination in an urban area using integral pumping tests. *J Contam Hydrol.* 75: 183-213. <http://dx.doi.org/10.1016/j.jconhyd.2004.06.002>.
- Begley, JF; Czarnecki, M; Kemen, S; Verardo, A; Robb, AK; Fogel, S; Begley, GS. (2012). Oxygen and Ethene Biostimulation for a Persistent Dilute Vinyl Chloride Plume. *Ground Water Monitoring and Remediation.* 32: 99-105. <http://dx.doi.org/10.1111/j.1745-6592.2011.01371.x>.
- Bekele, DN; Naidu, R; Chadalavada, S. (2014). Influence of spatial and temporal variability of subsurface soil moisture and temperature on vapour intrusion. *Atmos Environ.* 88: 14-22. <http://dx.doi.org/10.1016/j.atmosenv.2014.01.053>.
- Bellamy, WD; Hickman, GT; Mueller, PA; Ziemba, N. (1991). TREATMENT OF VOC-CONTAMINATED GROUNDWATER BY HYDROGEN-PEROXIDE AND OZONE OXIDATION. *Res Journal Water Pollut Control Fed.* 63: 120-128.
- Benker, E; Davis, GB; Barry, DA. (1997). Factors controlling the distribution and transport of trichloroethene in a sand aquifer: Hydrogeology and results of an in situ transport experiment. *J Hydrol. AMSTERDAM:* 1-4.
- Benker, E; Davis, GB; Barry, DA. (1998). Estimating the retardation coefficient of trichloroethene for a sand aquifer low in sediment organic carbon: A comparison of methods. *J Contam Hydrol.* 30: 1-2.
- Beyer, C; Popp, S; Bauer, S. (2016). Simulation of temperature effects on groundwater flow, contaminant dissolution, transport and biodegradation due to shallow geothermal use. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5976-8>.
- Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RV; Tabak, H. (1996). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Water Environ Res.* 68: 260-269.
- Bhattacharyya, D; Van Dierdonck, TF; West, SD; Freshour, AR. (1995). TWO-PHASE OZONATION OF CHLORINATED ORGANICS. *J Hazard Mater.* 41: 73-93.
- Bielefeldt, AR; Stensel, HD; Strand, SE. (1995). COMETABOLIC DEGRADATION OF TCE AND DCE WITHOUT INTERMEDIATE TOXICITY. *J Environ Eng.* 121: 791-797.
- Bishop, PK; Lerner, DN; Jakobsen, R; Gosk, E; Burston, MW; Chen, T. (1993). INVESTIGATION OF A SOLVENT POLLUTED INDUSTRIAL SITE ON A DEEP SANDSTONE MUDSTONE SEQUENCE IN THE UK .2. CONTAMINANT SOURCES, DISTRIBUTIONS, TRANSPORT AND RETARDATION. *J Hydrol.* 149: 231-256.
- Bjerg, PL; Rugge, K; Cortsen, J; Nielsen, PH; Christensen, TH. (1999). Degradation of aromatic and chlorinated aliphatic hydrocarbons in the anaerobic part of the Grindsted Landfill Leachate Plume: In situ microcosm and laboratory batch experiments. *Ground Water.* 37: 113-121.
- Blankenship, A; Chang, DPY; Jones, AD; Kelly, PB; Kennedy, IM; Matsumura, F; Pasek, R; Yang, GS. (1994). TOXIC COMBUSTION BY-PRODUCTS FROM THE INCINERATION OF CHLORINATED HYDROCARBONS AND PLASTICS. *Chemosphere.* 28: 183-196.
- Blessing, M; Schmidt, TC; Dinkel, R; Haderlein, SB. (2009). Delineation of multiple chlorinated ethene sources in an industrialized area--a forensic field study using compound-specific isotope analysis. *Environ Sci Technol.* 43: 2701-2707. <http://dx.doi.org/10.1021/es803100p>.
- Boal, AK; Rhodes, C; Garcia, S. (2015). Pump-and-Treat Groundwater Remediation Using Chlorine/Ultraviolet Advanced Oxidation Processes. *Ground Water Monitoring and Remediation.* 35: 93-100. <http://dx.doi.org/10.1111/gwmmr.12095>.
- Bobadilla, R; Huybrechts, T; Dewulf, J; Van Langenhove, H. (2003). Determination of the Henry's constant of volatile and semi-volatile organic compounds of environmental concern by the BAS (batch air stripping) technique: A new mathematical approach. *Journal of the Chilean Chemical Society.* 48: 7-11.
- Bohy, M; Dridi, L; Schaefer, G; Razakarisoa, O. (2006). Transport of a mixture of chlorinated solvent vapors in the vadose zone of a sandy aquifer: Experimental study and numerical modeling. *Vadose Zone Journal.* 5: 539-553. <http://dx.doi.org/10.2136/vzj2005.0079>.
- Bold, S; Kraft, S; Grathwohl, P; Liedl, R. (2003). Sorption/desorption kinetics of contaminants on mobile particles: Modeling and experimental evidence. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001798>.
- Borch, T; Ambus, P; Laturnus, F; Svensmark, B; Grøn, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. *Chemosphere.* 51: 143-152. [http://dx.doi.org/10.1016/S0045-6535\(02\)00851-2](http://dx.doi.org/10.1016/S0045-6535(02)00851-2).
- Borden, RC. (2007). Concurrent bioremediation of perchlorate and 1,1,1-trichloroethane in an emulsified oil barrier. *J Contam Hydrol.* 94: 13-33. <http://dx.doi.org/10.1016/j.jconhyd.2007.06.002>.
- Bourg, ACM; Degranges, P; Mouvet, C; Sauty, JP. (1993). MIGRATION OF CHLORINATED-HYDROCARBON SOLVENTS THROUGH COVENTRY SANDSTONE ROCK COLUMNS. *J Hydrol.* 149: 183-207.
- Bourg, ACM; Mouvet, C; Lerner, DN. (1992). A REVIEW OF THE ATTENUATION OF TRICHLOROETHYLENE IN SOILS AND AQUIFERS. 25: 359-370.
- Boutonnet, JC; De Rooij, C; Garny, V; Lecloux, A; Papp, R; Thompson, RS; Van Wijk, D. (1998). Euro Chlor risk assessment for the marine environment OSPARCOM region: North sea - Trichloroethylene. *Environ Monit Assess.* 53: 467-487.

Fate Literature Search Results

On Topic

- Boyden, BH; Banh, DT; Huckabay, HK; Fernandes, JB. (1992). Using inclined cascade aeration to strip chlorinated VOCs from drinking water. *J Am Water Works Assoc.* 84: 62-69.
- Bradley, PM. (2011). Reinterpreting the Importance of Oxygen-Based Biodegradation in Chloroethene-Contaminated Groundwater. *Ground Water Monitoring and Remediation.* 31: 50-55. <http://dx.doi.org/10.1111/j.1745-6592.2011.01344.x>.
- Bradley, PM; Chapelle, FH; Wilson, JT. (1998). Field and laboratory evidence for intrinsic biodegradation of vinyl chloride contamination in a Fe(III)-reducing aquifer. *J Contam Hydrol.* 31: 111-127.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull.* 54: 1742-1753. <http://dx.doi.org/10.1016/j.marpolbul.2007.07.013>.
- Brenner, D. (2010). Results of a long-term study of vapor intrusion at four large buildings at the NASA Ames research center. *J Air Waste Manag Assoc.* 60: 747-758. <http://dx.doi.org/10.3155/1047-3289.60.6.747>.
- Bressler, DC; Gray, MR. (2003). Transport and Reaction Processes in Bioremediation of Organic Contaminants. 1. Review of Bacterial Degradation and Transport. *Int J Chem React Eng.* 1.
- Brigmon, RL; Bell, NC; Freedman, DL; Berry, CJ. (1998). Natural attenuation of trichloroethylene in rhizosphere soils at the Savannah River Site. *Journal of Soil Contamination.* 7: 433-453.
- Broholm, K. (2007). Solvent release into a sandy aquifer 3: enhanced dissolution by methanol injection. *Environ Technol.* 28: 11-18. <http://dx.doi.org/10.1080/09593332808618767>.
- Broholm, K; Christensen, TH; Jensen, BK. (1992). Modelling TCE degradation by a mixed culture of methane-oxidizing bacteria. *Water Res.* 26: 1177-1185.
- Broholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem.* 14: 9-15.
- Broholm, K; Feenstra, S; Cherry, JA. (1999). Solvent release into a sandy aquifer. 1. Overview of source distribution and dissolution behavior. *Environ Sci Technol.* 33: 681-690.
- Broholm, K; Feenstra, S; Cherry, JA. (2005). Solvent release into a sandy aquifer. 2. Estimation of DNAPL mass based on a multiple-component dissolution model. *Environ Sci Technol.* 39: 317-324.
- Brooks, MC; Wood, AL; Annable, MD; Hatfield, K; Cho, J; Holbert, C; Rao, RSC; Enfield, CG; Lynch, K; Smith, RE. (2008). Changes in contaminant mass discharge from DNAPL source mass depletion: Evaluation at two field sites. *J Contam Hydrol.* 102: 140-153. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.008>.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere.* 36: 1799-1810.
- Brusseau, ML; Carroll, KC; Allen, T; Baker, J; Diguseppi, W; Hatton, J; Morrison, C; Russo, A; Berkompas, J. (2011). Impact of in situ chemical oxidation on contaminant mass discharge: linking source-zone and plume-scale characterizations of remediation performance. *Environ Sci Technol.* 45: 5352-5358. <http://dx.doi.org/10.1021/es200716s>.
- Brusseau, ML; Hatton, J; Diguseppi, W. (2011). Assessing the impact of source-zone remediation efforts at the contaminant-plume scale through analysis of contaminant mass discharge. *J Contam Hydrol.* 126: 130-139. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.003>.
- Brusseau, ML; Matthieu, DE; Carroll, KC; Mainhagu, J; Morrison, C; Mcmillan, A; Russo, A; Plaschke, M. (2013). Characterizing long-term contaminant mass discharge and the relationship between reductions in discharge and reductions in mass for DNAPL source areas. *J Contam Hydrol.* 149 (June 2013): 1-12. <http://dx.doi.org/10.1016/j.jconhyd.2013.02.011>.
- Bunce, NJ; Schneider, UA. (1994). Chemical lifetimes of chlorinated aliphatic priority pollutants in the Canadian troposphere. *J Photochem Photobiol A.* 81: 93 - 101. [http://dx.doi.org/10.1016/1010-6030\(94\)03781-7](http://dx.doi.org/10.1016/1010-6030(94)03781-7).
- Burnell, DK; Mercer, JW; Sims, LS; Anonymous. (2012). Analytical models of steady-state plumes undergoing sequential first-order degradation. *Ground Water.* 50: 394-411. <http://dx.doi.org/10.1111/j.1745-6584.2011.00858.x>.
- Burston, MW; Nazari, MM; Bishop, PK; Lerner, DN. (1993). Pollution of groundwater in the Coventry region (UK) by chlorinated hydrocarbon solvents. *J Hydrol. AMST:* 1-4.
- Burton, DT; Dilorenzo, JL; Shedd, TR; Wrobel, JG. (2002). Aquatic Hazard Assessment of a Contaminated Surficial Aquifer Discharge into the Bush River, Maryland (U.S.A.). *Water Air Soil Pollut.* 139: 159-182.
- Butler, EC; Chen, L; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation.* 33: 52-60. <http://dx.doi.org/10.1111/gwmr.12015>.
- Butler, EC; Hayes, KF. (1999). Kinetics of the transformation of trichloroethylene and tetrachloroethylene by iron sulfide. *Environ Sci Technol.* 33: 2021-2027.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environ Sci Technol.* 35: 3884-3891. <http://dx.doi.org/10.1021/es010620f>.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater.* 82: 313-322.
- Cai, Z; Wilson, RD; Lerner, DN. (2012). Assessing TCE source bioremediation by geostatistical analysis of a flux fence. *Ground Water.* 50: 908-917. <http://dx.doi.org/10.1111/j.1745-6584.2012.00916.x>.
- Camp, JS; Leboeuf, EJ; Abkowitz, MD. (2010). Application of an enhanced spill management information system to inland waterways. *J Hazard Mater.* 175: 583-592. <http://dx.doi.org/10.1016/j.jhazmat.2009.10.045>.
- Carlson, AE; Barnes, DL. (2011). Movement of trichloroethene in a discontinuous permafrost zone. *J Contam Hydrol.* 124: 1-13. <http://dx.doi.org/10.1016/j.jconhyd.2010.11.002>.
- Carmichael, LM; Smith, TG; Pardieck, DL. (1999). Site-specific sorption values for mixtures of volatile and semivolatile organic compounds in sandy soils. *J Environ Qual.* 28: 888-897.

Fate Literature Search Results

On Topic

- Cary, JW; Mcbride, JF; Simmons, CS. (1989). TRICHLOROETHYLENE RESIDUALS IN THE CAPILLARY FRINGE AS AFFECTED BY AIR-ENTRY PRESSURES. *J Environ Qual.* 18: 72-77.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ.* 40: 7331-7345. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.041>.
- Chan, LY; Chu, KW. (2007). Halocarbons in the atmosphere of the industrial-related Pearl River Delta region of China. *J Geophys Res Atmos.* 112. <http://dx.doi.org/10.1029/2006JD007097>.
- Chang, CC; Lo, GG; Tsai, CH; Wang, JL. (2001). Concentration variability of halocarbons over an electronics industrial park and its implication in compliance with the Montreal protocol. *Environ Sci Technol.* 35: 3273-3279. <http://dx.doi.org/10.1021/es001894q>.
- Chapman, SW; Parker, BL. (2005). Plume persistence due to aquitard back diffusion following dense nonaqueous phase liquid source removal or isolation. *Water Resour Res.* 41. <http://dx.doi.org/10.1029/2005WR004224>.
- Chapman, SW; Parker, BL; Cherry, JA; Aravena, R; Hunkeler, D. (2007). Groundwater-surface water interaction and its role on TCE groundwater plume attenuation. *J Contam Hydrol.* 91: 203-232. <http://dx.doi.org/10.1016/j.jconhyd.2006.10.006>.
- Chard, BK; Doucette, WJ; Chard, JK; Bugbee, B; Gorder, K. (2006). Trichloroethylene uptake by apple and peach trees and transfer to fruit. *Environ Sci Technol.* 40: 4788-4793. <http://dx.doi.org/10.1021/es060156k>.
- Chartrand, MM; Morrill, PL; Lacrampe-Couloume, G; Lollar, BS. (2005). Stable isotope evidence for biodegradation of chlorinated ethenes at a fractured bedrock site. *Environ Sci Technol.* 39: 4848-4856. <http://dx.doi.org/10.1021/es048592z>.
- Chen, F, ei; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere.* 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere.* 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.
- Cheng, D; Chow, WL; He, J. (2010). A Dehalococoides-containing co-culture that dechlorinates tetrachloroethene to trans-1,2-dichloroethene. *ISME J.* 4: 88-97. <http://dx.doi.org/10.1038/ismej.2009.90>.
- Cheng, H; Hu, E; Hu, Y. (2012). Impact of mineral micropores on transport and fate of organic contaminants: A review [Review]. *J Contam Hydrol.* 129: 80-90. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.008>.
- Cheng, H; Reinhard, M. (2006). Measuring hydrophobic micropore volumes in geosorbents from trichloroethylene desorption data. *Environ Sci Technol.* 40: 3595-3602. <http://dx.doi.org/10.1021/es0522581>.
- Cheng, H; Reinhard, M. (2010). In-line gas chromatographic apparatus for measuring the hydrophobic micropore volume (HMV) and contaminant transformation in mineral micropores. *J Hazard Mater.* 179: 596-603. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.045>.
- Cherry, JA. (1992). CHLORINATED SOLVENTS IN GROUNDWATER - FIELD EXPERIMENTAL STUDIES OF BEHAVIOR AND REMEDIATION. *J Hazard Mater.* 32: 275-278.
- Chiang, SY; Mora, R; Diguseppi, WH; Davis, G; Sublette, K; Gedalanga, P; Mahendra, S. (2012). Characterizing the intrinsic bioremediation potential of 1,4-dioxane and trichloroethene using innovative environmental diagnostic tools. *J Environ Monit.* 14: 2317-2326. <http://dx.doi.org/10.1039/c2em30358b>.
- Chiou, CT; Kile, DE. (1994). EFFECTS OF POLAR AND NONPOLAR GROUPS ON THE STABILITY OF ORGANIC-COMPOUNDS IN SOIL ORGANIC-MATTER. *Environ Sci Technol.* 28: 1139-1144.
- Cho, HJ; Jaffe, PR; Smith, JA. (1993). SIMULATING THE VOLATILIZATION OF SOLVENTS IN UNSATURATED SOILS DURING LABORATORY AND FIELD INFILTRATION EXPERIMENTS. *Water Resour Res.* 29: 3329-3342.
- Choi, JW; Smith, JA. (2005). Geoenvironmental factors affecting organic vapor advection and diffusion fluxes from the unsaturated zone to the atmosphere under natural conditions. *Environ Eng Sci.* 22: 95-108.
- Choi, JW; Tillman, FD; Smith, JA. (2002). Relative importance of gas-phase diffusive and advective trichloroethene (TCE) fluxes in the unsaturated zone under natural conditions. *Environ Sci Technol.* 36: 3157-3164. <http://dx.doi.org/10.1021/es011348c>.
- Choung, S; Zimmerman, LR; Allen-King, RM; Ligouis, B; Feenstra, S. (2014). Heterogeneous carbonaceous matter in sedimentary rock lithocomponents causes significant trichloroethylene (TCE) sorption in a low organic carbon content aquifer/aquitard system. *J Contam Hydrol.* 167: 23-31. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.010>.
- Chu, KH; Mahendra, S; Song, DL; Conrad, ME; Alvarez-Cohen, L. (2004). Stable carbon isotope fractionation during aerobic biodegradation of chlorinated ethenes. *Environ Sci Technol.* 38: 3126-3130. <http://dx.doi.org/10.1021/es035238c>.
- Chu, W; Jia, J. (2009). The Photodegradation and Modeling of a Typical NAPL, Trichloroethene, by Monochromatic UV Irradiations. *Environ Sci Technol.* 43: 1455-1459. <http://dx.doi.org/10.1021/es802640q>.
- Clement, TP; Johnson, CD; Sun, YW; Klecka, GM; Bartlett, C. (2000). Natural attenuation of chlorinated ethene compounds: model development and field-scale application at the Dover site. *J Contam Hydrol.* 42: 113-140.
- Clinton, BD; Vose, JM; Vroblesky, DA; Harvey, GJ. (2004). Determination of the relative uptake of ground vs. surface water by *Populus deltoides* during phytoremediation. *Int J Phytoremediation.* 6: 239-252. <http://dx.doi.org/10.1080/16226510490496438>.
- Conant, BH; Gillham, RW; Mendoza, CA. (1996). Vapor transport of trichloroethylene in the unsaturated zone: Field and numerical modeling investigations. *Water Resour Res.* 32: 9-22.
- Cooper, WJ; Mehran, M; Riusech, DJ; Joens, JA. (1987). ABIOTIC TRANSFORMATIONS OF HALOGENATED ORGANICS 1. ELIMINATION REACTION OF 1,1,2,2-TETRACHLOROETHANE AND FORMATION OF 1,1,2,2-TRICHLOROETHENE. *Environ Sci Technol.* 21: 1112-1114.

Fate Literature Search Results

On Topic

- Corapcioglu, MY; Hossain, MA; Hossain, MA. (1991). ANAEROBIC BIOTRANSFORMATION OF PCE AND TCE IN GROUNDWATER A COMPARISON OF EXPERIMENTAL DATA WITH NUMERICAL RESULTS (pp. 1-3). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08571). Corapcioglu, MY; Hossain, MA; Hossain, MA.
- Corapcioglu, MY; Hossain, MA; Hossain, MA. (1991). METHANOGENIC BIOTRANSFORMATION OF CHLORINATED HYDROCARBONS IN GROUNDWATER. *J Environ Eng.* 117: 47-65.
- Cornelissen, G; Rigterink, H; van Noort, PCM; Govers, HAJ. (2000). Slowly and very slowly desorbing organic compounds in sediments exhibit Langmuir-type sorption. *Environ Toxicol Chem.* 19: 1532-1539.
- Coulibaly, L; Labib, ME; Hazen, R. (2004). A GIS-based multimedia watershed model: development and application. *Chemosphere.* 55: 1067-1080. <http://dx.doi.org/10.1016/j.chemosphere.2004.01.014>.
- Courbet, C; Riviere, A; Jeannotat, S; Rinaldi, S; Hunkeler, D; Bendjoudi, H; de Marsily, G. (2011). Complementing approaches to demonstrate chlorinated solvent biodegradation in a complex pollution plume: Mass balance, PCR and compound-specific stable isotope analysis. *J Contam Hydrol.* 126: 315-323. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.009>.
- Crawford, NC; Ulmer, CS. (1994). HYDROGEOLOGIC INVESTIGATIONS OF CONTAMINANT MOVEMENT IN KARST AQUIFERS IN THE VICINITY OF A TRAIN DERAILMENT NEAR LEWISBURG TENNESSEE. *Environ Geol.* 23: 41-52.
- Cretnik, S; Thoreson, KA; Bernstein, A; Ebert, K; Buchner, D; Laskov, C; Haderlein, S; Shouakar-Stash, O; Kliegman, S; McNeill, K; Elsner, M. (2013). Reductive dechlorination of TCE by chemical model systems in comparison to dehalogenating bacteria: insights from dual element isotope analysis ($^{13}\text{C}/^{12}\text{C}$, $^{37}\text{Cl}/^{35}\text{Cl}$). *Environ Sci Technol.* 47: 6855-6863. <http://dx.doi.org/10.1021/es400107n>.
- Damgaard, I; Bjerg, PL; Bælum, J; Scheutz, C; Hunkeler, D; Jacobsen, CS; Tuxen, N; Broholm, MM. (2013). Identification of chlorinated solvents degradation zones in clay till by high resolution chemical, microbial and compound specific isotope analysis. *J Contam Hydrol.* 146: 37-50. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.010>.
- Darko, G; Akoto, O; Oppong, C. (2008). Persistent organochlorine pesticide residues in fish, sediments and water from Lake Bosomtwi, Ghana. *Chemosphere.* 72: 21-24. <http://dx.doi.org/10.1016/j.chemosphere.2008.02.052>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2008). Biotic and abiotic anaerobic transformations of trichloroethene and cis-1,2-dichloroethene in fractured sandstone. *Environ Sci Technol.* 42: 4323-4330. <http://dx.doi.org/10.1021/es702196a>.
- De Nicola, E; Meriç, S; Della Rocca, C; Gallo, M; Iaccarino, M; Manini, P; Petruzzelli, D; Belgiorno, V; Cheggour, M; Di Gennaro, A; Moukrim, A; Tünay, O; Pagano, G. (2007). Wastewater toxicity of tannin- versus chromium-based leather tanneries in Marrakesh, Morocco. *Arch Environ Contam Toxicol.* 53: 321-328. <http://dx.doi.org/10.1007/s00244-006-0181-5>.
- Degraffenreid, N; Shreve, GS. (1998). The effect of cadmium on the kinetics of trichloroethylene biodegradation by *Pseudomonas* (Burkholderia) picketti PK01 under denitrifying conditions. *Water Res.* 32: 3398-3402.
- Deitsch, JJ; Smith, JA. (1995). Effect of triton X-100 on the rate of trichloroethene desorption from soil to water. *Environ Sci Technol.* 29: 1069-1080.
- Demeestere, K; Dewulf, J; Ohno, T; Salgado, PH; Van Langenhove, H. (2005). Visible light mediated photocatalytic degradation of gaseous trichloroethylene and dimethyl sulfide on modified titanium dioxide. *Appl Catal B-Environ.* 61: 140-149. <http://dx.doi.org/10.1016/j.apcatb.2005.04.017>.
- Den, W; Ravindran, V; Pirbazari, M. (2006). Photooxidation and biotrickling filtration for controlling industrial emissions of trichloroethylene and. *Chem Eng Sci.* 61: 7909-7923. <http://dx.doi.org/10.1016/j.ces.2006.09.015>.
- Devauil, G; Ettinger, R; Gustafson, J. (2002). Chemical vapor intrusion from soil or groundwater to indoor air: Significance of unsaturated zone biodegradation of aromatic hydrocarbons. *Soil Sediment Contam.* 11: 625-641.
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res.* 38: 1002-1002. <http://dx.doi.org/10.1029/2000WR000148>.
- Diamadopoulos, E; Sakellariadis, D; Koukouraki, E. (1998). The effect of humic acid on the transport of volatile chlorinated hydrocarbons in soil. *Water Res.* 32: 3325-3330.
- Diez, FV; Ordonez, S; Padilla, B. (2006). Hydrodechlorination of trichloroethylene in wastewater in a batch slurry reactor: Mass transfer and kinetic study. *Abstracts of Papers - American Chemical Society.* 232: 929-929.
- Dilla, W; Koser, HJK. (1983). ON THE DEHYDROCHLORINATION DECHLORINATION OF TRICHLOROETHYLENE, PERCHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE BY METAL CHLORIDES AND OXIDATIVE HYDROLYTIC DEGRADATION PRODUCTS. *Mater Corros.* 34: 241-245.
- Doty, SL; Shang, TQ; Wilson, AM; Moore, AL; Newman, LA; Strand, SE; Gordon, MP. (2003). Metabolism of the soil and groundwater contaminants, ethylene dibromide and trichloroethylene, by the tropical leguminous tree, *Leuceana leucocephala*. *Water Res.* 37: 441-449.
- Doucette, W; Klein, H; Chard, J; Dupont, R; Plaehn, W; Bugbee, B. (2013). Volatilization of Trichloroethylene from Trees and Soil: Measurement and Scaling Approaches. *Environ Sci Technol.* 47: 5813-5820. <http://dx.doi.org/10.1021/es304115c>.
- Doucette, WJ; Chard, JK; Fabrizio, H; Crouch, C; Petersen, MR; Carlsen, TE; Chard, BK; Gorder, K. (2007). Trichloroethylene uptake into fruits and vegetables: Three-year field monitoring study. *Environ Sci Technol.* 41: 2505-2509. <http://dx.doi.org/10.1021/es0621804>.
- Doust, HG; Huang, JC. (1992). THE FATE AND TRANSPORT OF HAZARDOUS CHEMICALS IN THE SUBSURFACE ENVIRONMENT. *Water Sci Technol.* 25: 169-176.
- Dridi, L; Pollet, I; Razakarisoa, O; Schäfer, G. (2009). Characterisation of a DNAPL source zone in a porous aquifer using the Partitioning Interwell Tracer Test and an inverse modelling approach. *J Contam Hydrol.* 107: 22-44. <http://dx.doi.org/10.1016/j.jconhyd.2009.03.003>.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environ Sci Technol.* 38: 2879-2884. <http://dx.doi.org/10.1021/es034933h>.

Fate Literature Search Results

On Topic

- Druschel, SJ; Kinner, NE. (2009). Rock Fragments in Trichloroethene Microcosms for Bedrock Aquifers. *Bioremediat J.* 13: 107-120. <http://dx.doi.org/10.1080/10889860903124214>.
- Drzyzga, O; El Mamouni, R; Agathos, SN; Gottschal, JC. (2002). Dehalogenation of chlorinated ethenes and immobilization of nickel in anaerobic sediment columns under sulfidogenic conditions. *Environ Sci Technol.* 36: 2630-2635. <http://dx.doi.org/10.1021/es010184x>.
- Duba, AG; Jackson, KJ; Jovanovich, MC; Knapp, RB; Taylor, RT. (1996). TCE remediation using in situ, resting-state bioaugmentation. *Environ Sci Technol.* 30: 1982-1989.
- Duba, AG; Jackson, KJ; Jovanovich, MC; Knapp, RB; Taylor, RT. (1996). TCE remediation using resting-state bioaugmentation (vol 30, pg 1982, 1996). *Environ Sci Technol.* 30: 3132-3132.
- Duke, LD; Rong, Y; Harmon, TC. (1998). Parameter-induced uncertainty in modeling vadose zone transport of VOCs. *J Environ Eng.* 124: 441-448.
- Duncan, GB; Counce, RM; Donaldson, TL. (1995). A MODEL OF A FIXED-FILM TRICKLE-FILTER BIOREACTOR FOR TCE DEGRADATION. *Separation Science and Technology.* 30: 1791-1805.
- Dyer, M. (2003). Field investigation into the biodegradation of TCE and BTEX at a former metal plating works. *Eng Geol.* 70: 321-329. [http://dx.doi.org/10.1016/S0013-7952\(03\)00100-5](http://dx.doi.org/10.1016/S0013-7952(03)00100-5).
- Eberts, SM; Jones, SA; Braun, CL; Harvey, GJ. (2005). Long-term changes in ground water chemistry at a phytoremediation demonstration site. *Ground Water.* 43: 178-186.
- Edstrom, JA; Semmens, MJ; Hozalski, RM; Clapp, LW; Novak, PJ. (2005). Stimulation of dechlorination by membrane-delivered hydrogen: Small field demonstration. *Environ Eng Sci.* 22: 281-293.
- Eguchi, M; Kitagawa, M; Suzuki, Y; Nakamura, M; Kawai, T; Okamura, K; Sasaki, S; Miyake, Y. (2001). A field evaluation of in situ biodegradation of trichloroethylene through methane injection. *Water Res.* 35: 2145-2152.
- Eighmy, TT; Spear, JCM; Case, J; Mills, M; Newman, K; Kinner, NE; Marbet, H; Casas, J; Bothner, W; Coulburn, J; Tisa, LS; Majko, M; Sullivan, ER; Gonsoulin, ME. (2007). Microfracture surface geochemistry and adherent microbial population metabolism in TCE-contaminated competent bedrock. *Geomicrobiology Journal.* 24: 307-330. <http://dx.doi.org/10.1080/01490450701456610>.
- El Mamouni, R; Jacquet, R; Gerin, P; Agathos, SN. (2002). Influence of electron donors and acceptors on the bioremediation of soil contaminated with trichloroethene and nickel: laboratory- and pilot-scale study. *Water Sci Technol.* 45: 49-54.
- Elango, V; Cashwell, JM; Bellotti, MJ; Marotte, R; Freedman, DL. (2010). Bioremediation of Hexachlorocyclohexane Isomers, Chlorinated Benzenes, and Chlorinated Ethenes in Soil and Fractured Dolomite. *Bioremediat J.* 14: 10-27. <http://dx.doi.org/10.1080/10889860903463695>.
- El-Farhan, YH; Scow, KM; de Jonge, LW; Rolston, DE; Moldrup, P. (1998). Coupling transport and biodegradation of toluene and trichloroethylene in unsaturated soils. *Water Resour Res.* 34: 437-445.
- El-Farhan, YH; Scow, KM; Fan, SF; Rolston, DE. (2000). Kinetics of trichloroethylene cometabolism and toluene biodegradation: Model application to soil batch experiments. *J Environ Qual.* 29: 778-786.
- Elliott, DW; Zhang, WX. (2001). Field assessment of nanoscale biometallic particles for groundwater treatment. *Environ Sci Technol.* 35: 4922-4926. <http://dx.doi.org/10.1021/es0108584>.
- Ellis, DE; Lutz, EJ; Odom, JM; Buchanan, RJ; Bartlett, CL; Lee, MD; Harkness, MR; Deweerd, KA. (2000). Bioaugmentation for accelerated in situ anaerobic bioremediation. *Environ Sci Technol.* 34: 2254-2260.
- English, CW; Loehr, RC. (1991). Degradation of organic vapors in unsaturated soils. *J Hazard Mater.* 28: 1-2.
- Ergas, SJ; Hinlein, ES; Reyes, PO; Ostendorf, DW; Tehrany, JP. (2000). Near surface soil vapor clusters for monitoring emissions of volatile organic compounds from soils. *J Air Waste Manag Assoc.* 50: 118-124.
- Fan, C; Wang, GS; Chen, YC; Ko, CH. (2009). Risk assessment of exposure to volatile organic compounds in groundwater in Taiwan. *Sci Total Environ.* 407: 2165-2174. <http://dx.doi.org/10.1016/j.scitotenv.2008.12.015>.
- Fares, A; Kindt, BT; Lapuma, P; Perram, GP. (1995). DESORPTION-KINETICS OF TRICHLOROETHYLENE FROM POWDERED SOILS. *Environ Sci Technol.* 29: 1564-1568. <http://dx.doi.org/10.1021/es00006a019>.
- Farhan, S; Budiman, J; Holsen, TM. (2002). Experimental investigation of the interaction of soil air permeability and soil vapor extraction. *J Environ Eng.* 128: 120-130.
- Farrell, J; Grassian, D; Jones, M. (1999). Investigation of mechanisms contributing to slow desorption of hydrophobic organic compounds from mineral solids. *Environ Sci Technol.* 33: 1237-1243.
- Farrell, J; Hauck, B; Jones, M. (1999). Thermodynamic investigation of trichloroethylene adsorption in water-saturated microporous adsorbents. *Environ Toxicol Chem.* 18: 1637-1642.
- Farrell, J; Manspeaker, C; Luo, J. (2003). Understanding competitive adsorption of water and trichloroethylene in a high-silica Y zeolite. *Microporous and Mesoporous Materials.* 59: 205-214. [http://dx.doi.org/10.1016/S1387-1811\(03\)00315-9](http://dx.doi.org/10.1016/S1387-1811(03)00315-9).
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions. 2. Kinetics. *Environ Sci Technol.* 28: 63-72.
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions: 1. Isotherms. *Environ Sci Technol.* 28: 53-62.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. *Environ Pollut.* 107: 209-215.
- Filippini, M; Amorosi, A; Campo, B; Herrero-Martin, S; Nijenhuis, I; Parker, BL; Gargini, A. (2016). Origin of VC-only plumes from naturally enhanced dechlorination in a peat-rich hydrogeologic setting. *J Contam Hydrol.* 192: 129-139. <http://dx.doi.org/10.1016/j.jconhyd.2016.07.003>.

Fate Literature Search Results

On Topic

- Fischer, D; Uchrin, CG. (1994). A PROTOTYPE LABORATORY MODEL TO PREDICT TCE CONTAMINATION OF RESIDENCE BASEMENTS FROM POLLUTED GROUND-WATER. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicology*. 29: 1565-1576.
- Fischer, D; Uchrin, CG. (1996). Laboratory simulation of VOC entry into residence basements from soil gas. *Environ Sci Technol*. 30: 2598-2603.
- Foote, GR; Bice, NT; Rowles, LD; Gallinatti, JD. (1998). TCE and flow monitoring methods using an existing water supply well. *J Environ Eng*. 124: 564-571.
- Freeberg, KM; Bedient, PB; Connor, JA. (1987). MODELING OF TCE CONTAMINATION AND RECOVERY IN A SHALLOW SAND AQUIFER. *Ground Water*. 25: 70-80.
- Freedman, DL; Danko, AS; Verce, MF. (2001). Substrate interactions during aerobic biodegradation of methane, ethene, vinyl chloride and 1,2-dichloroethenes. *Water Sci Technol*. 43: 333-340.
- Freitas, JG; Rivett, MO; Roche, RS; Durrant, M; Walker, C; Tellam, JH. (2015). Heterogeneous hyporheic zone dechlorination of a TCE groundwater plume discharging to an urban river reach. *Sci Total Environ*. 505: 236-252. <http://dx.doi.org/10.1016/j.scitotenv.2014.09.083>.
- Fryar, AE; Wallin, EJ; Brown, DL. (2000). Spatial and temporal variability in seepage between a contaminated aquifer and tributaries to the Ohio River. *Ground Water Monitoring and Remediation*. 20: 129-146.
- Gautrois, M; Brauers, T; Koppmann, R; Rohrer, F; Stein, O; Rudolph, J. (2003). Seasonal variability and trends of volatile organic compounds in the lower polar troposphere. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2002JD002765>.
- Gentner, DR; Miller, AM; Goldstein, AH. (2010). Seasonal variability in anthropogenic halocarbon emissions. *Environ Sci Technol*. 44: 5377-5382. <http://dx.doi.org/10.1021/es1005362>.
- Goltz, MN; Gandhi, RK; Gorelick, SM; Hopkins, GD; Smith, LH; Timmins, BH; Mccarty, PL. (2005). Field evaluation of in situ source reduction of trichloroethylene in groundwater using bioenhanced in-well vapor stripping. *Environ Sci Technol*. 39: 8963-8970. <http://dx.doi.org/10.1021/es050628f>.
- Goode, DJ; Imbrigiotta, TE; Lacombe, PJ. (2014). High-resolution delineation of chlorinated volatile organic compounds in a dipping, fractured mudstone: Depth- and strata-dependent spatial variability from rock-core sampling. *J Contam Hydrol*. 171C: 1-11. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.005>.
- Graber, ER; Laor, Y; Ronen, D. (2008). Aquifer contamination by chlorinated-VOCs: the case of an urban metropolis megasite overlying the Coastal Plain aquifer in Israel. *Hydrogeology Journal*. 16: 1615-1623. <http://dx.doi.org/10.1007/s10040-008-0366-2>.
- Guilbeault, MA; Parker, BL; Cherry, JA. (2005). Mass and flux distributions from DNAPL zones in sandy aquifers. *Ground Water*. 43: 70-86.
- Haas, BS; Herrmann, R. (1996). Transport of chlorinated hydrocarbons between sewage and sewer atmosphere. *Water Sci Technol*. 34: 557-564.
- Haas, JR; Shock, EL. (1999). Halocarbons in the environment: Estimates of thermodynamic properties for aqueous chloroethylene species and their stabilities in natural settings. *Geochim Cosmo Acta*. 63: 3429-3441.
- Hamid, S; Amin, MT; Alazba, AA; Ili, Manzoor, U. (2014). Simultaneous Degradation of Trichloroethylene and Toluene by *Burkholderia cepacia* G4 and the Effect of Biotransformation on Bacterial Density. *CLEAN - Soil, Air, Water*. 42: 998-1003. <http://dx.doi.org/10.1002/clen.201300201>.
- Han, K; Hong, U; Park, S; Lee, G; Kwon, S; Kim, Y. (2016). Long-term monitoring and evaluating biological activity of in situ anaerobic reductive dechlorination at a highly recharged and TCE-contaminated aquifer. *Desalination and Water Treatment*. 57: 24085-24095. <http://dx.doi.org/10.1080/19443994.2016.1153903>.
- Han, YL; Kuo, M; Tseng, IC; Lu, CJ. (2007). Semicontinuous microcosm study of aerobic cometabolism of trichloroethylene using toluene. *J Hazard Mater*. 148: 583-591. <http://dx.doi.org/10.1016/j.jhazmat.2007.03.013>.
- Harkness, M; Fisher, A; Lee, MD; Mack, EE; Payne, JA; Dworatzek, S; Roberts, J; Acheson, C; Herrmann, R; Possolo, A. (2012). Use of statistical tools to evaluate the reductive dechlorination of high levels of TCE in microcosm studies. *J Contam Hydrol*. 131: 100-118. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.011>.
- Harkness, MR; Bracco, AA; Brennan, MJ; Deweerd, KA; Spivack, JL. (1999). Use of bioaugmentation to stimulate complete reductive dechlorination of trichloroethene in dover soil columns. *Environ Sci Technol*. 33: 1100-1109.
- Harmon, TC; Semprini, L; Roberts, PV. (1992). SIMULATING SOLUTE TRANSPORT USING LABORATORY-BASED SORPTION PARAMETERS. *J Environ Eng*. 118: 666-689.
- Harrold, G; Goody, DC; Reid, S; Lerner, DN; Leharne, SA. (2003). Changes in interfacial tension of chlorinated solvents following flow through UK soils and shallow aquifer material. *Environ Sci Technol*. 37: 1919-1925. <http://dx.doi.org/10.1021/es020117i>.
- Hasbach, A. (1999). Process destroys TCE in soil, groundwater. *Pollution Engineering*. 31: 55-55.
- Haston, ZC; Mccarty, PL. (1999). Chlorinated ethene half-velocity coefficients (K_s) for reductive dehalogenation. *Environ Sci Technol*. 33: 223-226.
- Haws, NW; Ball, WP; Bouwer, EJ. (2006). Modeling and interpreting bioavailability of organic contaminant mixtures in subsurface environments [Review]. *J Contam Hydrol*. 82: 255-292. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.005>.
- He, R; Su, Y; Kong, J. (2015). Characterization of trichloroethylene adsorption onto waste biocover soil in the presence of landfill gas. *J Hazard Mater*. 295: 185-192. <http://dx.doi.org/10.1016/j.jhazmat.2015.04.026>.
- He, Z; Yang, G; Lu, X; Zhang, H. (2013). Distributions and sea-to-air fluxes of chloroform, trichloroethylene, tetrachloroethylene, chlorodibromomethane and bromoform in the Yellow Sea and the East China Sea during spring. *Environ Pollut*. 177: 28-37. <http://dx.doi.org/10.1016/j.envpol.2013.02.008>.

Fate Literature Search Results

On Topic

- He, Z; Yang, G, uiP; Lu, XL, an; Ding, QY, ao; Zhang, HH, ai. (2013). Halocarbons in the marine atmosphere and surface seawater of the south Yellow Sea during spring. *Atmos Environ.* 80: 514-523. <http://dx.doi.org/10.1016/j.atmosenv.2013.08.025>.
- He, Z; Yang, GP; Lu, XL. (2013). Distributions and sea-to-air fluxes of volatile halocarbons in the East China Sea in early winter. *Chemosphere.* 90: 747-757. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.067>.
- Hegedus, M; Dombi, A. (2004). Comparative study of heterogeneous photocatalytic decomposition of tetrachloroethene and trichloroethene in the gas phase. *Appl Catal A-Gen.* 271: 177-184. <http://dx.doi.org/10.1016/j.apcata.2004.02.057>.
- Helburn, R; Albritton, J; Howe, G; Michael, L; Franke, D. (2008). Henry's law constants for fragrance and organic solvent compounds in aqueous industrial surfactants. *Journal of Chemical and Engineering Data.* 53: 1071-1079. <http://dx.doi.org/10.1021/je700418a>.
- Henry, SM; Hardcastle, CH; Warner, SD. (2003). Chlorinated solvent and DNAPL remediation: An overview of physical, chemical, and biological processes. *ACS Symp Ser Am Chem Soc.* 837: 1-20.
- Heron, G; Carroll, S; Nielsen, SG. (2005). Full-scale removal of DNAPL constituents using steam-enhanced extraction and electrical resistance heating. *Ground Water Monitoring and Remediation.* 25: 92-107.
- Heron, G; Christensen, TH; Enfield, CG. (1998). Henry's law constant for trichloroethylene between 10 and 95 degrees C. *Environ Sci Technol.* 32: 1433-1437.
- Heron, G; Lachance, J; Baker, R. (2013). Removal of PCE DNAPL from Tight Clays Using In Situ Thermal Desorption. *Ground Water Monitoring and Remediation.* 33: 31-43. <http://dx.doi.org/10.1111/gwmr.12028>.
- Heron, G; Parker, K, en; Galligan, J, im; Holmes, TC. (2009). Thermal Treatment of Eight CVOC Source Zones to Near Nondetect Concentrations. *Ground Water Monitoring and Remediation.* 29: 56-65.
- Hippelein, M; Mclachlan, MS. (2000). Soil/air partitioning of semivolatile organic compounds. 2. Influence of temperature and relative humidity. *Environ Sci Technol.* 34: 3521-3526.
- Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K. (1992). GROUNDWATER POLLUTION BY VOLATILE ORGANOCHLORINES IN JAPAN AND RELATED PHENOMENA IN THE SUBSURFACE ENVIRONMENT (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11335). Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K.
- Höhener, P; Elsner, M; Eisenmann, H; Atteia, O. (2015). Improved constraints on in situ rates and on quantification of complete chloroethene degradation from stable carbon isotope mass balances in groundwater plumes. *J Contam Hydrol.* 182: 173-182. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.006>.
- Holsen, TM; Park, JK; Bontoux, L; Jenkins, D; Selleck, RE. (1991). THE EFFECT OF SOILS ON THE PERMEATION OF PLASTIC PIPES BY ORGANIC-CHEMICALS. *J Am Water Works Assoc.* 83: 85-91.
- Holton, C; Luo, H; Dahlen, P; Gorder, K; Dettenmaier, E; Johnson, PC. (2013). Temporal variability of indoor air concentrations under natural conditions in a house overlying a dilute chlorinated solvent groundwater plume. *Environ Sci Technol.* 47: 13347-13354. <http://dx.doi.org/10.1021/es4024767>.
- Hood, ED; Major, DW; Quinn, JW; Yoon, WS; Gavaskar, A; Edwards, EA. (2008). Demonstration of enhanced bioremediation in a TCE source area at Launch Complex 34, Cape Canaveral Air Force Station. *Ground Water Monitoring and Remediation.* 28: 98-107.
- Hopkins, GD; Mccarty, PL. (1995). Field evaluation of in situ aerobic cometabolism of trichloroethylene and three dichloroethylene isomers using phenol and toluene as the primary substrates. *Environ Sci Technol.* 29: 1628-1637.
- Howard, PH; Boethling, RS; Jarvis, WF; Meylan, WM; Michalenko, EM. (1991). Handbook of environmental degradation rates. Boca Raton, FL: Lewis Publishers/CRC Press. <http://www.crcpress.com/product/isbn/9780873713580>.
- Huang, J; Appiah-Sefah, G; Nkrumah, NP; Li, J. (2016). MAGNOLIA GRANDIFLORA FOR MONITORING TRICHLOROETHYLENE AND TETRACHLOROETHYLENE CONTAMINATION OF GROUNDWATER. *Fresen Environ Bull.* 25: 783-792.
- Hunkeler, D; Aravena, R; Berry-Spark, K; Cox, E. (2005). Assessment of degradation pathways in an aquifer with mixed chlorinated hydrocarbon contamination using stable isotope analysis. *Environ Sci Technol.* 39: 5975-5981. <http://dx.doi.org/10.1021/es048464a>.
- Hunkeler, D; Chollet, N; Pittet, X; Aravena, R; Cherry, JA; Parker, BL. (2004). Effect of source variability and transport processes on carbon isotope ratios of TCE and PCE in two sandy aquifers. *J Contam Hydrol.* 74: 265-282. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.003>.
- Hutter, GM; Brenniman, GR; Anderson, RJ. (1992). Measurement of the apparent diffusion coefficient of trichloroethylene in soil. *Water Environ Res.* 64: 69-77.
- Hylton, TD. (1992). EVALUATION OF THE TCE CATALYTIC-OXIDATION UNIT AT WURTSMITH AIR-FORCE BASE. *Environmental Progress.* 11: 54-57.
- Ilokhani, H; Samiey, B. (2005). Studies of viscosities and excess molar volumes of the binary mixtures of 1-heptanol plus 1,2-dichloroethane, plus 1,1,1-trichloroethane, plus 1,1,2,2-tetrachloroethane, plus trichloroethylene and tetrachloroethylene at (293.15, 298.15, and 303.15) K for the liquid region and at ambient pressure. *Journal of Chemical and Engineering Data.* 50: 1911-1916. <http://dx.doi.org/10.1021/je0501890>.
- Imfeld, G; Nijenhuis, I; Nikolausz, M; Zeiger, S; Paschke, H; Drangmeister, J; Grossmann, J; Richnow, HH; Weber, S. (2008). Assessment of in situ degradation of chlorinated ethenes and bacterial community structure in a complex contaminated groundwater system. *Water Res.* 42: 871-882. <http://dx.doi.org/10.1016/j.watres.2007.08.035>.
- Imhoff, PT; Arthur, MH; Miller, CT. (1998). Complete dissolution of trichloroethylene in saturated porous media. *Environ Sci Technol.* 32: 2417-2424.
- Inguva, S; Boensch, M; Shreve, GS. (1998). Microbial enhancement of TCE and 1,2-DCA solute flux in UF-membrane bioreactors. *AIChE J.* 44: 2112-2123.
- Inguva, S; Shreve, GS. (1999). Biodegradation kinetics of trichloroethylene and 1,2-dichloroethane by Burkholderia (Pseudomonas) cepacia PR131 and Xanthobacter autotrophicus GJ10. *Int Biodeterior Biodegradation.* 43: 1-2.

Fate Literature Search Results

On Topic

- Insogna, S; Frison, S; Marconi, E; Bacaloni, A. (2014). Trends of volatile chlorinated hydrocarbons and trihalomethanes in Antarctica. *Int J Environ Anal Chem.* 94: 1343-1359. <http://dx.doi.org/10.1080/03067319.2014.974587>.
- Itakura, T; Airey, DW; Leo, CJ. (2003). The diffusion and sorption of volatile organic compounds through kaolinitic clayey soils. *J Contam Hydrol.* 65: 219-243. [http://dx.doi.org/10.1016/S0169-7722\(03\)00002-0](http://dx.doi.org/10.1016/S0169-7722(03)00002-0).
- Jackson, RE; Mariner, PE. (1995). ESTIMATING DNAPL COMPOSITION AND VOC DILUTION FROM EXTRACTION WELL DATA. *Ground Water.* 33: 407-414.
- Jacobs, TL; Warmerdam, JM; Medina, MA; Piver, WT. (1996). Second moment method for evaluating human health risks from groundwater contaminated by trichloroethylene. *Environ Health Perspect.* 104: 866-870.
- Jang, W; Aral, MM. (2007). Density-driven transport of volatile organic compounds and its impact on contaminated groundwater plume evolution. *Transport in Porous Media.* 67: 353-374. <http://dx.doi.org/10.1007/s11242-006-9029-8>.
- Jellali, S; Benremita, H; Muntzer, P; Razakarisoa, O; Schäfer, G. (2003). A large-scale experiment on mass transfer of trichloroethylene from the unsaturated zone of a sandy aquifer to its interfaces. *J Contam Hydrol.* 60: 31-53.
- Jellali, S; Muntzer, P; Razakarisoa, O; Schafer, G. (2001). Large scale experiment on transport of trichloroethylene in a controlled aquifer. *Transport in Porous Media.* 44: 145-163.
- Jia, J; Chu, W. (2009). The photodegradation of trichloroethylene with or without the NAPL by UV irradiation in surfactant solutions. *J Hazard Mater.* 161: 196-201. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.072>.
- Johnson, GR; Gupta, K; Putz, DK; Hu, Q; Brusseau, ML. (2003). The effect of local-scale physical heterogeneity and nonlinear, rate-limited sorption/desorption on contaminant transport in porous media. *J Contam Hydrol.* 64: 35-58. [http://dx.doi.org/10.1016/S0169-7722\(02\)00103-1](http://dx.doi.org/10.1016/S0169-7722(02)00103-1).
- Johnson, GR; Zhang, Z; Brusseau, ML. (2003). Characterizing and quantifying the impact of immiscible-liquid dissolution and nonlinear, rate-limited sorption/desorption on low-concentration elution tailing. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001435>.
- Johnson, RL; Pankow, JF. (1992). Dissolution of dense chlorinated solvents into groundwater: 2. Source functions for pools of solvent. *Environ Sci Technol.* 26: 896-901.
- Johnston, JJ; Borden, RC; Barlaz, MA. (1996). Anaerobic biodegradation of alkylbenzenes and trichloroethylene in aquifer sediment down gradient of a sanitary landfill. *J Contam Hydrol.* 23: 263-283.
- Jorgensen, PR; Broholm, K; Sonnenborg, TO; Arvin, E. (1998). DNAPL transport through macroporous clayey till columns. *Ground Water.* 36: 651-660.
- Kaminsky, JF; Wylie, AH. (1995). VERTICAL CONTAMINANT PROFILING OF VOLATILE ORGANICS IN A DEEP FRACTURED BASALT AQUIFER. *Ground Water Monitoring and Remediation.* 15: 97-103.
- Kanazawa, S; Filip, Z. (1987). EFFECTS OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND DICHLOROMETHANE ON SOIL BIOMASS AND MICROBIAL COUNTS (pp. 24-33). (ISSN 0174-3015; BIOSIS/87/29199). Kanazawa, S; Filip, Z.
- Kang, KH; Dong, JI. (2010). Hazardous air pollutant (HAP) emission characterization of sewage treatment facilities in Korea. *J Environ Monit.* 12: 898-905. <http://dx.doi.org/10.1039/b906771j>.
- Kao, CM; Prosser, J. (1999). Intrinsic bioremediation of trichloroethylene and chlorobenzene: field and laboratory studies. *J Hazard Mater.* 69: 67-79.
- Kaown, D; Jun, SC; Kim, R, akH; Woosik, S; Lee, KK, un. (2016). Characterization of a site contaminated by chlorinated ethenes and ethanes using multi-analysis. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5536-2>.
- Kaown, D; Koh, DC; Solomon, DK, ip; Yoon, YY; Yang, J; Lee, KK, un. (2014). Delineation of recharge patterns and contaminant transport using H-3-He-3 in a shallow aquifer contaminated by chlorinated solvents in South Korea. *Hydrogeology Journal.* 22: 1041-1054. <http://dx.doi.org/10.1007/s10040-014-1123-3>.
- Karamanev, DG. (1999). Biodegradation of soil contaminants. *Journal of Sci Ind Res.* 58: 764-772.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasseri, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol.* 90: 155-159. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Katsenovich, YP; Miralles-Wilhelm, FR. (2009). Evaluation of nanoscale zerovalent iron particles for trichloroethene degradation in clayey soils. *Sci Total Environ.* 407: 4986-4993. <http://dx.doi.org/10.1016/j.scitotenv.2009.05.033>.
- Kawata, K; Kitajima, E; Murayama, H; Uemura, T. (1992). Distribution of trichloroethylene in air, soil and groundwater around a metalware factory (pp. 156-161). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/92/27554). Kawata, K; Kitajima, E; Murayama, H; Uemura, T.
- Kempton, H; Davis, A; Olsen, R. (1992). Remediation of solvent-contaminated soils by aeration. *J Environ Qual.* 21: 121-128.
- Keng, F; Phang, S; Abd Rahman, N; Leedham, EC; Hughes, C; Robinson, AD; Harris, NRP; Pyle, JA; Sturges, WT. (2013). Volatile halocarbon emissions by three tropical brown seaweeds under different irradiances. *J Appl Phycol.* 25: 1377-1386. <http://dx.doi.org/10.1007/s10811-013-9990-x>.
- Kennedy, LG; Everett, JW; Becvar, E; Defeo, D. (2006). Field-scale demonstration of induced biogeochemical reductive dechlorination at Dover Air Force Base, Dover, Delaware. *J Contam Hydrol.* 88: 119-136. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.007>.
- Kenneke, JF; Mccutcheon, SC. (2003). Use of pretreatment zones and zero-valent iron for the remediation of chloroalkenes in an oxic aquifer. *Environ Sci Technol.* 37: 2829-2835. <http://dx.doi.org/10.1021/es0207302>.
- Kiecak, A; Kret, E, wa; Cichostepska, M; Malina, G. (2013). ASSESSMENT OF INTRINSIC BIODEGRADATION POTENTIALS IN AN AQUIFER CONTAMINATED WITH CHLORINATED ETHENES IN THE VICINITY OF NOWA DEBA. 20: 265-278. <http://dx.doi.org/10.2478/eces-2013-0019>.

Fate Literature Search Results

On Topic

- Kim, E; Little, JC; Chiu, N; Chiu, A. (2001). Inhalation exposure to volatile chemicals in drinking water. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* C19: 387-413.
- Kim, H; Lee, S; Moon, JW; Rao, PSC. (2005). Gas transport of volatile organic compounds in unsaturated soils: Quantitative analysis of retardation processes. *Soil Sci Soc Am J.* 69: 990-995. <http://dx.doi.org/10.2136/sssaj2003.0208>.
- Kim, JY; Park, JK; Edil, TB. (1997). Sorption of organic compounds in the aqueous phase onto tire rubber. *J Environ Eng.* 123: 827-835.
- Kjeldsen, P; Dalager, A; Broholm, K. (1997). Attenuation of methane and nonmethane organic compounds in landfill gas affected soils. *J Air Waste Manag Assoc.* 47: 1268-1275.
- Klammler, H; Hatfield, K; Guimaraes da Luz, JA; Annable, MD; Newman, M; Cho, J; Peacock, A; Stucker, V; Ranville, J; Cabaniss, SA; Rao, PSC. (2012). Contaminant discharge and uncertainty estimates from passive flux meter measurements. *Water Resour Res.* 48: n/a. <http://dx.doi.org/10.1029/2011WR010535>.
- Kleineidam, S; Schuth, C; Grathwohl, P. (2002). Solubility-normalized combined adsorption-partitioning sorption isotherms for organic pollutants. *Environ Sci Technol.* 36: 4689-4697. <http://dx.doi.org/10.1021/es010293b>.
- Kleopfer, RD; Easley, DM; Haas B B, J. R.; Deihl, TG; Jackson, DE; Wurrey, CJ. (1985). ANAEROBIC DEGRADATION OF TRICHLOROETHYLENE IN SOIL. *Environ Sci Technol.* 19: 277-280.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis Metropolitan Area. *Arch Environ Health.* 52: 348-354. <http://dx.doi.org/10.1080/00039899709602210>.
- Knauss, KG; Dibley, MJ; Leif, RN; Mew, DA; Aines, RD. (2000). The aqueous solubility of trichloroethene (TCE) and tetrachloroethene (PCE) as a function of temperature. *Appl Geochem.* 15: 501-512.
- Kong, JY, an; Bai, Y, un; Su, Y, ao; Yao, Y; He, R, uo. (2014). Effects of trichloroethylene on community structure and activity of methanotrophs in landfill cover soils. *Soil Biol Biochem.* 78: 118-127. <http://dx.doi.org/10.1016/j.soilbio.2014.07.018>.
- Kouchi, A; Okabayashi, K; Okamoto, S; Yoshikado, H; Yamamoto, S; Kobayashi, K; Ono, N; Koizumi, M. (2004). Development of a low-rise industrial source dispersion model (METI-LIS model). *Int J Environ Pollut.* 21: 325-338.
- Kret, E; Kiecak, A; Malina, G; Nijenhuis, I; Postawa, A. (2015). Identification of TCE and PCE sorption and biodegradation parameters in a sandy aquifer for fate and transport modelling: batch and column studies. *Environ Sci Pollut Res Int.* 22: 9877-9888. <http://dx.doi.org/10.1007/s11356-015-4156-9>.
- Kuchovsky, T; Sracek, O. (2007). Natural attenuation of chlorinated solvents: a comparative study. *Environ Geol.* 53: 147-157. <http://dx.doi.org/10.1007/s00254-006-0628-z>.
- Labieniec, PA; Dzombak, DA; Siegrist, RL. (1996). Risk variability due to uniform soil remediation goals. *J Environ Eng.* 122: 612-621.
- Lasage, DM; Fryar, AE; Mukherjee, A; Sturchio, NC; Heraty, LJ. (2008). Groundwater-derived contaminant fluxes along a channelized Coastal Plain stream. *J Hydrol.* 360: 265-280. <http://dx.doi.org/10.1016/j.jhydrol.2008.07.026>.
- Lawrence, A; Stuart, M; Cheney, C; Jones, N; Moss, R. (2006). Investigating the scale of structural controls on chlorinated hydrocarbon distributions in the fractured-porous unsaturated zone of a sandstone aquifer in the UK. *Hydrogeology Journal.* 14: 1470-1482. <http://dx.doi.org/10.1007/s10040-006-0068-6>.
- Lee, LJH; Chan, CC; Chung, CW; Ma, YC; Wang, GS; Wang, JD. (2002). Health risk assessment on residents exposed to chlorinated hydrocarbons contaminated in groundwater of a hazardous waste site. *J Toxicol Environ Health A.* 65: 219-235. <http://dx.doi.org/10.1080/15287390252800828>.
- Lee, MH; Clingenpeel, SC; Leiser, OP; Wymore, RA; Sorenson, KS; Watwood, ME. (2008). Activity-dependent labeling of oxygenase enzymes in a trichloroethene-contaminated groundwater site. *Environ Pollut.* 153: 238-246. <http://dx.doi.org/10.1016/j.envpol.2007.07.034>.
- Lee, S. (2007). Enhanced dissolution of TCE in NAPL by TCE-degrading bacteria in wetland soils. *J Hazard Mater.* 145: 17-22. <http://dx.doi.org/10.1016/j.jhazmat.2006.10.073>.
- Lee, SS; Kaown, D; Lee, KK. (2015). Evaluation of the fate and transport of chlorinated ethenes in a complex groundwater system discharging to a stream in Wonju, Korea. *J Contam Hydrol.* 182: 231-243. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.005>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere.* 55: 705-713. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.033>.
- Lemming, G; Chambon, JC; Binning, PJ; Bjerg, PL. (2012). Is there an environmental benefit from remediation of a contaminated site? Combined assessments of the risk reduction and life cycle impact of remediation. *J Environ Manage.* 112: 392-403. <http://dx.doi.org/10.1016/j.jenvman.2012.08.002>.
- Lemming, G; Hauschild, MZ; Chambon, J; Binning, PJ; Bulle, C; Margni, M; Bjerg, PL. (2010). Environmental impacts of remediation of a trichloroethene-contaminated site: life cycle assessment of remediation alternatives. *Environ Sci Technol.* 44: 9163-9169. <http://dx.doi.org/10.1021/es102007s>.
- Lenczewski, M; Jardine, P; Mckay, L; Layton, A. (2003). Natural attenuation of trichloroethylene in fractured shale bedrock. *J Contam Hydrol.* 64: 151-168. [http://dx.doi.org/10.1016/S0169-7722\(02\)00090-6](http://dx.doi.org/10.1016/S0169-7722(02)00090-6).
- Lenczewski, M; Mckay, L; Pitner, A; Driese, S; Vulava, V. (2006). Pure-phase transport and dissolution of TCE in sedimentary rock saprolite. *Ground Water.* 44: 406-414. <http://dx.doi.org/10.1111/j.1745-6584.2005.00149.x>.
- Lenczewski, ME; Mckay, LD; Layton, A. (2004). Anaerobic biodegradation of TCE in laboratory columns of fractured saprolite. *Ground Water.* 42: 534-541.
- Lendvay, JM; Dean, SM; Adriaens, P. (1998). Temporal and spatial trends in biogeochemical conditions at a groundwater-surface water interface: Implications for natural bioattenuation. *Environ Sci Technol.* 32: 3472-3478.

Fate Literature Search Results

On Topic

- Lendvay, JM; Sauck, WA; McCormick, ML; Barcelona, MJ; Kampbell, DH; Wilson, JT; Adriaens, P. (1998). Geophysical characterization, redox zonation, and contaminant distribution at a groundwater surface water interface. *Water Resour Res.* 34: 3545-3559.
- Li, H; Sheng, GY; Chiou, CT; Xu, OY. (2005). Relation of organic contaminant equilibrium sorption and kinetic uptake in plants. *Environ Sci Technol.* 39: 4864-4870. <http://dx.doi.org/10.1021/es050424z>.
- Li, J; Werth, CJ. (2004). Slow desorption mechanisms of volatile organic chemical mixtures in soil and sediment micropores. *Environ Sci Technol.* 38: 440-448. <http://dx.doi.org/10.1021/es034830z>.
- Liang, C; Wang, ZS; Bruell, CJ. (2007). Influence of pH on persulfate oxidation of TCE at ambient temperatures. *Chemosphere.* 66: 106-113. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.026>.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology.* 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Lin, TF; Little, JC; Nazaroff, WW. (1994). TRANSPORT AND SORPTION OF VOLATILE ORGANIC-COMPOUNDS AND WATER-VAPOR WITHIN DRY SOIL GRAINS. *Environ Sci Technol.* 28: 322-330. <http://dx.doi.org/10.1021/es00051a020>.
- Ling, M; Rifai, HS. (2007). Modeling natural attenuation with source control at a chlorinated solvents dry cleaner site. *Ground Water Monitoring and Remediation.* 27: 108-121.
- Litz, N. (1993). The behavior of organic compounds in soils: A predicting system for environment risk assessment. *Z Pflanzenernaehr Bodenkd.* 156: 203-208.
- Liu, CX; Ball, WP. (1999). Application of inverse methods to contaminant source identification from aquitard diffusion profiles at Dover AFB, Delaware. *Water Resour Res.* 35: 1975-1985.
- Liu, Y; Illangasekare, TH; Kitanidis, PK. (2014). Long-term mass transfer and mixing-controlled reactions of a DNAPL plume from persistent residuals. *J Contam Hydrol.* 157: 11-24. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.008>.
- Lopes, TJ; Bender, DA. (1998). Nonpoint sources of volatile organic compounds in urban areas--relative importance of land surfaces and air. *Environ Pollut.* 101: 221-230. [http://dx.doi.org/10.1016/S0269-7491\(98\)00048-7](http://dx.doi.org/10.1016/S0269-7491(98)00048-7).
- Lorah, MM; Olsen, LD. (1999). Natural attenuation of chlorinated volatile organic compounds in a freshwater tidal wetland: Field evidence of anaerobic biodegradation. *Water Resour Res.* 35: 3811-3827.
- Lorden, SW; Chen, W; Lion, LW. (1998). Experiments and modeling of the transport of trichloroethene vapor in unsaturated aquifer material. *Environ Sci Technol.* 32: 2009-2017.
- Love, OT, Jr; Eilers, RG. (1982). Treatment of drinking water containing trichloroethylene and related industrial solvents. *J Am Water Works Assoc.* 74: 413-425.
- Lu, C; Bjerg, PL; Zhang, F; Broholm, MM. (2011). Sorption of chlorinated solvents and degradation products on natural clayey tills. *Chemosphere.* 83: 1467-1474. <http://dx.doi.org/10.1016/j.chemosphere.2011.03.007>.
- Luciano, A; Viotti, P; Papini, MP. (2012). On Morphometric Properties of DNAPL Sources: Relating Architecture to Mass Reduction. *Water Air Soil Pollut.* 223: 2849-2864. <http://dx.doi.org/10.1007/s11270-011-1071-7>.
- Luo, Y; Gao, Q; Yang, X. (2007). Dynamic modeling of chemical fate and transport in multimedia environments at watershed scale-II: trichloroethylene test case. *J Environ Manage.* 83: 56-65. <http://dx.doi.org/10.1016/j.jenvman.2006.01.018>.
- Ma, HW. (2002). Stochastic multimedia risk assessment for a site with contaminated groundwater. *Stoch Environ Res Risk Assess.* 16: 464-478. <http://dx.doi.org/10.1007/s00477-002-0112-6>.
- Ma, HW; Wu, KY; Ton, CD. (2002). Setting information priorities for remediation decisions at a contaminated-groundwater site. *Chemosphere.* 46: 75-81.
- Ma, TH; Xu, C; Liao, S; Mcconnell, H; Jeong, BS; Won, CD. (1996). In situ monitoring with the Tradescantia bioassays on the genotoxicity of gaseous emissions from a closed landfill site and an incinerator. *Mutat Res.* 359: 39-52.
- Ma, X; Burken, JG. (2002). VOCs fate and partitioning in vegetation: use of tree cores in groundwater analysis. *Environ Sci Technol.* 36: 4663-4668. <http://dx.doi.org/10.1021/es025795j>.
- Ma, X; Burken, JG. (2003). TCE diffusion to the atmosphere in phytoremediation applications. *Environ Sci Technol.* 37: 2534-2539. <http://dx.doi.org/10.1021/es026055d>.
- Ma, X; Wang, C. (2009). Impacts of the physiochemical properties of chlorinated solvents on the sorption of trichloroethylene to the roots of *Typha latifolia*. *Environ Pollut.* 157: 1019-1023. <http://dx.doi.org/10.1016/j.envpol.2008.10.005>.
- Ma, XM; Burken, J. (2004). Modeling of RE diffusion to the atmosphere and distribution in plant stems. *Environ Sci Technol.* 38: 4580-4586. <http://dx.doi.org/10.1021/es035435b>.
- Macfarlane, S; Mackay, D. (1998). A fugacity-based screening model to assess contamination and remediation of the subsurface containing non-aqueous phase liquids. *Journal of Soil Contamination.* 7: 17-46.
- Mackay, DM; Bianchimosquera, G; Kopania, AA; Kianjah, H; Thorbjarnarson, KW. (1994). A FORCED-GRADIENT EXPERIMENT ON SOLUTE TRANSPORT IN THE BORDEN AQUIFER .1. EXPERIMENTAL METHODS AND MOMENT ANALYSES OF RESULTS. *Water Resour Res.* 30: 369-383.
- Mahal, MK; Murao, A; Johnson, GR; Russo, AE; Brusseau, ML. (2010). NONIDEAL BEHAVIOR DURING COMPLETE DISSOLUTION OF ORGANIC IMMISCIBLE LIQUID: 1. IDEAL POROUS MEDIA. *Water Air Soil Pollut.* 213: 191-197. <http://dx.doi.org/10.1007/s11270-010-0377-1>.
- Malone, R; Warner, RC; Evangelou, VP; Wong, JL. (1994). TRANSPORT OF BENZENE AND TRICHLOROETHYLENE THROUGH A LANDFILL SOIL LINER MIXED WITH COAL SLURRY. *Waste Manag Res.* 12: 417-428.
- Marczinek, S; Schafer, W; Peiffer, S. (2006). Identification and quantification of natural degradation processes in an aquifer contaminated with chlorinated ethenes. *Grundwasser.* 11: 207-216. <http://dx.doi.org/10.1007/s00767-006-0146-7>.

Fate Literature Search Results

On Topic

- Martí, V; Jubany, I; Pérez, C; Rubio, X; De Pablo, J; Giménez, J. (2014). Human health risk assessment of a landfill based on volatile organic compounds emission, immission and soil gas concentration measurements. *Appl Geochem*. 49: 218-224. <http://dx.doi.org/10.1016/j.apgeochem.2014.06.018>.
- Martin, SA; Simmons, MB; Ortiz-Serrano, M; Kendrick, C; Gallo, A; Campbell, J; Fisher, J. (2005). Environmental exposure of a community to airborne trichloroethylene. *Arch Environ Health*. 60: 314-316.
- Martinez, E; Llobet, I; Lacorte, S; Viana, P; Barcelo, D. (2002). Patterns and levels of halogenated volatile compounds in Portuguese surface waters. *J Environ Monit*. 4: 253-257. <http://dx.doi.org/10.1039/b109623k>.
- Maslia, ML; Aral, MM; Faye, RE; Suarez-Soto, RJ; Sautner, JB; Wang, J; Jang, W; Bove, FJ; Ruckart, PZ. (2009). Reconstructing Historical Exposures to Volatile Organic Compound-Contaminated Drinking Water at a US Military Base. *Water Qual Expo Health*. 1: 49-68. <http://dx.doi.org/10.1007/s12403-009-0010-y>.
- Maslia, ML; Aral, MM; Ruckart, PZ; Bove, FJ. (2016). Reconstructing Historical VOC Concentrations in Drinking Water for Epidemiological Studies at a US Military Base: Summary of Results. *Water*. 8. <http://dx.doi.org/10.3390/w8100449>.
- Maslia, ML; Aral, MM; Williams, RC; Williams-Fleetwood, S; Hayes, LC; Wilder, LC. (1996). Use of computational models to reconstruct and predict trichloroethylene exposure. *Toxicol Ind Health*. 12: 139-152.
- Masten, SJ. (1991). Ozonation of VOC's in the presence of humic acid and soils (pp. 287-312). (ISSN 0191-9512; EISSN 1547-6545; BIOSIS/91/25845). Masten, SJ.
- Matthews, DW; Massmann, J; Strand, SE. (2003). Influence of aquifer properties on phytoremediation effectiveness. *Ground Water*. 41: 41-47.
- Matthews, SM; Boegel, AJ; Loftis, JA; Caufield, RA; Mincher, BJ; Meikrantz, DH; Murphy, RJ. (1993). DECOMPOSITION OF HALOGENATED HYDROCARBONS USING INTENSE, PENETRATING BREMSSTRAHLUNG. *Radiat Phys Chem Oxf Engl* 1993. 42: 689-693.
- Matthieu, DE; Brusseau, ML; Guo, Z; Plaschke, M; Carroll, KC; Brinker, F. (2014). Persistence of a Groundwater Contaminant Plume after Hydraulic Source Containment at a Chlorinated-Solvent Contaminated Site. *Ground Water Monitoring and Remediation*. 34: 23-32. <http://dx.doi.org/10.1111/gwmr.12077>.
- Mayer, KP; Grbic-Galic, D; Semprini, L; Mccarty, PL. (1988). DEGRADATION OF TRICHLOROETHYLENE BY METHANOTROPHIC BACTERIA IN A LABORATORY COLUMN OF SATURATED AQUIFER MATERIAL (pp. 8-11). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/89/20931). Mayer, KP; Grbic-Galic, D; Semprini, L; Mccarty, PL.
- Mccarty, KA; Johnson, RL. (1993). TRANSPORT OF VOLATILE ORGANIC-COMPOUNDS ACROSS THE CAPILLARY-FRINGE. *Water Resour Res*. 29: 1675-1683.
- Mccarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Sci Technol*. 42: 49-60.
- McClellan, KL; Buras, N; Bales, RC. (1989). BIODEGRADATION OF TRICHLOROETHYLENE BY BACTERIA INDIGENOUS TO A CONTAMINATED SITE. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 24: 561-570.
- McConnell, G; Ferguson, DM; Pearson, CR. (1975). Chlorinated hydrocarbons and the environment. *Endeavour*. 34: 13-18.
- Mckelvie, JR; Hirschorn, SK; Lacrampe-Couloume, G; Lindstrom, J, on; Braddock, J; Finneran, K; Trego, D, on; Lollar, BS. (2007). Evaluation of TCE and MTBE in situ biodegradation: Integrating stable isotope, metabolic intermediate and microbial lines of evidence. *Ground Water Monitoring and Remediation*. 27: 63-73.
- Mcknight, US; Funder, SG; Rasmussen, J; Finkel, M; Binning, PJ; Bjerg, PL. (2010). An integrated model for assessing the risk of TCE groundwater contamination to human receptors and surface water ecosystems. *Ecol Eng*. 36: 1126-1137. <http://dx.doi.org/10.1016/j.ecoleng.2010.01.004>.
- Mcknight, US; Rasmussen, J; Kronvang, B; Bjerg, PL; Binning, PJ. (2012). Integrated assessment of the impact of chemical stressors on surface water ecosystems. *Sci Total Environ*. 427: 319-331. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.011>.
- Mckone, TE; Bogen, KT. (1991). PREDICTING THE UNCERTAINTIES IN RISK ASSESSMENT - A CALIFORNIA GROUNDWATER CASE-STUDY. *Environ Sci Technol*. 25: 1674-1681.
- Mcnab, WW; Narasimhan, TN. (1994). DEGRADATION OF CHLORINATED HYDROCARBONS AND GROUNDWATER GEOCHEMISTRY - A FIELD-STUDY. *Environ Sci Technol*. 28: 769-775.
- Mehran, M; Olsen, RL; Rector, BM. (1987). DISTRIBUTION COEFFICIENT OF TRICHLOROETHYLENE IN SOIL-WATER SYSTEMS. *Ground Water*. 25: 275-282.
- Melin, ES; Puhakka, JA; Strand, SE; Rockne, KJ; Ferguson, JF. (1996). Fluidized-bed enrichment of marine ammonia-to-nitrite oxidizers and their ability to degrade chloroaliphatics. *Int Biodeterior Biodegradation*. 38: 9-18.
- Mendoza-Sanchez, I; Cunningham, J. (2012). Efficient Algorithms for Modeling the Transport and Biodegradation of Chlorinated Ethenes in Groundwater. *Transport in Porous Media*. 92: 165-185. <http://dx.doi.org/10.1007/s11242-011-9896-5>.
- Meyer-Monath, M; Beaumont, J; Morel, I; Rouget, F; Tack, K; Lestremau, F. (2014). Analysis of BTEX and chlorinated solvents in meconium by headspace-solid-phase microextraction gas chromatography coupled with mass spectrometry. *Anal Bioanal Chem*. 406: 4481-4490. <http://dx.doi.org/10.1007/s00216-014-7836-2>.
- Michalak, AM; Kitanidis, PK. (2004). Application of geostatistical inverse modeling to contaminant source identification at Dover AFB, Delaware. *Journal of Hydraulic Research*. 42: 9-18.
- Middeldorp, PJM; van Aalst, MA; Rijnaarts, HHM; Stams, FJM; de Kreuk, HF; Schraa, G; Bosma, TNP. (1998). Stimulation of reductive dechlorination for in situ bioremediation of a soil contaminated with chlorinated ethenes. *Water Sci Technol*. 37: 105-110.
- Moreno, B; Vivas, A; Nogales, R; Macci, C; Masciandaro, G; Benitez, E. (2009). Restoring biochemical activity and bacterial diversity in a trichloroethylene-contaminated soil: the reclamation effect of vermicomposted olive wastes. *Environ Sci Pollut Res Int*. 16: 253-264. <http://dx.doi.org/10.1007/s11356-008-0035-y>.

Fate Literature Search Results

On Topic

- Moriyama, N; Terao, M; Kawata, K; Uemura, T; Shirai, F. (1988). BIOTRANSFORMATION OF TRICHLOROETHYLENE IN SOIL. *JTTHE*. 34: 366-370.
- Mukherjee, A; Fryar, AE; Lasage, DM. (2005). Using tracer tests to assess natural attenuation of contaminants along a channelized Coastal Plain stream. *Environmental and Engineering Geoscience*. 11: 371-382.
- Myrand, D; Gillham, RW; Sudicky, EA; O'Hannesin, SF; Johnson, RL. (1992). Diffusion of volatile organic compounds in natural clay deposits: Laboratory tests. *J Contam Hydrol*. 10: 159-177.
- Nelson, MJ; Kinsella, JV; Montoya, T. (1990). INSITU BIODEGRADATION OF TCE CONTAMINATED GROUNDWATER. *Environmental Progress*. 9: 190-196.
- Nelson, NT; Brusseau, ML. (1996). FIELD STUDY OF THE PARTITIONING TRACER METHOD FOR DETECTION OF DENSE NONAQUEOUS PHASE LIQUID IN A TRICHLOROETHENE-CONTAMINATED AQUIFER. *Environ Sci Technol*. 30: 2859-2863.
- Newell, CJ; Cowie, I; Mcguire, TM; Mcnab, WW, Jr. (2006). Multiyear temporal changes in chlorinated solvent concentrations at 23 monitored natural attenuation sites. *J Environ Eng*. 132: 653-663. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(653\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(653)).
- Newman, LA; Strand, SE; Choe, N; Duffy, J; Ekuan, G; Ruzsaj, M; Shurtleff, BB; Wilmoth, J; Heilman, P; Gordon, MP. (1997). Uptake and biotransformation of trichloroethylene by hybrid poplars. *Environ Sci Technol*. 31: 1062-1067.
- Newman, LA; Wang, XP; Muiznieks, IA; Ekuan, G; Ruzsaj, M; Cortellucci, R; Domroes, D; Karscig, G; Newman, T; Crampton, RS; Hashmonay, RA; Yost, MG; Heilman, PE; Duffy, J; Gordon, MP; Strand, SE. (1999). Remediation of trichloroethylene in an artificial aquifer with trees: A controlled field study. (vol 33, pg 2257, 1999). *Environ Sci Technol*. 33: 3935-3935.
- Nietch, CT; Morris, JT; Vroblesky, DA. (1999). Biophysical mechanisms of trichloroethene uptake and loss in baldcypress growing in shallow contaminated groundwater. *Environ Sci Technol*. 33: 2899-2904.
- Nijenhuis, I; Nikolausz, M; Köth, A; Felföldi, T; Weiss, H; Drangmeister, J; Grossmann, J; Kästner, M; Richnow, HH. (2007). Assessment of the natural attenuation of chlorinated ethenes in an anaerobic contaminated aquifer in the Bitterfeld/Wolfen area using stable isotope techniques, microcosm studies and molecular biomarkers. *Chemosphere*. 67: 300-311. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.084>.
- Ninomiya, K; Sakai, M; Ohba, E; Kashiwagi, N. (1994). KINETIC-MODEL FOR THE BIOTRANSFORMATION OF TETRACHLOROETHYLENE IN GROUNDWATER. *Water Sci Technol*. 30: 13-18.
- Okochi, H; Kataniwa, M; Sugimoto, D; Igawa, M. (2005). Enhanced dissolution of volatile organic compounds into urban dew water collected in Yokohama, Japan. *Atmos Environ*. 39: 6027-6036. <http://dx.doi.org/10.1016/j.atmosenv.2005.05.025>.
- Olson, MR; Sale, TC. (2015). Implications of soil mixing for NAPL source zone remediation: Column studies and modeling of field-scale systems. *J Contam Hydrol*. 177-178: 206-219. <http://dx.doi.org/10.1016/j.jconhyd.2015.04.008>.
- Ong, SK; Lion, LW. (1991). Effects of soil properties and moisture on the sorption of trichloroethylene vapor. *Water Res*. 25: 29-36.
- Oolman, T; Godard, ST; Pope, GA; Jin, M; Kirchner, K. (1995). DNAPL FLOW BEHAVIOR IN A CONTAMINATED AQUIFER - EVALUATION OF FIELD DATA. *Ground Water Monitoring and Remediation*. 15: 125-137.
- Ou, HH; Lo, SL. (2007). Photocatalysis of gaseous trichloroethylene (TCE) over TiO₂: The effect of oxygen and relative humidity on the generation of dichloroacetyl chloride (DCAC) and phosgene. *J Hazard Mater*. 146: 302-308. <http://dx.doi.org/10.1016/j.jhazmat.2006.12.039>.
- Ouoba, S; Cherblanc, F; Cousin, B; Benet, JC. (2010). A New Experimental Method to Determine the Sorption Isotherm of a Liquid in a Porous Medium. *Environ Sci Technol*. 44: 5914-5919. <http://dx.doi.org/10.1021/es101377v>.
- Ouoba, S; Cherblanc, F; Kouliadiati, J; Benet, JC. (2015). A New Experimental Method to Determine the Henry's Law Constant of a Volatile Organic Compound Adsorbed in Soil. *J Chem*. <http://dx.doi.org/10.1155/2015/479327>.
- Ouoba, S; Cousin, B; Toguyeni, DY; Ouiminga, SK; Cherblanc, F; Kouliadiati, J; Benet, JC. (2015). Highlighting of a local non-equilibrium thermodynamics during the transfer of trichloroethylene (TCE) in the superficial layers of arid soils. 19: 1096-1107. <http://dx.doi.org/10.1080/19648189.2014.996672>.
- Ouoba, S; Daho, T; Cherblanc, F; Kouliadiati, J; Benet, JC. (2015). A New Experimental Method to Determine the Evaporation Coefficient of Trichloroethylene (TCE) in an Arid Soil. *Transport in Porous Media*. 106: 339-353. <http://dx.doi.org/10.1007/s11242-014-0404-6>.
- Pacheco, JE; Prairie, MR; Yellowhorse, L. (1993). PHOTOCATALYTIC DESTRUCTION OF CHLORINATED SOLVENTS IN WATER WITH SOLAR-ENERGY. *J Sol Energ Eng*. 115: 123-129.
- Padilla, I. (2010). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padilla, I. (2011). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padilla, I. (2012). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padilla, I. (2013). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Palakodeti, RC; Leboeuf, EJ; Clarke, JH. (2009). Tool for assessment of process importance at the groundwater/surface water interface. *J Environ Manage*. 91: 87-101. <http://dx.doi.org/10.1016/j.jenvman.2009.07.011>.
- Palau, J; Marchesi, M; Chambon, JC; Aravena, R; Canals, À; Binning, PJ; Bjerg, PL; Otero, N; Soler, A. (2014). Multi-isotope (carbon and chlorine) analysis for fingerprinting and site characterization at a fractured bedrock aquifer contaminated by chlorinated ethenes. *Sci Total Environ*. 475: 61-70. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.059>.
- Pan, LW; Siegrist, RL; Crimi, M. (2012). Effects of In Situ Remediation Using Oxidants or Surfactants on Subsurface Organic Matter and Sorption of Trichloroethene. *Ground Water Monitoring and Remediation*. 32: 96-105. <http://dx.doi.org/10.1111/j.1745-6592.2011.01377.x>.
- Pant, P; Allen, M; Cai, Y; Jayachandran, K; Chen, Y, in. (2007). Influence of physical factors on trichloroethylene evaporation from surface water. *Water Air Soil Pollut*. 183: 153-163. <http://dx.doi.org/10.1007/s11270-007-9365-5>.
- Pant, P; Pant, S. (2010). A review: Advances in microbial remediation of trichloroethylene (TCE) [Review]. *J Environ Sci*. 22: 116-126. [http://dx.doi.org/10.1016/S1001-0742\(09\)60082-6](http://dx.doi.org/10.1016/S1001-0742(09)60082-6).

Fate Literature Search Results

On Topic

- Park, J; Choi, E; Cho, IH; Kim, YG. (2003). Solar light induced degradation of trichloroethylene (TCE) using TiO₂: effects of solar light intensity and seasonal variations. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 1915-1926. <http://dx.doi.org/10.1081/ESE-120022889>.
- Parker, BL; Chapman, SW; Guilbeault, MA. (2008). Plume persistence caused by back diffusion from thin clay layers in a sand aquifer following TCE source-zone hydraulic isolation. *J Contam Hydrol.* 102: 86-104. <http://dx.doi.org/10.1016/j.jconhyd.2008.07.003>.
- Parkin, GF. (1999). Anaerobic biotransformation of chlorinated aliphatic hydrocarbons: Ugly duckling to beautiful swan. *Water Environ Res.* 71: 1158-1164.
- Parsons, F; Wood, PR; Demarco, J. (1984). Transformations of tetrachloroethene and trichloroethene in microcosms and groundwater. *J Am Water Works Assoc.* 76: 56-59.
- Patterson, BM; Aravena, R; Davis, GB; Furness, AJ; Bastow, TP; Bouchard, D. (2013). Multiple lines of evidence to demonstrate vinyl chloride aerobic biodegradation in the vadose zone, and factors controlling rates. *J Contam Hydrol.* 153: 69-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.008>.
- Paul, CJ; Puls, RW. (1997). Impact of turbidity on TCE and degradation products in ground water. *Ground Water Monitoring and Remediation.* 17: 128-133.
- Pavlostathis, SG; Jaglal, K. (1991). Desorptive behavior of trichloroethylene in contaminated soil. *Environ Sci Technol.* 25: 274-279.
- Pavlostathis, SG; Mathavan, GN. (1992). DESORPTION-KINETICS OF SELECTED VOLATILE ORGANIC-COMPOUNDS FROM FIELD CONTAMINATED SOILS. *Environ Sci Technol.* 26: 532-538.
- Pearce, AE; Voudrias, EA; Whelan, MP. (1994). DISSOLUTION OF TCE AND TCA POOLS IN SATURATED SUBSURFACE SYSTEMS. *J Environ Eng.* 120: 1191-1206.
- Pecoraino, G; Scalici, L, ea; Avellone, G; Ceraulo, L; Favara, R; Candela, EG; Provenzano, MC; Scaletta, C. (2008). Distribution of volatile organic compounds in Sicilian groundwaters analysed by head space-solid phase micro extraction coupled with gas chromatography mass spectrometry (SPME/GC/MS) [Review]. *Water Res.* 42: 3563-3577. <http://dx.doi.org/10.1016/j.watres.2008.07.022>.
- Pederson, BM; Thibodeaux, LJ; Valsaraj, KT; Reible, DD. (2001). Testing a multimedia compartmental model with monitoring data. *Environ Toxicol Chem.* 20: 2114-2121.
- Peng, J. (1998). Distribution of volatile organic contaminants between water and air. *Can J Civ Eng.* 25: 1091-1095.
- Peng, J; Bewtra, JK; Biswas, N. (1994). VOLATILIZATION OF SELECTED ORGANIC-COMPOUNDS FROM QUIESCENT WATER. *J Environ Eng.* 120: 662-669.
- Peng, J; Wan, A. (1997). Measurement of Henry's constants of high-volatility organic compounds using a headspace autosampler. *Environ Sci Technol.* 31: 2998-3003.
- Petersen, LW; Moldrup, P; El-Farhan, YH; Jacobsen, OH; Yamaguchi, T; Rolston, DE. (1995). The effect of moisture and soil texture on the adsorption of organic vapors. *J Environ Qual.* 24: 752-759.
- Petersen, LW; Rolston, DE; Moldrup, P; Yamaguchi, T. (1994). Volatile organic vapor diffusion and adsorption in soils. *J Environ Qual.* 23: 799-805.
- Peterson, MS; Lion, LW; Shoemaker, CA. (1988). INFLUENCE OF VAPOR-PHASE SORPTION AND DIFFUSION ON THE FATE OF TRICHLOROETHYLENE IN AN UNSATURATED AQUIFER SYSTEM. *Environ Sci Technol.* 22: 571-578.
- Petrova, IV; Anokhina, TS; Borisov, RS; Volkov, VV; Yaroslavtsev, AB. (2016). Removal of trichloroethylene from water in the catalytic membrane reactor. *Catalysis Today.* 268: 150-155. <http://dx.doi.org/10.1016/j.cattod.2016.02.023>.
- Pham, HT; Kitsuneduka, M; Hara, J; Suto, K; Inoue, C. (2008). Trichloroethylene Transformation by Natural Mineral Pyrite: The Deciding Role of Oxygen. *Environ Sci Technol.* 42: 7470-7475. <http://dx.doi.org/10.1021/es801310y>.
- Phenrat, T; Thongboot, T; Lowry, GV. (2016). Electromagnetic Induction of Zerovalent Iron (ZVI) Powder and Nanoscale Zerovalent Iron (NZVI) Particles Enhances Dechlorination of Trichloroethylene in Contaminated Groundwater and Soil: Proof of Concept. *Environ Sci Technol.* 50: 872-880. <http://dx.doi.org/10.1021/acs.est.5b04485>.
- Philips, J; Haest, PJ; Springael, D; Smolders, E. (2013). Inhibition of Geobacter dechlorinators at elevated trichloroethene concentrations is explained by a reduced activity rather than by an enhanced cell decay. *Environ Sci Technol.* 47: 1510-1517. <http://dx.doi.org/10.1021/es303390q>.
- Pirbazari, M; Badriyha, BN; Ravindran, V. (1992). MF-PAC for treating waters contaminated with natural and synthetic organics (pp. 95-103). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/93/04550). Pirbazari, M; Badriyha, BN; Ravindran, V.
- Pires, J; Carvalho, A; de Carvalho, MB. (2001). Adsorption of volatile organic compounds in Y zeolites and pillared clays. *Microporous and Mesoporous Materials.* 43: 277-287.
- Pires, J; Fernandes, A, naC; Duraiswami, D. (2014). Synthesis of novel hierarchical ZSM-5 monoliths and their application in trichloroethylene removal. *Chinese journal of catalysis.* 35: 1492-1496. [http://dx.doi.org/10.1016/S1872-2067\(14\)60085-1](http://dx.doi.org/10.1016/S1872-2067(14)60085-1).
- Pires, J; Pinto, M; Carvalho, A; de Carvalho, MB. (2003). Adsorption of acetone, methyl ethyl ketone, 1,1,1-trichloroethane, and trichloroethylene in granular activated carbons. *Journal of Chemical and Engineering Data.* 48: 416-420. <http://dx.doi.org/10.1021/jc020180n>.
- Plaza, G; Ulfing, K; Rzychon, D; Wypych, J; Worsztynowicz, A; Brigmon, RL. (2004). TCE biodegradation in "interspecies hydrogen transfer" bioremediation model. *Fresen Environ Bull.* 13: 1151-1157.
- Pon, G; Hyman, MR; Semprini, L. (2003). Acetylene inhibition of trichloroethene and vinyl chloride reductive dechlorination. *Environ Sci Technol.* 37: 3181-3188. <http://dx.doi.org/10.1021/es026352i>.

Fate Literature Search Results

On Topic

- Ponza, S; Parkpian, P; Polprasert, C; Shrestha, RP; Jugsujinda, A. (2010). Removal of trichloroethylene (TCE) contaminated soil using a two-stage anaerobic-aerobic composting technique. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 549-559. <http://dx.doi.org/10.1080/10934521003595233>.
- Pooley, KE; Blessing, M; Schmidt, TC; Haderlein, SB; Macquarrie, KT; Prommer, H. (2009). Aerobic biodegradation of chlorinated ethenes in a fractured bedrock aquifer: quantitative assessment by compound-specific isotope analysis (CSIA) and reactive transport modeling. *Environ Sci Technol.* 43: 7458-7464. <http://dx.doi.org/10.1021/es900658n>.
- Poulsen, TG; Moldrup, P; Yamaguchi, T; Massmann, JW; Hansen, JA. (1998). VOC vapor sorption in soil: Soil type dependent model and implications for vapor extraction. *J Environ Eng.* 124: 146-155.
- Poulsen, TG; Yamaguchi, T; Moldrup, P; de Jonge, LW; Rolston, DE. (2000). Predicting volatile organic vapor sorption from soil specific surface area and texture. *J Environ Qual.* 29: 1642-1649.
- Powell, CL; Goltz, MN; Agrawal, A. (2014). Degradation kinetics of chlorinated aliphatic hydrocarbons by methane oxidizers naturally-associated with wetland plant roots. *J Contam Hydrol.* 170: 68-75. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.001>.
- Prade, K; Schmax, S. (1998). Rapid headspace-GC determination of the soil-water partition ratio of volatile hydrocarbons. *Z Pflanzenernaehr Bodenkd.* 161: 647-651.
- Pu, M, in; Dupont, RR; Doucette, WJ. (2008). Impact of Vegetable Oil on Distribution of Trichloroethylene in Groundwater During Enhanced Bioremediation. *Environ Forensics.* 9: 340-349. <http://dx.doi.org/10.1080/15275920802501846>.
- Qin, K; Struckhoff, GC; Agrawal, A; Shelley, ML; Dong, H. (2014). Natural attenuation potential of trichloroethene in wetland plant roots: Role of native ammonium-oxidizing microorganisms. *Chemosphere.* 119C: 971-977. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.040>.
- Rabideau, AJ; Blayden, JM; Ganguly, C. (1999). Field performance of air sparging system for removing TCE from groundwater. *Environ Sci Technol.* 33: 157-162.
- Rahman, MM; Liedl, R; Grathwohl, P. (2004). Sorption kinetics during macropore transport of organic contaminants in soils: Laboratory experiments and analytical modeling. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2002WR001946>.
- Razafindratsima, S; Guerin, R; Bendjoudi, H; de Marsily, G. (2014). Hydrogeological modeling constraints provided by geophysical and geochemical mapping of a chlorinated ethenes plume in northern France. *Hydrogeology Journal.* 22: 1433-1446. <http://dx.doi.org/10.1007/s10040-014-1133-1>.
- Rein, A; Holm, O; Trapp, S; Popp-Hofmann, S; Bittens, M; Leven, C; Dietrich, P. (2015). Comparison of Phytoscreening and Direct-Push-Based Site Investigation at a Rural Megasite Contaminated with Chlorinated Ethenes. *Ground Water Monitoring and Remediation.* 35: 1-U108. <http://dx.doi.org/10.1111/gwmr.12122>.
- Révész, KM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and ²HH₂O tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol.* 156: 62-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.004>.
- Reynolds, DA; Kueper, BH. (2001). Multiphase flow and transport in fractured clay/sand sequences. *J Contam Hydrol.* 51: 41-62.
- Richmond, SA; Lindstrom, JE; Braddock, JF. (2001). Assessment of natural attenuation of chlorinated aliphatics and BTEX in subarctic groundwater. *Environ Sci Technol.* 35: 4038-4045.
- Rippen, G; Klopffer, W; Frische, R; K-O, G. (1984). The Environmental Model Segment Approach For Estimating Potential Environmental Concentrations. II. Application Of The Model To p-Dichlorobenzene And Trichloroethane. *Ecotoxicol Environ Saf.* 8: 363-377.
- Rivett, MO; Dearden, RA; Wealthall, GP. (2014). Architecture, persistence and dissolution of a 20 to 45 year old trichloroethene DNAPL source zone. *J Contam Hydrol.* 170: 95-115. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.008>.
- Rivett, MO; Feenstra, S; Cherry, JA. (2001). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: creation of the emplaced-source and overview of dissolved plume development. *J Contam Hydrol.* 49: 111-149. [http://dx.doi.org/10.1016/S0169-7722\(00\)00191-1](http://dx.doi.org/10.1016/S0169-7722(00)00191-1).
- Rodriguez, E; McGuinness, KA; Ophori, DU. (2004). A field evaluation of enhanced reductive dechlorination of chlorinated solvents in groundwater, New York Metropolitan Area. *Environ Geol.* 45: 623-632. <http://dx.doi.org/10.1007/s00254-003-0920-0>.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary: Volatile organohalogen compounds. *Mar Pollut Bull.* 24: 82-91.
- Ronen, D; Lev-Wiener, H; Graber, ER; Dahan, O; Weisbrod, N. (2010). Simultaneous counter-flow of chlorinated volatile organic compounds across the saturated-unsaturated interface region of an aquifer. *Water Res.* 44: 2107-2112. <http://dx.doi.org/10.1016/j.watres.2009.12.016>.
- Rosenbloom, J; Mock, P; Lawson, P; Brown, J; Turin, HJ. (1993). APPLICATION OF VLEACH TO VADOSE ZONE TRANSPORT OF VOCs AT AN ARIZONA SUPERFUND SITE. *Ground Water Monitoring and Remediation.* 13: 159-169.
- Rossi, F; Cucciniello, R; Intiso, A; Proto, A; Motta, O; Marchettini, N. (2015). Determination of the trichloroethylene diffusion coefficient in water. *AiChE J.* 61: 3511-3515. <http://dx.doi.org/10.1002/aic.14861>.
- Ruettinger, S; Breiter, R; Hirsch, K; Alejandro, M; Avila, S; Tobschall, HJ; Neesse, T; Bayer, M. (2006). Natural Attenuation investigations of an abandoned landfill contaminated by chlorinated hydrocarbons. *Grundwasser.* 11: 184-193. <http://dx.doi.org/10.1007/s00767-006-0144-9>.
- Sahoo, D; Smith, JA; Imbrigiotta, TE; McLellan, HM. (1998). Surfactant-enhanced remediation of a trichloroethene-contaminated aquifer: 2. Transport of TCE. *Environ Sci Technol.* 32: 1686-1693.

Fate Literature Search Results

On Topic

- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Salkinoja-Salonen, M; Uotila, J; Jokela, J; Laine, M; Sasaki, E. (1995). ORGANIC HALOGENS IN THE ENVIRONMENT STUDIES OF ENVIRONMENTAL BIODEGRADABILITY AND HUMAN EXPOSURE. *Environ Health Perspect.* 103: 63-69.
- Sawhney, BL; Gent, MPN. (1990). HYDROPHOBICITY OF CLAY SURFACES - SORPTION OF 1,2-DIBROMOETHANE AND TRICHLOROETHENE. *Clays and Clay Minerals.* 38: 14-20.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lacombe, PJ; Bishop, ME; Dong, H. (2015). Abiotic dechlorination in rock matrices impacted by long-term exposure to TCE. *Chemosphere.* 119: 744-749. <http://dx.doi.org/10.1016/j.chemosphere.2014.08.005>.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lazouskaya, V; Fischer, TB; Bishop, ME; Dong, H. (2013). Coupled Diffusion and Abiotic Reaction of Trichloroethene in Minimally Disturbed Rock Matrices. *Environ Sci Technol.* 47: 4291-4298. <http://dx.doi.org/10.1021/es400457s>.
- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *J Air Waste Manag Assoc.* 55: 878-885.
- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual.* 33: 61-71.
- Sercu, B; Jones, ADG; Wu, CH; Escobar, MH; Serlin, CL; Knapp, TA; Andersen, GL; Holden, PA. (2013). The Influence of In Situ Chemical Oxidation on Microbial Community Composition in Groundwater Contaminated with Chlorinated Solvents. *Microb Ecol.* 65: 39-49. <http://dx.doi.org/10.1007/s00248-012-0092-0>.
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol.* 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.
- Shang, TQ; Gordon, MP. (2002). Transformation of [C-14] trichloroethylene by poplar suspension cells. *Chemosphere.* 47: 957-962.
- Shen, H, ai; Wilson, JT; Lu, X. (2012). A Tracer Test to Characterize Treatment of TCE in a Permeable Reactive Barrier. *Ground Water Monitoring and Remediation.* 32: 32-41. <http://dx.doi.org/10.1111/j.1745-6592.2011.01394.x>.
- Shenl, H, ai; Adair, C; Wilson, JT. (2010). Long-Term Capacity of Plant Mulch to Remediate Trichloroethylene in Groundwater. *J Environ Eng.* 136: 1054-1062. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000253](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000253).
- Sheremata, TW; Yong, RN; Ghoshal, S; Guiot, SR. (2000). Anaerobic biodegradation of trichloroethylene sorbed by a surrogate soil organic matter. *J Environ Qual.* 29: 1033-1040.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere.* 104: 149-154. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.084>.
- Shih, YH. (2007). Sorption of trichloroethylene in humic acid studied by experimental investigations and molecular dynamics simulations. *Soil Sci Soc Am J.* 71: 1813-1821. <http://dx.doi.org/10.2136/soil2007.0282>.
- Shimizu, Y; Takei, N; Terashima, Y. (1992). SORPTION OF ORGANIC POLLUTANTS FROM VAPOR PHASE THE EFFECTS OF NATURAL SOLID CHARACTERISTICS AND MOISTURE CONTENT (pp. 24-30). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/05315). Shimizu, Y; Takei, N; Terashima, Y.
- Shimizu, Y; Takei, N; Terashima, Y. (1994). ROLES OF SOLID COMPONENTS ON THE SORPTION OF TRICHLOROETHYLENE TCE ONTO NATURAL SOLIDS FROM THE VAPOR PHASE. *Water Sci Technol.* 30: 1-11.
- Shirayama, H; Tohezo, Y; Taguchi, S. (2001). Photodegradation of chlorinated hydrocarbons in the presence and absence of dissolved oxygen in water. *Water Res.* 35: 1941-1950.
- Simoës, A; Stringfellow, AM; Smallman, D; Beaven, R; Marshall, J; Powrie, W; Potter, HAB. (2011). Sorption of organic contaminants by Oxford Clay and Mercia Mudstone landfill liners. *Quarterly Journal of Engineering Geology and Hydrogeology.* 44: 345-360. <http://dx.doi.org/10.1144/1470-9236/09-003>.
- Skubal, KL; Barcelona, MJ; Adriaens, P. (2001). An assessment of natural biotransformation of petroleum hydrocarbons and chlorinated solvents at an aquifer plume transect. *J Contam Hydrol.* 49: 151-169.
- Skubal, KL; Haack, SK; Forney, LJ; Adriaens, P. (1999). Effects of dynamic redox zonation on the potential for natural attenuation of trichloroethylene at a fire-training-impacted aquifer. 24: 517-527.
- Smith, JA; Chiou, CT; Kammer, JA; Kile, DE. (1990). Effect of soil moisture on the sorption of trichloroethene vapor to vadose-zone soil at Picatinny Arsenal, New Jersey (USA). *Environ Sci Technol.* 24: 676-683.
- Smith, JA; Tisdale, AK; Cho, HJ. (1996). Quantification of natural vapor fluxes of trichloroethene in the unsaturated zone at Picatinny Arsenal, New Jersey. *Environ Sci Technol.* 30: 2243-2250.
- Song, DL; Conrad, ME; Sorenson, KS; Alvarez-Cohen, L. (2002). Stable carbon isotope fractionation during enhanced in situ bioremediation of trichloroethene. *Environ Sci Technol.* 36: 2262-2268. <http://dx.doi.org/10.1021/es011162d>.
- Strycharz, S; Newman, L. (2009). USE OF NATIVE PLANTS FOR REMEDIATION OF TRICHLOROETHYLENE: I. DECIDUOUS TREES. *Int J Phytoremediation.* 11: 150-170. <http://dx.doi.org/10.1080/15226510802378442>.
- Strycharz, S; Newman, L. (2009). USE OF NATIVE PLANTS FOR REMEDIATION OF TRICHLOROETHYLENE: II. CONIFEROUS TREES. *Int J Phytoremediation.* 11: 171-186. <http://dx.doi.org/10.1080/15226510802378459>.
- Su, CY; Kuo, M; Liang, KF; Lin, CY. (2010). Model simulations for in situ aerobic cometabolism of trichloroethylene. *J Chem Tech Biotechnol.* 85: 1604-1615. <http://dx.doi.org/10.1002/jctb.2472>.
- Su, Y; Liang, Y. (2013). The foliar uptake and downward translocation of trichloroethylene and 1,2,3-trichlorobenzene in air-plant-water systems. *J Hazard Mater.* 252: 300-305. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.013>.

Fate Literature Search Results

On Topic

- Su, Y, uH; Liu, T; Liang, YC. (2010). Transport via xylem of trichloroethylene in wheat, corn, and tomato seedlings. *J Hazard Mater.* 182: 472-476. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.055>.
- Su, Y; Zhu, Y; Liang, Y. (2009). Interactions of mixed organic contaminants in uptake by rice seedlings. *Chemosphere.* 74: 890-895. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.05>.
- Sui, H; Li, X; Huang, G; Jiang, B. (2006). A study on cometabolic bioventing for the in situ remediation of trichloroethylene. *Environ Geochem Health.* 28: 147-152. <http://dx.doi.org/10.1007/s10653-005-9025-x>.
- Switzer, C; Kosson, DS. (2007). Soil vapor extraction performance in layered vadose zone materials. *Vadose Zone Journal.* 6: 397-405. <http://dx.doi.org/10.2136/vzj2005.0131>.
- Switzer, C; Slagle, T; Hunter, D; Kosson, DS. (2004). Use of rebound testing for evaluation of soil vapor extraction performance at the Savannah River Site. *Ground Water Monitoring and Remediation.* 24: 106-117.
- Tabernacka, A. (2014). Biological Treatment of Groundwaters Polluted with Chlorinated Ethene. 36: 9-13.
- Tabernacka, A; Zborowska, E, wa; Lebkowska, M. (2012). Removal of Chlorinated Ethenes (TCE and PCE) from the Air by Using Integrated Bioreactors with Immobilized Biomass. 34: 11-18.
- Takeuchi, M; Nanba, K; Furuya, K; Nirei, H; Yoshida, M. (2004). Natural groundwater of a gas field utilizable for a bioremediation of trichloroethylene-contamination. *Environ Geol.* 45: 891-898. <http://dx.doi.org/10.1007/s00254-003-0951-6>.
- Truex, M; Powell, T; Lynch, K. (2007). In situ dechlorination of TCE during aquifer heating. *Ground Water Monitoring and Remediation.* 27: 96-105.
- Vanbeelen, P. (1990). DEGRADATION OF ORGANIC POLLUTANTS IN GROUND-WATER. 5: 199-212.
- Vanstone, N; Przepiora, A; Vogan, J; Lacrampe-Couloume, G; Powers, B; Perez, E; Mabury, S; Sherwood Lollar, B. (2005). Monitoring trichloroethene remediation at an iron permeable reactive barrier using stable carbon isotopic analysis. *J Contam Hydrol.* 78: 313-325. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.013>.
- Verce, MF; Madrid, VM; Gregory, SD; Demir, Z; Singleton, MJ; Salazar, EP; Jackson, PJ; Halden, RU; Verce, A. (2015). A Long-Term Field Study of In Situ Bioremediation in a Fractured Conglomerate Trichloroethene Source Zone. *Bioremediat J.* 19: 18-31. <http://dx.doi.org/10.1080/10889868.2014.978836>.
- Vroblesky, DA; Clinton, BD; Vose, JM; Casey, CC; Harvey, G; Bradley, PM. (2004). Ground water chlorinated ethenes in tree trunks: Case studies, influence of recharge, and potential degradation mechanism. *Ground Water Monitoring and Remediation.* 24: 124-138.
- Vroblesky, DA; Lorah, MM. (1991). Prospecting for zones of contaminated ground-water discharge to streams using bottom-sediment gas bubbles. *Ground Water.* 29: 333-340.
- Vroblesky, DA; Lorah, MM; Trimble, SP. (1991). Mapping zones of contaminated ground-water discharge using creek-bottom-sediment vapor samplers, Aberdeen Proving Ground, Maryland (USA). *Ground Water.* 29: 7-12.
- Wang, F; Annable, MD; Schaefer, CE; Ault, TD; Cho, J; Jawitz, JW. (2014). Enhanced aqueous dissolution of a DNAPL source to characterize the source strength function. *J Contam Hydrol.* 169: 75-89. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.004>.
- Wang, J; Cutright, TJ. (2005). Potential waste minimization of trichloroethylene and perchloroethylene via aerobic biodegradation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 40: 1569-1584. <http://dx.doi.org/10.1081/ESE-200060640>.
- Wang, S; Huang, G; Wei, J; He, L. (2013). Simulation-Based Variance Components Analysis for Characterization of Interaction Effects of Random Factors on Trichloroethylene Vapor Transport in Unsaturated Porous Media. *Ind Eng Chem Res.* 52: 8602-8611. <http://dx.doi.org/10.1021/ie4012003>.
- Wang, S; Yang, Q, i; Bai, Z; Wang, S; Wang, Y; Nowak, KM. (2015). Acclimation of aerobic-activated sludge degrading benzene derivatives and cometabolic degradation activities of trichloroethylene by benzene derivative-grown aerobic sludge. *Environ Technol.* 36: 115-123. <http://dx.doi.org/10.1080/09593330.2014.938127>.
- Wang, T; Lenahan, R; Kanik, M. (1985). Impact of trichloroethylene contaminated groundwater discharged to the main canal and Indian River lagoon, Vero Beach, Florida. *Bull Environ Contam Toxicol.* 34: 578-586.
- Wang, TC; Lenahan, R; et al. (1985). THE REMOVAL OF TRICHLOROETHYLENE CONTAMINATED GROUNDWATER AT VERO BEACH, FLORIDA (pp. 719-723; 1985). (ISSN 0090-4341; EISSN 1432-0703; HMT/85/0003165). Wang, TC; Lenahan, R; Et al.
- Wanner, P; Parker, BL; Chapman, SW; Aravena, R; Hunkeler, D. (2016). Quantification of Degradation of Chlorinated Hydrocarbons in Saturated Low Permeability Sediments Using Compound-Specific Isotope Analysis. *Environ Sci Technol.* 50: 5622-5630. <http://dx.doi.org/10.1021/acs.est.5b06330>.
- Warren, C; Mackay, D; Whelan, M; Fox, K. (2007). Mass balance modelling of contaminants in river basins: application of the flexible matrix approach. *Chemosphere.* 68: 1232-1244. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.084>.
- Warren, KA; Gabr, MA; Quaranta, JD. (2006). Field study to investigate WIDE technology for TCE extraction. *Journal of Geotechnical and Geoenvironmental Engineering.* 132: 1111-1120. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2006\)132:9\(1111\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2006)132:9(1111)).
- Washington, JW; Cameron, BA. (2001). Evaluating degradation rates of chlorinated organics in groundwater using analytical models. *Environ Toxicol Chem.* 20: 1909-1915.
- Weatherill, J; Krause, S; Joyce, K; Drijfhout, F; Levy, A; Cassidy, N. (2014). Nested monitoring approaches to delineate groundwater trichloroethene discharge to a UK lowland stream at multiple spatial scales. *J Contam Hydrol.* 158: 38-54. <http://dx.doi.org/10.1016/j.jconhyd.2013.12.001>.
- Wei, Z; Seo, Y. (2010). Trichloroethylene (TCE) adsorption using sustainable organic mulch. *J Hazard Mater.* 181: 147-153. <http://dx.doi.org/10.1016/j.jhazmat.2010.04.109>.

Fate Literature Search Results

On Topic

- Wershaw, RL; Aiken, GR; Imbrigiotta, TE; Goldberg, MC. (1994). Displacement of soil pore water by trichloroethylene. *J Environ Qual.* 23: 792-798.
- Werth, CJ; Cunningham, JA; Roberts, PV; Reinhard, M. (1997). Effects of grain-scale mass transfer on the transport of volatile organics through sediments .2. Column results. *Water Resour Res.* 33: 2727-2740.
- Werth, CJ; Hansen, KM. (2002). Modeling the effects of concentration history on the slow desorption of trichloroethene from a soil at 100% relative humidity. *J Contam Hydrol.* 54: 307-327.
- Werth, CJ; Reinhard, M. (1997). Effects of temperature on trichloroethylene desorption from silica gel and natural sediments .1. Isotherms. *Environ Sci Technol.* 31: 689-696.
- Werth, CJ; Reinhard, M. (1997). Effects of temperature on trichloroethylene desorption from silica gel and natural sediments .2. Kinetics. *Environ Sci Technol.* 31: 697-703.
- Werth, CJ; Reinhardt, M. (1997). Effects of temperature on trichloroethylene desorption from silica gel and natural sediments .2. Kinetics (vol 31, pg 697, 1997). *Environ Sci Technol.* 31: 3339-3339.
- West, MR; Grant, GP; Gerhard, JI; Kueper, BH. (2008). The influence of precipitate formation on the chemical oxidation of TCE DNAPL with potassium permanganate. *Advances in Water Resources.* 31: 324-338. <http://dx.doi.org/10.1016/j.advwatres.2007.08.011>.
- Weyens, N; Taghavi, S; Barac, T; van der Lelie, D; Boulet, J; Artois, T; Carleer, R; Vangronsveld, J. (2009). Bacteria associated with oak and ash on a TCE-contaminated site: characterization of isolates with potential to avoid evapotranspiration of TCE. *Environ Sci Pollut Res Int.* 16: 830-843. <http://dx.doi.org/10.1007/s11356-009-0154-0>.
- Weyens, N; Van Der Lelie, D; Artois, T, om; Smeets, K; Taghavi, S; Newman, L, ee; Carleer, R; Vangronsveld, J. (2009). Bioaugmentation with Engineered Endophytic Bacteria Improves Contaminant Fate in Phytoremediation. *Environ Sci Technol.* 43: 9413-9418. <http://dx.doi.org/10.1021/es901997z>.
- Whiting, K; Evans, PJ; Lebron, C; Henry, B; Wilson, JT; Becvar, E. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Field Survey. *Ground Water Monitoring and Remediation.* 34: 79-94. <http://dx.doi.org/10.1111/gwrm.12068>.
- Wiegert, C; Aeppli, C; Knowles, T; Holmstrand, H; Evershed, R; Pancost, RD; Macháčková, J; Gustafsson, Ö. (2012). Dual carbon-chlorine stable isotope investigation of sources and fate of chlorinated ethenes in contaminated groundwater. *Environ Sci Technol.* 46: 10918-10925. <http://dx.doi.org/10.1021/es3016843>.
- Wiegert, C; Mandalakis, M; Knowles, T; Polymenakou, PN; Aeppli, C; Macháčková, J; Holmstrand, H; Evershed, RP; Pancost, RD; Gustafsson, O. (2013). Carbon and chlorine isotope fractionation during microbial degradation of tetra- and trichloroethene. *Environ Sci Technol.* 47: 6449-6456. <http://dx.doi.org/10.1021/es305236y>.
- Wiesmann, U; Herbst, B. (1999). Biological degradation of chlorinated hydrocarbons. *Chem Ing Tech.* 71: 568-579.
- Wigton, A; Kilduff, JE. (2004). Modeling trichloroethylene adsorption by activated carbon preloaded with natural dissolved organic matter using a modified IAST approach. *Environ Sci Technol.* 38: 5825-5833. <http://dx.doi.org/10.1021/es049676a>.
- Witt, ME; Klecka, GM; Lutz, EJ; Ei, TA; Grosso, NR; Chapelle, FH. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: groundwater biogeochemistry. *J Contam Hydrol.* 57: 61-80.
- Woodfine, D; Macleod, M; Mackay, D. (2002). A regionally segmented national scale multimedia contaminant fate model for Canada with GIS data input and display. *Environ Pollut.* 119: 341-355.
- Wuebbles, DJ; Patten, KO; Wang, D; Youn, D; Martinez-Aviles, M; Francisco, JS. (2011). Three-dimensional model evaluation of the Ozone Depletion Potentials for n-propyl bromide, trichloroethylene and perchloroethylene. *Atmos Chem Phys.* 11: 2371-2380. <http://dx.doi.org/10.5194/acp-11-2371-2011>.
- Wycisk, P; Neumann, C; Gossel, W. (2005). Flooding induced effects from the mining Lake Goitzsche on groundwater and land-use in the Bitterfeld area. *Acta Hydrochim Hydrobiol.* 33: 507-518. <http://dx.doi.org/10.1002/ahch.200400594>.
- Xiao, S; Moresoli, C; Burczyk, A; Pintauro, P; De Kee, D. (1999). Transport of organic contaminants in geomembranes under stress. *J Environ Eng.* 125: 647-652.
- Xu, N; Vandegrift, S; Sewell, GW. (1996). Determination of chloroethenes in environmental biological samples using gas chromatography coupled with solid phase micro extraction. *Chromatographia.* 42: 313-317.
- Yagi, O; Uchiyama, H; Iwasaki, K. (1992). BIODEGRADATION RATE OF CHLOROETHYLENE IN SOIL ENVIRONMENT. *Water Sci Technol.* 25: 419-424.
- Yang, J; Lee, K; Clement, TP. (2012). Impact of seasonal variations in hydrological stresses and spatial variations in geologic conditions on a TCE plume at an industrial complex in Wonju, Korea. *Hydrolog Process.* 26: 317-325. <http://dx.doi.org/10.1002/hyp.8236>.
- Yang, Q, i; Shang, H; Wang, J. (2009). Biosorption and biodegradation of trichloroethylene by acclimated activated sludge. *Int J Environ Pollut.* 38: 289-298.
- Yeh, HC; Kastenber, WE. (1991). Health risk assessment of biodegradable volatile organic chemicals: a case study of PCE, TCE, DCE and VC. *J Hazard Mater.* 27: 111-126.
- Yu, S; Dolan, ME; Semprini, L. (2005). Kinetics and inhibition of reductive dechlorination of chlorinated ethylenes by two different mixed cultures. *Environ Sci Technol.* 39: 195-205. <http://dx.doi.org/10.1021/es0496773>.
- Yu, S; Unger, AJ; Parker, B. (2009). Simulating the fate and transport of TCE from groundwater to indoor air. *J Contam Hydrol.* 107: 140-161. <http://dx.doi.org/10.1016/j.jconhyd.2009.04.009>.
- Yu, X; Ghasemizadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ.* 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.

Fate Literature Search Results

On Topic

- Zhan, J; Zheng, T; Piringer, G; Day, C; Mcpherson, GL; Lu, Y; Papadopoulos, K; John, VT. (2008). Transport Characteristics of Nanoscale Functional Zerovalent Iron/Silica Composites for in Situ Remediation of Trichloroethylene. *Environ Sci Technol.* 42: 8871-8876. <http://dx.doi.org/10.1021/es800387p>.
- Zhang, J; Joslyn, AP; Chiu, PC. (2006). 1,1-dichloroethene as a predominant intermediate of microbial trichloroethene reduction. *Environ Sci Technol.* 40: 1830-1836. <http://dx.doi.org/10.1021/es051829m>.
- Zhang, M; He, F; Zhao, D; Hao, X. (2011). Degradation of soil-sorbed trichloroethylene by stabilized zero valent iron nanoparticles: effects of sorption, surfactants, and natural organic matter. *Water Res.* 45: 2401-2414. <http://dx.doi.org/10.1016/j.watres.2011.01.028>.
- Zhang, Y; Liu, Y; Hu, M; Jiang, Z. (2014). Acclimation of the trichloroethylene-degrading anaerobic granular sludge and the degradation characteristics in an upflow anaerobic sludge blanket reactor. *Water Sci Technol.* 69: 120-127. <http://dx.doi.org/10.2166/wst.2013.564>.
- Zhang, ZH; Brusseau, ML. (1999). Nonideal transport of reactive solutes in heterogeneous porous media 5. Simulating regional-scale behavior of a trichloroethene plume during pump-and-treat remediation. *Water Resour Res.* 35: 2921-2935.
- Zhao, H; Vance, GF. (1998). Sorption of trichloroethylene by organo-clays in the presence of humic substances. *Water Res.* 32: 3710-3716.
- Zhuang, P; Pavlostathis, SG. (1995). EFFECT OF TEMPERATURE, PH AND ELECTRON-DONOR ON THE MICROBIAL REDUCTIVE DECHLORINATION OF CHLOROALKENES. *Chemosphere.* 31: 3537-3548.
- Zytner, RG. (1992). Adsorption-desorption of trichloroethylene in granular media. *Water Air Soil Pollut.* 65: 3-4.

Fate Literature Search Results

Off Topic

- Abadi, PGS; Rafiee, E; Nadri, S; Hajian, G; Joshaghani, M. (2014). Synthesis and activity evaluation of a FeCl₂-promoted palladium hollow nanosphere heterogeneous catalyst in Mizoroki-Heck coupling reactions. *Appl Catal A-Gen.* 487: 139-147. <http://dx.doi.org/10.1016/j.apcata.2014.09.001>.
- Abb, M; Breuer, JV; Zeitz, C; Lorenz, W. (2010). Analysis of pesticides and PCBs in waste wood and house dust. *Chemosphere.* 81: 488-493. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.042>.
- Abbas, R; Seckel, CS; MacMahon, KL; Fisher, JW. (1997). Determination of kinetic rate constants for chloral hydrate, trichloroethanol, trichloroacetic acid and dichloroacetic acid: A physiologically based modeling approach [Abstract]. *Toxicologist.* 36: 32-33.
- Abbate, C; Giorgianni, C; Munao, F; Brecciaroli, R. (1993). Neurotoxicity induced by exposure to toluene: An electrophysiologic study. *Int Arch Occup Environ Health.* 64: 389-392. <http://dx.doi.org/10.1007/BF00517943>.
- Abdelghani, A; Chovelon, JM; Jaffrezic-Renault, N; Lacroix, M; Gagnaire, H; Veillas, C; Berkova, B; Chomat, M; Matejec, V. (1997). Optical fibre sensor coated with porous silica layers for gas and chemical vapour detection. *Sens Actuators B.* 44: 495-498.
- Abdelghani, A; Chovelon, JM; Jaffrezicrenault, N; Ronottrioli, C; Veillas, C; Gagnaire, H. (1997). Surface plasmon resonance fibre-optic sensor for gas detection. *Sens Actuators B.* 39: 407-410.
- Abdelghani, A; Chovelon, JM; Jaffrezicrenault, N; Veilla, C; Gagnaire, H. (1997). Chemical vapour sensing by surface plasmon resonance optical fibre sensor coated with fluoropolymer. *Anal Chim Acta.* 337: 225-232.
- Abdelghani, A; Jaffrezic-Renault, N. (2001). SPR fibre sensor sensitised by fluoroxiloxane polymers. *Sens Actuators B.* 74: 117-123.
- Abdullah, AZ; Abu Bakar, MZ; Bhatia, S. (2003). A kinetic study of catalytic combustion of ethyl acetate and benzene in air stream over Cr-ZSM-5 catalyst. *Ind Eng Chem Res.* 42: 6059-6067. <http://dx.doi.org/10.1021/ie020989t>.
- Abdullah, AZ; Bakar, MZ; Bhatia, S. (2003). Coking characteristics of chromium-exchanged ZSM-5 in catalytic combustion of ethyl acetate and benzene in air. *Ind Eng Chem Res.* 42: 5737-5744. <http://dx.doi.org/10.1021/ie030427p>.
- Abdullah, AZ; Bakar, MZA; Bhatia, S. (2006). Combustion of chlorinated volatile organic compounds (VOCs) using bimetallic chromium-copper supported on modified H-ZSM-5 catalyst. *J Hazard Mater.* 129: 39-49. <http://dx.doi.org/10.1016/j.jhazmat.2005.05.051>.
- Abedi, K; Ghorbani-Shahna, F; Bahrami, A; Jaleh, B; Yarahmadi, R. (2015). Effect of TiO₂-ZnO/GAC on by-product distribution of CVOCs decomposition in a NTP-assisted catalysis system. *Polish Journal of Chemical Technology.* 17: 32-40. <http://dx.doi.org/10.1515/pjct-2015-0006>.
- Abedi, K; Ghorbani-Shahna, F; Jaleh, B; Bahrami, A; Yarahmadi, R. (2014). Enhanced performance of non-thermal plasma coupled with TiO₂/GAC for decomposition of chlorinated organic compounds: influence of a hydrogen-rich substance. *J Environ Health Sci Eng.* 12: 119. <http://dx.doi.org/10.1186/s40201-014-0119-1>.
- Abedi, K; Ghorbani-Shahna, F; Jaleh, B; Bahrami, A; Yarahmadi, R; Haddadi, R; Gandomi, M. (2015). Decomposition of chlorinated volatile organic compounds (CVOCs) using NTP coupled with TiO₂/GAC, ZnO/GAC, and TiO₂-ZnO/GAC in a plasma-assisted catalysis system. *Journal of Electrostatics.* 73: 80-88. <http://dx.doi.org/10.1016/j.elstat.2014.10.008>.
- Abou-Nemeh, I; Das, A; Saraf, A; Sirkar, KK. (1999). A composite hollow fiber membrane-based pervaporation process for separation of VOCs from aqueous surfactant solutions. *J Memb Sci.* 158: 187-209.
- Abou-Nemeh, I; Majumdar, S; Saraf, A; Sirkar, KK; Vane, LM; Alvarez, FR; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. II: Hollow fiber membrane modules. *Environmental Progress.* 20: 64-73.
- Abraham, D; Patel, P; Cooper, A. (1995). Isolation from rat kidney of a cytosolic high molecular weight cysteine-S-conjugate beta-lyase with activity toward leukotriene E₄. *J Biol Chem.* 270: 180-188. <http://dx.doi.org/10.1074/jbc.270.1.180>.

Fate Literature Search Results

Off Topic

- Abraham, D; Thomas, R; Cooper, A. (1995). Glutamine transaminase K is not a major cysteine S-conjugate beta-lyase of rat kidney mitochondria: Evidence that a high-molecular weight enzyme fulfills this role. *Mol Pharmacol.* 48: 855-860.
- Abraham, MH; Berthelot, M; Laurence, C; Taylor, PJ. (1998). Analysis of hydrogen-bond complexation constants in 1,1,-trichloroethane: the $\alpha(H)(2)\beta(H)(2)$ relationship. 187-191.
- Abrahamsson, K; Ekdahl, A; Collen, J; Pedersen, M. (1995). Marine algae - A source of trichloroethylene and perchloroethylene. *Limnol Oceanogr.* 40: 1321-1326.
- Abrahamsson, K; Pedersen, M. (2000). Evidence of the natural production of trichloroethylene (Reply to the comment by Marshall et al.). *Limnol Oceanogr.* 45: 520-522.
- Abu Hamed, T; Bayraktar, E; Mehmetoglu, T; Mehmetoglu, U. (2013). Cometabolic Degradation of Trichloroethylene by Single- and Two-Phase Systems. *Soil Sediment Contam.* 22: 85-94. <http://dx.doi.org/10.1080/15320383.2012.714422>.
- Abuin, E; Lissi, E; Jara, P. (2007). Effect of the organic solvent on the interfacial micropolarity of AOT-water reverse micelles. *Journal of the Chilean Chemical Society.* 52: 1082-1087.
- Abusoglu, S; Celik, HT; Tutkun, E; Yilmaz, H; Serdar, MA; Bal, CD; Yildirimkaya, M; Avcikucuk, M. (2014). 8-hydroxydeoxyguanosine as a useful marker for determining the severity of trichloroethylene exposure. *Arch Environ Occup Health.* 69: 180-186. <http://dx.doi.org/10.1080/19338244.2013.763761>.
- Acha, V; Meurens, M; Naveau, H; Agathos, SN. (1999). Detoxification of a mixture of aliphatic chlorinated hydrocarbons in a fixed-bed bioreactor: Continuous on-line monitoring via an attenuated total reflection-Fourier transform infrared sensor. *Water Sci Technol.* 40: 41-47. [http://dx.doi.org/10.1016/S0273-1223\(99\)00607-1](http://dx.doi.org/10.1016/S0273-1223(99)00607-1).
- Acosta, E; Szekeres, E; Sabatini, DA; Harwell, JH. (2003). Net-average curvature model for solubilization and supersolubilization in surfactant microemulsions. *Langmuir.* 19: 186-195. <http://dx.doi.org/10.1021/1a026168a>.
- Acosta, E; Tran, S; Uchiyama, H; Sabatini, DA; Harwell, JH. (2002). Formulating chlorinated hydrocarbon microemulsions using linker molecules. *Environ Sci Technol.* 36: 4618-4624. <http://dx.doi.org/10.1021/es0158859>.
- Acosta, E; Uchiyama, H; Sabatini, DA; Harwell, JH. (2002). The role of hydrophilic linkers. *Journal of Surfactants and Detergents.* 5: 151-157.
- Acosta, EJ; Le, MA; Harwell, JH; Sabatini, DA. (2003). Coalescence and solubilization kinetics in linker-modified microemulsions and related systems. *Langmuir.* 19: 566-574. <http://dx.doi.org/10.1021/1a0261693>.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem.* 49: 1309-1314.
- Adachi, A; Komiyama, T; Tanaka, T; Nakatani, M; Muguruma, R; Okano, T. (2000). Studies on defatted seed removal efficiency for organochlorine compounds. *J Agric Food Chem.* 48: 6158-6162.
- Adachi, A; Ozaki, H; Kasuga, I; Okano, T. (2006). Use of beer bran as an adsorbent for the removal of organic compounds from wastewater. *J Agric Food Chem.* 54: 6209-6211. <http://dx.doi.org/10.1021/jf061082z>.
- Adachi, H; Kubota, I; Okamura, N; Iwata, H; Tsujimoto, M; Nakazato, H; Nishihara, T; Noguchi, T. (1989). Purification and characterization of human microsomal dipeptidase. *J Biochem.* 105: 957-961.
- Adamczyk, P; Dybala-Defratyka, A; Paneth, P. (2011). DFT study of trichloroethene reaction with permanganate in aqueous solution. *Environ Sci Technol.* 45: 3006-3011. <http://dx.doi.org/10.1021/es103251u>.
- Adami, HO; Chow, WH; Nyrén, O; Berne, C; Linet, MS; Ekbohm, A; Wolk, A; McLaughlin, JK; Fraumeni, JF. (1996). Excess risk of primary liver cancer in patients with diabetes mellitus. *J Natl Cancer Inst.* 88: 1472-1477.
- Adams, H; Chekmeneva, E; Hunter, CA; Misuraca, MC; Navarro, C; Turega, SM. (2013). Quantification of the effect of conformational restriction on supramolecular effective molarities. *J Am Chem Soc.* 135: 1853-1863. <http://dx.doi.org/10.1021/ja310221t>.
- Adams, JA; Reddy, KR. (1999). Laboratory study of air sparging of TCE-Contaminated saturated soils and ground water. *Ground Water Monitoring and Remediation.* 19: 182-190.
- Adams, JA; Reddy, KR; Tekola, L. (2011). Remediation of chlorinated solvent plumes using in-situ air sparging--a 2-D laboratory study. *Int J Environ Res Public Health.* 8: 2226-2239. <http://dx.doi.org/10.3390/ijerph8062226>.
- Adams, LA; Lindor, KD. (2007). Nonalcoholic fatty liver disease [Review]. *Ann Epidemiol.* 17: 863-869. <http://dx.doi.org/10.1016/j.annepidem.2007.05.013>.
- Adamson, DT; Mahendra, S; Walker, KL, Jr; Rauch, SR; Sengupta, S; Newell, CJ. (2014). A Multisite Survey To Identify the Scale of the 1,4-Dioxane Problem at Contaminated Groundwater Sites. *Environ Sci Technol Lett.* 1: 254-258. <http://dx.doi.org/10.1021/ez500092u>.
- Adamson, DT; Mcdade, JM; Hughes, JB. (2003). Inoculation of DNAPL source zone to initiate reductive dechlorination of PCE. *Environ Sci Technol.* 37: 2525-2533. <http://dx.doi.org/10.1021/es020236y>.
- Adamson, DT; Newell, CJ. (2009). Support of Source Zone Bioremediation through Endogenous Biomass Decay and Electron Donor Recycling. *Bioremediat J.* 13: 29-40. <http://dx.doi.org/10.1080/10889860802690539>.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res.* 33: 1482-1494.
- Adey, WH; Luckett, C; Smith, M. (1996). Purification of industrially contaminated groundwaters using controlled ecosystems. *Ecol Eng.* 7: 191-212.
- Adgate, J; Eberly, L; Stroebel, C; Pellizzari, E; Sexton, K. (2004). Personal, indoor, and outdoor VOC exposures in a probability sample of children. *J Expo Anal Environ Epidemiol.* 14: S4-S13. <http://dx.doi.org/10.1038/sj.jea.7500353>.
- Adgate, JL; Church, TR; Ryan, AD; Ramachandran, G; Fredrickson, AL; Stock, TH; Morandi, MT; Sexton, K. (2004). Outdoor, indoor, and personal exposure to VOCs in children. *Environ Health Perspect.* 112: 1386-1392. <http://dx.doi.org/10.1289/ehp.7107>.

Fate Literature Search Results

Off Topic

- Adiaens, P; Grbicgalic, D. (1994). COMETABOLIC TRANSFORMATION OF MONOCHLOROBIPHENYLS AND DICHLOROBIPHENYLS AND CHLOROXYDROXYBIPHENYLS BY METHANOTROPHIC GROUNDWATER ISOLATES. *Environ Sci Technol.* 28: 1325-1330.
- Adler, ID. (1993). Synopsis of the in vivo results obtained with the 10 known or suspected aneugens tested in the CEC collaborative study [Review]. *Mutat Res-Fundam Mol Mech Mutagen.* 287: 131-137. [http://dx.doi.org/10.1016/0027-5107\(93\)90152-6](http://dx.doi.org/10.1016/0027-5107(93)90152-6).
- Adli, M; Baldwin, AS. (2006). IKK-i/IKKepsilon controls constitutive, cancer cell-associated NF-kappaB activity via regulation of Ser-536 p65/RelA phosphorylation. *J Biol Chem.* 281: 26976-26984. <http://dx.doi.org/10.1074/jbc.M603133200>.
- Adrian, L; Hansen, SK; Fung, JM; Goerisch, H; Zinder, SH. (2007). Growth of Dehalococcoides strains with chlorophenols as electron acceptors. *Environ Sci Technol.* 41: 2318-2323. <http://dx.doi.org/10.1021/es062076m>.
- Aelion, CM; Conte, BC. (2004). Susceptibility of residential wells to VOC and nitrate contamination. *Environ Sci Technol.* 38: 1648-1653. <http://dx.doi.org/10.1021/es030401p>.
- Aeppli, C; Berg, M; Cirpka, OA; Holliger, C; Schwarzenbach, RP; Hofstetter, TB. (2009). Influence of mass-transfer limitations on carbon isotope fractionation during microbial dechlorination of trichloroethene. *Environ Sci Technol.* 43: 8813-8820. <http://dx.doi.org/10.1021/es901481b>.
- Agarwal, D; Singh, M. (2004). Densities and viscosities of binary liquid mixtures of trichloroethylene and tetrachloroethylene with some polar and nonpolar solvents. *Journal of Chemical and Engineering Data.* 49: 1218-1224. <http://dx.doi.org/10.1021/jc034203p>.
- Agarwal, S; Cluxton, P; Kemper, M; Dionysiou, DD; Al-Abed, SR. (2008). Assessment of the functionality of a pilot-scale reactor and its potential for electrochemical degradation of calmagite, a sulfonated azo-dye. *Chemosphere.* 73: 837-843. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.050>.
- Agarwal, SK; Spivey, JJ; Butt, JB. (1992). CATALYST DEACTIVATION DURING DEEP OXIDATION OF CHLOROXYDROCARBONS. *Appl Catal A-Gen.* 82: 259-275.
- Agerstrand, M; Kuester, A; Bachmann, J; Breitholtz, M; Ebert, I; Rechenberg, B; Ruden, C. (2011). Reporting and evaluation criteria as means towards a transparent use of ecotoxicity data for environmental risk assessment of pharmaceuticals. *Environ Pollut.* 159: 2487-2492. <http://dx.doi.org/10.1016/j.envpol.2011.06.023>.
- Aggelopoulos, CA; Tsakiroglou, CD; Ognier, S; Cavadias, S. (2015). Non-aqueous phase liquid-contaminated soil remediation by ex situ dielectric barrier discharge plasma. *Int J Environ Sci Tech.* 12: 1011-1020. <http://dx.doi.org/10.1007/s13762-013-0489-4>.
- Aguilera, J; Wright, JD; Bean, VE. (2008). Hydrometer calibration by hydrostatic weighing with automated liquid surface positioning. *Meas Sci Technol.* 19. <http://dx.doi.org/10.1088/0957-0233/19/1/015104>.
- Ahlers, C; Klos, G; Kurz, H; Wunder, K; Schneider, J; Dueber, C; Mildenerger, P. (2007). Open source software tool for vendor independent integration of PACS clients with the teaching database MIRC according to IHE TCE. *International Journal of Computer Assisted Radiology and Surgery.* 2: S299-S300.
- Ahmad, A; Gu, X; Li, L, i; Lu, S; Xu, Y; Guo, X. (2015). Effects of pH and Anions on the Generation of Reactive Oxygen Species (ROS) in nZVI-rGo-Activated Persulfate System. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2635-8>.
- Ahmad, A; Gu, X; Li, L, i; Lv, S; Xu, Y; Guo, X. (2015). Efficient degradation of trichloroethylene in water using persulfate activated by reduced graphene oxide-iron nanocomposite. *Environ Sci Pollut Res Int.* 22: 17876-17885. <http://dx.doi.org/10.1007/s11356-015-5034-1>.
- Ahmad, M; Lee, S; Dou, X; Mohan, D; Sung, J; Yang, J; Ok, Y. (2012). Effects of pyrolysis temperature on soybean stover- and peanut shell-derived biochar properties and TCE adsorption in water. *Bioresour Technol.* 118: 536-544. <http://dx.doi.org/10.1016/j.biortech.2012.05.042>.
- Ahmad, M; Lee, S; Rajapaksha, AU; Vithanage, M; Zhang, M; Cho, J; Lee, S; Ok, Y. (2013). Trichloroethylene adsorption by pine needle biochars produced at various pyrolysis temperatures. *Bioresour Technol.* 143: 615-622. <http://dx.doi.org/10.1016/j.biortech.2013.06.033>.
- Ahmad, M; Lee, SS; Oh, SE; Mohan, D; Moon, DH; Lee, YH; Ok, YS. (2013). Modeling adsorption kinetics of trichloroethylene onto biochars derived from soybean stover and peanut shell wastes. *Environ Sci Pollut Res Int.* 20: 8364-8373. <http://dx.doi.org/10.1007/s11356-013-1676-z>.
- Ahmad, M; Moon, DH; Vithanage, M; Koutsospyros, A; Lee, SS, oo; Yang, J, aeE; Lee, SE, un; Jeon, C; Ok, YS, ik. (2014). Production and use of biochar from buffalo-weed (*Ambrosia trifida* L.) for trichloroethylene removal from water. *J Chem Tech Biotechnol.* 89: 150-157. <http://dx.doi.org/10.1002/jctb.4157>.
- Ahmad, M; Ok, YS; Kim, BY; Ahn, JH; Lee, YH; Zhang, M; Moon, DH; Al-Wabel, MI; Lee, SS. (2016). Impact of soybean stover- and pine needle-derived biochars on Pb and As mobility, microbial community, and carbon stability in a contaminated agricultural soil. *J Environ Manage.* 166: 131-139. <http://dx.doi.org/10.1016/j.jenvman.2015.10.006>.
- Ahmad, M; Teel, A; Furman, OS; Reed, JI; Watts, RJ. (2012). Oxidative and Reductive Pathways in Iron-Ethylenediaminetetraacetic Acid-Activated Persulfate Systems. *J Environ Eng.* 138: 411-418. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000496](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000496).
- Ahmad, M; Teel, A; Watts, RJ. (2010). Persulfate activation by subsurface minerals. *J Contam Hydrol.* 115: 34-45. <http://dx.doi.org/10.1016/j.jconhyd.2010.04.002>.
- Ahmed, AM; Boshta, M; Braunstein, R; Morchshakov, V; Barner, K; Yang, CP; Sun, JR; Rao, GH. (2003). Heat conductivity of valence doped La_{0.7}Ca_{0.3}Mn_{1-x}FexO_{3-delta}. *J Alloy Comp.* 348: 23-29.
- Ahmed, AM; Morchshakov, V; Barner, K; Yang, CP; Terzieff, P; Schicketanz, H; Gron, T; Sun, JR; Rao, GH. (2003). Recurrent behaviour of magnetisation and resistivity in Ge-substituted La_{0.7}Ca_{0.3}MnO₃. *200: 407-414.* <http://dx.doi.org/10.1002/pssa.200306723>.
- Ahn, H; Jeong, D; Jeong, HK, yu; Lee, Y. (2009). Pervaporation characteristics of trichlorinated organic compounds through Silicalite-1 zeolite membrane. *Desalination.* 245: 754-762. <http://dx.doi.org/10.1016/j.desal.2009.02.048>.
- Ahn, JJ; Kim, YM; Yoo, K; Park, J; Oh, KJ. (2012). Using GA-Ridge regression to select hydro-geological parameters influencing groundwater pollution vulnerability. *Environ Monit Assess.* 184: 6637-6645. <http://dx.doi.org/10.1007/s10661-011-2448-1>.

Fate Literature Search Results

Off Topic

- Ahn, Y; Jeong, Y; Lee, D; Lee, Y. (2015). Copper nanowire-graphene core-shell nanostructure for highly stable transparent conducting electrodes. *ACS Nano*. 9: 3125-3133. <http://dx.doi.org/10.1021/acs.nano.5b00053>.
- Ahrens, C; Altman, N; Casella, G; Eaton, M; Hwang, JTG; Staudenmayer, J; Stefanescu, C. (2001). Leukemia clusters in upstate New York: how adding covariates changes the story. *Environmetrics*. 12: 659-672.
- Ahuja, DK; Gavalas, VG; Bachas, LG; Bhattacharyya, D. (2004). Aqueous-phase dechlorination of toxic chloroethylenes by vitamin B-12 cobalt center: Conventional and polypyrrole film-based electrochemical studies. *Ind Eng Chem Res*. 43: 1049-1055. <http://dx.doi.org/10.1021/ie030484i>.
- Aickin, M. (2004). Bayes without priors [Review]. *J Clin Epidemiol*. 57: 4-13. [http://dx.doi.org/10.1016/S0895-4356\(03\)00251-8](http://dx.doi.org/10.1016/S0895-4356(03)00251-8).
- Aickin, M; Chapin, CA; Flood, TJ; Englender, SJ; Caldwell, GG. (1992). Assessment of the spatial occurrence of childhood leukaemia mortality using standardized rate ratios with a simple linear Poisson model. *Int J Epidemiol*. 21: 649-655. <http://dx.doi.org/10.1093/ije/21.4.649>.
- Aikata, H; Takaishi, H; Kawakami, Y; Takahashi, S; Kitamoto, M; Nakanishi, T; Nakamura, Y; Shimamoto, F; Kajiyama, G; Ide, T. (2000). Telomere reduction in human liver tissues with age and chronic inflammation. *Exp Cell Res*. 256: 578-582. <http://dx.doi.org/10.1006/excr.2000.4862>.
- Akira, S; Takeda, K. (2004). Toll-like receptor signalling [Review]. *Nat Rev Immunol*. 4: 499-511. <http://dx.doi.org/10.1038/nri1391>.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual*. 36: 508-520. <http://dx.doi.org/10.2134/jeq2005.0426>.
- Akiyama, TE; Nicol, CJ; Fievet, C; Staels, B; Ward, JM; Auwerx, J; Lee, SS; Gonzalez, FJ; Peters, JM. (2001). Peroxisome proliferator-activated receptor-alpha regulates lipid homeostasis, but is not associated with obesity: Studies with congenic mouse lines. *J Biol Chem*. 276: 39088-39093. <http://dx.doi.org/10.1074/jbc.M107073200>.
- Akyol, NH; Lee, AR; Brusseau, ML. (2013). Impact of enhanced-flushing reagents and organic-liquid distribution on mass removal and mass-discharge reduction. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1731-x>.
- Akyol, NH; Yolcubal, I. (2013). Oxidation of Nonaqueous Phase Trichloroethylene with Permanganate in Epikarst. *Water Air Soil Pollut*. 224: 1573. <http://dx.doi.org/10.1007/s11270-013-1573-6>.
- Akyol, NH; Yolcubal, I; Yuksel, DI. (2011). Sorption and transport of trichloroethylene in caliche soil. *Chemosphere*. 82: 809-816. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.029>.
- Al, TA; Banks, V; Loomer, D; Parker, BL; Ulrich Mayer, K. (2006). Metal mobility during in situ chemical oxidation of TCE by KMnO4. *J Contam Hydrol*. 88: 137-152. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.004>.
- Al-Abed; Fang, Y. (2007). Use of Granular Graphite for Electrolytic Dechlorination of Trichloroethylene. *Environ Eng Sci*. 24: 842-851. <http://dx.doi.org/10.1089/ees.2005.0096>.
- Al-Abed, SR; Fang, Y. (2006). Influences of pH and current on electrolytic dechlorination of trichloroethylene at a granular-graphite packed electrode. *Chemosphere*. 64: 462-469. <http://dx.doi.org/10.1016/j.chemosphere.2005.11.005>.
- Alam, SMS; Choi, G. (2016). Design and implementation of a novel LT codec architecture on TTA based codesign environment. *I E I C E Electronics Express*. 13. <http://dx.doi.org/10.1587/elex.13.20160298>.
- Alawadhi, EM; Amon, CH. (2003). PCM thermal control unit for portable electronic devices: Experimental and numerical studies. *IEEE Trans Compon Packag Tech*. 26: 116-125. <http://dx.doi.org/10.1109/TCAPT.2003.811480>.
- Alayil, R; Balaji, C. (2015). Conjugate Heat Transfer in Latent Heat Thermal Storage System With Cross Plate Fins. *Journal of Heat Transfer*. 137. <http://dx.doi.org/10.1115/1.4030496>.
- Albanna, M; Warith, M; Fernandes, L. (2010). Kinetics of biological methane oxidation in the presence of non-methane organic compounds in landfill bio-covers. *Waste Manag*. 30: 219-227. <http://dx.doi.org/10.1016/j.wasman.2009.09.038>.
- Alberati-Giani, D; Malherbe, P; Kohler, C; Lang, G; Kiefer, V; Lahm, HW; Cesura, AM. (1995). Cloning and characterization of a soluble kynurenine aminotransferase from rat brain: Identity with kidney cysteine conjugate [beta]-lyase. *J Neurochem*. 64: 1448-1455. <http://dx.doi.org/10.1046/j.1471-4159.1995.64041448.x>.
- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, C. (2012). Remediation of sandy soils contaminated with hydrocarbons and halogenated hydrocarbons by soil vapour extraction. *J Environ Manage*. 104: 195-201. <http://dx.doi.org/10.1016/j.jenvman.2012.03.033>.
- Albergaria, JT; Alvim-Ferraz Maria da, C; Delerue, M. (2008). Soil vapor extraction in sandy soils: Influence of airflow rate. *Chemosphere*. 73: 1557-1561. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.080>.
- Albergaria, JT; Martins, FG; Alvim-Ferraz, MCM; Delerue-Matos, C. (2014). Multiple Linear Regression and Artificial Neural Networks to Predict Time and Efficiency of Soil Vapor Extraction. *Water Air Soil Pollut*. 225: 2058-2058. <http://dx.doi.org/10.1007/s11270-014-2058-y>.
- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ*. 14: 55-68.
- Albers, JW; Wald, JJ; Trask, CL; Garabrant, DH; Berent, S. (2001). Evaluation of blink reflex results obtained from workers previously diagnosed with solvent-induced toxic encephalopathy. *J Occup Environ Med*. 43: 713-722.
- Albers, JW; Wald, JJ; Werner, RA; Franzblau, A; Berent, S. (1999). Absence of polyneuropathy among workers previously diagnosed with solvent-induced toxic encephalopathy. *J Occup Environ Med*. 41: 500-509.
- Alberti, L; Lombi, S; Zanini, A. (2011). Identifying sources of chlorinated aliphatic hydrocarbons in a residential area in Italy using the integral pumping test method. *Hydrogeology Journal*. 19: 1253-1267. <http://dx.doi.org/10.1007/s10040-011-0742-1>.
- Albertini, S. (1990). Analysis of nine known or suspected spindle poisons for mitotic chromosome malsegregation using *Saccharomyces cerevisiae* D61.M. *Mutagenesis*. 5: 453-459.
- Albino, JD; Nambi, IM. (2009). Effect of biosurfactants on the aqueous solubility of PCE and TCE. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 1565-1573. <http://dx.doi.org/10.1080/10934520903263538>.

Fate Literature Search Results

Off Topic

- Alcantara-Garduno, ME; Okuda, T; Nishijima, W; Okada, M. (2005). TCE removal from porous media using an ozone-saturated solvent. *Chem Lett.* 34: 1504-1505. <http://dx.doi.org/10.1246/cl.2005.1504>.
- Alcántara-Garduño, ME; Okuda, T; Nishijima, W; Okada, M. (2008). Ozonation of trichloroethylene in acetic acid solution with soluble and solid humic acid. *J Hazard Mater.* 160: 662-667. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.106>.
- Alcantara-Garduño, ME; Okuda, T; Tsai, TY; Nishijima, W; Okada, M. (2008). Experimental and mathematical evaluation of trichloroethylene removal from saturated soil using acetic acid with saturated ozone. *Separation and Purification Technology.* 60: 299-307. <http://dx.doi.org/10.1016/j.seppur.2007.09.001>.
- Aldrich, TE; Seidu, D; Bahr, D; Freitas, S; Brion, GM; Tollerud, D. (2010). Time-period mortality patterns in a gaseous diffusion plant workforce. *Int J Occup Med Environ Health.* 23: 145-151. <http://dx.doi.org/10.2478/v10001-010-0022-7>.
- Aleboye, A; Olya, ME; Aleboye, H. (2009). Oxidative treatment of azo dyes in aqueous solution by potassium permanganate. *J Hazard Mater.* 162: 1530-1535. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.089>.
- Alessi, DS; Li, ZH. (2001). Synergistic effect of cationic surfactants on perchloroethylene degradation by zero-valent iron. *Environ Sci Technol.* 35: 3713-3717.
- Alexander, DD; Kelsh, MA; Mink, PJ; Mandel, JH; Basu, R; Weingart, M. (2007). A meta-analysis of occupational trichloroethylene exposure and liver cancer [Review]. *Int Arch Occup Environ Health.* 81: 127-143. <http://dx.doi.org/10.1007/s00420-007-0201-4>.
- Alexander, DD; Mink, PJ; Mandel, JH; Kelsh, MA. (2006). A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukaemia. *Occup Med (Lond).* 56: 485-493. <http://dx.doi.org/10.1093/occmed/kql083>.
- Alexander, DD; Mink, PJ; Mandel, JH; Kelsh, MA. (2006). A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukemia. *Am J Epidemiol.* 163: S211-S211.
- Alexander, MV; Rosentreter, JJ. (2008). Photocatalytic oxidation of aqueous trichloroethylene using dye sensitized buoyant photocatalyst monitored via micro-headspace solid-phase microextraction gas chromatography/electron capture detection and mass spectrometry. *Microchem J.* 88: 38-44. <http://dx.doi.org/10.1016/j.microc.2007.09.008>.
- Alfano, OM; Cabrera, MI; Cassano, AE. (1997). Photocatalytic reactions involving hydroxyl radical attack - I. Reaction kinetics formulation with explicit photon absorption effects. *J Catal.* 172: 370-379.
- Algreen, M; Trapp, S; Jensen, PR; Broholm, MM. (2015). Tree Coring as a Complement to Soil Gas Screening to Locate PCE and TCE Source Zones and Hot Spots. *Ground Water Monitoring and Remediation.* 35: 57-66. <http://dx.doi.org/10.1111/gwmmr.12133>.
- Ali, AH; Abu Bakar, AS; Hassan, Z. (2014). Improved optoelectronic properties of ITO-based transparent conductive electrodes with the insertion of Ag/Ni under-layer. *Appl Surf Sci.* 315: 387-391. <http://dx.doi.org/10.1016/j.apsusc.2014.07.172>.
- Ali, AH; Shuhaimi, A; Hassan, Z. (2014). Structural, optical and electrical characterization of ITO, ITO/Ag and ITO/Ni transparent conductive electrodes. *Appl Surf Sci.* 288: 599-603. <http://dx.doi.org/10.1016/j.apsusc.2013.10.079>.
- Ali, AM; Najmy, R. (2013). Structural, optical and photocatalytic properties of NiO-SiO₂ nanocomposites prepared by sol-gel technique. *Catalysis Today.* 208: 2-6. <http://dx.doi.org/10.1016/j.cattod.2012.09.016>.
- Ali, N; Tardif, R. (1999). Toxicokinetic modeling of the combined exposure to toluene and n-hexane in rats and humans. *J Occup Health.* 41: 95-103.
- Alibegic, D; Tsuneda, S; Hirata, A. (2001). Kinetics of tetrachloroethylene (PCE) gas degradation and byproducts formation during UV/H₂O₂ treatment in UV-bubble column reactor. *Chem Eng Sci.* 56: 6195-6203.
- Alibegic, D; Tsuneda, S; Hirata, A. (2003). UV-bubble column reactor (UV-BCR) for photolytic removal of tetrachloroethylene (PCE) from the vapor phase: Methodological approach. *J Chem Eng Jpn.* 36: 178-186.
- Alimov, A; Kost-Alimova, M; Liu, J; Li, C; Bergerheim, U; Imreh, S; Klein, G; Zabarovsky, ER. (2000). Combined LOH/CGH analysis proves the existence of interstitial 3p deletions in renal cell carcinoma. *Oncogene.* 19: 1392-1399. <http://dx.doi.org/10.1038/sj.onc.1203449>.
- Alkorta, I; Garbisu, C. (2001). Phytoremediation of organic contaminants in soils. *Bioresour Technol.* 79: 273-276.
- Allen, BC; Fisher, JW. (1993). Pharmacokinetic modeling of trichloroethylene and trichloroacetic acid in humans. *Risk Anal.* 13: 71-86.
- Allen, BC; Shipp, AM; Crump, KS; Kilian, B; Hogg, ML; Tudor, J; Keller, B. (1987). Investigation of cancer risk assessment methods (3 volumes plus summary report). Washington, D.C.: U.S. Environmental Protection Agency.
- Allen, D; Pearse, G; Haseman, J; Maronpot, R. (2004). Prediction of rodent carcinogenesis: An evaluation of prechronic liver lesions as forecasters of liver tumors in NTP carcinogenicity studies. *Toxicol Pathol.* 32: 393-401. <http://dx.doi.org/10.1080/01926230490440934>.
- Allen-King, RM; McKay, LD; Trudell, MR. (1997). Organic carbon dominated trichloroethene sorption in a clay-rich glacial deposit. *Ground Water.* 35: 124-130.
- Allred, BB; Swan, KS. (2014). Process Technology Sourcing and the Innovation Context. *Journal of Product Innovation Management.* 31: 1146-1166. <http://dx.doi.org/10.1111/jpim.12211>.
- Allred, SL; Burg, J, AR. (1995). Environmental personal injury litigation as one source of response effects: Findings from the national exposure registry. *Toxicol Ind Health.* 11: 217-230.
- Almazan-Almazan, MC; Perez-Mendoza, M; Domingo-Garcia, M; Fernandez-Morales, I; del Rey-Bueno, F; Garcia-Rodriguez, A; Lopez-Garzon, FJ. (2007). The role of the porosity and oxygen groups on the adsorption of n-alkanes, benzene, trichloroethylene and 1,2-dichloro ethane on active carbons at zero surface coverage. *Carbon.* 45: 1777-1785. <http://dx.doi.org/10.1016/j.carbon.2007.05.003>.
- Alpaslan Kocamemi, B; Cecen, F. (2007). Inhibitory effect of the xenobiotic 1,2-dichloroethane in a nitrifying biofilm reactor. *Water Sci Technol.* 55: 67-73. <http://dx.doi.org/10.2166/wst.2007.243>.
- Al-Radadi, NS; Al-Ashqar, SMA; Mostafa, MM. (2011). Synthesis and Characterization of Some New Binary and Ternary Cull Complexes. *Synth React Inorg Met-Org Nano-Met Chem.* 41: 203-210. <http://dx.doi.org/10.1080/15533174.2010.538287>.

Fate Literature Search Results

Off Topic

- Al-Saleh, I; Al-Doush, I; Alsabbaheen, A; Mohamed, G; Rabbah, A. (2012). Levels of DDT and its metabolites in placenta, maternal and cord blood and their potential influence on neonatal anthropometric measures. *Sci Total Environ.* 416: 62-74.
<http://dx.doi.org/10.1016/j.scitotenv.2011.11.020>.
- Al-Shamsi, MA; Thomson, NR. (2013). Treatment of a Trichloroethylene Source Zone using Persulfate Activated by an Emplaced Nano-Pd-Fe-0 Zone. *Water Air Soil Pollut.* 224. <http://dx.doi.org/10.1007/s11270-013-1780-1>.
- Al-Shamsi, MA; Thomson, NR; Forsey, SP. (2013). Iron based bimetallic nanoparticles to activate peroxygens. *Chem Eng J.* 232: 555-563.
<http://dx.doi.org/10.1016/j.cej.2013.07.109>.
- Alshawabkeh, AN. (2009). Electrokinetic Soil Remediation: Challenges and Opportunities. *Separation Science and Technology.* 44: 2171-2187.
<http://dx.doi.org/10.1080/01496390902976681>.
- Altevoigt, AS; Rolston, DE; Venterea, RT. (2003). Density and pressure effects on the transport of gas phase chemicals in unsaturated porous media. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001338>.
- Altin, Y; Tas, M; Borazan, I; Demir, A, I; Bedeloglu, A. (2016). Solution-processed transparent conducting electrodes with graphene, silver nanowires and PEDOT:PSS as alternative to ITO. *Surf Coating Tech.* 302: 75-81. <http://dx.doi.org/10.1016/j.surfcoat.2016.05.058>.
- Altissimo, L; Andreoli, E; Giacometti, A; Marcomini, A. (2002). Time trends of 1,1,1-trichloroethane, trichloroethylene, and perchloroethylene in confined and unconfined aquifers of a groundwater system in northern Italy. *Ann Chim.* 92: 61-71.
- Altmann, L; Neuhaan, HF; Krämer, U; Witten, J; Jermann, E. (1995). Neurobehavioral and neurophysiological outcome of chronic low-level tetrachloroethene exposure measured in neighborhoods of dry cleaning shops. *Environ Res.* 69: 83-89.
<http://dx.doi.org/10.1006/enrs.1995.1028>.
- Altmann, L; Welge, P; Mensing, T; Lilienthal, H; Voss, B; Wilhelm, M. (2002). Chronic exposure to trichloroethylene affects neuronal plasticity in rat hippocampal slices. *Environ Toxicol Pharmacol.* 12: 157-167. [http://dx.doi.org/10.1016/S1382-6689\(02\)00032-7](http://dx.doi.org/10.1016/S1382-6689(02)00032-7).
- Altuntas, T; Park, S; Kharasch, E. (2004). Sulfoxidation of cysteine and mercapturic acid conjugates of the sevoflurane degradation product fluoromethyl-2,2-difluoro-1-(trifluoromethyl)vinyl ether (compound A). *Chem Res Toxicol.* 17: 435-445.
<http://dx.doi.org/10.1021/tx034254k>.
- Alvarez, FR; Vane, LM; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. I: Spiral wound membrane modules. *Environmental Progress.* 20: 53-63.
- Alvarez-Cohen, L; Mccarty, PL. (1991). 2-STAGE DISPERSED-GROWTH TREATMENT OF HALOGENATED ALIPHATIC-COMPOUNDS BY COMETABOLISM. *Environ Sci Technol.* 25: 1387-1393.
- Alvarez-Cohen, L; Mccarty, PL. (1991). A COMETABOLIC BIOTRANSFORMATION MODEL FOR HALOGENATED ALIPHATIC-COMPOUNDS EXHIBITING PRODUCT TOXICITY. *Environ Sci Technol.* 25: 1381-1387.
- Alvarez-Cohen, L; Mccarty, PL; Roberts, PV. (1993). Sorption of trichloroethylene onto a Zeolite accompanied by methanotrophic biotransformation. *Environ Sci Technol.* 27: 2141-2148.
- Alves, A; Vanermen, G; Covaci, A; Voorspoels, S. (2016). Ultrasound assisted extraction combined with dispersive liquid-liquid microextraction (US-DLLME)-a fast new approach to measure phthalate metabolites in nails. *Anal Bioanal Chem.* 408: 6169-6180.
<http://dx.doi.org/10.1007/s00216-016-9727-1>.
- Al-Zahrani, AA; Alhamed, YA. (2000). Oil removal from spent bleaching clay by solvent extraction. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 35: 1577-1590.
- Amagai, T; Olansandan; Matsushita, H; Ono, M; Nakai, S; Tamura, K; Maeda, K. (1999). A survey of indoor pollution by volatile organohalogen compounds in Katsushika, Tokyo, Japan. *Indoor Built Environ.* 8: 255-268.
- Amali, S; Petersen, LW; Rolston, DE; Moldrup, P. (1994). CORRECTION OF PREVIEWS 97148862. MODELING MULTICOMPONENT VOLATILE ORGANIC AND WATER VAPOR ADSORPTION ON SOILS. ADDITION OF AUTHOR NAME ERRATUM PUBLISHED IN JOURNAL OF HAZARDOUS MATERIALS VOL. 37. ISS. 2. 1994. P. 395. *J Hazard Mater.* 36: 89-108.
- Amali, S; Rolston, DE; Yamaguchi, T. (1996). Transient multicomponent gas-phase transport of volatile organic chemicals in porous media. *J Environ Qual.* 25: 1041-1047.
- Amama, PB; Itoh, K; Murabayashi, M. (2001). Photocatalytic oxidation of trichloroethylene in humidified atmosphere. *J Mol Catal Chem.* 176: 165-172.
- Amama, PB; Itoh, K; Murabayashi, M. (2002). Gas-phase photocatalytic degradation of trichloroethylene on pretreated TiO₂. *Appl Catal B-Environ.* 37: 321-330.
- Amama, PB; Itoh, K; Murabayashi, M. (2004). Effect of RuO₂ deposition on the activity of TiO₂: Photocatalytic oxidation of trichloroethylene in aqueous phase. *Journal of Materials Science.* 39: 4349-4351.
- Amaral, HI; Aeppli, C; Kipfer, R; Berg, M. (2011). Assessing the transformation of chlorinated ethenes in aquifers with limited potential for natural attenuation: added values of compound-specific carbon isotope analysis and groundwater dating. *Chemosphere.* 85: 774-781.
<http://dx.doi.org/10.1016/j.chemosphere.2011.06.063>.
- Amaral, HIF; Berg, M; Brennwald, MS; Hofer, M; Kipfer, R. (2010). C-13/C-12 Analysis of Ultra-Trace Amounts of Volatile Organic Contaminants in Groundwater by Vacuum Extraction. *Environ Sci Technol.* 44: 1023-1029. <http://dx.doi.org/10.1021/es901760q>.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res.* 30: 1876-1884.
- Amarasinghe, PM; Katti, KS; Katti, DR. (2009). Nature of organic fluid-montmorillonite interactions: an FTIR spectroscopic study. *J Colloid Interface Sci.* 337: 97-105. <http://dx.doi.org/10.1016/j.jcis.2009.05.011>.
- Ameen, MM; Raupp, GB. (1999). Reversible catalyst deactivation in the photocatalytic oxidation of dilute o-xylene in air. *J Catal.* 184: 112-122.

Fate Literature Search Results

Off Topic

- American Cancer Society. (2008). What are the risk factors for cervical cancer? (pp. 3-7). Atlanta, GA. http://www.cancer.org/docroot/CRI/content/CRI_2_4_2X_What_are_the_risk_factors_for_cervical_cancer_8.asp.
- Amet, Y; Berthou, F; Fournier, G; Dreano, Y; Bardou, L; Cledes, J; Menez, JF. (1997). Cytochrome P450 4A and 2E1 expression in human kidney microsomes. *Biochem Pharmacol.* 53: 765-771. [http://dx.doi.org/10.1016/S0006-2952\(96\)00821-0](http://dx.doi.org/10.1016/S0006-2952(96)00821-0).
- Amin, MT; Hamid, S; Alazba, AA; Amin, MN; Islam, M; Manzoor, U. (2014). ENVIRONMENTAL DYNAMICS AND ENGINEERED SYSTEMS FOR THE DEGRADATION OF TRICHLOROETHYLENE: A CRITICAL REVIEW. *Global NEST J.* 16: 316-328.
- Amin, TA; Bindra, S; Narang, RS. (1998). Evaluation of passive samplers for analysis of chlorinated solvents. *J AOAC Int.* 81: 1027-1032.
- Amir, A; Lee, W. (2011). Enhanced reductive dechlorination of tetrachloroethene by nano-sized zero valent iron with vitamin B-12. *Chem Eng J.* 170: 492-497. <http://dx.doi.org/10.1016/j.cej.2011.01.048>.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater.* 235: 359-366. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.017>.
- Amiri, F; Rahman, MM; Bornick, H; Worch, E. (2004). Sorption behaviour of phenols on natural sandy aquifer material during flow-through column experiments: The effect of pH. *Acta Hydrochim Hydrobiol.* 32: 214-224. <http://dx.doi.org/10.1002/ahch.200300531>.
- Amiss, TJ; Smoak, IW. (1995). Determination of chlorobutanol in mouse serum, urine and embryos by capillary gas chromatography with electron capture detection. *J Chromatogr B Biomed Appl.* 673: 59-66.
- Ammini, C; Fernandez-Canon, J; Shroads, A; Cornett, R; Cheung, J; James, M; Henderson, G; Grompe, M; Stacpoole, P. (2003). Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents. *Biochem Pharmacol.* 66: 2029-2038. <http://dx.doi.org/10.1016/j.bcp.2003.07.002>.
- Amon, JP; Agrawal, A; Shelley, ML; Opperman, BC; Enright, MP; Clemmer, ND; Slusser, T; Lach, J; Sobolewski, T; Gruner, W; Entingh, AC. (2007). Development of a wetland constructed for the treatment of groundwater contaminated by chlorinated ethenes. *Ecol Eng.* 30: 51-66. <http://dx.doi.org/10.1016/j.ecoleng.2007.01.008>.
- Amos, BK; Christ, JA; Abriola, LM; Pennell, KD; Löffler, FE. (2007). Experimental evaluation and mathematical modeling of microbially enhanced tetrachloroethene (PCE) dissolution. *Environ Sci Technol.* 41: 963-970. <http://dx.doi.org/10.1021/es061438n>.
- Amos, BK; Daprato, RC; Hughes, JB; Pennell, KD; Löffler, FE. (2007). Effects of the nonionic surfactant tween 80 on microbial reductive dechlorination of chlorinated ethenes. *Environ Sci Technol.* 41: 1710-1716. <http://dx.doi.org/10.1021/es061926v>.
- Amos, BK; Ritalahti, KM; Cruz-Garcia, C; Padilla-Crespo, E; Löffler, FE. (2008). Oxygen effect on Dehalococcoides viability and biomarker quantification. *Environ Sci Technol.* 42: 5718-5726. <http://dx.doi.org/10.1021/es703227g>.
- Amter, S; Ross, B. (2008). Discussion of 'A quest to locate sites described in the world's first publication on trichloroethene contamination of groundwater' by M. O. Rivett & L. Clark, *Quarterly Journal of Engineering Geology and Hydrogeology*, 40, 241-249. *Quarterly Journal of Engineering Geology and Hydrogeology.* 41: 491-493. <http://dx.doi.org/10.1144/1470-9236/08-021>.
- An, H, aRim; Oh, ST, ag; Kim, CY; Baek, SH, o; Park, I, lKyu; Ahn, H, yojin. (2014). Al-doped ZnO/Ag grid hybrid transparent conductive electrodes fabricated using a low-temperature process. *J Alloy Comp.* 615: 728-733. <http://dx.doi.org/10.1016/j.jallcom.2014.06.168>.
- An, TC; Zhang, ML; Wang, XM; Sheng, GY; Fu, JM. (2005). Photocatalytic degradation of gaseous trichloroethene using immobilized ZnO/SnO₂ coupled oxide in a flow-through photocatalytic reactor. *J Chem Tech Biotechnol.* 80: 251-258. <http://dx.doi.org/10.1002/jctb.1187>.
- Anand, SS; Mehendale, HM. (2004). Liver regeneration: a critical toxicodynamic response in predictive toxicology. *Environ Toxicol Pharmacol.* 18: 149-160. <http://dx.doi.org/10.1016/j.etap.2004.02.011>.
- Anarbaev, RO; Khodyreva, SN; Zakharenko, AL; Rechkunova, NI; Lavrik, OI. (2005). DNA polymerase activity in water-structured and confined environment of reverse micelles. *Journal of Molecular Catalysis B: Enzymatic.* 33: 29-34. <http://dx.doi.org/10.1016/j.molcatb.2005.01.004>.
- Andelman, JB. (1985). Human exposures to volatile halogenated organic chemicals in indoor and outdoor air. *Environ Health Perspect.* 62: 313-318.
- Andersen, ME; Clewell, HJ, III; Gargas, ML; Smith, FA; Reitz, RH. (1987). Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol.* 87: 185-205. [http://dx.doi.org/10.1016/0041-008X\(87\)90281-X](http://dx.doi.org/10.1016/0041-008X(87)90281-X).
- Andersen, ME; Dennison, JE. (2004). Mechanistic approaches for mixture risk assessments-present capabilities with simple mixtures and future directions. *Environ Toxicol Pharmacol.* 16: 1-11. <http://dx.doi.org/10.1016/j.etap.2003.10.004>.
- Andersin, J; Honkala, K. (2011). First principles investigations of Pd-on-Au nanostructures for trichloroethene catalytic removal from groundwater. *Phys Chem Chem Phys.* 13: 1386-1394. <http://dx.doi.org/10.1039/c0cp00524j>.
- Andersin, J; Parkkinen, P; Honkala, K. (2012). Pd-catalyzed hydrodehalogenation of chlorinated olefins: Theoretical insights to the reaction mechanism. *J Catal.* 290: 118-125. <http://dx.doi.org/10.1016/j.jcat.2012.03.006>.
- Anderson, BJ; McKee, AD; Holford, NH. (1997). Size, myths and the clinical pharmacokinetics of analgesia in paediatric patients [Review]. *Clin Pharmacokinet.* 33: 313-327.
- Anderson, JE; Mccarty, PL. (1994). MODEL FOR TREATMENT OF TRICHLOROETHYLENE BY METHANOTROPHIC BIOFILMS. *J Environ Eng.* 120: 379-400.
- Anderson, JE; Mccarty, PL. (1996). Effect of three chlorinated ethenes on growth rates for a methanotrophic mixed culture. *Environ Sci Technol.* 30: 3517-3524.
- Anderson, JE; Mccarty, PL. (1997). Effect of chlorinated ethenes on Smin for a methanotrophic mixed culture. *Environ Sci Technol.* 31: 2204-2210.
- Anderson, M; Church, G. (1998). Offshore passive soil vapor survey at a contaminated coastal site. *J Environ Eng.* 124: 555-563.
- Anderson, MA. (2000). Removal of MTBE and other organic contaminants from water by sorption to high silica zeolites. *Environ Sci Technol.* 34: 725-727.

Fate Literature Search Results

Off Topic

- Anderson, RH; Anderson, JK; Bower, PA. (In Press) Co-occurrence of 1,4-dioxane with trichloroethylene in chlorinated solvent groundwater plumes at US Air Force installations: Fact or fiction. *Integr Environ Assess Manag*. <http://dx.doi.org/10.1002/ieam.1306>.
- Anderson, SP; Howroyd, P; Liu, J; Qian, X; Bahnemann, R; Swanson, C; Kwak, MK; Kensler, TW; Corton, JC. (2004). The transcriptional response to a peroxisome proliferator-activated receptor alpha agonist includes increased expression of proteome maintenance genes. *J Biol Chem*. 279: 52390-52398. <http://dx.doi.org/10.1074/jbc.M409347200>.
- Andersson, L; Haraldsson, B; Johansson, C; Barregard, L. (2008). Methodological issues on the use of urinary alpha-1-microglobuline in epidemiological studies. *Nephrol Dial Transplant*. 23: 1252-1256. <http://dx.doi.org/10.1093/ndt/gfm729>.
- Ando, S; Tanahashi, N; Mihara, N; Fujita, T; Watanabe, C; Matsuda, H. (2007). Effect of CaO and Na₂CO₃ on TCE decomposition and dry sorption of Cl compounds derived from TCE. *Kagaku Kogaku Ronbunshu*. 33: 261-266.
- Angeles-Wedler, D; Mackenzie, K; Kopinke, FD. (2008). Permanganate oxidation of sulfur compounds to prevent poisoning of Pd catalysts in water treatment processes. *Environ Sci Technol*. 42: 5734-5739. <http://dx.doi.org/10.1021/es800330s>.
- Anila, P; Reddy, KR; Rao, GS; Ram, PVS, Sai; Ramachandran, D; Rambabu, C. (2015). Phase equilibrium and excess Gibbs energy functions of acetophenone with 1,1,2-trichloroethene and cyclohexane binary mixtures by using NRTL, UNIQUAC, UNIFAC and VANLAAR models at a local atmospheric pressure of 95.3 kPa. *Journal of Molecular Liquids*. 202: 107-114. <http://dx.doi.org/10.1016/j.molliq.2014.12.026>.
- Annappagada, R; Leet, R; Changrani, R; Raupp, GB. (1997). Vacuum photocatalytic oxidation of trichloroethylene. *Environ Sci Technol*. 31: 1898-1901.
- Anon. (1995). Catalytic process claims to remove TCE and other harmful chemicals in groundwater. *J Environ Health*. 57: 35-35.
- Anon. (1997). Water SG delight with 1997 TCE awards. *Chem Eng (London)*29-30.
- Anon. (1998). Five more big fish join TCE Awards 1999. *Chem Eng (London)*26-26.
- Anon. (2001). Questions & answers regarding Trichloroethylene reclassification. *Insight*. 43: 473-474.
- Anon. (2004). Flow and level control - tce looks at the latest products on the market. *Chem Eng (London)*49-49.
- Anon. (2007). Federal TCE review may trigger cleanup and exposure issues. *Environ Geol*. 52: 1224-1224.
- Anotai, J, in; Bunmahotama, W; Lu, MC. (2011). Oxidation of Aniline with Sulfate Radicals in the Presence of Citric Acid. *Environ Eng Sci*. 28: 207-215. <http://dx.doi.org/10.1089/ees.2010.0169>.
- Anotai, J, in; Masomboon, N; Chuang, CL, in; Lu, MC. (2011). Persulfate oxidation for the aniline degradation in aqueous systems. *Water Sci Technol*. 63: 1434-1440. <http://dx.doi.org/10.2166/wst.2011.325>.
- Anti, M; Marra, G; Rapaccini, GL; Rumi, C; Bussa, S; Fadda, G; Vecchio, FM; Valenti, A; Percesepe, A; Pompili, M. (1994). DNA ploidy pattern in human chronic liver diseases and hepatic nodular lesions. Flow cytometric analysis on echo-guided needle liver biopsy. *Cancer*. 73: 281-288.
- Antia; J., DD. (2011). Modification of Aquifer Pore-Water by Static Diffusion Using Nano-Zero-Valent Metals. *Water*. 3: 79-112. <http://dx.doi.org/10.3390/w3010079>.
- Antoszczyszyn, M; Zalinskagawronska, J; Myszkowski, J. (1992). LOW-TEMPERATURE ABSORPTION OF SO₂ FROM OFF-GASES FROM THE PLANT OF META-CHLOROACETIC ACID PRODUCTION. *Przemysł Chemiczny*. 71: 190-191.
- Anttila, A; Pukkala, E; Sallmen, M; Hernberg, S; Hemminki, K. (1995). Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med*. 37: 797-806.
- Anway, MD; Cupp, AS; Uzumcu, M; Skinner, MK. (2005). Epigenetic transgenerational actions of endocrine disruptors and male fertility. *Science*. 308: 1466-1469. <http://dx.doi.org/10.1126/science.1108190>.
- Anway, MD; Cupp, AS; Uzumcu, M; Skinner, MK. (2005). Epigenetic transgenerational actions of endocrine disruptors and male fertility - Supplemental material [Supplemental Data]. *Science*. 308: 1466-1469.
- Ao, CH; Lee, SC; Zou, SC; Mak, CL. (2004). Inhibition effect of SO₂ on NO_x and VOCs during the photodegradation of synchronous indoor air pollutants at parts per billion (ppb) level by TiO₂. *Appl Catal B-Environ*. 49: 187-193. <http://dx.doi.org/10.1016/j.apcatb.2003.12.01>.
- Aochi, YO; Farmer, WJ. (2011). Effects of surface charge and particle morphology on the sorption/desorption behavior of water on clay minerals. *Colloid Surface Physicochem Eng Aspect*. 374: 22-32. <http://dx.doi.org/10.1016/j.colsurfa.2010.10.039>.
- Aoki, N; Soma, K; Katagiri, H; Aizawa, Y; Kadowaki, T; Ohwada, T. (1997). The pulmonary hemodynamic effects of 1,1,1-trichloroethane inhalation. *Ind Health*. 35: 451-455.
- Apel, WA; Dugan, PR; Wiebe, MR; Johnson, EG; Wolfram, JH; Rogers, RD. (1993). BIOPROCESSING OF ENVIRONMENTALLY SIGNIFICANT GASES AND VAPORS WITH GAS-PHASE BIOREACTORS - METHANE, TRICHLOROETHYLENE, AND XYLENE. *ACS Symp Ser Am Chem Soc*. 518: 411-428.
- Arabi, A; Mahmoudi, J; Saradar, H; Jafarzade, A; Ghasemi, M. (2011). Liquid plus liquid equilibria of ternary water plus carboxylic acid plus solvent systems at 288.15 K. *Korean J Chem Eng*. 28: 917-922. <http://dx.doi.org/10.1007/s11814-010-0425-y>.
- Araki, S. (1978). The effects of water restriction and water loading on urinary excretion of lead, delta-aminolevulinic acid and coproporphyrin. *Br J Ind Med*. 35: 312-317.
- Arancibia, R; Godoy, F; Garland, MT; Ibanez, A; Baggio, R; Klahn, AH. (2007). Reactions of the rhenium fragment (eta(5)-C₅Me₅)Re(CO)(2) with chlorinated ethylenes: Coordination and C-Cl bond activation. *J Organomet Chem*. 692: 963-967. <http://dx.doi.org/10.1016/j.jorganchem.2006.10.050>.
- Arands, R; Lam, T; Massry, I; Berler, DH; Muzzio, FJ; Kosson, DS. (1997). Modeling and experimental validation of volatile organic contaminant diffusion through an unsaturated soil. *Water Resour Res*. 33: 599-609.
- Aranzabal, A; Ayastuy-Arízti, JL; Gonzalez-Marcos, JA; Gonzalez-Velasco, JR. (2003). Kinetics of the catalytic oxidation of lean trichloroethylene in air over Pd/Alumina. *Ind Eng Chem Res*. 42: 6007-6011. <http://dx.doi.org/10.1021/ie030286r>.

Fate Literature Search Results

Off Topic

- Aranzabal, A; Ayastuy-Arizti, JL; Gonzalez-Marcos, JA; Gonzalez-Velasco, JR. (2003). The reaction pathway and kinetic mechanism of the catalytic oxidation of gaseous lean TCE on Pd/alumina catalysts. *J Catal.* 214: 130-135. [http://dx.doi.org/10.1016/S0021-9517\(02\)00091-X](http://dx.doi.org/10.1016/S0021-9517(02)00091-X).
- Aranzabal, A; Gonzalez-Marcos, JA; Romero-Saez, A; Gonzalez-Velasco, JR, JR; Guillemot, M; Magnoux, P. (2009). Stability of protonic zeolites in the catalytic oxidation of chlorinated VOCs (1,2-dichloroethane). *Appl Catal B-Environ.* 88: 533-541. <http://dx.doi.org/10.1016/j.apcatb.2008.10.007>.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2012). Deactivation of H-zeolites during catalytic oxidation of trichloroethylene. *J Catal.* 296: 165-174. <http://dx.doi.org/10.1016/j.jcat.2012.09.012>.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol.* 91: 318-326. <http://dx.doi.org/10.1002/jctb.4585>.
- Araujo L'Amoura, RJ; Azevedo, EB; Ferreira Leite, SG; Dezotti, M. (2008). Removal of phenol in high salinity media by a hybrid process (activated sludge plus photocatalysis). *Separation and Purification Technology.* 60: 142-146. <http://dx.doi.org/10.1016/j.seppur.2007.08.008>.
- Arbuckle, WB; Osman, MY. (2000). Polyethylene glycol adsorption equilibrium on activated carbon. *Environ Eng Sci.* 17: 147-158.
- Arcangeli, JP; Arvin, E. (1997). Modeling of the cometabolic biodegradation of trichloroethylene by toluene oxidizing bacteria in a biofilm system. *Environ Sci Technol.* 31: 3044-3052.
- Arcangeli, JP; Arvin, E. (1997). Modelling of the growth of a methanotrophic biofilm. *Water Sci Technol.* 36: 199-204.
- Arcangeli, JP; Arvin, E. (2004). Methanotrophic biodegradation of cis-1,2-dichloroethylene in a continuously fed fixed-film bioreactor. *Water Sci Technol.* 49: 231-236.
- Arcangeli, JP; Arvin, E; Mejlhede, M; Lauritsen, FR. (1996). Biodegradation of CIS-1,2-dichloro-ethylene at low concentrations with methane-oxidizing bacteria in a biofilm reactor. *Water Res.* 30: 1885-1893.
- Archer, N; Bradford, C; Villanacci, J; Crane, N; Corsi, R; Chambers, D; Blount, B. (2013). ASSOCIATION BETWEEN VAPOR INTRUSION AND HUMAN EXPOSURE TO TRICHLOROETHYLENE. *Am J Epidemiol.* 177: S42-S42.
- Archer, NP; Bradford, CM; Villanacci, JF; Crain, NE; Corsi, RL; Chambers, DM; Burk, T; Blount, BC. (2015). Relationship between vapor intrusion and human exposure to trichloroethylene. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 1360-1368. <http://dx.doi.org/10.1080/10934529.2015.1064275>.
- Arconada, N; Duran, A; Suarez, S; Portela, R; Coronado, JM; Sanchez, B; Castro, Y. (2009). Synthesis and photocatalytic properties of dense and porous TiO₂-anatase thin films prepared by sol-gel. *Appl Catal B-Environ.* 86: 1-7. <http://dx.doi.org/10.1016/j.apcatb.2008.07.021>.
- Ardila A, AN; Reyes, J; Arriola, E; Hernandez, JA; Fuentes, GA. (2015). Liquid-phase chloroform hydrodechlorination catalyzed by Pd/TiO₂-Na. *Appl Catal A-Gen.* 497: 211-215. <http://dx.doi.org/10.1016/j.apcata.2015.02.045>.
- Argüello, JE; Costentin, C; Griveau, S; Savéant, JM. (2005). Role of protonation and of axial ligands in the reductive dechlorination of alkyl chlorides by vitamin B12 complexes. Reductive cleavage of chloroacetonitrile by Co(I) cobalamins and cobinamides. *J Am Chem Soc.* 127: 5049-5055. <http://dx.doi.org/10.1021/ja042940f>.
- Argyelan, J; Mathews, AP; Nassar, R; Lee, SM. (1991). A NONLINEAR STOCHASTIC-MODEL FOR ADSORPTION IN BATCH REACTORS. *Water Sci Technol.* 24: 49-56.
- Argyelan, J; Nassar, R. (1995). A NONLINEAR MODEL OF AN OPEN FLOW ADSORPTION PROCESS. *Environmetrics.* 6: 195-203.
- Argyris, J; Papadrakakis, M; Stefanou, G. (2002). Stochastic finite element analysis of shells. *Computer Methods in Applied Mechanics and Engineering.* 191: 4781-4804.
- Argyris, J; Papadrakis, M; Mouroutis, ZS. (2003). Nonlinear dynamic analysis of shells with the triangular element TRIC. *Computer Methods in Applied Mechanics and Engineering.* 192: 3005-3038. [http://dx.doi.org/10.1016/S0045-7825\(03\)00315-3](http://dx.doi.org/10.1016/S0045-7825(03)00315-3).
- Argyris, J; Tenek, L; Olofsson, L. (1997). TRIC: A simple but sophisticated 3-node triangular element based on 6 rigid-body and 12 straining modes for fast computational simulations of arbitrary isotropic and laminated composite shells. *Computer Methods in Applied Mechanics and Engineering.* 145: 11-85.
- Argyris, J; Tenek, L; Papadrakakis, M; Apostolopoulou, C. (1998). Postbuckling performance of the TRIC natural mode triangular element for isotropic and laminated composite shells. *Computer Methods in Applied Mechanics and Engineering.* 166: 211-231.
- Argyris, JH; Papadrakakis, M; Apostolopoulou, C; Koutsourelakis, S. (2000). The TRIC shell element: theoretical and numerical investigation. *Computer Methods in Applied Mechanics and Engineering.* 182: 217-245.
- Argyris, JH; Papadrakakis, M; Karapitta, L. (2002). Elasto-plastic analysis of shells with the triangular element TRIC. *Computer Methods in Applied Mechanics and Engineering.* 191: 3613-3636.
- Arif, AA; Shah, SM. (2007). Association between personal exposure to volatile organic compounds and asthma among US adult population. *Int Arch Occup Environ Health.* 80: 711-719. <http://dx.doi.org/10.1007/s00420-007-0183-2>.
- Arito, H; Takahashi, M; Tsuruta, H; Ishikawa, T. (1994). Age-related changes in electrocardiographic responses to trichloroethylene inhalation in conscious rats. *Ind Health.* 32: 129-144.
- Ariya, PA; Catoire, V; Sander, R; Niki, H; Harris, GW. (1997). Trichloroethene and tetrachloroethene: Tropospheric probes for Cl- and Br-atom reactions during polar sunrise. *Tellus B Chem Phys Meteorol.* 49: 583-591.
- Arkhangelskaja, IV. (2004). Fractal analysis of short and intermediate GRB and the fireball model. *Adv Space Res.* 34: 2723-2728. <http://dx.doi.org/10.1016/j.asr.2003.01.043>.
- Armbruster, K; Bele, P; Brunner, H; Chen, BM; Dahm, S; Geiger, R; Heinen, I; Keller, HJ; Schweitzer, D. (1991). (BEDT-TTF)2X(TCE)0.5[X-BF₄,FSO₃,IO₄] NEW ORGANIC METALS. *Synthetic Metals.* 42: 2025-2028.
- Armin, A; Hamsch, M; Wolfer, P; Jin, H, ui; Li, J, un; Shi, Z; Burn, PL; Meredith, P. (2015). Efficient, Large Area, and Thick Junction Polymer Solar Cells with Balanced Mobilities and Low Defect Densities. 5. <http://dx.doi.org/10.1002/aenm.201401221>.

Fate Literature Search Results

Off Topic

- Arno, J; Bevan, JW; Moisan, M. (1996). Detoxification of trichloroethylene in a low-pressure surface wave plasma reactor. *Environ Sci Technol.* 30: 2427-2431.
- Arnold, SA; Albiez, S; Opara, N; Chami, M; Schmidli, C; Bieri, A; Padeste, C; Stahlberg, H; Braun, T. (2016). Total Sample Conditioning and Preparation of Nanoliter Volumes for Electron Microscopy. *ACS Nano.* 10: 4981-4988. <http://dx.doi.org/10.1021/acsnano.6b01328>.
- Arnold, WA; Roberts, AL. (1998). Pathways of chlorinated ethylene and chlorinated acetylene reaction with Zn(0). *Environ Sci Technol.* 32: 3017-3025.
- Arnold, WA; Roberts, AL. (2000). Pathways and kinetics of chlorinated ethylene and chlorinated acetylene reaction with Fe(O) particles. *Environ Sci Technol.* 34: 1794-1805.
- Arpita, B; Ishimura, K; Nakamura, K; Takamizawa, K. (2013). Microbial dynamics in the process of restoration of groundwater contaminated by chlorinated ethene in the presence of *Escherichia coli*. *Journal of Material Cycles and Waste Management.* 15: 335-341. <http://dx.doi.org/10.1007/s10163-013-0124-y>.
- Arrebola, FJ; Gonzalez-Rodriguez, MJ; Frenich, AG; Marin-Juan, A; Vidal, JLM. (2005). Determination of halogenated solvents content in olive oil by two completely automated headspace techniques coupled to gas chromatography-mass spectrometry. *Anal Chim Acta.* 552: 60-66. <http://dx.doi.org/10.1016/j.aca.2005.07.054>.
- Arshadi, M; Rajaram, H. (2015). A transition in the spatially integrated reaction rate of bimolecular reaction-diffusion systems. *Water Resour Res.* 51: 7798-7810. <http://dx.doi.org/10.1002/2015WR017674>.
- Arshadi, M; Rajaram, H; Detwiler, RL; Jones, T. (2015). High-resolution experiments on chemical oxidation of DNAPL in variable-aperture fractures. *Water Resour Res.* 51: 2317-2335. <http://dx.doi.org/10.1002/2014WR016159>.
- Arvin, E. (1991). BIODEGRADATION KINETICS OF CHLORINATED ALIPHATIC-HYDROCARBONS WITH METHANE OXIDIZING BACTERIA IN AN AEROBIC FIXED BIOFILM REACTOR. *Water Res.* 25: 873-881.
- Arvin, E; Pedersen, LF. (2015). Hydrogen peroxide decomposition kinetics in aquaculture water. *Aquacultural Engineering.* 64: 1-7. <http://dx.doi.org/10.1016/j.aquaeng.2014.12.004>.
- Asal, NR; Geyer, JR; Risser, DR; Lee, ET; Kadamani, S; Cherng, N. (1988). Risk factors in renal cell carcinoma. II. Medical history, occupation, multivariate analysis, and conclusions. *Cancer Detect Prev.* 13: 263-279.
- Asal, NR; Risser, DR; Kadamani, S; Geyer, JR; Lee, ET; Cherng, N. (1988). Risk factors in renal cell carcinoma: I. Methodology, demographics, tobacco, beverage use, and obesity. *Cancer Detect Prev.* 11: 359-377.
- Asawasinsopon, R; Prapamontol, T; Prakobvitayakit, O; Vaneesorn, Y; Mangklabruks, A; Hock, B. (2006). Plasma levels of DDT and their association with reproductive hormones in adult men from northern Thailand. *Sci Total Environ.* 355: 98-105. <http://dx.doi.org/10.1016/j.scitotenv.2005.03.004>.
- Aschengrau, A; Rogers, S; Ozonoff, D. (2003). Perchloroethylene-contaminated drinking water and the risk of breast cancer: Additional results from Cape Cod, Massachusetts, USA. *Environ Health Perspect.* 111: 167-173. <http://dx.doi.org/10.1289/ehp.4980>.
- Aschengrau, A; Weinberg, J; Rogers, S; Gallagher, L; Winter, M; Vieira, V; Webster, T; Ozonoff, D. (2008). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of adverse birth outcomes. *Environ Health Perspect.* 116: 814-820. <http://dx.doi.org/10.1289/ehp.10414>.
- Aschengrau, A; Weinberg, JM; Janulewicz, PA; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: A retrospective cohort study. *Environ Health.* 8: 44. <http://dx.doi.org/10.1186/1476-069X-8-44>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2011). Affinity for risky behaviors following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 10: 102. <http://dx.doi.org/10.1186/1476-069X-10-102>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2012). Occurrence of mental illness following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 11: 2. <http://dx.doi.org/10.1186/1476-069X-11-2>.
- Ashby, J; Brady, A; Elcombe, CR; Elliott, BM; Ishmael, J; Odum, J; Tugwood, JD; Kettle, S; Purchase, IF. (1994). Mechanistically-based human hazard assessment of peroxisome proliferator-induced hepatocarcinogenesis [Review]. *Hum Exp Toxicol.* 13: S1-S117. <http://dx.doi.org/10.1177/096032719401300201>.
- Ashley, DL; Bonin, MA; Cardinali, FL; Mccraw, JM; Wooten, JV. (1994). Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clin Chem.* 40: 1401-1404.
- Askari, MD; Maskarinec, MP; Smith, SM; Beam, PM; Travis, CC. (1996). Effectiveness of Purge-and-Trap for Measurement of Volatile Organic Compounds in Aged Soils. *Anal Chem.* 68: 3431-3433. <http://dx.doi.org/10.1021/ac960009c>.
- Asplund, L; Svensson, BG; Nilsson, A; Eriksson, U; Jansson, B; Jensen, S; Wideqvist, U; Skerfving, S. (1994). Polychlorinated biphenyls, 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane (p,p'-DDT) and 1,1-dichloro-2,2-bis(p-chlorophenyl)-ethylene (p,p'-DDE) in human plasma related to fish consumption. *Arch Environ Health.* 49: 477-486. <http://dx.doi.org/10.1080/00039896.1994.9955004>.
- Assadi, AA; Bouzaza, A; Wolbert, D. (2012). Photocatalytic oxidation of trimethylamine and isovaleraldehyde in an annular reactor: Influence of the mass transfer and the relative humidity. *J Photochem Photobiol A.* 236: 61-69. <http://dx.doi.org/10.1016/j.jphotochem.2012.03.020>.
- Athmer, C. (2004). In-situ remediation of TCE in clayey soils. *Soil Sediment Contam.* 13: 479-488.
- ATSDR. (1990). Toxicological profile for cis-, trans-1,2-dichloroethene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.
- ATSDR. (1996). Biennial report to congress (1991 and 1992). Atlanta, GA: U.S. Department of Health and Human Services.

Fate Literature Search Results

Off Topic

- ATSDR. (1996). Toxicological profile for 1,2-dichloroethene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/ToxProfiles/tp.asp?id=464&tid=82>.
- ATSDR. (1997). Toxicological profile for tetrachloroethylene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/toxprofiles/tp.asp?id=265&tid=48>.
- ATSDR. (1998). Health consultation: Evaluation of health impacts from potential past exposure to tetrachloroethylene in the Natick public water supply. Atlanta, GA: Agency for Toxic Substances & Disease Registry. <http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1270&pg=0>.
- ATSDR. (2000). Public Health Assessment for Tucson International Airport Area (a/k/a El Vado Residential Properties) Tucson, Pima County, Arizona, Region 9. CERCLIS No. AZD980737530. Office of Environmental Health, Environmental Health Consultation Services: U.S. Department of Health and Human Services. http://www.azdhs.gov/phs/oeh/pdf/tuc_brn.pdf.
- ATSDR. (2003). Health consultation: View-Master factory supply well (a.k.a. Mattel Portland Operations) Beaverton, Washington County, Oregon. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=293&pg=0>.
- ATSDR. (2006). Health consultation: Public health implications of exposures to low-level volatile organic compounds in public drinking water: Endicott area investigation, Broome County, New York. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/HAC/pha/EndicottAreaInvestigation113006/EndicottAreaInvestigationHC113006.pdf>.
- ATSDR. (2007). Analyses of groundwater flow, contaminant fate and transport and distribution of drinking water at Tarawa Terrace and vicinity, U.S. Marine Corps Base Camp Lejeune, North Carolina: Historical reconstruction and present-day conditions. Atlanta, GA: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/sites/lejeune/tarawaterrace.html>.
- ATSDR. (2007). The verbatim transcript of the Meeting of the Camp Lejeune Community Assistance Panel held at the ATSDR, 1825 Century Boulevard, Atlanta, Georgia, on December 6, 2007. Atlanta, GA. http://www.atsdr.cdc.gov/sites/lejeune/docs/CAPtranscript12_07.pdf.
- ATSDR. (2010). The verbatim transcript of the Meeting of the Camp Lejeune Community Assistance Panel held at the Chamblee Building 106, Conference Room B, Atlanta, Georgia, on Dec. 9, 2010. Atlanta, GA. http://www.atsdr.cdc.gov/sites/lejeune/docs/CAPtranscript_12_10.pdf.
- Attallah, AM; Tabll, AA; Salem, SF; El-Sadany, M; Ibrahim, TA; Osman, S; El-Dosoky, IM. (1999). DNA ploidy of liver biopsies from patients with liver cirrhosis and hepatocellular carcinoma: A flow cytometric analysis. *Cancer Lett.* 142: 65-69.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2015). Single-Walled Carbon Nanotube/Silica Composite as a Novel Coating for Solid-Phase Microextraction Fiber Based on Sol-Gel Technology. *Journal of Analytical Chemistry.* 70: 1192-1198. <http://dx.doi.org/10.1134/S1061934815100032>.
- Atteia, O; Franceschi, M; Dupuy, A. (2008). Validation of reactive model assumptions with isotope data: Application to the Dover case. *Environ Sci Technol.* 42: 3289-3295. <http://dx.doi.org/10.1021/es071269m>.
- Atthi, N; Supadech, J; Dupuy, G; Nimitrakoolchai, O, nUma; Pankiew, A; Supothina, S; Jeamsaksiri, W; Hruanun, C; Poyai, A; Brachais, CH. (2012). Increasing Active Surface Area to Fabricate Ultra-Hydrophobic Surface by Using "Black Silicon" with Bosch Etching Process. *J Nanosci Nanotechnol.* 12: 4919-4927. <http://dx.doi.org/10.1166/jnn.2012.4906>.
- Atwater, JE; Akse, J. R.; Mckinnis, JA; Thompson, JO. (1996). Aqueous phase heterogeneous catalytic oxidation of trichloroethylene. *Appl Catal B-Environ.* 11: L11-L18.
- Atwood, GA; Greene, HL; Chintawar, P; Rachapudi, R; Ramachandran, B; Vogel, CA. (1998). Trichloroethylene sorption and oxidation using a dual function sorbent/catalyst in a falling furnace reactor. *Appl Catal B-Environ.* 18: 51-61.
- Aucejo, A; Gonzalezalfaro, V; Monton, JB; Vazquez, MI. (1995). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF TRICHLOROETHYLENE WITH 1-PROPANOL AND 2-PROPANOL AT 20 AND 100 KPA. *Journal of Chemical and Engineering Data.* 40: 332-335.
- Audi-Miro, C; Cretnik, S; Otero, N; Palau, J; Shouakar-Stash, O; Soler, A; Elsner, M. (2013). Cl and C isotope analysis to assess the effectiveness of chlorinated ethene degradation by zero-valent iron: Evidence from dual element and product isotope values. *Appl Geochem.* 32: 175-183. <http://dx.doi.org/10.1016/j.apgeochem.2012.08.025>.
- Audí-Miró, C; Cretnik, S; Torrentó, C; Rosell, M; Shouakar-Stash, O; Otero, N; Palau, J; Elsner, M; Soler, A. (2015). C, Cl and H compound-specific isotope analysis to assess natural versus Fe(0) barrier-induced degradation of chlorinated ethenes at a contaminated site. *J Hazard Mater.* 299: 747-754. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.052>.
- Augugliaro, V; Coluccia, S; Lodo, V; Marchese, L; Martra, G; Palmisano, L; Schiavello, M. (1999). Photocatalytic oxidation of gaseous toluene on anatase TiO₂ catalyst: mechanistic aspects and FT-IR investigation. *Appl Catal B-Environ.* 20: 15-27.
- Aulenta, F; Bianchi, A; Majone, M; Petrangeli Papini, M; Potalivo, M; Tandoi, V. (2005). Assessment of natural or enhanced in situ bioremediation at a chlorinated solvent-contaminated aquifer in Italy: a microcosm study. *Environ Int.* 31: 185-190. <http://dx.doi.org/10.1016/j.envint.2004.09.014>.
- Aulenta, F; Canosa, A; De Roma, L; Reale, P; Panero, S; Rossetti, S; Majone, M. (2009). Influence of mediator immobilization on the electrochemically assisted microbial dechlorination of trichloroethene (TCE) and cis-dichloroethene (cis-DCE). *J Chem Tech Biotechnol.* 84: 864-870. <http://dx.doi.org/10.1002/jctb.2162>.
- Aulenta, F; Canosa, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2008). Trichloroethene dechlorination and H(2) evolution are alternative biological pathways of electric charge utilization by a dechlorinating culture in a bioelectrochemical system. *Environ Sci Technol.* 42: 6185-6190. <http://dx.doi.org/10.1021/es800265b>.

Fate Literature Search Results

Off Topic

- Aulenta, F; Catervi, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2007). Electron transfer from a solid-state electrode assisted by methyl viologen sustains efficient microbial reductive dechlorination of TCE. *Environ Sci Technol.* 41: 2554-2559. <http://dx.doi.org/10.1021/es0624321>.
- Aulenta, F; Fazi, S; Majone, M; Rossetti, S. (2014). Electrically conductive magnetite particles enhance the kinetics and steer the composition of anaerobic TCE-dechlorinating cultures. *Process Biochemistry.* 49: 2235-2240. <http://dx.doi.org/10.1016/j.procbio.2014.09.015>.
- Aulenta, F; Fuoco, M; Canosa, A; Petrangeli Papini, M; Majone, M. (2008). Use of poly-beta-hydroxy-butyrate as a slow-release electron donor for the microbial reductive dechlorination of TCE. *Water Sci Technol.* 57: 921-925. <http://dx.doi.org/10.2166/wst.2008.073>.
- Aulenta, F; Maio, VD; Ferri, T; Majone, M. (2010). The humic acid analogue antraquinone-2,6-disulfonate (AQDS) serves as an electron shuttle in the electricity-driven microbial dechlorination of trichloroethene to cis-dichloroethene. *Bioresour Technol.* 101: 9728-9733. <http://dx.doi.org/10.1016/j.biortech.2010.07.090>.
- Aulenta, F; Reale, P; Canosa, A; Rossetti, S; Panero, S; Majone, M. (2010). Characterization of an electro-active biocathode capable of dechlorinating trichloroethene and cis-dichloroethene to ethene. 25: 1796-1802. <http://dx.doi.org/10.1016/j.bios.2009.12.033>.
- Aulenta, F; Tocca, L; Verdini, R; Reale, P; Majone, M. (2011). Dechlorination of trichloroethene in a continuous-flow bioelectrochemical reactor: effect of cathode potential on rate, selectivity, and electron transfer mechanisms. *Environ Sci Technol.* 45: 8444-8451. <http://dx.doi.org/10.1021/es202262y>.
- Auman, HJ; Ludwig, JP; Summer, CL; Verbrugge, DA; Froese, KL; Colborn, T; Giesy, JP. (1997). PCBs, DDE, DDT and TCDD-EQ in two species of albatross on sand island, midway atoll, North Pacific Ocean. *Environ Toxicol Chem.* 16: 498-504.
- Auperin, A; Benhamou, S; Ory-Paoletti, C; Flamant, R. (1994). Occupational risk factors for renal cell carcinoma: A case-control study. *Occup Environ Med.* 51: 426-428. <http://dx.doi.org/10.1136/oem.51.6.426>.
- Aust, SD; Bourquin, A; Loper, JC; Salanitro, JP; Suk, WA; Tiedje, J. (1994). Biodegradation of hazardous wastes. *Environ Health Perspect.* 102 Suppl 1: 245-252.
- Aust, SD; Swaner, PR; Stahl, JD. (2004). Detoxification and metabolism of chemicals by white-rot fungi. *ACS Symp Ser Am Chem Soc.* 863: 3-14.
- Austin, EW; Parrish, JM; Kinder, DH; Bull, RJ. (1996). Lipid peroxidation and formation of 8-hydroxydeoxyguanosine from acute doses of halogenated acetic acids. *Fundam Appl Toxicol.* 31: 77-82. <http://dx.doi.org/10.1006/faat.1996.0078>.
- Austin, H; Delzell, E; Grufferman, S; Levine, R; Morrison, AS; Stolley, PD; Cole, P. (1987). Case-control study of hepatocellular carcinoma, occupation, and chemical exposures. *J Occup Med.* 29: 665-669.
- Auwerx, J; Schoonjans, K; Fruchart, JC; Staels, B. (1996). Transcriptional control of triglyceride metabolism: Fibrates and fatty acids change the expression of the LPL and apo C-III genes by activating the nuclear receptor PPAR [Review]. *Atherosclerosis.* 124: S29-S37. [http://dx.doi.org/10.1016/0021-9150\(96\)05854-6](http://dx.doi.org/10.1016/0021-9150(96)05854-6).
- Avakyan, VG; Gromak, VV; Yatsenko, AY. (1994). SPECTROSCOPIC DETECTION OF THE ENDO-ENOL FORM OF 2-ACETYLCYCLOPENTANE-1,3-DIONE. *Russian Chemical Bulletin.* 43: 50-56.
- Aven, MR; Schmidt, M. (1991). ADSORPTION OF FISH OIL AND POLY(VINYL BUTYRAL) ONTO ALUMINUM-OXIDE PARTICLES STUDIED BY LIGHT-SCATTERING. *Colloid and Polymer Science.* 269: 1077-1085.
- Avila, MAS; Breiter, R. (2009). Modelling the Competitive Sorption Process of Multiple Solutes During their Transport in Porous Media. *Environ Model Assess.* 14: 615-629. <http://dx.doi.org/10.1007/s10666-008-9168-0>.
- Avila, P; Bahamonde, A; Blanco, J; Sanchez, B; Cardona, AI; Romero, M. (1998). Gas-phase photo-assisted mineralization of volatile organic compounds by monolithic titania catalysts. *Appl Catal B-Environ.* 17: 75-88.
- Avila, P; Sanchez, B; Cardona, AI. (2002). Influence of the methods of TiO₂ incorporation in monolithic catalysts for the photocatalytic destruction of chlorinated hydrocarbons in gas phase. *Catalysis Today.* 76: 271-278.
- Avramescu, ME; Sager, WFC; Wessling, M. (2003). Functionalised ethylene vinyl alcohol copolymer (EVAL) membranes for affinity protein separation. *J Memb Sci.* 216: 177-193. [http://dx.doi.org/10.1016/S0376-7388\(03\)00070-X](http://dx.doi.org/10.1016/S0376-7388(03)00070-X).
- Axelsson, O. (2005). Negative and non-positive epidemiological studies (Reprinted from the European Journal of Oncology Library, vol 2, 2003). *Hum Ecol Risk Assess.* 11: 159-167. <http://dx.doi.org/10.1080/10807030590919981>.
- Axelsson, O; Andersson, K; Hogstedt, C; Holmberg, B; Molina, G; de Verdier, A. (1978). A cohort study on trichloroethylene exposure and cancer mortality. *J Occup Environ Med.* 20: 194-196.
- Axelsson, O; Seldén, A; Andersson, K; Hogstedt, C. (1994). Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. *J Occup Med.* 36: 556-562.
- Aydemir, ME. (2016). Design and implementation of a compact avionics instrument for light aviation. *Turkish Journal of Electrical Engineering and Computer Sciences.* 24: 3471-3482. <http://dx.doi.org/10.3906/elk-1407-149>.
- Aydin, GA; Agaoglu, B; Kocasoy, G; Coptu, NK. (2011). Effect of temperature on cosolvent flooding for the enhanced solubilization and mobilization of NAPLs in porous media. *J Hazard Mater.* 186: 636-644. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.046>.
- Aydin-Sarikurt, D; Dokou, Z, oi; Coptu, NK; Karatzas, GP. (2016). Experimental Investigation and Numerical Modeling of Enhanced DNAPL Solubilization in Saturated Porous Media. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-3136-0>.
- Ayoub, G; Ghauch, A. (2014). Assessment of bimetallic and trimetallic iron-based systems for persulfate activation: Application to sulfamethoxazole degradation. *Chem Eng J.* 256: 280-292. <http://dx.doi.org/10.1016/j.cej.2014.07.002>.
- Ayoub, SR; Uchiyama, H; Iwasaki, K; Doi, T; Inaba, K. (2008). Effects of several surfactants and high-molecular-weight organic compounds on decomposition of trichloroethylene with zerovalent iron powder. *Environ Technol.* 29: 363-373. <http://dx.doi.org/10.1080/09593330801984126>.
- Ayral, D; Otero, M; Goltz, MN; Demond, AH. (2014). Impact of DNAPL contact on the structure of smectitic clay materials. *Chemosphere.* 95: 182-187. <http://dx.doi.org/10.1016/j.chemosphere.2013.08.062>.

Fate Literature Search Results

Off Topic

- Ayyildiz, O; Peters, RW; Anderson, PR. (2007). Sonolytic degradation of halogenated organic compounds in groundwater: mass transfer effects. *Ultrason Sonochem.* 14: 163-172. <http://dx.doi.org/10.1016/j.ultsonch.2006.04.004>.
- Azadpour-Keeley, A; Keeley, JW; Russell, HH; Sewell, GW. (2001). Monitored natural attenuation of contaminants in the subsurface: Processes. *Ground Water Monitoring and Remediation.* 21: 97-107.
- Azamarbarrios, JA; Munoz, E; Penicaud, A. (1997). Electrochemical generation of the higher fullerene radicals C-76(center dot-) C-78(center dot-) and C-84(center dot-) under oxygen- and moisture-free conditions and their observation by EPR. *J Chem Soc Faraday Trans.* 93: 3119-3123.
- Azevedo, EB; Neto, FRD; Dezotti, M. (2004). TiO₂-photocatalyzed degradation of phenol in saline media: lumped kinetics, intermediates, and acute toxicity. *Appl Catal B-Environ.* 54: 165-173. <http://dx.doi.org/10.1016/j.apcatb.2004.06.014>.
- Azimi, N; Xue, Z; Bloom, I; Gordin, ML; Wang, D; Daniel, T; Takoudis, C; Zhang, Z. (2015). Understanding the effect of a fluorinated ether on the performance of lithium-sulfur batteries. 7: 9169-9177. <http://dx.doi.org/10.1021/acsami.5b01412>.
- Azimi, N; Xue, Z; Rago, ND; Takoudis, C; Gordin, ML; Song, J; Wang, D; Zhang, Z. (2015). Fluorinated Electrolytes for Li-S Battery: Suppressing the Self-Discharge with an Electrolyte Containing Fluoroether Solvent. *J Electrochem Soc.* 162: A64-A68. <http://dx.doi.org/10.1149/2.0431501jes>.
- Aziz, CE; Fitch, MW; Linqvist, LK; Pressman, JG; Georgiou, G; Speitel G E, J. R. (1995). Methanotrophic biodegradation of trichloroethylene in a hollow fiber membrane bioreactor. *Environ Sci Technol.* 29: 2574-2583.
- Azizian, MF; Behrens, S; Sabalowsky, A; Dolan, ME; Spormann, AM; Semprini, L. (2008). Continuous-flow column study of reductive dehalogenation of PCE upon bioaugmentation with the Evanite enrichment culture. *J Contam Hydrol.* 100: 11-21. <http://dx.doi.org/10.1016/j.jconhyd.2008.04.006>.
- Azizian, MF; Istok, JD; Semprini, L. (2005). Push-pull test evaluation of the in situ aerobic cometabolism of chlorinated ethenes by toluene-utilizing microorganisms. *Water Sci Technol.* 52: 35-40.
- Azizian, MF; Marshall, I; Behrens, S; Spormann, AM; Semprini, L. (2010). Comparison of lactate, formate, and propionate as hydrogen donors for the reductive dehalogenation of trichloroethene in a continuous-flow column. *J Contam Hydrol.* 113: 77-92. <http://dx.doi.org/10.1016/j.jconhyd.2010.02.004>.
- Azvine, B; Ho, C; Kay, S; Nauck, D; Spott, M. (2003). Estimating travel times of field engineers. 21: 33-38.
- Babu, KR; Raman, GK; Krishna, MR. (1990). VAPOR-LIQUID-EQUILIBRIA AT 715 MM/HG IN THE SYSTEMS NORMAL-BUTYL BROMIDE TRICHLOROETHYLENE AND NORMAL-BUTYL BROMIDE TETRACHLOROETHYLENE. *J Indian Chem Soc.* 67: 951-953.
- Baby, R; Balaji, C. (2012). Experimental investigations on phase change material based finned heat sinks for electronic equipment cooling. *Int J Heat Mass Tran.* 55: 1642-1649. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2011.11.020>.
- Bacik, DB; Zhang, M; Zhao, D; Roberts, CB; Seehra, MS; Singh, V; Shah, N. (2012). Synthesis and characterization of supported polysugar-stabilized palladium nanoparticle catalysts for enhanced hydrodechlorination of trichloroethylene. *Nanotechnology.* 23: 294004. <http://dx.doi.org/10.1088/0957-4484/23/29/294004>.
- Baciacchi, R; Boni, MR; D'Aprile, L. (2003). Characterization and performance of granular iron as reactive media for TCE degradation by permeable reactive barriers. *Water Air Soil Pollut.* 149: 211-226.
- Baciacchi, R; Boni, MR; D'Aprile, L. (2004). Application of H₂O₂ lifetime as an indicator of TCE Fenton-like oxidation in soils. *J Hazard Mater.* 107: 97-102. <http://dx.doi.org/10.1016/j.jhazmat.2003.09.008>.
- Back, H; Susser, P. (1992). Concentrations of volatile chlorinated hydrocarbons and trichloroacetic acid in earthworms. *Soil Biol Biochem.* 24: 1745-1748.
- Bacsi, I; Gonda, S; B-Beres, V; Novak, Z; Nagy, SA; Vasas, G. (2015). Alterations of phytoplankton assemblages treated with chlorinated hydrocarbons: effects of dominant species sensitivity and initial diversity. *Ecotoxicology.* 24: 823-834. <http://dx.doi.org/10.1007/s10646-015-1427-7>.
- Bacsi, I; Toeroek, T; B-Beres, V; Toeroek, P; Tothmeresz, B; Nagy, AS; Vasas, G. (2013). Laboratory and microcosm experiments testing the toxicity of chlorinated hydrocarbons on a cyanobacterium strain (*Synechococcus* PCC 6301) and on natural phytoplankton assemblages. *Hydrobiologia.* 710: 189-203. <http://dx.doi.org/10.1007/s10750-012-1364-x>.
- Badger, TM; Ronis, MJ; Seitz, HK; Albano, E; Ingelman-Sundberg, M; Lieber, CS. (2003). Alcohol metabolism: Role in toxicity and carcinogenesis. *Alcohol Clin Exp Res.* 27: 336-347. <http://dx.doi.org/10.1097/01.ALC.0000052583.87673.37>.
- Badin, A; Broholm, MM; Jacobsen, CS; Palau, J; Dennis, P; Hunkeler, D. (2016). Identification of abiotic and biotic reductive dechlorination in a chlorinated ethene plume after thermal source remediation by means of isotopic and molecular biology tools. *J Contam Hydrol.* 192: 1-19. <http://dx.doi.org/10.1016/j.jconhyd.2016.05.003>.
- Badin, A; Buttet, G; Maillard, J; Holliger, C; Hunkeler, D. (2014). Multiple dual C-Cl isotope patterns associated with reductive dechlorination of tetrachloroethene. *Environ Sci Technol.* 48: 9179-9186. <http://dx.doi.org/10.1021/es500822d>.
- Badin, A; Schirmer, M; Wermeille, C; Hunkeler, D. (2015). Perchloroethene source delineation using carbon-chlorine isotopic analysis: field investigations of isotopic signature variability. *Grundwasser.* 20: 263-270. <http://dx.doi.org/10.1007/s00767-015-0301-0>.
- Bae, JW; Park, ED; Lee, JS; Lee, KH; Kim, YG; Yeon, SH; Sung, BH. (2001). Hydrodechlorination of CCl₄ over Pt/ γ -Al₂O₃ - Effects of reaction pressure and diluent gases on distribution of products and catalyst stability. *Appl Catal A-Gen.* 217: 79-89.
- Bae, S; Hanna, K. (2015). Reactivity of Nanoscale Zero-Valent Iron in Unbuffered Systems: Effect of pH and Fe(II) Dissolution. *Environ Sci Technol.* 49: 10536-10543. <http://dx.doi.org/10.1021/acs.est.5b01298>.
- Bae, S; Hong, YK, i; Lee, J; Park, J; Jalli, J; Abo, GS; Kwon, HM; Jayasooriya, CKK. (2013). Pulsed Ferrite Magnetic Field Generator for Through-the-earth Communication Systems for Disaster Situation in Mines. 18: 43-49. <http://dx.doi.org/10.4283/JMAG.2013.18.1.043>.

Fate Literature Search Results

Off Topic

- Bae, S; Lee, W. (2014). Influence of riboflavin on nanoscale zero-valent iron reactivity during the degradation of carbon tetrachloride. *Environ Sci Technol.* 48: 2368-2376. <http://dx.doi.org/10.1021/es4056565>.
- Bae, Y; Kim, D; Cho, H; Singhal, N; Park, J. (2012). Transformation impacts of dissolved and solid phase Fe(II) on trichloroethylene (TCE) reduction in an iron-reducing bacteria (IRB) mixed column system: A mathematical model. *Water Res.* 46: 6391-6398. <http://dx.doi.org/10.1016/j.watres.2012.09.019>.
- Bae, Y; Park, J, aeWoo. (2009). TCE reduction modeling in soil column: Effect of zero-valent iron, ferrous iron, and iron-reducing bacteria. *Desalination and Water Treatment.* 4: 229-232.
- Baek, NH; Jaffe, PR. (1989). THE DEGRADATION OF TRICHLOROETHYLENE IN MIXED METHANOGENIC CULTURES. *J Environ Qual.* 18: 515-518.
- Baek, SO; Suvarapu, LN; Seo, YK. (2015). Occurrence and Concentrations of Toxic VOCs in the Ambient Air of Gumi, an Electronics-Industrial City in Korea. *Sensors.* 15: 19102-19123. <http://dx.doi.org/10.3390/s150819102>.
- Baek, W; Lee, JY. (2011). Source apportionment of trichloroethylene in groundwater of the industrial complex in Wonju, Korea: a 15-year dispute and perspective. *Water Environ J.* 25: 336-344. <http://dx.doi.org/10.1111/j.1747-6593.2010.00226.x>.
- Baelum, J. (1999). Acute symptoms during non-inhalation exposure to combinations of toluene, trichloroethylene, and n-hexane. *Int Arch Occup Environ Health.* 72: 408-410.
- Baelum, J; Chambon, JC; Scheutz, C; Binning, PJ; Laier, T; Bjerg, PL; Jacobsen, CS. (2013). A conceptual model linking functional gene expression and reductive dechlorination rates of chlorinated ethenes in clay rich groundwater sediment. *Water Res.* 47: 2467-2478. <http://dx.doi.org/10.1016/j.watres.2013.02.016>.
- Baelum, J; Molhave, L; Hansen, SH; Vaeth, M. (1998). Metabolic interaction between toluene, trichloroethylene and n-hexane in humans. *Scand J Work Environ Health.* 24: 30-37.
- Baelum, J; Scheutz, C; Chambon, JC; Jensen, CM; Brochmann, RP; Dennis, P; Laier, T; Broholm, MM; Bjerg, PL; Binning, PJ; Jacobsen, CS. (2014). The impact of bioaugmentation on dechlorination kinetics and on microbial dechlorinating communities in subsurface clay till. *Environ Pollut.* 186: 149-157. <http://dx.doi.org/10.1016/j.envpol.2013.11.013>.
- Baetjer, AM; Annau, Z; Abbey, H. (1970). WATER DEPRIVATION AND TRICHLOROETHYLENE - EFFECT ON HYPOTHALAMIC SELF-STIMULATION. *Arch Environ Health.* 20: 712-&.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res.* 34: 171-178.
- Bahr, DE; Aldrich, TE; Seidu, D; Brion, GM; Tollerud, DJ; Plant, PGD. (2011). OCCUPATIONAL EXPOSURE TO TRICHLOROETHYLENE AND CANCER RISK FOR WORKERS AT THE PADUCAH GASEOUS DIFFUSION PLANT. *Int J Occup Med Environ Health.* 24: 67-77. <http://dx.doi.org/10.2478/s13382-011-0007-1>.
- Bahranowski, K; Gawel, A; Janik, R; Komorek, J; Machej, T; Michalik, A; Serwicka, EM; Włodarczyk, W. (2003). Catalytic combustion of trichloroethylene over Pd-doped Ti-pillared montmorillonites. *Polish Journal of Chemistry.* 77: 675-682.
- Bai, C; Canfield, PJ; Stacey, NH. (1992). Individual serum bile acids as early indicators of carbon tetrachloride- and chloroform-induced liver injury. *Toxicology.* 75: 221-234. [http://dx.doi.org/10.1016/0300-483X\(92\)90004-X](http://dx.doi.org/10.1016/0300-483X(92)90004-X).
- Bai, CL; Canfield, PJ; Stacey, NH. (1992). Effects of hexachloro-1,3-butadiene and 1,1,2,2-tetrachloroethylene on individual serum bile acids. *Toxicol Ind Health.* 8: 191-203.
- Bailer, AJ; Piegorsch, WW. (1997). *Statistics for environmental biology and toxicology.* London, England: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412047312>.
- Bailey, P; Waite, D; Quinnett-Abbott, L; Ripley, BD. (2005). Residues of DDT and other selected organochlorine pesticides in soils from Saskatchewan, Canada (1999). *Can J Soil Sci.* 85: 265-271.
- Bailly, M; Bain, C; Favrot, MC; Ozturk, M. (1995). Somatic mutations of von Hippel-Lindau (VHL) tumor-suppressor gene in European kidney cancers. *Int J Cancer.* 63: 660-664.
- Bajaj, A; Mayilraj, S; Mudiam, MK; Patel, DK; Manickam, N. (2014). Isolation and functional analysis of a glycolipid producing *Rhodococcus* sp. strain IITR03 with potential for degradation of 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane (DDT). *Bioresour Technol.* 167: 398-406. <http://dx.doi.org/10.1016/j.biortech.2014.06.007>.
- Bak, S, olA; Song, MS; Nam, I, nTak; Lee, WG. (2015). Photocatalytic Oxidation of Trichloroethylene in Water Using a Porous Ball of Nano-ZnO and Nanoclay Composite. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2015/160212>.
- Bak, S, olA; Song, MS; Nam, I, nTak; Lee, WG. (2015). Photocatalytic Oxidation of Trichloroethylene in Water Using a Porous Ball of Nano-ZnO and Nanoclay Composite (vol 2015, 160212, 2015). *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2015/201490>.
- Baker, AW; Bonniface, D; Klapotke, TM; Nicol, I; Scott, JD; Scott, WDS; Spence, RR; Watson, MJ; Webb, G; Winfield, JM. (2000). Catalytic fluorination of trichloroethene by anhydrous hydrogen fluoride in the presence of fluorinated chromia under static conditions. Synthesis of [(18F)]-labelled CF(3)CH(2)F and [(36)Cl]-labelled CF(3)CH(2)Cl. Catalytic dehydrofluorination of CF(3)CH(2)F and CF(3)CH(2)Cl. *J Fluor Chem.* 102: 279-284.
- Baker, MP; King, JC; Gorman, BP; Marshall, DW. (2013). Selection and properties of alternative forming fluids for TRISO fuel kernel production. *J Nucl Mater.* 432: 395-406. <http://dx.doi.org/10.1016/j.jnucmat.2012.07.047>.
- Baker, P; King, JC; Gorman, BP; Braley, JC. (2015). Straight-chain halocarbon forming fluids for TRISO fuel kernel production - Tests with yttria-stabilized zirconia microspheres. *J Nucl Mater.* 458: 77-86. <http://dx.doi.org/10.1016/j.jnucmat.2014.11.118>.
- Baker, RS; Nielsen, SG; Heron, G; Ploug, N. (2016). How Effective Is Thermal Remediation of DNAPL Source Zones in Reducing Groundwater Concentrations? *Ground Water Monitoring and Remediation.* 36: 38-53. <http://dx.doi.org/10.1111/gwmr.12149>.

Fate Literature Search Results

Off Topic

- Baker, VA; Harries, HM; Waring, JF; Duggan, CM; Ni, HA; Jolly, RA; Yoon, LW; De Souza, AT; Schmid, JE; Brown, RH; Ulrich, RG; Rockett, JC. (2004). Clofibrate-induced gene expression changes in rat liver: A cross-laboratory analysis using membrane cDNA arrays. *Environ Health Perspect.* 112: 428-438. <http://dx.doi.org/10.1289/ehp.6677>.
- Bakke, B; Stewart, P; Waters, M. (2007). Uses of and exposure to trichloroethylene in U.S. industry: A systematic literature review [Review]. *J Occup Environ Hyg.* 4: 375-390. <http://dx.doi.org/10.1080/15459620701301763>.
- Balasubramanian, P; Philip, L; Bhallamudi, SM. (2012). Biotrickling filtration of complex pharmaceutical VOC emissions along with chloroform. *Bioresour Technol.* 114: 149-159. <http://dx.doi.org/10.1016/j.biortech.2012.03.035>.
- Balderaslopez, JA; Acostaavalos, D; Alvarado, JJ; Zelayaangel, O; Sanchezsinencio, F; Falcony, C; Cruzorea, A; Vargas, H. (1995). PHOTOACOUSTIC MEASUREMENTS OF TRANSPARENT LIQUID SAMPLES - THERMAL EFFUSIVITY. *Meas Sci Technol.* 6: 1163-1168.
- Balkwill, F; Charles, KA; Mantovani, A. (2005). Smoldering and polarized inflammation in the initiation and promotion of malignant disease [Review]. *Cancer Cell.* 7: 211-217. <http://dx.doi.org/10.1016/j.ccr.2005.02.013>.
- Balkwill, F; Coussens, LM. (2004). Cancer: An inflammatory link [Comment]. *Nature.* 431: 405-406. <http://dx.doi.org/10.1038/431405a>.
- Ballapragada, BS; Stensel, HD; Puhakka, JA; Ferguson, JF. (1997). Effect of hydrogen on reductive dechlorination of chlorinated ethenes. *Environ Sci Technol.* 31: 1728-1734.
- Ballesta, PP; Ferradas, EG; Aznar, AM. (1995). DESORPTION ISOTHERMS OF VOLATILE ORGANIC-COMPOUNDS ADSORBED ON ACTIVATED-CHARCOAL. *Am Ind Hyg Assoc J.* 56: 171-177.
- Ballestar, E; Esteller, M. (2002). The impact of chromatin in human cancer: Linking DNA methylation to gene silencing [Review]. *Carcinogenesis.* 23: 1103-1109. <http://dx.doi.org/10.1093/carcin/23.7.1103>.
- Ballinger, MY; Larson, TV. (2014). Source apportionment of stack emissions from research and development facilities using positive matrix factorization. *Atmos Environ.* 98: 59-65. <http://dx.doi.org/10.1016/j.atmosenv.2014.08.041>.
- Balluz, L; Moll, D; Diaz Martinez, MG; Merida Colindres, JE; Malilay, J. (2001). Environmental pesticide exposure in Honduras following hurricane Mitch. *Bull World Health Organ.* 79: 288-295.
- Balluz, L; Philen, R; Ortega, L; Rosales, C; Brock, J; Barr, D; Kieszak, S. (2001). Investigation of systemic lupus erythematosus in Nogales, Arizona. *Am J Epidemiol.* 154: 1029-1036.
- Band, PR; Le, ND; Fang, R; Deschamps, M; Gallagher, RP; Yang, P. (2000). Identification of occupational cancer risks in British Columbia: A population-based case-control study of 995 incident breast cancer cases by menopausal status, controlling for confounding factors. *J Occup Environ Med.* 42: 284-310. <http://dx.doi.org/10.1097/00043764-200003000-00010>.
- Bangalore, AS; Small, GW; Combs, RJ; Knapp, RB; Kroutil, RT; Traynor, CA; Ko, JD. (1997). Automated Detection of Trichloroethylene by Fourier Transform Infrared Remote Sensing Measurements. *Anal Chem.* 69: 118-129.
- Bangash, FK; Gul, S. (2012). Removal of Acid Dye from Water by Nano Zero-Valent Iron. *J Chem Soc Pakistan.* 34: 1279-1285.
- Banisharif, A; Khodadadi, AA; Ii; Mortazavi, Y; Firooz, AA; Beheshtian, J; Agah, S; Menbari, S. (2015). Highly active Fe₂O₃-doped TiO₂ photocatalyst for degradation of trichloroethylene in air under UV and visible light irradiation: Experimental and computational studies. *Appl Catal B-Environ.* 165: 209-221. <http://dx.doi.org/10.1016/j.apcatb.2014.10.023>.
- Banks, PM. (1992). Changes in diagnosis of non-Hodgkin's lymphomas over time [Review]. *Cancer Res.* 52: 5453s-5455s.
- Bankston, JL; Sola, DL; Komor, AT; Dwyer, DF. (2002). Degradation of trichloroethylene in wetland microcosms containing broad-leaved cattail and eastern cottonwood. *Water Res.* 36: 1539-1546.
- Bannasch, P. (1996). Pathogenesis of hepatocellular carcinoma: Sequential cellular, molecular, and metabolic changes [Review]. *Prog Liver Dis.* 14: 161-197.
- Bannasch, P. (2001). Hormonal and hormone-like effects eliciting hepatocarcinogenesis [Review]. *Folia Histochem Cytobiol.* 39: 28-29.
- Bannasch, P; Haertel, T; Su, Q. (2003). Significance of hepatic preneoplasia in risk identification and early detection of neoplasia [Review]. *Toxicol Pathol.* 31: 134-139. <http://dx.doi.org/10.1080/01926230390173923>.
- Bannasch, P; Nehrbass, D; Kopp-Schneider, A. (2001). Significance of hepatic preneoplasia for cancer chemoprevention [Review]. In AB Miller; H Bartsch; P Bofetta; L Dragsted; H Vainio (Eds.), IARC Scientific Publication (pp. 223-240). Lyon, France: International Agency for Research on Cancer.
- Bansal, AK; Holzer, W; Penzkofer, A; Hoerhold, HH; Klemm, E; Frank, W; Kley, EB. (2008). Spectroscopic and lasing characterisation of a luminescent phenylene/bipyridine polymer. *Synthetic Metals.* 158: 758-766. <http://dx.doi.org/10.1016/j.synthmet.2008.04.029>.
- Bao, N, an; Wu, G; Niu, J; Zhang, Q; He, S, ui; Wang, J, in. (2014). Wide spectral response and enhanced photocatalytic activity of TiO₂ continuous fibers modified with aminosilane coupling agents. *J Alloy Comp.* 599: 40-48. <http://dx.doi.org/10.1016/j.jallcom.2014.02.072>.
- Bao, WMJ; Vogler, ET; Chrysikopoulos, CV. (2003). Nonaqueous liquid pool dissolution in three-dimensional heterogeneous subsurface formations. *Environ Geol.* 43: 968-977. <http://dx.doi.org/10.1007/s00254-002-0721-x>.
- Barac, T; Weyens, N; Oeyen, L; Taghavi, S; van der Lelie, D; Dubin, D; Spliet, M; Vangronsveld, J. (2009). Field note: hydraulic containment of a BTEX plume using poplar trees. *Int J Phytoremediation.* 11: 416-424. <http://dx.doi.org/10.1080/15226510802655880>.
- Baragi, JG; Aralaguppi, MI; Aminabhavi, TM; Kariduraganavar, MY; Kulkarni, SS. (2005). Density, viscosity, refractive index, and speed of sound for binary mixtures of 1,4-dioxane with different organic liquids at (298.15, 303.15, and 308.15) K. *Journal of Chemical and Engineering Data.* 50: 917-923. <http://dx.doi.org/10.1021/je049609w>.
- Barak, Y; Sadvovsky, Y; Shalom-Barak, T. (2008). PPAR Signaling in Placental Development and Function. *PPAR Research.* 2008: 142082. <http://dx.doi.org/10.1155/2008/142082>.
- Baran, J. R.; Pope, GA; Wade, WH; Weerasooriya, V; Yapa, A. (1994). MICROEMULSION FORMATION WITH CHLORINATED HYDROCARBONS OF DIFFERING POLARITY. *Environ Sci Technol.* 28: 1361-1366.

Fate Literature Search Results

Off Topic

- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. *Environ Sci Technol.* 30: 2143-2147.
- Baraona, E; Shoichet, L; Navder, K; Lieber, C. (2002). Mediation by nitric oxide of the stimulatory effects of ethanol on blood flow. *Life Sci.* 70: 2987-2995. [http://dx.doi.org/10.1016/S0024-3205\(02\)01572-2](http://dx.doi.org/10.1016/S0024-3205(02)01572-2).
- Baraona, E; Zeballos, G; Shoichet, L; Mak, K; Lieber, C. (2002). Ethanol consumption increases nitric oxide production in rats, and its peroxynitrite-mediated toxicity is attenuated by polyenylphosphatidylcholine. *Alcohol Clin Exp Res.* 26: 883-889. <http://dx.doi.org/10.1111/j.1530-0277.2002.tb02618.x>.
- Barberis, S; Quiroga, E; Morcelle, S; Priolo, N; Luco, JA. (2006). Study of phytoproteases stability in aqueous-organic biphasic systems using linear free energy relationships. *Journal of Molecular Catalysis B: Enzymatic.* 38: 95-103. <http://dx.doi.org/10.1016/j.molcatb.2005.11.011>.
- Barbosa, LAM, M; Loffreda, D; Sautet, P. (2002). Chemisorption of trichloroethene on the PdCu alloy (110) surface: A periodical density functional study. *Langmuir.* 18: 2625-2635. <http://dx.doi.org/10.1021/la011113e>.
- Barbosa, LAM, M; Sautet, P. (2002). Trichloroethene dechlorination reactions on the PdCu(110) alloy surface: A periodical density functional theory study of the mechanism. *J Catal.* 207: 127-138. <http://dx.doi.org/10.1006/jcat.2002.3512>.
- Barbour, JP; Smith, JA; Chiou, CT. (2005). Sorption of aromatic organic pollutants to grasses from water. *Environ Sci Technol.* 39: 8369-8373. <http://dx.doi.org/10.1021/es0504946>.
- Barclay, LRC; Dakin, KA; Zahalka, HA. (1992). ASCORBATE - ANTIOXIDANT ACTIVITY DETERMINED IN A HYDROCARBON PHASE USING QUATERNARY AMMONIUM-SALTS AS PHASE-TRANSFER AGENTS. *Can J Chem.* 70: 2148-2153.
- Bardo, L; Bird, DM. (2009). THE USE OF CAPTIVE AMERICAN KESTRELS (FALCO SPARVERIUS) AS WILDLIFE MODELS: A REVIEW. *Journal of Raptor Research.* 43: 345-364.
- Baric, M; Majone, M; Beccari, M; Papini, MP. (2012). Coupling of polyhydroxybutyrate (PHB) and zero valent iron (ZVI) for enhanced treatment of chlorinated ethanes in permeable reactive barriers (PRBs). *Chem Eng J.* 195: 22-30. <http://dx.doi.org/10.1016/j.cej.2012.04.026>.
- Barnes, JA; Brown, RS; Cheung, AH; Dreher, MA; Mackey, G; Loock, HP. (2010). Chemical sensing using a polymer coated long-period fiber grating interrogated by ring-down spectroscopy. *Sens Actuators B.* 148: 221-226. <http://dx.doi.org/10.1016/j.snb.2010.04.007>.
- Barnes, RJ; Riba, O; Gardner, MN; Scott, TB; Jackman, SA; Thompson, I. (2010). Optimization of nano-scale nickel/iron particles for the reduction of high concentration chlorinated aliphatic hydrocarbon solutions. *Chemosphere.* 79: 448-454. <http://dx.doi.org/10.1016/j.chemosphere.2010.01.044>.
- Barnes, RJ; Riba, O; Gardner, MN; Singer, AC; Jackman, SA; Thompson, IP. (2010). Inhibition of biological TCE and sulphate reduction in the presence of iron nanoparticles. *Chemosphere.* 80: 554-562. <http://dx.doi.org/10.1016/j.chemosphere.2010.04.033>.
- Barnes, RJ; van Der Gast, CJ; Riba, O; Lehtovirta, LE; Prosser, JI; Dobson, PJ; Thompson, I. (2010). The impact of zero-valent iron nanoparticles on a river water bacterial community. *J Hazard Mater.* 184: 73-80. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.006>.
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere.* 82: 592-596. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.015>.
- Barrabes, N; Cornado, D; Foettinger, K; Dafinov, A; Llorca, J; Medina, F; Rupprechter, G. (2009). Hydrodechlorination of trichloroethylene on noble metal promoted Cu-hydroxalcite-derived catalysts. *J Catal.* 263: 239-246. <http://dx.doi.org/10.1016/j.jcat.2009.02.015>.
- Barrabes, N; Foettinger, K; Dafinov, A; Medina, F; Rupprechter, G; Llorca, J; Sueiras, JE. (2009). Study of Pt-CeO₂ interaction and the effect in the selective hydrodechlorination of trichloroethylene. *Appl Catal B-Environ.* 87: 84-91. <http://dx.doi.org/10.1016/j.apcatb.2008.08.018>.
- Barrabes, N; Foettinger, K; Llorca, J; Dalinov, A; Medina, F; Sa, J; Hardacre, C; Rupprechter, G. (2010). Pretreatment Effect on Pt/CeO₂ Catalyst in the Selective Hydrodechlorination of Trichloroethylene. *J Phys Chem C.* 114: 17675-17682. <http://dx.doi.org/10.1021/jp1048748>.
- Barragan-Huerta, BE; Costa-Perez, C; Peralta-Cruz, J; Barrera-Cortes, J; Esparza-Garcia, F; Rodriguez-Vazquez, R. (2007). Biodegradation of organochlorine pesticides by bacteria grown in microniches of the porous structure of green bean coffee. *Int Biodeterior Biodegradation.* 59: 239-244. <http://dx.doi.org/10.1016/j.ibiod.2006.11.001>.
- Barranco, FT; Dawson, HE; Christener, JM; Honeyman, BD. (1997). Influence of aqueous pH and ionic strength on the wettability of quartz in the presence of dense non-aqueous-phase liquids. *Environ Sci Technol.* 31: 676-681.
- Barrass, NC; Price, RJ; Lake, BG; Orton, TC. (1993). Comparison of the acute and chronic mitogenic effects of the peroxisome proliferators methylclofenapate and clofibrac acid in rat liver. *Carcinogenesis.* 14: 1451-1456. <http://dx.doi.org/10.1093/carcin/14.7.1451>.
- Barraza-Villarreal, A; Fariás, P; Díaz Sánchez, V; Bailey, JL; De Jager, T; Ayotte, P; Hernández-Avila, M; Dewailly, E. (2004). Nonoccupational determinants of plasma DDT and p,p'-DDE in men from Chiapas, Mexico. *Arch Environ Health.* 59: 42-49. <http://dx.doi.org/10.3200/AEOH.59.1.42-49>.
- Barret, L; Faure, J; Guillard, B; Chomat, D; Didier, B; Debru, J. (1984). Trichloroethylene occupational exposure: Elements for better prevention. *Int Arch Occup Environ Health.* 53: 283-289. <http://dx.doi.org/10.1007/BF00380666>.
- Barrio-Lage, GA; Parsons, FZ; Lorenzo, PA. (1988). INHIBITION AND STIMULATION OF TRICHLOROETHYLENE BIODEGRADATION IN MICROAEROPHILIC MICROCOSMS. *Environ Toxicol Chem.* 7: 889-896.
- Barrio-Lage, GA; Parsons, FZ; Nassar, RS; Lorenzo, PA. (1987). BIOTRANSFORMATION OF TRICHLOROETHYLENE IN A VARIETY OF SUBSURFACE MATERIALS. *Environ Toxicol Chem.* 6: 571-578.
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol.* 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Barshteyn, N; Elfarrá, AA. (2007). Formation of three N-acetyl-L-cysteine monoadducts and one diadduct by the reaction of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide with N-acetyl-L-cysteine at physiological conditions: chemical mechanisms and toxicological implications. *Chem Res Toxicol.* 20: 1563-1569. <http://dx.doi.org/10.1021/tx700263w>.

Fate Literature Search Results

Off Topic

- Barshteyn, N; Elfarra, AA. (2009). Globin monoadducts and cross-links provide evidence for the presence of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide, chlorothioketene, and 2-chlorothionoacetyl chloride in the circulation in rats administered S-(1,2-dichlorovinyl)-L-cysteine. *Chem Res Toxicol.* 22: 1629-1638. <http://dx.doi.org/10.1021/tx900219x>.
- Bartelt-Hunt, SL; Smith, JA; Burns, SE; Rabideau, AJ. (2005). Evaluation of granular activated carbon, shale, and two organoclays for use as sorptive amendments in clay landfill liners. *Journal of Geotechnical and Geoenvironmental Engineering.* 131: 848-856. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2005\)131:7\(848\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2005)131:7(848)).
- Barter, ZE; Bayliss, MK; Beaune, PH; Boobis, AR; Carlile, DJ; Edwards, RJ; Houston, JB; Lake, BG; Lipscomb, JC; Pelkonen, OR; Tucker, GT; Rostami-Hodjegan, A. (2007). Scaling factors for the extrapolation of in vivo metabolic drug clearance from in vitro data: Reaching a consensus on values of human microsomal protein and hepatocellularity per gram of liver [Review]. *Curr Drug Metab.* 8: 33-45.
- Barthos, R; Mehn, D; Demortier, A; Pierard, N; Morciaux, Y; Demortier, G; Fonseca, A; Nagy, JB. (2005). Functionalization of single-walled carbon nanotubes by using alkyl-halides. *Carbon.* 43: 321-325. <http://dx.doi.org/10.1016/j.carbon.2004.09.018>.
- Barton, HA; Chiu, WA; Setzer, RW; Andersen, ME; Bailer, AJ; Bois, FY; DeWoskin, RS; Hays, S; Johanson, G; Jones, N; Loizou, G; Macphail, RC; Portier, CJ; Spendiff, M; Tan, YM. (2007). Characterizing uncertainty and variability in physiologically-based pharmacokinetic (PBPK) models: State of the science and needs for research and implementation. *Toxicol Sci.* 99: 395-402. <http://dx.doi.org/10.1093/toxsci/kfm100>.
- Barton, HA; Clewell, HJ, III. (2000). Evaluating noncancer effects of trichloroethylene: Dosimetry, mode of action, and risk assessment [Review]. *Environ Health Perspect.* 108: 323-334.
- Barton, JW; Vodraska, CD; Flanary, SA; Davison, BH. (2003). Partitioning of BTEX Constituents and Chloroorganics in High-Biomass Systems. *Environmental Progress.* 22: 95-102.
- Bartosiewicz, M; Penn, S; Buckpitt, A. (2001). Applications of gene arrays in environmental toxicology: Fingerprints of gene regulation associated with cadmium chloride, benzo(a)pyrene, and trichloroethylene. *Environ Health Perspect.* 109: 71-74.
- Bartow, G; Davenport, C. (1995). PUMP-AND-TREAT ACCOMPLISHMENTS - A REVIEW OF THE EFFECTIVENESS OF GROUND-WATER REMEDIATION IN SANTA-CLARA VALLEY, CALIFORNIA. *Ground Water Monitoring and Remediation.* 15: 140-146.
- Bartsch, H; Malaveille, C; Barbin, A; Planche, G. (1979). Mutagenic and alkylating metabolites of halo-ethylenes, chlorobutadienes and dichlorobutenes produced by rodent or human liver tissues: Evidence for oxirane formation by P450-linked microsomal monooxygenases. *Arch Toxicol.* 41: 249-277. <http://dx.doi.org/10.1007/BF00296896>.
- Bartulewicz, J; Bartulewicz, E; Gawlowski, J; Niedzielski, J. (1998). Simple and rapid method for the determination of methylene chloride, ethylene dichloride, trichloroethylene and tetrachloroethylene in atmospheric air. *Chemia analityczna.* 43: 887-895.
- Basseres, A; Simonet, F; Lafont, M; Coste, M; Narbonne, JF. (2004). Validation of biomarkers for impact evaluation of aqueous industrial waste in mesocosms. *Water Sci Technol.* 49: 123-130.
- Bassig, BA; Zhang, L; Tang, X; Vermeulen, R; Shen, M, in; Smith, MT; Qiu, C; Ge, Y; Ji, Z; Reiss, B; Hosgood, HD, III; Liu, S; Bagni, R; Guo, W; Purdue, M; Hu, W, ei; Yue, F, ei; Li, L; Huang, H; Rothman, N; Lan, Q. (2013). Occupational exposure to trichloroethylene and serum concentrations of IL-6, IL-10, and TNF-alpha. *Environ Mol Mutagen.* 54: 450-454. <http://dx.doi.org/10.1002/em.21789>.
- Basu, B; Visvanathan, C. (2000). Membrane permeation of a binary compound for co-current and cross flow modes. *Desalination.* 130: 113-129.
- Bataller, V; Munoz, A; Gaudio, PM; Mediano, A; Cuchi, JA; Villarroel, JL. (2010). Earth impedance model for through-the-earth communication applications with electrodes. *Radio Sci.* 45. <http://dx.doi.org/10.1029/2010RS004406>.
- Bataller, V; Munoz, A; Molina Gaudio, P; Mediano, A; Cuchi, A; Villarroel, YJL. (2012). Electrode impedance measurement in through-the-earth communication applications. *IEE T Microwaves, Antennas & Propagation.* 6: 807-812. <http://dx.doi.org/10.1049/iet-map.2010.0312>.
- Batterman, S; Kulshrestha, A; H-Y, C. (1995). Hydrocarbon Vapor Transport in Low Moisture Soils. *Environ Sci Technol.* 29: 171-180.
- Batterman, S; Padmanabham, I; Milne, P. (1996). Effective gas-phase diffusion coefficients in soils at varying water content measured using a one-flow sorbent-based technique. *Environ Sci Technol.* 30: 770-778.
- Batterman, S; Su, FC; Li, S; Mukherjee, B; Jia, C; Committee, HHR. (2014). Personal exposure to mixtures of volatile organic compounds: modeling and further analysis of the RIOPA data. *Res Rep Health Eff Inst*3-63.
- Baum, G; Oppenlaender, T. (1995). Vacuum-UV: Oxidation of chloroorganic compounds in an excimer flow through photoreactor. *Chemosphere.* 30: 1781-1790.
- Baumgartner, MT; Taccone, RA; Teruel, MA; Lane, SI. (2002). Theoretical study of the relative reactivity of chloroethenes with atmospheric oxidants (OH, NO₃, O(P-3), Cl(P-2) and Br(P-2)). *Phys Chem Chem Phys.* 4: 1028-1032. <http://dx.doi.org/10.1039/b108856b>.
- Baya, MP; Figa-Talamanca, I; Siskos, PA. (1998). Determination of selected volatile organic compounds in the air of dry-cleaning shops in the Athens area: Pilot study. *Indoor Built Environ.* 7: 315-318.
- Bayer, P; Finkel, M. (2005). Modelling of sequential groundwater treatment with zero valent iron and granular activated carbon. *J Contam Hydrol.* 78: 129-146. <http://dx.doi.org/10.1016/j.jconhyd.2005.03.005>.
- Bayer, P; Schüth, C. (2010). Technico-economic assessment of groundwater treatment by palladium-on-zeolite-catalyst in comparison to GAC fixed bed adsorbers. *Water Sci Technol.* 62: 708-718. <http://dx.doi.org/10.2166/wst.2010.342>.
- Bayer, T; Amberg, A; Bertermann, R; Rusch, GM; Anders, MW; Dekant, W. (2002). Biotransformation of 1,1,1,3,3-pentafluoropropane (HFC-245fa). *Chem Res Toxicol.* 15: 723-733. <http://dx.doi.org/10.1021/tx025505c>.
- Beamer, PI; Luik, CE; Abrell, L; Campos, S; Martinez, ME; Saez, AE. (2012). Correction to concentration of trichloroethylene in breast milk and household water from Nogales, Arizona [Erratum]. *Environ Sci Technol.* 46: 11483-11483. <http://dx.doi.org/10.1021/es303836r>.
- Beard, A; Naikwadi, KP; Karasek, FW. (1993). FORMATION OF POLYCHLORINATED DIBENZOFURANS BY CHLORINATION AND DE-NOVO REACTIONS WITH FECL₃ IN PETROLEUM REFINING PROCESSES. *Environ Sci Technol.* 27: 1505-1511.

Fate Literature Search Results

Off Topic

- Beard, J; Marshall, S; Jong, K; Newton, R; Triplett-Mcbride, T; Humphries, B; Bronks, R. (2000). 1,1,1-trichloro-2,2-bis (p-chlorophenyl)-ethane (DDT) and reduced bone mineral density. *Arch Environ Health*. 55: 177-180. <http://dx.doi.org/10.1080/00039890009603403>.
- Beauchet, R; Mijoin, J; Magnoux, P. (2009). Improved catalytic oxidation of cumene by formation of catalytically active species during reaction over NaX zeolite. *Appl Catal B-Environ*. 88: 106-112. <http://dx.doi.org/10.1016/j.apcatb.2008.09.014>.
- Beaudreuil, S; Lasfargues, G; Laueriere, L; El Ghoul, Z; Fourquet, F; Longuet, C; Halimi, JM; Nivet, H; Buchler, M. (2005). Occupational exposure in ANCA-positive patients: A case-control study. *Kidney Int*. 67: 1961-1966. <http://dx.doi.org/10.1111/j.1523-1755.2005.00295.x>.
- Beaumont, JJ; Breslow, NE. (1981). Power considerations in epidemiologic studies of vinyl chloride workers [Review]. *Am J Epidemiol*. 114: 725-734.
- Bechard, KM; Gillis, PL; Wood, CM. (2008). Trophic transfer of Cd from larval chironomids (*Chironomus riparius*) exposed via sediment or waterborne routes, to zebrafish (*Danio rerio*): Tissue-specific and subcellular comparisons. *Aquat Toxicol*. 90: 310-321. <http://dx.doi.org/10.1016/j.aquatox.2008.07.014>.
- Beck, KR; Moore, LG. (1997). Extraction of cotton impurities: Supercritical CO₂ vs. Soxhlet/TCE. *Text Chem Color*. 29: 66-70.
- Becker, JG. (2006). A modeling study and implications of competition between Dehalococcoides ethenogenes and other tetrachloroethene-respiring bacteria. *Environ Sci Technol*. 40: 4473-4480. <http://dx.doi.org/10.1021/es051849o>.
- Becker, N; Deeg, E; Nieters, A. (2004). Population-based study of lymphoma in Germany: Rationale, study design and first results. *Leuk Res*. 28: 713-724. <http://dx.doi.org/10.1016/j.leukres.2003.11.010>.
- Beekman, JM; Boess, F; Hildebrand, H; Kalkuhl, A; Suter, L. (2006). Gene expression analysis of the hepatotoxicant methapyrilene in primary rat hepatocytes: An interlaboratory study. *Environ Health Perspect*. 114: 92-99.
- Beeman, RE; Bleckmann, CA. (2002). Sequential anaerobic-aerobic treatment of an aquifer contaminated by halogenated organics: field results. *J Contam Hydrol*. 57: 147-159.
- Beesoon, S; Webster, GM; Shoeb, M; Harner, T, om; Benskin, JP; Martin, JW. (2011). Isomer Profiles of Perfluorochemicals in Matched Maternal, Cord, and House Dust Samples: Manufacturing Sources and Transplacental Transfer. *Environ Health Perspect*. 119: 1659-1664. <http://dx.doi.org/10.1289/ehp.1003265>.
- Begg, CB; Mazumdar, M. (1994). Operating characteristics of a rank correlation test for publication bias. *Biometrics*. 50: 1088-1101. <http://dx.doi.org/10.2307/2533446>.
- BEIR. (1988). Health risks of radon and other internally deposited alpha-emitters: BEIR IV. Washington, DC: National Academy Press. <http://www.nap.edu/openbook.php?isbn=0309037972>.
- Bekanntmachung des Umweltbundesamtes. (2015). [Health evaluation of trichloroethylene in indoor air : communication from the German ad-hoc working group on indoor guidelines of the Indoor Air Hygiene Committee and of the states' supreme health authorities]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 58: 762-768. <http://dx.doi.org/10.1007/s00103-015-2173-y>.
- Bekele, DN; Naidu, R; Chadalavada, S. (2016). Influence of soil properties on vapor-phase sorption of trichloroethylene. *J Hazard Mater*. 306: 34-40. <http://dx.doi.org/10.1016/j.jhazmat.2015.12.002>.
- Beland, F. (1999). NTP technical report on the toxicity and metabolism studies of chloral hydrate (CAS No. 302-17-0). Administered by gavage to F344/N rats and B6C3F1 mice. In *Toxicity Report Series* (pp. 1-66, A61-E67). U.S. Dept. of Health and Human Services, National Institutes of Health: Rockville, MD.
- Beland, F; Schmitt, T; Fullerton, N; Young, J. (1998). Metabolism of chloral hydrate in mice and rats after single and multiple doses. *J Toxicol Environ Health A*. 54: 209-226.
- Beliveau, M; Krishnan, K. (2005). A spreadsheet program for modeling quantitative structure-pharmacokinetic relationships for inhaled volatile organics in humans. *SAR and QSAR in Environmental Research*. 16: 63-77. <http://dx.doi.org/10.1080/10629360412331319880>.
- Bell, KY; Leboeuf, EJ. (2012). Mechanistic Investigation of Non-Ideal Sorption Behavior in Natural Organic Matter. 1. Vapor Phase Equilibrium. *Environ Sci Technol*. 46: 6689-6697. <http://dx.doi.org/10.1021/es204726p>.
- Bell, KY; Leboeuf, EJ. (2013). Influence of temperature and macromolecular mobility on sorption of TCE on humic acid coated mineral surfaces. *Chemosphere*. 90: 176-181. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.112>.
- Bellat, JP; Bertrand, O; Bouvier, F; Broyer, M; Francois, V; Maure, S; Weber, G. (1999). Characterization and utilization of MFI zeolites and MCM-41 materials for gaseous pollutant adsorption. *Stud Surf Sci Catal*. 125: 737-744.
- Bellobono, IR; Barni, B; Gianturco, F. (1995). PREINDUSTRIAL EXPERIENCE IN ADVANCED OXIDATION AND INTEGRAL PHOTODEGRADATION OF ORGANICS IN POTABLE WATERS AND WASTE-WATERS BY PHOTOPERM(TM) MEMBRANES IMMOBILIZING TITANIUM-DIOXIDE AND PROMOTING PHOTOCATALYSTS. *J Memb Sci*. 102: 139-147.
- Bellobono, IR; Gianturco, F; Chiodaroli, CM. (1997). Pilot-plant photomineralization of volatile organic compounds in air, by photocatalytic membranes immobilising titanium dioxide and promoting photocatalysts. *Fresen Environ Bull*. 6: 469-474.
- Belter, RK; Bhamare, NK. (2006). Solvent effects in the fluorination of 1,2-dichloro-1,1-difluoroethane (R-132b) to 2-chloro-1,1,1-trifluoroethane (R-133a). *J Fluor Chem*. 127: 1606-1610. <http://dx.doi.org/10.1016/j.jfluchem.2006.08.002>.
- Beltran, FJ; Gonzalez, M; Acedo, B; Gomez, C. (1997). Kinetic modelling of aqueous trichloroethylene direct ozonation in a continuous tank. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 32: 9-10.
- Beltran, FJ; Gonzalez, M; Acedo, B; Jaramillo, J. (1996). Contribution of free radical oxidation to eliminate volatile organochlorine compounds in water by ultraviolet radiation and hydrogen peroxide. *Chemosphere*. 32: 1949-1961.
- Beltran, FJ; Gonzalez, M; Rivas, FJ; Jaramillo, J. (1995). APPLICATION OF PHOTOCHEMICAL REACTOR MODELS TO UV IRRADIATION OF TRICHLOROETHYLENE IN WATER. *Chemosphere*. 31: 2873-2885.
- Beltran, FJ; Gonzalez, M; Rivas, J; Acedo, B. (1999). Aqueous degradation of VOCs in the ozone combined with hydrogen peroxide or UV radiation processes - 1. Experimental results. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 34: 649-671.

Fate Literature Search Results

Off Topic

- Beltran, FJ; Gonzalez, M; Rivas, J; Acedo, B. (1999). Aqueous degradation of VOCs in the ozone combined with hydrogen peroxide or UV radiation processes. 2. Kinetic modeling. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 34: 673-693.
- Benane, S; Blackman, C; House, D. (1996). Effect of perchloroethylene and its metabolites on intercellular communication in clone 9 rat liver cells. *J Toxicol Environ Health.* 48: 427-437.
- Benedetti, MS; Whomsley, R; Canning, M. (2007). Drug metabolism in the paediatric population and in the elderly [Review]. *Drug Discov Today.* 12: 599-610. <http://dx.doi.org/10.1016/j.drudis.2007.06.011>.
- Beneteau, KM; Aravena, R; Frape, SK. (1999). Isotopic characterization of chlorinated solvents-laboratory and field results. *Organic Geochemistry.* 30: 739-753.
- Benfield, P; Ming, Y. (2015). Energy Development and Urbanization in China. *Energy and Environment.* 26: 1-14.
- Benichou, J; Chow, WH; McLaughlin, JK; Mandel, JS; Fraumeni, JF. (1998). Population attributable risk of renal cell cancer in Minnesota. *Am J Epidemiol.* 148: 424-430.
- Benignus, VA; Boyes, WK; Geller, AM; Bushnell, PJ. (2009). Long-term perchloroethylene exposure: A meta-analysis of neurobehavioral deficits in occupationally and residentially exposed groups. *J Toxicol Environ Health A.* 72: 824-831. <http://dx.doi.org/10.1080/15287390902800413>.
- Bennett, DH; James, AL; Mckone, TE; Oldenburg, CM. (1998). On uncertainty in remediation analysis: variance propagation from subsurface transport to exposure modeling. *Reliab Eng Syst Saf.* 62: 117-129.
- Bennett, P; Gandhi, D; Warner, S; Bussey, J. (2007). In situ reductive dechlorination of chlorinated ethenes in high nitrate groundwater. *J Hazard Mater.* 149: 568-573. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.092>.
- Benson, R. (2004). Correspondence from Robert Benson (U. S. EPA) to Dr. P. D. Johnson (University of Arizona) [Personal Communication].
- Beranger, SC; Sleep, BE; Lollar, BS; Brown, AJ. (2006). Isotopic fractionation of tetrachloroethene undergoing biodegradation supported by endogenous decay. *J Environ Eng.* 132: 725-735. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(725\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(725)).
- Beranger, SC; Sleep, BE; Lollar, BS; Monteagudo, FP. (2005). Transport, biodegradation and isotopic fractionation of chlorinated ethenes: modeling and parameter estimation methods. *Advances in Water Resources.* 28: 87-98. <http://dx.doi.org/10.1016/j.advwatres.2004.08.014>.
- Berez, A; Schafer, G; Ayari, F; Trabelsi-Ayadi, M. (2016). Adsorptive removal of azo dyes from aqueous solutions by natural bentonite under static and dynamic flow conditions. *Int J Environ Sci Tech.* 13: 1625-1640. <http://dx.doi.org/10.1007/s13762-016-1006-3>.
- Berge, ND; Ramsburg, CA. (2009). Oil-in-Water Emulsions for Encapsulated Delivery of Reactive Iron Particles. *Environ Sci Technol.* 43: 5060-5066. <http://dx.doi.org/10.1021/es900358p>.
- Berge, ND; Ramsburg, CA. (2010). Iron-mediated trichloroethene reduction within nonaqueous phase liquid. *J Contam Hydrol.* 118: 105-116. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.006>.
- Berger, J; Daxenbichler, G. (2002). DNA methylation of nuclear receptor genes - Possible role in malignancy [Review]. *J Steroid Biochem Mol Biol.* 80: 1-11. [http://dx.doi.org/10.1016/S0960-0760\(01\)00179-0](http://dx.doi.org/10.1016/S0960-0760(01)00179-0).
- Bergeron, A; Jorquera, R; Tanguay, R. (2003). La tyrosinémie héréditaire: Une maladie du stress du réticulum endoplasmique? [Review]. *Med Sci (Paris).* 19: 976-980. <http://dx.doi.org/10.1051/medsci/20031910976>.
- Berggren, DRV; Marshall, I; Azizian, MF; Spormann, AM; Semprini, L. (2013). Effects of Sulfate Reduction on the Bacterial Community and Kinetic Parameters of a Dechlorinating Culture under Chemostat Growth Conditions. *Environ Sci Technol.* 47: 1879-1886. <http://dx.doi.org/10.1021/es304244z>.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scand J Work Environ Health.* 5 Suppl 1: 1-263.
- Bergner, H; Bartelt, J; Kijora, C; Gotz, KP. (1991). DEMONSTRATION OF MICROBIAL PROTEIN-SYNTHESIS IN THE SMALL-INTESTINE OF SHEEP WITH AN INTRADUODENAL INFUSION OF N-15-UREA. *Arch Tierernaehr.* 41: 765-768.
- Berisford, YC; Bush, PB; Blake, JI; Bayer, CL. (2003). Use of mini-sprinklers to strip trichloroethylene and tetrachloroethylene from contaminated ground water. *J Environ Qual.* 32: 801-815.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health.* 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernad, PG; Newell, S; Spyker, DA. (1987). Neurotoxicity and behavior abnormalities in a cohort chronically exposed to trichloroethylene [Abstract]. *Vet Hum Toxicol.* 29: 475.
- Bernard, GM; Wasylishen, RE; Phillips, AD. (2000). A carbon-13 and deuterium NMR investigation of solid platinum-ethylene complexes: Zeise's salt and Pt(eta(2)-C(2)H(4))(PPh(3))(2). *J Phys Chem A.* 104: 8131-8141. <http://dx.doi.org/10.1021/jp994439t>.
- Bernardo, M; Gonçalves, M; Lapa, N; Mendes, B. (2010). Determination of alkylphenols in eluates from pyrolysis solid residues using dispersive liquid-liquid microextraction. *Chemosphere.* 79: 1026-1032. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.062>.
- Bernasconi, CF; Rappoport, Z. (2009). Recent advances in our mechanistic understanding of S(N)V reactions. *Acc Chem Res.* 42: 993-1003. <http://dx.doi.org/10.1021/ar900048q>.
- Bernillon, P; Bois, FY. (2000). Statistical issues in toxicokinetic modeling: A bayesian perspective. *Environ Health Perspect.* 108: 883-893.
- Bernstein, A; Shouakar-Stash, O; Ebert, K; Laskov, C; Hunkeler, D; Jeannotat, S; Sakaguchi-Soeder, K; Laaks, J; Jochmann, MA; Cretnik, S; Jager, J; Haderlein, SB; Schmidt, TC; Aravena, R; Elsner, M. (2011). Compound-Specific Chlorine Isotope Analysis: A Comparison of Gas Chromatography/Isotope Ratio Mass Spectrometry and Gas Chromatography/Quadrupole Mass Spectrometry Methods in an Interlaboratory Study. *Anal Chem.* 83: 7624-7634. <http://dx.doi.org/10.1021/ac200516c>.

Fate Literature Search Results

Off Topic

- Bérourd, C; Joly, D; Gallou, C; Staroz, F; Orfanelli, MT; Junien, C. (1998). Software and database for the analysis of mutations in the VHL gene. *Nucleic Acids Res.* 26: 256-258.
- Berson, O; Lidstrom, ME. (1996). Study of copper accumulation by the type I methanotroph *Methylomicrobium albus* BG8. *Environ Sci Technol.* 30: 802-809.
- Bertrand, O; Weber, G; Maure, S; Bernardet, V; Bellat, JP; Paulin, C. (2005). Spectroscopic signatures of VOC physisorption on microporous solids. Application for trichloroethylene and tetrachloroethylene adsorption on MFI zeolites. *J Phys Chem B.* 109: 13312-13321. <http://dx.doi.org/10.1021/jp048442a>.
- Berty, JM; Stenger, HG; Buzan, GE; Hu, K. (1993). OXIDATION AND REMOVAL OF CHLORINATED HYDROCARBONS. *Stud Surf Sci Catal.* 75: 1571-1574.
- Besio, W; Chen, T. (2007). Tripolar Laplacian electrocardiogram and moment of activation isochronal mapping. *Physiol Meas.* 28: 515-529. <http://dx.doi.org/10.1088/0967-3334/28/5/006>.
- Besov, AS; Vorontsov, AV; Parmon, VN. (2009). Fast adsorptive and photocatalytic purification of air from acetone and dimethyl methylphosphonate by TiO₂ aerosol. *Appl Catal B-Environ.* 89: 602-612. <http://dx.doi.org/10.1016/j.apcatb.2009.01.024>.
- Besson, H; Brennan, P; Becker, N; Nieters, A; De Sanjosé, S; Font, R; Maynadié, M; Foretova, L; Cocco, PL; Staines, A; Vornanen, M; Boffetta, P. (2006). Tobacco smoking, alcohol drinking and non-Hodgkin's lymphoma: A European multicenter case-control study (Epilymph). *Int J Cancer.* 119: 901-908. <http://dx.doi.org/10.1002/ijc.21913>.
- Best, DH; Coleman, WB. (2007). Treatment with 2-AAF blocks the small hepatocyte-like progenitor cell response in retrorsine-exposed rats. *J Hepatol.* 46: 1055-1063. <http://dx.doi.org/10.1016/j.jhep.2007.01.040>.
- Betancur-Corredor, B; Pino, NJ; Cardona, S; Peñuela, GA. (2015). Evaluation of biostimulation and Tween 80 addition for the bioremediation of long-term DDT-contaminated soil. *J Environ Sci.* 28: 101-109. <http://dx.doi.org/10.1016/j.jes.2014.06.044>.
- Bethoux, N; Tric, E; Chery, J; Beslier, MO. (2008). Why is the Ligurian Basin (Mediterranean Sea) seismogenic? Thermomechanical modeling of a reactivated passive margin. *Tectonics.* 27. <http://dx.doi.org/10.1029/2007tc002232>.
- Beukes, JA; Klaeboe, P; Mollendal, H; Nielsen, CJ. (1995). VIBRATIONAL AND ROTATIONAL SPECTRA AND AB-INITIO CALCULATIONS OF THIOCYANATOETHENE. *J Mol Struct.* 349: 37-40.
- Beuscher, U; Gooding, CH. (1998). The permeation of binary gas mixtures through support structures of composite membranes. *J Memb Sci.* 150: 57-73.
- Beuscher, U; Gooding, CH. (1999). The influence of the porous support layer of composite membranes on the separation of binary gas mixtures. *J Memb Sci.* 152: 99-116.
- Beyer, RP; Fry, RC; Lasarev, MR; Mcconnachie, LA; Meira, LB; Palmer, VS; Powell, CL; Ross, PK; Bammler, TK; Bradford, BU; Cranson, AB; Cunningham, ML; Fannin, RD; Higgins, GM; Hurban, P; Kayton, RJ; Kerr, KF; Kosyk, O; Lobenhofer, EK; Sieber, SO; Vliet, PA; Weis, BK; Wolfinger, R; Woods, CG; Freedman, JH; Linney, E; Kaufmann, WK; Kavanagh, TJ; Paules, RS; Rusyn, I; Samson, LD; Spencer, PS; Suk, W; Tennant, RJ; Zarbl, H; Consortium, MotTR. (2007). Multicenter study of acetaminophen hepatotoxicity reveals the importance of biological endpoints in genomic analyses. *Toxicol Sci.* 99: 326-337. <http://dx.doi.org/10.1093/toxsci/kfm150>.
- Bezbaruah, AN; Krajngpan, S; Chisholm, BJ; Khan, E; Bermudez, JJ. (2009). Entrapment of iron nanoparticles in calcium alginate beads for groundwater remediation applications. *J Hazard Mater.* 166: 1339-1343. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.054>.
- Bezbaruah, AN; Shanbhogue, S; Simsek, S; Khan, E. (2011). Encapsulation of iron nanoparticles in alginate biopolymer for trichloroethylene remediation. *J Nanopart Res.* 13: 6673-6681. <http://dx.doi.org/10.1007/s11051-011-0574-x>.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol.* 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhattacharjee, S; Basnet, M; Tufenkji, N; Ghoshal, S. (2016). Effects of Rhamnolipid and Carboxymethylcellulose Coatings on Reactivity of Palladium-Doped Nanoscale Zerovalent Iron Particles. *Environ Sci Technol.* 50: 1812-1820. <http://dx.doi.org/10.1021/acs.est.5b05074>.
- Bhattacharjee, S; Ghoshal, S. (2016). Phase Transfer of Palladized Nanoscale Zerovalent Iron for Environmental Remediation of Trichloroethene. *Environ Sci Technol.* 50: 8631-8639. <http://dx.doi.org/10.1021/acs.est.6b01646>.
- Bhattacharyya, J; Read, D; Amos, S; Dooley, S; Killham, K; Paton, GI. (2005). Biosensor-based diagnostics of contaminated groundwater: assessment and remediation strategy. *Environ Pollut.* 134: 485-492. <http://dx.doi.org/10.1016/j.envpol.2004.09.002>.
- Bhowmick, M; Semmens, MJ. (1994). Laboratory-Scale Testing of a Continuous Clas Process. *J Am Water Works Assoc.* 86: 86-96.
- Bhunya, SP; Jena, GB. (1996). The evaluation of clastogenic potential of trichloroacetic acid (TCA) in chick in vivo test system. *Mutat Res Genet Toxicol Environ Mutagen.* 367: 253-259. [http://dx.doi.org/10.1016/S0165-1218\(96\)90085-3](http://dx.doi.org/10.1016/S0165-1218(96)90085-3).
- Bi, E; Devlin, JF; Huang, B, ei. (2009). Effects of Mixing Granular Iron with Sand on the Kinetics of Trichloroethylene Reduction. *Ground Water Monitoring and Remediation.* 29: 56-62. <http://dx.doi.org/10.1111/j.1745-6592.2009.01234.x>.
- Bi, E; Devlin, JF; Huang, B, ei; Firdous, R. (2010). Transport and Kinetic Studies To Characterize Reactive and Nonreactive Sites on Granular Iron. *Environ Sci Technol.* 44: 5564-5569. <http://dx.doi.org/10.1021/es101012p>.
- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation.* 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Bianco, A; Fabbri, D; Minella, M; Brigante, M; Mailhot, G; Maurino, V; Minero, C; Vione, D. (2015). New insights into the environmental photochemistry of 5-chloro-2-(2,4-dichlorophenoxy)phenol (triclosan): reconsidering the importance of indirect photoreactions. *Water Res.* 72: 271-280. <http://dx.doi.org/10.1016/j.watres.2014.07.036>.
- Biard, PF; Bouzaza, A; Wolbert, D. (2007). Photocatalytic degradation of two volatile fatty acids in an annular plug-flow reactor; Kinetic modeling and contribution of mass transfer rate. *Environ Sci Technol.* 41: 2908-2914. <http://dx.doi.org/10.1021/es062368n>.

Fate Literature Search Results

Off Topic

- Bickle, GM; Suzuki, T; Mitarai, Y. (1994). CATALYTIC DESTRUCTION OF CHLOROFLUOROCARBONS AND TOXIC CHLORINATED HYDROCARBONS. *Appl Catal B-Environ.* 4: 141-153.
- Biernacki, M; Doust, JL; Doust, LL. (1995). Effects of trichloroethylene, plant sex and site of origin on modular demography in *Vallisneria americana*. *J Appl Ecol.* 32: 761-777.
- Bierwagen, BG; Keller, AA. (2001). Measurement of Henry's law constant for methyl tert-butyl ether using solid-phase microextraction. *Environ Toxicol Chem.* 20: 1625-1629.
- Bignami, M; Conti, G; Conti, L; Crebelli, R; Misuraca, F; Puglia, AM; Randazzo, R; Sciandrello, G; Carere, A. (1980). Mutagenicity of halogenated aliphatic hydrocarbons in *Salmonella typhimurium*, *Streptomyces coelicolor* and *Aspergillus nidulans*. *Chem Biol Interact.* 30: 9-23. [http://dx.doi.org/10.1016/0009-2797\(80\)90110-6](http://dx.doi.org/10.1016/0009-2797(80)90110-6).
- Bill, M; Schuth, C; Barth, JAC; Kalin, RM. (2001). Carbon isotope fractionation during abiotic reductive dehalogenation of trichloroethene (TCE). *Chemosphere.* 44: 1281-1286.
- Billionnet, C; Gay, E; Kirchner, S; Leynaert, B; Annesi-Maesano, I. (2011). Quantitative assessments of indoor air pollution and respiratory health in a population-based sample of French dwellings. *Environ Res.* 111: 425-434. <http://dx.doi.org/10.1016/j.envres.2011.02.008>.
- Binas, VD; Sambani, K; Maggos, T; Katsanaki, A; Kiriakidis, G. (2012). Synthesis and photocatalytic activity of Mn-doped TiO₂ nanostructured powders under UV and visible light. *Appl Catal B-Environ.* 113: 79-86. <http://dx.doi.org/10.1016/j.apcatb.2011.11.021>.
- Bing, G; Tie-Long, L; Zhao-Hui, J; Xin-Hua, Q. (2009). Synthesis of Chitosan-stabilized Nanoscale Zero-valent Iron for Removal of Hexavalent Chromium from Surface Water. *Chem J Chin Univ-Chin.* 30: 796-799.
- Bingham, E; Cohrssen, B; Powell, CH. (2001). *Patty's toxicology*. In E Bingham; B Cohrssen; CH Powell (Eds.), (5 ed.). Hoboken, NJ: John Wiley & Sons. <http://dx.doi.org/10.1002/0471125474>.
- Birner, G; Bernauer, U; Werner, M; Dekant, W. (1997). Biotransformation, excretion and nephrotoxicity of haloalkene-derived cysteine S-conjugates. *Arch Toxicol.* 72: 1-8. <http://dx.doi.org/10.1007/s002040050461>.
- Birner, G; Richling, C; Henschler, D; Anders, MW; Dekant, W. (1994). Metabolism of tetrachloroethene in rats: Identification of N[epsilon]-(dichloroacetyl)-L-lysine and N[epsilon]-(trichloroacetyl)-L-lysine as protein adducts. *Chem Res Toxicol.* 7: 724-732. <http://dx.doi.org/10.1021/tx00042a003>.
- Birner, G; Vamvakas, S; Dekant, W; Henschler, D. (1993). Nephrotoxic and genotoxic N-acetyl-S-dichlorovinyl-L-cysteine is a urinary metabolite after occupational 1,1,2-trichloroethene exposure in humans: Implications for the risk of trichloroethene exposure. *Environ Health Perspect.* 99: 281-284.
- Birner, G; Werner, M; Rosner, E; Mehler, C; Dekant, W. (1998). Biotransformation, excretion, and nephrotoxicity of the hexachlorobutadiene metabolite (E)-N-acetyl-S-(1,2,3,4, 4-pentachlorobutadienyl)-L-cysteine sulfoxide. *Chem Res Toxicol.* 11: 750-757. <http://dx.doi.org/10.1021/tx970216n>.
- Biziuk, M; Czerwinski, J; Kozlowski, E. (1993). IDENTIFICATION AND DETERMINATION OF ORGANOHALOGEN COMPOUNDS IN SWIMMING POOL WATER. *Int J Environ Anal Chem.* 50: 109-115.
- Bjornsson, HT; Sigurdsson, MI; Fallin, MD; Irizarry, RA; Aspelund, T; Cui, H; Yu, W; Rongione, MA; Ekström, TJ; Harris, TB; Launer, LJ; Eiriksdottir, G; Leppert, MF; Sapienza, C; Gudnason, V; Feinberg, AP. (2008). Intra-individual change over time in DNA methylation with familial clustering. *JAMA.* 299: 2877-2883. <http://dx.doi.org/10.1001/jama.299.24.2877>.
- Blackburn, A; Coggan, M; Tzeng, H; Lantum, H; Polekhina, G; Parker, M; Anders, M; Board, P. (2001). GSTZ1d: A new allele of glutathione transferase zeta and maleylacetoacetate isomerase. *Pharmacogenetics.* 11: 671-678.
- Blackburn, A; Tzeng, H; Anders, M; Board, P. (2000). Discovery of a functional polymorphism in human glutathione transferase zeta by expressed sequence tag database analysis. *Pharmacogenetics.* 10: 49-57.
- Blackshaw, AW. (1970). Histochemical localization of testicular enzyme. In AD Johnson; WR Gomes; NL VanDemark (Eds.), (pp. 73-173). New York, NY: Academic Press.
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med.* 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>.
- Blair, A; Petralia, SA; Stewart, PA. (2003). Extended mortality follow-up of a cohort of dry cleaners. *Ann Epidemiol.* 13: 50-56. [http://dx.doi.org/10.1016/S1047-2797\(02\)00250-8](http://dx.doi.org/10.1016/S1047-2797(02)00250-8).
- Blair, DS; Bando, J. (1998). Quantitative monitoring of volatile organic compounds in water using an evanescent fiber optic chemical sensor. *Environ Sci Technol.* 32: 294-298.
- Blake, JE; Compton, KV; Schmidt, W; Orrego, H. (1988). Accuracy of death certificates in the diagnosis of alcoholic liver cirrhosis. *Alcohol Clin Exp Res.* 12: 168-172. <http://dx.doi.org/10.1111/j.1530-0277.1988.tb00154.x>.
- Blake, MJ; Castro, L; Leeder, JS; Kearns, GL. (2005). Ontogeny of drug metabolizing enzymes in the neonate [Review]. *Semin Fetal Neonatal Med.* 10: 123-138. <http://dx.doi.org/10.1016/j.siny.2004.11.001>.
- Blanch-Raga, N; Eduardo Palomares, A; Martinez-Triguero, J; Fetter, G; Bosch, P. (2013). Cu Mixed Oxides Based on Hydrotalcite-Like Compounds for the Oxidation of Trichloroethylene. *Ind Eng Chem Res.* 52: 15772-15779. <http://dx.doi.org/10.1021/ie4024935>.
- Blanch-Raga, N; Eduardo Palomares, A; Martinez-Triguero, J; Puche, M; Fetter, G; Bosch, P. (2014). The oxidation of trichloroethylene over different mixed oxides derived from hydrotalcites. *Appl Catal B-Environ.* 160: 129-134. <http://dx.doi.org/10.1016/j.apcatb.2014.05.014>.
- Blanch-Raga, N; Palomares, AE; Martinez-Triguero, J; Valencia, S. (2016). Cu and Co modified beta zeolite catalysts for the trichloroethylene oxidation. *Appl Catal B-Environ.* 187: 90-97. <http://dx.doi.org/10.1016/j.apcatb.2016.01.029>.

Fate Literature Search Results

Off Topic

- Blanch-Raga, N; Soriano, MD; Palomares, AE; Concepcion, P; Martinez-Triguero, J; Lopez Nieto, JM. (2013). Catalytic abatement of trichloroethylene over Mo and/or W-based bronzes. *Appl Catal B-Environ.* 130: 36-43. <http://dx.doi.org/10.1016/j.apcatb.2012.10.016>.
- Blanco, MB; Taccone, RA; Lane, SI; Teruel, MA. (2006). Kinetics of the reactions of O(3P) with CCl₂=CH₂, (Z)-CHCl=CHCl, and CCl₂=CCl₂: a temperature dependence study. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory.* 110: 11091-11097. <http://dx.doi.org/10.1021/jp063028r>.
- Blanco, S; Bécares, E. (2010). Are biotic indices sensitive to river toxicants? A comparison of metrics based on diatoms and macro-invertebrates. *Chemosphere.* 79: 18-25. <http://dx.doi.org/10.1016/j.chemosphere.2010.01.059>.
- Blando, JD; Cohn, P. (2004). Exposure and health risk from swimming in outdoor pools contaminated by trichloroethylene. *Hum Ecol Risk Assess.* 10: 717-731. <http://dx.doi.org/10.1080/10807030490484183>.
- Blanes, I, an; Serra-Sagrasta, J. (2010). Cost and Scalability Improvements to the Karhunen-Loeve Transform for Remote-Sensing Image Coding. *IEEE Trans Geosci Remote Sens.* 48: 2854-2863. <http://dx.doi.org/10.1109/TGRS.2010.2042063>.
- Blanford, WJ; Barackman, ML; Boving, TB; Klingel, EJ; Johnson, GR; Brusseau, ML. (2001). Cyclodextrin-enhanced vertical flushing of a trichloroethene contaminated aquifer. *Ground Water Monitoring and Remediation.* 21: 58-66.
- Blanford, WJ; Gao, H. (2012). Dynamic interactions between cyclodextrin, an organic pollutant, and granular activated carbon in column studies. *J Environ Monit.* 14: 3024-3028. <http://dx.doi.org/10.1039/c2em30313b>.
- Blatter, BM; Roeleveld, N; Zielhuis, GA; Verbeek, AL. (1997). Assessment of occupational exposure in a population based case-control study: Comparing postal questionnaires with personal interviews. *Occup Environ Med.* 54: 54-59.
- Blechacz, BR; Gores, GJ. (2008). Cholangiocarcinoma [Review]. *Clin Liver Dis.* 12: 131-150, ix. <http://dx.doi.org/10.1016/j.cld.2007.11.003>.
- Bleyl, S; Kopinke, FD; Georgi, A; Mackenzie, K. (2013). Carbo-Iron - A Tailored Reagent for In Situ Groundwater Remediation. *Chem Ing Tech.* 85: 1302-1311. <http://dx.doi.org/10.1002/cite.201300009>.
- Bloemen, L; Monster, A; Kezic, S; Commandeur, J; Veulemans, H; Vermeulen, N; Wilmer, J. (2001). Study on the cytochrome P-450- and glutathione-dependent biotransformation of trichloroethylene in humans. *Int Arch Occup Environ Health.* 74: 102-108. <http://dx.doi.org/10.1007/s004200000198>.
- Bloemen, LJ; Tomenson, J. (1995). Increased incidence of renal cell tumours in a cohort of cardboard workers exposed to trichloroethylene [Letter]. *Arch Toxicol.* 70: 129-130. <http://dx.doi.org/10.1007/BF02733675>.
- Bloom, Y; Aravena, R; Hunkeler, D; Edwards, E; Frappe, SK. (2000). Carbon isotope fractionation during microbial dechlorination of trichloroethene, cis-1,2-dichloroethene, and vinyl chloride: Implications for assessment of natural attenuation. *Environ Sci Technol.* 34: 2768-2772. <http://dx.doi.org/10.1021/es991179k>.
- Blot, WJ; Fryzek, JP; Henderson, BE; Sadler, CJ; McLaughlin, JK. (2000). A cohort mortality study among gas generator utility workers. *J Occup Environ Med.* 42: 194-199.
- Blount, MC; Falconer, JL. (2001). Characterization of adsorbed species on TiO₂ after photocatalytic oxidation of toluene. *J Catal.* 200: 21-33. <http://dx.doi.org/10.1006/jcat.2001.3174>.
- Bloxham, LH; Haq, S; Yugnet, Y; Bertolini, JC; Raval, R. (2004). trans-1,2-dichloroethene on Cu50Pd50(110) alloy surface: dynamical changes in the adsorption, reaction, and surface segregation. *J Catal.* 227: 33-43. <http://dx.doi.org/10.1016/j.jcat.2004.06.015>.
- Blunck, DL; Shouse, DT; Neuroth, C; Lynch, A, my; Erdmann, TJ; Burrus, DL; Zelina, J; Richardson, D; Caswell, A. (2014). Experimental Studies of Cavity and Core Flow Interactions With Application to Ultra-Compact Combustors. *J Eng Gas Turbines Power.* 136. <http://dx.doi.org/10.1115/1.4026975>.
- Blystone, PG; Johnson, MD; Haag, WR; Daley, PF. (1993). ADVANCED ULTRAVIOLET FLASH LAMPS FOR THE DESTRUCTION OF ORGANIC CONTAMINANTS IN AIR. *ACS Symp Ser Am Chem Soc.* 518: 380-392.
- Blyth, WA; Taverne, J. (1974). CULTIVATION OF TRIC AGENTS - COMPARISON BETWEEN USE OF BHK-21 AND IRRADIATED MCCOY CELLS. *J Hyg.* 72: 121-128.
- Board, P; Chelvanayagam, G; Jermiin, L; Tetlow, N; Tzeng, H; Anders, M; Blackburn, A. (2001). Identification of novel glutathione transferases and polymorphic variants by expressed sequence tag database analysis. *Drug Metab Dispos.* 29: 544-547.
- Bocchini, P; Pozzi, R; Andalo, C; Galletti, GC. (1999). Membrane inlet mass spectrometry of volatile organohalogen compounds in drinking water. *Rapid Commun Mass Spectrom.* 13: 2049-2053. [http://dx.doi.org/10.1002/\(SICI\)1097-0231\(19991030\)13:20<2049::AID-RCM752>3.0.CO;2-B](http://dx.doi.org/10.1002/(SICI)1097-0231(19991030)13:20<2049::AID-RCM752>3.0.CO;2-B).
- Bocchini, P; Pozzi, R; Andalo, C; Galletti, GC. (2001). Experimental upgrades of membrane introduction mass spectrometry for water and air analysis. *Anal Chem.* 73: 3824-3827.
- Boeglin, ML; Wessels, D; Henshel, D. (2006). An investigation of the relationship between air emissions of volatile organic compounds and the incidence of cancer in Indiana counties. *Environ Res.* 100: 242-254. <http://dx.doi.org/10.1016/j.envres.2005.04.004>.
- Boerrigter, ME. (2004). Mutagenicity of the peroxisome proliferators clofibrate, Wyeth 14,643 and di-2-ethylhexyl phthalate in the lacZ plasmid-based transgenic mouse mutation assay. *Journal of Carcinogenesis.* 3: 7. <http://dx.doi.org/10.1186/1477-3163-3-7>.
- Boffetta, P; de Vocht, F. (2007). Occupation and the risk of non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev.* 16: 369-372. <http://dx.doi.org/10.1158/1055-9965.EPI-06-1055>.
- Bogdal, D; Pielichowski, J. (1995). Application of trichloroethylene in organic synthesis .8. Competitive reactions of dichloroacetylene with secondary amines and carbazole. New evidence for the reaction mechanism. *Bull Soc Chim Fr.* 132: 1127-1131.
- Bogen, K; Keating, G; Meissner, S; Vogel, J. (1998). Initial uptake kinetics in human skin exposed to dilute aqueous trichloroethylene in vitro. *J Expo Anal Environ Epidemiol.* 8: 253-271.
- Bogen, KT. (1990). Uncertainty in environmental health risk assessment. New York, NY: Garland Publishing.

Fate Literature Search Results

Off Topic

- Bogen, KT. (1995). Methods to Approximate Joint Uncertainty and Variability in Risk. *Risk Anal.* 15: 411-419.
- Bogen, KT. (2006). Comment on "Steady State Solutions to PBPK Models and Their Applications to Risk Assessment I: Route to Route Extrapolation of Volatile Chemicals," by Chiu and White in *Risk Analysis*, 26(3), 769-780 [Comment]. *Risk Anal.* 26: 1415; author reply 1417-1418. <http://dx.doi.org/10.1111/j.1539-6924.2006.00854.x>.
- Boice, J; Mclaughlin, J. (2001). Errors in TCE analysis [Letter]. *Environ Health Perspect.* 109: A108-A109.
- Boice, JD; Cohen, SS; Mumma, MT; Dupree Ellis, E; Eckerman, KF; Leggett, RW; Boecker, BB; Brill, AB; Henderson, BE. (2006). Mortality among radiation workers at Rocketdyne (Atomics International), 1948-1999. *Radiat Res.* 166: 98-115. <http://dx.doi.org/10.1667/RR3582.1>.
- Boice, JD, Jr; Marano, D; Fryzek, J; Sadler, C; Mclaughlin, JK. (1999). Mortality among aircraft manufacturing workers. *Occup Environ Med.* 56: 581-597. <http://dx.doi.org/10.1136/oem.56.9.581>.
- Boice, JD; Marano, DE; Cohen, SS; Mumma, MT; Blot, WJ; Brill, AB; Fryzek, JP; Henderson, BE; Mclaughlin, JK. (2006). Mortality among Rocketdyne workers who tested rocket engines, 1948-1999. *J Occup Environ Med.* 48: 1070-1092. <http://dx.doi.org/10.1097/01.jom.0000240661.33413.b5>.
- Bois, F. (2000). Statistical analysis of Fisher et al. PBPK model of trichloroethylene kinetics. *Environ Health Perspect.* 108: 275-282.
- Bois, FY. (2000). Statistical analysis of Clewell et al. PBPK model of trichloroethylene kinetics. *Environ Health Perspect.* 108: 307-316.
- Bokare, AD; Chikate, RC; Rode, CV; Paknikar, KM. (2007). Effect of surface chemistry of Fe-Ni nanoparticles on mechanistic pathways of azo dye degradation. *Environ Sci Technol.* 41: 7437-7443. <http://dx.doi.org/10.1021/es071107q>.
- Bokare, AD; Chikate, RC; Rode, CV; Paknikar, KM. (2008). Iron-nickel bimetallic nanoparticles for reductive degradation of azo dye Orange G in aqueous solution. *Appl Catal B-Environ.* 79: 270-278. <http://dx.doi.org/10.1016/j.apcatb.2007.10.033>.
- Bolesch, DG; Nielsen, RB; Keasling, JD. (1997). COMPLETE REDUCTIVE DECHLORINATION OF TRICHLOROETHENE BY A GROUNDWATER MICROBIAL CONSORTIUM (pp. NEW YORK). (ISSN 0077-8923; EISSN 1749-6632; BIOSIS/98/14946). Bolesch, DG; Nielsen, RB; Keasling, JD.
- Bolm-Audorff, U; Ahrens, W; Jockel, KH; Molik, B; Greiser, E; Timm, J. (1988). Experience with supplementary questionnaires in a lung cancer case-referent study. In D Henon; M Goldberg (Eds.), (pp. 117-168). Luxembourg: Commission of the European Communities.
- Bolt, H; Lammert, M; Selinski, S; Brüning, T. (2004). Urinary alpha1-microglobulin excretion as biomarker of renal toxicity in trichloroethylene-exposed persons. *Int Arch Occup Environ Health.* 77: 186-190. <http://dx.doi.org/10.1007/s00420-003-0500-3>.
- Bolt, HM; Buchter, A; Wolowski, L; Gil, DL; Bolt, W. (1977). Incubation of ¹⁴C-trichloroethylene vapor with rat liver microsomes: uptake of radioactivity and covalent protein binding of metabolites. *Int Arch Occup Environ Health.* 39: 103-111.
- Bolzoni, A; Viglianti, L; Bossi, A; Mussini, PR; Cauteruccio, S; Baldoli, C; Licandro, E. (2013). Synthesis, Photophysics, and Electrochemistry of Tetra(2-thienyl)ethylene (TTE) Derivatives. *European Journal of Organic Chemistry.* 2013: 7489-7499. <http://dx.doi.org/10.1002/ejoc.201300745>.
- Bonatti, S; Cavalieri, Z; Viaggi, S; Abbondandolo, A. (1992). The analysis of 10 potential spindle poisons for their ability to induce CREST-positive micronuclei in human diploid fibroblasts. *Mutagenesis.* 7: 111-114. <http://dx.doi.org/10.1093/mutage/7.2.111>.
- Bontha, JR; Kaplan, DI. (1999). Immobilization or recovery of chlorinated hydrocarbons from contaminated groundwater using clathrate hydrates: A proof-of-concept. *Environ Sci Technol.* 33: 1051-1055.
- Booker, RS; Pavlostathis, SG. (2000). Microbial reductive dechlorination of hexachloro-1,3-butadiene in a methanogenic enrichment culture. *Water Res.* 34: 4437-4445.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. *Bioresour Technol.* 84: 69-73.
- Boorman, GA. (1999). Drinking water disinfection byproducts: Review and approach to toxicity evaluation [Review]. *Environ Health Perspect.* 107: 207-217.
- Bootharaju, MS; Deepesh, GK; Udayabhaskararao, T; Pradeep, T. (2013). Atomically precise silver clusters for efficient chlorocarbon degradation. 1: 611-620. <http://dx.doi.org/10.1039/c2ta00254j>.
- Borak, J; Russi, M; Puglisi, J. (2000). Meta-analyses of TCE carcinogenicity [Letter]. *Environ Health Perspect.* 108: A542-A544.
- Bordel, S; Munoz, R; Diaz, LF; Villaverde, S. (2007). Predicting the accumulation of harmful metabolic byproducts during the treatment of VOC emissions in suspended growth bioreactors. *Environ Sci Technol.* 41: 5875-5881. <http://dx.doi.org/10.1021/es070365k>.
- Borgert, CJ. (2004). Chemical mixtures: An unsolvable riddle? *Hum Ecol Risk Assess.* 10: 619-629. <http://dx.doi.org/10.1080/10807030490484192>.
- Born, B; Maurer, H; Pilchowski, K. (1996). Adsorptive separation of highly volatile chlorohydrocarbons from inert gases with adsorbent polymers and activated charcoal .1. Isotherms and kinetics of adsorption. *Chem Tech (Leipzig).* 48: 315-322.
- Born, B; Pilchowski, K. (1997). Adsorptive separation of vapours of VCHC from inert gases by polymeric adsorbents and activated carbons .2. Dynamics of adsorption. *Chem Tech (Leipzig).* 49: 227-234.
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol.* 32: 2614-2622.
- Borzio, M; Fargion, S; Borzio, F; Fracanzani, AL; Croce, AM; Stroffolini, T; Oldani, S; Cotichini, R; Roncalli, M. (2003). Impact of large regenerative, low grade and high grade dysplastic nodules in hepatocellular carcinoma development. *J Hepatol.* 39: 208-214. [http://dx.doi.org/10.1016/S0168-8278\(03\)00190-9](http://dx.doi.org/10.1016/S0168-8278(03)00190-9).
- Bosc, JJ; Jarry, C; Leger, JM; Negrier, P; Haget, Y. (1995). POLYMORPHISM AND CHIRALITY OF N-PHENYL-N'-[1-(3-(1-PHENYL-4-PIPERAZINO)PROPAN-2-OL)]UREA. *J Chim Phys Phys Chim Biol.* 92: 1066-1083.
- Boschini, F; Rulmont, A; Cloots, R; Moreno, R. (2009). Rheological behaviour of BaZrO₃ suspensions in non-aqueous media. *Ceramics International.* 35: 1007-1013. <http://dx.doi.org/10.1016/j.ceramint.2008.04.012>.

Fate Literature Search Results

Off Topic

- Boshta, M; Barner, K; Braunstein, R; Alavi, B; Dalal, V. (2004). Determination of the trap state density differences in hydrogenated microcrystalline silicon-germanium (Si : Ge : H) alloys. *Mater Sci Eng B*. 112: 69-72. <http://dx.doi.org/10.1016/j.mseb.2004.06.009>.
- Boshta, M; Barner, K; Braunstein, R; Alavi, B; Nelson, B. (2005). Determination of the trap state density differences in hydrogenated amorphous silicon-germanium alloys. *J Mater Res*. 20: 48-53. <http://dx.doi.org/10.1557/JMR.2005.0014>.
- Bou, A; Torchio, P; Barakel, D; Thoulon, PY; Ricci, M. (2016). Numerical and experimental investigation of transparent and conductive TiOx/Ag/TiOx electrode. *Thin Solid Films*. 617: 86-94. <http://dx.doi.org/10.1016/j.tsf.2015.12.041>.
- Boublík, T; Fried, V; Hála, E. (1984). The vapour pressures of pure substances: Selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. In *Physical Sciences Data*, vol 17 (2nd Revised ed.). Amsterdam, The Netherlands: Elsevier Science Publishers. <https://www.elsevier.com/books/the-vapour-pressures-of-pure-substances/boubl-k/978-0-444-42266-8>.
- Bouchard, D; Hunkeler, D. (2014). Solvent-based dissolution method to sample gas-phase volatile organic compounds for compound-specific isotope analysis. *J Chromatogr A*. 1325: 16-22. <http://dx.doi.org/10.1016/j.chroma.2013.11.055>.
- Boufahja, F; Hedfi, A; Amorri, J; Aissa, P; Beyrem, H; Mahmoudi, E. (2011). Examination of the bioindicator potential of *Oncholaimus campylocercoides* (Oncholaimidae, Nematoda) from Bizerte bay (Tunisia). *Ecol Indicat*. 11: 1139-1148. <http://dx.doi.org/10.1016/j.ecolind.2010.12.014>.
- Boufahja, F; Hedfi, A; Essid, N; Aïssa, P; Mahmoudi, E; Beyrem, H. (2012). An observational study on changes in biometry and generation time of *Odontophora villoti* (Nematoda, Axonolaimidae) related to petroleum pollution in Bizerte bay, Tunisia. *Environ Sci Pollut Res Int*. 19: 646-655. <http://dx.doi.org/10.1007/s11356-011-0609-y>.
- Bougie, S; Dube, JS. (2007). Oxidation of dichlorobenzene isomers with the help of thermally activated sodium persulfate. *J Environ Eng Sci*. 6: 397-407. <http://dx.doi.org/10.1139/S07-024>.
- Boul, HL. (1996). Effect of soil moisture on the fate of radiolabelled DDT and DDE in vitro. *Chemosphere*. 32: 855-866.
- Bove, F; Shim, Y; Zeitz, P. (2002). Drinking water contaminants and adverse pregnancy outcomes: A review [Review]. *Environ Health Perspect*. 110: 61-74.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol*. 141: 850-862.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health*. 13: 10. <http://dx.doi.org/10.1186/1476-069X-13-10>.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health*. 13: 68. <http://dx.doi.org/10.1186/1476-069X-13-68>.
- Boving, TB; Brusseau, ML. (2000). Solubilization and removal of residual trichloroethene from porous media: comparison of several solubilization agents. *J Contam Hydrol*. 42: 51-67.
- Boving, TB; Brusseau, ML. (2001). Solubilization and removal of residual trichloroethene from porous media: comparison of several solubilization agents (vol 42, pg 51, 2000). *J Contam Hydrol*. 49: 171-171.
- Boving, TB; Wang, XJ; Brusseau, ML. (1999). Cyclodextrin-enhanced solubilization and removal of residual-phase chlorinated solvents from porous media. *Environ Sci Technol*. 33: 764-770.
- Bovo, R; Aimoni, C; Martini, A. (2006). Immune-mediated inner ear disease [Review]. *Acta Otolaryngol*. 126: 1012-1021. <http://dx.doi.org/10.1080/00016480600606723>.
- Bowers, BF; Huang, B; He, Q; Shu, X; Jia, X; Miller, BC. (2015). Investigation of Sequential Dissolution of Asphalt Binder in Common Solvents by FTIR and Binder Fractionation. *Journal of Materials in Civil Engineering*. 27. [http://dx.doi.org/10.1061/\(ASCE\)MT.1943-5533.0001198](http://dx.doi.org/10.1061/(ASCE)MT.1943-5533.0001198).
- Bowers, BF; Huang, B; Shu, X. (2014). Refining laboratory procedure for artificial RAP: A comparative study. *Construction and Building Materials*. 52: 385-390. <http://dx.doi.org/10.1016/j.conbuildmat.2013.11.003>.
- Box, GEP; Hunter, WG; Hunter, JS. (1978). *Statistics for experimenters: an introduction to design, data analysis, and model building*. New York, NY: Wiley.
- Boyadzhiev, L; Yordanov, B. (2004). Pertraction of indole alkaloids from *Vinca minor* L. *Separation Science and Technology*. 39: 1321-1329. <http://dx.doi.org/10.1081/SS-120030485>.
- Boyault, S; Rickman, DS; de Reyniés, A; Balabaud, C; Rebouissou, S; Jeannot, E; Herault, A; Saric, J; Belghiti, J; Franco, D; Bioulac-Sage, P; Laurent-Puig, P; Zucman-Rossi, J. (2007). Transcriptome classification of HCC is related to gene alterations and to new therapeutic targets. *Hepatology*. 45: 42-52. <http://dx.doi.org/10.1002/hep.21467>.
- Boyes, WK; Bushnell, PJ; Crofton, KM; Evans, M; Simmons, JE. (2000). Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario [Review]. *Environ Health Perspect*. 108: 317-322.
- Boyes, WK; Evans, MV; Eklund, C; Janssen, P; Simmons, JE. (2005). Duration adjustment of acute exposure guideline level values for trichloroethylene using a physiologically-based pharmacokinetic model. *Risk Anal*. 25: 677-686. <http://dx.doi.org/10.1111/j.1539-6924.2005.00622.x>.
- Boyes, WK; Simmons, JE; Eklund, C; Benignus, VA; Janssen, P; Bushnell, PJ. (2005). Applications of dosimetry modeling to assessment of neurotoxic risk. *Environ Toxicol Pharmacol*. 19: 599-605. <http://dx.doi.org/10.1016/j.etap.2004.12.025>.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol*. 136: 712-721.

Fate Literature Search Results

Off Topic

- Boyle, EB; Viet, SM; Wright, DJ; Merrill, LS; Alwis, KU; Blount, BC; Mortensen, ME; Moye, J; Dellarco, M. (2016). Assessment of Exposure to VOCs among Pregnant Women in the National Children's Study. *Int J Environ Res Public Health*. 13: 376. <http://dx.doi.org/10.3390/ijerph13040376>.
- Bozzelli, JW; Barat, RB. (1988). REACTIONS OF WATER-VAPOR OR MOLECULAR-HYDROGEN WITH TRICHLOROETHYLENE IN A MICROWAVE PLASMA REACTOR. *Plasma Chemistry and Plasma Processing*. 8: 293-314.
- Bradford, BU; Kono, H; Isayama, F; Kosyk, O; Wheeler, MD; Akiyama, TE; Bleye, L; Krausz, KW; Gonzalez, FJ; Koop, DR; Rusyn, I. (2005). Cytochrome P450 CYP2E1, but not nicotinamide adenine dinucleotide phosphate oxidase, is required for ethanol-induced oxidative DNA damage in rodent liver. *Hepatology*. 41: 336-344. <http://dx.doi.org/10.1002/hep.20532>.
- Bradley, PM. (2000). Microbial degradation of chloroethenes in groundwater systems. *Hydrogeology Journal*. 8: 104-111.
- Bradley, PM; Chapelle, FH. (1996). Anaerobic mineralization of vinyl chloride in Fe(III)-reducing, aquifer sediments. *Environ Sci Technol*. 30: 2084-2086.
- Bradley, PM; Chapelle, FH. (1997). Kinetics of DCE and VC mineralization under methanogenic and Fe(III)-reducing conditions. *Environ Sci Technol*. 31: 2692-2696.
- Bradley, PM; Chapelle, FH. (1998). Effect of contaminant concentration on aerobic microbial mineralization of DCE and VC in stream-bed sediments. *Environ Sci Technol*. 32: 553-557.
- Bradley, PM; Chapelle, FH. (1999). Methane as a product of chloroethane biodegradation under methanogenic conditions. *Environ Sci Technol*. 33: 653-656.
- Bradley, PM; Chapelle, FH. (2000). Aerobic microbial mineralization of dichloroethene as sole carbon substrate. *Environ Sci Technol*. 34: 221-223.
- Braeckevelt, M; Reiche, N; Trapp, S; Wiessner, A; Paschke, H; Kusch, P; Kaestner, M. (2011). Chlorobenzene removal efficiencies and removal processes in a pilot-scale constructed wetland treating contaminated groundwater. *Ecol Eng*. 37: 903-913. <http://dx.doi.org/10.1016/j.ecoleng.2011.01.014>.
- Braeckevelt, M; Seeger, EM; Paschke, H; Kusch, P; Kaestner, M. (2011). Adaptation of a Constructed Wetland to Simultaneous Treatment of Monochlorobenzene and Perchloroethene. *Int J Phytoremediation*. 13: 998-1013. <http://dx.doi.org/10.1080/15226514.2010.549860>.
- Brahma, PP; Harmon, TC. (2003). The effect of multicomponent diffusion on NAPL dissolution from spherical ternary mixtures. *J Contam Hydrol*. 67: 43-60. [http://dx.doi.org/10.1016/S0169-7722\(03\)00087-1](http://dx.doi.org/10.1016/S0169-7722(03)00087-1).
- Braissant, O; Wahli, W. (1998). Differential expression of peroxisome proliferator-activated receptor-alpha, -beta, and -gamma during rat embryonic development. *Endocrinology*. 139: 2748-2754.
- Branda, M; Wands, JR. (2006). Signal transduction cascades and hepatitis B and C related hepatocellular carcinoma [Review]. *Hepatology*. 43: 891-902. <http://dx.doi.org/10.1002/hep.21196>.
- Brandes, D; Farley, KJ. (1993). Importance of phase behaviour on the removal of residual DNAPLs from porous media by alcohol flooding. *Water Environ Res*. 65: 869-878.
- Brandi, RJ; Rintoul, G; Alfano, OM; Cassano, AE. (2002). Photocatalytic reactors - Reaction kinetics in a flat plate solar simulator. *Catalysis Today*. 76: 161-175.
- Brandt, BW; van Leeuwen, IM; Kooijman, SA. (2003). A general model for multiple substrate biodegradation. Application to co-metabolism of structurally non-analogous compounds. *Water Res*. 37: 4843-4854. <http://dx.doi.org/10.1016/j.watres.2003.08.006>.
- Bransfield, SJ; Cwiertny, DM; Livi, K; Fairbrother, DH. (2007). Influence of transition metal additives and temperature on the rate of organohalide reduction by granular iron: Implications for reaction mechanisms. *Appl Catal B-Environ*. 76: 348-356. <http://dx.doi.org/10.1016/j.apcatb.2007.06.003>.
- Bransfield, SJ; Cwiertny, DM; Roberts, AL; Fairbrother, DH. (2006). Influence of copper loading and surface coverage on the reactivity of granular iron toward 1,1,1-trichloroethane. *Environ Sci Technol*. 40: 1485-1490. <http://dx.doi.org/10.1021/es051300p>.
- Brar, SK; Gupta, SK. (2000). Biodegradation of trichloroethylene in a rotating biological contactor. *Water Res*. 34: 4207-4214.
- Brautbar, N; Richter, ED; Neshler, G. (2004). Systemic vasculitis and prior recent exposure to organic solvents: Report of two cases. *Arch Environ Health*. 59: 515-517.
- Brautbar, N; Williams, J. (2002). Industrial solvents and liver toxicity: Risk assessment, risk factors and mechanisms [Review]. *Int J Hyg Environ Health*. 205: 479-491. <http://dx.doi.org/10.1078/1438-4639-00175>.
- Brenan, CJH; Hunter, IW; Brenan, JM. (1997). Noninvasive confocal Raman imaging of immiscible liquids in a porous medium. *Anal Chem*. 69: 45-50.
- Brendel, ML; Sandler, SI. (1999). The effect of salt and temperature on the infinite dilution activity coefficients of volatile organic chemicals in water. *Fluid Phase Equilibria*. 165: 87-97.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health*. 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Biodegradation of tetrachloroethene by chitin fermentation products in a continuous flow column system. *J Environ Eng*. 132: 664-673. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(664\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(664)).
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Chitin and corn cobs as electron donor sources for the reductive dechlorination of tetrachloroethene. *Water Res*. 40: 2125-2134. <http://dx.doi.org/10.1016/j.watres.2006.04.011>.
- Brenner, H; Gefeller, O. (1993). Use of the positive predictive value to correct for disease misclassification in epidemiologic studies. *Am J Epidemiol*. 138: 1007-1015.

Fate Literature Search Results

Off Topic

- Breslow, N, . E.; Day, N, . E. (1987). Statistical methods in cancer research. Volume 2 - The design and analysis of cohort studies. In NE Breslow; NE Day (Eds.), IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Breslow, NE; Day, NE. (1980). Statistical methods in cancer research: Volume 1 - the analysis of case-control studies. In IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp32/index.php>.
- Breuer, D. (1993). INTERLABORATORY TRIAL SERIES HALOGENATED HYDROCARBONS - QUALITY ASSURANCE WITHIN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCE OF EXTERNAL MEASURING SERVICES .3. Staub, Reinhaltung der Luft. 53: 435-440.
- Breuer, D; Schenk, H; Schirk, O. (1991). MULTICENTER TRIAL HALOGENATED HYDROCARBONS - QUALITY ASSURANCE IN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCES OF EXTERNAL MEASURING SERVICES (II). Staub, Reinhaltung der Luft. 51: 181-185.
- Brigmon, RL; Anderson, TA; Fliermans, CB. (1999). Methanotrophic Bacteria in the Rhizosphere of Trichloroethylene-Degrading Plants. Int J Phytoremediation. 1: 241-253. <http://dx.doi.org/10.1080/15226519908500018>.
- Bringmann, G; Friedrich, H; Feineis, D. (1992). Trichloroarmanes as potential endogenously formed inducers of Morbus Parkinson: synthesis, analytics, and first in vivo-investigations [Review]. J Neural Transm Suppl. 38: 15-26.
- Bringmann, G; God, R; Fähr, S; Feineis, D; Fornadi, K; Fornadi, F. (1999). Identification of the dopaminergic neurotoxin 1-trichloromethyl-1,2, 3,4-tetrahydro-beta-carboline in human blood after intake of the hypnotic chloral hydrate. Anal Biochem. 270: 167-175. <http://dx.doi.org/10.1006/abio.1999.4088>.
- Bringmann, G; God, R; Feineis, D; Wesemann, W; Riederer, P; Rausch, W; Reichmann, H; Sontag, K. (1995). The TaClo concept: 1-trichloromethyl-1,2,3,4-tetrahydro-beta-carboline (TaClo), a new toxin for dopaminergic neurons [Review]. J Neural Transm Suppl. 46: 235-244.
- Brisson, VL; West, KA; Lee, PK; Tringe, SG; Brodie, EL; Alvarez-Cohen, L. (2012). Metagenomic analysis of a stable trichloroethene-degrading microbial community. ISME J. 6: 1702-1714. <http://dx.doi.org/10.1038/ismej.2012.15>.
- Britto, R; Sherrard, JH; Truax, DD. (1996). Kinetics of pseudo-continuous flow bioreactor treatment of diesel contaminated soils. Water Air Soil Pollut. 86: 125-136.
- Brockman, FJ; Payne, W; Workman, DJ; Soong, A; Manley, S; Hazen, TC. (1995). EFFECT OF GASEOUS NITROGEN AND PHOSPHORUS INJECTION ON IN SITU BIOREMEDIATION OF A TRICHLOROETHYLENE-CONTAMINATED SITE. J Hazard Mater. 41: 2-3.
- Brodsky, WY; Uryvaeva, IV. (1977). Cell polyploidy: Its relation to tissue growth and function [Review]. Int Rev Cytol. 50: 275-332. [http://dx.doi.org/10.1016/S0074-7696\(08\)60100-X](http://dx.doi.org/10.1016/S0074-7696(08)60100-X).
- Brohholm, K; Christensen, TH; Jensen, BK. (1991). LABORATORY FEASIBILITY STUDIES ON BIOLOGICAL INSITU TREATMENT OF A SANDY SOIL CONTAMINATED WITH CHLORINATED ALIPHATICS. Environ Technol. 12: 279-289.
- Brohholm, K; Christensen, TH; Jensen, BK. (1993). DIFFERENT ABILITIES OF 8 MIXED CULTURES OF METHANE-OXIDIZING BACTERIA TO DEGRADE TCE. Water Res. 27: 215-224.
- Brohholm, K; Ludvigsen, L; Jensen, TF; Østergaard, H. (2005). Aerobic biodegradation of vinyl chloride and cis-1,2-dichloroethylene in aquifer sediments. Chemosphere. 60: 1555-1564. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.056>.
- Bronley-Delancey, A; Mccmillan, D; Mccmillan, J; Jollow, D; Mohr, L; Hoel, D. (2006). Application of cryopreserved human hepatocytes in trichloroethylene risk assessment: Relative disposition of chloral hydrate to trichloroacetate and trichloroethanol. Environ Health Perspect. 114: 1237-1242. <http://dx.doi.org/10.1289/ehp.9047>.
- Bronzetti, G; Galli, A; Corsi, C; Cundari, E; Del Carratore, R; Nieri, R; Paolini, M. (1984). Genetic and biochemical investigation on chloral hydrate in vitro and in vivo. Mutat Res. 141: 19-22. [http://dx.doi.org/10.1016/0165-7992\(84\)90031-9](http://dx.doi.org/10.1016/0165-7992(84)90031-9).
- Bronzetti, G; Zeiger, E; Frezza, D. (1978). Genetic activity of trichloroethylene in yeast. J Environ Pathol Toxicol Oncol. 1: 411-418.
- Brooks, AJ; Lim, HN; Kilduff, JE. (2012). Adsorption uptake of synthetic organic chemicals by carbon nanotubes and activated carbons. Nanotechnology. 23: 294008. <http://dx.doi.org/10.1088/0957-4484/23/29/294008>.
- Brouse, CH; Basch, CE; Wolf, RL. (2008). The RESPECT approach to tailored telephone education. 67: 67-73.
- Brown, KW; Thomas, JC; Holder, M; Artioli, JF. (1990). THE ABILITY OF SORBENT MATERIALS TO ADSORB AND RETAIN ORGANIC LIQUIDS UNDER LANDFILL CONDITIONS. Hazardous Waste and Hazardous Materials. 7: 361-372.
- Brown, MJ; Burris, DR. (1996). Enhanced organic contaminant sorption on soil treated with cationic surfactants. Ground Water. 34: 734-744.
- Brown, RHA; Cape, JN; Farmer, JG. (1999). Chlorinated hydrocarbons in Scots pine needles in northern Britain. Chemosphere. 38: 795-806.
- Brown, SD; Dixon, AM; Bruckner, JV; Bartlett, MG. (2003). A validated GC-MS assay for the quantitation of trichloroethylene (TCE) from drinking water. Int J Environ Anal Chem. 83: 427-432. <http://dx.doi.org/10.1080/0306731031000104713>.
- Brown, SD; Muralidhara, S; Bruckner, JV; Bartlett, MG. (2003). Trace level determination of trichloroethylene from liver, lung and kidney tissues by gas chromatography-magnetic sector mass spectrometry. Journal of Chromatography B. 783: 319-325.
- Browne, TE; Cohen, Y. (1990). AQUEOUS-PHASE ADSORPTION OF TRICHLOROETHENE AND CHLOROFORM ONTO POLYMERIC RESINS AND ACTIVATED CARBON. Ind Eng Chem Res. 29: 1338-1345.
- Browne, TE; Cohen, Y. (1993). POLYMER-GRAFTED SILICA - A SCREENING SYSTEM FOR POLYMERIC ADSORPTION RESIN DEVELOPMENT. Ind Eng Chem Res. 32: 716-725.
- Bruant, RG; Conklin, MH. (2001). Adsorption of trichloroethene at the vapor/water interface. Environ Sci Technol. 35: 362-364.
- Bruckner, CA; Ecker, ST; Synovec, RE. (1997). Simultaneous flame ionization and absorbance detection of volatile and nonvolatile compounds by reversed-phase liquid chromatography with a water mobile phase. Anal Chem. 69: 3465-3470. <http://dx.doi.org/10.1021/ac9701142>.
- Bruckner, J; Keys, D; Fisher, J. (2004). The Acute Exposure Guideline Level (AeGL) program: applications of physiologically based pharmacokinetic modeling [Review]. J Toxicol Environ Health A. 67: 621-634. <http://dx.doi.org/10.1080/15287390490428017>.
- Bruell, CJ; Segall, BA; Walsh, MT. (1992). ELECTROOSMOTIC REMOVAL OF GASOLINE HYDROCARBONS AND TCE FROM CLAY. J Environ Eng. 118: 68-83.

Fate Literature Search Results

Off Topic

- Brungard, KL; Munakata-Marr, J; Johnson, CA; Mandernack, KW. (2003). Stable carbon isotope fractionation of trans-1,2-dichloroethylene during co-metabolic degradation by methanotrophic bacteria. *Chem Geol.* 195: 59-67. [http://dx.doi.org/10.1016/S0009-2541\(02\)00388-1](http://dx.doi.org/10.1016/S0009-2541(02)00388-1).
- Brüning, T; Mann, H; Melzer, H; Sundberg, A; Bolt, H. (1999). Pathological excretion patterns of urinary proteins in renal cell cancer patients exposed to trichloroethylene. *Occup Med (Lond).* 49: 299-305.
- Brüning, T; Pesch, B; Wiesenhütter, B; Rabstein, S; Lammert, M; Baumüller, A; Bolt, H. (2003). Renal cell cancer risk and occupational exposure to trichloroethylene: Results of a consecutive case-control study in Arnsherg, Germany. *Am J Ind Med.* 43: 274-285. <http://dx.doi.org/10.1002/ajim.10185>.
- Bruning, T; Thier, R; Mann, H; Melzer, H; Brode, P; Dallner, G; Bolt, HM. (2001). Pathological excretion patterns of urinary proteins in miners highly exposed to dinitrotoluene. *J Occup Environ Med.* 43: 610-615.
- Bruno, TJ; Wertz, KH. (1996). Retention of halocarbons on a hexafluoropropylene-epoxide modified graphitized carbon black .5. Heavier ethane- and ethene-based compounds. *J Chromatogr A.* 723: 325-335.
- Brusseau, ML; Nelson, NT; Oostrom, M; Zhang, ZH; Johnson, GR; Wietsma, TW. (2000). Influence of heterogeneity and sampling method on aqueous concentrations associated with NAPL dissolution. *Environ Sci Technol.* 34: 3657-3664. <http://dx.doi.org/10.1021/es9909677>.
- Brusseau, ML; Popovicova, J; Silva J, AK. (1997). Characterizing gas-water interfacial and bulk-water partitioning for gas-phase transport or organic contaminants in unsaturated porous media. *Environ Sci Technol.* 31: 1645-1649.
- Brusseau, ML; Russo, AE; Schnaar, G. (2012). Nonideal transport of contaminants in heterogeneous porous media: 9 - impact of contact time on desorption and elution tailing. *Chemosphere.* 89: 287-292. <http://dx.doi.org/10.1016/j.chemosphere.2012.04.038>.
- Brusseau, ML; Zhang, ZH; Nelson, NT; Cain, RB; Tick, GR; Oostrom, M. (2002). Dissolution of nonuniformly distributed immiscible liquid: Intermediate-scale experiments and mathematical modeling. *Environ Sci Technol.* 36: 1033-1041. <http://dx.doi.org/10.1021/es010609f>.
- Bruton, TA; Pycke, BFG; Halden, RU. (2015). Effect of Nanoscale Zero-Valent Iron Treatment on Biological Reductive Dechlorination: A Review of Current Understanding and Research Needs. *Crit Rev Environ Sci Tech.* 45: 1148-1175. <http://dx.doi.org/10.1080/10643389.2014.924185>.
- Bruzzoniti, MC; Mentasti, E; Sarzanini, C; Onida, B; Bonelli, B; Garrone, E. (2000). Retention properties of mesoporous silica-based materials. *Anal Chim Acta.* 422: 231-238.
- Bryant-Genevier, J; Zellers, ET. (2015). Toward a microfabricated preconcentrator-focuser for a wearable micro-scale gas chromatograph. *J Chromatogr A.* 1422: 299-309. <http://dx.doi.org/10.1016/j.chroma.2015.10.045>.
- Bryers, JD; Sharp, RR. (1997). Retention and expression of recombinant plasmids in suspended and biofilm-bound bacteria degrading trichloroethene (TCE). *Water Sci Technol.* 36: 1-8.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther.* 289: 1648-1653.
- Bu, FY; Wen, XG; Wan, M; Liu, R; Cai, Q; Chen, LJ; Zhang, YM. (2011). [Applicability of an electronic nose for detection of volatile chlorinated hydrocarbons in soil]. *Huanjing Kexue.* 32: 3641-3646.
- Buchner, D; Behrens, S; Laskov, C; Haderlein, SB. (2015). Resiliency of Stable Isotope Fractionation ($\delta(13)C$ and $\delta(37)Cl$) of Trichloroethene to Bacterial Growth Physiology and Expression of Key Enzymes. *Environ Sci Technol.* 49: 13230-13237. <http://dx.doi.org/10.1021/acs.est.5b02918>.
- Buckpitt, A; Chang, AM; Weir, A; Van Winkle, L; Duan, X; Philpot, R; Plopper, C. (1995). Relationship of cytochrome P450 activity to Clara cell cytotoxicity IV Metabolism of naphthalene and naphthalene oxide in microdissected airways from mice, rats, and hamsters. *Mol Pharmacol.* 47: 74-81.
- Buechler, KJ; Noble, RD; Koval, CA; Jacoby, WA. (1999). Investigation of the effects of controlled periodic illumination on the oxidation of gaseous trichloroethylene using a thin film of TiO₂. *Ind Eng Chem Res.* 38: 892-896.
- Buettner, HM; Daily, WD. (1995). CLEANING CONTAMINATED SOIL USING ELECTRICAL HEATING AND AIR STRIPPING. *J Environ Eng.* 121: 580-589.
- Buhagen, M; Grønnskag, A; Ragde, SF; Hilt, B. (2016). Association Between Kidney Cancer and Occupational Exposure to Trichloroethylene. *J Occup Environ Med.* 58: 957-959. <http://dx.doi.org/10.1097/JOM.0000000000000838>.
- Buin, A; Wang, H; Consta, S; Huang, Y. (2014). A study of conformational equilibrium of 1,1,2-trichloroethane in FAU-type zeolites. *Microporous and Mesoporous Materials.* 183: 207-217. <http://dx.doi.org/10.1016/j.micromeso.2013.08.033>.
- Buisson, JP; Lefrant, S; Louarn, G; Mevellec, JY; Orion, I; Eckhardt, H. (1992). VIBRATIONAL PROPERTIES OF POLY(ARYLENE VINYLENE)S. *Synthetic Metals.* 49: 305-311.
- Bull, RJ. (2000). Mode of action of liver tumor induction by trichloroethylene and its metabolites, trichloroacetate and dichloroacetate [Review]. *Environ Health Perspect.* 108: 241-259.
- Bull, RJ; Sanchez, IM; Nelson, MA; Larson, JL; Lansing, AJ. (1990). Liver tumor induction in B6C3F1 mice by dichloroacetate and trichloroacetate. *Toxicology.* 63: 341-359. [http://dx.doi.org/10.1016/0300-483X\(90\)90195-M](http://dx.doi.org/10.1016/0300-483X(90)90195-M).
- Buravov, LI; Dyachenko, OA; Konovalikhin, SV; Kushch, ND; Lavrentev, IP; Spitsyna, NG; Shilov, GV; Yagubskii, EB. (1994). COMPLEX OF BUCKMINSTERFULLERENE WITH SULFUR, C-60-CENTER-DOT-2S(8) - SYNTHESIS AND CRYSTAL-STRUCTURE. *Russian Chemical Bulletin.* 43: 240-244.
- Burck, J; Conzen, JP; Ache, HJ. (1992). A FIBER OPTIC EVANESCENT FIELD ABSORPTION SENSOR FOR MONITORING ORGANIC CONTAMINANTS IN WATER. *Fresenius J Anal Chem.* 342: 394-400.
- Burck, J; Conzen, JP; Beckhaus, B; Ache, HJ. (1994). FIBEROPTIC EVANESCENT-WAVE SENSOR FOR IN-SITU DETERMINATION OF NONPOLAR ORGANIC-COMPOUNDS IN WATER. *Sens Actuators B.* 18: 291-295.

Fate Literature Search Results

Off Topic

- Bürck, J; Zimmermann, B; Mayer, J; Ache, HJ. (1996). Integrated optical NIR-evanescent wave absorbance sensor for chemical analysis. *Anal Bioanal Chem.* 354: 284-290. <http://dx.doi.org/10.1007/s0021663540284>.
- Burg, J. R.; Gist, GL. (1995). THE NATIONAL EXPOSURE REGISTRY - PROCEDURES FOR ESTABLISHING A REGISTRY OF PERSONS ENVIRONMENTALLY EXPOSED TO HAZARDOUS SUBSTANCES. *Toxicol Ind Health.* 11: 231-248.
- Burg, J; Barrett, L; Cusack, C; Gist, G. (1997). IMPACT OF TRICHLOROETHYLENE TCE ENVIRONMENTAL EXPOSURE ON WOMEN (pp. 12-14). (ISSN 0002-9262; EISSN 1476-6256; BIOSIS/97/22440). Burg, J; Barrett, L; Cusack, C; Gist, G.
- Burg, J; Gist, G. (1999). Health effects of environmental contaminant exposure: An intrafile comparison of the Trichloroethylene Subregistry. *Arch Environ Health.* 54: 231-241. <http://dx.doi.org/10.1080/00039899909602480>.
- Burg, JA; Allred, SL; Sapp, JH. (1997). The potential for bias due to attrition in the National Exposure Registry: an examination of reasons for nonresponse, nonrespondent characteristics, and the response rate. *Toxicol Ind Health.* 13: 1-13.
- Burg, JR; Gist, G; Allred, SL; Rudtke, TM; Pallos, LL; Cusack, CD. (1995). The national exposure registry - morbidity analyses of noncancer outcomes from the trichloroethylene subregistry baseline data. *Int J Occup Med Toxicol.* 4: 237 - 257.
- Burge, SR; May, J. (2005). Automated ground water sampling and analysis of trichloroethene using a "universal" sampling/analytical system. *Ground Water Monitoring and Remediation.* 25: 113-122.
- Burghardt, JM; Kueper, BH. (2008). Laboratory Study Evaluating Heating of Tetrachloroethylene Impacted Soil. *Ground Water Monitoring and Remediation.* 28: 95-106. <http://dx.doi.org/10.1111/j.1745-6592.2008.00214.x>.
- Burleigh, TD; Gu, Y; Donahey, G; Vida, M; Waldeck, DH. (2001). Tarnish protection of silver using a hexadecanethiol self-assembled monolayer and descriptions of accelerated tarnish tests. *Corrosion.* 57: 1066-1074.
- Burmaster, DE. (1982). The new pollution: Groundwater contamination. *Environment.* 24: 6-13;33-36.
- Burns, RA; Crittenden, JC; Hand, DW; Selzer, VH; Sutter, LL; Salman, SR. (1999). Effect of inorganic ions in heterogeneous photocatalysis of TCE. *J Environ Eng.* 125: 77-85.
- Burris, DR; Allen-King, RM; Manoranjan, VS; Campbell, TJ; Loraine, GA; Deng, BL. (1998). Chlorinated ethene reduction by cast iron: Sorption and mass transfer. *J Environ Eng.* 124: 1012-1019.
- Burris, DR; Campbell, TJ; Manoranjan, VS. (1995). Sorption of trichloroethylene and tetrachloroethylene in a batch reactive metallic iron-water system. *Environ Sci Technol.* 29: 2850-2855.
- Burris, DR; Delcomyn, CA; Deng, B; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene-reductive dechlorination catalyzed by vitamin B12. *Environ Toxicol Chem.* 17: 1681-1688.
- Burris, DR; Delcomyn, CA; Smith, MH; Roberts, AL. (1996). Reductive dechlorination of tetrachloroethylene and trichloroethylene catalyzed by vitamin B12 in homogeneous and heterogeneous systems. *Environ Sci Technol.* 30: 3047-3052.
- Burrows, RW; Kepler, WF; Hurcomb, D; Schaffer, J; Sellers, JG. (2004). Three simple tests for selecting low-crack cement. *Cement and Concrete Composites.* 26: 509-519. [http://dx.doi.org/10.1016/s0958-9465\(03\)00066-0](http://dx.doi.org/10.1016/s0958-9465(03)00066-0).
- Burt, TA; Li, ZH; Bowman, RS. (2005). Evaluation of granular surfactant-modified/zeolite zero valent iron pellets as a reactive material for perchloroethylene reduction. *J Environ Eng.* 131: 934-942. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:6\(934\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:6(934)).
- Busby, RD; Lenhard, RJ; Rolston, DE. (1995). AN INVESTIGATION OF SATURATION-CAPILLARY PRESSURE RELATIONS IN 2-FLUID AND 3-FLUID SYSTEMS FOR SEVERAL NAPLs IN DIFFERENT POROUS-MEDIA. *Ground Water.* 33: 570-578.
- Bushnell, PJ; Benignus, VA; Case, MW. (2003). Signal detection behavior in humans and rats: a comparison with matched tasks. *Behav Processes.* 64: 121-129. [http://dx.doi.org/10.1016/S0376-6357\(03\)00146-3](http://dx.doi.org/10.1016/S0376-6357(03)00146-3).
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Klinger, R. (2007). The role of physical activity and feeding schedule on the kinetics of inhaled and oral toluene in rats. *J Toxicol Environ Health A.* 70: 1806-1814. <http://dx.doi.org/10.1080/15287390701459155>.
- Bushnell, PJ; Shafer, TJ; Bale, AS; Boyes, WK; Simmons, JE; Eklund, C; Jackson, TL. (2005). Developing an exposure-dose-response model for the acute neurotoxicity of organic solvents: overview and progress on in vitro models and dosimetry. *Environ Toxicol Pharmacol.* 19: 607-614. <http://dx.doi.org/10.1016/j.etap.2004.12.026>.
- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environ Sci Technol.* 32: 1276-1284.
- Buzio, L; De Palma, G; Mozzoni, P; Tondel, M; Buzio, C; Franchini, I; Axelson, O; Mutti, A. (2003). Glutathione S-transferases M1-1 and T1-1 as risk modifiers for renal cell cancer associated with occupational exposure to chemicals. *Occup Environ Med.* 60: 789-793.
- Bychkov, AM; Rusakov, VS; Meshalkin, SS. (1993). AN EXPERIMENTAL-DETERMINATION OF LOW-SANIDINE -] MICROCLINE TRANSITION. *Geokhimiya*1683-1696.
- Cabezas, JL; Beltran, S; Coca, J. (1991). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR FURFURAL WITH CHLORINATED HYDROCARBONS. *Fluid Phase Equilibria.* 62: 163-172.
- Cabot, PL; Segarra, L; Casado, J. (2003). Electrodegradation of chlorofluorocarbons 11 and 113 at small concentrations in closed cells. *Electrochemical and Solid-State Letters.* 6: B15-B18. <http://dx.doi.org/10.1149/1.1545193>.
- Cabrera, MI; Alfano, OM; Cassano, AE. (1994). NOVEL REACTOR FOR PHOTOCATALYTIC KINETIC-STUDIES. *Ind Eng Chem Res.* 33: 3031-3042.
- Cabrera, MI; Negro, AC; Alfano, OM; Cassano, AE. (1997). Photocatalytic reactions involving hydroxyl radical attack - II. Kinetics of the decomposition of trichloroethylene using titanium dioxide. *J Catal.* 172: 380-390.
- Cabrera, MI; Negro, AC; Alfano, OM; Cassano, AE. (1999). Photocatalytic reactions involving hydroxyl radical attack. II. Kinetics of the decomposition of trichloroethylene using titanium dioxide (vol 172, pg 386, 1997). *J Catal.* 181: 170-170.
- Cahill, TM; Cousins, I; Mackay, D. (2003). Development and application of a generalized physiologically based pharmacokinetic model for multiple environmental contaminants. *Environ Toxicol Chem.* 22: 26-34. <http://dx.doi.org/10.1002/etc.5620220104>.

Fate Literature Search Results

Off Topic

- Cai, H; Guengerich, FP. (1999). Mechanisms of aqueous decomposition of trichloroethylene oxide. *J Am Chem Soc.* 121: 11656-11663. <http://dx.doi.org/10.1021/ja9914240>.
- Cai, P; König, R; Khan, MF; Qiu, S; Kaphalia, BS; Ansari, GA. (2006). Autoimmune response in MRL+/- mice following treatment with dichloroacetyl chloride or dichloroacetic anhydride. *Toxicol Appl Pharmacol.* 216: 248-255. <http://dx.doi.org/10.1016/j.taap.2006.05.010>.
- Cai, SX; Huang, MY; Chen, Z; Liu, YT; Jin, C; Watanabe, T; Nakatsuka, H; Seiji, K; Inoue, O; Ikeda, M. (1991). Subjective symptom increase among dry-cleaning workers exposed to tetrachloroethylene vapor. *Ind Health.* 29: 111-121. <http://dx.doi.org/10.2486/indhealth.29.111>.
- Cai, Z; Merly, C; Thomson, NR; Wilson, RD; Lerner, DN. (2007). Channel flow and trichloroethylene treatment in a partly iron-filled fracture: experimental and model results. *J Contam Hydrol.* 93: 284-303. <http://dx.doi.org/10.1016/j.jconhyd.2007.04.001>.
- Cai, ZS; Lerner, DN; McLaren, RG; Wilson, RD. (2007). Conceptual analysis of zero-valent iron fracture reactive barriers for remediating a trichloroethylene plume in a chalk aquifer. *Water Resour Res.* 43. <http://dx.doi.org/10.1029/2006wr004946>.
- Calace, N; Massimiani, A; Petronio, BM; Pietroletti, M. (2001). Municipal landfill leachate-soil interactions: a kinetic approach. *Chemosphere.* 44: 1025-1031.
- Calafat, AM; Kuklennyik, Z; Caudill, SP; Ashley, DL. (2003). Urinary levels of trichloroacetic acid, a disinfection by-product in chlorinated drinking water, in a human reference population. *Environ Health Perspect.* 111: 151-154. <http://dx.doi.org/10.1289/ehp.5644>.
- Caldwell, J; Jinot, J; Devoney, D; Gift, JS. (2008). Evaluation of evidence for infection as a mode of action for induction of rat lymphoma [Review]. *Environ Mol Mutagen.* 49: 155-164. <http://dx.doi.org/10.1002/em.20356>.
- Caldwell, JC; Keshava, N. (2006). Key issues in the modes of action and effects of trichloroethylene metabolites for liver and kidney tumorigenesis [Review]. *Environ Health Perspect.* 114: 1457-1463. <http://dx.doi.org/10.1289/ehp.8692>.
- Caldwell, JC; Keshava, N; Evans, MV. (2008). Difficulty of mode of action determination for trichloroethylene: An example of complex interactions of metabolites and other chemical exposures [Review]. *Environ Mol Mutagen.* 49: 142-154. <http://dx.doi.org/10.1002/em.20350>.
- Callister, SJ; Ayala-Del-Rio, HL; Hashsham, SA. (2003). Quantification of a single population in a mixed microbial community using a laser integrated microarray scanner. *J Environ Eng Sci.* 2: 247-253.
- Calvert, GM; Ruder, AM; Petersen, MR. (2011). Mortality and end-stage renal disease incidence among dry cleaning workers. *Occup Environ Med.* 68: 709-716. <http://dx.doi.org/10.1136/oem.2010.060665>.
- Calvisi, DF; Factor, VM; Ladu, S; Conner, EA; Thorgeirsson, SS. (2004). Disruption of beta-catenin pathway or genomic instability define two distinct categories of liver cancer in transgenic mice. *Gastroenterology.* 126: 1374-1386. <http://dx.doi.org/10.1053/j.gastro.2004.02.014>.
- Calvisi, DF; Ladu, S; Conner, EA; Factor, VM; Thorgeirsson, SS. (2004). Disregulation of E-cadherin in transgenic mouse models of liver cancer. *Lab Invest.* 84: 1137-1147. <http://dx.doi.org/10.1038/labinvest.3700147>.
- Calvisi, DF; Ladu, S; Gorden, A; Farina, M; Conner, EA; Lee, JS; Factor, VM; Thorgeirsson, SS. (2006). Ubiquitous activation of Ras and Jak/Stat pathways in human HCC. *Gastroenterology.* 130: 1117-1128. <http://dx.doi.org/10.1053/j.gastro.2006.01.006>.
- Calvisi, DF; Ladu, S; Gorden, A; Farina, M; Lee, JS; Conner, EA; Schroeder, I; Factor, VM; Thorgeirsson, SS. (2007). Mechanistic and prognostic significance of aberrant methylation in the molecular pathogenesis of human hepatocellular carcinoma. *J Clin Invest.* 117: 2713-2722. <http://dx.doi.org/10.1172/JCI31457>.
- Calvo, B; Cepeda, EA. (2008). Solubilities of stearic acid in organic solvents and in azeotropic solvent mixtures. *Journal of Chemical and Engineering Data.* 53: 628-633. <http://dx.doi.org/10.1021/je7006567>.
- Calvo, B; Collado, I; Cepeda, EA. (2009). Solubilities of Palmitic Acid in Pure Solvents and Its Mixtures. *Journal of Chemical and Engineering Data.* 54: 64-68. <http://dx.doi.org/10.1021/je8005979>.
- Camara, RM; Crespo, E; Portela, R; Suarez, S; Bautista, L; Gutierrez-Martin, F; Sanchez, B. (2014). Enhanced photocatalytic activity of TiO₂ thin films on plasma-pretreated organic polymers. *Catalysis Today.* 230: 145-151. <http://dx.doi.org/10.1016/j.cattod.2013.10.049>.
- Camara, RM; Portela, R; Gutierrez-Martin, F; Sanchez, B. (2016). Photocatalytic activity of TiO₂ films prepared by surfactant-mediated sol-gel methods over commercial polymer substrates. *Chem Eng J.* 283: 535-543. <http://dx.doi.org/10.1016/j.cej.2015.07.080>.
- Camesano, TA; Natan, MJ; Logan, BE. (2000). Observation of changes in bacterial cell morphology using tapping mode atomic force microscopy. *Langmuir.* 16: 4563-4572.
- Camisa, AG. (1975). Analysis and characteristics of trichloroethylene wastes. *J Water Pollut Control Fed.* 47: 1021-1031.
- Campagnolo, JF; Akgerman, A. (1995). Modeling of soil vapor extraction (SVE) systems .1. *Waste Manag.* 15: 379-389.
- Campbell, TJ; Burris, DR. (1996). Analysis of chlorinated ethene reduction products in vapor/water phase systems by dual-column, single-detector gas chromatography. *Int J Environ Anal Chem.* 63: 119-126.
- Campbell, TJ; Burris, DR; Roberts, AL; Wells, JR. (1997). Trichloroethylene and tetrachloroethylene reduction in a metallic iron-water-vapor batch system. *Environ Toxicol Chem.* 16: 625-630.
- Campinas, M; Viegas, R; Rosa, MJ. (2013). Modelling and understanding the competitive adsorption of microcystins and tannic acid. *Water Res.* 47: 5690-5699. <http://dx.doi.org/10.1016/j.watres.2013.06.048>.
- Campo, P; Blachère, V; Payan, JP; Cossec, B; Ducos, P. (2006). Toluene toxicokinetics and metabolism parameters in the rat and guinea pig. *Environ Toxicol Pharmacol.* 21: 276-282. <http://dx.doi.org/10.1016/j.etap.2005.09.004>.
- Campo, P; Loquet, G; Blachère, V; Roure, M. (1999). Toluene and styrene intoxication route in the rat cochlea. *Neurotoxicol Teratol.* 21: 427-434. [http://dx.doi.org/10.1016/S0892-0362\(99\)00010-0](http://dx.doi.org/10.1016/S0892-0362(99)00010-0).
- Candelaria, LM; Matsumoto, MR. (2000). Effects of NAPL contaminants on the permeability of a soil-bentonite slurry wall material. *Transport in Porous Media.* 38: 43-56.

Fate Literature Search Results

Off Topic

- Canning, K. (2000). Soil remediation - Lasagna technology takes on DOE's TCE. *Pollution Engineering*. 32: 10-+.
- Cano, MI; Pollán, M. (2001). Non-Hodgkin's lymphomas and occupation in Sweden. *Int Arch Occup Environ Health*. 74: 443-449. <http://dx.doi.org/10.1007/s004200100248>.
- Cao, F; Liu, TX; Wu, CY; Li, FB; Li, XM; Yu, HY; Tong, H; Chen, MJ. (2012). Enhanced biotransformation of DDTs by an iron- and humic-reducing bacteria *Aeromonas hydrophila* HS01 upon addition of goethite and anthraquinone-2,6-disulphonic disodium salt (AQDS). *J Agric Food Chem*. 60: 11238-11244. <http://dx.doi.org/10.1021/jf303610w>.
- Cao, K; Hollenbach, J; Shi, X; Shi, W; Chopek, M; Fernández-Viña, MA. (2001). Analysis of the frequencies of HLA-A, B, and C alleles and haplotypes in the five major ethnic groups of the United States reveals high levels of diversity in these loci and contrasting distribution patterns in these populations. *Hum Immunol*. 62: 1009-1030. [http://dx.doi.org/10.1016/S0198-8859\(01\)00298-1](http://dx.doi.org/10.1016/S0198-8859(01)00298-1).
- Cao, LX; Gao, Z; Suib, SL; Obee, TN; Hay, SO; Freihaut, JD. (2000). Photocatalytic oxidation of toluene on nanoscale TiO₂ catalysts: Studies of deactivation and regeneration. *J Catal*. 196: 253-261. <http://dx.doi.org/10.1006/jcat.2000.3050>.
- Cao, LX; Huang, AM; Spiess, FJ; Suib, SL. (1999). Gas-phase oxidation of 1-butene using nanoscale TiO₂ photocatalysts. *J Catal*. 188: 48-57.
- Cao, LX; Spiess, FJ; Huang, AM; Suib, SL; Obee, TN; Hay, SO; Freihaut, JD. (1999). Heterogeneous photocatalytic oxidation of 1-butene on SnO₂ and TiO₂ films. *J Phys Chem B*. 103: 2912-2917.
- Cao, S; Yao, N, an; Yeung, KL, un. (2008). Synthesis of freestanding silica and titania-silica aerogels with ordered and disordered mesopores. *Journal of Sol-Gel Science and Technology*. 46: 323-333. <http://dx.doi.org/10.1007/s10971-008-1701-8>.
- Cao, S; Yeung, K; Yue, P, oL. (2006). Preparation of freestanding and crack-free titania-silica aerogels and their performance for gas phase, photocatalytic oxidation of VOCs. *Appl Catal B-Environ*. 68: 99-108. <http://dx.doi.org/10.1016/j.apcatb.2006.07.022>.
- Cao, S; Yeung, KL; Kwan, JKC; To, PMT; Yu, SCT. (2009). An investigation of the performance of catalytic aerogel filters. *Appl Catal B-Environ*. 86: 127-136. <http://dx.doi.org/10.1016/j.apcatb.2008.08.019>.
- Cao, S; Yeung, KL; Yue, PL. (2007). An investigation Of trichloroethylene photocatalytic oxidation on mesoporous titania-silica aerogel catalysts. *Appl Catal B-Environ*. 76: 64-72. <http://dx.doi.org/10.1016/j.apcatb.2007.05.009>.
- Capan, I; Tarimci, C; Hassan, AK; Tanrisever, T. (2009). Characterisation and optical vapour sensing properties of PMMA thin films. *Mater Sci Eng C*. 29: 140-143. <http://dx.doi.org/10.1016/j.msec.2008.05.021>.
- Cápiro, NL; Granbery, EK; Lebrón, CA; Major, DW; McMaster, ML; Pound, MJ; Löffler, FE; Pennell, KD. (2011). Liquid-Liquid Mass Transfer of Partitioning Electron Donors in Chlorinated Solvent Source Zones. *Environ Sci Technol*. 45: 1547-1554. <http://dx.doi.org/10.1021/es102249x>.
- Cappaert, NLM; Klis, SFL; Baretta, AB; Muijser, H; Smoorenburg, GF. (2000). Ethyl benzene-induced ototoxicity in rats: A dose-dependent mid-frequency hearing loss. *J Assoc Res Otolaryngol*. 1: 292-299. <http://dx.doi.org/10.1007/s101620010050>.
- Cappaert, NLM; Klis, SFL; Muijser, H; de Groot, JCM, J; Kulig, BM; Smoorenburg, GF. (1999). The ototoxic effects of ethyl benzene in rats. *Hear Res*. 137: 91-102. [http://dx.doi.org/10.1016/S0378-5955\(99\)00141-0](http://dx.doi.org/10.1016/S0378-5955(99)00141-0).
- Carberry, JB; Benzing, TM. (1991). PEROXIDE PREOXIDATION OF RECALCITRANT TOXIC WASTE TO ENHANCE BIODEGRADATION (pp. 1-3). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08555). Carberry, JB; Benzing, TM.
- Cardador, MJ; Gallego, M. (2011). Haloacetic Acids in Swimming Pools: Swimmer and Worker Exposure. *Environ Sci Technol*. 45: 5783-5790. <http://dx.doi.org/10.1021/es103959d>.
- Cardenas-Lizana, F; Gomez-Quero, S; Hugon, A; Delannoy, L; Louis, C; Keane, MA. (2009). Pd-promoted selective gas phase hydrogenation of p-chloronitrobenzene over alumina supported Au. *J Catal*. 262: 235-243. <http://dx.doi.org/10.1016/j.jcat.2008.12.019>.
- Care, S; Crane, R; Calabro, PS; Ghauch, A; Temgoua, E; Noubactep, C. (2013). Modeling the Permeability Loss of Metallic Iron Water Filtration Systems. *CLEAN - Soil, Air, Water*. 41: 275-282. <http://dx.doi.org/10.1002/clen.201200167>.
- Carey, GR; Van Geel, PJ; Wiedemeier, TH; Mcbean, EA. (2003). A modified radial diagram approach for evaluating natural attenuation trends for chlorinated solvents and inorganic redox indicators. *Ground Water Monitoring and Remediation*. 23: 75-84.
- Carlsen, TM. (1996). Ecological risks to fossorial vertebrates from volatile organic compounds in soil. *Risk Anal*. 16: 211-219.
- Carniato, L; Schoups, G; Seuntjens, P; Van Nooten, T; Simons, Q; Bastiaens, L. (2012). Predicting longevity of iron permeable reactive barriers using multiple iron deactivation models. *J Contam Hydrol*. 142-143: 93-108. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.012>.
- Caroselli, M; Variali, G; SEBASTIA.E. (1972). SEPARATION OF ALUMINUM, POTASSIUM AND IRON IONS WITH ORGANIC-SOLVENTS (ACETYLACETONE IN TRICHLOROETHYLENE). *Chim Ind*. 54: 312-+.
- Carpenter, SP; Lasker, JM; Raucy, JL. (1996). Expression, induction, and catalytic activity of the ethanol-inducible cytochrome P450 (CYP2E1) in human fetal liver and hepatocytes. *Mol Pharmacol*. 49: 260-268.
- Carpinteiro, I; Abuín, B; Rodríguez, I; Ramil, M; Cela, R. (2012). Mixed-mode solid-phase extraction followed by dispersive liquid-liquid microextraction for the sensitive determination of ethylphenols in red wines. *J Chromatogr A*. 1229: 79-85. <http://dx.doi.org/10.1016/j.chroma.2012.01.044>.
- Carr, CS; Garg, S; Hughes, JB. (2000). Effect of dechlorinating bacteria on the longevity and composition of PCE-containing nonaqueous phase liquids under equilibrium dissolution conditions. *Environ Sci Technol*. 34: 1088-1094.
- Carreón-Díazconti, C; Santamaría, J; Berkompas, J; Field, JA; Brusseau, ML. (2009). Assessment of in situ reductive dechlorination using compound-specific stable isotopes, functional gene PCR, and geochemical data. *Environ Sci Technol*. 43: 4301-4307. <http://dx.doi.org/10.1021/es803308q>.
- Carrera, E; Cosatto, C. (2010). Flight Mechanics Analysis of a Motorized Trike with Composite Wing. *J Aerosp Eng*. 23: 251-264. [http://dx.doi.org/10.1061/\(ASCE\)AS.1943-5525.0000038](http://dx.doi.org/10.1061/(ASCE)AS.1943-5525.0000038).
- Carrigan, CR; Nitao, JJ. (2000). Predictive and diagnostic simulation of in situ electrical heating in contaminated, low-permeability soils. *Environ Sci Technol*. 34: 4835-4841.

Fate Literature Search Results

Off Topic

- Carroll, KC; McDonald, K; Marble, J; Russo, AE; Brusseau, ML. (2015). The impact of transitions between two-fluid and three-fluid phases on fluid configuration and fluid-fluid interfacial area in porous media. *Water Resour Res.* 51: 7189-7201. <http://dx.doi.org/10.1002/2015WR017490>.
- Carter, JH; Carter, HW; DeAngelo, AB. (1995). Biochemical, pathologic and morphometric alterations induced in male B6C3F1 mouse liver by short-term exposure to dichloroacetic acid. *Toxicol Lett.* 81: 55-71. [http://dx.doi.org/10.1016/0378-4274\(95\)03409-9](http://dx.doi.org/10.1016/0378-4274(95)03409-9).
- Carter, JH; Carter, HW; Deddens, JA; Hurst, BM; George, MH; DeAngelo, AB. (2003). A 2-year dose-response study of lesion sequences during hepatocellular carcinogenesis in the male B6C3F1 mouse given the drinking water chemical dichloroacetic acid. *Environ Health Perspect.* 111: 53-64. <http://dx.doi.org/10.1289/ehp.5442>.
- Carter, KE; Farrell, J. (2009). Electrochemical oxidation of trichloroethylene using boron-doped diamond film electrodes. *Environ Sci Technol.* 43: 8350-8354. <http://dx.doi.org/10.1021/es9017738>.
- Carter, MC; Weber W J, J. R. (1994). Modelling adsorption of TCE by activated carbon preloaded by background organic matter. *Environ Sci Technol.* 28: 614-623.
- Carter, MC; Weber W J, J. R.; Olmstead, KP. (1992). Effects of background dissolved organic matter on TCE adsorption by GAC (pp. 81-91). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/92/27663). Carter, MC; Weber W J, J. R.; Olmstead, KP.
- Carter, SR; Jewell, WJ. (1993). Biotransformation of tetrachloroethylene by anaerobic attached-films at low temperatures. *Water Res.* 27: 607-615.
- Carvalho, AP; Mestre, AS; Pires, J; Pinto, ML; Rosa, ME. (2006). Granular activated carbons from powdered samples using clays as binders for the adsorption of organic vapours. *Microporous and Mesoporous Materials.* 93: 226-231. <http://dx.doi.org/10.1016/j.micromeso.2006.03.001>.
- Carvalho, CP; Salvador, A; Navarro, P; Monterde, A; Martinez-Javega, JM. (2008). Effect of auxin treatments on calyx senescence in the degreening of four mandarin cultivars. *HortScience.* 43: 747-752.
- Casey, FXM; Ong, SK; Horton, R. (2000). Degradation and transformation of trichloroethylene in miscible displacement experiments through zerovalent metals. *Environ Sci Technol.* 34: 5023-5029. <http://dx.doi.org/10.1021/es001185c>.
- Casey, FXM; Simunek, J. (2001). Inverse analyses of transport of chlorinated hydrocarbons subject to sequential transformation reactions. *J Environ Qual.* 30: 1354-1360.
- Casey, M; Gennings, C; Carter, WH; Moser, VC; Simmons, JE. (2006). Power and sample size calculations for linear hypotheses associated with mixtures of many components using fixed-ratio ray designs. *Environ Ecol Stat.* 13: 11-23. <http://dx.doi.org/10.1007/s10651-005-5687-x>.
- Cassano, AE; Alfano, OM. (2000). Reaction engineering of suspended solid heterogeneous photocatalytic reactors. *Catalysis Today.* 58: 167-197.
- Cassuto, A; Hugenschmidt, MB; Parent, P; Laffon, C; Tourillon, HG. (1994). A NEXAFS AND UPS STUDY OF THE ADSORPTION OF TETRACHLOROETHYLENE, TRICHLOROETHYLENE, ISO-DICHLOROETHYLENE, CIS-DICHLOROETHYLENE, AND TRANS-DICHLOROETHYLENE ON PLATINUM SURFACES AT 95-K - MULTILAYERS AND MONOLAYERS. *Surf Sci.* 310: 390-398.
- Castelbaum, D; Olson, MR; Sale, TC; Shackelford, CD. (2011). Laboratory Apparatus and Procedures for Preparing Test Specimens of Slurry Mixed Soils. *Geotechnical Testing Journal.* 34: 18-26.
- Castilla, HJ; Werth, CJ; Mcmillan, SA. (2000). Structural evaluation of slow desorbing sites in model and natural solids using temperature stepped desorption profiles. 2. Column results. *Environ Sci Technol.* 34: 2966-2972.
- Castorina, R; Bradman, A; Fenster, L; Barr, DB; Bravo, R; Vedar, MG; Harnly, ME; Mckone, TE; Eisen, EA; Eskenazi, B. (2010). Comparison of current-use pesticide and other toxicant urinary metabolite levels among pregnant women in the CHAMACOS cohort and NHANES. *Environ Health Perspect.* 118: 856-863. <http://dx.doi.org/10.1289/ehp.0901568>.
- Castro, CE. (1993). Biodehalogenation: The kinetics and rates of the microbial cleavage of carbon-halogen bonds. *Environ Toxicol Chem.* 12: 1609-1618.
- Castro, CE; Riebeth, DM; Belser, NO. (1992). BIODEHALOGENATION - THE METABOLISM OF VINYL-CHLORIDE BY METHYLOSINUS-TRICHOSPORIUM OB-3B - A SEQUENTIAL OXIDATIVE AND REDUCTIVE PATHWAY THROUGH CHLOROETHYLENE OXIDE. *Environ Toxicol Chem.* 11: 749-755.
- Castro, CE; Wade, RS; Riebeth, DM; Bartnicki, EW; Belser, NO. (1992). BIODEHALOGENATION - RAPID METABOLISM OF VINYL-CHLORIDE BY A SOIL PSEUDOMONAS SP DIRECT HYDROLYSIS OF A VINYL C-CL BOND. *Environ Toxicol Chem.* 11: 757-764.
- Castro, Y; Duran, A. (2014). Mesoporous and mesostructured TiO₂ coatings for photocatalytic applications. *Journal of Sol-Gel Science and Technology.* 70: 254-262. <http://dx.doi.org/10.1007/s10971-013-3240-1>.
- Cauliez, P; Meziere, C; Auban-Senzier, P; Clerac, R; Fourmigue, M. (2008). Square-lattice hybrid organic-inorganic conducting layers in the tau phase of a TTF tertiary amide derivative. *New J Chem.* 32: 1561-1566. <http://dx.doi.org/10.1039/b801464g>.
- Cavigneaux, A; Lebbe, J; Petouille, F. (1977). ABSORPTION AND EXCRETION OF TRICHLOROETHYLENE BY PULMONARY ROUTE IN MAN. *Arch Mal Prof Med Trav Secur Soc.* 38: 258-259.
- CDC. (2007). National Vital Statistics Reports: Deaths: Final data for 2004. Hyattsville, MD. <http://www.cdc.gov/nchs/products/nvsr.htm>.
- CDHS. (1986). Organic chemical contamination of large public water systems in California. (86870001977). Sacramento, CA.
- Cedillo-Gonzalez, EI; Mugoni, C; Montorsi, M; Siligardi, C. (2016). Evaluation of the correlations between temperature, humidity, incident UV light and the photocatalytic activity of TiO₂ films using a rationale approach. *Appl Surf Sci.* 378: 73-79. <http://dx.doi.org/10.1016/j.apsusc.2016.03.202>.
- Cemeli, E; Wagner, ED; Anderson, D; Richardson, SD; Plewa, MJ. (2006). Modulation of the cytotoxicity and genotoxicity of the drinking water disinfection byproduct iodoacetic acid by suppressors of oxidative stress. *Environ Sci Technol.* 40: 1878-1883. <http://dx.doi.org/10.1021/es051602r>.

Fate Literature Search Results

Off Topic

- Cengiz-Callioglu, F; Jirsak, O; Dayik, M. (2013). The Influence of Non-Solvent Addition on the Independent and Dependent Parameters in Roller Electrospinning of Polyurethane. *J Nanosci Nanotechnol.* 13: 4727-4735. <http://dx.doi.org/10.1166/jnn.2013.7190>.
- Cepeda, EA; Bravo, R; Calvo, B. (2009). Solubilities of Lauric Acid in n-Hexane, Acetone, Propanol, 2-Propanol, 1-Bromopropane, and Trichloroethylene from (279.0 to 315.3) K. *Journal of Chemical and Engineering Data.* 54: 1371-1374. <http://dx.doi.org/10.1021/je800739y>.
- Cernansky, R. (2016). IT CAME FROM BENEATH Detecting And Mitigating Vapor Intrusion. *Environ Health Perspect.* 124: A141-A146. <http://dx.doi.org/10.1289/ehp.124-A141>.
- Cervera, MI; Beltran, J; Lopez, FJ; Hernandez, F. (2011). Determination of volatile organic compounds in water by head space-solid-phase microextraction gas chromatography coupled to tandem mass spectrometry with triple quadrupole analyzer. *Anal Chim Acta.* 704: 87-97. <http://dx.doi.org/10.1016/j.aca.2011.08.012>.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem.* 22: 2298-2305.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environ Sci Technol.* 35: 805-809.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2002). Dechlorination of pentachloroethane by commercial Fe and ferruginous smectite. *Chemosphere.* 47: 971-976.
- Cha, H, unJu; Kang, DH; Cho, YS, oo. (2007). Optimized microwave dielectric properties of Co- and Ca-substituted Mg_{0.6}Zn_{0.4}TiO₃. *Materials Research Bulletin.* 42: 265-273. <http://dx.doi.org/10.1016/j.materresbull.2006.06.002>.
- Chaiko, DJ; Tasker, IR; Fredrickson, DR; Difilippo, AA; Smidt, SM; Vandegrift, GF. (1993). MEASUREMENTS OF AL(NO₃)₃ ACTIVITIES IN AQUEOUS NITRATE SOLUTIONS. *J Nucl Mater.* 201: 184-189.
- Chaithawiwat, K; Vangnai, A; Mcevoy, JM; Pruess, B; Krajangpan, S; Khan, E. (2016). Impact of nanoscale zero valent iron on bacteria is growth phase dependent. *Chemosphere.* 144: 352-359. <http://dx.doi.org/10.1016/j.chemosphere.2015.09.025>.
- Chaloosi, M; Nejad-Darzi, SKH; Choulipour, V. (2009). Separation and Determination of PETN and TNT by HPTLC. *Propellants, Explosives, Pyrotechnics.* 34: 50-52. <http://dx.doi.org/10.1002/prop.200900012>.
- Chambers, JE; Loke, MH; Ogilvy, RD; Meldrum, PI. (2004). Noninvasive monitoring of DNAPL migration through a saturated porous medium using electrical impedance tomography. *J Contam Hydrol.* 68: 1-22. [http://dx.doi.org/10.1016/S0169-7722\(03\)00142-6](http://dx.doi.org/10.1016/S0169-7722(03)00142-6).
- Chambers, JE; Wilkinson, PB; Wealthall, GP; Loke, MH; Dearden, R; Wilson, R; Allen, D; Ogilvy, RD. (2010). Hydrogeophysical imaging of deposit heterogeneity and groundwater chemistry changes during DNAPL source zone bioremediation. *J Contam Hydrol.* 118: 43-61. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.001>.
- Chambon, JC; Broholm, MM; Binning, PJ; Bjerg, PL. (2010). Modeling multi-component transport and enhanced anaerobic dechlorination processes in a single fracture-clay matrix system. *J Contam Hydrol.* 112: 77-90. <http://dx.doi.org/10.1016/j.jconhyd.2009.10.008>.
- Chan, CY; Chan, LY; Wang, XM; Liu, YM; Lee, SC; Zou, SC; Sheng, GY; Fu, JM. (2002). Volatile organic compounds in roadside microenvironments of metropolitan Hong Kong. *Atmos Environ.* 36: 2039-2047.
- Chan, WW; Grostern, A; Löffler, FE; Edwards, EA. (2011). Quantifying the effects of 1,1,1-trichloroethane and 1,1-dichloroethane on chlorinated ethene reductive dehalogenases. *Environ Sci Technol.* 45: 9693-9702. <http://dx.doi.org/10.1021/es201260n>.
- Chandak, MV; Lin, YS. (1998). Hydrophobic zeolites as adsorbents for removal of volatile organic compounds from air. *Environ Technol.* 19: 941-948.
- Chandak, MV; Lin, YS; Ji, W; Higgins, RJ. (1997). Sorption and diffusion of VOCs in DAY zeolite and silicalite-filled PDMS membranes. *J Memb Sci.* 133: 231-243.
- Chang, BJ; Chang, YH; Kim, DK; Kim, JH; Lee, SB. (2005). New copolyimide membranes for the pervaporation of trichloroethylene from water. *J Memb Sci.* 248: 99-107. <http://dx.doi.org/10.1016/j.jmcmsci.2004.10.002>.
- Chang, BV; Liao, CS; Yuan, SY. (2005). Anaerobic degradation of diethyl phthalate, di-n-butyl phthalate, and di-(2-ethylhexyl) phthalate from river sediment in Taiwan. *Chemosphere.* 58: 1601-1607. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.031>.
- Chang, CL; Lin, YC; Bai, HL; Liu, YH. (2009). Applying spray pyrolysis to synthesize MnO (x) for decomposing isopropyl alcohol in ozone- and thermal-catalytic oxidation. *Korean J Chem Eng.* 26: 1047-1052. <http://dx.doi.org/10.2478/s11814-009-0174-y>.
- Chang, HL; Alvarez-Cohen, L. (1995). MODEL FOR THE COMETABOLIC BIODEGRADATION OF CHLORINATED ORGANICS. *Environ Sci Technol.* 29: 2357-2367.
- Chang, HL; Alvarez-Cohen, L. (1997). Two-stage methanotrophic bioreactor for the treatment of chlorinated organic wastewater. *Water Res.* 31: 2026-2036.
- Chang, J, ihH; Qiang, Z; Huang, CP, ao. (2006). Remediation and stimulation of selected chlorinated organic solvents in unsaturated soil by a specific enhanced electrokinetics. *Colloid Surface Physicochem Eng Aspect.* 287: 86-93. <http://dx.doi.org/10.1016/j.colsurfa.2006.03.039>.
- Chang, JH; Cheng, SF. (2006). The remediation performance of a specific electrokinetics integrated with zero-valent metals for perchloroethylene contaminated soils. *J Hazard Mater.* 131: 153-162. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.026>.
- Chang, JS. (2003). Next generation integrated electrostatic gas cleaning systems. *Journal of Electrostatics.* 57: 273-291.
- Chang, JS; Urashima, K; Ito, T; Misaka, T. (1995). Removal of volatile organic compounds by an electrical discharge/activated carbon filter hybrid system. *Institute of Physics Conference Series.* 143: 183-186.
- Chang, LW; Daniel, FB; Deangelo, AB. (1992). Analysis of DNA strand breaks induced in rodent liver in vivo, hepatocytes in primary culture, and a human cell line by chlorinated acetic acids and chlorinated acetaldehydes. *Environ Mol Mutagen.* 20: 277-288. <http://dx.doi.org/10.1002/em.2850200406>.

Fate Literature Search Results

Off Topic

- Chang, MC; Kang, HY. (2009). Remediation of pyrene-contaminated soil by synthesized nanoscale zero-valent iron particles. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 576-582. <http://dx.doi.org/10.1080/10934520902784609>.
- Chang, MC; Shu, HY; Hsieh, WP; Wang, MC. (2005). Using nanoscale zero-valent iron for the remediation of polycyclic aromatic hydrocarbons contaminated soil. *Journal of the Air and Waste Management Association.* 55: 1200-1207.
- Chang, MC; Shu, HY, ee; Yu, HH; Sung, Y, iC. (2006). Reductive decolorization and total organic carbon reduction of the diazo dye Cl Acid Black 24 by zero-valent iron powder. *J Chem Tech Biotechnol.* 81: 1259-1266. <http://dx.doi.org/10.1002/jctb.1543>.
- Chang, W; Korenaga, T. (2006). Application of a monolithic silica capillary adsorbent for the preconcentration of airborne trichloroethylene and tetrachloroethylene. *Anal Bioanal Chem.* 385: 1149-1152. <http://dx.doi.org/10.1007/s00216-006-0525-z>.
- Chang, Y; Achari, G; Langford, CH. (2009). Protocols for the analysis of transformer oil and its degradation in soil by hydrogen peroxide. *Can J Civ Eng.* 36: 1547-1557. <http://dx.doi.org/10.1139/L09-065>.
- Chang, YC; Huang, SC; Chen, KF. (2014). Evaluation of the effects of nanoscale zero-valent iron (nZVI) dispersants on intrinsic biodegradation of trichloroethylene (TCE). *Water Sci Technol.* 69: 2357-2363. <http://dx.doi.org/10.2166/wst.2014.169>.
- Chang, YC; Kikuchi, S; Kawauchi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol.* 29: 381-391. <http://dx.doi.org/10.1080/09593330801984050>.
- Chang, YC; Okeke, BC; Hatsu, M; Takamizawa, K. (2001). In vitro dehalogenation of tetrachloroethylene (PCE) by cell-free extracts of *Clostridium bifermentans* DPH-1. *Bioresour Technol.* 78: 141-147.
- Chang, YM; Tai, CF; Yang, SC; Chen, CJ; Shih, TS; Lin, R; Liou, SH. (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. *Ann Epidemiol.* 13: 652-660. [http://dx.doi.org/10.1016/S1047-2797\(03\)00038-3](http://dx.doi.org/10.1016/S1047-2797(03)00038-3).
- Chang, YM; Tai, CF; Yang, SC; Lin, RS; Sung, FC; Shih, TS; Liou, SH. (2005). Cancer incidence among workers potentially exposed to chlorinated solvents in an electronics factory. *J Occup Health.* 47: 171-180. <http://dx.doi.org/10.1539/joh.47.171>.
- Changrani, R; Raupp, GB. (1999). Monte Carlo simulation of the radiation field in a reticulated foam photocatalytic reactor. *AIChE J.* 45: 1085-1094.
- Changrani, RG; Raupp, GB. (2000). Two-dimensional heterogeneous model for a reticulated-foam photocatalytic reactor. *AIChE J.* 46: 829-842.
- Changsuphan, A; Wahab, M; Kim oanh, NT. (2012). Removal of benzene by ZnO nanoparticles coated on porous adsorbents in presence of ozone and UV. *Chem Eng J.* 181-182: 215-221. <http://dx.doi.org/10.1016/j.cej.2011.11.064>.
- Chang-Yun, C; Xiao-Feng, W; Hong, Z; Xin-Hui, Z; Jing-Lin, Z. (2011). Synthesis, Structure and Physical Properties of Mn and Cd Complexes with 1,1,2,2-Tetracarboxyl-ethylene Acid. *Chinese Journal of Structural Chemistry.* 30: 59-66.
- Chao, C; Xiangyu, W; Ying, C; Huiling, L. (2008). Dechlorination of disinfection by-product monochloroacetic acid in drinking water by nanoscale palladized iron bimetallic particle. *J Environ Sci.* 20: 945-951. [http://dx.doi.org/10.1016/S1001-0742\(08\)62191-9](http://dx.doi.org/10.1016/S1001-0742(08)62191-9).
- Chao, CY; Chan, GY. (2001). Quantification of indoor VOCs in twenty mechanically ventilated buildings in Hong Kong. *Atmos Environ.* 35: 5895-5913. [http://dx.doi.org/10.1016/S1352-2310\(01\)00410-1](http://dx.doi.org/10.1016/S1352-2310(01)00410-1).
- Chao, KP; Ong, SK; Fryzek, T; Yuan, W; Braida, W. (2012). Degradation of trichloroethylene using iron, bimetal and trimetal. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 47: 1536-1542. <http://dx.doi.org/10.1080/10934529.2012.680397>.
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng.* 124: 1054-1060.
- Chapelle, FH; Kauffman, LJ; Widdowson, MA. (2014). Modeling the Effects of Naturally Occurring Organic Carbon on Chlorinated Ethene Transport to a Public Supply Well. *Ground Water.* 52 Suppl 1: 76-89. <http://dx.doi.org/10.1111/gwat.12152>.
- Chapin, RE; Norton, RM; Popp, JA; Bus, JS. (1982). The effects of 2,5-hexanedione on reproductive hormones and testicular enzyme activities in the F-344 rat. *Toxicol Appl Pharmacol.* 62: 262-272. [http://dx.doi.org/10.1016/0041-008X\(82\)90124-7](http://dx.doi.org/10.1016/0041-008X(82)90124-7).
- Chapman, PJ; Vogt, F; Dutta, P; Datskos, PG; Devault, GL; Sepaniak, MJ. (2007). Facile hyphenation of gas chromatography and a microcantilever array sensor for enhanced selectivity. *Anal Chem.* 79: 364-370. <http://dx.doi.org/10.1021/ac061389x>.
- Charbonneau, M; Couture, J; Plaa, GL. (1991). Inhalation versus oral administration of acetone: effect of the vehicle on the potentiation of CCl₄-induced liver injury. *Toxicol Lett.* 57: 47-54. [http://dx.doi.org/10.1016/0378-4274\(91\)90118-P](http://dx.doi.org/10.1016/0378-4274(91)90118-P).
- Charbotel, B. (2008). E mail from Barbara Charbotel, University of Lyon, to Cheryl Scott, U.S. EPA [Personal Communication].
- Charbotel, B; Fevotte, J; Hours, M; Martin, JL; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part II: Epidemiological aspects. *Ann Occup Hyg.* 50: 777-787. <http://dx.doi.org/10.1093/annhyg/mel039>.
- Charbotel, B; Fevotte, J; Martin, JL; Bergeret, A. (2009). Cancer du rein et expositions au trichloroéthylène : les valeurs limites d'exposition professionnelle françaises en vigueur sont-elles adaptées? *Rev Epidemiol Sante Publique.* 57: 41-47. <http://dx.doi.org/10.1016/j.respe.2008.09.008>.
- Charbotel, B; Massardier-Pilonchery, A; Fort, E; Dananché, B; Févotte, J; Confavreux-Romestaing, C; Bergeret, A. (2013). Occupational trichloroethylene exposure and cervical pathology: a case-control study. *Ann Occup Hyg.* 57: 407-416. <http://dx.doi.org/10.1093/annhyg/mes075>.
- Charles, JM; Leeming, NM. (1998). Chronic dietary toxicity/oncogenicity studies on 2,4-dichlorophenoxybutyric acid in rodents. *Toxicol Sci.* 46: 21-30. <http://dx.doi.org/10.1006/toxs.1998.2502>.
- Charlet, L; Bosbach, D; Peretyashko, T. (2002). Natural attenuation of TCE, As, Hg linked to the heterogeneous oxidation of Fe(II): an AFM study. *Chem Geol.* 190: 303-319. [http://dx.doi.org/10.1016/S0009-2541\(02\)00122-5](http://dx.doi.org/10.1016/S0009-2541(02)00122-5).
- Charlet, L; Liger, E; Gerasimo, P. (1998). Decontamination of TCE- and U-rich waters by granular iron: Role of sorbed Fe(II). *J Environ Eng.* 124: 25-30.
- Charmpis, DC; Papadrakakis, M. (2005). Improving the computational efficiency in finite element analysis of shells with uncertain properties. *Computer Methods in Applied Mechanics and Engineering.* 194: 1447-1478. <http://dx.doi.org/10.1016/j.cma.2003.12.075>.

Fate Literature Search Results

Off Topic

- Chartrand, MMG; Waller, A; Mattes, TE; Elsner, M; Lacrampe-Couloume, G; Gossett, JM; Edwards, EA; Lollar, BS. (2005). Carbon isotopic fractionation during aerobic vinyl chloride degradation. *Environ Sci Technol.* 39: 1064-1070. <http://dx.doi.org/10.1021/es0492945>.
- Chatterjee, D; Mahata, A. (2001). Demineralization of organic pollutants on the dye modified TiO₂ semiconductor particulate system using visible light. *Appl Catal B-Environ.* 33: 119-125.
- Chatterjee, D; Mahata, A. (2002). Visible light induced photodegradation of organic pollutants on dye adsorbed TiO₂ surface. *J Photochem Photobiol A.* 153: 199-204.
- Chatterjee, S; Greene, HL. (1993). EFFECTS OF CATALYST COMPOSITION ON DUAL SITE ZEOLITE CATALYSTS USED IN CHLORINATED-HYDROCARBON OXIDATION. *Appl Catal A-Gen.* 98: 139-158.
- Chatterjee, S; Greene, HL; Park, YJ. (1992). DEACTIVATION OF METAL EXCHANGED ZEOLITE CATALYSTS DURING EXPOSURE TO CHLORINATED HYDROCARBONS UNDER OXIDIZING CONDITIONS. *Catalysis Today.* 11: 569-596.
- Chaudhary, A; van Amerom, FHW; Short, RT. (2009). Development of Microfabricated Cylindrical Ion Trap Mass Spectrometer Arrays. *I E E E Journal of Microelectromechanical Systems.* 18: 442-448. <http://dx.doi.org/10.1109/JMEMS.2009.2013390>.
- Chavan, RB; Rao, JV. (1983). AGGREGATION BEHAVIOR OF ACID DYES IN N,N-DIMETHYLFORMAMIDE TRICHLOROETHYLENE SOLVENT MIXTURES - A QUASIELASTIC LIGHT-SCATTERING STUDY. *J Soc Dyers Colour.* 99: 126-130.
- Chavan, RB; Rao, JV. (1983). DYEING OF WATER SWOLLEN, SOLVENT EXCHANGED COTTON WITH ANIONIC DYES FROM "DIMETHYLFORMAMIDE-TRICHLOROETHYLENE SOLVENT MIXTURES. *Text Res J.* 53: 290-297.
- Che, H; Bae, S; Lee, W. (2011). Degradation of trichloroethylene by Fenton reaction in pyrite suspension. *J Hazard Mater.* 185: 1355-1361. <http://dx.doi.org/10.1016/j.jhazmat.2010.10.055>.
- Che, H; Lee, W. (2011). Selective redox degradation of chlorinated aliphatic compounds by Fenton reaction in pyrite suspension. *Chemosphere.* 82: 1103-1108. <http://dx.doi.org/10.1016/j.chemosphere.2010.12.002>.
- Checkoway, H; Pearce, N; Crawford-Brown, DJ. (1989). Research methods in occupational epidemiology. In *Monographs in epidemiology and biostatistics.* New York, NY: Oxford University Press.
- Chekmeneva, E; Hunter, CA; Misuraca, MC; Turega, SM. (2012). Steric desolation enhances the effective molarities of intramolecular H-bonding interactions. *Org Biomol Chem.* 10: 6022-6031. <http://dx.doi.org/10.1039/c2ob25372k>.
- Chen, C; Hennig, G; Whiteley, H; Manautou, J. (2002). Protection against acetaminophen hepatotoxicity by clofibrate pretreatment: role of catalase induction. *J Biochem Mol Toxicol.* 16: 227-234. <http://dx.doi.org/10.1002/jbt.10043>.
- Chen, C; Puhakka, JA; Ferguson, JF. (1996). Transformations of 1,1,2,2-tetrachloroethane under methanogenic conditions. *Environ Sci Technol.* 30: 542-547.
- Chen, C; Shih, MC; Wu, K. (2010). Exposure estimation using repeated blood concentration measurements. *Stoch Environ Res Risk Assess.* 24: 445-454. <http://dx.doi.org/10.1007/s00477-009-0332-0>.
- Chen, C; Shih, MC; Wu, K. (2012). Exposure reconstruction using a physiologically based toxicokinetic model with cumulative amount of metabolite in urine: a case study of trichloroethylene inhalation. *Stoch Environ Res Risk Assess.* 26: 21-31. <http://dx.doi.org/10.1007/s00477-011-0502-8>.
- Chen, CT; Graham, JL; Dellinger, B. (1995). PHOTOTHERMAL DESTRUCTION OF THE VAPOR OF ORGANIC COMPOUNDS. *Waste Manag.* 15: 159-170.
- Chen, CW. (2000). Biologically based dose-response model for liver tumors induced by trichloroethylene. *Environ Health Perspect.* 108: 335-342. <http://dx.doi.org/10.1289/ehp.00108s2335>.
- Chen, CW, en; Chen, T, eSan; Hsia, K, uoF; Chen, CF; Dong, CD, i. (2016). Effect of operating parameters on trichloroethylene degradation by extended release of nanoscale zero-valent iron. *Desalination and Water Treatment.* 57: 27794-27803. <http://dx.doi.org/10.1080/19443994.2016.1174740>.
- Chen, D; Li, J; Cui, P; Liu, H, ui; Yang, J, un. (2016). Gold-catalyzed formation of core-shell gold-palladium nanoparticles with palladium shells up to three atomic layers. *4: 3813-3821.* <http://dx.doi.org/10.1039/c5ta10303g>.
- Chen, D; Rolston, DE; Yamaguchi, T. (2000). Calculating partition coefficients of organic vapors in unsaturated soil and clays. *Soil Sci.* 165: 217-225.
- Chen, F; Falta, RW; Murdoch, LC. (2014). Numerical Analysis of Thermal Remediation in 3D Field-Scale Fractured Geologic Media. *Ground Water.* 53: 572-587. <http://dx.doi.org/10.1111/gwat.12241>.
- Chen, F, ei; Liu, X; Falta, RW; Murdoch, LC. (2010). Experimental Demonstration of Contaminant Removal from Fractured Rock by Boiling. *Environ Sci Technol.* 44: 6437-6442. <http://dx.doi.org/10.1021/es1015923>.
- Chen, FY; Pehkonen, SO; Ray, MB. (2002). Kinetics and mechanisms of UV-photodegradation of chlorinated organics in the gas phase. *Water Res.* 36: 4203-4214.
- Chen, G, uoHua. (2007). Effect of replacement of MgO by CaO on sintering, crystallization and properties of MgO-Al₂O₃-SiO₂ system glass-ceramics. *Journal of Materials Science.* 42: 7239-7244. <http://dx.doi.org/10.1007/s10853-007-1548-3>.
- Chen, G, uohua. (2008). Sintering, crystallization, and properties of CaO doped cordierite-based glass-ceramics. *J Alloy Comp.* 455: 298-302. <http://dx.doi.org/10.1016/j.jallcom.2007.01.036>.
- Chen, G; Hoag, GE; Chedda, P; Nadim, F; Woody, BA; Dobbs, GM. (2001). The mechanism and applicability of in situ oxidation of trichloroethylene with Fenton's reagent. *J Hazard Mater.* 87: 171-186.
- Chen, G, uoHua; Liu, X, inYu. (2007). Sintering, crystallization and properties of MgO-Al₂O₃-SiO₂ system glass-ceramics containing ZnO. *J Alloy Comp.* 431: 282-286. <http://dx.doi.org/10.1016/j.jallcom.2006.05.060>.
- Chen, HF; Wang, J; Cai, SM; Liu, ZF. (1999). Self-assembled Au nanoparticles on GaAs and its surface enhanced Raman scattering(SERS)-activity. *Chem J Chin Univ-Chin.* 20: 620-623.

Fate Literature Search Results

Off Topic

- Chen, HH, ui; Chang, LC; Shan, HY, u; Tsai, J, uiPin. (2009). Joint Impact of Scaling and Hysteresis on NAPL Flow Simulation. *Environ Model Assess.* 14: 715-728. <http://dx.doi.org/10.1007/s10666-008-9180-4>.
- Chen, J; Ely, RL. (2001). Comparison of artificial neural network, genetic programming, and mechanistic modeling of complex biological processes. *Environ Eng Sci.* 18: 267-278.
- Chen, J; Gillham, RW; Gui, L. (2013). Passivation of bimetallic catalysts used in water treatment: prevention and reactivation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 48: 48-56. <http://dx.doi.org/10.1080/10934529.2012.707836>.
- Chen, J; Lin, JC; Purohit, V; Cutlip, MB; Suib, SL. (1997). Photoassisted catalytic oxidation of alcohols and halogenated hydrocarbons with amorphous manganese oxides. *Catalysis Today.* 33: 205-214.
- Chen, J, uiS; Liu, CW; Chan, Y, iC; Ni, CF, a; Kao, K, eK. (2011). Effect of transverse dispersion on solute transport in a vertical dipole flow test with a tracer. *J Hydrol.* 402: 206-216. <http://dx.doi.org/10.1016/j.jhydrol.2011.03.005>.
- Chen, J; Ollis, DF; Rulkens, WH; Bruning, H. (1999). Photocatalyzed oxidation of alcohols and organochlorides in the presence of native TiO₂ and metallized TiO₂ suspensions. Part (I): Photocatalytic activity and pH influence. *Water Res.* 33: 661-668.
- Chen, J; Ollis, DF; Rulkens, WH; Bruning, H. (1999). Photocatalyzed oxidation of alcohols and organochlorides in the presence of native TiO₂ and metallized TiO₂ suspensions. Part (II): Photocatalytic mechanisms. *Water Res.* 33: 669-676.
- Chen, J; Xie, Z. (2013). Removal of H₂S in a novel dielectric barrier discharge reactor with photocatalytic electrode and activated carbon fiber. *J Hazard Mater.* 261: 38-43. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.075>.
- Chen, J; Xiu, Z; Lowry, GV; Alvarez, PJJ. (2011). Effect of natural organic matter on toxicity and reactivity of nano-scale zero-valent iron. *Water Res.* 45: 1995-2001. <http://dx.doi.org/10.1016/j.watres.2010.11.036>.
- Chen, JC; Tang, CT. (2007). Preparation and application of granular ZnO/Al₂O₃ catalyst for the removal of hazardous trichloroethylene. *J Hazard Mater.* 142: 88-96. <http://dx.doi.org/10.1016/j.jhazmat.2006.07.061>.
- Chen, JL; Al-Abed, SR; Ryan, JA; Li, ZB. (2001). Effects of pH on dechlorination of trichloroethylene by zero-valent iron. *J Hazard Mater.* 83: 243-254.
- Chen, JP; Kiaei, D; Hoffman, AS. (1993). ACTIVITY OF HORSE RADISH PEROXIDE ADSORBED ON RADIO-FREQUENCY GLOW DISCHARGE-TREATED POLYMERS. *J Biomater Sci Polym Ed.* 5: 167-182.
- Chen, K, uFan; Li, S; Zhang, W, eiX. (2011). Renewable hydrogen generation by bimetallic zero valent iron nanoparticles. *Chem Eng J.* 170: 562-567. <http://dx.doi.org/10.1016/j.cej.2010.12.019>.
- Chen, KF; Kao, CM; Wu, LC; Surampalli, RY; Liang, SH. (2009). Methyl tert-butyl ether (MTBE) degradation by ferrous ion-activated persulfate oxidation: feasibility and kinetics studies. *Water Environ Res.* 81: 687-694. <http://dx.doi.org/10.2175/106143008X370539>.
- Chen, KF; Yeh, TY; Kao, CM; Sung, WP; Lin, CC. (2012). Application of Nanoscale Zero-valent Iron (nZVI) to Enhance Microbial Reductive Dechlorination of TCE: A Feasibility Study. *Current Nanoscience.* 8: 55-59.
- Chen, L; Jin, S; Fallgren, PH; Liu, F; Colberg, PJ. (2013). Passivation of zero-valent iron by denitrifying bacteria and the impact on trichloroethene reduction in groundwater. *Water Sci Technol.* 67: 1254-1259. <http://dx.doi.org/10.2166/wst.2013.689>.
- Chen, L; Jin, S; Fallgren, PH; Swoboda-Colberg, NG; Liu, F; Colberg, PJ. (2012). Electrochemical depassivation of zero-valent iron for trichloroethene reduction. *J Hazard Mater.* 239-240: 265-269. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.074>.
- Chen, L; Liu, F; Liu, Y; Dong, H; Colberg, PJ. (2011). Benzene and toluene biodegradation down gradient of a zero-valent iron permeable reactive barrier. *J Hazard Mater.* 188: 110-115. <http://dx.doi.org/10.1016/j.jhazmat.2011.01.076>.
- Chen, L; Liu, Y; Liu, F; Jin, S. (2014). Treatment of co-mingled benzene, toluene and TCE in groundwater. *J Hazard Mater.* 275: 116-120. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.057>.
- Chen, M, in; Yang, X. (2015). Situations and challenges of household energy consumption in Chinese small towns. *Energy and Buildings.* 107: 155-162. <http://dx.doi.org/10.1016/j.enbuild.2015.08.017>.
- Chen, MH; Chou, TC. (2003). Electrochemical detection of trichloroethylene with an electrodeposited Pb-modified electrode. *J Electrochem Soc.* 150: H214-H219. <http://dx.doi.org/10.1149/1.1600466>.
- Chen, MH; Lin, TY; Chou, TC. (2002). Trichloroethylene sensor by using electrodeposited Pb-modified graphite strip electrode. *J Electrochem Soc.* 149: H87-H92. <http://dx.doi.org/10.1149/1.1449955>.
- Chen, MY; Su, YF; Shih, YH. (2014). Effect of geochemical properties on degradation of trichloroethylene by stabilized zerovalent iron nanoparticle with Na-acrylic copolymer. *J Environ Manage.* 144: 88-92. <http://dx.doi.org/10.1016/j.jenvman.2014.04.024>.
- Chen, Q; Jiang, D; Shi, W; Wu, D; Xu, Y, ao. (2009). Visible-light-activated Ce-Si co-doped TiO₂ photocatalyst. *Appl Surf Sci.* 255: 7918-7924. <http://dx.doi.org/10.1016/j.apsusc.2009.04.167>.
- Chen, Q; Li, N, a; Luo, M; Lu, J, iQ. (2012). Catalytic oxidation of dichloromethane over Pt/CeO₂-Al₂O₃ catalysts. *Appl Catal B-Environ.* 127: 159-166. <http://dx.doi.org/10.1016/j.apcatb.2012.08.020>.
- Chen, Q; Shi, W; Jiang, D; Xu, Y, ao; Wu, D; Sun, Y. (2010). Visible-Light-Activated Ni-Si Co-Doped TiO₂ with Photocatalytic Performance. *Huaxue Xuebao.* 68: 301-308.
- Chen, R; Das, SR; Jeong, C; Khan, MR; Janes, DB; Alam, MA. (2013). Co-Percolating Graphene-Wrapped Silver Nanowire Network for High Performance, Highly Stable, Transparent Conducting Electrodes. *Adv Funct Mater.* 23: 5150-5158. <http://dx.doi.org/10.1002/adfm.201300124>.
- Chen, R; Wang, X; Yu, Z. (2014). Electrochemical sensing of the genotoxicity of the micron LiFePO₄ rice granule using a guanine biosensor based on LiFePO₄/HCl/K₂S₂O₈ System. *Sens Actuators B.* 192: 234-238. <http://dx.doi.org/10.1016/j.snb.2013.10.105>.
- Chen, R; Zhou, J; Xu, B, in; Meng, X. (2013). Preparation of TiO₂-BaSO₄ composite microparticles and their photocatalytic activity. *Chem Eng J.* 218: 24-31. <http://dx.doi.org/10.1016/j.cej.2012.12.039>.

Fate Literature Search Results

Off Topic

- Chen, SS; Hsu, BC; Hung, LW. (2008). Chromate reduction by waste iron from electroplating wastewater using plug flow reactor. *J Hazard Mater.* 152: 1092-1097. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.086>.
- Chen, SS; Huang, Y; Kuo, T. (2010). The Remediation of Perchloroethylene Contaminated Groundwater by Nanoscale Iron Reactive Barrier Integrated with Surfactant and Electrokinetics. *Ground Water Monitoring and Remediation.* 30: 90-98. <http://dx.doi.org/10.1111/j.1745-6592.2010.01311.x>.
- Chen, SS; Huang, Y, iChu; Lin, JY, u; Lin, MH, ei. (2014). Dechlorination of tetrachloroethylene in water using stabilized nanoscale iron and palladized iron particles. *Desalination and Water Treatment.* 52: 702-711. <http://dx.doi.org/10.1080/19443994.2013.827305>.
- Chen, W, eiF; Wang, W; Zhang, J; Zhang, X; Li, Y. (2016). Effects of co-present cations and anions on hexachlorobenzene removal by activated carbon, nano zerovalent iron and nano zerovalent/activated carbon composite. *Desalination and Water Treatment.* 57: 20494-20502. <http://dx.doi.org/10.1080/19443994.2015.1108238>.
- Chen, X; Cheung, ST; So, S; Fan, ST; Barry, C; Higgins, J; Lai, KM; Ji, J; Dudoit, S; Ng, IO; Van De Rijn, M; Botstein, D; Brown, PO. (2002). Gene expression patterns in human liver cancers. *Mol Biol Cell.* 13: 1929-1939. <http://dx.doi.org/10.1091/mbc.02-02-0023>.
- Chen, X; Rozak, J; Lin, JC; Suib, SL; Hayashi, J; Matsumoto, H. (2001). Oxidative decomposition of chlorinated hydrocarbons by glow discharge in PACT (plasma and catalyst integrated technologies) reactors. *Appl Catal A-Gen.* 219: 25-31.
- Chen, XY, an; Zhuang, Z, hiX; Wang, XH, ui; Zhang, J, inZ. (2006). Immune responses to trichloroethylene and skin gene expression profiles in sprague dawley rats. *Biomed Environ Sci.* 19: 346-352.
- Chen, Y; Cai, J; Anders, M; Stevens, J; Jones, D. (2001). Role of mitochondrial dysfunction in S-(1,2-dichlorovinyl)-l-cysteine-induced apoptosis. *Toxicol Appl Pharmacol.* 170: 172-180. <http://dx.doi.org/10.1006/taap.2000.9107>.
- Chen, Y, iS; Hsu, Y, ehL; Lu, J, unM. (2013). TRiC(mini)(+) - A Telepresence Robot for Interpersonal Communication for Older Adults. 34: 121-127.
- Chen, Y; Lin, T; Huang, C; Lin, J. (2008). Cometabolic degradation kinetics of TCE and phenol by *Pseudomonas putida*. *Chemosphere.* 72: 1671-1680. <http://dx.doi.org/10.1016/j.chemosphere.2008.05.035>.
- Chen, Y; Lin, T; Huang, C; Lin, J; Hsieh, FM. (2007). Degradation of phenol and TCE using suspended and chitosan-bead immobilized *Pseudomonas putida*. *J Hazard Mater.* 148: 660-670. <http://dx.doi.org/10.1016/j.jhazmat.2007.03.030>.
- Chen, Y; Pan, W; Wu, F. (2013). Emission Fluxes of Volatile Organic Compounds from Three Heavily Polluted Rivers in Guangzhou, South China. *Water Air Soil Pollut.* 224. <http://dx.doi.org/10.1007/s11270-013-1509-1>.
- Chen, Y; Tsao, TM; Liu, CC; Lin, K; Wang, MK. (2011). Aluminium and nutrients induce changes in the profiles of phenolic substances in tea plants (*Camellia sinensis* CV TTES, No. 12 (TTE)). *J Sci Food Agric.* 91: 1111-1117. <http://dx.doi.org/10.1002/jsfa.4291>.
- Chen, Y, ueM; Wang, MK; Zhuang, SY, ao; Chiang, P, oN. (2006). Chemical and physical properties of rhizosphere and bulk soils of three tea plants cultivated in Ultisols. *Geoderma.* 136: 378-387. <http://dx.doi.org/10.1016/j.geoderma.2006.04.003>.
- Chen, YJ; Dionysiou, DD. (2006). TiO₂ photocatalytic films on stainless steel: The role of Degussa P-25 in modified sol-gel methods. *Appl Catal B-Environ.* 62: 255-264. <http://dx.doi.org/10.1016/j.apcatb.2005.07.017>.
- Chen, YX; Wang, K; Lou, LP. (2004). Photodegradation of dye pollutants on silica gel supported TiO₂ particles under visible light irradiation. *J Photochem Photobiol A.* 163: 281-287. <http://dx.doi.org/10.1016/j.jphotochem.2003.12.012>.
- Chen, Z; Wu, S; Braeckevelt, M; Paschke, H; Kästner, M; Köser, H; Kusch, P. (2012). Effect of vegetation in pilot-scale horizontal subsurface flow constructed wetlands treating sulphate rich groundwater contaminated with a low and high chlorinated hydrocarbon. *Chemosphere.* 89: 724-731. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.042>.
- Chen, ZL; Megharaj, M; Naidu, R. (2004). Determination of tetrachloroethene, trichloroethylene, and their metabolites at trace levels in ground waters by on-line solid phase extraction/HPLC. *Journal of Liquid Chromatography and Related Technologies.* 27: 885-896. <http://dx.doi.org/10.1081/JLC-120029705>.
- Chen, ZY; White, CC; He, CY; Liu, YF; Eaton, DL. (1995). Zonal differences in DNA synthesis activity and cytochrome P450 gene expression in livers of male F344 rats treated with five nongenotoxic carcinogens. *J Environ Pathol Toxicol Oncol.* 14: 83-99.
- Cheng, H; Reinhard, M. (2006). Sorption of trichloroethylene in hydrophobic micropores of dealuminated Y zeolites and natural minerals. *Environ Sci Technol.* 40: 7694-7701. <http://dx.doi.org/10.1021/es060886s>.
- Cheng, H; Reinhard, M. (2007). Sorption and inhibited dehydrohalogenation of 2,2-dichloropropane in micropores of dealuminated Y zeolites. *Environ Sci Technol.* 41: 1934-1941. <http://dx.doi.org/10.1021/es062332v>.
- Cheng, H; Reinhard, M. (2008). The rate of 2,2-dichloropropane transformation in mineral micropores: implications of sorptive preservation for fate and transport of organic contaminants in the subsurface. *Environ Sci Technol.* 42: 2879-2885. <http://dx.doi.org/10.1021/es702888h>.
- Cheng, K; Lee, Z, uHsu; Shomali, H. (2012). Airline firm boundary and ticket distribution in electronic markets. *International Journal of Production Economics.* 137: 137-144. <http://dx.doi.org/10.1016/j.ijpe.2012.01.024>.
- Cheng, K, un; Pan, G; Smith, P; Luo, T; Li, L; Zheng, J; Zhang, X; Han, X; Yan, M. (2011). Carbon footprint of China's crop production-An estimation using agro-statistics data over 1993-2007. *Agric Ecosyst Environ.* 142: 231-237. <http://dx.doi.org/10.1016/j.agee.2011.05.012>.
- Cheng, R; Wang, JL; Zhang, WX. (2007). Comparison of reductive dechlorination of p-chlorophenol using Fe⁰ and nanosized Fe⁰. *J Hazard Mater.* 144: 334-339. <http://dx.doi.org/10.1016/j.jhazmat.2006.10.032>.
- Cheng, R; Xue, X; Shi, L; Zhang, T; Liu, Y; Kang, M; Zheng, X. (2017). Degradation of 4-chlorophenol by mixed Fe(0)/Fe₃O₄ nanoparticles: from the perspective of mechanisms. *Water Sci Technol.* 75: 263-270. <http://dx.doi.org/10.2166/wst.2016.505>.
- Cheng, SF; Wu, SC. (2000). The enhancement methods for the degradation of TCE by zero-valent metals. *Chemosphere.* 41: 1263-1270.
- Cheng, SF; Wu, SC. (2001). Feasibility of using metals to remediate water containing TCE. *Chemosphere.* 43: 1023-1028.
- Cheng, WC; Kuo, MCT, om. (2010). The Effect of Toluene-Substrate Concentration on Biological Clogging and Sloughing in Porous Media. *Ground Water Monitoring and Remediation.* 30: 73-80. <http://dx.doi.org/10.1111/j.1745-6592.2010.01306.x>.

Fate Literature Search Results

Off Topic

- Cheng, Y, ue; Lu, M; Jiao, C; Liu, H. (2013). Preparation of stabilized nano zero-valent iron particles via a rheological phase reaction method and their use in dye decolourization. *Environ Technol.* 34: 445-451. <http://dx.doi.org/10.1080/09593330.2012.698652>.
- Cheng, YC; Hwang, C. (2006). Use of the Lambert W function for time-domain analysis of feedback fractional delay systems. 153: 167-174. <http://dx.doi.org/10.1049/ip-cta:20050020>.
- Cherrie, J; Kromhout, H; Semple, S. (2001). The importance of reliable exposure estimates in deciding whether trichloroethylene can cause kidney cancer [Letter]. *J Cancer Res Clin Oncol.* 127: 400-404. <http://dx.doi.org/10.1007/s004320000206>.
- Cherry, JA; Parker, BL; Keller, C. (2007). A new depth-discrete multilevel monitoring approach for fractured rock. *Ground Water Monitoring and Remediation.* 27: 57-70.
- Cheung, C; Akiyama, TE; Ward, JM; Nicol, CJ; Feigenbaum, L; Vinson, C; Gonzalez, FJ. (2004). Diminished hepatocellular proliferation in mice humanized for the nuclear receptor peroxisome proliferator-activated receptor alpha. *Cancer Res.* 64: 3849-3854. <http://dx.doi.org/10.1158/0008-5472.CAN-04-0322>.
- Chheda, D; Sorial, GA. (2016). Effect of a Ternary Mixture of Volatile Organic Compounds on Degradation of TCE in Biotrickling Filter Systems. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-2950-8>.
- Chia, SE; Goh, VH; Ong, CN. (1997). Endocrine profiles of male workers with exposure to trichloroethylene. *Am J Ind Med.* 32: 217-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<217::AID-AJIM6>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<217::AID-AJIM6>3.0.CO;2-U).
- Chiang, HL; Lin, WH; Lai, JS; Wang, WC. (2010). Inhalation risk assessment of exposure to the selected volatile organic compounds (VOCs) emitted from the facilities of a steel plant. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 1397-1405. <http://dx.doi.org/10.1080/10934529.2010.500932>.
- Chiappe, C; Lenoir, D; Pomelli, CS; Bianchini, R. (2004). Influence of alkene structure on the stability of alkene-Br(2) complexes: Effect of chlorine substitution. *Phys Chem Chem Phys.* 6: 3235-3240. <http://dx.doi.org/10.1039/b316388a>.
- Chibisov, AK; Slavnova, TD; Goerner, H. (2010). J-aggregation of N-sulfobutyl oxocarbocyanine in binary mixtures of organic solvents. *Chem Phys Lett.* 498: 63-66. <http://dx.doi.org/10.1016/j.cplett.2010.08.023>.
- Chieco, P; Moslen, MT; Reynolds, ES. (1981). Effect of administrative vehicle on oral 1,1-dichloroethylene toxicity. *Toxicol Appl Pharmacol.* 57: 146-155. [http://dx.doi.org/10.1016/0041-008X\(81\)90274-X](http://dx.doi.org/10.1016/0041-008X(81)90274-X).
- Chiesa, R; Donato, F; Tagger, A; Favret, M; Ribero, ML; Nardi, G; Gelatti, U; Bucella, E; Tomasi, E; Portolani, N; Bonetti, M; Bettini, L; Pelizzari, G; Salmi, A; Savio, A; Garatti, M; Callea, F. (2000). Etiology of hepatocellular carcinoma in Italian patients with and without cirrhosis. *Cancer Epidemiol Biomarkers Prev.* 9: 213-216.
- Chihara, K; Suzuki, Y; Tomita, S; Kabe, J. (2011). Adsorption equilibrium of the mixture of EtOH and TCE on FAU type high silica zeolite. *Adsorption.* 17: 201-203. <http://dx.doi.org/10.1007/s10450-010-9310-6>.
- Chihara, K; Terakado, T; Ninomiya, T; Mizuochi, H. (2004). Chromatographic adsorption measurement of chlorinated organics on high silica zeolite. *Stud Surf Sci Catal.* 154: 1991-1998.
- Chilakapati, A. (1999). Optimal design of a subsurface redox barrier. *AIChE J.* 45: 1342-1350.
- Chilakapati, A; Williams, M; Yabusaki, S; Cole, C; Szecsody, J. (2000). Optimal design of an in situ Fe(II) barrier: Transport limited reoxidation. *Environ Sci Technol.* 34: 5215-5221.
- Chilakapati, A; Yabusaki, S; Szecsody, J; Macevoy, W. (2000). Groundwater flow, multicomponent transport and biogeochemistry: development and application of a coupled process model. *J Contam Hydrol.* 43: 303-325.
- Chimot, L; Marqué, S; Gros, A; Gacouin, A; Lavoué, S; Camus, C; Le Tulzo, Y. (2013). Avalon© bicaval dual-lumen cannula for venovenous extracorporeal membrane oxygenation: survey of cannula use in France. 59: 157-161. <http://dx.doi.org/10.1097/MAT.0b013e31827db6f3>.
- Chin, JY; Godwin, C; Parker, E; Robins, T; Lewis, T; Harbin, P; Batterman, S. (2014). Levels and sources of volatile organic compounds in homes of children with asthma. *Indoor Air.* 24: 403-415. <http://dx.doi.org/10.1111/ina.12086>.
- Chintakrinda, K; Weinstein, RD; Fleischer, A, myS. (2011). A direct comparison of three different material enhancement methods on the transient thermal response of paraffin phase change material exposed to high heat fluxes. *International Journal of Thermal Sciences.* 50: 1639-1647. <http://dx.doi.org/10.1016/j.ijthermalsci.2011.04.005>.
- Chintawar, PS; Greene, HL. (1997). Adsorption and catalytic destruction of trichloroethylene in hydrophobic zeolites. *Appl Catal B-Environ.* 14: 37-47.
- Chintawar, PS; Greene, HL. (1997). Decomposition characteristics of chlorinated ethylenes on metal loaded zeolite Y and gamma-Al₂O₃. *Appl Catal B-Environ.* 13: 81-92.
- Chintawar, PS; Greene, HL. (1997). Interaction of chlorinated ethylenes with chromium exchanged zeolite Y: An in situ FT-IR study. *J Catal.* 165: 12-21.
- Chiou, CT; Kile, DE. (1998). Deviations from sorption linearity on soils of polar and nonpolar organic compounds at low relative concentrations. *Environ Sci Technol.* 32: 338-343.
- Chiovetta, MG; Romero, RL; Cassano, AE. (2001). Modeling of a fluidized-bed photocatalytic reactor for water pollution abatement. *Chem Eng Sci.* 56: 1631-1638.
- Chiriac, R; Carre, J; Perrodin, Y; Fine, L; Letoffe, JM. (2007). Characterisation of VOCs emitted by open cells receiving municipal solid waste. *J Hazard Mater.* 149: 249-263. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.094>.
- Chiu, BC; Weisenburger, DD. (2003). An update of the epidemiology of non-Hodgkin's lymphoma [Review]. *Clin Lymphoma Myeloma.* 4: 161-168.
- Chiu, H; Kuo, CC; Kuo, H; Lee, IM; Yang, C. (2014). Parity, age at first birth and risk of death from kidney cancer: a population-based cohort study in Taiwan. *Eur J Public Health.* 24: 249-252. <http://dx.doi.org/10.1093/eurpub/ckt057>.

Fate Literature Search Results

Off Topic

- Chiu, HY; Liu, JK; Chien, HY; Surampalli, RY; Kao, CM. (2013). Evaluation of Enhanced Reductive Dechlorination of Trichloroethylene Using Gene Analysis: Pilot-Scale Study. *J Environ Eng.* 139: 428-437. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000654](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000654).
- Chiu, W; Caldwell, J; Keshava, N; Scott, C. (2006). Key scientific issues in the health risk assessment of trichloroethylene [Review]. *Environ Health Perspect.* 114: 1445-1449. <http://dx.doi.org/10.1289/ehp.8690>.
- Chiu, WA. (2006). Statistical issues in physiologically based pharmacokinetic modeling. In JC Lipscomb; EV Ohanian (Eds.), (pp. 269). New York: Informa Healthcare.
- Chiu, WA; Bois, FY. (2007). An approximate method for population toxicokinetic analysis with aggregated data. *Journal of Agricultural, Biological, and Environmental Statistics.* 12: 346-363. <http://dx.doi.org/10.1198/108571107X229340>.
- Chiu, WA; Campbell, JL; Clewell, HJ; Zhou, YH; Wright, FA; Guyton, KZ; Rusyn, I. (2014). Physiologically based pharmacokinetic (PBPK) modeling of interstrain variability in trichloroethylene metabolism in the mouse. *Environ Health Perspect.* 122: 456-463. <http://dx.doi.org/10.1289/ehp.1307623>.
- Chiu, WA; Hassenzehl, DM; Kammen, DM. (1999). A comparison of regulatory implications of traditional and exact two-stage dose-response models. *Risk Anal.* 19: 15-22.
- Chiu, WA; Jinot, J; Scott, CS; Makris, SL; Cooper, GS; Dzubow, RC; Bale, AS; Evans, MV; Guyton, KZ; Keshava, N; Lipscomb, JC; Barone, S, Jr; Fox, JF; Gwinn, MR; Schaum, J; Caldwell, JC. (2013). Human Health Effects of Trichloroethylene: Key Findings and Scientific Issues [Review]. *Environ Health Perspect.* 121: 303-311. <http://dx.doi.org/10.1289/ehp.1205879>.
- Chiu, WA; Okino, MS; Lipscomb, JC; Evans, MV. (2006). Issues in the pharmacokinetics of trichloroethylene and its metabolites [Review]. *Environ Health Perspect.* 114: 1450-1456. <http://dx.doi.org/10.1289/ehp.8691>.
- Chiu, WA; White, P. (2004). PBPK model-based route extrapolation: Exact and approximate solutions for use in risk assessment.
- Chiu, WA; White, P. (2006). Steady-state solutions to PBPK models and their applications to risk assessment I: Route-to-route extrapolation of volatile chemicals. *Risk Anal.* 26: 769-780. <http://dx.doi.org/10.1111/j.1539-6924.2006.00762.x>.
- Cho, C; Corapcioglu, MY; Park, S; Sung, K. (2007). Effects of Grasses on the Fate of VOCs in Contaminated Soil and Air. *Water Air Soil Pollut.* 187: 243-250. <http://dx.doi.org/10.1007/s11270-007-9512-z>.
- Cho, C; Park, S; Sung, K. (2013). Subsurface and Plant Contamination During Natural Attenuation and Phytoremediation of Silt Loam Contaminated with Chlorinated Organic Compounds. *Vadose Zone Journal.* 12: NIL_318-NIL_328. <http://dx.doi.org/10.2136/vzj2012.0081>.
- Cho, CW; Park, JG; Choi, SC; Paik, U. (2009). Device performance and polymer layer morphology in polymer bistable device (PBD): the control of physicochemical properties of solvent. *J Nanosci Nanotechnol.* 9: 3759-3762. <http://dx.doi.org/10.1166/jnn.2009.NS63>.
- Cho, CW; Sung, K; Coapcioglu, MY; Drew, M. (2005). Influence of water content and plants on the dissipation of chlorinated volatile organic compounds in soil. *Water Air Soil Pollut.* 167: 259-271. <http://dx.doi.org/10.1007/s11270-005-0081-8>.
- Cho, D; Chon, C; Jeon, B; Kim, Y; Khan, M; Song, H. (2010). The role of clay minerals in the reduction of nitrate in groundwater by zero-valent iron. *Chemosphere.* 81: 611-616. <http://dx.doi.org/10.1016/j.chemosphere.2010.08.005>.
- Cho, DL; Chung, D; Kim, G. (2007). Decomposition and solidification of hazardous volatile organic compounds through plasma chemical reactions. *J Ind Eng Chem.* 13: 287-291.
- Cho, HH; Lee, T; Hwang, SJ; Park, JW. (2005). Iron and organo-bentonite for the reduction and sorption of trichloroethylene. *Chemosphere.* 58: 103-108. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.004>.
- Cho, HH; Park, JW. (2003). Reactive dechlorination of PCE using zero valent iron plus surfactants. *ACS Symp Ser Am Chem Soc.* 837: 141-153.
- Cho, HH; Park, JW. (2005). Effect of coexisting compounds on the sorption and reduction of trichloroethylene with iron. *Environ Toxicol Chem.* 24: 11-16.
- Cho, HH; Park, JW. (2006). Sorption and reduction of tetrachloroethylene with zero valent iron and amphiphilic molecules. *Chemosphere.* 64: 1047-1052. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.062>.
- Cho, IH; Park, JH; Kim, YG. (2005). Oxidative degradation and toxicity reduction of trichloroethylene (TCE) in water using TiO₂/solar light: comparative study of TiO₂ slurry and immobilized systems. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 40: 1033-1044. <http://dx.doi.org/10.1081/ESE-200056155>.
- Cho, KD; Peirce, JJ. (2006). Nitric oxide emissions as a surrogate indicator of toluene contaminated soil. *Environ Eng Sci.* 23: 372-382.
- Cho, W; Sarada, G; Lee, H; Song, M; Gal, YS; Lee, Y; Jin, SH, o. (2017). Highly efficient, conventional and flexible deep-red phosphorescent OLEDs using ambipolar thiophene/selenophene-phenylquinoline ligand-based Ir(III) complexes. *Dyes and Pigments.* 136: 390-397. <http://dx.doi.org/10.1016/j.dyepig.2016.08.060>.
- Cho, WC. (2007). OncomiRs: The discovery and progress of microRNAs in cancers [Review]. *Mol Cancer.* 6: 60. <http://dx.doi.org/10.1186/1476-4598-6-60>.
- Cho, Y; Choi, SI. (2010). Degradation of PCE, TCE and 1,1,1-TCA by nanosized FePd bimetallic particles under various experimental conditions. *Chemosphere.* 81: 940-945. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.054>.
- Cho-Ching, L; Chung-Hsuang, H; Chung-Shin, Y; Yu-Li, H. (2007). Parameter effects and reaction pathways of photoreduction of CO₂ over TiO₂/SO₄²⁻ photocatalyst. *Chinese journal of catalysis.* 28: 528-534.
- Choe, S; Lee, SH; Chang, YY; Hwang, KY; Khim, J. (2001). Rapid reductive destruction of hazardous organic compounds by nanoscale Fe⁰. *Chemosphere.* 42: 367-372.
- Choi, DG; Kreikebaum, F; Thomas, VM; Divan, D. (2013). Coordinated EV adoption: double-digit reductions in emissions and fuel use for \$40/vehicle-year. *Environ Sci Technol.* 47: 10703-10707. <http://dx.doi.org/10.1021/es4016926>.
- Choi, H; Al-Abed, SR. (2010). Effect of reaction environments on the reactivity of PCB (2-chlorobiphenyl) over activated carbon impregnated with palladized iron. *J Hazard Mater.* 179: 869-874. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.085>.

Fate Literature Search Results

Off Topic

- Choi, H; Al-Abed, SR; Agarwal, S. (2009). Effects of aging and oxidation of palladized iron embedded in activated carbon on the dechlorination of 2-chlorobiphenyl. *Environ Sci Technol.* 43: 4137-4142. <http://dx.doi.org/10.1021/es803535b>.
- Choi, HC; Kim, KS; Kim, IS. (1998). Characteristics of contaminant transport in bank filtration through dunes. *Water Sci Technol.* 386: 97-103.
- Choi, HW, oo; Theodore, ND; Alford, TL. (2013). ZnO-Ag-MoO₃ transparent composite electrode for ITO-free, PEDOT: PSS-free bulk-heterojunction organic solar cells. *Solar Energy Materials and Solar Cells.* 117: 446-450. <http://dx.doi.org/10.1016/j.solmat.2013.07.009>.
- Choi, I; Cho, Y. (2009). Effects of various oxide fillers on physical and dielectric properties of calcium aluminoborosilicate-based dielectrics. *Journal of Electroceramics.* 23: 185-190. <http://dx.doi.org/10.1007/s10832-007-9371-4>.
- Choi, IS; Hwang, SW; Park, JC. (2001). Application of medium frequency atmospheric plasma on continuous aluminum wire cleaning for magnet wire manufacturing. *Surf Coating Tech.* 142: 300-305.
- Choi, J; Batchelor, B; Chung, J. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air Soil Pollut.* 212: 407-417. <http://dx.doi.org/10.1007/s11270-010-0354-8>.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater.* 162: 1151-1158. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.007>.
- Choi, J, unH; Kim, S, eiMin; Jang, J, aS. (2016). Optimization of p-Bonding Electrodes on ZnO:Ga in GaN-Based Light-Emitting Diodes. *I E E E Transactions on Electron Devices.* 63: 1957-1962. <http://dx.doi.org/10.1109/TED.2016.2540159>.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environ Sci Technol.* 42: 3356-3362. <http://dx.doi.org/10.1021/es702661d>.
- Choi, JH; Kim, YH. (2009). Reduction of 2,4,6-trichlorophenol with zero-valent zinc and catalyzed zinc. *J Hazard Mater.* 166: 984-991. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.00>.
- Choi, K; Bae, S; Lee, W. (2014). Degradation of off-gas toluene in continuous pyrite Fenton system. *J Hazard Mater.* 280: 31-37. <http://dx.doi.org/10.1016/j.jhazmat.2014.07.054>.
- Choi, K; Lee, W. (2012). Enhanced degradation of trichloroethylene in nano-scale zero-valent iron Fenton system with Cu(II). *J Hazard Mater.* 211: 146-153. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.056>.
- Choi, S; Lee, E; Cho, K. (2013). Effect of trichloroethylene and tetrachloroethylene on methane oxidation and community structure of methanotrophic consortium. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 48: 1723-1731. <http://dx.doi.org/10.1080/10934529.2013.815559>.
- Choi, W; Ko, JY; Park, H; Chung, JS. (2001). Investigation on TiO₂-coated optical fibers for gas-phase photocatalytic oxidation of acetone. *Appl Catal B-Environ.* 31: 209-220.
- Chokejaroenrat, C; Comfort, S; Sakulthaew, C; Dvorak, B. (2014). Improving the treatment of non-aqueous phase TCE in low permeability zones with permanganate. *J Hazard Mater.* 268: 177-184. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.007>.
- Chokejaroenrat, C; Kananizadeh, N; Sakulthaew, C; Comfort, S; Li, Y. (2013). Improving the sweeping efficiency of permanganate into low permeable zones to treat TCE: experimental results and model development. *Environ Sci Technol.* 47: 13031-13038. <http://dx.doi.org/10.1021/es403150x>.
- Chokejaroenrat, C; Sakulthaew, C; Satapanajaru, T; Tikhamram, T; Pho-Ong, A; Mulseesuk, T. (2015). Treating Methyl Orange in a Two-Dimensional Flow Tank by In Situ Chemical Oxidation Using Slow-Release Persulfate Activated with Zero-Valent Iron. *Environ Eng Sci.* 32: 1007-1015. <http://dx.doi.org/10.1089/ees.2015.0110>.
- Chomsurin, C; Kajortraidej, J; Luangmuang, K. (2008). Bioremediation of trichloroethylene contaminated groundwater using anaerobic process. *Water Sci Technol.* 58: 2127-2132. <http://dx.doi.org/10.2166/wst.2008.830>.
- Choo, KH; Chang, DI; Park, KW; Kim, MH. (2008). Use of an integrated photocatalysis/hollow fiber microfiltration system for the removal of trichloroethylene in water. *J Hazard Mater.* 152: 183-190. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.117>.
- Choori, UN; Scamehorn, JF; O'Haver, JH; Harwell, JH. (1998). Removal of volatile organic compounds from surfactant solutions by flash vacuum stripping in a packed column. *Ground Water Monitoring and Remediation.* 18: 157-165.
- Choubassi, C; Seedah, D, anPK; Jiang, N, an; Walton, CM. (2016). Economic Analysis of Cargo Cycles for Urban Mail Delivery. *Trans Res Rec* 102-110. <http://dx.doi.org/10.3141/2547-14>.
- Choulier, L; Nominé, Y; Zeder-Lutz, G; Charbonnier, S; Didier, B; Jung, ML; Altschuh, D. (2013). Chemical library screening using a SPR-based inhibition in solution assay: simulations and experimental validation. *Anal Chem.* 85: 8787-8795. <http://dx.doi.org/10.1021/ac4019445>.
- Chow, W; Gridley, G; McLaughlin, J; Mandel, J; Wacholder, S; Blot, W; Niwa, S; Fraumeni, J. (1994). Protein intake and risk of renal cell cancer. *J Natl Cancer Inst.* 86: 1131-1139. <http://dx.doi.org/10.1093/jnci/86.15.1131>.
- Chow, WL; Cheng, D; Wang, S; He, J. (2010). Identification and transcriptional analysis of trans-DCE-producing reductive dehalogenases in *Dehalococcoides* species. *ISME J.* 4: 1020-1030. <http://dx.doi.org/10.1038/ismej.2010.27>.
- Chowdhury, AI; Krol, MM; Kocur, CM; Boparai, HK; Weber, KP; Sleep, BE; O'Carroll, DM. (2015). nZVI injection into variably saturated soils: Field and modeling study. *J Contam Hydrol.* 183: 16-28. <http://dx.doi.org/10.1016/j.jconhyd.2015.10.003>.
- Choy, WK; Chu, W. (2001). The modelling of trichloroethene photodegradation in Brij 35 surfactant by two-stage reaction. *Chemosphere.* 44: 211-215.
- Choy, WK; Chu, W. (2001). The rate improvement and modeling of trichloroethene photodegradation by acetone sensitizer in surfactant solution. *Chemosphere.* 44: 943-947.
- Choy, WK; Chu, W. (2001). The study of rate improvement of trichloroethene (TCE) decay in UV system with hydrogen source. *Water Sci Technol.* 44: 27-33.

Fate Literature Search Results

Off Topic

- Christensen, KY; Vizcaya, D; Richardson, H; Lavoue, J; Aronson, K; Siemiatycki, J. (2013). Risk of Selected Cancers due to Occupational Exposure to Chlorinated Solvents in a Case-Control Study in Montreal. *J Occup Environ Med.* 55: 198-208. <http://dx.doi.org/10.1097/JOM.0b013e3182728eab>.
- Christenson, M; Kambhu, A; Reece, J; Comfort, S; Brunner, L. (2016). A five-year performance review of field-scale, slow-release permanganate candles with recommendations for second-generation improvements. *Chemosphere.* 150: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2016.01.125>.
- Christenson, MD; Kambhu, A; Comfort, SD. (2012). Using slow-release permanganate candles to remove TCE from a low permeable aquifer at a former landfill. *Chemosphere.* 89: 680-687. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.009>.
- Christof, O; Seifert, R; Michaelis, W. (2002). Volatile halogenated organic compounds in European estuaries. *Biogeochemistry.* 59: 143-160.
- Chrysikopoulos, CV; Hsuan, PY; Fyrrillas, MM. (2002). Bootstrap estimation of the mass transfer coefficient of a dissolving nonaqueous phase liquid pool in porous media. *Water Resour Res.* 38. <http://dx.doi.org/10.1029/2001WR000661>.
- Chrysikopoulos, CV; Hsuan, PY; Fyrrillas, MM; Lee, KY. (2003). Mass transfer coefficient and concentration boundary layer thickness for a dissolving NAPL pool in porous media. *J Hazard Mater.* 97: 245-255.
- Chrysikopoulos, CV; Lee, KY; Harmon, TC. (2000). Dissolution of a well-defined trichloroethylene pool in saturated porous media: Experimental design and aquifer characterization. *Water Resour Res.* 36: 1687-1696.
- Chrysikopoulos, CV; Syngouna, VI; Vasiliadou, IA; Katzourakis, VE. (2012). Transport of *Pseudomonas putida* in a 3-D Bench Scale Experimental Aquifer. *Transport in Porous Media.* 94: 617-642. <http://dx.doi.org/10.1007/s11242-012-0015-z>.
- Chrysikopoulos, CV; Vogler, ET. (2004). Acoustically enhanced multicomponent NAPL ganglia dissolution in water saturated packed columns. *Environ Sci Technol.* 38: 2940-2945. <http://dx.doi.org/10.1021/es034665n>.
- Chu, BS; Baharin, BS; Man, YBC; Quek, SY. (2004). Separation of vitamin E from palm fatty acid distillate using silica. III. Batch desorption study. *Journal of Food Engineering.* 64: 1-7. [http://dx.doi.org/10.1016/S0260\(03\)00198-5](http://dx.doi.org/10.1016/S0260(03)00198-5).
- Chu, G; Chen, J, un; Liu, F; Shan, X; Sheng, L; Xu, Y; Tian, S. (2013). Positive and negative photoion spectroscopy study of C2Cl4. *Mol Phys.* 111: 427-435. <http://dx.doi.org/10.1080/00268976.2012.728256>.
- Chu, HC; Chang, YC; Lin, Y; Chang, SH; Chang, WC; Li, GA; Tuan, HY. (2016). Spray-Deposited Large-Area Copper Nanowire Transparent Conductive Electrodes and Their Uses for Touch Screen Applications. 8: 13009-13017. <http://dx.doi.org/10.1021/acsami.6b02652>.
- Chu, KH; Alvarez-Cohen, L. (1996). Trichloroethylene degradation by methane-oxidizing cultures grown with various nitrogen sources. *Water Environ Res.* 68: 76-82.
- Chu, KH; Alvarez-Cohen, L. (2000). Treatment of chlorinated solvents by nitrogen-fixing and nitrate-supplied methane oxidizers in columns packed with unsaturated porous media. *Environ Sci Technol.* 34: 1784-1793.
- Chu, KH; Jewell, WJ. (1994). TREATMENT OF TETRACHLOROETHYLENE WITH ANAEROBIC ATTACHED FILM PROCESS. *J Environ Eng.* 120: 58-71.
- Chu, S; Hong, CS. (2008). PHOTOCATALYTIC DEGRADATION OF GASEOUS METHYL-TERT-BUTYL ETHER OVER TiO₂. *Fresen Environ Bull.* 17: 2000-2006.
- Chu, W. (2004). Reply to the comment of "the mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources". *Water Res.* 38: 2793-2794. <http://dx.doi.org/10.1016/j.watres.2003.12.001>.
- Chu, W; Choy, WK. (2000). The study of lag phase and rate improvement of TCE decay in UV/surfactant systems. *Chemosphere.* 41: 1199-1204. [http://dx.doi.org/10.1016/S0045-6535\(99\)00544-5](http://dx.doi.org/10.1016/S0045-6535(99)00544-5).
- Chu, W; Choy, WK. (2002). The mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources. *Water Res.* 36: 2525-2532.
- Chuang, CH; Chang, B, oH; Chen, JM; Lu, DM, aw. (2016). Metal-mesh based transparent electrodes using roll-to-sheet ultraviolet soft imprinting. *Micro and Nano Letters.* 11: 572-576. <http://dx.doi.org/10.1049/mnl.2016.0284>.
- Chuang, Y, iH; Hong, G, uiB; Chang, CT. (2014). Study on particulates and volatile organic compounds removal with TiO₂ nonwoven filter prepared by electrospinning. *Journal of the Air and Waste Management Association.* 64: 738-742. <http://dx.doi.org/10.1080/10962247.2014.889614>.
- Chun, CL; Lee, JJ; Park, JW. (2002). Solubilization of PAH mixtures by three different anionic surfactants. *Environ Pollut.* 118: 307-313.
- Chun, H, oH; Jo, W, anK. (2014). Polymer material-supported titania nanofibers with different polyvinylpyrrolidone to TiO₂ ratios for degradation of vaporous trichloroethylene. *J Ind Eng Chem.* 20: 1010-1015. <http://dx.doi.org/10.1016/j.jiec.2013.06.036>.
- Chun, HD; Park, JK. (1994). PHOTOCATALYTIC OXIDATION OF CHLORINATED ORGANIC-COMPOUNDS OVER TiO₂ MEMBRANE COATED ON GLASS TUBE. *Hazardous Waste and Hazardous Materials.* 11: 501-510.
- Chun, Y; Sheng, GY; Boyd, SA. (2003). Sorptive characteristics of tetraalkylammonium-exchanged smectite clays. *Clays and Clay Minerals.* 51: 415-420. <http://dx.doi.org/10.1346/CCMN.2003.0510407>.
- Chung, CM; Kim, JG; Kim, MS; Kim, KM; Kim, KN. (2002). Development of a new photocurable composite resin with reduced curing shrinkage. *Dent Mater.* 18: 174-178.
- Chung, J; Krajmalnik-Brown, R; Rittmann, BE. (2008). Bioreduction of trichloroethene using a hydrogen-based membrane biofilm reactor. *Environ Sci Technol.* 42: 477-483. <http://dx.doi.org/10.1021/es702422d>.
- Chung, J; Rittmann, BE. (2008). Simultaneous bio-reduction of trichloroethene, trichloroethane, and chloroform using a hydrogen-based membrane biofilm reactor. *Water Sci Technol.* 58: 495-501. <http://dx.doi.org/10.2166/wst.2008.432>.
- Chung, S, il; Kim, P, anK; Kwon, Y, woo; Ha, T, aegyu; Hur, J, iwon; Lee, K, yuman. (2016). Fabrication of metallic nanomesh structures using phase shift lithography and its application to touch screen panels. *J Mater Process Tech.* 238: 431-436. <http://dx.doi.org/10.1016/j.jmatprotec.2016.08.002>.

Fate Literature Search Results

Off Topic

- Cialoni, D; Pieri, M; Balestra, C; Marroni, A. (2015). Flying after diving: should recommendations be reviewed? In-flight echocardiographic study in bubble-prone and bubble-resistant divers. *Diving and Hyperbaric Medicine*. 45: 10-15.
- Ciavarelli, R; Cappelletti, M; Fedi, S; Pinelli, D; Frascari, D. (2012). Chloroform aerobic cometabolism by butane-growing *Rhodococcus aetherovorans* BCP1 in continuous-flow biofilm reactors. *Bioprocess Biosyst Eng*. 35: 667-681. <http://dx.doi.org/10.1007/s00449-011-0647-3>.
- Ciblak, A, Li; Mao, X; Padilla, I; Vesper, D; Alshawabkeh, I; Alshawabkeh, AN. (2012). Electrode effects on temporal changes in electrolyte pH and redox potential for water treatment. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 47: 718-726. <http://dx.doi.org/10.1080/10934529.2012.660088>.
- Cichocka, D; Imfeld, G; Richnow, HH; Nijenhuis, I. (2008). Variability in microbial carbon isotope fractionation of tetra- and trichloroethene upon reductive dechlorination. *Chemosphere*. 71: 639-648. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.013>.
- Cicmanec, J; Condie, L; Olson, G; Wang, S. (1991). 90-Day toxicity study of dichloroacetate in dogs. *Fundam Appl Toxicol*. 17: 376-389. <http://dx.doi.org/10.1093/toxsci/17.2.376>.
- Ciptadjaya, CG; Guo, W; Angeli, JM; Obare, SO. (2009). Controlling the reactivity of chlorinated ethylenes with flavin mononucleotide hydroquinone. *Environ Sci Technol*. 43: 1591-1597. <http://dx.doi.org/10.1021/es8021792>.
- Cirpka, OA; Kitanidis, PK. (2000). Impact of biomass-decay terms on the simulation of pulsed bioremediation. *Ground Water*. 38: 254-263.
- Cirpka, OA; Kitanidis, PK. (2001). Travel-time based model of bioremediation using circulation wells. *Ground Water*. 39: 422-432.
- Ciruelo, G; Cuenca, T; Gomez, R; Gomez-Sal, P; Martin, A; Rodriguez, G; Royo, P. (1997). Synthesis and reactivity of new silyl substituted monocyclopentadienyl zirconium complexes. X-ray molecular structure of $[Zr\{\eta(5)\text{-C}_5\text{H}_4(\text{SiMe}_2\text{CH}_2\text{Ph})\}(\text{CH}_2\text{Ph})(3)]$. *J Organomet Chem*. 547: 287-296.
- Ciruelos, S; Sebastian, A; Cuenca, T; Gomez-Sal, P; Manzanero, A; Royo, P. (2000). Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{\eta(5)\text{-C}_5\text{H}_4\}\text{SiMe}_2\text{OSiMe}_2\text{OSiMe}_2\{\eta(5)\text{-C}_5\text{H}_4\}\text{Cl}_2$ and $Zr\{\eta(5)\text{-1,3-(Bu}_2\text{C}_5\text{H}_3)\text{-Bu-t}\}\{\eta(5)\text{-C}_5\text{H}_4\text{SiMe}_2\text{-}\eta(\text{NBu-Bu-t})\text{Cl}$. *J Organomet Chem*. 604: 103-115.
- Ciucanu, I; Chiriac, A. (2002). Membrane and trap system for continuous monitoring of volatile organic compounds using a portable gas chromatograph with thermal conductivity detector. *J Sep Sci*. 25: 447-452.
- Clancy, PB; Armstrong, J; Couture, M; Lussky, R; Wheeler, K. (1996). Treatment of chlorinated ethenes in groundwater with ozone and hydrogen peroxide. *Environmental Progress*. 15: 187-193.
- Clapp, LW; Regan, JM; Ali, F; Newman, JD; Park, JK; Noguera, DR. (1999). Activity, structure, and stratification of membrane-attached methanotrophic biofilms cometabolically degrading trichloroethylene. *Water Sci Technol*. 39: 153-161.
- Clark, CJ; Chen, XS; Babu, S. (2005). Degradation of toxaphene by zero-valent iron and bimetallic substrates. *J Environ Eng*. 131: 1733-1739. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:12\(1733\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:12(1733)).
- Clark, CJ; Rao, PS; Annable, MD. (2003). Degradation of perchloroethylene in cosolvent solutions by zero-valent iron. *J Hazard Mater*. 96: 65-78.
- Clark, PB; Mccann, EJ; Hallowes, GR; Spence, S. (2001). Bandra Pumping Station, Bombay: re-design of Bandra influent pumping station. *Journal of Water Supply: Research and Technology-AQUA*. 50: 61-68.
- Clark, RS. (1978). THERMAL-OXIDATION OF SILICON USING TRICHLOROETHYLENE. *Solid State Technology*. 21: 80-82.
- Clausen, CA; Cooper, CD; Hewett, M; Martinez, A. (1992). Enhancement of organic vapor incineration by using ozone. *J Hazard Mater*. 31: 75-98.
- Clausse, B; Garrot, B; Cornier, C; Paulin, C; Simonot-Grange, MH; Boutros, F. (1998). Adsorption of chlorinated volatile organic compounds on hydrophobic faujasite: correlation between the thermodynamic and kinetic properties and the prediction of air cleaning. *Microporous and Mesoporous Materials*. 25: 169-177.
- Clavijo, S; Avivar, J; Suárez, R; Cerdà, V. (2016). In-syringe magnetic stirring-assisted dispersive liquid-liquid microextraction and silylation prior gas chromatography-mass spectrometry for ultraviolet filters determination in environmental water samples. *J Chromatogr A*. 1443: 26-34. <http://dx.doi.org/10.1016/j.chroma.2016.03.036>.
- Clayton, CA; Pellizzari, ED; Whitmore, RW; Perritt, RL; Quackenboss, JJ. (1999). National Human Exposure Assessment Survey (NHEXAS): Distributions and associations of lead, arsenic, and volatile organic compounds in EPA Region 5. *J Expo Anal Environ Epidemiol*. 9: 381-392. <http://dx.doi.org/10.1038/sj.jea.7500055>.
- Clegg, ED; Cook, JC; Chapin, RE; Foster, PMD; Daston, GP. (1997). Leydig cell hyperplasia and adenoma formation: Mechanisms and relevance to humans [Review]. *Reprod Toxicol*. 11: 107-121. [http://dx.doi.org/10.1016/S0890-6238\(96\)00203-1](http://dx.doi.org/10.1016/S0890-6238(96)00203-1).
- Clement International Corporation. (1994). Final draft for the drinking water criteria document on chlorinated acids/aldehydes/ketones/alcohols. Washington, D.C.: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB94179918>.
- Clement, TP; Kim, YC; Gautam, TR; Lee, KK. (2004). Experimental and numerical investigation of DNAPL dissolution processes in a laboratory aquifer model. *Ground Water Monitoring and Remediation*. 24: 88-96.
- Cleveland, TG; Garg, S; Rixey, WG. (1996). Feasibility of fullerene waste as carbonaceous adsorbent. *J Environ Eng*. 122: 235-238.
- Clewell, HJ; Andersen, ME. (1994). Physiologically-based pharmacokinetic modeling and bioactivation of xenobiotics [Review]. *Toxicol Ind Health*. 10: 1-24.
- Clewell, HJ, III; Barton, HA; Maull, EA; Andersen, ME. (2001). Under What Conditions Is Trichloroethylene Likely To Be a Carcinogen in Humans. *Hum Ecol Risk Assess*. 7: 687-716.
- Clewell, HJ, III; Gentry, PR; Covington, TR; Gearhart, JM. (2000). Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment [Review]. *Environ Health Perspect*. 108: 283-305. <http://dx.doi.org/10.1289/ehp.00108s2283>.

Fate Literature Search Results

Off Topic

- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modeling in noncancer risk assessment. *J Toxicol Environ Health*. 52: 475-515. <http://dx.doi.org/10.1080/00984109708984077>.
- Clewell, HJ; Gentry, PR; Gearhart, JM; Allen, BC; Andersen, ME. (1995). Considering pharmacokinetic and mechanistic information in cancer risk assessments for environmental contaminants: examples with vinyl chloride and trichloroethylene [Review]. *Chemosphere*. 31: 2561-2578.
- Clewell, RA; Merrill, EA; Robinson, PJ. (2001). The use of physiologically based models to integrate diverse data sets and reduce uncertainty in the prediction of perchlorate and iodide kinetics across life stages and species. *Toxicol Ind Health*. 17: 210-222. <http://dx.doi.org/10.1191/0748233701th108oa>.
- Close, M; Bright, J; Wang, F; Pang, L; Manning, M. (2008). Key Features of Artificial Aquifers for Use in Modeling Contaminant Transport. *Ground Water*. 46: 814-828. <http://dx.doi.org/10.1111/j.1745-6584.2008.00474.x>.
- Cobo, M; Becerra, J; Castelblanco, M; Cifuentes, B; Conesa, JA. (2015). Catalytic hydrodechlorination of trichloroethylene in a novel NaOH/2-propanol/methanol/water system on ceria-supported Pd and Rh catalysts. *J Environ Manage*. 158: 1-10. <http://dx.doi.org/10.1016/j.jenvman.2015.04.035>.
- Cobo, M; Gonzalez, CA; Sanchez, EG; Montes, C. (2011). Catalytic hydrodechlorination of trichloroethylene with 2-propanol over Pd/Al₂O₃. *Catalysis Today*. 172: 78-83. <http://dx.doi.org/10.1016/j.cattod.2011.02.064>.
- Cocco, P. (2010). Sezione di Medicina del Lavoro, Università di Cagliari to Cheryl Siegel Scott, U. S. EPA, December 12, 2010 [Personal Communication].
- Cocco, P; T'Mannetje, A; Fadda, D; Melis, M; Becker, N; de Sanjosé, S; Foretova, L; Mareckova, J; Staines, A; Kleefeld, S; Maynadié, M; Nieters, A; Brennan, P; Boffetta, P. (2010). Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. *Occup Environ Med*. 67: 341-347. <http://dx.doi.org/10.1136/oem.2009.046839>.
- Cocco, P; Vermeulen, R; Flore, V; Nonne, T; Campagna, M; Purdue, M; Blair, A; Monnereau, A; Orsi, L; Clavel, J; Becker, N; de Sanjosé, S; Foretova, L; Staines, A; Maynadié, M; Nieters, A; Miligi, L; T'Mannetje, A; Krickler, A; Brennan, P; Boffetta, P; Lan, Q; Rothman, N. (2013). Occupational exposure to trichloroethylene and risk of non-Hodgkin lymphoma and its major subtypes: a pooled linterLymph analysis. *Occup Environ Med*. 70: 795-802. <http://dx.doi.org/10.1136/oemed-2013-101551>.
- Coffey, JO; Sager, SJ; Gangireddy, S; Levine, A; Viles-Gonzalez, JF; Fischer, A. (2014). The impact of transvenous lead extraction on tricuspid valve function. *Pacing Clin Electrophysiol*. 37: 19-24. <http://dx.doi.org/10.1111/pace.12236>.
- Cogger, VC; Warren, A; Fraser, R; Ngu, M; McLean, AJ; Le Couteur, DG. (2003). Hepatic sinusoidal pseudocapillarization with aging in the non-human primate. *Exp Gerontol*. 38: 1101-1107. <http://dx.doi.org/10.1016/j.exger.2003.07.002>.
- Cogliano, VJ; Baan, RA; Straif, K; Grosse, Y; Secretan, B; El Ghissassi, F. (2008). Use of mechanistic data in IARC evaluations [Review]. *Environ Mol Mutagen*. 49: 100-109. <http://dx.doi.org/10.1002/em.20370>.
- Cogliano, VT; Scott, CS; Caldwell, JC; Farland, WH. (2001). Trichloroethylene: Using New Information To Improve the Cancer Characterization. *Hum Ecol Risk Assess*. 7: 755 - 766.
- Cohen, C; Frank, AL. (1994). Liver disease following occupational exposure to 1,1,1-trichloroethane: a case report. *Am J Ind Med*. 26: 237-241.
- Cohen, EL; Patterson, BM; Mckinley, AJ; Prommer, H. (2009). Zero valent iron remediation of a mixed brominated ethene contaminated groundwater. *J Contam Hydrol*. 103: 109-118. <http://dx.doi.org/10.1016/j.jconhyd.2008.09.010>.
- Cohen, PE; Nishimura, K; Zhu, L; Pollard, JW. (1999). Macrophages: Important accessory cells for reproductive function [Review]. *J Leukoc Biol*. 66: 765-772.
- Cohn, BA; Cirillo, PM; Christianson, RE. (2010). Prenatal DDT exposure and testicular cancer: A nested case-control study. *Arch Environ Occup Health*. 65: 127-134. <http://dx.doi.org/10.1080/19338241003730887>.
- Cohn, P; Klotz, J; Bove, F; Berkowitz, M; Fagliano, J. (1994). Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environ Health Perspect*. 102: 556-561.
- Colli-Dula, RC; Mehinto, AC; Kroll, KJ; Barber, DS; Vulpe, CD; Denslow, ND. (2014). Molecular Signature and DNA Damage Pathways Altered in Male Largemouth Bass (*Micropterus salmoides*) By a Single Dose of Benzene and Trichloroethylene. *Environ Mol Mutagen*. 55: S55-S55.
- Collin, WR; Serrano, G; Wright, LK; Chang, H; Nunovero, N; Zellers, ET. (2014). Microfabricated Gas Chromatograph for Rapid, Trace-Level Determinations of Gas-Phase, Explosive Marker Compounds. *Anal Chem*. 86: 655-663. <http://dx.doi.org/10.1021/ac402961t>.
- Collins, C; Laturnus, F; Nepovim, A. (2002). Remediation of BTEX and trichloroethene. Current knowledge with special emphasis on phytoremediation [Review]. *Environ Sci Pollut Res Int*. 9: 86-94.
- Collins-Garcia, H; Tia, M; Roque, R; Choubane, B; TRB. (2000). Alternative solvent for reducing health and environmental hazards in extracting asphalt - An evaluation. *Trans Res Rec79-85*.
- Colman lerner, JE; Sanchez, EY; Sambeth, J; Porta, A. (2012). Characterization and health risk assessment of VOCs in occupational environments in Buenos Aires, Argentina. *Atmos Environ*. 55: 440-447. <http://dx.doi.org/10.1016/j.atmosenv.2012.03.041>.
- Colomb, A; Williams, J; Crowley, J; Gros, V; Hofmann, R; Salisbury, G; Klupfel, T; Kormann, R; Stickler, A; Forster, C; Lelieveld, J. (2006). Airborne measurements of trace organic species in the upper troposphere over Europe: the impact of deep convection. *Environ Chem*. 3: 244-259. <http://dx.doi.org/10.1071/EN06020>.
- Colomb, A; Yassaa, N; Williams, J; Peeken, I; Lochte, K. (2008). Screening volatile organic compounds (VOCs) emissions from five marine phytoplankton species by head space gas chromatography/mass spectrometry (HS-GC/MS). *J Environ Monit*. 10: 325-330. <http://dx.doi.org/10.1039/b715312>.
- Columbano, A; Ledda-Columbano, GM. (2003). Mitogenesis by ligands of nuclear receptors: an attractive model for the study of the molecular mechanisms implicated in liver growth [Review]. *Cell Death Differ*. 10: S19-S21. <http://dx.doi.org/10.1038/sj.cdd.4401113>.

Fate Literature Search Results

Off Topic

- Columbano, A; Ledda-Columbano, GM; Coni, PP; Faa, G; Liguori, C; Santa Cruz, G; Pani, P. (1985). Occurrence of cell death (apoptosis) during the involution of liver hyperplasia. *Lab Invest.* 52: 670-675.
- Columbano, A; Ledda-Columbano, GM; Ennas, MG; Curto, M; Chelo, A; Pani, P. (1990). Cell proliferation and promotion of rat liver carcinogenesis: Different effect of hepatic regeneration and mitogen induced hyperplasia on the development of enzyme-altered foci. *Carcinogenesis.* 11: 771-776. <http://dx.doi.org/10.1093/carcin/11.5.771>.
- Columbano, A; Ledda-Columbano, GM; Lee, G; Rajalakshmi, S; Sarma, DS. (1987). Inability of mitogen-induced liver hyperplasia to support the induction of enzyme-altered islands induced by liver carcinogens. *Cancer Res.* 47: 5557-5559.
- Comandella, D; Woszidlo, S; Georgi, A; Kopinke, FD; Mackenzie, K. (2016). Efforts for long-term protection of palladium hydrodechlorination catalysts. *Appl Catal B-Environ.* 186: 204-211. <http://dx.doi.org/10.1016/j.apcatb.2015.12.043>.
- Comelli, F; Castellari, C; Francesconi, R. (1981). VAPOR-LIQUID-EQUILIBRIA IN BINARY-SYSTEMS CONTAINING 1,3-DIOXOLANE AT ISOBARIC CONDITIONS .1. BINARY-MIXTURES OF 1,3-DIOXOLANE WITH 1,2-TRANS-DICHLOROETHYLENE, TRICHLOROETHYLENE, AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data.* 26: 334-338.
- Comelli, F; Francesconi, R. (1995). DENSITIES AND EXCESS MOLAR VOLUMES OF BINARY-MIXTURES CONTAINING PROPYLENE CARBONATE PLUS 10 CHLOROHYDROCARBONS AT 298.15 K AND ATMOSPHERIC-PRESSURE. *Journal of Chemical and Engineering Data.* 40: 1184-1187.
- Comelli, F; Francesconi, R. (1995). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR 2,2,4-TRIMETHYLPENTANE PLUS 5 CHLOROHYDROCARBON BINARY-SYSTEMS AT 343.15-K. *Journal of Chemical and Engineering Data.* 40: 21-24.
- Confavreux-Romestaing, C; Charbotel, B; Muller-Beaute, P; Fevotte, J; Massardier-Pilonchery, A; Bergeret, A. (2009). Links between work exposure to trichloroethylene and cervical cancer: A pilot study. *Arch Mal Prof Environ.* 70: 417-424. <http://dx.doi.org/10.1016/j.admp.2009.04.011>.
- Coni, P; Simbula, G; De Prati, AC; Menegazzi, M; Suzuki, H; Sarma, DSR; Ledda-Columbano, GM; Columbano, A. (1993). Differences in the steady-state levels of c-fos, c-jun and c-myc messenger RNA during mitogen-induced liver growth and compensatory regeneration. *Hepatology.* 17: 1109-1116. <http://dx.doi.org/10.1002/hep.1840170626>.
- Conka, K; Chovancová, J; Stachová Sejáková, Z; Dömötörövá, M; Fabišíková, A; Drobná, B; Kočan, A. (2014). PCDDs, PCDFs, PCBs and OCPs in sediments from selected areas in the Slovak Republic. *Chemosphere.* 98: 37-43. <http://dx.doi.org/10.1016/j.chemosphere.2013.09.068>.
- Conklin, MH; Corley, TL; Roberts, PA; Davis, JH; Vandewater, JG. (1995). NONEQUILIBRIUM PROCESSES AFFECTING FORCED VENTILATION OF BENZENE AND XYLENE IN A DESERT SOIL. *Water Resour Res.* 31: 1355-1365.
- Connaughton, DF; Stedinger, JR; Lion, LW; Shuler, ML. (1993). Description of time-varying desorption kinetics: Release of naphthalene from contaminated soils. *Environ Sci Technol.* 27: 2397-2403.
- Conner, EA; Lemmer, ER; Omori, M; Wirth, PJ; Factor, VM; Thorgeirsson, SS. (2000). Dual functions of E2F-1 in a transgenic mouse model of liver carcinogenesis. *Oncogene.* 19: 5054-5062. <http://dx.doi.org/10.1038/sj.onc.1203885>.
- Conner, EA; Lemmer, ER; Sánchez, A; Factor, VM; Thorgeirsson, SS. (2003). E2F1 blocks and c-Myc accelerates hepatic ploidy in transgenic mouse models. *Biochem Biophys Res Commun.* 302: 114-120. [http://dx.doi.org/10.1016/S0006-291X\(03\)00125-6](http://dx.doi.org/10.1016/S0006-291X(03)00125-6).
- Conrad, ME; Brodie, EL; Radtke, CW; Bill, M; Delwiche, ME; Lee, MH; Swift, DL; Colwell, FS. (2009). Isotopic evidence for TCE co-metabolism stimulated by electron donor addition to groundwater. *Geochim Cosmo Acta.* 73: A241-A241.
- Conrad, ME; Brodie, EL; Radtke, CW; Bill, M; Delwiche, ME; Lee, MH; Swift, DL; Colwell, FS. (2010). Field evidence for co-metabolism of trichloroethene stimulated by addition of electron donor to groundwater. *Environ Sci Technol.* 44: 4697-4704. <http://dx.doi.org/10.1021/es903535j>.
- Conrad, SH; Glass, RJ; Peplinski, WJ. (2002). Bench-scale visualization of DNAPL remediation processes in analog heterogeneous aquifers: surfactant floods and in situ oxidation using permanganate. *J Contam Hydrol.* 58: 13-49.
- Consales, C; Toft, G; Leter, G; Bonde, JP; Uccelli, R; Pacchierotti, F; Eleuteri, P; Jönsson, BA; Giwercman, A; Pedersen, HS; Struciński, P; Góralczyk, K; Zvezdai, V; Spanò, M. (2016). Exposure to persistent organic pollutants and sperm DNA methylation changes in Arctic and European populations. *Environ Mol Mutagen.* 57: 200-209. <http://dx.doi.org/10.1002/em.21994>.
- Contrera, JF; Jacobs, AC; DeGeorge, JJ. (1997). Carcinogenicity testing and the evaluation of regulatory requirements for pharmaceuticals. *Regul Toxicol Pharmacol.* 25: 130-145. <http://dx.doi.org/10.1006/rtph.1997.1085>.
- Conzen, JP; Burck, J; Ache, HJ. (1994). DETERMINATION OF CHLORINATED HYDROCARBONS IN WATER BY FIBEROPTIC EVANESCENT-WAVE SPECTROSCOPY AND PARTIAL LEAST-SQUARES REGRESSION. *Fresenius J Anal Chem.* 348: 501-505.
- Cook, RE; Thoreson, KA; Mcneill, K. (2009). Dechlorination of trichloroethylene (TCE) using zero-valent iron in organic solvents. *Abstracts of Papers - American Chemical Society.* 237.
- Cool, TA; Nakajima, K; Mostefaoui, TA; Qi, F; Mcilroy, A; Westmoreland, PR; Law, ME; Poisson, L; Peterka, DS; Ahmed, M. (2003). Selective detection of isomers with photoionization mass spectrometry for studies of hydrocarbon flame chemistry. *J Chem Phys.* 119: 8356-8365. <http://dx.doi.org/10.1063/1.1611173>.
- Cooper, A. (2004). The role of glutamine transaminase K (GTK) in sulfur and alpha-keto acid metabolism in the brain, and in the possible bioactivation of neurotoxicants [Review]. *Neurochem Int.* 44: 557-577. <http://dx.doi.org/10.1016/j.neuint.2003.12.002>.
- Cooper, AM; Hristovski, KD; Möller, T; Westerhoff, P; Sylvester, P. (2010). The effect of carbon type on arsenic and trichloroethylene removal capabilities of iron (hydr)oxide nanoparticle-impregnated granulated activated carbons. *J Hazard Mater.* 183: 381-388. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.036>.
- Cooper, G; Miller, F; Pandey, J. (1999). The role of genetic factors in autoimmune disease: implications for environmental research [Review]. *Environ Health Perspect.* 107: 693-700. <http://dx.doi.org/10.1289/ehp.99107s5693>.

Fate Literature Search Results

Off Topic

- Cooper, G; Stroehla, B. (2003). The epidemiology of autoimmune diseases [Review]. *Autoimmun Rev.* 2: 119-125. [http://dx.doi.org/10.1016/S1568-9972\(03\)00006-5](http://dx.doi.org/10.1016/S1568-9972(03)00006-5).
- Cooper, GS; Gilbert, KM; Greidinger, EL; James, JA; Pfau, JC; Reinlib, L; Richardson, BC; Rose, NR. (2008). Recent advances and opportunities in research on lupus: environmental influences and mechanisms of disease [Review]. *Environ Health Perspect.* 116: 695-702. <http://dx.doi.org/10.1289/ehp.11092>.
- Cooper, GS; Makris, SL; Nietert, PJ; Jinot, J. (2009). Evidence of autoimmune-related effects of trichloroethylene exposure from studies in mice and humans [Review]. *Environ Health Perspect.* 117: 696-702. <http://dx.doi.org/10.1289/ehp.11782>.
- Cooper, GS; Parks, CG; Treadwell, EL; St Clair, EW; Gilkeson, GS; Dooley, MA. (2004). Occupational risk factors for the development of systemic lupus erythematosus. *J Rheumatol.* 31: 1928-1933.
- Cooper, WJ; Meacham, DE; Nickelsen, MG; Lin, KJ; Ford, DB; Kurucz, CN; Waite, TD. (1993). THE REMOVAL OF TRICHLOROETHYLENE (TCE) AND TETRACHLOROETHYLENE (PCE) FROM AQUEOUS-SOLUTION USING HIGH-ENERGY ELECTRONS. *Journal of the Air and Waste Management Association.* 43: 1358-1366.
- Cooper, WJ; Nickelsen, MG; Meacham, DE; Cadavid, EM; Waite, TD; Kurucz, CN. (1992). High energy electron beam irradiation: An innovative process for the treatment of aqueous based organic hazardous wastes. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 27: 219-244.
- Cope, DB; Benson, CH. (2009). Grey-iron foundry slags as reactive media for removing trichloroethylene from groundwater. *Environ Sci Technol.* 43: 169-175. <http://dx.doi.org/10.1021/es801359d>.
- Cope, N; Hughes, JB. (2001). Biologically-enhanced removal of PCE from NAPL source zones. *Environ Sci Technol.* 35: 2014-2021.
- Copeland, CD; Chen, Z. (2016). The Benefits of an Inverted Brayton Bottoming Cycle as an Alternative to Turbocompounding. *J Eng Gas Turbines Power.* 138. <http://dx.doi.org/10.1115/1.4031790>.
- Copeland, KT; Checkoway, H; McMichael, AJ; Holbrook, RH. (1977). Bias due to misclassification in the estimation of relative risk. *Am J Epidemiol.* 105: 488-495.
- Corapcioglu, MY; Sung, K; Kim, J. (2004). Parameter determination of sequential reductive dehalogenation reactions of chlorinated hydrocarbons. *Transport in Porous Media.* 55: 169-182.
- Cordier, S; Garlandezec, R; Labat, L; Rouget, F; Monfort, C; Bonvallot, N; Roig, B; Pulkkinen, J; Chevrier, C; Multigner, L, uc. (2012). Exposure during pregnancy to glycol ethers and chlorinated solvents and the risk of congenital malformations. *Epidemiology.* 23: 806-812. <http://dx.doi.org/10.1097/EDE.0b013e31826c2bd8>.
- Corella, J; Toledo, JM; Padilla, AM. (2000). On the selection of the catalyst among the commercial platinum-based ones for total oxidation of some chlorinated hydrocarbons. *Appl Catal B-Environ.* 27: 243-256.
- Cornejo, JJ; Munoz, FG; Ma, CY; Stewart, AJ. (1999). Studies on the decontamination of air by plants. *Ecotoxicology.* 8: 311-320.
- Coronado, JM; Sanchez, B; Fresno, F; Suarez, S; Portela, R. (2008). Influence of catalyst properties and reactor configuration on the photocatalytic degradation of trichloroethylene under sunlight irradiation. *J Sol Energ Eng.* 130: 041012. <http://dx.doi.org/10.1115/1.2969797>.
- Coronado, JM; Sanchez, B; Portela, R; Suarez, S. (2008). Solar photocatalysis for the elimination of trichloroethylene in the gas phase. *J Sol Energ Eng.* 130. <http://dx.doi.org/10.1115/1.2807194>.
- Coronado, JM; Zorn, ME; Tejedor-Tejedor, I; Anderson, MA. (2003). Photocatalytic oxidation of ketones in the gas phase over TiO₂ thin films: a kinetic study on the influence of water vapor. *Appl Catal B-Environ.* 43: 329-344. [http://dx.doi.org/10.1016/S0926-3373\(03\)00022-5](http://dx.doi.org/10.1016/S0926-3373(03)00022-5).
- Corradi, L; Panzeri, N. (2003). Post-collapse analysis of plates and shells based on a rigid-plastic version of the TRIC element. *Computer Methods in Applied Mechanics and Engineering.* 192: 3747-3775. [http://dx.doi.org/10.1016/S0045-7825\(03\)00373-6](http://dx.doi.org/10.1016/S0045-7825(03)00373-6).
- Corradi, L; Panzeri, N. (2004). A triangular finite element for sequential limit analysis of shells. *Adv Eng Software.* 35: 633-643. <http://dx.doi.org/10.1016/j.advengsoft.2004.03.014>.
- Correia, Y; Martens, GJ; Van Mensch, FH; Whim, BP. (1977). The occurrence of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane in western Europe in air and water. *Atmos Environ.* 11: 1113-1116. [http://dx.doi.org/10.1016/0004-6981\(77\)90243-8](http://dx.doi.org/10.1016/0004-6981(77)90243-8).
- Corton, JC; Lapinskas, PJ. (2005). Peroxisome proliferator-activated receptors: Mediators of phthalate ester-induced effects in the male reproductive tract? [Review]. *Toxicol Sci.* 83: 4-17. <http://dx.doi.org/10.1093/toxsci/kfi011>.
- Cosnier, F; Celzard, A; Furdin, G; Begin, D; Mareche, JF; Barres, O. (2005). Hydrophobisation of active carbon surface and effect on the adsorption of water. *Carbon.* 43: 2554-2563. <http://dx.doi.org/10.1016/j.carbon.2005.05.007>.
- Coss, PM; Cha, CY. (2000). Microwave regeneration of activated carbon used for removal of solvents from vented air. *J Air Waste Manag Assoc.* 50: 529-535.
- Costa, AK; Ivanetich, KM. (1984). Chlorinated ethylenes: their metabolism and effect on DNA repair in rat hepatocytes. *Carcinogenesis.* 5: 1629-1636. <http://dx.doi.org/10.1093/carcin/5.12.1629>.
- Costa, G; Merletti, F; Segnan, N. (1989). A mortality cohort study in a north Italian aircraft factory. *Br J Ind Med.* 46: 738-743. <http://dx.doi.org/10.1136/oem.46.10.738>.
- Costanza, J; Davis, EL; Mulholland, JA; Pennell, KD. (2005). Abiotic degradation of trichloroethylene under thermal remediation conditions. *Environ Sci Technol.* 39: 6825-6830. <http://dx.doi.org/10.1021/es0502932>.
- Costanza, J; Fletcher, KE; Löffler, FE; Pennell, KD. (2009). Fate of TCE in heated Fort Lewis soil. *Environ Sci Technol.* 43: 909-914. <http://dx.doi.org/10.1021/es802508x>.
- Costanza, J, ed; Pennell, KD. (2007). Distribution and abiotic degradation of chlorinated solvents in heated field samples. *Environ Sci Technol.* 41: 1729-1734. <http://dx.doi.org/10.1021/es062419g>.

Fate Literature Search Results

Off Topic

- Costanza, J; Pennell, KD. (2008). Comparison of PCE and TCE disappearance in heated volatile organic analysis vials and flame-sealed ampules. *Chemosphere*. 70: 2060-2067. <http://dx.doi.org/10.1016/j.chemosphere.2007.09.007>.
- Costanza-Robinson, MS; Brusseau, ML. (2002). Gas phase advection and dispersion in unsaturated porous media. *Water Resour Res*. 38. <http://dx.doi.org/10.1029/2001WR000895>.
- Costanza-Robinson, MS; Carlson, TD; Brusseau, ML. (2013). Vapor-phase transport of trichloroethene in an intermediate-scale vadose-zone system: retention processes and tracer-based prediction. *J Contam Hydrol*. 145: 82-89. <http://dx.doi.org/10.1016/j.jconhyd.2012.12.004>.
- Costas, K; Knorr, RS; Condon, SK. (2002). A case-control study of childhood leukemia in Woburn, Massachusetts: The relationship between leukemia incidence and exposure to public drinking water. *Sci Total Environ*. 300: 23-35. [http://dx.doi.org/10.1016/S0048-9697\(02\)00169-9](http://dx.doi.org/10.1016/S0048-9697(02)00169-9).
- Costet, N; Garlandezec, R; Monfort, C; Rouget, F; Gagniere, B; Chevrier, C; Cordier, S. (2012). Environmental and Urinary Markers of Prenatal Exposure to Drinking Water Disinfection By-Products, Fetal Growth, and Duration of Gestation in the PELAGIE Birth Cohort (Brittany, France, 2002-2006). *Am J Epidemiol*. 175: 263-275. <http://dx.doi.org/10.1093/aje/kwr419>.
- Costet, P; Legendre, C; Moré, J; Edgar, A; Galtier, P; Pineau, T. (1998). Peroxisome proliferator-activated receptor alpha-isoform deficiency leads to progressive dyslipidemia with sexually dimorphic obesity and steatosis. *J Biol Chem*. 273: 29577-29585. <http://dx.doi.org/10.1074/jbc.273.45.29577>.
- Cotel, S; Schaefer, G; Barthes, V; Baussand, P. (2011). Effect of Density-Driven Advection on Trichloroethylene Vapor Diffusion in a Porous Medium. *Vadose Zone Journal*. 10: 565-581. <http://dx.doi.org/10.2136/vzj2010.0032>.
- Cotel, S; Schaefer, G; Traverse, S; Marzougui-Jaafar, S; Gay, G; Razakarisoa, O. (2015). Evaluation of VOC fluxes at the soil-air interface using different flux chambers and a quasi-analytical approach. *Water Air Soil Pollut*. 226. <http://dx.doi.org/10.1007/s11270-015-2596-y>.
- Couffin, N; Cabassud, C; Lahoussine-Turcaud, V. (1998). A new process to remove halogenated VOCs for drinking water production: vacuum membrane distillation. *Desalination*. 117: 233-245.
- Coulbaly, L; Labib, ME; Hazen, R. (2001). Comparative study between CalTOX and soil screening levels modeling approaches. *Int J Phytoremediation*. 10: 285-300.
- Counts, J; Sarmiento, J; Harbison, M; Downing, J; McClain, R; Goodman, J. (1996). Cell proliferation and global methylation status changes in mouse liver after phenobarbital and/or choline-devoid, methionine-deficient diet administration. *Carcinogenesis*. 17: 1251-1257. <http://dx.doi.org/10.1093/carcin/17.6.1251>.
- Coote, N; Ortego, JD; Richardson, JT; Twigg, MV. (1998). Catalytic steam reforming of chlorocarbons: trichloroethane, trichloroethylene and perchloroethylene. *Appl Catal B-Environ*. 19: 175-187.
- Covaci, A; Jorens, P; Jacquemyn, Y; Schepens, P. (2002). Distribution of PCBs and organochlorine pesticides in umbilical cord and maternal serum. *Sci Total Environ*. 298: 45-53. [http://dx.doi.org/10.1016/S0048-9697\(02\)00167-5](http://dx.doi.org/10.1016/S0048-9697(02)00167-5).
- Cowman, PF; Bellwood, DR. (2013). Vicariance across major marine biogeographic barriers: temporal concordance and the relative intensity of hard versus soft barriers. *Proceedings of the Royal Society of London B: Biological Sciences*. 280: 20131541. <http://dx.doi.org/10.1098/rspb.2013.1541>.
- Cox, CD; H-J, W; Robinson, KG. (1998). Cometabolic biodegradation of trichloroethylene (TCE) in the gas phase. *Water Sci Technol*. 37: 97-104.
- Cox, SF; Mckinley, JD; Ferguson, AS; O'Sullivan, G; Kalin, RM. (2013). Degradation of carbon disulphide (CS₂) in soils and groundwater from a CS₂-contaminated site. *Environ Earth Sci*. 68: 1935-1944. <http://dx.doi.org/10.1007/s12665-012-1881-y>.
- Crabb, D; Pinaire, J; Chou, W; Sissom, S; Peters, J; Harris, R; Stewart, M. (2001). Peroxisome proliferator-activated receptors (PPAR) and the mitochondrial aldehyde dehydrogenase (ALDH2) promoter in vitro and in vivo. *Alcohol Clin Exp Res*. 25: 945-952. <http://dx.doi.org/10.1111/j.1530-0277.2001.tb02301.x>.
- Crane, RA; Scott, TB. (2012). Nanoscale zero-valent iron: Future prospects for an emerging water treatment technology [Review]. *J Hazard Mater*. 211: 112-125. <http://dx.doi.org/10.1016/j.jhazmat.2011.11.073>.
- Cretnik, S; Bernstein, A; Shouakar-Stash, O; Löffler, F; Elsner, M. (2014). Chlorine isotope effects from isotope ratio mass spectrometry suggest intramolecular C-Cl bond competition in trichloroethene (TCE) reductive dehalogenation. *Molecules*. 19: 6450-6473. <http://dx.doi.org/10.3390/molecules19056450>.
- Crimi, M; Quickel, M; Ko, S. (2009). Enhanced permanganate in situ chemical oxidation through MnO₂ particle stabilization: Evaluation in 1-D transport systems. *J Contam Hydrol*. 105: 69-79. <http://dx.doi.org/10.1016/j.jconhyd.2008.11.007>.
- Crimi, ML; Siegrist, RL. (2004). Association of cadmium with MnO₂ particles generated during permanganate oxidation. *Water Res*. 38: 887-894. <http://dx.doi.org/10.1016/j.watres.2003.09.029>.
- Crimi, ML; Siegrist, RL. (2004). Impact of reaction conditions on MnO₂ genesis during permanganate oxidation. *J Environ Eng*. 130: 562-572. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:5\(562\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:5(562)).
- Crimi, ML; Siegrist, RL. (2005). Factors affecting effectiveness and efficiency of DNAPL destruction using potassium permanganate and catalyzed hydrogen peroxide. *J Environ Eng*. 131: 1724-1732. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:12\(1724\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:12(1724)).
- Crimi, ML; Taylor, J. (2007). Experimental evaluation of catalyzed hydrogen peroxide and sodium persulfate for destruction of BTEX contaminants. *Soil Sediment Contam*. 16: 29-45. <http://dx.doi.org/10.1080/15320380601077792>.
- Crittenden, JC; Liu, J; Hand, DW; Perram, DL. (1997). Photocatalytic oxidation of chlorinated hydrocarbons in water. *Water Res*. 31: 429-438.
- Crittenden, JC; Suri, RPS; Perram, DL; Hand, DW. (1997). Decontamination of water using adsorption and photocatalysis. *Water Res*. 31: 411-418. [http://dx.doi.org/10.1016/S0043-1354\(96\)00258-8](http://dx.doi.org/10.1016/S0043-1354(96)00258-8).
- Crock, CA; Tarabara, VV. (2016). Pd and Pd-Au nanocatalysts supported on exfoliated graphite for high throughput dehalogenation by nanocomposite membranes. 3: 453-461. <http://dx.doi.org/10.1039/c5en00245a>.

Fate Literature Search Results

Off Topic

- Croen, LA; Shaw, GM; Sanbonmatsu, L; Selvin, S; Buffler, PA. (1997). Maternal residential proximity to hazardous waste sites and risk for selected congenital malformations. *Epidemiology*. 8: 347-354. <http://dx.doi.org/10.1097/00001648-199707000-00001>.
- Cronin, W; Oswald, E; Shelley, M; Fisher, J; Flemming, C. (1995). A trichloroethylene risk assessment using a Monte Carlo analysis of parameter uncertainty in conjunction with physiologically-based pharmacokinetic modeling. *Risk Anal*. 15: 555-565.
- Crook, ED; Wofford, P; Oliver, B. (2003). Advanced diabetic nephropathy disproportionately affects African-American females: Cross-sectional analysis and determinants of renal survival in an academic renal clinic. *Ethn Dis*. 13: 28-33.
- Crowder, ML; Gooding, CH. (1997). Spiral wound, hollow fiber membrane modules: A new approach to higher mass transfer efficiency. *J Memb Sci*. 137: 17-29.
- Cruzan, G; Bus, J; Banton, M; Gingell, R; Carlson, G. (2009). Mouse specific lung tumors from CYP2F2-mediated cytotoxic metabolism: An endpoint/toxic response where data from multiple chemicals converge to support a mode of action [Review]. *Regul Toxicol Pharmacol*. 55: 205-218. <http://dx.doi.org/10.1016/j.yrtph.2009.07.002>.
- Cuadra, SN; Linderholm, L; Athanasiadou, M; Jakobsson, K. (2006). Persistent organochlorine pollutants in children working at a waste-disposal site and in young females with high fish consumption in Managua, Nicaragua. *Ambio*. 35: 109-116.
- Cucciniello, R; Intiso, A; Castiglione, S; Genga, A; Proto, A; Rossi, F. (2017). Total oxidation of trichloroethylene over mayenite (Ca₁₂Al₁₄O₃₃) catalyst. *Appl Catal B-Environ*. 204: 167-172. <http://dx.doi.org/10.1016/j.apcatb.2016.11.035>.
- Cueto, MJM; Vallejo, MG; Rodriguez, MR; Minchero, RM. (1994). PHYSICOCHEMICAL STUDIES CONCERNING MISCELLES OF VEGETABLE-OILS .15. APPLICATION OF ANDRADE AND KRONE EQUATIONS TO METHYL MIRYSTATE SOLUTIONS IN CYCLOHEXANE, HEXANE, TETRACHLOROETHYLENE OR TRICHLOROETHYLENE. *Grasas y Aceites*. 45: 224-226.
- Culver, TB; Brown, RA; Smith, JA. (2000). Rate-limited sorption and desorption of 1,2-dichlorobenzene to a natural sand soil column. *Environ Sci Technol*. 34: 2446-2452. <http://dx.doi.org/10.1021/es9906655>.
- Culver, TB; Hallisey, SP; Sahoo, D; Deitsch, JJ; Smith, JA. (1997). Modeling the desorption of organic contaminants from long-term contaminated soil using distributed mass transfer rates. *Environ Sci Technol*. 31: 1581-1588.
- Cummings, B; Zangar, R; Novak, R; Lash, L. (2000). Cytotoxicity of trichloroethylene and S-(1, 2-dichlorovinyl)-L-cysteine in primary cultures of rat renal proximal tubular and distal tubular cells. *Toxicology*. 150: 83-98. [http://dx.doi.org/10.1016/S0300-483X\(00\)00252-3](http://dx.doi.org/10.1016/S0300-483X(00)00252-3).
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther*. 293: 677-685.
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos*. 27: 542-548.
- Cunningham, JA; Hoelen, TP; Hopkins, GD; Lebron, CA; Reinhard, M. (2004). Hydraulics of recirculating well pairs for ground water remediation. *Ground Water*. 42: 880-889.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Comparative evaluation of chloroethene dechlorination to ethene by Dehalococcoides-like microorganisms. *Environ Sci Technol*. 38: 4768-4774. <http://dx.doi.org/10.1021/es049965z>.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Vinyl chloride and cis-dichloroethene dechlorination kinetics and microorganism growth under substrate limiting conditions. *Environ Sci Technol*. 38: 1102-1107. <http://dx.doi.org/10.1021/es0348647>.
- Cupul-Uicab, LA; Gladen, BC; Hernández-Avila, M; Weber, JP; Longnecker, MP. (2008). DDE, a degradation product of DDT, and duration of lactation in a highly exposed area of Mexico. *Environ Health Perspect*. 116: 179-183. <http://dx.doi.org/10.1289/ehp.10550>.
- Curcio, MS; Oliveira, MP; Waldman, WR; Sánchez, B; Canela, MC. (2015). TiO₂ sol-gel for formaldehyde photodegradation using polymeric support: photocatalysis efficiency versus material stability. *Environ Sci Pollut Res Int*. 22: 800-809. <http://dx.doi.org/10.1007/s11356-014-2683-4>.
- Cutright, TJ; Meza, L. (2007). Evaluation of the aerobic biodegradation of trichloroethylene via response surface methodology. *Environ Int*. 33: 338-345. <http://dx.doi.org/10.1016/j.envint.2006.11.012>.
- Cwiertny, DM; Bransfield, SJ; Livi, KJ; Fairbrother, DH; Robertst, AL. (2006). Exploring the influence of granular iron additives on 1,1,1-trichloroethane reduction. *Environ Sci Technol*. 40: 6837-6843. <http://dx.doi.org/10.1021/es060921v>.
- Cwiertny, DM; Bransfield, SJ; Roberts, AL. (2007). Influence of the oxidizing species on the reactivity of iron-based bimetallic reductants. *Environ Sci Technol*. 41: 3734-3740. <http://dx.doi.org/10.1021/es062993s>.
- Cyr, PJ; Paraskewich, MR; Suri R, PS. (1999). Sonochemical destruction of trichloroethylene in water. *Water Sci Technol*. 40: 4-5.
- Czaja, K; Ludwicki, JK; Goralczyk, K; Strucinski, P. (1999). Effect of changes in excretion of persistent organochlorine compounds with human breast milk on related exposure of breast-fed infants. *Arch Environ Contam Toxicol*. 36: 498-503. <http://dx.doi.org/10.1007/PL00006623>.
- Czarnowski, J. (1991). FORMATION OF GLYOXYLOXYL CHLORIDE, HC(O)C(O)CL, IN THE GAS-PHASE OXIDATION OF TRICHLOROETHENE BY NO₂. *J Chem Soc Perkin Trans* 21459-1462.
- Czarnowski, J. (2006). Formation of bromodifluoroacetyl fluoride, CF₂BrC(O)F, in the thermal gas-phase oxidation of bromotrifluoroethene, CF₂CFBr, initiated by trifluoromethylhypofluorite, CF₃OF. *J Fluor Chem*. 127: 736-739. <http://dx.doi.org/10.1016/j.jfluchem.2006.02.003>.
- da Silva, CKO; Vianna, MMG, R; Foletto, EL; Chiavone-Filho, O; Do Nascimento, CAO. (2015). Optimizing Phenanthrene and Anthracene Oxidation by Sodium Persulfate and Fe-Modified Diatomite Using the Response Surface Method. *Water Air Soil Pollut*. 226. <http://dx.doi.org/10.1007/s11270-015-2362-1>.
- Da Silva, MLB; Alvarez, PJJ. (2008). Exploring the Correlation between Halo-respirer Biomarker Concentrations and TCE Dechlorination Rates. *J Environ Eng*. 134: 895-901. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:11\(895\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:11(895)).

Fate Literature Search Results

Off Topic

- Da Silva, MLB; Daprato, RC; Gomez, DE; Hughes, JB; Ward, CH; Alvarez, PJJ. (2006). Comparison of bioaugmentation and biostimulation for the enhancement of dense nonaqueous phase liquid source zone bioremediation. *Water Environ Res.* 78: 2456-2465. <http://dx.doi.org/10.2175/106143006X123111>.
- Dabral, S; Vanetten, J; Zhang, X; Apblett, C; Yang, GR; Ficalora, P; Mcdonald, JF. (1992). STRESS IN THERMALLY ANNEALED PARYLENE FILMS. *Journal of Electronic Materials.* 21: 989-994.
- Dahlgren, J; Takhar, H; Anderson-Mahoney, P; Kotlerman, J; Tarr, J; Warshaw, R. (2007). Cluster of systemic lupus erythematosus (SLE) associated with an oil field waste site: a cross sectional study. *Environ Health.* 6: 8. <http://dx.doi.org/10.1186/1476-069X-6-8>.
- Dahmann, D; Bauer, HD; Beckmann, U; Stoyke, G; Wuff, T. (1996). Calculation of pollutant concentrations at underground workplaces. *Staub, Reinhaltung der Luft.* 56: 465-469.
- Dai, LL; Sharma, R; Wu, CY. (2005). Self-assembled structure of nanoparticles at a liquid-liquid interface. *Langmuir.* 21: 2641-2643. <http://dx.doi.org/10.1021/la047256t>.
- Dai, Q; Bai, S; Wang, J; Li, M; Wang, X; Lu, G. (2013). The effect of TiO₂ doping on catalytic performances of Ru/CeO₂ catalysts during catalytic combustion of chlorobenzene. *Appl Catal B-Environ.* 142: 222-233. <http://dx.doi.org/10.1016/j.apcatb.2013.05.026>.
- Dai, Q; Bai, S; Wang, Z; Wang, X; Lu, G. (2012). Catalytic combustion of chlorobenzene over Ru-doped ceria catalysts. *Appl Catal B-Environ.* 126: 64-75. <http://dx.doi.org/10.1016/j.apcatb.2012.07.008>.
- Dai, Q; Wang, W, ei; Wang, X; Lu, G. (2017). Sandwich-structured CeO₂@ZSM-5 hybrid composites for catalytic oxidation of 1, 2-dichloroethane: An integrated solution to coking and chlorine poisoning deactivation. *Appl Catal B-Environ.* 203: 31-42. <http://dx.doi.org/10.1016/j.apcatb.2016.10.009>.
- Dai, Q; Wang, X; Lu, G. (2008). Low-temperature catalytic combustion of trichloroethylene over cerium oxide and catalyst deactivation. *Appl Catal B-Environ.* 81: 192-202. <http://dx.doi.org/10.1016/j.apcatb.2007.12.013>.
- Dai, RL; Zhang, GY, a; Gu, X; Wang, MK. (2008). Sorption of 1,1,1-trichloro-2,2-bis(p-chlorophenyl) ethane (DDT) by clays and organoclays. *Environ Geochem Health.* 30: 479-488. <http://dx.doi.org/10.1007/s10653-007-9130-0>.
- Dai, X; De Souza, AT; Dai, H; Lewis, DL; Lee, CK; Spencer, AG; Herweijer, H; Hagstrom, JE; Linsley, PS; Bassett, DE; Ulrich, RG; He, YD. (2007). PPARalpha siRNA-treated expression profiles uncover the causal sufficiency network for compound-induced liver hypertrophy. *PLoS Comput Biol.* 3: 389-401. <http://dx.doi.org/10.1371/journal.pcbi.0030030>.
- Dai, Y; Leng, S; Li, L; Niu, Y; Huang, H; Liu, Q; Duan, H; Cheng, J; Zheng, Y. (2009). Effects of genetic polymorphisms of N-acetyltransferase on trichloroethylene-induced hypersensitivity dermatitis among exposed workers. *Ind Health.* 47: 479-486.
- Daily, W; Ramirez, A. (1995). ELECTRICAL-RESISTANCE TOMOGRAPHY DURING IN-SITU TRICHLOROETHYLENE REMEDIATION AT THE SAVANNA RIVER SITE. *Journal of Applied Geophysics.* 33: 239-249.
- Dajee, M; Lazarov, M; Zhang, JY; Cai, T; Green, CL; Russell, AJ; Marinkovich, MP; Tao, S; Lin, Q; Kubo, Y; Khavari, PA. (2003). NF-kappaB blockade and oncogenic Ras trigger invasive human epidermal neoplasia. *Nature.* 421: 639-643. <http://dx.doi.org/10.1038/nature01283>.
- Dalla Vecchia, E; Luna, M; Sethi, R. (2009). Transport in Porous Media of Highly Concentrated Iron Micro- and Nanoparticles in the Presence of Xanthan Gum. *Environ Sci Technol.* 43: 8942-8947. <http://dx.doi.org/10.1021/es901897d>.
- Dalla Villa, R; Pupo Nogueira, RF. (2006). Oxidation of p,p'-DDT and p,p'-DDE in highly and long-term contaminated soil using Fenton reaction in a slurry system. *Sci Total Environ.* 371: 11-18. <http://dx.doi.org/10.1016/j.scitotenv.2006.05.010>.
- Dallas, CE; Chen, XM; Muralidhara, S; Varkonyi, P; Tackett, RL; Bruckner, JV. (1994). Use of tissue deposition data from rats and dogs to determine species differences in input parameters for a physiological model for perchloroethylene. *Environ Res.* 67: 54-67. <http://dx.doi.org/10.1006/enrs.1994.1064>.
- Damgaard, I, da; Bjerg, PL; Jacobsen, CS; Tsitonaki, A; Kerrn-Jespersen, H; Broholm, MM. (2013). Performance of Full-Scale Enhanced Reductive Dechlorination in Clay Till. *Ground Water Monitoring and Remediation.* 33: 48-61. <http://dx.doi.org/10.1111/j.1745-6592.2012.01405.x>.
- Damgaard, IN; Skakkebaek, NE; Toppari, J; Virtanen, HE; Shen, H; Schramm, KW; Petersen, JH; Jensen, TK; Main, KM. (2006). Persistent pesticides in human breast milk and cryptorchidism. *Environ Health Perspect.* 114: 1133-1138. <http://dx.doi.org/10.1289/ehp.8741>.
- Damm, JH; Hardacre, C; Kalin, RM; Walsh, KP. (2002). Kinetics of the oxidation of methyl tert-butyl ether (MTBE) by potassium permanganate. *Water Res.* 36: 3638-3646.
- D'Andrea, P; Lai, KCK; Kjeldsen, P; Lo, IMC. (2005). Effect of groundwater inorganics on the reductive dechlorination of TCE by zero-valent iron. *Water Air Soil Pollut.* 162: 401-420. <http://dx.doi.org/10.1007/s11270-005-7420-7>.
- Dane, JH; Oostrom, M; Missildine, BC. (1992). An improved method for the determination of capillary pressure-saturation curves involving TCE, water and air. *J Contam Hydrol.* 11: 1-2.
- Danhof, M; de Jongh, J; De Lange, EC; Della Pasqua, O; Ploeger, BA; Voskuyl, RA. (2007). Mechanism-based pharmacokinetic-pharmacodynamic modeling: biophase distribution, receptor theory, and dynamical systems analysis [Review]. *Annu Rev Pharmacol Toxicol.* 47: 357-400. <http://dx.doi.org/10.1146/annurev.pharmtox.47.120505.105154>.
- Daniel Espinosa-Chaurand, L; Silva-Loera, A; Garcia-Esquivel, Z, al; Mercedes Lopez-Acuna, L, us. (2015). Using shrimp head meal as protein replacement of fish meal in diets for juvenile of *Totoaba macdonaldi* (Gilbert, 1890). *Latin American Journal of Aquatic Research.* 43: 457-465. <http://dx.doi.org/10.3856/vol43-issue3-fulltext-7>.
- Daniels, JI; Bogen, KT; Hall, LC. (2000). Analysis of uncertainty and variability in exposure to characterize risk: Case study involving trichloroethylene groundwater contamination at Beale Air Force Base in California. *Water Air Soil Pollut.* 123: 273-298.
- Danish, M; Gu, X; Lu, S; Ahmad, A; Naqvi, M; Farooq, U; Zhang, X; Fu, X; Miao, Z; Xue, Y. (2017). Efficient transformation of trichloroethylene activated through sodium percarbonate using heterogeneous zeolite supported nano zero valent iron-copper bimetallic composite. *Chem Eng J.* 308: 396-407. <http://dx.doi.org/10.1016/j.cej.2016.09.051>.

Fate Literature Search Results

Off Topic

- Danish, M; Gu, X; Lu, S; Brusseau, ML; Ahmad, A; Naqvi, M; Farooq, U; Zaman, WQ; Fu, X; Miao, Z. (2017). An efficient catalytic degradation of trichloroethene in a percarbonate system catalyzed by ultra-fine heterogeneous zeolite supported zero valent iron-nickel bimetallic composite. *Appl Catal A-Gen.* 531: 177-186. <http://dx.doi.org/10.1016/j.apcata.2016.11.001>.
- Danish, M; Gu, X; Lu, S; Naqvi, M. (2016). Degradation of chlorinated organic solvents in aqueous percarbonate system using zeolite supported nano zero valent iron (Z-nZVI) composite. *Environ Sci Pollut Res Int.* 23: 13298-13307. <http://dx.doi.org/10.1007/s11356-016-6488-5>.
- Danish, M; Gu, X; Lu, S; Xu, M; Zhang, X; Fu, X; Xue, Y; Miao, Z; Naqvi, M; Nasir, M. (2016). Role of reactive oxygen species and effect of solution matrix in trichloroethylene degradation from aqueous solution by zeolite-supported nano iron as percarbonate activator. *Res Chem Intermed.* 42: 6959-6973. <http://dx.doi.org/10.1007/s11164-016-2509-8>.
- Danish, M; Gu, X; Zhang, X; Fu, X; Xue, Y; Miao, Z; Ahmad, A; Naqvi, M; Qureshi, AS. (2016). The Effect of Chelating Agents on Enhancement of 1,1,1-Trichloroethane and Trichloroethylene Degradation by Z-nZVI-Catalyzed Percarbonate Process. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-3005-x>.
- Darko-Kagya, K; Khodadoust, AP; Reddy, KR. (2010). Reactivity of Aluminum Lactate-Modified Nanoscale Iron Particles with Pentachlorophenol in Soils. *Environ Eng Sci.* 27: 861-869. <http://dx.doi.org/10.1089/ees.2010.0081>.
- Darko-Kagya, K; Khodadoust, AP; Reddy, KR. (2010). Reactivity of lactate-modified nanoscale iron particles with 2,4-dinitrotoluene in soils. *J Hazard Mater.* 182: 177-183. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.012>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2013). Anaerobic abiotic transformations of cis-1,2-dichloroethene in fractured sandstone. *Chemosphere.* 90: 2226-2232. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.084>.
- Darnerud, P; Brandt, I; Feil, V; Bakke, J. (1989). Dichlorovinyl cysteine (DCVC) in the mouse kidney: tissue-binding and toxicity after glutathione depletion and probenecid treatment. *Arch Toxicol.* 63: 345-350.
- Das, A; Abou-Nemeh, I; Chandra, S; Sirkar, KK. (1998). Membrane-moderated stripping process for removing VOCs from water in a composite hollow fiber module. *J Memb Sci.* 148: 257-271.
- Das, A; Molla, MR; Maity, B; Koley, D; Ghosh, S. (2012). Hydrogen-bonding induced alternate stacking of donor (D) and acceptor (A) chromophores and their supramolecular switching to segregated states. *Chemistry.* 18: 9849-9859. <http://dx.doi.org/10.1002/chem.201201140>.
- Das, C; Chowdhury, R; Bhattacharya, P. (2011). Experiments and three phase modelling of a biofilter for the removal of toluene and trichloroethylene. *Bioprocess Biosyst Eng.* 34: 447-458. <http://dx.doi.org/10.1007/s00449-010-0487-6>.
- Das, S; Banthia, AK; Adhikari, B. (2006). Removal of chlorinated volatile organic contaminants from water by pervaporation using a novel polyurethane urea-poly (methyl methacrylate) interpenetrating network membrane. *Chem Eng Sci.* 61: 6454-6467. <http://dx.doi.org/10.1016/j.ces.2006.06.014>.
- Das, SR; Sadeque, S; Jeong, C; Chen, R; Alam, MA; Janes, DB. (2016). Copercolating Networks: An Approach for Realizing High-Performance Transparent Conductors using Multicomponent Nanostructuring Networks. 5: 180-195. <http://dx.doi.org/10.1515/nanoph-2016-0036>.
- Dashliborun, AM; Sotudeh-Gharebagh, R; Hajaghadzadeh, M; Kakooei, H; Afshar, S. (2013). Modeling of the photocatalytic degradation of methyl ethyl ketone in a fluidized bed reactor of nano-TiO₂/gamma-Al₂O₃ particles. *Chem Eng J.* 226: 59-67. <http://dx.doi.org/10.1016/j.cej.2013.04.022>.
- Dassharma, A; Sen, A; Maiti, HS. (1993). EFFECTIVENESS OF VARIOUS SUSPENSION MEDIA FOR ELECTROPHORETIC DEPOSITION OF YBCO SUPERCONDUCTOR POWDER. *Ceramics International.* 19: 65-70.
- Dasgheib, SA; Karanfil, T. (2005). The effect of the physical and chemical characteristics of activated carbons on the adsorption energy and affinity coefficient of Dubinin equation. *J Colloid Interface Sci.* 292: 312-321. <http://dx.doi.org/10.1016/j.jcis.2005.06.017>.
- Datskos, PG; Rajic, S; Sepaniak, MJ; Lavrik, N; Tipple, CA; Senesac, LR; Datskou, I. (2001). Chemical detection based on adsorption-induced and photoinduced stresses in microelectromechanical systems devices. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 19: 1173-1179.
- Datskou, I; North, K. (1996). Risks due to groundwater contamination at a plutonium processing facility. *Water Air Soil Pollut.* 90: 1-2.
- Datta, KJ; Gawande, MB; Datta, KKR; Ranc, V; Pechousek, J; Krizek, M; Tucek, J; Kale, R; Pospisil, P; Varma, RS; Asefa, T; Zoppellaro, G; Zboril, R. (2016). Micro-mesoporous iron oxides with record efficiency for the decomposition of hydrogen peroxide: morphology driven catalysis for the degradation of organic contaminants. 4: 596-604. <http://dx.doi.org/10.1039/c5ta08386a>.
- Dautel, J; Abele, S; Schwarz, W. (1997). Syntheses of 2,2-diphenylethyl-substituted silanes - Molecular structure of trichloro-2,2-diphenylethylsilane. *Zeitschrift fuer Naturforschung B.* 52: 778-784.
- David, RM; Clewell, HJ; Gentry, PR; Covington, TR; Morgott, DA; Marino, DJ. (2006). Revised assessment of cancer risk to dichloromethane II. Application of probabilistic methods to cancer risk determinations. *Regul Toxicol Pharmacol.* 45: 55-65. <http://dx.doi.org/10.1016/j.yrtph.2005.12.003>.
- David, RM; Moore, MR; Cifone, MA; Finney, DC; Guest, D. (1999). Chronic peroxisome proliferation and hepatomegaly associated with the hepatocellular tumorigenesis of di(2-ethylhexyl)phthalate and the effects of recovery. *Toxicol Sci.* 50: 195-205.
- Davidson, AM; Mellot, CF; Eckert, J; Cheetham, AK. (2000). An inelastic neutron scattering and NIR-FT Raman spectroscopy study of chloroform and trichloroethylene in faujasites. *J Phys Chem B.* 104: 432-438.
- Davie, MG; Cheng, H; Hopkins, GD; Lebron, CA; Reinhard, M. (2008). Implementing heterogeneous catalytic dechlorination technology for remediating TCE-contaminated groundwater. *Environ Sci Technol.* 42: 8908-8915. <http://dx.doi.org/10.1021/es8014919>.
- Davie, MG; Shih, K; Pacheco, FA; Leckie, JO; Reinhard, M. (2008). Palladium-indium catalyzed reduction of N-nitrosodimethylamine: Indium as a promoter metal. *Environ Sci Technol.* 42: 3040-3046. <http://dx.doi.org/10.1021/es7023115>.
- Davis, BM; Istok, JD; Semprini, L. (2002). Push-pull partitioning tracer tests using radon-222 to quantify non-aqueous phase liquid contamination. *J Contam Hydrol.* 58: 129-146.

Fate Literature Search Results

Off Topic

- Davis, BM; Istok, JD; Semprini, L. (2003). Static and push-pull methods using radon-222 to characterize dense nonaqueous phase liquid saturations. *Ground Water*. 41: 470-481.
- Davis, BM; Istok, JD; Semprini, L. (2005). Numerical simulations of radon as an in situ partitioning tracer for quantifying NAPL contamination using push-pull tests. *J Contam Hydrol*. 78: 87-103. <http://dx.doi.org/10.1016/j.jconhyd.2005.03.003>.
- Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem*. 10: 463-474.
- Davis, LC; Muralidharan, N; Visser, VP; Chaffin, C; Fateley, WG; Erickson, LE; Hammaker, RM. (1994). ALFALFA PLANTS AND ASSOCIATED MICROORGANISMS PROMOTE BIODEGRADATION RATHER THAN VOLATILIZATION OF ORGANIC-SUBSTANCES FROM GROUND-WATER. *ACS Symp Ser Am Chem Soc*. 563: 112-122.
- Davis, RR; Murphy, WJ; Snawder, JE; Striley, CA; Henderson, D; Khan, A; Krieg, EF. (2002). Susceptibility to the ototoxic properties of toluene is species specific. *Hear Res*. 166: 24-32. [http://dx.doi.org/10.1016/S0378-5955\(02\)00280-0](http://dx.doi.org/10.1016/S0378-5955(02)00280-0).
- Davis, S; Laszlo Pallos, L; Wu, J; Sapp, J; Cusack, C. (2005). ATSDR's trichloroethylene subregistry methods and results: 1989-2000. *Arch Environ Occup Health*. 60: 130-139. <http://dx.doi.org/10.3200/AEOH.60.3.130-139>.
- Davis, WT; Hood, CC; Dever, M. (1995). ANALYSIS OF A THIN ACTIVATED CARBON LOADED ADSORPTION MEDIUM. *Separation Science and Technology*. 30: 1309-1324.
- Davydov, L; Pratsinis, SE; Smirniotis, PG. (2000). The intrinsic catalytic activity in photoreactors. *Environ Sci Technol*. 34: 3435-3442.
- Dawes, VJ; Waldock, MJ. (1994). Measurement of Volatile Organic Compounds at UK National Monitoring Plan Stations. *Mar Pollut Bull*. 28: 291-298.
- Dawsey, WJ; Minsker, BS; Vanblaricum, VL. (2006). Bayesian belief networks to integrate monitoring evidence of water distribution system contamination. *J Water Resour Plann Manag*. 132: 234-241. [http://dx.doi.org/10.1061/\(ASCE\)0733-9496\(2006\)132:4\(234\)](http://dx.doi.org/10.1061/(ASCE)0733-9496(2006)132:4(234)).
- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation*. 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- Dawson, HE; Roberts, PV. (1997). Influence of viscous, gravitational, and capillary forces on DNAPL saturation. *Ground Water*. 35: 261-269.
- Dayal, H; Gupta, S; Trieff, N; Maierson, D; Reich, D. (1995). Symptom clusters in a community with chronic exposure to chemicals in two superfund sites. *Arch Environ Health*. 50: 108-111. <http://dx.doi.org/10.1080/00039896.1995.9940887>.
- Dayan, H; Abrajano, T; Sturchio, NC; Winsor, L. (1999). Carbon isotopic fractionation during reductive dehalogenation of chlorinated ethenes by metallic iron. *Organic Geochemistry*. 30: 755-763.
- De, AK; Chaudhuri, B; Bhattacharjee, S. (1999). A kinetic study of the oxidation of phenol, o-chlorophenol and catechol by hydrogen peroxide between 298 K and 333 K: the effect of pH, temperature and ratio of oxidant to substrate. *J Chem Tech Biotechnol*. 74: 162-168.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ*. 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Iza, J, on. (2013). Trichloroethylene, tetrachloroethylene and carbon tetrachloride in an urban atmosphere: mixing ratios and temporal patterns. *Int J Environ Anal Chem*. 93: 228-244. <http://dx.doi.org/10.1080/03067319.2011.629346>.
- De Bo, I; Van Langenhove, H; De Keijser, J. (2002). Application of vapour phase calibration method for determination of sorption of gases and VOC in polydimethylsiloxane membranes. *J Memb Sci*. 209: 39-52.
- De Bo, I; Van Langenhove, H; Pruuost, P; De Neve, J; Pieters, J; Vankelecom, IFJ; Dick, E. (2003). Investigation of the permeability and selectivity of gases and volatile organic compounds for polydimethylsiloxane membranes. *J Memb Sci*. 215: 303-319. [http://dx.doi.org/10.1016/S0376-7388\(03\)00024-3](http://dx.doi.org/10.1016/S0376-7388(03)00024-3).
- De Corte, S; Hennebel, T; Fitts, JP; Sabbe, T; Bliznuk, V; Verschuere, S; van der Lelie, D; Verstraete, W; Boon, N. (2011). Biosupported bimetallic Pd-Au nanocatalysts for dechlorination of environmental contaminants. *Environ Sci Technol*. 45: 8506-8513. <http://dx.doi.org/10.1021/es2019324>.
- De Corte, S; Sabbe, T; Hennebel, T; Vanhaecke, L; De Gussem, B; Verstraete, W; Boon, N. (2012). Doping of biogenic Pd catalysts with Au enables dechlorination of diclofenac at environmental conditions. *Water Res*. 46: 2718-2726. <http://dx.doi.org/10.1016/j.watres.2012.02.036>.
- De Felip, E; di Domenico, A; Miniero, R; Silvestroni, L. (2004). Polychlorobiphenyls and other organochlorine compounds in human follicular fluid. *Chemosphere*. 54: 1445-1449. <http://dx.doi.org/10.1016/j.chemosphere.2003.10.040>.
- De Gussem, B; Du Laing, G; Hennebel, T, om; Renard, P; Chidambaram, D, ev; Fitts, JP; Bruneel, E, Is; Van Driessche, I; Verbeken, K, im; Boon, N; Verstraete, W. (2010). Virus Removal by Biogenic Cerium. *Environ Sci Technol*. 44: 6350-6356. <http://dx.doi.org/10.1021/es100100p>.
- de Jong, P; Brenner, B. (2004). From secondary to primary prevention of progressive renal disease: the case for screening for albuminuria [Review]. *Kidney Int*. 66: 2109-2118. <http://dx.doi.org/10.1111/j.1523-1755.2004.66001.x>.
- de Jonge, H; de Jonge, LW; Mittelmeijer-Hazeleger, MC. (2000). The microporous structure of organic and mineral soil materials. *Soil Sci*. 165: 99-108.
- De Paoli, A; Barresi, AA. (2001). Deep oxidation kinetics of trieline over LaFeO₃ perovskite catalyst. *Ind Eng Chem Res*. 40: 1460-1464. <http://dx.doi.org/10.1021/ie000729g>.
- de Rivas, B; Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2006). Analysis of the simultaneous catalytic combustion of chlorinated aliphatic pollutants and toluene over ceria-zirconia mixed oxides. *Appl Catal A-Gen*. 314: 54-63. <http://dx.doi.org/10.1016/j.apcata.2006.08.005>.

Fate Literature Search Results

Off Topic

- de Rivas, B; Lopez-Fonseca, R; Gutierrez-Ortiz, MA; Gutierrez-Ortiz, JI. (2008). Analysis of the behaviour of different mixed oxides in the treatment of Cl-VOC containing gas streams. *Int J Chem React Eng.* 6.
- de Rivas, B; López-Fonseca, R; Gutiérrez-Ortiz, MA; Gutiérrez-Ortiz, JI. (2009). Role of water and other H-rich additives in the catalytic combustion of 1,2-dichloroethane and trichloroethylene. *Chemosphere.* 75: 1356-1362. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.019>.
- de Rivas, B; Lopez-Fonseca, R; Sampedro, C; Gutierrez-Ortiz, JI. (2009). Catalytic behaviour of thermally aged Ce/Zr mixed oxides for the purification of chlorinated VOC-containing gas streams. *Appl Catal B-Environ.* 90: 545-555. <http://dx.doi.org/10.1016/j.apcatb.2009.04.017>.
- De Rivas, B; Sampedro, C; López-Fonseca, R; Gutiérrez-Ortiz, MÁ; Gutiérrez-Ortiz, JI. (2012). Low-temperature combustion of chlorinated hydrocarbons over CeO₂/H-ZSM5 catalysts. *Appl Catal A-Gen.* 417-418: 93-101. <http://dx.doi.org/10.1016/j.apcata.2011.12.028>.
- De Roos, A; Olshan, A; Teschke, K; Poole, C; Savitz, D; Blatt, J; Bondy, M; Pollock, B. (2001). Parental occupational exposures to chemicals and incidence of neuroblastoma in offspring. *Am J Epidemiol.* 154: 106-114. <http://dx.doi.org/10.1093/aje/154.2.106>.
- De Rosa, CT; Pohl, HR; Williams, M; Ademoyero, AA; C-HSJ, C; Jones, DE. (1998). Public health implications of environmental exposures. *Environ Health Perspect.* 106: 369-378.
- de Seze, G; Valsaraj, KT; Reible, DD; Thibodeaux, LJ. (2000). Sediment-air equilibrium partitioning of semi-volatile hydrophobic organic compounds. Part 1. Method development and water vapor sorption isotherm. *Sci Total Environ.* 253: 15-26.
- de Souza e Silva, PT; da Silva, VL; Neto, B; Simonnot, MO. (2009). Potassium permanganate oxidation of phenanthrene and pyrene in contaminated soils. *J Hazard Mater.* 168: 1269-1273. <http://dx.doi.org/10.1016/j.jhazmat.2009.03.007>.
- de Torres, HB; Rensch, C; Fischer, M; Schober, A; Hoffmann, M; Mueller, J. (2010). Thick film flow sensor for biological microsystems. *Sens Actuators A.* 160: 109-115. <http://dx.doi.org/10.1016/j.sna.2010.04.010>.
- de Villiers, AP; Matthews, J; Visagie, SE. (2012). TOUR CONSTRUCTION HEURISTICS FOR AN ORDER SEQUENCING PROBLEM. *South African Journal of Industrial Engineering.* 23: 56-67.
- De Visscher, A. (2003). Kinetic model for the sonochemical degradation of monocyclic aromatic compounds in aqueous solution: new insights. *Ultrason Sonochem.* 10: 157-165. [http://dx.doi.org/10.1016/S1350-4177\(03\)00073-7](http://dx.doi.org/10.1016/S1350-4177(03)00073-7).
- De Visscher, A; Van Langenhove, H; Van Eenoo, P. (1997). Sonochemical degradation of ethylbenzene in aqueous solution: a product study. *Ultrason Sonochem.* 4: 145-151.
- De Vita, G; Tekaya, A. (2015). Hotel outsourcing under asset specificity: "The good, the bad and the ugly". 47: 97-106.
- de Weert, JP; Keijzer, TJ; van Gaans, PF. (2014). Lowering temperature to increase chemical oxidation efficiency: the effect of temperature on permanganate oxidation rates of five types of well defined organic matter, two natural soils, and three pure phase products. *Chemosphere.* 117: 94-103. <http://dx.doi.org/10.1016/j.chemosphere.2014.05.082>.
- De Wildeman, S; Nollet, H; Van Langenhove, H; Verstraete, W. (2001). Reductive biodegradation of 1,2-dichloroethane by methanogenic granular sludge in lab-scale UASB reactors. *Adv Environ Res.* 6: 17-27.
- Deane, M; Swan, S; Harris, J; Epstein, D; Neutra, R. (1989). Adverse pregnancy outcomes in relation to water contamination, Santa Clara County, California, 1980-1981. *Am J Epidemiol.* 129: 894-904.
- Dearden, RA; Noy, DJ; Lelliott, MR; Wilson, R; Wealthall, GP. (2013). Release of contaminants from a heterogeneously fractured low permeability unit underlying a DNAPL source zone. *J Contam Hydrol.* 153: 141-155. <http://dx.doi.org/10.1016/j.jconhyd.2011.05.006>.
- Deduffard, AME; Duffard, R. (1996). Behavioral toxicology, risk assessment, and chlorinated hydrocarbons. *Environ Health Perspect.* 104: 353-360.
- Deeds, DA; Kulongoski, JT; Belitz, K. (2012). Assessing California Groundwater Susceptibility Using Trace Concentrations of Halogenated Volatile Organic Compounds. *Environ Sci Technol.* 46: 13128-13135. <http://dx.doi.org/10.1021/es303546b>.
- Deeg, S; Wittmer, H; Breuer, HD. (2000). Influence of pre-illuminating immobilised titania on the gas phase photodegradation of trichloroethylene. *Journal of Information Recording.* 25: 427-433.
- Deerberg, F; Müller-Peddinghaus, R. (1970). [Comparative studies on the occurrence of spontaneous diseases and spontaneous deaths in conventional and specific germ-free female NMRI-HAN mice]. *Z Versuchstierkd.* 12: 341-347.
- Deerberg, F; Pittermann, W; Rapp, K. (1974). [Lung tumor in the mouse: a progressive tumor]. *Vet Pathol.* 11: 430-441.
- Deflaun, MF; Condee, CW. (1997). Electrokinetic transport of bacteria. *J Hazard Mater.* 55: 1-3.
- Degrassi, F; Tanzarella, C. (1988). Immunofluorescent staining of kinetochores in micronuclei: A new assay for the detection of aneuploidy. *Mutat Res.* 203: 339-345. [http://dx.doi.org/10.1016/0165-1161\(88\)90030-1](http://dx.doi.org/10.1016/0165-1161(88)90030-1).
- Deitsch, JJ; Smith, JA. (1999). Sorption and desorption rate comparisons for 1,2-dichlorobenzene to a peat soil. *Environ Toxicol Chem.* 18: 1701-1709.
- Deitsch, JJ; Smith, JA; Culver, TB; Brown, RA; Riddle, SA. (2000). Distributed rate model analysis of 1,2-dichlorobenzene batch sorption and desorption rates for five natural sorbents. *Environ Sci Technol.* 34: 1469-1476.
- Dejz, A; Gonzalez-Alfaro, V; Llopis, FJ; Miguel, PJ; Vazquez, MI. (1999). Vapor-liquid equilibrium of binary mixtures of trichloroethylene with 1-pentanol, 2-methyl-1-butanol and 3-methyl-1-butanol at 100 kPa. *Fluid Phase Equilibria.* 155: 229-239.
- Dejz, A; Gonzalezalfaro, V; Miguel, PJ; Vazquez, MI. (1996). Isobaric vapor-liquid equilibria of trichloroethylene with 1-butanol and 2-butanol at 28 and 180 kPa. *Journal of Chemical and Engineering Data.* 41: 89-92.
- Dekant, W. (2001). Does exposure to trichloroethene in low doses constitute a cancer risk to humans? *Hum Ecol Risk Assess.* 7: 657-675. <http://dx.doi.org/10.1080/20018091094565>.

Fate Literature Search Results

Off Topic

- Dekant, W; Vamvakas, S; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1986). Bacterial beta-lyase mediated cleavage and mutagenicity of cysteine conjugates derived from the nephrocarcinogenic alkenes trichloroethylene, tetrachloroethylene and hexachlorobutadiene. *Chem Biol Interact.* 60: 31-45. [http://dx.doi.org/10.1016/0009-2797\(86\)90015-3](http://dx.doi.org/10.1016/0009-2797(86)90015-3).
- Dela Barre, BK; Harmon, TC; Chrysikopoulos, CV. (2002). Measuring and modeling the dissolution of nonideally shaped dense nonaqueous phase liquid pools in saturated porous media. *Water Resour Res.* 38: 1133-1133. <http://dx.doi.org/10.1029/2001WR000444>.
- Delahunt, B; Bethwaite, PB; Nacey, JN. (1995). Occupational risk for renal cell carcinoma. A case-control study based on the New Zealand Cancer Registry. *Br J Urol.* 75: 578-582. <http://dx.doi.org/10.1111/j.1464-410X.1995.tb07410.x>.
- Delange, PPM; Deboer, RP; Vanwijkoop, M; Ernsting, JM; Fruhauf, HW; Vrieze, K; Smeets, WJJ; Spek, AL; Goubitz, K. (1993). 1,3-DIPOLAR CYCLOADDITION TO THE FE-N=C FRAGMENT .11. ISOCYANIDE-CONTROLLED CHANGE BETWEEN A REVERSIBLE MOLECULAR SELF-ASSEMBLY OF 3 COMPONENTS, INCLUDING A UNIQUE ISOCYANIDE DEINSERTION, AND DIMETHYL MALEATE COUPLING REACTIONS. *Organometallics.* 12: 440-453.
- Delange, PPM; Vanwijkoop, M; Fruhauf, HW; Vrieze, K; Goubitz, K. (1993). 1,3-DIPOLAR CYCLOADDITION TO THE FE-N=C FRAGMENT .10. SYNTHESIS OF FE(CNR)₃(ALPHA-DIIMINE) COMPLEXES AND THEIR REACTIVITY TOWARD DIMETHYL ACETYLENEDICARBOXYLATE. *Organometallics.* 12: 428-439.
- Delinsky, AD; Delinsky, DC; Muralidhara, S; Fisher, JW; Bruckner, JV; Bartlett, MG. (2005). Analysis of dichloroacetic acid in rat blood and tissues by hydrophilic interaction liquid chromatography with tandem mass spectrometry. *Rapid Commun Mass Spectrom.* 19: 1075-1083. <http://dx.doi.org/10.1002/rcm.189>.
- Demarest, L. (2014). Soil composition at the aquifer level, groundwater quality and the presence of Dehalococcoides ethenogenes at Dover AFB. *Environ Earth Sci.* 71: 4157-4164. <http://dx.doi.org/10.1007/s12665-013-2806-0>.
- Demeestere, K; De Visscher, A; Dewulf, J; Van Leeuwen, M; Van Langenhove, H. (2004). A new kinetic model for titanium dioxide mediated heterogeneous photocatalytic degradation of trichloroethylene in gas-phase. *Appl Catal B-Environ.* 54: 261-274. <http://dx.doi.org/10.1016/j.apcatb.2004.06.020>.
- Demeestere, K; Dewulf, J; Van Langenhove, H; Sercu, B. (2003). Gas-solid adsorption of selected volatile organic compounds on titanium dioxide Degussa P25. *Chem Eng Sci.* 58: 2255-2267. [http://dx.doi.org/10.1016/S0009-2509\(03\)00087-3](http://dx.doi.org/10.1016/S0009-2509(03)00087-3).
- Demou, E; Hellweg, S; Wilson, MP; Hammond, SK; Mckone, TE. (2009). Evaluating indoor exposure modeling alternatives for LCA: A case study in the vehicle repair industry. *Environ Sci Technol.* 43: 5804-5810. <http://dx.doi.org/10.1021/es803551y>.
- Den, W; Huang, C; Li, CH. (2003). Biotrickling Filtration for Control of Volatile Organic Compounds from Microelectronics Industry. *J Environ Eng.* 129: 610. [http://dx.doi.org/10.1061/\(asce\)0733-9372\(2003\)129:7\(610\)](http://dx.doi.org/10.1061/(asce)0733-9372(2003)129:7(610)).
- Den, W; Huang, C; Li, CH. (2004). Effects of cross-substrate interaction on biotrickling filtration for the control of VOC emissions. *Chemosphere.* 57: 697-709. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.018>.
- Den, W; Pirbazari, M. (2002). Modeling and design of vapor-phase biofiltration for chlorinated volatile organic compounds. *AIChE J.* 48: 2084-2103.
- Deng, B; Campbell, TJ; Burris, DR. (1997). Hydrocarbon formation in metallic iron/water systems. *Environ Sci Technol.* 31: 1185-1190.
- Deng, B; Kim, ES. (2016). Co-adsorption of Trichloroethylene and Arsenate by Iron-Impregnated Granular Activated Carbon. *Water Environ Res.* 88: 394-402. <http://dx.doi.org/10.2175/106143016X14504669768372>.
- Deng, B; Kong, S; Kim, CN. (2007). Modeling of photocatalytic oxidation of VOCs in a packed bed reactor under continuous and discontinuous illuminations. *Korean J Chem Eng.* 24: 577-582.
- Deng, BL; Burris, DR; Campbell, TJ. (1999). Reduction of vinyl chloride in metallic iron-water systems. *Environ Sci Technol.* 33: 2651-2656.
- Deng, BL; Hu, SD; Whitworth, TM; Lee, R. (2003). Trichloroethylene reduction on zero valent iron: Probing reactive versus nonreactive sites. *ACS Symp Ser Am Chem Soc.* 837: 181-205.
- Deng, Y; Ezyzke, CM. (2011). Sulfate radical-advanced oxidation process (SR-AOP) for simultaneous removal of refractory organic contaminants and ammonia in landfill leachate. *Water Res.* 45: 6189-6194. <http://dx.doi.org/10.1016/j.watres.2011.09.015>.
- Dennison, JE; Andersen, ME; Clewell, HJ; Yang, RS. (2004). Development of a physiologically based pharmacokinetic model for volatile fractions of gasoline using chemical lumping analysis. *Environ Sci Technol.* 38: 5674-5681. <http://dx.doi.org/10.1021/es035201s>.
- Dennison, JE; Andersen, ME; Dobrev, ID; Mumtaz, MM; Yang, RS. (2004). PBPK modeling of complex hydrocarbon mixtures: Gasoline. *Environ Toxicol Pharmacol.* 16: 107-119. <http://dx.doi.org/10.1016/j.etap.2003.10.003>.
- Dennison, JE; Bigelow, PL; Andersen, ME. (2004). Occupational exposure limits in the context of solvent mixtures, consumption of ethanol, and target tissue dose [Review]. *Toxicol Ind Health.* 20: 165-175. <http://dx.doi.org/10.1191/0748233704th203oa>.
- Dennison, JE; Bigelow, PL; Mumtaz, MM; Andersen, ME; Dobrev, ID; Yang, RS. (2005). Evaluation of potential toxicity from co-exposure to three CNS depressants (toluene, ethylbenzene, and xylene) under resting and working conditions using PBPK modeling. *J Occup Environ Hyg.* 2: 127-135. <http://dx.doi.org/10.1080/15459620590916198>.
- Denton, GRW; Sian-Denton, CM. (2010). Groundwater Monitoring on Guam: Management Responses to Recent Water Quality Violations. *Ground Water Monitoring and Remediation.* 30: 127-133. <http://dx.doi.org/10.1111/j1745-6592.2010.001282.x>.
- Derakhshesh, M; Abedi, J; Hassanzadeh, H. (2010). Mechanism of methanol decomposition by non-thermal plasma. *Journal of Electrostatics.* 68: 424-428. <http://dx.doi.org/10.1016/j.elstat.2010.06.004>.
- Dersimonian, R; Laird, N. (1986). Meta-analysis in clinical trials. *Contr Clin Trials.* 7: 177-188. [http://dx.doi.org/10.1016/0197-2456\(86\)90046-2](http://dx.doi.org/10.1016/0197-2456(86)90046-2).
- Derwent, RG; Carslaw, N; Simmonds, PG; Bassford, M; O'Doherty, S; Ryall, DB; Pilling, MJ; Lewis, AC; Mcquaid, JB. (1999). Hydroxyl radical concentrations estimated from measurements of trichloroethylene during the EASE/ACSOE campaign at Mace Head, Ireland during July 1996. *J Atmos Chem.* 34: 185-205.

Fate Literature Search Results

Off Topic

- Desesso, JM; Lavin, AL. (2001). Debate-commentary: Should trichloroethylene be classified as a human carcinogen? *Hum Ecol Risk Assess.* 7: 651-655.
- Desimone, MC; Rathmell, WK; Threadgill, DW. (2009). Elucidating the Functional Consequences of the Trichloroethylene Associated Von-Hippel Lindau Tumor Suppressor Gene Mutation Using a Genetically Engineered Model System. *Environ Mol Mutagen.* 50: 562-562.
- Desrosiers, TA; Lawson, CC; Meyer, RE; Stewart, PA; Waters, MA; Correa, A; Olshan, AF; Study, NBDP. (2015). Assessed occupational exposure to chlorinated, aromatic and Stoddard solvents during pregnancy and risk of fetal growth restriction. *Occup Environ Med.* 72: 587-593. <http://dx.doi.org/10.1136/oemed-2015-102835>.
- Destailats, H; Alderson, TW; Hoffmann, MR. (2001). Applications of ultrasound in NAPL remediation: Sonochemical degradation of TCE in aqueous surfactant solutions. *Environ Sci Technol.* 35: 3019-3024.
- Destailats, H; Lesko, TM; Knowlton, M; Wallace, H; Hoffmann, MR. (2001). Scale-up of sonochemical reactors for water treatment. *Ind Eng Chem Res.* 40: 3855-3860.
- Destailats, H; Sleiman, M; Sullivan, DP; Jacquiod, C; Sablayrolles, J; Molins, L. (2012). Key parameters influencing the performance of photocatalytic oxidation (PCO) air purification under realistic indoor conditions. *Appl Catal B-Environ.* 128: 159-170. <http://dx.doi.org/10.1016/j.apcatb.2012.03.014>.
- Dettenmaier, EM; Doucette, WJ; Bugbee, B. (2009). Chemical hydrophobicity and uptake by plant roots. *Environ Sci Technol.* 43: 324-329. <http://dx.doi.org/10.1021/es801751x>.
- Detwiler, RL; Rajaram, H; Glass, RJ. (2001). Nonaqueous-phase-liquid dissolution in variable-aperture fractures: Development of a depth-averaged computational model with comparison to a physical experiment. *Water Resour Res.* 37: 3115-3129.
- Deviny, JS; Webster, TS; Torres, E; Basrai, S. (1995). Biofiltration for removal of PCE and TCE vapors from contaminated air. *Hazardous Waste and Hazardous Materials.* 12: 283-293.
- Devlin, JF; Barbaro, JR. (2001). A method of estimating multicomponent nonaqueous-phase liquid mass in porous media using aqueous concentration ratios. *Environ Toxicol Chem.* 20: 2443-2449. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<2443:AMOEMN>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<2443:AMOEMN>2.0.CO;2).
- Devlin, JF; Parker, BL. (1996). Optimum hydraulic conductivity to limit contaminant flux through cutoff walls. *Ground Water.* 34: 719-726.
- Dewar, R; Siemiatyckia, J; Geacuterin, M. (1991). Loss of statistical power associated with the use of a job-exposure matrix in occupational case-control studies. *Appl Occup Environ Hyg.* 6: 508-515.
- Dewulf, J; Van Langenhove, H; De Smedt, E; Geuens, S. (2001). Combination of advanced oxidation processes and gas absorption for the treatment of chlorinated solvents in waste gases. *Water Sci Technol.* 44: 173-180.
- Dewulf, J; Vanlangenhove, H; Everaert, M. (1997). Solid-phase microextraction of volatile organic compounds - Estimation of the sorption equilibrium from the Kovats index, effect of salinity and humic acids and the study of the kinetics by the development of an "agitated/static layer" model. *J Chromatogr A.* 761: 205-217.
- Dhaidan, NS; Khodadadi, JM; Al-Hattab, TA; Al-Mashat, SM. (2013). Experimental and numerical investigation of melting of NePCM inside an annular container under a constant heat flux including the effect of eccentricity. *Int J Heat Mass Tran.* 67: 455-468. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2013.08.002>.
- Dhaidan, NS; Khodadadi, JM; Al-Hattab, TA; Al-Mashat, SM. (2013). Experimental and numerical study of constrained melting of n-octadecane with CuO nanoparticle dispersions in a horizontal cylindrical capsule subjected to a constant heat flux. *Int J Heat Mass Tran.* 67: 523-534. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2013.08.001>.
- Dhar, A; Alford, TL. (2014). Optimization of TiO₂/Cu/TiO₂ Multilayer as Transparent Composite Electrode (TCE) Deposited on Flexible Substrate at Room Temperature. 3: N33-N36. <http://dx.doi.org/10.1149/2.0061411ssl>.
- Dhennezel, O; Ollis, DF. (1996). Photocatalytic oxidation of air contaminants by chlorine (Cl) or hydroxyl (OH) radicals or holes (h⁺): Mechanistic correlations. *Stud Surf Sci Catal.* 101: 435-442.
- Dhennezel, O; Ollis, DF. (1997). Trichloroethylene-promoted photocatalytic oxidation of air contaminants. *J Catal.* 167: 118-126.
- D'Hennezel, O; Pichat, P; Ollis, DF. (1998). Benzene and toluene gas-phase photocatalytic degradation over H₂O and HCl pretreated TiO₂: by-products and mechanisms. *J Photochem Photobiol A.* 118: 197-204.
- Di Lorenzo, T; Borgoni, R; Ambrosini, R; Cifoni, M; Galassi, DM; Petitta, M. (2015). Occurrence of volatile organic compounds in shallow alluvial aquifers of a Mediterranean region: Baseline scenario and ecological implications. *Sci Total Environ.* 538: 712-723. <http://dx.doi.org/10.1016/j.scitotenv.2015.08.077>.
- Di Palma, L; De Filippis, P; Lausdei, D; Petrucci, E. (2015). KINETIC TESTS OF ANAEROBIC DECHLORINATION OF A POLLUTED GROUNDWATER IN ITALY. *Environmental Engineering and Management Journal.* 14: 2713-2718.
- Di, Z; Zheng, S; Xiao-Hui, Y; Da-Peng, W; Kun, D; Ya-Feng, G. (2013). A Porous Membrane Extraction and Microtrap System for On-line Monitoring of Volatile Organic Compounds in Water. *Chin J Anal Chem.* 41: 1153-1158. <http://dx.doi.org/10.3724/SP.J.1096.2013.21228>.
- Diallo, MS; Abriola, LM; Weber, WJ, Jr. (1994). Solubilization of non-aqueous phase liquid hydrocarbons in micellar solutions of dodecyl alcohol ethoxylates. Washington, D.C.
- Diaz, E, va; Faba, L; Ordonez, S. (2011). Effect of carbonaceous supports on the Pd-catalyzed aqueous-phase trichloroethylene hydrodechlorination. *Appl Catal B-Environ.* 104: 415-417. <http://dx.doi.org/10.1016/j.apcatb.2011.03.031>.
- Diaz, E, va; Mccall, A; Faba, L; Sastre, H; Ordonez, S. (2013). Trichloroethylene Hydrodechlorination in Water Using Formic Acid as Hydrogen Source: Selection of Catalyst and Operation Conditions. *Environ Prog Sustain Energy.* 32: 1217-1222. <http://dx.doi.org/10.1002/ep.11730>.

Fate Literature Search Results

Off Topic

- Díaz, E; Ordóñez, S; Bueres, RF; Asedegbega-Nieto, E; Sastre, H. (2010). High-surface area graphites as supports for hydrodechlorination catalysts: Tuning support surface chemistry for an optimal performance. *Appl Catal B-Environ.* 99: 181-190. <http://dx.doi.org/10.1016/j.apcatb.2010.06.016>.
- Diaz, E; Ordóñez, S; Vega, A; Coca, J. (2005). Influence of catalyst treatments on the adsorption properties of gamma-Al₂O₃ supported Pt, Rh and Ru catalysts. *Microporous and Mesoporous Materials.* 77: 245-255. <http://dx.doi.org/10.1016/j.micromeso.2004.09.008>.
- Dibble, L; Raupp, GB. (1992). Fluidized-bed photocatalytic oxidation of trichloroethylene in contaminated airstreams. *Environ Sci Technol.* 26: 492-495.
- Dicintio, D. (2016). The Investigation of Groundwater Contamination in Wicomico County's Morris Mill Community. *J Environ Health.* 78: 16-19.
- Dickey, CA; Heal, KV; Cape, JN; Stidson, RT; Reeves, NM; Heal, MR. (2005). Addressing analytical uncertainties in the determination of trichloroacetic acid in soil. *J Environ Monit.* 7: 137-144. <http://dx.doi.org/10.1039/b410248g>.
- Dickson, SE; Thomson, NR. (2003). Dissolution of entrapped DNAPLs in variable aperture fractures: Experimental data and empirical model. *Environ Sci Technol.* 37: 4128-4137. <http://dx.doi.org/10.1021/es026275r>.
- Dietz, AC; Schnoor, JL. (2001). Advances in phytoremediation. *Environ Health Perspect.* 109: 163-168.
- Dietz, AC; Schnoor, JL. (2001). Phytotoxicity of chlorinated aliphatics to hybrid poplar (*Populus deltoides* x *nigra* DN34). *Environ Toxicol Chem.* 20: 389-393. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<0389:POCATH>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<0389:POCATH>2.0.CO;2).
- Dimmer, CH; Mcculloch, A; Simmonds, PG; Nickless, G; Bassford, MR; Smythe-Wright, D. (2001). Tropospheric concentrations of the chlorinated solvents, tetrachloroethene and trichloroethene, measured in the remote northern hemisphere. *Atmos Environ.* 35: 1171-1182.
- Dincutoiu, I; Gorecki, T; Parker, BL. (2003). A novel technique for rapid extraction of volatile organohalogen compounds from low permeability media. *Environ Sci Technol.* 37: 3978-3984. <http://dx.doi.org/10.1021/es0340275>.
- Dincutoiu, I; Gorecki, T; Parker, BL. (2006). Microwave-assisted extraction of trichloroethylene from clay samples. *Int J Environ Anal Chem.* 86: 1113-1125. <http://dx.doi.org/10.1080/03067310600797580>.
- Ding, K; Xu, W. (2016). Black Carbon Facilitated Dechlorination of DDT and its Metabolites by Sulfide. *Environ Sci Technol.* 50: 12976-12983. <http://dx.doi.org/10.1021/acs.est.6b03154>.
- Ding, S, hu; Zhao, L, in; Qi, Y, un; Lv, Q. (2015). Synthesis of Ni/Fe Nanoparticles Utilizing PVP-SDS Bound Micelles as a Template to Remove PCB77. *NANO.* 10. <http://dx.doi.org/10.1142/S1793292015500356>.
- Dingemans, M; Dewulf, J, o; Braeckman, L; Van Langenhove, H; Friess, K; Hynek, V; Sipek, M. (2008). Mass transfer characteristics for VOC permeation through flat sheet porous and composite membranes: The impact of the different membrane layers on the overall membrane resistance. *J Memb Sci.* 322: 234-242. <http://dx.doi.org/10.1016/j.memsci.2008.05.043>.
- Dingemans, M; Dewulf, J, o; Kumar, A; Van Langenhove, H. (2008). Solubility of volatile organic compounds in polymers: Effect of polymer type and processing. *J Memb Sci.* 312: 107-114. <http://dx.doi.org/10.1016/j.memsci.2007.12.042>.
- Dinh, MTN; Giraudon, JM; Vandenbroucke, AM; Morent, R; De Geyter, N; Lamonier, JF. (2015). Post plasma-catalysis for total oxidation of trichloroethylene over Ce-Mn based oxides synthesized by a modified "redox-precipitation route". *Appl Catal B-Environ.* 172: 65-72. <http://dx.doi.org/10.1016/j.apcatb.2015.02.013>.
- Dini, JW. (2005). The carcinogenic body. *Plat Surf Finish.* 92: 34-35.
- Dion-Fortier, A; Rodriguez, MJ; Sérodes, J; Proulx, F. (2009). Impact of water stagnation in residential cold and hot water plumbing on concentrations of trihalomethanes and haloacetic acids. *Water Res.* 43: 3057-3066. <http://dx.doi.org/10.1016/j.watres.2009.04.019>.
- Distefano, TD. (1999). The effect of tetrachloroethene on biological dechlorination of vinyl chloride: Potential implication for natural bioattenuation. *Water Res.* 33: 1688-1694.
- Divakar, D; Romero-Sáez, M; Pereda-Ayo, B; Aranzabal, A; González-Marcos, JA; González-Velasco, J. R. (2011). Catalytic oxidation of trichloroethylene over Fe-zeolites. *Catalysis Today.* 176: 357-360. <http://dx.doi.org/10.1016/j.cattod.2010.11.065>.
- Divine, CE; Sanford, WE; Mccray, JE. (2003). Helium and Neon Groundwater Tracers to Measure Residual DNAPL: Laboratory Investigation. *Vadose Zone Journal.* 2: 382-388.
- Dix, KJ; Kedderis, GL; Borghoff, SJ. (1997). Vehicle-dependent oral absorption and target tissue dosimetry of chloroform in male rats and female mice. *Toxicol Lett.* 91: 197-209.
- Dixon, AM; Brown, SD; Muralidhara, S; Bruckner, JV; Bartlett, MG. (2005). Optimization of SPME for analysis of trichloroethylene in rat blood and tissues by SPME-GC/MS. *Instrum Sci Tech.* 33: 175-186. <http://dx.doi.org/10.1081/CI-200048062>.
- Djouadi, F; Weinheimer, CJ; Saffitz, JE; Pitchford, C; Bastin, J; Gonzalez, FJ; Kelly, DP. (1998). A gender-related defect in lipid metabolism and glucose homeostasis in peroxisome proliferator- activated receptor alpha- deficient mice. *J Clin Invest.* 102: 1083-1091. <http://dx.doi.org/10.1172/JCI3949>.
- Do, S, iH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ.* 430: 82-87. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.070>.
- Doan, T; Acosta, E; Scamehorn, JF; Sabatini, DA. (2003). Formulating middle-phase microemulsions using mixed anionic and cationic surfactant systems. *Journal of Surfactants and Detergents.* 6: 215-224.
- Dobaradaran, S; Lutze, H; Mahvi, AH; Schmidt, TC. (2014). Transformation efficiency and formation of transformation products during photochemical degradation of TCE and PCE at micromolar concentrations. 12: 16. <http://dx.doi.org/10.1186/2052-336X-12-16>.
- Dobaradaran, S; Mahvi, AH; Nabizadeh, R; Mesdaghinia, A; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S. (2010). Hazardous Organic Compounds in Groundwater Near Tehran Automobile Industry. *Bull Environ Contam Toxicol.* 85: 530-533. <http://dx.doi.org/10.1007/s00128-010-0131-9>.

Fate Literature Search Results

Off Topic

- Dobaradaran, S; Mahvi, AH; Nabizadeh, R; Ramavandi, B; Nazmara, S; Zarei, S. (2012). BIOASSAY COMPARISON OF TRICHLOROETHYLENE (TCE) TOXICITY ON DAPHNIA MAGNA (D. MAGNA) BEFORE AND AFTER ULTRASOUND AND PHOTOLYSIS PROCESSES. *Fresen Environ Bull.* 21: 1533-1538.
- Dobaradaran, S; Nabizadeh, R; Mahvi, AH; Mesdaghinia, AR; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S, h. (2010). SURVEY ON DEGRADATION RATES OF TRICHLOROETHYLENE IN AQUEOUS SOLUTIONS BY ULTRASOUND. *Iranian Journal of Environmental Health Science and Engineering.* 7: 307-312.
- Dobbins, DC; Peltola, J; Kustritz, JM; Chresand, TJ; Preston, JC. (1995). PILOT-SCALE DEMONSTRATION OF A 2-STAGE METHANOTROPHIC BIOREACTOR FOR BIODEGRADATION OF TRICHLOROETHYLENE IN GROUNDWATER. *J Air Waste Manag Assoc.* 45: 12-19.
- Dobosy, P; Vizsolnyi, E, vaC; Varga, I; Varga, J; Lang, GG; Zaray, G. (2016). Trichloroethylene removal from water by ferrate treatment. *Microchem J.* 127: 74-78. <http://dx.doi.org/10.1016/j.microc.2016.02.010>.
- Dobrev, ID; Andersen, ME; Yang, RS. (2001). Assessing interaction thresholds for trichloroethylene in combination with tetrachloroethylene and 1,1,1-trichloroethane using gas uptake studies and PBPK modeling. *Arch Toxicol.* 75: 134-144. <http://dx.doi.org/10.1007/s002040100216>.
- Dodson, RE; Houseman, EA; Levy, JI; Spengler, JD; Shine, JP; Bennett, DH. (2007). Measured and modeled personal exposures to and risks from volatile organic compounds. *Environ Sci Technol.* 41: 8498-8505. <http://dx.doi.org/10.1021/es071127s>.
- Dogan-Subasi, E; Bastiaens, L; Boon, N; Dejonghe, W. (2013). Microbial dechlorination activity during and after chemical oxidant treatment. *J Hazard Mater.* 262: 598-605. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.003>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1—historical background; carbon tetrachloride and tetrachloroethylene. *Environ Forensics.* 1: 69-81. <http://dx.doi.org/10.1006/enfo.2000.0010>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics.* 1: 83-93. <http://dx.doi.org/10.1006/enfo.2000.0011>.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics.* 13: 7-26. <http://dx.doi.org/10.1080/15275922.2011.643341>.
- Dohn, DR; Anders, MW. (1982). Assay of cysteine conjugate beta-lyase activity with S-(2-benzothiazolyl)cysteine as the substrate. *Anal Biochem.* 120: 379-386. [http://dx.doi.org/10.1016/0003-2697\(82\)90361-X](http://dx.doi.org/10.1016/0003-2697(82)90361-X).
- Doi, T; Tsuda, I; Unagida, H; Murata, A; Sakuta, K; Kurokawa, K. (2001). Experimental study on PV module recycling with organic solvent method. *Solar Energy Materials and Solar Cells.* 67: 397-403.
- Dolan, ME; Mccarty, PL. (1995). Methanotrophic Chloroethene Transformation Capacities And 1,1-dichloroethene Transformation Product Toxicity. *Environ Sci Technol.* 29: 2741-2747. <http://dx.doi.org/10.1021/es00011a007>.
- Dolan, ME; Mccarty, PL. (1995). SMALL COLUMN MICROCOSM FOR ASSESSING METHANE-STIMULATED VINYL-CHLORIDE TRANSFORMATION IN AQUIFER SAMPLES. *Environ Sci Technol.* 29: 1892-1897.
- Dolasa, AR; Ergas, SJ. (2000). Membrane bioreactor for cometabolism of trichloroethene air emissions. *J Environ Eng.* 126: 969-973.
- Dombek, T; Davis, D; Stine, J; Klarup, D. (2004). Degradation of terbutylazine (2-chloro-4-ethylamino-6-terbutylamino-1,3,5-triazine), deisopropyl atrazine (2-amino-4-chloro-6-ethylamino-1,3,5-triazine), and chlorinated dimethoxy triazine (2-chloro-4,6-dimethoxy-1,3,5-triazine) by zero valent iron and electrochemical reduction. *Environ Pollut.* 129: 267-275. <http://dx.doi.org/10.1016/j.envpol.2003.10.008>.
- Dombek, T; Dolan, E; Schultz, J; Klarup, D. (2001). Rapid reductive dechlorination of atrazine by zero-valent iron under acidic conditions. *Environ Pollut.* 111: 21-27.
- Domingo, LR; Pérez, P; Sáez, JA. (2012). Origin of the synchronicity in bond formation in polar Diels-Alder reactions: an ELF analysis of the reaction between cyclopentadiene and tetracyanoethylene. *Org Biomol Chem.* 10: 3841-3851. <http://dx.doi.org/10.1039/c2ob25152c>.
- Donato, R. (2010). Extending transaction cost economics: towards a synthesised approach for analysing contracting in health care markets with experience from the Australian private sector. 71: 1989-1996. <http://dx.doi.org/10.1016/j.socscimed.2010.09.016>.
- Dong, C; Zeng, Z; Li, X. (2005). Determination of organochlorine pesticides and their metabolites in radish after headspace solid-phase microextraction using calix[4]arene fiber. *Talanta.* 66: 721-727. <http://dx.doi.org/10.1016/j.talanta.2004.12.020>.
- Dong, J, un; Wen, C; Liu, D; Zhang, W; Li, J; Jiang, H; Qin, C; Hong, M, ei. (2015). Study on degradation of nitrobenzene in groundwater using emulsified nano-zero-valent iron. *J Nanopart Res.* 17. <http://dx.doi.org/10.1007/s11051-014-2829-9>.
- Dong, JI; Yoon, KD. (1999). Thermal decomposition mechanism of chlorinated volatile organics at pyrolytic and oxidative conditions. *Korean J Chem Eng.* 16: 501-504.
- Dong, L; Gu, F; Fujita, T; Hayashi, Y; Gao, J, ie. (2014). Uncovering opportunity of low-carbon city promotion with industrial system innovation: Case study on industrial symbiosis projects in China. *Energy Policy.* 65: 388-397. <http://dx.doi.org/10.1016/j.enpol.2013.10.019>.
- Dong, S; Li, J; Shim, H. (2013). Bioremoval of Trichloroethylene/Toluene Mixture by Burkholderia vietnamiensis G4 from Water. *Res Journal Chem Environ.* 17: 32-37.
- Dong, S; Zhang, X; He, F; Dong, S; Zhou, D; Wang, B, o. (2015). Visible-light photocatalytic degradation of methyl orange over spherical activated carbon-supported and Er³⁺-YAlO₃-doped TiO₂ in a fluidized bed. *J Chem Tech Biotechnol.* 90: 880-887. <http://dx.doi.org/10.1002/jctb.4391>.
- Dong, T; Luo, H; Wang, Y; Hu, B; Chen, H, ua. (2011). Stabilization of Fe-Pd bimetallic nanoparticles with sodium carboxymethyl cellulose for catalytic reduction of para-nitrochlorobenzene in water. *Desalination.* 271: 11-19. <http://dx.doi.org/10.1016/j.desal.2010.12.003>.
- Dong, Y; Bai, Z; Liu, R; Wang, X; Yan, H; Zhu, T. (2006). Heterogeneous decomposition of indoor ammonia in a photoreactor with TiO₂-finished cotton fabrics. *Environ Technol.* 27: 705-714. <http://dx.doi.org/10.1080/09593332708618688>.

Fate Literature Search Results

Off Topic

- Dong, Y; Liang, X; Krumholz, L; Philp, RP; Butler, EC. (2009). The Relative Contributions of Abiotic and Microbial Processes to the Transformation of Tetrachloroethylene and Trichloroethylene in Anaerobic Microcosms. *Environ Sci Technol.* 43: 690-697. <http://dx.doi.org/10.1021/es801917p>.
- Donnelly, KC; Lingenfelter, R; Cizmas, L; Falahatpisheh, MH; Qian, Y; Tang, Y; Garcia, S; Ramos, K; Tiffany-Castiglioni, E; Mumtaz, MM. (2004). Toxicity assessment of complex mixtures remains a goal. *Environ Toxicol Pharmacol.* 18: 135-141. <http://dx.doi.org/10.1016/j.etap.2004.03.013>.
- Doong, R, an; Saha, S; Lee, CH; Lin, HP. (2015). Mesoporous silica supported bimetallic Pd/Fe for enhanced dechlorination of tetrachloroethylene. *RSC Advances.* 5: 90797-90805. <http://dx.doi.org/10.1039/c5ra15070a>.
- Doong, RA; Chang, SM. (2000). Relationship between electron donor and microorganism on the dechlorination of carbon tetrachloride by an anaerobic enrichment culture. *Chemosphere.* 40: 1427-1433.
- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environ Sci Technol.* 37: 2575-2581. <http://dx.doi.org/10.1021/es020978r>.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environ Sci Technol.* 39: 7460-7468. <http://dx.doi.org/10.1021/es047956k>.
- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res.* 39: 2309-2318. <http://dx.doi.org/10.1016/j.watres.2005.04.036>.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere.* 64: 371-378. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.038>.
- Doong, RA; Lee, CC; Chen, KT; Wu, SF. (2004). Coupled reduction of chlorinated hydrocarbons and heavy metals by zerovalent silicon. *Water Sci Technol.* 50: 89-96.
- Doong, RA; Wu, SC; Chen, TF. (1996). Anaerobic biotransformation of polychlorinated methane and ethene under various redox conditions. *Chemosphere.* 32: 377-390.
- Dordevic, D; Cerkovnik, J; Gorenek, M. (2006). The comparison of the kinetics of hydrolysis of some reactive dyes before and after purification. 14: 85-88.
- Dorea, JG; Cruz-Granja, AC; Lacayo-Romero, ML; Cuadra-Leal, J. (2001). Perinatal metabolism of dichlorodiphenyldichloroethylene in Nicaraguan mothers. *Environ Res.* 86: 229-237. <http://dx.doi.org/10.1006/enrs.2001.4277>.
- Dorgerloh, U, te; Becker, R; Lutz, A; Bremser, W; Hilbert, S; Nehls, I. (2012). How to improve reliability in groundwater analysis: over a decade of experience with external quality control in field campaigns on volatile halogenated compounds. *J Environ Monit.* 14: 217-223. <http://dx.doi.org/10.1039/c1em10460h>.
- Dorgerloh, U, te; Theissen, H; Becker, R; Hilbert, S; Nehls, I. (2010). Sampling and Quantification of Volatile Organohalogenes, Ethene and Methane in Groundwater. *Grundwasser.* 15: 231-239. <http://dx.doi.org/10.1007/s00767-010-0144-7>.
- Dorraj, MSS; Mirmohseni, A; Carraro, M; Gross, S; Simone, S; Tasselli, F; Figoli, A. (2015). Fenton-like catalytic activity of wet-spun chitosan hollow fibers loaded with Fe3O4 nanoparticles: Batch and continuous flow investigations. *J Mol Catal Chem.* 398: 353-357. <http://dx.doi.org/10.1016/j.molcata.2015.01.003>.
- Dosemeci, M; Cocco, P; Chow, WH. (1999). Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. *Am J Ind Med.* 36: 54-59. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<54::AID-AJIM8>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<54::AID-AJIM8>3.0.CO;2-0).
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology.* 5: 124-127.
- Dosemeci, M; Wacholder, S; Lubin, JH. (1990). Does nondifferential misclassification of exposure always bias a true effect toward the null value? *Am J Epidemiol.* 132: 746-748.
- Dotremont, C; Vandenende, S; Vandommele, H; Vandecasteele, C. (1994). CONCENTRATION POLARIZATION AND OTHER BOUNDARY-LAYER EFFECTS IN THE PERVAPORATION OF CHLORINATED HYDROCARBONS. *Desalination.* 95: 91-113.
- Dou, W; Omran, K; Grimberg, SJ; Denham, M; Powers, SE. (2008). Characterization of DNAPL from the U.S. DOE Savannah River Site. *J Contam Hydrol.* 97: 75-86. <http://dx.doi.org/10.1016/j.jconhyd.2008.01.002>.
- Doucet, N; Bocquillon, F; Zahraa, O; Bouchy, M. (2006). Kinetics of photocatalytic VOCs abatement in a standardized reactor. *Chemosphere.* 65: 1188-1196. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.061>.
- Doucette, WJ; Hall, AJ; Gorder, KA. (2010). Emissions of 1,2-Dichloroethane from Holiday Decorations as a Source of Indoor Air Contamination. *Ground Water Monitoring and Remediation.* 30: 67-73. <http://dx.doi.org/10.1111/j1745-6592.2009.001267.x>.
- Douglas, G; Gingerich, J; Soper, L; Potvin, M; Bjarnason, S. (1999). Evidence for the lack of base-change and small-deletion mutation induction by trichloroethylene in lacZ transgenic mice. *Environ Mol Mutagen.* 34: 190-194.
- Dowideit, P; von Sonntag, C. (1998). Reaction of ozone with ethene and its methyl- and chlorine-substituted derivatives in aqueous solution. *Environ Sci Technol.* 32: 1112-1119.
- Dragoescu, D; Gheorghe, D; Bendova, M; Wagner, Z. (2015). Speeds of sound, isentropic compressibilities and refractive indices for some binary mixtures of nitromethane with chloroalkane at temperatures from 298.15 to 318.15 K. Comparison with theories. *Fluid Phase Equilibria.* 385: 105-119. <http://dx.doi.org/10.1016/j.fluid.2014.10.004>.
- Drake, V; Koprowski, S; Lough, J; Hu, N; Smith, S. (2006). Trichloroethylene exposure during cardiac valvuloseptal morphogenesis alters cushion formation and cardiac hemodynamics in the avian embryo. *Environ Health Perspect.* 114: 842-847. <http://dx.doi.org/10.1289/ehp.8781>.
- Drenzek, NJ; Tarr, CH; Eglinton, TI; Heraty, LJ; Sturchio, NC; Shiner, VJ; Reddy, CM. (2002). Stable chlorine and carbon isotopic compositions of selected semi-volatile organochlorine compounds. *Organic Geochemistry.* 33: 437-444.

Fate Literature Search Results

Off Topic

- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2005). Combined removal of chlorinated ethenes and heavy metals by zerovalent iron in batch and continuous flow column systems. *Environ Sci Technol.* 39: 8460-8465. <http://dx.doi.org/10.1021/es050251d>.
- Drijvers, D; van Langenhove, H; Beckers, M. (1999). Decomposition of phenol and trichloroethylene by the ultrasound/H₂O₂/CuO process. *Water Res.* 33: 1187-1194.
- Driscoll, T; Hamdan, H; Wang, G; Wright, P; Stacey, N. (1992). Concentrations of individual serum or plasma bile acids in workers exposed to chlorinated aliphatic hydrocarbons. *Br J Ind Med.* 49: 700-705.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environ Sci Technol.* 39: 1283-1290. <http://dx.doi.org/10.1021/es0490222>.
- Dror, I; Jacov, OM; Cortis, A; Berkowitz, B. (2012). Catalytic transformation of persistent contaminants using a new composite material based on nanosized zero-valent iron. 4: 3416-3423. <http://dx.doi.org/10.1021/am300402q>.
- Droz, PO; Fernandez, JG. (1978). Trichloroethylene exposure Biological monitoring by breath and urine analyses. *Occup Environ Med.* 35: 35-42.
- D'Souza, R; Bruckner, J; Feldman, S. (1985). Oral and intravenous trichloroethylene pharmacokinetics in the rat. *J Toxicol Environ Health.* 15: 587-601. <http://dx.doi.org/10.1080/15287398509530688>.
- Du, CL; Wang, JD. (1998). Increased morbidity odds ratio of primary liver cancer and cirrhosis of the liver among vinyl chloride monomer workers. *Occup Environ Med.* 55: 528-532.
- Du, J; Bao, J; Tong, M, an; Yuan, S. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci.* 30: 350-356. <http://dx.doi.org/10.1089/ees.2011.0318>.
- du Plessis, A; Strydom, C; Botha, L. (2010). Comparative study of the dissociative ionization of 1,1,1-trichloroethane using nanosecond and femtosecond laser pulses. *International Journal of Molecular Sciences.* 11: 1114-1140. <http://dx.doi.org/10.3390/ijms11031114>.
- Du, Y; Zhang, W, ei; Whitten, W; Li, H; Watson, DB; Xu, J, un. (2010). Membrane-Extraction Ion Mobility Spectrometry for in Situ Detection of Chlorinated Hydrocarbons in Water. *Anal Chem.* 82: 4089-4096. <http://dx.doi.org/10.1021/ac100162d>.
- Duan, C; Grover, V; Roberts, N; Balakrishnan, N. (2014). Firm valuation effects of the decision to adopt relationally governed business process outsourcing arrangements. *Int J Prod Res.* 52: 4673-4694. <http://dx.doi.org/10.1080/00207543.2014.884289>.
- Duan, H; Liu, Y; Yin, X; Bai, J; Qi, J. (2016). Degradation of nitrobenzene by Fenton-like reaction in a H₂O₂/schwertmannite system. *Chem Eng J.* 283: 873-879. <http://dx.doi.org/10.1016/j.cej.2015.08.033>.
- Duan, SH; Ito, A; Ohkawa, A. (2001). Removal of trichloroethylene from water by aeration, pervaporation and membrane distillation. *J Chem Eng Jpn.* 34: 1069-1073.
- Duan, X; Indrawirawan, S; Sun, H; Wang, S. (2015). Effects of nitrogen-, boron-, and phosphorus-doping or codoping on metal-free graphene catalysis. *Catalysis Today.* 249: 184-191. <http://dx.doi.org/10.1016/j.cattod.2014.11.005>.
- Duan, X; Sun, D; Zhu, Z; Chen, X; Shi, P. (2002). Photocatalytic decomposition of toluene by TiO₂ film as photocatalyst. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 679-692.
- Duarte, CL; Ribeiro, MA; Sato, IM; Sampa, MHD, O. (2004). Efficiency of organic compounds removal by electron-beam irradiation in presence of high metal concentration. *Radiat Phys Chem Oxf Engl* 1993. 71: 451-454. <http://dx.doi.org/10.1016/j.radphyschem.2004.04.024>.
- Dubey, DK; Pardasani, D; Gupta, AK; Palit, M; Kanaujia, PK; Tak, V. (2006). Hollow fiber-mediated liquid-phase microextraction of chemical warfare agents from water. *J Chromatogr A.* 1107: 29-35. <http://dx.doi.org/10.1016/j.chroma.2005.12.095>.
- Duboudin, C. (2010). Pollution inside the home: descriptive analyses Part II: Identification of groups of homogenous homes in terms of pollution. *E R S.* 9: 27-38. <http://dx.doi.org/10.1684/ers.2009.0318>.
- Ducom, G; Cabassud, C. (1999). Interests and limitations of nano-filtration for the removal of volatile organic compounds in drinking water production. *Desalination.* 124: 115-123.
- Duesterberg, CK; Waite, TD. (2006). Process optimization of Fenton oxidation using kinetic modeling. *Environ Sci Technol.* 40: 4189-4195. <http://dx.doi.org/10.1021/es060311v>.
- Duffel, MW; Jakoby, WB. (1982). Cysteine S-conjugate N-acetyltransferase from rat kidney microsomes. *Mol Pharmacol.* 21: 444-448.
- Dugan, PJ; Mccray, JE; Thyne, GD. (2003). Influence of a solubility-enhancing agent (cyclodextrin) on NAPL-water partition coefficients, with implications for partitioning tracer tests. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001672>.
- Duhamel, M; Edwards, EA. (2007). Growth and yields of dechlorinators, acetogens, and methanogens during reductive dechlorination of chlorinated ethenes and dihaloelimination of 1,2-dichloroethane. *Environ Sci Technol.* 41: 2303-2310. <http://dx.doi.org/10.1021/es062010r>.
- Duhamel, M; Wehr, SD; Yu, L; Rizvi, H; Seepersad, D; Dworatzek, S; Cox, EE; Edwards, EA. (2002). Comparison of anaerobic dechlorinating enrichment cultures maintained on tetrachloroethene, trichloroethene, cis-dichloroethene and vinyl chloride. *Water Res.* 36: 4193-4202.
- Dumanoglu, Y; Kara, M; Altioek, H; Odabasi, M; Elbir, T; Bayram, A. (2014). Spatial and seasonal variation and source apportionment of volatile organic compounds (VOCs) in a heavily industrialized region. *Atmos Environ.* 98: 168-178. <http://dx.doi.org/10.1016/j.atmosenv.2014.08.048>.
- Dumitriu, D; Schmid, PE; Karimi, A. (2003). Role of H-2 in the deposition of CN_x layers by PE-HF-CVD. *Surf Coating Tech.* 163: 189-195.
- Duong, MH; Penrod, SL; Grant, SB. (1997). Kinetics of p-nitrophenol degradation by *Pseudomonas* sp.: An experiment illustrating bioremediation. *J Chem Educ.* 74: 1451-1454.
- Durante, C; Huang, B; Isse, AA; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at copper cathode. Part II: Polychloroethanes. *Appl Catal B-Environ.* 126: 355-362. <http://dx.doi.org/10.1016/j.apcatb.2012.07.003>.

Fate Literature Search Results

Off Topic

- Durante, C; Isse, AA; Sandona, G; Gennaro, A. (2009). Electrochemical hydrodehalogenation of polychloromethanes at silver and carbon electrodes. *Appl Catal B-Environ.* 88: 479-489. <http://dx.doi.org/10.1016/j.apcatb.2008.10.010>.
- Durante, C; Perazzolo, V; Perini, L; Favaro, M; Granozzi, G; Gennaro, A. (2014). Electrochemical activation of carbon-halogen bonds: Electrocatalysis at silver/copper nanoparticles. *Appl Catal B-Environ.* 158: 286-295. <http://dx.doi.org/10.1016/j.apcatb.2014.04.023>.
- Durmusoglu, E; Corapcioglu, MY. (2000). Experimental study of horizontal barrier formation by colloidal silica. *J Environ Eng.* 126: 833-841.
- DuTeaux, S; Newman, J; Morisseau, C; Fairbairn, E; Jelks, K; Hammock, B; Miller, M. (2004). Epoxide hydrolases in the rat epididymis: possible roles in xenobiotic and endogenous fatty acid metabolism. *Toxicol Sci.* 78: 187-195. <http://dx.doi.org/10.1093/toxsci/kfh066>.
- Dutta, BK; Sikdar, SK. (1999). Separation of volatile organic compounds from aqueous solutions by pervaporation using S-B-S block copolymer membranes. *Environ Sci Technol.* 33: 1709-1716.
- Duval, S; Tweedie, R. (2000). A nonparametric "trim and fill" method of accounting for publication bias in meta-analysis. *J Am Stat Assoc.* 95: 89-98.
- Dwarakanath, V; Kostarelos, K; Pope, GA; Shotts, D; Wade, WH. (1999). Anionic surfactant remediation of soil columns contaminated by nonaqueous phase liquids. *J Contam Hydrol.* 38: 465-488.
- Dwarakanath, V; Pope, GA. (2000). Surfactant phase behavior with field degreasing solvent. *Environ Sci Technol.* 34: 4842-4848. <http://dx.doi.org/10.1021/es0009121>.
- Dyer, M; van Zutphen, M; Hetterschijt, R. (2001). Improved site characterisation of contaminated land using pump-and-treat data. *Institution of Civil Engineers Proceedings Geotechnical Engineering.* 149: 159-166.
- Dyer, RS. (2002). Chemical mixtures and health effects at Superfund sites. *Int J Hyg Environ Health.* 205: 149-153.
- Eacho, PI; Lanier, TL; Brodhecker, CA. (1991). Hepatocellular DNA synthesis in rats given peroxisome proliferating agents: Comparison of WY-14,643 to clofibrac acid, nafenopin and LY171883. *Carcinogenesis.* 12: 1557-1561.
- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis.* 24: 341-349. <http://dx.doi.org/10.1093/mutage/geb014>.
- Eastmond, DA; Tucker, JD. (1989). Identification of aneuploidy-inducing agents using cytokinesis-blocked human lymphocytes and an antikinetochore antibody. *Environ Mol Mutagen.* 13: 34-43. <http://dx.doi.org/10.1002/em.2850130104>.
- Eberle, D; Ball, R; Boving, TB. (2016). Peroxone activated persulfate treatment of 1,4-dioxane in the presence of chlorinated solvent co-contaminants. *Chemosphere.* 144: 728-735. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.063>.
- Ebert, M; Köber, R; Parbs, A; Plagentz, V; Schäfer, D; Dahmke, A. (2006). Assessing degradation rates of chlorinated ethylenes in column experiments with commercial iron materials used in permeable reactive barriers. *Environ Sci Technol.* 40: 2004-2010. <http://dx.doi.org/10.1021/es051720e>.
- Eberts, SM; Braun, C; Jones, S. (2008). Compound-specific isotope analysis: Questioning the origins of a trichloroethene plume. *Environ Forensics.* 9: 85-95. <http://dx.doi.org/10.1080/15275920801888368>.
- Echeverria, D; White, RF; Sampaio, C. (1995). A behavioral evaluation of PCE exposure in patients and dry cleaners: A possible relationship between clinical and preclinical effects. *J Occup Environ Med.* 37: 667-680.
- Eckert, J; Draznieks, CM; Cheetham, AK. (2002). Direct observation of host-guest hydrogen bonding in the zeolite NaY/chloroform system by neutron scattering. *J Am Chem Soc.* 124: 170-171.
- Edmiston, PL; Underwood, LA. (2009). Absorption of dissolved organic species from water using organically modified silica that swells. *Separation and Purification Technology.* 66: 532-540. <http://dx.doi.org/10.1016/j.seppur.2009.02.001>.
- Edrisi, M; Keshavarz, AR. (2012). Synthesis of Cobalt Chromite Nanoparticles by Thermolysis of Mixed Cr³⁺ and Co²⁺ Chelates of 2-Mercaptopyridin N-Oxide. *Nano-Micro Letters.* 4: 83-89. <http://dx.doi.org/10.3786/nml.v4i2.p83-89>.
- Effio, DG; Kroner, O; Maier, A; Hayes, W; Willis, A; Strawson, J. (2013). A Look at State-Level Risk Assessment in the United States: Making Decisions in the Absence of Federal Risk Values. *Risk Anal.* 33: 54-67. <http://dx.doi.org/10.1111/j.1539-6924.2012.01842.x>.
- Efroymsen, RA; Suter, GW. (1999). Finding a niche for soil microbial toxicity tests in ecological risk assessment. *Hum Ecol Risk Assess.* 5: 715-727.
- EFSA. (2006). Opinion of the scientific panel on food additives, flavourings, processing aids and materials in contact with food (AFC) on a request from the commission related to a new long-term carcinogenicity study on aspartame. *EFSA J.* 4: 1-44. <http://dx.doi.org/10.2903/j.efsa.2006.356>.
- Egashira, M; Shimizu, Y; Takao, Y; Ono, M; Sasada, S. (1998). Decomposition of trichloroethylene by microwave-induced plasma generated from SiC whiskers. *J Electrochem Soc.* 145: 229-235.
- Egger, M; Smith, GD; Schneider, M; Minder, C. (1997). Bias in meta-analysis detected by a simple, graphical test. *Br Med J.* 315: 629-634.
- Eglal, MM; Ramamurthy, AS. (2014). Nanofer ZVI: Morphology, Particle Characteristics, Kinetics, and Applications. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2014/152824>.
- Eglal, MM; Ramamurthy, AS. (2015). Removal of Pb(II), Cd(II), Cu(II) and trichloroethylene from water by Nanofer ZVI. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 901-912. <http://dx.doi.org/10.1080/10934529.2015.1030277>.
- Ehlke, TA; Imbrigiotta, TE; Dale, JM. (2004). Laboratory comparison of polyethylene and dialysis membrane diffusion samplers. *Ground Water Monitoring and Remediation.* 24: 53-59.
- Eichenlaub-Ritter, U; Baart, E; Yin, H; Betzendahl, I. (1996). Mechanisms of spontaneous and chemically-induced aneuploidy in mammalian oogenesis: basis of sex-specific differences in response to aneugens and the necessity for further tests. *Mutat Res.* 372: 279-294.
- Einaga, H; Futamura, S; Ibusuki, T. (2002). Heterogeneous photocatalytic oxidation of benzene, toluene, cyclohexene and cyclohexane in humidified air: comparison of decomposition behavior on photoirradiated TiO₂ catalyst. *Appl Catal B-Environ.* 38: 215-225.

Fate Literature Search Results

Off Topic

- Einaga, H; Harada, M; Futamura, S; Ibusuki, T. (2003). Generation of active sites for CO photooxidation on TiO₂ by platinum deposition. *J Phys Chem B*. 107: 9290-9297. <http://dx.doi.org/10.1021/jp0343638>.
- Einaga, H; Ibusuki, T; Futamura, S. (2004). Improvement of catalyst durability by deposition of Rh on TiO₂ in photooxidation of aromatic compounds. *Environ Sci Technol*. 38: 285-289. <http://dx.doi.org/10.1012/es034336v>.
- Eisenbeis, M; Bauer-Kreisel, P; Scholz-Muramatsu, H. (1997). Studies on the dechlorination of tetrachloroethene to cis-1,2-dichloroethene by *Dehalospirillum multivorans* in biofilms. *Water Sci Technol*. 36: 191-198. [http://dx.doi.org/10.1016/S0273-1223\(97\)00352-1](http://dx.doi.org/10.1016/S0273-1223(97)00352-1).
- Eklund, BM; Simon, MA. (2007). Concentration of tetrachloroethylene in indoor air at a former dry cleaner facility as a function of subsurface contamination: A case study. *J Air Waste Manag Assoc*. 57: 753-760. <http://dx.doi.org/10.3155/1047-3289.57.6.753>.
- Elango, V; Kurtz, HD; Freedman, DL. (2011). Aerobic cometabolism of trichloroethene and cis-dichloroethene with benzene and chlorinated benzenes as growth substrates. *Chemosphere*. 84: 247-253. <http://dx.doi.org/10.1016/j.chemosphere.2011.04.007>.
- Elfarra, A; Hwang, I. (1990). In vivo metabolites of S-(2-benzothiazolyl)-L-cysteine as markers of in vivo cysteine conjugate beta-lyase and thiol glucuronosyl transferase activities. *Drug Metab Dispos*. 18: 917-922.
- Elfarra, A; Lash, L; Anders, M. (1987). Alpha-ketoacids stimulate rat renal cysteine conjugate beta-lyase activity and potentiate the cytotoxicity of S-(1,2-dichlorovinyl)-L-cysteine. *Mol Pharmacol*. 31: 208-212.
- Elfarra, AA; Jakobson, I; Anders, MW. (1986). Mechanism of S-(1,2-dichlorovinyl)glutathione-induced nephrotoxicity. *Biochem Pharmacol*. 35: 283-288.
- Elhaddad, E; Ensinger, W; Schueth, C. (2013). Sorption reversibility of organic contaminants in activated carbon, charcoal and Zeolite Y-200. *Grundwasser*. 18: 197-202. <http://dx.doi.org/10.1007/s00767-013-0229-1>.
- Elhaddad, EE; Bahadori, A; Abdel-Raouf, ME, IS; Elkhatny, S. (2015). A new experimental method to prevent paraffin-wax formation on the crude oil wells: A field case study in Libya. *Hemijiska Industrija*. 69: 269-274. <http://dx.doi.org/10.2298/HEMIND13071704OE>.
- Elizur, A; Adair-Kirk, TL; Kelley, DG; Griffin, GL; Demello, DE; Senior, RM. (2008). Tumor necrosis factor-alpha from macrophages enhances LPS-induced clara cell expression of keratinocyte-derived chemokine. *Am J Respir Cell Mol Biol*. 38: 8-15. <http://dx.doi.org/10.1165/rcmb.2007-0203OC>.
- Ellis, PA; Rivett, MO. (2007). Assessing the impact of VOC-contaminated groundwater on surface water at the city scale. *J Contam Hydrol*. 91: 107-127. <http://dx.doi.org/10.1016/j.jconhyd.2006.08.015>.
- Ellsworth, EMG; Palma, JF; Spence, WC; Bleicher, JM; Smith, DM, Jr; Finkelstein, SD. (2012). Mutational profiling of sporadic versus toxin-associated brain cancer formation: Initial findings using loss of heterozygosity profiling. *Int J Hyg Environ Health*. 215: 427-433. <http://dx.doi.org/10.1016/j.ijheh.2011.08.018>.
- Elola, A; Díaz, E; Ordoñez, S. (2009). A new procedure for the treatment of organochlorinated off-gases combining adsorption and catalytic hydrodechlorination. *Environ Sci Technol*. 43: 1999-2004. <http://dx.doi.org/10.1021/es803226v>.
- El-Raghy, T; Chakraborty, S; Barsoum, MW. (2000). Synthesis and characterization of Hf₂PbC, Zr₂PbC and M₂SnC (M = Ti, Hf, Nb or Zr). *J Eur Ceram Soc*. 20: 2619-2625.
- El-Serag, HB. (2004). Hepatocellular carcinoma: Recent trends in the United States [Review]. *Gastroenterology*. 127: S27-S34. <http://dx.doi.org/10.1053/j.gastro.2004.09.013>.
- El-Serag, HB. (2007). Epidemiology of hepatocellular carcinoma in USA. *Hepatology Research*. 37: S88-S94. <http://dx.doi.org/10.1111/j.1872-034X.2007.00168.x>.
- El-Serag, HB; Rudolph, KL. (2007). Hepatocellular carcinoma: epidemiology and molecular carcinogenesis [Review]. *Gastroenterology*. 132: 2557-2576. <http://dx.doi.org/10.1053/j.gastro.2007.04.061>.
- Elsner, M; Chartrand, M; Vanstone, N; Couloume, GL; Lollar, BS. (2008). Identifying abiotic chlorinated ethene degradation: characteristic isotope patterns in reaction products with nanoscale zero-valent iron. *Environ Sci Technol*. 42: 5963-5970. <http://dx.doi.org/10.1021/es8001986>.
- Elsner, M; Couloume, GL; Mancini, S; Burns, L; Lollar, BS. (2010). Carbon Isotope Analysis to Evaluate Nanoscale Fe(O) Treatment at a Chlorohydrocarbon Contaminated Site. *Ground Water Monitoring and Remediation*. 30: 79-95. <http://dx.doi.org/10.1111/j1745-6592.2010.01294.x>.
- Elsner, M; Cwiertny, DM; Roberts, AL; Sherwood Lollar, B. (2007). 1,1,2,2-tetrachloroethane reactions with OH⁻, Cr(II), granular iron, and a copper-iron bimetal: Insights from product formation and associated carbon isotope fractionation. *Environ Sci Technol*. 41: 4111-4117. <http://dx.doi.org/10.1021/es063040x>.
- Elsner, M; Hunkeler, D. (2008). Evaluating chlorine isotope effects from isotope ratios and mass spectra of polychlorinated molecules. *Anal Chem*. 80: 4731-4740. <http://dx.doi.org/10.1021/ac702543y>.
- Ennis, E; Reed, R; Dolan, M; Semprini, L; Istok, J; Field, J. (2005). Reductive dechlorination of the vinyl chloride surrogate chlorofluoroethene in TCE-contaminated groundwater. *Environ Sci Technol*. 39: 6777-6785. <http://dx.doi.org/10.1021/es048640f>.
- Enoki, T; Ichikawa, I; Miyazaki, A; Saito, G. (1997). Structural effects on the electronic properties of (BEDT-TTF)(2)BF₄TCEO₅. *Synthetic Metals*. 86: 1971-1972.
- Epold, I; Trapido, M; Dulova, N. (2015). Degradation of levofloxacin in aqueous solutions by Fenton, ferrous ion-activated persulfate and combined Fenton/persulfate systems. *Chem Eng J*. 279: 452-462. <http://dx.doi.org/10.1016/j.cej.2015.05.054>.
- Erdem, Z; Cutright, TJ. (2016). Biodegradation Potential of 1,1,1-Trichloro-2,2-Bis(p-Chlorophenyl) Ethane (4,4'-DDT) on a Sandy-Loam Soil Using Aerobic Bacterium *Alcaligenes eutrophus* A5. *Environ Eng Sci*. 33: 149-159. <http://dx.doi.org/10.1089/ees.2015.0277>.
- Erdem, Z; Cutright, TJ. (2016). Biotransformation of 1,1,1-trichloro-2,2-bis(p-chlorophenyl) ethane (4,4'-DDT) on a Sandy Loam Soil using aerobic bacterium *Corynebacterium* sp. *Environ Earth Sci*. 75. <http://dx.doi.org/10.1007/s12665-016-6057-8>.

Fate Literature Search Results

Off Topic

- Ergas, SJ; Schroeder, ED; Chang D, PY; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. *Water Environ Res.* 67: 816-821.
- Erickson, B. (2016). EPA moves to ban uses of trichloroethylene. *Chem Eng News.* 94: 20-20.
- Eriksson, A; Pacoste, C. (2002). Element formulation and numerical techniques for stability problems in shells. *Computer Methods in Applied Mechanics and Engineering.* 191: 3775-3810.
- Erning, K; Grandel, S; Dahmke, A; Schaefer, D. (2012). Simulation of DNAPL infiltration and spreading behaviour in the saturated zone at varying flow velocities and alternating subsurface geometries. *Environ Earth Sci.* 65: 1119-1131. <http://dx.doi.org/10.1007/s12665-011-1361-9>.
- Ersan, G; Kaya, Y; Apul, OG; Karanfil, T. (2016). Adsorption of organic contaminants by graphene nanosheets, carbon nanotubes and granular activated carbons under natural organic matter preloading conditions. *Sci Total Environ.* 565: 811-817. <http://dx.doi.org/10.1016/j.scitotenv.2016.03.224>.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1996). Determination of the ¹³C/¹²C isotope ratio of organic compounds for the biological degradation of tetrachloroethene (PCE) and trichloroethene (TCE). *Acta Hydrochim Hydrobiol.* 24: 16-21.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1998). The C-13/C-12 and H-2/H-1 ratios of trichloroethene, tetrachloroethene and their metabolites. *Isotopes Environ Health Stud.* 34: 245-253.
- Erto, A; Andreozzi, R; Di Natale, F; Lancia, A; Musmarra, D. (2010). Experimental and statistical analysis of trichloroethylene adsorption onto activated carbon. *Chem Eng J.* 156: 353-359. <http://dx.doi.org/10.1016/j.cej.2009.10.034>.
- Erto, A; Andreozzi, R; Lancia, A; Musmarra, D. (2010). Factors affecting the adsorption of trichloroethylene onto activated carbons. *Appl Surf Sci.* 256: 5237-5242. <http://dx.doi.org/10.1016/j.apsusc.2009.12.110>.
- Erto, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2014). Permeable Adsorptive Barrier (PAB) for the remediation of groundwater simultaneously contaminated by some chlorinated organic compounds. *J Environ Manage.* 140: 111-119. <http://dx.doi.org/10.1016/j.jenvman.2014.03.012>.
- Erto, A; Lancia, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2011). A procedure to design a Permeable Adsorptive Barrier (PAB) for contaminated groundwater remediation. *J Environ Manage.* 92: 23-30. <http://dx.doi.org/10.1016/j.jenvman.2010.07.044>.
- Erto, A; Lancia, A; Musmarra, D. (2011). A modelling analysis of PCE/TCE mixture adsorption based on Ideal Adsorbed Solution Theory. *Separation and Purification Technology.* 80: 140-147. <http://dx.doi.org/10.1016/j.seppur.2011.04.021>.
- Erto, A; Lancia, A; Musmarra, D. (2012). A Real Adsorbed Solution Theory model for competitive multicomponent liquid adsorption onto granular activated carbon. *Microporous and Mesoporous Materials.* 154: 45-50. <http://dx.doi.org/10.1016/j.micromeso.2011.10.041>.
- Ervin, RE; Boroumand, A; Abriola, LM; Ramsburg, CA. (2011). Kinetic limitations on tracer partitioning in ganglia dominated source zones. *J Contam Hydrol.* 126: 195-207. <http://dx.doi.org/10.1016/j.jconhyd.2011.07.006>.
- Eryilmaz, OL; Urgan, M; Cakir, AF; Kazmanli, MK; Kahraman, UH. (1997). The effect of the sputter cleaning of steel substrates with neutral molecule source on the adhesion of TiN films. *Surf Coating Tech.* 97: 488-491.
- Escardino, A; Aucejo, A; Costa, JM. (1978). WATER-CAFFEINE-TRICHLOROETHYLENE SYSTEM - STUDY OF CAFFEINE EXTRACTION IN PACKED-COLUMNS. *Reviews Agroquim Tecol Aliment.* 18: 224-231.
- Escardino, A; Monzo, M; Costa, JM. (1977). LIQUID-LIQUID EQUILIBRIUM IN WATER-CAFFEINE-TRICHLOROETHYLENE SYSTEM. *Reviews Agroquim Tecol Aliment.* 17: 372-382.
- Esmailzadeh, P; Sadeghi, MT; Bahramian, A; Fakhroueian, Z; Zarbakhsh, A. (2016). Superamphiphobic Surfaces Prepared by Coating Multifunctional Nanofluids. 8: 32011-32020. <http://dx.doi.org/10.1021/acsami.6b10913>.
- Esterkin, CR; Negro, AC; Alfano, OM; Cassano, AE. (2005). Air pollution remediation in a fixed bed photocatalytic reactor coated with TiO₂. *AIChE J.* 51: 2298-2310. <http://dx.doi.org/10.1002/aic.10472>.
- Ettema, JH; Zielhuis, RL; Burer, E; Meier, HA; Kleerekoper, L; de Graaf, MA. (1975). Effects of alcohol, carbon monoxide and trichloroethylene exposure on mental capacity. *Int Arch Occup Environ Health.* 35: 117-132.
- Evans, CAW; Gilman, RH; Rabbani, GH; Salazar, G; Ali, A. (1997). Gastric acid secretion and enteric infection in Bangladesh. *Trans Roy Soc Trop Med Hyg.* 91: 681-685.
- Evans, GM. (1991). US-EPA SITE DEMONSTRATION OF AWD TECHNOLOGIES AQUADETOX - SVE SYSTEM. *J Air Waste Manag Assoc.* 41: 1519-1523.
- Evans, PJ; Nguyen, D; Chappell, RW; Whiting, K; Gillette, J; Bodour, A; Wilson, JT. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Column Study. *Ground Water Monitoring and Remediation.* 34: 65-78. <http://dx.doi.org/10.1111/gwmr.12069>.
- Evelo, CTA; Oostendorp, JGM; Tenberge, WF; Borm, PJA. (1993). PHYSIOLOGICALLY-BASED TOXICOKINETIC MODELING OF 1,3-BUTADIENE LUNG METABOLISM IN MICE BECOMES MORE IMPORTANT AT LOW-DOSES. *Environ Health Perspect.* 101: 496-502. <http://dx.doi.org/10.2307/3431586>.
- Even-Ezra, I; Mizrahi, A; Gerrity, D; Snyder, S; Salveson, A; Lahav, O, ri. (2009). Application of a novel plasma-based advanced oxidation process for efficient and cost-effective destruction of refractory organics in tertiary effluents and contaminated groundwater. *Desalination and Water Treatment.* 11: 236-244. <http://dx.doi.org/10.5004/dwt.2009.807>.
- Evert, M; Schneider-Stock, R; Dombrowski, F. (2003). Apolipoprotein A-IV mRNA overexpression in early preneoplastic hepatic foci induced by low-number pancreatic islet transplants in streptozotocin-diabetic rats. *Pathol Res Pract.* 199: 373-379. <http://dx.doi.org/10.1078/0344-0338-00433>.
- Ewald, E; Wagner, A; Nijenhuis, I; Richnow, HH; Lechner, U, te. (2007). Microbial dehalogenation of trichlorinated dibenzo-p-dioxins by a Dehalococoides-containing mixed culture is coupled to carbon isotope Fractionation. *Environ Sci Technol.* 41: 7744-7751.

Fate Literature Search Results

Off Topic

- Ewing, KJ; Nau, G; Bilodeau, T; Dagenais, DM; Bucholtz, F; Aggarwal, ID. (1997). Monitoring the absorption of organic vapors to a solid phase extraction medium - Applications to detection of trace volatile organic compounds by integration of solid phase absorbents with fiber optic Raman spectroscopy. *Anal Chim Acta*. 340: 227-232.
- Eyre, R; Stevens, D; Parker, J; Bull, R. (1995). Acid-labile adducts to protein can be used as indicators of the cysteine S-conjugate pathway of trichloroethene metabolism. *J Toxicol Environ Health*. 46: 443-464. <http://dx.doi.org/10.1080/15287399509532048>.
- Eyre, R; Stevens, D; Parker, J; Bull, R. (1995). Renal activation of trichloroethene and S-(1,2-dichlorovinyl)-L-cysteine and cell proliferative responses in the kidneys of F344 rats and B6C3F1 mice. *J Toxicol Environ Health*. 46: 465-481. <http://dx.doi.org/10.1080/15287399509532049>.
- Fabbri, D; Bezzi, R; Torri, C; Galletti, P; Tagliavini, E. (2007). Determination of tetrachloroethylene and other volatile halogenated organic compounds in oil wastes by headspace SPME GC-MS. *Chromatographia*. 66: 377-382. <http://dx.doi.org/10.1365/s10337-007-0353-0>.
- Fagerlund, F; Illangasekare, TH; Phenrat, T; Kim, HJ; Lowry, GV. (2012). PCE dissolution and simultaneous dechlorination by nanoscale zero-valent iron particles in a DNAPL source zone. *J Contam Hydrol*. 131: 9-28. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.011>.
- Fairey, JL; Speitel, GE; Katz, LE. (2006). Impact of natural organic matter on monochloramine reduction by granular activated carbon: The role of porosity and electrostatic surface properties. *Environ Sci Technol*. 40: 4268-4273. <http://dx.doi.org/10.1021/es060111j>.
- Fairman, MJ; Scott, BB; Toothill, C; Losowsky, MS. (1977). Jejunal mucosal gamma glutamyl transferase activity in coeliac disease. *Gut*. 18: 484-487.
- Falk Filipsson, A, . F.; Victorin, K, . (2003). Comparison of available benchmark dose softwares and models using trichloroethylene as a model substance. *Regul Toxicol Pharmacol*. 37: 343-355.
- Fallahpour, N; Yuan, S; Rajic, L; Alshawabkeh, AN. (2016). Hydrodechlorination of TCE in a circulated electrolytic column at high flow rate. *Chemosphere*. 144: 59-64. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.037>.
- Falta, RW. (2000). Numerical modeling of kinetic interphase mass transfer during air sparging using a dual-media approach. *Water Resour Res*. 36: 3391-3400.
- Falta, RW; Pruess, K; Javandel, I; Witherspoon, PA. (1992). NUMERICAL MODELING OF STEAM INJECTION FOR THE REMOVAL OF NONAQUEOUS PHASE LIQUIDS FROM THE SUBSURFACE .2. CODE VALIDATION AND APPLICATION. *Water Resour Res*. 28: 451-465.
- Fan, A. (1988). Trichloroethylene: Water contamination and health risk assessment [Review]. *Rev Environ Contam Toxicol*. 101: 55-92.
- Fan, D; O'Brien Johnson, G; Tratnyek, PG; Johnson, RL. (2016). Sulfidation of Nano Zerovalent Iron (nZVI) for Improved Selectivity During In-Situ Chemical Reduction (ISCR). *Environ Sci Technol*. 50: 9558-9565. <http://dx.doi.org/10.1021/acs.est.6b02170>.
- Fan, G; Cang, L; Gomes, HI; Zhou, D. (2016). Electrokinetic delivery of persulfate to remediate PCBs polluted soils: Effect of different activation methods. *Chemosphere*. 144: 138-147. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.074>.
- Fan, JL, i; Liao, H, ua; Tang, B, aoJun; Pan, S, uYan; Yu, H, ao; Wei, Y, iM. (2016). The impacts of migrant workers consumption on energy use and CO2 emissions in China. *Natural Hazards*. 81: 725-743. <http://dx.doi.org/10.1007/s11069-015-2103-1>.
- Fan, W; Cheng, Y, ue; Yu, S; Fan, X; Deng, Y. (2015). Preparation of wrapped nZVI particles and their application for the degradation of trichloroethylene (TCE) in aqueous solution. 5: 335-343. <http://dx.doi.org/10.2166/wrd.2015.082>.
- Fan, Z; Casey, FXM. (2008). Estimating solute transport parameters using Stochastic ranking evolutionary strategy. *Vadose Zone Journal*. 7: 124-130. <http://dx.doi.org/10.2136/vzj2007.0021>.
- Fang, G; Si, Y; Tian, C; Zhang, G; Zhou, D. (2012). Degradation of 2,4-D in soils by Fe3O4 nanoparticles combined with stimulating indigenous microbes. *Environ Sci Pollut Res Int*. 19: 784-793. <http://dx.doi.org/10.1007/s11356-011-0597-y>.
- Fang, H, ua; Chu, X; Wang, X; Pang, G; Yu, Y. (2010). Using Matrix Solid-Phase Microextraction (Matrix-SPME) to Estimate Bioavailability of DDTs in Soil to Both Earthworm and Vegetables. *Arch Environ Contam Toxicol*. 58: 62-70. <http://dx.doi.org/10.1007/s00244-009-9329-4>.
- Fang, H; Dong, B; Yan, H; Tang, F; Yu, Y. (2010). Characterization of a bacterial strain capable of degrading DDT congeners and its use in bioremediation of contaminated soil. *J Hazard Mater*. 184: 281-289. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.034>.
- Fang, NB; Casida, JE. (1999). Cube resin insecticide: Identification and biological activity of 29 rotenoid constituents. *J Agric Food Chem*. 47: 2130-2136.
- Fang, SC; Lo, SL. (2011). Application of Sodium Persulfate as the In-Situ Remediation for Groundwater Contamination at a Gasoline Service Station. *Res Journal Chem Environ*. 15: 280-290.
- Fang, Y; Al-Abed. (2007). Modeling the Electrolytic Dechlorination of Trichloroethylene in a Granular Graphite-Packed Reactor. *Environ Eng Sci*. 24: 581-594. <http://dx.doi.org/10.1089/ees.2006.0181>.
- Fang, Y; Al-Abed, SR. (2007). Use of carbon stable isotope to investigate chloromethane formation in the electrolytic dechlorination of trichloroethylene. *J Hazard Mater*. 141: 729-735. <http://dx.doi.org/10.1016/j.jhazmat.2006.07.036>.
- Fang, Y; Al-Abed, SR. (2008). Correlation of 2-chlorobiphenyl dechlorination by Fe/Pd with iron corrosion at different pH. *Environ Sci Technol*. 42: 6942-6948. <http://dx.doi.org/10.1021/es800805y>.
- Fang, Y, uLun; Heck, KN; Alvarez, PJJ; Wong, MS. (2011). Kinetics Analysis of Palladium/Gold Nanoparticles as Colloidal Hydrodechlorination Catalysts. 1: 128-138. <http://dx.doi.org/10.1021/cs100067k>.
- Fang, Y, uLun; Heck, KN; Zhao, Z; Pretzer, LA; Guo, N; Wu, T; Miller, JT; Wong, MS. (2016). Gold-doping of carbon-supported palladium improves reductor catalysis. *Chinese journal of catalysis*. 37: 1776-1786. [http://dx.doi.org/10.1016/S1872-2067\(16\)62530-5](http://dx.doi.org/10.1016/S1872-2067(16)62530-5).
- Fang, YL; Miller, JT; Guo, N; Heck, KN; Alvarez, PJJ; Wong, MS. (2011). Structural analysis of palladium-decorated gold nanoparticles as colloidal bimetallic catalysts. *Catalysis Today*. 160: 96-102. <http://dx.doi.org/10.1016/j.cattod.2010.08.010>.
- Farajzadeh, MA; Goushjuji, L; Djozan, D; Mohammadi, JK. (2012). Dispersive liquid-liquid microextraction combined with gas chromatography for extraction and determination of class 1 residual solvents in pharmaceuticals. *J Sep Sci*. 35: 1027-1035. <http://dx.doi.org/10.1002/jssc.201100917>.

Fate Literature Search Results

Off Topic

- Farhadi, K; Maleki, R; Tahmasebi, R. (2011). Preparation of Al₂O₃/TiO₂ composite sol-gel fiber for headspace solid-phase microextraction of chlorinated organic solvents from urine. *J Sep Sci.* 34: 1669-1674. <http://dx.doi.org/10.1002/jssc.201000924>.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environ Sci Technol.* 34: 514-521.
- Farrell, J; Luo, J; Blowers, P; Curry, J. (2002). Experimental and molecular mechanics and ab initio investigation of activated adsorption and desorption of trichloroethylene in mineral micropores. *Environ Sci Technol.* 36: 1524-1531. <http://dx.doi.org/10.1021/es011172e>.
- Farrell, J; Melitas, N; Kason, M; Li, T. (2000). Electrochemical and column investigation of iron-mediated reductive dechlorination of trichloroethylene and perchloroethylene. *Environ Sci Technol.* 34: 2549-2556. <http://dx.doi.org/10.1021/es991135b>.
- Farrow, A; Taylor, H; Northstone, K; Golding, J; Study, AL. (2003). Symptoms of mothers and infants related to total volatile organic compounds in household products. *Arch Environ Health.* 58: 633-641. <http://dx.doi.org/10.3200/AEOH.58.10.633-641>.
- Fatpure, BZ; Tiedje, JM. (1994). Reductive dechlorination of tetrachloroethylene by a chlorobenzoate-enriched biofilm reactor. *Environ Sci Technol.* 28: 746-752.
- Fattal, E; Carter, EA. (2000). Ab initio reaction energetics of phosgene decomposition by Zn²⁺ and Ni atoms: Implications for gas mask filters. *J Phys Chem A.* 104: 2248-2252.
- Fattori, TR; Hildebrand, PE; Wilson, HR. (1991). RESPONSE OF BROILER BREEDER FEMALES TO FEED RESTRICTION BELOW RECOMMENDED LEVELS .2. ECONOMIC-ANALYSIS. *Poult Sci.* 70: 489-498.
- Fayolle, F. (1996). Bioremediation of aquifers polluted by chlorinated solvents. *Rev Inst Fr Pet.* 51: 559-574.
- Fechter, LD; Gearhart, C; Fulton, S; Campbell, J; Fisher, J; Na, K; Cocker, D; Nelson-Miller, A; Moon, P; Pouyatos, B. (2007). Promotion of noise-induced cochlear injury by toluene and ethylbenzene in the rat. *Toxicol Sci.* 98: 542-551. <http://dx.doi.org/10.1093/toxsci/kfm109>.
- Fei, T; Shanshan, Y; Peng, Y; Zhinan, S; Renxian, Z. (2016). Effects of support property on the catalytic performance of CeO₂-ZrO₂-CrO_x for 1,2-dichloroethane oxidation. *Journal of Rare Earths.* 34: 381-389. [http://dx.doi.org/10.1016/S1002-0721\(16\)60037-6](http://dx.doi.org/10.1016/S1002-0721(16)60037-6).
- Feijen-Jeurissen, MMR; Jorna, JJ; Nieuwenhuys, BE; Sinquin, G; Petit, C; Hindermann, JP. (1999). Mechanism of catalytic destruction of 1,2-dichloroethane and trichloroethylene over gamma-Al₂O₃ and gamma-Al₂O₃ supported chromium and palladium catalysts. *Catalysis Today.* 54: 65-79.
- Feinberg, AP; Ohlsson, R; Henikoff, S. (2006). The epigenetic progenitor origin of human cancer [Review]. *Nat Rev Genet.* 7: 21-33. <http://dx.doi.org/10.1038/nrg1748>.
- Feitelson, MA; Sun, B; Satiroglu Tufan, NL; Liu, J; Pan, J; Lian, Z. (2002). Genetic mechanisms of hepatocarcinogenesis [Review]. *Oncogene.* 21: 2593-2604. <http://dx.doi.org/10.1038/sj.onc.1205434>.
- Fekete-Kertesz, I; Molnar, M; Atkari, A; Gruiz, K; Fenyvesi, E. (2013). Hydrogen peroxide oxidation for in situ remediation of trichloroethylene - from the laboratory to the field. *Periodica Polytechnica Chemical Engineering.* 57: 41-51. <http://dx.doi.org/10.3311/PPCh.2169>.
- Feldman, RG; Chirico-Post, J; Proctor, SP. (1988). Blink reflex latency after exposure to trichloroethylene in well water. *Arch Environ Health.* 43: 143-148. <http://dx.doi.org/10.1080/00039896.1988.9935843>.
- Feldman, RG; White, RF. (1996). Role of the neurologist in hazard identification and risk assessment. *Environ Health Perspect.* 104: 227-237.
- Feldman, RG; White, RF; Currie, JN; Travers, PH; Lessell, S. (1985). Long-term follow-up after single toxic exposure to trichloroethylene. *Am J Ind Med.* 8: 119-126.
- Feng, H; Zhang, X; Liang, Y; Wang, M; Shen, D; Ding, Y; Huang, B; Shentu, J. (2014). Enhanced removal of p-fluoronitrobenzene using bioelectrochemical system. *Water Res.* 60: 54-63. <http://dx.doi.org/10.1016/j.watres.2014.03.027>.
- Feng, J; Lim, TT. (2007). Iron-mediated reduction rates and pathways of halogenated methanes with nanoscale Pd/Fe: analysis of linear free energy relationship. *Chemosphere.* 66: 1765-1774. <http://dx.doi.org/10.1016/j.chemosphere.2006.06.068>.
- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. *Chemosphere.* 73: 1817-1823. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.014>.
- Feng, X; Wang, X; Chen, X; Yue, Y. (2011). Thermo-physical properties of thin films composed of anatase TiO₂ nanofibers. *Acta Materialia.* 59: 1934-1944. <http://dx.doi.org/10.1016/j.actamat.2010.11.059>.
- Fennell, DE; Carroll, AB; Gossett, JM; Zinder, SH. (2001). Assessment of indigenous reductive dechlorinating potential at a TCE-contaminated site using microcosms, polymerase chain reaction analysis, and site data. *Environ Sci Technol.* 35: 1830-1839.
- Fennell, DE; Gossett, JM; Zinder, SH. (1997). Comparison of butyric acid, ethanol, lactic acid, and propionic acid as hydrogen donors for the reductive dechlorination of tetrachloroethene. *Environ Sci Technol.* 31: 918-926.
- Fenyvesi, E; Balogh, K; Olah, E; Batai, B; Varga, E; Molnar, M; Gruiz, K. (2011). Cyclodextrins for remediation of soils contaminated with chlorinated organics. *J Incl Phenom Macrocycl Chem.* 70: 291-297. <http://dx.doi.org/10.1007/s10847-010-9839-8>.
- Ferguson, DW; Gramith, JT; Mcguire, MJ. (1991). APPLYING OZONE FOR ORGANICS CONTROL AND DISINFECTION - A UTILITY PERSPECTIVE. *J Am Water Works Assoc.* 83: 32-39.
- Ferlay, J; Bray, F; Pisani, P; Parkin, DM. (2004). GLOBOCAN 2002: Cancer incidence, mortality and prevalence worldwide. Lyon, France: International Agency for Research on Cancer.
- Ferlay, J; Shin, HR; Bray, F; Mathers, C; Parkin, DM. (2008). GLOBOCAN 2008, cancer incidence and mortality worldwide: IARC CancerBase no. 10. Lyon, France: International Agency for Research on Cancer. <http://globocan.iarc.fr>.
- Fernandez, JG; Droz, PO; Humbert, BE; Caperos, JR. (1977). Trichloroethylene exposure: Simulation of uptake, excretion, and metabolism using a mathematical model. *Br J Ind Med.* 34: 43-55.

Fate Literature Search Results

Off Topic

- Fernández, M; Clavijo, S; Forteza, R; Cerdà, V. (2015). Determination of polycyclic aromatic hydrocarbons using lab on valve dispersive liquid-liquid microextraction coupled to high performance chromatography. *Talanta*. 138: 190-195. <http://dx.doi.org/10.1016/j.talanta.2015.02.007>.
- Ferreira, P; Nunes, CD; Pires, J; Carvalho, AP; Brandao, P; Rocha, J. (2006). Hydrophobic porous benzene-silica hybrid clay heterostructure and its application in the adsorption of volatile organic compounds. *Materials Science Forum*. 514-516: 470-474.
- Ferreira, RC; Domingues, AL; Bandeira, AP; Markman Filho, B; Albuquerque Filho, ES; Correiade de Araújo, AC; Batista, LJ; Markman, M; Campelo, AR. (2009). Prevalence of pulmonary hypertension in patients with schistosomal liver fibrosis. *Ann Trop Med Parasitol*. 103: 129-143. <http://dx.doi.org/10.1179/136485909X398168>.
- Ferrey, ML; Wilkin, RT; Ford, RG; Wilson, JT. (2004). Nonbiological removal of cis-dichloroethylene and 1,1-dichloroethylene in aquifer sediment containing magnetite. *Environ Sci Technol*. 38: 1746-1752. <http://dx.doi.org/10.1021/es0305609>.
- Ferro, AM; Kennedy, J; Larue, JC. (2013). Phytoremediation of 1,4-dioxane-containing recovered groundwater. *Int J Phytoremediation*. 15: 911-923. <http://dx.doi.org/10.1080/15226514.2012.687018>.
- Fevotte, J; Charbotel, B; Muller-Beauté, P; Martin, JL; Hours, M; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part I: Exposure assessment. *Ann Occup Hyg*. 50: 765-775. <http://dx.doi.org/10.1093/annhyg/mel040>.
- Field, JA; Istok, JD; Schroth, MH; Sawyer, TE; Humphrey, MD. (1999). Laboratory investigation of surfactant-enhanced trichloroethene solubilization using single-well, "push-pull" tests. *Ground Water*. 37: 581-588.
- Field, JA; Reed, RL; Istok, JD; Semprini, L; Bennett, P; Buscheck, TE. (2005). Trichlorofluoroethene: A reactive tracer for evaluating reductive dechlorination in large-diameter permeable columns. *Ground Water Monitoring and Remediation*. 25: 68-77.
- Field, JA; Sawyer, TE. (2000). High-performance liquid chromatography-diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation. *J Chromatogr A*. 893: 253-260.
- Field, JA; Sawyer, TE; Schroth, MH; Humphrey, MD; Istok, JD. (2000). Effect of cation exchange on surfactant-enhanced solubilization of trichloroethene. *J Contam Hydrol*. 46: 131-149.
- Fielding, M; Gibson, TM; James, HA. (1981). LEVELS OF TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND PARA-DICHLOROBENZENE IN GROUNDWATERS. *Environ Technol Letters*. 2: 545-550.
- Finckh, A; Cooper, GS; Chibnik, LB; Costenbader, KH; Watts, J; Pankey, H; Fraser, PA; Karlson, EW. (2006). Occupational silica and solvent exposures and risk of systemic lupus erythematosus in urban women. *Arthritis Rheum*. 54: 3648-3654. <http://dx.doi.org/10.1002/art.22210>.
- Findlay, M; Smoler, DF; Fogel, S; Mattes, TE. (2016). Aerobic Vinyl Chloride Metabolism in Groundwater Microcosms by Methanotrophic and Etheneotrophic Bacteria. *Environ Sci Technol*. 50: 3617-3625. <http://dx.doi.org/10.1021/acs.est.5b05798>.
- Finkbeiner; Hoffmann; Kreisel. (1997). ENVIRONMENTAL AUDITING: The Functional Unit in the Life Cycle Inventory Analysis of Degreasing Processes in the Metal-Processing Industry. *Environ Manage*. 21: 635-642.
- Finklea, HO; Phillippi, MA; Lompert, E; Grate, JW. (1998). Highly sorbent films derived from Ni(SCN)₂(4-picoline)₄ for the detection of chlorinated and aromatic hydrocarbons with quartz crystal microbalance sensors. *Anal Chem*. 70: 1268-1276.
- Finocchio, E; Pistarino, C; Dellepiane, S; Serra, B; Braggio, S; Baldi, M; Busca, G. (2002). Studies on the catalytic dechlorination and abatement of chlorided VOC: the cases of 2-chloropropane, 1,2-dichloropropane and trichloroethylene. *Catalysis Today*. 75: 263-267.
- Finocchio, E; Sapienza, G; Baldi, M; Busca, G. (2004). Trichloroethylene catalytic conversion over acidic solid catalysts. *Appl Catal B-Environ*. 51: 143-148. <http://dx.doi.org/10.1016/j.apcatb.2004.01.018>.
- Finon, D; Perez, Y. (2007). The social efficiency of instruments of promotion of renewable energies: A transaction-cost perspective. *Ecol Econ*. 62: 77-92. <http://dx.doi.org/10.1016/j.ecolecon.2006.05.011>.
- Firdous, R; Devlin, JF. (2014). Consideration of grain packing in granular iron treatability studies. *J Contam Hydrol*. 164: 230-239. <http://dx.doi.org/10.1016/j.jconhyd.2014.05.014>.
- Fiserova-Bergerova, V. (1990). Application of toxicokinetic models to establish biological exposure indicators [Review]. *Ann Occup Hyg*. 34: 639-651.
- Fisher, J. (2000). Physiologically based pharmacokinetic models for trichloroethylene and its oxidative metabolites [Review]. *Environ Health Perspect*. 108: 265-273.
- Fisher, J; Lumpkin, M; Boyd, J; Mahle, D; Bruckner, JV; El-Masri, HA. (2004). PBPK modeling of the metabolic interactions of carbon tetrachloride and tetrachloroethylene in B6C3F1 mice. *Environ Toxicol Pharmacol*. 16: 93-105. <http://dx.doi.org/10.1016/j.etap.2003.10.006>.
- Fisher, JW; Allen, BC. (1993). Evaluating the risk of liver cancer in humans exposed to trichloroethylene using physiological models. *Risk Anal*. 13: 87-95.
- Fisher, ML. (1997). The TCE Corporate Technical Memory: Groupware on the cheap. *International Journal of Human-Computer Studies*. 46: 847-860.
- Fisher, SC; Schoonen, MAA; Brownawell, BJ. (2012). Phenylalanine as a hydroxyl radical-specific probe in pyrite slurries. *Geochemical Transactions*. 13: 3. <http://dx.doi.org/10.1186/1467-4866-13-3>.
- Fitch, MW; Weissman, D; Phelps, P; Georgiou, G; Speitel G E, J. R. (1996). Trichloroethylene degradation by *Methylosinus trichosporium* OB3B mutants in a sequencing biofilm reactor. *Water Res*. 30: 2655-2664.
- Fitzgerald, JE; Sanyer, JL; Schardein, JL; Lake, RS; McGuire, EJ; de la Iglesia, FA. (1981). Carcinogen bioassay and mutagenicity studies with the hypolipidemic agent gemfibrozil. *J Natl Cancer Inst*. 67: 1105-1116.
- Fitzpatrick, JM. (2010). The role of registration in accurate surgical guidance. *Proc Inst Mech Eng H*. 224: 607-622. <http://dx.doi.org/10.1243/09544119JHEIM589>.

Fate Literature Search Results

Off Topic

- Fitzpatrick, LJ; Dean, JR. (2002). Extraction solvent selection in environmental analysis. *Anal Chem.* 74: 74-79.
<http://dx.doi.org/10.1021/ac0001336u>.
- Fitzpatrick, LJ; Dean, JR; Comber, MH; Harradine, K; Evans, KP. (2000). Extraction of DDT [1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(p-chlorophenyl)-ethylene] and DDD [1,1-dichloro-2,2-bis(p-chlorophenyl)-ethane] from aged contaminated soil. *J Chromatogr A.* 874: 257-264.
- Fjordboge, AS; Riis, C; Christensen, AG; Kjeldsen, P. (2012). ZVI-Clay remediation of a chlorinated solvent source zone, Skuldelev, Denmark: 1. Site description and contaminant source mass reduction. *J Contam Hydrol.* 140: 56-66.
<http://dx.doi.org/10.1016/j.jconhyd.2012.08.007>.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg.* 11: 292-305.
<http://dx.doi.org/10.1080/15459624.2013.862591>.
- Fleming-Jones, ME; Smith, RE. (2003). Volatile organic compounds in foods: A five year study. *J Agric Food Chem.* 51: 8120-8127.
<http://dx.doi.org/10.1021/jf0303159>.
- Fletcher, KE; Costanza, J; Cruz-Garcia, C; Ramaswamy, NS; Pennell, KD; Löffler, FE. (2011). Effects of elevated temperature on Dehalococcoides dechlorination performance and DNA and RNA biomarker abundance. *Environ Sci Technol.* 45: 712-718.
<http://dx.doi.org/10.1021/es1023477>.
- Fletcher, KE; Costanza, J, ed; Pennell, KD; Löffler, FE. (2011). Electron donor availability for microbial reductive processes following thermal treatment. *Water Res.* 45: 6625-6636. <http://dx.doi.org/10.1016/j.watres.2011.09.033>.
- Fletcher, KE; Löffler, FE; Richnow, HH; Nijenhuis, I. (2009). Stable carbon isotope fractionation of 1,2-dichloropropane during dichloroelimination by Dehalococcoides populations. *Environ Sci Technol.* 43: 6915-6919. <http://dx.doi.org/10.1021/es900365x>.
- Fletcher, KE; Nijenhuis, I; Richnow, HH; Loeffler, FE. (2011). Stable Carbon Isotope Enrichment Factors for cis-1,2-Dichloroethene and Vinyl Chloride Reductive Dechlorination by Dehalococcoides. *Environ Sci Technol.* 45: 2951-2957. <http://dx.doi.org/10.1021/es103728q>.
- Flodin, U; Fredriksson, M; Persson, B. (1987). Multiple myeloma and engine exhausts, fresh wood, and creosote: A case-referent study. *Am J Ind Med.* 12: 519-529.
- Flórez Menéndez, JC; Fernández Sánchez, ML; Fernández Martínez, E; Sánchez Uría, JE; Sanz-Medel, A. (2004). Static headspace versus head space solid-phase microextraction (HS-SPME) for the determination of volatile organochlorine compounds in landfill leachates by gas chromatography. *Talanta.* 63: 809-814. <http://dx.doi.org/10.1016/j.talanta.2003.12.044>.
- Foco, GM; Bottini, SB; Brignole, EA. (1992). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR THE 1,2-DICHLOROETHANE ANISOLE AND TRICHLOROETHYLENE ANISOLE SYSTEMS. *Journal of Chemical and Engineering Data.* 37: 17-19.
- Follett, AD; Mcnabb, KA; Peterson, AA; Scanlon, JD; Cramer, CJ; Mcneill, K. (2007). Characterization of Co-C bonding in dichlorovinylcobaloxime complexes. *Inorg Chem.* 46: 1645-1654. <http://dx.doi.org/10.1021/ic0618293>.
- Follett, AD; Mcneill, K. (2006). Evidence for the formation of a cis-dichlorovinyl anion upon reduction of cis-1,2-dichlorovinyl(pyridine)cobaloxime. *Inorg Chem.* 45: 2727-2732. <http://dx.doi.org/10.1021/ic052020d>.
- Forand, SP; Lewis-Michl, EL; Gomez, MI. (2012). Adverse birth outcomes and maternal exposure to trichloroethylene and tetrachloroethylene through soil vapor intrusion in New York State. *Environ Health Perspect.* 120: 616-621. <http://dx.doi.org/10.1289/ehp.1103884>.
- Forczek, ST; Pavlík, M; Holík, J; Rederer, L; Ferencík, M. (2016). The natural chlorine cycle - Formation of the carcinogenic and greenhouse gas compound chloroform in drinking water reservoirs. *Chemosphere.* 157: 190-199.
<http://dx.doi.org/10.1016/j.chemosphere.2016.05.017>.
- Ford, DK; Mccandlish, L. (1971). Isolation of human genital TRIC agents in nongonococcal urethritis and Reiter's disease by an irradiated cell culture method. *J Clin Invest.* 47: 196-197.
- Ford, E; Rhodes, S; Mcdiarmid, M; Schwartz, S; Brown, J. (1995). Deaths from acute exposure to trichloroethylene [Review]. *J Occup Environ Med.* 37: 749-754.
- Forkert, P. (1999). 1,1-Dichloroethylene-induced Clara cell damage is associated with in situ formation of the reactive epoxide. Immunohistochemical detection of its glutathione conjugate. *Am J Respir Cell Mol Biol.* 20: 1310-1318.
<http://dx.doi.org/10.1165/ajrcmb.20.6.3525>.
- Forkert, P; Malkinson, A; Rice, P; Moussa, M. (1999). Diminished CYP2E1 expression and formation of 2-S-glutathionyl acetate, a glutathione conjugate derived from 1,1-dichloroethylene epoxide, in murine lung tumors. *Drug Metab Dispos.* 27: 68-73.
- Forkert, PG. (1999). In vivo formation and localization of 1,1-dichloroethylene epoxide in murine liver: Identification of its glutathione conjugate 2-S-glutathionyl acetate. *J Pharmacol Exp Ther.* 290: 1299-1306.
- Fornaro, L; Luchini, L; Koncke, M; Mussio, L; Quagliata, E; Chattopadhyay, K; Burger, A. (2000). Growth of mercuric iodide platelets for X-ray room temperature detectors in the HgI₂-HI-H₂O system. *J Cryst Growth.* 217: 263-270.
- Forrester, SB; Han, JI; Dybas, MJ; Semrau, JD; Lastoskie, CM. (2005). Characterization of a mixed methanotrophic culture capable of chloroethylene degradation. *Environ Eng Sci.* 22: 177-186.
- Foster, NS; Lancaster, AN; Noble, RD; Koval, CA. (1995). EFFECT OF ORGANICS ON THE PHOTODEPOSITION OF COPPER IN TITANIUM-DIOXIDE AQUEOUS SUSPENSIONS. *Ind Eng Chem Res.* 34: 3865-3871.
- Foster, WG; Desaulniers, D; Leingartner, K; Wade, MG; Poon, R; Chu, I. (1999). Reproductive effects of tris(4-chlorophenyl)methanol in the rat. *Chemosphere.* 39: 709-724.
- Föttinger, K; Ruppachter, G. (2014). In situ spectroscopy of complex surface reactions on supported Pd-Zn, Pd-Ga, and Pd(Pt)-Cu nanoparticles. *Acc Chem Res.* 47: 3071-3079. <http://dx.doi.org/10.1021/ar500220v>.

Fate Literature Search Results

Off Topic

- Fourmigué, M; Auban-Senzier, P. (2008). Anionic layered networks reconstructed from [Cd(SCN)₃]infinity(-) chains in pseudo one-dimensional conducting salts of halogenated tetrathiafulvalenes. *Inorg Chem.* 47: 9979-9986. <http://dx.doi.org/10.1021/ic801207v>.
- Fox, A; Sullivan, B; Buffini, J; Neichin, M; Nicora, R; Hoehler, F; O'Rourke, R; Stoltz, R. (1996). Reduction of serum lactate by sodium dichloroacetate, and human pharmacokinetic-pharmacodynamic relationships. *J Pharmacol Exp Ther.* 279: 686-693.
- Fox, MA; Sheehan, MC; Burke, TA. (2015). A risk assessment approach for policy evaluation: New Jersey case studies. *Hum Ecol Risk Assess.* 21: 2258-2272. <http://dx.doi.org/10.1080/10807039.2015.1046982>.
- Fox, TR; Schumann, AM; Watanabe, PG; Yano, BL; Maher, VM; McCormick, JJ. (1990). Mutational analysis of the H-ras oncogene in spontaneous C57BL/6 x C3H/He mouse liver tumors and tumors induced with genotoxic and nongenotoxic hepatocarcinogens. *Cancer Res.* 50: 4014-4019.
- Foy, BR; Waldthausen, K; Sedillo, MA; Buelow, SJ. (1996). Hydrothermal Processing of Chlorinated Hydrocarbons in a Titanium Reactor. *Environ Sci Technol.* 30: 2790-2799. <http://dx.doi.org/10.1021/es960041o>.
- Fraga, MF; Ballestar, E; Villar-Garea, A; Boix-Chornet, M; Espada, J; Schotta, G; Bonaldi, T; Haydon, C; Ropero, S; Petrie, K; Iyer, NG; Pérez-Rosado, A; Calvo, E; Lopez, JA; Cano, A; Calasanz, MJ; Colomer, D; Piris, MA; Ahn, N; Imhof, A; Caldas, C; Jenuwein, T; Esteller, M. (2005). Loss of acetylation at Lys16 and trimethylation at Lys20 of histone H4 is a common hallmark of human cancer. *Nat Genet.* 37: 391-400. <http://dx.doi.org/10.1038/ng1531>.
- Fraga, MF; Herranz, M; Espada, J; Ballestar, E; Paz, MF; Ropero, S; Erkek, E; Bozdogan, O; Peinado, H; Niveleau, A; Mao, JH; Balmain, A; Cano, A; Esteller, M. (2004). A mouse skin multistage carcinogenesis model reflects the aberrant DNA methylation patterns of human tumors. *Cancer Res.* 64: 5527-5534. <http://dx.doi.org/10.1158/0008-5472.CAN-03-4061>.
- Francesconi, R; Castellari, C; Comelli, F. (1999). Excess molar enthalpies and excess molar volumes of diethyl carbonate plus some n-alkoxyethanols at (298.15 and 313.15) K. *Journal of Chemical and Engineering Data.* 44: 1373-1378.
- Francesconi, R; Castellari, C; Comelli, F; Bandini, E. (1991). ENTHALPY OF MIXING WITH H-BONDS INTERACTIONS - THE ROLE OF THE REACTIONAL CONTRIBUTIONS. *Zeitschrift fuer Physikalische Chemie.* 173: 37-51.
- Francesconi, R; Cojutti, A. (1971). LIQUID-VAPOUR EQUILIBRIUM IN BINARY MIXTURES WITH ASSOCIATIONS OF COMPONENTS .2. ACETIC ACID-TRICHLOROETHYLENE SYSTEM. *Chem Eng Sci.* 26: 1341-+.
- Francesconi, R; Comelli, F; Montefusco, L; Trevisoi, C. (1978). ISOBARIC LIQUID-VAPOR-EQUILIBRIUM DATA CORRELATION FOR A TERNARY MIXTURE EXHIBITING ASSOCIATIONS - ACETIC ACID ACETONE-TRICHLOROETHYLENE. *Can J Chem Eng.* 56: 364-370.
- Franco, A; Costoya, MA; Roca, E. (2007). Estimating risk during showering exposure to VOCs of workers in a metal-degreasing facility. *J Toxicol Environ Health A.* 70: 627-637. <http://dx.doi.org/10.1080/15287390600974551>.
- Franco, JL; Teixeira, A; Meotti, FC; Ribas, CM; Stringari, J; Garcia Pombum, SC; Moro, AM; Bohrer, D; Bairros, AV; Dafre, AL; Santos, AR; Farina, M. (2006). Cerebellar thiol status and motor deficit after lactational exposure to methylmercury. *Environ Res.* 102: 22-28. <http://dx.doi.org/10.1016/j.envres.2006.02.003>.
- Frangos, SA; Peters, JM. (1993). Chlorinated Hydrocarbon Solvents: Substituting Our Way Toward Human Carcinogenicity. *Am J Ind Med.* 24: 355-364.
- Frank, H; Frank, W; Neves, HJC. (1991). AIRBORNE C-1-HALOCARBONS AND C2-HALOCARBONS AT 4 REPRESENTATIVE SITES IN EUROPE. *Atmos Environ* (1967). 25: 257-261.
- Frank, U. (1994). UNITED-STATES-ENVIRONMENTAL-PROTECTION-AGENCY SUPERFUND INNOVATIVE TECHNOLOGY EVALUATION OF PNEUMATIC FRACTURING EXTRACTION (SM). *J Air Waste Manag Assoc.* 44: 1219-1223.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere.* 23: 609-626.
- Frasconi, D; Cappelletti, M; Fedi, S; Zannoni, D; Nocentini, M; Pinelli, D. (2010). 1,1,2,2-Tetrachloroethane aerobic cometabolic biodegradation in slurry and soil-free bioreactors: A kinetic study. *Biochem Eng J.* 52: 55-64. <http://dx.doi.org/10.1016/j.bej.2010.07.004>.
- Frasconi, D; Fraraccio, S; Nocentini, M; Pinelli, D. (2013). Aerobic/anaerobic/aerobic sequenced biodegradation of a mixture of chlorinated ethenes, ethanes and methanes in batch bioreactors. *Bioresour Technol.* 128: 479-486. <http://dx.doi.org/10.1016/j.biortech.2012.10.026>.
- Frasconi, D; Pinelli, D; Nocentini, M; Baleani, E; Cappelletti, M; Fedi, S. (2008). A kinetic study of chlorinated solvent cometabolic biodegradation by propane-grown *Rhodococcus* sp PB1. *Biochem Eng J.* 42: 139-147. <http://dx.doi.org/10.1016/j.bej.2008.06.011>.
- Frasconi, D; Pinelli, D; Nocentini, M; Zannoni, A; Fedi, S; Baleani, E; Zannoni, D; Farneti, A; Battistelli, A. (2006). Long-term aerobic cometabolism of a chlorinated solvent mixture by vinyl chloride-, methane- and propane-utilizing biomasses. *J Hazard Mater.* 138: 29-39. <http://dx.doi.org/10.1016/j.jhazmat.2006.05.00>.
- Frasconi, D; Zanolli, G; Bucchi, G; Rosato, A; Tavanaie, N; Fraraccio, S; Pinelli, D; Fava, F. (2013). Trichloroethylene aerobic cometabolism by suspended and immobilized butane-growing microbial consortia: A kinetic study. *Bioresour Technol.* 144: 529-538. <http://dx.doi.org/10.1016/j.biortech.2013.07.006>.
- Frasconi, D; Zanolli, G; Danko, AS. (2014). In situ aerobic cometabolism of chlorinated solvents: A review [Review]. *J Hazard Mater.* 283C: 382-399. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.041>.
- Frasconi, D; Zannoni, A; Pinelli, D; Nocentini, M. (2007). Chloroform aerobic cometabolism by butane-utilizing bacteria in bioaugmented and non-bioaugmented soil/groundwater microcosms. *Process Biochemistry.* 42: 1218-1228. <http://dx.doi.org/10.1016/j.procbio.2007.05.018>.
- Freeborn, RA; West, KA; Bhupathiraju, VK; Chauhan, S; Rahm, BG; Richardson, RE; Alvarez-Cohen, L. (2005). Phylogenetic analysis of TCE-dechlorinating consortia enriched on a variety of electron donors. *Environ Sci Technol.* 39: 8358-8368.
- Freedman, DL; Herz, SD. (1996). Use of ethylene and ethane as primary substrates for aerobic cometabolism of vinyl chloride. *Water Environ Res.* 68: 320-328.

Fate Literature Search Results

Off Topic

- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol.* 13: 437-447.
- French, WT; Brown, LR; Downer, DN; Fredrickson, HL; Teeter, CL. (2002). Effects of n-hexadecane and PM-100 clay on trichloroethylene degradation by *Burkholderia cepacia*. *J Hazard Mater.* 92: 89-102.
- Freshour, AR; Mawhinney, S; Battacharyya, D. (1996). Two-phase ozonation of hazardous organics in single and multicomponent systems. *Water Res.* 30: 1949-1958.
- Fresno, F; Tudela, D; Coronado, JM; Soria, J. (2009). Synthesis of Ti1-xSnxO2 nanosized photocatalysts in reverse microemulsions. *Catalysis Today.* 143: 230-236. <http://dx.doi.org/10.1016/j.cattod.2008.10.024>.
- Fries, E; Püttmann, W. (2006). Improvement of HS-SPME for analysis of volatile organic compounds (VOC) in water samples by simultaneous direct fiber cooling and freezing of analyte solution. *Anal Bioanal Chem.* 386: 1497-1503. <http://dx.doi.org/10.1007/s00216-006-0715-8>.
- Friesen, MC; Locke, SJ; Chen, YC; Coble, JB; Stewart, PA; Ji, BT; Bassig, B; Lu, W; Xue, S; Chow, WH; Lan, Q; Purdue, MP; Rothman, N; Vermeulen, R. (2015). Historical occupational trichloroethylene air concentrations based on inspection measurements from shanghai, china. *Ann Occup Hyg.* 59: 62-78. <http://dx.doi.org/10.1093/annhyg/meu066>.
- Friesen, MC; Locke, SJ; Tornow, C; Chen, YC; Koh, DH; Stewart, PA; Purdue, M; Colt, JS. (2014). Systematically extracting metal- and solvent-related occupational information from free-text responses to lifetime occupational history questionnaires. *Ann Occup Hyg.* 58: 612-624. <http://dx.doi.org/10.1093/annhyg/meu012>.
- Friis, AK; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2006). The need for bioaugmentation after thermal treatment of a TCE-contaminated aquifer: Laboratory experiments. *J Contam Hydrol.* 88: 235-248. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.001>.
- Friis, AK; Albrechtsen, HJ; Heron, G; Bjerg, PL. (2005). Redox processes and release of organic matter after thermal treatment of a TCE-contaminated aquifer. *Environ Sci Technol.* 39: 5787-5795. <http://dx.doi.org/10.1021/es048322g>.
- Friis, AK; Edwards, EA; Albrechtsen, HJ; Udell, KS; Duhamel, M; Bjerg, PL. (2007). Dechlorination after thermal treatment of a TCE-contaminated aquifer: laboratory experiments. *Chemosphere.* 67: 816-825. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.012>.
- Friis, AK; Heimann, AC; Jakobsen, R; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2007). Temperature dependence of anaerobic TCE-dechlorination in a highly enriched Dehalococcoides-containing culture. *Water Res.* 41: 355-364. <http://dx.doi.org/10.1016/j.watres.2006.09.026>.
- Friis, AK; Heron, G; Albrechtsen, HJ; Udell, KS; Bjerg, PL. (2006). Anaerobic dechlorination and redox activities after full-scale Electrical Resistance Heating (ERH) of a TCE-contaminated aquifer. *J Contam Hydrol.* 88: 219-234. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.001>.
- Fritsch, JM; Retka, ND; Mcneill, K. (2006). Synthesis, structure, and unusual reactivity of beta-halovinyl cobalt porphyrin complexes. *Inorg Chem.* 45: 2288-2295. <http://dx.doi.org/10.1021/ic0518834>.
- Fritschi, L; Nadon, L; Benke, G; Lakhani, R; Latreille, B; Parent, ME; Siemiatycki, J. (2003). Validation of expert assessment of occupational exposures. *Am J Ind Med.* 43: 519-522. <http://dx.doi.org/10.1002/ajim.10208>.
- Fritschi, L; Siemiatycki, J. (1996). Melanoma and occupation: Results of a case-control study. *Occup Environ Med.* 53: 168-173.
- Fritschi, L; Siemiatycki, J; Richardson, L. (1996). Self-assessed versus expert-assessed occupational exposures. *Am J Epidemiol.* 144: 521-527.
- Froese, K; Sinclair, M; Hrudey, S. (2002). Trichloroacetic acid as a biomarker of exposure to disinfection by-products in drinking water: a human exposure trial in Adelaide, Australia. *Environ Health Perspect.* 110: 679-687.
- Froese, KL; Hutzinger, O. (1994). The formation of chlorinated benzenes and phenols in flyash catalysed reactions of trichloroethylene. *Chemosphere.* 28: 1977-1987.
- Fronheiser, MP; Idriss, SF; Wolf, PD; Smith, SW. (2008). Vibrating interventional device detection using real-time 3-D color Doppler. *IEEE Trans Ultrason Ferroelectr Freq Control.* 55: 1355-1362. <http://dx.doi.org/10.1109/TUFFC.2008.798>.
- Frøyland, L; Madsen, L; Vaagenes, H; Totland, GK; Auwerx, J; Kryvi, H; Staels, B; Berge, RK. (1997). Mitochondrion is the principal target for nutritional and pharmacological control of triglyceride metabolism. *J Lipid Res.* 38: 1851-1858.
- Fruchter, JS; Cole, CR; Williams, MD; Vermeul, VR; Amonette, JE; Szecsody, JE; Istok, JD; Humphrey, MD. (2000). Creation of a subsurface permeable treatment zone for aqueous chromate contamination using in situ redox manipulation. *Ground Water Monitoring and Remediation.* 20: 66-77.
- Fu, X; Gu, X; Lu, S; Miao, Z; Xu, M; Zhang, X; Danish, M; Cui, H; Farooq, U; Qiu, Z; Sui, Q. (2016). Enhanced degradation of benzene by percarbonate activated with Fe(II)-glutamate complex. *Environ Sci Pollut Res Int.* 23: 6758-6766. <http://dx.doi.org/10.1007/s11356-015-5908-2>.
- Fu, X; Gu, X; Lu, S; Xu, M; Miao, Z; Zhang, X; Zhang, Y; Xue, Y; Qiu, Z; Sui, Q. (2016). Enhanced degradation of benzene in aqueous solution by sodium percarbonate activated with chelated-Fe(II). *Chem Eng J.* 285: 180-188. <http://dx.doi.org/10.1016/j.cej.2015.09.112>.
- Fu, XZ; Clark, LA; Yang, Q; Anderson, MA. (1996). Enhanced photocatalytic performance of titania-based binary metal oxides: TiO2/SiO2 and TiO2/ZrO2. *Environ Sci Technol.* 30: 647-653.
- Fu, XZ; Clark, LA; Zeltner, WA; Anderson, MA. (1996). Effects of reaction temperature and water vapor content on the heterogeneous photocatalytic oxidation of ethylene. *J Photochem Photobiol A.* 97: 181-186.
- Fuentes, HR; Polzer, WL; Smith, JL. (1991). Laboratory measurements of diffusion coefficients for trichloroethylene and o-xylene in undisturbed tuff. *J Environ Qual.* 20: 215-221.
- Fuentes, HR; Smith, JL; Essington, EH; Polzer, WL. (1990). MULTIPHASE PARTITIONING OF TRICHLOROETHYLENE AND ORTHO-XYLENE IN WATER SUSPENSIONS OF TUFF - EXPERIMENTS AND ANALYSIS. *Hazardous Waste and Hazardous Materials.* 7: 347-359.
- Fujii, T. (1977). [Excretion of trichloroethanol and trichloroacetic acid in the urine of rats exposed repeatedly to trichloroethylene (author's transl)]. *Sangyo Igaku.* 19: 251-255.

Fate Literature Search Results

Off Topic

- Fujita, H; Izumi, J; Sagehashi, M; Fujii, T; Sakoda, A. (2004). Decomposition of trichloroethene on ozone-adsorbed high silica zeolites. *Water Res.* 38: 166-172. [http://dx.doi.org/10.1016/S0043-1354\(03\)00392-0](http://dx.doi.org/10.1016/S0043-1354(03)00392-0).
- Fujita, J; Marino, MW; Wada, H; Jungbluth, AA; Mackrell, PJ; Rivadeneira, DE; Stapleton, PP; Daly, JM. (2001). Effect of TNF gene depletion on liver regeneration after partial hepatectomy in mice. *Surgery.* 129: 48-54.
- Fujita, M; Ike, M; Kawagoshi, Y; Miyata, N. (2000). Biotreatment of persistent substances using effective microorganisms. *Water Sci Technol.* 42: 93-106.
- Fukahori, S; Ichiura, H; Kitaoka, T; Tanaka, H; Wariishi, H. (2007). Preparation of porous sheet composite impregnated with TiO₂ photocatalyst by a papermaking technique. *Journal of Materials Science.* 42: 6087-6092. <http://dx.doi.org/10.1007/s10853-006-1150-0>.
- Fukui, H; Akiyoshi, K; Sato, T; Sunamoto, J; Yamaguchi, S; Numata, M. (1993). ANTICANCER ACTIVITY OF POLYUNSATURATED FATTY-ACID EMULSION STABILIZED BY HYDROPHOBIZED POLYSACCHARIDE. *J Bioact Compat Polymer.* 8: 305-316.
- Fukui, H; Akiyoshi, K; Sunamoto, J. (1996). o/w-emulsion of alpha-linolenic acid stabilized with hydrophobized polysaccharide. Its effect on the growth of human colon cancer cells. *J Biomater Sci Polym Ed.* 7: 829-838.
- Fukui, S; Kajihara, A; Hirano, T; Sato, F; Suzuki, N; Nagao, H. (2011). Synthesis and characterization of ethylbis(2-pyridylethyl)amineruthenium complexes and two different types of C-H bond cleavage at an ethylene arm. *Inorg Chem.* 50: 4713-4724. <http://dx.doi.org/10.1021/ic101940f>.
- Fuller, ME; Manning, JF. (1998). Evidence for differential effects of 2,4,6-trinitrotoluene and other munitions compounds on specific subpopulations of soil microbial communities. *Environ Toxicol Chem.* 17: 2185-2195.
- Fuller, ME; Mu, DY; Scow, KM. (1995). BIODEGRADATION OF TRICHLOROETHYLENE AND TOLUENE BY INDIGENOUS MICROBIAL-POPULATIONS IN VADOSE SEDIMENTS. *Microb Ecol.* 29: 311-325. <http://dx.doi.org/10.1007/BF00164893>.
- Fuller, ME; Scow, KM. (1996). Effects of toluene on microbially-mediated processes involved in the soil nitrogen cycle. *Microb Ecol.* 32: 171-184.
- Fuller, ME; Scow, KM. (1997). Lack of capsular exopolymer effects on the biodegradation of organic compounds by *Pseudomonas* sp. strains JS1 and JS150. *Microb Ecol.* 34: 248-253.
- Fuller, ME; Scow, KM; Lau, S; Ferris, H. (1997). Trichloroethylene (TCE) and toluene effects on the structure and function of the soil community. *Soil Biol Biochem.* 29: 75-89.
- Furge, KA; Dykema, K; Petillo, D; Westphal, M; Zhang, ZF; Kort, EJ; Teh, BT. (2007). Combining differential expression, chromosomal and pathway analyses for the molecular characterization of renal cell carcinoma. *Canadian Urological Association Journal.* 1: S21-S27.
- Furman, OS; Teel, A; Ahmad, M; Merker, MC; Watts, RJ. (2011). Effect of Basicity on Persulfate Reactivity. *J Environ Eng.* 137: 241-247. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000323](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000323).
- Fürstenberger, G; Senn, HJ. (2002). Insulin-like growth factors and cancer [Review]. *Lancet Oncol.* 3: 298-302. [http://dx.doi.org/10.1016/S1470-2045\(02\)00731-3](http://dx.doi.org/10.1016/S1470-2045(02)00731-3).
- Furukawa, K. (2006). Oxygenases and dehalogenases: molecular approaches to efficient degradation of chlorinated environmental pollutants [Review]. *Biosci Biotechnol Biochem.* 70: 2335-2348. <http://dx.doi.org/10.1271/bbb.60218>.
- Furuki, K; Ukai, H; Okamoto, S; Takada, S; Kawai, T; Miyama, Y; Mitsuyoshi, K; Zhang, ZW; Higashikawa, K; Ikeda, M. (2000). Monitoring of occupational exposure to tetrachloroethene by analysis for unmetabolized tetrachloroethene in blood and urine in comparison with urinalysis for trichloroacetic acid. *Int Arch Occup Environ Health.* 73: 221-227.
- Furuki, M; Pu, LS. (1992). HYBRID GAS DETECTOR OF SQUARYLIUM DYE LANGMUIR-BLODGETT-FILM DEPOSITED ON A QUARTZ OSCILLATOR. *Thin Solid Films.* 210: 471-473.
- Furusawa, T; Asama, R; Okada, M; Aika, K; Kojima, R; Kato, M; Suzuki, N. (2010). Destructive Adsorption of Chlorinated Volatile Organic Compounds on Calcium Oxide Powder under Air Flow. *J Chem Eng Jpn.* 43: 537-543.
- Furuse, M; Kanno, S; Takano, T; Matsumura, Y. (2001). Cyclohexane as an alternative vapor of carbon tetrachloride for the assessment of gas removing capacities of gas masks. *Ind Health.* 39: 1-7. <http://dx.doi.org/10.2486/indhealth.39.1>.
- Fusco, JC; Afshari, AJ; George, MH; Deangelo, AB; Tice, RR; Salman, T; Allen, JW. (1996). In vivo genotoxicity of dichloroacetic acid: Evaluation with the mouse peripheral blood micronucleus assay and the single cell gel assay. *Environ Mol Mutagen.* 27: 1-9. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)27:1<1::AID-EM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)27:1<1::AID-EM1>3.0.CO;2-L).
- Futamata, H; Yoshida, N; Kurogi, T; Kaiya, S; Hiraishi, A. (2007). Reductive dechlorination of chloroethenes by Dehalococcoides-containing cultures enriched from a polychlorinated-dioxin-contaminated microcosm. *ISME J.* 1: 471-479. <http://dx.doi.org/10.1038/ismej.2007.42>.
- Futamura, S; Einaga, H; Kabashima, H; Hwan, LY. (2004). Synergistic effect of silent discharge plasma and catalysts on benzene decomposition. *Catalysis Today.* 89: 89-95. <http://dx.doi.org/10.1016/j.cattod.2003.11.014>.
- Futamura, S; Einaga, H; Zhang, AH. (2001). Comparison of reactor performance in the nonthermal plasma chemical processing of hazardous air pollutants. *I E E E Transactions on Industry Applications.* 37: 978-985.
- Futamura, S; Yamamoto, T. (1997). Byproduct identification and mechanism determination in plasma chemical decomposition of trichloroethylene. *I E E E Transactions on Industry Applications.* 33: 447-453.
- Futamura, S; Zhang, AH; Einaga, H; Kabashima, H. (2002). Involvement of catalyst materials in nonthermal plasma chemical processing of hazardous air pollutants. *Catalysis Today.* 72: 259-265.
- Futamura, S; Zhang, AH; Yamamoto, T. (1997). The dependence of nonthermal plasma behavior of VOCs on their chemical structures. *Journal of Electrostatics.* 42: 51-62.
- G, M; A G, R; Moon, IS. (2016). Gaseous trichloroethylene removal using an electrochemically generated homogeneous low-valent ligand-free Co(I) electrocatalyst by electro-scrubbing. *J Hazard Mater.* 311: 210-217. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.011>.

Fate Literature Search Results

Off Topic

- Gade, A; Jensen, HH. (1985). State-dependent learning during chronic trichloroethylene exposure [Letter]. *Scand J Work Environ Health*. 11: 495-497.
- Gaffga, G; Hagemester, C. (2016). Space for tricycles and bike trailers: necessary provisions. *Institution of Civil Engineers Proceedings Engineering Sustainability*. 169: 67-75. <http://dx.doi.org/10.1680/ensu.14.00062>.
- Gaglio, PJ; Liu, H; Dash, S; Cheng, S; Dunne, B; Ratterree, M; Baskin, G; Blanchard, J; Bohm, R; Theise, ND; LaBrecque, D. (2002). Liver regeneration investigated in a non-human primate model (*Macaca mulatta*). *J Hepatol*. 37: 625-632. [http://dx.doi.org/10.1016/S0168-8278\(02\)00262-3](http://dx.doi.org/10.1016/S0168-8278(02)00262-3).
- Gagnaire, F; Marignac, B; Langlais, C; Bonnet, P. (2001). Ototoxicity in rats exposed to ortho-, meta- and para-xylene vapours for 13 weeks. *Pharmacol Toxicol*. 89: 6-14. <http://dx.doi.org/10.1111/j.1600-0773.2001.890102.x>.
- Gaido, K; Dohme, L; Wang, F; Chen, I; Blankvoort, B; Ramamoorthy, K; Safe, S. (1998). Comparative estrogenic activity of wine extracts and organochlorine pesticide residues in food. *Environ Health Perspect*. 106: 1347-1351.
- Gallastegi-Villa, M; Aranzabal, A; Romero-Saez, M; Gonzalez-Marcos, JA; Gonzalez-Velasco, JR, JR. (2014). Catalytic activity of regenerated catalyst after the oxidation of 1,2-dichloroethane and trichloroethylene. *Chem Eng J*. 241: 200-206. <http://dx.doi.org/10.1016/j.cej.2013.12.008>.
- Gallastegi-Villa, M; Romero-Saez, M; Aranzabal, A; Gonzalez-Marcos, JA; Gonzalez-Velasco, J. R. (2013). Strategies to enhance the stability of h-bea zeolite in the catalytic oxidation of Cl-VOCs: 1,2-Dichloroethane. *Catalysis Today*. 213: 192-197. <http://dx.doi.org/10.1016/j.cattod.2013.02.022>.
- Gallego, E; Roca, FJ; Perales, JF; Guardino, X. (2010). Comparative study of the adsorption performance of a multi-sorbent bed (Carbotrap, Carboxen 569) and a Tenax TA adsorbent tube for the analysis of volatile organic compounds (VOCs). *Talanta*. 81: 916-924. <http://dx.doi.org/10.1016/j.talanta.2010.01.037>.
- Gallegos, P; Lutz, J; Markwiese, J; Ryti, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem*. 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.
- Gallou, C; Longuemaux, S; Deloménie, C; Méjean, A; Martin, N; Martinet, S; Palais, G; Bouvier, R; Droz, D; Krishnamoorthy, R; Junien, C; Bérourd, C; Dupret, J. (2001). Association of GSTT1 non-null and NAT1 slow/rapid genotypes with von Hippel-Lindau tumour suppressor gene transversions in sporadic renal cell carcinoma. *Pharmacogenetics*. 11: 521-535.
- Galyaltdinov, SF; Ziganshin, MA; Drapailo, AB; Gorbachuk, VV. (2012). Unusually High Selectivity of Guest Exchange in tert-Butylthiacalix[4]arene Clathrate Producing More Thermostable Inclusion and Memory of Guest. *J Phys Chem B*. 116: 11379-11385. <http://dx.doi.org/10.1021/jp3065739>.
- Gama, C; Meira, JB. (1978). Occupational acro-osteolysis. *J Bone Joint Surg Am*. 60: 86-90.
- Gan, J; Yates, S. R.; Anderson, MA; Spencer, WF; Ernst, FF; Yates, MV. (1994). EFFECT OF SOIL PROPERTIES OF DEGRADATION AND SORPTION OF METHYL-BROMIDE IN SOIL. *Chemosphere*. 29: 2685-2700.
- Gan, W, ei; Babu, SS; Kapustka, N; Wagoner, RH. (2006). Microstructural effects on the springback of advanced high-strength steel. *Metallurgical and Materials Transactions A*. 37A: 3221-3231.
- Gan, Y; Yu, T; Zhou, A; Liu, Y; Yu, K; Han, L. (2014). Variability in the carbon isotope fractionation of trichloroethene on its reductive dechlorination by vitamin B12. *Environ Sci Process Impacts*. 16: 1882-1888. <http://dx.doi.org/10.1039/c4em00040d>.
- Gander, B; Wehrli, E; Alder, R; Merkle, HP. (1995). Quality improvement of spray-dried, protein-loaded D,L-PLA microspheres by appropriate polymer solvent selection. *J Microencapsul*. 12: 83-97. <http://dx.doi.org/10.3109/02652049509051129>.
- Gandhi, M; Aweeka, F; Greenblatt, RM; Blaschke, TF. (2004). Sex differences in pharmacokinetics and pharmacodynamics. *Annu Rev Pharmacol Toxicol*. 44: 499-523. <http://dx.doi.org/10.1146/annurev.pharmtox.44.101802.121453>.
- Gandhi, P; Erickson, LE; Fan, LT. (1994). A SIMPLE METHOD TO STUDY THE EFFECTIVENESS OF BIOREMEDIATION AIDED, PUMP-AND-TREAT TECHNOLOGY FOR AQUIFERS CONTAMINATED BY NONAQUEOUS PHASE LIQUIDS .1. SINGLE-COMPONENT SYSTEMS. *J Hazard Mater*. 39: 49-68.
- Gandhi, RK; Hopkins, GD; Goltz, MN; Gorelick, SM; Mccarty, PL. (2002). Full-scale demonstration of in situ cometabolic biodegradation of trichloroethylene in groundwater - 1. Dynamics of a recirculating well system. *Water Resour Res*. 38. <http://dx.doi.org/10.1029/2001WR000379>.
- Gandhi, RK; Hopkins, GD; Goltz, MN; Gorelick, SM; Mccarty, PL. (2002). Full-scale demonstration of in situ cometabolic biodegradation of trichloroethylene in groundwater - 2. Comprehensive analysis of field data using reactive transport modeling. *Water Resour Res*. 38. <http://dx.doi.org/10.1029/2001WR000380>.
- Gandhi, S; Oh, BT; Schnoor, JL; Alvarez, PJ. (2002). Degradation of TCE, Cr(VI), sulfate, and nitrate mixtures by granular iron in flow-through columns under different microbial conditions. *Water Res*. 36: 1973-1982.
- Gandillet, A; Alexandre, E; Royer, C; Cinqualbre, J; Jaeck, D; Richert, L. (2003). Hepatocyte ploidy in regenerating livers after partial hepatectomy, drug-induced necrosis, and cirrhosis. *Eur Surg Res*. 35: 148-160. <http://dx.doi.org/10.1159/000070044>.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environ Sci Technol*. 25: 715-722.
- Gao, B, o; Liu, L; Liu, J; Yang, F. (2013). A photo-catalysis and rotating nano-CaCO₃ dynamic membrane system with Fe-ZnIn₂S₄ efficiently removes halogenated compounds in water. *Appl Catal B-Environ*. 138: 62-69. <http://dx.doi.org/10.1016/j.apcatb.2013.02.023>.
- Gao, B; Liu, WB; Jia, LY; Xu, L; Xie, J. (2011). Isolation and characterization of an *Alcaligenes* sp. strain DG-5 capable of degrading DDTs under aerobic conditions. *J Environ Sci Health B*. 46: 257-263. <http://dx.doi.org/10.1080/03601234.2011.540534>.
- Gao, H; Blanford, WJ. (2012). Partitioning Behavior of Trichloroethylene in Cyclodextrin-Water-Granular-Activated Carbon Systems. *Environ Eng Sci*. 29: 533-539. <http://dx.doi.org/10.1089/ees.2011.0451>.

Fate Literature Search Results

Off Topic

- Gao, H; Blanford, WJ; Birdwell, JE. (2009). The Pseudophase Approach to Assessing Chemical Partitioning in Air-Water-Cyclodextrin Systems. *Environ Sci Technol*. 43: 2943-2949. <http://dx.doi.org/10.1021/es803382z>.
- Gao, H; Blanford, WJ; Gao, A. (2013). Solubility Enhancement Effect of Cyclodextrin on Groundwater Pollutants. *Ground Water*. 51: 268-275. <http://dx.doi.org/10.1111/j.1745-6584.2012.00963.x>.
- Gao, HJ; Jiang, X; Wang, F; Bian, YR; Wang, DZ; Dend, JC; Yan, DY. (2005). Residual levels and new inputs of chlorinated POPs in agricultural soils from Taihu Lake region. *Pedosphere*. 15: 301-309.
- Gao, J; Skeen, RS. (1999). Glucose-induced biodegradation of cis-dichloroethylene under aerobic conditions. *Water Res*. 33: 2789-2796.
- Gao, J; Wang, W; Rondinone, AJ; He, F; Liang, L. (2015). Degradation of Trichloroethene with a Novel Ball Milled Fe-C Nanocomposite. *J Hazard Mater*. 300: 443-450. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.038>.
- Gao, JW; Skeen, RS; Hooker, BS; Quesenberry, RD. (1997). Effects of several electron donors on tetrachloroethylene dechlorination in anaerobic soil microcosms. *Water Res*. 31: 2479-2486.
- Gao, S; Rupp, E; Bell, S; Willinger, M; Foley, T; Barbaris, B; Saez, AE; Arnold, RG; Betterton, E. (2008). Mixed redox catalytic destruction of chlorinated solvents in soils and groundwater. *Ann N Y Acad Sci*. 1140: 435-445. <http://dx.doi.org/10.1196/annals.1454.044>.
- Gao, W; Zhang, Y; Zhang, X; Duan, Z; Wang, Y; Qin, C; Hu, X; Wang, H; Chang, S. (2015). Permeable reactive barrier of coarse sand-supported zero valent iron for the removal of 2,4-dichlorophenol in groundwater. *Environ Sci Pollut Res Int*. 22: 16889-16896. <http://dx.doi.org/10.1007/s11356-015-4912-x>.
- Gao, Y; Liu, R, ui; Song, T; Xiao, J. (2016). IRON REMOVING TCE AND Cr(VI) IN POLLUTED GROUNDWATER. *Fresen Environ Bull*. 25: 6094-6099.
- Gao, Y; Wang, F; Wu, Y, an; Naidu, R; Chen, Z. (2016). Comparison of degradation mechanisms of microcystin-LR using nanoscale zero-valent iron (nZVI) and bimetallic Fe/Ni and Fe/Pd nanoparticles. *Chem Eng J*. 285: 459-466. <http://dx.doi.org/10.1016/j.cej.2015.09.078>.
- Garabrant, DH; Lacey, JV, Jr; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (2003). Scleroderma and solvent exposure among women. *Am J Epidemiol*. 157: 493-500. <http://dx.doi.org/10.1093/aje/kwf223>.
- Garbarini, DR; Lion, LW. (1986). INFLUENCE OF THE NATURE OF SOIL ORGANICS ON THE SORPTION OF TOLUENE AND TRICHLOROETHYLENE. *Environ Sci Technol*. 20: 1263-1269.
- Garcia-Rivero, M; Peralta-Perez, MR. (2008). Cometabolism in the biodegradation of hydrocarbons. *Revista Mexicana de Ingenieria Quimica*. 7: 1-12.
- Garcia-Solares, M; Guerrero-Barajas, C; Garcia-Pena, I; Chairez, I; Luviano-Juarez, A. (2016). Switched constrained linear adaptive identifier for the trichloroethylene elimination in sequential upflow anaerobic sludge blanket. *Appl Math Model*. 40: 3720-3737. <http://dx.doi.org/10.1016/j.apm.2015.10.031>.
- Garcia-Solares, SM; Ordaz, A; Monroy-Hermosillo, O; Guerrero-Barajas, C. (2013). Trichloroethylene (TCE) biodegradation and its effect on sulfate reducing activity in enriched sulfidogenic cultures prevented from a UASB maintained at 20 degrees C. *Int Biodeterior Biodegradation*. 83: 92-96. <http://dx.doi.org/10.1016/j.ibiod.2013.04.011>.
- Gardner, H; Brennan, L; Toussaint, M; Rosencrance, A; Boncavage-Hennessey, E; Wolfe, M. (1998). Environmental complex mixture toxicity assessment. *Environ Health Perspect*. 106 Suppl 6: 1299-1305.
- Garfinkel, L; Stellman, SD. (1988). Smoking and lung cancer in women: Findings in a prospective study. *Cancer Res*. 48: 6951-6955.
- Gargouri, I; Khadhraoui, M; Nisse, C; Leroyer, A; Larbi Masmoudi, M; Elleuch, B; Zmirou-Navier, D. (2012). Occupational assessment of exposure to organic solvents in an adhesive producing company in Sfax, Tunisia. *J Occup Environ Hyg*. 9: D71-D76. <http://dx.doi.org/10.1080/15459624.2012.666494>.
- Garlantezec, R; Multigner, L, uc; Labat, L; Bonvallot, N; Pulkkinen, J; Dananche, B; Monfort, C; Rouget, F; Cordier, S. (2012). Urinary biomarkers of exposure to glycol ethers and chlorinated solvents during pregnancy: determinants of exposure and comparison with indirect methods of exposure assessment. *Occup Environ Med*. 69: 62-70. <http://dx.doi.org/10.1136/oem.2010.062315>.
- Garny, V; Lecloux, A; Papp, R. (1998). Euro chlor risk assessment for the marine environment osparcom region: North Sea - principles and purposes. *Environ Monit Assess*. 53: 395-399.
- Gart, JJ; Chu, KC; Tarone, RE. (1979). Statistical issues in interpretation of chronic bioassay tests for carcinogenicity. *J Natl Cancer Inst*. 62: 957-974.
- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev*. 10: 1239-1248.
- Gates, DD; Siegrist, RL. (1995). IN-SITU CHEMICAL OXIDATION OF TRICHLOROETHYLENE USING HYDROGEN-PEROXIDE. *J Environ Eng*. 121: 639-644.
- Gates, K; Aragona, K; Sabodish, M; Gabr, MA; TRB. (2001). Adsorption and desorption capacity of trichloroethylene on glacial till with high-percent fines. *Trans Res Rec*141-148.
- Gates-Anderson, DD; Siegrist, RL; Cline, SR. (2001). Comparison of potassium permanganate and hydrogen peroxide as chemical oxidants for organically contaminated soils. *J Environ Eng*. 127: 337-347.
- Gathala, MK; Timsina, J; Islam, M, dS; Krupnik, TJ; Bose, TR; Islam, N; Rahman, M, dM; Hossain, M, dl; Harun-Ar-Rashid, M, d; Ghosh, AK; Hasan, M, dMK; Khayer, M, dA; Islam, M, dZ; Tiwari, TP; Mcdonald, A. (2016). Productivity, profitability, and energetics: A multi-criteria

Fate Literature Search Results

Off Topic

- assessment of farmers' tillage and crop establishment options for maize in intensively cultivated environments of South Asia. *Field Crops Research*. 186: 32-46. <http://dx.doi.org/10.1016/j.fcr.2015.11.008>.
- Gaur, A; Park, J; Maken, S; Song, H; Park, J. (2010). Landfill gas (LFG) processing via adsorption and alkanolamine absorption. *Fuel Process Tech*. 91: 635-640. <http://dx.doi.org/10.1016/j.fuproc.2010.01.010>.
- Gauthier, E; Thivel, PX; Delpuch, F; Roux, JC; Ozil, P. (2008). SFGP 2007 - An adsorption and photocatalysis study of ethyl hexanoate. *Int J Chem React Eng*. 6.
- Gavaskar, AR. (1999). Design and construction techniques for permeable reactive barriers [Review]. *J Hazard Mater*. 68: 41-71.
- Gaw, S; Northcott, G; Kim, N; Wilkins, A; Jensen, J. (2012). Comparison of earthworm and chemical assays of the bioavailability of aged 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene, 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane, and heavy metals in orchard soils. *Environ Toxicol Chem*. 31: 1306-1316. <http://dx.doi.org/10.1002/etc.1817>.
- Gaw, SK; Kim, ND; Northcott, GL; Wilkins, AL; Robinson, G. (2008). Uptake of SDDT, arsenic, cadmium, copper, and lead by lettuce and radish grown in contaminated horticultural soils. *J Agric Food Chem*. 56: 6584-6593. <http://dx.doi.org/10.1021/jf073327t>.
- Gawthrope, IC; Playford, DA; King, B; Brown, K; Wilson, C; Mckeown, B. (2014). The cardiac effects of hyperbaric oxygen at 243 kPa using in-chamber echocardiography. *Diving and Hyperbaric Medicine*. 44: 141-145.
- Ge, R; Wang, W; Kramer, PM; Yang, S; Tao, L; Pereira, MA. (2001). Wy-14,643-induced hypomethylation of the c-myc gene in mouse liver. *Toxicol Sci*. 62: 28-35.
- Geary, LM; Hultin, PG. (2010). 2-Substituted Benzo[b]furans from (E)-1,2-Dichlorovinyl Ethers and Organoboron Reagents: Scope and Mechanistic Investigations into the One-Pot Suzuki Coupling/Direct Arylation. *European Journal of Organic Chemistry* 5563-5573. <http://dx.doi.org/10.1002/ejoc.201000787>.
- Geary, LM; Hultin, PG. (2010). Palladium-Catalyzed Modular Assembly of Electron-Rich Alkenes, Dienes, Trienes, and Enynes from (E)-1,2-Dichlorovinyl Phenyl Ether. *J Org Chem*. 75: 6354-6371. <http://dx.doi.org/10.1021/jo1014678>.
- Gehring, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone: Science and Engineering*. 21: 523-538.
- Gehring, P; Eschweiler, H; Fiedler, H. (1995). OZONE-ELECTRON BEAM TREATMENT FOR GROUNDWATER REMEDIATION. *Radiat Phys Chem Oxf Engl* 1993. 46: 1075-1078.
- Gehring, P; Matschiner, H. (1998). Radiation induced pollutant decomposition in water. *Water Sci Technol*. 37: 195-201.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1986). RADIATION-CHEMICAL DEGRADATION OF TRACES OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE IN DRINKING WATER (pp. 196-203). (ISSN 0044-3727; BIOSIS/87/06691). Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1988). DECOMPOSITION OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE IN DRINKING WATER BY A COMBINED RADIATION-OZONE TREATMENT. *Water Res*. 22: 645-646.
- Geibel, NM. (2006). Use of passive-diffusion bag samplers to profile low-level trichloroethene concentrations in ground-water extraction wells. *Environmental and Engineering Geoscience*. 12: 361-368.
- Geiger, CL; Clausen, CA; Brooks, K; Clausen, C; Huntley, C; Filipek, L; Reinhart, DD; Quinn, J; Krug, T; O'Hara, S; Major, D. (2003). Nanoscale and microscale iron emulsions for treating DNAPL. *ACS Symp Ser Am Chem Soc*. 837: 132-140.
- Geiger, CL; Ruiz, NE; Clausen, CA; Reinhart, DR; Quinn, JW. (2002). Ultrasound pretreatment of elemental iron: kinetic studies of dehalogenation reaction enhancement and surface effects. *Water Res*. 36: 1342-1350.
- Geiser, U; Schlueter, JA; Williams, JM; Naumann, D; Roy, T. (1995). ANION DISORDER IN THE 115-118 K STRUCTURES OF THE ORGANIC SUPERCONDUCTORS KAPPA(L)-(BEDT-TTF)(2)CU(CF3)(4)(C2H3CL3) AND KAPPA(L)-(BEDT-TTF)(2)AG(CF3)(4)(C2H3CL3) [BEDT-TTF=3,4'-3',4'-BIS(ETHYLENEDITHIO)-2,2',5,5'-TETRATHIAFULVALENE]. *Acta Crystallogr B*. 51: 789-797.
- Gelderblom, WC; Galendo, D; Abel, S; Swanevelder, S; Marasas, WF; Wild, CP. (2001). Cancer initiation by fumonisin B(1) in rat liver: Role of cell proliferation. *Cancer Lett*. 169: 127-137.
- Gelfand, AE; Smith, AFM. (1990). Sampling based approaches to calculating marginal densities. *J Am Stat Assoc*. 85: 398 - 409.
- Gelman, A; Bois, F; Jiang, J. (1996). Physiological pharmacokinetic analysis using population modeling and informative prior distributions. *J Am Stat Assoc*. 91: 1400-1412.
- Gelman, A; Carlin, JB; Stern, HS; Rubin, DB. (2003). Bayesian data analysis. In Chapman & Hall/CRC Texts in Statistical Science (2nd ed.). Boca Raton, FL: Chapman and Hall/CRC Press. <http://www.crcpress.com/product/isbn/9781584883883>.
- Geng, C; Luo, Q; Chen, M; Li, Z; Zhang, C. (2010). Quantitative Risk Assessment of Trichloroethylene for a Former Chemical Works in Shanghai, China. *Hum Ecol Risk Assess*. 16: 429-443. <http://dx.doi.org/10.1080/10807031003672788>.
- Geng, Q; Guo, Q; Yue, X. (2010). Adsorption and Photocatalytic Degradation Kinetics of Gaseous Cyclohexane in an Annular Fluidized Bed Photocatalytic Reactor. *Ind Eng Chem Res*. 49: 4644-4652. <http://dx.doi.org/10.1021/ie100114e>.
- Geng, Q; Tang, S; Wang, L; Zhang, Y. (2015). Investigation into adsorption and photocatalytic degradation of gaseous benzene in an annular fluidized bed photocatalytic reactor. *Environ Technol*. 36: 605-614. <http://dx.doi.org/10.1080/09593330.2014.954005>.
- George, CE; Azwell, DE; Adams, PA; Rao G, VN; Averett, DE. (1995). Evaluation of steam as a sweep gas in low temperature thermal desorption processes used for contaminated soil clean up. *Waste Manag*. 15: 5-6.
- George, J; Byth, K; Farrell, GC. (1995). Age but not gender selectively affects expression of individual cytochrome P450 proteins in human liver. *Biochem Pharmacol*. 50: 727-730. [http://dx.doi.org/10.1016/0006-2952\(95\)00192-3](http://dx.doi.org/10.1016/0006-2952(95)00192-3).
- George, JD; Price, CJ; Navarro, HA; Marr, MC; Myers, CB; Hunter ES Schwetz, BA; Shelby, MD. (1995). Developmental toxicity of thiophenol (THIO) in rats and rabbits [Abstract]. *Toxicologist*. 15: 160.

Fate Literature Search Results

Off Topic

- George, MH; Moore, T; Kilburn, S; Olson, GR; Deangelo, AB. (2000). Carcinogenicity of chloral hydrate administered in drinking water to the male F344/N rat and male B6C3F1 mouse. *Toxicol Pathol.* 28: 610-618.
- Georgi, A; Gonzalez-Olmos, R; Kohler, R; Kopinke, FD. (2010). Fe-Zeolites as Catalysts for Wet Peroxide Oxidation of Organic Groundwater Contaminants: Mechanistic Studies and Applicability Tests. *Separation Science and Technology.* 45: 1579-1586. <http://dx.doi.org/10.1080/01496395.2010.487466>.
- Georgi, A; Kopinke, FD. (2005). Interaction of adsorption and catalytic reactions in water decontamination processes Part I, Oxidation of organic contaminants with hydrogen peroxide catalyzed by activated carbon. *Appl Catal B-Environ.* 58: 9-18. <http://dx.doi.org/10.1016/j.apcatb.2004.11.014>.
- Georgi, A; Schierz, A; Mackenzie, K; Kopinke, FD. (2015). Colloidal activated carbon for in-situ groundwater remediation--Transport characteristics and adsorption of organic compounds in water-saturated sediment columns. *J Contam Hydrol.* 179: 76-88. <http://dx.doi.org/10.1016/j.jconhyd.2015.05.002>.
- Gerbino, TC; Nadotti, S; Castello, P. (1992). Extraction and gas chromatographic determination of chlorinated solvents in contaminated soil. *J Chromatogr.* 623: 123-127.
- Gerhard, JI; Pang, T; Kueper, BH. (2007). Time scales of DNAPL migration in sandy aquifers examined via numerical simulation. *Ground Water.* 45: 147-157. <http://dx.doi.org/10.1111/j.1475-6584.2006.00269.x>.
- Gervasini, A; Pirola, C; Zilio, S; Ragaini, V. (2004). Destruction of carbon tetrachloride in the presence of hydrogen-supplying compounds with ionisation and catalytic oxidation - Part 2. Methane as hydrogen font. *Appl Catal B-Environ.* 47: 257-267. <http://dx.doi.org/10.1016/j.apcatb.2003.09.008>.
- Ghaemi, H; Behdian, K; Spence, A. (2006). On the development of compressible pseudo-strain energy density function for elastomers - Part 1. Theory and experiment. *J Mater Process Tech.* 178: 307-316. <http://dx.doi.org/10.1016/j.jmatrotec.2006.04.014>.
- Ghauch, A; Ayoub, G; Naim, S. (2013). Degradation of sulfamethoxazole by persulfate assisted micrometric Fe-0 in aqueous solution. *Chem Eng J.* 228: 1168-1181. <http://dx.doi.org/10.1016/j.cej.2013.05.045>.
- Ghauch, A; Kaluzny, P; Deveau, PA; Baussand, P. (2005). Effects of chlorinated volatile organic compounds on the degradation of biogenic alkenes in presence of ozone in an atmospheric simulation chamber. *Fresen Environ Bull.* 14: 1058-1065.
- Ghauch, A; Kaluzny, P; Rouviere, A; Deveau, PA; Baussand, P. (2006). Effect of hydroxyl radicals on the interaction between chlorinated volatile organic compounds and beta-pinene under simulated and sunlight irradiation. *Fresen Environ Bull.* 15: 1244-1251.
- Ghorpade, PA; Ha, M, inGyu; Choi, W, onHo; Park, J, ooY. (2013). Combined calcium sulfoaluminate and ordinary portland cement/Fe(II) system for enhanced dechlorination of trichloroethylene. *Chem Eng J.* 231: 326-333. <http://dx.doi.org/10.1016/j.cej.2013.07.031>.
- Ghorpade, PA; Ha, M, inGyu; Park, J, ooY. (2015). Effect of different types of calcium sulfate on the reactivity of cement/Fe(II) system in dechlorination of trichloroethylene. *Desalination and Water Treatment.* 54: 1426-1435. <http://dx.doi.org/10.1080/19443994.2014.950342>.
- Ghorpade, PA; Kim, JH; Choi, W, onHo; Park, J, ooY. (2014). Reactivity of different cement minerals in presence of Fe(II) for reducing trichloroethylene. *Desalination and Water Treatment.* 52: 805-815. <http://dx.doi.org/10.1080/19443994.2013.827300>.
- Ghorpade, PA; Kim, JH; Choi, WH; Park, JY. (2014). New and effective multi-element alpha-hematite systems for reduction of trichloroethylene. *Environ Technol.* 35: 27-35. <http://dx.doi.org/10.1080/09593330.2013.805819>.
- Ghoshal, AK; Farber, E. (1984). The induction of liver cancer by dietary deficiency of choline and methionine without added carcinogens. *Carcinogenesis.* 5: 1367-1370. <http://dx.doi.org/10.1093/carcin/5.10.1367>.
- Giannoukos, S; Brkic, B; Taylor, S. (2016). Analysis of chlorinated hydrocarbons in gas phase using a portable membrane inlet mass spectrometer. *Analytical Methods.* 8: 6607-6615. <http://dx.doi.org/10.1039/c6ay00375c>.
- Gianturco, F; Vianelli, L; Tatti, L; Rota, F; Bruzzi, P; Rivas, L; Bellobono, IR; Bianchi, M; Muntau, H. (1996). Pilot-plant photomineralization of dichloromethane and tetrachloroethene in aqueous solution, by photocatalytic membranes immobilizing titanium dioxide and photopromoters. *Chemosphere.* 33: 1531-1542.
- Giardino, NJ; Andelman, JB. (1996). Characterization of the emissions of trichloroethylene, chloroform, and 1,2-dibromo-3-chloropropane in a full-size, experimental shower. *J Expo Anal Environ Epidemiol.* 6: 413-423.
- Giardino, NJ; Eamen, NA; Andelman, JB. (1992). Modeling volatilization of trichloroethylene from a domestic shower spray: the role of drop-size distribution. *Environ Sci Technol.* 26: 1602-1606.
- Giaya, A; Thompson, RW. (2002). Single-component gas phase adsorption and desorption studies using a tapered element oscillating microbalance. *Microporous and Mesoporous Materials.* 55: 265-274.
- Giaya, A; Thompson, RW; Denkwicz, R. (2000). Liquid and vapor phase adsorption of chlorinated volatile organic compounds on hydrophobic molecular sieves. *Microporous and Mesoporous Materials.* 40: 205-218.
- Gibson, D; Aardema, M; Kerckaert, G; Carr, G; Brauning, R; LeBoeuf, R. (1995). Detection of aneuploidy-inducing carcinogens in the Syrian hamster embryo (SHE) cell transformation assay. *Mutat Res.* 343: 7-24. [http://dx.doi.org/10.1016/0165-1218\(95\)90058-6](http://dx.doi.org/10.1016/0165-1218(95)90058-6).
- Gibson, SA; Roberson, DS; Russell, HH; Sewell, GW. (1994). Effects of three concentrations of mixed fatty acids on dechlorination of tetrachloroethene in aquifer microcosms. *Environ Toxicol Chem.* 13: 453-460.
- Giddings, CGS; Liu, F; Gossett, JM. (2010). Microcosm Assessment of *Polaromonas* sp. JS666 as a Bioaugmentation Agent for Degradation of cis-1,2-dichloroethene in Aerobic, Subsurface Environments. *Ground Water Monitoring and Remediation.* 30: 106-113. <http://dx.doi.org/10.1111/j.1745-6592.2010.001283.x>.
- Gilbert, KM; Blossom, SJ; Pumford, NR. (2009). Comments on "Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL+/- mice [Comment]". *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 116; author reply 117-122. <http://dx.doi.org/10.1080/10934520802656584>.

Fate Literature Search Results

Off Topic

- Gilbertson, AW; Fitch, MW; Burken, JG; Wood, TK. (2007). Transport and survival of GFP-tagged root-colonizing microbes: Implications for rhizodegradation. *European Journal of Soil Biology*. 43: 224-232. <http://dx.doi.org/10.1016/j.ejsobi.2007.02.005>.
- Gilboa, SM; Desrosiers, TA; Lawson, C; Lupo, PJ; Riehle-Colarusso, TJ; Stewart, PA; van Wijngaarden, E; Waters, MA; Correa, A; Stud, NBDP. (2012). Association between maternal occupational exposure to organic solvents and congenital heart defects, National Birth Defects Prevention Study, 1997-2002. *Occup Environ Med*. 69: 628-635. <http://dx.doi.org/10.1136/oemed-2011-100536>.
- Gilks, WR; Richardson, S; Spiegelhalter, DJ. (1995). Markov chain Monte Carlo in practice. Boca Raton, FL: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412055515>.
- Giller, S; Le Curieux, F; Erb, F; Marzin, D. (1997). Comparative genotoxicity of halogenated acetic acids found in drinking water. *Mutagenesis*. 12: 321-328.
- Giller, S; Le Curieux, F; Gauthier, L; Erb, F; Marzin, D. (1995). Genotoxicity assay of chloral hydrate and chloropicrine. *Mutat Res*. 348: 147-152. [http://dx.doi.org/10.1016/0165-7992\(95\)90002-0](http://dx.doi.org/10.1016/0165-7992(95)90002-0).
- Gimmi, T; Fluhler, H; Studer, B; Rasmuson, A. (1993). Transport of volatile chlorinated hydrocarbons in unsaturated aggregated media. *Water Air Soil Pollut*. 68: 291-305.
- Ginsberg, G; Hattis, D; Miller, R; Sonawane, B. (2004). Pediatric pharmacokinetic data: Implications for environmental risk assessment for children. *Pediatrics*. 113: 973-983.
- Ginsberg, G; Hattis, D; Russ, A; Sonawane, B. (2005). Pharmacokinetic and pharmacodynamic factors that can affect sensitivity to neurotoxic sequelae in elderly individuals. *Environ Health Perspect*. 113: 1243-1249. <http://dx.doi.org/10.1289/ehp.7568>.
- Ginsberg, G; Hattis, D; Sonawane, B. (2004). Incorporating pharmacokinetic differences between children and adults in assessing children's risks to environmental toxicants [Review]. *Toxicol Appl Pharmacol*. 198: 164-183. <http://dx.doi.org/10.1016/j.taap.2003.10.010>.
- Ginsberg, G; Hattis, D; Sonawane, B; Russ, A; Banati, P; Kozlak, M; Smolenski, S; Goble, R. (2002). Evaluation of child/adult pharmacokinetic differences from a database derived from the therapeutic drug literature. *Toxicol Sci*. 66: 185-200.
- Gist, G; Burg, J. (1995). Trichloroethylene--a review of the literature from a health effects perspective [Review]. *Toxicol Ind Health*. 11: 253-307.
- Giver, C; Wong, R; Moore, D; Pallavicini, M. (2001). Dermal benzene and trichloroethylene induce aneuploidy in immature hematopoietic subpopulations in vivo. *Environ Mol Mutagen*. 37: 185-194.
- Gladen, BC; Klebanoff, MA; Hediger, ML; Katz, SH; Barr, DB; Davis, MD; Longnecker, MP. (2004). Prenatal DDT exposure in relation to anthropometric and pubertal measures in adolescent males. *Environ Health Perspect*. 112: 1761-1767. <http://dx.doi.org/10.1289/ehp.7287>.
- Glass, DJ. (1991). WASTE MANAGEMENT - BIOLOGICAL TREATMENT OF HAZARDOUS WASTES. *Environment*. 33: 5-&.
- Glass, RJ; Conrad, SH; Peplinski, W. (2000). Gravity-destabilized nonwetting phase invasion in macroheterogeneous porous media: Experimental observations of invasion dynamics and scale analysis. *Water Resour Res*. 36: 3121-3137.
- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ*. 290: 231-237.
- Glaze, WH; J-W, K. (1988). ADVANCED OXIDATION PROCESSES FOR TREATING GROUNDWATER CONTAMINATED WITH TCE AND PCE LABORATORY STUDIES (pp. 57-63). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/88/21972). Glaze, WH; Kang J-W.
- Glaze, WH; Kenneke, JF; Ferry, JL. (1993). Chlorinated byproducts from the titanium dioxide-mediated photodegradation of trichloroethylene and tetrachloroethylene in water. *Environ Sci Technol*. 27: 177-184.
- Glod, G; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Corrinoid-mediated reduction of tetrachloroethene, trichloroethene, and trichlorofluoroethene in homogeneous aqueous solution: Reaction kinetics and reaction mechanisms. *Environ Sci Technol*. 31: 253-260.
- Glod, G; Brodmann, U; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Cobalamin-mediated reduction of cis- and trans-dichloroethene, 1,1-dichloroethene, and vinyl chloride in homogeneous aqueous solution: Reaction kinetics and mechanistic considerations. *Environ Sci Technol*. 31: 3154-3160.
- Gloor, M; Bakwin, P; Hurst, D; Lock, L; Draxler, R; Tans, P. (2001). What is the concentration footprint of a tall tower? *J Geophys Res Atmos*. 106: 17831-17840.
- Gnanakumari, P; Rao, MVP; Prasad, DHL; Kumar, YVL, R. (2003). Vapor-liquid equilibria and excess molar enthalpies for N-methyl-2-pyrrolidone with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data*. 48: 535-540. <http://dx.doi.org/10.1021/je020065c>.
- Gochfeld, M. (2007). Framework for gender differences in human and animal toxicology. *Environ Res*. 104: 4-21. <http://dx.doi.org/10.1016/j.envres.2005.12.005>.
- Godoy, T; Matsui, K; Kida, T; Mu, M. (1998). Improved plating efficiency of lily (*Lilium x formolongi hort*) protoplasts by silver thiosulfate added to enzyme solution. *Breeding Science*. 48: 159-161.
- Godsy, EM; Warren, E; Paganelli, VV. (2003). The role of microbial reductive dechlorination of TCE at a phytoremediation site. *Int J Phytoremediation*. 5: 73-87. <http://dx.doi.org/10.1080/16226510390856484>.
- Godts, P; Dupont, D; Leclercq, D. (2005). Direct measurement of the latent heat of evaporation by flowmetric method. *I E E E Transactions on Instrumentation and Measurement*. 54: 2364-2369. <http://dx.doi.org/10.1109/TIM.2005.858554>.
- Goh, VH; Chia, SE; Ong, CN. (1998). Effects of chronic exposure to low doses of trichloroethylene on steroid hormone and insulin levels in normal men. *Environ Health Perspect*. 106: 41-44.
- Gokhale, S; Kohajda, T; Schlink, U, we. (2008). Source apportionment of human personal exposure to volatile organic compounds in homes, offices and outdoors by chemical mass balance and genetic algorithm receptor models. *Sci Total Environ*. 407: 122-138. <http://dx.doi.org/10.1016/j.scitotenv.2008.08.025>.

Fate Literature Search Results

Off Topic

- Golas, PL; Louie, S; Lowry, GV; Matyjaszewski, K; Tilton, RD. (2010). Comparative study of polymeric stabilizers for magnetite nanoparticles using ATRP. *Langmuir*. 26: 16890-16900. <http://dx.doi.org/10.1021/la103098q>.
- Gold, L, S.; Zeiger, E, . (1997). Handbook of carcinogenic potency and genotoxicity databases. In LS Gold; E Zeiger (Eds.). Boca Raton, FL: CRC Press.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med*. 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Gold, SC. (2010). THE MORE WE KNOW, THE LESS INTELLIGENT WE ARE? -- HOW GENOMIC INFORMATION SHOULD, AND SHOULD NOT, CHANGE TOXIC TORT CAUSATION DOCTRINE. *Harvard Environmental Law Review*. 34: 369-423.
- Gole, VL; Gogate, PR. (2014). Sonochemical degradation of chlorobenzene in the presence of additives. *Water Sci Technol*. 69: 882-888. <http://dx.doi.org/10.2166/wst.2013.790>.
- Gole, VL; Gogate, PR. (2015). Intensification of sonochemical degradation of chlorobenzene using additives. *Desalination and Water Treatment*. 53: 2623-2635. <http://dx.doi.org/10.1080/19443994.2013.862743>.
- Goli, VD; Prasad, R; Hamilton, K; Moulton, KP; Tyler, M; Logan, P; Lazzara, R; Jackman, WM. (1991). TRANSESOPHAGEAL ECHOCARDIOGRAPHIC EVALUATION FOR MURAL THROMBUS FOLLOWING RADIOFREQUENCY CATHETER ABLATION OF ACCESSORY PATHWAYS. *Pacing Clin Electrophysiol*. 14: 1992-1997.
- Gollin, SM. (2005). Mechanisms leading to chromosomal instability. *Semin Cancer Biol*. 15: 33-42. <http://dx.doi.org/10.1016/j.semcancer.2004.09.004>.
- Golsteijn, L; Huizer, D; Hauck, M; van Zelm, R; Huijbregts, MA. (2014). Including exposure variability in the life cycle impact assessment of indoor chemical emissions: the case of metal degreasing. *Environ Int*. 71: 36-45. <http://dx.doi.org/10.1016/j.envint.2014.06.003>.
- Goltz, MN; Close, ME; Yoon, H; Huang, J; Flintoft, MJ; Kim, S; Enfield, C. (2009). Validation of two innovative methods to measure contaminant mass flux in groundwater. *J Contam Hydrol*. 106: 51-61. <http://dx.doi.org/10.1016/j.jconhyd.2009.01.001>.
- Goltz, MN; Huang, J; Close, ME; Flintoft, MJ; Pang, L. (2008). Use of tandem circulation wells to measure hydraulic conductivity without groundwater extraction. *J Contam Hydrol*. 100: 127-136. <http://dx.doi.org/10.1016/j.jconhyd.2008.06.003>.
- Golubina, EV; Lokteva, ES; Lazareva, TS; Kostyuk, BG; Lunin, VV; Simagina, VI; Stoyanova, IV. (2004). Hydrodechlorination of tetrachloromethane in the vapor phase in the presence of Pd-Fe/Sibunit catalysts. *Kinet Catal*. 45: 183-188.
- Gomes, HI; Dias-Ferreira, C; Ribeiro, AB; Pamukcu, S. (2014). Influence of electrolyte and voltage on the direct current enhanced transport of iron nanoparticles in clay. *Chemosphere*. 99: 171-179. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.065>.
- Gomez De Arco, L; Zhang, Y; Schlenker, CW; Ryu, K; Thompson, ME; Zhou, C. (2010). Continuous, highly flexible, and transparent graphene films by chemical vapor deposition for organic photovoltaics. *ACS Nano*. 4: 2865-2873. <http://dx.doi.org/10.1021/nn901587x>.
- Gomez, L; Sebastian, V; Arruebo, M; Santamaria, J; Cronin, SB. (2014). Plasmon-enhanced photocatalytic water purification. *Phys Chem Chem Phys*. 16: 15111-15116. <http://dx.doi.org/10.1039/c4cp00229f>.
- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med*. 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Gonca, G; Sahin, B; Ust, Y; Parlak, A. (2015). Comprehensive performance analyses and optimization of the irreversible thermodynamic cycle engines (TCE) under maximum power (MP) and maximum power density (MPD) conditions. *Applied Thermal Engineering*. 85: 9-20. <http://dx.doi.org/10.1016/j.applthermaleng.2015.02.041>.
- Gonçalves, AI; Rodrigues, MT; Carvalho, PP; Bañobre-López, M; Paz, E; Freitas, P; Gomes, ME. (2016). Exploring the Potential of Starch/Polycaprolactone Aligned Magnetic Responsive Scaffolds for Tendon Regeneration. 5: 213-222. <http://dx.doi.org/10.1002/adhm.201500623>.
- Goncalves, G; Cutts, FT; Hills, M; Rebelo-Andrade, H; Trigo, FA; Barros, H. (1999). Transplacental transfer of measles and total IgG. *Epidemiol Infect*. 122: 273-279.
- Goncalves Junior, LP; Mendonca, PP; Pereira, SL; Matiello, MD; da Silva Amorim, IR. (2014). STOCKING DENSITIES IN THE LARVICULTURE OF GOLDFISH. 40: 597-604.
- Gonen, O; Gvirtzman, H. (1997). Laboratory-scale analysis of aquifer remediation by in-well vapor stripping: 1. Laboratory results. *J Contam Hydrol*. 29: 23-39.
- Gong, Y; Tang, J; Zhao, D. (2016). Application of iron sulfide particles for groundwater and soil remediation: A review [Review]. *Water Res*. 89: 309-320. <http://dx.doi.org/10.1016/j.watres.2015.11.063>.
- Gonullu, MT. (1996). Modelling dissolution of an organic mixture in the subsurface. *Water Res*. 30: 649-653.
- Gonullu, MT; Farquhar, GJ. (1994). EFFECTS OF RESIDUAL CONFIGURATION ON THE RATE OF TRICHLOROETHYLENE TCE DISSOLUTION. *Water Sci Technol*. 30: 19-22.
- González, A; Avivar, J; Cerdà, V. (2015). Estrogens determination in wastewater samples by automatic in-syringe dispersive liquid-liquid microextraction prior silylation and gas chromatography. *J Chromatogr A*. 1413: 1-8. <http://dx.doi.org/10.1016/j.chroma.2015.08.031>.
- Gonzalez, J. (2002). Mulch "biowall" treats TCE-contaminated groundwater. *Biocycle*. 43: 12-12.
- Gonzalez-Garcia, N; Ayllon, JA; Domenech, X; Peral, J. (2004). TiO(2) deactivation during the gas-phase photocatalytic oxidation of dimethyl sulfide. *Appl Catal B-Environ*. 52: 69-77. <http://dx.doi.org/10.1016/j.apcatb.2004.03.016>.
- Gonzalez-Leon, A; Merdink, J; Bull, R; Schultz, I. (1999). Effect of pre-treatment with dichloroacetic or trichloroacetic acid in drinking water on the pharmacokinetics of a subsequent challenge dose in B6C3F1 mice. *Chem Biol Interact*. 123: 239-253.
- Gonzalez-Olmos, R; Roland, U; Toufar, H; Kopinke, FD; Georgi, A. (2009). Fe-zeolites as catalysts for chemical oxidation of MTBE in water with H²O₂. *Appl Catal B-Environ*. 89: 356-364. <http://dx.doi.org/10.1016/j.apcatb.2008.12.014>.

Fate Literature Search Results

Off Topic

- Gonzalez-Velasco, JR; Aranzabal, A; Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Gutierrez-Ortiz, MA. (1998). Activity and product distribution of alumina supported platinum and palladium catalysts in the gas-phase oxidative decomposition of chlorinated hydrocarbons. *Appl Catal B-Environ.* 19: 189-197.
- Gonzalez-Velasco, JR; Aranzabal, A; Lopez-Fonseca, R; Ferret, R; Gonzalez-Marcos, JA. (2000). Enhancement of the catalytic oxidation of hydrogen-lean chlorinated VOCs in the presence of hydrogen-supplying compounds. *Appl Catal B-Environ.* 24: 33-43.
- Gonzalez-Velasco, JR; Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Steltenpohl, P. (2000). Evaluation of H-type zeolites in the destructive oxidation of chlorinated volatile organic compounds. *Appl Catal B-Environ.* 24: 233-242.
- Gopalakrishnan, G; Burken, JG; Werth, CJ. (2009). Lignin and Lipid Impact on Sorption and Diffusion of Trichloroethylene in Tree Branches for Determining Contaminant Fate during Plant Sampling and Phytoremediation. *Environ Sci Technol.* 43: 5732-5738. <http://dx.doi.org/10.1021/es9006417>.
- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Gopalakrishnan, G; Werth, CJ; Negri, MC. (2009). Mass recovery methods for trichloroethylene in plant tissue. *Environ Toxicol Chem.* 28: 1185-1190. <http://dx.doi.org/10.1897/08-420.1>.
- Gopalan, KS; Eswaran, V. (2016). Numerical investigation of thermal performance of PCM based heat sink using structured porous media as thermal conductivity enhancers. *International Journal of Thermal Sciences.* 104: 266-280. <http://dx.doi.org/10.1016/j.ijthermalsci.2016.01.008>.
- Gordon, M; Choe, N; Duffy, J; Ekuan, G; Heilman, P; Muiznieks, I; Newman, L; Ruszaj, M; Shurtleff, BB; Strand, S; Wilmoth, J. (1997). ACS Symposium Series Phytoremediation of trichloroethylene with hybrid poplars.
- Gordon, M; Choe, N; Duffy, J; Ekuan, G; Heilman, P; Muiznieks, I; Ruszaj, M; Shurtleff, BB; Strand, S; Wilmoth, J; Newman, LA. (1998). Phytoremediation of trichloroethylene with hybrid poplars. *Environ Health Perspect.* 4: 1001-1004.
- Gordon, MP. (2003). Results misinterpreted. *Environ Sci Technol.* 37: 342A-342A.
- Gordon, SM; Callahan, PJ; Nishioka, MG; Brinkman, MC; O'Rourke, MK; Lebowitz, MD; Moschandreas, DJ. (1999). Residential environmental measurements in the National Human Exposure Assessment Survey (NHEXAS) pilot study in Arizona: Preliminary results for pesticides and VOCs. *J Expo Anal Environ Epidemiol.* 9: 456-470. <http://dx.doi.org/10.1038/sj.jea.7500042>.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology.* 1: 277-284.
- Gorgenyi, M; Dewulf, J; Van Langenhove, H. (2002). Temperature dependence of Henry's law constant in an extended temperature range. *Chemosphere.* 48: 757-762.
- Gorla, GR; Malhi, H; Gupta, S. (2001). Polyploidy associated with oxidative injury attenuates proliferative potential of cells. *J Cell Sci.* 114: 2943-2951.
- Gorodkiewicz, E; Figaszewski, Z. (1998). Potentiometric and spectrophotometric measurements of stability constants of complexes in non-aqueous solutions. *Chemia analityczna.* 43: 445-455.
- Górski, T; Goehl, T; Jameson, C; Collins, B. (1990). Sources of error in the determination of trichloroethylene in blood. *Bull Environ Contam Toxicol.* 45: 1-5.
- Gorzka, Z; Zarczynski, A; Paryjczak, T; Kazmierczak, M; Zaborowski, M. (2009). Total Catalytic Oxidation of Volatile Chloroorganics Occurring in Liquid Industrial Wastes from Organics Synthesis. *Rocznik Ochrona Srodowiska.* 11: 439-448.
- Goss, KU. (1992). EFFECTS OF TEMPERATURE AND RELATIVE-HUMIDITY ON THE SORPTION OF ORGANIC VAPORS ON QUARTZ SAND. *Environ Sci Technol.* 26: 2287-2294.
- Goss, KU; Buschmann, J; Schwarzenbach, RP. (2003). Determination of the surface sorption properties of talc, different salts, and clay minerals at various relative humidities using adsorption data of a diverse set of organic vapors. *Environ Toxicol Chem.* 22: 2667-2672.
- Goss, KU; Eisenreich, SJ. (1996). Adsorption of VOCs from the gas phase to different minerals and a mineral mixture. *Environ Sci Technol.* 30: 2135-2142.
- Gossett, JM. (2010). Sustained Aerobic Oxidation of Vinyl Chloride at Low Oxygen Concentrations. *Environ Sci Technol.* 44: 1405-1411. <http://dx.doi.org/10.1021/es9033974>.
- Gosu, V; Gurjar, BR, am; Surampalli, R, aoY; Zhang, TC. (2016). Treatment of pyridine-bearing wastewater by Nano Zero-valent iron supported on activated carbon derived from agricultural waste. *Desalination and Water Treatment.* 57: 6250-6260. <http://dx.doi.org/10.1080/19443994.2015.1005686>.
- Goswami, DY. (1997). A review of engineering developments of aqueous phase solar photocatalytic detoxification and disinfection processes. *J Sol Energ Eng.* 119: 101-107.
- Gosztony, G. (1991). CCITT WORK IN TELETRAFFIC ENGINEERING. I E E E Journal on Selected Areas in Communications. 9: 131-134.
- Gotoh, M; Hobara, T; Kobayashi, H; Okuda, M. (1998). Pollution due to trichloroacetic acid in clams (*Tapes japonica*) in an estuary adjacent to industrial areas. *Bull Environ Contam Toxicol.* 60: 74-80.
- Gotoh, Y; Iwata, G; Choh, K; Kubota, M; Matsuda, H. (2011). Trichloroethylene decomposition and in-situ dry sorption of Cl-products by calcium oxides prepared from hydrated limes. *Chemosphere.* 85: 637-642. <http://dx.doi.org/10.1016/j.chemosphere.2011.07.010>.
- Gotpagar, J; Grulke, E; Tsang, T; Bhattacharyya, D. (1997). Reductive dehalogenation of trichloroethylene using zero-valent iron. *Environmental Progress.* 16: 137-143.
- Gotpagar, J; Lyuksyutov, S; Cohn, R; Grulke, E; Bhattacharyya, D. (1999). Reductive dehalogenation of trichloroethylene with zero-valent iron: Surface profiling microscopy and rate enhancement studies. *Langmuir.* 15: 8412-8420.

Fate Literature Search Results

Off Topic

- Gotpagar, JK; Grulke, EA; Bhattacharyya, D. (1998). Reductive dehalogenation of trichloroethylene: Kinetic models and experimental verification. *J Hazard Mater.* 62: 243-264.
- Govindan, M; Gopal, RA; Moon, I, IS. (2017). Efficient removal of gaseous trichloroethylene by continuous feed electro-scrubbing using a new homogeneous heterobimetallic electro-catalyst. *Chem Eng J.* 308: 1145-1153. <http://dx.doi.org/10.1016/j.cej.2016.09.137>.
- Gow, AS; Gow, AS. (2004). Microeconomic theory of chemical production processes: application to aqueous VOC air stripping operations. *Adv Environ Res.* 8: 267-285. [http://dx.doi.org/10.1016/S1093-0191\(02\)00134-X](http://dx.doi.org/10.1016/S1093-0191(02)00134-X).
- Goyal, A; Singh, M. (2007). Densities, viscosities and thermodynamic excess properties of ternary liquid mixtures of aniline plus acetone plus (benzene or plus toluene or plus carbon tetrachloride or plus 1,4-dioxane) and their constituent binaries at 298.15 K. *J Indian Chem Soc.* 84: 250-255.
- Graber, ER; Sorek, A; Tsechansky, L; Atzmon, N. (2007). Competitive uptake of trichloroethene and 1,1,1-trichloroethane by *Eucalyptus camaldulensis* seedlings and wood. *Environ Sci Technol.* 41: 6704-6710. <http://dx.doi.org/10.1021/es0707431>.
- Graciano, VA; Pires, C, deS; Godinho Teixeira, SC; Ziolli, RL; Perez, DV. (2012). REMEDIATION OF OIL-CONTAMINATED SOIL BY CHEMICAL OXIDATION. *Revista Brasileira de Ciencia do Solo.* 36: 1656-1660.
- Gracy, S; Hort, C; Platel, V; Gidas, MB. (2006). Volatile Organic Compounds (VOCs) biofiltration with two packing materials. *Environ Technol.* 27: 1053-1061. <http://dx.doi.org/10.1080/09593332708618719>.
- Grafelman, DD; Meagher, MM. (1995). LIQUEFACTION OF STARCH BY A SINGLE-SCREW EXTRUDER AND POST-EXTRUSION STATIC-MIXER REACTOR. *Journal of Food Engineering.* 24: 529-542.
- Graham, DJ; Staffa, JA; Shatin, D; Andrade, SE; Schech, SD; La Grenade, L; Gurwitz, JH; Chan, KA; Goodman, MJ; Platt, R. (2004). Incidence of hospitalized rhabdomyolysis in patients treated with lipid-lowering drugs. *JAMA.* 292: 2585-2590. <http://dx.doi.org/10.1001/jama.292.21.2585>.
- Graham, DW; Chaudhary, JA; Hanson, RS; Arnold, RG. (1993). FACTORS AFFECTING COMPETITION BETWEEN TYPE-I AND TYPE-II METHANOTROPHS IN 2-ORGANISM, CONTINUOUS-FLOW REACTORS. *Microb Ecol.* 25: 1-17.
- Graham, N; Jiang, CC; Li, XZ; Jiang, JQ; Ma, J. (2004). The influence of pH on the degradation of phenol and chlorophenols by potassium ferrate. *Chemosphere.* 56: 949-956. <http://dx.doi.org/10.1016/j.chemosphere.2004.04.06>.
- Grajales-Mesa, SJ; Malina, G. (2016). Screening reactive materials for a permeable barrier to treat TCE-contaminated groundwater: laboratory studies. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5567-8>.
- Gramantieri, L; Melchiorri, C; Chieco, P; Gaiani, S; Stecca, B; Casali, A; Bolondi, L. (1996). Alteration of DNA ploidy and cell nuclearity in human hepatocellular carcinoma associated with HBV infection. *J Hepatol.* 25: 848-853. [http://dx.doi.org/10.1016/S0168-8278\(96\)80288-1](http://dx.doi.org/10.1016/S0168-8278(96)80288-1).
- Grant, GP; Kueper, BH. (2004). The influence of high initial concentration aqueous-phase TCE on the performance of iron wall systems. *J Contam Hydrol.* 74: 299-312. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.005>.
- Gras, R; Shellie, RA; Cortes, H; Luong, J. (2013). Multidimensional Gas Chromatography using Planar Microfluidic Devices for the Characterization of Chlorinated Degreasers in Marine Gas Oil. 26: 450-454.
- Grasl-Kraupp, B; Waldhör, T; Huber, W; Schulte-Hermann, R. (1993). Glutathione S-transferase isoenzyme patterns in different subtypes of enzyme-altered rat liver foci treated with the peroxisome proliferator nafenopin or with phenobarbital. *Carcinogenesis.* 14: 2407-2412. <http://dx.doi.org/10.1093/carcin/14.11.2407>.
- Grasso, D; Hoag, GE; Dudek, HM. (1994). CLOSED-LOOP RECOVERY OF SITE REMEDIATION GAS-PHASE CONTAMINANTS. *J Air Waste Manag Assoc.* 44: 983-988.
- Grathwohl, P; Reinhard, M. (1993). DESORPTION OF TRICHLOROETHYLENE IN AQUIFER MATERIAL - RATE LIMITATION AT THE GRAIN SCALE. *Environ Sci Technol.* 27: 2360-2366.
- Gratton, GB. (2001). The weightshift-controlled microlight aeroplane. *Institution of Mechanical Engineers Proceedings Part G: Journal of Aerospace Engineering.* 215: 147-154.
- Grawé, J; Nüsse, M; Adler, ID. (1997). Quantitative and qualitative studies of micronucleus induction in mouse erythrocytes using flow cytometry: I: Measurement of micronucleus induction in peripheral blood polychromatic erythrocytes by chemicals with known and suspected genotoxicity. *Mutagenesis.* 12: 1-8. <http://dx.doi.org/10.1093/mutage/12.1.1>.
- Green, L; Lash, T. (1999). Re: "Renal cell cancer correlated with occupational exposure to trichloroethylene" [Letter]. *J Cancer Res Clin Oncol.* 125: 430-432. <http://dx.doi.org/10.1007/s004320050298>.
- Green, SM; Khan, MF; Kaphalia, BS; Ansari, GA. (2001). Immunohistochemical localization of trichloroacetylated protein adducts in tetrachloroethene-treated mice. *J Toxicol Environ Health A.* 63: 145-157. <http://dx.doi.org/10.1080/15287390151126487>.
- Green, T. (1997). Trichloroethylene induced cancer in animals and its relevance to humans. *J Occup Health.* 39: 261-273.
- Green, T. (2000). Pulmonary toxicity and carcinogenicity of trichloroethylene: Species differences and modes of action [Review]. *Environ Health Perspect.* 108: 261-264.
- Green, T. (2001). Trichloroethylene and Human Cancer. *Hum Ecol Risk Assess.* 7: 677-685.
- Green, T. (2003). The concentrations of trichloroacetic acid in blood following administration of trichloroacetic acid in drinking water. Cheshire, UK: Central Toxicology Laboratory.
- Green, T. (2003). Trichloroacetic acid: Drinking water study in male and female B6C3F1, male PPARalpha knockout and male 129/sv wild type mice. (CTL/024741). Cheshire, UK: Central Toxicology Laboratory.
- Green, T; Dow, J; Ong, C; Ng, V; Ong, H; Zhuang, Z; Yang, X; Bloemen, L. (2004). Biological monitoring of kidney function among workers occupationally exposed to trichloroethylene. *Occup Environ Med.* 61: 312-317. <http://dx.doi.org/10.1136/oem.2003.007153>.
- Green, T; Odum, J; Nash, JA; Foster, JR. (1990). Perchloroethylene-induced rat kidney tumors: An investigation of the mechanisms involved and their relevance to humans. *Toxicol Appl Pharmacol.* 103: 77-89. [http://dx.doi.org/10.1016/0041-008X\(90\)90264-U](http://dx.doi.org/10.1016/0041-008X(90)90264-U).

Fate Literature Search Results

Off Topic

- Greene, AK; Wiener, S; Puder, M; Yoshida, A; Shi, B; Perez-Atayde, AR; Efstathiou, JA; Holmgren, L; Adamis, AP; Rupnick, M; Folkman, J; O'Reilly, MS. (2003). Endothelial-directed hepatic regeneration after partial hepatectomy. *Ann Surg.* 237: 530-535. <http://dx.doi.org/10.1097/01.SLA.0000059986.96051.EA>.
- Greene, HL; Prakash, DS; Athota, KV. (1996). Combined sorbent catalyst media for destruction of halogenated VOCs. *Appl Catal B-Environ.* 7: 213-224.
- Greenland, S. (1992). A semi-Bayes approach to the analysis of correlated multiple associations, with an application to an occupational cancer-mortality study. *Stat Med.* 11: 219-230. <http://dx.doi.org/10.1002/sim.4780110208>.
- Greenland, S. (2004). Model-based estimation of relative risks and other epidemiologic measures in studies of common outcomes and in case-control studies [Review]. *Am J Epidemiol.* 160: 301-305. <http://dx.doi.org/10.1093/aje/kwh221>.
- Greenland, S; Salvan, A; Wegman, DH; Hallock, MF; Smith, TJ. (1994). A case-control study of cancer mortality at a transformer-assembly facility. *Int Arch Occup Environ Health.* 66: 49-54. <http://dx.doi.org/10.1007/BF00386579>.
- Greenlee, LF; Hooker, SA. (2012). Development of stabilized zero valent iron nanoparticles. *Desalination and Water Treatment.* 37: 114-121. <http://dx.doi.org/10.5004/dwt.2012.2526>.
- Greenlee, LF; Torrey, JD; Amaro, RL; Shaw, JM. (2012). Kinetics of Zero Valent Iron Nanoparticle Oxidation in Oxygenated Water. *Environ Sci Technol.* 46: 12913-12920. <http://dx.doi.org/10.1021/es303037k>.
- Greim, H; Bonse, G; Radwan, Z; Reichert, D; Henschler, D. (1975). Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol.* 24: 2013-2017. [http://dx.doi.org/10.1016/0006-2952\(75\)90396-2](http://dx.doi.org/10.1016/0006-2952(75)90396-2).
- Greim, H; Wolff, T; Höfler, M; Lahaniatis, E. (1984). Formation of dichloroacetylene from trichloroethylene in the presence of alkaline material--possible cause of intoxication after abundant use of chloroethylene-containing solvents. *Arch Toxicol.* 56: 74-77.
- Greten, FR; Eckmann, L; Greten, TF; Park, JM; Li, ZW; Egan, LJ; Kagnoff, MF; Karin, M. (2004). IKKbeta links inflammation and tumorigenesis in a mouse model of colitis-associated cancer. *Cell.* 118: 285-296. <http://dx.doi.org/10.1016/j.cell.2004.07.013>.
- Grewal, J; Bhattacharya, A; Kumar, S; Singh, DK; Khare, SK. (2016). Biodegradation of 1,1,1-trichloro-2,2-bis(4-chlorophenyl) ethane (DDT) by using *Serratia marcescens* NCIM 2919. *J Environ Sci Health B.* 51: 809-816. <http://dx.doi.org/10.1080/03601234.2016.1208455>.
- Grieger, KD; Fjordbøge, A; Hartmann, NB; Eriksson, E; Bjerg, PL; Baun, A. (2010). Environmental benefits and risks of zero-valent iron nanoparticles (nZVI) for in situ remediation: risk mitigation or trade-off? *J Contam Hydrol.* 118: 165-183. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.011>.
- Griffin, BM; Tiedje, JM. (2007). Microbial reductive dehalogenation in Antarctic melt pond sediments. *Antarct Sci.* 19: 411-416. <http://dx.doi.org/10.1017/S0954102007000570>.
- Griffin, BM; Tiedje, JM; Löffler, FE. (2004). Anaerobic microbial reductive dechlorination of tetrachloroethene to predominately trans-1,2-dichloroethene. *Environ Sci Technol.* 38: 4300-4303. <http://dx.doi.org/10.1021/es035439g>.
- Grisdanurak, N; Chiarakorn, S; Wittayakun, J. (2003). Utilization of mesoporous molecular sieves synthesized from natural source rice husk silica to chlorinated volatile organic compounds (CVOCs) adsorption. *Korean J Chem Eng.* 20: 950-955.
- Gross, LJ. (2007). Use of geostatistics to evaluate the monitoring well network of a TCE plume. *Int J Environ Pollut.* 29: 370-382.
- Groster, A; Chan, WW; Edwards, EA. (2009). 1,1,1-trichloroethane and 1,1-dichloroethane reductive dechlorination kinetics and co-contaminant effects in a *Dehalobacter*-containing mixed culture. *Environ Sci Technol.* 43: 6799-6807. <http://dx.doi.org/10.1021/es901038x>.
- Groves, C; Hayden, P; Lock, E; Schnellmann, R. (1993). Differential cellular effects in the toxicity of haloalkene and haloalkane cysteine conjugates to rabbit renal proximal tubules. *J Biochem Toxicol.* 8: 49-56. <http://dx.doi.org/10.1002/jbt.2570080108>.
- Groves, WA; Zellers, ET. (1996). Prototype Instrument Employing a Microsensor Array for the Analysis of Organic Vapors in Exhaled Breath. *Am Ind Hyg Assoc J.* 57: 1103-1108.
- Grubb, DG; Sitar, N. (1999). Mobilization of trichloroethene (TCE) during ethanol flooding in uniform and layered sand packs under confined conditions. *Water Resour Res.* 35: 3275-3289.
- Grubb, DT; Li, ZF. (1994). SINGLE-FIBER POLYMER COMPOSITES .2. RESIDUAL-STRESSES AND THEIR EFFECTS IN HIGH-MODULUS POLYETHYLENE FIBER COMPOSITES. *Journal of Materials Science.* 29: 203-212.
- Gryzenia, J; Cassidy, D; Hampton, D. (2009). Production and accumulation of surfactants during the chemical oxidation of PAH in soil. *Chemosphere.* 77: 540-545. <http://dx.doi.org/10.1016/j.chemosphere.2009.07.012>.
- Grzechulska-Damszel, J; Grzeskowiak, M; Przepiorski, J; Morawski, AW. (2014). Photocatalytic Decomposition of low-concentrated Trichloroethylene and Tetrachloroethylene in Water. *International Journal of Environmental Research.* 8: 347-352.
- Gu, BH; Siegrist, RL. (1997). Dehalogenation of chlorinated organic compounds by strong alkalis. *J Environ Eng.* 123: 982-987.
- Gu, BH; West, OR; Siegrist, RL. (1995). USING C-14-LABELED RADIOCHEMICALS CAN CAUSE EXPERIMENTAL ERROR IN STUDIES OF THE BEHAVIOR OF VOLATILE ORGANIC-COMPOUNDS. *Environ Sci Technol.* 29: 1210-1214.
- Gu, X; Lu, S; Guo, X; Sima, J; Qiu, Z; Sui, Q. (2015). Oxidation and reduction performance of 1,1,1-trichloroethane in aqueous solution by means of a combination of persulfate and zero-valent iron. *RSC Advances.* 5: 60849-60856. <http://dx.doi.org/10.1039/c5ra07655b>.
- Gu, X; Lu, S; Li, L, in; Qiu, Z; Sui, Q; Lin, K; Luo, Q. (2011). Oxidation of 1,1,1-Trichloroethane Stimulated by Thermally Activated Persulfate. *Ind Eng Chem Res.* 50: 11029-11036. <http://dx.doi.org/10.1021/le201059x>.
- Gualandi, G. (1987). Use of alpha- and beta-tubulin mutants for the study of spontaneous and induced chromosomal mis-distribution in *Aspergillus nidulans*. *Mutat Res-Fundam Mol Mech Mutagen.* 178: 33-41. [http://dx.doi.org/10.1016/0027-5107\(87\)90083-2](http://dx.doi.org/10.1016/0027-5107(87)90083-2).
- Guan, X; Liu, F, ei; Xie, Y; Zhu, L; Han, B, in. (2013). Microbiota associated with the migration and transformation of chlorinated aliphatic hydrocarbons in groundwater. *Environ Geochem Health.* 35: 535-549. <http://dx.doi.org/10.1007/s10653-013-9513-3>.

Fate Literature Search Results

Off Topic

- Guay, D; Divigalpitiya, WMR; Belanger, D; Feng, XH. (1994). CHEMICAL BONDING IN RESTACKED SINGLE-LAYER MOS(2) BY X-RAY-ABSORPTION SPECTROSCOPY. *Chem Mater.* 6: 614-619.
- Guberan, E. (1977). Proposed biological threshold limit values for industrial exposure to trichloroethylene vapor. *Scand J Work Environ Health.* 3: 80-90.
- Gudena, K; Rangaiiah, GP; Lakshminarayanan, S. (2012). Optimal Design of a Rotating Packed Bed for VOC Stripping from Contaminated Groundwater. *Ind Eng Chem Res.* 51: 835-847. <http://dx.doi.org/10.1021/ie201218w>.
- Guengerich, FP; Crawford, WM, Jr; Watanabe, PG. (1979). Activation of vinyl chloride to covalently bound metabolites: roles of 2-chloroethylene oxide and 2-chloroacetaldehyde. *Biochemistry.* 18: 5177-5182. <http://dx.doi.org/10.1021/bi00590a023>.
- Guerrero-Barajas, C; Garibay-Orijel, C; Rosas-Rocha, LE. (2011). Sulfate reduction and trichloroethylene biodegradation by a marine microbial community from hydrothermal vents sediments. *Int Biodeterior Biodegradation.* 65: 116-123. <http://dx.doi.org/10.1016/j.ibiod.2010.10.004>.
- Guerrero-Barajas, C; Ordaz, A; Garibay-Orijel, C; Montserrat Garcia-Solares, S; Bastida-Gonzalez, F; Berenice Zarate-Segura, P. (2014). Enhanced sulfate reduction and trichloroethylene (TCE) biodegradation in a UASB reactor operated with a sludge developed from hydrothermal vents sediments: Process and microbial ecology. *Int Biodeterior Biodegradation.* 94: 182-191. <http://dx.doi.org/10.1016/j.ibiod.2014.07.015>.
- Guerrero-Bosagna, CM; Skinner, MK. (2009). Epigenetic transgenerational effects of endocrine disruptors on male reproduction [Review]. *Seminars in Reproductive Medicine.* 27: 403-408. <http://dx.doi.org/10.1055/s-0029-1237428>.
- Guha, AK; Shanbhag, PV; Sirkar, KK; Vaccari, DA; Trivedi, DH. (1995). MULTIPHASE OZONOLYSIS OF ORGANICS IN WASTE-WATER BY A NOVEL MEMBRANE REACTOR. *AIChE J.* 41: 1998-2012.
- Gui, J; Chen, Z; Zhang, Y; Zhang, L, i; Liu, F, ei. (2015). Novel Approach to Stable Chlorine Isotope Analysis using Gas Chromatography-Negative Chemical Ionization Mass Spectrometry. *Anal Lett.* 48: 605-616. <http://dx.doi.org/10.1080/00032719.2014.954122>.
- Gui, L; Gillham, RW. (2003). Preparation and regeneration of nickel-iron for reduction of organic contaminants. *ACS Symp Ser Am Chem Soc.* 837: 206-216.
- Gui, M; Papp, JK; Colburn, AS; Meeks, ND; Weaver, B; Wilf, I; Bhattacharyya, D. (2015). Engineered iron/iron oxide functionalized membranes for selenium and other toxic metal removal from power plant scrubber water. *J Memb Sci.* 488: 79-91. <http://dx.doi.org/10.1016/j.memsci.2015.03.089>.
- Gui, M; Smuleac, V; Ormsbee, LE; Sedlak, DL; Bhattacharyya, D. (2012). Iron oxide nanoparticle synthesis in aqueous and membrane systems for oxidative degradation of trichloroethylene from water. *J Nanopart Res.* 14: 1-16. <http://dx.doi.org/10.1007/s11051-012-0861-1>.
- Guiguer, N. (1991). NUMERICAL MODELING OF THE FATE OF RESIDUAL IMMISCIBLE FLUIDS IN SATURATED POROUS-MEDIA. *Water Sci Technol.* 24: 261-270.
- Guillemot, A; Mijoin, J; Mignard, S; Magnoux, P. (2007). Volatile organic compounds (VOCs) removal over dual functional adsorbent/catalyst system. *Appl Catal B-Environ.* 75: 249-255. <http://dx.doi.org/10.1016/j.apcatb.2007.04.020>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Mode of zeolite catalysts deactivation during chlorinated VOCs oxidation. *Appl Catal A-Gen.* 327: 211-217. <http://dx.doi.org/10.1016/j.apcata.2007.05.012>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2008). Adsorption of tetrachloroethylene (PCE) in gas phase on zeolites of faujasite type: Influence of water vapour and of Si/Al ratio. *Microporous and Mesoporous Materials.* 111: 334-342. <http://dx.doi.org/10.1016/j.micromeso.2007.08.035>.
- Guiot, SR; Cimpoia, R; Kuhn, R; Alaplantive, A. (2008). Electrolytic methanogenic - Methanotrophic coupling for tetrachloroethylene bioremediation: Proof of concept. *Environ Sci Technol.* 42: 3011-3017. <http://dx.doi.org/10.1021/es702121u>.
- Guiot, SR; Kuhn, R; Lévesque, MJ; Cimpoia, R. (2007). Ultrastructure of a bio-electrolytic methanogenic/methanotrophic granular biofilm for the complete degradation of tetrachloroethylene in contaminated groundwater. *Water Sci Technol.* 55: 465-471. <http://dx.doi.org/10.2166/wst.2007.292>.
- Gulbag, A, li; Temurtas, F; Tasaltin, C; Oeztuerk, ZZ. (2007). A study on radial basis function neural network size reduction for quantitative identification of individual gas concentrations in their gas mixtures. *Sens Actuators B.* 124: 383-392. <http://dx.doi.org/10.1016/j.snb.2007.01.006>.
- Gulbag, A; Temurtas, F; Tasaltin, C; Ozturk, ZZ. (2009). A neural network implemented microcontroller system for quantitative classification of hazardous organic gases in the ambient air. *Int J Environ Pollut.* 36: 151. <http://dx.doi.org/10.1504/ijep.2009.021823>.
- Gullick, RW; Weber, WJ. (2001). Evaluation of shale and organoclays as sorbent additives for low-permeability soil containment barriers. *Environ Sci Technol.* 35: 1523-1530. <http://dx.doi.org/10.1021/es0015601>.
- Gunnagol, RM; Sharma, B; Rabinal, MK. (2016). Flexible contact stamp for electrical conductivity measurements of a soft matter. *Measurement.* 92: 224-229. <http://dx.doi.org/10.1016/j.measurement.2016.06.012>.
- Guo, H; Lee, SC; Chan, LY; Li, WM. (2004). Risk assessment of exposure to volatile organic compounds in different indoor environments. *Environ Res.* 94: 57-66. [http://dx.doi.org/10.1016/S0013-9351\(03\)00035-5](http://dx.doi.org/10.1016/S0013-9351(03)00035-5).
- Guo, H; Lee, SC; Louie, PK; Ho, KF. (2004). Characterization of hydrocarbons, halocarbons and carbonyls in the atmosphere of Hong Kong. *Chemosphere.* 57: 1363-1372. <http://dx.doi.org/10.1016/j.chemosphere.2004.07.055>.
- Guo, Q; Ren, L. (2016). Hydrodechlorination of trichloroethylene over MoP/gamma-Al2O3 catalyst with high surface area. *Catalysis Today.* 264: 158-162. <http://dx.doi.org/10.1016/j.cattod.2015.09.019>.
- Guo, T; Bai, Z; Wu, C, an; Zhu, T, an. (2008). Influence of relative humidity on the photocatalytic oxidation (PCO) of toluene by TiO2 loaded on activated carbon fibers: PCO rate and intermediates accumulation. *Appl Catal B-Environ.* 79: 171-178. <http://dx.doi.org/10.1016/j.apcatb.2007.09.033>.

Fate Literature Search Results

Off Topic

- Guo, X; Minakata, D; Crittenden, J. (2015). On-the-Fly Kinetic Monte Carlo Simulation of Aqueous Phase Advanced Oxidation Processes. *Environ Sci Technol.* 49: 9230-9236. <http://dx.doi.org/10.1021/acs.est.5b02034>.
- Guo, X; Minakata, D; Niu, J; Crittenden, J. (2014). Computer-based first-principles kinetic modeling of degradation pathways and byproduct fates in aqueous-phase advanced oxidation processes. *Environ Sci Technol.* 48: 5718-5725. <http://dx.doi.org/10.1021/es500359g>.
- Guo, Y; Yadav, A; Karanfil, T. (2007). Approaches to mitigate the impact of dissolved organic matter on the adsorption of synthetic organic contaminants by porous carbonaceous sorbents. *Environ Sci Technol.* 41: 7888-7894.
- Guo, Y; Zhang, BZ; Meng, XZ; Yu, HY; Ran, Y; Li, SM; Zeng, EY. (2009). Occurrence and fate of 1-chloro-2,2-bis(4-chlorophenyl)ethene in the environment of the Pearl River Delta, South China. *Environ Sci Technol.* 43: 3073-3079. <http://dx.doi.org/10.1021/es803294w>.
- Gupta, BN; Rastogi, SK; Husain, T; Mathur, N; Pangtey, BS. (1991). A STUDY OF RESPIRATORY MORBIDITY AND PULMONARY-FUNCTION AMONG SOLDERERS IN THE ELECTRONICS INDUSTRY. *Am Ind Hyg Assoc J.* 52: 45-51. [http://dx.doi.org/10.1202/0002-8894\(1991\)052<0045:ASORMA>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(1991)052<0045:ASORMA>2.0.CO;2).
- Gupta, H; Tanaka, S. (1995). PHOTOCATALYTIC MINERALISATION OF PERCHLOROETHYLENE USING TITANIUM DIOXIDE. *Water Sci Technol.* 31: 47-54.
- Gupta, R; Kulkarni, GU. (2013). Holistic method for evaluating large area transparent conducting electrodes. 5: 730-736. <http://dx.doi.org/10.1021/am302264a>.
- Gupta, R; Rao, KD; Kiruthika, S; Kulkarni, GU. (2016). Visibly Transparent Heaters. 8: 12559-12575. <http://dx.doi.org/10.1021/acsami.5b11026>.
- Gupta, S. (2000). Hepatic polyploidy and liver growth control [Review]. *Semin Cancer Biol.* 10: 161-171. <http://dx.doi.org/10.1006/scbi.2000.0317>.
- Guseva Canu, I; Faust, S; Knieczech, E; Carles, M; Samson, E; Laurier, D. (2013). Estimating historic exposures at the European Gaseous Diffusion plants. *Int J Hyg Environ Health.* 216: 499-507. <http://dx.doi.org/10.1016/j.ijheh.2012.07.002>.
- Guseva Canu, I; Paquet, F; Goldberg, M; Auriol, B; Bérard, P; Collomb, P; David, JC; Molina, G; Perez, P; Tirmarche, M. (2009). Comparative assessing for radiological, chemical, and physical exposures at the French uranium conversion plant: Is uranium the only stressor. *Int J Hyg Environ Health.* 212: 398-413. <http://dx.doi.org/10.1016/j.ijheh.2008.09.002>.
- Gusmão, AD; de Campos, TM; Nobre, M; Vargas, E. (2004). Laboratory tests for reactive barrier design. *J Hazard Mater.* 110: 105-112. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.043>.
- Gutiérrez-Ortiz, JI; De Rivas, B; López-Fonseca, R; González-Velasco, J. R. (2006). Catalytic purification of waste gases containing VOC mixtures with Ce/Zr solid solutions. *Appl Catal B-Environ.* 65: 191-200. <http://dx.doi.org/10.1016/j.apcatb.2006.02.001>.
- Gutiérrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2004). Combustion of aliphatic C-2 chlorohydrocarbons over ceria-zirconia mixed oxides catalysts. *Appl Catal A-Gen.* 269: 147-155. <http://dx.doi.org/10.1016/j.apcata.2004.04.014>.
- Gutiérrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2005). Effect of the presence of n-hexane on the catalytic combustion of chlororganics over ceria-zirconia mixed oxides. *Catalysis Today.* 107-08: 933-941. <http://dx.doi.org/10.1016/j.cattod.2005.07.045>.
- Gutiérrez-Ortiz, JI; de Rivas, B; López-Fonseca, R; Martín, S; González-Velasco, JR. (2007). Structure of Mn-Zr mixed oxides catalysts and their catalytic performance in the gas-phase oxidation of chlorocarbons. *Chemosphere.* 68: 1004-1012. <http://dx.doi.org/10.1016/j.chemosphere.2007.02.025>.
- Gutiérrez-Ortiz, JI; Lopez-Fonseca, R; Aurrekoetxea, U; Gonzalez-Velasco, JR. (2003). Low-temperature deep oxidation of dichloromethane and trichloroethylene by H-ZSM-5-supported manganese oxide catalysts. *J Catal.* 218: 148-154. [http://dx.doi.org/10.1016/S0021-9517\(03\)00142-8](http://dx.doi.org/10.1016/S0021-9517(03)00142-8).
- Guvenc, E; Ahunbay, MG. (2012). Adsorption of Methyl Tertiary Butyl Ether and Trichloroethylene in MFI-Type Zeolites. *J Phys Chem C.* 116: 21836-21843. <http://dx.doi.org/10.1021/jp3067052>.
- Guyton, KZ; Barone, S; Brown, RC; Euling, SY; Jinot, J; Makris, S. (2008). Mode of action frameworks: a critical analysis. *J Toxicol Environ Health B Crit Rev.* 11: 16-31. <http://dx.doi.org/10.1080/10937400701600321>.
- Guzelian, PS; Henry, CJ; Olin, SS. (1992). Similarities and differences between children and adults: Implications for risk assessment. In PS Guzelian; CJ Henry; SS Olin (Eds.). Washington, DC: ILSI Press.
- Gvozdik, L; Valentova, J. (2007). Contaminant transport modelling in the vicinity of Bzenec water-withdrawal area. 55: 111-121.
- Gyorke, S; Terentyev, D. (2008). Modulation of ryanodine receptor by luminal calcium and accessory proteins in health and cardiac disease. *Cardiovasc Res.* 77: 245-255. <http://dx.doi.org/10.1093/cvr/cvm038>.
- Ha, C; Kim, N; Park, H; Kwon, S; Lee, HS; Hong, U, ij; Park, S; Kim, S; Kim, Y. (2011). Natural Gradient Drift Tests for Assessing the Feasibility of In Situ Aerobic Cometabolism of Trichloroethylene and Evaluating the Microbial Community Change. *Water Air Soil Pollut.* 219: 353-364. <http://dx.doi.org/10.1007/s11270-010-0712-6>.
- Haag, WR; Johnson, MD; Scofield, R. (1996). Direct photolysis of trichloroethene in air: Effect of cocontaminants, toxicity of products, and hydrothermal treatment of products. *Environ Sci Technol.* 30: 414-421.
- Haas, JE; Trego, DA. (2001). A field application of Hydrogen-Releasing Compound (HRC (TM)) for the enhanced bioremediation of Methyl Tertiary Butyl Ether (MTBE). *Int J Phytoremediation.* 10: 555-575.
- Haasch, ML. (1996). Induction of anti-trout lauric acid hydroxylase immunoreactive proteins by peroxisome proliferators in bluegill and catfish. *Mar Environ Res.* 42: 287-291.
- Habib, GM; Barrios, R; Shi, ZZ; Lieberman, MW. (1996). Four distinct membrane-bound dipeptidase RNAs are differentially expressed and show discordant regulation with gamma-glutamyl transpeptidase. *J Biol Chem.* 271: 16273-16280.
- Hack, CE; Haber, LT; Maier, A; Shulte, P; Fowler, B; Lotz, WG; Savage, RE, Jr. (2010). A Bayesian Network Model for Biomarker-Based Dose Response. *Risk Anal.* 30: 1037-1051. <http://dx.doi.org/10.1111/j.1539-6924.2010.01413.x>.

Fate Literature Search Results

Off Topic

- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *J Toxicol Environ Health A*. 61: 209-223. <http://dx.doi.org/10.1080/00984100050131350>.
- Haddad, S; Krishnan, K. (1998). Physiological modeling of toxicokinetic interactions: implications for mixture risk assessment [Review]. *Environ Health Perspect*. 106 Suppl 6: 1377-1384.
- Haddad, S; Tardif, G; Tardif, R. (2006). Development of physiologically based toxicokinetic models for improving the human indoor exposure assessment to water contaminants: trichloroethylene and trihalomethanes. *J Toxicol Environ Health A*. 69: 2095-2136. <http://dx.doi.org/10.1080/15287390600631789>.
- Hadidi, K; Cohn, DR; Vitale, S; Bromberg, L. (1999). Economic study of the tunable electron beam plasma reactor for volatile organic compound treatment. *J Air Waste Manag Assoc*. 49: 225-228.
- Hadjoudj, R; Monnier, H; Roizard, C; Fo, L. (2008). Measurements of diffusivity of chlorinated VOCs in heavy absorption solvents using a laminar falling film contactor. *Chemical Engineering and Processing: Process Intensification*. 47: 1478-1483. <http://dx.doi.org/10.1016/j.cep.2007.04.014>.
- Hadjoudj, R; Monnier, H; Roizard, C; Lapicque, F. (2004). Absorption of chlorinated VOCs in high-boiling solvents: Determination of Henry's law constants and infinite dilution activity coefficients. *Ind Eng Chem Res*. 43: 2238-2246. <http://dx.doi.org/10.1021/ie0304006>.
- Haest, PJ; Philips, J; Springael, D; Smolders, E. (2011). The reactive transport of trichloroethene is influenced by residence time and microbial numbers. *J Contam Hydrol*. 119: 89-98. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.011>.
- Haest, PJ; Springael, D; Seuntjens, P; Smolders, E. (2012). Self-inhibition can limit biologically enhanced TCE dissolution from a TCE DNAPL. *Chemosphere*. 89: 1369-1375. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.097>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models. *Water Res*. 44: 331-339. <http://dx.doi.org/10.1016/j.watres.2009.09.033>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models (vol 44, pg 1, 2010). *Water Res*. 44: 2995-2995. <http://dx.doi.org/10.1016/j.watres.2010.01.031>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Modelling reactive CAH transport using batch experiment degradation kinetics. *Water Res*. 44: 2981-2989. <http://dx.doi.org/10.1016/j.watres.2010.02.031>.
- Hageman, KJ; Field, JA; Istok, JD; Semprini, L. (2004). Quantifying the effects of fumarate on in situ reductive dechlorination rates. *J Contam Hydrol*. 75: 281-296. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.002>.
- Hageman, KJ; Istok, JD; Field, JA; Buscheck, TE; Semprini, L. (2001). In situ anaerobic transformation of trichlorofluoroethene in trichloroethene contaminated groundwater (vol 35, pg 1729, 2001). *Environ Sci Technol*. 35: 2860-2860.
- Hageman, KJ; Istok, JD; Field, JA; Buscheck, TE; Semprini, L. (2001). In situ anaerobic transformation of trichlorofluoroethene in trichloroethene-contaminated groundwater. *Environ Sci Technol*. 35: 1729-1735.
- Hager, S; Bauer, R. (1999). Heterogeneous photocatalytic oxidation of organics for air purification by near UV irradiated titanium dioxide. *Chemosphere*. 38: 1549-1559.
- Hager, S; Bauer, R; Kudielka, G. (2000). Photocatalytic oxidation of gaseous chlorinated organics over titanium dioxide. *Chemosphere*. 41: 1219-1225.
- Haghofer, A; Sonström, P; Fenske, D; Föttinger, K; Schwarz, S; Bernardi, J; Al-Shamery, K; Bäumer, M; Ruppel, G. (2010). Colloidally prepared Pt nanowires versus impregnated Pt nanoparticles: comparison of adsorption and reaction properties. *Langmuir*. 26: 16330-16338. <http://dx.doi.org/10.1021/la1015912>.
- Hahn, T; Diamond, J; Dobson, S; Howe, P; Kielhorn, J; Koenecker, G; Lee-Steere, C; Mangelsdorf, I; Schneider, U; Sugaya, Y; Taylor, K; Van Dam, R; Stauber, JL. (2014). Predicted no effect concentration (PNEC) derivation as a significant source of variability in environmental hazard assessments of chemicals in aquatic systems: An international analysis. *Integr Environ Assess Manag*. 10: 30-36. <http://dx.doi.org/10.1002/ieam.1473>.
- Hahn, W; Boshta, M; Barner, K; Braunstein, R. (2006). The charge transport properties of a-Si : H thin films under hydrostatic pressure. *Mater Sci Eng B*. 130: 184-188. <http://dx.doi.org/10.1016/j.mseb.2006.03.007>.
- Hai-jun, L; Hua, Q; Lan-ying, Z; Na, L; Bo-lin, Z. (2013). Trichloroethylene dechlorination by copper-contained zero-valent iron slurry. *Chem Res Chin Univ*. 29: 1173-1179. <http://dx.doi.org/10.1007/s40242-013-3165-9>.
- HaiTao, S; Qi, Y; Yang, Z. (2011). Kinetic Models of Dichloroethylene Biodegradation by Two Strains of Aerobic Bacteria. *Biomed Environ Sci*. 24: 261-267. <http://dx.doi.org/10.3967/0895-3988.2011.03.009>.
- Hajaghazadeh, M; Kakooei, H; Dashliborun, AM; Sotudeh-Gharebagh, R; Golbabaie, F; Foroushani, AR; Afshar, S. (2013). PHOTOCATALYTIC DEGRADATION OF METHYL ETHYL KETONE IN A FLUIDIZED BED REACTOR: A FACTORIAL DESIGN ANALYSIS. *Fresen Environ Bull*. 22: 1719-1726.
- Hakkola, J; Pasanen, M; Hukkanen, J; Pelkonen, O; Maenpaa, J; Edwards, RJ; Boobis, AR; Raunio, H. (1996). Expression of xenobiotic-metabolizing cytochrome P450 forms in human full-term placenta. *Biochem Pharmacol*. 51: 403-411. [http://dx.doi.org/10.1016/0006-2952\(95\)02184-1](http://dx.doi.org/10.1016/0006-2952(95)02184-1).
- Hakkola, J; Pelkonen, O; Pasanen, M; Raunio, H. (1998). Xenobiotic-metabolizing cytochrome P450 enzymes in the human fetoplacental unit: Role in intrauterine toxicity [Review]. *Crit Rev Toxicol*. 28: 35-72. <http://dx.doi.org/10.1080/10408449891344173>.
- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol*. 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Hakkola, J; Tanaka, E; Pelkonen, O. (1998). Developmental expression of cytochrome P450 enzymes in human liver [Review]. *Pharmacol Toxicol*. 82: 209-217. <http://dx.doi.org/10.1111/j.1600-0773.1998.tb01427.x>.

Fate Literature Search Results

Off Topic

- Hakoda, T; Arai, H; Hashimoto, S. (2001). The real-time gas mass filter system for the analysis of products from trichloroethylene-air mixture during electron beam irradiation. *J Chem Eng Jpn.* 34: 1300-1308.
- Hakoda, T; Chowdhury, MAZ; Shimada, A; Hirota, K. (2009). Oxidation of Dimethyl Sulfide in Air Using Electron-Beam Irradiation, and Enhancement of its Oxidation Via an MnO₂ Catalyst. *Plasma Chemistry and Plasma Processing.* 29: 549-557. <http://dx.doi.org/10.1007/s11090-009-9194-y>.
- Hakoda, T; Shimada, A; Matsumoto, K; Hirota, K. (2009). Determination of the Number of OH Radicals in EB-Irradiated Humid Gases Using Oxidation of CO. *Plasma Chemistry and Plasma Processing.* 29: 69-78. <http://dx.doi.org/10.1007/s11090-008-9162-y>.
- Halasz, J; Imre, B; Hannus, I. (2004). IR spectroscopic investigation of hydrodechlorination on Pt-containing zeolites. *Appl Catal A-Gen.* 271: 47-53. <http://dx.doi.org/10.1016/j.apcata.2004.02.045>.
- Halden, K; Chase, HA. (1991). METHANOTROPHS FOR CLEANUP OF POLLUTED AQUIFERS. *Water Sci Technol.* 24: 9-17.
- Halden, RU. (2015). Epistemology of contaminants of emerging concern and literature meta-analysis. *J Hazard Mater.* 282: 2-9. <http://dx.doi.org/10.1016/j.jhazmat.2014.08.074>.
- Halihan, T; Albano, J; Comfort, SD; Zlotnik, VA. (2012). Electrical Resistivity Imaging of a Permanganate Injection During In Situ Treatment of RDX-Contaminated Groundwater. *Ground Water Monitoring and Remediation.* 32: 43-52. <http://dx.doi.org/10.1111/j.1745-6592.2011.01361.x>.
- Hamada, T; Tanaka, H. (1995). Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut.* 87: 313-318. [http://dx.doi.org/10.1016/0269-7491\(94\)P4163-I](http://dx.doi.org/10.1016/0269-7491(94)P4163-I).
- Hamelink, JL; Simon, PB; Silberhorn, EM. (1996). Henry's law constant, volatilization rate, and aquatic half-life of octamethylcyclotetrasiloxane. *Environ Sci Technol.* 30: 1946-1952.
- Hamid, S; Amin, MT; Alazba, AA; Manzoor, U; Amin, MN. (2014). Cometabolic Degradation Kinetics of Trichloroethylene Based on Toluene Enhancement by Encapsulated Burkholderia cepacia G4. *CLEAN - Soil, Air, Water.* 42: 1642-1649. <http://dx.doi.org/10.1002/clen.201300725>.
- Hamid, S; Bae, W; Kim, S; Amin, MT. (2014). Enhancing co-metabolic degradation of trichloroethylene with toluene using Burkholderia vietnamiensis G4 encapsulated in polyethylene glycol polymer. *Environ Technol.* 35: 1470-1477. <http://dx.doi.org/10.1080/09593330.2013.871045>.
- Hamill, NA; Hardacre, C; Barth, JAC; Kalin, RM; Cunningham, JF. (2001). Gas-phase photocatalytic oxidation of dichlorobutenes. *Environ Sci Technol.* 35: 2823-2827. <http://dx.doi.org/10.1021/es001939n>.
- Hamitouche, A; Bendjama, Z; Amrane, A; Kaouah, F. (2016). Biodegradation of p-cresol by Pseudomonas spp. *Desalination and Water Treatment.* 57: 3059-3064. <http://dx.doi.org/10.1080/19443994.2014.982956>.
- Hamm, AK; Carter, WH; Gennings, C. (2005). Analysis of an interaction threshold in a mixture of drugs and/or chemicals. *Stat Med.* 24: 2493-2507. <http://dx.doi.org/10.1002/sim.2110>.
- Hammer, CL; Small, GW; Combs, RJ; Knapp, RB; Kroutil, RT. (2000). Artificial neural networks for the automated detection of trichloroethylene by passive Fourier transform infrared spectrometry. *Anal Chem.* 72: 1680-1689.
- Hamon, M; Dickinson, N; Devineau, A; Bolien, D; Tranchant, MJ; Taillier, C; Jabin, I; Harrowven, DC; Whitby, RJ; Ganesan, A; Dalla, V. (2014). Intra- and intermolecular alkylation of N,O-acetals and π -activated alcohols catalyzed by in situ generated acid. *J Org Chem.* 79: 1900-1912. <http://dx.doi.org/10.1021/jo4015886>.
- Han, D; Wan, J; Ma, Y; Wang, Y, an; Li, Y; Li, D; Guan, Z. (2015). New insights into the role of organic chelating agents in Fe(II) activated persulfate processes. *Chem Eng J.* 269: 425-433. <http://dx.doi.org/10.1016/j.cej.2015.01.106>.
- Han, J; Xin, J; Zheng, X; Kolditz, O; Shao, H. (2016). Remediation of trichloroethylene-contaminated groundwater by three modifier-coated microscale zero-valent iron. *Environ Sci Pollut Res Int.* 23: 14442-14450. <http://dx.doi.org/10.1007/s11356-016-6368-z>.
- Han, SB; Oda, T; Ono, R. (2005). Improvement of the energy efficiency in the decomposition of dilute trichloroethylene by the barrier discharge plasma process. *I E E E Transactions on Industry Applications.* 41: 1343-1349. <http://dx.doi.org/10.1109/TIA.2005.855046>.
- Han, TS; Sasaki, S; Yano, K; Ikebukuro, K; Kitayama, A; Nagamune, T; Karube, I. (2002). Flow injection microbial trichloroethylene sensor. *Talanta.* 57: 271-276.
- Han, X; Balakrishnan, VK; Buncel, E. (2007). Alkaline degradation of the organophosphorus pesticide fenitrothion as mediated by cationic C12, C14, C16, and C18 surfactants. *Langmuir.* 23: 6519-6525. <http://dx.doi.org/10.1021/la063521u>.
- Han, Y; Hyun, S; Jeong, HY; Hayes, K. (2012). Kinetic study of cis-dichloroethylene (cis-DCE) and vinyl chloride (VC) dechlorination using green rusts formed under varying conditions. *Water Res.* 46: 6339-6350. <http://dx.doi.org/10.1016/j.watres.2012.08.041>.
- Han, Y; Liu, C; Horita, J; Yan, W. (2016). Trichloroethene hydrodechlorination by Pd-Fe bimetallic nanoparticles: Solute-induced catalyst deactivation analyzed by carbon isotope fractionation. *Appl Catal B-Environ.* 188: 77-86. <http://dx.doi.org/10.1016/j.apcatb.2016.01.047>.
- Han, Y; Yan, W. (2014). Bimetallic nickel-iron nanoparticles for groundwater decontamination: effect of groundwater constituents on surface deactivation. *Water Res.* 66: 149-159. <http://dx.doi.org/10.1016/j.watres.2014.08.001>.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environ Sci Technol.* 50: 12992-13001. <http://dx.doi.org/10.1021/acs.est.6b03997>.
- Han, Y; Yang, MDY; Zhang, W; Yan, W. (2015). Optimizing synthesis conditions of nanoscale zero-valent iron (nZVI) through aqueous reactivity assessment. 9: 813-822. <http://dx.doi.org/10.1007/s11783-015-0784-z>.
- Hanahan, D; Weinberg, RA. (2000). The hallmarks of cancer [Review]. *Cell.* 100: 57-70. [http://dx.doi.org/10.1016/S0092-8674\(00\)81683-9](http://dx.doi.org/10.1016/S0092-8674(00)81683-9).

Fate Literature Search Results

Off Topic

- Hand, DW; Herlevich J A, J. R.; Perram, DL; Crittenden, JC. (1994). SYNTHETIC ADSORBENT VERSUS GAC FOR TCE REMOVAL (pp. 64-72). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/95/02023). Hand, DW; Herlevich J A, , JR; Perram, DL; Crittenden, JC.
- Hand, S; Wang, B; Chu, KH. (2015). Biodegradation of 1,4-dioxane: effects of enzyme inducers and trichloroethylene. *Sci Total Environ.* 520: 154-159. <http://dx.doi.org/10.1016/j.scitotenv.2015.03.031>.
- Handal, AJ; Hund, L; Páez, M; Bear, S; Greenberg, C; Fenske, RA; Barr, DB. (2016). Characterization of Pesticide Exposure in a Sample of Pregnant Women in Ecuador. *Arch Environ Contam Toxicol.* 70: 627-639. <http://dx.doi.org/10.1007/s00244-015-0217-9>.
- Haney, JT, Jr. (2016). Historical drinking water contamination at Camp Lejeune: Regulatory risk assessor and personal perspectives. *Hum Ecol Risk Assess.* 22: 1029-1035. <http://dx.doi.org/10.1080/10807039.2015.1129890>.
- Hanioka, N; Jinno, H; Toyo'oka, T; Nishimura, T; Ando, M. (1995). Induction of rat liver drug-metabolizing enzymes by tetrachloroethylene. *Arch Environ Contam Toxicol.* 28: 273-280. <http://dx.doi.org/10.1007/BF00213102>.
- Hanioka, N; Omae, E; Yoda, R; Jinno, H; Nishimura, T; Ando, M. (1997). Effect of trichloroethylene on cytochrome P450 enzymes in the rat liver. *Bull Environ Contam Toxicol.* 58: 628-635.
- Hannus, I; Fozo, M; Halasz, J; Tasi, G. (2005). Theoretical and experimental study of hydrodechlorination reactions on Pt- and Pd-containing zeolites. *Stud Surf Sci Catal.* 158: 1803-1810.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), ACS Professional Reference Book. Washington, DC: American Chemical Society.
- Hansen, FK; Fagerheim, H. (1998). The influence of oil phase on the adsorption of non-ionic surfactants investigated by the automatic sessile drop method. *Colloid Surface Physicochem Eng Aspect.* 137: 217-230.
- Hansen, J; Raaschou-Nielsen, O; Christensen, JM; Johansen, I; McLaughlin, JK; Lipworth, L; Blot, WJ; Olsen, JH. (2001). Cancer incidence among Danish workers exposed to trichloroethylene. *J Occup Environ Med.* 43: 133-139.
- HANUMANT.G; Subbarao, BV. (1974). ISOBARIC VAPOR-LIQUID-EQUILIBRIA - CHLOROFORM-ISOPROPANOL, TERTIARY BUTANOL-TOLUENE AND TERTIARY BUTANOL-TRICHLOROETHYLENE SYSTEMS. 12: 292-295.
- Hao, OJ; Kim, MH; Seagren, EA; Kim, H. (2002). Kinetics of phenol and chlorophenol utilization by *Acinetobacter* species. *Chemosphere.* 46: 797-807.
- Hara, J; Ito, H; Suto, K; Inoue, C; Chida, T. (2005). Kinetics of trichloroethene dechlorination with iron powder. *Water Res.* 39: 1165-1173. <http://dx.doi.org/10.1016/j.watres.2004.12.011>.
- Harabuchi, I; Kishi, R; Ikeda, T; Kiyosawa, H; Miyake, H. (1993). Circadian variations of acute toxicity and blood and brain concentrations of inhaled toluene in rats. *Occup Environ Med.* 50: 280-286.
- Harada, N; Matsuyama, T; Yamamoto, H. (2007). Decomposition of volatile organic compounds by a novel electrode system integrating ceramic filter and SPCP method. *Journal of Electrostatics.* 65: 43-53. <http://dx.doi.org/10.1016/j.elstat.2006.01.008>.
- Harbec, D; Meunier, JL. (2011). Growth of carbon nanotubes above the peritectic temperature of tungsten metal catalyst. *Carbon.* 49: 2206-2215. <http://dx.doi.org/10.1016/j.carbon.2011.01.050>.
- Harbec, D; Meunier, JL; Guo, L; Jureidini, J. (2007). A parametric study of carbon nanotubes production from tetrachloroethylene using a supersonic thermal plasma jet. *Carbon.* 45: 2054-2064. <http://dx.doi.org/10.1016/j.carbon.2007.05.025>.
- Hardell, L; Eriksson, M; Degerman, A. (1994). Exposure to phenoxyacetic acids, chlorophenols, or organic solvents in relation to histopathology, stage, and anatomical localization of non-Hodgkin's lymphoma. *Cancer Res.* 54: 2386-2389.
- Hardin, BD; Kelman, BJ; Brent, RL. (2004). Trichloroethylene and cardiac malformations [Letter]. *Environ Health Perspect.* 112: A607-A608.
- Harding, KC; Lee, PK; Bill, M; Buscheck, TE; Conrad, ME; Alvarez-Cohen, L. (2013). Effects of varying growth conditions on stable carbon isotope fractionation of trichloroethene (TCE) by tceA-containing *Dehalococcoides mccartyi* strains. *Environ Sci Technol.* 47: 12342-12350. <http://dx.doi.org/10.1021/es402617q>.
- Harding-Marjanovic, KC; Yi, S; Weathers, TS; Sharp, JO; Sedlak, DL; Alvarez-Cohen, L. (2016). Effects of Aqueous Film-Forming Foams (AFFFs) on Trichloroethene (TCE) Dechlorination by a *Dehalococcoides mccartyi*-Containing Microbial Community. *Environ Sci Technol.* 50: 3352-3361. <http://dx.doi.org/10.1021/acs.est.5b04773>.
- Harendra, S; Vipulanandan, C. (2008). Degradation of high concentrations of PCE solubilized in SDS and biosurfactant with Fe/Ni bi-metallic particles. *Colloid Surface Physicochem Eng Aspect.* 322: 6-13. <http://dx.doi.org/10.1016/j.colsurfa.2008.02.009>.
- Harendra, S; Vipulanandan, C. (2010). Kinetics and Reductive Degradation of Surfactant-Solubilized CCl₄ in Water Using Bimetallic Particles. *Ind Eng Chem Res.* 49: 8812-8820. <http://dx.doi.org/10.1021/ie1001372>.
- Harendra, S; Vipulanandan, C. (2011). Effects of Surfactants on Solubilization of Perchloroethylene (PCE) and Trichloroethylene (TCE). *Ind Eng Chem Res.* 50: 5831-5837. <http://dx.doi.org/10.1021/ie102589e>.
- Harendra, S; Vipulanandan, C. (2011). Fe/Ni Bimetallic Particles Transport in Columns Packed with Sandy Clay Soil. *Ind Eng Chem Res.* 50: 404-411. <http://dx.doi.org/10.1021/ie101546k>.
- Hari, T; Nakajo, K; Huang, LW; Kojima, Y; Ozawa, S; Matsuda, H. (2002). Influence of the coexistence gas and in-situ solid absorbent on the decomposition of covalent chlorides and fluorides by non-thermal plasma. *Kagaku Kogaku Ronbunshu.* 28: 522-527.
- Hariharan, C. (2006). Photocatalytic degradation of organic contaminants in water by ZnO nanoparticles: Revisited. *Appl Catal A-Gen.* 304: 55-61. <http://dx.doi.org/10.1016/j.apcata.2006.02.020>.
- Harkness, M; Fisher, A. (2013). Use of emulsified vegetable oil to support bioremediation of TCE DNAPL in soil columns. *J Contam Hydrol.* 151: 16-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.04.002>.
- Harmon, TC; Delabarre, BK; Roberts, PV. (1996). Estimating internal mass transfer rates in soils using scintillation fluid extraction. 6: 155-164.
- Harmon, TC; Roberts, PV. (1994). THE EFFECT OF EQUILIBRATION TIME ON DESORPTION RATE MEASUREMENTS WITH CHLORINATED ALKENES AND AQUIFER PARTICLES. *Environmental Progress.* 13: 1-8.

Fate Literature Search Results

Off Topic

- Harris, NL; Jaffe, ES; Diebold, J; Flandrin, G; Muller-Hermelink, HK; Vardiman, J. (2000). Lymphoma classification - from controversy to consensus: The R.E.A.L. and WHO Classification of lymphoid neoplasms [Review]. *Ann Oncol.* 11: 3-10. http://dx.doi.org/10.1093/annonc/11.suppl_1.S3.
- Harrold, G; Gooddy, DC; Lerner, DN; Leharne, SA. (2001). Wettability changes in trichloroethylene-contaminated sandstone. *Environ Sci Technol.* 35: 1504-1510. <http://dx.doi.org/10.1021/es0000504>.
- Harrold, G; Lerner, DN; Leharne, SA. (2005). The impact of additives found in industrial formulations of TCE on the wettability of sandstone. *J Contam Hydrol.* 80: 1-17. <http://dx.doi.org/10.1016/j.jeonhyd.2005.07.004>.
- Hasegawa, A; Yajima, I. (1991). DETERMINATION OF HALOCARBONS IN AIR BY USING ADSORBENT COLLECTION SOLVENT-EXTRACTION GC. *Bunseki Kagaku.* 40: 489-494.
- Hasegawa, Y; Tsusima, S; Noro, J; Kusakabe, S. (2006). Relationship between Lewis acidity of organic solvents and europium(III) extraction in a synergistic system. *Solvent Extraction and Ion Exchange.* 24: 663-676. <http://dx.doi.org/10.1080/07366290600760748>.
- Haselkorn, T; Whittemore, A; Udaltsova, N; Friedman, G. (2006). Short-term chloral hydrate administration and cancer in humans. *Drug Saf.* 29: 67-77.
- Haselmann, KF; Ketola, RA; Laternus, F; Lauritsen, FR; Gron, C. (2000). Occurrence and formation of chloroform at Danish forest sites. *Atmos Environ.* 34: 187-193.
- Haselmann, KF; Laternus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air Soil Pollut.* 139: 35-41.
- Haselmann, KF; Laternus F; Svensmark, B; Gron, C. (2000). Formation of chloroform in spruce forest soil - results from laboratory incubation studies. *Chemosphere.* 41: 1769-1774.
- Haseman, JK; Huff, J; Boorman, GA. (1984). Use of historical control data in carcinogenicity studies in rodents. *Toxicol Pathol.* 12: 126-135. <http://dx.doi.org/10.1177/019262338401200203>.
- Hashimoto, K; Wasada, K; Toukai, N; Kominami, H; Kera, Y. (2000). Photocatalytic oxidation of nitrogen monoxide over titanium(IV) oxide nanocrystals large size areas. *J Photochem Photobiol A.* 136: 103-109.
- Hashimoto, S; Hakoda, T; Hirata, K; Arai, H. (2000). Low energy electron beam treatment of VOCs. *Radiat Phys Chem Oxf Engl* 1993. 57: 485-488.
- Hashmi, MZ; Qin, Z; Yao, X; Ahmed, Z; Xiaomei, S; Shen, C; Tang, X. (2016). PCBs attenuation and abundance of Dehalococcoides spp., bphC, CheA, and flic genes in typical polychlorinated biphenyl-polluted soil under floody and dry soil conditions. *Environ Sci Pollut Res Int.* 23: 3907-3913. <http://dx.doi.org/10.1007/s11356-015-5577-1>.
- Hasmall, SC; Roberts, RA. (2000). The nongenotoxic hepatocarcinogens diethylhexylphthalate and methylclofenapate induce DNA synthesis preferentially in octoploid rat hepatocytes. *Toxicol Pathol.* 28: 503-509. <http://dx.doi.org/10.1177/019262330002800401>.
- Hassall, C; Brendel, K; Gandolfi, A. (1983). Regulation of a S(trans-1,2-dichlorovinyl)-L-cysteine-induced renal tubular toxicity by glutathione. *J Appl Toxicol.* 3: 321-325.
- Hassan, MM; Frome, A; Patt, YZ; El-Serag, HB. (2002). Rising prevalence of hepatitis C virus infection among patients recently diagnosed with hepatocellular carcinoma in the United States. *J Clin Gastroenterol.* 35: 266-269.
- Hasson, AS; Smith, IWM. (1999). Chlorine atom initiated oxidation of chlorinated ethenes: Results for 1,1-dichloroethene (H₂C=CCl₂), 1,2-dichloroethene (HCIC=CClH), trichloroethene (HCIC=CCl₂), and tetrachloroethene (Cl₂C=CCl₂). *J Phys Chem A.* 103: 2031-2043.
- Hassoun, E; Cearfoss, J. (2014). Do antioxidant enzymes and glutathione play roles in the induction of hepatic oxidative stress in mice upon subchronic exposure to mixtures of dichloroacetate and trichloroacetate? *Toxicol Environ Chem.* 96: 482-490. <http://dx.doi.org/10.1080/02772248.2014.947988>.
- Hassoun, EA; Ray, S. (2003). The induction of oxidative stress and cellular death by the drinking water disinfection by-products, dichloroacetate and trichloroacetate in J774.A1 cells. *Comp Biochem Physiol C Toxicol Pharmacol.* 135: 119-128. [http://dx.doi.org/10.1016/S1532-0456\(03\)00082-6](http://dx.doi.org/10.1016/S1532-0456(03)00082-6).
- Hatch, GP; Williams, AJ; Mycock, GJ; Harris, IR. (1996). Upset forging of an as-cast Pr-Fe-B-Cu alloy in air. *Journal of Magnetism and Magnetic Materials.* 157: 69-70.
- Hattis, D; Ginsberg, G; Sonawane, B; Smolenski, S; Russ, A; Kozlak, M; Goble, R. (2003). Differences in pharmacokinetics between children and adults: II. Childrens variability in drug elimination half-lives and in some parameters needed for physiologically-based pharmacokinetic modeling. *Risk Anal.* 23: 117-142. <http://dx.doi.org/10.1111/1539-6924.00295>.
- Hatzinger, PB; Condee, C; Mcclay, KR; Paul Togna, A. (2011). Aerobic treatment of N-nitrosodimethylamine in a propane-fed membrane bioreactor. *Water Res.* 45: 254-262. <http://dx.doi.org/10.1016/j.watres.2010.07.056>.
- Hauser, B; Popp, P. (1999). Membrane extraction combined with thermodesorption/gas chromatography and mass selective detection for the analysis of volatile organic compounds in water. *HRC - Journal of High Resolution Chromatography.* 22: 205-212.
- Hauser, B; Popp, P. (2001). Combining membrane extraction with mobile gas chromatography for the field analysis of volatile organic compounds in contaminated waters. *J Chromatogr A.* 909: 3-12.
- Hawley, GG; Lewis, RJ, Sr. (2001). Hawley's condensed chemical dictionary. In GG Hawley; RJ Lewis, Sr. (Eds.), (14 ed.). New York, NY: John Wiley & Sons.
- Haworth, S; Lawlor, T; Mortelmans, K; Speck, W; Zeiger, E. (1983). Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen.* 5: 3-142. <http://dx.doi.org/10.1002/em.2860050703>.
- Haws, NW; Bouwer, EJ; Ball, WP. (2006). The influence of biogeochemical conditions and level of model complexity when simulating cometabolic biodegradation in sorbent-water systems. *Advances in Water Resources.* 29: 571-589. <http://dx.doi.org/10.1016/j.advwatres.2005.06.009>.
- Hayden, MS; Ghosh, S. (2004). Signaling to NF-kappaB [Review]. *Genes Dev.* 18: 2195-2224. <http://dx.doi.org/10.1101/gad.1228704>.

Fate Literature Search Results

Off Topic

- Hayden, NJ; Diebold, J; Noyes, G. (1999). Phase behavior of chlorinated solvent plus water plus alcohol mixtures with application to alcohol flushing. *Journal of Chemical and Engineering Data*. 44: 1085-1090.
- Hays, T; Rusyn, I; Burns, AM; Kennett, MJ; Ward, JM; Gonzalez, FJ; Peters, JM. (2005). Role of peroxisome proliferator-activated receptor-alpha (PPARalpha) in bezafibrate-induced hepatocarcinogenesis and cholestasis. *Carcinogenesis*. 26: 219-227. <http://dx.doi.org/10.1093/carcin/bgh285>.
- He, D, i; Ma, X; Jones, AM; Ho, L, am; Waite, TD. (2016). Mechanistic and kinetic insights into the ligand-promoted depassivation of bimetallic zero-valent iron nanoparticles. 3: 737-744. <http://dx.doi.org/10.1039/c6en00071a>.
- He, F; Liu, J; Roberts, CB; Zhao, D. (2009). One-Step "Green" Synthesis of Pd Nanoparticles of Controlled Size and Their Catalytic Activity for Trichloroethene Hydrodechlorination. *Ind Eng Chem Res*. 48: 6550-6557. <http://dx.doi.org/10.1021/ie801962f>.
- He, F; Zhao, D. (2005). Preparation and characterization of a new class of starch-stabilized bimetallic nanoparticles for degradation of chlorinated hydrocarbons in water. *Environ Sci Technol*. 39: 3314-3320. <http://dx.doi.org/10.1021/es048743y>.
- He, F; Zhao, D. (2008). Hydrodechlorination of trichloroethene using stabilized Fe-Pd nanoparticles: Reaction mechanism and effects of stabilizers, catalysts and reaction conditions. *Appl Catal B-Environ*. 84: 533-540. <http://dx.doi.org/10.1016/j.apcatb.2008.05.008>.
- He, F; Zhao, D; Liu, J; Roberts, CB. (2007). Stabilization of Fe-Pd nanoparticles with sodium carboxymethyl cellulose for enhanced transport and dechlorination of trichloroethylene in soil and groundwater. *Ind Eng Chem Res*. 46: 29-34. <http://dx.doi.org/10.1021/ie0610896>.
- He, F; Zhao, D; Paul, C. (2010). Field assessment of carboxymethyl cellulose stabilized iron nanoparticles for in situ destruction of chlorinated solvents in source zones. *Water Res*. 44: 2360-2370. <http://dx.doi.org/10.1016/j.watres.2009.12.041>.
- He, JH; Arnold, RG; Saez, AE; Betterton, EA; Ela, WP. (2004). Removal of aqueous phase trichloroethylene using membrane air stripping contactors. *J Environ Eng*. 130: 1232-1241. [http://dx.doi.org/10.1016/\(ASCE\)0733-9372\(2004\)130:11\(1232\)](http://dx.doi.org/10.1016/(ASCE)0733-9372(2004)130:11(1232)).
- He, JH; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2004). Reductive dehalogenation of aqueous-phase chlorinated hydrocarbons in an electrochemical reactor. *Ind Eng Chem Res*. 43: 7965-7974. <http://dx.doi.org/10.1021/ie049568x>.
- He, JH; Saez, AE; Ela, WP; Betterton, EA; Arnold, RG. (2004). Destruction of aqueous-phase carbon tetrachloride in an electrochemical reactor with a porous cathode. *Ind Eng Chem Res*. 43: 913-923. <http://dx.doi.org/10.1021/ie030591c>.
- He, JZ; Sung, Y; Dollhopf, ME; Fathepure, BZ; Tiedje, JM; Löffler, FE. (2002). Acetate versus hydrogen as direct electron donors to stimulate the microbial reductive dechlorination process at chloroethene-contaminated sites. *Environ Sci Technol*. 36: 3945-3952. <http://dx.doi.org/10.1021/es025528d>.
- He, W; Jin, Z; Wang, J; Pan, Z. (2013). Decomposition of 1,1,1-trichloroethane in hot compressed water in anti-corrosive fused silica capillary reactor and Raman spectroscopic measurement of CO₂ product. *Chem Eng Sci*. 94: 185-191. <http://dx.doi.org/10.1016/j.ces.2013.02.031>.
- He, Y; Zeng, H; Kerans, C; Hardage, B, obA. (2015). Seismic chronostratigraphy at reservoir scale: Statistical modeling. 3: SN69-SN87. <http://dx.doi.org/10.1190/INT-2014-0136.1>.
- He, YT; Wilson, JT; Wilkin, RT. (2008). Transformation of reactive iron minerals in a permeable reactive barrier (biowall) used to treat TCE in groundwater. *Environ Sci Technol*. 42: 6690-6696. <http://dx.doi.org/10.1021/es8010354>.
- He, YT; Wilson, JT; Wilkin, RT. (2010). Impact of iron sulfide transformation on trichloroethylene degradation. *Geochim Cosmo Acta*. 74: 2025-2039. <http://dx.doi.org/10.1016/j.gca.2010.01.013>.
- He, Z; Zhan, L; Wang, Q; Song, S; Chen, J; Zhu, K; Xu, X; Liu, W. (2011). Increasing the activity and stability of chemi-deposited palladium catalysts on nickel foam substrate by electrochemical deposition of a middle coating of silver. *Separation and Purification Technology*. 80: 526-532. <http://dx.doi.org/10.1016/j.seppur.2011.06.007>.
- He, ZH; Leung, KT. (2005). Room-temperature chemisorption and thermal evolution of perchloroethylene and trichloroethylene on Si(111)7x7: Formation of chlorinated vinylene and vinylidene and acetylide adspecies, and thermal etching reactions. *Surf Sci*. 583: 179-190. <http://dx.doi.org/10.1016/j.susc.2005.03.037>.
- He, ZH; Li, Q; Leung, KT. (2006). Isomeric effects on room-temperature chemisorption and thermal evolution of iso-, cis- and trans-dichloroethylene on Si(111)7x7. *Surf Sci*. 600: 514-526. <http://dx.doi.org/10.1016/j.susc.2005.11.003>.
- He, ZH; Yang, X; Zhou, XJ; Leung, KT. (2003). Room-temperature chemisorption of chloroethylenes on Si(111)7 x 7: formation of surface vinyl, vinylidene and their chlorinated derivatives. *Surf Sci*. 547: L840-L846. <http://dx.doi.org/10.1016/j.susc.2003.10.017>.
- Head, S; Associates. (2003). Groupwater vapor project: Summary of findings, working draft. Endicott, New York: Health Statistics Reviews, Cancer and Birth Outcome Analysis.
- Heath, CW; Lally, CA; Calle, EE; McLaughlin, JK; Thun, MJ. (1997). Hypertension, diuretics, and antihypertensive medications as possible risk factors for renal cell cancer. *Am J Epidemiol*. 145: 607-613.
- Heavner, DL; Morgan, WT; Ogden, MW. (1995). Determination of volatile organic compounds and ETS apportionment in 49 homes. *Environ Int*. 21: 3-21.
- Heavner, GL; Rowe, AR; Mansfeldt, CB; Pan, JK; Gossett, JM; Richardson, RE. (2013). Molecular biomarker-based biokinetic modeling of a PCE-dechlorinating and methanogenic mixed culture. *Environ Sci Technol*. 47: 3724-3733. <http://dx.doi.org/10.1021/es303517s>.
- Heck, KN; Janesko, BG; Scuseria, GE; Halas, NJ; Wong, MS. (2008). Observing metal-catalyzed chemical reactions in situ using surface-enhanced Raman spectroscopy on Pd-Au nanoshells. *J Am Chem Soc*. 130: 16592-16600. <http://dx.doi.org/10.1021/ja803556k>.
- Heck, KN; Nutt, MO; Alvarez, P; Wong, MS. (2009). Deactivation resistance of Pd/Au nanoparticle catalysts for water-phase hydrodechlorination. *J Catal*. 267: 97-104. <http://dx.doi.org/10.1016/j.jcat.2009.07.015>.
- Hegedus, M; Dombi, A. (2004). Gas-phase heterogeneous photocatalytic oxidation of chlorinated ethenes over titanium dioxide: perchloroethene. *Appl Catal B-Environ*. 53: 141-151. <http://dx.doi.org/10.1016/j.apcatb.2004.05.010>.

Fate Literature Search Results

Off Topic

- Hegedus, M; Dombi, A; Kiricsi, I. (2001). Photocatalytic decomposition of tetrachloroethylene in the gas phase with titanium dioxide as catalyst. *Water Res.* 35: 209-215.
- Hegele, PR; Mumford, KG. (2014). Gas production and transport during bench-scale electrical resistance heating of water and trichloroethene. *J Contam Hydrol.* 165: 24-36. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.002>.
- Hegi, ME; Fox, TR; Belinsky, SA; Devereux, TR; Anderson, MW. (1993). Analysis of activated protooncogenes in B6C3F1 mouse liver tumors induced by ciprofibrate, a potent peroxisome proliferator. *Carcinogenesis.* 14: 145-149. <http://dx.doi.org/10.1093/carcin/14.1.145>.
- Heiderscheidt, JL; Siegrist, RL; Illangasekare, TH. (2008). Intermediate-scale 2D experimental investigation of in situ chemical oxidation using potassium permanganate for remediation of complex DNAPL source zones. *J Contam Hydrol.* 102: 3-16. <http://dx.doi.org/10.1016/j.jconhyd.2008.07.002>.
- Heimann, AC; Friis, AK; Jakobsen, R. (2005). Effects of sulfate on anaerobic chloroethene degradation by an enriched culture under transient and steady-state hydrogen supply. *Water Res.* 39: 3579-3586. <http://dx.doi.org/10.1016/j.watres.2005.06.029>.
- Hein, MJ; Waters, MA; Ruder, AM; Stenzel, MR; Blair, A; Stewart, PA. (2010). Statistical modeling of occupational chlorinated solvent exposures for case-control studies using a literature-based database. *Ann Occup Hyg.* 54: 459-472. <http://dx.doi.org/10.1093/annhyg/meq027>.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med.* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.
- Hejtmancik, MR; Trela, BA; Kurtz, PJ; Persing, RL; Ryan, MJ; Yarrington, JT; Chhabra, RS. (2002). Comparative gavage subchronic toxicity studies of o-chloroaniline and m-chloroaniline in F344 rats and B6C3F1 mice. *Toxicol Sci.* 69: 234-243.
- Held, RJ; Illangasekare, TH. (1995). FINGERING OF DENSE NONAQUEOUS PHASE LIQUIDS IN POROUS-MEDIA .1. EXPERIMENTAL INVESTIGATION. *Water Resour Res.* 31: 1213-1222.
- Helliwell, PJ; Hutton, AM. (1950). Trichlorethylene anesthesia. *Anaesthesia.* 5: 4-13. <http://dx.doi.org/10.1111/j.1365-2044.1950.tb13680.x>.
- Hellweg, S; Demou, E; Bruzzi, R; Meijer, A; Rosenbaum, RK; Huijbregts, MA; Mckone, TE. (2009). Integrating human indoor air pollutant exposure within Life Cycle Impact Assessment [Review]. *Environ Sci Technol.* 43: 1670-1679. <http://dx.doi.org/10.1021/es8018176>.
- Hellweg, S; Demou, E; Scheringer, M; Mckone, TE; Hungerbuhler, K. (2005). Confronting workplace exposure to chemicals with LCA: examples of trichloroethylene and perchloroethylene in metal degreasing and dry cleaning. *Environ Sci Technol.* 39: 7741-7748. <http://dx.doi.org/10.1021/es047944z>.
- Helzlsouer, KJ; Alberg, AJ; Huang, HY; Hoffman, SC; Strickland, PT; Brock, JW; Burse, VW; Needham, LL; Bell, DA; Lavigne, JA; Yager, JD; Comstock, GW. (1999). Serum concentrations of organochlorine compounds and the subsequent development of breast cancer. *Cancer Epidemiol Biomarkers Prev.* 8: 525-532.
- Hemanth, R; Suresha, B; Sekar, M. (2015). Abrasive wear behavior of thermoplastic copolyester elastomer composites. *Polym Degrad Stab.* 201: 108-118. <http://dx.doi.org/10.1680/emr.15.00008>.
- Hemanth, R; Suresha, B; Sekar, M. (2015). Physico-mechanical behaviour of thermoplastic co-polyester elastomer/polytetrafluoroethylene composite with short fibers and microfillers. *Journal of Composite Materials.* 49: 2217-2229. <http://dx.doi.org/10.1177/0021998314545183>.
- Henderson, G; Yan, Z; James, M; Davydova, N; Stacpoole, P. (1997). Kinetics and metabolism of chloral hydrate in children: Identification of dichloroacetate as a metabolite. *Biochem Biophys Res Commun.* 235: 695-698. <http://dx.doi.org/10.1006/bbrc.1997.6868>.
- Henderson, TH; Mayer, KU; Parker, BL; Al, TA. (2009). Three-dimensional density-dependent flow and multicomponent reactive transport modeling of chlorinated solvent oxidation by potassium permanganate. *J Contam Hydrol.* 106: 195-211. <http://dx.doi.org/10.1016/j.jconhyd.2009.02.009>.
- Hendler, AH; Crow, WL. (1992). Proceedings of 85th annual meeting and exhibition of the Air & Waste Management Association; June; Kansas City, MO Preliminary results of the Chemical Manufacturers Association urban baseline VOC measurement program. Pittsburgh, PA: Air & Waste Management Association. <http://trove.nla.gov.au/work/34485343>.
- Hennebel, T, om; De Corte, S; Vanhaecke, L; Vanherck, K; Forrez, I; De Gussemme, B; Verhagen, P; Verbeken, K, im; Van Der Bruggen, B; Vankelecom, I, vo; Boon, N; Verstraete, W. (2010). Removal of diatrizoate with catalytically active membranes incorporating microbially produced palladium nanoparticles. *Water Res.* 44: 1498-1506. <http://dx.doi.org/10.1016/j.watres.2009.10.041>.
- Hennebel, T; Simoen, H; Verhagen, P; Windt, W; Dick, J; Weise, C; Pietschner, F; Boon, N; Verstraete, W. (2010). Biocatalytic dechlorination of hexachlorocyclohexane by immobilized bio-Pd in a pilot scale fluidized bed reactor. *Environ Chem Lett.* 9: 417-422. <http://dx.doi.org/10.1007/s10311-010-0295-x>.
- Hennebel, T, om; Verhagen, P; Simoen, H; De Gussemme, B; Vlaeminck, SE; Boon, N; Verstraete, W. (2009). Remediation of trichloroethylene by bio-precipitated and encapsulated palladium nanoparticles in a fixed bed reactor. *Chemosphere.* 76: 1221-1225. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.046>.
- Hennig, UG; Rudd, NL; Hoar, DI. (1988). Kinetochore immunofluorescence in micronuclei: A rapid method for the in situ detection of aneuploidy and chromosome breakage in human fibroblasts. *Mutat Res.* 203: 405-414.
- Henning, SM; Swendseid, ME. (1996). The role of folate, choline, and methionine in carcinogenesis induced by methyl-deficient diets [Review]. In D Heber; D Kritchevsky (Eds.), *Adv Exp Med Biol* (pp. 143-155). New York, NY: Plenum Press.
- Henschel, DB. (1998). Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air. *Journal of the Air and Waste Management Association.* 48: 985-994.
- Henschler, D; Eder, E; Neudecker, T; Metzler, M. (1977). Carcinogenicity of trichloroethylene: Fact or artifact? *Arch Toxicol.* 37: 233-236. <http://dx.doi.org/10.1007/BF00355492>.

Fate Literature Search Results

Off Topic

- Henshaw, JM; Burgess, LW; Booksh, KS; Kowalski, BR. (1994). Multicomponent Determination of Chlorinated Hydrocarbons Using a Reaction-Based Chemical Sensor. 1. Multivariate Calibration of Fujiwara Reaction Products. *Anal Chem.* 66: 3328-3336.
- Heo, JH; Lee, D, alH; Chang, H, oWan. (2007). The application of granular activated carbon on remediation in trichloro ethylene contaminated groundwater. *Geochim Cosmo Act.* 71: A397-A397.
- Heo, JH; Lee, D, alH; Koh, DC; Chang, H, oWan. (2008). The effect of ionic strength and hardness of trichloroethylene contaminated groundwater in remediation using granular activated carbon. *Geochim Cosmo Act.* 72: A370-A370.
- Herbarth, O; Rolle-Kampczyk, U; Franck, U; Rehwagen, M; Weiss, H; Krumbiegel, P. (2004). Detecting exposure-dependent changes of liver detoxification capacity of children in a formerly high-loaded industrial area with a N-15-labelled diagnostic tool. *Isotopes Environ Health Stud.* 40: 69-74. <http://dx.doi.org/10.1080/10256010310001646545>.
- Herber, U; Meisch, HU. (1995). STUDIES ABOUT THE DESORPTION OF VOLATILE HALOCARBONS FROM ACTIVATED CARBON BY APPLICATION OF STATIC HEADSPACE GAS-CHROMATOGRAPHY. *Fresenius J Anal Chem.* 353: 219-221.
- Herbert, V; Gardner, A; Colman, N. (1980). Mutagenicity of dichloroacetate, an ingredient of some formulations of pangamic acid (trade-named "vitamin B15"). *Am J Clin Nutr.* 33: 1179-1182.
- Herman, J; Umar, A; Polyak, K; Graff, J; Ahuja, N; Issa, J; Markowitz, S; Willson, J; Hamilton, S; Kinzler, K; Kane, M; Kolodner, R; Vogelstein, B; Kunkel, T; Baylin, S. (1998). Incidence and functional consequences of hMLH1 promoter hypermethylation in colorectal carcinoma. *Proc Natl Acad Sci USA.* 95: 6870-6875.
- Hermon, T; Tshuva, EY. (2008). Synthesis and conformational analysis of constrained ethylene-bridged bis(hydroxylamino-1,3,5-triazine) compounds as tetradentate ligands; structure of rigid dinuclear Ti(IV) complex. *J Org Chem.* 73: 5953-5958. <http://dx.doi.org/10.1021/jo800966s>.
- Hernandez, C; Isabel Abdo-de la Parra, M; Duncan, N; Blanco-Albarran, L; Gonzalez-Rodriguez, B. (2013). Effect of soybean and tuna gonad in the diet of juvenile bullseye puffer fish *Sphoeroides annulatus*. 23: 320-327.
- Hernandez, S; Lei, S, hi; Rong, W; Ormsbee, L; Bhattacharyya, D. (2016). Functionalization of Flat Sheet and Hollow Fiber Microfiltration Membranes for Water Applications. 4: 907-918. <http://dx.doi.org/10.1021/acssuschemeng.5b01005>.
- Hernández, S; Papp, JK; Bhattacharyya, D. (2014). Iron-Based Redox Polymerization of Acrylic Acid for Direct Synthesis of Hydrogel/Membranes, and Metal Nanoparticles for Water Treatment. *Ind Eng Chem Res.* 53: 1130-1142. <http://dx.doi.org/10.1021/ie403353g>.
- Hernandez-Alonso, MD; Garcia-Rodriguez, S; Suarez, S; Portela, R; Sanchez, B; Coronado, JM. (2011). Highly selective one-dimensional TiO₂-based nanostructures for air treatment applications. *Appl Catal B-Environ.* 110: 251-259. <http://dx.doi.org/10.1016/j.apcatb.2011.09.009>.
- Hernandez-Alonso, MD; Garcia-Rodriguez, S; Suarez, S; Portela, R; Sanchez, B; Coronado, JM. (2013). Operando DRIFTS study of the role of hydroxyls groups in trichloroethylene photo-oxidation over titanate and TiO₂ nanostructures. *Catalysis Today.* 206: 32-39. <http://dx.doi.org/10.1016/j.cattod.2012.01.029>.
- Heron, G; van Zutphen, M; Enfield, CG. (1998). In-line measurement of trichloroethylene vapors using tin dioxide sensors. *Ground Water Monitoring and Remediation.* 18: 111-118.
- Heron, G; Zutphen, MV; Christensen, TH; Enfield, CG. (1998). Soil heating for enhanced remediation of chlorinated solvents: A laboratory study on resistive heating and vapor extraction in a silty, low-permeable soil contaminated with trichloroethylene. *Environ Sci Technol.* 32: 1474-1481.
- Herrera, E; Samper, E; Martín-Caballero, J; Flores, JM; Lee, HW; Blasco, MA. (1999). Disease states associated with telomerase deficiency appear earlier in mice with short telomeres. *EMBO J.* 18: 2950-2960. <http://dx.doi.org/10.1093/emboj/18.11.2950>.
- Herrero-Huerta, M; Hernandez-Lopez, D; Rodriguez-Gonzalvez, P; Gonzalez-Aguilera, D; Gonzalez-Piqueras, J. (2014). Vicarious radiometric calibration of a multispectral sensor from an aerial trike applied to precision agriculture. *Computers and Electronics in Agriculture.* 108: 28-38. <http://dx.doi.org/10.1016/j.compag.2014.07.001>.
- Hers, I; Zapf-Gilje, R; Li, L; Atwater, J. (2001). The use of indoor air measurements to evaluate intrusion of subsurface VOC vapors into buildings. *Journal of the Air and Waste Management Association.* 51: 1318-1331.
- Hertwig, K; Bisanz, S; Adler, R. (1974). REACTIONS KINETIC STUDIES IN GAS-LIQUID PHASE-SYSTEM WITH EXAMPLE OF HYDROLYSIS OF TRICHLOROETHYLENE. *Chem Tech (Leipzig).* 26: 504-505.
- Hertzberg, RC; Macdonell, MM. (2002). Synergy and other ineffective mixture risk definitions. *Sci Total Environ.* 288: 31-42. [http://dx.doi.org/10.1016/S0048-9697\(01\)01113-5](http://dx.doi.org/10.1016/S0048-9697(01)01113-5).
- Hestad, OL; Smalo, HS; Astrand, PO; Ingebrigtsen, S; Lundgaard, LE. (2011). Effects of N,N-dimethylaniline and Trichloroethene on Prebreakdown Phenomena in Liquid and Solid n-tridecane. *I E E E Transactions on Dielectrics and Electrical Insulation.* 18: 1886-1896. <http://dx.doi.org/10.1109/TDEI.2011.6118627>.
- Heus, R; Den Hartog, EA; Kistemaker, LJ; van Dijk, WJ; Swenker, G. (2004). Influence of inspiratory resistance on performance during graded exercise tests on a cycle ergometer. *Appl Ergon.* 35: 583-590. <http://dx.doi.org/10.1016/j.apergo.2004.05.002>.
- Hewer, TLR; Suarez, S; Coronado, JM; Portela, R; Avila, P; Sanchez, B. (2009). Hybrid photocatalysts for the degradation of trichloroethylene in air. *Catalysis Today.* 143: 302-308. <http://dx.doi.org/10.1016/j.cattod.2009.02.001>.
- Hewitt, AD. (1994). DYNAMIC STUDY OF COMMON WELL SCREEN MATERIALS. *Ground Water Monitoring and Remediation.* 14: 87-94.
- Hewitt, AD; Grant, CL. (1995). ROUND-ROBIN STUDY OF PERFORMANCE EVALUATION SOILS VAPOR-FORTIFIED WITH VOLATILE ORGANIC-COMPOUNDS. *Environ Sci Technol.* 29: 769-774.
- Hewitt, AD; Miyares, PH; Leggett, DC; Jenkins, TF. (1992). Comparison of analytical methods for determination of volatile organic compounds in soils. *Environ Sci Technol.* 26: 1932-1938.

Fate Literature Search Results

Off Topic

- Hewitt, AD; Shoop, SA. (1994). RAPID ASSESSMENT OF TRICHLOROETHYLENE IN-GROUND WATER. *Ground Water Monitoring and Remediation*. 14: 116-122.
- Heydari, R; Azizi, S. (2015). Rapid Monitoring and Determination of Class 1 Residual Solvents in Pharmaceuticals Using Dispersive Liquid-Liquid Microextraction and Gas Chromatography-Mass Spectrometry. *J Chromatogr Sci*. 53: 1020-1025. <http://dx.doi.org/10.1093/chromsci/bmu147>.
- Hibino, Y, ui; Wang, H; Naito, H; Zhao, N, a; Wang, D; Jia, X; Li, H; Song, X; Liu, L; Huang, Y; Ito, Y; Huang, H; Kamijima, M; Nakajima, T. (2013). Sex Differences in Metabolism of Trichloroethylene and Trichloroethanol in Guinea Pigs. *J Occup Health*. 55: 443-449.
- Hichiri, K, ei; Shirai, O; Kano, K. (2012). Influence of Inhalation Anesthetics on Ion Transport across a Planar Bilayer Lipid Membrane. *Anal Sci*. 28: 45-49.
- Hickey, WJ; Arnold, SM; Moran, BN. (1995). Laboratory methods for volatile organic compounds evolved in mineralization studies. *Environ Toxicol Chem*. 14: 1823-1825.
- Hiejima, T; Takamizawa, Y; Uchida, T; Kawabata, S. (2011). Ellipsometric determination of optical properties of carbazole-containing poly(L-glutamate) thin films prepared from different solvents. *Thin Solid Films*. 519: 2972-2977. <http://dx.doi.org/10.1016/j.tsf.2010.12.048>.
- Hiejima, T; Yakamizawa, Y; Tanaka, Y; Ueda, K; Uchida, T. (2009). Effects of casting solvents on characteristics of organic EL devices containing poly(L-glutamate) as hole-transport material. *Synthetic Metals*. 159: 986-989. <http://dx.doi.org/10.1016/j.synthmet.2009.02.042>.
- Higgins, J; Hohn, C. (2008). Effects of prevalent freshwater chemical contaminants on in vitro growth of *Escherichia coli* and *Klebsiella pneumoniae*. *Environ Pollut*. 152: 259-266. <http://dx.doi.org/10.1016/j.envpol.2007.06.049>.
- Higgins, JP; Thompson, SG; Deeks, JJ; Altman, DG. (2003). Measuring inconsistency in meta-analyses [Review]. *Br Med J*. 327: 557-560. <http://dx.doi.org/10.1136/bmj.327.7414.557>.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. (1996). Effect of geochemical conditions on fate of organic compounds in groundwater. *Environ Geol*. 27: 335-346.
- Hildebrand, H; Mackenzie, K; Kopinke, FD. (2008). Novel nano-catalysts for wastewater treatment. *Global NEST J*. 10: 47-53.
- Hildebrand, H; Mackenzie, K; Kopinke, FD. (2009). Highly active Pd-on-magnetite nanocatalysts for aqueous phase hydrodechlorination reactions. *Environ Sci Technol*. 43: 3254-3259. <http://dx.doi.org/10.1021/es802726v>.
- Hildebrand, H; Mackenzie, K; Kopinke, FD. (2009). Pd/Fe sub(3)O sub(4) nano-catalysts for selective dehalogenation in wastewater treatment processes - Influence of water constituents. *Appl Catal B-Environ*. 91: 1-2. <http://dx.doi.org/10.1016/j.apcatb.2009.06.006>.
- Hill, AB. (1965). The environment and disease: Association or causation? *Proc R Soc Med*. 58: 295-300.
- Hill, EH; Moutier, M; Alfaro, J; Miller, CT. (2001). Remediation of DNAPL pools using dense brine barrier strategies. *Environ Sci Technol*. 35: 3031-3039.
- Himeno, S; Urano, K. (2003). Measurement and correlation of single and binary gas adsorption equilibria of volatile organic compounds in trace concentrations using headspace gas chromatography method. *Kagaku Kogaku Ronbunshu*. 29: 653-659.
- Himeno, S; Urano, K. (2006). Determination and Correlation of Binary Gas Adsorption Equilibria of VOCs. *J Environ Eng*. 132: 301-308. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:3\(301\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:3(301)).
- Hinchman, CA; Ballatori, N. (1990). Glutathione-degrading capacities of liver and kidney in different species. *Biochem Pharmacol*. 40: 1131-1135. [http://dx.doi.org/10.1016/0006-2952\(90\)90503-D](http://dx.doi.org/10.1016/0006-2952(90)90503-D).
- Hines, RN; McCarver, DG. (2002). The ontogeny of human drug-metabolizing enzymes: Phase I oxidative enzymes [Review]. *J Pharmacol Exp Ther*. 300: 355-360. <http://dx.doi.org/10.1124/jpet.300.2.355>.
- Hinestroza, J; De Kee, D. (2004). Permeation of organics through linear low density polyethylene geomembranes under mechanical deformation. *J Environ Eng*. 130: 1468-1474. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:12\(1468\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:12(1468)).
- Hiortdahl, KM; Borden, RC. (2014). Enhanced reductive dechlorination of tetrachloroethene dense nonaqueous phase liquid with EVO and Mg(OH)₂. *Environ Sci Technol*. 48: 624-631. <http://dx.doi.org/10.1021/es4042379>.
- Hiramatsu, H; Shima, H; Mizuguchi, J, in. (2011). Complete Removal of Chloro-Based Volatile Organic Compounds by Thermally Activated Oxide Semiconductors. *Mater Trans*. 52: 1281-1287. <http://dx.doi.org/10.2320/matertrans.M2011028>.
- Hirata, S; Fan, PD; Auer, AA; Nooijen, M; Piecuch, P. (2004). Combined coupled-cluster and many-body perturbation theories. *J Chem Phys*. 121: 12197-12207. <http://dx.doi.org/10.1063/1.1814932>.
- Hirata, S; Yanai, T; de Jong, WA; Nakajima, T; Hirao, K. (2004). Third-order Douglas-Kroll relativistic coupled-cluster theory through connected single, double, triple, and quadruple substitutions: applications to diatomic and triatomic hydrides. *J Chem Phys*. 120: 3297-3310. <http://dx.doi.org/10.1063/1.1639361>.
- Hirata, T; Egusa, N; Nakasugi, O; Ishizaka, S; Murakami, M. (1998). Cost efficiency of subsurface remediation using soil vapor extraction and groundwater extraction. *Water Sci Technol*. 37: 161-168.
- Hirl, PJ; COUNCIL, NR. (1998). Combined anaerobic/aerobic biostimulation for remediation of rail yards contaminated by diesel engine repair and maintenance. *Trans Res Rec* 114-119.
- Hirl, PJ; Irvine, RL. (1997). Reductive dechlorination of perchloroethylene using anaerobic sequencing batch biofilm reactors (AnSBBR). *Water Sci Technol*. 35: 49-56.
- Hirota, K; Hakoda, T; Arai, H; Hashimoto, S. (2002). Electron-beam decomposition of vaporized VOCs in air. *Radiat Phys Chem Oxf Engl* 1993. 65: 415-421.
- Hirschorn, SK; Grostern, A; Lacrampe-Couloume, G; Edwards, EA; Mackinnon, L; Repta, C; Major, DW; Sherwood Lollar, B. (2007). Quantification of biotransformation of chlorinated hydrocarbons in a biostimulation study: added value via stable carbon isotope analysis. *J Contam Hydrol*. 94: 249-260. <http://dx.doi.org/10.1016/j.jconhyd.2007.07.001>.

Fate Literature Search Results

Off Topic

- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Formation of chlorinated acetic acids during UV H₂O₂-oxidation of ground water contaminated with chlorinated ethylenes. *Chemosphere*. 32: 1091-1102.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Removal of chlorinated ethylenes in contaminated ground water by hydrogen peroxide mediated oxidation processes. *Environ Technol*. 17: 263-272.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). TREATMENT OF TCE-AND PCE-CONTAMINATED GROUNDWATER USING V-H-202 AND O-3H-2O-2 OXIDATION PROCESS. *Water Sci Technol*. 33: 67-73.
- Hissink, EM; Bogaards, JJP; Freidig, AP; Commandeur, JNM; Vermeulen, NPE; van Bladeren, PJ. (2002). The use of in vitro metabolic parameters and physiologically based pharmacokinetic (PBPK) modeling to explore the risk assessment of trichloroethylene. *Environ Toxicol Pharmacol*. 11: 259-271. [http://dx.doi.org/10.1016/S1382-6689\(02\)00019-4](http://dx.doi.org/10.1016/S1382-6689(02)00019-4).
- Hizal, G; Zhu, QQ; Fischer, CH; Majima, T; Schnabel, W. (1992). PHOTOREACTIONS OF PHTHALIC-ACID DIALKYL ESTERS - A FLASH-PHOTOLYSIS STUDY. *J Photochem Photobiol A*. 69: 33-39.
- Ho, CK; Lohrstorfer, CF. (2003). In situ monitoring of vapor phase TCE using a chemiresistor microchemical sensor. *Ground Water Monitoring and Remediation*. 23: 85-90.
- Ho, DL; Glinka, CJ. (2003). Effects of solvent solubility parameters on organoclay dispersions. *Chem Mater*. 15: 1309-1312. <http://dx.doi.org/10.1021/cm0217194>.
- Ho, DP; Vigneswaran, S; Ngo, HH. (2009). Photocatalysis-membrane hybrid system for organic removal from biologically treated sewage effluent. *Separation and Purification Technology*. 68: 145-152. <http://dx.doi.org/10.1016/j.seppur.2009.04.019>.
- Ho, L; Newcombe, G. (2010). Granular Activated Carbon Adsorption of 2-Methylisoborneol (MIB): Pilot- and Laboratory-Scale Evaluations. *J Environ Eng*. 136: 965-974. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000231](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000231).
- Ho, SP; Levitt, R; Tsui, CW, ei; Hsu, Y. (2015). Opportunism-Focused Transaction Cost Analysis of Public-Private Partnerships. *Journal of Management in Engineering*. 31. [http://dx.doi.org/10.1061/\(ASCE\)ME.1943-5479.0000361](http://dx.doi.org/10.1061/(ASCE)ME.1943-5479.0000361).
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; Mckenzie, D; Brodsky, PH; Shapiro, A; Thornton, R; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The lasagna technology for in situ soil remediation. 1. Small field test. *Environ Sci Technol*. 33: 1086-1091.
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; Mckenzie, D; Brodsky, PH; Shapiro, AM; Sivavec, TM; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The Lasagna technology for in situ soil remediation. 2. Large field test. *Environ Sci Technol*. 33: 1092-1099.
- Ho, SV; Athmer, CJ; Sheridan, PW; Shapiro, AP. (1997). Scale-up aspects of the Lasagna(TM) process for in situ soil decontamination. *J Hazard Mater*. 55: 39-60.
- Hoag, GE; Collins, JB; Holcomb, JL; Hoag, JR; Nadagouda, MN; Varma, RS. (2009). Degradation of bromothymol blue by 'greener' nano-scale zero-valent iron synthesized using tea polyphenols. *J Mater Chem*. 19: 8671-8677. <http://dx.doi.org/10.1039/b909148c>.
- Hoch, LB; Mack, EJ; Hydutsky, BW; Hershman, JM; Skluzacek, JM; Mallouk, TE. (2008). Carbothermal synthesis of carbon-supported nanoscale zero-valent iron particles for the remediation of hexavalent chromium. *Environ Sci Technol*. 42: 2600-2605. <http://dx.doi.org/10.1021/es702589u>.
- Hodgen, GD; Sherins, RJ. (1973). Enzymes as markers of testicular growth and development in the rat. *Endocrinology*. 93: 985-989. <http://dx.doi.org/10.1210/endo-93-4-985>.
- Hoel, DG; Walburg, HE, Jr. (1972). Statistical analysis of survival experiments. *J Natl Cancer Inst*. 49: 361-372.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol*. 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Hofstee, C; Gutiérrez Ziegler, C; Trötschler, O; Braun, J. (2003). Removal of DNAPL contamination from the saturated zone by the combined effect of vertical upward flushing and density reduction. *J Contam Hydrol*. 67: 61-78. [http://dx.doi.org/10.1016/S0169-7722\(03\)00088-3](http://dx.doi.org/10.1016/S0169-7722(03)00088-3).
- Hogue, C. (2016). Notification required for new consumer products with TCE. *Chem Eng News*. 94: 16-16.
- Höhener, P. (2016). Simulating stable carbon and chlorine isotope ratios in dissolved chlorinated groundwater pollutants with BIOCHLOR-ISO. *J Contam Hydrol*. 195: 52-61. <http://dx.doi.org/10.1016/j.jconhyd.2016.11.002>.
- Höhener, P; Yu, X. (2012). Stable carbon and hydrogen isotope fractionation of dissolved organic groundwater pollutants by equilibrium sorption. *J Contam Hydrol*. 129-130: 54-61. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.006>.
- Hohnstock-Ashe, AM; Plummer, SM; Yager, RM; Baveye, P; Madsen, EL. (2001). Further biogeochemical characterization of a trichloroethene-contaminated fractured dolomite aquifer: Electron source and microbial communities involved in reductive dechlorination. *Environ Sci Technol*. 35: 4449-4456. <http://dx.doi.org/10.1021/es0110067>.
- Høier, CK; Sonnenborg, TO; Jensen, KH; Kortegaard, C; Nasser, MM. (2007). Experimental investigation of pneumatic soil vapor extraction. *J Contam Hydrol*. 89: 29-47. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.006>.
- Hoivik, DJ; Qualls, CW, Jr; Mirabile, RC; Cariello, NF; Kimbrough, CL; Colton, HM; Anderson, SP; Santostefano, MJ; Morgan, RJO; Dahl, RR; Brown, AR; Zhao, Z; Mudd, PN, Jr; Oliver, WB, Jr; Brown, HR; Miller, RT. (2004). Fibrates induce hepatic peroxisome and mitochondrial proliferation without overt evidence of cellular proliferation and oxidative stress in cynomolgus monkeys. *Carcinogenesis*. 25: 1757-1769. <http://dx.doi.org/10.1093/carcin/bgh182>.
- Hojae, S; Wei, M; Aijun, L; Kaicho, C. (2009). Bio-removal of mixture of benzene, toluene, ethylbenzene, and xylenes/total petroleum hydrocarbons/trichloroethylene from contaminated water. *J Environ Sci*. 21: 758-763. [http://dx.doi.org/10.1016/S1001-0742\(08\)62337-2](http://dx.doi.org/10.1016/S1001-0742(08)62337-2).
- Hojati-Talemi, P; Bächler, C; Fabretto, M; Murphy, P; Evans, D. (2013). Ultrathin polymer films for transparent electrode applications prepared by controlled nucleation. 5: 11654-11660. <http://dx.doi.org/10.1021/am403135p>.

Fate Literature Search Results

Off Topic

- Holl, RJ; Chambers, RP. (2002). The synthesis of semipermeable membrane microcapsules using in situ cyanoacrylate ester polymerization. *J Microencapsul.* 19: 699-724. <http://dx.doi.org/10.1080/02652040110055225>.
- Hollenbeck, KJ; Harvey, CF; Haggerty, R; Werth, CJ. (1999). A method for estimating distributions of mass transfer rate coefficients with application to purging and batch experiments. *J Contam Hydrol.* 37: 367-388.
- Holm, O; Rotard, W. (2011). Effect of Radial Directional Dependences and Rainwater Influence on CVOC Concentrations in Tree Core and Birch Sap Samples Taken for Phytoscreening Using HS-SPME-GC/MS. *Environ Sci Technol.* 45: 9604-9610. <http://dx.doi.org/10.1021/es202014h>.
- Holmstrand, H; Mandalakis, M; Zencak, Z; Andersson, P; Gustafsson, O. (2007). First compound-specific chlorine-isotope analysis of environmentally-bioaccumulated organochlorines indicates a degradation-related kinetic isotope effect for DDT. *Chemosphere.* 69: 1533-1539. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.067>.
- Holsen, TM; Taylor, ER; Seo, YC; Anderson, PR. (1991). REMOVAL OF SPARINGLY SOLUBLE ORGANIC-CHEMICALS FROM AQUEOUS-SOLUTIONS WITH SURFACTANT-COATED FERRIHYDRITE. *Environ Sci Technol.* 25: 1585-1589.
- Holzer, F; Roland, U; Kopinke, FD. (2002). Combination of non-thermal plasma and heterogeneous catalysis for oxidation of volatile organic compounds Part 1. Accessibility of the intra-particle volume. *Appl Catal B-Environ.* 38: 163-181.
- Holzinger, M; Abraham, J; Whelan, P; Graupner, R; Ley, L; Hennrich, F; Kappes, M; Hirsch, A. (2003). Functionalization of single-walled carbon nanotubes with (R)-oxycarbonyl nitrenes. *J Am Chem Soc.* 125: 8566-8580. <http://dx.doi.org/10.1021/ja029931w>.
- Homem, V; Sousa, R; Moreira, JL; Santos, L; Alves, A. (2012). Response surface optimisation applied to a headspace-solid phase microextraction-gas chromatography-mass spectrometry method for the analysis of volatile organic compounds in water matrices. *Int J Environ Anal Chem.* 92: 166-189. <http://dx.doi.org/10.1080/03067319.2010.536228>.
- Honetschlägerová, L; Janoušková, P; Kubal, M. (2016). Enhanced transport of Si-coated nanoscale zero-valent iron particles in porous media. *Environ Technol.* 37: 1530-1538. <http://dx.doi.org/10.1080/09593330.2015.1120784>.
- Hong, G, uiB; Wu, W, wiS; Chang, CT; Ma, CM. (2015). Dichloromethane treatment by mesoporous metal catalysts. *Zhongguo Gongcheng Xuekan.* 38: 908-917. <http://dx.doi.org/10.1080/02533839.2015.1039163>.
- Hong, I. (2006). VOCs degradation performance of TiO₂ aerogel photocatalyst prepared in SCF drying. *J Ind Eng Chem.* 12: 918-925.
- Hong, L, i; Liang, D; Di, W. (2013). Economic and environmental gains of China's fossil energy subsidies reform: A rebound effect case study with EIMO model. *Energy Policy.* 54: 335-342. <http://dx.doi.org/10.1016/j.enpol.2012.11.045>.
- Hong, Q; De-zhi, S; Guo-qing, C. (2007). Formaldehyde degradation by UV/TiO₂/O₃ process using continuous flow mode. *J Environ Sci.* 19: 1136-1140.
- Hong, SS; Ju, CS; Lim, CG; Ahn, BH; Lim, KT; Lee, GD. (2001). A photocatalytic degradation of phenol over TiO₂ prepared by sol-gel method. *J Ind Eng Chem.* 7: 99-104.
- Hong, SS; Lee, MS; Kim, JH; Ahn, BH; Lim, KT; Lee, GD. (2002). Photocatalytic decomposition of bromate over titanium dioxides prepared using sol-gel method. *J Ind Eng Chem.* 8: 150-155.
- Hong, WX; Huang, A; Lin, S; Yang, X; Yang, L; Zhou, L; Huang, H; Wu, D; Huang, X; Xu, H; Liu, J. (2016). Differential expression profile of membrane proteins in L-02 cells exposed to trichloroethylene. *Toxicol Ind Health.* 32: 1774-1783. <http://dx.doi.org/10.1177/0748233715588438>.
- Hong, YT; He, ZQ; Lennhoff, NS; Banach, DA; Kanicki, J. (2004). Transparent flexible plastic substrates for organic light-emitting devices. *Journal of Electronic Materials.* 33: 312-320.
- Honma, T. (1990). Effects of trichloroethylene, 1,1,1-trichloroethane and carbon tetrachloride on plasma lipoproteins of rats. *Ind Health.* 28: 159-174.
- Honning, J; Broholm, MM; Bjerg, PL. (2007). Role of diffusion in chemical oxidation of PCE in a dual permeability system. *Environ Sci Technol.* 41: 8426-8432. <http://dx.doi.org/10.1021/es0708417>.
- Hood, E; Major, D; Driedger, G. (2007). The effect of concentrated electron donors on the solubility of trichloroethene. *Ground Water Monitoring and Remediation.* 27: 93-98.
- Hood, ED; Thomson, NR; Grossi, D; Farquhar, GJ. (2000). Experimental determination of the kinetic rate law for the oxidation of perchloroethylene by potassium permanganate. *Chemosphere.* 40: 1383-1388.
- Hooper, NM; Hesp, RJ; Tiekou, S. (1994). Metabolism of aspartame by human and pig intestinal microvillar peptidases. *Biochem J.* 298: 635-639.
- Hoover, RN; Strasser, PH. (1980). Artificial sweeteners and human bladder cancer: Preliminary results. *Lancet.* 315: 837-840. [http://dx.doi.org/10.1016/S0140-6736\(80\)91350-1](http://dx.doi.org/10.1016/S0140-6736(80)91350-1).
- Hopkins, GD; Munakata, J; Semprini, L; Mccarty, PL. (1993). Trichloroethylene concentration effects on pilot field-scale in-situ groundwater bioremediation by phenol-oxidizing microorganisms. *Environ Sci Technol.* 27: 2542-2547.
- Hopper, JF; Peters, B; Yokouchi, Y; Niki, H; Jobson, BT; Shepson, PB; Muthuramu, K. (1994). CHEMICAL AND METEOROLOGICAL OBSERVATIONS AT ICE CAMP SWAN DURING POLAR SUNRISE EXPERIMENT 1992. *J Geophys Res Atmos.* 99: 25489-25498.
- Horesovsky, G; Ginsler, J; Everitt, J; Walker, C. (1994). Increased susceptibility to in vitro transformation of cells carrying the Eker tumor susceptibility mutation. *Carcinogenesis.* 15: 2183-2187. <http://dx.doi.org/10.1093/carcin/15.10.2183>.
- Hori, K; Mii, J; Morono, Y; Tanji, Y; Unno, H. (2005). Kinetic analyses of trichloroethylene cometabolism by toluene-degrading bacteria harboring a tod homologous gene. *Biochem Eng J.* 26: 59-64. <http://dx.doi.org/10.1016/j.bej.2005.06.005>.
- Hornig, JJ. (2007). Growing carbon nanotube on aluminum oxides - An inherently safe approach for environmental applications. *Process Saf Environ Protect.* 85: 332-339. <http://dx.doi.org/10.1205/psep05056>.
- Hornung, RW; Pinney, SM; Lodwick, J; Killough, GG; Brewer, DE; Nasuta, J. (2008). Estimation of radon exposures to workers at the Fernald Feed Materials Production Center 1952-1988. *J Expo Sci Environ Epidemiol.* 18: 512-523. <http://dx.doi.org/10.1038/sj.jes.7500645>.

Fate Literature Search Results

Off Topic

- Horst, A; Lacrampe-Couloume, G; Sherwood Lollar, B. (2016). Vapor Pressure Isotope Effects in Halogenated Organic Compounds and Alcohols Dissolved in Water. *Anal Chem.* 88: 12066-12071. <http://dx.doi.org/10.1021/acs.analchem.6b02597>.
- Hort, RD; Revil, A; Munakata-Marr, J. (2014). Analysis of sources of bulk conductivity change in saturated silica sand after unbuffered TCE oxidation by permanganate. *J Contam Hydrol.* 165: 11-23. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.003>.
- Hort, RD; Revil, A; Munakata-Marr, J; Mao, D. (2015). Evaluating the potential for quantitative monitoring of in situ chemical oxidation of aqueous-phase TCE using in-phase and quadrature electrical conductivity. *Water Resour Res.* 51: 5239-5259. <http://dx.doi.org/10.1002/2014WR016868>.
- Hortelano, S; Dewez, B; Genaro, AM; Díaz-Guerra, MJM; Boscá, L. (1995). Nitric oxide is released in regenerating liver after partial hepatectomy. *Hepatology.* 21: 776-786. <http://dx.doi.org/10.1002/hep.1840210327>.
- Horvath, AL; Getzen, FW; Maczynska, Z. (1999). IUPAC-NIST Solubility data series 67: Halogenated ethanes and ethenes with water. *J Phys Chem Ref Data.* 28: 395-627. <http://dx.doi.org/10.1063/1.556039>.
- Hoseini, M; Nabizadeh, R; Nazmara, S; Safari, GH. (2013). Influence of under pressure dissolved oxygen on trichloroethylene degradation by the H₂O₂/TiO₂ process. 11: 38. <http://dx.doi.org/10.1186/2052-336X-11-38>.
- Hossain, A; Corapcioglu, MY. (1996). Modeling primary substrate controlled biotransformation and transport of halogenated aliphatics in porous media. *Transport in Porous Media.* 24: 203-220.
- Hossain, M; Ameen, MM; Raupp, GB. (1999). Photocatalytic oxidation of dilute methylamine in air. *Adv Environ Res.* 3.
- Hossain, MM; Raupp, GB. (1998). Radiation field modeling in a photocatalytic monolith reactor. *Chem Eng Sci.* 53: 3771-3780.
- Hossain, MM; Raupp, GB; Hay, SO; Obee, TN. (1999). Three-dimensional developing flow model for photocatalytic monolith reactors. *AIChE J.* 45: 1309-1321.
- Hosseinkhani, B; Hennebel, T; Van Nevel, S; Verschuere, S; Yakimov, MM; Cappello, S; Blaghen, M; Boon, N. (2014). Biogenic nanopalladium based remediation of chlorinated hydrocarbons in marine environments. *Environ Sci Technol.* 48: 550-557. <http://dx.doi.org/10.1021/es403047u>.
- Hosseinkhani, B; Nuzzo, A; Zanaroli, G; Fava, F; Boon, N. (2015). Assessment of catalytic dechlorination activity of suspended and immobilized bio-Pd NPs in different marine conditions. *Appl Catal B-Environ.* 168: 62-67. <http://dx.doi.org/10.1016/j.apcatb.2014.12.014>.
- Hou, N; Chai, J; Zhang, JQ; Song, J; Zhang, Y, an; Lu, J. (2016). Application of epsilon-beta fishlike phase diagrams on the microemulsion solubilizations of dense nonaqueous phase liquids. *Fluid Phase Equilibria.* 412: 211-217. <http://dx.doi.org/10.1016/j.fluid.2015.12.024>.
- Houde, M; Douville, M; Gagnon, P; Sproull, J; Cloutier, F. (2015). Exposure of *Daphnia magna* to trichloroethylene (TCE) and vinyl chloride (VC): evaluation of gene transcription, cellular activity, and life-history parameters. *Ecotoxicol Environ Saf.* 116: 10-18. <http://dx.doi.org/10.1016/j.ecoenv.2015.02.031>.
- Hourbron, E; Escoffier, S; Capdeville, B. (2000). Trichloroethylene elimination assay by natural consortia of heterotrophic and methanotrophic bacteria. *Water Sci Technol.* 42: 395-402.
- Howard, C; Corsi, RL. (1996). Volatilization of chemicals from drinking water to indoor air: role of the kitchen sink. *Journal of the Air and Waste Management Association.* 46: 830-837.
- Howard-Reed, C; Corsi, RL; Moya, J. (1999). Mass Transfer of Volatile Organic Compounds from Drinking Water to Indoor Air: The Role of Residential Dishwashers. *Environ Sci Technol.* 33: 2266-2272. <http://dx.doi.org/10.1021/es981354h>.
- Howroyd, P; Swanson, C; Dunn, C; Cattley, RC; Corton, JC. (2004). Decreased longevity and enhancement of age-dependent lesions in mice lacking the nuclear receptor peroxisome proliferator-activated receptor alpha (PPARalpha). *Toxicol Pathol.* 32: 591-599.
- Hozalski, RM; Zhang, L; Arnold, WA. (2001). Reduction of haloacetic acids by Fe⁰: Implications for treatment and fate. *Environ Sci Technol.* 35: 2258-2263. <http://dx.doi.org/10.1021/es001785b>.
- Hrapovic, L; Sleep, BE; Major, DJ; Hood, ED. (2005). Laboratory study of treatment of trichloroethene by chemical oxidation followed by bioremediation. *Environ Sci Technol.* 39: 2888-2897. <http://dx.doi.org/10.1021/es049017y>.
- Hrelia, P; Maffei, F; Vigagni, F; Fimognari, C; Flori, P; Stanzani, R; Forti, GC. (1994). Interactive effects between trichloroethylene and pesticides at metabolic and genetic level in mice. *Environ Health Perspect.* 102: 31-34.
- Hrsak, D. (1995). AEROBIC TRANSFORMATION OF LINEAR ALKYL BENZENESULPHONATES BY MIXED METHANE-UTILIZING BACTERIA. *Arch Environ Contam Toxicol.* 28: 265-272.
- Hrsak, D. (1995). BIODEGRADATION OF UNDECYL BENZENESULPHONATE BY MIXED METHANE-OXIDIZING CULTURE. *Environ Pollut.* 89: 285-292.
- Hrsak, D. (1996). Cometabolic transformation of linear alkylbenzenesulphonates by methanotrophs. *Water Res.* 30: 3092-3098.
- Hrubesh, LW; Coronado, PR; Satcher, JH. (2001). Solvent removal from water with hydrophobic aerogels. *Journal of Non-Crystalline Solids.* 285: 328-332.
- HSDB. (1996). Trichloroethylene [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>
- HSDB. (2002). Trichloroethylene [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>
- Hsia, CY; Huo, TI; Chiang, SY; Lu, MF; Sun, CL; Wu, JC; Lee, PC; Chi, CW; Lui, WY; Lee, SD. (2007). Evaluation of interleukin-6, interleukin-10 and human hepatocyte growth factor as tumor markers for hepatocellular carcinoma. *Eur J Surg Oncol.* 33: 208-212. <http://dx.doi.org/10.1016/j.ejso.2006.10.036>.
- Hsieh, LL; Chang, CC; Sree, U; Lo, JG. (2006). Determination of volatile organic compounds in indoor air of buildings in nuclear power plants, Taiwan. *Water Air Soil Pollut.* 170: 107-121. <http://dx.doi.org/10.1007/s11270-006-2839-z>.
- Hsieh, S; Horng, J. (2006). Deposition of Fe-Ni nanoparticles on Al₂O₃ for dechlorination of chloroform and trichloroethylene. *Appl Surf Sci.* 253: 1660-1665. <http://dx.doi.org/10.1016/j.apsusc.2006.03.001>.

Fate Literature Search Results

Off Topic

- Hsieh, SJ; Chiu, YW; Li, WF; Wu, CH; Chen, HI; Chuang, HY. (2009). Increased concentrations of serum inhibin B among male workers with long-term moderate lead exposure. *Sci Total Environ.* 407: 2603-2607. <http://dx.doi.org/10.1016/j.scitotenv.2008.12.056>.
- Hsu, CS; Lu, MC; Anotai, J; Huang, YY. (2006). Chemical oxidation of TCE-contaminated groundwater by permanganate. *Fresen Environ Bull.* 15: 125-128.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal.* 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Hsueh, KP; Hao, OJ; Wu, YC. (1991). Removal of volatile organic compounds in a rotating disk contactor: Batch and continuous operation (pp. 67-74). (ISSN 1047-7624; BIOSIS/92/23712). Hsueh, KP; Hao, OJ; Wu, YC.
- Hu, H, uS. (2010). Determination of vapour-liquid and vapour-liquid-liquid equilibrium of the chloroform-water and trichloroethylene-water binary mixtures. *Fluid Phase Equilibria.* 289: 80-89. <http://dx.doi.org/10.1016/j.fluid.2009.11.006>.
- Hu, J; Shang, R; Heijman, B; Rietveld, L. (2015). Reuse of spent granular activated carbon for organic micro-pollutant removal from treated wastewater. *J Environ Manage.* 160: 98-104. <http://dx.doi.org/10.1016/j.jenvman.2015.06.011>.
- Hu, M; Zhang, Y; Liu, Y; Wang, X, in; Wong, P, oK. (2013). Effect of different nutrients on the anaerobic degradation of trichloroethene at optimal temperature. *Int Biodeterior Biodegradation.* 85: 103-107. <http://dx.doi.org/10.1016/j.ibiod.2013.06.008>.
- Hu, M; Zhang, Y; Wang, Z; Jiang, Z; Li, J. (2011). Influence of humic acid on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 190: 1074-1078. <http://dx.doi.org/10.1016/j.jhazmat.2011.03.088>.
- Hu, S; Li, F; Fan, Z. (2013). A convenient N₂-CCl₄ mixture plasma treatment to improve TiO₂ photocatalytic oxidation of aromatic air contaminants under both UV and visible light. *Appl Surf Sci.* 286: 228-234. <http://dx.doi.org/10.1016/j.apsusc.2013.09.052>.
- Hu, Y; Hakkola, J; Oscarson, M; Ingelman-Sundberg, M. (1999). Structural and functional characterization of the 5'-flanking region of the rat and human cytochrome P450 2E1 genes: Identification of a polymorphic repeat in the human gene. *Biochem Biophys Res Commun.* 263: 286-293. <http://dx.doi.org/10.1006/bbrc.1999.1362>.
- Hu, YM; Zhu, Y; Zhou, W; Wang, H; Yi, JH; Xin, SS; He, WJ; Shen, T. (2016). Dip-coating for dodecylphosphonic acid derivatization on aluminum surfaces: an easy approach to superhydrophobicity. *JCT Research.* 13: 115-121. <http://dx.doi.org/10.1007/s11998-015-9729-5>.
- Hu, YS; Kong, WH; Wang, ZX; Huang, XJ; Chen, LQ. (2005). Tetrachloroethylene as new film-forming additive to propylene carbonate-based electrolytes for lithium ion batteries with graphitic anode. *Solid State Ionics.* 176: 53-56. <http://dx.doi.org/10.1016/j.ssi.2004.05.006>.
- Huan, Z; Zhao-Hui, J; Tie-Long, L. (2007). Preparation and modification of supported nano Cu/Fe bimetal alloy in ethanol-water solution and its reduction-chlorination property for trichloroethylene. *Chem J Chin Univ-Chin.* 28: 2234-2238.
- Huang, AM; Cao, LX; Chen, J; Spiess, FJ; Suib, SL; Obee, TN; Hay, SO; Freihaut, JD. (1999). Photocatalytic degradation of triethylamine on titanium oxide thin films. *J Catal.* 188: 40-47.
- Huang, C; Liu, C; Sun, X; Li, J; Shen, J; Han, W; Liu, X; Wang, L. (2016). Hydrolysis and acidification of waste activated sludge enhanced by zero valent iron-acid pretreatment: effect of pH. *Desalination and Water Treatment.* 57: 12099-12107. <http://dx.doi.org/10.1080/19443994.2015.1051127>.
- Huang, D; Becker, JG. (2011). Dehalorespiration model that incorporates the self-inhibition and biomass inactivation effects of high tetrachloroethylene concentrations. *Environ Sci Technol.* 45: 1093-1099. <http://dx.doi.org/10.1021/es102729v>.
- Huang, H; Kamijima, M; Wang, H; Li, S; Yoshikawa, T; Lai, G; Huang, Z; Liu, H; Chen, J; Takeuchi, Y; Nakajima, T; Li, L. (2006). Human herpesvirus 6 reactivation in trichloroethylene-exposed workers suffering from generalized skin disorders accompanied by hepatic dysfunction. *J Occup Health.* 48: 417-423.
- Huang, HC; Lee, JF; Lee, CK; Chen, JC. (2006). The structural and sorptive characteristics of high-surface-area carbonaceous material (HSACM) in soils. *J Hazard Mater.* 138: 485-492. <http://dx.doi.org/10.1016/j.jhazmat.2006.05.094>.
- Huang, HJ; Liu, SM; Kuo, CE. (2001). Anaerobic biodegradation of DDT residues (DDT, DDD, and DDE) in estuarine sediment. *J Environ Sci Health B.* 36: 273-288. <http://dx.doi.org/10.1081/PFC-100103569>.
- Huang, J; Li, C; Li, K. (2012). A new soy flour-polyepoxide adhesive system for making interior plywood. *Holzforschung.* 66: 427-431. <http://dx.doi.org/10.1515/HF.2011.169>.
- Huang, J; Yeung, CS; Ma, J; Gayner, ER; Phillips, DL. (2014). A computational chemistry investigation of the mechanism of the water-assisted decomposition of trichloroethylene oxide. *J Phys Chem A.* 118: 1557-1567. <http://dx.doi.org/10.1021/jp501310z>.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (1999). Kinetic study of oxidation of trichloroethylene by potassium permanganate. *Environ Eng Sci.* 16: 265-274.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2001). Oxidation of chlorinated ethenes by potassium permanganate: a kinetics study. *J Hazard Mater.* 87: 155-169.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2002). Chemical oxidation of trichloroethylene with potassium permanganate in a porous medium. *Adv Environ Res.* 7: 217-229.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2002). Kinetics and mechanism of oxidation of tetrachloroethylene with permanganate. *Chemosphere.* 46: 815-825.
- Huang, KC; Zhao, Z; Hoag, GE; Dahmani, A; Block, PA. (2005). Degradation of volatile organic compounds with thermally activated persulfate oxidation. *Chemosphere.* 61: 551-560. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.032>.
- Huang, L; Chai, X; Chen, G; Logan, BE. (2011). Effect of set potential on hexavalent chromium reduction and electricity generation from biocathode microbial fuel cells. *Environ Sci Technol.* 45: 5025-5031. <http://dx.doi.org/10.1021/es103875d>.
- Huang, L; Fujita, T; Zhang, X; Matsuda, H. (2006). Influences of H₂ and O₂ and in situ Ca(OH)₂ absorption on nonthermal plasma decomposition of trichloroethylene in N₂. *Chem Eng J.* 124: 81-87. <http://dx.doi.org/10.1016/j.cej.2006.07.008>.

Fate Literature Search Results

Off Topic

- Huang, L; Sturchio, NC; Abrajano, T; Heraty, LJ; Holt, BD. (1999). Carbon and chlorine isotope fractionation of chlorinated aliphatic hydrocarbons by evaporation. *Organic Geochemistry*. 30: 777-785.
- Huang, LW; Nakajyo, K; Hari, T; Ozawa, S; Matsuda, H. (2001). Decomposition of carbon tetrachloride by a pulsed corona reactor incorporated with in situ absorption. *Ind Eng Chem Res*. 40: 5481-5486.
- Huang, LY; Yang, ZD; Li, BJ; Hu, JA; Zhang, W; Ying, WC. (2011). Granular Activated Carbon Adsorption Process for Removing Trichloroethylene from Groundwater. *AIChE J*. 57: 542-550. <http://dx.doi.org/10.1002/aic.12273>.
- Huang, Q; Dong, H; Towne, RM; Fischer, TB; Schaefer, CE. (2014). Permanganate diffusion and reaction in sedimentary rocks. *J Contam Hydrol*. 159: 36-46. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.010>.
- Huang, Q; Liu, W; Peng, P; Huang, W. (2013). Reductive dechlorination of tetrachlorobisphenol A by Pd/Fe bimetallic catalysts. *J Hazard Mater*. 262: 634-641. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.015>.
- Huang, Q; Meng, Z; Zhou, R. (2012). The effect of synergy between Cr₂O₃-CeO₂ and USY zeolite on the catalytic performance and durability of chromium and cerium modified USY catalysts for decomposition of chlorinated volatile organic compounds. *Appl Catal B-Environ*. 115-116: 179-189. <http://dx.doi.org/10.1016/j.apcatb.2011.12.028>.
- Huang, Q; Shi, X; Pinto, RA; Petersen, EJ; Weber, WJ, Jr. (2008). Tunable Synthesis and Immobilization of Zero-Valent Iron Nanoparticles for Environmental Applications. *Environ Sci Technol*. 42: 8884-8889. <http://dx.doi.org/10.1021/es8015588>.
- Huang, Q; Xue, X; Zhou, R. (2010). Decomposition of 1,2-dichloroethane over CeO₂ modified USY zeolite catalysts: effect of acidity and redox property on the catalytic behavior. *J Hazard Mater*. 183: 694-700. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.081>.
- Huang, W; Liu, F, ei; HongHan, C; Bi, E; Li, T. (2010). Removal of trichloroethylene in groundwater using heterogeneous modified Fenton chemical oxidation technology. *Disaster Advances*. 3: 293-296.
- Huang, W; Liu, F, ei; Yan, N, i; Lu, A; Chen, H; Chen, L; Wang, F, ei. (2013). Removal of trichloroethylene in groundwater with two oxidants: siderite catalyzed hydrogen peroxide and sodium persulfate. *Water Science and Technology: Water Supply*. 13: 36-43. <http://dx.doi.org/10.2166/ws.2012.072>.
- Huang, WL; Young, TM; Schlautman, MA; Yu, H; Weber, WJ. (1997). A distributed reactivity model for sorption by soils and sediments .9. General isotherm nonlinearity and applicability of the dual reactive domain model. *Environ Sci Technol*. 31: 1703-1710.
- Huang, Y, u; Ho, W; Ai, Z; Song, X; Zhang, L; Lee, S. (2009). Aerosol-assisted flow synthesis of B-doped, Ni-doped and B-Ni-codoped TiO₂ solid and hollow microspheres for photocatalytic removal of NO. *Appl Catal B-Environ*. 89: 398-405. <http://dx.doi.org/10.1016/j.apcatb.2008.12.020>.
- Huang, Y; Wang, J. (2013). Degradation and mineralization of DDT by the ectomycorrhizal fungi, *Xerocomus chrysenteron*. *Chemosphere*. 92: 760-764. <http://dx.doi.org/10.1016/j.chemosphere.2013.04.002>.
- Huang, YF; Huang, YH. (2009). Identification of produced powerful radicals involved in the mineralization of bisphenol A using a novel UV-Na₂S₂O₈/H₂O₂-Fe(II,III) two-stage oxidation process. *J Hazard Mater*. 162: 1211-1216. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.008>.
- Huang, YH; Zhang, TC. (2002). Kinetics of nitrate reduction by iron at near neutral pH. *J Environ Eng*. 128: 604-611. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2002\)128:7\(604\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2002)128:7(604)).
- Huang, YH; Zhang, TC. (2005). Effects of dissolved oxygen on formation of corrosion products and concomitant oxygen and nitrate reduction in zero-valent iron systems with or without aqueous Fe²⁺. *Water Res*. 39: 1751-1760. <http://dx.doi.org/10.1016/j.watres.2005.03.002>.
- Huang, YH; Zhang, TC. (2005). Modeling of nitrate adsorption and reduction in Fe-0-packed columns through impulse loading tests. *J Environ Eng*. 131: 1194-1202. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:8\(1194\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:8(1194)).
- Huang, YH; Zhang, TC. (2006). Reduction of nitrobenzene and formation of corrosion coatings in zerovalent iron systems. *Water Res*. 40: 3075-3082. <http://dx.doi.org/10.1016/j.watres.2006.06.016>.
- Huang, YX; Guo, J; Zhang, C; Hu, Z. (2016). Hydrogen production from the dissolution of nano zero valent iron and its effect on anaerobic digestion. *Water Res*. 88: 475-480. <http://dx.doi.org/10.1016/j.watres.2015.10.028>.
- Huang, Z; Yue, F, ei; Yang, X; Xia, L; Chen, C; Qiu, X; Huang, J; Li, L; Kamijima, M; Nakajima, T; Huang, H. (2012). Upregulation of Calprotectin and Downregulation of Retinol Binding Protein in the Serum of Workers with Trichloroethylene-induced Hypersensitivity Dermatitis. *J Occup Health*. 54: 299-309.
- Huff, J. (2002). Chemicals studied and evaluated in long-term carcinogenesis bioassays by both the Ramazzini Foundation and the National Toxicology Program: In tribute to Cesare Maltoni and David Rall. *Ann N Y Acad Sci*. 982: 208-230.
- Huff, J. (2002). IARC monographs, industry influence, and upgrading, downgrading, and under-grading chemicals: a personal point of view [Comment]. *Int J Occup Environ Health*. 8: 249-270.
- Hughes, JB; Parkin, GF. (1996). Concentration Effects on Chlorinated Aliphatic Transformation Kinetics. *J Environ Eng*. 122: 92. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(1996\)122:2\(92\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(1996)122:2(92)).
- Hughes, JB; Parkin, GF. (1996). Individual biotransformation rates in chlorinated aliphatic mixtures. *J Environ Eng*. 122: 99-106.
- Hughes, K; Meek, ME; Caldwell, I. (1994). 1,1,2,2-tetrachloroethane: evaluation of risks to health from environmental exposure in Canada. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. 12: 483-491.
- Hughes, K; Meek, ME; Windle, W. (1994). Trichloroethylene: evaluation of risks to health from environmental exposure in Canada. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. 12: 527-543.
- Hughes, R; Gui, L; Gillham, RW. (2009). Degradation of chlorinated butenes and butadienes in granular iron columns. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 1209-1218. <http://dx.doi.org/10.1080/10934520903139837>.
- Hui, Y; Chng, EL; Chua, LP; Liu, WZ; Webster, RD. (2010). Voltammetric method for determining the trace moisture content of organic solvents based on hydrogen-bonding interactions with quinones. *Anal Chem*. 82: 1928-1934. <http://dx.doi.org/10.1021/ac9026719>.

Fate Literature Search Results

Off Topic

- Huling, SG; Jones, PK; Ela, WP; Arnold, RG. (2005). Repeated reductive and oxidative treatments of granular activated carbon. *J Environ Eng.* 131: 287-297. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:2\(287\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:2(287)).
- Huling, SG; Ko, S; Park, S; Kan, E. (2011). Persulfate oxidation of MTBE- and chloroform-spent granular activated carbon. *J Hazard Mater.* 192: 1484-1490. <http://dx.doi.org/10.1016/j.jhazmat.2011.06.070>.
- Huling, SG; Ko, S; Pivetz, B. (2011). Groundwater Sampling at ISCO Sites: Binary Mixtures of Volatile Organic Compounds and Persulfate. *Ground Water Monitoring and Remediation.* 31: 72-79. <http://dx.doi.org/10.1111/j.1745-6592.2011.01332.x>.
- Hung, CH; Chiang, PC; Yuan, C; Chou, CY. (2001). Photocatalytic degradation of azo dye in TiO₂ suspended solution. *Water Sci Technol.* 43: 313-320.
- Hung, CH; Marinas, BJ. (1995). Identification and Quantification of Products Formed from the Photocatalytic Degradation of Trichloroethylene Vapor on TiO₂ Illuminated with near-Uv Light. Chicago, IL.
- Hung, CH; Marinas, BJ. (1997). Role of chlorine and oxygen in the photocatalytic degradation of trichloroethylene vapor on TiO₂ films. *Environ Sci Technol.* 31: 562-568.
- Hung, CH; Marinas, BJ. (1997). Role of water in the photocatalytic degradation of trichloroethylene vapor on TiO₂ films. *Environ Sci Technol.* 31: 1440-1445.
- Hung, W, enChii, Chen, Y, uC; Chu, H; Tseng, TK, e. (2008). Synthesis and characterization of TiO₂ and Fe/TiO₂ nanoparticles and their performance for photocatalytic degradation of 1,2-dichloroethane. *Appl Surf Sci.* 255: 2205-2213. <http://dx.doi.org/10.1016/j.apsusc.2008.07.079>.
- Hung, WC; Fu, SH; Tseng, JJ; Chu, H; Ko, TH. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO₂ prepared by the sol-gel method. *Chemosphere.* 66: 2142-2151. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.037>.
- Hunka, DE; Herman, DC; Lormand, KD; Jaramillo, DM; Land, DP. (2005). Decomposition of 1,1-dichloroethene on Pd(111). *Langmuir.* 21: 8333-8337. <http://dx.doi.org/10.1021/la050645i>.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-chlorine isotope analysis and quantitative PCR. *J Contam Hydrol.* 119: 69-79. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.009>.
- Hunkeler, D; Arava, R; Parker, BL; Cherry, JA; Diao, X. (2003). Monitoring oxidation of chlorinated ethenes by permanganate in groundwater using stable isotopes: laboratory and field studies. *Environ Sci Technol.* 37: 798-804. <http://dx.doi.org/10.1021/es020073d>.
- Hunkeler, D; Aravena, R; Butler, BJ. (1999). Monitoring microbial dechlorination of tetrachloroethene (PCE) in groundwater using compound-specific stable carbon isotope ratios: Microcosm and field studies. *Environ Sci Technol.* 33: 2733-2738.
- Hunkeler, D; Aravena, R; Shouakar-Stash, O; Weisbrod, N; Nasser, A; Netzer, L; Ronen, D. (2011). Carbon and chlorine isotope ratios of chlorinated ethenes migrating through a thick unsaturated zone of a sandy aquifer. *Environ Sci Technol.* 45: 8247-8253. <http://dx.doi.org/10.1021/es201415k>.
- Hunkeler, D; Van Breukelen, BM; Elsner, M. (2009). Modeling Chlorine Isotope Trends during Sequential Transformation of Chlorinated Ethenes. *Environ Sci Technol.* 43: 6750-6756. <http://dx.doi.org/10.1021/es900579z>.
- Hunt, JR; Holden, PA; Firestone, MF. (1995). COUPLING TRANSPORT AND BIODEGRADATION OF VOCs IN SURFACE AND SUBSURFACE SOILS. *Environ Health Perspect.* 103: 75-78.
- Hunter, CA; Misuraca, MC; Turega, SM. (2012). Comparative analysis of the influence of H-bond strength and solvent on chelate cooperativity in H-bonded supramolecular complexes. 3: 2462-2469. <http://dx.doi.org/10.1039/c2sc20358h>.
- Hunter, CA; Misuraca, MC; Turega, SM. (2012). Solvent effects on chelate cooperativity. 3: 589-601. <http://dx.doi.org/10.1039/c1sc00635e>.
- Hunter, E; Rogers, E; Schmid, J; Richard, A. (1996). Comparative effects of haloacetic acids in whole embryo culture. *Teratology.* 54: 57-64. [http://dx.doi.org/10.1002/\(SICI\)1096-9926\(199606\)54:2<57::AID-TERA1>3.0.CO;2-1](http://dx.doi.org/10.1002/(SICI)1096-9926(199606)54:2<57::AID-TERA1>3.0.CO;2-1).
- Hunter, WJ. (2005). Injection of innocuous oils to create reactive barriers for bioremediation: laboratory studies. *J Contam Hydrol.* 80: 31-48. <http://dx.doi.org/10.1016/j.jconhyd.2005.06.008>.
- Hussain, I; Zhang, Y; Huang, S. (2014). Degradation of aniline with zero-valent iron as an activator of persulfate in aqueous solution. *RSC Advances.* 4: 3502-3511. <http://dx.doi.org/10.1039/c3ra43364a>.
- Hutson, A; Ko, S; Huling, SG. (2012). Persulfate oxidation regeneration of granular activated carbon: Reversible impacts on sorption behavior. *Chemosphere.* 89: 1218-1223. <http://dx.doi.org/10.1016/j.chemosphere.2012.07.040>.
- Huybrechts, T; Dewulf, J; Van Langenhove, H. (2005). Priority volatile organic compounds in surface waters of the southern North Sea. *Environ Pollut.* 133: 255-264. <http://dx.doi.org/10.1016/j.envpol.2004.05.03>.
- Hwang, C; An, J; Choi, BD, oo; Kim, K; Jung, SW, on; Baeg, KJ, un; Kim, MG, il; Ok, KM, in; Hong, J. (2016). Controlled aqueous synthesis of ultra-long copper nanowires for stretchable transparent conducting electrode. 4: 1441-1447. <http://dx.doi.org/10.1039/c5tc03614c>.
- Hwang, C; Cheng, YC. (2005). A note on the use of the Lambert W function in the stability analysis of time-delay systems. *Automatica.* 41: 1979-1985. <http://dx.doi.org/10.1016/j.automatica.2005.05.020>.
- Hwang, H; Kim, A; Zhong, Z; Kwon, HC; Jeong, S; Moon, J. (2016). Reducible-Shell-Derived Pure-Copper-Nanowire Network and Its Application to Transparent Conducting Electrodes. *Adv Funct Mater.* 26: 6545-6554. <http://dx.doi.org/10.1002/adfm.201602094>.
- Hwang, HT; Jeon, SW; Sudicky, EA; Illman, WA. (2015). Determination of rate constants and branching ratios for TCE degradation by zero-valent iron using a chain decay multispecies model. *J Contam Hydrol.* 177-178: 43-53. <http://dx.doi.org/10.1016/j.jconhyd.2015.03.001>.
- Hwang, I; Batchelor, B. (2001). Reductive dechlorination of tetrachloroethylene in soils by Fe(II)-based degradative solidification/stabilization. *Environ Sci Technol.* 35: 3792-3797.
- Hwang, I; Park, HJ; Kang, WH; Park, JY. (2005). Reactivity of Fe(II)/cement systems in dechlorinating chlorinated ethylenes. *J Hazard Mater.* 118: 103-111. <http://dx.doi.org/10.1016/j.jhazmat.2004.10.002>.

Fate Literature Search Results

Off Topic

- Hwang, Y; Mines, PD; Jakobsen, MH; Andersen, HR. (2015). Simple colorimetric assay for dehalogenation reactivity of nanoscale zero-valent iron using 4-chlorophenol. *Appl Catal B-Environ.* 166: 18-24. <http://dx.doi.org/10.1016/j.apcatb.2014.10.059>.
- Hyun, S; Hayes, K. (2015). Abiotic reductive dechlorination of cis-DCE by ferrous monosulfide mackinawite. *Environ Sci Pollut Res Int.* 22: 16463-16474. <http://dx.doi.org/10.1007/s11356-015-5033-2>.
- Hyun, SP, il; Hayes, K, imF. (2009). Feasibility of Using In Situ FeS Precipitation for TCE Degradation. *J Environ Eng.* 135: 1009-1014. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000073](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000073).
- IARC. (1995). Tetrachloroethylene. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans* (pp. 159-221). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol63/index.php>.
- IARC. (2001). Pathology and genetics of tumours of haematopoietic and lymphoid tissues. In *IARC WHO classification of tumours*. Lyon, France. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=70&codcch=3>.
- IARC. (2004). Tobacco smoke and involuntary smoking [IARC Monograph] (pp. 1-1438). (RISKLIN/2004080004). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol83/mono83.pdf>.
- Iavicoli, I; Marinaccio, A; Carelli, G. (2005). Effects of occupational trichloroethylene exposure on cytokine levels in workers. *J Occup Environ Med.* 47: 453-457. <http://dx.doi.org/10.1097/01.jom.0000161728.23285.66>.
- Ibhadon, AO; Arabatzis, IM; Falaras, P; Tsoukleris, D. (2007). The design and photoreaction kinetic modeling of a gas-phase titania foam packed bed reactor. *Chem Eng J.* 133: 317-323. <http://dx.doi.org/10.1016/j.cej.2007.02.018>.
- Ibrahim, H; de Lasa, H. (1999). Novel photocatalytic reactor for the destruction of airborne pollutants reaction kinetics and quantum yields. *Ind Eng Chem Res.* 38: 3211-3217.
- Ibrahim, H; de Lasa, H. (2002). Photo-catalytic conversion of air borne pollutants - Effect of catalyst type and catalyst loading in a novel photo-CREC-air unit. *Appl Catal B-Environ.* 38: 201-213.
- Ibrahim, H; de Lasa, H. (2003). Photo-catalytic degradation of air borne pollutants apparent quantum efficiencies in a novel photo-CREC-air reactor. *Chem Eng Sci.* 58: 943-949. [http://dx.doi.org/10.1016/S0009-2509\(02\)00632-2](http://dx.doi.org/10.1016/S0009-2509(02)00632-2).
- ICRP. (2002). Basic anatomical and physiological data for use in radiological protection: Reference values. In *Annals of the ICRP* (pp. 1-277). (ICRP Publication 89). New York, NY: Pergamon Press. [http://dx.doi.org/10.1016/S0146-6453\(03\)00002-2](http://dx.doi.org/10.1016/S0146-6453(03)00002-2).
- IEI. (2005). Rocketdyne worker health study: Final report: Executive summary & appendices. Rockville, MD. http://www.boeing.com/aboutus/environment/santa_susana/factsheets/Rocketdyne_Worker_Health_Study_Final_Report_July_2005.pdf.
- Ikatsu, H; Shinoda, S; Nakajima, T. (1998). CYP2E1 level in rat liver injured by the interaction between carbon tetrachloride and chloroform. *J Occup Health.* 40: 223-229. <http://dx.doi.org/10.1539/joh.40.223>.
- Ikeda, M. (1977). Metabolism of trichloroethylene and tetrachloroethylene in human subjects. *Environ Health Perspect.* 21: 239-245. <http://dx.doi.org/10.1289/ehp.7721239>.
- Ikeda, M; Ohtsujii, H. (1972). COMPARATIVE STUDY OF EXCRETION OF FUJIWARA REACTION-POSITIVE SUBSTANCES IN URINE OF HUMANS AND RODENTS GIVEN TRICHLORO-DERIVATIVES OR TETRACHLORO-DERIVATIVES OF ETHANE AND ETHYLENE. *Br J Ind Med.* 29: 99-8.
- Ikeda, M; Ohtsujii, H; Imamura, T; Komoike, Y. (1972). Urinary excretion of total trichloro-compounds, trichloroethanol, and trichloroacetic acid as a measure of exposure to trichloroethylene and tetrachloroethylene. *Br J Ind Med.* 29: 328-333. <http://dx.doi.org/10.1136/oem.29.3.328>.
- Ikeda, M; Otsujii, H; Kawai, H; Kuniyoshi, M. (1971). Excretion kinetics of urinary metabolites in a patient addicted to trichloroethylene. *Br J Ind Med.* 28: 203-206.
- Ikehata, K; Wang-Staley, L; Qu, X; Li, Y. (2016). Treatment of groundwater contaminated with 1,4-dioxane, tetrahydrofuran, and chlorinated volatile organic compounds using advanced oxidation processes. *Ozone: Science and Engineering.* 38: 413-424. <http://dx.doi.org/10.1080/01919512.2016.1198686>.
- Iloukhani, F; Zarei, HA. (2002). Excess thermodynamic properties of binary liquid mixtures containing N,N-dimethylacetamide with some alkan-1-ols (C-1-C-6) at 298.15 K. *Physics and Chemistry of Liquids.* 40: 449-455. <http://dx.doi.org/10.1080/0031910021000017762>.
- Iloukhani, H. (1997). Excess molar enthalpies for binary mixtures with trichloroethylene plus alkan-1-ols (C-3-C-8) at 298.15 K. *Journal of Chemical and Engineering Data.* 42: 802-804.
- Iloukhani, H; Parsa, JB. (2001). Excess molar enthalpies of binary mixtures of trichloroethylene with six 2-alkanols at 25 degrees C. *Journal of Solution Chemistry.* 30: 425-433.
- Iloukhani, H; Parsa, JB; Azizian, S. (1999). Ultrasonic studies for binary mixtures with trichloroethylene plus alkan-1-ols (C-3-C-8) at 303.15 K. *Journal of Chemical and Engineering Data.* 44: 152-154.
- Im, J; Walshe-Langford, GE; Moon, J; Loeffler, FE. (2014). Environmental Fate of the Next Generation Refrigerant 2,3,3,3-Tetrafluoropropene (HFO-1234yf). *Environ Sci Technol.* 48: 13181-13187. <http://dx.doi.org/10.1021/es5032147>.
- Imaoka, T; Takatsuka, T; Yamamoto, K. (2006). Catalytic dehalogenation enhanced by appending dendritic ligands on cobalt porphyrins. *Journal of Porphyrins and Phthalocyanines.* 10: 1066-1070.
- Imbriani, M; Niu, Q; Negri, S; Ghittori, S. (2001). Trichloroethylene in urine as biological exposure index. *Ind Health.* 39: 225-230. <http://dx.doi.org/10.2486/indhealth.39.225>.
- Imhoff, PT; Jaffe, PR; Pinder, GF. (1994). AN EXPERIMENTAL-STUDY OF COMPLETE DISSOLUTION OF A NONAQUEOUS PHASE LIQUID IN SATURATED POROUS-MEDIA. *Water Resour Res.* 30: 307-320.
- Imhoff, PT; Pirestani, K; Jafarpour, Y; Spivey, KM. (2003). Tracer interaction effects during partitioning tracer tests for NAPL detection. *Environ Sci Technol.* 37: 1441-1447. <http://dx.doi.org/10.1021/es026040f>.

Fate Literature Search Results

Off Topic

- Imoberdorf, GE; Cassano, AE; Alfano, OM; Irazoqui, HA. (2006). Modeling of a multiannular photocatalytic reactor for perchloroethylene degradation in air. *AIChE J.* 52: 1814-1823. <http://dx.doi.org/10.1002/aic.10771>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Optimal design and modeling of annular photocatalytic wall reactors. *Catalysis Today.* 129: 118-126. <http://dx.doi.org/10.1016/j.cattod.2007.06.057>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Simulation of a multi-annular photocatalytic reactor for degradation of perchloroethylene in air: Parametric analysis of radiative energy efficiencies. *Chem Eng Sci.* 62: 1138-1154. <http://dx.doi.org/10.1016/j.ces.2006.10.024>.
- Imoberdorf, GE; Irazoqui, HA; Alfano, OM; Cassano, AE. (2007). Scaling-up from first principles of a photocatalytic reactor for air pollution remediation. *Chem Eng Sci.* 62: 793-804. <http://dx.doi.org/10.1016/j.ces.2006.10.004>.
- Imoberdorf, GE; Irazoqui, HA; Cassano, AE; Alfano, OM. (2005). Photocatalytic degradation of tetrachloroethylene in gas phase on TiO₂ films: A kinetic study. *Ind Eng Chem Res.* 44: 6075-6085. <http://dx.doi.org/10.1021/ie049185z>.
- Imoberdorf, GE; Taghipour, F; Keshmiri, M; Mohseni, M. (2008). Predictive radiation field modeling for fluidized bed photocatalytic reactors. *Chem Eng Sci.* 63: 4228-4238. <http://dx.doi.org/10.1016/j.ces.2008.05.022>.
- Inaba, K; Hirata, T. (1992). Effects of coexisting linear alkylbenzenesulfonates on migration behavior of trichloroethylene in porous media. *Environ Technol.* 13: 259-265.
- Inayoshi, T; Sanada, M; Matsumoto, S. (2016). DBTTF derivative with bis(propylenedioxy) (BPDO) groups: Synthesis, electrochemical properties, conductivity, and crystal and band structures of salts. *Synthetic Metals.* 220: 174-186. <http://dx.doi.org/10.1016/j.synthmet.2016.06.005>.
- Indarto, A; Choi, JW; Lee, H; Song, HK. (2006). Decomposition of CCl₄ and CHCl₃ on gliding arc plasma. *J Environ Sci.* 18: 83-89.
- Indarto, A; Yang, D, aeR; Choi, J, aeW; Lee, H; Song, HK. (2007). CCl₄ decomposition by gliding arc plasma: Role of C-2 compounds on products distribution. *Chemical Engineering Communications.* 194: 1111-1125. <http://dx.doi.org/10.1080/00986440701293363>.
- Inderjit; Asakawa, C; Kakuta, H. (2003). Phytotoxicity and fate of 1,1,2-trichloroethylene: A laboratory study. *J Chem Ecol.* 29: 1329-1335.
- Inostroza, AA; Pantoja, S; Gonzalez, RR. (2011). Enzymatic activity of marine methanotrophs and its potential use in bioremediation. 75: 138-145.
- Inoue, O; Seiji, K; Kawai, T; Jin, C; Liu, YT; Chen, Z; Cai, SX; Yin, SN; Li, GL; Nakasutka, H; Watanabe, T; Ikeda, M. (1989). Relationship between vapor exposure and urinary metabolite excretion among workers exposed to trichloroethylene. *Am J Ind Med.* 15: 103-110.
- Inoue, O; Seiji, K; Kawai, T; Watanabe, T; Jin, C; Cai, SX; Chen, Z; Qu, QS; Zhang, T; Ikeda, M. (1993). Excretion of methylhippuric acids in urine of workers exposed to a xylene mixture: comparison among three xylene isomers and toluene. *Int Arch Occup Environ Health.* 64: 533-539.
- Inoue, O; Seiji, K; Watanabe, T; Chen, Z; Huang, MY; Xu, XP; Qiao, X; Ikeda, M. (1994). Effects of smoking and drinking habits on urinary o-cresol excretion after occupational exposure to toluene vapor among Chinese workers. *Am J Ind Med.* 25: 697-708.
- Inoue, O; Ukai, H; Ikeda, M. (2006). Green chemistry in urinalysis for trichloroethanol and trichloroacetic acid as markers of exposure to chlorinated hydrocarbon solvents. *Ind Health.* 44: 207-214.
- Intriago, L; Diaz, E; Ordonez, S; Vega, A. (2006). Combustion of trichloroethylene and dichloromethane over protonic zeolites: Influence of adsorption properties on the catalytic performance. *Microporous and Mesoporous Materials.* 91: 161-169. <http://dx.doi.org/10.1016/j.micromeso.2005.11.043>.
- Intrieri, C; Poni, S; Rebucci, B; Magnanini, E. (1998). Row orientation effects on whole-canopy gas exchange of potted and field-grown grapevines. *Vitis.* 37: 147-154.
- IOM. (2003). Gulf war and health: Volume 2. Insecticides and solvents. Washington, DC: National Academies Press. http://www.nap.edu/catalog.php?record_id=10628.
- Ireland, JC; Davila, B; Moreno, H; Fink, SK; Tassos, S. (1995). Heterogeneous photocatalytic decomposition of polyaromatic hydrocarbons over titanium dioxide. *Chemosphere.* 30: 965-984.
- Ireland, JC; Valiniek, J. (1992). Rapid measurement of aqueous hydroxyl radical concentrations in steady-state hydroxy radical flux systems. *Chemosphere.* 25: 383-396.
- Irokawa, Y; Morikawa, T; Aoki, K; Kosaka, S; Ohwaki, T; Taga, Y. (2006). Photodegradation of toluene over TiO₂-xNx under visible light irradiation. *Phys Chem Chem Phys.* 8: 1116-1121. <http://dx.doi.org/10.1039/b517653k>.
- Isaacs, KK; Evans, MV; Harris, TR. (2004). Visualization-based analysis for a mixed-inhibition binary PBPK model: Determination of inhibition mechanism. *J Pharmacokinet Pharmacodyn.* 31: 215-242.
- Isalou, M; Sleep, BE; Liss, SN. (1998). Biodegradation of high concentrations of tetrachloroethene in a continuous flow column system. *Environ Sci Technol.* 32: 3579-3585.
- Ise, K; Suto, K; Inoue, C. (2011). Microbial diversity and changes in the distribution of dehalogenase genes during dechlorination with different concentrations of cis-DCE. *Environ Sci Technol.* 45: 5339-5345. <http://dx.doi.org/10.1021/es104199y>.
- Ishiguro, T; Ohtake, Y; Nakayama, S; Inamori, Y; Amagai, T; Soma, M; Matsusita, H. (2000). Biodegradation of dibenzofuran and dioxins by *Pseudomonas aeruginosa* and *Xanthomonas maltophilia*. *Environ Technol.* 21: 1309-1316.
- Ishikawa, H; Okumura, K; Naito, N; Harada, T; Yamauchi, Y; Yamasaki, K; Murayama, M; Ihara, T. (2003). Purity evaluation of volatile organic compounds by GC-FID for standard gases and solutions using environmental analysis. *Bunseki Kagaku.* 52: 357-365.
- Ishikawa, S; Kojima, Y; Ozawa, S; Matsuda, H; Ushiroebisu, K; Yamada, Z. (2002). Effect of amount of trichloroethylene adsorbed on TiO₂/SiO₂ beads on photocatalytic decomposition. *Kagaku Kogaku Ronbunshu.* 28: 528-532.

Fate Literature Search Results

Off Topic

- Ishizaka, S; Nishijima, Y; Kitamura, N. (2006). A thermodynamic study on the complexation between riboflavin and a diaminotriazine derivative mediated by triple hydrogen bonds at water/oil interfaces. *Anal Bioanal Chem.* 386: 749-758. <http://dx.doi.org/10.1007/s00216-006-0573-4>.
- Islam, MR; Sundararajan, PR. (2011). Tubular or subsurface morphology of octabutoxyphthalocyanine upon self-assembly in polymer matrices: effect of the casting solvent. *Chemistry.* 17: 6098-6108. <http://dx.doi.org/10.1002/chem.201003339>.
- Islam, MS; Zhao, L; Zhou, J; Dong, L; McDougal, JN; Flynn, GL. (1996). Systemic uptake and clearance of chloroform by hairless rats following dermal exposure. I. Brief exposure to aqueous solutions. *Risk Anal.* 16: 349-357.
- Ismail, AA. (2008). Single-step synthesis of a highly active photocatalyst for oxidation of trichloroethylene. *Appl Catal B-Environ.* 85: 33-39. <http://dx.doi.org/10.1016/j.apcatb.2008.06.025>.
- Ismail, AA; Ibrahim, IA. (2008). Impact of supercritical drying and heat treatment on physical properties of titania/silica aerogel monolithic and its applications. *Appl Catal A-Gen.* 346: 200-205. <http://dx.doi.org/10.1016/j.apcata.2008.05.031>.
- Isse, AA; Huang, B; Durante, C; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at a copper cathode. Part I: Polychloromethanes. *Appl Catal B-Environ.* 126: 347-354. <http://dx.doi.org/10.1016/j.apcatb.2012.07.004>.
- Istok, JD; Field, JA; Schroth, MH; Davis, BM; Dwarakanath, V. (2002). Single-well "push-pull" partitioning tracer test for NAPL detection in the subsurface. *Environ Sci Technol.* 36: 2708-2716. <http://dx.doi.org/10.1021/es015624z>.
- Ito, T; Meyer, GJ. (2007). Heme-Mediated Reduction of Organohalide Pollutants at Nanocrystalline TiO₂ Thin-Film Interfaces. *Environ Eng Sci.* 24: 31-44.
- Ito, Y; Yamanoshita, O; Asaeda, N; Tagawa, Y; Lee, CH; Aoyama, T; Ichihara, G; Furuhashi, K; Kamijima, M; Gonzalez, FJ; Nakajima, T. (2007). Di(2-ethylhexyl)phthalate induces hepatic tumorigenesis through a peroxisome proliferator-activated receptor alpha-independent pathway. *J Occup Health.* 49: 172-182.
- Ito, Y; Yokota, H; Wang, R; Yamanoshita, O; Ichihara, G; Wang, H; Kurata, Y; Takagi, K; Nakajima, T. (2005). Species differences in the metabolism of di(2-ethylhexyl) phthalate (DEHP) in several organs of mice, rats, and marmosets. *Arch Toxicol.* 79: 147-154. <http://dx.doi.org/10.1007/s00204-004-0615-7>.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A PRODUCT STUDY OF THE OH RADICAL-INITIATED OXIDATION OF PERCHLOROETHYLENE AND TRICHLOROETHYLENE. *Chemosphere.* 28: 2029-2040. [http://dx.doi.org/10.1016/0045-6535\(94\)90153-8](http://dx.doi.org/10.1016/0045-6535(94)90153-8).
- Iwatsubo, Y; Benezet, L; Boutou-Kempf, O; Fevotte, J; Garras, L; Goldberg, M; Luce, D; Pilorget, C; Imbernon, E. (2014). An extensive epidemiological investigation of a kidney cancer cluster in a chemical plant: what have we learned? *Occup Environ Med.* 71: 4-11. <http://dx.doi.org/10.1136/oemed-2013-101477>.
- Iyer, RA; Frink, EJ, Jr; Ebert, TJ; Anders, MW. (1998). Cysteine conjugate beta-lyase-dependent metabolism of compound A (2-[fluoromethoxy]-1,1,3,3,3-pentafluoro-1-propene) in human subjects anesthetized with sevoflurane and in rats given compound A. *Anesthesiology.* 88: 611-618.
- Izcapa-Treviño, C; Loera, O; Tomasini-Campocoso, A; Esparza-García, F; Salazar-Montoya, JA; Díaz-Cervantes, MD; Rodríguez-Vázquez, R. (2009). Fenton (H₂O₂/Fe) reaction involved in *Penicillium* sp. culture for DDT [1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane] degradation. *J Environ Sci Health B.* 44: 798-804. <http://dx.doi.org/10.1080/03601230903238368>.
- Jackson, RE. (1999). Anticipating ground-water contamination by new technologies and chemicals: The case of chlorinated solvents in California. *Environmental and Engineering Geoscience.* 5: 331-338.
- Jackson, RE; Dwarakanath, V. (1999). Chlorinated degreasing solvents: Physical-chemical properties affecting aquifer contamination and remediation. *Ground Water Monitoring and Remediation.* 19: 102-110.
- Jackson, S, aM; Rananaware, A; Rix, C; Bhosale, SV; Latham, K, ay. (2015). Clathrate directed assembly of tetrapyrrolyl-tetraphenylethylene metal-organic frameworks. *RSC Advances.* 5: 84134-84141. <http://dx.doi.org/10.1039/c5ra18499a>.
- Jackson, WA; Martino, L; Hirsh, S; Wrobel, J; Pardue, JH. (2005). Application of a dialysis sampler to monitor phytoremediation processes. *Environ Monit Assess.* 107: 155-171. <http://dx.doi.org/10.1007/s10661-005-5436-5>.
- Jacobs, AM; Amin, IE; Fisher, ON. (2007). Persistence of vinyl chloride in ground water at the Woodlawn landfill Superfund site, northeastern Maryland, USA. *Environ Geol.* 52: 1253-1260. <http://dx.doi.org/10.1007/s00254-006-0563-z>.
- Jacoby, WA; Blake, DM; Fennell, JA; Boulter, JE; Vargo, LM; George, MC; Dolberg, SK. (1996). Heterogeneous photocatalysis for control of volatile organic compounds in indoor air. *J Air Waste Manag Assoc.* 46: 891-898.
- Jacoby, WA; Blake, DM; Noble, RD; Koval, CA. (1995). KINETICS OF THE OXIDATION OF TRICHLOROETHYLENE IN AIR VIA HETEROGENEOUS PHOTOCATALYSIS. *J Catal.* 157: 87-96.
- Jacoby, WA; Nimlos, MR; Blake, DM; Noble, RD; Koval, CA. (1994). Products, Intermediates, Mass Balances, and Reaction Pathways for the Oxidation of Trichloroethylene in Air via Heterogeneous Photocatalysis. *Environ Sci Technol.* 28: 1661-1668. <http://dx.doi.org/10.1021/es00058a018>.
- Jacques, B; Devaux, J; Legras, R; Nield, E. (1996). Study of an appropriate procedure for the chromatographic analysis of poly(ethylene terephthalate), after melt processing with triphenyl phosphite. *J Chromatogr A.* 725: 367-371.
- Jafarpour, B; Imhoff, PT; Chiu, PC. (2005). Quantification and modelling of 2,4-dinitrotoluene reduction with high-purity and cast iron. *J Contam Hydrol.* 76: 87-107. <http://dx.doi.org/10.1016/j.jconhyd.2004.08.00>.
- Jaffe, D; Gandolfi, A; Nagle, R. (1984). Chronic toxicity of S-(trans-1,2-dichlorovinyl)-L-cysteine in mice. *J Appl Toxicol.* 4: 315-319. <http://dx.doi.org/10.1002/jat.2550040607>.
- Jaffe, D; Hassall, C; Gandolfi, A; Brendel, K. (1985). Production of DNA single strand breaks in rabbit renal tissue after exposure to 1,2-dichlorovinylcysteine. *Toxicology.* 35: 25-33. [http://dx.doi.org/10.1016/0300-483X\(85\)90129-5](http://dx.doi.org/10.1016/0300-483X(85)90129-5).

Fate Literature Search Results

Off Topic

- Jahnke, SA; Niemann, J; Kautek, W; Bischoff, R; Pfeiffer, C; Kossmehl, G. (1997). Sensor system for alcohol and chlorinated hydrocarbon vapours on the basis of semiconducting polymers. *Int J Environ Anal Chem.* 67: 223-236.
- Jakubowska, N; Polkowska, Z; Kujawski, W; Konieczka, P; Namieśnik, J. (2007). A comparison of three solvent-free techniques coupled with gas chromatography for determining trihalomethanes in urine samples. *Anal Bioanal Chem.* 388: 691-698. <http://dx.doi.org/10.1007/s00216-007-1259-2>.
- James, AL; Oldenburg, CM. (1997). Linear and Monte Carlo uncertainty analysis for subsurface contaminant transport simulation. *Water Resour Res.* 33: 2495-2508.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. *Environ Pollut.* 157: 2564-2569. <http://dx.doi.org/10.1016/j.envpol.2009.02.033>.
- James, CA; Xin, G; Doty, SL; Strand, SE. (2008). Degradation of low molecular weight volatile organic compounds by plants genetically modified with mammalian cytochrome P450 2E1. *Environ Sci Technol.* 42: 289-293. <http://dx.doi.org/10.1021/es071197z>.
- James, KJ; Stack, MA. (1996). The determination of volatile organic compounds in soils using solid phase microextraction with gas chromatography-mass spectrometry. *HRC - Journal of High Resolution Chromatography.* 19: 515-519.
- James, MO; Cornett, R; Yan, Z; Henderson, GN; Stacpoole, PW. (1997). Glutathione-dependent conversion to glyoxylate, a major pathway of dichloroacetate biotransformation in hepatic cytosol from humans and rats, is reduced in dichloroacetate-treated rats. *Drug Metab Dispos.* 25: 1223-1227.
- Jamrah, A; Al-Futaisi, A; Hassan, H; Al-Oraimi, S. (2007). Petroleum contaminated soil in Oman: Evaluation of bioremediation treatment and potential for reuse in hot asphalt mix concrete. *Environ Monit Assess.* 124: 331-341. <http://dx.doi.org/10.1007/s10661-006-9230-9>.
- Janda, V; Vasek, P; Bizova, J; Belohlav, Z. (2004). Kinetic models for volatile chlorinated hydrocarbons removal by zero-valent iron. *Chemosphere.* 54: 917-925. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.033>.
- Jang, C; Jiang, Q; Lu, J; Ye, Z. (2015). Structural, Optical and Electrical Properties of Ga Doped ZnO/Cu grid/Ga Doped ZnO Transparent Electrodes. *Journal of Materials Science & Technology.* 31: 1108-1110. <http://dx.doi.org/10.1016/j.jmst.2015.07.018>.
- Jang, D, aeGyu; Ahn, CH; Choi, JS; Kim, JH, o; Kim, JK, yu; Joo, J, inC. (2016). Enhanced Removal of Trichloroethylene in Water Using Nano-ZnO/Polybutadiene Rubber Composites. 6. <http://dx.doi.org/10.3390/catal6100152>.
- Jang, J; Im, HG; Jin, J; Lee, J; Lee, JY; Bae, BS. (2016). A Flexible and Robust Transparent Conducting Electrode Platform Using an Electroplated Silver Grid/Surface-Embedded Silver Nanowire Hybrid Structure. 8: 27035-27043. <http://dx.doi.org/10.1021/acsami.6b07140>.
- Jang, M; Kim, JH; Hwang, DH; Yang, H. (2015). Controlling Conjugation and Solubility of Donor-Acceptor Semiconducting Copolymers for High-Performance Organic Field-Effect Transistors. 7: 12781-12788. <http://dx.doi.org/10.1021/acsami.5b01746>.
- Jang, W; Aral, MM. (2008). Effect of biotransformation on multispecies plume evolution and natural attenuation. *Transport in Porous Media.* 72: 207-226. <http://dx.doi.org/10.1007/s11242-007-9145-0>.
- Jang, W; Aral, MM. (2009). Multiphase Flow Fields in In-situ Air Sparging and its Effect on Remediation. *Transport in Porous Media.* 76: 99-119. <http://dx.doi.org/10.1007/s11242-008-9238-4>.
- Jankowski, P; Ogończyk, D; Lisowski, W; Garstecki, P. (2012). Polyethyleneimine coating renders polycarbonate resistant to organic solvents. *Lab Chip.* 12: 2580-2584. <http://dx.doi.org/10.1039/c2lc21297h>.
- Jansson, I; Suarez, S; Garcia-Garcia, FJ; Sanchez, B. (2015). Zeolite-TiO₂ hybrid composites for pollutant degradation in gas phase. *Appl Catal B-Environ.* 178: 100-107. <http://dx.doi.org/10.1016/j.apcatb.2014.10.022>.
- Jansson, I; Yoshiiri, K; Hori, H; Garcia-Garcia, FJ; Rojas, S; Sanchez, B; Ohtani, B; Suarez, S. (2016). Visible light responsive Zeolite/WO₃-Pt hybrid photocatalysts for degradation of pollutants in air. *Appl Catal A-Gen.* 521: 208-219. <http://dx.doi.org/10.1016/j.apcata.2015.12.015>.
- Jarandehi, A; De Visscher, A. (2009). Three-Dimensional CFD Model for a Flat Plate Photocatalytic Reactor: Degradation of TCE in a Serpentine Flow Field. *AIChE J.* 55: 312-320. <http://dx.doi.org/10.1002/aic.11692>.
- Jarandehi, A; Golpayegani, MK; De Visscher, A. (2008). Kinetic modeling of photocatalytic degradation reactions: Effect of charge trapping. *Appl Catal B-Environ.* 84: 65-74. <http://dx.doi.org/10.1016/j.apcatb.2008.03.006>.
- Jarrett, MR; Finklea, HO. (1999). Detection of nonpolar vapors on quartz crystal microbalances with Ni(SCN)₂(4-picoline)₄ coatings. *Anal Chem.* 71: 353-357.
- Jasińska, M. (1965). [General anesthesia with trichloroethylene in children with congenital developmental defects of the jaw and face]. *Czas Stomatol.* 18: 935-940.
- Jasper, A; Salih, HH; Sorial, GA; Sinha, R; Krishnan, R; Patterson, CL. (2010). Impact of Nanoparticles and Natural Organic Matter on the Removal of Organic Pollutants by Activated Carbon Adsorption. *Environ Eng Sci.* 27: 85-93. <http://dx.doi.org/10.1089/ees.2009.0234>.
- Jat, ML; Gathala, MK; Ladha, JK; Saharawat, YS; Jat, AS; Kumar, V; Sharma, SK; Kumar, V; Gupta, R, aj. (2009). Evaluation of precision land leveling and double zero-till systems in the rice-wheat rotation: Water use, productivity, profitability and soil physical properties. *Soil Till Res.* 105: 112-121. <http://dx.doi.org/10.1016/j.still.2009.06.003>.
- Jayanti, S; Britton, LN; Dwarakanath, V; Pope, GA. (2002). Laboratory evaluation of custom-designed surfactants to remediate NAPL source zones. *Environ Sci Technol.* 36: 5491-5497. <http://dx.doi.org/10.1021/es020566i>.
- Jayaraj, J; Rockne, KJ; Makkar, RS. (2004). Reductive dechlorination of tetrachloroethene by a mixed bacterial culture growing on ethyl lactate. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 39: 1399-1414. <http://dx.doi.org/10.1081/ESE-120037841>.
- Jean, JH; Gupta, TK. (1992). CRYSTALLIZATION KINETICS OF BINARY BOROSILICATE GLASS COMPOSITE. *J Mater Res.* 7: 3103-3111.
- Jean, JH; Gupta, TK. (1993). CRYSTAL-GROWTH INHIBITOR IN BINARY BOROSILICATE GLASS COMPOSITE GALLIUM OXIDE. *Journal of the American Ceramic Society.* 76: 751-753.
- Jeannotat, S; Hunkeler, D. (2012). Chlorine and carbon isotopes fractionation during volatilization and diffusive transport of trichloroethene in the unsaturated zone. *Environ Sci Technol.* 46: 3169-3176. <http://dx.doi.org/10.1021/es203547p>.

Fate Literature Search Results

Off Topic

- Jedynak, K; Zdenkowski, J, an; Swiecicka, A; Choma, J. (2015). Adsorption Properties Characterization of Ordered Mesoporous Carbons by Inverse Gas Chromatography. 37: 3-10.
- Jeen, SW; Amos, RT; Blowes, DW. (2012). Modeling gas formation and mineral precipitation in a granular iron column. *Environ Sci Technol.* 46: 6742-6749. <http://dx.doi.org/10.1021/es300299r>.
- Jeen, SW; Blowes, DW; Gillham, RW. (2008). Performance evaluation of granular iron for removing hexavalent chromium under different geochemical conditions. *J Contam Hydrol.* 95: 76-91. <http://dx.doi.org/10.1016/j.jconhyd.2007.07.012>.
- Jeen, SW; Gillham, RW; Blowes, DW. (2006). Effects of carbonate precipitates on long-term performance of granular iron for reductive dechlorination of TCE. *Environ Sci Technol.* 40: 6432-6437. <http://dx.doi.org/10.1021/es0608747>.
- Jeen, SW; Gillham, RW; Przepiora, A. (2011). Predictions of long-term performance of granular iron permeable reactive barriers: Field-scale evaluation. *J Contam Hydrol.* 123: 50-64. <http://dx.doi.org/10.1016/j.jconhyd.2010.12.006>.
- Jeen, SW; Jambor, JL; Blowes, DW; Gillham, RW. (2007). Precipitates on granular iron in solutions containing calcium carbonate with trichloroethene and hexavalent chromium. *Environ Sci Technol.* 41: 1989-1994. <http://dx.doi.org/10.1021/es0618393>.
- Jeen, SW; Lazar, S; Gui, L; Gillham, RW. (2014). Degradation of chlorofluorocarbons using granular iron and bimetallic irons. *J Contam Hydrol.* 158: 55-64. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.002>.
- Jeen, SW; Mayer, KU; Gillham, RW; Blowes, DW. (2007). Reactive transport modeling of trichloroethene treatment with declining reactivity of iron. *Environ Sci Technol.* 41: 1432-1438. <http://dx.doi.org/10.1021/es062490m>.
- Jeen, SW; Yang, Y; Gui, L; Gillham, RW. (2013). Treatment of trichloroethene and hexavalent chromium by granular iron in the presence of dissolved CaCO₃. *J Contam Hydrol.* 144: 108-121. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.004>.
- Jeffers, PM; Wolfe, NL. (1996). Homogeneous hydrolysis rate constants-Part II: Additions, corrections and halogen effects. *Environ Toxicol Chem.* 15: 1066-1070.
- Jemal, A; Siegel, R; Ward, E; Hao, Y; Xu, J; Murray, T; Thun, MJ. (2008). Cancer statistics, 2008. *CA Cancer J Clin.* 58: 71-96. <http://dx.doi.org/10.3322/CA.2007.0010>.
- Jenal-Wanner, U; Mccarty, PL. (1997). Development and evaluation of semicontinuous slurry microcosms to simulate in situ biodegradation of trichloroethylene in contaminated aquifers. *Environ Sci Technol.* 31: 2915-2922.
- Jendrzewski, N; Eggenkamp, HGM; Coleman, ML. (1997). Sequential determination of chlorine and carbon isotopic composition in single microliter samples of chlorinated solvent. *Anal Chem.* 69: 4259-4266.
- Jendrzewski, N; Eggenkamp, HGM; Coleman, ML. (2001). Characterisation of chlorinated hydrocarbons from chlorine and carbon isotopic compositions: scope of application to environmental problems. *Appl Geochem.* 16: 1021-1031.
- Jeng, D, onJyhFu. (2015). Generating a causal model of supply chain collaboration using the fuzzy DEMATEL technique. *Computers & Industrial Engineering.* 87: 283-295. <http://dx.doi.org/10.1016/j.cie.2015.05.007>.
- Jennings, AA. (2008). Analysis of worldwide regulatory guidance for surface soil contamination. *J Environ Eng Sci.* 7: 597-615. <http://dx.doi.org/10.1139/S08-034>.
- Jennings, AA. (2011). Worldwide Residential Soil Regulatory Guidance Values for Chlorinated Ethenes. *J Environ Eng.* 137: 651-668. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000380](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000380).
- Jensen, OM; Knudsen, JB; McLaughlin, JK; Sorensen, BL. (1988). The Copenhagen case-control study of renal pelvis and ureter cancer: Role of smoking and occupational exposures. *Int J Cancer.* 41: 557-561. <http://dx.doi.org/10.1002/ijc.2910410414>.
- Jeon, JH; Kim, SD; Lim, TH; Lee, DH. (2005). Degradation of trichloroethylene by photocatalysis in an internally circulating slurry bubble column reactor. *Chemosphere.* 60: 1162-1168. <http://dx.doi.org/10.1016/j.chemosphere.2004.12.058>.
- Jeong, HH, o; Lee, SH, o; Kim, J; Kim, H; Kim, Y; Yoo, J; Chang, W; Lee, C. (2010). Microfluidic monitoring of *Pseudomonas aeruginosa* chemotaxis under the continuous chemical gradient. *Biosens Bioelectron.* 26: 351-356. <http://dx.doi.org/10.1016/j.bios.2010.08.006>.
- Jeong, HY; Anantharaman, K; Han, Y; Hayes, K. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environ Sci Technol.* 45: 5186-5194. <http://dx.doi.org/10.1021/es104387w>.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: reaction rates. *Environ Sci Technol.* 41: 6390-6396. <http://dx.doi.org/10.1021/es0706394>.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environ Sci Technol.* 41: 7736-7743. <http://dx.doi.org/10.1021/es0708518>.
- Jeong, J; Sekiguchi, K; Sakamoto, K. (2004). Photochemical and photocatalytic degradation of gaseous toluene using short-wavelength UV irradiation with TiO₂ catalyst: comparison of three UV sources. *Chemosphere.* 57: 663-671. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.037>.
- Jeong, KE; Kim, DC; Ihm, SK. (2003). The nature of low temperature deactivation of CoCr₂O₄ and CrOx/gamma-Al₂O₃ catalysts for the oxidative decomposition of trichloroethylene. *Catalysis Today.* 87: 29-34. <http://dx.doi.org/10.1016/j.cattod.2003.09.007>.
- Jeong, S; Wander, MM; Kleinedam, S; Grathwohl, P; Ligouis, B; Werth, CJ. (2008). The role of condensed carbonaceous materials on the sorption of hydrophobic organic contaminants in subsurface sediments. *Environ Sci Technol.* 42: 1458-1464. <http://dx.doi.org/10.1021/es0719879>.
- Jeong, S; Werth, CI. (2005). Evaluation of methods to obtain geosorbent fractions enriched in carbonaceous materials that affect hydrophobic organic chemical sorption. *Environ Sci Technol.* 39: 3279-3288. <http://dx.doi.org/10.1021/es0491836>.
- Jeong, SW; Corapcioglu, MY. (2003). A micromodel analysis of factors influencing NAPL removal by surfactant foam flooding. *J Contam Hydrol.* 60: 77-96.
- Jeong, SW; Corapcioglu, MY. (2003). Physical model analysis of foam-TCE displacement in porous media. *AIChE J.* 49: 782-788.

Fate Literature Search Results

Off Topic

- Jeong, SW; Corapcioglu, MY. (2005). Force analysis and visualization of NAPL removal during surfactant-related floods in a porous medium. *J Hazard Mater.* 126: 8-13. <http://dx.doi.org/10.1016/j.jhazmat.2005.06.015>.
- Jeong, SW; Corapcioglu, MY; Roosevelt, SE. (2000). Micromodel study of surfactant foam remediation of residual trichloroethylene. *Environ Sci Technol.* 34: 3456-3461. <http://dx.doi.org/10.1021/es9910558>.
- Jeong, SW; Ju, BK; Lee, BJ. (2009). Effects of alcohol-partitioning type and airflow on cosolvent flooding to benzene-LNAPL saturated porous media. *J Hazard Mater.* 166: 603-611. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.102>.
- Jeong, SW; Wood, AL; Lee, TR. (2002). Effects of pure and dyed PCE on physical and interfacial properties of remedial solutions. *J Hazard Mater.* 95: 125-135.
- Jericevic, A; Fagerli, H; Grisogono, B. (2012). Exploring the properties of local and non-local vertical diffusion schemes in the EMEP model using Rn-222 data. *Int J Environ Pollut.* 48: 231-243. <http://dx.doi.org/10.1504/IJEP.2012.049670>.
- Jesus, J; Frascari, D; Pozdniakova, T; Danko, AS. (2016). Kinetics of aerobic cometabolic biodegradation of chlorinated and brominated aliphatic hydrocarbons: A review [Review]. *J Hazard Mater.* 309: 37-52. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.065>.
- Jha, KC; Liu, Z; Vijwani, H; Nadagouda, M; Mukhopadhyay, SM; Tsige, M. (2016). Carbon Nanotube Based Groundwater Remediation: The Case of Trichloroethylene [Letter]. *Molecules.* 21. <http://dx.doi.org/10.3390/molecules21070953>.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Sci Technol.* 58: 2211-2214. <http://dx.doi.org/10.2166/wst.2008.576>.
- Ji, BT; Blair, A; Shu, XO; Chow, WH; Hauptmann, M; Dosemeci, M; Yang, G; Lubin, J; Gao, YT; Rothman, N; Zheng, W. (2008). Occupation and breast cancer risk among Shanghai women in a population-based cohort study. *Am J Ind Med.* 51: 100-110. <http://dx.doi.org/10.1002/ajim.20507>.
- Ji, J; Hemminki, K. (2005). Variation in the risk for liver and gallbladder cancers in socioeconomic and occupational groups in Sweden with etiological implications. *Int Arch Occup Environ Health.* 78: 641-649. <http://dx.doi.org/10.1007/s00420-005-0015-1>.
- Ji, SH; Nicholl, MJ; Glass, RJ; Lee, KK, un. (2006). Influence of simple fracture intersections with differing aperture on density-driven immiscible flow: Wetting versus nonwetting flows. *Water Resour Res.* 42. <http://dx.doi.org/10.1029/2006WR004953>.
- Ji, T; Tan, L; Bai, J; Hu, X; Xiao, S; Chen, Y. (2016). Synergistic dispersible graphene: Sulfonated carbon nanotubes integrated with PEDOT for large-scale transparent conductive electrodes. *Carbon.* 98: 15-23. <http://dx.doi.org/10.1016/j.carbon.2015.10.079>.
- Ji, WC; Hilaly, A; Sikdar, SK; Hwang, ST. (1994). OPTIMIZATION OF MULTICOMPONENT PERVAPORATION FOR REMOVAL OF VOLATILE, ORGANIC-COMPOUNDS FROM WATER. *J Memb Sci.* 97: 109-125.
- Ji, Y. (2014). Ions removal by iron nanoparticles: a study on solid-water interface with zeta potential. *Colloid Surface Physicochem Eng Aspect.* 444: 1-8. <http://dx.doi.org/10.1016/j.colsurfa.2013.12.031>.
- Ji, Y; Yang, Z; Ji, X; Feng, X, in; Huang, W; Liu, C; Li, W, ei; Lu, X. (2009). Thermodynamic Analysis on the Mineralization of Trace Organic Contaminants with Oxidants in Advanced Oxidation Processes. *Ind Eng Chem Res.* 48: 10728-10733. <http://dx.doi.org/10.1021/ie900620n>.
- Jia, CR; D'Souza, J; Batterman, S. (2008). Distributions of personal VOC exposures: A population-based analysis. *Environ Int.* 34: 922-931. <http://dx.doi.org/10.1016/j.envint.2008.02.002>.
- Jia, H; Gu, C; Boyd, SA; Teppen, BJ; Johnston, CT; Song, C; Li, H, ui. (2011). Comparison of Reactivity of Nanoscaled Zero-Valent Iron Formed on Clay Surfaces. *Soil Sci Soc Am J.* 75: 357-364. <http://dx.doi.org/10.2136/sssaj2010.0080nps>.
- Jia, H; Gu, C; Li, H; Fan, X; Li, S; Wang, C. (2012). Effect of groundwater geochemistry on pentachlorophenol remediation by smectite-templated nanosized Pd0/Fe0. *Environ Sci Pollut Res Int.* 19: 3498-3505. <http://dx.doi.org/10.1007/s11356-012-0895-z>.
- Jia, H, - L; Ye, QH; Qin, LX; Budhu, A; Forges, M; Chen, Y; Liu, YK; Sun, HC; Wang, L; Lu, HZ; Shen, F; Tang, ZY; Wang, XW. (2007). Gene expression profiling reveals potential biomarkers of human hepatocellular carcinoma. *Clin Cancer Res.* 13: 1133-1139. <http://dx.doi.org/10.1158/1078-0432.CCR-06-1025>.
- Jia, M; Coats, B; Chadha, M; Frentzen, B; Perez-Rodriguez, J; Chadik, P; Yost, R; Henderson, G; Stacpoole, P. (2006). Human kinetics of orally and intravenously administered low-dose 1,2-(13)C-dichloroacetate. *J Clin Pharmacol.* 46: 1449-1459. <http://dx.doi.org/10.1177/0091270006292627>.
- Jianchen, Z; Kunmin, G; Lan, M; Hongyang, Z. (2006). Reaction kinetic model of gaseous pollutant degradation over TiO2/AC photocatalyst. *Chinese journal of catalysis.* 27: 849-852.
- Jiang, G; Crimi, M; Fowler, K; Fu, X. (2011). Experimental design of diffusion and desorption of contaminant in heterogeneous media. *Water Sci Technol.* 64: 988-998. <http://dx.doi.org/10.2166/wst.2011.065>.
- Jiang, H, ui; Yang, X; Wang, E; Fu, Y; Liu, Y; Li, H; Cui, Z; Liu, Y; Hu, W. (2011). Organic single crystalline micro- and nanowires field-effect transistors of a tetrathiafulvalene (TTF) derivative with strong pi-pi orbits and S center dot center dot center dot S interactions. *Synthetic Metals.* 161: 136-142. <http://dx.doi.org/10.1016/j.synthmet.2010.11.009>.
- Jiang, SC; Paul, JH. (1996). Occurrence of lysogenic bacteria in marine microbial communities as determined by prophage induction. *Mar Ecol Prog Ser.* 142: 1-3.
- Jiang, X; Wu, Y; Wang, P; Li, H; Dong, W. (2013). Degradation of bisphenol A in aqueous solution by persulfate activated with ferrous ion. *Environ Sci Pollut Res Int.* 20: 4947-4953. <http://dx.doi.org/10.1007/s11356-013-1468-5>.
- Jiang, Y; Pétrier, C; Waite, TD. (2002). Kinetics and mechanisms of ultrasonic degradation of volatile chlorinated aromatics in aqueous solutions. *Ultrason Sonochem.* 9: 317-323.
- Jiang, Y; Su, M, in; Zhang, Y, ao; Zhan, G; Tao, Y; Li, D. (2013). Bioelectrochemical systems for simultaneously production of methane and acetate from carbon dioxide at relatively high rate. *Int J Hydrogen Energy.* 38: 3497-3502. <http://dx.doi.org/10.1016/j.ijhydene.2012.12.107>.

Fate Literature Search Results

Off Topic

- Jiang, Y; Wang, D; Zhang, G; Wang, G; Tong, J; Chen, T. (2015). Disruption of cardiogenesis in human embryonic stem cells exposed to trichloroethylene. *Environ Toxicol.* 31: 1372-1380. <http://dx.doi.org/10.1002/tox.22142>.
- Jiang, Y; Zhang, J; Xi, B; An, D; Yang, Y; Li, M. (2014). Degradation of toluene-2,4-diamine by persulphate: kinetics, intermediates and degradation pathway. *Environ Technol.* 36: 1-7. <http://dx.doi.org/10.1080/09593330.2014.993727>.
- Jiang, Z; Zhang, S; Pan, B; Wang, W; Wang, X; Lv, L, u; Zhang, W; Zhang, Q. (2012). A fabrication strategy for nanosized zero valent iron (nZVI)-polymeric anion exchanger composites with tunable structure for nitrate reduction. *J Hazard Mater.* 233: 1-6. <http://dx.doi.org/10.1016/j.jhazmat.2012.06.025>.
- Jiao, Y; Qiu, C; Huang, L; Wu, K; Ma, H; Chen, S; Ma, L; Wu, D. (2009). Reductive dechlorination of carbon tetrachloride by zero-valent iron and related iron corrosion. *Appl Catal B-Environ.* 91: 434-440. <http://dx.doi.org/10.1016/j.apcatb.2009.06.012>.
- Jin, B; Laskov, C; Rolle, M; Haderlein, SB. (2011). Chlorine isotope analysis of organic contaminants using GC-qMS: method optimization and comparison of different evaluation schemes. *Environ Sci Technol.* 45: 5279-5286. <http://dx.doi.org/10.1021/es200749d>.
- Jin, B; Rolle, M; Li, T; Haderlein, SB. (2014). Diffusive Fractionation of BTEX and Chlorinated Ethenes in Aqueous Solution: Quantification of Spatial Isotope Gradients. *Environ Sci Technol.* 48: 6141-6150. <http://dx.doi.org/10.1021/es4046956>.
- Jin, G; Englande, AJ. (1997). Biodegradation kinetics of carbon tetrachloride by *Pseudomonas cepacia* under varying oxidation-reduction potential conditions. *Water Environ Res.* 69: 1094-1099.
- Jin, L; Ma, R; Lin, J; Meng, L; Wang, Y; Luo, M. (2011). Bifunctional Pd/Cr2O3-ZrO2 Catalyst for the Oxidation of Volatile Organic Compounds. *Ind Eng Chem Res.* 50: 10878-10882. <http://dx.doi.org/10.1021/ie200599v>.
- Jin, S. (1991). SEPARATION OF DICHLOROETHANE TRICHLOROETHYLENE MIXTURES BY MEANS OF A MEMBRANE PERVAPORATION PROCESS. *Desalination.* 80: 85-95.
- Jin, S; Fallgren, PH. (2010). Electrically induced reduction of trichloroethene in clay. *J Hazard Mater.* 173: 200-204. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.069>.
- Jin, S; Fallgren, PH; Morris, JM; Edgar, ES. (2008). Degradation of trichloroethene in water by electron supplementation. *Chem Eng J.* 140: 642-645. <http://dx.doi.org/10.1016/j.cej.2008.01.035>.
- Jin, S; Shiraishi, F. (2004). Photocatalytic activities enhanced for decompositions of organic compounds over metal-photodepositing titanium dioxide. *Chem Eng J.* 97: 203-211. <http://dx.doi.org/10.1016/j.cej.2003.04.001>.
- Jin, X; Chen, Z; Wang, T; Chen, Z; Megharaj, M; Naidu, R. (2014). Simultaneous removal of co-contaminants: acid brilliant violet and Cu²⁺ by functional bimetallic Fe/Pd nanoparticles. *J Nanopart Res.* 16. <http://dx.doi.org/10.1007/s11051-014-2657-y>.
- Jin, XH, ua; Doloi, H. (2009). Modeling Risk Allocation in Privately Financed Infrastructure Projects Using Fuzzy Logic. *Computer-Aided Civil and Infrastructure Engineering.* 24: 509-524. <http://dx.doi.org/10.1111/j.1467-8667.2009.00609.x>.
- Jing, Z; Yan, L; Li, Y; Bo, Z; Xiao-Li, Z; Zhen, L. (2016). Determination of Metabolites of Benzene Compounds and Trichloroethylene in Urinary by Isotope Dilution-Ultra Performance Liquid Chromatography-Tandem Mass Spectrometry. *Chin J Anal Chem.* 44: 81-87. <http://dx.doi.org/10.11895/j.issn.0253-3820.150497>.
- Jinks, MA; Sun, H; Hunter, CA. (2014). Measurement of supramolecular effective molarities for intramolecular H-bonds in zinc porphyrin-imidazole complexes. *Org Biomol Chem.* 12: 1440-1447. <http://dx.doi.org/10.1039/c3ob42246a>.
- Jiricek, M; Sracek, O; Janda, V. (2007). Removal of chlorinated solvents from carbonate-buffered water by zero-valent iron. *Central European Journal of Chemistry.* 5: 87-106. <http://dx.doi.org/10.2478/s11532-006-0071-8>.
- Jirtle, RL; Meyer, SA; Brockenbrough, JS. (1991). Liver tumor promoter phenobarbital: A biphasic modulator of hepatocyte proliferation [Review]. *Prog Clin Biol Res.* 369: 209-216.
- Jiun-Horng, T; Kuo-Hsiung, L; Chih-Yu, C; Nina, L; Sen-Yi, M; Hung-Lung, C. (2008). Volatile organic compound constituents from an integrated iron and steel facility. *J Hazard Mater.* 157: 569-578. <http://dx.doi.org/10.1016/j.jhazmat.2008.01.022>.
- Jo, W. (2013). Photocatalytic Oxidation of Low-Level Airborne 2-Propanol and Trichloroethylene over Titania Irradiated with Bulb-Type Light-Emitting Diodes. *Materials.* 6: 265-278. <http://dx.doi.org/10.3390/ma6010265>.
- Jo, W; Kang, HJ. (2012). Photocatalytic performance of cylindrical reactor inserted with UV light-emitting-diodes for purification of low-level toxic volatile organic compounds. *Appl Surf Sci.* 259: 657-663. <http://dx.doi.org/10.1016/j.apsusc.2012.07.093>.
- Jo, W, anK; Kang, HJ. (2014). Aluminum sheet-based S-doped TiO₂ for photocatalytic decomposition of toxic organic vapors. *Chinese journal of catalysis.* 35: 1189-1195. [http://dx.doi.org/10.1016/S1872-2067\(14\)60076-0](http://dx.doi.org/10.1016/S1872-2067(14)60076-0).
- Jo, W; Kim, J. (2010). Decomposition of gas-phase aromatic hydrocarbons by applying an annular-type reactor coated with sulfur-doped photocatalyst under visible-light irradiation. *J Chem Tech Biotechnol.* 85: 485-492. <http://dx.doi.org/10.1002/jctb.2314>.
- Jo, W; Shin, SH, o. (2010). Photocatalytic decomposition of mobile-source related pollutants using a continuous-flow reactor. *J Environ Sci.* 22: 460-466. [http://dx.doi.org/10.1016/S1001-0742\(09\)60130-3](http://dx.doi.org/10.1016/S1001-0742(09)60130-3).
- Jo, W; Yang, C. (2010). Visible-light-induced photocatalysis of low-level methyl-tertiary butyl ether (MTBE) and trichloroethylene (TCE) using element-doped titanium dioxide. *Build Environ.* 45: 819-824. <http://dx.doi.org/10.1016/j.buildenv.2009.08.021>.
- Jo, W; Yang, SH; Shin, SH; Yang, SB. (2011). Utilization of Fin-Installed Annular Reactors Coated with Visible Light- or Ultraviolet-Driven Photocatalysts for Removal of Gas-Phase Monocyclic Aromatic Compounds. *Environ Eng Sci.* 28: 43-51. <http://dx.doi.org/10.1089/ees.2010.0181>.
- Jo, WK; Kang, HJ. (2015). Photocatalysis of sub-ppm limonene over multiwalled carbon nanotubes/titania composite nanofiber under visible-light irradiation. *J Hazard Mater.* 283: 680-688. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.067>.
- Jo, WK; Kim, JT. (2009). Application of visible-light photocatalysis with nitrogen-doped or unmodified titanium dioxide for control of indoor-level volatile organic compounds. *J Hazard Mater.* 164: 360-366. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.033>.

Fate Literature Search Results

Off Topic

- Jo, WK; Park, KH. (2004). Heterogeneous photocatalysis of aromatic and chlorinated volatile organic compounds (VOCs) for non-occupational indoor air application. *Chemosphere*. 57: 555-565. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.018>.
- Jo, WK; Weisel, CP; Liou, PJ. (1990). Chloroform exposure and the health risk associated with multiple uses of chlorinated tap water. *Risk Anal*. 10: 581-584.
- Jo, WK; Weisel, CP; Liou, PJ. (1990). Routes of chloroform exposure and body burden from showering with chlorinated tap water. *Risk Anal*. 10: 575-580.
- Jo, WK; Yang, CH. (2009). Feasibility of a tandem photocatalytic oxidation-adsorption system for removal of monoaromatic compounds at concentrations in the sub-ppm-range. *Chemosphere*. 77: 236-241. <http://dx.doi.org/10.1016/j.chemosphere.2009.07.034>.
- Jochmann, MA; Blessing, M; Haderlein, SB; Schmidt, TC. (2006). A new approach to determine method detection limits for compound-specific isotope analysis of volatile organic compounds. *Rapid Commun Mass Spectrom*. 20: 3639-3648. <http://dx.doi.org/10.1002/rcm.278>.
- Jochmann, MA; Yuan, X; Schmidt, TC. (2007). Determination of volatile organic hydrocarbons in water samples by solid-phase dynamic extraction. *Anal Bioanal Chem*. 387: 2163-2174. <http://dx.doi.org/10.1007/s00216-006-1066->.
- Joens, JA; Slifker, RA; Cadavid, EM; Martinez, RD; Nickelsen, MG; Cooper, WJ. (1995). IONIC-STRENGTH AND BUFFER EFFECTS IN THE ELIMINATION-REACTION OF 1,1,2,2-TETRACHLOROETHANE. *Water Res*. 29: 1924-1928.
- Johnson, AD; VanDemark, WL; Gomes, WR. (1967). The effect of antispermatogenic and hormone treatments on testicular cholesterol. *Fed Proc*. 26: 645.
- Johnson, FWA; Hobson, D. (1976). FACTORS AFFECTING SENSITIVITY OF REPLICATING MCCOY CELLS IN ISOLATION AND GROWTH OF CHLAMYDIA-A (TRIC AGENTS). *J Hyg*. 76: 441-451.
- Johnson, GR; Norris, DK; Brusseau, ML. (2009). Mass removal and low-concentration tailing of trichloroethene in freshly-amended, synthetically-aged, and field-contaminated aquifer material. *Chemosphere*. 75: 542-548. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.004>.
- Johnson, P; Dawson, B; Goldberg, S. (1998). A review: Trichloroethylene metabolites: Potential cardiac teratogens [Review]. *Environ Health Perspect*. 106: 995-999.
- Johnson, PD; Dawson, BV; Goldberg, SJ; Mays, MZ. (2004). Trichloroethylene: Johnson et al.'s response [Letter]. *Environ Health Perspect*. 112: A608-A609. <http://dx.doi.org/10.1289/ehp.112-a608>.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2002). Threshold of Trichloroethylene Contamination in Maternal Drinking Waters Affecting Fetal Heart Development in the Rat. *Environ Health Perspect*. 111: 289-292. <http://dx.doi.org/10.1289/ehp.5125>.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2005). Threshold of trichloroethylene contamination in maternal drinking waters affecting fetal heart development in the rat (vol 111, pg 289, 2003). *Environ Health Perspect*. 113: A18-A18.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2014). Erratum: Erratum for Johnson et al. [*Environ Health Perspect* 113:A18 (2005)]. *Environ Health Perspect*. 122: A94. <http://dx.doi.org/10.1289/ehp.122-A94>.
- Johnson, RL; Simon, MA. (2007). Evaluation of groundwater flow patterns around a dual-screened groundwater circulation well. *J Contam Hydrol*. 93: 188-202. <http://dx.doi.org/10.1016/j.jconhyd.2007.02.003>.
- Johnson, RL; Tratnyek, PG; Johnson, ROB. (2008). Persulfate Persistence under Thermal Activation Conditions. *Environ Sci Technol*. 42: 9350-9356. <http://dx.doi.org/10.1021/es8019462>.
- Johnsrud, EK; Koukouritaki, SB; Divakaran, K; Brunengraber, LL; Hines, RN; Mccarver, DG. (2003). Human hepatic CYP2E1 expression during development. *J Pharmacol Exp Ther*. 307: 402-407. <http://dx.doi.org/10.1124/jpet.102.053124>.
- Johnston, JE; Gibson, JM. (2011). Probabilistic Approach to Estimating Indoor Air Concentrations of Chlorinated Volatile Organic Compounds from Contaminated Groundwater: A Case Study in San Antonio, Texas. *Environ Sci Technol*. 45: 1007-1013. <http://dx.doi.org/10.1021/es102099h>.
- Jonasson, A; Savoia, M; Persson, O; Fredenslund, A. (1994). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIUM DATA FOR ETHER PLUS GLYCOL, CHLOROALKENE PLUS GLYCOL, EPOXY ETHER PLUS ALKANE, EPOXY ETHER PLUS ALKENE, AND EPOXY ETHER PLUS CHLOROALKANE SYSTEMS. *Journal of Chemical and Engineering Data*. 39: 134-139.
- Jones, AP; Watts, RJ. (1997). Dry Phase Titanium Dioxide-Mediated Photocatalysis: Basis for In Situ Surface Destruction of Hazardous Chemicals: The Boulevard Kidlington Oxford OX5 1GB.
- Jones, BD; Ingle, JD. (2005). Evaluation of redox indicators for determining sulfate-reducing and dechlorinating conditions. *Water Res*. 39: 4343-4354. <http://dx.doi.org/10.1016/j.watres.2005.09.006>.
- Jones, EH; Reynolds, DA; Wood, AL; Thomas, DG. (2011). Use of Electrophoresis for Transporting Nano-Iron in Porous Media. *Ground Water*. 49: 172-183. <http://dx.doi.org/10.1111/j.1745-6584.2010.00718.x>.
- Jones, RM; Dell, L; Torres, C; Simmons, CE; Poole, J; Boelter, FW; Harper, P. (2015). Exposure Reconstruction and Risk Analysis for Six Semiconductor Workers With Lymphohematopoietic Cancers. *J Occup Environ Med*. 57: 649-658. <http://dx.doi.org/10.1097/JOM.0000000000000413>.
- Jones, TW; Howatson, G; Russell, M; French, DN. (2013). Validity and reproducibility of a lower limb isokinetic muscular endurance testing protocol. *Isokinetics and Exercise Science*. 21: 311-316. <http://dx.doi.org/10.3233/IES-130502>.
- Jones, TW; Qin, C; Schaeffer, VH; Stevens, JL. (1988). Immunohistochemical localization of glutamine transaminase K, a rat kidney cysteine conjugate beta-lyase, and the relationship to the segment specificity of cysteine conjugate nephrotoxicity. *Mol Pharmacol*. 34: 621-627.
- Jongwutiwes, S; Tanabe, K; Hughes, MK; Kanbara, H; Hughes, AL. (1994). ALLELIC VARIATION IN THE CIRCUMSPOROZOITE PROTEIN OF PLASMODIUM-FALCIPARUM FROM THAI FIELD ISOLATES. *Am J Trop Med Hyg*. 51: 659-668.
- Joo, H; Jeong, H; Jeon, M; Moon, I. (2003). The use of plastic optical fibers in photocatalysis of trichloroethylene. *Solar Energy Materials and Solar Cells*. 79: 93-101.

Fate Literature Search Results

Off Topic

- Joo, JC; Ahn, CH; Jang, DG; Yoon, YH; Kim, JK; Campos, L; Ahn, H. (2013). Photocatalytic degradation of trichloroethylene in aqueous phase using nano-ZNO/Laponite composites. *J Hazard Mater.* 263 Pt 2: 569-574. <http://dx.doi.org/10.1016/j.jhazmat.2013.10.017>.
- Jopski, T; Wiecker, A. (1992). SOLUBILITY MEMBRANES IN WASTE AIR AND WASTE-WATER PURIFICATION. 82: 342-345.
- Jorquera, R; Tanguay, R. (2001). Fumarylacetoacetate, the metabolite accumulating in hereditary tyrosinemia, activates the ERK pathway and induces mitotic abnormalities and genomic instability. *Hum Mol Genet.* 10: 1741-1752.
- Joshi, SS; Aminabhavi, TM; Shukla, SS. (1991). DENSITIES AND VISCOSITIES OF BINARY-MIXTURES OF BROMOFORM WITH ANISOLE, ACETOPHENONE, ETHYL BENZOATE, 1,2-DICHLOROETHANE AND 1,1,2,2-TETRACHLORO-ETHANE FROM 298.15 TO 313.15K. 29: 319-326.
- Josse, F; Lukas, R; Zhou, RN; Schneider, S; Everhart, D. (1996). AC-impedance-based chemical sensors for organic solvent vapors. *Sens Actuators B.* 36: 363-369.
- Jothiramalingam, R; Wang, MK. (2007). Synthesis, characterization and photocatalytic activity of porous manganese oxide doped titania for toluene decomposition. *J Hazard Mater.* 147: 562-569. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.069>.
- Jou, CJG; Lee, CL; Tsai, CH; Wang, HP. (2008). Microwave-assisted photocatalytic degradation of trichloroethylene using titanium dioxide. *Environ Eng Sci.* 25: 975-979. <http://dx.doi.org/10.1089/ees.2007.0155>.
- Jou, C-JG; Hsieh, S-C; Lee, C-L; Lin, C; Huang, H-W. (2010). Combining zero-valent iron nanoparticles with microwave energy to treat chlorobenzene. *Taiwan Institute of Chemical Engineers Journal.* 41: 216-220. <http://dx.doi.org/10.1016/j.tjice.2009.08.012>.
- Jou, GCJ. (1998). Application of activated carbon in a microwave radiation field to treat trichloroethylene. *Carbon.* 36: 1643-1648.
- Jou, JD; Yoshida, W; Cohen, Y. (1999). A novel ceramic-supported polymer membrane for pervaporation of dilute volatile organic compounds. *J Memb Sci.* 162: 269-284.
- Joun, W, onTak; Lee, SS, un; Koh, YE, un; Lee, KK, un. (2016). Impact of Water Table Fluctuations on the Concentration of Borehole Gas from NAPL Sources in the Vadose Zone. *Vadose Zone Journal.* 15. <http://dx.doi.org/10.2136/vzj2015.09.0124>.
- Joung, SK; Amemiya, T; Murabayashi, M; Cai, R; Itoh, K. (2005). Chemical adsorption of phosgene on TiO₂ and its effect on the photocatalytic oxidation of trichloroethylene. *Surf Sci.* 598: 174-184. <http://dx.doi.org/10.1016/j.susc.2005.08.037>.
- Joung, SK, il; Amemiya, T; Murabayashi, M; Itoh, K. (2006). Adsorbed species on TiO₂ associated with the photocatalytic oxidation of trichloroethylene under UV. *J Photochem Photobiol A.* 184: 273-281. <http://dx.doi.org/10.1016/j.jphotochem.2006.04.040>.
- Jović, F; Kosar, V; Tomašić, V; Gomzi, Z. (2011). Non-ideal flow in an annular photocatalytic reactor. *Chem Eng Res Des.* 90: 1297-1306. <http://dx.doi.org/10.1016/j.cherd.2011.12.014>.
- Ju, XM; Hecht, M; Galhotra, RA; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2006). Destruction of gas-phase trichloroethylene in a modified fuel cell. *Environ Sci Technol.* 40: 612-617. <http://dx.doi.org/10.1021/es0514895>.
- Juang, RS; Tsai, SY. (2006). Role of membrane-attached biofilm in the biodegradation of phenol and sodium salicylate in microporous membrane bioreactors. *J Memb Sci.* 282: 484-492. <http://dx.doi.org/10.1016/j.memsci.2006.06.007>.
- Jugnet, Y; Bertolini, JC; Barbosa, LAM, M; Sautet, P. (2002). Vibrational identification of the surface reaction intermediates for the dehalogenation of trichloroethene on PdCu(110) alloy. *Surf Sci.* 505: 153-162.
- Juliastuti, SR; Baeyens, J; Creemers, C. (2003). Inhibition of nitrification by heavy metals and organic compounds: The ISO 9509 test. *Environ Eng Sci.* 20: 79-90.
- Juliastuti, SR; Baeyens, J; Creemers, C; Bixio, D; Lodewyckx, E. (2003). The inhibitory effects of heavy metals and organic compounds on the net maximum specific growth rate of the autotrophic biomass in activated sludge. *J Hazard Mater.* 100: 271-283. [http://dx.doi.org/10.1016/S0304-3894\(03\)00116-X](http://dx.doi.org/10.1016/S0304-3894(03)00116-X).
- Julien, M; Nun, P; Höhener, P; Parinet, J; Robins, RJ; Remaud, GS. (2016). Enhanced forensic discrimination of pollutants by position-specific isotope analysis using isotope ratio monitoring by ¹³C nuclear magnetic resonance spectrometry. *Talanta.* 147: 383-389. <http://dx.doi.org/10.1016/j.talanta.2015.10.010>.
- Julien, M; Parinet, J; Nun, P; Bayle, K; Höhener, P; Robins, RJ; Remaud, GS. (2015). Fractionation in position-specific isotope composition during vaporization of environmental pollutants measured with isotope ratio monitoring by ¹³C nuclear magnetic resonance spectrometry. *Environ Pollut.* 205: 299-306. <http://dx.doi.org/10.1016/j.envpol.2015.05.047>.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater.* 152: 62-70. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.061>.
- Jung, B; Batchelor, B. (2008). Dechlorination of trichloroethylene formed from 1,1,2,2-tetrachloroethane by dehydrochlorination in Portland cement slurry including Fe(II). *Chemosphere.* 71: 726-734. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.020>.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ.* 449: 443-450. <http://dx.doi.org/10.1016/j.scitotenv.2013.01.085>.
- Jung, BM; Batchelor, B; Park, JY; Abdel-Wahab, A. (2014). Linear Free Energy Relationship Analysis of Chlorinated Hydrocarbons in Cement Slurries. *International Journal of Environmental Research.* 8: 819-830.
- Jung, H; Ahn, Y; Choi, H; Kim, IS. (2005). Effects of in-situ ozonation on indigenous microorganisms in diesel contaminated soil: survival and regrowth. *Chemosphere.* 61: 923-932. <http://dx.doi.org/10.1016/j.chemosphere.2005.03.038>.
- Jung, J; Yoon, JH; Chung, HH; Lee, MJ. (2003). Comparative study of H₂O₂ and O₃ effects on radiation treatment of TCE and PCE. *Chemosphere.* 51: 881-885. [http://dx.doi.org/10.1016/S0045-6535\(03\)00039-0](http://dx.doi.org/10.1016/S0045-6535(03)00039-0).
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol.* 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.
- Jung, KY; Bin Park, S; Ihm, SK. (2002). Linear relationship between the crystallite size and the photoactivity of non-porous titania ranging from nanometer to micrometer size. *Appl Catal A-Gen.* 224: 229-237.

Fate Literature Search Results

Off Topic

- Jung, KY; Kang, YC; Park, SB. (1997). Photodegradation of trichloroethylene using nanometre-sized ZnO particles prepared by spray pyrolysis. *Journal of Mater Sci Lett.* 16: 1848-1849.
- Jung, KY; Park, SB. (2000). Enhanced photoactivity of silica-embedded titania particles prepared by sol-gel process for the decomposition of trichloroethylene. *Appl Catal B-Environ.* 25: 249-256.
- Jung, KY; Park, SB. (2004). Photoactivity of SiO₂/TiO₂ and ZrO₂/TiO₂ mixed oxides prepared by sol-gel method. *Mater Lett.* 58: 2897-2900. <http://dx.doi.org/10.1016/j.matlet.2004.05.015>.
- Jung, KY; Park, SB; Ihm, SK. (2004). Local structure and photocatalytic activity of B₂O₃-SiO₂/TiO₂ ternary mixed oxides prepared by sol-gel method. *Appl Catal B-Environ.* 51: 239-245. <http://dx.doi.org/10.1016/j.apcatb.2004.03.010>.
- Jung, KY; Park, SB; Matsuoka, M; Anpo, M. (2003). In-situ investigations of the photoluminescence properties of SiO₂/TiO₂ binary and Boron-SiO₂/TiO₂ ternary oxides prepared by the sol-gel method and their photocatalytic reactivity for the oxidative decomposition of trichloroethylene. *Intl J Photoenergy.* 5: 31-36.
- Jung Lin, C; Lo, SL. (2005). Effects of iron surface pretreatment on sorption and reduction kinetics of trichloroethylene in a closed batch system. *Water Res.* 39: 1037-1046. <http://dx.doi.org/10.1016/j.watres.2004.06.035>.
- Jung, SC; Kim, BH; Kim, SJ; Imaishi, N; Cho, YI. (2005). Characterization of a TiO₂ photocatalyst film deposited by CVD and its photocatalytic activity. *Chemical Vapor Deposition.* 11: 137-141. <http://dx.doi.org/10.1002/cvde.200406321>.
- Jung, W; Fujita, M. (1991). Optimal conditions of purge trap/on-column cryofocusing method with capillary gas chromatography for determination of volatile halogenated hydrocarbons in aqueous samples. *Eisei Kagaku.* 37: 395-400.
- Jung, WT; Fujita, M; Sohn, D. (1992). Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal time-series changes (pp. 490-497). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/93/16067). Jung, WT; Fujita, M; Sohn, D.
- Jung, YS; Lim, WT; Park, JY; Kim, YH. (2009). Effect of pH on Fenton and Fenton-like oxidation. *Environ Technol.* 30: 183-190. <http://dx.doi.org/10.1080/09593330802468848>.
- Juntunen, J; Antti-Poika, M; Tola, S; Partanen, T. (1982). Clinical prognosis of patients with diagnosed chronic solvent intoxication. *Acta Neurol Scand.* 65: 488-503. <http://dx.doi.org/10.1111/j.1600-0404.1982.tb03105.x>.
- Juran, BD; Lazaridis, KN. (2006). Genomics and complex liver disease: Challenges and opportunities [Review]. *Hepatology.* 44: 1380-1390. <http://dx.doi.org/10.1002/hep.21453>.
- Jurkiewicz, A; Maciel, GE. (1995). SOLID-STATE ¹³C NMR STUDIES OF THE INTERACTION OF ACETONE CARBON TETRACHLORIDE AND TRICHLOROETHYLENE WITH SOIL COMPONENTS. *Sci Total Environ.* 164: 195-202.
- Just, S. R.; Stockwell, KJ. (1993). COMPARISON OF THE EFFECTIVENESS OF EMERGING INSITU TECHNOLOGIES AND TRADITIONAL EXSITU TREATMENT OF SOLVENT-CONTAMINATED SOILS. *ACS Symp Ser Am Chem Soc.* 518: 238-277.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, S; Edwards, EA; Löffler, FE. (2014). Bioaugmentation with distinct Dehalobacter strains achieves chloroform detoxification in microcosms. *Environ Sci Technol.* 48: 1851-1858. <http://dx.doi.org/10.1021/es403582f>.
- Kadlec, RH; Martin, DC; Tsao, D. (2012). Constructed marshes for control of chlorinated ethenes: An 11-year study. *Ecol Eng.* 46: 11-23. <http://dx.doi.org/10.1016/j.ecoleng.2012.04.032>.
- Kadry, AM; Farghali, H; Abdel-Rahman, MS. (1989). Toxicity and metabolism of trichloroethylene in rat hepatocytes. *Arch Environ Contam Toxicol.* 18: 888-894.
- Kadu, BS; Limaye, RA; Natu, AD; Chikate, RC. (2013). Potentiality of Fe-Ni nanocomposites towards environmental abatement of magenta dye. *Environ Prog Sustain Energy.* 32: 615-623. <http://dx.doi.org/10.1002/ep.11672>.
- Kaewsaneee, J; Visal-Athaphand, P; Supaphol, P; Pavarajarn, V. (2010). Fabrication and characterization of neat and aluminium-doped titanium (IV) oxide fibers prepared by combined sol gel and electrospinning techniques. *Ceramics International.* 36: 2055-2061. <http://dx.doi.org/10.1016/j.ceramint.2010.04.004>.
- Kaewsaneee, J; Visal-Athaphand, P; Supaphol, P; Pavarajarn, V. (2011). Effects of Magnesium and Zirconium Dopants on Characteristics of Titanium(IV) Oxide Fibers Prepared by Combined Sol-Gel and Electrospinning Techniques. *Ind Eng Chem Res.* 50: 8042-8049. <http://dx.doi.org/10.1021/ie102527p>.
- Käfer, E. (1986). Tests which distinguish induced crossing-over and aneuploidy from secondary segregation in *Aspergillus* treated with chloral hydrate or gamma-rays. *Mutat Res.* 164: 145-166. [http://dx.doi.org/10.1016/0165-1161\(86\)90006-3](http://dx.doi.org/10.1016/0165-1161(86)90006-3).
- Kaifas, D; Malleret, L; Kumar, N; Fétimi, W; Claeys-Bruno, M; Sergent, M; Doumenq, P. (2014). Assessment of potential positive effects of nZVI surface modification and concentration levels on TCE dechlorination in the presence of competing strong oxidants, using an experimental design. *Sci Total Environ.* 481: 335-342. <http://dx.doi.org/10.1016/j.scitotenv.2014.02.043>.
- Kaiser, JP; Raschle, P. (1995). BIOLOGICAL-MATERIAL DEGRADATION - RECYCLING AND RECOVERY OF MATERIALS. *Chimia.* 49: 214-221.
- Kaiser, KL; Mckinnon, MB; Stendahl, DH; Pett, WB. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem.* 14: 2107-2113.
- Kaiser, M; Emmerich, R; Urban, H; Joos, M; Elsner, P. (2003). Bifocal plasma source for treatment of gaseous pollutants. *Surf Coating Tech.* 174: 498-502. [http://dx.doi.org/10.1016/S0257-8972\(02\)00622-4](http://dx.doi.org/10.1016/S0257-8972(02)00622-4).
- Kakinoki, K; Yamane, K; Teraoka, F; Otsuka, M; Matsuda, Y. (2004). Effect of relative humidity on the photocatalytic activity of titanium dioxide and photostability of famotidine. *J Pharm Sci.* 93: 582-589. <http://dx.doi.org/10.1002/jps.10575>.
- Kalimuthu, K; Solomon, RDJ; Ganesh-Kumar, S; Vimalan, J. (2011). REDUCTIVE DECHLORINATION OF PERCHLOROETHYLENE BY BACILLUS SP JSK1 ISOLATED FROM DRY CLEANING INDUSTRIAL SLUDGE. *Carpath J Earth Env.* 6: 165-170.
- Kaluzny, P; Chazal, S; Jacob, V; Tripoli, F; Baussand, P; Foster, P. (2001). Characterisation of volatile organic compound emissions during the composting of household wastes. *Fresen Environ Bull.* 10: 520-526.

Fate Literature Search Results

Off Topic

- Kaluzny, P; Ferronato, C; Jacob, V; Baussand, P; Foster, P. (1998). Interactions between chlorinated and biogenic compounds. *Fresen Environ Bull.* 7: 267-271.
- Kambe, R; Imai, R; Takada, T; Arakawa, M; Kuroda, M. (1995). MCM SUBSTRATE WITH HIGH CAPACITANCE. 18: 23-27.
- Kamgang-Youbi, G; Poizot, K; Lemont, F. (2013). Inductively coupled plasma torch efficiency at atmospheric pressure for organo-chlorine liquid waste removal: Chloroform destruction in oxidative conditions. *J Hazard Mater.* 244: 171-179. <http://dx.doi.org/10.1016/j.jhazmat.2012.10.072>.
- Kamijima, M; Hisanaga, N; Wang, H; Nakajima, T. (2007). Occupational trichloroethylene exposure as a cause of idiosyncratic generalized skin disorders and accompanying hepatitis similar to drug hypersensitivities [Review]. *Int Arch Occup Environ Health.* 80: 357-370. <http://dx.doi.org/10.1007/s00420-006-0147-y>.
- Kamijima, M; Wang, H; Huang, H; Li, L; Shibata, E; Lin, B; Sakai, K; Liu, H; Tsuchiyama, F; Chen, J; Okamura, A; Huang, X; Hisanaga, N; Huang, Z; Ito, Y; Takeuchi, Y; Nakajima, T. (2008). Trichloroethylene causes generalized hypersensitivity skin disorders complicated by hepatitis. *J Occup Health.* 50: 328-338.
- Kamijo, Y; Hora, K; Nakajima, T; Kono, K; Takahashi, K; Ito, Y; Higuchi, M; Kiyosawa, K; Shigematsu, H; Gonzalez, FJ; Aoyama, T. (2007). Peroxisome proliferator-activated receptor alpha protects against glomerulonephritis induced by long-term exposure to the plasticizer di-(2-ethylhexyl)phthalate. *J Am Soc Nephrol.* 18: 176-188. <http://dx.doi.org/10.1681/asn.2006060597>.
- Kaminska, I; Lisovtyskiy, D; Casale, S; Srebrowata, A; Dzwigaj, S. (2017). Influence of preparation procedure on catalytic activity of PdBEA zeolites in aqueous phase hydrodechlorination of 1,1,2-trichloroethene. *Microporous and Mesoporous Materials.* 237: 65-73. <http://dx.doi.org/10.1016/j.micromeso.2016.09.023>.
- Kamolpornwijit, W; Liang, LY; Moline, GR; Hart, T; West, OR. (2004). Identification and quantification of mineral precipitation in Fe-0 filings from a column study. *Environ Sci Technol.* 38: 5757-5765. <http://dx.doi.org/10.1021/es035085t>.
- Kamon, M; Endo, K; Kawabata, J; Inui, T; Katsumi, T. (2004). Two-dimensional DNAPL migration affected by groundwater flow in unconfined aquifer. *J Hazard Mater.* 110: 1-12. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.033>.
- Kan, E; Kim, S; Deshusses, MA. (2007). Fenton oxidation of TCE vapors in a foam reactor. *Environmental Progress.* 26: 226-232. <http://dx.doi.org/10.1002/ep.10205>.
- Kan, ES; Deshusses, MA. (2006). Cometabolic degradation of TCE vapors in a foamed emulsion bioreactor. *Environ Sci Technol.* 40: 1022-1028. <http://dx.doi.org/10.1021/es0510055>.
- Kananizadeh, N; Chokejaroenrat, C; Li, Y; Comfort, S. (2015). Modeling improved ISCO treatment of low permeable zones via viscosity modification: assessment of system variables. *J Contam Hydrol.* 173: 25-37. <http://dx.doi.org/10.1016/j.jconhyd.2014.11.009>.
- Kanda, H. (2009). The Environmental and Genetic Approach for Life on Earth (EAGLE) project. *Polar Science.* 3: 189-196. <http://dx.doi.org/10.1016/j.polar.2009.06.005>.
- Kandris, K; Antoniou, K; Pantazidou, M; Mamais, D. (2015). Modelling microbial dechlorination of trichloroethene: investigating the trade-off between quality of fit and parameter reliability. *Bull Environ Contam Toxicol.* 94: 295-301. <http://dx.doi.org/10.1007/s00128-014-1436-x>.
- Kane, MS; Bushong, JH; Foley, HC; Brendley, WH. (1998). Effect of nanopore size distributions on trichloroethylene adsorption and desorption on carbogenic adsorbents. *Ind Eng Chem Res.* 37: 2416-2425.
- Kaneko, T; Wang, P; Sato, A. (1997). Assessment of the health effects of trichloroethylene [Review]. *Ind Health.* 35: 301-324.
- Kaneko, T; Wang, PY; Sato, A. (1994). Enzymes induced by ethanol differently affect the pharmacokinetics of trichloroethylene and 1,1,1-trichloroethane. *Occup Environ Med.* 51: 113-119.
- Kaneko, T; Wang, PY; Sato, A. (1994). Partition coefficients of some acetate esters and alcohols in water, blood, olive oil, and rat tissues. *Occup Environ Med.* 51: 68-72. <http://dx.doi.org/10.1136/oem.51.1.68>.
- Kanel, SR; Goswami, RR; Clement, TP; Barnett, MO; Zhao, D. (2008). Two dimensional transport characteristics of surface stabilized zero-valent iron nanoparticles in porous media. *Environ Sci Technol.* 42: 896-900. <http://dx.doi.org/10.1021/es071774j>.
- Kang, H; Xiu, Z; Chen, J; Cao, W; Guo, Y; Li, T; Jin, Z. (2012). Reduction of nitrate by bimetallic Fe/Ni nanoparticles. *Environ Technol.* 33: 2185-2192. <http://dx.doi.org/10.1080/09593330.2012.665486>.
- Kang, HS, uk; Choi, J; Cho, W; Lee, H; Lee, D; Lee, D, aiGil; Kim, H, eeTak. (2016). Silver nanowire networks embedded in a cure-controlled optical adhesive film for a transparent and highly conductive electrode. 4: 9834-9840. <http://dx.doi.org/10.1039/c6tc03817d>.
- Kang, JW; Le, KH. (1997). A kinetic model of the hydrogen peroxide UV process for the treatment of hazardous waste chemicals. *Environ Eng Sci.* 14: 183-192.
- Kang, JW; Lee, KH; Koh, CI; Nam, SN. (2001). The kinetics of the sonochemical process for the destruction of aliphatic and aromatic hydrocarbons. *Korean J Chem Eng.* 18: 336-341.
- Kang, M; Lee, JH; Lee, SH; Chung, CH; Yoon, KJ; Ogino, K; Miyata, S; Choung, SJ. (2003). Preparation of TiO₂ film by the MOCVD method and analysis for decomposition of trichloroethylene using in situ FT-IR spectroscopy. *J Mol Catal Chem.* 193: 273-283.
- Kang, MG, yu; Park, H, uij; Ahn, S, eH; Xu, T; Guo, LJ, ay. (2010). Toward Low-Cost, High-Efficiency, and Scalable Organic Solar Cells with Transparent Metal Electrode and Improved Domain Morphology. *I E E E Journal on Selected Topics in Quantum Electronics.* 16: 1807-1820. <http://dx.doi.org/10.1109/JSTQE.2010.2044634>.
- Kang, N; Hua, I; Rao, PSC. (2004). Production and characterization of encapsulated potassium permanganate for sustained release as an in situ oxidant. *Ind Eng Chem Res.* 43: 5187-5193. <http://dx.doi.org/10.1021/ie0499097>.
- Kang, S; Seo, H; Sun, E; Kim, I; Roh, Y, ul; Anonymous. (2010). Remediation of TCE-contaminated groundwater using nanocatalyst and bacteria. *Geochim Cosmo Acta.* 74: A494.

Fate Literature Search Results

Off Topic

- Kang, SK; Seo, H; Sun, E; Kim, I; Roh, Y. (2011). Remediation of TCE-contaminated groundwater using nanocatalyst and bacteria. *J Nanosci Nanotechnol.* 11: 7172-7175. <http://dx.doi.org/10.1166/jnn.2011.4872>.
- Kang, WH; Hwang, I; Park, JY. (2006). Dechlorination of trichloroethylene by a steel converter slag amended with Fe(II). *Chemosphere.* 62: 285-293. <http://dx.doi.org/10.1016/j.chemosphere.2005.05.011>.
- Kango, RA; Quinn, JG. (1992). A combined reversed-phase and purge and trap chromatographic method to study the interaction of volatile organic compounds with dissolved humic acid in aqueous solutions. *Environ Sci Technol.* 26: 163-165.
- Kanisawa, M; Suzuki, S. (1978). Induction of renal and hepatic tumors in mice by ochratoxin A, a mycotoxin. *Gann.* 69: 599-600.
- Kantachote, D; Singleton, I; McClure, N; Naidu, R; Megharaj, M; Harch, BD. (2003). DDT resistance and transformation by different microbial strains isolated from DDT-contaminated soils and compost materials. *Compost Science and Utilization.* 11: 300-310.
- Kantachote, D; Singleton, I; Naidu, R; McClure, N; Megharaj, M. (2004). Sodium application enhances DDT transformation in a long-term contaminated soil. *Water Air Soil Pollut.* 154: 115-125.
- Kanu, AB; Hill, HH; Gribb, MM; Walters, RN. (2007). A small subsurface ion mobility spectrometer sensor for detecting environmental soil-gas contaminants. *J Environ Monit.* 9: 51-60. <http://dx.doi.org/10.1039/b610493b>.
- Kao, CM. (2014). Recovery of chlorinated solvent trichloroethylene contaminated groundwater using a hybrid treatment system. *Int J Environ Sci Tech.* 11: 149-158. <http://dx.doi.org/10.1007/s13762-012-0161-4>.
- Kao, CM; Chen, KF; Chen, YL; Chen, TY; Huang, WY. (2004). Biobarrier system for remediation of TCE-contaminated aquifers. *Bull Environ Contam Toxicol.* 72: 87-93. <http://dx.doi.org/10.1007/s00128-003-0244-5>.
- Kao, CM; Chen, SC; Liu, JK. (2001). Development of a biobarrier for the remediation of PCE-contaminated aquifer. *Chemosphere.* 43: 1071-1078.
- Kao, CM; Chen, SC; Su, MC. (2001). Laboratory column studies for evaluating a barrier system for providing oxygen and substrate for TCE biodegradation. *Chemosphere.* 44: 925-934.
- Kao, CM; Chen, YL; Chen, SC; Yeh, TY; Wu, WS. (2003). Enhanced PCE dechlorination by biobarrier systems under different redox conditions. *Water Res.* 37: 4885-4894. <http://dx.doi.org/10.1016/j.watres.2003.08.001>.
- Kao, CM; Huang, KD; Wang, JY; Chen, TY; Chien, HY. (2008). Application of potassium permanganate as an oxidant for in situ oxidation of trichloroethylene-contaminated groundwater: a laboratory and kinetics study. *J Hazard Mater.* 153: 919-927. <http://dx.doi.org/10.1016/j.jhazmat.2007.09.116>.
- Kao, CM; Lei, SE. (2000). Using a peat biobarrier to remediate PCE/TCE contaminated aquifers. *Water Res.* 34: 835-845.
- Kao, CM; Liao, HY; Chien, CC; Tseng, YK; Tang, P; Lin, CE; Chen, SC. (2016). The change of microbial community from chlorinated solvent-contaminated groundwater after biostimulation using the metagenome analysis. *J Hazard Mater.* 302: 144-150. <http://dx.doi.org/10.1016/j.jhazmat.2015.09.047>.
- Kao, CM; Yang, L. (2000). Enhanced bioremediation of trichloroethene contaminated by a biobarrier system. *Water Sci Technol.* 42: 429-434.
- Kaown, D; Shouakar-Stash, O; Yang, J; Hyun, Y; Lee, KK. (2014). Identification of multiple sources of groundwater contamination by dual isotopes. *Ground Water.* 52: 875-885. <http://dx.doi.org/10.1111/gwat.12130>.
- Kappas, A. (1989). On the mechanisms of induced aneuploidy in *Aspergillus nidulans* and validation of tests for genomic mutations. In MA Resnick; BK Vig (Eds.), *Prog Clin Biol Res* (pp. 377-384). New York, NY: Wiley.
- Kara, S. (2003). Health effects - Study links TCE to male infertility. *Chem Week.* 165: 47-47.
- Karami, S; Bassig, B; Stewart, PA; Lee, KM, u; Rothman, N; Moore, L; Lan, Q. (2013). Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis. *Occup Environ Med.* 70: 591-599. <http://dx.doi.org/10.1136/oemed-2012-101212>.
- Karami, S; Boffetta, P; Brennan, P; Stewart, PA; Zaridze, D; Matveev, V; Janout, V; Kollarova, H; Bencko, V; Navratilova, M; Szeszenia-Dabrowska, N; Mates, D; Gromiec, JP; Sobotka, R; Chow, WH; Rothman, N; Moore, LE. (2011). Renal cancer risk and occupational exposure to polycyclic aromatic hydrocarbons and plastics. *J Occup Environ Med.* 53: 218-223. <http://dx.doi.org/10.1097/JOM.0b013e31820a40a3>.
- Karami, S; Lan, Q; Rothman, N; Stewart, PA; Lee, KM, u; Vermeulen, R; Moore, L. (2012). Occupational trichloroethylene exposure and kidney cancer risk: a meta-analysis. *Occup Environ Med.* 69: 858-867. <http://dx.doi.org/10.1136/oemed-2012-100932>.
- Karanfil, T; Dastgheib, SA. (2004). Trichloroethylene adsorption by fibrous and granular activated carbons: Aqueous phase, gas phase, and water vapor adsorption studies. *Environ Sci Technol.* 38: 5834-5841. <http://dx.doi.org/10.1021/es0497936>.
- Karanfil, T; Dastgheib, SA; Mauldin, D. (2006). Exploring molecular sieve capabilities of activated carbon fibers to reduce the impact of NOM preloading on trichloroethylene adsorption. *Environ Sci Technol.* 40: 1321-1327. <http://dx.doi.org/10.1021/es051285o>.
- Karanfil, T; Kilduff, JE. (1999). Role of granular activated carbon surface chemistry on the adsorption of organic compounds. 1. Priority pollutants. *Environ Sci Technol.* 33: 3217-3224.
- Karapanagioti, HK; Kleinedam, S; Sabatini, DA; Grathwohl, P; Ligouis, B. (2000). Impacts of heterogeneous organic matter on phenanthrene sorption: Equilibrium and kinetic studies with aquifer material. *Environ Sci Technol.* 34: 406-414.
- Karataş, S; Hasar, H; Taşkan, E; Özkaya, B; Şahinkaya, E. (2014). Bio-reduction of tetrachloroethen using a H₂-based membrane biofilm reactor and community fingerprinting. *Water Res.* 58: 21-28. <http://dx.doi.org/10.1016/j.watres.2014.03.053>.
- Karches, M; Takashima, H; Kanno, Y. (2004). Development of a circulating fluidized-bed reactor for microwave-activated catalysis. *Ind Eng Chem Res.* 43: 8200-8206. <http://dx.doi.org/10.1021/ie049569p>.
- Kargalioglu, Y; Mcmillan, BJ; Minear, RA; Plewa, MJ. (2002). Analysis of the cytotoxicity and mutagenicity of drinking water disinfection by-products in *Salmonella typhimurium*. *Teratog Carcinog Mutagen.* 22: 113-128. <http://dx.doi.org/10.1002/tcm.10010>.
- Kargar, M; Nabizadeh, R; Naddafi, K; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Pahlevanzadeh, B. (2012). Modeling perchloroethylene degradation under ultrasonic irradiation and photochemical oxidation in aqueous solution. *Iranian Journal of Environmental Health Science and Engineering.* 9: 32. <http://dx.doi.org/10.1186/1735-2746-9-32>.

Fate Literature Search Results

Off Topic

- Karimi, AA; Redman, JA; Glaze, WH; Stolarik, GF. (1997). Evaluating an AOP for TCE and PCE removal. *J Am Water Works Assoc.* 89: 41-53.
- Karp, KE. (1993). A diffusive sampler for passive monitoring of volatile organic compounds in ground water. *Ground Water.* 31: 735-739.
- Karpinets, TV; Foy, BD. (2005). Tumorigenesis: The adaptation of mammalian cells to sustained stress environment by epigenetic alterations and succeeding matched mutations [Review]. *Carcinogenesis.* 26: 1323-1334. <http://dx.doi.org/10.1093/carcin/bgi079>.
- Karunanayake, CP; McDuffie, HH; Dosman, JA; Spinelli, JJ; Pahwa, P. (2008). Occupational exposures and non-Hodgkin's lymphoma: Canadian case-control study. *Environ Health.* 7: 44. <http://dx.doi.org/10.1186/1476-069X-7-44>.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res.* 34: 4161-4168.
- Kashiyama, N; Boving, TB. (2004). Hindered gas-phase partitioning of trichloroethylene from aqueous cyclodextrin systems: Implications for treatment and analysis. *Environ Sci Technol.* 38: 4439-4444. <http://dx.doi.org/10.1021/es049956q>.
- Kaslusky, SF; Udell, KS. (2002). A theoretical model of air and steam co-injection to prevent the downward migration of DNAPLs during steam-enhanced extraction. *J Contam Hydrol.* 55: 213-232.
- Kaslusky, SF; Udell, KS. (2005). Co-injection of air and steam for the prevention of the downward migration of DNAPLs during steam enhanced extraction: an experimental evaluation of optimum injection ratio predictions. *J Contam Hydrol.* 77: 325-347. <http://dx.doi.org/10.1016/j.jconhyd.2005.02.003>.
- Kasozi, GN; Kiremire, BT; Bugenyi, FW; Kirsch, NH; Nkedi-Kizza, P. (2006). Organochlorine residues in fish and water samples from lake victoria, Uganda. *J Environ Qual.* 35: 584-589. <http://dx.doi.org/10.2134/jeq2005.0222>.
- Kaspar, S; Rathgeb, F; Nopper, D; Gauglitz, G. (1999). Influence of relative humidity in sensing halogenated hydrocarbons with Reflectometric Interference Spectroscopy (RfS). *Fresenius J Anal Chem.* 363: 193-196.
- Kasry, A; El Ashry, M; Nistor, RA; Bol, AA; Tulevski, GS; Martyna, GJ; Newns, DM. (2012). High performance metal microstructure for carbon-based transparent conducting electrodes. *Thin Solid Films.* 520: 4827-4830. <http://dx.doi.org/10.1016/j.tsf.2012.01.031>.
- Kassem, M; Senkan, SM. (1991). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF 1,2-C₂H₄CL₂ AND CH₄. *Combust Flame.* 83: 365-374.
- Katagiri, H; Aoki, N; Soma, K; Karube, H; Aizawa, Y; Kadowaki, T; Inoue, Y. (1997). Concentration in blood and organs of dogs after high dose 1,1,1-trichloroethane inhalation. *Ind Health.* 35: 461-466.
- Katakya, R; Wylie, LA. (2001). Investigation of mechanisms for the reductive dechlorination of chlorinated ethylenes using electroanalytical techniques. *Analyst.* 126: 1901-1906.
- Katami, T; Nisikawa, H; Yasuhara, A. (1992). Emission of chlorinated compounds by combustion of waste dry-cleaning materials. *Chemosphere.* 24: 343-349.
- Kato-Weinstein, J; Lingohr, MK; Orner, GA; Thrall, BD; Bull, RJ. (1998). Effects of dichloroacetate on glycogen metabolism in B6C3F1 mice. *Toxicology.* 130: 141-154. [http://dx.doi.org/10.1016/S0300-483X\(98\)00106-1](http://dx.doi.org/10.1016/S0300-483X(98)00106-1).
- Kato-Weinstein, J; Stauber, AJ; Orner, GA; Thrall, BD; Bull, RJ. (2001). Differential effects of dihalogenated and trihalogenated acetates in the liver of B6C3F1 mice. *J Appl Toxicol.* 21: 81-89. <http://dx.doi.org/10.1002/jat.717>.
- Katsanou, O; Zervas, E; Pouloupoulos, SG; Philippopoulos, CJ. (2008). Photocatalytic oxidation of TCE and MTBE in the gas phase. *Global NEST J.* 10: 237-240.
- Kattwinkel, A; Braunstein, R; Haupt, L; Hamad, N; Barner, K; Gommert, E; Wecker, J; Von Helmolt, R; Medvedeva, IV. (2001). Spectral and time-resolved photoresponse in Nd₂/3Sr₁/3MnO₃-d epitaxial layers. *Materials Science Forum.* 373-3: 593-596.
- Katz, Y; Gvirtzman, H. (2000). Capture and cleanup of a migrating VOC plume by the in-well vapor stripping: a sand tank experiment. *J Contam Hydrol.* 43: 25-44.
- Kauffmann, B; White, K; Sanders, V; Douglas, K; Sain, L; Borzelleca, J; Munson, A. (1982). Humoral and cell-mediated immune status in mice exposed to chloral hydrate. *Environ Health Perspect.* 44: 147-151.
- Kausamo, A; Andersin, J; Honkala, K. (2014). Mechanism of Trichloroethene Hydrodehalogenation: A First-Principles Kinetic Monte Carlo Study. *J Phys Chem C.* 118: 19759-19767. <http://dx.doi.org/10.1021/jp503494g>.
- Kaviratna, PD; Peden, CHF. (1996). Photocatalytic destruction of automobile exhaust emissions. *ACS Symp Ser Am Chem Soc.* 638: 428-435.
- Kawaguchi, H. (1994). Dependence of photocatalytic reaction rate on titanium dioxide concentration in aqueous suspensions. *Environ Technol.* 15: 183-188.
- Kawai, Y; Matsubayashi, K. (1996). A novel redox reaction of ebselen with alcohol in basic solution. *Chem Pharm Bull (Tokyo).* 44: 1561-1566.
- Kawamoto, T; Hobara, T; Aoki, T; Kobayashi, H; Iwamoto, S; Sakai, T; Takano, T; Miyazaki, Y; Imamura, A; Ogino, K. (1988). Metabolism of chloral hydrate in the anoxic perfused liver. *Toxicol Lett.* 40: 225-231. [http://dx.doi.org/10.1016/0378-4274\(88\)90045-8](http://dx.doi.org/10.1016/0378-4274(88)90045-8).
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health.* <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.
- Kawase, Y; Masuya, T; Yasuda, K; Nakamura, M. (2006). VOC decomposition by combination of ultrasonic atomization and ozone irradiation. *Kagaku Kogaku Ronbunshu.* 32: 369-371.
- Kawata, K; Fujieda, Y. (1993). Volatile chlorinated hydrocarbons in ambient air at Niigata area (pp. 474-479). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/09149). Kawata, K; Fujieda, Y.
- Kawata, K; Shimazaki, R; Okabe, S. (2009). Comparison of gene expression profiles in HepG2 cells exposed to arsenic, cadmium, nickel, and three model carcinogens for investigating the mechanisms of metal carcinogenesis. *Environ Mol Mutagen.* 50: 46-59. <http://dx.doi.org/10.1002/em.20438>.
- Kawi, S; Te, M. (1998). MCM-48 supported chromium catalyst for trichloroethylene oxidation. *Catalysis Today.* 44: 101-109.

Fate Literature Search Results

Off Topic

- Kearns, JJ. (2001). On the relationship among 'f' texture factors for the principal planes of zirconium, hafnium and titanium alloys. *J Nucl Mater.* 299: 171-174.
- Keating, GA; Mckone, TE; Gillett, JW. (1997). Measured and estimated air concentrations of chloroform in showers: effects of water temperature and aerosols. *Atmos Environ.* 31: 123-130.
- Kedderis, GL; Lipscomb, JC. (2001). Application of in vitro biotransformation data and pharmacokinetic modeling to risk assessment. *Toxicol Ind Health.* 17: 315-321. <http://dx.doi.org/10.1191/0748233701th1190a>.
- Keech, A; Simes, J; Barter, P; Best, J; Scott, R; Taskinen, MR. (2006). Correction to the FIELD study report [Erratum]. *Lancet.* 368: 1415. [http://dx.doi.org/10.1016/S0140-6736\(06\)69594-9](http://dx.doi.org/10.1016/S0140-6736(06)69594-9).
- Keech, A; Simes, RJ; Barter, P; Best, J; Scott, R; Taskinen, MR; Forder, P; Pillai, A; Davis, T; Glasziou, P; Drury, P; Kesäniemi, YA; Sullivan, D; Hunt, D; Colman, P; d'Emden, M; Whiting, M; Ehnholm, C; Laakso, M. (2005). Effects of long-term fenofibrate therapy on cardiovascular events in 9795 people with type 2 diabetes mellitus (the FIELD study): Randomised controlled trial. *Lancet.* 366: 1849-1861. [http://dx.doi.org/10.1016/S0140-6736\(05\)67667-2](http://dx.doi.org/10.1016/S0140-6736(05)67667-2).
- Keil, DE; Peden-Adams, MM; Wallace, S; Ruiz, P; Gilkeson, GS. (2009). Assessment of trichloroethylene (TCE) exposure in murine strains genetically-prone and non-prone to develop autoimmune disease. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 443-453. <http://dx.doi.org/10.1080/10934520902719738>.
- Keller, V; Bernhardt, P; Garin, F. (2003). Photocatalytic oxidation of butyl acetate in vapor phase on TiO₂, Pt/TiO₂ and WO₃/TiO₂ catalysts. *J Catal.* 215: 129-138. [http://dx.doi.org/10.1016/S0021-9517\(03\)00002-2](http://dx.doi.org/10.1016/S0021-9517(03)00002-2).
- Kelley, SL; Aitchison, EW; Deshpande, M; Schnoor, JL; Alvarez, PJJ. (2001). Biodegradation of 1,4-dioxane in planted and unplanted soil: Effect of bioaugmentation with *Amycolata* sp CB1190. *Water Res.* 35: 3791-3800. [http://dx.doi.org/10.1016/S0043-1354\(01\)00129-4](http://dx.doi.org/10.1016/S0043-1354(01)00129-4).
- Kelly, G; Lyden, C; Lawton, W; Barrett, J; Saboui, A; Pape, H; Peters, HJB. (1996). Importance of molding compound chemical shrinkage in the stress and warpage analysis of PQFP's. 19: 296-300.
- Kelsh, MA; Alexander, DD; Mink, PJ; Mandel, JH. (2010). Occupational trichloroethylene exposure and kidney cancer: a meta-analysis. *Epidemiology.* 21: 95-102. <http://dx.doi.org/10.1097/EDE.0b013e3181c30e92>.
- Kelsh, MA; Exuzides, KA; Cher, D; Mandel, JS. (2002). Heterogeneity, influence and sensitivity analyses in meta-analysis studies - It matters: A case study of trichloroethylene and cancer. *Am J Epidemiol.* 155: s79-s79.
- Kelsh, MA; Mandel, JH; Mink, PJ; Weingart, M; Alexander, DD; Goodman, M. (2006). A meta-analysis of kidney cancer, non Hodgkin's lymphoma and occupational trichloroethylene exposure. *Am J Epidemiol.* 163: S236-S236.
- Kemp, WM; Brooks, MT; Hood, RR. (2001). Nutrient enrichment, habitat variability and trophic transfer efficiency in simple models of pelagic ecosystems. *Mar Ecol Prog Ser.* 223: 73-87.
- Kenck, C; Wilhelm, M; Bugert, P; Staehler, G; Kovacs, G. (1996). Mutation of the VHL gene is associated exclusively with the development of non-papillary renal cell carcinomas. *J Pathol.* 179: 157-161. [http://dx.doi.org/10.1002/\(SICI\)1096-9896\(199606\)179:2<157::AID-PATH557>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1096-9896(199606)179:2<157::AID-PATH557>3.0.CO;2-S).
- Kendale, JC; Valentín, EM; Woerpel, KA. (2014). Solvent effects in the nucleophilic substitutions of tetrahydropyran acetals promoted by trimethylsilyl trifluoromethanesulfonate: trichloroethylene as solvent for stereoselective C- and O-glycosylations. *Org Lett.* 16: 3684-3687. <http://dx.doi.org/10.1021/ol501471c>.
- Kennedy, AM; Summers, RS. (2015). Effect of DOM Size on Organic Micropollutant Adsorption by GAC. *Environ Sci Technol.* 49: 6617-6624. <http://dx.doi.org/10.1021/acs.est.5b00411>.
- Kennedy, CA; Lennox, WC. (1997). A pore-scale investigation of mass transport from dissolving DNAPL droplets. *J Contam Hydrol.* 24: 3-4.
- Kennedy, LG; Everett, JW; Gonzales, J. (2006). Assessment of biogeochemical natural attenuation and treatment of chlorinated solvents, Altus Air Force Base, Altus, Oklahoma. *J Contam Hydrol.* 83: 221-236. <http://dx.doi.org/10.1016/j.jconhyd.2005.11.006>.
- Kennedy, RA; Mayhew, CA; Peverall, R; Watts, P. (2000). Reaction pathways in the gas phase negative ion chemistry of chlorinated ethenes. *Phys Chem Chem Phys.* 2: 3145-3153.
- Kennedy, RM; Luhmann, JD. (1999). The 'Ouchless Emergency Department' getting closer: Advances in decreasing distress during painful procedures in the emergency department. 46/6 (1215-1247).
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc.* 50: 1124-1137. <http://dx.doi.org/10.1111/jawr.12181>.
- Kent, B; Mosquera, GCB. (2001). Remediation of NAPL-contaminated aquifers: Is the cure worth the cost? *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 1559-1569.
- Kenyon, EM; Benignus, V; Eklund, C; Highfill, JW; Oshiro, WM; Samsam, TE; Bushnell, PJ. (2008). Modeling the toxicokinetics of inhaled toluene in rats: influence of physical activity and feeding status. *J Toxicol Environ Health A.* 71: 249-265. <http://dx.doi.org/10.1080/15287390701528363>.
- Keppler, F; Borchers, R; Pracht, J; Rheinberger, S; Scholer, HF. (2002). Natural formation of vinyl chloride in the terrestrial environment. *Environ Sci Technol.* 36: 2479-2483. <http://dx.doi.org/10.1021/es015611j>.
- Kerfoot, WB. (2003). Microbubble ozone sparging for chlorinated ethene spill remediation. *ACS Symp Ser Am Chem Soc.* 837: 86-108.
- Kerger, BD; Schmidt, CE; Paustenbach, DJ. (2000). Assessment of airborne exposure to trihalomethanes from tap water in residential showers and baths. *Risk Anal.* 20: 637-651.
- Kerger, BD; Suder, DR; Schmidt, CE; Paustenbach, DJ. (2005). Airborne exposure to trihalomethanes from tap water in homes with refrigeration-type and evaporative cooling systems. *J Toxicol Environ Health A.* 68: 401-429. <http://dx.doi.org/10.1080/15287390590903577>.
- Kerkar, AV; Feke, DL. (1991). INDUCED FLOCCULATION IN STERICALLY STABILIZED CERAMIC POWDER DISPERSIONS. *Coll Surf.* 53: 363-381.

Fate Literature Search Results

Off Topic

- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med.* 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Keshava, N; Caldwell, J. (2006). Key issues in the role of peroxisome proliferator-activated receptor agonism and cell signaling in trichloroethylene toxicity [Review]. *Environ Health Perspect.* 114: 1464-1470. <http://dx.doi.org/10.1289/chp.8693>.
- Keshava, N; Chiu, WA; Caldwell, JC. (2007). PPARalpha and TCE: Keshava et al. respond [Letter]. *Environ Health Perspect.* 115: A15-A16. <http://dx.doi.org/10.1289/ehp.115-a15>.
- Keshmiri, M; Mohseni, M; Troczynski, T. (2004). Development of novel TiO₂ sol-gel-derived composite and its photocatalytic activities for trichloroethylene oxidation. *Appl Catal B-Environ.* 53: 209-219. <http://dx.doi.org/10.1016/j.apcatb.2004.05.016>.
- Keshmiri, M; Troczynski, T; Mohseni, M. (2006). Oxidation of gas phase trichloroethylene and toluene using composite sol-gel TiO₂ photocatalytic coatings. *J Hazard Mater.* 128: 130-137. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.060>.
- Kessick, R; Tepper, G. (2006). Electrospun polymer composite fiber arrays for the detection and identification of volatile organic compounds. *Sens Actuators B.* 117: 205-210. <http://dx.doi.org/10.1016/j.snb.2005.11.045>.
- Kessler, W; Numtip, W; Grote, K; Csanady, GA; Chahoud, I; Filser, JG. (2004). Blood burden of di(2-ethylhexyl) phthalate and its primary metabolite mono(2-ethylhexyl) phthalate in pregnant and nonpregnant rats and marmosets. *Toxicol Appl Pharmacol.* 195: 142-153. <http://dx.doi.org/10.1016/j.taap.2003.11.014>.
- Ketola, RA; Gron, C; Lauritsen, FR. (1998). Temperature-programmed desorption for membrane inlet mass spectrometry. *Rapid Commun Mass Spectrom.* 12: 773-778.
- Keum, YS; Li, QX. (2004). Reduction of nitroaromatic pesticides with zero-valent iron. *Chemosphere.* 54: 255-263. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.003>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin.* 200: 5-6.
- Keyvani, D; Maclay, J; Lee, S; Stetter, J; Cao, Z. (1991). A PLANAR INTEGRATED CHLORINATED-HYDROCARBON GAS SENSOR ON A SILICON SUBSTRATE. *Sens Actuators B.* 5: 199-203.
- Kezic, S; Monster, AC; Kruse, J; Verberk, MM. (2000). Skin absorption of some vaporous solvents in volunteers. *Int Arch Occup Environ Health.* 73: 415-422. <http://dx.doi.org/10.1007/s004200000161>.
- Kezic, S; Monster, AC; van de Gevel, I; Kruse, J; Opdam, JG; Verberk, MM. (2001). Dermal absorption of neat liquid solvents on brief exposures in volunteers. *Am Ind Hyg Assoc J.* 62: 12-18. <http://dx.doi.org/10.1080/15298660108984604>.
- Khalil, MAK; Moore, RM; Harper, DB; Lobert, JM; Erickson, DJ; Koropalov, V; Sturges, WT; Keene, WC. (1999). Natural emissions of chlorine-containing gases: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos.* 104: 8333-8346.
- Khalilzadeh, A; Fatemi, S. (2016). Spouted bed reactor for VOC removal by modified nano-TiO₂ photocatalytic particles. *Chem Eng Res Des.* 115: 241-250. <http://dx.doi.org/10.1016/j.cherd.2016.10.004>.
- Khan, E; Wirojanagud, W; Sermsai, N. (2009). Effects of iron type in Fenton reaction on mineralization and biodegradability enhancement of hazardous organic compounds. *J Hazard Mater.* 161: 1024-1034. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.049>.
- Khandelwal, A; Rabideau, AJ. (1999). Transport of sequentially decaying reaction products influenced by linear nonequilibrium sorption. *Water Resour Res.* 35: 1939-1945.
- Khandelwal, A; Rabideau, AJ. (2000). Enhancement of soil-bentonite barrier performance with the addition of natural humus. *J Contam Hydrol.* 45: 267-282.
- Khandelwal, A; Rabideau, AJ; Shen, PL. (1998). Analysis of diffusion and sorption of organic solutes in soil-bentonite barrier materials. *Environ Sci Technol.* 32: 1333-1339.
- Khandwala, HM; McCutcheon, IE; Flyvbjerg, A; Friend, KE. (2000). The effects of insulin-like growth factors on tumorigenesis and neoplastic growth [Review]. *Endocr Rev.* 21: 215-244. <http://dx.doi.org/10.1210/er.21.3.215>.
- Khayet, M; Villaluenga, JP; Godino, MP; Mengual, JI; Seoane, B; Khulbe, KC; Matsuura, T. (2004). Preparation and application of dense poly(phenylene oxide) membranes in pervaporation. *J Colloid Interface Sci.* 278: 410-422. <http://dx.doi.org/10.1016/j.jcis.2004.06.021>.
- Khera, R; Ransom, P, at; Speth, TF. (2013). Using work breakdown structure models to develop unit treatment costs. *105: 61-62.* <http://dx.doi.org/10.5942/jawwa.2013.105.0129>.
- Khindaria, A; Grover, TA; Aust, SD. (1995). Reductive dehalogenation of aliphatic halocarbons by lignin peroxidase of *Phanerochaete chrysosporium*. *Environ Sci Technol.* 29: 719-725.
- Khulbe, KC; Chowdhury, G; Kruczek, B; Vujosevic, R; Matsuura, T; Lamarche, G. (1997). Characterization of the PPO dense membrane prepared at different temperatures by ESR, atomic force microscope and gas permeation. *J Memb Sci.* 126: 115-122.
- Khulbe, KC; Chowdhury, G; Matsuura, T; Lamarche, G. (1997). Characterization of PPO [poly(phenylene oxide)] powder and membranes from it by ESR technique. *J Memb Sci.* 123: 9-15.
- Khulbe, KC; Hamad, F; Feng, C; Matsuura, T; Gumi, T; Palet, C. (2004). Characterization of the poly(phenylene oxide) dense membrane prepared at different temperatures. *Separation and Purification Technology.* 36: 53-62. [http://dx.doi.org/10.1016/S1383-5866\(03\)00152-7](http://dx.doi.org/10.1016/S1383-5866(03)00152-7).
- Khulbe, KC; Kruczek, B; Chowdhury, G; Gagne, S; Matsuura, T; Verma, SP. (1996). Characterization of membranes prepared from PPO by Raman scattering and atomic force microscopy. *J Memb Sci.* 111: 57-70.
- Khulbe, KC; Matsuura, T. (2000). Characterization of PPO membranes by oxygen plasma etching, gas separation and atomic force microscopy. *J Memb Sci.* 171: 273-284.
- Khulbe, KC; Matsuura, T; Lamarche, G; Kim, HJ. (1997). The morphology characterisation and performance of dense PPO membranes for gas separation. *J Memb Sci.* 135: 211-223.

Fate Literature Search Results

Off Topic

- Khulbe, KC; Matsuura, T; Lamarche, G; Lamarche, AM. (2000). X-ray diffraction analysis of dense PPO membranes. *J Memb Sci.* 170: 81-89.
- Khulbe, KC; Matsuura, T; Noh, SH. (1998). Effect of thickness of the PPO membranes on the surface morphology. *J Memb Sci.* 145: 243-251.
- Kiaei, D; Hoffman, AS; Horbett, TA. (1995). Platelet adhesion to fibrinogen adsorbed on glow discharge-deposited polymers. *ACS Symp Ser Am Chem Soc.* 602: 450-462.
- Kibbey, TCG; Ramsburg, CA; Pennell, KD. (2002). Implications of alcohol partitioning behavior for in situ density modification of entrapped dense nonaqueous phase liquids. *Environ Sci Technol.* 36: 104-111. <http://dx.doi.org/10.1021/es010966q>.
- Kibeche, RW; Mamo, MA; Msagati, TAM; Sampath, S; Mamba, BB. (2014). Synthesis and application of reduced graphene oxide and molecularly imprinted polymers composite in chemo sensor for trichloroacetic acid detection in aqueous solution. *Phys Chem Earth.* 76-78: 49-53. <http://dx.doi.org/10.1016/j.pce.2014.09.008>.
- Kielhorn, J; Melber, C; Wahnschaffe, U; Aitio, A; Mangelsdorf, I. (2000). Vinyl chloride: still a cause for concern [Review]. *Environ Health Perspect.* 108: 579-588.
- Kijora, C; Bergner, H; Szakacz, J; Bartelt, J; Gotz, KP. (1992). UTILIZATION OF N-15-UREA IN SHEEP AFTER N-15-UREA INFUSION IN THE SMALL-INTESTINE. *J Anim Physiol Anim Nutr (Berl).* 67: 237-249.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg.* 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Kikuchi, Y; Hirao, M. (2008). Practical method of assessing local and global impacts for risk-based decision making: A case study of metal degreasing processes. *Environ Sci Technol.* 42: 4527-4533. <http://dx.doi.org/10.1021/es7024164>.
- Kikuchi, Y; Hirao, M. (2010). Local risks and global impacts considering plant-specific functions and constraints: a case study of metal parts cleaning. *Int J Life Cycle Assess.* 15: 17-31. <http://dx.doi.org/10.1007/s11367-009-0137-x>.
- Kilburn, K. (2002). Do duration of exposure, proximity to electronic manufacturing plants, and involvement in a lawsuit affect chlorinated solvent toxicity. *Arch Environ Health.* 57: 121-126. <http://dx.doi.org/10.1080/00039890209602926>.
- Kilburn, K. (2002). Is neurotoxicity associated with environmental trichloroethylene (TCE)? *Arch Environ Health.* 57: 113-120. <http://dx.doi.org/10.1080/00039890209602925>.
- Kilburn, KH. (1999). Neurobehavioral and respiratory findings in jet engine repair workers: a comparison of exposed and unexposed volunteers. *Environ Res.* 80: 244-252. <http://dx.doi.org/10.1006/enrs.1998.3898>.
- Kilburn, KH. (2000). Effects of diesel exhaust on neurobehavioral and pulmonary functions. *Arch Environ Occup Health.* 55: 11-17.
- Kilburn, KH; Thornton, JC. (1996). Prediction equations for simple and visual two-choice reactions times in environmental neurotoxicology. *Arch Environ Health.* 51: 439-444. <http://dx.doi.org/10.1080/00039896.1996.9936043>.
- Kilburn, KH; Warshaw, R; Thornton, JC. (1987). Formaldehyde impairs memory, equilibrium, and dexterity in histology technicians: Effects which persist for days after exposure. *Arch Environ Occup Health.* 42: 117-120. <http://dx.doi.org/10.1080/00039896.1987.9935806>.
- Kilburn, KH; Warshaw, R; Thornton, JC; Mcphee, R. (1988). POSSIBLE EFFECTS OF WELL WATER CONTAINING TRICHOLORETHYLENE (TCE), TRICHLOROETHANE AND CHROMIUM FROM 1956 TO 1960 ON A MEXICAN-AMERICAN POPULATION. *Arch Environ Health.* 43: 202-202.
- Kilburn, KH; Warshaw, RH. (1992). Prevalence of symptoms of systemic lupus erythematosus (SLE) and of fluorescent antinuclear antibodies associated with chronic exposure to trichloroethylene and other chemicals in well water. *Environ Res.* 57: 1-9.
- Kilburn, KH; Warshaw, RH. (1993). Effects on neurobehavioral performance of chronic exposure to chemically contaminated well water. *Toxicol Ind Health.* 9: 391-404.
- Kilburn, KH; Warshaw, RH. (1993). Neurobehavioral testing of subjects exposed residentially to groundwater contaminated from an aluminum die-casting plant and local referents. *J Toxicol Environ Health.* 39: 483-496. <http://dx.doi.org/10.1080/15287399309531766>.
- Kilburn, KH; Warshaw, RH; Hanscom, B. (1994). Balance measured by head (and trunk) tracking and a force platform in chemically (PCB and TCE) exposed and referent subjects. *Occup Environ Med.* 51: 381-385.
- Kilduff, JE; Karanfil, T. (2002). Trichloroethylene adsorption by activated carbon preloaded with humic substances: effects of solution chemistry. *Water Res.* 36: 1685-1698.
- Kilduff, JE; Karanfil, T; Weber W J, J. R. (1998). TCE adsorption by GAC preloaded with humic substances (pp. 76-89). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/98/19081). Kilduff, JE; Karanfil, T; Weber W J, , JR.
- Kilduff, JE; Mattaraj, S; Wigton, A; Kitis, M; Karanfil, T. (2004). Effects of reverse osmosis isolation on reactivity of naturally occurring dissolved organic matter in physicochemical processes. *Water Res.* 38: 1026-1036. <http://dx.doi.org/10.1016/j.watres.2003.10.049>.
- Kilduff, JE; Wigton, A. (1999). Sorption of TCE by humic-preloaded activated carbon: Incorporating size-exclusion and pore blockage phenomena in a competitive adsorption model. *Environ Sci Technol.* 33: 250-256.
- Kim, CF; Jackson, EL; Woolfenden, AE; Lawrence, S; Babar, I; Vogel, S; Crowley, D; Bronson, RT; Jacks, T. (2005). Identification of bronchioalveolar stem cells in normal lung and lung cancer. *Cell.* 121: 823-835. <http://dx.doi.org/10.1016/j.cell.2005.03.032>.
- Kim, D, oGun; Hwang, Y, uH; Shin, HS, ik; Ko, SO, h. (2012). Humic acid characteristics and effects on the reactivity of nano-scale zero-valent iron particles during nitrate reduction. *Desalination and Water Treatment.* 49: 147-156. <http://dx.doi.org/10.1080/19443994.2012.708212>.
- Kim, DC; Ihm, SK. (2001). Application of spinel-type cobalt chromite as a novel catalyst for combustion of chlorinated organic pollutants. *Environ Sci Technol.* 35: 222-226. <http://dx.doi.org/10.1021/es001098k>.
- Kim, DC; Ihm, SK. (2001). Role of water in the catalytic decomposition of chlorinated hydrocarbons over chromium-containing catalysts. *J Chem Eng Jpn.* 34: 143-147.
- Kim, E; Kim, J; Azad, AM; Chang, YS. (2011). Facile Synthesis and Characterization of Fe/FeS Nanoparticles for Environmental Applications. *ACS Applied Materials & Interfaces.* 3: 1457-1462. <http://dx.doi.org/10.1021/am200016v>.

Fate Literature Search Results

Off Topic

- Kim, E, uJin; Lee, YC; Lee, HU, k; Huh, Y, unSuk; Lee, M. (2016). Environment-friendly industrial cleaning agents incorporating plant-oil-based raw materials as chlorofluorocarbon (CFC) alternatives. *Chem Eng J.* 290: 103-115. <http://dx.doi.org/10.1016/j.cej.2016.01.023>.
- Kim, E; Murugesan, K; Kim, J; Tratnyek, PG; Chang, YS. (2013). Remediation of Trichloroethylene by FeS-Coated Iron Nanoparticles in Simulated and Real Groundwater: Effects of Water Chemistry. *Ind Eng Chem Res.* 52: 9343-9350. <http://dx.doi.org/10.1021/ie400165a>.
- Kim, EJ; Kim, JH; Chang, YS; Turcio-Ortega, D; Tratnyek, PG. (2014). Effects of metal ions on the reactivity and corrosion electrochemistry of Fe/FeS nanoparticles. *Environ Sci Technol.* 48: 4002-4011. <http://dx.doi.org/10.1021/es405622d>.
- Kim, G; Jeong, W; Choe, S. (2007). Impact of pH buffer capacity of sediment on dechlorination of atrazine using zero valent iron. *J Environ Sci Health B.* 42: 287-295. <http://dx.doi.org/10.1080/03601230701229270>.
- Kim, G; Jeong, W; Choe, S. (2008). Dechlorination of atrazine using zero-valent iron (Fe⁰) under neutral pH conditions. *J Hazard Mater.* 155: 502-506. <http://dx.doi.org/10.1016/j.jhazmat.2007.11.092>.
- Kim, H; Ahn, D; Annable, MD. (2016). Enhanced removal of VOCs from aquifers during air sparging using thickeners and surfactants: Bench-scale experiments. *J Contam Hydrol.* 184: 25-34. <http://dx.doi.org/10.1016/j.jconhyd.2015.11.002>.
- Kim, H; Hemond, HF. (1998). Natural discharge of volatile organic compounds from contaminated aquifer to surface waters. *J Environ Eng.* 124: 744-751.
- Kim, H; Hong, H, yeJin; Lee, Y, ouJin; Shin, HJ, ae; Yang, J, iWon. (2008). Degradation of trichloroethylene by zero-valent iron immobilized in cationic exchange membrane. *Desalination.* 223: 212-220. <http://dx.doi.org/10.1016/j.desal.2007.03.015>.
- Kim, H; Hong, HJ; Jung, J; Kim, SH; Yang, JW. (2010). Degradation of trichloroethylene (TCE) by nanoscale zero-valent iron (nZVI) immobilized in alginate bead. *J Hazard Mater.* 176: 1038-1043. <http://dx.doi.org/10.1016/j.jhazmat.2009.11.145>.
- Kim, H, unMi; Hyun, Y; Lee, KK, un. (2007). Remediation of TCE-contaminated groundwater in a sandy aquifer using pulsed air sparging: Laboratory and numerical studies. *J Environ Eng.* 133: 380-388. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:4\(380\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:4(380)).
- Kim, H, eeSam; Kee, K, iBum; Lee, YJ, ae; Han, SS, oo; Chung, YS, ik; Jeon, H, anY; Lee, YR, ok; Gal, YS; Noh, SK; Lyoo, W, onS. (2010). Effect of Solvent on the Morphology of High Molecular Weight Poly(N-vinyl carbazole) Web Prepared by Electrospinning. *Polymers and Polymer Composites.* 18: 461-467.
- Kim, H, eeY; Kim, S, eNa; Kim, J, un; Ahn, W, haS. (2013). Liquid phase adsorption of selected chloroaromatic compounds over metal organic frameworks. *Materials Research Bulletin.* 48: 4499-4505. <http://dx.doi.org/10.1016/j.materresbull.2013.07.052>.
- Kim, H, yeJin; Phenrat, T; Tilton, RD; Lowry, GV. (2009). Fe-0 Nanoparticles Remain Mobile in Porous Media after Aging Due to Slow Desorption of Polymeric Surface Modifiers. *Environ Sci Technol.* 43: 3824-3830. <http://dx.doi.org/10.1021/es802978s>.
- Kim, H; Yang, H; Kim, J. (2014). Standardization of the reducing power of zero-valent iron using iodine. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 49: 514-523. <http://dx.doi.org/10.1080/10934529.2014.859029>.
- Kim, HH; Prieto, G; Takashima, K; Katsura, S; Mizuno, A. (2002). Performance evaluation of discharge plasma process for gaseous pollutant removal. *Journal of Electrostatics.* 55: 25-41.
- Kim, HJ; Cho, KS; Park, JW; Goltz, MN; Khim, JH; Kim, JY. (2001). Sorption and biodegradation of vapor-phase organic compounds with wastewater sludge and food waste compost. *J Air Waste Manag Assoc.* 51: 1237-1244.
- Kim, HJ; Leitch, M; Naknakorn, B; Tilton, RD; Lowry, GV. (2017). Effect of emplaced nZVI mass and groundwater velocity on PCE dechlorination and hydrogen evolution in water-saturated sand. *J Hazard Mater.* 322: 136-144. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.037>.
- Kim, HK; Hemond, HF; Krumholz, LR; Cohen, BA. (1995). IN-SITU BIODEGRADATION OF TOLUENE IN A CONTAMINATED STREAM .1. FIELD STUDIES. *Environ Sci Technol.* 29: 108-116.
- Kim, HS; Ahn, JY; Hwang, KY; Kim, IK; Hwang, I. (2010). Atmospherically stable nanoscale zero-valent iron particles formed under controlled air contact: characteristics and reactivity. *Environ Sci Technol.* 44: 1760-1766. <http://dx.doi.org/10.1021/es902772r>.
- Kim, HS; Ahn, JY; Kim, C; Lee, S; Hwang, I. (2014). Effect of anions and humic acid on the performance of nanoscale zero-valent iron particles coated with polyacrylic acid. *Chemosphere.* 113: 93-100. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.047>.
- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere.* 73: 813-819. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.092>.
- Kim, HS; Kim, T; Ahn, J; Hwang, K; Park, J; Lim, TT; Hwang, I. (2012). Aging characteristics and reactivity of two types of nanoscale zero-valent iron particles (Fe-BH and Fe-H2) in nitrate reduction. *Chem Eng J.* 197: 16-23. <http://dx.doi.org/10.1016/j.cej.2012.05.018>.
- Kim, I; Kwak, S, unWoo; Ju, Y; Park, G, unY; Lee, TM, in; Jang, Y; Choi, YM, an; Kang, D. (2015). Roll-offset printed transparent conducting electrode for organic solar cells. *Thin Solid Films.* 580: 21-28. <http://dx.doi.org/10.1016/j.tsf.2015.02.075>.
- Kim, J, aeH; Kim, J, iHun; Bokare, V; Kim, E, unJu; Chang, YY; Chang, YS. (2012). Enhanced removal of chromate from aqueous solution by sequential adsorption-reduction on mesoporous iron-iron oxide nanocomposites. *J Nanopart Res.* 14. <http://dx.doi.org/10.1007/s11051-012-1010-6>.
- Kim, J; Lee, W, ooBum. (2009). The Development of a Prediction Model for the Kinetic Constant of Chlorinated Aliphatic Hydrocarbons. *Environ Model Assess.* 14: 93-100. <http://dx.doi.org/10.1007/s10666-007-9119-1>.
- Kim, J; Park, H; Ha, E; Jung, T; Paik, N; Yang, S. (2005). Combined effects of noise and mixed solvents exposure on the hearing function among workers in the aviation industry. *Ind Health.* 43: 567-573. <http://dx.doi.org/10.2486/indhealth.43.567>.
- Kim, JO. (1997). Gaseous TCE and PCE removal by an activated carbon biofilter (pp. 331-337). (BIOSIS/97/18416). Kim, JO.
- Kim, JO. (1998). Removal of trichloroethylene in presence and absence of surfactant. *Water Air Soil Pollut.* 108: 1-2.
- Kim, JO; Terkonda, PK; Lee, SD. (1998). Gaseous CAH removal by biofiltration in presence and absence of a nonionic surfactant (pp. 253-259). (BIOSIS/99/00164). Kim, JO; Terkonda, PK; Lee, SD.
- Kim, JS; Itoh, K; Murabayashi, M. (1998). Photocatalytic degradation of trichloroethylene in the gas phase over TiO₂ sol-gel films: Analysis of products. *Chemosphere.* 36: 483-495.

Fate Literature Search Results

Off Topic

- Kim, JS; Itoh, K; Murabayashi, M; Kim, BA. (1999). Pretreatment of the photocatalyst and the photocatalytic degradation of trichloroethylene in the gas-phase. *Chemosphere*. 38: 2969-2978.
- Kim, JS; Joo, HK; Lee, TK; Itoh, K; Murabayashi, M. (2000). Photocatalytic activity of TiO₂ films preserved under different conditions: The gas-phase photocatalytic degradation reaction of trichloroethylene. *J Catal*. 194: 484-486.
- Kim, JS; Lee, TK. (2001). Effect of humidity on the photocatalytic degradation of trichloroethylene in gas phase over TiO₂ thin films treated by different conditions. *Korean J Chem Eng*. 18: 935-940.
- Kim, JY; Park, JK; Emmons, B; Armstrong, DE. (1995). Survey of volatile organic compounds at a municipal solid waste cocomposting facility. *Water Environ Res*. 67: 1044-1051.
- Kim, K; Gurol, MD. (2005). Reaction of nonaqueous phase TCE with permanganate. *Environ Sci Technol*. 39: 9303-9308. <http://dx.doi.org/10.1021/es050830j>.
- Kim, K; Kim, YS; Gurol, MD. (2013). DNAPL TCE Oxidation with Permanganate: Influence of the Phase Transfer Catalyst Pentyltriphenylphosphonium. *Water Air Soil Pollut*. 224: 1. <http://dx.doi.org/10.1007/s11270-013-1735-6>.
- Kim, KS; Kwon, T, aeS; Yang, JS; Yang, J, iWon. (2007). Simultaneous removal of chlorinated contaminants by pervaporation for the reuse of a surfactant. *Desalination*. 205: 87-96. <http://dx.doi.org/10.1016/j.desal.2006.04.043>.
- Kim, MH. (2005). Surface chemical structures of CoOx/TiO₂ catalysts for continuous wet trichloroethylene oxidation. *Korean J Chem Eng*. 22: 839-843.
- Kim, MH; Choo, KH, o. (2007). Low-temperature continuous wet oxidation of trichloroethylene over CoOx/TiO₂ catalysts. *Catal Comm*. 8: 462-466. <http://dx.doi.org/10.1016/j.catcom.2006.07.015>.
- Kim, MH; Hao, OJ. (1999). Cometabolic degradation of chlorophenols by *Acinetobacter* species. *Water Res*. 33: 562-574.
- Kim, S; Bae, W; Hwang, J; Park, J. (2010). Aerobic TCE degradation by encapsulated toluene-oxidizing bacteria, *Pseudomonas putida* and *Bacillus* spp. *Water Sci Technol*. 62: 1991-1997. <http://dx.doi.org/10.2166/wst.2010.471>.
- Kim, S; Burris, DR; Bryant-Genevier, J; Gorder, KA; Dettenmaier, EM; Zellers, ET. (2012). Microfabricated Gas Chromatograph for On-Site Determinations of TCE in Indoor Air Arising from Vapor Intrusion. 2. Spatial/Temporal Monitoring. *Environ Sci Technol*. 46: 6073-6080. <http://dx.doi.org/10.1021/es204625w>.
- Kim, S; Burris, DR; Chang, H; Bryant-Genevier, J; Zellers, ET. (2012). Microfabricated Gas Chromatograph for On-Site Determination of Trichloroethylene in Indoor Air Arising from Vapor Intrusion. 1. Field Evaluation. *Environ Sci Technol*. 46: 6065-6072. <http://dx.doi.org/10.1021/es204624z>.
- Kim, S; Hwang, J; Chung, J; Bae, W. (2014). Enhancing trichloroethylene degradation using non-aromatic compounds as growth substrates. *J Hazard Mater*. 275: 99-106. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.052>.
- Kim, S; Kupke, K; Ierardi-Curto, L; Holme, E; Greter, J; Tanguay, R; Poudrier, J; D'Astous, M; Lettre, F; Hahn, S; Levy, H. (2000). Hepatocellular carcinoma despite long-term survival in chronic tyrosinaemia I. *J Inher Metab Dis*. 23: 791-804. <http://dx.doi.org/10.1023/A:1026756501669>.
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nano-sized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage*. 151: 378-385. <http://dx.doi.org/10.1016/j.jenman.2015.01.004>.
- Kim, SB; Hong, SC. (2002). Kinetic study for photocatalytic degradation of volatile organic compounds in air using thin film TiO₂ photocatalyst. *Appl Catal B-Environ*. 35: 305-315.
- Kim, SB; Hwang, HT; Hong, SC. (2002). Photocatalytic degradation of volatile organic compounds at the gas-solid interface of a TiO₂ photocatalyst. *Chemosphere*. 48: 437-444.
- Kim, SB; Jang, HT; Hong, SC. (2002). Photocatalytic degradation of gas-phase methanol and toluene using thin-film TiO₂ photocatalyst I. Influence of water vapor, molecular oxygen and temperature. *J Ind Eng Chem*. 8: 156-161.
- Kim, SB, um; Kim, GS, oo; Hong, SC. (2006). Degradation of gaseous trichloroethylene over a thin-film TiO₂(2) photocatalyst. *J Ind Eng Chem*. 12: 749-756.
- Kim, SB, um; Kim, GS, oo; Hong, SC. (2007). Degradation of gas-phase trichloroethylene over thin-film TiO₂(2) photocatalyst in multi-modules reactor. *Environmental Engineering and Management Journal*. 6: 137-142.
- Kim, SB; Lee, JY; Jang, HT; Cha, WS; Hong, SC. (2003). Enhanced photocatalytic activity of TiO₂ by metal doping for degradation of VOCs in air. *J Ind Eng Chem*. 9: 440-446.
- Kim, SB; Lee, JY; Kim, GS; Hong, SC. (2009). Degradation of gas-phase trichloroethylene over thin-film TiO₂ photocatalyst in multi-modules reactor. *J Hazard Mater*. 166: 848-852. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.098>.
- Kim, SK; Chang, H; Zellers, ET. (2011). Microfabricated gas chromatograph for the selective determination of trichloroethylene vapor at sub-parts-per-billion concentrations in complex mixtures. *Anal Chem*. 83: 7198-7206. <http://dx.doi.org/10.1021/ac201788q>.
- Kim, TY; Jeng, SJ; Kim, SJ; Kim, JH; Cho, SY. (2004). Effect of residual water on the adsorption of ethylene dichloride onto pellet-type activated carbon. *J Ind Eng Chem*. 10: 531-538.
- Kim, Y; Arp, DJ; Semprini, L. (2000). Chlorinated solvent cometabolism by butane-grown mixed culture. *J Environ Eng*. 126: 934-942.
- Kim, Y; Istok, JD; Semprini, L. (2004). Push-pull tests for assessing in situ aerobic cometabolism. *Ground Water*. 42: 329-337.
- Kim, Y; Istok, JD; Semprini, L. (2006). Push-pull tests evaluating in situ aerobic cometabolism of ethylene, propylene, and cis-1,2-dichloroethylene. *J Contam Hydrol*. 82: 165-181. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.003>.
- Kim, Y; Istok, JD; Semprini, L. (2008). Single-well, gas-sparging tests for evaluating the in situ aerobic cometabolism of cis-1,2-dichloroethene and trichloroethene. *Chemosphere*. 71: 1654-1664. <http://dx.doi.org/10.1016/j.chemosphere.2008.01.021>.
- Kim, Y; Lee, J. (2012). Dissolution of ethylene vinyl acetate in crystalline silicon PV modules using ultrasonic irradiation and organic solvent. *Solar Energy Materials and Solar Cells*. 98: 317-322. <http://dx.doi.org/10.1016/j.solmat.2011.11.022>.

Fate Literature Search Results

Off Topic

- Kim, Y; Semprini, L. (2005). Cometabolic transformation of cis-1,2-dichloroethylene and cis-1,2-dichloroethylene epoxide by a butane-grown mixed culture. *Water Sci Technol.* 52: 125-131.
- Kim, YH; Carraway, ER. (2000). Dechlorination of pentachlorophenol by zero valent iron and modified zero valent irons. *Environ Sci Technol.* 34: 2014-2017.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol.* 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated ethenes and acetylenes by palladized iron. *Environ Technol.* 24: 809-819.
- Kim, YH; Carraway, ER. (2003). Reductive dechlorination of TCE by zero valent bimetals. *Environ Technol.* 24: 69-75.
- Kim, YK; Shin, J, iY; Lee, KK; Cho, HS; Jeon, H; Kim, J. (2012). Mass transfer of trichloroethylene through the palladized iron coated reactive geomembrane. *J Hazard Mater.* 201: 7-15. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.091>.
- Kim, YS. (2007). A study of timing control and array weight error effects in the antenna array aided uplink synchronous DS-CDMA system. *IEE Transactions on Communications.* E90B: 3729-3732. <http://dx.doi.org/10.1093/ietcom/e90-b.12.3729>.
- Kimchuwanit, W; Osuwan, S; Scamehorn, JF; Harwell, JH; Haller, KJ. (2000). Use of a micellar-rich coacervate phase to extract trichloroethylene from water. *Separation Science and Technology.* 35: 1991-2002.
- Kimchuwanit, W; Scamehorn, JF; Osuwan, S; Haller, KJ; Harwell, JH. (1996). Use of a surfactant coacervate phase to extract trichloroethylene from water. *Abstracts of Papers - American Chemical Society.* 211: 90-IEC.
- Kimura, Y; Asano, M; Chen, J; Maekawa, Y; Katakai, R; Yoshida, M. (2008). Influence of grafting solvents on the properties of polymer electrolyte membranes prepared by gamma-ray preirradiation method. *Radiat Phys Chem Oxf Engl* 1993. 77: 864-870. <http://dx.doi.org/10.1016/j.radphyschem.2007.12.012>.
- King, BH; Ruminski, AM; Snyder, J, ayL; Sailor, MJ. (2007). Optical-fiber-mounted porous silicon photonic crystals for sensing organic vapor breakthrough in activated carbon. *Adv Mater Deerfield.* 19: 4530+. <http://dx.doi.org/10.1002/adma.200701294>.
- Kioski, C; Heubach, S; Petersen, N. (1990). The incidence of childhood leukemia and testicular cancer in Pima County: 1970-1986. Phoenix, AZ: Arizona Department of Health Services.
- Kira, S. (1977). [Measurements of the levels of organic solvent vapours by personal air samplers and the levels of urinary metabolites of workers. Part 1. trichloroethylene vapour in an automobile parts workshop (author's transl)]. *Sangyo Igaku.* 19: 119-125.
- Kiran, S; Cocco, P; Mannelte, A; Satta, G; D'Andrea, I; Becker, N; de Sanjosé, S; Foretova, L; Staines, A; Kleefeld, S; Maynadié, M; Nieters, A; Brennan, P; Boffetta, P. (2010). Occupational exposure to ethylene oxide and risk of lymphoma. *Epidemiology.* 21: 905-910. <http://dx.doi.org/10.1097/EDE.0b013e3181f4cc0f>.
- Kirschling, TL; Gregory, KB; Minkley, EG, Jr; Lowry, GV; Tilton, RD. (2010). Impact of Nanoscale Zero Valent Iron on Geochemistry and Microbial Populations in Trichloroethylene Contaminated Aquifer Materials. *Environ Sci Technol.* 44: 3474-3480. <http://dx.doi.org/10.1021/es903744f>.
- Kirtland, BC; Aelion, CM; Stone, PA. (2005). Assessing in situ mineralization of recalcitrant organic compounds in vadose zone sediments using delta13C and 14C measurements. *J Contam Hydrol.* 76: 1-18. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.007>.
- Kirtland, BC; Aelion, CM; Stone, PA; Hunkeler, D. (2003). Isotopic and geochemical assessment of in situ biodegradation of chlorinated hydrocarbons. *Environ Sci Technol.* 37: 4205-4212. <http://dx.doi.org/10.1021/es034046e>.
- Kiruthika, S; Gupta, R; Anand, A; Kumar, A; Kulkarni, GU. (2015). Fabrication of Oxidation-Resistant Metal Wire Network-Based Transparent Electrodes by a Spray-Roll Coating Process. 7: 27215-27222. <http://dx.doi.org/10.1021/acsami.5b08171>.
- Kiruthika, S; Gupta, R; Rao, KDM; Chakraborty, S; Padmavathy, N; Kulkarni, GU. (2014). Large area solution processed transparent conducting electrode based on highly interconnected Cu wire network. 2: 2089-2094. <http://dx.doi.org/10.1039/c3tc32167c>.
- Kiruthika, S; Rao, KDM; Kumar, A; Gupta, R; Kulkarni, GU. (2014). Metal wire network based transparent conducting electrodes fabricated using interconnected crackled layer as template. 1. <http://dx.doi.org/10.1088/2053-1591/1/2/026301>.
- Kishi, R; Harabuchi, I; Ikeda, T; Katakura, Y; Miyake, H. (1993). Acute effects of trichloroethylene on blood concentrations and performance decrements in rats and their relevance to humans. *Br J Ind Med.* 50: 470-480.
- Kishi, R; Sata, F; Katakura, Y; Wang, RS; Nakajima, T. (2005). Effects of pregnancy, age and sex in the metabolism of styrene in rat liver in relation to the regulation of cytochrome P450 enzymes. *J Occup Health.* 47: 49-55.
- Kisiel, Z; Bialkowska-Jaworska, E; Pszczolkowski, L. (1998). Nuclear quadrupole coupling in Cl2C=CHCl and Cl2C=CH2: Evidence for systematic differences in orientations between internuclear and field gradient axes for terminal quadrupolar nuclei. *J Chem Phys.* 109: 10263-10272.
- Kislina, IS; Maiorov, VD; Sysoeva, SG. (1997). Effect of 1,1,2,2-tetrachloroethane on IR spectra of HCl complexes with N,N-dimethylformamide and 1-methyl-2-pyrrolidone formed by a strong quasi-symmetric hydrogen bond. *Russian Chemical Bulletin.* 46: 916-920.
- Kislina, IS; Maiorov, VD; Sysoeva, SG. (2002). Effect of 1,1,2,2-tetrachloroethane on the IR spectra of molecular and ionic complexes of methanesulfonic acid with aprotic bases. *Kinet Catal.* 43: 667-670.
- Kislina, IS; Sysoeva, SG; Temkin, ON. (1996). Effect of 1,1,2,2-tetrachloroethane on the ionizing ability of complexes of HCl with DMF. *Russian Chemical Bulletin.* 45: 69-73.
- Kislina, IS; Sysoeva, SG; Temkin, ON. (1996). Solvent effect on catalytic properties of the HCl-DMF-1,1,2,2-tetrachloroethane system. *Russian Chemical Bulletin.* 45: 1376-1379.
- Kistemann, T; Hundhausen, J; Herbst, S; Classen, T; Faerber, H. (2008). Assessment of a groundwater contamination with vinyl chloride (VC) and precursor volatile organic compounds (VOC) by use of a geographical information system (GIS). *Int J Hyg Environ Health.* 211: 308-317. <http://dx.doi.org/10.1016/j.ijheh.2007.02.01>.
- Kitada, T; Seki, S; Kawakita, N; Kuroki, T; Monna, T. (1995). Telomere shortening in chronic liver diseases. *Biochem Biophys Res Commun.* 211: 33-39. <http://dx.doi.org/10.1006/bbrc.1995.1774>.

Fate Literature Search Results

Off Topic

- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research*. 7: 109-116.
- Kjellstrand, P. (1986). Comment on the interpretation of effects caused by chronic trichloroethylene exposure [Letter]. *Scand J Work Environ Health*. 12: 154-155.
- Kjellstrand, P; Bjerkemo, M; Mortensen, I; Månsson, L. (1981). Effects of long-term exposure to trichloroethylene on the behavior of Mongolian gerbils (*Meriones unguiculatus*). *J Toxicol Environ Health A*. 8: 787-793. <http://dx.doi.org/10.1080/15287398109530114>.
- Kjellstrand, P; Lanke, J; Bjerkemo, M; Zetterqvist, L; Månsson, L. (1980). Irreversible effects of trichloroethylene exposure on the central nervous system. *Scand J Work Environ Health*. 6: 40-47.
- Klasson, KT; Ledbetter, CA; Wartelle, LH; Lingle, SE. (2010). Feasibility of dibromochloropropane (DBCP) and trichloroethylene (TCE) adsorption onto activated carbons made from nut shells of different almond varieties. *Ind Crop Prod*. 31: 261-265. <http://dx.doi.org/10.1016/j.indcrop.2009.11.002>.
- Klasson, KT; Ledbetter, CA; Wartelle, LH; Lingle, SE. (2011). Feasibility of dibromochloropropane (DBCP) and trichloroethylene (TCE) adsorption onto activated carbons made from nut shells of different almond varieties (vol 31, pg 261, 2010). *Ind Crop Prod*. 33: 783-783. <http://dx.doi.org/10.1016/j.indcrop.2011.01.001>.
- Klasson, KT; Wartelle, LH; Lima, IM; Marshall, WE; Akin, DE. (2009). Activated carbons from flax shive and cotton gin waste as environmental adsorbents for the chlorinated hydrocarbon trichloroethylene. *Bioresour Technol*. 100: 5045-5050. <http://dx.doi.org/10.1016/j.biortech.2009.02.068>.
- Klausen, J; Vikesland, PJ; Kohn, T; Burris, DR; Ball, WP; Roberts, AL. (2003). Longevity of granular iron in groundwater treatment processes: Solution composition effects on reduction of organohalides and nitroaromatic compounds. *Environ Sci Technol*. 37: 1208-1218. <http://dx.doi.org/10.1021/es025965s>.
- Klecka, GM; Mcdaniel, SG; Wilson, PS; Carpenter, CL; Clark, JE; Thomas, A; Spain, JC. (1996). Field evaluation of a granular activated carbon fluid-bed bioreactor for treatment of chlorobenzene in groundwater. *Environmental Progress*. 15: 93-107.
- Kleiman, G; Prinn, RG. (2000). Measurement and deduction of emissions of trichloroethene, tetrachloroethene, and trichloromethane (chloroform) in the northeastern United States and southeastern Canada. *J Geophys Res Atmos*. 105: 28875-28893.
- Kleinknecht, SM; Class, H; Braun, J. (2015). Density-Driven Migration of Heavy NAPL Vapor in the Unsaturated Zone. *Vadose Zone Journal*. 14. <http://dx.doi.org/10.2136/vzj2014.12.0173>.
- Klenk, ID; Grathwohl, P. (2002). Transverse vertical dispersion in groundwater and the capillary fringe. *J Contam Hydrol*. 58: 111-128.
- Kliegman, S; Mcneill, K. (2009). Reconciling disparate models of the involvement of vinyl radicals in cobalamin-mediated dechlorination reactions. *Environ Sci Technol*. 43: 8961-8967. <http://dx.doi.org/10.1021/es902267j>.
- Klier, NJ; West, RJ; Donberg, PA. (1999). Aerobic biodegradation of dichloroethylenes in surface and subsurface soils. *Chemosphere*. 38: 1175-1188. [http://dx.doi.org/10.1016/S0045-6535\(98\)00485-8](http://dx.doi.org/10.1016/S0045-6535(98)00485-8).
- Klimkova, S; Cernik, M; Lacinova, L; Nosek, J. (2008). APPLICATION OF NANOSCALE ZERO-VALENT IRON FOR GROUNDWATER REMEDIATION: LABORATORY AND PILOT EXPERIMENTS. *NANO*. 3: 287-289.
- Kling, T; Korkealaakso, J; Saarenpaa, J. (2004). Application of nonisothermal multiphase modeling to in situ soil remediation in Soderkulla. *Vadose Zone Journal*. 3: 901-908.
- Klisch, M; Kuder, T; Philp, RP; Mchugh, TE. (2012). Validation of adsorbents for sample preconcentration in compound-specific isotope analysis of common vapor intrusion pollutants. *J Chromatogr A*. 1270: 20-27. <http://dx.doi.org/10.1016/j.chroma.2012.10.050>.
- Klongdee, J; Petchkroh, W; Phuempoonsathaporn, K; Praserttham, P; Vangnai, AS; Pavarajarn, V. (2005). Activity of nanosized titania synthesized from thermal decomposition of titanium (IV) n-butoxide for the photocatalytic degradation of diuron. *Science and Technology of Advanced Materials*. 6: 290-295. <http://dx.doi.org/10.1016/j.stam.2005.02.007>.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis metropolitan area (vol 52, pg 348, 1997). *Arch Environ Health*. 52: 486-486.
- Knappe, DRU; Snoeyink, VL; Roche, P; Prados, MJ; Bourbigot, MM. (1999). Atrazine removal by preloaded GAC. *J Am Water Works Assoc*. 91: 97-109.
- Knauss, KG; Dibley, MJ; Leif, RN; Mew, DA; Aines, RD. (1999). Aqueous oxidation of trichloroethene (TCE): a kinetic analysis. *Appl Geochem*. 14: 531-541.
- Kneidel, AL; Yang, ST. (2003). Kinetic study of trichloroethylene biodegradation by *Methylosinus trichosporium* OB3b PP358 immobilized in a fibrous-bed bioreactor. *Journal of the Chinese Institute of Chemical Engineers*. 34: 65-73.
- Knight, MW; van De Groep, J; Bronsveld, PCP; Sinke, W, imC; Polman, A. (2016). Soft imprinted Ag nanowire hybrid electrodes on silicon heterojunction solar cells. 30: 398-406. <http://dx.doi.org/10.1016/j.nanoen.2016.10.011>.
- Knobel, LL; Mann, LJ. (1993). SAMPLING FOR PURGEABLE ORGANIC-COMPOUNDS USING POSITIVE-DISPLACEMENT PISTON AND CENTRIFUGAL SUBMERSIBLE PUMPS - A COMPARATIVE-STUDY. *Ground Water Monitoring and Remediation*. 13: 142-148.
- Knorr, R; Schendel, D; Condon, S; Disirio, M; Boyle, C; Krueger, E. (1994). The relationship between birth defects and exposure to trichloroethylene-contaminated water in Woburn, Massachusetts (MA). *Am J Epidemiol*. 139: 15-18.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut*. 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Ko, JH; Musson, S; Townsend, T. (2010). Destruction of trichloroethylene during hydration of calcium oxide. *J Hazard Mater*. 174: 876-879. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.043>.
- Ko, JH; Musson, S; Townsend, T. (2011). Removal of trichloroethylene from soil using the hydration of calcium oxide. *J Environ Manage*. 92: 1767-1773. <http://dx.doi.org/10.1016/j.jenvman.2011.02.004>.

Fate Literature Search Results

Off Topic

- Ko, S; Crimi, M; Marvin, BK; Holmes, V; Huling, SG. (2012). Comparative study on oxidative treatments of NAPL containing chlorinated ethanes and ethenes using hydrogen peroxide and persulfate in soils. *J Environ Manage.* 108: 42-48. <http://dx.doi.org/10.1016/j.jenvman.2012.04.034>.
- Ko, SO, h; Ji, SH. (2007). In situ push-pull tests for the determination of TCE degradation and permanganate consumption rates. *Environ Geol.* 53: 359-364. <http://dx.doi.org/10.1007/s00254-007-0651-8>.
- Ko, Y; Yang, G; Chang, DP; Kennedy, IM. (2003). Microwave plasma conversion of volatile organic compounds. *Journal of the Air and Waste Management Association.* 53: 580-585.
- Kobayashi, M; Ikeda, K; Hosaka, T; Someya, T; Akuta, N; Suzuki, F; Suzuki, Y; Saitoh, S; Arase, Y; Kumada, H. (2006). Dysplastic nodules frequently develop into hepatocellular carcinoma in patients with chronic viral hepatitis and cirrhosis. *Cancer.* 106: 636-647. <http://dx.doi.org/10.1002/cncr.21607>.
- Kobayashi, T; Shimizu, Y; Urano, K. (2003). Estimation of adsorbed amounts of volatile chlorinated organic compounds to wet soil based on the properties of the compounds and soils. *Sci Total Environ.* 301: 215-223.
- Kober, R; Schlicker, O; Ebert, M; Dahmke, A. (2002). Degradation of chlorinated ethylenes by Fe-0: inhibition processes and mineral precipitation. *Environ Geol.* 41: 644-652. <http://dx.doi.org/10.1007/s00254-001-0443-5>.
- Kocamemi, BA; Cecen, F. (2005). Cometabolic degradation of TCE in enriched nitrifying batch systems. *J Hazard Mater.* 125: 260-265.
- Kocamemi, BA; Cecen, F. (2009). Biodegradation of 1,2-dichloroethane (1,2-DCA) by cometabolism in a nitrifying biofilm reactor. *Int Biodeterior Biodegradation.* 63: 717-726. <http://dx.doi.org/10.1016/j.ibiod.2009.04.008>.
- Kocamemi, BA; Cecen, F. (2010). Biological removal of the xenobiotic trichloroethylene (TCE) through cometabolism in nitrifying systems. *Bioresour Technol.* 101: 430-433. <http://dx.doi.org/10.1016/j.biortech.2009.07.079>.
- Kocamemi, BA; Ceçen, F. (2010). Cometabolic degradation and inhibition kinetics of 1,2-dichloroethane (1,2-DCA) in suspended-growth nitrifying systems. *Environ Technol.* 31: 295-305. <http://dx.doi.org/10.1080/09593330903470677>.
- Koch, A; Orjala, J; Mutiso, PC; Soejarto, DD. (2006). An antimalarial abietane diterpene from *Fuerstia africana* TCE fries. *Biochemical Systematics and Ecology.* 34: 270-272. <http://dx.doi.org/10.1016/j.bse.2005.08.002>.
- Koch, B; Gramith, JT; Dale, MS; Ferguson, DW. (1992). CONTROL OF 2-METHYLISOBORNEOL AND GEOSMIN BY OZONE AND PEROXONE - A PILOT-STUDY. *Water Sci Technol.* 25: 291-298.
- Koch, J; Voelker, P. (1996). Formation of artefacts and its suppression during the determination of volatile halogenated hydrocarbons in water by means of headspace gas chromatography under the standard conditions of DIN 38407-F5. Part I: Formation of dehydrohalogenation products from saturated halogenated hydrocarbons. *Acta Hydrochim Hydrobiol.* 24: 176-178.
- Koch, M; Cohn, DR; Patrick, RM; Schuetze, MP; Bromberg, L; Reilly, D; Hadidi, K; Thomas, P; Falkos, P. (1995). ELECTRON-BEAM ATMOSPHERIC-PRESSURE COLD-PLASMA DECOMPOSITION OF CARBON-TETRACHLORIDE AND TRICHLOROETHYLENE. *Environ Sci Technol.* 29: 2946-2952.
- Kocur, CM; Chowdhury, AI; Sakulchaicharoen, N; Boparai, HK; Weber, KP; Sharma, P; Krol, MM; Austrins, L; Peace, C; Sleep, BE; O'Carroll, DM. (2014). Characterization of nZVI mobility in a field scale test. *Environ Sci Technol.* 48: 2862-2869. <http://dx.doi.org/10.1021/es4044209>.
- Kocur, CM; Lomheim, L; Boparai, HK; Chowdhury, AI; Weber, KP; Austrins, LM; Edwards, EA; Sleep, BE; O'Carroll, DM. (2015). Contributions of Abiotic and Biotic Dechlorination Following Carboxymethyl Cellulose Stabilized Nanoscale Zero Valent Iron Injection. *Environ Sci Technol.* 49: 8648-8656. <http://dx.doi.org/10.1021/acs.est.5b00719>.
- Koepke, R; Warner, M; Petreas, M; Cabria, A; Danis, R; Hernandez-Avila, M; Eskenazi, B. (2004). Serum DDT and DDE levels in pregnant women of Chiapas, Mexico. *Arch Environ Health.* 59: 559-565. <http://dx.doi.org/10.1080/00039890409603434>.
- Koga, M; Akiyama, T; Glaze, WH. (1991). Analysis of Ozonation by-Products Produced in Drinking Water Treatment. *Toxicol Ind Health.* 7: 423-432.
- Kogel-Knabner, I; Totsche, KU; Raber, B. (2000). Desorption of polycyclic aromatic hydrocarbons from soil in the presence of dissolved organic matter: Effect of solution composition and aging. *J Environ Qual.* 29: 906-916.
- Koh, LH; Kuhn, DCS; Mohseni, M; Allen, DG. (2004). Utilizing ultraviolet photooxidation as a pre-treatment of volatile organic compounds upstream of a biological gas cleaning operation. *J Chem Tech Biotechnol.* 79: 619-625. <http://dx.doi.org/10.1002/jctb.1030>.
- Kohári, M; Zado, E; Marchlinski, FE; Callans, DJ; Han, Y. (2014). Left atrial volume best predicts recurrence after catheter ablation in patients with persistent and longstanding persistent atrial fibrillation. *Pacing Clin Electrophysiol.* 37: 422-429. <http://dx.doi.org/10.1111/pace.12279>.
- Kohn, T; Livi, KJT; Roberts, AL; Vikesland, PJ. (2005). Longevity of granular iron in groundwater treatment processes: Corrosion product development. *Environ Sci Technol.* 39: 2867-2879. <http://dx.doi.org/10.1021/es048851k>.
- Kohn, T; Roberts, AL. (2006). The effect of silica on the degradation of organohalides in granular iron columns. *J Contam Hydrol.* 83: 70-88. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.010>.
- Kohn, T; Roberts, AL. (2006). Interspecies competitive effects in reduction of organohalides in Connelly iron columns. *Environ Eng Sci.* 23: 874-885.
- Kohne, A; Kemnitz, E. (1995). HETEROGENEOUS CATALYZED SYNTHESIS OF 1,1,1,2-TETRAFLUOROETHANE FROM 1,1,1,2-TETRACHLOROETHANE - THERMODYNAMICS AND REACTION PATHWAYS. *J Fluor Chem.* 75: 103-110.
- Kohno, H; Berezin, AA; Chang, JS; Tamura, M; Yamamoto, T; Shibuya, A; Hondo, S. (1998). Destruction of volatile organic compounds used in a semiconductor industry by a capillary tube discharge reactor. *I E E E Transactions on Industry Applications.* 34: 953-966.
- Kojima, T; Saito, H; Fukuda, K; Takuma, Y; Kato, S; Satokawa, S. (2009). The Influence of Soil and Organic Matter on Trichloroethylene Decomposition by Fenton Reaction. *J Chem Eng Jpn.* 42: S23-S28.

Fate Literature Search Results

Off Topic

- Kolb, FR; Wilderer, PA. (1997). Activated carbon sequencing batch biofilm reactor to treat industrial wastewater. *Water Sci Technol.* 35: 169-176.
- Komatsu, T; Momono, K; Matsuo, T; Hanaki, K. (1994). BIOTRANSFORMATION OF CIS-1,2-DICHLOROETHYLENE TO ETHYLENE AND ETHANE UNDER ANAEROBIC CONDITIONS. *Water Sci Technol.* 30: 75-84.
- Komatsu, T; Shinmyo, J; Momono, K. (1997). Reductive transformation of tetrachloroethylene to ethylene and ethane by an anaerobic filter. *Water Sci Technol.* 36: 125-132.
- Komlos, J; Cunningham, AB; Camper, AK; Sharp, RR. (2004). Biofilm barriers to contain and degrade dissolved trichloroethylene. *Environmental Progress.* 23: 69-77. <http://dx.doi.org/10.1002/ep.10003>.
- Komlos, J; Cunningham, AB; Camper, AK; Sharp, RR. (2005). Interaction of *Klebsiella oxytoca* and *Burkholderia cepacia* in dual-species batch cultures and biofilms as a function of growth rate and substrate concentration. *Microb Ecol.* 49: 114-125. <http://dx.doi.org/10.1007/s00248-003-1066-z>.
- Komnitsas, K; Bartzas, G; Paspaliaris, I. (2006). Inorganic contaminant fate assessment in zero-valent iron treatment walls. *Environ Forensics.* 7: 207-217. <http://dx.doi.org/10.1080/15275920600840479>.
- Komori, K; Miyajima, S; Tsuru, T; Fujii, T; Mohri, S; Ono, Y; Sakai, Y. (2009). A rapid and simple evaluation system for gas toxicity using luminous bacteria entrapped by a polyion complex membrane. *Chemosphere.* 77: 1106-1112. <http://dx.doi.org/10.1016/j.chemosphere.2009.08.004>.
- Komori, K; Murai, K; Miyajima, S; Fujii, T; Mohri, S; Ono, Y; Sakai, Y. (2008). Development of an in vitro batch-type closed gas exposure device with an alveolar epithelial cell line, A549, for toxicity evaluations of gaseous compounds. *Anal Sci.* 24: 957-962. <http://dx.doi.org/10.2116/analsci.24.957>.
- Kong, SH; Kwon, CI; Kim, MH. (2003). Ozone kinetics and diesel decomposition by ozonation in groundwater. *Korean J Chem Eng.* 20: 293-299.
- Konietzko, H; Elster, I; Bencsath, A; Drysch, K; Weichardt, H. (1975). EEG-Veränderungen unter definierter Trichloräthylen-Exposition. *Int Arch Occup Environ Health.* 35: 257-264.
- Konietzko, H; Reill, G. (1980). The effect of trichloroethylene on some serum-enzymes, on the cytoenzymological activity in leucocytes, and on the acid-base equilibrium. *Int Arch Occup Environ Health.* 47: 61-67.
- Koo, B; Chattopadhyay, A; Dai, L. (2016). Atomistic modeling framework for a cyclobutane-based mechanophore-embedded nanocomposite for damage precursor detection. *Computational Materials Science.* 120: 135-141. <http://dx.doi.org/10.1016/j.commatsci.2016.04.003>.
- Koo, B; Liu, Y; Zou, J; Chattopadhyay, A; Dai, LL. (2014). Study of glass transition temperature (T-g) of novel stress-sensitive composites using molecular dynamic simulation. *Modelling and Simulation in Materials Science and Engineering.* 22. <http://dx.doi.org/10.1088/0965-0393/22/6/065018>.
- Koper, O; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .3. Chloroform, trichloroethene, and tetrachloroethene. *Chem Mater.* 9: 2481-2485.
- Kopinke, FD; Angeles-Wedler, D; Fritsch, D; Mackenzie, K. (2010). Pd-catalyzed hydrodechlorination of chlorinated aromatics in contaminated waters-Effects of surfactants, organic matter and catalyst protection by silicone coating. *Appl Catal B-Environ.* 96: 323-328. <http://dx.doi.org/10.1016/j.apcatb.2010.02.028>.
- Kopinke, FD; Georgi, A; Voskamp, M; Richnow, HH. (2005). Carbon isotope fractionation of organic contaminants due to retardation on humic substances: implications for natural attenuation studies in aquifers. *Environ Sci Technol.* 39: 6052-6062. <http://dx.doi.org/10.1021/es040096n>.
- Kopinke, FD; Speichert, G; Mackenzie, K; Hey-Hawkins, E. (2016). Reductive dechlorination in water: Interplay of sorption and reactivity. *Appl Catal B-Environ.* 181: 747-753. <http://dx.doi.org/10.1016/j.apcatb.2015.08.031>.
- Koppmann, R; Johnen, FJ; Plassdülmer, C; Rudolph, J. (1993). DISTRIBUTION OF METHYLCHLORIDE, DICHLOROMETHANE, TRICHLOROETHENE AND TETRACHLOROETHENE OVER THE NORTH AND SOUTH-ATLANTIC. *J Geophys Res Atmos.* 98: 20517-20526.
- Kopylev, L; Chen, C; White, P. (2007). Towards quantitative uncertainty assessment for cancer risks: Central estimates and probability distributions of risk in dose-response modeling [Review]. *Regul Toxicol Pharmacol.* 49: 203-207. <http://dx.doi.org/10.1016/j.yrtph.2007.08.002>.
- Korkeila, PJ; Saraste, MK; Nyman, K; aiM; Koistinen, J; Lund, J; Airaksinen, KEJ. (2006). Transesophageal echocardiography in the diagnosis of thrombosis associated with permanent transvenous pacemaker electrodes. *Pacing Clin Electrophysiol.* 29: 1245-1250.
- Korosi, L; Oszko, A; Galbacs, G; Richardt, A; Zoellmer, V; Dekany, I. (2007). Structural properties and photocatalytic behaviour of phosphate-modified nanocrystalline titania films. *Appl Catal B-Environ.* 77: 175-183. <http://dx.doi.org/10.1016/j.apcatb.2007.07.019>.
- Korrapati, M; Lock, E; Mehendale, H. (2005). Molecular mechanisms of enhanced renal cell division in protection against S-1,2-dichlorovinyl-L-cysteine-induced acute renal failure and death. *Am J Physiol Renal Physiol.* 289: F175-F185. <http://dx.doi.org/10.1152/ajprenal.00418.2004>.
- Korte, NE; Zutman, JL; Schlosser, RM; Liang, L; Gu, B; Fernando, Q. (2000). Field application of palladized iron for the dechlorination of trichloroethene. *Waste Manag.* 20: 687-694.
- Kos, G; Kanthasami, V; Adechina, N; Ariya, PA. (2014). Volatile organic compounds in Arctic snow: concentrations and implications for atmospheric processes. *Environ Sci Process Impacts.* 16: 2592-2603. <http://dx.doi.org/10.1039/c4em00410h>.
- Kosegi, JM; Minsker, BS; Dougherty, DE. (2000). Feasibility study of thermal in situ bioremediation. *J Environ Eng.* 126: 601-610.
- Kostarelos, K; Pope, GA; Rouse, BA; Shook, GM. (1998). A new concept: The use of neutrally-buoyant microemulsions for DNAPL remediation. *J Contam Hydrol.* 34: 383-397.
- Kostopoulou, MN; Golfopoulos, SK; Nikolaou, AD; Xilourgidis, NK; Lekkas, TD. (2000). Volatile organic compounds in the surface waters of northern Greece. *Chemosphere.* 40: 527-532.

Fate Literature Search Results

Off Topic

- Kotik, M; Davidova, A; Voriskova, J; Baldrian, P. (2013). Bacterial communities in tetrachloroethene-polluted groundwaters: A case study. *Sci Total Environ.* 454: 517-527. <http://dx.doi.org/10.1016/j.scitotenv.2013.02.082>.
- Kotula, I; Marciniak, B. (2001). Solubilities of naphthalene and acenaphthene in chloro derivative solvents. *Journal of Chemical and Engineering Data.* 46: 783-787.
- Koukouraki, EE; Berkhoudt, RA; Diamadopoulos, E. (1997). Determination of volatile chlorination by-products in drinking water in Greece. *Fresen Environ Bull.* 6: 160-165.
- Koutny, M; Ruzicka, J; Chlachula, J. (2003). Screening for phenol-degrading bacteria in the pristine soils of south Siberia. *Appl Soil Ecol.* 23: 79-83. [http://dx.doi.org/10.1016/S0929-1393\(03\)00005-2](http://dx.doi.org/10.1016/S0929-1393(03)00005-2).
- Kouznetsova, I; Mao, X; Robinson, C; Barry, DA; Gerhard, JI; Mccarty, PL. (2010). Biological reduction of chlorinated solvents: Batch-scale geochemical modeling. *Advances in Water Resources.* 33: 969-986. <http://dx.doi.org/10.1016/j.advwatres.2010.04.017>.
- Kowalska, J; Szewczyńska, M; Pośniak, M. (2014). Measurements of chlorinated volatile organic compounds emitted from office printers and photocopiers. *Environ Sci Pollut Res Int.* 22: 5241-5252. <http://dx.doi.org/10.1007/s11356-014-3672-3>.
- Kowalzik, A; Pilchowski, K. (1999). Investigations of the adsorptive separation of volatile chlorinated hydrocarbons (VCHC) from water with humic substance by novel polymeric adsorbents and activated carbons. Part I: Isotherms and kinetics of adsorption. *Acta Hydrochim Hydrobiol.* 27: 79-86.
- Kowalzik, A; Pilchowski, K. (1999). Investigations of the adsorptive separation of volatile chlorinated hydrocarbons (VCHC) from water with humic substance by novel polymeric adsorbents and activated carbons. Part II: Dynamics of adsorption. *Acta Hydrochim Hydrobiol.* 27: 437-445.
- Koydemir, HC; Kulah, H; Ozgen, C. (2014). Solvent Compatibility of Parylene C Film Layer. *I E E E Journal of Microelectromechanical Systems.* 23: 298-307. <http://dx.doi.org/10.1109/JMEMS.2013.2273032>.
- Kozak, EM; Tate, SS. (1982). Glutathione-degrading enzymes of microvillus membranes. *J Biol Chem.* 257: 6322-6327.
- Kozlov, DV; Panchenko, AA; Bavykin, DV; Savinov, EN; Smirniotis, PG. (2003). Influence of humidity and acidity of the titanium dioxide surface on the kinetics of photocatalytic oxidation of volatile organic compounds. *Russian Chemical Bulletin.* 52: 1100-1105.
- Kozma, G; Ronavari, A; Konya, Z; Kukovecz, A. (2016). Environmentally Benign Synthesis Methods of Zero-Valent Iron Nanoparticles. 4: 291-297. <http://dx.doi.org/10.1021/acssuschemeng.5b01185>.
- Krajangpan, S; Bermudez, JJ; Bezbaruah, AN; Chisholm, BJ; Khan, E. (2008). Nitrate removal by entrapped zero-valent iron nanoparticles in calcium alginate. *Water Sci Technol.* 58: 2215-2222. <http://dx.doi.org/10.2166/wst.2008.925>.
- Krajangpan, S; Kalita, H; Chisholm, BJ; Bezbaruah, AN. (2012). Iron Nanoparticles Coated with Amphiphilic Polysiloxane Graft Copolymers: Dispersibility and Contaminant Treatability. *Environ Sci Technol.* 46: 10130-10136. <http://dx.doi.org/10.1021/es3000239>.
- Krall, K; Douglas, J, ae; Perrin, NA; Austin, D; Lambert, WE; Heumann, M. (2008). The view-master health study focus groups. *J Environ Health.* 71: 16-20.
- Kranzioch, I; Ganz, S; Tiehm, A. (2015). Chloroethene degradation and expression of Dehalococcoides dehalogenase genes in cultures originating from Yangtze sediments. *Environ Sci Pollut Res Int.* 22: 3138-3148. <http://dx.doi.org/10.1007/s11356-014-3574-4>.
- Kratz, T; Exner, M; Campo dell'Orto, M; Timmesfeld, N; Schüttler, KF; Efe, T; Zoremba, M; Wulf, H; Steinfeldt, T. (2016). A pocket-sized hand held ultrasound system for intraoperative transthoracic echocardiography by anaesthesiologists: A feasibility study. *Technol Health Care.* 24: 309-315. <http://dx.doi.org/10.3233/THC-161131>.
- Kraupp-Grasl, B; Huber, W; Putz, B; Gerbracht, U; Schulte-Hermann, R. (1990). Tumor promotion by the peroxisome proliferator nafenopin involving a specific subtype of altered foci in rat liver. *Cancer Res.* 50: 3701-3708.
- Krause, R; Mamba, BB; Dlamini, LN; Durbach, SH. (2010). Fe-Ni Nanoparticles supported on carbon nanotube-co-cyclodextrin polyurethanes for the removal of trichloroethylene in water. *J Nanopart Res.* 12: 449-456. <http://dx.doi.org/10.1007/s11051-009-9659-1>.
- Krause, RJ; Lash, LH; Elfarra, AA. (2003). Human kidney flavin-containing monooxygenases and their potential roles in cysteine s-conjugate metabolism and nephrotoxicity. *J Pharmacol Exp Ther.* 304: 185-191. <http://dx.doi.org/10.1124/jpet.102.042911>.
- Krause, TR; Helt, JE. (1993). CHEMICAL DETOXIFICATION OF TRICHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE IN A MICROWAVE-DISCHARGE PLASMA REACTOR AT ATMOSPHERIC-PRESSURE. *ACS Symp Ser Am Chem Soc.* 518: 393-410.
- Krawczyk, K; Jodzis, S; Lamenta, A; Kostka, K; Schmidt-Szalowski, K. (2010). Study on decomposition of tetrachloromethane as a model substance in environment of spark discharge plasma. *Przemysł Chemiczny.* 89: 1101-1106.
- Kreamer, DK; Oja, KJ; Steinberg, SM; Phillips, H. (1994). VAPOR ADSORPTION OF TRICHLOROETHYLENE ON QUARTZ SANDS OF VARYING GRAIN-SIZE. *J Environ Eng.* 120: 348-358.
- Kreiling, JA; Stephens, RE; Reinisch, CL. (2005). A mixture of environmental contaminants increases cAMP-dependent protein kinase in *Spisula* embryos. *Environ Toxicol Pharmacol.* 19: 9-18. <http://dx.doi.org/10.1016/j.etap.2004.02.007>.
- Krejci, M; Ridgwell, R; Koehler, D. (1991). Acute effects of the D-isomer of S-(1,2-dichlorovinyl)cysteine on renal function and ultrastructure in the pentobarbital-anesthetized dog: site-specific toxicity involving the S1 and S2 cells of the proximal tubule. *Toxicology.* 69: 151-164.
- Krins, A; Karche, K; Nosske, D; Sahre, P; Schonmuth, T. (2003). Determination of dose coefficients and urinary excretion function for inhalation of carbon-14-labelled benzene. *Radiat Prot Dosimetry.* 104: 139-152.
- Krishnadasan, A; Kennedy, N; Zhao, Y; Morgenstern, H; Ritz, B. (2007). Nested case-control study of occupational chemical exposures and prostate cancer in aerospace and radiation workers. *Am J Ind Med.* 50: 383-390. <http://dx.doi.org/10.1002/ajim.20458>.
- Krishnadasan, A; Kennedy, N; Zhao, Y; Morgenstern, H; Ritz, B. (2008). Nested case-control study of occupational physical activity and prostate cancer among workers using a job exposure matrix. *Cancer Causes Control.* 19: 107-114. <http://dx.doi.org/10.1007/s10552-007-9076-7>.

Fate Literature Search Results

Off Topic

- Krishnaiah, A; Surendranath, KN. (1996). Densities, speeds of sound, and viscosities of mixtures of oxolane with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data*. 41: 1012-1014.
- Krishnaiah, A; Surendranath, KN; Viswanath, DS. (1994). EXCESS VOLUMES AND VISCOSITIES OF 1,4-DIOXANE PLUS CHLORINATED ETHANES OR PLUS CHLORINATED ETHENES AT 303.15-K. *Journal of Chemical and Engineering Data*. 39: 756-758.
- Krishnan, K; G, J. (2005). Physiologically-based pharmacokinetic and toxicokinetic models in cancer risk assessment [Review]. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 23: 31 - 53. <http://dx.doi.org/10.1081/GNC-200051856>.
- Krishnan, K; Haddad, S; Beliveau, M; Tardif, R. (2002). Physiological modeling and extrapolation of pharmacokinetic interactions from binary to more complex chemical mixtures. *Environ Health Perspect*. 110: 989-994.
- Krishnan, K; III, CH; Andersen, ME. (1994). Physiologically based pharmacokinetic analyses of simple mixtures. *Environ Health Perspect*. 102: 151-155.
- Krochmal, D. (1999). Determination of organic volatile compounds in workplace air by use of passive samplers and gas chromatography. Part I. A method of determination of chlorinated aliphatic hydrocarbons after solvent desorption. *Chemia analityczna*. 44: 963-976.
- Krol, MM; Johnson, RL; Sleep, BE. (2014). An analysis of a mixed convection associated with thermal heating in contaminated porous media. *Sci Total Environ*. 499: 7-17. <http://dx.doi.org/10.1016/j.scitotenv.2014.08.028>.
- Krol, MM; Rowe, RK. (2004). Diffusion of TCE through soil-bentonite slurry walls. *Soil Sediment Contam*. 13: 81-101. <http://dx.doi.org/10.1080/10588330490269903>.
- Kromann, A; Ludvigsen, L; H-J, A; Christensen, TH; Ejlerthsson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Manag Res*. 16: 54-62.
- Kroneld, R. (1989). Volatile pollutants in the environment and human tissues. *Bull Environ Contam Toxicol*. 42: 873-877. <http://dx.doi.org/10.1007/BF01701629>.
- Ku, Y; Chen, JS; Chen, HW. (2007). Decomposition of benzene and toluene in air streams in fixed-film photoreactors coated with TiO₂ catalyst. *Journal of the Air and Waste Management Association*. 57: 279-285.
- Ku, Y; Ma, CM; Shen, YS. (2001). Decomposition of gaseous trichloroethylene in a photoreactor with TiO₂-coated nonwoven fiber textile. *Appl Catal B-Environ*. 34: 181-190.
- Ku, Y; Tseng, K, unYu; Ma, CM. (2008). Photocatalytic decomposition of gaseous acetone using TiO₂ and Pt/TiO₂ catalysts. *Int J Chem Kinet*. 40: 209-216. <http://dx.doi.org/10.1002/kin.20303>.
- Ku, Y; Tseng, KY; Wang, WY. (2005). Decomposition of gaseous acetone in an annular photoreactor coated with TiO₂ thin film. *Water Air Soil Pollut*. 168: 313-323. <http://dx.doi.org/10.1007/s11270-005-1778-4>.
- Kubatova, A; Lagadec, AJM; Hawthorne, SB. (2002). Dechlorination of lindane, dieldrin, tetrachloroethane, trichloroethene, and PVC in subcritical water. *Environ Sci Technol*. 36: 1337-1343. <http://dx.doi.org/10.1021/es011186k>.
- Kubo, S; Matsuzaki, K; Seki, T; Ohsawa, M; Kumagai, S; Endo, G. (2014). Severe acute hepatitis in a printing company worker: a case study. *J Occup Health*. 57: 87-90. <http://dx.doi.org/10.1539/joh.14-0122-CS>.
- Kubo, Y; Mitani, H; Hino, O. (1994). Allelic loss at the predisposing gene locus in spontaneous and chemically induced renal cell carcinomas in the Eker rat. *Cancer Res*. 54: 2633-2635.
- Kubota, M; Hayashi, M; Matsuda, H; Serizawa, H. (2012). Enhanced decomposition of (4-chloro-2-methylphenoxy) acetic acid by combined ultrasonic and oxidative treatment. *Journal of Material Cycles and Waste Management*. 14: 132-138. <http://dx.doi.org/10.1007/s10163-012-0047-z>.
- Kuder, T; Philp, P. (2013). Demonstration of compound-specific isotope analysis of hydrogen isotope ratios in chlorinated ethenes. *Environ Sci Technol*. 47: 1461-1467. <http://dx.doi.org/10.1021/es303476v>.
- Kuder, T; van Breukelen, BM; Vanderford, M; Philp, P. (2013). 3D-CSIA: carbon, chlorine, and hydrogen isotope fractionation in transformation of TCE to ethene by a Dehalococcoides culture. *Environ Sci Technol*. 47: 9668-9677. <http://dx.doi.org/10.1021/es400463p>.
- Kuder, T; Wilson, JT; Philp, P; He, YT. (2012). Carbon Isotope Fractionation in Reactions of 1,2-Dibromoethane with FeS and Hydrogen Sulfide. *Environ Sci Technol*. 46: 7495-7502. <http://dx.doi.org/10.1021/es300850x>.
- Kudryavtsev, BN; Kudryavtseva, MV; Sakuta, GA; Stein, GI. (1993). Human hepatocyte polyploidization kinetics in the course of life cycle. *Virchows Arch B Cell Pathol Incl Mol Pathol*. 64: 387-393. <http://dx.doi.org/10.1007/BF02915139>.
- Kulazynski, M; van Ommen, JG; Trawczynski, J; Walendziewski, J. (2002). Catalytic combustion of trichloroethylene over TiO₂-SiO₂ supported catalysts. *Appl Catal B-Environ*. 36: 239-247.
- Kulbachinskii, VA; Inoue, M; Sasaki, M; Negishi, H; Gao, WX; Gimán, Y; Lostak, P; Horak, J. (1995). Upper and lower valence band energy spectra of narrow gap semiconductor solid solutions of Bi₂-xSn_xTe₃ crystals. *Institute of Physics Conference Series*184-188.
- Kulkarni, K; Barcak, E; El-Serag, H; Goodgame, R. (2004). The impact of immigration on the increasing incidence of hepatocellular carcinoma in the United States. *Aliment Pharmacol Ther*. 20: 445-450. <http://dx.doi.org/10.1111/j.1365-2036.2004.02090.x>.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination*. 196: 43-54. <http://dx.doi.org/10.1016/j.desal.2005.11.019>.
- Kuller, LH; Ockene, JK; Meilahn, E; Wentworth, DN; Svendsen, KH; Neaton, JD. (1991). Cigarette smoking and mortality. MRFIT Research Group. *Prev Med*. 20: 638-654. [http://dx.doi.org/10.1016/0091-7435\(91\)90060-H](http://dx.doi.org/10.1016/0091-7435(91)90060-H).
- Kultti, S; Nevalainen, L; Luoto, TP; Sarmaja-Korjonen, K. (2011). Subfossil chydorid (Cladocera, Chydoridae) ephippia as paleoenvironmental proxies: evidence from boreal and subarctic lakes in Finland. *Hydrobiologia*. 676: 23-37. <http://dx.doi.org/10.1007/s10750-011-0869-z>.
- Kumagai, S. (2014). Two offset printing workers with cholangiocarcinoma. *J Occup Health*. 56: 164-168.
- Kumagai, S; Matsunaga, I. (1995). Effect of variation of exposure to airborne chlorobenzene on internal exposure and concentrations of urinary metabolite. *Occup Environ Med*. 52: 65-70. <http://dx.doi.org/10.1136/oem.52.1.65>.

Fate Literature Search Results

Off Topic

- Kumagai, S; Matsunaga, I. (1995). PHYSIOLOGICALLY-BASED PHARMACOKINETIC MODEL FOR ACETONE. *Occup Environ Med.* 52: 344-352.
- Kumagai, S; Matsunaga, I; Tabuchi, T. (1998). Effects of variation in exposure to airborne acetone and difference in work load on acetone concentrations in blood, urine, and exhaled air. *Am Ind Hyg Assoc J.* 59: 242-251.
- Kumar, A; Hooda, VS; Rani, V; Mukesh, S; Sheekand, R; Singh, A. (2015). Evaluation of alternative tillage and crop establishment methods in rice (*Oryza sativa*) cultivation. *Indian J Agric Sci.* 85: 1109-1113.
- Kumar, A; Saha, SK. (2016). Energy and exergy analyses of medium temperature latent heat thermal storage with high porosity metal matrix. *Applied Thermal Engineering.* 109: 911-923. <http://dx.doi.org/10.1016/j.applthermaleng.2016.04.161>.
- Kumar, A; Verduyssen, A; Dewulf, J; Lens, P; Van Langenhove, H. (2012). Removal of gaseous trichloroethylene (TCE) in a composite membrane biofilm reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 47: 1046-1052. <http://dx.doi.org/10.1080/10934529.2012.667326>.
- Kumar, A; Zhou, C. (2010). The race to replace tin-doped indium oxide: which material will win? [Comment]. *ACS Nano.* 4: 11-14. <http://dx.doi.org/10.1021/nn901903b>.
- Kumar, G; Kanjarla, AK; Lodh, A; Singh, J; Singh, R; Srivastava, D; Dey, GK; Saibaba, N; Doherty, RD; Samajdar, I. (2016). Burst Ductility of Zirconium Clads: The Defining Role of Residual Stress. *Metallurgical and Materials Transactions A.* 47A: 3882-3896. <http://dx.doi.org/10.1007/s11661-016-3526-3>.
- Kumar, M; Kumar, R; Hissar, SS; Saraswat, MK; Sharma, BC; Sakhuja, P; Sarin, SK. (2007). Risk factors analysis for hepatocellular carcinoma in patients with and without cirrhosis: A case-control study of 213 hepatocellular carcinoma patients from India. *J Gastroenterol Hepatol.* 22: 1104-1111. <http://dx.doi.org/10.1111/j.1440-1746.2007.04908.x>.
- Kumar, M; Tewari, S; Sharma, P; Verma, VK; Chauhan, LK; Agarwal, SK; Dwivedi, UN; Goel, SK. (2009). Study of genetic polymorphism in solvent exposed population and its correlation to in vitro effect of trichloroethylene on lymphocytes. *J Environ Biol.* 30: 685-691.
- Kumar, N; Auffan, M; Gattacceca, J; Rose, J; Oliivi, L; Borschneck, D; Kvapil, P; Jublot, M; Kaifas, D; Malleret, L; Doumenq, P; Bottero, JY. (2014). Molecular insights of oxidation process of iron nanoparticles: spectroscopic, magnetic, and microscopic evidence. *Environ Sci Technol.* 48: 13888-13894. <http://dx.doi.org/10.1021/es503154q>.
- Kumar, P; Prasad, A; Maji, B; Mani, U; Dutta, K. (2001). Hepatotoxic alterations induced by inhalation of trichloroethylene (TCE) in rats. *Biomed Environ Sci.* 14: 325-332.
- Kumar, P; Prasad, A; Mani, U; Maji, B; Dutta, K. (2002). Effect of trichloroethylene (TCE) inhalation on biotransformation enzymes of rat lung and liver. *J Environ Biol.* 23: 1-6.
- Kumar, RV; Rao, MA; Rao, MV; Kumar, YVL, R; Prasad, DHL. (1996). Activity coefficient and excess Gibbs free energies of allyl alcohol with trichloroethylene. *Thermochim Acta.* 287: 7-11.
- Kumar, RV; Rao, MA; Rao, MV; Prasad, DHL. (1999). Activity coefficient and excess gibes free energies of propargyl alcohol with trichloroethylene. *Physics and Chemistry of Liquids.* 37: 345-349.
- Kumar, RV; Viswanathan, S; Rao, MA. (1996). Excess volumes, speeds of sound, and isentropic compressibilities of 2-propyn-1-ol plus 1,2-dichloroethane, plus 1,1,1-trichloroethane, plus 1,1,2,2-tetrachloroethane, and plus trichloroethylene at 303.15 K. *Journal of Chemical and Engineering Data.* 41: 755-757.
- Kumari, PG; Radhamma, M; Sekhar, GC; Rao, MVP. (2002). Excess volumes and speeds of sound of N-methyl-2-pyrrolidone with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data.* 47: 425-427. <http://dx.doi.org/10.1021/je0102661>.
- Kun, Z; Liu, ZC; Liu, X. (1993). VERTICAL MIGRATION OF PHENOL IN AIR-DRIED SOIL UNDER CAPILLARY EFFECT. *Water Air Soil Pollut.* 68: 449-459.
- Kuncova, G; Pazlarova, J; Hlavata, A; Ripp, S; Sayler, GS. (2011). Bioluminescent bioreporter *Pseudomonas putida* TVA8 as a detector of water pollution. Operational conditions and selectivity of free cells sensor. *Ecol Indicat.* 11: 882-887. <http://dx.doi.org/10.1016/j.ecolind.2010.12.001>.
- Kung, HC; Hoyert, DL; Xu, J; Murphy, SL. (2008). Deaths: Final data for 2005. *National Vital Statistics Reports.* 56.
- Kungsanant, S; Kitiyanan, B; Rirksomboon, T; Osuwan, S; Scamehorn, JF. (2009). Recovery of nonionic surfactant from VOC-contaminated coacervate phase solutions by co-current vacuum stripping: Effect of surfactant concentration, temperature, and solute type. *Separation and Purification Technology.* 66: 510-516. <http://dx.doi.org/10.1016/j.seppur.2009.02.008>.
- Kuo, HP; Wu, CT; Hsu, RC. (2009). Continuous reduction of toluene vapours from the contaminated gas stream in a fluidised bed photoreactor. *Powder Technology.* 195: 50-56. <http://dx.doi.org/10.1016/j.powtec.2009.05.010>.
- Kuo, S, huL; Wu, EMY. (2014). The photocatalytic degradation of trichloroethylene in water by reaction board using clay catalyst. *J Indian Chem Soc.* 91: 1731-1743.
- Kuo, YC; Cheng, SF; Liu, PWG; Chiou, HY; Kao, CM. (2012). Application of enhanced bioremediation for TCE-contaminated groundwater: a pilot-scale study. *Desalination and Water Treatment.* 41: 364-371. <http://dx.doi.org/10.1080/19443994.2012.664742>.
- Kuo, YC; Liu, JK; Chien, HY; Chen, CC; Kao, CM. (2012). Remediation of TCE-contaminated groundwater using integrated biosparging and enhanced bioremediation system. *Res Journal Chem Environ.* 16: 37-47.
- Kuo, YC; Wang, SY; Chang, YM; Chen, SH; Kao, CM. (2014). Control of trichloroethylene plume migration using a biobarrier system: a field-scale study. *Water Sci Technol.* 69: 2074-2078. <http://dx.doi.org/10.2166/wst.2014.126>.
- Kupferle, MJ; Chen, T; Gallardo, VJ; Lindberg, DE; Bishop, PL; Safferman, SI; Bishop, DF. (1995). Anaerobic pretreatment of hazardous waste leachates in publicly owned treatment works. *Water Environ Res.* 67: 910-920.
- Kurimoto, Y; Doi, S; Aoyama, M. (2001). Removal of trichloroethylene from aqueous solution by pyrolyzed Japanese cedar bark. *J Wood Sci.* 47: 76-79.
- Kuroki, T; Fujioka, T; Kawabata, R; Okubo, M; Yamamoto, T. (2009). Regeneration of Honeycomb Zeolite by Nonthermal Plasma Desorption of Toluene. *I E E E Transactions on Industry Applications.* 45: 10-15. <http://dx.doi.org/10.1109/TIA.2008.2009476>.

Fate Literature Search Results

Off Topic

- Kuroki, T; Hirai, K; Kawabata, R; Okubo, M; Yamamoto, T. (2010). Decomposition of Adsorbed Xylene on Adsorbents Using Nonthermal Plasma With Gas Circulation. *I E E Transactions on Industry Applications*. 46: 672-679. <http://dx.doi.org/10.1109/TIA.2010.2040051>.
- Kuroki, T; Hirai, K; Matsuoka, S; Kim, JY; Okubo, M. (2011). Oxidation System of Adsorbed VOCs on Adsorbent Using Nonthermal Plasma Flow. *I E E Transactions on Industry Applications*. 47: 1916-1921. <http://dx.doi.org/10.1109/TIA.2011.2155013>.
- Kuroki, T; Oishi, T; Yamamoto, T; Okubo, M. (2013). Bromomethane Decomposition Using a Pulsed Dielectric Barrier Discharge. *I E E Transactions on Industry Applications*. 49: 293-297. <http://dx.doi.org/10.1109/TIA.2012.2228612>.
- Kurtz, JP; Wolfe, EM; Woodland, AK; Foster, SJ. (2010). Evidence for Increasing Indoor Sources of 1,2-Dichloroethane Since 2004 at Two Colorado Residential Vapor Intrusion Sites. *Ground Water Monitoring and Remediation*. 30: 107-112. <http://dx.doi.org/10.1111/j1745-6592.2010.01296.x>.
- Kusakabe, K; Aso, S; Wada, T; Hayashi, JI; Morooka, S; Isomura, K. (1991). DESTRUCTION RATE OF VOLATILE ORGANOCHLORINE COMPOUNDS IN WATER BY OZONATION WITH ULTRAVIOLET-RADIATION. *Water Res*. 25: 1199-1203.
- Kusic, H; Peternel, I; Koprivanac, N; Bozic, AL. (2011). Iron-Activated Persulfate Oxidation of an Azo Dye in Model Wastewater: Influence of Iron Activator Type on Process Optimization. *J Environ Eng*. 137: 454-463. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000347](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000347).
- Kusic, H; Peternel, I; Ukic, S; Koprivanac, N; Bolanca, T; Papic, S; Bozic, A. (2011). Modeling of iron activated persulfate oxidation treating reactive azo dye in water matrix. *Chem Eng J*. 172: 109-121. <http://dx.doi.org/10.1016/j.cej.2011.05.076>.
- Kuster, M; Díaz-Cruz, S; Rosell, M; López de Alda, M; Barceló, D. (2010). Fate of selected pesticides, estrogens, progestogens and volatile organic compounds during artificial aquifer recharge using surface waters. *Chemosphere*. 79: 880-886. <http://dx.doi.org/10.1016/j.chemosphere.2010.02.026>.
- Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide (pp. 599-604). (ISSN 0960-1686; BIOSIS/93/18832). Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T.
- Kutsuna, S; Ibusuki, T; Takeuchi, K. (2000). Heterogeneous photoreaction of tetrachloroethene - Air mixture on halloysite particles. *Environ Sci Technol*. 34: 2484-2489. <http://dx.doi.org/10.1021/es9900095>.
- Kutzman, RS; Gimon, DM; Hinz, JP. (2010). Identification of chemicals of interest to the department of defense and u.s. air force among the u.s. environmental protection agency's integrated risk information system chemicals that are due for reassessment of their toxicity values. 564.
- Kvam, BM; Romundstad, PR; Boffetta, P; Andersen, A. (2005). Cancer in the Norwegian printing industry. *Scand J Work Environ Health*. 31: 36-43.
- Kwan, Y, ueCG; Le, QL; Huan, CH, onA. (2016). Time to failure modeling of silver nanowire transparent conducting electrodes and effects of a reduced graphene oxide over layer. *Solar Energy Materials and Solar Cells*. 144: 102-108. <http://dx.doi.org/10.1016/j.solmat.2015.08.005>.
- Kwon, K; Bae, W; Oh, J; Shim, H. (2015). Enhancing bioregeneration of TCE-sorbed Biological Powdered Activated Carbon by dosing toluene as primary substrate and competitive adsorbate. *K S C E Journal of Civil Engineering*. 19: 550-557. <http://dx.doi.org/10.1007/s12205-013-1372-z>.
- Kwon, K; Shim, H; Bae, W; Oh, J; Bae, J. (2016). Simultaneous biodegradation of carbon tetrachloride and trichloroethylene in a coupled anaerobic/aerobic biobarrier. *J Hazard Mater*. 313: 60-67. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.057>.
- Kwon, TS; Baek, K; Ahn, Y; Lee, JY; Yang, JS; Yang, JW. (2005). The solubilization characteristics of DNAPLs by oil-based emulsion. *Separation Science and Technology*. 40: 685-698. <http://dx.doi.org/10.1081/SS-200042654>.
- Kwon, TS; Yang, JS; Baek, K; Lee, JY; Yang, JW. (2006). Silicone emulsion-enhanced recovery of chlorinated solvents: batch and column studies. *J Hazard Mater*. 136: 610-617. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.038>.
- Kyrklund, T. (1992). The use of experimental studies to reveal suspected neurotoxic chemicals as occupational hazards: Acute and chronic exposures to organic solvents [Review]. *Am J Ind Med*. 21: 15-24. <http://dx.doi.org/10.1002/ajim.4700210105>.
- Kyrklund, T; Haglid, K. (1991). Brain lipid composition in guinea pigs after intrauterine exposure to perchloroethylene. *Pharmacol Toxicol*. 68: 146-148. <http://dx.doi.org/10.1111/j.1600-0773.1991.tb02054.x>.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1988). Effects of exposure to Freon 11, 1,1,1-trichloroethane or perchloroethylene on the lipid and fatty acid composition of rat cerebral cortex. *Scand J Work Environ Health*. 14: 91-94.
- Kyung, D; Amir, A; Choi, K; Lee, W. (2015). Reductive Transformation of Tetrachloroethene Catalyzed by Sulfide-Cobalamin in Nano-Mackinawite Suspension. *Ind Eng Chem Res*. 54: 1439-1446. <http://dx.doi.org/10.1021/ie503605n>.
- Kyung, D; Sihn, Y; Kim, S; Bae, S; Amin, MT; Alazba, AA; Lee, W. (2016). Synergistic effect of nano-sized mackinawite with cyano-cobalamin in cement slurries for reductive dechlorination of tetrachloroethylene. *J Hazard Mater*. 311: 1-10. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.074>.
- La Vecchia, C; Negri, E; Franceschi, S; D'Avanzo, B; Boyle, P. (1994). A case-control study of diabetes mellitus and cancer risk. *Br J Cancer*. 70: 950-953.
- Labieniec, PA; Dzombak, DA; Siegrist, RL. (1997). Evaluation of uncertainty in site-specific risk assessment. *J Environ Eng*. 123: 234-243.
- Labra, M; Mattia, F; Bernasconi, M; Bertacchi, D; Grassi, F; Bruni, I; Citterio, S. (2010). The Combined Toxic and Genotoxic Effects of Chromium and Volatile Organic Contaminants to Pseudokirchneriella subcapitata. *Water Air Soil Pollut*. 213: 57-70. <http://dx.doi.org/10.1007/s11270-010-0367-3>.
- Labranche, DF; Collins, MR. (1996). Stripping volatile organic compounds and petroleum hydrocarbons from water. *Water Environ Res*. 68: 348-358.
- Labreche, FP; Goldberg, MS. (1997). Exposure to organic solvents and breast cancer in women: a hypothesis [Review]. *Am J Ind Med*. 32: 1-14.

Fate Literature Search Results

Off Topic

- Lacey, JV, Jr; Garabrant, DH; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (1999). Petroleum distillate solvents as risk factors for undifferentiated connective tissue disease (UCTD). *Am J Epidemiol.* 149: 761-770.
- Lacinova, L; Cernikova, M; Hrabal, J; Cernik, M. (2013). IN-SITU COMBINATION OF BIO AND ABIO REMEDIATION OF CHLORINATED ETHENES. 20: 463-473. <http://dx.doi.org/10.2478/eces-2013-0034>.
- Lacinova, L; Kvapil, P; Cernik, M. (2012). A field comparison of two reductive dechlorination (zero-valent iron and lactate) methods. *Environ Technol.* 33: 741-749. <http://dx.doi.org/10.1080/09593330.2011.592225>.
- Lackey, LW; Gamble, JR; Boles, JL. (2002). Bench-scale evaluation of a biofiltration system used to mitigate trichloroethylene contaminated air streams. *Adv Environ Res.* 7: 97-104.
- Lackey, LW; Gamble, JR; Boles, JL. (2003). Biofiltration of trichloroethylene-contaminated air: A pilot study. *J Air Waste Manag Assoc.* 53: 1248-1255.
- Lackey, LW; Phelps, TJ; Korde, V; Nold, S; Ringelberg, D; Bienkowski, PR; White, DC. (1994). FEASIBILITY TESTING FOR THE ON-SITE BIOREMEDIATION OF ORGANIC WASTES BY NATIVE MICROBIAL CONSORTIA. *Int Biodeterior Biodegradation.* 33: 41-59.
- Lacombe, PJ; Burton, WC. (2010). Hydrogeologic Framework of Fractured Sedimentary Rock, Newark Basin, New Jersey. *Ground Water Monitoring and Remediation.* 30: 35-45. <http://dx.doi.org/10.1111/j1745-6592.2010.001275.x>.
- Lagakos, SW; Wessen, BJ; Zelen, M. (1986). An analysis of contaminated well water and health effects in Woburn, Massachusetts. *J Am Stat Assoc.* 81: 583-596.
- Lahaniatis, ES; Bergheim, W; Kettrup, A. (1992). Thermal degradation of polychlorinated bornanes. *Fresen Environ Bull.* 1: 358-363.
- Lai, A; Verdini, R; Aulenta, F; Majone, M. (2015). Influence of nitrate and sulfate reduction in the bioelectrochemically assisted dechlorination of cis-DCE. *Chemosphere.* 125: 147-154. <http://dx.doi.org/10.1016/j.chemosphere.2014.12.023>.
- Lai, KCK; Lo, IMC. (2007). Effects of seepage velocity and temperature on the dechlorination of chlorinated aliphatic hydrocarbons. *J Environ Eng.* 133: 859-868. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372](http://dx.doi.org/10.1061/(ASCE)0733-9372).
- Lai, KCK; Lo, IMC; Birkelund, V; Kjeldsen, P. (2006). Field monitoring of a permeable reactive barrier for removal of chlorinated organics. *J Environ Eng.* 132: 199-210. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:2\(199\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:2(199)).
- Lai, PT; Xu, JP; Wu, HP; Chan, CL. (2004). Interfacial properties and reliability of SiO₂ grown on 6H-SiC in dry O₂ plus trichloroethylene. *Microelectron Reliab.* 44: 577-580. <http://dx.doi.org/10.1016/j.microrel.2004.01.009>.
- Lai, Y; Becker, JG. (2013). Compounded effects of chlorinated ethene inhibition on ecological interactions and population abundance in a Dehalococcoides - Dehalobacter coculture. *Environ Sci Technol.* 47: 1518-1525. <http://dx.doi.org/10.1021/es3034582>.
- Laine, A; Seppäläinen, AM; Savolainen, K; Riihimäki, V. (1996). Acute effects of 1,1,1-trichloroethane inhalation on the human central nervous system. *Int Arch Occup Environ Health.* 69: 53-61.
- Laj, C; Rais, A; Surmont, J; Gillot, PY; Guillou, H; Kissel, C; Zanella, E. (1997). Changes of the geomagnetic field vector obtained from lava sequences on the island of Vulcano (Aeolian Islands, Sicily). *Phys Earth Planet In.* 99: 161-177.
- Lake, BG; Evans, JG; Cunningham, ME; Price, RJ. (1993). Comparison of the hepatic effects of nafenopin and WY-14,643 on peroxisome proliferation and cell replication in the rat and Syrian hamster. *Environ Health Perspect.* 101: 241-247.
- Lake, CB; Arefi, G; Yuet, P. (2013). Examining fly ash as a sorbent for benzene, trichloroethylene, and ethylbenzene in cement-treated soils. *Canadian Geotechnical Journal.* 50: 423-434. <http://dx.doi.org/10.1139/cgj-2012-0198>.
- Lake, CB; Rowe, RK. (2004). Volatile organic compound diffusion and sorption coefficients for a needle-punched GCL. *Geosynthetics International.* 11: 257-272.
- Lake, CB; Rowe, RK. (2005). A comparative assessment of volatile organic compound (VOC) sorption to various types of potential GCL bentonites. *Geotextiles and Geomembranes.* 23: 323-347. <http://dx.doi.org/10.1016/j.geotexmen.2005.01.001>.
- Lakind, JS; Naiman, DQ; Hays, SM; Aylward, LL; Blount, BC. (2010). Public health interpretation of trihalomethane blood levels in the United States: NHANES 1999-2004. *J Expo Sci Environ Epidemiol.* 20: 255-262. <http://dx.doi.org/10.1038/jes.2009.35>.
- Lakshminathiraj, P; Raju, GB; Sakai, Y; Takuma, Y; Yamasaki, A; Kato, S; Kojima, T. (2012). Studies on electrochemical detoxification of trichloroethene (TCE) on Ti/IrO₂-Ta₂O₅ electrode from aqueous solution. *Chem Eng J.* 198: 211-218. <http://dx.doi.org/10.1016/j.cej.2012.05.092>.
- Lalwani, ND; Dethloff, LA; Haskins, JR; Robertson, DG; de la Iglesia, FA. (1997). Increased nuclear ploidy, not cell proliferation, is sustained in the peroxisome proliferator-treated rat liver. *Toxicol Pathol.* 25: 165-176. <http://dx.doi.org/10.1177/019262339702500206>.
- Lam, RCW; Leung, MKH; Leung, DYC; Vrijinoed, LLP; Yam, WC; Ng, SP. (2007). Visible-light-assisted photocatalytic degradation of gaseous formaldehyde by parallel-plate reactor coated with Cr ion-implanted TiO₂ thin film. *Solar Energy Materials and Solar Cells.* 91: 54-61. <http://dx.doi.org/10.1016/j.solmat.2006.07.004>.
- Lam, RHF; Brown, JP; Fan, AM; Milea, A. (1994). Chemicals in California drinking water: source contaminants, risk assessment, risk management, and regulatory standards. *J Hazard Mater.* 39: 173-192. [http://dx.doi.org/10.1016/0304-3894\(94\)00053-0](http://dx.doi.org/10.1016/0304-3894(94)00053-0).
- Lammers, JH; van Asperen, J; de Groot, D; Rijcken, WR. (2005). Behavioural effects and kinetics in brain in response to inhalation of constant or fluctuating toluene concentrations in the rat. *Environ Toxicol Pharmacol.* 19: 625-634. <http://dx.doi.org/10.1016/j.etap.2004.12.028>.
- Lampron, KJ; Chiu, PC; Cha, DK. (2001). Reductive dehalogenation of chlorinated ethenes with elemental iron: The role of microorganisms. *Water Res.* 35: 3077-3084.
- Lan, Y; Elwood Madden, AS; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environ Sci Process Impacts.* 18: 1266-1273. <http://dx.doi.org/10.1039/c6em00461j>.
- Landau, D. (2000). Loosening the shackles of regulation - The new radio and telecommunications terminal equipment (R&TTE) directive. 1: 107-110.
- Landers, J. (2002). Remediation - Groundwater circulation wells modified to treat TCE, RDX. *Civil Engineering.* 72: 28-29.

Fate Literature Search Results

Off Topic

- Landmeyer, JE; Miller, S; Campbell, BG; Vroblesky, D; Gill, A; Clark, AP. (2011). Investigation of the potential source area, contamination pathway, and probable release history of chlorinated-solvent-contaminated groundwater at the Capital City Plume Site, Montgomery, Alabama, 2008-2010. United States (USA): U.S. Geological Survey.
- Landrigan, PJ; Stein, GF; Kominsky, JR; Ruhe, RL; Watanabe, AS. (1987). Common-source community and industrial exposure to trichloroethylene. *Arch Environ Health*. 42: 327-332. <http://dx.doi.org/10.1080/00039896.1987.9934354>.
- Lane, SE; Watts, RA; Bentham, G; Innes, NJ; Scott, DGI. (2003). Are environmental factors important in primary systemic vasculitis? A case-control study. *Arthritis Rheum*. 48: 814-823. <http://dx.doi.org/10.1002/art.10830>.
- Lang, J; Clark, B; Grams, N; Kavanaugh, MC; Tate, CH; Umphres, MD. (1985). GAS-PHASE ADSORPTION OF TCE AT LOW CONCENTRATIONS. *J Am Water Works Assoc*. 77: 65-65.
- Lang, MM; Roberts, PV; Semprini, L. (1997). Model simulations in support of field scale design and operation of bioremediation based on cometabolic degradation. *Ground Water*. 35: 565-573.
- Langer, VW; Novakowski, KS; Woodbury, AD. (1999). Sorption of trichloroethene onto stylolites. *J Contam Hydrol*. 40: 1-23.
- Langholz, B; Goldstein, L. (1996). Risk set sampling in epidemiologic cohort studies. *Stat Sci*. 11: 35-53. <http://dx.doi.org/10.1214/ss/1032209663>.
- Lanzarone, NA; McCarty, PL. (1990). Column studies on methanotrophic degradation of trichloroethene and 1,2-dichloroethane. *Ground Water*. 28: 910-919.
- Laor, Y; Ronen, D; Graber, ER. (2003). Using a passive multilayer sampler for measuring detailed profiles of gas-phase VOCs in the unsaturated zone. *Environ Sci Technol*. 37: 352-360. <http://dx.doi.org/10.1021/es0207201>.
- Lapare, S; Tardif, R; Brodeur, J. (1995). Effect of Various Exposure Scenarios on the Biological Monitoring of Organic-Solvents in Alveolar Air .2. 1,1,1-Trichloroethane and Trichloroethylene. *Int Arch Occup Environ Health*. 67: 375-394.
- Lapinski, A; Gasecka, A; Graja, A; Waplak, S; Ostrowski, A; Kotov, AI. (2012). Spectral investigation of the phase-transition behavior in (DOEO)(4)HgBr₄ center dot TCE salt. *Optical Materials*. 34: 1651-1655. <http://dx.doi.org/10.1016/j.optmat.2012.03.012>.
- Lapinski, A; Kotov, AI. (2006). Optical properties of the conducting salt (DOEO)(4)HgBr₄ center dot TCE. *Chem Phys*. 326: 551-562. <http://dx.doi.org/10.1016/j.chemphys.2006.03.018>.
- Lapis, K; Zalatnai, A; Timár, F; Thorgeirsson, UP. (1995). Quantitative evaluation of lysozyme- and CD68-positive Kupffer cells in diethylnitrosamine-induced hepatocellular carcinomas in monkeys. *Carcinogenesis*. 16: 3083-3085. <http://dx.doi.org/10.1093/carcin/16.12.3083>.
- Laribi, B; Kouki, K; Bettaieb, T; Mougou, A; Marzouk, B. (2013). Essential oils and fatty acids composition of Tunisian, German and Egyptian caraway (*Carum carvi* L.) seed ecotypes: A comparative study. *Ind Crop Prod*. 41: 312-318. <http://dx.doi.org/10.1016/j.indcrop.2012.04.060>.
- Larroque, V; Desauziers, V; Mocho, P. (2006). Development of a solid phase microextraction (SPME) method for the sampling of VOC traces in indoor air. *J Environ Monit*. 8: 106-111. <http://dx.doi.org/10.1039/b511201j>.
- Larsen, GL; Stevens, JL. (1986). Cysteine conjugate beta-lyase in the gastrointestinal bacterium *Eubacterium limosum*. *Mol Pharmacol*. 29: 97-103.
- Larsen, M; Burken, J; Machackova, J; Karlson, UG; Trapp, S. (2008). Using tree core samples to monitor natural attenuation and plume distribution after a PCE spill. *Environ Sci Technol*. 42: 1711-1717. <http://dx.doi.org/10.1021/es0717055>.
- Larson, JL; Bull, RJ. (1989). Effect of ethanol on the metabolism of trichloroethylene. *J Toxicol Environ Health A*. 28: 395-406. <http://dx.doi.org/10.1080/15287398909531359>.
- Larson, JL; Bull, RJ. (1992). Metabolism and lipoperoxidative activity of trichloroacetate and dichloroacetate in rats and mice. *Toxicol Appl Pharmacol*. 115: 268-277. [http://dx.doi.org/10.1016/0041-008X\(92\)90332-M](http://dx.doi.org/10.1016/0041-008X(92)90332-M).
- Larson, SA; Falconer, JL. (1994). CHARACTERIZATION OF TIO(2) PHOTOCATALYSTS USED IN TRICHLOROETHENE OXIDATION. *Appl Catal B-Environ*. 4: 325-342.
- Lash, LH; Elfarra, AA; Anders, MW. (1986). Renal cysteine conjugate beta-lyase. Bioactivation of nephrotoxic cysteine S-conjugates in mitochondrial outer membrane. *J Biol Chem*. 261: 5930-5935.
- Lash, LH; Elfarra, AA; Rakiewicz-Nemeth, D; Anders, MW. (1990). Bioactivation mechanism of cytotoxic homocysteine S-conjugates. *Arch Biochem Biophys*. 276: 322-330. [http://dx.doi.org/10.1016/0003-9861\(90\)90727-G](http://dx.doi.org/10.1016/0003-9861(90)90727-G).
- Lash, LH; Fisher, JW; Lipscomb, JC; Parker, JC. (2000). Metabolism of trichloroethylene [Review]. *Environ Health Perspect*. 108: 177-200.
- Lash, LH; Parker, JC; Scott, CS. (2000). Modes of action of trichloroethylene for kidney tumorigenesis [Review]. *Environ Health Perspect*. 108: 225-240.
- Lash, LH; Putt, DA; Brashear, WT; Abbas, R; Parker, JC; Fisher, JW. (1999). Identification of S-(1,2-dichlorovinyl)glutathione in the blood of human volunteers exposed to trichloroethylene. *J Toxicol Environ Health A*. 56: 1-21. <http://dx.doi.org/10.1080/009841099158204>.
- Lash, LH; Putt, DA; Parker, JC. (2006). Metabolism and tissue distribution of orally administered trichloroethylene in male and female rats: Identification of glutathione- and cytochrome P-450-derived metabolites in liver, kidney, blood, and urine. *J Toxicol Environ Health A*. 69: 1285-1309. <http://dx.doi.org/10.1080/15287390500360133>.
- Lash, LH; Sausen, PJ; Duescher, RJ; Cooley, AJ; Elfarra, AA. (1994). Roles of cysteine conjugate beta-lyase and S-oxidase in nephrotoxicity: Studies with S-(1,2-dichlorovinyl)-L-cysteine and S-(1,2-dichlorovinyl)-L-cysteine sulfoxide. *J Pharmacol Exp Ther*. 269: 374-383.
- Lash, LH; Visarius, TM; Sall, JM; Qian, W; Tokarz, JJ. (1998). Cellular and subcellular heterogeneity of glutathione metabolism and transport in rat kidney cells. *Toxicology*. 130: 1-15. [http://dx.doi.org/10.1016/S0300-483X\(98\)00093-6](http://dx.doi.org/10.1016/S0300-483X(98)00093-6).
- Laternus, F; Haselmann, KF; Borch, T; Gron, C. (2002). Terrestrial natural sources of trichloromethane (chloroform, CHCl₃) - An overview. *Biogeochemistry*. 60: 121-139.

Fate Literature Search Results

Off Topic

- Lau, JH; Chang, C. (1999). TMA, DMA, DSC and TGA of lead free solders. *Soldering and Surface Mount Technology*. 11: 17-24.
- Lau, SS; Kleiner, HE; Monks, TJ. (1995). Metabolism as a determinant of species susceptibility to 2,3,5-(triglutathion-S-yl)hydroquinone-mediated nephrotoxicity. The role of N-acetylation and N-deacetylation. *Drug Metab Dispos*. 23: 1136-1142.
- Laurenco, R. (1993). Trichloroethylene does not cause trigeminal neuropathy [Letter]. *Muscle Nerve*. 16: 217.
<http://dx.doi.org/10.1002/mus.880160217>.
- Lavin, AL; Jacobson, CF; Desesso, JM. (2000). An assessment of the carcinogenic potential of trichloroethylene in humans. *Hum Ecol Risk Assess*. 6: 575-641.
- Lavrik, NL; Molin, YN. (1991). TIME-RESOLVED MAGNETIC-FIELD EFFECTS IN THE RECOMBINATION PRODUCTS OF GEMINATE TRIPLET PAIRS FOR ELECTRON PHOTOTRANSFER REACTIONS. *Int J Quant Chem*. 40: 387-399.
- Law, DCG; Klebanoff, MA; Brock, JW; Dunson, DB; Longnecker, MP. (2005). Maternal serum levels of polychlorinated biphenyls and 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) and time to pregnancy. *Am J Epidemiol*. 162: 523-532. <http://dx.doi.org/10.1093/aje/kwi240>.
- Lawrence, T; Hagemann, T; Balkwill, F. (2007). Cancer. Sex, cytokines, and cancer [Comment]. *Science*. 317: 51-52.
<http://dx.doi.org/10.1126/science.1146052>.
- Lawrinenko, M; Laird, DA; van Leeuwen, JH. (2017). Sustainable Pyrolytic Production of Zerovalent Iron. 5: 767-773.
<http://dx.doi.org/10.1021/acssuschemeng.6b02105>.
- Lawson, RB; Adams, CD. (1999). Enhanced VOC absorption using the ozone/hydrogen peroxide advanced oxidation process. *J Air Waste Manag Assoc*. 49: 1315-1323.
- Lbova, AK; Vasiliev, MP; Gutmann, ES. (2011). Phthalocyanine and polystyrene film nanocomposites. *Russian Journal of Physical Chemistry A, Focus on Chemistry*. 85: 457-461. <http://dx.doi.org/10.1134/S0036024411030216>.
- Le, C; Wu, JH; Li, P; Wang, X; Zhu, NW; Wu, PX; Yang, B. (2011). Decolorization of anthraquinone dye Reactive Blue 19 by the combination of persulfate and zero-valent iron. *Water Sci Technol*. 64: 754-759. <http://dx.doi.org/10.2166/wst.2011.708>.
- Le Mesurier, SM; Lykke, AWJ; Stewart, BW. (1980). Reduced yield of pulmonary surfactant: Patterns of response following administration of chemicals to rats by inhalation. *Toxicol Lett*. 5: 89-93. [http://dx.doi.org/10.1016/0378-4274\(80\)90153-8](http://dx.doi.org/10.1016/0378-4274(80)90153-8).
- Le, MH; Buddenbaum, JE; Burns, RE; Shonka, JJ; Gaffney, SH; Donovan, EP; Flack, SM; Widner, TE. (2011). An independent review and prioritization of past radionuclide and chemical releases from the Los Alamos National Laboratory - implications for future dose reconstruction studies [Review]. *J Environ Monit*. 13: 2735-2747. <http://dx.doi.org/10.1039/c1em10374a>.
- Leahy, JG; Shreve, GS. (2000). The effect of organic carbon on the sequential reductive dehalogenation of tetrachloroethylene in landfill leachates. *Water Res*. 34: 2390-2396.
- Leakey, JE; Seng, JE; Allaben, WT. (2003). Body weight considerations in the B6C3F1 mouse and the use of dietary control to standardize background tumor incidence in chronic bioassays. *Toxicol Appl Pharmacol*. 193: 237-265.
<http://dx.doi.org/10.1016/j.taap.2003.07.006>.
- Leakey, JEA; Seng, JE; Latendresse, JR; Hussain, N; Allen, LJ; Allaben, WT. (2003). Dietary controlled carcinogenicity study of chloral hydrate in male B6C3F1 mice. *Toxicol Appl Pharmacol*. 193: 266-280. <http://dx.doi.org/10.1016/j.taap.2003.07.007>.
- Leather, KE; Mcgillan, M; Ghalaieny, M; Shallcross, DE; Percival, CJ. (2011). Temperature-Dependent Kinetics for the Ozonolysis of Selected Chlorinated Alkenes in the Gas Phase. *Int J Chem Kinet*. 43: 120-129.
- Leavitt, SA; DeAngelo, AB; George, MH; Ross, JA. (1997). Assessment of the mutagenicity of dichloroacetic acid in lacI transgenic B6C3F1 mouse liver. *Carcinogenesis*. 18: 2101-2106. <http://dx.doi.org/10.1093/carcin/18.11.2101>.
- Lebouf, RF; Coffey, CC. (2015). Effect of interferents on the performance of direct-reading organic vapor monitors. *Journal of the Air and Waste Management Association*. 65: 261-269. <http://dx.doi.org/10.1080/10962247.2014.986308>.
- Lebrero, R; López, JC; Lehtinen, I; Pérez, R; Quijano, G; Muñoz, R. (2016). Exploring the potential of fungi for methane abatement: Performance evaluation of a fungal-bacterial biofilter. *Chemosphere*. 144: 97-106. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.017>.
- Ledda-Columbano, GM; Columbano, A; Curto, M; Ennas, MG; Coni, P; Sarma, DS; Pani, P. (1989). Further evidence that mitogen-induced cell proliferation does not support the formation of enzyme-altered islands in rat liver by carcinogens. *Carcinogenesis*. 10: 847-850.
<http://dx.doi.org/10.1093/carcin/10.5.847>.
- Ledda-Columbano, GM; Coni, P; Simbula, G; Zedda, I; Columbano, A. (1993). Compensatory regeneration, mitogen-induced liver growth, and multistage chemical carcinogenesis [Review]. *Environ Health Perspect*. 101: 163-168.
- Ledda-Columbano, GM; Curto, M; Piga, R; Zedda, AI; Menegazzi, M; Sartori, C; Shinozuka, H; Bluethmann, H; Poli, V; Ciliberto, G; Columbano, A. (1998). In vivo hepatocyte proliferation is inducible through a TNF and IL-6-independent pathway. *Oncogene*. 17: 1039-1044.
<http://dx.doi.org/10.1038/sj.onc.1202018>.
- Ledda-Columbano, GM; Perra, A; Concas, D; Cossu, C; Molotzu, F; Sartori, C; Shinozuka, H; Columbano, A. (2003). Different effects of the liver mitogens triiodo-thyronine and ciprofibrate on the development of rat hepatocellular carcinoma. *Toxicol Pathol*. 31: 113-120.
<http://dx.doi.org/10.1080/01926230390173851>.
- Lee, AF; Carr, P; Wilson, K. (2004). Direct observation of extremely low temperature catalytic dehydrochlorination of 1,1,1-trichloroethane over platinum. *J Phys Chem B*. 108: 14811-14814. <http://dx.doi.org/10.1021/jp046813h>.
- Lee, BD; Walton, MR; Megio, JL. (2005). Biological and chemical interactions with U(VI) during anaerobic enrichment in the presence of iron oxide coated quartz. *Water Res*. 39: 4363-4374. <http://dx.doi.org/10.1016/j.watres.2005.09.004>.
- Lee, BS, un; Chiou, CB; Lin, CY, i. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ*. 99: 112-123.
<http://dx.doi.org/10.1016/j.atmosenv.2014.09.063>.

Fate Literature Search Results

Off Topic

- Lee, BS; Kim, JH; Lee, KC; Kim, YB; Schwartz, FW; Lee, ES; Woo, NC; Lee, MK. (2009). Efficacy of controlled-release KMnO₄ (CRP) for controlling dissolved TCE plume in groundwater: a large flow-tank study. *Chemosphere*. 74: 745-750. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.062>.
- Lee, BY; Park, SH; Lee, SC; Kang, M; Choung, SJ. (2004). Decomposition of benzene by using a discharge plasma - photocatalyst hybrid system. *Catalysis Today*. 93-5: 769-776. <http://dx.doi.org/10.1016/j.cattod.2004.06.069>.
- Lee, C; Doong, R, an. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Sci Technol*. 62: 28-35. <http://dx.doi.org/10.2166/wst.2010.236>.
- Lee, C; Doong, R, an. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environ Sci Technol*. 45: 2301-2307. <http://dx.doi.org/10.1021/es1030273>.
- Lee, C, chi; Doong, R, an. (2014). Enhanced dechlorination of tetrachloroethylene by polyethylene glycol-coated zerovalent silicon in the presence of nickel ions. *Appl Catal B-Environ*. 144: 182-188. <http://dx.doi.org/10.1016/j.apcatb.2013.06.033>.
- Lee, C; Kim, J, eeY; Lee, W, onll; Nelson, KL; Yoon, J; Sedlak, DL. (2008). Bactericidal effect of zero-valent iron nanoparticles on *Escherichia coli*. *Environ Sci Technol*. 42: 4927-4933. <http://dx.doi.org/10.1021/es800408u>.
- Lee, C; Liu, W. (2006). The effect of salinity conditions on kinetics of trichloroethylene biodegradation by toluene-oxidizing cultures. *J Hazard Mater*. 137: 541-549. <http://dx.doi.org/10.1016/j.jhazmat.2006.02.031>.
- Lee, C; Sedlak, DL. (2008). Enhanced Formation of Oxidants from Bimetallic Nickel-Iron Nanoparticles in the Presence of Oxygen. *Environ Sci Technol*. 42: 8528-8533. <http://dx.doi.org/10.1021/es801947h>.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environ Sci Technol*. 42: 4752-4757. <http://dx.doi.org/10.1021/es071545x>.
- Lee, CL, i; Jou, CJ, uG. (2012). Degradation of Chlorobenzene with Microwave-Aided Zerovalent Iron Particles. *Environ Eng Sci*. 29: 432-435. <http://dx.doi.org/10.1089/ees.2010.0329>.
- Lee, CL; Jou, CJ; Wang, HP. (2010). Enhanced degradation of chlorobenzene in aqueous solution using microwave-induced zero-valent iron and copper particles. *Water Environ Res*. 82: 642-647. <http://dx.doi.org/10.2175/106143009X12529484816033>.
- Lee, CL; Jou, CJG. (2011). Reduced Degradation of Chlorobenzene in Cosolvent Solution Using Nanoscale Zerovalent Iron with Microwave Irradiation. *Environ Eng Sci*. 28: 191-195. <http://dx.doi.org/10.1089/ees.2010.0152>.
- Lee, CL; Jou, CJG; Huang, H. (2010). Degradation of Chlorobenzene in Water Using Nanoscale Cu Coupled with Microwave Irradiation. *J Environ Eng*. 136: 412. [http://dx.doi.org/10.1061/\(ASCE\)Ee.1943-7870.0000163](http://dx.doi.org/10.1061/(ASCE)Ee.1943-7870.0000163).
- Lee, CL; Lee, HY; Tseng, KH; Andy hong, PK; Jou, CJG. (2010). Enhanced dechlorination of chlorobenzene by microwave-induced zero-valent iron: particle effects and activation energy. *Environ Chem Lett*. 9: 355-359. <http://dx.doi.org/10.1007/s10311-010-0286-y>.
- Lee, CL, i; Lin, C; Jou, C. (2012). Microwave-induced nanoscale zero-valent iron degradation of perchloroethylene and pentachlorophenol. *Journal of the Air and Waste Management Association*. 62: 1443-1448. <http://dx.doi.org/10.1080/10962247.2012.719579>.
- Lee, CS; Gong, J; Huong, CV; Oh, D, aSom; Chang, YS. (2016). Macroporous alginate substrate-bound growth of Fe-0 nanoparticles with high redox activities for nitrate removal from aqueous solutions. *Chem Eng J*. 298: 206-213. <http://dx.doi.org/10.1016/j.cej.2016.03.113>.
- Lee, CY; Cheng, SZ. (1998). Toxic effects on respiratory activities of phenol-oxidizing cultures grown from various conditions. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 33: 1675-1691.
- Lee, CY; Cheng, SZ. (1998). Trichloroethylene biodegradation by phenol-oxidizing cultures grown from various conditions. *J Environ Sci Health B*. 33: 705-721.
- Lee, CY; Liu, WD. (2000). The identifiability of kinetic parameters of trichloroethylene biodegradation by phenol-oxidizing cultures grown from various conditions. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 35: 31-48.
- Lee, D, oG; Chu, K. (2013). Effects of growth substrate on triclosan biodegradation potential of oxygenase-expressing bacteria. *Chemosphere*. 93: 1904-1911. <http://dx.doi.org/10.1016/j.chemosphere.2013.06.069>.
- Lee, D; Lee, H; Ahn, Y; Jeong, Y; Lee, DY; Lee, Y. (2013). Highly stable and flexible silver nanowire-graphene hybrid transparent conducting electrodes for emerging optoelectronic devices. *Nanoscale*. 5: 7750-7755. <http://dx.doi.org/10.1039/c3nr02320f>.
- Lee, DH; Park, IG; Kim, JH; Lee, YH; Kim, D; Kang, SK. (1998). Neurobehavioral changes in shoe manufacturing workers. *Neurotoxicol Teratol*. 20: 259-263. [http://dx.doi.org/10.1016/S0892-0362\(97\)00130-X](http://dx.doi.org/10.1016/S0892-0362(97)00130-X).
- Lee, DK; Song, BK; Jeong, S; Kim, D; Kim, T; Lee, YK; Le, NT; Cho, M, ll; Henam, SD. (2010). Phosgene-Free Photocatalytic Degradation of TCE and PCE Vapors with Au/TiO₂. *Top Catal*. 53: 560-565. <http://dx.doi.org/10.1007/s11244-010-9487-7>.
- Lee, DS, u; Park, S, ooJin. (2015). Water-mediated modulation of TiO₂ decorated with graphene for photocatalytic degradation of trichloroethylene. *Curr Appl Phys*. 15: 144-148. <http://dx.doi.org/10.1016/j.cap.2014.11.015>.
- Lee, EH; Kim, J; Cho, KS; Ahn, YG; Hwang, GS. (2010). Degradation of hexane and other recalcitrant hydrocarbons by a novel isolate, *Rhodococcus* sp. EH831. *Environ Sci Pollut Res Int*. 17: 64-77. <http://dx.doi.org/10.1007/s11356-009-0238-x>.
- Lee, ES; Olson, PR; Gupta, N; Solpuker, U; Schwartz, FW; Kim, Y. (2014). Permanganate gel (PG) for groundwater remediation: Compatibility, gelation, and release characteristics. *Chemosphere*. 97: 140-145. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.008>.
- Lee, ES; Schwartz, FW. (2007). Characteristics and applications of controlled-release KMnO₄ for groundwater remediation. *Chemosphere*. 66: 2058-2066. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.093>.
- Lee, ES; Schwartz, FW. (2007). Characterization and optimization of long-term controlled release system for groundwater remediation: a generalized modeling approach. *Chemosphere*. 69: 247-253. <http://dx.doi.org/10.1016/j.chemosphere.2007.04.037>.
- Lee, ES; Seol, Y; Fang, YC; Schwartz, FW. (2003). Destruction efficiencies and dynamics of reaction fronts associated with the permanganate oxidation of trichloroethylene. *Environ Sci Technol*. 37: 2540-2546. <http://dx.doi.org/10.1021/es0261731>.

Fate Literature Search Results

Off Topic

- Lee, ES; Woo, NC; Schwartz, FW; Lee, BS; Lee, KC; Woo, MH; Kim, JH; Kim, HK. (2008). Characterization of controlled-release KMnO₄ (CRP) barrier system for groundwater remediation: a pilot-scale flow-tank study. *Chemosphere*. 71: 902-910. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.037>.
- Lee, G; Rho, S; Jahng, D. (2004). Design considerations for groundwater remediation using reduced metals. *Korean J Chem Eng*. 21: 621-628.
- Lee, GT; Ro, HM; Lee, SM. (2007). Effects of triethyl phosphate and nitrate on electrokinetically enhanced biodegradation of diesel in low permeability soils. *Environ Technol*. 28: 853-860.
- Lee, H; Lee, Y; Kim, J; Kim, C. (2014). Field application of modified in situ soil flushing in combination with air sparging at a military site polluted by diesel and gasoline in Korea. *Int J Environ Res Public Health*. 11: 8806-8824. <http://dx.doi.org/10.3390/ijerph110908806>.
- Lee, HB, ok; Kim, BW, oo. (2015). Effect of NAPL exposure on the wettability and two-phase flow in a single rock fracture. *Hydrolog Process*. 29: 4919-4931. <http://dx.doi.org/10.1002/hyp.10543>.
- Lee, HJ; Chun, BS; Kim, WC; Chung, M; Park, JW. (2006). Zero valent iron and clay mixtures for removal of trichloroethylene, chromium(VI), and nitrate. *Environ Technol*. 27: 299-306. <http://dx.doi.org/10.1080/09593332708618642>.
- Lee, HK; Do, SH; Batchelor, B; Jo, YH; Kong, SH. (2009). PCE DNAPL degradation using ferrous iron solid mixture (ISM). *Chemosphere*. 76: 1082-1087. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.032>.
- Lee, IS; Bae, JH; Mccarty, PL. (2007). Comparison between acetate and hydrogen as electron donors and implications for the reductive dehalogenation of PCE and TCE. *J Contam Hydrol*. 94: 76-85. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.003>.
- Lee, IS; Bae, JH; Yang, Y; Mccarty, PL. (2004). Simulated and experimental evaluation of factors affecting the rate and extent of reductive dehalogenation of chloroethenes with glucose. *J Contam Hydrol*. 74: 313-331. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.006>.
- Lee, J; Park, Y; Kim, P; Kim, H; Yi, J. (2004). Preparation of NaCl-incorporated plugged mesoporous silica using a cost-effective precursor and applications to the hydrodechlorination of chlorinated hydrocarbons. *J Mater Chem*. 14: 1050-1056. <http://dx.doi.org/10.1039/b309991a>.
- Lee, J; Yang, JS; Kim, HJ; Baek, K; Yang, JW. (2005). Simultaneous removal of organic and inorganic contaminants by micellar enhanced ultrafiltration with mixed surfactant. *Desalination*. 184: 395-407. <http://dx.doi.org/10.1016/j.desal.2005.03.050>.
- Lee, JC; Choi, ES; Yoon, SG; Yoon, DS; Baik, HK. (1999). Integration of high dielectric (Ba_{1-x}Sr_x)TiO₃ thin films into new barrier layer electrode structures. *J Electrochem Soc*. 146: 3101-3104.
- Lee, JH; Dolan, M; Field, J; Istok, J. (2010). Monitoring bioaugmentation with single-well push-pull tests in sediment systems contaminated with trichloroethene. *Environ Sci Technol*. 44: 1085-1092. <http://dx.doi.org/10.1021/es9019645>.
- Lee, JH; Jung, KY; Park, SB. (1999). Modification of titania particles by ultrasonic spray pyrolysis of colloid. *Journal of Materials Science*. 34: 4089-4093.
- Lee, JH; Prud'homme, RK; Aksay, IA. (2001). Cure depth in photopolymerization: Experiments and theory. *J Mater Res*. 16: 3536-3544.
- Lee, JS; Chu, IS; Heo, J; Calvisi, DF; Sun, Z; Roskams, T; Durnez, A; Demetris, AJ; Thorgeirsson, SS. (2004). Classification and prediction of survival in hepatocellular carcinoma by gene expression profiling. *Hepatology*. 40: 667-676. <http://dx.doi.org/10.1002/hep.20375>.
- Lee, JS; Chu, IS; Mikaelyan, A; Calvisi, DF; Heo, J; Reddy, JK; Thorgeirsson, SS. (2004). Application of comparative functional genomics to identify best-fit mouse models to study human cancer. *Nat Genet*. 36: 1306-1311. <http://dx.doi.org/10.1038/ng1481>.
- Lee, JW; Choi, DY; Kwak, DH; Jung, HJ; Shim, WG; Moon, H. (2005). Adsorption dynamics of water vapor on activated carbon. *Adsorption*. 11: 437-441.
- Lee, JW; Lee, JW; Shim, WG; Suh, SH; Moon, H. (2003). Adsorption of chlorinated volatile organic compounds on MCM-48. *Journal of Chemical and Engineering Data*. 48: 381-387. <http://dx.doi.org/10.1021/je020158u>.
- Lee, JW; Shim, WG; Moon, H. (2004). Adsorption equilibrium and kinetics for capillary condensation of trichloroethylene on MCM-41 and MCM-48. *Microporous and Mesoporous Materials*. 73: 109-119. <http://dx.doi.org/10.1016/j.micromeso.2004.04.020>.
- Lee, JY. (2011). Environmental issues of groundwater in Korea: implications for sustainable use. *Environ Conserv*. 38: 64-74. <http://dx.doi.org/10.1017/S0376892911000087>.
- Lee, JY; Lee, KJ; Youm, SY; Lee, MR; Kamala-Kannan, S; Oh, BT. (2010). Stability of multi-permeable reactive barriers for long term removal of mixed contaminants. *Bull Environ Contam Toxicol*. 84: 250-254. <http://dx.doi.org/10.1007/s00128-009-9918-y>.
- Lee, JY; Moon, SH; Yi, MJ; Yun, ST. (2008). Groundwater contamination with petroleum hydrocarbons, chlorinated solvents and high pH: implications for multiple sources. *Quarterly Journal of Engineering Geology and Hydrogeology*. 41: 35-47.
- Lee, K, iC; Choo, KH, o. (2014). Optimization of flocculation conditions for the separation of TiO₂ particles in coagulation-photocatalysis hybrid water treatment. *Chemical Engineering and Processing: Process Intensification*. 78: 11-16. <http://dx.doi.org/10.1016/j.cep.2014.01.010>.
- Lee, K; Muralidhara, S; Dallas, C; Bruckner, J. (1997). Lack of volatilization and escape of orally administered trichloroethylene from the gastrointestinal tract of rats. *Toxicol Ind Health*. 13: 81-89.
- Lee, KU, k; Park, KJ, u; Kim, MH, o; Kwon, O, hJ; Kim, J, aeJ. (2014). Preparation of the carbon sphere coated with iron oxide and its application for electronic paper. *Dyes and Pigments*. 102: 22-28. <http://dx.doi.org/10.1016/j.dyepig.2013.10.012>.
- Lee, KY. (2002). Transport of dissolved contaminants originating from a rectangular prism-shaped, multicomponent nonaqueous-phase liquid source in saturated porous media. *Environ Geol*. 43: 132-137. <http://dx.doi.org/10.1007/s00254-002-0618-8>.
- Lee, KY. (2004). Modeling long-term transport of contaminants resulting from dissolution of a coal tar pool in saturated porous media. *J Environ Eng*. 130: 1507-1513. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:12\(1507\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:12(1507)).
- Lee, KY; Chrysikopoulos, CV. (1995). NUMERICAL MODELING OF THREE-DIMENSIONAL CONTAMINANT MIGRATION FROM DISSOLUTION OF MULTICOMPONENT NAPL POOLS IN SATURATED POROUS MEDIA. *Environ Geol*. 26: 157-165.

Fate Literature Search Results

Off Topic

- Lee, KY; Chrysikopoulos, CV. (2002). Dissolution of a well-defined trichloroethylene pool in saturated porous media: experimental results and model simulations. *Water Res.* 36: 3911-3918.
- Lee, KY; Chrysikopoulos, CV. (2006). Dissolution of a multicomponent DNAPL pool in an experimental aquifer. *J Hazard Mater.* 128: 218-226. <http://dx.doi.org/10.1016/j.jhazmat.2005.08.005>.
- Lee, KY; Ha, DT. (2009). Phase separation behavior of three common alcohols with methoxy-nonafluorobutane or ethoxy-nonafluorobutane in water. *Can J Civ Eng.* 36: 738-742. <http://dx.doi.org/10.1139/L09-020>.
- Lee, KY; Ha, DT. (2012). Viscosity Variations of Three-Component Mixtures Comprising an Alcohol, Various Common Groundwater Contaminants, and Water. *Environ Eng Sci.* 29: 26-34. <http://dx.doi.org/10.1089/ees.2010.0254>.
- Lee, KY; Lee, JY. (2005). Photochemical destruction of tetrachloroethylene and trichloroethylene from the exhaust of an air stripper. *J Environ Eng.* 131: 1441-1446. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:10\(1441\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:10(1441)).
- Lee, KY; Lee, JY; Mellett, JJ. (2004). Transport of dissolved methoxy-nonafluorobutane through a saturated column. *Environ Geol.* 46: 883-889. <http://dx.doi.org/10.1007/s00254-004-1098-9>.
- Lee, KY; Yang, MH; Puri, IK. (1993). NUMERICAL-SIMULATION OF STOICHIOMETRIC PREMIXED FLAMES BURNING CH₃CL/CH₄/AIR MIXTURES AT ATMOSPHERIC-PRESSURE WITH A FULL AND SHORT REACTION-MECHANISM AND COMPARISON OF THE FLAME SPEEDS WITH EXPERIMENTAL RESULTS. *Combust Flame.* 92: 419-439.
- Lee, L; Ding, C; Yang, K; He, J. (2011). Complete Debromination of Tetra- and Penta-Brominated Diphenyl Ethers by a Coculture Consisting of Dehalococcoides and Desulfovibrio Species. *Environ Sci Technol.* 45: 8475-8482. <http://dx.doi.org/10.1021/es201559g>.
- Lee, M; Cord-Ruwisch, R; Manefield, M. (2010). A process for the purification of organochlorine contaminated activated carbon: Sequential solvent purging and reductive dechlorination. *Water Res.* 44: 1580-1590. <http://dx.doi.org/10.1016/j.watres.2009.11.004>.
- Lee, PK; Warnecke, F; Brodie, EL; Macbeth, TW; Conrad, ME; Andersen, GL; Alvarez-Cohen, L. (2012). Phylogenetic microarray analysis of a microbial community performing reductive dechlorination at a TCE-contaminated site. *Environ Sci Technol.* 46: 1044-1054. <http://dx.doi.org/10.1021/es203005k>.
- Lee, PK; Yeung, ACL; Cheng, TCE. (2009). Supplier alliances and environmental uncertainty: An empirical study. *International Journal of Production Economics.* 120: 190-204. <http://dx.doi.org/10.1016/j.ijpe.2008.07.019>.
- Lee, PKH; Cheng, D, an; Hu, P; West, KA; Dick, GJ; Brodie, EL; Andersen, GL; Zinder, SH; He, J; Alvarez-Cohen, L. (2011). Comparative genomics of two newly isolated Dehalococcoides strains and an enrichment using a genus microarray. *ISME J.* 5: 1014-1024. <http://dx.doi.org/10.1038/ismej.2010.202>.
- Lee, PKH; Conrad, ME; Alvarez-Cohen, L. (2007). Stable carbon isotope fractionation of chloroethenes by dehalorespiring isolates. *Environ Sci Technol.* 41: 4277-4285. <http://dx.doi.org/10.1021/es062736d>.
- Lee, RW; Jones, SA; Kuniarsky, EL; Harvey, G; Lollar, BS; Slater, GF. (2000). Phreatophyte Influence on Reductive Dechlorination in a Shallow Aquifer Contaminated with Trichloroethene (TCE). *Int J Phytoremediation.* 2: 193-211. <http://dx.doi.org/10.1080/15226510009359032>.
- Lee, S; Kommalapati, RR; Valsaraj, KT; Pardue, JH; Constant, WD. (2002). Rate-limited desorption of volatile organic compounds from soils and implications for the remediation of a Louisiana Superfund site. *Environ Monit Assess.* 75: 87-105.
- Lee, S, oHee; Lim, S; Kim, H. (2015). Smooth-surface silver nanowire electrode with high conductivity and transparency on functional layer coated flexible film. *Thin Solid Films.* 589: 403-407. <http://dx.doi.org/10.1016/j.tsf.2015.05.073>.
- Lee, S; Moe, WM; Valsaraj, KT; Pardue, JH. (2002). Effect of sorption and desorption resistance on aerobic trichloroethylene biodegradation in soils. *Environ Toxicol Chem.* 21: 1609-1617.
- Lee, SB; Strand, SE; Stensel, HD. (2000). Sustained degradation of trichloroethylene in a suspended growth gas treatment reactor by an actinomycetes enrichment. *Environ Sci Technol.* 34: 3261-3268. <http://dx.doi.org/10.1021/es9907515>.
- Lee, SH; Nishijima, W; Lee, CH; Okada, M. (2003). Calcium accumulation on activated carbon deteriorates synthetic organic chemicals adsorption. *Water Res.* 37: 4631-4636. [http://dx.doi.org/10.1016/S0043-1354\(03\)00425-1](http://dx.doi.org/10.1016/S0043-1354(03)00425-1).
- Lee, SM; Lee, JW; Park, KR; Hong, EJ; Jeung, EB; Kim, MK; Kang, HY; Choi, IG. (2006). Biodegradation of methoxychlor and its metabolites by the white rot fungus *Stereum hirsutum* related to the inactivation of estrogenic activity. *J Environ Sci Health B.* 41: 385-397. <http://dx.doi.org/10.1080/03601230600616072>.
- Lee, SM; Mathews, AP; Nassar, R. (1996). Stochastic modeling of multicomponent adsorption kinetics with non-linear isotherm. *Water Sci Technol.* 33: 135-143.
- Lee, SW, oo; Kam, SK, yu; Lee, M, inGyu. (2007). Comparison of breakthrough characteristics for binary vapors composed of acetone and toluene based on adsorption intensity in activated carbon fixed-bed reactor. *J Ind Eng Chem.* 13: 911-916.
- Lee, SY; Park, J; Joo, H. (2006). Visible light-sensitized photocatalyst immobilized on beads by CVD in a fluidizing bed. *Solar Energy Materials and Solar Cells.* 90: 1905-1914. <http://dx.doi.org/10.1016/j.solmat.2005.11.009>.
- Lee, T; Benson, CH. (2004). Sorption and degradation of alachlor and metolachlor in ground water using green sands. *J Environ Qual.* 33: 1682-1693.
- Lee, T; Benson, CH. (2006). Leaching behavior of green sands from gray-iron foundries used for reactive barrier applications. *Environ Eng Sci.* 23: 156-170.
- Lee, T; Benson, CH; Eykholt, GR. (2004). Waste green sands as reactive media for groundwater contaminated with trichloroethylene (TCE). *J Hazard Mater.* 109: 25-36. <http://dx.doi.org/10.1016/j.jhazmat.2003.10.007>.
- Lee, TG; Biswas, P; Hedrick, E. (2004). Overall Kinetics of Heterogeneous Elemental Mercury Reactions on TiO₂ Sorbent Particles with UV Irradiation. *Ind Eng Chem Res.* 43: 1411-1417. <http://dx.doi.org/10.1021/ie0303707>.

Fate Literature Search Results

Off Topic

- Lee, TH; Ike, M; Fujita, M. (2002). A reactor system combining reductive dechlorination with co-metabolic oxidation for complete degradation of tetrachloroethylene. *J Environ Sci.* 14: 445-450.
- Lee, TH; Kim, KH; Lee, BR; Park, JH; Schubert, EF; Kim, TG. (2016). Glass-Based Transparent Conductive Electrode: Its Application to Visible-to-Ultraviolet Light-Emitting Diodes. 8: 35668-35677. <http://dx.doi.org/10.1021/acsami.6b12767>.
- Lee, TH; Yoshimi, M; Ike, M; Fujita, M. (1997). Characterization of an anaerobic soil enrichment capable of dechlorinating high concentrations of tetrachloroethylene. *Water Sci Technol.* 36: 6-7.
- Lee, TR; Wilkin, RT. (2010). Iron hydroxy carbonate formation in zerovalent iron permeable reactive barriers: characterization and evaluation of phase stability. *J Contam Hydrol.* 116: 47-57. <http://dx.doi.org/10.1016/j.jconhyd.2010.05.009>.
- Lee, W. (2004). Removal of trichloroethylene in reduced soil columns. *J Hazard Mater.* 113: 175-180. <http://dx.doi.org/10.1016/j.jhazmat.2004.06.027>.
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environ Sci Technol.* 36: 5147-5154. <http://dx.doi.org/10.1021/es025836b>.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environ Sci Technol.* 36: 5348-5354. <http://dx.doi.org/10.1021/es0258374>.
- Lee, W; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environ Sci Technol.* 37: 535-541. <http://dx.doi.org/10.1021/es025830m>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere.* 56: 999-1009. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.015>.
- Lee, Y; Bae, S; Lee, W. (2012). Degradation of carbon tetrachloride in modified Fenton reaction. *Korean J Chem Eng.* 29: 769-774. <http://dx.doi.org/10.1007/s11814-011-0261-8>.
- Lee, Y; Lee, W. (2010). Degradation of trichloroethylene by Fe(II) chelated with cross-linked chitosan in a modified Fenton reaction. *J Hazard Mater.* 178: 187-193. <http://dx.doi.org/10.1016/j.jhazmat.2010.01.062>.
- Lee, YC; Kim, CW; Lee, J, aeY; Shin, HJ, ae; Yang, J, iWon. (2009). Characterization of nanoscale zero valent iron modified by nonionic surfactant for trichloroethylene removal in the presence of humic acid: A research note. *Desalination and Water Treatment.* 10: 33-38.
- Lee, YC; Kwon, TS; Yang, JS; Yang, JW. (2007). Remediation of groundwater contaminated with DNAPLs by biodegradable oil emulsion. *J Hazard Mater.* 140: 340-345. <http://dx.doi.org/10.1016/j.jhazmat.2006.09.036>.
- Lee, YG; Park, J. (2013). Effect of soil organic carbon on sorption and desorption of perchloroethylene in soils. *Korean J Chem Eng.* 30: 345-350. <http://dx.doi.org/10.1007/s11814-012-0222-x>.
- Legrand, R. (1995). FIELD-SCALE METHANOTROPHIC - BIOTREATMENT SYSTEM DEGRADES TCE IN-GROUND WATER. *Hazardous Waste Consultant.* 13: A18-A20.
- Lehman, RM; O'Connell, SP; Banta, A; Fredrickson, JK; Reysenbach, AL; Kieft, TL; Colwell, FS. (2004). Microbiological comparison of core and groundwater samples collected from a fractured basalt aquifer with that of dialysis chambers incubated in situ. *Geomicrobiology Journal.* 21: 169-182. <http://dx.doi.org/10.1080/01490450490275848>.
- Lehmann, I; Rehwagen, M; Diez, U; Seiffart, A; Rolle-Kampczyk, U; Richter, M; Wetzig, H; Borte, M; Herbarth, O. (2001). Enhanced in vivo IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: Results of the LARS study. *Int J Hyg Environ Health.* 204: 211-221. <http://dx.doi.org/10.1078/1438-4639-00100>.
- Lehmann, I; Thielke, A; Rehwagen, M; Rolle-Kampczyk, U; Schlink, U; Schulz, R; Borte, M; Diez, U; Herbarth, O. (2002). The influence of maternal exposure to volatile organic compounds on the cytokine secretion profile of neonatal T cells. *Environ Toxicol.* 17: 203-210. <http://dx.doi.org/10.1002/tox.10055>.
- Lehmle, HJ; He, X; Li, X; Duffel, MW; Parkin, S. (2013). Effective synthesis of sulfate metabolites of chlorinated phenols. *Chemosphere.* 93: 1965-1971. <http://dx.doi.org/10.1016/j.chemosphere.2013.06.087>.
- Lehnart, SE; Mongillo, M; Bellingier, A; Lindegger, N; Bi-Xing, C; Hsueh, W; Reiken, S; Wronska, A; Drew, LJ; Ward, CW; Lederer, WJ; Kass, RS; Morley, G; Marks, AR. (2008). Leaky Ca²⁺ release channel/ryanodine receptor 2 causes seizures and sudden cardiac death in mice. *J Clin Invest.* 118: 2230-2245. <http://dx.doi.org/10.1172/JCI35346>.
- Lei, H; Pitt, WG; Mcgrath, LK; Ho, CK. (2007). Modeling Carbon-Black/Polymer Composite Sensors. *Sens Actuators B.* 125: 396-407. <http://dx.doi.org/10.1016/j.snb.2007.02.041>.
- Lei, H, ua; Wilding, WV; Pitt, WG. (2007). Measurement of activities of toluene and trichloroethylene in polyisobutylene. *Journal of Chemical and Engineering Data.* 52: 2233-2236. <http://dx.doi.org/10.1021/je700255f>.
- Leidl, A; Oberlack, I; Schaber, U; Mader, B; Drost, S. (1997). Surface acoustic wave devices and applications in liquid sensing. *Smart Materials and Structures.* 6: 680-688.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data.* 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>.
- Leitao, EM; Dubberley, S. R.; Piers, WE; Wu, Q; McDonald, R. (2008). Thermal decomposition modes for four-coordinate ruthenium phosphonium alkylidene olefin metathesis catalysts. *Chemistry.* 14: 11565-11572. <http://dx.doi.org/10.1002/chem.200801584>.
- Leitão, P; Rossetti, S; Danko, AS; Nouws, H; Aulenta, F. (2016). Enrichment of *Dehalococcoides mccartyi* spp. from a municipal activated sludge during AQDS-mediated bioelectrochemical dechlorination of 1,2-dichloroethane to ethene. *Bioresour Technol.* 214: 426-431. <http://dx.doi.org/10.1016/j.biortech.2016.04.129>.
- Leitão, P; Rossetti, S; Nouws, HP; Danko, AS; Majone, M; Aulenta, F. (2015). Bioelectrochemically-assisted reductive dechlorination of 1,2-dichloroethane by a *Dehalococcoides*-enriched microbial culture. *Bioresour Technol.* 195: 78-82. <http://dx.doi.org/10.1016/j.biortech.2015.06.027>.

Fate Literature Search Results

Off Topic

- Leiva-Presa, A; Janssen, BM. (2006). Effects of p,p'-DDE on retinoid homeostasis and sex hormones of adult male European common frogs (*Rana temporaria*). *J Toxicol Environ Health A*. 69: 2051-2062. <http://dx.doi.org/10.1080/15287390600747676>.
- Lemaire, J; Croze, V; Maier, J; Simonnot, MO. (2011). Is it possible to remediate a BTEX contaminated chalky aquifer by in situ chemical oxidation? *Chemosphere*. 84: 1181-1187. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.052>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag*. 18: 361-370.
- Lemke, LE; McQueen, CA. (1995). Acetylation and its role in the mutagenicity of the antihypertensive agent hydralazine. *Drug Metab Dispos*. 23: 559-565.
- Lemos, VA; Ferreira, VJ; Barreto, JA; Meira, LA. (2015). Development of a Method Using Ultrasound-Assisted Emulsification Microextraction for the Determination of Nickel in Water Samples. *Water Air Soil Pollut*. 226. <http://dx.doi.org/10.1007/s11270-015-2392-8>.
- Lenell, BA; Arai, Y. (2017). Perrhenate sorption kinetics in zerovalent iron in high pH and nitrate media. *J Hazard Mater*. 321: 335-343. <http://dx.doi.org/10.1016/j.jhazmat.2016.09.024>.
- Lenhard, RJ; Oostrom, M; Simmons, CS; White, MD. (1995). INVESTIGATION OF DENSITY-DEPENDENT GAS ADVECTION OF TRICHLOROETHYLENE EXPERIMENT AND A MODEL VALIDATION EXERCISE. *J Contam Hydrol*. 19: 47-67.
- Leonardo, WJ; Bijman, J, os; Slingerland, MA. (2015). The Windmill Approach Combining transaction cost economics and farming systems theory to analyse farmer participation in value chains. *Outlook on Agriculture*. 44: 207-214. <http://dx.doi.org/10.5367/oa.2015.0212>.
- Lesage, S; Brown, S. (1997). Biochemical degradation of tetrachloroethylene using generator columns containing residual DNAPL. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 32: 241-257.
- Lesage, S; Brown, S; Millar, K. (1996). Vitamin B-12-catalyzed dechlorination of perchloroethylene present as residual DNAPL. *Ground Water Monitoring and Remediation*. 16: 76-85.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation*. 23: 102-110.
- Leslie, IH; Holbrook, ST. (1994). REFORMING AND GASIFICATION TECHNOLOGY FOR THE DESTRUCTION OF WASTES. *Radioactive Waste Management and Environmental Restoration*. 18: 67-79.
- Leung, HW. (1991). Development and utilization of physiologically based pharmacokinetic models for toxicological applications [Review]. *J Toxicol Environ Health*. 32: 247-267. <http://dx.doi.org/10.1080/15287399109531480>.
- Levallois, P; Gingras, S; Marcoux, S; Legay, C; Catto, C; Rodrigue, M; Tardif, R. (2012). Maternal Exposure to Drinking-water Chlorination By-products and Small-for-gestational-age Neonates. *Epidemiology*. 23: 267-276. <http://dx.doi.org/10.1097/EDE.0b013e3182468569>.
- Lévesque, B; Ayotte, P; Tardif, R; Ferron, L; Gingras, S; Schlouch, E; Gingras, G; Levallois, P; Dewailly, E. (2002). Cancer risk associated with household exposure to chloroform. *J Toxicol Environ Health A*. 65: 489-502. <http://dx.doi.org/10.1080/15287390252807957>.
- Levkovskaya, GG; Drozdova, TI; Rozentsveig, IB; Mirskova, AN. (1999). N-functionally substituted imines of polychlorinated (brominated) aldehydes and ketones. *Uspekhi Khimii*. 68: 638-662.
- Lewandowski, M; Ollis, DF. (2003). Halide acid pretreatments of photocatalysts for oxidation of aromatic air contaminants: rate enhancement, rate inhibition, and a thermodynamic rationale. *J Catal*. 217: 38-46. [http://dx.doi.org/10.1016/S0021-9517\(03\)00030-7](http://dx.doi.org/10.1016/S0021-9517(03)00030-7).
- Lewis, DF; Richardson, RJ; Yelverton, FH; Wentworth, TR. (2013). Bioavailability of Aminocyclopyrachlor and Triclopyr plus Clopyralid from Turfgrass Clippings in Aquatic and Riparian Plants. *Weed Sci*. 61: 594-600. <http://dx.doi.org/10.1614/WS-D-13-00013.1>.
- Lewis, J; Qvarfort, U; Sjöström, J. (2015). *Betula pendula*: A Promising Candidate for Phytoremediation of TCE in Northern Climates. *Int J Phytoremediation*. 17: 9-15. <http://dx.doi.org/10.1080/15226514.2013.828012>.
- Lewis, S; Lynch, A; Bachas, L; Hampson, S; Ormsbee, L; Bhattacharyya, D. (2009). Chelate-Modified Fenton Reaction for the Degradation of Trichloroethylene in Aqueous and Two-Phase Systems. *Environ Eng Sci*. 26: 849-859. <http://dx.doi.org/10.1089/ees.2008.0277>.
- Lewis, S; Smuleac, V; Montague, A; Bachas, L; Bhattacharyya, D. (2009). Iron-Functionalized Membranes for Nanoparticle Synthesis and Reactions. *Separation Science and Technology*. 44: 3289-3311. <http://dx.doi.org/10.1080/01496390903212805>.
- Lewis, TE; Wolfinger, TF; Barta, ML. (2004). The ecological effects of trichloroacetic acid in the environment [Review]. *Environ Int*. 30: 1119-1150. <http://dx.doi.org/10.1016/j.envint.2004.04.003>.
- Lewitt, MS; Brismar, K; Wang, J; Wivall-Helleryd, IL; Sindelar, P; Gonzalez, FJ; Bergman, T; Bobek, GA. (2001). Responses of insulin-like growth factor (IGF)-I and IGF-binding proteins to nutritional status in peroxisome proliferator-activated receptor-alpha knockout mice. *Growth Horm IGF Res*. 11: 303-313. <http://dx.doi.org/10.1054/ghir.2001.0247>.
- Li, B; Lin, K; Zhang, W, ei; Lu, S; Liu, Y. (2012). Effectiveness of Air Stripping, Advanced Oxidation, and Activated Carbon Adsorption-Coupled Process in Treating Chlorinated Solvent-Contaminated Groundwater. *J Environ Eng*. 138: 903-914. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000557](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000557).
- Li, B, o; Tang, B, o; Xu, M. (2015). Influences of CaO on Crystallization, Microstructures, and Properties of BaO-Al₂O₃-B₂O₃-SiO₂ Glass-Ceramics. *Journal of Electronic Materials*. 44: 3849-3854. <http://dx.doi.org/10.1007/s11664-015-3859-5>.
- Li, C; Voudrias, EA. (1994). Migration and sorption of jet fuel aliphatic vapors in unsaturated soil. *Water Res*. 28: 2447-2456.
- Li, CY; Voudrias, EA. (1993). EFFECT OF ORGANIC-CARBON ON THE UPTAKE OF BENZENE VAPOR BY SOIL. *Environ Technol*. 14: 189-194.
- Li, D; Haneda, H. (2003). Morphologies of zinc oxide particles and their effects on photocatalysis. *Chemosphere*. 51: 129-137.
- Li, D; Haneda, H. (2003). Synthesis of nitrogen-containing ZnO powders by spray pyrolysis and their visible-light photocatalysis in gas-phase acetaldehyde decomposition. *J Photochem Photobiol A*. 155: 171-178.
- Li, D; Haneda, H; Hishita, S; Ohashi, N. (2005). Visible-light-driven N-F-codoped TiO₂ photocatalysts. 2. Optical characterization, photocatalysis, and potential application to air purification. *Chem Mater*. 17: 2596-2602. <http://dx.doi.org/10.1021/cm049099p>.

Fate Literature Search Results

Off Topic

- Li, D; Haneda, H; Hishita, S; Ohashi, N. (2005). Visible-light-driven nitrogen-doped TiO₂ photocatalysts: effect of nitrogen precursors on their photocatalysis for decomposition of gas-phase organic pollutants. *Mater Sci Eng B*. 117: 67-75. <http://dx.doi.org/10.1016/j.mseb.2004.10.018>.
- Li, D; Haneda, H; Labhsetwar, NK; Hishita, S; Ohashi, N. (2005). Visible-light-driven photocatalysis on fluorine-doped TiO₂ powders by the creation of surface oxygen vacancies. *Chem Phys Lett*. 401: 579-584. <http://dx.doi.org/10.1016/j.cplett.2004.11.126>.
- Li, D; Ohashi, N; Hishita, S; Kolodiazhnyi, T; Haneda, H. (2005). Origin of visible-light-driven photocatalysis: A comparative study on N/F-doped and N-F-codoped TiO₂ powders by means of experimental characterizations and theoretical calculations. *J Solid State Chem*. 178: 3293-3302. <http://dx.doi.org/10.1016/j.jssc.2005.08.008>.
- Li, D, ao; Zheng, Y, i; Wang, X. (2008). Effect of phosphoric acid on catalytic combustion of trichloroethylene over Pt/P-MCM-41. *Appl Catal A-Gen*. 340: 33-41. <http://dx.doi.org/10.1016/j.apcata.2008.01.035>.
- Li, G; Feng, YQ; Li, XG; Gao, P; Wang, J; Xie, JY. (2007). Preparation and characterization of polyurea microcapsules containing colored electrophoretic responsive fluid. *Journal of Materials Science*. 42: 4838-4844. <http://dx.doi.org/10.1007/s10853-006-0639-x>.
- Li, G, uo; Su, H; Li, X, in; Kuhn, U, we; Meusel, H; Hoffmann, T; Ammann, M; Poeschl, U; Shao, M, in; Cheng, Y. (2016). Uptake of gaseous formaldehyde by soil surfaces: a combination of adsorption/desorption equilibrium and chemical reactions. *Atmos Chem Phys*. 16: 10299-10311. <http://dx.doi.org/10.5194/acp-16-10299-2016>.
- Li, H; Arnold, RG; Betterton, EA; Ela, WP; Barbaris, B. (2004). Comment on "the mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources." [Comment]. *Water Res*. 38: 2791-2792; discussion 2793-2794. <http://dx.doi.org/10.1016/j.watres.2003.11.027>.
- Li, H; Dai, Y; Huang, H; Li, L; Leng, S; Cheng, J; Niu, Y; Duan, H; Liu, Q; Zhang, X; Huang, X; Xie, J; Feng, Z; Wang, J; He, J; Zheng, Y. (2007). HLA-B*1301 as a biomarker for genetic susceptibility to hypersensitivity dermatitis induced by trichloroethylene among workers in China. *Environ Health Perspect*. 115: 1553-1556. <http://dx.doi.org/10.1289/ehp.10325>.
- Li, H; Lu, G; Dai, Q; Wang, Y; Guo, Y, un; Guo, Y. (2010). Hierarchical Organization and Catalytic Activity of High-Surface-Area Mesoporous Ceria Microspheres Prepared Via Hydrothermal Routes. *ACS Applied Materials & Interfaces*. 2: 838-846. <http://dx.doi.org/10.1021/am900829y>.
- Li, H; Lu, G; Dai, Q; Wang, Y; Guo, Y, un; Guo, Y. (2011). Efficient low-temperature catalytic combustion of trichloroethylene over flower-like mesoporous Mn-doped CeO₂ microspheres. *Appl Catal B-Environ*. 102: 475-483. <http://dx.doi.org/10.1016/j.apcatb.2010.12.029>.
- Li, H; Sheng, GY; Sheng, WT; Xu, OY. (2002). Up take of trifluralin and lindane from water by ryegrass. *Chemosphere*. 48: 335-341.
- Li, H; Wan, J; Ma, Y; Wang, Y, an; Huang, M. (2014). Influence of particle size of zero-valent iron and dissolved silica on the reactivity of activated persulfate for degradation of acid orange 7. *Chem Eng J*. 237: 487-496. <http://dx.doi.org/10.1019/j.cej.2013.10.035>.
- Li, H; Wang, J; Konig, R; Ansari, GAS; Khan, MF. (2007). Formaldehyde-protein conjugate-specific antibodies in rats exposed to formaldehyde. *J Toxicol Environ Health A*. 70: 1071-1075. <http://dx.doi.org/10.1080/15287390601172155>.
- Li, H; Zhang, SY; Wang, XL; Yang, J; Gu, JD; Zhu, RL; Wang, P; Lin, KF; Liu, YD. (2014). Aerobic biodegradation of trichloroethylene and phenol co-contaminants in groundwater by a bacterial community using hydrogen peroxide as the sole oxygen source. *Environ Technol*. 36: 1-8. <http://dx.doi.org/10.1080/09593330.2014.957730>.
- Li, H; Zhao, L, ei; Gao, X, in; Li, X. (2015). Experimental investigation of methyl tert-butyl ether dissolution in saturated porous media. *Chinese Journal of Chemical Engineering*. 23: 1685-1690. <http://dx.doi.org/10.1016/j.cjche.2015.08.022>.
- Li, HY; Jacob, KI; Wong, CP. (2003). An improvement of thermal conductivity of underfill materials for flip-chip packages. *I E E E Transactions on Advanced Packaging*. 26: 25-32. <http://dx.doi.org/10.1109/TADVVP.2003.811546>.
- Li, J; de Toledo, RA; Chung, J; Shim, H. (2014). Removal of mixture of cis-1,2-dichloroethylene/trichloroethylene/benzene, toluene, ethylbenzene, and xylenes from contaminated soil by *Pseudomonas plecoglossicida*. *J Chem Tech Biotechnol*. 89: 1934-1940. <http://dx.doi.org/10.1002/jctb.4279>.
- Li, J; de Toledo, RA; Shim, H. (2017). Multivariate optimization for the simultaneous bioremoval of BTEX and chlorinated aliphatic hydrocarbons by *Pseudomonas plecoglossicida*. *J Hazard Mater*. 321: 238-246. <http://dx.doi.org/10.1016/j.jhazmat.2016.09.020>.
- Li, J; Li, H; Zhu, Y, e; Hao, Y; Sun, X; Wang, L. (2011). Dual roles of amphiphilic triblock copolymer P123 in synthesis of alpha-Fe nanoparticle/ordered mesoporous silica composites. *Appl Surf Sci*. 258: 657-661. <http://dx.doi.org/10.1016/j.apsusc.2011.07.037>.
- Li, J; Lu, Q; de Toledo, RA; Lu, Y; Shim, H. (2015). Effect of toluene concentration and hydrogen peroxide on *Pseudomonas plecoglossicida* cometabolizing mixture of cis-DCE and TCE in soil slurry. *Environ Geochem Health*. 37: 985-995. <http://dx.doi.org/10.1007/s10653-015-9707-y>.
- Li, J; Werth, CJ. (2001). Evaluating competitive sorption mechanisms of volatile organic compounds in soils and sediments using polymers and zeolites. *Environ Sci Technol*. 35: 568-574.
- Li, J; Werth, CJ. (2002). Modeling sorption isotherms of volatile organic chemical mixtures in model and natural solids. *Environ Toxicol Chem*. 21: 1377-1383.
- Li, K; Crittenden, J. (2009). Computerized Pathway Elucidation for Hydroxyl Radical-Induced Chain Reaction Mechanisms in Aqueous Phase Advanced Oxidation Processes. *Environ Sci Technol*. 43: 2831-2837. <http://dx.doi.org/10.1021/es802039y>.
- Li, K; Stefan, MI; Crittenden, JC. (2004). UV photolysis of trichloroethylene: Product study and kinetic modeling. *Environ Sci Technol*. 38: 6685-6693. <http://dx.doi.org/10.1021/es040304b>.
- Li, K, e; Stefan, MI; Crittenden, J. (2007). Trichloroethylene degradation by UV/H₂O₂ advanced oxidation process: Product study and kinetic modeling. *Environ Sci Technol*. 41: 1696-1703. <http://dx.doi.org/10.1021/es0607638>.

Fate Literature Search Results

Off Topic

- Li, K, ai; Tang, X; Yi, H; Ning, P; Xiang, Y; Wang, J; Wang, C, hi; Peng, X. (2013). Research on manganese oxide catalysts surface pretreated with non-thermal plasma for NO catalytic oxidation capacity enhancement. *Appl Surf Sci.* 264: 557-562. <http://dx.doi.org/10.1016/j.apsusc.2012.10.064>.
- Li, L; Benson, CH; Lawson, EM. (2005). Impact of mineral fouling on hydraulic behavior of permeable reactive barriers. *Ground Water.* 43: 582-596.
- Li, L; Quinlivan, PA; Knappe, DR. (2005). Predicting adsorption isotherms for aqueous organic micropollutants from activated carbon and pollutant properties. *Environ Sci Technol.* 39: 3393-3400. <http://dx.doi.org/10.1021/es048816d>.
- Li, L; Quinlivan, PA; Knappe, DRU. (2002). Effects of activated carbon surface chemistry and pore structure on the adsorption of organic contaminants from aqueous solution. *Carbon.* 40: 2085-2100.
- Li, M; Fiorenza, S; Chatham, JR; Mahendra, S; Alvarez, PJJ. (2010). 1,4-Dioxane biodegradation at low temperatures in Arctic groundwater samples. *Water Res.* 44: 2894-2900. <http://dx.doi.org/10.1016/j.watres.2010.02.007>.
- Li, M; Mathieu, J; Liu, Y; Van Orden, ET; Yang, Y, u; Fiorenza, S; Alvarez, PJJ. (2014). The Abundance of Tetrahydrofuran/Dioxane Monooxygenase Genes (thmA/dxmA) and 1,4-Dioxane Degradation Activity Are Significantly Correlated at Various Impacted Aquifers. *Environ Sci Technol Lett.* 1: 122-127. <http://dx.doi.org/10.1021/ez400176h>.
- Li, MT; Hao, LL; Sheng, LX; Xu, JB. (2008). Identification and degradation characterization of hexachlorobutadiene degrading strain *Serratia marcescens* HL1. *Bioresour Technol.* 99: 6878-6884. <http://dx.doi.org/10.1016/j.biortech.2008.01.048>.
- Li, Q; Mariñas, BJ; Snoeyink, VL; Campos, C. (2003). Three-component competitive adsorption model for flow-through PAC systems. 1. Model development and verification with a PAC/membrane system. *Environ Sci Technol.* 37: 2997-3004. <http://dx.doi.org/10.1021/es020989k>.
- Li, Q; Snoeyink, VL; Mariñas, BJ; Campos, C. (2003). Pore blockage effect of NOM on atrazine adsorption kinetics of PAC: the roles of PAC pore size distribution and NOM molecular weight. *Water Res.* 37: 4863-4872. <http://dx.doi.org/10.1016/j.watres.2003.08.018>.
- Li, QL; Marinas, BJ; Snoeyink, VL; Campos, C. (2004). Pore blockage effects on atrazine adsorption in a powdered activated carbon/membrane system. I: Model development. *J Environ Eng.* 130: 1242-1252. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:11\(1242\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:11(1242)).
- Li, QL; Snoeyink, VL; Mariaas, BJ; Campos, C. (2003). Elucidating competitive adsorption mechanisms of atrazine and NOM using model compounds. *Water Res.* 37: 773-784.
- Li, S; Fang, Y, uLun; Romanczuk, CD; Jin, Z; Li, T; Wong, MS. (2012). Establishing the trichloroethene dechlorination rates of palladium-based catalysts and iron-based reductants. *Appl Catal B-Environ.* 125: 95-102. <http://dx.doi.org/10.1016/j.apcatb.2012.05.025>.
- Li, S; Li, M; Luo, X; Huang, G; Liu, F; Chen, H. (2016). Effect of benzoic acid on the removal of 1,2-dichloroethane by a siderite-catalyzed hydrogen peroxide and persulfate system. *Environ Sci Pollut Res Int.* 23: 402-407. <http://dx.doi.org/10.1007/s11356-015-5124-0>.
- Li, S; Wu, P; Li, H; Zhu, N; Li, P; Wu, J; Wang, X; Dang, Z, hi. (2010). Synthesis and characterization of organo-montmorillonite supported iron nanoparticles. *Appl Clay Sci.* 50: 330-336. <http://dx.doi.org/10.1016/j.clay.2010.08.021>.
- Li, T; Farrell, J. (2000). Reductive dechlorination of trichloroethene and carbon tetrachloride using iron and palladized-iron cathodes. *Environ Sci Technol.* 34: 173-179.
- Li, T; Farrell, J. (2001). Electrochemical investigation of the rate-limiting mechanisms for trichloroethylene and carbon tetrachloride reduction at iron surfaces. *Environ Sci Technol.* 35: 3560-3565.
- Li, T; Guo, Y; Hu, H; Zhang, X; Jin, Y; Zhang, X; Zhang, Y. (2016). Determination of volatile chlorinated hydrocarbons in water samples by static headspace gas chromatography with electron capture detection. *J Sep Sci.* 39: 358-366. <http://dx.doi.org/10.1002/jssc.201500771>.
- Li, W; Cui, Z; Han, F. (2015). Methods for assessing the energy-saving efficiency of industrial symbiosis in industrial parks. *Environ Sci Pollut Res Int.* 22: 275-285. <http://dx.doi.org/10.1007/s11356-014-3327-4>.
- Li, W; Roberts, DP; Dery, PD; Meyer, SLF; Lohrke, S; Lumsden, RD; Hebbbar, KP. (2002). Broad spectrum anti-biotic activity and disease suppression by the potential biocontrol agent *Burkholderia ambifaria* BC-F. *Crop Protection.* 21: 129-135.
- Li, X; Parkin, S; Duffel, MW; Robertson, LW; Lehmler, HJ. (2010). An efficient approach to sulfate metabolites of polychlorinated biphenyls. *Environ Int.* 36: 843-848. <http://dx.doi.org/10.1016/j.envint.2009.02.005>.
- Li, X; Teske, S; Conroy-Ben, O. (2015). Estrogen mimics induce genes encoding chemical efflux proteins in gram-negative bacteria. *Chemosphere.* 128: 327-331. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.020>.
- Li, X, qin; Zhang, W, eiX. (2007). Sequestration of metal cations with zerovalent iron nanoparticles - A study with high resolution X-ray photoelectron spectroscopy (HR-XPS). *J Phys Chem C.* 111: 6939-6946. <http://dx.doi.org/10.1021/jp0702189>.
- Li, XD; Schwartz, FW. (2003). Permanganate oxidation schemes for the remediation of source zone DNAPLs and dissolved contaminant plumes. *ACS Symp Ser Am Chem Soc.* 837: 73-85.
- Li, XD; Schwartz, FW. (2004). DNAPL remediation with in situ chemical oxidation using potassium permanganate. II. Increasing removal efficiency by dissolving Mn oxide precipitates. *J Contam Hydrol.* 68: 269-287. [http://dx.doi.org/10.1016/S0169-7722\(03\)00145-1](http://dx.doi.org/10.1016/S0169-7722(03)00145-1).
- Li, XD; Schwartz, FW. (2004). DNAPL remediation with in situ chemical oxidation using potassium permanganate. Part I. Mineralogy of Mn oxide and its dissolution in organic acids. *J Contam Hydrol.* 68: 39-53. [http://dx.doi.org/10.1016/S0169-7722\(03\)00144-X](http://dx.doi.org/10.1016/S0169-7722(03)00144-X).
- Li, Y; Cai, K; Li, J; Dinnyes, A; Ji, W. (2006). Comparative studies with six extenders for sperm cryopreservation in the cynomolgus monkey (*Macaca fascicularis*) and rhesus monkey (*Macaca mulatta*). *Am J Primatol.* 68: 39-49. <http://dx.doi.org/10.1002/ajp.20205>.
- Li, Y; Cheng, W, ei; Sheng, G; Li, J; Dong, H; Chen, Y, a; Zhu, L. (2015). Synergetic effect of a pillared bentonite support on SE(VI) removal by nanoscale zero valent iron. *Appl Catal B-Environ.* 174: 329-335. <http://dx.doi.org/10.1016/j.apcatb.2015.03.025>.
- Li, Y; Huang, H; He, T; Gong, Y. (2010). The effect of the preferential affinity of the solvent on the microstructure of solution-cast block copolymer thin films. *J Phys Chem B.* 114: 1264-1270. <http://dx.doi.org/10.1021/jp908852u>.

Fate Literature Search Results

Off Topic

- Li, Y; Li, J; Zhang, Y. (2012). Mechanism insights into enhanced Cr(VI) removal using nanoscale zerovalent iron supported on the pillared bentonite by macroscopic and spectroscopic studies. *J Hazard Mater.* 227-228: 211-218. <http://dx.doi.org/10.1016/j.jhazmat.2012.05.034>.
- Li, Y; Li, T; Jini, Z. (2011). Stabilization of Fe(0) nanoparticles with silica fume for enhanced transport and remediation of hexavalent chromium in water and soil. *J Environ Sci.* 23: 1211-1218. [http://dx.doi.org/10.1016/S1001-0742\(10\)60534-7](http://dx.doi.org/10.1016/S1001-0742(10)60534-7).
- Li, Y; Liu, C; Xu, P; Li, M; Zen, M; Tang, S. (2014). Controlled fabrication of ordered mesoporous titania/carbon fiber composites with high photoactivity: Synergistic relationship between surface adsorption and photocatalysis. *Chem Eng J.* 243: 108-116. <http://dx.doi.org/10.1016/j.cej.2013.12.050>.
- Li, Y; Liu, S. (2013). EFFECTS OF DIFFERENT THERMAL CONDUCTIVITY ENHANCERS ON THE THERMAL PERFORMANCE OF TWO ORGANIC PHASE-CHANGE MATERIALS: PARAFFIN WAX RT42 AND RT25. *Journal of Enhanced Heat Transfer.* 20: 463-473.
- Li, Y; Si, W; Zhang, X; Dinnyes, A; Ji, W. (2003). Effect of amino acids on cryopreservation of cynomolgus monkey (*Macaca fascicularis*) sperm. *Am J Primatol.* 59: 159-165. <http://dx.doi.org/10.1002/ajp.10073>.
- Li, Y; Zhang, Y, un; Li, J; Sheng, G; Zheng, X. (2013). Enhanced reduction of chlorophenols by nanoscale zerovalent iron supported on organobentonite. *Chemosphere.* 92: 368-374. <http://dx.doi.org/10.1016/j.chemosphere.2013.01.030>.
- Li, Z; Greden, K; Alvarez, PJ; Gregory, KB; Lowry, GV. (2010). Adsorbed polymer and NOM limits adhesion and toxicity of nano scale zerovalent iron to *E. coli*. *Environ Sci Technol.* 44: 3462-3467. <http://dx.doi.org/10.1021/es9031198>.
- Li, Z; Hanlie, H. (2008). Combination of surfactant solubilization with permanganate oxidation for DNAPL remediation. *Water Res.* 42: 605-614. <http://dx.doi.org/10.1016/j.watres.2007.08.010>.
- Li, Z; Willms, C; Alley, J; Zhang, P; Bowman, RS. (2006). A shift in pathway of iron-mediated perchloroethylene reduction in the presence of sorbed surfactant--a column study. *Water Res.* 40: 3811-3819. <http://dx.doi.org/10.1016/j.watres.2006.08.025>.
- Li, ZH. (2004). Surfactant-enhanced oxidation of trichloroethylene by permanganate - proof concept. *Chemosphere.* 54: 419-423. [http://dx.doi.org/10.1016/S0045-6535\(03\)00752-5](http://dx.doi.org/10.1016/S0045-6535(03)00752-5).
- Lian, F, ei; Chang, C; Du, Y; Zhu, L; Xing, B; Liu, C. (2012). Adsorptive removal of hydrophobic organic compounds by carbonaceous adsorbents: A comparative study of waste-polymer-based, coal-based activated carbon, and carbon nanotubes. *J Environ Sci.* 24: 1549-1558. [http://dx.doi.org/10.1016/S1001-0742\(11\)60984-4](http://dx.doi.org/10.1016/S1001-0742(11)60984-4).
- Liang, AH; Zhang, Y; Fan, YY; Chen, CQ; Wen, GQ; Liu, QY; Kang, CY; Jiang, ZL. (2011). Catalysis of aptamer-modified AuPd nanoalloy probe and its application to resonance scattering detection of trace UO₂²⁺. *Nanoscale.* 3: 3178-3184. <http://dx.doi.org/10.1039/c1nr10275c>.
- Liang, C; Bruell, CJ. (2008). Thermally activated persulfate oxidation of trichloroethylene: Experimental investigation of reaction orders. *Ind Eng Chem Res.* 47: 2912-2918. <http://dx.doi.org/10.1021/ie0708201>.
- Liang, C; Bruell, CJ; Albert, MF; Cross, PE; Ryan, DK. (2007). Evaluation of reverse osmosis and nanofiltration for in situ persulfate mediated groundwater. *Desalination.* 208: 238-259. <http://dx.doi.org/10.1016/j.desal.2006.06.015>.
- Liang, C; Bruell, CJ; Marley, MC; Sperry, KL. (2004). Persulfate oxidation for in situ remediation of TCE. I. Activated by ferrous ion with and without a persulfate-thiosulfate redox couple. *Chemosphere.* 55: 1213-1223. <http://dx.doi.org/10.1016/j.chemosphere.2004.01.029>.
- Liang, C; Bruell, CJ; Marley, MC; Sperry, KL. (2004). Persulfate oxidation for in situ remediation of TCE. II. Activated by chelated ferrous ion. *Chemosphere.* 55: 1225-1233. <http://dx.doi.org/10.1016/j.chemosphere.2004.01.030>.
- Liang, C; Chen, Y. (2010). Evaluation of activated carbon for remediating benzene contamination: Adsorption and oxidative regeneration. *J Hazard Mater.* 182: 544-551. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.066>.
- Liang, C; Guo, Y. (2010). Mass Transfer and Chemical Oxidation of Naphthalene Particles with Zerovalent Iron Activated Persulfate. *Environ Sci Technol.* 44: 8203-8208. <http://dx.doi.org/10.1021/es903411a>.
- Liang, C; Guo, Y, iYu; Chien, Y, iChi; Wu, Y, iJ. (2010). Oxidative Degradation of MTBE by Pyrite-Activated Persulfate: Proposed Reaction Pathways. *Ind Eng Chem Res.* 49: 8858-8864. <http://dx.doi.org/10.1021/ie100740d>.
- Liang, C; Guo, YY; Pan, YR. (2014). A study of the applicability of various activated persulfate processes for the treatment of 2,4-dichlorophenoxyacetic acid. *Int J Environ Sci Tech.* 11: 483-492. <http://dx.doi.org/10.1007/s13762-013-0212-5>.
- Liang, C; Hsieh, CL. (2015). Evaluation of surfactant flushing for remediating EDC-tar contamination. *J Contam Hydrol.* 177-178: 158-166. <http://dx.doi.org/10.1016/j.jconhyd.2015.04.006>.
- Liang, C; Huang, CF; Chen, YJ. (2008). Potential for activated persulfate degradation of BTEX contamination. *Water Res.* 42: 4091-4100. <http://dx.doi.org/10.1016/j.watres.2008.06.022>.
- Liang, C; Huang, CF, en; Mohanty, N; Lu, CJ, en; Kurakalva, RM. (2007). Hydroxypropyl-beta-cyclodextrin-mediated iron-activated persulfate oxidation of trichloroethylene and tetrachloroethylene. *Ind Eng Chem Res.* 46: 6466-6479. <http://dx.doi.org/10.1021/ie0705148>.
- Liang, C; Lai, MC. (2008). Trichloroethylene degradation by zero valent iron activated persulfate oxidation. *Environ Eng Sci.* 25: 1071-1077. <http://dx.doi.org/10.1089/ees.2007.0174>.
- Liang, C; Lee, IL. (2008). In situ iron activated persulfate oxidative fluid sparging treatment of TCE contamination - A proof of concept study. *J Contam Hydrol.* 100: 91-100. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.012>.
- Liang, C; Lee, IL; Hsu, IY; Liang, CP; Lin, Y, uL. (2008). Persulfate oxidation of trichloroethylene with and without iron activation in porous media. *Chemosphere.* 70: 426-435. <http://dx.doi.org/10.1016/j.chemosphere.2007-06.077>.
- Liang, C; Lee, PH. (2012). Granular activated carbon/pyrite composites for environmental application: synthesis and characterization. *J Hazard Mater.* 231-232: 120-126. <http://dx.doi.org/10.1016/j.jhazmat.2012.06.048>.
- Liang, C; Lin, Y, aT; Shih, W, uH. (2009). Treatment of Trichloroethylene by Adsorption and Persulfate Oxidation in Batch Studies. *Ind Eng Chem Res.* 48: 8373-8380. <http://dx.doi.org/10.1021/ie900841k>.

Fate Literature Search Results

Off Topic

- Liang, C; Lin, Y, aT; Shiu, J. (2016). Reduction of nitrobenzene with alkaline ascorbic acid: Kinetics and pathways. *J Hazard Mater.* 302: 137-143. <http://dx.doi.org/10.1016/j.jhazmat.2015.09.029>.
- Liang, C; Lin, YT; Shin, WH. (2009). Persulfate regeneration of trichloroethylene spent activated carbon. *J Hazard Mater.* 168: 187-192. <http://dx.doi.org/10.1016/j.jhazmat.2009.02.006>.
- Liang, C; Wang, ZS; Mohanty, N. (2006). Influences of carbonate and chloride ions on persulfate oxidation of trichloroethylene at 20, 30, 40, 50°C. *Sci Total Environ.* 370: 271-277. <http://dx.doi.org/10.1016/j.scitotenv.2006.08.028>.
- Liang, CH; Chiang, PC; Chang, EE. (2004). Quantitative elucidation of the effect of EBCT on adsorption and biodegradation of biological activated carbon filters. *Journal of the Chinese Institute of Chemical Engineers.* 35: 203-211.
- Liang, CJ; Bruell, CJ; Marley, MC; Sperry, KL. (2003). Thermally activated persulfate oxidation of trichloroethylene (TCE) and 1,1,1-trichloroethane (TCA) in aqueous systems and soil slurries. *Soil Sediment Contam.* 12: 207-228.
- Liang, CJ; Liang, CP; Chen, CC. (2009). pH dependence of persulfate activation by EDTA/Fe(III) for degradation of trichloroethylene. *J Contam Hydrol.* 106: 173-182. <http://dx.doi.org/10.1016/j.jconhyd.2009.02.008>.
- Liang, DH; Song, LG; Chen, ZJ; Chu, B. (2001). Effect of glycerol-induced DNA conformational change on the separation of DNA fragments by capillary electrophoresis. *J Chromatogr A.* 931: 163-173.
- Liang, F; Fan, J; Guo, Y; Fan, M; Wang, J; Yang, H. (2008). Reduction of Nitrite by Ultrasound-Dispersed Nanoscale Zero-Valent Iron Particles. *Ind Eng Chem Res.* 47: 8550-8554. <http://dx.doi.org/10.1021/ie8003946>.
- Liang, H; Falta, RW; Henderson, JK; Shoemaker, S. (2012). Probabilistic Simulation of Remediation at a Site Contaminated by Trichloroethylene. *Ground Water Monitoring and Remediation.* 32: 131-141. <http://dx.doi.org/10.1111/j.1745-6592.2011.01378.x>.
- Liang, H; Zhang, YQ; Huang, S; Hussain, I. (2013). Oxidative degradation of p-chloroaniline by copper oxidate activated persulfate. *Chem Eng J.* 218: 384-391. <http://dx.doi.org/10.1016/j.cej.2012.11.093>.
- Liang, J, ie; Liu, J; Yuan, X; Dong, H; Zeng, G; Wu, H; Wang, H, ou; Liu, J; Hu, S; Zhang, S; Yu, Z; He, X; He, Y, an. (2015). Facile synthesis of alumina-decorated multi-walled carbon nanotubes for simultaneous adsorption of cadmium ion and trichloroethylene. *Chem Eng J.* 273: 101-110. <http://dx.doi.org/10.1016/j.cej.2015.03.069>.
- Liang, JC; Brinkley, BR. (1985). Chemical probes and possible targets for the induction of aneuploidy. *Basic Life Sci.* 36: 491-505.
- Liang, JC; Pacchierotti, F. (1988). Cytogenetic investigation of chemically-induced aneuploidy in mouse spermatocytes. *Mutat Res-Fundam Mol Mech Mutagen.* 201: 325-335. [http://dx.doi.org/10.1016/0027-5107\(88\)90021-8](http://dx.doi.org/10.1016/0027-5107(88)90021-8).
- Liang, KF; Kuo, MC. (2009). A model and experimental study for dissolution efficiency of gaseous substrates through in situ sparging. *J Hazard Mater.* 164: 204-214. <http://dx.doi.org/10.1016/j.jhazmat.2008.07.156>.
- Liang, L; Moline, GR; Kamolpornwijit, W; West, OR. (2005). Influence of hydrogeochemical processes on zero-valent iron reactive barrier performance: a field investigation. *J Contam Hydrol.* 80: 71-91. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.014>.
- Liang, LY; Korte, N; Goodlaxson, JD; Clausen, J; Fernando, Q; Muftikian, R. (1997). Byproduct formation during the reduction of TCE by zero-valence iron and palladized iron. *Ground Water Monitoring and Remediation.* 17: 122-127.
- Liang, LY; Sullivan, AB; West, OR; Moline, GR; Kamolpornwijit, W. (2003). Predicting the precipitation of mineral phases in permeable reactive barriers. *Environ Eng Sci.* 20: 635-653.
- Liang, SH; Chen, KF; Wu, CS; Lin, YH; Kao, CM. (2014). Development of KMnO₄-releasing composites for in situ chemical oxidation of TCE-contaminated groundwater. *Water Res.* 54: 149-158. <http://dx.doi.org/10.1016/j.watres.2014.01.068>.
- Liang, SH; Kuo, YC; Chen, SH; Chen, CY; Kao, CM. (2013). Development of a slow polycolloid-releasing substrate (SPRS) biobarrier to remediate TCE-contaminated aquifers. *J Hazard Mater.* 254: 107-115. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.047>.
- Liang, SH; Liu, JK; Lee, KH; Kuo, YC; Kao, CM. (2011). Use of specific gene analysis to assess the effectiveness of surfactant-enhanced trichloroethylene cometabolism. *J Hazard Mater.* 198: 323-330. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.050>.
- Liang, X; Dong, Y; Kuder, T; Krumholz, L, eeR; Philp, RP; Butler, EC. (2007). Distinguishing abiotic and biotic transformation of tetrachloroethylene and trichloroethylene by stable carbon isotope fractionation. *Environ Sci Technol.* 41: 7094-7100. <http://dx.doi.org/10.1021/es070970n>.
- Liang, X; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere.* 75: 63-69. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.042>.
- Liangpunsakul, S; Kolwankar, D; Pinto, A; Gorski, JC; Hall, SD; Chalasani, N. (2005). Activity of CYP2E1 and CYP3A enzymes in adults with moderate alcohol consumption: A comparison with nonalcoholics. *Hepatology.* 41: 1144-1150. <http://dx.doi.org/10.1002/hep.20673>.
- Liao, CH; Chen, IM; Chang, YF; Lu, MC. (2003). Removal of trichloromethane and trichloroethylene by suspended zero valent iron and ultraviolet irradiation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 1717-1729. <http://dx.doi.org/10.1081/ESE-20022874>.
- Liao, KH; Dobrev, ID; Dennison, JE; Andersen, ME; Reisfeld, B; Reardon, KF; Campaign, JA; Wei, W; Klein, MT; Quann, RJ; Yang, RS. (2002). Application of biologically based computer modeling to simple or complex mixtures [Review]. *Environ Health Perspect.* 110 Suppl 6: 957-963.
- Liao, KH; Tan, YM; Clewell, HJ. (2007). Development of a screening approach to interpret human biomonitoring data on volatile organic compounds: reverse dosimetry on biomonitoring data for trichloroethylene. *Risk Anal.* 27: 1223-1236. <http://dx.doi.org/10.1111/j.1539-6924.2007.00964.x>.
- Liao, KH; Tan, YM; Conolly, RB; Borghoff, SJ; Gargas, ML; Andersen, ME; III, CH. (2007). Bayesian estimation of pharmacokinetic and pharmacodynamic parameters in a mode-of-action-based cancer risk assessment for chloroform. *Risk Anal.* 27: 1535-1551. <http://dx.doi.org/10.1111/j.1539-6924.2007.00987.x>.
- Liao, P; Yuan, S; Chen, M; Tong, M; Xie, W; Zhang, P. (2013). Regulation of electrochemically generated ferrous ions from an iron cathode for Pd-catalytic transformation of MTBE in groundwater. *Environ Sci Technol.* 47: 7918-7926. <http://dx.doi.org/10.1021/es401730s>.

Fate Literature Search Results

Off Topic

- Liao, RZ; Chen, SL; Siegbahn, PE. (2016). Unraveling the Mechanism and Regioselectivity of the B12-Dependent Reductive Dehalogenase PceA. *Chemistry*. 22: 12391-12399. <http://dx.doi.org/10.1002/chem.201601575>.
- Libbrecht, L. (2006). Hepatic progenitor cells in human liver tumor development [Review]. *World J Gastroenterol*. 12: 6261-6265.
- Lieberman, L; Hordof, AJ; Altmann, K; Pass, RH. (2006). Low energy biphasic waveform cardioversion of atrial arrhythmias in pediatric patients and young adults. *Pacing Clin Electrophysiol*. 29: 1383-1386.
- Lichtin, NN; Avudaithai, M. (1996). TiO₂-photocatalyzed oxidative degradation of CH₃CN, CH₃OH, C₂HCl₃, and CH₂Cl₂ supplied as vapors and in aqueous solution under similar conditions. *Environ Sci Technol*. 30: 2014-2020.
- Lichtin, NN; Avudaithai, M; Berman, E; Dong, J. (1994). PHOTOCATALYTIC OXIDATIVE-DEGRADATION OF VAPORS OF SOME ORGANIC-COMPOUNDS OVER TiO₂. *Res Chem Intermed*. 20: 755-781.
- Lide, DR. (1998). Handbook of chemistry and physics. In DR Lide (Ed.), (79th ed.). Boca Raton, FL: CRC Press.
- Liebe, J; Heinmann, K; Barner, K; Medvedeva, IV; Tang, Y; Dong, S; Braunstein, R. (1997). Transient ambipolar charge distributions in amorphous and crystalline semiconductors. *Mater Sci Eng B*. 47: 244-251.
- Liebe, J; Kattwinkel, A; Barner, K; Sun, G; Dong, S; Braunstein, R. (2000). Determination of the gap state density differences in hydrogenated amorphous silicon and Si/Ge. *Mater Sci Eng A*. 282: 158-163.
- Lieber, C. (2004). The discovery of the microsomal ethanol oxidizing system and its physiologic and pathologic role [Review]. *Drug Metab Rev*. 36: 511-529. <http://dx.doi.org/10.1081/DMR-200033441>.
- Lieberman, MW; Lykissa, ED; Barrios, R; Ou, CN; Kala, G; Kala, SV. (1999). Cyclosiloxanes produce fatal liver and lung damage in mice. *Environ Health Perspect*. 107: 161-165.
- Lien, GJ; Mckim, JM; Hoffman, AD; Jenson, CT. (2001). A physiologically based toxicokinetic model for lake trout (*Salvelinus namaycush*). *Aquat Toxicol*. 51: 335-350.
- Lien, HL; Zhang, W, et al. (2007). Nanoscale Pd/Fe bimetallic particles: Catalytic effects of palladium on hydrodechlorination. *Appl Catal B-Environ*. 77: 110-116. <http://dx.doi.org/10.1016/j.apcatb.2007.07.014>.
- Lien, PJ; Yang, ZH; Chang, YM; Tu, YT; Kao, CM. (2016). Enhanced bioremediation of TCE-contaminated groundwater with coexistence of fuel oil: Effectiveness and mechanism study. *Chem Eng J*. 289: 525-536. <http://dx.doi.org/10.1016/j.cej.2016.01.011>.
- Ligocki, MP; Leuenberger, C; Pankow, JF. (1985). Trace organic-compounds in rain: 2. Gas scavenging of neutral organic-compounds. *Atmos Environ*. 19: 1609-1617. [http://dx.doi.org/10.1016/0004-6981\(85\)90213-6](http://dx.doi.org/10.1016/0004-6981(85)90213-6).
- Lillo-Rodenas, MA; Bouazza, N; Berenguer-Murcia, A; Linares-Salinas, JJ; Soto, P; Linares-Solano, A. (2007). Photocatalytic oxidation of propene at low concentration. *Appl Catal B-Environ*. 71: 298-309. <http://dx.doi.org/10.1016/j.apcatb.2006.10.004>.
- Lilly, PD; Simmons, JE; Pegram, RA. (1994). Dose-dependent vehicle differences in the acute toxicity of bromodichloromethane. *Fundam Appl Toxicol*. 23: 132-140.
- Lim, DH, et al.; Lastoskie, CM. (2009). Density Functional Theory Studies on the Relative Reactivity of Chloroethenes on Zerovalent Iron. *Environ Sci Technol*. 43: 5443-5448. <http://dx.doi.org/10.1021/es9003203>.
- Lim, DH, et al.; Lastoskie, CM; Soon, A; Becker, U, et al. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environ Sci Technol*. 43: 1192-1198. <http://dx.doi.org/10.1021/es802523a>.
- Lim, K; Jung, S; Kim, JK, et al.; Kang, J, et al.; Kim, J, et al.; Cho, SH; Kim, D, et al. (2013). Flexible PEDOT: PSS/ITO hybrid transparent conducting electrode for organic photovoltaics. *Solar Energy Materials and Solar Cells*. 115: 71-78. <http://dx.doi.org/10.1016/j.solmat.2013.03.028>.
- Lim, MH; Kim, SH; Kim, YU; Khim, J. (2007). Sonolysis of chlorinated compounds in aqueous solution. *Ultrason Sonochem*. 14: 93-98. <http://dx.doi.org/10.1016/j.ultsonch.2006.03.003>.
- Lim, S; Fox, P. (2014). Effects of halogenated aromatics/aliphatics and nitrogen(N)-heterocyclic aromatics on estimating the persistence of future pharmaceutical compounds using a modified QSAR model. *Sci Total Environ*. 470: 348-355. <http://dx.doi.org/10.1016/j.scitotenv.2013.09.089>.
- Lim, T, et al.; Kim, SD. (2008). Removal of Volatile Organic Compounds (VOCs) by Photocatalytic Reaction in a Circulating Fluidized Bed (CFB) Photoreactor. *J Chem Eng Jpn*. 41: 695-699.
- Lim, TH; Kim, SD. (2004). Photo-degradation characteristics of TCE (trichloroethylene) in an annulus fluidized bed photoreactor. *Korean J Chem Eng*. 21: 905-909.
- Lim, TH; Kim, SD. (2004). Trichloroethylene degradation by photocatalysis in annular flow and annulus fluidized bed photoreactors. *Chemosphere*. 54: 305-312. [http://dx.doi.org/10.1016/S0045-6535\(03\)00753-7](http://dx.doi.org/10.1016/S0045-6535(03)00753-7).
- Lim, TH; Kim, SD. (2005). Photocatalytic degradation of trichloroethylene (TCE) over TiO₂/silica gel in a circulating fluidized bed (CFB) photoreactor. *Chemical Engineering and Processing: Process Intensification*. 44: 327-334. <http://dx.doi.org/10.1016/j.cep.2004.02.027>.
- Lim, TT; Feng, J; Zhu, BW. (2007). Kinetic and mechanistic examinations of reductive transformation pathways of brominated methanes with nano-scale Fe and Ni/Fe particles. *Water Res*. 41: 875-883. <http://dx.doi.org/10.1016/j.watres.2006.11.011>.
- Lim, TT; Zhu, BW. (2008). Effects of anions on the kinetics and reactivity of nanoscale Pd/Fe in trichlorobenzene dechlorination. *Chemosphere*. 73: 1471-1477. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.050>.
- Lim, TY; Kim, SD. (2002). Photocatalytic degradation of trichloroethylene over TiO₂/SiO₂ in an annulus fluidized bed reactor. *Korean J Chem Eng*. 19: 1072-1077.
- Limmer, MA; Balouet, JC; Karg, F; Vroblesky, DA; Burken, JG. (2011). Phytoscreening for chlorinated solvents using rapid in vitro SPME sampling: application to urban plume in Verl, Germany. *Environ Sci Technol*. 45: 8276-8282. <http://dx.doi.org/10.1021/es201704v>.
- Limmer, MA; Holmes, AJ; Burken, JG. (2014). Phytomonitoring of Chlorinated Ethenes in Trees: A Four-Year Study of Seasonal Chemodynamics in Planta. *Environ Sci Technol*. 48: 10634-10640. <http://dx.doi.org/10.1021/es502680p>.

Fate Literature Search Results

Off Topic

- Limmer, MA; West, DM; Mu, R; Shi, H; Whitlock, K, im; Burken, JG. (2015). Phytoscreening for perchlorate: rapid analysis of tree sap. *Environ Sci (Camb)*. 1: 138-145. <http://dx.doi.org/10.1039/c4ew00103f>.
- Lin, C; Jou, CJ; Wang, CL. (2009). Visible-light-sensitized dechlorination of perchloroethylene. *Water Environ Res*. 81: 76-81. <http://dx.doi.org/10.2175/106143008X304802>.
- Lin, C, han; Shih, YH; Macfarlane, J. (2015). Amphiphilic compounds enhance the dechlorination of pentachlorophenol with Ni/Fe bimetallic nanoparticles. *Chem Eng J*. 262: 59-67. <http://dx.doi.org/10.1016/j.cej.2014.09.038>.
- Lin, CH; Kuo, M; Sip, CY; Liang, KF; Han, YL. (2012). A nutrient injection scheme for in situ bio-remediation. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 47: 280-288. <http://dx.doi.org/10.1080/10934529.2012.640907>.
- Lin, CH; Kuo, MCT, om; Fan, K, aiC; Yang, SC. (2009). Pilot study on contact efficiency of gaseous and misty substrates through in situ sparging. *J Chem Tech Biotechnol*. 84: 1456-1460. <http://dx.doi.org/10.1002/jctb.2198>.
- Lin, CJ; Liou, YH; Lo, SL. (2009). Supported Pd/Sn bimetallic nanoparticles for reductive dechlorination of aqueous trichloroethylene. *Chemosphere*. 74: 314-319. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.046>.
- Lin, CJ; Lo, SL; Liou, YH. (2004). Dechlorination of trichloroethylene in aqueous solution by noble metal-modified iron. *J Hazard Mater*. 116: 219-228. <http://dx.doi.org/10.1016/j.jhazmat.2004.09.005>.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere*. 59: 1299-1307. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.064>.
- Lin, CY; Li, CS. (2003). Inactivation of microorganisms on the photocatalytic surfaces in air. *Aerosol Sci Technol*. 37: 939-946. <http://dx.doi.org/10.1080/02786820390230352>.
- Lin, D. (1998). The development and prospective of bioenergy technology in China. *Biomass and Bioenergy*. 15: 181-186.
- Lin, E; Mattox, J; Daniel, F. (1993). Tissue distribution, excretion, and urinary metabolites of dichloroacetic acid in the male Fischer 344 rat. *J Toxicol Environ Health*. 38: 19-32. <http://dx.doi.org/10.1080/15287399309531697>.
- Lin, JC; Chen, J; Suib, SL; Cutlip, MB; Freihaut, JD. (1996). Recovery of bromine from methyl bromide using amorphous MnOx photocatalysts. *J Catal*. 161: 659-666.
- Lin, K, e; Kumar, RS; Cheng, L, aiSzu; Jin, CS, oo. (2009). Performance Improvement of Carbon-Nanotube-Incorporated Transparent Conducting Anode Film for Organic Device Application. *I E E E Transactions on Electron Devices*. 56: 31-37. <http://dx.doi.org/10.1109/TED.2008.2007831>.
- Lin, LW; Lin, XY; He, YM; Gao, SD; Lin, XD. (2003). Biological characteristics of HCC by ultrasound-guided aspiration biopsy and its clinical application. *World J Gastroenterol*. 9: 941-945.
- Lin, Q; Chen, YX; Plagentz, V; Schafer, D; Dahmke, A. (2004). ORC-GAC-Fe0 system for the remediation of trichloroethylene and monochlorobenzene contaminated aquifer: 1. Adsorption and degradation. *J Environ Sci*. 16: 108-112.
- Lin, Y; Chen, Z; Megharaj, M; Naidu, R. (2012). Degradation of scarlet 4BS in aqueous solution using bimetallic Fe/Ni nanoparticles. *J Colloid Interface Sci*. 381: 30-35. <http://dx.doi.org/10.1016/j.jcis.2012.05.035>.
- Lin, Y, iH; Hung, W; Chen, Y, uC; Chu, H. (2014). Photocatalytic Degradation of 1, 2-dichloroethane by V/TiO2: The Mechanism of Photocatalytic Reaction and Byproduct. *Aerosol Air Qual Res*. 14: 280-292. <http://dx.doi.org/10.4209/aaqr.2013.02.0053>.
- Lin, Y, aT; Liang, C; Yu, CW, ei. (2016). Trichloroethylene Degradation by Various Forms of Iron Activated Persulfate Oxidation with or without the Assistance of Ascorbic Acid. *Ind Eng Chem Res*. 55: 2302-2308. <http://dx.doi.org/10.1021/acs.iecr.5b04352>.
- Lin, Y, aoT; Weng, CH; Chen, FY. (2014). Key operating parameters affecting photocatalytic activity of visible-light-induced C-doped TiO2 catalyst for ethylene oxidation. *Chem Eng J*. 248: 175-183. <http://dx.doi.org/10.1016/j.cej.2014.02.085>.
- Lin, Y, aoT; Weng, CH; Hsu, H, uiJan; Huang, JW, en; Srivastav, AL, al; Shiesh, CC. (2014). Effect of oxygen, moisture, and temperature on the photo oxidation of ethylene on N-doped TiO2 catalyst. *Separation and Purification Technology*. 134: 117-125. <http://dx.doi.org/10.1016/j.seppur.2014.07.039>.
- Lin, YJ; Tseng, SL; Huang, WJ; Wu, WJ. (2006). Enhanced photocatalysis of pentachlorophenol by metal-modified titanium (IV) oxide. *J Environ Sci Health B*. 41: 1143-1158. <http://dx.doi.org/10.1080/03601230600856843>.
- Lin, YZ; Brunt, EM; Bowling, W; Hafenrichter, DG; Kennedy, SC; Flye, MW; Ponder, KP. (1995). Ras-transduced diethylnitrosamine-treated hepatocytes develop into cancers of mixed phenotype in vivo. *Cancer Res*. 55: 5242-5250.
- Lin, Z; Li, XM; Li, YT; Huang, DY; Dong, J; Li, FB. (2012). Enhancement effect of two ecological earthworm species (*Eisenia foetida* and *Amyntas robustus* E. Perrier) on removal and degradation processes of soil DDT. *J Environ Monit*. 14: 1551-1558. <http://dx.doi.org/10.1039/c2em30160a>.
- Lin, ZK; Han, DL; Li, SF. (2013). Effect of nano Ni-Fe alloy addition on flash pyrolysis of poly(ethylene glycol). *J Anal Appl Pyrol*. 99: 117-121. <http://dx.doi.org/10.1016/j.jaap.2012.10.014>.
- Lindbohm, ML; Sallmén, M; Kyyrönen, P; Kauppinen, T; Pukkala, E. (2009). Risk of liver cancer and exposure to organic solvents and gasoline vapors among Finnish workers. *Int J Cancer*. 124: 2954-2959. <http://dx.doi.org/10.1002/ijc.24309>.
- Lindbohm, ML; Taskinen, H; Sallmen, M; Hemminki, K. (1990). Spontaneous abortions among women exposed to organic solvents. *Am J Ind Med*. 17: 449-463. <http://dx.doi.org/10.1002/ajim.4700170404>.
- Linderholm, L; Biague, A; Månsson, F; Norrgren, H; Bergman, A; Jakobsson, K. (2010). Human exposure to persistent organic pollutants in West Africa--A temporal trend study from Guinea-Bissau. *Environ Int*. 36: 675-682. <http://dx.doi.org/10.1016/j.envint.2010.04.020>.
- Lindhardt, B; Christensen, TH; Brun, A. (1994). VOLATILIZATION OF O-XYLENE FROM SANDY SOIL. *Chemosphere*. 29: 2625-2637.
- Lindsey, MA. (2012). Community Outreach and Education Core.
- Lindsey, MA. (2013). Community Outreach and Education Core.
- Lindsey, MA. (2014). Community Outreach and Education Core.

Fate Literature Search Results

Off Topic

- Lindsey, MA. (2015). Community Outreach and Education Core.
- Lindsey, TC; Ocker, AG; Miller, GD. (1994). RECOVERY OF AN AQUEOUS IRON PHOSPHATING DEGREASING BATH BY ULTRAFILTRATION. *J Air Waste Manag Assoc.* 44: 697-701.
- Lindstrom, AB; Pleil, JD. (1996). A methodological approach for exposure assessment studies in residences using volatile organic compound-contaminated water. *J Air Waste Manag Assoc.* 46: 1058-1066.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. (1996). Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull.* 32: 807-816.
- Linek, V; Sinkule, J; Janda, V. (1998). Design of packed aeration towers to strip volatile organic contaminants from water. *Water Res.* 32: 1264-1270.
- Ling, X; Li, J; Zhu, W; Zhu, Y; Sun, X; Shen, J; Han, W; Wang, L. (2012). Synthesis of nanoscale zero-valent iron/ordered mesoporous carbon for adsorption and synergistic reduction of nitrobenzene. *Chemosphere.* 87: 655-660. <http://dx.doi.org/10.1016/j.chemosphere.2012.02.002>.
- Lingohr, MK; Bull, RJ; Kato-Weinstein, J; Thrall, BD. (2002). Dichloroacetate stimulates glycogen accumulation in primary hepatocytes through an insulin-independent mechanism. *Toxicol Sci.* 68: 508-515.
- Lingohr, MK; Thrall, BD; Bull, RJ. (2001). Effects of dichloroacetate (DCA) on serum insulin levels and insulin-controlled signaling proteins in livers of male B6C3F1 mice. *Toxicol Sci.* 59: 178-184.
- Linnartz, P; Bitter, S; Schalley, CA. (2003). Deslipping of ester rotaxanes: A cooperative interplay of hydrogen bonding with rotational barriers. *European Journal of Organic Chemistry* 4819-4829. <http://dx.doi.org/10.1002/ejoc.200300466>.
- Liou, JSC; Szostek, B; Derito, CM; Madsen, EL. (2010). Investigating the biodegradability of perfluorooctanoic acid. *Chemosphere.* 80: 176-183. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.009>.
- Liou, YH; Lo, SL; Kuan, WH; Lin, CJ; Weng, SC. (2006). Effect of precursor concentration on the characteristics of nanoscale zerovalent iron and its reactivity of nitrate. *Water Res.* 40: 2485-2492. <http://dx.doi.org/10.1016/j.watres.2006.04.048>.
- Liou, YH; Lo, SL; Lin, CJ. (2007). Size effect in reactivity of copper nanoparticles to carbon tetrachloride degradation. *Water Res.* 41: 1705-1712. <http://dx.doi.org/10.1016/j.watres.2007.01.014>.
- Liou, YH; Lo, SL; Lin, CJ; Hu, CY; Kuan, WH; Weng, SC. (2005). Methods for accelerating nitrate reduction using zerovalent iron at near-neutral pH: Effects of H₂-reducing pretreatment and copper deposition. *Environ Sci Technol.* 39: 9643-9648. <http://dx.doi.org/10.1021/es048038p>.
- Liou, YH; Lo, SL; Lin, CJ; Kuan, WH; Weng, SC. (2005). Effects of iron surface pretreatment on kinetics of aqueous nitrate reduction. *J Hazard Mater.* 126: 189-194. <http://dx.doi.org/10.1016/j.jhazmat.2005.06.038>.
- Lipe, KM; Sabatini, DA; Hasegawa, MA; Harwell, JH. (1996). Micellar-enhanced ultrafiltration and air stripping for surfactant contaminant separation and surfactant reuse. *Ground Water Monitoring and Remediation.* 16: 85-92.
- Lipscomb, JC. (2004). Evaluating the relationship between variance in enzyme expression and toxicant concentration in health risk assessment. *Hum Ecol Risk Assess.* 10: 39-55. <http://dx.doi.org/10.1080/10807030490280945>.
- Lipscomb, JC; Barton, HA; Tornero-Velez, R; Evans, MV; Alcasey, S; Snawder, JE; Laskey, J. (2004). The metabolic rate constants and specific activity of human and rat hepatic cytochrome P-450 2E1 toward toluene and chloroform. *J Toxicol Environ Health A.* 67: 537-553. <http://dx.doi.org/10.1080/15287390490425588>.
- Lipscomb, JC; Confer, PD; Miller, MR; Stamm, SC; Snawder, JE; Bandiera, SM. (1998). Metabolism of trichloroethylene and chloral hydrate by the Japanese medaka (*Oryzias latipes*) in vitro. *Environ Toxicol Chem.* 17: 325-332. <http://dx.doi.org/10.1002/etc.5620170225>.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1998). Use of kinetic and mechanistic data in species extrapolation of bioactivation: Cytochrome P-450 dependent trichloroethylene metabolism at occupationally relevant concentrations. *J Occup Health.* 40: 110-117.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Barton, HA. (1995). Dichloroacetic acid: Metabolism in cytosol. *Drug Metab Dispos.* 23: 1202-1205.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Garrett, CM. (1996). A species comparison of chloral hydrate metabolism in blood and liver. *Biochem Biophys Res Commun.* 227: 340-350. <http://dx.doi.org/10.1006/bbrc.1996.1511>.
- Lipscomb, JC; Teuschler, LK; Swartout, J; Popken, D; Cox, T; Kedderis, GL. (2003). The impact of cytochrome P450 2E1-dependent metabolic variance on a risk-relevant pharmacokinetic outcome in humans. *Risk Anal.* 23: 1221-1238. <http://dx.doi.org/10.1111/j.0272-4332.2003.00397.x>.
- Lipson, DS; Kueper, BH; Gefell, MJ. (2005). Matrix diffusion-derived plume attenuation in fractured bedrock. *Ground Water.* 43: 30-39.
- Lipworth, L; Sonderman, JS; Mumma, MT; Tarone, RE; Marano, DE; Boice, JD; McLaughlin, JK. (2011). Cancer mortality among aircraft manufacturing workers: an extended follow-up. *J Occup Environ Med.* 53: 992-1007. <http://dx.doi.org/10.1097/JOM.0b013e31822e0940>.
- Little, JC; Daisey, JM; Nazaroff, WW. (1992). Transport of subsurface contaminants into buildings: An exposure pathway for volatile organics. *Environ Sci Technol.* 26: 2058-2066. <http://dx.doi.org/10.1021/es00035a001>.
- Liu, BY; Cheng, YC. (1984). GROWTH AND CHARACTERIZATION OF THIN GATE OXIDES BY DUAL TCE PROCESS. *J Electrochem Soc.* 131: 683-686.
- Liu, C; Li, X; Ma, B; Qin, A; He, C. (2014). Removal of water contaminants by nanoscale zero-valent iron immobilized in PAN-based oxidized membrane. *Appl Surf Sci.* 321: 158-165. <http://dx.doi.org/10.1016/j.apsusc.2014.09.202>.
- Liu, C; Xu, X; Fan, J. (2015). Accelerated anaerobic dechlorination of DDT in slurry with Hydragric Acrisols using citric acid and anthraquinone-2,6-disulfonate (AQDS). *J Environ Sci.* 38: 87-94. <http://dx.doi.org/10.1016/j.jes.2015.05.005>.
- Liu, CC; Liau, SF; Tseng, DH. (2006). Effects of the electrode arrangements on reductive dechlorination of trichloroethylene in an electro-enhanced iron wall. *Environ Technol.* 27: 683-693.
- Liu, CC; Tseng, DH; Wang, CY. (2006). Effects of ferrous ions on the reductive dechlorination of trichloroethylene by zero-valent iron. *J Hazard Mater.* 136: 706-713. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.045>.

Fate Literature Search Results

Off Topic

- Liu, CS; Higgins, CP; Wang, F; Shih, K. (2012). Effect of temperature on oxidative transformation of perfluorooctanoic acid (PFOA) by persulfate activation in water. *Separation and Purification Technology*. 91: 46-51. <http://dx.doi.org/10.1016/j.seppur.2011.09.047>.
- Liu, CS; Kuo, M; Su, CY; Chen, YC; Cheng, WC; Chou, CY; Liang, KF; Han, YL; Lin, CH. (2013). A bacteria injection scheme for in situ bioaugmentation. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 48: 1079-1085. <http://dx.doi.org/10.1080/10934529.2013.774601>.
- Liu, CX; Ball, WP. (2002). Back diffusion of chlorinated solvent contaminants from a natural aquitard to a remediated aquifer under well-controlled field conditions: Predictions and measurements. *Ground Water*. 40: 175-184.
- Liu, CY; Cade-Menun, BJ; Xu, XH; Fan, JL. (2016). Electron Donor Substances and Iron Oxides Stimulate Anaerobic Dechlorination of DDT in a Slurry System with Hydragric Acrisols. *J Environ Qual*. 45: 331-340. <http://dx.doi.org/10.2134/jeq2015.07.0406>.
- Liu, D; Lei, L; Yang, B; Yu, Q; Li, Z. (2013). Direct electron transfer from electrode to electrochemically active bacteria in a bioelectrochemical dechlorination system. *Bioresour Technol*. 148: 9-14. <http://dx.doi.org/10.1016/j.biortech.2013.08.108>.
- Liu, E; Jelinek, J; Pastore, YD; Guan, Y; Prchal, JF; Prchal, JT. (2003). Discrimination of polycythemia and thrombocytoses by novel, simple, accurate clonality assays and comparison with PRV-1 expression and BFU-E response to erythropoietin. *Blood*. 101: 3294-3301. <http://dx.doi.org/10.1182/blood-2002-07-2287>.
- Liu, EH; Richard, BM. (2000). Drawover anaesthesia for cleft palate and lip surgery in Pokhara, Nepal. *Trop Doct*. 30: 78-81.
- Liu, F; Yang, J; Zuo, J; Ma, D; Gan, L; Xie, B; Wang, P; Yang, B. (2014). Graphene-supported nanoscale zero-valent iron: removal of phosphorus from aqueous solution and mechanistic study. *J Environ Sci*. 26: 1751-1762. <http://dx.doi.org/10.1016/j.jes.2014.06.016>.
- Liu, G, uo; Zhou, Y; Liu, Z; Zhang, J; Tang, B; Yang, S; Sun, C. (2016). Efficient nitrate removal using micro-electrolysis with zero valent iron/activated carbon nanocomposite. *J Chem Tech Biotechnol*. 91: 2942-2949. <http://dx.doi.org/10.1002/jctb.4910>.
- Liu, H; S-A, C; Zhang, J; Cao, C; Jiang, W. (1997). The gas-photocatalytic degradation of trichloroethylene without water. *Chemosphere*. 35: 2881-2889.
- Liu, H; Zhang, J; Gan, N; Chen, Y; Huang, J, ie; Cao, Y; Li, T; Lan, H. (2016). Application of a multifunctional magnetic mesoporous material for seafood sample clean-up prior to the determination of highly chlorinated polychlorinated biphenyls. *RSC Advances*. 6: 183-189. <http://dx.doi.org/10.1039/c5ra21214f>.
- Liu, J, ie. (2009). Clinical Analysis of Seven Cases of Trichloroethylene Medicamentose-like Dermatitis. *Ind Health*. 47: 685-688.
- Liu, J; Drane, W; Liu, X; Wu, T. (2009). Examination of the relationships between environmental exposures to volatile organic compounds and biochemical liver tests: application of canonical correlation analysis. *Environ Res*. 109: 193-199. <http://dx.doi.org/10.1016/j.envres.2008.11.002>.
- Liu, J; He, F; Durham, E; Zhao, D; Roberts, CB. (2008). Polysugar-stabilized Pd nanoparticles exhibiting high catalytic activities for hydrodechlorination of environmentally deleterious trichloroethylene. *Langmuir*. 24: 328-336. <http://dx.doi.org/10.1021/la702731h>.
- Liu, J; Huang, H; Xing, X; Xi, R; Zhuang, Z; Yuan, J; Yang, F; Zhao, J. (2007). Comparative proteomic analysis on human L-02 liver cells treated with varying concentrations of trichloroethylene. *Toxicol Ind Health*. 23: 91-101. <http://dx.doi.org/10.1177/0748233707078223>.
- Liu, J; Huang, ZH; Wang, ZS; Kang, FY. (2004). Gas phase trichloroethylene removal at low concentration using activated carbon fiber. *J Environ Sci*. 16: 53-55.
- Liu, J; Yang, Y, i; Feng, K; Lu, D. (2009). Study on the effect of current on reactive sintering of the W-C-Co mixture under an electric field. *J Alloy Comp*. 476: 207-212. <http://dx.doi.org/10.1016/j.jallcom.2008.09.066>.
- Liu, JB; Amemiya, T; Chang, Q; Xu, X; Itoh, K. (2011). Real-time reverse transcription PCR analysis of trichloroethylene-regulated toluene dioxygenase expression in *Pseudomonas putida* F1. *J Environ Sci Health B*. 46: 294-300. <http://dx.doi.org/10.1080/03601234.2011.559877>.
- Liu, JB; Crittenden, JC; Hand, DW; Perram, DL. (1996). Regeneration of adsorbents using heterogeneous photocatalytic oxidation. *J Environ Eng*. 122: 707-713.
- Liu, JD, i; Zhang, TT; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2016). The effect of microstructural properties of CoCr2O4 spinel oxides on catalytic combustion of dichloromethane. *Appl Surf Sci*. 369: 58-66. <http://dx.doi.org/10.1016/j.apsusc.2016.02.036>.
- Liu, JJY; Bai, CL; Williamson, AM; Qu, SX; Hamdan, H; Stacey, NH. (1996). Individual serum bile acids in apprentice spray painters in association with solvent exposure. *Int Arch Occup Environ Health*. 69: 21-26.
- Liu, M; Gross, G. (2010). Application of substitutability in congestion relief. *International Journal of Electrical Power & Energy Systems*. 32: 187-193. <http://dx.doi.org/10.1016/j.ijepes.2009.07.007>.
- Liu, M; Zheng, J; Liu, Q; Xu, S; Wu, M; Xue, Q; Yan, Z; Xiao, H; Wei, Z; Zhu, H. (2013). The preparation, load and photocatalytic performance of N-doped and CdS-coupled TiO2. *RSC Advances*. 3: 9483-9489. <http://dx.doi.org/10.1039/c3ra40288f>.
- Liu, P; Long, C; Li, Q; Qian, H; Li, A; Zhang, Q. (2009). Adsorption of trichloroethylene and benzene vapors onto hypercrosslinked polymeric resin. *J Hazard Mater*. 166: 46-51. <http://dx.doi.org/10.1016/j.jhazmat.2008.10.124>.
- Liu, S; Jaffrezic, N; Guillard, C. (2008). Size effects in liquid-phase photo-oxidation of phenol using nanometer-sized TiO2 catalysts. *Appl Surf Sci*. 255: 2704-2709. <http://dx.doi.org/10.1016/j.apsusc.2008.07.191>.
- Liu, T, xu; Li, F; Li, XZ. (2008). TiO2 hydrosols with high activity for photocatalytic degradation of formaldehyde in a gaseous phase. *J Hazard Mater*. 152: 347-355. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.003>.
- Liu, T; Li, X; Waite, TD. (2013). Depassivation of Aged Fe-0 by Inorganic Salts: Implications to Contaminant Degradation in Seawater. *Environ Sci Technol*. 47: 7350-7356. <http://dx.doi.org/10.1021/es400362w>.
- Liu, T; Li, X; Waite, TD. (2013). Depassivation of Aged Fe(0) by Ferrous Ions: Implications to Contaminant Degradation. *Environ Sci Technol*. 47: 13712-13720. <http://dx.doi.org/10.1021/es403709v>.

Fate Literature Search Results

Off Topic

- Liu, T; Li, X; Waite, TD. (2014). Depassivation of aged Fe 0 by divalent cations: correlation between contaminant degradation and surface complexation constants. *Environ Sci Technol.* 48: 14564-14571. <http://dx.doi.org/10.1021/es503777a>.
- Liu, T, ao; Xu, Q; Zhang, C; Zhang, P. (2013). Occupational exposure to methylene chloride and risk of cancer: a meta-analysis [Review]. *Cancer Causes Control.* 24: 2037-2049. <http://dx.doi.org/10.1007/s10552-013-0283-0>.
- Liu, TY; Zhao, L; Tan, X; Liu, SJ; Li, JJ; Qi, Y; Mao, GZ. (2010). Effects of physicochemical factors on Cr(VI) removal from leachate by zero-valent iron and alpha-Fe(2)O(3) nanoparticles. *Water Sci Technol.* 61: 2759-2767. <http://dx.doi.org/10.2166/wst.2010.167>.
- Liu, W; Xu, L; Li, X; Shen, C; Rashid, S; Wen, Y; Liu, W; Wu, X. (2015). High-dispersive FeS2 on graphene oxide for effective degradation of 4-chlorophenol. *RSC Advances.* 5: 2449-2456. <http://dx.doi.org/10.1039/c4ra11354c>.
- Liu, X; Chen, Z; Chen, Z; Megharaj, M; Naidu, R. (2013). Remediation of Direct Black G in wastewater using kaolin-supported bimetallic Fe/Ni nanoparticles. *Chem Eng J.* 223: 764-771. <http://dx.doi.org/10.1016/j.cej.2013.03.002>.
- Liu, X; Murdoch, LC; Falta, RW; Tan, T. (2014). Experimental characterization of CVOC removal from fractured clay during boiling. *Int J Heat Mass Tran.* 70: 764-778. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2013.10.052>.
- Liu, X; Zhang, D; Guo, B; Qu, Y, ue; Tian, G, e; Yue, H; Feng, S. (2015). Facile synthesis of mesoporous FeNi-alloyed carbonaceous microspheres as recyclable magnetic adsorbents for trichloroethylene removal. *RSC Advances.* 5: 93491-93498. <http://dx.doi.org/10.1039/c5ra17165b>.
- Liu, Y; Gan, Y; Zhou, A; Liu, C; Li, X; Yu, T. (2014). Carbon and chlorine isotope fractionation during Fenton-like degradation of trichloroethene. *Chemosphere.* 107: 94-100. <http://dx.doi.org/10.1016/j.chemosphere.2014.03.011>.
- Liu, Y; Lowry, GV. (2006). Effect of particle age (Fe-o content) and solution pH on NZVI reactivity: H-2 evolution and TCE dechlorination. *Environ Sci Technol.* 40: 6085-6090. <http://dx.doi.org/10.1021/es060685o>.
- Liu, Y; Muralidhara, S; Bruckner, JV; Bartlett, MG. (2008). Optimization, validation and application of a method for the determination of trichloroethylene in rat plasma by headspace solid-phase microextraction gas chromatography mass spectrometry. *Biomed Chromatogr.* 22: 977-984. <http://dx.doi.org/10.1002/bmc.1016>.
- Liu, Y; Phenrat, T; Lowry, GV. (2007). Effect of TCE concentration and dissolved groundwater solutes on NZVI-Promoted TCE dechlorination and H-2 evolution. *Environ Sci Technol.* 41: 7881-7887.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Effects of inorganic anions on carbon isotope fractionation during Fenton-like degradation of trichloroethene. *J Hazard Mater.* 308: 187-191. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.044>.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Variability in carbon isotope fractionation of trichloroethene during degradation by persulfate activated with zero-valent iron: Effects of inorganic anions. *Sci Total Environ.* 548-549: 1-5. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.011>.
- Liu, Y; Zhou, A; Gan, Y; Liu, C; Yu, T; Li, X. (2013). Stable carbon isotope fractionation during trichloroethene degradation in magnetite-catalyzed Fenton-like reaction. *J Contam Hydrol.* 145: 37-43. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.007>.
- Liu, YQ; Choi, H; Dionysiou, D; Lowry, GV. (2005). Trichloroethene hydrodechlorination in water by highly disordered monometallic nanoiron. *Chem Mater.* 17: 5315-5322. <http://dx.doi.org/10.1021/cm0511217>.
- Liu, YQ; Majetich, SA; Tilton, RD; Sholl, DS; Lowry, GV. (2005). TCE dechlorination rates, pathways, and efficiency of nanoscale iron particles with different properties. *Environ Sci Technol.* 39: 1338-1345. <http://dx.doi.org/10.1021/es049195r>.
- Liu, Z; Fang, Q; Yu, WT; Chen, SH; Jiang, MH; Zhang, B; Zhang, JB; Zhu, DB. (2000). Structure and electrical conductivity of (BEDT-TTF)2HgCl(3) center dot TCE. *Synthetic Metals.* 114: 243-250.
- Liu, ZJ; Arnold, RG; Betterton, EA; Smotkin, E. (2001). Reductive dehalogenation of gas-phase chlorinated solvents using a modified fuel cell. *Environ Sci Technol.* 35: 4320-4326. <http://dx.doi.org/10.1021/es001772y>.
- Llop, S; Ballester, F; Vizcaino, E; Murcia, M; Lopez-Espinosa, MJ; Rebagliato, M; Vioque, J; Marco, A; Grimalt, JO. (2010). Concentrations and determinants of organochlorine levels among pregnant women in Eastern Spain. *Sci Total Environ.* 408: 5758-5767. <http://dx.doi.org/10.1016/j.scitotenv.2010.07.085>.
- L-N, L; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem.* 12: 1377-1393.
- Lo, C, hoC; Hung, CH; Yuan, CS; Wu, J, enF. (2007). Photoreduction of carbon dioxide with H-2 and H2O over TiO2 and ZrO2 in a circulated photocatalytic reactor. *Solar Energy Materials and Solar Cells.* 91: 1765-1774. <http://dx.doi.org/10.1016/j.solmat.2007.06.003>.
- Lo, IMC; Lam, CSC; Lai, KCK. (2005). Competitive effects of trichloroethylene on Cr(VI) removal by zero-valent iron. *J Environ Eng.* 131: 1598-1606. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:11\(1598\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:11(1598)).
- Lo, W, eiC; Sposito, G; Huang, Y, uHan. (2012). Modeling seismic stimulation: Enhanced non-aqueous fluid extraction from saturated porous media under pore-pressure pulsing at low frequencies. *Journal of Applied Geophysics.* 78: 77-84. <http://dx.doi.org/10.1016/j.jappgeo.2011.06.027>.
- Lock, E; Reed, C; Mcmillan, J; Oatis, J; Schnellmann, R. (2007). Lack of formic acid production in rat hepatocytes and human renal proximal tubule cells exposed to chloral hydrate or trichloroacetic acid. *Toxicology.* 230: 234-243. <http://dx.doi.org/10.1016/j.tox.2006.11.055>.
- Locke, MA; Reddy, KN; Gaston, LA; Zablotowicz, RM. (2002). Adjuvant modification of herbicide interactions in aqueous soil suspensions. *Soil Sci.* 167: 444-452.
- Lockey, J; Kelly, C; Cannon, G; Colby, T; Aldrich, V; Livingston, G. (1987). Progressive systemic sclerosis associated with exposure to trichloroethylene. *J Occup Med.* 29: 493-496.
- Loeber, C; Hendrix, M; Diez De Pinos, S; Goldberg, S. (1988). Trichloroethylene: A cardiac teratogen in developing chick embryos. *Pediatr Res.* 24: 740-744. <http://dx.doi.org/10.1203/00006450-198812000-00018>.
- Loeber, C; Runyan, R. (1990). A comparison of fibronectin, laminin, and galactosyltransferase adhesion mechanisms during embryonic cardiac mesenchymal cell migration in vitro. *Dev Biol.* 140: 401-412. [http://dx.doi.org/10.1016/0012-1606\(90\)90089-2](http://dx.doi.org/10.1016/0012-1606(90)90089-2).

Fate Literature Search Results

Off Topic

- Logue, JM; Small, MJ; Stern, D; Maranche, J; Robinson, AL. (2010). Spatial variation in ambient air toxics concentrations and health risks between industrial-influenced, urban, and rural sites. *Journal of the Air and Waste Management Association*. 60: 271-286. <http://dx.doi.org/10.3155/1047-3289.60.3.271>.
- Lohse, S; Rosentreter, JJ. (2006). Photooxidation of aqueous trichloroethylene using a buoyant photocatalyst with reaction progress monitored via micro-headspace GC/MS. *Microchem J*. 82: 66-72. <http://dx.doi.org/10.1016/j.microc.2005.09.002>.
- Lojkasek-Lima, P; Aravena, R; Parker, BL; Cherry, JA. (2012). Fingerprinting TCE in a Bedrock Aquifer Using Compound-Specific Isotope Analysis. *Ground Water*. 50: 754-764. <http://dx.doi.org/10.1111/j.1745-6584.2011.00897.x>.
- Lojkasek-Lima, P; Aravena, R; Shouakar-Stash, O; Frappe, SK; Marchesi, M; Fiorenza, S; Vogan, J. (2012). Evaluating TCE abiotic and biotic degradation pathways in a permeable reactive barrier using compound specific isotope analysis. *Ground Water Monitoring and Remediation*. 32: 53-62. <http://dx.doi.org/10.1111/j.1745-6592.2012.01403.x>.
- Lollar, BS; Slater, GF; Ahad, J; Sleep, B; Spivack, J; Brennan, M; Mackenzie, P. (1999). Contrasting carbon isotope fractionation during biodegradation of trichloroethylene and toluene: Implications for intrinsic bioremediation. *Organic Geochemistry*. 30: 813-820.
- Lollar, BS; Slater, GF; Sleep, B; Witt, M; Klecka, GM; Harkness, M; Spivack, J. (2001). Stable carbon isotope evidence for intrinsic bioremediation of tetrachloroethene and trichloroethene at area 6, Dover Air Force Base. *Environ Sci Technol*. 35: 261-269. <http://dx.doi.org/10.1021/es001227x>.
- Long, C; Liu, P; Li, Y; Li, A; Zhang, Q. (2011). Characterization of Hydrophobic Hypercrosslinked Polymer as an Adsorbent for Removal of Chlorinated Volatile Organic Compounds. *Environ Sci Technol*. 45: 4506-4512. <http://dx.doi.org/10.1021/es104250j>.
- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng*. 119: 300-320.
- Long, T; Ramsburg, CA. (2011). Encapsulation of nZVI particles using a Gum Arabic stabilized oil-in-water emulsion. *J Hazard Mater*. 189: 801-808. <http://dx.doi.org/10.1016/j.jhazmat.2011.02.084>.
- Longnecker, M; Klebanoff, M; Dunson, D; Guo, X; Chen, Z; Zhou, H; Brock, J. (2005). Maternal serum level of the DDT metabolite DDE in relation to fetal loss in previous pregnancies. *Environ Res*. 97: 127-133. [http://dx.doi.org/10.1016/S0013-9351\(03\)00108-7](http://dx.doi.org/10.1016/S0013-9351(03)00108-7).
- Longnecker, MP; Gladen, BC; Cupul-Uicab, LA; Romano-Riquer, SP; Weber, JP; Chapin, RE; Hernández-Avila, M. (2007). In utero exposure to the antiandrogen 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) in relation to anogenital distance in male newborns from Chiapas, México. *Am J Epidemiol*. 165: 1015-1022. <http://dx.doi.org/10.1093/aje/kwk109>.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol*. 74: 133-144. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.007>.
- Lookman, R; Paulus, D; Marnette, E; Pijls, C; Ryngaert, A; Diels, L; Volkering, F. (2007). Ground water transfer initiates complete reductive dechlorination in a PCE-contaminated aquifer. *Ground Water Monitoring and Remediation*. 27: 65-74.
- Loomer, DB; Al, T; Banks, VJ; Parker, BL; Mayer, KU. (2010). Manganese Valence in Oxides Formed from in Situ Chemical Oxidation of TCE by KMnO₄. *Environ Sci Technol*. 44: 5934-5939. <http://dx.doi.org/10.1021/es100879w>.
- Loomer, DB; Al, T; Banks, VJ; Parker, BL; Mayer, KU. (2011). Manganese and trace-metal mobility under reducing conditions following in situ oxidation of TCE by KMnO₄: A laboratory column experiment. *J Contam Hydrol*. 119: 13-24. <http://dx.doi.org/10.1016/j.jconhyd.2010.08.005>.
- Lope, V; Pérez-Gómez, B; Aragonés, N; López-Abente, G; Gustavsson, P; Plato, N; Silva-Mato, A; Pollán, M. (2009). Occupational exposure to chemicals and risk of thyroid cancer in Sweden. *Int Arch Occup Environ Health*. 82: 267-274. <http://dx.doi.org/10.1007/s00420-008-0314-4>.
- Lopes, FVS; Miranda, SM; Monteiro, RAR; Martins, SDS; Silva, AMT; Faria, JL; Boaventura, R; Vilar, VJP. (2013). Perchloroethylene gas-phase degradation over titania-coated transparent monoliths. *Appl Catal B-Environ*. 140: 444-456. <http://dx.doi.org/10.1016/j.apcatb.2013.04.034>.
- Lopez, E; Diez, FV; Ordonez, S. (2008). Effect of organosulphur, organonitrogen and organooxygen compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al₂O₃. *Appl Catal B-Environ*. 82: 264-272. <http://dx.doi.org/10.1016/j.apcatb.2008.02.001>.
- Lopez, E; Ordonez, S; Diez, FV. (2003). Inhibition effects of organosulphur compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al₂O₃ catalysts. *Catalysis Today*. 84: 121-127. [http://dx.doi.org/10.1016/S0920-5861\(03\)00265-7](http://dx.doi.org/10.1016/S0920-5861(03)00265-7).
- Lopez-Carrillo, L; Torres-Sanchez, L; Moline, J; Ireland, K; Wolff, MS. (2001). Breast-feeding and serum p,p'-DDT levels among Mexican women of childbearing age: a pilot study. *Environ Res*. 87: 131-135. <http://dx.doi.org/10.1006/enrs.2001.4296>.
- Lopez-Espinosa, MJ; Vizcaino, E; Murcia, M; Fuentes, V; Garcia, AM; Rebagliato, M; Grimalt, JO; Ballester, F. (2010). Prenatal exposure to organochlorine compounds and neonatal thyroid stimulating hormone levels. *J Expo Sci Environ Epidemiol*. 20: 579-588. <http://dx.doi.org/10.1038/jes.2009.47>.
- Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Alvarez-Uriarte, JI; Gonzalez-Velasco, JR. (2001). Comparative study of the oxidative decomposition of trichloroethylene over H-type zeolites under dry and humid conditions. *Appl Catal B-Environ*. 30: 303-313.
- Lopez-Fonseca, R; de Rivas, B; Gutierrez-Ortiz, JI; Aranzabal, A; Gonzalez-Velasco, JR. (2003). Enhanced activity of zeolites by chemical dealumination for chlorinated VOC abatement. *Appl Catal B-Environ*. 41: 31-42.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Ayastui, JL; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Gas-phase catalytic combustion of chlorinated VOC binary mixtures. *Appl Catal B-Environ*. 45: 13-21. [http://dx.doi.org/10.1016/S0926-3373\(03\)00106-1](http://dx.doi.org/10.1016/S0926-3373(03)00106-1).
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2002). Dealuminated Y zeolites for destruction of chlorinated volatile organic compounds. *J Catal*. 209: 145-150. <http://dx.doi.org/10.1006/jcat.2002.3591>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Application of zeolite catalysts for the abatement of chlorinated VOCs from waste streams. *Chem Paper Chem Zvesti*. 57: 413-420.

Fate Literature Search Results

Off Topic

- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol.* 78: 15-22. <http://dx.doi.org/10.1002/jctb.726>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2005). Catalytic oxidation of aliphatic chlorinated volatile organic compounds over Pt/H-BETA zeolite catalyst under dry and humid conditions. *Catalysis Today.* 107-08: 200-207. <http://dx.doi.org/10.1016/j.cattod.2005.07.091>.
- Lopez-Forlaseca, R; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2004). Catalytic combustion of chlorinated hydrocarbons over H-BETA and PdO/H-BETA zeolite catalysts. *Appl Catal A-Gen.* 271: 39-46. <http://dx.doi.org/10.1016/j.apcata.2004.02.044>.
- Lopez-Naranjo, EJ; Gonzalez-Ortiz, LJ; Apatiga, LM; Rivera-Munoz, EM; Manzano-Ramirez, A. (2016). Transparent Electrodes: A Review of the Use of Carbon-Based Nanomaterials. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2016/4928365>.
- Lorah, MM; Olsen, LD. (1999). Degradation of 1,1,2,2-tetrachloroethane in a freshwater tidal wetland: Field and laboratory evidence. *Environ Sci Technol.* 33: 227-234.
- Loraine, GA. (2001). Effects of alcohols, anionic and nonionic surfactants on the reduction of PCE and TCE by zero-valent iron. *Water Res.* 35: 1453-1460.
- Lorefice, S; di Meane, EA; Segal, M. (2010). Stability assessment of density reference liquids supported by GC-MS analysis (density reference liquids stability supported by GC-MS). *Measurement.* 43: 637-644. <http://dx.doi.org/10.1016/j.measurement.2010.01.005>.
- Lorente, C; Cordier, S; Bergeret, A; De Walle, HEK; Goujard, J; Ayme, S; Knill-Jones, R; Calzolari, E; Bianchi, F. (2000). Maternal occupational risk factors for oral clefts. *Scand J Work Environ Health.* 26: 137-145.
- Lorimore, SA; Coates, PJ; Wright, EG. (2003). Radiation-induced genomic instability and bystander effects: Inter-related nontargeted effects of exposure to ionizing radiation [Review]. *Oncogene.* 22: 7058-7069. <http://dx.doi.org/10.1038/sj.onc.1207044>.
- Lou, JC; Hung, CM; Yang, BY. (2004). Catalytic destruction of dichloromethane using perovskite-type oxide catalysts. *Journal of the Air and Waste Management Association.* 54: 727-740.
- Louarn, E; Aulenta, F; Levantesi, C; Majone, M; Tandoi, V. (2006). Modeling substrate interactions during aerobic biodegradation of mixtures of vinyl chloride and ethene. *J Environ Eng.* 132: 940-948. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:8\(940\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:8(940)).
- Lovett-Doust, J; Lovett-Doust, L; Biernacki, M; Mal, TK; Lazar, R. (1997). Organic contaminants in submersed macrophytes drifting in the Detroit River. *Can J Fish Aquat Sci.* 54: 2417-2427.
- Lowe, KS; Gardner, FG; Siegrist, RL. (2002). Field evaluation of in situ chemical oxidation through vertical well-to-well recirculation of NaMnO₄. *Ground Water Monitoring and Remediation.* 22: 106-115.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol.* 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.
- Lowry, GV; Reinhard, M. (2000). Pd-catalyzed TCE dechlorination in groundwater: Solute effects, biological control, and oxidative catalyst regeneration. *Environ Sci Technol.* 34: 3217-3223.
- Lowry, GV; Reinhard, M. (2001). Pd-catalyzed TCE dechlorination in water: Effect of [H₂](aq) and H₂-utilizing competitive solutes on the TCE dechlorination rate and product distribution. *Environ Sci Technol.* 35: 696-702.
- Lowry, LK; Vandervort, R; Polakoff, PL. (1974). Biological indicators of occupational exposure to trichloroethylene. *J Occup Environ Med.* 16: 98-101.
- Lu, AH; Liu, J; Zhao, D; Guo, YJ; Li, QR; Li, N. (2004). Photocatalysis of V-bearing rutile on degradation of halohydrocarbons. *Catalysis Today.* 90: 337-342. <http://dx.doi.org/10.1016/j.cattod.2004.04.044>.
- Lu, B; Chen, G; Chen, D; Yu, W. (2016). An energy intensity optimization model for production system in iron and steel industry. *Applied Thermal Engineering.* 100: 285-295. <http://dx.doi.org/10.1016/j.applthermaleng.2016.01.064>.
- Lu, C; Holbrook, CM; Andres, L. (2010). The Implications of Using a Physiologically Based Pharmacokinetic (PBPK) Model for Pesticide Risk Assessment. *Environ Health Perspect.* 118: 125-130. <http://dx.doi.org/10.1289/ehp.0901144>.
- Lu, C, uiFen; Xie, C; Chen, Z, uX; Yang, G, uiC. (2006). Synthesis and investigation of PEG-supported amino dendrimers. *React Funct Polym.* 66: 952-956. <http://dx.doi.org/10.1016/j.reactfunctpolym.2006.01.004>.
- Lu, CJ; Lee, CM; Chung, MS. (1998). The comparison of trichloroethylene removal rates by methane- and aromatic-utilizing microorganisms. *Water Sci Technol.* 38: 19-24.
- Lu, H; Liu, JH; Li, W; Chen, KJ; Huang, XF. (1999). An investigation of the properties of silicon oxide prepared by oxidation of silicon in chlorine-containing ambients at 850 degrees C. *Mater Lett.* 38: 308-312.
- Lu, JA; Yang, H; Chen, SK; Shi, L; Pen, JG; Li, HL; Peng, SY. (1996). Synthesis of HFC-134a over CrF₃/AlF₃ catalysts. *Catalysis Letters.* 41: 221-224.
- Lu, P; Qian, L; Chu, Z; Xu, X. (2016). Role of Opportunism and Trust in Construction Projects: Empirical Evidence from China. *Journal of Management in Engineering.* 32. [http://dx.doi.org/10.1061/\(ASCE\)ME.1943-5479.0000401](http://dx.doi.org/10.1061/(ASCE)ME.1943-5479.0000401).
- Lu, Q; de Toledo, RA; Xie, F; Li, J; Shim, H. (2015). Combined removal of a BTEX, TCE, and cis-DCE mixture using *Pseudomonas* sp. immobilized on scrap tyres. *Environ Sci Pollut Res Int.* 22: 14043-14049. <http://dx.doi.org/10.1007/s11356-015-4644-y>.
- Lu, X; Wilson, JT; Kampbell, DH. (2006). Relationship between geochemical parameters and the occurrence of Dehalococcoides DNA in contaminated aquifers. *Water Resour Res.* 42. <http://dx.doi.org/10.1029/2005WR004283>.
- Lu, X; Wilson, JT; Kampbell, DH. (2009). Comparison of an assay for Dehalococcoides DNA and a microcosm study in predicting reductive dechlorination of chlorinated ethenes in the field. *Environ Pollut.* 157: 809-815. <http://dx.doi.org/10.1016/j.envpol.2008.11.015>.
- Lu, X; Wilson, JT; Shen, H; Henry, BM; Kampbell, DH. (2008). Remediation of TCE-contaminated groundwater by a permeable reactive barrier filled with plant mulch (Biowall). *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 43: 24-35. <http://dx.doi.org/10.1080/10934520701750421>.
- Lu, XJ; Sun, YW; Petersen, JN. (2003). Analytical solutions of TCE transport with convergent reactions. *Transport in Porous Media.* 51: 211-225.

Fate Literature Search Results

Off Topic

- Lu, XJ; Sun, YW; Petersen, JN. (2004). Analytical solutions of TCE transport with convergent reactions, *Transport in Porous Media* 51, 211-225, 2003. *Transport in Porous Media*. 55: 255-255.
- Lu, XX; Li, GH; Tao, S; Bosma, T; Gerritse, J. (2002). Volatile fatty acids as electron donors for the reductive dechlorination of chloroethenes. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 37: 439-449.
- Lu, XX; Tao, S; Bosma, T; Gerritse, J. (2001). Characteristic hydrogen concentrations for various redox processes in batch study. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 1725-1734.
- Luan, J; Ma, K, un; Wang, S, hu; Hu, Z; Li, Y; Pan, B. (2010). Research on Photocatalytic Degradation Pathway and Degradation Mechanisms of Organics. *Current Organic Chemistry*. 14: 645-682.
- Lubicki, P; Jayaram, S. (1998). Removal of volatile organic compounds in water using low-energy electron beam. *I E E E Transactions on Dielectrics and Electrical Insulation*. 5: 219-224.
- Lucia, A; Finger, EJ. (2004). Co-solvent selection and recovery. *Adv Environ Res*. 8: 197-211. [http://dx.doi.org/10.1016/S1093-0191\(02\)00132-6](http://dx.doi.org/10.1016/S1093-0191(02)00132-6).
- Lucio-Ortiz, CJ; Rivera De la Rosa, J; Hernandez Ramirez, A; De Los Reyes Heredia, JA; del Angel, P, az; Munoz-Aguirre, S; De Leon-Covian, LM. (2011). Synthesis and characterization of Fe doped mesoporous Al₂O₃ by sol-gel method and its use in trichloroethylene combustion. *Journal of Sol-Gel Science and Technology*. 58: 374-384. <http://dx.doi.org/10.1007/s10971-011-2403-1>.
- Luebke, RW; Chen, DH; Dietert, R; Yang, Y; King, M; Luster, MI. (2006). The comparative immunotoxicity of five selected compounds following developmental or adult exposure [Review]. *J Toxicol Environ Health B Crit Rev*. 9: 1-26. <http://dx.doi.org/10.1080/15287390500194326>.
- Luecke, RH; Pearce, BA; Wosilait, WD; Doerge, DR; Slikker, W; Young, JF. (2008). Windows based general PBPK/PD modeling software. *Comput Biol Med*. 38: 962-978. <http://dx.doi.org/10.1016/j.combiomed.2008.06.001>.
- Luedde, T; Beraza, N; Kotsikoris, V; van Loo, G; Nenci, A; De Vos, R; Roskams, T; Trautwein, C; Pasparakis, M. (2007). Deletion of NEMO/IKKgamma in liver parenchymal cells causes steatohepatitis and hepatocellular carcinoma. *Cancer Cell*. 11: 119-132. <http://dx.doi.org/10.1016/j.ccr.2006.12.016>.
- Lukavsky, J; Furnadzhieva, S; Ditttr, F. (2011). Toxicity of Trichloroethylene (TCE) on Some Algae and Cyanobacteria. *Bull Environ Contam Toxicol*. 86: 226-231. <http://dx.doi.org/10.1007/s00128-011-0195-1>.
- Lumpkin, MH; Bruckner, JV; Campbell, JL; Dallas, CE; White, CA; Fisher, JW. (2003). Plasma binding of trichloroacetic acid in mice, rats, and humans under cancer bioassay and environmental exposure conditions. *Drug Metab Dispos*. 31: 1203-1207. <http://dx.doi.org/10.1124/dmd.31.10.1203>.
- Lund, SP; Kristiansen, GB. (2008). Hazards to hearing from combined exposure to toluene and noise in rats. *Int J Occup Med Environ Health*. 21: 47-57. <http://dx.doi.org/10.2478/v10001-008-0008-x>.
- Lundberg, I; Alfredsson, L; Plato, N; Sverdrup, B; Klareskog, L; Kleinau, S. (1994). Occupation, occupational exposure to chemicals and rheumatological disease: A register based cohort study. *Scand J Rheumatol*. 23: 305-310. <http://dx.doi.org/10.3109/03009749409099278>.
- Lundgren, B; DePierre, JW. (1989). Proliferation of peroxisomes and induction of cytosolic and microsomal epoxide hydrolases in different strains of mice and rats after dietary treatment with clofibrate. *Xenobiotica*. 19: 867-881.
- Lundgren, B; Meijer, J; DePierre, JW. (1987). Induction of cytosolic and microsomal epoxide hydrolases and proliferation of peroxisomes and mitochondria in mouse liver after dietary exposure to p-chlorophenoxyacetic acid, 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid. *Biochem Pharmacol*. 36: 815-821. [http://dx.doi.org/10.1016/0006-2952\(87\)90169-9](http://dx.doi.org/10.1016/0006-2952(87)90169-9).
- Luo; Pawliszyn. (2000). Membrane extraction with a sorbent interface for headspace monitoring of aqueous samples using a cap sampling device. *Anal Chem*. 72: 1058-1063.
- Luo, F; Chen, Z; Megharaj, M; Naidu, R. (2016). Simultaneous removal of trichloroethylene and hexavalent chromium by green synthesized agarose-Fe nanoparticles hydrogel. *Chem Eng J*. 294: 290-297. <http://dx.doi.org/10.1016/j.cej.2016.03.005>.
- Luo, H; Jin, S; Fallgren, PH; Colberg, PJS; Johnson, PA. (2010). Prevention of iron passivation and enhancement of nitrate reduction by electron supplementation. *Chem Eng J*. 160: 185-189. <http://dx.doi.org/10.1016/j.cej.2010.03.036>.
- Luo, J; Farrell, J. (2003). Examination of hydrophobic contaminant adsorption in mineral micropores with grand canonical Monte Carlo simulations. *Environ Sci Technol*. 37: 1775-1782. <http://dx.doi.org/10.1021/es0260014>.
- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech*. 10: 77-84. <http://dx.doi.org/10.1007/s13762-012-0082-2>.
- Luo, J; Suib, SL; Hayashi, Y; Matsumoto, H. (2000). Water splitting in low-temperature AC plasmas at atmospheric pressure. *Res Chem Intermed*. 26: 849-874.
- Luo, J; Suib, SL; Marquez, M; Hayashi, Y; Matsumoto, H. (1998). Decomposition of NO_x with low-temperature plasmas at atmospheric pressure: Neat and in the presence of oxidants, reductants, water, and carbon dioxide. *J Phys Chem A*. 102: 7954-7963.
- Luo, M; Mazyar, OA; Zhu, Q; Vaughn, MW; Hase, WL; Dai, LL. (2006). Molecular dynamics simulation of nanoparticle self-assembly at a liquid-liquid interface. *Langmuir*. 22: 6385-6390. <http://dx.doi.org/10.1021/la0607196>.
- Luo, M; Song, Y; Dai, LL. (2009). Effects of methanol on nanoparticle self-assembly at liquid-liquid interfaces: a molecular dynamics approach. *J Chem Phys*. 131: 194703. <http://dx.doi.org/10.1063/1.3258344>.
- Luo, M; Yuan, S; Tong, M; Liao, P; Xie, W; Xu, X. (2014). An integrated catalyst of Pd supported on magnetic Fe₃O₄ nanoparticles: simultaneous production of H₂O₂ and Fe²⁺ for efficient electro-Fenton degradation of organic contaminants. *Water Res*. 48: 190-199. <http://dx.doi.org/10.1016/j.watres.2013.09.029>.
- Luo, Q. (2014). Oxidative treatment of aqueous monochlorobenzene with thermally-activated persulfate. 8: 188-194. <http://dx.doi.org/10.1007/s11783-013-0544-x>.

Fate Literature Search Results

Off Topic

- Luo, S, i; Lu, T; Peng, L; Shao, J; Zeng, Q; Gu, J, iD. (2014). Synthesis of nanoscale zero-valent iron immobilized in alginate microcapsules for removal of Pb(II) from aqueous solution. 2: 15463-15472. <http://dx.doi.org/10.1039/c4ta02920h>.
- Luo, S, i; Yang, S; Wang, X; Sun, C. (2010). Reductive degradation of tetrabromobisphenol A over iron-silver bimetallic nanoparticles under ultrasound radiation. *Chemosphere*. 79: 672-678. <http://dx.doi.org/10.1016/j.chemosphere.2010.02.011>.
- Luo, X; Li, R, an; Zong, J; Zhang, Y; Li, H; Zhang, T, ao. (2014). Enhanced degradation of azo dye by nanoporous-copper-decorated Mg-Cu-Y metallic glass powder through dealloying pretreatment. *Appl Surf Sci*. 305: 314-320. <http://dx.doi.org/10.1016/j.apsusc.2014.03.069>.
- Luo, XW; Foo, SC; Ong, HY. (1997). Serum DDT and DDE levels in Singapore general population. *Sci Total Environ*. 208: 97-104.
- Luo, Y; Ollis, DF. (1996). Heterogeneous photocatalytic oxidation of trichloroethylene and toluene mixtures in air: Kinetic promotion and inhibition, time-dependent catalyst activity. *J Catal*. 163: 1-11.
- Luo, Y; Zou, L; Hu, E. (2006). Enhanced degradation efficiency of toluene using titania/silica photocatalysis as a regeneration process. *Environ Technol*. 27: 359-366.
- Luo, YZ; Adams, M; Pawliszyn, J. (1997). Aqueous sample direct extraction and analysis by membrane extraction with a sorbent interface. *Analyst*. 122: 1461-1469.
- Luo, YZ; Adams, M; Pawliszyn, J. (1998). Kinetic study of membrane extraction with a sorbent interface for air analysis. *Anal Chem*. 70: 248-254.
- Lutz, WK; Gaylor, DW; Conolly, RB; Lutz, RW. (2005). Nonlinearity and thresholds in dose-response relationships for carcinogenicity due to sampling variation, logarithmic dose scaling, or small differences in individual susceptibility [Review]. *Toxicol Appl Pharmacol*. 207: S565-S569. <http://dx.doi.org/10.1016/j.taap.2005.01.038>.
- Lybarger, JA; Lichtveld, MY; Amler, RW. (1999). Biomedical testing of the kidney for persons exposed to hazardous substances in the environment. *Ren Fail*. 21: 263-274. <http://dx.doi.org/10.3109/08860229909085088>.
- Lynch, A; Parry, J. (1993). The cytochalasin-B micronucleus/kinetochore assay in vitro: studies with 10 suspected aeneugens. *Mutat Res*. 287: 71-86. [http://dx.doi.org/10.1016/0027-5107\(93\)90146-7](http://dx.doi.org/10.1016/0027-5107(93)90146-7).
- Lyngge, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control*. 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Lyon, WG; West, CC; Osborn, ML; Sewell, GW. (1995). Microbial utilization of vadose zone organic carbon for reductive dechlorination of tetrachloroethene. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 30: 1627-1639.
- Lyons, MA; Yang, RS; Mayeno, AN; Reisfeld, B. (2008). Computational toxicology of chloroform: reverse dosimetry using Bayesian inference, Markov chain Monte Carlo simulation, and human biomonitoring data. *Environ Health Perspect*. 116: 1040-1046. <http://dx.doi.org/10.1289/ehp.11079>.
- Lyu, J; Wang, J; Lu, C; Ma, L, ei; Zhang, Q; He, X; Li, X. (2014). Size-Dependent Halogenated Nitrobenzene Hydrogenation Selectivity of Pd Nanoparticles. *J Phys Chem C*. 118: 2594-2601. <http://dx.doi.org/10.1021/jp411442f>.
- Ma, C; Wu, Y. (2008). Dechlorination of perchloroethylene using zero-valent metal and microbial community. *Environ Geol*. 55: 47-54. <http://dx.doi.org/10.1007/s00254-007-0963-8>.
- Ma, C; Wu, Y; Sun, C; Lee, L. (2007). Adsorption characteristics of perchloroethylene in natural sandy materials with low organic carbon content. *Environ Geol*. 52: 1511-1519. <http://dx.doi.org/10.1007/s00254-006-0595-4>.
- Ma, CM; Ku, Y. (2006). Photocatalytic oxidation of gaseous trichloroethylene by UV/TiO₂ process. 89: 293-301.
- Ma, CM; Ku, Y; Jeng, F, uT; Kuo, Y, uLin. (2007). Effect of platinum on the decomposition efficiency and apparent quantum yield of photocatalysis of isopropanol in an annular photoreactor. *Journal of Advanced Oxidation Technologies*. 10: 361-368.
- Ma, CM; Lee, YW; Hong, GB; Su, TL; Shie, JL; Chang, CT. (2011). Effect of platinum on the photocatalytic degradation of chlorinated organic compound. *J Environ Sci*. 23: 687-692. [http://dx.doi.org/10.1016/S1001-0742\(10\)60480-9](http://dx.doi.org/10.1016/S1001-0742(10)60480-9).
- Ma, CM; Wang, W; Ku, Y; Jeng, FT. (2007). Photocatalytic degradation of benzene in air streams in an optical fiber photoreactor. *Chem Eng Tech*. 30: 1083-1087. <http://dx.doi.org/10.1002/ceat.200700138>.
- Ma, H, ui; Huang, Y; Shen, M; Guo, R, ui; Cao, X; Shi, X. (2012). Enhanced dechlorination of trichloroethylene using electrospun polymer nanofibrous mats immobilized with iron/palladium bimetallic nanoparticles. *J Hazard Mater*. 211: 349-356. <http://dx.doi.org/10.1016/j.jhazmat.2011.11.038>.
- Ma, H, ui; Huang, Y; Shen, M; Hu, D; Yang, H; Zhu, M; Yang, S; Shi, X. (2013). Enhanced decoloration efficacy of electrospun polymer nanofibers immobilized with Fe/Ni bimetallic nanoparticles. *RSC Advances*. 3: 6455-6465. <http://dx.doi.org/10.1039/c3ra20843e>.
- Ma, HZ; O'Loughlin, EJ; Burris, DR. (2001). Factors affecting humic-nickel complex mediated seduction of trichloroethene in homogeneous aqueous solution. *Environ Sci Technol*. 35: 717-724. <http://dx.doi.org/10.1021/es001314p>.
- Ma, J, iaJun; Liu, L, iQiu; Su, B, in; Xie, B, aiC. (2015). Exploring the critical factors and appropriate polices for reducing energy consumption of China's urban civil building sector. *J Clean Prod*. 103: 446-454. <http://dx.doi.org/10.1016/j.jclepro.2014.11.001>.
- Ma, N; Quan, X, ie; Zhang, Y; Chen, S; Zhao, H. (2009). Integration of separation and photocatalysis using an inorganic membrane modified with Si-doped TiO₂ for water purification. *J Memb Sci*. 335: 58-67.
- Ma, R; Hu, P; Jin, L; Wang, Y; Lu, J; Luo, M. (2011). Characterization of CrOx/Al₂O₃ catalysts for dichloromethane oxidation. *Catalysis Today*. 175: 598-602. <http://dx.doi.org/10.1016/j.cattod.2011.04.025>.
- Ma, R, ui; Zhu, J; Wu, B; Hu, J; Li, X. (2017). Distribution and Qualitative and Quantitative Analyses of Chlorides in Distillates of Shengli Crude Oil. *Energy Fuels*. 31: 374-378. <http://dx.doi.org/10.1021/acs.energyfuels.6b02527>.
- Ma, X; Anand, D; Zhang, X; Talapatra, S. (2011). Adsorption and Desorption of Chlorinated Compounds from Pristine and Thermally Treated Multiwalled Carbon Nanotubes. *J Phys Chem C*. 115: 4552-4557. <http://dx.doi.org/10.1021/jp1117272>.

Fate Literature Search Results

Off Topic

- Ma, X; He, D; Jones, AM; Collins, RN; Waite, TD. (2016). Reductive reactivity of borohydride- and dithionite-synthesized iron-based nanoparticles: A comparative study. *J Hazard Mater.* 303: 101-110. <http://dx.doi.org/10.1016/j.jhazmat.2015.10.009>.
- Ma, X; Novak, PJ; Clapp, LW; Semmens, MJ; Hozalski, RM. (2003). Evaluation of polyethylene hollow-fiber membranes for hydrogen delivery to support reductive dechlorination in a soil column. *Water Res.* 37: 2905-2918. [http://dx.doi.org/10.1016/S0043-1354\(03\)00111-8](http://dx.doi.org/10.1016/S0043-1354(03)00111-8).
- Ma, X; Novak, PJ; Semmens, MJ; Clapp, LW; Hozalski, RM. (2006). Comparison of pulsed and continuous addition of H₂ gas via membranes for stimulating PCE biodegradation in soil columns. *Water Res.* 40: 1155-1166. <http://dx.doi.org/10.1016/j.watres.2006.01.005>.
- Ma, X; Wang, C. (2010). Fullerene Nanoparticles Affect the Fate and Uptake of Trichloroethylene in Phytoremediation Systems. *Environ Eng Sci.* 27: 989-992. <http://dx.doi.org/10.1089/ees.2010.0141>.
- Maboya, WK; Coville, NJ; Mhlanga, SD. (2016). The Synthesis of Carbon Nanomaterials using Chlorinated Hydrocarbons over a Fe-Co/CaCO₃ Catalyst. *South African Journal of Chemistry.* 69: 15-26.
- Mabrouk, M; Marchand, M; Baronnet, JM; Lemont, F. (2016). Trichloroethylene Combustion in a Submerged Thermal Plasma: Results and Chemical Kinetics Model. *Plasma Chemistry and Plasma Processing.* 36: 1085-1110. <http://dx.doi.org/10.1007/s11090-016-9693-6>.
- Macca, I; Carrieri, M; Scapellato, ML; Scopa, P; Trevisan, A; Bartolucci, GB. (2012). Biological monitoring of exposure to perchloroethylene in dry cleaning workers. *Med Lav.* 103: 382-393.
- Macchiarini, P. (2006). Primary tracheal tumours [Review]. *Lancet Oncol.* 7: 83-91. [http://dx.doi.org/10.1016/S1470-2045\(05\)70541-6](http://dx.doi.org/10.1016/S1470-2045(05)70541-6).
- Macdonald, N; Holden, PR; Roberts, RA. (1999). Addition of peroxisome proliferator-activated receptor alpha to guinea pig hepatocytes confers increased responsiveness to peroxisome proliferators. *Cancer Res.* 59: 4776-4780.
- Machado, S; Stawinski, W; Slonina, P; Pinto, AR; Grosso, JP; Nouws, HPA; Albercaria, JT; Delerue-Matos, C. (2013). Application of green zero-valent iron nanoparticles to the remediation of soils contaminated with ibuprofen. *Sci Total Environ.* 461: 323-329. <http://dx.doi.org/10.1016/j.scitotenv.2013.05.016>.
- Mackay, DM; Wilson, RD; Brown, MJ; Ball, WP; Xia, G; Durfee, DP. (2000). A controlled field evaluation of continuous vs. pulsed pump-and-treat remediation of a VOC-contaminated aquifer: site characterization, experimental setup, and overview of results. *J Contam Hydrol.* 41: 81-131.
- Mackay, JM; Fox, V; Griffiths, K; Fox, DA; Howard, CA; Coutts, C; Wyatt, I; Styles, JA. (1995). Trichloroacetic acid: Investigation into the mechanism of chromosomal damage in the in vitro human lymphocyte cytogenetic assay and the mouse bone marrow micronucleus test. *Carcinogenesis.* 16: 1127-1133. <http://dx.doi.org/10.1093/carcin/16.5.1127>.
- Mackenzie, K; Battke, J; Koehler, R; Kopinke, FD. (2005). Catalytic effects of activated carbon on hydrolysis reactions of chlorinated organic compounds - Part 2. 1,1,2,2-tetrachloroethane. *Appl Catal B-Environ.* 59: 171-179. <http://dx.doi.org/10.1016/j.apcatb.2005.02.005>.
- Mackenzie, K; Schierz, A; Georgi, A; Kopinke, FD. (2008). Colloidal activated carbon and carbo-iron - Novel materials for in-situ groundwater treatment. *Global NEST J.* 10: 54-61.
- Mackinnon, LK; Thomson, NR. (2002). Laboratory-scale in situ chemical oxidation of a perchloroethylene pool using permanganate. *J Contam Hydrol.* 56: 49-74.
- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health.* 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Maeda, S; Kamata, H; Luo, JL; Leffert, H; Karin, M. (2005). IKKbeta couples hepatocyte death to cytokine-driven compensatory proliferation that promotes chemical hepatocarcinogenesis. *Cell.* 121: 977-990. <http://dx.doi.org/10.1016/j.cell.2005.04.014>.
- Magana-Lopez, R; Luna-Pabello, VM; Barrera-Godinez, JA; Orta de Velasquez, MT; Fernandez-Villagomez, G. (2016). Effect of mineral aggregates on the morphology and viability of *Toxocara canis* eggs. *Ecol Eng.* 90: 125-134. <http://dx.doi.org/10.1016/j.ecoleng.2016.01.071>.
- Maghsoodi, S; Khodadadi, AA; Towfighi, J; Mortazavi, Y. (2013). Enhanced Trichloroethylene Catalytic Oxidation on Modified Lanthanum Manganite Nano-Perovskites. *Int J Chem React Eng.* 11. <http://dx.doi.org/10.1515/ijcre-2013-0005>.
- Maghsoodi, S; Towfighi, J; Khodadadi, A; Mortazavi, Y. (2013). The effects of excess manganese in nano-size lanthanum manganite perovskite on enhancement of trichloroethylene oxidation activity. *Chem Eng J.* 215: 827-837. <http://dx.doi.org/10.1016/j.cej.2012.11.005>.
- Magnusson, B; Kligman, AM. (1969). The identification of contact allergens by animal assay. The guinea pig maximization test. *J Invest Dermatol.* 52: 268-276. <http://dx.doi.org/10.1038/jid.1969.42>.
- Maguin, K; Campo, P; Parietti-Winkler, C. (2009). Toluene can perturb the neuronal voltage-dependent Ca²⁺ channels involved in the middle-ear reflex. *Toxicol Sci.* 107: 473-481. <http://dx.doi.org/10.1093/toxsci/kfn242>.
- Magureanu, M; Mandache, NB; Hu, JC; Richards, R; Florea, M; Parvulescu, VI. (2007). Plasma-assisted catalysis total oxidation of trichloroethylene over gold nano-particles embedded in SBA-15 catalysts. *Appl Catal B-Environ.* 76: 275-281. <http://dx.doi.org/10.1016/j.apcatb.2007.05.030>.
- Magureanu, M; Mandache, NB; Parvulescu, VI. (2007). Chlorinated organic compounds decomposition in a dielectric barrier discharge. *Plasma Chemistry and Plasma Processing.* 27: 679-690. <http://dx.doi.org/10.1007/s11090-007-9103-1>.
- Magureanu, M; Mandache, NB; Parvulescu, VI; Subrahmanyam, C, h; Renken, A; Kiwi-Minsker, L. (2007). Improved performance of non-thermal plasma reactor during decomposition of trichloroethylene: Optimization of the reactor geometry and introduction of catalytic electrode. *Appl Catal B-Environ.* 74: 270-277. <http://dx.doi.org/10.1016/j.apcatb.2007.02.019>.
- Magureanu, M; Piroi, D; Mandache, NB; Parvulescu, VI; Parvulescu, V; Cojocar, B; Cadigan, C; Richards, R; Daly, H; Hardacre, C. (2011). In situ study of ozone and hybrid plasma Ag-Al catalysts for the oxidation of toluene: Evidence of the nature of the active sites. *Appl Catal B-Environ.* 104: 84-90. <http://dx.doi.org/10.1016/j.apcatb.2011.02.025>.
- Mahamuni, NN; Adewuyi, YG. (2010). Advanced oxidation processes (AOPs) involving ultrasound for waste water treatment: A review with emphasis on cost estimation. *Ultrason Sonochem.* 17: 990-1003. <http://dx.doi.org/10.1016/j.ultsonch.2009.09.005>.

Fate Literature Search Results

Off Topic

- Mahendra, S; Alvarez-Cohen, L. (2006). Kinetics of 1,4-dioxane biodegradation by monooxygenase-expressing bacteria. *Environ Sci Technol.* 40: 5435-5442. <http://dx.doi.org/10.1021/es060714v>.
- Mahendra, S; Grostern, A; Alvarez-Cohen, L. (2013). The impact of chlorinated solvent co-contaminants on the biodegradation kinetics of 1,4-dioxane. *Chemosphere.* 91: 88-92. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.104>.
- Mahesh, KPO; Sivakumar, M; Yamamoto, Y; Tsujita, Y; Yoshimizu, H; Okamoto, S. (2005). Structure and properties of the mesophase of syndiotactic polystyrene - IX. Preferential sorption behavior of sPS-p-chlorotoluene mesophase membrane in a mixture of solvents. *J Memb Sci.* 262: 11-19. <http://dx.doi.org/10.1016/j.memsci.2005.04.002>.
- Mahle, DA; Gearhart, JM; Grigsby, CC; Mattie, DR; Barton, HA; Lipscomb, JC; Cook, RS. (2007). Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Environ Health A.* 70: 1745-1751. <http://dx.doi.org/10.1080/15287390701458991>.
- Mahle, DA; Godfrey, RJ; Buttler, GW; Narayanan, L; Fisher, JW; Taylor, A. (1999). Pharmacokinetics and metabolism of dichloroacetic acid and trichloroacetic acid administered in drinking water in rats and mice. Wright-Patterson AFB, OH: Human Effectiveness Directorate. <http://dodreports.com/pdf/ada453207.pdf>.
- Mahlting, B; Gutmann, E; Meyer, DC. (2011). Solvothermal preparation of nanocrystalline anatase containing TiO₂ and TiO₂/SiO₂ coating agents for application of photocatalytic treatments. *Mater Chem Phys.* 127: 285-291. <http://dx.doi.org/10.1016/j.matchemphys.2011.02.012>.
- Mahmoodlu, MG; Hartog, N; Hassanizadeh, SM; Raoof, A. (2013). Oxidation of volatile organic vapours in air by solid potassium permanganate. *Chemosphere.* 91: 1534-1538. <http://dx.doi.org/10.1016/j.chemosphere.2012.12.035>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N. (2014). Evaluation of the kinetic oxidation of aqueous volatile organic compounds by permanganate. *Sci Total Environ.* 485-486: 755-763. <http://dx.doi.org/10.1016/j.scitotenv.2013.11.066>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N; Raoof, A. (2014). Oxidation of trichloroethylene, toluene, and ethanol vapors by a partially saturated permeable reactive barrier. *J Contam Hydrol.* 164: 193-208. <http://dx.doi.org/10.1016/j.jconhyd.2014.05.013>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N; Raoof, A; van Genuchten, MT. (2015). Evaluation of a horizontal permeable reactive barrier for preventing upward diffusion of volatile organic compounds through the unsaturated zone. *J Environ Manage.* 163: 204-213. <http://dx.doi.org/10.1016/j.jenvman.2015.08.025>.
- Mahmoud, ME; Saad, EA; Soliman, MA, li; Abdelwahab, MS. (2016). Synthesis and surface protection of nano zerovalent iron (NZVI) with 3-aminopropyltrimethoxysilane for water remediation of cobalt and zinc and their radioactive isotopes. *RSC Advances.* 6: 66242-66251. <http://dx.doi.org/10.1039/c6ra11049e>.
- Mahmoud, MHH; Ismail, AA; Sanad, MMS. (2012). Developing a cost-effective synthesis of active iron oxide doped titania photocatalysts loaded with palladium, platinum or silver nanoparticles. *Chem Eng J.* 187: 96-103. <http://dx.doi.org/10.1016/j.cej.2012.01.105>.
- Mahr, AD; Neogi, T; Merkel, PA. (2006). Epidemiology of Wegener's granulomatosis: Lessons from descriptive studies and analyses of genetic and environmental risk determinants [Review]. *Clin Exp Rheumatol.* 24: S82-S91.
- Maia, JL; Cerra, AL; Alves Filho, AG. (2010). Exploring variables of transaction costs in Brazilian automotive supply chains. *Industrial Management + Data Systems.* 110: 567-590. <http://dx.doi.org/10.1108/02635571011039034>.
- Mailhes, J; Aardema, M; Marchetti, F. (1993). Investigation of aneuploidy induction in mouse oocytes following exposure to vinblastine-sulfate, pyrimethamine, diethylstilbestrol diphosphate, or chloral hydrate. *Environ Mol Mutagen.* 22: 107-114. <http://dx.doi.org/10.1002/em.2850220209>.
- Mainhagu, J; Morrison, C; Brusseau, ML. (2015). Using vapor phase tomography to measure the spatial distribution of vapor concentrations and flux for vadose-zone VOC sources. *J Contam Hydrol.* 177-178: 54-63. <http://dx.doi.org/10.1016/j.jconhyd.2015.03.002>.
- Maira, AJ; Lau, WN; Lee, CY; Yue, PL; Chan, CK; Yeung, KL. (2003). Performance of a membrane-catalyst for photocatalytic oxidation of volatile organic compounds. *Chem Eng Sci.* 58: 959-962. [http://dx.doi.org/10.1016/S0009-2509\(02\)00634-6](http://dx.doi.org/10.1016/S0009-2509(02)00634-6).
- Maira, AJ; Yeung, KL; Lee, CY; Yue, PL; Chan, CK. (2000). Size effects in gas-phase photo-oxidation of trichloroethylene using nanometer-sized TiO₂ catalysts. *J Catal.* 192: 185-196.
- Maithreepala, RA; Doong, RA. (2004). Synergistic effect of copper ion on the reductive dechlorination of carbon tetrachloride by surface-bound Fe(II) associated with goethite. *Environ Sci Technol.* 38: 260-268. <http://dx.doi.org/10.1021/es034228k>.
- Maithreepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environ Sci Technol.* 39: 4082-4090. <http://dx.doi.org/10.1021/es048428b>.
- Maitre, A; Hours, M; Bonnetterre, V; Arnaud, J; Arslan, MT; Carpentier, P; Bergeret, A; de Gaudemaris, R. (2004). Systemic sclerosis and occupational risk factors: role of solvents and cleaning products. *J Rheumatol.* 31: 2395-2401.
- Majid, A; Sparks, BD; Khan, AA; Xu, JG. (1999). Treatment of used diesel invert drilling mud to remove hydrocarbons, fix lead, and leach brine. *Journal of Soil Contamination.* 8: 255-283.
- Major, D; Edwards, E; Mccarty, P; Gossett, J; Hendrickson, E; Loeffler, F; Zinder, S; Ellis, D; Vidumsky, J; Harkness, M; Klecka, G; Cox, E. (2003). Discussion of environment vs. bacteria or let's play, 'name that bacteria'. *Ground Water Monitoring and Remediation.* 23: 32-+.
- Major, DW; McMaster, ML; Cox, EE; Edwards, EA; Dworatzek, SM; Hendrickson, ER; Starr, MG; Payne, JA; Buonamici, LW. (2002). Field demonstration of successful bioaugmentation to achieve dechlorination of tetrachloroethene to ethene. *Environ Sci Technol.* 36: 5106-5116. <http://dx.doi.org/10.1021/es0255711>.
- Mak, VW; Chatzis, I; Hudgins, RR; Fayed, ME. (2004). Removal of VOCs by sorption in fixed beds of popcorn. *Can J Chem Eng.* 82: 194-197.
- Makarovic, K; Meden, A; Hrovat, M; Holc, J; Bencan, A; Dakskobler, A; Kosec, M. (2012). The Effect of Processing Conditions on the Properties of LTCC Material. *Journal of the American Ceramic Society.* 95: 760-767. <http://dx.doi.org/10.1111/j.1551-2916.2011.05027.x>.
- Malaguerra, F; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ. (2011). Development and Sensitivity Analysis of a Fully Kinetic Model of Sequential Reductive Dechlorination in Groundwater. *Environ Sci Technol.* 45: 8395-8402. <http://dx.doi.org/10.1021/es201270z>.

Fate Literature Search Results

Off Topic

- Malarkey, DE; Johnson, K; Ryan, L; Boorman, G; Maronpot, RR. (2005). New insights into functional aspects of liver morphology. *Toxicol Pathol.* 33: 27-34. <http://dx.doi.org/10.1080/01926230590881826>.
- Malherbe, P; Alberati-Giani, D; Kohler, C; Cesura, AM. (1995). Identification of a mitochondrial form of kynurenine aminotransferase/glutamine transaminase K from rat brain. *FEBS Lett.* 367: 141-144. [http://dx.doi.org/10.1016/0014-5793\(95\)00546-L](http://dx.doi.org/10.1016/0014-5793(95)00546-L).
- Malinga, SP; Arotiba, OA; Krause, RWM; Mapolie, SF; Diallo, MS; Mamba, BB. (2013). Composite polyester membranes with embedded dendrimer hosts and bimetallic Fe/Ni nanoparticles: synthesis, characterisation and application to water treatment. *J Nanopart Res.* 15. <http://dx.doi.org/10.1007/s11051-013-1698-y>.
- Mallick, KK; Holland, D. (2005). Strengthening of container glasses by ion-exchange dip coating. *Journal of Non-Crystalline Solids.* 351: 2524-2536. <http://dx.doi.org/10.1016/j.jnoncrysol.2005.06.040>.
- Mallick, KK; Holland, D. (2013). A method of surface strengthening of soda lime aluminosilicate glasses by Li and Al ion vapour treatment. *Journal of Materials Science.* 48: 5012-5021. <http://dx.doi.org/10.1007/s10853-013-7288-7>.
- Malocha, DC; Francois-Saint-Cyr, H; Richardson, K; Helmbold, R. (2002). Measurements of LGS, LGN, and LGT thermal coefficients of expansion and density. *IEEE Trans Ultrason Ferroelectr Freq Control.* 49: 350-355.
- Maltoni, C; Cotti, G. (1986). Results of long-term carcinogenicity bioassays of tetrachloroethylene on Sprague-Dawley rats administered by ingestion. *Acta Oncologica (Italy).* 7: 11-26.
- Manamsa, K; Lapworth, DJ; Stuart, ME. (2016). Temporal variability of micro-organic contaminants in lowland chalk catchments: New insights into contaminant sources and hydrological processes. *Sci Total Environ.* 568: 566-577. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.146>.
- Mandel, J; Kelsh, M. (2001). A review of the epidemiology of trichloroethylene and kidney cancer. *Hum Ecol Risk Assess.* 7: 727-735.
- Mandel, JH; Kelsh, M; Mink, PJ; Alexander, DD. (2008). Trichloroethylene exposure and non-Hodgkin's lymphoma: supportive evidence [Letter]. *Occup Environ Med.* 65: 147-148. <http://dx.doi.org/10.1136/oem.2007.035212>.
- Mandel, JH; Kelsh, MA; Mink, PJ; Alexander, DD; Kalmes, RM; Weingart, M; Yost, L; Goodman, M. (2006). Occupational trichloroethylene exposure and non-Hodgkin's lymphoma: A meta-analysis and review [Review]. *Occup Environ Med.* 63: 597-607. <http://dx.doi.org/10.1136/oem.2005.022418>.
- Mandel, JS. (2001). Renal cell cancer correlated with occupational exposure to trichloroethylene [Letter]. *J Cancer Res Clin Oncol.* 127: 265-266. <http://dx.doi.org/10.1007/s004320000231>.
- Mandel, JS; McLaughlin, JK; Schlehofer, B; Mellemegaard, A; Helmert, U; Lindblad, P; McCreddie, M; Adami, HO. (1995). International renal-cell cancer study. IV. Occupation. *Int J Cancer.* 61: 601-605. <http://dx.doi.org/10.1002/ijc.2910610503>.
- Mangir, M. (1991). A test system for the rapid detection of nuclear and cytoplasmic damage in Chinese hamster ovary cells. *Chemosphere.* 23: 777-784. [http://dx.doi.org/10.1016/0045-6535\(91\)90081-N](http://dx.doi.org/10.1016/0045-6535(91)90081-N).
- Manne, S; Fasanella, N; Connors, J; Floyd, B; Wang, H; Lessin, S. (2004). Sun protection and skin surveillance practices among relatives of patients with malignant melanoma: prevalence and predictors. *Prev Med.* 39: 36-47.
- Manoli, G; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ; Broholm, MM. (2012). A remediation performance model for enhanced metabolic reductive dechlorination of chloroethenes in fractured clay till. *J Contam Hydrol.* 131: 64-78. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.004>.
- Mantha, R; Taylor, KE; Biswas, N; Bewtra, JK. (2001). A continuous system for Fe(0) reduction of nitrobenzene in synthetic wastewater. *Environ Sci Technol.* 35: 3231-3236. <http://dx.doi.org/10.1021/es0014943>.
- Mao, D; Revil, A; Hort, RD; Munakata-Marr, J; Atekwana, EA; Kulesa, B. (2015). Resistivity and self-potential tomography applied to groundwater remediation and contaminant plumes: Sandbox and field experiments. *J Hydrol.* 530: 1-14. <http://dx.doi.org/10.1016/j.jhydrol.2015.09.031>.
- Mao, F; Gaunt, JA; Cheng, C, huLin; Ong, S, ayKee. (2011). Microscopic Visualization Technique to Predict the Permeation of Organic Solvents through PVC Pipes in Water Distribution Systems. *J Environ Eng.* 137: 137-145. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000306](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000306).
- Mao, F; Gaunt, JA; Ong, S, ayKee. (2009). Permeation of organic contaminants through PVC pipes. *J Am Water Works Assoc.* 101: 128-+.
- Mao, R, an; Zhao, X, u; Lan, H; Liu, H; Qu, J. (2014). Efficient electrochemical reduction of bromate by a Pd/rGO/CFP electrode with low applied potentials. *Appl Catal B-Environ.* 160: 179-187. <http://dx.doi.org/10.1016/j.apcatb.2014.04.040>.
- Mao, R; Zhao, X; Lan, H; Liu, H; Qu, J. (2015). Graphene-modified Pd/C cathode and Pd/GAC particles for enhanced electrocatalytic removal of bromate in a continuous three-dimensional electrochemical reactor. *Water Res.* 77: 1-12. <http://dx.doi.org/10.1016/j.watres.2015.03.002>.
- Mao, X; Baek, K; Alshawabkeh, AN. (2015). IRON ELECTROCOAGULATION WITH ENHANCED CATHODIC REDUCTION FOR THE REMOVAL OF AQUEOUS CONTAMINANT MIXTURES. *Environmental Engineering and Management Journal.* 14: 2905-2911.
- Mao, X; Ciblak, A, li; Amiri, M; Alshawabkeh, AN. (2011). Redox Control for Electrochemical Dechlorination of Trichloroethylene in Bicarbonate Aqueous Media. *Environ Sci Technol.* 45: 6517-6523. <http://dx.doi.org/10.1021/es200943z>.
- Mao, X; Ciblak, A, li; Baek, K; Amiri, M; Loch-Carusio, R; Alshawabkeh, AN. (2012). Optimization of electrochemical dechlorination of trichloroethylene in reducing electrolytes. *Water Res.* 46: 1847-1857. <http://dx.doi.org/10.1016/j.watres.2012.01.002>.
- Mao, X; Wang, J; Ciblak, A, li; Cox, EE; Riis, C; Terkelsen, M; Gent, DB; Alshawabkeh, AN. (2012). Electrokinetic-enhanced bioaugmentation for remediation of chlorinated solvents contaminated clay. *J Hazard Mater.* 213: 311-317. <http://dx.doi.org/10.1016/j.jhazmat.2012.02.001>.

Fate Literature Search Results

Off Topic

- Mao, X; Yuan, S; Fallahpour, N; Ciblak, A; Howard, J; Padilla, I; Loch-Carusio, R; Alshawabkeh, AN. (2012). Electrochemically Induced Dual Reactive Barriers for Transformation of TCE and Mixture of Contaminants in Groundwater. *Environ Sci Technol.* 46: 12003-12011. <http://dx.doi.org/10.1021/es301711a>.
- Maphosa, F; Smidt, H; de Vos, WM; Röling, WF. (2010). Microbial community- and metabolite dynamics of an anoxic dechlorinating bioreactor. *Environ Sci Technol.* 44: 4884-4890. <http://dx.doi.org/10.1021/es903721s>.
- Marano, DE; Boice, JD, Jr; Fryzek, JP; Morrison, JA; Sadler, CJ; McLaughlin, JK. (2000). Exposure assessment for a large epidemiological study of aircraft manufacturing workers. *Appl Occup Environ Hyg.* 15: 644-656. <http://dx.doi.org/10.1080/10473220050075653>.
- Marble, JC; Carroll, KC; Janousek, H; Brusseau, ML. (2010). In situ oxidation and associated mass-flux-reduction/mass-removal behavior for systems with organic liquid located in lower-permeability sediments. *J Contam Hydrol.* 117: 82-93. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.002>.
- Marchesi, M; Aravena, R; Sra, KS; Thomson, NR; Otero, N; Soler, A; Mancini, S. (2012). Carbon isotope fractionation of chlorinated ethenes during oxidation by Fe²⁺ activated persulfate. *Sci Total Environ.* 433: 318-322. <http://dx.doi.org/10.1016/j.scitotenv.2012.06.051>.
- Marchesi, M; Thomson, NR; Aravena, R; Sra, KS; Otero, N; Soler, A. (2013). Carbon isotope fractionation of 1,1,1-trichloroethane during base-catalyzed persulfate treatment. *J Hazard Mater.* 260: 61-66. <http://dx.doi.org/10.1016/j.jhazmat.2013.05.011>.
- Marciniak, B. (2002). Density and ultrasonic velocity of undersaturated and supersaturated solutions of fluoranthene in trichloroethylene, and study of their metastable zone width. *J Cryst Growth.* 236: 347-356.
- Marciniak, B. (2002). The growth, morphology and perfection of fluoranthene crystals grown from supercooled chlorine derivative solutions on spontaneously formed seeds. *J Cryst Growth.* 236: 333-346.
- Marco-Urrea, E; Aranda, E; Caminal, G; Guillén, F. (2009). Induction of hydroxyl radical production in *Trametes versicolor* to degrade recalcitrant chlorinated hydrocarbons. *Bioresour Technol.* 100: 5757-5762. <http://dx.doi.org/10.1016/j.biortech.2009.06.078>.
- Marco-Urrea, E; Gabarrell, X; Caminal, G; Vicent, T; Reddy, CA. (2008). Aerobic degradation by white-rot fungi of trichloroethylene (TCE) and mixtures of TCE and perchloroethylene (PCE). *J Chem Tech Biotechnol.* 83: 1190-1196. <http://dx.doi.org/10.1002/jctb.1914>.
- Marco-Urrea, E; Nijenhuis, I; Adrian, L. (2011). Transformation and carbon isotope fractionation of tetra- and trichloroethene to trans-dichloroethene by *Dehalococcoides* sp. strain CBDB1. *Environ Sci Technol.* 45: 1555-1562. <http://dx.doi.org/10.1021/es1023459>.
- Marco-Urrea, E; Parella, T; Gabarrell, X; Caminal, G; Vicent, T; Adinarayana Reddy, C. (2008). Mechanistics of trichloroethylene mineralization by the white-rot fungus *Trametes versicolor*. *Chemosphere.* 70: 404-410. <http://dx.doi.org/10.1016/j.chemosphere.2007.06.074>.
- Marcus, DL; Bonds, C. (1999). Results of the reactant sand-fracking pilot test and implications for the in situ remediation of chlorinated VOCs and metals in deep and fractured bedrock aquifers. *J Hazard Mater.* 68: 125-153.
- Marcus, Y. (2006). Preferential solvation in mixed solvents. 14. Mixtures of 1,4-dioxane with organic solvents: Kirkwood-Buff integrals and volume-corrected preferential solvation parameters. *Journal of Molecular Liquids.* 128: 115-126. <http://dx.doi.org/10.1016/j.molliq.2005.12.005>.
- Marinas, BJ; Li, RA. (1994). COMPOSITE SORPTION OF PURE VAPORS ON POLYOLEFINS, CARBON, AND MINERALS. *J Environ Eng.* 120: 1207-1231.
- Mariner, PE; Jin, M; Studer, JE; Pope, GA. (1999). The first vadose zone partitioning interwell tracer test for nonaqueous phase liquid and water residual. *Environ Sci Technol.* 33: 2825-2828.
- Marinsky, JA; Miyajima, T. (1998). Interpretation of the unique complexation behavior of transition metal ions in solid and liquid anion exchangers. *React Funct Polym.* 38: 127-135.
- Mariscal, MM; Mayoral, A; Olmos-Asar, JA; Magen, C; Mejia-Rosales, S; Perez-Tijerina, E; Jose-Yacamán, M. (2011). Nanoalloying in real time. A high resolution STEM and computer simulation study. *Nanoscale.* 3: 5013-5019. <http://dx.doi.org/10.1039/c1nr11052g>.
- Markels, JH; Lynn, S; Radke, CJ. (1995). DESIGN OF MICELLAR-ENHANCED ULTRAFILTERS. *Ind Eng Chem Res.* 34: 2436-2449.
- Markoc, AG; Sisul, G. (2015). Self-optimizing Uplink Outer Loop Power Control for WCDMA Network. *Radioengineering.* 24: 499-506. <http://dx.doi.org/10.13164/re.2015.0499>.
- Markoc, AG; Sisul, G. (2016). Optimal implementation of novel WCDMA uplink outer loop power control algorithm. *AEUe: International Journal of Electronics and Communication.* 70: 1219-1227. <http://dx.doi.org/10.1016/j.aeue.2016.06.007>.
- Markwald, R; Eisenberg, C; Eisenberg, L; Trusk, T; Sugi, Y. (1996). Epithelial-mesenchymal transformations in early avian heart development [Review]. *Acta Anat.* 156: 173-186. <http://dx.doi.org/10.1159/000147845>.
- Markwald, RR; Runyan, RB; Kitten, GT; Funderburg, FM; Bernanke, DH; Brayer, PR. (1984). Use of collagen gel cultures to study heart development: Preteoglycan and glycoprotein interactions during formation of endocardial cushion tissue. In RL Trelstad (Ed.), (pp. 323-350). New York, NY: Alan R. Liss.
- Marongiu, B; Pusceddu, E; Porcedda, S; Lepori, L; Matteoli, E. (2006). Thermodynamic study of 1,1,2,2-tetrachloroethane plus hydrocarbon mixtures I. Excess and solvation enthalpies. *Fluid Phase Equilibria.* 250: 105-115. <http://dx.doi.org/10.1016/j.fluid.2006.10.013>.
- Maronpot, R; Anna, C; Devereux, T; Lucier, G; Butterworth, B; Anderson, M. (1995). Growth factors and tumor promotion: Implications for risk assessment: Proceedings of the Seventh International Conference on Carcinogenesis and Risk Assessment, held in Austin, Texas, on December 1-4, 1993 Considerations concerning the murine hepatocarcinogenicity of selected chlorinated hydrocarbons [Review]. In *Prog Clin Biol Res.* New York, NY: Wiley-Liss.
- Maronpot, RR. (2007). Biological basis of differential susceptibility to hepatocarcinogenesis among mouse strains. 3rd Workshop of the Standing Committee on Risk Analysis Issues and Reviews: Mouse liver tumors: Benefits and constraints on use in human health risk assessment, qualitative and quantitative aspects. http://dels-old.nas.edu/best/risk_analysis/Documents/background%20paper.pdf.
- Maronpot, RR; Flake, G; Huff, J. (2004). Relevance of animal carcinogenesis findings to human cancer predictions and prevention [Review]. *Toxicol Pathol.* 32: 40-48. <http://dx.doi.org/10.1080/01926230490425003>.

Fate Literature Search Results

Off Topic

- Maronpot, RR; Fox, T; Malarkey, DE; Goldsworthy, TL. (1995). Mutations in the ras proto-oncogene: Clues to etiology and molecular pathogenesis of mouse liver tumors. *Toxicology*. 101: 125-156. [http://dx.doi.org/10.1016/0300-483X\(95\)03112-S](http://dx.doi.org/10.1016/0300-483X(95)03112-S).
- Marotta, E; Bosa, E; Scorrano, G; Paradisi, C. (2005). Positive and negative ion chemistry of the anesthetic halothane (1-bromo-1-chloro-2,2,2-trifluoroethane) in air plasma at atmospheric pressure. *Rapid Commun Mass Spectrom*. 19: 391-396. <http://dx.doi.org/10.1002/rcm.1794>.
- Marr, LC; Booth, EC; Andersen, RG; Widdowson, MA; Novak, JT. (2006). Direct volatilization of naphthalene to the atmosphere at a phytoremediation site. *Environ Sci Technol*. 40: 5560-5566. <http://dx.doi.org/10.1021/es060087+>.
- Marrazzini, A; Betti, C; Bernacchi, F; Barrai, I; Barale, R. (1994). Micronucleus test and metaphase analyses in mice exposed to known and suspected spindle poisons. *Mutagenesis*. 9: 505-515. <http://dx.doi.org/10.1093/mutage/9.6.505>.
- Marshall, EG; Gensburg, LJ; Deres, DA; Geary, NS; Cayo, MR. (1997). Maternal residential exposure to hazardous wastes and risk of central nervous system and musculoskeletal birth defects. *Arch Environ Health*. 52: 416-425. <http://dx.doi.org/10.1080/00039899709602220>.
- Marshall, JP. (2011). Hands-on assistance improves already successful pollution prevention services of the toxics use reduction institute's laboratory. *J Clean Prod*. 19: 424-428. <http://dx.doi.org/10.1016/j.jclepro.2010.05.020>.
- Marshall, RA; Hamilton, JTG; Dring, MJ; Harper, DB. (2000). The red alga *Asparagopsis taxiformis*/Falkenbergia hillebrandii - a possible source of trichloroethylene and perchloroethylene? *Limnol Oceanogr*. 45: 516-519.
- Marsman, DS; Cattley, RC; Conway, JG; Popp, JA. (1988). Relationship of hepatic peroxisome proliferation and replicative DNA synthesis to the hepatocarcinogenicity of the peroxisome proliferators di(2-ethylhexyl)phthalate and [4-chloro-6-(2,3-xylydino)-2-pyrimidinylthio]acetic acid (Wy-14,643) in rats. *Cancer Res*. 48: 6739-6744.
- Marsman, DS; Goldsworthy, TL; Popp, JA. (1992). Contrasting hepatocytic peroxisome proliferation, lipofuscin accumulation and cell turnover for the hepatocarcinogens Wy-14,643 and clofibrilic acid. *Carcinogenesis*. 13: 1011-1017. <http://dx.doi.org/10.1093/carcin/13.6.1011>.
- Martel, R; Gelinis, PJ; Desnoyers, JE; Masson, A. (1993). PHASE-DIAGRAMS TO OPTIMIZE SURFACTANT SOLUTIONS FOR OIL AND DNAPL RECOVERY IN AQUIFERS. *Ground Water*. 31: 789-800.
- Martel, R; Hébert, A; Lefebvre, R; Gelinis, P; Gabriel, U. (2004). Displacement and sweep efficiencies in a DNAPL recovery test using micellar and polymer solutions injected in a five-spot pattern. *J Contam Hydrol*. 75: 1-29. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.007>.
- Marti, PB. (2010). Shelton laundry and cleaners groundwater monitoring results. october 2008 and june 2009. 30.
- Martin, EJ; Kueper, BH. (2011). Observation of trapped gas during electrical resistance heating of trichloroethylene under passive venting conditions. *J Contam Hydrol*. 126: 291-300. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.004>.
- Martin, F; Christia, A; Moulin, P; Fumery, JL; Bevilacqua, D. (2007). Renal adenocarcinoma risk and industrial painting. *Arch Mal Prof Environ*. 68: 57-65.
- Martinez Vargas, DX; Rivera De la Rosa, J; Lucio-Ortiz, CJ; Hernandez-Ramirez, A; Flores-Escamilla, GA; Garcia, CD. (2015). Photocatalytic degradation of trichloroethylene in a continuous annular reactor using Cu-doped TiO₂ catalysts by sol-gel synthesis. *Appl Catal B-Environ*. 179: 249-261. <http://dx.doi.org/10.1016/j.apcatb.2015.05.019>.
- Martinez-Larrañaga, MR; Anadón, A; Diaz, MJ; Fernandez, R; Sevil, B; Fernandez-Cruz, ML; Fernandez, MC; Martinez, MA; Anton, R. (1996). Induction of cytochrome P4501A1 and P4504A1 activities and peroxisomal proliferation by fumonisin B1. *Toxicol Appl Pharmacol*. 141: 185-194. <http://dx.doi.org/10.1006/taap.1996.0275>.
- Martinez-Rodriguez, MJ; Fox, EB; Rhodes, WD; Mcwhorter, CS; Greenway, S; Colon-Mercado, HR. (2011). The Effect of Low Concentrations of Tetrachloroethylene on the Performance of PEM Fuel Cells. *J Electrochem Soc*. 158: B698-B702. <http://dx.doi.org/10.1149/1.3563799>.
- Martino, M; Rosal, R; Sastre, H; Diez, FV. (1999). Hydrodechlorination of dichloromethane, trichloroethane, trichloroethylene and tetrachloroethylene over a sulfided Ni/Mo-gamma-alumina catalyst. *Appl Catal B-Environ*. 20: 301-307.
- Martra, G; Coluccia, S; Marchese, L; Augugliaro, V; Loddo, V; Palmisano, L; Schiavello, M. (1999). The role of H₂O in the photocatalytic oxidation of toluene in vapour phase on anatase TiO₂ catalyst - A FTIR study. *Catalysis Today*. 53: 695-702.
- Marzougui, S; Schaefer, G; Dridi, L. (2012). Prediction of Vertical DNAPL Vapour Fluxes in Soils Using Quasi-Analytical Approaches: Bias Related to Density-Driven and Pressure-Gradient-Induced Advection. *Water Air Soil Pollut*. 223: 5817-5840. <http://dx.doi.org/10.1007/s11270-012-1319-x>.
- Maskaoui, K; Zhou, JL; Zheng, TL; Hong, H; Yu, Z. (2005). Organochlorine micropollutants in the Jiulong River Estuary and Western Xiamen Sea, China. *Mar Pollut Bull*. 51: 950-959. <http://dx.doi.org/10.1016/j.marpolbul.2004.11.018>.
- Massabo, M; Catania, F; Piazza, DD; Paladino, O. (2008). GROUNDWATER RISK ASSESSMENT OF PCE AT A CONTAMINATED SITE. *Fresen Environ Bull*. 17: 1452-1459.
- Masten, SJ; Hoigne, J. (1992). COMPARISON OF OZONE AND HYDROXYL RADICAL-INDUCED OXIDATION OF CHLORINATED HYDROCARBONS IN WATER. *Ozone: Science and Engineering*. 14: 197-214.
- Mastin, BJ; Sherrard, RM; Rodgers, JH; Shah, YT. (2001). Hybrid cavitation/constructed wetland reactors for treatment of chlorinated and non-chlorinated organics. *Chem Eng Tech*. 24: 97A-105A.
- Masuda, S; Hosokawa, S; Tu, X; Wang, Z. (1995). NOVEL PLASMA CHEMICAL TECHNOLOGIES - PPCP AND SPCP FOR CONTROL OF GASEOUS-POLLUTANTS AND AIR TOXICS. *Journal of Electrostatics*. 34: 415-438.
- Mather, GG; Exon, JH; Koller, LD. (1990). Subchronic 90 day toxicity of dichloroacetic and trichloroacetic acid in rats. *Toxicology*. 64: 71-80. [http://dx.doi.org/10.1016/0300-483X\(90\)90100-U](http://dx.doi.org/10.1016/0300-483X(90)90100-U).
- Mathes, SE; Rasmussen, TC. (2006). Combining multivariate statistical analysis with geographic information systems mapping: a tool for delineating groundwater contamination. *Hydrogeology Journal*. 14: 1493-1507. <http://dx.doi.org/10.1007/s10040-006-0041-4>.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environ Sci Technol*. 28: 2045-2053.

Fate Literature Search Results

Off Topic

- Matlochova, A; Placha, D; Rapantova, N. (2013). The Application of Nanoscale Materials in Groundwater Remediation. *Pol J Environ Stud.* 22: 1401-1410.
- Matsuda, S; Hara, M; Miura, M; Matsuda, T; Ueda, M; Satoh, Y; Hashimoto, KY. (2011). Correlation between temperature coefficient of elasticity and fourier transform infrared spectra of silicon dioxide films for surface acoustic wave devices [Letter]. *IEEE Trans Ultrason Ferroelectr Freq Control.* 58: 1684-1687. <http://dx.doi.org/10.1109/TUFFC.2011.1996>.
- Matsuda, S; Hara, M; Miura, M; Matsuda, T; Ueda, M; Satoh, Y; Hashimoto, KY. (2012). Use of fluorine-doped silicon oxide for temperature compensation of radio frequency surface acoustic wave devices. *IEEE Trans Ultrason Ferroelectr Freq Control.* 59: 135-138. <http://dx.doi.org/10.1109/TUFFC.2012.2164>.
- Matsui, Y; Fukuda, Y; Inoue, T; Matsushita, T. (2003). Effect of natural organic matter on powdered activated carbon adsorption of trace contaminants: characteristics and mechanism of competitive adsorption. *Water Res.* 37: 4413-4424. [http://dx.doi.org/10.1016/S0043-1354\(03\)00423-8](http://dx.doi.org/10.1016/S0043-1354(03)00423-8).
- Matsui, Y; Knappe, DRU; Iwaki, K; Ohira, H. (2002). Pesticide adsorption by granular activated carbon adsorbers. 2. Effects of pesticide and natural organic matter characteristics on pesticide breakthrough curves. *Environ Sci Technol.* 36: 3432-3438. <http://dx.doi.org/10.1021/es011366u>.
- Matsui, Y; Knappe, DRU; Takagi, R. (2002). Pesticide adsorption by granular activated carbon adsorbers. 1. Effect of natural organic matter preloading on removal rates and model simplification. *Environ Sci Technol.* 36: 3426-3431. <http://dx.doi.org/10.1021/es0113652>.
- Matsumoto, M; Hashimoto, T; Murata, K; Goto, S. (1994). SURFACE MODIFICATION OF CARBON WHISKERS BY OXIDATION TREATMENT. *Carbon.* 32: 111-118.
- Matsumura, M; Kojima, T. (2001). Decomposition of trichloroethylene in soil by electric osmosis. *Kagaku Kogaku Ronbunshu.* 27: 1-6.
- Matsunaga, K; Yamabe, S; Mori, T. (1997). Photodegradation of polychlorobiphenyls by titanium dioxide/ferric ion/hydrogen peroxide/UV light system. *JTTHE.* 43: 174-181.
- Matsushita, K; Nakata, T; Tamura, J. (2015). The application of 2,2,2-trichloroethyl sulfate to the synthesis of chondroitin sulfate C and D. *Carbohydr Res.* 406: 76-85. <http://dx.doi.org/10.1016/j.carres.2015.01.007>.
- Mattei, F; Guida, F; Matrat, M; Cenée, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med.* 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Matthews, JL; Gademann, K; Jaun, B; Seebach, D. (1998). Linear and cyclic beta(3)-oligopeptides with functionalised side-chains (-CH₂O₂Bn, -CO₂Bn, -CH(2)CH(2)CO₂Bn) derived from serine and from aspartic and glutamic acid. *J Chem Soc Perkin Trans I* 3331-3340.
- Matthias, U; Roempp, S. (1994). Evaluation of the Dreissena-monitor at the River Rhine: A new biological monitoring system based on the zebra mussel *Dreissena polymorpha*. *Acta Hydrochim Hydrobiol.* 22: 161-165.
- Matthieu, DE; Brusseau, ML; Johnson, GR; Artiola, JL; Bowden, ML; Curry, JE. (2013). Intercalation of trichloroethene by sediment-associated clay minerals. *Chemosphere.* 90: 459-463. <http://dx.doi.org/10.1016/j.chemosphere.2012.07.061>.
- Mattioli, S; Truffelli, D; Baldasseroni, A; Risi, A; Marchesini, B; Giacomini, C; Bacchini, P; Violante, FS; Buiatti, E. (2002). Occupational risk factors for renal cell cancer: A case-control study in northern Italy. *J Occup Environ Med.* 44: 1028-1036. <http://dx.doi.org/10.1097/01.jom.0000038320.36316.cb>.
- Matturro, B; Presta, E; Rossetti, S. (2016). Reductive dechlorination of tetrachloroethene in marine sediments: Biodiversity and dehalorespiring capabilities of the indigenous microbes. *Sci Total Environ.* 545-546: 445-452. <http://dx.doi.org/10.1016/j.scitotenv.2015.12.098>.
- Matveev, KI; Odyakov, VF; Zhizhina, EG. (2001). New route to vicasol, a water-soluble form of vitamin K-3. *Russian Journal of Applied Chemistry.* 74: 469-472.
- Maupin, I; Pinard, L; Mijoin, J; Magnoux, P. (2012). Bifunctional mechanism of dichloromethane oxidation over Pt/Al₂O₃: CH₂Cl₂ disproportionation over alumina and oxidation over platinum. *J Catal.* 291: 104-109. <http://dx.doi.org/10.1016/j.jcat.2012.04.011>.
- May, HD; Cutter, LA; Miller, GS; Milliken, CE; Watts, JE; Sowers, KR. (2006). Stimulatory and inhibitory effects of organohalides on the dehalogenating activities of PCB-dechlorinating bacterium o-17. *Environ Sci Technol.* 40: 5704-5709. <http://dx.doi.org/10.1021/es052521y>.
- Maya, K; Singh, RS; Upadhyay, SN; Dubey, SK. (2011). Kinetic analysis reveals bacterial efficacy for biodegradation of chlorpyrifos and its hydrolyzing metabolite TCP. *Process Biochemistry.* 46: 2130-2136. <http://dx.doi.org/10.1016/j.procbio.2011.08.012>.
- Mayeno, AN; Yang, RS; Reisfeld, B. (2005). Biochemical reaction network modeling: predicting metabolism of organic chemical mixtures. *Environ Sci Technol.* 39: 5363-5371. <http://dx.doi.org/10.1021/es0479991>.
- Mayer, AS; Zhong, L; Pope, GA. (1999). Measurement of mass-transfer rates for surfactant-enhanced solubilization of nonaqueous phase liquids. *Environ Sci Technol.* 33: 2965-2972.
- Mayer, KU; Benner, SG; Blowes, DW. (2006). Process-based reactive transport modeling of a permeable reactive barrier for the treatment of mine drainage. *J Contam Hydrol.* 85: 195-211. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.006>.
- Mayer, KU; Blowes, DW; Frind, EO. (2001). Reactive transport modeling of an in situ reactive barrier for the treatment of hexavalent chromium and trichloroethylene in groundwater. *Water Resour Res.* 37: 3091-3103.
- Mayer-Blackwell, K; Azizian, MF; Machak, C; Vitale, E; Carpani, G; de Ferra, F; Spormann, AM. (2014). Nanoliter qPCR platform for highly parallel, quantitative assessment of reductive dehalogenase genes and populations of dehalogenating microorganisms in complex environments. *Environ Sci Technol.* 48: 9659-9667. <http://dx.doi.org/10.1021/es500918w>.
- Mayer-Blackwell, K; Fincker, M; Molenda, O; Callahan, B; Sewell, H; Holmes, S; Edwards, EA; Spormann, AM. (2016). 1,2-Dichloroethane Exposure Alters the Population Structure, Metabolism, and Kinetics of a Trichloroethene-Dechlorinating Dehalococcoides mccartyi Consortium. *Environ Sci Technol.* 50: 12187-12196. <http://dx.doi.org/10.1021/acs.est.6b02957>.

Fate Literature Search Results

Off Topic

- Maymó-Gatell, X; Nijenhuis, I; Zinder, SH. (2001). Reductive dechlorination of cis-1,2-dichloroethene and vinyl chloride by *Dehalococcoides ethenogenes*. *Environ Sci Technol.* 35: 516-521. <http://dx.doi.org/10.1021/es001285i>.
- Mazaj, M; Logar, NZ. (2015). Phase Formation Study of Ca-Terephthalate MOF-Type Materials. *Cryst Growth Des.* 15: 617-624. <http://dx.doi.org/10.1021/cg501273b>.
- Mazur, CS; Jones, WJ. (2001). Hydrogen concentrations in sulfate-reducing estuarine sediments during PCE dehalogenation. *Environ Sci Technol.* 35: 4783-4788. <http://dx.doi.org/10.1021/es0110372>.
- Mcandrews, B; Heinze, K; Diguiseppi, W. (2003). Defining TCE plume source areas using the Membrane Interface Probe (MIP). *Soil Sediment Contam.* 12: 799-813. <http://dx.doi.org/10.1080/10588330390254838>.
- Mccarthy, KA; Johnson, RL. (1995). Measurement of trichloroethylene diffusion as a function of moisture content in sections of gravity-drained soil columns. *J Environ Qual.* 24: 49-55.
- Mccarty, PL; Chu, M, inY; Kitanidis, PK. (2007). Electron donor and pH relationships for biologically enhanced dissolution of chlorinated solvent DNAPL in groundwater. *European Journal of Soil Biology.* 43: 276-282. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.004>.
- Mccarty, PL; Goltz, MN; Hopkins, GD; Dolan, ME; Allan, JP; Kawakami, BT; Carrothers, TJ. (1998). Full-scale evaluation of in situ cometabolic degradation of trichloroethylene in groundwater through toluene injection. *Environ Sci Technol.* 32: 88-100.
- McCarver, DG; Byun, R; Hines, RN; Hichme, M; Wegenek, W. (1998). A genetic polymorphism in the regulatory sequences of human CYP2E1: Association with increased chlorzoxazone hydroxylation in the presence of obesity and ethanol intake. *Toxicol Appl Pharmacol.* 152: 276-281. <http://dx.doi.org/10.1006/taap.1998.8532>.
- Mccarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. *J Pharmacol Exp Ther.* 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- Mccauley, KM; Pratt, DA; Wilson, S. R.; Shey, J; Burkey, TJ; van Der Donk, WA. (2005). Properties and reactivity of chlorovinylcobalamin and vinylcobalamin and their implications for vitamin B-12-catalyzed reductive dechlorination of chlorinated alkenes. *J Am Chem Soc.* 127: 1126-1136. <http://dx.doi.org/10.1021/ja0488573p>.
- Mccauley, KM; Wilson, S. R.; van Der Donk, WA. (2002). Dichloroacetylene is not the precursor to dichlorinated vinylcobaloxime and vinylcobalamin in cobalt catalyzed dechlorination of perchloro- and trichloroethylene. *Inorg Chem.* 41: 5844-5848. <http://dx.doi.org/10.1021/ic025714k>.
- Mccauley, KM; Wilson, S. R.; van Der Donk, WA. (2002). Synthesis and characterization of chlorinated alkenylcobaloximes to probe the mechanism of vitamin B(12)-catalyzed dechlorination of priority pollutants. *Inorg Chem.* 41: 393-404. <http://dx.doi.org/10.1021/ic011023x>.
- Mccaulou, DR; Huling, SG. (1999). Compatibility of bentonite and DNAPLs. *Ground Water Monitoring and Remediation.* 19: 78-86.
- Mccormick, K; Abdel-Rahman, M. (1991). The role of testosterone in trichloroethylene penetration in vitro. *Environ Res.* 54: 82-92.
- Mccray, JE; Dugan, PJ. (2002). Nonideal equilibrium dissolution of trichloroethene from a decane-based nonaqueous phase liquid mixture: Experimental and modeling investigation. *Water Resour Res.* 38. <http://dx.doi.org/10.1029/2001WR000883>.
- McCredie, M; Stewart, JH. (1993). Risk factors for kidney cancer in New South Wales. IV. Occupation. *Br J Ind Med.* 50: 349-354.
- Mccue, T; Hoxworth, S; Randall, AA. (2003). Degradation of halogenated aliphatic compounds utilizing sequential anaerobic/aerobic treatments. *Water Sci Technol.* 47: 79-84.
- Mcculloch, A; Aucott, ML; Graedel, TE; Kleiman, G; Midgley, PM; Li, YF. (1999). Industrial emissions of trichloroethene, tetrachloroethene, and dichloromethane: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos.* 104: 8417-8427.
- Mcculloch, A; Midgley, PM. (1996). The production and global distribution of emissions of trichloroethene, tetrachloroethene and dichloromethane over the period 1988-1992. *Atmos Environ.* 30: 601-608. [http://dx.doi.org/10.1016/1352-2310\(09\)50032-5](http://dx.doi.org/10.1016/1352-2310(09)50032-5).
- McDaniel, T; Martin, P; Ross, N; Brown, S; Lesage, S; Pauli, B. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol.* 47: 101-109.
- Mcdaniel, TV; Martin, PA; Ross, N; Brown, S; Lesage, S; Pauli, BD. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol.* 47: 101-109. <http://dx.doi.org/10.1007/s00244-004-3015-3>.
- Mcdaniel, TV; Ross, N; Martin, PA; Steer, H; Abbey, AM; Lesage, S. (2007). Bioremediation of tetrachloroethylene-contaminated groundwater in a model aquifer: effects on green frogs (*Rana clamitans*) and *Xenopus laevis* as potential wetland receptors. *Arch Environ Contam Toxicol.* 52: 410-417. <http://dx.doi.org/10.1007/s00244-005-8218-8>.
- Mcdonald, GJ; Wertz, WE. (2007). PCE, TCE, and TCA vapors in subslab soil gas and indoor air: A case study in upstate New York. *Ground Water Monitoring and Remediation.* 27: 86-92.
- Mcelhoe, JA; Brennan, RA. (2012). Effects of Chitin Purity and Proppant Loading on the Bioremediation of Chloroethenes. *J Environ Eng.* 138: 862-872. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000541](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000541).
- McEntee, GP; Batts, KA; Katzmann, JA; Ilstrup, DM; Nagorney, DM. (1992). Relationship of nuclear DNA content to clinical and pathologic findings in patients with primary hepatic malignancy. *Surgery.* 111: 376-379.
- Mcfarland, MJ; Vogel, CM; Spain, JC. (1992). Methanotrophic cometabolism of trichloroethylene (TCE) in a two stage bioreactor system. *Water Res.* 26: 259-265.
- Mcgeough, KL; Kalin, RM; Myles, P. (2007). Carbon disulfide removal by zero valent iron. *Environ Sci Technol.* 41: 4607-4612. <http://dx.doi.org/10.1021/es062936z>.
- Mcgill, JP. (2007). Technological knowledge and governance in alliances among competitors. *International Journal of Technology Management.* 38: 69-89.
- McGuire, V; Nelson, LM; Koepsell, TD; Checkoway, H; Longstreth, WT, Jr. (1998). Assessment of occupational exposures in community-based case-control studies [Review]. *Annu Rev Public Health.* 19: 35-53. <http://dx.doi.org/10.1146/annurev.publhealth.19.1.35>.

Fate Literature Search Results

Off Topic

- Mchugh, T; Kuder, T; Fiorenza, S; Gorder, K; Dettenmaier, E; Philp, P. (2011). Application of CSIA to distinguish between vapor intrusion and indoor sources of VOCs. *Environ Sci Technol.* 45: 5952-5958. <http://dx.doi.org/10.1021/es200988d>.
- Mcintosh, GJ; Russell, DK. (2014). Experimental and theoretical studies into the formation of C4-C6 products in partially chlorinated hydrocarbon pyrolysis systems: a probabilistic approach to congener-specific yield predictions. *J Phys Chem A.* 118: 8644-8663. <http://dx.doi.org/10.1021/jp5015516>.
- Mcintosh, GJ; Russell, DK. (2015). High Temperature Chemistry of Chlorinated Acenaphthylene. 3C Bay Acetylene Additions and Annealing by Five-Membered Ring Shifts. *J Phys Chem A.* 119: 12767-12780. <http://dx.doi.org/10.1021/acs.jpca.5b08391>.
- Mckay, DJ; Morse, JS. (1995). Performance characterization of a laboratory-scale bioreactor with liquid suspensions of *Alcaligenes eutrophus* JMP134. *Hazardous Waste and Hazardous Materials.* 12: 195-206.
- Mckay, DJ; Morse, JS; Hazen, TC. (1994). BIODEGRADATION OF TRICHLOROETHYLENE BY ALCALIGENES EUTROPHUS JMP134 IN A LABORATORY SCALE BIOREACTOR. *Hazardous Waste and Hazardous Materials.* 11: 491-499.
- Mckenzie, ER; Siegrist, RL; Mccray, JE; Higgins, CP. (2016). The influence of a non-aqueous phase liquid (NAPL) and chemical oxidant application on perfluoroalkyl acid (PFAA) fate and transport. *Water Res.* 92: 199-207. <http://dx.doi.org/10.1016/j.watres.2016.01.025>.
- Mckernan, LT; Ruder, AM; Petersen, MR; Hein, MJ; Forrester, CL; Sanderson, WT; Ashley, DL; Butler, MA. (2008). Biological exposure assessment to tetrachloroethylene for workers in the dry cleaning industry. *Environ Health.* 7: 12. <http://dx.doi.org/10.1186/1476-069X-7-12>.
- Mckim, J. (1999). Respiratory-cardiovascular physiology and xenobiotic gill flux in the lake trout (*Salvelinus namaycush*). *Comp Biochem Physiol A Mol Integr Physiol.* 123: 69-81. [http://dx.doi.org/10.1016/S1095-6433\(99\)00041-0](http://dx.doi.org/10.1016/S1095-6433(99)00041-0).
- Mckim, JM; Nichols, JW; Lien, GJ; Bertelsen, SL. (1994). RESPIRATORY-CARDIOVASCULAR PHYSIOLOGY AND CHLOROETHANE GILL FLUX IN THE CHANNEL CATFISH, *ICTALURUS-PUNCTATUS*. *J Fish Biol.* 44: 527-547.
- Mckinney, PA; Alexander, FE; Cartwright, RA; Parker, L. (1991). Parental occupations of children with leukaemia in west Cumbria, north Humberside, and Gateshead. *Br Med J.* 302: 681-687. <http://dx.doi.org/10.1136/bmj.302.6778.681>.
- Mckone, TE. (1996). Alternative modeling approaches for contaminant fate in soils: Uncertainty, variability, and reliability. *Reliab Eng Syst Saf.* 54: 165-181.
- Mckone, TE; Knezovich, JP. (1991). THE TRANSFER OF TRICHLOROETHYLENE (TCE) FROM A SHOWER TO INDOOR AIR - EXPERIMENTAL MEASUREMENTS AND THEIR IMPLICATIONS. *J Air Waste Manag Assoc.* 41: 282-286.
- Mckone, TE; Knezovich, JP. (1991). The transfer of trichloroethylene (TCE) from a shower to indoor air: experimental measurements and their implications. *Journal of the Air and Waste Management Association.* 41: 832-837.
- Mclaren, RG; Sudicky, EA; Park, YJ; Illman, WA. (2012). Numerical simulation of DNAPL emissions and remediation in a fractured dolomitic aquifer. *J Contam Hydrol.* 136-137: 56-71. <http://dx.doi.org/10.1016/j.jconhyd.2012.05.002>.
- Mclaughlin, JK; Blot, WJ. (1997). A critical review of epidemiology studies of trichloroethylene and perchloroethylene and risk of renal-cell cancer [Review]. *Int Arch Occup Environ Health.* 70: 222-231. <http://dx.doi.org/10.1007/s004200050211>.
- McLaughlin, JK; Hrubec, Z; Blot, WJ; Fraumeni, JF, Jr. (1995). Smoking and cancer mortality among U.S. veterans: A 26-year follow-up. *Int J Cancer.* 60: 190-193. <http://dx.doi.org/10.1002/ijc.2910600210>.
- McLaughlin, JK; Lipworth, L; Tarone, RE. (2006). Epidemiologic aspects of renal cell carcinoma [Review]. *Semin Oncol.* 33: 527-533. <http://dx.doi.org/10.1053/j.seminoncol.2006.06.010>.
- Mclaughlin, PA. (2011). Something in the Water? Testing for Groundwater Quality Information in the Housing Market. *J Agr Resource Econ.* 36: 375-394.
- McLean, AJ; Cogger, VC; Chong, GC; Warren, A; Markus, AM; Dahlstrom, JE; Le Couteur, DG. (2003). Age-related pseudocapillarization of the human liver. *J Pathol.* 200: 112-117. <http://dx.doi.org/10.1002/path.1328>.
- McLean, JE; Dupont, RR; Sorensen, DL. (2006). Iron and arsenic release from aquifer solids in response to biostimulation. *J Environ Qual.* 35: 1193-1203. <http://dx.doi.org/10.2134/jeq2005.0463>.
- McLean, JE; Ervin, J; Zhou, J; Sorensen, DL; Dupont, RR. (2015). Biostimulation and Bioaugmentation to Enhance Reductive Dechlorination of TCE in a Long-Term Flow Through Column Study. *Ground Water Monitoring and Remediation.* 35: 76-88. <http://dx.doi.org/10.1111/gwmmr.12113>.
- McMichael, AJ; Spirtas, R; Gamble, JF; Tousey, PM. (1976). Mortality among rubber workers: Relationship to specific jobs. *J Occup Med.* 18: 178-185.
- Mcmillan, SA; Werth, CJ. (1999). Counter-diffusion of isotopically labeled trichloroethylene in silica gel and geosorbent micropores: Model development. *Environ Sci Technol.* 33: 2178-2185.
- Mcminn, TE; Moates, FC; Richardson, JT. (2001). Catalytic steam reforming of chlorocarbons: catalyst deactivation. *Appl Catal B-Environ.* 31: 93-105.
- Mcnab, WW; Ruiz, R. (1998). Palladium-catalyzed reductive dehalogenation of dissolved chlorinated aliphatics using electrolytically-generated hydrogen. *Chemosphere.* 37: 925-936.
- Mcnab, WW; Ruiz, R; Reinhard, M. (2000). In-situ destruction of chlorinated hydrocarbons in groundwater using catalytic reductive dehalogenation in a reactive well: Testing and operational experiences. *Environ Sci Technol.* 34: 149-153.
- Mcnaughton, D. (1992). HIGH-RESOLUTION INFRARED-SPECTRUM AND MOLECULAR-STRUCTURE OF DICHLOROACETYLENE. *Structural Chemistry.* 3: 245-252.
- McNutt, LA; Wu, C; Xue, X; Hafner, JP. (2003). Estimating the relative risk in cohort studies and clinical trials of common outcomes. *Am J Epidemiol.* 157: 940-943. <http://dx.doi.org/10.1093/aje/kwg074>.

Fate Literature Search Results

Off Topic

- Mcwatters, RS; Rowe, RK. (2015). Permeation of Volatile Organic Compounds through EVOH Thin Film Membranes and Coextruded LLDPE/EVOH/LLDPE Geomembranes. *Journal of Geotechnical and Geoenvironmental Engineering*. 141. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001209](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001209).
- MDPH. (1997). Woburn childhood leukemia follow-up study: Information booklet [Pamphlet]. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. Retrieved from http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_childhood_leukemia_follow.pdf
- MDPH. (1997). Woburn childhood leukemia follow-up study: Volume I: Analyses. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_cancer_leukemia_follow_up_study_1997.pdf.
- MDPH. (1997). Woburn childhood leukemia follow-up study: Volume II: Appendix. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment.
- Mecozi, R; Di Palma, L; De Filippis, P. (2008). Effect of modified Fenton treatment on the thermal behavior of contaminated harbor sediments. *Chemosphere*. 71: 843-852. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.034>.
- Meeker, JD; Altshul, L; Hauser, R. (2007). Serum PCBs, p,p'-DDE and HCB predict thyroid hormone levels in men. *Environ Res*. 104: 296-304. <http://dx.doi.org/10.1016/j.envres.2006.11.007>.
- Meeks, ND; Smuleac, V; Stevens, C; Bhattacharyya, D. (2012). Iron-Based Nanoparticles for Toxic Organic Degradation: Silica Platform and Green Synthesis. *Ind Eng Chem Res*. 51: 9581-9590. <http://dx.doi.org/10.1021/ie301031u>.
- Meeravali, NN; Madhavi, K; Kumar, SJ, ai. (2016). A sensitive speciation analysis of chromium in natural and industrial effluents by electrothermal atomic absorption spectrometry after a novel ligandless mixed-micelle dispersive liquid-liquid microextraction. *J Anal At Spectrom*. 31: 1582-1589. <http://dx.doi.org/10.1039/c6ja00139d>.
- Megharaj, M; Boul, HL; Thiele, JH. (1999). Effects of DDT and its metabolites on soil algae and enzymatic activity. *Biol Fertil Soils*. 29: 130-134.
- Megharaj, M; Jovicic, A; Boul, HL; Thiele, JH. (1997). Recalcitrance of 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) to cometabolic degradation by pure cultures of aerobic and anaerobic bacteria. *Arch Environ Contam Toxicol*. 33: 141-146.
- Megharaj, M; Kantachote, D; Singleton, I; Naidu, R. (2000). Effects of long-term contamination of DDT on soil microflora with special reference to soil algae and algal transformation of DDT. *Environ Pollut*. 109: 35-42.
- Mehendale, HM. (2000). PPAR-alpha: A key to the mechanism of hepatoprotection by clofibrate [Review]. *Toxicol Sci*. 57: 187-190. <http://dx.doi.org/10.1093/toxsci/57.2.187>.
- Mehnert, R; Klenert, P; Prager, L. (1993). LOW-ENERGY-ELECTRON ACCELERATORS FOR INDUSTRIAL RADIATION PROCESSING. *Radiat Phys Chem Oxf Engl* 1993. 42: 525-529.
- Mehos, MS; Turchi, CS. (1993). FIELD TESTING SOLAR PHOTOCATALYTIC DETOXIFICATION ON TCE-CONTAMINATED GROUNDWATER. *Environmental Progress*. 12: 194-199.
- Mehring, M; Mansfeld, D; Costisella, B; Schurmann, M. (2006). The first metal-oxo cluster containing lithium and bismuth. *Eur J Inorg Chem*735-739. <http://dx.doi.org/10.1002/iejc.200500629>.
- Mehta, SK; Sharma, AK; Bhasin, KK; Parkash, R. (2002). Physicochemical properties in mixtures of hexamethylphosphorotriamide with 2,2,2-trichloroethanol or 2,2,2-trifluoroethanol or 1,1,1,3,3,3-hexafluoropropan-2-ol. *Fluid Phase Equilibria*. 201: 203-216.
- Meinardus, HW; Dwarakanath, V; Ewing, J; Hirasaki, GJ; Jackson, RE; Jin, M; Ginn, JS; Londergan, JT; Miller, CA; Pope, GA. (2002). Performance assessment of NAPL remediation in heterogeneous alluvium. *J Contam Hydrol*. 54: 173-193.
- Meiri, D; Ghiasi, M; Patterson, RJ; Ramanujam, N; Tyson, MP. (1990). Extraction of TCE-contaminated ground water by subsurface drains and a pumping well. *Ground Water*. 28: 17-24.
- Melchiorri, C; Bolondi, L; Chieco, P; Pagnoni, M; Gramantieri, L; Barbara, L. (1994). Diagnostic and prognostic value of DNA ploidy and cell nuclearity in ultrasound-guided liver biopsies. *Cancer*. 74: 1713-1719. [http://dx.doi.org/10.1002/1097-0142\(19940915\)74:6<1713::AID-CNCR2820740612>3.0.CO;2-O](http://dx.doi.org/10.1002/1097-0142(19940915)74:6<1713::AID-CNCR2820740612>3.0.CO;2-O).
- Melchiorri, C; Chieco, P; Zedda, AI; Coni, P; Ledda-Columbano, GM; Columbano, A. (1993). Ploidy and nuclearity of rat hepatocytes after compensatory regeneration or mitogen-induced liver growth. *Carcinogenesis*. 14: 1825-1830. <http://dx.doi.org/10.1093/carcin/14.9.1825>.
- Mellot, CF; Cheetham, AK. (1999). Energetics and structures of fluoro- and chlorofluorocarbons in zeolites: Force field development and Monte Carlo simulations. *J Phys Chem B*. 103: 3864-3868.
- Mellot, CF; Cheetham, AK; Harms, S; Savitz, S; Gorte, RJ; Myers, AL. (1998). Halocarbon adsorption in nanoporous materials: A combined calorimetric and Monte Carlo study of trichloroethylene (TCE) in faujasite-type zeolites. *Langmuir*. 14: 6728-6733.
- Melnick, RL; Huff, J; Barrett, JC; Maronpot, RR; Lucier, G; Portier, CJ. (1993). Cell proliferation and chemical carcinogenesis: Symposium overview [Review]. *Environ Health Perspect*. 101: 3-7.
- Melnick, RL; Jameson, CW; Goehl, T. (1987). APPLICATION OF MICROENCAPSULATION FOR TOXICOLOGY STUDIES - STABILITY, BIOAVAILABILITY, AND TOXICITY OF MICROENCAPSULATED TRICHLOROETHYLENE. *Environ Health Perspect*. 75: 142-142.
- Melnick, RL; Thayer, KA; Bucher, JR. (2008). Conflicting views on chemical carcinogenesis arising from the design and evaluation of rodent carcinogenicity studies. *Environ Health Perspect*. 116: 130-135. <http://dx.doi.org/10.1289/ehp.9989>.
- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health*. 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.

Fate Literature Search Results

Off Topic

- Melwanki, MB; Fuh, MR. (2008). Dispersive liquid-liquid microextraction combined with semi-automated in-syringe back extraction as a new approach for the sample preparation of ionizable organic compounds prior to liquid chromatography. *J Chromatogr A*. 1198-1199: 1-6. <http://dx.doi.org/10.1016/j.chroma.2008.05.007>.
- Melwanki, MB; Fuh, MR. (2008). Partitioned dispersive liquid-liquid microextraction: an approach for polar organic compounds extraction from aqueous samples. *J Chromatogr A*. 1207: 24-28. <http://dx.doi.org/10.1016/j.chroma.2008.08.052>.
- Memarain, HR; Ranjbar, M. (2012). Substituent effect in photocatalytic oxidation of 2-oxo-1,2,3,4-tetrahydropyrimidines using TiO₂ nanoparticles. *J Mol Catal Chem*. 356: 46-52. <http://dx.doi.org/10.1016/j.molcata.2011.12.026>.
- Mendez-Roman, R; Cardona-Martinez, N. (1998). Relationship between the formation of surface species and catalyst deactivation during the gas-phase photocatalytic oxidation of toluene. *Catalysis Today*. 40: 353-365.
- Menegazzi, M; Carcereri-De Prati, A; Suzuki, H; Shinozuka, H; Pibiri, M; Piga, R; Columbano, A; Ledda-Columbano, GM. (1997). Liver cell proliferation induced by nafenopin and cyproterone acetate is not associated with increases in activation of transcription factors NF- κ B and AP-1 or with expression of tumor necrosis factor alpha. *Hepatology*. 25: 585-592. <http://dx.doi.org/10.1002/hep.510250316>.
- Menezes, RM; Oliveira, RV; de Oliveira, DM; Lemos, VA. (2016). A Method Using Liquid-Liquid Microextraction in a Dynamic System for Preconcentration and Determination of Lead in Food Samples. *Water Air Soil Pollut*. 227. <http://dx.doi.org/10.1007/s11270-016-2842-y>.
- Menon, A; Zhou, RN; Josse, F. (1998). Coated-quartz crystal resonator (QCR) sensors for on-line detection of organic contaminants in water. *IEEE Trans Ultrason Ferroelectr Freq Control*. 45: 1416-1426.
- Menta, M; Frayret, J; Gleyzes, C; Castetbon, A; Potin-Gautier, M. (2012). Development of an analytical method to monitor industrial degreasing and rinsing baths. *J Clean Prod*. 20: 161-169. <http://dx.doi.org/10.1016/j.jclepro.2011.07.021>.
- Menta, M; Frayret, J; Grassl, B; Gleyzes, C; Castetbon, A; Potin-Gautier, M. (2016). Development of an alternative analytical methodology to monitor industrial degreasing baths by dynamic light scattering. *J Clean Prod*. 113: 981-988. <http://dx.doi.org/10.1016/j.jclepro.2015.10.004>.
- Merdink, JL; Stenner, RD; Stevens, DK; Parker, JC; Bull, RJ. (1999). Effect of enterohepatic circulation on the pharmacokinetics of chloral hydrate and its metabolites in F344 rats. *J Toxicol Environ Health A*. 57: 357-368. <http://dx.doi.org/10.1080/009841099157665>.
- Mergler, D; Huel, G; Bowler, R; Frenette, B; Cone, J. (1991). Visual dysfunction among former microelectronics assembly workers. *Arch Environ Health*. 46: 326-334. <http://dx.doi.org/10.1080/00039896.1991.9934398>.
- Merrer, DC; Moss, RA; Liu, MTH; Banks, JT; Ingold, KU. (1998). Benzylchlorocarbene: Origins of Arrhenius curvature in the kinetics of the 1,2-H shift rearrangement. *J Org Chem*. 63: 3010-3016.
- Merschman, SA; Lubbad, SH; Tilotta, DC. (1998). Poly(dimethylsiloxane) films as sorbents for solid-phase microextraction coupled with infrared spectroscopy. *J Chromatogr A*. 829: 377-384.
- Meshesha, BT; Barrabes, N; Foettinger, K; Chimentao, RJ; Llorca, J; Medina, F; Rupprechter, G; Sueiras, JE. (2012). Gas-phase hydrodechlorination of trichloroethylene over Pd/NiMgAl mixed oxide catalysts. *Appl Catal B-Environ*. 117: 236-245. <http://dx.doi.org/10.1016/j.apcatb.2012.01.018>.
- Meshesha, BT; Barrabes, N; Llorca, J; Dafinov, A; Medina, F; Foettinger, K. (2013). PdCu alloy nanoparticles on alumina as selective catalysts for trichloroethylene hydrodechlorination to ethylene. *Appl Catal A-Gen*. 453: 130-141. <http://dx.doi.org/10.1016/j.apcata.2012.12.019>.
- Meshram, N; Loka, C; Park, KR; Lee, K, eeSun. (2015). Enhanced transmittance of ITO/Ag(Cr)/ITO (IAI) multi-layered thin films by high temperature annealing. *Mater Lett*. 145: 120-124. <http://dx.doi.org/10.1016/j.matlet.2015.01.101>.
- Messing, K; Punnett, L; Bond, M; Alexanderson, K; Pyle, J; Zahm, S; Wegman, D; Stock, SR; de Grosbois, S. (2003). Be the fairest of them all: Challenges and recommendations for the treatment of gender in occupational health research [Review]. *Am J Ind Med*. 43: 618-629. <http://dx.doi.org/10.1002/ajim.10225>.
- Meszaros, E, va; Imfeld, G; Nikolausz, M; Nijenhuis, I. (2013). Occurrence of Dehalococoides and Reductive Dehalogenase Genes in Microcosms, a Constructed Wetland and Groundwater from a Chlorinated Ethene Contaminated Field Site as Indicators for In Situ Reductive Dehalogenation. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1768-x>.
- Meszaros, E; Sipos, R; Pal, R; Romsics, C; Marialigeti, K. (2013). Stimulation of trichloroethene biodegradation in anaerobic three-phase microcosms. *Int Biodeterior Biodegradation*. 84 (Oct 2013): 126-133. <http://dx.doi.org/10.1016/j.ibiod.2012.08.006>.
- Metayer, C; Scelo, G; Kang, AY; Gunier, RB; Reinier, K; Lea, S; Chang, JS; Selvin, S; Kirsch, J; Crouse, V; Does, M; Quinlan, P; Hammond, SK. (2016). A task-based assessment of parental occupational exposure to organic solvents and other compounds and the risk of childhood leukemia in California. *Environ Res*. 151: 174-183. <http://dx.doi.org/10.1016/j.envres.2016.06.047>.
- Meyer, CI; Borgna, A; Monzon, A; Garetto, TF. (2011). Kinetic study of trichloroethylene combustion on exchanged zeolites catalysts. *J Hazard Mater*. 190: 903-908. <http://dx.doi.org/10.1016/j.jhazmat.2011.04.007>.
- Meyer, DE; Bhattacharyya, D. (2007). Impact of membrane immobilization on particle formation and trichloroethylene dechlorination for bimetallic Fe/Ni nanoparticles in cellulose acetate membranes. *J Phys Chem B*. 111: 7142-7154. <http://dx.doi.org/10.1021/jp070972u>.
- Meyer, DE; Hampson, S; Ormsbee, L; Bhattacharyya, D. (2009). A Study of Groundwater Matrix Effects for the Destruction of Trichloroethylene Using Fe/Pd Nanoaggregates. *Environ Prog Sustain Energy*. 28: 507-518. <http://dx.doi.org/10.1002/ep.10334>.
- Meyer, DE; Wood, K; Bachas, LG; Bhattacharyya, D. (2004). Degradation of chlorinated organics by membrane-immobilized nanosized metals. *Environmental Progress*. 23: 232-242. <http://dx.doi.org/10.1002/ep.10031>.
- Meyer, K; Lee, JS; Dyck, PA; Cao, WQ; Rao, MS; Thorgerirsson, SS; Reddy, JK. (2003). Molecular profiling of hepatocellular carcinomas developing spontaneously in acyl-CoA oxidase deficient mice: Comparison with liver tumors induced in wild-type mice by a peroxisome proliferator and a genotoxic carcinogen. *Carcinogenesis*. 24: 975-984. <http://dx.doi.org/10.1093/carcin/bgg040>.

Fate Literature Search Results

Off Topic

- Meyer, RJ; Reeves, CT; Safarik, DJ; Allen, DT; Mullins, CB. (2001). Comparison of phosgene formation from adsorption of carbon tetrachloride on oxygen modified Ir(111) and oxygen modified Ir(110). *Journal of Vacuum Science and Technology A*. 19: 1524-1530.
- Miao, Z; Gu, X; Lu, S; Zang, X; Wu, X; Xu, M; Ndong, LB; Qiu, Z; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe(2+)-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere*. 119: 1120-1125. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.065>.
- Michalak, AM; Kitanidis, PK. (2003). A method for enforcing parameter nonnegativity in Bayesian inverse problems with an application to contaminant source identification. *Water Resour Res*. 39. <http://dx.doi.org/10.1029/2002WR001480>.
- Michalik, L; Desvergne, B; Dreyer, C; Gavillet, M; Laurini, RN; Wahli, W. (2002). PPAR expression and function during vertebrate development [Review]. *Int J Dev Biol*. 46: 105-114.
- Michalik-Zym, A; Dula, R; Duraczynska, D; Krysiak-Czerwenka, J; Machej, T; Socha, RP; Wlodarczyk, W; Gawel, A; Matusik, J; Bahrnowski, K; Wisla-Walsh, E; Litynska-Dobrzynska, L; Serwicka, EM. (2015). Active, selective and robust Pd and/or Cr catalysts supported on Ti-, Zr- or [Ti,Zr]-pillared montmorillonites for destruction of chlorinated volatile organic compounds. *Appl Catal B-Environ*. 174: 293-307. <http://dx.doi.org/10.1016/j.apcatb.2015.03.015>.
- Michaud, F; Barrio, M; Toscani, S; Agafonov, V; Szwarc, H; Ceolin, R. (1997). Solid-state studies on solvated [60] fullerene crystals grown from trichloroethylene. *Fullerene Sci Technol*. 5: 1645-1650.
- Michel, C; Desdouets, C; Slaoui, M; Isaacs, KR; Roberts, RA; Boitier, E. (2007). Diethylnitrosamine initiation does not alter clofibril acid-induced hepatocarcinogenesis in the rat. *Toxicol Sci*. 99: 58-69. <http://dx.doi.org/10.1093/toxsci/kfm168>.
- Michulec, M; Wardencki, W. (2006). The application of single drop extraction technique for chromatographic determination of solvent residues in edible oils and pharmaceutical products. *Chromatographia*. 64: 191-197. <http://dx.doi.org/10.1365/s10337-006-0009-5>.
- Michulec, M; Wardencki, W. (2007). Validation of SPME-GC and HS-GC procedures for the determination of selected solvent residues in edible oil matrices. *Accreditation and Quality Assurance*. 12: 94-104. <http://dx.doi.org/10.1007/s00769-006-0235-4>.
- Middleman, KJ; Herbert, JD; Reid, RJ. (2007). Cleaning stainless steel for use in accelerators - Phase 1. *Vacuum*. 81: 793-798. <http://dx.doi.org/10.1016/j.vacuum.2005.11.057>.
- Miehr, R; Tratnyek, PG; Bandstra, JZ; Scherer, MM; Alowitz, MJ; Bylaska, EJ. (2004). Diversity of contaminant reduction reactions by zerovalent iron: Role of the reductate. *Environ Sci Technol*. 38: 139-147. <http://dx.doi.org/10.1021/es034237h>.
- Miettinen, I; Martikainen, P; Vartiainen, T; Lotjonen, S. (1993). BIOCHEMICAL AND CHEMICAL DEGRADATION OF 3-CHLORO-4-(DICHLOROMETHYL)-5-HYDROXY-2(5H)-FURANONE (MX) IN SURFACE AND DRINKING-WATER. *Chemosphere*. 27: 1707-1718.
- Mignet, N; Tosquellas, G; Barber, I; Morvan, F; Rayner, B; Imbach, JL. (1997). The prooligonucleotide approach: Synthesis and stability of chimeric prooligonucleotides in culture medium and in total cell extract. *New J Chem*. 21: 73-79.
- Miguez, CB; Bourque, D; Sealy, JA; Greer, CW; Groleau, D. (1997). Detection and isolation of methanotrophic bacteria possessing soluble methane monooxygenase (sMMO) genes using the polymerase chain reaction (PCR). *Microb Ecol*. 33: 21-31.
- Mihopoulos, PG; Sayles, GD; Suidan, MT; Shah, J; Bishop, DF. (2000). Vapor phase treatment of PCE in a soil column by lab-scale anaerobic bioventing. *Water Res*. 34: 3231-3237.
- Mihopoulos, PG; Suidan, MT; Sayles, GD. (2001). Complete remediation of PCE contaminated unsaturated soils by sequential anaerobic-aerobic bioventing. *Water Sci Technol*. 43: 365-372.
- Mijaylova-Nacheva, P; Canul-Chuil, A. (2006). Anaerobic biodegradation of chlorinated aliphatic compounds using packed bed reactors. *Water Sci Technol*. 54: 193-200. <http://dx.doi.org/10.2166/wst.2006.878>.
- Mikhailov, VA; Parkes, MA; Simpson, MJ; Tuckett, RP; Mayhew, CA. (2008). Selected ion flow tube study of the ion-molecule reactions of monochloroethene, trichloroethene, and tetrachloroethene. *J Phys Chem A*. 112: 9012-9022. <http://dx.doi.org/10.1021/jp804443v>.
- Mikkola, H; Schmale, JY; Wesner, W; Petkovska, S. (2008). Laboratory pre-assays for soil remediation by electro synthesis of oxidants and their electrokinetic distribution. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 43: 907-912. <http://dx.doi.org/10.1080/10934520801974426>.
- Mikol, YB; Hoover, KL; Creasia, D; Poirier, LA. (1983). Hepatocarcinogenesis in rats fed methyl-deficient, amino acid-defined diets. *Carcinogenesis*. 4: 1619-1629. <http://dx.doi.org/10.1093/carcin/4.12.1619>.
- Milanovich, FP; Brown, SB; Colston B W, J. R.; Daley, PF; Langry, KC. (1994). A FIBER-OPTIC SENSOR SYSTEM FOR MONITORING CHLORINATED HYDROCARBON POLLUTANTS. *Talanta*. 41: 2189-2194.
- Mill, T; Su, MG; Yao, CCD; Matthews, SM; Wang, FTS. (1997). E-beam treatment of trichloroethylene-air mixtures: Products and rates. *Radiat Phys Chem Oxf Engl* 1993. 50: 283-291.
- Miller, BM; Adler, ID. (1992). Aneuploidy induction in mouse spermatocytes. *Mutagenesis*. 7: 69-76. <http://dx.doi.org/10.1093/mutage/7.1.69>.
- Miller, CT; Hill, EH; Moutier, M. (2000). Remediation of DNAPL-contaminated subsurface systems using density-motivated mobilization. *Environ Sci Technol*. 34: 719-724.
- Miller, GS; Milliken, CE; Sowers, KR; May, HD. (2005). Reductive dechlorination of tetrachloroethene to trans-dichloroethene and cis-dichloroethene by PCB-dechlorinating bacterium DF-1. *Environ Sci Technol*. 39: 2631-2635.
- Miller, PL; Vasudevan, D; Gschwend, PM; Roberts, AL. (1998). Transformation of hexachloroethane in a sulfidic natural water. *Environ Sci Technol*. 32: 1269-1275.
- Miller, RT; Shah, RS; Cattley, RC; Popp, JA. (1996). The peroxisome proliferations WY-14,643 and methylclofenapate induce hepatocyte ploidy alterations and ploidy-specific DNA synthesis in F344 rats. *Toxicol Appl Pharmacol*. 138: 317-323. <http://dx.doi.org/10.1006/taap.1996.0130>.

Fate Literature Search Results

Off Topic

- Mills, LJ; Gutjahr-Gobell, RE; Haebler, RA; Horowitz, DJ; Jayaraman, S; Pruell, RJ; Mckinney, RA; Gardner, GR; Zaroogian, GE. (2001). Effects of estrogenic (o,p'-DDT; octylphenol) and anti-androgenic (p,p'-DDE) chemicals on indicators of endocrine status in juvenile male summer flounder (*Paralichthys dentatus*). *Aquat Toxicol.* 52: 157-176.
- Mills, NC; Means, AR. (1972). Sorbitol dehydrogenase of rat testis: Changes of activity during development, after hypophysectomy and following gonadotrophic hormone administration. *Endocrinology.* 91: 147-156. <http://dx.doi.org/10.1210/endo-91-1-147>.
- Mills, WB; Liu, S; Rigby, MC; Brenner, D. (2007). Time-variable simulation of soil vapor intrusion into a building with a combined crawl space and basement. *Environ Sci Technol.* 41: 4993-5001. <http://dx.doi.org/10.1021/es061747d>.
- Min, JE; Kim, M; Pardue, JH; Park, JW. (2008). Reduction of trichloroethylene and nitrate by zero-valent iron with peat. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 43: 144-153. <http://dx.doi.org/10.1080/10934520701781244>.
- Min, JE; Lee, T; Choi, J; Park, JW. (2005). Black shale as a sorbent for trichloroethylene and Cr(VI). *Environ Technol.* 26: 643-652. <http://dx.doi.org/10.1080/09593330.2001.9619504>.
- Min, JE; Park, IS; Ko, S; Shin, WS; Park, JW. (2009). Effect of phosphate and sediment bacteria on trichloroethylene dechlorination with zero valent iron. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 362-369. <http://dx.doi.org/10.1080/10934520802659703>.
- Min, Z; Ying, D; Shijun, Z; Wen, C. (2011). Highly efficient photocatalytic activity of boron-doped TiO₂ for gas phase degradation of benzene. *Rare Metals.* 30: 243-248. <http://dx.doi.org/10.1007/s12598-011-0278-5>.
- Minami, W; Kim, HJ. (2006). The decomposition property of trichloroethylene and ethylene using ultra-violet and TiO₂ catalyst. *Environ Technol.* 27: 477-482.
- Minamishima, YA; Nakayama, K; Nakayama, KI. (2002). Recovery of liver mass without proliferation of hepatocytes after partial hepatectomy in Skp2-deficient mice. *Cancer Res.* 62: 995-999.
- Miniero, R; Carere, C; De Felip, E; Iacovella, N; Rodriguez, F; Alleva, E; Di Domenico, A. (2008). The use of common swift (*Apus apus*), an aerial feeder bird, as a bioindicator of persistent organic microcontaminants. *Ann Ist Super Sanita.* 44: 187-194.
- Minkiewicz, VJ; Stasiak, J; White, RL; Cornell, RW; Moore, JO; Eaton, R; Eldridge, JM; Lee, FC. (1994). SOME MECHANICAL AND THERMAL-PROPERTIES OF PECVD A-SIXC1-X-H AND A-SIXN1-X-H FILMS PREPARED BY MIXED FREQUENCY PLASMA PROCESSES. *Surf Coating Tech.* 68: 229-233.
- Minnich, MM; Schumacher, BA; Zimmerman, JH. (1997). Comparison of soil VOCs measured by soil gas, heated headspace, and methanol extraction techniques. *Journal of Soil Contamination.* 6: 187-203.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1996). Extraction methods for recovery of volatile organic compounds from fortified dry soils. *J AOAC Int.* 79: 1198-1204.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1997). Long-term study of volatile organic compound recovery from amputated, dry, fortified soils. *J Environ Qual.* 26: 108-114.
- Mino, ER; Okuda, T; Nishijima, W; Okada, M. (2007). Calcium accumulation onto GAC used for landfill leachate treatment and its effects on 2,4-DCP adsorption. *J Chem Eng Jpn.* 40: 275-279.
- Minocha, AK; Jain, N; Verma, CL. (2003). Effect of organic materials on the solidification of heavy metal sludge. *Construction and Building Materials.* 17: 77-81.
- Minsley, BJ; Sogade, J; Morgan, FD. (2007). Three-dimensional self-potential inversion for subsurface DNAPL contaminant detection at the Savannah River Site, South Carolina. *Water Resour Res.* 43: 4429-4429. <http://dx.doi.org/10.1029/2005WR003996>.
- Mir, L. (2008). Exposure to trichloroethylene and liver cancer: meta-analysis. *E R S.* 7: 394-395.
- Miranda, B; Diaz, E; Ordonez, S; Diez, FV. (2006). Catalytic combustion of trichloroethene over Ru/Al²O₃: Reaction mechanism and kinetic study. *Catal Comm.* 7: 945-949. <http://dx.doi.org/10.1016/j.catcom.2006.04.007>.
- Miranda, B; Diaz, E; Ordonez, S; Vega, A; Diez, FV. (2006). Performance of alumina-supported noble metal catalysts for the combustion of trichloroethene at dry and wet conditions. *Appl Catal B-Environ.* 64: 262-271. <http://dx.doi.org/10.1016/j.apcatb.2005.12.008>.
- Miranda, B; Díaz, E; Ordóñez, S; Vega, A; Díez, FV. (2007). Oxidation of trichloroethene over metal oxide catalysts: kinetic studies and correlation with adsorption properties. *Chemosphere.* 66: 1706-1715. <http://dx.doi.org/10.1016/j.chemosphere.2006.07.016>.
- Miranda-Garcia, N; Suarez, S; Sanchez, B; Coronado, JM; Malato, S; Maldonado, M. (2011). Photocatalytic degradation of emerging contaminants in municipal wastewater treatment plant effluents using immobilized TiO₂ sub(2 in a solar pilot plant). *Appl Catal B-Environ.* 103: 294-301. <http://dx.doi.org/10.1016/j.apcatb.2011.01.030>.
- Mirza, T; Gérin, M; Bégin, D; Drolet, D. (2000). A study on the substitution of trichloroethylene as a spot remover in the textile industry. *AIHAJ.* 61: 431-438.
- Misaki, Y; Nishikawa, H; Fujiwara, H; Yamabe, T; Mori, T; Mori, H; Tanaka, S. (1995). CRYSTAL-STRUCTURES AND PHYSICAL-PROPERTIES OF DTET-TTF SALTS. *Synthetic Metals.* 70: 1151-1152.
- Mishra, D; Liao, Z; Farrell, J. (2008). Understanding Reductive Dechlorination of Trichloroethene on Boron-Doped Diamond Film Electrodes. *Environ Sci Technol.* 42: 9344-9349. <http://dx.doi.org/10.1021/es801815z>.
- Mishra, T; Mohapatra, P; Parida, KM. (2008). Synthesis, characterisation and catalytic evaluation of iron-manganese mixed oxide pillared clay for VOC decomposition reaction. *Appl Catal B-Environ.* 79: 279-285. <http://dx.doi.org/10.1016/j.apcatb.2007.10.030>.
- Misra, C; Gupta, SK. (2001). Hybrid reactor for priority pollutant-trichloroethylene removal. *Water Res.* 35: 160-166.
- Missof, E. (2013). Left ventricular assist device inflow cannula thrombus: characterization with two-dimensional transthoracic echocardiography. *59: 662-663.* <http://dx.doi.org/10.1097/MAT.0000436712.27011.f4>.
- Mitra, S; Gupta, SK. (2013). Biodegradation of tetrachloroethylene-rich synthetic wastewater in anaerobic hybrid reactor. *Desalination and Water Treatment.* 51: 4506-4513. <http://dx.doi.org/10.1080/19443994.2013.770232>.

Fate Literature Search Results

Off Topic

- Mitra, S; Gupta, SK. (2013). Biodegradation of Trichloroethylene in Anaerobic Hybrid Reactor. *Environ Prog Sustain Energy*. 32: 1055-1060. <http://dx.doi.org/10.1002/ep.11705>.
- Mitra, S; Gupta, SK. (2014). Pilot-scale treatment of a trichloroethylene rich synthetic wastewater in anaerobic hybrid reactor, with morphological study of the sludge granules. *Clean Tech Environ Pol*. 16: 947-956. <http://dx.doi.org/10.1007/s10098-013-0695-2>.
- Miura, Y; Anzai, K; Takahashi, S; Ozawa, T. (1997). A novel lipophilic spin probe for the measurement of radiation damage in mouse brain using in vivo electron spin resonance (ESR). *FEBS Lett*. 419: 99-102. [http://dx.doi.org/10.1016/S0014-5793\(97\)01443-9](http://dx.doi.org/10.1016/S0014-5793(97)01443-9).
- Miyabe, K; Taniguchi, N; Imura, A; Tezuka, Y. (2003). Kinetic study of the hydrodechlorination of trichloroethene in water using a platinum catalyst and hydrazine. *Water Environ Res*. 75: 472-477.
- Miyake, Y; Sakoda, A; Yamanashi, H; Kaneda, H; Suzuki, M. (2003). Activated carbon adsorption of trichloroethylene (TCE) vapor stripped from TCE-contaminated water. *Water Res*. 37: 1852-1858. [http://dx.doi.org/10.1016/S0043-1354\(02\)00564-X](http://dx.doi.org/10.1016/S0043-1354(02)00564-X).
- Mizunuma, K; Kawai, T; Horiguchi, S; Ikeda, M. (1995). Urinary methylchloroform rather than urinary metabolites as an indicator of occupational exposure to methylchloroform. *Int Arch Occup Environ Health*. 67: 19-25.
- Mjaatvedt, CH; Krug, EL; Markwald, RR. (1991). An antiserum (ES1) against a particulate form of extracellular matrix blocks the transition of cardiac endothelium into mesenchyme in culture. *Dev Biol*. 145: 219-230. [http://dx.doi.org/10.1016/0012-1606\(91\)90121-I](http://dx.doi.org/10.1016/0012-1606(91)90121-I).
- Mjaatvedt, CH; Lepera, RC; Markwald, RR. (1987). Myocardial specificity for initiating endothelial-mesenchymal cell transition in embryonic chick heart correlates with a particulate distribution of fibronectin. *Dev Biol*. 119: 59-67. [http://dx.doi.org/10.1016/0012-1606\(87\)90206-5](http://dx.doi.org/10.1016/0012-1606(87)90206-5).
- Mlotek, M; Reda, E; Krawczyk, K. (2015). Conversion of tetrachloromethane in large scale gliding discharge reactor. 13: 212-217. <http://dx.doi.org/10.1515/chem-2015-0022>.
- Moates, FC; Mcminn, TE; Richardson, JT. (1999). Radial reactor for trichloroethylene steam reforming. *AIChE J*. 45: 2411-2418.
- Mochida, K; Saito, K. (1985). Toxicity assessment of tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane using human and monkey cells. *Bull Environ Contam Toxicol*. 35: 593-595.
- Moeck, C; Radny, D; Borer, P; Rothardt, J; Auckenthaler, A; Berg, M; Schirmer, M. (2016). Multicomponent statistical analysis to identify flow and transport processes in a highly-complex environment. *J Hydrol*. 542: 437-449. <http://dx.doi.org/10.1016/j.jhydrol.2016.09.023>.
- Mohamed, AMO; Said, RA. (2004). TDR detection of nonaqueous phase liquids in sandy soils using the eigendecomposition method. *Environ Geol*. 47: 30-37.
- Mohamed, RM; Aazam, ES. (2011). Preparation and characterization of platinum doped porous titania nanoparticles for photocatalytic oxidation of carbon monoxide. *J Alloy Comp*. 509: 10132-10138. <http://dx.doi.org/10.1016/j.jallcom.2011.08.059>.
- Mohammad, OI; Kibbey, TCG. (2005). Dissolution-induced contact angle modification in dense nonaqueous phase liquid/water systems. *Environ Sci Technol*. 39: 1698-1706. <http://dx.doi.org/10.1021/es048810o>.
- Mohseni, M. (2005). Gas phase trichloroethylene (TCE) photooxidation and byproduct formation: Photolysis vs. titania/silica based photocatalysis. *Chemosphere*. 59: 335-342. <http://dx.doi.org/10.1016/j.chemosphere.2004.10.054>.
- Mohseni, M; David, A. (2003). Gas phase vinyl chloride (VC) oxidation using TiO₂-based photocatalysis. *Appl Catal B-Environ*. 46: 219-228. [http://dx.doi.org/10.1016/S0926-3373\(03\)00223-6](http://dx.doi.org/10.1016/S0926-3373(03)00223-6).
- Mohseni, M; Taghipour, F. (2004). Experimental and CFD analysis of photocatalytic gas phase vinyl chloride (VC) oxidation. *Chem Eng Sci*. 59: 1601-1609. <http://dx.doi.org/10.1016/j.ces.2004.01.017>.
- Moinzadeh, P; Breuhahn, K; Stützer, H; Schirmacher, P. (2005). Chromosome alterations in human hepatocellular carcinomas correlate with aetiology and histological grade: Results of an explorative CGH meta-analysis. *Br J Cancer*. 92: 935-941. <http://dx.doi.org/10.1038/sj.bjc.6602448>.
- Mok, YS; Kang, HC; Cho, MH; Nam, IS. (2003). Oxidation of volatile organic compounds by using a microwave-induced plasma process. *Korean J Chem Eng*. 20: 239-246.
- Mok, YS; Lee, SB; Oh, JH; Ra, KS; Sung, BH. (2008). Abatement of Trichloromethane by Using Nonthermal Plasma Reactors. *Plasma Chemistry and Plasma Processing*. 28: 663-676. <http://dx.doi.org/10.1007/s11090-008-9151-1>.
- Mondal, PK; Lima, G; Zhang, D; Lomheim, L; Tossell, RW; Patel, P; Sleep, BE. (2016). Evaluation of peat and sawdust as permeable reactive barrier materials for stimulating in situ biodegradation of trichloroethene. *J Hazard Mater*. 313: 37-48. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.049>.
- Monster, AC. (1979). Difference in uptake, elimination, and metabolism in exposure to trichloroethylene, 1,1,1-trichloroethane, and tetrachloroethylene. *Int Arch Occup Environ Health*. 42: 311-317. <http://dx.doi.org/10.1007/BF00377785>.
- Monster, AC; Boersma, G. (1975). Simultaneous determination of trichloroethylene and metabolites in blood and exhaled air by gas chromatography. *Int Arch Occup Environ Health*. 35: 155-163.
- Monster, AC; Boersma, G; Duba, WC. (1976). Pharmacokinetics of trichloroethylene in volunteers, influence of workload and exposure concentration. *Int Arch Occup Environ Health*. 38: 87-102. <http://dx.doi.org/10.1007/BF00378619>.
- Monster, AC; Boersma, G; Duba, WC. (1979). Kinetics of trichloroethylene in repeated exposure of volunteers. *Int Arch Occup Environ Health*. 42: 283-292. <http://dx.doi.org/10.1007/BF00377782>.
- Montecchio, F; Persson, H; Engvall, K; Delin, J; Lanza, R. (2016). Development of a stagnation point flow system to screen and test TiO₂-based photocatalysts in air purification applications. *Chem Eng J*. 306: 734-744. <http://dx.doi.org/10.1016/j.cej.2016.07.117>.
- Monteiro, RAR; Miranda, SM; Rodrigues-Silva, C; Faria, JL; Silva, AMT; Boaventura, R, uiaR; Vilar, VJP. (2015). Gas phase oxidation of n-decane and PCE by photocatalysis using an annular photoreactor packed with a monolithic catalytic bed coated with P25 and PC500. *Appl Catal B-Environ*. 165: 306-315. <http://dx.doi.org/10.1016/j.apcatb.2014.10.026>.

Fate Literature Search Results

Off Topic

- Monteiro, RAR; Rodrigues-Silva, C; Lopes, FVS; Silva, AMT; Boaventura, R, uiAR; Vilar, VJP. (2015). Evaluation of a solar/UV annular pilot scale reactor for 24 h continuous photocatalytic oxidation of n-decane. *Chem Eng J.* 280: 409-416. <http://dx.doi.org/10.1016/j.cej.2015.06.014>.
- Monteiro, RAR; Silva, AMT; Angelo, JRM; Silva, GV; Mendes, AM; Boaventura, R, uiAR; Vilar, VJP. (2015). Photocatalytic oxidation of gaseous perchloroethylene over TiO₂ based paint. *J Photochem Photobiol A.* 311: 41-52. <http://dx.doi.org/10.1016/j.jphotochem.2015.06.007>.
- Montesano, PM; Sun, G; Dubayah, RO; Ranson, KJ, on. (2016). S91 Spaceborne potential for examining taiga-tundra ecotone form and vulnerability. *Biogeosciences.* 13: 3847-3861. <http://dx.doi.org/10.5194/bg-13-3847-2016>.
- Moon, CS; Lee, JT; Chun, JH; Ikeda, M. (2001). Use of solvents in industries in Korea: experience in Sinpyeong-Jangrim industrial complex. *Int Arch Occup Environ Health.* 74: 148-152.
- Moon, HS; Chang, SW; Nam, K; Choe, J; Kim, JY. (2006). Effect of reactive media composition and co-contaminants on sulfur-based autotrophic denitrification. *Environ Pollut.* 144: 802-807. <http://dx.doi.org/10.1016/j.envpol.2006.02.020>.
- Moon, JW; Moon, HS; Kim, H; Roh, Y. (2005). Remediation of TCE-contaminated groundwater using zero valent iron and direct current: experimental results and electron competition model. *Environ Geol.* 48: 805-817. <http://dx.doi.org/10.1007/s00254-005-0023-1>.
- Moonsiri, M; Rangsunvigit, P; Chavadej, S; Gulari, E. (2004). Effects of Pt and Ag on the photocatalytic degradation of 4-chlorophenol and its by-products. *Chem Eng J.* 97: 241-248. <http://dx.doi.org/10.1016/j.cej.2003.05.003>.
- Moore, K; Forsberg, B; Baer, DR; Arnold, WA; Penns, R. (2011). Zero-Valent Iron: Impact of Anions Present during Synthesis on Subsequent Nanoparticle Reactivity. *J Environ Eng.* 137: 889-896. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000407](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000407).
- Moore, MM; Harrington-Brock, K. (2000). Mutagenicity of trichloroethylene and its metabolites: Implications for the risk assessment of trichloroethylene [Review]. *Environ Health Perspect.* 108: 215-223.
- Moore, P; Coucher, J; Ngai, S; Stanton, T; Wahi, S; Gould, P; Booth, C; Pratap, J; Kaye, G. (2016). Imaging and Right Ventricular Pacing Lead Position: A Comparison of CT, MRI, and Echocardiography. *Pacing Clin Electrophysiol.* 39: 382-392. <http://dx.doi.org/10.1111/pace.12817>.
- Mora, M; Skiles, R; Mckinney, B; Paredes, M; Buckler, D; Papoulias, D; Klein, D. (2002). Environmental contaminants in prey and tissues of the peregrine falcon in the Big Bend Region, Texas, USA. *Environ Pollut.* 116: 169-176. [http://dx.doi.org/10.1016/S0269-7491\(01\)00207-X](http://dx.doi.org/10.1016/S0269-7491(01)00207-X).
- Mora, MA; Durgin, B; Hudson, LB; Jones, E. (2016). Temporal and latitudinal trends of p,p'-DDE in eggs and carcasses of North American birds from 1980 to 2005 [Review]. *Environ Toxicol Chem.* 35: 1340-1348. <http://dx.doi.org/10.1002/etc.3360>.
- Mora, VC; Madueño, L; Peluffo, M; Rosso, JA; Del Panno, MT; Morelli, IS. (2014). Remediation of phenanthrene-contaminated soil by simultaneous persulfate chemical oxidation and biodegradation processes. *Environ Sci Pollut Res Int.* 21: 7548-7556. <http://dx.doi.org/10.1007/s11356-014-2687-0>.
- Mora, VC; Rossoa, JA; Carrillo Le Roux, G; Martire, DO; Gonzalez, MC. (2009). Thermally activated peroxydisulfate in the presence of additives: A clean method for the degradation of pollutants. *Chemosphere.* 75: 1405-1409. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.038>.
- Moradi, O; Norouzi, M; Fakhri, A, li; Naddafi, K. (2014). Interaction of removal Ethidium Bromide with Carbon Nanotube: Equilibrium and Isotherm studies. 12: 17. <http://dx.doi.org/10.1186/2052-336X-12-17>.
- Morag, Y; Tal, N; Nazarathy, M; Levron, Y. (2016). Thermodynamic Signal-to-Noise and Channel Capacity Limits of Magnetic Induction Sensors and Communication Systems. *IEEE Sens J.* 16: 1575-1585. <http://dx.doi.org/10.1109/JSEN.2015.2506341>.
- Morales-Suarez-Varela, MM; Olsen, J; Villeneuve, S; Johansen, P; Kaerlev, L; Llopis-Gonzalez, A; Wingren, G; Hardell, L; Ahrens, W; Stang, A; Merletti, F; Gorini, G; Aurrekoetxea, JJ; Fevotte, J. (2013). Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. *J Occup Environ Med.* 55: 924-931. <http://dx.doi.org/10.1097/JOM.0b013e3182941a1c>.
- Moran, MJ; Zogorski, JS; Squillace, PJ. (2007). Chlorinated solvents in groundwater of the United States. *Environ Sci Technol.* 41: 74-81. <http://dx.doi.org/10.1021/es061553y>.
- Morata, TC; Dunn, DE; Sieber, WK. (1994). Occupational exposure to noise and ototoxic organic solvents [Review]. *Arch Environ Occup Health.* 49: 359-365. <http://dx.doi.org/10.1080/00039896.1994.9954988>.
- Morata, TC; Fiorini, AC; Fischer, FM; Colacioppo, S; Wallingford, KM; Krieg, EF; Dunn, DE; Gozzoli, L; Padrão, MA; Cesar, CL. (1997). Toluene-induced hearing loss among rotogravure printing workers. *Scand J Work Environ Health.* 23: 289-298.
- Morata, TC; Johnson, AC; Nylen, P; Svensson, EB; Cheng, J; Krieg, EF; Lindblad, AC; Ernstgård, L; Franks, J. (2002). Audiometric findings in workers exposed to low levels of styrene and noise. *J Occup Environ Med.* 44: 806-814.
- Morcillo, CAD; Patterson, CE; Lacroix, B; Coen, C; Poh, CHJ; Cressler, JD; Papapolymerou, J. (2012). An Ultra-Thin, High-Power, and Multilayer Organic Antenna Array With T/R Functionality in the X-Band. *IEEE Transactions on Microwave Theory and Techniques.* 60: 3856-3867. <http://dx.doi.org/10.1109/TMTT.2012.2218119>.
- Moreira-Matias, L; Gama, J; Ferreira, M; Mendes-Moreira, J; Damas, L. (2016). Time-evolving O-D matrix estimation using high-speed GPS data streams. *Expert Systems with Applications.* 44: 275-288. <http://dx.doi.org/10.1016/j.eswa.2015.08.048>.
- Moreno, B; Nogales, R; Macci, C; Masciandaro, G; Benitez, E. (2011). Microbial eco-physiological profiles to estimate the biological restoration of a trichloroethylene-contaminated soil. *Ecol Indic.* 11: 1563-1571. <http://dx.doi.org/10.1016/j.ecolind.2011.03.026>.
- Moreno, B; Vivas, A; Nogales, R; Benitez, E. (2009). Solvent tolerance acquired by *Brevibacillus brevis* during an olive-waste vermicomposting process. *Ecotoxicol Environ Saf.* 72: 2109-2114. <http://dx.doi.org/10.1016/j.ecoenv.2009.06.011>.
- Morgan, JW; Cassidy, RE. (2002). Community cancer assessment in response to long-time exposure to perchlorate and trichloroethylene in drinking water. *J Occup Environ Med.* 44: 616-621.
- Morgan, RW; Kelsh, MA; Zhao, K; Heringer, S. (1998). Mortality of aerospace workers exposed to trichloroethylene. *Epidemiology.* 9: 424-431.
- Morgan, RW; Kelsh, MA; Zhao, K; Heringer, S. (2000). Mortality of aerospace workers exposed to trichloroethylene (vol 9, pg 424, 1998). *Epidemiology.* 11: 360-360.

Fate Literature Search Results

Off Topic

- Morgenstern, H. (1998). Ecologic studies. In KJ Rothman; S Greenland (Eds.), (2nd ed., pp. 459-480). Philadelphia, PA: Lippincott Williams & Wilkins.
- Morgenstern, H; Froines, J; Ritz, B; Young, B. (1997). Epidemiologic study to determine possible adverse effects to Rocketdyne/Atomics International workers from exposure to ionizing radiation. Berkeley, CA: Public Health Institute. <http://www.mapcruzin.com/rocketdyne-cancer/radiation.pdf>.
- Morgenstern, H; Froines, J; Ritz, B; Young, B. (1999). Epidemiologic study to determine possible adverse effects to Rocketdyne/Atomics International workers from exposure to selected chemicals. Berkeley, CA: Public Health Institute. http://www.ssfpanel.org/files/UCLA_chem.pdf.
- Mori, H; Kamiya, M; Suzuki, H; Suto, M; Tanaka, S; Nishio, Y; Kajita, K; Moriyama, H. (2003). Band filling control in ET salts. *Synthetic Metals*. 133: 161-163.
- Mori, H; Okano, T; Kamiya, M; Haemori, M; Suzuki, H; Tanaka, S; Tamura, M; Nishio, Y; Kajita, K; Kodani, M; Takimiya, K; Otsubo, T; Moriyama, H. (2001). Control of electronic states by bandwidth and band filling in organic conductors. *Synthetic Metals*. 120: 979-980.
- Mori, H; Sakurai, N; Tanaka, S; Moriyama, H. (1999). Antiferromagnetic fluctuation of (EDT-TTF)(4)CoCl4(1,1,2-TCE)(x). *Synthetic Metals*. 102: 1681-1681.
- Mori, H; Sakurai, N; Tanaka, S; Moriyama, H. (1999). Crystal structures and magnetic properties of d-p pi organic conductors, (EDT-TTF)(4)CoCl4(1,1,2-TCE)(x) and related materials. *Bull Chem Soc Jpn*. 72: 683-689.
- Mori, K; Nakamura, Y; Kaneko, M; Kan, T; Amemiya, T; Suzuki, S; Nakamura, H. (1992). Determination of 1,1,1-trichloroethane and 1,4-dioxane in household aerosol products. *JTTHE*. 38: 511-516.
- Mori, K; Nakamura, Y; Kaneko, M; Kan, T; Nakamura, H. (1993). SIMULTANEOUS DETERMINATION OF 1,1,1-TRICHLOROETHANE AND ITS STABILIZER IN WATER PROOFING AEROSOL PRODUCTS BY DRYSPACE METHOD. *JTTHE*. 39: 317-323.
- Mori, T; Suzuki, J; Fujimoto, K; Watanabe, M. (1998). Photocatalytic decomposition of trichloro ethylene and nitrate ion in water on hollandite-type catalysts. *Journal of Materials Synthesis and Processing*. 6: 329-333.
- Morimatsu, Y; Ishitake, T; Irie, K; Hara, K; Sakamoto, T; Aizawa, H. (2006). Acute pulmonary injury due to exposure to a high concentration of trichloroethylene vapor. *J Occup Health*. 48: 271-272.
- Morimura, K; Cheung, C; Ward, JM; Reddy, JK; Gonzalez, FJ. (2006). Differential susceptibility of mice humanized for peroxisome proliferator-activated receptor alpha to Wy-14,643-induced liver tumorigenesis. *Carcinogenesis*. 27: 1074-1080. <http://dx.doi.org/10.1093/carcin/bgi329>.
- Morio, M; Finkel, M; Martac, E. (2010). Flow guided interpolation - A GIS-based method to represent contaminant concentration distributions in groundwater. *Environ Modell Softw*. 25: 1769-1780. <http://dx.doi.org/10.1016/j.envsoft.2010.05.018>.
- Morioka, I; Miyai, N; Yamamoto, H; Miyashita, K. (2000). Evaluation of combined effect of organic solvents and noise by the upper limit of hearing. *Ind Health*. 38: 252-257. <http://dx.doi.org/10.2486/indhealth.38.252>.
- Morita, Z; Hiraoka, S; Yamamori, T; Motomura, H. (1975). STUDIES OF SOLVENT DYEING OF POLY(ETHYLENE TEREPHTHALATE) WITH DISPERSE DYES FROM TRICHLOROETHYLENE AND ISOCTANE. *Bull Chem Soc Jpn*. 48: 2538-2541.
- Moriwaki, C; Costa, GL; Pazzetto, R; Zanin, GM; Moraes, FF; Portilho, M; Matioli, G. (2007). Production and characterization of a new cyclodextrin glycosyltransferase from *Bacillus firmus* isolated from Brazilian soil. *Process Biochemistry*. 42: 1384-1390. <http://dx.doi.org/10.1016/j.procbio.2007.07.007>.
- Morkin, M; Devlin, JF; Barker, JF; Butler, BJ. (2000). In situ sequential treatment of a mixed contaminant plume. *J Contam Hydrol*. 45: 283-302.
- Morono, Y; Unno, H; Hori, K. (2006). Correlation of TCE cometabolism with growth characteristics on aromatic substrates in toluene-degrading bacteria. *Biochem Eng J*. 31: 173-179. <http://dx.doi.org/10.1016/j.bej.2006.07.003>.
- Morou, E; Ismail, HM; Dowd, AJ; Hemingway, J; Labrou, N; Paine, M; Vontas, J. (2008). A dehydrochlorinase-based pH change assay for determination of DDT in sprayed surfaces. *Anal Biochem*. 378: 60-64. <http://dx.doi.org/10.1016/j.ab.2008.03.046>.
- Morozov, G; Breus, V; Nekludov, S; Breus, I. (2014). Sorption of volatile organic compounds and their mixtures on montmorillonite at different humidity. *Colloid Surface Physicochem Eng Aspect*. 454: 159-171. <http://dx.doi.org/10.1016/j.colsurfa.2014.03.104>.
- Morrill, PL; Lacrampe-Couloume, G; Lollar, BS. (2004). Dynamic headspace: a single-step extraction for isotopic analysis of microg/L concentrations of dissolved chlorinated ethenes. *Rapid Commun Mass Spectrom*. 18: 595-600. <http://dx.doi.org/10.1002/rcm.1372>.
- Morrill, PL; Lacrampe-Couloume, G; Slater, GF; Sleep, BE; Edwards, EA; McMaster, ML; Major, DW; Sherwood Lollar, B. (2005). Quantifying chlorinated ethene degradation during reductive dechlorination at Kelly AFB using stable carbon isotopes. *J Contam Hydrol*. 76: 279-293. <http://dx.doi.org/10.1016/j.jconhyd.2004.11.002>.
- Morrill, PL; Sleep, BE; Seepersad, DJ; McMaster, ML; Hood, ED; Lebron, C; Major, DW; Edwards, EA; Lollar, BS. (2009). Variations in expression of carbon isotope fractionation of chlorinated ethenes during biologically enhanced PCE dissolution close to a source zone. *J Contam Hydrol*. 110: 60-71. <http://dx.doi.org/10.1016/j.jconhyd.2009.08.006>.
- Morrill, PL; Sleep, BE; Slater, GF; Edwards, EA; Lollar, BS. (2006). Evaluation of isotopic enrichment factors for the biodegradation of chlorinated ethenes using a parameter estimation model: toward an improved quantification of biodegradation. *Environ Sci Technol*. 40: 3886-3892. <http://dx.doi.org/10.1021/es051513e>.
- Morrison, RD. (2000). Critical review of environmental forensic techniques: Part I. *Environ Forensics*. 1: 157-173. <http://dx.doi.org/10.1006/enfo.2000.0017>.
- Morrissey, A; Kelly, G; Alderman, J. (1999). Selection of materials for reduced stress packaging of a microsystem. *Sens Actuators A*. 74: 178-181.
- Morrissey, FA; Grismer, ME. (1999). Kinetics of volatile organic compound sorption/desorption on clay minerals. *J Contam Hydrol*. 36: 291-312.
- Morrow, LA; Steinhauer, SR; Hodgson, MJ. (1992). Delay in P300 latency in patients with organic solvent exposure. *Arch Neurol*. 49: 315-320.

Fate Literature Search Results

Off Topic

- Mortazavi, SB; Ramavandi, B; Moussavi, G. (2011). Chemical reduction kinetics of nitrate in aqueous solution by Mg/Cu bimetallic particles. *Environ Technol.* 32: 251-260. <http://dx.doi.org/10.1080/09593330.2010.495399>.
- Morton, JD; Hayes, KF; Semrau, JD. (2000). Bioavailability of chelated and soil-adsorbed copper to *Methylosinus trichosporium* OB3b. *Environ Sci Technol.* 34: 4917-4922. <http://dx.doi.org/10.1021/es001330m>.
- Morton, LD; Youssef, AF; Lloyd, E; Kiorpes, AL; Goldsworthy, TL; Fort, FL. (2002). Evaluation of carcinogenic responses in the Eker rat following short-term exposure to selected nephrotoxins and carcinogens. *Toxicol Pathol.* 30: 559-564. <http://dx.doi.org/10.1080/01926230290105794>.
- Morton, LM; Hartge, P; Holford, TR; Holly, EA; Chiu, BC; Vineis, P; Stagnaro, E; Willett, EV; Franceschi, S; La Vecchia, C; Hughes, AM; Cozen, W; Davis, S; Severson, RK; Bernstein, L; Mayne, ST; Dee, FR; Cerhan, JR; Zheng, T. (2005). Cigarette smoking and risk of non-Hodgkin lymphoma: A pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph) [Review]. *Cancer Epidemiol Biomarkers Prev.* 14: 925-933. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0693>.
- Morton, LM; Holford, TR; Leaderer, B; Zhang, Y; Zahm, SH; Boyle, P; Flynn, S; Tallini, G; Owens, PH; Zhang, B; Zheng, T. (2003). Alcohol use and risk of non-Hodgkin's lymphoma among Connecticut women (United States). *Cancer Causes Control.* 14: 687-694. <http://dx.doi.org/10.1023/A:1025626208861>.
- Morton, LM; Turner, JJ; Cerhan, JR; Linet, MS; Treseler, PA; Clarke, CA; Jack, A; Cozen, W; Maynadie, M; Spinelli, JJ; Costantini, AS; Rudiger, T; Scarpa, A; Zheng, T; Weisenburger, DD. (2007). Proposed classification of lymphoid neoplasms for epidemiologic research from the Pathology Working Group of the International Lymphoma Epidemiology Consortium (InterLymph). *Blood.* 110: 695-708. <http://dx.doi.org/10.1182/blood-2006-11-051672>.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health A.* 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Moser, VC; Phillips, PM; McDaniel, KL; MacPhail, RC. (1999). Behavioral evaluation of the neurotoxicity produced by dichloroacetic acid in rats. *Neurotoxicol Teratol.* 21: 719-731. [http://dx.doi.org/10.1016/S0892-0362\(99\)00029-X](http://dx.doi.org/10.1016/S0892-0362(99)00029-X).
- Moss, JA; Szczepankiewicz, SH; Park, E; Hoffmann, MR. (2005). Adsorption and photodegradation of dimethyl methylphosphonate vapor at TiO₂ surfaces. *J Phys Chem B.* 109: 19779-19785. <http://dx.doi.org/10.1021/jp052057j>.
- Mossa hosseini, S; Ataie-Ashtiani, B; Kholghi, M. (2011). Nitrate reduction by nano-Fe/Cu particles in packed column. *Desalination.* 276: 214-221. <http://dx.doi.org/10.1016/j.desal.2011.03.051>.
- Motomatsu, M; Mizutani, W; Nie, HY; Tokumoto, H. (1996). Surface structure of a fluorinated thiol on Au(111) by scanning force microscopy. *Thin Solid Films.* 281: 548-551.
- Mouhamad, R; Ghanem, I; Alorfi, M; Ibrahim, K; Ali, N; Al-Daoude, A. (2012). PHYTOREMEDIATION OF TRICHLOROETHYLENE AND DICHLORODIPHENYLTRICHLOROETHANE-POLLUTED WATER USING TRANSGENIC SESBANIA GRANDIFLORA AND ARABIDOPSIS THALIANA PLANTS HARBORING RABBIT CYTOCHROME P450 2E1. *Int J Phytoremediation.* 14: 656-668. <http://dx.doi.org/10.1080/15226514.2011.619232>.
- Mouhyi, J; Sennerby, L; Pireaux, JJ; Dourou, N; Nammour, S; Van Reck, J. (1998). An XPS and SEM evaluation of six chemical and physical techniques for cleaning of contaminated titanium implants. *Clin Oral Implants Res.* 9: 185-194.
- Moulis, F; Krysa, J. (2013). Photocatalytic degradation of several VOCs (n-hexane, n-butyl acetate and toluene) on TiO₂ layer in a closed-loop reactor. *Catalysis Today.* 209: 153-158. <http://dx.doi.org/10.1016/j.cattod.2012.10.017>.
- Moulis, F; Krysa, J. (2015). Photocatalytic degradation of acetone and methanol in a flow-through photoreactor with immobilized TiO₂. *Res Chem Intermed.* 41: 9233-9242. <http://dx.doi.org/10.1007/s11164-015-1989-2>.
- Moura, FCC; Oliveira, GC; Araujo, MH; Ardisson, JD; Macedo, WAA; Lago, RM. (2006). Highly reactive species formed by interface reaction between Fe-0-iron oxides particles: An efficient electron transfer system for environmental applications. *Appl Catal A-Gen.* 307: 195-204. <http://dx.doi.org/10.1016/j.apcata.2006.03.037>.
- Mourand, JT; Crittenden, JC; Hand, DW; Perram, DL; Notthakun, S. (1995). REGENERATION OF SPENT ADSORBENTS USING HOMOGENEOUS ADVANCED OXIDATION. *Water Environ Res.* 67: 355-363.
- Mousa, IE. (2016). Total petroleum hydrocarbon degradation by hybrid electrobiochemical reactor in oilfield produced water. *Mar Pollut Bull.* 109: 356-360. <http://dx.doi.org/10.1016/j.marpolbul.2016.05.053>.
- Mouvet, C; Barberis, D; Bourg, ACM. (1993). ADSORPTION-ISOTHERMS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY VARIOUS NATURAL SOLIDS. *J Hydrol.* 149: 163-182.
- Moya, J; Howard-Reed, C; Corsi, RL. (1999). Volatilization of chemicals from tap water to indoor air from contaminated water used for showering. *Environ Sci Technol.* 33: 2321-2327.
- Mrema, EJ; Rubino, FM; Mandic-Rajcevic, S; Sturchio, E; Turci, R; Osculati, A; Brambilla, G; Minoia, C; Colosio, C. (2013). Exposure to priority organochlorine contaminants in the Italian general population. Part 1. Eight priority organochlorinated pesticides in blood serum. *Hum Exp Toxicol.* 32: 1323-1339. <http://dx.doi.org/10.1177/0960327113485255>.
- Mtolera, MSP; Collen, J; Pedersen, M; Ekdahl, A; Abrahamsson, K; Semesi, AK. (1996). Stress-induced production of volatile halogenated organic compounds in *Eucheuma denticulatum* (Rhodophyta) caused by elevated pH and high light intensities. *European Journal of Phycology.* 31: 89-95.
- Mu, Y; Radjenovic, J; Shen, J; Rozendal, RA; Rabaey, K; Keller, J. (2011). Dehalogenation of iodinated X-ray contrast media in a bioelectrochemical system. *Environ Sci Technol.* 45: 782-788. <http://dx.doi.org/10.1021/es1022812>.
- Muchitsch, N; Van Nooten, T; Bastiaens, L; Kjeldsen, P. (2011). Integrated evaluation of the performance of a more than seven year old permeable reactive barrier at a site contaminated with chlorinated aliphatic hydrocarbons (CAHs). *J Contam Hydrol.* 126: 258-270. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.007>.

Fate Literature Search Results

Off Topic

- Mudiam, MKR; Ch, R; Chauhan, A; Manickam, N; Jain, R; Murthy, RC. (2012). Optimization of UA-DLLME by experimental design methodologies for the simultaneous determination of endosulfan and its metabolites in soil and urine samples by GC-MS. *Analytical Methods*. 4: 3855-3863. <http://dx.doi.org/10.1039/c2ay25432h>.
- Mudiam, MKR; Jain, R; Varshney, M; Ch, R; Chauhan, A; Goyal, SK; Khan, HA; Murthy, RC. (2013). In matrix derivatization of trichloroethylene metabolites in human plasma with methyl chloroformate and their determination by solid-phase microextraction-gas chromatography-electron capture detector. *Journal of Chromatography B*. 925: 63-69. <http://dx.doi.org/10.1016/j.jchromb.2013.02.029>.
- Mudiam, MKR; Ratnasekhar, C, h. (2013). Ultra sound assisted one step rapid derivatization and dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometric determination of amino acids in complex matrices. *J Chromatogr A*. 1291: 10-18. <http://dx.doi.org/10.1016/j.chroma.2013.03.061>.
- Mueller, M; Aust, H. (2011). Transaction costs detailed: single-industry studies and operationalization. *Industrial Management + Data Systems*. 111: 1287-1331. <http://dx.doi.org/10.1108/02635571111170802>.
- Muellerova, D; Matejkova, D; Dvorakova, J; Mueller, L; Rosmus, J, an; Kovarova, K. (2015). PERSISTENT ORGANOCHLORINE POLLUTANTS IN OBESE WOMEN AFTER DIET INDUCED WEIGHT LOSS: FIVE YEARS FOLLOW UP STUDY. *Cent Eur J Public Health*. 23: 214-217.
- Muff, J; Jepsen, H; Sogaard, E. (2012). Bench-Scale Study of Electrochemical Oxidation for On-Site Treatment of Polluted Groundwater. *J Environ Eng*. 138: 915-922. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000561](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000561).
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res*. 29: 2434-2439.
- Muftikian, R; Nebesny, K; Fernando, Q; Korte, N. (1996). X-ray photoelectron spectra of the palladium-iron bimetallic surface used for the rapid dechlorination of chlorinated organic environmental contaminants. *Environ Sci Technol*. 30: 3593-3596.
- Muggli, DS; Ding, LF. (2001). Photocatalytic performance of sulfated TiO₂ and Degussa P-25TiO₂ during oxidation of organics. *Appl Catal B-Environ*. 32: 181-194.
- Muggli, DS; Odland, MJ; Schmidt, LR. (2001). Effect of trichloroethylene on the photocatalytic oxidation of methanol on TiO₂. *J Catal*. 203: 51-63. <http://dx.doi.org/10.1006/jcat.2001.3311>.
- Mukesh, G; Ashutosh, D, as; Ravikumar, K; Nagarajan, R. (2012). Sonochemical degradation of volatile and Non-volatile compounds. *Res Journal Chem Environ*. 16: 192-199.
- Mukherjee, R; Kumar, R; Sinha, A; Lama, Y; Saha, AK. (2016). A review on synthesis, characterization, and applications of nano zero valent iron (nZVI) for environmental remediation. *Crit Rev Environ Sci Tech*. 46: 443-466. <http://dx.doi.org/10.1080/10643389.2015.1103832>.
- Mulholland, JA; Sarofim, AF; Beer, JM. (1992). CHEMICAL EFFECTS OF FUEL CHLORINE ON THE ENVELOPE FLAME IGNITION OF DROPLET STREAMS. *Combust Sci Tech*. 85: 405-417.
- Mulholland, JA; Sarofim, AF; Longwell, JP; Lafleur, AL; Thilly, WG. (1994). Bacterial mutagenicity of pyrolysis tars produced from chloro-organic fuels. *Environ Health Perspect*. 102: 283-289.
- Mulholland, JA; Sarofim, AF; Sosothikul, P; Lafleur, AL. (1993). EFFECTS OF ORGANIC CHLORINE ON THE CHEMICAL-COMPOSITION AND CARBON NUMBER-DISTRIBUTION OF PYROLYSIS TARS. *Combust Flame*. 92: 161-177.
- Mulholland, JA; Sarofim, AF; Sosothikul, P; Monchamp, PA; Plummer, EF; Lafleur, AL. (1992). FORMATION OF PERCHLOROAROMATICS DURING TRICHLOROETHYLENE PYROLYSIS. *Combust Flame*. 89: 103-115.
- Muller, WF; Coulston, F; Korte, F. (1982). COMPARATIVE METABOLISM OF [C-14] TRICHLOROETHYLENE IN CHIMPANZEES, BABOONS, AND RHESUS-MONKEYS. *Chemosphere*. 11: 215-218.
- Mullins, M; Rogers, T; Loll, A. (1998). Estimation of Henry's constants for aqueous systems at elevated temperatures. *Fluid Phase Equilibria*. 150: 245-253.
- Mumtaz, MM; De Rosa, CT; Groten, J; Feron, VJ; Hansen, H; Durkin, PR. (1998). Estimation of toxicity of chemical mixtures through modeling of chemical interactions. *Environ Health Perspect*. 106: 1353-1360.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A*. 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Munakata, N; Reinhard, M. (2007). Palladium-catalyzed aqueous hydrodehalogenation in column reactors: Modeling of deactivation kinetics with sulfide and comparison of regenerants. *Appl Catal B-Environ*. 75: 1-10. <http://dx.doi.org/10.1016/j.apcatb.2007.03.005>.
- Munakatamarr, J; Matheson, VG; Forney, LJ; Tiedje, JM; Mccarty, PL. (1997). Long-term biodegradation of trichloroethylene influenced by bioaugmentation and dissolved oxygen in aquifer microcosms. *Environ Sci Technol*. 31: 786-791.
- Munakata-Marr, J; Mccarty, PL; Shields, MS; Reagin, M; Francesconi, SC. (1996). Enhancement of trichloroethylene degradation in aquifer microcosms bioaugmented with wild type and genetically altered Burkholderia (*Pseudomonas*) cepacia G4 and PR1. *Environ Sci Technol*. 30: 2045-2052.
- Mundle, K; Reynolds, DA; West, MR; Kueper, BH. (2007). Concentration rebound following in situ chemical oxidation in fractured clay. *Ground Water*. 45: 692-702. <http://dx.doi.org/10.1111/j.1745-6584.2007.00359.x>.
- Mundle, SOC; Johnson, T; Lacrampe-Couloume, G; Perez-De-Mora, A; Duhamel, M; Edwards, EA; McMaster, ML; Cox, E; Revesz, K; Lollar, BS. (2012). Monitoring Biodegradation of Ethene and Bioremediation of Chlorinated Ethenes at a Contaminated Site Using Compound-Specific Isotope Analysis (CSIA). *Environ Sci Technol*. 46: 1731-1738. <http://dx.doi.org/10.1021/es202792x>.
- Mundt, DJ; Dell, LD; Luippold, RS; Sulsky, SI; Skillings, A; Gross, R; Cox, KL; Mundt, KA. (2002). Cause-specific mortality among Kelly Air Force Base civilian employees, 1981-2001. *J Occup Environ Med*. 44: 989-996. <http://dx.doi.org/10.1097/01.jom.0000038329>.
- Munholland, JL; Mumford, KG; Kueper, BH. (2016). Factors affecting gas migration and contaminant redistribution in heterogeneous porous media subject to electrical resistance heating. *J Contam Hydrol*. 184: 14-24. <http://dx.doi.org/10.1016/j.jconhyd.2015.10.011>.

Fate Literature Search Results

Off Topic

- Munoz, MJ; Rodriguez, M; Martin, R; Galan, M. (1994). A STUDY OF THE VISCOSITY OF METHYL MYRISTATE SOLUTIONS IN ORGANIC-SOLVENTS. 90: 177-180.
- Murabayashi, M; Itoh, K; Hua, ZL; Kitahara, K. (2002). The effects of the pre-treatments on the photocatalytic degradation of trichloroethylene in the gas-phase. *Journal of Advanced Oxidation Technologies*. 5: 67-71.
- Murakami-Nitta, T; Kirimura, K; Kino, K. (2003). Degradation of dimethyl sulfoxide by the immobilized cells of *Hyphomicrobium denitrificans* WU-K217. *Biochem Eng J*. 15: 199-204. [http://dx.doi.org/10.1016/S1369-703X\(03\)00004-4](http://dx.doi.org/10.1016/S1369-703X(03)00004-4).
- Murali, B; Kim, D, oG; Kang, J, aeW; Kim, J. (2014). Inkjet-printing of hybrid transparent conducting electrodes for organic solar cells. *Physica Status Solidi A: Applications and Materials Science (Print)*. 211: 1801-1806. <http://dx.doi.org/10.1002/pssa.201330463>.
- Murata, K; Inoue, O; Akutsu, M; Iwata, T. (2010). Neuromotor Effects of Short-Term and Long-Term Exposures to Trichloroethylene in Workers. *Am J Ind Med*. 53: 915-921. <http://dx.doi.org/10.1002/ajim.20850>.
- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics*. 17: 282-293. <http://dx.doi.org/10.1080/15275922.2016.1230907>.
- Murphy, JP. (1990). Exposure to Wells G and H in Woburn, Massachusetts. Boston, MA: Massachusetts Health Research Institute, Inc. and Massachusetts Department of Public Health. http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_exposure_wells.pdf.
- Murphy, S; Ouelton, T; Ballard, JM; Lefebvre, R; Clark, I. (2011). Tritium-helium groundwater age used to constrain a groundwater flow model of a valley-fill aquifer contaminated with trichloroethylene (Quebec, Canada). *Hydrogeology Journal*. 19: 195-207. <http://dx.doi.org/10.1007/s10040-010-0662-5>.
- Murray, WD; Richardson, M. (1993). PROGRESS TOWARD THE BIOLOGICAL TREATMENT OF C-1 AND C-2 HALOGENATED HYDROCARBONS (pp. 195-217). (ISSN 1064-3389; EISSN 1547-6537; BIOSIS/94/36777). National Board of Labour Protection (Finland).
- Musialik-Piotrowska, A. (2007). Destruction of trichloroethylene (TCE) and trichloromethane (TCM) in the presence of selected VOCs over Pt-Pd-based catalyst. *Catalysis Today*. 119: 301-304. <http://dx.doi.org/10.1016/j.cattod.2006.08.059>.
- Musialik-Piotrowska, A; Mendyka, B. (2004). Catalytic oxidation of chlorinated hydrocarbons in two-component mixtures with selected VOCs. *Catalysis Today*. 90: 139-144. <http://dx.doi.org/10.1016/j.cattod.2004.04.019>.
- Musialik-Piotrowska, A; Syczewska, K. (2002). Catalytic oxidation of trichloroethylene in two-component mixtures with selected volatile organic compounds. *Catalysis Today*. 73: 333-342.
- Musielak, M; Brusseau, ML; Marcoux, M; Morrison, C; Quintard, M. (2014). Determination of Chlorinated Solvent Sorption by Porous Material-Application to Trichloroethene Vapor on Cement Mortar. *Transport in Porous Media*. 104: 77-90. <http://dx.doi.org/10.1007/s11242-014-0321-8>.
- Musso, E; Tesser, R; Basile, G; Di Serio, M; Santacesaria, E. (2000). Description of the liquid-liquid equilibrium in binary and multicomponent CFC/lubricating oil mixtures by means of an extended Flory-Huggins model. *J Fluor Chem*. 103: 41-51.
- Muthuraman, G; Moon, IS. (2016). Sustainable Generation of a Homogeneous Ni(I) Catalyst in the Cathodic Compartment of a Divided Flow Electrolytic Cell for the Degradation of Gaseous Carbon Tetrachloride by Electroscrubbing. 4: 1364-1372. <http://dx.doi.org/10.1021/acssuschemeng.5b01383>.
- Myasoedova, TG; Dmitrieva, GV. (1991). RADIOCHEMICAL TRANSFORMATIONS OF DICYCLOHEXYL-18-CROWN-6 (DCH18C6) IN AN EXTRACTION SYSTEM WITH AN ORGANOCHLORINE DILUENT. *High Energy Chemistry*. 25: 205-208.
- Myekhlai, M; Lee, S; Lee, T; Chung, H; Jeong, H. (2015). A facile and eco-friendly synthesis of graphene-silver hybrid materials for transparent conductive films. *Ceramics International*. 41: 983-989. <http://dx.doi.org/10.1016/j.ceramint.2014.09.018>.
- Myszkowski, J; Milchert, E. (2003). Recovery of organochlorine derivatives from waste waters in the stripper-adsorber system. *Przemysł Chemiczny*. 82: 1048-1050.
- Nadagouda, MN; Castle, AB; Murdock, RC; Hussain, SM; Varma, RS. (2010). In vitro biocompatibility of nanoscale zerovalent iron particles (NZVI) synthesized using tea polyphenols. *Green Chem*. 12: 114-122. <http://dx.doi.org/10.1039/b921203p>.
- Nadim, F; Nadim, A; Hoag, GE; Dahmani, AM. (1997). Desorption rate limitation in the extraction of organic molecules from unsaturated soils during soil venting operations. *J Contam Hydrol*. 25: 1-2.
- Nagaki, A; Takahashi, Y; Henseler, A; Matsuo, C; Yoshida, J, unI. (2015). Flash Chemistry Using Trichlorovinyl lithium: Switching the Reaction Pathways by High-resolution Reaction Time Control. *Chem Lett*. 44: 214-216. <http://dx.doi.org/10.1246/cl.140980>.
- Nagano, K; Umeda, Y; Saito, M; Nishizawa, T; Ikawa, N; Arito, H; Yamamoto, S; Fukushima, S. (2007). Thirteen-week inhalation toxicity of carbon tetrachloride in rats and mice. *J Occup Health*. 49: 249-259.
- Nagaoka, T; Yamashita, J; Takase, M; Ogura, K. (1994). COMPOSITE ELECTRODES CONSISTING OF METAL AND OXIDIZED CARBON PARTICLES FOR COMPLETE DEGRADATION OF TRICHLOROETHYLENE IN ACETONITRILE. *J Electrochem Soc*. 141: 1522-1526.
- Nagasawa, Y; Ukai, H; Okamoto, S; Samoto, H; Itoh, K; Moriguchi, J; Sakuragi, S; Ohashi, F; Takada, S; Kawakami, T; Ikeda, M. (2011). Organic solvent use in enterprises in Japan. *Ind Health*. 49: 534-541.
- Nagaya, T; Ishikawa, N; Hata, H. (1989). Urinary total protein and "beta"-2-microglobulin in workers exposed to trichloroethylene. *Environ Res*. 50: 86-92. [http://dx.doi.org/10.1016/S0013-9351\(89\)80050-7](http://dx.doi.org/10.1016/S0013-9351(89)80050-7).
- Nagaya, T; Ishikawa, N; Hata, H; Otobe, T. (1993). Subclinical and reversible hepatic effects of occupational exposure to trichloroethylene. *Int Arch Occup Environ Health*. 64: 561-563. <http://dx.doi.org/10.1007/BF00517701>.
- Naghizadeh, A; Nasser, S; Nazmara, S, h. (2011). REMOVAL OF TRICHLOROETHYLENE FROM WATER BY ADSORPTION ON TO MULTIWALL CARBON NANOTUBES. *Iranian Journal of Environmental Health Science and Engineering*. 8: 375-382.
- Nai-Ku, X; Chang-Fa, X; Yan, F. (2008). Preparation and characterization of absorptive functional fiber copolymerized by n-butyl methacrylate with hydroxyethyl methacrylate. *Chem J Chin Univ-Chin*. 29: 1677-1683.

Fate Literature Search Results

Off Topic

- Nairat, M; Shahwan, T; Eroglu, AE; Fuchs, H. (2015). Incorporation of iron nanoparticles into clinoptilolite and its application for the removal of cationic and anionic dyes. *J Ind Eng Chem.* 21: 1143-1151. <http://dx.doi.org/10.1016/j.jiec.2014.05.027>.
- Naito, T; Inabe, T; Akutagawa, T; Hasegawa, T; Nakamura, T; Hosokoshi, Y; Inoue, K. (2003). Physical properties of (ET)(3)(MnCl4)(TCE) and the related salts. *Synthetic Metals.* 135: 613-614. [http://dx.doi.org/10.1016/S0379-6779\(02\)00794-4](http://dx.doi.org/10.1016/S0379-6779(02)00794-4).
- Naito, T; Inabe, T; Takeda, K; Awaga, K; Akutagawa, T; Hasegawa, T; Nakamura, T; Kakiuchi, T; Sawa, H; Yamamoto, T; Tajima, H. (2001). Peculiar physical properties of (ET)(3)(MnCl4)(TCE). *Synthetic Metals.* 120: 877-878.
- Naito, Y; Ikezaki, H; Taniguchi, A; Toko, K. (2004). Detection of noncharged organic substances by new measurement method using a lipid membrane sensor. *IEEE Sens J.* 4: 279-283. <http://dx.doi.org/10.1109/JSEN.2004.827218>.
- Nakagawa, F; Takahashi, Y; Gotoh, T; Fujieda, M; Hosokawa, M; Kiuchi, H; Imae, M. (2007). Development of time comparison equipment for ETS-VIII satellite. *Electrical Engineering in Japan.* 158: 61-71. <http://dx.doi.org/10.1002/eej.20385>.
- Nakagawa, Y; Ono, R, yo; Oda, T. (2014). Investigation of Humidity Effect on Atmospheric Plasma Decomposition of Toxic Gas With Direct Optical Measurement of OH Radicals. *IEEE Transactions on Industry Applications.* 50: 39-44. <http://dx.doi.org/10.1109/TIA.2013.2266891>.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE.* 38: 240-246.
- Nakahama, T; Fukuhara, M; Inouye, Y. (1997). Volatile halogenated hydrocarbons in ambient air and the metabolites in human urine in an urban area (pp. 280-284). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/98/03630). Nakahama, T; Fukuhara, M; Inouye, Y.
- Nakahama, T; Sarutani, S; Inouye, Y. (1999). Comparative study on the effect of trichloroethylene on the expression of P450 isoforms in rat lung and liver. *J Health Sci.* 45: 8-14.
- Nakai, JS; Stathopoulos, PB; Campbell, GL; Chu, I; Li-Muller, A; Aucoin, R. (1999). Penetration of chloroform, trichloroethylene, and tetrachloroethylene through human skin. *J Toxicol Environ Health A.* 58: 157-170. <http://dx.doi.org/10.1080/009841099157368>.
- Nakajima, T; Aoyama, T. (2000). Polymorphism of drug-metabolizing enzymes in relation to individual susceptibility to industrial chemicals [Review]. *Ind Health.* 38: 143-152. <http://dx.doi.org/10.2486/indhealth.38.143>.
- Nakajima, T; Moriguchi, M; Mitsumoto, Y; Sekoguchi, S; Nishikawa, T; Takashima, H; Watanabe, T; Katagishi, T; Kimura, H; Okanou, T; Kagawa, K. (2004). Centrosome aberration accompanied with p53 mutation can induce genetic instability in hepatocellular carcinoma. *Mod Pathol.* 17: 722-727. <http://dx.doi.org/10.1038/modpathol.3800115>.
- Nakajima, T; Yamanoshita, O; Kamijima, M; Kishi, R; Ichihara, G. (2003). Generalized skin reactions in relation to trichloroethylene exposure: a review from the viewpoint of drug-metabolizing enzymes [Review]. *J Occup Health.* 45: 8-14.
- Nakajima, Y; Mironov, V; Yamagishi, T; Nakamura, H; Markwald, R. (1997). Expression of smooth muscle alpha-actin in mesenchymal cells during formation of avian endocardial cushion tissue: a role for transforming growth factor beta3. *Dev Dyn.* 209: 296-309. [http://dx.doi.org/10.1002/\(SICI\)1097-0177\(199707\)209:3<296::AID-AJA5>3.0.CO;2-D](http://dx.doi.org/10.1002/(SICI)1097-0177(199707)209:3<296::AID-AJA5>3.0.CO;2-D).
- Nakamiya, K; Nakayama, T; Ito, H; Shibata, Y; Morita, M. (2009). Isolation and properties of a 2-chlorovinylarsonic acid-degrading microorganism. *J Hazard Mater.* 165: 388-393. <http://dx.doi.org/10.1016/j.jhazmat.2008.10.030>.
- Nakamura, T; Senior, CL; Burns, EG; Bell, MD. (2000). Solar-powered soil vapor extraction for removal of dense nonaqueous phase organics from soil. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* A35: 795-816.
- Nakanishi, S; Hino, T. (1993). DETERMINATION OF VOLATILE CHLORINATED HYDROCARBONS IN SOIL USING SAMPLING VIALS FOR STORAGE AND EXTRACTION BY MEANS OF WATER-HEXANE EXTRACTION METHOD. *JTTHE.* 39: 29-36.
- Nakano, N; Yamamoto, A; Nagashima, K. (1996). Continuous monitoring of ozone in air by reflectometry. *Analyst.* 121: 1939-1942.
- Nakano, N; Yamamoto, A; Nagashima, K. (1996). Development of a monitoring system for vinyl chloride gas in air by using an HCl monitoring tape and pyrolyzer. *Talanta.* 43: 459-463.
- Nakano, Y; Hua, LQ; Nishijima, W; Shoto, E; Okada, M. (2000). Biodegradation of trichloroethylene (TCE) adsorbed on granular activated carbon (GAC). *Water Res.* 34: 4139-4142.
- Nakano, Y; Nishijima, W; Soto, E; Okada, M. (1999). Relationship between growth rate of phenol utilizing bacteria and the toxic effect of metabolic intermediates of trichloroethylene (TCE). *Water Res.* 33: 1085-1089.
- Nakano, Y; Okawa, K; Nishijima, W; Okada, M. (2003). Ozone decomposition of hazardous chemical substance in organic solvents. *Water Res.* 37: 2595-2598. [http://dx.doi.org/10.1016/S0043-1354\(03\)00077-0](http://dx.doi.org/10.1016/S0043-1354(03)00077-0).
- Nakashima, Y; Ikegami, S. (2001). Guar gum reduces trichloroethylene accumulation in the body by reducing TCE absorption and fat tissue mass. *J Agric Food Chem.* 49: 3499-3505. <http://dx.doi.org/10.1021/jf001221r>.
- Nakatsuka, H; Watanabe, T; Takeuchi, Y; Hisanaga, N; Shibata, E; Suzuki, H; Huang, MY; Chen, Z; Qu, QS; Ikeda, M. (1992). Absence of blue-yellow color vision loss among workers exposed to toluene or tetrachloroethylene, mostly at levels below occupational exposure limits. *Int Arch Occup Environ Health.* 64: 113-117. <http://dx.doi.org/10.1007/BF00381478>.
- Nakhjavan, B; Tahir, MN; Natalio, F; Panthoefler, M; Gao, H; Dietzsch, M; Andre, R; Gasi, T; Ksenofontov, V; Branscheid, R; Kolb, U, te; Tremel, W. (2012). Ni@Fe2O3 heterodimers: controlled synthesis and magnetically recyclable catalytic application for dehalogenation reactions. *Nanoscale.* 4: 4571-4577. <http://dx.doi.org/10.1039/c2nr12121b>.
- Nalaskowski, J; Hupka, J. (2004). Emulsion cleaning of metal surfaces contaminated with fresh and oxidized printing ink. *Fresen Environ Bull.* 13: 211-215.
- Nam, J; Kim, I; Kwon, J; Kim, YD, o. (2016). Applications of electrochemical ferrate(VI) for degradation of trichloroethylene in the aqueous phase. *Desalination and Water Treatment.* 57: 5138-5145. <http://dx.doi.org/10.1080/19443994.2014.1001440>.
- Nanba, K; Takeda, K; Higashihara, T; Ohwada, K. (1999). Distribution of methanotrophic bacteria in the coastal marine sediments. *Fish Sci.* 65: 531-536.

Fate Literature Search Results

Off Topic

- Nanzyo, M; Takeda, A; Tsukada, H. (2009). Selective Dissolution Analysis of Major and Trace Elements in an Allophanic Andisol Acidified by Long-Term Fertilizer Application. *Commun Soil Sci Plant Anal.* 40: 2743-2755. <http://dx.doi.org/10.1080/00103620903173780>.
- Narayan, R; Asha, SK. (2013). Solvent-induced self-assembly of hydrogen bonded P4VP-perylenebisimide comb polymer. 1: 5925-5934. <http://dx.doi.org/10.1039/c3tc31015a>.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res.* 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res.* 67: 46-56.
- Narayanan, M; Davis, LC; Erickson, LE. (1995). Fate of volatile chlorinated organic compounds in a laboratory chamber with alfalfa plants. *Environ Sci Technol.* 29: 2437-2444.
- Narayanan, M; Erickson, LE; Davis, LC. (1999). Simple plant-based design strategies for volatile organic pollutants. *Environmental Progress.* 18: 231-242.
- Narayanan, M; Russell, NK; Davis, LC; Erickson, LE. (1999). Fate and Transport of Trichloroethylene in a Chamber with Alfalfa Plants. *Int J Phytoremediation.* 1: 387-411. <http://dx.doi.org/10.1080/15226519908500026>.
- Naresh, RK; Rathore, RS; Dhaliwal, SS; Yadav, RB; Kumar, D; Singh, SP; Nawaz, A; Kumar, N; Gupta, R, ajK. (2016). Crop establishment methods: foliar and basal nourishment of rice (*Oryza sativa*) cultivation affecting growth parameters, water saving, productivity and soil physical properties. *Paddy and Water Environment.* 14: 373-386. <http://dx.doi.org/10.1007/s10333-015-0507-x>.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health.* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Nasr, AT; Alexander, K; Schreiner, LJ; Mcauley, KB. (2015). Leuco-crystal-violet micelle gel dosimeters: I. Influence of recipe components and potential sensitizers. *Phys Med Biol.* 60: 4665-4683. <http://dx.doi.org/10.1088/0031-9155/60/12/4665>.
- Nasr, AT; Alexander, KM; Olding, T; Schreiner, LJ; Mcauley, KB. (2015). Leuco-crystal-violet micelle gel dosimeters: II. Recipe optimization and testing. *Phys Med Biol.* 60: 4685-4704. <http://dx.doi.org/10.1088/0031-9155/60/12/4685>.
- Natarajan, A; Duivenvoorden, W; Meijers, M; Zwanenburg, T. (1993). Induction of mitotic aneuploidy using Chinese hamster primary embryonic cells. Test results of 10 chemicals. *Mutat Res.* 287: 47-56. [http://dx.doi.org/10.1016/0027-5107\(93\)90144-5](http://dx.doi.org/10.1016/0027-5107(93)90144-5).
- Nath, J. R.; Saini, R. (1991). VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE. *Fluid Phase Equilibria.* 68: 281-290.
- Nath, J. (1991). THERMODYNAMIC BEHAVIOR OF BINARY-SYSTEMS OF 1,4-DIOXANE WITH 1,2-DICHLOROETHANE, DICHLOROMETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE - VAPOR-PRESSURES AND EXCESS MOLAR GIBBS ENERGIES. *J Chem Soc Faraday Trans.* 87: 1345-1350.
- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. *Fluid Phase Equilibria.* 109: 39-51.
- Nath, J; Chaudhary, SK. (1992). EXCESS VOLUMES, DIELECTRIC-CONSTANTS, REFRACTIVE-INDEXES, AND VISCOSITIES FOR ANISOLE PLUS METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data.* 37: 387-390.
- Nath, J; Das, SS. (1993). THERMODYNAMIC BEHAVIOR OF BINARY-SYSTEMS OF QUINOLINE WITH METHYLENE-CHLORIDE, CHLOROFORM, CARBON-TETRACHLORIDE, BENZENE AND CYCLOHEXANE - VAPOR-PRESSURES AND EXCESS MOLAR GIBBS ENERGIES. *J Chem Soc Faraday Trans.* 89: 2429-2432.
- Nath, J; Dixit, AP. (1984). ULTRASONIC VELOCITIES IN, AND ADIABATIC COMPRESSIBILITIES AND EXCESS VOLUMES FOR, BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data.* 29: 313-316.
- Nath, J; Dixit, AP. (1990). TOTAL VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE AND CYCLOHEXANE AT 273.15 K. *Fluid Phase Equilibria.* 60: 205-212.
- Nath, J; Mishra, SK. (1998). Excess molar volumes and kinematic viscosities of binary liquid mixtures of cyclohexanone plus dichloromethane, plus trichloromethane, plus 1,2-dichloroethane, plus trichloroethene, plus 1,1,1-trichloroethane, and plus cyclohexane. *Journal of Chemical and Engineering Data.* 43: 196-200.
- Nath, J; Mishra, SK. (1998). Excess molar volumes of (cyclohexanone plus trichloromethane, or 1,2-dichloroethane, or trichloroethene, or 1,1,1-trichloroethane, or cyclohexane) at T = 308.15 K, and of (cyclohexanone plus dichloromethane) at T = 303.15 K. *Fluid Phase Equilibria.* 152: 277-282.
- Nath, J; Mishra, SK. (1998). Relative permittivities and refractive indices of binary mixtures of cyclohexanone with dichloromethane, trichloromethane, 1,2-dichloroethane, trichloroethene and cyclohexane at T = 303.15 K. *Fluid Phase Equilibria.* 145: 89-97.
- Nath, J; Pandey, JG. (1997). Viscosities of binary liquid mixtures of butanol plus pentane, plus hexane, plus heptane, and plus octane at T = 298.15 K. *Journal of Chemical and Engineering Data.* 42: 1133-1136.
- Nath, J; RASHMI. (1990). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF 1,4-DIOXANE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria.* 58: 319-324.
- Nath, J; Saini, R. (1989). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria.* 50: 297-303.

Fate Literature Search Results

Off Topic

- Nath, J; Srivastava, AK. (1986). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHYLENE WITH ANISOLE, PYRIDINE, QUINOLINE AND CYCLOHEXANE AT 298.15K AND 308.15K. *Fluid Phase Equilibria*. 28: 97-101.
- Nath, J; Tiwari, M; Kumar, S. (1994). VAPOR-PRESSURES AND ACTIVITY-COEFFICIENTS FOR BINARY-SYSTEMS OF ANISOLE WITH DICHLOROMETHANE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE AT 298.15-K. 337-337.
- Naugler, WE; Sakurai, T; Kim, S; Maeda, S; Kim, K; Elsharkawy, AM; Karin, M. (2007). Gender disparity in liver cancer due to sex differences in MyD88-dependent IL-6 production. *Science*. 317: 121-124. <http://dx.doi.org/10.1126/science.1140485>.
- Navarrete, M; Rodrigues, N; Amils, R; Sanz, JL. (1999). Effect of 1,1,2,2-tetrachloroethane on the performance of upflow anaerobic sludge bed (UASB) reactors. *Water Sci Technol*. 40: 153-159.
- Navon, D; Loehr, RC; Liljestrand, HM; Daniel D E, J. R. (1998). Impact of biodegradable trenching slurry on iron treatment wall performance. *Water Sci Technol*. 38: 49-53.
- Nayak, JN; Aralaguppi, MI; Toti, US; Aminabhavi, TM. (2003). Density, Viscosity, Refractive Index, and Speed of Sound in the Binary Mixtures of Tri- n -butylamine + Triethylamine, + Tetrahydrofuran, + Tetradecane, + Tetrachloroethylene, + Pyridine, or + Trichloroethylene at (298.15, 303.15, and 308.15) K. *Journal of Chemical and Engineering Data*. 48: 1483-1488. <http://dx.doi.org/10.1021/je030147g>.
- Nayak, KC; Saha, SK; Srinivasan, K; Dutta, P. (2006). A numerical model for heat sinks with phase change materials and thermal conductivity enhancers. *Int J Heat Mass Tran*. 49: 1833-1844. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2005.10.039>.
- Nazari, MM; Burston, MW; Bishop, PK; Lerner, DN. (1993). Urban ground-water pollution: A case study from Coventry, United Kingdom. *Ground Water*. 31: 417-424.
- Nazir, M; Takasaki, J; Kumazawa, H. (2003). Photocatalytic degradation of gaseous ammonia and trichloroethylene over TiO₂ ultrafine powders deposited on activated carbon particles. *Chemical Engineering Communications*. 190: 322-333. <http://dx.doi.org/10.1080/00986440390183393>.
- Ndon, UJ; Randall, AA. (1999). Periodic aerated treatment and in-situ bioremediation strategies for polyhalogenated compounds. *Water Res*. 33: 2715-2720.
- Ndon, UJ; Randall, AA; Khouri, TZ. (2000). Reductive dechlorination of tetrachloroethylene by soil sulfate-reducing microbes under various electron donor conditions. *Environ Monit Assess*. 60: 329-336.
- Ndong, LBB, i; Gu, X; Lu, S; Ibondou, MP; Qiu, Z; Sui, Q; Mbadinga, SM; Mu, B. (2015). Role of reactive oxygen species in the dechlorination of trichloroethene and 1,1,1-trichloroethane in aqueous phase in UV/TiO₂ systems. *Chem Eng Sci*. 123: 367-375. <http://dx.doi.org/10.1016/j.ces.2014.11.034>.
- Ndong, LBB, i; Ibondou, MP; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Enhanced Photocatalytic Activity of TiO₂ Nanosheets by Doping with Cu for Chlorinated Solvent Pollutants Degradation. *Ind Eng Chem Res*. 53: 1368-1376. <http://dx.doi.org/10.1021/ie403405z>.
- Ndong, LBB, i; Ibondou, MP; Gu, X; Xu, M; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficiently Synthetic TiO₂ Nano-sheets for PCE, TCE, and TCA Degradations in Aqueous Phase Under VUV Irradiation. *Water Air Soil Pollut*. 225. <http://dx.doi.org/10.1007/s11270-014-1951-8>.
- Ndong, LBB, i; Ibondou, MP; Miao, Z; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficient dechlorination of chlorinated solvent pollutants under UV irradiation by using the synthesized TiO₂ nano-sheets in aqueous phase. *J Environ Sci*. 26: 1188-1194. [http://dx.doi.org/10.1016/S1001-0742\(13\)60541-0](http://dx.doi.org/10.1016/S1001-0742(13)60541-0).
- Neafsey, P; Ginsberg, G; Hattis, D; Johns, DO; Guyton, KZ; Sonawane, B. (2009). Genetic polymorphism in CYP2E1: Population distribution of CYP2E1 activity [Review]. *J Toxicol Environ Health B Crit Rev*. 12: 362-388. <http://dx.doi.org/10.1080/10937400903158359>.
- Nefso, EK; Burns, SE. (2007). Comparison of the equilibrium sorption of five organic compounds to HDPE, PP, and PVC geomembranes. *Geotextiles and Geomembranes*. 25: 360-365. <http://dx.doi.org/10.1016/j.geotextmem.2006.12.002>.
- Neghab, M; Qu, S; Bai, CL; Caples, J; Stacey, NH. (1997). Raised concentration of serum bile acids following occupational exposure to halogenated solvents, 1,1,2-trichloro-1,2,2-trifluoroethane and trichloroethylene. *Int Arch Occup Environ Health*. 70: 187-194. <http://dx.doi.org/10.1007/s004200050205>.
- Neghab, M; Stacey, N. (1997). Toluene-induced elevation of serum bile acids: Relationship to bile acid transport. *J Toxicol Environ Health*. 52: 249-268. <http://dx.doi.org/10.1080/00984109708984063>.
- Negrini, RM; Erbes, DB; Roberts, AP; Verosub, KL; Sarnawojcicki, AM; Meyer, CE. (1994). REPEATING WAVE-FORM INITIATED BY A 180-190-KA GEOMAGNETIC EXCURSION IN WESTERN NORTH-AMERICA - IMPLICATIONS FOR FIELD BEHAVIOR DURING POLARITY TRANSITIONS AND SUBSEQUENT SECULAR VARIATION. *J Geophys Res Solid Earth*. 99: 24105-24119.
- Nelson, AD; Schmitt, RJ; Dickeson, D. (1997). Upgrading the performance of groundwater VOC air strippers. *Environmental Progress*. 16: 43-46.
- Nelson, DK; Novak, PJ. (2009). Enhanced Dissolution of Trichloroethene: Effect of Carbohydrate Addition and Fermentation Processes. *J Environ Eng*. 135: 861-868. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000042](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000042).
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis*. 16: 1243-1245.
- Nelson, L; Longstreth, W; Koepsell, T; Checkoway, H; van Belle, G. (1994). Completeness and accuracy of interview data from proxy respondents: Demographic, medical, and life-style factors. *Epidemiology*. 5: 204-217.
- Nelson, NT; Oostrom, M; Wietsma, TW; Brusseau, ML. (1999). Partitioning tracer method for the in situ measurement of DNAPL saturation: Influence of heterogeneity and sampling method. *Environ Sci Technol*. 33: 4046-4053.
- Nelson, YM; Jewell, WJ. (1993). VINYL-CHLORIDE BIODEGRADATION WITH METHANOTROPHIC ATTACHED FILMS. *J Environ Eng*. 119: 890-907.
- Němeček, J; Pokorný, P; Lhotský, O; Knytl, V; Najmanová, P; Steinová, J; Černík, M; Filipová, A; Filip, J; Cajthaml, T. (2016). Combined nanobiotechnology for in-situ remediation of mixed contamination of groundwater by hexavalent chromium and chlorinated solvents. *Sci Total Environ*. 563-564: 822-834. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.019>.

Fate Literature Search Results

Off Topic

- Nemir, A; David, MM; Perrussel, R; Sapkota, A, my; Simonet, P; Monier, JM; Vogel, TM. (2010). Comparative phylogenetic microarray analysis of microbial communities in TCE-contaminated soils. *Chemosphere*. 80: 600-607. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.036>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med*. 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Netzer, L; Weisbrod, N; Kurtzman, D; Nasser, A; Graber, ER; Ronen, D. (2010). Observations on Vertical Variability in Groundwater Quality: Implications for Aquifer Management. *Water Resources Management*. 25: 1315-1324. <http://dx.doi.org/10.1007/s11269-010-9746-1>.
- Neumann, CM; Forman, DL; Rothlein, JE. (1998). Hazard screening of chemical releases and environment equity analysis of populations proximate to toxic release inventory facilities in Oregon. *Environ Health Perspect*. 106: 217-226. <http://dx.doi.org/10.1289/ehp.98106217>.
- Neupane, D; Park, JW. (2000). Partitioning of naphthalene to gemini surfactant-treated alumina. *Chemosphere*. 41: 787-792.
- Neupauer, RM; Lin, R; O'Shea, H. (2007). Conditioned backward probability modeling to identify sources of groundwater contaminants subject to sorption and decay. *Water Resour Res*. 43. <http://dx.doi.org/10.1029/2006WR005580>.
- Neupauer, RM; Wilson, JL. (2004). Forward and backward location probabilities for sorbing solutes in groundwater. *Advances in Water Resources*. 27: 689-705. <http://dx.doi.org/10.1016/j.advwaters.2004.05.003>.
- Neupauer, RM; Wilson, JL. (2005). Backward probability model using multiple observations of contamination to identify groundwater contamination sources at the Massachusetts Military Reservation. *Water Resour Res*. 41. <http://dx.doi.org/10.1029/2003WR002974>.
- Newcombe, G; Morrison, J; Hepplewhite, C; Knappe, DRU. (2002). Simultaneous adsorption of MIB and NOM onto activated carbon - II. Competitive effects. *Carbon*. 40: 2147-2156.
- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination*. 7: 531-542.
- Newman, LA; Wang, X; Muiznieks, IA; Ekuan, G; Ruszaj, M; Cortellucci, R; Domroes, D; Karscig, G; Newman, T; Crampton, RS; Hashmonay, RA; Yost, MG; Heilman, PE; Duffy, J; Gordon, MP; Strand, SE. (1999). Remediation of trichloroethylene in an artificial aquifer with trees: A controlled field study. *Environ Sci Technol*. 33: 2257-2265.
- Nexo, BA. (1995). Risk assessment methodologies for carcinogenic compounds in indoor air. *Scand J Work Environ Health*. 21: 376-381.
- Nguetnkam, JP; Villieras, F; Kamga, R; Ekodeck, GE; Yvon, J. (2014). Mineralogy and geochemical behaviour during weathering of greenstone belt under tropical dry conditions in the extreme North Cameroon (Central Africa). *Chem Erde*. 74: 185-193. <http://dx.doi.org/10.1016/j.chemer.2013.06.007>.
- Nguyen Dinh, MT; Giraudon, JM; Lamonier, JF; Vandenbroucke, A; De Geyter, N; Leys, C; Morent, R. (2014). Plasma-catalysis of low TCE concentration in air using LaMnO₃+delta as catalyst. *Appl Catal B-Environ*. 147: 904-911. <http://dx.doi.org/10.1016/j.apcatb.2013.07.008>.
- Nguyen Dinh, MT; Giraudon, JM; Vandenbroucke, AM; Morent, R; De Geyter, N; Lamonier, JF. (2016). Manganese oxide octahedral molecular sieve K-OMS-2 as catalyst in post plasma-catalysis for trichloroethylene degradation in humid air. *J Hazard Mater*. 314: 88-94. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.027>.
- Nguyen, VK; Park, Y; Yu, J; Lee, T. (2016). Microbial selenite reduction with organic carbon and electrode as sole electron donor by a bacterium isolated from domestic wastewater. *Bioresour Technol*. 212: 182-189. <http://dx.doi.org/10.1016/j.biortech.2016.04.033>.
- Ni, Z; Smit, M; Grotenhuis, T, im; van Gaans, P; Rijnaarts, H. (2014). Effectiveness of stimulating PCE reductive dechlorination: A step-wise approach. *J Contam Hydrol*. 164: 209-218. <http://dx.doi.org/10.1016/j.jconhyd.2014.06.005>.
- Nichols, JW; Mckim, JM; Lien, GJ; Hoffman, AD; Bertelsen, SL; Gallinat, CA. (1993). PHYSIOLOGICALLY-BASED TOXICOKINETIC MODELING OF 3 WATERBORNE CHLOROETHANES IN CHANNEL CATFISH, ICTALURUS-PUNCTATUS. *Aquat Toxicol*. 27: 83-112.
- Nicholson, GC. (1998). Keeping innovation alive. *Research-Technology Management*. 41: 34-40.
- Nickelsen, MG; Cooper, WJ; Kurucz, CN; Waite, TD. (1992). REMOVAL OF BENZENE AND SELECTED ALKYL-SUBSTITUTED BENZENES FROM AQUEOUS-SOLUTION UTILIZING CONTINUOUS HIGH-ENERGY ELECTRON-IRRADIATION. *Environ Sci Technol*. 26: 144-152.
- Nickerson, ML; Jaeger, E; Shi, Y; Durocher, JA; Mahurkar, S; Zaridze, D; Matveev, V; Janout, V; Kollarova, H; Bencko, V; Navratilova, M; Szeszenia-Dabrowska, N; Mates, D; Mukeria, A; Holcatova, I; Schmidt, LS; Toro, JR; Karami, S; Hung, R; Gerard, GF; Linehan, WM; Merino, M; Zbar, B; Boffetta, P; Brennan, P; Rothman, N; Chow, WH; Waldman, FM; Moore, LE. (2008). Improved identification of von Hippel-Lindau gene alterations in clear cell renal tumors. *Clin Cancer Res*. 14: 4726-4734. <http://dx.doi.org/10.1158/1078-0432.CCR-07-4921>.
- Nicolella, C; Rovatti, M. (1998). Mathematical modeling of monolith reactors for photocatalytic oxidation of air contaminants. *Chem Eng J*. 69: 119-126.
- Nie, HY; Walzak, MJ; Mcintyre, NS. (2006). Delivering octadecylphosphonic acid self-assembled monolayers on a Si wafer and other oxide surfaces. *J Phys Chem B*. 110: 21101-21108. <http://dx.doi.org/10.1021/jp062811g>.
- Nie, X; Liu, J; Yue, D; Zeng, X; Nie, Y. (2013). Dechlorination of hexachlorobenzene using lead-iron bimetallic particles. *Chemosphere*. 90: 2403-2407. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.068>.
- Nie, X; Liu, J; Zeng, X; Yue, D. (2013). Rapid degradation of hexachlorobenzene by micron Ag/Fe bimetal particles. *J Environ Sci*. 25: 473-478. [http://dx.doi.org/10.1016/S1001-0742\(12\)60088-6](http://dx.doi.org/10.1016/S1001-0742(12)60088-6).
- Niederlehner, B; Cairns, J; Smith, E. (1998). Modeling acute and chronic toxicity of nonpolar narcotic chemicals and mixtures to *Ceriodaphnia dubia*. *Ecotoxicol Environ Saf*. 39: 136-146. <http://dx.doi.org/10.1006/eesa.1997.1621>.

Fate Literature Search Results

Off Topic

- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. (1995). IN-SITU AND LABORATORY STUDIES ON THE FATE OF SPECIFIC ORGANIC-COMPOUNDS IN AN ANAEROBIC LANDFILL LEACHATE PLUME .2. FATE OF AROMATIC AND CHLORINATED ALIPHATIC-COMPOUNDS. *J Contam Hydrol.* 20: 51-66.
- Nielsen, PH; Bjerg, PL; Nielsen, P; Smith, P; Christensen, TH. (1996). In situ and laboratory determined first-order degradation rate constants of specific organic compounds in an aerobic aquifer. *Environ Sci Technol.* 30: 31-37.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere.* 25: 449-462.
- Nielson, AJ; Schwerdtfeger, P; Waters, JM. (2000). Trichloro monophenoxide complexes of titanium(IV). *Journal of the Chemical Society Dalton transactions*529-537.
- Nies, E. (2012). Ototoxic substances at the workplace: a brief update [Review]. *Arh Hig Rada Toksikol.* 63: 147-152. <http://dx.doi.org/10.2478/10004-1254-63-2012-2199>.
- Nies, E; Pueringer, J. (2014). New reference assessment values of the Committee for Risk Assessment (RAC) for chemicals subject to authorisation. *Gefahrst Reinhalt Luft.* 74: 343-346.
- Nieto-Marquez, A; Valverde, JL; Keane, MA. (2009). Selective low temperature synthesis of carbon nanospheres via the catalytic decomposition of trichloroethylene. *Appl Catal A-Gen.* 352: 159-170. <http://dx.doi.org/10.1016/j.apcata.2008.10.006>.
- Nieuwenhuizen, MS; Groeneveld, FR. (2000). Formation of phosgene during welding activities in an atmosphere containing chlorinated hydrocarbons. *AIHAJ.* 61: 539-543.
- Nijenhuis, I; Adrian, L. (2011). Transformation and Carbon Isotope Fractionation of Tetra- and Trichloroethene to Trans-Dichloroethene by Dehalococcoides sp. *Strain CBDB1* (vol 45, pg 1555, 2011). *Environ Sci Technol.* 45: 6216-6216. <http://dx.doi.org/10.1021/es202031v>.
- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol.* 153: 92-105. <http://dx.doi.org/10.1016/j.jconhyd.2013.06.004>.
- Nijhuis, HH; Mulder, MHV; Smolders, CA. (1991). REMOVAL OF TRACE ORGANICS FROM AQUEOUS-SOLUTIONS - EFFECT OF MEMBRANE THICKNESS. *J Memb Sci.* 61: 99-111.
- Nikolaev, KM; Petrova, NI. (1981). ADSORPTION OF TRICHLOROETHYLENE FROM A STREAM OF MOIST VAPOR AIR MIXTURE. *J Appl Chem USSR.* 54: 1071-1074.
- Nikolic, NC; Cakic, SM; Novakovic, SM; Cvetkovic, MD; Stankovic, MZ. (2009). EFFECT OF EXTRACTION TECHNIQUES ON YIELD AND COMPOSITION OF SOYBEAN OIL. *Macedonian Journal of Chemistry and Chemical Engineering.* 28: 173-179.
- Nikolic, NC; Stankovic, MZ. (2003). Solanidine hydrolytic extraction and separation from the potato (*Solanum tuberosum* L.) vines by using solid-liquid-liquid systems. *J Agric Food Chem.* 51: 1845-1849. <http://dx.doi.org/10.1021/jf020426s>.
- Nikroo, R; Alemzadeh, I; Vossoughi, M; Haddadian, K. (2016). Evaluation of trichloroethylene degradation by starch supported Fe/Ni nanoparticles via response surface methodology. *Water Sci Technol.* 73: 935-946. <http://dx.doi.org/10.2166/wst.2015.566>.
- Nilsson, T; Montanarella, L; Baglio, D; Tilio, R; Bidoglio, G; Facchetti, S. (1998). Analysis of volatile organic compounds in environmental water samples and soil gas by solid-phase microextraction. *Int J Environ Anal Chem.* 69: 217-226.
- Nimios, MR; Jacoby, WA; Blake, DM; Milne, TA. (1993). DIRECT MASS-SPECTROMETRIC STUDIES OF THE DESTRUCTION OF HAZARDOUS WASTES .2. GAS-PHASE PHOTOCATALYTIC OXIDATION OF TRICHLOROETHYLENE OVER TiO₂ - PRODUCTS AND MECHANISMS. *Environ Sci Technol.* 27: 732-740.
- Nimitrakoolchai, OU; Supothina, S. (2012). Preparation of stable ultrahydrophobic and superoleophobic silica-based coating. *J Nanosci Nanotechnol.* 12: 4962-4968. <http://dx.doi.org/10.1166/jnn.2012.4891>.
- Nimlos, MR; Wolfrum, EJ; Brewer, ML; Fennell, JA; Bintner, G. (1996). Gas-phase heterogeneous photocatalytic oxidation of ethanol: Pathways and kinetic modeling. *Environ Sci Technol.* 30: 3102-3110.
- Nims, RW; Lubet, RA; Fox, SD; Jones, CR; Thomas, PE; Reddy, AB; Kocarek, TA. (1998). Comparative pharmacodynamics of CYP2B induction by DDT, DDE, and DDD in male rat liver and cultured rat hepatocytes. *J Toxicol Environ Health A.* 53: 455-477.
- NIOSH. (1998). Criteria for a recommended standard: Occupational exposure to metalworking fluids. (98-102). Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/98-102.html>.
- Nishijima, W; Ochi, Y; Tsai, TY; Nakano, Y; Okada, M. (2004). Catalytic hydrodechlorination of chlorinated ethylenes in organic solvents at room temperature and atmospheric pressure. *Appl Catal B-Environ.* 51: 135-140. <http://dx.doi.org/10.1016/j.apcatb.2004.02.001>.
- Nishikawa, H. (2001). Thermal behavior of hydroxyapatite in structural and spectrophotometric characteristics. *Mater Lett.* 50: 364-370.
- Nishikawa, H; Ikeda, S; Monma, H. (1993). CHARACTERIZATION OF CALCIUM-DEFICIENT HYDROXYAPATITE AFTER A CATALYTIC REACTION WITH TRICHLOROETHYLENE VAPOR. *Bull Chem Soc Jpn.* 66: 2570-2573.
- Nishikawa, H; Monma, H. (1991). OXIDATIVE CATALYTIC DECOMPOSITION OF TRICHLOROETHYLENE OVER HYDOXYAPATITE. 1562-1564.
- Nishikawa, H; Monma, H. (1994). OXIDATIVE DECOMPOSITION OF CHLOROBENZENE OVER CALCIUM-DEFICIENT HYDROXYAPATITE. *Bull Chem Soc Jpn.* 67: 2454-2456.
- Nishikawa, H; Omamiuda, K. (2002). Photocatalytic activity of hydroxyapatite for methyl mercaptane. *J Mol Catal Chem.* 179: 193-200.
- Nishikiori, H; Fukasawa, Y; Yokosuka, Y; Fujii, T. (2011). Nitrogen doping into titanium dioxide by the sol-gel method using nitric acid. *Res Chem Intermed.* 37: 869-881. <http://dx.doi.org/10.1007/s11164-011-0294-y>.
- Nishikiori, H; Furukawa, M; Fujii, T. (2011). Degradation of trichloroethylene using highly adsorptive allophane-TiO₂ nanocomposite. *Appl Catal B-Environ.* 102: 470-474. <http://dx.doi.org/10.1016/j.apcatb.2010.12.028>.

Fate Literature Search Results

Off Topic

- Nishikiori, H; Hashiguchi, S; Ito, M; Setiawan, RA; Fujii, T. (2014). Reaction in photofuel cells using allophane-titania nanocomposite electrodes. *Appl Catal B-Environ.* 147: 246-250. <http://dx.doi.org/10.1016/j.apcatb.2013.09.003>.
- Nishikiori, H; Kanada, N; Setiawan, RA; Morita, K; Teshima, K; Fujii, T. (2015). Photoelectrochemical properties of dye-dispersing allophane-titania composite electrodes. *Appl Clay Sci.* 107: 138-144. <http://dx.doi.org/10.1016/j.clay.2015.01.015>.
- Nishikiori, H; Sato, T; Kubota, S; Tanaka, N; Shimizu, Y; Fujii, T. (2012). Preparation of Cu-doped TiO₂ via refluxing of alkoxide solution and its photocatalytic properties. *Res Chem Intermed.* 38: 595-613. <http://dx.doi.org/10.1007/s11164-011-0374-z>.
- Nishikiori, H; Sato, Y; Oki, K; Fujii, T. (2015). Photocatalytic degradation of chlorinated propenes using TiO₂. *Res Chem Intermed.* 41: 7641-7654. <http://dx.doi.org/10.1007/s11164-014-1849-5>.
- Nisola, GM; Beltran, AB; Park, MJ; Torrejos, RE; Seo, JG; Lee, SP; Chung, WJ. (2015). Composite membranes with surface-modifying macromolecules for halogenated hydrocarbons removal from water in membrane extraction process. *Desalination and Water Treatment.* 54: 3551-3559. <http://dx.doi.org/10.1080/19443994.2014.922314>.
- Nissen, SE; Nicholls, SJ; Wolski, K; Howey, DC; Mcerlean, E; Wang, MD; Gomez, EV; Russo, JM. (2007). Effects of a potent and selective PPAR- α agonist in patients with atherogenic dyslipidemia or hypercholesterolemia: Two randomized controlled trials. *JAMA.* 297: 1362-1373. <http://dx.doi.org/10.1001/jama.297.12.1362>.
- Nitcheva, DK; Piegorsch, WW; West, RW. (2007). On use of the multistage dose-response model for assessing laboratory animal carcinogenicity. *Regul Toxicol Pharmacol.* 48: 135-147. <http://dx.doi.org/10.1016/j.yrtph.2007.03.002>.
- Niu, CG; Wang, Y; Zhang, XG; Zeng, GM; Huang, DW; Ruan, M; Li, XW. (2012). Decolorization of an azo dye Orange G in microbial fuel cells using Fe(II)-EDTA catalyzed persulfate. *Bioresour Technol.* 126: 101-106. <http://dx.doi.org/10.1016/j.biortech.2012.09.001>.
- Niu, J; Yin, L; Dai, Y; Bao, Y; Crittenden, JC. (2016). Design of visible light responsive photocatalysts for selective reduction of chlorinated organic compounds in water. *Appl Catal A-Gen.* 521: 90-95. <http://dx.doi.org/10.1016/j.apcata.2015.11.018>.
- Noda, K; Aizaiwa, H; Kurosawa, S. (2008). Characteristics of a simple monitoring system for trichloroethylene using a hybrid quartz crystal microbalance. *Sensor Mater.* 20: 179-189.
- Noegrohati, S, ri; Narsito; Hadi, S; Sanjayadi. (2008). Fate and behavior of organochlorine pesticides in the Indonesian tropical climate: A study in the segara anakan estuarine ecosystem. *CLEAN - Soil, Air, Water.* 36: 767-774. <http://dx.doi.org/10.1002/clen.200800083>.
- Nogueira, RFP; Alberici, RM; Mendes, MA; Jardim, WF; Eberlin, MN. (1999). Photocatalytic degradation of phenol and trichloroethylene: On-line and real-time monitoring via membrane introduction mass spectrometry. *Ind Eng Chem Res.* 38: 1754-1758.
- Noguera, DR; Pizarro, G; Clapp, LW. (2000). Mathematical modeling of trichloroethylene (TCE) degradation in membrane-attached biofilms. *Water Sci Technol.* 41: 239-244.
- Nöhammer, C; Brunner, F; Wölkart, G; Staber, PB; Steyrer, E; Gonzalez, FJ; Zechner, R; Hoefler, G. (2003). Myocardial dysfunction and male mortality in peroxisome proliferator-activated receptor alpha knockout mice overexpressing lipoprotein lipase in muscle. *Lab Invest.* 83: 259-269. <http://dx.doi.org/10.1097/01.LAB.0000053916.61772.CA>.
- Nomiyama, H; Nomiyama, K; Uchiki, H. (1978). Gas-liquid chromatographic determination of trichloroethylene metabolites in urine. *Am Ind Hyg Assoc J.* 39: 506-510. <http://dx.doi.org/10.1080/0002889778507798>.
- Nomiyama, K; Nomiyama, H. (1977). Dose-response relationship for trichloroethylene in man. *Int Arch Occup Environ Health.* 39: 237-248.
- Nomura, T; Hayashi, E; Kawakami, S; Ogita, S; Kato, Y. (2015). Environmentally benign process for the preparation of antimicrobial α -methylene- β -hydroxy- γ -butyrolactone (tulipalin B) from tulip biomass. *Biosci Biotechnol Biochem.* 79: 25-35. <http://dx.doi.org/10.1080/09168451.2014.946395>.
- Nonnenberg, C; van der Donk, WA; Zipse, H. (2002). Reductive dechlorination of trichloroethylene: A computational study. *J Phys Chem A.* 106: 8708-8715. <http://dx.doi.org/10.1021/jp0264073>.
- Nordlund, LA; Carstensen, JM; Pershagen, G. (1997). Cancer incidence in female smokers: A 26-year follow-up. *Int J Cancer.* 73: 625-628. [http://dx.doi.org/10.1002/\(SICI\)1097-0215\(19971127\)73:5<625::AID-IJC2>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0215(19971127)73:5<625::AID-IJC2>3.0.CO;2-Z).
- Nordlund, LA; Carstensen, JM; Pershagen, G. (1999). Are male and female smokers at equal risk of smoking-related cancer: Evidence from a Swedish prospective study. *Scand J Public Health.* 27: 56-62.
- Notthakun, S; Crittenden, JC; Hand, DW; Perram, DL; Mullins, ME. (1993). Regeneration of Adsorbents Using Heterogeneous Advanced Oxidation. *J Environ Eng.* 119: 695-714.
- Noubactep, C. (2009). Comments on "Decontamination of solutions containing EDTA using metallic iron" by Gylie O., et al. [*J. Hazard. Mater.* (2008)] [Letter]. *J Hazard Mater.* 165: 1261-1263. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.026>.
- Noubactep, C. (2012). Comment on "Reductive dechlorination of γ -hexachloro-cyclohexane using Fe-Pd bimetallic nanoparticles" by Nagpal et al. [*J. Hazard. Mater.* 175 (2010) 680-687] [Letter]. *J Hazard Mater.* 235-236: 388-391; author reply 392-383. <http://dx.doi.org/10.1016/j.jhazmat.2011.03.081>.
- Noubactep, C; Meinrath, G; Dietrich, P; Sauter, M; Merkel, BJ. (2005). Testing the suitability of zerovalent iron materials for reactive walls. *Environ Chem.* 2: 71-76. <http://dx.doi.org/10.1071/EN04014>.
- Novkovic, VM; Stanojevic, LP; Cacic, MD; Veljkovic, VB; Stankovic, MZ. (2014). Separation of digoxin by liquid-liquid extraction from extracts of foxglove secondary glycosides. *Hemijaska Industrija.* 68: 161-170. <http://dx.doi.org/10.2298/HEMIND130422040N>.
- NRC. (1983). Risk Assessment in the Federal Government: Managing the Process. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC. (1993). Pesticides in the diets of infants and children. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2126>.
- NRC. (1994). Science and judgment in risk assessment (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NRC. (1997). Environmental epidemiology, volume 2: Use of the gray literature and other data in environmental epidemiology. Washington, DC: National Academies Press. http://www.nap.edu/catalog.php?record_id=5804.

Fate Literature Search Results

Off Topic

- Numata, M; Nakamura, N; Koshikawa, H; Terashima, Y. (2002). Chlorine isotope fractionation during reductive dechlorination of chlorinated ethenes by anaerobic bacteria. *Environ Sci Technol.* 36: 4389-4394. <http://dx.doi.org/10.1021/es025547n>.
- Numata, M; Nakamura, N; Koshikawa, H; Terashima, Y. (2002). Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry. *Anal Chim Acta.* 455: 1-9.
- Nunes, CD; Pires, J; Carvalho, A, naP; Calhorda, MJ, os; Ferreira, P. (2008). Synthesis and characterisation of organo-silica hydrophobic clay hetero structures for volatile organic compounds removal. *Microporous and Mesoporous Materials.* 111: 612-619. <http://dx.doi.org/10.1016/j.micromeso.2007.09.008>.
- Nunes, LM; Zhu, YG; Stigter, TY; Monteiro, JP; Teixeira, MR. (2011). Environmental impacts on soil and groundwater at airports: origin, contaminants of concern and environmental risks [Review]. *J Environ Monit.* 13: 3026-3039. <http://dx.doi.org/10.1039/c1em10458f>.
- Nunes-Halldorson, VD; Steiner, RL; Smith, GB. (2004). Residual toxicity after biodegradation: interactions among benzene, toluene, and chloroform. *Ecotoxicol Environ Saf.* 57: 162-167. [http://dx.doi.org/10.1016/S0147-651\(03\)00032-0](http://dx.doi.org/10.1016/S0147-651(03)00032-0).
- Nuns, N; Beaurain, A; Dinh, MTN; Vandenbroucke, A; De Geyter, N; Morent, R; Leys, C; Giraudon, JM; Lamonier, JF. (2014). A combined ToF-SIMS and XPS study for the elucidation of the role of water in the performances of a Post-Plasma Process using LaMnO₃+delta as catalyst in the total oxidation of trichloroethylene. *Appl Surf Sci.* 320: 154-160. <http://dx.doi.org/10.1016/j.apsusc.2014.09.047>.
- Nuns, N; Lamonier, JF; Giraudon, JM; Siffert, S; Su, BL. (2013). ToF-SIMS studies of the TiO₂-ZrO₂ supported palladium as trace level used in the total oxidation of TCE in humid air. *Surf Interface Anal.* 45: 566-569. <http://dx.doi.org/10.1002/sia.5109>.
- Nurmi, JT; Sarathy, V; Tratnyek, PG; Baer, DR; Amonette, JE; Karkamkar, A. (2011). Recovery of iron/iron oxide nanoparticles from solution: comparison of methods and their effects. *J Nanopart Res.* 13: 1937-1952. <http://dx.doi.org/10.1007/s11051-010-9946-x>.
- Nuss, G; Saischek, G; Harum, BN; Volpe, M; Belaj, F; Mösch-Zanetti, NC. (2011). Pyridazine based scorpionate ligand in a copper boratrane compound. *Inorg Chem.* 50: 12632-12640. <http://dx.doi.org/10.1021/ic201666w>.
- Nutt, MO; Heck, KN; Alvarez, P; Wong, MS. (2006). Improved Pd-on-Au bimetallic nanoparticle catalysts for aqueous-phase trichloroethene hydrodechlorination. *Appl Catal B-Environ.* 69: 115-125. <http://dx.doi.org/10.1016/j.apcatb.2006.06.005>.
- Nutt, MO; Hughes, JB; Wong, MS. (2005). Designing Pd-on-Au bimetallic nanoparticle catalysts for trichloroethene hydrodechlorination. *Environ Sci Technol.* 39: 1346-1353. <http://dx.doi.org/10.1021/es048560b>.
- Nyberg, K. (1971). UDDEHOLM - TRICHLOROETHYLENE AND PERCHLOROETHYLENE BY A NEW PROCESS - ETHYLENE AND ACETYLENE PROCESSES - OXICHLORINATION AND HYDROXYCHLORINATION-FLOW SHEET. 83: 24-&.
- Nyer, EK; Morello, B. (1993). TRICHLOROETHYLENE TREATMENT AND REMEDIATION (pp. 98-103). (ISSN 1069-3629; EISSN 1745-6592; BIOSIS/93/23668). Nyer, EK; Morello, B.
- Nyman, PJ; Limm, W; Begley, TH; Chirtel, SJ. (2014). Single-laboratory validation of a method for the determination of select volatile organic compounds in foods by using vacuum distillation with gas chromatography/mass spectrometry. *J AOAC Int.* 97: 510-520. <http://dx.doi.org/10.5740/jaoacint.13-294>.
- NYSDEC. (2008). Project information summary: Solvents, contamination and cleanup at Endicott. Albany, NY. <http://www.dec.ny.gov/chemical/24887.html>.
- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environ Sci Technol.* 35: 2244-2251. <http://dx.doi.org/10.1021/es001578b>.
- Nzengung, VA; Jeffers, P. (2001). Sequestration, Phytoreduction, and Phytooxidation of Halogenated Organic Chemicals by Aquatic and Terrestrial Plants. *Int J Phytoremediation.* 3: 13-40. <http://dx.doi.org/10.1080/15226510108500048>.
- Obee, TN; Brown, RT. (1995). TiO₂ PHOTOCATALYSIS FOR INDOOR AIR APPLICATIONS - EFFECTS OF HUMIDITY AND TRACE CONTAMINANT LEVELS ON THE OXIDATION RATES OF FORMALDEHYDE, TOLUENE, AND 1,3-BUTADIENE. *Environ Sci Technol.* 29: 1223-1231. <http://dx.doi.org/10.1021/es00005a013>.
- Obee, TN; Hay, SO. (1997). Effects of moisture and temperature on the photooxidation of ethylene on Titania. *Environ Sci Technol.* 31: 2034-2038.
- Obiri-Nyarko, F; Kwiatkowska-Malina, J; Malina, G; Kasela, T. (2015). Geochemical modelling for predicting the long-term performance of zeolite-PRB to treat lead contaminated groundwater. *J Contam Hydrol.* 177-178: 76-84. <http://dx.doi.org/10.1016/j.jconhyd.2015.03.007>.
- Ocal, FM; Darici, B; Okyar, MC. (2012). The economic importance of Sirnak asphaltites in the next decade. *Energy Education Science & Technology, Part A: Energy Science and Research.* 28: 773-784.
- O'Connor, TP; Mueller, J. (2001). Modeling competitive adsorption of chlorinated volatile organic compounds with the Dubinin-Radushkevich equation. *Microporous and Mesoporous Materials.* 46: 341-349.
- Oda, T. (2003). Non-thermal plasma processing for environmental protection: decomposition of dilute VOCs in air. *Journal of Electrostatics.* 57: 293-311.
- Oda, T; Takahashi, T; Yamaji, K. (2002). Nonthermal plasma processing for dilute VOCs decomposition. *I E E E Transactions on Industry Applications.* 38: 873-878.
- Oda, T; Takahashi, T; Kohzuma, S. (2001). Decomposition of dilute trichloroethylene by using nonthermal plasma processing-frequency and catalyst effects. *I E E E Transactions on Industry Applications.* 37: 965-970.
- Oda, T; Takahashi, T; Tada, K. (1999). Decomposition of dilute trichloroethylene by nonthermal plasma. *I E E E Transactions on Industry Applications.* 35: 373-379.
- Oda, T; Takahashi, T; Yamaji, K. (2004). TCE decomposition by the nonthermal plasma process concerning ozone effect. *I E E E Transactions on Industry Applications.* 40: 1249-1256. <http://dx.doi.org/10.1109/TIA.2004.834068>.
- Oda, T; Yamaji, K; Takahashi, T. (2004). Decomposition of dilute trichloroethylene by nonthermal plasma processing - Gas flow rate, catalyst, and ozone effect. *I E E E Transactions on Industry Applications.* 40: 430-436. <http://dx.doi.org/10.1109/TIA.2004.824440>.

Fate Literature Search Results

Off Topic

- Oda, T; Yamashita, R; Haga, I; Takahashi, T; Masuda, S. (1996). Decomposition of gaseous organic contaminants by surface discharge induced plasma chemical processing SPCP. I E E Transactions on Industry Applications. 32: 118-124.
- Oda, T; Yamashita, R; Takahashi, T; Masuda, S. (1996). Atmospheric pressure discharge plasma decomposition for gaseous air contaminants - Trichlorotrifluoroethane and trichloroethylene. I E E Transactions on Industry Applications. 32: 227-232.
- Oda, T; Yamashita, R; Tanaka, K; Takahashi, T; Masuda, S. (1996). Analysis of low-temperature surface discharge plasma products from gaseous organic compounds. I E E Transactions on Industry Applications. 32: 1044-1050.
- Oddone, E; Edefonti, V; Scaburri, A; Vai, T; Bai, E; Modonesi, C; Crosignani, P; Imbriani, M. (2014). Female Breast Cancer and Electrical Manufacturing: Results of a Nested Case-control Study. J Occup Health. 56: 369-378.
- Odom, L; Burken, J; Newman, L, ee. (2013). Distribution and Accumulation of Trichloroethylene and Trichloroacetic Acid in Hybrid Poplars. J Environ Eng. 139: 1162-1167. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000703](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000703).
- O'Donnell, GE; Juska, A; Geyer, R; Faiz, M; Stalder, S. (1995). Analysis of trichloroacetic acid in the urine of workers occupationally exposed to trichloroethylene by capillary gas chromatography. J Chromatogr A. 709: 313-317.
- O'Donnell, L; McLachlan, RI; Wreford, NG; Robertson, DM. (1994). Testosterone promotes the conversion of round spermatids between stages VII and VIII of the rat spermatogenic cycle. Endocrinology. 135: 2608-2614. <http://dx.doi.org/10.1210/en.135.6.2608>.
- Oemuer-Oezbek, P; Gallagher, DL; Dietrich, AM. (2011). Determining Human Exposure and Sensory Detection of Odorous Compounds Released During Showering. Environ Sci Technol. 45: 468-473. <http://dx.doi.org/10.1021/es1030068>.
- Oesterreich, RC; Siegrist, RL. (2009). Quantifying Volatile Organic Compounds in Porous Media: Effects of Sampling Method Attributes, Contaminant Characteristics and Environmental Conditions. Environ Sci Technol. 43: 2891-2898. <http://dx.doi.org/10.1021/es803080c>.
- Oeztuerk, Z; Tansel, B; Katsenovich, Y; Sukop, M; Laha, S. (2012). Highly organic natural media as permeable reactive barriers: TCE partitioning and anaerobic degradation profile in eucalyptus mulch and compost. Chemosphere. 89: 665-671. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.006>.
- Ogata, A; Ito, D; Mizuno, K; Kushiyaama, S; Gal, A; Yamamoto, T. (2002). Effect of coexisting components on aromatic decomposition in a packed-bed plasma reactor. Appl Catal A-Gen. 236: 9-15.
- Ogata, A; Miyamae, K; Mizuno, K; Kushiyaama, S; Tezuka, M. (2002). Decomposition of benzene in air in a plasma reactor: Effect of reactor type and operating conditions. Plasma Chemistry and Plasma Processing. 22: 537-552.
- Ogata, A; Shintani, N; Yamanouchi, K; Mizuno, K; Kushiyaama, S; Yamamoto, T. (2000). Effect of water vapor on benzene decomposition using a nonthermal-discharge plasma reactor. Plasma Chemistry and Plasma Processing. 20: 453-467.
- Ogata, M; Kihara, T; Kamoi, R; Taguchi, T; Oda, J; Kenmotsu, K. (1988). A report of worker suffering from pneumatois cystoides intestinalis following trichloroethylene exposure. Ind Health. 26: 179-182.
- Ogata, M; Shimada, Y; Taguchi, T. (1987). A new microdetermination method used in an analysis of the excretion of trichloro-compounds in the urine of workers exposed to trichloroethylene vapour. Ind Health. 25: 103-112.
- Ogata, M; TAKATSUK.Y; Tomokuni, K. (1970). SIMPLE METHOD FOR QUANTITATIVE ANALYSIS OF URINARY TRICHLOROETHANOL AND TRICHLOROACETIC ACID AS AN INDEX OF TRICHLOROETHYLENE EXPOSURE. Br J Ind Med. 27: 378-&.
- Ogata, M; TAKATSUK.Y; Tomokuni, K. (1971). EXCRETION OF ORGANIC CHLORINE COMPOUNDS IN URINE OF PERSONS EXPOSED TO VAPOURS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. Br J Ind Med. 28: 386-&.
- Ogawa, K; Takao, Y; Shimizu, Y; Egashira, M. (1999). Decomposition of trichloroethylene by microwave-induced-plasma generated from SiC ceramics under atmospheric pressure. Key Eng Mater. 159-1: 113-118.
- Ogino, K; Hobarra, T; Kobayashi, H; Ishiyama, H; Gotoh, M; Imamura, A; Egami, N. (1991). Lipid Peroxidation Induced by Trichloroethylene in Rat Liver. Bull Environ Contam Toxicol. 46: 417-421.
- Ogunseitan, OA. (1996). Protein profile variation in cultivated and native freshwater microorganisms exposed to chemical environmental pollutants. Microb Ecol. 31: 291-304.
- Oguz, H; Koch, S; Weisweiler, W. (2000). Comparison of mechanistic models for the catalytic oxidation of trichloroethylene over Cr/Al₂O₃ and Al-Cr/porous glass catalysts. Chem Eng Tech. 23: 395-400.
- Oh, BT; Lee, JY; Yoon, J. (2007). Removal of contaminants in leachate from landfill by waste steel scrap and converter slag. Environ Geochem Health. 29: 331-336. <http://dx.doi.org/10.1007/s10653-007-9094-0>.
- Oh, DI; Nam, K; Park, JW; Khim, JH; Kim, YK; Kim, JY. (2008). Impacts of environmental conditions on the sorption of volatile organic compounds onto tire powder. J Hazard Mater. 153: 157-163. <http://dx.doi.org/10.1016/j.jhazmat.2007.08.045>.
- Oh, JM, in; Hoshina, T; Takeda, H; Tsurumi, T. (2013). Design, simulation, and fabrication of longitudinal electro-optically tuned transparent-comb-electrode photonic crystals. Ceramic Society of Japan Journal. 121: 659-663. <http://dx.doi.org/10.2109/jcersj2.121.659>.
- Oh, K; Ring, TA; Deo, MD. (2004). Asphaltene aggregation in organic solvents. J Colloid Interface Sci. 271: 212-219. <http://dx.doi.org/10.1016/j.jcis.2003.09.054>.
- Oh, M; Kim, M, inSoo; Kim, H. (2016). Thin Metal Transparent Conductive Electrodes Formed by Oblique-Angle Deposition. 2. <http://dx.doi.org/10.1002/aelm.201600154>.
- Oh, SY; Kang, SG; Chiu, PC. (2010). Degradation of 2,4-dinitrotoluene by persulfate activated with zero-valent iron. Sci Total Environ. 408: 3464-3468. <http://dx.doi.org/10.1016/j.scitotenv.2010.04.032>.
- Oh, SY; Kang, SG, u; Kim, DW; Chiu, P. (2011). Degradation of 2,4-dinitrotoluene by persulfate activated with iron sulfides. Chem Eng J. 172: 641-646. <http://dx.doi.org/10.1016/j.cej.2011.06.023>.
- Oh, SY; Kim, HW; Park, JM; Park, HS; Yoon, C. (2009). Oxidation of polyvinyl alcohol by persulfate activated with heat, Fe²⁺, and zero-valent iron. J Hazard Mater. 168: 346-351. <http://dx.doi.org/10.1016/j.jhazmat.2009.02.065>.

Fate Literature Search Results

Off Topic

- Oh, SY; Shin, D. (2013). Degradation of spent caustic by Fenton and persulfate oxidation with zero-valent iron. *J Chem Tech Biotechnol.* 88: 145-152. <http://dx.doi.org/10.1002/jctb.3876>.
- Oh, SY; Shin, DS, ik. (2014). Treatment of Diesel-Contaminated Soil by Fenton and Persulfate Oxidation with Zero-Valent Iron. *Soil Sediment Contam.* 23: 180-193. <http://dx.doi.org/10.1080/15320383.2014.808170>.
- Oh, SY; Yoon, MK. (2015). DEGRADATIONS OF 2,4-DICHLOROPHENOL AND POLYCHLORINATED BIPHENYLS WITH ZERO VALENT IRON UNDER SUBCRITICAL CONDITIONS. IMPORTANCE OF SUBCRITICAL WATER OXIDATION. *Environ Protect Eng.* 41: 73-86. <http://dx.doi.org/10.5277/epe150306>.
- Ohandja, DG, uy; Stuckey, DC. (2007). Biodegradation of PCE in a hybrid membrane aerated biofilm reactor. *J Environ Eng.* 133: 20-27. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:1\(20\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:1(20)).
- O'Hannesin, SF; Gillham, RW. (1998). Long-term performance of an in situ "iron wall" for remediation of VOCs. *Ground Water.* 36: 164-170.
- O'Hara, SK; Parker, BL; Jorgensen, PR; Cherry, JA. (2000). Trichloroethene DNAPL flow and mass distribution in naturally fractured clay: Evidence of aperture variability. *Water Resour Res.* 36: 135-147.
- Ohlen, K; Chang, YK; Hegemann, W; Yin, CR; Lee, ST. (2005). Enhanced degradation of chlorinated ethylenes in groundwater from a paint contaminated site by two-stage fluidized-bed reactor. *Chemosphere.* 58: 373-377. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.060>.
- Ohno, H; Aoyama, T; Kishimoto, H. (1992). Simultaneous determination of volatile organic pollutants in water by headspace gas chromatographic analysis with dual detection. *JTTHE.* 38: 84-92.
- Ohoya, S; Hashiya, S; Tsubakiyama, K; Matsuo, T. (2000). Chlorination of polyamides and characteristics of the chlorinated polymers. *Sen'i Gakkaishi.* 56: 145-154.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ.* 366: 485-499. <http://dx.doi.org/10.1016/j.scitotenv.2005.10.005>.
- Oiwa, M; Minami, S; Tsuji, K; Onodera, N; Saruwatari, M. (2010). Temporal-Talbot-effect-based preprocessing for pattern-effect reduction in all-optical clock recovery using a semiconductor-optical-amplifier-based fiber ring laser. 16: 63-71. <http://dx.doi.org/10.1016/j.yofte.2009.10.004>.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol.* 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Ojha, SM; Cureton, C; Bricheno, T; Day, S; Moule, D; Bell, AJ; Taylor, J. (1998). Simple method of fabricating polarisation-insensitive and very low crosstalk AWG grating devices. *Electronics Letters.* 34: 78-79.
- Okawa, K; Suzuki, K; Takeshita, T; Nakano, K. (2007). Regeneration of granular activated carbon with adsorbed trichloroethylene using wet peroxide oxidation. *Water Res.* 41: 1045-1051. <http://dx.doi.org/10.1016/j.watres.2006.10.032>.
- Okawa, K; Tsai, TY; Nakano, Y; Nishijima, W; Okada, M. (2005). Effect of metal ions on decomposition of chlorinated organic substances by ozonation in acetic acid. *Chemosphere.* 58: 523-527. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.044>.
- Ok, K; Tsuchida, S; Nishikiori, H; Tanaka, N; Fujii, T. (2003). Photocatalytic degradation of chlorinated ethenes. *Intl J Photoenergy.* 5: 11-15.
- Okouchi, S. (1986). VOLATILIZATION COEFFICIENT FOR STRIPPING TRICHLOROETHYLENE 1 1 1 TRICHLOROETHANE AND TETRACHLOROETHYLENE FROM WATER (pp. TREATMENT). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/86/31597). Okouchi, S.
- Okuda, T; Nam, SY; Lim, JL; Shin, HS. (2003). Improvement of thermal hydrolysis rate of dichloroacetic acid using alcohol. *Chemosphere.* 53: 97-100. [http://dx.doi.org/10.1016/S0045-6535\(03\)00361-8](http://dx.doi.org/10.1016/S0045-6535(03)00361-8).
- Okwi, GJ; Thomson, NR; Gillham, RW. (2005). The impact of permanganate on the ability of granular iron to degrade trichloroethene. *Ground Water Monitoring and Remediation.* 25: 123-128.
- Olague, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int.* 9: 175-182. <http://dx.doi.org/10.1065/espr2001.06.080>.
- Olajire, AA; Azeez, L. (2014). Source apportionment and ozone formation potential of volatile organic compounds in Lagos (Nigeria). *Chem Ecol.* 30: 156-168. <http://dx.doi.org/10.1080/02757540.2013.844796>.
- Olaniran, AO; Pillay, D; Pillay, B. (2004). Aerobic dechlorination of cis- and trans-dichloroethenes by some indigenous bacteria isolated from contaminated sites in Africa. *J Environ Sci.* 16: 968-972.
- Olaniran, AO; Pillay, D; Pillay, B. (2006). Biostimulation and bioaugmentation enhances aerobic biodegradation of dichloroethenes. *Chemosphere.* 63: 600-608. <http://dx.doi.org/10.1016/j.chemosphere.2005.08.027>.
- Olaniran, AO; Pillay, D; Pillay, B. (2008). Aerobic biodegradation of dichloroethenes by indigenous bacteria isolated from contaminated sites in Africa. *Chemosphere.* 73: 24-29. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.003>.
- Olapade, OA; Leff, LG. (2003). The effect of toluene on the microbial community of a river in northeastern Ohio, USA. *J Freshw Ecol.* 18: 465-477.
- Olesen, T; Gamst, J; Moldrup, P; Komatsu, T; Rolston, DE. (2001). Diffusion of sorbing organic chemicals in the liquid and gaseous phases of repacked soil. *Soil Sci Soc Am J.* 65: 1585-1593.
- Olie, JD; Bessems, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere.* 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.
- Oliveira, LCA; Lago, RM; Fabris, JD; Sapag, K. (2008). Catalytic oxidation of aromatic VOCs with Cr or Pd-impregnated Al-pillared bentonite: Byproduct formation and deactivation studies. *Appl Clay Sci.* 39: 218-222. <http://dx.doi.org/10.1016/j.clay.2007.06.003>.
- Oliveira, PE; Oliveira, LD; Ardisson, JD; Lago, RM. (2011). Potential of modified iron-rich foundry waste for environmental applications: Fenton reaction and Cr(VI) reduction. *J Hazard Mater.* 194: 393-398. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.002>.

Fate Literature Search Results

Off Topic

- Olivier, P; Plancke, MO; Marzin, D; Clavey, V; Sauzieres, J; Fruchart, JC. (1988). Effects of fenofibrate, gemfibrozil and nicotinic acid on plasma lipoprotein levels in normal and hyperlipidemic mice: A proposed model for drug screening. *Atherosclerosis*. 70: 107-114. [http://dx.doi.org/10.1016/0021-9150\(88\)90104-9](http://dx.doi.org/10.1016/0021-9150(88)90104-9).
- Olkhov, RV; Smith, IWM. (2004). Time-resolved experiments on the chlorine atom initiated oxidation of tetrachloroethene (Cl₂C=CCl₂). *J Phys Chem A*. 108: 2232-2237. <http://dx.doi.org/10.1021/jp031158j>.
- Ollis, DF. (2002). Photocatalytic powder layer reactor: A uniformly mixed gas phase occurring in a catalytic fixed-bed flow reactor. *Ind Eng Chem Res*. 41: 6409-6412. <http://dx.doi.org/10.1021/ie020038f>.
- Ollis, DF; Pelizzetti, E; Serpone, N. (1991). PHOTOCATALYZED ... DESTRUCTION ... OF WATER ... CONTAMINANTS. *Environ Sci Technol*. 25: 1522-1529.
- O'Loughlin, EJ; Burris, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environ Sci Technol*. 33: 1145-1147.
- Olson, MR; Sale, TC; Shackelford, CD; Bozzini, C; Skean, J. (2012). Chlorinated Solvent Source-Zone Remediation via ZVI-Clay Soil Mixing: 1-Year Results. *Ground Water Monitoring and Remediation*. 32: 63-74. <http://dx.doi.org/10.1111/j.1745-6592.2011.01391.x>.
- Olson, MS; Ford, RM; Smith, JA; Fernandez, EJ. (2004). Quantification of bacterial chemotaxis in porous media using magnetic resonance imaging. *Environ Sci Technol*. 38: 3864-3870. <http://dx.doi.org/10.1021/es035236s>.
- Olson, MS; Tillman, FD; Choi, JW; Smith, JA. (2001). Comparison of three techniques to measure unsaturated-zone air permeability at Picatinny Arsenal, NJ. *J Contam Hydrol*. 53: 1-19.
- Omae, K; Takebayashi, T; Sakurai, H. (1999). Occupational exposure limits based on biological monitoring: The Japan Society for Occupational Health. *Int Arch Occup Environ Health*. 72: 271-273. <http://dx.doi.org/10.1007/s004200050372>.
- Omran, H; Pfeiffer, D; Tebbenjohanns, J; Schumacher, B; Manz, M; Lauck, G; Hagedorff, A; Jung, W; Fehske, W; Luderitz, B. (1995). ECHOCARDIOGRAPHIC IMAGING OF CORONARY SINUS DIVERTICULA AND MIDDLE CARDIAC VEINS IN PATIENTS WITH PREEXCITATION SYNDROME - IMPACT ON RADIOFREQUENCY CATHETER ABLATION OF POSTEROSEPTAL ACCESSORY PATHWAYS. *Pacing Clin Electrophysiol*. 18: 1236-1243.
- Ondarts, M; Hort, C; Platel, V; Sochard, S. (2010). Indoor Air Purification by Compost Packed Biofilter. *Int J Chem React Eng*. 8: 2176.
- Ondarts, M; Hort, C; Sochard, S; Platel, V; Moynault, L; Seby, F. (2012). Evaluation of compost and a mixture of compost and activated carbon as biofilter media for the treatment of indoor air pollution. *Environ Technol*. 33: 273-284. <http://dx.doi.org/10.1080/09593330.2011.570793>.
- Oneta, CM; Lieber, CS; Li, J; Rüttimann, S; Schmid, B; Lattmann, J; Rosman, AS; Seitz, HK. (2002). Dynamics of cytochrome P450E1 activity in man: Induction by ethanol and disappearance during withdrawal phase. *J Hepatol*. 36: 47-52. [http://dx.doi.org/10.1016/S0168-8278\(01\)00223-9](http://dx.doi.org/10.1016/S0168-8278(01)00223-9).
- Ong, SK; Culver, TB; Lion, LW; Shoemaker, CA. (1992). Effects of soil moisture and physical-chemical properties of organic pollutants on vapor-phase transport in the vadose zone. *J Contam Hydrol*. 11: 3-4.
- Ong, SK; Lion, LW. (1991). Mechanisms for trichloroethylene vapor sorption onto soil minerals. *J Environ Qual*. 20: 180-188.
- Ong, SK; Lion, LW. (1991). Trichloroethylene vapor sorption onto soil minerals. *Soil Sci Soc Am J*. 55: 1559-1568.
- Ooka, C; Akita, S; Ohashi, Y; Horiuchi, T; Suzuki, K; Komai, S; Yoshida, H; Hattori, T. (1999). Crystallization of hydrothermally treated TiO₂ pillars in pillared montmorillonite for improvement of the photocatalytic activity. *J Mater Chem*. 9: 2943-2952.
- Ooka, C; Yoshida, H; Suzuki, K; Hattori, T. (2004). Effect of surface hydrophobicity of TiO₂-pillared clay on adsorption and photocatalysis of gaseous molecules in air. *Appl Catal A-Gen*. 260: 47-53. <http://dx.doi.org/10.1016/j.apcata.2003.10.001>.
- Oostrom, M; Dane, JH; Wietsma, TW. (2005). Removal of carbon tetrachloride from a layered porous medium by means of soil vapor extraction enhanced by desiccation and water table reduction. *Vadose Zone Journal*. 4: 1170-1182. <http://dx.doi.org/10.2136/vzj2004.0173>.
- Oostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated heterogeneous porous medium 1. Spill behavior and initial dissolution. *J Contam Hydrol*. 37: 159-178.
- Oostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated, heterogeneous porous medium 2. Pump-and-treat and surfactant flushing. *J Contam Hydrol*. 37: 179-197.
- Opdam, JJ. (1991). Linear systems dynamics in toxicokinetic studies. *Ann Occup Hyg*. 35: 633-649.
- Oran, U; Unveren, E; Wirth, T; Unger, WES. (2004). Poly-dimethyl-siloxane (PDMS) contamination of polystyrene (PS) oligomers samples: a comparison of time-of-flight static secondary ion mass spectrometry (TOF-SSIMS) and X-ray photoelectron spectroscopy (XPS) results. *Appl Surf Sci*. 227: 318-324. <http://dx.doi.org/10.1016/j.apsusc.2003.12.008>.
- Orchard, BJ; Doucette, WJ; Chard, JK; Bugbee, B. (2000). A novel laboratory system for determining fate of volatile organic compounds in planted systems. *Environ Toxicol Chem*. 19: 888-894. <http://dx.doi.org/10.1002/etc.5620190415>.
- Orchard, BJ; Doucette, WJ; Chard, JK; Bugbee, B. (2000). Uptake of trichloroethylene by hybrid poplar trees grown hydroponically in flow-through plant growth chambers. *Environ Toxicol Chem*. 19: 895-903.
- Ordonez, S; Diez, FV; Sastre, H. (2002). Catalytic hydrodechlorination of chlorinated olefins over a Pd/Al₂O₃ catalyst: Kinetics and inhibition phenomena. *Ind Eng Chem Res*. 41: 505-511. <http://dx.doi.org/10.1021/ie010679v>.
- Ordonez, S; Sastre, H; Diez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ*. 25: 49-58.
- Ordonez, S; Sastre, H; Diez, FV. (2003). Hydrodechlorination of tetrachloroethene over Pd/Al₂O₃: influence of process conditions on catalyst performance and stability. *Appl Catal B-Environ*. 40: 119-130.
- Ordonez, S; Vivas, BP; Diez, FV. (2010). Minimization of the deactivation of palladium catalysts in the hydrodechlorination of trichloroethylene in wastewaters. *Appl Catal B-Environ*. 95: 288-296. <http://dx.doi.org/10.1016/j.apcatb.2010.01.006>.

Fate Literature Search Results

Off Topic

- Orsi, L; Monnereau, A; Dananche, B; Berthou, C; Fenaux, P; Marit, G; Soubeyran, P; Huguet, F; Milpied, N; Leporrier, M; Hemon, D; Troussard, X; Clavel, J. (2010). Occupational exposure to organic solvents and lymphoid neoplasms in men: Results of a French case-control study. *Occup Environ Med.* 67: 664-672. <http://dx.doi.org/10.1136/oem.2009.049460>.
- Orth, WS; Gillham, RW. (1995). CHLORIDE AND CARBON MASS BALANCES FOR IRON-ENHANCED DEGRADATION OF TRICHLOROETHENE. *Abstracts of Papers - American Chemical Society.* 209: 221-ENVR.
- Orth, WS; Gillham, RW. (1996). Dechlorination of trichloroethene in aqueous solution using Fe⁰. *Environ Sci Technol.* 30: 66-71.
- Ortiz, I; Velasco, A; Revah, S. (2006). Effect of toluene as gaseous cosubstrate in bioremediation of hydrocarbon-polluted soil. *J Hazard Mater.* 131: 112-117. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.013>.
- Orzechowska, GE; Poziomek, EJ; Hodge, VF; Engelmann, WH. (1995). USE OF SONOCHEMISTRY IN MONITORING CHLORINATED HYDROCARBONS IN WATER. *Environ Sci Technol.* 29: 1373-1379. <http://dx.doi.org/10.1021/es00005a033>.
- Osejo, RE; Wilson, DJ. (1991). SOIL CLEAN UP BY INSITU AERATION .9. DIFFUSION CONSTANTS OF VOLATILE ORGANICS AND REMOVAL OF UNDERLYING LIQUID. *Separation Science and Technology.* 26: 1433-1466.
- Oshima, Y; Kawamoto, H; Iguchi, K; Koda, S. (1993). A NOVEL LASER-INDUCED SYNTHESIS OF 1,1-DICHLOROETHYLENE FROM 1,1-DICHLOROETHANE. *J Chem Eng Jpn.* 26: 280-285.
- Oskov, V; Kebbekus, B; Chou, CC. (1996). Emission of volatile organic compounds to the atmosphere in the solvent sublimation process .2. Volatile chlorinated organic compounds. *Separation Science and Technology.* 31: 1377-1391.
- Ostendorf, DW; Hinlein, ES; Lutenecker, AJ; Kelley, SP. (2000). Soil gas transport above a jet fuel/solvent spill at Plattsburgh Air Force Base. *Water Resour Res.* 36: 2531-2547.
- Ostrea, EM; Bielawski, DM; Posecion, NC; Corrion, M; Villanueva-Uy, E; Jin, Y; Janisse, JJ; Ager, JW. (2008). A comparison of infant hair, cord blood and meconium analysis to detect fetal exposure to environmental pesticides. *Environ Res.* 106: 277-283. <http://dx.doi.org/10.1016/j.envres.2007.08.014>.
- Ostrea, EM; Villanueva-Uy, E; Bielawski, DM; Posecion, NC; Corrion, ML; Jin, Y; Janisse, JJ; Ager, JW. (2006). Maternal hair - An appropriate matrix for detecting maternal exposure to pesticides during pregnancy. *Environ Res.* 101: 312-322. <http://dx.doi.org/10.1016/j.envres.2006.02.006>.
- Oswal, SL; Patel, BM; Patel, AM; Ghael, NY. (2003). Densities, speeds of sound, isentropic compressibilities, and refractive indices of binary mixtures of methyl methacrylate with hydrocarbons, haloalkanes and alkyl amines. *Fluid Phase Equilibria.* 206: 313-329. [http://dx.doi.org/10.1016/S0378-3812\(03\)00031-1](http://dx.doi.org/10.1016/S0378-3812(03)00031-1).
- Otero P, A; Munoz P, M; Medina-Robles, V; Cruz-Casallas, P. (2013). Effect of food intake on productive variables of two species of cladocera, under laboratory conditions. *Revista M V Z Cordoba.* 18: 3642-3647.
- Otto, DA; Hudnell, HK. (1993). The use of visual and chemosensory evoked potentials in environmental and occupational health. *Environ Res.* 62: 159-171.
- Otto, DME; Sen, CK; Hidioglu, N; Madere, R; Moon, TW. (1997). Role of exogenous glutathione in teleost fish and its effects on antioxidant defense responses in rainbow trout exposed to 3,3',4,4'-tetrachlorobiphenyl. *Fish Physiol Biochem.* 16: 449-457. <http://dx.doi.org/10.1023/A:1007765609695>.
- Ou, HH; Liao, C; Lo, SL. (2010). Determination of X-Ray Diffraction on the Phase Transformation of Microwave-Assisted Titanate Nanotubes during Thermal Treatment. *Journal of Nanomaterials.* 2010 (2010). <http://dx.doi.org/10.1155/2010/837384>.
- Ou, LT; Joy, PJ; Thomas, JE; Hornsby, AG. (1997). Stimulation of microbial degradation of methyl bromide in soil during oxidation of an ammonia fertilizer by nitrifiers. *Environ Sci Technol.* 31: 717-722.
- Oudijk, G. (2003). Estimating the minimum age of a chlorinated solvent plume in groundwater with chlorofluorocarbon (CFC) and tritium methodologies: A case study. *Environ Forensics.* 4: 81-88. <http://dx.doi.org/10.1080/15275920390187001>.
- Ouellon, T; Lefebvre, R; Marcotte, D; Boutin, A; Blais, V; Parent, M. (2008). Hydraulic conductivity heterogeneity of a local deltaic aquifer system from the kriged 3D distribution of hydrofacies from borehole logs, Valcartier, Canada. *J Hydrol.* 351: 71-86. <http://dx.doi.org/10.1016/j.jhydrol.2007.11.040>.
- Ouyan, Y; Cho, JS; Mansell, RS. (2002). Simulated formation and flow of microemulsions during surfactant flushing of contaminated soil. *Water Res.* 36: 33-40.
- Ovdat, H; Berkowitz, B. (2006). Pore-scale study of drainage displacement under combined capillary and gravity effects in index-matched porous media. *Water Resour Res.* 42. <http://dx.doi.org/10.1029/2005WR004553>.
- Owensby, GS; Plank, CA; Laukhuf, WLS. (1989). VAPOR LIQUID EQUILIBRIA OF THE TRIMETHYL BORATE (1)-TRICHLOROETHYLENE (2)-SYSTEM. *Journal of Chemical and Engineering Data.* 34: 213-214.
- Ozaki, S; Zhao, L; Amemiya, T; Itoh, K; Murabayashi, M. (2004). Gas-phase photocatalytic degradation of cis-1,2-dichloroethylene using titanium dioxide under near-UV-illumination. *Appl Catal B-Environ.* 52: 81-89. <http://dx.doi.org/10.1016/j.apcatb.2003.10.010>.
- Ozdemir, C; Sen, N; Kalipci, E. (2012). Reaction kinetics and removal of COD with treatment of TCE with the synthetic wastewater in UASB reactors. *Energy Education Science & Technology, Part A: Energy Science and Research.* 28: 689-698.
- Ozgan, E; Serin, S; Kap, T. (2013). Multi-faceted investigation into the effects of hot-mix asphalt parameters on Marshall Stability. *Construction and Building Materials.* 40: 419-425. <http://dx.doi.org/10.1016/j.conbuildmat.2012.11.002>.
- Ozturk, Z; Katsenovich, Y; Tansel, B; Laha, S; Moos, L; Allen, M. (2009). Enhancement of TCE Attenuation in Soils by Natural Amendments. *Soil Sediment Contam.* 18: 1-13. <http://dx.doi.org/10.1080/15320380802545167>.
- Paar, H; Ruhl, AS; Jekel, M. (2015). Influences of nanoscale zero valent iron loadings and bicarbonate and calcium concentrations on hydrogen evolution in anaerobic column experiments. *Water Res.* 68: 731-739. <http://dx.doi.org/10.1016/j.watres.2014.10.043>.

Fate Literature Search Results

Off Topic

- Paaso, N; Peuravuori, J; Pihlaja, K. (2000). Extraction efficiency of chloroethenes from contaminated dry cleaner's sludge with three different methods. *Waste Manag.* 20: 69-74.
- Pacheco, A; Lindner, AS. (2005). Effects of Alpha-pinene and trichloroethylene on oxidation potentials of methanotrophic bacteria. *Bull Environ Contam Toxicol.* 74: 133-140. <http://dx.doi.org/10.1007/s00128-004-0559-x>.
- Page, BD; Kennedy, BP. (1975). Determination of methylene chloride, ethylene dichloride, and trichloroethylene as solvent residues in spice oleoresins, using vacuum distillation and electron capture gas chromatography. *J AOAC Int.* 58: 1062-1068.
- Pal, A. (1994). PHOTOCHEMICAL-REACTION OF TRICHLOROACETIC-ACID WITH DIPHENYLAMINE AND ITS ANALYTICAL APPLICATION. *Bull Chem Soc Jpn.* 67: 2420-2423.
- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. *Fluid Phase Equilibria.* 143: 241-251.
- Pal, A; Sharma, S. (1998). Viscosities and densities of some n-alkoxyethanols with trichloroethylene and tetrachloroethylene at 298.15 K. *Journal of Chemical and Engineering Data.* 43: 21-24.
- Pal, A; Singh, W. (1995). EXCESS MOLAR VOLUMES OF 2-(2-ALKOXYETHOXY)ETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE AT 298.15 AND 308.15 K. *Journal of Chemical and Engineering Data.* 40: 1130-1133.
- Pal, A; Singh, W. (1996). Excess molar volumes of 2-[2-(2-alkoxyethoxy)ethoxy] ethanols with trichloroethylene and tetrachloroethylene at 298.15 and 308.15 K. *Journal of Chemical and Engineering Data.* 41: 181-184.
- Pal, A; Singh, W. (1996). Excess molar volumes of linear and cyclic ethers plus chloroethenes at 298.15 K. *Journal of Chemical and Engineering Data.* 41: 428-430.
- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. *Fluid Phase Equilibria.* 129: 211-221.
- Palau, J; Jamin, P; Badin, A; Vanhecke, N; Haerens, B; Br uy ere, S; Hunkeler, D. (2016). Use of dual carbon-chlorine isotope analysis to assess the degradation pathways of 1,1,1-trichloroethane in groundwater. *Water Res.* 92: 235-243. <http://dx.doi.org/10.1016/j.watres.2016.01.057>.
- Paleta, O; Volkov, A; Hetflejs, J. (2000). Fluorinated butanolides and butenolides. Part 5. Synthesis and nucleophilic reactions of 3-chloro-2-fluoro-2-buten-4-olide as tetronic acid analogue. Conjugate addition of hard nucleophiles and vinylic halogen displacement with soft phosphorus nucleophiles. *J Fluor Chem.* 102: 147-157.
- Pallos, LL; Burg J, AR. (1995). THE NATIONAL EXPOSURE TRICHLOROETHYLENE SUBREGISTRY ASSESSING HEALTH TRENDS AT MULTIPLE WASTE SITES (pp. 5-7). (ISSN 0277-6715; EISSN 1097-0258; BIOSIS/95/21767). Pallos, LL; Burg J, AR.
- Palmer, CN; Hsu, MH; Griffin, KJ; Raucy, JL; Johnson, EF. (1998). Peroxisome proliferator activated receptor-alpha expression in human liver. *Mol Pharmacol.* 53: 14-22.
- Pan, Y; Wei, X; Hao, W. (2015). Trichloroethylene and Its Oxidative Metabolites Enhance the Activated State and Th1 Cytokine Gene Expression in Jurkat Cells. *Int J Environ Res Public Health.* 12: 10575-10586. <http://dx.doi.org/10.3390/ijerph120910575>.
- Panagiotakis, I; Antoniou, K; Mamais, D; Pantazidou, M. (2015). Effects of different electron donor feeding patterns on TCE reductive dechlorination performance. *Bull Environ Contam Toxicol.* 94: 289-294. <http://dx.doi.org/10.1007/s00128-015-1462-3>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Marneri, M; Parapouli, M; Hatziloukas, E; Tandoi, V. (2007). Dechlorinating ability of TCE-fed microcosms with different electron donors. *J Hazard Mater.* 149: 582-589. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.113>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Rossetti, S; Aulenta, F; Tandoi, V. (2014). Predominance of Dehalococoides in the presence of different sulfate concentrations. *Water Air Soil Pollut.* 225. <http://dx.doi.org/10.1007/s11270-013-1785-9>.
- Pandey, VC; Singh, JS; Singh, DP; Singh, RP. (2014). Methanotrophs: promising bacteria for environmental remediation. *Int J Environ Sci Tech.* 11: 241-250. <http://dx.doi.org/10.1007/s13762-013-0387-9>.
- Panek, D; Konieuny, K. (2007). Preparation and applying the membranes with carbon black to pervaporation of toluene from the diluted aqueous solutions. *Separation and Purification Technology.* 57: 507-512. <http://dx.doi.org/10.1016/j.seppur.2006.10.011>.
- Pankow, JF. (1991). GAS-PHASE RETENTION VOLUME BEHAVIOR OF ORGANIC-COMPOUNDS ON CARBOTRAP GRAPHITIZED CARBON. *J Chromatogr A.* 547: 488-493.
- Pant, N; Kumar, R; Mathur, N; Srivastava, SP; Saxena, DK; Gujrati, VR. (2007). Chlorinated pesticide concentration in semen of fertile and infertile men and correlation with sperm quality. *Environ Toxicol Pharmacol.* 23: 135-139. <http://dx.doi.org/10.1016/j.etap.2006.07.012>.
- Pant, P; Allen, M; Cai, Y; Jayachandran, K. (2008). Design and performance of a mesocosm chamber for trichloroethylene evaporation study. *Water Air Soil Pollut.* 193: 3-13. <http://dx.doi.org/10.1007/s11270-008-9663-6>.
- Pantazidou, M; Panagiotakis, I; Mamais, D; Zikidi, V. (2012). Chloroethene Biotransformation in the Presence of Different Sulfate Concentrations. *Ground Water Monitoring and Remediation.* 32: 106-119. <http://dx.doi.org/10.1111/j.1745-6592.2011.01372.x>.
- Pantucharoensri, S; Boontee, P; Likhitsan, P; Padungtod, C; Prasartsansoui, S. (2004). Generalized eruption accompanied by hepatitis in two Thai metal cleaners exposed to trichloroethylene. *Ind Health.* 42: 385-388.
- Paolini, M; Mesirca, R; Pozzetti, L; Biagi, GL; Cantelliforti, G. (1992). SELECTIVE INDUCTION OF MURINE LIVER CYTOCHROME-P450 IIB1 BY HALOGENATED HYDROCARBONS. *Toxicol Environ Chem.* 36: 235-249.
- Paolini, M; Mesirca, R; Pozzetti, L; Sapone, A; Biagi, GL; Trieff, NM; Cantelliforti, G. (1994). CORRELATION BETWEEN MURINE LIVER CYTOCHROME-P450 2B1 INDUCTION BY HALOGENATED HYDROCARBONS AND TOXICITY. *Toxicol Environ Chem.* 44: 55-64.
- Papadopoulos, V; Lagaros, ND. (2009). Vulnerability-based robust design optimization of imperfect shell structures. *Structural Safety.* 31: 475-482. <http://dx.doi.org/10.1016/j.strusafe.2009.06.006>.

Fate Literature Search Results

Off Topic

- Papadopoulos, V; Papadrakakis, M. (2005). The effect of material and thickness variability on the buckling load of shells with random initial imperfections. *Computer Methods in Applied Mechanics and Engineering*. 194: 1405-1426. <http://dx.doi.org/10.1016/j.cma.2004.01.043>.
- Papaefstathiou, I; Luque DE CASTRO, MD. (1997). Hyphenated pervaporation-solid-phase preconcentration-gas chromatography for the determination of volatile organic compounds in solid samples. *J Chromatogr A*. 779: 1-2.
- Papastavros, E; Shea, PJ; Langell, MA. (2004). Oxygen, carbon, and sulfur segregation in annealed and unannealed zerovalent iron substrates. *Langmuir*. 20: 11509-11516. <http://dx.doi.org/10.1021/la048288j>.
- Parajo, JC; Dominguez, H; Dominguez, JM. (1997). Xylitol production from Eucalyptus wood hydrolysates extracted with organic solvents. *Process Biochemistry*. 32: 599-604.
- Paralikar, SA; Simonsen, J; Lombardi, J. (2008). Poly(vinyl alcohol)/cellulose nanocrystal barrier membranes. *J Memb Sci*. 320: 248-258. <http://dx.doi.org/10.1016/j.memsci.2008.04.009>.
- Parbs, A; Ebert, M; Dahmke, A. (2007). Long-term effects of dissolved carbonate species on the degradation of trichloroethylene by zerovalent iron. *Environ Sci Technol*. 41: 291-296. <http://dx.doi.org/10.1021/es061397v>.
- Parchman, LG; Magee, PN. (1982). Metabolism of [¹⁴C]trichloroethylene to ¹⁴CO₂ and interaction of a metabolite with liver DNA in rats and mice. *J Toxicol Environ Health*. 9: 797-813. <http://dx.doi.org/10.1080/15287398209530204>.
- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2014). Remediation of a biodiesel blend-contaminated soil by using a modified Fenton process. *Environ Sci Pollut Res Int*. 21: 12198-12207. <http://dx.doi.org/10.1007/s11356-014-2997-2>.
- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2015). Remediation of a Biodiesel Blend-Contaminated Soil with Activated Persulfate by Different Sources of Iron. *Water Air Soil Pollut*. 226. <http://dx.doi.org/10.1007/s11270-014-2267-4>.
- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2015). Remediation of soil contaminated by NAPLs using modified Fenton reagent: application to gasoline type compounds. *J Chem Tech Biotechnol*. 90: 754-764. <http://dx.doi.org/10.1002/jctb.4373>.
- Paredes-Nunez, A; Lorito, D; Schuurman, Y; Guilhaume, N; Meunier, FC. (2015). Origins of the poisoning effect of chlorine on the CO hydrogenation activity of alumina-supported cobalt monitored by operando FT-IR spectroscopy. *J Catal*. 329: 229-236. <http://dx.doi.org/10.1016/j.jcat.2015.05.028>.
- Parikh, SS; Jons, C; Mcnitt, S; Daubert, JP; Schwarz, KQ; Hall, B. (2010). Predictive capability of left atrial size measured by CT, TEE, and TTE for recurrence of atrial fibrillation following radiofrequency catheter ablation. *Pacing Clin Electrophysiol*. 33: 532-540. <http://dx.doi.org/10.1111/j.1540-8159.2010.02693.x>.
- Park, H, eeJ; Kim, J; Won, JH, an; Choi, KS; Lim, Y, unTak; Shin, J, aeSoo; Park, JU, ng. (2016). Tin-doped indium oxide films for highly flexible transparent conducting electrodes. *Thin Solid Films*. 615: 8-12. <http://dx.doi.org/10.1016/j.tsf.2016.06.040>.
- Park, HW; Lee, JS; Choi, WY. (2006). Study of special cases where the enhanced photocatalytic activities of Pt/TiO₂ vanish under low light intensity. *Catalysis Today*. 111: 259-265. <http://dx.doi.org/10.1016/j.cattod.2005.10.035>.
- Park, HY; Hertz-Piccioletto, I; Petrik, J; Palkovicova, L; Kocan, A; Trnovec, T. (2008). Prenatal PCB exposure and thymus size at birth in neonates in eastern Slovakia. *Environ Health Perspect*. 116: 104-109. <http://dx.doi.org/10.1289/ehp.9769>.
- Park, J; Chen, YM; Kukor, JJ; Abriola, LM. (2001). Influence of substrate exposure history on biodegradation in a porous medium. *J Contam Hydrol*. 51: 233-256.
- Park, J; Lang, J; Thamaraiselvi, K; Kukor, JJ; Abriola, LM. (2008). Induction kinetics of aerobic toluene degradation as a function of carbon starvation history. *Process Biochemistry*. 43: 1345-1351. <http://dx.doi.org/10.1016/j.procbio.2008.08.004>.
- Park, JK; Kim, JY; Madsen, CD; Edil, TB. (1997). Retardation of volatile organic compound movement by a soil-bentonite slurry cutoff wall amended with ground tires. *Water Environ Res*. 69: 1022-1031.
- Park, JK; Nibras, M. (1993). Mass flux of organic chemicals through polyethylene geomembranes. *Water Environ Res*. 65: 227-237.
- Park, JK; Sakti, JP; Hoopes, JA. (1996). Transport of organic compounds in thermoplastic geomembranes .1. Mathematical model. *J Environ Eng*. 122: 800-806.
- Park, JN; Lee, CW; Chang, JS; Park, SE; Shin, CH. (2004). Catalytic oxidation of trichloroethylene over Pd-loaded sulfated zirconia. *Bull Kor Chem Soc*. 25: 1355-1360.
- Park, JW; Lee, SS; Choi, DK; Lee, YW; Kim, YM. (2002). Adsorption equilibria of toluene, dichloromethane, and trichloroethylene onto activated carbon fiber. *Journal of Chemical and Engineering Data*. 47: 980-983. <http://dx.doi.org/10.1021/je020020b>.
- Park, JW; Lee, YW; Choi, DK; Lee, SS. (2003). Adsorption characteristics of toluene and trichloroethylene onto activated carbon fiber. *J Ind Eng Chem*. 9: 381-390.
- Park, M; Komarneni, S; Roy, R. (2000). Microwave-hydrothermal decomposition of chlorinated organic compounds. *Mater Lett*. 43: 259-263.
- Park, MK; Ryu, SG; Park, HB; Lee, HW; Hwang, KC; Lee, CH. (2004). Decomposition of cyanogen chloride by using a Packed Bed Plasma Reactor at dry and wet air in atmospheric pressure. *Plasma Chemistry and Plasma Processing*. 24: 117-136.
- Park, S, ujin; Kim, YB, o; Yeo, SD, o. (2008). Vapor adsorption of volatile organic compounds using organically modified clay. *Separation Science and Technology*. 43: 1174-1190. <http://dx.doi.org/10.1080/01496390801910138>.
- Park, SB; Osterloh, JD; Vamvakas, S; Hashmi, M; Anders, MW; Cashman, JR. (1992). Flavin-containing monooxygenase-dependent stereoselective S-oxygenation and cytotoxicity of cysteine S-conjugates and mercapturates. *Chem Res Toxicol*. 5: 193-201.
- Park, SE; Joo, H; Kang, JW. (2004). Effect of impurities in TiO₂ thin films on trichloroethylene conversion. *Solar Energy Materials and Solar Cells*. 83: 39-53. <http://dx.doi.org/10.1016/j.solmat.2004.02.012>.
- Park, SS; Kim, SO; Yun, ST; Chae, GT; Yu, SY; Kim, S; Kim, Y. (2005). Effects of land use on the spatial distribution of trace metals and volatile organic compounds in urban groundwater, Seoul, Korea. *Environ Geol*. 48: 1116-1131. <http://dx.doi.org/10.1007/s00254-005-0053-8>.

Fate Literature Search Results

Off Topic

- Parker, BL; Cherry, JA; Chapman, SW. (2004). Field study of TCE diffusion profiles below DNAPL to assess aquitard integrity. *J Contam Hydrol.* 74: 197-230. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.011>.
- Parker, BL; Gillham, RW; Cherry, JA. (1994). DIFFUSIVE DISAPPEARANCE OF IMMISCIBLE-PHASE ORGANIC LIQUIDS IN FRACTURED GEOLOGIC MEDIA. *Ground Water.* 32: 805-820.
- Parker, BL; Mcwhorter, DB; Cherry, JA. (1997). Diffusive loss of non-aqueous phase organic solvents from idealized fracture networks in geologic media. *Ground Water.* 35: 1077-1088.
- Parker, GR. (1995). Optimum isotherm equation and thermodynamic interpretation for aqueous 1,1,2-trichloroethene adsorption isotherms on three adsorbents. *Adsorption.* 1: 113-132.
- Parker, JC; Kim, U; Widdowson, M; Kitanidis, P; Gentry, R. (2010). Effects of model formulation and calibration data on uncertainty in dense nonaqueous phase liquids source dissolution predictions. *Water Resour Res.* 46. <http://dx.doi.org/10.1029/2010WR009361>.
- Parker, JC; Lenhard, RJ. (1990). DETERMINING THREE-PHASE PERMEABILITY-SATURATION-PRESSURE RELATIONS FROM TWO-PHASE SYSTEM MEASUREMENTS. *Journal of Petroleum Science and Engineering.* 4: 57-65.
- Parker, JC; Park, E. (2004). Modeling field-scale dense nonaqueous phase liquid dissolution kinetics in heterogeneous aquifers. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2003WR002807>.
- Parker, LV; Clark, CH. (2004). Study of five discrete-interval-type ground water sampling devices. *Ground Water Monitoring and Remediation.* 24: 111-123.
- Parker, LV; Ranney, TA. (1998). Sampling trace-level organic solutes with polymeric tubing Part 2. Dynamic studies. *Ground Water Monitoring and Remediation.* 18: 148-155.
- Parker, MJ; Tarlow, MJ; Milne Anderson, J. (1984). Glue sniffing and cerebral infarction. *Arch Dis Child.* 59: 675-677.
- Parkinson, A; Mudra, DR; Johnson, C; Dwyer, A; Carroll, KM. (2004). The effects of gender, age, ethnicity, and liver cirrhosis on cytochrome P450 enzyme activity in human liver microsomes and inducibility in cultured human hepatocytes [Review]. *Toxicol Appl Pharmacol.* 199: 193-209. <http://dx.doi.org/10.1016/j.taap.2004.01.010>.
- Parmon, VN; Zakharenko, VS. (2001). Photocatalysis and phosorption in the Earth's atmosphere. 5: 96-115.
- Parry, EM; Hague, A; Parry, JM. (1990). A study of mitotic division fidelity and numerical chromosome changes in ageing Syrian hamster dermal cells. *Mutat Res.* 237: 83-93. [http://dx.doi.org/10.1016/0921-8734\(90\)90014-I](http://dx.doi.org/10.1016/0921-8734(90)90014-I).
- Parshetti, GK; Doong, R, an. (2010). Dechlorination and photodegradation of trichloroethylene by Fe/TiO₂ nanocomposites in the presence of nickel ions under anoxic conditions. *Appl Catal B-Environ.* 100: 116-123. <http://dx.doi.org/10.1016/j.apcatb.2010.07.020>.
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere.* 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parshetti, GK; Doong, RA. (2008). Immobilization of bimetallic nanoparticles on microfiltration membranes for trichloroethylene dechlorination. *Water Sci Technol.* 58: 1629-1636. <http://dx.doi.org/10.2166/wst.2008.543>.
- Parshetti, GK; Doong, RA. (2009). Dechlorination of trichloroethylene by Ni/Fe nanoparticles immobilized in PEG/PVDF and PEG/nylon 66 membranes. *Water Res.* 43: 3086-3094. <http://dx.doi.org/10.1016/j.watres.2009.04.037>.
- Parshetti, GK; Doong, RA. (2011). Synergistic effect of nickel ions on the coupled dechlorination of trichloroethylene and 2,4-dichlorophenol by Fe/TiO₂ nanocomposites in the presence of UV light under anoxic conditions. *Water Res.* 45: 4198-4210. <http://dx.doi.org/10.1016/j.watres.2011.05.019>.
- Pastino, GM; Yap, WY; Carroquino, M. (2000). Human variability and susceptibility to trichloroethylene [Review]. *Environ Health Perspect.* 108: 201-214.
- Pastore, P; Favaro, G; Badocco, D; Lavagnini, I. (2005). Headspace solid phase micro extraction GC-ECD determination of volatile organic chlorinated hydrocarbons in soils. *Ann Chim.* 95: 741-756.
- Patel, DK; Kamyshny, A; Ariando; Zhen, H; Magdassi, S. (2015). Fabrication of transparent conducting films composed of In³⁺ doped CuS and their application in flexible electroluminescent devices. 3: 8700-8705. <http://dx.doi.org/10.1039/c5tc01283j>.
- Patel, SV; Tolley, WK. (2014). Developments toward a low-cost approach for long-term, unattended vapor intrusion monitoring. *Analyst.* 139: 3770-3780. <http://dx.doi.org/10.1039/c4an00736k>.
- Patel, UD; Suresh, S. (2007). Dechlorination of chlorophenols using magnesium-palladium bimetallic system. *J Hazard Mater.* 147: 431-438. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.029>.
- Patil, VB; Medhi, M; Bhairamadgi, NS; Wadgaonkar, PP; Maldar, NN. (2010). Synthesis and characterization of polyesters from 2,3-bis (4'-hydroxy phenyl) quinoxaline and 2,3-bis (2'-hydroxynaphthalene-6'-yl) quinoxaline. *Mater Sci Eng B.* 168: 186-192. <http://dx.doi.org/10.1016/j.mseb.2009.12.036>.
- Patterson, BM; Cohen, E; Prommer, H; Thomas, DG; Rhodes, S; Mckinley, AJ. (2007). Origin of a mixed brominated ethene groundwater plume: Contaminant degradation pathways and reactions. *Environ Sci Technol.* 41: 1352-1358. <http://dx.doi.org/10.1021/es0615674>.
- Patterson, RF; Mykytiuk, PD. (1996). Solid-state, vapor phase, and aqueous cleaners for aerospace manufacturing operations. *S A M P E Journal.* 32: 40-49.
- Paul, L; Herrmann, S; Koch, CB; Philips, J, o; Smolders, E. (2013). Inhibition of microbial trichloroethylene dechlorination by Fe (III) reduction depends on Fe mineralogy: A batch study using the bioaugmentation culture KB-1. *Water Res.* 47: 2543-2554. <http://dx.doi.org/10.1016/j.watres.2013.02.029>.
- Paul, L; Herrmann, S; Koch, CB; Philips, J, o; Smolders, E. (2014). Inhibition of microbial trichloroethylene dechlorination by Fe (III) reduction depends on Fe mineralogy: A batch study using the bioaugmentation culture KB-1 (vol 47, pg 2543, 2013). *Water Res.* 63: 325-325. <http://dx.doi.org/10.1016/j.watres.2014.05.047>.

Fate Literature Search Results

Off Topic

- Paul, L; Jakobsen, R; Smolders, E; Albrechtsen, HJ; Bjerg, PL. (2016). Reductive Dechlorination of Trichloroethylene (TCE) in Competition with Fe and Mn Oxides-Observed Dynamics in H-2-dependent Terminal Electron Accepting Processes. *Geomicrobiology Journal*. 33: 357-366. <http://dx.doi.org/10.1080/01490451.2015.1043410>.
- Paul, L; Smolders, E. (2014). Inhibition of iron (III) minerals and acidification on the reductive dechlorination of trichloroethylene. *Chemosphere*. 111: 471-477. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.057>.
- Paul, L; Smolders, E. (2015). Bioenhanced dissolution of dense non-aqueous phase of trichloroethylene as affected by iron reducing conditions: model systems and environmental samples. *Chemosphere*. 119: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.022>.
- Paumier, S; Touze-Foltz, N; Mazeas, L; Guenne, A. (2011). Quantification of Volatile Organic Compounds Diffusion for Virgin Geosynthetic Clay Liners and for a GCL after Contact with a Synthetic Leachate. *Journal of Geotechnical and Geoenvironmental Engineering*. 137: 1039-1046. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0000525](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0000525).
- Pavlostathis, SG; Mathavan, GN. (1992). APPLICATION OF HEADSPACE ANALYSIS FOR THE DETERMINATION OF VOLATILE ORGANIC-COMPOUNDS IN CONTAMINATED SOILS. *Environ Technol*. 13: 23-33.
- Pavlostathis, SG; Zhuang, P. (1993). Reductive dechlorination of chloroalkenes in microcosms developed with a field contaminated soil. *Chemosphere*. 27: 585-595.
- Pavoni, B; Giacometti, A; Bragadin, M. (2009). Determination of chlorinated organic compounds in aqueous matrices. *Journal of Water Supply: Research and Technology-AQUA*. 58: 405-415. <http://dx.doi.org/10.2166/aqua.2009.040>.
- Payne, MP; Kenny, LC. (2002). Comparison of models for the estimation of biological partition coefficients. *J Toxicol Environ Health A*. 65: 897-931. <http://dx.doi.org/10.1080/00984100290071171>.
- Pearsall, KA; Eckhardt D, AV. (1987). EFFECTS OF SELECTED SAMPLING EQUIPMENT AND PROCEDURES ON THE CONCENTRATIONS OF TRICHLOROETHYLENE AND RELATED COMPOUNDS IN GROUND WATER SAMPLES (pp. 64-73). (ISSN 1069-3629; EISSN 1745-6592; BIOSIS/87/20396). Pearsall, KA; Eckhardt D, AV.
- Pease, MD; Shriverlake, L; Ligler, FS. (1995). Adaptation of a fiber-optic biosensor for use in environmental monitoring. *ACS Symp Ser Am Chem Soc*. 613: 33-43.
- Pebalk, VL; Kostanyan, AE; Taruashvily, DK; Gorodetskaya, NI. (1982). REGULARITY OF INDUSTRIAL TRICHLOROETHYLENE CAPROLACTAM WATER-SYSTEM DISPERSION IN VIBRATING EXTRACTORS. 685-686.
- Peden-Adams, MM; Eudaly, JG; Heesemann, LM; Smythe, J; Miller, J; Gilkeson, GS; Keil, DE. (2006). Developmental immunotoxicity of trichloroethylene (TCE): Studies in B6C3F1 mice. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 41: 249-271. <http://dx.doi.org/10.1080/10934520500455289>.
- Peden-Adams, MM; Eudaly, JG; Lee, AM; Miller, J; Keil, DE; Gilkeson, GS. (2008). Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL +/- mice. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 43: 1402-1409. <http://dx.doi.org/10.1080/10934520802232063>.
- Peden-Adams, MM; Keil, DE; Gilkeson, GS. (2009). Response to "Comments on 'Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL +/- mice'". *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 117-122.
- Pedersen, M; Collen, J; Abrahamsson, K; Ekdahl, A. (1996). Production of halocarbons from seaweeds: An oxidative stress reaction? *Scientia marina*. 60: 257-263.
- Pedit, JA; Iwamasa, KJ; Miller, CT; Glaze, WH. (1997). Development and application of a gas-liquid contactor model for simulating advanced oxidation processes. *Environ Sci Technol*. 31: 2791-2796.
- Pedrozo, MF; Siqueira, M. (1996). [Spectrophotometric and gas chromatographic analysis of trichloroacetic acid in urine]. *Rev Saude Publica*. 30: 261-266. <http://dx.doi.org/10.1590/S0034-89101996000300009>.
- Peichl, P; Wichterle, D; Čihák, R; Aldhoon, B; Kautzner, J. (2016). Catheter Ablation Of Ventricular Tachycardia in the Presence of an Old Endocavitary Thrombus Guided by Intracardiac Echocardiography. *Pacing Clin Electrophysiol*. 39: 581-587. <http://dx.doi.org/10.1111/pace.12844>.
- Peill, NJ; Hoffmann, MR. (1995). DEVELOPMENT AND OPTIMIZATION OF A TIO-2-COATED FIBER OPTIC CABLE REACTOR PHOTOCATALYTIC DEGRADATION OF 4-CHLOROPHENOL (pp. 20-24). (ISSN 0013-936X; EISSN 1520-5851; BIOSIS/95/32128). Peill, NJ; Hoffmann, MR.
- Pelech, R. (2008). Equilibrium of Trichloroethylene Adsorption from Aqueous Solution onto Activated Carbons. *AST*. 26: 449-462.
- Pelech, R; Bemnowska, A; Milchert, E. (2003). Adsorption of hydrocarbon chloro-derivatives onto DTO commercial activated carbon from multi-component aqueous solutions. *AST*. 21: 707-720.
- Pelech, R; Bemnowska, A; Milchert, E. (2005). Kinetics of adsorption of hydrocarbon chloro-derivatives from seven-component aqueous solution onto a thin layer of DTO-activated carbon. *J Colloid Interface Sci*. 290: 83-90. <http://dx.doi.org/10.1016/j.jcis.2005.04.027>.
- Pelech, R; Milchert, E; Wróbel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *J Hazard Mater*. 137: 1479-1487. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.023>.
- Pelikhovskii, Y; Bogdal, D. (1994). APPLICATION OF TRICHLOROETHYLENE IN ORGANIC-SYNTHESIS .8. SYNTHESIS OF 1-(9-CARBAZOLYL)-1-DIALKYLAMINO-2-CHLOROETHYLENES AND N,N-DIALKYL-ALPHA-(9-CARBAZOLYL)ACETAMIDES. *Izvestiya Vysshikh Uchebnykh Zavedenii Khimiya i Khimicheskaya Tekhnologiya*. 37: 61-67.
- Pellerin, L; Beard, L; Mandell, W. (2010). Mapping Structures that Control Contaminant Migration using Helicopter Transient Electromagnetic Data. *J Environ Eng Geophys*. 15: 65-75.
- Pellizzari, E; Liroy, P; Quackenboss, J; Whitmore, R; Clayton, A; Freeman, N; Waldman, J; Thomas, K; Rodes, C; Wilcosky, T. (1995). Population-based exposure measurements in EPA region 5: A phase I field study in support of the National Human Exposure Assessment Survey. *J Expo Anal Environ Epidemiol*. 5: 327-358.

Fate Literature Search Results

Off Topic

- Pellizzari, ED; Hartwell, TD; Harris, BS, III; Waddell, RD; Whitaker, DA; Erickson, MD. (1982). Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol.* 28: 322-328. <http://dx.doi.org/10.1007/BF01608515>.
- Pellizzari, ED; Wallace, LA; Gordon, SM. (1992). Elimination kinetics of volatile organics in humans using breath measurements. *J Expo Anal Environ Epidemiol.* 2: 341-355.
- Pelton, EJ; Blank, DA; Mcneill, K. (2013). Dechlorination of chlorinated ethylenes by a photochemically generated iron(0) complex. *Dalton Trans.* 42: 10121-10128. <http://dx.doi.org/10.1039/c3dt50693b>.
- Peng, C; Yan, D, a; Guo, S; Hu, S; Jiang, Y, i. (2015). Building energy use in China: Ceiling and scenario. *Energy and Buildings.* 102: 307-316. <http://dx.doi.org/10.1016/j.enbuild.2015.05.049>.
- Peng, J; Wan, A. (1998). Effect of ionic strength on Henry's constants of volatile organic compounds. *Chemosphere.* 36: 2731-2740.
- Peng, L, i; Chen, X; Zhang, Y; Du, Y; Huang, M; Wang, J, ue. (2015). Remediation of metal contamination by electrokinetics coupled with electrospun polyacrylonitrile nanofiber membrane. *Process Saf Environ Protect.* 98: 1-10. <http://dx.doi.org/10.1016/j.psep.2015.06.003>.
- Peng, L; Deng, D; Guan, M; Fang, X; Zhu, Q. (2015). Remediation HCHs POPs-contaminated soil by activated persulfate technologies: Feasibility, impact of activation methods and mechanistic implications. *Separation and Purification Technology.* 150: 215-222. <http://dx.doi.org/10.1016/j.seppur.2015.07.002>.
- Peng, S; Wang, N; Chen, J. (2013). Steam and air co-injection in removing residual TCE in unsaturated layered sandy porous media. *J Contam Hydrol.* 153: 24-36. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.002>.
- Peng, X; Ding, E; Xue, F. (2012). In situ synthesis of TiO₂/polyethylene terephthalate hybrid nanocomposites at low temperature. *Appl Surf Sci.* 258: 6564-6570. <http://dx.doi.org/10.1016/j.apsusc.2012.03.077>.
- Peng, Y, enP; Chen, K, uFan; Lin, W, eiHan; Chang, Y, uC; Wu, F, ei. (2016). A novel three-stage treatment train for the remediation of trichloroethylene-contaminated groundwater. *RSC Advances.* 6: 41247-41260. <http://dx.doi.org/10.1039/c6ra04660f>.
- Pennell, KD; Costanza, J, ed; Kong, L; Suchomel, E; Ramsburg, CA. (2002). GROUNDWATER QUALITY. *Water Environ Res.* 74: 1239-1370.
- Penning, H; Cramer, CJ; Elsner, M. (2008). Rate-Dependent Carbon and Nitrogen Kinetic Isotope Fractionation in Hydrolysis of Isoproturon. *Environ Sci Technol.* 42: 7764-7771. <http://dx.doi.org/10.1021/es801101c>.
- Peral, J; Domenech, X; Ollis, DF. (1997). Heterogeneous photocatalysis for purification, decontamination and deodorization of air. *J Chem Tech Biotechnol.* 70: 117-140.
- Peral, J; Ollis, DF. (1992). HETEROGENEOUS PHOTOCATALYTIC OXIDATION OF GAS-PHASE ORGANICS FOR AIR PURIFICATION - ACETONE, 1-BUTANOL, BUTYRALDEHYDE, FORMALDEHYDE, AND META-XYLENE OXIDATION. *J Catal.* 136: 554-565.
- Percy, C; Ries, LG; Van Holten, VD. (1990). The accuracy of liver cancer as the underlying cause of death on death certificates. *Public Health Rep.* 105: 361-367.
- Percy, C; Stanek, E, III; Gloeckler, L. (1981). Accuracy of cancer death certificates and its effect on cancer mortality statistics. *Am J Public Health.* 71: 242-250. <http://dx.doi.org/10.2105/AJPH.71.3.242>.
- Pereira, CC; Habert, AC; Nobrega, R; Borges, CP. (1998). New insights in the removal of diluted volatile organic compounds from dilute aqueous solution by pervaporation process. *J Memb Sci.* 138: 227-235.
- Pereira, M; Wang, W; Kramer, P; Tao, L. (2004). DNA hypomethylation induced by non-genotoxic carcinogens in mouse and rat colon. *Cancer Lett.* 212: 145-151. <http://dx.doi.org/10.1016/j.canlet.2004.03.024>.
- Pereira, WE; Domagalski, JL; Hostettler, FD; Brown, LR; Rapp, JB. (1996). Occurrence and accumulation of pesticides and organic contaminants in river sediment, water and clam tissues from the San Joaquin River and tributaries, California. *Environ Toxicol Chem.* 15: 172-180.
- Pereira, WE; Hostettler, FD; Cashman, J. R.; Nishioka, RS. (1994). OCCURRENCE AND DISTRIBUTION OF ORGANOCHLORINE COMPOUNDS IN SEDIMENT AND LIVERS OF STRIPED BASS (MORONE-SAXATILIS) FROM THE SAN-FRANCISCO BAY DELTA ESTUARY. *Mar Pollut Bull.* 28: 434-441.
- Perez-Casany, MP; Nebot-Gil, I; Sanchez-Marin, J. (2000). Ab initio study on the mechanism of the reactions of the nitrate radical with haloalkenes: 1,2-dichloroethene, 1,1-dichloroethene, trichloroethene, and tetrachloroethene. *J Phys Chem A.* 104: 11340-11346. <http://dx.doi.org/10.1021/jp001046h>.
- Pérez-De-Mora, A; Zila, A; McMaster, ML; Edwards, EA. (2014). Bioremediation of chlorinated ethenes in fractured bedrock and associated changes in dechlorinating and nondechlorinating microbial populations. *Environ Sci Technol.* 48: 5770-5779. <http://dx.doi.org/10.1021/es404122y>.
- Perkins, ND. (2004). NF- κ B: Tumor promoter or suppressor? [Review]. *Trends Cell Biol.* 14: 64-69. <http://dx.doi.org/10.1016/j.tcb.2003.12.004>.
- Perkins, ND; Gilmore, TD. (2006). Good cop, bad cop: The different faces of NF- κ B [Review]. *Cell Death Differ.* 13: 759-772. <http://dx.doi.org/10.1038/sj.cdd.4401838>.
- Perkins, WS; Hall, DM. (1973). FUNDAMENTAL STUDY OF SORPTION FROM TRICHLOROETHYLENE OF 3 DISPERSE DYES ON POLYESTER. *Text Res J.* 43: 115-120.
- Perriello, FA; Simkins, S. (1999). Biotransformation of trichloroethylene using butane-oxidizing bacteria. *Journal of Soil Contamination.* 8: 117-129.
- Perrone, L; Prati, L; Rossi, M. (1998). Removal of chlorinated organic compounds from water by catalytic dehydrohalogenation. *Appl Catal B-Environ.* 15: 241-246.
- Perrot, N; Nalpas, B; Yang, CS; Beaune, PH. (1989). Modulation of cytochrome P450 isozymes in human liver, by ethanol and drug intake. *Eur J Clin Invest.* 19: 549-555. <http://dx.doi.org/10.1111/j.1365-2362.1989.tb00273.x>.

Fate Literature Search Results

Off Topic

- Perry, MJ; Ouyang, F; Korricks, S; Venners, SA; Altshul, L; Xu, X; Wang, X. (2005). Body mass index and serum 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane in nulliparous Chinese women. *Cancer Epidemiol Biomarkers Prev.* 14: 2433-2438. <http://dx.doi.org/10.1158/1055-9965.EPI-05-0174>.
- Perry, SJ; Schofield, MA; MacFarlane, M; Lock, EA; King, LJ; Gibson, GG; Goldfarb, PS. (1993). Isolation and expression of a cDNA coding for rat kidney cytosolic cysteine conjugate beta-lyase. *Mol Pharmacol.* 43: 660-665.
- Pervizpour, M; Pamukcu, S; Moo-Young, H. (1999). Magnetic resonance imaging of hydrocarbon-contaminated porous media. *Journal of Computing in Civil Engineering.* 13: 96-102.
- Pesch, B; Haerting, J; Ranft, U; Klimpel, A; Oelschlägel, B; Schill, W. (2000). Occupational risk factors for renal cell carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol.* 29: 1014-1024. <http://dx.doi.org/10.1093/ije/29.6.1014>.
- Peshin, SS; Lall, SB; Gupta, SK. (2002). Potential food contaminants and associated health risks [Review]. *Acta Pharmacol Sin.* 23: 193-202.
- Petala, E; Dimos, K; Douvalis, A; Bakas, T; Tucek, J; Zboril, R; Karakassides, MA. (2013). Nanoscale zero-valent iron supported on mesoporous silica: Characterization and reactivity for Cr(VI) removal from aqueous solution. *J Hazard Mater.* 261: 295-306. <http://dx.doi.org/10.1016/j.jhazmat.2013.07.046>.
- Peter, R; Böcker, R; Beaune, PH; Iwasaki, M; Guengerich, FP; Yang, CS. (1990). Hydroxylation of chlorzoxazone as a specific probe for human liver cytochrome P-450IIE1. *Chem Res Toxicol.* 3: 566-573. <http://dx.doi.org/10.1021/tx00018a012>.
- Peters, GR; Beauchemin, D. (1993). Characterization of an interface allowing either nebulization or gas chromatography as the sample introduction system in ICPMS. *Anal Chem.* 65: 97-103.
- Peters, J; Garabrant, D; Wright, W; Bernstein, L; Mack, T. (1985). Uses of a cancer registry in the assessment of occupational cancer risks. *Natl Canc Inst Monogr.* 69: 157-161.
- Peters, JM; Cattley, RC; Gonzalez, FJ. (1997). Role of PPAR alpha in the mechanism of action of the nongenotoxic carcinogen and peroxisome proliferator Wy-14,643. *Carcinogenesis.* 18: 2029-2033. <http://dx.doi.org/10.1093/carcin/18.11.2029>.
- Petersen, EJ; Pinto, RA; Shi, X; Huang, Q. (2012). Impact of size and sorption on degradation of trichloroethylene and polychlorinated biphenyls by nano-scale zerovalent iron. *J Hazard Mater.* 243: 73-79. <http://dx.doi.org/10.1016/j.jhazmat.2012.09.070>.
- Petersen, LW; El-Farhan, YH; Moldrup, P; Rolston, DE; Yamaguchi, T. (1996). Transient diffusion, adsorption, and emission of volatile organic vapors in soils with fluctuating low water contents. *J Environ Qual.* 25: 1054-1063.
- Petersen, LW; Moldrup, P; Jacobsen, OH; Rolston, DE. (1996). Relations between specific surface area and soil physical and chemical properties. *Soil Sci.* 161: 9-21.
- Petersen, MA; Sale, TC; Reardon, KF. (2007). Electrolytic trichloroethene degradation using mixed metal oxide coated titanium mesh electrodes. *Chemosphere.* 67: 1573-1581. <http://dx.doi.org/10.1016/j.chemosphere.2006.11.056>.
- Petit, N; Bouzaza, A; Wolbert, D; Petit, P; Dussaud, J. (2007). Photocatalytic degradation of gaseous perchloroethylene in continuous flow reactors: Rate enhancement by chlorine radicals. *Catalysis Today.* 124: 266-272. <http://dx.doi.org/10.1016/j.cattod.2007.03.050>.
- Petri, BG; Fučík, R; Illangasekare, TH; Smits, KM; Christ, JA; Sakaki, T; Sauck, CC. (2014). Effect of NAPL Source Morphology on Mass Transfer in the Vadose Zone. *Ground Water.* 53: 685-698. <http://dx.doi.org/10.1111/gwat.12284>.
- Petri, BG; Siegrist, RL; Crimi, ML. (2008). Effects of groundwater velocity and permanganate concentration on DNAPL mass depletion rates during in situ oxidation. *J Environ Eng.* 134: 1-13. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:1\(1\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:1(1)).
- Petrov, RV; Zirka, AA; Reshetnikov, SI. (2015). Kinetic Study of the Gas-Phase Hydrofluorination of Tetrachloroethylene into Pentafluoroethane over a Cr-Mg Catalyst. *Kinet Catal.* 56: 480-483. <http://dx.doi.org/10.1134/S002315841504014X>.
- Petrovic, AB; Glisic, SS. (2009). OPTIMIZATION OF THE PROCESS OF STEEL STRIP PERFORATION AND NICKEL PLATTING FOR THE PURPOSE OF ELIMINATION OF TRICHLOROETHYLENE FROM THE CLEANING PROCESS OF PERFORATED STEEL STRIP. *Hemijiska Industrija.* 63: 57-60. <http://dx.doi.org/10.2298/HEMIND0901057P>.
- Petrucci, E; Scarsella, M; De Filippis, P; Di Palma, L. (2015). Tetrachloroethene recovery and hazard reduction of spent powders from dry cleaning process. *Waste Manag Res.* 33: 339-344. <http://dx.doi.org/10.1177/0734242X14567505>.
- Petura, JC. (1981). TRI CHLORO ETHYLENE AND METHYL CHLOROFORM IN GROUND WATER A PROBLEM ASSESSMENT (pp. 200-205). (ISSN 0003-150X; EISSN 1551-8833; HEEP/82/05809). Petura, JC.
- Pfeiffer, P; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Partitioning of dissolved chlorinated ethenes into vegetable oil. *Water Res.* 39: 4521-4527. <http://dx.doi.org/10.1016/j.watres.2005.09.016>.
- Pfeiffer, PR; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Physical properties of vegetable oil and chlorinated ethene mixtures. *J Environ Eng.* 131: 1447-1452. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:10\(1447\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:10(1447)).
- Pfiffner, SM; Palumbo, AV; Sayles, GD; Gannon, D. (2004). Microbial population and degradation activity changes monitored during a chlorinated solvent biovent demonstration. *Ground Water Monitoring and Remediation.* 24: 102-110.
- Pfluger, AR; Wu, W; Pieja, AJ; Wan, J; Rostkowski, KH; Criddle, CS. (2011). Selection of Type I and Type II methanotrophic proteobacteria in a fluidized bed reactor under non-sterile conditions. *Bioresour Technol.* 102: 9919-9926. <http://dx.doi.org/10.1016/j.biortech.2011.08.054>.
- Pham, H, oaT; Suto, K; Inoue, C. (2009). Trichloroethylene Transformation in Aerobic Pyrite Suspension: Pathways and Kinetic Modeling. *Environ Sci Technol.* 43: 6744-6749. <http://dx.doi.org/10.1021/es900623u>.
- Pham, HN; Mcdowell, T; Wilkins, E. (1995). PHOTOCATALYTICALLY-MEDIATED DISINFECTION OF WATER USING TIO2 AS A CATALYST AND SPORE-FORMING BACILLUS-PUMILLUS AS A MODEL. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 30: 627-636.

Fate Literature Search Results

Off Topic

- Phatai, P; Wittayakun, J; Chen, W, enH; Futralan, CM; Gridanurak, N; Kan, C, hiC. (2014). Removal of manganese(II) and iron(II) from synthetic groundwater using potassium permanganate. *Desalination and Water Treatment*. 52: 5942-5951. <http://dx.doi.org/10.1080/19443994.2013.819150>.
- Phelps, TJ; Niedzielski, JJ; Malachowsky, KJ; Schram, RM; Herbes, SE; White, DC. (1991). BIODEGRADATION OF MIXED-ORGANIC WASTES BY MICROBIAL CONSORTIA IN CONTINUOUS-RECYCLE EXPANDED-BED BIOREACTORS. *Environ Sci Technol*. 25: 1461-1465.
- Phenrat, T; Fagerlund, F; Illangasekare, T; Lowry, GV; Tilton, RD. (2011). Polymer-modified Fe0 nanoparticles target entrapped NAPL in two dimensional porous media: effect of particle concentration, NAPL saturation, and injection strategy. *Environ Sci Technol*. 45: 6102-6109. <http://dx.doi.org/10.1021/es200577n>.
- Phenrat, T; Kim, H, yeJin; Fagerlund, F; Illangasekare, T; Tilton, RD; Lowry, GV. (2009). Particle Size Distribution, Concentration, and Magnetic Attraction Affect Transport of Polymer-Modified Fe-0 Nanoparticles in Sand Columns. *Environ Sci Technol*. 43: 5079-5085. <http://dx.doi.org/10.1021/es900171v>.
- Phenrat, T; Kim, HJ; Fagerlund, F; Illangasekare, T; Lowry, GV. (2010). Empirical correlations to estimate agglomerate size and deposition during injection of a polyelectrolyte-modified Fe0 nanoparticle at high particle concentration in saturated sand. *J Contam Hydrol*. 118: 152-164. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.002>.
- Phenrat, T; Kumloet, I. (2016). Electromagnetic induction of nanoscale zerovalent iron particles accelerates the degradation of chlorinated dense non-aqueous phase liquid: Proof of concept. *Water Res*. 107: 19-28. <http://dx.doi.org/10.1016/j.watres.2016.10.035>.
- Phenrat, T; Liu, Y; Tilton, RD; Lowry, GV. (2009). Adsorbed Polyelectrolyte Coatings Decrease Fe-0 Nanoparticle Reactivity with TCE in Water: Conceptual Model and Mechanisms. *Environ Sci Technol*. 43: 1507-1514. <http://dx.doi.org/10.1021/es802187d>.
- Phenrat, T; Long, TC; Lowry, GV; Veronesi, B. (2009). Partial oxidation ("aging") and surface modification decrease the toxicity of nanosized zerovalent iron. *Environ Sci Technol*. 43: 195-200. <http://dx.doi.org/10.1021/es801955n>.
- Phenrat, T; Saleh, N; Sirk, K; Kim, H, yeJin; Tilton, RD; Lowry, GV. (2008). Stabilization of aqueous nanoscale zerovalent iron dispersions by anionic polyelectrolytes: adsorbed anionic polyelectrolyte layer properties and their effect on aggregation and sedimentation. *J Nanopart Res*. 10: 795-814. <http://dx.doi.org/10.1007/s11051-007-9315-6>.
- Philips, J; Maes, N; Springael, D; Smolders, E. (2013). Acidification due to microbial dechlorination near a trichloroethene DNAPL is overcome with pH buffer or formate as electron donor: experimental demonstration in diffusion-cells. *J Contam Hydrol*. 147: 25-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.02.002>.
- Philips, J; Miroshnikov, A; Haest, PJ; Springael, D; Smolders, E. (2014). Motile Geobacter dechlorinators migrate into a model source zone of trichloroethene dense non-aqueous phase liquid: experimental evaluation and modeling. *J Contam Hydrol*. 170: 28-38. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.010>.
- Philips, J; Springael, D; Smolders, E. (2011). A three-layer diffusion-cell to examine bio-enhanced dissolution of chloroethene dense non-aqueous phase liquid. *Chemosphere*. 83: 991-996. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.012>.
- Philips, J; Van Muylder, R; Springael, D; Smolders, E. (2013). Electron donor limitations reduce microbial enhanced trichloroethene DNAPL dissolution: a flux-based analysis using diffusion-cells. *Chemosphere*. 91: 7-13. <http://dx.doi.org/10.1016/j.chemosphere.2012.11.016>.
- Phillips, DH; Thomas, AO; Forde, K; Dickson, K; Plant, S; Norris, G; Bone, B; Kalin, RM. (2007). Fate and transport of volatile organic compounds in glacial till and groundwater at an industrial site in Northern Ireland. *Environ Geol*. 52: 1117-1131. <http://dx.doi.org/10.1007/s00254-006-0550-4>.
- Phillips, DH; Van Nooten, T; Bastiaens, L; Russell, MI; Dickson, K; Plant, S; Ahad, JM; Newton, T; Elliot, T; Kalin, RM. (2010). Ten year performance evaluation of a field-scale zero-valent iron permeable reactive barrier installed to remediate trichloroethene contaminated groundwater. *Environ Sci Technol*. 44: 3861-3869. <http://dx.doi.org/10.1021/es902737t>.
- Phillips, LA; Raupp, GB. (1992). INFRARED SPECTROSCOPIC INVESTIGATION OF GAS SOLID HETEROGENEOUS PHOTOCATALYTIC OXIDATION OF TRICHLOROETHYLENE. 77: 297-311.
- Phuc, BHN; Lindberg, JE; Ogle, B; Thomke, S. (2001). Determination of the nutritive value of tropical biomass products as dietary ingredients for monogastrics using rats: 1. Comparison of eight forage species at two levels of inclusion in relation to a casein diet. *Asian-Australas J Anim Sci*. 14: 986-993.
- Pianta, R; Boller, M; Janex, ML; Chappaz, A; Birou, B; Ponce, R; Walther, JL. (1998). Micro- and ultrafiltration of karstic spring water. *Desalination*. 117: 61-71.
- Pichat, P; Disdier, J; Hoang-Van, C; Mas, D; Goutailler, G; Gaysse, C. (2000). Purification/deodorization of indoor air and gaseous effluents by TiO2 photocatalysis. *Catalysis Today*. 63: 363-369.
- Pickerell, DS; Plank, CA. (1989). EXCESS VOLUMES OF THE SYSTEM BENZENE + 1,1,2-TRICHLOROETHYLENE AT 283.15-K AND 313.15-K. *Journal of Chemical and Engineering Data*. 34: 278-280.
- Pieja, AJ; Sundstrom, ER; Criddle, CS. (2012). Cyclic, alternating methane and nitrogen limitation increases PHB production in a methanotrophic community. *Bioresour Technol*. 107: 385-392. <http://dx.doi.org/10.1016/j.biortech.2011.12.044>.
- Pielichowski, J; Bogdal, D. (1994). APPLICATION OF TRICHLOROETHYLENE IN ORGANIC-SYNTHESIS .9. SYNTHESIS OF N-ALKYLIMINO-1,2-DI(9-CARBAZOLYL)ETHANES - EVIDENCE FOR THE MECHANISM OF THE REACTION OF DICHLOROACETYLENE WITH PRIMARY AMINES. *Synthetic Communications*. 24: 3091-3098.
- Pielichowski, J; Czub, P. (1995). A MODIFIED SYNTHESIS OF 9-(1,2-DICHLOROVINYLCARBAZOLE BY USING CROWN-ETHERS AND CRYPTANDS IN A NONAQUEOUS SYSTEM. *Synthetic Communications*. 25: 3647-3654.
- Piera, E; Ayllon, JA; Domenech, X; Peral, J. (2002). TiO(2) deactivation during gas-phase photocatalytic oxidation of ethanol. *Catalysis Today*. 76: 259-270.

Fate Literature Search Results

Off Topic

- Pietrzak, R; Szatanik, R; Olchawa, R; Ksiazek, K. (2013). The influence of mechanical damaging on the lifetime of positrons in ultrahigh-molecular polyethylene. *Materials Science*. 48: 729-738. <http://dx.doi.org/10.1007/s11003-013-9561-y>.
- Pignatello, JJ; Liu, D; Huston, P. (1999). Evidence for an additional oxidant in the photoassisted fenton reaction. *Environ Sci Technol*. 33: 1832-1839.
- Pikarsky, E; Porat, RM; Stein, I; Abramovitch, R; Amit, S; Kasem, S; Gutkovich-Pyest, E; Urieli-Shoval, S; Galun, E; Ben-Neriah, Y. (2004). NF-kappaB functions as a tumour promoter in inflammation-associated cancer. *Nature*. 431: 461-466. <http://dx.doi.org/10.1038/nature02924>.
- Ping, N; Gu, JJ; Bart, HJ. (1997). Numerical simulation of the effect of maldistribution in a fixed bed adsorber. *Chinese Journal of Chemical Engineering*. 5: 304-315.
- Pires, J; Pinto, ML; Carvalho, A; de Carvalho, MB. (2003). Adsorption of volatile organic compounds in pillared clays: Estimation of the separation factor by a method derived from the Dubinin-Radushkevich equation. *Langmuir*. 19: 7941-7943. <http://dx.doi.org/10.1021/la030086k>.
- Pirnie, EF; Talley, JW; Hunda, LS. (2006). Transformation of DDT and its metabolites by various abiotic methods. *J Environ Eng*. 132: 560-564. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:5\(560\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:5(560)).
- Pirnie, EF; Talley, JW; Hundal, LS. (2006). Abiotic transformation of DDT in aqueous solutions. *Chemosphere*. 65: 1576-1582. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.055>.
- Piscopo, AN; Neupauer, RM; Kasprzyk, JR. (2016). Optimal design of active spreading systems to remediate sorbing groundwater contaminants in situ. *J Contam Hydrol*. 190: 29-43. <http://dx.doi.org/10.1016/j.jconhyd.2016.03.005>.
- Pithan, F; Angevine, W; Mauritsen, T. (2015). Improving a global model from the boundary layer: Total turbulent energy and the neutral limit Prandtl number. *Journal of Advances in Modeling Earth Systems*. 7: 791-805. <http://dx.doi.org/10.1002/2014MS000382>.
- Pitkaaho, S; Ojala, S; Maunula, T; Savimaki, A; Kinnunen, T; Keiski, RL. (2011). Oxidation of dichloromethane and perchloroethylene as single compounds and in mixtures. *Appl Catal B-Environ*. 102: 395-403. <http://dx.doi.org/10.1016/j.apcatb.2010.12.011>.
- Pitkin, SE; Cherry, JA; Ingleton, RA; Broholm, M. (1999). Field demonstrations using the Waterloo ground water profiler. *Ground Water Monitoring and Remediation*. 19: 122-131.
- Pitterle, MT; Andersen, RG; Novak, JT; Widdowson, MA. (2005). Push-pull tests to quantify in situ degradation rates at a phytoremediation site. *Environ Sci Technol*. 39: 9317-9323. <http://dx.doi.org/10.1021/es0509275>.
- Plagentz, V; Ebert, M; Dahmke, A. (2006). Remediation of ground water containing chlorinated and brominated hydrocarbons, benzene and chromate by sequential treatment using ZVI and GAC. *Environ Geol*. 49: 684-695. <http://dx.doi.org/10.1007/s00254-005-0106-z>.
- Plagentz, V; Schaefer, D; Kober, R; Dethlefsen, F; Ebert, M; Dahmke, A. (2006). pH buffering downgradient of permeable reactive barriers. *Grundwasser*. 11: 259-269.
- Platteborzestienlet, K; Zeegershuyskens, T. (1996). IR characteristics of complexes involving 1,8-bis(dimethylamino)naphthalene and phenols-OH or phenols-OD in solution. *J Mol Struct*. 378: 29-34.
- Pleil, JD; Fisher, JW; Lindstrom, AB. (1998). Trichloroethene levels in human blood and exhaled breath from controlled inhalation exposure. *Environ Health Perspect*. 106: 573-580.
- Plummer, M; Best, N; Cowles, K; Vines, K. (2006). CODA: Convergence diagnosis and output analysis for MCMC. *R News*. 6: 7-11.
- Pocklington, WD. (1992). Determination of tetrachloroethylene: Results of a collaborative study and the standardized method. *J Am Oil Chem Soc*. 69: 789-793. <http://dx.doi.org/10.1007/BF02635916>.
- Poddutoori, PK; Lim, GN; Vassiliev, S; D'Souza, F. (2015). Ultrafast charge separation and charge stabilization in axially linked 'tetrathiafulvalene-aluminum(III) porphyrin-gold(III) porphyrin' reaction center mimics. *Phys Chem Chem Phys*. 17: 26346-26358. <http://dx.doi.org/10.1039/c5cp04818d>.
- Podrouzkova, H; Bedanova, H; Tretina, M; Korinek, J; Stepanova, R; Hruskova, J; Nemecek, P; Konecny, T; Orban, M. (2015). Decrease in longitudinal strain in heart transplant recipients is associated with rejection. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub*. 159: 601-606. <http://dx.doi.org/10.5507/bp.2015.020>.
- Pohl, HR; Roney, N; Wilbur, S; Hansen, H; De Rosa, CT. (2003). Six interaction profiles for simple mixtures. *Chemosphere*. 53: 183-197. [http://dx.doi.org/10.1016/S0045-6535\(03\)00436-3](http://dx.doi.org/10.1016/S0045-6535(03)00436-3).
- Pohl, HR; Tylanda, CA. (2000). Breast-feeding exposure of infants to selected pesticides: a public health viewpoint [Review]. *Toxicol Ind Health*. 16: 65-77. <http://dx.doi.org/10.1177/074823370001600203>.
- Poli, D; Manini, P; Andreoli, R; Franchini, I; Mutti, A. (2005). Determination of dichloromethane, trichloroethylene and perchloroethylene in urine samples by headspace solid phase microextraction gas chromatography-mass spectrometry. *Journal of Chromatography B*. 820: 95-102. <http://dx.doi.org/10.1016/j.jchromb.2005.03.00>.
- Pollack, GM; Li, RC; Ermer, JC; Shen, DD. (1985). Effects of route of administration and repetitive dosing on the disposition kinetics of di(2-ethylhexyl) phthalate and its mono-de-esterified metabolite in rats. *Toxicol Appl Pharmacol*. 79: 246-256. [http://dx.doi.org/10.1016/0041-008X\(85\)90346-1](http://dx.doi.org/10.1016/0041-008X(85)90346-1).
- Pon, G; Semprini, L. (2004). Anaerobic reductive dechlorination of 1-chloro-1-fluoroethene to track the transformation of vinyl chloride. *Environ Sci Technol*. 38: 6803-6808. <http://dx.doi.org/10.1021/es0498383>.
- Pond, KL; Huang, YS; Wang, Y; Kulpa, CF. (2002). Hydrogen isotopic composition of individual n-alkanes as an intrinsic tracer for bioremediation and source identification of petroleum contamination. *Environ Sci Technol*. 36: 724-728. <http://dx.doi.org/10.1021/es011140r>.
- Ponder, SM; Darab, JG; Bucher, J; Caulder, D; Craig, I; Davis, L; Edelstein, N; Lukens, W; Nitsche, H; Rao, LF; Shuh, DK; Mallouk, TE. (2001). Surface chemistry and electrochemistry of supported zerovalent iron nanoparticles in the remediation of aqueous metal contaminants. *Chem Mater*. 13: 479-486. <http://dx.doi.org/10.1021/cm000288r>.

Fate Literature Search Results

Off Topic

- Ponder, SM; Darab, JG; Mallouk, TE. (2000). Remediation of Cr(VI) and Pb(II) aqueous solutions using supported, nanoscale zero-valent iron. *Environ Sci Technol.* 34: 2564-2569.
- Popat, SC; Deshusses, MA. (2009). Reductive dehalogenation of trichloroethene vapors in an anaerobic biotrickling filter. *Environ Sci Technol.* 43: 7856-7861. <http://dx.doi.org/10.1021/es901305x>.
- Popat, SC; Deshusses, MA. (2010). Analysis of the rate-limiting step of an anaerobic biotrickling filter removing TCE vapors. *Process Biochemistry.* 45: 549-555. <http://dx.doi.org/10.1016/j.procbio.2009.11.017>.
- Popat, SC; Deshusses, MA. (2010). Analysis of the rate-limiting step of an anaerobic biotrickling filter removing TCE vapors (vol 45, pg 549, 2010). *Process Biochemistry.* 45: 1201-1201. <http://dx.doi.org/10.1016/j.procbio.2010.03.032>.
- Popat, SC; Deshusses, MA. (2011). Kinetics and inhibition of reductive dechlorination of trichloroethene, cis-1,2-dichloroethene and vinyl chloride in a continuously fed anaerobic biofilm reactor. *Environ Sci Technol.* 45: 1569-1578. <http://dx.doi.org/10.1021/es102858t>.
- Popat, SC; Zhao, K; Deshusses, MA. (2012). Bioaugmentation of an anaerobic biotrickling filter for enhanced conversion of trichloroethene to ethene. *Chem Eng J.* 183: 98-103. <http://dx.doi.org/10.1016/j.cej.2011.12.026>.
- Popovicova, J; Brusseau, ML. (1997). Dispersion and transport of gas-phase contaminants in dry porous media: effect of heterogeneity and gas velocity. *J Contam Hydrol.* 28: 157-169.
- Popovicova, J; Brusseau, ML. (1998). Contaminant mass transfer during gas-phase transport in unsaturated porous media. *Water Resour Res.* 34: 83-92.
- Popp, S; Beyer, C; Dahmke, A; Koproch, N; Koeber, R; Bauer, S. (2016). Temperature-dependent dissolution of residual non-aqueous phase liquids: model development and verification. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5743-x>.
- Popper, H. (1986). Aging and the liver [Review]. In H Popper; F Schaffner (Eds.), (pp. 659-683). Orlando, FL: Grune and Stratton.
- Portier, CJ; Bailer, AJ. (1989). Testing for increased carcinogenicity using a survival-adjusted quantal response test. *Toxicol Sci.* 12: 731-737.
- Portier, CJ; Hedges, JC; Hoel, DG. (1986). Age-specific models of mortality and tumor onset for historical control animals in the National Toxicology Program's carcinogenicity experiments. *Cancer Res.* 46: 4372-4378.
- Pota, AA; Mathews, AP. (1999). Effects of particle stratification on fixed bed absorber performance. *J Environ Eng.* 125: 705-711.
- Pota, AA; Mathews, AP. (2000). Adsorption dynamics in a stratified convergent tapered bed. *Chem Eng Sci.* 55: 1399-1409.
- Poteracki, J; Walsh, KM. (1998). Spontaneous neoplasms in control Wistar rats: A comparison of reviews. *Toxicol Sci.* 45: 1-8. <http://dx.doi.org/10.1006/toxs.1998.2493>.
- Potter, K; Lovett-Doust, L. (2001). Biomonitoring site quality in stressed aquatic ecosystems using *Vallisneria americana*. *Ecol Appl.* 11: 215-225.
- Potyrailo, RA; May, RJ; Sivavec, TM. (2004). Recognition and quantification of perchloroethylene, trichloroethylene, vinyl chloride, and three isomers of dichloroethylene using acoustic wave sensor array. *Sensor Letters.* 2: 31-36. <http://dx.doi.org/10.1166/sl.2004.019>.
- Potyrailo, RA; Sivavec, TM. (2004). Boosting sensitivity of organic vapor detection with silicone block polyimide polymers. *Anal Chem.* 76: 7023-7027. <http://dx.doi.org/10.1021/ac049481l>.
- Potyrailo, RA; Sivavec, TM. (2005). Dual-response resonant chemical sensors for multianalyte analysis. *Sens Actuators B.* 106: 249-252. <http://dx.doi.org/10.1016/j.snb.2004.08.005>.
- Poulsen, TG; Moldrup, P; Schjonning, P; Massmann, JW; Hansen, JA. (1998). Gas permeability and diffusivity in undisturbed soil: SVE implications. *J Environ Eng.* 124: 979-986.
- Poulson, SR; Drever, JI. (1999). Stable isotope (C, Cl, and H) fractionation during vaporization of trichloroethylene. *Environ Sci Technol.* 33: 3689-3694.
- Poulson, SR; Naraoka, H. (2002). Carbon isotope fractionation during permanganate oxidation of chlorinated ethylenes (cDCE, TCE, PCE). *Environ Sci Technol.* 36: 3270-3274. <http://dx.doi.org/10.1021/es0205380>.
- Poulson, SR; Naraoka, H. (2006). Carbon isotope fractionation during degradation of benzene, trichloroethene, and tetrachloroethene under ultraviolet light. *Geochemical Journal.* 40: 291-296.
- Pour, SM; Woolley, I; Canavan, P; Chuah, J; Russell, DB; Law, M; Petoumenos, K. (2011). Triple class experience after initiation of combination antiretroviral treatment in Australia: survival and projections. *Sex Health.* 8: 295-303. <http://dx.doi.org/10.1071/SH10008>.
- Poursaberi, T; Falsafi, Z; Hassanisadi, M; Jabbari, A. (2015). Simultaneous adsorption and dechlorination of carbon tetrachloride using copper nanoparticles@graphene oxide composites. *Journal of the Iranian Chemical Society.* 12: 67-74. <http://dx.doi.org/10.1007/s13738-014-0455-1>.
- Pous, N; Casentini, B; Rossetti, S; Fazi, S; Puig, S; Aulenta, F. (2015). Anaerobic arsenite oxidation with an electrode serving as the sole electron acceptor: a novel approach to the bioremediation of arsenic-polluted groundwater. *J Hazard Mater.* 283: 617-622. <http://dx.doi.org/10.1016/j.jhazmat.2014.10.014>.
- Powell, CL; Agrawal, A. (2011). Biodegradation of Trichloroethene by Methane Oxidizers Naturally Associated with Wetland Plant Roots. *Wetlands.* 31: 45-52. <http://dx.doi.org/10.1007/s13157-010-0134-7>.
- Powell, RM; Puls, RW. (1997). Proton generation by dissolution of intrinsic or augmented aluminosilicate minerals for in situ contaminant remediation by zero valence state iron. *Environ Sci Technol.* 31: 2244-2251.
- Powers, SE; Abriola, LM; Weber, WJ. (1994). AN EXPERIMENTAL INVESTIGATION OF NONAQUEOUS PHASE LIQUID DISSOLUTION IN SATURATED SUBSURFACE SYSTEMS - TRANSIENT MASS-TRANSFER RATES. *Water Resour Res.* 30: 321-332.
- Prager, L; Langguth, H; Rummel, S; Mehnert, R. (1995). ELECTRON-BEAM DEGRADATION OF CHLORINATED HYDROCARBONS IN AIR. *Radiat Phys Chem Oxf Engl* 1993. 46: 1137-1142.
- Prakash; Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. *J Environ Eng.* 126: 622-628.
- Prakash, OM; Anklekar, RM; Khosla, NK; Kumar, S; Chaudhuri, B; Thomas, CA; Magadum, AP; Ramesh, M; Rao, BT; Mohan, TRR. (1991). SHAPE-FORMING AND DENSIFICATION OF CERAMIC SUPERCONDUCTORS. *Bulletin of Materials Science.* 14: 1145-1150.

Fate Literature Search Results

Off Topic

- Prakash, SM; Gupta, SK. (2000). Biodegradation of tetrachloroethylene in upflow anaerobic sludge blanket reactor. *Bioresour Technol.* 72: 47-54.
- Prasad, RL; Thakur, SN. (2003). Monitoring air pollution using infrared photoacoustic spectra of organic vapours. *J Indian Chem Soc.* 80: 341-344.
- Prasad, TEV; Anand, SV; Prasad, DHL. (2006). Vapor-liquid equilibria of binary mixtures formed by m-xylene with some chlorohydrocarbons at 95.75 kPa. *Physics and Chemistry of Liquids.* 44: 15-19. <http://dx.doi.org/10.1080/00319100500217751>.
- Prasad, TEV; Banerjee, S; Babu, JK; Prasad, DHL. (2004). Boiling temperature measurements on the binary mixtures formed by dimethyl carbonate with some chloroethanes and chloroethylenes at 95.8 kPa. *Fluid Phase Equilibria.* 218: 291-293. <http://dx.doi.org/10.1016/j.fluid.2004.01.027>.
- Prasad, TEV; Harish, G; Krupavaram, N; Prasad, S; Jaiswal, A; Prasad, DHL. (2005). Bubble points of some binary mixtures formed by o-cresol at 95.75 kPa. *Fluid Phase Equilibria.* 238: 45-51. <http://dx.doi.org/10.1016/j.fluid.2005.09.012>.
- Prasad, TEV; Haritha, M; Geetha, NB; Kumar, YPP; Kalyan, KI; Prasad, DHL. (2004). Bubble temperature measurements on the binary mixtures formed by chlorobenzene with methanol, ethanol, n-propanol and sec-butanol at 94.6 kPa. *Physics and Chemistry of Liquids.* 42: 385-389. <http://dx.doi.org/10.1080/00319100410001684480>.
- Prasad, TEV; Kumar, AS; Prasad, DHL. (2002). Boiling temperature measurements on the binary mixtures formed by acetonitrile with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria.* 201: 47-55.
- Prasad, TEV; Manohar, V; Chaitanya, K; Prasad, DHL. (2006). Activity coefficients and excess Gibbs' energies of the binary mixtures formed by 2-cyanopyrazine with some chloroaliphatics at 95.5 kPa. *Physics and Chemistry of Liquids.* 44: 687-692. <http://dx.doi.org/10.1080/00319100600861193>.
- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Densities and viscosities of the binary mixtures of chloroethylenes with some aliphatic alcohols. *Journal of Chemical and Engineering Data.* 47: 68-71. <http://dx.doi.org/10.1021/je010141w>.
- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Vapor-liquid equilibria in trichloroethylene plus ethanol, plus isopropanol, and plus isobutanol and in tetrachloroethylene plus methanol at 95 kPa. *Journal of Chemical and Engineering Data.* 47: 816-817. <http://dx.doi.org/10.1021/je010248j>.
- Prasad, TEV; Naidu, BRP; Madhukiran, D; Prasad, DHL. (2001). Boiling temperature measurements on the binary mixtures of cyclohexane with some alcohols and chlorohydrocarbons. *Journal of Chemical and Engineering Data.* 46: 414-416.
- Prasad, TEV; Patanjali, V; Sudhakar, TA; Radhika, BS; Arvind, VM; Prasad, DHL. (2004). Bubble temperature measurements on the binary mixtures of n-heptane or nitrobenzene or chlorobenzene with some chloroethanes and chloroethylenes at (94.6 to 95.8) kPa. *Journal of Chemical and Engineering Data.* 49: 199-201. <http://dx.doi.org/10.1021/je030185>.
- Prasad, TEV; Prasad, DHL; Babu, JK; Banarjee, S. (2004). Bubble temperature measurements on the binary mixtures formed by 1,2-dimethylbenzene with some chloroethanes and chloroethylenes at 95.8 KPA. *Chemical Engineering Communications.* 191: 1323-1328. <http://dx.doi.org/10.1080/00986440490464246>.
- Prasad, TEV; Prasad, DHL; Krishna, VB. (2005). Bubble temperature measurements on the binary mixtures of sec-butanol with chloroethanes and chloroethylenes at 94.6 kPa. *Chemical Engineering Communications.* 192: 168-173. <http://dx.doi.org/10.1080/00986440590473371>.
- Prasad, TEV; Raj, EDA; Maheedhar, G; Reddy, MS; Kumar, VS; Garapati, S; Patanjali, V; Prasad, DHL. (2004). Bubble-temperature measurements on some binary mixtures formed by tetrahydrofuran or amyl alcohol with hydrocarbons, chlorohydrocarbons, or butanols at (94.6 or 95.8) kPa. *Journal of Chemical and Engineering Data.* 49: 746-749. <http://dx.doi.org/10.1021/je030141r>.
- Prasad, TEV; Saisreekanth, K; Prasad, DHL. (2007). Vapor-liquid equilibria of selected binary mixtures formed by 2-methylpyrazine at 94.7 kPa. *Physics and Chemistry of Liquids.* 45: 307-311. <http://dx.doi.org/10.1080/00319100500502483>.
- Prasad, TEV; Sankar, B; Kumar, RP; Prasad, DHL. (2003). Boiling temperature measurements on the binary mixtures formed by tert-butanol with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria.* 213: 147-152. [http://dx.doi.org/10.1016/S0378-3812\(03\)00287-5](http://dx.doi.org/10.1016/S0378-3812(03)00287-5).
- Prasad, TEV; Sravani, Y; Ranjita, VS, ri; Prasada, DHL. (2006). Excess Gibbs' energies of selected binary mixtures formed by N,N-dimethyl formamide at 95.5 kPa. *Fluid Phase Equilibria.* 249: 49-54. <http://dx.doi.org/10.1016/j.fluid.2006.08.018>.
- Prasad, TEV; Sridevi, D; Kalpana, U; Kavitha, M; Himabindu, T; Agrawal, SB; Bajaj, MB; Prasad, DHL. (2005). Vapor-liquid equilibria of the binary mixtures of some aliphatic alcohols and chloroethanes or chloroethylenes. *Physics and Chemistry of Liquids.* 43: 1-4. <http://dx.doi.org/10.1080/00319100410001679891>.
- Prasad, TEV; Srinivas, MY; Prasad, DHL. (2006). Bubble points of the binary mixtures formed by ethylbenzene with some chloroaliphatics and substituted benzenes at p=94.7 kPa. *The Journal of Chemical Thermodynamics.* 38: 1186-1191. <http://dx.doi.org/10.1016/j.jct.2006.12.009>.
- Prasad, TEV; Venkanna, N; Kumar, YN; Ashok, K; Sirisha, NM; Prasad, DHL. (2007). Activity coefficients and excess Gibbs' free energy of some binary mixtures formed by p-cresol at 95.23 kPa. *The Journal of Chemical Thermodynamics.* 39: 1022-1026. <http://dx.doi.org/10.1016/j.jct.2006.12.017>.
- Prasanna, HR; Hart, RW; Magee, PN. (1989). Effect of food restriction on the metabolism of dimethylnitrosamine (NDMA) in rats. *Anticancer Res.* 9: 93-96.
- Prats-Boluda, G; Ye-Lin, Y; Bueno Barrachina, JM; Senent, E; Rodriguez de Sanabria, R; Garcia-Casado, J. (2015). Development of a portable wireless system for bipolar concentric ECG recording. *Meas Sci Technol.* 26. <http://dx.doi.org/10.1088/0957-0233/26/7/075102>.
- Pratt, DA; van der Donk, WA. (2005). Theoretical investigations into the intermediacy of chlorinated vinylcobalamins in the reductive dehalogenation of chlorinated ethylenes. *J Am Chem Soc.* 127: 384-396. <http://dx.doi.org/10.1021/ja047915o>.

Fate Literature Search Results

Off Topic

- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. *Environ Sci Technol.* 39: 3261-3268. <http://dx.doi.org/10.1021/es0497328>.
- Pratt, KF; Pawliszyn, J. (1992). Water monitoring system based on gas extraction with a single hollow fiber membrane and gas chromatographic cryotrapping. *Anal Chem.* 64: 2107-2110.
- Prengle, HW; Symons, JM; Belhateche, D. (1996). H₂O₂/VisUV process for photo-oxidation of waterborne hazardous substances - C-1-C-6 chlorinated hydrocarbons. *Waste Manag.* 16: 327-333.
- Press, DJ; Mckinley, M; Deapen, D; Clarke, CA; Gomez, SL. (2016). Residential cancer cluster investigation nearby a Superfund Study Area with trichloroethylene contamination. *Cancer Causes Control.* 27: 607-613. <http://dx.doi.org/10.1007/s10552-016-0734-5>.
- Pressman, JG; Georgiou, G; Speitel, GE. (2005). Scale-up considerations for a hollow-fiber-membrane bioreactor treating trichloroethylene-contaminated water. *Water Environ Res.* 77: 533-542. <http://dx.doi.org/10.2175/106143005X67458>.
- Preston, C; Xu, Y; Han, X; Munday, JN; Hu, L. (2013). Optical haze of transparent and conductive silver nanowire films. *Nano Research.* 6: 461-468. <http://dx.doi.org/10.1007/s12274-013-0323-9>.
- Pretzer, LA; Heck, KN; Kim, SS; Fang, Y, uLun; Zhao, Z; Guo, N; Wu, T; Miller, JT; Wong, MS. (2016). Improving gold catalysis of nitroarene reduction with surface Pd. *Catalysis Today.* 264: 31-36. <http://dx.doi.org/10.1016/j.cattod.2015.07.040>.
- Pretzer, LA; Song, HJ; Fang, Y, uLun; Zhao, Z; Guo, N; Wu, T; Arslan, I; Miller, JT; Wong, MS. (2013). Hydrodechlorination catalysis of Pd-on-Au nanoparticles varies with particle size. *J Catal.* 298: 206-217. <http://dx.doi.org/10.1016/j.jcat.2012.11.005>.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. SAR and QSAR in Environmental Research. 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Price, PS; Conolly, RB; Chaisson, CF; Gross, EA; Young, JS; Mathis, ET; Tedder, DR. (2003). Modeling interindividual variation in physiological factors used in PBPK models of humans [Review]. *Crit Rev Toxicol.* 33: 469-503. <http://dx.doi.org/10.1080/10408440390242324>.
- Price, RG; Wedeen, R; Lichtveld, MY; Lybarger, JA; Porter, GA; Fels, L; Stolte, H; Safirstein, RL; Mueller, PW; Manley, S; Whiting, PH; Gomez, RA; Finn, WF. (1999). Urinary biomarkers: Roles in risk assessment to environmental and occupational nephrotoxins: Monitoring of effects and evaluation of mechanisms of toxicity. *Ren Fail.* 21: xiii-xviii. <http://dx.doi.org/10.3109/08860229909085085>.
- Priebe, CE. (2001). Olfactory classification via interpoint distance analysis. *IEEE Trans Pattern Anal Mach Intell.* 23: 404-413.
- Prince, MM; Ruder, AM; Hein, MJ; Waters, MA; Whelan, EA; Nilsen, N; Ward, EM; Schnorr, TM; Laber, PA; Davis-King, KE. (2006). Mortality and exposure response among 14,458 electrical capacitor manufacturing workers exposed to polychlorinated biphenyls (PCBs). *Environ Health Perspect.* 114: 1508-1514. <http://dx.doi.org/10.1289/ehp.9175>.
- Prommer, H; Aziz, LH; Bolaño, N; Taubald, H; Schüth, C. (2008). Modelling of geochemical and isotopic changes in a column experiment for degradation of TCE by zero-valent iron. *J Contam Hydrol.* 97: 13-26. <http://dx.doi.org/10.1016/j.jconhyd.2007.11.003>.
- Provoost, J; Reijnders, L; Swartjes, F; Bronders, J, an; Seuntjens, P; Lijzen, J. (2009). Accuracy of seven vapour intrusion algorithms for VOC in groundwater. *Journal of Soils and Sediments.* 9: 62-73. <http://dx.doi.org/10.1007/s11368-008-0036-y>.
- Pruden, AL; Ollis, DF. (1983). PHOTOASSISTED HETEROGENEOUS CATALYSIS - THE DEGRADATION OF TRICHLOROETHYLENE IN WATER. *J Catal.* 82: 404-417.
- Pryor, GT; Dickinson, J; Howd, RA; Rebert, CS. (1983). Transient cognitive deficits and high-frequency hearing loss in weanling rats exposed to toluene. *Neurobehav Toxicol Teratol.* 5: 53-57.
- Pryor, GT; Rebert, CS; Howd, RA. (1987). Hearing loss in rats caused by inhalation of mixed xylenes and styrene. *J Appl Toxicol.* 7: 55-61.
- Ptacek, B; Dalard, F; Rameau, JJ. (1996). Iron phosphating in a trichloroethylene solution. *Surf Coating Tech.* 82: 277-283.
- Pu, H; Shackelford, CD; Fox, PJ. (2016). Assessment of Consolidation-Induced VOC Transport for a GML/GCL Composite Liner System. *Journal of Geotechnical and Geoenvironmental Engineering.* 142. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001538](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001538).
- Pucher, P; Azouani, R; Kanaev, A; Krammer, G. (2008). A photocatalytic active adsorbent for gas cleaning in a fixed bed reactor. *Intl J Photoenergy.* <http://dx.doi.org/10.1155/2008/759736>.
- Pucher, P; Benmami, M; Azouani, R; Krammer, G; Chhor, K; Bocquet, JF; Kanaev, AV. (2007). Nano-TiO₂ sols immobilized on porous silica as new efficient photocatalyst. *Appl Catal A-Gen.* 332: 297-303. <http://dx.doi.org/10.1016/j.apcata.2007.08.031>.
- Pucher, P; Krammer, G; Azouani, R; Chhor, K; Kanaev, A. (2008). UV-A-induced autocatalytic oxidation of TCE in fixed-bed reactor with transparent silica-gel adsorbent. *Appl Catal A-Gen.* 345: 58-64. <http://dx.doi.org/10.1016/j.apcata.2008.04.027>.
- Pudasainee, D; Kim, JH; Lee, SH; Park, JM; Jang, HN; Song, GJ; Seo, YC. (2010). Hazardous air pollutants emission from coal and oil-fired power plants. *Asia-Pacific Journal of Chemical Engineering.* 5: 299-303. <http://dx.doi.org/10.1002/apj.268>.
- Puddu, V; Choi, H; Dionysiou, DD; Puma, GL, i. (2010). TiO₂ photocatalyst for indoor air remediation: Influence of crystallinity, crystal phase, and UV radiation intensity on trichloroethylene degradation. *Appl Catal B-Environ.* 94: 211-218. <http://dx.doi.org/10.1016/j.apcatb.2009.08.003>.
- Puigserver, D; Herrero, J; Torres, M; Cortés, A; Nijenhuis, I; Kuntze, K; Parker, BL; Carmona, JM. (2016). Reductive dechlorination in recalcitrant sources of chloroethenes in the transition zone between aquifers and aquitards. *Environ Sci Pollut Res Int.* 23: 18724-18741. <http://dx.doi.org/10.1007/s11356-016-7068-4>.
- Pullin, H, uw; Springell, R; Parry, S; Scott, T. (2017). The effect of aqueous corrosion on the structure and reactivity of zero-valent iron nanoparticles. *Chem Eng J.* 308: 568-577. <http://dx.doi.org/10.1016/j.cej.2016.09.088>.
- Puls, RW; Blowes, DW; Gillham, RW. (1999). Long-term performance monitoring for a permeable reactive barrier at the US Coast Guard Support Center, Elizabeth City, North Carolina. *J Hazard Mater.* 68: 109-124. [http://dx.doi.org/10.1016/S0304-3894\(99\)00034-5](http://dx.doi.org/10.1016/S0304-3894(99)00034-5).

Fate Literature Search Results

Off Topic

- Puls, RW; Paul, CJ. (1995). LOW-FLOW PURGING AND SAMPLING OF GROUND-WATER MONITORING WELLS WITH DEDICATED SYSTEMS. *Ground Water Monitoring and Remediation*. 15: 116-123.
- Puma, GL, i; Salvado-Estivill, I; Obee, TN; Hay, SO. (2009). Kinetics rate model of the photocatalytic oxidation of trichloroethylene in air over TiO₂ thin films. *Separation and Purification Technology*. 67: 226-232. <http://dx.doi.org/10.1016/j.seppur.2009.03.011>.
- Purdue, MP; Bakke, B; Stewart, P; De Roos, AJ; Schenk, M; Lynch, CF; Bernstein, L; Morton, LM; Cerhan, JR; Severson, RK; Cozen, W; Davis, S; Rothman, N; Hartge, P; Colt, JS. (2011). A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect*. 119: 232-238. <http://dx.doi.org/10.1289/ehp.1002106>.
- Purnomo, A, diS; Mori, T; Kondo, R. (2010). Involvement of Fenton reaction in DDT degradation by brown-rot fungi. *Int Biodeterior Biodegradation*. 64: 560-565. <http://dx.doi.org/10.1016/j.ibiod.2010.06.008>.
- Pusz, A; Kulig, A. (2014). MONITORING OF TRICHLOROETHENE AND TETRACHLOROETHENE CONTENT IN SOIL-WATER ENVIRONMENT IN THIRD PHASE OF ECOLOGICAL AUDIT OF LAND. 40: 65-80. <http://dx.doi.org/10.2478/aep-2014-0016>.
- Putthividhya, A; Kukor, JJ; Abriola, LM. (2016). The effects of substrate exposure history and carbon starvation-induced stress on the EPS synthesis of TCE degrading toluene oxidizing soil bacteria. *Environ Earth Sci*. 75. <http://dx.doi.org/10.1007/s12665-015-5080-5>.
- Putzlocher, R; Kueper, BH; Reynolds, DA. (2006). Relative velocities of DNAPL and aqueous phase plume migration. *J Contam Hydrol*. 88: 321-336. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.009>.
- Qi, L, in; Plagentz, V; Schafer, D; Dahmke, A. (2007). Remediation of trichloroethylene and monochlorobenzene-contaminated aquifers using the ORC-GAC-Fe-0-CaCO₃ system: Volatilization, precipitation, and porosity losses. *Pedosphere*. 17: 109-116.
- Qi, SY. (2004). Use of Dubinin-Astakhov equation to describe preloading effect of natural organic matter. *J Environ Eng*. 130: 472-477. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:4\(472\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:4(472)).
- Qian, A; Liao, P; Yuan, S; Luo, M. (2014). Efficient reduction of Cr(VI) in groundwater by a hybrid electro-Pd process. *Water Res*. 48: 326-334. <http://dx.doi.org/10.1016/j.watres.2013.09.043>.
- Qian, H; Pretzer, LA; Velazquez, JC; Zhao, Z; Wong, MS. (2013). Gold nanoparticles for cleaning contaminated water. *J Chem Tech Biotechnol*. 88: 735-741. <http://dx.doi.org/10.1002/jctb.4030>.
- Qian, H; Zhao, Z; Velazquez, JC; Pretzer, LA; Heck, KN; Wong, MS. (2014). Supporting palladium metal on gold nanoparticles improves its catalysis for nitrite reduction. *Nanoscale*. 6: 358-364. <http://dx.doi.org/10.1039/c3nr04540d>.
- Qian, L; Ren, Y, u; Liu, T; Pan, D; Wang, H; Chen, G. (2012). Influence of KIT-6's pore structure on its surface properties evaluated by inverse gas chromatography. *Chem Eng J*. 213: 186-194. <http://dx.doi.org/10.1016/j.cej.2012.09.110>.
- Qian, Y, i; Wang, Q; Yue, F. (2016). Remediation of TCE-contaminated water by enhanced chemical oxidation using Na₂S₂O₈/H₂O₂/red mud. *Desalination and Water Treatment*. 57: 4154-4161. <http://dx.doi.org/10.1080/19443994.2014.988648>.
- Qian, YL; Engelke, MC. (1999). Influence of trinexapac-ethyl on diamond zoysiagrass in a shade environment. *Crop Sci*. 39: 202-208.
- Qiang, ZM; Chang, JH; Huang, CP. (2002). Electrochemical generation of hydrogen peroxide from dissolved oxygen in acidic solutions. *Water Res*. 36: 85-94. [http://dx.doi.org/10.1016/S0043-1354\(01\)00235-4](http://dx.doi.org/10.1016/S0043-1354(01)00235-4).
- Qi-Feng, C; Dong, J; Yao, X; Dong, W; Yu-Han, S. (2009). Visible Region Photocatalysis of Ce-Si/TiO₂ Synthesized Using Sol-Gel-Hydrothermal Method. *Acta Phys - Chim Sin*. 25: 617-623. <http://dx.doi.org/10.3866/PKU.WHXB20090412>.
- Qin, XS; Huang, GH; Chakma, A; Chen, B; Zeng, GM. (2007). Simulation-based process optimization for surfactant-enhanced aquifer remediation at heterogeneous DNAPL-contaminated sites. *Sci Total Environ*. 381: 17-37. <http://dx.doi.org/10.1016/j.scitotenv.2007.04.011>.
- Qin, YJ; Sheth, JP; Sirkar, KK. (2002). Supported liquid membrane-based pervaporation for VOC removal from water. *Ind Eng Chem Res*. 41: 3413-3428. <http://dx.doi.org/10.1021/ie010901w>.
- Qiu, J; Chien, YC; Bruckner, JV; Fisher, JW. (2010). Bayesian analysis of a physiologically based pharmacokinetic model for perchloroethylene in humans. *J Toxicol Environ Health A*. 73: 74-91. <http://dx.doi.org/10.1080/15287390903249099>.
- Qiu, X; Fang, Z; Liang, B, in; Gu, F; Xu, Z. (2011). Degradation of decabromodiphenyl ether by nano zero-valent iron immobilized in mesoporous silica microspheres. *J Hazard Mater*. 193: 70-81. <http://dx.doi.org/10.1016/j.jhazmat.2011.07.024>.
- Qu, J, ie; Xu, Y; Ai, G; Liu, Y; Liu, Z. (2015). Novel *Chryseobacterium* sp PYR2 degrades various organochlorine pesticides (OCPs) and achieves enhancing removal and complete degradation of DDT in highly contaminated soil. *J Environ Manage*. 161: 350-357. <http://dx.doi.org/10.1016/j.jenvman.2015.07.025>.
- Qu, Z; Zhao, YS; Zhou, R, ui; Yin, XD; Zhu, Y; Wang, B; Jiao, L. (2013). Laboratory-scale analysis of transportation and natural attenuation of diesel fuel in aquifer. *Environ Earth Sci*. 68: 1555-1561. <http://dx.doi.org/10.1007/s12665-012-1849-y>.
- Quack, B; Suess, E. (1999). Volatile halogenated hydrocarbons over the western Pacific between 43 degrees and 4 degrees N. *J Geophys Res Atmos*. 104: 1663-1678.
- Quan, X; Zhang, X; Xu, H. (2015). In-situ formation and immobilization of biogenic nanopalladium into anaerobic granular sludge enhances azo dyes degradation. *Water Res*. 78: 74-83. <http://dx.doi.org/10.1016/j.watres.2015.03.024>.
- Quensen, JF; Tiedje, JM; Jain, MK; Mueller, SA. (2001). Factors controlling the rate of DDE dechlorination to DDMU in Palos Verdes margin sediments under anaerobic conditions. *Environ Sci Technol*. 35: 286-291.
- Quinlivan, PA; Li, L; Knappe, DR. (2005). Effects of activated carbon characteristics on the simultaneous adsorption of aqueous organic micropollutants and natural organic matter. *Water Res*. 39: 1663-1673. <http://dx.doi.org/10.1016/j.watres.2005.01.029>.
- Quinn, J; Geiger, C; Clausen, C; Brooks, K; Coon, C; O'Hara, S; Major, D; Yoon, WS; Gavaskar, A; Holdsworth, T. (2005). Field demonstration of DNAPL dehalogenation using emulsified zero-valent iron. *Environ Sci Technol*. 39: 1309-1318. <http://dx.doi.org/10.1021/es0490018>.
- Quinones-Bolanos, E; Zhou, HD; Soundararajan, R; Otten, L. (2005). Water and solute transport in pervaporation hydrophilic membranes to reclaim contaminated water for micro-irrigation. *J Memb Sci*. 252: 19-28. <http://dx.doi.org/10.1016/j.memsci.2004.10.038>.

Fate Literature Search Results

Off Topic

- Quintelas, C; Figueiredo, H; Tavares, T. (2011). The effect of clay treatment on remediation of diethylketone contaminated wastewater: Uptake, equilibrium and kinetic studies. *J Hazard Mater.* 186: 1241-1248. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.131>.
- Raaschou-Nielsen, O; Hansen, J; Christensen, JM; Blot, WJ; McLaughlin, JK; Olsen, JH. (2001). Urinary concentrations of trichloroacetic acid in Danish workers exposed to trichloroethylene, 1947-1985. *Am J Ind Med.* 39: 320-327.
- Raaschou-Nielsen, O; Hansen, J; McLaughlin, JK; Kolstad, H; Christensen, JM; Tarone, RE; Olsen, JH. (2003). Cancer risk among workers at Danish companies using trichloroethylene: A cohort study. *Am J Epidemiol.* 158: 1182-1192. <http://dx.doi.org/10.1093/aje/kwg282>.
- Raaschou-Nielsen, O; Hansen, J; Thomsen, BL; Johansen, I; Lipworth, L; McLaughlin, JK; Olsen, JH. (2002). Exposure of Danish workers to trichloroethylene, 1947-1989. *Appl Occup Environ Hyg.* 17: 693-703. <http://dx.doi.org/10.1080/10473220290096186>.
- Rabbi, MF; Clark, B; Gale, RJ; Ozsü-Acar, E; Pardue, J; Jackson, A. (2000). In situ TCE bioremediation study using electrokinetic cometabolite injection. *Waste Manag.* 20: 279-286.
- Rabideau, AJ; Shen, PL; Khandelwal, A. (1999). Feasibility of amending slurry walls with zero-valent iron. *Journal of Geotechnical and Geoenvironmental Engineering.* 125: 330-333.
- Rabideau, AJ; Suribhatla, R; Craig, JR. (2005). Analytical models for the design of iron-based permeable reactive barriers. *J Environ Eng.* 131: 1589-1597. [http://dx.doi.org/10.1061/ASCE0733-9372\(2005\)131:11\(1589\)](http://dx.doi.org/10.1061/ASCE0733-9372(2005)131:11(1589)).
- Rachapudi, R; Chintawar, PS; Greene, HL. (1999). Aging and structure activity characteristics of CR-ZSM-5 catalysts during exposure to chlorinated VOCs. *J Catal.* 185: 58-72.
- Raczynska, ED; Duczmal, K; Darowska, M. (2005). Experimental (FT-IR) and theoretical (DFT-IR) studies of keto-enol tautomerism in pyruvic acid. *Vibrational Spectroscopy.* 39: 37-45. <http://dx.doi.org/10.1016/j.vibspec.2004.10.006>.
- Radak, BB; Petkovska, MT; Trtica, MS; Miljanic, SS; Petkovska, LT. (2004). Photoacoustic study of CO₂-laser coincidences with absorption of some organic solvent vapours. *Anal Chim Acta.* 505: 67-71. [http://dx.doi.org/10.1016/S0003-2670\(03\)00572-5](http://dx.doi.org/10.1016/S0003-2670(03)00572-5).
- Radhamma, M; Hsieh, CT; Venkatesu, P; Rao, MVP; Lee, MJ, er; Lin, H, omu. (2008). Isobaric vapor-liquid equilibrium for dimethylsulfoxide with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 53: 374-377. <http://dx.doi.org/10.1021/je700408x>.
- Radhamma, M; Liao, W, eiC; Venkatesu, P; Rao, MVP; Lee, MJ, er; Lin, H, omu. (2007). Excess molar enthalpies of dimethylsulfoxide with chloroethanes and chloroethenes at 298.15 K. *Thermochim Acta.* 465: 1-5. <http://dx.doi.org/10.1016/j.tca.2007.08.009>.
- Radhamma, M; Sivakumar, K; Rao, MVP. (2004). Molecular interactions in binary liquid mixures of dimethylsulphoxide with chloroethanes and chloroethenes. *Indian J Chem Tech.* 11: 710-713.
- Radican, L; Blair, A; Stewart, P; Wartenberg, D. (2008). Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: Extended follow-up. *J Occup Environ Med.* 50: 1306-1319. <http://dx.doi.org/10.1097/JOM.0b013e3181845f7f>.
- Radican, L; Wartenberg, D; Rhoads, G; Schneider, D; Wedeen, R; Stewart, P; Blair, A. (2006). A retrospective cohort study of end-stage renal disease in workers exposed to trichloroethylene and other hydrocarbons. *Epidemiology.* 17: S520-S521.
- Radican, L; Wartenberg, D; Rhoads, G; Schneider, D; Wedeen, R; Stewart, P; Blair, A. (2006). A retrospective occupational cohort study of end-stage renal disease in aircraft workers exposed to trichloroethylene and other hydrocarbons. *J Occup Environ Med.* 48: 1-12. <http://dx.doi.org/10.1097/01.jom.0000190300.51629.e0>.
- Radjenovic, J; Farre, MJ; Mu, Y; Gernjak, W; Keller, J. (2012). Reductive electrochemical remediation of emerging and regulated disinfection byproducts. *Water Res.* 46: 1705-1714. <http://dx.doi.org/10.1016/j.watres.2011.12.042>.
- Raengthon, N; Sebastian, T; Cumming, D; Reaney, I; Cann, DP. (2012). BaTiO₃-Bi(Zn_{1/2}Ti_{1/2})O₃-BiScO₃ Ceramics for High-Temperature Capacitor Applications. *Journal of the American Ceramic Society.* 95: 3554-3561. <http://dx.doi.org/10.1111/j.1551-2916.2012.05340.x>.
- Rahbar, AS; Azadani, PN; Thatipelli, S; Fleischmann, KE; Nguyen, N; Lee, BK. (2013). Risk factors and prognosis for clot formation on cardiac device leads. *Pacing Clin Electrophysiol.* 36: 1294-1300. <http://dx.doi.org/10.1111/pace.12210>.
- Rahm, BG; Richardson, RE. (2008). Dehalococoides' gene transcripts as quantitative bioindicators of tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene dehalorespiration rates. *Environ Sci Technol.* 42: 5099-5105. <http://dx.doi.org/10.1021/es7D2912t>.
- Rahman, AA, bd; Brookes, NJ; Bennett, DJ. (2009). The Precursors and Impacts of BSR on AMT Acquisition and Implementation. *IEEE Trans Eng Manag.* 56: 285-297. <http://dx.doi.org/10.1109/TEM.2009.2016070>.
- Raijmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod.* 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Rajagopal, VK; Burris, DR. (1999). Reduction of 1,2-dibromoethane in the presence of zero-valent iron. *Environ Toxicol Chem.* 18: 1779-1782.
- Rajajayavel, SR; Ghoshal, S. (2015). Enhanced reductive dechlorination of trichloroethylene by sulfidated nanoscale zerovalent iron. *Water Res.* 78: 144-153. <http://dx.doi.org/10.1016/j.watres.2015.04.009>.
- Rajashekaraiah, H; Bheemappa, S; Yang, SH, an; Mohan, S. (2016). Abrasive Wear Behaviour of Thermoplastic Copolyester Elastomer Composites: A Statistical Approach. *International Journal of Precision Engineering and Manufacturing.* 17: 755-763. <http://dx.doi.org/10.1007/s12541-016-0093-x>.
- Rajic, L; Fallahpour, N; Alshawabkeh, AN. (2015). Impact of electrode sequence on electrochemical removal of trichloroethylene from aqueous solution. *Appl Catal B-Environ.* 174-175: 427-434. <http://dx.doi.org/10.1016/j.apcatb.2015.03.018>.
- Rajic, L; Fallahpour, N; Podlaha, E; Alshawabkeh, A. (2016). The influence of cathode material on electrochemical degradation of trichloroethylene in aqueous solution. *Chemosphere.* 147: 98-104. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.095>.
- Rajic, L; Fallahpour, N; Yuan, S; Alshawabkeh, AN. (2014). Electrochemical transformation of trichloroethylene in aqueous solution by electrode polarity reversal. *Water Res.* 67: 267-275. <http://dx.doi.org/10.1016/j.watres.2014.09.017>.

Fate Literature Search Results

Off Topic

- Rake, JP; Visser, G; Labrune, P; Leonard, JV; Ullrich, K; Smit, GP. (2002). Glycogen storage disease type I: Diagnosis, management, clinical course and outcome. Results of the European Study on Glycogen Storage Disease Type I (ESGSD I). *Eur J Pediatr.* 161: S20-S34. <http://dx.doi.org/10.1007/s00431-002-0999-4>.
- Rakoff-Nahoum, S; Medzhitov, R. (2007). Regulation of spontaneous intestinal tumorigenesis through the adaptor protein MyD88. *Science.* 317: 124-127. <http://dx.doi.org/10.1126/science.1140488>.
- Rakyan, VK; Blewitt, ME; Druker, R; Preis, JI; Whitelaw, E. (2002). Metastable epialleles in mammals [Review]. *Trends in Genetics.* 18: 348-351.
- Rakyan, VK; Chong, S; Champ, ME; Cuthbert, PC; Morgan, HD; Luu, KV; Whitelaw, E. (2003). Transgenerational inheritance of epigenetic states at the murine Axin(Fu) allele occurs after maternal and paternal transmission. *Proc Natl Acad Sci USA.* 100: 2538-2543. <http://dx.doi.org/10.1073/pnas.0436776100>.
- Ramakrishnan, V; Ogram, AV; Lindner, AS. (2005). Impacts of co-solvent flushing on microbial populations capable of degrading trichloroethylene. *Environ Health Perspect.* 113: 55-61.
- Ramamurthy, AS; Eglal, MM. (2014). Degradation of TCE by TEOS Coated nZVI in the Presence of Cu(II) for Groundwater Remediation. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2014/606534>.
- Ramanjaneyulu, K; Surendranath, KN; Krishnaiah, A. (1989). EXCESS VOLUMES OF BINARY-MIXTURES OF TRICHLOROETHYLENE WITH SOME ALIPHATIC, ALICYCLIC AND AROMATIC-HYDROCARBONS. *Fluid Phase Equilibria.* 44: 357-361.
- Ramavandi, B; Mortazavi, SB; Moussavi, G; Khoshgard, A; Jahangiri, M. (2011). Experimental investigation of the chemical reduction of nitrate ion in aqueous solution by Mg/Cu bimetallic particles. *Reaction Kinetics, Mechanisms and Catalysis.* 102: 313-329. <http://dx.doi.org/10.1007/s11144-010-0274-z>.
- Ramavandi, B; Mortazavi, SB; Moussavi, G; Ranjbar, B; Mamisaheby, S. (2011). EXPERIMENTAL INVESTIGATION OF THE CHEMICAL REDUCTION OF NITRATE IN WATER BY Mg(o) AND Cu/Mg BIMETALLIC PARTICLES IN THE ABSENCE OF ANY PH- CONTROL MECHANISM. *Fresen Environ Bull.* 20: 2475-2484.
- Ramdhan, DH; Kamijima, M; Wang, D; Ito, Y; Naito, H; Yanagiba, Y; Hayashi, Y; Tanaka, N; Aoyama, T; Gonzalez, FJ; Nakajima, T. (2010). Differential response to trichloroethylene-induced hepatosteatosis in wild-type and PPARalpha-humanized mice. *Environ Health Perspect.* 118: 1557-1563. <http://dx.doi.org/10.1289/ehp.1001928>.
- Ramis, R; Vidal, E; Garcia-Perez, J; Lope, V; Aragones, N; Perez-Gomez, B; Pollan, M; Lopez-Abente, G. (2009). Study of non-Hodgkin's lymphoma mortality associated with industrial pollution in Spain, using Poisson models. *BMC Public Health.* 9: 26. <http://dx.doi.org/10.1186/1471-2458-9-26>.
- Ramkumar, M; Schoenherr, T; Jenamani, M. (2016). Risk assessment of outsourcing e-procurement services: integrating SWOT analysis with a modified ANP-based fuzzy inference system. *Production Planning & Control.* 27: 1171-1190. <http://dx.doi.org/10.1080/09537287.2016.1190877>.
- Ramlow, JM. (1995). CRITIQUE OF REVIEW OF CHLORINATED SOLVENTS EPIDEMIOLOGY. *Am J Ind Med.* 27: 313-316.
- Ramsburg, CA; Abriola, LM; Pennell, KD; Löffler, FE; Gamache, M; Amos, BK; Petrovskis, EA. (2004). Stimulated microbial reductive dechlorination following surfactant treatment at the Bachman Road site. *Environ Sci Technol.* 38: 5902-5914. <http://dx.doi.org/10.1021/es049675i>.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for DNAPL source zone remediation: Density conversion and recovery in heterogeneous aquifer cells. *Environ Sci Technol.* 36: 3176-3187. <http://dx.doi.org/10.1021/es011403h>.
- Ramsburg, CA; Pennell, KD; Kibbey, TC; Hayes, KF. (2004). Refinement of the density-modified displacement method for efficient treatment of tetrachloroethene source zones. *J Contam Hydrol.* 74: 105-131. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.008>.
- Ramsburg, CA; Pennell, KD; Kibbey, TCG; Hayes, KF. (2003). Use of a surfactant-stabilized emulsion to deliver 1-butanol for density-modified displacement of trichloroethene. *Environ Sci Technol.* 37: 4246-4253. <http://dx.doi.org/10.1021/es0210291>.
- Ramsburg, CA; Thornton, CE; Christ, JA. (2010). Degradation product partitioning in source zones containing chlorinated ethene dense non-aqueous-phase liquid. *Environ Sci Technol.* 44: 9105-9111. <http://dx.doi.org/10.1021/es102536f>.
- Ramsdell, A; Markwald, R. (1997). Induction of endocardial cushion tissue in the avian heart is regulated, in part, by TGFbeta-3-mediated autocrine signaling. *Dev Biol.* 188: 64-74. <http://dx.doi.org/10.1006/dbio.1997.8637>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol.* 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Ran, L, e; Wang, Z; Wang, X. (2014). The effect of Ce on catalytic decomposition of chlorinated methane over RuOx catalysts. *Appl Catal A-Gen.* 470: 442-450. <http://dx.doi.org/10.1016/j.apcata.2013.11.006>.
- Rana, SVS; Gupta, S. (2000). Metabolism of toluene and trichloroethylene in laboratory rats, pretreated with phenobarbital. *J Environ Biol.* 21: 105-109.
- Rao, JM; Sivaprasad, A; Rao, PS; Narsaiah, B; Reddy, SN; Vijayakumar, V; Manorama, SV; Krishna, KL; Srinivas, K; Krishnan, KR; Badrinarayanan, S. (1999). A comparative study of bulk and supported chromia catalysts for the fluorination of trichloroethylene. *J Catal.* 184: 105-111.
- Rao, KP; Reddy, KS. (1987). EXCESS VOLUMES OF TRICHLOROETHYLENE WITH METHYLETHYLKETONE, DIETHYLKETONE, METHYLISOBUTYLKETONE, CYCLOHEXANONE AND 1,4-DIOXANE AT 298.15-K, 308.15-K AND 318.15-K. *Fluid Phase Equilibria.* 34: 265-272.
- Rao, KV; Chiranjivi, C. (1976). VAPOR-LIQUID-EQUILIBRIA AT ATMOSPHERIC-PRESSURE FOR SYSTEM TRICHLOROETHYLENE-NORMAL-PROPANOL. 14: 452-453.
- Rao, MN; Rao, BVS. (1978). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF THE BINARY-SYSTEMS TRICHLOROETHYLENE-CHLOROBENZENE AND TRICHLOROETHYLENE-NORMAL-BUTYL ACETATE. 16: 338-340.

Fate Literature Search Results

Off Topic

- Rao, MS; Tatematsu, M; Subbarao, V; Ito, N; Reddy, JK. (1986). Analysis of peroxisome proliferator-induced preneoplastic and neoplastic lesions of rat liver for placental form of glutathione S-transferase and gamma-glutamyltranspeptidase. *Cancer Res.* 46: 5287-5290.
- Rao, P; Liu, T; Liang, X; Ding, G. (2016). Dual Effects of Humic Acid in Trichloroethylene Removal from Groundwater by Zero-Valent Iron: Hydrophobic Partition and Surface Adsorption. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-2832-0>.
- Rappaport, SM. (1993). Biological considerations in assessing exposures to genotoxic and carcinogenic agents. *Int Arch Occup Environ Health.* 65: S29-S35.
- Rashid, M, dM; Sato, C. (2011). Photolysis, Sonolysis, and Photosonolysis of Trichloroethane (TCA), Trichloroethylene (TCE), and Tetrachloroethylene (PCE) Without Catalyst. *Water Air Soil Pollut.* 216: 429-440. <http://dx.doi.org/10.1007/s11270-010-0542-6>.
- Rashid, M, dM; Sato, C. (2012). Degradation of Trichloroethylene and Tetrachloroethylene in Simulated Groundwater in a Flow-Through Photosono Reactor. *J Environ Eng.* 138: 1179-1185. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000590](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000590).
- Rasmussen, K; Brogren, CH; Sabroe, S. (1993). Subclinical affection of liver and kidney function and solvent exposure. *Int Arch Occup Environ Health.* 64: 445-448. <http://dx.doi.org/10.1007/BF00517951>.
- Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993). Psychometric tests for assessment of brain function after solvent exposure. *Am J Ind Med.* 24: 553-565. <http://dx.doi.org/10.1002/ajim.4700240506>.
- Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993). Solvent-induced chronic toxic encephalopathy. *Am J Ind Med.* 23: 779-792. <http://dx.doi.org/10.1002/ajim.4700230511>.
- Rasmussen, K; Sabroe, S; Wohler, M; Ingerslev, HJ; Kappel, B; Nielsen, J. (1988). A genotoxic study of metal workers exposed to trichloroethylene Sperm parameters and chromosome aberrations in lymphocytes. *Int Arch Occup Environ Health.* 60: 419-423.
- Rassabi, J; Riha, BD; Haas, JW; Eddy-Dilek, CA; Kreeger, AGL; Carrabba, M; Hyde, WK; Bello, J. (2000). Field tests of a DNAPL characterization system using cone penetrometer-based Raman spectroscopy. *Ground Water Monitoring and Remediation.* 20: 72-81.
- Rastkari, N; Ahmadkhaniha, R; Yunesian, M. (2012). Simultaneous determination of trichloroethylene, perchloroethylene and trichloroacetic acid in human urine using solid-phase microextraction fibre coated with single-walled carbon nanotubes. *Int J Environ Anal Chem.* 92: 1650-1665. <http://dx.doi.org/10.1080/03067319.2011.581367>.
- Rastkari, N; Yunesian, M; Ahmadkhaniha, R. (2011). Exposure Assessment to Trichloroethylene and Perchloroethylene for Workers in the Dry Cleaning Industry. *Bull Environ Contam Toxicol.* 86: 363-367. <http://dx.doi.org/10.1007/s00128-011-0244-9>.
- Rastogi, RP. (1994). THERMODYNAMICS OF EUTECTIC MIXTURES - ADDITION-COMPOUNDS AND ASSOCIATED MIXTURES. *Pure Appl Chem.* 66: 441-448.
- Raunio, H; Hakkola, J; Hukkanen, J; Pelkonen, O; Edwards, R; Boobis, A; Anttila, S. (1998). Expression of xenobiotic metabolising cytochrome P450s in human pulmonary tissue. *Arch Toxicol Suppl.* 20: 465-469.
- Raupp, GB. (1995). PHOTOCATALYTIC OXIDATION FOR POINT-OF-USE ABATEMENT OF VOLATILE ORGANIC-COMPOUNDS IN MICROELECTRONICS MANUFACTURING. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 13: 1883-1887.
- Raupp, GB; Junio, CT. (1993). PHOTOCATALYTIC OXIDATION OF OXYGENATED AIR TOXICS. *Appl Surf Sci.* 72: 321-327.
- Rausch, H; Sziklai, IL; Nazarov, VM; Bodon, P; Erdelyvari, I; Toth, B. (1991). DETERMINATION OF IMPURITIES IN HIGH-PURITY SOLVENTS BY NEUTRON-ACTIVATION ANALYSIS. *Journal of Radioanal Chem.* 148: 217-225.
- Rautio, A; Korkka-Niemi, K. (2011). Characterization of groundwater-lake water interactions at Pyhajarvi, a lake in SW Finland. *Boreal Environmental Research.* 16: 363-380.
- Ravikumar, JX; Gurol, MD. (1994). Chemical oxidation of chlorinated organics by hydrogen peroxide in the presence of sand. *Environ Sci Technol.* 28: 394-400.
- Ray, WA; Griffin, MR; Schaffner, W. (1987). Psychotropic drug use and the risk of hip fracture. *N Engl J Med.* 316: 363-369. <http://dx.doi.org/10.1056/NEJM198702123160702>.
- Raychoudhury, T; Scheytt, T. (2013). Potential of zerovalent iron nanoparticles for remediation of environmental organic contaminants in water: a review. *Water Sci Technol.* 68: 1425-1439. <http://dx.doi.org/10.2166/wst.2013.358>.
- Read, HW; Fu, X; Clark, LA; Anderson, MA; Jarosch, T. (1996). Field trials of a TiO₂ pellet-based photocatalytic reactor for off-gas treatment at a soil vapor extraction well. *Journal of Soil Contamination.* 5: 187-202.
- Reamon-Buettner, SM; Borlak, J. (2007). A new paradigm in toxicology and teratology: Altering gene activity in the absence of DNA sequence variation [Review]. *Reprod Toxicol.* 24: 20-30. <http://dx.doi.org/10.1016/j.reprotox.2007.05.002>.
- Reardon, EJ. (2014). Capture and storage of hydrogen gas by zero-valent iron. *J Contam Hydrol.* 157: 117-124. <http://dx.doi.org/10.1016/j.jconhyd.2013.11.007>.
- Reardon, EJ; Fagan, R; Vogan, JL; Przepiora, A. (2008). Anaerobic corrosion reaction kinetics of nanosized iron. *Environ Sci Technol.* 42: 2420-2425. <http://dx.doi.org/10.1021/es0712120>.
- Reddy, AVB; Madhavi, V; Reddy, KG; Madhavi, G. (2013). Remediation of Chlorpyrifos-Contaminated Soils by Laboratory-Synthesized Zero-Valent Nano Iron PArticles: Effect of pH and Aluminum Salts. *J Chem.* <http://dx.doi.org/10.1155/2013/521045>.
- Reddy, KS; Swamy, AVN; Prasad, TEV; Prasad, DHL. (2010). Vapor-Liquid Equilibria of Binary Mixtures Formed by Hexan-1-ol with Chloroethanes and Chloroethenes at 95.6 kPa. *Journal of Chemical and Engineering Data.* 55: 2073-2076. <http://dx.doi.org/10.1021/jc9000608>.
- Reddy, TR; Meeravali, NN; Reddy, AVR. (2013). Novel reverse mixed micelle mediated transport of platinum and palladium through a bulk liquid membrane from real samples. *Separation and Purification Technology.* 103: 71-77. <http://dx.doi.org/10.1016/j.seppur.2012.10.025>.
- Reddy, TR; Meeravali, NN; Reddy, AVR. (2013). Reverse Micelle Mediated Bulk Liquid Membrane Separation of Platinum Gold and Silver From Real Samples. *Separation Science and Technology.* 48: 1858-1866. <http://dx.doi.org/10.1080/01496395.2013.763708>.
- Regens, JL; Zimmerman, RE; Wilkey, PL; Hodges, DG; Armstrong, AQ; Kelley, L. (2000). Evaluating environmental technology for meeting remediation end points and long-term stewardship options. *Environ Sci Pollut Res Int* 49-55.

Fate Literature Search Results

Off Topic

- Regis, RG. (2016). Trust regions in Kriging-based optimization with expected improvement. *Engineering Optimization*. 48: 1037-1059. <http://dx.doi.org/10.1080/0305215X.2015.1082350>.
- Reiche, N; Lorenz, W; Borsdorf, H. (2010). Development and application of dynamic air chambers for measurement of volatilization fluxes of benzene and MTBE from constructed wetlands planted with common reed. *Chemosphere*. 79: 162-168. <http://dx.doi.org/10.1016/j.chemosphere.2010.01.017>.
- Reichman, R; Rolston, DE; Yates, SR; Skaggs, TH. (2011). Diurnal Variation of Diazinon Volatilization: Soil Moisture Effects. *Environ Sci Technol*. 45: 2144-2149. <http://dx.doi.org/10.1021/es102921r>.
- Reif, JS; Burch, JB; Nuckols, JR; Metzger, L; Ellington, D; Anger, WK. (2003). Neurobehavioral effects of exposure to trichloroethylene through a municipal water supply. *Environ Res*. 93: 248-258. [http://dx.doi.org/10.1016/S0013-9351\(03\)00131-2](http://dx.doi.org/10.1016/S0013-9351(03)00131-2).
- Reilly, J; Sarofim, M; Paltsev, S; Prinn, R. (2006). The role of non-CO2 GHGs in climate policy: Analysis using the MIT IGSM. *Energy Journal* 503-520.
- Reinsch, BC; Forsberg, B; Penn, RL; Kim, CS; Lowry, GV. (2010). Chemical transformations during aging of zerovalent iron nanoparticles in the presence of common groundwater dissolved constituents. *Environ Sci Technol*. 44: 3455-3461. <http://dx.doi.org/10.1021/es902924h>.
- Remiezowicz, E; Pajak, M; Skrzypinski, W. (2003). Intermediates in photodegradation of chlorinated organic compounds. *Inzynieria Chemiczna i Procesowa*. 24: 643-650.
- Remiezowicz, E; Pajak, M; Skrzypinski, W. (2003). Properties of the catalysts used for the photodegradation of chlorinated organic compounds. *Inzynieria Chemiczna i Procesowa*. 24: 633-641.
- Ren, L; Zhang, J, in. (2012). Comparison of the Effects of Fluidized-Bed and Fixed-Bed Reactors in Microwave-Assisted Catalytic Decomposition of TCE by Hydrogen. *Advances in Materials Science and Engineering*. 2012 (Jan 2012). <http://dx.doi.org/10.1155/2012/728472>.
- Ren, M; Valsaraj, KT. (2008). Photocatalytic oxidation of gaseous 1,2-dichlorobenzene using photonic titania (inverse opal) on optical fibers in a monolith configuration. *Separation and Purification Technology*. 62: 523-528. <http://dx.doi.org/10.1016/j.seppur.2008.02.029>.
- Renpenning, J; Keller, S; Cretnik, S; Shouakar-Stash, O; Elsner, M; Schubert, T; Nijenhuis, I. (2014). Combined C and Cl isotope effects indicate differences between corrinoids and enzyme (Sulfurospirillum multivorans PceA) in reductive dehalogenation of tetrachloroethene, but not trichloroethene. *Environ Sci Technol*. 48: 11837-11845. <http://dx.doi.org/10.1021/es503306g>.
- Renpenning, J; Rapp, I; Nijenhuis, I. (2015). Substrate hydrophobicity and cell composition influence the extent of rate limitation and masking of isotope fractionation during microbial reductive dehalogenation of chlorinated ethenes. *Environ Sci Technol*. 49: 4293-4301. <http://dx.doi.org/10.1021/es506108j>.
- Revesz, K; Shapiro, AM; Tiedeman, CR; Goode, DJ. (2009). Monitoring delta C-13 of TCE to evaluate microbial degradation in a fractured sedimentary rock aquifer, New Jersey, USA. *Geochim Cosmo Acta*. 73: A1092-A1092.
- Revesz, S; Sipos, R; Kende, A; Rikker, T; Romsics, C; Meszaros, E, va; Mohr, A; Tancsics, A; Marialigeti, K. (2006). Bacterial community changes in TCE biodegradation detected in microcosm experiments. *Int Biodeterior Biodegradation*. 58: 239-247. <http://dx.doi.org/10.1016/j.ibiod.2006.06.018>.
- Rexwinkel, G; Heesink, BBM; van Swaaij, WPM. (1999). Adsorption of halogenated hydrocarbons from aqueous solutions by wetted and nonwetted hydrophobic and hydrophilic sorbents: Equilibria. *Journal of Chemical and Engineering Data*. 44: 1139-1145.
- Reyes-Garcia, EA; Sun, Y; Reyes-Gil, K; Raftery, D. (2007). N-15 solid state NMR and EPR characterization of N-doped TiO2 photocatalysts. *J Phys Chem C*. 111: 2738-2748. <http://dx.doi.org/10.1021/jp0652289>.
- Reynolds, DA; Kueper, BH. (2002). Numerical examination of the factors controlling DNAPL migration through a single fracture. *Ground Water*. 40: 368-377.
- Reznik, G; Ward, JM; Hardisty, JF; Russfield, A. (1979). Renal carcinogenic and nephrotoxic effects of the flame retardant tris(2,3-dibromopropyl) phosphate in F344 rats and (C57BL/6N X C3H/HeN)F1 mice. *J Natl Cancer Inst*. 63: 205-212.
- Rhee, E; Speece, RE. (1992). MAXIMAL BIODEGRADATION RATES OF CHLOROFORM AND TRICHLOROETHYLENE IN ANAEROBIC TREATMENT (pp. 17-20). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/92/28300). Rhee, E; Speece, RE.
- Rhee, I; Bachman, KE; Park, BH; Jair, KW; Yen, RW; Schuebel, KE; Cui, H; Feinberg, AP; Lengauer, C; Kinzler, KW; Baylin, SB; Vogelstein, B. (2002). DNMT1 and DNMT3b cooperate to silence genes in human cancer cells. *Nature*. 416: 552-556. <http://dx.doi.org/10.1038/416552a>.
- Rhomberg, L. (2002). The a posteriori probability of a kidney cancer cluster attributed to trichloroethylene exposure [Letter]. *Environ Health Perspect*. 110: A232.
- Rhomberg, LR. (2000). Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals [Review]. *Environ Health Perspect*. 108: 343-358.
- Rhomberg, LR. (2004). Separating pharmacokinetic and pharmacodynamic components in empirical adjustment factor distributions. *Hum Ecol Risk Assess*. 10: 79 - 90. <http://dx.doi.org/10.1080/10807030490280972>.
- Riba, O; Barnes, RJ; Scott, TB; Gardner, MN; Jackman, SA; Thompson, I, anP. (2011). Enhanced reactivity of nanoscale iron particles through a vacuum annealing process. *J Nanopart Res*. 13: 4591-4601. <http://dx.doi.org/10.1007/s11051-011-0421-0>.
- Ribas, D; Cernik, M; Marti, V; Benito, JA. (2016). Improvements in nanoscale zero-valent iron production by milling through the addition of alumina. *J Nanopart Res*. 18. <http://dx.doi.org/10.1007/s11051-016-3490-2>.
- Ribera, E; Veciana, J; Molins, E; Mata, I; Wurst, K; Rovira, C. (2000). Novel dissymmetric tetrathiafulvalenes as precursors of organic metals: Synthesis, x-ray crystal structures, electrochemical properties and study of their radical cations. *European Journal of Organic Chemistry* 2867-2875.
- Rice, G; Teuschler, LK; Speth, TF; Richardson, SD; Miltner, RJ; Schenck, KM; Gennings, C; Hunter, ES; Narotsky, MG; Simmons, JE. (2008). Integrated disinfection by-products research: assessing reproductive and developmental risks posed by complex disinfection by-product mixtures [Review]. *J Toxicol Environ Health A*. 71: 1222-1234. <http://dx.doi.org/10.1080/15287390802182649>.

Fate Literature Search Results

Off Topic

- Richardson, FC; Boucheron, JA; Dyroff, MC; Popp, JA; Swenberg, JA. (1986). Biochemical and morphologic studies of heterogeneous lobe responses in hepatocarcinogenesis. *Carcinogenesis*. 7: 247-251. <http://dx.doi.org/10.1093/carcin/7.2.247>.
- Richardson, JD; Bertaso, AG; Frost, L; Psaltis, PJ; Carbone, A; Koschade, B; Wong, DT; Nelson, AJ; Paton, S; Williams, K; Azarisman, S; Worthley, MI; Teo, KS; Gronthos, S; Zannettino, AC; Worthley, SG. (2013). Cardiac magnetic resonance, transthoracic and transoesophageal echocardiography: a comparison of in vivo assessment of ventricular function in rats. *Lab Anim*. 47: 291-300. <http://dx.doi.org/10.1177/0023677213494373>.
- Richardson, PL; Perdigoto, MLN; Wang, W; Lopes, RJG. (2013). Heterogeneous photo-enhanced conversion of carbon dioxide to formic acid with copper- and gallium-doped titania nanocomposites. *Appl Catal B-Environ*. 132: 408-415. <http://dx.doi.org/10.1016/j.apcatb.2012.11.045>.
- Richardson, RE; Bhupathiraju, VK; Song, DL; Goulet, TA; Alvarez-Cohen, L. (2002). Phylogenetic characterization of microbial communities that reductively dechlorinate TCE based upon a combination of molecular techniques. *Environ Sci Technol*. 36: 2652-2662. <http://dx.doi.org/10.1021/es0157797>.
- Richnow, HH; Annweiler, E; Michaelis, W; Meckenstock, RU. (2003). Microbial in situ degradation of aromatic hydrocarbons in a contaminated aquifer monitored by carbon isotope fractionation. *J Contam Hydrol*. 65: 101-120. [http://dx.doi.org/10.1016/S0169-7722\(02\)00233-4](http://dx.doi.org/10.1016/S0169-7722(02)00233-4).
- Ricking, M; Tertytze, K. (1999). Trace metals and organic compounds in sediment samples from the River Danube in Russe and Lake Srebarna (Bulgaria). *Environ Geol*. BERLIN: 1-2.
- Riebeth, DM; Belser, NO; Castro, CE. (1992). Partial rapid metabolism of 1,2-dichloroethane by *Methylosinus trichosporium* OB-3b. *Environ Toxicol Chem*. 11: 497-501.
- Riederer, F; Luborzewski, A; God, R; Bringmann, G; Scholz, J; Feineis, D; Moser, A. (2002). Modification of tyrosine hydroxylase activity by chloral derived beta-carbolines in vitro. *J Neurochem*. 81: 814-819.
- Ries, LAG; Melbert, D; Krapcho, M; Stinchcomb, DG; Howlader, N; Horner, MJ; Mariotto, A; Miller, BA; Feuer, EJ; Altekruse, SF; Lewis, DR; Clegg, L; Eisner, MP; Reichman, M; Edwards, BK. (2008). SEER cancer statistics review, 1975-2005. Bethesda, MD: U.S. National Institutes of Health, National Cancer Institute. http://seer.cancer.gov/csr/1975_2005.
- Rieutort, D; Moyne, O; Cocco, P; de Gaudemaris, R; Bicout, DJ. (2016). Ranking occupational contexts associated with risk of non-Hodgkin lymphoma. *Am J Ind Med*. 59: 561-574. <http://dx.doi.org/10.1002/ajim.22604>.
- Riley, RG; Szecsody, JE; Sklarew, DS; Mitroshkov, AV; Gent, PM; Brown, CF; Thompson, CJ. (2010). Desorption behavior of carbon tetrachloride and chloroform in contaminated low organic carbon aquifer sediments. *Chemosphere*. 79: 807-813. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.005>.
- Ripp, S; Nivens, DE; Ahn, Y; Werner, C; Jarrell, J; Easter, JP; Cox, CD; Burlage, RS; Saylor, GS. (2000). Controlled field release of a bioluminescent genetically engineered microorganism for bioremediation process monitoring and control. *Environ Sci Technol*. 34: 846-853.
- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Species and sex differences in expression of flavin-containing monooxygenase form 3 in liver and kidney microsomes. *Drug Metab Dispos*. 27: 46-52.
- Ripp, SL; Overby, LH; Philpot, RM; Elfarra, AA. (1997). Oxidation of cysteine S-conjugates by rabbit liver microsomes and cDNA-expressed flavin-containing mono-oxygenases: Studies with S-(1,2-dichlorovinyl)-L-cysteine, S-(1,2,2-trichlorovinyl)-L-cysteine, S-allyl-L-cysteine, and S-benzyl-L-cysteine. *Mol Pharmacol*. 51: 507-515.
- Rishell, S; Casey, E; Glennon, B; Hamer, G. (2004). Mass transfer analysis of a membrane aerated reactor. *Biochem Eng J*. 18: 159-167. <http://dx.doi.org/10.1016/j.bej.2003.08.005>.
- Ristic, A; Logar, NZ; Henninger, SK; Kaucic, V. (2012). The Performance of Small-Pore Microporous Aluminophosphates in Low-Temperature Solar Energy Storage: The Structure-Property Relationship. *Adv Funct Mater*. 22: 1952-1957. <http://dx.doi.org/10.1002/adfm.201102734>.
- Ristoff, E; Larsson, A. (2007). Inborn errors in the metabolism of glutathione [Review]. *Orphanet J Rare Dis*. 2: 16. <http://dx.doi.org/10.1186/1750-1172-2-16>.
- Ristoiu, I; Haydee, KM; Ristoiu, T. (2010). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY IN DEJ TOWN, ROMANIA. *J Environ Prot Ecol*. 11: 1229-1238.
- Ritter, K; Odziemkowski, MS; Gillham, RW. (2002). An in situ study of the role of surface films on granular iron in the permeable iron wall technology. *J Contam Hydrol*. 55: 87-111.
- Ritter, K; Odziemkowski, MS; Simpgraga, R; Gillham, RW; Irish, DE. (2003). An in situ study of the effect of nitrate on the reduction of trichloroethylene by granular iron. *J Contam Hydrol*. 65: 121-136. [http://dx.doi.org/10.1016/S0169-7722\(02\)00234-6](http://dx.doi.org/10.1016/S0169-7722(02)00234-6).
- Rittmann, BE. (1992). MICROBIOLOGICAL DETOXIFICATION OF HAZARDOUS ORGANIC CONTAMINANTS THE CRUCIAL ROLE OF SUBSTRATE INTERACTIONS (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11387). Rittmann, BE.
- Rittmann, BE. (2006). The membrane biofilm reactor: the natural partnership of membranes and biofilm. *Water Sci Technol*. 53: 219-225. <http://dx.doi.org/10.2166/wst.2006.096>.
- Ritz, B. (1999). Cancer mortality among workers exposed to chemicals during uranium processing. *J Occup Environ Med*. 41: 556-566.
- Ritz, B. (1999). Radiation exposure and cancer mortality in uranium processing workers. *Epidemiology*. 10: 531-538.
- Ritz, B; Morgenstern, H; Crawford-Brown, D; Young, B. (2000). The effects of internal radiation exposure on cancer mortality in nuclear workers at Rocketdyne/Atomics International. *Environ Health Perspect*. 108: 743-751.
- Ritz, B; Morgenstern, H; Froines, J; Moncau, J. (1999). Chemical exposures of rocket-engine test-stand personnel and cancer mortality in a cohort of aerospace workers. *J Occup Environ Med*. 41: 903-910.
- Ritz, B; Morgenstern, H; Froines, J; Young, BB. (1999). Effects of exposure to external ionizing radiation on cancer mortality in nuclear workers monitored for radiation at Rocketdyne/Atomics International. *Am J Ind Med*. 35: 21-31.

Fate Literature Search Results

Off Topic

- Ritz, B; Zhao, Y; Krishnadasan, A; Kennedy, N; Morgenstern, H. (2006). Estimated effects of hydrazine exposure on cancer incidence and mortality in aerospace workers. *Epidemiology*. 17: 154-161. <http://dx.doi.org/10.1097/01.ede.0000199323.55534.fb>.
- Rivas, IM; Arvin, E. (2000). Biodegradation of thiophene by cometabolism in a biofilm system. *Water Sci Technol*. 41: 461-468.
- Rivera, D; Alam, MK; Davis, CE; Ho, CK. (2003). Characterization of the ability of polymeric chemiresistor arrays to quantitate trichloroethylene using partial least squares (PLS): effects of experimental design, humidity, and temperature. *Sens Actuators B*. 92: 110-120. [http://dx.doi.org/10.1016/S0925-4005\(03\)00122-9](http://dx.doi.org/10.1016/S0925-4005(03)00122-9).
- Rivera, LSZ; Carrillo, L; Mancilla, T. (1999). Syntheses and characterization of 2-hydroxy-N-(2'-hydroxyalkyl)acetamides. *Heteroatom Chemistry*. 10: 153-158.
- Rivett. (2007). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene (vol 7, pg 313, 2006). *Environ Forensics*. 8: 193-193.
- Rivett, MO. (2008). Reply to discussion of 'A quest to locate sites described in the world's first publication on trichloroethene contamination of groundwater' MO Rivett & L. Clark, *Quarterly Journal of Engineering Geology and Hydrogeology*, 40, 241-249. *Quarterly Journal of Engineering Geology and Hydrogeology*. 41: 493-497. <http://dx.doi.org/10.1144/1470-9236/08-055>.
- Rivett, MO; Allen-King, RM. (2003). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: dissolved-plume retardation. *J Contam Hydrol*. 66: 117-146. [http://dx.doi.org/10.1016/S0169-7722\(03\)00006-8](http://dx.doi.org/10.1016/S0169-7722(03)00006-8).
- Rivett, MO; Clark, L. (2007). A quest to locate sites described in the world's first publication on trichloroethene contamination of groundwater. *Quarterly Journal of Engineering Geology and Hydrogeology*. 40: 241-249.
- Rivett, MO; Feenstra, S. (2005). Dissolution of an emplaced source of DNAPL in a natural aquifer setting. *Environ Sci Technol*. 39: 447-455.
- Rivett, MO; Feenstra, S; Cherry, JA. (1994). TRANSPORT OF A DISSOLVED-PHASE PLUME FROM A RESIDUAL SOLVENT SOURCE IN A SAND AQUIFER. *J Hydrol*. 159: 27-41.
- Rivett, MO; Feenstra, S; Clark, L. (2006). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene. *Environ Forensics*. 7: 313-323. <http://dx.doi.org/10.1080/15275920600996180>.
- Rivett, MO; Shepherd, KA; Keays, LL; Brennan, AE. (2005). Chlorinated solvents in the Birmingham aquifer, UK: 1986-2001. *Quarterly Journal of Engineering Geology and Hydrogeology*. 38: 337-350. <http://dx.doi.org/10.1144/1470-9236/04-051>.
- Rivett, MO; Turner, RJ; Glibbery Née Murcott, P; Cuthbert, MO. (2012). The legacy of chlorinated solvents in the Birmingham aquifer, UK: observations spanning three decades and the challenge of future urban groundwater development. *J Contam Hydrol*. 140-141: 107-123. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.006>.
- Rivett, MO; Wealthall, GP; Dearden, RA; Mcalary, TA. (2011). Review of unsaturated-zone transport and attenuation of volatile organic compound (VOC) plumes leached from shallow source zones [Review]. *J Contam Hydrol*. 123: 130-156. <http://dx.doi.org/10.1016/j.jconhyd.2010.12.013>.
- Robert, T; Martel, R; Conrad, SH; Lefebvre, R; Gabriel, U. (2006). Visualization of TCE recovery mechanisms using surfactant-polymer solutions in a two-dimensional heterogeneous sand model. *J Contam Hydrol*. 86: 3-31. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.013>.
- Roberts, JJ; Wildenschild, D. (2004). Electrical properties of sand-clay mixtures containing trichloroethylene and ethanol. *J Environ Eng Geophys*. 9: 1-10.
- Roberts, PM; Sharma, A; Uddameri, V; Monagle, M; Dale, DE; Steck, LK. (2001). Enhanced DNAPL transport in a sand core during dynamic stress stimulation. *Environ Eng Sci*. 18: 67-79.
- Robertson, WD; Murphy, AM; Cherry, JA. (1995). LOW-COST ON-SITE TREATMENT OF LANDFILL LEACHATE USING INFILTRATION BEDS - PRELIMINARY FIELD TRIAL. *Ground Water Monitoring and Remediation*. 15: 107-115.
- Robins, J. (1987). A graphical approach to the identification and estimation of causal parameters in mortality studies with sustained exposure periods. *J Chronic Dis*. 40: 139S-161S. [http://dx.doi.org/10.1016/S0021-9681\(87\)80018-8](http://dx.doi.org/10.1016/S0021-9681(87)80018-8).
- Robinson, C; Barry, DA. (2009). Design tool for estimation of buffer requirement for enhanced reductive dechlorination of chlorinated solvents in groundwater. *Environ Modell Softw*. 24: 1332-1338. <http://dx.doi.org/10.1016/j.envsoft.2009.03.012>.
- Robinson, C; Barry, DA; Mccarty, PL; Gerhard, JI; Kouznetsova, I. (2009). pH control for enhanced reductive bioremediation of chlorinated solvent source zones. *Sci Total Environ*. 407: 4560-4573. <http://dx.doi.org/10.1016/j.scitotenv.2009.03.029>.
- Robinson, J; Slater, L; Johnson, T; Shapiro, A; Tiedeman, C; Ntarlagiannis, D; Johnson, C; Day-Lewis, F; Lacombe, P; Imbrigiotta, T; Lane, J. (2016). Imaging Pathways in Fractured Rock Using Three-Dimensional Electrical Resistivity Tomography. *Ground Water*. 54: 186-201. <http://dx.doi.org/10.1111/gwat.12356>.
- Robinson, KG; Pieters, JG; Sanseverino, J; Cox, CD; Wright, CL; Cheng, CL; Saylor, GS. (1998). Microbial oxidation and bioluminescence response for toluene and trichloroethylene. *Water Sci Technol*. 38: 1-8.
- Robrock, KR; Korytár, P; Alvarez-Cohen, L. (2008). Pathways for the Anaerobic Microbial Debromination of Polybrominated Diphenyl Ethers. *Environ Sci Technol*. 42: 2845-2852. <http://dx.doi.org/10.1021/es0720917>.
- Rocha, AC; Reis-Henriques, MA; Galhano, V; Ferreira, M; Guimarães, L. (2016). Toxicity of seven priority hazardous and noxious substances (HNSs) to marine organisms: Current status, knowledge gaps and recommendations for future research [Review]. *Sci Total Environ*. 542: 728-749. <http://dx.doi.org/10.1016/j.scitotenv.2015.10.049>.
- Rocha-Rios, J; Bordel, S; Hernandez, S; Revah, S. (2009). Methane degradation in two-phase partition bioreactors. *Chem Eng J*. 152: 289-292. <http://dx.doi.org/10.1016/j.cej.2009.04.028>.
- Roche, P; Prados, M. (1995). Removal of pesticides by use of ozone or hydrogen peroxide ozone. *Ozone: Science and Engineering*. 17: 657-672.
- Rochetto, UL; Tomaz, E. (2015). Degradation of volatile organic compounds in the gas phase by heterogeneous photocatalysis with titanium dioxide/ultraviolet light. *Journal of the Air and Waste Management Association*. 65: 810-817. <http://dx.doi.org/10.1080/10962247.2015.1020117>.

Fate Literature Search Results

Off Topic

- Rockne, KJ; Strand, SE. (2003). Amplification of marine methanotrophic enrichment DNA with 16S rDNA PCR primers for Type II alpha proteobacteria methanotrophs. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 1877-1887. <http://dx.doi.org/10.1081/ESE-120022886>.
- Rodenbeck, S; Sanderson, L; Rene, A. (2000). Maternal exposure to trichloroethylene in drinking water and birth-weight outcomes. *Arch Environ Health.* 55: 188-194. <http://dx.doi.org/10.1080/00039890009603405>.
- Rodrigues, S; Ranjit, KT; Uma, S; Martyanov, IN; Klabunde, KJ. (2005). Visible-light photooxidation of trichloroethylene by Cr-Al-MCM-41. *J Catal.* 230: 158-165.
- Rodriguez, S; Vasquez, L; Costa, D; Romero, A; Santos, A. (2014). Oxidation of Orange G by persulfate activated by Fe(II), Fe(III) and zero valent iron (ZVI). *Chemosphere.* 101: 86-92. <http://dx.doi.org/10.1016/j.chemosphere.2013.12.037>.
- Rodriguez, S; Vasquez, L; Romero, A; Santos, A. (2014). Dye Oxidation in Aqueous Phase by Using Zero-Valent Iron as Persulfate Activator: Kinetic Model and Effect of Particle Size. *Ind Eng Chem Res.* 53: 12288-12294. <http://dx.doi.org/10.1021/ie501632e>.
- Rodriguez, Y; Mesa, J; Arguelles, E; Carrillo, RG. (2013). Tricuspid insufficiency after laser lead extraction. *Pacing Clin Electrophysiol.* 36: 939-944. <http://dx.doi.org/10.1111/pace.12160>.
- Roesler, JF; Yetter, RA; Dryer, FL. (1992). THE INHIBITION OF THE CO/H₂O/O₂ REACTION BY TRACE QUANTITIES OF HCL. *Combust Sci Tech.* 82: 87-100.
- Roggy, DK; Novak, PJ; Hozalski, RM; Clapp, LW; Semmens, MJ. (2002). Membrane gas transfer for groundwater remediation: Chemical and biological fouling. *Environ Eng Sci.* 19: 563-574.
- Roh, Y; Cho, KS; Lee, S. (2001). Electrochemical remediation of trichloroethene-contaminated groundwater using palladized iron oxides. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 923-933.
- Roh, Y; Lee, SY; Elless, MP. (2000). Characterization of corrosion products in the permeable reactive barriers. *Environ Geol.* 40: 184-194.
- Roh, Y; Lee, SY; Elless, MP; Moon, HS. (2000). Electro-enhanced remediation of trichloroethene-contaminated groundwater using zero-valent iron. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 35: 1061-1076.
- Roland, U; Holzer, F; Kopinke, FD. (2002). Improved oxidation of air pollutants in a non-thermal plasma. *Catalysis Today.* 73: 315-323.
- Romero, RL; Alfano, OM; Cassano, AE. (2009). Photocatalytic Reactor Employing Titanium Dioxide: From a Theoretical Model to Realistic Experimental Results. *Ind Eng Chem Res.* 48: 10456-10466. <http://dx.doi.org/10.1021/ie900354y>.
- Romero-Saez, M; Divakar, D; Aranzabal, A; Gonzalez-Velasco, JR, JR; Gonzalez-Marcos, JA. (2016). Catalytic oxidation of trichloroethylene over Fe-ZSM-5: Influence of the preparation method on the iron species and the catalytic behavior. *Appl Catal B-Environ.* 180: 210-218. <http://dx.doi.org/10.1016/j.apcatb.2015.06.027>.
- Ronen, D; Graber, ER; Laor, Y. (2005). Volatile organic compounds in the saturated-unsaturated interface region of a contaminated phreatic aquifer. *Vadose Zone Journal.* 4: 337-344. <http://dx.doi.org/10.2136/vzj2004.0100>.
- Rong, Y. (1999). A study of vadose zone transport model VLEACH. *Journal of Soil Contamination.* 8: 217-229.
- Roose, P; Brinkman, UA. (1998). Determination of volatile organic compounds in marine biota. *J Chromatogr A.* 799: 233-248. [http://dx.doi.org/10.1016/S0021-9673\(97\)01081-9](http://dx.doi.org/10.1016/S0021-9673(97)01081-9).
- Rosell, M; Lacorte, S; Barceló, D. (2006). Simultaneous determination of methyl tert-butyl ether, its degradation products and other gasoline additives in soil samples by closed-system purge-and-trap gas chromatography-mass spectrometry. *J Chromatogr A.* 1132: 28-38. <http://dx.doi.org/10.1016/j.chroma.2006.07.060>.
- Rosell, M; Lacorte, S; Forner, C; Rohns, HP; Irmscher, R; Barcelo, D. (2005). Fate of gasoline oxygenates in conventional and multilevel wells of a contaminated groundwater table in Dusseldorf, Germany. *Environ Toxicol Chem.* 24: 2785-2795. <http://dx.doi.org/10.1897/05-080r.1>.
- Rosenthal, H; Adrian, L; Steiof, M. (2004). Dechlorination of PCE in the presence of FeO enhanced by a mixed culture containing two Dehalococcoides strains. *Chemosphere.* 55: 661-669. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.053>.
- Roser, JF; Mccue, PM; Hoye, E. (1994). Inhibin activity in the mare and stallion. *Domest Anim Endocrinol.* 11: 87-100.
- Roskams, T; Yang, SQ; Koteish, A; Durnez, A; DeVos, R; Huang, X; Achten, R; Verslype, C; Diehl, AM. (2003). Oxidative stress and oval cell accumulation in mice and humans with alcoholic and nonalcoholic fatty liver disease. *Am J Pathol.* 163: 1301-1311. [http://dx.doi.org/10.1016/S0002-9440\(10\)63489-X](http://dx.doi.org/10.1016/S0002-9440(10)63489-X).
- Roskams, TA; Theise, ND; Balabaud, C; Bhagat, G; Bhathal, PS; Bioulac-Sage, P; Brunt, EM; Crawford, JM; Crosby, HA; Desmet, V; Finegold, MJ; Geller, SA; Gouw, AS; Hytiroglou, P; Knisely, AS; Kojiro, ML, efkowitz, J. H. N., akanuma, Y.; Olynyk, JK; Park, YN; Portmann, B; Saxena, R; Scheuer, PJ; Strain, AJ; Thung, SN; Wanless, IR; West, AB. (2004). Nomenclature of the finer branches of the biliary tree: Canals, ductules, and ductular reactions in human livers. *Hepatology.* 39: 1739-1745. <http://dx.doi.org/10.1002/hep.20130>.
- Rosocha, LA; Secker, DA; Smith, JD. (1994). KINETIC MODELING OF TRICHLOROETHYLENE AND CARBON-TETRACHLORIDE REMOVAL FROM WATER BY ELECTRON-BEAM IRRADIATION. *ACS Symp Ser Am Chem Soc.* 554: 184-196.
- Ross, C; Murdoch, LC; Freedman, DL; Siegrist, RL. (2005). Characteristics of potassium permanganate encapsulated in polymer. *J Environ Eng.* 131: 1203-1211. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:8\(1203\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:8(1203)).
- Ross, JH; Driver, JH; Cochran, RC; Thongsinthusak, T; Krieger, RI. (2001). Could pesticide toxicology studies be more relevant to occupational risk assessment? [Review]. *Ann Occup Hyg.* 45 Suppl 1: S5-S17.
- Rossi, M; Serraino, GF; Jiritano, F; Renzulli, A. (2012). Late de novo aortic regurgitation with the Jarvik 2000 Flowmaker® left ventricular assist device. *Int J Artif Organs.* 35: 1080-1082. <http://dx.doi.org/10.5301/ijao.5000111>.
- Rothman, KJ. (1986). *Modern Epidemiology* (1 ed.). Boston, MA: Little, Brown & Co.
- Rothman, KJ; Greenland, S. (1998). *Modern Epidemiology* (2 ed.). Philadelphia, PA: Lippincott-Raven.
- Rothmel, RK; Peters, RW; Martin, ES; Deflaun, MF. (1998). Surfactant foam/bioaugmentation technology for in situ treatment of TCE-DNAPLs. *Environ Sci Technol.* 32: 1667-1675.

Fate Literature Search Results

Off Topic

- Rotter, H; Landau, MV; Herskowitz, M. (2005). Combustion of chlorinated VOC on nanostructured chromia aerogel as catalyst and catalyst support. *Environ Sci Technol.* 39: 6845-6850. <http://dx.doi.org/10.1021/es0500052>.
- Rouet, JF; Ros, C; Jegou, G; Metta, S. (2004). Locating relevant categories in Web menus: Effects of task complexity, menu structure and individual factors. 67: 377-395.
- Rouhou, MC; Charest-Tardif, G; Haddad, S. (2015). In vivo effects of naproxen, salicylic acid, and valproic acid on the pharmacokinetics of trichloroethylene and metabolites in rats. *J Toxicol Environ Health A.* 78: 671-684. <http://dx.doi.org/10.1080/15287394.2015.1020977>.
- Rouisse, L; Chakrabarti, SK. (1986). Dose-dependent metabolism of trichloroethylene and its relevance to hepatotoxicity in rats. *Environ Res.* 40: 450-458.
- Rowe, BL; Price, CV; Zogorski, JS; Moran, MJ. (2010). Vulnerability of drinking water supply wells to VOCs. *J Am Water Works Assoc.* 102: 133-+.
- Rowe, BL; Toccalino, PL; Moran, MJ; Zogorski, JS; Price, CV. (2007). Occurrence and potential human-health relevance of volatile organic compounds in drinking water from domestic wells in the United States. *Environ Health Perspect.* 115: 1539-1546. <http://dx.doi.org/10.1289/ehp.10253>.
- Rowell, FJ; Fletcher, A; Packham, C. (1997). Recovery of some common solvents from an adhesive commercial skin adsorption pad by thermal desorption-gas chromatography. *Analyst.* 122: 793-796.
- Roy, G; Mielczarski, JA. (2002). Infrared detection of chlorinated hydrocarbons in water at ppb levels of concentrations. *Water Res.* 36: 1902-1908.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol.* 59: 163-186.
- Royal, CL; Preston, DR; Sekelsky, AM; Shreve, GS. (2003). Reductive dechlorination of polychlorinated biphenyls in landfill leachate. *Int Biodeterior Biodegradation.* 51: 61-66.
- Rozentsveig, IB; Levkovskaya, GG; Rybalova, TN; Mirskova, AN. (2001). Synthesis and properties of N-(2,2,2-trichloroethylidene)and N-(2,2,2-trichloroethyl)nitrobenzenesulfonamides. *Russian Journal of Organic Chemistry.* 37: 87-92.
- Ruan, X; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Trichloroethylene degradation by persulphate with magnetite as a heterogeneous activator in aqueous solution. *Environ Technol.* 36: 1-9. <http://dx.doi.org/10.1080/09593330.2014.991353>.
- Rubab, I; Ali, S. (2016). Dried fruit extract of Terminalia chebula modulates the immune response in mice. *Food and Agricultural Immunology.* 27: 1-22. <http://dx.doi.org/10.1080/09540105.2015.1055554>.
- Rubin, EG; Ramaswami, A, nu. (2007). Evidence for phytodegradation of MTBE from coupled bench-scale and intermediate-scale tests. *J Environ Eng.* 133: 389-396. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:4\(389\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:4(389)).
- Rubinos, DA; Spagnoli, G; Barral, MT. (2016). Chemical and environmental compatibility of red mud liners for hazardous waste containment. *Int J Environ Sci Tech.* 13: 773-792. <http://dx.doi.org/10.1007/s13762-015-0917-8>.
- Rubio, SJ; Quintero, MC; Rodero, A. (2011). Application of microwave air plasma in the destruction of trichloroethylene and carbon tetrachloride at atmospheric pressure. *J Hazard Mater.* 186: 820-826. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.069>.
- Rubio, SJ; Quintero, MC; Rodero, A; Rodriguez, JM. (2007). Assessment of a new carbon tetrachloride destruction system based on a microwave plasma torch operating at atmospheric pressure. *J Hazard Mater.* 148: 419-427. <http://dx.doi.org/10.1016/j.jhazmat.2007.02.056>.
- Rubio, SJ; Rodero, A; Quintero, MC. (2008). Application of a microwave helium plasma torch operating at atmospheric pressure to destroy trichloroethylene. *Plasma Chemistry and Plasma Processing.* 28: 415-428. <http://dx.doi.org/10.1007/s11090-008-9133-3>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2013). Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case--control study. *Environ Health.* 12: 104. <http://dx.doi.org/10.1186/1476-069X-12-104>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2014). Evaluation of contaminated drinking water and preterm birth, small for gestational age, and birth weight at Marine Corps Base Camp Lejeune, North Carolina: a cross-sectional study. *Environ Health.* 13: 99. <http://dx.doi.org/10.1186/1476-069X-13-99>.
- Ruckart, PZ; Bove, FJ; Shanley, E; Maslia, M. (2015). Evaluation of contaminated drinking water and male breast cancer at Marine Corps Base Camp Lejeune, North Carolina: a case control study. *Environ Health.* 14: 74. <http://dx.doi.org/10.1186/s12940-015-0061-4>.
- Ruckenstein, MJ. (2004). Autoimmune inner ear disease [Review]. *Curr Opin Otolaryngol Head Neck Surg.* 12: 426-430.
- Rudén, C. (2003). Science and transscience in carcinogen risk assessment--the European Union regulatory process for trichloroethylene [Review]. *J Toxicol Environ Health B Crit Rev.* 6: 257-277. <http://dx.doi.org/10.1080/10937400306467>.
- Rudén, C. (2003). Scrutinizing ACGIH risk assessments: the trichloroethylene case. *Am J Ind Med.* 44: 207-213. <http://dx.doi.org/10.1002/ajim.10252>.
- Rudén, C. (2006). Science and policy in risk assessments of chlorinated ethenes. *Ann N Y Acad Sci.* 1076: 191-206. <http://dx.doi.org/10.1196/annals.1371.046>.
- Ruder, A. (2006). Potential health effects of occupational chlorinated solvent exposure. *Ann N Y Acad Sci.* 1076: 207-227. <http://dx.doi.org/10.1196/annals.1371.050>.
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med.* 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rudinger, C; Beruda, H; Schmidbaur, H. (1994). SYNTHESIS AND MOLECULAR-STRUCTURE OF SILYLATED ETHENES AND ACETYLENES. *Zeitschrift fuer Naturforschung B.* 49: 1348-1360.
- Rudolf, KL; DePinho, RA. (2001). Telomeres and telomerase in experimental liver cirrhosis. In D Shafritz (Ed.), (pp. 1001-1011). Philadelphia, PA: Lippincott Williams and Wilkins.

Fate Literature Search Results

Off Topic

- Rufer, ES; Hacker, T; Lough, J; Smith, SM. (2008). Low-dose trichloroethylene exposure during valvuloseptal morphogenesis causes ventricular septal defects in hatched chicks [Abstract]. *Toxicologist*. 102: 314.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res*. 35: 1231-1246.
- Ruhl, A, kiS; Jekel, M. (2012). Impacts of Fe(0) grain sizes and grain size distributions in permeable reactive barriers. *Chem Eng J*. 213: 245-250. <http://dx.doi.org/10.1016/j.cej.2012.10.007>.
- Ruhl, A; Unal, N; Jekel, M. (2012). Evaluation of two-component Fe(0) fixed bed filters with porous materials for reductive dechlorination. *Chem Eng J*. 209: 401-406. <http://dx.doi.org/10.1016/j.cej.2012.08.006>.
- Ruhl, A; Unal, N; Jekel, M. (2013). Combination of Fe(0) with additional reactive materials in fixed bed reactors for TCE removal. *Chem Eng J*. 222: 180-185. <http://dx.doi.org/10.1016/j.cej.2013.02.059>.
- Ruijten, MW; Verberk, MM; Sallé, HJ. (1991). Nerve function in workers with long term exposure to trichloroethene. *Br J Ind Med*. 48: 87-92.
- Ruiz, J; Bilbao, R; Murillo, MB. (1998). Adsorption of different VOC onto soil minerals from gas phase: Influence of mineral, type of VOC, and air humidity. *Environ Sci Technol*. 32: 1079-1084.
- Ruiz, N; Seal, S; Reinhart, D. (2000). Surface chemical reactivity in selected zero-valent iron samples used in groundwater remediation. *J Hazard Mater*. 80: 107-117.
- Ruiz-Haas, P; Ingle, J. (2009). Monitoring of redox state in a dechlorinating culture with immobilized redox indicators. *J Environ Monit*. 11: 1028-1036. <http://dx.doi.org/10.1039/b818487a>.
- Rule, KL; Comber, SD; Ross, D; Thornton, A; Makropoulos, CK; Rautiu, R. (2006). Sources of priority substances entering an urban wastewater catchment—trace organic chemicals. *Chemosphere*. 63: 581-591. <http://dx.doi.org/10.1016/j.chemosphere.2005.08.016>.
- Rusiecki, JA; Baccarelli, A; Bollati, V; Tarantini, L; Moore, LE; Bonfeld-Jorgensen, EC. (2008). Global DNA hypomethylation is associated with high serum-persistent organic pollutants in Greenlandic Inuit. *Environ Health Perspect*. 116: 1547-1552. <http://dx.doi.org/10.1289/ehp.11338>.
- Russell, RW; Gillan, KA; Haffner, GD. (1997). Polychlorinated biphenyls and chlorinated pesticides in southern Ontario, Canada, green frogs. *Environ Toxicol Chem*. 16: 2258-2263.
- Russo, A; Johnson, GR; Schnaar, G; Brusseau, ML. (2010). Nonideal transport of contaminants in heterogeneous porous media: 8. Characterizing and modeling asymptotic contaminant-elution tailing for several soils and aquifer sediments. *Chemosphere*. 81: 366-371. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.018>.
- Russo, A; Pacchierotti, F; Metalli, P. (1984). Nondisjunction induced in mouse spermatogenesis by chloral hydrate, a metabolite of trichloroethylene. *Environ Mutagen*. 6: 695-703. <http://dx.doi.org/10.1002/em.2860060507>.
- Russo, AE; Mahal, MK; Brusseau, ML. (2009). Nonideal behavior during complete dissolution of organic immiscible liquid: 1. Natural porous media. *J Hazard Mater*. 172: 208-213. <http://dx.doi.org/10.1016/j.jhazmat.2009.06.160>.
- Russo, AE; Narter, M; Brusseau, ML. (2009). Characterizing Pore-Scale Dissolution of Organic Immiscible Liquid in a Poorly-Sorted Natural Porous Medium. *Environ Sci Technol*. 43: 5671-5678. <http://dx.doi.org/10.1021/es803158x>.
- Russo, RS; Zhou, Y; White, ML; Mao, H; Talbot, R; Sive, BC. (2010). Multi-year (2004-2008) record of nonmethane hydrocarbons and halocarbons in New England: seasonal variations and regional sources. *Atmos Chem Phys*. 10: 4909-4929. <http://dx.doi.org/10.5194/acp-10-4909-2010>.
- Rusyn, I; Bradham, CA; Cohn, L; Schoonhoven, R; Swenberg, JA; Brenner, DA; Thurman, RG. (1999). Corn oil rapidly activates nuclear factor-kappaB in hepatic Kupffer cells by oxidant-dependent mechanisms. *Carcinogenesis*. 20: 2095-2100.
- Rusyn, I; Peters, JM; Cunningham, ML. (2006). Modes of action and species-specific effects of di-(2-ethylhexyl)phthalate in the liver [Review]. *Crit Rev Toxicol*. 36: 459-479. <http://dx.doi.org/10.1080/10408440600779065>.
- Rutherford, DW; Chiou, CT. (1992). Effect of water saturation in soil organic matter on the partition of organic compounds. *Environ Sci Technol*. 26: 965-970.
- Rutkiewicz, I; Kujawski, W; Namiesnik, J. (2011). A procedure for the determination of dichloromethane and tetrachloroethene in water using pervaporation and gas chromatography. *Chem Paper Chem Zvesti*. 65: 578-583. <http://dx.doi.org/10.2478/s11696-011-0065-7>.
- Ruus, A; Ugland, KI; Skaare, JU. (2002). Influence of trophic position on organochlorine concentrations and compositional patterns in a marine food web. *Environ Toxicol Chem*. 21: 2356-2364.
- Ryan, KW; Dwight, DM; Hlousek, DA. (2000). Recirculating wells: Ground water remediation and protection of surface water resources. *J Am Water Resour Assoc*. 36: 191-201.
- Rydzynski, K. (2001). Vanadium, niobium, and tantalum. In E Bingham; B Cohn; CH Powell (Eds.), (5 ed.). Hoboken, NJ: John Wiley & Sons.
- Ryu, J; Suh, DJ, in; Park, YK; Suh, YW. (2008). Effect of reduction temperature on the preparation of zero-valent iron aerogels for trichloroethylene dechlorination. *Korean J Chem Eng*. 25: 1377-1384.
- Saad, R; Thiboutot, S; Ampleman, G, uy; Dashan, W; Hawari, J. (2010). Degradation of trinitroglycerin (TNG) using zero-valent iron nanoparticles/nanosilica SBA-15 composite (ZVIn/SBA-15). *Chemosphere*. 81: 853-858. <http://dx.doi.org/10.1016/j.chemosphere.2010.08.012>.
- Sabate, J; Pujola, M; Centelles, E; Galan, M; Llorens, J. (1999). Determination of equilibrium distribution constants of phenol between surfactant micelles and water using ultrafiltering centrifuge tubes. *Colloid Surface Physicochem Eng Aspect*. 150: 229-245.
- Sabel, GV; Clark, TP. (1984). Volatile organic compounds as indicators of municipal solid waste leachate contamination. *Waste Manag Res*. 2: 119-130. [http://dx.doi.org/10.1016/0734-242X\(84\)90135-6](http://dx.doi.org/10.1016/0734-242X(84)90135-6).

Fate Literature Search Results

Off Topic

- Sabin, F; Tuerk, T; Vogler, A. (1992). Decontamination of industrial waste water by photocatalytic oxidation of organic components: A model study (pp. 163-167). (ISSN 0044-3727; BIOSIS/92/30507). Sabin, F; Tuerk, T; Vogler, A.
- Saccani, G; Bernasconi, M; Antonelli, M. (2014). Optimization of low energy sonication treatment for granular activated carbon colonizing biomass assessment. *Environ Technol.* 35: 851-858. <http://dx.doi.org/10.1080/09593330.2013.853698>.
- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ.* 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).
- Saez, PB; Rittmann, BE. (1991). BIODEGRADATION KINETICS OF 4-CHLOROPHENOL, AN INHIBITORY CO-METABOLITE. *Res Journal Water Pollut Control Fed.* 63: 838-847.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Gonzalez-Garcia, J. (2010). Electrochemical Degradation of Perchloroethylene in Aqueous Media: Influence of the Electrochemical Operational Variables in the Viability of the Process. *Ind Eng Chem Res.* 49: 4123-4131. <http://dx.doi.org/10.1021/ie100134t>.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2010). 20 kHz sonoelectrochemical degradation of perchloroethylene in sodium sulfate aqueous media: Influence of the operational variables in batch mode. *J Hazard Mater.* 183: 648-654. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.074>.
- Saez, V; Esclapez, MD; Bonete, P; Walton, DJ; Rehorek, A; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonochemical degradation of perchloroethylene: The influence of ultrasonic variables, and the identification of products. *Ultrason Sonochem.* 18: 104-113. <http://dx.doi.org/10.1016/j.ultsonch.2010.03.009>.
- Saez, V; Esclapez, MD; Frias-Ferrer, A; Bonete, P; Gonzalez-Garcia, J. (2008). Electrochemical Reduction of Perchloroethylene in Aqueous Media: Influence of the Electrode Material. *Journal of New Materials for Electrochemical Systems.* 11: 287-295.
- Saha, S; Zhu, L; Captain, B. (2010). Synthesis and structural characterization of bimetallic iron-nickel carbido cluster complexes. *Inorg Chem.* 49: 3465-3472. <http://dx.doi.org/10.1021/ic100057x>.
- Saha, SK; Srinivasan, K; Dutta, P. (2008). Studies on optimum distribution of fins in heat sinks filled with phase change materials. *Journal of Heat Transfer.* 130. <http://dx.doi.org/10.1115/1.28049481>.
- Sahoo, D; Smith, JA. (1997). Enhanced trichloroethene desorption from long-term contaminated soil using triton X-100 and pH increases. *Environ Sci Technol.* 31: 1910-1915.
- Saikia, D; Wu, CG; Fang, J; Tsai, L, ID; Kao, HM. (2014). Organic-inorganic hybrid polymer electrolytes based on polyether diamine, alkoxy silane, and trichlorotriazine: Synthesis, characterization, and electrochemical applications. *J Power Sources.* 269: 651-660. <http://dx.doi.org/10.1016/j.jpowsour.2014.06.159>.
- Saito, H; Tanaka, S; Fukuda, K; Takuma, Y; Kato, S; Satokawa, S; Yamasaki, A; Kojima, T. (2012). Influence of pH and Dissolved Fe Ion Concentration on Decomposition of Trichloroethylene with Fenton's Reaction Using Iron Powder. *Kagaku Kogaku Ronbunshu.* 38: 312-317.
- Saiyood, S; Inthorn, D; Vangnai, A; Thiravetyan, P. (2016). 1,2-dichloroethane removal by *Bruguiera gymnorhiza* (L.) Lamk and *Pseudomonas putida* BCC 23535. *Water Science and Technology: Water Supply.* 16: 1313-1319. <http://dx.doi.org/10.2166/ws.2016.060>.
- Saiz, G; Wynn, JG; Wurster, CM; Goodrick, I; Nelson, PN; Bird, MI. (2015). Pyrogenic carbon from tropical savanna burning: production and stable isotope composition. *Biogeosciences.* 12: 1849-1863. <http://dx.doi.org/10.5194/bg-12-1849-2015>.
- Sakaguchi-Söder, K; Jager, J; Grund, H; Matthäus, F; Schüth, C. (2007). Monitoring and evaluation of dechlorination processes using compound-specific chlorine isotope analysis. *Rapid Commun Mass Spectrom.* 21: 3077-3084. <http://dx.doi.org/10.1002/rcm.3170>.
- Sakulchaicharoen, N; O'Carroll, DM; Herrera, JE. (2010). Enhanced stability and dechlorination activity of pre-synthesis stabilized nanoscale FePd particles. *J Contam Hydrol.* 118: 117-127. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.004>.
- Sakurai, T; Maeda, S; Chang, L; Karin, M. (2006). Loss of hepatic NF-kappa B activity enhances chemical hepatocarcinogenesis through sustained c-Jun N-terminal kinase 1 activation. *Proc Natl Acad Sci USA.* 103: 10544-10551. <http://dx.doi.org/10.1073/pnas.0603499103>.
- Salaices Avila, MA; Breiter, R; Mott, H. (2007). Development of a simple, accurate SPME-based method for assay of VOCs in column breakthrough experiments. *Chemosphere.* 66: 18-29. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.069>.
- Salas, LA; Gracia-Lavedan, E; Goni, F; Moreno, V; Villanueva, CM. (2014). Use of urinary trichloroacetic acid as an exposure biomarker of disinfection by-products in cancer studies. *Environ Res.* 135: 276-284. <http://dx.doi.org/10.1016/j.envres.2014.09.018>.
- Salazar-García, F; Gallardo-Díaz, E; Cerón-Mireles, P; Loomis, D; Borja-Aburto, VH. (2004). Reproductive effects of occupational DDT exposure among male malaria control workers. *Environ Health Perspect.* 112: 542-547.
- Saleh, N; Sarbu, T; Sirk, K; Lowry, GV; Matyjaszewski, K; Tilton, RD. (2005). Oil-in-water emulsions stabilized by highly charged polyelectrolyte-grafted silica nanoparticles. *Langmuir.* 21: 9873-9878. <http://dx.doi.org/10.1021/la050654r>.
- Saleh, N; Sirk, K; Liu, Y; Phenrat, T; Dufour, B; Matyjaszewski, K; Tilton, RD; Lowry, GV. (2007). Surface modifications enhance nanoiron transport and NAPL targeting in saturated porous media. *Environ Eng Sci.* 24: 45-57.
- Salih, HH; Patterson, CL; Sorial, GA. (2013). Comparative Study on the Implication of Three Nanoparticles on the Removal of Trichloroethylene by Adsorption-Pilot and Rapid Small-Scale Column Tests. *Water Air Soil Pollut.* 224: 1-11. <http://dx.doi.org/10.1007/s11270-012-1402-3>.
- Salih, HH; Patterson, CL; Sorial, GA; Sinha, R; Krishnan, R. (2011). The fate and transport of the SiO₂ nanoparticles in a granular activated carbon bed and their impact on the removal of VOCs. *J Hazard Mater.* 193: 95-101. <http://dx.doi.org/10.1016/j.jhazmat.2011.07.030>.
- Salih, HH; Patterson, CL; Sorial, GA; Sinha, R; Krishnan, R. (2012). The implication of iron oxide nanoparticles on the removal of trichloroethylene by adsorption. *Chem Eng J.* 193: 422-428. <http://dx.doi.org/10.1016/j.cej.2012.03.040>.
- Salih, HH; Sorial, GA; Patterson, CL; Sinha, R; Krishnan, ER. (2012). Removal of Trichloroethylene by Activated Carbon in the Presence and Absence of TiO₂ Nanoparticles. *Water Air Soil Pollut.* 223: 2837. <http://dx.doi.org/10.1007/s11270-011-1070-8>.

Fate Literature Search Results

Off Topic

- Salih, HH; Sorial, GA; Patterson, CL; Speth, TF. (2015). The Implications of Fe₂O₃ and TiO₂ Nanoparticles on the Removal of Trichloroethylene by Activated Carbon in the Presence and Absence of Humic Acid. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-014-2287-0>.
- Salipira, KL; Mamba, BB; Krause, RW; Malefetse, TJ; Durbach, SH. (2007). Carbon nanotubes and cyclodextrin polymers for removing organic pollutants from water. *Environ Chem Lett.* 5: 13-17. <http://dx.doi.org/10.1007/s10311-006-0057-y>.
- Salipira, KL; Mamba, BB; Krause, RW; Malefetse, TJ; Durbach, SH. (2008). Cyclodextrin polyurethanes polymerised with carbon nanotubes for the removal of organic pollutants in water. *Water SA.* 34: 113-118.
- Salman, M; Gerhard, JI; Major, DW; Pironi, P; Hadden, R. (2015). Remediation of trichloroethylene-contaminated soils by star technology using vegetable oil smoldering. *J Hazard Mater.* 285: 346-355. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.042>.
- Salvado-Estivill, I; Brucato, A; Puma, GL, i. (2007). Two-dimensional Modeling of a flat-plate photocatalytic reactor for oxidation of indoor air pollutants. *Ind Eng Chem Res.* 46: 7489-7496. <http://dx.doi.org/10.1021/ie070391r>.
- Salvado-Estivill, I; Hargreaves, DM; Puma, GL, i. (2007). Evaluation of the intrinsic photocatalytic oxidation kinetics of indoor air pollutants. *Environ Sci Technol.* 41: 2028-2035. <http://dx.doi.org/10.1021/es061569o>.
- Salvan, A; Stayner, L; Steenland, K; Smith, R. (1995). Selecting an exposure lag period. *Epidemiology.* 6: 387-390.
- Sam, FL; Dabera, GD; Lai, KT; Mills, CA; Rozanski, LJ; Silva, SR. (2014). Hybrid metal grid-polymer-carbon nanotube electrodes for high luminance organic light emitting diodes. *Nanotechnology.* 25: 345202. <http://dx.doi.org/10.1088/0957-4484/25/34/345202>.
- Sam, FLM; Razali, MA; Jayawardena, KDG, I; Mills, CA; Rozanski, LJ; Beliat, MJ; Silva, SRP. (2014). Silver grid transparent conducting electrodes for organic light emitting diodes. *Organic Electronics.* 15: 3492-3500. <http://dx.doi.org/10.1016/j.orgel.2014.09.036>.
- Samarghandi, MR; Zarrabi, M; Amrane, A; Sepehr, MN; Noroozi, M; Namdari, S; Zarei, A. (2012). Kinetic of degradation of two azo dyes from aqueous solutions by zero iron powder: determination of the optimal conditions. *Desalination and Water Treatment.* 40: 137-143. <http://dx.doi.org/10.5004/dwt.2012.2746>.
- Sampath, S; Uchida, H; Yoneyama, H. (1994). PHOTOCATALYTIC DEGRADATION OF GASEOUS PYRIDINE OVER ZEOLITE-SUPPORTED TITANIUM-DIOXIDE. *J Catal.* 149: 189-194.
- San Vicente, G; Morales, A; German, N; Suarez, S; Sanchez, B. (2012). SiO₂/TiO₂ Antireflective Coatings With Photocatalytic Properties Prepared by Sol-Gel for Solar Glass Covers. *J Sol Energ Eng.* 134. <http://dx.doi.org/10.1115/1.4007298>.
- Sanchez, B; Cardona, AI; Romero, M; Avila, P; Bahamonde, A. (1999). Influence of temperature on gas-phase photo-assisted mineralization of TCE using tubular and monolithic catalysts. *Catalysis Today.* 54: 369-377.
- Sanchez, B; Coronado, JM; Candal, R; Portela, R; Tejedor, I; Anderson, MA; Tompkins, D; Lee, T. (2006). Preparation of TiO₂ coatings on PET monoliths for the photocatalytic elimination of trichloroethylene in the gas phase. *Appl Catal B-Environ.* 66: 295-301. <http://dx.doi.org/10.1016/j.apcatb.2006.03.021>.
- Sanchez, IM; Bull, RJ. (1990). Early induction of reparative hyperplasia in the liver of B6C3F1 mice treated with dichloroacetate and trichloroacetate. *Toxicology.* 64: 33-46. [http://dx.doi.org/10.1016/0300-483X\(90\)90097-Z](http://dx.doi.org/10.1016/0300-483X(90)90097-Z).
- Sanchez, ME; Doublet, ML; Faulmann, C; Malfant, I; Cassoux, P; Kushch, LA; Yagubskii, EB. (2001). Anion conformation and physical properties in BETS salts with the nitroprusside anion and its related ruthenium halide (X = Cl, Br) mononitrosyl complexes: theta-(BETS)₄[Fe(CN)₅NO], (BETS)₂[RuBr₅NO], and (BETS)₂[RuCl₅NO]. *Eur J Inorg Chem* 2797-2804.
- Sangam, HP; Rowe, RK. (2001). Migration of dilute aqueous organic pollutants through HDPE geomembranes. *Geotextiles and Geomembranes.* 19: 329-357.
- Sanongraj, W; Chen, YS; Crittenden, JC; Destailats, H; Hand, DW; Perrarn, DL; Taylor, R. (2007). Mathematical model for photocatalytic destruction of organic contaminants in air. *Journal of the Air and Waste Management Association.* 57: 1112-1122. <http://dx.doi.org/10.3155/1047-3289.57.9.1112>.
- Santos, AP; Lemos, VA. (2015). Determination of Vanadium Levels in Seafood Using Dispersive Liquid-Liquid Microextraction and Optical Sensors. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2334-5>.
- Sanz, J; Garcia, A; Miro, J; Miguel, C. (2013). Drinking water supply by reverse osmosis plants: three years of experience at El Prat de Llobregat Municipality. *Desalination and Water Treatment.* 51: 124-131. <http://dx.doi.org/10.1080/19443994.2012.704728>.
- Sanz, J; Sobrados, I; Soria, J; Yurdakal, S; Augugliaro, V. (2017). Anatase nanoparticles boundaries resulting from titanium tetrachloride hydrolysis. *Catalysis Today.* 281: 198-204. <http://dx.doi.org/10.1016/j.cattod.2016.06.052>.
- Sanz, N; Díez-Fernández, C; Cascales, M. (1996). Variations of hepatic antioxidant systems and DNA ploidy in rats aged 2 to 8 months. *Biochim Biophys Acta.* 1315: 123-130. [http://dx.doi.org/10.1016/0925-4439\(95\)00113-1](http://dx.doi.org/10.1016/0925-4439(95)00113-1).
- Sanz, P; Nogue, S; Vilchez, D; Salvado, E; Casal, A; Logroscino, G. (2008). Myoclonic Encephalopathy after Exposure to Trichloroethylene. *Ind Health.* 46: 635-637.
- Sapbamrer, R; Prapamontol, T; Prakobvitayakit, O; Vaneesorn, Y; Mangklabruks, A; Hock, B. (2008). Placental transfer of DDT in mother-infant pairs from Northern Thailand. *J Environ Sci Health B.* 43: 484-489. <http://dx.doi.org/10.1080/03601230802174615>.
- Sapkota, A; Williams, D; Buckley, TJ. (2005). Tollbooth workers and mobile source-related hazardous air pollutants: How protective is the indoor environment? *Environ Sci Technol.* 39: 2936-2943. <http://dx.doi.org/10.1021/es0489644>.
- Sarangapani, R; Gentry, PR; Covington, TR; Teeguarden, JG; Clewell, HJ, III. (2003). Evaluation of the potential impact of age- and gender-specific lung morphology and ventilation rate on the dosimetry of vapors. *Inhal Toxicol.* 15: 987-1016. <http://dx.doi.org/10.1080/08958370390226350>.
- Sarathy, V; Tratnyek, PG; Nurmi, JT; Baer, DR; Amonette, JE; Chun, C; Penn, R; Reardon, EJ. (2008). Aging of iron nanoparticles in aqueous solution: Effects on structure and reactivity. *J Phys Chem C.* 112: 2286-2293. <http://dx.doi.org/10.1021/jp0777418>.
- Sarca, VD. (1998). A physico-chemical study on the methyl monochloroacetate synthesis. *Rev Chim.* 49: 102-109.

Fate Literature Search Results

Off Topic

- Sargent, LM; Zhou, X; Keck, CL; Sanderson, ND; Zimonjic, DB; Popescu, NC; Thorgeirsson, SS. (1999). Nonrandom cytogenetic alterations in hepatocellular carcinoma from transgenic mice overexpressing c-Myc and transforming growth factor- α in the liver. *Am J Pathol.* 154: 1047-1055.
- Sarigiannis, DA; Hansen, U, te. (2012). Considering the cumulative risk of mixtures of chemicals - A challenge for policy makers [Review]. *Environ Health.* 11: S18. <http://dx.doi.org/10.1186/1476-069X-11-S1-S18>.
- Sarkany-Kiss, A; Herczeg, I; Palombi, B; Grigorszky, I; Antal, L; Bacsi, I; Mozsar, A; Kalmar, AF; Nagy, SA. (2012). Toxicity tests of chlorinated hydrocarbons on the river mussel, *Unio crassus* (Bivalvia, Unionidae). *North - Western Journal of Zoology.* 8: 358-361.
- Sarkar, S; Seenivasan, S; Asir, RPS. (2010). Biodegradation of propargite by *Pseudomonas putida*, isolated from tea rhizosphere. *J Hazard Mater.* 174: 295-298. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.050>.
- Sarkar, S; Seenivasan, S; Premkumar, R. (2009). Biodegradation of propiconazole by *Pseudomonas putida* isolated from tea rhizosphere. *Plant Soil Environ.* 55: 196-201.
- Sasaki, K; Takahashi, M; Hirata, Y. (2015). Temperature-Insensitive Sagnac-Type Optical Current Transformer. *Journal of Lightwave Technology.* 33: 2463-2467. <http://dx.doi.org/10.1109/JLT.2014.2366207>.
- Sasaki, T; Nakano, S; Yamauchi, S; Watanabe, M. (1997). Fabrication of titanium dioxide thin flakes and their porous aggregate. *Chem Mater.* 9: 602-608.
- Satapathy, J; Reddy, MVR; Samal, SS. (2013). Synthesis and characterisation of $Mg_xCu_{1-x}Nb_2O_6$ ($x=0, 0.2, 0.4, 0.6, 0.8, 1$) for LTCC application. *Mater Res Innovat.* 17: 161-166. <http://dx.doi.org/10.1179/1433075X12Y.0000000054>.
- Sato, A. (1991). The effect of environmental factors on the pharmacokinetic behaviour of organic solvent vapours [Review]. *Ann Occup Hyg.* 35: 525-541.
- Sato, A. (1993). Confounding factors in biological monitoring of exposure to organic solvents. *Int Arch Occup Environ Health.* 65: S61-S67.
- Sato, A; Endoh, K; Kaneko, T; Johanson, G. (1991). Effects of consumption of ethanol on the biological monitoring of exposure to organic solvent vapours: a simulation study with trichloroethylene. *Br J Ind Med.* 48: 548-556.
- Sato, A; Endoh, K; Kaneko, T; Johanson, G. (1991). A simulation study of physiological factors affecting pharmacokinetic behaviour of organic solvent vapours. *Br J Ind Med.* 48: 342-347.
- Sato, A; Nakajima, T. (1977). [Estimation of rate constants for absorption, metabolism and excretion of trichloroethylene from urinary excretion data (author's transl)]. *Sangyo Igaku.* 19: 92-93.
- Sato, A; Nakajima, T. (1978). Differences following skin or inhalation exposure in the absorption and excretion kinetics of trichloroethylene and toluene. *Br J Ind Med.* 35: 43-49.
- Sato, A; Nakajima, T. (1979). A vial-equilibration method to evaluate the drug-metabolizing enzyme activity for volatile hydrocarbons. *Toxicol Appl Pharmacol.* 47: 41-46. [http://dx.doi.org/10.1016/0041-008X\(79\)90069-3](http://dx.doi.org/10.1016/0041-008X(79)90069-3).
- Sato, A; Nakajima, T; Fujiwara, Y; Murayama, N. (1977). A pharmacokinetic model to study the excretion of trichloroethylene and its metabolites after an inhalation exposure. *Br J Ind Med.* 34: 56-63.
- Sato, A; Nakajima, T; Koyama, Y. (1980). Effects of chronic ethanol consumption on hepatic metabolism of aromatic and chlorinated hydrocarbons in rats. *Br J Ind Med.* 37: 382-386. <http://dx.doi.org/10.1136/oem.37.4.382>.
- Sato, A; Nakajima, T; Koyama, Y. (1981). Dose-related effects of a single dose of ethanol on the metabolism in rat liver of some aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol.* 60: 8-15. [http://dx.doi.org/10.1016/0041-008X\(81\)90129-0](http://dx.doi.org/10.1016/0041-008X(81)90129-0).
- Sato, A; Nakajima, T; Koyama, Y. (1983). Interaction between ethanol and carbohydrate on the metabolism in rat liver of aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol.* 68: 242-249. [http://dx.doi.org/10.1016/0041-008X\(83\)90008-X](http://dx.doi.org/10.1016/0041-008X(83)90008-X).
- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photosonolysis reactor. *J Environ Eng.* 129: 136-146. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(136\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(136)).
- Sato, C; Yao, J. (2006). Simultaneous and sequential photosonolysis of TCE and PCE. *J Environ Eng.* 132: 32-41. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:1\(32\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:1(32)).
- Sato, CK; Hartenstein, SD; Motes, W. (2001). Photosonolysis of TCA, TCE, and PCE in flow-through reactor system. *J Environ Eng.* 127: 620-629.
- Sato, K; Tsunashima, S; Takayanagi, T; Fujisawa, G; Yokoyama, A. (1997). Translational energy distributions of the products of the 193 and 157 nm photodissociation of chloroethylenes. *J Chem Phys.* 106: 10123-10133.
- Satyapal, S; Werner, JH; Cool, TA. (1995). An extended flame zone in the combustion of CH_3Cl . *Combust Sci Tech.* 106: 229-238.
- Saucedo-Lucero, JO; Arriaga, S. (2013). Photocatalytic degradation of hexane vapors in batch and continuous systems using impregnated ZnO nanoparticles. *Chem Eng J.* 218: 358-367. <http://dx.doi.org/10.1016/j.cej.2012.12.050>.
- Sauer, ML; Ollis, DF. (1994). ACETONE OXIDATION IN A PHOTOCATALYTIC MONOLITH REACTOR. *J Catal.* 149: 81-91.
- Sauer, ML; Ollis, DF. (1996). Photocatalyzed oxidation of ethanol and acetaldehyde in humidified air. *J Catal.* 158: 570-582.
- Saunders, RA. (1967). A new hazard in closed environmental atmospheres. *Arch Environ Health.* 14: 380-384.
- Saura, J. (1994). GAS-SENSING PROPERTIES OF SnO_2 PYROLYTIC FILMS SUBJECTED TO ULTRAVIOLET-RADIATION. *Sens Actuators B.* 17: 211-214.
- Sausen, PJ; Elfarra, AA. (1990). Cysteine conjugate S-oxidase: Characterization of a novel enzymatic activity in rat hepatic and renal microsomes. *J Biol Chem.* 265: 6139-6145.
- Sausen, PJ; Elfarra, AA. (1991). Reactivity of cysteine S-conjugate sulfoxides: formation of S-[1-chloro-2-(S-glutathionyl)vinyl]-L-cysteine sulfoxide by the reaction of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide with glutathione. *Chem Res Toxicol.* 4: 655-660. <http://dx.doi.org/10.1021/tx00024a010>.
- Savory, DM; Warren, DS; Mcquillan, AJ. (2011). Shallow Electron Trap, Interfacial Water, and Outer-Sphere Adsorbed Oxalate IR Absorptions Correlate during UV Irradiation of Photocatalytic TiO_2 Films in Aqueous Solution. *J Phys Chem C.* 115: 902-907. <http://dx.doi.org/10.1021/jp102723u>.

Fate Literature Search Results

Off Topic

- Saxena, DK; Srivastava, RS; Lal, B; Chandra, SV. (1987). The effect of lead exposure on the testis of growing rats. *Exp Pathol.* 31: 249-252.
- Sbrana, I; Di Sibio, A; Lomi, A; Scarcelli, V. (1993). C-mitosis and numerical chromosome aberration analyses in human lymphocytes: 10 known or suspected spindle poisons. *Mutat Res.* 287: 57-70. [http://dx.doi.org/10.1016/0027-5107\(93\)90145-6](http://dx.doi.org/10.1016/0027-5107(93)90145-6).
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr.* 44: 703-707.
- Schacht, J; Laqua, H; Niedermeyer, H. (2006). Synchronization of processes in a distributed real time system exemplified by the control system of the fusion experiment WENDELSTEIN 7-X. *IEEE Trans Nucl Sci.* 53: 2187-2194. <http://dx.doi.org/10.1109/TNS.2006.877930>.
- Schacht, J; Skodzik, J; Team, C. (2015). Multifunction-Timing Card ITTEV2 for CoDaC Systems of Wendelstein 7-X. *IEEE Trans Nucl Sci.* 62: 1187-1194. <http://dx.doi.org/10.1109/TNS.2015.2425895>.
- Schaefer, CE; Condee, CW; Vainberg, S; Steffan, RJ. (2009). Bioaugmentation for chlorinated ethenes using *Dehalococcoides* sp.: comparison between batch and column experiments. *Chemosphere.* 75: 141-148. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.041>.
- Schaefer, CE; Schuth, C; Werth, CR; Reinhard, M. (2000). Binary desorption isotherms of TCE and PCE from silica gel and natural solids. *Environ Sci Technol.* 34: 4341-4347.
- Schaefer, CE; Topoleski, C; Fuller, ME. (2007). Effectiveness of zerovalent iron and nickel catalysts for degrading chlorinated solvents and n-nitrosodimethylamine in natural groundwater. *Water Environ Res.* 79: 57-62. <http://dx.doi.org/10.2175/106143006X136784>.
- Schaefer, CE; Towne, RM; Root, D; Mccray, JE. (2012). Assessment of Chemical Oxidation for Treatment of DNAPL in Fractured Sandstone Blocks. *J Environ Eng.* 138: 1-7. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000466](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000466).
- Schaerlaekens, J; Feyen, J. (2004). Effect of scale and dimensionality on the surfactant-enhanced solubilization of a residual DNAPL contamination. *J Contam Hydrol.* 71: 283-306. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.003>.
- Schaerlaekens, J; Mallants, D; Simunek, J; van Genuchten, MT; Feyen, J. (1999). Numerical simulation of transport and sequential biodegradation of chlorinated aliphatic hydrocarbons using CHAIN_2D. *Hydrolog Process.* 13: 2847-2859.
- Schaerlaekens, J; Mertens, J; Van Linden, J; Vermeiren, G; Carmeliet, J; Feyen, J. (2006). A multi-objective optimization framework for surfactant-enhanced remediation of DNAPL contaminations. *J Contam Hydrol.* 86: 176-194. <http://dx.doi.org/10.1016/j.jconhyd.2006.03.002>.
- Schaerlaekens, J; Vanderborcht, J; Merckx, R; Feyen, J. (2000). Surfactant enhanced solubilization of residual trichloroethene: an experimental and numerical analysis. *J Contam Hydrol.* 46: 1-16.
- Schafer, A; Bouwer, EJ. (2000). Toluene induced cometabolism of cis-1,2-dichloroethylene and vinyl chloride under conditions expected downgradient of a permeable Fe(0) barrier. *Water Res.* 34: 3391-3399.
- Schäfer, D; Köber, R; Dahmke, A. (2003). Competing TCE and cis-DCE degradation kinetics by zero-valent iron-experimental results and numerical simulation. *J Contam Hydrol.* 65: 183-202. [http://dx.doi.org/10.1016/S0169-7722\(02\)00239-5](http://dx.doi.org/10.1016/S0169-7722(02)00239-5).
- Schaller, KH; Angerer, J; Lehnert, G. (1993). 1ST RESULTS OF 2 EXTERNAL INTERCOMPARISON PROGRAMS FOR THE DETERMINATION OF ORGANOCHLORINE COMPOUNDS IN BLOOD SPECIMENS RELEVANT IN ENVIRONMENTAL AND OCCUPATIONAL-MEDICINE. *Fresenius J Anal Chem.* 346: 830-832.
- Scharf, JG; Dombrowski, F; Ramadori, G. (2001). The IGF axis and hepatocarcinogenesis. *Molecular Pathology.* 54: 138-144.
- Schatten, H; Chakrabarti, A. (1998). Centrosome structure and function is altered by chloral hydrate and diazepam during the first reproductive cell cycles in sea urchin eggs. *Eur J Cell Biol.* 75: 9-20.
- Scheff, PA; Wadden, RA. (1993). Receptor modeling of volatile organic compounds. I: Emission inventory and validation. *Environ Sci Technol.* 27: 617-625. <http://dx.doi.org/10.1021/es00041a005>.
- Schellin, M; Popp, P. (2006). Miniaturized membrane-assisted solvent extraction combined with gas chromatography/electron-capture detection applied to the analysis of volatile organic compounds. *J Chromatogr A.* 1103: 211-218. <http://dx.doi.org/10.1016/j.chroma.2005.11.01>.
- Schepens, PJ; Covaci, A; Jorens, PG; Hens, L; Scharpé, S; van Larebeke, N. (2001). Surprising findings following a Belgian food contamination with polychlorobiphenyls and dioxins. *Environ Health Perspect.* 109: 101-103.
- Scherer, MM; Balko, BA; Gallagher, DA; Tratnyek, PG. (1998). Correlation analysis of rate constants for dechlorination by zero-valent iron. *Environ Sci Technol.* 32: 3026-3033.
- Scheutz, C; Durant, ND; Dennis, P; Hansen, MH; Jørgensen, T; Jakobsen, R; Cox, EE; Bjerg, PL. (2008). Concurrent ethene generation and growth of *Dehalococcoides* containing vinyl chloride reductive dehalogenase genes during an enhanced reductive dechlorination field demonstration. *Environ Sci Technol.* 42: 9302-9309. <http://dx.doi.org/10.1021/es800764t>.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere.* 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schilling, KE. (1999). Demonstrating localized intrinsic biodegradation of chlorinated aliphatic hydrocarbons using time series sampling. *Ground Water Monitoring and Remediation.* 19: 115-124.
- Schipper, O. (2003). Phytoremediation releases TCE to the atmosphere. *Environ Sci Technol.* 37: 206A-206A.
- Schlehofer, B; Heuer, C; Blettner, M; Niehoff, D; Wahrendorf, J. (1995). Occupation, smoking and demographic factors, and renal cell carcinoma in Germany. *Int J Epidemiol.* 24: 51-57. <http://dx.doi.org/10.1093/ije/24.1.51>.
- Schlesselman, JJ. (1982). Case control studies: Design, conduct, analysis. In *Mongraphs in epidemiology and biostatistics*. New York, NY: Oxford University Press.
- Schlichting, LM; Wright, PF; Stacey, NH. (1992). Effects of tetrachloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicol Ind Health.* 8: 255-266.
- Schlicker, O; Ebert, M; Fruth, M; Weidner, M; Wust, W; Dahmke, A. (2000). Degradation of TCE with iron: The role of competing chromate and nitrate reduction. *Ground Water.* 38: 403-409.

Fate Literature Search Results

Off Topic

- Schlipköter, HW; Fodor, GG; Winneke, G. (1974). Zum Einfluss neurotoxischer Industriegifte auf unfallgenerierendes Fehlverhalten bei Kontroll- und Steuertätigkeiten. Wilhelmshaven, Dortmund: Wirtschaftsverlag Nordwest.
- Schlueter, JA; Geiser, U; Kini, AM; Wang, HH; Williams, JM; Naumann, D; Roy, T; Hoge, B; Eujen, R. (1999). Trifluoromethylmetallate anions as components of molecular charge transfer salts and superconductors. *Coord Chem Rev.* 190: 781-810.
- Schlueter, JA; Williams, JM; Geiser, U; Dudek, JD; Sirchio, SA; Kelly, ME; Gregar, JS; Kwok, WH; Fendrich, JA; Schirber, JE; Bayless, WR; Naumann, D; Roy, T. (1995). SYNTHESIS AND CHARACTERIZATION OF 2 NEW ORGANIC SUPERCONDUCTORS, KAPPA-L-[BIS(ETHYLENEDISULFANYL)TETRATHIAFULVALENE]AU-2(CF₃)₄CENTER-DOT(1,1,2-TRICHLOROETHANE) AND KAPPA-H-[BIS(ETHYLENEDISULFANYL)TETRATHIAFULVALENE]AU-2(CF₃)₄CENTER-DOT(1,1,2-TRICHLOROETHANE) VIA MICROELECTROCRYSTALLIZATION. *J Chem Soc Chem Commun*1311-1312.
- Schmajuk, NA; Bushnell, PJ. (2009). A computational model reveals classical conditioning mechanisms underlying visual signal detection in rats. *Behav Processes.* 82: 340-351. <http://dx.doi.org/10.1016/j.beproc.2009.08.005>.
- Schmid, D; Micić, V; Laumann, S; Hofmann, T. (2015). Measuring the reactivity of commercially available zero-valent iron nanoparticles used for environmental remediation with iopromide. *J Contam Hydrol.* 181: 36-45. <http://dx.doi.org/10.1016/j.jconhyd.2015.01.006>.
- Schmid, FX; Keyser, A; Djavdani, B; Link, J; Holmer, S; Birnbaum, DE. (2002). Left ventricular remodeling after pulmonary autograft aortic valve replacement: Evaluation with color-Doppler echocardiography and magnetic resonance imaging. *Artif Organs.* 26: 444-448.
- Schmidt, B; Ehlert, DK; Braun, HA. (2004). E-1,2-dichlorovinyl ethers as irreversible protease inhibitors. *Tetrahedron Lett.* 45: 1751-1753. <http://dx.doi.org/10.1016/j.tetlet.2003.12.088>.
- Schmidt, KR; Augenstein, T; Heidinger, M; Ertl, S; Tiehm, A. (2010). Aerobic biodegradation of cis-1,2-dichloroethene as sole carbon source: Stable carbon isotope fractionation and growth characteristics. *Chemosphere.* 78: 527-532. <http://dx.doi.org/10.1016/j.chemosphere.2009.11.033>.
- Schmidt, KR; Gaza, S; Voropaev, A; Ertl, S; Tiehm, A. (2014). Aerobic biodegradation of trichloroethene without auxiliary substrates. *Water Res.* 59: 112-118. <http://dx.doi.org/10.1016/j.watres.2014.04.008>.
- Schmidt, KR; Tiehm, A. (2008). Natural attenuation of chloroethenes: identification of sequential reductive/oxidative biodegradation by microcosm studies. *Water Sci Technol.* 58: 1137-1145. <http://dx.doi.org/10.2166/wst.2008.729>.
- Schmidt, M; Lege, S; Nijenhuis, I. (2014). Comparison of 1,2-dichloroethane, dichloroethene and vinyl chloride carbon stable isotope fractionation during dechlorination by two Dehalococcoides strains. *Water Res.* 52: 146-154. <http://dx.doi.org/10.1016/j.watres.2013.12.042>.
- Schmidt, TC; Zwank, L; Elsner, M; Berg, M; Meckenstock, RU; Haderlein, SB. (2004). Compound-specific stable isotope analysis of organic contaminants in natural environments: a critical review of the state of the art, prospects, and future challenges [Review]. *Anal Bioanal Chem.* 378: 283-300. <http://dx.doi.org/10.1007/s00216-003-2350-y>.
- Schmitt, T. (2002). Determination of chloral hydrate and its metabolites in blood plasma by capillary gas chromatography with electron capture detection. *Journal of Chromatography B.* 780: 217-224.
- Schmitz, RPH; Wolf, J; Habel, A; Neumann, A; Ploss, K; Svatos, A; Boland, W; Diekert, G. (2007). Evidence for a radical mechanism of the dechlorination of chlorinated propenes mediated by the tetrachloroethene reductive dehalogenase of *Sulfurospirillum multivorans*. *Environ Sci Technol.* 41: 7370-7375. <http://dx.doi.org/10.1021/es071026u>.
- Schmucker, DL. (2001). Liver function and phase I drug metabolism in the elderly: A paradox [Review]. *Drugs Aging.* 18: 837-851.
- Schmucker, DL. (2005). Age-related changes in liver structure and function: Implications for disease? [Review]. *Exp Gerontol.* 40: 650-659. <http://dx.doi.org/10.1016/j.exger.2005.06.009>.
- Schmucker, DL; Mooney, JS; Jones, AL. (1978). Stereological analysis of hepatic fine structure in the Fischer 344 rat. Influence of sublobular location and animal age. *J Cell Biol.* 78: 319-337.
- Schnaar, G; Brusseau, ML. (2006). Characterizing pore-scale dissolution of organic immiscible liquid in natural porous media using synchrotron X-ray microtomography. *Environ Sci Technol.* 40: 6622-6629. <http://dx.doi.org/10.1021/es0602851>.
- Schnabel, WE; Dietz, AC; Burken, JG; Schnoor, JL; Alvarez, PJ. (1997). Uptake and transformation of trichloroethylene by edible garden plants. *Water Res.* 31: 816-824.
- Schnarr, M; Truax, C; Farquhar, G; Hood, E; Gonullu, T; Stickney, B. (1998). Laboratory and controlled field experiments using potassium permanganate to remediate trichloroethylene and perchloroethylene DNAPLs in porous media. *J Contam Hydrol.* 29: 205-224.
- Schneider, CO; Bremen, P; Schoensleben, P; Alard, R. (2013). Transaction cost economics in global sourcing: Assessing regional differences and implications for performance. *International Journal of Production Economics.* 141: 243-254. <http://dx.doi.org/10.1016/j.ijpe.2011.02.025>.
- Schneider, P; Tropper, P; Kaindl, R. (2013). The formation of phosphoran olivine and stanfieldite from the pyrometamorphic breakdown of apatite in slags from a prehistoric ritual immolation site (Goldbichl, Igls, Tyrol, Austria). *Mineralogy and Petrology.* 107: 327-340. <http://dx.doi.org/10.1007/s00710-012-0255-1>.
- Schneidewind, U; Haest, PJ; Atashgahi, S; Maphosa, F; Hamonts, K; Maesen, M; Calderer, M; Seuntjens, P; Smidt, H; Springael, D; Dejonghe, W. (2014). Kinetics of dechlorination by *Dehalococcoides mccartyi* using different carbon sources. *J Contam Hydrol.* 157: 25-36. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.006>.
- Schoen, ME; Small, MJ; Vanbriesen, JM. (2010). Bayesian model for flow-class dependent distributions of fecal-indicator bacterial concentration in surface waters. *Water Res.* 44: 1006-1016. <http://dx.doi.org/10.1016/j.watres.2009.10.016>.
- Schoenherr, T. (2010). Outsourcing decisions in global supply chains: an exploratory multi-country survey. *Int J Prod Res.* 48: 343-378. <http://dx.doi.org/10.1080/00207540903174908>.

Fate Literature Search Results

Off Topic

- Schöftner, P; Waldner, G; Lottermoser, W; Stöger-Pollach, M; Freitag, P; Reichenauer, TG. (2015). Electron efficiency of nZVI does not change with variation of environmental parameters. *Sci Total Environ.* 535: 69-78. <http://dx.doi.org/10.1016/j.scitotenv.2015.05.033>.
- Schöftner, P; Watzinger, A; Holzknicht, P; Wimmer, B; Reichenauer, TG. (2016). Transpiration and metabolisation of TCE by willow plants - a pot experiment. *Int J Phytoremediation.* 18: 686-692. <http://dx.doi.org/10.1080/15226514.2015.1131228>.
- Schoknecht, W; Wodarz, R; Fritzsche, I; Weichardt, H. (1983). SIMPLE GAS-CHROMATOGRAPHIC DETERMINATION OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE AS WELL AS OF THEIR METABOLITES IN BIOLOGICAL SAMPLES IN A SINGLE OPERATION. *Staub, Reinhaltung der Luft.* 43: 186-188.
- Schollhorn, A; Savary, C; Stucki, G; Hanselmann, KW. (1997). Comparison of different substrates for the fast reductive dechlorination of trichloroethene under groundwater conditions. *Water Res.* 31: 1275-1282.
- Schomers, S; Sattler, C; Matzdorf, B. (2015). An analytical framework for assessing the potential of intermediaries to improve the performance of payments for ecosystem services. *Land Use Pol.* 42: 58-70.
- Schoonen, MAA; Harrington, AD; Laffers, R; Strongin, DR. (2010). Role of hydrogen peroxide and hydroxyl radical in pyrite oxidation by molecular oxygen. *Geochim Cosmo Acta.* 74: 4971-4987. <http://dx.doi.org/10.1016/j.gca.2010.05.028>.
- Schoutteten, L; Jean, M; Dinh, A; de Truchis, P; Breton, C; Descatha, A. (2011). Tetrachloroethylene exposure and trigeminal neuropathy: A case report with a possible indirect link. *Arch Mal Prof Environ.* 72: 346-349. <http://dx.doi.org/10.1016/j.admp.2011.07.010>.
- Schreiber, JS. (1993). Predicted infant exposure to tetrachloroethene in human breastmilk [Review]. *Risk Anal.* 13: 515-524. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00010.x>.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere.* 29: 1743-1753.
- Schrack, B; Blough, JL; Jones, AD; Mallouk, TE. (2002). Hydrodechlorination of trichloroethylene to hydrocarbons using bimetallic nickel-iron nanoparticles. *Chem Mater.* 14: 5140-5147. <http://dx.doi.org/10.1021/cm020737i>.
- Schrack, B; Hydutsky, BW; Blough, JL; Mallouk, TE. (2004). Delivery vehicles for zerovalent metal nanoparticles in soil and groundwater. *Chem Mater.* 16: 2187-2193. <http://dx.doi.org/10.1021/cm0218108>.
- Schroder, P; Plumacher, J. (1998). Evaluation of the impact of volatile chlorinated hydrocarbons on forest trees based on air and needle measurement data and the detoxification capacity of spruce needles. *Environ Sci Pollut Res Int. Special issue no. 1:* 38-45.
- Schroll, R; Bierling, B; Cao, G; Dorfler, U; Lahaniati, M; Langenbach, T; Scheunert, I; Winkler, R. (1994). Uptake pathways of organic chemicals from soil by agricultural plants. *Chemosphere.* 28: 297-303.
- Schroth, MH; Oostrom, M; Wietsma, TW; Istok, JD. (2001). In-situ oxidation of trichloroethene by permanganate: effects on porous medium hydraulic properties. *J Contam Hydrol.* 50: 79-98.
- Schulenberg, JW; Reeves, HW. (2002). Axi-symmetric simulation of soil vapor extraction influenced by soil fracturing. *J Contam Hydrol.* 57: 189-222.
- Schulte-Hermann, R; Timmermann-Trosiener, I; Schuppler, J. (1986). Facilitated expression of adaptive responses to phenobarbital in putative pre-stages of liver cancer. *Carcinogenesis.* 7: 1651-1655. <http://dx.doi.org/10.1093/carcin/7.10.1651>.
- Schultz, MG; Sapp, JH; Cusack, CD; Fink, JM. (2010). The National Exposure Registry: history and lessons learned [Review]. *J Environ Health.* 72: 20-25.
- Schumacher, BA; Zimmerman, JH; Elliot, RJ; Swanson, GR. (2016). The Effect of Equilibration Time and Tubing Material on Soil Gas Measurements. *Soil Sediment Contam.* 25: 151-163. <http://dx.doi.org/10.1080/15320383.2016.1111860>.
- Schumucker, DL; Mooney, JS; Jones, AL. (1977). Age-related changes in the hepatic endoplasmic reticulum: A quantitative analysis. *Science.* 197: 1005-1008. <http://dx.doi.org/10.1126/science.887935>.
- Schunemann, JW; Kohnke, HJ; Barner, K. (1992). DETERMINATION OF CARRIER CONCENTRATIONS AND MOBILITIES IN SEMIMETALLIC MAGNETIC COMPOUNDS. *Journal of Magnetism and Magnetic Materials.* 104: 923-924.
- Schüth, C; Bill, M; Barth, JA; Slater, GF; Kalin, RM. (2003). Carbon isotope fractionation during reductive dechlorination of TCE in batch experiments with iron samples from reactive barriers. *J Contam Hydrol.* 66: 25-37. [http://dx.doi.org/10.1016/S0169-7722\(03\)00026-3](http://dx.doi.org/10.1016/S0169-7722(03)00026-3).
- Schuth, C; Taubald, H; Bolano, N; Maciejczyk, K. (2003). Carbon and hydrogen isotope effects during sorption of organic contaminants on carbonaceous materials. *J Contam Hydrol.* 64: 269-281. [http://dx.doi.org/10.1016/S0169-7722\(02\)00216-4](http://dx.doi.org/10.1016/S0169-7722(02)00216-4).
- Schwartz-Arad, D; Zajicek, G; Bartfeld, E. (1989). The streaming liver IV: DNA content of the hepatocyte increases with its age. *Liver.* 9: 93-99. <http://dx.doi.org/10.1111/j.1600-0676.1989.tb00385.x>.
- Schwartzman, G. (1978). VAPOR INFRARED SPECTROPHOTOMETRIC IDENTIFICATION OF CHLOROFORM, HALOTHANE, METHOXYFLURANE, TETRACHLOROETHYLENE, AND TRICHLOROETHYLENE. *J Assoc Offic Anal Chem.* 61: 1306-1308.
- Schwarz, BCE; Devinsky, JS; Tsotsis, TT. (1999). Degradation of PCE in an anaerobic waste gas by biofiltration. *Chem Eng Sci.* 54: 3187-3195.
- Schwarzbauer, J; Dsikowitzky, L; Heim, S; Littke, R. (2005). Determination of C-13/(12C)-ratios of anthropogenic organic contaminants in river water samples by GC-irmMS. *Int J Environ Anal Chem.* 85: 349-364. <http://dx.doi.org/10.1080/03067310500075962>.
- Scialdone, O; Guarisco, C; Galia, A; Herbois, R. (2010). Electroreduction of aliphatic chlorides at silver cathodes in water. *Journal of Electroanalytical Chemistry.* 641: 14-22. <http://dx.doi.org/10.1016/j.jelechem.2010.01.018>.
- Scollon, EJ; Carr, JA; Rintoul, DA; Mccurry, ST; Cobb, GP. (2012). Metabolism and distribution of p,p'-DDT during flight of the white-crowned sparrow, *Zonotrichia leucophrys*. *Environ Toxicol Chem.* 31: 336-346. <http://dx.doi.org/10.1002/etc.730>.
- Scott, CS; Chiu, WA. (2006). Trichloroethylene cancer epidemiology: A consideration of select issues [Review]. *Environ Health Perspect.* 114: 1471-1478. <http://dx.doi.org/10.1289/ehp.8949>.
- Scott, CS; Jinot, J. (2011). Trichloroethylene and Cancer: Systematic and Quantitative Review of Epidemiologic Evidence for Identifying Hazards [Review]. *Int J Environ Res Public Health.* 8: 4238-NII_4163. <http://dx.doi.org/10.3390/ijerph8114238>.

Fate Literature Search Results

Off Topic

- Scott, D; Apblett, A; Materer, NF. (2011). Follow-up study on the effects on well chemistry from biological and chemical remediation of chlorinated solvents. *J Environ Monit.* 13: 2521-2526. <http://dx.doi.org/10.1039/c1em10360a>.
- Seagren, EA; Rittmann, BE; Valocchi, AJ. (1994). QUANTITATIVE-EVALUATION OF THE ENHANCEMENT OF NAPL-POOL DISSOLUTION BY FLUSHING AND BIODEGRADATION. *Environ Sci Technol.* 28: 833-839.
- Seaman, JC; Looney, BB; Harris, MK. (2007). Research in support of remediation activities at the Savannah River Site. *Vadose Zone Journal.* 6: 316-326. <http://dx.doi.org/10.2136/vzj2007.0044>.
- See, KA; Wu, HL; Lau, KC; Shin, M; Cheng, L; Balasubramanian, M; Gallagher, KG; Curtiss, LA; Gewirth, AA. (2016). Effect of Hydrofluoroether Cosolvent Addition on Li Solvation in Acetonitrile-Based Solvate Electrolytes and Its Influence on S Reduction in a Li-S Battery. 8: 34360-34371. <http://dx.doi.org/10.1021/acsami.6b11358>.
- Seelbach, A; Fissler, B; Madle, S. (1993). Further evaluation of a modified micronucleus assay with V79 cells for detection of aneugenic effects. *Mutat Res.* 303: 163-169.
- Seeram, NP; Adams, LS; Hardy, ML; Heber, D. (2004). Total cranberry extract versus its phytochemical constituents: antiproliferative and synergistic effects against human tumor cell lines. *J Agric Food Chem.* 52: 2512-2517. <http://dx.doi.org/10.1021/jf0352778>.
- Segar, RL; Dewys, SL; Speitel, GE. (1995). SUSTAINED TRICHLOROETHYLENE COMETABOLISM BY PHENOL-DEGRADING BACTERIA IN SEQUENCING BIOFILM REACTORS. *Water Environ Res.* 67: 764-774.
- Segar, RL; Leung, SY; Vivek, SA. (1997). Treatment of trichloroethene-contaminated water with a fluidized-bed bioreactor. *Ann N Y Acad Sci.* 829: 83-96.
- Seibel, EJ; Carroll, RE; Dominitz, JA; Johnston, RS; Melville, CD; Lee, CM; Seitz, SM; Kimmey, MB. (2008). Tethered capsule endoscopy, a low-cost and high-performance alternative technology for the screening of esophageal cancer and Barrett's esophagus. *IEEE Trans Biomed Eng.* 55: 1032-1042. <http://dx.doi.org/10.1109/TBME.2008.915680>.
- Seiji, K; Inoue, O; Jin, C; Liu, YT; Cai, SX; Ohashi, M; Watanabe, T; Nakatsuka, H; Kawai, T; Ikeda, M. (1989). Dose-excretion relationship in tetrachloroethylene-exposed workers and the effect of tetrachloroethylene co-exposure on trichloroethylene metabolism. *Am J Ind Med.* 16: 675-684. <http://dx.doi.org/10.1002/ajim.4700160607>.
- Seiji, K; Jin, C; Watanabe, T; Nakatsuka, H; Ikeda, M. (1990). Sister chromatid exchanges in peripheral lymphocytes of workers exposed to benzene, trichloroethylene, or tetrachloroethylene, with reference to smoking habits. *Int Arch Occup Environ Health.* 62: 171-176. <http://dx.doi.org/10.1007/BF00383594>.
- Seitz, CS; Lin, Q; Deng, H; Khavari, PA. (1998). Alterations in NF-kappaB function in transgenic epithelial tissue demonstrate a growth inhibitory role for NF-kappaB. *Proc Natl Acad Sci USA.* 95: 2307-2312.
- Seitz, HK; Stickel, F. (2006). Risk factors and mechanisms of hepatocarcinogenesis with special emphasis on alcohol and oxidative stress [Review]. *Biol Chem.* 387: 349-360. <http://dx.doi.org/10.1515/bc.2006.047>.
- Sekhar, GC; Venkatesu, P; Rao, MVP. (2001). Excess molar volumes and speeds of sound of N,N-dimethylacetamide with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data.* 46: 377-380.
- Sekiguchi, H; Saita, Y. (2001). Effect of alumina particles on sonolysis degradation of chlorobenzene in aqueous solution. *J Chem Eng Jpn.* 34: 1045-1048.
- Sekiguchi, H; Yamagata, K. (2004). Effect of liquid film on decomposition of CFC-12 using dielectric barrier discharge. *Thin Solid Films.* 457: 34-38. <http://dx.doi.org/10.1016/j.tsf.2003.12.010>.
- Sellers, EM; Lang, M; Koch-Weser, J; LeBlanc, E; Kalant, H. (1972). Interaction of chloral hydrate and ethanol in man. I. Metabolism. *Clin Pharmacol Ther.* 13: 37-49.
- Sellers, EM; Lang-Sellers, M; Koch-Weser, J. (1978). Comparative metabolism of chloral hydrate and triclofos. *J Clin Pharmacol.* 18: 457-461.
- Selli, E; Baglio, D; Montanarella, L; Bidoglio, G. (1999). Role of humic acids in the TiO2-photocatalyzed degradation of tetrachloroethene in water. *Water Res.* 33: 1827-1836.
- Semadeni, M; P-C, C; Reinhard, M. (1998). Reductive transformation of trichloroethene by cobalamin: Reactivities of the intermediates acetylene, chloroacetylene, and the DCE isomers. *Environ Sci Technol.* 32: 1207-1213.
- Semkiw, ES; Barcelona, MJ. (2011). Field Study of Enhanced TCE Reductive Dechlorination by a Full-Scale Whey PRB. *Ground Water Monitoring and Remediation.* 31: 68-78. <http://dx.doi.org/10.1111/j.1745-6592.2010.01321.x>.
- Semkiw, ES; Dybas, MJ; Barcelona, MJ. (2009). Evaluation of Three Electron-Donor Permeable Reactive Barrier Materials for Enhanced Reductive Dechlorination of Trichloroethene. *Bioremediat J.* 13: 7-20. <http://dx.doi.org/10.1080/10889860802690489>.
- Semprini, L. (1995). In situ bioremediation of chlorinated solvents [Review]. *Environ Health Perspect.* 103: 101-105.
- Semprini, L; Dolan, ME; Azizian, MF. (2007). ENVR 198-Anaerobic transformation of trichloroethene and trichlorofluoroethene in a continuous flow column study. *Abstracts of Papers - American Chemical Society.* 234.
- Semprini, L; Dolan, ME; Hopkins, GD; Mccarty, PL. (2009). Bioaugmentation with butane-utilizing microorganisms to promote in situ cometabolic treatment of 1,1,1-trichloroethane and 1,1-dichloroethene. *J Contam Hydrol.* 103: 157-167. <http://dx.doi.org/10.1016/j.jconhyd.2008.10.005>.
- Semprini, L; Dolan, ME; Mathias, MA; Hopkins, GD; Mccarty, PL. (2007). Bioaugmentation of butane-utilizing microorganisms for the in situ cometabolic treatment of 1,1-dichloroethene, 1,1-dichloroethane, and 1,1,1-trichloroethane. *European Journal of Soil Biology.* 43: 322-327. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.006>.
- Semprini, L; Dolan, ME; Mathias, MAB; Hopkins, GD; Mccarty, PL. (2007). Laboratory, field, and modeling studies of bioaugmentation of butane-utilizing microorganisms for the in situ cometabolic treatment of 1,1-dichloroethene, 1,1-dichloroethane, and 1,1,1-trichloroethane. *Advances in Water Resources.* 30: 1528-1546. <http://dx.doi.org/10.1016/j.advwatres.2006.05.017>.

Fate Literature Search Results

Off Topic

- Semprini, L; Hopkins, GD; Mccarty, PL; Roberts, PV. (1992). In situ transformation of carbon tetrachloride and other halogenated compounds resulting from biostimulation under anoxic conditions. *Environ Sci Technol.* 26: 2454-2461. <http://dx.doi.org/10.1021/es00036a018>.
- Semprini, L; Hopkins, GD; Roberts, PV; Grbic-Galic, D; McCarty, PL. (1991). A field evaluation of in-situ biodegradation of chlorinated ethenes: Part 3. Studies of competitive inhibition. *Ground Water.* 29: 239-250. <http://dx.doi.org/10.1111/j.1745-6584.1991.tb00516.x>.
- Semprini, L; Hopkins, GD; Roberts, PV; Mccarty, PL. (1992). PILOT SCALE FIELD STUDIES OF IN-SITU BIOREMEDIATION OF CHLORINATED SOLVENTS (pp. THE PROBLEM AND SOME SOLUTIONS). (ISSN 0304-3894; EISSN 1873-3336; BIOSIS/93/09041). Semprini, L; Hopkins, GD; Roberts, PV; Mccarty, PL.
- Semprini, L; Kitanidis, PK; Kambell, DH; Wilson, JT. (1995). ANAEROBIC TRANSFORMATION OF CHLORINATED ALIPHATIC-HYDROCARBONS IN A SAND AQUIFER BASED ON SPATIAL CHEMICAL-DISTRIBUTIONS. *Water Resour Res.* 31: 1051-1062.
- Semprini, L; Mccarty, PL. (1992). COMPARISON BETWEEN MODEL SIMULATIONS AND FIELD RESULTS FOR INSITU BIORESTORATION OF CHLORINATED ALIPHATICS .2. COMETABOLIC TRANSFORMATIONS. *Ground Water.* 30: 37-44.
- Senaratne, C; Zhang, J; Fox, J; Burgess, I; Baker, MD. (1999). Electroanalytical chemistry with zeolites. *Microporous and Mesoporous Materials.* 33: 281-289.
- Seng, JE; Agrawal, N; Horsley, ETM; Leakey, TI; Scherer, EM; Xia, S; Allaben, WT; Leakey, JEA. (2003). Toxicokinetics of chloral hydrate in ad libitum-fed, dietary-controlled, and calorically restricted male B6C3F1 mice following short-term exposure. *Toxicol Appl Pharmacol.* 193: 281-292. <http://dx.doi.org/10.1016/j.taap.2003.07.008>.
- Senol, A. (2004). Liquid-liquid equilibria for the ternary systems of (water plus tetrahydrofuran plus polar solvent) at 298.15 K. *Journal of Chemical and Engineering Data.* 49: 1827-1832. <http://dx.doi.org/10.1021/jc049747l>.
- Senol, A. (2006). Influence of diluent on amine extraction of pyruvic acid using Alamine system. *Chemical Engineering and Processing: Process Intensification.* 45: 755-763. <http://dx.doi.org/10.1016/j.cep.2006.03.002>.
- Senthilnathan, VP; Singh, S. (1976). CARBONYL STRETCH INTENSITY OF BENZOPHENONE IN BINARY SOLVENT MIXTURES OF CHLOROFORM, METHYLENE-CHLORIDE AND TRICHLOROETHYLENE WITH CYCLOHEXANE. *Indian Journal of Chemistry Section A: Inorganic, Physical, Theoretical and Analytical Chemistry.* 14: 743-745.
- Seo, HS; Mccray, JE. (2002). Interfacial tension of chlorinated aliphatic DNAPL mixtures as a function of organic phase composition. *Environ Sci Technol.* 36: 1292-1298. <http://dx.doi.org/10.1021/es010931q>.
- Seo, JH; Liu, J; Fan, X; Kurabayashi, K. (2012). Effect of Thermal Desorption Kinetics on Vapor Injection Peak Irregularities by a Microscale Gas Chromatography Preconcentrator. *Anal Chem.* 84: 6336-6340. <http://dx.doi.org/10.1021/ac300755d>.
- Seo, JH; Liu, J; Fan, X; Kurabayashi, K. (2013). Fabry-Pérot cavity sensor-based optofluidic gas chromatography using a microfabricated passive preconcentrator/injector. *Lab Chip.* 13: 851-859. <http://dx.doi.org/10.1039/c2lc41119a>.
- Seo, YC; Paode, RD; Holsen, TM. (2000). Partitioning of SSOCs into straight-chained surfactants. *J Environ Eng.* 126: 467-470.
- Seol, Y; Javandel, I. (2008). Citric acid-modified Fenton's reaction for the oxidation of chlorinated ethylenes in soil solution systems. *Chemosphere.* 72: 537-542. <http://dx.doi.org/10.1016/j.chemosphere.2008.03.052>.
- Seol, Y; Schwartz, FW. (2000). Phase-transfer catalysis applied to the oxidation of nonaqueous phase trichloroethylene by potassium permanganate. *J Contam Hydrol.* 44: 185-201.
- Seol, Y; Schwartz, FW; Lee, S. (2001). Oxidation of binary DNAPL mixtures using potassium permanganate with a phase transfer catalyst. *Ground Water Monitoring and Remediation.* 21: 124-132.
- Seol, Y; Zhang, H; Schwartz, FW. (2003). A review of in situ chemical oxidation and heterogeneity. *Environmental and Engineering Geoscience.* 9: 37-49.
- Seol, YG, ug; Trung, TQ; Yoon, O, kJa; Sohn, I, IY; Lee, N, aeE. (2012). Nanocomposites of reduced graphene oxide nanosheets and conducting polymer for stretchable transparent conducting electrodes. *J Mater Chem.* 22: 23759-23766. <http://dx.doi.org/10.1039/c2jm33949h>.
- Sergejevova, M; Ruzicka, J. (2003). Potentials of aerobic microbial degradation of trichloroethene. *Chem Listy.* 97: 986-990.
- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A study of mixtures of organic solvents and triglycerides of linseed oil or the free fatty acids .2. Application to the viscosity of the Andrade, Krone, McAllister and Hildebrand equations. *Grasas y Aceites.* 46: 289-294.
- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A STUDY OF MIXTURES OF ORGANIC-SOLVENTS AND TRIGLYCERIDES OF LINSEED OIL OR THE FREE FATTY-ACIDS .1. MOLAR VOLUME, MOLAR REFRACTION AND DYNAMIC VISCOSITY. *Grasas y Aceites.* 46: 183-195.
- Serrano, DP; Calleja, G; Sanz, R; Pizarro, P. (2007). Development of crystallinity and photocatalytic properties in porous TiO2 by mild acid treatment. *J Mater Chem.* 17: 1178-1187. <http://dx.doi.org/10.1039/b614052a>.
- Serrano, G; Paul, D; Kim, S; Kurabayashi, K; Zellers, ET. (2012). Comprehensive Two-Dimensional Gas Chromatographic Separations with a Microfabricated Thermal Modulator. *Anal Chem.* 84: 6973-6980. <http://dx.doi.org/10.1021/ac300924b>.
- Serrano, G; Sukaew, T; Zellers, ET. (2013). Hybrid preconcentrator/focuser module for determinations of explosive marker compounds with a micro-scale gas chromatograph. *J Chromatogr A.* 1279: 76-85. <http://dx.doi.org/10.1016/j.chroma.2013.01.009>.
- Serrano-Trespalacios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City metropolitan area. *J Expo Anal Environ Epidemiol.* 1: S118-S132. <http://dx.doi.org/10.1038/sj.jea.7500366>.
- Sever, VF; Boyd, GR; Bakeer, RM. (2010). Apparatus for Testing the Combined Effects of Deformation and Chemical Exposure on Polymeric Liners. *Journal of Materials in Civil Engineering.* 22: 227-235. [http://dx.doi.org/10.1061/\(ASCE\)0899-1561\(2010\)22:3\(227\)](http://dx.doi.org/10.1061/(ASCE)0899-1561(2010)22:3(227)).
- Severinsen, M; Andersen, MB; Chen, F; Nyholm, N. (1996). A regional chemical fate and exposure model suitable for Denmark and its coastal sea. *Chemosphere.* 32: 2159-2175. [http://dx.doi.org/10.1016/0045-6535\(96\)00124-5](http://dx.doi.org/10.1016/0045-6535(96)00124-5).
- Sexton, K; Adgate, JL; Church, TR; Ashley, DL; Needham, LL; Ramachandran, G; Fredrickson, AL; Ryan, AD. (2005). Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect.* 113: 342-349. <http://dx.doi.org/10.1289/ehp.7412>.

Fate Literature Search Results

Off Topic

- Sexton, K; Mongin, SJ; Adgate, JL; Pratt, GC; Ramachandran, G; Stock, TH; Morandi, MT. (2007). Estimating volatile organic compound concentrations in selected microenvironments using time-activity and personal exposure data. *J Toxicol Environ Health A*. 70: 465-476. <http://dx.doi.org/10.1080/15287390600870858>.
- Shabanov, VF; Pavlov, VF. (2004). Optically transparent glass ceramics with a low temperature expansion coefficient. *Glass Ceram*. 61: 13-15.
- Shade, WD; Jaycock, MA. (1997). Monte Carlo uncertainty analysis of a diffusion model for the assessment of halogen gas exposure during dosing of brominators. *Am Ind Hyg Assoc J*. 58: 418-424. <http://dx.doi.org/10.1080/15428119791012658>.
- Shafi, S; Sweetman, A; Hough, RL; Smith, R; Rosevear, A; Pollard, SJ. (2006). Evaluating fugacity models for trace components in landfill gas. *Environ Pollut*. 144: 1013-1023. <http://dx.doi.org/10.1016/j.envpol.2006.01.048>.
- Shafiei, M; Richardson, JT. (2004). Dechlorination of chlorinated hydrocarbons by catalytic steam reforming. *Appl Catal B-Environ*. 54: 251-259. <http://dx.doi.org/10.1016/j.apcatb.2004.06.010>.
- Shah, JJ; Singh, HB. (1988). Distribution of volatile organic chemicals in outdoor and indoor air: A national VOCs data base. *Environ Sci Technol*. 22: 1381-1388. <http://dx.doi.org/10.1021/es00177a001>.
- Shah, YM; Morimura, K; Yang, Q; Tanabe, T; Takagi, M; Gonzalez, FJ. (2007). Peroxisome proliferator-activated receptor alpha regulates a microRNA-mediated signaling cascade responsible for hepatocellular proliferation. *Mol Cell Biol*. 27: 4238-4247. <http://dx.doi.org/10.1128/MCB.00317-07>.
- Shahna, FG; Ebrahimi, H; Jaleh, B; Bahrami, A. (2015). Decomposition of gas-phase chloroform using nanophotocatalyst downstream the novel non-thermal plasma reactor: by-products elimination. *Int J Environ Sci Tech*. 12: 3489-3498. <http://dx.doi.org/10.1007/s13762-015-0882-2>.
- Shahwan, T; Abu Sirriah, S; Nairat, M; Boyaci, E; Eroglu, AE; Scott, TB; Hallam, KR. (2011). Green synthesis of iron nanoparticles and their application as a Fenton-like catalyst for the degradation of aqueous cationic and anionic dyes. *Chem Eng J*. 172: 258-266. <http://dx.doi.org/10.1016/j.cej.2011.05.103>.
- Shaikjee, A; Coville, NJ. (2012). Catalyst restructuring studies: The facile synthesis of tripod-like carbon fibers by the decomposition of trichloroethylene. *Mater Lett*. 68: 273-276. <http://dx.doi.org/10.1016/j.matlet.2011.10.083>.
- Shan, M; Wang, P; Li, J; Yue, G; Yang, X. (2015). Energy and environment in Chinese rural buildings: Situations, challenges, and intervention strategies. *Build Environ*. 91: 271-282. <http://dx.doi.org/10.1016/j.buildenv.2015.03.016>.
- Shanbhag, PV; Guha, AK; Sirkar, KK. (1996). Membrane-based integrated absorption-oxidation reactor for destroying VOCs in air. *Environ Sci Technol*. 30: 3435-3440.
- Shang, J; Du, YG; Xu, ZL. (2002). Kinetics of gas-phase photocatalytic oxidation of heptane over TiO₂. 75: 259-265.
- Shang, J; Du, YG; Xu, ZL. (2002). Photocatalytic oxidation of heptane in the gas-phase over TiO₂. *Chemosphere*. 46: 93-99.
- Shang, J; Zhu, YF; Du, YG; Xu, ZL. (2002). Comparative studies on the deactivation and regeneration of TiO₂ nanoparticles in three photocatalytic oxidation systems: C₇H₁₆, SO₂, and C₇H₁₆-SO₂. *J Solid State Chem*. 166: 395-399. <http://dx.doi.org/10.1006/jssc.2002.9613>.
- Shankar, K; Vaidya, VS; Corton, JC; Bucci, TJ; Liu, J; Waalkes, MP; Mehendale, HM. (2003). Activation of PPAR-alpha in streptozotocin-induced diabetes is essential for resistance against acetaminophen toxicity. *FASEB J*. 17: 1748-1750. <http://dx.doi.org/10.1096/fj.02-1186fje>.
- Shankar, R; Kolandaivel, P; Senthilkumar, K. (2011). A Theoretical Study on Decomposition and Rearrangement Reaction Mechanism of Trichloroacetyl Chloride (CCl₃COCl). *Int J Quant Chem*. 111: 3482-3496. <http://dx.doi.org/10.1002/qua.22790>.
- Shannon, D. (1995). STARVING MICROBES DEGRADE TCE, BUT APPLICATIONS LIMITED. *Environ Sci Technol*. 29: A207-A207.
- Shao, GN; Hilonga, A; Jeon, S; Lee, J; Elineema, G; Quang, DV; Kim, J; Kim, H. (2013). Influence of titania content on the mesostructure of titania-silica composites and their photocatalytic activity. *Powder Technology*. 233: 123-130. <http://dx.doi.org/10.1016/j.powtec.2012.08.025>.
- Shao, GN; Hilonga, A; Kim, Y; Kim, J; Elineema, G; Quang, DV; Jeon, S; Kim, H. (2012). Peptization technique in the synthesis of titania-silica composites and their photocatalytic properties. *Chem Eng J*. 198: 122-129. <http://dx.doi.org/10.1016/j.cej.2012.05.026>.
- Shao, J; Stapleton, PL; Lin, YS; Gallagher, EP. (2007). Cytochrome p450 and glutathione s-transferase mRNA expression in human fetal liver hematopoietic stem cells. *Drug Metab Dispos*. 35: 168-175. <http://dx.doi.org/10.1124/dmd.106.012757>.
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys*. 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.
- Shaofeng, H; Shuben, L; Jiayin, X; Jianzhong, N; Chungu, X; Haidong, T; Wei, T. (2007). Purification and biochemical characterization of soluble methane monooxygenase hydroxylase from *Methylosinus trichosporium* IMV 3011. *Biosci Biotechnol Biochem*. 71: 122-129. <http://dx.doi.org/10.1271/bbb.60402>.
- Sharma, RK; Zhou, B; Tong, SM; Chuang, KT. (1995). CATALYTIC DESTRUCTION OF VOLATILE ORGANIC-COMPOUNDS USING SUPPORTED PLATINUM AND PALLADIUM HYDROPHOBIC CATALYSTS. *Ind Eng Chem Res*. 34: 4310-4317.
- Sharpe, CR; Rochon, JE; Adam, JM; Suissa, S. (1989). Case-control study of hydrocarbon exposures in patients with renal cell carcinoma. *CMAJ*. 140: 1309-1318.
- Shearer, BG; Hoekstra, WJ. (2003). Recent advances in peroxisome proliferator-activated receptor science [Review]. *Curr Med Chem*. 10: 267-280. <http://dx.doi.org/10.2174/1567204052930970>.
- Sheffels, P; Schroeder, JL; Altuntas, TG; Liggitt, HD; Kharasch, ED. (2004). Role of cytochrome P4503A in cysteine S-conjugates sulfoxidation and the nephrotoxicity of the sevoflurane degradation product fluoromethyl-2,2-difluoro-1-(trifluoromethyl)vinyl ether (compound A) in rats. *Chem Res Toxicol*. 17: 1177-1189. <http://dx.doi.org/10.1021/tx049899e>.
- Shemer, H; Narkis, N. (2005). Effects of aqueous solutions composition and acoustic intensity on THM compounds sonolysis. *Environ Eng Sci*. 22: 138-144.

Fate Literature Search Results

Off Topic

- Shen, C; Lee, SY; Lam, TH; Schooling, CM. (2016). Is Traditional Chinese Exercise Associated With Lower Mortality Rates in Older People? Evidence From a Prospective Chinese Elderly Cohort Study in Hong Kong. *Am J Epidemiol.* 183: 36-45. <http://dx.doi.org/10.1093/aje/kwv142>.
- Shen, H, ai; Wilson, JT. (2007). Trichloroethylene removal from groundwater in flow-through columns simulating a permeable reactive barrier constructed with plant mulch. *Environ Sci Technol.* 41: 4077-4083. <http://dx.doi.org/10.1021/es.0626180>.
- Shen, L; Liu, L; Yao, Z; Liu, G; Lucas, M. (2010). Development potentials and policy options of biomass in China. *Environ Manage.* 46: 539-554. <http://dx.doi.org/10.1007/s00267-010-9476-4>.
- Shen, L; Wania, F. (2005). Compilation, evaluation, and selection of physical-chemical property data for organochlorine pesticides. *Journal of Chemical and Engineering Data.* 50: 742-768. <http://dx.doi.org/10.1021/je049693f>.
- Shen, X; Zhao, L; Ding, Y; Liu, B; Zeng, H; Zhong, L; Li, X. (2011). Foam, a promising vehicle to deliver nanoparticles for vadose zone remediation. *J Hazard Mater.* 186: 1773-1780. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.071>.
- Shen, YS; Ku, Y. (1997). Treatment of gas-phase trichloroethene in air by the UV/O-3 process. *J Hazard Mater.* 54: 189-200.
- Shen, YS; Ku, Y. (1998). Decomposition of gas-phase chloroethenes by UV/O-3 process. *Water Res.* 32: 2669-2679.
- Shen, YS; Ku, Y. (2002). Decomposition of gas-phase trichloroethene by the UV/TiO₂ process in the presence of ozone. *Chemosphere.* 46: 101-107.
- Sheng, G; Wang, X; Wu, S; Boyd, SA. (1998). Enhanced sorption of organic contaminants by smectitic soils modified with a cationic surfactant. *J Environ Qual.* 27: 806-814.
- Sheng, G; Xu, S; Boyd, SA. (1996). Cosorption of organic contaminants from water by hexadecyltrimethylammonium-exchanged clays. *Water Res.* 30: 1483-1489.
- Sheng, Y; Rong, Y; He, Z; Fan, Y; Warner, JH. (2015). Uniformity of large-area bilayer graphene grown by chemical vapor deposition. *Nanotechnology.* 26: 395601. <http://dx.doi.org/10.1088/0957-4484/26/39/395601>.
- Sher, T; Yi, HF; McBride, OW; Gonzalez, FJ. (1993). cDNA cloning, chromosomal mapping, and functional characterization of the human peroxisome proliferator activated receptor. *Biochemistry.* 32: 5598-5604. <http://dx.doi.org/10.1021/bi00072a015>.
- Sheremata, TW; Halasz, A; Paquet, L; Thiboutot, S; Ampleman, G; Hawari, J. (2001). The fate of the cyclic nitramine explosive RDX in natural soil. *Environ Sci Technol.* 35: 1037-1040.
- Sheremata, TW; Yong, RN; Guiot, SR. (1997). Simulation and sterilization of a surrogate soil organic matter for the study of the fate of trichloroethylene in soil. *Commun Soil Sci Plant Anal.* 28: 13-14.
- Sherins, RJ; Hodgen, GD. (1976). Testicular gamma glutamyl-transpeptidase: An index of Sertoli cell function in man. *J Reprod Fertil.* 48: 191-193. <http://dx.doi.org/10.1530/jrf.0.0480191>.
- Sheu, W, enJ; Chen, GJ, ie; Wang, C, hiC. (2015). Performance of piezoelectric fins for heat dissipation. *Int J Heat Mass Tran.* 86: 72-77. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2015.02.072>.
- Sheu, YT; Chen, SC; Chien, CC; Chen, CC; Kao, CM. (2015). Application of a long-lasting colloidal substrate with pH and hydrogen sulfide control capabilities to remediate TCE-contaminated groundwater. *J Hazard Mater.* 284: 222-232. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.023>.
- Shi, J; Yi, S; He, H; Long, C; Li, A. (2013). Preparation of nanoscale zero-valent iron supported on chelating resin with nitrogen donor atoms for simultaneous reduction of Pb²⁺ and NO₃. *Chem Eng J.* 230: 166-171. <http://dx.doi.org/10.1016/j.cej.2013.06.088>.
- Shi, J; Yi, S; Long, C; Li, A. (2015). Effect of Fe loading quantity on reduction reactivity of nano zero-valent iron supported on chelating resin. 9: 840-849. <http://dx.doi.org/10.1007/s11783-015-0781-2>.
- Shi, Y; Yang, J; Mao, W, ei; Li, Y; Xu, X, in; Zhang, H, ao; Yu, W; Li, Y, e; Yang, C. (2015). Influence of Fe²⁺-sodium persulfate on extracellular polymeric substances and dewaterability of sewage sludge. *Desalination and Water Treatment.* 53: 2655-2663. <http://dx.doi.org/10.1080/19443994.2013.868833>.
- Shiao, Y; Kamata, S; Li, L; Hooth, M; DeAngelo, A; Anderson, L; Wolf, D. (2002). Mutations in the VHL gene from potassium bromate-induced rat clear cell renal tumors. *Cancer Lett.* 187: 207-214.
- Shiao, Y; Rice, J; Anderson, L; Diwan, B; Hard, G. (1998). von Hippel-Lindau gene mutations in N-nitrosodimethylamine-induced rat renal epithelial tumors. *J Natl Cancer Inst.* 90: 1720-1723.
- Shiao, YH. (2009). Genetic Signature for Human Risk Assessment: Lessons From Trichloroethylene [Review]. *Environ Mol Mutagen.* 50: 68-77. <http://dx.doi.org/10.1002/em.20432>.
- Shiau, BJ; Hasagawa, MA; Brammer, JM; Carter, T; Goodspeed, M; Harwell, JH; Sabatini, DA; Knox, RC; Szekeres, E. (2003). Field demonstration of surfactant-enhanced DNAPL remediation: Two case studies. *ACS Symp Ser Am Chem Soc.* 837: 51-72.
- Shiau, BJ; Rouse, JD; Sabatini, DA; Harwell, JH. (1995). SURFACTANT SELECTION FOR OPTIMIZING SURFACTANT-ENHANCED SUBSURFACE REMEDIATION. *ACS Symp Ser Am Chem Soc.* 594: 65-79.
- Shiau, BJ; Sabatini, DA; Harwell, JH. (1994). SOLUBILIZATION AND MICROEMULSIFICATION OF CHLORINATED SOLVENTS USING DIRECT FOOD ADDITIVE (EDIBLE) SURFACTANTS. *Ground Water.* 32: 561-569.
- Shiau, BJ; Sabatini, DA; Harwell, JH; Vu, DQ. (1996). Microemulsion of mixed chlorinated solvents using food grade (edible) surfactants. *Environ Sci Technol.* 30: 97-103.
- Shiau, YJ; Chiang, KM; Lin, HW. (2015). Performance enhancement of metal nanowire-based transparent electrodes by electrically driven nanoscale nucleation of metal oxides. *Nanoscale.* 7: 12698-12705. <http://dx.doi.org/10.1039/c5nr02780b>.
- Shiba, M; Uddin, M, dA; Kato, Y; Ono, T. (2014). Degradation of Chlorinated Organic Compounds by Mixed Particles of Iron/Iron Sulfide or Iron/Iron Disulfide. *Mater Trans.* 55: 708-712. <http://dx.doi.org/10.2320/matertrans.M2013412>.

Fate Literature Search Results

Off Topic

- Shibata, H; Sakai, H; Rangsunvigit, P; Hirano, T; Abe, M. (2003). Preparation and photocatalytic activity of titania particulate film with silica as binder. *86*: 125-130.
- Shifrin, M; Cohen, A; Weisman, O; Gurewitz, O. (2016). Coded Retransmission in Wireless Networks Via Abstract MDPs: Theory and Algorithms. *I E E E Transactions on Wireless Communications*. 15: 4292-4306. <http://dx.doi.org/10.1109/TWC.2016.2538762>.
- Shigekawa, N; Nishimura, K; Yokoyama, H; Hohkawa, K. (2008). Surface acoustic waves in reverse-biased AlGaIn/GaN hetero structures. *I E E E Transactions on Electron Devices*. 55: 1585-1591. <http://dx.doi.org/10.1109/TED.2008.923565>.
- Shih, Y, uJen; Chen, CW, en; Hsia, K, uoF; Dong, CD, i. (2015). Granulation for extended-release of nanoscale zero-valent iron exemplified by hexavalent chromium reduction in aqueous solution. *Separation and Purification Technology*. 156: 1073-1081. <http://dx.doi.org/10.1016/j.seppur.2015.10.043>.
- Shih, YH; Li, MS. (2008). Adsorption of selected volatile organic vapors on multiwall carbon nanotubes. *J Hazard Mater*. 154: 21-28. <http://dx.doi.org/10.1016/j.jhazmat.2007.09.095>.
- Shijin, W; Xiang, Y; Zhihang, H; Lili, Z; Jianmeng, C. (2009). Optimizing aerobic biodegradation of dichloromethane using response surface methodology. *J Environ Sci*. 21: 1276-1283. [http://dx.doi.org/10.1016/S1001-0742\(08\)62415-8](http://dx.doi.org/10.1016/S1001-0742(08)62415-8).
- Shikoh, A, liS; Ahmad, Z; Touati, F; Shakoor, RA; Al-Thani, NJ; Zhu, Z; Mankowski, T; Benammar, MA; Mansuripur, M; Falco, CM. (2016). Integration of the inexpensive CuNWs based transparent counter electrode with dye sensitized photo sensors. *RSC Advances*. 6: 53123-53129. <http://dx.doi.org/10.1039/c6ra08395a>.
- Shim, JY; Richard, AM. (1996). Conformational aspects of glutathione conjugates of chlorinated alkenes: A computational study. *Chem Res Toxicol*. 9: 667-675. <http://dx.doi.org/10.1021/tx9501997>.
- Shim, WG; Lee, JW; Moon, H. (2006). Adsorption equilibrium and column dynamics of VOCs on MCM-48 depending on pelletizing pressure. *Microporous and Mesoporous Materials*. 88: 112-125. <http://dx.doi.org/10.1016/j.micromeso.2005.08.026>.
- Shim, WG; Lee, JW; Moon, H. (2006). Heterogeneous adsorption characteristics of volatile organic compounds (VOCs) on MCM-48. *Separation Science and Technology*. 41: 3693-3719. <http://dx.doi.org/10.1080/01496390600956936>.
- Shim, WG; Lee, JW; Rhee, HK; Moon, H. (2004). Adsorption dynamics for the capillary condensation of trichloroethylene vapor on mesoporous material. *Korean J Chem Eng*. 21: 469-476.
- Shim, WG; Lee, SG; Hwang, MJ; Park, KH; Kim, SC; Moon, H. (2011). Adsorption and Thermo Desorption Characteristics of Hydrocarbons on Single Walled Carbon Nanotubes. *J Nanosci Nanotechnol*. 11: 1518-1521. <http://dx.doi.org/10.1166/jnn.2011.3308>.
- Shim, WG; Moon, H, ee; Lee, J, aeW. (2006). Performance evaluation of wash-coated MCM-48 monolith for adsorption of volatile organic compounds and water vapors. *Microporous and Mesoporous Materials*. 94: 15-28. <http://dx.doi.org/10.1016/j.micromeso.2006.03.024>.
- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther*. 270: 414-423.
- Shimizu, Y; Akai, Y; Hyodo, T; Takao, Y; Egashira, M. (1999). Decomposition of trichlorotrifluoroethane by microwave-induced Ar plasma generated from SiC ceramics under atmospheric pressure. *J Electrochem Soc*. 146: 3052-3057.
- Shimoda, S; Prengle H W, J. R.; Symons, JM. (1998). H2O2isUV photo-oxidation process for treatment of waterborne hazardous substances- reaction mechanism, rate model, and data for tubular flow and flow stirred tank reactors. *Waste Manag*. 17: 507-515.
- Shimomura, T; Sanford, RA. (2005). Reductive dechlorination of tetrachloroethene in a sand reactor using a potentiostat. *J Environ Qual*. 34: 1435-1438. <http://dx.doi.org/10.2134/jeq2004.0265>.
- Shimomura, T; Suda, F; Uchiyama, H; Yagi, O. (1997). Biodegradation of trichloroethylene by *Methylocystis* sp. strain M immobilized in gel beads in a fluidized-bed bioreactor. *Water Res*. 31: 2383-2386.
- Shimotori, T; Arnold, WA. (2002). Henry's law constants of chlorinated ethylenes in aqueous alcohol solutions: Measurement, estimation, and thermodynamic analysis. *Journal of Chemical and Engineering Data*. 47: 183-190. <http://dx.doi.org/10.1021/je010132n>.
- Shimotori, T; Arnold, WA. (2003). Measurement and estimation of Henry's law constants of chlorinated ethylenes in aqueous surfactant solutions. *Journal of Chemical and Engineering Data*. 48: 253-261. <http://dx.doi.org/10.1021/je025553z>.
- Shimotori, T; Cussler, EL; Arnold, WA. (2006). High-density polyethylene membrane containing Fe-0 as a contaminant barrier. *J Environ Eng*. 132: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(803\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(803)).
- Shimotori, T; Nuxoll, EE; Cussler, EL; Arnold, WA. (2004). A polymer membrane containing Fe-0 as a contaminant barrier. *Environ Sci Technol*. 38: 2264-2270. <http://dx.doi.org/10.1021/es034601c>.
- Shin, EM; Senthurchelvan, R; Munoz, J; Basak, S; Rajeshwar, K; Benglassmith, G; Howell, BC. (1996). Photolytic and photocatalytic destruction of formaldehyde in aqueous media. *J Electrochem Soc*. 143: 1562-1570.
- Shin, HS; Lim, JL. (1996). Performance of packed-bed bioreactors for the cometabolic degradation of trichloroethylene by phenol-oxidizing microorganisms. *Environ Technol*. 17: 1351-1358.
- Shin, HY; Singhal, N; Park, JW. (2007). Regeneration of iron for trichloroethylene reduction by *Shewanella* alga BrY. *Chemosphere*. 68: 1129-1134. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.059>.
- Shin, J, aWon; Park, Y, uRi; Kim, JJ, oo; Choi, W, onHo; Park, J, ooY. (2014). Electrochemical reduction of trichloroethylene using zero-valent iron bipolar packed-bed electrodes. *Desalination and Water Treatment*. 52: 900-908. <http://dx.doi.org/10.1080/19443994.2013.826326>.
- Shin, K; Cha, DK. (2008). Microbial reduction of nitrate in the presence of nanoscale zero-valent iron. *Chemosphere*. 72: 257-262. <http://dx.doi.org/10.1016/j.chemosphere.2008.01.043>.
- Shin, M, inC; Choi, HD, oc; Kim, D, oH; Baek, K. (2008). Effect of surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Desalination*. 223: 299-307. <http://dx.doi.org/10.1016/j.desal.2007.01.223>.

Fate Literature Search Results

Off Topic

- Shin, M, inC; Yang, JS; Park, GY; Baek, K. (2011). Influence of mixed-surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Korean J Chem Eng.* 28: 1047-1053. <http://dx.doi.org/10.1007/s11814-010-0473-3>.
- Shin, S; Kim, J; Kim, YH; Kim, SI, I. (2013). Enhanced performance of organic light-emitting diodes by using hybrid anodes composed of graphene and conducting polymer. *Curr Appl Phys.* 13: S144-S147. <http://dx.doi.org/10.1016/j.cap.2013.01.016>.
- Shipman, AJ; Whim, BP. (1980). Occupational exposure to trichloroethylene in metal cleaning processes and to tetrachloroethylene in the drycleaning industry in the UK. *Ann Occup Hyg.* 23: 197-204. <http://dx.doi.org/10.1093/annhyg/23.2.197>.
- Shiraishi, F; Toyoda, K; Fukinbara, S; Obuchi, E; Nakano, K. (1999). Photolytic and photocatalytic treatment of an aqueous solution containing microbial cells and organic compounds in an annular-flow reactor. *Chem Eng Sci.* 54: 1547-1552.
- Shirasu, Y; Moriya, M; Kato, K; Furuhashi, A; Kada, T. (1976). Mutagenicity screening of pesticides in the microbial system. *Mutat Res.* 40: 19-30. [http://dx.doi.org/10.1016/0165-1218\(76\)90018-5](http://dx.doi.org/10.1016/0165-1218(76)90018-5).
- Shirin, S; Buncel, E; Vanloon, G. (2004). Effect of cyclodextrins on iron-mediated dechlorination of trichloroethylene - A proposed new mechanism. *Can J Chem.* 82: 1674-1685. <http://dx.doi.org/10.1139/V04-140>.
- Shivakumar, KI; Yan, Y; Hughes, CE; Apperley, DC; Harris, KDM; Sanjayan, GJ. (2015). Exploiting Powder X-ray Diffraction to Establish the Solvent-Assisted Solid-State Supramolecular Assembly of Pillar[5]quinone. *Cryst Growth Des.* 15: 1583-1587. <http://dx.doi.org/10.1021/acs.cgd.5b00277>.
- Shivaramaiah, HM; Odeh, IO; Kennedy, IR; Skerritt, JH. (2002). Mapping the distribution of DDT residues as DDE in the soils of the irrigated regions of northern New South Wales, Australia using ELISA and GIS. *J Agric Food Chem.* 50: 5360-5367. <http://dx.doi.org/10.1021/jf011542i>.
- Shiying, Y; Ping, W; Xin, Y; Guang, W; Wenyi, Z; Liang, S. (2009). A novel advanced oxidation process to degrade organic pollutants in wastewater: Microwave-activated persulfate oxidation. *J Environ Sci.* 21: 1175-1180. [http://dx.doi.org/10.1016/S1001-0742\(08\)62399-2](http://dx.doi.org/10.1016/S1001-0742(08)62399-2).
- Sholtz, RI; McLaughlin, KR; Cirillo, PM; Petreas, M; Park, JS; Wolff, MS; Factor-Litvak, P; Eskenazi, B; Krigbaum, N; Cohn, BA. (2011). Assaying organochlorines in archived serum for a large, long-term cohort: implications of combining assay results from multiple laboratories over time. *Environ Int.* 37: 709-714. <http://dx.doi.org/10.1016/j.envint.2011.01.013>.
- Shonnard, DR; Bell, RL. (1993). Benzene emissions from a contaminated air-dry soil with fluctuations of soil temperature or relative humidity. *Environ Sci Technol.* 27: 2909-2913.
- Short, BG. (1993). Cell proliferation and renal carcinogenesis [Review]. *Environ Health Perspect.* 101: 115-120.
- Shouakar-Stash, O; Drimmie, RJ. (2013). Online methodology for determining compound-specific hydrogen stable isotope ratios of trichloroethene and 1,2-cis-dichloroethene by continuous-flow isotope ratio mass spectrometry. *Rapid Commun Mass Spectrom.* 27: 1335-1344. <http://dx.doi.org/10.1002/rcm.6578>.
- Shouakar-Stash, O; Drimmie, RJ; Frape, SK. (2005). Determination of inorganic chlorine stable isotopes by continuous flow isotope ratio mass spectrometry. *Rapid Commun Mass Spectrom.* 19: 121-127. <http://dx.doi.org/10.1002/rcm.1762>.
- Shouakar-Stash, O; Drimmie, RJ; Zhang, M; Frape, SK. (2006). Compound-specific chlorine isotope ratios of TCE, PCE and DCE isomers by direct injection using CF-IRMS. *Appl Geochem.* 21: 766-781. <http://dx.doi.org/10.1016/j.apgeochem.2006.02.006>.
- Shouakar-Stash, O; Frape, SK; Drimmie, RJ. (2003). Stable hydrogen, carbon and chlorine isotope measurements of selected chlorinated organic solvents. *J Contam Hydrol.* 60: 211-228. [http://dx.doi.org/10.1016/S0169-7722\(02\)00085-2](http://dx.doi.org/10.1016/S0169-7722(02)00085-2).
- Shouakar-Stash, O; Stotler, RL; Frape, SK; Illman, WA. (2009). The effect of sorption on chlorine stable isotopes of TCE. *Geochim Cosmo Acta.* 73: A1217-A1217.
- Shrestha, D; Liu, S; Hammond, SK; Lavalley, MP; Weiner, DE; Eisen, EA; Applebaum, KM. (2016). Risk of renal cell carcinoma following exposure to metalworking fluids among autoworkers. *Occup Environ Med.* 73: 656-662. <http://dx.doi.org/10.1136/oemed-2016-103769>.
- Shroods, AL; Guo, X; Dixit, V; Liu, HP; James, MO; Stacpoole, PW. (2008). Age-dependent kinetics and metabolism of dichloroacetate: Possible relevance to toxicity. *J Pharmacol Exp Ther.* 324: 1163-1171. <http://dx.doi.org/10.1124/jpet.107.134593>.
- Shu, HY; Chang, MC; Chang, CC. (2009). Integration of nanosized zero-valent iron particles addition with UV/H₂O₂ process for purification of azo dye Acid Black 24 solution. *J Hazard Mater.* 167: 1178-1184. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.106>.
- Shu, HY; Chang, MC; Chen, CC; Chen, PE. (2010). Using resin supported nano zero-valent iron particles for decoloration of Acid Blue 113 azo dye solution. *J Hazard Mater.* 184: 499-505. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.064>.
- Shu, XO; Perentesis, JP; Wen, W; Buckley, JD; Boyle, E; Ross, JA; Robison, LL; Group, CsO. (2004). Parental exposure to medications and hydrocarbons and ras mutations in children with acute lymphoblastic leukemia: A report from the Children's Oncology Group. *Cancer Epidemiol Biomarkers Prev.* 13: 1230-1235.
- Shu, XO; Stewart, P; Wen, WQ; Han, D; Potter, JD; Buckley, JD; Heineman, E; Robison, LL. (1999). Parental occupational exposure to hydrocarbons and risk of acute lymphocytic leukemia in offspring. *Cancer Epidemiol Biomarkers Prev.* 8: 783-791.
- Shuai, D; Chaplin, BP; Shapley, J. R.; Menendez, NP; McCalman, DC; Schneider, WF; Werth, CJ. (2010). Enhancement of oxyanion and diatrizoate reduction kinetics using selected azo dyes on Pd-based catalysts. *Environ Sci Technol.* 44: 1773-1779. <http://dx.doi.org/10.1021/es9029842>.
- Shukla, AK; Singh, RS; Upadhyay, SN; Dubey, SK. (2010). Kinetics of bio-filtration of trichloroethylene by methanotrophs in presence of methanol. *Bioresour Technol.* 101: 8119-8126. <http://dx.doi.org/10.1016/j.biortech.2010.06.040>.
- Shukla, AK; Singh, RS; Upadhyay, SN; Dubey, SK. (2011). Substrate inhibition during bio-filtration of TCE using diazotrophic bacterial community. *Bioresour Technol.* 102: 3561-3563. <http://dx.doi.org/10.1016/j.biortech.2010.09.037>.
- Shukla, AK; Vishwakarma, P; Singh, RS; Upadhyay, SN; Dubey, SK. (2010). Bio-filtration of trichloroethylene using diazotrophic bacterial community. *Bioresour Technol.* 101: 2126-2133. <http://dx.doi.org/10.1016/j.biortech.2009.10.094>.

Fate Literature Search Results

Off Topic

- Shukla, AK; Vishwakarma, P; Upadhyay, SN; Tripathi, AK; Prasana, HC; Dubey, SK. (2009). Biodegradation of trichloroethylene (TCE) by methanotrophic community. *Bioresour Technol.* 100: 2469-2474. <http://dx.doi.org/10.1016/j.biortech.2008.12.022>.
- Shulman, SA; Groff, JH; Schlecht, PC; Xue, DX. (1996). Performance of laboratories analyzing organic solvents in the proficiency analytical testing program. *Am Ind Hyg Assoc J.* 57: 295-303.
- Shultz, J; Weiner, H. (1979). Alteration of the enzymology of chloral hydrate reduction in the presence of ethanol. *Biochem Pharmacol.* 28: 3379-3384. [http://dx.doi.org/10.1016/0006-2952\(79\)90076-5](http://dx.doi.org/10.1016/0006-2952(79)90076-5).
- Shurtliff, MM; Parkin, GF; Weathers, LJ; Gibson, DT. (1996). Biotransformation of trichloroethylene by a phenol-induced mixed culture. *J Environ Eng.* 122: 581-589.
- Si, YB; Fang, GD; Zhou, J; Zhou, DM. (2010). Reductive transformation of 2,4-dichlorophenoxyacetic acid by nanoscale and microscale Fe₃O₄ particles. *J Environ Sci Health B.* 45: 233-241. <http://dx.doi.org/10.1080/10934520903430020>.
- Siciliano, SD; Germida, JJ. (1997). Bacterial inoculants of forage grasses that enhance degradation of 2-chlorobenzoic acid in soil. *Environ Toxicol Chem.* 16: 1098-1104.
- Sidheswaran, M; Tavlarides, LL. (2008). Visible light photocatalytic oxidation of toluene using a cerium-doped titania catalyst. *Ind Eng Chem Res.* 47: 3346-3357. <http://dx.doi.org/10.1021/ie0071276j>.
- Sidhu, KS; Chadzynski, L. (1994). RISK COMMUNICATION - HEALTH RISKS ASSOCIATED WITH ENVIRONMENTALLY CONTAMINATED PRIVATE WELLS VERSUS CHLOROFORM IN A PUBLIC WATER-SUPPLY. *J Environ Health.* 56: 13-16.
- Sidonia, V; Haydee, KM; Ristoiu, D; Luminita, SD. (2009). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY FROM DEJ TOWN, ROMANIA. 54: 125-134.
- Siegel, JH; Kasmin, FE. (1997). Biliary tract diseases in the elderly: Management and outcomes [Review]. *Gut.* 41: 433-435. <http://dx.doi.org/10.1136/gut.41.4.433>.
- Siegrist, RL. (1991). VOLATILE ORGANIC-COMPOUNDS IN CONTAMINATED SOILS - THE NATURE AND VALIDITY OF THE MEASUREMENT PROCESS. *J Hazard Mater.* 29: 3-15.
- Siegrist, RL; Lowe, KS; Crimi, ML; Urynowicz, MA. (2006). Quantifying PCE and TCE in DNAPL source zones: Effects of sampling methods used for intact cores at varied contaminant levels and media temperatures. *Ground Water Monitoring and Remediation.* 26: 114-124.
- Siegrist, RL; Lowe, KS; Murdoch, LC; Case, TL; Pickering, DA. (1999). In situ oxidation by fracture emplaced reactive solids. *J Environ Eng.* 125: 429-440.
- Siegrist, RL; Urynowicz, MA; Crimi, ML; Lowe, KS. (2002). Genesis and effects of particles produced during in situ chemical oxidation using permanganate. *J Environ Eng.* 128: 1068-1079. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2002\)128:11\(1068\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2002)128:11(1068)).
- Siegrist, RL; West, OR; Morris, MI; Pickering, DA; Greene, DW; Muhr, CA; Davenport, DD; Gierke, JS. (1995). In situ mixed region vapor stripping in low-permeability media. 2. Full-scale field experiments. *Environ Sci Technol.* 29: 2198-2207.
- Siemiatycki, J; Dewar, R; Nadon, L; Gérin, M. (1994). Occupational risk factors for bladder cancer: Results from a case-control study in Montreal, Quebec, Canada. *Am J Epidemiol.* 140: 1061-1080.
- Siemiatycki, J; Fritschi, L; Nadon, L; Gérin, M. (1997). Reliability of an expert rating procedure for retrospective assessment of occupational exposures in community-based case-control studies. *Am J Ind Med.* 31: 280-286.
- Siemiatycki, J; Wacholder, S; Richardson, L; Dewar, R; Gérin, M. (1987). Discovering carcinogens in the occupational environment: Methods of data collection and analysis of a large case-referent monitoring system. *Scand J Work Environ Health.* 13: 486-492.
- Sigal, SH; Rajvanshi, P; Gorla, GR; Sokhi, RP; Saxena, R; Gebhard, DR, Jr; Reid, LM; Gupta, S. (1999). Partial hepatectomy-induced polyploidy attenuates hepatocyte replication and activates cell aging events. *Am J Physiol.* 276: G1260-G1272.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Low-temperature (7 degrees C) anaerobic treatment of a trichloroethylene-contaminated wastewater: Microbial community development. *Water Res.* 45: 4035-4046. <http://dx.doi.org/10.1016/j.watres.2011.05.013>.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Methanogenic community development in anaerobic granular bioreactors treating trichloroethylene (TCE)-contaminated wastewater at 37 degrees C and 15 degrees C. *Water Res.* 45: 2452-2462. <http://dx.doi.org/10.1016/j.watres.2011.01.030>.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Temperature dependent (37-15 degrees C) anaerobic digestion of a trichloroethylene-contaminated wastewater. *Bioresour Technol.* 102: 7645-7656. <http://dx.doi.org/10.1016/j.biortech.2011.05.055>.
- Silva, AMS; Viana, ED; Pimentel, MF; Almeida, YMB; Raimundo, IM. (2011). Evaluation of a PVC Sensing Phase for Determination of Chlorinated Hydrocarbons in Water by Mid-Infrared Spectroscopy. *J Braz Chem Soc.* 22: 1470-1477.
- Silva, E; Correia, LO; dos Santos, L; dos Santos Vieira, EV; Lemos, VA. (2012). Dispersive liquid-liquid microextraction for simultaneous determination of cadmium, cobalt, lead and nickel in water samples by inductively coupled plasma optical emission spectrometry. *Mikrochim Acta.* 178: 269-275. <http://dx.doi.org/10.1007/s00604-012-0836-z>.
- Silva, E; Lemos, VA. (2013). Sensitive determination of trace molybdenum in natural waters using dispersive liquid-liquid microextraction and electrothermal atomic absorption spectrometry. *Analytical Methods.* 5: 2098-2103. <http://dx.doi.org/10.1039/c3ay00056g>.
- Silva, JAK; Bruant, RG; Conklin, MH; Corley, TL. (2002). Equilibrium partitioning of chlorinated solvents in the vadose zone: Low f(oc) geomeedia. *Environ Sci Technol.* 36: 1613-1619. <http://dx.doi.org/10.1021/es010812a>.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med.* 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Silverman, AP; Williams, H. (1975). BEHAVIOR OF RATS EXPOSED TO TRICHLOROETHYLENE VAPOR. *Br J Ind Med.* 32: 308-315.
- Simmonds, PG; Manning, AJ; Cunnold, DM; Mcculloch, A; O'Doherty, S; Derwent, RG; Krummel, PB; Fraser, PJ; Dunse, B; Porter, LW; Wang, RHJ; Grealley, BR; Miller, BR; Salameh, P; Weiss, RF; Prinn, RG. (2006). Global trends, seasonal cycles, and European emissions of

Fate Literature Search Results

Off Topic

- dichloromethane, trichloroethene, and tetrachloroethene from the AGAGE observations at Mace Head, Ireland, and Cape Grim, Tasmania. *J Geophys Res Atmos.* 111. <http://dx.doi.org/10.1029/2006JD007082>.
- Simmons, JE; Evans, MV; Boyes, WK. (2005). Moving from external exposure concentration to internal dose: Duration extrapolation based on physiologically based pharmacokinetic derived estimates of internal dose. *J Toxicol Environ Health A.* 68: 927-950. <http://dx.doi.org/10.1080/15287390590912586>.
- Simmons, JE; Yang, RS; Svendsgaard, DJ; Thompson, MB; Seely, JC; McDonald, A. (1994). Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health.* 43: 305-325. <http://dx.doi.org/10.1080/15287399409531923>.
- Simon, MA; Brusseau, ML. (2006). Method for measuring air-immiscible liquid partition coefficients. *J Environ Eng.* 132: 140-144.
- Simonds, M; Xiao, HK; Levine, SP. (1994). OPTICAL REMOTE-SENSING FOR AIR-POLLUTANTS - REVIEW. *Am Ind Hyg Assoc J.* 55: 953-965.
- Simonsen, L; Johnsen, H; Lund, S; Matikainen, E; Midtgård, U; Wennberg, A. (1994). Methodological approach to the evaluation of neurotoxicity data and the classification of neurotoxic chemicals [Review]. *Scand J Work Environ Health.* 20: 1-12.
- Simonsen, ME; Sogaard, EG. (2010). Sol-gel reactions of titanium alkoxides and water: influence of pH and alkoxy group on cluster formation and properties of the resulting products. *Journal of Sol-Gel Science and Technology.* 53: 485-497. <http://dx.doi.org/10.1007/s10971-009-2121-0>.
- Simpson, EJ; Abukhadra, RK; Koros, WJ; Schechter, RS. (1993). SORPTION EQUILIBRIUM ISOTHERMS FOR VOLATILE ORGANICS IN AQUEOUS-SOLUTION - COMPARISON OF HEADSPACE GAS-CHROMATOGRAPHY AND ONLINE UV STIRRED CELL RESULTS. *Ind Eng Chem Res.* 32: 2269-2276.
- Sin, DWM; Wong, YC; Louie, PKK. (2000). Monitoring of Ambient Volatile Organic Compounds at Two Urban Sites in Hong Kong from 1997 to 1998. *Indoor Built Environ.* 9: 216-227. <http://dx.doi.org/10.1159/000057510>.
- Sinfield, JV; Monwuba, C. (2016). Inferential monitoring of chlorinated solvents through Raman spectroscopic observation of the vibrational modes of water. *Talanta.* 148: 7-16. <http://dx.doi.org/10.1016/j.talanta.2015.10.055>.
- Singh, M; Rana, TR; Kim, S; Kim, K; Yun, JH; Kim, J. (2016). Silver Nanowires Binding with Sputtered ZnO to Fabricate Highly Conductive and Thermally Stable Transparent Electrode for Solar Cell Applications. 8: 12764-12771. <http://dx.doi.org/10.1021/acsami.6b01506>.
- Singh, M; Sinha, U. (1976). Chloral hydrate induced haploidization in *Aspergillus nidulans*. *Experientia.* 32: 1144-1145. <http://dx.doi.org/10.1007/BF01927592>.
- Singh, M; Sinha, U. (1979). Mitotic haploidization and growth of *Aspergillus nidulans* on media containing chloral hydrate. *J Cytol Genet.* 14: 1-4.
- Singh, R. (1996). Removal of volatile organic compounds by ultrafiltration. *Desalination.* 104: 203-213.
- Singh, R; Manickam, N; Mudiam, MKR; Murthy, RC; Misra, V. (2013). An integrated (nano-bio) technique for degradation of gamma-HCH contaminated soil. *J Hazard Mater.* 258: 35-41. <http://dx.doi.org/10.1016/j.jhazmat.2013.04.016>.
- Singh, R; Misra, V; Singh, RP. (2011). Synthesis, characterization and role of zero-valent iron nanoparticle in removal of hexavalent chromium from chromium-spiked soil. *J Nanopart Res.* 13: 4063-4073. <http://dx.doi.org/10.1007/s11051-011-0350-y>.
- Singh, R; Olson, MS. (2010). KINETICS OF TRICHLOROETHYLENE AND TOLUENE TOXICITY TO PSEUDOMONAS PUTIDA F1. *Environ Toxicol Chem.* 29: 56-63. <http://dx.doi.org/10.1002/etc.14>.
- Singh, R; Olson, MS. (2012). Transverse Chemotactic Migration of Bacteria from High to Low Permeability Regions in a Dual Permeability Microfluidic Device. *Environ Sci Technol.* 46: 3188-3195. <http://dx.doi.org/10.1021/es203614y>.
- Singh, VK; Yadvinder-Singh; Dwivedi, BS; Singh, SK; Majumdar, K; Jat, ML, al; Mishra, RP; Rani, M. (2016). Soil physical properties, yield trends and economics after five years of conservation agriculture based rice-maize system in north-western India. *Soil Till Res.* 155: 133-148. <http://dx.doi.org/10.1016/j.still.2015.08.001>.
- Singhal, N; Jaffe, P; Maier, W; Jho, EH. (2007). The opposing effects of bacterial activity and gas production on anaerobic TCE degradation in soil columns. *Chemosphere.* 69: 1790-1797. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.049>.
- Sinha, A; Bose, P. (2006). Dehalogenation of 2-chloronaphthalene by cast iron. *Water Air Soil Pollut.* 172: 375-390. <http://dx.doi.org/10.1007/s11270-006-9102-5>.
- Sinha, A; Bose, P. (2007). Interaction of 2-chloronaphthalene with high carbon iron filings (HCIF): adsorption, dehalogenation and mass transfer limitations. *J Colloid Interface Sci.* 314: 552-561. <http://dx.doi.org/10.1016/j.jcis.2007.05.045>.
- Sipler, RE; Bronk, DA; Seitzinger, SP; Lauck, RJ; McGuinness, LR; Kirkpatrick, GJ; Heil, CA; Kerkhof, L, eej; Schofield, OM. (2013). Trichodesmium-derived dissolved organic matter is a source of nitrogen capable of supporting the growth of toxic red tide *Karenia brevis*. *Mar Ecol Prog Ser.* 483: 31-45. <http://dx.doi.org/10.3354/meps10258>.
- Sirk, KM; Saleh, NB; Phenrat, T; Kim, H, yeJin; Dufour, B; Ok, J; Golas, PL; Matyjaszewski, K; Lowry, GV; Tilton, RD. (2009). Effect of Adsorbed Polyelectrolytes on Nanoscale Zero Valent Iron Particle Attachment to Soil Surface Models. *Environ Sci Technol.* 43: 3803-3808. <http://dx.doi.org/10.1021/es803589t>.
- Siskova, K; Tucek, J; Machala, L; Otyepkova, E, va; Filip, J, an; Safarova, K; Pechousek, J; Zboril, R. (2012). Air-stable nZVI formation mediated by glutamic acid: solid-state storable material exhibiting 2D chain morphology and high reactivity in aqueous environment. *J Nanopart Res.* 14. <http://dx.doi.org/10.1007/s11051-012-0805-9>.
- Sisto, R; Moleti, A; Palkovičová Murinová, L; Wimmerová, S; Lancz, K; Tihányi, J; Čonka, K; Šovčíková, E; Hertz-Picciotto, I; Jusko, TA; Trnovec, T. (2015). Environmental exposure to organochlorine pesticides and deficits in cochlear status in children. *Environ Sci Pollut Res Int.* 22: 14570-14578. <http://dx.doi.org/10.1007/s11356-015-4690-5>.
- Sivachandiran, L; Karuppiah, J; Subrahmanyam, C, h. (2012). DBD plasma reactor for oxidative decomposition of Chlorobenzene. *Int J Chem React Eng.* 10. <http://dx.doi.org/10.1515/1542-6580.2785>.

Fate Literature Search Results

Off Topic

- Skadberg, B; Geoly-Horn, SL; Sangamalli, V; Flora, JRV. (1999). Influence of pH, current and copper on the biological dechlorination of 2,6-dichlorophenol in an electrochemical cell. *Water Res.* 33: 1997-2010.
- Skapin, T. (1995). PREPARATION AND PROPERTIES OF HIGHLY FLUORINATED ALUMINA PREPARED FROM BOEHMITE AEROGELS OR COMMERCIAL GAMMA-AI(2)O(3). *J Mater Chem.* 5: 1215-1222.
- Skender, L. (1995). ASSESSMENT OF URBAN-POPULATION EXPOSURE TO TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY MEANS OF BIOLOGICAL MONITORING (VOL 49, PG 445, 1994). *Arch Environ Health.* 50: 174-174.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1993). Assessment of exposure to trichloroethylene and tetrachloroethylene in the population of Zagreb, Croatia. *Int Arch Occup Environ Health.* 65: S163-S165.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1994). Assessment of urban population exposure to trichloroethylene and tetrachloroethylene by means of biological monitoring. *Arch Environ Occup Health.* 49: 445-451.
- Skender, L; Karacic, V; Prpic-Majic, D. (1988). Metabolic activity of antipyrine in workers occupationally exposed to trichloroethylene. *Int Arch Occup Environ Health.* 61: 189-195.
- Skender, LJ; Karacic, V; Prpic-Majic, D. (1991). A comparative study of human levels of trichloroethylene and tetrachloroethylene after occupational exposure [Review]. *Arch Environ Health.* 46: 174-178. <http://dx.doi.org/10.1080/15459620802510866>.
- Skubal, LR; Meshkov, NK; Vogt, MC. (2002). Detection and identification of gaseous organics using a TiO2 sensor. *J Photochem Photobiol A.* 148: 103-108.
- Slater, GF; Ahad, JME; Lollar, BS; Allen-King, R; Sleep, B. (2000). Carbon isotope effects resulting from equilibrium sorption of dissolved VOCs. *Anal Chem.* 72: 5669-5672.
- Slater, GF; Dempster, HS; Lollar, BS; Ahad, J. (1999). Headspace analysis: A new application for isotopic characterization of dissolved organic contaminants. *Environ Sci Technol.* 33: 190-194.
- Slater, GF; Lollar, BS; King, RA; O'Hannesin, S. (2002). Isotopic fractionation during reductive dechlorination of trichloroethene by zero-valent iron: influence of surface treatment. *Chemosphere.* 49: 587-596.
- Slater, GF; Lollar, BS; Lesage, S; Brown, S. (2003). Carbon isotope fractionation of PCE and TCE during dechlorination by vitamin B12. *Ground Water Monitoring and Remediation.* 23: 59-67.
- Slater, GF; Lollar, BS; Sleep, BE; Edwards, EA. (2001). Variability in carbon isotopic fractionation during biodegradation of chlorinated ethenes: Implications for field applications. *Environ Sci Technol.* 35: 901-907. <http://dx.doi.org/10.1021/es001583f>.
- Sleep, BE. (1995). A METHOD OF CHARACTERISTICS MODEL FOR EQUATION OF STATE COMPOSITIONAL SIMULATION OF ORGANIC COMPOUNDS IN GROUNDWATER. *J Contam Hydrol.* 17: 189-212.
- Sleiman, M; Ferronato, C; Chovelon, JM. (2008). Photocatalytic removal of pesticide dichlorvos from indoor air: A study of reaction parameters, intermediates and mineralization. *Environ Sci Technol.* 42: 3018-3024. <http://dx.doi.org/10.1021/es702425q>.
- Sliwińska-Kowalska, M; Jedlińska, U; Rządzińska, A; Rajkowska, E. (1999). [Hair cell regeneration in a chicken's inner ear after damage due to exposure to industrial noise]. *Otolaryngol Pol.* 53: 469-477.
- Slough, KJ; Sudicky, EA; Forsyth, PA. (1999). Numerical simulation of multiphase flow and phase partitioning in discretely fractured geologic media. *J Contam Hydrol.* 40: 107-136.
- Smart, JL. (2005). Application of six-phase soil heating technology for groundwater remediation. *Environmental Progress.* 24: 34-43. <http://dx.doi.org/10.1002/ep.10030>.
- Smets, BF; Rittmann, BE. (1990). SORPTION EQUILIBRIA FOR TRICHLOROETHENE ON ALGAE. *Water Res.* 24: 355-360.
- Smith, BA; Teel, A, myL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H2O2 Propagations. *J Environ Eng.* 135: 535-543. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:7\(535\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:7(535)).
- Smith, EH. (1997). Wave front analysis for design of fixed-bed adsorbers. *Chemical Engineering Communications.* 159: 17-37.
- Smith, JA. (1988). VAPOR DISTRIBUTION OF TRICHLOROETHENE AND RELATED-COMPOUNDS IN SOIL GAS ABOVE CONTAMINATED GROUND-WATER AT PICATINNY ARSENAL, NEW-JERSEY. *Abstracts of Papers - American Chemical Society.* 196: 154-ENVR.
- Smith, JA; Cho, HJ; Jaffe, PR; Macleod, CL; Koehnlein, SA. (1992). Sampling unsaturated-zone water for trichloroethene at Picatinny Arsenal, New Jersey. *J Environ Qual.* 21: 264-271.
- Smith, JA; Galan, A. (1995). Sorption of nonionic organic contaminants to single and dual organic cation bentonites from water. *Environ Sci Technol.* 29: 685-692.
- Smith, JA; Jaffe, PR. (1994). Adsorptive selectivity of organic-cation-modified bentonite for nonionic organic contaminants. *Water Air Soil Pollut.* 72: 1-4.
- Smith, JA; Sahoo, D; Mcllellan, HM; Imbrigiotta, TE. (1997). Surfactant-enhanced remediation of a trichloroethene-contaminated aquifer. 1. Transport of Triton X-100. *Environ Sci Technol.* 31: 3565-3572.
- Smith, MM; Silva, JAK; Munakata-Marr, J; Mccray, JE. (2008). Compatibility of Polymers and Chemical Oxidants for Enhanced Groundwater Remediation. *Environ Sci Technol.* 42: 9296-9301. <http://dx.doi.org/10.1021/es800757g>.
- Smith, MT. (2012). *Toxic Substances in the Environment.*
- Smith, MT. (2013). *Toxic Substances in the Environment.*
- Smith, MT. (2014). *Toxic Substances in the Environment.*
- Smith, MT. (2015). *Toxic Substances in the Environment.*
- Smuleac, V; Bachas, L; Bhattacharyya, D. (2010). Aqueous-phase synthesis of PAA in PVDF membrane pores for nanoparticle synthesis and dichlorobiphenyl degradation. *J Memb Sci.* 346: 310-317. <http://dx.doi.org/10.1016/j.memsci.2009.09.052>.
- Smuleac, V; Varma, R; Sikdar, S; Bhattacharyya, D. (2011). Green synthesis of Fe and Fe/Pd bimetallic nanoparticles in membranes for reductive degradation of chlorinated organics. *J Memb Sci.* 379: 131-137. <http://dx.doi.org/10.1016/j.memsci.2011.05.054>.

Fate Literature Search Results

Off Topic

- Snedecor, GW; Cochran, WG. (1980). *Statistical methods* (7th ed.). Ames, IA: Iowa State University Press.
- Snyder; Millward; Steffensen. (2000). Aquifer Protist Response and the Potential for TCE Bioremediation with *Burkholderia cepacia* G4 PR1. *Microb Ecol.* 40: 189-199.
- S-O, K; Schlautman, MA. (1998). Partitioning of hydrophobic organic compounds to sorbed surfactants. 2. Model development/predictions for surfactant-enhanced remediation applications. *Environ Sci Technol.* 32: 2776-2781.
- Soh, SC; Abdullah, MP. (2007). Determination of volatile organic compounds pollution sources in Malaysian drinking water using multivariate analysis. *Environ Monit Assess.* 124: 39-50. <http://dx.doi.org/10.1007/s10661-006-9207->
- Sohn, H; Celik, G; Gunduz, S; Dean, SL; Painting, E; Edmiston, PL; Ozkan, US. (2017). Hydrodechlorination of trichloroethylene over Pd supported on swellable organically-modified silica (SOMS). *Appl Catal B-Environ.* 203: 641-653. <http://dx.doi.org/10.1016/j.apcatb.2016.10.032>.
- Sohn, K; Kang, SW; Ahn, S; Woo, M; Yang, SK, oo. (2006). Fe(0) nanoparticles for nitrate reduction: Stability, reactivity, and transformation. *Environ Sci Technol.* 40: 5514-5519. <http://dx.doi.org/10.1021/es0525758>.
- Sohn, M; Mckone, T; Blancato, J. (2004). Reconstructing population exposures from dose biomarkers: inhalation of trichloroethylene (TCE) as a case study. *J Expo Anal Environ Epidemiol.* 14: 204-213. <http://dx.doi.org/10.1038/sj.jea.7500314>.
- Solis Maldonado, C; Rivera De la Rosa, J; Lucio-Ortiz, CJ; Hernandez-Ramirez, A; Castillon Barraza, FF; Valente, JS. (2014). Low Concentration Fe-Doped Alumina Catalysts Using Sol-Gel and Impregnation Methods: The Synthesis, Characterization and Catalytic Performance during the Combustion of Trichloroethylene. *Materials.* 7: 2062-2086. <http://dx.doi.org/10.3390/ma7032062>.
- Solomon, BO; Posten, C; Harder, MPF; Hecht, V; Deckwer, WD. (1994). ENERGETICS OF PSEUDOMONAS-CEPACIA G4 GROWTH IN A CHEMOSTAT WITH PHENOL LIMITATION. *J Chem Tech Biotechnol.* 60: 275-282.
- Solpuker, U; Cotter, Z; Kim, Y; Schwartz, FW. (2014). Potassium Permanganate Doped Geopolymers for Remedial Applications. *Ground Water Monitoring and Remediation.* 34: 93-101. <http://dx.doi.org/10.1111/gwmr.12087>.
- Soltanali, S; Hagani, ZS. (2008). Modeling of air stripping from volatile organic compounds in biological treatment processes. *Int J Environ Sci Tech.* 5: 353-360.
- Son, B; Breyse, P; Yang, W. (2003). Volatile organic compounds concentrations in residential indoor and outdoor and its personal exposure in Korea. *Environ Int.* 29: 79-85. [http://dx.doi.org/10.1016/S0160-4120\(02\)00148-4](http://dx.doi.org/10.1016/S0160-4120(02)00148-4).
- Sonawala, SP; Spontak, RJ. (1996). Degradation kinetics of glass-reinforced polyesters in chemical environments .2. Organic solvents. *Journal of Materials Science.* 31: 4757-4765.
- Song, BJ; Veech, RL; Saenger, P. (1990). Cytochrome P450IIE1 is elevated in lymphocytes from poorly controlled insulin-dependent diabetics. *J Clin Endocrinol Metab.* 71: 1036-1040.
- Song, H; Carraway, ER. (2008). Catalytic hydrodechlorination of chlorinated ethenes by nanoscale zero-valent iron. *Appl Catal B-Environ.* 78: 53-60. <http://dx.doi.org/10.1016/j.apcatb.2007.07.034>.
- Song, H; Carraway, ER; Kim, YH; Batchelor, B; Jeon, BH; Kim, JG. (2008). Amendment of hydroxyapatite in reduction of tetrachloroethylene by zero-valent zinc: Its rate enhancing effect and removal of Zn(II). *Chemosphere.* 73: 1420-1427. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.006>.
- Song, H; Jeon, B; Chon, C; Kim, Y; Nam, I, nH; Schwartz, FW; Cho, D. (2013). The effect of granular ferric hydroxide amendment on the reduction of nitrate in groundwater by zero-valent iron. *Chemosphere.* 93: 2767-2773. <http://dx.doi.org/10.1016/j.chemosphere.2013.09.033>.
- Song, J; Son, Y; Khim, J. (2007). Performance of a membrane diffuser bioreactor for the removal of gaseous toluene. *Environ Eng Sci.* 24: 927-935. <http://dx.doi.org/10.1089/ees.2006.0200>.
- Song, JY; Choi, S, eY. (2006). Fabrication and characterization of Pb-free transparent dielectric layer for plasma display panel. *Displays.* 27: 112-116. <http://dx.doi.org/10.1016/j.displa.2006.02.001>.
- Song, JY; Park, T, aeJin; Choi, S, eY. (2006). Preparation and characterization of CuO doped Bo(2)O(3)-B2O3-BaO-ZnO glass system for transparent dielectric layer. *Journal of Non-Crystalline Solids.* 352: 5403-5407. <http://dx.doi.org/10.1016/j.jnoncrysol.2006.05.041>.
- Song, T, ieH; Gao, Y, anJ. (2014). Removal of trichloroethylene (TCE) from groundwater by GAC and ZVI. *Desalination and Water Treatment.* 52: 5990-5994. <http://dx.doi.org/10.1080/19443994.2013.812522>.
- Song, Y; Song, S. (2015). Preparation, characterization, and kinetics of nanoscale iron in nitrate nitrogen removal from polluted water. *Toxicol Environ Chem.* 97: 379-387. <http://dx.doi.org/10.1080/02772248.2015.1050191>.
- Song, YH; Kim, SJ; Choi, KI; Yamamoto, T. (2002). Effects of adsorption and temperature on a nonthermal plasma process for removing VOCs. *Journal of Electrostatics.* 55: 189-201.
- Soni, MG; Mehendale, HM. (1998). Role of tissue repair in toxicologic interactions among hepatotoxic organics [Review]. *Environ Health Perspect.* 106 Suppl 6: 1307-1317.
- Soni, MG; Nomiya, H; Nomiya, K. (1990). Chronic inhalation effects of trichloroethylene on hepatic microsomal mixed function oxidase system in rats. *Toxicol Environ Chem.* 29: 121-126.
- Sonnenfeld, N; Hertz-Picciotto, I; Kaye, WE. (2001). Tetrachloroethylene in drinking water and birth outcomes at the US Marine Corps Base at Camp Lejeune, North Carolina. *Am J Epidemiol.* 154: 902-908. <http://dx.doi.org/10.1093/aje/154.10.902>.
- Sonoyama, N; Sakata, T. (1999). Electrochemical Continuous Decomposition of Chloroform and Other Volatile Chlorinated Hydrocarbons in Water Using a Column Type Metal Impregnated Carbon Fiber Electrode. *Environ Sci Technol.* 33: 3438-3442. <http://dx.doi.org/10.1021/es980903g>.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B-12 and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation.* 21: 140-148.
- Sorenson, KS. (2003). Enhanced bioremediation for treatment of chlorinated solvent residual source areas. *ACS Symp Ser Am Chem Soc.* 837: 119-131.

Fate Literature Search Results

Off Topic

- Soresi, M; Giannitrapani, L; D'Antona, F; Florena, AM; La Spada, E; Terranova, A; Cervello, M; D'Alessandro, N; Montalto, G. (2006). Interleukin-6 and its soluble receptor in patients with liver cirrhosis and hepatocellular carcinoma. *World J Gastroenterol.* 12: 2563-2568.
- Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF. (1994). Competitive Adsorption of VOCs and BOM: Oxic and Anoxic Environments (pp. 1907-1919). (ISSN 0043-1354; EISSN 1879-2448; NTIS/02997963_a). Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF.
- Sosnowska, A; Barycki, M; Zaborowska, M; Rybinska, A; Puzyn, T. (2014). Towards designing environmentally safe ionic liquids: the influence of the cation structure. *Green Chem.* 16: 4749-4757. <http://dx.doi.org/10.1039/c4gc00526k>.
- Sotelo, JL; Uguina, MA; Delgado, JA; Celemin, LI. (2004). Adsorption of methyl ethyl ketone and trichloroethene from aqueous solutions onto activated carbon fixed-bed adsorbers. *Separation and Purification Technology.* 37: 149-160. <http://dx.doi.org/10.1016/j.seppur.2003.09.006>.
- Soukupova, J; Zboril, R; Medrik, I, vo; Filip, J, an; Safarova, K; Ledl, R; Mashlan, M; Nosek, J; Cernik, M. (2015). Highly concentrated, reactive and stable dispersion of zero-valent iron nanoparticles: Direct surface modification and site application. *Chem Eng J.* 262: 813-822. <http://dx.doi.org/10.1016/j.cej.2014.10.024>.
- Soutter, D; Mcbean, E. (2007). Potential for sample bias due to NAPL partitioning. *Ground Water Monitoring and Remediation.* 27: 129-132.
- Soylu, GSP; Ozcelik, Z; Boz, I. (2010). Total oxidation of toluene over metal oxides supported on a natural clinoptilolite-type zeolite. *Chem Eng J.* 162: 380-387. <http://dx.doi.org/10.1016/j.cej.2010.05.020>.
- Speitel, GE; Clossmann, FB. (1991). CHLORINATED SOLVENT BIODEGRADATION BY METHANOTROPHS IN UNSATURATED SOILS. *J Environ Eng.* 117: 541-548.
- Speitel, GE; Leonard, JM. (1992). A SEQUENCING BIOFILM REACTOR FOR THE TREATMENT OF CHLORINATED SOLVENTS USING METHANOTROPHS. *Water Environ Res.* 64: 712-719.
- Speitel, GE; Mclay, DS. (1993). BIOFILM REACTORS FOR TREATMENT OF GAS STREAMS CONTAINING CHLORINATED SOLVENTS. *J Environ Eng.* 119: 658-678.
- Speitel, GE; Segar, RL. (1995). COMETABOLISM IN BIOFILM REACTORS. *Water Sci Technol.* 31: 215-225.
- Speitel, GE; Thompson, RC; Weissman, D. (1993). Biodegradation kinetics of *Methylosinus trichosporium* OB3b at low concentrations of chloroform in the presence and absence of enzyme competition by methane. *Water Res.* 27: 15-24.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2006). Growth inhibition in Japanese medaka (*Oryzias latipes*) fish exposed to tetrachloroethylene. *J Environ Biol.* 27: 1-5.
- Spencer, TJ; Chen, YC; Saha, R; Kohl, PA. (2011). Stabilization of the Thermal Decomposition of Poly(Propylene Carbonate) Through Copper Ion Incorporation and Use in Self-Patterning. *Journal of Electronic Materials.* 40: 1350-1363. <http://dx.doi.org/10.1007/s11664-011-1518-z>.
- Spiegelhalter, D; Thomas, A; Best, N; Lunn, D. (2003). WinBugs version 1.4 user manual. Cambridge, UK: MRC Biostatistics Unit. <http://www.mrc-bsu.cam.ac.uk/bugs/winbugs/manual14.pdf>.
- Spiegelhalter, DJ; Best, NG; Carlin, BP; Van der Linde, A. (2002). Bayesian measures of model complexity and fit. *J R Stat Soc Series B Stat Methodol.* 64: 583-639. <http://dx.doi.org/10.1111/1467-9868.00353>.
- Spielberg, SP. (1996). N-acetyltransferases: pharmacogenetics and clinical consequences of polymorphic drug metabolism. *J Pharmacokinet Biopharm.* 24: 509-519.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med.* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Sponza, DT. (2002). Tetrachloroethylene (TCE) removal during anaerobic granulation in an upflow anaerobic sludge blanket (UASB) reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 213-236.
- Sponza, DT. (2003). Enhancement of granule formation and sludge retention for tetrachloroethylene (TCE) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Adv Environ Res.* 7: 453-462.
- Sponza, DT. (2003). Toxicity and treatability of carbontetrachloride and tetrachloroethylene in anaerobic batch cultures. *Int Biodeterior Biodegradation.* 51: 119-127.
- Sponza, DT; Atalay, H. (2005). Treatment of trichlorotoluene in an anaerobic/aerobic sequential reactor system. *Process Biochemistry.* 40: 69-82. <http://dx.doi.org/10.1016/j.procbio.2003.11.046>.
- Spring, SE; Miles, AK; Anderson, MJ. (2004). Effects of trichloroethylene and perchloroethylene on wild rodents at Edwards Air Force Base, California, USA. *Environ Toxicol Chem.* 23: 2162-2169.
- Squillace, PJ; Moran, MJ; Price, CV. (2004). VOCs in shallow groundwater in new residential/commercial areas of the United States. *Environ Sci Technol.* 38: 5327-5338. <http://dx.doi.org/10.1021/es0349756>.
- Sra, KS. (2010). Mobility Enhancement of Mn Oxide during Permanganate Oxidation of TCE. *Ground Water Monitoring and Remediation.* 30: 99-106. <http://dx.doi.org/10.1111/j.1745-6592.2010.01313.x>.
- Srebowata, A; Baran, R; Slowik, G; Lisovytskiy, D; Dzwigaj, S. (2016). Influence of the postsynthesis preparation procedure on catalytic behaviour of Ag-loaded BEA zeolites in the hydrodechlorination of 1,2-dichloroethane into value added products. *Appl Catal B-Environ.* 199: 514-522. <http://dx.doi.org/10.1016/j.apcatb.2016.06.060>.
- Srebowata, A; Tarach, K; Girman, V; Gora-Marek, K. (2016). Catalytic removal of trichloroethylene from water over palladium loaded microporous and hierarchical zeolites. *Appl Catal B-Environ.* 181: 550-560. <http://dx.doi.org/10.1016/j.apcatb.2015.08.025>.
- SRI International. (1992). 1992 directory of chemical producers: United States of America [Catalog]. Menlo Park, CA: SRI International. <http://www.sriconsulting.com/DCP/>.

Fate Literature Search Results

Off Topic

- Srivastava, A; Ismail, K. (2014). Solubilization of polycyclic aromatic hydrocarbons in aqueous sodium dioctylsulfosuccinate solutions. *Journal of Molecular Liquids*. 195: 105-109. <http://dx.doi.org/10.1016/j.molliq.2014.02.007>.
- Srivastava, S; Srivastava, S. (1991). Effect of di(2-ethylhexyl)phthalate on 17 β -hydroxysteroid dehydrogenase activity in testis of rat. *Toxicol Lett*. 57: 235-239. [http://dx.doi.org/10.1016/0378-4274\(91\)90150-5](http://dx.doi.org/10.1016/0378-4274(91)90150-5).
- Sriwatanapongse, W; Reinhard, M; Klug, CA. (2006). Reductive hydrodechlorination of trichloroethylene by palladium-on-alumina catalyst: 13C solid-state NMR study of surface reaction precursors. *Langmuir*. 22: 4158-4164. <http://dx.doi.org/10.1021/la053087g>.
- Ssekaalo, H. (1991). THE EFFECT OF AMMINE, ETHANOATE, TRICHLORO-ETHANOATE AND TRIFLUOROETHANOATE LIGANDS ON TRIS(2,4-PENTANEDIONATO)CHROMIUM(III) FORMATION IN HIGH PH AQUEOUS-SOLUTION. *Res Chem Intermed*. 16: 45-55.
- Stacpoole, PW. (2011). The Dichloroacetate Dilemma: Environmental Hazard versus Therapeutic Goldmine-Both or Neither? *Environ Health Perspect*. 119: 155-158. <http://dx.doi.org/10.1289/ehp.1002554>.
- Stager, MP; Perram, GP. (1999). Long-term desorption of trichloroethylene from flint clay using multiplexed optical detection. *Environ Pollut*. 104: 397-400.
- Stakebake, JL. (1974). PHYSICAL ADSORPTION OF TRICHLOROETHYLENE ON URANIUM-DIOXIDE. *J Catal*. 35: 153-161.
- Stanescu, G; Trutia, A, th. (2006). Optical spectra of the CoCl₂/PEG systems. *Optical Materials*. 29: 332-336. <http://dx.doi.org/10.1016/j.optmat.2005.08.040>.
- Stange, CF; Spott, O; Arriaga, H; Menendez, S; Estavillo, JM; Merino, P. (2013). Use of the inverse abundance approach to identify the sources of NO and N₂O release from Spanish forest soils under oxic and hypoxic conditions. *Soil Biol Biochem*. 57: 451-458. <http://dx.doi.org/10.1016/j.soilbio.2012.10.006>.
- Stange, CF; Spott, O; Müller, C. (2009). An inverse abundance approach to separate soil nitrogen pools and gaseous nitrogen fluxes into fractions related to ammonium, nitrate and soil organic nitrogen. *Eur J Soil Sci*. 60: 907-915. <http://dx.doi.org/10.1111/j.1365-2389.2009.01188.x>.
- Stange, CF; Spott, O; Russow, R. (2013). Analysis of the coexisting pathways for NO and N₂O formation in Chernozem using the (15)N-tracer SimKIM-Advanced model. *Isotopes Environ Health Stud*. 49: 503-519. <http://dx.doi.org/10.1080/10256016.2013.863770>.
- Stangroom, SJ; Collins, CD; Lester, JN. (1998). Sources of organic micropollutants to lowland rivers. *Environ Technol*. 19: 643-666.
- Stanhope, A; Berry, CJ; Brigmon, RL. (2008). Phytoremediation of chlorinated ethenes in seepage sediments: tree selection. *Int J Phytoremediation*. 10: 529-546. <http://dx.doi.org/10.1080/15226510802115067>.
- Stanley, LA; Blackburn, DR; Devereaux, S; Foley, J; Lord, PG; Maronpot, RR; Orton, TC; Anderson, MW. (1994). Ras mutations in methylclofenapate-induced B6C3F₁ and C57BL/10J mouse liver tumours. *Carcinogenesis*. 15: 1125-1131.
- Staples, RE. (1974). Detection of visceral alterations in mammalian fetuses [Abstract]. *Teratology*. 9: A37-A38.
- Starkey, R. (2014). REACH authorisation or substitution of trichloroethylene - future options? *Institute of Metal Finishing Transactions*. 92: 4-4. <http://dx.doi.org/10.1179/0020296713Z.000000000167>.
- Stauffer, PH; Birdsell, KH; Witkowski, MS; Hopkins, JK. (2005). Vadose zone transport of 1,1,1-trichloroethane: Conceptual model validation through numerical simulation. *Vadose Zone Journal*. 4: 760-773. <http://dx.doi.org/10.2136/vzj2004.0120>.
- Stavarakis, C; Raillard, C; Hequet, V; Le Cloirec, P. (2007). TiO₂-based materials for toluene photocatalytic oxidation: Water vapor influence. *Journal of Advanced Oxidation Technologies*. 10: 94-100.
- Stedtfeld, RD; Stedtfeld, TM; Kronlein, M; Seyrig, G; Steffan, RJ; Cupples, AM; Hashsham, SA. (2014). DNA extraction-free quantification of Dehalococcoides spp. in groundwater using a hand-held device. *Environ Sci Technol*. 48: 13855-13863. <http://dx.doi.org/10.1021/es503472h>.
- Stefan, DG; Akgerman, A. (1998). Single-component and binary-mixture adsorption of volatile organic contaminants on silica gel. *Environ Eng Sci*. 15: 191-202.
- Stefanou, G; Papadrakakis, M. (2004). Stochastic finite element analysis of shells with combined random material and geometric properties. *Computer Methods in Applied Mechanics and Engineering*. 193: 139-160. <http://dx.doi.org/10.1016/j.cma.2003.10.001>.
- Steffan, DG; Akgerman, A. (2001). Thermodynamic modeling of binary and ternary adsorption on silica gel. *AIChE J*. 47: 1234-1246.
- Steffan, RJ; Sperry, KL; Walsh, MT; Vainberg, S; Condee, CW. (1999). Field-scale evaluation of in situ bioaugmentation for remediation of chlorinated solvents in groundwater. *Environ Sci Technol*. 33: 2771-2781.
- Steinberg, SM; Schmeltzer, JS; Kreamer, DK. (1996). Sorption of benzene and trichloroethylene (TCE) on a desert soil: Effects of moisture and organic matter. *Chemosphere*. 33: 961-980.
- Steinhausen, M; Van Gelder, R; Gabriel, S. (2012). Arbeitsbedingte expositionen gegenüber krebserzeugenden, erbgutverändernden oder fortpflanzungsgefährdenden substanzen in Deutschland – teil 2: Stoffe mit ERB nach BekGS 910. *Gefahrst Reinhalt Luft*. 72: 347-358.
- Steinmaus, C; Smith, AH; Jones, RM; Smith, MT. (2008). Meta-analysis of benzene exposure and non-Hodgkin lymphoma: Biases could mask an important association [Review]. *Occup Environ Med*. 65: 371-378. <http://dx.doi.org/10.1136/oem.2007.036913>.
- Stellman, SD; Djordjevic, MV; Britton, JA; Muscat, JE; Citron, ML; Kemeny, M; Busch, E; Gong, L. (2000). Breast cancer risk in relation to adipose concentrations of organochlorine pesticides and polychlorinated biphenyls in Long Island, New York. *Cancer Epidemiol Biomarkers Prev*. 9: 1241-1249.
- Stemmer, K; Ellinger-Ziegelbauer, H; Ahr, HJ; Dietrich, DR. (2007). Carcinogen-specific gene expression profiles in short-term treated Eker and wild-type rats indicative of pathways involved in renal tumorigenesis. *Cancer Res*. 67: 4052-4068. <http://dx.doi.org/10.1158/0008-5472.CAN-06-3587>.
- Stenger, HG; Buzan, GE; Berty, JM. (1993). CHLORINE CAPTURE BY CATALYST SORBENTS FOR THE OXIDATION OF AIR-POLLUTANTS. *Appl Catal B-Environ*. 2: 117-130.

Fate Literature Search Results

Off Topic

- Stenner, RD; Merdink, JL; Fisher, JW; Bull, RJ. (1998). Physiologically-based pharmacokinetic model for trichloroethylene considering enterohepatic recirculation of major metabolites. *Risk Anal.* 18: 261-269.
- Stephan, K; Hackenberger, M; Kiessling, D; Wendt, G. (2002). Total oxidation of chlorinated hydrocarbons on A(1-x)Sr(x)MnO(3) perovskite-type oxide catalysts - Part II: Catalytic activity. *Chem Eng Tech.* 25: 565-571.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics.* 4: 185-192.
- Stephens, JJ; Vianco, PT; Hosking, FM. (1996). The active metal brazing of TZM-Mo and SiN ceramics. *J O M.* 48: 54-58.
- Stephenson, RP. (1956). A modification of receptor theory. *Br J Pharmacol Chemother.* 11: 379-393.
- Sterling, SN; Parker, BL; Cherry, JA; Williams, JH; Lane, JW; Haeni, FP. (2005). Vertical cross contamination of trichloroethylene in a borehole in fractured sandstone. *Ground Water.* 43: 557-573.
- Sterling, TM; Lownds, NK; Murray, LW. (1996). Environmental effects on picloram uptake and ethylene production by broom snakeweed. *Journal of Range Management.* 49: 245-250.
- Stern, F; Lehman, E; Ruder, A. (2001). Mortality among unionized construction plasterers and cement masons. *Am J Ind Med.* 39: 373-388.
- Stevens, J; Jakoby, WB. (1983). Cysteine conjugate beta-lyase. *Mol Pharmacol.* 23: 761-765.
- Stevens, JL. (1985). Cysteine conjugate beta-lyase activities in rat kidney cortex: Subcellular localization and relationship to the hepatic enzyme. *Biochem Biophys Res Commun.* 129: 499-504. [http://dx.doi.org/10.1016/0006-291X\(85\)90179-2](http://dx.doi.org/10.1016/0006-291X(85)90179-2).
- Stevens, JL; Ayoubi, N; Robbins, JD. (1988). The role of mitochondrial matrix enzymes in the metabolism and toxicity of cysteine conjugates. *J Biol Chem.* 263: 3395-3401.
- Stevens, JL; Hatzinger, PB; Hayden, PJ. (1989). Quantitation of multiple pathways for the metabolism of nephrotoxic cysteine conjugates using selective inhibitors of L-alpha-hydroxy acid oxidase (L-amino acid oxidase) and cysteine conjugate beta-lyase. *Drug Metab Dispos.* 17: 297-303.
- Stevens, JL; Robbins, JD; Byrd, RA. (1986). A purified cysteine conjugate beta-lyase from rat kidney cytosol. Requirement for an alpha-keto acid or an amino acid oxidase for activity and identity with soluble glutamine transaminase K. *J Biol Chem.* 261: 15529-15537.
- Stevens, L; Lanning, JA; Anderson, LG; Jacoby, WA; Chornet, N. (1998). Investigation of the photocatalytic oxidation of low-level carbonyl compounds. *J Air Waste Manag Assoc.* 48: 979-984.
- Stewart, M; North, L. (2006). A borehole geophysical method for detection and quantification of dense, non-aqueous phase liquids (DNAPL) in saturated soils. *Journal of Applied Geophysics.* 60: 87-99. <http://dx.doi.org/10.1016/j.jappgeo.2005.12.004>.
- Stewart, P; Dosemeci, M. (2005). Exposure estimation in occupational epidemiology studies [Paper]. Third Meeting on Assessing Human Health Risks of Trichloroethylene.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med.* 48: 531-537.
- Stewart, PA; Lees, PS; Francis, M. (1996). Quantification of historical exposures in occupational cohort studies [Review]. *Scand J Work Environ Health.* 22: 405-414.
- Stewart, RD; Dodd, HC; Gay, HH; Erley, DS. (1970). Experimental human exposure to trichloroethylene. *Arch Environ Health.* 20: 64-71.
- Stewart, RD; Hake, CL; Peterson, JE. (1974). "Degreaser's flush". *Arch Environ Health.* 29: 1-5.
- Stewart, RD; Hake, CL; Peterson, JE. (1974). Use of breath analysis to monitor trichloroethylene exposures. *Arch Environ Occup Health.* 29: 6-13.
- Stewart, TJ; Sprules, WG. (2011). Carbon-based balanced trophic structure and flows in the offshore Lake Ontario food web before (1987-1991) and after (2001-2005) invasion-induced ecosystem change. *Ecol Modell.* 222: 692-708. <http://dx.doi.org/10.1016/j.ecolmodel.2010.10.024>.
- Stewart, WF; Correa-Villaseor, A. (1991). False positive exposure errors and low exposure prevalence in community-based case-control studies. *Appl Occup Environ Hyg.* 6: 534-540. <http://dx.doi.org/10.1080/1047322X.1991.10387924>.
- Stiber, NA; Pantazidou, M; Small, MJ. (1999). Expert system methodology for evaluating reductive dechlorination at TCE sites. *Environ Sci Technol.* 33: 3012-3020.
- Stiber, NA; Pantazidou, M; Small, MJ. (2004). Embedding expert knowledge in a decision model: evaluating natural attenuation at TCE sites. *J Hazard Mater.* 110: 151-160. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.048>.
- Stiber, NA; Small, MJ; Pantazidou, M. (2004). Site-specific updating and aggregation of Bayesian belief network models for multiple experts. *Risk Anal.* 24: 1529-1538.
- Stoichev, T; Makedonski, L; Trifonova, T; Stancheva, M; Ribarova, F. (2007). DDT in fish from the Bulgarian region of the Black Sea. *Chem Ecol.* 23: 191-200. <http://dx.doi.org/10.1080/02757540701339851>.
- Stoin, U, ri; Mojon, A; Sasson, Y. (2015). Fast and complete in situ mineralization of contaminated soils using a novel method for superoxide generation. *RSC Advances.* 5: 6571-6577. <http://dx.doi.org/10.1039/c4ra08015g>.
- Stoltz, MP; Burgaud, P; Murgadella, F; Hirtz, JP; Petit, P; Vervoitte, A. (1998). Reliability and qualification methodology of 60 W QCW linear bar arrays. *Microelectron Reliab.* 38: 689-696.
- Stoppel, CM; Goltz, MN. (2003). Modeling Pd-catalyzed destruction of chlorinated ethenes in groundwater. *J Environ Eng.* 129: 147-154. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(147\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(147)).
- Stowell, JP; Jensen, JN. (1991). DECHLORINATION OF CHLORENDIC ACID WITH OZONE. *Water Res.* 25: 83-90.
- St-Pierre, C; Martel, R; Gabriel, U; Lefebvre, R; Robert, T; Hawari, J. (2004). TCE recovery mechanisms using micellar and alcohol solutions: phase diagrams and sand column experiments. *J Contam Hydrol.* 71: 155-192. <http://dx.doi.org/10.1016/j.jconhyd.2003.09.010>.
- Straka, M; Ruzicka, K; Fulem, M; Cervinka, C. (2012). Heat capacities of selected chlorohydrocarbons. *Fluid Phase Equilibria.* 336: 128-136. <http://dx.doi.org/10.1016/j.fluid.2012.09.001>.

Fate Literature Search Results

Off Topic

- Strakova, M; Matisova, E; Simon, P; Annus, J; Lisy, JM. (1998). Silicone membrane measuring system with SnO₂ gas sensor for on-line monitoring of volatile organic compounds in water. *Sens Actuators B*. 52: 274-282.
- Strand, SE; Wodrich, JV; Stensel, HD. (1991). Biodegradation of chlorinated solvents in a sparged, methanotrophic biofilm reactor (pp. 859-867). (ISSN 1047-7624; BIOSIS/92/24113). Strand, SE; Wodrich, JV; Stensel, HD.
- Strandberg, GW; Donaldson, TL; Farr, LL. (1989). DEGRADATION OF TRICHLOROETHYLENE AND TRANS-1,2-DICHLOROETHYLENE BY A METHANOTROPHIC CONSORTIUM IN A FIXED-FILM, PACKED-BED BIOREACTOR. *Environ Sci Technol*. 23: 1422-1425.
- Stratula, C; Mihai, T; Cheta, I; Oprea, F. (1992). A COMPARATIVE-STUDY OF CAPROLACTAM PURIFICATION WITH 2 SOLVENTS .2. STUDY OF THE LIQUID-VAPORS EQUILIBRIUM. *Rev Chim*. 43: 549-552.
- Stratula, C; Mihai, T; Cheta, I; Oprea, F. (1992). COMPARATIVE-STUDY ON CAPROLACTAM PURIFICATION WITH 2 SOLVENTS .1. LIQUID-LIQUID EQUILIBRIUM STUDY. *Rev Chim*. 43: 372-381.
- Streger, SH; Condee, CW; Togna, AP; Deflaun, MF. (1999). Degradation of hydrohalocarbons and brominated compounds by methane- and propane-oxidizing bacteria. *Environ Sci Technol*. 33: 4477-4482.
- Strelec, F. (2012). Trichloroethylene Overexposure in an Automotive Stamping Facility. *J Occup Environ Hyg*. 9: D114-D116. <http://dx.doi.org/10.1080/15459624.2012.683761>.
- Strömpl, C; Thiele, JH. (1997). Comparative fate of 1,1-diphenylethylene (DPE), 1,1-dichloro-2,2-bis(4-Chlorophenyl)-ethylene (DDE), and pentachlorophenol (PCP) under alternating aerobic and anaerobic conditions. *Arch Environ Contam Toxicol*. 33: 350-356.
- Stroo, HF. (1992). BIOTECHNOLOGY AND HAZARDOUS-WASTE TREATMENT. *J Environ Qual*. 21: 167-175.
- Stroup-Gardiner, M; Nelson, JW. (2001). Use of n-propyl bromide solvents for extraction and recovery of asphalt cements. *Journal of Testing and Evaluation*. 29: 432-441.
- Struse, AM; Siegrist, RL; Dawson, HE; Urynowicz, MA. (2002). Diffusive transport of permanganate during in situ oxidation. *J Environ Eng*. 128: 327-334. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2002\)128:4\(327\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2002)128:4(327)).
- Strycharz, SM; Gannon, SM; Boles, AR; Franks, AE; Nevin, KP; Lovley, DR. (2010). Reductive dechlorination of 2-chlorophenol by *Anaeromyxobacter dehalogenans* with an electrode serving as the electron donor. *Environmental Microbiology Reports*. 2: 289-294. <http://dx.doi.org/10.1111/j.1758-2229.2009.00118.x>.
- Stuart, ME; Lapworth, DJ; Thomas, J; Edwards, L. (2014). Fingerprinting groundwater pollution in catchments with contrasting contaminant sources using microorganic compounds. *Sci Total Environ*. 468-469: 564-577. <http://dx.doi.org/10.1016/j.scitotenv.2013.08.042>.
- Stuckhardt, JL; Poppe, SM. (1984). Fresh visceral examination of rat and rabbit fetuses used in teratogenicity testing. *Teratog Carcinog Mutagen*. 4: 181-188. <http://dx.doi.org/10.1002/tcm.1770040203>.
- Sturchio, NC; Böhlke, JK; Beloso, AD; Streger, SH; Heraty, LJ; Hatzinger, PB. (2007). Oxygen and chlorine isotopic fractionation during perchlorate biodegradation: laboratory results and implications for forensics and natural attenuation studies. *Environ Sci Technol*. 41: 2796-2802. <http://dx.doi.org/10.1021/es0621849>.
- Sturchio, NC; Clausen, JL; Heraty, LJ; Huang, L; Holt, BD; Abrajano T A, J. R. (1998). Chlorine isotope investigation of natural attenuation of trichloroethene in an aerobic aquifer. *Environ Sci Technol*. 32: 3037-3042.
- Sturchio, NC; Hatzinger, PB; Arkins, MD; Suh, C; Heraty, LJ. (2003). Chlorine isotope fractionation during microbial reduction of perchlorate. *Environ Sci Technol*. 37: 3859-3863. <http://dx.doi.org/10.1021/es034066g>.
- Styles, JA; Kelly, M; Pritchard, NR; Ekcombe, CR. (1988). A species comparison of acute hyperplasia induced by the peroxisome proliferator methylclofenapate: Involvement of the binucleated hepatocyte. *Carcinogenesis*. 9: 1647-1655. <http://dx.doi.org/10.1093/carcin/9.9.1647>.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2012). A two and half-year-performance evaluation of a field test on treatment of source zone tetrachloroethene and its chlorinated daughter products using emulsified zero valent iron nanoparticles. *Water Res*. 46: 5071-5084. <http://dx.doi.org/10.1016/j.watres.2012.06.051>.
- Su, CM; Puls, RW. (1999). Kinetics of trichloroethene reduction by zerovalent iron and tin: Pretreatment effect, apparent activation energy, and intermediate products. *Environ Sci Technol*. 33: 163-168.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res*. 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Su, H; Mu, Y; Feng, C; Zhu, Y; Wang, H; Wu, F; Giesy, JP. (2014). Tissue Residue Guideline for Sigma DDT for Protection of Aquatic Birds in China. *Hum Ecol Risk Assess*. 20: 1629-1642. <http://dx.doi.org/10.1080/10807039.2013.866853>.
- Su, J, ie; Liu, Y, ue; Yao, W; Wu, Z. (2016). Catalytic Combustion of Dichloromethane over HZSM-5-Supported Typical Transition Metal (Cr, Fe, and Cu) Oxide Catalysts: A Stability Study. *J Phys Chem C*. 120: 18046-18054. <http://dx.doi.org/10.1021/acs.jpcc.6b04702>.
- Su, Q; Bannasch, P. (2003). Relevance of hepatic preneoplasia for human hepatocarcinogenesis [Review]. *Toxicol Pathol*. 31: 126-133. <http://dx.doi.org/10.1080/01926230390173905>.
- Su, Y; Liang, Y. (2015). Foliar uptake and translocation of formaldehyde with Bracket plants (*Chlorophytum comosum*). *J Hazard Mater*. 291: 120-128. <http://dx.doi.org/10.1016/j.jhazmat.2015.03.001>.
- Su, Y; Pei, J; Tian, B; Fan, F; Tang, M; Li, W; He, R. (2015). Potential application of biocover soils to landfills for mitigating toluene emission. *J Hazard Mater*. 299: 18-26. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.007>.
- Su, Y, ao; Zhang, X; Wei, XM; Kong, J; Xia, FF; Li, W, ei; He, R, uo. (2014). Evaluation of simultaneous biodegradation of methane and toluene in landfill covers. *J Hazard Mater*. 274: 367-375. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.041>.
- Su, YF; Cheng, YL; Shih, YH. (2013). Removal of trichloroethylene by zerovalent iron/activated carbon derived from agricultural wastes. *J Environ Manage*. 129: 361-366. <http://dx.doi.org/10.1016/j.jenvman.2013.08.003>.

Fate Literature Search Results

Off Topic

- Su, YF; Hsu, CY; Shih, YH. (2012). Effects of various ions on the dechlorination kinetics of hexachlorobenzene by nanoscale zero-valent iron. *Chemosphere*. 88: 1346-1352. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.036>.
- Su, ZH; Xu, Z; Peng, R; Tian, YS; Zhao, W, ei; Han, HJ; Yao, QH; Wu, A, iZ. (2012). Phytoremediation of Trichlorophenol by Phase II Metabolism in Transgenic Arabidopsis Overexpressing a Populus Glucosyltransferase. *Environ Sci Technol*. 46: 4016-4024. <http://dx.doi.org/10.1021/es203753b>.
- Suanon, F; Sun, Q; Li, M; Cai, X; Zhang, Y; Yan, Y; Yu, CP. (2017). Application of nanoscale zero valent iron and iron powder during sludge anaerobic digestion: Impact on methane yield and pharmaceutical and personal care products degradation. *J Hazard Mater*. 321: 47-53. <http://dx.doi.org/10.1016/j.jhazmat.2016.08.076>.
- Suarez, S; Arconada, N; Castro, Y; Coronado, JM; Portela, R; Duran, A; Sanchez, B. (2011). Photocatalytic degradation of TCE in dry and wet air conditions with TiO₂ porous thin films. *Appl Catal B-Environ*. 108: 14-21. <http://dx.doi.org/10.1016/j.apcatb.2011.07.027>.
- Suarez, S; Coronado, JM; Portela, R; Carlos Martin, J; Yates, M; Avila, P; Sanchez, B. (2008). On the preparation of TiO₂ - Sepiolite hybrid materials for the photocatalytic degradation of TCE: Influence of TiO₂ distribution in the mineralization. *Environ Sci Technol*. 42: 5892-5896. <http://dx.doi.org/10.1021/es703257w>.
- Suárez, S; Hewer, TLR; Portela, R; Hernández-Alonso, MD; Freire, RS; Sánchez, B. (2011). Behaviour of TiO₂-SiMgOx hybrid composites on the solar photocatalytic degradation of polluted air. *Appl Catal B-Environ*. 101: 176-182. <http://dx.doi.org/10.1016/j.apcatb.2010.09.014>.
- SUBRAHMA,D; Subbarao, BV. (1973). STUDIES IN VAPOR-LIQUID EQUILIBRIA FOR SYSTEMS ISOPROPANOL-TRICHLOROETHYLENE AND TRICHLOROETHYLENE-ISOBUTANOL. 11: 91-94.
- Subrahmanyam, C, h; Magureanu, M; Laub, D; Renken, A; Kiwi-Minsker, L. (2007). Nonthermal plasma abatement of trichloroethylene enhanced by photocatalysis. *J Phys Chem C*. 111: 4315-4318. <http://dx.doi.org/10.1021/jp066731o>.
- Subrahmanyam, C; Renken, A; Kiwi-Minsker, L. (2007). Novel catalytic non-thermal plasma reactor for the abatement of VOCs. *Chem Eng J*. 134: 78-83. <http://dx.doi.org/10.1016/j.cej.2007.03.063>.
- Sucomel, EJ; Ramsburg, CA; Pennell, KD. (2007). Evaluation of trichloroethene recovery processes in heterogeneous aquifer cells flushed with biodegradable surfactants. *J Contam Hydrol*. 94: 195-214. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.011>.
- Suchy, KD; Dower, JF; Varela, DE; Lagunas, MG. (2016). Interannual variability in the relationship between in situ primary productivity and somatic crustacean productivity in a temperate fjord. *Mar Ecol Prog Ser*. 545: 91-108. <http://dx.doi.org/10.3354/meps11608>.
- Sudharshan, S; Mallavarapu, M; Bolan, N; Naidu, R. (2013). Effect of Seaweeds on Degradation of DDT in Soils. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1715-x>.
- Suggala, SV; Bhattacharya, PK. (2003). Real coded genetic algorithm for optimization of pervaporation process parameters for removal of volatile organics from water. *Ind Eng Chem Res*. 42: 3118-3128. <http://dx.doi.org/10.1021/ie020183t>.
- Sui, H; Li, XG; Xu, SM. (2004). Cometabolic microbial degradation of trichloroethylene in the presence of toluene. *J Environ Sci*. 16: 487-489.
- Sukaew, T; Chang, H; Serrano, G; Zellers, ET. (2011). Multi-stage preconcentrator/focuser module designed to enable trace level determinations of trichloroethylene in indoor air with a microfabricated gas chromatograph. *Analyst*. 136: 1664-1674. <http://dx.doi.org/10.1039/c0an00780c>.
- Sukaew, T; Zellers, ET. (2013). Evaluating the dynamic retention capacities of microfabricated vapor preconcentrators as a function of flow rate. *Sens Actuators B*. 183: 163-171. <http://dx.doi.org/10.1016/j.snb.2013.03.105>.
- Sukesan, S; Watwood, ME. (1996). Biodegradation of vapor phase trichloroethylene (TCE) in compost packed biofilters. *Abstracts of Papers - American Chemical Society*. 211: 59-BTEC.
- Sulaymon, AH; Gzar, HA. (2011). Experimental investigation and numerical modeling of light nonaqueous phase liquid dissolution and transport in a saturated zone of the soil. *J Hazard Mater*. 186: 1601-1614. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.035>.
- Suma, N; Prakash, B; Iyengar, P. (2011). Oxidation of Phenol, o-nitro Phenol, o-chloro Phenol and Trichloroethylene Present in Water Using Surfactant Immobilized Manganate and Impregnated Metal Cations. *Silicon*. 3: 13-26. <http://dx.doi.org/10.1007/s12633-010-9063-6>.
- Sun, C; Lou, Z; Liu, Y, u; Fu, R; Zhou, X; Zhang, Z; Baig, SA, li; Xu, X. (2015). Influence of environmental factors on the electrocatalytic dechlorination of 2,4-dichlorophenoxyacetic acid on nTiN doped Pd/Ni foam electrode. *Chem Eng J*. 281: 183-191. <http://dx.doi.org/10.1016/j.cej.2015.06.113>.
- Sun, H; Guo, K; Gan, H; Li, X; Hunter, CA. (2015). Influence of receptor flexibility on intramolecular H-bonding interactions. *Org Biomol Chem*. 13: 8053-8066. <http://dx.doi.org/10.1039/c5ob00805k>.
- Sun, H; Hunter, CA; Llamas, E, vaM. (2015). The flexibility-complementarity dichotomy in receptor-ligand interactions. 6: 1444-1453. <http://dx.doi.org/10.1039/c4sc03398a>.
- Sun, H; Xu, X; Gao, G; Zhang, Z; Yin, P. (2010). A novel integrated active capping technique for the remediation of nitrobenzene-contaminated sediment. *J Hazard Mater*. 182: 184-190. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.013>.
- Sun, J; Chen, Z; Yuan, L; Chen, Y; Ning, J; Liu, S; Ma, D; Song, X; Priyadarshi, MK; Bachmatiuk, A; Rummeli, MH; Ma, T; Zhi, L; Huang, L; Zhang, Y; Liu, Z. (2016). Direct Chemical-Vapor-Deposition-Fabricated, Large-Scale Graphene Glass with High Carrier Mobility and Uniformity for Touch Panel Applications. *ACS Nano*. 10: 11136-11144. <http://dx.doi.org/10.1021/acsnano.6b06066>.
- Sun, JH; Yang, M; Wang, XM; Xu, M; Liu, AH; Guo, DA. (2007). Identification of tanshinones and their metabolites in rat bile after oral administration of TTE-50, a standardized extract of *Salvia miltiorrhiza* by HPLC-ESI-DAD-MSn. *J Pharm Biomed Anal*. 44: 564-574. <http://dx.doi.org/10.1016/j.jpba.2006.11.003>.
- Sun, L; Song, H; Li, Q; Li, A. (2016). Fe/Cu bimetallic catalysis for reductive degradation of nitrobenzene under oxidic conditions. *Chem Eng J*. 283: 366-374. <http://dx.doi.org/10.1016/j.cej.2015.06.065>.
- Sun, Q; Feitz, AJ; Guan, J; Waite, TD. (2008). COMPARISON OF THE REACTIVITY OF NANOSIZED ZERO-VALENT IRON (nZVI) PARTICLES PRODUCED BY BOROHYDRIDE AND DITHIONITE REDUCTION OF IRON SALTS. *NANO*. 3: 341-349.

Fate Literature Search Results

Off Topic

- Sun, Y; Brown, GM; Moyer, BA. (1994). PHOTODEGRADATION OF TRICHLOROETHYLENE USING TIO-2 SUSPENDED IN FLUOROCARBON SOLVENTS (pp. 13-17). (ISSN 0065-7727; BIOSIS/94/14779). Sun, Y; Brown, GM; Moyer, BA.
- Sun, Y; Brown, GM; Moyer, BA. (1995). TIO2 mediated photooxidation of trichloroethylene and toluene dissolved in fluorocarbon solvents. *Chemosphere*. 31: 3575-3584.
- Sun, YP; Li, XQ, in; Zhang, W, eiX; Wang, HP. (2007). A method for the preparation of stable dispersion of zero-valent iron nanoparticles. *Colloid Surface Physicochem Eng Aspect*. 308: 60-66. <http://dx.doi.org/10.1016/j.colsurfa.2007.05.029>.
- Sun, YW; Lu, XJ; Petersen, JN; Buscheck, TA. (2004). An analytical solution of tetrachloroethylene transport and biodegradation. *Transport in Porous Media*. 55: 301-308.
- Sunder, M; D-C, H. (1997). Oxidation of tri- and perchloroethene in aqueous solution with ozone and hydrogen peroxide in a tube reactor. *Water Res*. 31: 33-40.
- Sung, TI; Chen, PC; Lee, LJH; Lin, YP; Hsieh, GY; Wang, JD. (2007). Increased standardized incidence ratio of breast cancer in female electronics workers. *BMC Public Health*. 7: 102. <http://dx.doi.org/10.1186/1471-2458-7-102>.
- Sunkara, B; Su, Y; Zhan, J; He, J; Mcpherson, GL; John, VT. (2015). Iron-carbon composite microspheres prepared through a facile aerosol-based process for the simultaneous adsorption and reduction of chlorinated hydrocarbons. 9: 939-947. <http://dx.doi.org/10.1007/s11783-015-0807-9>.
- Sunkara, B; Zhan, J; He, J; Mcpherson, GL; Piringer, G; John, VT. (2010). Nanoscale Zerovalent Iron Supported on Uniform Carbon Microspheres for the In situ Remediation of Chlorinated Hydrocarbons. *ACS Applied Materials & Interfaces*. 2: 2854-2862. <http://dx.doi.org/10.1021/am1005282>.
- Sunkara, B; Zhan, J; Kolesnichenko, I; Wang, Y; He, J; Holland, JE; Mcpherson, GL; John, VT. (2011). Modifying Metal Nanoparticle Placement on Carbon Supports Using an Aerosol-Based Process, with Application to the Environmental Remediation of Chlorinated Hydrocarbons. *Langmuir*. 27: 7854-7859. <http://dx.doi.org/10.1021/la200657m>.
- Sunyer, J; Alvarez-Pedrerol, M; To-Figueras, J; Ribas-Fito, N; Grimalt, JO; Herrero, C. (2008). Urinary porphyrin excretion in children is associated with exposure to organochlorine compounds. *Environ Health Perspect*. 116: 1407-1410. <http://dx.doi.org/10.1289/ehp.11354>.
- Surdo, EM; Cussler, EL; Arnold, WA. (2009). Sorptive and Reactive Scavenger-Containing Sandwich Membranes as Contaminant Barriers. *J Environ Eng*. 135: 69-76. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:2\(69\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:2(69)).
- Suri, RP; Liu, J; Crittenden, JC; Hand, DW. (1999). Removal and Destruction of Organic Contaminants in Water Using Adsorption, Steam Regeneration, and Photocatalytic Oxidation: A Pilot-Scale Study. *J Air Waste Manag Assoc*. 49: 951-958. <http://dx.doi.org/10.1080/10473289.1999.10463861>.
- Suri, RP; Paraskewich, MR; Zhang, QB. (1999). Effect of process variables on sonochemical destruction of aqueous trichloroethylene. *Environ Eng Sci*. 16: 345-352.
- Suri, RPS; Liu, J; Hand, DW; Crittenden, JC; Perram, DL; Mullins, ME. (1993). HETEROGENEOUS PHOTOCATALYTIC OXIDATION OF HAZARDOUS ORGANIC CONTAMINANTS IN WATER. *Water Environ Res*. 65: 665-673.
- Susarla, S; Medina, VF; Mccutcheon, SC. (2002). Phytoremediation: An ecological solution to organic chemical contamination. *Ecol Eng*. 18: 647-658.
- Sutfin, JA; Ramey, D. (1997). In situ biological treatment of TCE-impacted soil and groundwater: Demonstration results. *Environmental Progress*. 16: 287-296.
- Sutherland, IW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2011). Chlorination and dehydrochlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene Part 1. Reaction pathways. *Appl Catal A-Gen*. 399: 1-11. <http://dx.doi.org/10.1016/j.apcata.2011.02.035>.
- Sutherland, K, inW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2014). Chlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene, Part 2: Effects of chlorine supply. *Appl Catal A-Gen*. 471: 149-156. <http://dx.doi.org/10.1016/j.apcata.2013.11.030>.
- Suthersan, S; Nelson, D; Schnobrich, M. (2011). Hybridized Design Concepts and Their Application to ERD Systems. *Ground Water Monitoring and Remediation*. 31: 45-49. <http://dx.doi.org/10.1111/j.1745-6592.2011.01323.x>.
- Suttinun, O; Luepromchai, E; Mueller, R. (2013). Cometabolism of trichloroethylene: concepts, limitations and available strategies for sustained biodegradation. *Reviews in Environmental Science and Biotechnology*. 12: 99-114. <http://dx.doi.org/10.1007/s11157-012-9291-x>.
- Sutton, NB; Atashgahi, S; van der Wal, J; Wijn, G; Grotenhuis, T; Smidt, H; Rijnaarts, HH. (2015). Microbial dynamics during and after in situ chemical oxidation of chlorinated solvents. *Ground Water*. 53: 261-270. <http://dx.doi.org/10.1111/gwat.12209>.
- Sutton, PT; Ginn, TR. (2014). Sustainable in-well vapor stripping: A design, analytical model, and pilot study for groundwater remediation. *J Contam Hydrol*. 171C: 32-41. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.010>.
- Suty, H; De Traversay, C; Cost, M. (2004). Applications of advanced oxidation processes: present and future [Review]. *Water Sci Technol*. 49: 227-233.
- Suwanmanee, U; Varabuntoonvit, V; Chaiwutthinan, P; Tajan, M; Mungcharoen, T; Leejarkpai, T. (2013). Life cycle assessment of single use thermoform boxes made from polystyrene (PS), polylactic acid, (PLA), and PLA/starch: cradle to consumer gate. *Int J Life Cycle Assess*. 18: 401-417. <http://dx.doi.org/10.1007/s11367-012-0479-7>.
- Suyadal, Y. (2003). Deactivation model for desorption of trichloroethylene vapor from granular activated carbon. *Ind Eng Chem Res*. 42: 897-903. <http://dx.doi.org/10.1021/ie020229i>.
- Suyadal, Y; Erol, M; Oguz, H. (2000). Deactivation model for the adsorption of trichloroethylene vapor on an activated carbon bed. *Ind Eng Chem Res*. 39: 724-730.

Fate Literature Search Results

Off Topic

- Suyama, A; Iwakiri, R; Kai, K; Tokunaga, T; Sera, N; Furukawa, K. (2001). Isolation and characterization of *Desulfitobacterium* sp strain Y51 capable of efficient dehalogenation of tetrachloroethene and polychloroethanes. *Biosci Biotechnol Biochem.* 65: 1474-1481.
- Suzuki, M. (1991). APPLICATION OF FIBER ADSORBENTS IN WATER TREATMENT (pp. 7-9). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08681). Suzuki, M.
- Suzuki, M. (1994). ACTIVATED CARBON-FIBER - FUNDAMENTALS AND APPLICATIONS. *Carbon.* 32: 577-586.
- Sverdrup, B; Kallberg, H; Bengtsson, C; Lundberg, I; Padyukov, L; Alfredsson, L; Klareskog, L; Group, EloRAS. (2005). Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. *Arthritis Res Ther.* 7: R1296-R1303. <http://dx.doi.org/10.1186/ar1824>.
- Swami, K; Narang, AS; Narang, RS; Eadon, GA. (1992). Thermally induced formation of PCDD and PCDF from tri- and tetrachlorobenzene in dielectric fluids. *Chemosphere.* 24: 1845-1853.
- Swanson, ME; Greene, HL; Qutubuddin, S. (2004). Reactive sorption of chlorinated VOCs on ZSM-5 zeolites at ambient and elevated temperatures. *Appl Catal B-Environ.* 52: 91-108. <http://dx.doi.org/10.1016/j.apcatb.2004.03.015>.
- Swartz, MD; Cai, Y; Chan, W; Symanski, E; Mitchell, LE; Danysh, HE; Langlois, PH; Lupo, PJ. (2015). Air toxics and birth defects: a Bayesian hierarchical approach to evaluate multiple pollutants and spina bifida. *Environ Health.* 14: 16. <http://dx.doi.org/10.1186/1476-069X-14-16>.
- Sweeney, C; Farrow, D; Schwartz, S; Eaton, D; Checkoway, H; Vaughan, T. (2000). Glutathione S-transferase M1, T1, and P1 polymorphisms as risk factors for renal cell carcinoma: A case-control study. *Cancer Epidemiol Biomarkers Prev.* 9: 449-454.
- Sweeney, LM; Kirman, CR; Gargas, ML; Dugard, PH. (2009). Contribution of trichloroacetic acid to liver tumors observed in perchloroethylene (perc)-exposed mice. *Toxicology.* 260: 77-83. <http://dx.doi.org/10.1016/j.tox.2009.03.008>.
- Sweet, CW; Vermette, SJ. (1992). Toxic volatile organic compounds in urban air in Illinois. *Environ Sci Technol.* 26: 165-173. <http://dx.doi.org/10.1021/es00025a020>.
- Sweet, ND; Burroughs, GE; Ewers, L; Talaska, G. (2004). A field method for near real-time analysis of perchloroethylene in end-exhaled breath. *J Occup Environ Hyg.* 1: 515-520. <http://dx.doi.org/10.1080/15459620490472921>.
- Switzer, C; Pironi, P; Gerhard, JI; Rein, G; Torero, JL. (2009). Self-Sustaining Smoldering Combustion: A Novel Remediation Process for Non-Aqueous-Phase Liquids in Porous Media. *Environ Sci Technol.* 43: 5871-5877. <http://dx.doi.org/10.1021/es803483s>.
- Syeda, AB; Koula, AJ; Boodida, S; Nallani, S. (2010). Excess Molar Volumes and Sound Speed in (Phenylacetone+nitrile+1,2-Dichloroethane), (Phenylacetone+nitrile+1,1,2-Trichloroethane), (Phenylacetone+nitrile+1,1,2,2-Tetrachloroethane), (Phenylacetone+nitrile plus Trichloroethene), and (Phenylacetone+nitrile plus Tetrachloroethene) at Temperatures of (303.15, 308.15, and 313.15) K. *Journal of Chemical and Engineering Data.* 55: 1405-1410. <http://dx.doi.org/10.1021/jc900570e>.
- Szecsody, JE; Fruchter, JS; Williams, MD; Vermeul, VR; Sklarew, D. (2004). In situ chemical reduction of aquifer sediments: Enhancement of reactive iron phases and TCE dechlorination. *Environ Sci Technol.* 38: 4656-4663. <http://dx.doi.org/10.1021/es034756k>.
- Szeto, SY. (1993). DETERMINATION OF KINETICS OF HYDROLYSIS BY HIGH-PRESSURE LIQUID-CHROMATOGRAPHY - APPLICATION TO HYDROLYSIS OF THE ETHYLENE-GLYCOL BUTYL ETHER ESTER OF TRICLOPYR. *J Agric Food Chem.* 41: 1118-1121.
- Szyf, M. (2007). The dynamic epigenome and its implications in toxicology [Review]. *Toxicol Sci.* 100: 7-23. <http://dx.doi.org/10.1093/toxsci/kfm177>.
- Szymańska, K; Moore, LE; Rothman, N; Chow, WH; Waldman, F; Jaeger, E; Waterboer, T; Foretova, L; Navratilova, M; Janout, V; Kollarova, H; Zaridze, D; Matveev, V; Mates, D; Szeszenia-Dabrowska, N; Holcatova, I; Bencko, V; Le Calvez-Kelm, F; Villar, S; Pawlita, M; Boffetta, P; Hainaut, P; Brennan, P. (2010). TP53, EGFR, and KRAS mutations in relation to VHL inactivation and lifestyle risk factors in renal-cell carcinoma from central and eastern Europe. *Cancer Lett.* 293: 92-98. <http://dx.doi.org/10.1016/j.canlet.2009.11.024>.
- 't Mannetje, A; Steenland, K; Attfield, M; Boffetta, P; Checkoway, H; DeKlerk, N; Koskela, R. (2002). Exposure-response analysis and risk assessment for silica and silicosis mortality in a pooled analysis of six cohorts. *Occup Environ Med.* 59: 723-728.
- Tabachnik, VP; Chernova, GS; Fedorishcheva, EE. (1990). RESIDUAL FIELD OF PLATES MAGNETIZED BY BIPOLAR ELECTROMAGNET. 26: 288-292.
- Tabernacka, A; Zborowska, E; Lebkowska, M. (2006). Trichloroethene elimination from air by means of biofiltration (vol 15, pg 335, 2006). *Pol J Environ Stud.* 15.
- Tabernacka, A; Zborowska, E; Lebkowska, M. (2006). Trichloroethene elimination from air by means of biofiltration. *Pol J Environ Stud.* 15: 335-340.
- Tabernacka, A; Zborowska, E; Lebkowska, M; Borawski, M. (2014). Air purification from TCE and PCE contamination in a hybrid bioreactors and biofilter integrated system. *J Hazard Mater.* 264: 363-369. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.013>.
- Tabor, RF; Zaveer, MI; Dagastine, RR; Grillo, I; Garvey, CJ. (2013). Phase behavior, small-angle neutron scattering and rheology of ternary nonionic surfactant-oil-water systems: a comparison of oils. *Langmuir.* 29: 3575-3582. <http://dx.doi.org/10.1021/la400100n>.
- Tabrez, S; Ahmad, M. (2009). Toxicity, biomarkers, genotoxicity, and carcinogenicity of trichloroethylene and its metabolites: a review [Review]. 27: 178-196. <http://dx.doi.org/10.1080/10590500903091340>.
- Tabrez, S; Ahmad, M. (2011). Components of antioxidative system in *Allium cepa* as the toxicity monitor of trichloroethylene (TCE). *Toxicol Environ Chem.* 93: 73-84. <http://dx.doi.org/10.1080/02772248.2010.498375>.
- Tabrez, S; Ahmad, M. (2011). Some Enzymatic/Nonenzymatic Antioxidants as Potential Stress Biomarkers of Trichloroethylene, Heavy Metal Mixture, and Ethyl Alcohol in Rat Tissues. *Environ Toxicol.* 26: 207-216. <http://dx.doi.org/10.1002/tox.20548>.
- Tabrez, S; Ahmad, M. (2012). Genotoxicity of trichloroethylene in the natural milieu. *Int J Hyg Environ Health.* 215: 333-338. <http://dx.doi.org/10.1016/j.ijheh.2011.08.004>.
- Tabrez, S; Ahmad, M. (2013). Cytochrome P450 system as potential biomarkers of certain toxicants: comparison between plant and animal models. *Environ Monit Assess.* 185: 2977-2987. <http://dx.doi.org/10.1007/s10661-012-2765-z>.

Fate Literature Search Results

Off Topic

- Tachikawa, T; Takai, Y; Tojo, S; Fujitsuka, M; Majima, T. (2006). Probing the surface adsorption and photocatalytic degradation of catechols on TiO₂ by solid-state NMR spectroscopy. *Langmuir*. 22: 893-896. <http://dx.doi.org/10.1021/la051967p>.
- Taechangam, P; Scamehorn, JF; Osuwan, S; Rirksomboon, T. (2008). Continuous Cloud Point Extraction of Volatile Organic Contaminants from Wastewater in a Multi-Stage Rotating Disc Contactor: Effect of Structure and Concentration of Solutes. *Separation Science and Technology*. 43: 3601-3623. <http://dx.doi.org/10.1080/01496390802282339>.
- Taghavy, A; Costanza, J, ed; Pennell, KD; Abriola, LM. (2010). Effectiveness of nanoscale zero-valent iron for treatment of a PCE-DNAPL source zone. *J Contam Hydrol*. 118: 128-142. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.001>.
- Taghipour, F; Mohseni, M. (2005). CFD simulation of UV photocatalytic reactors for air treatment. *AIChE J*. 51: 3039-3047. <http://dx.doi.org/10.1002/aic.10538>.
- Tai, H, uaS; Lee, CL, i. (2007). Desorption of methy-ethyl-ketone from granular activated carbon with microwave radiation. *Environmental Progress*. 26: 299-303. <http://dx.doi.org/10.1002/ep.10224>.
- Tait, NG; Davison, RM; Leharne, SA; Lerner, DN. (2008). Borehole Optimisation System (BOS) - A case study assessing options for abstraction of urban groundwater in Nottingham, UK. *Environ Modell Softw*. 23: 611-621. <http://dx.doi.org/10.1016/j.envsoft.2007.09.001>.
- Takahashi, S; Fujii, T. (2007). Direct mass spectrometric study of the ionic species content of a C₂HCl₃/He/O-2 microwave discharge plasma. *Plasma Chemistry and Plasma Processing*. 27: 517-528. <http://dx.doi.org/10.1007/s11090-007-9077-z>.
- Takamuku, T; Kumai, T; Yoshida, K; Otomo, T; Yamaguchi, T. (2005). Structure and dynamics of halogenoethanol-water mixtures studied by large-angle X-ray scattering, small-angle neutron scattering, and NMR relaxation. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory*. 109: 7667-7676. <http://dx.doi.org/10.1021/jp051470o>.
- Takashima, H; Karches, M; Kanno, Y. (2008). Catalytic decomposition of trichloroethylene over Pt-/Ni-catalyst under microwave heating. *Appl Surf Sci*. 254: 2023-2030. <http://dx.doi.org/10.1016/j.apsusc.2007.08.030>.
- Takashima, K; Ito, Y; Gonzalez, FJ; Nakajima, T. (2008). Different mechanisms of DEHP-induced hepatocellular adenoma tumorigenesis in wild-type and Ppar alpha-null mice. *J Occup Health*. 50: 169-180.
- Takasu, M; Morita, N; Tajima, S; Almunia, J; Maeda, M; Kamiguchi, T. (2016). Cryopreservation of lar gibbon semen collected by manual stimulation. *Primates*. 57: 303-307. <http://dx.doi.org/10.1007/s10329-016-0543-1>.
- Takeda, S; Kondo, M; Kumada, T; Koshikawa, T; Ueda, R; Nishio, M; Osada, H; Suzuki, H; Nagatake, M; Washimi, O; Takagi, K; Takahashi, T; Nakao, A; Takahashi, T. (1996). Allelic-expression imbalance of the insulin-like growth factor 2 gene in hepatocellular carcinoma and underlying disease. *Oncogene*. 12: 1589-1592.
- Takemura, Y; Mukai, T; Senoo, K; Suzuki, M. (1995). DECOMPOSITION OF ORGANIC CHLORINE COMPOUNDS BY FENTONS REACTION ON RETICULATED IRON. *Kagaku Kogaku Ronbunshu*. 21: 32-40.
- Takeuchi, M; Kawabe, Y; Watanabe, E; Oiwa, T; Takahashi, M; Nanba, K; Kamagata, Y; Hanada, S; Ohko, Y; Komai, T. (2011). Comparative study of microbial dechlorination of chlorinated ethenes in an aquifer and a clayey aquitard. *J Contam Hydrol*. 124: 14-24. <http://dx.doi.org/10.1016/j.jconhyd.2011.01.003>.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kazaoka, O; Furuya, K. (2000). Distribution and seasonal variation of methanotrophs in trichloroethylene contaminated groundwater. *Water Res*. 34: 3717-3724.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kusuda, T; Kazaoka, O; Furuya, K. (2001). Distribution of methanotrophs in trichloroethylene-contaminated aquifers in a natural gas field. *Geomicrobiology Journal*. 18: 387-399.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kusuda, T; Kazaoka, O; Owaki, M; Furuya, K. (2005). In situ bioremediation of a cis-dichloroethylene-contaminated aquifer utilizing methane-rich groundwater from an uncontaminated aquifer. *Water Res*. 39: 2438-2444. <http://dx.doi.org/10.1016/j.watres.2005.04.041>.
- Takeuchi, M; Okochi, H; Igawa, M. (2003). Deposition of coarse soil particles and ambient gaseous components dominating dew water chemistry. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2002JD003058>.
- Takubo, K; Kaminishi, M. (2001). [Diseases of the digestive tract and telomere lengths: Significance and problems of telomere measurement]. *Nippon Shokakibyō Gakkai Zasshi*. 98: 144-150.
- Takuma, Y; Fukuda, K; Kawata, K; Kato, S; Satokawa, S; Kojima, T. (2008). Decomposition Kinetics of Trichloroethylene by Fenton's Reaction that Uses Iron Powder. *Kagaku Kogaku Ronbunshu*. 34: 309-312.
- Takuma, Y; Kojima, T. (2014). Synergistic Effects of Fenton's Reaction and the Sonochemical Reaction on the Decomposition of Trichloroethylene in Water. *J Chem Eng Jpn*. 47: 309-313. <http://dx.doi.org/10.1252/jcej.13we203>.
- Tal-Figiel, B; Repelewicz, U. (2004). Intensification of emulsification and dewatering of liquid-liquid systems using ultrasound energy. *Inżynieria Chemiczna i Procesowa*. 25: 1695-1702.
- Talibov, M; Lehtinen-Jacks, S; Martinsen, JI; Kjærheim, K; Lynge, E; Sparén, P; Tryggvadottir, L; Weiderpass, E; Kauppinen, T; Kyrrönen, P; Pukkala, E. (2014). Occupational exposure to solvents and acute myeloid leukemia: a population-based, case-control study in four Nordic countries. *Scand J Work Environ Health*. 40: 511-517. <http://dx.doi.org/10.5271/sjweh.3436>.
- Tamezane, T; Tanaka, N; Nishikiori, H; Fujii, T. (2006). Matrix isolation and theoretical study on the photolysis of trichloroacetyl chloride. *Chem Phys Lett*. 423: 434-438. <http://dx.doi.org/10.1016/j.cplett.2006.04.031>.
- Tan, LK; Liem, AJ. (1997). Effect of hydrochloric acid on sampling and analysis of semivolatiles organic compounds in incineration flue gas .3. Chlorobenzenes and polychlorinated biphenyls. *Environ Sci Technol*. 31: 1785-1793.
- Tan, R; Beckmann, V. (2010). Diversity of Practical Quota Systems for Farmland Preservation: A Multicountry Comparison and Analysis. *Environment and Planning C: Government and Policy*. 28: 211-224.
- Tanada, S; Nakamura, T; Xiaohong, M; Higuchi, T; Shinoda, S. (1992). Adsorption Characteristics of Trichloroethylene and 1,1,1-Trichloroethane onto Activated Carbon Fiber in Gaseous Phase. *Bull Environ Contam Toxicol*. 49: 112-119.

Fate Literature Search Results

Off Topic

- Tanada, S; Shinoda, S; Nakamura, T. (1991). Dominant properties of activated carbon fiber for the adsorptive removal of trichloroethylene in liquid phase. *Eisei Kagaku*. 37: 239-245.
- Tanada, S; Shinoda, S; Nakamura, T; Harada, T; Ohtsu, J. (1992). Studies on the adsorption characteristics of trichloroethylene onto activated carbon fiber in gaseous phase (pp. 93-98). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/92/26590). Tanada, S; Shinoda, S; Nakamura, T; Harada, T; Ohtsu, J.
- Tanaka, K; Smith, PF; Stromberg, PC; Eydeloth, RS; Herold, EG; Grossman, SJ; Frank, JD; Hertzog, PR; Soper, KA; Keenan, KP. (1992). Studies of early hepatocellular proliferation and peroxisomal proliferation in Sprague-Dawley rats treated with tumorigenic doses of clofibrate. *Toxicol Appl Pharmacol*. 116: 71-77. [http://dx.doi.org/10.1016/0041-008X\(92\)90146-J](http://dx.doi.org/10.1016/0041-008X(92)90146-J).
- Tanaka, M; Shirasawa, K; Taka, J; Kashino, S. (1999). Spectral study and the crystal analysis of a few crystals of the TCE-TTF radical salts. *Synthetic Metals*. 103: 2232-2233.
- Tanaka, N; Tamezane, T; Nishikiori, H; Fujii, T. (2003). An ab initio study on the phosgene-water complex. *J Mol Struct*. 631: 21-28. [http://dx.doi.org/10.1016/S0166-1280\(03\)00129-5](http://dx.doi.org/10.1016/S0166-1280(03)00129-5).
- Tanaka, Y; Mano, H. (2012). Functional traits of herbivores and food chain efficiency in a simple aquatic community model. *Ecol Modell*. 237: 88-100. <http://dx.doi.org/10.1016/j.ecolmodel.2012.04.021>.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol*. 28: 973-979.
- Tang, C, en; Jin, Y; Lu, J; Li, X; Xie, G; Luo, M. (2015). Highly efficient Mg(OH)Cl/SiO₂ catalysts for selective dehydrochlorination of 1,1,2-trichloroethane. *Appl Catal A-Gen*. 508: 10-15. <http://dx.doi.org/10.1016/j.apcata.2015.09.024>.
- Tang, H, ao; Zhu, D; Li, T; Kong, H; Chen, W, ei. (2011). Reductive Dechlorination of Activated Carbon-Adsorbed Trichloroethylene by Zero-Valent Iron: Carbon as Electron Shuttle. *J Environ Qual*. 40: 1878-1885. <http://dx.doi.org/10.2134/jeq2011.0185>.
- Tang, S; Liu, Z; Yan, X; Li, N; Cheng, R; He, X; Liu, B. (2014). Kinetic studies on the pyrrole-Cr-based Chevron-Phillips ethylene trimerization catalyst system. *Appl Catal A-Gen*. 481: 39-48. <http://dx.doi.org/10.1016/j.apcata.2014.04.006>.
- Tang, WM; Lai, PT; Xu, JP; Chan, CL. (2005). Enhanced hydrogen-sensing characteristics of MISiC Schottky-diode hydrogen sensor by trichloroethylene oxidation. *Sens Actuators A*. 119: 63-67. <http://dx.doi.org/10.1016/j.sna.2004.08.032>.
- Tang, WZ; Huang, CP. (1996). An oxidation kinetic model of unsaturated chlorinated aliphatic compounds by Fenton's reagent. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 31: 2755-2775.
- Tang, WZ; Huang, CP. (1997). Stoichiometry of Fenton's reagent in the oxidation of chlorinated aliphatic organic pollutants. *Environ Technol*. 18: 13-23.
- Tang, X; Hashmi, MZ; Zeng, B; Yang, J; Shen, C. (2015). Application of iron-activated persulfate oxidation for the degradation of PCBs in soil. *Chem Eng J*. 279: 673-680. <http://dx.doi.org/10.1016/j.cej.2015.05.059>.
- Tang, X; Li, L; Huang, J; Deng, Y. (2002). Guinea pig maximization test for trichloroethylene and its metabolites. *Biomed Environ Sci*. 15: 113-118.
- Tang, X; Que, B; Song, X; Li, S; Yang, X; Wang, H; Huang, H; Kamijima, M; Nakajima, T; Lin, Y; Li, L. (2008). Characterization of liver injury associated with hypersensitive skin reactions induced by trichloroethylene in the guinea pig maximization test. *J Occup Health*. 50: 114-121.
- Tang, Y; Krajmalnik-Brown, R; Rittmann, BE. (2013). Modeling trichloroethene reduction in a hydrogen-based biofilm. *Water Sci Technol*. 68: 1158-1163. <http://dx.doi.org/10.2166/wst.2013.362>.
- Tanguay, RM; Jorquera, R; Poudrier, J; St-Louis, M. (1996). Tyrosine and its catabolites: From disease to cancer [Review]. *Acta Biochim Pol*. 43: 209-216.
- Tanimura, T; Yoshida, A; Yamazaki, S. (2005). Reduced formation of undesirable by-products from photocatalytic degradation of trichloroethylene. *Appl Catal B-Environ*. 61: 346-351. <http://dx.doi.org/10.1016/j.apcatb.2005.05.015>.
- Tao, L; Wang, W; Li, L; Kramer, PM; Pereira, MA. (2004). Effect of dibromoacetic acid on DNA methylation, glycogen accumulation, and peroxisome proliferation in mouse and rat liver. *Toxicol Sci*. 82: 62-69. <http://dx.doi.org/10.1093/toxsci/kfh266>.
- Tao, T; Yang, JJ; Maciel, GE. (1999). Photoinduced decomposition of trichloroethylene on soil components. *Environ Sci Technol*. 33: 74-80.
- Tardif, R; Goyal, R; Brodeur, J. (1992). Assessment of occupational health risk from multiple exposure: review of industrial solvent interaction and implication for biological monitoring of exposure [Review]. *Toxicol Ind Health*. 8: 37-52.
- Tardif, R; Sato, A; Lapare, S; Brodeur, J. (1994). ETHANOL-INDUCED MODIFICATION OF M-XYLENE TOXICOKINETICS IN HUMANS. *Occup Environ Med*. 51: 187-191.
- Tarsetti, F; Lenzi, R; Salvi, R; Schuler, E; Rijhsinghani, K; Lenzen, R; Tavoloni, N. (1993). Liver carcinogenesis associated with feeding of ethionine in a choline-free diet: Evidence against a role of oval cells in the emergence of hepatocellular carcinoma. *Hepatology*. 18: 596-603. <http://dx.doi.org/10.1002/hep.1840180319>.
- Tartakovskiy, B; Manuel, ME; Guiot, SR. (2005). Degradation of trichloroethylene in a coupled anaerobic-aerobic bioreactor: Modeling and experiment. *Biochem Eng J*. 26: 72-81. <http://dx.doi.org/10.1016/j.bej.2005.06.007>.
- Tartakovskiy, B; Manuel, MF; Guiot, SR. (2003). Trichloroethylene degradation in a coupled anaerobic/aerobic reactor oxygenated using hydrogen peroxide. *Environ Sci Technol*. 37: 5823-5828.
- Tartakovskiy, B; Mehta, P; Bourque, JS; Guiot, S. R. (2011). Electrolysis-enhanced anaerobic digestion of wastewater. *Bioresour Technol*. 102: 5685-5691. <http://dx.doi.org/10.1016/j.biortech.2011.02.097>.
- Tasaltin, C; Basarir, F. (2014). Preparation of flexible VOC sensor based on carbon nanotubes and gold nanoparticles. *Sens Actuators B*. 194: 173-179. <http://dx.doi.org/10.1016/j.snb.2013.12.063>.
- Tasaltin, C; Ebeoglu, M; Ozturk, ZZ. (2012). Acoustoelectric Effect on the Responses of SAW Sensors Coated with Electrospun ZnO Nanostructured Thin Film. *Sensors*. 12: 12006-12015. <http://dx.doi.org/10.3390/s120912006>.

Fate Literature Search Results

Off Topic

- Tase, N. (1992). Groundwater contamination in Japan. *Environ Geol Water Sci.* 20: 15-20.
- Tateishi, M; Suzuki, S; Shimizu, H. (1978). Cysteine conjugate beta-lyase in rat liver. A novel enzyme catalyzing formation of thiol-containing metabolites of drugs. *J Biol Chem.* 253: 8854-8859.
- Tateishi, T; Nakura, H; Asoh, M; Watanabe, M; Tanaka, M; Kumai, T; Takashima, S; Imaoka, S; Funae, Y; Yabusaki, Y; Kamataki, T; Kobayashi, S. (1997). A comparison of hepatic cytochrome P450 protein expression between infancy and postinfancy. *Life Sci.* 61: 2567-2574. [http://dx.doi.org/10.1016/S0024-3205\(97\)01011-4](http://dx.doi.org/10.1016/S0024-3205(97)01011-4).
- Taurozzi, JS; Arul, H; Bosak, VZ; Burban, AF; Voice, TC; Bruening, ML; Tarabara, VV. (2008). Effect of filler incorporation route on the properties of polysulfone-silver nanocomposite membranes of different porosities. *J Memb Sci.* 325: 58-68. <http://dx.doi.org/10.1016/j.memsci.2008.07.010>.
- Tavakoli, J; Doney, JA. (1993). PYROLYSIS OF METHYLENE-CHLORIDE IN METHANE NITROGEN BATH USING A FLOW REACTOR. *Chemical Engineering Communications.* 119: 135-150.
- Tawney, I; Becker, JG; Baldwin, AH. (2008). A novel dual-compartment, continuous-flow wetland microcosm to assess cis-dichloroethene removal from the rhizosphere. *Int J Phytoremediation.* 10: 455-471. <http://dx.doi.org/10.1080/15226510802100655>.
- Tay, P; Pinnagoda, J; Sam, CT; Ho, SF; Tan, KT; Ong, CN. (1995). ENVIRONMENTAL AND BIOLOGICAL MONITORING OF OCCUPATIONAL EXPOSURE TO 1,1,1-TRICHLOROETHANE. *Occup Med (Lond).* 45: 147-150.
- Taylor, DH; Lagory, KE; Zaccaro, DJ; Pfohl, RJ; Laurie, RD. (1985). Effect of trichloroethylene on the exploratory and locomotor activity of rats exposed during development. *Sci Total Environ.* 47: 415-420. [http://dx.doi.org/10.1016/0048-9697\(85\)90345-6](http://dx.doi.org/10.1016/0048-9697(85)90345-6).
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). A detailed kinetic model of the high-temperature pyrolysis of tetrachloroethene. *Combust Flame.* 104: 260-271.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of 1,3-hexachlorobutadiene. *Combust Flame.* 106: 1-10. [http://dx.doi.org/10.1016/0010-2180\(95\)00248-0](http://dx.doi.org/10.1016/0010-2180(95)00248-0).
- Taylor, PH; Tirey, DA; Rubey, WA; Dellinger, B. (1994). DETAILED MODELING OF THE PYROLYSIS OF TRICHLOROETHENE - FORMATION OF CHLORINATED AROMATIC SPECIES. *Combust Sci Tech.* 101: 75-102.
- Taylor, RT; Hanna, ML; Shah, NN; Shonnard, DR; Duba, AG; Durham, WB; Jackson, KJ; Knapp, RB; Wijesinghe, AM; Et, AL. (1993). In situ bioremediation of trichloroethylene-contaminated water by a resting-cell methanotrophic microbial filter (pp. 323-342). (ISSN 0262-6667; BIOSIS/93/32497). Taylor, RT; Hanna, ML; Shah, NN; Shonnard, DR; Duba, AG; Durham, WB; Jackson, KJ; Knapp, RB; Wijesinghe, AM; Et, AL.
- Teaca, CA; Popa, VI. (2002). Trees as bioindicators of environmental pollution. *Cellulose Chemistry and Technology.* 36: 183-191.
- Teal, JM; Peterson, SB. (1991). The next generation of septage treatment (pp. 84-89). (ISSN 1047-7624; BIOSIS/92/23634). Teal, JM; Peterson, SB.
- Tebourbi, O; Driss, MR; Sakly, M; Rhouma, KB. (2006). Metabolism of DDT in different tissues of young rats. *J Environ Sci Health B.* 41: 167-176. <http://dx.doi.org/10.1080/03601230500364674>.
- Tee, Y, itH; Bachas, L; Bhattacharyya, D. (2009). Degradation of Trichloroethylene by Iron-Based Bimetallic Nanoparticles (vol 113, pg 9454, 2009). *J Phys Chem C.* 113: 12616-12616. <http://dx.doi.org/10.1021/jp905273a>.
- Tee, YH; Bachas, L; Bhattacharyya, D. (2009). Degradation of Trichloroethylene and Dichlorobiphenyls by Iron-Based Bimetallic Nanoparticles. *J Phys Chem C.* 113: 9454-9464. <http://dx.doi.org/10.1021/jp809098z>.
- Tee, YH; Grulke, E; Bhattacharyya, D. (2005). Role of Ni/Fe nanoparticle composition on the degradation of trichloroethylene from water. *Ind Eng Chem Res.* 44: 7062-7070. <http://dx.doi.org/10.1021/ie050086a>.
- Teel, A; Ahmad, M; Watts, RJ. (2011). Persulfate activation by naturally occurring trace minerals. *J Hazard Mater.* 196: 153-159. <http://dx.doi.org/10.1016/j.jhazmat.2011.09.011>.
- Teel, AL; Elloy, FC; Watts, RJ. (2016). Persulfate activation during exertion of total oxidant demand. *Chemosphere.* 158: 184-192. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.055>.
- Teel, AL; Warberg, CR; Atkinson, DA; Watts, RJ. (2001). Comparison of mineral and soluble iron Fenton's catalysts for the treatment of trichloroethylene. *Water Res.* 35: 977-984.
- Teel, AL; Watts, RJ. (2002). Degradation of carbon tetrachloride by modified Fenton's reagent. *J Hazard Mater.* 94: 179-189.
- Teerakun, M; Reungsang, A; Lin, CJ; Liao, CH. (2011). Coupling of zero valent iron and biobarriers for remediation of trichloroethylene in groundwater. *J Environ Sci.* 23: 560-567. [http://dx.doi.org/10.1016/S1001-0742\(10\)60448-2](http://dx.doi.org/10.1016/S1001-0742(10)60448-2).
- Tehrani, FMK; Rashidzadeh, M; Nemati, A; Irandoukht, A; Faridnia, B. (2011). Characterization and photocatalytic activities of nanosized titanium dioxide thin films. *Int J Environ Sci Tech.* 8: 545-552.
- Tekic, MN; Pekic, B; Vatai, G; Zekovic, Z. (1994). SEPARATION OF LANATOSIDES BY MEMBRANE-BASED EXTRACTION. *Separation Science and Technology.* 29: 551-556.
- Tekrony, MC; Ahlert, RC. (2001). Adsorption of chlorinated hydrocarbon vapors onto soil in the presence of water. *J Hazard Mater.* 84: 135-146.
- Teliba, B; Sibari, A; Silvestre, F; Gaset, A. (1993). VEGETABLE TANNING IN APOLAR SOLVENT MEDIA. *Journal of the Society of Leather Technologists and Chemists.* 77: 174-178.
- Templin, MV; Stevens, DK; Stenner, RD; Bonate, PL; Tuman, D; Bull, RJ. (1995). Factors affecting species differences in the kinetics of metabolites of trichloroethylene. *J Toxicol Environ Health.* 44: 435-447. <http://dx.doi.org/10.1080/15287399509531972>.
- Teppen, BJ; Yu, CH; Newton, SQ; Miller, DM; Schafer, L. (2002). Quantum molecular dynamics simulations regarding the dechlorination of trichloro ethene in the interlayer space of the 2 : 1 clay mineral nontronite. *J Phys Chem A.* 106: 5498-5503. <http://dx.doi.org/10.1021/jp0132127>.
- Terracini, B; Parker, V. (1965). A pathological study on the toxicity of s-dichlorovinyl-l-cysteine. *Food Cosmet Toxicol.* 3: 67-74.

Fate Literature Search Results

Off Topic

- Teruel, MA; Taccone, RA; Lane, SI. (2001). Gase-phase reactivity study of O(P-3) atoms with trans-CHCl=CHCl and CHCl=CCl₂ at 298 K: Comparison to reactions with some other substituted ethenes. *Int J Chem Kinet.* 33: 415-421.
- Terzi, K; Sikinioti-Lock, A; Gkelios, A; Tzavara, D; Skouras, A; Aggelopoulos, C; Klepetsanis, P; Antimisariis, S; Tsakiroglou, CD. (2016). Mobility of zero valent iron nanoparticles and liposomes in porous media. *Colloid Surface Physicochem Eng Aspect.* 506: 711-722. <http://dx.doi.org/10.1016/j.colsurfa.2016.07.054>.
- Teschke, K; Ahrens, W; Andersen, A; Boffetta, P; Fincham, S; Finkelstein, M; Henneberger, P; Kauppinen, T; Kogevinas, M; Korhonen, K; Liss, G; Liukkonen, T; Osvoll, P; Savela, A; Szadkowska-Stanczyk, I; Westberg, H; Widerkiewicz, K. (1999). Occupational exposure to chemical and biological agents in the nonproduction departments of pulp, paper, and paper product mills: an international study. *Am Ind Hyg Assoc J.* 60: 73-83. <http://dx.doi.org/10.1080/00028899908984424>.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med.* 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Teshima, K; Lee, S; Murakoshi, S; Suzuki, S; Kiyohara, M; Yubuta, K; Shishido, T; Endo, M; Oishi, S. (2010). A Unique Three-Dimensional Photocatalytic Structure Consisting of Highly Crystalline Na₂Ti₃O₇ Whiskers Grown from a NaCl Flux. *Cryst Growth Des.* 10: 2533-2540. <http://dx.doi.org/10.1021/cg901229d>.
- Testud, F. (2015). B-cell lymphoma in a maintenance technician. *Arch Mal Prof Environ.* 76: 409-410. <http://dx.doi.org/10.1016/j.admp.2015.06.003>.
- Teuschler, LK; Gennings, C; Hartley, WR; Carter, H; Thiyagarajah, A; Schoeny, R; Cubbison, C. (2005). The interaction effects of binary mixtures of benzene and toluene on the developing heart of medaka (*Oryzias latipes*). *Chemosphere.* 58: 1283-1291. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.075>.
- Tezel, U; Demirer, GN; Uludag-Demirer, S. (2005). Control of trichloroethylene emissions from sparging systems by horizontal bio- and chemo-barriers. *Environ Technol.* 26: 171-177.
- Thakulsukanant, C; Lobban, LL; Osuwan, S; Waritswat, A. (1997). Adsorbilization and stability characteristics of hydrocarbon aggregates chemically bonded to porous silica. *Langmuir.* 13: 4595-4599.
- Thamtharai, P; Rangsunvigit, P; Malakul, P; Scamehorn, JF. (2007). Surfactant-enhanced carbon regeneration in a vapor-phase application. *Separation Science and Technology.* 42: 3333-3349. <http://dx.doi.org/10.1080/01496390701626842>.
- Thamtharai, P; Rangsunvigit, P; Malakul, P; Scamehorn, JF. (2007). Surfactant-enhanced regeneration of polymeric resin in a vapor-phase application. *Separation Science and Technology.* 42: 3117-3130. <http://dx.doi.org/10.1080/01496390701588976>.
- Thanga, HH; Verma, AL. (2003). Photooxidation of cobalt(II) meso-tetraphenylporphyrin by p-benzopuinone and its mechanism studied by optical absorption and resonance Raman spectroscopies. *Journal of Porphyrins and Phthalocyanines.* 7: 540-547.
- Thangavadivel, K; Wang, W, eiH; Birke, V; Naidu, R. (2013). A Comparative Study of Trichloroethylene (TCE) Degradation in Contaminated Groundwater (GW) and TCE-Spiked Deionised Water Using Zero Valent Iron (ZVI) Under Various Mass Transport Conditions. *Water Air Soil Pollut.* 224. <http://dx.doi.org/10.1007/s11270-013-1718-7>.
- Thantu, N; Schley, RS. (2003). Ultrafast third-order nonlinear optical spectroscopy of chlorinated hydrocarbons. *Vibrational Spectroscopy.* 32: 215-223. [http://dx.doi.org/10.1016/S0924-2031\(03\)00068-7](http://dx.doi.org/10.1016/S0924-2031(03)00068-7).
- Tharappel, JC; Cunningham, ML; Spear, BT; Glauert, HP. (2001). Differential activation of hepatic NF-κB in rats and hamsters by the peroxisome proliferators Wy-14,643, gemfibrozil, and dibutyl phthalate. *Toxicol Sci.* 62: 20-27. <http://dx.doi.org/10.1093/toxsci/62.1.20>.
- Thibodeaux, LJ; Carver, JC. (1997). Hindcasting volatile chemical emissions to air from ponded recycle oil. *Environmental Progress.* 16: 106-115.
- Thiel, A; Schleyer, C; Hinkel, J; Schluter, M; Hagedorn, K; Bisaro, S; Bobojonov, I; Hamidov, A. (2016). Transferring Williamson's discriminating alignment to the analysis of environmental governance of social-ecological interdependence. *Ecol Econ.* 128: 159-168. <http://dx.doi.org/10.1016/j.ecolecon.2016.04.018>.
- Thijs, S; Sillen, W; Weyens, N; Vangronsveld, J. (2017). Phytoremediation: State-of-the-art and a key role for the plant microbiome in future trends and research prospects. *Int J Phytoremediation.* 19: 23-38. <http://dx.doi.org/10.1080/15226514.2016.1216076>.
- Thoben, M; Xie, X; Silber, D; Wilde, J. (2001). Reliability of chip/DCB solder joints in AlSiC base plate power modules: Influence of chip size. *Microelectron Reliab.* 41: 1719-1723.
- Thomas, JJ; Kim, JH; Mauro, DM. (1992). 4-(4-nitrobenzyl)pyridine tests for alkylating agents following chemical oxidative activation. *Arch Environ Contam Toxicol.* 22: 219-227. <http://dx.doi.org/10.1007/BF00213289>.
- Thomas, JM; Ward, CH. (1992). SUBSURFACE MICROBIAL ECOLOGY AND BIOREMEDIATION. *J Hazard Mater.* 32: 179-194.
- Thomas, LK; Widdowson, MA; Chapelle, FH; Novak, JT; Boncal, JE; Lebron, CA. (2013). Distribution of Potentially Bioavailable Natural Organic Carbon in Aquifer Sediments at a Chloroethene-Contaminated Site. *J Environ Eng.* 139: 54-60. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000597](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000597).
- Thomas, RS; Bigelow, PL; Keefe, TJ; Yang, RS. (1996). Variability in biological exposure indices using physiologically based pharmacokinetic modeling and Monte Carlo simulation. *Am Ind Hyg Assoc J.* 57: 23-32. <http://dx.doi.org/10.1080/15428119691015188>.
- Thoms, S. R.; Lion, LW. (1992). COMPETITION AND ENHANCEMENT OF VOC SORPTION AT LOW SORBENT MOISTURE CONTENTS. *Chemosphere.* 25: 1707-1719.
- Thomson, NR; Hood, ED; Farquhar, GJ. (2007). Permanganate treatment of an emplaced DNAPL source. *Ground Water Monitoring and Remediation.* 27: 74-85.
- Thomson, NR; Sykes, JF; Van Vliet, D. (1997). A numerical investigation into factors affecting gas and aqueous phase plumes in the subsurface. *J Contam Hydrol.* 28: 1-2.
- Thong, JTL. (1992). TRANSIT-TIME EFFECT IN ELECTRON-BEAM TESTING VOLTAGE MEASUREMENTS. *Meas Sci Technol.* 3: 827-837.

Fate Literature Search Results

Off Topic

- Thorbjarnarson, KW; Mackay, DM. (1997). A field test of tracer transport and organic contaminant elution in a stratified aquifer at the Rocky Mountain Arsenal (Denver, Colorado, USA). *J Contam Hydrol.* 24: 287-312.
- Thoreson, KA; Mcneill, K. (2011). Vicinal dichlorine elimination at dichloroalkenes promoted by a well-defined iron(0) complex. *Dalton Trans.* 40: 1646-1648. <http://dx.doi.org/10.1039/c0dt01532f>.
- Thorgeirsson, SS. (2006). Genomic decoding of hepatocellular carcinoma [Editorial]. *Gastroenterology.* 131: 1344-1346. <http://dx.doi.org/10.1053/j.gastro.2006.08.060>.
- Thornton, WA. (1998). Toward a more accurate and extensible colorimetry. Part VI. Improved weighting functions. Preliminary results. *Color Res Appl.* 23: 226-233.
- Thrall, KD; Poet, TS. (2000). Determination of biokinetic interactions in chemical mixtures using real-time breath analysis and physiologically based pharmacokinetic modeling. *J Toxicol Environ Health A.* 59: 653-670. <http://dx.doi.org/10.1080/009841000156646>.
- Tian, H, ua; Li, J; Mu, Z; Li, L; Hao, Z. (2009). Effect of pH on DDT degradation in aqueous solution using bimetallic Ni/Fe nanoparticles. *Separation and Purification Technology.* 66: 84-89. <http://dx.doi.org/10.1016/j.seppur.2008.11.018>.
- Tichenor, LAB; El-Sinawi, A; Yamada, T; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2001). Kinetic studies of the reaction of hydroxyl radicals with trichloroethylene and tetrachloroethylene. *Chemosphere.* 42: 571-577.
- Tichenor, LAB; Lozada-Ruiz, AJ; Yamada, T; El-Sinawi, A; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2000). Reaction of hydroxyl radicals with trichloroethylene: Evidence for chlorine elimination channels at elevated temperatures. *Proc Combust Inst.* 28: 1495-1502.
- Tick, GR; Harvell, JR; Murgulet, D. (2015). Intermediate-Scale Investigation of Enhanced-Solubilization Agents on the Dissolution and Removal of a Multicomponent Dense Nonaqueous Phase Liquid (DNAPL) Source. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2636-7>.
- Tick, GR; Rincon, EA. (2009). Effect of Enhanced-Solubilization Agents on Dissolution and Mass Flux from Uniformly Distributed Immiscible Liquid Trichloroethene (TCE) in Homogeneous Porous Media. *Water Air Soil Pollut.* 204: 315-332. <http://dx.doi.org/10.1007/s11270-009-0047-3>.
- Ticknor, JL; Elsayed-Ali, O; Kim, W, onS; Trotz, MA; Cunningham, JA. (2013). Simplified Analysis of Chlorinated Ethenes in Water Samples by Gas Chromatography with Flame Ionization Detection. *Environ Eng Sci.* 30: 30-37. <http://dx.doi.org/10.1089/ees.2012.0101>.
- Tiedeman, CR; Lacombe, PJ; Goode, DJ. (2010). Multiple well-shutdown tests and site-scale flow simulation in fractured rocks. *Ground Water.* 48: 401-415. <http://dx.doi.org/10.1111/j.1745-6584.2009.00651.x>.
- Tiedje, JM; Thiem, SM; Massol-Deya, A; Ka, JO; Fries, MR. (1995). Tracking microbial Populations effective in reducing exposure. *Environ Health Perspect.* 103: 117-120.
- Tiehm, A; Schmidt, KR; Pfeifer, B; Heidinger, M; Ertl, S. (2008). Growth kinetics and stable carbon isotope fractionation during aerobic degradation of cis-1,2-dichloroethene and vinyl chloride. *Water Res.* 42: 2431-2438. <http://dx.doi.org/10.1016/j.watres.2008.01.029>.
- Tielemans, E; Heederik, D; Burdorf, A; Vermeulen, R; Veulemans, H; Kromhout, H; Hartog, K. (1999). Assessment of occupational exposures in a general population: comparison of different methods. *Occup Environ Med.* 56: 145-151.
- Tillman, FD; Choi, JW; Smith, JA. (2003). A comparison of direct measurement and model simulation of total flux of volatile organic compounds from the subsurface to the atmosphere under natural field conditions. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2003WR002098>.
- Tillman, FD; Smith, JA. (2004). Design and laboratory testing of a chamber device to measure total flux of volatile organic compounds from the unsaturated zone under natural conditions. *J Contam Hydrol.* 75: 71-90. <http://dx.doi.org/10.1016/j.jconhyd.2004.04.005>.
- Tillman, FD; Smith, JA. (2005). Site characteristics controlling airflow in the 4-shallow unsaturated zone in response to atmospheric pressure changes. *Environ Eng Sci.* 22: 25-37.
- Tillman, FD; Weaver, JW. (2007). Temporal moisture content variability beneath and external to a building and the potential effects on vapor intrusion risk assessment. *Sci Total Environ.* 379: 1-15. <http://dx.doi.org/10.1016/j.scitotenv.2007.02.003>.
- Ting, G, uo; Zhipeng, B; Can, W, u; Tan, Z, hu. (2007). Influence of environmental humidity on the photocatalytic oxidation of toluene by TiO₂ loaded on activated carbon fibers. *Chinese journal of catalysis.* 28: 1089-1095.
- Tipagornwong, C; Figliozzi, M. (2014). Analysis of Competitiveness of Freight Tricycle Delivery Services in Urban Areas. *Trans Res Rec76-84.* <http://dx.doi.org/10.3141/2410-09>.
- Tiwari, M; Sahu, SK; Pandit, GG. (2016). Distribution and ecotoxicological concerns of persistent organic pollutants in sediment from creek ecosystem. *J Environ Sci Health B.* 51: 616-621. <http://dx.doi.org/10.1080/03601234.2016.1181907>.
- Tiwari, N; Asthana, A; Upadhyay, K. (2013). Spectrophotometric analysis of trichloroethylene in various environmental and biological samples. *Res Chem Intermed.* 39: 3867-3875. <http://dx.doi.org/10.1007/s11164-012-0888-z>.
- Tkachenko, IS; Tkachenko, SN; Lokteva, ES; Likhobolov, VA. (2016). Ozone-adsorption Method of TRIC and PERC Elimination from Underground Water Corresponding to the Russian Maximum Permissible Concentration Standards. *Ozone: Science and Engineering.* 38: 302-311. <http://dx.doi.org/10.1080/01919512.2016.1141671>.
- To, PC; Marinas, BJ; Snoeyink, VL; Ng, WJ. (2008). Effect of pore-blocking background compounds on the kinetics of trace organic contaminant desorption from activated carbon. *Environ Sci Technol.* 42: 4825-4830. <http://dx.doi.org/10.1021/es800058s>.
- Tobiszewski, M; Namieśnik, J. (2012). Abiotic degradation of chlorinated ethanes and ethenes in water [Review]. *Environ Sci Pollut Res Int.* 19: 1994-2006. <http://dx.doi.org/10.1007/s11356-012-0764-9>.
- Toffoletto, F; Crippa, M; Torri, D. (2007). Interactions between alcohol and work exposure to chemical substances [Review]. *Med Lav.* 98: 513-520.
- Tokunaga, T; Hanashima, M; Matsufuji, Y; Kitamori, S; Sera, N. (1998). Biodechlorination of tetrachloroethylene by anaerobic bacteria cell cultures isolated from contaminated and uncontaminated soils. *Bull Environ Contam Toxicol.* 60: 88-95.

Fate Literature Search Results

Off Topic

- Tola, S; Vilhunen, R; Jarvinen, E; Korkala, ML. (1980). A cohort study on workers exposed to trichloroethylene. *J Occup Environ Med.* 22: 737-740.
- Toledo, JM; Corella, J; Sanz, A. (2001). Noble metal-based catalysts for total oxidation of chlorinated hydrocarbons. *Environmental Progress.* 20: 167-174.
- Tom Kuo, MC; Liang, KF; Han, YL; Fan, KC. (2004). Pilot studies for in-situ aerobic cometabolism of trichloroethylene using toluene-vapor as the primary substrate. *Water Res.* 38: 4125-4134. <http://dx.doi.org/10.1016/j.watres.2004.08.009>.
- Toma, M; Grosser, M; Herr, A; Aust, D; Meye, A; Hoefling, C; Fuessel, S; Wuttig, D; Wirth, M; Baretton, G. (2008). Loss of heterozygosity and copy number abnormality in clear cell renal cell carcinoma discovered by high-density affymetrix 10K single nucleotide polymorphism mapping array. *Neoplasia.* 10: 634-642.
- Toman, F; Benes, L. (2007). Enthalpies of sorption of linear hydrocarbons (C-2-C-8) and chloroderivatives of methane and ethylene on the surface of hydrotalcite. *J Incl Phenom Macrocycl Chem.* 59: 231-236. <http://dx.doi.org/10.1007/s10847-007-9318-z>.
- Tomasic, V; Jovic, F; Gomzi, Z. (2008). Photocatalytic oxidation of toluene in the gas phase: Modelling an annular photocatalytic reactor. *Catalysis Today.* 137: 350-356. <http://dx.doi.org/10.1016/j.cattod.2008.05.017>.
- Tomisawa, H; Ichihara, S; Fukazawa, H; Ichimoto, N; Tateishi, M; Yamamoto, I. (1986). Purification and characterization of human hepatic cysteine-conjugate beta-lyase. *Biochem J.* 235: 569-575.
- Tomisawa, H; Suzuki, S; Ichihara, S; Fukazawa, H; Tateishi, M. (1984). Purification and characterization of C-S lyase from *Fusobacterium varium*: A C-S cleavage enzyme of cysteine conjugates and some S-containing amino acids. *J Biol Chem.* 259: 2588-2593.
- Tompson, AFB; Knapp, RB; Hanna, ML; Taylor, RT. (1994). SIMULATION OF TCE MIGRATION AND BIODEGRADATION IN A POROUS-MEDIUM UNDER CONDITIONS OF FINITE DEGRADATION CAPACITY. *Advances in Water Resources.* 17: 241-249.
- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta catalyses the oxygenation of the carcinogen dichloroacetic acid to glyoxylic acid. *Biochem J.* 331: 371-374.
- Topudurti, K; Keefe, M; Wooliever, P; Lewis, N. (1994). FIELD-EVALUATION OF PEROX-PURE(TM) CHEMICAL OXIDATION TECHNOLOGY. *Water Sci Technol.* 30: 95-104.
- Toren, K; Sterner, T. (2003). How to promote prevention-economic incentives or legal regulations or both? *Scand J Work Environ Health.* 29: 239-245.
- Torimoto, T; Ito, S; Kuwabata, S; Yoneyama, H. (1996). Effects of adsorbents used as supports for titanium dioxide loading on photocatalytic degradation of propylamide. *Environ Sci Technol.* 30: 1275-1281.
- Torn, MS; Davis, S; Bird, JA; Shaw, MR; Conrad, ME. (2003). Automated analysis of 13C/12C ratios in CO2 and dissolved inorganic carbon for ecological and environmental applications. *Rapid Commun Mass Spectrom.* 17: 2675-2682. <http://dx.doi.org/10.1002/rcm.1246>.
- Torres-Dosal, A; Isabel Martinez-Salinas, R; Hernandez-Benavides, D; Javier Perez-Vazquez, F; Ilizaliturri-Hernandez, C; Nelinho Perez-Maldonado, I. (2012). Assessment of the levels of DDT and DDE in soil and blood samples from Tabasco, Mexico. *Environ Monit Assess.* 184: 7551-7559. <http://dx.doi.org/10.1007/s10661-012-2518-z>.
- Toth, B; Hornung, D; Scholz, C; Djalali, S; Friese, K; Jeschke, U. (2007). Peroxisome proliferator-activated receptors: new players in the field of reproduction [Review]. *Am J Reprod Immunol.* 58: 289-310. <http://dx.doi.org/10.1111/j.1600-0897.2007.00514.x>.
- Tracz, A; Jeszka, JK; Sroczynska, A; Ulanski, J; Pakula, T. (1996). Properties and microstructure of crystalline BEDT-TTF polyiodide network in polycarbonate matrix. 6: 335-342.
- Tratnyek, PG. (2015). Comment on "evaluation of the kinetic oxidation of aqueous volatile organic compounds by permanganate" by M. G. Mahmoodlu, S. M. Hassanizadeh, and N. Hartog, in *Science of the Total Environment* (2014) 485-486: 755-763 [Letter]. *Sci Total Environ.* 502: 722-723. <http://dx.doi.org/10.1016/j.scitotenv.2014.08.065>.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res.* 35: 4435-4443.
- Travis, BJ; Rosenberg, ND. (1997). Modeling in situ bioremediation of TCE at Savannah River: Effects of product toxicity and microbial interactions on TCE degradation. *Environ Sci Technol.* 31: 3093-3102.
- Travis, CC. (2011). On the Definition of Internal Dose Metrics. *Hum Ecol Risk Assess.* 17: 467-477. <http://dx.doi.org/10.1080/10807039.2011.552399>.
- Trejo-Acevedo, A; Rivero-Pérez, NE; Flores-Ramírez, R; Orta-García, ST; Varela-Silva, JA; Pérez-Maldonado, IN. (2012). Assessment of the levels of persistent organic pollutants and 1-hydroxypyrene in blood and urine samples from Mexican children living in an endemic malaria area in Mexico. *Bull Environ Contam Toxicol.* 88: 828-832. <http://dx.doi.org/10.1007/s00128-012-0593-z>.
- Trevisan, A; Giraldo, M; Borella, M; Maso, S. (2001). Historical control data on urinary and renal tissue biomarkers in naive male Wistar rats. *J Appl Toxicol.* 21: 409-413.
- Triebig, G; Bestler, W; Baumeister, P; Valentin, H. (1983). [Neurotoxicity of workplace substances. IV. Determination of motor and sensory nerve conduction velocity in persons exposed to solvent mixtures]. *Int Arch Occup Environ Health.* 52: 139-150. <http://dx.doi.org/10.1007/BF00405417>.
- Triebig, G; Blume, J. (1992). ORGANIC-SOLVENTS AT THE WORKPLACE AND NEPHROTOXICITY - CURRENT KNOWLEDGE AND FUTURE PROSPECT. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 27: 190-&.
- Triebig, G; Schaller, KH. (1991). OCCUPATIONAL MEDICAL INVESTIGATION OF PAINTERS AND LACQUERERS EXPOSED TO HAZARDOUS SUBSTANCES. *Staub, Reinhaltung der Luft.* 51: 1-4.
- Triebig, G; Schaller, KH; Erzigkeit, H; Valentin, LH. (1977). Biochemische untersuchungen und psychologische studien an chronisch trichloräthylen-belasteten personen unter berücksichtigung expositionsfreier intervale. *Int Arch Occup Environ Health.* 38: 149-162. <http://dx.doi.org/10.1007/BF00378353>.

Fate Literature Search Results

Off Topic

- Triebig, G; Trautner, P; Weltle, D; Saure, E; Valentin, H. (1982). Untersuchungen zur neurotoxizität von arbeitsstoffen. *Int Arch Occup Environ Health*. 51: 25-34. <http://dx.doi.org/10.1007/BF00378407>.
- Troldborg, M; Nowak, W; Tuxen, N; Bjerg, PL; Helmig, R; Binning, PJ. (2010). Uncertainty evaluation of mass discharge estimates from a contaminated site using a fully Bayesian framework. *Water Resour Res*. 46: n/a. <http://dx.doi.org/10.1029/2010WR009227>.
- Truchon, G; Tardif, R; Droz, PO; Charest-Tardif, G; Pierrehumbert, G. (2006). Biological exposure indicators: quantification of biological variability using toxicokinetic modeling. *J Occup Environ Hyg*. 3: 137-143. <http://dx.doi.org/10.1080/15459620500524987>.
- Truex, MJ; Macbeth, TW; Vermeul, VR; Fritz, BG; Mendoza, DP; Mackley, RD; Wietsma, TW; Sandberg, G; Powell, T; Powers, J; Pitre, E; Michalsen, M; Ballock-Dixon, SJ; Zhong, L; Oostrom, M. (2011). Demonstration of combined zero-valent iron and electrical resistance heating for in situ trichloroethene remediation. *Environ Sci Technol*. 45: 5346-5351. <http://dx.doi.org/10.1021/es104266a>.
- Truex, MJ; Vermeul, VR; Mendoza, DP; Fritz, BG; Mackley, RD; Oostrom, M; Wietsma, TW; Macbeth, TW. (2011). Injection of zero-valent iron into an unconfined aquifer using shear-thinning fluids. *Ground Water Monitoring and Remediation*. 31: 50-58. <http://dx.doi.org/10.1111/j.1745-6592.2010.01319.x>.
- Truhaut, R. (1951). [Contribution to the study of toxicology of trichloroethylene; Establishment of a method of determination applicable to atmosphere and biological media]. *Ann Pharm Fr*. 9: 175-187.
- Trung, T; Ha, CS. (2004). One-component solution system to prepare nanometric anatase TiO₂. *Mater Sci Eng C*. 24: 19-22. <http://dx.doi.org/10.1016/j.msec.2003.09.004>.
- Tryndyak, VP; Muskhelishvili, L; Kovalchuk, O; Rodriguez-Juarez, R; Montgomery, B; Churchwell, MI; Ross, SA; Beland, FA; Pogribny, IP. (2006). Effect of long-term tamoxifen exposure on genotoxic and epigenetic changes in rat liver: implications for tamoxifen-induced hepatocarcinogenesis. *Carcinogenesis*. 27: 1713-1720. <http://dx.doi.org/10.1093/carcin/bgl050>.
- Tsai, CJ; Chen, ML; Chang, KF; Chang, FK; Mao, IF. (2009). The pollution characteristics of odor, volatile organochlorinated compounds and polycyclic aromatic hydrocarbons emitted from plastic waste recycling plants. *Chemosphere*. 74: 1104-1110. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.041>.
- Tsai, TT; Chen, KF; Tsai, WA; Liu, YH; Kao, CM. (2012). Application of Monitored Natural Attenuation and Risk-based Corrective Action at a Chlorinated-Hydrocarbon Contaminated Site for Risk Management. *Res Journal Chem Environ*. 16: 87-97.
- Tsai, TT; Kao, CM; Hong, A; Liang, SH; Chien, HY. (2008). Remediation of TCE-contaminated aquifer by an in situ three-stage treatment train system. *Colloid Surface Physicochem Eng Aspect*. 322: 130-137. <http://dx.doi.org/10.1016/j.colsurfa.2008.03.012>.
- Tsai, TT; Kao, CM; Surampalli, R; Weng, CH; Liang, SH. (2010). Treatment of TCE-Contaminated Groundwater Using Fenton-Like Oxidation Activated with Basic Oxygen Furnace Slag. *J Environ Eng*. 136: 288-294. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000137](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000137).
- Tsai, TT; Kao, CM; Wang, JY. (2011). Remediation of TCE-contaminated groundwater using acid/BOF slag enhanced chemical oxidation. *Chemosphere*. 83: 687-692. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.023>.
- Tsai, TT; Kao, CM; Yeh, TY; Liang, SH; Chien, HY. (2009). Application of surfactant enhanced permanganate oxidation and biodegradation of trichloroethylene in groundwater. *J Hazard Mater*. 161: 111-119. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.061>.
- Tsai, TT; Liu, JK; Chang, YM; Chen, KF; Kao, CM. (2014). Application of polycolloid-releasing substrate to remediate trichloroethylene-contaminated groundwater: A pilot-scale study. *J Hazard Mater*. 268: 92-101. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.004>.
- Tsai, TY; Okawa, K; Nakano, Y; Nishijima, W; Okada, M. (2004). Decomposition of trichloroethylene and 2,4-dichlorophenol by ozonation in several organic solvents. *Chemosphere*. 57: 1151-1155. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.081>.
- Tsakiroglou, C; Terzi, K; Sikioti-Lock, A; Hajdu, K; Aggelopoulos, C. (2016). Assessing the capacity of zero valent iron nanofluids to remediate NAPL-polluted porous media. *Sci Total Environ*. 563-564: 866-878. <http://dx.doi.org/10.1016/j.scitotenv.2016.02.010>.
- Tsang, DC; Graham, NJ; Lo, IM. (2009). Humic acid aggregation in zero-valent iron systems and its effects on trichloroethylene removal. *Chemosphere*. 75: 1338-1343. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.058>.
- Tschantz, MF; Bowman, JP; Donaldson, TL; Bienkowski, PR; Strong-Gunderson, JM; Palumbo, AV; Herbes, SE; Saylor, GS. (1995). Methanotrophic TCE biodegradation in a multi-stage bioreactor. *Environ Sci Technol*. 29: 2073-2082.
- Tschantz, MF; Bowman, JP; Evans, F; Bienkowski, PR; Donaldson, TL; Saylor, GS. (1996). Development of a fully suspended, multi-stage bioreactor system for trichloroethylene degradation based on soluble monooxygenase cometabolism. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicology*. 31: 249-266.
- Tsekov, R; Smirniotis, PG. (1997). Radiation field in continuous annular photocatalytic reactors: Role of the lamp finite size. *Chem Eng Sci*. 52: 1667-1671.
- Tseng, H; Su, JG; Liang, C. (2011). Synthesis of granular activated carbon/zero valent iron composites for simultaneous adsorption/dechlorination of trichloroethylene. *J Hazard Mater*. 192: 500-506. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.047>.
- Tseng, TK; Chu, H; Hsu, HH. (2003). The catalytic incineration of trichloroethylene over a gamma-alumina supported manganese oxide catalyst. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 38: 1159-1176. <http://dx.doi.org/10.1081/ESE-120019871>.
- Tseng, TK; Chu, H; Hsu, HH. (2003). Characterization of gamma-alumina-supported manganese oxide as an incineration catalyst for trichloroethylene. *Environ Sci Technol*. 37: 171-176. <http://dx.doi.org/10.1021/es0255960>.
- Tseng, TK, e; Wang, L; Ho, C; Chu, H. (2010). The destruction of dichloroethane over a gamma-alumina supported manganese oxide catalyst. *J Hazard Mater*. 178: 1035-1040. <http://dx.doi.org/10.1016/j.jhazmat.2010.02.044>.
- Tserng, H, uiP; Ho, SP; Chou, J, uiS; Lin, C. (2014). PROACTIVE MEASURES OF GOVERNMENTAL DEBT GUARANTEES TO FACILITATE PUBLIC-PRIVATE PARTNERSHIPS PROJECT. *Journal of Civil Engineering and Management*. 20: 548-560. <http://dx.doi.org/10.3846/13923730.2013.801883>.
- Tsitonaki, A; Petri, B; Crimi, M; Mosbaek, H; Siegrist, RL; Bjerg, PL. (2010). In Situ Chemical Oxidation of Contaminated Soil and Groundwater Using Persulfate: A Review. *Crit Rev Environ Sci Tech*. 40: 55-91. <http://dx.doi.org/10.1080/10643380802039303>.

Fate Literature Search Results

Off Topic

- Tsitonaki, A; Smets, BF; Bjerg, PL. (2008). Effects of heat-activated persulfate oxidation on soil microorganisms. *Water Res.* 42: 1013-1022. <http://dx.doi.org/10.1016/j.watres.2007.09.018>.
- Tso, CP; Shih, YH. (2015). The reactivity of well-dispersed zerovalent iron nanoparticles toward pentachlorophenol in water. *Water Res.* 72: 372-380. <http://dx.doi.org/10.1016/j.watres.2014.12.038>.
- Tsotsou, GE; Cass, AEG; Gilardi, G. (2002). High throughput assay for cytochrome P450BM3 for screening libraries of substrates and combinatorial mutants. *Biosens Bioelectron.* 17: 119-131.
- Tsuda, S. (1970). TRICHLOROETHYLENE AND PERCHLOROETHYLENE MADE VIA SIMPLE NEW ROUTE. *Chem Eng.* 77: 74-&.
- Tsuji, S; Kawaguchi, H. (2008). Thermosensitive pickering emulsion stabilized by poly(N-isopropylacrylamide)-carrying particles. *Langmuir.* 24: 3300-3305. <http://dx.doi.org/10.1021/la701780g>.
- Tsuru, T; Toyosada, T; Yoshioka, T; Asaeda, M. (2001). Photocatalytic reactions in a filtration system through porous titanium dioxide membranes. *J Chem Eng Jpn.* 34: 844-847.
- Tsuru, T; Toyosada, T; Yoshioka, T; Asaeda, M. (2003). Photocatalytic membrane reactor using porous titanium oxide membranes. *J Chem Eng Jpn.* 36: 1063-1069.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology.* 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tugwood, JD; Aldridge, TC; Lambe, KG; Macdonald, N; Woodyatt, NJ. (1996). Peroxisome proliferator-activated receptors: Structures and function. *Ann N Y Acad Sci.* 804: 252-265. <http://dx.doi.org/10.1111/j.1749-6632.1996.tb18620.x>.
- Turcio-Ortega, D; Fan, D; Tratnyek, PG; Kim, E; Chang, YS. (2012). Reactivity of Fe/FeS Nanoparticles: Electrolyte Composition Effects on Corrosion Electrochemistry. *Environ Sci Technol.* 46: 12484-12492. <http://dx.doi.org/10.1021/es303422w>.
- Turgut, C; Cutright, TJ; Mermer, S; Atatanir, L; Turgut, N; Usluy, M; Erdogan, O. (2013). The source of DDT and its metabolites contamination in Turkish agricultural soils. *Environ Monit Assess.* 185: 1087-1093. <http://dx.doi.org/10.1007/s10661-012-2616-y>.
- Turkall, R; Skowronski, GA; Suh, DH; Abdel-rahman, MS. (2003). Effect of a chemical mixture on dermal penetration of arsenic and nickel in male pig in vitro. *J Toxicol Environ Health A.* 66: 647-655. <http://dx.doi.org/10.1080/15287390309353772>.
- Turner, LH; Chiew, YC; Ahlert, RC; Kosson, DS. (1996). Measuring vapor-liquid equilibrium for aqueous-organic systems: Review and a new technique. *AIChE J.* 42: 1772-1788.
- Tutkun, O. (1993). CONDENSATION OF VAPORS OF BINARY IMMISCIBLE LIQUIDS. *Chemical Engineering and Processing: Process Intensification.* 32: 263-272.
- Twesme, TM; Tompkins, DT; Anderson, MA; Root, TW. (2006). Photocatalytic oxidation of low molecular weight alkanes: Observations with ZrO₂-TiO₂ supported thin films. *Appl Catal B-Environ.* 64: 153-160. <http://dx.doi.org/10.1016/j.apcatb.2005.11.010>.
- U.S. EPA. (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.
- U.S. EPA. (1986). Guidelines for the health risk assessment of chemical mixtures (pp. 1-38). (EPA/630/R-98/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=22567>.
- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=34855>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=23162>.
- U.S. EPA. (1992). A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg³/4/day [EPA Report] (pp. 24152-24161). Washington, DC.
- U.S. EPA. (1992). Dermal exposure assessment: Principles and applications (interim report) [EPA Report]. (EPA/600/8-91/011B). Washington, DC: Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=12188>.
- U.S. EPA. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=186068>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recorddisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA. (1995). The national public water system supervision program: Compliance report, FY 1994 [EPA Report]. (EPA 812-R-95-001). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20001TKR.txt>.
- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA. (1997). Exposure factors handbook [EPA Report] (pp. 1216). (EPA/600/P-95/002Fa-c). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=12464>.
- U.S. EPA. (1998). EPA data file: Office of groundwater and drinking water [EPA Report]. Washington, DC.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.

Fate Literature Search Results

Off Topic

- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727.
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2001). Sources, emission and exposure for trichloroethylene (TCE) and related chemicals [EPA Report]. (EPA/600/R-00/099). Washington, DC. <http://nepis.epa.gov/Exe/ZyNET.exe/30002FKO.TXT?ZyActionD=ZyDocument&Client=EPA&Index=2000+Thru+2005&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5Cindex%20Data%5C00thru05%5Ctxt%5C00000002%5C30002FKO.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL#>.
- U.S. EPA. (2002). Health assessment of 1,3-butadiene [EPA Report]. (EPA/600/P-98/001F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=54499>.
- U.S. EPA. (2002). OSWER draft guidance for evaluating the vapor intrusion to indoor air pathway from groundwater and soils (subsurface vapor intrusion guidance) [EPA Report]. (EPA 530-D-02-004). Washington, DC. <http://epa.gov/osw/hazard/correctiveaction/eis/vapor/guidance.pdf>.
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA. (2003). Framework for cumulative risk assessment [EPA Report]. (EPA/630/P-02/001F). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004TJH.txt>.
- U.S. EPA. (2003). Occurrence estimation methodology and occurrence findings report of the six-year review of existing national primary drinking water regulations [EPA Report]. (EPA-815/R-03-006). Washington, DC. http://water.epa.gov/lawsregs/rulesregs/regulatingcontaminants/sixyearreview/first_review/upload/support_6yr_occurrencemethods_final.pdf.
- U.S. EPA. (2003). Toxicological review of dichloroacetic acid (CAS No. 79-43-6) [EPA Report]. (EPA 635/R-03/007). Washington, DC. <http://www.epa.gov/iris/toxreviews/0654tr.pdf>.
- U.S. EPA. (2004). Estimated per capita water ingestion and body weight in the United States: An update [EPA Report]. (EPA-822/R-00-001). Washington, DC: U.S. Environmental Protection Agency, Office of Water. http://water.epa.gov/action/advisories/drinking/upload/2005_05_06_criteria_drinking_percapita_2004.pdf.
- U.S. EPA. (2005). Documentation of environmental indicator determination: RCRA corrective action: Current human exposures under control (IBM-Endicott) [EPA Report]. New York, NY. http://www.epa.gov/Region2/waste/ibm_e725.pdf.
- U.S. EPA. (2005). Guidance on selecting age groups for monitoring and assessing childhood exposures to environmental contaminants (final) [EPA Report]. (EPA/630/P-03/003F). Washington, DC. <http://www.epa.gov/raf/publications/guidance-on-selecting-age-groups.htm>.
- U.S. EPA. (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA. (2005). The HAPEM5 user's guide: Hazardous air pollutant exposure model, version 5 [EPA Report]. Research Triangle Park, NC. <http://www.epa.gov/airtoxics/nata1999/ted/hapem5guide.pdf>.
- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=158363>.
- U.S. EPA. (2006). Peer review handbook (3rd edition) [EPA Report]. (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. <http://www.epa.gov/peerreview/>.
- U.S. EPA. (2006). Technology transfer network 1999 national-scale air toxics assessment [Website]. Retrieved from <http://www.epa.gov/ttn/atw/nata1999/index.html>
- U.S. EPA. (2008). 1,1,2-Trichloro-1,2,2-trifluoroethane [EPA Report]. Washington, D.C. <http://www.epa.gov/IRIS/subst/0123.htm>.
- U.S. EPA. (2008). Child-specific exposure factors handbook [EPA Report]. (EPA/600/R-06/096F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=199243>.
- U.S. EPA. (2008). Factoids: Drinking water and ground water statistics for 2008 [EPA Report]. (EPA-816/K-08-004). Washington, DC. http://www.epa.gov/ogwdw000/databases/pdfs/data_factoids_2008.pdf.
- U.S. EPA. (2010). AirData: Access to air pollution data [Database]. Research Triangle Park, NC: Office of Air Quality Planning and Standards. Retrieved from <http://www.epa.gov/air/data/index.html>
- U.S. EPA. (2011). Recommended use of body weight 3/4 as the default method in derivation of the oral reference dose (pp. 1-50). (EPA/100/R11/0001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum, Office of the Science Advisor. <https://www.epa.gov/risk/recommended-use-body-weight-34-default-method-derivation-oral-reference-dose>.

Fate Literature Search Results

Off Topic

- Uchiyama, H; Acosta, E; Tran, S; Sabatini, DA; Harwell, JH. (2000). Supersolubilization in chlorinated hydrocarbon microemulsions: Solubilization enhancement by lipophilic and hydrophilic linkers. *Ind Eng Chem Res.* 39: 2704-2708.
- Uchiyama, H; Christian, SD; Tucker, EE; Scamehorn, JF. (1994). SOLUBILIZATION OF TRICHLOROETHYLENE BY POLYELECTROLYTE SURFACTANT COMPLEXES. *AIChE J.* 40: 1969-1975.
- Uchiyama, H; Kato, C; Kokufuta, E; Yagi, O. (1997). Quantitative colorimetric determination of trichloroethylene degradation activity and implications for environmental use. *Environ Technol.* 18: 1123-1131.
- Uchiyama, H; Nakajima, T; Yagi, O; Tabuchi, T. (1989). Aerobic degradation of trichloroethylene at high concentration by a methane-utilizing mixed culture. *Agric Biol Chem.* 53: 1019-1024.
- Uchiyama, H; Nakajima, T; Yagi, O; Tabuchi, T. (1989). AEROBIC DEGRADATION OF TRICHLOROETHYLENE BY A NEW TYPE-II METHANE-UTILIZING BACTERIUM, STRAIN-M. *Agric Biol Chem.* 53: 2903-2907.
- Uchiyama, H; Tucker, EE; Christian, SD; Scamehorn, JF. (1994). SOLUBILIZATION OF TRICHLOROETHYLENE BY N-HEXADECYLPYRIDINIUM CHLORIDE MICELLES. *J Phys Chem.* 98: 1714-1718.
- Uguina, MA; Sotelo, JL; Delgado, JA; Gomez, JM; Celemin, LI. (2005). Adsorption of methyl ethyl ketone and trichloroethene from aqueous solutions onto silicalite fixed-bed adsorbers. *Separation and Purification Technology.* 42: 91-99. <http://dx.doi.org/10.1016/j.seppur.2004.06.007>.
- Ukai, H; Inui, S; Takada, S; Dendo, J; Ogawa, J; Isobe, K; Ashida, T; Tamura, M; Tabuki, K; Ikeda, M. (1997). Types of organic solvents used in small- to medium-scale industries in Japan; a nationwide field survey. *Int Arch Occup Environ Health.* 70: 385-392.
- Ulander, A; Selden, A; Ahlborg, G, Jr. (1992). Assessment of intermittent trichloroethylene exposure in vapor degreasing. *AIHA J.* 53: 742-743. <http://dx.doi.org/10.1080/15298669291360454>.
- Ulrich, RG; Rockett, JC; Gibson, GG; Pettit, SD. (2004). Overview of an interlaboratory collaboration on evaluating the effects of model hepatotoxicants on hepatic gene expression. *Environ Health Perspect.* 112: 423-427.
- Uludag-Demirer, S; Bowers, AR. (2000). Adsorption/reduction reactions of trichloroethylene by elemental iron in the gas phase: The role of water. *Environ Sci Technol.* 34: 4407-4412. <http://dx.doi.org/10.1021/es001017k>.
- Uludag-Demirer, S; Bowers, AR. (2001). Gas phase reduction of chlorinated VOCs by zero valent iron. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 1535-1547.
- Uludag-Demirer, S; Bowers, AR. (2003). Effects of surface oxidation and oxygen on the removal of trichloroethylene from the gas phase using elemental iron. *Water Air Soil Pollut.* 142: 229-242.
- Unger, DR; Lam, TT; Schaefer, CE; Kosson, DS. (1996). Predicting the effect of moisture on vapor-phase sorption of volatile organic compounds to soils. *Environ Sci Technol.* 30: 1081-1091.
- Unsworth, NK; Hancox, I; Dearden, CA; Sullivan, P; Walker, M; Lilley, RS; Sharp, J; Jones, TS. (2014). Comparison of dimethyl sulfoxide treated highly conductive poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) electrodes for use in indium tin oxide-free organic electronic photovoltaic devices. *Organic Electronics.* 15: 2624-2631. <http://dx.doi.org/10.1016/j.orgel.2014.07.015>.
- Upadhyaya, A; Acosta, EJ; Scamehorn, JF; Sabatini, DA. (2006). Microemulsion phase behavior of anionic-cationic surfactant mixtures: Effect of tail branching. *Journal of Surfactants and Detergents.* 9: 169-179.
- Urabe, Y; Nouse, K; Higashi, T; Nakatsukasa, H; Hino, N; Ashida, K; Kinugasa, N; Yoshida, K; Uematsu, S; Tsuji, T. (1996). Telomere length in human liver diseases. *Liver Int.* 16: 293-297. <http://dx.doi.org/10.1111/j.1600-0676.1996.tb00748.x>.
- Urano, K; Yamamoto, E; Tonegawa, M; Fujie, K. (1991). Adsorption of chlorinated organic compounds on activated carbon from water. *Water Res.* 25: 1459-1464.
- Urbanczyk, M; Jakubik, W; Kochowski, S. (1994). INVESTIGATION OF SENSOR PROPERTIES OF COPPER PHTHALOCYANINE WITH THE USE OF SURFACE ACOUSTIC-WAVES. *Sens Actuators B.* 22: 133-137.
- Urkiaga, A; Bolano, N; De Las Fuentes, L. (2002). Removal of micropollutants in aqueous streams by organophilic pervaporation. *Desalination.* 149: 55-60.
- Ursescu, D; Ionel, L. (2010). Gain and ionization dynamics in transient, collisionally excited X-ray lasers. *J Optoelect Adv Mater.* 12: 48-51.
- Urriaga, A; Gorri, D; Ortiz, I. (2002). Mass-transfer modeling in the pervaporation of VOCs from diluted solutions. *AIChE J.* 48: 572-581.
- Uryniewicz, MA. (2007). In situ chemical oxidation with permanganate: Assessing the competitive interactions between target and nontarget compounds. *Soil Sediment Contam.* 17: 53-62. <http://dx.doi.org/10.1080/15320380701741412>.
- Uryniewicz, MA. (2007). Kinetic approach for modeling TCE chemical oxidation by permanganate. *Journal of Advanced Oxidation Technologies.* 10: 196-201.
- Uryniewicz, MA; Siegrist, RL. (2005). Interphase mass transfer during chemical oxidation of TCE DNAPL in an aqueous system. *J Contam Hydrol.* 80: 93-106. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.002>.
- Usman, ARA; Ahmad, M; El-Mahrouky, M; Al-Omran, A; Ok, Y; Sallam, AS, h; El-Naggar, AH; Al-Wabel, MI. (2016). Chemically modified biochar produced from conocarpus waste increases NO3 removal from aqueous solutions. *Environ Geochem Health.* 38: 511-521. <http://dx.doi.org/10.1007/s10653-015-9736-6>.
- Usman, M; Faure, P; Ruby, C; Hanna, K. (2012). Application of magnetite-activated persulfate oxidation for the degradation of PAHs in contaminated soils. *Chemosphere.* 87: 234-240. <http://dx.doi.org/10.1016/j.chemosphere.2012.01.001>.
- Utidjian, HM. (1974). Exerpts from criteria for a recommended standard: OCCUPATIONAL EXPOSURE TO TRICHLOROETHYLENE. *J Occup Environ Med.* 16: 192-194.
- Vähänikkilä, H; Miettunen, J; Tjäderhane, L; Larmas, M; Nieminen, P. (2012). The use of time-to-event methods in dental research: a comparison based on five dental journals over a 11-year period. *Community Dent Oral Epidemiol.* 40 Suppl 1: 36-42. <http://dx.doi.org/10.1111/j.1600-0528.2011.00664.x>.

Fate Literature Search Results

Off Topic

- Vainio, H; Linnainmaa, K; Kähkönen, M; Nickels, J; Hietanen, E; Marniemi, J; Peltonen, P. (1983). Hypolipidemia and peroxisome proliferation induced by phenoxyacetic acid herbicides in rats. *Biochem Pharmacol.* 32: 2775-2779.
- Vainio, H; Nickels, J; Linnainmaa, K. (1982). Phenoxy acid herbicides cause peroxisome proliferation in Chinese hamsters. *Scand J Work Environ Health.* 8: 70-73.
- Valcke, M; Krishnan, K. (2010). An Assessment of the Interindividual Variability of internal Dosimetry during Multi-Route Exposure to Drinking Water Contaminants. *Int J Environ Res Public Health.* 7: 4002-4022. <http://dx.doi.org/10.3390/ijerph7114002>.
- Valentini, F; Compagnone, D; Giraudi, G; Palleschi, G. (2003). Electrochemical ELISA for the screening of DDT related compounds: analysis in waste waters. *Anal Chim Acta.* 487: 83-90. [http://dx.doi.org/10.1016/S0003-2670\(03\)00535-X](http://dx.doi.org/10.1016/S0003-2670(03)00535-X).
- Valic, E; Waldhör, T; Konnaris, C; Michitsch, A; Wolf, C. (1997). Acquired dyschromatopsia in combined exposure to solvents and alcohol. *Int Arch Occup Environ Health.* 70: 403-406.
- Van Acker, MR; Shahar, A; Young, ED; Coleman, ML. (2006). GC/multiple collector-ICPMS method for chlorine stable isotope analysis of chlorinated aliphatic hydrocarbons. *Anal Chem.* 78: 4663-4667. <http://dx.doi.org/10.1021/ac0602120>.
- van Beelen, P; Verbruggen, EMJ; Peijnenburg, WJG, M. (2003). The evaluation of the equilibrium partitioning method using sensitivity distributions of species in water and soil. *Chemosphere.* 52: 1153-1162. [http://dx.doi.org/10.1016/S0045-6535\(03\)00359-X](http://dx.doi.org/10.1016/S0045-6535(03)00359-X).
- van Beilen, JB; Li, Z; Duetz, WA; Smits, THM; Witholt, B. (2003). Diversity of alkane hydroxylase systems in the environment. *Oil & Gas Science & Technology.* 58: 427-440.
- van Bree, L; Commandeur, J; Lamberts, B; Cornelissen, M; van Roon, M; Laterveer, H; de Vries, J. (1990). Induction of drug metabolism enzymes by dihalogenated biphenyls. *J Biochem Toxicol.* 5: 57-63. <http://dx.doi.org/10.1002/jbt.2570050109>.
- van Breukelen, BM; Hunkeler, D; Volkering, F. (2005). Quantification of sequential chlorinated ethene degradation by use of a reactive transport model incorporating isotope fractionation. *Environ Sci Technol.* 39: 4189-4197. <http://dx.doi.org/10.1021/es048973c>.
- Van Craeynest, K; Dewulf, J; Vandeburie, S; Van Langenhove, H. (2003). Removal of trichloroethylene from waste gases via the peroxone process. *Water Sci Technol.* 48: 65-72.
- van Dijk, BA; Schouten, LJ; Oosterwijk, E; Hulsbergen-Van de Kaa, CA; Kiemeneij, LA; Goldbohm, RA; Schalken, JA; van Den Brandt, PA. (2008). Carotenoid and vitamin intake, von Hippel-Lindau gene mutations and sporadic renal cell carcinoma. *Cancer Causes Control.* 19: 125-134. <http://dx.doi.org/10.1007/s10552-007-9078-5>.
- Van Durme, J; Dewulf, J; Demeestere, K; Leys, C; Van Langenhove, H. (2009). Post-plasma catalytic technology for the removal of toluene from indoor air: Effect of humidity. *Appl Catal B-Environ.* 87: 78-83. <http://dx.doi.org/10.1016/j.apcatb.2008.08.015>.
- van Eekert, MH; Schröder, TJ; van Rhee, A; Stams, AJ; Schraa, G; Field, JA. (2001). Constitutive dechlorination of chlorinated ethenes by a methanol degrading methanogenic consortium. *Bioresour Technol.* 77: 163-170.
- Van Nooten, T; Springael, D; Bastiaens, L. (2010). Microbial Community Characterization in a Pilot-Scale Permeable Reactive Iron Barrier. *Environ Eng Sci.* 27: 287-292. <http://dx.doi.org/10.1089/ees.2009.0271>.
- Van Nostrand, JD; Khijniak, TJ; Neely, B; Sattar, MA; Sowder, AG; Mills, G; Bertsch, PM; Morris, PJ. (2007). Reduction of nickel and uranium toxicity and enhanced trichloroethylene degradation to *Burkholderia vietnamiensis* PR1301 with hydroxyapatite amendment. *Environ Sci Technol.* 41: 1877-1882. <http://dx.doi.org/10.1021/es0616581>.
- Van Zwieten, L; Ayres, MR; Morris, SG. (2003). Influence of arsenic co-contamination on DDT breakdown and microbial activity. *Environ Pollut.* 124: 331-339. [http://dx.doi.org/10.1016/S0269-7491\(02\)00463-3](http://dx.doi.org/10.1016/S0269-7491(02)00463-3).
- Vancheeswaran, S; Halden, RU; Williamson, KJ; Ingle J D, J. R.; Semprini, L. (1999). Abiotic and biological transformation of tetraalkoxysilanes and trichloroethene/cis-1,2-dichloroethene cometabolism driven by tetrabutoxysilane-degrading microorganisms. *Environ Sci Technol.* 33: 1077-1085.
- Vancheeswaran, S; Hyman, MR; Semprini, L. (1999). Anaerobic biotransformation of trichlorofluoroethene in groundwater microcosms. *Environ Sci Technol.* 33: 2040-2045.
- Vandenbroucke, AM; Aerts, R; Van Gaens, W; De Geyter, N; Leys, C; Morent, R; Bogaerts, A. (2015). Modeling and Experimental Study of Trichloroethylene Abatement with a Negative Direct Current Corona Discharge. *Plasma Chemistry and Plasma Processing.* 35: 217-230. <http://dx.doi.org/10.1007/s11090-014-9584-7>.
- Vandenbroucke, AM; Dinh, MTN; Giraudon, JM; Morent, R; De Geyter, N; Lamoniér, JF; Leys, C. (2011). Qualitative By-Product Identification of Plasma-Assisted TCE Abatement by Mass Spectrometry and Fourier-Transform Infrared Spectroscopy. *Plasma Chemistry and Plasma Processing.* 31: 707-718. <http://dx.doi.org/10.1007/s11090-011-9310-7>.
- Vandenbroucke, AM; Dinh, MTN; Nuns, N; Giraudon, JM; De Geyter, N; Leys, C; Lamoniér, JF; Morent, R. (2016). Combination of non-thermal plasma and Pd/LaMnO₃ for dilute trichloroethylene abatement. *Chem Eng J.* 283: 668-675. <http://dx.doi.org/10.1016/j.cej.2015.07.089>.
- Vandenbroucke, AM; Mora, M; Jimenez-Sanchidrian, C; Romero-Salguero, FJ; De Geyter, N; Leys, C; Morent, R. (2014). TCE abatement with a plasma-catalytic combined system using MnO₂ as catalyst. *Appl Catal B-Environ.* 156: 94-100. <http://dx.doi.org/10.1016/j.apcatb.2014.03.007>.
- Vandenbroucke, AM; Morent, R; De Geyter, N; Leys, C. (2011). Decomposition of Trichloroethylene with Plasma-catalysis: A review. *Journal of Advanced Oxidation Technologies.* 14: 165-173.
- Vane, LM; Alvarez, FR. (2005). Vibrating pervaporation modules: Effect of module design on performance. *J Memb Sci.* 255: 213-224. <http://dx.doi.org/10.1016/j.memsci.2005.01.047>.
- Vane, LM; Giroux, EL. (2000). Henry's law constants and micellar partitioning of volatile organic compounds in surfactant solutions. *Journal of Chemical and Engineering Data.* 45: 38-47.

Fate Literature Search Results

Off Topic

- Vannikov, AV; Grishina, AD; Gorbunova, Y, uG; Isakova, AA; Krivenko, TV; Zolotarevskii, VI; Lapkina, LA; Savel'ev, VV; Tsivadze, AY, u. (2014). Nonlinear optical properties of systems based on (tetra-15-crown-5-phthalocyaninato)indium(III). *High Energy Chemistry*. 48: 97-103. <http://dx.doi.org/10.1134/S0018143914020118>.
- Vanstone, NA; Focht, RM; Mabury, SA; Lollar, BS. (2004). Effect of iron type on kinetics and carbon isotopic enrichment of chlorinated ethylenes during abiotic reduction on Fe(0). *Ground Water*. 42: 268-276.
- Vanwarmerdam, EM; Frappe, SK; Aravena, R; Drimmie, RJ; Flatt, H; Cherry, JA. (1995). Stable chlorine and carbon isotope measurements of selected chlorinated organic solvents. *Appl Geochem*. 10: 547-552.
- Varshney, M; Chandra, A; Chauhan, LK; Goel, SK. (2013). Micronucleus induction by oxidative metabolites of trichloroethylene in cultured human peripheral blood lymphocytes: a comparative genotoxicity study. *Environ Sci Pollut Res Int*. 20: 8709-8716. <http://dx.doi.org/10.1007/s11356-013-1806-7>.
- Varshney, M; Chandra, A; Chauhan, LK; Goel, SK. (2014). In vitro cytogenetic assessment of trichloroacetic acid in human peripheral blood lymphocytes. *Environ Sci Pollut Res Int*. 21: 843-850. <http://dx.doi.org/10.1007/s11356-013-1949-6>.
- Vartiainen, T; Pukkala, E; Rienoja, T; Strandman, T; Kaksonen, K. (1993). Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water pollution. *Chemosphere*. 27: 1171-1181. [http://dx.doi.org/10.1016/0045-6535\(93\)90165-2](http://dx.doi.org/10.1016/0045-6535(93)90165-2).
- Vaughan, RL; Reed, BE; Viadero, RC; Jamil, M; Berg, M. (1999). Simultaneous removal of organic and heavy metal contaminants by granular activated carbon (GAC) columns. *Adv Environ Res*. 3: 229-242.
- Vaughan-jackson, JD; Dunlop, EMC; Darougar, S; Dwyer, RSC; Jones, BR. (1972). CHLAMYDIAL INFECTION - RESULTS OF TESTS FOR CHLAMYDIA IN PATIENTS SUFFERING FROM ACUTE REITERS DISEASE COMPARED WITH RESULTS OF TESTS OF GENITAL TRACT AND RECTUM IN PATIENTS WITH OCULAR INFECTION DUE TO TRIC AGENT. 48: 445-451.
- Vazquez-Gomez, L; de Battisti, A; Ferro, S; Cerro, M; Reyna, S; Martinez-Huitile, CA; Quiroz, MA. (2012). Anodic Oxidation as Green Alternative for Removing Diethyl Phthalate from Wastewater Using Pb/PbO₂ and Ti/SnO₂ Anodes. *CLEAN - Soil, Air, Water*. 40: 408-415. <http://dx.doi.org/10.1002/clen.201000357>.
- Veazey, MV. (2005). Microbe could be used to clean PCE and TCE contamination. *Mater Perform*. 44: 44-44.
- Vecchia, ED; Coisson, M; Appino, C; Vinai, F; Sethi, R. (2009). Magnetic Characterization and Interaction Modeling of Zerovalent Iron Nanoparticles for the Remediation of Contaminated Aquifers. *J Nanosci Nanotechnol*. 9: 3210-3218. <http://dx.doi.org/10.1166/jnn.2009.047>.
- Vedhi, C; Raj, JA; Gopal, N; Somasudaram, RM; Manisankar, P. (2010). Synthesis of potential capacitive Poly 4, 4'-diaminodiphenyl sulphone-metal nanocomposites and their characterizations. *Synthetic Metals*. 160: 1307-1312. <http://dx.doi.org/10.1016/j.synthmet.2010.04.005>.
- Vedrinaro-Dragojevic, I; Dragojevic, D. (1997). Trichloroethene and tetrachloroethene in ground waters of Zagreb, Croatia. *Sci Total Environ*. 203: 253-259.
- Veenstra, JN; Sanders, DA; Johan, J. (1999). Removal of air-phase 1,2-dichloroethane in a biofilter: A comparison of cometabolism using pre-loaded phenol and concurrent phenol addition. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 34: 1569-1589.
- Veeramachaneni, DNR. (2008). Impact of environmental pollutants on the male: Effects on germ cell differentiation. *Anim Reprod Sci*. 105: 144-157. <http://dx.doi.org/10.1016/j.anireprosci.2007.11.020>.
- Veeramachaneni, DNR; Palmer, JS; Amann, RP. (2001). Long-term effects on male reproduction of early exposure to common chemical contaminants in drinking water. *Hum Reprod*. 16: 979-987. <http://dx.doi.org/10.1093/humrep/16.5.979>.
- Vega, AM; Lancaster, VA; Roulier, MH. (2004). Comparison of two field sampling procedures (En Core and field methanol extraction) for volatile organic compounds. *Environ Sci Technol*. 38: 6790-6794. <http://dx.doi.org/10.1021/es049276n>.
- Velazquez, JC; Leekumjorn, S; Nguyen, QX; Fang, Y, uLun; Heck, KN; Hopkins, GD; Reinhard, M; Wong, MS. (2013). Chloroform Hydrodechlorination Behavior of Alumina-supported Pd and PdAu Catalysts. *AIChE J*. 59: 4474-4482. <http://dx.doi.org/10.1002/aic.14250>.
- Velimirovic, M; Carniato, L; Simons, Q; Schoups, G; Seuntjens, P; Bastiaens, L. (2014). Corrosion rate estimations of microscale zerovalent iron particles via direct hydrogen production measurements. *J Hazard Mater*. 270: 18-26. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.034>.
- Velimirovic, M; Larsson, P; Simons, Q; Bastiaens, L. (2013). Impact of carbon, oxygen and sulfur content of microscale zerovalent iron particles on its reactivity towards chlorinated aliphatic hydrocarbons. *Chemosphere*. 93: 2040-2045. <http://dx.doi.org/10.1016/j.chemosphere.2013.07.034>.
- Velimirovic, M; Larsson, P; Simons, Q; Bastiaens, L. (2013). Reactivity screening of microscale zerovalent irons and iron sulfides towards different CAHs under standardized experimental conditions. *J Hazard Mater*. 252: 204-212. <http://dx.doi.org/10.1016/j.jhazmat.2013.02.047>.
- Velimirovic, M; Schmid, D; Wagner, S; Micić, V; von der Kammer, F; Hofmann, T. (2016). Agar agar-stabilized milled zerovalent iron particles for in situ groundwater remediation. *Sci Total Environ*. 563-564: 713-723. <http://dx.doi.org/10.1016/j.scitotenv.2015.11.007>.
- Velimirovic, M; Simons, Q; Bastiaens, L. (2014). Guar gum coupled microscale ZVI for in situ treatment of CAHs: continuous-flow column study. *J Hazard Mater*. 265: 20-29. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.020>.
- Veljanoska-Sarafiloska, E; Stafilov, T; Jordanoski, M. (2011). DISTRIBUTION OF DDT METABOLITES IN THE SEDIMENT AND MUSCLE FISH TISSUE FROM AGRICULTURALLY IMPACTED LAKE DOJRAN (MACEDONIA/GREECE). *Fresen Environ Bull*. 20: 2027-2035.
- Veljanoska-Sarafiloska, EM; Jordanoski, M; Stafilov, T. (2013). Presence of DDT metabolites in water, sediment and fish muscle tissue from Lake Prespa, Republic of Macedonia. *J Environ Sci Health B*. 48: 548-558. <http://dx.doi.org/10.1080/03601234.2013.774879>.
- Veljanoska-Sarafiloska, EM; Stafilov, T. (2012). Comparison of the Presence of DDT Metabolites in Sediments and Fish from Lakes Ohrid, Prespa and Dojran. *Acta Zoolog Bulg* 215-222.

Fate Literature Search Results

Off Topic

- Venkatapathy, R; Bessingpas, DG; Canonica, S; Perlinger, JA. (2002). Kinetics models for trichloroethylene transformation by zero-valent iron. *Appl Catal B-Environ.* 37: 139-159.
- Venkataraman, P; Sunkara, B; St Dennis, JE; He, J; John, VT; Bose, A. (2012). Water-in-Trichloroethylene Emulsions Stabilized by Uniform Carbon Microspheres. *Langmuir.* 28: 1058-1063. <http://dx.doi.org/10.1021/la204215x>.
- Venkatesulu, D; Rao, MVP. (1992). EXCESS VOLUMES OF 2-ALKOXYETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data.* 37: 479-481.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1996). Excess volumes and viscosities of tetrachloroethylene with branched alcohols at 303.15 K. *Journal of Chemical and Engineering Data.* 41: 819-820.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Excess enthalpies of ethyl acetate and butyl acetate with 2-alkoxyethanols at 298.15 K. *Fluid Phase Equilibria.* 136: 249-255.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Excess volumes and viscosities of binary mixtures of trichloroethylene with branched alcohols. *Fluid Phase Equilibria.* 128: 241-248.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Speed of sound and isentropic compressibilities of trichloroethylene with branched alcohols at 303.15 K. *Journal of Chemical and Engineering Data.* 42: 1145-1146.
- Ventura, F; Romero, J; Pares, J. (1997). Determination of dicyclopentadiene and its derivatives as compounds causing odors in groundwater supplies. *Environ Sci Technol.* 31: 2368-2374.
- Veraldi, A; Seniori, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med.* 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Verbruggen, SW; Ribbens, S; Tytgat, T, om; Hauchecorne, B; Smits, M; Meynen, V; Cool, P; Martens, JA; Lenaerts, S. (2011). The benefit of glass bead supports for efficient gas phase photocatalysis: Case study of a commercial and a synthesised photocatalyst. *Chem Eng J.* 174: 318-325. <http://dx.doi.org/10.1016/j.cej.2011.09.038>.
- Verce, MF; Gunsch, CK; Danko, AS; Freedman, DL. (2002). Cometabolism of cis-1,2-dichloroethene by aerobic cultures grown on vinyl chloride as the primary substrate. *Environ Sci Technol.* 36: 2171-2177. <http://dx.doi.org/10.1021/es011220v>.
- Verdini, R; Aulenta, F; de Tora, F; Lai, A; Majone, M. (2015). Relative contribution of set cathode potential and external mass transport on TCE dechlorination in a continuous-flow bioelectrochemical reactor. *Chemosphere.* 136: 72-78. <http://dx.doi.org/10.1016/j.chemosphere.2015.03.092>.
- Verma, Y; Rana, S. (2003). Gender differences in the metabolism of benzene, toluene and trichloroethylene in rat with special reference to certain biochemical parameters. *J Environ Biol.* 24: 135-140.
- Vermeulen, NP; Bladeren, PJ, v. (2001). Trichloroethylene Risk Assessment: Relevance of Interindividual Differences. *Hum Ecol Risk Assess.* 7: 717-726.
- Verner, MA; Ayotte, P; Muckle, G; Charbonneau, M; Haddad, S. (2009). A physiologically based pharmacokinetic model for the assessment of infant exposure to persistent organic pollutants in epidemiologic studies. *Environ Health Perspect.* 117: 481-487. <http://dx.doi.org/10.1289/ehp.0800047>.
- Verplanke, AJ; Leummens, MH; Herber, RF. (1999). Occupational exposure to tetrachloroethene and its effects on the kidneys. *J Occup Environ Med.* 41: 11-16.
- Vesela, L; Nemecek, J, an; Siglova, M; Kubal, M. (2006). The biofiltration permeable reactive barrier: Practical experience from Synthesia. *Int Biodeterior Biodegradation.* 58: 224-230. <http://dx.doi.org/10.1016/j.ibiod.2006.06.013>.
- Vesterberg, O; Astrand, I. (1976). Exposure to trichloroethylene monitored by analysis of metabolites in blood and urine. *J Occup Med.* 18: 224-226.
- Vicente, F; Santos, A; Romero, A; Rodriguez, S. (2011). Kinetic study of diuron oxidation and mineralization by persulphate: Effects of temperature, oxidant concentration and iron dosage method. *Chem Eng J.* 170: 127-135. <http://dx.doi.org/10.1016/j.cej.2011.03.042>.
- Vidal, AJM; Soria, J; Augugliaro, V; Loddo, V. (1997). Oxidation of ethanol in gas phase via heterogeneous photocatalysis. *Chemical and Biochemical Engineering Quarterly.* 11: 89-95.
- Vidal, M; Bassères, A; Narbonne, J. (2001). Potential biomarkers of trichloroethylene and toluene exposure in *Corbicula fluminea*. *Environ Toxicol Pharmacol.* 9: 87-97.
- Vidal, ML; Basseres, A; Narbonne, JF. (2001). Interest of a multibiomarker approach in the assessment of freshwater ecosystem quality: laboratory and field studies. *Water Sci Technol.* 44: 305-312.
- Vidic, RD; Suidan, MT. (1991). Role of dissolved oxygen on the adsorptive capacity of activated carbon for synthetic and natural organic matter. *Environ Sci Technol.* 25: 1612-1618.
- Vieth, A; Müller, J; Strauch, G; Kästner, M; Gehre, M; Meckenstock, RU; Richnow, HH. (2003). In-situ biodegradation of tetrachloroethene and trichloroethene in contaminated aquifers monitored by stable isotope fractionation. *Isotopes Environ Health Stud.* 39: 113-124. <http://dx.doi.org/10.1080/1025601031000108688>.
- Viisimaa, M; Goi, A. (2014). Use of hydrogen peroxide and percarbonate to treat chlorinated aromatic hydrocarbon-contaminated soil. *Journal of Environmental Engineering and Landscape Management.* 22: 30. <http://dx.doi.org/10.3846/16486897.2013.804827>.
- Vijayakumar, NS; Flower, NAL; Brabu, B; Gopalakrishnan, C; Raja, SVK. (2013). Degradation of DCE and TCE by Fe-Ni nanoparticles immobilised polysulphone matrix. *Journal of Experimental Nanoscience.* 8: 890-900. <http://dx.doi.org/10.1080/17458080.2011.620017>.
- Vikesland, PJ; Klausen, J; Zimmermann, H; Roberts, AL; Ball, WP. (2003). Longevity of granular iron in groundwater treatment processes: changes in solute transport properties over time. *J Contam Hydrol.* 64: 3-33. [http://dx.doi.org/10.1016/S0169-7722\(02\)00150-X](http://dx.doi.org/10.1016/S0169-7722(02)00150-X).

Fate Literature Search Results

Off Topic

- Vilaplana, M; Marco-Urrea, E; Gabarrell, X; Sarra, M; Caminal, G. (2008). Required equilibrium studies for designing a three-phase bioreactor to degrade trichloroethylene (TCE) and tetrachloroethylene (PCE) by *Trametes versicolor*. *Chem Eng J.* 144: 21-27. <http://dx.doi.org/10.1016/j.cej.2008.01.004>.
- Villalobos, SA; Anderson, MJ; Denison, MS; Hinton, DE; Tullis, K; Kennedy, IM; Jones, AD; Chang D, PY; Yang, G; Kelly, P. (1996). Dioxinlike properties of a trichloroethylene combustion-generated aerosol. *Environ Health Perspect.* 104: 734-743.
- Villaluenga, JPG; Cohen, Y. (2005). Numerical model of non-isothermal pervaporation in a rectangular channel. *J Memb Sci.* 260: 119-130. <http://dx.doi.org/10.1016/j.memsci.2005.03.025>.
- Villano, M; Aulenta, F; Ciucci, C; Ferri, T; Giuliano, A; Majone, M. (2010). Bioelectrochemical reduction of CO₂ to CH₄ via direct and indirect extracellular electron transfer by a hydrogenophilic methanogenic culture. *Bioresour Technol.* 101: 3085-3090. <http://dx.doi.org/10.1016/j.biortech.2009.12.077>.
- Villela, A; Weaver, LK; Ritesh, D. (2015). Coronary gas embolism during a dive: a case report. *Undersea Hyperb Med.* 42: 613-617.
- Villenave, E; Morozov, I; Lesclaux, R. (2000). Kinetics of the self-reactions of peroxy radicals arising from chlorine-initiated oxidation of chloroethenes. *J Phys Chem A.* 104: 9933-9940. <http://dx.doi.org/10.1021/jp001704y>.
- Vilve, M; Vilhunen, S; Vepsäläinen, M; Kurniawan, TA; Lehtonen, N; Isomäki, H; Sillanpää, M. (2010). Degradation of 1,2-dichloroethane from wash water of ion-exchange resin using Fenton's oxidation. *Environ Sci Pollut Res Int.* 17: 875-884. <http://dx.doi.org/10.1007/s11356-009-0291-5>.
- Vine, MF; Stein, L; Weigle, K; Schroeder, J; Degnan, D; Tse, CK; Backer, L. (2001). Plasma 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) levels and immune response. *Am J Epidemiol.* 153: 53-63. <http://dx.doi.org/10.1093/aje/153.1.53>.
- Vinter, AA; Gorodetskii, IY; Lupanov, PA; Legochkina, LA. (1976). PHASE-EQUILIBRIA IN INDUSTRIAL SYSTEMS AT STAGE OF EXTRACTING CAPROLACTAM WITH TRICHLOROETHYLENE. *J Appl Chem USSR.* 49: 939-941.
- Visscher, F; Gaakeer, WA; Mendoza, PG; de Croon, MHJ, M; van Der Schaaf, J; Schouten, JC. (2011). Liquid-Liquid Extraction Systems of Benzoic Acid in Water and Heptane, Methylbenzene, or Trichloroethylene as Cosolvent. *Journal of Chemical and Engineering Data.* 56: 3630-3636. <http://dx.doi.org/10.1021/je200478p>.
- Visvanathan, C; Basu, B; Mora, JC. (1995). SEPARATION OF VOLATILE ORGANIC-COMPOUNDS BY PERVAPORATION FOR A BINARY COMPOUND COMBINATION - TRICHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE. *Ind Eng Chem Res.* 34: 3956-3962.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1996). Electron beam generated plasma decomposition of 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing.* 16: 651-668.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1997). The effect of a carbon-carbon double bond on electron beam-generated plasma decomposition of trichloroethylene and 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing.* 17: 59-78.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemiatycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med.* 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- Vlaanderen, J; Straif, K; Pukkala, E; Kauppinen, T; Kyyronen, P; Martinsen, J; Kjaerheim, K; Tryggvadottir, L; Hansen, J; Sparen, P, ar; Weiderpass, E. (2013). Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. *Occup Environ Med.* 70: 393-401. <http://dx.doi.org/10.1136/oemed-2012-101188>.
- Vlaanderen, J; Straif, K; Ruder, A; Blair, A; Hansen, J; Lyng, E; Charbotel, B; Loomis, D; Kauppinen, T; Kyyronen, P; Pukkala, E; Weiderpass, E; Guha, N. (2014). Tetrachloroethylene Exposure and Bladder Cancer Risk: A Meta-Analysis of Dry-Cleaning-Worker Studies [Review]. *Environ Health Perspect.* 122: 661-666. <http://dx.doi.org/10.1289/ehp.1307055>.
- Vn, S; Esclapez Vicente, MD; Bonete, P; González-García, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res.* 43: 8. <http://dx.doi.org/10.1016/j.watres.2009.02.019>.
- Vo, E; Berardinelli, SP; Hall, RC. (1999). Recovery of some common solvents from protective clothing breakthrough indicator pads by microwave-solvent extraction and gas chromatography. *Analyst.* 124: 941-944.
- Vodela, JK; Lenz, SD; Renden, JA; Mcelhenney, WH; Kempainen, BW. (1997). Drinking water contaminants (arsenic, cadmium, lead, benzene, and trichloroethylene). 2. Effects on reproductive performance, egg quality, and embryo toxicity in broiler breeders. *Poult Sci.* 76: 1493-1500.
- Vodela, JK; Renden, JA; Lenz, SD; Mcelhenney, WH; Kempainen, BW. (1997). Drinking water contaminants (arsenic, cadmium, lead, benzene, and trichloroethylene). 1. Interaction of contaminants with nutritional status on general performance and immune function in broiler chickens. *Poult Sci.* 76: 1474-1492.
- Vogler, ET; Chrysikopoulos, CV. (2004). An experimental study of acoustically enhanced NAPL dissolution in porous media. *AIChE J.* 50: 3271-3280. <http://dx.doi.org/10.1002/aic.10221>.
- Volcik, V; Hoffmann, J; Ruzicka, J; Sergejevoa, M. (2005). Trichloroethylene (TCE) removal in a single pulse suspension bioreactor. *J Environ Manage.* 74: 293-304. <http://dx.doi.org/10.1016/j.jenvman.2004.09.001>.
- Völkel, W; Dekant, W. (1998). Chloroethioketene, the ultimate reactive intermediate formed by cysteine conjugate beta-lyase-mediated cleavage of the trichloroethene metabolite S-(1,2-Dichlorovinyl)-L-cysteine, forms cytosine adducts in organic solvents, but not in aqueous solution. *Chem Res Toxicol.* 11: 1082-1088. <http://dx.doi.org/10.1021/tx980084d>.
- Völkel, W; Pahler, A; Dekant, W. (1999). Gas chromatography-negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins. *J Chromatogr A.* 847: 35-46. [http://dx.doi.org/10.1016/S0021-9673\(99\)00022-9](http://dx.doi.org/10.1016/S0021-9673(99)00022-9).
- Volpe, A; Lopez, A; Mascolo, G; Detomaso, A. (2004). Chlorinated herbicide (trilalate) dehalogenation by iron powder. *Chemosphere.* 57: 579-586. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.040>.

Fate Literature Search Results

Off Topic

- von Grote, J; Hurlimann, C; Scheringer, M; Hungerbuhler, K. (2002). Occupational exposure to perchloroethylene and trichloroethylene in metal degreasing over the last 30 years - Influences of technology innovation and legislation. *Epidemiology*. 13: S119-S119.
- Von Grote, J; Hurlimann, JC; Scheringer, M; Hungerbuhler, K. (2003). Reduction of Occupational Exposure to Perchloroethylene and Trichloroethylene in Metal Degreasing over the Last 30 years: Influence of Technology Innovation and Legislation. *J Expo Anal Environ Epidemiol*. 13: 325-340. <http://dx.doi.org/10.1038/sj.jea.7500288>.
- Von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere*. 39: 2479-2488.
- von Wandruszka, R; Newell, JD. (2002). Removal of zinc and trichloroethylene from water by column extraction with a crude humic acid. *Environmental Progress*. 21: 209-214.
- Vorkamp, K; Haas, BS; Herrmann, R. (1998). Development of passive samplers for the detection of chlorinated hydrocarbons in sewers. *Water Sci Technol*. 37: 311-318.
- Vorontsov, AV; Savinov, EN; Barannik, GB; Troitsky, VN; Parmon, VN. (1997). Quantitative studies on the heterogeneous gas-phase photooxidation of CO and simple VOCs by air over TiO₂. *Catalysis Today*. 39: 207-218.
- Vose, JM; Swank, WT; Harvey, GJ; Clinton, BD; Sobek, C. (2000). Leaf Water Relations and Sapflow in Eastern Cottonwood (*Populus deltoides* Bartr.) Trees Planted for Phytoremediation of a Groundwater Pollutant. *Int J Phytoremediation*. 2: 53-73. <http://dx.doi.org/10.1080/15226510008500030>.
- Voss, C; Zerbán, H; Bannasch, P; Berger, MR. (2005). Lifelong exposure to di-(2-ethylhexyl)-phthalate induces tumors in liver and testes of Sprague-Dawley rats. *Toxicology*. 206: 359-371. <http://dx.doi.org/10.1016/j.tox.2004.07.016>.
- Voss, KA; Riley, R; Dunn, C; Christopher Corton, JC. (2006). The role of tumor necrosis factor alpha and the peroxisome proliferator-activated receptor alpha in modulating the effects of fumonisin in mouse liver. *Toxicology*. 222: 165-174. <http://dx.doi.org/10.1016/j.tox.2006.02.012>.
- Voudrias, EA; Li, CY. (1993). BENZENE VAPOR TRANSPORT IN UNSATURATED SOIL - ADEQUACY OF THE DIFFUSION EQUATION. *J Hazard Mater*. 34: 295-311.
- Vroblesky, DA; Nietch, CT; Morris, JT. (1999). Chlorinated ethenes from groundwater in tree trunks. *Environ Sci Technol*. 33: 510-515.
- Vyskocil, A; Truchon, G; Leroux, T; Lemay, F; Gendron, M; Gagnon, F; Majidi, NE; Boudjerida, A; Lim, S; Emond, C; Viau, C. (2012). A weight of evidence approach for the assessment of the ototoxic potential of industrial chemicals [Review]. *Toxicol Ind Health*. 28: 796-819. <http://dx.doi.org/10.1177/0748233711425067>.
- Wackett, LP. (1995). RECRUITMENT OF CO-METABOLIC ENZYMES FOR ENVIRONMENTAL DETOXIFICATION OF ORGANOHALIDES. *Environ Health Perspect*. 103: 45-48.
- Wackett, LP; Schanke, CA. (1992). MECHANISMS OF REDUCTIVE DEHALOGENATION BY TRANSITION-METAL COFACTORS FOUND IN ANAEROBIC-BACTERIA. *Met Ions Biol Syst*. 28: 329-356.
- Waclawek, S; Nosek, J; Cadrova, L; Antos, V; Cernik, M. (2015). USE OF VARIOUS ZERO VALENT IRONS FOR DEGRADATION OF CHLORINATED ETHENES AND ETHANES. 22: 577-587. <http://dx.doi.org/10.1515/eces-2015-0034>.
- Wada, N; Marsman, DS; Popp, JA. (1992). Dose-related effects of the hepatocarcinogen, Wy-14,643, on peroxisomes and cell replication. *Fundam Appl Toxicol*. 18: 149-154.
- Wadden, RA; Hawkins, JL; Scheff, PA; Franke, JE. (1991). Characterization of Emission Factors Related to Source Activity for Trichloroethylene Degreasing and Chrome Plating Processes. *Am Ind Hyg Assoc J*. 52: 349-356.
- Wadden, RA; Scheff, PA; Franke, JE. (1989). Emission Factors for Trichloroethylene Vapor Degreasers. *Am Ind Hyg Assoc J*. 50: 495-500.
- Wadley, SL; Gillham, RW; Gui, L. (2005). Remediation of DNAPL source zones with granular iron: laboratory and field tests. *Ground Water*. 43: 9-18.
- Waghlikar, SG; Mayadevi, S; Jacob, NE; Sivasanker, S. (2006). Claisen rearrangement of allyl phenyl ether over zeolites beta, mordenite and Y. Microporous and Mesoporous Materials. 95: 8-16. <http://dx.doi.org/10.1016/j.micromeso.2006.05.001>.
- Wagner, A; Cooper, M; Ferdi, S; Seifert, J; Adrian, L. (2012). Growth of *Dehalococcoides mccartyi* strain CBDB1 by reductive dehalogenation of brominated benzenes to benzene. *Environ Sci Technol*. 46: 8960-8968. <http://dx.doi.org/10.1021/es3003519>.
- Wahman, DG; Henry, AE; Katz, LE; Speitel, GE, Jr. (2006). Cometabolism of trihalomethanes by mixed culture nitrifiers. *Water Res*. 40: 3349-3358. <http://dx.doi.org/10.1016/j.watres.2006.07.03>.
- Wahman, DG; Katz, LE; Speitel, GE, Jr. (2007). Modeling of trihalomethane cometabolism in nitrifying biofilters. *Water Res*. 41: 449-457. <http://dx.doi.org/10.1016/j.watres.2006.10.01>.
- Wald, S; Glocker, B; Weiss, E; Pokryvailo, A; Labruno, P; Kempnaers, P; Handte, J. (2001). Treating hazardous wastes with pulsed-plasma technology. *J O M*. 53: 28-31.
- Waldemer, RH; Tratnyek, PG. (2006). Kinetics of contaminant degradation by permanganate. *Environ Sci Technol*. 40: 1055-1061. <http://dx.doi.org/10.1021/es051330s>.
- Waldemer, RH; Tratnyek, PG; Johnson, RL; Nurmi, JT. (2007). Oxidation of chlorinated ethenes by heat-activated persulfate: Kinetics and products. *Environ Sci Technol*. 41: 1010-1015. <http://dx.doi.org/10.1021/es062237m>.
- Walivaara, B; Askendal, A; Lundstrom, I; Tengvall, P. (1996). Blood protein interactions with titanium surfaces. *J Biomater Sci Polym Ed*. 8: 41-48.
- Walker, B; Tamayo, A; Duong, D; Dang, XD; Kim, C; Granstrom, J; Nguyen, TQ. (2011). A Systematic Approach to Solvent Selection Based on Cohesive Energy Densities in a Molecular Bulk Heterojunction System. 1: 221-229. <http://dx.doi.org/10.1002/aenm.201000054>.
- Walker, DI; Mallon, CT; Hopke, PK; Uppal, K; Go, YM; Rohrbeck, P; Pennell, KD; Jones, DP. (2016). Deployment-Associated Exposure Surveillance With High-Resolution Metabolomics. *J Occup Environ Med*. 58: S12-S21. <http://dx.doi.org/10.1097/JOM.0000000000000768>.
- Walker, SL. (2005). The role of nutrient presence on the adhesion kinetics of *Burkholderia cepacia* G4g and ENV435g. *Colloids Surf B Biointerfaces*. 45: 181-188. <http://dx.doi.org/10.1016/j.colsurfb.2005.08.007>.

Fate Literature Search Results

Off Topic

- Wallace, L. (1998). Trichloroethylene [correction of Trichloroethene] levels in human blood and exhaled breath from controlled inhalation exposure [Comment]. *Environ Health Perspect.* 106: 531-533.
- Wallace, L; Nelson, W; Pellizzari, E; Raymer, J. (1997). Uptake and decay of volatile organic compounds at environmental concentrations: application of a four-compartment model to a chamber study of five human subjects. *J Expo Anal Environ Epidemiol.* 7: 141-163.
- Waller, LA; Turnbull, BW. (1993). The effects of scale on tests for disease clustering. *Stat Med.* 12: 1869-1884.
- Waller, LA; Turnbull, BW; Clark, LC. (1992). Chronic disease surveillance and testing of clustering of disease and exposure: application to leukemia incidence and TCE-contaminated dump-sites in upstate New York. *Environmetrics.* 3: 281-300.
- Walter, GA; Strand, SE; Herwig, RR; Treat, TP; Stensel, HD. (1997). Trichloroethylene and methane feeding strategies to sustain degradation by methanotrophic enrichments. *Water Environ Res.* 69: 1066-1074.
- Walters, GW; Aitken, MD. (2001). Surfactant-enhanced solubilization and anaerobic biodegradation of 1,1,1-trichloro-2,2-bis(p-chlorophenyl)-ethane (DDT) in contaminated soil. *Water Environ Res.* 73: 15-23.
- Walton, BT; Guthrie, EA; Hoylman, AM. (1994). TOXICANT DEGRADATION IN THE RHIZOSPHERE. *ACS Symp Ser Am Chem Soc.* 563: 11-26.
- Wan, J; Wan, J; Ma, Y; Huang, M; Wang, Y, an; Ren, R. (2013). Reactivity characteristics of SiO₂-coated zero-valent iron nanoparticles for 2,4-dichlorophenol degradation. *Chem Eng J.* 221: 300-307. <http://dx.doi.org/10.1016/j.cej.2013.01.093>.
- Wang, AJ; Cheng, HY; Liang, B; Ren, NQ; Cui, D; Lin, N; Kim, BH; Rabaey, K. (2011). Efficient reduction of nitrobenzene to aniline with a biocatalyzed cathode. *Environ Sci Technol.* 45: 10186-10193. <http://dx.doi.org/10.1021/es202356w>.
- Wang, B; Xue, Y. (1992). BEHAVIOR OF A MOIST KELVIN WAVE PACKET WITH NONLINEAR HEATING. *J Atmos Sci.* 49: 549-559.
- Wang, C, hiWei; Liang, C. (2014). Oxidative degradation of TMAH solution with UV persulfate activation. *Chem Eng J.* 254: 472-478. <http://dx.doi.org/10.1016/j.cej.2014.05.116>.
- Wang, C; Ma, X; Walsh, MP. (2011). Competitive uptake and phytomonitoring of chlorinated contaminant mixtures by Redosier dogwood (*Cornus sericea*). *Int J Phytoremediation.* 13: 333-344. <http://dx.doi.org/10.1080/15226514.2010.495146>.
- Wang, CB; Zhang, WX. (1997). Synthesizing nanoscale iron particles for rapid and complete dechlorination of TCE and PCBs. *Environ Sci Technol.* 31: 2154-2156.
- Wang, D; Bolton, J. R.; Hofmann, R, on. (2012). Medium pressure UV combined with chlorine advanced oxidation for trichloroethylene destruction in a model water. *Water Res.* 46: 4677-4686. <http://dx.doi.org/10.1016/j.watres.2012.06.007>.
- Wang, D; Mclaughlin, E; Pfeffer, R; Lin, YS. (2011). Adsorption of Organic Compounds in Vapor, Liquid, and Aqueous Solution Phases on Hydrophobic Aerogels. *Ind Eng Chem Res.* 50: 12177-12185. <http://dx.doi.org/10.1021/ie201301n>.
- Wang, DW; Zhao, XP. (2009). Microencapsulated electric ink using gelatin/gum arabic. *J Microencapsul.* 26: 37-45. <http://dx.doi.org/10.1080/02652040802127806>.
- Wang, F; Kuo, M; Shun, C; Ma, Y; Wang, J; Ueng, T. (2002). Chronic toxicity of a mixture of chlorinated alkanes and alkenes in ICR mice. *J Toxicol Environ Health A.* 65: 279-291. <http://dx.doi.org/10.1080/15287390252800864>.
- Wang, G; Ansari, GAS; Khan, MF. (2007). Involvement of lipid peroxidation-derived aldehyde-protein adducts in autoimmunity mediated by trichloroethene. *J Toxicol Environ Health A.* 70: 1977-1985. <http://dx.doi.org/10.1080/15287390701550888>.
- Wang, G, en; Feng, C; Kang, C; Zhang, B; Chen, N, an; Zhang, X. (2016). Electrochemical Degradation of Chloroform Using Ti/IrO₂ Anode and Cu/Zn Cathode. *J Environ Eng.* 142. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0001035](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0001035).
- Wang, G; Grathwohl, P. (2009). Activation energies of phenanthrene desorption from carbonaceous materials: Column studies. *J Hydrol.* 369: 234-240. <http://dx.doi.org/10.1016/j.jhydrol.2009.02.018>.
- Wang, GS; Alben, KT. (1998). Effect of preadsorbed background organic matter on granular activated carbon adsorption of atrazine. *Sci Total Environ.* 224: 221-226.
- Wang, H, ao; Chen, J. (2012). Enhanced flushing of polychlorinated biphenyls contaminated sands using surfactant foam: Effect of partition coefficient and sweep efficiency. *J Environ Sci.* 24: 1270-1277. [http://dx.doi.org/10.1016/S1001-0742\(11\)60881-4](http://dx.doi.org/10.1016/S1001-0742(11)60881-4).
- Wang, H, ao; Chen, J. (2013). A study on the permeability and flow behavior of surfactant foam in unconsolidated media. *Environ Earth Sci.* 68: 567-576. <http://dx.doi.org/10.1007/s12665-012-1760-6>.
- Wang, H, ao; Chen, J. (2014). Experimental investigation on influence of foam mobility on polychlorinated biphenyl removal in foam flushing. *Environ Technol.* 35: 993-1002. <http://dx.doi.org/10.1080/09593330.2013.858185>.
- Wang, H; Kim, B; Wunder, SL. (2015). Nanoparticle-Supported Lipid Bilayers as an In Situ Remediation Strategy for Hydrophobic Organic Contaminants in Soils. *Environ Sci Technol.* 49: 529-536. <http://dx.doi.org/10.1021/es504832n>.
- Wang, H; Li, D; Wu, Y, an; Li, J, ie; Li, G. (2009). Removal of four kinds of volatile organic compounds mixture in air using silent discharge reactor driven by bipolar pulsed power. *Journal of Electrostatics.* 67: 547-553. <http://dx.doi.org/10.1016/j.elstat.2008.11.004>.
- Wang, H; Zhao, Y; Li, T; Chen, Z; Wang, Y; Qin, C. (2016). Properties of calcium peroxide for release of hydrogen peroxide and oxygen: A kinetics study. *Chem Eng J.* 303: 450-457. <http://dx.doi.org/10.1016/j.cej.2016.05.123>.
- Wang, HCA; Chang, WJV; Michiels, A; Dickeson, D. (1995). Stripping of TCE from water at low air water ratios. *Environmental Progress.* 14: 111-114.
- Wang, HH; Schlueter, JA; Geiser, U; Williams, JM; Naumann, D; Roy, T. (1995). ESR CHARACTERIZATION OF THE ORGANIC SUPERCONDUCTING SALTS OF THE BEDT-TTF DONOR MOLECULE WITH THE NOVEL ORGANOMETALLIC ANION [CU(CF₃)₄]⁻ [BEDT-TTF=BIS(ETHYLENEDITHIO)TETRATHIAFULVALENE]. *Inorg Chem.* 34: 5552-5557.
- Wang, HY; Chen, HY; Hsu, YY; Stimming, U; Chen, HM; Liu, B. (2016). Modulation of Crystal Surface and Lattice by Doping: Achieving Ultrafast Metal-Ion Insertion in Anatase TiO₂. <http://dx.doi.org/10.1021/acsami.6b11185>.
- Wang, J; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environ Sci Technol.* 38: 1576-1581. <http://dx.doi.org/10.1021/es034877k>.

Fate Literature Search Results

Off Topic

- Wang, J; Farrell, J. (2003). Investigating the role of atomic hydrogen on chloroethene reactions with iron using tafel analysis and electrochemical impedance spectroscopy. *Environ Sci Technol.* 37: 3891-3896. <http://dx.doi.org/10.1021/es0254605>.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol.* 34: 2243-2248.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2004). Preparation of microcapsules containing two-phase core materials. *Langmuir.* 20: 10845-10850. <http://dx.doi.org/10.1021/la0490902>.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2008). Preparation and response behavior of blue electronic ink microcapsules. *Optical Materials.* 30: 1268-1272. <http://dx.doi.org/10.1016/j.optmat.2007.05.057>.
- Wang, K, e; Wei, Y, iM. (2014). China's regional industrial energy efficiency and carbon emissions abatement costs. *Appl Energ.* 130: 617-631. <http://dx.doi.org/10.1016/j.apenergy.2014.03.010>.
- Wang, KH; Hsieh, YH. (1998). Heterogeneous photocatalytic degradation of trichloroethylene in vapor phase by titanium dioxide. *Environ Int.* 24: 267-274.
- Wang, KH; Hsieh, YH; Lin, CH; Chang, CY. (1999). The study of the photocatalytic degradation kinetics for dichloroethylene in vapor phase. *Chemosphere.* 39: 1371-1384.
- Wang, KH; Jehng, JM; Hsieh, YH; Chang, CY. (2002). The reaction pathway for the heterogeneous photocatalysis of trichloroethylene in gas phase. *J Hazard Mater.* 90: 63-75.
- Wang, KH; Tsai, HH; Hsieh, YH. (1998). The kinetics of photocatalytic degradation of trichloroethylene in gas phase over TiO₂ supported on glass bead. *Appl Catal B-Environ.* 17: 313-320.
- Wang, KH; Tsai, HH; Hsieh, YH. (1998). A study of photocatalytic degradation of trichloroethylene in vapor phase on TiO₂ photocatalyst. *Chemosphere.* 36: 2763-2773.
- Wang, L; Cheng, Y; Liu, Z; Yi, X; Zhu, H; Wang, G. (2016). Hybrid Tunnel Junction-Graphene Transparent Conductive Electrodes for Nitride Lateral Light Emitting Diodes. 8: 1176-1183. <http://dx.doi.org/10.1021/acsami.5b09419>.
- Wang, Q; Ding, JN; Wang, WX. (2005). Fabrication and temperature coefficient compensation technology of low cost high temperature pressure sensor. *Sens Actuators A.* 120: 468-473. <http://dx.doi.org/10.1016/j.sna.2005.01.036>.
- Wang, Q; Goldsmith, RH; Jiang, Y; Bockenauer, SD; Moerner, WE. (2012). Probing single biomolecules in solution using the anti-Brownian electrokinetic (ABEL) trap. *Acc Chem Res.* 45: 1955-1964. <http://dx.doi.org/10.1021/ar200304t>.
- Wang, Q; Jeong, S; Choi, H. (2012). Removal of trichloroethylene DNAPL trapped in porous media using nanoscale zerovalent iron and bimetallic nanoparticles: Direct observation and quantification. *J Hazard Mater.* 213: 299-310. <http://dx.doi.org/10.1016/j.jhazmat.2012.02.002>.
- Wang, Q; Kanel, SR, aj; Park, H; Ryu, A; Choi, H. (2009). Controllable synthesis, characterization, and magnetic properties of nanoscale zerovalent iron with specific high Brunauer-Emmett-Teller surface area. *J Nanopart Res.* 11: 749-755. <http://dx.doi.org/10.1007/s11051-008-9524-7>.
- Wang, Q; Lee, S; Choi, H. (2010). Aging Study on the Structure of Fe-0-Nanoparticles: Stabilization, Characterization, and Reactivity. *J Phys Chem C.* 114: 2027-2033. <http://dx.doi.org/10.1021/jp909137f>.
- Wang, Q; Qian, H; Yang, Y; Zhang, Z; Naman, C; Xu, X. (2010). Reduction of hexavalent chromium by carboxymethyl cellulose-stabilized zero-valent iron nanoparticles. *J Contam Hydrol.* 114: 35-42. <http://dx.doi.org/10.1016/j.jconhyd.2010.02.006>.
- Wang, Q; Shao, Y; Gao, N; Chu, W; Deng, J; Shen, X; Lu, X; Zhu, Y; Wei, X. (2016). Degradation of alachlor with zero-valent iron activating persulfate oxidation. *Taiwan Institute of Chemical Engineers Journal.* 63: 379-385. <http://dx.doi.org/10.1016/j.jtice.2016.03.038>.
- Wang, Q; Snyder, S; Kim, J; Choi, H. (2009). Aqueous Ethanol modified Nanoscale Zerovalent Iron in Bromate Reduction: Synthesis, Characterization, and Reactivity. *Environ Sci Technol.* 43: 3292-3299. <http://dx.doi.org/10.1021/es803540b>.
- Wang, R; Nakajima, T; Honma, T. (1999). Different change patterns of the isozymes of cytochrome P450 and glutathione S-transferases in chemically induced liver damage in rat. *Ind Health.* 37: 440-448.
- Wang, R; Shin, CH, o; Kim, D; Ryu, M; Park, JS. (2016). Adsorption of heavy metals and organic contaminants from aqueous stream with chemically enhanced kapok fibers. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5254-9>.
- Wang, RS; Nakajima, T. (1992). Effects of ethanol and phenobarbital treatments on the pharmacokinetics of toluene in rats. *Occup Environ Med.* 49: 104-112.
- Wang, S; Han, Y; Cao, X, i; Zhao, D, an; Yang, D; Chen, J. (2016). Enhanced degradation of trichloroethylene using bentonite-supported nanoscale Fe/Ni and humic acids. *Environ Chem Lett.* 14: 237-242. <http://dx.doi.org/10.1007/s10311-015-0548-9>.
- Wang, S; He, J. (2013). Dechlorination of commercial PCBs and other multiple halogenated compounds by a sediment-free culture containing Dehalococcoides and Dehalobacter. *Environ Sci Technol.* 47: 10526-10534. <http://dx.doi.org/10.1021/es4017624>.
- Wang, S; Yang, Q, i. (2013). ACCLIMATION OF ANAEROBIC SLUDGE-DEGRADING 1,1-DICHLOROETHYLENE (1,1-DCE) UNDER DIFFERENT SUBSTRATE CONDITIONS AND THE BIODEGRADATION KINETICS. *Fresen Environ Bull.* 22: 3016-3023.
- Wang, S; Yang, Q, i. (2013). COMETABOLIC DEGRADATION OF 1,1-DCE WITH BENZENE AS THE PRIMARY SUBSTRATE BY AEROBIC SLUDGE. *Fresen Environ Bull.* 22: 220-227.
- Wang, SJ; Loh, KC. (2000). New cell growth pattern on mixed substrates and substrate utilization in cometabolic transformation of 4-chlorophenol. *Water Res.* 34: 3786-3794.
- Wang, SL; Lee, TC; Ho, TI. (2002). Excited state proton transfer and steric effect on the hydrogen bonding interaction of the styrylquinoline system. *J Photochem Photobiol A.* 151: 21-26.
- Wang, SM; Tseng, SK. (2009). Reductive dechlorination of trichloroethylene by combining autotrophic hydrogen-bacteria and zero-valent iron particles. *Bioresour Technol.* 100: 111-117. <http://dx.doi.org/10.1016/j.biortech.2008.05.033>.

Fate Literature Search Results

Off Topic

- Wang, SY; Chen, SC; Lin, YC; Kuo, YC; Chen, JY; Kao, CM. (2016). Acidification and sulfide formation control during reductive dechlorination of 1,2-dichloroethane in groundwater: Effectiveness and mechanistic study. *Chemosphere*. 160: 216-229. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.066>.
- Wang, T; Lenahan, R; Kanik, M; Teneyck, J. (1986). THE REMOVAL OF TRICHLOROETHYLENE (TCT) CONTAMINATED GROUNDWATER AND IMPACTS OF CONTAMINANTS DISCHARGED TO THE MAIN CANAL AND INDIAN RIVER ESTUARY, FLORIDA, USA. *Water Sci Technol*. 18: 352-352.
- Wang, W; Chiang, LW; Ku, Y. (2003). Decomposition of benzene in air streams by UV/TiO₂ process. *J Hazard Mater*. 101: 133-146. [http://dx.doi.org/10.1016/S0304-3894\(03\)00169-9](http://dx.doi.org/10.1016/S0304-3894(03)00169-9).
- Wang, W, eiH; Hoag, GE; Collins, JB; Naidu, R. (2013). Evaluation of Surfactant-Enhanced In Situ Chemical Oxidation (S-ISCO) in Contaminated Soil. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1713-z>.
- Wang, W; Ku, Y. (2003). Photocatalytic degradation of gaseous benzene in air streams by using an optical fiber photoreactor. *J Photochem Photobiol A*. 159: 47-59. [http://dx.doi.org/10.1016/S1010-6030\(03\)00111-4](http://dx.doi.org/10.1016/S1010-6030(03)00111-4).
- Wang, W; Qu, Y; Yang, B; Liu, X; Su, W. (2012). Lactate oxidation in pyrite suspension: a Fenton-like process in situ generating H₂O₂. *Chemosphere*. 86: 376-382. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.026>.
- Wang, W, ei; Wang, S; Zhang, J; Hu, Z; Zhang, X; Sierra, JM. (2016). Degradation kinetics of pentachlorophenol and changes in anaerobic microbial community with different dosing modes of co-substrate and zero-valent iron. *Int Biodeterior Biodegradation*. 113: 126-133. <http://dx.doi.org/10.1016/j.ibiod.2015.12.006>.
- Wang, W, ei; Zhou, M. (2010). Degradation of trichloroethylene using solvent-responsive polymer coated Fe nanoparticles. *Colloid Surface Physicochem Eng Aspect*. 369: 232-239. <http://dx.doi.org/10.1016/j.colsurfa.2010.08.031>.
- Wang, W; Zhou, M; Jin, Z; Li, T. (2010). Reactivity characteristics of poly(methyl methacrylate) coated nanoscale iron particles for trichloroethylene remediation. *J Hazard Mater*. 173: 724-730. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.145>.
- Wang, X; Brusseau, ML. (1993). Solubilization of some low-polarity organic compounds by hydroxypropyl-beta-cyclodextrin. *Environ Sci Technol*. 27: 2821-2825.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater*. 161: 815-823. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.027>.
- Wang, X; Dossett, MP; Gordon, MP; Strand, SE. (2004). Fate of carbon tetrachloride during phytoremediation with poplar under controlled field conditions. *Environ Sci Technol*. 38: 5744-5749. <http://dx.doi.org/10.1021/es0499187>.
- Wang, X; Li, JR; Fu, ML; Yuan, B; Cui, HJ; Wang, YF. (2014). Fabrication and evaluation of Au-Pd core-shell nanocomposites for dechlorination of diclofenac in water. *Environ Technol*. 36: 1-25. <http://dx.doi.org/10.1080/09593330.2014.994044>.
- Wang, X; Ning, P; Liu, H; Ma, J, un. (2010). Dechlorination of chloroacetic acids by Pd/Fe nanoparticles: Effect of drying method on metallic activity and the parameter optimization. *Appl Catal B-Environ*. 94: 55-63. <http://dx.doi.org/10.1016/j.apcatb.2009.10.020>.
- Wang, X; So, L; Su, R, en; Wendt, S; Hald, P; Mamakhel, A; Yang, C; Huang, Y; Iversen, B, oB; Besenbacher, F. (2014). The influence of crystallite size and crystallinity of anatase nanoparticles on the photo-degradation of phenol. *J Catal*. 310: 100-108. <http://dx.doi.org/10.1016/j.jcat.2013.04.022>.
- Wang, X, in; Tan, X, in; Yu, T, ao. (2014). Kinetic Study of Ozone Photocatalytic Decomposition Using a Thin Film of TiO₂ Coated on a Glass Plate and the CFD Modeling Approach. *Ind Eng Chem Res*. 53: 7902-7909. <http://dx.doi.org/10.1021/ie403144w>.
- Wang, X; Unger, AJ; Parker, BL. (2012). Simulating an exclusion zone for vapour intrusion of TCE from groundwater into indoor air. *J Contam Hydrol*. 140-141: 124-138. <http://dx.doi.org/10.1016/j.jconhyd.2012.07.004>.
- Wang, X, u; Wang, Y, unXia; Yuan, B; Cui, H, aoJie; Fu, ML, ai. (2015). Fabrication of resin supported Au-Pd bimetallic nanoparticle composite to efficiently remove chloramphenicol from water. *RSC Advances*. 5: 18806-18812. <http://dx.doi.org/10.1039/c4ra17309k>.
- Wang, X; Yang, J; Zhu, M; Li, F. (2013). Characterization and regeneration of Pd/Fe nanoparticles immobilized in modified PVDF membrane. *Taiwan Institute of Chemical Engineers Journal*. 44: 386-392. <http://dx.doi.org/10.1016/j.jtice.2012.12.007>.
- Wang, X; Yu, H; Hua, D; Zhou, S. (2013). Enhanced Catalytic Hydrogenation Activity and Selectivity of Pt-MxOy/Al₂O₃ (M = Ni, Fe, Co) Heteroaggregate Catalysts by in Situ Transformation of PtM Alloy Nanoparticles. *J Phys Chem C*. 117: 7294-7302. <http://dx.doi.org/10.1021/jp309548v>.
- Wang, X; Zhang, S; Li, J; Xu, J; Wang, X. (2014). Fabrication of Fe/Fe₃C@porous carbon sheets from biomass and their application for simultaneous reduction and adsorption of uranium(VI) from solution. 1: 641-648. <http://dx.doi.org/10.1039/c4qi00071d>.
- Wang, XD; Fang, J; Carey, P; Yee, S. (1993). MIXTURE ANALYSIS OF ORGANIC-SOLVENTS USING NONSELECTIVE AND NONLINEAR TAGUCHI GAS SENSORS WITH ARTIFICIAL NEURAL NETWORKS. *Sens Actuators B*. 13: 455-457.
- Wang, XH; Feng, ZM. (2003). Energy consumption with sustainable development in developing country: a case in Jiangsu, China. *Energy Policy*. 31: 1679-1684.
- Wang, Y; Chen, Y; Yao, M; Qin, H; Kang, S; Li, X, i; Zuo, Y; Zhang, X; Cui, L, iF. (2015). Simple synthesis of mesoporous FeNi/graphitic carbon nanocomposite catalysts and study on their activities in catalytic cracking of toluene. *Mater Chem Phys*. 167: 347-353. <http://dx.doi.org/10.1016/j.matchemphys.2015.10.054>.
- Wang, Y, e; Deng, B; Kim, CN. (2012). Transient Characteristics of VOCs Removal by an Air Cleaner in Association with a Humidifier Combined with Different Ventilation Strategies in an Office. *Indoor Built Environ*. 21: 71-78. <http://dx.doi.org/10.1177/1420326X11419928>.
- Wang, Y; Huang, YS. (2001). Hydrogen isotope fractionation of low molecular weight n-alkanes during progressive vaporization. *Organic Geochemistry*. 32: 991-998.

Fate Literature Search Results

Off Topic

- Wang, Y; Huang, YS. (2003). Hydrogen isotopic fractionation of petroleum hydrocarbons during vaporization: implications for assessing artificial and natural remediation of petroleum contamination. *Appl Geochem*. 18: 1641-1651. [http://dx.doi.org/10.1016/S0883-2927\(03\)00076-3](http://dx.doi.org/10.1016/S0883-2927(03)00076-3).
- Wang, Y; Li, H; Song, Q; Qi, Y, e. (2017). The consequence of energy policies in China: A case study of the iron and steel sector. *Resour Conservat Recycl*. 117: 66-73. <http://dx.doi.org/10.1016/j.resconrec.2015.07.007>.
- Wang, Y; Li, Y; Zhang, W; Wang, Q; Wang, D. (2014). Photocatalytic degradation and reactor modeling of 17 α -ethynylestradiol employing titanium dioxide-incorporated foam concrete. *Environ Sci Pollut Res Int*. 22: 3508-3517. <http://dx.doi.org/10.1007/s11356-014-3573-5>.
- Wang, Y; Merkel, BJ; Li, Y; Ye, H, ui; Fu, S; Ihm, D. (2007). Vulnerability of groundwater in Quaternary aquifers to organic contaminants: a case study in Wuhan City, China. *Environ Geol*. 53: 479-484. <http://dx.doi.org/10.1007/s00254-007-0669-y>.
- Wang, YT; Zhao, XP; Wang, DW. (2006). Electrophoretic ink using urea-formaldehyde microspheres. *J Microencapsul*. 23: 762-768. <http://dx.doi.org/10.1080/02652040600788197>.
- Wang, Z; Acosta, E. (2013). Formulation design for target delivery of iron nanoparticles to TCE zones. *J Contam Hydrol*. 155: 9-19. <http://dx.doi.org/10.1016/j.jconhyd.2013.08.005>.
- Wang, Z; Hall, SD; Maya, JF; Li, L; Asghar, A; Gorski, JC. (2003). Diabetes mellitus increases the in vivo activity of cytochrome P450 2E1 in humans. *Br J Clin Pharmacol*. 55: 77-85.
- Wang, Z; Liu, J; Dai, Y; Dong, W; Zhang, S; Chen, J. (2011). Dimethyl Sulfide Photocatalytic Degradation in a Light-Emitting-Diode Continuous Reactor: Kinetic and Mechanistic Study. *Ind Eng Chem Res*. 50: 7977-7984. <http://dx.doi.org/10.1021/ie200297x>.
- Wang, Z; Peng, P; Huang, W. (2009). Dechlorination of gamma-hexachlorocyclohexane by zero-valent metallic iron. *J Hazard Mater*. 166: 992-997. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.10>.
- Wang, Z; Xiu, G; Wu, X; Wang, L; Cai, J; Zhang, D. (2013). Biodegradation of xylene mixture from artificial simulated waste gases by capillary membrane bioreactors. *Chem Eng J*. 229: 508-514. <http://dx.doi.org/10.1016/j.cej.2013.05.001>.
- Wanner, C; Zink, S; Eggenberger, U; Mäder, U. (2012). Assessing the Cr(VI) reduction efficiency of a permeable reactive barrier using Cr isotope measurements and 2D reactive transport modeling. *J Contam Hydrol*. 131: 54-63. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.007>.
- Wanner, P; Hunkeler, D. (2015). Carbon and chlorine isotopologue fractionation of chlorinated hydrocarbons during diffusion in water and low permeability sediments. *Geochim Cosmo Acta*. 157: 198-212. <http://dx.doi.org/10.1016/j.gca.2015.02.034>.
- Wanson, JC; Bernaert, D; Penasse, W; Mosselmans, R; Bannasch, P. (1980). Separation in distinct subpopulations by elutriation of liver cells following exposure of rats to N-nitrosomorpholine. *Cancer Res*. 40: 459-471.
- Ward, EM; Thun, MJ; Hannan, LM; Jemal, A. (2006). Interpreting cancer trends [Review]. *Ann N Y Acad Sci*. 1076: 29-53. <http://dx.doi.org/10.1196/annals.1371.048>.
- Ward, JM; Peters, JM; Perella, CM; Gonzalez, FJ. (1998). Receptor and nonreceptor-mediated organ-specific toxicity of di(2-ethylhexyl)phthalate (DEHP) in peroxisome proliferator-activated receptor alpha-null mice. *Toxicol Pathol*. 26: 240-246.
- Ward, TE; Bulmer, D; Walton, MR; Apel, WA. (1998). Development of genetically engineered bacteria for trichloroethylene degradation (pp. 179-193). (ISSN 1093-4529; EISSN 1532-4117; BIOSIS/98/12311). Ward, TE; Bulmer, D; Walton, MR; Apel, WA.
- Wardencki, W; Michulec, M; Cisowski, W; Glensk, M; Zbikowska, B. (2005). Solvent residue determination in *Uncaria tomentosa* bark by HS-GC technique. *Chemia analityczna*. 50: 575-581.
- Wareham, JD. (2003). Information assets in interorganizational governance: Exploring the property rights perspective. *IEEE Trans Eng Manag*. 50: 337-351. <http://dx.doi.org/10.1109/TEM.2003.817291>.
- Warr, T; Parry, E; Parry, J. (1993). A comparison of two in vitro mammalian cell cytogenetic assays for the detection of mitotic aneuploidy using 10 known or suspected aneugens. *Mutat Res-Fundam Mol Mech Mutagen*. 287: 29-46. [http://dx.doi.org/10.1016/0027-5107\(93\)90143-4](http://dx.doi.org/10.1016/0027-5107(93)90143-4).
- Warren, DA; Reigle, TG; Muralidhara, S; Dallas, CE. (1996). Schedule-controlled operant behavior of rats following oral administration of perchloroethylene: Time course and relationship to blood and brain solvent levels. *J Toxicol Environ Health*. 47: 345-362. <http://dx.doi.org/10.1080/009841096161690>.
- Warren, DR; Blain, GT; Shorney, FL; Klein, LJ. (1995). IRP - A CASE-STUDY FROM KANSAS. *J Am Water Works Assoc*. 87: 57-71.
- Wartenberg; Reyner. (2000). TCE Meta-Analyses: Wartenberg et al.'s Response. *Environ Health Perspect*. 108: A543-A544.
- Wartenberg, D. (2007). Causal relationship between trichloroethylene exposure and non-Hodgkin's lymphoma. *Occup Environ Med*. 64: 352-352.
- Wartenberg, D; Reyner, D; Scott, CS. (2000). Trichloroethylene and cancer: Epidemiologic evidence [Review]. *Environ Health Perspect*. 108: 161-176.
- Wartenberg, D; Reyner, D; Scott, CS. (2001). Errors in TCE analysis: response. *Environ Health Perspect*. 109: A108-A109.
- Wartenberg, D; Siegel, SC. (2002). Carcinogenicity of trichloroethylene. *Environ Health Perspect*. 110: A13-A14.
- Watanabe, KH; Bois, FY; Daisey, JM; Auslander, DM; Spear, RC. (1994). Benzene toxicokinetics in humans: exposure of bone marrow to metabolites. *Occup Environ Med*. 51: 414-420.
- Watanabe, M; Takano, T; Nakamura, K. (1998). Effect of ethanol on the metabolism of trichloroethylene in the perfused rat liver. *J Toxicol Environ Health A*. 55: 297-305.
- Watanabe, S; Fukui, T. (1997). Inhibitory effect of curcumin on the peroxisome proliferation by trichloroethylene. *JTTHE*. 43: P3-P3.
- Watanabe, S; Kato, Y; Kawauchi, S. (1994). The liver injury and the lipid peroxidation in mice by trichloroacetic acid or trichloroethylene (pp. 440-447). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/95/14466). Watanabe, S; Kato, Y; Kawauchi, S.
- Watanabe, S; Yamamoto, K; Kato, Y; Kawauchi, S. (1994). INHIBITORY EFFECT OF FLAVIN DERIVATIVES ON THE LIPID-PEROXIDATION ATTENDED TO THE IN-VITRO METABOLISM OF TRICHLOROACETIC-ACID. *JTTHE*. 40: 171-177.

Fate Literature Search Results

Off Topic

- Watanabe, T; Shimada, H; Tanaka, Y. (1978). Human hepatocytes and aging: A cytophotometrical analysis in 35 sudden-death cases. *Virchows Arch B Cell Pathol Incl Mol Pathol.* 27: 307-316.
- Watanabe-Suzuki, K; Ishii, A; Suzuki, O. (2002). Cryogenic oven-trapping gas chromatography for analysis of volatile organic compounds in body fluids. *Anal Bioanal Chem.* 373: 75-80. <http://dx.doi.org/10.1007/s00216-002-1240-z>.
- Watson, RE; Goodman, JI. (2002). Effects of phenobarbital on DNA methylation in GC-rich regions of hepatic DNA from mice that exhibit different levels of susceptibility to liver tumorigenesis. *Toxicol Sci.* 68: 51-58. <http://dx.doi.org/10.1093/toxsci/68.1.51>.
- Watt, AS; Magrini, KA; Carlson, LE; Wolfrum, EJ; Larson, SA; Roth, C; Glatzmaier, GC. (1999). Pilot-scale demonstration of an innovative treatment for vapor emissions. *J Air Waste Manag Assoc.* 49: 1368-1373.
- Wattanaarun, J; Pavarajarn, V; Supaphol, P. (2005). Titanium (IV) oxide nanofibers by combined sol-gel and electrospinning techniques: preliminary report on effects of preparation conditions and secondary metal dopant. *Science and Technology of Advanced Materials.* 6: 240-245. <http://dx.doi.org/10.1016/j.stam.2005.02.002>.
- Wattanaarun, J; Supaphol, P; Pavarajarn, V. (2007). Photocatalytic activity of neat and silicon-doped titanium(IV) oxide nanofibers prepared by combined sol-gel and electrospinning techniques. *J Nanosci Nanotechnol.* 7: 2443-2450. <http://dx.doi.org/10.1166/jnn.2007.417>.
- Watts, MP; Coker, VS; Parry, SA; Thomas, RA; Kalin, R; Lloyd, JR. (2015). Effective treatment of alkaline Cr(VI) contaminated leachate using a novel Pd-bionanocatalyst: Impact of electron donor and aqueous geochemistry. *Appl Catal B-Environ.* 170-171: 162-172. <http://dx.doi.org/10.1016/j.apcatb.2015.01.017>.
- Watts, RJ; Bottenberg, BC; Hess, TF; Jensen, MD; Teel, AL. (1999). Role of reductants in the enhanced desorption and transformation of chloroaliphatic compounds by modified Fenton's reactions. *Environ Sci Technol.* 33: 3432-3437.
- Watts, RJ; Kong, S; Orr, MP; Miller, GC; Henry, BE. (1995). Photocatalytic inactivation of coliform bacteria and viruses in secondary wastewater effluent. *Water Res.* 29: 95-100.
- Watts, RJ; Stanton, PC. (1999). Mineralization of sorbed and NAPL-phase hexadecane by catalyzed hydrogen peroxide. *Water Res.* 33: 1405-1414.
- Waxman, S; Wurmbach, E. (2007). De-regulation of common housekeeping genes in hepatocellular carcinoma. *BMC Genomics.* 8: 243. <http://dx.doi.org/10.1186/1471-2164-8-243>.
- Weathers, TS; Harding-Marjanovic, K; Higgins, CP; Alvarez-Cohen, L; Sharp, JO. (2016). Perfluoroalkyl Acids Inhibit Reductive Dechlorination of Trichloroethene by Repressing Dehalococcoides. *Environ Sci Technol.* 50: 240-248. <http://dx.doi.org/10.1021/acs.est.5b04854>.
- Weber, A; Ruhl, A; Amos, RT. (2013). Investigating dominant processes in ZVI permeable reactive barriers using reactive transport modeling. *J Contam Hydrol.* 151: 68-82. <http://dx.doi.org/10.1016/j.jconhyd.2013.05.001>.
- Weber, G; Bertrand, O; Fromont, E; Bourg, S; Bouvier, F; Bissinger, D; Simonotgrange, MH. (1996). TCE adsorption on hydrophobic Y and MFI zeolites. Possibilities of using such materials for solvent recovery. *J Chim Phys Phys Chim Biol.* 93: 1412-1425.
- Weber, WI. (2004). Preloading of GAC by natural organic matter in potable water treatment systems: Mechanisms, effects and design considerations. *Journal of Water Supply: Research and Technology-AQUA.* 53: 469-482.
- Weber, WJ; Kim, SH; Johnson, MD. (2002). Distributed reactivity model for sorption by soils and sediments. 15. High-concentration co-contaminant effects on phenanthrene sorption and Desorption. *Environ Sci Technol.* 36: 3625-3634.
- Weber, WJ; Leboeuf, EJ. (1999). Processes for advanced treatment of water. *Water Sci Technol.* 40: 11-19.
- Weber, WJ; Young, TM. (1997). A distributed reactivity model for sorption by soils and sediments .6. Mechanistic implications of desorption under supercritical fluid conditions. *Environ Sci Technol.* 31: 1686-1691.
- Webster, RD; Heath, GA. (2001). Voltammetric, EPR and UV-VIS-NIR spectroscopic studies associated with the one-electron oxidation of C-60 and C-70 in 1,1',2,2'-tetrachloroethane containing trifluoromethanesulfonic acid. *Phys Chem Chem Phys.* 3: 2588-2594.
- Webster, T; Connett, P. (1991). ESTIMATING BIOCONCENTRATION FACTORS AND HALF-LIVES IN HUMANS USING PHYSIOLOGICALLY BASED PHARMACOKINETIC MODELING - 2,3,7,8-TCDD. *Chemosphere.* 23: 1763-1768. [http://dx.doi.org/10.1016/0045-6535\(91\)90023-7](http://dx.doi.org/10.1016/0045-6535(91)90023-7).
- Webster, TS; Condee, C; Hatzinger, PB. (2013). Ex situ treatment of N-nitrosodimethylamine (NDMA) in groundwater using a fluidized bed reactor. *Water Res.* 47: 811-820. <http://dx.doi.org/10.1016/j.watres.2012.11.011>.
- Weed, DL. (2010). Meta-Analysis and Causal Inference: A Case Study of Benzene and Non-Hodgkin Lymphoma. *Ann Epidemiol.* 20: 347-355. <http://dx.doi.org/10.1016/j.annepidem.2010.02.001>.
- Weeks, KR; Bruell, CJ; Mohanty, NR. (2000). Use of Fenton's reagent for the degradation of TCE in aqueous systems and soil slurries. *Int J Phytoremediation.* 9: 331-345.
- Weerasooriya, R; Dharmasena, B. (2001). Pyrite-assisted degradation of trichloroethene (TCE). *Chemosphere.* 42: 389-396.
- Wehland, F; Stancu, A; Rochette, P; Dekkers, MJ; Appel, E. (2005). Experimental evaluation of magnetic interaction in pyrrhotite bearing samples. *Phys Earth Planet In.* 153: 181-190. <http://dx.doi.org/10.1016/j.pepi.2005.05.006>.
- Wei, J; Qian, Y; Liu, W; Wang, L; Ge, Y; Zhang, J; Yu, J; Ma, X. (2014). Effects of particle composition and environmental parameters on catalytic hydrodechlorination of trichloroethylene by nanoscale bimetallic Ni-Fe. *J Environ Sci.* 26: 1162-1170. [http://dx.doi.org/10.1016/S1001-0742\(13\)60506-9](http://dx.doi.org/10.1016/S1001-0742(13)60506-9).
- Wei, J; Qian, Y; Wang, L; Ge, Y; Su, L; Zhai, D; Wang, J; Wang, J; Yu, J. (2016). Enhancement of Degradation and Dechlorination of Trichloroethylene via Supporting Palladium/Iron Bimetallic Nanoparticles onto Mesoporous Silica. 6. <http://dx.doi.org/10.3390/catal6070105>.
- Wei, J; Schaeffer, N; Pileni, MP. (2016). Solvent-Mediated Crystallization of Nanocrystal 3D Assemblies of Silver Nanocrystals: Unexpected Super lattice Ripening. *Chem Mater.* 28: 293-302. <http://dx.doi.org/10.1021/acs.chemmater.5b04120>.
- Wei, J; Xu, X; Liu, Y; Wang, D. (2006). Catalytic hydrodechlorination of 2,4-dichlorophenol over nanoscale Pd/Fe: reaction pathway and some experimental parameters. *Water Res.* 40: 348-354. <http://dx.doi.org/10.1016/j.watres.2005.10.017>.

Fate Literature Search Results

Off Topic

- Wei, JJ; Xu, XH; Liu, Y. (2004). Kinetics and mechanism of dechlorination of o-chlorophenol by nanoscale Pd/Fe. *Chem Res Chin Univ.* 20: 73-76.
- Wei, JJ; Xu, XH; Wang, DH. (2004). Catalytic dechlorination of o-chlorophenol by nanoscale Pd/Fe. *J Environ Sci.* 16: 621-613.
- Wei, MC, hi; Wang, K, aiS; Lin, IC; Hsiao, TE, n; Lin, Y, anN; Tang, CT; Chen, J, yhC; Chang, SH. (2012). Rapid regeneration of sulfanilic acid-sorbed activated carbon by microwave with persulfate. *Chem Eng J.* 193: 366-371. <http://dx.doi.org/10.1016/j.cej.2012.04.072>.
- Wei, N, a; Finneran, KT. (2011). Influence of Ferric Iron on Complete Dechlorination of Trichloroethylene (TCE) to Ethene: Fe(III) Reduction Does Not Always Inhibit Complete Dechlorination. *Environ Sci Technol.* 45: 7422-7430. <http://dx.doi.org/10.1021/es201501a>.
- Wei, Y, uT; Wu, SC; Chou, CM; Che, CH; Tsai, SM, u; Lien, HL. (2010). Influence of nanoscale zero-valent iron on geochemical properties of groundwater and vinyl chloride degradation: A field case study. *Water Res.* 44: 131-140. <http://dx.doi.org/10.1016/j.watres.2009.09.012>.
- Wei-Bin, L; Hao, G. (2010). Recent Progress in the Removal of Volatile Organic Compounds by Catalytic Combustion. *Acta Phys - Chim Sin.* 26: 885-894. <http://dx.doi.org/10.3866/PKU.WHXB20100436>.
- Weidhaas, J; Dupont, RR. (2013). Aerobic biotransformation of N-nitrosodimethylamine and N-nitrodimethylamine in methane and benzene amended soil columns. *J Contam Hydrol.* 150: 45-53. <http://dx.doi.org/10.1016/j.jconhyd.2013.04.004>.
- Weidhaas, JL; Zigmund, MJ; Dupont, RR. (2012). Aerobic Biotransformation of N-Nitrosodimethylamine and N-Nitrodimethylamine by Benzene-, Butane-, Methane-, Propane-, and Toluene-Fed Cultures. *Bioremediat J.* 16: 74-85. <http://dx.doi.org/10.1080/10889868.2012.665961>.
- Weidman, JR; Dolinoy, DC; Murphy, SK; Jirtle, RL. (2007). Cancer susceptibility: Epigenetic manifestation of environmental exposures [Review]. *Cancer J.* 13: 9-16. <http://dx.doi.org/10.1097/PPO.0b013e31803c71f2>.
- Wei-hua, Z; Xie, Q; Zhuo-yong, Z. (2007). Catalytic reductive dechlorination of p-chlorophenol in water using Ni/Fe nanoscale particles. *J Environ Sci.* 19: 362-366. [http://dx.doi.org/10.1016/S1001-0742\(07\)60060-6](http://dx.doi.org/10.1016/S1001-0742(07)60060-6).
- Weinberg, HS; Krasner, SW; Richardson, SD; Thruston, AD, Jr. (2002). The occurrence of disinfection by-products (DBPs) of health concern in drinking water: Results of a nationwide DBP occurrence study. (EPA/600/R-02/068). Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development, National Exposure Research Laboratory. http://epa.gov/athens/publications/reports/EPA_600_R02_068.pdf.
- Weir, BA; Mclane, CR; Leger, RJ. (1996). Design of a UV oxidation system for treatment of TCE-contaminated groundwater. *Environmental Progress.* 15: 179-186.
- Weir, BA; Sundstrom, DW. (1993). Destruction of trichloroethylene by UV light-catalyzed oxidation with hydrogen peroxide. *Chemosphere.* 27: 1279-1291.
- Weisel, CP; Jo, WK. (1996). Ingestion, inhalation, and dermal exposures to chloroform and trichloroethene from tap water. *Environ Health Perspect.* 104: 48-51.
- Weisel, CP; Kim, H; Haltmeier, P; Klotz, JB. (1999). Exposure estimates to disinfection by-products of chlorinated drinking water. *Environ Health Perspect.* 107: 103-110.
- Weisenburger, DD. (1992). Pathological classification of non-Hodgkin's lymphoma for epidemiological studies [Review]. *Cancer Res.* 52: 5456s-5462s.
- Weiss, JR; Moysich, KB; Swede, H. (2005). Epidemiology of male breast cancer [Review]. *Cancer Epidemiol Biomarkers Prev.* 14: 20-26.
- Weiss, N. (1996). Cancer in relation to occupational exposure to trichloroethylene [Review]. *Occup Environ Med.* 53: 1-5.
- Weiss, PA. (1971). A cell is not an island entire of itself. *Perspect Biol Med.* 14: 182-205.
- Weiss, T; Schierbaum, KD; Vanvelzen, UT; Reinhoudt, DN; Gopel, W. (1995). SELF-ASSEMBLED MONOLAYERS OF SUPRAMOLECULAR COMPOUNDS FOR CHEMICAL SENSORS. *Sens Actuators B.* 26: 203-207.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: Salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ.* 38: 4197-4204. <http://dx.doi.org/10.1016/j.atmosenv.2004.04.032>.
- Weissflog, L; Kruger, G; Elansky, N; Putz, E; Pfennigsdorff, A; Seyfarth, KU; Nuchter, M; Lange, C; Kotte, K. (2003). Input of trichloroacetic acid into the vegetation of various climate zones--measurements on several continents. *Chemosphere.* 52: 443-449. [http://dx.doi.org/10.1016/S0045-6535\(03\)00209-1](http://dx.doi.org/10.1016/S0045-6535(03)00209-1).
- Weissflog, L; Pfennigsdorff, A; Martinez-Pastur, G; Puliafito, E; Figueroa, D; Elansky, N; Nikonov, V; Putz, E; Kruger, G; Kellner, K. (2001). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres--Part I Its formation, uptake and geographical distribution. *Atmos Environ.* 35: 4511-4521.
- Weistenhofer, W; Blaszkewicz, M; Bolt, HM; Golka, K. (2008). N-acetyltransferase-2 and medical history in bladder cancer cases with a suspected occupational disease (BK 1301) in Germany. *J Toxicol Environ Health A.* 71: 906-910. <http://dx.doi.org/10.1080/15287390801988681>.
- Weiyang, H; Fei, L; Anhuai, L; Ximing, L. (2012). Decomposition of hydrogen peroxide in the remediation of trichloroethylene contaminated groundwater by Fenton oxidation technology. *Disaster Advances.* 5: 1179-1182.
- Wejrzanowski, T; Grybczuk, M; Chmielewski, M; Pietrzak, K; Kurzydowski, KJ; Strojny-Nedza, A. (2016). Thermal conductivity of metal-graphene composites. *Materials & Design.* 99: 163-173. <http://dx.doi.org/10.1016/j.matdes.2016.03.069>.
- Welp, G; Brümmer, GW. (1999). Effects of organic pollutants on soil microbial activity: the influence of sorption, solubility, and speciation. *Ecotoxicol Environ Saf.* 43: 83-90. <http://dx.doi.org/10.1006/eesa.1999.1770>.
- Wen, LL; Yang, Q; Zhang, ZX; Yi, YY; Tang, Y; Zhao, HP. (2016). Interaction of perchlorate and trichloroethene bioreductions in mixed anaerobic culture. *Sci Total Environ.* 571: 11-17. <http://dx.doi.org/10.1016/j.scitotenv.2016.07.122>.
- Wen, LL; Zhang, Y; Pan, YW; Wu, WQ; Meng, SH; Zhou, C; Tang, Y; Zheng, P; Zhao, HP. (2015). The roles of methanogens and acetogens in dechlorination of trichloroethene using different electron donors. *Environ Sci Pollut Res Int.* 22: 19039-19047. <http://dx.doi.org/10.1007/s11356-015-5117-z>.

Fate Literature Search Results

Off Topic

- Wen, Z; Li, H. (2014). Analysis of potential energy conservation and CO2 emissions reduction in China's non-ferrous metals industry from a technology perspective. *Int J Greenhouse Gas Control*. 28: 45-56. <http://dx.doi.org/10.1016/j.ijggc.2014.06.013>.
- Wen, Z; Meng, F; Chen, M, in. (2014). Estimates of the potential for energy conservation and CO2 emissions mitigation based on Asian-Pacific Integrated Model (AIM): the case of the iron and steel industry in China. *J Clean Prod*. 65: 120-130. <http://dx.doi.org/10.1016/j.jclepro.2013.09.008>.
- Wendling, O; Chambon, P; Mark, M. (1999). Retinoid X receptors are essential for early mouse development and placentogenesis. *Proc Natl Acad Sci USA*. 96: 547-551.
- Wen-ying, X; Ting-yao, G. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci*. 19: 792-799.
- Werner, H; Le Roith, D. (2000). New concepts in regulation and function of the insulin-like growth factors: Implications for understanding normal growth and neoplasia [Review]. *Cell Mol Life Sci*. 57: 932-942.
- Werner, JH; Cool, TA. (1998). Flame sampling photoionization mass spectrometry of dichloroethanol. *Chem Phys Lett*. 290: 81-87.
- Werner, JH; Cool, TA. (2000). The kinetics of the combustion of trichloroethylene for low Cl/H ratios. *Combust Flame*. 120: 125-142.
- Werner, M; Birner, G; Dekant, W. (1995). The role of cytochrome P4503A1/2 in the sex-specific sulfoxidation of the hexachlorobutadiene metabolite, N-acetyl-S-(pentachlorobutadienyl)-L-cysteine in rats. *Drug Metab Dispos*. 23: 861-868.
- Werner, M; Guo, Z; Birner, G; Dekant, W; Guengerich, FP. (1995). The sulfoxidation of the hexachlorobutadiene metabolite N-acetyl-S-(1,2,3,4,4-pentachlorobutadienyl)-L-cysteine is catalyzed by human cytochrome P450 3A enzymes. *Chem Res Toxicol*. 8: 917-923.
- Werth, CJ; Mcmillan, SJ; Castilla, HJ. (2000). Structural evaluation of slow desorbing sites in model and natural solids using temperature stepped desorption profiles. 1. Model development. *Environ Sci Technol*. 34: 2959-2965.
- Werth, CJ; Reinhard, M. (1999). Counter diffusion of isotopically labeled trichloroethylene in silica gel and geosorbent micropores: Column results. *Environ Sci Technol*. 33: 730-736.
- West, GB; Woodruff, WH; Brown, JH. (2002). Allometric scaling of metabolic rate from molecules and mitochondria to cells and mammals. *Proc Natl Acad Sci USA*. 99: 2473-2478. <http://dx.doi.org/10.1073/pnas.012579799>.
- West, MR; Kueper, BH. (2012). Numerical simulation of DNAPL source zone remediation with in situ chemical oxidation (ISCO). *Advances in Water Resources*. 44: 126-139. <http://dx.doi.org/10.1016/j.advwatres.2012.05.001>.
- West, OR; Siegrist, RL; Gierke, JS; Schmunk, SW; Lucero, AJ; Jennings, HL. (1995). In situ mixed region vapor stripping in low-permeability media. 1. Process features and laboratory experiments. *Environ Sci Technol*. 29: 2191-2197.
- Weyens, N; Beckers, B; Schellingen, K; Ceulemans, R; van der Lelie, D; Newman, L; Taghavi, S; Carleer, R; Vangronsveld, J. (2015). The Potential of the Ni-Resistant TCE-Degrading *Pseudomonas putida* W619-TCE to Reduce Phytotoxicity and Improve Phytoremediation Efficiency of Poplar Cuttings on a Ni-TCE Co-Contamination. *Int J Phytoremediation*. 17: 40-48. <http://dx.doi.org/10.1080/15226514.2013.828016>.
- Weyens, N; Croes, S; Dupae, J; Newman, L, ee; van Der Lelie, D; Carleer, R; Vangronsveld, J. (2010). Endophytic bacteria improve phytoremediation of Ni and TCE co-contamination. *Environ Pollut*. 158: 2422-2427. <http://dx.doi.org/10.1016/j.envpol.2010.04.004>.
- Weyens, N; Schellingen, K; Beckers, B; Janssen, J; Ceulemans, R; van Der Lelie, D; Taghavi, S; Carleer, R; Vangronsveld, J. (2013). Potential of willow and its genetically engineered associated bacteria to remediate mixed Cd and toluene contamination. *Journal of Soils and Sediments*. 13: 176-188. <http://dx.doi.org/10.1007/s11368-012-0582-1>.
- Weyens, N; Truyens, S; Dupae, J; Newman, L, ee; Taghavi, S; van Der Lelie, D; Carleer, R; Vangronsveld, J. (2010). Potential of the TCE-degrading endophyte *Pseudomonas putida* W619-TCE to improve plant growth and reduce TCE phytotoxicity and evapotranspiration in poplar cuttings. *Environ Pollut*. 158: 2915-2919. <http://dx.doi.org/10.1016/j.envpol.2010.06.004>.
- Weyens, N; Truyens, S; Saenen, E; Boulet, J; Dupae, J; Taghavi, S; van der Lelie, D; Carleer, R; Vangronsveld, J. (2011). Endophytes and their potential to deal with co-contamination of organic contaminants (toluene) and toxic metals (nickel) during phytoremediation. *Int J Phytoremediation*. 13: 244-255. <http://dx.doi.org/10.1080/15226511003753920>.
- Wheeler, CW; Guenther, TM. (1990). Spectroscopic quantitation of cytochrome P-450 in human lung microsomes. *J Biochem Toxicol*. 5: 269-272. <http://dx.doi.org/10.1002/jbt.2570050410>.
- Wheeler, CW; Wrighton, SA; Guenther, TM. (1992). Detection of human lung cytochromes P450 that are immunochemically related to cytochrome P450IIE1 and cytochrome P-450IIIA. *Biochem Pharmacol*. 44: 183-187.
- Whelan, MP; Voudrias, EA; Pearce, A. (1994). DNAPL POOL DISSOLUTION IN SATURATED POROUS-MEDIA - PROCEDURE DEVELOPMENT AND PRELIMINARY-RESULTS. *J Contam Hydrol*. 15: 223-237.
- White, K; David, D; Butterworth, L; Klykken, P. (2000). Assessment of autoimmunity-inducing potential using the brown Norway rat challenge model [Review]. *Toxicol Lett*. 112-113: 443-451.
- White, RF; Feldman, RG; Eviator, II; Jabre, JF; Niles, CA. (1997). Hazardous waste and neurobehavioral effects: A developmental perspective. *Environ Res*. 73: 113-124. <http://dx.doi.org/10.1006/enrs.1997.3699>.
- White, RF; Robins, TG; Proctor, S; Echeverria, D; Rocskay, AS. (1994). Neuropsychological effects of exposure to naphtha among automotive workers. *Occup Environ Med*. 51: 102-112.
- Whittaker, SG; Taylor, J; Van Hooser, LM. (2015). Characterization of "Hydrocarbon" Dry Cleaning in King County, Washington. *J Environ Health*. 78: 8-13.
- WHO. (1977). Manual of the international statistical classification of diseases, injuries, and causes of death. Geneva, Switzerland.
- Wideroff, L; Gridley, G; Chow, WH; Linet, M; Møller, L; Olsen, JH; Kehn, S; Borch-Johnsen, K. (1997). Cancer incidence in a population-based cohort of patients hospitalized with diabetes mellitus in Denmark. *J Natl Cancer Inst*. 89: 1360-1365. <http://dx.doi.org/10.1093/jnci/89.18.1360>.

Fate Literature Search Results

Off Topic

- Wiesenhütter, B; Selinski, S; Golka, K; Brüning, T; Bolt, HM. (2007). Re-assessment of the influence of polymorphisms of phase-II metabolic enzymes on renal cell cancer risk of trichloroethylene-exposed workers. *Int Arch Occup Environ Health*. 81: 247-251. <http://dx.doi.org/10.1007/s00420-007-0200-5>.
- Wigle, DT; Turner, MC; Gomes, J; Parent, ME. (2008). Role of hormonal and other factors in human prostate cancer [Review]. *J Toxicol Environ Health B Crit Rev*. 11: 242-259. <http://dx.doi.org/10.1080/10937400701873548>.
- Wilcox, JD; Johnson, KM. (2016). Trichloroethylene (TCE) in tree cores to complement a subsurface investigation on residential property near a former electroplating facility. *Environ Monit Assess*. 188: 587. <http://dx.doi.org/10.1007/s10661-016-5603-x>.
- Wiles, AD; Peters, TM. (2010). Target tracking errors for 5D and 6D spatial measurement systems. *IEEE Trans Med Imaging*. 29: 879-894. <http://dx.doi.org/10.1109/TMI.2009.2039344>.
- Wilkens, L; Flemming, P; Gebel, M; Bleck, J; Terkamp, C; Wingen, L; Kreipe, H; Schlegelberger, B. (2004). Induction of aneuploidy by increasing chromosomal instability during dedifferentiation of hepatocellular carcinoma. *Proc Natl Acad Sci USA*. 101: 1309-1314. <http://dx.doi.org/10.1073/pnas.0305817101>.
- Wilkin, RT; Acree, SD; Ross, RR; Puls, RW; Lee, TR; Woods, LL. (2014). Fifteen-year assessment of a permeable reactive barrier for treatment of chromate and trichloroethylene in groundwater. *Sci Total Environ*. 468-469: 186-194. <http://dx.doi.org/10.1016/j.scitotenv.2013.08.056>.
- Willett, LB; O'Donnell, AF; Durst, HI; Kurz, MM. (1993). Mechanisms of movement of organochlorine pesticides from soils to cows via forages. *J Dairy Sci*. 76: 1635-1644. [http://dx.doi.org/10.3168/jds.S0022-0302\(93\)77497-4](http://dx.doi.org/10.3168/jds.S0022-0302(93)77497-4).
- Willhite, CC. (2001). Trichloroethylene Carcinogenic Potency. *Hum Ecol Risk Assess*. 7: 767-777.
- Williams; D., PR. (2014). Methyl Tertiary Butyl Ether (MTBE) and Other Volatile Organic Compounds (VOCs) in Public Water Systems, Private Wells, and Ambient Groundwater Wells in New Jersey Compared to Regulatory and Human-Health Benchmarks. *Environ Forensics*. 15: 97-119. <http://dx.doi.org/10.1080/15275922.2013.873096>.
- Williams, F; Meenagh, A; Darke, C; Acosta, A; Daar, AS; Gorodezky, C; Hammond, M; Nascimento, E; Middleton, D. (2001). Analysis of the distribution of HLA-B alleles in populations from five continents. *Hum Immunol*. 62: 645-650.
- Williams, P; Benton, L; Warmerdam, J; Sheehans, P. (2002). Comparative risk analysis of six volatile organic compounds in California drinking water. *Environ Sci Technol*. 36: 4721-4728. <http://dx.doi.org/10.1021/es020725y>.
- Williams, PRD; Benton, L; Sheehan, PJ. (2004). The risk of MTBE relative to other VOCs in public drinking water in California. *Risk Anal*. 24: 621-634. <http://dx.doi.org/10.1111/j.0272-4332.2004.00463.x>.
- Williams-Johnson, MW; Ashizawa, AE; Rosa, CTD. (2001). Trichloroethylene in the Environment: Public Health Concerns. *Hum Ecol Risk Assess*. 7: 737-753.
- Willson, CS; Pau, O; Pedit, JA; Miller, CT. (2000). Mass transfer rate limitation effects on partitioning tracer tests. *J Contam Hydrol*. 45: 79-97.
- Wilmanski, K; Van Breemen, AN. (1990). Competitive adsorption of trichloroethylene and humic substances from groundwater on activated carbon. *Water Res*. 24: 773-780.
- Wilson, BH; Wilson, JT; Kampbell, DH; Bledsoe, BE; Armstrong, JM. (1990). BIOTRANSFORMATION OF MONOAROMATIC AND CHLORINATED HYDROCARBONS AT AN AVIATION GASOLINE SPILL SITE. *Geomicrobiology Journal*. 8: 225-240.
- Wilson, DJ; Norris, RD. (1997). Groundwater cleanup by in-situ sparging .11. Engineered bioremediation with aeration curtains. *Separation Science and Technology*. 32: 2569-2589.
- Wilson, DJ; Norris, RD; Mutch, RD. (1997). Groundwater cleanup by in-situ sparging .12. An improved aeration curtain design. *Separation Science and Technology*. 32: 2851-2872.
- Wilson, JG. (1965). Methods for administering agents and detecting malformations in experimental animals. In J Warkany; JG Wilson (Eds.), (pp. 262-267). Chicago, IL: University of Chicago Press.
- Wilson, R; Donahue, M; Gridley, G; Adami, J; El Ghormli, L; Dosemeci, M. (2008). Shared occupational risks for transitional cell cancer of the bladder and renal pelvis among men and women in Sweden. *Am J Ind Med*. 51: 83-99. <http://dx.doi.org/10.1002/ajim.20522>.
- Wilson, RD; Mackay, DM. (1995). DIRECT-DETECTION OF RESIDUAL NONAQUEOUS PHASE LIQUID IN THE SATURATED ZONE USING SF6 AS A PARTITIONING TRACER. *Environ Sci Technol*. 29: 1255-1258.
- Wilson, RD; Mackay, DM. (1995). A method for passive release of solutes from an unpumped well. *Ground Water*. 33: 936-964.
- Wilson, RD; Mackay, DM; Cherry, JA. (1997). Arrays of unpumped wells for plume migration control by semi-passive in situ remediation. *Ground Water Monitoring and Remediation*. 17: 185-193.
- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environ Sci Technol*. 28: 259-266. <http://dx.doi.org/10.1021/es00051a012>.
- Wiltowski, TS; Howerton, RD; Lalvani, SB; Zamansky, V. (2001). Photocatalytic oxidation of trichloroethylene and carbon tetrachloride using titanium dioxide filter as a catalyst. *Energy Sources*. 23: 845-852.
- Wiltshire, KS; Almond, MJ; Mitchell, PCH. (2004). Reactions of hydroxyl radicals with trichloroethene and tetrachloroethene in argon matrices at 12 K. *Phys Chem Chem Phys*. 6: 58-63. <http://dx.doi.org/10.1039/b310495h>.
- Windemuller, FJB; Ettema, JH. (1978). Effects of combined exposure to trichloroethylene and alcohol on mental capacity. *Int Arch Occup Environ Health*. 41: 77-85. <http://dx.doi.org/10.1007/BF00381792>.
- Windham, GC; Shusterman, D; Swan, SH; Fenster, L; Eskenazi, B. (1991). Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med*. 20: 241-259. <http://dx.doi.org/10.1002/ajim.4700200210>.
- Windham, GC; Zhang, L; Gunier, R; Croen, LA; Grether, JK. (2006). Autism spectrum disorders in relation to distribution of hazardous air pollutants in the San Francisco Bay area. *Environ Health Perspect*. 114: 1438-1444. <http://dx.doi.org/10.1289/ehp.9120>.

Fate Literature Search Results

Off Topic

- Winkler, K; Radeke, KH; Stach, H. (1996). Adsorptions/desorption behaviour of organic water pollutants onto an adsorber polymer. *Chem Tech (Leipzig)*. 48: 249-257.
- Winneke, G; Kramer, U; Kastka, J. (1976). Zur Beeinflussung psychomotor Leistungen Durch Alkohol und durch verschiedene Lösungsmitteldämpfe. In M Horvath (Ed.), (pp. 99-110). Amsterdam, The Netherlands: Elsevier.
- Wirbisky, SE; Damayanti, N; Mahapatra, CT; Sepulveda, MS; Irudayaraj, J; Freeman, JL. (2016). Mitochondrial Dysfunction, Disruption of F-Actin Polymerization, and Transcriptomic Alterations in Zebrafish Larvae Exposed to Trichloroethylene. *Chem Res Toxicol*. 29: 169-179. <http://dx.doi.org/10.1021/acs.chemrestox.5b00402>.
- Witekowa, S; Ignaczak, W; Filipiak, K; Kaminski, W. (1976). INDICATING PIPES FOR DETECTION OF TRICHLOROETHYLENE IN AIR. *Przemysł Chemiczny*. 55: 214-216.
- Withey, JR; Collins, BT. (1980). Chlorinated aliphatic hydrocarbons used in the foods industry: the comparative pharmacokinetics of methylene chloride, 1,2 dichloroethane, chloroform and trichloroethylene after I.V. administration in the rat. *J Environ Pathol Toxicol*. 3: 313-332.
- Wittlingerova, Z. (2000). Old environmental loads and their impacts on the quality of groundwaters and soils. *Rostl Vyroba*. 46: 119-122.
- Wittlingerova, Z; Machackova, J; Petruzalkova, A; Trapp, S; Vlk, K; Zima, J. (2013). One-year measurements of chloroethenes in tree cores and groundwater at the SAP Mimoň Site, Northern Bohemia. *Environ Sci Pollut Res Int*. 20: 834-847. <http://dx.doi.org/10.1007/s11356-012-1238-9>.
- Wittmann, G; Demeestere, K; Dombi, A; Dewulf, J; Van Langenhove, H. (2005). Preparation, structural characterization and photocatalytic activity of mesoporous Ti-silicates. *Appl Catal B-Environ*. 61: 47-57. <http://dx.doi.org/10.1016/j.apcatb.2005.04.010>.
- Wittsiepe, J; Selenka, F; Jackwerth, E. (1996). Gas chromatographic determination of trace amounts of vinyl chloride and dichloroethenes in landfill-gas. *Anal Bioanal Chem*. 354: 910-914. <http://dx.doi.org/10.1007/s0021663540910>.
- Wo, JJ; Zhang, Z; Xu, X, inhua. (2009). Dechlorination mechanism of 2,4-dichlorophenol by Ni/Fe nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A*. 10: 121-126. <http://dx.doi.org/10.1631/jzus.A0820277>.
- Woldie, GA; Nuppenau, EA. (2011). A Contribution to Transaction Costs: Evidence From Banana Markets in Ethiopia. 27: 493-508. <http://dx.doi.org/10.1002/agr.20279>.
- Wolf, DC; Goldsworthy, TL; Janszen, DB; Harden, R; Donner, EM; David, CS; Everitt, JI. (2000). Promotion by sodium barbital induces early development but does not increase the multiplicity of hereditary renal tumors in Eker rats. *Carcinogenesis*. 21: 1553-1558.
- Wolf, J. (1996). A method for determining the lift-to-drag ratio of a propelled hang-glider. *The Aeronautical Journal*. 100: 60-64.
- Wolf, RL; Lepore, SJ; Vandergrift, JL; Basch, CE; Yaroch, AL. (2009). Tailored telephone education to promote awareness and adoption of fruit and vegetable recommendations among urban and mostly immigrant black men: a randomized controlled trial. *Prev Med*. 48: 32-38. <http://dx.doi.org/10.1016/j.ypmed.2008.10.015>.
- Wolff, DL; Hinz, G; Just, A; Bergschicker, R. (1990). THE INFLUENCE OF SUBCHRONIC AND CHRONIC EXPOSURE TO TRICHLOROETHYLENE, ETHANOL, AND TRICHLOROETHYLENE PLUS ETHANOL ON BEHAVIORAL PARAMETERS IN RATS. *Zoologische Jahrbücher*. 94: 375-385.
- Wolfgang, G; Gandolfi, A; Stevens, J; Brendel, K. (1989). In vitro and in vivo nephrotoxicity of the L and D isomers of S-(1,2-dichlorovinyl)-cysteine. *Toxicology*. 58: 33-42.
- Wolfgang, GHI; Gandolfi, AJ; Stevens, JL; Brendel, K. (1989). N-acetyl S-(1,2-dichlorovinyl)-L-cysteine produces a similar toxicity to S-(1,2-dichlorovinyl)-L-cysteine in rabbit renal slices: Differential transport and metabolism. *Toxicol Appl Pharmacol*. 101: 205-219. [http://dx.doi.org/10.1016/0041-008X\(89\)90270-6](http://dx.doi.org/10.1016/0041-008X(89)90270-6).
- Wolska, L; Olszewska, C; Turska, M; Zygmunt, B; Namieśnik, J. (1998). Volatile and semivolatile organo-halogen trace analysis in surface water by direct aqueous injection GC-ECD. *Chemosphere*. 37: 2645-2651.
- Won, YS, oo. (2009). Thermal decomposition of trichloroethylene under a reducing atmosphere of hydrogen. *Korean J Chem Eng*. 26: 36-41.
- Won, YS; Han, DH; Stuchinskaya, T; Park, WS; Lee, HS. (2002). Electron beam treatment of chloroethylenes/air mixture in a flow reactor. *Radiat Phys Chem Oxf Engl* 1993. 63: 165-175. [http://dx.doi.org/10.1016/S0969-806X\(01\)00237-7](http://dx.doi.org/10.1016/S0969-806X(01)00237-7).
- Wong, CK; Ooi, VEC; Wong, CK. (2003). Protective effects of N-acetylcysteine against carbon tetrachloride- and trichloroethylene-induced poisoning in rats. *Environ Toxicol Pharmacol*. 14: 109-116. [http://dx.doi.org/10.1016/S1382-6689\(03\)00045-0](http://dx.doi.org/10.1016/S1382-6689(03)00045-0).
- Wong, CP. (1995). RECENT ADVANCES IN HERMETIC EQUIVALENT FLIP-CHIP HYBRID IC PACKAGING OF MICROELECTRONICS. *Mater Chem Phys*. 42: 25-30.
- Wong, CP; Shi, SHH; Jefferson, G. (1998). High performance no-flow underfills for low-cost flip-chip applications: Material characterization. 21: 450-458.
- Wong, CP; Vincent, MB; Shi, S. (1998). Fast-flow underfill encapsulant: Flow rate and coefficient of thermal expansion. 21: 360-364.
- Wong, CP; Wong, MM. (1999). Recent advances in plastic packaging of flip-chip and multichip modules (MCM) of microelectronics. *IEEE Trans Compon Packag Tech*. 22: 21-25.
- Wong, MS; Alvarez, PJJ; Fang, Y, ulun; Akcin, N; Nutt, MO; Miller, JT; Heck, KN. (2009). Cleaner water using bimetallic nanoparticle catalysts. *J Chem Tech Biotechnol*. 84: 158-166. <http://dx.doi.org/10.1002/jctb.2002>.
- Woo, HK; Wang, P; Lau, KC; Xing, X; Chang, C; Ng, CY. (2003). State-selected and state-to-state photoionization study of trichloroethene using the two-color infrared-vacuum ultraviolet scheme. *J Chem Phys*. 119: 9333-9336. <http://dx.doi.org/10.1063/1.1622932>.
- Woo, HK; Wang, P; Lau, KC; Xing, X; Ng, CY. (2004). Vacuum ultraviolet-infrared photo-induced Rydberg ionization spectroscopy: C-H stretching frequencies for trans-2-butene and trichloroethene cations. *J Chem Phys*. 120: 1756-1760. <http://dx.doi.org/10.1063/1.1634561>.
- Woo, K, ieY; Kim, KH; Kim, T, aeG. (2016). Performance of InGaN/AlGaInN Near-UV LEDs With Ni/Ga₂O₃/Ag/Ga₂O₃ Electrode. *I E E E Photonics Technology Letters*. 28: 67-70. <http://dx.doi.org/10.1109/LPT.2015.2480744>.
- Woo, NC; Hyun, SG; Park, WW; Lee, ES; Schwartz, FW. (2009). Characteristics of permanganate oxidation of TCE at low reagent concentrations. *Environ Technol*. 30: 1337-1342. <http://dx.doi.org/10.1080/09593330902840342>.

Fate Literature Search Results

Off Topic

- Wood, LD; Parsons, DW; Jones, S; Lin, J; Sjoblom, T; Leary, RJ; Shen, D; Boca, SM; Barber, T; Ptak, J; Silliman, N; Szabo, S; Dezsó, Z; Ustyansky, V; Nikolskaya, T; Nikolsky, Y; Karchin, R; Wilson, PA; Kaminker, JS; Zhang, Z; Croshaw, R; Willis, J; Dawson, D; Shipitsin, M; Willson, JKV; Sukumar, S; Polyak, K; Park, BH; Pethiyagoda, CL; Pant, PVK; Ballinger, DG; Sparks, AB; Hartigan, J; Smith, DR; Suh, E; Papadopoulos, N; Buckhaults, P; Markowitz, SD; Parmigiani, G; Kinzler, KW; Velculescu, VE; Vogelstein, B. (2007). The genomic landscapes of human breast and colorectal cancers. *Science*. 318: 1108-1113. <http://dx.doi.org/10.1126/science.1145720>.
- Woodruff, TJ; Axelrad, DA; Caldwell, J; Morello-Frosch, R; Rosenbaum, A. (1998). Public health implications of 1990 air toxics concentrations across the United States. *Environ Health Perspect*. 106: 245-251. <http://dx.doi.org/10.1289/ehp.98106245>.
- Woods, CG; Burns, AM; Bradford, BU; Ross, PK; Kosyk, O; Swenberg, JA; Cunningham, ML; Rusyn, I. (2007). WY-14,643-induced cell proliferation and oxidative stress in mouse liver are independent of NADPH oxidase. *Toxicol Sci*. 98: 366-374. <http://dx.doi.org/10.1093/toxsci/kfm104>.
- Woods, CG; Heuvel, JPV; Rusyn, I. (2007). Genomic profiling in nuclear receptor-mediated toxicity [Review]. *Toxicol Pathol*. 35: 474-494. <http://dx.doi.org/10.1080/01926230701311351>.
- Woolf, B. (1955). On estimating the relation between blood group and disease. *Ann Hum Genet*. 19: 251-253. <http://dx.doi.org/10.1111/j.1469-1809.1955.tb01348.x>.
- Wormuth, M; Demou, E; Scheringer, M; Hungerbuehler, K. (2007). Assessments of direct human exposure - the approach of EU risk assessments compared to scenario-based risk assessment. *Risk Anal*. 27: 979-990. <http://dx.doi.org/10.1111/j.1539-6924.2007.00936.x>.
- Wosman, A; Lu, Y; Sun, S; Liu, X; Wan, C; Zhang, Y; Lee, DJ; Tay, J. (2016). Effect of operational strategies on activated sludge's acclimation to phenol, subsequent aerobic granulation, and accumulation of polyhydroxyalkanoates. *J Hazard Mater*. 317: 221-228. <http://dx.doi.org/10.1016/j.jhazmat.2016.05.074>.
- Wright, NP. (2002). CTR or TBR - That is the question. 41: 56-+.
- Wright, RS; Kong, EJ; Bahner, MA; Clayton, CA; Nunez, CM; Ramsey, GH. (1999). Comparison of analytical techniques for measuring hydrocarbon emissions from the manufacture of fiberglass-reinforced plastics. *J Air Waste Manag Assoc*. 49: 1110-1115.
- Wrzyszczyk, J; Zawadzki, M; Trawczynski, J; Grabowska, H; Mista, W. (2001). Some catalytic properties of hydrothermally synthesised zinc aluminate spinel. *Appl Catal A-Gen*. 210: 263-269.
- Wu, B; Li, Y; Li, X; Zhu, J. (2015). Distribution and Identification of Chlorides in Distillates from YS Crude Oil. *Energy Fuels*. 29: 1391-1396. <http://dx.doi.org/10.1021/ef502450w>.
- Wu, C; Schaum, J. (2000). Exposure assessment of trichloroethylene. *Environ Health Perspect*. 108: 359-363.
- Wu, CD; Wang, L; Hu, CX; He, MH. (2013). Single-solute and bisolute sorption of phenol and trichloroethylene from aqueous solution onto modified montmorillonite and application of sorption models. *Water Sci Technol*. 67: 152-158. <http://dx.doi.org/10.2166/wst.2012.488>.
- Wu, CY; Wu, P, uWei; Lin, P. (2010). Evaluation on carbon nanocapsules for supercapacitors using a titanium cavity electrode. *J Power Sources*. 195: 5122-5129. <http://dx.doi.org/10.1016/j.jpowsour.2010.02.053>.
- Wu, D; Wang, Z; Wang, HW, u; Fan, J; Ma, L, uM. (2009). EFFECT OF Cu ON THE REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN WATER BY SCRAP-IRON. *Fresen Environ Bull*. 18: 423-428.
- Wu, H; Ramanna, MS; Arens, P; van Tuyl, JM. (2011). Genome constitution of *Narcissus* variety, 'Tte-A -Tte', analysed through GISH and NBS profiling. *Euphytica*. 181: 285-292. <http://dx.doi.org/10.1007/s10681-011-0438-6>.
- Wu, H, aoY; Saikia, D; Chao, HY, u; Pan, Y, uChi; Fang, J; Tsai, L, iD; Fey, GTK; Kao, HM. (2013). Synthesis and characterization of highly conductive plasticized double core organic-inorganic hybrid electrolytes for lithium polymer batteries. *J Power Sources*. 238: 265-273. <http://dx.doi.org/10.1016/j.jpowsour.2013.03.097>.
- Wu, J; Yi, Y; Li, Y; Fang, Z; Tsang, EP. (2016). Excellently reactive Ni/Fe bimetallic catalyst supported by biochar for the remediation of decabromodiphenyl contaminated soil: Reactivity, mechanism, pathways and reducing secondary risks. *J Hazard Mater*. 320: 341-349. <http://dx.doi.org/10.1016/j.jhazmat.2016.08.049>.
- Wu, JF; Hung, CH; Yuan, CS. (2005). Kinetic modeling of promotion and inhibition of temperature on photocatalytic degradation of benzene vapor. *J Photochem Photobiol A*. 170: 299-306. <http://dx.doi.org/10.1016/j.jphotochem.2004.07.020>.
- Wu, KL; Berger, T. (2008). Reduction in rat oocyte fertilizability mediated by S-(1, 2-dichlorovinyl)-L-cysteine: a trichloroethylene metabolite produced by the glutathione conjugation pathway. *Bull Environ Contam Toxicol*. 81: 490-493. <http://dx.doi.org/10.1007/s00128-008-9509-3>.
- Wu, KL, in; Yu, R, ui; Li, XZ, i; Wei, XW, en. (2012). Dendritic and flowerlike Ni-Co alloy microstructures: a comparison study of their catalytic activities. *Micro and Nano Letters*. 7: 1041-1045. <http://dx.doi.org/10.1049/mnl.2012.0689>.
- Wu, L; Liao, L; Lv, G; Qin, F. (2015). Stability and pH-independence of nano-zero-valent iron intercalated montmorillonite and its application on Cr(VI) removal. *J Contam Hydrol*. 179: 1-9. <http://dx.doi.org/10.1016/j.jconhyd.2015.05.001>.
- Wu, L; Ma, Z; He, A; Wang, J. (2009). Decomposition of silicon tetrachloride by microwave plasma jet at atmospheric pressure. *Inorg Mater*. 45: 1403-1407. <http://dx.doi.org/10.1134/S0020168509120188>.
- Wu, L; Ma, Z; He, A; Wang, J. (2010). Studies on destruction of silicon tetrachloride using microwave plasma jet. *J Hazard Mater*. 173: 305-309. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.095>.
- Wu, L; Ritchie, SM. (2006). Removal of trichloroethylene from water by cellulose acetate supported bimetallic Ni/Fe nanoparticles. *Chemosphere*. 63: 285-292. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.021>.
- Wu, L; Ritchie, SMC. (2008). Enhanced dechlorination of trichloroethylene by membrane-supported Pd-coated iron nanoparticles. *Environmental Progress*. 27: 218-224. <http://dx.doi.org/10.1002/ep.10277>.

Fate Literature Search Results

Off Topic

- Wu, L; Shamsuzzoha, M; Ritchie, SMC. (2005). Preparation of cellulose acetate supported zero-valent iron nanoparticles for the dechlorination of trichloroethylene in water. *J Nanopart Res.* 7: 469-476. <http://dx.doi.org/10.1007/s11051-005-4271-5>.
- Wu, M; Wang, X; Dai, Q; Gu, Y; Li, D. (2010). Low temperature catalytic combustion of chlorobenzene over Mn-Ce-O/gamma-Al(2)O(3) mixed oxides catalyst. *Catalysis Today.* 158: 336-342. <http://dx.doi.org/10.1016/j.cattod.2010.04.006>.
- Wu, MY; Smits, KM; Goltz, MN; Christ, JA. (2008). A Screening Model for Injection-Extraction Treatment Well Recirculation System Design. *Ground Water Monitoring and Remediation.* 28: 63-71. <http://dx.doi.org/10.1111/j.1745-6592.2008.00212.x>.
- Wu, T; Bhanegaonkar, AJ; Flowers, JW. (2006). Blood concentrations of selected volatile organic compounds and neurobehavioral performance in a population-based sample. *Arch Environ Occup Health.* 61: 17-25. <http://dx.doi.org/10.3200/AEOH.61.1.17-25>.
- Wu, W; Shi, J; Hickey, RF. (2008). Long-term performance of co-metabolic degradation of trichloroethylene in a fluidized bed reactor fed with benzene, toluene and xylene. *J Chem Tech Biotechnol.* 83: 513-523.
- Wu, WJ; Delshad, M; Oolman, T; Pope, GA. (2000). Remedial options for creosote-contaminated sites. *Ground Water Monitoring and Remediation.* 20: 78-86.
- Wu, WM; Carley, J; Fienen, M; Mehlhorn, T; Lowe, K; Nyman, J; Luo, J; Gentile, ME; Rajan, R; Wagner, D; Hickey, RF; Gu, B; Watson, D; Cirpka, OA; Kitanidis, PK; Jardine, PM; Criddle, CS. (2006). Pilot-scale in situ bioremediation of uranium in a highly contaminated aquifer. 1. Conditioning of a treatment zone. *Environ Sci Technol.* 40: 3978-3985. <http://dx.doi.org/10.1021/es051954y>.
- Wu, WM; Nye, J; Jain, MK; Hickey, RF. (1998). Anaerobic dechlorination of trichloroethylene (TCE) to ethylene using complex organic materials. *Water Res.* 32: 1445-1454.
- Wu, X; Alshawabkeh, AN; Gent, DB; Larson, SL; Davis, JL. (2007). Lactate transport in soil by DC fields. *Journal of Geotechnical and Geoenvironmental Engineering.* 133: 1587-1596. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2007\)133:12\(1587\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2007)133:12(1587)).
- Wu, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Zang, X; Miao, Z; Xu, M. (2015). Strong enhancement of trichloroethylene degradation in ferrous ion activated persulfate system by promoting ferric and ferrous ion cycles with hydroxylamine. *Separation and Purification Technology.* 147: 186-193. <http://dx.doi.org/10.1016/j.seppur.2015.04.031>.
- Wu, X; Gu, X; Lu, S; Xu, M; Zang, X; Miao, Z; Qiu, Z; Sui, Q. (2014). Degradation of trichloroethylene in aqueous solution by persulfate activated with citric acid chelated ferrous ion. *Chem Eng J.* 255: 585-592. <http://dx.doi.org/10.1016/j.cej.2014.06.085>.
- Wu, X; Lu, S; Qiu, Z; Sui, Q; Lin, K; Du, X; Luo, Q. (2014). The reductive degradation of 1,1,1-trichloroethane by Fe(0) in a soil slurry system. *Environ Sci Pollut Res Int.* 21: 1401-1410. <http://dx.doi.org/10.1007/s11356-013-2029-7>.
- Wu, X; Yang, Q, i; Xu, D; Zhong, Y, u; Luo, K, un; Li, X; Chen, H; Zeng, G. (2013). Simultaneous Adsorption/Reduction of Bromate by Nanoscale Zerovalent Iron Supported on Modified Activated Carbon. *Ind Eng Chem Res.* 52: 12574-12581. <http://dx.doi.org/10.1021/ie4009524>.
- Wu, XH; Shan, Z; Lu, XH. (2003). Study on the ultrasonic degradation of black liquor. *Fresen Environ Bull.* 12: 1083-1086.
- Wu, XZ; Chen, D. (2006). Origin of hepatocellular carcinoma: Role of stem cells [Review]. *J Gastroenterol Hepatol.* 21: 1093-1098. <http://dx.doi.org/10.1111/j.1440-1746.2006.04485.x>.
- Wu, Y; Wang, SC; Jin, MR; Yang, XY. (2001). Poly(acrylate-co-acrylic acid)/polysulfone composite membranes for pervaporation of volatile organic compounds from water. *Separation Science and Technology.* 36: 3529-3540.
- Wu, YPG; Lin, YF. (2004). The oxidation of trichloroethene with methane: Experiment and kinetic modeling. *Combust Flame.* 137: 376-402. <http://dx.doi.org/10.1016/j.combustflame.2004.03.002>.
- Wu, Z; Zhang, M; Zhao, Z; Li, W; Tao, K. (2008). Synthesis of a Pd on Ni-B nanoparticle catalyst by the replacement reaction method for hydrodechlorination. *J Catal.* 256: 323-330. <http://dx.doi.org/10.1016/j.jcat.2008.03.026>.
- Wust, WF; Kober, R; Schlicker, O; Dahmke, A. (1999). Combined zero- and first-order kinetic model of the degradation of TCE and cis-DCE with commercial iron. *Environ Sci Technol.* 33: 4304-4309.
- Xiao, G; Xu, W; Wu, R; Ni, M; Du, C; Gao, X; Luo, Z; Cen, K. (2014). Non-Thermal Plasmas for VOCs Abatement. *Plasma Chemistry and Plasma Processing.* 34: 1033-1065. <http://dx.doi.org/10.1007/s11090-014-9562-0>.
- Xiao, H; Chang-Fa, X; Jian, Z; Yan, F; Nai-Ku, X. (2013). Preparation of PLMA/PU Blend Fiber and Its Absorption Properties. *Chem J Chin Univ-Chin.* 34: 1985-1992. <http://dx.doi.org/10.7503/cjcu20130222>.
- Xiao, HK; Levine, SP; D'Arcy, JB; Kinnes, G; Almaguer, D. (1990). Comparison of the Fourier transform infrared (FTIR) spectrophotometer and the Miniature Infrared Analyzer (MIRAN) for the determination of trichloroethylene (TCE) in the presence of Freon-113 in workplace air. *Am Ind Hyg Assoc J.* 51: 395-401. <http://dx.doi.org/10.1080/15298669091369844>.
- Xiao, HK; Levine, SP; Kinnes, G; Almaguer, D. (1990). Evaluation of the Fourier transform infrared (FTIR) spectrophotometer for analysis of trichloroethylene (TCE) in the presence of Freon-113 in carbon disulfide eluates of charcoal air sampling tubes. *Am Ind Hyg Assoc J.* 51: 402-404. <http://dx.doi.org/10.1080/15298669091369853>.
- Xiao, J; Lu, Z; Li, Y. (2015). Carboxymethylcellulose-Supported Palladium Nanoparticles Generated in Situ from Palladium(II) Carboxymethylcellulose: An Efficient and Reusable Catalyst for Suzuki-Miyaura and Mizoroki-Heck Reactions. *Ind Eng Chem Res.* 54: 790-797. <http://dx.doi.org/10.1021/ie503075d>.
- Xiao, J; Yue, Q; Gao, B; Sun, Y; Kong, J; Gao, Y; Li, Q; Wang, Y, an. (2014). Performance of activated carbon/nanoscale zero-valent iron for removal of trihalomethanes (THMs) at infinitesimal concentration in drinking water. *Chem Eng J.* 253: 63-72. <http://dx.doi.org/10.1016/j.cej.2014.05.030>.
- Xiao, S; Shen, M; Guo, R, ui; Huang, Q; Wang, S; Shi, X. (2010). Fabrication of multiwalled carbon nanotube-reinforced electrospun polymer nanofibers containing zero-valent iron nanoparticles for environmental applications. *J Mater Chem.* 20: 5700-5708. <http://dx.doi.org/10.1039/c0jm00368a>.

Fate Literature Search Results

Off Topic

- Xiao, S; Shen, M; Guo, R, ui; Wang, S; Shi, X. (2009). Immobilization of Zerovalent Iron Nanoparticles into Electrospun Polymer Nanofibers: Synthesis, Characterization, and Potential Environmental Applications. *J Phys Chem C*. 113: 18062-18068. <http://dx.doi.org/10.1021/jp905542g>.
- Xiao, S; Shen, M; Ma, H, ui; Fang, X, u; Huang, Q; Weber, WJ, Jr; Shi, X. (2011). Manipulation of the Loading and Size of Zero-Valent Iron Nanoparticles Immobilized in Electrospun Polymer Nanofibers. *J Nanosci Nanotechnol*. 11: 5089-5097. <http://dx.doi.org/10.1166/jnn.2011.4162>.
- Xiao, X; Sheng, G; Mu, Y; Yu, H. (2013). A modeling approach to describe ZVI-based anaerobic system. *Water Res*. 47: 6007-6013. <http://dx.doi.org/10.1016/j.watres.2013.07.025>.
- Xiao, Z, hiX; Luo, K, unYu. (2015). Improved delayed detached-eddy simulation of massive separation around triple cylinders. *Acta Mechanica Sinica*. 31: 799-816. <http://dx.doi.org/10.1007/s10409-015-0445-2>.
- Xie, C; Xu, ZL; Yang, QJ; Li, N; Zhao, DF; Wang, DB; Du, YG. (2004). Comparative studies of heterogeneous photocatalytic oxidation of heptane and toluene on pure titania, titania-silica mixed oxides and sulfated titania. *J Mol Catal Chem*. 217: 193-201. <http://dx.doi.org/10.1016/j.molcata.2004.03.033>.
- Xie, C; Xu, ZL; Yang, QJ; Xue, BY; Du, YG; Zhang, JH. (2004). Enhanced photocatalytic activity of titania-silica mixed oxide prepared via basic hydrolyzation. *Mater Sci Eng B*. 112: 34-41. <http://dx.doi.org/10.1016/j.mseb.2004.05.011>.
- Xie, F, ei; Lu, Q; de Toledo, RA; Shim, H. (2016). Enhanced simultaneous removal of MTBE and TCE mixture by *Paracoccus* sp immobilized on waste silica gel. *Int Biodeterior Biodegradation*. 114: 222-227. <http://dx.doi.org/10.1016/j.ibiod.2016.07.003>.
- Xie, H; Jiang, Y; Zhang, C; Feng, S; Qiu, Z. (2015). Steady-state analytical models for performance assessment of landfill composite liners. *Environ Sci Pollut Res Int*. 22: 12198-12214. <http://dx.doi.org/10.1007/s11356-015-4200-9>.
- Xie, J; Hui, F; Rosset, R. (1996). Determination of triethylamine content in trichloroethylene by acid-base titration and open-tubular column gas chromatography. *Analisis*. 24: 214-216.
- Xie, S; Yuan, S; Liao, P; Jia, M; Wang, Y, in. (2015). Pd-catalytic hydrodechlorination of chlorinated hydrocarbons in groundwater using H₂ produced by a dual-anode system. *Water Res*. 86: 74-81. <http://dx.doi.org/10.1016/j.watres.2015.07.026>.
- Xie, SM; Wan, PY; Feitz, AJ; Guan, J; Yang, XB; Liu, XG. (2004). Dechlorination of chlorinated aliphatic compounds by micro-scale Al-Zn-Mg/Fe powders as advanced zero-valent iron. *Chinese Journal of Chemical Engineering*. 12: 716-718.
- Xie, W; Yuan, S; Mao, X; Hu, W, ei; Liao, P; Tong, M, an; Alshaulabkeh, AN. (2013). Electrocatalytic activity of Pd-loaded Ti/TiO₂ nanotubes cathode for TCE reduction in groundwater. *Water Res*. 47: 3573-3582. <http://dx.doi.org/10.1016/j.watres.2013.04.004>.
- Xie, Y; Cwiertny, DM. (2010). Use of dithionite to extend the reactive lifetime of nanoscale zero-valent iron treatment systems. *Environ Sci Technol*. 44: 8649-8655. <http://dx.doi.org/10.1021/es102451t>.
- Xie, Y; Cwiertny, DM. (2012). Influence of anionic cosolutes and pH on nanoscale zerovalent iron longevity: time scales and mechanisms of reactivity loss toward 1,1,1,2-tetrachloroethane and Cr(VI). *Environ Sci Technol*. 46: 8365-8373. <http://dx.doi.org/10.1021/es301753u>.
- Xie, Y; Cwiertny, DM. (2013). Chlorinated Solvent Transformation by Palladized Zerovalent Iron: Mechanistic Insights from Reductant Loading Studies and Solvent Kinetic Isotope Effects. *Environ Sci Technol*. 47: 7940-7948. <http://dx.doi.org/10.1021/es401481a>.
- Xie, Y, i; Li, Y; Zhao, X. (2007). Low-temperature preparation and visible-light-induced catalytic activity of anatase F-N-codoped TiO₂. *J Mol Catal Chem*. 277: 119-126. <http://dx.doi.org/10.1016/j.molcata.2007.07.031>.
- Xie, Z; Chen, L; Sun, F; Ye, Q. (2009). A NOVEL PLASMA REACTOR FOR TOLUENE DECOMPOSITION IN CONTAMINATED AIR FLOW. *Environmental Engineering and Management Journal*. 8: 207-212.
- Xin, G; Zhang, G; Kang, J, unWon; Staley, JT; Doty, SL. (2009). A diazotrophic, indole-3-acetic acid-producing endophyte from wild cottonwood. *Biol Fertil Soils*. 45: 669-674. <http://dx.doi.org/10.1007/s00374-009-0377-8>.
- Xin, J; Han, J; Zheng, X; Shao, H; Kolditz, O. (2015). Mechanism insights into enhanced trichloroethylene removal using xanthan gum-modified microscale zero-valent iron particles. *J Environ Manage*. 150: 420-426. <http://dx.doi.org/10.1016/j.jenvman.2014.12.022>.
- Xin, J; Tang, F; Zheng, X; Shao, H; Kolditz, O; Lu, X. (2016). Distinct kinetics and mechanisms of mZVI particles aging in saline and fresh groundwater: H₂ evolution and surface passivation. *Water Res*. 100: 80-87. <http://dx.doi.org/10.1016/j.watres.2016.04.074>.
- Xin, J, ia; Zheng, X; Han, J, un; Shao, H; Kolditz, O. (2015). Remediation of trichloroethylene by xanthan gum-coated microscale zero valent iron (XG-mZVI) in groundwater: Effects of geochemical constituents. *Chem Eng J*. 271: 164-172. <http://dx.doi.org/10.1016/j.cej.2015.02.092>.
- Xin-De, C; Wen-Ting, D; Jia-Yi, W; Rong-Fei, L; Yang, G; Zi-Jiang, Y. (2012). Effective Treatment of Trichloroethylene-Contaminated Soil by Hydrogen Peroxide in Soil Slurries. *Pedosphere*. 22: 572-579.
- Xing, BS. (2000). Processing environmental samples containing organic chemicals using polymeric microfilters. *J Environ Qual*. 29: 221-224.
- Xing, BS; Pignatello, JJ; Gigliotti, B. (1996). Competitive sorption between atrazine and other organic compounds in soils and model sorbents. *Environ Sci Technol*. 30: 2432-2440.
- Xing, X, inHui; Wu, H, ao; Luo, MF; Wang, BP. (2006). Effects of organic chemicals on growth of *Methylosinus trichosporium* OB3b. *Biochem Eng J*. 31: 113-117. <http://dx.doi.org/10.1016/j.bej.2006.06.001>.
- Xing, YN; Guo, Y; Xie, M; Shen, RL; Zeng, EY. (2009). Detection of DDT and its metabolites in two estuaries of South China using a SPME-based device: first report of p,p'-DDMU in water column. *Environ Pollut*. 157: 1382-1387. <http://dx.doi.org/10.1016/j.envpol.2008.11.034>.
- Xingyi, W; Qian, K; Dao, L. (2009). Catalytic combustion of chlorobenzene over MnOx-CeO₂ mixed oxide catalysts. *Appl Catal B-Environ*. 86: 166-175. <http://dx.doi.org/10.1016/j.apcatb.2008.08.009>.
- Xingyi, W; Qiguang, D; Yi, Z. (2006). Low-temperature catalytic combustion of trichloroethylene over La, Ce, and Pt catalysts supported on MCM-41. *Chinese journal of catalysis*. 27: 468-470.

Fate Literature Search Results

Off Topic

- Xiong, H; Zhou, Q. (2012). Cellular and molecular damage of *Phanerochaete chrysosporium* by the oxidation hair dyes. *Environ Sci Pollut Res Int.* 19: 2172-2178. <http://dx.doi.org/10.1007/s11356-011-0717-8>.
- Xiong, J; Lock, H; I-S, C; Keeler, C; Maciel, GE. (1999). Local motions of organic pollutants in soil components, as studied by ²H NMR. *Environ Sci Technol.* 33: 2224-2233.
- Xiong, Z; Zhao, D; Pan, G. (2007). Rapid and complete destruction of perchlorate in water and ion-exchange brine using stabilized zero-valent iron nanoparticles. *Water Res.* 41: 3497-3505. <http://dx.doi.org/10.1016/j.watres.2007.05.049>.
- Xiu, ZM; Gregory, KB; Lowry, GV; Alvarez, PJJ. (2010). Effect of Bare and Coated Nanoscale Zerovalent Iron on *tceA* and *vcrA* Gene Expression in *Dehalococcoides* spp. *Environ Sci Technol.* 44: 7647-7651. <http://dx.doi.org/10.1021/es101786y>.
- Xiu, ZM; Jin, T; Li, T; Mahendra, S; Lowry, GV; Alvarez, PJJ. (2010). Effects of nano-scale zero-valent iron particles on a mixed culture dechlorinating trichloroethylene. *Bioresour Technol.* 101: 1141-1146. <http://dx.doi.org/10.1016/j.biortech.2009.09.057>.
- Xu, F; Deng, S; Xu, J, ie; Zhang, W; Wu, M, in; Wang, B, in; Huang, J, un; Yu, G. (2012). Highly Active and Stable Ni-Fe Bimetal Prepared by Ball Milling for Catalytic Hydrodechlorination of 4-Chlorophenol. *Environ Sci Technol.* 46: 4576-4582. <http://dx.doi.org/10.1021/es203876e>.
- Xu, G; Gao, Y; Shiue, A; Ma, CM; Chang, CT. (2011). Vapor Photocatalytic Degradation Characteristics of Acetone and Dichloromethane Using TiO₂ Nanotube in Indoor Environment. *Nanoscience and Nanotechnology Letters.* 3: 778-783. <http://dx.doi.org/10.1166/nnl.2011.1261>.
- Xu, H; Lu, S; Ren, L. (2016). A novel synthetic route to freely adjust the crystal structures of Ni-P compounds. 3. <http://dx.doi.org/10.1088/2053-1591/3/10/105010>.
- Xu, HW; Bo, YJ; Tong, CM; Yan, Y; Feng, ZG; Fei, YX; Liang, Y; Hu, RX; Yan, HH; Li, Z; Feng, HX; Xiong, ZZ; Jun, LJ. (2013). Trichloroethylene Induces Biphasic Concentration-dependent Changes in Cell Proliferation and the Expression of SET-Associated Proteins in Human Hepatic L-02 Cells [Letter]. *Biomed Environ Sci.* 26: 618-621. <http://dx.doi.org/10.3967/0895-3988.2013.07.016>.
- Xu, J; Bhattacharyya, D. (2005). Membrane-based bimetallic nanoparticles for environmental remediation: Synthesis and reactive properties. *Environmental Progress.* 24: 358-366. <http://dx.doi.org/10.1002/ep.10106>.
- Xu, J; Bhattacharyya, D. (2007). Fe/Pd nanoparticle immobilization in microfiltration membrane pores: Synthesis, characterization, and application in the dechlorination of polychlorinated biphenyls. *Ind Eng Chem Res.* 46: 2348-2359. <http://dx.doi.org/10.1021/ie0611498>.
- Xu, J; Cao, Z; Liu, X; Zhao, H; Xiao, X; Wu, J; Xu, X; Zhou, JL. (2016). Preparation of functionalized Pd/Fe-Fe₃O₄@MWCNTs nanomaterials for aqueous 2,4-dichlorophenol removal: Interactions, influence factors, and kinetics. *J Hazard Mater.* 317: 656-666. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.063>.
- Xu, J; Dozier, A; Bhattacharyya, D. (2005). Synthesis of nanoscale bimetallic particles in polyelectrolyte membrane matrix for reductive transformation of halogenated organic compounds. *J Nanopart Res.* 7: 449-467. <http://dx.doi.org/10.1007/s11051-005-4273-3>.
- Xu, J; Liu, X; Lowry, GV; Cao, Z; Zhao, H; Zhou, JL; Xu, X. (2016). Dechlorination Mechanism of 2,4-Dichlorophenol by Magnetic MWCNTs Supported Pd/Fe Nanohybrids: Rapid Adsorption, Gradual Dechlorination, and Desorption of Phenol. 8: 7333-7342. <http://dx.doi.org/10.1021/acsami.5b11859>.
- Xu, JP; Lai, PT; Wu, HP; Chan, CL. (2005). Effects of chlorine on interfacial properties and reliability of SiO₂ grown on 6H-SiC. *Applied Physics A: Materials Science and Processing.* 81: 173-176. <http://dx.doi.org/10.1007/s00339-004-2882-9>.
- Xu, M; Du, H; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Generation and intensity of active oxygen species in thermally activated persulfate systems for the degradation of trichloroethylene. *RSC Advances.* 4: 40511-40517. <http://dx.doi.org/10.1039/c4ra04942j>.
- Xu, N; Xiao, C. (2010). Swelling and crystallization behaviors of absorptive functional fiber based on butyl methacrylate/hydroxyethyl methacrylate copolymer. *Journal of Materials Science.* 45: 98-105. <http://dx.doi.org/10.1007/s10853-009-3897-6>.
- Xu, Q; Song, T; Cui, W; Liu, Y; Xu, W; Lee, ST; Sun, B. (2015). Solution-processed highly conductive PEDOT:PSS/AgNW/GO transparent film for efficient organic-Si hybrid solar cells. 7: 3272-3279. <http://dx.doi.org/10.1021/am508006q>.
- Xu, W; Adler, I. (1990). Clastogenic effects of known and suspect spindle poisons studied by chromosome analysis in mouse bone marrow cells. *Mutagenesis.* 5: 371-374.
- Xu, W; Guo, C; Rhee, S, hiWoo. (2013). High performance organic field-effect transistors using cyanoethyl pullulan (CEP) high-k polymer cross-linked with trimethylolpropane triglycidyl ether (TTE) at low temperatures. 1: 3955-3960. <http://dx.doi.org/10.1039/c3tc30134f>.
- Xu, WY; Gao, TY; Fan, JH. (2005). Reduction of nitrobenzene by the catalyzed Fe-Cu process. *J Hazard Mater.* 123: 232-241. <http://dx.doi.org/10.1016/j.jhazmat.2005.04.011>.
- Xu, WZ; Raftery, D. (2001). In situ solid-state nuclear magnetic resonance studies of acetone photocatalytic oxidation on titanium oxide surfaces. *J Catal.* 204: 110-117. <http://dx.doi.org/10.1006/jcat.2001.3380>.
- Xu, WZ; Raftery, D. (2001). Photocatalytic oxidation of 2-propanol on TiO₂ powder and TiO₂ monolayer catalysts studied by solid-state NMR. *J Phys Chem B.* 105: 4343-4349. <http://dx.doi.org/10.1021/jp004381e>.
- Xu, X; Thomson, NR. (2009). A long-term bench-scale investigation of permanganate consumption by aquifer materials. *J Contam Hydrol.* 110: 73-86. <http://dx.doi.org/10.1016/j.jconhyd.2009.09.001>.
- Xu, X; Thomson, NR. (2010). Hydrogen Peroxide Persistence in the Presence of Aquifer Materials. *Soil Sediment Contam.* 19: 602-616. <http://dx.doi.org/10.1080/15320383.2010.499924>.
- Xu, X; Wang, Q; Choi, H; Kim, YH, a. (2010). Encapsulation of iron nanoparticles with PVP nanofibrous membranes to maintain their catalytic activity. *J Memb Sci.* 348: 231-237. <http://dx.doi.org/10.1016/j.memsci.2009.11.006>.
- Xu, X; Weisel, CP. (2003). Inhalation exposure to haloacetic acids and halo ketones during showering. *Environ Sci Technol.* 37: 569-576. <http://dx.doi.org/10.1021/es025747>.

Fate Literature Search Results

Off Topic

- Xu, X; Yang, R; Wu, N; Zhong, P; Ke, Y; Zhou, L; Yuan, J; Li, G; Huang, H; Wu, B. (2009). Severe hypersensitivity dermatitis and liver dysfunction induced by occupational exposure to trichloroethylene. *Ind Health*. 47: 107-112.
- Xu, XH; Zhou, HY; Wang, DH. (2005). Structure relationship for catalytic dechlorination rate of dichlorobenzenes in water. *Chemosphere*. 58: 1497-1502. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.071>.
- Xu, Y, an; He, Y, an; Zhang, Q; Xu, J; Crowley, D. (2015). Coupling between Pentachlorophenol Dechlorination and Soil Redox As Revealed by Stable Carbon Isotope, Microbial Community Structure, and Biogeochemical Data. *Environ Sci Technol*. 49: 5425-5433. <http://dx.doi.org/10.1021/es505040c>.
- Xu, Z; Wu, Y; Yu, F, ei. (2012). A Three-Dimensional Flow and Transport Modeling of an Aquifer Contaminated by Perchloroethylene Subject to Multi-PRB Remediation. *Transport in Porous Media*. 91: 319-337. <http://dx.doi.org/10.1007/s11242-011-9847-1>.
- Xue, G; Liu, H; Chen, Q; Hills, C; Tyrer, M; Innocent, F. (2011). Synergy between surface adsorption and photocatalysis during degradation of humic acid on TiO₂/activated carbon composites. *J Hazard Mater*. 186: 765-772. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.063>.
- Xue, Y; Gu, X; Lu, S; Miao, Z; Brusseau, ML; Xu, M; Fu, X; Zhang, X; Qiu, Z; Sui, Q. (2016). The destruction of benzene by calcium peroxide activated with Fe(II) in water. *Chem Eng J*. 302: 187-193. <http://dx.doi.org/10.1016/j.cej.2016.05.016>.
- Yabusaki, S; Cantrell, K; Sass, B; Steefel, C. (2001). Multicomponent reactive transport in an in situ zero-valent iron cell. *Environ Sci Technol*. 35: 1493-1503.
- Yadav, JS; Bethea, C; Reddy, CA. (2000). Mineralization of trichloroethylene (TCE) by the white rot fungus *Phanerochaete chrysosporium*. *Bull Environ Contam Toxicol*. 65: 28-34.
- Yadava, L; Verma, R; Singh, RS. (2012). Detection and sensing mechanism of acetone with modeling using Pd/TiO₂/Si structure. *Thin Solid Films*. 520: 3039-3042. <http://dx.doi.org/10.1016/j.tsf.2011.10.158>.
- Yager, RM; Bilotta, SE; Mann, CL; Madsen, EL. (1997). Metabolic adaptation and in situ attenuation of chlorinated ethenes by naturally occurring microorganisms in a fractured dolomite aquifer near Niagara Falls, New York. *Environ Sci Technol*. 31: 3138-3147.
- Yamaguchi, SI; Iwaizumi, T; Mitsui, Y; Tsuda, S. (1998). Decomposition of gaseous Trichloroethylene (TCE) by ultraviolet irradiation. *Combust Sci Tech*. 133: 107-115.
- Yamaguchi, T; Suzuki, T; Kai, T; Nakao, S. (2001). Hollow-fiber-type pore-filling membranes made by plasma-graft polymerization for the removal of chlorinated organics from water. *J Memb Sci*. 194: 217-228.
- Yamaguchi, T; Yamahara, S; Nakao, S; Kimura, SJ. (1994). PREPARATION OF PERVAPORATION MEMBRANES FOR REMOVAL OF DISSOLVED ORGANICS FROM WATER BY PLASMA-GRAFT FILLING POLYMERIZATION. *J Memb Sci*. 95: 39-49.
- Yamamoto, H; Heyamoto, N; Yatsushashi, T; Matsui, T; Takami, Y; Shibata, J. (2003). Adsorption removal of organic chlorine and bromine compounds from water using temperature-sensitive polymer hydrogel with temperature swing. *Kagaku Kogaku Ronbunshu*. 29: 395-399.
- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut*. 95: 135-143. [http://dx.doi.org/10.1016/S0269-7491\(96\)00100-5](http://dx.doi.org/10.1016/S0269-7491(96)00100-5).
- Yamamoto, K; Fukushima, M; Kakutani, N; Tsuruho, K. (2001). Contamination of vinyl chloride in shallow urban rivers in Osaka, Japan. *Water Res*. 35: 561-566.
- Yamamoto, N; Okayasu, H; Murayama, S; Mori, S; Hunahashi, K; Suzuki, K. (2000). Measurement of volatile organic compounds in the urban atmosphere of Yokohama, Japan, by an automated gas chromatographic system. *Atmos Environ*. 34: 4441-4446.
- Yamamoto, T; Futamura, S. (1998). Nonthermal plasma processing for controlling volatile organic compounds. *Combust Sci Tech*. 133: 117-133.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on molecular sieve 13X. *Environ Sci Technol*. 35: 2122-2127.
- Yamasaki, S; Nomura, N; Nakajima, T; Uchiyama, H. (2012). Cultivation-independent identification of candidate dehalorespiring bacteria in tetrachloroethylene degradation. *Environ Sci Technol*. 46: 7709-7716. <http://dx.doi.org/10.1021/es301288y>.
- Yamasaki, T; Oki, N; Okuno, T. (1992). CYCLE OF HALOCARBONS IN THE AIR-WATER PHASE (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11338). Yamasaki, T; Oki, N; Okuno, T.
- Yamazaki, H; Yamaguchi, T; Yamauchi, A; Kakiuchi, Y. (1992). Effect of halocarbons and styrene on thrombin and calcium ionophore induced activation of rabbit platelets. *Chemosphere*. 25: 665-673. [http://dx.doi.org/10.1016/0045-6535\(92\)90429-U](http://dx.doi.org/10.1016/0045-6535(92)90429-U).
- Yamazaki, S; Abe, H; Tanimura, T; Yamasaki, Y; Kanaori, K; Tajima, K. (2009). Effect of thermal treatment on the photocatalytic degradation of ethylene, trichloroethylene, and chloroform. *Res Chem Intermed*. 35: 91-101. <http://dx.doi.org/10.1007/s11164-008-0001-9>.
- Yamazaki, S; Fujinaga, N; Araki, K. (2001). Effect of sulfate ions for sol-gel synthesis of titania photocatalyst. *Appl Catal A-Gen*. 210: 97-102.
- Yamazaki, S; Ichikawa, K; Saeki, A; Tanimura, T; Adachi, K. (2010). Photocatalytic Degradation of Chlorinated Ethanes in the Gas Phase on the Porous TiO₂ Pellets: Effect of Surface Acidity. *J Phys Chem A*. 114: 5092-5098. <http://dx.doi.org/10.1021/jp911842t>.
- Yamazaki, S; Matsunaga, S; Hori, K. (2001). Photocatalytic degradation of trichloroethylene in water using TiO₂ pellets. *Water Res*. 35: 1022-1028.
- Yamazaki, S; Tanaka, S; Tsukamoto, H. (1999). Kinetic studies of oxidation of ethylene over a TiO₂ photocatalyst. *J Photochem Photobiol A*. 121: 55-61.
- Yamazaki, S; Tanimura, T; Yoshida, A; Hori, K. (2004). Reaction mechanism of photocatalytic degradation of chlorinated ethylenes on porous TiO₂ pellets: Cl radical-initiated mechanism. *J Phys Chem A*. 108: 5183-5188. <http://dx.doi.org/10.1021/jp0311310>.
- Yamazaki, S; Tsukamoto, H; Araki, K; Tanimura, T; Tejedor-Tejedor, I; Anderson, MA. (2001). Photocatalytic degradation of gaseous tetrachloroethylene on porous TiO₂ pellets. *Appl Catal B-Environ*. 33: 109-117.
- Yamazaki, S; Yamabe, N; Nagano, S; Fukuda, A. (2007). Adsorption and photocatalytic degradation of 1,4-dioxane on TiO₂. *J Photochem Photobiol A*. 185: 150-155. <http://dx.doi.org/10.1016/j.jphotochem.2006.05.024>.

Fate Literature Search Results

Off Topic

- Yamazaki, S; Yoshida, A; Abe, H. (2005). Photocatalytic degradation of chloroform in the gas phase on the porous TiO₂ pellets: effect of Cl accumulated on the catalyst surface. *J Photochem Photobiol A*. 169: 191-196. <http://dx.doi.org/10.1016/j.jphotochem.2004.06.018>.
- Yan, B, in; Zhu, W; Liu, L; Liu, K, ai; Fang, G. (2015). Design of Induction Magnetometer Receiving Sensor for Through-the-Earth Communications. *IEEE Sens J*. 15: 1139-1144. <http://dx.doi.org/10.1109/JSEN.2014.2359228>.
- Yan, J; Gao, W; Dong, M; Han, L, u; Qian, L; Nathanail, CP; Chen, M. (2016). Degradation of trichloroethylene by activated persulfate using a reduced graphene oxide supported magnetite nanoparticle. *Chem Eng J*. 295: 309-316. <http://dx.doi.org/10.1016/j.cej.2016.01.085>.
- Yan, J; Han, L, u; Gao, W; Xue, S; Chen, M. (2015). Biochar supported nanoscale zerovalent iron composite used as persulfate activator for removing trichloroethylene. *Bioresour Technol*. 175: 269-274. <http://dx.doi.org/10.1016/j.biortech.2014.10.103>.
- Yan, J; Lei, M, in; Zhu, L; Anjum, MN; Zou, J; Tang, H. (2011). Degradation of sulfamonomethoxine with Fe₃O₄ magnetic nanoparticles as heterogeneous activator of persulfate. *J Hazard Mater*. 186: 1398-1404. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.017>.
- Yan, J; Zhu, L; Luo, Z; Huang, Y; Tang, H; Chen, M. (2013). Oxidative decomposition of organic pollutants by using persulfate with ferrous hydroxide colloids as efficient heterogeneous activator. *Separation and Purification Technology*. 106: 8-14. <http://dx.doi.org/10.1016/j.seppur.2012.12.012>.
- Yan, L; Deeter, V; Lalley, J; Medellin, O; Kupferle, MJ; Sorial, GA. (2014). Effects of oligomerization phenomenon on dissolved organic matter removal kinetics on novel activated carbons. *J Hazard Mater*. 278: 514-519. <http://dx.doi.org/10.1016/j.jhazmat.2014.06.042>.
- Yan, L; Fitzgerald, M; Khov, C; Schafermeyer, A, my; Kupferle, MJ; Sorial, GA. (2013). Elucidating the role of phenolic compounds in the effectiveness of DOM adsorption on novel tailored activated carbon. *J Hazard Mater*. 262: 100-105. <http://dx.doi.org/10.1016/j.jhazmat.2013.08.022>.
- Yan, L; Waynert, J; Sunderman, C. (2014). Earth Conductivity Estimation from Through-the-Earth Measurements of 94 Coal Mines Using Different Electromagnetic Models. *Applied Computational Electromagnetics Society Journal*. 29: 755-762.
- Yan, L; Waynert, JA; Sunderman, C. (2013). Measurements and Modeling of Through-the-Earth Communications for Coal Mines. *IEEE Transactions on Industry Applications*. 49. <http://dx.doi.org/10.1109/TIA.2013.2260116>.
- Yan, N, i; Liu, F, ei; Chen, Y; Brusseau, ML. (2016). Influence of Groundwater Constituents on 1,4-Dioxane Degradation by a Binary Oxidant System. *Water Air Soil Pollut*. 227: 436-436. <http://dx.doi.org/10.1007/s11270-016-3146-y>.
- Yan, N, i; Liu, F, ei; Huang, W. (2013). Interaction of oxidants in siderite catalyzed hydrogen peroxide and persulfate system using trichloroethylene as a target contaminant. *Chem Eng J*. 219: 149-154. <http://dx.doi.org/10.1016/j.cej.2012.12.072>.
- Yan, N, i; Liu, F, ei; Xue, Q; Brusseau, ML; Liu, Y; Wang, J. (2015). Degradation of trichloroethene by siderite-catalyzed hydrogen peroxide and persulfate: Investigation of reaction mechanisms and degradation products. *Chem Eng J*. 274: 61-68. <http://dx.doi.org/10.1016/j.cej.2015.03.056>.
- Yan, W; Herzing, AA; Li, XQ; Kiely, CJ; Zhang, WX. (2010). Structural evolution of Pd-doped nanoscale zero-valent iron (nZVI) in aqueous media and implications for particle aging and reactivity. *Environ Sci Technol*. 44: 4288-4294. <http://dx.doi.org/10.1021/es100051q>.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol*. 37: 3-4.
- Yan, YE; Schwartz, FW. (2000). Kinetics and mechanisms for TCE oxidation by permanganate. *Environ Sci Technol*. 34: 2535-2541.
- Yan, YL, i; Deng, Q; He, F, ei; Zhang, X, inQ; Liu, Y, inP. (2011). Remediation of DNAPL-contaminated aquifers using density modification method with colloidal liquid aphrons. *Colloid Surface Physicochem Eng Aspect*. 385: 219-228. <http://dx.doi.org/10.1016/j.colsurfa.2011.06.012>.
- Yan, Z; Henderson, G; James, M; Stacpoole, P. (1999). Determination of chloral hydrate metabolites in human plasma by gas chromatography-mass spectrometry. *J Pharm Biomed Anal*. 19: 309-318.
- Yang, BL; Kwok, PCK; Lai, PT. (2006). Influence of TCE concentration in thermal oxidation on reliability of SiC MOS capacitors under Fowler-Nordheim electron injection. *Microelectron Reliab*. 46: 2044-2048. <http://dx.doi.org/10.1016/j.microrel.2005.12.007>.
- Yang, BL; Lin, LM; Lo, HB; Lai, PT. (2005). Effects of TCE concentration on oxide-charge and interface properties of SiO₂ thermally grown on SiC. *Solid-State Electronics*. 49: 1223-1227. <http://dx.doi.org/10.1016/j.sse.2005.05.010>.
- Yang, BL; Lin, LM; Lo, HB; Lai, PT; Chan, CL. (2005). Kinetics of thermal oxidation of 6H silicon carbide in oxygen plus trichloroethylene. *J Electrochem Soc*. 152: G441-G444. <http://dx.doi.org/10.1149/1.1899284>.
- Yang, C; Wacker, JG; Sheu, C. (2012). What makes outsourcing effective? A transaction-cost economics analysis. *Int J Prod Res*. 50: 4462-4476. <http://dx.doi.org/10.1080/00207543.2011.600345>.
- Yang, D; Pennisi, SV; Son, K, iC; Kays, SJ. (2009). Screening Indoor Plants for Volatile Organic Pollutant Removal Efficiency. *HortScience*. 44: 1377-1381.
- Yang, D; Wang, Y, aQ; Liu, W; Tao, S, hu. (2008). A novel pretreatment approach for fast determination of organochlorine pesticides in biotic samples. *J Environ Sci Health B*. 43: 307-313. <http://dx.doi.org/10.1080/03601230801941642>.
- Yang, D; Zhang, L. (2012). Excited-state hydrogen bonding dynamics of pyruvic acid and geminal-diol, 2,2-dihydroxypropanoic acid in aqueous solution: a DFT/TDDFT study. *Journal of Physical Organic Chemistry*. 25: 1391-1394. <http://dx.doi.org/10.1002/poc.3055>.
- Yang, DL; Majumdar, S; Kovenklioglu, S; Sirkar, KK. (1995). HOLLOW-FIBER CONTAINED LIQUID MEMBRANE PERVAPORATION SYSTEM FOR THE REMOVAL OF TOXIC VOLATILE ORGANICS FROM WASTE-WATER. *J Memb Sci*. 103: 195-210.
- Yang, G, uiP; Yang, B, in; Lu, XL, an; Ding, H, aiB; He, Z. (2014). Spatio-temporal variations of sea surface halocarbon concentrations and fluxes from southern Yellow Sea. *Biogeochemistry*. 121: 369-388. <http://dx.doi.org/10.1007/s10533-014-0007-x>.
- Yang, GC; Lee, HL. (2005). Chemical reduction of nitrate by nanosized iron: kinetics and pathways. *Water Res*. 39: 884-894. <http://dx.doi.org/10.1016/j.watres.2004.11.030>.
- Yang, GCC; Chang, YI. (2011). Integration of emulsified nanoiron injection with the electrokinetic process for remediation of trichloroethylene in saturated soil. *Separation and Purification Technology*. 79: 278-284. <http://dx.doi.org/10.1016/j.seppur.2011.03.004>.

Fate Literature Search Results

Off Topic

- Yang, GCC; Liu, CY. (2001). Remediation of TCE contaminated soils by in situ EK-Fenton process. *J Hazard Mater.* 85: 317-331.
- Yang, GCC; Tu, HC; Hung, CH. (2007). Stability of nanoiron slurries and their transport in the subsurface environment. *Separation and Purification Technology.* 58: 166-172. <http://dx.doi.org/10.1016/j.seppur.2007.07.018>.
- Yang, GCC; Yeh, CF, u. (2011). Enhanced nano-Fe₃O₄/S₂O₈²⁻ oxidation of trichloroethylene in a clayey soil by electrokinetics. *Separation and Purification Technology.* 79: 264-271. <http://dx.doi.org/10.1016/j.seppur.2011.03.003>.
- Yang, GS; Kennedy, IM. (1993). THE EFFECT OF STRAIN ON LAMINAR DIFFUSION FLAMES OF CHLORINATED HYDROCARBONS. *Combust Flame.* 92: 187-196.
- Yang, GS; Kennedy, IM. (1994). THE NONEQUILIBRIUM STRUCTURE OF A TRICHLORO-ETHENE METHANE LAMINAR DIFFUSION FLAME. *Combust Sci Tech.* 101: 349-359.
- Yang, H, eeC; Cho, YJ; Eun, H, eeC; Kim, EH, o. (2007). Destruction of chlorinated organic solvents in a two-stage molten salt oxidation reactor system. *Chem Eng Sci.* 62: 5137-5143. <http://dx.doi.org/10.1016/j.ces.2007.01.055>.
- Yang, H, eeC; Cho, YZ, un; Eun, H, eeC; Kang, Y. (2008). Destruction of Trichloroethylene in a Two Stage Molten Salt Oxidation Reactor System. *J Chem Eng Jpn.* 41: 597-601.
- Yang, H; Hu, Y; Cheng, H. (2016). Sorption of chlorophenols on microporous minerals: mechanism and influence of metal cations, solution pH, and humic acid. *Environ Sci Pollut Res Int.* 23: 19266-19280. <http://dx.doi.org/10.1007/s11356-016-7128-9>.
- Yang, J; Cao, L; Guo, R; Jia, J. (2010). Permeable reactive barrier of surface hydrophobic granular activated carbon coupled with elemental iron for the removal of 2,4-dichlorophenol in water. *J Hazard Mater.* 184: 782-787. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.109>.
- Yang, J, aeHa; Jun, SC; Kwon, HP, yo; Lee, KK, un. (2014). Tracing of residual multiple DNAPL sources in the subsurface using Rn-222 as a natural tracer at an industrial complex in Wonju, Korea. *Environ Earth Sci.* 71: 407-417. <http://dx.doi.org/10.1007/s12665-013-2448-2>.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts.* 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.
- Yang, J; Wang, Y; Xu, W; Dai, Q. (2008). Image coding using dual-tree discrete wavelet transform. *IEEE Trans Image Process.* 17: 1555-1569. <http://dx.doi.org/10.1109/TIP.2008.926159>.
- Yang, JS; Baek, K; Kwon, T, aeS; Yang, J, iWon. (2009). Adsorption of chlorinated solvents in nonionic surfactant solutions with activated carbon in a fixed bed. *J Ind Eng Chem.* 15: 777-779. <http://dx.doi.org/10.1016/j.jiec.2009.09.027>.
- Yang, JS; Baek, K; Kwon, TS; Yang, JW. (2006). Competitive immobilization of multiple component chlorinated solvents by cyclodextrin derivatives. *J Hazard Mater.* 137: 1866-1869. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.020>.
- Yang, L, ei; Lv, L, u; Zhang, S; Pan, B; Zhang, W. (2011). Catalytic dechlorination of monochlorobenzene by Pd/Fe nanoparticles immobilized within a polymeric anion exchanger. *Chem Eng J.* 178: 161-167. <http://dx.doi.org/10.1016/j.cej.2011.10.039>.
- Yang, L; Y-F, C; M-S, C. (1999). Feasibility of bioremediation of trichloroethylene contaminated sites by nitrifying bacteria through cometabolism with ammonia. *J Hazard Mater.* 69: 111-126.
- Yang, MH; Puri, IK. (1993). EXPERIMENTAL INVESTIGATION OF STRETCHED PREMIXED FLAMES BURNING MIXTURES OF METHANE AND METHYL-CHLORIDE IN AIR AND COMPARISON WITH NUMERICAL SIMULATIONS. *Combust Flame.* 94: 25-34.
- Yang, MJ; Harms, S; Luo, YZ; Pawliszyn, J. (1994). MEMBRANE EXTRACTION WITH A SORBENT INTERFACE FOR CAPILLARY GAS-CHROMATOGRAPHY. *Anal Chem.* 66: 1339-1346.
- Yang, MJ; Pawliszyn, J. (1993). Multiplex gas chromatography with a hollow fiber membrane interface for determination of trace volatile organic compounds in aqueous samples. *Anal Chem.* 65: 1758-1763.
- Yang, MJ; Pawliszyn, J. (1996). Headspace membrane extraction combined with multiplex gas chromatography and mass selective detector for monitoring of volatile organic compounds. *J Microcolumn Sep.* 8: 89-98.
- Yang, MX; Kash, PW; Sun, DH; Flynn, GW; Bent, BE; Holbrook, MT; Bare, SR; Fischer, DA; Gland, JL. (1997). Chemistry of chloroethylenes on Cu(100): Bonding and reactions. *Surf Sci.* 380: 151-164.
- Yang, P; Shi, Z; Tao, F, ei; Yang, S; Zhou, R. (2015). Synergistic performance between oxidizability and acidity/texture properties for 1,2-dichloroethane oxidation over (Ce,Cr)(x)O-2/zeolite catalysts. *Chem Eng Sci.* 134: 340-347. <http://dx.doi.org/10.1016/j.ces.2015.05.024>.
- Yang, P; Shi, Z; Yang, S; Zhou, R. (2015). High catalytic performances of CeO₂-CrO_x catalysts for chlorinated VOCs elimination. *Chem Eng Sci.* 126: 361-369. <http://dx.doi.org/10.1016/j.ces.2014.12.051>.
- Yang, P; Xue, X; Meng, Z; Zhou, R. (2013). Enhanced catalytic activity and stability of Ce doping on Cr supported HZSM-5 catalysts for deep oxidation of chlorinated volatile organic compounds. *Chem Eng J.* 234: 203-210. <http://dx.doi.org/10.1016/j.cej.2013.08.107>.
- Yang, P; Yang, S; Shi, Z; Meng, Z; Zhou, R. (2015). Deep oxidation of chlorinated VOCs over CeO₂-based transition metal mixed oxide catalysts. *Appl Catal B-Environ.* 162: 227-235. <http://dx.doi.org/10.1016/j.apcatb.2014.06.048>.
- Yang, P; Yang, S; Shi, Z; Tao, F, ei; Guo, X; Zhou, R. (2016). Accelerating effect of ZrO₂ doping on catalytic performance and thermal stability of CeO₂-CrO_x mixed oxide for 1,2-dichloroethane elimination. *Chem Eng J.* 285: 544-553. <http://dx.doi.org/10.1016/j.cej.2015.10.025>.
- Yang, P; Zuo, S; Shi, Z; Tao, F, ei; Zhou, R. (2016). Elimination of 1,2-dichloroethane over (Ce,Cr)(x)O-2/MO_y catalysts (M =Ti, V, Nb, Mo, W and La). *Appl Catal B-Environ.* 191: 53-61. <http://dx.doi.org/10.1016/j.apcatb.2016.03.017>.
- Yang, Q; Ito, S; Gonzalez, FJ. (2007). Hepatocyte-restricted constitutive activation of PPAR alpha induces hepatoproliferation but not hepatocarcinogenesis. *Carcinogenesis.* 28: 1171-1177. <http://dx.doi.org/10.1093/carcin/bgm046>.
- Yang, Q; Shang, HT; Li, HD; Xi, HB; Wang, JL. (2008). Biodegradation of tetrachloroethylene using methanol as co-metabolic substrate. *Biomed Environ Sci.* 21: 98-102. [http://dx.doi.org/10.1016/S0895-3988\(08\)60013-6](http://dx.doi.org/10.1016/S0895-3988(08)60013-6).
- Yang, RS; Thomas, RS; Gustafson, DL; Campain, J; Benjamin, SA; Verhaar, HJ; Mumtaz, MM. (1998). Approaches to developing alternative and predictive toxicology based on PBPK/PD and QSAR modeling [Review]. *Environ Health Perspect.* 106 Suppl 6: 1385-1393.

Fate Literature Search Results

Off Topic

- Yang, RSH. (1998). Some critical issues and concerns related to research advances on the toxicology of chemical mixtures. *Environ Health Perspect.* 106: 1059-1063. <http://dx.doi.org/10.2307/3434152>.
- Yang, S; Oostrom, M; Truex, MJ; Li, G; Zhong, L. (2016). Injectable silica-permanganate gel as a slow-release MnO₄(-) source for groundwater remediation: rheological properties and release dynamics. *Environ Sci Process Impacts.* 18: 256-264. <http://dx.doi.org/10.1039/c5em00559k>.
- Yang, W, onHo; Kim, MH. (2008). Wet oxidation of trichloroethylene over well-characterized CoO(x)/TiO₂ catalysts. *Res Chem Intermed.* 34: 717-725.
- Yang, W; Qiu, Z; Zhao, Z; Lu, S; Sui, Q; Gu, X. (2017). To postpone the precipitation of manganese oxides in the degradation of tetrachloroethylene by controlling the permanganate concentration. *Environ Technol.* 38: 34-41. <http://dx.doi.org/10.1080/09593330.2016.1184320>.
- Yang, WB; Chen, WH; Yuan, CS; Yang, JC; Zhao, QL. (2012). Comparative assessments of VOC emission rates and associated health risks from wastewater treatment processes. *J Environ Monit.* 14: 2464-2474. <http://dx.doi.org/10.1039/c2em30138e>.
- Yang, Y; Mccarty, PL. (1998). Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture. *Environ Sci Technol.* 32: 3591-3597.
- Yang, Y, un; Wu, J; Sun, X; Wu, J; Zheng, C. (2013). Development and application of a master-slave parallel hybrid multi-objective evolutionary algorithm for groundwater remediation design. *Environ Earth Sci.* 70: 2481-2494. <http://dx.doi.org/10.1007/s12665-013-2291-5>.
- Yang, Y; Xu, X; Georgopoulos, PG. (2010). A Bayesian population PBPK model for multiroute chloroform exposure. *J Expo Sci Environ Epidemiol.* 20: 326-341. <http://dx.doi.org/10.1038/jes.2009.29>.
- Yang, YR; Mccarty, PL. (2000). Biologically enhanced dissolution of tetrachloroethene DNAPL. *Environ Sci Technol.* 34: 2979-2984.
- Yang, Z; Qiu, X; Fang, Z; Pokeung, T. (2015). Transport of nano zero-valent iron supported by mesoporous silica microspheres in porous media. *Water Sci Technol.* 71: 1800-1805. <http://dx.doi.org/10.2166/wst.2015.158>.
- Yano, M; Yamamoto, T; Kobayashi, S; Ikeda, Y; Matsuzaki, M. (2008). Defective Ca²⁺ cycling as a key pathogenic mechanism of heart failure [Review]. *Circ J.* 72: A22-A30.
- Yanosky, TM; Hansen, BP; Schening, MR. (2001). Use of tree rings to investigate the onset of contamination of a shallow aquifer by chlorinated hydrocarbons. *J Contam Hydrol.* 50: 159-173.
- Yan-Xia, J; Cen, T; Xiu-Qing, M; Xiao-Xia, W; Guan-Qun, X; Meng-Fei, L; Xiao-Nian, L. (2016). Highly Stable CsNO₃/SiO₂ Catalysts for the Synthesis of Vinylidene Chloride Using a Gaseous Phase Method. *Acta Phys - Chim Sin.* 32: 510-518. <http://dx.doi.org/10.3866/PKU.WHXB201511134>.
- Yao, N, an; Cao, S; Yeung, KL, un. (2009). Mesoporous TiO₂-SiO₂ aerogels with hierarchal pore structures. *Microporous and Mesoporous Materials.* 117: 570-579. <http://dx.doi.org/10.1016/j.micromeso.2008.08.020>.
- Yao, W, ei; Zheng, X; Guo, Y; Zhan, W; Guo, Y, un; Lu, G. (2011). Role of chlorohydrocarbon in increasing selectivity of propylene oxide over Ag-Y₂O₃-K₂O/alpha-Al₂O₃ catalyst for epoxidation of propylene by molecular oxygen. *J Mol Catal Chem.* 342-43: 30-34. <http://dx.doi.org/10.1016/j.molcata.2011.04.006>.
- Yaron-Marcovich, D; Dror, I; Berkowitz, B. (2007). Behavior and stability of organic contaminant droplets in aqueous solutions. *Chemosphere.* 69: 1593-1601. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.056>.
- Yaroshenko, V; Katashinsky, V. (1997). Processing and properties of silicon nitride based laminated composites. 66: 292-296.
- Yasuhara, A. (1993). Thermal decomposition of tetrachloroethylene. *Chemosphere.* 26: 1507-1512.
- Yasunaga, N; Hirotsuji, J. (2008). Efficient decomposition of trichloroethylene (TCE) in groundwater by ozone-hydrogen peroxide treatment. *Ozone: Science and Engineering.* 30: 127-135. <http://dx.doi.org/10.1080/01919510701861284>.
- Yateem, A; Al-Sharrah, T; Bin-Haji, A. (2008). Investigation of microbes in the rhizosphere of selected trees for the rhizoremediation of hydrocarbon-contaminated soils. *Int J Phytoremediation.* 10: 311-324. <http://dx.doi.org/10.1080/15226510802096143>.
- Ye, H; Chen, X; van Zeijl, H; Gielen, AWJ; Zhang, G. (2013). Thermal Transient Effect and Improved Junction Temperature Measurement Method in High-Voltage Light-Emitting Diodes. *I E E Electron Device Letters.* 34: 1172-1174. <http://dx.doi.org/10.1109/LED.2013.2274473>.
- Ye, M; Beach, J; Martin, JW; Senthilselvan, A. (2015). Association between lung function in adults and plasma DDT and DDE levels: results from the Canadian Health Measures Survey. *Environ Health Perspect.* 123: 422-427. <http://dx.doi.org/10.1289/ehp.1408217>.
- Yeh, CK; Wu, HM; Chen, TC. (2003). Chemical oxidation of chlorinated non-aqueous phase liquid by hydrogen peroxide in natural sand systems. *J Hazard Mater.* 96: 29-51.
- Yeh, KJ; Chen, TC; Young, W. (2013). Competitive Removal of Two Contaminants in a Goethite-Catalyzed Fenton Process at Neutral pH. *Environ Eng Sci.* 30: 47-52. <http://dx.doi.org/10.1089/ees.2012.0001>.
- Yeh, MM; Larson, AM; Campbell, JS; Fausto, N; Rulyak, SJ; Swanson, PE. (2007). The expression of transforming growth factor-alpha in cirrhosis, dysplastic nodules, and hepatocellular carcinoma: An immunohistochemical study of 70 cases. *Am J Surg Pathol.* 31: 681-689. <http://dx.doi.org/10.1097/PAS.0b013e31802ff7aa>.
- Yeldandi, AV; Milano, M; Subbarao, V; Reddy, JK; Rao, MS. (1989). Evaluation of liver cell proliferation during ciprofibrate-induced hepatocarcinogenesis. *Cancer Lett.* 47: 21-27. [http://dx.doi.org/10.1016/0304-3835\(89\)90172-9](http://dx.doi.org/10.1016/0304-3835(89)90172-9).
- Yenchek, MR; Homce, GT; Damiano, NW; Srednicki, JR. (2012). NIOSH-Sponsored Research in Through-the-Earth Communications for Mines: A Status Report. *I E E Transactions on Industry Applications.* 48: 1700-1707. <http://dx.doi.org/10.1109/TIA.2012.2209853>.
- Yeo, SD; Tuncer, E; Akgerman, A. (1997). Adsorption of volatile organic compounds on soil and prediction of desorption breakthroughs. *Separation Science and Technology.* 32: 2497-2512.

Fate Literature Search Results

Off Topic

- Yeung, K; Lee, PKC; Yeung, ACL; Cheng, TCE. (2013). Supplier partnership and cost performance: The moderating roles of specific investments and environmental uncertainty. *International Journal of Production Economics*. 144: 546-559. <http://dx.doi.org/10.1016/j.ijpe.2013.04.008>.
- Yeung, KL, un; Leung, W, aiKin; Yao, N, an; Cao, S. (2009). Reactivity and antimicrobial properties of nanostructured titanium dioxide. *Catalysis Today*. 143: 218-224. <http://dx.doi.org/10.1016/j.cattod.2008.09.036>.
- Yeung, KL; Maira, AJ; Stolz, J; Hung, E; Ho, NKC; Wei, AC; Soria, J; Chao, KJ. (2002). Ensemble effects in nanostructured TiO₂ used in the gas-phase photooxidation of trichloroethylene. *J Phys Chem B*. 106: 4608-4616. <http://dx.doi.org/10.1021/jp0131121>.
- Yeung, KL; Yau, ST; Maira, AJ; Coronado, JM; Soria, J; Yue, PL. (2003). The influence of surface properties on the photocatalytic activity of nanostructured TiO₂. *J Catal*. 219: 107-116. [http://dx.doi.org/10.1016/S0021-9517\(03\)00187-8](http://dx.doi.org/10.1016/S0021-9517(03)00187-8).
- Yeung, RS; Xiao, GH; Everitt, JI; Jin, F; Walker, CL. (1995). Allelic loss at the tuberous sclerosis 2 locus in spontaneous tumors in the Eker rat. *Mol Carcinog*. 14: 28-36.
- Yi, HB; Duan, XH; Lee, JY; Lee, HM; Li, XY; Kim, KS. (2003). Theoretical study of photoinduced electron transfer from tetramethylethylene to tetracyanoethylene. *J Chem Phys*. 119: 8854-8863. <http://dx.doi.org/10.1063/1.1613252>.
- Yim, B; Okuno, H; Nagata, Y; Maeda, Y. (2001). Sonochemical degradation of chlorinated hydrocarbons using a batch and continuous flow system. *J Hazard Mater*. 81: 253-263.
- Yim, SD; Chang, KH; Koh, DJ; Nam, IS; Kim, YG. (2000). Catalytic removal of perchloroethylene (PCE) over supported chromium oxide catalysts. *Catalysis Today*. 63: 215-222.
- Yin, L; Dai, Y; Niu, J; Bao, Y; Shen, Z. (2012). Rapid dechlorination of chlorophenols in aqueous solution by [Ni vertical bar Cu] microcell. *J Hazard Mater*. 209: 414-420. <http://dx.doi.org/10.1016/j.jhazmat.2012.01.044>.
- Yin, L; Zhang, K; Luo, H; Cheng, G; Ma, X; Xiong, Z; Xiao, X. (2014). Highly efficient graphene-based Cu(In, Ga)Se₂ solar cells with large active area. *Nanoscale*. 6: 10879-10886. <http://dx.doi.org/10.1039/c4nr02988g>.
- Yin, Y; Sykes, JF; Normani, SD. (2015). Impacts of spatial and temporal recharge on field-scale contaminant transport model calibration. *J Hydrol*. 527: 77-87. <http://dx.doi.org/10.1016/j.jhydrol.2015.04.040>.
- Ying, WC; Bonk, RR; Hannam, SC; Li, QD. (1994). FINAL DISPOSAL OF VOCS FROM INDUSTRIAL WASTEWATERS. *Environmental Progress*. 13: 192-201.
- Yingjian, L; Jiezh, L; Qi, Q; Yafei, X. (2010). Energy auditing and energy conservation potential for glass works. *Appl Energ*. 87: 2438-2446. <http://dx.doi.org/10.1016/j.apenergy.2010.02.029>.
- Yokouchi, Y. (2005). Estimates of ratios of anthropogenic halocarbon emissions from Japan based on aircraft monitoring over Sagami Bay, Japan. *J Geophys Res*. 110: D06301. <http://dx.doi.org/10.1029/2004JD005320>.
- Yokouchi, Y; Akimoto, H; Barrie, LA; Bottenheim, JW; Anlauf, K; Jobson, BT. (1994). SERIAL GAS-CHROMATOGRAPHIC MASS-SPECTROMETRIC MEASUREMENTS OF SOME VOLATILE ORGANIC-COMPOUNDS IN THE ARCTIC ATMOSPHERE DURING THE 1992 POLAR SUNRISE EXPERIMENT. *J Geophys Res Atmos*. 99: 25379-25389.
- Yokouchi, Y; Barrie, LA; Toom, D; Akimoto, H. (1996). The seasonal variation of selected natural and anthropogenic halocarbons in the Arctic troposphere. *Atmos Environ*. 30: 1723-1727.
- Yokouchi, Y; Mukai, H; Yamamoto, H; Otsuki, A; Saitoh, C; Nojiri, Y. (1997). Distribution of methyl iodide, ethyl iodide, bromoform, and dibromomethane over the ocean (east and southeast Asian seas and the western Pacific). *J Geophys Res Atmos*. 102: 8805-8809.
- Yoo, H; Bradford, BU; Kosyk, O; Shymonyak, S; Uehara, T; Collins, LB; Bodnar, WM; Ball, LM; Gold, A; Rusyn, I. (2015). Comparative Analysis of the Relationship Between Trichloroethylene Metabolism and Tissue-Specific Toxicity Among Inbred Mouse Strains: Liver Effects. *J Toxicol Environ Health A*. 78: 15-31. <http://dx.doi.org/10.1080/15287394.2015.958417>.
- Yoo, H; Bradford, BU; Kosyk, O; Uehara, T; Shymonyak, S; Collins, LB; Bodnar, WM; Ball, LM; Gold, A; Rusyn, I. (2015). Comparative Analysis of the Relationship Between Trichloroethylene Metabolism and Tissue-Specific Toxicity Among Inbred Mouse Strains: Kidney Effects. *J Toxicol Environ Health A*. 78: 32-49. <http://dx.doi.org/10.1080/15287394.2015.958418>.
- Yoo, K; Shukla, SK; Ahn, J, aeJ; Oh, K; Park, J. (2016). Decision tree-based data mining and rule induction for identifying hydrogeological parameters that influence groundwater pollution sensitivity. *J Clean Prod*. 122: 277-286. <http://dx.doi.org/10.1016/j.jclepro.2016.01.075>.
- Yoon, HS; Monks, TJ; Walker, CL; Lau, SS. (2001). Transformation of kidney epithelial cells by a quinol thioether via inactivation of the tuberous sclerosis-2 tumor suppressor gene. *Mol Carcinog*. 31: 37-45.
- Yoon, IK; Kim, CN; Park, CH. (2002). Optimum operating conditions for the removal of volatile organic compounds in a compost-packed biofilter. *Korean J Chem Eng*. 19: 954-959.
- Yoon, M; Madden, MC; Barton, HA. (2007). Extrahepatic metabolism by CYP2E1 in PBPK modeling of lipophilic volatile organic chemicals: Impacts on metabolic parameter estimation and prediction of dose metrics. *J Toxicol Environ Health A*. 70: 1527-1541. <http://dx.doi.org/10.1080/15287390701384684>.
- Yoon, S; Im, J; Bandow, N; Dispirito, AA; Semrau, JD. (2011). Constitutive expression of pMMO by Methylocystis strain SB2 when grown on multi-carbon substrates: implications for biodegradation of chlorinated ethenes. *Environmental Microbiology Reports*. 3: 182-188. <http://dx.doi.org/10.1111/j.1758-2229.2010.00205.x>.
- Yoon, WL; Lee, DK. (2004). Characterization and reaction performance of the Ru-CrOx/Al₂O₃ catalyst for the oxidative decomposition of trichloroethylene. *J Chem Eng Jpn*. 37: 143-151.
- Yoon, YY; Koh, DC; Lee, KY; Cho, SY; Yang, JH; Lee, KK. (2013). Using ²²²Rn as a naturally occurring tracer to estimate NAPL contamination in an aquifer. 81: 233-237. <http://dx.doi.org/10.1016/j.apradiso.2013.03.061>.

Fate Literature Search Results

Off Topic

- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere*. 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-O](http://dx.doi.org/10.1016/0045-6535(93)90097-O).
- Yoshida, N; Ye, L; Liu, F; Li, Z; Katayama, A. (2013). Evaluation of biodegradable plastics as solid hydrogen donors for the reductive dechlorination of fthalide by *Dehalobacter* species. *Bioresour Technol*. 130: 478-485. <http://dx.doi.org/10.1016/j.biortech.2012.11.139>.
- Yoshida, T; Andoh, K; Fukuhara, M. (1998). Estimation of absorption of environmental contaminants in low-level exposure by pharmacokinetic analysis. *J Toxicol Environ Health A*. 54: 145-158.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut*. 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.
- Yoshioka, T; Krauser, JA; Guengerich, FP. (2002). Tetrachloroethylene oxide: hydrolytic products and reactions with phosphate and lysine. *Chem Res Toxicol*. 15: 1096-1105. <http://dx.doi.org/10.1021/tx020028j>.
- You, K; Zhan, H. (2013). Comparisons of diffusive and advective fluxes of gas phase volatile organic compounds (VOCs) in unsaturated zones under natural conditions. *Advances in Water Resources*. 52: 221-231. <http://dx.doi.org/10.1016/j.advwatres.2012.11.021>.
- You, YW; Zhao, HT; Vance, GF. (2002). Hybrid organic-inorganic derivatives of layered double hydroxides and dodecylbenzenesulfonate: Preparation and adsorption characteristics. *J Mater Chem*. 12: 907-912. <http://dx.doi.org/10.1039/b106811c>.
- Young, C; Lim, TM; Chiang, K; Scott, J; Amal, R. (2008). Photocatalytic oxidation of toluene and trichloroethylene in the gas-phase by metallised (Pt, Ag) titanium dioxide. *Appl Catal B-Environ*. 78: 1-10. <http://dx.doi.org/10.1016/j.apcatb.2007.08.011>.
- Young, CM; Jackson, RE; Jin, M; Londergan, JT; Mariner, PE; Pope, GA; Anderson, FJ; Houk, T. (1999). Characterization of a TCE DNAPL zone in alluvium by partitioning tracers. *Ground Water Monitoring and Remediation*. 19: 84-94.
- Young, KD; Leboeuf, EJ. (2001). Development of a glass ampoule system for evaluation of long-term sorption/desorption behavior of vapor phase volatile organic compounds in geosorbents. *Analyst*. 126: 1816-1819.
- Yu, CP; Roh, H; Chu, KH, ui. (2007). 17 beta-estradiol-degrading bacteria isolated from activated sludge. *Environ Sci Technol*. 41: 486-492. <http://dx.doi.org/10.1021/es060923f>.
- Yu, H; Zhang, K; Rossi, C. (2007). Experimental study of the photocatalytic degradation of formaldehyde in indoor air using a nano-particulate titanium dioxide photocatalyst. *Indoor Built Environ*. 16: 529-537. <http://dx.doi.org/10.1177/1420326X07083513>.
- Yu, HY; Bao, LJ; Liang, Y; Zeng, EY. (2011). Field validation of anaerobic degradation pathways for dichlorodiphenyltrichloroethane (DDT) and 13 metabolites in marine sediment cores from China. *Environ Sci Technol*. 45: 5245-5252. <http://dx.doi.org/10.1021/es2006397>.
- Yu, HY; Li, FB; Yu, WM; Li, YT; Yang, GY; Zhou, SG; Zhang, TB; Gao, YX; Wan, HF. (2013). Assessment of organochlorine pesticide contamination in relation to soil properties in the Pearl River Delta, China. *Sci Total Environ*. 447: 160-168. <http://dx.doi.org/10.1016/j.scitotenv.2012.12.070>.
- Yu, J, ie; Liu, W; Zeng, A; Guan, B; Xu, X. (2013). Effect of SO on 1,1,1-Trichloroethane Degradation by Fe⁰ in Aqueous Solution. *Ground Water*. 51: 286-292. <http://dx.doi.org/10.1111/j.1745-6584.2012.00957.x>.
- Yu, JC; Tang, HY; Yu, JG; Chan, HC; Zhang, LZ; Xie, YD; Wang, H; Wong, SP. (2002). Bactericidal and photocatalytic activities of TiO₂ thin films prepared by sol-gel and reverse micelle methods. *J Photochem Photobiol A*. 153: 211-219.
- Yu, JJ; Chou, SY. (2000). Contaminated site remedial investigation and feasibility removal of chlorinated volatile organic compounds from groundwater by activated carbon fiber adsorption. *Chemosphere*. 41: 371-378. [http://dx.doi.org/10.1016/S0045-6535\(99\)00437-3](http://dx.doi.org/10.1016/S0045-6535(99)00437-3).
- Yu, JS, u; Jo, J; Yoon, SM, an; Kim, D, oJin. (2012). Fabrication of Transparent Conductive Electrode Film Using Thermal Roll-Imprinted Ag Metal Grid and Coated Conductive Polymer. *J Nanosci Nanotechnol*. 12: 1179-1182. <http://dx.doi.org/10.1166/jnn.2012.4675>.
- Yu, MC; Garabrant, DH; Peters, JM; Mack, TM. (1988). Tobacco, alcohol, diet, occupation, and carcinoma of the esophagus. *Cancer Res*. 48: 3843-3848.
- Yu, RF; Chi, FH; Cheng, WP; Wang, MH. (2015). Online monitoring of the nanoscale zero-valent iron process for trichloroethylene wastewater treatment. *Int J Environ Sci Tech*. 12: 1647-1656. <http://dx.doi.org/10.1007/s13762-014-0567-2>.
- Yu, S; Lee, P; Hwang, SI, l. (2015). Groundwater contamination with volatile organic compounds in urban and industrial areas: analysis of co-occurrence and land use effects. *Environ Earth Sci*. 74: 3661-3677. <http://dx.doi.org/10.1007/s12665-015-4551-z>.
- Yu, S; Rao, S; Reddy, JK. (2003). Peroxisome proliferator-activated receptors, fatty acid oxidation, steatohepatitis and hepatocarcinogenesis [Review]. *Curr Mol Med*. 3: 561-572.
- Yu, S; Semprini, L. (2009). Enhanced reductive dechlorination of PCE DNAPL with TBOS as a slow-release electron donor. *J Hazard Mater*. 167: 97-104. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.087>.
- Yu, S; Wei, Y, iM; Wang, K, e. (2012). A PSO-GA optimal model to estimate primary energy demand of China. *Energy Policy*. 42: 329-340. <http://dx.doi.org/10.1016/j.enpol.2011.11.090>.
- Yu, SH; Semprini, L. (2002). Comparison of trichloroethylene reductive dehalogenation by microbial communities stimulated on silicon-based organic compounds as slow-release anaerobic substrates. *Water Res*. 36: 4985-4996.
- Yu, SY; Chae, GT; Jeon, KH; Jeong, JS; Park, JG. (2006). Trichloroethylene contamination in fractured bedrock aquifer in Wonju, South Korea. *Bull Environ Contam Toxicol*. 76: 341-348. <http://dx.doi.org/10.1007/s00128-006-0927-9>.
- Yu, X; Wu, T; Yang, XJ; Xu, J; Auzam, J; Semiat, R; Han, YF. (2016). Degradation of trichloroethylene by hydrodechlorination using formic acid as hydrogen source over supported Pd catalysts. *J Hazard Mater*. 305: 178-189. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.025>.
- Yu, Z; Peldszus, S; Huck, PM. (2009). Adsorption of Selected Pharmaceuticals and an Endocrine Disrupting Compound by Granular Activated Carbon. 1. Adsorption Capacity and Kinetics. *Environ Sci Technol*. 43: 1467-1473. <http://dx.doi.org/10.1021/es801961y>.
- Yu, Z; Peldszus, S; Huck, PM. (2009). Adsorption of selected pharmaceuticals and an endocrine disrupting compound by granular activated carbon. 2. Model prediction. *Environ Sci Technol*. 43: 1474-1479. <http://dx.doi.org/10.1021/es7032185>.

Fate Literature Search Results

Off Topic

- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C-1- and C-2-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem.* 19: 2212-2217.
- Yuan, B; Chen, Y; Fu, M. (2012). Degradation efficiencies and mechanisms of trichloroethylene (TCE) by controlled-release permanganate (CRP) oxidation. *Chem Eng J.* 192: 276-283. <http://dx.doi.org/10.1016/j.cej.2012.03.049>.
- Yuan, B; Li, F, ei; Chen, Y; Fu, M. (2013). Laboratory-scale column study for remediation of TCE-contaminated aquifers using three-section controlled-release potassium permanganate barriers. *J Environ Sci.* 25: 971-977. [http://dx.doi.org/10.1016/S1001-0742\(12\)60134-X](http://dx.doi.org/10.1016/S1001-0742(12)60134-X).
- Yuan, J. (1995). Effects of drinking pattern on the peak/trough blood concentrations in drinking water studies. *Food Chem Toxicol.* 33: 565-571. [http://dx.doi.org/10.1016/0278-6915\(95\)00027-Y](http://dx.doi.org/10.1016/0278-6915(95)00027-Y).
- Yuan, J; Xu, Y, an; Hu, Z; Zhao, C; Xiong, M; Guo, J. (2014). Peak energy consumption and CO₂ emissions in China. *Energy Policy.* 68: 508-523. <http://dx.doi.org/10.1016/j.enpol.2014.01.019>.
- Yuan, JM; Castelao, JE; Gago-Dominguez, M; Yu, MC; Ross, RK. (1998). Tobacco use in relation to renal cell carcinoma. *Cancer Epidemiol Biomarkers Prev.* 7: 429-433.
- Yuan, R; Fan, S; Zhou, H; Ding, Z; Lin, S, en; Li, Z; Zhang, Z; Xu, C; Wu, L; Wang, X; Fu, X. (2013). Chlorine-Radical-Mediated Photocatalytic Activation of C-H Bonds with Visible Light. *Angew Chem Int Ed Engl.* 52: 1035-1039. <http://dx.doi.org/10.1002/anie.201207904>.
- Yuan, R; Zhao, T, ao. (2016). A combined input-output and sensitivity analysis of CO₂ emissions in the high energy-consuming industries: A case study of China. *Atmos Pollut Res.* 7: 315-325. <http://dx.doi.org/10.1016/j.apr.2015.10.003>.
- Yuan, S; Chen, M; Mao, X; Alshawabkeh, AN. (2013). Effects of reduced sulfur compounds on Pd-catalytic hydrodechlorination of trichloroethylene in groundwater by cathodic H₂ under electrochemically induced oxidizing conditions. *Environ Sci Technol.* 47: 10502-10509. <http://dx.doi.org/10.1021/es402169d>.
- Yuan, S; Chen, M; Mao, X; Alshawabkeh, AN. (2013). A three-electrode column for Pd-catalytic oxidation of TCE in groundwater with automatic pH-regulation and resistance to reduced sulfur compound foiling. *Water Res.* 47: 269-278. <http://dx.doi.org/10.1016/j.watres.2012.10.009>.
- Yuan, S; Liao, P; Alshawabkeh, AN. (2014). Electrolytic Manipulation of Persulfate Reactivity by Iron Electrodes for Trichloroethylene Degradation in Groundwater. *Environ Sci Technol.* 48: 656-663. <http://dx.doi.org/10.1021/es404535q>.
- Yuan, S; Mao, X; Alshawabkeh, AN. (2012). Efficient Degradation of TCE in Groundwater Using Pd and Electro-generated H₂ and O₂: A Shift in Pathway from Hydrodechlorination to Oxidation in the Presence of Ferrous Ions. *Environ Sci Technol.* 46: 3398-3405. <http://dx.doi.org/10.1021/es204546u>.
- Yuan, Y; Tao, H; Fan, J; Ma, L. (2015). Degradation of p-chloroaniline by persulfate activated with ferrous sulfide ore particles. *Chem Eng J.* 268: 38-46. <http://dx.doi.org/10.1016/j.cej.2014.12.092>.
- Yue, F; Huang, HL; Huang, JX; Liang, LY; Huang, ZL; Wei, QY; Chen, XM. (2007). HLA-DM polymorphism and risk of trichloroethylene induced medicamentosa-like dermatitis. *Biomed Environ Sci.* 20: 506-511.
- Yue, ZR; Economy, J. (2005). Nanoparticle and nanoporous carbon adsorbents for removal of trace organic contaminants from water. *J Nanopart Res.* 7: 477-487. <http://dx.doi.org/10.1007/s11051-005-4719-7>.
- Yun, DM; Cho, HH; Jang, JW; Park, JW. (2013). Nano zero-valent iron impregnated on titanium dioxide nanotube array film for both oxidation and reduction of methyl orange. *Water Res.* 47: 1858-1866. <http://dx.doi.org/10.1016/j.watres.2013.01.014>.
- Yun, HD, uk; Seo, DM, in; Lee, M, inY; Kwon, SY; Park, L, eeS. (2016). Effective Synthesis and Recovery of Silver Nanowires Prepared by Tapered Continuous Flow Reactor for Flexible and Transparent Conducting Electrode. 6. <http://dx.doi.org/10.3390/met6010014>.
- Yun, JH. (2001). Equilibrium isotherms of dichloromethane, trichloroethylene, and 1,1,1-trichloroethane on activated carbon fiber. *Journal of Chemical and Engineering Data.* 46: 156-159.
- Yun, JH; Choi, DK; Kim, SH. (1998). Adsorption equilibria of chlorinated organic solvents onto activated carbon. *Ind Eng Chem Res.* 37: 1422-1427.
- Yun, L; Huijuan, G; Yang, Y; Huixian, Z; Xing, S; Qiming, X; Shixiang, G. (2006). Stability of 4'-substituted monobenzene-15-crown-5-bentonites and its adsorption properties for tetrachloroethane and naphthalene. *Appl Clay Sci.* 33: 7-12. <http://dx.doi.org/10.1016/j.clay.2006.03.002>.
- Yuvakkumar, R; Elango, V; Rajendran, V; Kannan, N. (2011). PREPARATION AND CHARACTERIZATION OF ZERO VALENT IRON NANOPARTICLES. *Digest Journal of Nanomaterials and Biostructures.* 6: 1771-1776.
- Zaa, CLY; Mclean, JE; Dupont, R; Norton, JM; Sorensen, DL. (2010). Dechlorinating and Iron Reducing Bacteria Distribution in a TCE-Contaminated Aquifer. *Ground Water Monitoring and Remediation.* 30: 46-57. <http://dx.doi.org/10.1111/j1745-6592.2009.001268.x>.
- Zaatari, M; Nirlo, E; Jareemit, D; Crain, N; Srebric, J; Siegel, J. (2014). Ventilation and indoor air quality in retail stores: A critical review (RP-1596). *HVACandR Research.* 20: 276-294. <http://dx.doi.org/10.1080/10789669.2013.869126>.
- Zabetakis, KM; Niño de Guzmán, GT; Torrents, A; Yarwood, S. (2015). Toxicity of zero-valent iron nanoparticles to a trichloroethylene-degrading groundwater microbial community. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 794-805. <http://dx.doi.org/10.1080/10934529.2015.1019796>.
- Zacarias, SM; Satuf, ML; Vaccari, MC; Alfano, OM. (2012). Efficiency Evaluation of Different TiO₂ Coatings on the Photocatalytic Inactivation of Airborne Bacterial Spores. *Ind Eng Chem Res.* 51: 13599-13608. <http://dx.doi.org/10.1021/ie3009956>.
- Zacharias, A; Srinivasan, D; Rau, MGS. (1976). ISOBARIC VAPOR-LIQUID-EQUILIBRIA FOR SYSTEMS ACETONE-NORMAL-HEPTANE AND NORMAL-HEXANE-TRICHLOROETHYLENE. 14: 162-164.
- Zack, M; Cannon, S; Loyd, D; Heath, CW, Jr; Falletta, JM; Jones, B; Housworth, J; Crowley, S. (1980). Cancer in children of parents exposed to hydrocarbon-related industries and occupations. *Am J Epidemiol.* 111: 329-336.
- Zahm, SH. (1992). Computerized occupational referent population system (CORPS): Study documentation. Rockville, MD: National Cancer Institute & National Institute for Occupational Safety and Health.

Fate Literature Search Results

Off Topic

- Zajicek, G; Arber, N; Schwartz-Arad, D. (1991). Streaming liver VIII: Cell production rates following partial hepatectomy. *Liver*. 11: 347-351. <http://dx.doi.org/10.1111/j.1600-0676.1991.tb00541.x>.
- Zajicek, G; Schwartz-Arad, D. (1990). Streaming liver VII: DNA turnover in acinus zone-3. *Liver*. 10: 137-140. <http://dx.doi.org/10.1111/j.1600-0676.1990.tb00448.x>.
- Zajicek, G; Schwartz-Arad, D; Bartfeld, E. (1989). The streaming liver V: Time and age-dependent changes of hepatocyte DNA content, following partial hepatectomy. *Liver*. 9: 164-171. <http://dx.doi.org/10.1111/j.1600-0676.1989.tb00394.x>.
- Zaki, K; Fahmi, LH; Ramadan, MIA. (1972). ADRENOCORTICAL ACTIVITY AND PLASMA-PROTEIN BINDING OF CORTISOL IN RESPONSE TO SURGICAL TRAUMA AND ANESTHESIA (HALOTHANE AND TRILENE) IN BILHARZIAL PATIENTS. 75: 76-&.
- Zalazar, CS; Martin, CA; Cassano, AE. (2005). Photocatalytic intrinsic reaction kinetics. II: Effects of oxygen concentration on the kinetics of the photocatalytic degradation of dichloroacetic acid. *Chem Eng Sci*. 60: 4311-4322. <http://dx.doi.org/10.1016/j.ces.2004.10.050>.
- Zalazar, CS; Romero, RL; Martin, CA; Cassano, AE. (2005). Photocatalytic intrinsic reaction kinetics I: Mineralization of dichloroacetic acid. *Chem Eng Sci*. 60: 5240-5254. <http://dx.doi.org/10.1016/j.cell.2005.04.050>.
- Zalesny, RS; Bauer, EO. (2007). Selecting and utilizing Populus and Salix for landfill covers: implications for leachate irrigation [Review]. *Int J Phytoremediation*. 9: 497-511. <http://dx.doi.org/10.1080/15226510701709689>.
- Zalikin, AA; Antonov, VN. (1988). TRICHLOROETHYLENE AND METHYLCHLORIDE PRODUCTION JOINT PROCESS. 205-206.
- Zander, AK; Chen, JS; Semmens, MJ. (1992). REMOVAL OF HEXACHLOROCYCLOHEXANE ISOMERS FROM WATER BY MEMBRANE EXTRACTION INTO OIL. *Water Res*. 26: 129-137.
- Zandi-Nejad, K; Eddy, A; Glasscock, R; Brenner, B. (2004). Why is proteinuria an ominous biomarker of progressive kidney disease [Review]. *Kidney Int Suppl* 576-589. <http://dx.doi.org/10.1111/j.1523-1755.2004.09220.x>.
- Zanetti, MC; Fiore, S. (2005). Evaluation of mutual connections between zero-valent iron reactivity and groundwater composition in trichloroethylene degradation. *Ann Chim*. 95: 779-789.
- Zang, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Lin, K; Du, X. (2014). Trichloroethylene oxidation performance in sodium percarbonate (SPC)/Fe²⁺ system. *Environ Technol*. 35: 791-798. <http://dx.doi.org/10.1080/09593330.2013.852592>.
- Zarchy, TM. (1996). Chlorinated Hydrocarbon Solvents and Biliary-Pancreatic Cancer: Report of Three Cases. *Am J Ind Med*. 30: 341-342.
- Zarei, H; Salami, Z. (2012). Densities, Excess Molar Volumes, Viscosity, and Refractive Indices of Binary Mixtures of Ethanoic Acid and Trichloroethylene with Dimethylbenzenes at Different Temperatures. *Journal of Chemical and Engineering Data*. 57: 620-625. <http://dx.doi.org/10.1021/je201211f>.
- Zazouli, M; Yousefi, Z; Eslami, A; Ardebilian, MB. (2012). Municipal solid waste landfill leachate treatment by fenton, photo-fenton and fenton-like processes: Effect of some variables. *Iranian Journal of Environmental Health Science and Engineering*. 9: 3. <http://dx.doi.org/10.1186/1735-2746-9-3>.
- Zazueta, A; Destailats, H; Puma, GL, i. (2013). Radiation field modeling and optimization of a compact and modular multi-plate photocatalytic reactor (MPPR) for air/water purification by Monte Carlo method. *Chem Eng J*. 217: 475-485. <http://dx.doi.org/10.1016/j.cej.2012.11.085>.
- Zellers, ET; Morishita, M; Cai, QY. (2000). Evaluating porous-layer open-tubular capillaries as vapor preconcentrators in a microanalytical system. *Sens Actuators B*. 67: 244-253.
- Zemo, DA; Delfino, TA; Gallinatti, JD; Baker, VA; Hilpert, LR. (1995). FIELD COMPARISON OF ANALYTICAL RESULTS FROM DISCRETE-DEPTH GROUND-WATER SAMPLERS. *Ground Water Monitoring and Remediation*. 15: 133-141.
- Zeng, Q, ru; Liao, B, ohan; Yang, B, o; Tang, HX; Xue, N, and. (2006). Sorption of methyl-parathion and carbaryl by an organo-bentonite. *Biol Fertil Soils*. 42: 457-463. <http://dx.doi.org/10.1007/s00374-006-0091-8>.
- Zenker, MJ; Borden, RC; Barlaz, MA. (2002). Modeling cometabolism of cyclic ethers. *Environ Eng Sci*. 19: 215-228.
- Zeppa, P; Benincasa, G; Troncone, G; Lucariello, A; Zabatta, A; Cochand-Priollet, B; Fulciniti, F; Vetrani, A; De Rosa, G; Palombini, L. (1998). Retrospective evaluation of DNA ploidy of hepatocarcinoma on cytologic samples. *Diagn Cytopathol*. 19: 323-329. [http://dx.doi.org/10.1002/\(SICI\)1097-0339\(199811\)19:5<323::AID-DC2>3.0.CO;2-Y](http://dx.doi.org/10.1002/(SICI)1097-0339(199811)19:5<323::AID-DC2>3.0.CO;2-Y).
- Zgoła-Grzeškowiak, A. (2010). Dispersive liquid-liquid microextraction applied to isolation and concentration of alkylphenols and their short-chained ethoxylates in water samples. *J Chromatogr A*. 1217: 1761-1766. <http://dx.doi.org/10.1016/j.chroma.2010.01.054>.
- Zhai, X; Hua, I; Rao, PS; Lee, LS. (2006). Cosolvent-enhanced chemical oxidation of perchloroethylene by potassium permanganate. *J Contam Hydrol*. 82: 61-74. <http://dx.doi.org/10.1016/j.jconhyd.2005.08.007>.
- Zhan, J; Kolesnichenko, I; Sunkara, B; He, J; Mcpherson, GL; Piringner, G; John, VT. (2011). Multifunctional iron-carbon nanocomposites through an aerosol-based process for the in situ remediation of chlorinated hydrocarbons. *Environ Sci Technol*. 45: 1949-1954. <http://dx.doi.org/10.1021/es103493e>.
- Zhan, J; Sunkara, B; Le, L; John, VT; He, J; Mcpherson, GL; Piringner, G; Lu, Y. (2009). Multifunctional colloidal particles for in situ remediation of chlorinated hydrocarbons. *Environ Sci Technol*. 43: 8616-8621. <http://dx.doi.org/10.1021/es901968g>.
- Zhan, J; Sunkara, B; Tang, J; Wang, Y; He, J; Mcpherson, GL; John, VT. (2011). Carbothermal Synthesis of Aerosol-Based Adsorptive-Reactive Iron-Carbon Particles for the Remediation of Chlorinated Hydrocarbons. *Ind Eng Chem Res*. 50: 13021-13029. <http://dx.doi.org/10.1021/ie200783z>.
- Zhan, J; Zheng, T; Piningner, G; Day, C; He, J; Mcpherson, GL; Lu, Y; John, VT. (2008). ENVR 197-Reductive dehalogenation of trichloroethylene using aerosol-assisted Fe/Silica particles. *Abstracts of Papers - American Chemical Society*. 235.
- Zhang, A; Futamura, S; Yamamoto, T. (1999). Nonthermal plasma chemical processing of bromomethane. *J Air Waste Manag Assoc*. 49: 1442-1448.

Fate Literature Search Results

Off Topic

- Zhang, B; Pan, X; Cobb, GP; Anderson, TA. (2007). MicroRNAs as oncogenes and tumor suppressors [Review]. *Dev Biol.* 302: 1-12. <http://dx.doi.org/10.1016/j.ydbio.2006.08.028>.
- Zhang, B, o; Qiao, H; Chen, B. (2015). Embodied energy uses by China's four municipalities: A study based on multi-regional input-output model. *Ecol Modell.* 318: 138-149. <http://dx.doi.org/10.1016/j.ecolmodel.2014.10.007>.
- Zhang, C; Wang, C; Gil, S; Boreave, A; Retaillieu, L; Guo, Y; Luis Valverde, J; Giroir-Fendler, A. (2017). Catalytic oxidation of 1,2-dichloropropane over supported LaMnOx oxides catalysts. *Appl Catal B-Environ.* 201: 552-560. <http://dx.doi.org/10.1016/j.apcatb.2016.08.038>.
- Zhang, C; Wang, C; Zhan, W; Guo, Y; Guo, Y, un; Lu, G; Baylet, A; Giroir-Fendler, A. (2013). Catalytic oxidation of vinyl chloride emission over LaMnO3 and LaB0.2Mn0.8O3 (B = Co, Ni, Fe) catalysts. *Appl Catal B-Environ.* 129: 509-516. <http://dx.doi.org/10.1016/j.apcatb.2012.09.056>.
- Zhang, CL; Zheng, G; Nichols, CM. (2006). Micellar partitioning and its effects on Henry's law constants of chlorinated solvents in anionic and nonionic surfactant solutions. *Environ Sci Technol.* 40: 208-214. <http://dx.doi.org/10.1021/es051387e>.
- Zhang, D; Zhang, C; Li, Z; Suzuki, D; Komatsu, DD; Tsunogai, U; Katayama, A. (2014). Electrochemical stimulation of microbial reductive dechlorination of pentachlorophenol using solid-state redox mediator (humin) immobilization. *Bioresour Technol.* 164: 232-240. <http://dx.doi.org/10.1016/j.biortech.2014.04.071>.
- Zhang, G; Stevens, JL. (1989). Transport and activation of S-(1,2-dichlorovinyl)-L-cysteine and N-acetyl-S-(1,2-dichlorovinyl)-L-cysteine in rat kidney proximal tubules. *Toxicol Appl Pharmacol.* 100: 51-61. [http://dx.doi.org/10.1016/0041-008X\(89\)90091-4](http://dx.doi.org/10.1016/0041-008X(89)90091-4).
- Zhang, H; Ulrich, AC; Liu, Y. (2015). Retention and transport of an anaerobic trichloroethene dechlorinating microbial culture in anaerobic porous media. *Colloids Surf B Biointerfaces.* 130: 110-118. <http://dx.doi.org/10.1016/j.colsurfb.2015.04.020>.
- Zhang, H; Xie, M. (2015). DSMC Simulation of Non-Premixed Combustion of H-2/O-2 in a Y-shaped Microchannel. *Nanoscale & Microscale Thermophysical Engineering (Print)*. 19: 31-62. <http://dx.doi.org/10.1080/15567265.2014.998399>.
- Zhang, H; Ziv-El, M; Rittmann, BE; Krajmalnik-Brown, R. (2010). Effect of dechlorination and sulfate reduction on the microbial community structure in denitrifying membrane-biofilm reactors. *Environ Sci Technol.* 44: 5159-5164. <http://dx.doi.org/10.1021/es100695n>.
- Zhang, HB; Schwartz, FW. (2000). Simulating the in situ oxidative treatment of chlorinated ethylenes by potassium permanganate. *Water Resour Res.* 36: 3031-3042.
- Zhang, J; Fowler, JE; Liu, G. (2008). Lossy-to-Lossless Compression of Hyperspectral Imagery Using Three-Dimensional TCE and an Integer KLT. *Geosci Rem Sens Lett IEEE.* 5: 814-818. <http://dx.doi.org/10.1109/LGRS.2008.2006571>.
- Zhang, J; Yu, KF. (1998). What's the relative risk? A method of correcting the odds ratio in cohort studies of common outcomes. *JAMA.* 280: 1690-1691.
- Zhang, K; Woodbury, AD. (2002). A Krylov finite element approach for multi-species contaminant transport in discretely fractured porous media. *Advances in Water Resources.* 25: 705-721.
- Zhang, L; Arnold, WA; Hozalski, RM. (2004). Kinetics of haloacetic acid reactions with Fe(0). *Environ Sci Technol.* 38: 6881-6889. <http://dx.doi.org/10.1021/es049267e>.
- Zhang, L; Steinmaus, C; Eastmond, DA; Xin, XK; Smith, MT. (2009). Formaldehyde exposure and leukemia: A new meta-analysis and potential mechanisms [Review]. *Mutat Res Rev Mutat Res.* 681: 150-168. <http://dx.doi.org/10.1016/j.mrrev.2008.07.002>.
- Zhang, LF; Kanki, T; Sano, N; Toyoda, A. (2003). Development of TiO2 photocatalyst reaction for water purification. *Separation and Purification Technology.* 31: 105-110.
- Zhang, M; Ahmad, M; Al-Wabel, MI; Vithanage, M; Rajapaksha, AU; Kim, HS, oo; Lee, SS, oo; Ok, YS, ik. (2015). Adsorptive Removal of Trichloroethylene in Water by Crop Residue Biochars Pyrolyzed at Contrasting Temperatures: Continuous Fixed-Bed Experiments. *J Chem.* <http://dx.doi.org/10.1155/2015/647072>.
- Zhang, M, an; Bacik, DB; Roberts, CB; Zhao, D. (2013). Catalytic hydrodechlorination of trichloroethylene in water with supported CMC-stabilized palladium nanoparticles. *Water Res.* 47: 3706-3715. <http://dx.doi.org/10.1016/j.watres.2013.04.024>.
- Zhang, M, an; He, F; Zhao, D. (2015). Catalytic activity of noble metal nanoparticles toward hydrodechlorination: influence of catalyst electronic structure and nature of adsorption. 9: 888-896. <http://dx.doi.org/10.1007/s11783-015-0774-1>.
- Zhang, M, in; Shouakar-Stash, O; Gillham, RW; Frappe, SK; Drimmie, J. (2008). Carbon and chlorine isotope fractionation during degradation of trichloroethene by metals. *Geochim Cosmo Act.* 72: A1087-A1087.
- Zhang, N; Luo, J; Blowers, P; Farrell, J. (2008). Understanding trichloroethylene chemisorption to iron surfaces using density functional theory. *Environ Sci Technol.* 42: 2015-2020. <http://dx.doi.org/10.1021/es0717663>.
- Zhang, P; Yuan, S; Liao, P. (2016). Mechanisms of hydroxyl radical production from abiotic oxidation of pyrite under acidic conditions. *Geochim Cosmo Act.* 172: 444-457. <http://dx.doi.org/10.1016/j.gca.2015.10.015>.
- Zhang, PF; Tao, X; Li, ZH; Bowman, RS. (2002). Enhanced perchloroethylene reduction in column systems using surfactant-modified zeolite/zero-valent iron pellets. *Environ Sci Technol.* 36: 3597-3603. <http://dx.doi.org/10.1021/es015816u>.
- Zhang, PY; Liu, J. (2004). Photocatalytic degradation of trace hexane in the gas phase with and without ozone addition: kinetic study. *J Photochem Photobiol A.* 167: 87-94. <http://dx.doi.org/10.1016/j.jphotochem.2004.05.015>.
- Zhang, Q; Guo, Y; Huang, M; Li, H, ui; Gu, C. (2015). Degradation of selected polychlorinated biphenyls by montmorillonite clay-templated Fe-0/Ni-0 bimetallic system. *Chem Eng J.* 276: 122-129. <http://dx.doi.org/10.1016/j.cej.2015.04.044>.
- Zhang, Q; Ma, J; Qiu, G; Li, L; Geng, S; Hasi, E; Li, C; Wang, G; Li, X. (2012). Potential energy production from algae on marginal land in China. *Bioresour Technol.* 109: 252-260. <http://dx.doi.org/10.1016/j.biortech.2011.08.084>.
- Zhang, Q; Sun, FY; Dong, WY; Zhang, GM; Han, RB. (2015). Micro-polluted surface water treatment and trace-organics removal pathway in a PAC-MBR system. *Process Biochemistry.* 50: 1422-1428. <http://dx.doi.org/10.1016/j.procbio.2015.05.021>.

Fate Literature Search Results

Off Topic

- Zhang, R; Li, J; Liu, C; Shen, J; Sun, X; Han, W; Wang, L. (2013). Reduction of nitrobenzene using nanoscale zero-valent iron confined in channels of ordered mesoporous silica. *Colloid Surface Physicochem Eng Aspect.* 425: 108-114. <http://dx.doi.org/10.1016/j.colsurfa.2013.02.040>.
- Zhang, RD; Wood, AL; Enfield, CG; Jeong, SW. (2003). Stochastic analysis of surfactant-enhanced remediation of denser-than-water nonaqueous phase liquid (DNAPL)-contaminated soils. *J Environ Qual.* 32: 957-965.
- Zhang, S; Gedalanga, PB; Mahendra, S. (2016). Biodegradation Kinetics of 1,4-Dioxane in Chlorinated Solvent Mixtures. *Environ Sci Technol.* 50: 9599-9607. <http://dx.doi.org/10.1021/acs.est.6b02797>.
- Zhang, T; Huang, J; Zhang, W; Yu, Y; Deng, S; Wang, B; Yu, G. (2013). Coupling the dechlorination of aqueous 4-CP with the mechanochemical destruction of solid PCNB using Fe-Ni-SiO₂. *J Hazard Mater.* 250-251: 175-180. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.072>.
- Zhang, T; Johansson, JS. (2005). A calorimetric study on the binding of six general anesthetics to the hydrophobic core of a model protein. *Biophys Chem.* 113: 169-174. <http://dx.doi.org/10.1016/j.bpc.2004.08.00>.
- Zhang, TM; Wu, R, eB; Zhang, F, eiHao; Tarn, TJ; Long, G, uiLu. (2015). Minimum-Time Selective Control of Homonuclear Spins. *IEE E Transactions on Control Systems Technology.* 23: 2018-2025. <http://dx.doi.org/10.1109/TCST.2015.2390191>.
- Zhang, W; Gabos, S; Schopflocher, D; Li, XF; Gati, WP; Hrudey, SE. (2009). Validation of urinary trichloroacetic acid as a biomarker of exposure to drinking water disinfection by-products. *J Water Health.* 7: 359-371. <http://dx.doi.org/10.2166/wh.2009.009>.
- Zhang, W; Huang, L; Yang, C; Ying, W. (2013). Experimental Method for Estimating Henry's Law Constant of Volatile Organic Compound. *Asian J Chem.* 25: 2647-2650.
- Zhang, W; Jia, N; Han, X; Qiu, Z; Lv, S; Lin, K; Ying, W. (2016). A comparison of the dechlorination mechanisms and Ni release styles of chloroalkane and chloroalkene removal using nickel/iron nanoparticles. *Environ Technol.* 37: 2088-2098. <http://dx.doi.org/10.1080/09593330.2016.1141998>.
- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng.* 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, W, ei; Li, L, i; Lin, K; Xiong, B; Li, B; Lu, S; Guo, M; Cui, X. (2012). Synergetic degradation of Fe/Cu/C for groundwater polluted by trichloroethylene. *Water Sci Technol.* 65: 2258-2264. <http://dx.doi.org/10.2166/wst.2012.146>.
- Zhang, W; Quan, X; Wang, J; Zhang, Z; Chen, S. (2006). Rapid and complete dechlorination of PCP in aqueous solution using Ni-Fe nanoparticles under assistance of ultrasound. *Chemosphere.* 65: 58-64. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.060>.
- Zhang, W, ei; Xie, Y; Jia, N, an; Lin, K; Lv, S; Ying, W. (2016). EFFECT OF REACTION ENVIRONMENTS ON CHLORINATED ALIPHATIC HYDROCARBONS REMOVAL IN WATER BY Ni/Fe NANOPARTICLES. *Fresen Environ Bull.* 25: 1647-1653.
- Zhang, W; Yu, T; Han, X; Ying, W. (2016). Removal of 2-CIBP from soil-water system using activated carbon supported nanoscale zerovalent iron. *J Environ Sci.* 47: 143-152. <http://dx.doi.org/10.1016/j.jes.2015.12.032>.
- Zhang, WX; Wang, CB; Lien, HL. (1998). Treatment of chlorinated organic contaminants with nanoscale bimetallic particles. *Catalysis Today.* 40: 387-395.
- Zhang, X; Deng, B; Guo, J; Wang, Y; Lan, Y. (2011). Ligand-assisted degradation of carbon tetrachloride by microscale zero-valent iron. *J Environ Manage.* 92: 1328-1333. <http://dx.doi.org/10.1016/j.jenvman.2010.12.020>.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Danish, M; Brusseau, ML; Qiu, Z; Sui, Q. (2016). Enhanced degradation of trichloroethene by calcium peroxide activated with Fe(III) in the presence of citric acid. 10: 502-512. <http://dx.doi.org/10.1007/s11783-016-0838-x>.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Qiu, Z; Sui, Q. (2015). Degradation of trichloroethylene in aqueous solution by calcium peroxide activated with ferrous ion. *J Hazard Mater.* 284: 253-260. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.030>.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Qiu, Z; Sui, Q. (2016). Application of calcium peroxide activated with Fe(II)-EDDS complex in trichloroethylene degradation. *Chemosphere.* 160: 1-6. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.067>.
- Zhang, X; Guo, W; Gao, G; Que, M; Pan, C; Wang, ZL, in. (2016). CuS nanotrough-networks for highly stable transparent conducting electrodes. 4: 4733-4739. <http://dx.doi.org/10.1039/c6tc01010e>.
- Zhang, X, in; Lin, Y, uman; Shan, XQ; Chen, Z, uL. (2010). Degradation of 2,4,6-trinitrotoluene (TNT) from explosive wastewater using nanoscale zero-valent iron. *Chem Eng J.* 158: 566-570. <http://dx.doi.org/10.1016/j.cej.2010.01.054>.
- Zhang, X; Qian, L; Xu, P; He, H; Du, Q. (2008). Study of H-beta-zeolite supported Rh catalyst by inverse gas chromatography. *Chem Eng J.* 137: 579-586. <http://dx.doi.org/10.1016/j.cej.2007.05.020>.
- Zhang, X; Xu, D. (2013). Characterization and Growth Optimization of a Novel Salt Resistant *Pseudomonas putida* Strain Zm Capable of Degrading Trichloroethylene by Cometabolism Under Aerobic Conditions. *Asian J Chem.* 25: 8718-8722.
- Zhang, Y; Cantor, KP; Lynch, CF; Zheng, T. (2004). A population-based case-control study of occupation and renal cell carcinoma risk in Iowa. *J Occup Environ Med.* 46: 235-240. <http://dx.doi.org/10.1097/01.jom.0000116805.62079.d6>.
- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1994). Fixed-bed photocatalysts for solar decontamination of water. *Environ Sci Technol.* 28: 435-442.
- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1996). Destruction of organic compounds in water using supported photocatalysts. *J Sol Energ Eng.* 118: 123-129.
- Zhang, Y; Hu, M; Jiang, Z; Liu, Y. (2011). Effect of anthraquinone-2,6-disulfonate on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 192: 1896-1899. <http://dx.doi.org/10.1016/j.jhazmat.2011.06.087>.
- Zhang, Y; Li, C; Wang, X; Guo, H; Feng, Y; Chen, J. (2012). Rush-hour aromatic and chlorinated hydrocarbons in selected subway stations of Shanghai, China. *J Environ Sci.* 24: 131-141. [http://dx.doi.org/10.1016/s1001-0742\(11\)60736-5](http://dx.doi.org/10.1016/s1001-0742(11)60736-5).
- Zhang, Y, un; Li, Y; Li, J; Hu, L; Zheng, X. (2011). Enhanced removal of nitrate by a novel composite: Nanoscale zero valent iron supported on pillared clay. *Chem Eng J.* 171: 526-531. <http://dx.doi.org/10.1016/j.cej.2011.04.022>.

Fate Literature Search Results

Off Topic

- Zhang, Y, un; Li, Y; Zheng, X. (2011). Removal of atrazine by nanoscale zero valent iron supported on organobentonite. *Sci Total Environ.* 409: 625-630. <http://dx.doi.org/10.1016/j.scitotenv.2010.10.015>.
- Zhang, Y; Liu, J. (2011). Transgenic alfalfa plants co-expressing glutathione S-transferase (GST) and human CYP2E1 show enhanced resistance to mixed contaminates of heavy metals and organic pollutants. *J Hazard Mater.* 189: 357-362. <http://dx.doi.org/10.1016/j.jhazmat.2011.02.042>.
- Zhang, Y; Liu, J; Zhou, Y; Gong, T; Wang, J; Ge, Y. (2013). Enhanced phytoremediation of mixed heavy metal (mercury)-organic pollutants (trichloroethylene) with transgenic alfalfa co-expressing glutathione S-transferase and human P450 2E1. *J Hazard Mater.* 260: 1100-1107. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.065>.
- Zhang, Y; Park, M; Kim, H, akY; Ding, B, in; Park, S, ooJin. (2016). In-situ synthesis of nanofibers with various ratios of BiOClx/BiOBry/BiOlz for effective trichloroethylene photocatalytic degradation. *Appl Surf Sci.* 384: 192-199. <http://dx.doi.org/10.1016/j.apsusc.2016.05.039>.
- Zhang, Y; Tay, J. (2015). Toxic and inhibitory effects of trichloroethylene aerobic co-metabolism on phenol-grown aerobic granules. *J Hazard Mater.* 286C: 204-210. <http://dx.doi.org/10.1016/j.jhazmat.2015.01.003>.
- Zhang, Y, i; Tay, J, ooHwa. (2016). Alternated phenol and trichloroethylene biodegradation in an aerobic granular sludge reactor. *Biochem Eng J.* 106: 1-10. <http://dx.doi.org/10.1016/j.bej.2015.10.026>.
- Zhang, Y; Tay, JH. (2016). Physiological and functional diversity of phenol degraders isolated from phenol-grown aerobic granules: Phenol degradation kinetics and trichloroethylene co-metabolic activities. *J Environ Manage.* 169: 34-45. <http://dx.doi.org/10.1016/j.jenvman.2015.12.021>.
- Zhang, Y; Tran, HP; Du, X; Hussain, I; Huang, S; Zhou, S; Wen, W. (2017). Efficient pyrite activating persulfate process for degradation of p-chloroaniline in aqueous systems: A mechanistic study. *Chem Eng J.* 308: 1112-1119. <http://dx.doi.org/10.1016/j.cej.2016.09.104>.
- Zhang, Y; Tran, HP; Hussain, I; Zhong, Y; Huang, S. (2015). Degradation of p-chloroaniline by pyrite in aqueous solutions. *Chem Eng J.* 279: 396-401. <http://dx.doi.org/10.1016/j.cej.2015.03.016>.
- Zhang, Y; Wang, X; Blake, DR; Li, L; Zhang, Z; Wang, S; Guo, H, ai; Lee, FSC; Gao, B, o; Chan, L; Wu, D, ui; Rowland, FS. (2012). Aromatic hydrocarbons as ozone precursors before and after outbreak of the 2008 financial crisis in the Pearl River Delta region, south China. *J Geophys Res Atmos.* 117: n/a. <http://dx.doi.org/10.1029/2011JD017356>.
- Zhang, Y; Zhang, K, e; Dai, C; Zhou, X. (2014). Performance and mechanism of pyrite for nitrobenzene removal in aqueous solution. *Chem Eng Sci.* 111: 135-141. <http://dx.doi.org/10.1016/j.ces.2014.02.029>.
- Zhang, Y; Zhang, K, e; Dai, C; Zhou, X; Si, H. (2014). An enhanced Fenton reaction catalyzed by natural heterogeneous pyrite for nitrobenzene degradation in an aqueous solution. *Chem Eng J.* 244: 438-445. <http://dx.doi.org/10.1016/j.cej.2014.01.088>.
- Zhang, Y; Zhou, J, un; Zhang, X; Hu, J, un; Gao, H, an. (2014). Solvent polarity effect on quality of n-octadecanethiol self-assembled monolayers on copper and oxidized copper. *Appl Surf Sci.* 320: 200-206. <http://dx.doi.org/10.1016/j.apsusc.2014.09.070>.
- Zhang, YD; Kennedy, IM. (2002). Oxidation of trichloroethene in stagnation flows over inert and catalytic heated ceramic surfaces. *Combust Flame.* 131: 436-451.
- Zhang, YP; Yang, R; Xu, QJ; Mo, JH. (2007). Characteristics of photocatalytic oxidation of toluene, benzene, and their mixture. *Journal of the Air and Waste Management Association.* 57: 94-101.
- Zhang, YS; Gillham, RK. (2005). Effects of gas generation and precipitates on performance of Fe degrees PRBs. *Ground Water.* 43: 113-121.
- Zhang, Z; Brusseau, ML. (1998). Characterizing three-dimensional hydraulic conductivity distributions using qualitative and quantitative geologic borehole data: Application to a field site. *Ground Water.* 36: 671-678.
- Zhang, Z; Chen, Y. (2009). Simulation of fracture propagation subjected to compressive and shear stress field using virtual multidimensional internal bonds. *International Journal of Rock Mechanics and Mining Sciences.* 46: 1010-1022. <http://dx.doi.org/10.1016/j.ijrmms.2009.01.003>.
- Zhang, Z; Cissoko, N; Wo, J; Xu, X. (2009). Factors influencing the dechlorination of 2,4-dichlorophenol by Ni-Fe nanoparticles in the presence of humic acid. *J Hazard Mater.* 165: 78-86. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.08>.
- Zhang, Z; Hao, Z; Yang, Y; Zhang, J; Wang, Q; Xu, X. (2010). Reductive denitrification kinetics of nitrite by zero-valent iron. *Desalination.* 257: 158-162. <http://dx.doi.org/10.1016/j.desal.2010.02.031>.
- Zhang, Z; Huang, K; Yuan, F; Xie, C. (2014). Gas sensing properties and in situ diffuse reflectance infrared Fourier transform spectroscopy study of trichloroethylene adsorption and reactions on SnO2 films. *Appl Surf Sci.* 300: 98-103. <http://dx.doi.org/10.1016/j.apsusc.2014.02.011>.
- Zhang, Z; Lu, M; Zhang, Z; Xiao, M; Zhang, M, in. (2012). Dechlorination of short chain chlorinated paraffins by nanoscale zero-valent iron. *J Hazard Mater.* 243: 105-111. <http://dx.doi.org/10.1016/j.jhazmat.2012.10.004>.
- Zhang, Z; Wo, JJ; Cissoko, N; Xu, X, inhua. (2008). Kinetics of 2,4-dichlorophenol dechlorination by Pd-Fe bimetallic nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A.* 9: 118-124. <http://dx.doi.org/10.1631/jzus.A071313>.
- Zhang, Z; Yu, G; Cheng, J; Wang, X; Zhang, F; Zhou, J. (2005). Carbon isotopic fractionation during photolysis of hexachlorobenzene. *Progress in Natural Science.* 15: 82-88.
- Zhang, ZL; Hong, HS; Zhou, JL; Dai, MH; Maskouib, K; Chen, WQ. (2002). Contamination by organochlorine pesticides in the estuaries of southeast China. *Chem Res Chin Univ.* 18: 153-160.
- Zhao, B; Shen, H; Liu, F; Liu, S; Niu, J; Guo, F, ei; Sun, X. (2012). Exposure to organochlorine pesticides is an independent risk factor of hepatocellular carcinoma: A case-control study. *J Expo Sci Environ Epidemiol.* 22: 541-548. <http://dx.doi.org/10.1038/jes.2011.29>.
- Zhao, B; Zhu, L. (2006). Solubilization of DNAPLs by mixed surfactant: synergism and solubilization capacity. *J Hazard Mater.* 136: 513-519. <http://dx.doi.org/10.1016/j.jhazmat.2005.08.03>.
- Zhao, B; Zhu, L; Yang, K. (2006). Solubilization of DNAPLs by mixed surfactant: reduction in partitioning losses of nonionic surfactant. *Chemosphere.* 62: 772-779. <http://dx.doi.org/10.1016/j.chemosphere.2005.04.08>.

Fate Literature Search Results

Off Topic

- Zhao, C; Mumford, KG; Kueper, BH. (2014). Laboratory study of non-aqueous phase liquid and water co-boiling during thermal treatment. *J Contam Hydrol.* 164: 49-58. <http://dx.doi.org/10.1016/j.jconhyd.2014.05.008>.
- Zhao, D, an; Cheng, J; Chen, J. (2014). One-step synthesis of bentonite-supported nanoscale Fe/Ni bimetal for rapid degradation of methyl orange in water. *Environ Chem Lett.* 12: 461-466. <http://dx.doi.org/10.1007/s10311-014-0473-3>.
- Zhao, D, an; Liao, X; Yan, X; Huling, SG; Chai, T; Tao, H. (2013). Effect and mechanism of persulfate activated by different methods for PAHs removal in soil. *J Hazard Mater.* 254: 228-235. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.056>.
- Zhao, H, eP; Schmidt, KR; Lohner, S; Tiehm, A. (2011). Robustness of an aerobic metabolically vinyl chloride degrading bacterial enrichment culture. *Water Sci Technol.* 64: 1796-1803. <http://dx.doi.org/10.2166/wst.2011.752>.
- Zhao, HP; Schmidt, KR; Tiehm, A. (2010). Inhibition of aerobic metabolic cis-1,2-di-chloroethene biodegradation by other chloroethenes. *Water Res.* 44: 2276-2282. <http://dx.doi.org/10.1016/j.watres.2009.12.023>.
- Zhao, J; Yang, XD. (2003). Photocatalytic oxidation for indoor air purification: a literature review. *Build Environ.* 38: 645-654. [http://dx.doi.org/10.1016/S0360-1323\(02\)00212-3](http://dx.doi.org/10.1016/S0360-1323(02)00212-3).
- Zhao, L; Hou, H; Fujii, A; Hosomi, M; Li, F. (2014). Degradation of 1,4-dioxane in water with heat- and Fe²⁺-activated persulfate oxidation. *Environ Sci Pollut Res Int.* 21: 7457-7465. <http://dx.doi.org/10.1007/s11356-014-2668-3>.
- Zhao, LH; Itoh, K; Murabayashi, M. (2004). Reaction mechanism of photocatalytic oxidation of trichloroethylene on TiO₂ film. *Chinese journal of catalysis.* 25: 915-919.
- Zhao, LH; Itoh, K; Murabayashi, M; Kondoh, M; Wen, XZ. (2004). Photocatalytic reaction of volatile organic compounds on TiO₂ film pretreated by trichloroethylene. *Chinese journal of catalysis.* 25: 669-672.
- Zhao, LH; Yamashida, K; Itoh, K; Murabayashi, M. (2005). Effect of ultraviolet pre-irradiation on photocatalytic oxidation of trichloroethylene over TiO₂ in gas phase. *Chinese journal of catalysis.* 26: 307-310.
- Zhao, S; Huang, B; Shu, X. (2015). Investigation on binder homogeneity of RAP/RAS mixtures through staged extraction. *Construction and Building Materials.* 82: 184-191. <http://dx.doi.org/10.1016/j.conbuildmat.2015.02.013>.
- Zhao, S, hiX; Zhang, L, ij; Wang, Y, uXin. (2013). Enhanced performance of a Nafion membrane through ionomer self-organization in the casting solution. *J Power Sources.* 233: 309-312. <http://dx.doi.org/10.1016/j.jpowsour.2013.01.052>.
- Zhao, W, ei; Shi, B. (2009). Removal of Volatile Organic Compounds from Water by Pervaporation Using Polyetherimide-Polyethersulfone Blend Hollow Fiber Membranes. *Separation Science and Technology.* 44: 1737-1752. <http://dx.doi.org/10.1080/01496390902775851>.
- Zhao, Y; Krishnadasan, A; Kennedy, N; Morgenstern, H; Ritz, B. (2005). Estimated effects of solvents and mineral oils on cancer incidence and mortality in a cohort of aerospace workers. *Am J Ind Med.* 48: 249-258. <http://dx.doi.org/10.1002/ajim.20216>.
- Zhao, Y, a; Liu, Z; Liu, F; Li, Z. (2011). Cometabolic degradation of trichloroethylene in a hollow fiber membrane reactor with toluene as a substrate. *J Memb Sci.* 372: 322-330. <http://dx.doi.org/10.1016/j.memsci.2011.02.016>.
- Zhao, Y, an; Zhao, Y; Li, Q, in; Zhou, R, ui; Chen, X, u. (2016). Effect of common inorganic ions on aniline degradation in groundwater by activated persulfate with ferrous iron. *Water Science and Technology: Water Supply.* 16: 667-674. <http://dx.doi.org/10.2166/ws.2015.174>.
- Zhao, Z; Alford, TL. (2016). The optimal TiO₂/Ag/TiO₂ electrode for organic solar cell application with high device-specific Haacke figure of merit. *Solar Energy Materials and Solar Cells.* 157: 599-603. <http://dx.doi.org/10.1016/j.solmat.2016.07.044>.
- Zhao, Z; Dhar, A; Alford, TL. (2015). A Method for Efficient Transmittance Spectrum Prediction of Transparent Composite Electrodes. *J O M.* 67: 1612-1616. <http://dx.doi.org/10.1007/s11837-015-1342-7>.
- Zhao, Z; Fang, Y, uLun; Alvarez, PJJ; Wong, MS. (2013). Degrading perchloroethene at ambient conditions using Pd and Pd-on-Au reduction catalysts. *Appl Catal B-Environ.* 140: 468-477. <http://dx.doi.org/10.1016/j.apcatb.2013.04.032>.
- Zhao, Z; Xia, L; Wang, F; Jiang, X; Gao, Y. (2012). Optimization of extractants, purifying packings, and eluents for analytical extraction of organochlorine pesticides in Hydragric Acrisols. *Environ Monit Assess.* 184: 5159-5171. <http://dx.doi.org/10.1007/s10661-011-2330-1>.
- Zheng, C; Zhu, X; Gao, X; Liu, L, u; Chang, Q; Luo, Z; Cen, K. (2014). Experimental study of acetone removal by packed-bed dielectric barrier discharge reactor. *J Ind Eng Chem.* 20: 2761-2768. <http://dx.doi.org/10.1016/j.jiec.2013.11.004>.
- Zheng, CM; Wang, PP. (2002). A field demonstration of the simulation optimization approach for remediation system design. *Ground Water.* 40: 258-265.
- Zheng, F, ei; Gao, B, in; Sun, Y; Shi, X; Xu, H; Wu, J; Gao, Y. (2016). Removal of tetrachloroethylene from homogeneous and heterogeneous porous media: Combined effects of surfactant solubilization and oxidant degradation. *Chem Eng J.* 283: 595-603. <http://dx.doi.org/10.1016/j.cej.2015.08.004>.
- Zheng, J; Xue, Z; Li, S; Li, S; Rao, Z. (2012). Development of trichloroethylene gaseous sensor utilizing ZnO-Y₂O₃ as nanocatalyst based on thermal desorption/cataluminescence. *Analytical Methods.* 4: 2791-2796. <http://dx.doi.org/10.1039/c2ay25351h>.
- Zheng, M; Bao, J; Liao, P; Wang, K, un; Yuan, S; Tong, M, an; Long, H. (2012). Electrogeneration of H₂ for Pd-catalytic hydrodechlorination of 2,4-dichlorophenol in groundwater. *Chemosphere.* 87: 1097-1104. <http://dx.doi.org/10.1016/j.chemosphere.2012.01.058>.
- Zheng, T; Zhan, J; He, J; Day, C; Lu, Y; Mcpherson, GL; Piringner, G; John, VT. (2008). Reactivity characteristics of nanoscale zerovalent iron-silica composites for trichloroethylene remediation. *Environ Sci Technol.* 42: 4494-4499. <http://dx.doi.org/10.1021/es702214x>.
- Zheng, T; Zhan, J; He, J; Piringner, G; Mcpherson, G; Lu, Y; John, VT. (2007). ENVR 212-Trichloroethylene remediation using nanoscale iron/silica aerosol particles. *Abstracts of Papers - American Chemical Society.* 234.
- Zheng, Y; Li, DZ; Fu, XZ. (2001). Effect of water vapor on microwave-assisted photocatalytic oxidation of organic pollutants over titania. *Chinese journal of catalysis.* 22: 165-167.
- Zhong, H, ua; Brusseau, ML; Wang, Y; Yan, N, i; Quig, L; Johnson, GR. (2015). In-situ activation of persulfate by iron filings and degradation of 1,4-dioxane. *Water Res.* 83: 104-111. <http://dx.doi.org/10.1016/j.watres.2015.06.025>.

Fate Literature Search Results

Off Topic

- Zhong, H, ua; Tian, Y; Yang, Q, i; Brusseau, ML; Yang, L, ei; Zeng, G. (2017). Degradation of landfill leachate compounds by persulfate for groundwater remediation. *Chem Eng J.* 307: 399-407. <http://dx.doi.org/10.1016/j.cej.2016.08.069>.
- Zhong, L; Kuo, CH. (2000). Reaction kinetics of ozonation of trichloroethylene and benzene in gas and liquid phases. *Chinese Journal of Chemical Engineering.* 8: 272-275.
- Zhong, XH; Bajpai, RK. (2000). A comprehensive model for the cometabolism of chlorinated solvents. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 35: 229-244.
- Zhou, H; Cheong, HG; Park, JW. (2016). Charge Carrier Transport Through the Interface Between Hybrid Electrodes and Organic Materials in Flexible Organic Light Emitting Diodes. *J Nanosci Nanotechnol.* 16: 5179-5185. <http://dx.doi.org/10.1166/jnn.2016.12265>.
- Zhou, H; Han, J; Baig, S; Xu, X. (2011). Dechlorination of 2,4-dichlorophenoxyacetic acid by sodium carboxymethyl cellulose-stabilized Pd/Fe nanoparticles. *J Hazard Mater.* 198: 7-12. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.002>.
- Zhou, H; Park, J, inWoo. (2015). Effect of the crystallinity of indium tin oxide on the charge transfer at the interfaces and the performances of flexible organic light emitting diodes. *Physica Status Solidi A: Applications and Materials Science (Print).* 212: 414-424. <http://dx.doi.org/10.1002/pssa.201431550>.
- Zhou, H; Randers-Pehrson, G; Geard, CR; Brenner, DJ; Hall, EJ; Hei, TK. (2003). Interaction between radiation-induced adaptive response and bystander mutagenesis in mammalian cells. *Radiat Res.* 160: 512-516.
- Zhou, H, yi; Wang, SC; Sheng, GD. (2010). Catalytic dechlorination and detoxification of 1-(2-chlorophenyl) ethanol by Pd/Fe. *Journal of Zhejiang University- Science A.* 11: 356-362. <http://dx.doi.org/10.1631/jzus.A0900469>.
- Zhou, HY; Xu, XH; Wang, DH. (2004). Catalytic dechlorination and kinetics of o-dichlorobenzene by Pd/Fe. *Chinese Journal of Chemical Engineering.* 12: 505-509.
- Zhou, J; Chen, H; Chen, Q; Huang, Z. (2016). Bimetallic Au-decorated Pd catalyst for the liquid phase hydrodechlorination of 2,4-dichlorophenol. *Appl Surf Sci.* 387: 588-594. <http://dx.doi.org/10.1016/j.apsusc.2016.06.154>.
- Zhou, Q; Bishop, PL. (1997). Determination of oxygen profiles and diffusivity in encapsulated biomass k-carrageenan gel beads. *Water Sci Technol.* 36: 271-277.
- Zhou, T; Li, YZ; Lim, TT. (2010). Catalytic hydrodechlorination of chlorophenols by Pd/Fe nanoparticles: Comparisons with other bimetallic systems, kinetics and mechanism. *Separation and Purification Technology.* 76: 206-214. <http://dx.doi.org/10.1016/j.seppur.2010.10.010>.
- Zhou, W; Zhu, L. (2008). Influence of surfactant sorption on the removal of phenanthrene from contaminated soils. *Environ Pollut.* 152: 99-105. <http://dx.doi.org/10.1016/j.envpol.2007.05.016>.
- Zhou, X, ue; Li, D; Yang, Q, i; Hao, C. (2012). ISOLATION AND CHARACTERIZATION OF A 1,1-DICHLOROETHYLENE-DEGRADING BACTERIAL STRAIN FROM ACTIVATED SLUDGE. *Fresen Environ Bull.* 21: 2051-2055.
- Zhou, X; Yang, D; Frindt, RF. (1996). Study of restacked single molecular layer molybdenum disulfide with organic tetrachloroethylene included. *J Phys Chem Solids.* 57: 1137-1140.
- Zhou, Y; Varner, RK; Russo, RS; Wingenter, OW; Haase, KB; Talbot, R; Sive, BC. (2005). Coastal water source of short-lived halocarbons in New England. *J Geophys Res Atmos.* 110. <http://dx.doi.org/10.1029/2004JD005603>.
- Zhou, YC; Waxman, DJ. (1998). Activation of peroxisome proliferator-activated receptors by chlorinated hydrocarbons and endogenous steroids. *Environ Health Perspect.* 106 Suppl 4: 983-988.
- Zhou, Z; Ruan, W; Huang, H; Shen, C; Yuan, B; Huang, CH, ua. (2016). Fabrication and characterization of Fe/Ni nanoparticles supported by polystyrene resin for trichloroethylene degradation. *Chem Eng J.* 283: 730-739. <http://dx.doi.org/10.1016/j.cej.2015.07.076>.
- Zhu, HW; Keener, TC; Orton, TL; Bishop, PL; Khang, SJ; Siddiqui, K. (1997). The effectiveness of aeration recirculation in controlling VOC emissions from publicly owned treatment works. *J Air Waste Manag Assoc.* 47: 1259-1267.
- Zhu, J; Newhook, R; Marro, L; Chan, CC. (2005). Selected volatile organic compounds in residential air in the city of Ottawa, Canada. *Environ Sci Technol.* 39: 3964-3971. <http://dx.doi.org/10.1021/es050173u>.
- Zhu, K; Sun, C; Chen, H; Baig, S; Sheng, T; Xu, X. (2013). Enhanced catalytic hydrodechlorination of 2,4-dichlorophenoxyacetic acid by nanoscale zero valent iron with electrochemical technique using a palladium/nickel foam electrode. *Chem Eng J.* 223: 192-199. <http://dx.doi.org/10.1016/j.cej.2013.03.019>.
- Zhu, L; Ai, Z; Ho, W; Zhang, L. (2013). Core-shell Fe-Fe₂O₃ nanostructures as effective persulfate activator for degradation of methyl orange. *Separation and Purification Technology.* 108: 159-165. <http://dx.doi.org/10.1016/j.seppur.2013.02.016>.
- Zhu, L; Gao, K; Jin, J; Lin, H; Xu, X. (2014). Analysis of ZVI corrosion products and their functions in the combined ZVI and anaerobic sludge system. *Environ Sci Pollut Res Int.* 21: 12747-12756. <http://dx.doi.org/10.1007/s11356-014-3215-y>.
- Zhu, L; Jin, J; Lin, H; Gao, K; Xu, X. (2015). Succession of microbial community and enhanced mechanism of a ZVI-based anaerobic granular sludge process treating chloronitrobenzenes wastewater. *J Hazard Mater.* 285: 157-166. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.029>.
- Zhu, L; Lin, HZ; Qi, JQ; Xu, XY; Qi, HY. (2012). Effect of H₂ on reductive transformation of p-CINB in a combined ZVI-anaerobic sludge system. *Water Res.* 46: 6291-6299. <http://dx.doi.org/10.1016/j.watres.2012.08.029>.
- Zhu, MX; Xue, JY, i; Zhang, J, iaN; Li, Y; Deng, J, unBo; Mu, H, aiBao; Zhang, GJ, un; Shao, XJ, un; Liu, XW, ei. (2016). Classification and separation of partial discharge ultra-high-frequency signals in a 252 kV gas insulated substation by using cumulative energy technique. *I E T Science, Measurement and Technology.* 10: 316-326. <http://dx.doi.org/10.1049/iet-smt.2015.0171>.
- Zhu, MX; Zhang, J, iaN; Li, Y; Wei, Y, anHui; Xue, JY, i; Deng, J, unBo; Mu, H, aiBao; Zhang, GJ, un; Shao, XJ, un. (2016). Partial Discharge Signals Separation Using Cumulative Energy Function and Mathematical Morphology Gradient. *I E E Transactions on Dielectrics and Electrical Insulation.* 23: 482-493. <http://dx.doi.org/10.1109/TDEI.2015.005481>.

Fate Literature Search Results

Off Topic

- Zhu, R; Che, S; Liu, X; Lin, S; Xu, G; Ouyang, F. (2014). A novel fluidized-bed-optical-fibers photocatalytic reactor (FBOFPR) and its performance. *Appl Catal A-Gen.* 471: 136-141. <http://dx.doi.org/10.1016/j.apcata.2013.11.044>.
- Zhu, T; Li, J; Jin, Y; Liang, Y; Ma, G. (2008). Decomposition of benzene by non-thermal plasma processing: Photocatalyst and ozone effect. *Int J Environ Sci Tech.* 5: 375-384.
- Zhu, X; He, J; Su, S; Zhang, X; Wang, F. (2016). Concept model of the formation process of humic acid-kaolin complexes deduced by trichloroethylene sorption experiments and various characterizations. *Chemosphere.* 151: 116-123. <http://dx.doi.org/10.1016/j.chemosphere.2016.02.068>.
- Zhu, Y; Liu, Q; Huang, X. (2013). Applying Time-Temperature Equivalent Principle to the Creep Property of Granite. *Disaster Advances.* 6: 145-151.
- Zhuang, P; Pavlostathis, SG. (1994). EFFECT OF CHLORINATED ALKENES ON THE REDUCTIVE DECHLORINATION AND METHANE PRODUCTION PROCESSES. *Water Sci Technol.* 30: 85-94.
- Zhuang, Y; Ahn, S; Luthy, RG. (2010). Debromination of Polybrominated Diphenyl Ethers by Nanoscale Zerovalent Iron: Pathways, Kinetics, and Reactivity. *Environ Sci Technol.* 44: 8236-8242. <http://dx.doi.org/10.1021/es101601s>.
- Ziagova, MG; Liakopoulou-Kyriakides, M. (2010). Comparative studies on the degradation of three aromatic compounds by *Pseudomonas* sp. and *Staphylococcus xylosus*. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 1017-1025. <http://dx.doi.org/10.1080/10934521003772444>.
- Zielinska-Psujka, B; Orłowski, J; Kowalowska, J; Zieba-Proc, B. (1998). Implikacje metaboliczne benzenu i trichloroetyleny. Cz. 1. Wpływ trichloroetyleny na wydalanie fenolu u szczurów. *Bromatol Chem Toksykol.* 31: 13-20.
- Zielinska-Psujka, B; Orłowski, J; Plewka, A; Kaminski, M; Kowalowska-Zawieja, J. (2001). Metabolic interactions between acetylsalicylic acid, xylene and trichloroethylene in rats. *Pol J Environ Stud.* 10: 43-49.
- Ziener, CE; Braunsdorf, P. (2014). Trace Analysis in End-Exhaled Air Using Direct Solvent Extraction in Gas Sampling Tubes: Tetrachloroethene in Workers as an Example. *International Journal of Analytical Chemistry.* 2014: 904512. <http://dx.doi.org/10.1155/2014/904512>.
- Ziglio, G. (1981). Human exposure to environmental trichloroethylene and tetrachloroethylene: preliminary data on population groups of Milan, Italy. *Bull Environ Contam Toxicol.* 26: 131-136.
- Ziglio, G; Fara, GM; Beltramelli, G; Pregliasco, F. (1983). Human environmental exposure to trichloro- and tetrachloroethylene from water and air in Milan, Italy. *Arch Environ Contam Toxicol.* 12: 57-64.
- Zilitinkevich, SS; Elperin, T; Kleerorin, N; L'vov, V; Rogachevskii, I. (2009). Energy- and Flux-Budget Turbulence Closure Model for Stably Stratified Flows. Part II: The Role of Internal Gravity Waves. *Boundary Layer Meteorol.* 133: 139-164. <http://dx.doi.org/10.1007/s10546-009-9424-0>.
- Zilitinkevich, SS; Elperin, T; Kleerorin, N; Rogachevskii, I. (2007). Energy- and flux-budget (EFB) turbulence closure model for stably stratified flows. Part I: steady-state, homogeneous regimes. *Boundary Layer Meteorol.* 125: 167-191. <http://dx.doi.org/10.1007/s10546-007-9189-2>.
- Zilitinkevich, SS; Elperin, T; Kleerorin, N; Rogachevskii, I; Esau, I; Mauritsen, T; Miles, MW. (2008). Turbulence energetics in stably stratified geophysical flows: Strong and weak mixing regimes. *Q J Roy Meteorol Soc.* 134: 793-799. <http://dx.doi.org/10.1002/qj.264>.
- Zimmermann, B; Burck, J; Ache, HJ. (1997). Studies on siloxane polymers for NIR-evanescent wave absorbance sensors. *Sens Actuators B.* 41: 45-54.
- Zinder, SH; Gossett, JM. (1995). Reductive dechlorination of tetrachloroethene by a high rate anaerobic microbial consortium [Review]. *Environ Health Perspect.* 103: 5-7.
- Zitomer, DH; Speece, RE. (1995). METHANETHIOL IN NONACCLIMATED SEWAGE-SLUDGE AFTER ADDITION OF CHLOROFORM AND OTHER TOXICANTS. *Environ Sci Technol.* 29: 762-768. <http://dx.doi.org/10.1021/es00003a025>.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem.* 84: 513-522. <http://dx.doi.org/10.1080/03067310310001637676>.
- Zoccolillo, L; Amendola, L; Cafaro, C; Insogna, S. (2007). Volatile chlorinated hydrocarbons in Antarctic superficial snow sampled during Italian ITASE expeditions. *Chemosphere.* 67: 1897-1903. <http://dx.doi.org/10.1016/j.chemosphere.2006.12.050>.
- Zoccolillo, L; Amendola, L; Insogna, S. (2009). Comparison of atmosphere/aquatic environment concentration ratio of volatile chlorinated hydrocarbons between temperate regions and Antarctica. *Chemosphere.* 76: 1525-1532. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.044>.
- Zoccolillo, L; Amendola, L; Tarallo, GA. (1996). Halocarbons in Antarctic surface waters and snow. *Int J Environ Anal Chem.* 63: 91-98.
- Zoccolillo, L; Rellori, M. (1994). HALOCARBONS IN ANTARCTIC SURFACE WATERS. *Int J Environ Anal Chem.* 55: 27-32.
- Zogorski, JS; Carter, JM; Ivahnenko, T; Lapham, WW; Moran, MJ; Rowe, BL; Squillace, PJ; Toccalino, PL. (2006). Volatile organic compounds in the nation's ground water and drinking-water supply wells. (Circular 1292). Reston, VA: U.S. Department of the Interior, U.S. Geological Survey. <http://pubs.usgs.gov/circ/circ1292/pdf/circular1292.pdf>.
- Zolla, V; Freyria, FS; Sethi, R; Di Molfetta, A. (2009). Hydrogeochemical and Biological Processes Affecting the Long-term Performance of an Iron-Based Permeable Reactive Barrier. *J Environ Qual.* 38: 897-908. <http://dx.doi.org/10.2134/jeq2007.0622>.
- Zorina, LV; Khasanov, SS; Shibaeva, RP; Gener, M; Rousseau, R; Canadell, E; Kushch, LA; Yagubskii, EB; Drozdova, OO; Yakushi, K. (2000). A new stable organic metal based on the BEDO-TTF donor and the doubly charged nitroprusside anion, (BEDO-TTF)(4)[Fe(CN)(5)NO]. *J Mater Chem.* 10: 2017-2023.
- Zorn, ME; Tompkins, DT; Zeltner, WA; Anderson, MA. (2000). Catalytic and photocatalytic oxidation of ethylene on titania-based thin-films. *Environ Sci Technol.* 34: 5206-5210. <http://dx.doi.org/10.1021/es991250m>.

Fate Literature Search Results

Off Topic

- Zou, J, in; Liu, Y; Shan, B; Chattopadhyay, A; Dai, LL. (2014). Early damage detection in epoxy matrix using cyclobutane-based polymers. *Smart Materials and Structures*. 23. <http://dx.doi.org/10.1088/0964-1726/23/9/095038>.
- Zou, J; Ma, J, un; Zhang, J. (2014). Comment on Electrolytic Manipulation of Persulfate Reactivity by Iron Electrodes for TCE Degradation in Groundwater [Letter]. *Environ Sci Technol*. 48: 4630-4631. <http://dx.doi.org/10.1021/es501061n>.
- Zou, L; Luo, Y; Hooper, M; Hu, E. (2006). Removal of VOCs by photocatalysis process using adsorption enhanced TiO₂-SiO₂ catalyst. *Chemical Engineering and Processing: Process Intensification*. 45: 959-964. <http://dx.doi.org/10.1016/j.cep.2006.01.014>.
- Zuo, GM; Cheng, ZX; Chen, H; Li, GW; Miao, T. (2006). Study on photocatalytic degradation of several volatile organic compounds. *J Hazard Mater*. 128: 158-163. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.056>.
- Zuo, L; Ai, J; Fu, H; Chen, W; Zheng, S; Xu, Z; Zhu, D. (2016). Enhanced removal of sulfonamide antibiotics by KOH-activated anthracite coal: Batch and fixed-bed studies. *Environ Pollut*. 211: 425-434. <http://dx.doi.org/10.1016/j.envpol.2015.12.064>.
- Zuo, YJ; Xi, HL; Zhang, JH; Li, ZJ; Zhou, F. (2001). Foundation of kinetics model for TiO₂-photocatalyzed degradation of organic compounds in suspending system. *Chinese journal of catalysis*. 22: 198-202.
- Zwank, L; Elsner, M; Aeberhard, A; Schwarzenbach, RP; Haderlein, SB. (2005). Carbon isotope fractionation in the reductive dehalogenation of carbon tetrachloride at iron (hydr)oxide and iron sulfide minerals. *Environ Sci Technol*. 39: 5634-5641. <http://dx.doi.org/10.1021/es0487776>.
- Zytner, RG; Biswas, N; Bewtra, JK. (1993). Retention capacity of dry soils for NAPLs. *Environ Technol*. 14: 1073-1080.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Abusoglu, S; Celik, HT; Tutkun, E; Yilmaz, H; Serdar, MA; Bal, CD; Yildirimkaya, M; Avcikucuk, M. (2014). 8-hydroxydeoxyguanosine as a useful marker for determining the severity of trichloroethylene exposure. *Arch Environ Occup Health*. 69: 180-186. <http://dx.doi.org/10.1080/19338244.2013.763761>.
- Aldrich, TE; Seidu, D; Bahr, D; Freitas, S; Brion, GM; Tollerud, D. (2010). Time-period mortality patterns in a gaseous diffusion plant workforce. *Int J Occup Med Environ Health*. 23: 145-151. <http://dx.doi.org/10.2478/v10001-010-0022-7>.
- Alexander, DD; Kelsh, MA; Mink, PJ; Mandel, JH; Basu, R; Weingart, M. (2007). A meta-analysis of occupational trichloroethylene exposure and liver cancer [Review]. *Int Arch Occup Environ Health*. 81: 127-143. <http://dx.doi.org/10.1007/s00420-007-0201-4>.
- Alexander, DD; Mink, PJ; Mandel, JH; Kelsh, MA. (2006). A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukaemia. *Occup Med (Lond)*. 56: 485-493. <http://dx.doi.org/10.1093/occmed/kql083>.
- Alexander, DD; Mink, PJ; Mandel, JH; Kelsh, MA. (2006). A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukemia. *Am J Epidemiol*. 163: S211-S211.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res*. 30: 1876-1884.
- Anttila, A; Pukkala, E; Sallmen, M; Hernberg, S; Hemminki, K. (1995). Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med*. 37: 797-806.
- Asher, WE; Luo, W; Campo, KW; Bender, DA; Robinson, KW; Zogorski, JS; Pankow, TE. (2007). Application of a source apportionment model in consideration of volatile organic compounds in an urban stream. *Environ Toxicol Chem*. 26: 1606-1613.
- ATSDR. (2003). Health consultation: View-Master factory supply well (a.k.a. Mattel Portland Operations) Beaverton, Washington County, Oregon. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=293&pg=0>.
- Axelson, O; Andersson, K; Hogstedt, C; Holmberg, B; Molina, G; de Verdier, A. (1978). A cohort study on trichloroethylene exposure and cancer mortality. *J Occup Environ Med*. 20: 194-196.
- Axelson, O; Seldén, A; Andersson, K; Hogstedt, C. (1994). Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. *J Occup Med*. 36: 556-562.
- Azadpour-Keeley, A; Keeley, JW; Russell, HH; Sewell, GW. (2001). Monitored natural attenuation of contaminants in the subsurface: Processes. *Ground Water Monitoring and Remediation*. 21: 97-107.
- Baek, SO; Suvarapu, LN; Seo, YK. (2015). Occurrence and Concentrations of Toxic VOCs in the Ambient Air of Gumi, an Electronics-Industrial City in Korea. *Sensors*. 15: 19102-19123. <http://dx.doi.org/10.3390/s150819102>.
- Bahr, DE; Aldrich, TE; Seidu, D; Brion, GM; Tollerud, DJ; Plant, PGD. (2011). OCCUPATIONAL EXPOSURE TO TRICHLOROETHYLENE AND CANCER RISK FOR WORKERS AT THE PADUCAH GASEOUS DIFFUSION PLANT. *Int J Occup Med Environ Health*. 24: 67-77. <http://dx.doi.org/10.2478/s13382-011-0007-1>.
- Bakke, B; Stewart, P; Waters, M. (2007). Uses of and exposure to trichloroethylene in U.S. industry: A systematic literature review [Review]. *J Occup Environ Hyg*. 4: 375-390. <http://dx.doi.org/10.1080/15459620701301763>.
- Ballinger, MY; Larson, TV. (2014). Source apportionment of stack emissions from research and development facilities using positive matrix factorization. *Atmos Environ*. 98: 59-65. <http://dx.doi.org/10.1016/j.atmosenv.2014.08.041>.
- Barret, L; Faure, J; Guillard, B; Chomat, D; Didier, B; Debru, J. (1984). Trichloroethylene occupational exposure: Elements for better prevention. *Int Arch Occup Environ Health*. 53: 283-289. <http://dx.doi.org/10.1007/BF00380666>.
- Bassig, BA; Zhang, L; Tang, X; Vermeulen, R; Shen, M, in; Smith, MT; Qiu, C; Ge, Y; Ji, Z; Reiss, B; Hosgood, HD, III; Liu, S; Bagni, R; Guo, W; Purdue, M; Hu, W, ei; Yue, F, ei; Li, L; Huang, H; Rothman, N; Lan, Q. (2013). Occupational exposure to trichloroethylene and serum concentrations of IL-6, IL-10, and TNF-alpha. *Environ Mol Mutagen*. 54: 450-454. <http://dx.doi.org/10.1002/em.21789>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Baya, MP; Figa-Talamanca, I; Siskos, PA. (1998). Determination of selected volatile organic compounds in the air of dry-cleaning shops in the Athens area: Pilot study. *Indoor Built Environ.* 7: 315-318.
- Birner, G; Vamvakas, S; Dekant, W; Henschler, D. (1993). Nephrotoxic and genotoxic N-acetyl-S-dichlorovinyl-L-cysteine is a urinary metabolite after occupational 1,1,2-trichloroethene exposure in humans: Implications for the risk of trichloroethene exposure. *Environ Health Perspect.* 99: 281-284.
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med.* 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>.
- Blair, A; Petralia, SA; Stewart, PA. (2003). Extended mortality follow-up of a cohort of dry cleaners. *Ann Epidemiol.* 13: 50-56. [http://dx.doi.org/10.1016/S1047-2797\(02\)00250-8](http://dx.doi.org/10.1016/S1047-2797(02)00250-8).
- Blankenship, A; Chang, DPY; Jones, AD; Kelly, PB; Kennedy, IM; Matsumura, F; Pasek, R; Yang, GS. (1994). TOXIC COMBUSTION BY-PRODUCTS FROM THE INCINERATION OF CHLORINATED HYDROCARBONS AND PLASTICS. *Chemosphere.* 28: 183-196.
- Bloemen, L; Monster, A; Kezic, S; Commandeur, J; Veulemans, H; Vermeulen, N; Wilmer, J. (2001). Study on the cytochrome P-450- and glutathione-dependent biotransformation of trichloroethylene in humans. *Int Arch Occup Environ Health.* 74: 102-108. <http://dx.doi.org/10.1007/s004200000198>.
- Boeglin, ML; Wessels, D; Henshel, D. (2006). An investigation of the relationship between air emissions of volatile organic compounds and the incidence of cancer in Indiana counties. *Environ Res.* 100: 242-254. <http://dx.doi.org/10.1016/j.envres.2005.04.004>.
- Boice, JD, Jr; Marano, D; Fryzek, J; Sadler, C; Mclaughlin, JK. (1999). Mortality among aircraft manufacturing workers. *Occup Environ Med.* 56: 581-597. <http://dx.doi.org/10.1136/oem.56.9.581>.
- Boice, JD; Marano, DE; Cohen, SS; Mumma, MT; Blot, WJ; Brill, AB; Fryzek, JP; Henderson, BE; Mclaughlin, JK. (2006). Mortality among Rocketdyne workers who tested rocket engines, 1948-1999. *J Occup Environ Med.* 48: 1070-1092. <http://dx.doi.org/10.1097/O1.jom.0000240661.33413.b5>.
- Bolt, H; Lammert, M; Selinski, S; Brüning, T. (2004). Urinary alpha1-microglobulin excretion as biomarker of renal toxicity in trichloroethylene-exposed persons. *Int Arch Occup Environ Health.* 77: 186-190. <http://dx.doi.org/10.1007/s00420-003-0500-3>.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health.* 13: 10. <http://dx.doi.org/10.1186/1476-069X-13-10>.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health.* 13: 68. <http://dx.doi.org/10.1186/1476-069X-13-68>.
- Brautbar, N; Richter, ED; Neshet, G. (2004). Systemic vasculitis and prior recent exposure to organic solvents: Report of two cases. *Arch Environ Health.* 59: 515-517.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health.* 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.
- Brenner, D. (2010). Results of a long-term study of vapor intrusion at four large buildings at the NASA Ames research center. *J Air Waste Manag Assoc.* 60: 747-758. <http://dx.doi.org/10.3155/1047-3289.60.6.747>.
- Brüning, T; Mann, H; Melzer, H; Sundberg, A; Bolt, H. (1999). Pathological excretion patterns of urinary proteins in renal cell cancer patients exposed to trichloroethylene. *Occup Med (Lond).* 49: 299-305.
- Brüning, T; Pesch, B; Wiesenhütter, B; Rabstein, S; Lammert, M; Baumüller, A; Bolt, H. (2003). Renal cell cancer risk and occupational exposure to trichloroethylene: Results of a consecutive case-control study in Arnsberg, Germany. *Am J Ind Med.* 43: 274-285. <http://dx.doi.org/10.1002/ajim.10185>.
- Buhagen, M; Grønskag, A; Ragde, SF; Hilt, B. (2016). Association Between Kidney Cancer and Occupational Exposure to Trichloroethylene. *J Occup Environ Med.* 58: 957-959. <http://dx.doi.org/10.1097/JOM.0000000000000838>.
- Burg, J; Gist, G. (1999). Health effects of environmental contaminant exposure: An intrafile comparison of the Trichloroethylene Subregistry. *Arch Environ Health.* 54: 231-241. <http://dx.doi.org/10.1080/00039899909602480>.
- Burg, JR; Gist, G; Allred, SL; Rudtke, TM; Pallos, LL; Cusack, CD. (1995). The national exposure registry - morbidity analyses of noncancer outcomes from the trichloroethylene subregistry baseline data. *Int J Occup Med Toxicol.* 4: 237 - 257.
- Buzio, L; De Palma, G; Mozzoni, P; Tondel, M; Buzio, C; Franchini, I; Axelson, O; Mutti, A. (2003). Glutathione S-transferases M1-1 and T1-1 as risk modifiers for renal cell cancer associated with occupational exposure to chemicals. *Occup Environ Med.* 60: 789-793.
- Cai, SX; Huang, MY; Chen, Z; Liu, YT; Jin, C; Watanabe, T; Nakatsuka, H; Seiji, K; Inoue, O; Ikeda, M. (1991). Subjective symptom increase among dry-cleaning workers exposed to tetrachloroethylene vapor. *Ind Health.* 29: 111-121. <http://dx.doi.org/10.2486/indhealth.29.111>.
- Cano, MI; Pollán, M. (2001). Non-Hodgkin's lymphomas and occupation in Sweden. *Int Arch Occup Environ Health.* 74: 443-449. <http://dx.doi.org/10.1007/s004200100248>.
- Chan, CY; Chan, LY; Wang, XM; Liu, YM; Lee, SC; Zou, SC; Sheng, GY; Fu, JM. (2002). Volatile organic compounds in roadside microenvironments of metropolitan Hong Kong. *Atmos Environ.* 36: 2039-2047.
- Chan, LY; Chu, KW. (2007). Halocarbons in the atmosphere of the industrial-related Pearl River Delta region of China. *J Geophys Res Atmos.* 112. <http://dx.doi.org/10.1029/2006JD007097>.
- Chang, CC; Lo, GG; Tsai, CH; Wang, JL. (2001). Concentration variability of halocarbons over an electronics industrial park and its implication in compliance with the Montreal protocol. *Environ Sci Technol.* 35: 3273-3279. <http://dx.doi.org/10.1021/es001894q>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Chang, YM; Tai, CF; Yang, SC; Chen, CJ; Shih, TS; Lin, R; Liou, SH. (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. *Ann Epidemiol.* 13: 652-660. [http://dx.doi.org/10.1016/S1047-2797\(03\)00038-3](http://dx.doi.org/10.1016/S1047-2797(03)00038-3).
- Chang, YM; Tai, CF; Yang, SC; Lin, RS; Sung, FC; Shih, TS; Liou, SH. (2005). Cancer incidence among workers potentially exposed to chlorinated solvents in an electronics factory. *J Occup Health.* 47: 171-180. <http://dx.doi.org/10.1539/joh.47.171>.
- Chao, CY; Chan, GY. (2001). Quantification of indoor VOCs in twenty mechanically ventilated buildings in Hong Kong. *Atmos Environ.* 35: 5895-5913. [http://dx.doi.org/10.1016/s1352-2310\(01\)00410-1](http://dx.doi.org/10.1016/s1352-2310(01)00410-1).
- Charbotel, B; Fevotte, J; Hours, M; Martin, JL; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part II: Epidemiological aspects. *Ann Occup Hyg.* 50: 777-787. <http://dx.doi.org/10.1093/annhyg/mel039>.
- Charbotel, B; Fevotte, J; Martin, JL; Bergeret, A. (2009). Cancer du rein et expositions au trichloroéthylène : les valeurs limites d'exposition professionnelle françaises en vigueur sont-elles adaptées? *Rev Epidemiol Sante Publique.* 57: 41-47. <http://dx.doi.org/10.1016/j.respe.2008.09.008>.
- Charbotel, B; Massardier-Pilonchery, A; Fort, E; Dananché, B; Févotte, J; Confavreux-Romestaing, C; Bergeret, A. (2013). Occupational trichloroethylene exposure and cervical pathology: a case-control study. *Ann Occup Hyg.* 57: 407-416. <http://dx.doi.org/10.1093/annhyg/mes075>.
- Chartrand, MM; Morrill, PL; Lacrampe-Couloume, G; Lollar, BS. (2005). Stable isotope evidence for biodegradation of chlorinated ethenes at a fractured bedrock site. *Environ Sci Technol.* 39: 4848-4856. <http://dx.doi.org/10.1021/es048592z>.
- Chen, C; Shih, MC; Wu, K. (2012). Exposure reconstruction using a physiologically based toxicokinetic model with cumulative amount of metabolite in urine: a case study of trichloroethylene inhalation. *Stoch Environ Res Risk Assess.* 26: 21-31. <http://dx.doi.org/10.1007/s00477-011-0502-8>.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere.* 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.
- Chia, SE; Goh, VH; Ong, CN. (1997). Endocrine profiles of male workers with exposure to trichloroethylene. *Am J Ind Med.* 32: 217-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<217::AID-AJIM6>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<217::AID-AJIM6>3.0.CO;2-U).
- Chiang, HL; Lin, WH; Lai, JS; Wang, WC. (2010). Inhalation risk assessment of exposure to the selected volatile organic compounds (VOCs) emitted from the facilities of a steel plant. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 1397-1405. <http://dx.doi.org/10.1080/10934529.2010.500932>.
- Chiriac, R; Carre, J; Perrodin, Y; Fine, L; Letoffe, JM. (2007). Characterisation of VOCs emitted by open cells receiving municipal solid waste. *J Hazard Mater.* 149: 249-263. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.094>.
- Christensen, KY; Vizcaya, D; Richardson, H; Lavoue, J; Aronson, K; Siemiatycki, J. (2013). Risk of Selected Cancers due to Occupational Exposure to Chlorinated Solvents in a Case-Control Study in Montreal. *J Occup Environ Med.* 55: 198-208. <http://dx.doi.org/10.1097/JOM.0b013e3182728eab>.
- Cocco, P; T'Mannetje, A; Fadda, D; Melis, M; Becker, N; de Sanjosé, S; Foretova, L; Mareckova, J; Staines, A; Kleefeld, S; Maynadié, M; Nieters, A; Brennan, P; Boffetta, P. (2010). Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. *Occup Environ Med.* 67: 341-347. <http://dx.doi.org/10.1136/oem.2009.046839>.
- Cocco, P; Vermeulen, R; Flore, V; Nonne, T; Campagna, M; Purdue, M; Blair, A; Monnereau, A; Orsi, L; Clavel, J; Becker, N; de Sanjosé, S; Foretova, L; Staines, A; Maynadié, M; Nieters, A; Miligi, L; T'Mannetje, A; Krickler, A; Brennan, P; Boffetta, P; Lan, Q; Rothman, N. (2013). Occupational exposure to trichloroethylene and risk of non-Hodgkin lymphoma and its major subtypes: a pooled linterLlymph analysis. *Occup Environ Med.* 70: 795-802. <http://dx.doi.org/10.1136/oemed-2013-101551>.
- Cohen, C; Frank, AL. (1994). Liver disease following occupational exposure to 1,1,1-trichloroethane: a case report. *Am J Ind Med.* 26: 237-241.
- Colman lerner, JE; Sanchez, EY; Sambeth, J; Porta, A. (2012). Characterization and health risk assessment of VOCs in occupational environments in Buenos Aires, Argentina. *Atmos Environ.* 55: 440-447. <http://dx.doi.org/10.1016/j.atmosenv.2012.03.041>.
- Confavreux-Romestaing, C; Charbotel, B; Muller-Beaute, P; Fevotte, J; Massardier-Pilonchery, A; Bergeret, A. (2009). Links between work exposure to trichloroethylene and cervical cancer: A pilot study. *Arch Mal Prof Environ.* 70: 417-424. <http://dx.doi.org/10.1016/j.admp.2009.04.011>.
- Cooper, GS; Makris, SL; Nietert, PJ; Jinot, J. (2009). Evidence of autoimmune-related effects of trichloroethylene exposure from studies in mice and humans [Review]. *Environ Health Perspect.* 117: 696-702. <http://dx.doi.org/10.1289/ehp.11782>.
- Cooper, WJ; Mehran, M; Riusech, DJ; Joens, JA. (1987). ABIOTIC TRANSFORMATIONS OF HALOGENATED ORGANICS 1. ELIMINATION REACTION OF 1 1 2 2 TETRACHLOROETHANE AND FORMATION OF 1 1 2 TRICHLOROETHENE. *Environ Sci Technol.* 21: 1112-1114.
- Cordier, S; Garlandézec, R; Labat, L; Rouget, F; Monfort, C; Bonvallot, N; Roig, B; Pulkkinen, J; Chevrier, C; Multigner, L, uc. (2012). Exposure during pregnancy to glycol ethers and chlorinated solvents and the risk of congenital malformations. *Epidemiology.* 23: 806-812. <http://dx.doi.org/10.1097/EDE.0b013e31826c2bd8>.
- Coulbaly, L; Labib, ME; Hazen, R. (2004). A GIS-based multimedia watershed model: development and application. *Chemosphere.* 55: 1067-1080. <http://dx.doi.org/10.1016/j.chemosphere.2004.01.014>.
- Crawford, NC; Ulmer, CS. (1994). HYDROGEOLOGIC INVESTIGATIONS OF CONTAMINANT MOVEMENT IN KARST AQUIFERS IN THE VICINITY OF A TRAIN DERAILMENT NEAR LEWISBURG TENNESSEE. *Environ Geol.* 23: 41-52.
- Dahmann, D; Bauer, HD; Beckmann, U; Stoyke, G; Wuff, T. (1996). Calculation of pollutant concentrations at underground workplaces. *Staub, Reinhaltung der Luft.* 56: 465-469.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Dai, Y; Leng, S; Li, L; Niu, Y; Huang, H; Liu, Q; Duan, H; Cheng, J; Zheng, Y. (2009). Effects of genetic polymorphisms of N-acetyltransferase on trichloroethylene-induced hypersensitivity dermatitis among exposed workers. *Ind Health*. 47: 479-486.
- Davie, MG; Cheng, H; Hopkins, GD; Lebron, CA; Reinhard, M. (2008). Implementing heterogeneous catalytic dechlorination technology for remediating TCE-contaminated groundwater. *Environ Sci Technol*. 42: 8908-8915. <http://dx.doi.org/10.1021/es8014919>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ*. 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- De Nicola, E; Meriç, S; Della Rocca, C; Gallo, M; Iaccarino, M; Manini, P; Petruzzelli, D; Belgiorio, V; Cheggour, M; Di Gennaro, A; Moukrim, A; Tünay, O; Pagano, G. (2007). Wastewater toxicity of tannin- versus chromium-based leather tanneries in Marrakesh, Morocco. *Arch Environ Contam Toxicol*. 53: 321-328. <http://dx.doi.org/10.1007/s00244-006-0181-5>.
- Degraffenreid, N; Shreve, GS. (1998). The effect of cadmium on the kinetics of trichloroethylene biodegradation by *Pseudomonas (Burkholderia) picketti* PK01 under denitrifying conditions. *Water Res*. 32: 3398-3402.
- Den, W; Huang, C; Li, CH. (2003). Biotrickling Filtration for Control of Volatile Organic Compounds from Microelectronics Industry. *J Environ Eng*. 129: 610. [http://dx.doi.org/10.1061/\(asce\)0733-9372\(2003\)129:7\(610\)](http://dx.doi.org/10.1061/(asce)0733-9372(2003)129:7(610)).
- Den, W; Huang, C; Li, CH. (2004). Effects of cross-substrate interaction on biotrickling filtration for the control of VOC emissions. *Chemosphere*. 57: 697-709. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.018>.
- Desrosiers, TA; Lawson, CC; Meyer, RE; Stewart, PA; Waters, MA; Correa, A; Olshan, AF; Study, NBDP. (2015). Assessed occupational exposure to chlorinated, aromatic and Stoddard solvents during pregnancy and risk of fetal growth restriction. *Occup Environ Med*. 72: 587-593. <http://dx.doi.org/10.1136/oemed-2015-102835>.
- Devanny, JS; Webster, TS; Torres, E; Basrai, S. (1995). Biofiltration for removal of PCE and TCE vapors from contaminated air. *Hazardous Waste and Hazardous Materials*. 12: 283-293.
- Diez, FV; Ordóñez, S; Padilla, B. (2006). Hydrodechlorination of trichloroethylene in wastewater in a batch slurry reactor: Mass transfer and kinetic study. *Abstracts of Papers - American Chemical Society*. 232: 929-929.
- Dobaradaran, S; Mahvi, AH; Nabizadeh, R; Mesdaghinia, A; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S. (2010). Hazardous Organic Compounds in Groundwater Near Tehran Automobile Industry. *Bull Environ Contam Toxicol*. 85: 530-533. <http://dx.doi.org/10.1007/s00128-010-0131-9>.
- Dodson, RE; Houseman, EA; Levy, JI; Spengler, JD; Shine, JP; Bennett, DH. (2007). Measured and modeled personal exposures to and risks from volatile organic compounds. *Environ Sci Technol*. 41: 8498-8505. <http://dx.doi.org/10.1021/es071127s>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1—historical background; carbon tetrachloride and tetrachloroethylene. *Environ Forensics*. 1: 69-81. <http://dx.doi.org/10.1006/enfo.2000.0010>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics*. 1: 83-93. <http://dx.doi.org/10.1006/enfo.2000.0011>.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics*. 13: 7-26. <http://dx.doi.org/10.1080/15275922.2011.643341>.
- Dridi, L; Pollet, I; Razakarisoa, O; Schäfer, G. (2009). Characterisation of a DNAPL source zone in a porous aquifer using the Partitioning Interwell Tracer Test and an inverse modelling approach. *J Contam Hydrol*. 107: 22-44. <http://dx.doi.org/10.1016/j.jconhyd.2009.03.003>.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environ Sci Technol*. 38: 2879-2884. <http://dx.doi.org/10.1021/es034933h>.
- Driscoll, T; Hamdan, H; Wang, G; Wright, P; Stacey, N. (1992). Concentrations of individual serum or plasma bile acids in workers exposed to chlorinated aliphatic hydrocarbons. *Br J Ind Med*. 49: 700-705.
- Dumanoglu, Y; Kara, M; Altioek, H; Odabasi, M; Elbir, T; Bayram, A. (2014). Spatial and seasonal variation and source apportionment of volatile organic compounds (VOCs) in a heavily industrialized region. *Atmos Environ*. 98: 168-178. <http://dx.doi.org/10.1016/j.atmosenv.2014.08.048>.
- Dyer, M. (2003). Field investigation into the biodegradation of TCE and BTEX at a former metal plating works. *Eng Geol*. 70: 321-329. [http://dx.doi.org/10.1016/S0013-7952\(03\)00100-5](http://dx.doi.org/10.1016/S0013-7952(03)00100-5).
- Eberts, SM; Braun, C; Jones, S. (2008). Compound-specific isotope analysis: Questioning the origins of a trichloroethene plume. *Environ Forensics*. 9: 85-95. <http://dx.doi.org/10.1080/15275920801888368>.
- Edstrom, JA; Semmens, MJ; Hozalski, RM; Clapp, LW; Novak, PJ. (2005). Stimulation of dechlorination by membrane-delivered hydrogen: Small field demonstration. *Environ Eng Sci*. 22: 281-293.
- Eklund, BM; Simon, MA. (2007). Concentration of tetrachloroethylene in indoor air at a former dry cleaner facility as a function of subsurface contamination: A case study. *J Air Waste Manag Assoc*. 57: 753-760. <http://dx.doi.org/10.3155/1047-3289.57.6.753>.
- Fan, A. (1988). Trichloroethylene: Water contamination and health risk assessment [Review]. *Rev Environ Contam Toxicol*. 101: 55-92.
- Fekete-Kertesz, I; Molnar, M; Atkari, A; Gruiz, K; Fenyvesi, E. (2013). Hydrogen peroxide oxidation for in situ remediation of trichloroethylene - from the laboratory to the field. *Periodica Polytechnica Chemical Engineering*. 57: 41-51. <http://dx.doi.org/10.3311/PPCh.2169>.
- Fevotte, J; Charbotel, B; Muller-Beauté, P; Martin, JL; Hours, M; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part I: Exposure assessment. *Ann Occup Hyg*. 50: 765-775. <http://dx.doi.org/10.1093/annhyg/mel040>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Finkbeiner; Hoffmann; Kreisel. (1997). ENVIRONMENTAL AUDITING: The Functional Unit in the Life Cycle Inventory Analysis of Degreasing Processes in the Metal-Processing Industry. *Environ Manage.* 21: 635-642.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg.* 11: 292-305. <http://dx.doi.org/10.1080/15459624.2013.862591>.
- Foco, GM; Bottini, SB; Brignole, EA. (1992). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR THE 1,2-DICHLOROETHANE ANISOLE AND TRICHLOROETHYLENE ANISOLE SYSTEMS. *Journal of Chemical and Engineering Data.* 37: 17-19.
- Ford, E; Rhodes, S; Mcdiarmid, M; Schwartz, S; Brown, J. (1995). Deaths from acute exposure to trichloroethylene [Review]. *J Occup Environ Med.* 37: 749-754.
- Franco, A; Costoya, MA; Roca, E. (2007). Estimating risk during showering exposure to VOCs of workers in a metal-degreasing facility. *J Toxicol Environ Health A.* 70: 627-637. <http://dx.doi.org/10.1080/15287390600974551>.
- Frank, H; Frank, W; Neves, HJC. (1991). AIRBORNE C-1-HALOCARBONS AND C2-HALOCARBONS AT 4 REPRESENTATIVE SITES IN EUROPE. *Atmos Environ* (1967). 25: 257-261.
- Friesen, MC; Locke, SJ; Chen, YC; Coble, JB; Stewart, PA; Ji, BT; Bassig, B; Lu, W; Xue, S; Chow, WH; Lan, Q; Purdue, MP; Rothman, N; Vermeulen, R. (2015). Historical occupational trichloroethylene air concentrations based on inspection measurements from shanghai, china. *Ann Occup Hyg.* 59: 62-78. <http://dx.doi.org/10.1093/annhyg/meu066>.
- Garabrant, DH; Lacey, JV, Jr; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (2003). Scleroderma and solvent exposure among women. *Am J Epidemiol.* 157: 493-500. <http://dx.doi.org/10.1093/aje/kwf223>.
- Gargouri, I; Khadhraoui, M; Nisse, C; Leroyer, A; Larbi Masmoudi, M; Elleuch, B; Zmirou-Navier, D. (2012). Occupational assessment of exposure to organic solvents in an adhesive producing company in Sfax, Tunisia. *J Occup Environ Hyg.* 9: D71-D76. <http://dx.doi.org/10.1080/15459624.2012.666494>.
- Geng, C; Luo, Q; Chen, M; Li, Z; Zhang, C. (2010). Quantitative Risk Assessment of Trichloroethylene for a Former Chemical Works in Shanghai, China. *Hum Ecol Risk Assess.* 16: 429-443. <http://dx.doi.org/10.1080/10807031003672788>.
- Gentner, DR; Miller, AM; Goldstein, AH. (2010). Seasonal variability in anthropogenic halocarbon emissions. *Environ Sci Technol.* 44: 5377-5382. <http://dx.doi.org/10.1021/es1005362>.
- Gilboa, SM; Desrosiers, TA; Lawson, C; Lupo, PJ; Riehle-Colarusso, TJ; Stewart, PA; van Wijngaarden, E; Waters, MA; Correa, A; Stud, NBDP. (2012). Association between maternal occupational exposure to organic solvents and congenital heart defects, National Birth Defects Prevention Study, 1997-2002. *Occup Environ Med.* 69: 628-635. <http://dx.doi.org/10.1136/oemed-2011-100536>.
- Goh, VH; Chia, SE; Ong, CN. (1998). Effects of chronic exposure to low doses of trichloroethylene on steroid hormone and insulin levels in normal men. *Environ Health Perspect.* 106: 41-44.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med.* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Green, T; Dow, J; Ong, C; Ng, V; Ong, H; Zhuang, Z; Yang, X; Bloemen, L. (2004). Biological monitoring of kidney function among workers occupationally exposed to trichloroethylene. *Occup Environ Med.* 61: 312-317. <http://dx.doi.org/10.1136/oem.2003.007153>.
- Greenland, S; Salvan, A; Wegman, DH; Hallock, MF; Smith, TJ. (1994). A case-control study of cancer mortality at a transformer-assembly facility. *Int Arch Occup Environ Health.* 66: 49-54. <http://dx.doi.org/10.1007/BF00386579>.
- Guo, H; Lee, SC; Louie, PK; Ho, KF. (2004). Characterization of hydrocarbons, halocarbons and carbonyls in the atmosphere of Hong Kong. *Chemosphere.* 57: 1363-1372. <http://dx.doi.org/10.1016/j.chemosphere.2004.07.055>.
- Gupta, BN; Rastogi, SK; Husain, T; Mathur, N; Pangtey, BS. (1991). A STUDY OF RESPIRATORY MORBIDITY AND PULMONARY-FUNCTION AMONG SOLDERERS IN THE ELECTRONICS INDUSTRY. *Am Ind Hyg Assoc J.* 52: 45-51. [http://dx.doi.org/10.1202/0002-8894\(1991\)052<0045:ASORMA>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(1991)052<0045:ASORMA>2.0.CO;2).
- Guseva Canu, I; Faust, S; Knieczak, E; Carles, M; Samson, E; Laurier, D. (2013). Estimating historic exposures at the European Gaseous Diffusion plants. *Int J Hyg Environ Health.* 216: 499-507. <http://dx.doi.org/10.1016/j.ijheh.2012.07.002>.
- Guseva Canu, I; Paquet, F; Goldberg, M; Auriol, B; Bérard, P; Collomb, P; David, JC; Molina, G; Perez, P; Tirmarche, M. (2009). Comparative assessing for radiological, chemical, and physical exposures at the French uranium conversion plant: Is uranium the only stressor. *Int J Hyg Environ Health.* 212: 398-413. <http://dx.doi.org/10.1016/j.ijheh.2008.09.002>.
- Haas, BS; Herrmann, R. (1996). Transport of chlorinated hydrocarbons between sewage and sewer atmosphere. *Water Sci Technol.* 34: 557-564.
- Halden, RU. (2015). Epistemology of contaminants of emerging concern and literature meta-analysis. *J Hazard Mater.* 282: 2-9. <http://dx.doi.org/10.1016/j.jhazmat.2014.08.074>.
- Hansen, J; Raaschou-Nielsen, O; Christensen, JM; Johansen, I; McLaughlin, JK; Lipworth, L; Blot, WJ; Olsen, JH. (2001). Cancer incidence among Danish workers exposed to trichloroethylene. *J Occup Environ Med.* 43: 133-139.
- Harkness, MR; Bracco, AA; Brennan, MJ; Deweerd, KA; Spivack, JL. (1999). Use of bioaugmentation to stimulate complete reductive dechlorination of trichloroethene in dover soil columns. *Environ Sci Technol.* 33: 1100-1109.
- Hein, MJ; Waters, MA; Ruder, AM; Stenzel, MR; Blair, A; Stewart, PA. (2010). Statistical modeling of occupational chlorinated solvent exposures for case-control studies using a literature-based database. *Ann Occup Hyg.* 54: 459-472. <http://dx.doi.org/10.1093/annhyg/meq027>.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med.* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Hellweg, S; Demou, E; Scheringer, M; Mckone, TE; Hungerbuhler, K. (2005). Confronting workplace exposure to chemicals with LCA: examples of trichloroethylene and perchloroethylene in metal degreasing and dry cleaning. *Environ Sci Technol.* 39: 7741-7748. <http://dx.doi.org/10.1021/es047944z>.
- Hsieh, LL; Chang, CC; Sree, U; Lo, JG. (2006). Determination of volatile organic compounds in indoor air of buildings in nuclear power plants, Taiwan. *Water Air Soil Pollut.* 170: 107-121. <http://dx.doi.org/10.1007/s11270-006-2839-z>.
- Iavicoli, I; Marinaccio, A; Carelli, G. (2005). Effects of occupational trichloroethylene exposure on cytokine levels in workers. *J Occup Environ Med.* 47: 453-457. <http://dx.doi.org/10.1097/01.jom.0000161728.23285.66>.
- IEI. (2005). Rocketdyne worker health study: Final report: Executive summary & appendices. Rockville, MD. http://www.boeing.com/aboutus/environment/santa_susana/factsheets/Rocketdyne_Worker_Health_Study_Final_Report_July_2005.pdf.
- Ikeda, M. (1977). Metabolism of trichloroethylene and tetrachloroethylene in human subjects. *Environ Health Perspect.* 21: 239-245. <http://dx.doi.org/10.1289/ehp.7721239>.
- Ikeda, M; Ohtsujii, H; Imamura, T; Komoike, Y. (1972). Urinary excretion of total trichloro-compounds, trichloroethanol, and trichloroacetic acid as a measure of exposure to trichloroethylene and tetrachloroethylene. *Br J Ind Med.* 29: 328-333. <http://dx.doi.org/10.1136/oem.29.3.328>.
- Ikeda, M; Otsujii, H; Kawai, H; Kuniyoshi, M. (1971). Excretion kinetics of urinary metabolites in a patient addicted to trichloroethylene. *Br J Ind Med.* 28: 203-206.
- Imbriani, M; Niu, Q; Negri, S; Ghittori, S. (2001). Trichloroethylene in urine as biological exposure index. *Ind Health.* 39: 225-230. <http://dx.doi.org/10.2486/indhealth.39.225>.
- Inoue, O; Seiji, K; Kawai, T; Jin, C; Liu, YT; Chen, Z; Cai, SX; Yin, SN; Li, GL; Nakasutka, H; Watanabe, T; Ikeda, M. (1989). Relationship between vapor exposure and urinary metabolite excretion among workers exposed to trichloroethylene. *Am J Ind Med.* 15: 103-110.
- Jiun-Horng, T; Kuo-Hsiung, L; Chih-Yu, C; Nina, L; Sen-Yi, M; Hung-Lung, C. (2008). Volatile organic compound constituents from an integrated iron and steel facility. *J Hazard Mater.* 157: 569-578. <http://dx.doi.org/10.1016/j.jhazmat.2008.01.022>.
- Johnston, JJ; Borden, RC; Barlaz, MA. (1996). Anaerobic biodegradation of alkylbenzenes and trichloroethylene in aquifer sediment down gradient of a sanitary landfill. *J Contam Hydrol.* 23: 263-283.
- Jones, RM; Dell, L; Torres, C; Simmons, CE; Poole, J; Boelter, FW; Harper, P. (2015). Exposure Reconstruction and Risk Analysis for Six Semiconductor Workers With Lymphohematopoietic Cancers. *J Occup Environ Med.* 57: 649-658. <http://dx.doi.org/10.1097/JOM.0000000000000413>.
- Kaluzny, P; Chazal, S; Jacob, V; Tripoli, F; Baussand, P; Foster, P. (2001). Characterisation of volatile organic compound emissions during the composting of household wastes. *Fresen Environ Bull.* 10: 520-526.
- Kamijima, M; Wang, H; Huang, H; Li, L; Shibata, E; Lin, B; Sakai, K; Liu, H; Tsuchiyama, F; Chen, J; Okamura, A; Huang, X; Hisanaga, N; Huang, Z; Ito, Y; Takeuchi, Y; Nakajima, T. (2008). Trichloroethylene causes generalized hypersensitivity skin disorders complicated by hepatitis. *J Occup Health.* 50: 328-338.
- Kaneko, T; Wang, P; Sato, A. (1997). Assessment of the health effects of trichloroethylene [Review]. *Ind Health.* 35: 301-324.
- Karami, S; Bassig, B; Stewart, PA; Lee, KM, u; Rothman, N; Moore, L; Lan, Q. (2013). Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis. *Occup Environ Med.* 70: 591-599. <http://dx.doi.org/10.1136/oemed-2012-101212>.
- Karami, S; Lan, Q; Rothman, N; Stewart, PA; Lee, KM, u; Vermeulen, R; Moore, L. (2012). Occupational trichloroethylene exposure and kidney cancer risk: a meta-analysis. *Occup Environ Med.* 69: 858-867. <http://dx.doi.org/10.1136/oemed-2012-100932>.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol.* 90: 155-159. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Katami, T; Nisikawa, H; Yasuhara, A. (1992). Emission of chlorinated compounds by combustion of waste dry-cleaning materials. *Chemosphere.* 24: 343-349.
- Kawata, K; Fujieda, Y. (1993). Volatile chlorinated hydrocarbons in ambient air at Niigata area (pp. 474-479). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/09149). Kawata, K; Fujieda, Y.
- Kawata, K; Kitajima, E; Murayama, H; Uemura, T. (1992). Distribution of trichloroethylene in air, soil and groundwater around a metalware factory (pp. 156-161). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/92/27554). Kawata, K; Kitajima, E; Murayama, H; Uemura, T.
- Kelsh, MA; Alexander, DD; Mink, PJ; Mandel, JH. (2010). Occupational trichloroethylene exposure and kidney cancer: a meta-analysis. *Epidemiology.* 21: 95-102. <http://dx.doi.org/10.1097/EDE.0b013e3181c30e92>.
- Kelsh, MA; Mandel, JH; Mink, PJ; Weingart, M; Alexander, DD; Goodman, M. (2006). A meta-analysis of kidney cancer, non Hodgkin's lymphoma and occupational trichloroethylene exposure. *Am J Epidemiol.* 163: S236-S236.
- Kennedy, LG; Everett, JW; Becvar, E; Defeo, D. (2006). Field-scale demonstration of induced biogeochemical reductive dechlorination at Dover Air Force Base, Dover, Delaware. *J Contam Hydrol.* 88: 119-136. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.007>.
- Kikuchi, Y; Hirao, M. (2010). Local risks and global impacts considering plant-specific functions and constraints: a case study of metal parts cleaning. *Int J Life Cycle Assess.* 15: 17-31. <http://dx.doi.org/10.1007/s11367-009-0137-x>.
- Kilburn, KH. (1999). Neurobehavioral and respiratory findings in jet engine repair workers: a comparison of exposed and unexposed volunteers. *Environ Res.* 80: 244-252. <http://dx.doi.org/10.1006/enrs.1998.3898>.
- Kilburn, KH. (2000). Effects of diesel exhaust on neurobehavioral and pulmonary functions. *Arch Environ Occup Health.* 55: 11-17.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Kim, J; Park, H; Ha, E; Jung, T; Paik, N; Yang, S. (2005). Combined effects of noise and mixed solvents exposure on the hearing function among workers in the aviation industry. *Ind Health*. 43: 567-573. <http://dx.doi.org/10.2486/indhealth.43.567>.
- Kira, S. (1977). [Measurements of the levels of organic solvent vapours by personal air samplers and the levels of urinary metabolites of workers. Part 1. trichloroethylene vapour in an automobile parts workshop (author's transl)]. *Sangyo Igaku*. 19: 119-125.
- Kjeldsen, P; Dalager, A; Broholm, K. (1997). Attenuation of methane and nonmethane organic compounds in landfill gas affected soils. *J Air Waste Manag Assoc*. 47: 1268-1275.
- Klammler, H; Hatfield, K; Guimaraes da Luz, JA; Annable, MD; Newman, M; Cho, J; Peacock, A; Stucker, V; Ranville, J; Cabaniss, SA; Rao, PSC. (2012). Contaminant discharge and uncertainty estimates from passive flux meter measurements. *Water Resour Res*. 48: n/a. <http://dx.doi.org/10.1029/2011WR010535>.
- Kleiman, G; Prinn, RG. (2000). Measurement and deduction of emissions of trichloroethene, tetrachloroethene, and trichloromethane (chloroform) in the northeastern United States and southeastern Canada. *J Geophys Res Atmos*. 105: 28875-28893.
- Kowalska, J; Szewczyńska, M; Pośniak, M. (2014). Measurements of chlorinated volatile organic compounds emitted from office printers and photocopiers. *Environ Sci Pollut Res Int*. 22: 5241-5252. <http://dx.doi.org/10.1007/s11356-014-3672-3>.
- Krall, K; Douglas, J, ae; Perrin, NA; Austin, D; Lambert, WE; Heumann, M. (2008). The view-master health study focus groups. *J Environ Health*. 71: 16-20.
- Krishnadasan, A; Kennedy, N; Zhao, Y; Morgenstern, H; Ritz, B. (2007). Nested case-control study of occupational chemical exposures and prostate cancer in aerospace and radiation workers. *Am J Ind Med*. 50: 383-390. <http://dx.doi.org/10.1002/ajim.20458>.
- Kutzman, RS; Gimon, DM; Hinz, JP. (2010). Identification of chemicals of interest to the department of defense and u.s. air force among the u.s. environmental protection agency's integrated risk information system chemicals that are due for reassessment of their toxicity values. 564.
- Landmeyer, JE; Miller, S; Campbell, BG; Vroblesky, D; Gill, A; Clark, AP. (2011). Investigation of the potential source area, contamination pathway, and probable release history of chlorinated-solvent-contaminated groundwater at the Capital City Plume Site, Montgomery, Alabama, 2008-2010. United States (USA): U.S. Geological Survey.
- Landrigan, PJ; Stein, GF; Kominsky, JR; Ruhe, RL; Watanabe, AS. (1987). Common-source community and industrial exposure to trichloroethylene. *Arch Environ Health*. 42: 327-332. <http://dx.doi.org/10.1080/00039896.1987.9934354>.
- Lemming, G; Chambon, JC; Binning, PJ; Bjerg, PL. (2012). Is there an environmental benefit from remediation of a contaminated site? Combined assessments of the risk reduction and life cycle impact of remediation. *J Environ Manage*. 112: 392-403. <http://dx.doi.org/10.1016/j.jenvman.2012.08.002>.
- Lemming, G; Hauschild, MZ; Chambon, J; Binning, PJ; Bulle, C; Margni, M; Bjerg, PL. (2010). Environmental impacts of remediation of a trichloroethene-contaminated site: life cycle assessment of remediation alternatives. *Environ Sci Technol*. 44: 9163-9169. <http://dx.doi.org/10.1021/es102007s>.
- Lenczewski, M; Jardine, P; Mckay, L; Layton, A. (2003). Natural attenuation of trichloroethylene in fractured shale bedrock. *J Contam Hydrol*. 64: 151-168. [http://dx.doi.org/10.1016/S0169-7722\(02\)00090-6](http://dx.doi.org/10.1016/S0169-7722(02)00090-6).
- Li, H; Dai, Y; Huang, H; Li, L; Leng, S; Cheng, J; Niu, Y; Duan, H; Liu, Q; Zhang, X; Huang, X; Xie, J; Feng, Z; Wang, J; He, J; Zheng, Y. (2007). HLA-B*1301 as a biomarker for genetic susceptibility to hypersensitivity dermatitis induced by trichloroethylene among workers in China. *Environ Health Perspect*. 115: 1553-1556. <http://dx.doi.org/10.1289/ehp.10325>.
- Lindbohm, ML; Sallmén, M; Kyrrönen, P; Kauppinen, T; Pukkala, E. (2009). Risk of liver cancer and exposure to organic solvents and gasoline vapors among Finnish workers. *Int J Cancer*. 124: 2954-2959. <http://dx.doi.org/10.1002/ijc.24309>.
- Lipworth, L; Sonderman, JS; Mumma, MT; Tarone, RE; Marano, DE; Boice, JD; McLaughlin, JK. (2011). Cancer mortality among aircraft manufacturing workers: an extended follow-up. *J Occup Environ Med*. 53: 992-1007. <http://dx.doi.org/10.1097/JOM.0b013e31822e0940>.
- Lorente, C; Cordier, S; Bergeret, A; De Walle, HEK; Goujard, J; Ayme, S; Knill-Jones, R; Calzolari, E; Bianchi, F. (2000). Maternal occupational risk factors for oral clefts. *Scand J Work Environ Health*. 26: 137-145.
- Lowry, LK; Vandervort, R; Polakoff, PL. (1974). Biological indicators of occupational exposure to trichloroethylene. *J Occup Environ Med*. 16: 98-101.
- Lynge, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control*. 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Ma, R, ui; Zhu, J; Wu, B; Hu, J; Li, X. (2017). Distribution and Qualitative and Quantitative Analyses of Chlorides in Distillates of Shengli Crude Oil. *Energy Fuels*. 31: 374-378. <http://dx.doi.org/10.1021/acs.energyfuels.6b02527>.
- Ma, TH; Xu, C; Liao, S; Mcconnell, H; Jeong, BS; Won, CD. (1996). In situ monitoring with the Tradescantia bioassays on the genotoxicity of gaseous emissions from a closed landfill site and an incinerator. *Mutat Res*. 359: 39-52.
- Mandel, J; Kelsh, M. (2001). A review of the epidemiology of trichloroethylene and kidney cancer. *Hum Ecol Risk Assess*. 7: 727-735.
- Mandel, JH; Kelsh, MA; Mink, PJ; Alexander, DD; Kalmes, RM; Weingart, M; Yost, L; Goodman, M. (2006). Occupational trichloroethylene exposure and non-Hodgkin's lymphoma: A meta-analysis and review [Review]. *Occup Environ Med*. 63: 597-607. <http://dx.doi.org/10.1136/oem.2005.022418>.
- Marano, DE; Boice, JD, Jr; Fryzek, JP; Morrison, JA; Sadler, CJ; McLaughlin, JK. (2000). Exposure assessment for a large epidemiological study of aircraft manufacturing workers. *Appl Occup Environ Hyg*. 15: 644-656. <http://dx.doi.org/10.1080/10473220050075653>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Martí, V; Jubany, I; Pérez, C; Rubio, X; De Pablo, J; Giménez, J. (2014). Human health risk assessment of a landfill based on volatile organic compounds emission, immission and soil gas concentration measurements. *Appl Geochem.* 49: 218-224. <http://dx.doi.org/10.1016/j.apgeochem.2014.06.018>.
- Martinez, E; Llobet, I; Lacorte, S; Viana, P; Barcelo, D. (2002). Patterns and levels of halogenated volatile compounds in Portuguese surface waters. *J Environ Monit.* 4: 253-257. <http://dx.doi.org/10.1039/b109623k>.
- Mattei, F; Guida, F; Matrat, M; Cené, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med.* 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Mcculloch, A; Aucott, ML; Graedel, TE; Kleiman, G; Midgley, PM; Li, YF. (1999). Industrial emissions of trichloroethene, tetrachloroethene, and dichloromethane: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos.* 104: 8417-8427.
- McCulloch, A; Midgley, PM. (1996). The production and global distribution of emissions of trichloroethene, tetrachloroethene and dichloromethane over the period 1988-1992. *Atmos Environ.* 30: 601-608. [http://dx.doi.org/10.1016/1352-2310\(09\)50032-5](http://dx.doi.org/10.1016/1352-2310(09)50032-5).
- Mckinney, PA; Alexander, FE; Cartwright, RA; Parker, L. (1991). Parental occupations of children with leukaemia in west Cumbria, north Humberside, and Gateshead. *Br Med J.* 302: 681-687. <http://dx.doi.org/10.1136/bmj.302.6778.681>.
- Middeldorp, PJM; van Aalst, MA; Rijnaarts, HHM; Stams, FJM; de Kreuk, HF; Schraa, G; Bosma, TNP. (1998). Stimulation of reductive dechlorination for in situ bioremediation of a soil contaminated with chlorinated ethenes. *Water Sci Technol.* 37: 105-110.
- Morales-Suarez-Varela, MM; Olsen, J; Villeneuve, S; Johansen, P; Kaerlev, L; Llopis-Gonzalez, A; Wingren, G; Hardell, L; Ahrens, W; Stang, A; Merletti, F; Gorini, G; Aurrekoetxea, JJ; Fevotte, J. (2013). Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. *J Occup Environ Med.* 55: 924-931. <http://dx.doi.org/10.1097/JOM.0b013e3182941a1c>.
- Morgan, RW; Kelsh, MA; Zhao, K; Heringer, S. (1998). Mortality of aerospace workers exposed to trichloroethylene. *Epidemiology.* 9: 424-431.
- Morgan, RW; Kelsh, MA; Zhao, K; Heringer, S. (2000). Mortality of aerospace workers exposed to trichloroethylene (vol 9, pg 424, 1998). *Epidemiology.* 11: 360-360.
- Murata, K; Inoue, O; Akutsu, M; lwata, T. (2010). Neuromotor Effects of Short-Term and Long-Term Exposures to Trichloroethylene in Workers. *Am J Ind Med.* 53: 915-921. <http://dx.doi.org/10.1002/ajim.20850>.
- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics.* 17: 282-293. <http://dx.doi.org/10.1080/15275922.2016.1230907>.
- Nagaya, T; Ishikawa, N; Hata, H. (1989). Urinary total protein and "beta"-2-microglobulin in workers exposed to trichloroethylene. *Environ Res.* 50: 86-92. [http://dx.doi.org/10.1016/S0013-9351\(89\)80050-7](http://dx.doi.org/10.1016/S0013-9351(89)80050-7).
- Nagaya, T; Ishikawa, N; Hata, H; Otobe, T. (1993). Subclinical and reversible hepatic effects of occupational exposure to trichloroethylene. *Int Arch Occup Environ Health.* 64: 561-563. <http://dx.doi.org/10.1007/BF00517701>.
- Nakatsuka, H; Watanabe, T; Takeuchi, Y; Hisanaga, N; Shibata, E; Suzuki, H; Huang, MY; Chen, Z; Qu, QS; Ikeda, M. (1992). Absence of blue-yellow color vision loss among workers exposed to toluene or tetrachloroethylene, mostly at levels below occupational exposure limits. *Int Arch Occup Environ Health.* 64: 113-117. <http://dx.doi.org/10.1007/BF00381478>.
- Neghab, M; Qu, S; Bai, CL; Caples, J; Stacey, NH. (1997). Raised concentration of serum bile acids following occupational exposure to halogenated solvents, 1,1,2-trichloro-1,2,2-trifluoroethane and trichloroethylene. *Int Arch Occup Environ Health.* 70: 187-194. <http://dx.doi.org/10.1007/s004200050205>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med.* 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Neupauer, RM; Lin, R; O'Shea, H. (2007). Conditioned backward probability modeling to identify sources of groundwater contaminants subject to sorption and decay. *Water Resour Res.* 43. <http://dx.doi.org/10.1029/2006WR005580>.
- Neupauer, RM; Wilson, JL. (2004). Forward and backward location probabilities for sorbing solutes in groundwater. *Advances in Water Resources.* 27: 689-705. <http://dx.doi.org/10.1016/j.advwaters.2004.05.003>.
- Neupauer, RM; Wilson, JL. (2005). Backward probability model using multiple observations of contamination to identify groundwater contamination sources at the Massachusetts Military Reservation. *Water Resour Res.* 41. <http://dx.doi.org/10.1029/2003WR002974>.
- Nies, E. (2012). Ototoxic substances at the workplace: a brief update [Review]. *Arh Hig Rada Toksikol.* 63: 147-152. <http://dx.doi.org/10.2478/10004-1254-63-2012-2199>.
- Nunes, LM; Zhu, YG; Stigter, TY; Monteiro, JP; Teixeira, MR. (2011). Environmental impacts on soil and groundwater at airports: origin, contaminants of concern and environmental risks [Review]. *J Environ Monit.* 13: 3026-3039. <http://dx.doi.org/10.1039/c1em10458f>.
- Ogata, M; Kihara, T; Kamoi, R; Taguchi, T; Oda, J; Kenmotsu, K. (1988). A report of worker suffering from pneumatois cystoides intestinalis following trichloroethylene exposure. *Ind Health.* 26: 179-182.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol.* 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Omae, K; Takebayashi, T; Sakurai, H. (1999). Occupational exposure limits based on biological monitoring: The Japan Society for Occupational Health. *Int Arch Occup Environ Health.* 72: 271-273. <http://dx.doi.org/10.1007/s004200050372>.
- Palau, J; Marchesi, M; Chambon, JC; Aravena, R; Canals, À; Binning, PJ; Bjerg, PL; Otero, N; Soler, A. (2014). Multi-isotope (carbon and chlorine) analysis for fingerprinting and site characterization at a fractured bedrock aquifer contaminated by chlorinated ethenes. *Sci Total Environ.* 475: 61-70. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.059>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Pantucharoensri, S; Boontee, P; Likhitsan, P; Padungtod, C; Prasartsansoui, S. (2004). Generalized eruption accompanied by hepatitis in two Thai metal cleaners exposed to trichloroethylene. *Ind Health*. 42: 385-388.
- Petersen, LW; El-Farhan, YH; Moldrup, P; Rolston, DE; Yamaguchi, T. (1996). Transient diffusion, adsorption, and emission of volatile organic vapors in soils with fluctuating low water contents. *J Environ Qual*. 25: 1054-1063.
- Pudasainee, D; Kim, JH; Lee, SH; Park, JM; Jang, HN; Song, GJ; Seo, YC. (2010). Hazardous air pollutants emission from coal and oil-fired power plants. *Asia-Pacific Journal of Chemical Engineering*. 5: 299-303. <http://dx.doi.org/10.1002/apj.268>.
- Purdue, MP; Bakke, B; Stewart, P; De Roos, AJ; Schenk, M; Lynch, CF; Bernstein, L; Morton, LM; Cerhan, JR; Severson, RK; Cozen, W; Davis, S; Rothman, N; Hartge, P; Colt, JS. (2011). A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect*. 119: 232-238. <http://dx.doi.org/10.1289/ehp.1002106>.
- Raaschou-Nielsen, O; Hansen, J; Christensen, JM; Blot, WJ; McLaughlin, JK; Olsen, JH. (2001). Urinary concentrations of trichloroacetic acid in Danish workers exposed to trichloroethylene, 1947-1985. *Am J Ind Med*. 39: 320-327.
- Raaschou-Nielsen, O; Hansen, J; McLaughlin, JK; Kolstad, H; Christensen, JM; Tarone, RE; Olsen, JH. (2003). Cancer risk among workers at Danish companies using trichloroethylene: A cohort study. *Am J Epidemiol*. 158: 1182-1192. <http://dx.doi.org/10.1093/aje/kwg282>.
- Raaschou-Nielsen, O; Hansen, J; Thomsen, BL; Johansen, I; Lipworth, L; McLaughlin, JK; Olsen, JH. (2002). Exposure of Danish workers to trichloroethylene, 1947-1989. *Appl Occup Environ Hyg*. 17: 693-703. <http://dx.doi.org/10.1080/10473220290096186>.
- Radican, L; Blair, A; Stewart, P; Wartenberg, D. (2008). Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: Extended follow-up. *J Occup Environ Med*. 50: 1306-1319. <http://dx.doi.org/10.1097/JOM.0b013e3181845f7f>.
- Radican, L; Wartenberg, D; Rhoads, G; Schneider, D; Wedeen, R; Stewart, P; Blair, A. (2006). A retrospective occupational cohort study of end-stage renal disease in aircraft workers exposed to trichloroethylene and other hydrocarbons. *J Occup Environ Med*. 48: 1-12. <http://dx.doi.org/10.1097/01.jom.0000190300.51629.e0>.
- Ramis, R; Vidal, E; Garcia-Perez, J; Lope, V; Aragones, N; Perez-Gomez, B; Pollan, M; Lopez-Abente, G. (2009). Study of non-Hodgkin's lymphoma mortality associated with industrial pollution in Spain, using Poisson models. *BMC Public Health*. 9: 26. <http://dx.doi.org/10.1186/1471-2458-9-26>.
- Ramlow, JM. (1995). CRITIQUE OF REVIEW OF CHLORINATED SOLVENTS EPIDEMIOLOGY. *Am J Ind Med*. 27: 313-316.
- Rasmussen, K; Brogren, CH; Sabroe, S. (1993). Subclinical affection of liver and kidney function and solvent exposure. *Int Arch Occup Environ Health*. 64: 445-448. <http://dx.doi.org/10.1007/BF00517951>.
- Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993). Psychometric tests for assessment of brain function after solvent exposure. *Am J Ind Med*. 24: 553-565. <http://dx.doi.org/10.1002/ajim.4700240506>.
- Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993). Solvent-induced chronic toxic encephalopathy. *Am J Ind Med*. 23: 779-792. <http://dx.doi.org/10.1002/ajim.4700230511>.
- Rasmussen, K; Sabroe, S; Wohler, M; Ingerslev, HJ; Kappel, B; Nielsen, J. (1988). A genotoxic study of metal workers exposed to trichloroethylene Sperm parameters and chromosome aberrations in lymphocytes. *Int Arch Occup Environ Health*. 60: 419-423.
- Rastkari, N; Ahmadkhaniha, R; Yunesian, M. (2012). Simultaneous determination of trichloroethylene, perchloroethylene and trichloroacetic acid in human urine using solid-phase microextraction fibre coated with single-walled carbon nanotubes. *Int J Environ Anal Chem*. 92: 1650-1665. <http://dx.doi.org/10.1080/03067319.2011.581367>.
- Rastkari, N; Yunesian, M; Ahmadkhaniha, R. (2011). Exposure Assessment to Trichloroethylene and Perchloroethylene for Workers in the Dry Cleaning Industry. *Bull Environ Contam Toxicol*. 86: 363-367. <http://dx.doi.org/10.1007/s00128-011-0244-9>.
- Read, HW; Fu, X; Clark, LA; Anderson, MA; Jarosch, T. (1996). Field trials of a TiO₂ pellet-based photocatalytic reactor for off-gas treatment at a soil vapor extraction well. *Journal of Soil Contamination*. 5: 187-202.
- Rippen, G; Klopffer, W; Frische, R; K-O, G. (1984). The Environmental Model Segment Approach For Estimating Potential Environmental Concentrations. II. Application Of The Model To p-Dichlorobenzene And Trichloroethane. *Ecotoxicol Environ Saf*. 8: 363-377.
- Ritz, B. (1999). Cancer mortality among workers exposed to chemicals during uranium processing. *J Occup Environ Med*. 41: 556-566.
- Ruder, A. (2006). Potential health effects of occupational chlorinated solvent exposure. *Ann N Y Acad Sci*. 1076: 207-227. <http://dx.doi.org/10.1196/annals.1371.050>.
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med*. 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Ruettinger, S; Breiter, R; Hirsch, K; Alejandro, M; Avila, S; Tobschall, HJ; Neesse, T; Bayer, M. (2006). Natural Attenuation investigations of an abandoned landfill contaminated by chlorinated hydrocarbons. *Grundwasser*. 11: 184-193. <http://dx.doi.org/10.1007/s00767-006-0144-9>.
- Ruijten, MW; Verberk, MM; Sallé, HJ. (1991). Nerve function in workers with long term exposure to trichloroethene. *Br J Ind Med*. 48: 87-92.
- Russo, RS; Zhou, Y; White, ML; Mao, H; Talbot, R; Sive, BC. (2010). Multi-year (2004-2008) record of nonmethane hydrocarbons and halocarbons in New England: seasonal variations and regional sources. *Atmos Chem Phys*. 10: 4909-4929. <http://dx.doi.org/10.5194/acp-10-4909-2010>.
- Sanz, P; Nogue, S; Vilchez, D; Salvado, E; Casal, A; Logroscino, G. (2008). Myoclonic Encephalopathy after Exposure to Trichloroethylene. *Ind Health*. 46: 635-637.
- Sapkota, A; Williams, D; Buckley, TJ. (2005). Tollbooth workers and mobile source-related hazardous air pollutants: How protective is the indoor environment? *Environ Sci Technol*. 39: 2936-2943. <http://dx.doi.org/10.1021/es0489644>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *J Air Waste Manag Assoc.* 55: 878-885.
- Scott, CS; Jinot, J. (2011). Trichloroethylene and Cancer: Systematic and Quantitative Review of Epidemiologic Evidence for Identifying Hazards [Review]. *Int J Environ Res Public Health.* 8: 4238-NII_4163. <http://dx.doi.org/10.3390/ijerph8114238>.
- Seiji, K; Jin, C; Watanabe, T; Nakatsuka, H; Ikeda, M. (1990). Sister chromatid exchanges in peripheral lymphocytes of workers exposed to benzene, trichloroethylene, or tetrachloroethylene, with reference to smoking habits. *Int Arch Occup Environ Health.* 62: 171-176. <http://dx.doi.org/10.1007/BF00383594>.
- Sexton, K; Mongin, SJ; Adgate, JL; Pratt, GC; Ramachandran, G; Stock, TH; Morandi, MT. (2007). Estimating volatile organic compound concentrations in selected microenvironments using time-activity and personal exposure data. *J Toxicol Environ Health A.* 70: 465-476. <http://dx.doi.org/10.1080/15287390600870858>.
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys.* 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.
- Shipman, AJ; Whim, BP. (1980). Occupational exposure to trichloroethylene in metal cleaning processes and to tetrachloroethylene in the drycleaning industry in the UK. *Ann Occup Hyg.* 23: 197-204. <http://dx.doi.org/10.1093/annhyg/23.2.197>.
- Shrestha, D; Liu, S; Hammond, SK; Lavalley, MP; Weiner, DE; Eisen, EA; Applebaum, KM. (2016). Risk of renal cell carcinoma following exposure to metalworking fluids among autoworkers. *Occup Environ Med.* 73: 656-662. <http://dx.doi.org/10.1136/oemed-2016-103769>.
- Skender, L; Karacic, V; Prpic-Majic, D. (1988). Metabolic activity of antipyrine in workers occupationally exposed to trichloroethylene. *Int Arch Occup Environ Health.* 61: 189-195.
- Skender, LJ; Karacic, V; Prpic-Majic, D. (1991). A comparative study of human levels of trichloroethylene and tetrachloroethylene after occupational exposure [Review]. *Arch Environ Health.* 46: 174-178. <http://dx.doi.org/10.1080/15459620802510866>.
- Soh, SC; Abdullah, MP. (2007). Determination of volatile organic compounds pollution sources in Malaysian drinking water using multivariate analysis. *Environ Monit Assess.* 124: 39-50. <http://dx.doi.org/10.1007/s10661-006-9207->
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med.* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Stangroom, SJ; Collins, CD; Lester, JN. (1998). Sources of organic micropollutants to lowland rivers. *Environ Technol.* 19: 643-666.
- Steinhausen, M; Van Gelder, R; Gabriel, S. (2012). Arbeitsbedingte Expositionen gegenüber krebserzeugenden, erbgutverändernden oder fortpflanzungsgefährdenden Substanzen in Deutschland – teil 2: Stoffe mit ERB nach BekGS 910. *Gefahrst Reinhalt Luft.* 72: 347-358.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med.* 48: 531-537.
- Strelec, F. (2012). Trichloroethylene Overexposure in an Automotive Stamping Facility. *J Occup Environ Hyg.* 9: D114-D116. <http://dx.doi.org/10.1080/15459624.2012.683761>.
- Sung, TI; Chen, PC; Lee, LJH; Lin, YP; Hsieh, GY; Wang, JD. (2007). Increased standardized incidence ratio of breast cancer in female electronics workers. *BMC Public Health.* 7: 102. <http://dx.doi.org/10.1186/1471-2458-7-102>.
- Talibov, M; Lehtinen-Jacks, S; Martinsen, JI; Kjærheim, K; Lynge, E; Sparén, P; Tryggvadottir, L; Weiderpass, E; Kauppinen, T; Kyrrönen, P; Pukkala, E. (2014). Occupational exposure to solvents and acute myeloid leukemia: a population-based, case-control study in four Nordic countries. *Scand J Work Environ Health.* 40: 511-517. <http://dx.doi.org/10.5271/sjweh.3436>.
- Teschke, K; Ahrens, W; Andersen, A; Boffetta, P; Fincham, S; Finkelstein, M; Henneberger, P; Kauppinen, T; Kogevinas, M; Korhonen, K; Liss, G; Liukkonen, T; Osvoll, P; Savelle, A; Szadkowska-Stanczyk, I; Westberg, H; Widerkiewicz, K. (1999). Occupational exposure to chemical and biological agents in the nonproduction departments of pulp, paper, and paper product mills: an international study. *Am Ind Hyg Assoc J.* 60: 73-83. <http://dx.doi.org/10.1080/00028899908984424>.
- Thibodeaux, LJ; Carver, JC. (1997). Hindcasting volatile chemical emissions to air from ponded recycle oil. *Environmental Progress.* 16: 106-115.
- Tielemans, E; Heederik, D; Burdorf, A; Vermeulen, R; Veulemans, H; Kromhout, H; Hartog, K. (1999). Assessment of occupational exposures in a general population: comparison of different methods. *Occup Environ Med.* 56: 145-151.
- Tola, S; Vilhunen, R; Jarvinen, E; Korkala, ML. (1980). A cohort study on workers exposed to trichloroethylene. *J Occup Environ Med.* 22: 737-740.
- Triebig, G; Blume, J. (1992). ORGANIC-SOLVENTS AT THE WORKPLACE AND NEPHROTOXICITY - CURRENT KNOWLEDGE AND FUTURE PROSPECT. *Arbeitsmedizin, Sozialmedizin, Präventivmedizin.* 27: 190-&.
- Triebig, G; Schaller, KH. (1991). OCCUPATIONAL MEDICAL INVESTIGATION OF PAINTERS AND LACQUERERS EXPOSED TO HAZARDOUS SUBSTANCES. *Staub, Reinhaltung der Luft.* 51: 1-4.
- Triebig, G; Schaller, KH; Erzigkeit, H; Valentin, LH. (1977). Biochemische Untersuchungen und psychologische Studien an chronisch trichloräthylen-belasteten Personen unter Berücksichtigung expositionsfreier Intervalle. *Int Arch Occup Environ Health.* 38: 149-162. <http://dx.doi.org/10.1007/BF00378353>.
- Triebig, G; Trautner, P; Weltle, D; Saure, E; Valentin, H. (1982). Untersuchungen zur Neurotoxizität von Arbeitsstoffen. *Int Arch Occup Environ Health.* 51: 25-34. <http://dx.doi.org/10.1007/BF00378407>.
- U.S. EPA. (2001). Sources, emission and exposure for trichloroethylene (TCE) and related chemicals [EPA Report]. (EPA/600/R-00/099). Washington, DC. <http://nepis.epa.gov/Exe/ZyNET.exe/30002FKO.TXT?ZyActionD=ZyDocument&Client=EPA&Index=2000+Thru+2005&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5CIndex%20Data%5C00thru05%5CTxt%5C00000002%5C30002FKO.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C->

Engineering/Occupational Exposure Literature Search Results

On Topic

- &MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL#.
- Ulander, A; Selden, A; Ahlberg, G, Jr. (1992). Assessment of intermittent trichloroethylene exposure in vapor degreasing. *AIHA J.* 53: 742-743. <http://dx.doi.org/10.1080/15298669291360454>.
- Valic, E; Waldhör, T; Konnaris, C; Michitsch, A; Wolf, C. (1997). Acquired dyschromatopsia in combined exposure to solvents and alcohol. *Int Arch Occup Environ Health.* 70: 403-406.
- Vlaanderen, J; Straif, K; Pukkala, E; Kauppinen, T; Kyyronen, P; Martinsen, J; Kjaerheim, K; Tryggvadottir, L; Hansen, J; Sparen, P, ar; Weiderpass, E. (2013). Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. *Occup Environ Med.* 70: 393-401. <http://dx.doi.org/10.1136/oemed-2012-101188>.
- Von Grote, J; Hurlimann, JC; Scheringer, M; Hungerbuhler, K. (2003). Reduction of Occupational Exposure to Perchloroethylene and Trichloroethylene in Metal Degreasing over the Last 30 years: Influence of Technology Innovation and Legislation. *J Expo Anal Environ Epidemiol.* 13: 325-340. <http://dx.doi.org/10.1038/sj.jea.7500288>.
- Vyskocil, A; Truchon, G; Leroux, T; Lemay, F; Gendron, M; Gagnon, F; Majidi, NE; Boudjerida, A; Lim, S; Emond, C; Viau, C. (2012). A weight of evidence approach for the assessment of the ototoxic potential of industrial chemicals [Review]. *Toxicol Ind Health.* 28: 796-819. <http://dx.doi.org/10.1177/0748233711425067>.
- Wadden, RA; Hawkins, JL; Scheff, PA; Franke, JE. (1991). Characterization of Emission Factors Related to Source Activity for Trichloroethylene Degreasing and Chrome Plating Processes. *Am Ind Hyg Assoc J.* 52: 349-356.
- Wadden, RA; Scheff, PA; Franke, JE. (1989). Emission Factors for Trichloroethylene Vapor Degreasers. *Am Ind Hyg Assoc J.* 50: 495-500.
- Wartenberg, D; Reyner, D; Scott, CS. (2000). Trichloroethylene and cancer: Epidemiologic evidence [Review]. *Environ Health Perspect.* 108: 161-176.
- Weiss, N. (1996). Cancer in relation to occupational exposure to trichloroethylene [Review]. *Occup Environ Med.* 53: 1-5.
- Whittaker, SG; Taylor, J; Van Hooser, LM. (2015). Characterization of "Hydrocarbon" Dry Cleaning in King County, Washington. *J Environ Health.* 78: 8-13.
- Wiesenhütter, B; Selinski, S; Golka, K; Brüning, T; Bolt, HM. (2007). Re-assessment of the influence of polymorphisms of phase-II metabolic enzymes on renal cell cancer risk of trichloroethylene-exposed workers. *Int Arch Occup Environ Health.* 81: 247-251. <http://dx.doi.org/10.1007/s00420-007-0200-5>.
- Windham, GC; Shusterman, D; Swan, SH; Fenster, L; Eskenazi, B. (1991). Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med.* 20: 241-259. <http://dx.doi.org/10.1002/ajim.4700200210>.
- Wu, C; Schaum, J. (2000). Exposure assessment of trichloroethylene. *Environ Health Perspect.* 108: 359-363.
- Xu, X; Yang, R; Wu, N; Zhong, P; Ke, Y; Zhou, L; Yuan, J; Li, G; Huang, H; Wu, B. (2009). Severe hypersensitivity dermatitis and liver dysfunction induced by occupational exposure to trichloroethylene. *Ind Health.* 47: 107-112.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts.* 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.
- Yang, WB; Chen, WH; Yuan, CS; Yang, JC; Zhao, QL. (2012). Comparative assessments of VOC emission rates and associated health risks from wastewater treatment processes. *J Environ Monit.* 14: 2464-2474. <http://dx.doi.org/10.1039/c2em30138e>.
- Yokouchi, Y. (2005). Estimates of ratios of anthropogenic halocarbon emissions from Japan based on aircraft monitoring over Sagami Bay, Japan. *J Geophys Res.* 110: D06301. <http://dx.doi.org/10.1029/2004JD005320>.
- Young, CM; Jackson, RE; Jin, M; Londergan, JT; Mariner, PE; Pope, GA; Anderson, FJ; Houk, T. (1999). Characterization of a TCE DNAPL zone in alluvium by partitioning tracers. *Ground Water Monitoring and Remediation.* 19: 84-94.
- Yue, F; Huang, HL; Huang, JX; Liang, LY; Huang, ZL; Wei, QY; Chen, XM. (2007). HLA-DM polymorphism and risk of trichloroethylene induced medicamentosa-like dermatitis. *Biomed Environ Sci.* 20: 506-511.
- Zhang, CL; Zheng, G; Nichols, CM. (2006). Micellar partitioning and its effects on Henry's law constants of chlorinated solvents in anionic and nonionic surfactant solutions. *Environ Sci Technol.* 40: 208-214. <http://dx.doi.org/10.1021/es051387e>.
- Zhang, Y; Wang, X; Blake, DR; Li, L; Zhang, Z; Wang, S; Guo, H, ai; Lee, FSC; Gao, B, o; Chan, L; Wu, D, ui; Rowland, FS. (2012). Aromatic hydrocarbons as ozone precursors before and after outbreak of the 2008 financial crisis in the Pearl River Delta region, south China. *J Geophys Res Atmos.* 117: n/a. <http://dx.doi.org/10.1029/2011JD017356>.
- Zhao, Y; Krishnadasan, A; Kennedy, N; Morgenstern, H; Ritz, B. (2005). Estimated effects of solvents and mineral oils on cancer incidence and mortality in a cohort of aerospace workers. *Am J Ind Med.* 48: 249-258. <http://dx.doi.org/10.1002/ajim.20216>.
- Zhou, Y; Varner, RK; Russo, RS; Wingenter, OW; Haase, KB; Talbot, R; Sive, BC. (2005). Coastal water source of short-lived halocarbons in New England. *J Geophys Res Atmos.* 110. <http://dx.doi.org/10.1029/2004JD005603>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Abadi, PGS; Rafiee, E; Nadri, S; Hajian, G; Joshaghani, M. (2014). Synthesis and activity evaluation of a FeCl₂-promoted palladium hollow nano-sphere heterogeneous catalyst in Mizoroki-Heck coupling reactions. *Appl Catal A-Gen.* 487: 139-147. <http://dx.doi.org/10.1016/j.apcata.2014.09.001>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Abb, M; Breuer, JV; Zeitz, C; Lorenz, W. (2010). Analysis of pesticides and PCBs in waste wood and house dust. *Chemosphere*. 81: 488-493. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.042>.
- Abbas, R; Seckel, CS; MacMahon, KL; Fisher, JW. (1997). Determination of kinetic rate constants for chloral hydrate, trichloroethanol, trichloroacetic acid and dichloroacetic acid: A physiologically based modeling approach [Abstract]. *Toxicologist*. 36: 32-33.
- Abbate, C; Giorgianni, C; Munao, F; Brecciaroli, R. (1993). Neurotoxicity induced by exposure to toluene: An electrophysiologic study. *Int Arch Occup Environ Health*. 64: 389-392. <http://dx.doi.org/10.1007/BF00517943>.
- Abdelghani, A; Chovelon, JM; Jaffrezic-Renault, N; Lacroix, M; Gagnaire, H; Veillas, C; Berkova, B; Chomat, M; Matejec, V. (1997). Optical fibre sensor coated with porous silica layers for gas and chemical vapour detection. *Sens Actuators B*. 44: 495-498.
- Abdelghani, A; Chovelon, JM; Jaffrezicrenault, N; Ronottrioli, C; Veillas, C; Gagnaire, H. (1997). Surface plasmon resonance fibre-optic sensor for gas detection. *Sens Actuators B*. 39: 407-410.
- Abdelghani, A; Chovelon, JM; Jaffrezicrenault, N; Veilla, C; Gagnaire, H. (1997). Chemical vapour sensing by surface plasmon resonance optical fibre sensor coated with fluoropolymer. *Anal Chim Acta*. 337: 225-232.
- Abdelghani, A; Jaffrezic-Renault, N. (2001). SPR fibre sensor sensitised by fluoroxiloxane polymers. *Sens Actuators B*. 74: 117-123.
- Abdullah, AZ; Abu Bakar, MZ; Bhatia, S. (2003). A kinetic study of catalytic combustion of ethyl acetate and benzene in air stream over Cr-ZSM-5 catalyst. *Ind Eng Chem Res*. 42: 6059-6067. <http://dx.doi.org/10.1021/ie020989t>.
- Abdullah, AZ; Bakar, MZ; Bhatia, S. (2003). Coking characteristics of chromium-exchanged ZSM-5 in catalytic combustion of ethyl acetate and benzene in air. *Ind Eng Chem Res*. 42: 5737-5744. <http://dx.doi.org/10.1021/ie030427p>.
- Abdullah, AZ; Bakar, MZA; Bhatia, S. (2006). Combustion of chlorinated volatile organic compounds (VOCs) using bimetallic chromium-copper supported on modified H-ZSM-5 catalyst. *J Hazard Mater*. 129: 39-49. <http://dx.doi.org/10.1016/j.jhazmat.2005.05.051>.
- Abedi, K; Ghorbani-Shahna, F; Bahrami, A; Jaleh, B; Yarahmadi, R. (2015). Effect of TiO₂-ZnO/GAC on by-product distribution of CVOCs decomposition in a NTP-assisted catalysis system. *Polish Journal of Chemical Technology*. 17: 32-40. <http://dx.doi.org/10.1515/pjct-2015-0006>.
- Abedi, K; Ghorbani-Shahna, F; Jaleh, B; Bahrami, A; Yarahmadi, R. (2014). Enhanced performance of non-thermal plasma coupled with TiO₂/GAC for decomposition of chlorinated organic compounds: influence of a hydrogen-rich substance. *J Environ Health Sci Eng*. 12: 119. <http://dx.doi.org/10.1186/s40201-014-0119-1>.
- Abedi, K; Ghorbani-Shahna, F; Jaleh, B; Bahrami, A; Yarahmadi, R; Haddadi, R; Gandomi, M. (2015). Decomposition of chlorinated volatile organic compounds (CVOCs) using NTP coupled with TiO₂/GAC, ZnO/GAC, and TiO₂-ZnO/GAC in a plasma-assisted catalysis system. *Journal of Electrostatics*. 73: 80-88. <http://dx.doi.org/10.1016/j.elstat.2014.10.008>.
- Abou-Nemeh, I; Das, A; Saraf, A; Sirkar, KK. (1999). A composite hollow fiber membrane-based pervaporation process for separation of VOCs from aqueous surfactant solutions. *J Memb Sci*. 158: 187-209.
- Abou-Nemeh, I; Majumdar, S; Saraf, A; Sirkar, KK; Vane, LM; Alvarez, FR; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. II: Hollow fiber membrane modules. *Environmental Progress*. 20: 64-73.
- Abraham, D; Patel, P; Cooper, A. (1995). Isolation from rat kidney of a cytosolic high molecular weight cysteine-S-conjugate beta-lyase with activity toward leukotriene E₄. *J Biol Chem*. 270: 180-188. <http://dx.doi.org/10.1074/jbc.270.1.180>.
- Abraham, D; Thomas, R; Cooper, A. (1995). Glutamine transaminase K is not a major cysteine S-conjugate beta-lyase of rat kidney mitochondria: Evidence that a high-molecular weight enzyme fulfills this role. *Mol Pharmacol*. 48: 855-860.
- Abraham, MH; Berthelot, M; Laurence, C; Taylor, PJ. (1998). Analysis of hydrogen-bond complexation constants in 1,1,1-trichloroethane: the alpha(H)(2)beta(H)(2) relationship. 187-191.
- Abrahamsson, K; Ekdahl, A; Collen, J; Pedersen, M. (1995). Marine algae - A source of trichloroethylene and perchloroethylene. *Limnol Oceanogr*. 40: 1321-1326.
- Abrahamsson, K; Pedersen, M. (2000). Evidence of the natural production of trichloroethylene (Reply to the comment by Marshall et al.). *Limnol Oceanogr*. 45: 520-522.
- Abu Hamed, T; Bayraktar, E; Mehmetoglu, T; Mehmetoglu, U. (2013). Cometabolic Degradation of Trichloroethylene by Single- and Two-Phase Systems. *Soil Sediment Contam*. 22: 85-94. <http://dx.doi.org/10.1080/15320383.2012.714422>.
- Abuin, E; Lissi, E; Jara, P. (2007). Effect of the organic solvent on the interfacial micropolarity of AOT-water reverse micelles. *Journal of the Chilean Chemical Society*. 52: 1082-1087.
- Acha, V; Meurens, M; Naveau, H; Agathos, SN. (1999). Detoxification of a mixture of aliphatic chlorinated hydrocarbons in a fixed-bed bioreactor: Continuous on-line monitoring via an attenuated total reflection-Fourier transform infrared sensor. *Water Sci Technol*. 40: 41-47. [http://dx.doi.org/10.1016/S0273-1223\(99\)00607-1](http://dx.doi.org/10.1016/S0273-1223(99)00607-1).
- Acosta, E; Szekeres, E; Sabatini, DA; Harwell, JH. (2003). Net-average curvature model for solubilization and supersolubilization in surfactant microemulsions. *Langmuir*. 19: 186-195. <http://dx.doi.org/10.1021/1a026168a>.
- Acosta, E; Tran, S; Uchiyama, H; Sabatini, DA; Harwell, JH. (2002). Formulating chlorinated hydrocarbon microemulsions using linker molecules. *Environ Sci Technol*. 36: 4618-4624. <http://dx.doi.org/10.1021/es0158859>.
- Acosta, E; Uchiyama, H; Sabatini, DA; Harwell, JH. (2002). The role of hydrophilic linkers. *Journal of Surfactants and Detergents*. 5: 151-157.
- Acosta, EJ; Le, MA; Harwell, JH; Sabatini, DA. (2003). Coalescence and solubilization kinetics in linker-modified microemulsions and related systems. *Langmuir*. 19: 566-574. <http://dx.doi.org/10.1021/1a0261693>.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem*. 49: 1309-1314.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Adachi, A; Komiyama, T; Tanaka, T; Nakatani, M; Muguruma, R; Okano, T. (2000). Studies on defatted seed removal efficiency for organochlorine compounds. *J Agric Food Chem.* 48: 6158-6162.
- Adachi, A; Ozaki, H; Kasuga, I; Okano, T. (2006). Use of beer bran as an adsorbent for the removal of organic compounds from wastewater. *J Agric Food Chem.* 54: 6209-6211. <http://dx.doi.org/10.1021/jf061082z>.
- Adachi, H; Kubota, I; Okamura, N; Iwata, H; Tsujimoto, M; Nakazato, H; Nishihara, T; Noguchi, T. (1989). Purification and characterization of human microsomal dipeptidase. *J Biochem.* 105: 957-961.
- Adamczyk, P; Dybala-Defratyka, A; Paneth, P. (2011). DFT study of trichloroethene reaction with permanganate in aqueous solution. *Environ Sci Technol.* 45: 3006-3011. <http://dx.doi.org/10.1021/es103251u>.
- Adami, HO; Chow, WH; Nyrén, O; Berne, C; Linet, MS; Ekbohm, A; Wolk, A; McLaughlin, JK; Fraumeni, JF. (1996). Excess risk of primary liver cancer in patients with diabetes mellitus. *J Natl Cancer Inst.* 88: 1472-1477.
- Adams, H; Chekmeneva, E; Hunter, CA; Misuraca, MC; Navarro, C; Turega, SM. (2013). Quantification of the effect of conformational restriction on supramolecular effective molarities. *J Am Chem Soc.* 135: 1853-1863. <http://dx.doi.org/10.1021/ja310221t>.
- Adams, JA; Reddy, KR. (1999). Laboratory study of air sparging of TCE-Contaminated saturated soils and ground water. *Ground Water Monitoring and Remediation.* 19: 182-190.
- Adams, JA; Reddy, KR; Tekola, L. (2011). Remediation of chlorinated solvent plumes using in-situ air sparging--a 2-D laboratory study. *Int J Environ Res Public Health.* 8: 2226-2239. <http://dx.doi.org/10.3390/ijerph8062226>.
- Adams, LA; Lindor, KD. (2007). Nonalcoholic fatty liver disease [Review]. *Ann Epidemiol.* 17: 863-869. <http://dx.doi.org/10.1016/j.annepidem.2007.05.013>.
- Adamson, DT; Anderson, RH; Mahendra, S; Newell, CJ. (2015). Evidence of 1,4-dioxane attenuation at groundwater sites contaminated with chlorinated solvents and 1,4-dioxane. *Environ Sci Technol.* 49: 6510-6518. <http://dx.doi.org/10.1021/acs.est.5b00964>.
- Adamson, DT; Mahendra, S; Walker, KL, Jr; Rauch, SR; Sengupta, S; Newell, CJ. (2014). A Multisite Survey To Identify the Scale of the 1,4-Dioxane Problem at Contaminated Groundwater Sites. *Environ Sci Technol Lett.* 1: 254-258. <http://dx.doi.org/10.1021/ez500092u>.
- Adamson, DT; Mcdade, JM; Hughes, JB. (2003). Inoculation of DNAPL source zone to initiate reductive dechlorination of PCE. *Environ Sci Technol.* 37: 2525-2533. <http://dx.doi.org/10.1021/es020236y>.
- Adamson, DT; Newell, CJ. (2009). Support of Source Zone Bioremediation through Endogenous Biomass Decay and Electron Donor Recycling. *Bioremediat J.* 13: 29-40. <http://dx.doi.org/10.1080/10889860802690539>.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res.* 33: 1482-1494.
- Adetutu, EM; Gundry, TD; Patil, SS; Golsheshin, A; Adigun, J, oy; Bhaskarla, V; Aleer, S; Shahsavari, E; Ross, E; Ball, AS. (2015). Exploiting the intrinsic microbial degradative potential for field-based in situ dechlorination of trichloroethene contaminated groundwater. *J Hazard Mater.* 300: 48-57. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.055>.
- Adey, WH; Luckett, C; Smith, M. (1996). Purification of industrially contaminated groundwaters using controlled ecosystems. *Ecol Eng.* 7: 191-212.
- Adgate, J; Eberly, L; Stroebel, C; Pellizzari, E; Sexton, K. (2004). Personal, indoor, and outdoor VOC exposures in a probability sample of children. *J Expo Anal Environ Epidemiol.* 14: S4-S13. <http://dx.doi.org/10.1038/sj.jea.7500353>.
- Adgate, JL; Church, TR; Ryan, AD; Ramachandran, G; Fredrickson, AL; Stock, TH; Morandi, MT; Sexton, K. (2004). Outdoor, indoor, and personal exposure to VOCs in children. *Environ Health Perspect.* 112: 1386-1392. <http://dx.doi.org/10.1289/ehp.7107>.
- Adiaens, P; Grbicgalic, D. (1994). COMETABOLIC TRANSFORMATION OF MONOCHLOROBIPHENYLS AND DICHLOROBIPHENYLS AND CHLOROHYDROXYBIPHENYLS BY METHANOTROPHIC GROUNDWATER ISOLATES. *Environ Sci Technol.* 28: 1325-1330.
- Adler, ID. (1993). Synopsis of the in vivo results obtained with the 10 known or suspected aneugens tested in the CEC collaborative study [Review]. *Mutat Res-Fundam Mol Mech Mutagen.* 287: 131-137. [http://dx.doi.org/10.1016/0027-5107\(93\)90152-6](http://dx.doi.org/10.1016/0027-5107(93)90152-6).
- Adli, M; Baldwin, AS. (2006). IKK-i/IKKepsilon controls constitutive, cancer cell-associated NF-kappaB activity via regulation of Ser-536 p65/RelA phosphorylation. *J Biol Chem.* 281: 26976-26984. <http://dx.doi.org/10.1074/jbc.M603133200>.
- Adrian, L; Hansen, SK; Fung, JM; Goerisch, H; Zinder, SH. (2007). Growth of Dehalococcoides strains with chlorophenols as electron acceptors. *Environ Sci Technol.* 41: 2318-2323. <http://dx.doi.org/10.1021/es062076m>.
- Aelion, CM; Conte, BC. (2004). Susceptibility of residential wells to VOC and nitrate contamination. *Environ Sci Technol.* 38: 1648-1653. <http://dx.doi.org/10.1021/es030401p>.
- Aeppli, C; Berg, M; Cirpka, OA; Holliger, C; Schwarzenbach, RP; Hofstetter, TB. (2009). Influence of mass-transfer limitations on carbon isotope fractionation during microbial dechlorination of trichloroethene. *Environ Sci Technol.* 43: 8813-8820. <http://dx.doi.org/10.1021/es901481b>.
- Aeppli, C; Hofstetter, TB; Amaral, HI; Kipfer, R; Schwarzenbach, RP; Berg, M. (2010). Quantifying in situ transformation rates of chlorinated ethenes by combining compound-specific stable isotope analysis, groundwater dating, and carbon isotope mass balances. *Environ Sci Technol.* 44: 3705-3711. <http://dx.doi.org/10.1021/es903895b>.
- Agarwal, D; Singh, M. (2004). Densities and viscosities of binary liquid mixtures of trichloroethylene and tetrachloroethylene with some polar and nonpolar solvents. *Journal of Chemical and Engineering Data.* 49: 1218-1224. <http://dx.doi.org/10.1021/je034203p>.
- Agarwal, S; Cluxton, P; Kemper, M; Dionysiou, DD; Al-Abed, SR. (2008). Assessment of the functionality of a pilot-scale reactor and its potential for electrochemical degradation of calmagite, a sulfonated azo-dye. *Chemosphere.* 73: 837-843. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.050>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Agarwal, SK; Spivey, JJ; Butt, JB. (1992). CATALYST DEACTIVATION DURING DEEP OXIDATION OF CHLOROHYDROCARBONS. *Appl Catal A-Gen.* 82: 259-275.
- Agerstrand, M; Kuester, A; Bachmann, J; Breitholtz, M; Ebert, I; Rechenberg, B; Ruden, C. (2011). Reporting and evaluation criteria as means towards a transparent use of ecotoxicity data for environmental risk assessment of pharmaceuticals. *Environ Pollut.* 159: 2487-2492. <http://dx.doi.org/10.1016/j.envpol.2011.06.023>.
- Aggarwal, V; Li, H; Boyd, SA; Teppen, BJ. (2006). Enhanced sorption of trichloroethene by smectite clay exchanged with Cs+. *Environ Sci Technol.* 40: 894-899. <http://dx.doi.org/10.1021/es0500411>.
- Aggelopoulos, CA; Tsakiroglou, CD; Ognier, S; Cavadias, S. (2015). Non-aqueous phase liquid-contaminated soil remediation by ex situ dielectric barrier discharge plasma. *Int J Environ Sci Tech.* 12: 1011-1020. <http://dx.doi.org/10.1007/s13762-013-0489-4>.
- Aguilera, J; Wright, JD; Bean, VE. (2008). Hydrometer calibration by hydrostatic weighing with automated liquid surface positioning. *Meas Sci Technol.* 19. <http://dx.doi.org/10.1088/0957-0233/19/1/015104>.
- Ahlers, C; Klos, G; Kurz, H; Wunder, K; Schneider, J; Dueber, C; Mildenerberger, P. (2007). Open source software tool for vendor independent integration of PACS clients with the teaching database MIRC according to IHE TCE. *International Journal of Computer Assisted Radiology and Surgery.* 2: S299-S300.
- Ahmad, A; Gu, X; Li, L, i; Lu, S; Xu, Y; Guo, X. (2015). Effects of pH and Anions on the Generation of Reactive Oxygen Species (ROS) in nZVI-rGo-Activated Persulfate System. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2635-8>.
- Ahmad, A; Gu, X; Li, L, i; Lv, S; Xu, Y; Guo, X. (2015). Efficient degradation of trichloroethylene in water using persulfate activated by reduced graphene oxide-iron nanocomposite. *Environ Sci Pollut Res Int.* 22: 17876-17885. <http://dx.doi.org/10.1007/s11356-015-5034-1>.
- Ahmad, M; Lee, S; Dou, X; Mohan, D; Sung, J; Yang, J; Ok, Y. (2012). Effects of pyrolysis temperature on soybean stover- and peanut shell-derived biochar properties and TCE adsorption in water. *Bioresour Technol.* 118: 536-544. <http://dx.doi.org/10.1016/j.biortech.2012.05.042>.
- Ahmad, M; Lee, S; Rajapaksha, AU; Vithanage, M; Zhang, M; Cho, J; Lee, S; Ok, Y. (2013). Trichloroethylene adsorption by pine needle biochars produced at various pyrolysis temperatures. *Bioresour Technol.* 143: 615-622. <http://dx.doi.org/10.1016/j.biortech.2013.06.033>.
- Ahmad, M; Lee, SS; Oh, SE; Mohan, D; Moon, DH; Lee, YH; Ok, YS. (2013). Modeling adsorption kinetics of trichloroethylene onto biochars derived from soybean stover and peanut shell wastes. *Environ Sci Pollut Res Int.* 20: 8364-8373. <http://dx.doi.org/10.1007/s11356-013-1676-z>.
- Ahmad, M; Moon, DH; Vithanage, M; Koutsospyros, A; Lee, SS, oo; Yang, J, aeE; Lee, SE, un; Jeon, C; Ok, YS, ik. (2014). Production and use of biochar from buffalo-weed (*Ambrosia trifida* L.) for trichloroethylene removal from water. *J Chem Tech Biotechnol.* 89: 150-157. <http://dx.doi.org/10.1002/jctb.4157>.
- Ahmad, M; Ok, YS; Kim, BY; Ahn, JH; Lee, YH; Zhang, M; Moon, DH; Al-Wabel, MI; Lee, SS. (2016). Impact of soybean stover- and pine needle-derived biochars on Pb and As mobility, microbial community, and carbon stability in a contaminated agricultural soil. *J Environ Manage.* 166: 131-139. <http://dx.doi.org/10.1016/j.jenvman.2015.10.006>.
- Ahmad, M; Teel, A; Furman, OS; Reed, JI; Watts, RJ. (2012). Oxidative and Reductive Pathways in Iron-Ethylenediaminetetraacetic Acid-Activated Persulfate Systems. *J Environ Eng.* 138: 411-418. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000496](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000496).
- Ahmad, M; Teel, A; Watts, RJ. (2010). Persulfate activation by subsurface minerals. *J Contam Hydrol.* 115: 34-45. <http://dx.doi.org/10.1016/j.jconhyd.2010.04.002>.
- Ahmed, AA; Chen, D. (2006). Field scale DNAPLs transport under nonequilibrium sorption conditions. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 41: 273-290. <http://dx.doi.org/10.1080/10934520500423097>.
- Ahmed, AA; Chen, D. (2010). Desorption kinetics of trichloroethylene and perchloroethylene from aged dense nonaqueous phase liquid-contaminated soil. *Water Environ J.* 24: 159-164. <http://dx.doi.org/10.1111/j.1747-6593.2009.00175.x>.
- Ahmed, AM; Boshta, M; Braunstein, R; Morchshakov, V; Barner, K; Yang, CP; Sun, JR; Rao, GH. (2003). Heat conductivity of valence doped La_{0.7}Ca_{0.3}Mn_{1-x}Fe_xO_{3-δ}. *J Alloy Comp.* 348: 23-29.
- Ahmed, AM; Morchshakov, V; Barner, K; Yang, CP; Terzieff, P; Schicketanz, H; Gron, T; Sun, JR; Rao, GH. (2003). Recurrent behaviour of magnetisation and resistivity in Ge-substituted La_{0.7}Ca_{0.3}MnO₃. *200: 407-414.* <http://dx.doi.org/10.1002/pssa.200306723>.
- Ahn, H; Jeong, D; Jeong, HK, yu; Lee, Y. (2009). Pervaporation characteristics of trichlorinated organic compounds through Silicalite-1 zeolite membrane. *Desalination.* 245: 754-762. <http://dx.doi.org/10.1016/j.desal.2009.02.048>.
- Ahn, JJ; Kim, YM; Yoo, K; Park, J; Oh, KJ. (2012). Using GA-Ridge regression to select hydro-geological parameters influencing groundwater pollution vulnerability. *Environ Monit Assess.* 184: 6637-6645. <http://dx.doi.org/10.1007/s10661-011-2448-1>.
- Ahn, JY; Kim, C; Kim, HS; Hwang, KY; Hwang, I. (2016). Effects of oxidants on in situ treatment of a DNAPL source by nanoscale zero-valent iron: A field study. *Water Res.* 107: 57-65. <http://dx.doi.org/10.1016/j.watres.2016.10.037>.
- Ahn, Y; Jeong, Y; Lee, D; Lee, Y. (2015). Copper nanowire-graphene core-shell nanostructure for highly stable transparent conducting electrodes. *ACS Nano.* 9: 3125-3133. <http://dx.doi.org/10.1021/acs.nano.5b00053>.
- Ahrens, C; Altman, N; Casella, G; Eaton, M; Hwang, JTG; Staudenmayer, J; Stefanescu, C. (2001). Leukemia clusters in upstate New York: how adding covariates changes the story. *Environmetrics.* 12: 659-672.
- Ahuja, DK; Gavalas, VG; Bachas, LG; Bhattacharyya, D. (2004). Aqueous-phase dechlorination of toxic chloroethylenes by vitamin B-12 cobalt center: Conventional and polypyrrole film-based electrochemical studies. *Ind Eng Chem Res.* 43: 1049-1055. <http://dx.doi.org/10.1021/ie030484i>.
- Aickin, M. (2004). Bayes without priors [Review]. *J Clin Epidemiol.* 57: 4-13. [http://dx.doi.org/10.1016/S0895-4356\(03\)00251-8](http://dx.doi.org/10.1016/S0895-4356(03)00251-8).
- Aickin, M; Chapin, CA; Flood, TJ; Englander, SJ; Caldwell, GG. (1992). Assessment of the spatial occurrence of childhood leukaemia mortality using standardized rate ratios with a simple linear Poisson model. *Int J Epidemiol.* 21: 649-655. <http://dx.doi.org/10.1093/ije/21.4.649>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Aieta, EM; Reagan, KM; Lang, JS; McCreynolds, L; J-W, K; Glaze, WH. (1988). ADVANCED OXIDATION PROCESSES FOR TREATING GROUNDWATER CONTAMINATED WITH TCE AND PCE PILOT-SCALE EVALUATIONS (pp. 64-72). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/88/21973).
Aieta, EM; Reagan, KM; Lang, JS; McCreynolds, L; Kang J-W; Glaze, WH.
- Aikata, H; Takaishi, H; Kawakami, Y; Takahashi, S; Kitamoto, M; Nakanishi, T; Nakamura, Y; Shimamoto, F; Kajiyama, G; Ide, T. (2000). Telomere reduction in human liver tissues with age and chronic inflammation. *Exp Cell Res.* 256: 578-582.
<http://dx.doi.org/10.1006/excr.2000.4862>.
- Aiken, BS; Lapat-Polasko, L. (2003). Estimating chlorinated ethene bioattenuation rates from a single well. *ACS Symp Ser Am Chem Soc.* 837: 109-118.
- Ajo-Franklin, JB; Geller, J, iIT; Harris, JM. (2006). A survey of the geophysical properties of chlorinated DNAPLs. *Journal of Applied Geophysics.* 59: 177-189. <http://dx.doi.org/10.1016/j.jappgeo.2005.10.002>.
- Akira, S; Takeda, K. (2004). Toll-like receptor signalling [Review]. *Nat Rev Immunol.* 4: 499-511. <http://dx.doi.org/10.1038/nri1391>.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual.* 36: 508-520. <http://dx.doi.org/10.2134/jeq2005.0426>.
- Akiyama, TE; Nicol, CJ; Fievet, C; Staels, B; Ward, JM; Auwerx, J; Lee, SS; Gonzalez, FJ; Peters, JM. (2001). Peroxisome proliferator-activated receptor-alpha regulates lipid homeostasis, but is not associated with obesity: Studies with congenic mouse lines. *J Biol Chem.* 276: 39088-39093. <http://dx.doi.org/10.1074/jbc.M107073200>.
- Akyol, NH; Lee, AR; Brusseau, ML. (2013). Impact of enhanced-flushing reagents and organic-liquid distribution on mass removal and mass-discharge reduction. *Water Air Soil Pollut.* 224. <http://dx.doi.org/10.1007/s11270-013-1731-x>.
- Akyol, NH; Yolcubal, I. (2013). Oxidation of Nonaqueous Phase Trichloroethylene with Permanganate in Epikarst. *Water Air Soil Pollut.* 224: 1573. <http://dx.doi.org/10.1007/s11270-013-1573-6>.
- Akyol, NH; Yolcubal, I; Yuksel, DI. (2011). Sorption and transport of trichloroethylene in caliche soil. *Chemosphere.* 82: 809-816.
<http://dx.doi.org/10.1016/j.chemosphere.2010.11.029>.
- Al, TA; Banks, V; Loomer, D; Parker, BL; Ulrich Mayer, K. (2006). Metal mobility during in situ chemical oxidation of TCE by KMnO4. *J Contam Hydrol.* 88: 137-152. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.004>.
- Ala, NK; Domenico, PA. (1992). INVERSE ANALYTICAL TECHNIQUES APPLIED TO COINCIDENT CONTAMINANT DISTRIBUTIONS AT OTIS-AIR-FORCE-BASE, MASSACHUSETTS. *Ground Water.* 30: 212-218.
- Al-Abed; Fang, Y. (2007). Use of Granular Graphite for Electrolytic Dechlorination of Trichloroethylene. *Environ Eng Sci.* 24: 842-851.
<http://dx.doi.org/10.1089/ees.2005.0096>.
- Al-Abed, SR; Fang, Y. (2006). Influences of pH and current on electrolytic dechlorination of trichloroethylene at a granular-graphite packed electrode. *Chemosphere.* 64: 462-469. <http://dx.doi.org/10.1016/j.chemosphere.2005.11.005>.
- Alam, SMS; Choi, G. (2016). Design and implementation of a novel LT codec architecture on TTA based codesign environment. *I E I C E Electronics Express.* 13. <http://dx.doi.org/10.1587/elex.13.20160298>.
- Alawadhi, EM; Amon, CH. (2003). PCM thermal control unit for portable electronic devices: Experimental and numerical studies. *IEEE Trans Compon Packag Tech.* 26: 116-125. <http://dx.doi.org/10.1109/TCAPT.2003.811480>.
- Alayil, R; Balaji, C. (2015). Conjugate Heat Transfer in Latent Heat Thermal Storage System With Cross Plate Fins. *Journal of Heat Transfer.* 137. <http://dx.doi.org/10.1115/1.4030496>.
- Albanna, M; Warith, M; Fernandes, L. (2010). Kinetics of biological methane oxidation in the presence of non-methane organic compounds in landfill bio-covers. *Waste Manag.* 30: 219-227. <http://dx.doi.org/10.1016/j.wasman.2009.09.038>.
- Alberati-Giani, D; Malherbe, P; Kohler, C; Lang, G; Kiefer, V; Lahm, HW; Cesura, AM. (1995). Cloning and characterization of a soluble kynurenine aminotransferase from rat brain: Identity with kidney cysteine conjugate [beta]-lyase. *J Neurochem.* 64: 1448-1455.
<http://dx.doi.org/10.1046/j.1471-4159.1995.64041448.x>.
- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, C. (2012). Remediation of sandy soils contaminated with hydrocarbons and halogenated hydrocarbons by soil vapour extraction. *J Environ Manage.* 104: 195-201. <http://dx.doi.org/10.1016/j.jenvman.2012.03.033>.
- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, MCF. (2010). Estimation of pollutant partition in sandy soils with different water contents. *Environ Monit Assess.* 171: 171-180. <http://dx.doi.org/10.1007/s10661-009-1269-y>.
- Albergaria, JT; Alvim-Ferraz Maria da, C; Delerue, M. (2008). Soil vapor extraction in sandy soils: Influence of airflow rate. *Chemosphere.* 73: 1557-1561. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.080>.
- Albergaria, JT; Martins, FG; Alvim-Ferraz, MCM; Delerue-Matos, C. (2014). Multiple Linear Regression and Artificial Neural Networks to Predict Time and Efficiency of Soil Vapor Extraction. *Water Air Soil Pollut.* 225: 2058-2058. <http://dx.doi.org/10.1007/s11270-014-2058-y>.
- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ.* 14: 55-68.
- Albers, JW; Wald, JJ; Trask, CL; Garabrant, DH; Berent, S. (2001). Evaluation of blink reflex results obtained from workers previously diagnosed with solvent-induced toxic encephalopathy. *J Occup Environ Med.* 43: 713-722.
- Albers, JW; Wald, JJ; Werner, RA; Franzblau, A; Berent, S. (1999). Absence of polyneuropathy among workers previously diagnosed with solvent-induced toxic encephalopathy. *J Occup Environ Med.* 41: 500-509.
- Alberti, L; Lombi, S; Zanini, A. (2011). Identifying sources of chlorinated aliphatic hydrocarbons in a residential area in Italy using the integral pumping test method. *Hydrogeology Journal.* 19: 1253-1267. <http://dx.doi.org/10.1007/s10040-011-0742-1>.
- Albertini, S. (1990). Analysis of nine known or suspected spindle poisons for mitotic chromosome malsegregation using *Saccharomyces cerevisiae* D61.M. *Mutagenesis.* 5: 453-459.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Albino, JD; Nambi, IM. (2009). Effect of biosurfactants on the aqueous solubility of PCE and TCE. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 1565-1573. <http://dx.doi.org/10.1080/10934520903263538>.
- Alcantara-Garduno, ME; Okuda, T; Nishijima, W; Okada, M. (2005). TCE removal from porous media using an ozone-saturated solvent. *Chem Lett.* 34: 1504-1505. <http://dx.doi.org/10.1246/cl.2005.1504>.
- Alcántara-Garduño, ME; Okuda, T; Nishijima, W; Okada, M. (2008). Ozonation of trichloroethylene in acetic acid solution with soluble and solid humic acid. *J Hazard Mater.* 160: 662-667. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.106>.
- Alcantara-Garduño, ME; Okuda, T; Tsai, TY; Nishijima, W; Okada, M. (2008). Experimental and mathematical evaluation of trichloroethylene removal from saturated soil using acetic acid with saturated ozone. *Separation and Purification Technology.* 60: 299-307. <http://dx.doi.org/10.1016/j.seppur.2007.09.001>.
- Aleboye, A; Olya, ME; Aleboye, H. (2009). Oxidative treatment of azo dyes in aqueous solution by potassium permanganate. *J Hazard Mater.* 162: 1530-1535. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.089>.
- Alessi, DS; Li, ZH. (2001). Synergistic effect of cationic surfactants on perchloroethylene degradation by zero-valent iron. *Environ Sci Technol.* 35: 3713-3717.
- Alexander, MV; Rosentreter, JJ. (2008). Photocatalytic oxidation of aqueous trichloroethylene using dye sensitized buoyant photocatalyst monitored via micro-headspace solid-phase microextraction gas chromatography/electron capture detection and mass spectrometry. *Microchem J.* 88: 38-44. <http://dx.doi.org/10.1016/j.microc.2007.09.008>.
- Alfano, OM; Cabrera, MI; Cassano, AE. (1997). Photocatalytic reactions involving hydroxyl radical attack - I. Reaction kinetics formulation with explicit photon absorption effects. *J Catal.* 172: 370-379.
- Algreen, M; Trapp, S; Jensen, PR; Broholm, MM. (2015). Tree Coring as a Complement to Soil Gas Screening to Locate PCE and TCE Source Zones and Hot Spots. *Ground Water Monitoring and Remediation.* 35: 57-66. <http://dx.doi.org/10.1111/gwmmr.12133>.
- Ali, AH; Abu Bakar, AS; Hassan, Z. (2014). Improved optoelectronic properties of ITO-based transparent conductive electrodes with the insertion of Ag/Ni under-layer. *Appl Surf Sci.* 315: 387-391. <http://dx.doi.org/10.1016/j.apsusc.2014.07.172>.
- Ali, AH; Shuhaimi, A; Hassan, Z. (2014). Structural, optical and electrical characterization of ITO, ITO/Ag and ITO/Ni transparent conductive electrodes. *Appl Surf Sci.* 288: 599-603. <http://dx.doi.org/10.1016/j.apsusc.2013.10.079>.
- Ali, AM; Najmy, R. (2013). Structural, optical and photocatalytic properties of NiO-SiO₂ nanocomposites prepared by sol-gel technique. *Catalysis Today.* 208: 2-6. <http://dx.doi.org/10.1016/j.cattod.2012.09.016>.
- Ali, N; Tardif, R. (1999). Toxicokinetic modeling of the combined exposure to toluene and n-hexane in rats and humans. *J Occup Health.* 41: 95-103.
- Alibegic, D; Tsuneda, S; Hirata, A. (2001). Kinetics of tetrachloroethylene (PCE) gas degradation and byproducts formation during UV/H₂O₂ treatment in UV-bubble column reactor. *Chem Eng Sci.* 56: 6195-6203.
- Alibegic, D; Tsuneda, S; Hirata, A. (2003). UV-bubble column reactor (UV-BCR) for photolytic removal of tetrachloroethylene (PCE) from the vapor phase: Methodological approach. *J Chem Eng Jpn.* 36: 178-186.
- Alimov, A; Kost-Alimova, M; Liu, J; Li, C; Bergerheim, U; Imreh, S; Klein, G; Zabarovsky, ER. (2000). Combined LOH/CGH analysis proves the existence of interstitial 3p deletions in renal cell carcinoma. *Oncogene.* 19: 1392-1399. <http://dx.doi.org/10.1038/sj.onc.1203449>.
- Alkorta, I; Garbisu, C. (2001). Phytoremediation of organic contaminants in soils. *Bioresour Technol.* 79: 273-276.
- Allen, BC; Fisher, JW. (1993). Pharmacokinetic modeling of trichloroethylene and trichloroacetic acid in humans. *Risk Anal.* 13: 71-86.
- Allen, BC; Shipp, AM; Crump, KS; Kilian, B; Hogg, ML; Tudor, J; Keller, B. (1987). Investigation of cancer risk assessment methods (3 volumes plus summary report). Washington, D.C.: U.S. Environmental Protection Agency.
- Allen, D; Pearse, G; Haseman, J; Maronpot, R. (2004). Prediction of rodent carcinogenesis: An evaluation of prechronic liver lesions as forecasters of liver tumors in NTP carcinogenicity studies. *Toxicol Pathol.* 32: 393-401. <http://dx.doi.org/10.1080/01926230490440934>.
- Allen-King, RM; Groenevelt, H; Warren, CJ; Mackay, DM. (1996). Non-linear chlorinated-solvent sorption in four aquitards. *J Contam Hydrol.* 22: 3-4.
- Allen-King, RM; Mckay, LD; Trudell, MR. (1997). Organic carbon dominated trichloroethene sorption in a clay-rich glacial deposit. *Ground Water.* 35: 124-130.
- Allred, BB; Swan, KS. (2014). Process Technology Sourcing and the Innovation Context. *Journal of Product Innovation Management.* 31: 1146-1166. <http://dx.doi.org/10.1111/jpim.12211>.
- Allred, SL; Burg, J, AR. (1995). Environmental personal injury litigation as one source of response effects: Findings from the national exposure registry. *Toxicol Ind Health.* 11: 217-230.
- Almazan-Almazan, MC; Perez-Mendoza, M; Domingo-Garcia, M; Fernandez-Morales, I; del Rey-Bueno, F; Garcia-Rodriguez, A; Lopez-Garzon, FJ. (2007). The role of the porosity and oxygen groups on the adsorption of n-alkanes, benzene, trichloroethylene and 1,2-dichloro ethane on active carbons at zero surface coverage. *Carbon.* 45: 1777-1785. <http://dx.doi.org/10.1016/j.carbon.2007.05.003>.
- Alpaslan Kocameci, B; Cecen, F. (2007). Inhibitory effect of the xenobiotic 1,2-dichloroethane in a nitrifying biofilm reactor. *Water Sci Technol.* 55: 67-73. <http://dx.doi.org/10.2166/wst.2007.243>.
- Al-Radadi, NS; Al-Ashqar, SMA; Mostafa, MM. (2011). Synthesis and Characterization of Some New Binary and Ternary Cull Complexes. *Synth React Inorg Met-Org Nano-Met Chem.* 41: 203-210. <http://dx.doi.org/10.1080/15533174.2010.538287>.
- Al-Saleh, I; Al-Doush, I; Alsabbaheen, A; Mohamed, G; Rabbah, A. (2012). Levels of DDT and its metabolites in placenta, maternal and cord blood and their potential influence on neonatal anthropometric measures. *Sci Total Environ.* 416: 62-74. <http://dx.doi.org/10.1016/j.scitotenv.2011.11.020>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Al-Shamsi, MA; Thomson, NR. (2013). Competition by aquifer materials in a bimetallic nanoparticle/persulfate system for the treatment of trichloroethylene. *J Environ Monit.* 15: 1964-1968. <http://dx.doi.org/10.1039/c3em00285c>.
- Al-Shamsi, MA; Thomson, NR. (2013). Treatment of a Trichloroethylene Source Zone using Persulfate Activated by an Emplaced Nano-Pd-Fe-0 Zone. *Water Air Soil Pollut.* 224. <http://dx.doi.org/10.1007/s11270-013-1780-1>.
- Al-Shamsi, MA; Thomson, NR; Forsey, SP. (2013). Iron based bimetallic nanoparticles to activate peroxygens. *Chem Eng J.* 232: 555-563. <http://dx.doi.org/10.1016/j.cej.2013.07.109>.
- Alshwabkeh, AN. (2009). Electrokinetic Soil Remediation: Challenges and Opportunities. *Separation Science and Technology.* 44: 2171-2187. <http://dx.doi.org/10.1080/01496390902976681>.
- Altevoigt, AS; Rolston, DE; Venterea, RT. (2003). Density and pressure effects on the transport of gas phase chemicals in unsaturated porous media. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001338>.
- Altin, Y; Tas, M; Borazan, I; Demir, A, I; Bedeloglu, A. (2016). Solution-processed transparent conducting electrodes with graphene, silver nanowires and PEDOT:PSS as alternative to ITO. *Surf Coating Tech.* 302: 75-81. <http://dx.doi.org/10.1016/j.surfcoat.2016.05.058>.
- Altissimo, L; Andreoli, E; Giacometti, A; Marcomini, A. (2002). Time trends of 1,1,1-trichloroethane, trichloroethylene, and perchloroethylene in confined and unconfined aquifers of a groundwater system in northern Italy. *Ann Chim.* 92: 61-71.
- Altmann, L; Neuhaus, HF; Krämer, U; Witten, J; Jermann, E. (1995). Neurobehavioral and neurophysiological outcome of chronic low-level tetrachloroethene exposure measured in neighborhoods of dry cleaning shops. *Environ Res.* 69: 83-89. <http://dx.doi.org/10.1006/enrs.1995.1028>.
- Altmann, L; Welge, P; Mensing, T; Lilienthal, H; Voss, B; Wilhelm, M. (2002). Chronic exposure to trichloroethylene affects neuronal plasticity in rat hippocampal slices. *Environ Toxicol Pharmacol.* 12: 157-167. [http://dx.doi.org/10.1016/S1382-6689\(02\)00032-7](http://dx.doi.org/10.1016/S1382-6689(02)00032-7).
- Altuntas, T; Park, S; Kharasch, E. (2004). Sulfoxidation of cysteine and mercapturic acid conjugates of the sevoflurane degradation product fluoromethyl-2,2-difluoro-1-(trifluoromethyl)vinyl ether (compound A). *Chem Res Toxicol.* 17: 435-445. <http://dx.doi.org/10.1021/tx034254k>.
- Alvarez, FR; Vane, LM; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. I: Spiral wound membrane modules. *Environmental Progress.* 20: 53-63.
- Alvarez-Cohen, L; Mccarty, PL. (1991). 2-STAGE DISPERSED-GROWTH TREATMENT OF HALOGENATED ALIPHATIC-COMPOUNDS BY COMETABOLISM. *Environ Sci Technol.* 25: 1387-1393.
- Alvarez-Cohen, L; Mccarty, PL. (1991). A COMETABOLIC BIOTRANSFORMATION MODEL FOR HALOGENATED ALIPHATIC-COMPOUNDS EXHIBITING PRODUCT TOXICITY. *Environ Sci Technol.* 25: 1381-1387.
- Alvarez-Cohen, L; Mccarty, PL; Roberts, PV. (1993). Sorption of trichloroethylene onto a Zeolite accompanied by methanotrophic biotransformation. *Environ Sci Technol.* 27: 2141-2148.
- Alves, A; Vanermen, G; Covaci, A; Voorspoels, S. (2016). Ultrasound assisted extraction combined with dispersive liquid-liquid microextraction (US-DLLME)-a fast new approach to measure phthalate metabolites in nails. *Anal Bioanal Chem.* 408: 6169-6180. <http://dx.doi.org/10.1007/s00216-016-9727-1>.
- Al-Zahrani, AA; Alhamed, YA. (2000). Oil removal from spent bleaching clay by solvent extraction. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 35: 1577-1590.
- Amagai, T; Olansandan; Matsushita, H; Ono, M; Nakai, S; Tamura, K; Maeda, K. (1999). A survey of indoor pollution by volatile organohalogen compounds in Katsushika, Tokyo, Japan. *Indoor Built Environ.* 8: 255-268.
- Amali, S; Petersen, LW; Rolston, DE; Moldrup, P. (1994). CORRECTION OF PREVIEWS 97148862. MODELING MULTICOMPONENT VOLATILE ORGANIC AND WATER VAPOR ADSORPTION ON SOILS. ADDITION OF AUTHOR NAME ERRATUM PUBLISHED IN JOURNAL OF HAZARDOUS MATERIALS VOL. 37. ISS. 2. 1994. P. 395. *J Hazard Mater.* 36: 89-108.
- Amali, S; Rolston, DE; Yamaguchi, T. (1996). Transient multicomponent gas-phase transport of volatile organic chemicals in porous media. *J Environ Qual.* 25: 1041-1047.
- Amama, PB; Itoh, K; Murabayashi, M. (2001). Photocatalytic oxidation of trichloroethylene in humidified atmosphere. *J Mol Catal Chem.* 176: 165-172.
- Amama, PB; Itoh, K; Murabayashi, M. (2002). Gas-phase photocatalytic degradation of trichloroethylene on pretreated TiO₂. *Appl Catal B-Environ.* 37: 321-330.
- Amama, PB; Itoh, K; Murabayashi, M. (2004). Effect of RuO₂ deposition on the activity of TiO₂: Photocatalytic oxidation of trichloroethylene in aqueous phase. *Journal of Materials Science.* 39: 4349-4351.
- Amaral, HI; Aeppli, C; Kipfer, R; Berg, M. (2011). Assessing the transformation of chlorinated ethenes in aquifers with limited potential for natural attenuation: added values of compound-specific carbon isotope analysis and groundwater dating. *Chemosphere.* 85: 774-781. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.063>.
- Amaral, HIF; Berg, M; Brennwald, MS; Hofer, M; Kipfer, R. (2010). C-13/C-12 Analysis of Ultra-Trace Amounts of Volatile Organic Contaminants in Groundwater by Vacuum Extraction. *Environ Sci Technol.* 44: 1023-1029. <http://dx.doi.org/10.1021/es901760q>.
- Amarasinghe, PM; Katti, KS; Katti, DR. (2009). Nature of organic fluid-montmorillonite interactions: an FTIR spectroscopic study. *J Colloid Interface Sci.* 337: 97-105. <http://dx.doi.org/10.1016/j.jcis.2009.05.011>.
- Ameen, MM; Raupp, GB. (1999). Reversible catalyst deactivation in the photocatalytic oxidation of dilute o-xylene in air. *J Catal.* 184: 112-122. American Cancer Society. (2008). What are the risk factors for cervical cancer? (pp. 3-7). Atlanta, GA. http://www.cancer.org/docroot/CRI/content/CRI_2_4_2X_What_are_the_risk_factors_for_cervical_cancer_8.asp.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Amet, Y; Berthou, F; Fournier, G; Dreano, Y; Bardou, L; Cledes, J; Menez, JF. (1997). Cytochrome P450 4A and 2E1 expression in human kidney microsomes. *Biochem Pharmacol.* 53: 765-771. [http://dx.doi.org/10.1016/S0006-2952\(96\)00821-0](http://dx.doi.org/10.1016/S0006-2952(96)00821-0).
- Amin, MT; Hamid, S; Alazba, AA; Amin, MN; Islam, M; Manzoor, U. (2014). ENVIRONMENTAL DYNAMICS AND ENGINEERED SYSTEMS FOR THE DEGRADATION OF TRICHLOROETHYLENE: A CRITICAL REVIEW. *Global NEST J.* 16: 316-328.
- Amin, TA; Bindra, S; Narang, RS. (1998). Evaluation of passive samplers for analysis of chlorinated solvents. *J AOAC Int.* 81: 1027-1032.
- Amir, A; Lee, W. (2011). Enhanced reductive dechlorination of tetrachloroethene by nano-sized zero valent iron with vitamin B-12. *Chem Eng J.* 170: 492-497. <http://dx.doi.org/10.1016/j.cej.2011.01.048>.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater.* 235: 359-366. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.017>.
- Amiri, F; Rahman, MM; Bornick, H; Worch, E. (2004). Sorption behaviour of phenols on natural sandy aquifer material during flow-through column experiments: The effect of pH. *Acta Hydrochim Hydrobiol.* 32: 214-224. <http://dx.doi.org/10.1002/ahch.200300531>.
- Amiss, TJ; Smoak, IW. (1995). Determination of chlorobutanol in mouse serum, urine and embryos by capillary gas chromatography with electron capture detection. *J Chromatogr B Biomed Appl.* 673: 59-66.
- Ammuni, C; Fernandez-Canon, J; Shroods, A; Cornett, R; Cheung, J; James, M; Henderson, G; Grompe, M; Stacpoole, P. (2003). Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents. *Biochem Pharmacol.* 66: 2029-2038. <http://dx.doi.org/10.1016/j.bcp.2003.07.002>.
- Amon, JP; Agrawal, A; Shelley, ML; Opperman, BC; Enright, MP; Clemmer, ND; Slusser, T; Lach, J; Sobolewski, T; Gruner, W; Entingh, AC. (2007). Development of a wetland constructed for the treatment of groundwater contaminated by chlorinated ethenes. *Ecol Eng.* 30: 51-66. <http://dx.doi.org/10.1016/j.ecoleng.2007.01.008>.
- Amos, BK; Christ, JA; Abriola, LM; Pennell, KD; Löffler, FE. (2007). Experimental evaluation and mathematical modeling of microbially enhanced tetrachloroethene (PCE) dissolution. *Environ Sci Technol.* 41: 963-970. <http://dx.doi.org/10.1021/es061438n>.
- Amos, BK; Daprato, RC; Hughes, JB; Pennell, KD; Löffler, FE. (2007). Effects of the nonionic surfactant tween 80 on microbial reductive dechlorination of chlorinated ethenes. *Environ Sci Technol.* 41: 1710-1716. <http://dx.doi.org/10.1021/es061926v>.
- Amos, BK; Ritalahti, KM; Cruz-Garcia, C; Padilla-Crespo, E; Löffler, FE. (2008). Oxygen effect on Dehalococcoides viability and biomarker quantification. *Environ Sci Technol.* 42: 5718-5726. <http://dx.doi.org/10.1021/es703227g>.
- Amter, S; Ross, B. (2008). Discussion of 'A quest to locate sites described in the world's first publication on trichloroethene contamination of groundwater' by M. O. Rivett & L. Clark, *Quarterly Journal of Engineering Geology and Hydrogeology*, 40, 241-249. *Quarterly Journal of Engineering Geology and Hydrogeology.* 41: 491-493. <http://dx.doi.org/10.1144/1470-9236/08-021>.
- An, H, aRim; Oh, ST, ag; Kim, CY; Baek, SH, o; Park, I, IKyu; Ahn, H, yoJin. (2014). Al-doped ZnO/Ag grid hybrid transparent conductive electrodes fabricated using a low-temperature process. *J Alloy Comp.* 615: 728-733. <http://dx.doi.org/10.1016/j.jallcom.2014.06.168>.
- An, TC; Zhang, ML; Wang, XM; Sheng, GY; Fu, JM. (2005). Photocatalytic degradation of gaseous trichloroethene using immobilized ZnO/SnO₂ coupled oxide in a flow-through photocatalytic reactor. *J Chem Tech Biotechnol.* 80: 251-258. <http://dx.doi.org/10.1002/jctb.1187>.
- An, YJ; Kampbell, DH; Weaver, JW; Wilson, JT; Jeong, SW. (2004). Natural attenuation of trichloroethene and its degradation products at a lake-shore site. *Environ Pollut.* 130: 325-335. <http://dx.doi.org/10.1016/j.envpol.2004.01.005>.
- Anand, SS; Mehendale, HM. (2004). Liver regeneration: a critical toxicodynamic response in predictive toxicology. *Environ Toxicol Pharmacol.* 18: 149-160. <http://dx.doi.org/10.1016/j.etap.2004.02.011>.
- Anarbaev, RO; Khodyreva, SN; Zakharenko, AL; Rechkunova, NI; Lavrik, OI. (2005). DNA polymerase activity in water-structured and confined environment of reverse micelles. *Journal of Molecular Catalysis B: Enzymatic.* 33: 29-34. <http://dx.doi.org/10.1016/j.molcatb.2005.01.004>.
- Andelman, JB. (1985). Human exposures to volatile halogenated organic chemicals in indoor and outdoor air. *Environ Health Perspect.* 62: 313-318.
- Andersen, ME; Clewell, HJ, III; Gargas, ML; Smith, FA; Reitz, RH. (1987). Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol.* 87: 185-205. [http://dx.doi.org/10.1016/0041-008X\(87\)90281-X](http://dx.doi.org/10.1016/0041-008X(87)90281-X).
- Andersen, ME; Dennison, JE. (2004). Mechanistic approaches for mixture risk assessments-present capabilities with simple mixtures and future directions. *Environ Toxicol Pharmacol.* 16: 1-11. <http://dx.doi.org/10.1016/j.etap.2003.10.004>.
- Andersin, J; Honkala, K. (2011). First principles investigations of Pd-on-Au nanostructures for trichloroethene catalytic removal from groundwater. *Phys Chem Chem Phys.* 13: 1386-1394. <http://dx.doi.org/10.1039/c0cp00524j>.
- Andersin, J; Parkkinen, P; Honkala, K. (2012). Pd-catalyzed hydrodehalogenation of chlorinated olefins: Theoretical insights to the reaction mechanism. *J Catal.* 290: 118-125. <http://dx.doi.org/10.1016/j.jcat.2012.03.006>.
- Anderson, BJ; McKee, AD; Holford, NH. (1997). Size, myths and the clinical pharmacokinetics of analgesia in paediatric patients [Review]. *Clin Pharmacokinet.* 33: 313-327.
- Anderson, JE; Mccarty, PL. (1994). MODEL FOR TREATMENT OF TRICHLOROETHYLENE BY METHANOTROPHIC BIOFILMS. *J Environ Eng.* 120: 379-400.
- Anderson, JE; Mccarty, PL. (1996). Effect of three chlorinated ethenes on growth rates for a methanotrophic mixed culture. *Environ Sci Technol.* 30: 3517-3524.
- Anderson, JE; Mccarty, PL. (1997). Effect of chlorinated ethenes on Smin for a methanotrophic mixed culture. *Environ Sci Technol.* 31: 2204-2210.
- Anderson, M; Church, G. (1998). Offshore passive soil vapor survey at a contaminated coastal site. *J Environ Eng.* 124: 555-563.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Anderson, MA. (2000). Removal of MTBE and other organic contaminants from water by sorption to high silica zeolites. *Environ Sci Technol.* 34: 725-727.
- Anderson, RH; Anderson, JK; Bower, PA. (In Press) Co-occurrence of 1,4-dioxane with trichloroethylene in chlorinated solvent groundwater plumes at US Air Force installations: Fact or fiction. *Integr Environ Assess Manag.* <http://dx.doi.org/10.1002/ieam.1306>.
- Anderson, SP; Howroyd, P; Liu, J; Qian, X; Bahnemann, R; Swanson, C; Kwak, MK; Kensler, TW; Corton, JC. (2004). The transcriptional response to a peroxisome proliferator-activated receptor alpha agonist includes increased expression of proteome maintenance genes. *J Biol Chem.* 279: 52390-52398. <http://dx.doi.org/10.1074/jbc.M409347200>.
- Anderson, TA; Walton, BT. (1995). Comparative fate of (14C)trichloroethylene in the root zone of plants from a former solvent disposal site. *Environ Toxicol Chem.* 14: 2041-2047.
- Andersson, L; Haraldsson, B; Johansson, C; Barregard, L. (2008). Methodological issues on the use of urinary alpha-1-microglobuline in epidemiological studies. *Nephrol Dial Transplant.* 23: 1252-1256. <http://dx.doi.org/10.1093/ndt/gfm729>.
- Ando, S; Tanahashi, N; Mihara, N; Fujita, T; Watanabe, C; Matsuda, H. (2007). Effect of CaO and Na2CO3 on TCE decomposition and dry sorption of Cl compounds derived from TCE. *Kagaku Kogaku Ronbunshu.* 33: 261-266.
- Angeles-Wedler, D; Mackenzie, K; Kopinke, FD. (2008). Permanganate oxidation of sulfur compounds to prevent poisoning of Pd catalysts in water treatment processes. *Environ Sci Technol.* 42: 5734-5739. <http://dx.doi.org/10.1021/es800330s>.
- Anila, P; Reddy, KR; Rao, GS; Ram, PVS, Sai; Ramachandran, D; Rambabu, C. (2015). Phase equilibrium and excess Gibbs energy functions of acetophenone with 1,1,2-trichloroethene and cyclohexane binary mixtures by using NRTL, UNIQUAC, UNIFAC and VANLAAR models at a local atmospheric pressure of 95.3 kPa. *Journal of Molecular Liquids.* 202: 107-114. <http://dx.doi.org/10.1016/j.molliq.2014.12.026>.
- Annapragada, R; Leet, R; Changrani, R; Raupp, GB. (1997). Vacuum photocatalytic oxidation of trichloroethylene. *Environ Sci Technol.* 31: 1898-1901.
- Anon. (1995). BIOREMEDIATION DEGRADES TCE. *Pollution Engineering.* 27: 19-19.
- Anon. (1995). Catalytic process claims to remove TCE and other harmful chemicals in groundwater. *J Environ Health.* 57: 35-35.
- Anon. (1997). Water SG delight with 1997 TCE awards. *Chem Eng (London)*29-30.
- Anon. (1998). Five more big fish join TCE Awards 1999. *Chem Eng (London)*26-26.
- Anon. (1999). Removal of TCE from groundwater. *Chem Eng Tech.* 22: 728-729.
- Anon. (2001). Questions & answers regarding Trichloroethylene reclassification. *Insight.* 43: 473-474.
- Anon. (2004). Flow and level control - tce looks at the latest products on the market. *Chem Eng (London)*49-49.
- Anon. (2007). Federal TCE review may trigger cleanup and exposure issues. *Environ Geol.* 52: 1224-1224.
- Anotai, J, in; Bunmahotama, W; Lu, MC. (2011). Oxidation of Aniline with Sulfate Radicals in the Presence of Citric Acid. *Environ Eng Sci.* 28: 207-215. <http://dx.doi.org/10.1089/ees.2010.0169>.
- Anotai, J, in; Masomboon, N; Chuang, CL, in; Lu, MC. (2011). Persulfate oxidation for the aniline degradation in aqueous systems. *Water Sci Technol.* 63: 1434-1440. <http://dx.doi.org/10.2166/wst.2011.325>.
- Anti, M; Marra, G; Rapaccini, GL; Rumi, C; Bussa, S; Fadda, G; Vecchio, FM; Valenti, A; Percesepe, A; Pompili, M. (1994). DNA ploidy pattern in human chronic liver diseases and hepatic nodular lesions. Flow cytometric analysis on echo-guided needle liver biopsy. *Cancer.* 73: 281-288.
- Antia, J., DD. (2011). Modification of Aquifer Pore-Water by Static Diffusion Using Nano-Zero-Valent Metals. *Water.* 3: 79-112. <http://dx.doi.org/10.3390/w3010079>.
- Antonelli, R; Dal PRA, A. (1991). PROBLEMS OF CONTAMINATION AND PROTECTION OF UNDERGROUND WATERS IN THE VENETO ALLUVIAL PLAIN NORTHERN ITALY (pp. 20-21). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/92/13845). Antonelli, R; Dal PRA, A.
- Antoszczyszyn, M; Zalinskagawronska, J; Myszkowski, J. (1992). LOW-TEMPERATURE ABSORPTION OF SO2 FROM OFF-GASSES FROM THE PLANT OF META-CHLOROACETIC ACID PRODUCTION. *Przemysł Chemiczny.* 71: 190-191.
- Anway, MD; Cupp, AS; Uzun, M; Skinner, MK. (2005). Epigenetic transgenerational actions of endocrine disruptors and male fertility. *Science.* 308: 1466-1469. <http://dx.doi.org/10.1126/science.1108190>.
- Anway, MD; Cupp, AS; Uzun, M; Skinner, MK. (2005). Epigenetic transgenerational actions of endocrine disruptors and male fertility - Supplemental material [Supplemental Data]. *Science.* 308: 1466-1469.
- Ao, CH; Lee, SC; Zou, SC; Mak, CL. (2004). Inhibition effect of SO2 on NOx and VOCs during the photodegradation of synchronous indoor air pollutants at parts per billion (ppb) level by TiO2. *Appl Catal B-Environ.* 49: 187-193. <http://dx.doi.org/10.1016/j.apcatb.2003.12.01>.
- Aochi, YO; Farmer, WJ. (2011). Effects of surface charge and particle morphology on the sorption/desorption behavior of water on clay minerals. *Colloid Surface Physicochem Eng Aspect.* 374: 22-32. <http://dx.doi.org/10.1016/j.colsurfa.2010.10.039>.
- Aoki, N; Soma, K; Katagiri, H; Aizawa, Y; Kadowaki, T; Ohwada, T. (1997). The pulmonary hemodynamic effects of 1,1,1-trichloroethane inhalation. *Ind Health.* 35: 451-455.
- Apel, WA; Dugan, PR; Wiebe, MR; Johnson, EG; Wolfram, JH; Rogers, RD. (1993). BIOPROCESSING OF ENVIRONMENTALLY SIGNIFICANT GASES AND VAPORS WITH GAS-PHASE BIOREACTORS - METHANE, TRICHLOROETHYLENE, AND XYLENE. *ACS Symp Ser Am Chem Soc.* 518: 411-428.
- Arabi, A; Mahmoudi, J; Saradar, H; Jafarzade, A; Ghasemi, M. (2011). Liquid plus liquid equilibria of ternary water plus carboxylic acid plus solvent systems at 288.15 K. *Korean J Chem Eng.* 28: 917-922. <http://dx.doi.org/10.1007/s11814-010-0425-y>.
- Araki, S. (1978). The effects of water restriction and water loading on urinary excretion of lead, delta-aminolevulinic acid and coproporphyrin. *Br J Ind Med.* 35: 312-317.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Arancibia, R; Godoy, F; Garland, MT; Ibanez, A; Baggio, R; Klahn, AH. (2007). Reactions of the rhenium fragment ($\eta(5)\text{-C}_5\text{Me}_5\text{Re}(\text{CO})_2$) with chlorinated ethylenes: Coordination and C-Cl bond activation. *J Organomet Chem.* 692: 963-967. <http://dx.doi.org/10.1016/j.jorganchem.2006.10.050>.
- Arands, R; Lam, T; Massry, I; Berler, DH; Muzzio, FJ; Kosson, DS. (1997). Modeling and experimental validation of volatile organic contaminant diffusion through an unsaturated soil. *Water Resour Res.* 33: 599-609.
- Aranzabal, A; Ayastuy-Arizti, JL; Gonzalez-Marcos, JA; Gonzalez-Velasco, JR. (2003). Kinetics of the catalytic oxidation of lean trichloroethylene in air over Pd/Alumina. *Ind Eng Chem Res.* 42: 6007-6011. <http://dx.doi.org/10.1021/ie030286r>.
- Aranzabal, A; Ayastuy-Arizti, JL; Gonzalez-Marcos, JA; Gonzalez-Velasco, JR. (2003). The reaction pathway and kinetic mechanism of the catalytic oxidation of gaseous lean TCE on Pd/alumina catalysts. *J Catal.* 214: 130-135. [http://dx.doi.org/10.1016/S0021-9517\(02\)00091-X](http://dx.doi.org/10.1016/S0021-9517(02)00091-X).
- Aranzabal, A; Gonzalez-Marcos, JA; Romero-Saez, A; Gonzalez-Velasco, JR, JR; Guillemot, M; Magnoux, P. (2009). Stability of protonic zeolites in the catalytic oxidation of chlorinated VOCs (1,2-dichloroethane). *Appl Catal B-Environ.* 88: 533-541. <http://dx.doi.org/10.1016/j.apcatb.2008.10.007>.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2012). Deactivation of H-zeolites during catalytic oxidation of trichloroethylene. *J Catal.* 296: 165-174. <http://dx.doi.org/10.1016/j.jcat.2012.09.012>.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol.* 91: 318-326. <http://dx.doi.org/10.1002/jctb.4585>.
- Araujo L'Amoura, RJ; Azevedo, EB; Ferreira Leite, SG; Dezotti, M. (2008). Removal of phenol in high salinity media by a hybrid process (activated sludge plus photocatalysis). *Separation and Purification Technology.* 60: 142-146. <http://dx.doi.org/10.1016/j.seppur.2007.08.008>.
- Arbuckle, WB; Osman, MY. (2000). Polyethylene glycol adsorption equilibrium on activated carbon. *Environ Eng Sci.* 17: 147-158.
- Arcangeli, JP; Arvin, E. (1997). Modeling of the cometabolic biodegradation of trichloroethylene by toluene oxidizing bacteria in a biofilm system. *Environ Sci Technol.* 31: 3044-3052.
- Arcangeli, JP; Arvin, E. (1997). Modelling of the growth of a methanotrophic biofilm. *Water Sci Technol.* 36: 199-204.
- Arcangeli, JP; Arvin, E. (2004). Methanotrophic biodegradation of cis-1,2-dichloroethylene in a continuously fed fixed-film bioreactor. *Water Sci Technol.* 49: 231-236.
- Arcangeli, JP; Arvin, E; Mejlhede, M; Lauritsen, FR. (1996). Biodegradation of CIS-1,2-dichloro-ethylene at low concentrations with methane-oxidizing bacteria in a biofilm reactor. *Water Res.* 30: 1885-1893.
- Archer, N; Bradford, C; Villanacci, J; Crane, N; Corsi, R; Chambers, D; Blount, B. (2013). ASSOCIATION BETWEEN VAPOR INTRUSION AND HUMAN EXPOSURE TO TRICHLOROETHYLENE. *Am J Epidemiol.* 177: S42-S42.
- Archer, NP; Bradford, CM; Villanacci, JF; Crain, NE; Corsi, RL; Chambers, DM; Burk, T; Blount, BC. (2015). Relationship between vapor intrusion and human exposure to trichloroethylene. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 1360-1368. <http://dx.doi.org/10.1080/10934529.2015.1064275>.
- Arconada, N; Duran, A; Suarez, S; Portela, R; Coronado, JM; Sanchez, B; Castro, Y. (2009). Synthesis and photocatalytic properties of dense and porous TiO₂-anatase thin films prepared by sol-gel. *Appl Catal B-Environ.* 86: 1-7. <http://dx.doi.org/10.1016/j.apcatb.2008.07.021>.
- Ardila A, AN; Reyes, J; Arriola, E; Hernandez, JA; Fuentes, GA. (2015). Liquid-phase chloroform hydrodechlorination catalyzed by Pd/TiO₂-Na. *Appl Catal A-Gen.* 497: 211-215. <http://dx.doi.org/10.1016/j.apcata.2015.02.045>.
- Argüello, JE; Costentin, C; Griveau, S; Savéant, JM. (2005). Role of protonation and of axial ligands in the reductive dechlorination of alkyl chlorides by vitamin B12 complexes. Reductive cleavage of chloroacetonitrile by Co(I) cobalamins and cobinamides. *J Am Chem Soc.* 127: 5049-5055. <http://dx.doi.org/10.1021/ja042940f>.
- Argyelan, J; Mathews, AP; Nassar, R; Lee, SM. (1991). A NONLINEAR STOCHASTIC-MODEL FOR ADSORPTION IN BATCH REACTORS. *Water Sci Technol.* 24: 49-56.
- Argyelan, J; Nassar, R. (1995). A NONLINEAR MODEL OF AN OPEN FLOW ADSORPTION PROCESS. *Environmetrics.* 6: 195-203.
- Argyris, J; Papadrakakis, M; Stefanou, G. (2002). Stochastic finite element analysis of shells. *Computer Methods in Applied Mechanics and Engineering.* 191: 4781-4804.
- Argyris, J; Papadrakis, M; Mouroutis, ZS. (2003). Nonlinear dynamic analysis of shells with the triangular element TRIC. *Computer Methods in Applied Mechanics and Engineering.* 192: 3005-3038. [http://dx.doi.org/10.1016/S0045-7825\(03\)00315-3](http://dx.doi.org/10.1016/S0045-7825(03)00315-3).
- Argyris, J; Tenek, L; Olofsson, L. (1997). TRIC: A simple but sophisticated 3-node triangular element based on 6 rigid-body and 12 straining modes for fast computational simulations of arbitrary isotropic and laminated composite shells. *Computer Methods in Applied Mechanics and Engineering.* 145: 11-85.
- Argyris, J; Tenek, L; Papadrakakis, M; Apostolopoulou, C. (1998). Postbuckling performance of the TRIC natural mode triangular element for isotropic and laminated composite shells. *Computer Methods in Applied Mechanics and Engineering.* 166: 211-231.
- Argyris, JH; Papadrakakis, M; Apostolopoulou, C; Koutsourelakis, S. (2000). The TRIC shell element: theoretical and numerical investigation. *Computer Methods in Applied Mechanics and Engineering.* 182: 217-245.
- Argyris, JH; Papadrakakis, M; Karapitta, L. (2002). Elasto-plastic analysis of shells with the triangular element TRIC. *Computer Methods in Applied Mechanics and Engineering.* 191: 3613-3636.
- Arif, AA; Shah, SM. (2007). Association between personal exposure to volatile organic compounds and asthma among US adult population. *Int Arch Occup Environ Health.* 80: 711-719. <http://dx.doi.org/10.1007/s00420-007-0183-2>.
- Arito, H; Takahashi, M; Tsuruta, H; Ishikawa, T. (1994). Age-related changes in electrocardiographic responses to trichloroethylene inhalation in conscious rats. *Ind Health.* 32: 129-144.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ariya, PA; Catoire, V; Sander, R; Niki, H; Harris, GW. (1997). Trichloroethene and tetrachloroethene: Tropospheric probes for Cl- and Br-atom reactions during polar sunrise. *Tellus B Chem Phys Meteorol.* 49: 583-591.
- Arkhangelskaja, IV. (2004). Fractal analysis of short and intermediate GRB and the fireball model. *Adv Space Res.* 34: 2723-2728. <http://dx.doi.org/10.1016/j.asr.2003.01.043>.
- Armbruster, K; Bele, P; Brunner, H; Chen, BM; Dahm, S; Geiger, R; Heinen, I; Keller, HJ; Schweitzer, D. (1991). (BEDT-TTF)2X(TCE)0.5[X-BF4,FSO3,IO4] NEW ORGANIC METALS. *Synthetic Metals.* 42: 2025-2028.
- Armin, A; Hamsch, M; Wolfer, P; Jin, H, ui; Li, J, un; Shi, Z; Burn, PL; Meredith, P. (2015). Efficient, Large Area, and Thick Junction Polymer Solar Cells with Balanced Mobilities and Low Defect Densities. 5. <http://dx.doi.org/10.1002/aenm.201401221>.
- Armstrong, JE; Frind, EO; Mcclellan, RD. (1994). NONEQUILIBRIUM MASS-TRANSFER BETWEEN THE VAPOR, AQUEOUS, AND SOLID-PHASES IN UNSATURATED SOILS DURING VAPOR EXTRACTION. *Water Resour Res.* 30: 355-368.
- Arno, J; Bevan, JW; Moisan, M. (1996). Detoxification of trichloroethylene in a low-pressure surface wave plasma reactor. *Environ Sci Technol.* 30: 2427-2431.
- Arnold, SA; Albiez, S; Opara, N; Chami, M; Schmidli, C; Bieri, A; Padeste, C; Stahlberg, H; Braun, T. (2016). Total Sample Conditioning and Preparation of Nanoliter Volumes for Electron Microscopy. *ACS Nano.* 10: 4981-4988. <http://dx.doi.org/10.1021/acsnano.6b01328>.
- Arnold, WA; Roberts, AL. (1998). Pathways of chlorinated ethylene and chlorinated acetylene reaction with Zn(0). *Environ Sci Technol.* 32: 3017-3025.
- Arnold, WA; Roberts, AL. (2000). Pathways and kinetics of chlorinated ethylene and chlorinated acetylene reaction with Fe(O) particles. *Environ Sci Technol.* 34: 1794-1805.
- Arpita, B; Ishimura, K; Nakamura, K; Takamizawa, K. (2013). Microbial dynamics in the process of restoration of groundwater contaminated by chlorinated ethene in the presence of *Escherichia coli*. *Journal of Material Cycles and Waste Management.* 15: 335-341. <http://dx.doi.org/10.1007/s10163-013-0124-y>.
- Arrebola, FJ; Gonzalez-Rodriguez, MJ; Frenich, AG; Marin-Juan, A; Vidal, JLM. (2005). Determination of halogenated solvents content in olive oil by two completely automated headspace techniques coupled to gas chromatography-mass spectrometry. *Anal Chim Acta.* 552: 60-66. <http://dx.doi.org/10.1016/j.aca.2005.07.054>.
- Arshadi, M; Rajaram, H. (2015). A transition in the spatially integrated reaction rate of bimolecular reaction-diffusion systems. *Water Resour Res.* 51: 7798-7810. <http://dx.doi.org/10.1002/2015WR017674>.
- Arshadi, M; Rajaram, H; Detwiler, RL; Jones, T. (2015). High-resolution experiments on chemical oxidation of DNAPL in variable-aperture fractures. *Water Resour Res.* 51: 2317-2335. <http://dx.doi.org/10.1002/2014WR016159>.
- Arvin, E. (1991). BIODEGRADATION KINETICS OF CHLORINATED ALIPHATIC-HYDROCARBONS WITH METHANE OXIDIZING BACTERIA IN AN AEROBIC FIXED BIOFILM REACTOR. *Water Res.* 25: 873-881.
- Arvin, E; Pedersen, LF. (2015). Hydrogen peroxide decomposition kinetics in aquaculture water. *Aquacultural Engineering.* 64: 1-7. <http://dx.doi.org/10.1016/j.aquaeng.2014.12.004>.
- Asal, NR; Geyer, JR; Risser, DR; Lee, ET; Kadamani, S; Cherng, N. (1988). Risk factors in renal cell carcinoma. II. Medical history, occupation, multivariate analysis, and conclusions. *Cancer Detect Prev.* 13: 263-279.
- Asal, NR; Risser, DR; Kadamani, S; Geyer, JR; Lee, ET; Cherng, N. (1988). Risk factors in renal cell carcinoma: I. Methodology, demographics, tobacco, beverage use, and obesity. *Cancer Detect Prev.* 11: 359-377.
- Asawasinsopon, R; Prapamontol, T; Prakobvitayakit, O; Vaneesorn, Y; Mangklabruks, A; Hock, B. (2006). Plasma levels of DDT and their association with reproductive hormones in adult men from northern Thailand. *Sci Total Environ.* 355: 98-105. <http://dx.doi.org/10.1016/j.scitotenv.2005.03.004>.
- Aschengrau, A; Rogers, S; Ozonoff, D. (2003). Perchloroethylene-contaminated drinking water and the risk of breast cancer: Additional results from Cape Cod, Massachusetts, USA. *Environ Health Perspect.* 111: 167-173. <http://dx.doi.org/10.1289/ehp.4980>.
- Aschengrau, A; Weinberg, J; Rogers, S; Gallagher, L; Winter, M; Vieira, V; Webster, T; Ozonoff, D. (2008). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of adverse birth outcomes. *Environ Health Perspect.* 116: 814-820. <http://dx.doi.org/10.1289/ehp.10414>.
- Aschengrau, A; Weinberg, JM; Janulewicz, PA; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: A retrospective cohort study. *Environ Health.* 8: 44. <http://dx.doi.org/10.1186/1476-069X-8-44>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2011). Affinity for risky behaviors following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 10: 102. <http://dx.doi.org/10.1186/1476-069X-10-102>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2012). Occurrence of mental illness following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 11: 2. <http://dx.doi.org/10.1186/1476-069X-11-2>.
- Ashby, J; Brady, A; Elcombe, CR; Elliott, BM; Ishmael, J; Odum, J; Tugwood, JD; Kettle, S; Purchase, IF. (1994). Mechanistically-based human hazard assessment of peroxisome proliferator-induced hepatocarcinogenesis [Review]. *Hum Exp Toxicol.* 13: S1-S117. <http://dx.doi.org/10.1177/096032719401300201>.
- Ashley, DL; Bonin, MA; Cardinali, FL; Mccraw, JM; Wooten, JV. (1994). Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clin Chem.* 40: 1401-1404.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Askari, MD; Maskarinec, MP; Smith, SM; Beam, PM; Travis, CC. (1996). Effectiveness of Purge-and-Trap for Measurement of Volatile Organic Compounds in Aged Soils. *Anal Chem.* 68: 3431-3433. <http://dx.doi.org/10.1021/ac960009c>.
- Asplund, L; Svensson, BG; Nilsson, A; Eriksson, U; Jansson, B; Jensen, S; Wideqvist, U; Skerfving, S. (1994). Polychlorinated biphenyls, 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane (p,p'-DDT) and 1,1-dichloro-2,2-bis(p-chlorophenyl)-ethylene (p,p'-DDE) in human plasma related to fish consumption. *Arch Environ Health.* 49: 477-486. <http://dx.doi.org/10.1080/00039896.1994.9955004>.
- Assadi, AA; Bouzaza, A; Wolbert, D. (2012). Photocatalytic oxidation of trimethylamine and isovaleraldehyde in an annular reactor: Influence of the mass transfer and the relative humidity. *J Photochem Photobiol A.* 236: 61-69. <http://dx.doi.org/10.1016/j.jphotochem.2012.03.020>.
- Assmuth, TW. (1996). Comparative risk analysis of waste site toxicants by indices based on concentration distributions, fluxes, environmental fate and critical effects. *J Hazard Mater.* 48: 121-135. [http://dx.doi.org/10.1016/0304-3894\(95\)00139-5](http://dx.doi.org/10.1016/0304-3894(95)00139-5).
- Athmer, C. (2004). In-situ remediation of TCE in clayey soils. *Soil Sediment Contam.* 13: 479-488.
- ATSDR. (1990). Toxicological profile for cis-, trans-1,2-dichloroethene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.
- ATSDR. (1996). Biennial report to congress (1991 and 1992). Atlanta, GA: U.S. Department of Health and Human Services.
- ATSDR. (1996). Toxicological profile for 1,2-dichloroethene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/ToxProfiles/tp.asp?id=464&tid=82>.
- ATSDR. (1997). Toxicological profile for tetrachloroethylene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/toxprofiles/tp.asp?id=265&tid=48>.
- ATSDR. (1998). Health consultation: Evaluation of health impacts from potential past exposure to tetrachloroethylene in the Natick public water supply. Atlanta, GA: Agency for Toxic Substances & Disease Registry. <http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1270&pg=0>.
- ATSDR. (2000). Public Health Assessment for Tucson International Airport Area (a/k/a El Vado Residential Properties) Tucson, Pima County, Arizona, Region 9. CERCLIS No. AZD980737530. Office of Environmental Health, Environmental Health Consultation Services: U.S. Department of Health and Human Services. http://www.azdhs.gov/phs/oeh/pdf/tuc_brn.pdf.
- ATSDR. (2006). Health consultation: Public health implications of exposures to low-level volatile organic compounds in public drinking water: Endicott area investigation, Broome County, New York. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/HAC/pha/EndicottAreaInvestigation113006/EndicottAreaInvestigationHC113006.pdf>.
- ATSDR. (2007). Analyses of groundwater flow, contaminant fate and transport and distribution of drinking water at Tarawa Terrace and vicinity, U.S. Marine Corps Base Camp Lejeune, North Carolina: Historical reconstruction and present-day conditions. Atlanta, GA: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/sites/lejeune/tarawaterrace.html>.
- ATSDR. (2007). The verbatim transcript of the Meeting of the Camp Lejeune Community Assistance Panel held at the ATSDR, 1825 Century Boulevard, Atlanta, Georgia, on December 6, 2007. Atlanta, GA. http://www.atsdr.cdc.gov/sites/lejeune/docs/CAPtranscript12_07.pdf.
- ATSDR. (2010). The verbatim transcript of the Meeting of the Camp Lejeune Community Assistance Panel held at the Chamblee Building 106, Conference Room B, Atlanta, Georgia, on Dec. 9, 2010. Atlanta, GA. http://www.atsdr.cdc.gov/sites/lejeune/docs/CAPtranscript_12_10.pdf.
- Attallah, AM; Tabll, AA; Salem, SF; El-Sadany, M; Ibrahim, TA; Osman, S; El-Dosoky, IM. (1999). DNA ploidy of liver biopsies from patients with liver cirrhosis and hepatocellular carcinoma: A flow cytometric analysis. *Cancer Lett.* 142: 65-69.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2015). Single-Walled Carbon Nanotube/Silica Composite as a Novel Coating for Solid-Phase Microextraction Fiber Based on Sol-Gel Technology. *Journal of Analytical Chemistry.* 70: 1192-1198. <http://dx.doi.org/10.1134/S1061934815100032>.
- Atteia, O; Franceschi, M; Dupuy, A. (2008). Validation of reactive model assumptions with isotope data: Application to the Dover case. *Environ Sci Technol.* 42: 3289-3295. <http://dx.doi.org/10.1021/es071269m>.
- Atteia, O; Guillot, C. (2007). Factors controlling BTEX and chlorinated solvents plume length under natural attenuation conditions. *J Contam Hydrol.* 90: 81-104. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.012>.
- Atteia, O; Höhener, P. (2010). Semianalytical model predicting transfer of volatile pollutants from groundwater to the soil surface. *Environ Sci Technol.* 44: 6228-6232. <http://dx.doi.org/10.1021/es903477f>.
- Atthi, N; Supadech, J; Dupuy, G; Nimittrakoolchai, O, nUma; Pankiew, A; Supothina, S; Jeamsaksiri, W; Hruanun, C; Poyai, A; Brachais, CH. (2012). Increasing Active Surface Area to Fabricate Ultra-Hydrophobic Surface by Using "Black Silicon" with Bosch Etching Process. *J Nanosci Nanotechnol.* 12: 4919-4927. <http://dx.doi.org/10.1166/jnn.2012.4906>.
- Atwater, JE; Akse, J. R.; Mckinnis, JA; Thompson, JO. (1996). Aqueous phase heterogeneous catalytic oxidation of trichloroethylene. *Appl Catal B-Environ.* 11: L11-L18.
- Atwood, GA; Greene, HL; Chintawar, P; Rachapudi, R; Ramachandran, B; Vogel, CA. (1998). Trichloroethylene sorption and oxidation using a dual function sorbent/catalyst in a falling furnace reactor. *Appl Catal B-Environ.* 18: 51-61.
- Aucejo, A; Gonzalezalfaro, V; Monton, JB; Vazquez, MI. (1995). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF TRICHLOROETHYLENE WITH 1-PROPANOL AND 2-PROPANOL AT 20 AND 100 KPA. *Journal of Chemical and Engineering Data.* 40: 332-335.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Audi-Miro, C; Cretnik, S; Otero, N; Palau, J; Shouakar-Stash, O; Soler, A; Elsner, M. (2013). Cl and C isotope analysis to assess the effectiveness of chlorinated ethene degradation by zero-valent iron: Evidence from dual element and product isotope values. *Appl Geochem*. 32: 175-183. <http://dx.doi.org/10.1016/j.apgeochem.2012.08.025>.
- Audí-Miró, C; Cretnik, S; Torrentó, C; Rosell, M; Shouakar-Stash, O; Otero, N; Palau, J; Elsner, M; Soler, A. (2015). C, Cl and H compound-specific isotope analysis to assess natural versus Fe(0) barrier-induced degradation of chlorinated ethenes at a contaminated site. *J Hazard Mater*. 299: 747-754. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.052>.
- Augugliaro, V; Coluccia, S; Loddò, V; Marchese, L; Martra, G; Palmisano, L; Schiavello, M. (1999). Photocatalytic oxidation of gaseous toluene on anatase TiO₂ catalyst: mechanistic aspects and FT-IR investigation. *Appl Catal B-Environ*. 20: 15-27.
- Aulenta, F; Bianchi, A; Majone, M; Petrangeli Papini, M; Potalivo, M; Tandoi, V. (2005). Assessment of natural or enhanced in situ bioremediation at a chlorinated solvent-contaminated aquifer in Italy: a microcosm study. *Environ Int*. 31: 185-190. <http://dx.doi.org/10.1016/j.envint.2004.09.014>.
- Aulenta, F; Canosa, A; De Roma, L; Reale, P; Panero, S; Rossetti, S; Majone, M. (2009). Influence of mediator immobilization on the electrochemically assisted microbial dechlorination of trichloroethene (TCE) and cis-dichloroethene (cis-DCE). *J Chem Tech Biotechnol*. 84: 864-870. <http://dx.doi.org/10.1002/jctb.2162>.
- Aulenta, F; Canosa, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2008). Trichloroethene dechlorination and H₂ evolution are alternative biological pathways of electric charge utilization by a dechlorinating culture in a bioelectrochemical system. *Environ Sci Technol*. 42: 6185-6190. <http://dx.doi.org/10.1021/es800265b>.
- Aulenta, F; Catervi, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2007). Electron transfer from a solid-state electrode assisted by methyl viologen sustains efficient microbial reductive dechlorination of TCE. *Environ Sci Technol*. 41: 2554-2559. <http://dx.doi.org/10.1021/es0624321>.
- Aulenta, F; Fazi, S; Majone, M; Rossetti, S. (2014). Electrically conductive magnetite particles enhance the kinetics and steer the composition of anaerobic TCE-dechlorinating cultures. *Process Biochemistry*. 49: 2235-2240. <http://dx.doi.org/10.1016/j.procbio.2014.09.015>.
- Aulenta, F; Fuoco, M; Canosa, A; Petrangeli Papini, M; Majone, M. (2008). Use of poly-beta-hydroxy-butyrate as a slow-release electron donor for the microbial reductive dechlorination of TCE. *Water Sci Technol*. 57: 921-925. <http://dx.doi.org/10.2166/wst.2008.073>.
- Aulenta, F; Maio, VD; Ferri, T; Majone, M. (2010). The humic acid analogue antraquinone-2,6-disulfonate (AQDS) serves as an electron shuttle in the electricity-driven microbial dechlorination of trichloroethene to cis-dichloroethene. *Bioresour Technol*. 101: 9728-9733. <http://dx.doi.org/10.1016/j.biortech.2010.07.090>.
- Aulenta, F; Reale, P; Canosa, A; Rossetti, S; Panero, S; Majone, M. (2010). Characterization of an electro-active biocathode capable of dechlorinating trichloroethene and cis-dichloroethene to ethene. 25: 1796-1802. <http://dx.doi.org/10.1016/j.bios.2009.12.033>.
- Aulenta, F; Tocca, L; Verdini, R; Reale, P; Majone, M. (2011). Dechlorination of trichloroethene in a continuous-flow bioelectrochemical reactor: effect of cathode potential on rate, selectivity, and electron transfer mechanisms. *Environ Sci Technol*. 45: 8444-8451. <http://dx.doi.org/10.1021/es202262y>.
- Auman, HJ; Ludwig, JP; Summer, CL; Verbrugge, DA; Froese, KL; Colborn, T; Giesy, JP. (1997). PCBs, DDE, DDT and TCDD-EQ in two species of albatross on sand island, midway atoll, North Pacific Ocean. *Environ Toxicol Chem*. 16: 498-504.
- Auperin, A; Benhamou, S; Ory-Paoletti, C; Flamant, R. (1994). Occupational risk factors for renal cell carcinoma: A case-control study. *Occup Environ Med*. 51: 426-428. <http://dx.doi.org/10.1136/oem.51.6.426>.
- Aust, SD; Bourquin, A; Loper, JC; Salanitro, JP; Suk, WA; Tiedje, J. (1994). Biodegradation of hazardous wastes. *Environ Health Perspect*. 102 Suppl 1: 245-252.
- Aust, SD; Swaner, PR; Stahl, JD. (2004). Detoxification and metabolism of chemicals by white-rot fungi. *ACS Symp Ser Am Chem Soc*. 863: 3-14.
- Austin, EW; Parrish, JM; Kinder, DH; Bull, RJ. (1996). Lipid peroxidation and formation of 8-hydroxydeoxyguanosine from acute doses of halogenated acetic acids. *Fundam Appl Toxicol*. 31: 77-82. <http://dx.doi.org/10.1006/faat.1996.0078>.
- Austin, H; Delzell, E; Grufferman, S; Levine, R; Morrison, AS; Stolley, PD; Cole, P. (1987). Case-control study of hepatocellular carcinoma, occupation, and chemical exposures. *J Occup Med*. 29: 665-669.
- Auwerx, J; Schoonjans, K; Fruchart, JC; Staels, B. (1996). Transcriptional control of triglyceride metabolism: Fibrates and fatty acids change the expression of the LPL and apo C-III genes by activating the nuclear receptor PPAR [Review]. *Atherosclerosis*. 124: S29-S37. [http://dx.doi.org/10.1016/0021-9150\(96\)05854-6](http://dx.doi.org/10.1016/0021-9150(96)05854-6).
- Avakyan, VG; Gromak, VV; Yatsenko, AY. (1994). SPECTROSCOPIC DETECTION OF THE ENDO-ENOL FORM OF 2-ACETYLCYCLOPENTANE-1,3-DIONE. *Russian Chemical Bulletin*. 43: 50-56.
- Aven, MR; Schmidt, M. (1991). ADSORPTION OF FISH OIL AND POLY(VINYL BUTYRAL) ONTO ALUMINUM-OXIDE PARTICLES STUDIED BY LIGHT-SCATTERING. *Colloid and Polymer Science*. 269: 1077-1085.
- Avila, MA; Breiter, R. (2008). Competitive sorption of cis-DCE and TCE in silica gel as a model porous mineral solid. *Chemosphere*. 72: 1807-1815. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.046>.
- Avila, MAS; Breiter, R. (2009). Modelling the Competitive Sorption Process of Multiple Solutes During their Transport in Porous Media. *Environ Model Assess*. 14: 615-629. <http://dx.doi.org/10.1007/s10666-008-9168-0>.
- Avila, P; Bahamonde, A; Blanco, J; Sanchez, B; Cardona, AI; Romero, M. (1998). Gas-phase photo-assisted mineralization of volatile organic compounds by monolithic titania catalysts. *Appl Catal B-Environ*. 17: 75-88.
- Avila, P; Sanchez, B; Cardona, AI. (2002). Influence of the methods of TiO₂ incorporation in monolithic catalysts for the photocatalytic destruction of chlorinated hydrocarbons in gas phase. *Catalysis Today*. 76: 271-278.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Avon, L; Bredehoeft, JD. (1989). AN ANALYSIS OF TRICHLOROETHYLENE MOVEMENT IN GROUNDWATER AT CASTLE-AIR-FORCE-BASE, CALIFORNIA. *J Hydrol.* 110: 23-50.
- Avramescu, ME; Sager, WFC; Wessling, M. (2003). Functionalised ethylene vinyl alcohol copolymer (EVAL) membranes for affinity protein separation. *J Memb Sci.* 216: 177-193. [http://dx.doi.org/10.1016/S0376-7388\(03\)00070-X](http://dx.doi.org/10.1016/S0376-7388(03)00070-X).
- Axelsson, O. (2005). Negative and non-positive epidemiological studies (Reprinted from the European Journal of Oncology Library, vol 2, 2003). *Hum Ecol Risk Assess.* 11: 159-167. <http://dx.doi.org/10.1080/10807030590919981>.
- Aydemir, ME. (2016). Design and implementation of a compact avionics instrument for light aviation. *Turkish Journal of Electrical Engineering and Computer Sciences.* 24: 3471-3482. <http://dx.doi.org/10.3906/elk-1407-149>.
- Aydin, GA; Agaoglu, B; Kocasoy, G; Coptu, NK. (2011). Effect of temperature on cosolvent flooding for the enhanced solubilization and mobilization of NAPLs in porous media. *J Hazard Mater.* 186: 636-644. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.046>.
- Aydin-Sarikurt, D; Dokou, Z, oi; Coptu, NK; Karatzas, GP. (2016). Experimental Investigation and Numerical Modeling of Enhanced DNAPL Solubilization in Saturated Porous Media. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-3136-0>.
- Ayoub, G; Ghauch, A. (2014). Assessment of bimetallic and trimetallic iron-based systems for persulfate activation: Application to sulfamethoxazole degradation. *Chem Eng J.* 256: 280-292. <http://dx.doi.org/10.1016/j.cej.2014.07.002>.
- Ayoub, SR; Uchiyama, H; Iwasaki, K; Doi, T; Inaba, K. (2008). Effects of several surfactants and high-molecular-weight organic compounds on decomposition of trichloroethylene with zerovalent iron powder. *Environ Technol.* 29: 363-373. <http://dx.doi.org/10.1080/09593330801984126>.
- Ayral, D; Otero, M; Goltz, MN; Demond, AH. (2014). Impact of DNAPL contact on the structure of smectitic clay materials. *Chemosphere.* 95: 182-187. <http://dx.doi.org/10.1016/j.chemosphere.2013.08.062>.
- Ayyildiz, O; Peters, RW; Anderson, PR. (2007). Sonolytic degradation of halogenated organic compounds in groundwater: mass transfer effects. *Ultrason Sonochem.* 14: 163-172. <http://dx.doi.org/10.1016/j.ultsonch.2006.04.004>.
- Azamarbarrios, JA; Munoz, E; Penicaud, A. (1997). Electrochemical generation of the higher fullerene radicals C-76(center dot-) C-78(center dot-) and C-84(center dot-) under oxygen- and moisture-free conditions and their observation by EPR. *J Chem Soc Faraday Trans.* 93: 3119-3123.
- Azevedo, EB; Neto, FRD; Dezotti, M. (2004). TiO₂-photocatalyzed degradation of phenol in saline media: lumped kinetics, intermediates, and acute toxicity. *Appl Catal B-Environ.* 54: 165-173. <http://dx.doi.org/10.1016/j.apcatb.2004.06.014>.
- Azimi, N; Xue, Z; Bloom, I; Gordin, ML; Wang, D; Daniel, T; Takoudis, C; Zhang, Z. (2015). Understanding the effect of a fluorinated ether on the performance of lithium-sulfur batteries. 7: 9169-9177. <http://dx.doi.org/10.1021/acsami.5b01412>.
- Azimi, N; Xue, Z; Rago, ND; Takoudis, C; Gordin, ML; Song, J; Wang, D; Zhang, Z. (2015). Fluorinated Electrolytes for Li-S Battery: Suppressing the Self-Discharge with an Electrolyte Containing Fluoroether Solvent. *J Electrochem Soc.* 162: A64-A68. <http://dx.doi.org/10.1149/2.0431501jes>.
- Aziz, CE; Fitch, MW; Linnquist, LK; Pressman, JG; Georgiou, G; Speitel G E, J. R. (1995). Methanotrophic biodegradation of trichloroethylene in a hollow fiber membrane bioreactor. *Environ Sci Technol.* 29: 2574-2583.
- Azizian, MF; Behrens, S; Sabalowsky, A; Dolan, ME; Spormann, AM; Semprini, L. (2008). Continuous-flow column study of reductive dehalogenation of PCE upon bioaugmentation with the *Evanite* enrichment culture. *J Contam Hydrol.* 100: 11-21. <http://dx.doi.org/10.1016/j.jconhyd.2008.04.006>.
- Azizian, MF; Istok, JD; Semprini, L. (2005). Push-pull test evaluation of the in situ aerobic cometabolism of chlorinated ethenes by toluene-utilizing microorganisms. *Water Sci Technol.* 52: 35-40.
- Azizian, MF; Istok, JD; Semprini, L. (2007). Evaluation of the in-situ aerobic cometabolism of chlorinated ethenes by toluene-utilizing microorganisms using push-pull tests. *J Contam Hydrol.* 90: 105-124. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.015>.
- Azizian, MF; Marshall, I; Behrens, S; Spormann, AM; Semprini, L. (2010). Comparison of lactate, formate, and propionate as hydrogen donors for the reductive dehalogenation of trichloroethene in a continuous-flow column. *J Contam Hydrol.* 113: 77-92. <http://dx.doi.org/10.1016/j.jconhyd.2010.02.004>.
- Azvine, B; Ho, C; Kay, S; Nauck, D; Spott, M. (2003). Estimating travel times of field engineers. 21: 33-38.
- Babu, KR; Raman, GK; Krishna, MR. (1990). VAPOR-LIQUID-EQUILIBRIA AT 715 MM/HG IN THE SYSTEMS NORMAL-BUTYL BROMIDE TRICHLOROETHYLENE AND NORMAL-BUTYL BROMIDE TETRACHLOROETHYLENE. *J Indian Chem Soc.* 67: 951-953.
- Baby, R; Balaji, C. (2012). Experimental investigations on phase change material based finned heat sinks for electronic equipment cooling. *Int J Heat Mass Tran.* 55: 1642-1649. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2011.11.020>.
- Bacik, DB; Zhang, M; Zhao, D; Roberts, CB; Seehra, MS; Singh, V; Shah, N. (2012). Synthesis and characterization of supported polysugar-stabilized palladium nanoparticle catalysts for enhanced hydrodechlorination of trichloroethylene. *Nanotechnology.* 23: 294004. <http://dx.doi.org/10.1088/0957-4484/23/29/294004>.
- Baciocchi, R; Boni, MR; D'Aprile, L. (2003). Characterization and performance of granular iron as reactive media for TCE degradation by permeable reactive barriers. *Water Air Soil Pollut.* 149: 211-226.
- Baciocchi, R; Boni, MR; D'Aprile, L. (2004). Application of H₂O₂ lifetime as an indicator of TCE Fenton-like oxidation in soils. *J Hazard Mater.* 107: 97-102. <http://dx.doi.org/10.1016/j.jhazmat.2003.09.008>.
- Back, H; Susser, P. (1992). Concentrations of volatile chlorinated hydrocarbons and trichloroacetic acid in earthworms. *Soil Biol Biochem.* 24: 1745-1748.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bacsi, I; Gonda, S; B-Beres, V; Novak, Z; Nagy, SA; Vasas, G. (2015). Alterations of phytoplankton assemblages treated with chlorinated hydrocarbons: effects of dominant species sensitivity and initial diversity. *Ecotoxicology*. 24: 823-834. <http://dx.doi.org/10.1007/s10646-015-1427-7>.
- Bacsi, I; Toeroek, T; B-Beres, V; Toeroek, P; Tothmeresz, B; Nagy, AS; Vasas, G. (2013). Laboratory and microcosm experiments testing the toxicity of chlorinated hydrocarbons on a cyanobacterium strain (*Synechococcus* PCC 6301) and on natural phytoplankton assemblages. *Hydrobiologia*. 710: 189-203. <http://dx.doi.org/10.1007/s10750-012-1364-x>.
- Badger, TM; Ronis, MJ; Seitz, HK; Albano, E; Ingelman-Sundberg, M; Lieber, CS. (2003). Alcohol metabolism: Role in toxicity and carcinogenesis. *Alcohol Clin Exp Res*. 27: 336-347. <http://dx.doi.org/10.1097/01.ALC.0000052583.87673.37>.
- Badin, A; Broholm, MM; Jacobsen, CS; Palau, J; Dennis, P; Hunkeler, D. (2016). Identification of abiotic and biotic reductive dechlorination in a chlorinated ethene plume after thermal source remediation by means of isotopic and molecular biology tools. *J Contam Hydrol*. 192: 1-19. <http://dx.doi.org/10.1016/j.jconhyd.2016.05.003>.
- Badin, A; Buttet, G; Maillard, J; Holliger, C; Hunkeler, D. (2014). Multiple dual C-Cl isotope patterns associated with reductive dechlorination of tetrachloroethene. *Environ Sci Technol*. 48: 9179-9186. <http://dx.doi.org/10.1021/es500822d>.
- Badin, A; Schirmer, M; Wermeille, C; Hunkeler, D. (2015). Perchloroethene source delineation using carbon-chlorine isotopic analysis: field investigations of isotopic signature variability. *Grundwasser*. 20: 263-270. <http://dx.doi.org/10.1007/s00767-015-0301-0>.
- Baduru, KK; Trapp, S; Burken, JG. (2008). Direct measurement of VOC diffusivities in tree tissues: Impacts on tree-based phytoremediation and plant contamination. *Environ Sci Technol*. 42: 1268-1275. <http://dx.doi.org/10.1021/es071552i>.
- Bae, JW; Park, ED; Lee, JS; Lee, KH; Kim, YG; Yeon, SH; Sung, BH. (2001). Hydrodechlorination of CCl₄ over Pt/ γ -Al₂O₃ - Effects of reaction pressure and diluent gases on distribution of products and catalyst stability. *Appl Catal A-Gen*. 217: 79-89.
- Bae, S; Hanna, K. (2015). Reactivity of Nanoscale Zero-Valent Iron in Unbuffered Systems: Effect of pH and Fe(II) Dissolution. *Environ Sci Technol*. 49: 10536-10543. <http://dx.doi.org/10.1021/acs.est.5b01298>.
- Bae, S; Hong, YK, i; Lee, J; Park, J; Jalli, J; Abo, GS; Kwon, HM; Jayasooriya, CKK. (2013). Pulsed Ferrite Magnetic Field Generator for Through-the-earth Communication Systems for Disaster Situation in Mines. 18: 43-49. <http://dx.doi.org/10.4283/JMAG.2013.18.1.043>.
- Bae, S; Lee, W. (2014). Influence of riboflavin on nanoscale zero-valent iron reactivity during the degradation of carbon tetrachloride. *Environ Sci Technol*. 48: 2368-2376. <http://dx.doi.org/10.1021/es4056565>.
- Bae, Y; Kim, D; Cho, H; Singhal, N; Park, J. (2012). Transformation impacts of dissolved and solid phase Fe(II) on trichloroethylene (TCE) reduction in an iron-reducing bacteria (IRB) mixed column system: A mathematical model. *Water Res*. 46: 6391-6398. <http://dx.doi.org/10.1016/j.watres.2012.09.019>.
- Bae, Y; Park, J, aeWoo. (2009). TCE reduction modeling in soil column: Effect of zero-valent iron, ferrous iron, and iron-reducing bacteria. *Desalination and Water Treatment*. 4: 229-232.
- Baek, JM; Park, SJ. (2000). Tracking the distribution of organic compounds using fugacity model. *Korean J Chem Eng*. 17: 12-16.
- Baek, NH; Jaffe, PR. (1989). THE DEGRADATION OF TRICHLOROETHYLENE IN MIXED METHANOGENIC CULTURES. *J Environ Qual*. 18: 515-518.
- Baek, NH; Jaffe, PR; Shingal, N. (1990). Simulating the degradation of TCE under methanogenesis. *J Environ Sci Health, Part A: Environ Sci Eng*. 25: 987-1006.
- Baek, W; Lee, JY. (2011). Source apportionment of trichloroethylene in groundwater of the industrial complex in Wonju, Korea: a 15-year dispute and perspective. *Water Environ J*. 25: 336-344. <http://dx.doi.org/10.1111/j.1747-6593.2010.00226.x>.
- Baelum, J. (1999). Acute symptoms during non-inhalation exposure to combinations of toluene, trichloroethylene, and n-hexane. *Int Arch Occup Environ Health*. 72: 408-410.
- Baelum, J; Chambon, JC; Scheutz, C; Binning, PJ; Laier, T; Bjerg, PL; Jacobsen, CS. (2013). A conceptual model linking functional gene expression and reductive dechlorination rates of chlorinated ethenes in clay rich groundwater sediment. *Water Res*. 47: 2467-2478. <http://dx.doi.org/10.1016/j.watres.2013.02.016>.
- Baelum, J; Molhave, L; Hansen, SH; Vaeth, M. (1998). Metabolic interaction between toluene, trichloroethylene and n-hexane in humans. *Scand J Work Environ Health*. 24: 30-37.
- Baelum, J; Scheutz, C; Chambon, JC; Jensen, CM; Brochmann, RP; Dennis, P; Laier, T; Broholm, MM; Bjerg, PL; Binning, PJ; Jacobsen, CS. (2014). The impact of bioaugmentation on dechlorination kinetics and on microbial dechlorinating communities in subsurface clay till. *Environ Pollut*. 186: 149-157. <http://dx.doi.org/10.1016/j.envpol.2013.11.013>.
- Baetjer, AM; Annau, Z; Abbey, H. (1970). WATER DEPRIVATION AND TRICHLOROETHYLENE - EFFECT ON HYPOTHALAMIC SELF-STIMULATION. *Arch Environ Health*. 20: 712-&.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res*. 34: 171-178.
- Bahranowski, K; Gawel, A; Janik, R; Komorek, J; Machej, T; Michalik, A; Serwicka, EM; Wlodarczyk, W. (2003). Catalytic combustion of trichloroethylene over Pd-doped Ti-pillared montmorillonites. *Polish Journal of Chemistry*. 77: 675-682.
- Bai, C; Canfield, PJ; Stacey, NH. (1992). Individual serum bile acids as early indicators of carbon tetrachloride- and chloroform-induced liver injury. *Toxicology*. 75: 221-234. [http://dx.doi.org/10.1016/0300-483X\(92\)90004-X](http://dx.doi.org/10.1016/0300-483X(92)90004-X).
- Bai, CL; Canfield, PJ; Stacey, NH. (1992). Effects of hexachloro-1,3-butadiene and 1,1,2,2-tetrachloroethylene on individual serum bile acids. *Toxicol Ind Health*. 8: 191-203.
- Bailer, AJ; Piegorsch, WW. (1997). *Statistics for environmental biology and toxicology*. London, England: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412047312>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bailey, P; Waite, D; Quinnett-Abbott, L; Ripley, BD. (2005). Residues of DDT and other selected organochlorine pesticides in soils from Saskatchewan, Canada (1999). *Can J Soil Sci.* 85: 265-271.
- Bailly, M; Bain, C; Favrot, MC; Ozturk, M. (1995). Somatic mutations of von Hippel-Lindau (VHL) tumor-suppressor gene in European kidney cancers. *Int J Cancer.* 63: 660-664.
- Bajaj, A; Mayilraj, S; Mudiham, MK; Patel, DK; Manickam, N. (2014). Isolation and functional analysis of a glycolipid producing *Rhodococcus* sp. strain IITR03 with potential for degradation of 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane (DDT). *Bioresour Technol.* 167: 398-406. <http://dx.doi.org/10.1016/j.biortech.2014.06.007>.
- Bak, S, olA; Song, MS; Nam, I, nTak; Lee, WG. (2015). Photocatalytic Oxidation of Trichloroethylene in Water Using a Porous Ball of Nano-ZnO and Nanoclay Composite. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2015/160212>.
- Bak, S, olA; Song, MS; Nam, I, nTak; Lee, WG. (2015). Photocatalytic Oxidation of Trichloroethylene in Water Using a Porous Ball of Nano-ZnO and Nanoclay Composite (vol 2015, 160212, 2015). *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2015/201490>.
- Baker, AW; Bonniface, D; Klapotke, TM; Nicol, I; Scott, JD; Scott, WDS; Spence, RR; Watson, MJ; Webb, G; Winfield, JM. (2000). Catalytic fluorination of trichloroethene by anhydrous hydrogen fluoride in the presence of fluorinated chromia under static conditions. Synthesis of [(18)F]-labelled CF(3)CH(2)F and [(36)Cl]-labelled CF(3)CH(2)Cl. Catalytic dehydrofluorination of CF(3)CH(2)F and CF(3)CH(2)Cl. *J Fluor Chem.* 102: 279-284.
- Baker, MP; King, JC; Gorman, BP; Marshall, DW. (2013). Selection and properties of alternative forming fluids for TRISO fuel kernel production. *J Nucl Mater.* 432: 395-406. <http://dx.doi.org/10.1016/j.jnucmat.2012.07.047>.
- Baker, P; King, JC; Gorman, BP; Braley, JC. (2015). Straight-chain halocarbon forming fluids for TRISO fuel kernel production - Tests with yttria-stabilized zirconia microspheres. *J Nucl Mater.* 458: 77-86. <http://dx.doi.org/10.1016/j.jnucmat.2014.11.118>.
- Baker, RS; Nielsen, SG; Heron, G; Ploug, N. (2016). How Effective Is Thermal Remediation of DNAPL Source Zones in Reducing Groundwater Concentrations? *Ground Water Monitoring and Remediation.* 36: 38-53. <http://dx.doi.org/10.1111/gwmmr.12149>.
- Baker, RW; Wijmans, JG; Athayde, AL; Daniels, R; Ly, JH; Le, M. (1997). The effect of concentration polarization on the separation of volatile organic compounds from water by pervaporation. *J Memb Sci.* 137: 159-172.
- Baker, VA; Harries, HM; Waring, JF; Duggan, CM; Ni, HA; Jolly, RA; Yoon, LW; De Souza, AT; Schmid, JE; Brown, RH; Ulrich, RG; Rockett, JC. (2004). Clofibrate-induced gene expression changes in rat liver: A cross-laboratory analysis using membrane cDNA arrays. *Environ Health Perspect.* 112: 428-438. <http://dx.doi.org/10.1289/ehp.6677>.
- Balasubramanian, P; Philip, L; Bhallamudi, SM. (2012). Biotrickling filtration of complex pharmaceutical VOC emissions along with chloroform. *Bioresour Technol.* 114: 149-159. <http://dx.doi.org/10.1016/j.biortech.2012.03.035>.
- Balazova, A; Slodicka, M; Van Keer, R. (2006). Parameter determination for reductive dechlorination of chlorinated solvents. *Transport in Porous Media.* 65: 411-424. <http://dx.doi.org/10.1007/s11242-006-0001-4>.
- Balderaslopez, JA; Acostaavalos, D; Alvarado, JJ; Zelayaangel, O; Sanchezsinencio, F; Falcony, C; Cruzorea, A; Vargas, H. (1995). PHOTOACOUSTIC MEASUREMENTS OF TRANSPARENT LIQUID SAMPLES - THERMAL EFFUSIVITY. *Meas Sci Technol.* 6: 1163-1168.
- Balkwill, F; Charles, KA; Mantovani, A. (2005). Smoldering and polarized inflammation in the initiation and promotion of malignant disease [Review]. *Cancer Cell.* 7: 211-217. <http://dx.doi.org/10.1016/j.ccr.2005.02.013>.
- Balkwill, F; Coussens, LM. (2004). Cancer: An inflammatory link [Comment]. *Nature.* 431: 405-406. <http://dx.doi.org/10.1038/431405a>.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (1997). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard. *Water Resour Res.* 33: 2741-2757.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (2001). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard" by W. P. Ball et al. (vol 33, pg 2741, 1997). *Water Resour Res.* 37: 189-189.
- Ballapragada, BS; Stensel, HD; Puhakka, JA; Ferguson, JF. (1997). Effect of hydrogen on reductive dechlorination of chlorinated ethenes. *Environ Sci Technol.* 31: 1728-1734.
- Ballesta, PP; Ferradas, EG; Aznar, AM. (1995). DESORPTION ISOTHERMS OF VOLATILE ORGANIC-COMPOUNDS ADSORBED ON ACTIVATED-CHARCOAL. *Am Ind Hyg Assoc J.* 56: 171-177.
- Ballestar, E; Esteller, M. (2002). The impact of chromatin in human cancer: Linking DNA methylation to gene silencing [Review]. *Carcinogenesis.* 23: 1103-1109. <http://dx.doi.org/10.1093/carcin/23.7.1103>.
- Balluz, L; Moll, D; Diaz Martinez, MG; Merida Colindres, JE; Malilay, J. (2001). Environmental pesticide exposure in Honduras following hurricane Mitch. *Bull World Health Organ.* 79: 288-295.
- Balluz, L; Philen, R; Ortega, L; Rosales, C; Brock, J; Barr, D; Kieszak, S. (2001). Investigation of systemic lupus erythematosus in Nogales, Arizona. *Am J Epidemiol.* 154: 1029-1036.
- Band, PR; Le, ND; Fang, R; Deschamps, M; Gallagher, RP; Yang, P. (2000). Identification of occupational cancer risks in British Columbia: A population-based case-control study of 995 incident breast cancer cases by menopausal status, controlling for confounding factors. *J Occup Environ Med.* 42: 284-310. <http://dx.doi.org/10.1097/00043764-200003000-00010>.
- Bangalore, AS; Small, GW; Combs, RJ; Knapp, RB; Kroutil, RT; Traynor, CA; Ko, JD. (1997). Automated Detection of Trichloroethylene by Fourier Transform Infrared Remote Sensing Measurements. *Anal Chem.* 69: 118-129.
- Bangash, FK; Gul, S. (2012). Removal of Acid Dye from Water by Nano Zero-Valent Iron. *J Chem Soc Pakistan.* 34: 1279-1285.
- Banisharif, A; Khodadadi, AA, li; Mortazavi, Y; Firooz, AA; Beheshtian, J; Agah, S; Menbari, S. (2015). Highly active Fe2O3-doped TiO2 photocatalyst for degradation of trichloroethylene in air under UV and visible light irradiation: Experimental and computational studies. *Appl Catal B-Environ.* 165: 209-221. <http://dx.doi.org/10.1016/j.apcatb.2014.10.023>.
- Banks, PM. (1992). Changes in diagnosis of non-Hodgkin's lymphomas over time [Review]. *Cancer Res.* 52: 5453s-5455s.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bankston, JL; Sola, DL; Komor, AT; Dwyer, DF. (2002). Degradation of trichloroethylene in wetland microcosms containing broad-leaved cattail and eastern cottonwood. *Water Res.* 36: 1539-1546.
- Bannasch, P. (1996). Pathogenesis of hepatocellular carcinoma: Sequential cellular, molecular, and metabolic changes [Review]. *Prog Liver Dis.* 14: 161-197.
- Bannasch, P. (2001). Hormonal and hormone-like effects eliciting hepatocarcinogenesis [Review]. *Folia Histochem Cytobiol.* 39: 28-29.
- Bannasch, P; Haertel, T; Su, Q. (2003). Significance of hepatic preneoplasia in risk identification and early detection of neoplasia [Review]. *Toxicol Pathol.* 31: 134-139. <http://dx.doi.org/10.1080/01926230390173923>.
- Bannasch, P; Nehrbass, D; Kopp-Schneider, A. (2001). Significance of hepatic preneoplasia for cancer chemoprevention [Review]. In AB Miller; H Bartsch; P Bofetta; L Dragsted; H Vainio (Eds.), *IARC Scientific Publication* (pp. 223-240). Lyon, France: International Agency for Research on Cancer.
- Bansal, AK; Holzer, W; Penzkofer, A; Hoerhold, HH; Klemm, E; Frank, W; Kley, EB. (2008). Spectroscopic and lasing characterisation of a luminescent phenylene/bipyridine polymer. *Synthetic Metals.* 158: 758-766. <http://dx.doi.org/10.1016/j.synthmet.2008.04.029>.
- Bao, N, an; Wu, G; Niu, J; Zhang, Q; He, S, ui; Wang, J, in. (2014). Wide spectral response and enhanced photocatalytic activity of TiO₂ continuous fibers modified with aminosilane coupling agents. *J Alloy Comp.* 599: 40-48. <http://dx.doi.org/10.1016/j.jallcom.2014.02.072>.
- Bao, WMJ; Vogler, ET; Chrysikopoulos, CV. (2003). Nonaqueous liquid pool dissolution in three-dimensional heterogeneous subsurface formations. *Environ Geol.* 43: 968-977. <http://dx.doi.org/10.1007/s00254-002-0721-x>.
- Barac, T; Weyens, N; Oeyen, L; Taghavi, S; van der Lelie, D; Dubin, D; Spliet, M; Vangronsveld, J. (2009). Field note: hydraulic containment of a BTEX plume using poplar trees. *Int J Phytoremediation.* 11: 416-424. <http://dx.doi.org/10.1080/15226510802655880>.
- Baragi, JG; Aralaguppi, MI; Aminabhavi, TM; Kariduraganavar, MY; Kulkarni, SS. (2005). Density, viscosity, refractive index, and speed of sound for binary mixtures of 1,4-dioxane with different organic liquids at (298.15, 303.15, and 308.15) K. *Journal of Chemical and Engineering Data.* 50: 917-923. <http://dx.doi.org/10.1021/je049609w>.
- Barak, Y; Sadosky, Y; Shalom-Barak, T. (2008). PPAR Signaling in Placental Development and Function. *PPAR Research.* 2008: 142082. <http://dx.doi.org/10.1155/2008/142082>.
- Baran, J. R.; Pope, GA; Wade, WH; Weerasooriya, V; Yapa, A. (1994). MICROEMULSION FORMATION WITH CHLORINATED HYDROCARBONS OF DIFFERING POLARITY. *Environ Sci Technol.* 28: 1361-1366.
- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. *Environ Sci Technol.* 30: 2143-2147.
- Baraona, E; Shoichet, L; Navder, K; Lieber, C. (2002). Mediation by nitric oxide of the stimulatory effects of ethanol on blood flow. *Life Sci.* 70: 2987-2995. [http://dx.doi.org/10.1016/S0024-3205\(02\)01572-2](http://dx.doi.org/10.1016/S0024-3205(02)01572-2).
- Baraona, E; Zeballos, G; Shoichet, L; Mak, K; Lieber, C. (2002). Ethanol consumption increases nitric oxide production in rats, and its peroxynitrite-mediated toxicity is attenuated by polyenylphosphatidylcholine. *Alcohol Clin Exp Res.* 26: 883-889. <http://dx.doi.org/10.1111/j.1530-0277.2002.tb02618.x>.
- Barbaro, JR; Neupane, PP. (2006). Use of plume mapping data to estimate chlorinated solvent mass loss. *Ground Water Monitoring and Remediation.* 26: 115-127.
- Barberis, S; Quiroga, E; Morcelle, S; Priolo, N; Luco, JA. (2006). Study of phytoproteases stability in aqueous-organic biphasic systems using linear free energy relationships. *Journal of Molecular Catalysis B: Enzymatic.* 38: 95-103. <http://dx.doi.org/10.1016/j.molcatb.2005.11.011>.
- Barbosa, LAM, M; Loffreda, D; Sautet, P. (2002). Chemisorption of trichloroethene on the PdCu alloy (110) surface: A periodical density functional study. *Langmuir.* 18: 2625-2635. <http://dx.doi.org/10.1021/la011113e>.
- Barbosa, LAM, M; Sautet, P. (2002). Trichloroethene dechlorination reactions on the PdCu(110) alloy surface: A periodical density functional theory study of the mechanism. *J Catal.* 207: 127-138. <http://dx.doi.org/10.1006/jcat.2002.3512>.
- Barbour, JP; Smith, JA; Chiou, CT. (2005). Sorption of aromatic organic pollutants to grasses from water. *Environ Sci Technol.* 39: 8369-8373. <http://dx.doi.org/10.1021/es0504946>.
- Barclay, LRC; Dakin, KA; Zahalka, HA. (1992). ASCORBATE - ANTIOXIDANT ACTIVITY DETERMINED IN A HYDROCARBON PHASE USING QUATERNARY AMMONIUM-SALTS AS PHASE-TRANSFER AGENTS. *Can J Chem.* 70: 2148-2153.
- Bardo, L; Bird, DM. (2009). THE USE OF CAPTIVE AMERICAN KESTRELS (FALCO SPARVERIUS) AS WILDLIFE MODELS: A REVIEW. *Journal of Raptor Research.* 43: 345-364.
- Bardoděj, Z. (1991). Exposure limits for occupational and environmental chemical pollutants in various media. *Sci Total Environ.* 101: 45-54.
- Baric, M; Majone, M; Beccari, M; Papini, MP. (2012). Coupling of polyhydroxybutyrate (PHB) and zero valent iron (ZVI) for enhanced treatment of chlorinated ethanes in permeable reactive barriers (PRBs). *Chem Eng J.* 195: 22-30. <http://dx.doi.org/10.1016/j.cej.2012.04.026>.
- Barnes, JA; Brown, RS; Cheung, AH; Dreher, MA; Mackey, G; Loock, HP. (2010). Chemical sensing using a polymer coated long-period fiber grating interrogated by ring-down spectroscopy. *Sens Actuators B.* 148: 221-226. <http://dx.doi.org/10.1016/j.snb.2010.04.007>.
- Barnes, RJ; Riba, O; Gardner, MN; Scott, TB; Jackman, SA; Thompson, I. (2010). Optimization of nano-scale nickel/iron particles for the reduction of high concentration chlorinated aliphatic hydrocarbon solutions. *Chemosphere.* 79: 448-454. <http://dx.doi.org/10.1016/j.chemosphere.2010.01.044>.
- Barnes, RJ; Riba, O; Gardner, MN; Singer, AC; Jackman, SA; Thompson, IP. (2010). Inhibition of biological TCE and sulphate reduction in the presence of iron nanoparticles. *Chemosphere.* 80: 554-562. <http://dx.doi.org/10.1016/j.chemosphere.2010.04.033>.
- Barnes, RJ; van Der Gast, CJ; Riba, O; Lehtovirta, LE; Prosser, JI; Dobson, PJ; Thompson, I. (2010). The impact of zero-valent iron nanoparticles on a river water bacterial community. *J Hazard Mater.* 184: 73-80. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.006>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere*. 82: 592-596. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.015>.
- Barnier, C; Palmier, C; Atteia, O. (2013). Validation of a multilevel sampling device to determine the vertical variability of chlorinated solvent in a contaminated aquifer. *Environ Technol*. 34: 1543-1553. <http://dx.doi.org/10.1080/09593330.2012.758665>.
- Barrabes, N; Cornado, D; Foettinger, K; Dafinov, A; Llorca, J; Medina, F; Rupprechter, G. (2009). Hydrodechlorination of trichloroethylene on noble metal promoted Cu-hydroxalcite-derived catalysts. *J Catal*. 263: 239-246. <http://dx.doi.org/10.1016/j.jcat.2009.02.015>.
- Barrabes, N; Foettinger, K; Dafinov, A; Medina, F; Rupprechter, G; Llorca, J; Sueiras, JE. (2009). Study of Pt-CeO₂ interaction and the effect in the selective hydrodechlorination of trichloroethylene. *Appl Catal B-Environ*. 87: 84-91. <http://dx.doi.org/10.1016/j.apcatb.2008.08.018>.
- Barrabes, N; Foettinger, K; Llorca, J; Dalinov, A; Medina, F; Sa, J; Hardacre, C; Rupprechter, G. (2010). Pretreatment Effect on Pt/CeO₂ Catalyst in the Selective Hydrodechlorination of Trichloroethylene. *J Phys Chem C*. 114: 17675-17682. <http://dx.doi.org/10.1021/jp1048748>.
- Barragan-Huerta, BE; Costa-Perez, C; Peralta-Cruz, J; Barrera-Cortes, J; Esparza-Garcia, F; Rodriguez-Vazquez, R. (2007). Biodegradation of organochlorine pesticides by bacteria grown in microniches of the porous structure of green bean coffee. *Int Biodeterior Biodegradation*. 59: 239-244. <http://dx.doi.org/10.1016/j.ibiod.2006.11.001>.
- Barranco, FT; Dawson, HE; Christener, JM; Honeyman, BD. (1997). Influence of aqueous pH and ionic strength on the wettability of quartz in the presence of dense non-aqueous-phase liquids. *Environ Sci Technol*. 31: 676-681.
- Barrass, NC; Price, RJ; Lake, BG; Orton, TC. (1993). Comparison of the acute and chronic mitogenic effects of the peroxisome proliferators methylclofenapate and clofibrac acid in rat liver. *Carcinogenesis*. 14: 1451-1456. <http://dx.doi.org/10.1093/carcin/14.7.1451>.
- Barraza-Villarreal, A; Fariás, P; Díaz Sánchez, V; Bailey, JL; De Jager, T; Ayotte, P; Hernández-Avila, M; Dewailly, E. (2004). Nonoccupational determinants of plasma DDT and p,p'-DDE in men from Chiapas, Mexico. *Arch Environ Health*. 59: 42-49. <http://dx.doi.org/10.3200/AEOH.59.1.42-49>.
- Barrio-Lage, G; Parsons, FZ; Nassar, RS. (1987). KINETICS OF THE DEPLETION OF TRICHLOROETHENE. *Environ Sci Technol*. 21: 366-370.
- Barrio-Lage, GA; Parsons, FZ; Lorenzo, PA. (1988). INHIBITION AND STIMULATION OF TRICHLOROETHYLENE BIODEGRADATION IN MICROAEROPHILIC MICROCOSMS. *Environ Toxicol Chem*. 7: 889-896.
- Barrio-Lage, GA; Parsons, FZ; Nassar, RS; Lorenzo, PA. (1987). BIOTRANSFORMATION OF TRICHLOROETHENE IN A VARIETY OF SUBSURFACE MATERIALS. *Environ Toxicol Chem*. 6: 571-578.
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol*. 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Barshteyn, N; Elfarra, AA. (2007). Formation of three N-acetyl-L-cysteine monoadducts and one diadduct by the reaction of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide with N-acetyl-L-cysteine at physiological conditions: chemical mechanisms and toxicological implications. *Chem Res Toxicol*. 20: 1563-1569. <http://dx.doi.org/10.1021/tx700263w>.
- Barshteyn, N; Elfarra, AA. (2009). Globin monoadducts and cross-links provide evidence for the presence of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide, chlorothioacetone, and 2-chlorothionoacetyl chloride in the circulation in rats administered S-(1,2-dichlorovinyl)-L-cysteine. *Chem Res Toxicol*. 22: 1629-1638. <http://dx.doi.org/10.1021/tx900219x>.
- Bartelt-Hunt, SL; Smith, JA. (2002). Measurement of effective air diffusion coefficients for trichloroethene in undisturbed soil cores. *J Contam Hydrol*. 56: 193-208. [http://dx.doi.org/10.1016/S0169-7722\(01\)00209-1](http://dx.doi.org/10.1016/S0169-7722(01)00209-1).
- Bartelt-Hunt, SL; Smith, JA; Burns, SE; Rabideau, AJ. (2005). Evaluation of granular activated carbon, shale, and two organoclays for use as sorptive amendments in clay landfill liners. *Journal of Geotechnical and Geoenvironmental Engineering*. 131: 848-856. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2005\)131:7\(848\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2005)131:7(848)).
- Barter, ZE; Bayliss, MK; Beaune, PH; Boobis, AR; Carlile, DJ; Edwards, RJ; Houston, JB; Lake, BG; Lipscomb, JC; Pelkonen, OR; Tucker, GT; Rostami-Hodjegan, A. (2007). Scaling factors for the extrapolation of in vivo metabolic drug clearance from in vitro data: Reaching a consensus on values of human microsomal protein and hepatocellularity per gram of liver [Review]. *Curr Drug Metab*. 8: 33-45.
- Barthos, R; Mehn, D; Demortier, A; Pierard, N; Morciaux, Y; Demortier, G; Fonseca, A; Nagy, JB. (2005). Functionalization of single-walled carbon nanotubes by using alkyl-halides. *Carbon*. 43: 321-325. <http://dx.doi.org/10.1016/j.carbon.2004.09.018>.
- Barton, HA; Chiu, WA; Setzer, RW; Andersen, ME; Bailer, AJ; Bois, FY; DeWoskin, RS; Hays, S; Johanson, G; Jones, N; Loizou, G; Macphail, RC; Portier, CJ; Spendiff, M; Tan, YM. (2007). Characterizing uncertainty and variability in physiologically-based pharmacokinetic (PBPK) models: State of the science and needs for research and implementation. *Toxicol Sci*. 99: 395-402. <http://dx.doi.org/10.1093/toxsci/kfm100>.
- Barton, HA; Clewell, HJ, III. (2000). Evaluating noncancer effects of trichloroethylene: Dosimetry, mode of action, and risk assessment [Review]. *Environ Health Perspect*. 108: 323-334.
- Barton, JW; Vodraska, CD; Flanary, SA; Davison, BH. (2003). Partitioning of BTEX Constituents and Chloroorganics in High-Biomass Systems. *Environmental Progress*. 22: 95-102.
- Barton, JW; Vodraska, CD; Flanary, SA; Davison, BH. (2008). Solubility of toluene, benzene and TCE in high-microbial concentration systems. *Chemosphere*. 73: 1737-1740. <http://dx.doi.org/10.1016/j.chemosphere.2008.09.008>.
- Bartosiewicz, M; Penn, S; Buckpitt, A. (2001). Applications of gene arrays in environmental toxicology: Fingerprints of gene regulation associated with cadmium chloride, benzo(a)pyrene, and trichloroethylene. *Environ Health Perspect*. 109: 71-74.
- Bartow, G; Davenport, C. (1995). PUMP-AND-TREAT ACCOMPLISHMENTS - A REVIEW OF THE EFFECTIVENESS OF GROUND-WATER REMEDIATION IN SANTA-CLARA VALLEY, CALIFORNIA. *Ground Water Monitoring and Remediation*. 15: 140-146.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bartsch, H; Malaveille, C; Barbin, A; Planche, G. (1979). Mutagenic and alkylating metabolites of halo-ethylenes, chlorobutadienes and dichlorobutenes produced by rodent or human liver tissues: Evidence for oxirane formation by P450-linked microsomal mono-oxygenases. *Arch Toxicol.* 41: 249-277. <http://dx.doi.org/10.1007/BF00296896>.
- Bartulewicz, J; Bartulewicz, E; Gawlowski, J; Niedzielski, J. (1998). Simple and rapid method for the determination of methylene chloride, ethylene dichloride, trichloroethylene and tetrachloroethylene in atmospheric air. *Chemia analityczna.* 43: 887-895.
- Basseres, A; Simonet, F; Lafont, M; Coste, M; Narbonne, JF. (2004). Validation of biomarkers for impact evaluation of aqueous industrial waste in mesocosms. *Water Sci Technol.* 49: 123-130.
- Basu, B; Visvanathan, C. (2000). Membrane permeation of a binary compound for co-current and cross flow modes. *Desalination.* 130: 113-129.
- Basu, NB; Rao, PS; Poyer, IC; Annable, MD; Hatfield, K. (2006). Flux-based assessment at a manufacturing site contaminated with trichloroethylene. *J Contam Hydrol.* 86: 105-127. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.011>.
- Basu, NB; Suresh, P; Rao, C; Poyer, IC; Nandy, S; Mallavarapu, M; Naidu, R; Davis, GB; Patterson, BM; Annable, MD; Hatfield, K. (2009). Integration of traditional and innovative characterization techniques for flux-based assessment of dense non-aqueous phase liquid (DNAPL) sites. *J Contam Hydrol.* 105: 161-172. <http://dx.doi.org/10.1016/j.jconhyd.2008.12.005>.
- Bataller, V; Munoz, A; Gaudo, PM; Mediano, A; Cuchi, JA; Villarroel, JL. (2010). Earth impedance model for through-the-earth communication applications with electrodes. *Radio Sci.* 45. <http://dx.doi.org/10.1029/2010RS004406>.
- Bataller, V; Munoz, A; Molina Gaudo, P; Mediano, A; Cuchi, A; Villarroel, YJL. (2012). Electrode impedance measurement in through-the-earth communication applications. *I E T Microwaves, Antennas & Propagation.* 6: 807-812. <http://dx.doi.org/10.1049/iet-map.2010.0312>.
- Bates, BA; Brenniman, GR; Allen, RJ; Anderson, RJ. (1991). ELUTION PROFILES OF 3 CHLORINATED HYDROCARBONS LEACHING THROUGH SANDY SOIL. *J Environ Eng.* 117: 279-290.
- Batterman, S; Kulshrestha, A; H-Y, C. (1995). Hydrocarbon Vapor Transport in Low Moisture Soils. *Environ Sci Technol.* 29: 171-180.
- Batterman, S; Padmanabham, I; Milne, P. (1996). Effective gas-phase diffusion coefficients in soils at varying water content measured using a one-flow sorbent-based technique. *Environ Sci Technol.* 30: 770-778.
- Batterman, S; Su, FC; Li, S; Mukherjee, B; Jia, C; Committee, HHR. (2014). Personal exposure to mixtures of volatile organic compounds: modeling and further analysis of the RIOPA data. *Res Rep Health Eff Inst3-63*.
- Bauer, S; Bayer-Raich, M; Holder, T; Kolesar, C; Müller, D; Ptak, T. (2004). Quantification of groundwater contamination in an urban area using integral pumping tests. *J Contam Hydrol.* 75: 183-213. <http://dx.doi.org/10.1016/j.jconhyd.2004.06.002>.
- Baum, G; Oppenlaender, T. (1995). Vacuum-UV: Oxidation of chloroorganic compounds in an excimer flow through photoreactor. *Chemosphere.* 30: 1781-1790.
- Baumgartner, MT; Taccone, RA; Teruel, MA; Lane, SI. (2002). Theoretical study of the relative reactivity of chloroethenes with atmospheric oxidants (OH, NO₃, O(P-3), Cl(P-2) and Br(P-2)). *Phys Chem Chem Phys.* 4: 1028-1032. <http://dx.doi.org/10.1039/b108856b>.
- Bayer, P; Finkel, M. (2005). Modelling of sequential groundwater treatment with zero valent iron and granular activated carbon. *J Contam Hydrol.* 78: 129-146. <http://dx.doi.org/10.1016/j.jconhyd.2005.03.005>.
- Bayer, P; Schüth, C. (2010). Technico-economic assessment of groundwater treatment by palladium-on-zeolite-catalyst in comparison to GAC fixed bed adsorbers. *Water Sci Technol.* 62: 708-718. <http://dx.doi.org/10.2166/wst.2010.342>.
- Bayer, T; Amberg, A; Bertermann, R; Rusch, GM; Anders, MW; Dekant, W. (2002). Biotransformation of 1,1,1,3,3-pentafluoropropane (HFC-245fa). *Chem Res Toxicol.* 15: 723-733. <http://dx.doi.org/10.1021/tx025505c>.
- Beamer, PI; Luik, CE; Abrell, L; Campos, S; Martinez, ME; Saez, AE. (2012). Correction to concentration of trichloroethylene in breast milk and household water from Nogales, Arizona [Erratum]. *Environ Sci Technol.* 46: 11483-11483. <http://dx.doi.org/10.1021/es303836r>.
- Beard, A; Naikwadi, KP; Karasek, FW. (1993). FORMATION OF POLYCHLORINATED DIBENZOFURANS BY CHLORINATION AND DE-NOVO REACTIONS WITH FECL₃ IN PETROLEUM REFINING PROCESSES. *Environ Sci Technol.* 27: 1505-1511.
- Beard, J; Marshall, S; Jong, K; Newton, R; Triplett-Mcbride, T; Humphries, B; Bronks, R. (2000). 1,1,1-trichloro-2,2-bis (p-chlorophenyl)-ethane (DDT) and reduced bone mineral density. *Arch Environ Health.* 55: 177-180. <http://dx.doi.org/10.1080/00039890009603403>.
- Beauchet, R; Mijoin, J; Magnoux, P. (2009). Improved catalytic oxidation of cumene by formation of catalytically active species during reaction over NaX zeolite. *Appl Catal B-Environ.* 88: 106-112. <http://dx.doi.org/10.1016/j.apcatb.2008.09.014>.
- Beaudreuil, S; Lasfargues, G; Laueriere, L; El Ghoul, Z; Fourquet, F; Longuet, C; Halimi, JM; Nivet, H; Buchler, M. (2005). Occupational exposure in ANCA-positive patients: A case-control study. *Kidney Int.* 67: 1961-1966. <http://dx.doi.org/10.1111/j.1523-1755.2005.00295.x>.
- Beaumont, JJ; Breslow, NE. (1981). Power considerations in epidemiologic studies of vinyl chloride workers [Review]. *Am J Epidemiol.* 114: 725-734.
- Bechard, KM; Gillis, PL; Wood, CM. (2008). Trophic transfer of Cd from larval chironomids (*Chironomus riparius*) exposed via sediment or waterborne routes, to zebrafish (*Danio rerio*): Tissue-specific and subcellular comparisons. *Aquat Toxicol.* 90: 310-321. <http://dx.doi.org/10.1016/j.aquatox.2008.07.014>.
- Beck, KR; Moore, LG. (1997). Extraction of cotton impurities: Supercritical CO₂ vs. Soxhlet/TCE. *Text Chem Color.* 29: 66-70.
- Becker, JG. (2006). A modeling study and implications of competition between Dehalococoides ethenogenes and other tetrachloroethene-respiring bacteria. *Environ Sci Technol.* 40: 4473-4480. <http://dx.doi.org/10.1021/es051849o>.
- Becker, N; Deeg, E; Nieters, A. (2004). Population-based study of lymphoma in Germany: Rationale, study design and first results. *Leuk Res.* 28: 713-724. <http://dx.doi.org/10.1016/j.leukres.2003.11.010>.
- Beekman, JM; Boess, F; Hildebrand, H; Kalkuhl, A; Suter, L. (2006). Gene expression analysis of the hepatotoxicant methapyrilene in primary rat hepatocytes: An interlaboratory study. *Environ Health Perspect.* 114: 92-99.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Beeman, RE; Bleckmann, CA. (2002). Sequential anaerobic-aerobic treatment of an aquifer contaminated by halogenated organics: field results. *J Contam Hydrol.* 57: 147-159.
- Beesoon, S; Webster, GM; Shoeib, M; Harner, T, om; Benskin, JP; Martin, JW. (2011). Isomer Profiles of Perfluorochemicals in Matched Maternal, Cord, and House Dust Samples: Manufacturing Sources and Transplacental Transfer. *Environ Health Perspect.* 119: 1659-1664. <http://dx.doi.org/10.1289/ehp.1003265>.
- Begg, CB; Mazumdar, M. (1994). Operating characteristics of a rank correlation test for publication bias. *Biometrics.* 50: 1088-1101. <http://dx.doi.org/10.2307/2533446>.
- Begley, JF; Czarnecki, M; Kemen, S; Verardo, A; Robb, AK; Fogel, S; Begley, GS. (2012). Oxygen and Ethene Biostimulation for a Persistent Dilute Vinyl Chloride Plume. *Ground Water Monitoring and Remediation.* 32: 99-105. <http://dx.doi.org/10.1111/j.1745-6592.2011.01371.x>.
- BEIR. (1988). Health risks of radon and other internally deposited alpha-emitters: BEIR IV. Washington, DC: National Academy Press. <http://www.nap.edu/openbook.php?isbn=0309037972>.
- Bekanntmachung des Umweltbundesamtes. (2015). [Health evaluation of trichloroethylene in indoor air : communication from the German ad-hoc working group on indoor guidelines of the Indoor Air Hygiene Committee and of the states' supreme health authorities]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz.* 58: 762-768. <http://dx.doi.org/10.1007/s00103-015-2173-y>.
- Bekele, DN; Naidu, R; Chadalavada, S. (2014). Influence of spatial and temporal variability of subsurface soil moisture and temperature on vapour intrusion. *Atmos Environ.* 88: 14-22. <http://dx.doi.org/10.1016/j.atmosenv.2014.01.053>.
- Bekele, DN; Naidu, R; Chadalavada, S. (2016). Influence of soil properties on vapor-phase sorption of trichloroethylene. *J Hazard Mater.* 306: 34-40. <http://dx.doi.org/10.1016/j.jhazmat.2015.12.002>.
- Beland, F. (1999). NTP technical report on the toxicity and metabolism studies of chloral hydrate (CAS No. 302-17-0). Administered by gavage to F344/N rats and B6C3F1 mice. In *Toxicity Report Series* (pp. 1-66, A61-E67). U.S. Dept. of Health and Human Services, National Institutes of Health: Rockville, MD.
- Beland, F; Schmitt, T; Fullerton, N; Young, J. (1998). Metabolism of chloral hydrate in mice and rats after single and multiple doses. *J Toxicol Environ Health A.* 54: 209-226.
- Beliveau, M; Krishnan, K. (2005). A spreadsheet program for modeling quantitative structure-pharmacokinetic relationships for inhaled volatile organics in humans. *SAR and QSAR in Environmental Research.* 16: 63-77. <http://dx.doi.org/10.1080/10629360412331319880>.
- Bell, KY; Leboeuf, EJ. (2012). Mechanistic Investigation of Non-Ideal Sorption Behavior in Natural Organic Matter. 1. Vapor Phase Equilibrium. *Environ Sci Technol.* 46: 6689-6697. <http://dx.doi.org/10.1021/es204726p>.
- Bell, KY; Leboeuf, EJ. (2013). Influence of temperature and macromolecular mobility on sorption of TCE on humic acid coated mineral surfaces. *Chemosphere.* 90: 176-181. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.112>.
- Bellamy, WD; Hickman, GT; Mueller, PA; Ziemba, N. (1991). TREATMENT OF VOC-CONTAMINATED GROUNDWATER BY HYDROGEN-PEROXIDE AND OZONE OXIDATION. *Res Journal Water Pollut Control Fed.* 63: 120-128.
- Bellat, JP; Bertrand, O; Bouvier, F; Broyer, M; Francois, V; Maure, S; Weber, G. (1999). Characterization and utilization of MFI zeolites and MCM-41 materials for gaseous pollutant adsorption. *Stud Surf Sci Catal.* 125: 737-744.
- Bellobono, IR; Barni, B; Gianturco, F. (1995). PREINDUSTRIAL EXPERIENCE IN ADVANCED OXIDATION AND INTEGRAL PHOTODEGRADATION OF ORGANICS IN POTABLE WATERS AND WASTE-WATERS BY PHOTOPERM(TM) MEMBRANES IMMOBILIZING TITANIUM-DIOXIDE AND PROMOTING PHOTOCATALYSTS. *J Memb Sci.* 102: 139-147.
- Bellobono, IR; Gianturco, F; Chioldaroli, CM. (1997). Pilot-plant photomineralization of volatile organic compounds in air, by photocatalytic membranes immobilising titanium dioxide and promoting photocatalysts. *Fresen Environ Bull.* 6: 469-474.
- Belter, RK; Bhamare, NK. (2006). Solvent effects in the fluorination of 1,2-dichloro-1,1-difluoroethane (R-132b) to 2-chloro-1,1,1-trifluoroethane (R-133a). *J Fluor Chem.* 127: 1606-1610. <http://dx.doi.org/10.1016/j.jfluchem.2006.08.002>.
- Beltran, FJ; Gonzalez, M; Acedo, B; Gomez, C. (1997). Kinetic modelling of aqueous trichloroethylene direct ozonation in a continuous tank. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 32: 9-10.
- Beltran, FJ; Gonzalez, M; Acedo, B; Jaramillo, J. (1996). Contribution of free radical oxidation to eliminate volatile organochlorine compounds in water by ultraviolet radiation and hydrogen peroxide. *Chemosphere.* 32: 1949-1961.
- Beltran, FJ; Gonzalez, M; Rivas, FJ; Jaramillo, J. (1995). APPLICATION OF PHOTOCHEMICAL REACTOR MODELS TO UV IRRADIATION OF TRICHLOROETHYLENE IN WATER. *Chemosphere.* 31: 2873-2885.
- Beltran, FJ; Gonzalez, M; Rivas, J; Acedo, B. (1999). Aqueous degradation of VOCs in the ozone combined with hydrogen peroxide or UV radiation processes - 1. Experimental results. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 34: 649-671.
- Beltran, FJ; Gonzalez, M; Rivas, J; Acedo, B. (1999). Aqueous degradation of VOCs in the ozone combined with hydrogen peroxide or UV radiation processes. 2. Kinetic modeling. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 34: 673-693.
- Benane, S; Blackman, C; House, D. (1996). Effect of perchloroethylene and its metabolites on intercellular communication in clone 9 rat liver cells. *J Toxicol Environ Health.* 48: 427-437.
- Benedetti, MS; Whomsley, R; Canning, M. (2007). Drug metabolism in the paediatric population and in the elderly [Review]. *Drug Discov Today.* 12: 599-610. <http://dx.doi.org/10.1016/j.drudis.2007.06.011>.
- Beneteau, KM; Aravena, R; Frape, SK. (1999). Isotopic characterization of chlorinated solvents-laboratory and field results. *Organic Geochemistry.* 30: 739-753.
- Benfield, P; Ming, Y. (2015). Energy Development and Urbanization in China. *Energy and Environment.* 26: 1-14.
- Benichou, J; Chow, WH; McLaughlin, JK; Mandel, JS; Fraumeni, JF. (1998). Population attributable risk of renal cell cancer in Minnesota. *Am J Epidemiol.* 148: 424-430.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Benignus, VA; Boyes, WK; Geller, AM; Bushnell, PJ. (2009). Long-term perchloroethylene exposure: A meta-analysis of neurobehavioral deficits in occupationally and residentially exposed groups. *J Toxicol Environ Health A*. 72: 824-831. <http://dx.doi.org/10.1080/15287390902800413>.
- Benker, E; Davis, GB; Barry, DA. (1997). Factors controlling the distribution and transport of trichloroethene in a sand aquifer: Hydrogeology and results of an in situ transport experiment. *J Hydrol. AMSTERDAM*: 1-4.
- Benker, E; Davis, GB; Barry, DA. (1998). Estimating the retardation coefficient of trichloroethene for a sand aquifer low in sediment organic carbon: A comparison of methods. *J Contam Hydrol*. 30: 1-2.
- Bennett, DH; James, AL; Mckone, TE; Oldenburg, CM. (1998). On uncertainty in remediation analysis: variance propagation from subsurface transport to exposure modeling. *Reliab Eng Syst Saf*. 62: 117-129.
- Bennett, P; Gandhi, D; Warner, S; Bussey, J. (2007). In situ reductive dechlorination of chlorinated ethenes in high nitrate groundwater. *J Hazard Mater*. 149: 568-573. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.092>.
- Benson, R. (2004). Correspondence from Robert Benson (U. S. EPA) to Dr. P. D. Johnson (University of Arizona) [Personal Communication].
- Beranger, SC; Sleep, BE; Lollar, BS; Brown, AJ. (2006). Isotopic fractionation of tetrachloroethene undergoing biodegradation supported by endogenous decay. *J Environ Eng*. 132: 725-735. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(725\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(725)).
- Beranger, SC; Sleep, BE; Lollar, BS; Monteagudo, FP. (2005). Transport, biodegradation and isotopic fractionation of chlorinated ethenes: modeling and parameter estimation methods. *Advances in Water Resources*. 28: 87-98. <http://dx.doi.org/10.1016/j.advwatres.2004.08.014>.
- Berez, A; Schafer, G; Ayari, F; Trabelsi-Ayadi, M. (2016). Adsorptive removal of azo dyes from aqueous solutions by natural bentonite under static and dynamic flow conditions. *Int J Environ Sci Tech*. 13: 1625-1640. <http://dx.doi.org/10.1007/s13762-016-1006-3>.
- Berge, ND; Ramsburg, CA. (2009). Oil-in-Water Emulsions for Encapsulated Delivery of Reactive Iron Particles. *Environ Sci Technol*. 43: 5060-5066. <http://dx.doi.org/10.1021/es900358p>.
- Berge, ND; Ramsburg, CA. (2010). Iron-mediated trichloroethene reduction within nonaqueous phase liquid. *J Contam Hydrol*. 118: 105-116. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.006>.
- Berger, J; Daxenbichler, G. (2002). DNA methylation of nuclear receptor genes - Possible role in malignancy [Review]. *J Steroid Biochem Mol Biol*. 80: 1-11. [http://dx.doi.org/10.1016/S0960-0760\(01\)00179-0](http://dx.doi.org/10.1016/S0960-0760(01)00179-0).
- Bergeron, A; Jorquera, R; Tanguay, R. (2003). La tyrosinémie héréditaire: Une maladie du stress du réticulum endoplasmique? [Review]. *Med Sci (Paris)*. 19: 976-980. <http://dx.doi.org/10.1051/medsci/20031910976>.
- Berggren, DRV; Marshall, I; Azizian, MF; Spormann, AM; Semprini, L. (2013). Effects of Sulfate Reduction on the Bacterial Community and Kinetic Parameters of a Dechlorinating Culture under Chemostat Growth Conditions. *Environ Sci Technol*. 47: 1879-1886. <http://dx.doi.org/10.1021/es304244z>.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scand J Work Environ Health*. 5 Suppl 1: 1-263.
- Bergner, H; Bartelt, J; Kijora, C; Gotz, KP. (1991). DEMONSTRATION OF MICROBIAL PROTEIN-SYNTHESIS IN THE SMALL-INTESTINE OF SHEEP WITH AN INTRADUODENAL INFUSION OF N-15-UREA. *Arch Tierernaehr*. 41: 765-768.
- Berisford, YC; Bush, PB; Blake, JI; Bayer, CL. (2003). Use of mini-sprinklers to strip trichloroethylene and tetrachloroethylene from contaminated ground water. *J Environ Qual*. 32: 801-815.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health*. 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernad, PG; Newell, S; Spyker, DA. (1987). Neurotoxicity and behavior abnormalities in a cohort chronically exposed to trichloroethylene [Abstract]. *Vet Hum Toxicol*. 29: 475.
- Bernard, GM; Wasylishen, RE; Phillips, AD. (2000). A carbon-13 and deuterium NMR investigation of solid platinum-ethylene complexes: Zeise's salt and Pt(eta(2)-C(2)H(4))(PPh(3))(2). *J Phys Chem A*. 104: 8131-8141. <http://dx.doi.org/10.1021/jp994439t>.
- Bernardo, M; Gonçalves, M; Lapa, N; Mendes, B. (2010). Determination of alkylphenols in eluates from pyrolysis solid residues using dispersive liquid-liquid microextraction. *Chemosphere*. 79: 1026-1032. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.062>.
- Bernasconi, CF; Rappoport, Z. (2009). Recent advances in our mechanistic understanding of S(N)V reactions. *Acc Chem Res*. 42: 993-1003. <http://dx.doi.org/10.1021/ar900048q>.
- Bernillon, P; Bois, FY. (2000). Statistical issues in toxicokinetic modeling: A bayesian perspective. *Environ Health Perspect*. 108: 883-893.
- Bernstein, A; Shouakar-Stash, O; Ebert, K; Laskov, C; Hunkeler, D; Jeannotat, S; Sakaguchi-Soeder, K; Laaks, J; Jochmann, MA; Cretnik, S; Jager, J; Haderlein, SB; Schmidt, TC; Aravena, R; Elsner, M. (2011). Compound-Specific Chlorine Isotope Analysis: A Comparison of Gas Chromatography/Isotope Ratio Mass Spectrometry and Gas Chromatography/Quadrupole Mass Spectrometry Methods in an Interlaboratory Study. *Anal Chem*. 83: 7624-7634. <http://dx.doi.org/10.1021/ac200516c>.
- Bérout, C; Joly, D; Gallou, C; Staroz, F; Orfanelli, MT; Junien, C. (1998). Software and database for the analysis of mutations in the VHL gene. *Nucleic Acids Res*. 26: 256-258.
- Berson, O; Lidstrom, ME. (1996). Study of copper accumulation by the type I methanotroph *Methylomicrobium albus* BG8. *Environ Sci Technol*. 30: 802-809.
- Bertrand, O; Weber, G; Maure, S; Bernardet, V; Bellat, JP; Paulin, C. (2005). Spectroscopic signatures of VOC physisorption on microporous solids. Application for trichloroethylene and tetrachloroethylene adsorption on MFI zeolites. *J Phys Chem B*. 109: 13312-13321. <http://dx.doi.org/10.1021/jp048442a>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Berty, JM; Stenger, HG; Buzan, GE; Hu, K. (1993). OXIDATION AND REMOVAL OF CHLORINATED HYDROCARBONS. *Stud Surf Sci Catal.* 75: 1571-1574.
- Besio, W; Chen, T. (2007). Tripolar Laplacian electrocardiogram and moment of activation isochronal mapping. *Physiol Meas.* 28: 515-529. <http://dx.doi.org/10.1088/0967-3334/28/5/006>.
- Besov, AS; Vorontsov, AV; Parmon, VN. (2009). Fast adsorptive and photocatalytic purification of air from acetone and dimethyl methylphosphonate by TiO₂ aerosol. *Appl Catal B-Environ.* 89: 602-612. <http://dx.doi.org/10.1016/j.apcatb.2009.01.024>.
- Besson, H; Brennan, P; Becker, N; Nieters, A; De Sanjosé, S; Font, R; Maynadié, M; Foretova, L; Cocco, PL; Staines, A; Vornanen, M; Boffetta, P. (2006). Tobacco smoking, alcohol drinking and non-Hodgkin's lymphoma: A European multicenter case-control study (EpiLymph). *Int J Cancer.* 119: 901-908. <http://dx.doi.org/10.1002/ijc.21913>.
- Best, DH; Coleman, WB. (2007). Treatment with 2-AAF blocks the small hepatocyte-like progenitor cell response in retrorsine-exposed rats. *J Hepatol.* 46: 1055-1063. <http://dx.doi.org/10.1016/j.jhep.2007.01.040>.
- Betancur-Corredor, B; Pino, NJ; Cardona, S; Peñuela, GA. (2015). Evaluation of biostimulation and Tween 80 addition for the bioremediation of long-term DDT-contaminated soil. *J Environ Sci.* 28: 101-109. <http://dx.doi.org/10.1016/j.jes.2014.06.044>.
- Bethoux, N; Tric, E; Chery, J; Beslier, MO. (2008). Why is the Ligurian Basin (Mediterranean Sea) seismogenic? Thermomechanical modeling of a reactivated passive margin. *Tectonics.* 27. <http://dx.doi.org/10.1029/2007tc002232>.
- Beukes, JA; Klaeboe, P; Mollendal, H; Nielsen, CJ. (1995). VIBRATIONAL AND ROTATIONAL SPECTRA AND AB-INITIO CALCULATIONS OF THIOCYANATOETHENE. *J Mol Struct.* 349: 37-40.
- Beuscher, U; Gooding, CH. (1998). The permeation of binary gas mixtures through support structures of composite membranes. *J Memb Sci.* 150: 57-73.
- Beuscher, U; Gooding, CH. (1999). The influence of the porous support layer of composite membranes on the separation of binary gas mixtures. *J Memb Sci.* 152: 99-116.
- Beyer, C; Popp, S; Bauer, S. (2016). Simulation of temperature effects on groundwater flow, contaminant dissolution, transport and biodegradation due to shallow geothermal use. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5976-8>.
- Beyer, RP; Fry, RC; Lasarev, MR; Mcconnachie, LA; Meira, LB; Palmer, VS; Powell, CL; Ross, PK; Bammler, TK; Bradford, BU; Cranson, AB; Cunningham, ML; Fannin, RD; Higgins, GM; Hurban, P; Kayton, RJ; Kerr, KF; Kosyk, O; Lobenhofer, EK; Sieber, SO; Vliet, PA; Weis, BK; Wolfinger, R; Woods, CG; Freedman, JH; Linney, E; Kaufmann, WK; Kavanagh, TJ; Paules, RS; Rusyn, I; Samson, LD; Spencer, PS; Suk, W; Tennant, RJ; Zarbl, H; Consortium, MotTR. (2007). Multicenter study of acetaminophen hepatotoxicity reveals the importance of biological endpoints in genomic analyses. *Toxicol Sci.* 99: 326-337. <http://dx.doi.org/10.1093/toxsci/kfm150>.
- Bezbaruah, AN; Krajangan, S; Chisholm, BJ; Khan, E; Bermudez, JJ. (2009). Entrapment of iron nanoparticles in calcium alginate beads for groundwater remediation applications. *J Hazard Mater.* 166: 1339-1343. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.054>.
- Bezbaruah, AN; Shanbhogue, S; Simsek, S; Khan, E. (2011). Encapsulation of iron nanoparticles in alginate biopolymer for trichloroethylene remediation. *J Nanopart Res.* 13: 6673-6681. <http://dx.doi.org/10.1007/s11051-011-0574-x>.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol.* 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhattacharjee, S; Basnet, M; Tufenkij, N; Ghoshal, S. (2016). Effects of Rhamnolipid and Carboxymethylcellulose Coatings on Reactivity of Palladium-Doped Nanoscale Zerovalent Iron Particles. *Environ Sci Technol.* 50: 1812-1820. <http://dx.doi.org/10.1021/acs.est.5b05074>.
- Bhattacharjee, S; Ghoshal, S. (2016). Phase Transfer of Palladized Nanoscale Zerovalent Iron for Environmental Remediation of Trichloroethene. *Environ Sci Technol.* 50: 8631-8639. <http://dx.doi.org/10.1021/acs.est.6b01646>.
- Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RV; Tabak, H. (1996). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Water Environ Res.* 68: 260-269.
- Bhattacharyya, D; Van Dierdonck, TF; West, SD; Freshour, AR. (1995). TWO-PHASE OZONATION OF CHLORINATED ORGANICS. *J Hazard Mater.* 41: 73-93.
- Bhattacharyya, J; Read, D; Amos, S; Dooley, S; Killham, K; Paton, GI. (2005). Biosensor-based diagnostics of contaminated groundwater: assessment and remediation strategy. *Environ Pollut.* 134: 485-492. <http://dx.doi.org/10.1016/j.envpol.2004.09.002>.
- Bhowmick, M; Semmens, MJ. (1994). Laboratory-Scale Testing of a Continuous Clac Process. *J Am Water Works Assoc.* 86: 86-96.
- Bhunya, SP; Jena, GB. (1996). The evaluation of clastogenic potential of trichloroacetic acid (TCA) in chick in vivo test system. *Mutat Res Genet Toxicol Environ Mutagen.* 367: 253-259. [http://dx.doi.org/10.1016/S0165-1218\(96\)90085-3](http://dx.doi.org/10.1016/S0165-1218(96)90085-3).
- Bi, E; Devlin, JF; Huang, B, ei. (2009). Effects of Mixing Granular Iron with Sand on the Kinetics of Trichloroethylene Reduction. *Ground Water Monitoring and Remediation.* 29: 56-62. <http://dx.doi.org/10.1111/j.1745-6592.2009.01234.x>.
- Bi, E; Devlin, JF; Huang, B, ei; Firdous, R. (2010). Transport and Kinetic Studies To Characterize Reactive and Nonreactive Sites on Granular Iron. *Environ Sci Technol.* 44: 5564-5569. <http://dx.doi.org/10.1021/es101012p>.
- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation.* 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Bianco, A; Fabbri, D; Minella, M; Brigante, M; Mailhot, G; Maurino, V; Minero, C; Vione, D. (2015). New insights into the environmental photochemistry of 5-chloro-2-(2,4-dichlorophenoxy)phenol (triclosan): reconsidering the importance of indirect photoreactions. *Water Res.* 72: 271-280. <http://dx.doi.org/10.1016/j.watres.2014.07.036>.
- Biard, PF; Bouzaza, A; Wolbert, D. (2007). Photocatalytic degradation of two volatile fatty acids in an annular plug-flow reactor; Kinetic modeling and contribution of mass transfer rate. *Environ Sci Technol.* 41: 2908-2914. <http://dx.doi.org/10.1021/es062368n>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bickle, GM; Suzuki, T; Mitarai, Y. (1994). CATALYTIC DESTRUCTION OF CHLOROFLUOROCARBONS AND TOXIC CHLORINATED HYDROCARBONS. *Appl Catal B-Environ.* 4: 141-153.
- Bielefeldt, AR; Stensel, HD; Strand, SE. (1995). COMETABOLIC DEGRADATION OF TCE AND DCE WITHOUT INTERMEDIATE TOXICITY. *J Environ Eng.* 121: 791-797.
- Biernacki, M; Doust, JL; Doust, LL. (1995). Effects of trichloroethylene, plant sex and site of origin on modular demography in *Vallisneria americana*. *J Appl Ecol.* 32: 761-777.
- Bierwagen, BG; Keller, AA. (2001). Measurement of Henry's law constant for methyl tert-butyl ether using solid-phase microextraction. *Environ Toxicol Chem.* 20: 1625-1629.
- Bignami, M; Conti, G; Conti, L; Crebelli, R; Misuraca, F; Puglia, AM; Randazzo, R; Sciandrello, G; Carere, A. (1980). Mutagenicity of halogenated aliphatic hydrocarbons in *Salmonella typhimurium*, *Streptomyces coelicolor* and *Aspergillus nidulans*. *Chem Biol Interact.* 30: 9-23. [http://dx.doi.org/10.1016/0009-2797\(80\)90110-6](http://dx.doi.org/10.1016/0009-2797(80)90110-6).
- Bill, M; Schuth, C; Barth, JAC; Kalin, RM. (2001). Carbon isotope fractionation during abiotic reductive dehalogenation of trichloroethene (TCE). *Chemosphere.* 44: 1281-1286.
- Billionnet, C; Gay, E; Kirchner, S; Leynaert, B; Annesi-Maesano, I. (2011). Quantitative assessments of indoor air pollution and respiratory health in a population-based sample of French dwellings. *Environ Res.* 111: 425-434. <http://dx.doi.org/10.1016/j.envres.2011.02.008>.
- Binas, VD; Sambani, K; Maggos, T; Katsanaki, A; Kiriakidis, G. (2012). Synthesis and photocatalytic activity of Mn-doped TiO₂ nanostructured powders under UV and visible light. *Appl Catal B-Environ.* 113: 79-86. <http://dx.doi.org/10.1016/j.apcatb.2011.11.021>.
- Bing, G; Tie-Long, L; Zhao-Hui, J; Xin-Hua, Q. (2009). Synthesis of Chitosan-stabilized Nanoscale Zero-valent Iron for Removal of Hexavalent Chromium from Surface Water. *Chem J Chin Univ-Chin.* 30: 796-799.
- Bingham, E; Cohrssen, B; Powell, CH. (2001). *Patty's toxicology*. In E Bingham; B Cohrssen; CH Powell (Eds.), (5 ed.). Hoboken, NJ: John Wiley & Sons. <http://dx.doi.org/10.1002/0471125474>.
- Birner, G; Bernauer, U; Werner, M; Dekant, W. (1997). Biotransformation, excretion and nephrotoxicity of haloalkene-derived cysteine S-conjugates. *Arch Toxicol.* 72: 1-8. <http://dx.doi.org/10.1007/s002040050461>.
- Birner, G; Richling, C; Henschler, D; Anders, MW; Dekant, W. (1994). Metabolism of tetrachloroethene in rats: Identification of N[epsilon]-(dichloroacetyl)-L-lysine and N[epsilon]-(trichloroacetyl)-L-lysine as protein adducts. *Chem Res Toxicol.* 7: 724-732. <http://dx.doi.org/10.1021/tx00042a003>.
- Birner, G; Werner, M; Rosner, E; Mehler, C; Dekant, W. (1998). Biotransformation, excretion, and nephrotoxicity of the hexachlorobutadiene metabolite (E)-N-acetyl-S-(1,2,3,4, 4-pentachlorobutadienyl)-L-cysteine sulfoxide. *Chem Res Toxicol.* 11: 750-757. <http://dx.doi.org/10.1021/tx970216n>.
- Bishop, PK; Lerner, DN; Jakobsen, R; Gosk, E; Burston, MW; Chen, T. (1993). INVESTIGATION OF A SOLVENT POLLUTED INDUSTRIAL SITE ON A DEEP SANDSTONE MUDSTONE SEQUENCE IN THE UK .2. CONTAMINANT SOURCES, DISTRIBUTIONS, TRANSPORT AND RETARDATION. *J Hydrol.* 149: 231-256.
- Biziuk, M; Czerwinski, J; Kozlowski, E. (1993). IDENTIFICATION AND DETERMINATION OF ORGANOHALOGEN COMPOUNDS IN SWIMMING POOL WATER. *Int J Environ Anal Chem.* 50: 109-115.
- Bjerg, PL; Ruge, K; Cortsen, J; Nielsen, PH; Christensen, TH. (1999). Degradation of aromatic and chlorinated aliphatic hydrocarbons in the anaerobic part of the Grindsted Landfill Leachate Plume: In situ microcosm and laboratory batch experiments. *Ground Water.* 37: 113-121.
- Bjornsson, HT; Sigurdsson, MI; Fallin, MD; Irizarry, RA; Aspelund, T; Cui, H; Yu, W; Rongione, MA; Ekström, TJ; Harris, TB; Launer, LJ; Eiriksdottir, G; Leppert, MF; Sapienza, C; Gudnason, V; Feinberg, AP. (2008). Intra-individual change over time in DNA methylation with familial clustering. *JAMA.* 299: 2877-2883. <http://dx.doi.org/10.1001/jama.299.24.2877>.
- Blackburn, A; Coggan, M; Tzeng, H; Lantum, H; Polekhina, G; Parker, M; Anders, M; Board, P. (2001). GSTZ1d: A new allele of glutathione transferase zeta and maleylacetoacetate isomerase. *Pharmacogenetics.* 11: 671-678.
- Blackburn, A; Tzeng, H; Anders, M; Board, P. (2000). Discovery of a functional polymorphism in human glutathione transferase zeta by expressed sequence tag database analysis. *Pharmacogenetics.* 10: 49-57.
- Blackshaw, AW. (1970). Histochemical localization of testicular enzyme. In AD Johnson; WR Gomes; NL VanDemark (Eds.), (pp. 73-173). New York, NY: Academic Press.
- Blair, DS; Bando, J. (1998). Quantitative monitoring of volatile organic compounds in water using an evanescent fiber optic chemical sensor. *Environ Sci Technol.* 32: 294-298.
- Blake, JE; Compton, KV; Schmidt, W; Orrego, H. (1988). Accuracy of death certificates in the diagnosis of alcoholic liver cirrhosis. *Alcohol Clin Exp Res.* 12: 168-172. <http://dx.doi.org/10.1111/j.1530-0277.1988.tb00154.x>.
- Blake, MJ; Castro, L; Leeder, JS; Kearns, GL. (2005). Ontogeny of drug metabolizing enzymes in the neonate [Review]. *Semin Fetal Neonatal Med.* 10: 123-138. <http://dx.doi.org/10.1016/j.siny.2004.11.001>.
- Blanch-Raga, N; Eduardo Palomares, A; Martinez-Triguero, J; Fetter, G; Bosch, P. (2013). Cu Mixed Oxides Based on Hydrotalcite-Like Compounds for the Oxidation of Trichloroethylene. *Ind Eng Chem Res.* 52: 15772-15779. <http://dx.doi.org/10.1021/ie4024935>.
- Blanch-Raga, N; Eduardo Palomares, A; Martinez-Triguero, J; Puche, M; Fetter, G; Bosch, P. (2014). The oxidation of trichloroethylene over different mixed oxides derived from hydrotalcites. *Appl Catal B-Environ.* 160: 129-134. <http://dx.doi.org/10.1016/j.apcatb.2014.05.014>.
- Blanch-Raga, N; Palomares, AE; Martinez-Triguero, J; Valencia, S. (2016). Cu and Co modified beta zeolite catalysts for the trichloroethylene oxidation. *Appl Catal B-Environ.* 187: 90-97. <http://dx.doi.org/10.1016/j.apcatb.2016.01.029>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Blanch-Raga, N; Soriano, MD; Palomares, AE; Concepcion, P; Martinez-Triguero, J; Lopez Nieto, JM. (2013). Catalytic abatement of trichloroethylene over Mo and/or W-based bronzes. *Appl Catal B-Environ.* 130: 36-43. <http://dx.doi.org/10.1016/j.apcatb.2012.10.016>.
- Blanco, MB; Taccone, RA; Lane, SI; Teruel, MA. (2006). Kinetics of the reactions of O(3P) with CCl₂=CH₂, (Z)-CHCl=CHCl, and CCl₂=CCl₂: a temperature dependence study. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory.* 110: 11091-11097. <http://dx.doi.org/10.1021/jp063028r>.
- Blanco, S; Bécares, E. (2010). Are biotic indices sensitive to river toxicants? A comparison of metrics based on diatoms and macro-invertebrates. *Chemosphere.* 79: 18-25. <http://dx.doi.org/10.1016/j.chemosphere.2010.01.059>.
- Blando, JD; Cohn, P. (2004). Exposure and health risk from swimming in outdoor pools contaminated by trichloroethylene. *Hum Ecol Risk Assess.* 10: 717-731. <http://dx.doi.org/10.1080/10807030490484183>.
- Blanes, I, an; Serra-Sagrasta, J. (2010). Cost and Scalability Improvements to the Karhunen-Loeve Transform for Remote-Sensing Image Coding. *IEEE Trans Geosci Remote Sens.* 48: 2854-2863. <http://dx.doi.org/10.1109/TGRS.2010.2042063>.
- Blanford, WJ; Barackman, ML; Boving, TB; Klingel, EJ; Johnson, GR; Brusseau, ML. (2001). Cyclodextrin-enhanced vertical flushing of a trichloroethene contaminated aquifer. *Ground Water Monitoring and Remediation.* 21: 58-66.
- Blanford, WJ; Gao, H. (2012). Dynamic interactions between cyclodextrin, an organic pollutant, and granular activated carbon in column studies. *J Environ Monit.* 14: 3024-3028. <http://dx.doi.org/10.1039/c2em30313b>.
- Blatter, BM; Roeleveld, N; Zielhuis, GA; Verbeek, AL. (1997). Assessment of occupational exposure in a population based case-control study: Comparing postal questionnaires with personal interviews. *Occup Environ Med.* 54: 54-59.
- Blechacz, BR; Gores, GJ. (2008). Cholangiocarcinoma [Review]. *Clin Liver Dis.* 12: 131-150, ix. <http://dx.doi.org/10.1016/j.cld.2007.11.003>.
- Blessing, M; Schmidt, TC; Dinkel, R; Haderlein, SB. (2009). Delineation of multiple chlorinated ethene sources in an industrialized area--a forensic field study using compound-specific isotope analysis. *Environ Sci Technol.* 43: 2701-2707. <http://dx.doi.org/10.1021/es803100p>.
- Bleyl, S; Kopinke, FD; Georgi, A; Mackenzie, K. (2013). Carbo-Iron - A Tailored Reagent for In Situ Groundwater Remediation. *Chem Ing Tech.* 85: 1302-1311. <http://dx.doi.org/10.1002/cite.201300009>.
- Bloemen, LJ; Tomenson, J. (1995). Increased incidence of renal cell tumours in a cohort of cardboard workers exposed to trichloroethylene [Letter]. *Arch Toxicol.* 70: 129-130. <http://dx.doi.org/10.1007/BF02733675>.
- Bloom, Y; Aravena, R; Hunkeler, D; Edwards, E; Frape, SK. (2000). Carbon isotope fractionation during microbial dechlorination of trichloroethene, cis-1,2-dichloroethene, and vinyl chloride: Implications for assessment of natural attenuation. *Environ Sci Technol.* 34: 2768-2772. <http://dx.doi.org/10.1021/es991179k>.
- Blot, WJ; Fryzek, JP; Henderson, BE; Sadler, CJ; McLaughlin, JK. (2000). A cohort mortality study among gas generator utility workers. *J Occup Environ Med.* 42: 194-199.
- Blount, MC; Falconer, JL. (2001). Characterization of adsorbed species on TiO₂ after photocatalytic oxidation of toluene. *J Catal.* 200: 21-33. <http://dx.doi.org/10.1006/jcat.2001.3174>.
- Bloxham, LH; Haq, S; Yugnet, Y; Bertolini, JC; Raval, R. (2004). trans-1,2-dichloroethene on Cu₅₀Pd₅₀(110) alloy surface: dynamical changes in the adsorption, reaction, and surface segregation. *J Catal.* 227: 33-43. <http://dx.doi.org/10.1016/j.jcat.2004.06.015>.
- Blunck, DL; Shouse, DT; Neuroth, C; Lynch, A, my; Erdmann, TJ; Burrus, DL; Zelina, J; Richardson, D; Caswell, A. (2014). Experimental Studies of Cavity and Core Flow Interactions With Application to Ultra-Compact Combustors. *J Eng Gas Turbines Power.* 136. <http://dx.doi.org/10.1115/1.4026975>.
- Blystone, PG; Johnson, MD; Haag, WR; Daley, PF. (1993). ADVANCED ULTRAVIOLET FLASH LAMPS FOR THE DESTRUCTION OF ORGANIC CONTAMINANTS IN AIR. *ACS Symp Ser Am Chem Soc.* 518: 380-392.
- Blyth, WA; Taverne, J. (1974). CULTIVATION OF TRIC AGENTS - COMPARISON BETWEEN USE OF BHK-21 AND IRRADIATED MCCOY CELLS. *J Hyg.* 72: 121-128.
- Boal, AK; Rhodes, C; Garcia, S. (2015). Pump-and-Treat Groundwater Remediation Using Chlorine/Ultraviolet Advanced Oxidation Processes. *Ground Water Monitoring and Remediation.* 35: 93-100. <http://dx.doi.org/10.1111/gwmr.12095>.
- Board, P; Chelvanayagam, G; Jermiin, L; Tetlow, N; Tzeng, H; Anders, M; Blackburn, A. (2001). Identification of novel glutathione transferases and polymorphic variants by expressed sequence tag database analysis. *Drug Metab Dispos.* 29: 544-547.
- Bobadilla, R; Huybrechts, T; Dewulf, J; Van Langenhove, H. (2003). Determination of the Henry's constant of volatile and semi-volatile organic compounds of environmental concern by the BAS (batch air stripping) technique: A new mathematical approach. *Journal of the Chilean Chemical Society.* 48: 7-11.
- Bocchini, P; Pozzi, R; Andalo, C; Galletti, GC. (1999). Membrane inlet mass spectrometry of volatile organohalogen compounds in drinking water. *Rapid Commun Mass Spectrom.* 13: 2049-2053. [http://dx.doi.org/10.1002/\(SICI\)1097-0231\(19991030\)13:20<2049::AID-RCM752>3.0.CO;2-B](http://dx.doi.org/10.1002/(SICI)1097-0231(19991030)13:20<2049::AID-RCM752>3.0.CO;2-B).
- Bocchini, P; Pozzi, R; Andalo, C; Galletti, GC. (2001). Experimental upgrades of membrane introduction mass spectrometry for water and air analysis. *Anal Chem.* 73: 3824-3827.
- Boerrigter, ME. (2004). Mutagenicity of the peroxisome proliferators clofibrate, Wyeth 14,643 and di-2-ethylhexyl phthalate in the lacZ plasmid-based transgenic mouse mutation assay. *Journal of Carcinogenesis.* 3: 7. <http://dx.doi.org/10.1186/1477-3163-3-7>.
- Boffetta, P; de Vocht, F. (2007). Occupation and the risk of non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev.* 16: 369-372. <http://dx.doi.org/10.1158/1055-9965.EPI-06-1055>.
- Bogdal, D; Pielichowski, J. (1995). Application of trichloroethylene in organic synthesis .8. Competitive reactions of dichloroacetylene with secondary amines and carbazole. New evidence for the reaction mechanism. *Bull Soc Chim Fr.* 132: 1127-1131.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bogen, K; Keating, G; Meissner, S; Vogel, J. (1998). Initial uptake kinetics in human skin exposed to dilute aqueous trichloroethylene in vitro. *J Expo Anal Environ Epidemiol.* 8: 253-271.
- Bogen, KT. (1990). Uncertainty in environmental health risk assessment. New York, NY: Garland Publishing.
- Bogen, KT. (1995). Methods to Approximate Joint Uncertainty and Variability in Risk. *Risk Anal.* 15: 411-419.
- Bogen, KT. (2006). Comment on "Steady State Solutions to PBPK Models and Their Applications to Risk Assessment I: Route to Route Extrapolation of Volatile Chemicals," by Chiu and White in *Risk Analysis*, 26(3), 769-780 [Comment]. *Risk Anal.* 26: 1415; author reply 1417-1418. <http://dx.doi.org/10.1111/j.1539-6924.2006.00854.x>.
- Bohy, M; Dridi, L; Schaefer, G; Razakarisoa, O. (2006). Transport of a mixture of chlorinated solvent vapors in the vadose zone of a sandy aquifer: Experimental study and numerical modeling. *Vadose Zone Journal.* 5: 539-553. <http://dx.doi.org/10.2136/vzj2005.0079>.
- Boice, J; Mclaughlin, J. (2001). Errors in TCE analysis [Letter]. *Environ Health Perspect.* 109: A108-A109.
- Boice, JD; Cohen, SS; Mumma, MT; Dupree Ellis, E; Eckerman, KF; Leggett, RW; Boecker, BB; Brill, AB; Henderson, BE. (2006). Mortality among radiation workers at Rocketdyne (Atomics International), 1948-1999. *Radiat Res.* 166: 98-115. <http://dx.doi.org/10.1667/RR3582.1>.
- Bois, F. (2000). Statistical analysis of Fisher et al. PBPK model of trichloroethylene kinetics. *Environ Health Perspect.* 108: 275-282.
- Bois, FY. (2000). Statistical analysis of Clewell et al. PBPK model of trichloroethylene kinetics. *Environ Health Perspect.* 108: 307-316.
- Bokare, AD; Chikate, RC; Rode, CV; Paknikar, KM. (2007). Effect of surface chemistry of Fe-Ni nanoparticles on mechanistic pathways of azo dye degradation. *Environ Sci Technol.* 41: 7437-7443. <http://dx.doi.org/10.1021/es071107q>.
- Bokare, AD; Chikate, RC; Rode, CV; Paknikar, KM. (2008). Iron-nickel bimetallic nanoparticles for reductive degradation of azo dye Orange G in aqueous solution. *Appl Catal B-Environ.* 79: 270-278. <http://dx.doi.org/10.1016/j.apcatb.2007.10.033>.
- Bold, S; Kraft, S; Grathwohl, P; Liedl, R. (2003). Sorption/desorption kinetics of contaminants on mobile particles: Modeling and experimental evidence. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001798>.
- Bolesch, DG; Nielsen, RB; Keasling, JD. (1997). COMPLETE REDUCTIVE DECHLORINATION OF TRICHLOROETHENE BY A GROUNDWATER MICROBIAL CONSORTIUM (pp. NEW YORK). (ISSN 0077-8923; EISSN 1749-6632; BIOSIS/98/14946). Bolesch, DG; Nielsen, RB; Keasling, JD.
- Bolm-Audorff, U; Ahrens, W; Jockel, KH; Molik, B; Greiser, E; Timm, J. (1988). Experience with supplementary questionnaires in a lung cancer case-referent study. In D Henon; M Goldberg (Eds.), (pp. 117-168). Luxembourg: Commission of the European Communities.
- Bolt, HM; Buchter, A; Wolowski, L; Gil, DL; Bolt, W. (1977). Incubation of ¹⁴C-trichloroethylene vapor with rat liver microsomes: uptake of radioactivity and covalent protein binding of metabolites. *Int Arch Occup Environ Health.* 39: 103-111.
- Bolzoni, A; Viglianti, L; Bossi, A; Mussini, PR; Cauteruccio, S; Baldoli, C; Licandro, E. (2013). Synthesis, Photophysics, and Electrochemistry of Tetra(2-thienyl)ethylene (TTE) Derivatives. *European Journal of Organic Chemistry.* 2013: 7489-7499. <http://dx.doi.org/10.1002/ejoc.201300745>.
- Bonatti, S; Cavalieri, Z; Viaggi, S; Abbondandolo, A. (1992). The analysis of 10 potential spindle poisons for their ability to induce CREST-positive micronuclei in human diploid fibroblasts. *Mutagenesis.* 7: 111-114. <http://dx.doi.org/10.1093/mutage/7.2.111>.
- Bontha, JR; Kaplan, DI. (1999). Immobilization or recovery of chlorinated hydrocarbons from contaminated groundwater using clathrate hydrates: A proof-of-concept. *Environ Sci Technol.* 33: 1051-1055.
- Booker, RS; Pavlostathis, SG. (2000). Microbial reductive dechlorination of hexachloro-1,3-butadiene in a methanogenic enrichment culture. *Water Res.* 34: 4437-4445.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. *Bioresour Technol.* 84: 69-73.
- Boorman, GA. (1999). Drinking water disinfection byproducts: Review and approach to toxicity evaluation [Review]. *Environ Health Perspect.* 107: 207-217.
- Bootharaju, MS; Deepesh, GK; Udayabhaskararao, T; Pradeep, T. (2013). Atomically precise silver clusters for efficient chlorocarbon degradation. 1: 611-620. <http://dx.doi.org/10.1039/c2ta00254j>.
- Borak, J; Russi, M; Puglisi, J. (2000). Meta-analyses of TCE carcinogenicity [Letter]. *Environ Health Perspect.* 108: A542-A544.
- Borch, T; Ambus, P; Laturnus, F; Svensmark, B; Grøn, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. *Chemosphere.* 51: 143-152. [http://dx.doi.org/10.1016/S0045-6535\(02\)00851-2](http://dx.doi.org/10.1016/S0045-6535(02)00851-2).
- Bordel, S; Munoz, R; Diaz, LF; Villaverde, S. (2007). Predicting the accumulation of harmful metabolic byproducts during the treatment of VOC emissions in suspended growth bioreactors. *Environ Sci Technol.* 41: 5875-5881. <http://dx.doi.org/10.1021/es070365k>.
- Borden, RC. (2007). Concurrent bioremediation of perchlorate and 1,1,1-trichloroethane in an emulsified oil barrier. *J Contam Hydrol.* 94: 13-33. <http://dx.doi.org/10.1016/j.jconhyd.2007.06.002>.
- Borgert, CJ. (2004). Chemical mixtures: An unsolvable riddle? *Hum Ecol Risk Assess.* 10: 619-629. <http://dx.doi.org/10.1080/10807030490484192>.
- Born, B; Maurer, H; Pilchowski, K. (1996). Adsorptive separation of highly volatile chlorohydrocarbons from inert gases with adsorbent polymers and activated charcoal .1. Isotherms and kinetics of adsorption. *Chem Tech (Leipzig).* 48: 315-322.
- Born, B; Pilchowski, K. (1997). Adsorptive separation of vapours of VCHC from inert gases by polymeric adsorbents and activated carbons .2. Dynamics of adsorption. *Chem Tech (Leipzig).* 49: 227-234.
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol.* 32: 2614-2622.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Borzio, M; Fargion, S; Borzio, F; Fracanzani, AL; Croce, AM; Stroffolini, T; Oldani, S; Cotichini, R; Roncalli, M. (2003). Impact of large regenerative, low grade and high grade dysplastic nodules in hepatocellular carcinoma development. *J Hepatol.* 39: 208-214. [http://dx.doi.org/10.1016/S0168-8278\(03\)00190-9](http://dx.doi.org/10.1016/S0168-8278(03)00190-9).
- Bosc, JJ; Jarry, C; Leger, JM; Negrier, P; Haget, Y. (1995). POLYMORPHISM AND CHIRALITY OF N-PHENYL-N'-[1-(3-(1-PHENYL-4-PIPERAZINO)PROPAN-2-OL)]UREA. *J Chim Phys Phys Chim Biol.* 92: 1066-1083.
- Boschini, F; Rulmont, A; Cloots, R; Moreno, R. (2009). Rheological behaviour of BaZrO₃ suspensions in non-aqueous media. *Ceramics International.* 35: 1007-1013. <http://dx.doi.org/10.1016/j.ceramint.2008.04.012>.
- Boshta, M; Barner, K; Braunstein, R; Alavi, B; Dalal, V. (2004). Determination of the trap state density differences in hydrogenated microcrystalline silicon-germanium (Si : Ge : H) alloys. *Mater Sci Eng B.* 112: 69-72. <http://dx.doi.org/10.1016/j.mseb.2004.06.009>.
- Boshta, M; Barner, K; Braunstein, R; Alavi, B; Nelson, B. (2005). Determination of the trap state density differences in hydrogenated amorphous silicon-germanium alloys. *J Mater Res.* 20: 48-53. <http://dx.doi.org/10.1557/JMR.2005.0014>.
- Bou, A; Torchio, P; Barakel, D; Thoulon, PY; Ricci, M. (2016). Numerical and experimental investigation of transparent and conductive TiO_x/Ag/TiO_x electrode. *Thin Solid Films.* 617: 86-94. <http://dx.doi.org/10.1016/j.tsf.2015.12.041>.
- Boublík, T; Fried, V; Hála, E. (1984). The vapour pressures of pure substances: Selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. In *Physical Sciences Data*, vol 17 (2nd Revised ed.). Amsterdam, The Netherlands: Elsevier Science Publishers. <https://www.elsevier.com/books/the-vapour-pressures-of-pure-substances/boubl-k/978-0-444-42266-8>.
- Bouchard, D; Hunkeler, D. (2014). Solvent-based dissolution method to sample gas-phase volatile organic compounds for compound-specific isotope analysis. *J Chromatogr A.* 1325: 16-22. <http://dx.doi.org/10.1016/j.chroma.2013.11.055>.
- Boufahja, F; Hedfi, A; Amorri, J; Aissa, P; Beyrem, H; Mahmoudi, E. (2011). Examination of the bioindicator potential of *Oncholaimus campyloceroides* (Oncholaimidae, Nematoda) from Bizerte bay (Tunisia). *Ecol Indicat.* 11: 1139-1148. <http://dx.doi.org/10.1016/j.ecolind.2010.12.014>.
- Boufahja, F; Hedfi, A; Essid, N; Aïssa, P; Mahmoudi, E; Beyrem, H. (2012). An observational study on changes in biometry and generation time of *Odontophora villoti* (Nematoda, Axonolaimidae) related to petroleum pollution in Bizerte bay, Tunisia. *Environ Sci Pollut Res Int.* 19: 646-655. <http://dx.doi.org/10.1007/s11356-011-0609-y>.
- Bougie, S; Dube, JS. (2007). Oxidation of dichlorobenzene isomers with the help of thermally activated sodium persulfate. *J Environ Eng Sci.* 6: 397-407. <http://dx.doi.org/10.1139/S07-024>.
- Boul, HL. (1996). Effect of soil moisture on the fate of radiolabelled DDT and DDE in vitro. *Chemosphere.* 32: 855-866.
- Bourg, ACM; Degranges, P; Mouvet, C; Sauty, JP. (1993). MIGRATION OF CHLORINATED-HYDROCARBON SOLVENTS THROUGH COVENTRY SANDSTONE ROCK COLUMNS. *J Hydrol.* 149: 183-207.
- Bourg, ACM; Mouvet, C; Lerner, DN. (1992). A REVIEW OF THE ATTENUATION OF TRICHLOROETHYLENE IN SOILS AND AQUIFERS. 25: 359-370.
- Boutonnet, JC; De Rooij, C; Garny, V; Lecloux, A; Papp, R; Thompson, RS; Van Wijk, D. (1998). Euro Chlor risk assessment for the marine environment OSPARCOM region: North sea - Trichloroethylene. *Environ Monit Assess.* 53: 467-487.
- Bove, F; Shim, Y; Zeitz, P. (2002). Drinking water contaminants and adverse pregnancy outcomes: A review [Review]. *Environ Health Perspect.* 110: 61-74.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol.* 141: 850-862.
- Boving, TB; Brusseau, ML. (2000). Solubilization and removal of residual trichloroethene from porous media: comparison of several solubilization agents. *J Contam Hydrol.* 42: 51-67.
- Boving, TB; Brusseau, ML. (2001). Solubilization and removal of residual trichloroethene from porous media: comparison of several solubilization agents (vol 42, pg 51, 2000). *J Contam Hydrol.* 49: 171-171.
- Boving, TB; Wang, XJ; Brusseau, ML. (1999). Cyclodextrin-enhanced solubilization and removal of residual-phase chlorinated solvents from porous media. *Environ Sci Technol.* 33: 764-770.
- Bovo, R; Aimoni, C; Martini, A. (2006). Immune-mediated inner ear disease [Review]. *Acta Otolaryngol.* 126: 1012-1021. <http://dx.doi.org/10.1080/00016480600606723>.
- Bowers, BF; Huang, B; He, Q; Shu, X; Jia, X; Miller, BC. (2015). Investigation of Sequential Dissolution of Asphalt Binder in Common Solvents by FTIR and Binder Fractionation. *Journal of Materials in Civil Engineering.* 27. [http://dx.doi.org/10.1061/\(ASCE\)MT.1943-5533.0001198](http://dx.doi.org/10.1061/(ASCE)MT.1943-5533.0001198).
- Bowers, BF; Huang, B; Shu, X. (2014). Refining laboratory procedure for artificial RAP: A comparative study. *Construction and Building Materials.* 52: 385-390. <http://dx.doi.org/10.1016/j.conbuildmat.2013.11.003>.
- Box, GEP; Hunter, WG; Hunter, JS. (1978). *Statistics for experimenters: an introduction to design, data analysis, and model building.* New York, NY: Wiley.
- Boyadzhiev, L; Yordanov, B. (2004). Pertraction of indole alkaloids from *Vinca minor* L. *Separation Science and Technology.* 39: 1321-1329. <http://dx.doi.org/10.1081/SS-120030485>.
- Boyault, S; Rickman, DS; de Reyniés, A; Balabaud, C; Rebouissou, S; Jeannot, E; Herault, A; Saric, J; Belghiti, J; Franco, D; Bioulac-Sage, P; Laurent-Puig, P; Zucman-Rossi, J. (2007). Transcriptome classification of HCC is related to gene alterations and to new therapeutic targets. *Hepatology.* 45: 42-52. <http://dx.doi.org/10.1002/hep.21467>.
- Boyden, BH; Banh, DT; Huckabay, HK; Fernandes, JB. (1992). Using inclined cascade aeration to strip chlorinated VOCs from drinking water. *J Am Water Works Assoc.* 84: 62-69.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Boyes, WK; Bushnell, PJ; Crofton, KM; Evans, M; Simmons, JE. (2000). Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario [Review]. *Environ Health Perspect.* 108: 317-322.
- Boyes, WK; Evans, MV; Eklund, C; Janssen, P; Simmons, JE. (2005). Duration adjustment of acute exposure guideline level values for trichloroethylene using a physiologically-based pharmacokinetic model. *Risk Anal.* 25: 677-686. <http://dx.doi.org/10.1111/j.1539-6924.2005.00622.x>.
- Boyes, WK; Simmons, JE; Eklund, C; Benignus, VA; Janssen, P; Bushnell, PJ. (2005). Applications of dosimetry modeling to assessment of neurotoxic risk. *Environ Toxicol Pharmacol.* 19: 599-605. <http://dx.doi.org/10.1016/j.etap.2004.12.025>.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol.* 136: 712-721.
- Boyle, EB; Viet, SM; Wright, DJ; Merrill, LS; Alwis, KU; Blount, BC; Mortensen, ME; Moye, J; Dellarco, M. (2016). Assessment of Exposure to VOCs among Pregnant Women in the National Children's Study. *Int J Environ Res Public Health.* 13: 376. <http://dx.doi.org/10.3390/ijerph13040376>.
- Bozzelli, JW; Barat, RB. (1988). REACTIONS OF WATER-VAPOR OR MOLECULAR-HYDROGEN WITH TRICHLOROETHYLENE IN A MICROWAVE PLASMA REACTOR. *Plasma Chemistry and Plasma Processing.* 8: 293-314.
- Bradford, BU; Kono, H; Isayama, F; Kosyk, O; Wheeler, MD; Akiyama, TE; Bleye, L; Krausz, KW; Gonzalez, FJ; Koop, DR; Rusyn, I. (2005). Cytochrome P450 CYP2E1, but not nicotinamide adenine dinucleotide phosphate oxidase, is required for ethanol-induced oxidative DNA damage in rodent liver. *Hepatology.* 41: 336-344. <http://dx.doi.org/10.1002/hep.20532>.
- Bradley, PM. (2000). Microbial degradation of chloroethenes in groundwater systems. *Hydrogeology Journal.* 8: 104-111.
- Bradley, PM. (2011). Reinterpreting the Importance of Oxygen-Based Biodegradation in Chloroethene-Contaminated Groundwater. *Ground Water Monitoring and Remediation.* 31: 50-55. <http://dx.doi.org/10.1111/j.1745-6592.2011.01344.x>.
- Bradley, PM; Chapelle, FH. (1996). Anaerobic mineralization of vinyl chloride in Fe(III)-reducing, aquifer sediments. *Environ Sci Technol.* 30: 2084-2086.
- Bradley, PM; Chapelle, FH. (1997). Kinetics of DCE and VC mineralization under methanogenic and Fe(III)-reducing conditions. *Environ Sci Technol.* 31: 2692-2696.
- Bradley, PM; Chapelle, FH. (1998). Effect of contaminant concentration on aerobic microbial mineralization of DCE and VC in stream-bed sediments. *Environ Sci Technol.* 32: 553-557.
- Bradley, PM; Chapelle, FH. (1999). Methane as a product of chloroethane biodegradation under methanogenic conditions. *Environ Sci Technol.* 33: 653-656.
- Bradley, PM; Chapelle, FH. (2000). Aerobic microbial mineralization of dichloroethene as sole carbon substrate. *Environ Sci Technol.* 34: 221-223.
- Bradley, PM; Chapelle, FH; Wilson, JT. (1998). Field and laboratory evidence for intrinsic biodegradation of vinyl chloride contamination in a Fe(III)-reducing aquifer. *J Contam Hydrol.* 31: 111-127.
- Braeckevelt, M; Reiche, N; Trapp, S; Wiessner, A; Paschke, H; Kusch, P; Kaestner, M. (2011). Chlorobenzene removal efficiencies and removal processes in a pilot-scale constructed wetland treating contaminated groundwater. *Ecol Eng.* 37: 903-913. <http://dx.doi.org/10.1016/j.ecoleng.2011.01.014>.
- Braeckevelt, M; Seeger, EM; Paschke, H; Kusch, P; Kaestner, M. (2011). Adaptation of a Constructed Wetland to Simultaneous Treatment of Monochlorobenzene and Perchloroethene. *Int J Phytoremediation.* 13: 998-1013. <http://dx.doi.org/10.1080/15226514.2010.549860>.
- Brahma, PP; Harmon, TC. (2003). The effect of multicomponent diffusion on NAPL dissolution from spherical ternary mixtures. *J Contam Hydrol.* 67: 43-60. [http://dx.doi.org/10.1016/S0169-7722\(03\)00087-1](http://dx.doi.org/10.1016/S0169-7722(03)00087-1).
- Braissant, O; Wahli, W. (1998). Differential expression of peroxisome proliferator-activated receptor- α , - β , and - γ during rat embryonic development. *Endocrinology.* 139: 2748-2754.
- Branda, M; Wands, JR. (2006). Signal transduction cascades and hepatitis B and C related hepatocellular carcinoma [Review]. *Hepatology.* 43: 891-902. <http://dx.doi.org/10.1002/hep.21196>.
- Brandes, D; Farley, KJ. (1993). Importance of phase behaviour on the removal of residual DNAPLs from porous media by alcohol flooding. *Water Environ Res.* 65: 869-878.
- Brandi, RJ; Rintoul, G; Alfano, OM; Cassano, AE. (2002). Photocatalytic reactors - Reaction kinetics in a flat plate solar simulator. *Catalysis Today.* 76: 161-175.
- Brandt, BW; van Leeuwen, IM; Kooijman, SA. (2003). A general model for multiple substrate biodegradation. Application to co-metabolism of structurally non-analogous compounds. *Water Res.* 37: 4843-4854. <http://dx.doi.org/10.1016/j.watres.2003.08.006>.
- Bransfield, SJ; Cwiertny, DM; Livi, K; Fairbrother, DH. (2007). Influence of transition metal additives and temperature on the rate of organohalide reduction by granular iron: Implications for reaction mechanisms. *Appl Catal B-Environ.* 76: 348-356. <http://dx.doi.org/10.1016/j.apcatb.2007.06.003>.
- Bransfield, SJ; Cwiertny, DM; Roberts, AL; Fairbrother, DH. (2006). Influence of copper loading and surface coverage on the reactivity of granular iron toward 1,1,1-trichloroethane. *Environ Sci Technol.* 40: 1485-1490. <http://dx.doi.org/10.1021/es051300p>.
- Brar, SK; Gupta, SK. (2000). Biodegradation of trichloroethylene in a rotating biological contactor. *Water Res.* 34: 4207-4214.
- Brautbar, N; Williams, J. (2002). Industrial solvents and liver toxicity: Risk assessment, risk factors and mechanisms [Review]. *Int J Hyg Environ Health.* 205: 479-491. <http://dx.doi.org/10.1078/1438-4639-00175>.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull.* 54: 1742-1753. <http://dx.doi.org/10.1016/j.marpolbul.2007.07.013>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Brenan, CJH; Hunter, IW; Brenan, JM. (1997). Noninvasive confocal Raman imaging of immiscible liquids in a porous medium. *Anal Chem.* 69: 45-50.
- Brendel, ML; Sandler, SI. (1999). The effect of salt and temperature on the infinite dilution activity coefficients of volatile organic chemicals in water. *Fluid Phase Equilibria.* 165: 87-97.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Biodegradation of tetrachloroethene by chitin fermentation products in a continuous flow column system. *J Environ Eng.* 132: 664-673. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(664\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(664)).
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Chitin and corn cobs as electron donor sources for the reductive dechlorination of tetrachloroethene. *Water Res.* 40: 2125-2134. <http://dx.doi.org/10.1016/j.watres.2006.04.011>.
- Brenner, H; Gefeller, O. (1993). Use of the positive predictive value to correct for disease misclassification in epidemiologic studies. *Am J Epidemiol.* 138: 1007-1015.
- Breslow, N, . E.; Day, N, . E. (1987). Statistical methods in cancer research. Volume 2 - The design and analysis of cohort studies. In NE Breslow; NE Day (Eds.), IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Breslow, NE; Day, NE. (1980). Statistical methods in cancer research: Volume 1 - the analysis of case-control studies. In IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp32/index.php>.
- Bressler, DC; Gray, MR. (2003). Transport and Reaction Processes in Bioremediation of Organic Contaminants. 1. Review of Bacterial Degradation and Transport. *Int J Chem React Eng.* 1.
- Breuer, D. (1993). INTERLABORATORY TRIAL SERIES HALOGENATED HYDROCARBONS - QUALITY ASSURANCE WITHIN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCE OF EXTERNAL MEASURING SERVICES .3. Staub, Reinhaltung der Luft. 53: 435-440.
- Breuer, D; Schenk, H; Schirk, O. (1991). MULTICENTER TRIAL HALOGENATED HYDROCARBONS - QUALITY ASSURANCE IN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCES OF EXTERNAL MEASURING SERVICES (II). Staub, Reinhaltung der Luft. 51: 181-185.
- Brigmon, RL; Anderson, TA; Fliermans, CB. (1999). Methanotrophic Bacteria in the Rhizosphere of Trichloroethylene-Degrading Plants. *Int J Phytoremediation.* 1: 241-253. <http://dx.doi.org/10.1080/15226519908500018>.
- Brigmon, RL; Bell, NC; Freedman, DL; Berry, CJ. (1998). Natural attenuation of trichloroethylene in rhizosphere soils at the Savannah River Site. *Journal of Soil Contamination.* 7: 433-453.
- Bringmann, G; Friedrich, H; Feineis, D. (1992). Trichloroharmanes as potential endogenously formed inducers of Morbus Parkinson: synthesis, analytics, and first in vivo-investigations [Review]. *J Neural Transm Suppl.* 38: 15-26.
- Bringmann, G; God, R; Fähr, S; Feineis, D; Fornadi, K; Fornadi, F. (1999). Identification of the dopaminergic neurotoxin 1-trichloromethyl-1,2, 3,4-tetrahydro-beta-carboline in human blood after intake of the hypnotic chloral hydrate. *Anal Biochem.* 270: 167-175. <http://dx.doi.org/10.1006/abio.1999.4088>.
- Bringmann, G; God, R; Feineis, D; Wesemann, W; Riederer, P; Rausch, W; Reichmann, H; Sontag, K. (1995). The TaClo concept: 1-trichloromethyl-1,2,3,4-tetrahydro-beta-carboline (TaClo), a new toxin for dopaminergic neurons [Review]. *J Neural Transm Suppl.* 46: 235-244.
- Brisson, VL; West, KA; Lee, PK; Tringe, SG; Brodie, EL; Alvarez-Cohen, L. (2012). Metagenomic analysis of a stable trichloroethene-degrading microbial community. *ISME J.* 6: 1702-1714. <http://dx.doi.org/10.1038/ismej.2012.15>.
- Britto, R; Sherrard, JH; Truax, DD. (1996). Kinetics of pseudo-continuous flow bioreactor treatment of diesel contaminated soils. *Water Air Soil Pollut.* 86: 125-136.
- Brockman, FJ; Payne, W; Workman, DJ; Soong, A; Manley, S; Hazen, TC. (1995). EFFECT OF GASEOUS NITROGEN AND PHOSPHORUS INJECTION ON IN SITU BIOREMEDIATION OF A TRICHLOROETHYLENE-CONTAMINATED SITE. *J Hazard Mater.* 41: 2-3.
- Brodsky, WY; Uryvaeva, IV. (1977). Cell polyploidy: Its relation to tissue growth and function [Review]. *Int Rev Cytol.* 50: 275-332. [http://dx.doi.org/10.1016/S0074-7696\(08\)60100-X](http://dx.doi.org/10.1016/S0074-7696(08)60100-X).
- Broholm, K. (2007). Solvent release into a sandy aquifer 3: enhanced dissolution by methanol injection. *Environ Technol.* 28: 11-18. <http://dx.doi.org/10.1080/09593332808618767>.
- Broholm, K; Christensen, TH; Jensen, BK. (1991). LABORATORY FEASIBILITY STUDIES ON BIOLOGICAL INSITU TREATMENT OF A SANDY SOIL CONTAMINATED WITH CHLORINATED ALIPHATICS. *Environ Technol.* 12: 279-289.
- Broholm, K; Christensen, TH; Jensen, BK. (1992). Modelling TCE degradation by a mixed culture of methane-oxidizing bacteria. *Water Res.* 26: 1177-1185.
- Broholm, K; Christensen, TH; Jensen, BK. (1993). DIFFERENT ABILITIES OF 8 MIXED CULTURES OF METHANE-OXIDIZING BACTERIA TO DEGRADE TCE. *Water Res.* 27: 215-224.
- Broholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem.* 14: 9-15.
- Broholm, K; Feenstra, S; Cherry, JA. (1999). Solvent release into a sandy aquifer. 1. Overview of source distribution and dissolution behavior. *Environ Sci Technol.* 33: 681-690.
- Broholm, K; Feenstra, S; Cherry, JA. (2005). Solvent release into a sandy aquifer. 2. Estimation of DNAPL mass based on a multiple-component dissolution model. *Environ Sci Technol.* 39: 317-324.
- Broholm, K; Ludvigsen, L; Jensen, TF; Østergaard, H. (2005). Aerobic biodegradation of vinyl chloride and cis-1,2-dichloroethylene in aquifer sediments. *Chemosphere.* 60: 1555-1564. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.056>.
- Bronley-Delancey, A; Mcmillan, D; Mcmillan, J; Jollow, D; Mohr, L; Hoel, D. (2006). Application of cryopreserved human hepatocytes in trichloroethylene risk assessment: Relative disposition of chloral hydrate to trichloroacetate and trichloroethanol. *Environ Health Perspect.* 114: 1237-1242. <http://dx.doi.org/10.1289/ehp.9047>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bronzetti, G; Galli, A; Corsi, C; Cundari, E; Del Carratore, R; Nieri, R; Paolini, M. (1984). Genetic and biochemical investigation on chloral hydrate in vitro and in vivo. *Mutat Res.* 141: 19-22. [http://dx.doi.org/10.1016/0165-7992\(84\)90031-9](http://dx.doi.org/10.1016/0165-7992(84)90031-9).
- Bronzetti, G; Zeiger, E; Frezza, D. (1978). Genetic activity of trichloroethylene in yeast. *J Environ Pathol Toxicol Oncol.* 1: 411-418.
- Brooks, AJ; Lim, HN; Kilduff, JE. (2012). Adsorption uptake of synthetic organic chemicals by carbon nanotubes and activated carbons. *Nanotechnology.* 23: 294008. <http://dx.doi.org/10.1088/0957-4484/23/29/294008>.
- Brooks, MC; Wood, AL; Annable, MD; Hatfield, K; Cho, J; Holbert, C; Rao, RSC; Enfield, CG; Lynch, K; Smith, RE. (2008). Changes in contaminant mass discharge from DNAPL source mass depletion: Evaluation at two field sites. *J Contam Hydrol.* 102: 140-153. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.008>.
- Brouse, CH; Basch, CE; Wolf, RL. (2008). The RESPECT approach to tailored telephone education. 67: 67-73.
- Brown, KW; Thomas, JC; Holder, M; Artiola, JF. (1990). THE ABILITY OF ADSORBENT MATERIALS TO ADSORB AND RETAIN ORGANIC LIQUIDS UNDER LANDFILL CONDITIONS. *Hazardous Waste and Hazardous Materials.* 7: 361-372.
- Brown, MJ; Burris, DR. (1996). Enhanced organic contaminant sorption on soil treated with cationic surfactants. *Ground Water.* 34: 734-744.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere.* 36: 1799-1810.
- Brown, RHA; Cape, JN; Farmer, JG. (1999). Chlorinated hydrocarbons in Scots pine needles in northern Britain. *Chemosphere.* 38: 795-806.
- Brown, SD; Dixon, AM; Bruckner, JV; Bartlett, MG. (2003). A validated GC-MS assay for the quantitation of trichloroethylene (TCE) from drinking water. *Int J Environ Anal Chem.* 83: 427-432. <http://dx.doi.org/10.1080/0306731031000104713>.
- Brown, SD; Muralidhara, S; Bruckner, JV; Bartlett, MG. (2003). Trace level determination of trichloroethylene from liver, lung and kidney tissues by gas chromatography-magnetic sector mass spectrometry. *Journal of Chromatography B.* 783: 319-325.
- Browne, TE; Cohen, Y. (1990). AQUEOUS-PHASE ADSORPTION OF TRICHLOROETHENE AND CHLOROFORM ONTO POLYMERIC RESINS AND ACTIVATED CARBON. *Ind Eng Chem Res.* 29: 1338-1345.
- Browne, TE; Cohen, Y. (1993). POLYMER-GRAFTED SILICA - A SCREENING SYSTEM FOR POLYMERIC ADSORPTION RESIN DEVELOPMENT. *Ind Eng Chem Res.* 32: 716-725.
- Bruant, RG; Conklin, MH. (2001). Adsorption of trichloroethene at the vapor/water interface. *Environ Sci Technol.* 35: 362-364.
- Bruckner, CA; Ecker, ST; Synovec, RE. (1997). Simultaneous flame ionization and absorbance detection of volatile and nonvolatile compounds by reversed-phase liquid chromatography with a water mobile phase. *Anal Chem.* 69: 3465-3470. <http://dx.doi.org/10.1021/ac9701142>.
- Bruckner, J; Keys, D; Fisher, J. (2004). The Acute Exposure Guideline Level (AeGL) program: applications of physiologically based pharmacokinetic modeling [Review]. *J Toxicol Environ Health A.* 67: 621-634. <http://dx.doi.org/10.1080/15287390490428017>.
- Bruell, CJ; Segall, BA; Walsh, MT. (1992). ELECTROOSMOTIC REMOVAL OF GASOLINE HYDROCARBONS AND TCE FROM CLAY. *J Environ Eng.* 118: 68-83.
- Brungard, KL; Munakata-Marr, J; Johnson, CA; Mandernack, KW. (2003). Stable carbon isotope fractionation of trans-1,2-dichloroethylene during co-metabolic degradation by methanotrophic bacteria. *Chem Geol.* 195: 59-67. [http://dx.doi.org/10.1016/S0009-2541\(02\)00388-1](http://dx.doi.org/10.1016/S0009-2541(02)00388-1).
- Bruning, T; Thier, R; Mann, H; Melzer, H; Brode, P; Dallner, G; Bolt, HM. (2001). Pathological excretion patterns of urinary proteins in miners highly exposed to dinitrotoluene. *J Occup Environ Med.* 43: 610-615.
- Bruno, TJ; Wertz, KH. (1996). Retention of halocarbons on a hexafluoropropylene-epoxide modified graphitized carbon black .5. Heavier ethane- and ethene-based compounds. *J Chromatogr A.* 723: 325-335.
- Brusseau, ML; Carroll, KC; Allen, T; Baker, J; Diguseppi, W; Hatton, J; Morrison, C; Russo, A; Berkompas, J. (2011). Impact of in situ chemical oxidation on contaminant mass discharge: linking source-zone and plume-scale characterizations of remediation performance. *Environ Sci Technol.* 45: 5352-5358. <http://dx.doi.org/10.1021/es200716s>.
- Brusseau, ML; Hatton, J; Diguseppi, W. (2011). Assessing the impact of source-zone remediation efforts at the contaminant-plume scale through analysis of contaminant mass discharge. *J Contam Hydrol.* 126: 130-139. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.003>.
- Brusseau, ML; Matthieu, DE; Carroll, KC; Mainhagu, J; Morrison, C; Mcmillan, A; Russo, A; Plaschke, M. (2013). Characterizing long-term contaminant mass discharge and the relationship between reductions in discharge and reductions in mass for DNAPL source areas. *J Contam Hydrol.* 149 (June 2013): 1-12. <http://dx.doi.org/10.1016/j.jconhyd.2013.02.011>.
- Brusseau, ML; Nelson, NT; Oostrom, M; Zhang, ZH; Johnson, GR; Wietsma, TW. (2000). Influence of heterogeneity and sampling method on aqueous concentrations associated with NAPL dissolution. *Environ Sci Technol.* 34: 3657-3664. <http://dx.doi.org/10.1021/es9909677>.
- Brusseau, ML; Popovicova, J; Silva, J, AK. (1997). Characterizing gas-water interfacial and bulk-water partitioning for gas-phase transport or organic contaminants in unsaturated porous media. *Environ Sci Technol.* 31: 1645-1649.
- Brusseau, ML; Russo, AE; Schnaar, G. (2012). Nonideal transport of contaminants in heterogeneous porous media: 9 - impact of contact time on desorption and elution tailing. *Chemosphere.* 89: 287-292. <http://dx.doi.org/10.1016/j.chemosphere.2012.04.038>.
- Brusseau, ML; Zhang, ZH; Nelson, NT; Cain, RB; Tick, GR; Oostrom, M. (2002). Dissolution of nonuniformly distributed immiscible liquid: Intermediate-scale experiments and mathematical modeling. *Environ Sci Technol.* 36: 1033-1041. <http://dx.doi.org/10.1021/es010609f>.
- Bruton, TA; Pycke, BFG; Halden, RU. (2015). Effect of Nanoscale Zero-Valent Iron Treatment on Biological Reductive Dechlorination: A Review of Current Understanding and Research Needs. *Crit Rev Environ Sci Tech.* 45: 1148-1175. <http://dx.doi.org/10.1080/10643389.2014.924185>.
- Bruzzoniti, MC; Mentasti, E; Sarzanini, C; Onida, B; Bonelli, B; Garrone, E. (2000). Retention properties of mesoporous silica-based materials. *Anal Chim Acta.* 422: 231-238.
- Bryant-Genevier, J; Zellers, ET. (2015). Toward a microfabricated preconcentrator-focuser for a wearable micro-scale gas chromatograph. *J Chromatogr A.* 1422: 299-309. <http://dx.doi.org/10.1016/j.chroma.2015.10.045>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bryers, JD; Sharp, RR. (1997). Retention and expression of recombinant plasmids in suspended and biofilm-bound bacteria degrading trichloroethene (TCE). *Water Sci Technol.* 36: 1-8.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther.* 289: 1648-1653.
- Bu, FY; Wen, XG; Wan, M; Liu, R; Cai, Q; Chen, LJ; Zhang, YM. (2011). [Applicability of an electronic nose for detection of volatile chlorinated hydrocarbons in soil]. *Huanjing Kexue.* 32: 3641-3646.
- Buchner, D; Behrens, S; Laskov, C; Haderlein, SB. (2015). Resiliency of Stable Isotope Fractionation ($\delta(13)C$ and $\delta(37)Cl$) of Trichloroethene to Bacterial Growth Physiology and Expression of Key Enzymes. *Environ Sci Technol.* 49: 13230-13237. <http://dx.doi.org/10.1021/acs.est.5b02918>.
- Buckpitt, A; Chang, AM; Weir, A; Van Winkle, L; Duan, X; Philpot, R; Plopper, C. (1995). Relationship of cytochrome P450 activity to Clara cell cytotoxicity IV Metabolism of naphthalene and naphthalene oxide in microdissected airways from mice, rats, and hamsters. *Mol Pharmacol.* 47: 74-81.
- Buechler, KJ; Noble, RD; Koval, CA; Jacoby, WA. (1999). Investigation of the effects of controlled periodic illumination on the oxidation of gaseous trichloroethylene using a thin film of TiO₂. *Ind Eng Chem Res.* 38: 892-896.
- Buettner, HM; Daily, WD. (1995). CLEANING CONTAMINATED SOIL USING ELECTRICAL HEATING AND AIR STRIPPING. *J Environ Eng.* 121: 580-589.
- Buin, A; Wang, H; Consta, S; Huang, Y. (2014). A study of conformational equilibrium of 1,1,2-trichloroethane in FAU-type zeolites. *Microporous and Mesoporous Materials.* 183: 207-217. <http://dx.doi.org/10.1016/j.micromeso.2013.08.033>.
- Buisson, JP; Lefrant, S; Louarn, G; Mevellec, JY; Orion, I; Eckhardt, H. (1992). VIBRATIONAL PROPERTIES OF POLY(ARYLENE VINYLENE)S. *Synthetic Metals.* 49: 305-311.
- Bull, RJ. (2000). Mode of action of liver tumor induction by trichloroethylene and its metabolites, trichloroacetate and dichloroacetate [Review]. *Environ Health Perspect.* 108: 241-259.
- Bull, RJ; Sanchez, IM; Nelson, MA; Larson, JL; Lansing, AJ. (1990). Liver tumor induction in B6C3F1 mice by dichloroacetate and trichloroacetate. *Toxicology.* 63: 341-359. [http://dx.doi.org/10.1016/0300-483X\(90\)90195-M](http://dx.doi.org/10.1016/0300-483X(90)90195-M).
- Bunce, NJ; Schneider, UA. (1994). Chemical lifetimes of chlorinated aliphatic priority pollutants in the Canadian troposphere. *J Photochem Photobiol A.* 81: 93 - 101. [http://dx.doi.org/10.1016/1010-6030\(94\)03781-7](http://dx.doi.org/10.1016/1010-6030(94)03781-7).
- Buravov, LI; Dyachenko, OA; Konovalikhin, SV; Kushch, ND; Lavrentev, IP; Spitsyna, NG; Shilov, GV; Yagubskii, EB. (1994). COMPLEX OF BUCKMINSTERFULLERENE WITH SULFUR, C-60-CENTER-DOT-2S(8) - SYNTHESIS AND CRYSTAL-STRUCTURE. *Russian Chemical Bulletin.* 43: 240-244.
- Burck, J; Conzen, JP; Ache, HJ. (1992). A FIBER OPTIC EVANESCENT FIELD ABSORPTION SENSOR FOR MONITORING ORGANIC CONTAMINANTS IN WATER. *Fresenius J Anal Chem.* 342: 394-400.
- Burck, J; Conzen, JP; Beckhaus, B; Ache, HJ. (1994). FIBEROPTIC EVANESCENT-WAVE SENSOR FOR IN-SITU DETERMINATION OF NONPOLAR ORGANIC-COMPOUNDS IN WATER. *Sens Actuators B.* 18: 291-295.
- Bürck, J; Zimmermann, B; Mayer, J; Ache, HJ. (1996). Integrated optical NIR-evanescent wave absorbance sensor for chemical analysis. *Anal Bioanal Chem.* 354: 284-290. <http://dx.doi.org/10.1007/s0021663540284>.
- Burg, J. R.; Gist, GL. (1995). THE NATIONAL EXPOSURE REGISTRY - PROCEDURES FOR ESTABLISHING A REGISTRY OF PERSONS ENVIRONMENTALLY EXPOSED TO HAZARDOUS SUBSTANCES. *Toxicol Ind Health.* 11: 231-248.
- Burg, J; Barrett, L; Cusack, C; Gist, G. (1997). IMPACT OF TRICHLOROETHYLENE TCE ENVIRONMENTAL EXPOSURE ON WOMEN (pp. 12-14). (ISSN 0002-9262; EISSN 1476-6256; BIOSIS/97/22440). Burg, J; Barrett, L; Cusack, C; Gist, G.
- Burg, JA; Allred, SL; Sapp, JH. (1997). The potential for bias due to attrition in the National Exposure Registry: an examination of reasons for nonresponse, nonrespondent characteristics, and the response rate. *Toxicol Ind Health.* 13: 1-13.
- Burge, SR; May, J. (2005). Automated ground water sampling and analysis of trichloroethene using a "universal" sampling/analytical system. *Ground Water Monitoring and Remediation.* 25: 113-122.
- Burghardt, JM; Kueper, BH. (2008). Laboratory Study Evaluating Heating of Tetrachloroethylene Impacted Soil. *Ground Water Monitoring and Remediation.* 28: 95-106. <http://dx.doi.org/10.1111/j.1745-6592.2008.00214.x>.
- Burleigh, TD; Gu, Y; Donahey, G; Vida, M; Waldeck, DH. (2001). Tarnish protection of silver using a hexadecanethiol self-assembled monolayer and descriptions of accelerated tarnish tests. *Corrosion.* 57: 1066-1074.
- Burmester, DE. (1982). The new pollution: Groundwater contamination. *Environment.* 24: 6-13;33-36.
- Burnell, DK; Mercer, JW; Sims, LS; Anonymous. (2012). Analytical models of steady-state plumes undergoing sequential first-order degradation. *Ground Water.* 50: 394-411. <http://dx.doi.org/10.1111/j.1745-6584.2011.00858.x>.
- Burns, RA; Crittenden, JC; Hand, DW; Selzer, VH; Sutter, LL; Salman, SR. (1999). Effect of inorganic ions in heterogeneous photocatalysis of TCE. *J Environ Eng.* 125: 77-85.
- Burris, DR; Allen-King, RM; Manoranjan, VS; Campbell, TJ; Loraine, GA; Deng, BL. (1998). Chlorinated ethene reduction by cast iron: Sorption and mass transfer. *J Environ Eng.* 124: 1012-1019.
- Burris, DR; Campbell, TJ; Manoranjan, VS. (1995). Sorption of trichloroethylene and tetrachloroethylene in a batch reactive metallic iron-water system. *Environ Sci Technol.* 29: 2850-2855.
- Burris, DR; Delcomyn, CA; Deng, B; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene-reductive dechlorination catalyzed by vitamin B12. *Environ Toxicol Chem.* 17: 1681-1688.
- Burris, DR; Delcomyn, CA; Smith, MH; Roberts, AL. (1996). Reductive dechlorination of tetrachloroethylene and trichloroethylene catalyzed by vitamin B12 in homogeneous and heterogeneous systems. *Environ Sci Technol.* 30: 3047-3052.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Burrows, RW; Kepler, WF; Hurcomb, D; Schaffer, J; Sellers, JG. (2004). Three simple tests for selecting low-crack cement. *Cement and Concrete Composites*. 26: 509-519. [http://dx.doi.org/10.1016/s0958-9465\(03\)00066-0](http://dx.doi.org/10.1016/s0958-9465(03)00066-0).
- Burston, MW; Nazari, MM; Bishop, PK; Lerner, DN. (1993). Pollution of groundwater in the Coventry region (UK) by chlorinated hydrocarbon solvents. *J Hydrol. AMST*: 1-4.
- Burt, TA; Li, ZH; Bowman, RS. (2005). Evaluation of granular surfactant-modified/zeolite zero valent iron pellets as a reactive material for perchloroethylene reduction. *J Environ Eng*. 131: 934-942. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:6\(934\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:6(934)).
- Burton, DT; Dilorenzo, JL; Shedd, TR; Wrobel, JG. (2002). Aquatic Hazard Assessment of a Contaminated Surficial Aquifer Discharge into the Bush River, Maryland (U.S.A.). *Water Air Soil Pollut*. 139: 159-182.
- Busby, RD; Lenhard, RJ; Rolston, DE. (1995). AN INVESTIGATION OF SATURATION-CAPILLARY PRESSURE RELATIONS IN 2-FLUID AND 3-FLUID SYSTEMS FOR SEVERAL NAPLs IN DIFFERENT POROUS-MEDIA. *Ground Water*. 33: 570-578.
- Bushnell, PJ; Benignus, VA; Case, MW. (2003). Signal detection behavior in humans and rats: a comparison with matched tasks. *Behav Processes*. 64: 121-129. [http://dx.doi.org/10.1016/S0376-6357\(03\)00146-3](http://dx.doi.org/10.1016/S0376-6357(03)00146-3).
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Klinger, R. (2007). The role of physical activity and feeding schedule on the kinetics of inhaled and oral toluene in rats. *J Toxicol Environ Health A*. 70: 1806-1814. <http://dx.doi.org/10.1080/15287390701459155>.
- Bushnell, PJ; Shafer, TJ; Bale, AS; Boyes, WK; Simmons, JE; Eklund, C; Jackson, TL. (2005). Developing an exposure-dose-response model for the acute neurotoxicity of organic solvents: overview and progress on in vitro models and dosimetry. *Environ Toxicol Pharmacol*. 19: 607-614. <http://dx.doi.org/10.1016/j.etap.2004.12.026>.
- Butler, EC; Chen, L; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation*. 33: 52-60. <http://dx.doi.org/10.1111/gwmm.12015>.
- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environ Sci Technol*. 32: 1276-1284.
- Butler, EC; Hayes, KF. (1999). Kinetics of the transformation of trichloroethylene and tetrachloroethylene by iron sulfide. *Environ Sci Technol*. 33: 2021-2027.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environ Sci Technol*. 35: 3884-3891. <http://dx.doi.org/10.1021/es010620f>.
- Bychkov, AM; Rusakov, VS; Meshalkin, SS. (1993). AN EXPERIMENTAL-DETERMINATION OF LOW-SANIDINE -] MICROCLINE TRANSITION. *Geokhimiya*1683-1696.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater*. 82: 313-322.
- Cabezas, JL; Beltran, S; Coca, J. (1991). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR FURFURAL WITH CHLORINATED HYDROCARBONS. *Fluid Phase Equilibria*. 62: 163-172.
- Cabot, PL; Segarra, L; Casado, J. (2003). Electrodegradation of chlorofluorocarbons 11 and 113 at small concentrations in closed cells. *Electrochemical and Solid-State Letters*. 6: B15-B18. <http://dx.doi.org/10.1149/1.1545193>.
- Cabrera, MI; Alfano, OM; Cassano, AE. (1994). NOVEL REACTOR FOR PHOTOCATALYTIC KINETIC-STUDIES. *Ind Eng Chem Res*. 33: 3031-3042.
- Cabrera, MI; Negro, AC; Alfano, OM; Cassano, AE. (1997). Photocatalytic reactions involving hydroxyl radical attack - II. Kinetics of the decomposition of trichloroethylene using titanium dioxide. *J Catal*. 172: 380-390.
- Cabrera, MI; Negro, AC; Alfano, OM; Cassano, AE. (1999). Photocatalytic reactions involving hydroxyl radical attack. II. Kinetics of the decomposition of trichloroethylene using titanium dioxide (vol 172, pg 386, 1997). *J Catal*. 181: 170-170.
- Cahill, TM; Cousins, I; Mackay, D. (2003). Development and application of a generalized physiologically based pharmacokinetic model for multiple environmental contaminants. *Environ Toxicol Chem*. 22: 26-34. <http://dx.doi.org/10.1002/etc.5620220104>.
- Cai, H; Guengerich, FP. (1999). Mechanisms of aqueous decomposition of trichloroethylene oxide. *J Am Chem Soc*. 121: 11656-11663. <http://dx.doi.org/10.1021/ja9914240>.
- Cai, P; König, R; Khan, MF; Qiu, S; Kaphalia, BS; Ansari, GA. (2006). Autoimmune response in MRL+/+ mice following treatment with dichloroacetyl chloride or dichloroacetic anhydride. *Toxicol Appl Pharmacol*. 216: 248-255. <http://dx.doi.org/10.1016/j.taap.2006.05.010>.
- Cai, Z; Merly, C; Thomson, NR; Wilson, RD; Lerner, DN. (2007). Channel flow and trichloroethylene treatment in a partly iron-filled fracture: experimental and model results. *J Contam Hydrol*. 93: 284-303. <http://dx.doi.org/10.1016/j.jconhyd.2007.04.001>.
- Cai, Z; Wilson, RD; Lerner, DN. (2012). Assessing TCE source bioremediation by geostatistical analysis of a flux fence. *Ground Water*. 50: 908-917. <http://dx.doi.org/10.1111/j.1745-6584.2012.00916.x>.
- Cai, ZS; Lerner, DN; McLaren, RG; Wilson, RD. (2007). Conceptual analysis of zero-valent iron fracture reactive barriers for remediating a trichloroethylene plume in a chalk aquifer. *Water Resour Res*. 43. <http://dx.doi.org/10.1029/2006wr004946>.
- Calace, N; Massimiani, A; Petronio, BM; Pietroletti, M. (2001). Municipal landfill leachate-soil interactions: a kinetic approach. *Chemosphere*. 44: 1025-1031.
- Calafat, AM; Kuklennyik, Z; Caudill, SP; Ashley, DL. (2003). Urinary levels of trichloroacetic acid, a disinfection by-product in chlorinated drinking water, in a human reference population. *Environ Health Perspect*. 111: 151-154. <http://dx.doi.org/10.1289/ehp.5644>.
- Caldwell, J; Jinot, J; Devoney, D; Gift, JS. (2008). Evaluation of evidence for infection as a mode of action for induction of rat lymphoma [Review]. *Environ Mol Mutagen*. 49: 155-164. <http://dx.doi.org/10.1002/em.20356>.
- Caldwell, JC; Keshava, N. (2006). Key issues in the modes of action and effects of trichloroethylene metabolites for liver and kidney tumorigenesis [Review]. *Environ Health Perspect*. 114: 1457-1463. <http://dx.doi.org/10.1289/ehp.8692>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Caldwell, JC; Keshava, N; Evans, MV. (2008). Difficulty of mode of action determination for trichloroethylene: An example of complex interactions of metabolites and other chemical exposures [Review]. *Environ Mol Mutagen.* 49: 142-154. <http://dx.doi.org/10.1002/em.20350>.
- Callister, SJ; Ayala-Del-Rio, HL; Hashsham, SA. (2003). Quantification of a single population in a mixed microbial community using a laser integrated microarray scanner. *J Environ Eng Sci.* 2: 247-253.
- Calvert, GM; Ruder, AM; Petersen, MR. (2011). Mortality and end-stage renal disease incidence among dry cleaning workers. *Occup Environ Med.* 68: 709-716. <http://dx.doi.org/10.1136/oem.2010.060665>.
- Calvisi, DF; Factor, VM; Ladu, S; Conner, EA; Thorgeirsson, SS. (2004). Disruption of beta-catenin pathway or genomic instability define two distinct categories of liver cancer in transgenic mice. *Gastroenterology.* 126: 1374-1386. <http://dx.doi.org/10.1053/j.gastro.2004.02.014>.
- Calvisi, DF; Ladu, S; Conner, EA; Factor, VM; Thorgeirsson, SS. (2004). Disregulation of E-cadherin in transgenic mouse models of liver cancer. *Lab Invest.* 84: 1137-1147. <http://dx.doi.org/10.1038/labinvest.3700147>.
- Calvisi, DF; Ladu, S; Gorden, A; Farina, M; Conner, EA; Lee, JS; Factor, VM; Thorgeirsson, SS. (2006). Ubiquitous activation of Ras and Jak/Stat pathways in human HCC. *Gastroenterology.* 130: 1117-1128. <http://dx.doi.org/10.1053/j.gastro.2006.01.006>.
- Calvisi, DF; Ladu, S; Gorden, A; Farina, M; Lee, JS; Conner, EA; Schroeder, I; Factor, VM; Thorgeirsson, SS. (2007). Mechanistic and prognostic significance of aberrant methylation in the molecular pathogenesis of human hepatocellular carcinoma. *J Clin Invest.* 117: 2713-2722. <http://dx.doi.org/10.1172/JCI31457>.
- Calvo, B; Cepeda, EA. (2008). Solubilities of stearic acid in organic solvents and in azeotropic solvent mixtures. *Journal of Chemical and Engineering Data.* 53: 628-633. <http://dx.doi.org/10.1021/je7006567>.
- Calvo, B; Collado, I; Cepeda, EA. (2009). Solubilities of Palmitic Acid in Pure Solvents and Its Mixtures. *Journal of Chemical and Engineering Data.* 54: 64-68. <http://dx.doi.org/10.1021/je8005979>.
- Camara, RM; Crespo, E; Portela, R; Suarez, S; Bautista, L; Gutierrez-Martin, F; Sanchez, B. (2014). Enhanced photocatalytic activity of TiO₂ thin films on plasma-pretreated organic polymers. *Catalysis Today.* 230: 145-151. <http://dx.doi.org/10.1016/j.cattod.2013.10.049>.
- Camara, RM; Portela, R; Gutierrez-Martin, F; Sanchez, B. (2016). Photocatalytic activity of TiO₂ films prepared by surfactant-mediated sol-gel methods over commercial polymer substrates. *Chem Eng J.* 283: 535-543. <http://dx.doi.org/10.1016/j.cej.2015.07.080>.
- Camesano, TA; Natan, MJ; Logan, BE. (2000). Observation of changes in bacterial cell morphology using tapping mode atomic force microscopy. *Langmuir.* 16: 4563-4572.
- Camisa, AG. (1975). Analysis and characteristics of trichloroethylene wastes. *J Water Pollut Control Fed.* 47: 1021-1031.
- Camp, JS; Leboeuf, EJ; Abkowitz, MD. (2010). Application of an enhanced spill management information system to inland waterways. *J Hazard Mater.* 175: 583-592. <http://dx.doi.org/10.1016/j.jhazmat.2009.10.045>.
- Campagnolo, JF; Akgerman, A. (1995). Modeling of soil vapor extraction (SVE) systems .1. *Waste Manag.* 15: 379-389.
- Campbell, TJ; Burris, DR. (1996). Analysis of chlorinated ethene reduction products in vapor/water phase systems by dual-column, single-detector gas chromatography. *Int J Environ Anal Chem.* 63: 119-126.
- Campbell, TJ; Burris, DR; Roberts, AL; Wells, JR. (1997). Trichloroethylene and tetrachloroethylene reduction in a metallic iron-water-vapor batch system. *Environ Toxicol Chem.* 16: 625-630.
- Campinas, M; Viegas, R; Rosa, MJ. (2013). Modelling and understanding the competitive adsorption of microcystins and tannic acid. *Water Res.* 47: 5690-5699. <http://dx.doi.org/10.1016/j.watres.2013.06.048>.
- Campo, P; Blachère, V; Payan, JP; Cossec, B; Ducos, P. (2006). Toluene toxicokinetics and metabolism parameters in the rat and guinea pig. *Environ Toxicol Pharmacol.* 21: 276-282. <http://dx.doi.org/10.1016/j.etap.2005.09.004>.
- Campo, P; Loquet, G; Blachère, V; Roure, M. (1999). Toluene and styrene intoxication route in the rat cochlea. *Neurotoxicol Teratol.* 21: 427-434. [http://dx.doi.org/10.1016/S0892-0362\(99\)00010-0](http://dx.doi.org/10.1016/S0892-0362(99)00010-0).
- Candelaria, LM; Matsumoto, MR. (2000). Effects of NAPL contaminants on the permeability of a soil-bentonite slurry wall material. *Transport in Porous Media.* 38: 43-56.
- Canning, K. (2000). Soil remediation - Lasagna technology takes on DOE's TCE. *Pollution Engineering.* 32: 10-+.
- Cao, F; Liu, TX; Wu, CY; Li, FB; Li, XM; Yu, HY; Tong, H; Chen, MJ. (2012). Enhanced biotransformation of DDTs by an iron- and humic-reducing bacteria *Aeromonas hydrophila* HS01 upon addition of goethite and anthraquinone-2,6-disulphonic disodium salt (AQDS). *J Agric Food Chem.* 60: 11238-11244. <http://dx.doi.org/10.1021/jf303610w>.
- Cao, K; Hollenbach, J; Shi, X; Shi, W; Chopek, M; Fernández-Viña, MA. (2001). Analysis of the frequencies of HLA-A, B, and C alleles and haplotypes in the five major ethnic groups of the United States reveals high levels of diversity in these loci and contrasting distribution patterns in these populations. *Hum Immunol.* 62: 1009-1030. [http://dx.doi.org/10.1016/S0198-8859\(01\)00298-1](http://dx.doi.org/10.1016/S0198-8859(01)00298-1).
- Cao, LX; Gao, Z; Suib, SL; Obee, TN; Hay, SO; Freihaut, JD. (2000). Photocatalytic oxidation of toluene on nanoscale TiO₂ catalysts: Studies of deactivation and regeneration. *J Catal.* 196: 253-261. <http://dx.doi.org/10.1006/jcat.2000.3050>.
- Cao, LX; Huang, AM; Spiess, FJ; Suib, SL. (1999). Gas-phase oxidation of 1-butene using nanoscale TiO₂ photocatalysts. *J Catal.* 188: 48-57.
- Cao, LX; Spiess, FJ; Huang, AM; Suib, SL; Obee, TN; Hay, SO; Freihaut, JD. (1999). Heterogeneous photocatalytic oxidation of 1-butene on SnO₂ and TiO₂ films. *J Phys Chem B.* 103: 2912-2917.
- Cao, S; Yao, N, an; Yeung, KL, un. (2008). Synthesis of freestanding silica and titania-silica aerogels with ordered and disordered mesopores. *Journal of Sol-Gel Science and Technology.* 46: 323-333. <http://dx.doi.org/10.1007/s10971-008-1701-8>.
- Cao, S; Yeung, K; Yue, P, oL. (2006). Preparation of freestanding and crack-free titania-silica aerogels and their performance for gas phase, photocatalytic oxidation of VOCs. *Appl Catal B-Environ.* 68: 99-108. <http://dx.doi.org/10.1016/j.apcatb.2006.07.022>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Cao, S; Yeung, KL; Kwan, JKC; To, PMT; Yu, SCT. (2009). An investigation of the performance of catalytic aerogel filters. *Appl Catal B-Environ.* 86: 127-136. <http://dx.doi.org/10.1016/j.apcatb.2008.08.019>.
- Cao, S; Yeung, KL; Yue, PL. (2007). An investigation Of trichloroethylene photocatalytic oxidation on mesoporous titania-silica aerogel catalysts. *Appl Catal B-Environ.* 76: 64-72. <http://dx.doi.org/10.1016/j.apcatb.2007.05.009>.
- Capan, I; Tarimci, C; Hassan, AK; Tanrisever, T. (2009). Characterisation and optical vapour sensing properties of PMMA thin films. *Mater Sci Eng C.* 29: 140-143. <http://dx.doi.org/10.1016/j.msec.2008.05.021>.
- Cápiro, NL; Granbery, EK; Lebrón, CA; Major, DW; McMaster, ML; Pound, MJ; Löffler, FE; Pennell, KD. (2011). Liquid-Liquid Mass Transfer of Partitioning Electron Donors in Chlorinated Solvent Source Zones. *Environ Sci Technol.* 45: 1547-1554. <http://dx.doi.org/10.1021/es102249x>.
- Cappaert, NLM; Klis, SFL; Baretta, AB; Muijsers, H; Smoorenburg, GF. (2000). Ethyl benzene-induced ototoxicity in rats: A dose-dependent mid-frequency hearing loss. *J Assoc Res Otolaryngol.* 1: 292-299. <http://dx.doi.org/10.1007/s101620010050>.
- Cappaert, NLM; Klis, SFL; Muijsers, H; de Groot, JCM, J; Kulig, BM; Smoorenburg, GF. (1999). The ototoxic effects of ethyl benzene in rats. *Hear Res.* 137: 91-102. [http://dx.doi.org/10.1016/S0378-5955\(99\)00141-0](http://dx.doi.org/10.1016/S0378-5955(99)00141-0).
- Carberry, JB; Benzing, TM. (1991). PEROXIDE PREOXIDATION OF RECALCITRANT TOXIC WASTE TO ENHANCE BIODEGRADATION (pp. 1-3). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08555). Carberry, JB; Benzing, TM.
- Cardador, MJ; Gallego, M. (2011). Haloacetic Acids in Swimming Pools: Swimmer and Worker Exposure. *Environ Sci Technol.* 45: 5783-5790. <http://dx.doi.org/10.1021/es103959d>.
- Cardenas-Lizana, F; Gomez-Quero, S; Hugon, A; Delannoy, L; Louis, C; Keane, MA. (2009). Pd-promoted selective gas phase hydrogenation of p-chloronitrobenzene over alumina supported Au. *J Catal.* 262: 235-243. <http://dx.doi.org/10.1016/j.jcat.2008.12.019>.
- Care, S; Crane, R; Calabro, PS; Ghauch, A; Temgoua, E; Noubactep, C. (2013). Modeling the Permeability Loss of Metallic Iron Water Filtration Systems. *CLEAN - Soil, Air, Water.* 41: 275-282. <http://dx.doi.org/10.1002/clen.201200167>.
- Carey, GR; Van Geel, PJ; Wiedemeier, TH; Mcbean, EA. (2003). A modified radial diagram approach for evaluating natural attenuation trends for chlorinated solvents and inorganic redox indicators. *Ground Water Monitoring and Remediation.* 23: 75-84.
- Carlsen, TM. (1996). Ecological risks to fossorial vertebrates from volatile organic compounds in soil. *Risk Anal.* 16: 211-219.
- Carlson, AE; Barnes, DL. (2011). Movement of trichloroethene in a discontinuous permafrost zone. *J Contam Hydrol.* 124: 1-13. <http://dx.doi.org/10.1016/j.jconhyd.2010.11.002>.
- Carmichael, LM; Smith, TG; Pardieck, DL. (1999). Site-specific sorption values for mixtures of volatile and semivolatile organic compounds in sandy soils. *J Environ Qual.* 28: 888-897.
- Carniato, L; Schoups, G; Seuntjens, P; Van Nooten, T; Simons, Q; Bastiaens, L. (2012). Predicting longevity of iron permeable reactive barriers using multiple iron deactivation models. *J Contam Hydrol.* 142-143: 93-108. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.012>.
- Caroselli, M; Variali, G; SEBASTIA.E. (1972). SEPARATION OF ALUMINUM, POTASSIUM AND IRON IONS WITH ORGANIC-SOLVENTS (ACETYLACETONE IN TRICHLOROETHYLENE). *Chim Ind.* 54: 312-+.
- Carpenter, SP; Lasker, JM; Raucy, JL. (1996). Expression, induction, and catalytic activity of the ethanol-inducible cytochrome P450 (CYP2E1) in human fetal liver and hepatocytes. *Mol Pharmacol.* 49: 260-268.
- Carpinteiro, I; Abuin, B; Rodríguez, I; Ramil, M; Cela, R. (2012). Mixed-mode solid-phase extraction followed by dispersive liquid-liquid microextraction for the sensitive determination of ethylphenols in red wines. *J Chromatogr A.* 1229: 79-85. <http://dx.doi.org/10.1016/j.chroma.2012.01.044>.
- Carr, CS; Garg, S; Hughes, JB. (2000). Effect of dechlorinating bacteria on the longevity and composition of PCE-containing nonaqueous phase liquids under equilibrium dissolution conditions. *Environ Sci Technol.* 34: 1088-1094.
- Carreón-Diazconti, C; Santamaría, J; Berkompas, J; Field, JA; Brusseau, ML. (2009). Assessment of in situ reductive dechlorination using compound-specific stable isotopes, functional gene PCR, and geochemical data. *Environ Sci Technol.* 43: 4301-4307. <http://dx.doi.org/10.1021/es803308q>.
- Carrera, E; Cosatto, C. (2010). Flight Mechanics Analysis of a Motorized Trike with Composite Wing. *J Aerosp Eng.* 23: 251-264. [http://dx.doi.org/10.1061/\(ASCE\)AS.1943-5525.0000038](http://dx.doi.org/10.1061/(ASCE)AS.1943-5525.0000038).
- Carrigan, CR; Nitao, JJ. (2000). Predictive and diagnostic simulation of in situ electrical heating in contaminated, low-permeability soils. *Environ Sci Technol.* 34: 4835-4841.
- Carroll, KC; Mcdonald, K; Marble, J; Russo, AE; Brusseau, ML. (2015). The impact of transitions between two-fluid and three-fluidphases on fluid configuration and fluid-fluid interfacial areain porous media. *Water Resour Res.* 51: 7189-7201. <http://dx.doi.org/10.1002/2015WR017490>.
- Carter, JH; Carter, HW; DeAngelo, AB. (1995). Biochemical, pathologic and morphometric alterations induced in male B6C3F1 mouse liver by short-term exposure to dichloroacetic acid. *Toxicol Lett.* 81: 55-71. [http://dx.doi.org/10.1016/0378-4274\(95\)03409-9](http://dx.doi.org/10.1016/0378-4274(95)03409-9).
- Carter, JH; Carter, HW; Deddens, JA; Hurst, BM; George, MH; DeAngelo, AB. (2003). A 2-year dose-response study of lesion sequences during hepatocellular carcinogenesis in the male B6C3F(1) mouse given the drinking water chemical dichloroacetic acid. *Environ Health Perspect.* 111: 53-64. <http://dx.doi.org/10.1289/ehp.5442>.
- Carter, KE; Farrell, J. (2009). Electrochemical oxidation of trichloroethylene using boron-doped diamond film electrodes. *Environ Sci Technol.* 43: 8350-8354. <http://dx.doi.org/10.1021/es9017738>.
- Carter, MC; Weber W J, J. R. (1994). Modelling adsorption of TCE by activated carbon preloaded by background organic matter. *Environ Sci Technol.* 28: 614-623.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Carter, MC; Weber W J, J. R.; Olmstead, KP. (1992). Effects of background dissolved organic matter on TCE adsorption by GAC (pp. 81-91). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/92/27663). Carter, MC; Weber W J, , JR; Olmstead, KP.
- Carter, SR; Jewell, WJ. (1993). Biotransformation of tetrachloroethylene by anaerobic attached-films at low temperatures. *Water Res.* 27: 607-615.
- Carvalho, AP; Mestre, AS; Pires, J; Pinto, ML; Rosa, ME. (2006). Granular activated carbons from powdered samples using clays as binders for the adsorption of organic vapours. *Microporous and Mesoporous Materials.* 93: 226-231. <http://dx.doi.org/10.1016/j.micromeso.2006.03.001>.
- Carvalho, CP; Salvador, A; Navarro, P; Monterde, A; Martinez-Javega, JM. (2008). Effect of auxin treatments on calyx senescence in the degreening of four mandarin cultivars. *HortScience.* 43: 747-752.
- Cary, JW; Mcbride, JF; Simmons, CS. (1989). TRICHLOROETHYLENE RESIDUALS IN THE CAPILLARY FRINGE AS AFFECTED BY AIR-ENTRY PRESSURES. *J Environ Qual.* 18: 72-77.
- Casey, FXM; Ong, SK; Horton, R. (2000). Degradation and transformation of trichloroethylene in miscible displacement experiments through zerovalent metals. *Environ Sci Technol.* 34: 5023-5029. <http://dx.doi.org/10.1021/es001185c>.
- Casey, FXM; Simunek, J. (2001). Inverse analyses of transport of chlorinated hydrocarbons subject to sequential transformation reactions. *J Environ Qual.* 30: 1354-1360.
- Casey, M; Gennings, C; Carter, WH; Moser, VC; Simmons, JE. (2006). Power and sample size calculations for linear hypotheses associated with mixtures of many components using fixed-ratio ray designs. *Environ Ecol Stat.* 13: 11-23. <http://dx.doi.org/10.1007/s10651-005-5687-x>.
- Cassano, AE; Alfano, OM. (2000). Reaction engineering of suspended solid heterogeneous photocatalytic reactors. *Catalysis Today.* 58: 167-197.
- Cassuto, A; Hugenschmidt, MB; Parent, P; Laffon, C; Tourillon, HG. (1994). A NEXAFS AND UPS STUDY OF THE ADSORPTION OF TETRACHLOROETHYLENE, TRICHLOROETHYLENE, ISO-DICHLOROETHYLENE, CIS-DICHLOROETHYLENE, AND TRANS-DICHLOROETHYLENE ON PLATINUM SURFACES AT 95-K - MULTILAYERS AND MONOLAYERS. *Surf Sci.* 310: 390-398.
- Castelbaum, D; Olson, MR; Sale, TC; Shackelford, CD. (2011). Laboratory Apparatus and Procedures for Preparing Test Specimens of Slurry Mixed Soils. *Geotechnical Testing Journal.* 34: 18-26.
- Castilla, HJ; Werth, CJ; Mcmillan, SA. (2000). Structural evaluation of slow desorbing sites in model and natural solids using temperature stepped desorption profiles. 2. Column results. *Environ Sci Technol.* 34: 2966-2972.
- Castorina, R; Bradman, A; Fenster, L; Barr, DB; Bravo, R; Vedar, MG; Harnly, ME; Mckone, TE; Eisen, EA; Eskenazi, B. (2010). Comparison of current-use pesticide and other toxicant urinary metabolite levels among pregnant women in the CHAMACOS cohort and NHANES. *Environ Health Perspect.* 118: 856-863. <http://dx.doi.org/10.1289/ehp.0901568>.
- Castro, CE. (1993). Biodehalogenation: The kinetics and rates of the microbial cleavage of carbon-halogen bonds. *Environ Toxicol Chem.* 12: 1609-1618.
- Castro, CE; Riebeth, DM; Belser, NO. (1992). BIODEHALOGENATION - THE METABOLISM OF VINYL-CHLORIDE BY METHYLOSINUS-TRICHOSPORIUM OB-3B - A SEQUENTIAL OXIDATIVE AND REDUCTIVE PATHWAY THROUGH CHLOROETHYLENE OXIDE. *Environ Toxicol Chem.* 11: 749-755.
- Castro, CE; Wade, RS; Riebeth, DM; Bartnicki, EW; Belser, NO. (1992). BIODEHALOGENATION - RAPID METABOLISM OF VINYL-CHLORIDE BY A SOIL PSEUDOMONAS SP DIRECT HYDROLYSIS OF A VINYL C-CL BOND. *Environ Toxicol Chem.* 11: 757-764.
- Castro, Y; Duran, A. (2014). Mesoporous and mesostructured TiO₂ coatings for photocatalytic applications. *Journal of Sol-Gel Science and Technology.* 70: 254-262. <http://dx.doi.org/10.1007/s10971-013-3240-1>.
- Cauliez, P; Meziere, C; Auban-Senzier, P; Clerac, R; Fourmigue, M. (2008). Square-lattice hybrid organic-inorganic conducting layers in the tau phase of a TTF tertiary amide derivative. *New J Chem.* 32: 1561-1566. <http://dx.doi.org/10.1039/b801464g>.
- Cavigneaux, A; Lebbe, J; Petouille, F. (1977). ABSORPTION AND EXCRETION OF TRICHLOROETHYLENE BY PULMONARY ROUTE IN MAN. *Arch Mal Prof Med Trav Secur Soc.* 38: 258-259.
- CDC. (2007). National Vital Statistics Reports: Deaths: Final data for 2004. Hyattsville, MD. <http://www.cdc.gov/nchs/products/nvsr.htm>.
- CDHS. (1986). Organic chemical contamination of large public water systems in California. (86870001977). Sacramento, CA.
- Cedillo-Gonzalez, EI; Mugoni, C; Montorsi, M; Siligardi, C. (2016). Evaluation of the correlations between temperature, humidity, incident UV light and the photocatalytic activity of TiO₂ films using a rationale approach. *Appl Surf Sci.* 378: 73-79. <http://dx.doi.org/10.1016/j.apsusc.2016.03.202>.
- Cemeli, E; Wagner, ED; Anderson, D; Richardson, SD; Plewa, MJ. (2006). Modulation of the cytotoxicity and genotoxicity of the drinking water disinfection byproduct iodoacetic acid by suppressors of oxidative stress. *Environ Sci Technol.* 40: 1878-1883. <http://dx.doi.org/10.1021/es051602r>.
- Cengiz-Callioglu, F; Jirsak, O; Dayik, M. (2013). The Influence of Non-Solvent Addition on the Independent and Dependent Parameters in Roller Electrospinning of Polyurethane. *J Nanosci Nanotechnol.* 13: 4727-4735. <http://dx.doi.org/10.1166/jnn.2013.7190>.
- Cepeda, EA; Bravo, R; Calvo, B. (2009). Solubilities of Lauric Acid in n-Hexane, Acetone, Propanol, 2-Propanol, 1-Bromopropane, and Trichloroethylene from (279.0 to 315.3) K. *Journal of Chemical and Engineering Data.* 54: 1371-1374. <http://dx.doi.org/10.1021/jc800739y>.
- Cernansky, R. (2016). IT CAME FROM BENEATH Detecting And Mitigating Vapor Intrusion. *Environ Health Perspect.* 124: A141-A146. <http://dx.doi.org/10.1289/ehp.124-A141>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Cervera, MI; Beltran, J; Lopez, FJ; Hernandez, F. (2011). Determination of volatile organic compounds in water by head space-solid-phase microextraction gas chromatography coupled to tandem mass spectrometry with triple quadrupole analyzer. *Anal Chim Acta*. 704: 87-97. <http://dx.doi.org/10.1016/j.aca.2011.08.012>.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem*. 22: 2298-2305.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environ Sci Technol*. 35: 805-809.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2002). Dechlorination of pentachloroethane by commercial Fe and ferruginous smectite. *Chemosphere*. 47: 971-976.
- Cha, H, unJu; Kang, DH; Cho, YS, oo. (2007). Optimized microwave dielectric properties of Co- and Ca-substituted Mg_{0.6}Zn_{0.4}TiO₃. *Materials Research Bulletin*. 42: 265-273. <http://dx.doi.org/10.1016/j.materresbull.2006.06.002>.
- Chaiko, DJ; Tasker, IR; Fredrickson, DR; Difilippo, AA; Smidt, SM; Vandegrift, GF. (1993). MEASUREMENTS OF AL(NO₃)₃ ACTIVITIES IN AQUEOUS NITRATE SOLUTIONS. *J Nucl Mater*. 201: 184-189.
- Chaithawiwat, K; Vangnai, A; Mcevoy, JM; Pruess, B; Krajangpan, S; Khan, E. (2016). Impact of nanoscale zero valent iron on bacteria is growth phase dependent. *Chemosphere*. 144: 352-359. <http://dx.doi.org/10.1016/j.chemosphere.2015.09.025>.
- Chaloosi, M; Nejad-Darzi, SKH; Choulipour, V. (2009). Separation and Determination of PETN and TNT by HPTLC. *Propellants, Explosives, Pyrotechnics*. 34: 50-52. <http://dx.doi.org/10.1002/prep.200900012>.
- Chambers, JE; Loke, MH; Ogilvy, RD; Meldrum, PI. (2004). Noninvasive monitoring of DNAPL migration through a saturated porous medium using electrical impedance tomography. *J Contam Hydrol*. 68: 1-22. [http://dx.doi.org/10.1016/S0169-7722\(03\)00142-6](http://dx.doi.org/10.1016/S0169-7722(03)00142-6).
- Chambers, JE; Wilkinson, PB; Wealthall, GP; Loke, MH; Dearden, R; Wilson, R; Allen, D; Ogilvy, RD. (2010). Hydrogeophysical imaging of deposit heterogeneity and groundwater chemistry changes during DNAPL source zone bioremediation. *J Contam Hydrol*. 118: 43-61. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.001>.
- Chambon, JC; Broholm, MM; Binning, PJ; Bjerg, PL. (2010). Modeling multi-component transport and enhanced anaerobic dechlorination processes in a single fracture-clay matrix system. *J Contam Hydrol*. 112: 77-90. <http://dx.doi.org/10.1016/j.jconhyd.2009.10.008>.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ*. 40: 7331-7345. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.041>.
- Chan, WW; Grostern, A; Löffler, FE; Edwards, EA. (2011). Quantifying the effects of 1,1,1-trichloroethane and 1,1-dichloroethane on chlorinated ethene reductive dehalogenases. *Environ Sci Technol*. 45: 9693-9702. <http://dx.doi.org/10.1021/es201260n>.
- Chandak, MV; Lin, YS. (1998). Hydrophobic zeolites as adsorbents for removal of volatile organic compounds from air. *Environ Technol*. 19: 941-948.
- Chandak, MV; Lin, YS; Ji, W; Higgins, RJ. (1997). Sorption and diffusion of VOCs in DAY zeolite and silicalite-filled PDMS membranes. *J Memb Sci*. 133: 231-243.
- Chang, BJ; Chang, YH; Kim, DK; Kim, JH; Lee, SB. (2005). New copolyimide membranes for the pervaporation of trichloroethylene from water. *J Memb Sci*. 248: 99-107. <http://dx.doi.org/10.1016/j.memsci.2004.10.002>.
- Chang, BV; Liao, CS; Yuan, SY. (2005). Anaerobic degradation of diethyl phthalate, di-n-butyl phthalate, and di-(2-ethylhexyl) phthalate from river sediment in Taiwan. *Chemosphere*. 58: 1601-1607. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.031>.
- Chang, CL; Lin, YC; Bai, HL; Liu, YH. (2009). Applying spray pyrolysis to synthesize MnO (x) for decomposing isopropyl alcohol in ozone- and thermal-catalytic oxidation. *Korean J Chem Eng*. 26: 1047-1052. <http://dx.doi.org/10.2478/s11814-009-0174-y>.
- Chang, HL; Alvarez-Cohen, L. (1995). MODEL FOR THE COMETABOLIC BIODEGRADATION OF CHLORINATED ORGANICS. *Environ Sci Technol*. 29: 2357-2367.
- Chang, HL; Alvarez-Cohen, L. (1997). Two-stage methanotrophic bioreactor for the treatment of chlorinated organic wastewater. *Water Res*. 31: 2026-2036.
- Chang, J, ihH; Qiang, Z; Huang, CP, ao. (2006). Remediation and stimulation of selected chlorinated organic solvents in unsaturated soil by a specific enhanced electrokinetics. *Colloid Surface Physicochem Eng Aspect*. 287: 86-93. <http://dx.doi.org/10.1016/j.colsurfa.2006.03.039>.
- Chang, JH; Cheng, SF. (2006). The remediation performance of a specific electrokinetics integrated with zero-valent metals for perchloroethylene contaminated soils. *J Hazard Mater*. 131: 153-162. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.026>.
- Chang, JS. (2003). Next generation integrated electrostatic gas cleaning systems. *Journal of Electrostatics*. 57: 273-291.
- Chang, JS; Urashima, K; Ito, T; Misaka, T. (1995). Removal of volatile organic compounds by an electrical discharge/activated carbon filter hybrid system. *Institute of Physics Conference Series*. 143: 183-186.
- Chang, LW; Daniel, FB; Deangelo, AB. (1992). Analysis of DNA strand breaks induced in rodent liver in vivo, hepatocytes in primary culture, and a human cell line by chlorinated acetic acids and chlorinated acetaldehydes. *Environ Mol Mutagen*. 20: 277-288. <http://dx.doi.org/10.1002/em.2850200406>.
- Chang, MC; Kang, HY. (2009). Remediation of pyrene-contaminated soil by synthesized nanoscale zero-valent iron particles. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 576-582. <http://dx.doi.org/10.1080/10934520902784609>.
- Chang, MC; Shu, HY; Hsieh, WP; Wang, MC. (2005). Using nanoscale zero-valent iron for the remediation of polycyclic aromatic hydrocarbons contaminated soil. *Journal of the Air and Waste Management Association*. 55: 1200-1207.
- Chang, MC; Shu, HY, ee; Yu, HH; Sung, Y, ic. (2006). Reductive decolorization and total organic carbon reduction of the diazo dye Cl Acid Black 24 by zero-valent iron powder. *J Chem Tech Biotechnol*. 81: 1259-1266. <http://dx.doi.org/10.1002/jctb.1543>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Chang, W; Korenaga, T. (2006). Application of a monolithic silica capillary adsorbent for the preconcentration of airborne trichloroethylene and tetrachloroethylene. *Anal Bioanal Chem.* 385: 1149-1152. <http://dx.doi.org/10.1007/s00216-006-0525-z>.
- Chang, Y; Achari, G; Langford, CH. (2009). Protocols for the analysis of transformer oil and its degradation in soil by hydrogen peroxide. *Can J Civ Eng.* 36: 1547-1557. <http://dx.doi.org/10.1139/L09-065>.
- Chang, YC; Huang, SC; Chen, KF. (2014). Evaluation of the effects of nanoscale zero-valent iron (nZVI) dispersants on intrinsic biodegradation of trichloroethylene (TCE). *Water Sci Technol.* 69: 2357-2363. <http://dx.doi.org/10.2166/wst.2014.169>.
- Chang, YC; Kikuchi, S; Kawachi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol.* 29: 381-391. <http://dx.doi.org/10.1080/09593330801984050>.
- Chang, YC; Okeke, BC; Hatsu, M; Takamizawa, K. (2001). In vitro dehalogenation of tetrachloroethylene (PCE) by cell-free extracts of *Clostridium bifermentans* DPH-1. *Bioresour Technol.* 78: 141-147.
- Changrani, R; Raupp, GB. (1999). Monte Carlo simulation of the radiation field in a reticulated foam photocatalytic reactor. *AIChE J.* 45: 1085-1094.
- Changrani, RG; Raupp, GB. (2000). Two-dimensional heterogeneous model for a reticulated-foam photocatalytic reactor. *AIChE J.* 46: 829-842.
- Changsuphan, A; Wahab, M; Kim oanh, NT. (2012). Removal of benzene by ZnO nanoparticles coated on porous adsorbents in presence of ozone and UV. *Chem Eng J.* 181-182: 215-221. <http://dx.doi.org/10.1016/j.cej.2011.11.064>.
- Chang-Yun, C; Xiao-Feng, W; Hong, Z; Xin-Hui, Z; Jing-Lin, Z. (2011). Synthesis, Structure and Physical Properties of Mn and Cd Complexes with 1,1,2,2-Tetracarboxyl-ethylene Acid. *Chinese Journal of Structural Chemistry.* 30: 59-66.
- Chao, C; Xiangyu, W; Ying, C; Huiling, L. (2008). Dechlorination of disinfection by-product monochloroacetic acid in drinking water by nanoscale palladized iron bimetallic particle. *J Environ Sci.* 20: 945-951. [http://dx.doi.org/10.1016/S1001-0742\(08\)62191-9](http://dx.doi.org/10.1016/S1001-0742(08)62191-9).
- Chao, KP; Ong, SK; Fryzek, T; Yuan, W; Braida, W. (2012). Degradation of trichloroethylene using iron, bimetal and trimetal. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 47: 1536-1542. <http://dx.doi.org/10.1080/10934529.2012.680397>.
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng.* 124: 1054-1060.
- Chapelle, FH; Kauffman, LJ; Widdowson, MA. (2014). Modeling the Effects of Naturally Occurring Organic Carbon on Chlorinated Ethene Transport to a Public Supply Well. *Ground Water.* 52 Suppl 1: 76-89. <http://dx.doi.org/10.1111/gwat.12152>.
- Chapin, RE; Norton, RM; Popp, JA; Bus, JS. (1982). The effects of 2,5-hexanedione on reproductive hormones and testicular enzyme activities in the F-344 rat. *Toxicol Appl Pharmacol.* 62: 262-272. [http://dx.doi.org/10.1016/0041-008X\(82\)90124-7](http://dx.doi.org/10.1016/0041-008X(82)90124-7).
- Chapman, PJ; Vogt, F; Dutta, P; Datskos, PG; Devault, GL; Sepaniak, MJ. (2007). Facile hyphenation of gas chromatography and a microcantilever array sensor for enhanced selectivity. *Anal Chem.* 79: 364-370. <http://dx.doi.org/10.1021/ac061389x>.
- Chapman, SW; Parker, BL. (2005). Plume persistence due to aquitard back diffusion following dense nonaqueous phase liquid source removal or isolation. *Water Resour Res.* 41. <http://dx.doi.org/10.1029/2005WR004224>.
- Chapman, SW; Parker, BL; Cherry, JA; Aravena, R; Hunkeler, D. (2007). Groundwater-surface water interaction and its role on TCE groundwater plume attenuation. *J Contam Hydrol.* 91: 203-232. <http://dx.doi.org/10.1016/j.jconhyd.2006.10.006>.
- Charbonneau, M; Couture, J; Plaa, GL. (1991). Inhalation versus oral administration of acetone: effect of the vehicle on the potentiation of CCl₄-induced liver injury. *Toxicol Lett.* 57: 47-54. [http://dx.doi.org/10.1016/0378-4274\(91\)90118-P](http://dx.doi.org/10.1016/0378-4274(91)90118-P).
- Charbotel, B. (2008). E mail from Barbara Charbotel, University of Lyon, to Cheryl Scott, U.S. EPA [Personal Communication].
- Chard, BK; Doucette, WJ; Chard, JK; Bugbee, B; Gorder, K. (2006). Trichloroethylene uptake by apple and peach trees and transfer to fruit. *Environ Sci Technol.* 40: 4788-4793. <http://dx.doi.org/10.1021/es060156k>.
- Charles, JM; Leeming, NM. (1998). Chronic dietary toxicity/oncogenicity studies on 2,4-dichlorophenoxybutyric acid in rodents. *Toxicol Sci.* 46: 21-30. <http://dx.doi.org/10.1006/toxs.1998.2502>.
- Charlet, L; Bosbach, D; Peretyashko, T. (2002). Natural attenuation of TCE, As, Hg linked to the heterogeneous oxidation of Fe(II): an AFM study. *Chem Geol.* 190: 303-319. [http://dx.doi.org/10.1016/S0009-2541\(02\)00122-5](http://dx.doi.org/10.1016/S0009-2541(02)00122-5).
- Charlet, L; Liger, E; Gerasimo, P. (1998). Decontamination of TCE- and U-rich waters by granular iron: Role of sorbed Fe(II). *J Environ Eng.* 124: 25-30.
- Charmis, DC; Papadarakakis, M. (2005). Improving the computational efficiency in finite element analysis of shells with uncertain properties. *Computer Methods in Applied Mechanics and Engineering.* 194: 1447-1478. <http://dx.doi.org/10.1016/j.cma.2003.12.075>.
- Chartrand, MMG; Waller, A; Mattes, TE; Elsner, M; Lacrampe-Couloume, G; Gossett, JM; Edwards, EA; Lollar, BS. (2005). Carbon isotopic fractionation during aerobic vinyl chloride degradation. *Environ Sci Technol.* 39: 1064-1070. <http://dx.doi.org/10.1021/es0492945>.
- Chatterjee, D; Mahata, A. (2001). Demineralization of organic pollutants on the dye modified TiO₂ semiconductor particulate system using visible light. *Appl Catal B-Environ.* 33: 119-125.
- Chatterjee, D; Mahata, A. (2002). Visible light induced photodegradation of organic pollutants on dye adsorbed TiO₂ surface. *J Photochem Photobiol A.* 153: 199-204.
- Chatterjee, S; Greene, HL. (1993). EFFECTS OF CATALYST COMPOSITION ON DUAL SITE ZEOLITE CATALYSTS USED IN CHLORINATED-HYDROCARBON OXIDATION. *Appl Catal A-Gen.* 98: 139-158.
- Chatterjee, S; Greene, HL; Park, YJ. (1992). DEACTIVATION OF METAL EXCHANGED ZEOLITE CATALYSTS DURING EXPOSURE TO CHLORINATED HYDROCARBONS UNDER OXIDIZING CONDITIONS. *Catalysis Today.* 11: 569-596.
- Chaudhary, A; van Amerom, FHW; Short, RT. (2009). Development of Microfabricated Cylindrical Ion Trap Mass Spectrometer Arrays. *I E E E Journal of Microelectromechanical Systems.* 18: 442-448. <http://dx.doi.org/10.1109/JMEMS.2009.2013390>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Chavan, RB; Rao, JV. (1983). AGGREGATION BEHAVIOR OF ACID DYES IN N,N-DIMETHYLFORMAMIDE TRICHLOROETHYLENE SOLVENT MIXTURES - A QUASIELASTIC LIGHT-SCATTERING STUDY. *J Soc Dyers Colour.* 99: 126-130.
- Chavan, RB; Rao, JV. (1983). DYEING OF WATER SWOLLEN, SOLVENT EXCHANGED COTTON WITH ANIONIC DYES FROM "DIMETHYLFORMAMIDE-TRICHLOROETHYLENE SOLVENT MIXTURES. *Text Res J.* 53: 290-297.
- Che, H; Bae, S; Lee, W. (2011). Degradation of trichloroethylene by Fenton reaction in pyrite suspension. *J Hazard Mater.* 185: 1355-1361. <http://dx.doi.org/10.1016/j.jhazmat.2010.10.055>.
- Che, H; Lee, W. (2011). Selective redox degradation of chlorinated aliphatic compounds by Fenton reaction in pyrite suspension. *Chemosphere.* 82: 1103-1108. <http://dx.doi.org/10.1016/j.chemosphere.2010.12.002>.
- Checkoway, H; Pearce, N; Crawford-Brown, DJ. (1989). Research methods in occupational epidemiology. In *Monographs in epidemiology and biostatistics*. New York, NY: Oxford University Press.
- Chekmeneva, E; Hunter, CA; Misuraca, MC; Turega, SM. (2012). Steric desolation enhances the effective molarities of intramolecular H-bonding interactions. *Org Biomol Chem.* 10: 6022-6031. <http://dx.doi.org/10.1039/c2ob25372k>.
- Chen, C; Hennig, G; Whiteley, H; Manautou, J. (2002). Protection against acetaminophen hepatotoxicity by clofibrate pretreatment: role of catalase induction. *J Biochem Mol Toxicol.* 16: 227-234. <http://dx.doi.org/10.1002/jbt.10043>.
- Chen, C; Puhakka, JA; Ferguson, JF. (1996). Transformations of 1,1,2,2-tetrachloroethane under methanogenic conditions. *Environ Sci Technol.* 30: 542-547.
- Chen, C; Shih, MC; Wu, K. (2010). Exposure estimation using repeated blood concentration measurements. *Stoch Environ Res Risk Assess.* 24: 445-454. <http://dx.doi.org/10.1007/s00477-009-0332-0>.
- Chen, CT; Graham, JL; Dellinger, B. (1995). PHOTOTHERMAL DESTRUCTION OF THE VAPOR OF ORGANIC COMPOUNDS. *Waste Manag.* 15: 159-170.
- Chen, CW. (2000). Biologically based dose-response model for liver tumors induced by trichloroethylene. *Environ Health Perspect.* 108: 335-342. <http://dx.doi.org/10.1289/ehp.00108s2335>.
- Chen, CW, en; Chen, T, eSan; Hsia, K, uoF; Chen, CF; Dong, CD, i. (2016). Effect of operating parameters on trichloroethylene degradation by extended release of nanoscale zero-valent iron. *Desalination and Water Treatment.* 57: 27794-27803. <http://dx.doi.org/10.1080/19443994.2016.1174740>.
- Chen, D; Li, J; Cui, P; Liu, H, ui; Yang, J, un. (2016). Gold-catalyzed formation of core-shell gold-palladium nanoparticles with palladium shells up to three atomic layers. 4: 3813-3821. <http://dx.doi.org/10.1039/c5ta10303g>.
- Chen, D; Rolston, DE; Yamaguchi, T. (2000). Calculating partition coefficients of organic vapors in unsaturated soil and clays. *Soil Sci.* 165: 217-225.
- Chen, F; Falta, RW; Murdoch, LC. (2014). Numerical Analysis of Thermal Remediation in 3D Field-Scale Fractured Geologic Media. *Ground Water.* 53: 572-587. <http://dx.doi.org/10.1111/gwat.12241>.
- Chen, F, ei; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere.* 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.
- Chen, F, ei; Liu, X; Falta, RW; Murdoch, LC. (2010). Experimental Demonstration of Contaminant Removal from Fractured Rock by Boiling. *Environ Sci Technol.* 44: 6437-6442. <http://dx.doi.org/10.1021/es1015923>.
- Chen, FY; Pehkonen, SO; Ray, MB. (2002). Kinetics and mechanisms of UV-photodegradation of chlorinated organics in the gas phase. *Water Res.* 36: 4203-4214.
- Chen, G, uoHua. (2007). Effect of replacement of MgO by CaO on sintering, crystallization and properties of MgO-Al₂O₃-SiO₂ system glass-ceramics. *Journal of Materials Science.* 42: 7239-7244. <http://dx.doi.org/10.1007/s10853-007-1548-3>.
- Chen, G, uohua. (2008). Sintering, crystallization, and properties of CaO doped cordierite-based glass-ceramics. *J Alloy Comp.* 455: 298-302. <http://dx.doi.org/10.1016/j.jallcom.2007.01.036>.
- Chen, G; Hoag, GE; Chedda, P; Nadim, F; Woody, BA; Dobbs, GM. (2001). The mechanism and applicability of in situ oxidation of trichloroethylene with Fenton's reagent. *J Hazard Mater.* 87: 171-186.
- Chen, G, uoHua; Liu, X, inYu. (2007). Sintering, crystallization and properties of MgO-Al₂O₃-SiO₂ system glass-ceramics containing ZnO. *J Alloy Comp.* 431: 282-286. <http://dx.doi.org/10.1016/j.jallcom.2006.05.060>.
- Chen, HF; Wang, J; Cai, SM; Liu, ZF. (1999). Self-assembled Au nanoparticles on GaAs and its surface enhanced Raman scattering(SERS)-activity. *Chem J Chin Univ-Chin.* 20: 620-623.
- Chen, HH, ui; Chang, LC; Shan, HY, u; Tsai, J, uiPin. (2009). Joint Impact of Scaling and Hysteresis on NAPL Flow Simulation. *Environ Model Assess.* 14: 715-728. <http://dx.doi.org/10.1007/s10666-008-9180-4>.
- Chen, J; Ely, RL. (2001). Comparison of artificial neural network, genetic programming, and mechanistic modeling of complex biological processes. *Environ Eng Sci.* 18: 267-278.
- Chen, J; Gillham, RW; Gui, L. (2013). Passivation of bimetallic catalysts used in water treatment: prevention and reactivation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 48: 48-56. <http://dx.doi.org/10.1080/10934529.2012.707836>.
- Chen, J; Lin, JC; Purohit, V; Cutlip, MB; Suib, SL. (1997). Photoassisted catalytic oxidation of alcohols and halogenated hydrocarbons with amorphous manganese oxides. *Catalysis Today.* 33: 205-214.
- Chen, J, uiS; Liu, CW; Chan, Y, iC; Ni, CF, a; Kao, K, eK. (2011). Effect of transverse dispersion on solute transport in a vertical dipole flow test with a tracer. *J Hydrol.* 402: 206-216. <http://dx.doi.org/10.1016/j.jhydrol.2011.03.005>.
- Chen, J; Ollis, DF; Rulkens, WH; Bruning, H. (1999). Photocatalyzed oxidation of alcohols and organochlorides in the presence of native TiO₂ and metallized TiO₂ suspensions. Part (I): Photocatalytic activity and pH influence. *Water Res.* 33: 661-668.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Chen, J; Ollis, DF; Rulkens, WH; Bruning, H. (1999). Photocatalyzed oxidation of alcohols and organochlorides in the presence of native TiO₂ and metallized TiO₂ suspensions. Part (II): Photocatalytic mechanisms. *Water Res.* 33: 669-676.
- Chen, J; Xie, Z. (2013). Removal of H₂S in a novel dielectric barrier discharge reactor with photocatalytic electrode and activated carbon fiber. *J Hazard Mater.* 261: 38-43. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.075>.
- Chen, J; Xiu, Z; Lowry, GV; Alvarez, PJJ. (2011). Effect of natural organic matter on toxicity and reactivity of nano-scale zero-valent iron. *Water Res.* 45: 1995-2001. <http://dx.doi.org/10.1016/j.watres.2010.11.036>.
- Chen, JC; Tang, CT. (2007). Preparation and application of granular ZnO/Al₂O₃ catalyst for the removal of hazardous trichloroethylene. *J Hazard Mater.* 142: 88-96. <http://dx.doi.org/10.1016/j.jhazmat.2006.07.061>.
- Chen, JL; Al-Abed, SR; Ryan, JA; Li, ZB. (2001). Effects of pH on dechlorination of trichloroethylene by zero-valent iron. *J Hazard Mater.* 83: 243-254.
- Chen, JP; Kiaei, D; Hoffman, AS. (1993). ACTIVITY OF HORSE RADISH PEROXIDE ADSORBED ON RADIO-FREQUENCY GLOW DISCHARGE-TREATED POLYMERS. *J Biomater Sci Polym Ed.* 5: 167-182.
- Chen, K, uFan; Li, S; Zhang, W, eiX. (2011). Renewable hydrogen generation by bimetallic zero valent iron nanoparticles. *Chem Eng J.* 170: 562-567. <http://dx.doi.org/10.1016/j.cej.2010.12.019>.
- Chen, KF; Kao, CM; Wu, LC; Surampalli, RY; Liang, SH. (2009). Methyl tert-butyl ether (MTBE) degradation by ferrous ion-activated persulfate oxidation: feasibility and kinetics studies. *Water Environ Res.* 81: 687-694. <http://dx.doi.org/10.2175/106143008X370539>.
- Chen, KF; Yeh, TY; Kao, CM; Sung, WP; Lin, CC. (2012). Application of Nanoscale Zero-valent Iron (nZVI) to Enhance Microbial Reductive Dechlorination of TCE: A Feasibility Study. *Current Nanoscience.* 8: 55-59.
- Chen, L; Jin, S; Fallgren, PH; Liu, F; Colberg, PJ. (2013). Passivation of zero-valent iron by denitrifying bacteria and the impact on trichloroethene reduction in groundwater. *Water Sci Technol.* 67: 1254-1259. <http://dx.doi.org/10.2166/wst.2013.689>.
- Chen, L; Jin, S; Fallgren, PH; Swoboda-Colberg, NG; Liu, F; Colberg, PJ. (2012). Electrochemical depassivation of zero-valent iron for trichloroethene reduction. *J Hazard Mater.* 239-240: 265-269. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.074>.
- Chen, L; Liu, F; Liu, Y; Dong, H; Colberg, PJ. (2011). Benzene and toluene biodegradation down gradient of a zero-valent iron permeable reactive barrier. *J Hazard Mater.* 188: 110-115. <http://dx.doi.org/10.1016/j.jhazmat.2011.01.076>.
- Chen, L; Liu, Y; Liu, F; Jin, S. (2014). Treatment of co-mingled benzene, toluene and TCE in groundwater. *J Hazard Mater.* 275: 116-120. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.057>.
- Chen, M, in; Yang, X. (2015). Situations and challenges of household energy consumption in Chinese small towns. *Energy and Buildings.* 107: 155-162. <http://dx.doi.org/10.1016/j.enbuild.2015.08.017>.
- Chen, MH; Chou, TC. (2003). Electrochemical detection of trichloroethylene with an electrodeposited Pb-modified electrode. *J Electrochem Soc.* 150: H214-H219. <http://dx.doi.org/10.1149/1.1600466>.
- Chen, MH; Lin, TY; Chou, TC. (2002). Trichloroethylene sensor by using electrodeposited Pb-modified graphite strip electrode. *J Electrochem Soc.* 149: H87-H92. <http://dx.doi.org/10.1149/1.1449955>.
- Chen, MY; Su, YF; Shih, YH. (2014). Effect of geochemical properties on degradation of trichloroethylene by stabilized zerovalent iron nanoparticle with Na-acrylic copolymer. *J Environ Manage.* 144: 88-92. <http://dx.doi.org/10.1016/j.jenvman.2014.04.024>.
- Chen, Q; Jiang, D; Shi, W; Wu, D; Xu, Y, ao. (2009). Visible-light-activated Ce-Si co-doped TiO₂ photocatalyst. *Appl Surf Sci.* 255: 7918-7924. <http://dx.doi.org/10.1016/j.apsusc.2009.04.167>.
- Chen, Q; Li, N, a; Luo, M; Lu, J, iQ. (2012). Catalytic oxidation of dichloromethane over Pt/CeO₂-Al₂O₃ catalysts. *Appl Catal B-Environ.* 127: 159-166. <http://dx.doi.org/10.1016/j.apcatb.2012.08.020>.
- Chen, Q; Shi, W; Jiang, D; Xu, Y, ao; Wu, D; Sun, Y. (2010). Visible-Light-Activated Ni-Si Co-Doped TiO₂ with Photocatalytic Performance. *Huaxue Xuebao.* 68: 301-308.
- Chen, R; Das, SR; Jeong, C; Khan, MR; Janes, DB; Alam, MA. (2013). Co-Percolating Graphene-Wrapped Silver Nanowire Network for High Performance, Highly Stable, Transparent Conducting Electrodes. *Adv Funct Mater.* 23: 5150-5158. <http://dx.doi.org/10.1002/adfm.201300124>.
- Chen, R; Wang, X; Yu, Z. (2014). Electrochemical sensing of the genotoxicity of the micron LiFePO₄ rice granule using a guanine biosensor based on LiFePO₄/HCl/K₂S₂O₈ System. *Sens Actuators B.* 192: 234-238. <http://dx.doi.org/10.1016/j.snb.2013.10.105>.
- Chen, R; Zhou, J; Xu, B, in; Meng, X. (2013). Preparation of TiO₂-BaSO₄ composite microparticles and their photocatalytic activity. *Chem Eng J.* 218: 24-31. <http://dx.doi.org/10.1016/j.cej.2012.12.039>.
- Chen, SS; Hsu, BC; Hung, LW. (2008). Chromate reduction by waste iron from electroplating wastewater using plug flow reactor. *J Hazard Mater.* 152: 1092-1097. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.086>.
- Chen, SS; Huang, Y; Kuo, T. (2010). The Remediation of Perchloroethylene Contaminated Groundwater by Nanoscale Iron Reactive Barrier Integrated with Surfactant and Electrokinetics. *Ground Water Monitoring and Remediation.* 30: 90-98. <http://dx.doi.org/10.1111/j.1745-6592.2010.01311.x>.
- Chen, SS; Huang, Y, iChu; Lin, JY, u; Lin, MH, ei. (2014). Dechlorination of tetrachloroethylene in water using stabilized nanoscale iron and palladized iron particles. *Desalination and Water Treatment.* 52: 702-711. <http://dx.doi.org/10.1080/19443994.2013.827305>.
- Chen, W, eiF; Wang, W; Zhang, J; Zhang, X; Li, Y. (2016). Effects of co-present cations and anions on hexachlorobenzene removal by activated carbon, nano zerovalent iron and nano zerovalent/activated carbon composite. *Desalination and Water Treatment.* 57: 20494-20502. <http://dx.doi.org/10.1080/19443994.2015.1108238>.
- Chen, X; Cheung, ST; So, S; Fan, ST; Barry, C; Higgins, J; Lai, KM; Ji, J; Dudoit, S; Ng, IO; Van De Rijn, M; Botstein, D; Brown, PO. (2002). Gene expression patterns in human liver cancers. *Mol Biol Cell.* 13: 1929-1939. <http://dx.doi.org/10.1091/mbc.02-02-0023>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Chen, X; Rozak, J; Lin, JC; Suib, SL; Hayashi, J; Matsumoto, H. (2001). Oxidative decomposition of chlorinated hydrocarbons by glow discharge in PACT (plasma and catalyst integrated technologies) reactors. *Appl Catal A-Gen.* 219: 25-31.
- Chen, XY, an; Zhuang, Z, hiX; Wang, XH, ui; Zhang, J, inZ. (2006). Immune responses to trichloroethylene and skin gene expression profiles in sprague dawley rats. *Biomed Environ Sci.* 19: 346-352.
- Chen, Y; Cai, J; Anders, M; Stevens, J; Jones, D. (2001). Role of mitochondrial dysfunction in S-(1,2-dichlorovinyl)-l-cysteine-induced apoptosis. *Toxicol Appl Pharmacol.* 170: 172-180. <http://dx.doi.org/10.1006/taap.2000.9107>.
- Chen, Y, iS; Hsu, Y, ehL; Lu, J, unM. (2013). TRiC(mini)(+) - A Telepresence Robot for Interpersonal Communication for Older Adults. 34: 121-127.
- Chen, Y; Lin, T; Huang, C; Lin, J. (2008). Cometabolic degradation kinetics of TCE and phenol by *Pseudomonas putida*. *Chemosphere.* 72: 1671-1680. <http://dx.doi.org/10.1016/j.chemosphere.2008.05.035>.
- Chen, Y; Lin, T; Huang, C; Lin, J; Hsieh, FM. (2007). Degradation of phenol and TCE using suspended and chitosan-bead immobilized *Pseudomonas putida*. *J Hazard Mater.* 148: 660-670. <http://dx.doi.org/10.1016/j.jhazmat.2007.03.030>.
- Chen, Y; Pan, W; Wu, F. (2013). Emission Fluxes of Volatile Organic Compounds from Three Heavily Polluted Rivers in Guangzhou, South China. *Water Air Soil Pollut.* 224. <http://dx.doi.org/10.1007/s11270-013-1509-1>.
- Chen, Y; Tsao, TM; Liu, CC; Lin, K; Wang, MK. (2011). Aluminium and nutrients induce changes in the profiles of phenolic substances in tea plants (*Camellia sinensis* CV TTES, No. 12 (TTE)). *J Sci Food Agric.* 91: 1111-1117. <http://dx.doi.org/10.1002/jsfa.4291>.
- Chen, Y, ueM; Wang, MK; Zhuang, SY, ao; Chiang, P, oN. (2006). Chemical and physical properties of rhizosphere and bulk soils of three tea plants cultivated in Ultisols. *Geoderma.* 136: 378-387. <http://dx.doi.org/10.1016/j.geoderma.2006.04.003>.
- Chen, YJ; Dionysiou, DD. (2006). TiO₂ photocatalytic films on stainless steel: The role of Degussa P-25 in modified sol-gel methods. *Appl Catal B-Environ.* 62: 255-264. <http://dx.doi.org/10.1016/j.apcatb.2005.07.017>.
- Chen, YX; Wang, K; Lou, LP. (2004). Photodegradation of dye pollutants on silica gel supported TiO₂ particles under visible light irradiation. *J Photochem Photobiol A.* 163: 281-287. <http://dx.doi.org/10.1016/j.jphotochem.2003.12.012>.
- Chen, Z; Wu, S; Braeckevelt, M; Paschke, H; Kästner, M; Köser, H; Kuschik, P. (2012). Effect of vegetation in pilot-scale horizontal subsurface flow constructed wetlands treating sulphate rich groundwater contaminated with a low and high chlorinated hydrocarbon. *Chemosphere.* 89: 724-731. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.042>.
- Chen, ZL; Megharaj, M; Naidu, R. (2004). Determination of tetrachloroethene, trichloroethylene, and their metabolites at trace levels in ground waters by on-line solid phase extraction/HPLC. *Journal of Liquid Chromatography and Related Technologies.* 27: 885-896. <http://dx.doi.org/10.1081/JLC-120029705>.
- Chen, ZY; White, CC; He, CY; Liu, YF; Eaton, DL. (1995). Zonal differences in DNA synthesis activity and cytochrome P450 gene expression in livers of male F344 rats treated with five nongenotoxic carcinogens. *J Environ Pathol Toxicol Oncol.* 14: 83-99.
- Cheng, D; Chow, WL; He, J. (2010). A Dehalococoides-containing co-culture that dechlorinates tetrachloroethene to trans-1,2-dichloroethene. *ISME J.* 4: 88-97. <http://dx.doi.org/10.1038/ismej.2009.90>.
- Cheng, H; Hu, E; Hu, Y. (2012). Impact of mineral micropores on transport and fate of organic contaminants: A review [Review]. *J Contam Hydrol.* 129: 80-90. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.008>.
- Cheng, H; Reinhard, M. (2006). Measuring hydrophobic micropore volumes in geosorbents from trichloroethylene desorption data. *Environ Sci Technol.* 40: 3595-3602. <http://dx.doi.org/10.1021/es0522581>.
- Cheng, H; Reinhard, M. (2006). Sorption of trichloroethylene in hydrophobic micropores of dealuminated Y zeolites and natural minerals. *Environ Sci Technol.* 40: 7694-7701. <http://dx.doi.org/10.1021/es060886s>.
- Cheng, H; Reinhard, M. (2007). Sorption and inhibited dehydrohalogenation of 2,2-dichloropropane in micropores of dealuminated Y zeolites. *Environ Sci Technol.* 41: 1934-1941. <http://dx.doi.org/10.1021/es062332v>.
- Cheng, H; Reinhard, M. (2008). The rate of 2,2-dichloropropane transformation in mineral micropores: implications of sorptive preservation for fate and transport of organic contaminants in the subsurface. *Environ Sci Technol.* 42: 2879-2885. <http://dx.doi.org/10.1021/es702888h>.
- Cheng, H; Reinhard, M. (2010). In-line gas chromatographic apparatus for measuring the hydrophobic micropore volume (HMV) and contaminant transformation in mineral micropores. *J Hazard Mater.* 179: 596-603. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.045>.
- Cheng, K; Lee, Z, uHsu; Shomali, H. (2012). Airline firm boundary and ticket distribution in electronic markets. *International Journal of Production Economics.* 137: 137-144. <http://dx.doi.org/10.1016/j.ijpe.2012.01.024>.
- Cheng, K, un; Pan, G; Smith, P; Luo, T; Li, L; Zheng, J; Zhang, X; Han, X; Yan, M. (2011). Carbon footprint of China's crop production-An estimation using agro-statistics data over 1993-2007. *Agric Ecosyst Environ.* 142: 231-237. <http://dx.doi.org/10.1016/j.agee.2011.05.012>.
- Cheng, R; Wang, JL; Zhang, WX. (2007). Comparison of reductive dechlorination of p-chlorophenol using Fe⁰ and nanosized Fe⁰. *J Hazard Mater.* 144: 334-339. <http://dx.doi.org/10.1016/j.jhazmat.2006.10.032>.
- Cheng, R; Xue, X; Shi, L; Zhang, T; Liu, Y; Kang, M; Zheng, X. (2017). Degradation of 4-chlorophenol by mixed Fe(0)/Fe₃O₄ nanoparticles: from the perspective of mechanisms. *Water Sci Technol.* 75: 263-270. <http://dx.doi.org/10.2166/wst.2016.505>.
- Cheng, SF; Wu, SC. (2000). The enhancement methods for the degradation of TCE by zero-valent metals. *Chemosphere.* 41: 1263-1270.
- Cheng, SF; Wu, SC. (2001). Feasibility of using metals to remediate water containing TCE. *Chemosphere.* 43: 1023-1028.
- Cheng, WC; Kuo, MCT, om. (2010). The Effect of Toluene-Substrate Concentration on Biological Clogging and Sloughing in Porous Media. *Ground Water Monitoring and Remediation.* 30: 73-80. <http://dx.doi.org/10.1111/j.1745-6592.2010.01306.x>.
- Cheng, Y, ue; Lu, M; Jiao, C; Liu, H. (2013). Preparation of stabilized nano zero-valent iron particles via a rheological phase reaction method and their use in dye decolorization. *Environ Technol.* 34: 445-451. <http://dx.doi.org/10.1080/09593330.2012.698652>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Cheng, YC; Hwang, C. (2006). Use of the Lambert W function for time-domain analysis of feedback fractional delay systems. 153: 167-174. <http://dx.doi.org/10.1049/ip-cta:20050020>.
- Cherrie, J; Kromhout, H; Semple, S. (2001). The importance of reliable exposure estimates in deciding whether trichloroethylene can cause kidney cancer [Letter]. *J Cancer Res Clin Oncol*. 127: 400-404. <http://dx.doi.org/10.1007/s004320000206>.
- Cherry, JA. (1992). CHLORINATED SOLVENTS IN GROUNDWATER - FIELD EXPERIMENTAL STUDIES OF BEHAVIOR AND REMEDIATION. *J Hazard Mater*. 32: 275-278.
- Cherry, JA; Parker, BL; Keller, C. (2007). A new depth-discrete multilevel monitoring approach for fractured rock. *Ground Water Monitoring and Remediation*. 27: 57-70.
- Cheung, C; Akiyama, TE; Ward, JM; Nicol, CJ; Feigenbaum, L; Vinson, C; Gonzalez, FJ. (2004). Diminished hepatocellular proliferation in mice humanized for the nuclear receptor peroxisome proliferator-activated receptor alpha. *Cancer Res*. 64: 3849-3854. <http://dx.doi.org/10.1158/0008-5472.CAN-04-0322>.
- Chheda, D; Sorial, GA. (2016). Effect of a Ternary Mixture of Volatile Organic Compounds on Degradation of TCE in Biotrickling Filter Systems. *Water Air Soil Pollut*. 227. <http://dx.doi.org/10.1007/s11270-016-2950-8>.
- Chiang, SY; Mora, R; Diguseppi, WH; Davis, G; Sublette, K; Gedalanga, P; Mahendra, S. (2012). Characterizing the intrinsic bioremediation potential of 1,4-dioxane and trichloroethene using innovative environmental diagnostic tools. *J Environ Monit*. 14: 2317-2326. <http://dx.doi.org/10.1039/c2em30358b>.
- Chiappe, C; Lenoir, D; Pomelli, CS; Bianchini, R. (2004). Influence of alkene structure on the stability of alkene-Br(2) complexes: Effect of chlorine substitution. *Phys Chem Chem Phys*. 6: 3235-3240. <http://dx.doi.org/10.1039/b316388a>.
- Chibisov, AK; Slavnova, TD; Goerner, H. (2010). J-aggregation of N-sulfobutyl oxocarbocyanine in binary mixtures of organic solvents. *Chem Phys Lett*. 498: 63-66. <http://dx.doi.org/10.1016/j.cplett.2010.08.023>.
- Chieco, P; Moslen, MT; Reynolds, ES. (1981). Effect of administrative vehicle on oral 1,1-dichloroethylene toxicity. *Toxicol Appl Pharmacol*. 57: 146-155. [http://dx.doi.org/10.1016/0041-008X\(81\)90274-X](http://dx.doi.org/10.1016/0041-008X(81)90274-X).
- Chiesa, R; Donato, F; Tagger, A; Favret, M; Ribero, ML; Nardi, G; Gelatti, U; Bucella, E; Tomasi, E; Portolani, N; Bonetti, M; Bettini, L; Pelizzari, G; Salmi, A; Savio, A; Garatti, M; Callea, F. (2000). Etiology of hepatocellular carcinoma in Italian patients with and without cirrhosis. *Cancer Epidemiol Biomarkers Prev*. 9: 213-216.
- Chihara, K; Suzuki, Y; Tomita, S; Kabe, J. (2011). Adsorption equilibrium of the mixture of EtOH and TCE on FAU type high silica zeolite. *Adsorption*. 17: 201-203. <http://dx.doi.org/10.1007/s10450-010-9310-6>.
- Chihara, K; Terakado, T; Ninomiya, T; Mizuochi, H. (2004). Chromatographic adsorption measurement of chlorinated organics on high silica zeolite. *Stud Surf Sci Catal*. 154: 1991-1998.
- Chilakapati, A. (1999). Optimal design of a subsurface redox barrier. *AIChE J*. 45: 1342-1350.
- Chilakapati, A; Williams, M; Yabusaki, S; Cole, C; Szecsody, J. (2000). Optimal design of an in situ Fe(II) barrier: Transport limited reoxidation. *Environ Sci Technol*. 34: 5215-5221.
- Chilakapati, A; Yabusaki, S; Szecsody, J; Macevoy, W. (2000). Groundwater flow, multicomponent transport and biogeochemistry: development and application of a coupled process model. *J Contam Hydrol*. 43: 303-325.
- Chimot, L; Marqué, S; Gros, A; Gacouin, A; Lavoué, S; Camus, C; Le Tulzo, Y. (2013). Avalon© bicaval dual-lumen cannula for venovenous extracorporeal membrane oxygenation: survey of cannula use in France. 59: 157-161. <http://dx.doi.org/10.1097/MAT.0b013e31827db6f3>.
- Chin, JY; Godwin, C; Parker, E; Robins, T; Lewis, T; Harbin, P; Batterman, S. (2014). Levels and sources of volatile organic compounds in homes of children with asthma. *Indoor Air*. 24: 403-415. <http://dx.doi.org/10.1111/ina.12086>.
- Chintakrinda, K; Weinstein, RD; Fleischer, A, myS. (2011). A direct comparison of three different material enhancement methods on the transient thermal response of paraffin phase change material exposed to high heat fluxes. *International Journal of Thermal Sciences*. 50: 1639-1647. <http://dx.doi.org/10.1016/j.ijthermalsci.2011.04.005>.
- Chintawar, PS; Greene, HL. (1997). Adsorption and catalytic destruction of trichloroethylene in hydrophobic zeolites. *Appl Catal B-Environ*. 14: 37-47.
- Chintawar, PS; Greene, HL. (1997). Decomposition characteristics of chlorinated ethylenes on metal loaded zeolite Y and gamma-Al₂O₃. *Appl Catal B-Environ*. 13: 81-92.
- Chintawar, PS; Greene, HL. (1997). Interaction of chlorinated ethylenes with chromium exchanged zeolite Y: An in situ FT-IR study. *J Catal*. 165: 12-21.
- Chiou, CT; Kile, DE. (1994). EFFECTS OF POLAR AND NONPOLAR GROUPS ON THE STABILITY OF ORGANIC-COMPOUNDS IN SOIL ORGANIC-MATTER. *Environ Sci Technol*. 28: 1139-1144.
- Chiou, CT; Kile, DE. (1998). Deviations from sorption linearity on soils of polar and nonpolar organic compounds at low relative concentrations. *Environ Sci Technol*. 32: 338-343.
- Chiovetta, MG; Romero, RL; Cassano, AE. (2001). Modeling of a fluidized-bed photocatalytic reactor for water pollution abatement. *Chem Eng Sci*. 56: 1631-1638.
- Chiu, BC; Weisenburger, DD. (2003). An update of the epidemiology of non-Hodgkin's lymphoma [Review]. *Clin Lymphoma Myeloma*. 4: 161-168.
- Chiu, H; Kuo, CC; Kuo, H; Lee, IM; Yang, C. (2014). Parity, age at first birth and risk of death from kidney cancer: a population-based cohort study in Taiwan. *Eur J Public Health*. 24: 249-252. <http://dx.doi.org/10.1093/eurpub/ckt057>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Chiu, HY; Liu, JK; Chien, HY; Surampalli, RY; Kao, CM. (2013). Evaluation of Enhanced Reductive Dechlorination of Trichloroethylene Using Gene Analysis: Pilot-Scale Study. *J Environ Eng.* 139: 428-437. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000654](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000654).
- Chiu, W; Caldwell, J; Keshava, N; Scott, C. (2006). Key scientific issues in the health risk assessment of trichloroethylene [Review]. *Environ Health Perspect.* 114: 1445-1449. <http://dx.doi.org/10.1289/ehp.8690>.
- Chiu, WA. (2006). Statistical issues in physiologically based pharmacokinetic modeling. In JC Lipscomb; EV Ohanian (Eds.), (pp. 269). New York: Informa Healthcare.
- Chiu, WA; Bois, FY. (2007). An approximate method for population toxicokinetic analysis with aggregated data. *Journal of Agricultural, Biological, and Environmental Statistics.* 12: 346-363. <http://dx.doi.org/10.1198/108571107X229340>.
- Chiu, WA; Campbell, JL; Clewell, HJ; Zhou, YH; Wright, FA; Guyton, KZ; Rusyn, I. (2014). Physiologically based pharmacokinetic (PBPK) modeling of interstrain variability in trichloroethylene metabolism in the mouse. *Environ Health Perspect.* 122: 456-463. <http://dx.doi.org/10.1289/ehp.1307623>.
- Chiu, WA; Hassenzehl, DM; Kammen, DM. (1999). A comparison of regulatory implications of traditional and exact two-stage dose-response models. *Risk Anal.* 19: 15-22.
- Chiu, WA; Jinot, J; Scott, CS; Makris, SL; Cooper, GS; Dzubow, RC; Bale, AS; Evans, MV; Guyton, KZ; Keshava, N; Lipscomb, JC; Barone, S, Jr; Fox, JF; Gwinn, MR; Schaum, J; Caldwell, JC. (2013). Human Health Effects of Trichloroethylene: Key Findings and Scientific Issues [Review]. *Environ Health Perspect.* 121: 303-311. <http://dx.doi.org/10.1289/ehp.1205879>.
- Chiu, WA; Okino, MS; Lipscomb, JC; Evans, MV. (2006). Issues in the pharmacokinetics of trichloroethylene and its metabolites [Review]. *Environ Health Perspect.* 114: 1450-1456. <http://dx.doi.org/10.1289/ehp.8691>.
- Chiu, WA; White, P. (2004). PBPK model-based route extrapolation: Exact and approximate solutions for use in risk assessment.
- Chiu, WA; White, P. (2006). Steady-state solutions to PBPK models and their applications to risk assessment I: Route-to-route extrapolation of volatile chemicals. *Risk Anal.* 26: 769-780. <http://dx.doi.org/10.1111/j.1539-6924.2006.00762.x>.
- Cho, C; Corapcioglu, MY; Park, S; Sung, K. (2007). Effects of Grasses on the Fate of VOCs in Contaminated Soil and Air. *Water Air Soil Pollut.* 187: 243-250. <http://dx.doi.org/10.1007/s11270-007-9512-z>.
- Cho, C; Park, S; Sung, K. (2013). Subsurface and Plant Contamination During Natural Attenuation and Phytoremediation of Silt Loam Contaminated with Chlorinated Organic Compounds. *Vadose Zone Journal.* 12: NIL_318-NIL_328. <http://dx.doi.org/10.2136/vzj2012.0081>.
- Cho, CW; Park, JG; Choi, SC; Paik, U. (2009). Device performance and polymer layer morphology in polymer bistable device (PBD): the control of physicochemical properties of solvent. *J Nanosci Nanotechnol.* 9: 3759-3762. <http://dx.doi.org/10.1166/jnn.2009.NS63>.
- Cho, CW; Sung, K; Coapcioglu, MY; Drew, M. (2005). Influence of water content and plants on the dissipation of chlorinated volatile organic compounds in soil. *Water Air Soil Pollut.* 167: 259-271. <http://dx.doi.org/10.1007/s11270-005-0081-8>.
- Cho, D; Chon, C; Jeon, B; Kim, Y; Khan, M; Song, H. (2010). The role of clay minerals in the reduction of nitrate in groundwater by zero-valent iron. *Chemosphere.* 81: 611-616. <http://dx.doi.org/10.1016/j.chemosphere.2010.08.005>.
- Cho, DL; Chung, D; Kim, G. (2007). Decomposition and solidification of hazardous volatile organic compounds through plasma chemical reactions. *J Ind Eng Chem.* 13: 287-291.
- Cho, HH; Lee, T; Hwang, SJ; Park, JW. (2005). Iron and organo-bentonite for the reduction and sorption of trichloroethylene. *Chemosphere.* 58: 103-108. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.004>.
- Cho, HH; Park, JW. (2003). Reactive dechlorination of PCE using zero valent iron plus surfactants. *ACS Symp Ser Am Chem Soc.* 837: 141-153.
- Cho, HH; Park, JW. (2005). Effect of coexisting compounds on the sorption and reduction of trichloroethylene with iron. *Environ Toxicol Chem.* 24: 11-16.
- Cho, HH; Park, JW. (2006). Sorption and reduction of tetrachloroethylene with zero valent iron and amphiphilic molecules. *Chemosphere.* 64: 1047-1052. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.062>.
- Cho, HJ; Jaffe, PR; Smith, JA. (1993). SIMULATING THE VOLATILIZATION OF SOLVENTS IN UNSATURATED SOILS DURING LABORATORY AND FIELD INFILTRATION EXPERIMENTS. *Water Resour Res.* 29: 3329-3342.
- Cho, IH; Park, JH; Kim, YG. (2005). Oxidative degradation and toxicity reduction of trichloroethylene (TCE) in water using TiO₂/solar light: comparative study of TiO₂ slurry and immobilized systems. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 40: 1033-1044. <http://dx.doi.org/10.1081/ESE-200056155>.
- Cho, KD; Peirce, JJ. (2006). Nitric oxide emissions as a surrogate indicator of toluene contaminated soil. *Environ Eng Sci.* 23: 372-382.
- Cho, W; Sarada, G; Lee, H; Song, M; Gal, YS; Lee, Y; Jin, SH, o. (2017). Highly efficient, conventional and flexible deep-red phosphorescent OLEDs using ambipolar thiophene/selenophene-phenylquinoline ligand-based Ir(III) complexes. *Dyes and Pigments.* 136: 390-397. <http://dx.doi.org/10.1016/j.dyepig.2016.08.060>.
- Cho, WC. (2007). OncomiRs: The discovery and progress of microRNAs in cancers [Review]. *Mol Cancer.* 6: 60. <http://dx.doi.org/10.1186/1476-4598-6-60>.
- Cho, Y; Choi, SI. (2010). Degradation of PCE, TCE and 1,1,1-TCA by nanosized FePd bimetallic particles under various experimental conditions. *Chemosphere.* 81: 940-945. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.054>.
- Cho-Ching, L; Chung-Hsuang, H; Chung-Shin, Y; Yu-Li, H. (2007). Parameter effects and reaction pathways of photoreduction of CO₂ over TiO₂/SO₄²⁻ photocatalyst. *Chinese journal of catalysis.* 28: 528-534.
- Choe, S; Lee, SH; Chang, YY; Hwang, KY; Khim, J. (2001). Rapid reductive destruction of hazardous organic compounds by nanoscale Fe⁰. *Chemosphere.* 42: 367-372.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Choi, DG; Kreikebaum, F; Thomas, VM; Divan, D. (2013). Coordinated EV adoption: double-digit reductions in emissions and fuel use for \$40/vehicle-year. *Environ Sci Technol.* 47: 10703-10707. <http://dx.doi.org/10.1021/es4016926>.
- Choi, H; Al-Abed, SR. (2010). Effect of reaction environments on the reactivity of PCB (2-chlorobiphenyl) over activated carbon impregnated with palladized iron. *J Hazard Mater.* 179: 869-874. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.085>.
- Choi, H; Al-Abed, SR; Agarwal, S. (2009). Effects of aging and oxidation of palladized iron embedded in activated carbon on the dechlorination of 2-chlorobiphenyl. *Environ Sci Technol.* 43: 4137-4142. <http://dx.doi.org/10.1021/es803535b>.
- Choi, HC; Kim, KS; Kim, IS. (1998). Characteristics of contaminant transport in bank filtration through dunes. *Water Sci Technol.* 386: 97-103.
- Choi, HW, oo; Theodore, ND; Alford, TL. (2013). ZnO-Ag-MoO₃ transparent composite electrode for ITO-free, PEDOT: PSS-free bulk-heterojunction organic solar cells. *Solar Energy Materials and Solar Cells.* 117: 446-450. <http://dx.doi.org/10.1016/j.solmat.2013.07.009>.
- Choi, I; Cho, Y. (2009). Effects of various oxide fillers on physical and dielectric properties of calcium aluminoborosilicate-based dielectrics. *Journal of Electroceramics.* 23: 185-190. <http://dx.doi.org/10.1007/s10832-007-9371-4>.
- Choi, IS; Hwang, SW; Park, JC. (2001). Application of medium frequency atmospheric plasma on continuous aluminum wire cleaning for magnet wire manufacturing. *Surf Coating Tech.* 142: 300-305.
- Choi, J; Batchelor, B; Chung, J. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air Soil Pollut.* 212: 407-417. <http://dx.doi.org/10.1007/s11270-010-0354-8>.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater.* 162: 1151-1158. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.007>.
- Choi, J, unH; Kim, S, eiMin; Jang, J, aS. (2016). Optimization of p-Bonding Electrodes on ZnO:Ga in GaN-Based Light-Emitting Diodes. *I E E E Transactions on Electron Devices.* 63: 1957-1962. <http://dx.doi.org/10.1109/TED.2016.2540159>.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environ Sci Technol.* 42: 3356-3362. <http://dx.doi.org/10.1021/es702661d>.
- Choi, JH; Kim, YH. (2009). Reduction of 2,4,6-trichlorophenol with zero-valent zinc and catalyzed zinc. *J Hazard Mater.* 166: 984-991. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.00>.
- Choi, JW; Smith, JA. (2005). Geoenvironmental factors affecting organic vapor advection and diffusion fluxes from the unsaturated zone to the atmosphere under natural conditions. *Environ Eng Sci.* 22: 95-108.
- Choi, JW; Tillman, FD; Smith, JA. (2002). Relative importance of gas-phase diffusive and advective trichloroethene (TCE) fluxes in the unsaturated zone under natural conditions. *Environ Sci Technol.* 36: 3157-3164. <http://dx.doi.org/10.1021/es011348c>.
- Choi, K; Bae, S; Lee, W. (2014). Degradation of off-gas toluene in continuous pyrite Fenton system. *J Hazard Mater.* 280: 31-37. <http://dx.doi.org/10.1016/j.jhazmat.2014.07.054>.
- Choi, K; Lee, W. (2012). Enhanced degradation of trichloroethylene in nano-scale zero-valent iron Fenton system with Cu(II). *J Hazard Mater.* 211: 146-153. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.056>.
- Choi, S; Lee, E; Cho, K. (2013). Effect of trichloroethylene and tetrachloroethylene on methane oxidation and community structure of methanotrophic consortium. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 48: 1723-1731. <http://dx.doi.org/10.1080/10934529.2013.815559>.
- Choi, W; Ko, JY; Park, H; Chung, JS. (2001). Investigation on TiO₂-coated optical fibers for gas-phase photocatalytic oxidation of acetone. *Appl Catal B-Environ.* 31: 209-220.
- Chokejaroenrat, C; Comfort, S; Sakulthaew, C; Dvorak, B. (2014). Improving the treatment of non-aqueous phase TCE in low permeability zones with permanganate. *J Hazard Mater.* 268: 177-184. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.007>.
- Chokejaroenrat, C; Kananizadeh, N; Sakulthaew, C; Comfort, S; Li, Y. (2013). Improving the sweeping efficiency of permanganate into low permeable zones to treat TCE: experimental results and model development. *Environ Sci Technol.* 47: 13031-13038. <http://dx.doi.org/10.1021/es403150x>.
- Chokejaroenrat, C; Sakulthaew, C; Satapanajaru, T; Tikhamram, T; Pho-Ong, A; Mulseesuk, T. (2015). Treating Methyl Orange in a Two-Dimensional Flow Tank by In Situ Chemical Oxidation Using Slow-Release Persulfate Activated with Zero-Valent Iron. *Environ Eng Sci.* 32: 1007-1015. <http://dx.doi.org/10.1089/ees.2015.0110>.
- Chomsurin, C; Kajorntraidej, J; Luangmuang, K. (2008). Bioremediation of trichloroethylene contaminated groundwater using anaerobic process. *Water Sci Technol.* 58: 2127-2132. <http://dx.doi.org/10.2166/wst.2008.830>.
- Choo, KH; Chang, DI; Park, KW; Kim, MH. (2008). Use of an integrated photocatalysis/hollow fiber microfiltration system for the removal of trichloroethylene in water. *J Hazard Mater.* 152: 183-190. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.117>.
- Choori, UN; Scamehorn, JF; O'Haver, JH; Harwell, JH. (1998). Removal of volatile organic compounds from surfactant solutions by flash vacuum stripping in a packed column. *Ground Water Monitoring and Remediation.* 18: 157-165.
- Choubassi, C; Seedah, D, anPK; Jiang, N, an; Walton, CM. (2016). Economic Analysis of Cargo Cycles for Urban Mail Delivery. *Trans Res Rec* 102-110. <http://dx.doi.org/10.3141/2547-14>.
- Choulier, L; Nominé, Y; Zeder-Lutz, G; Charbonnier, S; Didier, B; Jung, ML; Altschuh, D. (2013). Chemical library screening using a SPR-based inhibition in solution assay: simulations and experimental validation. *Anal Chem.* 85: 8787-8795. <http://dx.doi.org/10.1021/ac4019445>.
- Choung, S; Zimmerman, LR; Allen-King, RM; Ligouis, B; Feenstra, S. (2014). Heterogeneous carbonaceous matter in sedimentary rock lithocomponents causes significant trichloroethylene (TCE) sorption in a low organic carbon content aquifer/aquitard system. *J Contam Hydrol.* 167: 23-31. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.010>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Chow, W; Gridley, G; McLaughlin, J; Mandel, J; Wacholder, S; Blot, W; Niwa, S; Fraumeni, J. (1994). Protein intake and risk of renal cell cancer. *J Natl Cancer Inst.* 86: 1131-1139. <http://dx.doi.org/10.1093/jnci/86.15.1131>.
- Chow, WL; Cheng, D; Wang, S; He, J. (2010). Identification and transcriptional analysis of trans-DCE-producing reductive dehalogenases in Dehalococcoides species. *ISME J.* 4: 1020-1030. <http://dx.doi.org/10.1038/ismej.2010.27>.
- Chowdhury, AI; Krol, MM; Kocur, CM; Boparai, HK; Weber, KP; Sleep, BE; O'Carroll, DM. (2015). nZVI injection into variably saturated soils: Field and modeling study. *J Contam Hydrol.* 183: 16-28. <http://dx.doi.org/10.1016/j.jconhyd.2015.10.003>.
- Choy, WK; Chu, W. (2001). The modelling of trichloroethene photodegradation in Brij 35 surfactant by two-stage reaction. *Chemosphere.* 44: 211-215.
- Choy, WK; Chu, W. (2001). The rate improvement and modeling of trichloroethene photodegradation by acetone sensitizer in surfactant solution. *Chemosphere.* 44: 943-947.
- Choy, WK; Chu, W. (2001). The study of rate improvement of trichloroethene (TCE) decay in UV system with hydrogen source. *Water Sci Technol.* 44: 27-33.
- Christenson, M; Kambhu, A; Reece, J; Comfort, S; Brunner, L. (2016). A five-year performance review of field-scale, slow-release permanganate candles with recommendations for second-generation improvements. *Chemosphere.* 150: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2016.01.125>.
- Christenson, MD; Kambhu, A; Comfort, SD. (2012). Using slow-release permanganate candles to remove TCE from a low permeable aquifer at a former landfill. *Chemosphere.* 89: 680-687. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.009>.
- Christof, O; Seifert, R; Michaelis, W. (2002). Volatile halogenated organic compounds in European estuaries. *Biogeochemistry.* 59: 143-160.
- Chrysikopoulos, CV; Hsuan, PY; Fyriilas, MM. (2002). Bootstrap estimation of the mass transfer coefficient of a dissolving nonaqueous phase liquid pool in porous media. *Water Resour Res.* 38. <http://dx.doi.org/10.1029/2001WR000661>.
- Chrysikopoulos, CV; Hsuan, PY; Fyriilas, MM; Lee, KY. (2003). Mass transfer coefficient and concentration boundary layer thickness for a dissolving NAPL pool in porous media. *J Hazard Mater.* 97: 245-255.
- Chrysikopoulos, CV; Lee, KY; Harmon, TC. (2000). Dissolution of a well-defined trichloroethylene pool in saturated porous media: Experimental design and aquifer characterization. *Water Resour Res.* 36: 1687-1696.
- Chrysikopoulos, CV; Syngouna, VI; Vasiliadou, IA; Katsourakis, VE. (2012). Transport of *Pseudomonas putida* in a 3-D Bench Scale Experimental Aquifer. *Transport in Porous Media.* 94: 617-642. <http://dx.doi.org/10.1007/s11242-012-0015-z>.
- Chrysikopoulos, CV; Vogler, ET. (2004). Acoustically enhanced multicomponent NAPL ganglia dissolution in water saturated packed columns. *Environ Sci Technol.* 38: 2940-2945. <http://dx.doi.org/10.1021/es034665n>.
- Chu, BS; Baharin, BS; Man, YBC; Quek, SY. (2004). Separation of vitamin E from palm fatty acid distillate using silica. III. Batch desorption study. *Journal of Food Engineering.* 64: 1-7. [http://dx.doi.org/10.1016/S0260\(03\)00198-5](http://dx.doi.org/10.1016/S0260(03)00198-5).
- Chu, G; Chen, J, un; Liu, F; Shan, X; Sheng, L; Xu, Y; Tian, S. (2013). Positive and negative photoion spectroscopy study of C2Cl4. *Mol Phys.* 111: 427-435. <http://dx.doi.org/10.1080/00268976.2012.728256>.
- Chu, HC; Chang, YC; Lin, Y; Chang, SH; Chang, WC; Li, GA; Tuan, HY. (2016). Spray-Deposited Large-Area Copper Nanowire Transparent Conductive Electrodes and Their Uses for Touch Screen Applications. 8: 13009-13017. <http://dx.doi.org/10.1021/acsami.6b02652>.
- Chu, KH; Alvarez-Cohen, L. (1996). Trichloroethylene degradation by methane-oxidizing cultures grown with various nitrogen sources. *Water Environ Res.* 68: 76-82.
- Chu, KH; Alvarez-Cohen, L. (2000). Treatment of chlorinated solvents by nitrogen-fixing and nitrate-supplied methane oxidizers in columns packed with unsaturated porous media. *Environ Sci Technol.* 34: 1784-1793.
- Chu, KH; Jewell, WJ. (1994). TREATMENT OF TETRACHLOROETHYLENE WITH ANAEROBIC ATTACHED FILM PROCESS. *J Environ Eng.* 120: 58-71.
- Chu, KH; Mahendra, S; Song, DL; Conrad, ME; Alvarez-Cohen, L. (2004). Stable carbon isotope fractionation during aerobic biodegradation of chlorinated ethenes. *Environ Sci Technol.* 38: 3126-3130. <http://dx.doi.org/10.1021/es035238c>.
- Chu, S; Hong, CS. (2008). PHOTOCATALYTIC DEGRADATION OF GASEOUS METHYL-TERT-BUTYL ETHER OVER TiO2. *Fresen Environ Bull.* 17: 2000-2006.
- Chu, W. (2004). Reply to the comment of "the mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources". *Water Res.* 38: 2793-2794. <http://dx.doi.org/10.1016/j.watres.2003.12.001>.
- Chu, W; Choy, WK. (2000). The study of lag phase and rate improvement of TCE decay in UV/surfactant systems. *Chemosphere.* 41: 1199-1204. [http://dx.doi.org/10.1016/S0045-6535\(99\)00544-5](http://dx.doi.org/10.1016/S0045-6535(99)00544-5).
- Chu, W; Choy, WK. (2002). The mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources. *Water Res.* 36: 2525-2532.
- Chu, W; Jia, J. (2009). The Photodegradation and Modeling of a Typical NAPL, Trichloroethene, by Monochromatic UV Irradiations. *Environ Sci Technol.* 43: 1455-1459. <http://dx.doi.org/10.1021/es802640q>.
- Chuang, CH; Chang, B, oH; Chen, JM; Lu, DM, aw. (2016). Metal-mesh based transparent electrodes using roll-to-sheet ultraviolet soft imprinting. *Micro and Nano Letters.* 11: 572-576. <http://dx.doi.org/10.1049/mnl.2016.0284>.
- Chuang, Y, iH; Hong, G, uiB; Chang, CT. (2014). Study on particulates and volatile organic compounds removal with TiO2 nonwoven filter prepared by electrospinning. *Journal of the Air and Waste Management Association.* 64: 738-742. <http://dx.doi.org/10.1080/10962247.2014.889614>.
- Chun, CL; Lee, JJ; Park, JW. (2002). Solubilization of PAH mixtures by three different anionic surfactants. *Environ Pollut.* 118: 307-313.
- Chun, H, oH; Jo, W, anK. (2014). Polymer material-supported titania nanofibers with different polyvinylpyrrolidone to TiO2 ratios for degradation of vaporous trichloroethylene. *J Ind Eng Chem.* 20: 1010-1015. <http://dx.doi.org/10.1016/j.jiec.2013.06.036>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Chun, HD; Park, JK. (1994). PHOTOCATALYTIC OXIDATION OF CHLORINATED ORGANIC-COMPOUNDS OVER TIO₂ MEMBRANE COATED ON GLASS TUBE. *Hazardous Waste and Hazardous Materials*. 11: 501-510.
- Chun, Y; Sheng, GY; Boyd, SA. (2003). Sorptive characteristics of tetraalkylammonium-exchanged smectite clays. *Clays and Clay Minerals*. 51: 415-420. <http://dx.doi.org/10.1346/CCMN.2003.0510407>.
- Chung, CM; Kim, JG; Kim, MS; Kim, KM; Kim, KN. (2002). Development of a new photocurable composite resin with reduced curing shrinkage. *Dent Mater*. 18: 174-178.
- Chung, J; Krajmalnik-Brown, R; Rittmann, BE. (2008). Bioreduction of trichloroethene using a hydrogen-based membrane biofilm reactor. *Environ Sci Technol*. 42: 477-483. <http://dx.doi.org/10.1021/es702422d>.
- Chung, J; Rittmann, BE. (2008). Simultaneous bio-reduction of trichloroethene, trichloroethane, and chloroform using a hydrogen-based membrane biofilm reactor. *Water Sci Technol*. 58: 495-501. <http://dx.doi.org/10.2166/wst.2008.432>.
- Chung, S, il; Kim, P, anK; Kwon, Y, woo; Ha, T, aegyuu; Hur, J, iwon; Lee, K, yuman. (2016). Fabrication of metallic nanomesh structures using phase shift lithography and its application to touch screen panels. *J Mater Process Tech*. 238: 431-436. <http://dx.doi.org/10.1016/j.jmatprotec.2016.08.002>.
- Cialoni, D; Pieri, M; Balestra, C; Marroni, A. (2015). Flying after diving: should recommendations be reviewed? In-flight echocardiographic study in bubble-prone and bubble-resistant divers. *Diving and Hyperbaric Medicine*. 45: 10-15.
- Ciavarelli, R; Cappelletti, M; Fedi, S; Pinelli, D; Frascari, D. (2012). Chloroform aerobic cometabolism by butane-growing *Rhodococcus aetherovorans* BCP1 in continuous-flow biofilm reactors. *Bioprocess Biosyst Eng*. 35: 667-681. <http://dx.doi.org/10.1007/s00449-011-0647-3>.
- Ciblak, A, li; Mao, X; Padilla, I; Vesper, D; Alshawabkeh, I; Alshawabkeh, AN. (2012). Electrode effects on temporal changes in electrolyte pH and redox potential for water treatment. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 47: 718-726. <http://dx.doi.org/10.1080/10934529.2012.660088>.
- Cichocka, D; Imfeld, G; Richnow, HH; Nijenhuis, I. (2008). Variability in microbial carbon isotope fractionation of tetra- and trichloroethene upon reductive dechlorination. *Chemosphere*. 71: 639-648. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.013>.
- Cicmanec, J; Condie, L; Olson, G; Wang, S. (1991). 90-Day toxicity study of dichloroacetate in dogs. *Fundam Appl Toxicol*. 17: 376-389. <http://dx.doi.org/10.1093/toxsci/17.2.376>.
- Ciptadjaya, CG; Guo, W; Angeli, JM; Obare, SO. (2009). Controlling the reactivity of chlorinated ethylenes with flavin mononucleotide hydroquinone. *Environ Sci Technol*. 43: 1591-1597. <http://dx.doi.org/10.1021/es8021792>.
- Cirpka, OA; Kitanidis, PK. (2000). Impact of biomass-decay terms on the simulation of pulsed bioremediation. *Ground Water*. 38: 254-263.
- Cirpka, OA; Kitanidis, PK. (2001). Travel-time based model of bioremediation using circulation wells. *Ground Water*. 39: 422-432.
- Cruelo, G; Cuenca, T; Gomez, R; Gomez-Sal, P; Martin, A; Rodriguez, G; Royo, P. (1997). Synthesis and reactivity of new silyl substituted monocyclopentadienyl zirconium complexes. X-ray molecular structure of [Zr{eta(5)-C5H4(SiMe2CH2Ph)}(CH2Ph)(3)]. *J Organomet Chem*. 547: 287-296.
- Cruelos, S; Sebastian, A; Cuenca, T; Gomez-Sal, P; Manzanero, A; Royo, P. (2000). Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of Hf{eta(5)-C5H4(SiMe2OSiMe2OSiMe2(eta(5)-C5H4))Cl-2 and Zr(eta(5)-1,3-(Bu2C5H3)-Bu-t)(eta(5)-C5H4SiMe2-eta-(NBu)-Bu-t)Cl. *J Organomet Chem*. 604: 103-115.
- Ciucanu, I; Chiriac, A. (2002). Membrane and trap system for continuous monitoring of volatile organic compounds using a portable gas chromatograph with thermal conductivity detector. *J Sep Sci*. 25: 447-452.
- Clancy, PB; Armstrong, J; Couture, M; Lussky, R; Wheeler, K. (1996). Treatment of chlorinated ethenes in groundwater with ozone and hydrogen peroxide. *Environmental Progress*. 15: 187-193.
- Clapp, LW; Regan, JM; Ali, F; Newman, JD; Park, JK; Noguera, DR. (1999). Activity, structure, and stratification of membrane-attached methanotrophic biofilms cometabolically degrading trichloroethylene. *Water Sci Technol*. 39: 153-161.
- Clark, CJ; Chen, XS; Babu, S. (2005). Degradation of toxaphene by zero-valent iron and bimetallic substrates. *J Environ Eng*. 131: 1733-1739. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:12\(1733\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:12(1733)).
- Clark, CJ; Rao, PS; Annable, MD. (2003). Degradation of perchloroethylene in cosolvent solutions by zero-valent iron. *J Hazard Mater*. 96: 65-78.
- Clark, PB; Mccann, EJ; Hallows, GR; Spence, S. (2001). Bandra Pumping Station, Bombay: re-design of Bandra influent pumping station. *Journal of Water Supply: Research and Technology-AQUA*. 50: 61-68.
- Clark, RS. (1978). THERMAL-OXIDATION OF SILICON USING TRICHLOROETHYLENE. *Solid State Technology*. 21: 80-82.
- Clausen, CA; Cooper, CD; Hewett, M; Martinez, A. (1992). Enhancement of organic vapor incineration by using ozone. *J Hazard Mater*. 31: 75-98.
- Clausse, B; Garrot, B; Cornier, C; Paulin, C; Simonot-Grange, MH; Boutros, F. (1998). Adsorption of chlorinated volatile organic compounds on hydrophobic faujasite: correlation between the thermodynamic and kinetic properties and the prediction of air cleaning. *Microporous and Mesoporous Materials*. 25: 169-177.
- Clavijo, S; Avivar, J; Suárez, R; Cerdà, V. (2016). In-syringe magnetic stirring-assisted dispersive liquid-liquid microextraction and silylation prior gas chromatography-mass spectrometry for ultraviolet filters determination in environmental water samples. *J Chromatogr A*. 1443: 26-34. <http://dx.doi.org/10.1016/j.chroma.2016.03.036>.
- Clayton, CA; Pellizzari, ED; Whitmore, RW; Perritt, RL; Quackenboss, JJ. (1999). National Human Exposure Assessment Survey (NHEXAS): Distributions and associations of lead, arsenic, and volatile organic compounds in EPA Region 5. *J Expo Anal Environ Epidemiol*. 9: 381-392. <http://dx.doi.org/10.1038/sj.jea.7500055>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Clegg, ED; Cook, JC; Chapin, RE; Foster, PMD; Daston, GP. (1997). Leydig cell hyperplasia and adenoma formation: Mechanisms and relevance to humans [Review]. *Reprod Toxicol*. 11: 107-121. [http://dx.doi.org/10.1016/S0890-6238\(96\)00203-1](http://dx.doi.org/10.1016/S0890-6238(96)00203-1).
- Clement International Corporation. (1994). Final draft for the drinking water criteria document on chlorinated acids/aldehydes/ketones/alcohols. Washington, D.C.: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB94179918>.
- Clement, TP; Johnson, CD; Sun, YW; Klecka, GM; Bartlett, C. (2000). Natural attenuation of chlorinated ethene compounds: model development and field-scale application at the Dover site. *J Contam Hydrol*. 42: 113-140.
- Clement, TP; Kim, YC; Gautam, TR; Lee, KK. (2004). Experimental and numerical investigation of DNAPL dissolution processes in a laboratory aquifer model. *Ground Water Monitoring and Remediation*. 24: 88-96.
- Cleveland, TG; Garg, S; Rixey, WG. (1996). Feasibility of fullerene waste as carbonaceous adsorbent. *J Environ Eng*. 122: 235-238.
- Clewell, HJ; Andersen, ME. (1994). Physiologically-based pharmacokinetic modeling and bioactivation of xenobiotics [Review]. *Toxicol Ind Health*. 10: 1-24.
- Clewell, HJ, III; Barton, HA; Maull, EA; Andersen, ME. (2001). Under What Conditions Is Trichloroethylene Likely To Be a Carcinogen in Humans. *Hum Ecol Risk Assess*. 7: 687-716.
- Clewell, HJ, III; Gentry, PR; Covington, TR; Gearhart, JM. (2000). Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment [Review]. *Environ Health Perspect*. 108: 283-305. <http://dx.doi.org/10.1289/ehp.00108s2283>.
- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modeling in noncancer risk assessment. *J Toxicol Environ Health*. 52: 475-515. <http://dx.doi.org/10.1080/00984109708984077>.
- Clewell, HJ; Gentry, PR; Gearhart, JM; Allen, BC; Andersen, ME. (1995). Considering pharmacokinetic and mechanistic information in cancer risk assessments for environmental contaminants: examples with vinyl chloride and trichloroethylene [Review]. *Chemosphere*. 31: 2561-2578.
- Clewell, RA; Merrill, EA; Robinson, PJ. (2001). The use of physiologically based models to integrate diverse data sets and reduce uncertainty in the prediction of perchlorate and iodide kinetics across life stages and species. *Toxicol Ind Health*. 17: 210-222. <http://dx.doi.org/10.1191/0748233701th108oa>.
- Clinton, BD; Vose, JM; Vroblesky, DA; Harvey, GJ. (2004). Determination of the relative uptake of ground vs. surface water by *Populus deltoides* during phytoremediation. *Int J Phytoremediation*. 6: 239-252. <http://dx.doi.org/10.1080/16226510490496438>.
- Close, M; Bright, J; Wang, F; Pang, L; Manning, M. (2008). Key Features of Artificial Aquifers for Use in Modeling Contaminant Transport. *Ground Water*. 46: 814-828. <http://dx.doi.org/10.1111/j.1745-6584.2008.00474.x>.
- Cobo, M; Becerra, J; Castelblanco, M; Cifuentes, B; Conesa, JA. (2015). Catalytic hydrodechlorination of trichloroethylene in a novel NaOH/2-propanol/methanol/water system on ceria-supported Pd and Rh catalysts. *J Environ Manage*. 158: 1-10. <http://dx.doi.org/10.1016/j.jenvman.2015.04.035>.
- Cobo, M; Gonzalez, CA; Sanchez, EG; Montes, C. (2011). Catalytic hydrodechlorination of trichloroethylene with 2-propanol over Pd/Al₂O₃. *Catalysis Today*. 172: 78-83. <http://dx.doi.org/10.1016/j.cattod.2011.02.064>.
- Cocco, P. (2010). Sezione di Medicina del Lavoro, Università di Cagliari to Cheryl Siegel Scott, U. S. EPA, December 12, 2010 [Personal Communication].
- Coffey, JO; Sager, SJ; Gangireddy, S; Levine, A; Viles-Gonzalez, JF; Fischer, A. (2014). The impact of transvenous lead extraction on tricuspid valve function. *Pacing Clin Electrophysiol*. 37: 19-24. <http://dx.doi.org/10.1111/pace.12236>.
- Cogger, VC; Warren, A; Fraser, R; Ngu, M; McLean, AJ; Le Couteur, DG. (2003). Hepatic sinusoidal pseudocapillarization with aging in the non-human primate. *Exp Gerontol*. 38: 1101-1107. <http://dx.doi.org/10.1016/j.exger.2003.07.002>.
- Cogliano, VJ; Baan, RA; Straif, K; Grosse, Y; Secretan, B; El Ghissassi, F. (2008). Use of mechanistic data in IARC evaluations [Review]. *Environ Mol Mutagen*. 49: 100-109. <http://dx.doi.org/10.1002/em.20370>.
- Cogliano, VT; Scott, CS; Caldwell, JC; Farland, WH. (2001). Trichloroethylene: Using New Information To Improve the Cancer Characterization. *Hum Ecol Risk Assess*. 7: 755 - 766.
- Cohen, EL; Patterson, BM; Mckinley, AJ; Prommer, H. (2009). Zero valent iron remediation of a mixed brominated ethene contaminated groundwater. *J Contam Hydrol*. 103: 109-118. <http://dx.doi.org/10.1016/j.jconhyd.2008.09.010>.
- Cohen, PE; Nishimura, K; Zhu, L; Pollard, JW. (1999). Macrophages: Important accessory cells for reproductive function [Review]. *J Leukoc Biol*. 66: 765-772.
- Cohn, BA; Cirillo, PM; Christianson, RE. (2010). Prenatal DDT exposure and testicular cancer: A nested case-control study. *Arch Environ Occup Health*. 65: 127-134. <http://dx.doi.org/10.1080/19338241003730887>.
- Cohn, P; Klotz, J; Bove, F; Berkowitz, M; Fagliano, J. (1994). Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environ Health Perspect*. 102: 556-561.
- Colli-Dula, RC; Mehinto, AC; Kroll, KJ; Barber, DS; Vulpe, CD; Denslow, ND. (2014). Molecular Signature and DNA Damage Pathways Altered in Male Largemouth Bass (*Micropterus salmoides*) By a Single Dose of Benzene and Trichloroethylene. *Environ Mol Mutagen*. 55: S55-S55.
- Collin, WR; Serrano, G; Wright, LK; Chang, H; Nunovero, N; Zellers, ET. (2014). Microfabricated Gas Chromatograph for Rapid, Trace-Level Determinations of Gas-Phase, Explosive Marker Compounds. *Anal Chem*. 86: 655-663. <http://dx.doi.org/10.1021/ac402961t>.
- Collins, C; Laturnus, F; Nepovim, A. (2002). Remediation of BTEX and trichloroethene. Current knowledge with special emphasis on phytoremediation [Review]. *Environ Sci Pollut Res Int*. 9: 86-94.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Collins-Garcia, H; Tia, M; Roque, R; Choubane, B; TRB. (2000). Alternative solvent for reducing health and environmental hazards in extracting asphalt - An evaluation. *Trans Res Rec* 79-85.
- Colomb, A; Williams, J; Crowley, J; Gros, V; Hofmann, R; Salisbury, G; Klupfel, T; Kormann, R; Stickler, A; Forster, C; Lelieveld, J. (2006). Airborne measurements of trace organic species in the upper troposphere over Europe: the impact of deep convection. *Environ Chem.* 3: 244-259. <http://dx.doi.org/10.1071/EN06020>.
- Colomb, A; Yassaa, N; Williams, J; Peecken, I; Lochte, K. (2008). Screening volatile organic compounds (VOCs) emissions from five marine phytoplankton species by head space gas chromatography/mass spectrometry (HS-GC/MS). *J Environ Monit.* 10: 325-330. <http://dx.doi.org/10.1039/b715312>.
- Columbano, A; Ledda-Columbano, GM. (2003). Mitogenesis by ligands of nuclear receptors: an attractive model for the study of the molecular mechanisms implicated in liver growth [Review]. *Cell Death Differ.* 10: S19-S21. <http://dx.doi.org/10.1038/sj.cdd.4401113>.
- Columbano, A; Ledda-Columbano, GM; Coni, PP; Faa, G; Liguori, C; Santa Cruz, G; Pani, P. (1985). Occurrence of cell death (apoptosis) during the involution of liver hyperplasia. *Lab Invest.* 52: 670-675.
- Columbano, A; Ledda-Columbano, GM; Ennas, MG; Curto, M; Chelo, A; Pani, P. (1990). Cell proliferation and promotion of rat liver carcinogenesis: Different effect of hepatic regeneration and mitogen induced hyperplasia on the development of enzyme-altered foci. *Carcinogenesis.* 11: 771-776. <http://dx.doi.org/10.1093/carcin/11.5.771>.
- Columbano, A; Ledda-Columbano, GM; Lee, G; Rajalakshmi, S; Sarma, DS. (1987). Inability of mitogen-induced liver hyperplasia to support the induction of enzyme-altered islands induced by liver carcinogens. *Cancer Res.* 47: 5557-5559.
- Comandella, D; Woszidlo, S; Georgi, A; Kopinke, FD; Mackenzie, K. (2016). Efforts for long-term protection of palladium hydrodechlorination catalysts. *Appl Catal B-Environ.* 186: 204-211. <http://dx.doi.org/10.1016/j.apcatb.2015.12.043>.
- Comelli, F; Castellari, C; Francesconi, R. (1981). VAPOR-LIQUID-EQUILIBRIA IN BINARY-SYSTEMS CONTAINING 1,3-DIOXOLANE AT ISOBARIC CONDITIONS .1. BINARY-MIXTURES OF 1,3-DIOXOLANE WITH 1,2-TRANS-DICHLOROETHYLENE, TRICHLOROETHYLENE, AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data.* 26: 334-338.
- Comelli, F; Francesconi, R. (1995). DENSITIES AND EXCESS MOLAR VOLUMES OF BINARY-MIXTURES CONTAINING PROPYLENE CARBONATE PLUS 10 CHLOROHYDROCARBONS AT 298.15 K AND ATMOSPHERIC-PRESSURE. *Journal of Chemical and Engineering Data.* 40: 1184-1187.
- Comelli, F; Francesconi, R. (1995). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR 2,2,4-TRIMETHYLPENTANE PLUS 5 CHLOROHYDROCARBON BINARY-SYSTEMS AT 343.15-K. *Journal of Chemical and Engineering Data.* 40: 21-24.
- Conant, BH; Gillham, RW; Mendoza, CA. (1996). Vapor transport of trichloroethylene in the unsaturated zone: Field and numerical modeling investigations. *Water Resour Res.* 32: 9-22.
- Coni, P; Simbula, G; De Prati, AC; Menegazzi, M; Suzuki, H; Sarma, DSR; Ledda-Columbano, GM; Columbano, A. (1993). Differences in the steady-state levels of c-fos, c-jun and c-myc messenger RNA during mitogen-induced liver growth and compensatory regeneration. *Hepatology.* 17: 1109-1116. <http://dx.doi.org/10.1002/hep.1840170626>.
- Conka, K; Chovancová, J; Stachová Sejáková, Z; Dömötörövá, M; Fabišiková, A; Drobná, B; Kočan, A. (2014). PCDDs, PCDFs, PCBs and OCPs in sediments from selected areas in the Slovak Republic. *Chemosphere.* 98: 37-43. <http://dx.doi.org/10.1016/j.chemosphere.2013.09.068>.
- Conklin, MH; Corley, TL; Roberts, PA; Davis, JH; Vandewater, JG. (1995). NONEQUILIBRIUM PROCESSES AFFECTING FORCED VENTILATION OF BENZENE AND XYLENE IN A DESERT SOIL. *Water Resour Res.* 31: 1355-1365.
- Connaughton, DF; Stedinger, JR; Lion, LW; Shuler, ML. (1993). Description of time-varying desorption kinetics: Release of naphthalene from contaminated soils. *Environ Sci Technol.* 27: 2397-2403.
- Conner, EA; Lemmer, ER; Omori, M; Wirth, PJ; Factor, VM; Thorgeirsson, SS. (2000). Dual functions of E2F-1 in a transgenic mouse model of liver carcinogenesis. *Oncogene.* 19: 5054-5062. <http://dx.doi.org/10.1038/sj.onc.1203885>.
- Conner, EA; Lemmer, ER; Sánchez, A; Factor, VM; Thorgeirsson, SS. (2003). E2F1 blocks and c-Myc accelerates hepatic ploidy in transgenic mouse models. *Biochem Biophys Res Commun.* 302: 114-120. [http://dx.doi.org/10.1016/S0006-291X\(03\)00125-6](http://dx.doi.org/10.1016/S0006-291X(03)00125-6).
- Conrad, ME; Brodie, EL; Radtke, CW; Bill, M; Delwiche, ME; Lee, MH; Swift, DL; Colwell, FS. (2009). Isotopic evidence for TCE co-metabolism stimulated by electron donor addition to groundwater. *Geochim Cosmo Acta.* 73: A241-A241.
- Conrad, ME; Brodie, EL; Radtke, CW; Bill, M; Delwiche, ME; Lee, MH; Swift, DL; Colwell, FS. (2010). Field evidence for co-metabolism of trichloroethene stimulated by addition of electron donor to groundwater. *Environ Sci Technol.* 44: 4697-4704. <http://dx.doi.org/10.1021/es903535j>.
- Conrad, SH; Glass, RJ; Peplinski, WJ. (2002). Bench-scale visualization of DNAPL remediation processes in analog heterogeneous aquifers: surfactant floods and in situ oxidation using permanganate. *J Contam Hydrol.* 58: 13-49.
- Consales, C; Toft, G; Leter, G; Bonde, JP; Uccelli, R; Pacchierotti, F; Eleuteri, P; Jönsson, BA; Giwercman, A; Pedersen, HS; Struciński, P; Góralczyk, K; Zvezdai, V; Spanò, M. (2016). Exposure to persistent organic pollutants and sperm DNA methylation changes in Arctic and European populations. *Environ Mol Mutagen.* 57: 200-209. <http://dx.doi.org/10.1002/em.21994>.
- Contrera, JF; Jacobs, AC; DeGeorge, JJ. (1997). Carcinogenicity testing and the evaluation of regulatory requirements for pharmaceuticals. *Regul Toxicol Pharmacol.* 25: 130-145. <http://dx.doi.org/10.1006/rtph.1997.1085>.
- Conzen, JP; Burck, J; Ache, HJ. (1994). DETERMINATION OF CHLORINATED HYDROCARBONS IN WATER BY FIBEROPTIC EVANESCENT-WAVE SPECTROSCOPY AND PARTIAL LEAST-SQUARES REGRESSION. *Fresenius J Anal Chem.* 348: 501-505.
- Cook, RE; Thoreson, KA; McNeill, K. (2009). Dechlorination of trichloroethylene (TCE) using zero-valent iron in organic solvents. *Abstracts of Papers - American Chemical Society.* 237.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Cool, TA; Nakajima, K; Mostefaoui, TA; Qi, F; McIlroy, A; Westmoreland, PR; Law, ME; Poisson, L; Peterka, DS; Ahmed, M. (2003). Selective detection of isomers with photoionization mass spectrometry for studies of hydrocarbon flame chemistry. *J Chem Phys.* 119: 8356-8365. <http://dx.doi.org/10.1063/1.1611173>.
- Cooper, A. (2004). The role of glutamine transaminase K (GTK) in sulfur and alpha-keto acid metabolism in the brain, and in the possible bioactivation of neurotoxicants [Review]. *Neurochem Int.* 44: 557-577. <http://dx.doi.org/10.1016/j.neuint.2003.12.002>.
- Cooper, AM; Hristovski, KD; Möller, T; Westerhoff, P; Sylvester, P. (2010). The effect of carbon type on arsenic and trichloroethylene removal capabilities of iron (hydr)oxide nanoparticle-impregnated granulated activated carbons. *J Hazard Mater.* 183: 381-388. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.036>.
- Cooper, G; Miller, F; Pandey, J. (1999). The role of genetic factors in autoimmune disease: implications for environmental research [Review]. *Environ Health Perspect.* 107: 693-700. <http://dx.doi.org/10.1289/ehp.99107s5693>.
- Cooper, G; Stroehla, B. (2003). The epidemiology of autoimmune diseases [Review]. *Autoimmun Rev.* 2: 119-125. [http://dx.doi.org/10.1016/S1568-9972\(03\)00006-5](http://dx.doi.org/10.1016/S1568-9972(03)00006-5).
- Cooper, GS; Gilbert, KM; Greidinger, EL; James, JA; Pfau, JC; Reinlib, L; Richardson, BC; Rose, NR. (2008). Recent advances and opportunities in research on lupus: environmental influences and mechanisms of disease [Review]. *Environ Health Perspect.* 116: 695-702. <http://dx.doi.org/10.1289/ehp.11092>.
- Cooper, GS; Parks, CG; Treadwell, EL; St Clair, EW; Gilkeson, GS; Dooley, MA. (2004). Occupational risk factors for the development of systemic lupus erythematosus. *J Rheumatol.* 31: 1928-1933.
- Cooper, WJ; Meacham, DE; Nickelsen, MG; Lin, KJ; Ford, DB; Kurucz, CN; Waite, TD. (1993). THE REMOVAL OF TRICHLOROETHYLENE (TCE) AND TETRACHLOROETHYLENE (PCE) FROM AQUEOUS-SOLUTION USING HIGH-ENERGY ELECTRONS. *Journal of the Air and Waste Management Association.* 43: 1358-1366.
- Cooper, WJ; Nickelsen, MG; Meacham, DE; Cadavid, EM; Waite, TD; Kurucz, CN. (1992). High energy electron beam irradiation: An innovative process for the treatment of aqueous based organic hazardous wastes. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 27: 219-244.
- Cope, DB; Benson, CH. (2009). Grey-iron foundry slags as reactive media for removing trichloroethylene from groundwater. *Environ Sci Technol.* 43: 169-175. <http://dx.doi.org/10.1021/es801359d>.
- Cope, N; Hughes, JB. (2001). Biologically-enhanced removal of PCE from NAPL source zones. *Environ Sci Technol.* 35: 2014-2021.
- Copeland, CD; Chen, Z. (2016). The Benefits of an Inverted Brayton Bottoming Cycle as an Alternative to Turbocompounding. *J Eng Gas Turbines Power.* 138. <http://dx.doi.org/10.1115/1.4031790>.
- Copeland, KT; Checkoway, H; McMichael, AJ; Holbrook, RH. (1977). Bias due to misclassification in the estimation of relative risk. *Am J Epidemiol.* 105: 488-495.
- Corapcioglu, MY; Hossain, MA; Hossain, MA. (1991). ANAEROBIC BIOTRANSFORMATION OF PCE AND TCE IN GROUNDWATER A COMPARISON OF EXPERIMENTAL DATA WITH NUMERICAL RESULTS (pp. 1-3). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08571). Corapcioglu, MY; Hossain, MA; Hossain, MA.
- Corapcioglu, MY; Hossain, MA; Hossain, MA. (1991). METHANOGENIC BIOTRANSFORMATION OF CHLORINATED HYDROCARBONS IN GROUND-WATER. *J Environ Eng.* 117: 47-65.
- Corapcioglu, MY; Sung, K; Kim, J. (2004). Parameter determination of sequential reductive dehalogenation reactions of chlorinated hydrocarbons. *Transport in Porous Media.* 55: 169-182.
- Corella, J; Toledo, JM; Padilla, AM. (2000). On the selection of the catalyst among the commercial platinum-based ones for total oxidation of some chlorinated hydrocarbons. *Appl Catal B-Environ.* 27: 243-256.
- Cornejo, JJ; Munoz, FG; Ma, CY; Stewart, AJ. (1999). Studies on the decontamination of air by plants. *Ecotoxicology.* 8: 311-320.
- Cornelissen, G; Rigterink, H; van Noort, PCM; Govers, HAJ. (2000). Slowly and very slowly desorbing organic compounds in sediments exhibit Langmuir-type sorption. *Environ Toxicol Chem.* 19: 1532-1539.
- Coronado, JM; Sanchez, B; Fresno, F; Suarez, S; Portela, R. (2008). Influence of catalyst properties and reactor configuration on the photocatalytic degradation of trichloroethylene under sunlight irradiation. *J Sol Energy Eng.* 130: 041012. <http://dx.doi.org/10.1115/1.2969797>.
- Coronado, JM; Sanchez, B; Portela, R; Suarez, S. (2008). Solar photocatalysis for the elimination of trichloroethylene in the gas phase. *J Sol Energy Eng.* 130. <http://dx.doi.org/10.1115/1.2807194>.
- Coronado, JM; Zorn, ME; Tejedor-Tejedor, I; Anderson, MA. (2003). Photocatalytic oxidation of ketones in the gas phase over TiO₂ thin films: a kinetic study on the influence of water vapor. *Appl Catal B-Environ.* 43: 329-344. [http://dx.doi.org/10.1016/S0926-3373\(03\)00022-5](http://dx.doi.org/10.1016/S0926-3373(03)00022-5).
- Corradi, L; Panzeri, N. (2003). Post-collapse analysis of plates and shells based on a rigid-plastic version of the TRIC element. *Computer Methods in Applied Mechanics and Engineering.* 192: 3747-3775. [http://dx.doi.org/10.1016/S0045-7825\(03\)00373-6](http://dx.doi.org/10.1016/S0045-7825(03)00373-6).
- Corradi, L; Panzeri, N. (2004). A triangular finite element for sequential limit analysis of shells. *Adv Eng Software.* 35: 633-643. <http://dx.doi.org/10.1016/j.advengsoft.2004.03.014>.
- Correia, Y; Martens, GJ; Van Mensch, FH; Whim, BP. (1977). The occurrence of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane in western Europe in air and water. *Atmos Environ.* 11: 1113-1116. [http://dx.doi.org/10.1016/0004-6981\(77\)90243-8](http://dx.doi.org/10.1016/0004-6981(77)90243-8).
- Corton, JC; Lapinskas, PJ. (2005). Peroxisome proliferator-activated receptors: Mediators of phthalate ester-induced effects in the male reproductive tract? [Review]. *Toxicol Sci.* 83: 4-17. <http://dx.doi.org/10.1093/toxsci/kfi011>.
- Cosnier, F; Celzard, A; Furdin, G; Begin, D; Mareche, JF; Barres, O. (2005). Hydrophobisation of active carbon surface and effect on the adsorption of water. *Carbon.* 43: 2554-2563. <http://dx.doi.org/10.1016/j.carbon.2005.05.007>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Coss, PM; Cha, CY. (2000). Microwave regeneration of activated carbon used for removal of solvents from vented air. *J Air Waste Manag Assoc.* 50: 529-535.
- Costa, AK; Ivanetich, KM. (1984). Chlorinated ethylenes: their metabolism and effect on DNA repair in rat hepatocytes. *Carcinogenesis.* 5: 1629-1636. <http://dx.doi.org/10.1093/carcin/5.12.1629>.
- Costa, G; Merletti, F; Segnan, N. (1989). A mortality cohort study in a north Italian aircraft factory. *Br J Ind Med.* 46: 738-743. <http://dx.doi.org/10.1136/oem.46.10.738>.
- Costanza, J; Davis, EL; Mulholland, JA; Pennell, KD. (2005). Abiotic degradation of trichloroethylene under thermal remediation conditions. *Environ Sci Technol.* 39: 6825-6830. <http://dx.doi.org/10.1021/es0502932>.
- Costanza, J; Fletcher, KE; Löffler, FE; Pennell, KD. (2009). Fate of TCE in heated Fort Lewis soil. *Environ Sci Technol.* 43: 909-914. <http://dx.doi.org/10.1021/es802508x>.
- Costanza, J, ed; Pennell, KD. (2007). Distribution and abiotic degradation of chlorinated solvents in heated field samples. *Environ Sci Technol.* 41: 1729-1734. <http://dx.doi.org/10.1021/es062419g>.
- Costanza, J; Pennell, KD. (2008). Comparison of PCE and TCE disappearance in heated volatile organic analysis vials and flame-sealed ampules. *Chemosphere.* 70: 2060-2067. <http://dx.doi.org/10.1016/j.chemosphere.2007.09.007>.
- Costanza-Robinson, MS; Brusseau, ML. (2002). Gas phase advection and dispersion in unsaturated porous media. *Water Resour Res.* 38. <http://dx.doi.org/10.1029/2001WR000895>.
- Costanza-Robinson, MS; Carlson, TD; Brusseau, ML. (2013). Vapor-phase transport of trichloroethene in an intermediate-scale vadose-zone system: retention processes and tracer-based prediction. *J Contam Hydrol.* 145: 82-89. <http://dx.doi.org/10.1016/j.jconhyd.2012.12.004>.
- Costas, K; Knorr, RS; Condon, SK. (2002). A case-control study of childhood leukemia in Woburn, Massachusetts: The relationship between leukemia incidence and exposure to public drinking water. *Sci Total Environ.* 300: 23-35. [http://dx.doi.org/10.1016/S0048-9697\(02\)00169-9](http://dx.doi.org/10.1016/S0048-9697(02)00169-9).
- Costet, N; Garlantezec, R; Monfort, C; Rouget, F; Gagniere, B; Chevrier, C; Cordier, S. (2012). Environmental and Urinary Markers of Prenatal Exposure to Drinking Water Disinfection By-Products, Fetal Growth, and Duration of Gestation in the PELAGIE Birth Cohort (Brittany, France, 2002-2006). *Am J Epidemiol.* 175: 263-275. <http://dx.doi.org/10.1093/aje/kwr419>.
- Costet, P; Legendre, C; Moré, J; Edgar, A; Galtier, P; Pineau, T. (1998). Peroxisome proliferator-activated receptor alpha-isoform deficiency leads to progressive dyslipidemia with sexually dimorphic obesity and steatosis. *J Biol Chem.* 273: 29577-29585. <http://dx.doi.org/10.1074/jbc.273.45.29577>.
- Cotel, S; Schaefer, G; Barthes, V; Baussand, P. (2011). Effect of Density-Driven Advection on Trichloroethylene Vapor Diffusion in a Porous Medium. *Vadose Zone Journal.* 10: 565-581. <http://dx.doi.org/10.2136/vzj2010.0032>.
- Cotel, S; Schaefer, G; Traverse, S; Marzougui-Jaafar, S; Gay, G; Razakarisoa, O. (2015). Evaluation of VOC fluxes at the soil-air interface using different flux chambers and a quasi-analytical approach. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2596-y>.
- Couffin, N; Cabassud, C; Lahoussine-Turcaud, V. (1998). A new process to remove halogenated VOCs for drinking water production: vacuum membrane distillation. *Desalination.* 117: 233-245.
- Coulibaly, L; Labib, ME; Hazen, R. (2001). Comparative study between CalTOX and soil screening levels modeling approaches. *Int J Phytoremediation.* 10: 285-300.
- Counts, J; Sarmiento, J; Harbison, M; Downing, J; McClain, R; Goodman, J. (1996). Cell proliferation and global methylation status changes in mouse liver after phenobarbital and/or choline-devoid, methionine-deficient diet administration. *Carcinogenesis.* 17: 1251-1257. <http://dx.doi.org/10.1093/carcin/17.6.1251>.
- Courbet, C; Riviere, A; Jeannotat, S; Rinaldi, S; Hunkeler, D; Bendjoudi, H; de Marsily, G. (2011). Complementing approaches to demonstrate chlorinated solvent biodegradation in a complex pollution plume: Mass balance, PCR and compound-specific stable isotope analysis. *J Contam Hydrol.* 126: 315-329. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.009>.
- Coute, N; Ortego, JD; Richardson, JT; Twigg, MV. (1998). Catalytic steam reforming of chlorocarbons: trichloroethane, trichloroethylene and perchloroethylene. *Appl Catal B-Environ.* 19: 175-187.
- Covaci, A; Jorens, P; Jacquemyn, Y; Schepens, P. (2002). Distribution of PCBs and organochlorine pesticides in umbilical cord and maternal serum. *Sci Total Environ.* 298: 45-53. [http://dx.doi.org/10.1016/S0048-9697\(02\)00167-5](http://dx.doi.org/10.1016/S0048-9697(02)00167-5).
- Cowman, PF; Bellwood, DR. (2013). Vicariance across major marine biogeographic barriers: temporal concordance and the relative intensity of hard versus soft barriers. *Proceedings of the Royal Society of London B: Biological Sciences.* 280: 20131541. <http://dx.doi.org/10.1098/rspb.2013.1541>.
- Cox, CD; H-J, W; Robinson, KG. (1998). Cometabolic biodegradation of trichloroethylene (TCE) in the gas phase. *Water Sci Technol.* 37: 97-104.
- Cox, SF; Mckinley, JD; Ferguson, AS; O'Sullivan, G; Kalin, RM. (2013). Degradation of carbon disulphide (CS₂) in soils and groundwater from a CS₂-contaminated site. *Environ Earth Sci.* 68: 1935-1944. <http://dx.doi.org/10.1007/s12665-012-1881-y>.
- Crabb, D; Pinaire, J; Chou, W; Sissom, S; Peters, J; Harris, R; Stewart, M. (2001). Peroxisome proliferator-activated receptors (PPAR) and the mitochondrial aldehyde dehydrogenase (ALDH2) promoter in vitro and in vivo. *Alcohol Clin Exp Res.* 25: 945-952. <http://dx.doi.org/10.1111/j.1530-0277.2001.tb02301.x>.
- Crane, RA; Scott, TB. (2012). Nanoscale zero-valent iron: Future prospects for an emerging water treatment technology [Review]. *J Hazard Mater.* 211: 112-125. <http://dx.doi.org/10.1016/j.jhazmat.2011.11.073>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Cretnik, S; Bernstein, A; Shouakar-Stash, O; Löffler, F; Elsner, M. (2014). Chlorine isotope effects from isotope ratio mass spectrometry suggest intramolecular C-Cl bond competition in trichloroethene (TCE) reductive dehalogenation. *Molecules*. 19: 6450-6473. <http://dx.doi.org/10.3390/molecules19056450>.
- Cretnik, S; Thoreson, KA; Bernstein, A; Ebert, K; Buchner, D; Laskov, C; Haderlein, S; Shouakar-Stash, O; Kliegman, S; McNeill, K; Elsner, M. (2013). Reductive dechlorination of TCE by chemical model systems in comparison to dehalogenating bacteria: insights from dual element isotope analysis ($^{13}\text{C}/^{12}\text{C}$, $^{37}\text{Cl}/^{35}\text{Cl}$). *Environ Sci Technol*. 47: 6855-6863. <http://dx.doi.org/10.1021/es400107n>.
- Crimi, M; Quickel, M; Ko, S. (2009). Enhanced permanganate in situ chemical oxidation through MnO₂ particle stabilization: Evaluation in 1-D transport systems. *J Contam Hydrol*. 105: 69-79. <http://dx.doi.org/10.1016/j.jconhyd.2008.11.007>.
- Crimi, ML; Siegrist, RL. (2004). Association of cadmium with MnO₂ particles generated during permanganate oxidation. *Water Res*. 38: 887-894. <http://dx.doi.org/10.1016/j.watres.2003.09.029>.
- Crimi, ML; Siegrist, RL. (2004). Impact of reaction conditions on MnO₂ genesis during permanganate oxidation. *J Environ Eng*. 130: 562-572. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:5\(562\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:5(562)).
- Crimi, ML; Siegrist, RL. (2005). Factors affecting effectiveness and efficiency of DNAPL destruction using potassium permanganate and catalyzed hydrogen peroxide. *J Environ Eng*. 131: 1724-1732. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:12\(1724\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:12(1724)).
- Crimi, ML; Taylor, J. (2007). Experimental evaluation of catalyzed hydrogen peroxide and sodium persulfate for destruction of BTEX contaminants. *Soil Sediment Contam*. 16: 29-45. <http://dx.doi.org/10.1080/15320380601077792>.
- Crittenden, JC; Liu, J; Hand, DW; Perram, DL. (1997). Photocatalytic oxidation of chlorinated hydrocarbons in water. *Water Res*. 31: 429-438.
- Crittenden, JC; Suri, RPS; Perram, DL; Hand, DW. (1997). Decontamination of water using adsorption and photocatalysis. *Water Res*. 31: 411-418. [http://dx.doi.org/10.1016/S0043-1354\(96\)00258-8](http://dx.doi.org/10.1016/S0043-1354(96)00258-8).
- Crock, CA; Tarabara, VV. (2016). Pd and Pd-Au nanocatalysts supported on exfoliated graphite for high throughput dehalogenation by nanocomposite membranes. 3: 453-461. <http://dx.doi.org/10.1039/c5en00245a>.
- Croen, LA; Shaw, GM; Sanbonmatsu, L; Selvin, S; Buffler, PA. (1997). Maternal residential proximity to hazardous waste sites and risk for selected congenital malformations. *Epidemiology*. 8: 347-354. <http://dx.doi.org/10.1097/00001648-199707000-00001>.
- Cronin, W; Oswald, E; Shelley, M; Fisher, J; Flemming, C. (1995). A trichloroethylene risk assessment using a Monte Carlo analysis of parameter uncertainty in conjunction with physiologically-based pharmacokinetic modeling. *Risk Anal*. 15: 555-565.
- Crook, ED; Wofford, P; Oliver, B. (2003). Advanced diabetic nephropathy disproportionately affects African-American females: Cross-sectional analysis and determinants of renal survival in an academic renal clinic. *Ethn Dis*. 13: 28-33.
- Crowder, ML; Gooding, CH. (1997). Spiral wound, hollow fiber membrane modules: A new approach to higher mass transfer efficiency. *J Memb Sci*. 137: 17-29.
- Cruzan, G; Bus, J; Banton, M; Gingell, R; Carlson, G. (2009). Mouse specific lung tumors from CYP2F₂-mediated cytotoxic metabolism: An endpoint/toxic response where data from multiple chemicals converge to support a mode of action [Review]. *Regul Toxicol Pharmacol*. 55: 205-218. <http://dx.doi.org/10.1016/j.yrtph.2009.07.002>.
- Cuadra, SN; Linderholm, L; Athanasiadou, M; Jakobsson, K. (2006). Persistent organochlorine pollutants in children working at a waste-disposal site and in young females with high fish consumption in Managua, Nicaragua. *Ambio*. 35: 109-116.
- Cucciniello, R; Intiso, A; Castiglione, S; Genga, A; Proto, A; Rossi, F. (2017). Total oxidation of trichloroethylene over mayenite (Ca₁₂Al₁₄O₃₃) catalyst. *Appl Catal B-Environ*. 204: 167-172. <http://dx.doi.org/10.1016/j.apcatb.2016.11.035>.
- Cueto, MJM; Vallejo, MG; Rodriguez, MR; Minchero, RM. (1994). PHYSICO-CHEMICAL STUDIES CONCERNING MISCELLES OF VEGETABLE-OILS .15. APPLICATION OF ANDRADE AND KRONE EQUATIONS TO METHYL MIRYSTATE SOLUTIONS IN CYCLOHEXANE, HEXANE, TETRACHLOROETHYLENE OR TRICHLOROETHYLENE. *Grasas y Aceites*. 45: 224-226.
- Culver, TB; Brown, RA; Smith, JA. (2000). Rate-limited sorption and desorption of 1,2-dichlorobenzene to a natural sand soil column. *Environ Sci Technol*. 34: 2446-2452. <http://dx.doi.org/10.1021/es9906655>.
- Culver, TB; Hallisey, SP; Sahoo, D; Deitsch, JJ; Smith, JA. (1997). Modeling the desorption of organic contaminants from long-term contaminated soil using distributed mass transfer rates. *Environ Sci Technol*. 31: 1581-1588.
- Cummings, B; Zangar, R; Novak, R; Lash, L. (2000). Cytotoxicity of trichloroethylene and S-(1, 2-dichlorovinyl)-L-cysteine in primary cultures of rat renal proximal tubular and distal tubular cells. *Toxicology*. 150: 83-98. [http://dx.doi.org/10.1016/S0300-483X\(00\)00252-3](http://dx.doi.org/10.1016/S0300-483X(00)00252-3).
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther*. 293: 677-685.
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos*. 27: 542-548.
- Cunningham, JA; Hoelen, TP; Hopkins, GD; Lebron, CA; Reinhard, M. (2004). Hydraulics of recirculating well pairs for ground water remediation. *Ground Water*. 42: 880-889.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Comparative evaluation of chloroethene dechlorination to ethene by Dehalococcoides-like microorganisms. *Environ Sci Technol*. 38: 4768-4774. <http://dx.doi.org/10.1021/es049965z>.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Vinyl chloride and cis-dichloroethene dechlorination kinetics and microorganism growth under substrate limiting conditions. *Environ Sci Technol*. 38: 1102-1107. <http://dx.doi.org/10.1021/es0348647>.
- Cupul-Uicab, LA; Gladen, BC; Hernández-Avila, M; Weber, JP; Longnecker, MP. (2008). DDE, a degradation product of DDT, and duration of lactation in a highly exposed area of Mexico. *Environ Health Perspect*. 116: 179-183. <http://dx.doi.org/10.1289/ehp.10550>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Curcio, MS; Oliveira, MP; Waldman, WR; Sánchez, B; Canela, MC. (2015). TiO₂ sol-gel for formaldehyde photodegradation using polymeric support: photocatalysis efficiency versus material stability. *Environ Sci Pollut Res Int.* 22: 800-809. <http://dx.doi.org/10.1007/s11356-014-2683-4>.
- Cutright, TJ; Meza, L. (2007). Evaluation of the aerobic biodegradation of trichloroethylene via response surface methodology. *Environ Int.* 33: 338-345. <http://dx.doi.org/10.1016/j.envint.2006.11.012>.
- Cwiertny, DM; Bransfield, SJ; Livi, KJ; Fairbrother, DH; Robertst, AL. (2006). Exploring the influence of granular iron additives on 1,1,1-trichloroethane reduction. *Environ Sci Technol.* 40: 6837-6843. <http://dx.doi.org/10.1021/es060921v>.
- Cwiertny, DM; Bransfield, SJ; Roberts, AL. (2007). Influence of the oxidizing species on the reactivity of iron-based bimetallic reductants. *Environ Sci Technol.* 41: 3734-3740. <http://dx.doi.org/10.1021/es062993s>.
- Cyr, PJ; Paraskewich, MR; Suri R, PS. (1999). Sonochemical destruction of trichloroethylene in water. *Water Sci Technol.* 40: 4-5.
- Czaja, K; Ludwicki, JK; Goralczyk, K; Strucinski, P. (1999). Effect of changes in excretion of persistent organochlorine compounds with human breast milk on related exposure of breast-fed infants. *Arch Environ Contam Toxicol.* 36: 498-503. <http://dx.doi.org/10.1007/PL00006623>.
- Czarnowski, J. (1991). FORMATION OF GLYOXYLOXYL CHLORIDE, HC(O)C(O)CL, IN THE GAS-PHASE OXIDATION OF TRICHLOROETHENE BY NO₂. *J Chem Soc Perkin Trans* 21459-1462.
- Czarnowski, J. (2006). Formation of bromodifluoroacetyl fluoride, CF₂BrC(O)F, in the thermal gas-phase oxidation of bromotrifluoroethene, CF₂CFBr, initiated by trifluoromethylhypofluorite, CF₃OF. *J Fluor Chem.* 127: 736-739. <http://dx.doi.org/10.1016/j.jfluchem.2006.02.003>.
- da Silva, CKO; Vianna, MMG, R; Foletto, EL; Chiavone-Filho, O; Do Nascimento, CAO. (2015). Optimizing Phenanthrene and Anthracene Oxidation by Sodium Persulfate and Fe-Modified Diatomite Using the Response Surface Method. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2362-1>.
- Da Silva, MLB; Alvarez, PJJ. (2008). Exploring the Correlation between Halo-respirer Biomarker Concentrations and TCE Dechlorination Rates. *J Environ Eng.* 134: 895-901. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:11\(895\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:11(895)).
- Da Silva, MLB; Daprato, RC; Gomez, DE; Hughes, JB; Ward, CH; Alvarez, PJJ. (2006). Comparison of bioaugmentation and biostimulation for the enhancement of dense nonaqueous phase liquid source zone bioremediation. *Water Environ Res.* 78: 2456-2465. <http://dx.doi.org/10.2175/106143006X123111>.
- Dabral, S; Vanetten, J; Zhang, X; Apblett, C; Yang, GR; Ficalora, P; McDonald, JF. (1992). STRESS IN THERMALLY ANNEALED PARYLENE FILMS. *Journal of Electronic Materials.* 21: 989-994.
- Dahlgren, J; Takhar, H; Anderson-Mahoney, P; Kotlerman, J; Tarr, J; Warshaw, R. (2007). Cluster of systemic lupus erythematosus (SLE) associated with an oil field waste site: a cross sectional study. *Environ Health.* 6: 8. <http://dx.doi.org/10.1186/1476-069X-6-8>.
- Dai, LL; Sharma, R; Wu, CY. (2005). Self-assembled structure of nanoparticles at a liquid-liquid interface. *Langmuir.* 21: 2641-2643. <http://dx.doi.org/10.1021/la047256t>.
- Dai, Q; Bai, S; Wang, J; Li, M; Wang, X; Lu, G. (2013). The effect of TiO₂ doping on catalytic performances of Ru/CeO₂ catalysts during catalytic combustion of chlorobenzene. *Appl Catal B-Environ.* 142: 222-233. <http://dx.doi.org/10.1016/j.apcatb.2013.05.026>.
- Dai, Q; Bai, S; Wang, Z; Wang, X; Lu, G. (2012). Catalytic combustion of chlorobenzene over Ru-doped ceria catalysts. *Appl Catal B-Environ.* 126: 64-75. <http://dx.doi.org/10.1016/j.apcatb.2012.07.008>.
- Dai, Q; Wang, W, ei; Wang, X; Lu, G. (2017). Sandwich-structured CeO₂@ZSM-5 hybrid composites for catalytic oxidation of 1, 2-dichloroethane: An integrated solution to coking and chlorine poisoning deactivation. *Appl Catal B-Environ.* 203: 31-42. <http://dx.doi.org/10.1016/j.apcatb.2016.10.009>.
- Dai, Q; Wang, X; Lu, G. (2008). Low-temperature catalytic combustion of trichloroethylene over cerium oxide and catalyst deactivation. *Appl Catal B-Environ.* 81: 192-202. <http://dx.doi.org/10.1016/j.apcatb.2007.12.013>.
- Dai, RL; Zhang, GY, a; Gu, X; Wang, MK. (2008). Sorption of 1,1,1-trichloro-2,2-bis(p-chlorophenyl) ethane (DDT) by clays and organoclays. *Environ Geochem Health.* 30: 479-488. <http://dx.doi.org/10.1007/s10653-007-9130-0>.
- Dai, X; De Souza, AT; Dai, H; Lewis, DL; Lee, CK; Spencer, AG; Herweijer, H; Hagstrom, JE; Linsley, PS; Bassett, DE; Ulrich, RG; He, YD. (2007). PPARalpha siRNA-treated expression profiles uncover the causal sufficiency network for compound-induced liver hypertrophy. *PLoS Comput Biol.* 3: 389-401. <http://dx.doi.org/10.1371/journal.pcbi.0030030>.
- Daily, W; Ramirez, A. (1995). ELECTRICAL-RESISTANCE TOMOGRAPHY DURING IN-SITU TRICHLOROETHYLENE REMEDIATION AT THE SAVANNA RIVER SITE. *Journal of Applied Geophysics.* 33: 239-249.
- Dajee, M; Lazarov, M; Zhang, JY; Cai, T; Green, CL; Russell, AJ; Marinkovich, MP; Tao, S; Lin, Q; Kubo, Y; Khavari, PA. (2003). NF-kappaB blockade and oncogenic Ras trigger invasive human epidermal neoplasia. *Nature.* 421: 639-643. <http://dx.doi.org/10.1038/nature01283>.
- Dalla Vecchia, E; Luna, M; Sethi, R. (2009). Transport in Porous Media of Highly Concentrated Iron Micro- and Nanoparticles in the Presence of Xanthan Gum. *Environ Sci Technol.* 43: 8942-8947. <http://dx.doi.org/10.1021/es901897d>.
- Dalla Villa, R; Pupo Nogueira, RF. (2006). Oxidation of p,p'-DDT and p,p'-DDE in highly and long-term contaminated soil using Fenton reaction in a slurry system. *Sci Total Environ.* 371: 11-18. <http://dx.doi.org/10.1016/j.scitotenv.2006.05.010>.
- Dallas, CE; Chen, XM; Muralidhara, S; Varkonyi, P; Tackett, RL; Bruckner, JV. (1994). Use of tissue deposition data from rats and dogs to determine species differences in input parameters for a physiological model for perchloroethylene. *Environ Res.* 67: 54-67. <http://dx.doi.org/10.1006/enrs.1994.1064>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Damgaard, I; Bjerg, PL; Bælum, J; Scheutz, C; Hunkeler, D; Jacobsen, CS; Tuxen, N; Broholm, MM. (2013). Identification of chlorinated solvents degradation zones in clay till by high resolution chemical, microbial and compound specific isotope analysis. *J Contam Hydrol.* 146: 37-50. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.010>.
- Damgaard, I, da; Bjerg, PL; Jacobsen, CS; Tsonaki, A; Kernn-Jespersen, H; Broholm, MM. (2013). Performance of Full-Scale Enhanced Reductive Dechlorination in Clay Till. *Ground Water Monitoring and Remediation.* 33: 48-61. <http://dx.doi.org/10.1111/j.1745-6592.2012.01405.x>.
- Damgaard, IN; Skakkebaek, NE; Toppari, J; Virtanen, HE; Shen, H; Schramm, KW; Petersen, JH; Jensen, TK; Main, KM. (2006). Persistent pesticides in human breast milk and cryptorchidism. *Environ Health Perspect.* 114: 1133-1138. <http://dx.doi.org/10.1289/ehp.8741>.
- Damm, JH; Hardacre, C; Kalin, RM; Walsh, KP. (2002). Kinetics of the oxidation of methyl tert-butyl ether (MTBE) by potassium permanganate. *Water Res.* 36: 3638-3646.
- D'Andrea, P; Lai, KCK; Kjeldsen, P; Lo, IMC. (2005). Effect of groundwater inorganics on the reductive dechlorination of TCE by zero-valent iron. *Water Air Soil Pollut.* 162: 401-420. <http://dx.doi.org/10.1007/s11270-005-7420-7>.
- Dane, JH; Oostrom, M; Missildine, BC. (1992). An improved method for the determination of capillary pressure-saturation curves involving TCE, water and air. *J Contam Hydrol.* 11: 1-2.
- Danhof, M; de Jongh, J; De Lange, EC; Della Pasqua, O; Ploeger, BA; Voskuyl, RA. (2007). Mechanism-based pharmacokinetic-pharmacodynamic modeling: biophase distribution, receptor theory, and dynamical systems analysis [Review]. *Annu Rev Pharmacol Toxicol.* 47: 357-400. <http://dx.doi.org/10.1146/annurev.pharmtox.47.120505.105154>.
- Daniel Espinosa-Chaurand, L; Silva-Loera, A; Garcia-Esquivel, Z, al; Mercedes Lopez-Acuna, L, us. (2015). Using shrimp head meal as protein replacement of fish meal in diets for juvenile of *Totoaba macdonaldi* (Gilbert, 1890). *Latin American Journal of Aquatic Research.* 43: 457-465. <http://dx.doi.org/10.3856/vol43-issue3-fulltext-7>.
- Daniels, JI; Bogen, KT; Hall, LC. (2000). Analysis of uncertainty and variability in exposure to characterize risk: Case study involving trichloroethylene groundwater contamination at Beale Air Force Base in California. *Water Air Soil Pollut.* 123: 273-298.
- Danish, M; Gu, X; Lu, S; Ahmad, A; Naqvi, M; Farooq, U; Zhang, X; Fu, X; Miao, Z; Xue, Y. (2017). Efficient transformation of trichloroethylene activated through sodium percarbonate using heterogeneous zeolite supported nano zero valent iron-copper bimetallic composite. *Chem Eng J.* 308: 396-407. <http://dx.doi.org/10.1016/j.cej.2016.09.051>.
- Danish, M; Gu, X; Lu, S; Brusseau, ML; Ahmad, A; Naqvi, M; Farooq, U; Zaman, WQ; Fu, X; Miao, Z. (2017). An efficient catalytic degradation of trichloroethene in a percarbonate system catalyzed by ultra-fine heterogeneous zeolite supported zero valent iron-nickel bimetallic composite. *Appl Catal A-Gen.* 531: 177-186. <http://dx.doi.org/10.1016/j.apcata.2016.11.001>.
- Danish, M; Gu, X; Lu, S; Naqvi, M. (2016). Degradation of chlorinated organic solvents in aqueous percarbonate system using zeolite supported nano zero valent iron (Z-nZVI) composite. *Environ Sci Pollut Res Int.* 23: 13298-13307. <http://dx.doi.org/10.1007/s11356-016-6488-5>.
- Danish, M; Gu, X; Lu, S; Xu, M; Zhang, X; Fu, X; Xue, Y; Miao, Z; Naqvi, M; Nasir, M. (2016). Role of reactive oxygen species and effect of solution matrix in trichloroethylene degradation from aqueous solution by zeolite-supported nano iron as percarbonate activator. *Res Chem Intermed.* 42: 6959-6973. <http://dx.doi.org/10.1007/s11164-016-2509-8>.
- Danish, M; Gu, X; Lu, S; Zhang, X; Fu, X; Xue, Y; Miao, Z; Ahmad, A; Naqvi, M; Qureshi, AS. (2016). The Effect of Chelating Agents on Enhancement of 1,1,1-Trichloroethane and Trichloroethylene Degradation by Z-nZVI-Catalyzed Percarbonate Process. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-3005-x>.
- Darko, G; Akoto, O; Oppong, C. (2008). Persistent organochlorine pesticide residues in fish, sediments and water from Lake Bosomtwi, Ghana. *Chemosphere.* 72: 21-24. <http://dx.doi.org/10.1016/j.chemosphere.2008.02.052>.
- Darko-Kagya, K; Khodadoust, AP; Reddy, KR. (2010). Reactivity of Aluminum Lactate-Modified Nanoscale Iron Particles with Pentachlorophenol in Soils. *Environ Eng Sci.* 27: 861-869. <http://dx.doi.org/10.1089/ees.2010.0081>.
- Darko-Kagya, K; Khodadoust, AP; Reddy, KR. (2010). Reactivity of lactate-modified nanoscale iron particles with 2,4-dinitrotoluene in soils. *J Hazard Mater.* 182: 177-183. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.012>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2008). Biotic and abiotic anaerobic transformations of trichloroethene and cis-1,2-dichloroethene in fractured sandstone. *Environ Sci Technol.* 42: 4323-4330. <http://dx.doi.org/10.1021/es702196a>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2013). Anaerobic abiotic transformations of cis-1,2-dichloroethene in fractured sandstone. *Chemosphere.* 90: 2226-2232. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.084>.
- Darnerud, P; Brandt, I; Feil, V; Bakke, J. (1989). Dichlorovinyl cysteine (DCVC) in the mouse kidney: tissue-binding and toxicity after glutathione depletion and probenecid treatment. *Arch Toxicol.* 63: 345-350.
- Das, A; Abou-Nemeh, I; Chandra, S; Sirkar, KK. (1998). Membrane-moderated stripping process for removing VOCs from water in a composite hollow fiber module. *J Memb Sci.* 148: 257-271.
- Das, A; Molla, MR; Maity, B; Koley, D; Ghosh, S. (2012). Hydrogen-bonding induced alternate stacking of donor (D) and acceptor (A) chromophores and their supramolecular switching to segregated states. *Chemistry.* 18: 9849-9859. <http://dx.doi.org/10.1002/chem.201201140>.
- Das, C; Chowdhury, R; Bhattacharya, P. (2011). Experiments and three phase modelling of a biofilter for the removal of toluene and trichloroethylene. *Bioprocess Biosyst Eng.* 34: 447-458. <http://dx.doi.org/10.1007/s00449-010-0487-6>.
- Das, S; Banthia, AK; Adhikari, B. (2006). Removal of chlorinated volatile organic contaminants from water by pervaporation using a novel polyurethane urea-poly (methyl methacrylate) interpenetrating network membrane. *Chem Eng Sci.* 61: 6454-6467. <http://dx.doi.org/10.1016/j.ces.2006.06.014>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Das, SR; Sadeque, S; Jeong, C; Chen, R; Alam, MA; Janes, DB. (2016). Coperculating Networks: An Approach for Realizing High-Performance Transparent Conductors using Multicomponent Nanostructured Networks. 5: 180-195. <http://dx.doi.org/10.1515/nanoph-2016-0036>.
- Dashliboron, AM; Sotudeh-Gharebagh, R; Hajaghazadeh, M; Kakooei, H; Afshar, S. (2013). Modeling of the photocatalytic degradation of methyl ethyl ketone in a fluidized bed reactor of nano-TiO₂/gamma-Al₂O₃ particles. *Chem Eng J.* 226: 59-67. <http://dx.doi.org/10.1016/j.cej.2013.04.022>.
- Dassharma, A; Sen, A; Maiti, HS. (1993). EFFECTIVENESS OF VARIOUS SUSPENSION MEDIA FOR ELECTROPHORETIC DEPOSITION OF YBCO SUPERCONDUCTOR POWDER. *Ceramics International.* 19: 65-70.
- Dastgheib, SA; Karanfil, T. (2005). The effect of the physical and chemical characteristics of activated carbons on the adsorption energy and affinity coefficient of Dubinin equation. *J Colloid Interface Sci.* 292: 312-321. <http://dx.doi.org/10.1016/j.jcis.2005.06.017>.
- Datskos, PG; Rajic, S; Sepaniak, MJ; Lavrik, N; Tipple, CA; Senesac, LR; Datskou, I. (2001). Chemical detection based on adsorption-induced and photoinduced stresses in microelectromechanical systems devices. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 19: 1173-1179.
- Datskou, I; North, K. (1996). Risks due to groundwater contamination at a plutonium processing facility. *Water Air Soil Pollut.* 90: 1-2.
- Datta, KJ; Gawande, MB; Datta, KKR; Ranc, V; Pechousek, J; Krizek, M; Tucek, J; Kale, R; Pospisil, P; Varma, RS; Asefa, T; Zoppellaro, G; Zboril, R. (2016). Micro-mesoporous iron oxides with record efficiency for the decomposition of hydrogen peroxide: morphology driven catalysis for the degradation of organic contaminants. 4: 596-604. <http://dx.doi.org/10.1039/c5ta08386a>.
- Dautel, J; Abele, S; Schwarz, W. (1997). Syntheses of 2,2-diphenylethyl-substituted silanes - Molecular structure of trichloro-2,2-diphenylethylsilane. *Zeitschrift fuer Naturforschung B.* 52: 778-784.
- David, RM; Clewell, HJ; Gentry, PR; Covington, TR; Morgott, DA; Marino, DJ. (2006). Revised assessment of cancer risk to dichloromethane II. Application of probabilistic methods to cancer risk determinations. *Regul Toxicol Pharmacol.* 45: 55-65. <http://dx.doi.org/10.1016/j.yrtph.2005.12.003>.
- David, RM; Moore, MR; Cifone, MA; Finney, DC; Guest, D. (1999). Chronic peroxisome proliferation and hepatomegaly associated with the hepatocellular tumorigenesis of di(2-ethylhexyl)phthalate and the effects of recovery. *Toxicol Sci.* 50: 195-205.
- Davidson, AM; Mellot, CF; Eckert, J; Cheetham, AK. (2000). An inelastic neutron scattering and NIR-FT Raman spectroscopy study of chloroform and trichloroethylene in faujasites. *J Phys Chem B.* 104: 432-438.
- Davie, MG; Shih, K; Pacheco, FA; Leckie, JO; Reinhard, M. (2008). Palladium-indium catalyzed reduction of N-nitrosodimethylamine: Indium as a promoter metal. *Environ Sci Technol.* 42: 3040-3046. <http://dx.doi.org/10.1021/es7023115>.
- Davis, BM; Istok, JD; Semprini, L. (2002). Push-pull partitioning tracer tests using radon-222 to quantify non-aqueous phase liquid contamination. *J Contam Hydrol.* 58: 129-146.
- Davis, BM; Istok, JD; Semprini, L. (2003). Static and push-pull methods using radon-222 to characterize dense nonaqueous phase liquid saturations. *Ground Water.* 41: 470-481.
- Davis, BM; Istok, JD; Semprini, L. (2005). Numerical simulations of radon as an in situ partitioning tracer for quantifying NAPL contamination using push-pull tests. *J Contam Hydrol.* 78: 87-103. <http://dx.doi.org/10.1016/j.jconhyd.2005.03.003>.
- Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem.* 10: 463-474.
- Davis, LC; Muralidharan, N; Visser, VP; Chaffin, C; Fateley, WG; Erickson, LE; Hammaker, RM. (1994). ALFALFA PLANTS AND ASSOCIATED MICROORGANISMS PROMOTE BIODEGRADATION RATHER THAN VOLATILIZATION OF ORGANIC-SUBSTANCES FROM GROUND-WATER. *ACS Symp Ser Am Chem Soc.* 563: 112-122.
- Davis, RR; Murphy, WJ; Snawder, JE; Striley, CA; Henderson, D; Khan, A; Krieg, EF. (2002). Susceptibility to the ototoxic properties of toluene is species specific. *Hear Res.* 166: 24-32. [http://dx.doi.org/10.1016/S0378-5955\(02\)00280-0](http://dx.doi.org/10.1016/S0378-5955(02)00280-0).
- Davis, S; Laszlo Pallos, L; Wu, J; Sapp, J; Cusack, C. (2005). ATSDR's trichloroethylene subregistry methods and results: 1989-2000. *Arch Environ Occup Health.* 60: 130-139. <http://dx.doi.org/10.3200/AEOH.60.3.130-139>.
- Davis, WT; Hood, CC; Dever, M. (1995). ANALYSIS OF A THIN ACTIVATED CARBON LOADED ADSORPTION MEDIUM. *Separation Science and Technology.* 30: 1309-1324.
- Davydov, L; Pratsinis, SE; Smirniotis, PG. (2000). The intrinsic catalytic activity in photoreactors. *Environ Sci Technol.* 34: 3435-3442.
- Dawes, VJ; Waldock, MJ. (1994). Measurement of Volatile Organic Compounds at UK National Monitoring Plan Stations. *Mar Pollut Bull.* 28: 291-298.
- Dawsey, WJ; Minsker, BS; Vanblaricum, VL. (2006). Bayesian belief networks to integrate monitoring evidence of water distribution system contamination. *J Water Resour Plann Manag.* 132: 234-241. [http://dx.doi.org/10.1061/\(ASCE\)0733-9496\(2006\)132:4\(234\)](http://dx.doi.org/10.1061/(ASCE)0733-9496(2006)132:4(234)).
- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation.* 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- Dawson, HE; Roberts, PV. (1997). Influence of viscous, gravitational, and capillary forces on DNAPL saturation. *Ground Water.* 35: 261-269.
- Dayal, H; Gupta, S; Trieff, N; Maieron, D; Reich, D. (1995). Symptom clusters in a community with chronic exposure to chemicals in two superfund sites. *Arch Environ Health.* 50: 108-111. <http://dx.doi.org/10.1080/00039896.1995.9940887>.
- Dayan, H; Abrajano, T; Sturchio, NC; Winsor, L. (1999). Carbon isotopic fractionation during reductive dehalogenation of chlorinated ethenes by metallic iron. *Organic Geochemistry.* 30: 755-763.
- De, AK; Chaudhuri, B; Bhattacharjee, S. (1999). A kinetic study of the oxidation of phenol, o-chlorophenol and catechol by hydrogen peroxide between 298 K and 333 K: the effect of pH, temperature and ratio of oxidant to substrate. *J Chem Tech Biotechnol.* 74: 162-168.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- de Blas, M; Navazo, M; Alonso, L; Durana, N; Iza, J, on. (2013). Trichloroethylene, tetrachloroethylene and carbon tetrachloride in an urban atmosphere: mixing ratios and temporal patterns. *Int J Environ Anal Chem.* 93: 228-244. <http://dx.doi.org/10.1080/03067319.2011.629346>.
- De Bo, I; Van Langenhove, H; De Keijser, J. (2002). Application of vapour phase calibration method for determination of sorption of gases and VOC in polydimethylsiloxane membranes. *J Memb Sci.* 209: 39-52.
- De Bo, I; Van Langenhove, H; Pruuost, P; De Neve, J; Pieters, J; Vankelecom, IFJ; Dick, E. (2003). Investigation of the permeability and selectivity of gases and volatile organic compounds for polydimethylsiloxane membranes. *J Memb Sci.* 215: 303-319. [http://dx.doi.org/10.1016/S0376-7388\(03\)00024-3](http://dx.doi.org/10.1016/S0376-7388(03)00024-3).
- De Corte, S; Hennebel, T; Fitts, JP; Sabbe, T; Bliznuk, V; Verschuere, S; van der Lelie, D; Verstraete, W; Boon, N. (2011). Biosupported bimetallic Pd-Au nanocatalysts for dechlorination of environmental contaminants. *Environ Sci Technol.* 45: 8506-8513. <http://dx.doi.org/10.1021/es2019324>.
- De Corte, S; Sabbe, T; Hennebel, T; Vanhaecke, L; De Gussemme, B; Verstraete, W; Boon, N. (2012). Doping of biogenic Pd catalysts with Au enables dechlorination of diclofenac at environmental conditions. *Water Res.* 46: 2718-2726. <http://dx.doi.org/10.1016/j.watres.2012.02.036>.
- De Felip, E; di Domenico, A; Miniero, R; Silvestroni, L. (2004). Polychlorobiphenyls and other organochlorine compounds in human follicular fluid. *Chemosphere.* 54: 1445-1449. <http://dx.doi.org/10.1016/j.chemosphere.2003.10.040>.
- De Gussemme, B; Du Laing, G; Hennebel, T, om; Renard, P; Chidambaram, D, ev; Fitts, JP; Bruneel, E, Is; Van Driessche, I; Verbeken, K, im; Boon, N; Verstraete, W. (2010). Virus Removal by Biogenic Cerium. *Environ Sci Technol.* 44: 6350-6356. <http://dx.doi.org/10.1021/es100100p>.
- de Jong, P; Brenner, B. (2004). From secondary to primary prevention of progressive renal disease: the case for screening for albuminuria [Review]. *Kidney Int.* 66: 2109-2118. <http://dx.doi.org/10.1111/j.1523-1755.2004.66001.x>.
- de Jonge, H; de Jonge, LW; Mittelmeijer-Hazeleger, MC. (2000). The microporous structure of organic and mineral soil materials. *Soil Sci.* 165: 99-108.
- De Paoli, A; Barresi, AA. (2001). Deep oxidation kinetics of trieline over LaFeO₃ perovskite catalyst. *Ind Eng Chem Res.* 40: 1460-1464. <http://dx.doi.org/10.1021/ie000729g>.
- de Rivas, B; Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2006). Analysis of the simultaneous catalytic combustion of chlorinated aliphatic pollutants and toluene over ceria-zirconia mixed oxides. *Appl Catal A-Gen.* 314: 54-63. <http://dx.doi.org/10.1016/j.apcata.2006.08.005>.
- de Rivas, B; Lopez-Fonseca, R; Gutierrez-Ortiz, MA; Gutierrez-Ortiz, JI. (2008). Analysis of the behaviour of different mixed oxides in the treatment of Cl-VOC containing gas streams. *Int J Chem React Eng.* 6.
- de Rivas, B; López-Fonseca, R; Gutiérrez-Ortiz, MA; Gutiérrez-Ortiz, JI. (2009). Role of water and other H-rich additives in the catalytic combustion of 1,2-dichloroethane and trichloroethylene. *Chemosphere.* 75: 1356-1362. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.019>.
- de Rivas, B; Lopez-Fonseca, R; Sampedro, C; Gutierrez-Ortiz, JI. (2009). Catalytic behaviour of thermally aged Ce/Zr mixed oxides for the purification of chlorinated VOC-containing gas streams. *Appl Catal B-Environ.* 90: 545-555. <http://dx.doi.org/10.1016/j.apcatb.2009.04.017>.
- De Rivas, B; Sampedro, C; López-Fonseca, R; Gutiérrez-Ortiz, MÁ; Gutiérrez-Ortiz, JI. (2012). Low-temperature combustion of chlorinated hydrocarbons over CeO₂/H-ZSM5 catalysts. *Appl Catal A-Gen.* 417-418: 93-101. <http://dx.doi.org/10.1016/j.apcata.2011.12.028>.
- De Roos, A; Olshan, A; Teschke, K; Poole, C; Savitz, D; Blatt, J; Bondy, M; Pollock, B. (2001). Parental occupational exposures to chemicals and incidence of neuroblastoma in offspring. *Am J Epidemiol.* 154: 106-114. <http://dx.doi.org/10.1093/aje/154.2.106>.
- De Rosa, CT; Pohl, HR; Williams, M; Ademoyero, AA; C-HSJ, C; Jones, DE. (1998). Public health implications of environmental exposures. *Environ Health Perspect.* 106: 369-378.
- de Seze, G; Valsaraj, KT; Reible, DD; Thibodeaux, LJ. (2000). Sediment-air equilibrium partitioning of semi-volatile hydrophobic organic compounds. Part 1. Method development and water vapor sorption isotherm. *Sci Total Environ.* 253: 15-26.
- de Souza e Silva, PT; da Silva, VL; Neto, B; Simonnot, MO. (2009). Potassium permanganate oxidation of phenanthrene and pyrene in contaminated soils. *J Hazard Mater.* 168: 1269-1273. <http://dx.doi.org/10.1016/j.jhazmat.2009.03.007>.
- de Torres, HB; Rensch, C; Fischer, M; Schober, A; Hoffmann, M; Mueller, J. (2010). Thick film flow sensor for biological microsystems. *Sens Actuators A.* 160: 109-115. <http://dx.doi.org/10.1016/j.sna.2010.04.010>.
- de Villiers, AP; Matthews, J; Visagie, SE. (2012). TOUR CONSTRUCTION HEURISTICS FOR AN ORDER SEQUENCING PROBLEM. *South African Journal of Industrial Engineering.* 23: 56-67.
- De Visscher, A. (2003). Kinetic model for the sonochemical degradation of monocyclic aromatic compounds in aqueous solution: new insights. *Ultrason Sonochem.* 10: 157-165. [http://dx.doi.org/10.1016/S1350-4177\(03\)00073-7](http://dx.doi.org/10.1016/S1350-4177(03)00073-7).
- De Visscher, A; Van Langenhove, H; Van Eenoo, P. (1997). Sonochemical degradation of ethylbenzene in aqueous solution: a product study. *Ultrason Sonochem.* 4: 145-151.
- De Vita, G; Tekaya, A. (2015). Hotel outsourcing under asset specificity: "The good, the bad and the ugly". 47: 97-106.
- de Weert, JP; Keijzer, TJ; van Gaans, PF. (2014). Lowering temperature to increase chemical oxidation efficiency: the effect of temperature on permanganate oxidation rates of five types of well defined organic matter, two natural soils, and three pure phase products. *Chemosphere.* 117: 94-103. <http://dx.doi.org/10.1016/j.chemosphere.2014.05.082>.
- De Wildeman, S; Nollet, H; Van Langenhove, H; Verstraete, W. (2001). Reductive biodegradation of 1,2-dichloroethane by methanogenic granular sludge in lab-scale UASB reactors. *Adv Environ Res.* 6: 17-27.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Deane, M; Swan, S; Harris, J; Epstein, D; Neutra, R. (1989). Adverse pregnancy outcomes in relation to water contamination, Santa Clara County, California, 1980-1981. *Am J Epidemiol.* 129: 894-904.
- Dearden, RA; Noy, DJ; Lelliott, MR; Wilson, R; Wealthall, GP. (2013). Release of contaminants from a heterogeneously fractured low permeability unit underlying a DNAPL source zone. *J Contam Hydrol.* 153: 141-155. <http://dx.doi.org/10.1016/j.jconhyd.2011.05.006>.
- Deduffard, AME; Duffard, R. (1996). Behavioral toxicology, risk assessment, and chlorinated hydrocarbons. *Environ Health Perspect.* 104: 353-360.
- Deeds, DA; Kulongoski, JT; Belitz, K. (2012). Assessing California Groundwater Susceptibility Using Trace Concentrations of Halogenated Volatile Organic Compounds. *Environ Sci Technol.* 46: 13128-13135. <http://dx.doi.org/10.1021/es303546b>.
- Deeg, S; Wittmer, H; Breuer, HD. (2000). Influence of pre-illuminating immobilised titania on the gas phase photodegradation of trichloroethylene. *Journal of Information Recording.* 25: 427-433.
- Deerberg, F; Müller-Peddinghaus, R. (1970). [Comparative studies on the occurrence of spontaneous diseases and spontaneous deaths in conventional and specific germ-free female NMRI-HAN mice]. *Z Versuchstierkd.* 12: 341-347.
- Deerberg, F; Pittermann, W; Rapp, K. (1974). [Lung tumor in the mouse: a progressive tumor]. *Vet Pathol.* 11: 430-441.
- Deflaun, MF; Condee, CW. (1997). Electrokinetic transport of bacteria. *J Hazard Mater.* 55: 1-3.
- Degrassi, F; Tanzarella, C. (1988). Immunofluorescent staining of kinetochores in micronuclei: A new assay for the detection of aneuploidy. *Mutat Res.* 203: 339-345. [http://dx.doi.org/10.1016/0165-1161\(88\)90030-1](http://dx.doi.org/10.1016/0165-1161(88)90030-1).
- Deitsch, JJ; Smith, JA. (1995). Effect of triton X-100 on the rate of trichloroethene desorption from soil to water. *Environ Sci Technol.* 29: 1069-1080.
- Deitsch, JJ; Smith, JA. (1999). Sorption and desorption rate comparisons for 1,2-dichlorobenzene to a peat soil. *Environ Toxicol Chem.* 18: 1701-1709.
- Deitsch, JJ; Smith, JA; Culver, TB; Brown, RA; Riddle, SA. (2000). Distributed rate model analysis of 1,2-dichlorobenzene batch sorption and desorption rates for five natural sorbents. *Environ Sci Technol.* 34: 1469-1476.
- Dejoj, A; Gonzalez-Alfaro, V; Llopis, FJ; Miguel, PJ; Vazquez, MI. (1999). Vapor-liquid equilibrium of binary mixtures of trichloroethylene with 1-pentanol, 2-methyl-1-butanol and 3-methyl-1-butanol at 100 kPa. *Fluid Phase Equilibria.* 155: 229-239.
- Dejoj, A; Gonzalezalfaro, V; Miguel, PJ; Vazquez, MI. (1996). Isobaric vapor-liquid equilibria of trichloroethylene with 1-butanol and 2-butanol at 28 and 180 kPa. *Journal of Chemical and Engineering Data.* 41: 89-92.
- Dekant, W. (2001). Does exposure to trichloroethene in low doses constitute a cancer risk to humans? *Hum Ecol Risk Assess.* 7: 657-675. <http://dx.doi.org/10.1080/20018091094565>.
- Dekant, W; Vamvakas, S; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1986). Bacterial beta-lyase mediated cleavage and mutagenicity of cysteine conjugates derived from the nephrocarcinogenic alkenes trichloroethylene, tetrachloroethylene and hexachlorobutadiene. *Chem Biol Interact.* 60: 31-45. [http://dx.doi.org/10.1016/0009-2797\(86\)90015-3](http://dx.doi.org/10.1016/0009-2797(86)90015-3).
- Dela Barre, BK; Harmon, TC; Chrysikopoulos, CV. (2002). Measuring and modeling the dissolution of nonideally shaped dense nonaqueous phase liquid pools in saturated porous media. *Water Resour Res.* 38: 1133-1133. <http://dx.doi.org/10.1029/2001WR000444>.
- Delahunt, B; Bethwaite, PB; Nacey, JN. (1995). Occupational risk for renal cell carcinoma. A case-control study based on the New Zealand Cancer Registry. *Br J Urol.* 75: 578-582. <http://dx.doi.org/10.1111/j.1464-410X.1995.tb07410.x>.
- Delange, PPM; Deboer, RP; Vanwijnkoop, M; Ernsting, JM; Fruhauf, HW; Vrieze, K; Smeets, WJJ; Spek, AL; Goubitz, K. (1993). 1,3-DIPOLAR CYCLOADDITION TO THE FE-N=C FRAGMENT .11. ISOCYANIDE-CONTROLLED CHANGE BETWEEN A REVERSIBLE MOLECULAR SELF-ASSEMBLY OF 3 COMPONENTS, INCLUDING A UNIQUE ISOCYANIDE DEINSERTION, AND DIMETHYL MALEATE COUPLING REACTIONS. *Organometallics.* 12: 440-453.
- Delange, PPM; Vanwijnkoop, M; Fruhauf, HW; Vrieze, K; Goubitz, K. (1993). 1,3-DIPOLAR CYCLOADDITION TO THE FE-N=C FRAGMENT .10. SYNTHESIS OF FE(CNR)3(ALPHA-DIIMINE) COMPLEXES AND THEIR REACTIVITY TOWARD DIMETHYL ACETYLENICARBOXYLATE. *Organometallics.* 12: 428-439.
- Delinsky, AD; Delinsky, DC; Muralidhara, S; Fisher, JW; Bruckner, JV; Bartlett, MG. (2005). Analysis of dichloroacetic acid in rat blood and tissues by hydrophilic interaction liquid chromatography with tandem mass spectrometry. *Rapid Commun Mass Spectrom.* 19: 1075-1083. <http://dx.doi.org/10.1002/rcm.189>.
- Demarest, L. (2014). Soil composition at the aquifer level, groundwater quality and the presence of Dehalococcoides ethenogenes at Dover AFB. *Environ Earth Sci.* 71: 4157-4164. <http://dx.doi.org/10.1007/s12665-013-2806-0>.
- Demeestere, K; De Visscher, A; Dewulf, J; Van Leeuwen, M; Van Langenhove, H. (2004). A new kinetic model for titanium dioxide mediated heterogeneous photocatalytic degradation of trichloroethylene in gas-phase. *Appl Catal B-Environ.* 54: 261-274. <http://dx.doi.org/10.1016/j.apcatb.2004.06.020>.
- Demeestere, K; Dewulf, J; Ohno, T; Salgado, PH; Van Langenhove, H. (2005). Visible light mediated photocatalytic degradation of gaseous trichloroethylene and dimethyl sulfide on modified titanium dioxide. *Appl Catal B-Environ.* 61: 140-149. <http://dx.doi.org/10.1016/j.apcatb.2005.04.017>.
- Demeestere, K; Dewulf, J; Van Langenhove, H; Sercu, B. (2003). Gas-solid adsorption of selected volatile organic compounds on titanium dioxide Degussa P25. *Chem Eng Sci.* 58: 2255-2267. [http://dx.doi.org/10.1016/S0009-2509\(03\)00087-3](http://dx.doi.org/10.1016/S0009-2509(03)00087-3).
- Demou, E; Hellweg, S; Wilson, MP; Hammond, SK; Mckone, TE. (2009). Evaluating indoor exposure modeling alternatives for LCA: A case study in the vehicle repair industry. *Environ Sci Technol.* 43: 5804-5810. <http://dx.doi.org/10.1021/es803551y>.
- Den, W; Pirbazari, M. (2002). Modeling and design of vapor-phase biofiltration for chlorinated volatile organic compounds. *AIChE J.* 48: 2084-2103.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Den, W; Ravindran, V; Pirbazari, M. (2006). Photooxidation and biotrickling filtration for controlling industrial emissions of trichloroethylene and. *Chem Eng Sci.* 61: 7909-7923. <http://dx.doi.org/10.1016/j.ces.2006.09.015>.
- Deng, B; Campbell, TJ; Burris, DR. (1997). Hydrocarbon formation in metallic iron/water systems. *Environ Sci Technol.* 31: 1185-1190.
- Deng, B; Kim, ES. (2016). Co-adsorption of Trichloroethylene and Arsenate by Iron-Impregnated Granular Activated Carbon. *Water Environ Res.* 88: 394-402. <http://dx.doi.org/10.2175/106143016X14504669768372>.
- Deng, B; Kong, S; Kim, CN. (2007). Modeling of photocatalytic oxidation of VOCs in a packed bed reactor under continuous and discontinuous illuminations. *Korean J Chem Eng.* 24: 577-582.
- Deng, BL; Burris, DR; Campbell, TJ. (1999). Reduction of vinyl chloride in metallic iron-water systems. *Environ Sci Technol.* 33: 2651-2656.
- Deng, BL; Hu, SD; Whitworth, TM; Lee, R. (2003). Trichloroethylene reduction on zero valent iron: Probing reactive versus nonreactive sites. *ACS Symp Ser Am Chem Soc.* 837: 181-205.
- Deng, Y; Ezyk, CM. (2011). Sulfate radical-advanced oxidation process (SR-AOP) for simultaneous removal of refractory organic contaminants and ammonia in landfill leachate. *Water Res.* 45: 6189-6194. <http://dx.doi.org/10.1016/j.watres.2011.09.015>.
- Dennison, JE; Andersen, ME; Clewell, HJ; Yang, RS. (2004). Development of a physiologically based pharmacokinetic model for volatile fractions of gasoline using chemical lumping analysis. *Environ Sci Technol.* 38: 5674-5681. <http://dx.doi.org/10.1021/es035201s>.
- Dennison, JE; Andersen, ME; Dobrev, ID; Mumtaz, MM; Yang, RS. (2004). PBPK modeling of complex hydrocarbon mixtures: Gasoline. *Environ Toxicol Pharmacol.* 16: 107-119. <http://dx.doi.org/10.1016/j.etap.2003.10.003>.
- Dennison, JE; Bigelow, PL; Andersen, ME. (2004). Occupational exposure limits in the context of solvent mixtures, consumption of ethanol, and target tissue dose [Review]. *Toxicol Ind Health.* 20: 165-175. <http://dx.doi.org/10.1191/0748233704th2030a>.
- Dennison, JE; Bigelow, PL; Mumtaz, MM; Andersen, ME; Dobrev, ID; Yang, RS. (2005). Evaluation of potential toxicity from co-exposure to three CNS depressants (toluene, ethylbenzene, and xylene) under resting and working conditions using PBPK modeling. *J Occup Environ Hyg.* 2: 127-135. <http://dx.doi.org/10.1080/15459620590916198>.
- Denton, GRW; Sian-Denton, CM. (2010). Groundwater Monitoring on Guam: Management Responses to Recent Water Quality Violations. *Ground Water Monitoring and Remediation.* 30: 127-133. <http://dx.doi.org/10.1111/j.1745-6592.2010.001282.x>.
- Derakhshesh, M; Abedi, J; Hassanzadeh, H. (2010). Mechanism of methanol decomposition by non-thermal plasma. *Journal of Electrostatics.* 68: 424-428. <http://dx.doi.org/10.1016/j.elstat.2010.06.004>.
- Dersimonian, R; Laird, N. (1986). Meta-analysis in clinical trials. *Contr Clin Trials.* 7: 177-188. [http://dx.doi.org/10.1016/0197-2456\(86\)90046-2](http://dx.doi.org/10.1016/0197-2456(86)90046-2).
- Derwent, RG; Carslaw, N; Simmonds, PG; Bassford, M; O'Doherty, S; Ryall, DB; Pilling, MJ; Lewis, AC; McQuaid, JB. (1999). Hydroxyl radical concentrations estimated from measurements of trichloroethylene during the EASE/ACSOE campaign at Mace Head, Ireland during July 1996. *J Atmos Chem.* 34: 185-205.
- Desesso, JM; Lavin, AL. (2001). Debate-commentary: Should trichloroethylene be classified as a human carcinogen? *Hum Ecol Risk Assess.* 7: 651-655.
- Desimone, MC; Rathmell, WK; Threadgill, DW. (2009). Elucidating the Functional Consequences of the Trichloroethylene Associated Von-Hippel Lindau Tumor Suppressor Gene Mutation Using a Genetically Engineered Model System. *Environ Mol Mutagen.* 50: 562-562.
- Destailats, H; Alderson, TW; Hoffmann, MR. (2001). Applications of ultrasound in NAPL remediation: Sonochemical degradation of TCE in aqueous surfactant solutions. *Environ Sci Technol.* 35: 3019-3024.
- Destailats, H; Lesko, TM; Knowlton, M; Wallace, H; Hoffmann, MR. (2001). Scale-up of sonochemical reactors for water treatment. *Ind Eng Chem Res.* 40: 3855-3860.
- Destailats, H; Sleiman, M; Sullivan, DP; Jacquiod, C; Sablayrolles, J; Molins, L. (2012). Key parameters influencing the performance of photocatalytic oxidation (PCO) air purification under realistic indoor conditions. *Appl Catal B-Environ.* 128: 159-170. <http://dx.doi.org/10.1016/j.apcatb.2012.03.014>.
- Dettenmaier, EM; Doucette, WJ; Bugbee, B. (2009). Chemical hydrophobicity and uptake by plant roots. *Environ Sci Technol.* 43: 324-329. <http://dx.doi.org/10.1021/es801751x>.
- Detwiler, RL; Rajaram, H; Glass, RJ. (2001). Nonaqueous-phase-liquid dissolution in variable-aperture fractures: Development of a depth-averaged computational model with comparison to a physical experiment. *Water Resour Res.* 37: 3115-3129.
- Devauil, G; Ettinger, R; Gustafson, J. (2002). Chemical vapor intrusion from soil or groundwater to indoor air: Significance of unsaturated zone biodegradation of aromatic hydrocarbons. *Soil Sediment Contam.* 11: 625-641.
- Devlin, JF; Barbaro, JR. (2001). A method of estimating multicomponent nonaqueous-phase liquid mass in porous media using aqueous concentration ratios. *Environ Toxicol Chem.* 20: 2443-2449. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<2443:AMOEMN>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<2443:AMOEMN>2.0.CO;2).
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res.* 38: 1002-1002. <http://dx.doi.org/10.1029/2000WR000148>.
- Devlin, JF; Parker, BL. (1996). Optimum hydraulic conductivity to limit contaminant flux through cutoff walls. *Ground Water.* 34: 719-726.
- Dewar, R; Siemiatyckia, J; Geacuterin, M. (1991). Loss of statistical power associated with the use of a job-exposure matrix in occupational case-control studies. *Appl Occup Environ Hyg.* 6: 508-515.
- Dewulf, J; Van Langenhove, H; De Smedt, E; Geuens, S. (2001). Combination of advanced oxidation processes and gas absorption for the treatment of chlorinated solvents in waste gases. *Water Sci Technol.* 44: 173-180.
- Dewulf, J; Vanlangenhove, H; Everaert, M. (1997). Solid-phase microextraction of volatile organic compounds - Estimation of the sorption equilibrium from the Kovats index, effect of salinity and humic acids and the study of the kinetics by the development of an "agitated/static layer" model. *J Chromatogr A.* 761: 205-217.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Dhaidan, NS; Khodadadi, JM; Al-Hattab, TA; Al-Mashat, SM. (2013). Experimental and numerical investigation of melting of NePCM inside an annular container under a constant heat flux including the effect of eccentricity. *Int J Heat Mass Tran.* 67: 455-468. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2013.08.002>.
- Dhaidan, NS; Khodadadi, JM; Al-Hattab, TA; Al-Mashat, SM. (2013). Experimental and numerical study of constrained melting of n-octadecane with CuO nanoparticle dispersions in a horizontal cylindrical capsule subjected to a constant heat flux. *Int J Heat Mass Tran.* 67: 523-534. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2013.08.001>.
- Dhar, A; Alford, TL. (2014). Optimization of TiO₂/Cu/TiO₂ Multilayer as Transparent Composite Electrode (TCE) Deposited on Flexible Substrate at Room Temperature. 3: N33-N36. <http://dx.doi.org/10.1149/2.0061411ssl>.
- Dhennezel, O; Ollis, DF. (1996). Photocatalytic oxidation of air contaminants by chlorine (Cl) or hydroxyl (OH) radicals or holes (h⁺): Mechanistic correlations. *Stud Surf Sci Catal.* 101: 435-442.
- Dhennezel, O; Ollis, DF. (1997). Trichloroethylene-promoted photocatalytic oxidation of air contaminants. *J Catal.* 167: 118-126.
- D'Hennezel, O; Pichat, P; Ollis, DF. (1998). Benzene and toluene gas-phase photocatalytic degradation over H₂O and HCl pretreated TiO₂: by-products and mechanisms. *J Photochem Photobiol A.* 118: 197-204.
- Di Lorenzo, T; Borgoni, R; Ambrosini, R; Cifoni, M; Galassi, DM; Petitta, M. (2015). Occurrence of volatile organic compounds in shallow alluvial aquifers of a Mediterranean region: Baseline scenario and ecological implications. *Sci Total Environ.* 538: 712-723. <http://dx.doi.org/10.1016/j.scitotenv.2015.08.077>.
- Di Palma, L; De Filippis, P; Lausdei, D; Petrucci, E. (2015). KINETIC TESTS OF ANAEROBIC DECHLORINATION OF A POLLUTED GROUNDWATER IN ITALY. *Environmental Engineering and Management Journal.* 14: 2713-2718.
- Di, Z; Zheng, S; Xiao-Hui, Y; Da-Peng, W; Kun, D; Ya-Feng, G. (2013). A Porous Membrane Extraction and Microtrap System for On-line Monitoring of Volatile Organic Compounds in Water. *Chin J Anal Chem.* 41: 1153-1158. <http://dx.doi.org/10.3724/SP.J.1096.2013.21228>.
- Diallo, MS; Abriola, LM; Weber, WJ, Jr. (1994). Solubilization of non-aqueous phase liquid hydrocarbons in micellar solutions of dodecyl alcohol ethoxylates. Washington, D.C.
- Diamadopoulos, E; Sakellariadis, D; Koukouraki, E. (1998). The effect of humic acid on the transport of volatile chlorinated hydrocarbons in soil. *Water Res.* 32: 3325-3330.
- Diaz, E, va; Faba, L; Ordonez, S. (2011). Effect of carbonaceous supports on the Pd-catalyzed aqueous-phase trichloroethylene hydrodechlorination. *Appl Catal B-Environ.* 104: 415-417. <http://dx.doi.org/10.1016/j.apcatb.2011.03.031>.
- Diaz, E, va; Mccall, A; Faba, L; Sastre, H; Ordonez, S. (2013). Trichloroethylene Hydrodechlorination in Water Using Formic Acid as Hydrogen Source: Selection of Catalyst and Operation Conditions. *Environ Prog Sustain Energy.* 32: 1217-1222. <http://dx.doi.org/10.1002/ep.11730>.
- Díaz, E; Ordóñez, S; Bueres, RF; Asedegbega-Nieto, E; Sastre, H. (2010). High-surface area graphites as supports for hydrodechlorination catalysts: Tuning support surface chemistry for an optimal performance. *Appl Catal B-Environ.* 99: 181-190. <http://dx.doi.org/10.1016/j.apcatb.2010.06.016>.
- Diaz, E; Ordonez, S; Vega, A; Coca, J. (2005). Influence of catalyst treatments on the adsorption properties of gamma-Al₂O₃ supported Pt, Rh and Ru catalysts. *Microporous and Mesoporous Materials.* 77: 245-255. <http://dx.doi.org/10.1016/j.micromeso.2004.09.008>.
- Dibble, L; Raupp, GB. (1992). Fluidized-bed photocatalytic oxidation of trichloroethylene in contaminated airstreams. *Environ Sci Technol.* 26: 492-495.
- Dicintio, D. (2016). The Investigation of Groundwater Contamination in Wicomico County's Morris Mill Community. *J Environ Health.* 78: 16-19.
- Dickey, CA; Heal, KV; Cape, JN; Stidson, RT; Reeves, NM; Heal, MR. (2005). Addressing analytical uncertainties in the determination of trichloroacetic acid in soil. *J Environ Monit.* 7: 137-144. <http://dx.doi.org/10.1039/b410248g>.
- Dickson, SE; Thomson, NR. (2003). Dissolution of entrapped DNAPLs in variable aperture fractures: Experimental data and empirical model. *Environ Sci Technol.* 37: 4128-4137. <http://dx.doi.org/10.1021/es026275r>.
- Dietz, AC; Schnoor, JL. (2001). Advances in phytoremediation. *Environ Health Perspect.* 109: 163-168.
- Dietz, AC; Schnoor, JL. (2001). Phytotoxicity of chlorinated aliphatics to hybrid poplar (*Populus deltoides* x *nigra* DN34). *Environ Toxicol Chem.* 20: 389-393. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<0389:POCATH>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<0389:POCATH>2.0.CO;2).
- Dilla, W; Koser, HJK. (1983). ON THE DEHYDROCHLORINATION DECHLORINATION OF TRICHLOROETHYLENE, PERCHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE BY METAL CHLORIDES AND OXIDATIVE HYDROLYTIC DEGRADATION PRODUCTS. *Mater Corros.* 34: 241-245.
- Dimmer, CH; Mcculloch, A; Simmonds, PG; Nickless, G; Bassford, MR; Smythe-Wright, D. (2001). Tropospheric concentrations of the chlorinated solvents, tetrachloroethene and trichloroethene, measured in the remote northern hemisphere. *Atmos Environ.* 35: 1171-1182.
- Dincutoiu, I; Gorecki, T; Parker, BL. (2003). A novel technique for rapid extraction of volatile organohalogen compounds from low permeability media. *Environ Sci Technol.* 37: 3978-3984. <http://dx.doi.org/10.1021/es0340275>.
- Dincutoiu, I; Gorecki, T; Parker, BL. (2006). Microwave-assisted extraction of trichloroethylene from clay samples. *Int J Environ Anal Chem.* 86: 1113-1125. <http://dx.doi.org/10.1080/03067310600797580>.
- Ding, K; Xu, W. (2016). Black Carbon Facilitated Dechlorination of DDT and its Metabolites by Sulfide. *Environ Sci Technol.* 50: 12976-12983. <http://dx.doi.org/10.1021/acs.est.6b03154>.
- Ding, S, hu; Zhao, L, in; Qi, Y, un; Lv, Q. (2015). Synthesis of Ni/Fe Nanoparticles Utilizing PVP-SDS Bound Micelles as a Template to Remove PCB77. *NANO.* 10. <http://dx.doi.org/10.1142/S1793292015500356>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Dingemans, M; Dewulf, J, o; Braeckman, L; Van Langenhove, H; Friess, K; Hynek, V; Sipek, M. (2008). Mass transfer characteristics for VOC permeation through flat sheet porous and composite membranes: The impact of the different membrane layers on the overall membrane resistance. *J Memb Sci.* 322: 234-242. <http://dx.doi.org/10.1016/j.memsci.2008.05.043>.
- Dingemans, M; Dewulf, J, o; Kumar, A; Van Langenhove, H. (2008). Solubility of volatile organic compounds in polymers: Effect of polymer type and processing. *J Memb Sci.* 312: 107-114. <http://dx.doi.org/10.1016/j.memsci.2007.12.042>.
- Dinh, MTN; Giraudon, JM; Vandenbroucke, AM; Morent, R; De Geyter, N; Lamonnier, JF. (2015). Post plasma-catalysis for total oxidation of trichloroethylene over Ce-Mn based oxides synthesized by a modified "redox-precipitation route". *Appl Catal B-Environ.* 172: 65-72. <http://dx.doi.org/10.1016/j.apcatb.2015.02.013>.
- Dini, JW. (2005). The carcinogenic body. *Plat Surf Finish.* 92: 34-35.
- Dion-Fortier, A; Rodriguez, MJ; Sérodes, J; Proulx, F. (2009). Impact of water stagnation in residential cold and hot water plumbing on concentrations of trihalomethanes and haloacetic acids. *Water Res.* 43: 3057-3066. <http://dx.doi.org/10.1016/j.watres.2009.04.019>.
- Distefano, TD. (1999). The effect of tetrachloroethene on biological dechlorination of vinyl chloride: Potential implication for natural bioattenuation. *Water Res.* 33: 1688-1694.
- Divakar, D; Romero-Sáez, M; Pereda-Ayo, B; Aranzabal, A; González-Marcos, JA; González-Velasco, J. R. (2011). Catalytic oxidation of trichloroethylene over Fe-zeolites. *Catalysis Today.* 176: 357-360. <http://dx.doi.org/10.1016/j.cattod.2010.11.065>.
- Divine, CE; Sanford, WE; Mccray, JE. (2003). Helium and Neon Groundwater Tracers to Measure Residual DNAPL: Laboratory Investigation. *Vadose Zone Journal.* 2: 382-388.
- Dix, KJ; Kedderis, GL; Borghoff, SJ. (1997). Vehicle-dependent oral absorption and target tissue dosimetry of chloroform in male rats and female mice. *Toxicol Lett.* 91: 197-209.
- Dixon, AM; Brown, SD; Muralidhara, S; Bruckner, JV; Bartlett, MG. (2005). Optimization of SPME for analysis of trichloroethylene in rat blood and tissues by SPME-GC/MS. *Instrum Sci Tech.* 33: 175-186. <http://dx.doi.org/10.1081/CI-200048062>.
- Djouadi, F; Weinheimer, CJ; Saffitz, JE; Pitchford, C; Bastin, J; Gonzalez, FJ; Kelly, DP. (1998). A gender-related defect in lipid metabolism and glucose homeostasis in peroxisome proliferator- activated receptor alpha- deficient mice. *J Clin Invest.* 102: 1083-1091. <http://dx.doi.org/10.1172/JCI3949>.
- Do, S, iH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ.* 430: 82-87. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.070>.
- Doan, T; Acosta, E; Scamehorn, JF; Sabatini, DA. (2003). Formulating middle-phase microemulsions using mixed anionic and cationic surfactant systems. *Journal of Surfactants and Detergents.* 6: 215-224.
- Dobaradaran, S; Lutze, H; Mahvi, AH; Schmidt, TC. (2014). Transformation efficiency and formation of transformation products during photochemical degradation of TCE and PCE at micromolar concentrations. *12: 16.* <http://dx.doi.org/10.1186/2052-336X-12-16>.
- Dobaradaran, S; Mahvi, AH; Nabizadeh, R; Ramavandi, B; Nazmara, S; Zarei, S. (2012). BIOASSAY COMPARISON OF TRICHLOROETHYLENE (TCE) TOXICITY ON DAPHNIA MAGNA (D. MAGNA) BEFORE AND AFTER ULTRASOUND AND PHOTOLYSIS PROCESSES. *Fresen Environ Bull.* 21: 1533-1538.
- Dobaradaran, S; Nabizadeh, R; Mahvi, AH; Mesdaghinia, AR; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S, h. (2010). SURVEY ON DEGRADATION RATES OF TRICHLOROETHYLENE IN AQUEOUS SOLUTIONS BY ULTRASOUND. *Iranian Journal of Environmental Health Science and Engineering.* 7: 307-312.
- Dobbins, DC; Peltola, J; Kustritz, JM; Chresand, TJ; Preston, JC. (1995). PILOT-SCALE DEMONSTRATION OF A 2-STAGE METHANOTROPHIC BIOREACTOR FOR BIODEGRADATION OF TRICHLOROETHYLENE IN GROUNDWATER. *J Air Waste Manag Assoc.* 45: 12-19.
- Dobosy, P; Vizsolyi, E, vaC; Varga, I; Varga, J; Lang, GG; Zaray, G. (2016). Trichloroethylene removal from water by ferrate treatment. *Microchem J.* 127: 74-78. <http://dx.doi.org/10.1016/j.microc.2016.02.010>.
- Dobrev, ID; Andersen, ME; Yang, RS. (2001). Assessing interaction thresholds for trichloroethylene in combination with tetrachloroethylene and 1,1,1-trichloroethane using gas uptake studies and PBPK modeling. *Arch Toxicol.* 75: 134-144. <http://dx.doi.org/10.1007/s002040100216>.
- Dogan-Subasi, E; Bastiaens, L; Boon, N; Dejonghe, W. (2013). Microbial dechlorination activity during and after chemical oxidant treatment. *J Hazard Mater.* 262: 598-605. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.003>.
- Dohn, DR; Anders, MW. (1982). Assay of cysteine conjugate beta-lyase activity with S-(2-benzothiazolyl)cysteine as the substrate. *Anal Biochem.* 120: 379-386. [http://dx.doi.org/10.1016/0003-2697\(82\)90361-X](http://dx.doi.org/10.1016/0003-2697(82)90361-X).
- Doi, T; Tsuda, I; Unagida, H; Murata, A; Sakuta, K; Kurokawa, K. (2001). Experimental study on PV module recycling with organic solvent method. *Solar Energy Materials and Solar Cells.* 67: 397-403.
- Dolan, ME; Mccarty, PL. (1995). Methanotrophic Chloroethene Transformation Capacities And 1,1-dichloroethene Transformation Product Toxicity. *Environ Sci Technol.* 29: 2741-2747. <http://dx.doi.org/10.1021/es00011a007>.
- Dolan, ME; Mccarty, PL. (1995). SMALL COLUMN MICROCOSM FOR ASSESSING METHANE-STIMULATED VINYL-CHLORIDE TRANSFORMATION IN AQUIFER SAMPLES. *Environ Sci Technol.* 29: 1892-1897.
- Dolasa, AR; Ergas, SJ. (2000). Membrane bioreactor for cometabolism of trichloroethene air emissions. *J Environ Eng.* 126: 969-973.
- Dombek, T; Davis, D; Stine, J; Klarup, D. (2004). Degradation of terbutylazine (2-chloro-4-ethylamino-6-terbutylamino-1,3,5-triazine), deisopropyl atrazine (2-amino-4-chloro-6-ethylamino-1,3,5-triazine), and chlorinated dimethoxy triazine (2-chloro-4,6-dimethoxy-1,3,5-triazine) by zero valent iron and electrochemical reduction. *Environ Pollut.* 129: 267-275. <http://dx.doi.org/10.1016/j.envpol.2003.10.008>.
- Dombek, T; Dolan, E; Schultz, J; Klarup, D. (2001). Rapid reductive dechlorination of atrazine by zero-valent iron under acidic conditions. *Environ Pollut.* 111: 21-27.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Domingo, LR; Pérez, P; Sáez, JA. (2012). Origin of the synchronicity in bond formation in polar Diels-Alder reactions: an ELF analysis of the reaction between cyclopentadiene and tetracyanoethylene. *Org Biomol Chem*. 10: 3841-3851. <http://dx.doi.org/10.1039/c2ob25152c>.
- Donato, R. (2010). Extending transaction cost economics: towards a synthesised approach for analysing contracting in health care markets with experience from the Australian private sector. 71: 1989-1996. <http://dx.doi.org/10.1016/j.socscimed.2010.09.016>.
- Dong, C; Zeng, Z; Li, X. (2005). Determination of organochlorine pesticides and their metabolites in radish after headspace solid-phase microextraction using calix[4]arene fiber. *Talanta*. 66: 721-727. <http://dx.doi.org/10.1016/j.talanta.2004.12.020>.
- Dong, J, un; Wen, C; Liu, D; Zhang, W; Li, J; Jiang, H; Qin, C; Hong, M, ei. (2015). Study on degradation of nitrobenzene in groundwater using emulsified nano-zero-valent iron. *J Nanopart Res*. 17. <http://dx.doi.org/10.1007/s11051-014-2829-9>.
- Dong, Ji; Yoon, KD. (1999). Thermal decomposition mechanism of chlorinated volatile organics at pyrolytic and oxidative conditions. *Korean J Chem Eng*. 16: 501-504.
- Dong, L; Gu, F; Fujita, T; Hayashi, Y; Gao, J, ie. (2014). Uncovering opportunity of low-carbon city promotion with industrial system innovation: Case study on industrial symbiosis projects in China. *Energy Policy*. 65: 388-397. <http://dx.doi.org/10.1016/j.enpol.2013.10.019>.
- Dong, S; Li, J; Shim, H. (2013). Bioremoval of Trichloroethylene/Toluene Mixture by *Burkholderia vietnamiensis* G4 from Water. *Res Journal Chem Environ*. 17: 32-37.
- Dong, S; Zhang, X; He, F; Dong, S; Zhou, D; Wang, B, o. (2015). Visible-light photocatalytic degradation of methyl orange over spherical activated carbon-supported and Er³⁺:YAlO₃-doped TiO₂ in a fluidized bed. *J Chem Tech Biotechnol*. 90: 880-887. <http://dx.doi.org/10.1002/jctb.4391>.
- Dong, T; Luo, H; Wang, Y; Hu, B; Chen, H, ua. (2011). Stabilization of Fe-Pd bimetallic nanoparticles with sodium carboxymethyl cellulose for catalytic reduction of para-nitrochlorobenzene in water. *Desalination*. 271: 11-19. <http://dx.doi.org/10.1016/j.desal.2010.12.003>.
- Dong, Y; Bai, Z; Liu, R; Wang, X; Yan, H; Zhu, T. (2006). Heterogeneous decomposition of indoor ammonia in a photoreactor with TiO₂-finished cotton fabrics. *Environ Technol*. 27: 705-714. <http://dx.doi.org/10.1080/09593332708618688>.
- Dong, Y; Liang, X; Krumholz, L; Philp, RP; Butler, EC. (2009). The Relative Contributions of Abiotic and Microbial Processes to the Transformation of Tetrachloroethylene and Trichloroethylene in Anaerobic Microcosms. *Environ Sci Technol*. 43: 690-697. <http://dx.doi.org/10.1021/es801917p>.
- Donnelly, KC; Lingenfelter, R; Cizmas, L; Falahatpisheh, MH; Qian, Y; Tang, Y; Garcia, S; Ramos, K; Tiffany-Castiglioni, E; Mumtaz, MM. (2004). Toxicity assessment of complex mixtures remains a goal. *Environ Toxicol Pharmacol*. 18: 135-141. <http://dx.doi.org/10.1016/j.etap.2004.03.013>.
- Doong, R, an; Saha, S; Lee, CH; Lin, HP. (2015). Mesoporous silica supported bimetallic Pd/Fe for enhanced dechlorination of tetrachloroethylene. *RSC Advances*. 5: 90797-90805. <http://dx.doi.org/10.1039/c5ra15070a>.
- Doong, RA; Chang, SM. (2000). Relationship between electron donor and microorganism on the dechlorination of carbon tetrachloride by an anaerobic enrichment culture. *Chemosphere*. 40: 1427-1433.
- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environ Sci Technol*. 37: 2575-2581. <http://dx.doi.org/10.1021/es020978r>.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environ Sci Technol*. 39: 7460-7468. <http://dx.doi.org/10.1021/es047956k>.
- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res*. 39: 2309-2318. <http://dx.doi.org/10.1016/j.watres.2005.04.036>.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere*. 64: 371-378. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.038>.
- Doong, RA; Lee, CC; Chen, KT; Wu, SF. (2004). Coupled reduction of chlorinated hydrocarbons and heavy metals by zerovalent silicon. *Water Sci Technol*. 50: 89-96.
- Doong, RA; Wu, SC; Chen, TF. (1996). Anaerobic biotransformation of polychlorinated methane and ethene under various redox conditions. *Chemosphere*. 32: 377-390.
- Dordevic, D; Cerkovnik, J; Gorenek, M. (2006). The comparison of the kinetics of hydrolysis of some reactive dyes before and after purification. 14: 85-88.
- Dorea, JG; Cruz-Granja, AC; Lacayo-Romero, ML; Cuadra-Leal, J. (2001). Perinatal metabolism of dichlorodiphenyldichloroethylene in Nicaraguan mothers. *Environ Res*. 86: 229-237. <http://dx.doi.org/10.1006/enrs.2001.4277>.
- Dorgerloh, U, te; Becker, R; Lutz, A; Bremser, W; Hilbert, S; Nehls, I. (2012). How to improve reliability in groundwater analysis: over a decade of experience with external quality control in field campaigns on volatile halogenated compounds. *J Environ Monit*. 14: 217-223. <http://dx.doi.org/10.1039/c1em10460h>.
- Dorgerloh, U, te; Theissen, H; Becker, R; Hilbert, S; Nehls, I. (2010). Sampling and Quantification of Volatile Organohalogenes, Ethene and Methane in Groundwater. *Grundwasser*. 15: 231-239. <http://dx.doi.org/10.1007/s00767-010-0144-7>.
- Dorrajji, MSS; Mirmohseni, A; Carraro, M; Gross, S; Simone, S; Tasselli, F; Figoli, A. (2015). Fenton-like catalytic activity of wet-spun chitosan hollow fibers loaded with Fe₃O₄ nanoparticles: Batch and continuous flow investigations. *J Mol Catal Chem*. 398: 353-357. <http://dx.doi.org/10.1016/j.molcata.2015.01.003>.
- Dosemeci, M; Cocco, P; Chow, WH. (1999). Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. *Am J Ind Med*. 36: 54-59. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<54::AID-AJIM8>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<54::AID-AJIM8>3.0.CO;2-0).
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology*. 5: 124-127.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Dosemeci, M; Wacholder, S; Lubin, JH. (1990). Does nondifferential misclassification of exposure always bias a true effect toward the null value? *Am J Epidemiol.* 132: 746-748.
- Dotremont, C; Vandenende, S; Vandommele, H; Vandecasteele, C. (1994). CONCENTRATION POLARIZATION AND OTHER BOUNDARY-LAYER EFFECTS IN THE PERVAPORATION OF CHLORINATED HYDROCARBONS. *Desalination.* 95: 91-113.
- Doty, SL; Shang, TQ; Wilson, AM; Moore, AL; Newman, LA; Strand, SE; Gordon, MP. (2003). Metabolism of the soil and groundwater contaminants, ethylene dibromide and trichloroethylene, by the tropical leguminous tree, *Leuceana leucocephala*. *Water Res.* 37: 441-449.
- Dou, W; Omran, K; Grimberg, SJ; Denham, M; Powers, SE. (2008). Characterization of DNAPL from the U.S. DOE Savannah River Site. *J Contam Hydrol.* 97: 75-86. <http://dx.doi.org/10.1016/j.jconhyd.2008.01.002>.
- Doucet, N; Bocquillon, F; Zahraa, O; Bouchy, M. (2006). Kinetics of photocatalytic VOCs abatement in a standardized reactor. *Chemosphere.* 65: 1188-1196. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.061>.
- Doucette, W; Klein, H; Chard, J; Dupont, R; Plaehn, W; Bugbee, B. (2013). Volatilization of Trichloroethylene from Trees and Soil: Measurement and Scaling Approaches. *Environ Sci Technol.* 47: 5813-5820. <http://dx.doi.org/10.1021/es304115c>.
- Doucette, WJ; Chard, JK; Fabrizio, H; Crouch, C; Petersen, MR; Carlsen, TE; Chard, BK; Gorder, K. (2007). Trichloroethylene uptake into fruits and vegetables: Three-year field monitoring study. *Environ Sci Technol.* 41: 2505-2509. <http://dx.doi.org/10.1021/es0621804>.
- Doucette, WJ; Hall, AJ; Gorder, KA. (2010). Emissions of 1,2-Dichloroethane from Holiday Decorations as a Source of Indoor Air Contamination. *Ground Water Monitoring and Remediation.* 30: 67-73. <http://dx.doi.org/10.1111/j1745-6592.2009.001267.x>.
- Douglas, G; Gingerich, J; Soper, L; Potvin, M; Bjarnason, S. (1999). Evidence for the lack of base-change and small-deletion mutation induction by trichloroethylene in lacZ transgenic mice. *Environ Mol Mutagen.* 34: 190-194.
- Doust, HG; Huang, JC. (1992). THE FATE AND TRANSPORT OF HAZARDOUS CHEMICALS IN THE SUBSURFACE ENVIRONMENT. *Water Sci Technol.* 25: 169-176.
- Dowideit, P; von Sonntag, C. (1998). Reaction of ozone with ethene and its methyl- and chlorine-substituted derivatives in aqueous solution. *Environ Sci Technol.* 32: 1112-1119.
- Dragoescu, D; Gheorghe, D; Bendova, M; Wagner, Z. (2015). Speeds of sound, isentropic compressibilities and refractive indices for some binary mixtures of nitromethane with chloroalkane at temperatures from 298.15 to 318.15 K. Comparison with theories. *Fluid Phase Equilibria.* 385: 105-119. <http://dx.doi.org/10.1016/j.fluid.2014.10.004>.
- Drake, V; Koprowski, S; Lough, J; Hu, N; Smith, S. (2006). Trichloroethylene exposure during cardiac valvuloseptal morphogenesis alters cushion formation and cardiac hemodynamics in the avian embryo. *Environ Health Perspect.* 114: 842-847. <http://dx.doi.org/10.1289/ehp.8781>.
- Drenzek, NJ; Tarr, CH; Eglinton, TI; Heraty, LJ; Sturchio, NC; Shiner, VJ; Reddy, CM. (2002). Stable chlorine and carbon isotopic compositions of selected semi-volatile organochlorine compounds. *Organic Geochemistry.* 33: 437-444.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2005). Combined removal of chlorinated ethenes and heavy metals by zerovalent iron in batch and continuous flow column systems. *Environ Sci Technol.* 39: 8460-8465. <http://dx.doi.org/10.1021/es050251d>.
- Drijvers, D; van Langenhove, H; Beckers, M. (1999). Decomposition of phenol and trichloroethylene by the ultrasound/H₂O₂/CuO process. *Water Res.* 33: 1187-1194.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environ Sci Technol.* 39: 1283-1290. <http://dx.doi.org/10.1021/es0490222>.
- Dror, I; Jacov, OM; Cortis, A; Berkowitz, B. (2012). Catalytic transformation of persistent contaminants using a new composite material based on nanosized zero-valent iron. *Environ Sci Technol.* 46: 3416-3423. <http://dx.doi.org/10.1021/am300402q>.
- Droz, PO; Fernandez, JG. (1978). Trichloroethylene exposure Biological monitoring by breath and urine analyses. *Occup Environ Med.* 35: 35-42.
- Druschel, SJ; Kinner, NE. (2009). Rock Fragments in Trichloroethene Microcosms for Bedrock Aquifers. *Bioremediat J.* 13: 107-120. <http://dx.doi.org/10.1080/10889860903124214>.
- Drzyzga, O; El Mamouni, R; Agathos, SN; Gottschal, JC. (2002). Dehalogenation of chlorinated ethenes and immobilization of nickel in anaerobic sediment columns under sulfidogenic conditions. *Environ Sci Technol.* 36: 2630-2635. <http://dx.doi.org/10.1021/es010184x>.
- D'Souza, R; Bruckner, J; Feldman, S. (1985). Oral and intravenous trichloroethylene pharmacokinetics in the rat. *J Toxicol Environ Health.* 15: 587-601. <http://dx.doi.org/10.1080/15287398509530688>.
- Du, CL; Wang, JD. (1998). Increased morbidity odds ratio of primary liver cancer and cirrhosis of the liver among vinyl chloride monomer workers. *Occup Environ Med.* 55: 528-532.
- Du, J; Bao, J; Tong, M, an; Yuan, S. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci.* 30: 350-356. <http://dx.doi.org/10.1089/ees.2011.0318>.
- du Plessis, A; Strydom, C; Botha, L. (2010). Comparative study of the dissociative ionization of 1,1,1-trichloroethane using nanosecond and femtosecond laser pulses. *International Journal of Molecular Sciences.* 11: 1114-1140. <http://dx.doi.org/10.3390/ijms11031114>.
- Du, Y; Zhang, W, ei; Whitten, W; Li, H; Watson, DB; Xu, J, un. (2010). Membrane-Extraction Ion Mobility Spectrometry for in Situ Detection of Chlorinated Hydrocarbons in Water. *Anal Chem.* 82: 4089-4096. <http://dx.doi.org/10.1021/ac100162d>.
- Duan, C; Grover, V; Roberts, N; Balakrishnan, N. (2014). Firm valuation effects of the decision to adopt relationally governed business process outsourcing arrangements. *Int J Prod Res.* 52: 4673-4694. <http://dx.doi.org/10.1080/00207543.2014.884289>.
- Duan, H; Liu, Y; Yin, X; Bai, J; Qi, J. (2016). Degradation of nitrobenzene by Fenton-like reaction in a H₂O₂/schwertmannite system. *Chem Eng J.* 283: 873-879. <http://dx.doi.org/10.1016/j.cej.2015.08.033>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Duan, SH; Ito, A; Ohkawa, A. (2001). Removal of trichloroethylene from water by aeration, pervaporation and membrane distillation. *J Chem Eng Jpn.* 34: 1069-1073.
- Duan, X; Indrawirawan, S; Sun, H; Wang, S. (2015). Effects of nitrogen-, boron-, and phosphorus-doping or codoping on metal-free graphene catalysis. *Catalysis Today.* 249: 184-191. <http://dx.doi.org/10.1016/j.cattod.2014.11.005>.
- Duan, X; Sun, D; Zhu, Z; Chen, X; Shi, P. (2002). Photocatalytic decomposition of toluene by TiO₂ film as photocatalyst. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 679-692.
- Duarte, CL; Ribeiro, MA; Sato, IM; Sampa, MHD, O. (2004). Efficiency of organic compounds removal by electron-beam irradiation in presence of high metal concentration. *Radiat Phys Chem Oxf Engl* 1993. 71: 451-454. <http://dx.doi.org/10.1016/j.radphyschem.2004.04.024>.
- Duba, AG; Jackson, KJ; Jovanovich, MC; Knapp, RB; Taylor, RT. (1996). TCE remediation using in situ, resting-state bioaugmentation. *Environ Sci Technol.* 30: 1982-1989.
- Duba, AG; Jackson, KJ; Jovanovich, MC; Knapp, RB; Taylor, RT. (1996). TCE remediation using resting-state bioaugmentation (vol 30, pg 1982, 1996). *Environ Sci Technol.* 30: 3132-3132.
- Dubey, DK; Pardasani, D; Gupta, AK; Palit, M; Kanaujia, PK; Tak, V. (2006). Hollow fiber-mediated liquid-phase microextraction of chemical warfare agents from water. *J Chromatogr A.* 1107: 29-35. <http://dx.doi.org/10.1016/j.chroma.2005.12.095>.
- Duboudin, C. (2010). Pollution inside the home: descriptive analyses Part II: Identification of groups of homogenous homes in terms of pollution. *E R S.* 9: 27-38. <http://dx.doi.org/10.1684/ers.2009.0318>.
- Ducom, G; Cabassud, C. (1999). Interests and limitations of nano-filtration for the removal of volatile organic compounds in drinking water production. *Desalination.* 124: 115-123.
- Duesterberg, CK; Waite, TD. (2006). Process optimization of Fenton oxidation using kinetic modeling. *Environ Sci Technol.* 40: 4189-4195. <http://dx.doi.org/10.1021/es060311v>.
- Duffel, MW; Jakoby, WB. (1982). Cysteine S-conjugate N-acetyltransferase from rat kidney microsomes. *Mol Pharmacol.* 21: 444-448.
- Dugan, PJ; Mccray, JE; Thyne, GD. (2003). Influence of a solubility-enhancing agent (cyclodextrin) on NAPL-water partition coefficients, with implications for partitioning tracer tests. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001672>.
- Duhamel, M; Edwards, EA. (2007). Growth and yields of dechlorinators, acetogens, and methanogens during reductive dechlorination of chlorinated ethenes and dihaloelimination of 1,2-dichloroethane. *Environ Sci Technol.* 41: 2303-2310. <http://dx.doi.org/10.1021/es062010r>.
- Duhamel, M; Wehr, SD; Yu, L; Rizvi, H; Seepersad, D; Dworatzek, S; Cox, EE; Edwards, EA. (2002). Comparison of anaerobic dechlorinating enrichment cultures maintained on tetrachloroethene, trichloroethene, cis-dichloroethene and vinyl chloride. *Water Res.* 36: 4193-4202.
- Duke, LD; Rong, Y; Harmon, TC. (1998). Parameter-induced uncertainty in modeling vadose zone transport of VOCs. *J Environ Eng.* 124: 441-448.
- Dumitriu, D; Schmid, PE; Karimi, A. (2003). Role of H₂ in the deposition of CN_x layers by PE-HF-CVD. *Surf Coating Tech.* 163: 189-195.
- Duncan, GB; Counce, RM; Donaldson, TL. (1995). A MODEL OF A FIXED-FILM TRICKLE-FILTER BIOREACTOR FOR TCE DEGRADATION. *Separation Science and Technology.* 30: 1791-1805.
- Duong, MH; Penrod, SL; Grant, SB. (1997). Kinetics of p-nitrophenol degradation by *Pseudomonas* sp.: An experiment illustrating bioremediation. *J Chem Educ.* 74: 1451-1454.
- Durante, C; Huang, B; Isse, AA; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at copper cathode. Part II: Polychloroethanes. *Appl Catal B-Environ.* 126: 355-362. <http://dx.doi.org/10.1016/j.apcatb.2012.07.003>.
- Durante, C; Isse, AA; Sandona, G; Gennaro, A. (2009). Electrochemical hydrodehalogenation of polychloromethanes at silver and carbon electrodes. *Appl Catal B-Environ.* 88: 479-489. <http://dx.doi.org/10.1016/j.apcatb.2008.10.010>.
- Durante, C; Perazzolo, V; Perini, L; Favaro, M; Granozzi, G; Gennaro, A. (2014). Electrochemical activation of carbon-halogen bonds: Electrocatalysis at silver/copper nanoparticles. *Appl Catal B-Environ.* 158: 286-295. <http://dx.doi.org/10.1016/j.apcatb.2014.04.023>.
- Durmusoglu, E; Corapcioglu, MY. (2000). Experimental study of horizontal barrier formation by colloidal silica. *J Environ Eng.* 126: 833-841.
- DuTeaux, S; Newman, J; Morisseau, C; Fairbairn, E; Jelks, K; Hammock, B; Miller, M. (2004). Epoxide hydrolases in the rat epididymis: possible roles in xenobiotic and endogenous fatty acid metabolism. *Toxicol Sci.* 78: 187-195. <http://dx.doi.org/10.1093/toxsci/kfh066>.
- Dutta, BK; Sikdar, SK. (1999). Separation of volatile organic compounds from aqueous solutions by pervaporation using S-B-S block copolymer membranes. *Environ Sci Technol.* 33: 1709-1716.
- Duval, S; Tweedie, R. (2000). A nonparametric "trim and fill" method of accounting for publication bias in meta-analysis. *J Am Stat Assoc.* 95: 89-98.
- Dwarakanath, V; Kostarelos, K; Pope, GA; Shotts, D; Wade, WH. (1999). Anionic surfactant remediation of soil columns contaminated by nonaqueous phase liquids. *J Contam Hydrol.* 38: 465-488.
- Dwarakanath, V; Pope, GA. (2000). Surfactant phase behavior with field degreasing solvent. *Environ Sci Technol.* 34: 4842-4848. <http://dx.doi.org/10.1021/es0009121>.
- Dyer, M; van Zutphen, M; Hetterschijt, R. (2001). Improved site characterisation of contaminated land using pump-and-treat data. *Institution of Civil Engineers Proceedings Geotechnical Engineering.* 149: 159-166.
- Dyer, RS. (2002). Chemical mixtures and health effects at Superfund sites. *Int J Hyg Environ Health.* 205: 149-153.
- Eacho, PI; Lanier, TL; Brodhecker, CA. (1991). Hepatocellular DNA synthesis in rats given peroxisome proliferating agents: Comparison of WY-14,643 to clofibric acid, nafenopin and LY171883. *Carcinogenesis.* 12: 1557-1561.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis*. 24: 341-349. <http://dx.doi.org/10.1093/mutage/gep014>.
- Eastmond, DA; Tucker, JD. (1989). Identification of aneuploidy-inducing agents using cytokinesis-blocked human lymphocytes and an antikinetochore antibody. *Environ Mol Mutagen*. 13: 34-43. <http://dx.doi.org/10.1002/em.2850130104>.
- Eberle, D; Ball, R; Boving, TB. (2016). Peroxone activated persulfate treatment of 1,4-dioxane in the presence of chlorinated solvent co-contaminants. *Chemosphere*. 144: 728-735. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.063>.
- Ebert, M; Köber, R; Parbs, A; Plagentz, V; Schäfer, D; Dahmke, A. (2006). Assessing degradation rates of chlorinated ethylenes in column experiments with commercial iron materials used in permeable reactive barriers. *Environ Sci Technol*. 40: 2004-2010. <http://dx.doi.org/10.1021/es051720e>.
- Eberts, SM; Jones, SA; Braun, CL; Harvey, GJ. (2005). Long-term changes in ground water chemistry at a phytoremediation demonstration site. *Ground Water*. 43: 178-186.
- Echeverria, D; White, RF; Sampaio, C. (1995). A behavioral evaluation of PCE exposure in patients and dry cleaners: A possible relationship between clinical and preclinical effects. *J Occup Environ Med*. 37: 667-680.
- Eckert, J; Draznieks, CM; Cheetham, AK. (2002). Direct observation of host-guest hydrogen bonding in the zeolite NaY/chloroform system by neutron scattering. *J Am Chem Soc*. 124: 170-171.
- Edmiston, PL; Underwood, LA. (2009). Absorption of dissolved organic species from water using organically modified silica that swells. *Separation and Purification Technology*. 66: 532-540. <http://dx.doi.org/10.1016/j.seppur.2009.02.001>.
- Edrisi, M; Keshavarz, AR. (2012). Synthesis of Cobalt Chromite Nanoparticles by Thermolysis of Mixed Cr³⁺ and Co²⁺ Chelates of 2-Mercaptopyridin N-Oxide. *Nano-Micro Letters*. 4: 83-89. <http://dx.doi.org/10.3786/nml.v4i2.p83-89>.
- Effio, DG; Kroner, O; Maier, A; Hayes, W; Willis, A; Strawson, J. (2013). A Look at State-Level Risk Assessment in the United States: Making Decisions in the Absence of Federal Risk Values. *Risk Anal*. 33: 54-67. <http://dx.doi.org/10.1111/j.1539-6924.2012.01842.x>.
- Efroymsen, RA; Suter, GW. (1999). Finding a niche for soil microbial toxicity tests in ecological risk assessment. *Hum Ecol Risk Assess*. 5: 715-727.
- EFSA. (2006). Opinion of the scientific panel on food additives, flavourings, processing aids and materials in contact with food (AFC) on a request from the commission related to a new long-term carcinogenicity study on aspartame. *EFSA J*. 4: 1-44. <http://dx.doi.org/10.2903/j.efsa.2006.356>.
- Egashira, M; Shimizu, Y; Takao, Y; Ono, M; Sasada, S. (1998). Decomposition of trichloroethylene by microwave-induced plasma generated from SiC whiskers. *J Electrochem Soc*. 145: 229-235.
- Egger, M; Smith, GD; Schneider, M; Minder, C. (1997). Bias in meta-analysis detected by a simple, graphical test. *Br Med J*. 315: 629-634.
- Eglal, MM; Ramamurthy, AS. (2014). Nanofer ZVI: Morphology, Particle Characteristics, Kinetics, and Applications. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2014/152824>.
- Eglal, MM; Ramamurthy, AS. (2015). Removal of Pb(II), Cd(II), Cu(II) and trichloroethylene from water by Nanofer ZVI. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 50: 901-912. <http://dx.doi.org/10.1080/10934529.2015.1030277>.
- Eguchi, M; Kitagawa, M; Suzuki, Y; Nakamura, M; Kawai, T; Okamura, K; Sasaki, S; Miyake, Y. (2001). A field evaluation of in situ biodegradation of trichloroethylene through methane injection. *Water Res*. 35: 2145-2152.
- Ehlke, TA; Imbrigiotta, TE; Dale, JM. (2004). Laboratory comparison of polyethylene and dialysis membrane diffusion samplers. *Ground Water Monitoring and Remediation*. 24: 53-59.
- Eichenlaub-Ritter, U; Baart, E; Yin, H; Betzendahl, I. (1996). Mechanisms of spontaneous and chemically-induced aneuploidy in mammalian oogenesis: basis of sex-specific differences in response to aneugens and the necessity for further tests. *Mutat Res*. 372: 279-294.
- Eighmy, TT; Spear, JCM; Case, J; Mills, M; Newman, K; Kinner, NE; Marbet, H; Casas, J; Bothner, W; Coulburn, J; Tisa, LS; Majko, M; Sullivan, ER; Gonsoulin, ME. (2007). Microfracture surface geochemistry and adherent microbial population metabolism in TCE-contaminated competent bedrock. *Geomicrobiology Journal*. 24: 307-330. <http://dx.doi.org/10.1080/01490450701456610>.
- Einaga, H; Futamura, S; Ibusuki, T. (2002). Heterogeneous photocatalytic oxidation of benzene, toluene, cyclohexene and cyclohexane in humidified air: comparison of decomposition behavior on photoirradiated TiO₂ catalyst. *Appl Catal B-Environ*. 38: 215-225.
- Einaga, H; Harada, M; Futamura, S; Ibusuki, T. (2003). Generation of active sites for CO photooxidation on TiO₂ by platinum deposition. *J Phys Chem B*. 107: 9290-9297. <http://dx.doi.org/10.1021/jp0343638>.
- Einaga, H; Ibusuki, T; Futamura, S. (2004). Improvement of catalyst durability by deposition of Rh on TiO₂ in photooxidation of aromatic compounds. *Environ Sci Technol*. 38: 285-289. <http://dx.doi.org/10.1012/es034336v>.
- Eisenbeis, M; Bauer-Kreisel, P; Scholz-Muramatsu, H. (1997). Studies on the dechlorination of tetrachloroethene to cis-1,2-dichloroethene by *Dehalospirillum multivorans* in biofilms. *Water Sci Technol*. 36: 191-198. [http://dx.doi.org/10.1016/S0273-1223\(97\)00352-1](http://dx.doi.org/10.1016/S0273-1223(97)00352-1).
- El Mamouni, R; Jacquet, R; Gerin, P; Agathos, SN. (2002). Influence of electron donors and acceptors on the bioremediation of soil contaminated with trichloroethene and nickel: laboratory- and pilot-scale study. *Water Sci Technol*. 45: 49-54.
- Elango, V; Cashwell, JM; Bellotti, MJ; Marotte, R; Freedman, DL. (2010). Bioremediation of Hexachlorocyclohexane Isomers, Chlorinated Benzenes, and Chlorinated Ethenes in Soil and Fractured Dolomite. *Bioremediat J*. 14: 10-27. <http://dx.doi.org/10.1080/10889860903463695>.
- Elango, V; Kurtz, HD; Freedman, DL. (2011). Aerobic cometabolism of trichloroethene and cis-dichloroethene with benzene and chlorinated benzenes as growth substrates. *Chemosphere*. 84: 247-253. <http://dx.doi.org/10.1016/j.chemosphere.2011.04.007>.
- El-Farhan, YH; Scow, KM; de Jonge, LW; Rolston, DE; Moldrup, P. (1998). Coupling transport and biodegradation of toluene and trichloroethylene in unsaturated soils. *Water Resour Res*. 34: 437-445.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- El-Farhan, YH; Scow, KM; Fan, SF; Rolston, DE. (2000). Kinetics of trichloroethylene cometabolism and toluene biodegradation: Model application to soil batch experiments. *J Environ Qual.* 29: 778-786.
- Elfarra, A; Hwang, I. (1990). In vivo metabolites of S-(2-benzothiazolyl)-L-cysteine as markers of in vivo cysteine conjugate beta-lyase and thiol glucuronosyl transferase activities. *Drug Metab Dispos.* 18: 917-922.
- Elfarra, A; Lash, L; Anders, M. (1987). Alpha-ketoacids stimulate rat renal cysteine conjugate beta-lyase activity and potentiate the cytotoxicity of S-(1,2-dichlorovinyl)-L-cysteine. *Mol Pharmacol.* 31: 208-212.
- Elfarra, AA; Jakobson, I; Anders, MW. (1986). Mechanism of S-(1,2-dichlorovinyl)glutathione-induced nephrotoxicity. *Biochem Pharmacol.* 35: 283-288.
- Elhaddad, E; Ensinger, W; Schueth, C. (2013). Sorption reversibility of organic contaminants in activated carbon, charcoal and Zeolite Y-200. *Grundwasser.* 18: 197-202. <http://dx.doi.org/10.1007/s00767-013-0229-1>.
- Elhaddad, EE; Bahadori, A; Abdel-Raouf, ME, IS; Elkatatny, S. (2015). A new experimental method to prevent paraffin-wax formation on the crude oil wells: A field case study in Libya. *Hemijiska Industrija.* 69: 269-274. <http://dx.doi.org/10.2298/HEMIND13071704OE>.
- Elizur, A; Adair-Kirk, TL; Kelley, DG; Griffin, GL; Demello, DE; Senior, RM. (2008). Tumor necrosis factor-alpha from macrophages enhances LPS-induced clara cell expression of keratinocyte-derived chemokine. *Am J Respir Cell Mol Biol.* 38: 8-15. <http://dx.doi.org/10.1165/rcmb.2007-0203OC>.
- Elliott, DW; Zhang, WX. (2001). Field assessment of nanoscale biometallic particles for groundwater treatment. *Environ Sci Technol.* 35: 4922-4926. <http://dx.doi.org/10.1021/es0108584>.
- Ellis, DE; Lutz, EJ; Odom, JM; Buchanan, RJ; Bartlett, CL; Lee, MD; Harkness, MR; Deweerd, KA. (2000). Bioaugmentation for accelerated in situ anaerobic bioremediation. *Environ Sci Technol.* 34: 2254-2260.
- Ellis, PA; Rivett, MO. (2007). Assessing the impact of VOC-contaminated groundwater on surface water at the city scale. *J Contam Hydrol.* 91: 107-127. <http://dx.doi.org/10.1016/j.jconhyd.2006.08.015>.
- Ellsworth, EMG; Palma, JF; Spence, WC; Bleicher, JM; Smith, DM, Jr; Finkelstein, SD. (2012). Mutational profiling of sporadic versus toxin-associated brain cancer formation: Initial findings using loss of heterozygosity profiling. *Int J Hyg Environ Health.* 215: 427-433. <http://dx.doi.org/10.1016/j.ijheh.2011.08.018>.
- Eloa, A; Díaz, E; Ordoñez, S. (2009). A new procedure for the treatment of organochlorinated off-gases combining adsorption and catalytic hydrodechlorination. *Environ Sci Technol.* 43: 1999-2004. <http://dx.doi.org/10.1021/es803226v>.
- El-Raghy, T; Chakraborty, S; Barsoum, MW. (2000). Synthesis and characterization of Hf₂PbC, Zr₂PbC and M₂SnC (M = Ti, Hf, Nb or Zr). *J Eur Ceram Soc.* 20: 2619-2625.
- El-Serag, HB. (2004). Hepatocellular carcinoma: Recent trends in the United States [Review]. *Gastroenterology.* 127: S27-S34. <http://dx.doi.org/10.1053/j.gastro.2004.09.013>.
- El-Serag, HB. (2007). Epidemiology of hepatocellular carcinoma in USA. *Hepatology Research.* 37: S88-S94. <http://dx.doi.org/10.1111/j.1872-034X.2007.00168.x>.
- El-Serag, HB; Rudolph, KL. (2007). Hepatocellular carcinoma: epidemiology and molecular carcinogenesis [Review]. *Gastroenterology.* 132: 2557-2576. <http://dx.doi.org/10.1053/j.gastro.2007.04.061>.
- Elsner, M; Chartrand, M; Vanstone, N; Couloume, GL; Lollar, BS. (2008). Identifying abiotic chlorinated ethene degradation: characteristic isotope patterns in reaction products with nanoscale zero-valent iron. *Environ Sci Technol.* 42: 5963-5970. <http://dx.doi.org/10.1021/es8001986>.
- Elsner, M; Couloume, GL; Mancini, S; Burns, L; Lollar, BS. (2010). Carbon Isotope Analysis to Evaluate Nanoscale Fe(O) Treatment at a Chlorohydrocarbon Contaminated Site. *Ground Water Monitoring and Remediation.* 30: 79-95. <http://dx.doi.org/10.1111/j1745-6592.2010.01294.x>.
- Elsner, M; Cwiertny, DM; Roberts, AL; Sherwood Lollar, B. (2007). 1,1,2,2-tetrachloroethane reactions with OH⁻, Cr(II), granular iron, and a copper-iron bimetal: Insights from product formation and associated carbon isotope fractionation. *Environ Sci Technol.* 41: 4111-4117. <http://dx.doi.org/10.1021/es063040x>.
- Elsner, M; Hunkeler, D. (2008). Evaluating chlorine isotope effects from isotope ratios and mass spectra of polychlorinated molecules. *Anal Chem.* 80: 4731-4740. <http://dx.doi.org/10.1021/ac702543y>.
- English, CW; Loehr, RC. (1991). Degradation of organic vapors in unsaturated soils. *J Hazard Mater.* 28: 1-2.
- Ennis, E; Reed, R; Dolan, M; Semprini, L; Istok, J; Field, J. (2005). Reductive dechlorination of the vinyl chloride surrogate chlorofluoroethene in TCE-contaminated groundwater. *Environ Sci Technol.* 39: 6777-6785. <http://dx.doi.org/10.1021/es048640f>.
- Enoki, T; Ichikawa, I; Miyazaki, A; Saito, G. (1997). Structural effects on the electronic properties of (BEDT-TTF)(2)BF4TCE0.5. *Synthetic Metals.* 86: 1971-1972.
- Epold, I; Trapido, M; Dulova, N. (2015). Degradation of levofloxacin in aqueous solutions by Fenton, ferrous ion-activated persulfate and combined Fenton/persulfate systems. *Chem Eng J.* 279: 452-462. <http://dx.doi.org/10.1016/j.cej.2015.05.054>.
- Erdem, Z; Cutright, TJ. (2016). Biodegradation Potential of 1,1,1-Trichloro-2,2-Bis(p-Chlorophenyl) Ethane (4,4'-DDT) on a Sandy-Loam Soil Using Aerobic Bacterium *Alcaligenes eutrophus* A5. *Environ Eng Sci.* 33: 149-159. <http://dx.doi.org/10.1089/ees.2015.0277>.
- Erdem, Z; Cutright, TJ. (2016). Biotransformation of 1,1,1-trichloro-2,2-bis(p-chlorophenyl) ethane (4,4'-DDT) on a Sandy Loam Soil using aerobic bacterium *Corynebacterium* sp. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-6057-8>.
- Ergas, SJ; Hinlein, ES; Reyes, PO; Ostendorf, DW; Tehrany, JP. (2000). Near surface soil vapor clusters for monitoring emissions of volatile organic compounds from soils. *J Air Waste Manag Assoc.* 50: 118-124.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ergas, SJ; Schroeder, ED; Chang D, PY; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. *Water Environ Res.* 67: 816-821.
- Erickson, B. (2016). EPA moves to ban uses of trichloroethylene. *Chem Eng News.* 94: 20-20.
- Eriksson, A; Pacoste, C. (2002). Element formulation and numerical techniques for stability problems in shells. *Computer Methods in Applied Mechanics and Engineering.* 191: 3775-3810.
- Erning, K; Grandel, S; Dahmke, A; Schaefer, D. (2012). Simulation of DNAPL infiltration and spreading behaviour in the saturated zone at varying flow velocities and alternating subsurface geometries. *Environ Earth Sci.* 65: 1119-1131. <http://dx.doi.org/10.1007/s12665-011-1361-9>.
- Ersan, G; Kaya, Y; Apul, OG; Karanfil, T. (2016). Adsorption of organic contaminants by graphene nanosheets, carbon nanotubes and granular activated carbons under natural organic matter preloading conditions. *Sci Total Environ.* 565: 811-817. <http://dx.doi.org/10.1016/j.scitotenv.2016.03.224>.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1996). Determination of the ¹³C/¹²C isotope ratio of organic compounds for the biological degradation of tetrachloroethene (PCE) and trichloroethene (TCE). *Acta Hydrochim Hydrobiol.* 24: 16-21.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1998). The C-13/C-12 and H-2/H-1 ratios of trichloroethene, tetrachloroethene and their metabolites. *Isotopes Environ Health Stud.* 34: 245-253.
- Erto, A; Andreozzi, R; Di Natale, F; Lancia, A; Musmarra, D. (2010). Experimental and statistical analysis of trichloroethylene adsorption onto activated carbon. *Chem Eng J.* 156: 353-359. <http://dx.doi.org/10.1016/j.cej.2009.10.034>.
- Erto, A; Andreozzi, R; Lancia, A; Musmarra, D. (2010). Factors affecting the adsorption of trichloroethylene onto activated carbons. *Appl Surf Sci.* 256: 5237-5242. <http://dx.doi.org/10.1016/j.apsusc.2009.12.110>.
- Erto, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2014). Permeable Adsorptive Barrier (PAB) for the remediation of groundwater simultaneously contaminated by some chlorinated organic compounds. *J Environ Manage.* 140: 111-119. <http://dx.doi.org/10.1016/j.jenvman.2014.03.012>.
- Erto, A; Lancia, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2011). A procedure to design a Permeable Adsorptive Barrier (PAB) for contaminated groundwater remediation. *J Environ Manage.* 92: 23-30. <http://dx.doi.org/10.1016/j.jenvman.2010.07.044>.
- Erto, A; Lancia, A; Musmarra, D. (2011). A modelling analysis of PCE/TCE mixture adsorption based on Ideal Adsorbed Solution Theory. *Separation and Purification Technology.* 80: 140-147. <http://dx.doi.org/10.1016/j.seppur.2011.04.021>.
- Erto, A; Lancia, A; Musmarra, D. (2012). A Real Adsorbed Solution Theory model for competitive multicomponent liquid adsorption onto granular activated carbon. *Microporous and Mesoporous Materials.* 154: 45-50. <http://dx.doi.org/10.1016/j.micromeso.2011.10.041>.
- Ervin, RE; Boroumand, A; Abriola, LM; Ramsburg, CA. (2011). Kinetic limitations on tracer partitioning in ganglia dominated source zones. *J Contam Hydrol.* 126: 195-207. <http://dx.doi.org/10.1016/j.jconhyd.2011.07.006>.
- Eryilmaz, OL; Urgen, M; Cakir, AF; Kazmanli, MK; Kahraman, UH. (1997). The effect of the sputter cleaning of steel substrates with neutral molecule source on the adhesion of TiN films. *Surf Coating Tech.* 97: 488-491.
- Escardino, A; Aucejo, A; Costa, JM. (1978). WATER-CAFFEINE-TRICHLOROETHYLENE SYSTEM - STUDY OF CAFFEINE EXTRACTION IN PACKED-COLUMNS. *Reviews Agroquim Tecnol Aliment.* 18: 224-231.
- Escardino, A; Monzo, M; Costa, JM. (1977). LIQUID-LIQUID EQUILIBRIUM IN WATER-CAFFEINE-TRICHLOROETHYLENE SYSTEM. *Reviews Agroquim Tecnol Aliment.* 17: 372-382.
- Esmaeilzadeh, P; Sadeghi, MT; Bahramian, A; Fakhroueian, Z; Zarbakhsh, A. (2016). Superamphiphobic Surfaces Prepared by Coating Multifunctional Nanofluids. 8: 32011-32020. <http://dx.doi.org/10.1021/acsami.6b10913>.
- Esterkin, CR; Negro, AC; Alfano, OM; Cassano, AE. (2005). Air pollution remediation in a fixed bed photocatalytic reactor coated with TiO₂. *AIChE J.* 51: 2298-2310. <http://dx.doi.org/10.1002/aic.10472>.
- Ettema, JH; Zielhuis, RL; Burer, E; Meier, HA; Kleerekoper, L; de Graaf, MA. (1975). Effects of alcohol, carbon monoxide and trichloroethylene exposure on mental capacity. *Int Arch Occup Environ Health.* 35: 117-132.
- Evans, CAW; Gilman, RH; Rabbani, GH; Salazar, G; Ali, A. (1997). Gastric acid secretion and enteric infection in Bangladesh. *Trans Roy Soc Trop Med Hyg.* 91: 681-685.
- Evans, GM. (1991). US-EPA SITE DEMONSTRATION OF AWD TECHNOLOGIES AQUADETOX - SVE SYSTEM. *J Air Waste Manag Assoc.* 41: 1519-1523.
- Evans, PJ; Nguyen, D; Chappell, RW; Whiting, K; Gillette, J; Bodour, A; Wilson, JT. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Column Study. *Ground Water Monitoring and Remediation.* 34: 65-78. <http://dx.doi.org/10.1111/gwmmr.12069>.
- Evelo, CTA; Oostendorp, JGM; Tenberge, WF; Borm, PJA. (1993). PHYSIOLOGICALLY-BASED TOXICOKINETIC MODELING OF 1,3-BUTADIENE LUNG METABOLISM IN MICE BECOMES MORE IMPORTANT AT LOW-DOSES. *Environ Health Perspect.* 101: 496-502. <http://dx.doi.org/10.2307/3431586>.
- Even-Ezra, I; Mizrahi, A; Gerrity, D; Snyder, S; Salveson, A; Lahav, O, ri. (2009). Application of a novel plasma-based advanced oxidation process for efficient and cost-effective destruction of refractory organics in tertiary effluents and contaminated groundwater. *Desalination and Water Treatment.* 11: 236-244. <http://dx.doi.org/10.5004/dwt.2009.807>.
- Evert, M; Schneider-Stock, R; Dombrowski, F. (2003). Apolipoprotein A-IV mRNA overexpression in early preneoplastic hepatic foci induced by low-number pancreatic islet transplants in streptozotocin-diabetic rats. *Pathol Res Pract.* 199: 373-379. <http://dx.doi.org/10.1078/0344-0338-00433>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ewald, E; Wagner, A; Nijenhuis, I; Richnow, HH; Lechner, U, te. (2007). Microbial dehalogenation of trichlorinated dibenzo-p-dioxins by a Dehalococcoides-containing mixed culture is coupled to carbon isotope Fractionation. *Environ Sci Technol.* 41: 7744-7751.
- Ewing, KJ; Nau, G; Bilodeau, T; Dagenais, DM; Bucholtz, F; Aggarwal, ID. (1997). Monitoring the absorption of organic vapors to a solid phase extraction medium - Applications to detection of trace volatile organic compounds by integration of solid phase absorbents with fiber optic Raman spectroscopy. *Anal Chim Acta.* 340: 227-232.
- Eyre, R; Stevens, D; Parker, J; Bull, R. (1995). Acid-labile adducts to protein can be used as indicators of the cysteine S-conjugate pathway of trichloroethene metabolism. *J Toxicol Environ Health.* 46: 443-464. <http://dx.doi.org/10.1080/15287399509532048>.
- Eyre, R; Stevens, D; Parker, J; Bull, R. (1995). Renal activation of trichloroethene and S-(1,2-dichlorovinyl)-L-cysteine and cell proliferative responses in the kidneys of F344 rats and B6C3F1 mice. *J Toxicol Environ Health.* 46: 465-481. <http://dx.doi.org/10.1080/15287399509532049>.
- Fabbri, D; Bezzi, R; Torri, C; Galletti, P; Tagliavini, E. (2007). Determination of tetrachloroethylene and other volatile halogenated organic compounds in oil wastes by headspace SPME GC-MS. *Chromatographia.* 66: 377-382. <http://dx.doi.org/10.1365/s10337-007-0353-0>.
- Fagerlund, F; Illangasekare, TH; Phenrat, T; Kim, HJ; Lowry, GV. (2012). PCE dissolution and simultaneous dechlorination by nanoscale zero-valent iron particles in a DNAPL source zone. *J Contam Hydrol.* 131: 9-28. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.011>.
- Fairey, JL; Speitel, GE; Katz, LE. (2006). Impact of natural organic matter on monochloramine reduction by granular activated carbon: The role of porosity and electrostatic surface properties. *Environ Sci Technol.* 40: 4268-4273. <http://dx.doi.org/10.1021/es060111j>.
- Fairman, MJ; Scott, BB; Toothill, C; Losowsky, MS. (1977). Jejunal mucosal gamma glutamyl transferase activity in coeliac disease. *Gut.* 18: 484-487.
- Falk Filipsson, A, . F.; Victorin, K, . (2003). Comparison of available benchmark dose softwares and models using trichloroethylene as a model substance. *Regul Toxicol Pharmacol.* 37: 343-355.
- Fallahpour, N; Yuan, S; Rajic, L; Alshawabkeh, AN. (2016). Hydrodechlorination of TCE in a circulated electrolytic column at high flow rate. *Chemosphere.* 144: 59-64. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.037>.
- Falta, RW. (2000). Numerical modeling of kinetic interphase mass transfer during air sparging using a dual-media approach. *Water Resour Res.* 36: 3391-3400.
- Falta, RW; Pruess, K; Javandel, I; Witherspoon, PA. (1992). NUMERICAL MODELING OF STEAM INJECTION FOR THE REMOVAL OF NONAQUEOUS PHASE LIQUIDS FROM THE SUBSURFACE .2. CODE VALIDATION AND APPLICATION. *Water Resour Res.* 28: 451-465.
- Fan, C; Wang, GS; Chen, YC; Ko, CH. (2009). Risk assessment of exposure to volatile organic compounds in groundwater in Taiwan. *Sci Total Environ.* 407: 2165-2174. <http://dx.doi.org/10.1016/j.scitotenv.2008.12.015>.
- Fan, D; O'Brien Johnson, G; Tratnyek, PG; Johnson, RL. (2016). Sulfidation of Nano Zerovalent Iron (nZVI) for Improved Selectivity During In-Situ Chemical Reduction (ISCR). *Environ Sci Technol.* 50: 9558-9565. <http://dx.doi.org/10.1021/acs.est.6b02170>.
- Fan, G; Cang, L; Gomes, HI; Zhou, D. (2016). Electrokinetic delivery of persulfate to remediate PCBs polluted soils: Effect of different activation methods. *Chemosphere.* 144: 138-147. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.074>.
- Fan, JL, i; Liao, H, ua; Tang, B, aoJun; Pan, S, uYan; Yu, H, ao; Wei, Y, iM. (2016). The impacts of migrant workers consumption on energy use and CO2 emissions in China. *Natural Hazards.* 81: 725-743. <http://dx.doi.org/10.1007/s11069-015-2103-1>.
- Fan, W; Cheng, Y, ue; Yu, S; Fan, X; Deng, Y. (2015). Preparation of wrapped nZVI particles and their application for the degradation of trichloroethylene (TCE) in aqueous solution. 5: 335-343. <http://dx.doi.org/10.2166/wrd.2015.082>.
- Fan, Z; Casey, FXM. (2008). Estimating solute transport parameters using Stochastic ranking evolutionary strategy. *Vadose Zone Journal.* 7: 124-130. <http://dx.doi.org/10.2136/vzj2007.0021>.
- Fang, G; Si, Y; Tian, C; Zhang, G; Zhou, D. (2012). Degradation of 2,4-D in soils by Fe3O4 nanoparticles combined with stimulating indigenous microbes. *Environ Sci Pollut Res Int.* 19: 784-793. <http://dx.doi.org/10.1007/s11356-011-0597-y>.
- Fang, H, ua; Chu, X; Wang, X; Pang, G; Yu, Y. (2010). Using Matrix Solid-Phase Microextraction (Matrix-SPME) to Estimate Bioavailability of DDTs in Soil to Both Earthworm and Vegetables. *Arch Environ Contam Toxicol.* 58: 62-70. <http://dx.doi.org/10.1007/s00244-009-9329-4>.
- Fang, H; Dong, B; Yan, H; Tang, F; Yu, Y. (2010). Characterization of a bacterial strain capable of degrading DDT congeners and its use in bioremediation of contaminated soil. *J Hazard Mater.* 184: 281-289. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.034>.
- Fang, NB; Casida, JE. (1999). Cube resin insecticide: Identification and biological activity of 29 rotenoid constituents. *J Agric Food Chem.* 47: 2130-2136.
- Fang, SC; Lo, SL. (2011). Application of Sodium Persulfate as the In-Situ Remediation for Groundwater Contamination at a Gasoline Service Station. *Res Journal Chem Environ.* 15: 280-290.
- Fang, Y; Al-Abed. (2007). Modeling the Electrolytic Dechlorination of Trichloroethylene in a Granular Graphite-Packed Reactor. *Environ Eng Sci.* 24: 581-594. <http://dx.doi.org/10.1089/ees.2006.0181>.
- Fang, Y; Al-Abed, SR. (2007). Use of carbon stable isotope to investigate chloromethane formation in the electrolytic dechlorination of trichloroethylene. *J Hazard Mater.* 141: 729-735. <http://dx.doi.org/10.1016/j.jhazmat.2006.07.036>.
- Fang, Y; Al-Abed, SR. (2008). Correlation of 2-chlorobiphenyl dechlorination by Fe/Pd with iron corrosion at different pH. *Environ Sci Technol.* 42: 6942-6948. <http://dx.doi.org/10.1021/es800805y>.
- Fang, Y, uLun; Heck, KN; Alvarez, PJJ; Wong, MS. (2011). Kinetics Analysis of Palladium/Gold Nanoparticles as Colloidal Hydrodechlorination Catalysts. 1: 128-138. <http://dx.doi.org/10.1021/cs100067k>.
- Fang, Y, uLun; Heck, KN; Zhao, Z; Pretzer, LA; Guo, N; Wu, T; Miller, JT; Wong, MS. (2016). Gold-doping of carbon-supported palladium improves reduction catalysis. *Chinese journal of catalysis.* 37: 1776-1786. [http://dx.doi.org/10.1016/S1872-2067\(16\)62530-5](http://dx.doi.org/10.1016/S1872-2067(16)62530-5).

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Fang, YL; Miller, JT; Guo, N; Heck, KN; Alvarez, PJJ; Wong, MS. (2011). Structural analysis of palladium-decorated gold nanoparticles as colloidal bimetallic catalysts. *Catalysis Today*. 160: 96-102. <http://dx.doi.org/10.1016/j.cattod.2010.08.010>.
- Farajzadeh, MA; Goushjuui, L; Djozan, D; Mohammadi, JK. (2012). Dispersive liquid-liquid microextraction combined with gas chromatography for extraction and determination of class 1 residual solvents in pharmaceuticals. *J Sep Sci*. 35: 1027-1035. <http://dx.doi.org/10.1002/jssc.201100917>.
- Fares, A; Kindt, BT; Lapuma, P; Perram, GP. (1995). DESORPTION-KINETICS OF TRICHLOROETHYLENE FROM POWDERED SOILS. *Environ Sci Technol*. 29: 1564-1568. <http://dx.doi.org/10.1021/es00006a019>.
- Farhadi, K; Maleki, R; Tahmasebi, R. (2011). Preparation of Al₂O₃/TiO₂ composite sol-gel fiber for headspace solid-phase microextraction of chlorinated organic solvents from urine. *J Sep Sci*. 34: 1669-1674. <http://dx.doi.org/10.1002/jssc.201000924>.
- Farhan, S; Budiman, J; Holsen, TM. (2002). Experimental investigation of the interaction of soil air permeability and soil vapor extraction. *J Environ Eng*. 128: 120-130.
- Farrell, J; Grassian, D; Jones, M. (1999). Investigation of mechanisms contributing to slow desorption of hydrophobic organic compounds from mineral solids. *Environ Sci Technol*. 33: 1237-1243.
- Farrell, J; Hauck, B; Jones, M. (1999). Thermodynamic investigation of trichloroethylene adsorption in water-saturated microporous adsorbents. *Environ Toxicol Chem*. 18: 1637-1642.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environ Sci Technol*. 34: 514-521.
- Farrell, J; Luo, J; Blowers, P; Curry, J. (2002). Experimental and molecular mechanics and ab initio investigation of activated adsorption and desorption of trichloroethylene in mineral micropores. *Environ Sci Technol*. 36: 1524-1531. <http://dx.doi.org/10.1021/es011172e>.
- Farrell, J; Manspeaker, C; Luo, J. (2003). Understanding competitive adsorption of water and trichloroethylene in a high-silica Y zeolite. *Microporous and Mesoporous Materials*. 59: 205-214. [http://dx.doi.org/10.1016/S1387-1811\(03\)00315-9](http://dx.doi.org/10.1016/S1387-1811(03)00315-9).
- Farrell, J; Melitas, N; Kason, M; Li, T. (2000). Electrochemical and column investigation of iron-mediated reductive dechlorination of trichloroethylene and perchloroethylene. *Environ Sci Technol*. 34: 2549-2556. <http://dx.doi.org/10.1021/es991135b>.
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions. 2. Kinetics. *Environ Sci Technol*. 28: 63-72.
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions: 1. Isotherms. *Environ Sci Technol*. 28: 53-62.
- Farrow, A; Taylor, H; Northstone, K; Golding, J; Study, AL. (2003). Symptoms of mothers and infants related to total volatile organic compounds in household products. *Arch Environ Health*. 58: 633-641. <http://dx.doi.org/10.3200/AEOH.58.10.633-641>.
- Fathepure, BZ; Tiedje, JM. (1994). Reductive dechlorination of tetrachloroethylene by a chlorobenzoate-enriched biofilm reactor. *Environ Sci Technol*. 28: 746-752.
- Fattal, E; Carter, EA. (2000). Ab initio reaction energetics of phosgene decomposition by Zn²⁺ and Ni atoms: Implications for gas mask filters. *J Phys Chem A*. 104: 2248-2252.
- Fattori, TR; Hildebrand, PE; Wilson, HR. (1991). RESPONSE OF BROILER BREEDER FEMALES TO FEED RESTRICTION BELOW RECOMMENDED LEVELS .2. ECONOMIC-ANALYSIS. *Poult Sci*. 70: 489-498.
- Fayolle, F. (1996). Bioremediation of aquifers polluted by chlorinated solvents. *Rev Inst Fr Pet*. 51: 559-574.
- Fechter, LD; Gearhart, C; Fulton, S; Campbell, J; Fisher, J; Na, K; Cocker, D; Nelson-Miller, A; Moon, P; Pouyatos, B. (2007). Promotion of noise-induced cochlear injury by toluene and ethylbenzene in the rat. *Toxicol Sci*. 98: 542-551. <http://dx.doi.org/10.1093/toxsci/kfm109>.
- Fei, T; Shanshan, Y; Peng, Y; Zhinan, S; Renxian, Z. (2016). Effects of support property on the catalytic performance of CeO₂-ZrO₂-CrO_x for 1,2-dichloroethane oxidation. *Journal of Rare Earths*. 34: 381-389. [http://dx.doi.org/10.1016/S1002-0721\(16\)60037-6](http://dx.doi.org/10.1016/S1002-0721(16)60037-6).
- Feijen-Jeurissen, MMR; Jorna, JJ; Nieuwenhuys, BE; Sinquin, G; Petit, C; Hindermann, JP. (1999). Mechanism of catalytic destruction of 1,2-dichloroethane and trichloroethylene over gamma-Al₂O₃ and gamma-Al₂O₃ supported chromium and palladium catalysts. *Catalysis Today*. 54: 65-79.
- Feinberg, AP; Ohlsson, R; Henikoff, S. (2006). The epigenetic progenitor origin of human cancer [Review]. *Nat Rev Genet*. 7: 21-33. <http://dx.doi.org/10.1038/nrg1748>.
- Feitelson, MA; Sun, B; Satiroglu Tufan, NL; Liu, J; Pan, J; Lian, Z. (2002). Genetic mechanisms of hepatocarcinogenesis [Review]. *Oncogene*. 21: 2593-2604. <http://dx.doi.org/10.1038/sj.onc.1205434>.
- Feldman, RG; Chirico-Post, J; Proctor, SP. (1988). Blink reflex latency after exposure to trichloroethylene in well water. *Arch Environ Health*. 43: 143-148. <http://dx.doi.org/10.1080/00039896.1988.9935843>.
- Feldman, RG; White, RF. (1996). Role of the neurologist in hazard identification and risk assessment. *Environ Health Perspect*. 104: 227-237.
- Feldman, RG; White, RF; Currie, JN; Travers, PH; Lessell, S. (1985). Long-term follow-up after single toxic exposure to trichloroethylene. *Am J Ind Med*. 8: 119-126.
- Feng, H; Zhang, X; Liang, Y; Wang, M; Shen, D; Ding, Y; Huang, B; Shentu, J. (2014). Enhanced removal of p-fluoronitrobenzene using bioelectrochemical system. *Water Res*. 60: 54-63. <http://dx.doi.org/10.1016/j.watres.2014.03.027>.
- Feng, J; Lim, TT. (2007). Iron-mediated reduction rates and pathways of halogenated methanes with nanoscale Pd/Fe: analysis of linear free energy relationship. *Chemosphere*. 66: 1765-1774. <http://dx.doi.org/10.1016/j.chemosphere.2006.06.068>.
- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. *Chemosphere*. 73: 1817-1823. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.014>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Feng, X; Wang, X; Chen, X; Yue, Y. (2011). Thermo-physical properties of thin films composed of anatase TiO₂ nanofibers. *Acta Materialia*. 59: 1934-1944. <http://dx.doi.org/10.1016/j.actamat.2010.11.059>.
- Fennell, DE; Carroll, AB; Gossett, JM; Zinder, SH. (2001). Assessment of indigenous reductive dechlorinating potential at a TCE-contaminated site using microcosms, polymerase chain reaction analysis, and site data. *Environ Sci Technol*. 35: 1830-1839.
- Fennell, DE; Gossett, JM; Zinder, SH. (1997). Comparison of butyric acid, ethanol, lactic acid, and propionic acid as hydrogen donors for the reductive dechlorination of tetrachloroethene. *Environ Sci Technol*. 31: 918-926.
- Fenyvesi, E; Balogh, K; Olah, E; Batai, B; Varga, E; Molnar, M; Gruiz, K. (2011). Cyclodextrins for remediation of soils contaminated with chlorinated organics. *J Incl Phenom Macrocycl Chem*. 70: 291-297. <http://dx.doi.org/10.1007/s10847-010-9839-8>.
- Ferguson, DW; Gramith, JT; Mcguire, MJ. (1991). APPLYING OZONE FOR ORGANICS CONTROL AND DISINFECTION - A UTILITY PERSPECTIVE. *J Am Water Works Assoc*. 83: 32-39.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. *Environ Pollut*. 107: 209-215.
- Ferlay, J; Bray, F; Pisani, P; Parkin, DM. (2004). GLOBOCAN 2002: Cancer incidence, mortality and prevalence worldwide. Lyon, France: International Agency for Research on Cancer.
- Ferlay, J; Shin, HR; Bray, F; Mathers, C; Parkin, DM. (2008). GLOBOCAN 2008, cancer incidence and mortality worldwide: IARC CancerBase no. 10. Lyon, France: International Agency for Research on Cancer. <http://globocan.iarc.fr>.
- Fernandez, JG; Droz, PO; Humbert, BE; Caperos, JR. (1977). Trichloroethylene exposure: Simulation of uptake, excretion, and metabolism using a mathematical model. *Br J Ind Med*. 34: 43-55.
- Fernández, M; Clavijo, S; Forteza, R; Cerdà, V. (2015). Determination of polycyclic aromatic hydrocarbons using lab on valve dispersive liquid-liquid microextraction coupled to high performance chromatography. *Talanta*. 138: 190-195. <http://dx.doi.org/10.1016/j.talanta.2015.02.007>.
- Ferreira, P; Nunes, CD; Pires, J; Carvalho, AP; Brandao, P; Rocha, J. (2006). Hydrophobic porous benzene-silica hybrid clay heterostructure and its application in the adsorption of volatile organic compounds. *Materials Science Forum*. 514-516: 470-474.
- Ferreira, RC; Domingues, AL; Bandeira, AP; Markman Filho, B; Albuquerque Filho, ES; Correia de Araújo, AC; Batista, LJ; Markman, M; Campelo, AR. (2009). Prevalence of pulmonary hypertension in patients with schistosomal liver fibrosis. *Ann Trop Med Parasitol*. 103: 129-143. <http://dx.doi.org/10.1179/136485909X398168>.
- Ferrey, ML; Wilkin, RT; Ford, RG; Wilson, JT. (2004). Nonbiological removal of cis-dichloroethylene and 1,1-dichloroethylene in aquifer sediment containing magnetite. *Environ Sci Technol*. 38: 1746-1752. <http://dx.doi.org/10.1021/es0305609>.
- Ferro, AM; Kennedy, J; Larue, JC. (2013). Phytoremediation of 1,4-dioxane-containing recovered groundwater. *Int J Phytoremediation*. 15: 911-923. <http://dx.doi.org/10.1080/15226514.2012.687018>.
- Field, JA; Istok, JD; Schroth, MH; Sawyer, TE; Humphrey, MD. (1999). Laboratory investigation of surfactant-enhanced trichloroethene solubilization using single-well, "push-pull" tests. *Ground Water*. 37: 581-588.
- Field, JA; Reed, RL; Istok, JD; Semprini, L; Bennett, P; Buscheck, TE. (2005). Trichlorofluoroethene: A reactive tracer for evaluating reductive dechlorination in large-diameter permeable columns. *Ground Water Monitoring and Remediation*. 25: 68-77.
- Field, JA; Sawyer, TE. (2000). High-performance liquid chromatography-diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation. *J Chromatogr A*. 893: 253-260.
- Field, JA; Sawyer, TE; Schroth, MH; Humphrey, MD; Istok, JD. (2000). Effect of cation exchange on surfactant-enhanced solubilization of trichloroethene. *J Contam Hydrol*. 46: 131-149.
- Fielding, M; Gibson, TM; James, HA. (1981). LEVELS OF TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND PARA-DICHLOROBENZENE IN GROUNDWATERS. *Environ Technol Letters*. 2: 545-550.
- Filippini, M; Amorosi, A; Campo, B; Herrero-Martin, S; Nijenhuis, I; Parker, BL; Gargini, A. (2016). Origin of VC-only plumes from naturally enhanced dechlorination in a peat-rich hydrogeologic setting. *J Contam Hydrol*. 192: 129-139. <http://dx.doi.org/10.1016/j.jconhyd.2016.07.003>.
- Finckh, A; Cooper, GS; Chibnik, LB; Costenbader, KH; Watts, J; Pankey, H; Fraser, PA; Karlson, EW. (2006). Occupational silica and solvent exposures and risk of systemic lupus erythematosus in urban women. *Arthritis Rheum*. 54: 3648-3654. <http://dx.doi.org/10.1002/art.22210>.
- Findlay, M; Smoler, DF; Fogel, S; Mattes, TE. (2016). Aerobic Vinyl Chloride Metabolism in Groundwater Microcosms by Methanotrophic and Etheneotrophic Bacteria. *Environ Sci Technol*. 50: 3617-3625. <http://dx.doi.org/10.1021/acs.est.5b05798>.
- Finklea, HO; Phillippi, MA; Lompert, E; Grate, JW. (1998). Highly sorbent films derived from Ni(SCN)₂(4-picoline)₄ for the detection of chlorinated and aromatic hydrocarbons with quartz crystal microbalance sensors. *Anal Chem*. 70: 1268-1276.
- Finocchio, E; Pistarino, C; Dellepiane, S; Serra, B; Braggio, S; Baldi, M; Busca, G. (2002). Studies on the catalytic dechlorination and abatement of chlorinated VOC: the cases of 2-chloropropane, 1,2-dichloropropane and trichloroethylene. *Catalysis Today*. 75: 263-267.
- Finocchio, E; Sapienza, G; Baldi, M; Busca, G. (2004). Trichloroethylene catalytic conversion over acidic solid catalysts. *Appl Catal B-Environ*. 51: 143-148. <http://dx.doi.org/10.1016/j.apcatb.2004.01.018>.
- Finon, D; Perez, Y. (2007). The social efficiency of instruments of promotion of renewable energies: A transaction-cost perspective. *Ecol Econ*. 62: 77-92. <http://dx.doi.org/10.1016/j.ecolecon.2006.05.011>.
- Firdous, R; Devlin, JF. (2014). Consideration of grain packing in granular iron treatability studies. *J Contam Hydrol*. 164: 230-239. <http://dx.doi.org/10.1016/j.jconhyd.2014.05.014>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Fischer, D; Uchrin, CG. (1994). A PROTOTYPE LABORATORY MODEL TO PREDICT TCE CONTAMINATION OF RESIDENCE BASEMENTS FROM POLLUTED GROUND-WATER. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicology*. 29: 1565-1576.
- Fischer, D; Uchrin, CG. (1996). Laboratory simulation of VOC entry into residence basements from soil gas. *Environ Sci Technol*. 30: 2598-2603.
- Fiserova-Bergerova, V. (1990). Application of toxicokinetic models to establish biological exposure indicators [Review]. *Ann Occup Hyg*. 34: 639-651.
- Fisher, J. (2000). Physiologically based pharmacokinetic models for trichloroethylene and its oxidative metabolites [Review]. *Environ Health Perspect*. 108: 265-273.
- Fisher, J; Lumpkin, M; Boyd, J; Mahle, D; Bruckner, JV; El-Masri, HA. (2004). PBPK modeling of the metabolic interactions of carbon tetrachloride and tetrachloroethylene in B6C3F1 mice. *Environ Toxicol Pharmacol*. 16: 93-105. <http://dx.doi.org/10.1016/j.etap.2003.10.006>.
- Fisher, JW; Allen, BC. (1993). Evaluating the risk of liver cancer in humans exposed to trichloroethylene using physiological models. *Risk Anal*. 13: 87-95.
- Fisher, ML. (1997). The TCE Corporate Technical Memory: Groupware on the cheap. *International Journal of Human-Computer Studies*. 46: 847-860.
- Fisher, SC; Schoonen, MAA; Brownawell, BJ. (2012). Phenylalanine as a hydroxyl radical-specific probe in pyrite slurries. *Geochemical Transactions*. 13: 3. <http://dx.doi.org/10.1186/1467-4866-13-3>.
- Fitch, MW; Weissman, D; Phelps, P; Georgiou, G; Speitel G E, J. R. (1996). Trichloroethylene degradation by *Methylosinus trichosporium* OB3B mutants in a sequencing biofilm reactor. *Water Res*. 30: 2655-2664.
- Fitzgerald, JE; Sanyer, JL; Schardein, JL; Lake, RS; McGuire, EJ; de la Iglesia, FA. (1981). Carcinogen bioassay and mutagenicity studies with the hypolipidemic agent gemfibrozil. *J Natl Cancer Inst*. 67: 1105-1116.
- Fitzpatrick, JM. (2010). The role of registration in accurate surgical guidance. *Proc Inst Mech Eng H*. 224: 607-622. <http://dx.doi.org/10.1243/09544119JHEIM589>.
- Fitzpatrick, LJ; Dean, JR. (2002). Extraction solvent selection in environmental analysis. *Anal Chem*. 74: 74-79. <http://dx.doi.org/10.1021/ac0001336u>.
- Fitzpatrick, LJ; Dean, JR; Comber, MH; Harradine, K; Evans, KP. (2000). Extraction of DDT [1,1,1,-trichloro-2,2-bis(p-chlorophenyl)ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(p-chlorophenyl)-ethylene] and DDD [1,1-dichloro-2,2-bis(p-chlorophenyl)-ethane] from aged contaminated soil. *J Chromatogr A*. 874: 257-264.
- Fjordboge, AS; Riis, C; Christensen, AG; Kjeldsen, P. (2012). ZVI-Clay remediation of a chlorinated solvent source zone, Skuldelev, Denmark: 1. Site description and contaminant source mass reduction. *J Contam Hydrol*. 140: 56-66. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.007>.
- Fleming-Jones, ME; Smith, RE. (2003). Volatile organic compounds in foods: A five year study. *J Agric Food Chem*. 51: 8120-8127. <http://dx.doi.org/10.1021/jf0303159>.
- Fletcher, KE; Costanza, J; Cruz-Garcia, C; Ramaswamy, NS; Pennell, KD; Löffler, FE. (2011). Effects of elevated temperature on Dehalococcoides dechlorination performance and DNA and RNA biomarker abundance. *Environ Sci Technol*. 45: 712-718. <http://dx.doi.org/10.1021/es1023477>.
- Fletcher, KE; Costanza, J, ed; Pennell, KD; Löffler, FE. (2011). Electron donor availability for microbial reductive processes following thermal treatment. *Water Res*. 45: 6625-6636. <http://dx.doi.org/10.1016/j.watres.2011.09.033>.
- Fletcher, KE; Löffler, FE; Richnow, HH; Nijenhuis, I. (2009). Stable carbon isotope fractionation of 1,2-dichloropropane during dichloroelimination by Dehalococcoides populations. *Environ Sci Technol*. 43: 6915-6919. <http://dx.doi.org/10.1021/es900365x>.
- Fletcher, KE; Nijenhuis, I; Richnow, HH; Loeffler, FE. (2011). Stable Carbon Isotope Enrichment Factors for cis-1,2-Dichloroethene and Vinyl Chloride Reductive Dechlorination by Dehalococcoides. *Environ Sci Technol*. 45: 2951-2957. <http://dx.doi.org/10.1021/es103728q>.
- Flodin, U; Fredriksson, M; Persson, B. (1987). Multiple myeloma and engine exhausts, fresh wood, and creosote: A case-referent study. *Am J Ind Med*. 12: 519-529.
- Flórez Menéndez, JC; Fernández Sánchez, ML; Fernández Martínez, E; Sánchez Uría, JE; Sanz-Medel, A. (2004). Static headspace versus head space solid-phase microextraction (HS-SPME) for the determination of volatile organochlorine compounds in landfill leachates by gas chromatography. *Talanta*. 63: 809-814. <http://dx.doi.org/10.1016/j.talanta.2003.12.044>.
- Follett, AD; Mcnabb, KA; Peterson, AA; Scanlon, JD; Cramer, CJ; Mcneill, K. (2007). Characterization of Co-C bonding in dichlorovinylcobaloxime complexes. *Inorg Chem*. 46: 1645-1654. <http://dx.doi.org/10.1021/ic0618293>.
- Follett, AD; Mcneill, K. (2006). Evidence for the formation of a cis-dichlorovinyl anion upon reduction of cis-1,2-dichlorovinyl(pyridine)cobaloxime. *Inorg Chem*. 45: 2727-2732. <http://dx.doi.org/10.1021/ic052020d>.
- Foote, GR; Bice, NT; Rowles, LD; Gallinatti, JD. (1998). TCE and flow monitoring methods using an existing water supply well. *J Environ Eng*. 124: 564-571.
- Forand, SP; Lewis-Michl, EL; Gomez, MI. (2012). Adverse birth outcomes and maternal exposure to trichloroethylene and tetrachloroethylene through soil vapor intrusion in New York State. *Environ Health Perspect*. 120: 616-621. <http://dx.doi.org/10.1289/ehp.1103884>.
- Forczek, ST; Pavlík, M; Holík, J; Rederer, L; Ferenčík, M. (2016). The natural chlorine cycle - Formation of the carcinogenic and greenhouse gas compound chloroform in drinking water reservoirs. *Chemosphere*. 157: 190-199. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.017>.
- Ford, DK; Mccandlish, L. (1971). Isolation of human genital TRIC agents in nongonococcal urethritis and Reiter's disease by an irradiated cell culture method. 47: 196-197.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Forkert, P. (1999). 1,1-Dichloroethylene-induced Clara cell damage is associated with in situ formation of the reactive epoxide. Immunohistochemical detection of its glutathione conjugate. *Am J Respir Cell Mol Biol.* 20: 1310-1318. <http://dx.doi.org/10.1165/ajrcmb.20.6.3525>.
- Forkert, P; Malkinson, A; Rice, P; Moussa, M. (1999). Diminished CYP2E1 expression and formation of 2-S-glutathionyl acetate, a glutathione conjugate derived from 1,1-dichloroethylene epoxide, in murine lung tumors. *Drug Metab Dispos.* 27: 68-73.
- Forkert, PG. (1999). In vivo formation and localization of 1,1-dichloroethylene epoxide in murine liver: Identification of its glutathione conjugate 2-S-glutathionyl acetate. *J Pharmacol Exp Ther.* 290: 1299-1306.
- Fornaro, L; Luchini, L; Koncke, M; Mussio, L; Quagliata, E; Chattopadhyay, K; Burger, A. (2000). Growth of mercuric iodide platelets for X-ray room temperature detectors in the HgI₂-HI-H₂O system. *J Cryst Growth.* 217: 263-270.
- Forrester, SB; Han, JI; Dybas, MJ; Semrau, JD; Lastoskie, CM. (2005). Characterization of a mixed methanotrophic culture capable of chloroethylene degradation. *Environ Eng Sci.* 22: 177-186.
- Foster, NS; Lancaster, AN; Noble, RD; Koval, CA. (1995). EFFECT OF ORGANICS ON THE PHOTODEPOSITION OF COPPER IN TITANIUM-DIOXIDE AQUEOUS SUSPENSIONS. *Ind Eng Chem Res.* 34: 3865-3871.
- Foster, WG; Desaulniers, D; Leingartner, K; Wade, MG; Poon, R; Chu, I. (1999). Reproductive effects of tris(4-chlorophenyl)methanol in the rat. *Chemosphere.* 39: 709-724.
- Föttinger, K; Ruppachter, G. (2014). In situ spectroscopy of complex surface reactions on supported Pd-Zn, Pd-Ga, and Pd(Pt)-Cu nanoparticles. *Acc Chem Res.* 47: 3071-3079. <http://dx.doi.org/10.1021/ar500220v>.
- Fourmigué, M; Auban-Senzier, P. (2008). Anionic layered networks reconstructed from [Cd(SCN)₃]infinity(-) chains in pseudo one-dimensional conducting salts of halogenated tetrathiafulvalenes. *Inorg Chem.* 47: 9979-9986. <http://dx.doi.org/10.1021/ic801207v>.
- Fox, A; Sullivan, B; Buffini, J; Neichin, M; Nicora, R; Hoehler, F; O'Rourke, R; Stoltz, R. (1996). Reduction of serum lactate by sodium dichloroacetate, and human pharmacokinetic-pharmacodynamic relationships. *J Pharmacol Exp Ther.* 279: 686-693.
- Fox, MA; Sheehan, MC; Burke, TA. (2015). A risk assessment approach for policy evaluation: New Jersey case studies. *Hum Ecol Risk Assess.* 21: 2258-2272. <http://dx.doi.org/10.1080/10807039.2015.1046982>.
- Fox, TR; Schumann, AM; Watanabe, PG; Yano, BL; Maher, VM; McCormick, JJ. (1990). Mutational analysis of the H-ras oncogene in spontaneous C57BL/6 x C3H/He mouse liver tumors and tumors induced with genotoxic and nongenotoxic hepatocarcinogens. *Cancer Res.* 50: 4014-4019.
- Foy, BR; Waldthausen, K; Sedillo, MA; Buelow, SJ. (1996). Hydrothermal Processing of Chlorinated Hydrocarbons in a Titanium Reactor. *Environ Sci Technol.* 30: 2790-2799. <http://dx.doi.org/10.1021/es960041o>.
- Fraga, MF; Ballestar, E; Villar-Garea, A; Boix-Chornet, M; Espada, J; Schotta, G; Bonaldi, T; Haydon, C; Roperio, S; Petrie, K; Iyer, NG; Pérez-Rosado, A; Calvo, E; Lopez, JA; Cano, A; Calasanz, MJ; Colomer, D; Piris, MA; Ahn, N; Imhof, A; Caldas, C; Jenuwein, T; Esteller, M. (2005). Loss of acetylation at Lys16 and trimethylation at Lys20 of histone H4 is a common hallmark of human cancer. *Nat Genet.* 37: 391-400. <http://dx.doi.org/10.1038/ng1531>.
- Fraga, MF; Herranz, M; Espada, J; Ballestar, E; Paz, MF; Roperio, S; Erkek, E; Bozdogan, O; Peinado, H; Niveleau, A; Mao, JH; Balmain, A; Cano, A; Esteller, M. (2004). A mouse skin multistage carcinogenesis model reflects the aberrant DNA methylation patterns of human tumors. *Cancer Res.* 64: 5527-5534. <http://dx.doi.org/10.1158/0008-5472.CAN-03-4061>.
- Francesconi, R; Castellari, C; Comelli, F. (1999). Excess molar enthalpies and excess molar volumes of diethyl carbonate plus some n-alkoxyethanols at (298.15 and 313.15) K. *Journal of Chemical and Engineering Data.* 44: 1373-1378.
- Francesconi, R; Castellari, C; Comelli, F; Bandini, E. (1991). ENTHALPY OF MIXING WITH H-BONDS INTERACTIONS - THE ROLE OF THE REACTIONAL CONTRIBUTIONS. *Zeitschrift fuer Physikalische Chemie.* 173: 37-51.
- Francesconi, R; Cojutti, A. (1971). LIQUID-VAPOUR EQUILIBRIUM IN BINARY MIXTURES WITH ASSOCIATIONS OF COMPONENTS .2. ACETIC ACID-TRICHLOROETHYLENE SYSTEM. *Chem Eng Sci.* 26: 1341-+.
- Francesconi, R; Comelli, F; Montefusco, L; Trevissoi, C. (1978). ISOBARIC LIQUID-VAPOR-EQUILIBRIUM DATA CORRELATION FOR A TERNARY MIXTURE EXHIBITING ASSOCIATIONS - ACETIC ACID ACETONE-TRICHLOROETHYLENE. *Can J Chem Eng.* 56: 364-370.
- Franco, JL; Teixeira, A; Meotti, FC; Ribas, CM; Stringari, J; Garcia Pomblum, SC; Moro, AM; Bohrer, D; Bairros, AV; Dafre, AL; Santos, AR; Farina, M. (2006). Cerebellar thiol status and motor deficit after lactational exposure to methylmercury. *Environ Res.* 102: 22-28. <http://dx.doi.org/10.1016/j.envres.2006.02.003>.
- Frangos, SA; Peters, JM. (1993). Chlorinated Hydrocarbon Solvents: Substituting Our Way Toward Human Carcinogenicity. *Am J Ind Med.* 24: 355-364.
- Frank, U. (1994). UNITED-STATES-ENVIRONMENTAL-PROTECTION-AGENCY SUPERFUND INNOVATIVE TECHNOLOGY EVALUATION OF PNEUMATIC FRACTURING EXTRACTION (SM). *J Air Waste Manag Assoc.* 44: 1219-1223.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere.* 23: 609-626.
- Frasconi, D; Cappelletti, M; Fedi, S; Zannoni, D; Nocentini, M; Pinelli, D. (2010). 1,1,2,2-Tetrachloroethane aerobic cometabolic biodegradation in slurry and soil-free bioreactors: A kinetic study. *Biochem Eng J.* 52: 55-64. <http://dx.doi.org/10.1016/j.bej.2010.07.004>.
- Frasconi, D; Fraraccio, S; Nocentini, M; Pinelli, D. (2013). Aerobic/anaerobic/aerobic sequenced biodegradation of a mixture of chlorinated ethenes, ethanes and methanes in batch bioreactors. *Bioresour Technol.* 128: 479-486. <http://dx.doi.org/10.1016/j.biortech.2012.10.026>.
- Frasconi, D; Pinelli, D; Nocentini, M; Baleani, E; Cappelletti, M; Fedi, S. (2008). A kinetic study of chlorinated solvent cometabolic biodegradation by propane-grown *Rhodococcus* sp PB1. *Biochem Eng J.* 42: 139-147. <http://dx.doi.org/10.1016/j.bej.2008.06.011>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Frascardi, D; Pinelli, D; Nocentini, M; Zannoni, A; Fedi, S; Baleani, E; Zannoni, D; Farneti, A; Battistelli, A. (2006). Long-term aerobic cometabolism of a chlorinated solvent mixture by vinyl chloride-, methane- and propane-utilizing biomasses. *J Hazard Mater.* 138: 29-39. <http://dx.doi.org/10.1016/j.jhazmat.2006.05.00>.
- Frascardi, D; Zanolli, G; Bucchi, G; Rosato, A; Tavanaie, N; Fraraccio, S; Pinelli, D; Fava, F. (2013). Trichloroethylene aerobic cometabolism by suspended and immobilized butane-growing microbial consortia: A kinetic study. *Bioresour Technol.* 144: 529-538. <http://dx.doi.org/10.1016/j.biortech.2013.07.006>.
- Frascardi, D; Zanolli, G; Danko, AS. (2014). In situ aerobic cometabolism of chlorinated solvents: A review [Review]. *J Hazard Mater.* 283C: 382-399. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.041>.
- Frascardi, D; Zannoni, A; Pinelli, D; Nocentini, M. (2007). Chloroform aerobic cometabolism by butane-utilizing bacteria in bioaugmented and non-bioaugmented soil/groundwater microcosms. *Process Biochemistry.* 42: 1218-1228. <http://dx.doi.org/10.1016/j.procbio.2007.05.018>.
- Freeberg, KM; Bedient, PB; Connor, JA. (1987). MODELING OF TCE CONTAMINATION AND RECOVERY IN A SHALLOW SAND AQUIFER. *Ground Water.* 25: 70-80.
- Freeborn, RA; West, KA; Bhupathiraju, VK; Chauhan, S; Rahm, BG; Richardson, RE; Alvarez-Cohen, L. (2005). Phylogenetic analysis of TCE-dechlorinating consortia enriched on a variety of electron donors. *Environ Sci Technol.* 39: 8358-8368.
- Freedman, DL; Danko, AS; Verce, MF. (2001). Substrate interactions during aerobic biodegradation of methane, ethene, vinyl chloride and 1,2-dichloroethenes. *Water Sci Technol.* 43: 333-340.
- Freedman, DL; Herz, SD. (1996). Use of ethylene and ethane as primary substrates for aerobic cometabolism of vinyl chloride. *Water Environ Res.* 68: 320-328.
- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol.* 13: 437-447.
- Freitas, JG; Rivett, MO; Roche, RS; Durrant, M; Walker, C; Tellam, JH. (2015). Heterogeneous hyporheic zone dechlorination of a TCE groundwater plume discharging to an urban river reach. *Sci Total Environ.* 505: 236-252. <http://dx.doi.org/10.1016/j.scitotenv.2014.09.083>.
- French, WT; Brown, LR; Downer, DN; Fredrickson, HL; Teeter, CL. (2002). Effects of n-hexadecane and PM-100 clay on trichloroethylene degradation by *Burkholderia cepacia*. *J Hazard Mater.* 92: 89-102.
- Freshour, AR; Mawhinney, S; Battacharyya, D. (1996). Two-phase ozonation of hazardous organics in single and multicomponent systems. *Water Res.* 30: 1949-1958.
- Fresno, F; Tudela, D; Coronado, JM; Soria, J. (2009). Synthesis of Ti1-xSnxO2 nanosized photocatalysts in reverse microemulsions. *Catalysis Today.* 143: 230-236. <http://dx.doi.org/10.1016/j.cattod.2008.10.024>.
- Fries, E; Püttmann, W. (2006). Improvement of HS-SPME for analysis of volatile organic compounds (VOC) in water samples by simultaneous direct fiber cooling and freezing of analyte solution. *Anal Bioanal Chem.* 386: 1497-1503. <http://dx.doi.org/10.1007/s00216-006-0715-8>.
- Friesen, MC; Locke, SJ; Tornow, C; Chen, YC; Koh, DH; Stewart, PA; Purdue, M; Colt, JS. (2014). Systematically extracting metal- and solvent-related occupational information from free-text responses to lifetime occupational history questionnaires. *Ann Occup Hyg.* 58: 612-624. <http://dx.doi.org/10.1093/annhyg/meu012>.
- Friis, AK; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2006). The need for bioaugmentation after thermal treatment of a TCE-contaminated aquifer: Laboratory experiments. *J Contam Hydrol.* 88: 235-248. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.001>.
- Friis, AK; Albrechtsen, HJ; Heron, G; Bjerg, PL. (2005). Redox processes and release of organic matter after thermal treatment of a TCE-contaminated aquifer. *Environ Sci Technol.* 39: 5787-5795. <http://dx.doi.org/10.1021/es048322g>.
- Friis, AK; Edwards, EA; Albrechtsen, HJ; Udell, KS; Duhamel, M; Bjerg, PL. (2007). Dechlorination after thermal treatment of a TCE-contaminated aquifer: laboratory experiments. *Chemosphere.* 67: 816-825. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.012>.
- Friis, AK; Heimann, AC; Jakobsen, R; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2007). Temperature dependence of anaerobic TCE-dechlorination in a highly enriched Dehalococcoides-containing culture. *Water Res.* 41: 355-364. <http://dx.doi.org/10.1016/j.watres.2006.09.026>.
- Friis, AK; Heron, G; Albrechtsen, HJ; Udell, KS; Bjerg, PL. (2006). Anaerobic dechlorination and redox activities after full-scale Electrical Resistance Heating (ERH) of a TCE-contaminated aquifer. *J Contam Hydrol.* 88: 219-234. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.001>.
- Fritsch, JM; Retka, ND; Mcneill, K. (2006). Synthesis, structure, and unusual reactivity of beta-halovinyl cobalt porphyrin complexes. *Inorg Chem.* 45: 2288-2295. <http://dx.doi.org/10.1021/ic0518834>.
- Fritschi, L; Nadon, L; Benke, G; Lakhani, R; Latreille, B; Parent, ME; Siemiatycki, J. (2003). Validation of expert assessment of occupational exposures. *Am J Ind Med.* 43: 519-522. <http://dx.doi.org/10.1002/ajim.10208>.
- Fritschi, L; Siemiatycki, J. (1996). Melanoma and occupation: Results of a case-control study. *Occup Environ Med.* 53: 168-173.
- Fritschi, L; Siemiatycki, J; Richardson, L. (1996). Self-assessed versus expert-assessed occupational exposures. *Am J Epidemiol.* 144: 521-527.
- Froese, K; Sinclair, M; Hrudey, S. (2002). Trichloroacetic acid as a biomarker of exposure to disinfection by-products in drinking water: a human exposure trial in Adelaide, Australia. *Environ Health Perspect.* 110: 679-687.
- Froese, KL; Hutzinger, O. (1994). The formation of chlorinated benzenes and phenols in flyash catalysed reactions of trichloroethylene. *Chemosphere.* 28: 1977-1987.
- Fronheiser, MP; Idriss, SF; Wolf, PD; Smith, SW. (2008). Vibrating interventional device detection using real-time 3-D color Doppler. *IEEE Trans Ultrason Ferroelectr Freq Control.* 55: 1355-1362. <http://dx.doi.org/10.1109/TUFFC.2008.798>.
- Frøyland, L; Madsen, L; Vaagenes, H; Totland, GK; Auwerx, J; Kryvi, H; Staels, B; Berge, RK. (1997). Mitochondrion is the principal target for nutritional and pharmacological control of triglyceride metabolism. *J Lipid Res.* 38: 1851-1858.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Fruchter, JS; Cole, CR; Williams, MD; Vermeul, VR; Amonette, JE; Szecsody, JE; Istok, JD; Humphrey, MD. (2000). Creation of a subsurface permeable treatment zone for aqueous chromate contamination using in situ redox manipulation. *Ground Water Monitoring and Remediation*. 20: 66-77.
- Fryar, AE; Wallin, EJ; Brown, DL. (2000). Spatial and temporal variability in seepage between a contaminated aquifer and tributaries to the Ohio River. *Ground Water Monitoring and Remediation*. 20: 129-146.
- Fu, X; Gu, X; Lu, S; Miao, Z; Xu, M; Zhang, X; Danish, M; Cui, H; Farooq, U; Qiu, Z; Sui, Q. (2016). Enhanced degradation of benzene by percarbonate activated with Fe(II)-glutamate complex. *Environ Sci Pollut Res Int*. 23: 6758-6766. <http://dx.doi.org/10.1007/s11356-015-5908-2>.
- Fu, X; Gu, X; Lu, S; Xu, M; Miao, Z; Zhang, X; Zhang, Y; Xue, Y; Qiu, Z; Sui, Q. (2016). Enhanced degradation of benzene in aqueous solution by sodium percarbonate activated with chelated-Fe(II). *Chem Eng J*. 285: 180-188. <http://dx.doi.org/10.1016/j.cej.2015.09.112>.
- Fu, XZ; Clark, LA; Yang, Q; Anderson, MA. (1996). Enhanced photocatalytic performance of titania-based binary metal oxides: TiO₂/SiO₂ and TiO₂/ZrO₂. *Environ Sci Technol*. 30: 647-653.
- Fu, XZ; Clark, LA; Zeltner, WA; Anderson, MA. (1996). Effects of reaction temperature and water vapor content on the heterogeneous photocatalytic oxidation of ethylene. *J Photochem Photobiol A*. 97: 181-186.
- Fuentes, HR; Polzer, WL; Smith, JL. (1991). Laboratory measurements of diffusion coefficients for trichloroethylene and o-xylene in undisturbed tuff. *J Environ Qual*. 20: 215-221.
- Fuentes, HR; Smith, JL; Essington, EH; Polzer, WL. (1990). MULTIPHASE PARTITIONING OF TRICHLOROETHYLENE AND ORTHO-XYLENE IN WATER SUSPENSIONS OF TUFF - EXPERIMENTS AND ANALYSIS. *Hazardous Waste and Hazardous Materials*. 7: 347-359.
- Fujii, T. (1977). [Excretion of trichloroethanol and trichloroacetic acid in the urine of rats exposed repeatedly to trichloroethylene (author's transl)]. *Sangyo Igaku*. 19: 251-255.
- Fujita, H; Izumi, J; Sagehashi, M; Fujii, T; Sakoda, A. (2004). Decomposition of trichloroethene on ozone-adsorbed high silica zeolites. *Water Res*. 38: 166-172. [http://dx.doi.org/10.1016/S0043-1354\(03\)00392-0](http://dx.doi.org/10.1016/S0043-1354(03)00392-0).
- Fujita, J; Marino, MW; Wada, H; Jungbluth, AA; Mackrell, PJ; Rivadeneira, DE; Stapleton, PP; Daly, JM. (2001). Effect of TNF gene depletion on liver regeneration after partial hepatectomy in mice. *Surgery*. 129: 48-54.
- Fujita, M; Ike, M; Kawagoshi, Y; Miyata, N. (2000). Biotreatment of persistent substances using effective microorganisms. *Water Sci Technol*. 42: 93-106.
- Fukahori, S; Ichiura, H; Kitaoka, T; Tanaka, H; Wariishi, H. (2007). Preparation of porous sheet composite impregnated with TiO₂ photocatalyst by a papermaking technique. *Journal of Materials Science*. 42: 6087-6092. <http://dx.doi.org/10.1007/s10853-006-1150-0>.
- Fukui, H; Akiyoshi, K; Sato, T; Sunamoto, J; Yamaguchi, S; Numata, M. (1993). ANTICANCER ACTIVITY OF POLYUNSATURATED FATTY-ACID EMULSION STABILIZED BY HYDROPHOBIZED POLYSACCHARIDE. *J Bioact Compat Polymer*. 8: 305-316.
- Fukui, H; Akiyoshi, K; Sunamoto, J. (1996). o/w-emulsion of alpha-linolenic acid stabilized with hydrophobized polysaccharide. Its effect on the growth of human colon cancer cells. *J Biomater Sci Polym Ed*. 7: 829-838.
- Fukui, S; Kajihara, A; Hirano, T; Sato, F; Suzuki, N; Nagao, H. (2011). Synthesis and characterization of ethylbis(2-pyridylethyl)ammineruthenium complexes and two different types of C-H bond cleavage at an ethylene arm. *Inorg Chem*. 50: 4713-4724. <http://dx.doi.org/10.1021/ic101940f>.
- Fuller, ME; Manning, JF. (1998). Evidence for differential effects of 2,4,6-trinitrotoluene and other munitions compounds on specific subpopulations of soil microbial communities. *Environ Toxicol Chem*. 17: 2185-2195.
- Fuller, ME; Mu, DY; Scow, KM. (1995). BIODEGRADATION OF TRICHLOROETHYLENE AND TOLUENE BY INDIGENOUS MICROBIAL-POPULATIONS IN VADOSE SEDIMENTS. *Microb Ecol*. 29: 311-325. <http://dx.doi.org/10.1007/BF00164893>.
- Fuller, ME; Scow, KM. (1996). Effects of toluene on microbially-mediated processes involved in the soil nitrogen cycle. *Microb Ecol*. 32: 171-184.
- Fuller, ME; Scow, KM. (1997). Lack of capsular exopolymer effects on the biodegradation of organic compounds by *Pseudomonas* sp. strains JS1 and JS150. *Microb Ecol*. 34: 248-253.
- Fuller, ME; Scow, KM; Lau, S; Ferris, H. (1997). Trichloroethylene (TCE) and toluene effects on the structure and function of the soil community. *Soil Biol Biochem*. 29: 75-89.
- Furge, KA; Dykema, K; Petillo, D; Westphal, M; Zhang, ZF; Kort, EJ; Teh, BT. (2007). Combining differential expression, chromosomal and pathway analyses for the molecular characterization of renal cell carcinoma. *Canadian Urological Association Journal*. 1: S21-S27.
- Furman, OS; Teel, A; Ahmad, M; Merker, MC; Watts, RJ. (2011). Effect of Basicity on Persulfate Reactivity. *J Environ Eng*. 137: 241-247. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000323](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000323).
- Fürstenberger, G; Senn, HJ. (2002). Insulin-like growth factors and cancer [Review]. *Lancet Oncol*. 3: 298-302. [http://dx.doi.org/10.1016/S1470-2045\(02\)00731-3](http://dx.doi.org/10.1016/S1470-2045(02)00731-3).
- Furukawa, K. (2006). Oxygenases and dehalogenases: molecular approaches to efficient degradation of chlorinated environmental pollutants [Review]. *Biosci Biotechnol Biochem*. 70: 2335-2348. <http://dx.doi.org/10.1271/bbb.60218>.
- Furuki, K; Ukai, H; Okamoto, S; Takada, S; Kawai, T; Miyama, Y; Mitsuyoshi, K; Zhang, ZW; Higashikawa, K; Ikeda, M. (2000). Monitoring of occupational exposure to tetrachloroethene by analysis for unmetabolized tetrachloroethene in blood and urine in comparison with urinalysis for trichloroacetic acid. *Int Arch Occup Environ Health*. 73: 221-227.
- Furuki, M; Pu, LS. (1992). HYBRID GAS DETECTOR OF SQUARYLIUM DYE LANGMUIR-BLODGETT-FILM DEPOSITED ON A QUARTZ OSCILLATOR. *Thin Solid Films*. 210: 471-473.
- Furusawa, T; Asama, R; Okada, M; Aika, K; Kojima, R; Kato, M; Suzuki, N. (2010). Destructive Adsorption of Chlorinated Volatile Organic Compounds on Calcium Oxide Powder under Air Flow. *J Chem Eng Jpn*. 43: 537-543.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Furuse, M; Kanno, S; Takano, T; Matsumura, Y. (2001). Cyclohexane as an alternative vapor of carbon tetrachloride for the assessment of gas removing capacities of gas masks. *Ind Health*. 39: 1-7. <http://dx.doi.org/10.2486/indhealth.39.1>.
- Fusco, JC; Afshari, AJ; George, MH; Deangelo, AB; Tice, RR; Salman, T; Allen, JW. (1996). In vivo genotoxicity of dichloroacetic acid: Evaluation with the mouse peripheral blood micronucleus assay and the single cell gel assay. *Environ Mol Mutagen*. 27: 1-9. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)27:1<1::AID-EM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)27:1<1::AID-EM1>3.0.CO;2-L).
- Futamata, H; Yoshida, N; Kurogi, T; Kaiya, S; Hiraishi, A. (2007). Reductive dechlorination of chloroethenes by Dehalococoides-containing cultures enriched from a polychlorinated-dioxin-contaminated microcosm. *ISME J*. 1: 471-479. <http://dx.doi.org/10.1038/ismej.2007.42>.
- Futamura, S; Einaga, H; Kabashima, H; Hwan, LY. (2004). Synergistic effect of silent discharge plasma and catalysts on benzene decomposition. *Catalysis Today*. 89: 89-95. <http://dx.doi.org/10.1016/j.cattod.2003.11.014>.
- Futamura, S; Einaga, H; Zhang, AH. (2001). Comparison of reactor performance in the nonthermal plasma chemical processing of hazardous air pollutants. *I E E E Transactions on Industry Applications*. 37: 978-985.
- Futamura, S; Yamamoto, T. (1997). Byproduct identification and mechanism determination in plasma chemical decomposition of trichloroethylene. *I E E E Transactions on Industry Applications*. 33: 447-453.
- Futamura, S; Zhang, AH; Einaga, H; Kabashima, H. (2002). Involvement of catalyst materials in nonthermal plasma chemical processing of hazardous air pollutants. *Catalysis Today*. 72: 259-265.
- Futamura, S; Zhang, AH; Yamamoto, T. (1997). The dependence of nonthermal plasma behavior of VOCs on their chemical structures. *Journal of Electrostatics*. 42: 51-62.
- G, M; A G, R; Moon, IS. (2016). Gaseous trichloroethylene removal using an electrochemically generated homogeneous low-valent ligand-free Co(I) electrocatalyst by electro-scrubbing. *J Hazard Mater*. 311: 210-217. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.011>.
- Gade, A; Jensen, HH. (1985). State-dependent learning during chronic trichloroethylene exposure [Letter]. *Scand J Work Environ Health*. 11: 495-497.
- Gaffga, G; Hagemeister, C. (2016). Space for tricycles and bike trailers: necessary provisions. *Institution of Civil Engineers Proceedings Engineering Sustainability*. 169: 67-75. <http://dx.doi.org/10.1680/ensu.14.00062>.
- Gaglio, PJ; Liu, H; Dash, S; Cheng, S; Dunne, B; Ratterree, M; Baskin, G; Blanchard, J; Bohm, R; Theise, ND; LaBrecque, D. (2002). Liver regeneration investigated in a non-human primate model (*Macaca mulatta*). *J Hepatol*. 37: 625-632. [http://dx.doi.org/10.1016/S0168-8278\(02\)00262-3](http://dx.doi.org/10.1016/S0168-8278(02)00262-3).
- Gagnaire, F; Marignac, B; Langlais, C; Bonnet, P. (2001). Ototoxicity in rats exposed to ortho-, meta- and para-xylene vapours for 13 weeks. *Pharmacol Toxicol*. 89: 6-14. <http://dx.doi.org/10.1111/j.1600-0773.2001.890102.x>.
- Gaido, K; Dohme, L; Wang, F; Chen, I; Blankvoort, B; Ramamoorthy, K; Safe, S. (1998). Comparative estrogenic activity of wine extracts and organochlorine pesticide residues in food. *Environ Health Perspect*. 106: 1347-1351.
- Gallastegi-Villa, M; Aranzabal, A; Romero-Saez, M; Gonzalez-Marcos, JA; Gonzalez-Velasco, JR, JR. (2014). Catalytic activity of regenerated catalyst after the oxidation of 1,2-dichloroethane and trichloroethylene. *Chem Eng J*. 241: 200-206. <http://dx.doi.org/10.1016/j.cej.2013.12.008>.
- Gallastegi-Villa, M; Romero-Saez, M; Aranzabal, A; Gonzalez-Marcos, JA; Gonzalez-Velasco, J. R. (2013). Strategies to enhance the stability of h-bea zeolite in the catalytic oxidation of Cl-VOCs: 1,2-Dichloroethane. *Catalysis Today*. 213: 192-197. <http://dx.doi.org/10.1016/j.cattod.2013.02.022>.
- Gallego, E; Roca, FJ; Perales, JF; Guardino, X. (2010). Comparative study of the adsorption performance of a multi-sorbent bed (Carbotrap, Carbopack X, Carboxen 569) and a Tenax TA adsorbent tube for the analysis of volatile organic compounds (VOCs). *Talanta*. 81: 916-924. <http://dx.doi.org/10.1016/j.talanta.2010.01.037>.
- Gallegos, P; Lutz, J; Markwiese, J; Ryt, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem*. 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.
- Gallou, C; Longuemaux, S; Deloménie, C; Méjean, A; Martin, N; Martinet, S; Palais, G; Bouvier, R; Droz, D; Krishnamoorthy, R; Junien, C; Bérout, C; Dupret, J. (2001). Association of GSTT1 non-null and NAT1 slow/rapid genotypes with von Hippel-Lindau tumour suppressor gene transversions in sporadic renal cell carcinoma. *Pharmacogenetics*. 11: 521-535.
- Galyaltdinov, SF; Ziganshin, MA; Drapailo, AB; Gorbachuk, VV. (2012). Unusually High Selectivity of Guest Exchange in tert-Butylthiacalix[4]arene Clathrate Producing More Thermostable Inclusion and Memory of Guest. *J Phys Chem B*. 116: 11379-11385. <http://dx.doi.org/10.1021/jp3065739>.
- Gama, C; Meira, JB. (1978). Occupational acro-osteolysis. *J Bone Joint Surg Am*. 60: 86-90.
- Gan, J; Yates, S. R.; Anderson, MA; Spencer, WF; Ernst, FF; Yates, MV. (1994). EFFECT OF SOIL PROPERTIES OF DEGRADATION AND SORPTION OF METHYL-BROMIDE IN SOIL. *Chemosphere*. 29: 2685-2700.
- Gan, W, ei; Babu, SS; Kapustka, N; Wagoner, RH. (2006). Microstructural effects on the springback of advanced high-strength steel. *Metallurgical and Materials Transactions A*. 37A: 3221-3231.
- Gan, Y; Yu, T; Zhou, A; Liu, Y; Yu, K; Han, L. (2014). Variability in the carbon isotope fractionation of trichloroethene on its reductive dechlorination by vitamin B12. *Environ Sci Process Impacts*. 16: 1882-1888. <http://dx.doi.org/10.1039/c4em00040d>.
- Gander, B; Wehrli, E; Alder, R; Merkle, HP. (1995). Quality improvement of spray-dried, protein-loaded D,L-PLA microspheres by appropriate polymer solvent selection. *J Microencapsul*. 12: 83-97. <http://dx.doi.org/10.3109/02652049509051129>.
- Gandhi, M; Aweeka, F; Greenblatt, RM; Blaschke, TF. (2004). Sex differences in pharmacokinetics and pharmacodynamics. *Annu Rev Pharmacol Toxicol*. 44: 499-523. <http://dx.doi.org/10.1146/annurev.pharmtox.44.101802.121453>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gandhi, P; Erickson, LE; Fan, LT. (1994). A SIMPLE METHOD TO STUDY THE EFFECTIVENESS OF BIOREMEDIATION AIDED, PUMP-AND-TREAT TECHNOLOGY FOR AQUIFERS CONTAMINATED BY NONAQUEOUS PHASE LIQUIDS .1. SINGLE-COMPONENT SYSTEMS. *J Hazard Mater.* 39: 49-68.
- Gandhi, RK; Hopkins, GD; Goltz, MN; Gorelick, SM; Mccarty, PL. (2002). Full-scale demonstration of in situ cometabolic biodegradation of trichloroethylene in groundwater - 1. Dynamics of a recirculating well system. *Water Resour Res.* 38. <http://dx.doi.org/10.1029/2001WR000379>.
- Gandhi, RK; Hopkins, GD; Goltz, MN; Gorelick, SM; Mccarty, PL. (2002). Full-scale demonstration of in situ cometabolic biodegradation of trichloroethylene in groundwater - 2. Comprehensive analysis of field data using reactive transport modeling. *Water Resour Res.* 38. <http://dx.doi.org/10.1029/2001WR000380>.
- Gandhi, S; Oh, BT; Schnoor, JL; Alvarez, PJ. (2002). Degradation of TCE, Cr(VI), sulfate, and nitrate mixtures by granular iron in flow-through columns under different microbial conditions. *Water Res.* 36: 1973-1982.
- Gandillet, A; Alexandre, E; Royer, C; Cinqualbre, J; Jaeck, D; Richert, L. (2003). Hepatocyte ploidy in regenerating livers after partial hepatectomy, drug-induced necrosis, and cirrhosis. *Eur Surg Res.* 35: 148-160. <http://dx.doi.org/10.1159/000070044>.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environ Sci Technol.* 25: 715-722.
- Gao, B, o; Liu, L; Liu, J; Yang, F. (2013). A photo-catalysis and rotating nano-CaCO₃ dynamic membrane system with Fe-ZnIn₂S₄ efficiently removes halogenated compounds in water. *Appl Catal B-Environ.* 138: 62-69. <http://dx.doi.org/10.1016/j.apcatb.2013.02.023>.
- Gao, B; Liu, WB; Jia, LY; Xu, L; Xie, J. (2011). Isolation and characterization of an *Alcaligenes* sp. strain DG-5 capable of degrading DDTs under aerobic conditions. *J Environ Sci Health B.* 46: 257-263. <http://dx.doi.org/10.1080/03601234.2011.540534>.
- Gao, H; Blanford, WJ. (2012). Partitioning Behavior of Trichloroethylene in Cyclodextrin-Water-Granular-Activated Carbon Systems. *Environ Eng Sci.* 29: 533-539. <http://dx.doi.org/10.1089/ees.2011.0451>.
- Gao, H; Blanford, WJ; Birdwell, JE. (2009). The Pseudophase Approach to Assessing Chemical Partitioning in Air-Water-Cyclodextrin Systems. *Environ Sci Technol.* 43: 2943-2949. <http://dx.doi.org/10.1021/es803382z>.
- Gao, H; Blanford, WJ; Gao, A. (2013). Solubility Enhancement Effect of Cyclodextrin on Groundwater Pollutants. *Ground Water.* 51: 268-275. <http://dx.doi.org/10.1111/j.1745-6584.2012.00963.x>.
- Gao, HJ; Jiang, X; Wang, F; Bian, YR; Wang, DZ; Dend, JC; Yan, DY. (2005). Residual levels and new inputs of chlorinated POPs in agricultural soils from Taihu Lake region. *Pedosphere.* 15: 301-309.
- Gao, J; Skeen, RS. (1999). Glucose-induced biodegradation of cis-dichloroethylene under aerobic conditions. *Water Res.* 33: 2789-2796.
- Gao, J; Wang, W; Rondinone, AJ; He, F; Liang, L. (2015). Degradation of Trichloroethene with a Novel Ball Milled Fe-C Nanocomposite. *J Hazard Mater.* 300: 443-450. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.038>.
- Gao, JW; Skeen, RS; Hooker, BS; Quesenberry, RD. (1997). Effects of several electron donors on tetrachloroethylene dechlorination in anaerobic soil microcosms. *Water Res.* 31: 2479-2486.
- Gao, S; Rupp, E; Bell, S; Willinger, M; Foley, T; Barbaris, B; Saez, AE; Arnold, RG; Betterton, E. (2008). Mixed redox catalytic destruction of chlorinated solvents in soils and groundwater. *Ann N Y Acad Sci.* 1140: 435-445. <http://dx.doi.org/10.1196/annals.1454.044>.
- Gao, W; Zhang, Y; Zhang, X; Duan, Z; Wang, Y; Qin, C; Hu, X; Wang, H; Chang, S. (2015). Permeable reactive barrier of coarse sand-supported zero valent iron for the removal of 2,4-dichlorophenol in groundwater. *Environ Sci Pollut Res Int.* 22: 16889-16896. <http://dx.doi.org/10.1007/s11356-015-4912-x>.
- Gao, Y; Liu, R, ui; Song, T; Xiao, J. (2016). IRON REMOVING TCE AND Cr(VI) IN POLLUTED GROUNDWATER. *Fresen Environ Bull.* 25: 6094-6099.
- Gao, Y; Wang, F; Wu, Y, an; Naidu, R; Chen, Z. (2016). Comparison of degradation mechanisms of microcystin-LR using nanoscale zero-valent iron (nZVI) and bimetallic Fe/Ni and Fe/Pd nanoparticles. *Chem Eng J.* 285: 459-466. <http://dx.doi.org/10.1016/j.cej.2015.09.078>.
- Garbarini, DR; Lion, LW. (1986). INFLUENCE OF THE NATURE OF SOIL ORGANICS ON THE SORPTION OF TOLUENE AND TRICHLOROETHYLENE. *Environ Sci Technol.* 20: 1263-1269.
- Garcia-Rivero, M; Peralta-Perez, MR. (2008). Cometabolism in the biodegradation of hydrocarbons. *Revista Mexicana de Ingenieria Quimica.* 7: 1-12.
- Garcia-Solares, M; Guerrero-Barajas, C; Garcia-Pena, I; Chairez, I; Luviano-Juarez, A. (2016). Switched constrained linear adaptive identifier for the trichloroethylene elimination in sequential upflow anaerobic sludge blanket. *Appl Math Model.* 40: 3720-3737. <http://dx.doi.org/10.1016/j.apm.2015.10.031>.
- Garcia-Solares, SM; Ordaz, A; Monroy-Hermosillo, O; Guerrero-Barajas, C. (2013). Trichloroethylene (TCE) biodegradation and its effect on sulfate reducing activity in enriched sulfidogenic cultures prevented from a UASB maintained at 20 degrees C. *Int Biodeterior Biodegradation.* 83: 92-96. <http://dx.doi.org/10.1016/j.ibiod.2013.04.011>.
- Gardner, H; Brennan, L; Toussaint, M; Rosencrance, A; Boncavage-Hennessey, E; Wolfe, M. (1998). Environmental complex mixture toxicity assessment. *Environ Health Perspect.* 106 Suppl 6: 1299-1305.
- Garfinkel, L; Stellman, SD. (1988). Smoking and lung cancer in women: Findings in a prospective study. *Cancer Res.* 48: 6951-6955.
- Garlantezec, R; Multigner, L, uc; Labat, L; Bonvallot, N; Pulkkinen, J; Dananche, B; Monfort, C; Rouget, F; Cordier, S. (2012). Urinary biomarkers of exposure to glycol ethers and chlorinated solvents during pregnancy: determinants of exposure and comparison with indirect methods of exposure assessment. *Occup Environ Med.* 69: 62-70. <http://dx.doi.org/10.1136/oem.2010.062315>.
- Garny, V; Lecloux, A; Papp, R. (1998). Euro chlor risk assessment for the marine environment osparcom region: North Sea - principles and purposes. *Environ Monit Assess.* 53: 395-399.
- Gart, JJ; Chu, KC; Tarone, RE. (1979). Statistical issues in interpretation of chronic bioassay tests for carcinogenicity. *J Natl Cancer Inst.* 62: 957-974.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev.* 10: 1239-1248.
- Gates, DD; Siegrist, RL. (1995). IN-SITU CHEMICAL OXIDATION OF TRICHLOROETHYLENE USING HYDROGEN-PEROXIDE. *J Environ Eng.* 121: 639-644.
- Gates, K; Aragona, K; Sabodish, M; Gabr, MA; TRB. (2001). Adsorption and desorption capacity of trichloroethylene on glacial till with high-percent fines. *Trans Res Rec*141-148.
- Gates-Anderson, DD; Siegrist, RL; Cline, SR. (2001). Comparison of potassium permanganate and hydrogen peroxide as chemical oxidants for organically contaminated soils. *J Environ Eng.* 127: 337-347.
- Gathala, MK; Timsina, J; Islam, M, dS; Krupnik, TJ; Bose, TR; Islam, N; Rahman, M, dM; Hossain, M, dI; Harun-Ar-Rashid, M, d; Ghosh, AK; Hasan, M, dMK; Khayer, M, dA; Islam, M, dZ; Tiwari, TP; Mcdonald, A. (2016). Productivity, profitability, and energetics: A multi-criteria assessment of farmers' tillage and crop establishment options for maize in intensively cultivated environments of South Asia. *Field Crops Research.* 186: 32-46. <http://dx.doi.org/10.1016/j.fcr.2015.11.008>.
- Gaur, A; Park, J; Maken, S; Song, H; Park, J. (2010). Landfill gas (LFG) processing via adsorption and alkanolamine absorption. *Fuel Process Tech.* 91: 635-640. <http://dx.doi.org/10.1016/j.fuproc.2010.01.010>.
- Gauthier, E; Thivel, PX; Delpuch, F; Roux, JC; Ozil, P. (2008). SFGP 2007 - An adsorption and photocatalysis study of ethyl hexanoate. *Int J Chem React Eng.* 6.
- Gautrois, M; Brauers, T; Koppmann, R; Rohrer, F; Stein, O; Rudolph, J. (2003). Seasonal variability and trends of volatile organic compounds in the lower polar troposphere. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD002765>.
- Gavaskar, AR. (1999). Design and construction techniques for permeable reactive barriers [Review]. *J Hazard Mater.* 68: 41-71.
- Gaw, S; Northcott, G; Kim, N; Wilkins, A; Jensen, J. (2012). Comparison of earthworm and chemical assays of the bioavailability of aged 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene, 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane, and heavy metals in orchard soils. *Environ Toxicol Chem.* 31: 1306-1316. <http://dx.doi.org/10.1002/etc.1817>.
- Gaw, SK; Kim, ND; Northcott, GL; Wilkins, AL; Robinson, G. (2008). Uptake of SDDT, arsenic, cadmium, copper, and lead by lettuce and radish grown in contaminated horticultural soils. *J Agric Food Chem.* 56: 6584-6593. <http://dx.doi.org/10.1021/jf073327t>.
- Gawthrope, IC; Playford, DA; King, B; Brown, K; Wilson, C; Mckeown, B. (2014). The cardiac effects of hyperbaric oxygen at 243 kPa using in-chamber echocardiography. *Diving and Hyperbaric Medicine.* 44: 141-145.
- Ge, R; Wang, W; Kramer, PM; Yang, S; Tao, L; Pereira, MA. (2001). Wy-14,643-induced hypomethylation of the c-myc gene in mouse liver. *Toxicol Sci.* 62: 28-35.
- Geary, LM; Hultin, PG. (2010). 2-Substituted Benzo[b]furans from (E)-1,2-Dichlorovinyl Ethers and Organoboron Reagents: Scope and Mechanistic Investigations into the One-Pot Suzuki Coupling/Direct Arylation. *European Journal of Organic Chemistry*5563-5573. <http://dx.doi.org/10.1002/ejoc.201000787>.
- Geary, LM; Hultin, PG. (2010). Palladium-Catalyzed Modular Assembly of Electron-Rich Alkenes, Dienes, Trienes, and Enynes from (E)-1,2-Dichlorovinyl Phenyl Ether. *J Org Chem.* 75: 6354-6371. <http://dx.doi.org/10.1021/jo1014678>.
- Gehring, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone: Science and Engineering.* 21: 523-538.
- Gehring, P; Eschweiler, H; Fiedler, H. (1995). OZONE-ELECTRON BEAM TREATMENT FOR GROUNDWATER REMEDIATION. *Radiat Phys Chem Oxf Engl* 1993. 46: 1075-1078.
- Gehring, P; Matschiner, H. (1998). Radiation induced pollutant decomposition in water. *Water Sci Technol.* 37: 195-201.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1986). RADIATION-CHEMICAL DEGRADATION OF TRACES OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE IN DRINKING WATER (pp. 196-203). (ISSN 0044-3727; BIOSIS/87/06691). Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1988). DECOMPOSITION OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE IN DRINKING WATER BY A COMBINED RADIATION-OZONE TREATMENT. *Water Res.* 22: 645-646.
- Geibel, NM. (2006). Use of passive-diffusion bag samplers to profile low-level trichloroethene concentrations in ground-water extraction wells. *Environmental and Engineering Geoscience.* 12: 361-368.
- Geiger, CL; Clausen, CA; Brooks, K; Clausen, C; Huntley, C; Filipek, L; Reinhart, DD; Quinn, J; Krug, T; O'Hara, S; Major, D. (2003). Nanoscale and microscale iron emulsions for treating DNAPL. *ACS Symp Ser Am Chem Soc.* 837: 132-140.
- Geiger, CL; Ruiz, NE; Clausen, CA; Reinhart, DR; Quinn, JW. (2002). Ultrasound pretreatment of elemental iron: kinetic studies of dehalogenation reaction enhancement and surface effects. *Water Res.* 36: 1342-1350.
- Geiser, U; Schlueter, JA; Williams, JM; Naumann, D; Roy, T. (1995). ANION DISORDER IN THE 115-118 K STRUCTURES OF THE ORGANIC SUPERCONDUCTORS KAPPA(L)-(BEDT-TTF)(2)CU(CF3)(4)(C2H3CL3) AND KAPPA(L)-(BEDT-TTF)(2)AG(CF3)(4)(C2H3CL3) [BEDT-TTF=3,4-3',4'-BIS(ETHYLENEDITHIO)-2,2',5,5'-TETRATHIAFULVALENE]. *Acta Crystallogr B.* 51: 789-797.
- Gelderblom, WC; Galendo, D; Abel, S; Swanevelder, S; Marasas, WF; Wild, CP. (2001). Cancer initiation by fumonisin B(1) in rat liver: Role of cell proliferation. *Cancer Lett.* 169: 127-137.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gelfand, AE; Smith, AFM. (1990). Sampling based approaches to calculating marginal densities. *J Am Stat Assoc.* 85: 398 - 409.
- Gelman, A; Bois, F; Jiang, J. (1996). Physiological pharmacokinetic analysis using population modeling and informative prior distributions. *J Am Stat Assoc.* 91: 1400-1412.
- Gelman, A; Carlin, JB; Stern, HS; Rubin, DB. (2003). Bayesian data analysis. In Chapman & Hall/CRC Texts in Statistical Science (2nd ed.). Boca Raton, FL: Chapman and Hall/CRC Press. <http://www.crcpress.com/product/isbn/9781584883883>.
- Geng, Q; Guo, Q; Yue, X. (2010). Adsorption and Photocatalytic Degradation Kinetics of Gaseous Cyclohexane in an Annular Fluidized Bed Photocatalytic Reactor. *Ind Eng Chem Res.* 49: 4644-4652. <http://dx.doi.org/10.1021/ie100114e>.
- Geng, Q; Tang, S; Wang, L; Zhang, Y. (2015). Investigation into adsorption and photocatalytic degradation of gaseous benzene in an annular fluidized bed photocatalytic reactor. *Environ Technol.* 36: 605-614. <http://dx.doi.org/10.1080/09593330.2014.954005>.
- George, CE; Azwell, DE; Adams, PA; Rao G, VN; Averett, DE. (1995). Evaluation of steam as a sweep gas in low temperature thermal desorption processes used for contaminated soil clean up. *Waste Manag.* 15: 5-6.
- George, J; Byth, K; Farrell, GC. (1995). Age but not gender selectively affects expression of individual cytochrome P450 proteins in human liver. *Biochem Pharmacol.* 50: 727-730. [http://dx.doi.org/10.1016/0006-2952\(95\)00192-3](http://dx.doi.org/10.1016/0006-2952(95)00192-3).
- George, JD; Price, CJ; Navarro, HA; Marr, MC; Myers, CB; Hunter ES Schwetz, BA; Shelby, MD. (1995). Developmental toxicity of thiophenol (THIO) in rats and rabbits [Abstract]. *Toxicologist.* 15: 160.
- George, MH; Moore, T; Kilburn, S; Olson, GR; Deangelo, AB. (2000). Carcinogenicity of chloral hydrate administered in drinking water to the male F344/N rat and male B6C3F1 mouse. *Toxicol Pathol.* 28: 610-618.
- Georgi, A; Gonzalez-Olmos, R; Kohler, R; Kopinke, FD. (2010). Fe-Zeolites as Catalysts for Wet Peroxide Oxidation of Organic Groundwater Contaminants: Mechanistic Studies and Applicability Tests. *Separation Science and Technology.* 45: 1579-1586. <http://dx.doi.org/10.1080/01496395.2010.487466>.
- Georgi, A; Kopinke, FD. (2005). Interaction of adsorption and catalytic reactions in water decontamination processes Part I, Oxidation of organic contaminants with hydrogen peroxide catalyzed by activated carbon. *Appl Catal B-Environ.* 58: 9-18. <http://dx.doi.org/10.1016/j.apcatb.2004.11.014>.
- Georgi, A; Schierz, A; Mackenzie, K; Kopinke, FD. (2015). Colloidal activated carbon for in-situ groundwater remediation--Transport characteristics and adsorption of organic compounds in water-saturated sediment columns. *J Contam Hydrol.* 179: 76-88. <http://dx.doi.org/10.1016/j.jconhyd.2015.05.002>.
- Gerbino, TC; Nadotti, S; Castello, P. (1992). Extraction and gas chromatographic determination of chlorinated solvents in contaminated soil. *J Chromatogr.* 623: 123-127.
- Gerhard, JI; Pang, T; Kueper, BH. (2007). Time scales of DNAPL migration in sandy aquifers examined via numerical simulation. *Ground Water.* 45: 147-157. <http://dx.doi.org/10.1111/j.1475-6584.2006.00269.x>.
- Gervasini, A; Pirola, C; Zilio, S; Ragaini, V. (2004). Destruction of carbon tetrachloride in the presence of hydrogen-supplying compounds with ionisation and catalytic oxidation - Part 2. Methane as hydrogen font. *Appl Catal B-Environ.* 47: 257-267. <http://dx.doi.org/10.1016/j.apcatb.2003.09.008>.
- Ghaemi, H; Behdinin, K; Spence, A. (2006). On the development of compressible pseudo-strain energy density function for elastomers - Part 1. Theory and experiment. *J Mater Process Tech.* 178: 307-316. <http://dx.doi.org/10.1016/j.jmatrotec.2006.04.014>.
- Ghauch, A; Ayoub, G; Naim, S. (2013). Degradation of sulfamethoxazole by persulfate assisted micrometric Fe-0 in aqueous solution. *Chem Eng J.* 228: 1168-1181. <http://dx.doi.org/10.1016/j.cej.2013.05.045>.
- Ghauch, A; Kaluzny, P; Deveau, PA; Baussand, P. (2005). Effects of chlorinated volatile organic compounds on the degradation of biogenic alkenes in presence of ozone in an atmospheric simulation chamber. *Fresen Environ Bull.* 14: 1058-1065.
- Ghauch, A; Kaluzny, P; Rouviere, A; Deveau, PA; Baussand, P. (2006). Effect of hydroxyl radicals on the interaction between chlorinated volatile organic compounds and beta-pinene under simulated and sunlight irradiation. *Fresen Environ Bull.* 15: 1244-1251.
- Ghorpade, PA; Ha, M, inGyu; Choi, W, onHo; Park, J, ooY. (2013). Combined calcium sulfoaluminate and ordinary portland cement/Fe(II) system for enhanced dechlorination of trichloroethylene. *Chem Eng J.* 231: 326-333. <http://dx.doi.org/10.1016/j.cej.2013.07.031>.
- Ghorpade, PA; Ha, M, inGyu; Park, J, ooY. (2015). Effect of different types of calcium sulfate on the reactivity of cement/Fe(II) system in dechlorination of trichloroethylene. *Desalination and Water Treatment.* 54: 1426-1435. <http://dx.doi.org/10.1080/19443994.2014.950342>.
- Ghorpade, PA; Kim, JH; Choi, W, onHo; Park, J, ooY. (2014). Reactivity of different cement minerals in presence of Fe(II) for reducing trichloroethylene. *Desalination and Water Treatment.* 52: 805-815. <http://dx.doi.org/10.1080/19443994.2013.827300>.
- Ghorpade, PA; Kim, JH; Choi, WH; Park, JY. (2014). New and effective multi-element alpha-hematite systems for reduction of trichloroethylene. *Environ Technol.* 35: 27-35. <http://dx.doi.org/10.1080/09593330.2013.805819>.
- Ghoshal, AK; Farber, E. (1984). The induction of liver cancer by dietary deficiency of choline and methionine without added carcinogens. *Carcinogenesis.* 5: 1367-1370. <http://dx.doi.org/10.1093/carcin/5.10.1367>.
- Giannoukos, S; Brkic, B; Taylor, S. (2016). Analysis of chlorinated hydrocarbons in gas phase using a portable membrane inlet mass spectrometer. *Analytical Methods.* 8: 6607-6615. <http://dx.doi.org/10.1039/c6ay00375c>.
- Gianturco, F; Vianelli, L; Tatti, L; Rota, F; Bruzzi, P; Rivas, L; Bellobono, IR; Bianchi, M; Muntau, H. (1996). Pilot-plant photomineralization of dichloromethane and tetrachloroethene in aqueous solution, by photocatalytic membranes immobilizing titanium dioxide and photopromoters. *Chemosphere.* 33: 1531-1542.
- Giardino, NJ; Andelman, JB. (1996). Characterization of the emissions of trichloroethylene, chloroform, and 1,2-dibromo-3-chloropropane in a full-size, experimental shower. *J Expo Anal Environ Epidemiol.* 6: 413-423.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Giardino, NJ; Eamen, NA; Andelman, JB. (1992). Modeling volatilization of trichloroethylene from a domestic shower spray: the role of drop-size distribution. *Environ Sci Technol.* 26: 1602-1606.
- Giaya, A; Thompson, RW. (2002). Single-component gas phase adsorption and desorption studies using a tapered element oscillating microbalance. *Microporous and Mesoporous Materials.* 55: 265-274.
- Giaya, A; Thompson, RW; Denkwicz, R. (2000). Liquid and vapor phase adsorption of chlorinated volatile organic compounds on hydrophobic molecular sieves. *Microporous and Mesoporous Materials.* 40: 205-218.
- Gibson, D; Aardema, M; Kerckaert, G; Carr, G; Brauning, R; LeBoeuf, R. (1995). Detection of aneuploidy-inducing carcinogens in the Syrian hamster embryo (SHE) cell transformation assay. *Mutat Res.* 343: 7-24. [http://dx.doi.org/10.1016/0165-1218\(95\)90058-6](http://dx.doi.org/10.1016/0165-1218(95)90058-6).
- Gibson, SA; Roberson, DS; Russell, HH; Sewell, GW. (1994). Effects of three concentrations of mixed fatty acids on dechlorination of tetrachloroethene in aquifer microcosms. *Environ Toxicol Chem.* 13: 453-460.
- Giddings, CGS; Liu, F; Gossett, JM. (2010). Microcosm Assessment of *Polaromonas* sp. JS666 as a Bioaugmentation Agent for Degradation of cis-1,2-dichloroethene in Aerobic, Subsurface Environments. *Ground Water Monitoring and Remediation.* 30: 106-113. <http://dx.doi.org/10.1111/j1745-6592.2010.001283.x>.
- Gilbert, KM; Blossom, SJ; Pumford, NR. (2009). Comments on "Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL+/- mice [Comment]". *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 116; author reply 117-122. <http://dx.doi.org/10.1080/10934520802656584>.
- Gilbertson, AW; Fitch, MW; Burken, JG; Wood, TK. (2007). Transport and survival of GFP-tagged root-colonizing microbes: Implications for rhizodegradation. *European Journal of Soil Biology.* 43: 224-232. <http://dx.doi.org/10.1016/j.ejsobi.2007.02.005>.
- Gilks, WR; Richardson, S; Spiegelhalter, DJ. (1995). Markov chain Monte Carlo in practice. Boca Raton, FL: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412055515>.
- Giller, S; Le Curieux, F; Erb, F; Marzin, D. (1997). Comparative genotoxicity of halogenated acetic acids found in drinking water. *Mutagenesis.* 12: 321-328.
- Giller, S; Le Curieux, F; Gauthier, L; Erb, F; Marzin, D. (1995). Genotoxicity assay of chloral hydrate and chloropicrine. *Mutat Res.* 348: 147-152. [http://dx.doi.org/10.1016/0165-7992\(95\)90002-0](http://dx.doi.org/10.1016/0165-7992(95)90002-0).
- Gimmi, T; Fluhler, H; Studer, B; Rasmuson, A. (1993). Transport of volatile chlorinated hydrocarbons in unsaturated aggregated media. *Water Air Soil Pollut.* 68: 291-305.
- Ginsberg, G; Hattis, D; Miller, R; Sonawane, B. (2004). Pediatric pharmacokinetic data: Implications for environmental risk assessment for children. *Pediatrics.* 113: 973-983.
- Ginsberg, G; Hattis, D; Russ, A; Sonawane, B. (2005). Pharmacokinetic and pharmacodynamic factors that can affect sensitivity to neurotoxic sequelae in elderly individuals. *Environ Health Perspect.* 113: 1243-1249. <http://dx.doi.org/10.1289/ehp.7568>.
- Ginsberg, G; Hattis, D; Sonawane, B. (2004). Incorporating pharmacokinetic differences between children and adults in assessing children's risks to environmental toxicants [Review]. *Toxicol Appl Pharmacol.* 198: 164-183. <http://dx.doi.org/10.1016/j.taap.2003.10.010>.
- Ginsberg, G; Hattis, D; Sonawane, B; Russ, A; Banati, P; Kozlak, M; Smolenski, S; Goble, R. (2002). Evaluation of child/adult pharmacokinetic differences from a database derived from the therapeutic drug literature. *Toxicol Sci.* 66: 185-200.
- Gist, G; Burg, J. (1995). Trichloroethylene--a review of the literature from a health effects perspective [Review]. *Toxicol Ind Health.* 11: 253-307.
- Giver, C; Wong, R; Moore, D; Pallavicini, M. (2001). Dermal benzene and trichloroethylene induce aneuploidy in immature hematopoietic subpopulations in vivo. *Environ Mol Mutagen.* 37: 185-194.
- Gladen, BC; Klebanoff, MA; Hediger, ML; Katz, SH; Barr, DB; Davis, MD; Longnecker, MP. (2004). Prenatal DDT exposure in relation to anthropometric and pubertal measures in adolescent males. *Environ Health Perspect.* 112: 1761-1767. <http://dx.doi.org/10.1289/ehp.7287>.
- Glass, DJ. (1991). WASTE MANAGEMENT - BIOLOGICAL TREATMENT OF HAZARDOUS WASTES. *Environment.* 33: 5-&.
- Glass, RJ; Conrad, SH; Peplinski, W. (2000). Gravity-destabilized nonwetting phase invasion in macroheterogeneous porous media: Experimental observations of invasion dynamics and scale analysis. *Water Resour Res.* 36: 3121-3137.
- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ.* 290: 231-237.
- Glaze, WH; J-W, K. (1988). ADVANCED OXIDATION PROCESSES FOR TREATING GROUNDWATER CONTAMINATED WITH TCE AND PCE LABORATORY STUDIES (pp. 57-63). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/88/21972). Glaze, WH; Kang J-W.
- Glaze, WH; Kenneke, JF; Ferry, JL. (1993). Chlorinated byproducts from the titanium dioxide-mediated photodegradation of trichloroethylene and tetrachloroethylene in water. *Environ Sci Technol.* 27: 177-184.
- Glod, G; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Corrinoid-mediated reduction of tetrachloroethene, trichloroethene, and trichlorofluoroethene in homogeneous aqueous solution: Reaction kinetics and reaction mechanisms. *Environ Sci Technol.* 31: 253-260.
- Glod, G; Brodmann, U; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Cobalamin-mediated reduction of cis- and trans-dichloroethene, 1,1-dichloroethene, and vinyl chloride in homogeneous aqueous solution: Reaction kinetics and mechanistic considerations. *Environ Sci Technol.* 31: 3154-3160.
- Gloor, M; Bakwin, P; Hurst, D; Lock, L; Draxler, R; Tans, P. (2001). What is the concentration footprint of a tall tower? *J Geophys Res Atmos.* 106: 17831-17840.
- Gnanakumari, P; Rao, MVP; Prasad, DHL; Kumar, YVL, R. (2003). Vapor-liquid equilibria and excess molar enthalpies for N-methyl-2-pyrrolidone with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 48: 535-540. <http://dx.doi.org/10.1021/jc020065c>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gochfeld, M. (2007). Framework for gender differences in human and animal toxicology. *Environ Res.* 104: 4-21. <http://dx.doi.org/10.1016/j.envres.2005.12.005>.
- Godó, T; Matsui, K; Kida, T; Mu, M. (1998). Improved plating efficiency of lily (*Lilium x formolongi hort*) protoplasts by silver thiosulfate added to enzyme solution. *Breeding Science.* 48: 159-161.
- Godsy, EM; Warren, E; Paganelli, VV. (2003). The role of microbial reductive dechlorination of TCE at a phytoremediation site. *Int J Phytoremediation.* 5: 73-87. <http://dx.doi.org/10.1080/16226510390856484>.
- Godts, P; Dupont, D; Leclercq, D. (2005). Direct measurement of the latent heat of evaporation by flowmetric method. *I E E E Transactions on Instrumentation and Measurement.* 54: 2364-2369. <http://dx.doi.org/10.1109/TIM.2005.858554>.
- Gokhale, S; Kohajda, T; Schlink, U, we. (2008). Source apportionment of human personal exposure to volatile organic compounds in homes, offices and outdoors by chemical mass balance and genetic algorithm receptor models. *Sci Total Environ.* 407: 122-138. <http://dx.doi.org/10.1016/j.scitotenv.2008.08.025>.
- Golas, PL; Louie, S; Lowry, GV; Matyjaszewski, K; Tilton, RD. (2010). Comparative study of polymeric stabilizers for magnetite nanoparticles using ATRP. *Langmuir.* 26: 16890-16900. <http://dx.doi.org/10.1021/la103098q>.
- Gold, L. S.; Zeiger, E. (1997). Handbook of carcinogenic potency and genotoxicity databases. In LS Gold; E Zeiger (Eds.). Boca Raton, FL: CRC Press.
- Gold, SC. (2010). THE MORE WE KNOW, THE LESS INTELLIGENT WE ARE? -- HOW GENOMIC INFORMATION SHOULD, AND SHOULD NOT, CHANGE TOXIC TORT CAUSATION DOCTRINE. *Harvard Environmental Law Review.* 34: 369-423.
- Gole, VL; Gogate, PR. (2014). Sonochemical degradation of chlorobenzene in the presence of additives. *Water Sci Technol.* 69: 882-888. <http://dx.doi.org/10.2166/wst.2013.790>.
- Gole, VL; Gogate, PR. (2015). Intensification of sonochemical degradation of chlorobenzene using additives. *Desalination and Water Treatment.* 53: 2623-2635. <http://dx.doi.org/10.1080/19443994.2013.862743>.
- Goli, VD; Prasad, R; Hamilton, K; Moulton, KP; Tyler, M; Logan, P; Lazzara, R; Jackman, WM. (1991). TRANSESOPHAGEAL ECHOCARDIOGRAPHIC EVALUATION FOR MURAL THROMBUS FOLLOWING RADIOFREQUENCY CATHETER ABLATION OF ACCESSORY PATHWAYS. *Pacing Clin Electrophysiol.* 14: 1992-1997.
- Gollin, SM. (2005). Mechanisms leading to chromosomal instability. *Semin Cancer Biol.* 15: 33-42. <http://dx.doi.org/10.1016/j.semcancer.2004.09.004>.
- Golsteyn, L; Huizer, D; Hauck, M; van Zelm, R; Huijbregts, MA. (2014). Including exposure variability in the life cycle impact assessment of indoor chemical emissions: the case of metal degreasing. *Environ Int.* 71: 36-45. <http://dx.doi.org/10.1016/j.envint.2014.06.003>.
- Goltz, MN; Close, ME; Yoon, H; Huang, J; Flintoft, MJ; Kim, S; Enfield, C. (2009). Validation of two innovative methods to measure contaminant mass flux in groundwater. *J Contam Hydrol.* 106: 51-61. <http://dx.doi.org/10.1016/j.jconhyd.2009.01.001>.
- Goltz, MN; Gandhi, RK; Gorelick, SM; Hopkins, GD; Smith, LH; Timmins, BH; Mccarty, PL. (2005). Field evaluation of in situ source reduction of trichloroethylene in groundwater using bioenhanced in-well vapor stripping. *Environ Sci Technol.* 39: 8963-8970. <http://dx.doi.org/10.1021/es050628f>.
- Goltz, MN; Huang, J; Close, ME; Flintoft, MJ; Pang, L. (2008). Use of tandem circulation wells to measure hydraulic conductivity without groundwater extraction. *J Contam Hydrol.* 100: 127-136. <http://dx.doi.org/10.1016/j.jconhyd.2008.06.003>.
- Golubina, EV; Lokteva, ES; Lazareva, TS; Kostyuk, BG; Lunin, VV; Simagina, VI; Stoyanova, IV. (2004). Hydrodechlorination of tetrachloromethane in the vapor phase in the presence of Pd-Fe/Sibunit catalysts. *Kinet Catal.* 45: 183-188.
- Gomes, HI; Dias-Ferreira, C; Ribeiro, AB; Pamukcu, S. (2014). Influence of electrolyte and voltage on the direct current enhanced transport of iron nanoparticles in clay. *Chemosphere.* 99: 171-179. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.065>.
- Gomez De Arco, L; Zhang, Y; Schlenker, CW; Ryu, K; Thompson, ME; Zhou, C. (2010). Continuous, highly flexible, and transparent graphene films by chemical vapor deposition for organic photovoltaics. *ACS Nano.* 4: 2865-2873. <http://dx.doi.org/10.1021/nn901587x>.
- Gomez, L; Sebastian, V; Arruebo, M; Santamaria, J; Cronin, SB. (2014). Plasmon-enhanced photocatalytic water purification. *Phys Chem Chem Phys.* 16: 15111-15116. <http://dx.doi.org/10.1039/c4cp00229f>.
- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med.* 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Gonca, G; Sahin, B; Ust, Y; Parlak, A. (2015). Comprehensive performance analyses and optimization of the irreversible thermodynamic cycle engines (TCE) under maximum power (MP) and maximum power density (MPD) conditions. *Applied Thermal Engineering.* 85: 9-20. <http://dx.doi.org/10.1016/j.applthermaleng.2015.02.041>.
- Gonçalves, AI; Rodrigues, MT; Carvalho, PP; Bañobre-López, M; Paz, E; Freitas, P; Gomes, ME. (2016). Exploring the Potential of Starch/Polycaprolactone Aligned Magnetic Responsive Scaffolds for Tendon Regeneration. 5: 213-222. <http://dx.doi.org/10.1002/adhm.201500623>.
- Goncalves, G; Cutts, FT; Hills, M; Rebelo-Andrade, H; Trigo, FA; Barros, H. (1999). Transplacental transfer of measles and total IgG. *Epidemiol Infect.* 122: 273-279.
- Goncalves Junior, LP; Mendonca, PP; Pereira, SL; Matielo, MD; da Silva Amorim, IR. (2014). STOCKING DENSITIES IN THE LARVICULTURE OF GOLDFISH. 40: 597-604.
- Gonen, O; Gvirtzman, H. (1997). Laboratory-scale analysis of aquifer remediation by in-well vapor stripping: 1. Laboratory results. *J Contam Hydrol.* 29: 23-39.
- Gong, Y; Tang, J; Zhao, D. (2016). Application of iron sulfide particles for groundwater and soil remediation: A review [Review]. *Water Res.* 89: 309-320. <http://dx.doi.org/10.1016/j.watres.2015.11.063>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gonullu, MT. (1996). Modelling dissolution of an organic mixture in the subsurface. *Water Res.* 30: 649-653.
- Gonullu, MT; Farquhar, GJ. (1994). EFFECTS OF RESIDUAL CONFIGURATION ON THE RATE OF TRICHLOROETHYLENE TCE DISSOLUTION. *Water Sci Technol.* 30: 19-22.
- González, A; Avivar, J; Cerdà, V. (2015). Estrogens determination in wastewater samples by automatic in-syringe dispersive liquid-liquid microextraction prior silylation and gas chromatography. *J Chromatogr A.* 1413: 1-8. <http://dx.doi.org/10.1016/j.chroma.2015.08.031>.
- Gonzalez, J. (2002). Mulch "biowall" treats TCE-contaminated groundwater. *Biocycle.* 43: 12-12.
- Gonzalez-Garcia, N; Ayllon, JA; Domenech, X; Peral, J. (2004). TiO(2) deactivation during the gas-phase photocatalytic oxidation of dimethyl sulfide. *Appl Catal B-Environ.* 52: 69-77. <http://dx.doi.org/10.1016/j.apcatb.2004.03.016>.
- Gonzalez-Leon, A; Merdink, J; Bull, R; Schultz, I. (1999). Effect of pre-treatment with dichloroacetic or trichloroacetic acid in drinking water on the pharmacokinetics of a subsequent challenge dose in B6C3F1 mice. *Chem Biol Interact.* 123: 239-253.
- Gonzalez-Olmos, R; Roland, U; Toufar, H; Kopinke, FD; Georgi, A. (2009). Fe-zeolites as catalysts for chemical oxidation of MTBE in water with H²O₂. *Appl Catal B-Environ.* 89: 356-364. <http://dx.doi.org/10.1016/j.apcatb.2008.12.014>.
- Gonzalez-Velasco, JR; Aranzabal, A; Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Gutierrez-Ortiz, MA. (1998). Activity and product distribution of alumina supported platinum and palladium catalysts in the gas-phase oxidative decomposition of chlorinated hydrocarbons. *Appl Catal B-Environ.* 19: 189-197.
- Gonzalez-Velasco, JR; Aranzabal, A; Lopez-Fonseca, R; Ferret, R; Gonzalez-Marcos, JA. (2000). Enhancement of the catalytic oxidation of hydrogen-lean chlorinated VOCs in the presence of hydrogen-supplying compounds. *Appl Catal B-Environ.* 24: 33-43.
- Gonzalez-Velasco, JR; Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Steltenpohl, P. (2000). Evaluation of H-type zeolites in the destructive oxidation of chlorinated volatile organic compounds. *Appl Catal B-Environ.* 24: 233-242.
- Goode, DJ; Imbrigiotta, TE; Lacombe, PJ. (2014). High-resolution delineation of chlorinated volatile organic compounds in a dipping, fractured mudstone: Depth- and strata-dependent spatial variability from rock-core sampling. *J Contam Hydrol.* 171C: 1-11. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.005>.
- Gopalakrishnan, G; Burken, JG; Werth, CJ. (2009). Lignin and Lipid Impact on Sorption and Diffusion of Trichloroethylene in Tree Branches for Determining Contaminant Fate during Plant Sampling and Phytoremediation. *Environ Sci Technol.* 43: 5732-5738. <http://dx.doi.org/10.1021/es9006417>.
- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Gopalakrishnan, G; Werth, CJ; Negri, MC. (2009). Mass recovery methods for trichloroethylene in plant tissue. *Environ Toxicol Chem.* 28: 1185-1190. <http://dx.doi.org/10.1897/08-420.1>.
- Gopalan, KS; Eswaran, V. (2016). Numerical investigation of thermal performance of PCM based heat sink using structured porous media as thermal conductivity enhancers. *International Journal of Thermal Sciences.* 104: 266-280. <http://dx.doi.org/10.1016/j.ijthermalsci.2016.01.008>.
- Gordon, M; Choe, N; Duffy, J; Ekuan, G; Heilman, P; Muiznieks, I; Newman, L; Ruszaj, M; Shurtleff, BB; Strand, S; Wilmoth, J. (1997). ACS Symposium Series Phytoremediation of trichloroethylene with hybrid poplars.
- Gordon, M; Choe, N; Duffy, J; Ekuan, G; Heilman, P; Muiznieks, I; Ruszaj, M; Shurtleff, BB; Strand, S; Wilmoth, J; Newman, LA. (1998). Phytoremediation of trichloroethylene with hybrid poplars. *Environ Health Perspect.* 4: 1001-1004.
- Gordon, MP. (2003). Results misinterpreted. *Environ Sci Technol.* 37: 342A-342A.
- Gordon, SM; Callahan, PJ; Nishioka, MG; Brinkman, MC; O'Rourke, MK; Lebowitz, MD; Moschandreas, DJ. (1999). Residential environmental measurements in the National Human Exposure Assessment Survey (NHEXAS) pilot study in Arizona: Preliminary results for pesticides and VOCs. *J Expo Anal Environ Epidemiol.* 9: 456-470. <http://dx.doi.org/10.1038/sj.jea.7500042>.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology.* 1: 277-284.
- Gorgenyi, M; Dewulf, J; Van Langenhove, H. (2002). Temperature dependence of Henry's law constant in an extended temperature range. *Chemosphere.* 48: 757-762.
- Gorla, GR; Malhi, H; Gupta, S. (2001). Polyploidy associated with oxidative injury attenuates proliferative potential of cells. *J Cell Sci.* 114: 2943-2951.
- Gorodkiewicz, E; Figaszewski, Z. (1998). Potentiometric and spectrophotometric measurements of stability constants of complexes in non-aqueous solutions. *Chemia analityczna.* 43: 445-455.
- Górski, T; Goehl, T; Jameson, C; Collins, B. (1990). Sources of error in the determination of trichloroethylene in blood. *Bull Environ Contam Toxicol.* 45: 1-5.
- Gorzka, Z; Zarczynski, A; Paryjczak, T; Kazmierczak, M; Zaborowski, M. (2009). Total Catalytic Oxidation of Volatile Chloroorganics Occurring in Liquid Industrial Wastes from Organics Synthesis. *Rocznik Ochrona Srodowiska.* 11: 439-448.
- Goss, KU. (1992). EFFECTS OF TEMPERATURE AND RELATIVE-HUMIDITY ON THE SORPTION OF ORGANIC VAPORS ON QUARTZ SAND. *Environ Sci Technol.* 26: 2287-2294.
- Goss, KU; Buschmann, J; Schwarzenbach, RP. (2003). Determination of the surface sorption properties of talc, different salts, and clay minerals at various relative humidities using adsorption data of a diverse set of organic vapors. *Environ Toxicol Chem.* 22: 2667-2672.
- Goss, KU; Eisenreich, SJ. (1996). Adsorption of VOCs from the gas phase to different minerals and a mineral mixture. *Environ Sci Technol.* 30: 2135-2142.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gossett, JM. (2010). Sustained Aerobic Oxidation of Vinyl Chloride at Low Oxygen Concentrations. *Environ Sci Technol.* 44: 1405-1411. <http://dx.doi.org/10.1021/es9033974>.
- Gosu, V; Gurjar, BR, am; Surampalli, R, aoY; Zhang, TC. (2016). Treatment of pyridine-bearing wastewater by Nano Zero-valent iron supported on activated carbon derived from agricultural waste. *Desalination and Water Treatment.* 57: 6250-6260. <http://dx.doi.org/10.1080/19443994.2015.1005686>.
- Goswami, DY. (1997). A review of engineering developments of aqueous phase solar photocatalytic detoxification and disinfection processes. *J Sol Energ Eng.* 119: 101-107.
- Gosztony, G. (1991). CCITT WORK IN TELETRAFFIC ENGINEERING. *I E E E Journal on Selected Areas in Communications.* 9: 131-134.
- Gotoh, M; Hobara, T; Kobayashi, H; Okuda, M. (1998). Pollution due to trichloroacetic acid in clams (*Tapes japonica*) in an estuary adjacent to industrial areas. *Bull Environ Contam Toxicol.* 60: 74-80.
- Gotoh, Y; Iwata, G; Choh, K; Kubota, M; Matsuda, H. (2011). Trichloroethylene decomposition and in-situ dry sorption of Cl-products by calcium oxides prepared from hydrated limes. *Chemosphere.* 85: 637-642. <http://dx.doi.org/10.1016/j.chemosphere.2011.07.010>.
- Gotpagar, J; Grulke, E; Tsang, T; Bhattacharyya, D. (1997). Reductive dehalogenation of trichloroethylene using zero-valent iron. *Environmental Progress.* 16: 137-143.
- Gotpagar, J; Lyuksyutov, S; Cohn, R; Grulke, E; Bhattacharyya, D. (1999). Reductive dehalogenation of trichloroethylene with zero-valent iron: Surface profiling microscopy and rate enhancement studies. *Langmuir.* 15: 8412-8420.
- Gotpagar, JK; Grulke, EA; Bhattacharyya, D. (1998). Reductive dehalogenation of trichloroethylene: Kinetic models and experimental verification. *J Hazard Mater.* 62: 243-264.
- Govindan, M; Gopal, RA; Moon, I, IS. (2017). Efficient removal of gaseous trichloroethylene by continuous feed electro-scrubbing using a new homogeneous heterobimetallic electro-catalyst. *Chem Eng J.* 308: 1145-1153. <http://dx.doi.org/10.1016/j.cej.2016.09.137>.
- Gow, AS; Gow, AS. (2004). Microeconomic theory of chemical production processes: application to aqueous VOC air stripping operations. *Adv Environ Res.* 8: 267-285. [http://dx.doi.org/10.1016/S1093-0191\(02\)00134-X](http://dx.doi.org/10.1016/S1093-0191(02)00134-X).
- Goyal, A; Singh, M. (2007). Densities, viscosities and thermodynamic excess properties of ternary liquid mixtures of aniline plus acetone plus (benzene or plus toluene or plus carbon tetrachloride or plus 1,4-dioxane) and their constituent binaries at 298.15 K. *J Indian Chem Soc.* 84: 250-255.
- Graber, ER; Laor, Y; Ronen, D. (2008). Aquifer contamination by chlorinated-VOCs: the case of an urban metropolis megasite overlying the Coastal Plain aquifer in Israel. *Hydrogeology Journal.* 16: 1615-1623. <http://dx.doi.org/10.1007/s10040-008-0366-2>.
- Graber, ER; Sorek, A; Tsechansky, L; Atzmon, N. (2007). Competitive uptake of trichloroethene and 1,1,1-trichloroethane by *Eucalyptus camaldulensis* seedlings and wood. *Environ Sci Technol.* 41: 6704-6710. <http://dx.doi.org/10.1021/es0707431>.
- Graciano, VA; Pires, C, deS; Godinho Teixeira, SC; Ziolli, RL; Perez, DV. (2012). REMEDIATION OF OIL-CONTAMINATED SOIL BY CHEMICAL OXIDATION. *Revista Brasileira de Ciencia do Solo.* 36: 1656-1660.
- Gracy, S; Hort, C; Platel, V; Gidas, MB. (2006). Volatile Organic Compounds (VOCs) biofiltration with two packing materials. *Environ Technol.* 27: 1053-1061. <http://dx.doi.org/10.1080/09593332708618719>.
- Grafelman, DD; Meagher, MM. (1995). LIQUEFACTION OF STARCH BY A SINGLE-SCREW EXTRUDER AND POST-EXTRUSION STATIC-MIXER REACTOR. *Journal of Food Engineering.* 24: 529-542.
- Graham, DJ; Staffa, JA; Shatin, D; Andrade, SE; Schech, SD; La Grenade, L; Gurwitz, JH; Chan, KA; Goodman, MJ; Platt, R. (2004). Incidence of hospitalized rhabdomyolysis in patients treated with lipid-lowering drugs. *JAMA.* 292: 2585-2590. <http://dx.doi.org/10.1001/jama.292.21.2585>.
- Graham, DW; Chaudhary, JA; Hanson, RS; Arnold, RG. (1993). FACTORS AFFECTING COMPETITION BETWEEN TYPE-I AND TYPE-II METHANOTROPHS IN 2-ORGANISM, CONTINUOUS-FLOW REACTORS. *Microb Ecol.* 25: 1-17.
- Graham, N; Jiang, CC; Li, XZ; Jiang, JQ; Ma, J. (2004). The influence of pH on the degradation of phenol and chlorophenols by potassium ferrate. *Chemosphere.* 56: 949-956. <http://dx.doi.org/10.1016/j.chemosphere.2004.04.06>.
- Grajales-Mesa, SJ; Malina, G. (2016). Screening reactive materials for a permeable barrier to treat TCE-contaminated groundwater: laboratory studies. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5567-8>.
- Gramantieri, L; Melchiorri, C; Chieco, P; Gaiani, S; Stecca, B; Casali, A; Bolondi, L. (1996). Alteration of DNA ploidy and cell nuclearity in human hepatocellular carcinoma associated with HBV infection. *J Hepatol.* 25: 848-853. [http://dx.doi.org/10.1016/S0168-8278\(96\)80288-1](http://dx.doi.org/10.1016/S0168-8278(96)80288-1).
- Grant, GP; Kueper, BH. (2004). The influence of high initial concentration aqueous-phase TCE on the performance of iron wall systems. *J Contam Hydrol.* 74: 299-312. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.005>.
- Gras, R; Shellie, RA; Cortes, H; Luong, J. (2013). Multidimensional Gas Chromatography using Planar Microfluidic Devices for the Characterization of Chlorinated Degreasers in Marine Gas Oil. 26: 450-454.
- Grasl-Kraupp, B; Waldh r, T; Huber, W; Schulte-Hermann, R. (1993). Glutathione S-transferase isoenzyme patterns in different subtypes of enzyme-altered rat liver foci treated with the peroxisome proliferator nafenopin or with phenobarbital. *Carcinogenesis.* 14: 2407-2412. <http://dx.doi.org/10.1093/carcin/14.11.2407>.
- Grasso, D; Hoag, GE; Dudek, HM. (1994). CLOSED-LOOP RECOVERY OF SITE REMEDIATION GAS-PHASE CONTAMINANTS. *J Air Waste Manag Assoc.* 44: 983-988.
- Grathwohl, P; Reinhard, M. (1993). DESORPTION OF TRICHLOROETHYLENE IN AQUIFER MATERIAL - RATE LIMITATION AT THE GRAIN SCALE. *Environ Sci Technol.* 27: 2360-2366.
- Gratton, GB. (2001). The weightshift-controlled microlight aeroplane. *Institution of Mechanical Engineers Proceedings Part G: Journal of Aerospace Engineering.* 215: 147-154.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Grawé, J; Nüsse, M; Adler, ID. (1997). Quantitative and qualitative studies of micronucleus induction in mouse erythrocytes using flow cytometry: I: Measurement of micronucleus induction in peripheral blood polychromatic erythrocytes by chemicals with known and suspected genotoxicity. *Mutagenesis*. 12: 1-8. <http://dx.doi.org/10.1093/mutage/12.1.1>.
- Green, L; Lash, T. (1999). Re: "Renal cell cancer correlated with occupational exposure to trichloroethylene" [Letter]. *J Cancer Res Clin Oncol*. 125: 430-432. <http://dx.doi.org/10.1007/s004320050298>.
- Green, SM; Khan, MF; Kaphalia, BS; Ansari, GA. (2001). Immunohistochemical localization of trichloroacetylated protein adducts in tetrachloroethene-treated mice. *J Toxicol Environ Health A*. 63: 145-157. <http://dx.doi.org/10.1080/15287390151126487>.
- Green, T. (1997). Trichloroethylene induced cancer in animals and its relevance to humans. *J Occup Health*. 39: 261-273.
- Green, T. (2000). Pulmonary toxicity and carcinogenicity of trichloroethylene: Species differences and modes of action [Review]. *Environ Health Perspect*. 108: 261-264.
- Green, T. (2001). Trichloroethylene and Human Cancer. *Hum Ecol Risk Assess*. 7: 677-685.
- Green, T. (2003). The concentrations of trichloroacetic acid in blood following administration of trichloroacetic acid in drinking water. Cheshire, UK: Central Toxicology Laboratory.
- Green, T. (2003). Trichloroacetic acid: Drinking water study in male and female B6C3F1, male PPARalpha knockout and male 129/sv wild type mice. (CTL/024741). Cheshire, UK: Central Toxicology Laboratory.
- Green, T; Odum, J; Nash, JA; Foster, JR. (1990). Perchloroethylene-induced rat kidney tumors: An investigation of the mechanisms involved and their relevance to humans. *Toxicol Appl Pharmacol*. 103: 77-89. [http://dx.doi.org/10.1016/0041-008X\(90\)90264-U](http://dx.doi.org/10.1016/0041-008X(90)90264-U).
- Greene, AK; Wiener, S; Puder, M; Yoshida, A; Shi, B; Perez-Atayde, AR; Efstathiou, JA; Holmgren, L; Adamis, AP; Rupnick, M; Folkman, J; O'Reilly, MS. (2003). Endothelial-directed hepatic regeneration after partial hepatectomy. *Ann Surg*. 237: 530-535. <http://dx.doi.org/10.1097/01.SLA.0000059986.96051.EA>.
- Greene, HL; Prakash, DS; Athota, KV. (1996). Combined sorbent catalyst media for destruction of halogenated VOCs. *Appl Catal B-Environ*. 7: 213-224.
- Greenland, S. (1992). A semi-Bayes approach to the analysis of correlated multiple associations, with an application to an occupational cancer-mortality study. *Stat Med*. 11: 219-230. <http://dx.doi.org/10.1002/sim.4780110208>.
- Greenland, S. (2004). Model-based estimation of relative risks and other epidemiologic measures in studies of common outcomes and in case-control studies [Review]. *Am J Epidemiol*. 160: 301-305. <http://dx.doi.org/10.1093/aje/kwh221>.
- Greenlee, LF; Hooker, SA. (2012). Development of stabilized zero valent iron nanoparticles. *Desalination and Water Treatment*. 37: 114-121. <http://dx.doi.org/10.5004/dwt.2012.2526>.
- Greenlee, LF; Torrey, JD; Amaro, RL; Shaw, JM. (2012). Kinetics of Zero Valent Iron Nanoparticle Oxidation in Oxygenated Water. *Environ Sci Technol*. 46: 12913-12920. <http://dx.doi.org/10.1021/es303037k>.
- Greim, H; Bonse, G; Radwan, Z; Reichert, D; Henschler, D. (1975). Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol*. 24: 2013-2017. [http://dx.doi.org/10.1016/0006-2952\(75\)90396-2](http://dx.doi.org/10.1016/0006-2952(75)90396-2).
- Greim, H; Wolff, T; Höfler, M; Lahaniatis, E. (1984). Formation of dichloroacetylene from trichloroethylene in the presence of alkaline material--possible cause of intoxication after abundant use of chloroethylene-containing solvents. *Arch Toxicol*. 56: 74-77.
- Greten, FR; Eckmann, L; Greten, TF; Park, JM; Li, ZW; Egan, LJ; Kagnoff, MF; Karin, M. (2004). IKKbeta links inflammation and tumorigenesis in a mouse model of colitis-associated cancer. *Cell*. 118: 285-296. <http://dx.doi.org/10.1016/j.cell.2004.07.013>.
- Grewal, J; Bhattacharya, A; Kumar, S; Singh, DK; Khare, SK. (2016). Biodegradation of 1,1,1-trichloro-2,2-bis(4-chlorophenyl) ethane (DDT) by using *Serratia marcescens* NCIM 2919. *J Environ Sci Health B*. 51: 809-816. <http://dx.doi.org/10.1080/03601234.2016.1208455>.
- Grieger, KD; Fjordbøge, A; Hartmann, NB; Eriksson, E; Bjerg, PL; Baun, A. (2010). Environmental benefits and risks of zero-valent iron nanoparticles (nZVI) for in situ remediation: risk mitigation or trade-off? *J Contam Hydrol*. 118: 165-183. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.011>.
- Griffin, BM; Tiedje, JM. (2007). Microbial reductive dehalogenation in Antarctic melt pond sediments. *Antarct Sci*. 19: 411-416. <http://dx.doi.org/10.1017/S0954102007000570>.
- Griffin, BM; Tiedje, JM; Löffler, FE. (2004). Anaerobic microbial reductive dechlorination of tetrachloroethene to predominately trans-1,2-dichloroethene. *Environ Sci Technol*. 38: 4300-4303. <http://dx.doi.org/10.1021/es035439g>.
- Grisdanurak, N; Chiarakorn, S; Wittayakun, J. (2003). Utilization of mesoporous molecular sieves synthesized from natural source rice husk silica to chlorinated volatile organic compounds (CVOs) adsorption. *Korean J Chem Eng*. 20: 950-955.
- Gross, LJ. (2007). Use of geostatistics to evaluate the monitoring well network of a TCE plume. *Int J Environ Pollut*. 29: 370-382.
- Groster, A; Chan, WW; Edwards, EA. (2009). 1,1,1-trichloroethane and 1,1-dichloroethane reductive dechlorination kinetics and co-contaminant effects in a *Dehalobacter*-containing mixed culture. *Environ Sci Technol*. 43: 6799-6807. <http://dx.doi.org/10.1021/es901038x>.
- Groves, C; Hayden, P; Lock, E; Schnellmann, R. (1993). Differential cellular effects in the toxicity of haloalkene and haloalkane cysteine conjugates to rabbit renal proximal tubules. *J Biochem Toxicol*. 8: 49-56. <http://dx.doi.org/10.1002/jbt.2570080108>.
- Groves, WA; Zellers, ET. (1996). Prototype Instrument Employing a Microsensor Array for the Analysis of Organic Vapors in Exhaled Breath. *Am Ind Hyg Assoc J*. 57: 1103-1108.
- Grubb, DG; Sitar, N. (1999). Mobilization of trichloroethene (TCE) during ethanol flooding in uniform and layered sand packs under confined conditions. *Water Resour Res*. 35: 3275-3289.
- Grubb, DT; Li, ZF. (1994). SINGLE-FIBER POLYMER COMPOSITES .2. RESIDUAL-STRESSES AND THEIR EFFECTS IN HIGH-MODULUS POLYETHYLENE FIBER COMPOSITES. *Journal of Materials Science*. 29: 203-212.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gryzenia, J; Cassidy, D; Hampton, D. (2009). Production and accumulation of surfactants during the chemical oxidation of PAH in soil. *Chemosphere*. 77: 540-545. <http://dx.doi.org/10.1016/j.chemosphere.2009.07.012>.
- Grzechulska-Damszel, J; Grzeskowiak, M; Przepiorski, J; Morawski, AW. (2014). Photocatalytic Decomposition of low-concentrated Trichloroethylene and Tetrachloroethylene in Water. *International Journal of Environmental Research*. 8: 347-352.
- Gu, BH; Siegrist, RL. (1997). Dehalogenation of chlorinated organic compounds by strong alkalis. *J Environ Eng*. 123: 982-987.
- Gu, BH; West, OR; Siegrist, RL. (1995). USING C-14-LABELED RADIOCHEMICALS CAN CAUSE EXPERIMENTAL ERROR IN STUDIES OF THE BEHAVIOR OF VOLATILE ORGANIC-COMPOUNDS. *Environ Sci Technol*. 29: 1210-1214.
- Gu, X; Lu, S; Guo, X; Sima, J; Qiu, Z; Sui, Q. (2015). Oxidation and reduction performance of 1,1,1-trichloroethane in aqueous solution by means of a combination of persulfate and zero-valent iron. *RSC Advances*. 5: 60849-60856. <http://dx.doi.org/10.1039/c5ra07655b>.
- Gu, X; Lu, S; Li, L, in; Qiu, Z; Sui, Q; Lin, K; Luo, Q. (2011). Oxidation of 1,1,1-Trichloroethane Stimulated by Thermally Activated Persulfate. *Ind Eng Chem Res*. 50: 11029-11036. <http://dx.doi.org/10.1021/ie201059x>.
- Gualandi, G. (1987). Use of alpha- and beta-tubulin mutants for the study of spontaneous and induced chromosomal mis-distribution in *Aspergillus nidulans*. *Mutat Res-Fundam Mol Mech Mutagen*. 178: 33-41. [http://dx.doi.org/10.1016/0027-5107\(87\)90083-2](http://dx.doi.org/10.1016/0027-5107(87)90083-2).
- Guan, X; Liu, F, ei; Xie, Y; Zhu, L; Han, B, in. (2013). Microbiota associated with the migration and transformation of chlorinated aliphatic hydrocarbons in groundwater. *Environ Geochem Health*. 35: 535-549. <http://dx.doi.org/10.1007/s10653-013-9513-3>.
- Guay, D; Divigalpitiya, WMR; Belanger, D; Feng, XH. (1994). CHEMICAL BONDING IN RESTACKED SINGLE-LAYER MOS(2) BY X-RAY-ABSORPTION SPECTROSCOPY. *Chem Mater*. 6: 614-619.
- Guberan, E. (1977). Proposed biological threshold limit values for industrial exposure to trichloroethylene vapor. *Scand J Work Environ Health*. 3: 80-90.
- Gudena, K; Rangaiah, GP; Lakshminarayanan, S. (2012). Optimal Design of a Rotating Packed Bed for VOC Stripping from Contaminated Groundwater. *Ind Eng Chem Res*. 51: 835-847. <http://dx.doi.org/10.1021/ie201218w>.
- Guengerich, FP; Crawford, WM, Jr; Watanabe, PG. (1979). Activation of vinyl chloride to covalently bound metabolites: roles of 2-chloroethylene oxide and 2-chloroacetaldehyde. *Biochemistry*. 18: 5177-5182. <http://dx.doi.org/10.1021/bi00590a023>.
- Guerrero-Barajas, C; Garibay-Orijel, C; Rosas-Rocha, LE. (2011). Sulfate reduction and trichloroethylene biodegradation by a marine microbial community from hydrothermal vents sediments. *Int Biodeterior Biodegradation*. 65: 116-123. <http://dx.doi.org/10.1016/j.ibiod.2010.10.004>.
- Guerrero-Barajas, C; Ordaz, A; Garibay-Orijel, C; Montserrat Garcia-Solares, S; Bastida-Gonzalez, F; Berenice Zarate-Segura, P. (2014). Enhanced sulfate reduction and trichloroethylene (TCE) biodegradation in a UASB reactor operated with a sludge developed from hydrothermal vents sediments: Process and microbial ecology. *Int Biodeterior Biodegradation*. 94: 182-191. <http://dx.doi.org/10.1016/j.ibiod.2014.07.015>.
- Guerrero-Bosagna, CM; Skinner, MK. (2009). Epigenetic transgenerational effects of endocrine disruptors on male reproduction [Review]. *Seminars in Reproductive Medicine*. 27: 403-408. <http://dx.doi.org/10.1055/s-0029-1237428>.
- Guha, AK; Shanbhag, PV; Sirkar, KK; Vaccari, DA; Trivedi, DH. (1995). MULTIPHASE OZONOLYSIS OF ORGANICS IN WASTE-WATER BY A NOVEL MEMBRANE REACTOR. *AIChE J*. 41: 1998-2012.
- Gui, J; Chen, Z; Zhang, Y; Zhang, L, i; Liu, F, ei. (2015). Novel Approach to Stable Chlorine Isotope Analysis using Gas Chromatography-Negative Chemical Ionization Mass Spectrometry. *Anal Lett*. 48: 605-616. <http://dx.doi.org/10.1080/00032719.2014.954122>.
- Gui, L; Gillham, RW. (2003). Preparation and regeneration of nickel-iron for reduction of organic contaminants. *ACS Symp Ser Am Chem Soc*. 837: 206-216.
- Gui, M; Papp, JK; Colburn, AS; Meeks, ND; Weaver, B; Wilf, I; Bhattacharyya, D. (2015). Engineered iron/iron oxide functionalized membranes for selenium and other toxic metal removal from power plant scrubber water. *J Memb Sci*. 488: 79-91. <http://dx.doi.org/10.1016/j.memsci.2015.03.089>.
- Gui, M; Smuleac, V; Ormsbee, LE; Sedlak, DL; Bhattacharyya, D. (2012). Iron oxide nanoparticle synthesis in aqueous and membrane systems for oxidative degradation of trichloroethylene from water. *J Nanopart Res*. 14: 1-16. <http://dx.doi.org/10.1007/s11051-012-0861-1>.
- Guiguer, N. (1991). NUMERICAL MODELING OF THE FATE OF RESIDUAL IMMISCIBLE FLUIDS IN SATURATED POROUS-MEDIA. *Water Sci Technol*. 24: 261-270.
- Guilbeault, MA; Parker, BL; Cherry, JA. (2005). Mass and flux distributions from DNAPL zones in sandy aquifers. *Ground Water*. 43: 70-86.
- Guillemot, A; Mijoin, J; Mignard, S; Magnoux, P. (2007). Volatile organic compounds (VOCs) removal over dual functional adsorbent/catalyst system. *Appl Catal B-Environ*. 75: 249-255. <http://dx.doi.org/10.1016/j.apcatb.2007.04.020>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Mode of zeolite catalysts deactivation during chlorinated VOCs oxidation. *Appl Catal A-Gen*. 327: 211-217. <http://dx.doi.org/10.1016/j.apcata.2007.05.012>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2008). Adsorption of tetrachloroethylene (PCE) in gas phase on zeolites of faujasite type: Influence of water vapour and of Si/Al ratio. *Microporous and Mesoporous Materials*. 111: 334-342. <http://dx.doi.org/10.1016/j.micromeso.2007.08.035>.
- Guiot, SR; Cimpoia, R; Kuhn, R; Alaplantive, A. (2008). Electrolytic methanogenic - Methanotrophic coupling for tetrachloroethylene bioremediation: Proof of concept. *Environ Sci Technol*. 42: 3011-3017. <http://dx.doi.org/10.1021/es702121u>.
- Guiot, SR; Kuhn, R; Lévesque, MJ; Cimpoia, R. (2007). Ultrastructure of a bio-electrolytic methanogenic/methanotrophic granular biofilm for the complete degradation of tetrachloroethylene in contaminated groundwater. *Water Sci Technol*. 55: 465-471. <http://dx.doi.org/10.2166/wst.2007.292>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gulbag, A, li; Temurtas, F; Tasaltin, C; Oeztuerk, ZZ. (2007). A study on radial basis function neural network size reduction for quantitative identification of individual gas concentrations in their gas mixtures. *Sens Actuators B*. 124: 383-392. <http://dx.doi.org/10.1016/j.snb.2007.01.006>.
- Gulbag, A; Temurtas, F; Tasaltin, C; Ozturk, ZZ. (2009). A neural network implemented microcontroller system for quantitative classification of hazardous organic gases in the ambient air. *Int J Environ Pollut*. 36: 151. <http://dx.doi.org/10.1504/ijep.2009.021823>.
- Gullick, RW; Weber, WJ. (2001). Evaluation of shale and organoclays as sorbent additives for low-permeability soil containment barriers. *Environ Sci Technol*. 35: 1523-1530. <http://dx.doi.org/10.1021/es0015601>.
- Gunnagol, RM; Sharma, B; Rabinal, MK. (2016). Flexible contact stamp for electrical conductivity measurements of a soft matter. *Measurement*. 92: 224-229. <http://dx.doi.org/10.1016/j.measurement.2016.06.012>.
- Guo, H; Lee, SC; Chan, LY; Li, WM. (2004). Risk assessment of exposure to volatile organic compounds in different indoor environments. *Environ Res*. 94: 57-66. [http://dx.doi.org/10.1016/S0013-9351\(03\)00035-5](http://dx.doi.org/10.1016/S0013-9351(03)00035-5).
- Guo, Q; Ren, L. (2016). Hydrodechlorination of trichloroethylene over MoP/gamma-Al₂O₃ catalyst with high surface area. *Catalysis Today*. 264: 158-162. <http://dx.doi.org/10.1016/j.cattod.2015.09.019>.
- Guo, T; Bai, Z; Wu, C, an; Zhu, T, an. (2008). Influence of relative humidity on the photocatalytic oxidation (PCO) of toluene by TiO₂ loaded on activated carbon fibers: PCO rate and intermediates accumulation. *Appl Catal B-Environ*. 79: 171-178. <http://dx.doi.org/10.1016/j.apcatb.2007.09.033>.
- Guo, X; Minakata, D; Crittenden, J. (2015). On-the-Fly Kinetic Monte Carlo Simulation of Aqueous Phase Advanced Oxidation Processes. *Environ Sci Technol*. 49: 9230-9236. <http://dx.doi.org/10.1021/acs.est.5b02034>.
- Guo, X; Minakata, D; Niu, J; Crittenden, J. (2014). Computer-based first-principles kinetic modeling of degradation pathways and byproduct fates in aqueous-phase advanced oxidation processes. *Environ Sci Technol*. 48: 5718-5725. <http://dx.doi.org/10.1021/es500359g>.
- Guo, Y; Yadav, A; Karanfil, T. (2007). Approaches to mitigate the impact of dissolved organic matter on the adsorption of synthetic organic contaminants by porous carbonaceous sorbents. *Environ Sci Technol*. 41: 7888-7894.
- Guo, Y; Zhang, BZ; Meng, XZ; Yu, HY; Ran, Y; Li, SM; Zeng, EY. (2009). Occurrence and fate of 1-chloro-2,2-bis(4-chlorophenyl)ethene in the environment of the Pearl River Delta, South China. *Environ Sci Technol*. 43: 3073-3079. <http://dx.doi.org/10.1021/es803294w>.
- Gupta, H; Tanaka, S. (1995). PHOTOCATALYTIC MINERALISATION OF PERCHLOROETHYLENE USING TITANIUM DIOXIDE. *Water Sci Technol*. 31: 47-54.
- Gupta, R; Kulkarni, GU. (2013). Holistic method for evaluating large area transparent conducting electrodes. 5: 730-736. <http://dx.doi.org/10.1021/am302264a>.
- Gupta, R; Rao, KD; Kiruthika, S; Kulkarni, GU. (2016). Visibly Transparent Heaters. 8: 12559-12575. <http://dx.doi.org/10.1021/acsami.5b11026>.
- Gupta, S. (2000). Hepatic polyploidy and liver growth control [Review]. *Semin Cancer Biol*. 10: 161-171. <http://dx.doi.org/10.1006/scbi.2000.0317>.
- Gusmão, AD; de Campos, TM; Nobre, M; Vargas, E. (2004). Laboratory tests for reactive barrier design. *J Hazard Mater*. 110: 105-112. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.043>.
- Gutiérrez-Ortiz, JI; De Rivas, B; López-Fonseca, R; González-Velasco, J. R. (2006). Catalytic purification of waste-gases containing VOC mixtures with Ce/Zr solid solutions. *Appl Catal B-Environ*. 65: 191-200. <http://dx.doi.org/10.1016/j.apcatb.2006.02.001>.
- Gutierrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2004). Combustion of aliphatic C-2 chlorohydrocarbons over ceria-zirconia mixed oxides catalysts. *Appl Catal A-Gen*. 269: 147-155. <http://dx.doi.org/10.1016/j.apcata.2004.04.014>.
- Gutierrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2005). Effect of the presence of n-hexane on the catalytic combustion of chlororganics over ceria-zirconia mixed oxides. *Catalysis Today*. 107-08: 933-941. <http://dx.doi.org/10.1016/j.cattod.2005.07.045>.
- Gutiérrez-Ortiz, JI; de Rivas, B; López-Fonseca, R; Martín, S; González-Velasco, JR. (2007). Structure of Mn-Zr mixed oxides catalysts and their catalytic performance in the gas-phase oxidation of chlorocarbons. *Chemosphere*. 68: 1004-1012. <http://dx.doi.org/10.1016/j.chemosphere.2007.02.025>.
- Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Aurrekoetxea, U; Gonzalez-Velasco, JR. (2003). Low-temperature deep oxidation of dichloromethane and trichloroethylene by H-ZSM-5-supported manganese oxide catalysts. *J Catal*. 218: 148-154. [http://dx.doi.org/10.1016/S0021-9517\(03\)00142-8](http://dx.doi.org/10.1016/S0021-9517(03)00142-8).
- Guvenc, E; Ahunbay, MG. (2012). Adsorption of Methyl Tertiary Butyl Ether and Trichloroethylene in MFI-Type Zeolites. *J Phys Chem C*. 116: 21836-21843. <http://dx.doi.org/10.1021/jp3067052>.
- Guyton, KZ; Barone, S; Brown, RC; Euling, SY; Jinot, J; Makris, S. (2008). Mode of action frameworks: a critical analysis. *J Toxicol Environ Health B Crit Rev*. 11: 16-31. <http://dx.doi.org/10.1080/10937400701600321>.
- Guzelian, PS; Henry, CJ; Olin, SS. (1992). Similarities and differences between children and adults: Implications for risk assessment. In PS Guzelian; CJ Henry; SS Olin (Eds.). Washington, DC: ILSI Press.
- Gvozdik, L; Valentova, J. (2007). Contaminant transport modelling in the vicinity of Bzenec water-withdrawal area. 55: 111-121.
- Gyorke, S; Terentyev, D. (2008). Modulation of ryanodine receptor by luminal calcium and accessory proteins in health and cardiac disease. *Cardiovasc Res*. 77: 245-255. <http://dx.doi.org/10.1093/cvr/cvm038>.
- Ha, C; Kim, N; Park, H; Kwon, S; Lee, HS; Hong, U, ij; Park, S; Kim, S; Kim, Y. (2011). Natural Gradient Drift Tests for Assessing the Feasibility of In Situ Aerobic Cometabolism of Trichloroethylene and Evaluating the Microbial Community Change. *Water Air Soil Pollut*. 219: 353-364. <http://dx.doi.org/10.1007/s11270-010-0712-6>.
- Haag, WR; Johnson, MD; Scofield, R. (1996). Direct photolysis of trichloroethene in air: Effect of cocontaminants, toxicity of products, and hydrothermal treatment of products. *Environ Sci Technol*. 30: 414-421.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Haas, JE; Trego, DA. (2001). A field application of Hydrogen-Releasing Compound (HRC (TM)) for the enhanced bioremediation of Methyl Tertiary Butyl Ether (MTBE). *Int J Phytoremediation*. 10: 555-575.
- Haas, JR; Shock, EL. (1999). Halocarbons in the environment: Estimates of thermodynamic properties for aqueous chloroethylene species and their stabilities in natural settings. *Geochim Cosmo Acta*. 63: 3429-3441.
- Haasch, ML. (1996). Induction of anti-trout lauric acid hydroxylase immunoreactive proteins by peroxisome proliferators in bluegill and catfish. *Mar Environ Res*. 42: 287-291.
- Habib, GM; Barrios, R; Shi, ZZ; Lieberman, MW. (1996). Four distinct membrane-bound dipeptidase RNAs are differentially expressed and show discordant regulation with gamma-glutamyl transpeptidase. *J Biol Chem*. 271: 16273-16280.
- Hack, CE; Haber, LT; Maier, A; Shulte, P; Fowler, B; Lotz, WG; Savage, RE, Jr. (2010). A Bayesian Network Model for Biomarker-Based Dose Response. *Risk Anal*. 30: 1037-1051. <http://dx.doi.org/10.1111/j.1539-6924.2010.01413.x>.
- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *J Toxicol Environ Health A*. 61: 209-223. <http://dx.doi.org/10.1080/00984100050131350>.
- Haddad, S; Krishnan, K. (1998). Physiological modeling of toxicokinetic interactions: implications for mixture risk assessment [Review]. *Environ Health Perspect*. 106 Suppl 6: 1377-1384.
- Haddad, S; Tardif, G; Tardif, R. (2006). Development of physiologically based toxicokinetic models for improving the human indoor exposure assessment to water contaminants: trichloroethylene and trihalomethanes. *J Toxicol Environ Health A*. 69: 2095-2136. <http://dx.doi.org/10.1080/15287390600631789>.
- Hadidi, K; Cohn, DR; Vitale, S; Bromberg, L. (1999). Economic study of the tunable electron beam plasma reactor for volatile organic compound treatment. *J Air Waste Manag Assoc*. 49: 225-228.
- Hadjoudj, R; Monnier, H; Roizard, C; Fo, L. (2008). Measurements of diffusivity of chlorinated VOCs in heavy absorption solvents using a laminar falling film contactor. *Chemical Engineering and Processing: Process Intensification*. 47: 1478-1483. <http://dx.doi.org/10.1016/j.cep.2007.04.014>.
- Hadjoudj, R; Monnier, H; Roizard, C; Lapique, F. (2004). Absorption of chlorinated VOCs in high-boiling solvents: Determination of Henry's law constants and infinite dilution activity coefficients. *Ind Eng Chem Res*. 43: 2238-2246. <http://dx.doi.org/10.1021/ie0304006>.
- Haest, PJ; Philips, J; Springael, D; Smolders, E. (2011). The reactive transport of trichloroethene is influenced by residence time and microbial numbers. *J Contam Hydrol*. 119: 89-98. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.011>.
- Haest, PJ; Springael, D; Seuntjens, P; Smolders, E. (2012). Self-inhibition can limit biologically enhanced TCE dissolution from a TCE DNAPL. *Chemosphere*. 89: 1369-1375. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.097>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models. *Water Res*. 44: 331-339. <http://dx.doi.org/10.1016/j.watres.2009.09.033>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models (vol 44, pg 1, 2010). *Water Res*. 44: 2995-2995. <http://dx.doi.org/10.1016/j.watres.2010.01.031>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Modelling reactive CAH transport using batch experiment degradation kinetics. *Water Res*. 44: 2981-2989. <http://dx.doi.org/10.1016/j.watres.2010.02.031>.
- Hageman, KJ; Field, JA; Istok, JD; Semprini, L. (2004). Quantifying the effects of fumarate on in situ reductive dechlorination rates. *J Contam Hydrol*. 75: 281-296. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.002>.
- Hageman, KJ; Istok, JD; Field, JA; Buscheck, TE; Semprini, L. (2001). In situ anaerobic transformation of trichlorofluoroethene in trichloroethene contaminated groundwater (vol 35, pg 1729, 2001). *Environ Sci Technol*. 35: 2860-2860.
- Hageman, KJ; Istok, JD; Field, JA; Buscheck, TE; Semprini, L. (2001). In situ anaerobic transformation of trichlorofluoroethene in trichloroethene-contaminated groundwater. *Environ Sci Technol*. 35: 1729-1735.
- Hager, S; Bauer, R. (1999). Heterogeneous photocatalytic oxidation of organics for air purification by near UV irradiated titanium dioxide. *Chemosphere*. 38: 1549-1559.
- Hager, S; Bauer, R; Kudielka, G. (2000). Photocatalytic oxidation of gaseous chlorinated organics over titanium dioxide. *Chemosphere*. 41: 1219-1225.
- Haghofer, A; Sonström, P; Fenske, D; Föttinger, K; Schwarz, S; Bernardi, J; Al-Shamery, K; Bäumer, M; Rupprechter, G. (2010). Colloidally prepared Pt nanowires versus impregnated Pt nanoparticles: comparison of adsorption and reaction properties. *Langmuir*. 26: 16330-16338. <http://dx.doi.org/10.1021/la1015912>.
- Hahn, T; Diamond, J; Dobson, S; Howe, P; Kielhorn, J; Koennecker, G; Lee-Steere, C; Mangelsdorf, I; Schneider, U; Sugaya, Y; Taylor, K; Van Dam, R; Stauber, JL. (2014). Predicted no effect concentration (PNEC) derivation as a significant source of variability in environmental hazard assessments of chemicals in aquatic systems: An international analysis. *Integr Environ Assess Manag*. 10: 30-36. <http://dx.doi.org/10.1002/ieam.1473>.
- Hahn, W; Boshta, M; Barner, K; Braunstein, R. (2006). The charge transport properties of a-Si : H thin films under hydrostatic pressure. *Mater Sci Eng B*. 130: 184-188. <http://dx.doi.org/10.1016/j.mseb.2006.03.007>.
- Hai-jun, L; Hua, Q; Lan-ying, Z; Na, L; Bo-lin, Z. (2013). Trichloroethylene dechlorination by copper-contained zero-valent iron slurry. *Chem Res Chin Univ*. 29: 1173-1179. <http://dx.doi.org/10.1007/s40242-013-3165-9>.
- HaiTao, S; Qi, Y; Yang, Z. (2011). Kinetic Models of Dichloroethylene Biodegradation by Two Strains of Aerobic Bacteria. *Biomed Environ Sci*. 24: 261-267. <http://dx.doi.org/10.3967/0895-3988.2011.03.009>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hajaghazadeh, M; Kakooei, H; Dashliborun, AM; Sotudeh-Gharebagh, R; Golbabaie, F; Foroushani, AR; Afshar, S. (2013). PHOTOCATALYTIC DEGRADATION OF METHYL ETHYL KETONE IN A FLUIDIZED BED REACTOR: A FACTORIAL DESIGN ANALYSIS. *Fresen Environ Bull.* 22: 1719-1726.
- Hakkola, J; Pasanen, M; Hukkanen, J; Pelkonen, O; Maenpaa, J; Edwards, RJ; Boobis, AR; Raunio, H. (1996). Expression of xenobiotic-metabolizing cytochrome P450 forms in human full-term placenta. *Biochem Pharmacol.* 51: 403-411. [http://dx.doi.org/10.1016/0006-2952\(95\)02184-1](http://dx.doi.org/10.1016/0006-2952(95)02184-1).
- Hakkola, J; Pelkonen, O; Pasanen, M; Raunio, H. (1998). Xenobiotic-metabolizing cytochrome P450 enzymes in the human feto-placental unit: Role in intrauterine toxicity [Review]. *Crit Rev Toxicol.* 28: 35-72. <http://dx.doi.org/10.1080/10408449891344173>.
- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol.* 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Hakkola, J; Tanaka, E; Pelkonen, O. (1998). Developmental expression of cytochrome P450 enzymes in human liver [Review]. *Pharmacol Toxicol.* 82: 209-217. <http://dx.doi.org/10.1111/j.1600-0773.1998.tb01427.x>.
- Hakoda, T; Arai, H; Hashimoto, S. (2001). The real-time gas mass filter system for the analysis of products from trichloroethylene-air mixture during electron beam irradiation. *J Chem Eng Jpn.* 34: 1300-1308.
- Hakoda, T; Chowdhury, MAZ; Shimada, A; Hirota, K. (2009). Oxidation of Dimethyl Sulfide in Air Using Electron-Beam Irradiation, and Enhancement of its Oxidation Via an MnO₂ Catalyst. *Plasma Chemistry and Plasma Processing.* 29: 549-557. <http://dx.doi.org/10.1007/s11090-009-9194-y>.
- Hakoda, T; Shimada, A; Matsumoto, K; Hirota, K. (2009). Determination of the Number of OH Radicals in EB-Irradiated Humid Gases Using Oxidation of CO. *Plasma Chemistry and Plasma Processing.* 29: 69-78. <http://dx.doi.org/10.1007/s11090-008-9162-y>.
- Halasz, J; Imre, B; Hannus, I. (2004). IR spectroscopic investigation of hydrodechlorination on Pt-containing zeolites. *Appl Catal A-Gen.* 271: 47-53. <http://dx.doi.org/10.1016/j.apcata.2004.02.045>.
- Halden, K; Chase, HA. (1991). METHANOTROPHS FOR CLEANUP OF POLLUTED AQUIFERS. *Water Sci Technol.* 24: 9-17.
- Halihan, T; Albano, J; Comfort, SD; Zlotnik, VA. (2012). Electrical Resistivity Imaging of a Permanganate Injection During In Situ Treatment of RDX-Contaminated Groundwater. *Ground Water Monitoring and Remediation.* 32: 43-52. <http://dx.doi.org/10.1111/j.1745-6592.2011.01361.x>.
- Hamada, T; Tanaka, H. (1995). Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut.* 87: 313-318. [http://dx.doi.org/10.1016/0269-7491\(94\)P4163-I](http://dx.doi.org/10.1016/0269-7491(94)P4163-I).
- Hamelink, JL; Simon, PB; Silberhorn, EM. (1996). Henry's law constant, volatilization rate, and aquatic half-life of octamethylcyclotetrasiloxane. *Environ Sci Technol.* 30: 1946-1952.
- Hamid, S; Amin, MT; Alazba, AA; Ii, Manzoor, U. (2014). Simultaneous Degradation of Trichloroethylene and Toluene by *Burkholderia cepacia* G4 and the Effect of Biotransformation on Bacterial Density. *CLEAN - Soil, Air, Water.* 42: 998-1003. <http://dx.doi.org/10.1002/clen.201300201>.
- Hamid, S; Amin, MT; Alazba, AA; Manzoor, U; Amin, MN. (2014). Cometabolic Degradation Kinetics of Trichloroethylene Based on Toluene Enhancement by Encapsulated *Burkholderia cepacia* G4. *CLEAN - Soil, Air, Water.* 42: 1642-1649. <http://dx.doi.org/10.1002/clen.201300725>.
- Hamid, S; Bae, W; Kim, S; Amin, MT. (2014). Enhancing co-metabolic degradation of trichloroethylene with toluene using *Burkholderia vietnamiensis* G4 encapsulated in polyethylene glycol polymer. *Environ Technol.* 35: 1470-1477. <http://dx.doi.org/10.1080/09593330.2013.871045>.
- Hamill, NA; Hardacre, C; Barth, JAC; Kalin, RM; Cunningham, JF. (2001). Gas-phase photocatalytic oxidation of dichlorobutenes. *Environ Sci Technol.* 35: 2823-2827. <http://dx.doi.org/10.1021/es001939n>.
- Hamitouche, A; Bendjama, Z; Amrane, A; Kaouah, F. (2016). Biodegradation of p-cresol by *Pseudomonas* spp. *Desalination and Water Treatment.* 57: 3059-3064. <http://dx.doi.org/10.1080/19443994.2014.982956>.
- Hamm, AK; Carter, WH; Gennings, C. (2005). Analysis of an interaction threshold in a mixture of drugs and/or chemicals. *Stat Med.* 24: 2493-2507. <http://dx.doi.org/10.1002/sim.2110>.
- Hammer, CL; Small, GW; Combs, RJ; Knapp, RB; Kroutil, RT. (2000). Artificial neural networks for the automated detection of trichloroethylene by passive Fourier transform infrared spectrometry. *Anal Chem.* 72: 1680-1689.
- Hamon, M; Dickinson, N; Devineau, A; Bolien, D; Tranchant, MJ; Taillier, C; Jabin, I; Harrowven, DC; Whitby, RJ; Ganesan, A; Dalla, V. (2014). Intra- and intermolecular alkylation of N,O-acetals and π -activated alcohols catalyzed by in situ generated acid. *J Org Chem.* 79: 1900-1912. <http://dx.doi.org/10.1021/jo4015886>.
- Han, D; Wan, J; Ma, Y; Wang, Y, an; Li, Y; Li, D; Guan, Z. (2015). New insights into the role of organic chelating agents in Fe(II) activated persulfate processes. *Chem Eng J.* 269: 425-433. <http://dx.doi.org/10.1016/j.cej.2015.01.106>.
- Han, J; Xin, J; Zheng, X; Kolditz, O; Shao, H. (2016). Remediation of trichloroethylene-contaminated groundwater by three modifier-coated microscale zero-valent iron. *Environ Sci Pollut Res Int.* 23: 14442-14450. <http://dx.doi.org/10.1007/s11356-016-6368-z>.
- Han, K; Hong, U; Park, S; Lee, G; Kwon, S; Kim, Y. (2016). Long-term monitoring and evaluating biological activity of in situ anaerobic reductive dechlorination at a highly recharged and TCE-contaminated aquifer. *Desalination and Water Treatment.* 57: 24085-24095. <http://dx.doi.org/10.1080/19443994.2016.1153903>.
- Han, SB; Oda, T; Ono, R. (2005). Improvement of the energy efficiency in the decomposition of dilute trichloroethylene by the barrier discharge plasma process. *I E E E Transactions on Industry Applications.* 41: 1343-1349. <http://dx.doi.org/10.1109/TIA.2005.855046>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Han, TS; Sasaki, S; Yano, K; Ikebukuro, K; Kitayama, A; Nagamune, T; Karube, I. (2002). Flow injection microbial trichloroethylene sensor. *Talanta*. 57: 271-276.
- Han, X; Balakrishnan, VK; Buncel, E. (2007). Alkaline degradation of the organophosphorus pesticide fenitrothion as mediated by cationic C12, C14, C16, and C18 surfactants. *Langmuir*. 23: 6519-6525. <http://dx.doi.org/10.1021/la063521u>.
- Han, Y; Hyun, S; Jeong, HY; Hayes, K. (2012). Kinetic study of cis-dichloroethylene (cis-DCE) and vinyl chloride (VC) dechlorination using green rusts formed under varying conditions. *Water Res*. 46: 6339-6350. <http://dx.doi.org/10.1016/j.watres.2012.08.041>.
- Han, Y; Liu, C; Horita, J; Yan, W. (2016). Trichloroethene hydrodechlorination by Pd-Fe bimetallic nanoparticles: Solute-induced catalyst deactivation analyzed by carbon isotope fractionation. *Appl Catal B-Environ*. 188: 77-86. <http://dx.doi.org/10.1016/j.apcatb.2016.01.047>.
- Han, Y; Yan, W. (2014). Bimetallic nickel-iron nanoparticles for groundwater decontamination: effect of groundwater constituents on surface deactivation. *Water Res*. 66: 149-159. <http://dx.doi.org/10.1016/j.watres.2014.08.001>.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environ Sci Technol*. 50: 12992-13001. <http://dx.doi.org/10.1021/acs.est.6b03997>.
- Han, Y; Yang, MDY; Zhang, W; Yan, W. (2015). Optimizing synthesis conditions of nanoscale zero-valent iron (nZVI) through aqueous reactivity assessment. 9: 813-822. <http://dx.doi.org/10.1007/s11783-015-0784-z>.
- Han, YL; Kuo, M; Tseng, IC; Lu, CJ. (2007). Semicontinuous microcosm study of aerobic cometabolism of trichloroethylene using toluene. *J Hazard Mater*. 148: 583-591. <http://dx.doi.org/10.1016/j.jhazmat.2007.03.013>.
- Hanahan, D; Weinberg, RA. (2000). The hallmarks of cancer [Review]. *Cell*. 100: 57-70. [http://dx.doi.org/10.1016/S0092-8674\(00\)81683-9](http://dx.doi.org/10.1016/S0092-8674(00)81683-9).
- Hand, DW; Herlevich J A, J. R.; Perram, DL; Crittenden, JC. (1994). SYNTHETIC ADSORBENT VERSUS GAC FOR TCE REMOVAL (pp. 64-72). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/95/02023). Hand, DW; Herlevich J A, JR; Perram, DL; Crittenden, JC.
- Hand, S; Wang, B; Chu, KH. (2015). Biodegradation of 1,4-dioxane: effects of enzyme inducers and trichloroethylene. *Sci Total Environ*. 520: 154-159. <http://dx.doi.org/10.1016/j.scitotenv.2015.03.031>.
- Handal, AJ; Hund, L; Páez, M; Bear, S; Greenberg, C; Fenske, RA; Barr, DB. (2016). Characterization of Pesticide Exposure in a Sample of Pregnant Women in Ecuador. *Arch Environ Contam Toxicol*. 70: 627-639. <http://dx.doi.org/10.1007/s00244-015-0217-9>.
- Haney, JT, Jr. (2016). Historical drinking water contamination at Camp Lejeune: Regulatory risk assessor and personal perspectives. *Hum Ecol Risk Assess*. 22: 1029-1035. <http://dx.doi.org/10.1080/10807039.2015.1129890>.
- Hanioka, N; Jinno, H; Toyo'oka, T; Nishimura, T; Ando, M. (1995). Induction of rat liver drug-metabolizing enzymes by tetrachloroethylene. *Arch Environ Contam Toxicol*. 28: 273-280. <http://dx.doi.org/10.1007/BF00213102>.
- Hanioka, N; Omae, E; Yoda, R; Jinno, H; Nishimura, T; Ando, M. (1997). Effect of trichloroethylene on cytochrome P450 enzymes in the rat liver. *Bull Environ Contam Toxicol*. 58: 628-635.
- Hannus, I; Fozo, M; Halasz, J; Tasi, G. (2005). Theoretical and experimental study of hydrodechlorination reactions on Pt- and Pd-containing zeolites. *Stud Surf Sci Catal*. 158: 1803-1810.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), ACS Professional Reference Book. Washington, DC: American Chemical Society.
- Hansen, FK; Fagerheim, H. (1998). The influence of oil phase on the adsorption of non-ionic surfactants investigated by the automatic sessile drop method. *Colloid Surface Physicochem Eng Aspect*. 137: 217-230.
- HANUMANT.G; Subbarao, BV. (1974). ISOBARIC VAPOR-LIQUID-EQUILIBRIA - CHLOROFORM-ISOPROPANOL, TERTIARY BUTANOL-TOLUENE AND TERTIARY BUTANOL-TRICHLOROETHYLENE SYSTEMS. 12: 292-295.
- Hao, OJ; Kim, MH; Seagren, EA; Kim, H. (2002). Kinetics of phenol and chlorophenol utilization by *Acinetobacter* species. *Chemosphere*. 46: 797-807.
- Hara, J; Ito, H; Suto, K; Inoue, C; Chida, T. (2005). Kinetics of trichloroethene dechlorination with iron powder. *Water Res*. 39: 1165-1173. <http://dx.doi.org/10.1016/j.watres.2004.12.011>.
- Harabuchi, I; Kishi, R; Ikeda, T; Kiyosawa, H; Miyake, H. (1993). Circadian variations of acute toxicity and blood and brain concentrations of inhaled toluene in rats. *Occup Environ Med*. 50: 280-286.
- Harada, N; Matsuyama, T; Yamamoto, H. (2007). Decomposition of volatile organic compounds by a novel electrode system integrating ceramic filter and SPCP method. *Journal of Electrostatics*. 65: 43-53. <http://dx.doi.org/10.1016/j.elstat.2006.01.008>.
- Harbec, D; Meunier, JL. (2011). Growth of carbon nanotubes above the peritectic temperature of tungsten metal catalyst. *Carbon*. 49: 2206-2215. <http://dx.doi.org/10.1016/j.carbon.2011.01.050>.
- Harbec, D; Meunier, JL; Guo, L; Jureidini, J. (2007). A parametric study of carbon nanotubes production from tetrachloroethylene using a supersonic thermal plasma jet. *Carbon*. 45: 2054-2064. <http://dx.doi.org/10.1016/j.carbon.2007.05.025>.
- Hardell, L; Eriksson, M; Degerman, A. (1994). Exposure to phenoxyacetic acids, chlorophenols, or organic solvents in relation to histopathology, stage, and anatomical localization of non-Hodgkin's lymphoma. *Cancer Res*. 54: 2386-2389.
- Hardin, BD; Kelman, BJ; Brent, RL. (2004). Trichloroethylene and cardiac malformations [Letter]. *Environ Health Perspect*. 112: A607-A608.
- Harding, KC; Lee, PK; Bill, M; Buscheck, TE; Conrad, ME; Alvarez-Cohen, L. (2013). Effects of varying growth conditions on stable carbon isotope fractionation of trichloroethene (TCE) by tceA-containing *Dehalococcoides mccartyi* strains. *Environ Sci Technol*. 47: 12342-12350. <http://dx.doi.org/10.1021/es402617q>.
- Harding-Marjanovic, KC; Yi, S; Weathers, TS; Sharp, JO; Sedlak, DL; Alvarez-Cohen, L. (2016). Effects of Aqueous Film-Forming Foams (AFFFs) on Trichloroethene (TCE) Dechlorination by a *Dehalococcoides mccartyi*-Containing Microbial Community. *Environ Sci Technol*. 50: 3352-3361. <http://dx.doi.org/10.1021/acs.est.5b04773>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Harendra, S; Vipulanandan, C. (2008). Degradation of high concentrations of PCE solubilized in SDS and biosurfactant with Fe/Ni bi-metallic particles. *Colloid Surface Physicochem Eng Aspect*. 322: 6-13. <http://dx.doi.org/10.1016/j.colsurfa.2008.02.009>.
- Harendra, S; Vipulanandan, C. (2010). Kinetics and Reductive Degradation of Surfactant-Solubilized CCl₄ in Water Using Bimetallic Particles. *Ind Eng Chem Res*. 49: 8812-8820. <http://dx.doi.org/10.1021/ie1001372>.
- Harendra, S; Vipulanandan, C. (2011). Effects of Surfactants on Solubilization of Perchloroethylene (PCE) and Trichloroethylene (TCE). *Ind Eng Chem Res*. 50: 5831-5837. <http://dx.doi.org/10.1021/ie102589e>.
- Harendra, S; Vipulanandan, C. (2011). Fe/Ni Bimetallic Particles Transport in Columns Packed with Sandy Clay Soil. *Ind Eng Chem Res*. 50: 404-411. <http://dx.doi.org/10.1021/ie101546k>.
- Hari, T; Nakajo, K; Huang, LW; Kojima, Y; Ozawa, S; Matsuda, H. (2002). Influence of the coexistence gas and in-situ solid absorbent on the decomposition of covalent chlorides and fluorides by non-thermal plasma. *Kagaku Kogaku Ronbunshu*. 28: 522-527.
- Hariharan, C. (2006). Photocatalytic degradation of organic contaminants in water by ZnO nanoparticles: Revisited. *Appl Catal A-Gen*. 304: 55-61. <http://dx.doi.org/10.1016/j.apcata.2006.02.020>.
- Harkness, M; Fisher, A. (2013). Use of emulsified vegetable oil to support bioremediation of TCE DNAPL in soil columns. *J Contam Hydrol*. 151: 16-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.04.002>.
- Harkness, M; Fisher, A; Lee, MD; Mack, EE; Payne, JA; Dworatzek, S; Roberts, J; Acheson, C; Herrmann, R; Possolo, A. (2012). Use of statistical tools to evaluate the reductive dechlorination of high levels of TCE in microcosm studies. *J Contam Hydrol*. 131: 100-118. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.011>.
- Harmon, TC; Delabarre, BK; Roberts, PV. (1996). Estimating internal mass transfer rates in soils using scintillation fluid extraction. 6: 155-164.
- Harmon, TC; Roberts, PV. (1994). THE EFFECT OF EQUILIBRATION TIME ON DESORPTION RATE MEASUREMENTS WITH CHLORINATED ALKENES AND AQUIFER PARTICLES. *Environmental Progress*. 13: 1-8.
- Harmon, TC; Semprini, L; Roberts, PV. (1992). SIMULATING SOLUTE TRANSPORT USING LABORATORY-BASED SORPTION PARAMETERS. *J Environ Eng*. 118: 666-689.
- Harris, NL; Jaffe, ES; Diebold, J; Flandrin, G; Muller-Hermelink, HK; Vardiman, J. (2000). Lymphoma classification - from controversy to consensus: The R.E.A.L. and WHO Classification of lymphoid neoplasms [Review]. *Ann Oncol*. 11: 3-10. http://dx.doi.org/10.1093/annonc/11.suppl_1.S3.
- Harrold, G; Gooddy, DC; Lerner, DN; Leharne, SA. (2001). Wettability changes in trichloroethylene-contaminated sandstone. *Environ Sci Technol*. 35: 1504-1510. <http://dx.doi.org/10.1021/es0000504>.
- Harrold, G; Gooddy, DC; Reid, S; Lerner, DN; Leharne, SA. (2003). Changes in interfacial tension of chlorinated solvents following flow through UK soils and shallow aquifer material. *Environ Sci Technol*. 37: 1919-1925. <http://dx.doi.org/10.1021/es020117i>.
- Harrold, G; Lerner, DN; Leharne, SA. (2005). The impact of additives found in industrial formulations of TCE on the wettability of sandstone. *J Contam Hydrol*. 80: 1-17. <http://dx.doi.org/10.1016/j.jconhyd.2005.07.004>.
- Hasbach, A. (1999). Process destroys TCE in soil, groundwater. *Pollution Engineering*. 31: 55-55.
- Hasegawa, A; Yajima, I. (1991). DETERMINATION OF HALOCARBONS IN AIR BY USING ADSORBENT COLLECTION SOLVENT-EXTRACTION GC. *Bunseki Kagaku*. 40: 489-494.
- Hasegawa, Y; Tsusima, S; Noro, J; Kusakabe, S. (2006). Relationship between Lewis acidity of organic solvents and europium(III) extraction in a synergistic system. *Solvent Extraction and Ion Exchange*. 24: 663-676. <http://dx.doi.org/10.1080/07366290600760748>.
- Haselkorn, T; Whittemore, A; Udaltsova, N; Friedman, G. (2006). Short-term chloral hydrate administration and cancer in humans. *Drug Saf*. 29: 67-77.
- Haselmann, KF; Ketola, RA; Laternus, F; Lauritsen, FR; Gron, C. (2000). Occurrence and formation of chloroform at Danish forest sites. *Atmos Environ*. 34: 187-193.
- Haselmann, KF; Laternus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air Soil Pollut*. 139: 35-41.
- Haselmann, KF; Laternus, F; Svensmark, B; Gron, C. (2000). Formation of chloroform in spruce forest soil - results from laboratory incubation studies. *Chemosphere*. 41: 1769-1774.
- Haseman, JK; Huff, J; Boorman, GA. (1984). Use of historical control data in carcinogenicity studies in rodents. *Toxicol Pathol*. 12: 126-135. <http://dx.doi.org/10.1177/019262338401200203>.
- Hashimoto, K; Wasada, K; Toukai, N; Kominami, H; Kera, Y. (2000). Photocatalytic oxidation of nitrogen monoxide over titanium(IV) oxide nanocrystals large size areas. *J Photochem Photobiol A*. 136: 103-109.
- Hashimoto, S; Hakoda, T; Hirata, K; Arai, H. (2000). Low energy electron beam treatment of VOCs. *Radiat Phys Chem Oxf Engl* 1993. 57: 485-488.
- Hashmi, MZ; Qin, Z; Yao, X; Ahmed, Z; Xiaomei, S; Shen, C; Tang, X. (2016). PCBs attenuation and abundance of Dehalococcoides spp., bphC, CheA, and flic genes in typical polychlorinated biphenyl-polluted soil under floody and dry soil conditions. *Environ Sci Pollut Res Int*. 23: 3907-3913. <http://dx.doi.org/10.1007/s11356-015-5577-1>.
- Hasmall, SC; Roberts, RA. (2000). The nongenotoxic hepatocarcinogens diethylhexylphthalate and methylclofenapate induce DNA synthesis preferentially in octoploid rat hepatocytes. *Toxicol Pathol*. 28: 503-509. <http://dx.doi.org/10.1177/019262330002800401>.
- Hassall, C; Brendel, K; Gandolfi, A. (1983). Regulation of a S(trans-1,2-dichlorovinyl)-L-cysteine-induced renal tubular toxicity by glutathione. *J Appl Toxicol*. 3: 321-325.
- Hassan, MM; Frome, A; Patt, YZ; El-Serag, HB. (2002). Rising prevalence of hepatitis C virus infection among patients recently diagnosed with hepatocellular carcinoma in the United States. *J Clin Gastroenterol*. 35: 266-269.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hasson, AS; Smith, IWM. (1999). Chlorine atom initiated oxidation of chlorinated ethenes: Results for 1,1-dichloroethene ($\text{H}_2\text{C}=\text{CCl}_2$), 1,2-dichloroethene ($\text{HCIC}=\text{CClH}$), trichloroethene ($\text{HCIC}=\text{CCl}_2$), and tetrachloroethene ($\text{Cl}_2\text{C}=\text{CCl}_2$). *J Phys Chem A*. 103: 2031-2043.
- Hassoun, E; Cearfoss, J. (2014). Do antioxidant enzymes and glutathione play roles in the induction of hepatic oxidative stress in mice upon subchronic exposure to mixtures of dichloroacetate and trichloroacetate? *Toxicol Environ Chem*. 96: 482-490. <http://dx.doi.org/10.1080/02772248.2014.947988>.
- Hassoun, EA; Ray, S. (2003). The induction of oxidative stress and cellular death by the drinking water disinfection by-products, dichloroacetate and trichloroacetate in J774.A1 cells. *Comp Biochem Physiol C Toxicol Pharmacol*. 135: 119-128. [http://dx.doi.org/10.1016/S1532-0456\(03\)00082-6](http://dx.doi.org/10.1016/S1532-0456(03)00082-6).
- Haston, ZC; Mccarty, PL. (1999). Chlorinated ethene half-velocity coefficients (KS) for reductive dehalogenation. *Environ Sci Technol*. 33: 223-226.
- Hatch, GP; Williams, AJ; Mycock, GJ; Harris, IR. (1996). Upset forging of an as-cast Pr-Fe-B-Cu alloy in air. *Journal of Magnetism and Magnetic Materials*. 157: 69-70.
- Hattis, D; Ginsberg, G; Sonawane, B; Smolenski, S; Russ, A; Kozlak, M; Goble, R. (2003). Differences in pharmacokinetics between children and adults: II. Childrens variability in drug elimination half-lives and in some parameters needed for physiologically-based pharmacokinetic modeling. *Risk Anal*. 23: 117-142. <http://dx.doi.org/10.1111/1539-6924.00295>.
- Hatzinger, PB; Condee, C; Mcclay, KR; Paul Togna, A. (2011). Aerobic treatment of N-nitrosodimethylamine in a propane-fed membrane bioreactor. *Water Res*. 45: 254-262. <http://dx.doi.org/10.1016/j.watres.2010.07.056>.
- Hauser, B; Popp, P. (1999). Membrane extraction combined with thermodesorption/gas chromatography and mass selective detection for the analysis of volatile organic compounds in water. *HRC - Journal of High Resolution Chromatography*. 22: 205-212.
- Hauser, B; Popp, P. (2001). Combining membrane extraction with mobile gas chromatography for the field analysis of volatile organic compounds in contaminated waters. *J Chromatogr A*. 909: 3-12.
- Hawley, GG; Lewis, RJ, Sr. (2001). *Hawley's condensed chemical dictionary*. In GG Hawley; RJ Lewis, Sr. (Eds.), (14 ed.). New York, NY: John Wiley & Sons.
- Haworth, S; Lawlor, T; Mortelmans, K; Speck, W; Zeiger, E. (1983). Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen*. 5: 3-142. <http://dx.doi.org/10.1002/em.2860050703>.
- Haws, NW; Ball, WP; Bouwer, EJ. (2006). Modeling and interpreting bioavailability of organic contaminant mixtures in subsurface environments [Review]. *J Contam Hydrol*. 82: 255-292. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.005>.
- Haws, NW; Bouwer, EJ; Ball, WP. (2006). The influence of biogeochemical conditions and level of model complexity when simulating cometabolic biodegradation in sorbent-water systems. *Advances in Water Resources*. 29: 571-589. <http://dx.doi.org/10.1016/j.advwatres.2005.06.009>.
- Hayden, MS; Ghosh, S. (2004). Signaling to NF-kappaB [Review]. *Genes Dev*. 18: 2195-2224. <http://dx.doi.org/10.1101/gad.1228704>.
- Hayden, NJ; Diebold, J; Noyes, G. (1999). Phase behavior of chlorinated solvent plus water plus alcohol mixtures with application to alcohol flushing. *Journal of Chemical and Engineering Data*. 44: 1085-1090.
- Hays, T; Puspyn, I; Burns, AM; Kennett, MJ; Ward, JM; Gonzalez, FJ; Peters, JM. (2005). Role of peroxisome proliferator-activated receptor-alpha (PPARalpha) in bezafibrate-induced hepatocarcinogenesis and cholestasis. *Carcinogenesis*. 26: 219-227. <http://dx.doi.org/10.1093/carcin/bgh285>.
- He, D, i; Ma, X; Jones, AM; Ho, L, am; Waite, TD. (2016). Mechanistic and kinetic insights into the ligand-promoted depassivation of bimetallic zero-valent iron nanoparticles. 3: 737-744. <http://dx.doi.org/10.1039/c6en00071a>.
- He, F; Liu, J; Roberts, CB; Zhao, D. (2009). One-Step "Green" Synthesis of Pd Nanoparticles of Controlled Size and Their Catalytic Activity for Trichloroethene Hydrodechlorination. *Ind Eng Chem Res*. 48: 6550-6557. <http://dx.doi.org/10.1021/ie801962f>.
- He, F; Zhao, D. (2005). Preparation and characterization of a new class of starch-stabilized bimetallic nanoparticles for degradation of chlorinated hydrocarbons in water. *Environ Sci Technol*. 39: 3314-3320. <http://dx.doi.org/10.1021/es048743y>.
- He, F; Zhao, D. (2008). Hydrodechlorination of trichloroethene using stabilized Fe-Pd nanoparticles: Reaction mechanism and effects of stabilizers, catalysts and reaction conditions. *Appl Catal B-Environ*. 84: 533-540. <http://dx.doi.org/10.1016/j.apcatb.2008.05.008>.
- He, F; Zhao, D; Liu, J; Roberts, CB. (2007). Stabilization of Fe-Pd nanoparticles with sodium carboxymethyl cellulose for enhanced transport and dechlorination of trichloroethylene in soil and groundwater. *Ind Eng Chem Res*. 46: 29-34. <http://dx.doi.org/10.1021/ie0610896>.
- He, F; Zhao, D; Paul, C. (2010). Field assessment of carboxymethyl cellulose stabilized iron nanoparticles for in situ destruction of chlorinated solvents in source zones. *Water Res*. 44: 2360-2370. <http://dx.doi.org/10.1016/j.watres.2009.12.041>.
- He, JH; Arnold, RG; Saez, AE; Betterton, EA; Ela, WP. (2004). Removal of aqueous phase trichloroethylene using membrane air stripping contactors. *J Environ Eng*. 130: 1232-1241. [http://dx.doi.org/10.1016/\(ASCE\)0733-9372\(2004\)130:11\(1232\)](http://dx.doi.org/10.1016/(ASCE)0733-9372(2004)130:11(1232)).
- He, JH; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2004). Reductive dehalogenation of aqueous-phase chlorinated hydrocarbons in an electrochemical reactor. *Ind Eng Chem Res*. 43: 7965-7974. <http://dx.doi.org/10.1021/ie049568x>.
- He, JH; Saez, AE; Ela, WP; Betterton, EA; Arnold, RG. (2004). Destruction of aqueous-phase carbon tetrachloride in an electrochemical reactor with a porous cathode. *Ind Eng Chem Res*. 43: 913-923. <http://dx.doi.org/10.1021/ie030591c>.
- He, JZ; Sung, Y; Dollhopf, ME; Fathepure, BZ; Tiedje, JM; Löffler, FE. (2002). Acetate versus hydrogen as direct electron donors to stimulate the microbial reductive dechlorination process at chloroethene-contaminated sites. *Environ Sci Technol*. 36: 3945-3952. <http://dx.doi.org/10.1021/es025528d>.
- He, R; Su, Y; Kong, J. (2015). Characterization of trichloroethylene adsorption onto waste biocover soil in the presence of landfill gas. *J Hazard Mater*. 295: 185-192. <http://dx.doi.org/10.1016/j.jhazmat.2015.04.026>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- He, W; Jin, Z; Wang, J; Pan, Z. (2013). Decomposition of 1,1,1-trichloroethane in hot compressed water in anti-corrosive fused silica capillary reactor and Raman spectroscopic measurement of CO₂ product. *Chem Eng Sci.* 94: 185-191. <http://dx.doi.org/10.1016/j.ces.2013.02.031>.
- He, Y; Zeng, H; Kerans, C; Hardage, B, obA. (2015). Seismic chronostratigraphy at reservoir scale: Statistical modeling. 3: SN69-SN87. <http://dx.doi.org/10.1190/INT-2014-0136.1>.
- He, YT; Wilson, JT; Wilkin, RT. (2008). Transformation of reactive iron minerals in a permeable reactive barrier (biowall) used to treat TCE in groundwater. *Environ Sci Technol.* 42: 6690-6696. <http://dx.doi.org/10.1021/es8010354>.
- He, YT; Wilson, JT; Wilkin, RT. (2010). Impact of iron sulfide transformation on trichloroethylene degradation. *Geochim Cosmo Acta.* 74: 2025-2039. <http://dx.doi.org/10.1016/j.gca.2010.01.013>.
- He, Z; Yang, G; Lu, X; Zhang, H. (2013). Distributions and sea-to-air fluxes of chloroform, trichloroethylene, tetrachloroethylene, chlorodibromomethane and bromoform in the Yellow Sea and the East China Sea during spring. *Environ Pollut.* 177: 28-37. <http://dx.doi.org/10.1016/j.envpol.2013.02.008>.
- He, Z; Yang, G, uiP; Lu, XL, an; Ding, QY, ao; Zhang, HH, ai. (2013). Halocarbons in the marine atmosphere and surface seawater of the south Yellow Sea during spring. *Atmos Environ.* 80: 514-523. <http://dx.doi.org/10.1016/j.atmosenv.2013.08.025>.
- He, Z; Yang, GP; Lu, XL. (2013). Distributions and sea-to-air fluxes of volatile halocarbons in the East China Sea in early winter. *Chemosphere.* 90: 747-757. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.067>.
- He, Z; Zhan, L; Wang, Q; Song, S; Chen, J; Zhu, K; Xu, X; Liu, W. (2011). Increasing the activity and stability of chemi-deposited palladium catalysts on nickel foam substrate by electrochemical deposition of a middle coating of silver. *Separation and Purification Technology.* 80: 526-532. <http://dx.doi.org/10.1016/j.seppur.2011.06.007>.
- He, ZH; Leung, KT. (2005). Room-temperature chemisorption and thermal evolution of perchloroethylene and trichloroethylene on Si(111)7x7: Formation of chlorinated vinylene and vinylidene and acetylide adspecies, and thermal etching reactions. *Surf Sci.* 583: 179-190. <http://dx.doi.org/10.1016/j.susc.2005.03.037>.
- He, ZH; Li, Q; Leung, KT. (2006). Isomeric effects on room-temperature chemisorption and thermal evolution of iso-, cis- and trans-dichloroethylene on Si(111)7x7. *Surf Sci.* 600: 514-526. <http://dx.doi.org/10.1016/j.susc.2005.11.003>.
- He, ZH; Yang, X; Zhou, XJ; Leung, KT. (2003). Room-temperature chemisorption of chloroethylenes on Si(111)7 x 7: formation of surface vinyl, vinylidene and their chlorinated derivatives. *Surf Sci.* 547: L840-L846. <http://dx.doi.org/10.1016/j.susc.2003.10.017>.
- Head, S; Associates. (2003). Groupwater vapor project: Summary of findings, working draft. Endicott, New York: Health Statistics Reviews, Cancer and Birth Outcome Analysis.
- Heath, CW; Lally, CA; Calle, EE; McLaughlin, JK; Thun, MJ. (1997). Hypertension, diuretics, and antihypertensive medications as possible risk factors for renal cell cancer. *Am J Epidemiol.* 145: 607-613.
- Heavner, DL; Morgan, WT; Ogden, MW. (1995). Determination of volatile organic compounds and ETS apportionment in 49 homes. *Environ Int.* 21: 3-21.
- Heavner, GL; Rowe, AR; Mansfeldt, CB; Pan, JK; Gossett, JM; Richardson, RE. (2013). Molecular biomarker-based biokinetic modeling of a PCE-dechlorinating and methanogenic mixed culture. *Environ Sci Technol.* 47: 3724-3733. <http://dx.doi.org/10.1021/es303517s>.
- Heck, KN; Janesko, BG; Scuseria, GE; Halas, NJ; Wong, MS. (2008). Observing metal-catalyzed chemical reactions in situ using surface-enhanced Raman spectroscopy on Pd-Au nanoshells. *J Am Chem Soc.* 130: 16592-16600. <http://dx.doi.org/10.1021/ja803556k>.
- Heck, KN; Nutt, MO; Alvarez, P; Wong, MS. (2009). Deactivation resistance of Pd/Au nanoparticle catalysts for water-phase hydrodechlorination. *J Catal.* 267: 97-104. <http://dx.doi.org/10.1016/j.jcat.2009.07.015>.
- Hegedus, M; Dombi, A. (2004). Comparative study of heterogeneous photocatalytic decomposition of tetrachloroethene and trichloroethene in the gas phase. *Appl Catal A-Gen.* 271: 177-184. <http://dx.doi.org/10.1016/j.apcata.2004.02.057>.
- Hegedus, M; Dombi, A. (2004). Gas-phase heterogeneous photocatalytic oxidation of chlorinated ethenes over titanium dioxide: perchloroethene. *Appl Catal B-Environ.* 53: 141-151. <http://dx.doi.org/10.1016/j.apcatb.2004.05.010>.
- Hegedus, M; Dombi, A; Kiricsi, I. (2001). Photocatalytic decomposition of tetrachloroethylene in the gas phase with titanium dioxide as catalyst. 74: 209-215.
- Hegele, PR; Mumford, KG. (2014). Gas production and transport during bench-scale electrical resistance heating of water and trichloroethene. *J Contam Hydrol.* 165: 24-36. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.002>.
- Hegi, ME; Fox, TR; Belinsky, SA; Devereux, TR; Anderson, MW. (1993). Analysis of activated protooncogenes in B6C3F1 mouse liver tumors induced by ciprofibrate, a potent peroxisome proliferator. *Carcinogenesis.* 14: 145-149. <http://dx.doi.org/10.1093/carcin/14.1.145>.
- Heiderscheidt, JL; Siegrist, RL; Illangasekare, TH. (2008). Intermediate-scale 2D experimental investigation of in situ chemical oxidation using potassium permanganate for remediation of complex DNAPL source zones. *J Contam Hydrol.* 102: 3-16. <http://dx.doi.org/10.1016/j.jconhyd.2008.07.002>.
- Heimann, AC; Friis, AK; Jakobsen, R. (2005). Effects of sulfate on anaerobic chloroethene degradation by an enriched culture under transient and steady-state hydrogen supply. *Water Res.* 39: 3579-3586. <http://dx.doi.org/10.1016/j.watres.2005.06.029>.
- Hejtmancik, MR; Trela, BA; Kurtz, PJ; Persing, RL; Ryan, MJ; Yarrington, JT; Chhabra, RS. (2002). Comparative gavage subchronic toxicity studies of o-chloroaniline and m-chloroaniline in F344 rats and B6C3F1 mice. *Toxicol Sci.* 69: 234-243.
- Helburn, R; Albritton, J; Howe, G; Michael, L; Franke, D. (2008). Henry's law constants for fragrance and organic solvent compounds in aqueous industrial surfactants. *Journal of Chemical and Engineering Data.* 53: 1071-1079. <http://dx.doi.org/10.1021/jc700418a>.
- Held, RJ; Illangasekare, TH. (1995). FINGERING OF DENSE NONAQUEOUS PHASE LIQUIDS IN POROUS-MEDIA .1. EXPERIMENTAL INVESTIGATION. *Water Resour Res.* 31: 1213-1222.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Helliwell, PJ; Hutton, AM. (1950). Trichlorethylene anesthesia. *Anaesthesia*. 5: 4-13. <http://dx.doi.org/10.1111/j.1365-2044.1950.tb13680.x>.
- Hellweg, S; Demou, E; Bruzzi, R; Meijer, A; Rosenbaum, RK; Huijbregts, MA; Mckone, TE. (2009). Integrating human indoor air pollutant exposure within Life Cycle Impact Assessment [Review]. *Environ Sci Technol*. 43: 1670-1679. <http://dx.doi.org/10.1021/es8018176>.
- Helzlsouer, KJ; Alberg, AJ; Huang, HY; Hoffman, SC; Strickland, PT; Brock, JW; Burse, VW; Needham, LL; Bell, DA; Lavigne, JA; Yager, JD; Comstock, GW. (1999). Serum concentrations of organochlorine compounds and the subsequent development of breast cancer. *Cancer Epidemiol Biomarkers Prev*. 8: 525-532.
- Hemanth, R; Suresha, B; Sekar, M. (2015). Abrasive wear behavior of thermoplastic copolyester elastomer composites. 4: 108-118. <http://dx.doi.org/10.1680/emr.15.00008>.
- Hemanth, R; Suresha, B; Sekar, M. (2015). Physico-mechanical behaviour of thermoplastic co-polyester elastomer/polytetrafluoroethylene composite with short fibers and microfillers. *Journal of Composite Materials*. 49: 2217-2229. <http://dx.doi.org/10.1177/0021998314545183>.
- Henderson, G; Yan, Z; James, M; Davydova, N; Stacpoole, P. (1997). Kinetics and metabolism of chloral hydrate in children: Identification of dichloroacetate as a metabolite. *Biochem Biophys Res Commun*. 235: 695-698. <http://dx.doi.org/10.1006/bbrc.1997.6868>.
- Henderson, TH; Mayer, KU; Parker, BL; Al, TA. (2009). Three-dimensional density-dependent flow and multicomponent reactive transport modeling of chlorinated solvent oxidation by potassium permanganate. *J Contam Hydrol*. 106: 195-211. <http://dx.doi.org/10.1016/j.jconhyd.2009.02.009>.
- Hendler, AH; Crow, WL. (1992). Proceedings of 85th annual meeting and exhibition of the Air & Waste Management Association; June; Kansas City, MO Preliminary results of the Chemical Manufacturers Association urban baseline VOC measurement program. Pittsburgh, PA: Air & Waste Management Association. <http://trove.nla.gov.au/work/34485343>.
- Hennebel, T, om; De Corte, S; Vanhaecke, L; Vanherck, K; Forrez, I; De Gusseme, B; Verhagen, P; Verbeken, K, im; Van Der Bruggen, B; Vankelecom, I, vo; Boon, N; Verstraete, W. (2010). Removal of diatrizoate with catalytically active membranes incorporating microbially produced palladium nanoparticles. *Water Res*. 44: 1498-1506. <http://dx.doi.org/10.1016/j.watres.2009.10.041>.
- Hennebel, T; Simoen, H; Verhagen, P; Windt, W; Dick, J; Weise, C; Pietschner, F; Boon, N; Verstraete, W. (2010). Biocatalytic dechlorination of hexachlorocyclohexane by immobilized bio-Pd in a pilot scale fluidized bed reactor. *Environ Chem Lett*. 9: 417-422. <http://dx.doi.org/10.1007/s10311-010-0295-x>.
- Hennebel, T, om; Verhagen, P; Simoen, H; De Gusseme, B; Vlaeminck, SE; Boon, N; Verstraete, W. (2009). Remediation of trichloroethylene by bio-precipitated and encapsulated palladium nanoparticles in a fixed bed reactor. *Chemosphere*. 76: 1221-1225. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.046>.
- Hennig, UG; Rudd, NL; Hoar, DI. (1988). Kinetochore immunofluorescence in micronuclei: A rapid method for the in situ detection of aneuploidy and chromosome breakage in human fibroblasts. *Mutat Res*. 203: 405-414.
- Henning, SM; Swendseid, ME. (1996). The role of folate, choline, and methionine in carcinogenesis induced by methyl-deficient diets [Review]. In D Heber; D Kritchevsky (Eds.), *Adv Exp Med Biol* (pp. 143-155). New York, NY: Plenum Press.
- Henry, SM; Hardcastle, CH; Warner, SD. (2003). Chlorinated solvent and DNAPL remediation: An overview of physical, chemical, and biological processes. *ACS Symp Ser Am Chem Soc*. 837: 1-20.
- Henschel, DB. (1998). Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air. *Journal of the Air and Waste Management Association*. 48: 985-994.
- Henschler, D; Eder, E; Neudecker, T; Metzler, M. (1977). Carcinogenicity of trichloroethylene: Fact or artifact? *Arch Toxicol*. 37: 233-236. <http://dx.doi.org/10.1007/BF00355492>.
- Henshaw, JM; Burgess, LW; Booksh, KS; Kowalski, BR. (1994). Multicomponent Determination of Chlorinated Hydrocarbons Using a Reaction-Based Chemical Sensor. 1. Multivariate Calibration of Fujiwara Reaction Products. *Anal Chem*. 66: 3328-3336.
- Heo, JH; Lee, D, alH; Chang, H, oWan. (2007). The application of granular activated carbon on remediation in trichloro ethylene contaminated groundwater. *Geochim Cosmo Acta*. 71: A397-A397.
- Heo, JH; Lee, D, alH; Koh, DC; Chang, H, oWan. (2008). The effect of ionic strength and hardness of trichloroethylene contaminated groundwater in remediation using granular activated carbon. *Geochim Cosmo Acta*. 72: A370-A370.
- Herbarth, O; Rolle-Kampczyk, U; Franck, U; Rehwagen, M; Weiss, H; Krumbiegel, P. (2004). Detecting exposure-dependent changes of liver detoxification capacity of children in a formerly high-loaded industrial area with a N-15-labelled diagnostic tool. *Isotopes Environ Health Stud*. 40: 69-74. <http://dx.doi.org/10.1080/10256010310001646545>.
- Herber, U; Meisch, HU. (1995). STUDIES ABOUT THE DESORPTION OF VOLATILE HALOCARBONS FROM ACTIVATED CARBON BY APPLICATION OF STATIC HEADSPACE GAS-CHROMATOGRAPHY. *Fresenius J Anal Chem*. 353: 219-221.
- Herbert, V; Gardner, A; Colman, N. (1980). Mutagenicity of dichloroacetate, an ingredient of some formulations of pangamic acid (trade-named "vitamin B15"). *Am J Clin Nutr*. 33: 1179-1182.
- Herman, J; Umar, A; Polyak, K; Graff, J; Ahuja, N; Issa, J; Markowitz, S; Willson, J; Hamilton, S; Kinzler, K; Kane, M; Kolodner, R; Vogelstein, B; Kunkel, T; Baylin, S. (1998). Incidence and functional consequences of hMLH1 promoter hypermethylation in colorectal carcinoma. *Proc Natl Acad Sci USA*. 95: 6870-6875.
- Hermon, T; Tshuva, EY. (2008). Synthesis and conformational analysis of constrained ethylene-bridged bis(hydroxylamino-1,3,5-triazine) compounds as tetradentate ligands; structure of rigid dinuclear Ti(IV) complex. *J Org Chem*. 73: 5953-5958. <http://dx.doi.org/10.1021/jo800966s>.
- Hernandez, C; Isabel Abdo-de la Parra, M; Duncan, N; Blanco-Albarran, L; Gonzalez-Rodriguez, B. (2013). Effect of soybean and tuna gonad in the diet of juvenile bullseye puffer fish *Sphoeroides annulatus*. 23: 320-327.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hernandez, S; Lei, S, hi; Rong, W; Ormsbee, L; Bhattacharyya, D. (2016). Functionalization of Flat Sheet and Hollow Fiber Microfiltration Membranes for Water Applications. 4: 907-918. <http://dx.doi.org/10.1021/acssuschemeng.5b01005>.
- Hernández, S; Papp, JK; Bhattacharyya, D. (2014). Iron-Based Redox Polymerization of Acrylic Acid for Direct Synthesis of Hydrogel/Membranes, and Metal Nanoparticles for Water Treatment. *Ind Eng Chem Res.* 53: 1130-1142. <http://dx.doi.org/10.1021/ie403353g>.
- Hernandez-Alonso, MD; Garcia-Rodriguez, S; Suarez, S; Portela, R; Sanchez, B; Coronado, JM. (2011). Highly selective one-dimensional TiO₂-based nanostructures for air treatment applications. *Appl Catal B-Environ.* 110: 251-259. <http://dx.doi.org/10.1016/j.apcatb.2011.09.009>.
- Hernandez-Alonso, MD; Garcia-Rodriguez, S; Suarez, S; Portela, R; Sanchez, B; Coronado, JM. (2013). Operando DRIFTS study of the role of hydroxyls groups in trichloroethylene photo-oxidation over titanate and TiO₂ nanostructures. *Catalysis Today.* 206: 32-39. <http://dx.doi.org/10.1016/j.cattod.2012.01.029>.
- Heron, G; Carroll, S; Nielsen, SG. (2005). Full-scale removal of DNAPL constituents using steam-enhanced extraction and electrical resistance heating. *Ground Water Monitoring and Remediation.* 25: 92-107.
- Heron, G; Christensen, TH; Enfield, CG. (1998). Henry's law constant for trichloroethylene between 10 and 95 degrees C. *Environ Sci Technol.* 32: 1433-1437.
- Heron, G; Lachance, J; Baker, R. (2013). Removal of PCE DNAPL from Tight Clays Using In Situ Thermal Desorption. *Ground Water Monitoring and Remediation.* 33: 31-43. <http://dx.doi.org/10.1111/gwmr.12028>.
- Heron, G; Parker, K, en; Galligan, J, im; Holmes, TC. (2009). Thermal Treatment of Eight CVOC Source Zones to Near Nondetect Concentrations. *Ground Water Monitoring and Remediation.* 29: 56-65.
- Heron, G; van Zutphen, M; Enfield, CG. (1998). In-line measurement of trichloroethylene vapors using tin dioxide sensors. *Ground Water Monitoring and Remediation.* 18: 111-118.
- Heron, G; Zutphen, MV; Christensen, TH; Enfield, CG. (1998). Soil heating for enhanced remediation of chlorinated solvents: A laboratory study on resistive heating and vapor extraction in a silty, low-permeable soil contaminated with trichloroethylene. *Environ Sci Technol.* 32: 1474-1481.
- Herrera, E; Samper, E; Martín-Caballero, J; Flores, JM; Lee, HW; Blasco, MA. (1999). Disease states associated with telomerase deficiency appear earlier in mice with short telomeres. *EMBO J.* 18: 2950-2960. <http://dx.doi.org/10.1093/emboj/18.11.2950>.
- Herrero-Huerta, M; Hernandez-Lopez, D; Rodriguez-Gonzalvez, P; Gonzalez-Aguilera, D; Gonzalez-Piqueras, J. (2014). Vicarious radiometric calibration of a multispectral sensor from an aerial trike applied to precision agriculture. *Computers and Electronics in Agriculture.* 108: 28-38. <http://dx.doi.org/10.1016/j.compag.2014.07.001>.
- Hers, I; Zapf-Gilje, R; Li, L; Atwater, J. (2001). The use of indoor air measurements to evaluate intrusion of subsurface VOC vapors into buildings. *Journal of the Air and Waste Management Association.* 51: 1318-1331.
- Hertwig, K; Bisanz, S; Adler, R. (1974). REACTIONS KINETIC STUDIES IN GAS-LIQUID PHASE-SYSTEM WITH EXAMPLE OF HYDROLYSIS OF TRICHLOROETHYLENE. *Chem Tech (Leipzig).* 26: 504-505.
- Hertzberg, RC; Macdonell, MM. (2002). Synergy and other ineffective mixture risk definitions. *Sci Total Environ.* 288: 31-42. [http://dx.doi.org/10.1016/S0048-9697\(01\)01113-5](http://dx.doi.org/10.1016/S0048-9697(01)01113-5).
- Hestad, OL; Smalo, HS; Astrand, PO; Ingebrigtsen, S; Lundgaard, LE. (2011). Effects of N,N-dimethylaniline and Trichloroethene on Prebreakdown Phenomena in Liquid and Solid n-tridecane. *I E E E Transactions on Dielectrics and Electrical Insulation.* 18: 1886-1896. <http://dx.doi.org/10.1109/TDEI.2011.6118627>.
- Heus, R; Den Hartog, EA; Kistemaker, LJ; van Dijk, WJ; Swenker, G. (2004). Influence of inspiratory resistance on performance during graded exercise tests on a cycle ergometer. *Appl Ergon.* 35: 583-590. <http://dx.doi.org/10.1016/j.apergo.2004.05.002>.
- Hewer, TLR; Suarez, S; Coronado, JM; Portela, R; Avila, P; Sanchez, B. (2009). Hybrid photocatalysts for the degradation of trichloroethylene in air. *Catalysis Today.* 143: 302-308. <http://dx.doi.org/10.1016/j.cattod.2009.02.001>.
- Hewitt, AD. (1994). DYNAMIC STUDY OF COMMON WELL SCREEN MATERIALS. *Ground Water Monitoring and Remediation.* 14: 87-94.
- Hewitt, AD; Grant, CL. (1995). ROUND-ROBIN STUDY OF PERFORMANCE EVALUATION SOILS VAPOR-FORTIFIED WITH VOLATILE ORGANIC-COMPOUNDS. *Environ Sci Technol.* 29: 769-774.
- Hewitt, AD; Miyares, PH; Leggett, DC; Jenkins, TF. (1992). Comparison of analytical methods for determination of volatile organic compounds in soils. *Environ Sci Technol.* 26: 1932-1938.
- Hewitt, AD; Shoop, SA. (1994). RAPID ASSESSMENT OF TRICHLOROETHYLENE IN-GROUND WATER. *Ground Water Monitoring and Remediation.* 14: 116-122.
- Heydari, R; Azizi, S. (2015). Rapid Monitoring and Determination of Class 1 Residual Solvents in Pharmaceuticals Using Dispersive Liquid-Liquid Microextraction and Gas Chromatography-Mass Spectrometry. *J Chromatogr Sci.* 53: 1020-1025. <http://dx.doi.org/10.1093/chromsci/bmu147>.
- Hibino, Y, ui; Wang, H; Naito, H; Zhao, N, a; Wang, D; Jia, X; Li, H; Song, X; Liu, L; Huang, Y; Ito, Y; Huang, H; Kamijima, M; Nakajima, T. (2013). Sex Differences in Metabolism of Trichloroethylene and Trichloroethanol in Guinea Pigs. *J Occup Health.* 55: 443-449.
- Hichiri, K, ei; Shirai, O; Kano, K. (2012). Influence of Inhalation Anesthetics on Ion Transport across a Planar Bilayer Lipid Membrane. *Anal Sci.* 28: 45-49.
- Hickey, WJ; Arnold, SM; Moran, BN. (1995). Laboratory methods for volatile organic compounds evolved in mineralization studies. *Environ Toxicol Chem.* 14: 1823-1825.
- Hiejima, T; Takamizawa, Y; Uchida, T; Kawabata, S. (2011). Ellipsometric determination of optical properties of carbazole-containing poly(L-glutamate) thin films prepared from different solvents. *Thin Solid Films.* 519: 2972-2977. <http://dx.doi.org/10.1016/j.tsf.2010.12.048>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hiejima, T; Yakamizawa, Y; Tanaka, Y; Ueda, K; Uchida, T. (2009). Effects of casting solvents on characteristics of organic EL devices containing poly(L-glutamate) as hole-transport material. *Synthetic Metals*. 159: 986-989. <http://dx.doi.org/10.1016/j.synthmet.2009.02.042>.
- Higgins, J; Hohn, C. (2008). Effects of prevalent freshwater chemical contaminants on in vitro growth of *Escherichia coli* and *Klebsiella pneumoniae*. *Environ Pollut*. 152: 259-266. <http://dx.doi.org/10.1016/j.envpol.2007.06.049>.
- Higgins, JP; Thompson, SG; Deeks, JJ; Altman, DG. (2003). Measuring inconsistency in meta-analyses [Review]. *Br Med J*. 327: 557-560. <http://dx.doi.org/10.1136/bmj.327.7414.557>.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. (1996). Effect of geochemical conditions on fate of organic compounds in groundwater. *Environ Geol*. 27: 335-346.
- Hildebrand, H; Mackenzie, K; Kopinke, FD. (2008). Novel nano-catalysts for wastewater treatment. *Global NEST J*. 10: 47-53.
- Hildebrand, H; Mackenzie, K; Kopinke, FD. (2009). Highly active Pd-on-magnetite nanocatalysts for aqueous phase hydrodechlorination reactions. *Environ Sci Technol*. 43: 3254-3259. <http://dx.doi.org/10.1021/es802726v>.
- Hildebrand, H; Mackenzie, K; Kopinke, FD. (2009). Pd/Fe sub(3)O sub(4) nano-catalysts for selective dehalogenation in wastewater treatment processes - Influence of water constituents. *Appl Catal B-Environ*. 91: 1-2. <http://dx.doi.org/10.1016/j.apcatb.2009.06.006>.
- Hill, AB. (1965). The environment and disease: Association or causation? *Proc R Soc Med*. 58: 295-300.
- Hill, EH; Moutier, M; Alfaro, J; Miller, CT. (2001). Remediation of DNAPL pools using dense brine barrier strategies. *Environ Sci Technol*. 35: 3031-3039.
- Himeno, S; Urano, K. (2003). Measurement and correlation of single and binary gas adsorption equilibria of volatile organic compounds in trace concentrations using headspace gas chromatography method. *Kagaku Kogaku Ronbunshu*. 29: 653-659.
- Himeno, S; Urano, K. (2006). Determination and Correlation of Binary Gas Adsorption Equilibria of VOCs. *J Environ Eng*. 132: 301-308. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:3\(301\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:3(301)).
- Hinchman, CA; Ballatori, N. (1990). Glutathione-degrading capacities of liver and kidney in different species. *Biochem Pharmacol*. 40: 1131-1135. [http://dx.doi.org/10.1016/0006-2952\(90\)90503-D](http://dx.doi.org/10.1016/0006-2952(90)90503-D).
- Hines, RN; McCarver, DG. (2002). The ontogeny of human drug-metabolizing enzymes: Phase I oxidative enzymes [Review]. *J Pharmacol Exp Ther*. 300: 355-360. <http://dx.doi.org/10.1124/jpet.300.2.355>.
- Hinestroza, J; De Kee, D. (2004). Permeation of organics through linear low density polyethylene geomembranes under mechanical deformation. *J Environ Eng*. 130: 1468-1474. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:12\(1468\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:12(1468)).
- Hiortdahl, KM; Borden, RC. (2014). Enhanced reductive dechlorination of tetrachloroethene dense nonaqueous phase liquid with EVO and Mg(OH)₂. *Environ Sci Technol*. 48: 624-631. <http://dx.doi.org/10.1021/es4042379>.
- Hippelein, M; McLachlan, MS. (2000). Soil/air partitioning of semivolatile organic compounds. 2. Influence of temperature and relative humidity. *Environ Sci Technol*. 34: 3521-3526.
- Hiramatsu, H; Shima, H; Mizuguchi, J, in. (2011). Complete Removal of Chloro-Based Volatile Organic Compounds by Thermally Activated Oxide Semiconductors. *Mater Trans*. 52: 1281-1287. <http://dx.doi.org/10.2320/matertrans.M2011028>.
- Hirata, S; Fan, PD; Auer, AA; Nooijen, M; Piecuch, P. (2004). Combined coupled-cluster and many-body perturbation theories. *J Chem Phys*. 121: 12197-12207. <http://dx.doi.org/10.1063/1.1814932>.
- Hirata, S; Yanai, T; de Jong, WA; Nakajima, T; Hirao, K. (2004). Third-order Douglas-Kroll relativistic coupled-cluster theory through connected single, double, triple, and quadruple substitutions: applications to diatomic and triatomic hydrides. *J Chem Phys*. 120: 3297-3310. <http://dx.doi.org/10.1063/1.1639361>.
- Hirata, T; Egusa, N; Nakasugi, O; Ishizaka, S; Murakami, M. (1998). Cost efficiency of subsurface remediation using soil vapor extraction and groundwater extraction. *Water Sci Technol*. 37: 161-168.
- Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K. (1992). GROUNDWATER POLLUTION BY VOLATILE ORGANOCHLORINES IN JAPAN AND RELATED PHENOMENA IN THE SUBSURFACE ENVIRONMENT (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11335). Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K.
- Hirl, PJ; COUNCIL, NR. (1998). Combined anaerobic/aerobic biostimulation for remediation of rail yards contaminated by diesel engine repair and maintenance. *Trans Res Rec* 114-119.
- Hirl, PJ; Irvine, RL. (1997). Reductive dechlorination of perchloroethylene using anaerobic sequencing batch biofilm reactors (AnSBBR). *Water Sci Technol*. 35: 49-56.
- Hirota, K; Hakoda, T; Arai, H; Hashimoto, S. (2002). Electron-beam decomposition of vaporized VOCs in air. *Radiat Phys Chem Oxf Engl* 1993. 65: 415-421.
- Hirschorn, SK; Grostern, A; Lacrampe-Couloume, G; Edwards, EA; Mackinnon, L; Repta, C; Major, DW; Sherwood Lollar, B. (2007). Quantification of biotransformation of chlorinated hydrocarbons in a biostimulation study: added value via stable carbon isotope analysis. *J Contam Hydrol*. 94: 249-260. <http://dx.doi.org/10.1016/j.jconhyd.2007.07.001>.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Formation of chlorinated acetic acids during UV H₂O₂-oxidation of ground water contaminated with chlorinated ethylenes. *Chemosphere*. 32: 1091-1102.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Removal of chlorinated ethylenes in contaminated ground water by hydrogen peroxide mediated oxidation processes. *Environ Technol*. 17: 263-272.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). TREATMENT OF TCE-AND PCE-CONTAMINATED GROUNDWATER USING V-H-2O₂ AND O-3H-2O-2 OXIDATION PROCESS. *Water Sci Technol*. 33: 67-73.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hissink, EM; Bogaards, JJP; Freidig, AP; Commandeur, JNM; Vermeulen, NPE; van Bladeren, PJ. (2002). The use of in vitro metabolic parameters and physiologically based pharmacokinetic (PBPK) modeling to explore the risk assessment of trichloroethylene. *Environ Toxicol Pharmacol.* 11: 259-271. [http://dx.doi.org/10.1016/S1382-6689\(02\)00019-4](http://dx.doi.org/10.1016/S1382-6689(02)00019-4).
- Hizal, G; Zhu, QQ; Fischer, CH; Majima, T; Schnabel, W. (1992). PHOTOREACTIONS OF PHTHALIC-ACID DIALKYL ESTERS - A FLASH-PHOTOLYSIS STUDY. *J Photochem Photobiol A.* 69: 33-39.
- Ho, CK; Lohrstorfer, CF. (2003). In situ monitoring of vapor phase TCE using a chemiresistor microchemical sensor. *Ground Water Monitoring and Remediation.* 23: 85-90.
- Ho, DL; Glinka, CJ. (2003). Effects of solvent solubility parameters on organoclay dispersions. *Chem Mater.* 15: 1309-1312. <http://dx.doi.org/10.1021/cm0217194>.
- Ho, DP; Vigneswaran, S; Ngo, HH. (2009). Photocatalysis-membrane hybrid system for organic removal from biologically treated sewage effluent. *Separation and Purification Technology.* 68: 145-152. <http://dx.doi.org/10.1016/j.seppur.2009.04.019>.
- Ho, L; Newcombe, G. (2010). Granular Activated Carbon Adsorption of 2-Methylisoborneol (MIB): Pilot- and Laboratory-Scale Evaluations. *J Environ Eng.* 136: 965-974. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000231](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000231).
- Ho, SP; Levitt, R; Tsui, CW, ei; Hsu, Y. (2015). Opportunism-Focused Transaction Cost Analysis of Public-Private Partnerships. *Journal of Management in Engineering.* 31. [http://dx.doi.org/10.1061/\(ASCE\)ME.1943-5479.0000361](http://dx.doi.org/10.1061/(ASCE)ME.1943-5479.0000361).
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; Mckenzie, D; Brodsky, PH; Shapiro, A; Thornton, R; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The lasagna technology for in situ soil remediation. 1. Small field test. *Environ Sci Technol.* 33: 1086-1091.
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; Mckenzie, D; Brodsky, PH; Shapiro, AM; Sivavec, TM; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The Lasagna technology for in situ soil remediation. 2. Large field test. *Environ Sci Technol.* 33: 1092-1099.
- Ho, SV; Athmer, CJ; Sheridan, PW; Shapiro, AP. (1997). Scale-up aspects of the Lasagna(TM) process for in situ soil decontamination. *J Hazard Mater.* 55: 39-60.
- Hoag, GE; Collins, JB; Holcomb, JL; Hoag, JR; Nadagouda, MN; Varma, RS. (2009). Degradation of bromothymol blue by 'greener' nano-scale zero-valent iron synthesized using tea polyphenols. *J Mater Chem.* 19: 8671-8677. <http://dx.doi.org/10.1039/b909148c>.
- Hoch, LB; Mack, EJ; Hydutsky, BW; Hershman, JM; Skluzacek, JM; Mallouk, TE. (2008). Carbothermal synthesis of carbon-supported nanoscale zero-valent iron particles for the remediation of hexavalent chromium. *Environ Sci Technol.* 42: 2600-2605. <http://dx.doi.org/10.1021/es702589u>.
- Hodgen, GD; Sherins, RJ. (1973). Enzymes as markers of testicular growth and development in the rat. *Endocrinology.* 93: 985-989. <http://dx.doi.org/10.1210/endo-93-4-985>.
- Hoel, DG; Walburg, HE, Jr. (1972). Statistical analysis of survival experiments. *J Natl Cancer Inst.* 49: 361-372.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol.* 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Hofstee, C; Gutiérrez Ziegler, C; Trötschler, O; Braun, J. (2003). Removal of DNAPL contamination from the saturated zone by the combined effect of vertical upward flushing and density reduction. *J Contam Hydrol.* 67: 61-78. [http://dx.doi.org/10.1016/S0169-7722\(03\)00088-3](http://dx.doi.org/10.1016/S0169-7722(03)00088-3).
- Hogue, C. (2016). Notification required for new consumer products with TCE. *Chem Eng News.* 94: 16-16.
- Höhener, P. (2016). Simulating stable carbon and chlorine isotope ratios in dissolved chlorinated groundwater pollutants with BIOCHLOR-ISO. *J Contam Hydrol.* 195: 52-61. <http://dx.doi.org/10.1016/j.jconhyd.2016.11.002>.
- Höhener, P; Elsner, M; Eisenmann, H; Atteia, O. (2015). Improved constraints on in situ rates and on quantification of complete chloroethene degradation from stable carbon isotope mass balances in groundwater plumes. *J Contam Hydrol.* 182: 173-182. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.006>.
- Höhener, P; Yu, X. (2012). Stable carbon and hydrogen isotope fractionation of dissolved organic groundwater pollutants by equilibrium sorption. *J Contam Hydrol.* 129-130: 54-61. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.006>.
- Hohnstock-Ashe, AM; Plummer, SM; Yager, RM; Baveye, P; Madsen, EL. (2001). Further biogeochemical characterization of a trichloroethene-contaminated fractured dolomite aquifer: Electron source and microbial communities involved in reductive dechlorination. *Environ Sci Technol.* 35: 4449-4456. <http://dx.doi.org/10.1021/es0110067>.
- Høier, CK; Sonnenborg, TO; Jensen, KH; Kortegaard, C; Nasser, MM. (2007). Experimental investigation of pneumatic soil vapor extraction. *J Contam Hydrol.* 89: 29-47. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.006>.
- Hoivik, DJ; Qualls, CW, Jr; Mirabile, RC; Cariello, NF; Kimbrough, CL; Colton, HM; Anderson, SP; Santostefano, MJ; Morgan, RJO; Dahl, RR; Brown, AR; Zhao, Z; Mudd, PN, Jr; Oliver, WB, Jr; Brown, HR; Miller, RT. (2004). Fibrates induce hepatic peroxisome and mitochondrial proliferation without overt evidence of cellular proliferation and oxidative stress in cynomolgus monkeys. *Carcinogenesis.* 25: 1757-1769. <http://dx.doi.org/10.1093/carcin/bgh182>.
- Hojae, S; Wei, M; Aijun, L; Kaicho, C. (2009). Bio-removal of mixture of benzene, toluene, ethylbenzene, and xylenes/total petroleum hydrocarbons/trichloroethylene from contaminated water. *J Environ Sci.* 21: 758-763. [http://dx.doi.org/10.1016/S1001-0742\(08\)62337-2](http://dx.doi.org/10.1016/S1001-0742(08)62337-2).
- Hojati-Talemi, P; Bächler, C; Fabretto, M; Murphy, P; Evans, D. (2013). Ultrathin polymer films for transparent electrode applications prepared by controlled nucleation. *J Mater Chem.* 5: 11654-11660. <http://dx.doi.org/10.1021/am403135p>.
- Holl, RJ; Chambers, RP. (2002). The synthesis of semipermeable membrane microcapsules using in situ cyanoacrylate ester polymerization. *J Microencapsul.* 19: 699-724. <http://dx.doi.org/10.1080/02652040110055225>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hollenbeck, KJ; Harvey, CF; Haggerty, R; Werth, CJ. (1999). A method for estimating distributions of mass transfer rate coefficients with application to purging and batch experiments. *J Contam Hydrol.* 37: 367-388.
- Holm, O; Rotard, W. (2011). Effect of Radial Directional Dependences and Rainwater Influence on CVOC Concentrations in Tree Core and Birch Sap Samples Taken for Phytoscreening Using HS-SPME-GC/MS. *Environ Sci Technol.* 45: 9604-9610. <http://dx.doi.org/10.1021/es202014h>.
- Holmstrand, H; Mandalakis, M; Zencak, Z; Andersson, P; Gustafsson, O. (2007). First compound-specific chlorine-isotope analysis of environmentally-bioaccumulated organochlorines indicates a degradation-relatable kinetic isotope effect for DDT. *Chemosphere.* 69: 1533-1539. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.067>.
- Holsen, TM; Park, JK; Bontoux, L; Jenkins, D; Selleck, RE. (1991). THE EFFECT OF SOILS ON THE PERMEATION OF PLASTIC PIPES BY ORGANIC-CHEMICALS. *J Am Water Works Assoc.* 83: 85-91.
- Holsen, TM; Taylor, ER; Seo, YC; Anderson, PR. (1991). REMOVAL OF SPARINGLY SOLUBLE ORGANIC-CHEMICALS FROM AQUEOUS-SOLUTIONS WITH SURFACTANT-COATED FERRIHYDRITE. *Environ Sci Technol.* 25: 1585-1589.
- Holton, C; Luo, H; Dahlen, P; Gorder, K; Dettenmaier, E; Johnson, PC. (2013). Temporal variability of indoor air concentrations under natural conditions in a house overlying a dilute chlorinated solvent groundwater plume. *Environ Sci Technol.* 47: 13347-13354. <http://dx.doi.org/10.1021/es4024767>.
- Holzer, F; Roland, U; Kopinke, FD. (2002). Combination of non-thermal plasma and heterogeneous catalysis for oxidation of volatile organic compounds Part 1. Accessibility of the intra-particle volume. *Appl Catal B-Environ.* 38: 163-181.
- Holzinger, M; Abraham, J; Whelan, P; Graupner, R; Ley, L; Hennrich, F; Kappes, M; Hirsch, A. (2003). Functionalization of single-walled carbon nanotubes with (R)-oxycarbonyl nitrenes. *J Am Chem Soc.* 125: 8566-8580. <http://dx.doi.org/10.1021/ja029931w>.
- Homem, V; Sousa, R; Moreira, JL; Santos, L; Alves, A. (2012). Response surface optimisation applied to a headspace-solid phase microextraction-gas chromatography-mass spectrometry method for the analysis of volatile organic compounds in water matrices. *Int J Environ Anal Chem.* 92: 166-189. <http://dx.doi.org/10.1080/03067319.2010.536228>.
- Honetschlägerová, L; Janoušková, P; Kubal, M. (2016). Enhanced transport of Si-coated nanoscale zero-valent iron particles in porous media. *Environ Technol.* 37: 1530-1538. <http://dx.doi.org/10.1080/09593330.2015.1120784>.
- Hong, G, uiB; Wu, W, wiS; Chang, CT; Ma, CM. (2015). Dichloromethane treatment by mesoporous metal catalysts. *Zhongguo Gongcheng Xuekan.* 38: 908-917. <http://dx.doi.org/10.1080/02533839.2015.1039163>.
- Hong, I. (2006). VOCs degradation performance of TiO₂ aerogel photocatalyst prepared in SCF drying. *J Ind Eng Chem.* 12: 918-925.
- Hong, L, i; Liang, D; Di, W. (2013). Economic and environmental gains of China's fossil energy subsidies reform: A rebound effect case study with EIMO model. *Energy Policy.* 54: 335-342. <http://dx.doi.org/10.1016/j.enpol.2012.11.045>.
- Hong, Q; De-zhi, S; Guo-qing, C. (2007). Formaldehyde degradation by UV/TiO₂/O₃ process using continuous flow mode. *J Environ Sci.* 19: 1136-1140.
- Hong, SS; Ju, CS; Lim, CG; Ahn, BH; Lim, KT; Lee, GD. (2001). A photocatalytic degradation of phenol over TiO₂ prepared by sol-gel method. *J Ind Eng Chem.* 7: 99-104.
- Hong, SS; Lee, MS; Kim, JH; Ahn, BH; Lim, KT; Lee, GD. (2002). Photocatalytic decomposition of bromate over titanium dioxides prepared using sol-gel method. *J Ind Eng Chem.* 8: 150-155.
- Hong, WX; Huang, A; Lin, S; Yang, X; Yang, L; Zhou, L; Huang, H; Wu, D; Huang, X; Xu, H; Liu, J. (2016). Differential expression profile of membrane proteins in L-02 cells exposed to trichloroethylene. *Toxicol Ind Health.* 32: 1774-1783. <http://dx.doi.org/10.1177/0748233715588438>.
- Hong, YT; He, ZQ; Lennhoff, NS; Banach, DA; Kanicki, J. (2004). Transparent flexible plastic substrates for organic light-emitting devices. *Journal of Electronic Materials.* 33: 312-320.
- Honma, T. (1990). Effects of trichloroethylene, 1,1,1-trichloroethane and carbon tetrachloride on plasma lipoproteins of rats. *Ind Health.* 28: 159-174.
- Honning, J; Broholm, MM; Bjerg, PL. (2007). Role of diffusion in chemical oxidation of PCE in a dual permeability system. *Environ Sci Technol.* 41: 8426-8432. <http://dx.doi.org/10.1021/es0708417>.
- Hood, E; Major, D; Driedger, G. (2007). The effect of concentrated electron donors on the solubility of trichloroethene. *Ground Water Monitoring and Remediation.* 27: 93-98.
- Hood, ED; Major, DW; Quinn, JW; Yoon, WS; Gavaskar, A; Edwards, EA. (2008). Demonstration of enhanced bioremediation in a TCE source area at Launch Complex 34, Cape Canaveral Air Force Station. *Ground Water Monitoring and Remediation.* 28: 98-107.
- Hood, ED; Thomson, NR; Grossi, D; Farquhar, GJ. (2000). Experimental determination of the kinetic rate law for the oxidation of perchloroethylene by potassium permanganate. *Chemosphere.* 40: 1383-1388.
- Hooper, NM; Hesp, RJ; Tiekou, S. (1994). Metabolism of aspartame by human and pig intestinal microvillar peptidases. *Biochem J.* 298: 635-639.
- Hoover, RN; Strasser, PH. (1980). Artificial sweeteners and human bladder cancer: Preliminary results. *Lancet.* 315: 837-840. [http://dx.doi.org/10.1016/S0140-6736\(80\)91350-1](http://dx.doi.org/10.1016/S0140-6736(80)91350-1).
- Hopkins, GD; Mccarty, PL. (1995). Field evaluation of in situ aerobic cometabolism of trichloroethylene and three dichloroethylene isomers using phenol and toluene as the primary substrates. *Environ Sci Technol.* 29: 1628-1637.
- Hopkins, GD; Munakata, J; Semprini, L; Mccarty, PL. (1993). Trichloroethylene concentration effects on pilot field-scale in-situ groundwater bioremediation by phenol-oxidizing microorganisms. *Environ Sci Technol.* 27: 2542-2547.
- Hopper, JF; Peters, B; Yokouchi, Y; Niki, H; Jobson, BT; Shepson, PB; Muthuramu, K. (1994). CHEMICAL AND METEOROLOGICAL OBSERVATIONS AT ICE CAMP SWAN DURING POLAR SUNRISE EXPERIMENT 1992. *J Geophys Res Atmos.* 99: 25489-25498.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Horesovsky, G; Ginsler, J; Everitt, J; Walker, C. (1994). Increased susceptibility to in vitro transformation of cells carrying the Eker tumor susceptibility mutation. *Carcinogenesis*. 15: 2183-2187. <http://dx.doi.org/10.1093/carcin/15.10.2183>.
- Hori, K; Mii, J; Morono, Y; Tanji, Y; Unno, H. (2005). Kinetic analyses of trichloroethylene cometabolism by toluene-degrading bacteria harboring a tod homologous gene. *Biochem Eng J*. 26: 59-64. <http://dx.doi.org/10.1016/j.bej.2005.06.005>.
- Hornig, JJ. (2007). Growing carbon nanotube on aluminum oxides - An inherently safe approach for environmental applications. *Process Saf Environ Protect*. 85: 332-339. <http://dx.doi.org/10.1205/psep05056>.
- Hornung, RW; Pinney, SM; Lodwick, J; Killough, GG; Brewer, DE; Nasuta, J. (2008). Estimation of radon exposures to workers at the Fernald Feed Materials Production Center 1952-1988. *J Expo Sci Environ Epidemiol*. 18: 512-523. <http://dx.doi.org/10.1038/sj.jes.7500645>.
- Horst, A; Lacrampe-Couloume, G; Sherwood Lollar, B. (2016). Vapor Pressure Isotope Effects in Halogenated Organic Compounds and Alcohols Dissolved in Water. *Anal Chem*. 88: 12066-12071. <http://dx.doi.org/10.1021/acs.analchem.6b02597>.
- Hort, RD; Revil, A; Munakata-Marr, J. (2014). Analysis of sources of bulk conductivity change in saturated silica sand after unbuffered TCE oxidation by permanganate. *J Contam Hydrol*. 165: 11-23. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.003>.
- Hort, RD; Revil, A; Munakata-Marr, J; Mao, D. (2015). Evaluating the potential for quantitative monitoring of in situ chemical oxidation of aqueous-phase TCE using in-phase and quadrature electrical conductivity. *Water Resour Res*. 51: 5239-5259. <http://dx.doi.org/10.1002/2014WR016868>.
- Hortelano, S; Dewez, B; Genaro, AM; Díaz-Guerra, MJM; Boscá, L. (1995). Nitric oxide is released in regenerating liver after partial hepatectomy. *Hepatology*. 21: 776-786. <http://dx.doi.org/10.1002/hep.1840210327>.
- Horvath, AL; Getzen, FW; Maczynska, Z. (1999). IUPAC-NIST Solubility data series 67: Halogenated ethanes and ethenes with water. *J Phys Chem Ref Data*. 28: 395-627. <http://dx.doi.org/10.1063/1.556039>.
- Hoseini, M; Nabizadeh, R; Nazmara, S; Safari, GH. (2013). Influence of under pressure dissolved oxygen on trichloroethylene degradation by the H₂O₂/TiO₂ process. 11: 38. <http://dx.doi.org/10.1186/2052-336X-11-38>.
- Hossain, A; Corapcioglu, MY. (1996). Modeling primary substrate controlled biotransformation and transport of halogenated aliphatics in porous media. *Transport in Porous Media*. 24: 203-220.
- Hossain, M; Ameen, MM; Raupp, GB. (1999). Photocatalytic oxidation of dilute methylamine in air. *Adv Environ Res*. 3.
- Hossain, MM; Raupp, GB. (1998). Radiation field modeling in a photocatalytic monolith reactor. *Chem Eng Sci*. 53: 3771-3780.
- Hossain, MM; Raupp, GB; Hay, SO; Obee, TN. (1999). Three-dimensional developing flow model for photocatalytic monolith reactors. *AIChE J*. 45: 1309-1321.
- Hosseinkhani, B; Hennebel, T; Van Nevel, S; Verschuere, S; Yakimov, MM; Cappello, S; Blaghen, M; Boon, N. (2014). Biogenic nanopalladium based remediation of chlorinated hydrocarbons in marine environments. *Environ Sci Technol*. 48: 550-557. <http://dx.doi.org/10.1021/es403047u>.
- Hosseinkhani, B; Nuzzo, A; Zanzaroli, G; Fava, F; Boon, N. (2015). Assessment of catalytic dechlorination activity of suspended and immobilized bio-Pd NPs in different marine conditions. *Appl Catal B-Environ*. 168: 62-67. <http://dx.doi.org/10.1016/j.apcatb.2014.12.014>.
- Hou, N; Chai, J; Zhang, JQ; Song, J; Zhang, Y, an; Lu, J. (2016). Application of epsilon-beta fishlike phase diagrams on the microemulsion solubilizations of dense nonaqueous phase liquids. *Fluid Phase Equilibria*. 412: 211-217. <http://dx.doi.org/10.1016/j.fluid.2015.12.024>.
- Houde, M; Douville, M; Gagnon, P; Sproull, J; Cloutier, F. (2015). Exposure of Daphnia magna to trichloroethylene (TCE) and vinyl chloride (VC): evaluation of gene transcription, cellular activity, and life-history parameters. *Ecotoxicol Environ Saf*. 116: 10-18. <http://dx.doi.org/10.1016/j.ecoenv.2015.02.031>.
- Hourbron, E; Escoffier, S; Capdeville, B. (2000). Trichloroethylene elimination assay by natural consortia of heterotrophic and methanotrophic bacteria. *Water Sci Technol*. 42: 395-402.
- Howard, C; Corsi, RL. (1996). Volatilization of chemicals from drinking water to indoor air: role of the kitchen sink. *Journal of the Air and Waste Management Association*. 46: 830-837.
- Howard, PH; Boethling, RS; Jarvis, WF; Meylan, WM; Michalenko, EM. (1991). *Handbook of environmental degradation rates*. Boca Raton, FL: Lewis Publishers/CRC Press. <http://www.crcpress.com/product/isbn/9780873713580>.
- Howard-Reed, C; Corsi, RL; Moya, J. (1999). Mass Transfer of Volatile Organic Compounds from Drinking Water to Indoor Air: The Role of Residential Dishwashers. *Environ Sci Technol*. 33: 2266-2272. <http://dx.doi.org/10.1021/es981354h>.
- Howroyd, P; Swanson, C; Dunn, C; Cattley, RC; Corton, JC. (2004). Decreased longevity and enhancement of age-dependent lesions in mice lacking the nuclear receptor peroxisome proliferator-activated receptor alpha (PPARalpha). *Toxicol Pathol*. 32: 591-599.
- Hozalski, RM; Zhang, L; Arnold, WA. (2001). Reduction of haloacetic acids by Fe⁰: Implications for treatment and fate. *Environ Sci Technol*. 35: 2258-2263. <http://dx.doi.org/10.1021/es001785b>.
- Hrapovic, L; Sleep, BE; Major, DJ; Hood, ED. (2005). Laboratory study of treatment of trichloroethene by chemical oxidation followed by bioremediation. *Environ Sci Technol*. 39: 2888-2897. <http://dx.doi.org/10.1021/es049017y>.
- Hrelia, P; Maffei, F; Vigagni, F; Fimognari, C; Flori, P; Stanzani, R; Forti, GC. (1994). Interactive effects between trichloroethylene and pesticides at metabolic and genetic level in mice. *Environ Health Perspect*. 102: 31-34.
- Hrsak, D. (1995). AEROBIC TRANSFORMATION OF LINEAR ALKYL BENZENESULPHONATES BY MIXED METHANE-UTILIZING BACTERIA. *Arch Environ Contam Toxicol*. 28: 265-272.
- Hrsak, D. (1995). BIODEGRADATION OF UNDECYLBENZENESULPHONATE BY MIXED METHANE-OXIDIZING CULTURE. *Environ Pollut*. 89: 285-292.
- Hrsak, D. (1996). Cometabolic transformation of linear alkylbenzenesulphonates by methanotrophs. *Water Res*. 30: 3092-3098.
- Hrubesh, LW; Coronado, PR; Satcher, JH. (2001). Solvent removal from water with hydrophobic aerogels. *Journal of Non-Crystalline Solids*. 285: 328-332.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- HSDB. (1996). Trichloroethylene [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>
- HSDB. (2002). Trichloroethylene [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>
- Hsia, CY; Huo, TI; Chiang, SY; Lu, MF; Sun, CL; Wu, JC; Lee, PC; Chi, CW; Lui, WY; Lee, SD. (2007). Evaluation of interleukin-6, interleukin-10 and human hepatocyte growth factor as tumor markers for hepatocellular carcinoma. *Eur J Surg Oncol.* 33: 208-212. <http://dx.doi.org/10.1016/j.ejso.2006.10.036>.
- Hsieh, S; Horng, J. (2006). Deposition of Fe-Ni nanoparticles on Al₂O₃ for dechlorination of chloroform and trichloroethylene. *Appl Surf Sci.* 253: 1660-1665. <http://dx.doi.org/10.1016/j.apsusc.2006.03.001>.
- Hsieh, SJ; Chiu, YW; Li, WF; Wu, CH; Chen, HI; Chuang, HY. (2009). Increased concentrations of serum inhibin B among male workers with long-term moderate lead exposure. *Sci Total Environ.* 407: 2603-2607. <http://dx.doi.org/10.1016/j.scitotenv.2008.12.056>.
- Hsu, CS; Lu, MC; Anotai, J; Huang, YY. (2006). Chemical oxidation of TCE-contaminated groundwater by permanganate. *Fresen Environ Bull.* 15: 125-128.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal.* 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Hsueh, KP; Hao, OJ; Wu, YC. (1991). Removal of volatile organic compounds in a rotating disk contactor: Batch and continuous operation (pp. 67-74). (ISSN 1047-7624; BIOSIS/92/23712). Hsueh, KP; Hao, OJ; Wu, YC.
- Hu, H, uS. (2010). Determination of vapour-liquid and vapour-liquid-liquid equilibrium of the chloroform-water and trichloroethylene-water binary mixtures. *Fluid Phase Equilibria.* 289: 80-89. <http://dx.doi.org/10.1016/j.fluid.2009.11.006>.
- Hu, J; Shang, R; Heijman, B; Rietveld, L. (2015). Reuse of spent granular activated carbon for organic micro-pollutant removal from treated wastewater. *J Environ Manage.* 160: 98-104. <http://dx.doi.org/10.1016/j.jenvman.2015.06.011>.
- Hu, M; Zhang, Y; Liu, Y; Wang, X, in; Wong, P, oK. (2013). Effect of different nutrients on the anaerobic degradation of trichloroethene at optimal temperature. *Int Biodeterior Biodegradation.* 85: 103-107. <http://dx.doi.org/10.1016/j.ibiod.2013.06.008>.
- Hu, M; Zhang, Y; Wang, Z; Jiang, Z; Li, J. (2011). Influence of humic acid on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 190: 1074-1078. <http://dx.doi.org/10.1016/j.jhazmat.2011.03.088>.
- Hu, S; Li, F; Fan, Z. (2013). A convenient N₂-CCl₄ mixture plasma treatment to improve TiO₂ photocatalytic oxidation of aromatic air contaminants under both UV and visible light. *Appl Surf Sci.* 286: 228-234. <http://dx.doi.org/10.1016/j.apsusc.2013.09.052>.
- Hu, Y; Hakkola, J; Oscarson, M; Ingelman-Sundberg, M. (1999). Structural and functional characterization of the 5'-flanking region of the rat and human cytochrome P450 2E1 genes: Identification of a polymorphic repeat in the human gene. *Biochem Biophys Res Commun.* 263: 286-293. <http://dx.doi.org/10.1006/bbrc.1999.1362>.
- Hu, YM; Zhu, Y; Zhou, W; Wang, H; Yi, JH; Xin, SS; He, WJ; Shen, T. (2016). Dip-coating for dodecylphosphonic acid derivatization on aluminum surfaces: an easy approach to superhydrophobicity. *JCT Research.* 13: 115-121. <http://dx.doi.org/10.1007/s11998-015-9729-5>.
- Hu, YS; Kong, WH; Wang, ZX; Huang, XJ; Chen, LQ. (2005). Tetrachloroethylene as new film-forming additive to propylene carbonate-based electrolytes for lithium ion batteries with graphitic anode. *Solid State Ionics.* 176: 53-56. <http://dx.doi.org/10.1016/j.ssi.2004.05.006>.
- Huan, Z; Zhao-Hui, J; Tie-Long, L. (2007). Preparation and modification of supported nano Cu/Fe bimetal alloy in ethanol-water solution and its reduction-chlorination property for trichloroethylene. *Chem J Chin Univ-Chin.* 28: 2234-2238.
- Huang, AM; Cao, LX; Chen, J; Spiess, FJ; Suib, SL; Obee, TN; Hay, SO; Freihaut, JD. (1999). Photocatalytic degradation of triethylamine on titanium oxide thin films. *J Catal.* 188: 40-47.
- Huang, C; Liu, C; Sun, X; Li, J; Shen, J; Han, W; Liu, X; Wang, L. (2016). Hydrolysis and acidification of waste activated sludge enhanced by zero valent iron-acid pretreatment: effect of pH. *Desalination and Water Treatment.* 57: 12099-12107. <http://dx.doi.org/10.1080/19443994.2015.1051127>.
- Huang, D; Becker, JG. (2011). Dehalorespiration model that incorporates the self-inhibition and biomass inactivation effects of high tetrachloroethene concentrations. *Environ Sci Technol.* 45: 1093-1099. <http://dx.doi.org/10.1021/es102729v>.
- Huang, H; Kamijima, M; Wang, H; Li, S; Yoshikawa, T; Lai, G; Huang, Z; Liu, H; Chen, J; Takeuchi, Y; Nakajima, T; Li, L. (2006). Human herpesvirus 6 reactivation in trichloroethylene-exposed workers suffering from generalized skin disorders accompanied by hepatic dysfunction. *J Occup Health.* 48: 417-423.
- Huang, HC; Lee, JF; Lee, CK; Chen, JC. (2006). The structural and sorptive characteristics of high-surface-area carbonaceous material (HSACM) in soils. *J Hazard Mater.* 138: 485-492. <http://dx.doi.org/10.1016/j.jhazmat.2006.05.094>.
- Huang, HJ; Liu, SM; Kuo, CE. (2001). Anaerobic biodegradation of DDT residues (DDT, DDD, and DDE) in estuarine sediment. *J Environ Sci Health B.* 36: 273-288. <http://dx.doi.org/10.1081/PFC-100103569>.
- Huang, J; Appiah-Sefah, G; Nkrumah, NP; Li, J. (2016). MAGNOLIA GRANDIFLORA FOR MONITORING TRICHLOROETHYLENE AND TETRACHLOROETHYLENE CONTAMINATION OF GROUNDWATER. *Fresen Environ Bull.* 25: 783-792.
- Huang, J; Li, C; Li, K. (2012). A new soy flour-polyepoxide adhesive system for making interior plywood. *Holzforschung.* 66: 427-431. <http://dx.doi.org/10.1515/HF.2011.169>.
- Huang, J; Yeung, CS; Ma, J; Gayner, ER; Phillips, DL. (2014). A computational chemistry investigation of the mechanism of the water-assisted decomposition of trichloroethylene oxide. *J Phys Chem A.* 118: 1557-1567. <http://dx.doi.org/10.1021/jp501310z>.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (1999). Kinetic study of oxidation of trichloroethylene by potassium permanganate. *Environ Eng Sci.* 16: 265-274.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2001). Oxidation of chlorinated ethenes by potassium permanganate: a kinetics study. *J Hazard Mater.* 87: 155-169.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2002). Chemical oxidation of trichloroethylene with potassium permanganate in a porous medium. *Adv Environ Res.* 7: 217-229.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2002). Kinetics and mechanism of oxidation of tetrachloroethylene with permanganate. *Chemosphere.* 46: 815-825.
- Huang, KC; Zhao, Z; Hoag, GE; Dahmani, A; Block, PA. (2005). Degradation of volatile organic compounds with thermally activated persulfate oxidation. *Chemosphere.* 61: 551-560. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.032>.
- Huang, L; Chai, X; Chen, G; Logan, BE. (2011). Effect of set potential on hexavalent chromium reduction and electricity generation from biocathode microbial fuel cells. *Environ Sci Technol.* 45: 5025-5031. <http://dx.doi.org/10.1021/es103875d>.
- Huang, L; Fujita, T; Zhang, X; Matsuda, H. (2006). Influences of H-2 and O-2 and in situ Ca(OH)(2) absorption on nonthermal plasma decomposition of trichloroethylene in N-2. *Chem Eng J.* 124: 81-87. <http://dx.doi.org/10.1016/j.cej.2006.07.008>.
- Huang, L; Sturchio, NC; Abrajano, T; Heraty, LJ; Holt, BD. (1999). Carbon and chlorine isotope fractionation of chlorinated aliphatic hydrocarbons by evaporation. *Organic Geochemistry.* 30: 777-785.
- Huang, LW; Nakajyo, K; Hari, T; Ozawa, S; Matsuda, H. (2001). Decomposition of carbon tetrachloride by a pulsed corona reactor incorporated with in situ absorption. *Ind Eng Chem Res.* 40: 5481-5486.
- Huang, LY; Yang, ZD; Li, BJ; Hu, JA; Zhang, W; Ying, WC. (2011). Granular Activated Carbon Adsorption Process for Removing Trichloroethylene from Groundwater. *AIChE J.* 57: 542-550. <http://dx.doi.org/10.1002/aic.12273>.
- Huang, Q; Dong, H; Towne, RM; Fischer, TB; Schaefer, CE. (2014). Permanganate diffusion and reaction in sedimentary rocks. *J Contam Hydrol.* 159: 36-46. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.010>.
- Huang, Q; Liu, W; Peng, P; Huang, W. (2013). Reductive dechlorination of tetrachlorobisphenol A by Pd/Fe bimetallic catalysts. *J Hazard Mater.* 262: 634-641. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.015>.
- Huang, Q; Meng, Z; Zhou, R. (2012). The effect of synergy between Cr2O3-CeO2 and USY zeolite on the catalytic performance and durability of chromium and cerium modified USY catalysts for decomposition of chlorinated volatile organic compounds. *Appl Catal B-Environ.* 115-116: 179-189. <http://dx.doi.org/10.1016/j.apcatb.2011.12.028>.
- Huang, Q; Shi, X; Pinto, RA; Petersen, EJ; Weber, WJ, Jr. (2008). Tunable Synthesis and Immobilization of Zero-Valent Iron Nanoparticles for Environmental Applications. *Environ Sci Technol.* 42: 8884-8889. <http://dx.doi.org/10.1021/es8015588>.
- Huang, Q; Xue, X; Zhou, R. (2010). Decomposition of 1,2-dichloroethane over CeO2 modified USY zeolite catalysts: effect of acidity and redox property on the catalytic behavior. *J Hazard Mater.* 183: 694-700. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.081>.
- Huang, W; Liu, F, ei; HongHan, C; Bi, E; Li, T. (2010). Removal of trichloroethylene in groundwater using heterogeneous modified Fenton chemical oxidation technology. *Disaster Advances.* 3: 293-296.
- Huang, W; Liu, F, ei; Yan, N, i; Lu, A; Chen, H; Chen, L; Wang, F, ei. (2013). Removal of trichloroethylene in groundwater with two oxidants: siderite catalyzed hydrogen peroxide and sodium persulfate. *Water Science and Technology: Water Supply.* 13: 36-43. <http://dx.doi.org/10.2166/ws.2012.072>.
- Huang, WL; Young, TM; Schlautman, MA; Yu, H; Weber, WJ. (1997). A distributed reactivity model for sorption by soils and sediments .9. General isotherm nonlinearity and applicability of the dual reactive domain model. *Environ Sci Technol.* 31: 1703-1710.
- Huang, Y, u; Ho, W; Ai, Z; Song, X; Zhang, L; Lee, S. (2009). Aerosol-assisted flow synthesis of B-doped, Ni-doped and B-Ni-codoped TiO2 solid and hollow microspheres for photocatalytic removal of NO. *Appl Catal B-Environ.* 89: 398-405. <http://dx.doi.org/10.1016/j.apcatb.2008.12.020>.
- Huang, Y; Wang, J. (2013). Degradation and mineralization of DDT by the ectomycorrhizal fungi, *Xerocomus chrysenteron*. *Chemosphere.* 92: 760-764. <http://dx.doi.org/10.1016/j.chemosphere.2013.04.002>.
- Huang, YF; Huang, YH. (2009). Identification of produced powerful radicals involved in the mineralization of bisphenol A using a novel UV-Na2S2O8/H2O2-Fe(II,III) two-stage oxidation process. *J Hazard Mater.* 162: 1211-1216. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.008>.
- Huang, YH; Zhang, TC. (2002). Kinetics of nitrate reduction by iron at near neutral pH. *J Environ Eng.* 128: 604-611. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2002\)128:7\(604\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2002)128:7(604)).
- Huang, YH; Zhang, TC. (2005). Effects of dissolved oxygen on formation of corrosion products and concomitant oxygen and nitrate reduction in zero-valent iron systems with or without aqueous Fe2+. *Water Res.* 39: 1751-1760. <http://dx.doi.org/10.1016/j.watres.2005.03.002>.
- Huang, YH; Zhang, TC. (2005). Modeling of nitrate adsorption and reduction in Fe-0-packed columns through impulse loading tests. *J Environ Eng.* 131: 1194-1202. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:8\(1194\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:8(1194)).
- Huang, YH; Zhang, TC. (2006). Reduction of nitrobenzene and formation of corrosion coatings in zerovalent iron systems. *Water Res.* 40: 3075-3082. <http://dx.doi.org/10.1016/j.watres.2006.06.016>.
- Huang, YX; Guo, J; Zhang, C; Hu, Z. (2016). Hydrogen production from the dissolution of nano zero valent iron and its effect on anaerobic digestion. *Water Res.* 88: 475-480. <http://dx.doi.org/10.1016/j.watres.2015.10.028>.
- Huang, Z; Yue, F, ei; Yang, X; Xia, L; Chen, C; Qiu, X; Huang, J; Li, L; Kamijima, M; Nakajima, T; Huang, H. (2012). Upregulation of Calprotectin and Downregulation of Retinol Binding Protein in the Serum of Workers with Trichloroethylene-induced Hypersensitivity Dermatitis. *J Occup Health.* 54: 299-309.
- Huff, J. (2002). Chemicals studied and evaluated in long-term carcinogenesis bioassays by both the Ramazzini Foundation and the National Toxicology Program: In tribute to Cesare Maltoni and David Rall. *Ann N Y Acad Sci.* 982: 208-230.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Huff, J. (2002). IARC monographs, industry influence, and upgrading, downgrading, and under-grading chemicals: a personal point of view [Comment]. *Int J Occup Environ Health*. 8: 249-270.
- Hughes, JB; Parkin, GF. (1996). Concentration Effects on Chlorinated Aliphatic Transformation Kinetics. *J Environ Eng*. 122: 92. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(1996\)122:2\(92\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(1996)122:2(92)).
- Hughes, JB; Parkin, GF. (1996). Individual biotransformation rates in chlorinated aliphatic mixtures. *J Environ Eng*. 122: 99-106.
- Hughes, K; Meek, ME; Caldwell, I. (1994). 1,1,2,2-tetrachloroethane: evaluation of risks to health from environmental exposure in Canada. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. 12: 483-491.
- Hughes, K; Meek, ME; Windle, W. (1994). Trichloroethylene: evaluation of risks to health from environmental exposure in Canada. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. 12: 527-543.
- Hughes, R; Gui, L; Gillham, RW. (2009). Degradation of chlorinated butenes and butadienes in granular iron columns. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 1209-1218. <http://dx.doi.org/10.1080/10934520903139837>.
- Hui, Y; Chng, EL; Chua, LP; Liu, WZ; Webster, RD. (2010). Voltammetric method for determining the trace moisture content of organic solvents based on hydrogen-bonding interactions with quinones. *Anal Chem*. 82: 1928-1934. <http://dx.doi.org/10.1021/ac9026719>.
- Huling, SG; Jones, PK; Ela, WP; Arnold, RG. (2005). Repeated reductive and oxidative treatments of granular activated carbon. *J Environ Eng*. 131: 287-297. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:2\(287\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:2(287)).
- Huling, SG; Ko, S; Park, S; Kan, E. (2011). Persulfate oxidation of MTBE- and chloroform-spent granular activated carbon. *J Hazard Mater*. 192: 1484-1490. <http://dx.doi.org/10.1016/j.jhazmat.2011.06.070>.
- Huling, SG; Ko, S; Pivetz, B. (2011). Groundwater Sampling at ISCO Sites: Binary Mixtures of Volatile Organic Compounds and Persulfate. *Ground Water Monitoring and Remediation*. 31: 72-79. <http://dx.doi.org/10.1111/j.1745-6592.2011.01332.x>.
- Hung, CH; Chiang, PC; Yuan, C; Chou, CY. (2001). Photocatalytic degradation of azo dye in TiO₂ suspended solution. *Water Sci Technol*. 43: 313-320.
- Hung, CH; Marinas, BJ. (1995). Identification and Quantification of Products Formed from the Photocatalytic Degradation of Trichloroethylene Vapor on TiO₂ Illuminated with near-Uv Light. Chicago, IL.
- Hung, CH; Marinas, BJ. (1997). Role of chlorine and oxygen in the photocatalytic degradation of trichloroethylene vapor on TiO₂ films. *Environ Sci Technol*. 31: 562-568.
- Hung, CH; Marinas, BJ. (1997). Role of water in the photocatalytic degradation of trichloroethylene vapor on TiO₂ films. *Environ Sci Technol*. 31: 1440-1445.
- Hung, W, enChi; Chen, Y, uC; Chu, H; Tseng, TK, e. (2008). Synthesis and characterization of TiO₂ and Fe/TiO₂ nanoparticles and their performance for photocatalytic degradation of 1,2-dichloroethane. *Appl Surf Sci*. 255: 2205-2213. <http://dx.doi.org/10.1016/j.apsusc.2008.07.079>.
- Hung, WC; Fu, SH; Tseng, JJ; Chu, H; Ko, TH. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO₂ prepared by the sol-gel method. *Chemosphere*. 66: 2142-2151. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.037>.
- Hunka, DE; Herman, DC; Lormand, KD; Jaramillo, DM; Land, DP. (2005). Decomposition of 1,1-dichloroethene on Pd(111). *Langmuir*. 21: 8333-8337. <http://dx.doi.org/10.1021/la050645i>.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-chlorine isotope analysis and quantitative PCR. *J Contam Hydrol*. 119: 69-79. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.009>.
- Hunkeler, D; Arava, R; Parker, BL; Cherry, JA; Diao, X. (2003). Monitoring oxidation of chlorinated ethenes by permanganate in groundwater using stable isotopes: laboratory and field studies. *Environ Sci Technol*. 37: 798-804. <http://dx.doi.org/10.1021/es020073d>.
- Hunkeler, D; Aravena, R; Berry-Spark, K; Cox, E. (2005). Assessment of degradation pathways in an aquifer with mixed chlorinated hydrocarbon contamination using stable isotope analysis. *Environ Sci Technol*. 39: 5975-5981. <http://dx.doi.org/10.1021/es048464a>.
- Hunkeler, D; Aravena, R; Butler, BJ. (1999). Monitoring microbial dechlorination of tetrachloroethene (PCE) in groundwater using compound-specific stable carbon isotope ratios: Microcosm and field studies. *Environ Sci Technol*. 33: 2733-2738.
- Hunkeler, D; Aravena, R; Shouakar-Stash, O; Weisbrod, N; Nasser, A; Netzer, L; Ronen, D. (2011). Carbon and chlorine isotope ratios of chlorinated ethenes migrating through a thick unsaturated zone of a sandy aquifer. *Environ Sci Technol*. 45: 8247-8253. <http://dx.doi.org/10.1021/es201415k>.
- Hunkeler, D; Chollet, N; Pittet, X; Aravena, R; Cherry, JA; Parker, BL. (2004). Effect of source variability and transport processes on carbon isotope ratios of TCE and PCE in two sandy aquifers. *J Contam Hydrol*. 74: 265-282. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.003>.
- Hunkeler, D; Van Breukelen, BM; Elsner, M. (2009). Modeling Chlorine Isotope Trends during Sequential Transformation of Chlorinated Ethenes. *Environ Sci Technol*. 43: 6750-6756. <http://dx.doi.org/10.1021/es900579z>.
- Hunt, JR; Holden, PA; Firestone, MF. (1995). COUPLING TRANSPORT AND BIODEGRADATION OF VOCs IN SURFACE AND SUBSURFACE SOILS. *Environ Health Perspect*. 103: 75-78.
- Hunter, CA; Misuraca, MC; Turega, SM. (2012). Comparative analysis of the influence of H-bond strength and solvent on chelate cooperativity in H-bonded supramolecular complexes. 3: 2462-2469. <http://dx.doi.org/10.1039/c2sc20358h>.
- Hunter, CA; Misuraca, MC; Turega, SM. (2012). Solvent effects on chelate cooperativity. 3: 589-601. <http://dx.doi.org/10.1039/c1sc00635e>.
- Hunter, E; Rogers, E; Schmid, J; Richard, A. (1996). Comparative effects of haloacetic acids in whole embryo culture. *Teratology*. 54: 57-64. [http://dx.doi.org/10.1002/\(SICI\)1096-9926\(199606\)54:2<57::AID-TERA1>3.0.CO;2-1](http://dx.doi.org/10.1002/(SICI)1096-9926(199606)54:2<57::AID-TERA1>3.0.CO;2-1).
- Hunter, WJ. (2005). Injection of innocuous oils to create reactive barriers for bioremediation: laboratory studies. *J Contam Hydrol*. 80: 31-48. <http://dx.doi.org/10.1016/j.jconhyd.2005.06.008>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hussain, I; Zhang, Y; Huang, S. (2014). Degradation of aniline with zero-valent iron as an activator of persulfate in aqueous solution. *RSC Advances*. 4: 3502-3511. <http://dx.doi.org/10.1039/c3ra43364a>.
- Hutson, A; Ko, S; Huling, SG. (2012). Persulfate oxidation regeneration of granular activated carbon: Reversible impacts on sorption behavior. *Chemosphere*. 89: 1218-1223. <http://dx.doi.org/10.1016/j.chemosphere.2012.07.040>.
- Hutter, GM; Brenniman, GR; Anderson, RJ. (1992). Measurement of the apparent diffusion coefficient of trichloroethylene in soil. *Water Environ Res*. 64: 69-77.
- Huybrechts, T; Dewulf, J; Van Langenhove, H. (2005). Priority volatile organic compounds in surface waters of the southern North Sea. *Environ Pollut*. 133: 255-264. <http://dx.doi.org/10.1016/j.envpol.2004.05.03>.
- Hwang, C; An, J; Choi, BD, oo; Kim, K; Jung, SW, on; Baeg, KJ, un; Kim, MG, il; Ok, KM, in; Hong, J. (2016). Controlled aqueous synthesis of ultra-long copper nanowires for stretchable transparent conducting electrode. 4: 1441-1447. <http://dx.doi.org/10.1039/c5tc03614c>.
- Hwang, C; Cheng, YC. (2005). A note on the use of the Lambert W function in the stability analysis of time-delay systems. *Automatica*. 41: 1979-1985. <http://dx.doi.org/10.1016/j.automatica.2005.05.020>.
- Hwang, H; Kim, A; Zhong, Z; Kwon, HC; Jeong, S; Moon, J. (2016). Reducible-Shell-Derived Pure-Copper-Nanowire Network and Its Application to Transparent Conducting Electrodes. *Adv Funct Mater*. 26: 6545-6554. <http://dx.doi.org/10.1002/adfm.201602094>.
- Hwang, HT; Jeon, SW; Sudicky, EA; Illman, WA. (2015). Determination of rate constants and branching ratios for TCE degradation by zero-valent iron using a chain decay multispecies model. *J Contam Hydrol*. 177-178: 43-53. <http://dx.doi.org/10.1016/j.jconhyd.2015.03.001>.
- Hwang, I; Batchelor, B. (2001). Reductive dechlorination of tetrachloroethylene in soils by Fe(II)-based degradative solidification/stabilization. *Environ Sci Technol*. 35: 3792-3797.
- Hwang, I; Park, HJ; Kang, WH; Park, JY. (2005). Reactivity of Fe(II)/cement systems in dechlorinating chlorinated ethylenes. *J Hazard Mater*. 118: 103-111. <http://dx.doi.org/10.1016/j.jhazmat.2004.10.002>.
- Hwang, Y; Mines, PD; Jakobsen, MH; Andersen, HR. (2015). Simple colorimetric assay for dehalogenation reactivity of nanoscale zero-valent iron using 4-chlorophenol. *Appl Catal B-Environ*. 166: 18-24. <http://dx.doi.org/10.1016/j.apcatb.2014.10.059>.
- Hylton, TD. (1992). EVALUATION OF THE TCE CATALYTIC-OXIDATION UNIT AT WURTSMITH AIR-FORCE BASE. *Environmental Progress*. 11: 54-57.
- Hyun, S; Hayes, K. (2015). Abiotic reductive dechlorination of cis-DCE by ferrous monosulfide mackinawite. *Environ Sci Pollut Res Int*. 22: 16463-16474. <http://dx.doi.org/10.1007/s11356-015-5033-2>.
- Hyun, SP, il; Hayes, K, imF. (2009). Feasibility of Using In Situ FeS Precipitation for TCE Degradation. *J Environ Eng*. 135: 1009-1014. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000073](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000073).
- IARC. (1995). Tetrachloroethylene. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans* (pp. 159-221). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol63/index.php>.
- IARC. (2001). Pathology and genetics of tumours of haematopoietic and lymphoid tissues. In *IARC WHO classification of tumours*. Lyon, France. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=70&codcch=3>.
- IARC. (2004). Tobacco smoke and involuntary smoking [IARC Monograph] (pp. 1-1438). (RISKLIN/2004080004). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol83/mono83.pdf>.
- Ibhadon, AO; Arabatzis, IM; Falaras, P; Tsoukleris, D. (2007). The design and photoreaction kinetic modeling of a gas-phase titania foam packed bed reactor. *Chem Eng J*. 133: 317-323. <http://dx.doi.org/10.1016/j.cej.2007.02.018>.
- Ibrahim, H; de Lasa, H. (1999). Novel photocatalytic reactor for the destruction of airborne pollutants reaction kinetics and quantum yields. *Ind Eng Chem Res*. 38: 3211-3217.
- Ibrahim, H; de Lasa, H. (2002). Photo-catalytic conversion of air borne pollutants - Effect of catalyst type and catalyst loading in a novel photo-CREC-air unit. *Appl Catal B-Environ*. 38: 201-213.
- Ibrahim, H; de Lasa, H. (2003). Photo-catalytic degradation of air borne pollutants apparent quantum efficiencies in a novel photo-CREC-air reactor. *Chem Eng Sci*. 58: 943-949. [http://dx.doi.org/10.1016/S0009-2509\(02\)00632-2](http://dx.doi.org/10.1016/S0009-2509(02)00632-2).
- ICRP. (2002). Basic anatomical and physiological data for use in radiological protection: Reference values. In *Annals of the ICRP* (pp. 1-277). (ICRP Publication 89). New York, NY: Pergamon Press. [http://dx.doi.org/10.1016/S0146-6453\(03\)00002-2](http://dx.doi.org/10.1016/S0146-6453(03)00002-2).
- Ikatsu, H; Shinoda, S; Nakajima, T. (1998). CYP2E1 level in rat liver injured by the interaction between carbon tetrachloride and chloroform. *J Occup Health*. 40: 223-229. <http://dx.doi.org/10.1539/joh.40.223>.
- Ikeda, M; Ohtsuji, H. (1972). COMPARATIVE STUDY OF EXCRETION OF FUJIWARA REACTION-POSITIVE SUBSTANCES IN URINE OF HUMANS AND RODENTS GIVEN TRICHLORO-DERIVATIVES OR TETRACHLORO-DERIVATIVES OF ETHANE AND ETHYLENE. *Br J Ind Med*. 29: 99-8.
- Ikehata, K; Wang-Staley, L; Qu, X; Li, Y. (2016). Treatment of groundwater contaminated with 1,4-dioxane, tetrahydrofuran, and chlorinated volatile organic compounds using advanced oxidation processes. *Ozone: Science and Engineering*. 38: 413-424. <http://dx.doi.org/10.1080/01919512.2016.1198686>.
- Iloukhani, F; Zarei, HA. (2002). Excess thermodynamic properties of binary liquid mixtures containing N,N-dimethylacetamide with some alkan-1-ols (C-1-C-6) at 298.15 K. *Physics and Chemistry of Liquids*. 40: 449-455. <http://dx.doi.org/10.1080/0031910021000017762>.
- Iloukhani, H. (1997). Excess molar enthalpies for binary mixtures with trichloroethylene plus alkan-1-ols (C-3-C-8) at 298.15 K. *Journal of Chemical and Engineering Data*. 42: 802-804.
- Iloukhani, H; Parsa, JB. (2001). Excess molar enthalpies of binary mixtures of trichloroethylene with six 2-alkanols at 25 degrees C. *Journal of Solution Chemistry*. 30: 425-433.
- Iloukhani, H; Parsa, JB; Azizian, S. (1999). Ultrasonic studies for binary mixtures with trichloroethylene plus alkan-1-ols (C-3-C-8) at 303.15 K. *Journal of Chemical and Engineering Data*. 44: 152-154.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Iloukhani, H; Samiey, B. (2005). Studies of viscosities and excess molar volumes of the binary mixtures of 1-heptanol plus 1,2-dichloroethane, plus 1,1,1-trichloroethane, plus 1,1,2,2-tetrachloroethane, plus trichloroethylene and tetrachloroethylene at (293.15, 298.15, and 303.15) K for the liquid region and at ambient pressure. *Journal of Chemical and Engineering Data*. 50: 1911-1916. <http://dx.doi.org/10.1021/je0501890>.
- Im, J; Walshe-Langford, GE; Moon, J; Loeffler, FE. (2014). Environmental Fate of the Next Generation Refrigerant 2,3,3,3-Tetrafluoropropene (HFO-1234yf). *Environ Sci Technol*. 48: 13181-13187. <http://dx.doi.org/10.1021/es5032147>.
- Imaoka, T; Takatsuka, T; Yamamoto, K. (2006). Catalytic dehalogenation enhanced by appending dendritic ligands on cobalt porphyrins. *Journal of Porphyrins and Phthalocyanines*. 10: 1066-1070.
- Imfeld, G; Nijenhuis, I; Nikolausz, M; Zeiger, S; Paschke, H; Drangmeister, J; Grossmann, J; Richnow, HH; Weber, S. (2008). Assessment of in situ degradation of chlorinated ethenes and bacterial community structure in a complex contaminated groundwater system. *Water Res*. 42: 871-882. <http://dx.doi.org/10.1016/j.watres.2007.08.035>.
- Imhoff, PT; Arthur, MH; Miller, CT. (1998). Complete dissolution of trichloroethylene in saturated porous media. *Environ Sci Technol*. 32: 2417-2424.
- Imhoff, PT; Jaffe, PR; Pinder, GF. (1994). AN EXPERIMENTAL-STUDY OF COMPLETE DISSOLUTION OF A NONAQUEOUS PHASE LIQUID IN SATURATED POROUS-MEDIA. *Water Resour Res*. 30: 307-320.
- Imhoff, PT; Pirestani, K; Jafarpour, Y; Spivey, KM. (2003). Tracer interaction effects during partitioning tracer tests for NAPL detection. *Environ Sci Technol*. 37: 1441-1447. <http://dx.doi.org/10.1021/es026040f>.
- Imoberdorf, GE; Cassano, AE; Alfano, OM; Irazoqui, HA. (2006). Modeling of a multiannular photocatalytic reactor for perchloroethylene degradation in air. *AIChE J*. 52: 1814-1823. <http://dx.doi.org/10.1002/aic.10771>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Optimal design and modeling of annular photocatalytic wall reactors. *Catalysis Today*. 129: 118-126. <http://dx.doi.org/10.1016/j.cattod.2007.06.057>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Simulation of a multi-annular photocatalytic reactor for degradation of perchloroethylene in air: Parametric analysis of radiative energy efficiencies. *Chem Eng Sci*. 62: 1138-1154. <http://dx.doi.org/10.1016/j.ces.2006.10.024>.
- Imoberdorf, GE; Irazoqui, HA; Alfano, OM; Cassano, AE. (2007). Scaling-up from first principles of a photocatalytic reactor for air pollution remediation. *Chem Eng Sci*. 62: 793-804. <http://dx.doi.org/10.1016/j.ces.2006.10.004>.
- Imoberdorf, GE; Irazoqui, HA; Cassano, AE; Alfano, OM. (2005). Photocatalytic degradation of tetrachloroethylene in gas phase on TiO₂ films: A kinetic study. *Ind Eng Chem Res*. 44: 6075-6085. <http://dx.doi.org/10.1021/ie049185z>.
- Imoberdorf, GE; Taghipour, F; Keshmiri, M; Mohseni, M. (2008). Predictive radiation field modeling for fluidized bed photocatalytic reactors. *Chem Eng Sci*. 63: 4228-4238. <http://dx.doi.org/10.1016/j.ces.2008.05.022>.
- Inaba, K; Hirata, T. (1992). Effects of coexisting linear alkylbenzenesulfonates on migration behavior of trichloroethylene in porous media. *Environ Technol*. 13: 259-265.
- Inayoshi, T; Sanada, M; Matsumoto, S. (2016). DBTTF derivative with bis(propylenedioxy) (BPDO) groups: Synthesis, electrochemical properties, conductivity, and crystal and band structures of salts. *Synthetic Metals*. 220: 174-186. <http://dx.doi.org/10.1016/j.synthmet.2016.06.005>.
- Indarto, A; Choi, JW; Lee, H; Song, HK. (2006). Decomposition of CCl₄ and CHCl₃ on gliding arc plasma. *J Environ Sci*. 18: 83-89.
- Indarto, A; Yang, D, aeR; Choi, J, aeW; Lee, H; Song, HK. (2007). CCl₄ decomposition by gliding arc plasma: Role of C-2 compounds on products distribution. *Chemical Engineering Communications*. 194: 1111-1125. <http://dx.doi.org/10.1080/00986440701293363>.
- Inderjit; Asakawa, C; Kakuta, H. (2003). Phytotoxicity and fate of 1,1,2-trichloroethylene: A laboratory study. *J Chem Ecol*. 29: 1329-1335.
- Inguva, S; Boensch, M; Shreve, GS. (1998). Microbial enhancement of TCE and 1,2-DCA solute flux in UF-membrane bioreactors. *AIChE J*. 44: 2112-2123.
- Inguva, S; Shreve, GS. (1999). Biodegradation kinetics of trichloroethylene and 1,2-dichloroethane by Burkholderia (Pseudomonas) cepacia PR131 and Xanthobacter autotrophicus GJ10. *Int Biodeterior Biodegradation*. 43: 1-2.
- Inostroza, AA; Pantoja, S; Gonzalez, RR. (2011). Enzymatic activity of marine methanotrophs and its potential use in bioremediation. 75: 138-145.
- Inoue, O; Seiji, K; Kawai, T; Watanabe, T; Jin, C; Cai, SX; Chen, Z; Qu, QS; Zhang, T; Ikeda, M. (1993). Excretion of methylhippuric acids in urine of workers exposed to a xylene mixture: comparison among three xylene isomers and toluene. *Int Arch Occup Environ Health*. 64: 533-539.
- Inoue, O; Seiji, K; Watanabe, T; Chen, Z; Huang, MY; Xu, XP; Qiao, X; Ikeda, M. (1994). Effects of smoking and drinking habits on urinary o-cresol excretion after occupational exposure to toluene vapor among Chinese workers. *Am J Ind Med*. 25: 697-708.
- Inoue, O; Ukai, H; Ikeda, M. (2006). Green chemistry in urinalysis for trichloroethanol and trichloroacetic acid as markers of exposure to chlorinated hydrocarbon solvents. *Ind Health*. 44: 207-214.
- Insogna, S; Frison, S; Marconi, E; Bacaloni, A. (2014). Trends of volatile chlorinated hydrocarbons and trihalomethanes in Antarctica. *Int J Environ Anal Chem*. 94: 1343-1359. <http://dx.doi.org/10.1080/03067319.2014.974587>.
- Intriago, L; Diaz, E; Ordonez, S; Vega, A. (2006). Combustion of trichloroethylene and dichloromethane over protonic zeolites: Influence of adsorption properties on the catalytic performance. *Microporous and Mesoporous Materials*. 91: 161-169. <http://dx.doi.org/10.1016/j.micromeso.2005.11.043>.
- Intrieri, C; Poni, S; Rebutti, B; Magnanini, E. (1998). Row orientation effects on whole-canopy gas exchange of potted and field-grown grapevines. *Vitis*. 37: 147-154.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- IOM. (2003). Gulf war and health: Volume 2. Insecticides and solvents. Washington, DC: National Academies Press.
http://www.nap.edu/catalog.php?record_id=10628.
- Ireland, JC; Davila, B; Moreno, H; Fink, SK; Tassos, S. (1995). Heterogeneous photocatalytic decomposition of polyaromatic hydrocarbons over titanium dioxide. *Chemosphere*. 30: 965-984.
- Ireland, JC; Valiniaks, J. (1992). Rapid measurement of aqueous hydroxyl radical concentrations in steady-state hydroxy radical flux systems. *Chemosphere*. 25: 383-396.
- Irokawa, Y; Morikawa, T; Aoki, K; Kosaka, S; Ohwaki, T; Taga, Y. (2006). Photodegradation of toluene over TiO₂-xNx under visible light irradiation. *Phys Chem Chem Phys*. 8: 1116-1121. <http://dx.doi.org/10.1039/b517653k>.
- Isaacs, KK; Evans, MV; Harris, TR. (2004). Visualization-based analysis for a mixed-inhibition binary PBPK model: Determination of inhibition mechanism. *J Pharmacokinetic Pharmacodyn*. 31: 215-242.
- Isalou, M; Sleep, BE; Liss, SN. (1998). Biodegradation of high concentrations of tetrachloroethene in a continuous flow column system. *Environ Sci Technol*. 32: 3579-3585.
- Ise, K; Suto, K; Inoue, C. (2011). Microbial diversity and changes in the distribution of dehalogenase genes during dechlorination with different concentrations of cis-DCE. *Environ Sci Technol*. 45: 5339-5345. <http://dx.doi.org/10.1021/es104199y>.
- Ishiguro, T; Ohtake, Y; Nakayama, S; Inamori, Y; Amagai, T; Soma, M; Matsusita, H. (2000). Biodegradation of dibenzofuran and dioxins by *Pseudomonas aeruginosa* and *Xanthomonas maltophilia*. *Environ Technol*. 21: 1309-1316.
- Ishikawa, H; Okumura, K; Naito, N; Harada, T; Yamauchi, Y; Yamasaki, K; Murayama, M; Ihara, T. (2003). Purity evaluation of volatile organic compounds by GC-FID for standard gases and solutions using environmental analysis. *Bunseki Kagaku*. 52: 357-365.
- Ishikawa, S; Kojima, Y; Ozawa, S; Matsuda, H; Ushiroebisu, K; Yamada, Z. (2002). Effect of amount of trichloroethylene adsorbed on TiO₂/SiO₂ beads on photocatalytic decomposition. *Kagaku Kogaku Ronbunshu*. 28: 528-532.
- Ishizaka, S; Nishijima, Y; Kitamura, N. (2006). A thermodynamic study on the complexation between riboflavin and a diaminotriazine derivative mediated by triple hydrogen bonds at water/oil interfaces. *Anal Bioanal Chem*. 386: 749-758. <http://dx.doi.org/10.1007/s00216-006-0573-4>.
- Islam, MR; Sundararajan, PR. (2011). Tubular or subsurface morphology of octabutoxyphthalocyanine upon self-assembly in polymer matrices: effect of the casting solvent. *Chemistry*. 17: 6098-6108. <http://dx.doi.org/10.1002/chem.201003339>.
- Islam, MS; Zhao, L; Zhou, J; Dong, L; McDougal, JN; Flynn, GL. (1996). Systemic uptake and clearance of chloroform by hairless rats following dermal exposure. I. Brief exposure to aqueous solutions. *Risk Anal*. 16: 349-357.
- Ismail, AA. (2008). Single-step synthesis of a highly active photocatalyst for oxidation of trichloroethylene. *Appl Catal B-Environ*. 85: 33-39. <http://dx.doi.org/10.1016/j.apcatb.2008.06.025>.
- Ismail, AA; Ibrahim, IA. (2008). Impact of supercritical drying and heat treatment on physical properties of titania/silica aerogel monolithic and its applications. *Appl Catal A-Gen*. 346: 200-205. <http://dx.doi.org/10.1016/j.apcata.2008.05.031>.
- Isse, AA; Huang, B; Durante, C; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at a copper cathode. Part I: Polychloromethanes. *Appl Catal B-Environ*. 126: 347-354. <http://dx.doi.org/10.1016/j.apcatb.2012.07.004>.
- Istok, JD; Field, JA; Schroth, MH; Davis, BM; Dwarakanath, V. (2002). Single-well "push-pull" partitioning tracer test for NAPL detection in the subsurface. *Environ Sci Technol*. 36: 2708-2716. <http://dx.doi.org/10.1021/es015624z>.
- Itakura, T; Airey, DW; Leo, CJ. (2003). The diffusion and sorption of volatile organic compounds through kaolinitic clayey soils. *J Contam Hydrol*. 65: 219-243. [http://dx.doi.org/10.1016/S0169-7722\(03\)00002-0](http://dx.doi.org/10.1016/S0169-7722(03)00002-0).
- Ito, T; Meyer, GJ. (2007). Heme-Mediated Reduction of Organohalide Pollutants at Nanocrystalline TiO sub(2) Thin-Film Interfaces. *Environ Eng Sci*. 24: 31-44.
- Ito, Y; Yamanoshita, O; Asaeda, N; Tagawa, Y; Lee, CH; Aoyama, T; Ichihara, G; Furuhashi, K; Kamijima, M; Gonzalez, FJ; Nakajima, T. (2007). Di(2-ethylhexyl)phthalate induces hepatic tumorigenesis through a peroxisome proliferator-activated receptor alpha-independent pathway. *J Occup Health*. 49: 172-182.
- Ito, Y; Yokota, H; Wang, R; Yamanoshita, O; Ichihara, G; Wang, H; Kurata, Y; Takagi, K; Nakajima, T. (2005). Species differences in the metabolism of di(2-ethylhexyl) phthalate (DEHP) in several organs of mice, rats, and marmosets. *Arch Toxicol*. 79: 147-154. <http://dx.doi.org/10.1007/s00204-004-0615-7>.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A PRODUCT STUDY OF THE OH RADICAL-INITIATED OXIDATION OF PERCHLOROETHYLENE AND TRICHLOROETHYLENE. *Chemosphere*. 28: 2029-2040. [http://dx.doi.org/10.1016/0045-6535\(94\)90153-8](http://dx.doi.org/10.1016/0045-6535(94)90153-8).
- Iwatsubo, Y; Benezet, L; Boutou-Kempf, O; Fevotte, J; Garras, L; Goldberg, M; Luce, D; Pilorget, C; Imbernon, E. (2014). An extensive epidemiological investigation of a kidney cancer cluster in a chemical plant: what have we learned? *Occup Environ Med*. 71: 4-11. <http://dx.doi.org/10.1136/oemed-2013-101477>.
- Iyer, RA; Frink, EJ, Jr; Ebert, TJ; Anders, MW. (1998). Cysteine conjugate beta-lyase-dependent metabolism of compound A (2-[fluoromethoxy]-1,1,3,3,3-pentafluoro-1-propene) in human subjects anesthetized with sevoflurane and in rats given compound A. *Anesthesiology*. 88: 611-618.
- Izcapa-Treviño, C; Loera, O; Tomasini-Campocoso, A; Esparza-García, F; Salazar-Montoya, JA; Díaz-Cervantes, MD; Rodríguez-Vázquez, R. (2009). Fenton (H₂O₂/Fe) reaction involved in *Penicillium* sp. culture for DDT [1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane]] degradation. *J Environ Sci Health B*. 44: 798-804. <http://dx.doi.org/10.1080/03601230903238368>.
- Jackson, RE. (1999). Anticipating ground-water contamination by new technologies and chemicals: The case of chlorinated solvents in California. *Environmental and Engineering Geoscience*. 5: 331-338.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Jackson, RE; Dwarakanath, V. (1999). Chlorinated degreasing solvents: Physical-chemical properties affecting aquifer contamination and remediation. *Ground Water Monitoring and Remediation*. 19: 102-110.
- Jackson, RE; Mariner, PE. (1995). ESTIMATING DNAPL COMPOSITION AND VOC DILUTION FROM EXTRACTION WELL DATA. *Ground Water*. 33: 407-414.
- Jackson, S, aML; Rananaware, A; Rix, C; Bhosale, SV; Latham, K, ay. (2015). Clathrate directed assembly of tetrapyridyl-tetraphenylethylene metal-organic frameworks. *RSC Advances*. 5: 84134-84141. <http://dx.doi.org/10.1039/c5ra18499a>.
- Jackson, WA; Martino, L; Hirsh, S; Wrobel, J; Pardue, JH. (2005). Application of a dialysis sampler to monitor phytoremediation processes. *Environ Monit Assess*. 107: 155-171. <http://dx.doi.org/10.1007/s10661-005-5436-5>.
- Jacobs, AM; Amin, IE; Fisher, ON. (2007). Persistence of vinyl chloride in ground water at the Woodlawn landfill Superfund site, northeastern Maryland, USA. *Environ Geol*. 52: 1253-1260. <http://dx.doi.org/10.1007/s00254-006-0563-z>.
- Jacobs, TL; Warmerdam, JM; Medina, MA; Piver, WT. (1996). Second moment method for evaluating human health risks from groundwater contaminated by trichloroethylene. *Environ Health Perspect*. 104: 866-870.
- Jacoby, WA; Blake, DM; Fennell, JA; Boulter, JE; Vargo, LM; George, MC; Dolberg, SK. (1996). Heterogeneous photocatalysis for control of volatile organic compounds in indoor air. *J Air Waste Manag Assoc*. 46: 891-898.
- Jacoby, WA; Blake, DM; Noble, RD; Koval, CA. (1995). KINETICS OF THE OXIDATION OF TRICHLOROETHYLENE IN AIR VIA HETEROGENEOUS PHOTOCATALYSIS. *J Catal*. 157: 87-96.
- Jacoby, WA; Nimlos, MR; Blake, DM; Noble, RD; Koval, CA. (1994). Products, Intermediates, Mass Balances, and Reaction Pathways for the Oxidation of Trichloroethylene in Air via Heterogeneous Photocatalysis. *Environ Sci Technol*. 28: 1661-1668. <http://dx.doi.org/10.1021/es00058a018>.
- Jacques, B; Devaux, J; Legras, R; Nield, E. (1996). Study of an appropriate procedure for the chromatographic analysis of poly(ethylene terephthalate), after melt processing with triphenyl phosphite. *J Chromatogr A*. 725: 367-371.
- Jafarpour, B; Imhoff, PT; Chiu, PC. (2005). Quantification and modelling of 2,4-dinitrotoluene reduction with high-purity and cast iron. *J Contam Hydrol*. 76: 87-107. <http://dx.doi.org/10.1016/j.jconhyd.2004.08.008>.
- Jaffe, D; Gandolfi, A; Nagle, R. (1984). Chronic toxicity of S-(trans-1,2-dichlorovinyl)-L-cysteine in mice. *J Appl Toxicol*. 4: 315-319. <http://dx.doi.org/10.1002/jat.2550040607>.
- Jaffe, D; Hassall, C; Gandolfi, A; Brendel, K. (1985). Production of DNA single strand breaks in rabbit renal tissue after exposure to 1,2-dichlorovinylcysteine. *Toxicology*. 35: 25-33. [http://dx.doi.org/10.1016/0300-483X\(85\)90129-5](http://dx.doi.org/10.1016/0300-483X(85)90129-5).
- Jahnke, SA; Niemann, J; Kautek, W; Bischoff, R; Pfeiffer, C; Kossmehl, G. (1997). Sensor system for alcohol and chlorinated hydrocarbon vapours on the basis of semiconducting polymers. *Int J Environ Anal Chem*. 67: 223-236.
- Jakubowska, N; Polkowska, Z; Kujawski, W; Konieczka, P; Namieśnik, J. (2007). A comparison of three solvent-free techniques coupled with gas chromatography for determining trihalomethanes in urine samples. *Anal Bioanal Chem*. 388: 691-698. <http://dx.doi.org/10.1007/s00216-007-1259-2>.
- James, AL; Oldenburg, CM. (1997). Linear and Monte Carlo uncertainty analysis for subsurface contaminant transport simulation. *Water Resour Res*. 33: 2495-2508.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. *Environ Pollut*. 157: 2564-2569. <http://dx.doi.org/10.1016/j.envpol.2009.02.033>.
- James, CA; Xin, G; Doty, SL; Strand, SE. (2008). Degradation of low molecular weight volatile organic compounds by plants genetically modified with mammalian cytochrome P450 2E1. *Environ Sci Technol*. 42: 289-293. <http://dx.doi.org/10.1021/es071197z>.
- James, KJ; Stack, MA. (1996). The determination of volatile organic compounds in soils using solid phase microextraction with gas chromatography-mass spectrometry. *HRC - Journal of High Resolution Chromatography*. 19: 515-519.
- James, MO; Cornett, R; Yan, Z; Henderson, GN; Stacpoole, PW. (1997). Glutathione-dependent conversion to glyoxylate, a major pathway of dichloroacetate biotransformation in hepatic cytosol from humans and rats, is reduced in dichloroacetate-treated rats. *Drug Metab Dispos*. 25: 1223-1227.
- Jamrah, A; Al-Futaisi, A; Hassan, H; Al-Oraimi, S. (2007). Petroleum contaminated soil in Oman: Evaluation of bioremediation treatment and potential for reuse in hot asphalt mix concrete. *Environ Monit Assess*. 124: 331-341. <http://dx.doi.org/10.1007/s10661-006-9230-9>.
- Janda, V; Vasek, P; Bizova, J; Belohlav, Z. (2004). Kinetic models for volatile chlorinated hydrocarbons removal by zero-valent iron. *Chemosphere*. 54: 917-925. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.033>.
- Jang, C; Jiang, Q; Lu, J; Ye, Z. (2015). Structural, Optical and Electrical Properties of Ga Doped ZnO/Cu grid/Ga Doped ZnO Transparent Electrodes. *Journal of Materials Science & Technology*. 31: 1108-1110. <http://dx.doi.org/10.1016/j.jmst.2015.07.018>.
- Jang, D, aeGyu; Ahn, CH; Choi, JS; Kim, JH, o; Kim, JK, yu; Joo, J, inC. (2016). Enhanced Removal of Trichloroethylene in Water Using Nano-ZnO/Polybutadiene Rubber Composites. 6. <http://dx.doi.org/10.3390/catal6100152>.
- Jang, J; Im, HG; Jin, J; Lee, J; Lee, JY; Bae, BS. (2016). A Flexible and Robust Transparent Conducting Electrode Platform Using an Electroplated Silver Grid/Surface-Embedded Silver Nanowire Hybrid Structure. 8: 27035-27043. <http://dx.doi.org/10.1021/acsami.6b07140>.
- Jang, M; Kim, JH; Hwang, DH; Yang, H. (2015). Controlling Conjugation and Solubility of Donor-Acceptor Semiconducting Copolymers for High-Performance Organic Field-Effect Transistors. 7: 12781-12788. <http://dx.doi.org/10.1021/acsami.5b01746>.
- Jang, W; Aral, MM. (2007). Density-driven transport of volatile organic compounds and its impact on contaminated groundwater plume evolution. *Transport in Porous Media*. 67: 353-374. <http://dx.doi.org/10.1007/s11242-006-9029-8>.
- Jang, W; Aral, MM. (2008). Effect of biotransformation on multispecies plume evolution and natural attenuation. *Transport in Porous Media*. 72: 207-226. <http://dx.doi.org/10.1007/s11242-007-9145-0>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Jang, W; Aral, MM. (2009). Multiphase Flow Fields in In-situ Air Sparging and its Effect on Remediation. *Transport in Porous Media*. 76: 99-119. <http://dx.doi.org/10.1007/s11242-008-9238-4>.
- Jankowski, P; Ogończyk, D; Lisowski, W; Garstecki, P. (2012). Polyethyleneimine coating renders polycarbonate resistant to organic solvents. *Lab Chip*. 12: 2580-2584. <http://dx.doi.org/10.1039/c2lc21297h>.
- Jansson, I; Suarez, S; Garcia-Garcia, FJ; Sanchez, B. (2015). Zeolite-TiO₂ hybrid composites for pollutant degradation in gas phase. *Appl Catal B-Environ*. 178: 100-107. <http://dx.doi.org/10.1016/j.apcatb.2014.10.022>.
- Jansson, I; Yoshiiri, K; Hori, H; Garcia-Garcia, FJ; Rojas, S; Sanchez, B; Ohtani, B; Suarez, S. (2016). Visible light responsive Zeolite/WO₃-Pt hybrid photocatalysts for degradation of pollutants in air. *Appl Catal A-Gen*. 521: 208-219. <http://dx.doi.org/10.1016/j.apcata.2015.12.015>.
- Jarandehi, A; De Visscher, A. (2009). Three-Dimensional CFD Model for a Flat Plate Photocatalytic Reactor: Degradation of TCE in a Serpentine Flow Field. *AIChE J*. 55: 312-320. <http://dx.doi.org/10.1002/aic.11692>.
- Jarandehi, A; Golpayegani, MK; De Visscher, A. (2008). Kinetic modeling of photocatalytic degradation reactions: Effect of charge trapping. *Appl Catal B-Environ*. 84: 65-74. <http://dx.doi.org/10.1016/j.apcatb.2008.03.006>.
- Jarrett, MR; Finklea, HO. (1999). Detection of nonpolar vapors on quartz crystal microbalances with Ni(SCN)₂(4-picoline)₄ coatings. *Anal Chem*. 71: 353-357.
- Jasińska, M. (1965). [General anesthesia with trichloroethylene in children with congenital developmental defects of the jaw and face]. *Czas Stomatol*. 18: 935-940.
- Jasper, A; Salih, HH; Sorial, GA; Sinha, R; Krishnan, R; Patterson, CL. (2010). Impact of Nanoparticles and Natural Organic Matter on the Removal of Organic Pollutants by Activated Carbon Adsorption. *Environ Eng Sci*. 27: 85-93. <http://dx.doi.org/10.1089/ees.2009.0234>.
- Jat, ML; Gathala, MK; Ladha, JK; Saharawat, YS; Jat, AS; Kumar, V; Sharma, SK; Kumar, V; Gupta, R, aj. (2009). Evaluation of precision land leveling and double zero-till systems in the rice-wheat rotation: Water use, productivity, profitability and soil physical properties. *Soil Till Res*. 105: 112-121. <http://dx.doi.org/10.1016/j.still.2009.06.003>.
- Jayanti, S; Britton, LN; Dwarakanath, V; Pope, GA. (2002). Laboratory evaluation of custom-designed surfactants to remediate NAPL source zones. *Environ Sci Technol*. 36: 5491-5497. <http://dx.doi.org/10.1021/es020566i>.
- Jayaraj, J; Rockne, KJ; Makkar, RS. (2004). Reductive dechlorination of tetrachloroethene by a mixed bacterial culture growing on ethyl lactate. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 39: 1399-1414. <http://dx.doi.org/10.1081/ESE-120037841>.
- Jean, JH; Gupta, TK. (1992). CRYSTALLIZATION KINETICS OF BINARY BOROSILICATE GLASS COMPOSITE. *J Mater Res*. 7: 3103-3111.
- Jean, JH; Gupta, TK. (1993). CRYSTAL-GROWTH INHIBITOR IN BINARY BOROSILICATE GLASS COMPOSITE GALLIUM OXIDE. *Journal of the American Ceramic Society*. 76: 751-753.
- Jeannotat, S; Hunkeler, D. (2012). Chlorine and carbon isotopes fractionation during volatilization and diffusive transport of trichloroethene in the unsaturated zone. *Environ Sci Technol*. 46: 3169-3176. <http://dx.doi.org/10.1021/es203547p>.
- Jedynak, K; Zdenkowski, J, an; Swiecicka, A; Choma, J. (2015). Adsorption Properties Characterization of Ordered Mesoporous Carbons by Inverse Gas Chromatography. 37: 3-10.
- Jeen, SW; Amos, RT; Blowes, DW. (2012). Modeling gas formation and mineral precipitation in a granular iron column. *Environ Sci Technol*. 46: 6742-6749. <http://dx.doi.org/10.1021/es300299r>.
- Jeen, SW; Blowes, DW; Gillham, RW. (2008). Performance evaluation of granular iron for removing hexavalent chromium under different geochemical conditions. *J Contam Hydrol*. 95: 76-91. <http://dx.doi.org/10.1016/j.jconhyd.2007.07.012>.
- Jeen, SW; Gillham, RW; Blowes, DW. (2006). Effects of carbonate precipitates on long-term performance of granular iron for reductive dechlorination of TCE. *Environ Sci Technol*. 40: 6432-6437. <http://dx.doi.org/10.1021/es0608747>.
- Jeen, SW; Gillham, RW; Przepiora, A. (2011). Predictions of long-term performance of granular iron permeable reactive barriers: Field-scale evaluation. *J Contam Hydrol*. 123: 50-64. <http://dx.doi.org/10.1016/j.jconhyd.2010.12.006>.
- Jeen, SW; Jambor, JL; Blowes, DW; Gillham, RW. (2007). Precipitates on granular iron in solutions containing calcium carbonate with trichloroethene and hexavalent chromium. *Environ Sci Technol*. 41: 1989-1994. <http://dx.doi.org/10.1021/es0618393>.
- Jeen, SW; Lazar, S; Gui, L; Gillham, RW. (2014). Degradation of chlorofluorocarbons using granular iron and bimetallic irons. *J Contam Hydrol*. 158: 55-64. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.002>.
- Jeen, SW; Mayer, KU; Gillham, RW; Blowes, DW. (2007). Reactive transport modeling of trichloroethene treatment with declining reactivity of iron. *Environ Sci Technol*. 41: 1432-1438. <http://dx.doi.org/10.1021/es062490m>.
- Jeen, SW; Yang, Y; Gui, L; Gillham, RW. (2013). Treatment of trichloroethene and hexavalent chromium by granular iron in the presence of dissolved CaCO₃. *J Contam Hydrol*. 144: 108-121. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.004>.
- Jeffers, PM; Wolfe, NL. (1996). Homogeneous hydrolysis rate constants-Part II: Additions, corrections and halogen effects. *Environ Toxicol Chem*. 15: 1066-1070.
- Jellali, S; Benremita, H; Muntzer, P; Razakarisoa, O; Schäfer, G. (2003). A large-scale experiment on mass transfer of trichloroethylene from the unsaturated zone of a sandy aquifer to its interfaces. *J Contam Hydrol*. 60: 31-53.
- Jellali, S; Muntzer, P; Razakarisoa, O; Schafer, G. (2001). Large scale experiment on transport of trichloroethylene in a controlled aquifer. *Transport in Porous Media*. 44: 145-163.
- Jemal, A; Siegel, R; Ward, E; Hao, Y; Xu, J; Murray, T; Thun, MJ. (2008). Cancer statistics, 2008. *CA Cancer J Clin*. 58: 71-96. <http://dx.doi.org/10.3322/CA.2007.0010>.
- Jenal-Wanner, U; Mccarty, PL. (1997). Development and evaluation of semicontinuous slurry microcosms to simulate in situ biodegradation of trichloroethylene in contaminated aquifers. *Environ Sci Technol*. 31: 2915-2922.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Jendrzewski, N; Eggenkamp, HGM; Coleman, ML. (1997). Sequential determination of chlorine and carbon isotopic composition in single microliter samples of chlorinated solvent. *Anal Chem.* 69: 4259-4266.
- Jendrzewski, N; Eggenkamp, HGM; Coleman, ML. (2001). Characterisation of chlorinated hydrocarbons from chlorine and carbon isotopic compositions: scope of application to environmental problems. *Appl Geochem.* 16: 1021-1031.
- Jeng, D, onJyhFu. (2015). Generating a causal model of supply chain collaboration using the fuzzy DEMATEL technique. *Computers & Industrial Engineering.* 87: 283-295. <http://dx.doi.org/10.1016/j.cie.2015.05.007>.
- Jennings, AA. (2008). Analysis of worldwide regulatory guidance for surface soil contamination. *J Environ Eng Sci.* 7: 597-615. <http://dx.doi.org/10.1139/S08-034>.
- Jennings, AA. (2011). Worldwide Residential Soil Regulatory Guidance Values for Chlorinated Ethenes. *J Environ Eng.* 137: 651-668. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000380](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000380).
- Jensen, OM; Knudsen, JB; McLaughlin, JK; Sorensen, BL. (1988). The Copenhagen case-control study of renal pelvis and ureter cancer: Role of smoking and occupational exposures. *Int J Cancer.* 41: 557-561. <http://dx.doi.org/10.1002/ijc.2910410414>.
- Jeon, JH; Kim, SD; Lim, TH; Lee, DH. (2005). Degradation of trichloroethylene by photocatalysis in an internally circulating slurry bubble column reactor. *Chemosphere.* 60: 1162-1168. <http://dx.doi.org/10.1016/j.chemosphere.2004.12.058>.
- Jeong, HH, o; Lee, SH, o; Kim, J; Kim, H; Kim, Y; Yoo, J; Chang, W; Lee, C. (2010). Microfluidic monitoring of *Pseudomonas aeruginosa* chemotaxis under the continuous chemical gradient. *Biosens Bioelectron.* 26: 351-356. <http://dx.doi.org/10.1016/j.bios.2010.08.006>.
- Jeong, HY; Anantharaman, K; Han, Y; Hayes, K. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environ Sci Technol.* 45: 5186-5194. <http://dx.doi.org/10.1021/es104387w>.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: reaction rates. *Environ Sci Technol.* 41: 6390-6396. <http://dx.doi.org/10.1021/es0706394>.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environ Sci Technol.* 41: 7736-7743. <http://dx.doi.org/10.1021/es0708518>.
- Jeong, J; Sekiguchi, K; Sakamoto, K. (2004). Photochemical and photocatalytic degradation of gaseous toluene using short-wavelength UV irradiation with TiO₂ catalyst: comparison of three UV sources. *Chemosphere.* 57: 663-671. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.037>.
- Jeong, KE; Kim, DC; Ihm, SK. (2003). The nature of low temperature deactivation of CoCr₂O₄ and CrOx/gamma-Al₂O₃ catalysts for the oxidative decomposition of trichloroethylene. *Catalysis Today.* 87: 29-34. <http://dx.doi.org/10.1016/j.cattod.2003.09.007>.
- Jeong, S; Wander, MM; Kleinedam, S; Grathwohl, P; Ligouis, B; Werth, CJ. (2008). The role of condensed carbonaceous materials on the sorption of hydrophobic organic contaminants in subsurface sediments. *Environ Sci Technol.* 42: 1458-1464. <http://dx.doi.org/10.1021/es0719879>.
- Jeong, S; Werth, CI. (2005). Evaluation of methods to obtain geosorbent fractions enriched in carbonaceous materials that affect hydrophobic organic chemical sorption. *Environ Sci Technol.* 39: 3279-3288. <http://dx.doi.org/10.1021/es0491836>.
- Jeong, SW; Corapcioglu, MY. (2003). A micromodel analysis of factors influencing NAPL removal by surfactant foam flooding. *J Contam Hydrol.* 60: 77-96.
- Jeong, SW; Corapcioglu, MY. (2003). Physical model analysis of foam-TCE displacement in porous media. *AIChE J.* 49: 782-788.
- Jeong, SW; Corapcioglu, MY. (2005). Force analysis and visualization of NAPL removal during surfactant-related floods in a porous medium. *J Hazard Mater.* 126: 8-13. <http://dx.doi.org/10.1016/j.jhazmat.2005.06.015>.
- Jeong, SW; Corapcioglu, MY; Roosevelt, SE. (2000). Micromodel study of surfactant foam remediation of residual trichloroethylene. *Environ Sci Technol.* 34: 3456-3461. <http://dx.doi.org/10.1021/es9910558>.
- Jeong, SW; Ju, BK; Lee, BJ. (2009). Effects of alcohol-partitioning type and airflow on cosolvent flooding to benzene-LNAPL saturated porous media. *J Hazard Mater.* 166: 603-611. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.102>.
- Jeong, SW; Wood, AL; Lee, TR. (2002). Effects of pure and dyed PCE on physical and interfacial properties of remedial solutions. *J Hazard Mater.* 95: 125-135.
- Jericevic, A; Fagerli, H; Grisogono, B. (2012). Exploring the properties of local and non-local vertical diffusion schemes in the EMEP model using Rn-222 data. *Int J Environ Pollut.* 48: 231-243. <http://dx.doi.org/10.1504/IJEP.2012.049670>.
- Jesus, J; Frascari, D; Pozdniakova, T; Danko, AS. (2016). Kinetics of aerobic cometabolic biodegradation of chlorinated and brominated aliphatic hydrocarbons: A review [Review]. *J Hazard Mater.* 309: 37-52. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.065>.
- Jha, KC; Liu, Z; Vijwani, H; Nadagouda, M; Mukhopadhyay, SM; Tsige, M. (2016). Carbon Nanotube Based Groundwater Remediation: The Case of Trichloroethylene [Letter]. *Molecules.* 21. <http://dx.doi.org/10.3390/molecules21070953>.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Sci Technol.* 58: 2211-2214. <http://dx.doi.org/10.2166/wst.2008.576>.
- Ji, BT; Blair, A; Shu, XO; Chow, WH; Hauptmann, M; Dosemeci, M; Yang, G; Lubin, J; Gao, YT; Rothman, N; Zheng, W. (2008). Occupation and breast cancer risk among Shanghai women in a population-based cohort study. *Am J Ind Med.* 51: 100-110. <http://dx.doi.org/10.1002/ajim.20507>.
- Ji, J; Hemminki, K. (2005). Variation in the risk for liver and gallbladder cancers in socioeconomic and occupational groups in Sweden with etiological implications. *Int Arch Occup Environ Health.* 78: 641-649. <http://dx.doi.org/10.1007/s00420-005-0015-1>.
- Ji, SH; Nicholl, MJ; Glass, RJ; Lee, KK, un. (2006). Influence of simple fracture intersections with differing aperture on density-driven immiscible flow: Wetting versus nonwetting flows. *Water Resour Res.* 42. <http://dx.doi.org/10.1029/2006WR004953>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ji, T; Tan, L; Bai, J; Hu, X; Xiao, S; Chen, Y. (2016). Synergistic dispersible graphene: Sulfonated carbon nanotubes integrated with PEDOT for large-scale transparent conductive electrodes. *Carbon*. 98: 15-23. <http://dx.doi.org/10.1016/j.carbon.2015.10.079>.
- Ji, WC; Hilaly, A; Sikdar, SK; Hwang, ST. (1994). OPTIMIZATION OF MULTICOMPONENT PERVAPORATION FOR REMOVAL OF VOLATILE, ORGANIC-COMPOUNDS FROM WATER. *J Memb Sci*. 97: 109-125.
- Ji, Y. (2014). Ions removal by iron nanoparticles: a study on solid-water interface with zeta potential. *Colloid Surface Physicochem Eng Aspect*. 444: 1-8. <http://dx.doi.org/10.1016/j.colsurfa.2013.12.031>.
- Ji, Y; Yang, Z; Ji, X; Feng, X, in; Huang, W; Liu, C; Li, W, ei; Lu, X. (2009). Thermodynamic Analysis on the Mineralization of Trace Organic Contaminants with Oxidants in Advanced Oxidation Processes. *Ind Eng Chem Res*. 48: 10728-10733. <http://dx.doi.org/10.1021/ie900620n>.
- Jia, CR; D'Souza, J; Batterman, S. (2008). Distributions of personal VOC exposures: A population-based analysis. *Environ Int*. 34: 922-931. <http://dx.doi.org/10.1016/j.envint.2008.02.002>.
- Jia, H; Gu, C; Boyd, SA; Teppen, BJ; Johnston, CT; Song, C; Li, H, ui. (2011). Comparison of Reactivity of Nanoscaled Zero-Valent Iron Formed on Clay Surfaces. *Soil Sci Soc Am J*. 75: 357-364. <http://dx.doi.org/10.2136/sssaj2010.0080nps>.
- Jia, H; Gu, C; Li, H; Fan, X; Li, S; Wang, C. (2012). Effect of groundwater geochemistry on pentachlorophenol remediation by smectite-templated nanosized Pd0/Fe0. *Environ Sci Pollut Res Int*. 19: 3498-3505. <http://dx.doi.org/10.1007/s11356-012-0895-z>.
- Jia, H, - L; Ye, QH; Qin, LX; Budhu, A; Forges, M; Chen, Y; Liu, YK; Sun, HC; Wang, L; Lu, HZ; Shen, F; Tang, ZY; Wang, XW. (2007). Gene expression profiling reveals potential biomarkers of human hepatocellular carcinoma. *Clin Cancer Res*. 13: 1133-1139. <http://dx.doi.org/10.1158/1078-0432.CCR-06-1025>.
- Jia, J; Chu, W. (2009). The photodegradation of trichloroethylene with or without the NAPL by UV irradiation in surfactant solutions. *J Hazard Mater*. 161: 196-201. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.072>.
- Jia, M; Coats, B; Chadha, M; Frentzen, B; Perez-Rodriguez, J; Chadik, P; Yost, R; Henderson, G; Stacpoole, P. (2006). Human kinetics of orally and intravenously administered low-dose 1,2-(13)C-dichloroacetate. *J Clin Pharmacol*. 46: 1449-1459. <http://dx.doi.org/10.1177/0091270006292627>.
- Jianchen, Z; Kunmin, G; Lan, M; Hongyang, Z. (2006). Reaction kinetic model of gaseous pollutant degradation over TiO2/AC photocatalyst. *Chinese journal of catalysis*. 27: 849-852.
- Jiang, G; Crimi, M; Fowler, K; Fu, X. (2011). Experimental design of diffusion and desorption of contaminant in heterogeneous media. *Water Sci Technol*. 64: 988-998. <http://dx.doi.org/10.2166/wst.2011.065>.
- Jiang, H, ui; Yang, X; Wang, E; Fu, Y; Liu, Y; Li, H; Cui, Z; Liu, Y; Hu, W. (2011). Organic single crystalline micro- and nanowires field-effect transistors of a tetrathiafulvalene (TTF) derivative with strong pi-pi orbits and S center dot center dot center dot S interactions. *Synthetic Metals*. 161: 136-142. <http://dx.doi.org/10.1016/j.synthmet.2010.11.009>.
- Jiang, SC; Paul, JH. (1996). Occurrence of lysogenic bacteria in marine microbial communities as determined by prophage induction. *Mar Ecol Prog Ser*. 142: 1-3.
- Jiang, X; Wu, Y; Wang, P; Li, H; Dong, W. (2013). Degradation of bisphenol A in aqueous solution by persulfate activated with ferrous ion. *Environ Sci Pollut Res Int*. 20: 4947-4953. <http://dx.doi.org/10.1007/s11356-013-1468-5>.
- Jiang, Y; Petrier, C; Waite, TD. (2002). Kinetics and mechanisms of ultrasonic degradation of volatile chlorinated aromatics in aqueous solutions. *Ultrason Sonochem*. 9: 317-323.
- Jiang, Y; Su, M, in; Zhang, Y, ao; Zhan, G; Tao, Y; Li, D. (2013). Bioelectrochemical systems for simultaneously production of methane and acetate from carbon dioxide at relatively high rate. *Int J Hydrogen Energy*. 38: 3497-3502. <http://dx.doi.org/10.1016/j.ijhydene.2012.12.107>.
- Jiang, Y; Wang, D; Zhang, G; Wang, G; Tong, J; Chen, T. (2015). Disruption of cardiogenesis in human embryonic stem cells exposed to trichloroethylene. *Environ Toxicol*. 31: 1372-1380. <http://dx.doi.org/10.1002/tox.22142>.
- Jiang, Y; Zhang, J; Xi, B; An, D; Yang, Y; Li, M. (2014). Degradation of toluene-2,4-diamine by persulphate: kinetics, intermediates and degradation pathway. *Environ Technol*. 36: 1-7. <http://dx.doi.org/10.1080/09593330.2014.993727>.
- Jiang, Z; Zhang, S; Pan, B; Wang, W; Wang, X; Lv, L, u; Zhang, W; Zhang, Q. (2012). A fabrication strategy for nanosized zero valent iron (nZVI)-polymeric anion exchanger composites with tunable structure for nitrate reduction. *J Hazard Mater*. 233: 1-6. <http://dx.doi.org/10.1016/j.jhazmat.2012.06.025>.
- Jiao, Y; Qiu, C; Huang, L; Wu, K; Ma, H; Chen, S; Ma, L; Wu, D. (2009). Reductive dechlorination of carbon tetrachloride by zero-valent iron and related iron corrosion. *Appl Catal B-Environ*. 91: 434-440. <http://dx.doi.org/10.1016/j.apcatb.2009.06.012>.
- Jin, B; Laskov, C; Rolle, M; Haderlein, SB. (2011). Chlorine isotope analysis of organic contaminants using GC-qMS: method optimization and comparison of different evaluation schemes. *Environ Sci Technol*. 45: 5279-5286. <http://dx.doi.org/10.1021/es200749d>.
- Jin, B; Rolle, M; Li, T; Haderlein, SB. (2014). Diffusive Fractionation of BTEX and Chlorinated Ethenes in Aqueous Solution: Quantification of Spatial Isotope Gradients. *Environ Sci Technol*. 48: 6141-6150. <http://dx.doi.org/10.1021/es4046956>.
- Jin, G; Englande, AJ. (1997). Biodegradation kinetics of carbon tetrachloride by *Pseudomonas cepacia* under varying oxidation-reduction potential conditions. *Water Environ Res*. 69: 1094-1099.
- Jin, L; Ma, R; Lin, J; Meng, L; Wang, Y; Luo, M. (2011). Bifunctional Pd/Cr2O3-ZrO2 Catalyst for the Oxidation of Volatile Organic Compounds. *Ind Eng Chem Res*. 50: 10878-10882. <http://dx.doi.org/10.1021/ie200599v>.
- Jin, S. (1991). SEPARATION OF DICHLOROETHANE TRICHLOROETHYLENE MIXTURES BY MEANS OF A MEMBRANE PERVAPORATION PROCESS. *Desalination*. 80: 85-95.
- Jin, S; Fallgren, PH. (2010). Electrically induced reduction of trichloroethene in clay. *J Hazard Mater*. 173: 200-204. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.069>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Jin, S; Fallgren, PH; Morris, JM; Edgar, ES. (2008). Degradation of trichloroethene in water by electron supplementation. *Chem Eng J.* 140: 642-645. <http://dx.doi.org/10.1016/j.cej.2008.01.035>.
- Jin, S; Shiraishi, F. (2004). Photocatalytic activities enhanced for decompositions of organic compounds over metal-photodepositing titanium dioxide. *Chem Eng J.* 97: 203-211. <http://dx.doi.org/10.1016/j.cej.2003.04.001>.
- Jin, X; Chen, Z; Wang, T; Chen, Z; Megharaj, M; Naidu, R. (2014). Simultaneous removal of co-contaminants: acid brilliant violet and Cu²⁺ by functional bimetallic Fe/Pd nanoparticles. *J Nanopart Res.* 16. <http://dx.doi.org/10.1007/s11051-014-2657-y>.
- Jin, XH, ua; Doloi, H. (2009). Modeling Risk Allocation in Privately Financed Infrastructure Projects Using Fuzzy Logic. *Computer-Aided Civil and Infrastructure Engineering.* 24: 509-524. <http://dx.doi.org/10.1111/j.1467-8667.2009.00609.x>.
- Jing, Z; Yan, L; Li, Y; Bo, Z; Xiao-Li, Z; Zhen, L. (2016). Determination of Metabolites of Benzene Compounds and Trichloroethylene in Urinary by Isotope Dilution-Ultra Performance Liquid Chromatography-Tandem Mass Spectrometry. *Chin J Anal Chem.* 44: 81-87. <http://dx.doi.org/10.11895/j.issn.0253-3820.150497>.
- Jinks, MA; Sun, H; Hunter, CA. (2014). Measurement of supramolecular effective molarities for intramolecular H-bonds in zinc porphyrin-imidazole complexes. *Org Biomol Chem.* 12: 1440-1447. <http://dx.doi.org/10.1039/c3ob42246a>.
- Jiricek, M; Sracek, O; Janda, V. (2007). Removal of chlorinated solvents from carbonate-buffered water by zero-valent iron. *Central European Journal of Chemistry.* 5: 87-106. <http://dx.doi.org/10.2478/s11532-006-0071-8>.
- Jirtle, RL; Meyer, SA; Brockenbrough, JS. (1991). Liver tumor promoter phenobarbital: A biphasic modulator of hepatocyte proliferation [Review]. *Prog Clin Biol Res.* 369: 209-216.
- Jo, W. (2013). Photocatalytic Oxidation of Low-Level Airborne 2-Propanol and Trichloroethylene over Titania Irradiated with Bulb-Type Light-Emitting Diodes. *Materials.* 6: 265-278. <http://dx.doi.org/10.3390/ma6010265>.
- Jo, W; Kang, HJ. (2012). Photocatalytic performance of cylindrical reactor inserted with UV light-emitting-diodes for purification of low-level toxic volatile organic compounds. *Appl Surf Sci.* 259: 657-663. <http://dx.doi.org/10.1016/j.apsusc.2012.07.093>.
- Jo, W, anK; Kang, HJ. (2014). Aluminum sheet-based S-doped TiO₂ for photocatalytic decomposition of toxic organic vapors. *Chinese journal of catalysis.* 35: 1189-1195. [http://dx.doi.org/10.1016/S1872-2067\(14\)60076-0](http://dx.doi.org/10.1016/S1872-2067(14)60076-0).
- Jo, W; Kim, J. (2010). Decomposition of gas-phase aromatic hydrocarbons by applying an annular-type reactor coated with sulfur-doped photocatalyst under visible-light irradiation. *J Chem Tech Biotechnol.* 85: 485-492. <http://dx.doi.org/10.1002/jctb.2314>.
- Jo, W; Shin, SH, o. (2010). Photocatalytic decomposition of mobile-source related pollutants using a continuous-flow reactor. *J Environ Sci.* 22: 460-466. [http://dx.doi.org/10.1016/S1001-0742\(09\)60130-3](http://dx.doi.org/10.1016/S1001-0742(09)60130-3).
- Jo, W; Yang, C. (2010). Visible-light-induced photocatalysis of low-level methyl-tertiary butyl ether (MTBE) and trichloroethylene (TCE) using element-doped titanium dioxide. *Build Environ.* 45: 819-824. <http://dx.doi.org/10.1016/j.buildenv.2009.08.021>.
- Jo, W; Yang, SH; Shin, SH; Yang, SB. (2011). Utilization of Fin-Installed Annular Reactors Coated with Visible Light- or Ultraviolet-Driven Photocatalysts for Removal of Gas-Phase Monocyclic Aromatic Compounds. *Environ Eng Sci.* 28: 43-51. <http://dx.doi.org/10.1089/ees.2010.0181>.
- Jo, WK; Kang, HJ. (2015). Photocatalysis of sub-ppm limonene over multiwalled carbon nanotubes/titania composite nanofiber under visible-light irradiation. *J Hazard Mater.* 283: 680-688. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.067>.
- Jo, WK; Kim, JT. (2009). Application of visible-light photocatalysis with nitrogen-doped or unmodified titanium dioxide for control of indoor-level volatile organic compounds. *J Hazard Mater.* 164: 360-366. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.033>.
- Jo, WK; Park, KH. (2004). Heterogeneous photocatalysis of aromatic and chlorinated volatile organic compounds (VOCs) for non-occupational indoor air application. *Chemosphere.* 57: 555-565. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.018>.
- Jo, WK; Weisel, CP; Liroy, PJ. (1990). Chloroform exposure and the health risk associated with multiple uses of chlorinated tap water. *Risk Anal.* 10: 581-584.
- Jo, WK; Weisel, CP; Liroy, PJ. (1990). Routes of chloroform exposure and body burden from showering with chlorinated tap water. *Risk Anal.* 10: 575-580.
- Jo, WK; Yang, CH. (2009). Feasibility of a tandem photocatalytic oxidation-adsorption system for removal of monoaromatic compounds at concentrations in the sub-ppm-range. *Chemosphere.* 77: 236-241. <http://dx.doi.org/10.1016/j.chemosphere.2009.07.034>.
- Jochmann, MA; Blessing, M; Haderlein, SB; Schmidt, TC. (2006). A new approach to determine method detection limits for compound-specific isotope analysis of volatile organic compounds. *Rapid Commun Mass Spectrom.* 20: 3639-3648. <http://dx.doi.org/10.1002/rcm.278>.
- Jochmann, MA; Yuan, X; Schmidt, TC. (2007). Determination of volatile organic hydrocarbons in water samples by solid-phase dynamic extraction. *Anal Bioanal Chem.* 387: 2163-2174. <http://dx.doi.org/10.1007/s00216-006-1066->.
- Joens, JA; Slifker, RA; Cadavid, EM; Martinez, RD; Nickelsen, MG; Cooper, WJ. (1995). IONIC-STRENGTH AND BUFFER EFFECTS IN THE ELIMINATION-REACTION OF 1,1,2,2-TETRACHLOROETHANE. *Water Res.* 29: 1924-1928.
- Johnson, AD; VanDemark, WL; Gomes, WR. (1967). The effect of antispermatic and hormone treatments on testicular cholesterol. *Fed Proc.* 26: 645.
- Johnson, FWA; Hobson, D. (1976). FACTORS AFFECTING SENSITIVITY OF REPLICATING MCCOY CELLS IN ISOLATION AND GROWTH OF CHLAMYDIA-A (TRIC AGENTS). *J Hyg.* 76: 441-451.
- Johnson, GR; Gupta, K; Putz, DK; Hu, Q; Brusseau, ML. (2003). The effect of local-scale physical heterogeneity and nonlinear, rate-limited sorption/desorption on contaminant transport in porous media. *J Contam Hydrol.* 64: 35-58. [http://dx.doi.org/10.1016/S0169-7722\(02\)00103-1](http://dx.doi.org/10.1016/S0169-7722(02)00103-1).
- Johnson, GR; Norris, DK; Brusseau, ML. (2009). Mass removal and low-concentration tailing of trichloroethene in freshly-amended, synthetically-aged, and field-contaminated aquifer material. *Chemosphere.* 75: 542-548. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.004>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Johnson, GR; Zhang, Z; Brusseau, ML. (2003). Characterizing and quantifying the impact of immiscible-liquid dissolution and nonlinear, rate-limited sorption/desorption on low-concentration elution tailing. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001435>.
- Johnson, P; Dawson, B; Goldberg, S. (1998). A review: Trichloroethylene metabolites: Potential cardiac teratogens [Review]. *Environ Health Perspect.* 106: 995-999.
- Johnson, PD; Dawson, BV; Goldberg, SJ; Mays, MZ. (2004). Trichloroethylene: Johnson et al.'s response [Letter]. *Environ Health Perspect.* 112: A608-A609. <http://dx.doi.org/10.1289/ehp.112-a608>.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2002). Threshold of Trichloroethylene Contamination in Maternal Drinking Waters Affecting Fetal Heart Development in the Rat. *Environ Health Perspect.* 111: 289-292. <http://dx.doi.org/10.1289/ehp.5125>.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2005). Threshold of trichloroethylene contamination in maternal drinking waters affecting fetal heart development in the rat (vol 111, pg 289, 2003). *Environ Health Perspect.* 113: A18-A18.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2014). Erratum: Erratum for Johnson et al. [*Environ Health Perspect* 113:A18 (2005)]. *Environ Health Perspect.* 122: A94. <http://dx.doi.org/10.1289/ehp.122-A94>.
- Johnson, RL; Pankow, JF. (1992). Dissolution of dense chlorinated solvents into groundwater: 2. Source functions for pools of solvent. *Environ Sci Technol.* 26: 896-901.
- Johnson, RL; Simon, MA. (2007). Evaluation of groundwater flow patterns around a dual-screened groundwater circulation well. *J Contam Hydrol.* 93: 188-202. <http://dx.doi.org/10.1016/j.jconhyd.2007.02.003>.
- Johnson, RL; Tratnyek, PG; Johnson, ROB. (2008). Persulfate Persistence under Thermal Activation Conditions. *Environ Sci Technol.* 42: 9350-9356. <http://dx.doi.org/10.1021/es8019462>.
- Johnsrud, EK; Koukouritaki, SB; Divakaran, K; Brunengraber, LL; Hines, RN; Mccarver, DG. (2003). Human hepatic CYP2E1 expression during development. *J Pharmacol Exp Ther.* 307: 402-407. <http://dx.doi.org/10.1124/jpet.102.053124>.
- Johnston, JE; Gibson, JM. (2011). Probabilistic Approach to Estimating Indoor Air Concentrations of Chlorinated Volatile Organic Compounds from Contaminated Groundwater: A Case Study in San Antonio, Texas. *Environ Sci Technol.* 45: 1007-1013. <http://dx.doi.org/10.1021/es102099h>.
- Jonasson, A; Savoia, M; Persson, O; Fredenslund, A. (1994). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIUM DATA FOR ETHER PLUS GLYCOL, CHLOROALKENE PLUS GLYCOL, EPOXY ETHER PLUS ALKANE, EPOXY ETHER PLUS ALKENE, AND EPOXY ETHER PLUS CHLOROALKANE SYSTEMS. *Journal of Chemical and Engineering Data.* 39: 134-139.
- Jones, AP; Watts, RJ. (1997). Dry Phase Titanium Dioxide-Mediated Photocatalysis: Basis for In Situ Surface Destruction of Hazardous Chemicals: The Boulevard Kidlington Oxford OX5 1GB.
- Jones, BD; Ingle, JD. (2005). Evaluation of redox indicators for determining sulfate-reducing and dechlorinating conditions. *Water Res.* 39: 4343-4354. <http://dx.doi.org/10.1016/j.watres.2005.09.006>.
- Jones, EH; Reynolds, DA; Wood, AL; Thomas, DG. (2011). Use of Electrophoresis for Transporting Nano-Iron in Porous Media. *Ground Water.* 49: 172-183. <http://dx.doi.org/10.1111/j.1745-6584.2010.00718.x>.
- Jones, TW; Howatson, G; Russell, M; French, DN. (2013). Validity and reproducibility of a lower limb isokinetic muscular endurance testing protocol. *Isokinetics and Exercise Science.* 21: 311-316. <http://dx.doi.org/10.3233/IES-130502>.
- Jones, TW; Qin, C; Schaeffer, VH; Stevens, JL. (1988). Immunohistochemical localization of glutamine transaminase K, a rat kidney cysteine conjugate beta-lyase, and the relationship to the segment specificity of cysteine conjugate nephrotoxicity. *Mol Pharmacol.* 34: 621-627.
- Jongwutiwes, S; Tanabe, K; Hughes, MK; Kanbara, H; Hughes, AL. (1994). ALLELIC VARIATION IN THE CIRCUMSPOROZOITE PROTEIN OF PLASMODIUM-FALCIPARUM FROM THAI FIELD ISOLATES. *Am J Trop Med Hyg.* 51: 659-668.
- Joo, H; Jeong, H; Jeon, M; Moon, I. (2003). The use of plastic optical fibers in photocatalysis of trichloroethylene. *Solar Energy Materials and Solar Cells.* 79: 93-101.
- Joo, JC; Ahn, CH; Jang, DG; Yoon, YH; Kim, JK; Campos, L; Ahn, H. (2013). Photocatalytic degradation of trichloroethylene in aqueous phase using nano-ZNO/Laponite composites. *J Hazard Mater.* 263 Pt 2: 569-574. <http://dx.doi.org/10.1016/j.jhazmat.2013.10.017>.
- Jopski, T; Wiecker, A. (1992). SOLUBILITY MEMBRANES IN WASTE AIR AND WASTE-WATER PURIFICATION. 82: 342-345.
- Jorgensen, PR; Broholm, K; Sonnenborg, TO; Arvin, E. (1998). DNAPL transport through macroporous clayey till columns. *Ground Water.* 36: 651-660.
- Jorquera, R; Tanguay, R. (2001). Fumarylacetoacetate, the metabolite accumulating in hereditary tyrosinemia, activates the ERK pathway and induces mitotic abnormalities and genomic instability. *Hum Mol Genet.* 10: 1741-1752.
- Joshi, SS; Aminabhavi, TM; Shukla, SS. (1991). DENSITIES AND VISCOSITIES OF BINARY-MIXTURES OF BROMOFORM WITH ANISOLE, ACETOPHENONE, ETHYL BENZOATE, 1,2-DICHLOROETHANE AND 1,1,2,2-TETRACHLORO-ETHANE FROM 298.15 TO 313.15K. 29: 319-326.
- Josse, F; Lukas, R; Zhou, RN; Schneider, S; Everhart, D. (1996). AC-impedance-based chemical sensors for organic solvent vapors. *Sens Actuators B.* 36: 363-369.
- Jothiramalingam, R; Wang, MK. (2007). Synthesis, characterization and photocatalytic activity of porous manganese oxide doped titania for toluene decomposition. *J Hazard Mater.* 147: 562-569. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.069>.
- Jou, CJG; Lee, CL; Tsai, CH; Wang, HP. (2008). Microwave-assisted photocatalytic degradation of trichloroethylene using titanium dioxide. *Environ Eng Sci.* 25: 975-979. <http://dx.doi.org/10.1089/ees.2007.0155>.
- Jou, C-JG; Hsieh, S-C; Lee, C-L; Lin, C; Huang, H-W. (2010). Combining zero-valent iron nanoparticles with microwave energy to treat chlorobenzene. *Taiwan Institute of Chemical Engineers Journal.* 41: 216-220. <http://dx.doi.org/10.1016/j.jtice.2009.08.012>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Jou, GCJ. (1998). Application of activated carbon in a microwave radiation field to treat trichloroethylene. *Carbon*. 36: 1643-1648.
- Jou, JD; Yoshida, W; Cohen, Y. (1999). A novel ceramic-supported polymer membrane for pervaporation of dilute volatile organic compounds. *J Memb Sci*. 162: 269-284.
- Joun, W, onTak; Lee, SS, un; Koh, YE, un; Lee, KK, un. (2016). Impact of Water Table Fluctuations on the Concentration of Borehole Gas from NAPL Sources in the Vadose Zone. *Vadose Zone Journal*. 15. <http://dx.doi.org/10.2136/vzj2015.09.0124>.
- Joung, SK; Amemiya, T; Murabayashi, M; Cai, R; Itoh, K. (2005). Chemical adsorption of phosgene on TiO₂ and its effect on the photocatalytic oxidation of trichloroethylene. *Surf Sci*. 598: 174-184. <http://dx.doi.org/10.1016/j.susc.2005.08.037>.
- Joung, SK, il; Amemiya, T; Murabayashi, M; Itoh, K. (2006). Adsorbed species on TiO₂ associated with the photocatalytic oxidation of trichloroethylene under UV. *J Photochem Photobiol A*. 184: 273-281. <http://dx.doi.org/10.1016/j.jphotochem.2006.04.040>.
- Jović, F; Kosar, V; Tomašić, V; Gomzi, Z. (2011). Non-ideal flow in an annular photocatalytic reactor. *Chem Eng Res Des*. 90: 1297-1306. <http://dx.doi.org/10.1016/j.cherd.2011.12.014>.
- Ju, XM; Hecht, M; Galhotra, RA; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2006). Destruction of gas-phase trichloroethylene in a modified fuel cell. *Environ Sci Technol*. 40: 612-617. <http://dx.doi.org/10.1021/es0514895>.
- Juang, RS; Tsai, SY. (2006). Role of membrane-attached biofilm in the biodegradation of phenol and sodium salicylate in microporous membrane bioreactors. *J Memb Sci*. 282: 484-492. <http://dx.doi.org/10.1016/j.memsci.2006.06.007>.
- Jugnet, Y; Bertolini, JC; Barbosa, LAM, M; Sautet, P. (2002). Vibrational identification of the surface reaction intermediates for the dehalogenation of trichloroethene on PdCu(110) alloy. *Surf Sci*. 505: 153-162.
- Juliastuti, SR; Baeyens, J; Creemers, C. (2003). Inhibition of nitrification by heavy metals and organic compounds: The ISO 9509 test. *Environ Eng Sci*. 20: 79-90.
- Juliastuti, SR; Baeyens, J; Creemers, C; Bixio, D; Lodewyckx, E. (2003). The inhibitory effects of heavy metals and organic compounds on the net maximum specific growth rate of the autotrophic biomass in activated sludge. *J Hazard Mater*. 100: 271-283. [http://dx.doi.org/10.1016/S0304-3894\(03\)00116-X](http://dx.doi.org/10.1016/S0304-3894(03)00116-X).
- Julien, M; Nun, P; Höhener, P; Parinet, J; Robins, RJ; Rемаud, GS. (2016). Enhanced forensic discrimination of pollutants by position-specific isotope analysis using isotope ratio monitoring by ¹³C nuclear magnetic resonance spectrometry. *Talanta*. 147: 383-389. <http://dx.doi.org/10.1016/j.talanta.2015.10.010>.
- Julien, M; Parinet, J; Nun, P; Bayle, K; Höhener, P; Robins, RJ; Rемаud, GS. (2015). Fractionation in position-specific isotope composition during vaporization of environmental pollutants measured with isotope ratio monitoring by ¹³C nuclear magnetic resonance spectrometry. *Environ Pollut*. 205: 299-306. <http://dx.doi.org/10.1016/j.envpol.2015.05.047>.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater*. 152: 62-70. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.061>.
- Jung, B; Batchelor, B. (2008). Dechlorination of trichloroethylene formed from 1,1,2,2-tetrachloroethane by dehydrochlorination in Portland cement slurry including Fe(II). *Chemosphere*. 71: 726-734. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.020>.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ*. 449: 443-450. <http://dx.doi.org/10.1016/j.scitotenv.2013.01.085>.
- Jung, BM; Batchelor, B; Park, JY; Abdel-Wahab, A. (2014). Linear Free Energy Relationship Analysis of Chlorinated Hydrocarbons in Cement Slurries. *International Journal of Environmental Research*. 8: 819-830.
- Jung, H; Ahn, Y; Choi, H; Kim, IS. (2005). Effects of in-situ ozonation on indigenous microorganisms in diesel contaminated soil: survival and regrowth. *Chemosphere*. 61: 923-932. <http://dx.doi.org/10.1016/j.chemosphere.2005.03.038>.
- Jung, J; Yoon, JH; Chung, HH; Lee, MJ. (2003). Comparative study of H₂O₂ and O₃ effects on radiation treatment of TCE and PCE. *Chemosphere*. 51: 881-885. [http://dx.doi.org/10.1016/S0045-6535\(03\)00039-0](http://dx.doi.org/10.1016/S0045-6535(03)00039-0).
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulfate/ethanol system with the additional injection of a base solution. *Environ Technol*. 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.
- Jung, KY; Bin Park, S; Ihm, SK. (2002). Linear relationship between the crystallite size and the photoactivity of non-porous titania ranging from nanometer to micrometer size. *Appl Catal A-Gen*. 224: 229-237.
- Jung, KY; Kang, YC; Park, SB. (1997). Photodegradation of trichloroethylene using nanometre-sized ZnO particles prepared by spray pyrolysis. *Journal of Mater Sci Lett*. 16: 1848-1849.
- Jung, KY; Park, SB. (2000). Enhanced photoactivity of silica-embedded titania particles prepared by sol-gel process for the decomposition of trichloroethylene. *Appl Catal B-Environ*. 25: 249-256.
- Jung, KY; Park, SB. (2004). Photoactivity of SiO₂/TiO₂ and ZrO₂/TiO₂ mixed oxides prepared by sol-gel method. *Mater Lett*. 58: 2897-2900. <http://dx.doi.org/10.1016/j.matlet.2004.05.015>.
- Jung, KY; Park, SB; Ihm, SK. (2004). Local structure and photocatalytic activity of B₂O₃-SiO₂/TiO₂ ternary mixed oxides prepared by sol-gel method. *Appl Catal B-Environ*. 51: 239-245. <http://dx.doi.org/10.1016/j.apcatb.2004.03.010>.
- Jung, KY; Park, SB; Matsuoka, M; Anpo, M. (2003). In-situ investigations of the photoluminescence properties of SiO₂/TiO₂ binary and Boron-SiO₂/TiO₂ ternary oxides prepared by the sol-gel method and their photocatalytic reactivity for the oxidative decomposition of trichloroethylene. *Intl J Photoenergy*. 5: 31-36.
- Jung Lin, C; Lo, SL. (2005). Effects of iron surface pretreatment on sorption and reduction kinetics of trichloroethylene in a closed batch system. *Water Res*. 39: 1037-1046. <http://dx.doi.org/10.1016/j.watres.2004.06.035>.
- Jung, SC; Kim, BH; Kim, SJ; Imaishi, N; Cho, YI. (2005). Characterization of a TiO₂ photocatalyst film deposited by CVD and its photocatalytic activity. *Chemical Vapor Deposition*. 11: 137-141. <http://dx.doi.org/10.1002/cvde.200406321>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Jung, W; Fujita, M. (1991). Optimal conditions of purge trap/on-column cryofocusing method with capillary gas chromatography for determination of volatile halogenated hydrocarbons in aqueous samples. *Eisei Kagaku*. 37: 395-400.
- Jung, WT; Fujita, M; Sohn, D. (1992). Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal time-series changes (pp. 490-497). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/93/16067). Jung, WT; Fujita, M; Sohn, D.
- Jung, YS; Lim, WT; Park, JY; Kim, YH. (2009). Effect of pH on Fenton and Fenton-like oxidation. *Environ Technol*. 30: 183-190. <http://dx.doi.org/10.1080/09593330802468848>.
- Juntunen, J; Antti-Poika, M; Tola, S; Partanen, T. (1982). Clinical prognosis of patients with diagnosed chronic solvent intoxication. *Acta Neurol Scand*. 65: 488-503. <http://dx.doi.org/10.1111/j.1600-0404.1982.tb03105.x>.
- Juran, BD; Lazaridis, KN. (2006). Genomics and complex liver disease: Challenges and opportunities [Review]. *Hepatology*. 44: 1380-1390. <http://dx.doi.org/10.1002/hep.21453>.
- Jurkiewicz, A; Maciel, GE. (1995). SOLID-STATE 13C NMR STUDIES OF THE INTERACTION OF ACETONE CARBON TETRACHLORIDE AND TRICHLOROETHYLENE WITH SOIL COMPONENTS. *Sci Total Environ*. 164: 195-202.
- Just, S. R.; Stockwell, KJ. (1993). COMPARISON OF THE EFFECTIVENESS OF EMERGING INSITU TECHNOLOGIES AND TRADITIONAL EXSITU TREATMENT OF SOLVENT-CONTAMINATED SOILS. *ACS Symp Ser Am Chem Soc*. 518: 238-277.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, S; Edwards, EA; Löffler, FE. (2014). Bioaugmentation with distinct *Dehalobacter* strains achieves chloroform detoxification in microcosms. *Environ Sci Technol*. 48: 1851-1858. <http://dx.doi.org/10.1021/es403582f>.
- Kadlec, RH; Martin, DC; Tsao, D. (2012). Constructed marshes for control of chlorinated ethenes: An 11-year study. *Ecol Eng*. 46: 11-23. <http://dx.doi.org/10.1016/j.ecoleng.2012.04.032>.
- Kadry, AM; Farghali, H; Abdel-Rahman, MS. (1989). Toxicity and metabolism of trichloroethylene in rat hepatocytes. *Arch Environ Contam Toxicol*. 18: 888-894.
- Kadu, BS; Limaye, RA; Natu, AD; Chikate, RC. (2013). Potentiality of Fe-Ni nanocomposites towards environmental abatement of magenta dye. *Environ Prog Sustain Energy*. 32: 615-623. <http://dx.doi.org/10.1002/ep.11672>.
- Kaewsaneee, J; Visal-Athaphand, P; Supaphol, P; Pavarajarn, V. (2010). Fabrication and characterization of neat and aluminium-doped titanium (IV) oxide fibers prepared by combined sol gel and electrospinning techniques. *Ceramics International*. 36: 2055-2061. <http://dx.doi.org/10.1016/j.ceramint.2010.04.004>.
- Kaewsaneee, J; Visal-Athaphand, P; Supaphol, P; Pavarajarn, V. (2011). Effects of Magnesium and Zirconium Dopants on Characteristics of Titanium(IV) Oxide Fibers Prepared by Combined Sol-Gel and Electrospinning Techniques. *Ind Eng Chem Res*. 50: 8042-8049. <http://dx.doi.org/10.1021/ie102527p>.
- Käfer, E. (1986). Tests which distinguish induced crossing-over and aneuploidy from secondary segregation in *Aspergillus* treated with chloral hydrate or gamma-rays. *Mutat Res*. 164: 145-166. [http://dx.doi.org/10.1016/0165-1161\(86\)90006-3](http://dx.doi.org/10.1016/0165-1161(86)90006-3).
- Kaifas, D; Malleret, L; Kumar, N; Fétimi, W; Claeys-Bruno, M; Sergent, M; Doumenq, P. (2014). Assessment of potential positive effects of nZVI surface modification and concentration levels on TCE dechlorination in the presence of competing strong oxidants, using an experimental design. *Sci Total Environ*. 481: 335-342. <http://dx.doi.org/10.1016/j.scitotenv.2014.02.043>.
- Kaiser, JP; Raschle, P. (1995). BIOLOGICAL-MATERIAL DEGRADATION - RECYCLING AND RECOVERY OF MATERIALS. *Chimia*. 49: 214-221.
- Kaiser, KL; Mckinnon, MB; Stendahl, DH; Pett, WB. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem*. 14: 2107-2113.
- Kaiser, M; Emmerich, R; Urban, H; Joos, M; Elsner, P. (2003). Bifocal plasma source for treatment of gaseous pollutants. *Surf Coating Tech*. 174: 498-502. [http://dx.doi.org/10.1016/S0257-8972\(02\)00622-4](http://dx.doi.org/10.1016/S0257-8972(02)00622-4).
- Kakinoki, K; Yamane, K; Teraoka, R; Otsuka, M; Matsuda, Y. (2004). Effect of relative humidity on the photocatalytic activity of titanium dioxide and photostability of famotidine. *J Pharm Sci*. 93: 582-589. <http://dx.doi.org/10.1002/jps.10575>.
- Kalimuthu, K; Solomon, RDJ; Ganesh-Kumar, S; Vimalan, J. (2011). REDUCTIVE DECHLORINATION OF PERCHLOROETHYLENE BY BACILLUS SP JSK1 ISOLATED FROM DRY CLEANING INDUSTRIAL SLUDGE. *Carpath J Earth Env*. 6: 165-170.
- Kaluzny, P; Ferronato, C; Jacob, V; Baussand, P; Foster, P. (1998). Interactions between chlorinated and biogenic compounds. *Fresen Environ Bull*. 7: 267-271.
- Kambe, R; Imai, R; Takada, T; Arakawa, M; Kuroda, M. (1995). MCM SUBSTRATE WITH HIGH CAPACITANCE. 18: 23-27.
- Kamgang-Youbi, G; Poizot, K; Lemont, F. (2013). Inductively coupled plasma torch efficiency at atmospheric pressure for organo-chlorine liquid waste removal: Chloroform destruction in oxidative conditions. *J Hazard Mater*. 244: 171-179. <http://dx.doi.org/10.1016/j.jhazmat.2012.10.072>.
- Kamijima, M; Hisanaga, N; Wang, H; Nakajima, T. (2007). Occupational trichloroethylene exposure as a cause of idiosyncratic generalized skin disorders and accompanying hepatitis similar to drug hypersensitivities [Review]. *Int Arch Occup Environ Health*. 80: 357-370. <http://dx.doi.org/10.1007/s00420-006-0147-y>.
- Kamijo, Y; Hora, K; Nakajima, T; Kono, K; Takahashi, K; Ito, Y; Higuchi, M; Kiyosawa, K; Shigematsu, H; Gonzalez, FJ; Aoyama, T. (2007). Peroxisome proliferator-activated receptor alpha protects against glomerulonephritis induced by long-term exposure to the plasticizer di-(2-ethylhexyl)phthalate. *J Am Soc Nephrol*. 18: 176-188. <http://dx.doi.org/10.1681/asn.2006060597>.
- Kaminska, I; Lisovytskiy, D; Casale, S; Srebrowata, A; Dzwigaj, S. (2017). Influence of preparation procedure on catalytic activity of PdBEA zeolites in aqueous phase hydrodechlorination of 1,1,2-trichloroethene. *Microporous and Mesoporous Materials*. 237: 65-73. <http://dx.doi.org/10.1016/j.micromeso.2016.09.023>.
- Kaminsky, JF; Wylie, AH. (1995). VERTICAL CONTAMINANT PROFILING OF VOLATILE ORGANICS IN A DEEP FRACTURED BASALT AQUIFER. *Ground Water Monitoring and Remediation*. 15: 97-103.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kamolpornwijit, W; Liang, LY; Moline, GR; Hart, T; West, OR. (2004). Identification and quantification of mineral precipitation in Fe-0 filings from a column study. *Environ Sci Technol.* 38: 5757-5765. <http://dx.doi.org/10.1021/es035085t>.
- Kamon, M; Endo, K; Kawabata, J; Inui, T; Katsumi, T. (2004). Two-dimensional DNAPL migration affected by groundwater flow in unconfined aquifer. *J Hazard Mater.* 110: 1-12. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.033>.
- Kan, E; Kim, S; Deshusses, MA. (2007). Fenton oxidation of TCE vapors in a foam reactor. *Environmental Progress.* 26: 226-232. <http://dx.doi.org/10.1002/ep.10205>.
- Kan, ES; Deshusses, MA. (2006). Cometabolic degradation of TCE vapors in a foamed emulsion bioreactor. *Environ Sci Technol.* 40: 1022-1028. <http://dx.doi.org/10.1021/es0510055>.
- Kananizadeh, N; Chokejaroenrat, C; Li, Y; Comfort, S. (2015). Modeling improved ISCO treatment of low permeable zones via viscosity modification: assessment of system variables. *J Contam Hydrol.* 173: 25-37. <http://dx.doi.org/10.1016/j.jconhyd.2014.11.009>.
- Kanazawa, S; Filip, Z. (1987). EFFECTS OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND DICHLOROMETHANE ON SOIL BIOMASS AND MICROBIAL COUNTS (pp. 24-33). (ISSN 0174-3015; BIOSIS/87/29199). Kanazawa, S; Filip, Z.
- Kanda, H. (2009). The Environmental and Genetic Approach for Life on Earth (EAGLE) project. *Polar Science.* 3: 189-196. <http://dx.doi.org/10.1016/j.polar.2009.06.005>.
- Kandris, K; Antoniou, K; Pantazidou, M; Mamais, D. (2015). Modelling microbial dechlorination of trichloroethene: investigating the trade-off between quality of fit and parameter reliability. *Bull Environ Contam Toxicol.* 94: 295-301. <http://dx.doi.org/10.1007/s00128-014-1436-x>.
- Kane, MS; Bushong, JH; Foley, HC; Brendley, WH. (1998). Effect of nanopore size distributions on trichloroethylene adsorption and desorption on carbogenic adsorbents. *Ind Eng Chem Res.* 37: 2416-2425.
- Kaneko, T; Wang, PY; Sato, A. (1994). Enzymes induced by ethanol differently affect the pharmacokinetics of trichloroethylene and 1,1,1-trichloroethane. *Occup Environ Med.* 51: 113-119.
- Kaneko, T; Wang, PY; Sato, A. (1994). Partition coefficients of some acetate esters and alcohols in water, blood, olive oil, and rat tissues. *Occup Environ Med.* 51: 68-72. <http://dx.doi.org/10.1136/oem.51.1.68>.
- Kanel, SR; Goswami, RR; Clement, TP; Barnett, MO; Zhao, D. (2008). Two dimensional transport characteristics of surface stabilized zero-valent iron nanoparticles in porous media. *Environ Sci Technol.* 42: 896-900. <http://dx.doi.org/10.1021/es071774j>.
- Kang, H; Xiu, Z; Chen, J; Cao, W; Guo, Y; Li, T; Jin, Z. (2012). Reduction of nitrate by bimetallic Fe/Ni nanoparticles. *Environ Technol.* 33: 2185-2192. <http://dx.doi.org/10.1080/09593330.2012.665486>.
- Kang, HS, uk; Choi, J; Cho, W; Lee, H; Lee, D; Lee, D, aiGil; Kim, H, eeTak. (2016). Silver nanowire networks embedded in a cure-controlled optical adhesive film for a transparent and highly conductive electrode. 4: 9834-9840. <http://dx.doi.org/10.1039/c6tc03817d>.
- Kang, JW; Le, KH. (1997). A kinetic model of the hydrogen peroxide UV process for the treatment of hazardous waste chemicals. *Environ Eng Sci.* 14: 183-192.
- Kang, JW; Lee, KH; Koh, CI; Nam, SN. (2001). The kinetics of the sonochemical process for the destruction of aliphatic and aromatic hydrocarbons. *Korean J Chem Eng.* 18: 336-341.
- Kang, KH; Dong, JI. (2010). Hazardous air pollutant (HAP) emission characterization of sewage treatment facilities in Korea. *J Environ Monit.* 12: 898-905. <http://dx.doi.org/10.1039/b906771j>.
- Kang, M; Lee, JH; Lee, SH; Chung, CH; Yoon, KJ; Ogino, K; Miyata, S; Choung, SJ. (2003). Preparation of TiO₂ film by the MOCVD method and analysis for decomposition of trichloroethylene using in situ FT-IR spectroscopy. *J Mol Catal Chem.* 193: 273-283.
- Kang, MG, yu; Park, H, uij; Ahn, S, eH; Xu, T; Guo, LJ, ay. (2010). Toward Low-Cost, High-Efficiency, and Scalable Organic Solar Cells with Transparent Metal Electrode and Improved Domain Morphology. *I E E E Journal on Selected Topics in Quantum Electronics.* 16: 1807-1820. <http://dx.doi.org/10.1109/JSTQE.2010.2044634>.
- Kang, N; Hua, I; Rao, PSC. (2004). Production and characterization of encapsulated potassium permanganate for sustained release as an in situ oxidant. *Ind Eng Chem Res.* 43: 5187-5193. <http://dx.doi.org/10.1021/ie0499097>.
- Kang, S; Seo, H; Sun, E; Kim, I; Roh, Y, ul; Anonymous. (2010). Remediation of TCE-contaminated groundwater using nanocatalyst and bacteria. *Geochim Cosmo Acta.* 74: A494.
- Kang, SK; Seo, H; Sun, E; Kim, I; Roh, Y. (2011). Remediation of TCE-contaminated groundwater using nanocatalyst and bacteria. *J Nanosci Nanotechnol.* 11: 7172-7175. <http://dx.doi.org/10.1166/jnn.2011.4872>.
- Kang, WH; Hwang, I; Park, JY. (2006). Dechlorination of trichloroethylene by a steel converter slag amended with Fe(II). *Chemosphere.* 62: 285-293. <http://dx.doi.org/10.1016/j.chemosphere.2005.05.011>.
- Kango, RA; Quinn, JG. (1992). A combined reversed-phase and purge and trap chromatographic method to study the interaction of volatile organic compounds with dissolved humic acid in aqueous solutions. *Environ Sci Technol.* 26: 163-165.
- Kanisawa, M; Suzuki, S. (1978). Induction of renal and hepatic tumors in mice by ochratoxin A, a mycotoxin. *Gann.* 69: 599-600.
- Kantachote, D; Singleton, I; McClure, N; Naidu, R; Megharaj, M; Harch, BD. (2003). DDT resistance and transformation by different microbial strains isolated from DDT-contaminated soils and compost materials. *Compost Science and Utilization.* 11: 300-310.
- Kantachote, D; Singleton, I; Naidu, R; McClure, N; Megharaj, M. (2004). Sodium application enhances DDT transformation in a long-term contaminated soil. *Water Air Soil Pollut.* 154: 115-125.
- Kanu, AB; Hill, HH; Gribb, MM; Walters, RN. (2007). A small subsurface ion mobility spectrometer sensor for detecting environmental soil-gas contaminants. *J Environ Monit.* 9: 51-60. <http://dx.doi.org/10.1039/b610493b>.
- Kao, CM. (2014). Recovery of chlorinated solvent trichloroethylene contaminated groundwater using a hybrid treatment system. *Int J Environ Sci Tech.* 11: 149-158. <http://dx.doi.org/10.1007/s13762-012-0161-4>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kao, CM; Chen, KF; Chen, YL; Chen, TY; Huang, WY. (2004). Biobarrier system for remediation of TCE-contaminated aquifers. *Bull Environ Contam Toxicol*. 72: 87-93. <http://dx.doi.org/10.1007/s00128-003-0244-5>.
- Kao, CM; Chen, SC; Liu, JK. (2001). Development of a biobarrier for the remediation of PCE-contaminated aquifer. *Chemosphere*. 43: 1071-1078.
- Kao, CM; Chen, SC; Su, MC. (2001). Laboratory column studies for evaluating a barrier system for providing oxygen and substrate for TCE biodegradation. *Chemosphere*. 44: 925-934.
- Kao, CM; Chen, YL; Chen, SC; Yeh, TY; Wu, WS. (2003). Enhanced PCE dechlorination by biobarrier systems under different redox conditions. *Water Res*. 37: 4885-4894. <http://dx.doi.org/10.1016/j.watres.2003.08.001>.
- Kao, CM; Huang, KD; Wang, JY; Chen, TY; Chien, HY. (2008). Application of potassium permanganate as an oxidant for in situ oxidation of trichloroethylene-contaminated groundwater: a laboratory and kinetics study. *J Hazard Mater*. 153: 919-927. <http://dx.doi.org/10.1016/j.jhazmat.2007.09.116>.
- Kao, CM; Lei, SE. (2000). Using a peat biobarrier to remediate PCE/TCE contaminated aquifers. *Water Res*. 34: 835-845.
- Kao, CM; Liao, HY; Chien, CC; Tseng, YK; Tang, P; Lin, CE; Chen, SC. (2016). The change of microbial community from chlorinated solvent-contaminated groundwater after biostimulation using the metagenome analysis. *J Hazard Mater*. 302: 144-150. <http://dx.doi.org/10.1016/j.jhazmat.2015.09.047>.
- Kao, CM; Prosser, J. (1999). Intrinsic bioremediation of trichloroethylene and chlorobenzene: field and laboratory studies. *J Hazard Mater*. 69: 67-79.
- Kao, CM; Yang, L. (2000). Enhanced bioremediation of trichloroethene contaminated by a biobarrier system. *Water Sci Technol*. 42: 429-434.
- Kaown, D; Jun, SC; Kim, R, akH; Woosik, S; Lee, KK, un. (2016). Characterization of a site contaminated by chlorinated ethenes and ethanes using multi-analysis. *Environ Earth Sci*. 75. <http://dx.doi.org/10.1007/s12665-016-5536-2>.
- Kaown, D; Koh, DC; Solomon, DK, ip; Yoon, YY; Yang, J; Lee, KK, un. (2014). Delineation of recharge patterns and contaminant transport using H-3-He-3 in a shallow aquifer contaminated by chlorinated solvents in South Korea. *Hydrogeology Journal*. 22: 1041-1054. <http://dx.doi.org/10.1007/s10040-014-1123-3>.
- Kaown, D; Shouakar-Stash, O; Yang, J; Hyun, Y; Lee, KK. (2014). Identification of multiple sources of groundwater contamination by dual isotopes. *Ground Water*. 52: 875-885. <http://dx.doi.org/10.1111/gwat.12130>.
- Kappas, A. (1989). On the mechanisms of induced aneuploidy in *Aspergillus nidulans* and validation of tests for genomic mutations. In MA Resnick; BK Vig (Eds.), *Prog Clin Biol Res* (pp. 377-384). New York, NY: Wiley.
- Kara, S. (2003). Health effects - Study links TCE to male infertility. *Chem Week*. 165: 47-47.
- Karamanev, DG. (1999). Biodegradation of soil contaminants. *Journal of Sci Ind Res*. 58: 764-772.
- Karami, S; Boffetta, P; Brennan, P; Stewart, PA; Zaridze, D; Matveev, V; Janout, V; Kollarova, H; Bencko, V; Navratilova, M; Szeszenia-Dabrowska, N; Mates, D; Gromiec, JP; Sobotka, R; Chow, WH; Rothman, N; Moore, LE. (2011). Renal cancer risk and occupational exposure to polycyclic aromatic hydrocarbons and plastics. *J Occup Environ Med*. 53: 218-223. <http://dx.doi.org/10.1097/JOM.0b013e31820a40a3>.
- Karanfil, T; Dastgheib, SA. (2004). Trichloroethylene adsorption by fibrous and granular activated carbons: Aqueous phase, gas phase, and water vapor adsorption studies. *Environ Sci Technol*. 38: 5834-5841. <http://dx.doi.org/10.1021/es0497936>.
- Karanfil, T; Dastgheib, SA; Mauldin, D. (2006). Exploring molecular sieve capabilities of activated carbon fibers to reduce the impact of NOM preloading on trichloroethylene adsorption. *Environ Sci Technol*. 40: 1321-1327. <http://dx.doi.org/10.1021/es051285o>.
- Karanfil, T; Kilduff, JE. (1999). Role of granular activated carbon surface chemistry on the adsorption of organic compounds. 1. Priority pollutants. *Environ Sci Technol*. 33: 3217-3224.
- Karapanagioti, HK; Kleineidam, S; Sabatini, DA; Grathwohl, P; Ligouis, B. (2000). Impacts of heterogeneous organic matter on phenanthrene sorption: Equilibrium and kinetic studies with aquifer material. *Environ Sci Technol*. 34: 406-414.
- Karataş, S; Hasar, H; Taşkan, E; Özkaya, B; Şahinkaya, E. (2014). Bio-reduction of tetrachloroethen using a H₂-based membrane biofilm reactor and community fingerprinting. *Water Res*. 58: 21-28. <http://dx.doi.org/10.1016/j.watres.2014.03.053>.
- Karches, M; Takashima, H; Kanno, Y. (2004). Development of a circulating fluidized-bed reactor for microwave-activated catalysis. *Ind Eng Chem Res*. 43: 8200-8206. <http://dx.doi.org/10.1021/ie049569p>.
- Kargalioglu, Y; Mcmillan, BJ; Minear, RA; Plewa, MJ. (2002). Analysis of the cytotoxicity and mutagenicity of drinking water disinfection by-products in *Salmonella typhimurium*. *Teratog Carcinog Mutagen*. 22: 113-128. <http://dx.doi.org/10.1002/tcm.10010>.
- Kargar, M; Nabizadeh, R; Naddafi, K; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Pahlevanzadeh, B. (2012). Modeling perchloroethylene degradation under ultrasonic irradiation and photochemical oxidation in aqueous solution. *Iranian Journal of Environmental Health Science and Engineering*. 9: 32. <http://dx.doi.org/10.1186/1735-2746-9-32>.
- Karimi, AA; Redman, JA; Glaze, WH; Stolarik, GF. (1997). Evaluating an AOP for TCE and PCE removal. *J Am Water Works Assoc*. 89: 41-53.
- Karp, KE. (1993). A diffusive sampler for passive monitoring of volatile organic compounds in ground water. *Ground Water*. 31: 735-739.
- Karpinets, TV; Foy, BD. (2005). Tumorigenesis: The adaptation of mammalian cells to sustained stress environment by epigenetic alterations and succeeding matched mutations [Review]. *Carcinogenesis*. 26: 1323-1334. <http://dx.doi.org/10.1093/carcin/bgi079>.
- Karunanayake, CP; McDuffie, HH; Dosman, JA; Spinelli, JJ; Pahwa, P. (2008). Occupational exposures and non-Hodgkin's lymphoma: Canadian case-control study. *Environ Health*. 7: 44. <http://dx.doi.org/10.1186/1476-069X-7-44>.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res*. 34: 4161-4168.
- Kashiyama, N; Boving, TB. (2004). Hindered gas-phase partitioning of trichloroethylene from aqueous cyclodextrin systems: Implications for treatment and analysis. *Environ Sci Technol*. 38: 4439-4444. <http://dx.doi.org/10.1021/es049956q>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kaslusky, SF; Udell, KS. (2002). A theoretical model of air and steam co-injection to prevent the downward migration of DNAPLs during steam-enhanced extraction. *J Contam Hydrol.* 55: 213-232.
- Kaslusky, SF; Udell, KS. (2005). Co-injection of air and steam for the prevention of the downward migration of DNAPLs during steam enhanced extraction: an experimental evaluation of optimum injection ratio predictions. *J Contam Hydrol.* 77: 325-347. <http://dx.doi.org/10.1016/j.jconhyd.2005.02.003>.
- Kasozi, GN; Kiremire, BT; Bugenyi, FW; Kirsch, NH; Nkedi-Kizza, P. (2006). Organochlorine residues in fish and water samples from lake victoria, Uganda. *J Environ Qual.* 35: 584-589. <http://dx.doi.org/10.2134/jeq2005.0222>.
- Kaspar, S; Rathgeb, F; Nopper, D; Gauglitz, G. (1999). Influence of relative humidity in sensing halogenated hydrocarbons with Reflectometric Interference Spectroscopy (RIfS). *Fresenius J Anal Chem.* 363: 193-196.
- Kasry, A; El Ashry, M; Nistor, RA; Bol, AA; Tulevski, GS; Martyna, GJ; Newns, DM. (2012). High performance metal microstructure for carbon-based transparent conducting electrodes. *Thin Solid Films.* 520: 4827-4830. <http://dx.doi.org/10.1016/j.tsf.2012.01.031>.
- Kassem, M; Senkan, SM. (1991). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF 1,2-C₂H₄CL₂ AND CH₄. *Combust Flame.* 83: 365-374.
- Katagiri, H; Aoki, N; Soma, K; Karube, H; Aizawa, Y; Kadowaki, T; Inoue, Y. (1997). Concentration in blood and organs of dogs after high dose 1,1,1-trichloroethane inhalation. *Ind Health.* 35: 461-466.
- Katakay, R; Wylie, LA. (2001). Investigation of mechanisms for the reductive dechlorination of chlorinated ethylenes using electroanalytical techniques. *Analyst.* 126: 1901-1906.
- Kato-Weinstein, J; Lingohr, MK; Orner, GA; Thrall, BD; Bull, RJ. (1998). Effects of dichloroacetate on glycogen metabolism in B6C3F1 mice. *Toxicology.* 130: 141-154. [http://dx.doi.org/10.1016/S0300-483X\(98\)00106-1](http://dx.doi.org/10.1016/S0300-483X(98)00106-1).
- Kato-Weinstein, J; Stauber, AJ; Orner, GA; Thrall, BD; Bull, RJ. (2001). Differential effects of dihalogenated and trihalogenated acetates in the liver of B6C3F1 mice. *J Appl Toxicol.* 21: 81-89. <http://dx.doi.org/10.1002/jat.717>.
- Katsanou, O; Zervas, E; Pouloupoulos, SG; Philippopoulos, CJ. (2008). Photocatalytic oxidation of TCE and MTBE in the gas phase. *Global NEST J.* 10: 237-240.
- Katsenovich, YP; Miralles-Wilhelm, FR. (2009). Evaluation of nanoscale zerovalent iron particles for trichloroethene degradation in clayey soils. *Sci Total Environ.* 407: 4986-4993. <http://dx.doi.org/10.1016/j.scitotenv.2009.05.033>.
- Kattwinkel, A; Braunstein, R; Haupt, L; Hamad, N; Barner, K; Gommert, E; Wecker, J; Von Helmolt, R; Medvedeva, IV. (2001). Spectral and time-resolved photoresponse in Nd₂/3Sr₁/3MnO₃-d epitaxial layers. *Materials Science Forum.* 373-3: 593-596.
- Katz, Y; Gvirtzman, H. (2000). Capture and cleanup of a migrating VOC plume by the in-well vapor stripping: a sand tank experiment. *J Contam Hydrol.* 43: 25-44.
- Kauffmann, B; White, K; Sanders, V; Douglas, K; Sain, L; Borzelleca, J; Munson, A. (1982). Humoral and cell-mediated immune status in mice exposed to chloral hydrate. *Environ Health Perspect.* 44: 147-151.
- Kausamo, A; Andersin, J; Honkala, K. (2014). Mechanism of Trichloroethene Hydrodehalogenation: A First-Principles Kinetic Monte Carlo Study. *J Phys Chem C.* 118: 19759-19767. <http://dx.doi.org/10.1021/jp503494g>.
- Kaviratna, PD; Peden, CHF. (1996). Photocatalytic destruction of automobile exhaust emissions. *ACS Symp Ser Am Chem Soc.* 638: 428-435.
- Kawaguchi, H. (1994). Dependence of photocatalytic reaction rate on titanium dioxide concentration in aqueous suspensions. *Environ Technol.* 15: 183-188.
- Kawai, Y; Matsubayashi, K. (1996). A novel redox reaction of ebselen with alcohol in basic solution. *Chem Pharm Bull (Tokyo).* 44: 1561-1566.
- Kawamoto, T; Hobara, T; Aoki, T; Kobayashi, H; Iwamoto, S; Sakai, T; Takano, T; Miyazaki, Y; Imamura, A; Ogino, K. (1988). Metabolism of chloral hydrate in the anoxic perfused liver. *Toxicol Lett.* 40: 225-231. [http://dx.doi.org/10.1016/0378-4274\(88\)90045-8](http://dx.doi.org/10.1016/0378-4274(88)90045-8).
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health.* <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.
- Kawase, Y; Masuya, T; Yasuda, K; Nakamura, M. (2006). VOC decomposition by combination of ultrasonic atomization and ozone irradiation. *Kagaku Kogaku Ronbunshu.* 32: 369-371.
- Kawata, K; Shimazaki, R; Okabe, S. (2009). Comparison of gene expression profiles in HepG2 cells exposed to arsenic, cadmium, nickel, and three model carcinogens for investigating the mechanisms of metal carcinogenesis. *Environ Mol Mutagen.* 50: 46-59. <http://dx.doi.org/10.1002/em.20438>.
- Kawi, S; Te, M. (1998). MCM-48 supported chromium catalyst for trichloroethylene oxidation. *Catalysis Today.* 44: 101-109.
- Kearns, JJ. (2001). On the relationship among 'f' texture factors for the principal planes of zirconium, hafnium and titanium alloys. *J Nucl Mater.* 299: 171-174.
- Keating, GA; Mckone, TE; Gillett, JW. (1997). Measured and estimated air concentrations of chloroform in showers: effects of water temperature and aerosols. *Atmos Environ.* 31: 123-130.
- Kedderis, GL; Lipscomb, JC. (2001). Application of in vitro biotransformation data and pharmacokinetic modeling to risk assessment. *Toxicol Ind Health.* 17: 315-321. <http://dx.doi.org/10.1191/0748233701th1190a>.
- Keech, A; Simes, J; Barter, P; Best, J; Scott, R; Taskinen, MR. (2006). Correction to the FIELD study report [Erratum]. *Lancet.* 368: 1415. [http://dx.doi.org/10.1016/S0140-6736\(06\)69594-9](http://dx.doi.org/10.1016/S0140-6736(06)69594-9).
- Keech, A; Simes, RJ; Barter, P; Best, J; Scott, R; Taskinen, MR; Forder, P; Pillai, A; Davis, T; Glasziou, P; Drury, P; Kesäniemi, YA; Sullivan, D; Hunt, D; Colman, P; d'Emden, M; Whiting, M; Ehnholm, C; Laakso, M. (2005). Effects of long-term fenofibrate therapy on cardiovascular

Engineering/Occupational Exposure Literature Search Results

Off Topic

- events in 9795 people with type 2 diabetes mellitus (the FIELD study): Randomised controlled trial. *Lancet*. 366: 1849-1861. [http://dx.doi.org/10.1016/S0140-6736\(05\)67667-2](http://dx.doi.org/10.1016/S0140-6736(05)67667-2).
- Keil, DE; Peden-Adams, MM; Wallace, S; Ruiz, P; Gilkeson, GS. (2009). Assessment of trichloroethylene (TCE) exposure in murine strains genetically-prone and non-prone to develop autoimmune disease. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 443-453. <http://dx.doi.org/10.1080/10934520902719738>.
- Keller, V; Bernhardt, P; Garin, F. (2003). Photocatalytic oxidation of butyl acetate in vapor phase on TiO₂, Pt/TiO₂ and WO₃/TiO₂ catalysts. *J Catal*. 215: 129-138. [http://dx.doi.org/10.1016/S0021-9517\(03\)00002-2](http://dx.doi.org/10.1016/S0021-9517(03)00002-2).
- Kelley, SL; Aitchison, EW; Deshpande, M; Schnoor, JL; Alvarez, PJJ. (2001). Biodegradation of 1,4-dioxane in planted and unplanted soil: Effect of bioaugmentation with *Amycolata* sp CB1190. *Water Res*. 35: 3791-3800. [http://dx.doi.org/10.1016/S0043-1354\(01\)00129-4](http://dx.doi.org/10.1016/S0043-1354(01)00129-4).
- Kelly, G; Lyden, C; Lawton, W; Barrett, J; Saboui, A; Pape, H; Peters, HJB. (1996). Importance of molding compound chemical shrinkage in the stress and warpage analysis of PQFP's. 19: 296-300.
- Kelsh, MA; Exuzides, KA; Cher, D; Mandel, JS. (2002). Heterogeneity, influence and sensitivity analyses in meta-analysis studies - It matters: A case study of trichloroethylene and cancer. *Am J Epidemiol*. 155: s79-s79.
- Kemp, WM; Brooks, MT; Hood, RR. (2001). Nutrient enrichment, habitat variability and trophic transfer efficiency in simple models of pelagic ecosystems. *Mar Ecol Prog Ser*. 223: 73-87.
- Kempton, H; Davis, A; Olsen, R. (1992). Remediation of solvent-contaminated soils by aeration. *J Environ Qual*. 21: 121-128.
- Kenck, C; Wilhelm, M; Bugert, P; Staehler, G; Kovacs, G. (1996). Mutation of the VHL gene is associated exclusively with the development of non-papillary renal cell carcinomas. *J Pathol*. 179: 157-161. [http://dx.doi.org/10.1002/\(SICI\)1096-9896\(199606\)179:2<157::AID-PATH557>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1096-9896(199606)179:2<157::AID-PATH557>3.0.CO;2-S).
- Kendale, JC; Valentín, EM; Woerpel, KA. (2014). Solvent effects in the nucleophilic substitutions of tetrahydropyran acetals promoted by trimethylsilyl trifluoromethanesulfonate: trichloroethylene as solvent for stereoselective C- and O-glycosylations. *Org Lett*. 16: 3684-3687. <http://dx.doi.org/10.1021/ol501471c>.
- Keng, F; Phang, S; Abd Rahman, N; Leedham, EC; Hughes, C; Robinson, AD; Harris, NRP; Pyle, JA; Sturges, WT. (2013). Volatile halocarbon emissions by three tropical brown seaweeds under different irradiances. *J Appl Phycol*. 25: 1377-1386. <http://dx.doi.org/10.1007/s10811-013-9990-x>.
- Kennedy, AM; Summers, RS. (2015). Effect of DOM Size on Organic Micropollutant Adsorption by GAC. *Environ Sci Technol*. 49: 6617-6624. <http://dx.doi.org/10.1021/acs.est.5b00411>.
- Kennedy, CA; Lennox, WC. (1997). A pore-scale investigation of mass transport from dissolving DNAPL droplets. *J Contam Hydrol*. 24: 3-4.
- Kennedy, LG; Everett, JW; Gonzales, J. (2006). Assessment of biogeochemical natural attenuation and treatment of chlorinated solvents, Altus Air Force Base, Altus, Oklahoma. *J Contam Hydrol*. 83: 221-236. <http://dx.doi.org/10.1016/j.jconhyd.2005.11.006>.
- Kennedy, RA; Mayhew, CA; Peverall, R; Watts, P. (2000). Reaction pathways in the gas phase negative ion chemistry of chlorinated ethenes. *Phys Chem Chem Phys*. 2: 3145-3153.
- Kennedy, RM; Luhmann, JD. (1999). The 'Ouchless Emergency Department' getting closer: Advances in decreasing distress during painful procedures in the emergency department. 46/6 (1215-1247).
- Kenneke, JF; Mccutcheon, SC. (2003). Use of pretreatment zones and zero-valent iron for the remediation of chloroalkenes in an oxic aquifer. *Environ Sci Technol*. 37: 2829-2835. <http://dx.doi.org/10.1021/es0207302>.
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc*. 50: 1124-1137. <http://dx.doi.org/10.1111/jawr.12181>.
- Kent, B; Mosquera, GCB. (2001). Remediation of NAPL-contaminated aquifers: Is the cure worth the cost? *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 1559-1569.
- Kenyon, EM; Benignus, V; Eklund, C; Highfill, JW; Oshiro, WM; Samsam, TE; Bushnell, PJ. (2008). Modeling the toxicokinetics of inhaled toluene in rats: influence of physical activity and feeding status. *J Toxicol Environ Health A*. 71: 249-265. <http://dx.doi.org/10.1080/15287390701528363>.
- Keppler, F; Borchers, R; Pracht, J; Rheinberger, S; Scholer, HF. (2002). Natural formation of vinyl chloride in the terrestrial environment. *Environ Sci Technol*. 36: 2479-2483. <http://dx.doi.org/10.1021/es015611j>.
- Kerfoot, WB. (2003). Microbubble ozone sparging for chlorinated ethene spill remediation. *ACS Symp Ser Am Chem Soc*. 837: 86-108.
- Kerger, BD; Schmidt, CE; Paustenbach, DJ. (2000). Assessment of airborne exposure to trihalomethanes from tap water in residential showers and baths. *Risk Anal*. 20: 637-651.
- Kerger, BD; Suder, DR; Schmidt, CE; Paustenbach, DJ. (2005). Airborne exposure to trihalomethanes from tap water in homes with refrigeration-type and evaporative cooling systems. *J Toxicol Environ Health A*. 68: 401-429. <http://dx.doi.org/10.1080/15287390590903577>.
- Kerkar, AV; Feke, DL. (1991). INDUCED FLOCCULATION IN STERICALLY STABILIZED CERAMIC POWDER DISPERSIONS. *Coll Surf*. 53: 363-381.
- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med*. 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Keshava, N; Caldwell, J. (2006). Key issues in the role of peroxisome proliferator-activated receptor agonism and cell signaling in trichloroethylene toxicity [Review]. *Environ Health Perspect*. 114: 1464-1470. <http://dx.doi.org/10.1289/ehp.8693>.
- Keshava, N; Chiu, WA; Caldwell, JC. (2007). PPARalpha and TCE: Keshava et al. respond [Letter]. *Environ Health Perspect*. 115: A15-A16. <http://dx.doi.org/10.1289/ehp.115-a15>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Keshmiri, M; Mohseni, M; Troczynski, T. (2004). Development of novel TiO₂ sol-gel-derived composite and its photocatalytic activities for trichloroethylene oxidation. *Appl Catal B-Environ*. 53: 209-219. <http://dx.doi.org/10.1016/j.apcatb.2004.05.016>.
- Keshmiri, M; Troczynski, T; Mohseni, M. (2006). Oxidation of gas phase trichloroethylene and toluene using composite sol-gel TiO₂ photocatalytic coatings. *J Hazard Mater*. 128: 130-137. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.060>.
- Kessick, R; Tepper, G. (2006). Electrospun polymer composite fiber arrays for the detection and identification of volatile organic compounds. *Sens Actuators B*. 117: 205-210. <http://dx.doi.org/10.1016/j.snb.2005.11.045>.
- Kessler, W; Numtip, W; Grote, K; Csanady, GA; Chahoud, I; Filser, JG. (2004). Blood burden of di(2-ethylhexyl) phthalate and its primary metabolite mono(2-ethylhexyl) phthalate in pregnant and nonpregnant rats and marmosets. *Toxicol Appl Pharmacol*. 195: 142-153. <http://dx.doi.org/10.1016/j.taap.2003.11.014>.
- Ketola, RA; Gron, C; Lauritsen, FR. (1998). Temperature-programmed desorption for membrane inlet mass spectrometry. *Rapid Commun Mass Spectrom*. 12: 773-778.
- Keum, YS; Li, QX. (2004). Reduction of nitroaromatic pesticides with zero-valent iron. *Chemosphere*. 54: 255-263. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.003>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin*. 200: 5-6.
- Keyvani, D; Maclay, J; Lee, S; Stetter, J; Cao, Z. (1991). A PLANAR INTEGRATED CHLORINATED-HYDROCARBON GAS SENSOR ON A SILICON SUBSTRATE. *Sens Actuators B*. 5: 199-203.
- Kezic, S; Monster, AC; Kruse, J; Verberk, MM. (2000). Skin absorption of some vaporous solvents in volunteers. *Int Arch Occup Environ Health*. 73: 415-422. <http://dx.doi.org/10.1007/s004200000161>.
- Kezic, S; Monster, AC; van de Gevel, I; Kruse, J; Opdam, JG; Verberk, MM. (2001). Dermal absorption of neat liquid solvents on brief exposures in volunteers. *Am Ind Hyg Assoc J*. 62: 12-18. <http://dx.doi.org/10.1080/15298660108984604>.
- Khalil, MAK; Moore, RM; Harper, DB; Lobert, JM; Erickson, DJ; Koropalov, V; Sturges, WT; Keene, WC. (1999). Natural emissions of chlorine-containing gases: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos*. 104: 8333-8346.
- Khalilzadeh, A; Fatemi, S. (2016). Spouted bed reactor for VOC removal by modified nano-TiO₂ photocatalytic particles. *Chem Eng Res Des*. 115: 241-250. <http://dx.doi.org/10.1016/j.cherd.2016.10.004>.
- Khan, E; Wirojanagud, W; Sermsai, N. (2009). Effects of iron type in Fenton reaction on mineralization and biodegradability enhancement of hazardous organic compounds. *J Hazard Mater*. 161: 1024-1034. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.049>.
- Khandelwal, A; Rabideau, AJ. (1999). Transport of sequentially decaying reaction products influenced by linear nonequilibrium sorption. *Water Resour Res*. 35: 1939-1945.
- Khandelwal, A; Rabideau, AJ. (2000). Enhancement of soil-bentonite barrier performance with the addition of natural humus. *J Contam Hydrol*. 45: 267-282.
- Khandelwal, A; Rabideau, AJ; Shen, PL. (1998). Analysis of diffusion and sorption of organic solutes in soil-bentonite barrier materials. *Environ Sci Technol*. 32: 1333-1339.
- Khandwala, HM; McCutcheon, IE; Flyvbjerg, A; Friend, KE. (2000). The effects of insulin-like growth factors on tumorigenesis and neoplastic growth [Review]. *Endocr Rev*. 21: 215-244. <http://dx.doi.org/10.1210/er.21.3.215>.
- Khayet, M; Villaluenga, JP; Godino, MP; Mengual, JI; Seoane, B; Khulbe, KC; Matsuura, T. (2004). Preparation and application of dense poly(phenylene oxide) membranes in pervaporation. *J Colloid Interface Sci*. 278: 410-422. <http://dx.doi.org/10.1016/j.jcis.2004.06.021>.
- Khera, R; Ransom, P, at; Speth, TF. (2013). Using work breakdown structure models to develop unit treatment costs. 105: 61-62. <http://dx.doi.org/10.5942/jawwa.2013.105.0129>.
- Khindaria, A; Grover, TA; Aust, SD. (1995). Reductive dehalogenation of aliphatic halocarbons by lignin peroxidase of *Phanerochaete chrysosporium*. *Environ Sci Technol*. 29: 719-725.
- Khulbe, KC; Chowdhury, G; Kruczek, B; Vujosevic, R; Matsuura, T; Lamarche, G. (1997). Characterization of the PPO dense membrane prepared at different temperatures by ESR, atomic force microscope and gas permeation. *J Memb Sci*. 126: 115-122.
- Khulbe, KC; Chowdhury, G; Matsuura, T; Lamarche, G. (1997). Characterization of PPO [poly(phenylene oxide)] powder and membranes from it by ESR technique. *J Memb Sci*. 123: 9-15.
- Khulbe, KC; Hamad, F; Feng, C; Matsuura, T; Gumi, T; Palet, C. (2004). Characterization of the poly(phenylene oxide) dense membrane prepared at different temperatures. *Separation and Purification Technology*. 36: 53-62. [http://dx.doi.org/10.1016/S1383-5866\(03\)00152-7](http://dx.doi.org/10.1016/S1383-5866(03)00152-7).
- Khulbe, KC; Kruczek, B; Chowdhury, G; Gagne, S; Matsuura, T; Verma, SP. (1996). Characterization of membranes prepared from PPO by Raman scattering and atomic force microscopy. *J Memb Sci*. 111: 57-70.
- Khulbe, KC; Matsuura, T. (2000). Characterization of PPO membranes by oxygen plasma etching, gas separation and atomic force microscopy. *J Memb Sci*. 171: 273-284.
- Khulbe, KC; Matsuura, T; Lamarche, G; Kim, HJ. (1997). The morphology characterisation and performance of dense PPO membranes for gas separation. *J Memb Sci*. 135: 211-223.
- Khulbe, KC; Matsuura, T; Lamarche, G; Lamarche, AM. (2000). X-ray diffraction analysis of dense PPO membranes. *J Memb Sci*. 170: 81-89.
- Khulbe, KC; Matsuura, T; Noh, SH. (1998). Effect of thickness of the PPO membranes on the surface morphology. *J Memb Sci*. 145: 243-251.
- Kiaei, D; Hoffman, AS; Horbett, TA. (1995). Platelet adhesion to fibrinogen adsorbed on glow discharge-deposited polymers. *ACS Symp Ser Am Chem Soc*. 602: 450-462.
- Kibbey, TCG; Ramsburg, CA; Pennell, KD. (2002). Implications of alcohol partitioning behavior for in situ density modification of entrapped dense nonaqueous phase liquids. *Environ Sci Technol*. 36: 104-111. <http://dx.doi.org/10.1021/es010966q>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kibecheu, RW; Mamo, MA; Msagati, TAM; Sampath, S; Mamba, BB. (2014). Synthesis and application of reduced graphene oxide and molecularly imprinted polymers composite in chemo sensor for trichloroacetic acid detection in aqueous solution. *Phys Chem Earth*. 76-78: 49-53. <http://dx.doi.org/10.1016/j.pce.2014.09.008>.
- Kiecak, A; Kret, E, wa; Cichostepska, M; Malina, G. (2013). ASSESSMENT OF INTRINSIC BIODEGRADATION POTENTIALS IN AN AQUIFER CONTAMINATED WITH CHLORINATED ETHENES IN THE VICINITY OF NOWA DEBA. 20: 265-278. <http://dx.doi.org/10.2478/eces-2013-0019>.
- Kielhorn, J; Melber, C; Wahnschaffe, U; Aitio, A; Mangelsdorf, I. (2000). Vinyl chloride: still a cause for concern [Review]. *Environ Health Perspect*. 108: 579-588.
- Kijora, C; Bergner, H; Szakacz, J; Bartelt, J; Gotz, KP. (1992). UTILIZATION OF N-15-UREA IN SHEEP AFTER N-15-UREA INFUSION IN THE SMALL-INTESTINE. *J Anim Physiol Anim Nutr (Berl)*. 67: 237-249.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg*. 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Kikuchi, Y; Hirao, M. (2008). Practical method of assessing local and global impacts for risk-based decision making: A case study of metal degreasing processes. *Environ Sci Technol*. 42: 4527-4533. <http://dx.doi.org/10.1021/es7024164>.
- Kilburn, K. (2002). Do duration of exposure, proximity to electronic manufacturing plants, and involvement in a lawsuit affect chlorinated solvent toxicity. *Arch Environ Health*. 57: 121-126. <http://dx.doi.org/10.1080/00039890209602926>.
- Kilburn, K. (2002). Is neurotoxicity associated with environmental trichloroethylene (TCE)? *Arch Environ Health*. 57: 113-120. <http://dx.doi.org/10.1080/00039890209602925>.
- Kilburn, KH; Thornton, JC. (1996). Prediction equations for simple and visual two-choice reactions times in environmental neurotoxicology. *Arch Environ Health*. 51: 439-444. <http://dx.doi.org/10.1080/00039896.1996.9936043>.
- Kilburn, KH; Warshaw, R; Thornton, JC. (1987). Formaldehyde impairs memory, equilibrium, and dexterity in histology technicians: Effects which persist for days after exposure. *Arch Environ Occup Health*. 42: 117-120. <http://dx.doi.org/10.1080/00039896.1987.9935806>.
- Kilburn, KH; Warshaw, R; Thornton, JC; Mcphee, R. (1988). POSSIBLE EFFECTS OF WELL WATER CONTAINING TRICHOLORETHYLENE (TCE), TRICHOLOETHANE AND CHROMIUM FROM 1956 TO 1960 ON A MEXICAN-AMERICAN POPULATION. *Arch Environ Health*. 43: 202-202.
- Kilburn, KH; Warshaw, RH. (1992). Prevalence of symptoms of systemic lupus erythematosus (SLE) and of fluorescent antinuclear antibodies associated with chronic exposure to trichloroethylene and other chemicals in well water. *Environ Res*. 57: 1-9.
- Kilburn, KH; Warshaw, RH. (1993). Effects on neurobehavioral performance of chronic exposure to chemically contaminated well water. *Toxicol Ind Health*. 9: 391-404.
- Kilburn, KH; Warshaw, RH. (1993). Neurobehavioral testing of subjects exposed residentially to groundwater contaminated from an aluminum die-casting plant and local referents. *J Toxicol Environ Health*. 39: 483-496. <http://dx.doi.org/10.1080/15287399309531766>.
- Kilburn, KH; Warshaw, RH; Hanscom, B. (1994). Balance measured by head (and trunk) tracking and a force platform in chemically (PCB and TCE) exposed and referent subjects. *Occup Environ Med*. 51: 381-385.
- Kilduff, JE; Karanfil, T. (2002). Trichloroethylene adsorption by activated carbon preloaded with humic substances: effects of solution chemistry. *Water Res*. 36: 1685-1698.
- Kilduff, JE; Karanfil, T; Weber W J, J. R. (1998). TCE adsorption by GAC preloaded with humic substances (pp. 76-89). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/98/19081). Kilduff, JE; Karanfil, T; Weber W J, , JR.
- Kilduff, JE; Mattaraj, S; Wigton, A; Kitis, M; Karanfil, T. (2004). Effects of reverse osmosis isolation on reactivity of naturally occurring dissolved organic matter in physicochemical processes. *Water Res*. 38: 1026-1036. <http://dx.doi.org/10.1016/j.watres.2003.10.049>.
- Kilduff, JE; Wigton, A. (1999). Sorption of TCE by humic-preloaded activated carbon: Incorporating size-exclusion and pore blockage phenomena in a competitive adsorption model. *Environ Sci Technol*. 33: 250-256.
- Kim, CF; Jackson, EL; Woolfenden, AE; Lawrence, S; Babar, I; Vogel, S; Crowley, D; Bronson, RT; Jacks, T. (2005). Identification of bronchioalveolar stem cells in normal lung and lung cancer. *Cell*. 121: 823-835. <http://dx.doi.org/10.1016/j.cell.2005.03.032>.
- Kim, D, oGun; Hwang, Y, uH; Shin, HS, ik; Ko, SO, h. (2012). Humic acid characteristics and effects on the reactivity of nano-scale zero-valent iron particles during nitrate reduction. *Desalination and Water Treatment*. 49: 147-156. <http://dx.doi.org/10.1080/19443994.2012.708212>.
- Kim, DC; Ihm, SK. (2001). Application of spinel-type cobalt chromite as a novel catalyst for combustion of chlorinated organic pollutants. *Environ Sci Technol*. 35: 222-226. <http://dx.doi.org/10.1021/es001098k>.
- Kim, DC; Ihm, SK. (2001). Role of water in the catalytic decomposition of chlorinated hydrocarbons over chromium-containing catalysts. *J Chem Eng Jpn*. 34: 143-147.
- Kim, E; Kim, J; Azad, AM; Chang, YS. (2011). Facile Synthesis and Characterization of Fe/FeS Nanoparticles for Environmental Applications. *ACS Applied Materials & Interfaces*. 3: 1457-1462. <http://dx.doi.org/10.1021/am200016v>.
- Kim, E, uilJin; Lee, YC; Lee, HU, k; Huh, Y, unSuk; Lee, M. (2016). Environment-friendly industrial cleaning agents incorporating plant-oil-based raw materials as chlorofluorocarbon (CFC) alternatives. *Chem Eng J*. 290: 103-115. <http://dx.doi.org/10.1016/j.cej.2016.01.023>.
- Kim, E; Little, JC; Chiu, N; Chiu, A. (2001). Inhalation exposure to volatile chemicals in drinking water. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. C19: 387-413.
- Kim, E; Murugesan, K; Kim, J; Tratnyek, PG; Chang, YS. (2013). Remediation of Trichloroethylene by FeS-Coated Iron Nanoparticles in Simulated and Real Groundwater: Effects of Water Chemistry. *Ind Eng Chem Res*. 52: 9343-9350. <http://dx.doi.org/10.1021/ie400165a>.
- Kim, EJ; Kim, JH; Chang, YS; Turcio-Ortega, D; Tratnyek, PG. (2014). Effects of metal ions on the reactivity and corrosion electrochemistry of Fe/FeS nanoparticles. *Environ Sci Technol*. 48: 4002-4011. <http://dx.doi.org/10.1021/es405622d>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kim, G; Jeong, W; Choe, S. (2007). Impact of pH buffer capacity of sediment on dechlorination of atrazine using zero valent iron. *J Environ Sci Health B*. 42: 287-295. <http://dx.doi.org/10.1080/03601230701229270>.
- Kim, G; Jeong, W; Choe, S. (2008). Dechlorination of atrazine using zero-valent iron (Fe⁰) under neutral pH conditions. *J Hazard Mater*. 155: 502-506. <http://dx.doi.org/10.1016/j.jhazmat.2007.11.092>.
- Kim, H; Ahn, D; Annable, MD. (2016). Enhanced removal of VOCs from aquifers during air sparging using thickeners and surfactants: Bench-scale experiments. *J Contam Hydrol*. 184: 25-34. <http://dx.doi.org/10.1016/j.jconhyd.2015.11.002>.
- Kim, H; Hemond, HF. (1998). Natural discharge of volatile organic compounds from contaminated aquifer to surface waters. *J Environ Eng*. 124: 744-751.
- Kim, H; Hong, H, yeJin; Lee, Y, ouJin; Shin, HJ, ae; Yang, J, iWon. (2008). Degradation of trichloroethylene by zero-valent iron immobilized in cationic exchange membrane. *Desalination*. 223: 212-220. <http://dx.doi.org/10.1016/j.desal.2007.03.015>.
- Kim, H; Hong, HJ; Jung, J; Kim, SH; Yang, JW. (2010). Degradation of trichloroethylene (TCE) by nanoscale zero-valent iron (nZVI) immobilized in alginate bead. *J Hazard Mater*. 176: 1038-1043. <http://dx.doi.org/10.1016/j.jhazmat.2009.11.145>.
- Kim, H, unMi; Hyun, Y; Lee, KK, un. (2007). Remediation of TCE-contaminated groundwater in a sandy aquifer using pulsed air sparging: Laboratory and numerical studies. *J Environ Eng*. 133: 380-388. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:4\(380\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:4(380)).
- Kim, H, eeSam; Kee, K, iBum; Lee, YJ, ae; Han, SS, oo; Chung, YS, ik; Jeon, H, anY; Lee, YR, ok; Gal, YS; Noh, SK; Lyoo, W, onS. (2010). Effect of Solvent on the Morphology of High Molecular Weight Poly(N-vinyl carbazole) Web Prepared by Electrospinning. *Polymers and Polymer Composites*. 18: 461-467.
- Kim, H, eeY; Kim, S, eNa; Kim, J, un; Ahn, W, haS. (2013). Liquid phase adsorption of selected chloroaromatic compounds over metal organic frameworks. *Materials Research Bulletin*. 48: 4499-4505. <http://dx.doi.org/10.1016/j.materresbull.2013.07.052>.
- Kim, H; Lee, S; Moon, JW; Rao, PSC. (2005). Gas transport of volatile organic compounds in unsaturated soils: Quantitative analysis of retardation processes. *Soil Sci Soc Am J*. 69: 990-995. <http://dx.doi.org/10.2136/sssaj2003.0208>.
- Kim, H, yeJin; Phenrat, T; Tilton, RD; Lowry, GV. (2009). Fe-0 Nanoparticles Remain Mobile in Porous Media after Aging Due to Slow Desorption of Polymeric Surface Modifiers. *Environ Sci Technol*. 43: 3824-3830. <http://dx.doi.org/10.1021/es802978s>.
- Kim, H; Yang, H; Kim, J. (2014). Standardization of the reducing power of zero-valent iron using iodine. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 49: 514-523. <http://dx.doi.org/10.1080/10934529.2014.859029>.
- Kim, HH; Prieto, G; Takashima, K; Katsura, S; Mizuno, A. (2002). Performance evaluation of discharge plasma process for gaseous pollutant removal. *Journal of Electrostatics*. 55: 25-41.
- Kim, HJ; Cho, KS; Park, JW; Goltz, MN; Khim, JH; Kim, JY. (2001). Sorption and biodegradation of vapor-phase organic compounds with wastewater sludge and food waste compost. *J Air Waste Manag Assoc*. 51: 1237-1244.
- Kim, HJ; Leitch, M; Naknakorn, B; Tilton, RD; Lowry, GV. (2017). Effect of emplaced nZVI mass and groundwater velocity on PCE dechlorination and hydrogen evolution in water-saturated sand. *J Hazard Mater*. 322: 136-144. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.037>.
- Kim, HK; Hemond, HF; Krumholz, LR; Cohen, BA. (1995). IN-SITU BIODEGRADATION OF TOLUENE IN A CONTAMINATED STREAM .1. FIELD STUDIES. *Environ Sci Technol*. 29: 108-116.
- Kim, HS; Ahn, JY; Hwang, KY; Kim, IK; Hwang, I. (2010). Atmospherically stable nanoscale zero-valent iron particles formed under controlled air contact: characteristics and reactivity. *Environ Sci Technol*. 44: 1760-1766. <http://dx.doi.org/10.1021/es902772r>.
- Kim, HS; Ahn, JY; Kim, C; Lee, S; Hwang, I. (2014). Effect of anions and humic acid on the performance of nanoscale zero-valent iron particles coated with polyacrylic acid. *Chemosphere*. 113: 93-100. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.047>.
- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere*. 73: 813-819. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.092>.
- Kim, HS; Kim, T; Ahn, J; Hwang, K; Park, J; Lim, TT; Hwang, I. (2012). Aging characteristics and reactivity of two types of nanoscale zero-valent iron particles (Fe-BH and Fe-H2) in nitrate reduction. *Chem Eng J*. 197: 16-23. <http://dx.doi.org/10.1016/j.cej.2012.05.018>.
- Kim, I; Kwak, S, unWoo; Ju, Y; Park, G, unY; Lee, TM, in; Jang, Y; Choi, YM, an; Kang, D. (2015). Roll-offset printed transparent conducting electrode for organic solar cells. *Thin Solid Films*. 580: 21-28. <http://dx.doi.org/10.1016/j.tsf.2015.02.075>.
- Kim, J, aeH; Kim, J, iHun; Bokare, V; Kim, E, unJu; Chang, YY; Chang, YS. (2012). Enhanced removal of chromate from aqueous solution by sequential adsorption-reduction on mesoporous iron-iron oxide nanocomposites. *J Nanopart Res*. 14. <http://dx.doi.org/10.1007/s11051-012-1010-6>.
- Kim, J; Lee, W, ooBum. (2009). The Development of a Prediction Model for the Kinetic Constant of Chlorinated Aliphatic Hydrocarbons. *Environ Model Assess*. 14: 93-100. <http://dx.doi.org/10.1007/s10666-007-9119-1>.
- Kim, JO. (1997). Gaseous TCE and PCE removal by an activated carbon biofilter (pp. 331-337). (BIOSIS/97/18416). Kim, JO.
- Kim, JO. (1998). Removal of trichloroethylene in presence and absence of surfactant. *Water Air Soil Pollut*. 108: 1-2.
- Kim, JO; Terkonda, PK; Lee, SD. (1998). Gaseous CAH removal by biofiltration in presence and absence of a nonionic surfactant (pp. 253-259). (BIOSIS/99/00164). Kim, JO; Terkonda, PK; Lee, SD.
- Kim, JS; Itoh, K; Murabayashi, M. (1998). Photocatalytic degradation of trichloroethylene in the gas phase over TiO₂ sol-gel films: Analysis of products. *Chemosphere*. 36: 483-495.
- Kim, JS; Itoh, K; Murabayashi, M; Kim, BA. (1999). Pretreatment of the photocatalyst and the photocatalytic degradation of trichloroethylene in the gas-phase. *Chemosphere*. 38: 2969-2978.
- Kim, JS; Joo, HK; Lee, TK; Itoh, K; Murabayashi, M. (2000). Photocatalytic activity of TiO₂ films preserved under different conditions: The gas-phase photocatalytic degradation reaction of trichloroethylene. *J Catal*. 194: 484-486.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kim, JS; Lee, TK. (2001). Effect of humidity on the photocatalytic degradation of trichloroethylene in gas phase over TiO₂ thin films treated by different conditions. *Korean J Chem Eng.* 18: 935-940.
- Kim, JY; Park, JK; Edil, TB. (1997). Sorption of organic compounds in the aqueous phase onto tire rubber. *J Environ Eng.* 123: 827-835.
- Kim, JY; Park, JK; Emmons, B; Armstrong, DE. (1995). Survey of volatile organic compounds at a municipal solid waste cocomposting facility. *Water Environ Res.* 67: 1044-1051.
- Kim, K; Gurol, MD. (2005). Reaction of nonaqueous phase TCE with permanganate. *Environ Sci Technol.* 39: 9303-9308. <http://dx.doi.org/10.1021/es050830j>.
- Kim, K; Kim, YS; Gurol, MD. (2013). DNAPL TCE Oxidation with Permanganate: Influence of the Phase Transfer Catalyst Pentyltriphenylphosphonium. *Water Air Soil Pollut.* 224: 1. <http://dx.doi.org/10.1007/s11270-013-1735-6>.
- Kim, KS; Kwon, T, aeS; Yang, JS; Yang, J, iWon. (2007). Simultaneous removal of chlorinated contaminants by pervaporation for the reuse of a surfactant. *Desalination.* 205: 87-96. <http://dx.doi.org/10.1016/j.desal.2006.04.043>.
- Kim, MH. (2005). Surface chemical structures of CoOx/TiO₂ catalysts for continuous wet trichloroethylene oxidation. *Korean J Chem Eng.* 22: 839-843.
- Kim, MH; Choo, KH, o. (2007). Low-temperature continuous wet oxidation of trichloroethylene over CoOx/TiO₂ catalysts. *Catal Comm.* 8: 462-466. <http://dx.doi.org/10.1016/j.catcom.2006.07.015>.
- Kim, MH; Hao, OJ. (1999). Cometabolic degradation of chlorophenols by *Acinetobacter* species. *Water Res.* 33: 562-574.
- Kim, S; Bae, W; Hwang, J; Park, J. (2010). Aerobic TCE degradation by encapsulated toluene-oxidizing bacteria, *Pseudomonas putida* and *Bacillus* spp. *Water Sci Technol.* 62: 1991-1997. <http://dx.doi.org/10.2166/wst.2010.471>.
- Kim, S; Burris, DR; Bryant-Genevier, J; Gorder, KA; Dettenmaier, EM; Zellers, ET. (2012). Microfabricated Gas Chromatograph for On-Site Determinations of TCE in Indoor Air Arising from Vapor Intrusion. 2. Spatial/Temporal Monitoring. *Environ Sci Technol.* 46: 6073-6080. <http://dx.doi.org/10.1021/es204625w>.
- Kim, S; Burris, DR; Chang, H; Bryant-Genevier, J; Zellers, ET. (2012). Microfabricated Gas Chromatograph for On-Site Determination of Trichloroethylene in Indoor Air Arising from Vapor Intrusion. 1. Field Evaluation. *Environ Sci Technol.* 46: 6065-6072. <http://dx.doi.org/10.1021/es204624z>.
- Kim, S; Hwang, J; Chung, J; Bae, W. (2014). Enhancing trichloroethylene degradation using non-aromatic compounds as growth substrates. *J Hazard Mater.* 275: 99-106. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.052>.
- Kim, S; Kupke, K; Ierardi-Curto, L; Holme, E; Greter, J; Tanguay, R; Poudrier, J; D'Astous, M; Lettre, F; Hahn, S; Levy, H. (2000). Hepatocellular carcinoma despite long-term survival in chronic tyrosinaemia I. *J Inherit Metab Dis.* 23: 791-804. <http://dx.doi.org/10.1023/A:1026756501669>.
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nano-sized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage.* 151: 378-385. <http://dx.doi.org/10.1016/j.jenvman.2015.01.004>.
- Kim, SB; Hong, SC. (2002). Kinetic study for photocatalytic degradation of volatile organic compounds in air using thin film TiO₂ photocatalyst. *Appl Catal B-Environ.* 35: 305-315.
- Kim, SB; Hwang, HT; Hong, SC. (2002). Photocatalytic degradation of volatile organic compounds at the gas-solid interface of a TiO₂ photocatalyst. *Chemosphere.* 48: 437-444.
- Kim, SB; Jang, HT; Hong, SC. (2002). Photocatalytic degradation of gas-phase methanol and toluene using thin-film TiO₂ photocatalyst I. Influence of water vapor, molecular oxygen and temperature. *J Ind Eng Chem.* 8: 156-161.
- Kim, SB, um; Kim, GS, oo; Hong, SC. (2006). Degradation of gaseous trichloroethylene over a thin-film TiO₂(2) photocatalyst. *J Ind Eng Chem.* 12: 749-756.
- Kim, SB, um; Kim, GS, oo; Hong, SC. (2007). Degradation of gas-phase trichloroethylene over thin-film TiO₂(2) photocatalyst in multi-modules reactor. *Environmental Engineering and Management Journal.* 6: 137-142.
- Kim, SB; Lee, JY; Jang, HT; Cha, WS; Hong, SC. (2003). Enhanced photocatalytic activity of TiO₂ by metal doping for degradation of VOCs in air. *J Ind Eng Chem.* 9: 440-446.
- Kim, SB; Lee, JY; Kim, GS; Hong, SC. (2009). Degradation of gas-phase trichloroethylene over thin-film TiO₂ photocatalyst in multi-modules reactor. *J Hazard Mater.* 166: 848-852. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.098>.
- Kim, SK; Chang, H; Zellers, ET. (2011). Microfabricated gas chromatograph for the selective determination of trichloroethylene vapor at sub-parts-per-billion concentrations in complex mixtures. *Anal Chem.* 83: 7198-7206. <http://dx.doi.org/10.1021/ac201788q>.
- Kim, TY; Jeng, SJ; Kim, SJ; Kim, JH; Cho, SY. (2004). Effect of residual water on the adsorption of ethylene dichloride onto pellet-type activated carbon. *J Ind Eng Chem.* 10: 531-538.
- Kim, Y; Arp, DJ; Semprini, L. (2000). Chlorinated solvent cometabolism by butane-grown mixed culture. *J Environ Eng.* 126: 934-942.
- Kim, Y; Istok, JD; Semprini, L. (2004). Push-pull tests for assessing in situ aerobic cometabolism. *Ground Water.* 42: 329-337.
- Kim, Y; Istok, JD; Semprini, L. (2006). Push-pull tests evaluating in situ aerobic cometabolism of ethylene, propylene, and cis-1,2-dichloroethylene. *J Contam Hydrol.* 82: 165-181. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.003>.
- Kim, Y; Istok, JD; Semprini, L. (2008). Single-well, gas-sparging tests for evaluating the in situ aerobic cometabolism of cis-1,2-dichloroethene and trichloroethene. *Chemosphere.* 71: 1654-1664. <http://dx.doi.org/10.1016/j.chemosphere.2008.01.021>.
- Kim, Y; Lee, J. (2012). Dissolution of ethylene vinyl acetate in crystalline silicon PV modules using ultrasonic irradiation and organic solvent. *Solar Energy Materials and Solar Cells.* 98: 317-322. <http://dx.doi.org/10.1016/j.solmat.2011.11.022>.
- Kim, Y; Semprini, L. (2005). Cometabolic transformation of cis-1,2-dichloroethylene and cis-1,2-dichloroethylene epoxide by a butane-grown mixed culture. *Water Sci Technol.* 52: 125-131.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kim, YH; Carraway, ER. (2000). Dechlorination of pentachlorophenol by zero valent iron and modified zero valent irons. *Environ Sci Technol.* 34: 2014-2017.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol.* 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated ethenes and acetylenes by palladized iron. *Environ Technol.* 24: 809-819.
- Kim, YH; Carraway, ER. (2003). Reductive dechlorination of TCE by zero valent bimetals. *Environ Technol.* 24: 69-75.
- Kim, YK; Shin, J, iY; Lee, KK; Cho, HS; Jeon, H; Kim, J. (2012). Mass transfer of trichloroethylene through the palladized iron coated reactive geomembrane. *J Hazard Mater.* 201: 7-15. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.091>.
- Kim, YS. (2007). A study of timing control and array weight error effects in the antenna array aided uplink synchronous DS-CDMA system. *IEE Transactions on Communications.* E90B: 3729-3732. <http://dx.doi.org/10.1093/ietcom/e90-b.12.3729>.
- Kimchuwanit, W; Osuwan, S; Scamehorn, JF; Harwell, JH; Haller, KJ. (2000). Use of a micellar-rich coacervate phase to extract trichloroethylene from water. *Separation Science and Technology.* 35: 1991-2002.
- Kimchuwanit, W; Scamehorn, JF; Osuwan, S; Haller, KJ; Harwell, JH. (1996). Use of a surfactant coacervate phase to extract trichloroethylene from water. *Abstracts of Papers - American Chemical Society.* 211: 90-IEC.
- Kimura, Y; Asano, M; Chen, J; Maekawa, Y; Katakai, R; Yoshida, M. (2008). Influence of grafting solvents on the properties of polymer electrolyte membranes prepared by gamma-ray preirradiation method. *Radiat Phys Chem Oxf Engl* 1993. 77: 864-870. <http://dx.doi.org/10.1016/j.radphyschem.2007.12.012>.
- King, BH; Ruminski, AM; Snyder, J, ayL; Sailor, MJ. (2007). Optical-fiber-mounted porous silicon photonic crystals for sensing organic vapor breakthrough in activated carbon. *Adv Mater Deerfield.* 19: 4530-+. <http://dx.doi.org/10.1002/adma.200701294>.
- Kioski, C; Heubach, S; Petersen, N. (1990). The incidence of childhood leukemia and testicular cancer in Pima County: 1970-1986. Phoenix, AZ: Arizona Department of Health Services.
- Kiran, S; Cocco, P; Mannetje, A; Satta, G; D'Andrea, I; Becker, N; de Sanjosé, S; Foretova, L; Staines, A; Kleefeld, S; Maynadié, M; Nieters, A; Brennan, P; Boffetta, P. (2010). Occupational exposure to ethylene oxide and risk of lymphoma. *Epidemiology.* 21: 905-910. <http://dx.doi.org/10.1097/EDE.0b013e3181f4cc0f>.
- Kirschling, TL; Gregory, KB; Minkley, EG, Jr; Lowry, GV; Tilton, RD. (2010). Impact of Nanoscale Zero Valent Iron on Geochemistry and Microbial Populations in Trichloroethylene Contaminated Aquifer Materials. *Environ Sci Technol.* 44: 3474-3480. <http://dx.doi.org/10.1021/es903744f>.
- Kirtland, BC; Aelion, CM; Stone, PA. (2005). Assessing in situ mineralization of recalcitrant organic compounds in vadose zone sediments using delta13C and 14C measurements. *J Contam Hydrol.* 76: 1-18. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.007>.
- Kirtland, BC; Aelion, CM; Stone, PA; Hunkeler, D. (2003). Isotopic and geochemical assessment of in situ biodegradation of chlorinated hydrocarbons. *Environ Sci Technol.* 37: 4205-4212. <http://dx.doi.org/10.1021/es034046e>.
- Kiruthika, S; Gupta, R; Anand, A; Kumar, A; Kulkarni, GU. (2015). Fabrication of Oxidation-Resistant Metal Wire Network-Based Transparent Electrodes by a Spray-Roll Coating Process. 7: 27215-27222. <http://dx.doi.org/10.1021/acsami.5b08171>.
- Kiruthika, S; Gupta, R; Rao, KDM; Chakraborty, S; Padmavathy, N; Kulkarni, GU. (2014). Large area solution processed transparent conducting electrode based on highly interconnected Cu wire network. 2: 2089-2094. <http://dx.doi.org/10.1039/c3tc32167c>.
- Kiruthika, S; Rao, KDM; Kumar, A; Gupta, R; Kulkarni, GU. (2014). Metal wire network based transparent conducting electrodes fabricated using interconnected cracked layer as template. 1. <http://dx.doi.org/10.1088/2053-1591/1/2/026301>.
- Kishi, R; Harabuchi, I; Ikeda, T; Katakura, Y; Miyake, H. (1993). Acute effects of trichloroethylene on blood concentrations and performance decrements in rats and their relevance to humans. *Br J Ind Med.* 50: 470-480.
- Kishi, R; Sata, F; Katakura, Y; Wang, RS; Nakajima, T. (2005). Effects of pregnancy, age and sex in the metabolism of styrene in rat liver in relation to the regulation of cytochrome P450 enzymes. *J Occup Health.* 47: 49-55.
- Kisiel, Z; Bialkowska-Jaworska, E; Psczołkowski, L. (1998). Nuclear quadrupole coupling in Cl2C=CHCl and Cl2C=CH2: Evidence for systematic differences in orientations between internuclear and field gradient axes for terminal quadrupolar nuclei. *J Chem Phys.* 109: 10263-10272.
- Kislina, IS; Maiorov, VD; Sysoeva, SG. (1997). Effect of 1,1,2,2-tetrachloroethane on IR spectra of HCl complexes with N,N-dimethylformamide and 1-methyl-2-pyrrolidone formed by a strong quasi-symmetric hydrogen bond. *Russian Chemical Bulletin.* 46: 916-920.
- Kislina, IS; Maiorov, VD; Sysoeva, SG. (2002). Effect of 1,1,2,2-tetrachloroethane on the IR spectra of molecular and ionic complexes of methanesulfonic acid with aprotic bases. *Kinet Catal.* 43: 667-670.
- Kislina, IS; Sysoeva, SG; Temkin, ON. (1996). Effect of 1,1,2,2-tetrachloroethane on the ionizing ability of complexes of HCl with DMF. *Russian Chemical Bulletin.* 45: 69-73.
- Kislina, IS; Sysoeva, SG; Temkin, ON. (1996). Solvent effect on catalytic properties of the HCl-DMF-1,1,2,2-tetrachloroethane system. *Russian Chemical Bulletin.* 45: 1376-1379.
- Kistemann, T; Hundhausen, J; Herbst, S; Classen, T; Faerber, H. (2008). Assessment of a groundwater contamination with vinyl chloride (VC) and precursor volatile organic compounds (VOC) by use of a geographical information system (GIS). *Int J Hyg Environ Health.* 211: 308-317. <http://dx.doi.org/10.1016/j.ijheh.2007.02.01>.
- Kitada, T; Seki, S; Kawakita, N; Kuroki, T; Monna, T. (1995). Telomere shortening in chronic liver diseases. *Biochem Biophys Res Commun.* 211: 33-39. <http://dx.doi.org/10.1006/bbrc.1995.1774>.
- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research.* 7: 109-116.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kjellstrand, P. (1986). Comment on the interpretation of effects caused by chronic trichloroethylene exposure [Letter]. *Scand J Work Environ Health*. 12: 154-155.
- Kjellstrand, P; Bjerkemo, M; Mortensen, I; Månsson, L. (1981). Effects of long-term exposure to trichloroethylene on the behavior of Mongolian gerbils (*Meriones unguiculatus*). *J Toxicol Environ Health A*. 8: 787-793. <http://dx.doi.org/10.1080/15287398109530114>.
- Kjellstrand, P; Lanke, J; Bjerkemo, M; Zetterqvist, L; Månsson, L. (1980). Irreversible effects of trichloroethylene exposure on the central nervous system. *Scand J Work Environ Health*. 6: 40-47.
- Klasson, KT; Ledbetter, CA; Wartelle, LH; Lingle, SE. (2010). Feasibility of dibromochloropropane (DBCP) and trichloroethylene (TCE) adsorption onto activated carbons made from nut shells of different almond varieties. *Ind Crop Prod*. 31: 261-265. <http://dx.doi.org/10.1016/j.indcrop.2009.11.002>.
- Klasson, KT; Ledbetter, CA; Wartelle, LH; Lingle, SE. (2011). Feasibility of dibromochloropropane (DBCP) and trichloroethylene (TCE) adsorption onto activated carbons made from nut shells of different almond varieties (vol 31, pg 261, 2010). *Ind Crop Prod*. 33: 783-783. <http://dx.doi.org/10.1016/j.indcrop.2011.01.001>.
- Klasson, KT; Wartelle, LH; Lima, IM; Marshall, WE; Akin, DE. (2009). Activated carbons from flax shive and cotton gin waste as environmental adsorbents for the chlorinated hydrocarbon trichloroethylene. *Bioresour Technol*. 100: 5045-5050. <http://dx.doi.org/10.1016/j.biortech.2009.02.068>.
- Klausen, J; Vikesland, PJ; Kohn, T; Burris, DR; Ball, WP; Roberts, AL. (2003). Longevity of granular iron in groundwater treatment processes: Solution composition effects on reduction of organohalides and nitroaromatic compounds. *Environ Sci Technol*. 37: 1208-1218. <http://dx.doi.org/10.1021/es025965s>.
- Klecka, GM; Mcdaniel, SG; Wilson, PS; Carpenter, CL; Clark, JE; Thomas, A; Spain, JC. (1996). Field evaluation of a granular activated carbon fluid-bed bioreactor for treatment of chlorobenzene in groundwater. *Environmental Progress*. 15: 93-107.
- Kleineidam, S; Schuth, C; Grathwohl, P. (2002). Solubility-normalized combined adsorption-partitioning sorption isotherms for organic pollutants. *Environ Sci Technol*. 36: 4689-4697. <http://dx.doi.org/10.1021/es010293b>.
- Kleinknecht, SM; Class, H; Braun, J. (2015). Density-Driven Migration of Heavy NAPL Vapor in the Unsaturated Zone. *Vadose Zone Journal*. 14. <http://dx.doi.org/10.2136/vzj2014.12.0173>.
- Klenk, ID; Grathwohl, P. (2002). Transverse vertical dispersion in groundwater and the capillary fringe. *J Contam Hydrol*. 58: 111-128.
- Kleopfer, RD; Easley, DM; Haas B B, J. R.; Deihl, TG; Jackson, DE; Wurrey, CJ. (1985). ANAEROBIC DEGRADATION OF TRICHLOROETHYLENE IN SOIL. *Environ Sci Technol*. 19: 277-280.
- Kliegman, S; Mcneill, K. (2009). Reconciling disparate models of the involvement of vinyl radicals in cobalamin-mediated dechlorination reactions. *Environ Sci Technol*. 43: 8961-8967. <http://dx.doi.org/10.1021/es902267j>.
- Klier, NJ; West, RJ; Donberg, PA. (1999). Aerobic biodegradation of dichloroethylenes in surface and subsurface soils. *Chemosphere*. 38: 1175-1188. [http://dx.doi.org/10.1016/S0045-6535\(98\)00485-8](http://dx.doi.org/10.1016/S0045-6535(98)00485-8).
- Klimkova, S; Cernik, M; Lacinova, L; Nosek, J. (2008). APPLICATION OF NANOSCALE ZERO-VALENT IRON FOR GROUNDWATER REMEDIATION: LABORATORY AND PILOT EXPERIMENTS. *NANO*. 3: 287-289.
- Kling, T; Korkealaakso, J; Saarenpaa, J. (2004). Application of nonisothermal multiphase modeling to in situ soil remediation in Soderkulla. *Vadose Zone Journal*. 3: 901-908.
- Klisch, M; Kuder, T; Philp, RP; Mchugh, TE. (2012). Validation of adsorbents for sample preconcentration in compound-specific isotope analysis of common vapor intrusion pollutants. *J Chromatogr A*. 1270: 20-27. <http://dx.doi.org/10.1016/j.chroma.2012.10.050>.
- Klongdee, J; Petchkroh, W; Phuempoonsathaporn, K; Praserttham, P; Vangnai, AS; Pavarajarn, V. (2005). Activity of nanosized titania synthesized from thermal decomposition of titanium (IV) n-butoxide for the photocatalytic degradation of diuron. *Science and Technology of Advanced Materials*. 6: 290-295. <http://dx.doi.org/10.1016/j.stam.2005.02.007>.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis Metropolitan Area. *Arch Environ Health*. 52: 348-354. <http://dx.doi.org/10.1080/00039899709602210>.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis metropolitan area (vol 52, pg 348, 1997). *Arch Environ Health*. 52: 486-486.
- Knappe, DRU; Snoeyink, VL; Roche, P; Prados, MJ; Bourbigot, MM. (1999). Atrazine removal by preloaded GAC. *J Am Water Works Assoc*. 91: 97-109.
- Knauss, KG; Dibley, MJ; Leif, RN; Mew, DA; Aines, RD. (1999). Aqueous oxidation of trichloroethene (TCE): a kinetic analysis. *Appl Geochem*. 14: 531-541.
- Knauss, KG; Dibley, MJ; Leif, RN; Mew, DA; Aines, RD. (2000). The aqueous solubility of trichloroethene (TCE) and tetrachloroethene (PCE) as a function of temperature. *Appl Geochem*. 15: 501-512.
- Kneidel, AL; Yang, ST. (2003). Kinetic study of trichloroethylene biodegradation by *Methylosinus trichosporium* OB3b PP358 immobilized in a fibrous-bed bioreactor. *Journal of the Chinese Institute of Chemical Engineers*. 34: 65-73.
- Knight, MW; van De Groep, J; Bronsveld, PCP; Sinke, W, imC; Polman, A. (2016). Soft imprinted Ag nanowire hybrid electrodes on silicon heterojunction solar cells. 30: 398-406. <http://dx.doi.org/10.1016/j.nanoen.2016.10.011>.
- Knobel, LL; Mann, LJ. (1993). SAMPLING FOR PURGEABLE ORGANIC-COMPOUNDS USING POSITIVE-DISPLACEMENT PISTON AND CENTRIFUGAL SUBMERSIBLE PUMPS - A COMPARATIVE-STUDY. *Ground Water Monitoring and Remediation*. 13: 142-148.
- Knorr, R; Schendel, D; Condon, S; Disirio, M; Boyle, C; Krueger, E. (1994). The relationship between birth defects and exposure to trichloroethylene-contaminated water in Woburn, Massachusetts (MA). *Am J Epidemiol*. 139: 15-18.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut.* 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Ko, JH; Musson, S; Townsend, T. (2010). Destruction of trichloroethylene during hydration of calcium oxide. *J Hazard Mater.* 174: 876-879. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.043>.
- Ko, JH; Musson, S; Townsend, T. (2011). Removal of trichloroethylene from soil using the hydration of calcium oxide. *J Environ Manage.* 92: 1767-1773. <http://dx.doi.org/10.1016/j.jenvman.2011.02.004>.
- Ko, S; Crimi, M; Marvin, BK; Holmes, V; Huling, SG. (2012). Comparative study on oxidative treatments of NAPL containing chlorinated ethanes and ethenes using hydrogen peroxide and persulfate in soils. *J Environ Manage.* 108: 42-48. <http://dx.doi.org/10.1016/j.jenvman.2012.04.034>.
- Ko, SO, h; Ji, SH. (2007). In situ push-pull tests for the determination of TCE degradation and permanganate consumption rates. *Environ Geol.* 53: 359-364. <http://dx.doi.org/10.1007/s00254-007-0651-8>.
- Ko, Y; Yang, G; Chang, DP; Kennedy, IM. (2003). Microwave plasma conversion of volatile organic compounds. *Journal of the Air and Waste Management Association.* 53: 580-585.
- Kobayashi, M; Ikeda, K; Hosaka, T; Sezaki, H; Someya, T; Akuta, N; Suzuki, F; Suzuki, Y; Saitoh, S; Arase, Y; Kumada, H. (2006). Dysplastic nodules frequently develop into hepatocellular carcinoma in patients with chronic viral hepatitis and cirrhosis. *Cancer.* 106: 636-647. <http://dx.doi.org/10.1002/cncr.21607>.
- Kobayashi, T; Shimizu, Y; Urano, K. (2003). Estimation of adsorbed amounts of volatile chlorinated organic compounds to wet soil based on the properties of the compounds and soils. *Sci Total Environ.* 301: 215-223.
- Kober, R; Schlicker, O; Ebert, M; Dahmke, A. (2002). Degradation of chlorinated ethylenes by Fe-0: inhibition processes and mineral precipitation. *Environ Geol.* 41: 644-652. <http://dx.doi.org/10.1007/s00254-001-0443-5>.
- Kocamemi, BA; Cecen, F. (2005). Cometabolic degradation of TCE in enriched nitrifying batch systems. *J Hazard Mater.* 125: 260-265.
- Kocamemi, BA; Cecen, F. (2009). Biodegradation of 1,2-dichloroethane (1,2-DCA) by cometabolism in a nitrifying biofilm reactor. *Int Biodeterior Biodegradation.* 63: 717-726. <http://dx.doi.org/10.1016/j.ibiod.2009.04.008>.
- Kocamemi, BA; Cecen, F. (2010). Biological removal of the xenobiotic trichloroethylene (TCE) through cometabolism in nitrifying systems. *Bioresour Technol.* 101: 430-433. <http://dx.doi.org/10.1016/j.biortech.2009.07.079>.
- Kocamemi, BA; Ceçen, F. (2010). Cometabolic degradation and inhibition kinetics of 1,2-dichloroethane (1,2-DCA) in suspended-growth nitrifying systems. *Environ Technol.* 31: 295-305. <http://dx.doi.org/10.1080/09593330903470677>.
- Koch, A; Orjala, J; Mutiso, PC; Soejarto, DD. (2006). An antimalarial abietane diterpene from *Fuerstia africana* TCE fries. *Biochemical Systematics and Ecology.* 34: 270-272. <http://dx.doi.org/10.1016/j.bse.2005.08.002>.
- Koch, B; Gramith, JT; Dale, MS; Ferguson, DW. (1992). CONTROL OF 2-METHYLISOBORNEOL AND GEOSMIN BY OZONE AND PEROXONE - A PILOT-STUDY. *Water Sci Technol.* 25: 291-298.
- Koch, J; Voelker, P. (1996). Formation of artefacts and its suppression during the determination of volatile halogenated hydrocarbons in water by means of headspace gas chromatography under the standard conditions of DIN 38407-F5. Part I: Formation of dehydrohalogenation products from saturated halogenated hydrocarbons. *Acta Hydrochim Hydrobiol.* 24: 176-178.
- Koch, M; Cohn, DR; Patrick, RM; Schuetze, MP; Bromberg, L; Reilly, D; Hadidi, K; Thomas, P; Falkos, P. (1995). ELECTRON-BEAM ATMOSPHERIC-PRESSURE COLD-PLASMA DECOMPOSITION OF CARBON-TETRACHLORIDE AND TRICHLOROETHYLENE. *Environ Sci Technol.* 29: 2946-2952.
- Kocur, CM; Chowdhury, AI; Sakulchaicharoen, N; Boparai, HK; Weber, KP; Sharma, P; Krol, MM; Austrins, L; Peace, C; Sleep, BE; O'Carroll, DM. (2014). Characterization of nZVI mobility in a field scale test. *Environ Sci Technol.* 48: 2862-2869. <http://dx.doi.org/10.1021/es4044209>.
- Kocur, CM; Lomheim, L; Boparai, HK; Chowdhury, AI; Weber, KP; Austrins, LM; Edwards, EA; Sleep, BE; O'Carroll, DM. (2015). Contributions of Abiotic and Biotic Dechlorination Following Carboxymethyl Cellulose Stabilized Nanoscale Zero Valent Iron Injection. *Environ Sci Technol.* 49: 8648-8656. <http://dx.doi.org/10.1021/acs.est.5b00719>.
- Koepke, R; Warner, M; Petreas, M; Cabria, A; Danis, R; Hernandez-Avila, M; Eskenazi, B. (2004). Serum DDT and DDE levels in pregnant women of Chiapas, Mexico. *Arch Environ Health.* 59: 559-565. <http://dx.doi.org/10.1080/00039890409603434>.
- Koga, M; Akiyama, T; Glaze, WH. (1991). Analysis of Ozonation by-Products Produced in Drinking Water Treatment. *Toxicol Ind Health.* 7: 423-432.
- Kogel-Knabner, I; Totsche, KU; Raber, B. (2000). Desorption of polycyclic aromatic hydrocarbons from soil in the presence of dissolved organic matter: Effect of solution composition and aging. *J Environ Qual.* 29: 906-916.
- Koh, LH; Kuhn, DCS; Mohseni, M; Allen, DG. (2004). Utilizing ultraviolet photooxidation as a pre-treatment of volatile organic compounds upstream of a biological gas cleaning operation. *J Chem Tech Biotechnol.* 79: 619-625. <http://dx.doi.org/10.1002/jctb.1030>.
- Kohári, M; Zado, E; Marchlinski, FE; Callans, DJ; Han, Y. (2014). Left atrial volume best predicts recurrence after catheter ablation in patients with persistent and longstanding persistent atrial fibrillation. *Pacing Clin Electrophysiol.* 37: 422-429. <http://dx.doi.org/10.1111/pace.12279>.
- Kohn, T; Livi, KJT; Roberts, AL; Vikesland, PJ. (2005). Longevity of granular iron in groundwater treatment processes: Corrosion product development. *Environ Sci Technol.* 39: 2867-2879. <http://dx.doi.org/10.1021/es048851k>.
- Kohn, T; Roberts, AL. (2006). The effect of silica on the degradation of organohalides in granular iron columns. *J Contam Hydrol.* 83: 70-88. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.010>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kohn, T; Roberts, AL. (2006). Interspecies competitive effects in reduction of organohalides in Connelly iron columns. *Environ Eng Sci.* 23: 874-885.
- Kohne, A; Kemnitz, E. (1995). HETEROGENEOUS CATALYZED SYNTHESIS OF 1,1,1,2-TETRAFLUOROETHANE FROM 1,1,1,2-TETRACHLOROETHANE - THERMODYNAMICS AND REACTION PATHWAYS. *J Fluor Chem.* 75: 103-110.
- Kohno, H; Berezin, AA; Chang, JS; Tamura, M; Yamamoto, T; Shibuya, A; Hondo, S. (1998). Destruction of volatile organic compounds used in a semiconductor industry by a capillary tube discharge reactor. *I E E E Transactions on Industry Applications.* 34: 953-966.
- Kojima, T; Saito, H; Fukuda, K; Takuma, Y; Kato, S; Satokawa, S. (2009). The Influence of Soil and Organic Matter on Trichloroethylene Decomposition by Fenton Reaction. *J Chem Eng Jpn.* 42: S23-S28.
- Kolb, FR; Wilderer, PA. (1997). Activated carbon sequencing batch biofilm reactor to treat industrial wastewater. *Water Sci Technol.* 35: 169-176.
- Komatsu, T; Momono, K; Matsuo, T; Hanaki, K. (1994). BIOTRANSFORMATION OF CIS-1,2-DICHLOROETHYLENE TO ETHYLENE AND ETHANE UNDER ANAEROBIC CONDITIONS. *Water Sci Technol.* 30: 75-84.
- Komatsu, T; Shinmyo, J; Momono, K. (1997). Reductive transformation of tetrachloroethylene to ethylene and ethane by an anaerobic filter. *Water Sci Technol.* 36: 125-132.
- Komlos, J; Cunningham, AB; Camper, AK; Sharp, RR. (2004). Biofilm barriers to contain and degrade dissolved trichloroethylene. *Environmental Progress.* 23: 69-77. <http://dx.doi.org/10.1002/ep.10003>.
- Komlos, J; Cunningham, AB; Camper, AK; Sharp, RR. (2005). Interaction of *Klebsiella oxytoca* and *Burkholderia cepacia* in dual-species batch cultures and biofilms as a function of growth rate and substrate concentration. *Microb Ecol.* 49: 114-125. <http://dx.doi.org/10.1007/s00248-003-1066-z>.
- Komnitsas, K; Bartzas, G; Paspaliaris, I. (2006). Inorganic contaminant fate assessment in zero-valent iron treatment walls. *Environ Forensics.* 7: 207-217. <http://dx.doi.org/10.1080/15275920600840479>.
- Komori, K; Miyajima, S; Tsuru, T; Fujii, T; Mohri, S; Ono, Y; Sakai, Y. (2009). A rapid and simple evaluation system for gas toxicity using luminous bacteria entrapped by a polyion complex membrane. *Chemosphere.* 77: 1106-1112. <http://dx.doi.org/10.1016/j.chemosphere.2009.08.004>.
- Komori, K; Murai, K; Miyajima, S; Fujii, T; Mohri, S; Ono, Y; Sakai, Y. (2008). Development of an in vitro batch-type closed gas exposure device with an alveolar epithelial cell line, A549, for toxicity evaluations of gaseous compounds. *Anal Sci.* 24: 957-962. <http://dx.doi.org/10.2116/analsci.24.957>.
- Kong, JY, an; Bai, Y, un; Su, Y, ao; Yao, Y; He, R, uo. (2014). Effects of trichloroethylene on community structure and activity of methanotrophs in landfill cover soils. *Soil Biol Biochem.* 78: 118-127. <http://dx.doi.org/10.1016/j.soilbio.2014.07.018>.
- Kong, SH; Kwon, CI; Kim, MH. (2003). Ozone kinetics and diesel decomposition by ozonation in groundwater. *Korean J Chem Eng.* 20: 293-299.
- Konietzko, H; Elster, I; Bencsath, A; Drysch, K; Weichardt, H. (1975). EEG-Veränderungen unter definierter Trichloräthylen-Exposition. *Int Arch Occup Environ Health.* 35: 257-264.
- Konietzko, H; Reill, G. (1980). The effect of trichloroethylene on some serum-enzymes, on the cytoenzymological activity in leucocytes, and on the acid-base equilibrium. *Int Arch Occup Environ Health.* 47: 61-67.
- Koo, B; Chattopadhyay, A; Dai, L. (2016). Atomistic modeling framework for a cyclobutane-based mechanophore-embedded nanocomposite for damage precursor detection. *Computational Materials Science.* 120: 135-141. <http://dx.doi.org/10.1016/j.commatsci.2016.04.003>.
- Koo, B; Liu, Y; Zou, J; Chattopadhyay, A; Dai, LL. (2014). Study of glass transition temperature (T-g) of novel stress-sensitive composites using molecular dynamic simulation. *Modelling and Simulation in Materials Science and Engineering.* 22. <http://dx.doi.org/10.1088/0965-0393/22/6/065018>.
- Koper, O; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .3. Chloroform, trichloroethene, and tetrachloroethene. *Chem Mater.* 9: 2481-2485.
- Kopinke, FD; Angeles-Wedler, D; Fritsch, D; Mackenzie, K. (2010). Pd-catalyzed hydrodechlorination of chlorinated aromatics in contaminated waters-Effects of surfactants, organic matter and catalyst protection by silicone coating. *Appl Catal B-Environ.* 96: 323-328. <http://dx.doi.org/10.1016/j.apcatb.2010.02.028>.
- Kopinke, FD; Georgi, A; Voskamp, M; Richnow, HH. (2005). Carbon isotope fractionation of organic contaminants due to retardation on humic substances: implications for natural attenuation studies in aquifers. *Environ Sci Technol.* 39: 6052-6062. <http://dx.doi.org/10.1021/es040096n>.
- Kopinke, FD; Speichert, G; Mackenzie, K; Hey-Hawkins, E. (2016). Reductive dechlorination in water: Interplay of sorption and reactivity. *Appl Catal B-Environ.* 181: 747-753. <http://dx.doi.org/10.1016/j.apcatb.2015.08.031>.
- Koppmann, R; Johnen, FJ; Plassdulmer, C; Rudolph, J. (1993). DISTRIBUTION OF METHYLCHLORIDE, DICHLOROMETHANE, TRICHLOROETHENE AND TETRACHLOROETHENE OVER THE NORTH AND SOUTH-ATLANTIC. *J Geophys Res Atmos.* 98: 20517-20526.
- Kopylev, L; Chen, C; White, P. (2007). Towards quantitative uncertainty assessment for cancer risks: Central estimates and probability distributions of risk in dose-response modeling [Review]. *Regul Toxicol Pharmacol.* 49: 203-207. <http://dx.doi.org/10.1016/j.yrtph.2007.08.002>.
- Korkeila, PJ; Saraste, MK; Nyman, K, aiM; Koistinen, J; Lund, J; Airaksinen, KEJ. (2006). Transesophageal echocardiography in the diagnosis of thrombosis associated with permanent transvenous pacemaker electrodes. *Pacing Clin Electrophysiol.* 29: 1245-1250.
- Korosi, L; Oszko, A; Galbacs, G; Richardt, A; Zoellmer, V; Dekany, I. (2007). Structural properties and photocatalytic behaviour of phosphate-modified nanocrystalline titania films. *Appl Catal B-Environ.* 77: 175-183. <http://dx.doi.org/10.1016/j.apcatb.2007.07.019>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Korrapati, M; Lock, E; Mehendale, H. (2005). Molecular mechanisms of enhanced renal cell division in protection against S-1,2-dichlorovinyl-L-cysteine-induced acute renal failure and death. *Am J Physiol Renal Physiol.* 289: F175-F185. <http://dx.doi.org/10.1152/ajprenal.00418.2004>.
- Korte, NE; Zutman, JL; Schlosser, RM; Liang, L; Gu, B; Fernando, Q. (2000). Field application of palladized iron for the dechlorination of trichloroethene. *Waste Manag.* 20: 687-694.
- Kos, G; Kanthasami, V; Adechina, N; Ariya, PA. (2014). Volatile organic compounds in Arctic snow: concentrations and implications for atmospheric processes. *Environ Sci Process Impacts.* 16: 2592-2603. <http://dx.doi.org/10.1039/c4em00410h>.
- Kosegi, JM; Minsker, BS; Dougherty, DE. (2000). Feasibility study of thermal in situ bioremediation. *J Environ Eng.* 126: 601-610.
- Kostarelos, K; Pope, GA; Rouse, BA; Shook, GM. (1998). A new concept: The use of neutrally-buoyant microemulsions for DNAPL remediation. *J Contam Hydrol.* 34: 383-397.
- Kostopoulou, MN; Goulinopoulos, SK; Nikolaou, AD; Xilourgidis, NK; Lekkas, TD. (2000). Volatile organic compounds in the surface waters of northern Greece. *Chemosphere.* 40: 527-532.
- Kotik, M; Davidova, A; Voriskova, J; Baldrian, P. (2013). Bacterial communities in tetrachloroethene-polluted groundwaters: A case study. *Sci Total Environ.* 454: 517-527. <http://dx.doi.org/10.1016/j.scitotenv.2013.02.082>.
- Kotula, I; Marciniak, B. (2001). Solubilities of naphthalene and acenaphthene in chloro derivative solvents. *Journal of Chemical and Engineering Data.* 46: 783-787.
- Kouchi, A; Okabayashi, K; Okamoto, S; Yoshikado, H; Yamamoto, S; Kobayashi, K; Ono, N; Koizumi, M. (2004). Development of a low-rise industrial source dispersion model (METI-LIS model). *Int J Environ Pollut.* 21: 325-338.
- Koukouraki, EE; Berkhoudt, RA; Diamadopoulos, E. (1997). Determination of volatile chlorination by-products in drinking water in Greece. *Fresen Environ Bull.* 6: 160-165.
- Koutny, M; Ruzicka, J; Chlachula, J. (2003). Screening for phenol-degrading bacteria in the pristine soils of south Siberia. *Appl Soil Ecol.* 23: 79-83. [http://dx.doi.org/10.1016/S0929-1393\(03\)00005-2](http://dx.doi.org/10.1016/S0929-1393(03)00005-2).
- Kouznetsova, I; Mao, X; Robinson, C; Barry, DA; Gerhard, JI; Mccarty, PL. (2010). Biological reduction of chlorinated solvents: Batch-scale geochemical modeling. *Advances in Water Resources.* 33: 969-986. <http://dx.doi.org/10.1016/j.advwatres.2010.04.017>.
- Kowalzik, A; Pilchowski, K. (1999). Investigations of the adsorptive separation of volatile chlorinated hydrocarbons (VCHC) from water with humic substance by novel polymeric adsorbents and activated carbons. Part I: Isotherms and kinetics of adsorption. *Acta Hydrochim Hydrobiol.* 27: 79-86.
- Kowalzik, A; Pilchowski, K. (1999). Investigations of the adsorptive separation of volatile chlorinated hydrocarbons (VCHC) from water with humic substance by novel polymeric adsorbents and activated carbons. Part II: Dynamics of adsorption. *Acta Hydrochim Hydrobiol.* 27: 437-445.
- Koydemir, HC; Kulah, H; Ozgen, C. (2014). Solvent Compatibility of Parylene C Film Layer. *I E E E Journal of Microelectromechanical Systems.* 23: 298-307. <http://dx.doi.org/10.1109/JMEMS.2013.2273032>.
- Kozak, EM; Tate, SS. (1982). Glutathione-degrading enzymes of microvillus membranes. *J Biol Chem.* 257: 6322-6327.
- Kozlov, DV; Panchenko, AA; Bavykin, DV; Savinov, EN; Smirniotis, PG. (2003). Influence of humidity and acidity of the titanium dioxide surface on the kinetics of photocatalytic oxidation of volatile organic compounds. *Russian Chemical Bulletin.* 52: 1100-1105.
- Kozma, G; Ronavari, A; Konya, Z; Kukovecz, A. (2016). Environmentally Benign Synthesis Methods of Zero-Valent Iron Nanoparticles. 4: 291-297. <http://dx.doi.org/10.1021/acssuschemeng.5b01185>.
- Krajangpan, S; Bermudez, JJ; Bezbaruah, AN; Chisholm, BJ; Khan, E. (2008). Nitrate removal by entrapped zero-valent iron nanoparticles in calcium alginate. *Water Sci Technol.* 58: 2215-2222. <http://dx.doi.org/10.2166/wst.2008.925>.
- Krajangpan, S; Kalita, H; Chisholm, BJ; Bezbaruah, AN. (2012). Iron Nanoparticles Coated with Amphiphilic Polysiloxane Graft Copolymers: Dispersibility and Contaminant Treatability. *Environ Sci Technol.* 46: 10130-10136. <http://dx.doi.org/10.1021/es3000239>.
- Kranzioch, I; Ganz, S; Tiehm, A. (2015). Chloroethene degradation and expression of Dehalococcoides dehalogenase genes in cultures originating from Yangtze sediments. *Environ Sci Pollut Res Int.* 22: 3138-3148. <http://dx.doi.org/10.1007/s11356-014-3574-4>.
- Kratz, T; Exner, M; Campo dell'Orto, M; Timmesfeld, N; Schüttler, KF; Efe, T; Zoremba, M; Wulf, H; Steinfeldt, T. (2016). A pocket-sized hand held ultrasound system for intraoperative transthoracic echocardiography by anaesthesiologists: A feasibility study. *Technol Health Care.* 24: 309-315. <http://dx.doi.org/10.3233/THC-161131>.
- Kraupp-Grasl, B; Huber, W; Putz, B; Gerbracht, U; Schulte-Hermann, R. (1990). Tumor promotion by the peroxisome proliferator nafenopin involving a specific subtype of altered foci in rat liver. *Cancer Res.* 50: 3701-3708.
- Krause, R; Mamba, BB; Dlamini, LN; Durbach, SH. (2010). Fe-Ni Nanoparticles supported on carbon nanotube-co-cyclodextrin polyurethanes for the removal of trichloroethylene in water. *J Nanopart Res.* 12: 449-456. <http://dx.doi.org/10.1007/s11051-009-9659-1>.
- Krause, RJ; Lash, LH; Elfarra, AA. (2003). Human kidney flavin-containing monooxygenases and their potential roles in cysteine s-conjugate metabolism and nephrotoxicity. *J Pharmacol Exp Ther.* 304: 185-191. <http://dx.doi.org/10.1124/jpet.102.042911>.
- Krause, TR; Helt, JE. (1993). CHEMICAL DETOXIFICATION OF TRICHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE IN A MICROWAVE-DISCHARGE PLASMA REACTOR AT ATMOSPHERIC-PRESSURE. *ACS Symp Ser Am Chem Soc.* 518: 393-410.
- Krawczyk, K; Jodzis, S; Lamenta, A; Kostka, K; Schmidt-Szalowski, K. (2010). Study on decomposition of tetrachloromethane as a model substance in environment of spark discharge plasma. *Przemysł Chemiczny.* 89: 1101-1106.
- Kreamer, DK; Oja, KJ; Steinberg, SM; Phillips, H. (1994). VAPOR ADSORPTION OF TRICHLOROETHYLENE ON QUARTZ SANDS OF VARYING GRAIN-SIZE. *J Environ Eng.* 120: 348-358.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kreiling, JA; Stephens, RE; Reinisch, CL. (2005). A mixture of environmental contaminants increases cAMP-dependent protein kinase in *Spisula* embryos. *Environ Toxicol Pharmacol.* 19: 9-18. <http://dx.doi.org/10.1016/j.etap.2004.02.007>.
- Krejci, M; Ridgewell, R; Koechel, D. (1991). Acute effects of the D-isomer of S-(1,2-dichlorovinyl)cysteine on renal function and ultrastructure in the pentobarbital-anesthetized dog: site-specific toxicity involving the S1 and S2 cells of the proximal tubule. *Toxicology.* 69: 151-164.
- Kret, E; Kiecak, A; Malina, G; Nijenhuis, I; Postawa, A. (2015). Identification of TCE and PCE sorption and biodegradation parameters in a sandy aquifer for fate and transport modelling: batch and column studies. *Environ Sci Pollut Res Int.* 22: 9877-9888. <http://dx.doi.org/10.1007/s11356-015-4156-9>.
- Krins, A; Karche, K; Nosske, D; Sahre, P; Schonmuth, T. (2003). Determination of dose coefficients and urinary excretion function for inhalation of carbon-14-labelled benzene. *Radiat Prot Dosimetry.* 104: 139-152.
- Krishnadasan, A; Kennedy, N; Zhao, Y; Morgenstern, H; Ritz, B. (2008). Nested case-control study of occupational physical activity and prostate cancer among workers using a job exposure matrix. *Cancer Causes Control.* 19: 107-114. <http://dx.doi.org/10.1007/s10552-007-9076-7>.
- Krishnaiah, A; Surendranath, KN. (1996). Densities, speeds of sound, and viscosities of mixtures of oxolane with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 41: 1012-1014.
- Krishnaiah, A; Surendranath, KN; Viswanath, DS. (1994). EXCESS VOLUMES AND VISCOSITIES OF 1,4-DIOXANE PLUS CHLORINATED ETHANES OR PLUS CHLORINATED ETHENES AT 303.15-K. *Journal of Chemical and Engineering Data.* 39: 756-758.
- Krishnan, K; G, J. (2005). Physiologically-based pharmacokinetic and toxicokinetic models in cancer risk assessment [Review]. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 23: 31 - 53. <http://dx.doi.org/10.1081/GNC-200051856>.
- Krishnan, K; Haddad, S; Beliveau, M; Tardif, R. (2002). Physiological modeling and extrapolation of pharmacokinetic interactions from binary to more complex chemical mixtures. *Environ Health Perspect.* 110: 989-994.
- Krishnan, K; III, CH; Andersen, ME. (1994). Physiologically based pharmacokinetic analyses of simple mixtures. *Environ Health Perspect.* 102: 151-155.
- Krochmal, D. (1999). Determination of organic volatile compounds in workplace air by use of passive samplers and gas chromatography. Part I. A method of determination of chlorinated aliphatic hydrocarbons after solvent desorption. *Chemia analityczna.* 44: 963-976.
- Krol, MM; Johnson, RL; Sleep, BE. (2014). An analysis of a mixed convection associated with thermal heating in contaminated porous media. *Sci Total Environ.* 499: 7-17. <http://dx.doi.org/10.1016/j.scitotenv.2014.08.028>.
- Krol, MM; Rowe, RK. (2004). Diffusion of TCE through soil-bentonite slurry walls. *Soil Sediment Contam.* 13: 81-101. <http://dx.doi.org/10.1080/10588330490269903>.
- Kromann, A; Ludvigsen, L; H-J, A; Christensen, TH; Ejlerstson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Manag Res.* 16: 54-62.
- Kroneld, R. (1989). Volatile pollutants in the environment and human tissues. *Bull Environ Contam Toxicol.* 42: 873-877. <http://dx.doi.org/10.1007/BF01701629>.
- Ku, Y; Chen, JS; Chen, HW. (2007). Decomposition of benzene and toluene in air streams in fixed-film photoreactors coated with TiO₂ catalyst. *Journal of the Air and Waste Management Association.* 57: 279-285.
- Ku, Y; Ma, CM; Shen, YS. (2001). Decomposition of gaseous trichloroethylene in a photoreactor with TiO₂-coated nonwoven fiber textile. *Appl Catal B-Environ.* 34: 181-190.
- Ku, Y; Tseng, K, unYu; Ma, CM. (2008). Photocatalytic decomposition of gaseous acetone using TiO₂ and Pt/TiO₂ catalysts. *Int J Chem Kinet.* 40: 209-216. <http://dx.doi.org/10.1002/kin.20303>.
- Ku, Y; Tseng, KY; Wang, WY. (2005). Decomposition of gaseous acetone in an annular photoreactor coated with TiO₂ thin film. *Water Air Soil Pollut.* 168: 313-323. <http://dx.doi.org/10.1007/s11270-005-1778-4>.
- Kubatova, A; Lagadec, AJM; Hawthorne, SB. (2002). Dechlorination of lindane, dieldrin, tetrachloroethane, trichloroethene, and PVC in subcritical water. *Environ Sci Technol.* 36: 1337-1343. <http://dx.doi.org/10.1021/es011186k>.
- Kubo, S; Matsuzaki, K; Seki, T; Ohsawa, M; Kumagai, S; Endo, G. (2014). Severe acute hepatitis in a printing company worker: a case study. *J Occup Health.* 57: 87-90. <http://dx.doi.org/10.1539/joh.14-0122-CS>.
- Kubo, Y; Mitani, H; Hino, O. (1994). Allelic loss at the predisposing gene locus in spontaneous and chemically induced renal cell carcinomas in the Eker rat. *Cancer Res.* 54: 2633-2635.
- Kubota, M; Hayashi, M; Matsuda, H; Serizawa, H. (2012). Enhanced decomposition of (4-chloro-2-methylphenoxy) acetic acid by combined ultrasonic and oxidative treatment. *Journal of Material Cycles and Waste Management.* 14: 132-138. <http://dx.doi.org/10.1007/s10163-012-0047-z>.
- Kuchovsky, T; Sracek, O. (2007). Natural attenuation of chlorinated solvents: a comparative study. *Environ Geol.* 53: 147-157. <http://dx.doi.org/10.1007/s00254-006-0628-z>.
- Kuder, T; Philp, P. (2013). Demonstration of compound-specific isotope analysis of hydrogen isotope ratios in chlorinated ethenes. *Environ Sci Technol.* 47: 1461-1467. <http://dx.doi.org/10.1021/es303476v>.
- Kuder, T; van Breukelen, BM; Vanderford, M; Philp, P. (2013). 3D-CSIA: carbon, chlorine, and hydrogen isotope fractionation in transformation of TCE to ethene by a Dehalococcoides culture. *Environ Sci Technol.* 47: 9668-9677. <http://dx.doi.org/10.1021/es400463p>.
- Kuder, T; Wilson, JT; Philp, P; He, YT. (2012). Carbon Isotope Fractionation in Reactions of 1,2-Dibromoethane with FeS and Hydrogen Sulfide. *Environ Sci Technol.* 46: 7495-7502. <http://dx.doi.org/10.1021/es300850x>.
- Kudryavtsev, BN; Kudryavtseva, MV; Sakuta, GA; Stein, GI. (1993). Human hepatocyte polyploidization kinetics in the course of life cycle. *Virchows Arch B Cell Pathol Incl Mol Pathol.* 64: 387-393. <http://dx.doi.org/10.1007/BF02915139>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kulazynski, M; van Ommen, JG; Trawczynski, J; Walendziewski, J. (2002). Catalytic combustion of trichloroethylene over TiO₂-SiO₂ supported catalysts. *Appl Catal B-Environ.* 36: 239-247.
- Kulbachinskii, VA; Inoue, M; Sasaki, M; Negishi, H; Gao, WX; Gimán, Y; Lostak, P; Horak, J. (1995). Upper and lower valence band energy spectra of narrow gap semiconductor solid solutions of Bi₂-xSn_xTe₃ crystals. *Institute of Physics Conference Series*184-188.
- Kulkarni, K; Barcak, E; El-Serag, H; Goodgame, R. (2004). The impact of immigration on the increasing incidence of hepatocellular carcinoma in the United States. *Aliment Pharmacol Ther.* 20: 445-450. <http://dx.doi.org/10.1111/j.1365-2036.2004.02090.x>.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination.* 196: 43-54. <http://dx.doi.org/10.1016/j.desal.2005.11.019>.
- Kuller, LH; Ockene, JK; Meilahn, E; Wentworth, DN; Svendsen, KH; Neaton, JD. (1991). Cigarette smoking and mortality. MRFIT Research Group. *Prev Med.* 20: 638-654. [http://dx.doi.org/10.1016/0091-7435\(91\)90060-H](http://dx.doi.org/10.1016/0091-7435(91)90060-H).
- Kultti, S; Nevalainen, L; Luoto, TP; Sarmaja-Korjonen, K. (2011). Subfossil chydorid (Cladocera, Chydoridae) ephippia as paleoenvironmental proxies: evidence from boreal and subarctic lakes in Finland. *Hydrobiologia.* 676: 23-37. <http://dx.doi.org/10.1007/s10750-011-0869-z>.
- Kumagai, S. (2014). Two offset printing workers with cholangiocarcinoma. *J Occup Health.* 56: 164-168.
- Kumagai, S; Matsunaga, I. (1995). Effect of variation of exposure to airborne chlorobenzene on internal exposure and concentrations of urinary metabolite. *Occup Environ Med.* 52: 65-70. <http://dx.doi.org/10.1136/oem.52.1.65>.
- Kumagai, S; Matsunaga, I. (1995). PHYSIOLOGICALLY-BASED PHARMACOKINETIC MODEL FOR ACETONE. *Occup Environ Med.* 52: 344-352.
- Kumagai, S; Matsunaga, I; Tabuchi, T. (1998). Effects of variation in exposure to airborne acetone and difference in work load on acetone concentrations in blood, urine, and exhaled air. *Am Ind Hyg Assoc J.* 59: 242-251.
- Kumar, A; Hooda, VS; Rani, V; Mukesh, S; Sheokand, R; Singh, A. (2015). Evaluation of alternative tillage and crop establishment methods in rice (*Oryza sativa*) cultivation. *Indian J Agric Sci.* 85: 1109-1113.
- Kumar, A; Saha, SK. (2016). Energy and exergy analyses of medium temperature latent heat thermal storage with high porosity metal matrix. *Applied Thermal Engineering.* 109: 911-923. <http://dx.doi.org/10.1016/j.applthermaleng.2016.04.161>.
- Kumar, A; Vercruyssen, A; Dewulf, J; Lens, P; Van Langenhove, H. (2012). Removal of gaseous trichloroethylene (TCE) in a composite membrane biofilm reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 47: 1046-1052. <http://dx.doi.org/10.1080/10934529.2012.667326>.
- Kumar, A; Zhou, C. (2010). The race to replace tin-doped indium oxide: which material will win? [Comment]. *ACS Nano.* 4: 11-14. <http://dx.doi.org/10.1021/nn901903b>.
- Kumar, G; Kanjarla, AK; Lodh, A; Singh, J; Singh, R; Srivastava, D; Dey, GK; Saibaba, N; Doherty, RD; Samajdar, I. (2016). Burst Ductility of Zirconium Clads: The Defining Role of Residual Stress. *Metallurgical and Materials Transactions A.* 47A: 3882-3896. <http://dx.doi.org/10.1007/s11661-016-3526-3>.
- Kumar, M; Kumar, R; Hissar, SS; Saraswat, MK; Sharma, BC; Sakhuja, P; Sarin, SK. (2007). Risk factors analysis for hepatocellular carcinoma in patients with and without cirrhosis: A case-control study of 213 hepatocellular carcinoma patients from India. *J Gastroenterol Hepatol.* 22: 1104-1111. <http://dx.doi.org/10.1111/j.1440-1746.2007.04908.x>.
- Kumar, M; Tewari, S; Sharma, P; Verma, VK; Chauhan, LK; Agarwal, SK; Dwivedi, UN; Goel, SK. (2009). Study of genetic polymorphism in solvent exposed population and its correlation to in vitro effect of trichloroethylene on lymphocytes. *J Environ Biol.* 30: 685-691.
- Kumar, N; Auffan, M; Gattacceca, J; Rose, J; Olivi, L; Borschneck, D; Kvapil, P; Jublot, M; Kaifas, D; Malleret, L; Doumenq, P; Bottero, JY. (2014). Molecular insights of oxidation process of iron nanoparticles: spectroscopic, magnetic, and microscopic evidence. *Environ Sci Technol.* 48: 13888-13894. <http://dx.doi.org/10.1021/es503154q>.
- Kumar, P; Prasad, A; Maji, B; Mani, U; Dutta, K. (2001). Hepatotoxic alterations induced by inhalation of trichloroethylene (TCE) in rats. *Biomed Environ Sci.* 14: 325-332.
- Kumar, P; Prasad, A; Mani, U; Maji, B; Dutta, K. (2002). Effect of trichloroethylene (TCE) inhalation on biotransformation enzymes of rat lung and liver. *J Environ Biol.* 23: 1-6.
- Kumar, RV; Rao, MA; Rao, MV; Kumar, YVL, R; Prasad, DHL. (1996). Activity coefficient and excess Gibbs free energies of allyl alcohol with trichloroethylene. *Thermochim Acta.* 287: 7-11.
- Kumar, RV; Rao, MA; Rao, MV; Prasad, DHL. (1999). Activity coefficient and excess gibes free energies of propargyl alcohol with trichloroethylene. *Physics and Chemistry of Liquids.* 37: 345-349.
- Kumar, RV; Viswanathan, S; Rao, MA. (1996). Excess volumes, speeds of sound, and isentropic compressibilities of 2-propyn-1-ol plus 1,2-dichloroethane, plus 1,1,1-trichloroethane, plus 1,1,2,2-tetrachloroethane, and plus trichloroethylene at 303.15 K. *Journal of Chemical and Engineering Data.* 41: 755-757.
- Kumari, PG; Radhamma, M; Sekhar, GC; Rao, MVP. (2002). Excess volumes and speeds of sound of N-methyl-2-pyrrolidone with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data.* 47: 425-427. <http://dx.doi.org/10.1021/je0102661>.
- Kun, Z; Liu, ZC; Liu, X. (1993). VERTICAL MIGRATION OF PHENOL IN AIR-DRIED SOIL UNDER CAPILLARY EFFECT. *Water Air Soil Pollut.* 68: 449-459.
- Kuncova, G; Pazlarova, J; Hlavata, A; Ripp, S; Saylor, GS. (2011). Bioluminescent bioreporter *Pseudomonas putida* TVA8 as a detector of water pollution. Operational conditions and selectivity of free cells sensor. *Ecol Indic.* 11: 882-887. <http://dx.doi.org/10.1016/j.ecolind.2010.12.001>.
- Kung, HC; Hoyert, DL; Xu, J; Murphy, SL. (2008). Deaths: Final data for 2005. *National Vital Statistics Reports.* 56.
- Kungsanant, S; Kitiyanan, B; Rirksomboon, T; Osuwan, S; Scamehorn, JF. (2009). Recovery of nonionic surfactant from VOC-contaminated coacervate phase solutions by co-current vacuum stripping: Effect of surfactant concentration, temperature, and solute type. *Separation and Purification Technology.* 66: 510-516. <http://dx.doi.org/10.1016/j.seppur.2009.02.008>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kuo, HP; Wu, CT; Hsu, RC. (2009). Continuous reduction of toluene vapours from the contaminated gas stream in a fluidised bed photoreactor. *Powder Technology*. 195: 50-56. <http://dx.doi.org/10.1016/j.powtec.2009.05.010>.
- Kuo, S, huL; Wu, EMY. (2014). The photocatalytic degradation of trichloroethylene in water by reaction board using clay catalyst. *J Indian Chem Soc*. 91: 1731-1743.
- Kuo, YC; Cheng, SF; Liu, PWG; Chiou, HY; Kao, CM. (2012). Application of enhanced bioremediation for TCE-contaminated groundwater: a pilot-scale study. *Desalination and Water Treatment*. 41: 364-371. <http://dx.doi.org/10.1080/19443994.2012.664742>.
- Kuo, YC; Liu, JK; Chien, HY; Chen, CC; Kao, CM. (2012). Remediation of TCE-contaminated groundwater using integrated biosparging and enhanced bioremediation system. *Res Journal Chem Environ*. 16: 37-47.
- Kuo, YC; Wang, SY; Chang, YM; Chen, SH; Kao, CM. (2014). Control of trichloroethylene plume migration using a biobarrier system: a field-scale study. *Water Sci Technol*. 69: 2074-2078. <http://dx.doi.org/10.2166/wst.2014.126>.
- Kupferle, MJ; Chen, T; Gallardo, VJ; Lindberg, DE; Bishop, PL; Safferman, SI; Bishop, DF. (1995). Anaerobic pretreatment of hazardous waste leachates in publicly owned treatment works. *Water Environ Res*. 67: 910-920.
- Kurimoto, Y; Doi, S; Aoyama, M. (2001). Removal of trichloroethylene from aqueous solution by pyrolyzed Japanese cedar bark. *J Wood Sci*. 47: 76-79.
- Kuroki, T; Fujioka, T; Kawabata, R; Okubo, M; Yamamoto, T. (2009). Regeneration of Honeycomb Zeolite by Nonthermal Plasma Desorption of Toluene. *I E E E Transactions on Industry Applications*. 45: 10-15. <http://dx.doi.org/10.1109/TIA.2008.2009476>.
- Kuroki, T; Hirai, K; Kawabata, R; Okubo, M; Yamamoto, T. (2010). Decomposition of Adsorbed Xylene on Adsorbents Using Nonthermal Plasma With Gas Circulation. *I E E E Transactions on Industry Applications*. 46: 672-679. <http://dx.doi.org/10.1109/TIA.2010.2040051>.
- Kuroki, T; Hirai, K; Matsuoka, S; Kim, JY; Okubo, M. (2011). Oxidation System of Adsorbed VOCs on Adsorbent Using Nonthermal Plasma Flow. *I E E E Transactions on Industry Applications*. 47: 1916-1921. <http://dx.doi.org/10.1109/TIA.2011.2155013>.
- Kuroki, T; Oishi, T; Yamamoto, T; Okubo, M. (2013). Bromomethane Decomposition Using a Pulsed Dielectric Barrier Discharge. *I E E E Transactions on Industry Applications*. 49: 293-297. <http://dx.doi.org/10.1109/TIA.2012.2228612>.
- Kurtz, JP; Wolfe, EM; Woodland, AK; Foster, SJ. (2010). Evidence for Increasing Indoor Sources of 1,2-Dichloroethane Since 2004 at Two Colorado Residential Vapor Intrusion Sites. *Ground Water Monitoring and Remediation*. 30: 107-112. <http://dx.doi.org/10.1111/j1745-6592.2010.01296.x>.
- Kusakabe, K; Aso, S; Wada, T; Hayashi, JI; Morooka, S; Isomura, K. (1991). DESTRUCTION RATE OF VOLATILE ORGANOCHLORINE COMPOUNDS IN WATER BY OZONATION WITH ULTRAVIOLET-RADIATION. *Water Res*. 25: 1199-1203.
- Kusic, H; Peternel, I; Koprivanac, N; Bozic, AL. (2011). Iron-Activated Persulfate Oxidation of an Azo Dye in Model Wastewater: Influence of Iron Activator Type on Process Optimization. *J Environ Eng*. 137: 454-463. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000347](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000347).
- Kusic, H; Peternel, I; Ukc, S; Koprivanac, N; Bolanca, T; Papic, S; Bozic, A. (2011). Modeling of iron activated persulfate oxidation treating reactive azo dye in water matrix. *Chem Eng J*. 172: 109-121. <http://dx.doi.org/10.1016/j.cej.2011.05.076>.
- Kuster, M; Díaz-Cruz, S; Rosell, M; López de Alda, M; Barceló, D. (2010). Fate of selected pesticides, estrogens, progestogens and volatile organic compounds during artificial aquifer recharge using surface waters. *Chemosphere*. 79: 880-886. <http://dx.doi.org/10.1016/j.chemosphere.2010.02.026>.
- Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide (pp. 599-604). (ISSN 0960-1686; BIOSIS/93/18832). Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T.
- Kutsuna, S; Ibusuki, T; Takeuchi, K. (2000). Heterogeneous photoreaction of tetrachloroethene - Air mixture on halloysite particles. *Environ Sci Technol*. 34: 2484-2489. <http://dx.doi.org/10.1021/es9900095>.
- Kvam, BM; Romundstad, PR; Boffetta, P; Andersen, A. (2005). Cancer in the Norwegian printing industry. *Scand J Work Environ Health*. 31: 36-43.
- Kwan, Y, ueCG; Le, QL; Huan, CH, onA. (2016). Time to failure modeling of silver nanowire transparent conducting electrodes and effects of a reduced graphene oxide over layer. *Solar Energy Materials and Solar Cells*. 144: 102-108. <http://dx.doi.org/10.1016/j.solmat.2015.08.005>.
- Kwon, K; Bae, W; Oh, J; Shim, H. (2015). Enhancing bioregeneration of TCE-sorbed Biological Powdered Activated Carbon by dosing toluene as primary substrate and competitive adsorbate. *K S C E Journal of Civil Engineering*. 19: 550-557. <http://dx.doi.org/10.1007/s12205-013-1372-z>.
- Kwon, K; Shim, H; Bae, W; Oh, J; Bae, J. (2016). Simultaneous biodegradation of carbon tetrachloride and trichloroethylene in a coupled anaerobic/aerobic biobarrier. *J Hazard Mater*. 313: 60-67. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.057>.
- Kwon, TS; Baek, K; Ahn, Y; Lee, JY; Yang, JS; Yang, JW. (2005). The solubilization characteristics of DNAPLs by oil-based emulsion. *Separation Science and Technology*. 40: 685-698. <http://dx.doi.org/10.1081/SS-200042654>.
- Kwon, TS; Yang, JS; Baek, K; Lee, JY; Yang, JW. (2006). Silicone emulsion-enhanced recovery of chlorinated solvents: batch and column studies. *J Hazard Mater*. 136: 610-617. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.038>.
- Kyrklund, T. (1992). The use of experimental studies to reveal suspected neurotoxic chemicals as occupational hazards: Acute and chronic exposures to organic solvents [Review]. *Am J Ind Med*. 21: 15-24. <http://dx.doi.org/10.1002/ajim.4700210105>.
- Kyrklund, T; Haglid, K. (1991). Brain lipid composition in guinea pigs after intrauterine exposure to perchloroethylene. *Pharmacol Toxicol*. 68: 146-148. <http://dx.doi.org/10.1111/j.1600-0773.1991.tb02054.x>.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1988). Effects of exposure to Freon 11, 1,1,1-trichloroethane or perchloroethylene on the lipid and fatty-acid composition of rat cerebral cortex. *Scand J Work Environ Health*. 14: 91-94.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kyung, D; Amir, A; Choi, K; Lee, W. (2015). Reductive Transformation of Tetrachloroethene Catalyzed by Sulfide-Cobalamin in Nano-Mackinawite Suspension. *Ind Eng Chem Res.* 54: 1439-1446. <http://dx.doi.org/10.1021/ie503605n>.
- Kyung, D; Sihm, Y; Kim, S; Bae, S; Amin, MT; Alazba, AA; Lee, W. (2016). Synergistic effect of nano-sized mackinawite with cyano-cobalamin in cement slurries for reductive dechlorination of tetrachloroethylene. *J Hazard Mater.* 311: 1-10. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.074>.
- La Vecchia, C; Negri, E; Franceschi, S; D'Avanzo, B; Boyle, P. (1994). A case-control study of diabetes mellitus and cancer risk. *Br J Cancer.* 70: 950-953.
- Labieniec, PA; Dzombak, DA; Siegrist, RL. (1996). Risk variability due to uniform soil remediation goals. *J Environ Eng.* 122: 612-621.
- Labieniec, PA; Dzombak, DA; Siegrist, RL. (1997). Evaluation of uncertainty in site-specific risk assessment. *J Environ Eng.* 123: 234-243.
- Labra, M; Mattia, F; Bernasconi, M; Bertacchi, D; Grassi, F; Bruni, I; Citterio, S. (2010). The Combined Toxic and Genotoxic Effects of Chromium and Volatile Organic Contaminants to *Pseudokirchneriella subcapitata*. *Water Air Soil Pollut.* 213: 57-70. <http://dx.doi.org/10.1007/s11270-010-0367-3>.
- Labranche, DF; Collins, MR. (1996). Stripping volatile organic compounds and petroleum hydrocarbons from water. *Water Environ Res.* 68: 348-358.
- Labreche, FP; Goldberg, MS. (1997). Exposure to organic solvents and breast cancer in women: a hypothesis [Review]. *Am J Ind Med.* 32: 1-14.
- Lacey, JV, Jr; Garabrant, DH; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (1999). Petroleum distillate solvents as risk factors for undifferentiated connective tissue disease (UCTD). *Am J Epidemiol.* 149: 761-770.
- Lacinova, L; Cernikova, M; Hrabal, J; Cernik, M. (2013). IN-SITU COMBINATION OF BIO AND ABIO REMEDIATION OF CHLORINATED ETHENES. 20: 463-473. <http://dx.doi.org/10.2478/eces-2013-0034>.
- Lacinova, L; Kvapil, P; Cernik, M. (2012). A field comparison of two reductive dechlorination (zero-valent iron and lactate) methods. *Environ Technol.* 33: 741-749. <http://dx.doi.org/10.1080/09593330.2011.592225>.
- Lackey, LW; Gamble, JR; Boles, JL. (2002). Bench-scale evaluation of a biofiltration system used to mitigate trichloroethylene contaminated air streams. *Adv Environ Res.* 7: 97-104.
- Lackey, LW; Gamble, JR; Boles, JL. (2003). Biofiltration of trichloroethylene-contaminated air: A pilot study. *J Air Waste Manag Assoc.* 53: 1248-1255.
- Lackey, LW; Phelps, TJ; Korde, V; Nold, S; Ringelberg, D; Bienkowski, PR; White, DC. (1994). FEASIBILITY TESTING FOR THE ON-SITE BIOREMEDIATION OF ORGANIC WASTES BY NATIVE MICROBIAL CONSORTIA. *Int Biodeterior Biodegradation.* 33: 41-59.
- Lacombe, PJ; Burton, WC. (2010). Hydrogeologic Framework of Fractured Sedimentary Rock, Newark Basin, New Jersey. *Ground Water Monitoring and Remediation.* 30: 35-45. <http://dx.doi.org/10.1111/j1745-6592.2010.001275.x>.
- Lagakos, SW; Wessen, BJ; Zelen, M. (1986). An analysis of contaminated well water and health effects in Woburn, Massachusetts. *J Am Stat Assoc.* 81: 583-596.
- Lahaniatis, ES; Bergheim, W; Kettrup, A. (1992). Thermal degradation of polychlorinated bornanes. *Fresen Environ Bull.* 1: 358-363.
- Lai, A; Verdini, R; Aulenta, F; Majone, M. (2015). Influence of nitrate and sulfate reduction in the bioelectrochemically assisted dechlorination of cis-DCE. *Chemosphere.* 125: 147-154. <http://dx.doi.org/10.1016/j.chemosphere.2014.12.023>.
- Lai, KCK; Lo, IMC. (2007). Effects of seepage velocity and temperature on the dechlorination of chlorinated aliphatic hydrocarbons. *J Environ Eng.* 133: 859-868. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372](http://dx.doi.org/10.1061/(ASCE)0733-9372).
- Lai, KCK; Lo, IMC; Birkelund, V; Kjeldsen, P. (2006). Field monitoring of a permeable reactive barrier for removal of chlorinated organics. *J Environ Eng.* 132: 199-210. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:2\(199\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:2(199)).
- Lai, PT; Xu, JP; Wu, HP; Chan, CL. (2004). Interfacial properties and reliability of SiO₂ grown on 6H-SiC in dry O₂ plus trichloroethylene. *Microelectron Reliab.* 44: 577-580. <http://dx.doi.org/10.1016/j.microrel.2004.01.009>.
- Lai, Y; Becker, JG. (2013). Compounded effects of chlorinated ethene inhibition on ecological interactions and population abundance in a *Dehalococcoides* - *Dehalobacter* coculture. *Environ Sci Technol.* 47: 1518-1525. <http://dx.doi.org/10.1021/es3034582>.
- Laine, A; Seppäläinen, AM; Savolainen, K; Riihimäki, V. (1996). Acute effects of 1,1,1-trichloroethane inhalation on the human central nervous system. *Int Arch Occup Environ Health.* 69: 53-61.
- Laj, C; Rais, A; Surmont, J; Gillot, PY; Guillou, H; Kissel, C; Zanella, E. (1997). Changes of the geomagnetic field vector obtained from lava sequences on the island of Vulcano (Aeolian Islands, Sicily). *Phys Earth Planet In.* 99: 161-177.
- Lake, BG; Evans, JG; Cunninghame, ME; Price, RJ. (1993). Comparison of the hepatic effects of nafenopin and WY-14,643 on peroxisome proliferation and cell replication in the rat and Syrian hamster. *Environ Health Perspect.* 101: 241-247.
- Lake, CB; Arefi, G; Yuet, P. (2013). Examining fly ash as a sorbent for benzene, trichloroethylene, and ethylbenzene in cement-treated soils. *Canadian Geotechnical Journal.* 50: 423-434. <http://dx.doi.org/10.1139/cgj-2012-0198>.
- Lake, CB; Rowe, RK. (2004). Volatile organic compound diffusion and sorption coefficients for a needle-punched GCL. *Geosynthetics International.* 11: 257-272.
- Lake, CB; Rowe, RK. (2005). A comparative assessment of volatile organic compound (VOC) sorption to various types of potential GCL bentonites. *Geotextiles and Geomembranes.* 23: 323-347. <http://dx.doi.org/10.1016/j.geotexmen.2005.01.001>.
- Lakind, JS; Naiman, DQ; Hays, SM; Aylward, LL; Blount, BC. (2010). Public health interpretation of trihalomethane blood levels in the United States: NHANES 1999-2004. *J Expo Sci Environ Epidemiol.* 20: 255-262. <http://dx.doi.org/10.1038/jes.2009.35>.
- Lakshminathiraj, P; Raju, GB; Sakai, Y; Takuma, Y; Yamasaki, A; Kato, S; Kojima, T. (2012). Studies on electrochemical detoxification of trichloroethene (TCE) on Ti/IrO₂-Ta₂O₅ electrode from aqueous solution. *Chem Eng J.* 198: 211-218. <http://dx.doi.org/10.1016/j.cej.2012.05.092>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lalwani, ND; Dethloff, LA; Haskins, JR; Robertson, DG; de la Iglesia, FA. (1997). Increased nuclear ploidy, not cell proliferation, is sustained in the peroxisome proliferator-treated rat liver. *Toxicol Pathol.* 25: 165-176. <http://dx.doi.org/10.1177/019262339702500206>.
- Lam, RCW; Leung, MKH; Leung, DYC; Vrijinoed, LLP; Yam, WC; Ng, SP. (2007). Visible-light-assisted photocatalytic degradation of gaseous formaldehyde by parallel-plate reactor coated with Cr ion-implanted TiO₂ thin film. *Solar Energy Materials and Solar Cells.* 91: 54-61. <http://dx.doi.org/10.1016/j.solmat.2006.07.004>.
- Lam, RHF; Brown, JP; Fan, AM; Milea, A. (1994). Chemicals in California drinking water: source contaminants, risk assessment, risk management, and regulatory standards. *J Hazard Mater.* 39: 173-192. [http://dx.doi.org/10.1016/0304-3894\(94\)00053-0](http://dx.doi.org/10.1016/0304-3894(94)00053-0).
- Lammers, JH; van Asperen, J; de Groot, D; Rijcken, WR. (2005). Behavioural effects and kinetics in brain in response to inhalation of constant or fluctuating toluene concentrations in the rat. *Environ Toxicol Pharmacol.* 19: 625-634. <http://dx.doi.org/10.1016/j.etap.2004.12.028>.
- Lampron, KJ; Chiu, PC; Cha, DK. (2001). Reductive dehalogenation of chlorinated ethenes with elemental iron: The role of microorganisms. *Water Res.* 35: 3077-3084.
- Lan, Y; Elwood Madden, AS; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environ Sci Process Impacts.* 18: 1266-1273. <http://dx.doi.org/10.1039/c6em00461j>.
- Landau, D. (2000). Loosening the shackles of regulation - The new radio and telecommunications terminal equipment (R&TTE) directive. 1: 107-110.
- Landers, J. (2002). Remediation - Groundwater circulation wells modified to treat TCE, RDX. *Civil Engineering.* 72: 28-29.
- Lane, SE; Watts, RA; Bentham, G; Innes, NJ; Scott, DGI. (2003). Are environmental factors important in primary systemic vasculitis? A case-control study. *Arthritis Rheum.* 48: 814-823. <http://dx.doi.org/10.1002/art.10830>.
- Lang, J; Clark, B; Grams, N; Kavanaugh, MC; Tate, CH; Umphres, MD. (1985). GAS-PHASE ADSORPTION OF TCE AT LOW CONCENTRATIONS. *J Am Water Works Assoc.* 77: 65-65.
- Lang, MM; Roberts, PV; Semprini, L. (1997). Model simulations in support of field scale design and operation of bioremediation based on cometabolic degradation. *Ground Water.* 35: 565-573.
- Langer, VW; Novakowski, KS; Woodbury, AD. (1999). Sorption of trichloroethene onto stylolites. *J Contam Hydrol.* 40: 1-23.
- Langholz, B; Goldstein, L. (1996). Risk set sampling in epidemiologic cohort studies. *Stat Sci.* 11: 35-53. <http://dx.doi.org/10.1214/ss/1032209663>.
- Lanzarone, NA; Mccarty, PL. (1990). Column studies on methanotrophic degradation of trichloroethene and 1,2-dichloroethane. *Ground Water.* 28: 910-919.
- Laor, Y; Ronen, D; Graber, ER. (2003). Using a passive multilayer sampler for measuring detailed profiles of gas-phase VOCs in the unsaturated zone. *Environ Sci Technol.* 37: 352-360. <http://dx.doi.org/10.1021/es0207201>.
- Lapare, S; Tardif, R; Brodeur, J. (1995). Effect of Various Exposure Scenarios on the Biological Monitoring of Organic-Solvents in Alveolar Air .2. 1,1,1-Trichloroethane and Trichloroethylene. *Int Arch Occup Environ Health.* 67: 375-394.
- Lapinski, A; Gasecka, A; Graja, A; Waplak, S; Ostrowski, A; Kotov, AI. (2012). Spectral investigation of the phase-transition behavior in (DOEO)(4)HgBr₄ center dot TCE salt. *Optical Materials.* 34: 1651-1655. <http://dx.doi.org/10.1016/j.optmat.2012.03.012>.
- Lapinski, A; Kotov, AI. (2006). Optical properties of the conducting salt (DOEO)(4)HgBr₄ center dot TCE. *Chem Phys.* 326: 551-562. <http://dx.doi.org/10.1016/j.chemphys.2006.03.018>.
- Lapis, K; Zalatnai, A; Timár, F; Thorgeirsson, UP. (1995). Quantitative evaluation of lysozyme- and CD68-positive Kupffer cells in diethylnitrosamine-induced hepatocellular carcinomas in monkeys. *Carcinogenesis.* 16: 3083-3085. <http://dx.doi.org/10.1093/carcin/16.12.3083>.
- Laribi, B; Kouki, K; Bettaieb, T; Mougou, A; Marzouk, B. (2013). Essential oils and fatty acids composition of Tunisian, German and Egyptian caraway (*Carum carvi* L.) seed ecotypes: A comparative study. *Ind Crop Prod.* 41: 312-318. <http://dx.doi.org/10.1016/j.indcrop.2012.04.060>.
- Larroque, V; Desauziers, V; Mocho, P. (2006). Development of a solid phase microextraction (SPME) method for the sampling of VOC traces in indoor air. *J Environ Monit.* 8: 106-111. <http://dx.doi.org/10.1039/b511201j>.
- Larsen, GL; Stevens, JL. (1986). Cysteine conjugate beta-lyase in the gastrointestinal bacterium *Eubacterium limosum*. *Mol Pharmacol.* 29: 97-103.
- Larsen, M; Burken, J; Machackova, J; Karlson, UG; Trapp, S. (2008). Using tree core samples to monitor natural attenuation and plume distribution after a PCE spill. *Environ Sci Technol.* 42: 1711-1717. <http://dx.doi.org/10.1021/es0717055>.
- Larson, JL; Bull, RJ. (1989). Effect of ethanol on the metabolism of trichloroethylene. *J Toxicol Environ Health A.* 28: 395-406. <http://dx.doi.org/10.1080/15287398909531359>.
- Larson, JL; Bull, RJ. (1992). Metabolism and lipoperoxidative activity of trichloroacetate and dichloroacetate in rats and mice. *Toxicol Appl Pharmacol.* 115: 268-277. [http://dx.doi.org/10.1016/0041-008X\(92\)90332-M](http://dx.doi.org/10.1016/0041-008X(92)90332-M).
- Larson, SA; Falconer, JL. (1994). CHARACTERIZATION OF TIO(2) PHOTOCATALYSTS USED IN TRICHLOROETHENE OXIDATION. *Appl Catal B-Environ.* 4: 325-342.
- Lasage, DM; Fryar, AE; Mukherjee, A; Sturchio, NC; Heraty, LJ. (2008). Groundwater-derived contaminant fluxes along a channelized Coastal Plain stream. *J Hydrol.* 360: 265-280. <http://dx.doi.org/10.1016/j.jhydrol.2008.07.026>.
- Lash, LH; Elfarra, AA; Anders, MW. (1986). Renal cysteine conjugate beta-lyase. Bioactivation of nephrotoxic cysteine S-conjugates in mitochondrial outer membrane. *J Biol Chem.* 261: 5930-5935.
- Lash, LH; Elfarra, AA; Rakiewicz-Nemeth, D; Anders, MW. (1990). Bioactivation mechanism of cytotoxic homocysteine S-conjugates. *Arch Biochem Biophys.* 276: 322-330. [http://dx.doi.org/10.1016/0003-9861\(90\)90727-G](http://dx.doi.org/10.1016/0003-9861(90)90727-G).

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lash, LH; Fisher, JW; Lipscomb, JC; Parker, JC. (2000). Metabolism of trichloroethylene [Review]. *Environ Health Perspect.* 108: 177-200.
- Lash, LH; Parker, JC; Scott, CS. (2000). Modes of action of trichloroethylene for kidney tumorigenesis [Review]. *Environ Health Perspect.* 108: 225-240.
- Lash, LH; Putt, DA; Brashear, WT; Abbas, R; Parker, JC; Fisher, JW. (1999). Identification of S-(1,2-dichlorovinyl)glutathione in the blood of human volunteers exposed to trichloroethylene. *J Toxicol Environ Health A.* 56: 1-21. <http://dx.doi.org/10.1080/009841099158204>.
- Lash, LH; Putt, DA; Parker, JC. (2006). Metabolism and tissue distribution of orally administered trichloroethylene in male and female rats: Identification of glutathione- and cytochrome P-450-derived metabolites in liver, kidney, blood, and urine. *J Toxicol Environ Health A.* 69: 1285-1309. <http://dx.doi.org/10.1080/15287390500360133>.
- Lash, LH; Sausen, PJ; Duescher, RJ; Cooley, AJ; Elfarrar, AA. (1994). Roles of cysteine conjugate beta-lyase and S-oxidase in nephrotoxicity: Studies with S-(1,2-dichlorovinyl)-L-cysteine and S-(1,2-dichlorovinyl)-L-cysteine sulfoxide. *J Pharmacol Exp Ther.* 269: 374-383.
- Lash, LH; Visarius, TM; Sall, JM; Qian, W; Tokarz, JJ. (1998). Cellular and subcellular heterogeneity of glutathione metabolism and transport in rat kidney cells. *Toxicology.* 130: 1-15. [http://dx.doi.org/10.1016/S0300-483X\(98\)00093-6](http://dx.doi.org/10.1016/S0300-483X(98)00093-6).
- Laternus, F; Haselmann, KF; Borch, T; Gron, C. (2002). Terrestrial natural sources of trichloromethane (chloroform, CHCl₃) - An overview. *Biogeochemistry.* 60: 121-139.
- Lau, JH; Chang, C. (1999). TMA, DMA, DSC and TGA of lead free solders. *Soldering and Surface Mount Technology.* 11: 17-24.
- Lau, SS; Kleiner, HE; Monks, TJ. (1995). Metabolism as a determinant of species susceptibility to 2,3,5-(triglutathion-S-yl)hydroquinone-mediated nephrotoxicity. The role of N-acetylation and N-deacetylation. *Drug Metab Dispos.* 23: 1136-1142.
- Laurenco, R. (1993). Trichloroethylene does not cause trigeminal neuropathy [Letter]. *Muscle Nerve.* 16: 217. <http://dx.doi.org/10.1002/mus.880160217>.
- Lavin, AL; Jacobson, CF; Desesso, JM. (2000). An assessment of the carcinogenic potential of trichloroethylene in humans. *Hum Ecol Risk Assess.* 6: 575-641.
- Lavrik, NL; Molin, YN. (1991). TIME-RESOLVED MAGNETIC-FIELD EFFECTS IN THE RECOMBINATION PRODUCTS OF GEMINATE TRIPLET PAIRS FOR ELECTRON PHOTOTRANSFER REACTIONS. *Int J Quant Chem.* 40: 387-399.
- Law, DCG; Klebanoff, MA; Brock, JW; Dunson, DB; Longnecker, MP. (2005). Maternal serum levels of polychlorinated biphenyls and 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) and time to pregnancy. *Am J Epidemiol.* 162: 523-532. <http://dx.doi.org/10.1093/aje/kwi240>.
- Lawrence, A; Stuart, M; Cheney, C; Jones, N; Moss, R. (2006). Investigating the scale of structural controls on chlorinated hydrocarbon distributions in the fractured-porous unsaturated zone of a sandstone aquifer in the UK. *Hydrogeology Journal.* 14: 1470-1482. <http://dx.doi.org/10.1007/s10040-006-0068-6>.
- Lawrence, T; Hagemann, T; Balkwill, F. (2007). Cancer. Sex, cytokines, and cancer [Comment]. *Science.* 317: 51-52. <http://dx.doi.org/10.1126/science.1146052>.
- Lawrinenko, M; Laird, DA; van Leeuwen, JH. (2017). Sustainable Pyrolytic Production of Zerovalent Iron. 5: 767-773. <http://dx.doi.org/10.1021/acssuschemeng.6b02105>.
- Lawson, RB; Adams, CD. (1999). Enhanced VOC absorption using the ozone/hydrogen peroxide advanced oxidation process. *J Air Waste Manag Assoc.* 49: 1315-1323.
- Lbova, AK; Vasiliev, MP; Gutmann, ES. (2011). Phthalocyanine and polystyrene film nanocomposites. *Russian Journal of Physical Chemistry A, Focus on Chemistry.* 85: 457-461. <http://dx.doi.org/10.1134/S0036024411030216>.
- Le, C; Wu, JH; Li, P; Wang, X; Zhu, NW; Wu, PX; Yang, B. (2011). Decolorization of anthraquinone dye Reactive Blue 19 by the combination of persulfate and zero-valent iron. *Water Sci Technol.* 64: 754-759. <http://dx.doi.org/10.2166/wst.2011.708>.
- Le Mesurier, SM; Lykke, AWJ; Stewart, BW. (1980). Reduced yield of pulmonary surfactant: Patterns of response following administration of chemicals to rats by inhalation. *Toxicol Lett.* 5: 89-93. [http://dx.doi.org/10.1016/0378-4274\(80\)90153-8](http://dx.doi.org/10.1016/0378-4274(80)90153-8).
- Le, MH; Buddenbaum, JE; Burns, RE; Shonka, JJ; Gaffney, SH; Donovan, EP; Flack, SM; Widner, TE. (2011). An independent review and prioritization of past radionuclide and chemical releases from the Los Alamos National Laboratory - implications for future dose reconstruction studies [Review]. *J Environ Monit.* 13: 2735-2747. <http://dx.doi.org/10.1039/c1em10374a>.
- Leahy, JG; Shreve, GS. (2000). The effect of organic carbon on the sequential reductive dehalogenation of tetrachloroethylene in landfill leachates. *Water Res.* 34: 2390-2396.
- Leakey, JE; Seng, JE; Allaben, WT. (2003). Body weight considerations in the B6C3F1 mouse and the use of dietary control to standardize background tumor incidence in chronic bioassays. *Toxicol Appl Pharmacol.* 193: 237-265. <http://dx.doi.org/10.1016/j.taap.2003.07.006>.
- Leakey, JEA; Seng, JE; Latendresse, JR; Hussain, N; Allen, LJ; Allaben, WT. (2003). Dietary controlled carcinogenicity study of chloral hydrate in male B6C3F1 mice. *Toxicol Appl Pharmacol.* 193: 266-280. <http://dx.doi.org/10.1016/j.taap.2003.07.007>.
- Leather, KE; McGillen, M; Ghalaieny, M; Shallcross, DE; Percival, CJ. (2011). Temperature-Dependent Kinetics for the Ozonolysis of Selected Chlorinated Alkenes in the Gas Phase. *Int J Chem Kinet.* 43: 120-129.
- Leavitt, SA; DeAngelo, AB; George, MH; Ross, JA. (1997). Assessment of the mutagenicity of dichloroacetic acid in lacI transgenic B6C3F1 mouse liver. *Carcinogenesis.* 18: 2101-2106. <http://dx.doi.org/10.1093/carcin/18.11.2101>.
- Lebouf, RF; Coffey, CC. (2015). Effect of interferents on the performance of direct-reading organic vapor monitors. *Journal of the Air and Waste Management Association.* 65: 261-269. <http://dx.doi.org/10.1080/10962247.2014.986308>.
- Lebrero, R; López, JC; Lehtinen, I; Pérez, R; Quijano, G; Muñoz, R. (2016). Exploring the potential of fungi for methane abatement: Performance evaluation of a fungal-bacterial biofilter. *Chemosphere.* 144: 97-106. <http://dx.doi.org/10.1016/J.chemosphere.2015.08.017>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ledda-Columbano, GM; Columbano, A; Curto, M; Ennas, MG; Coni, P; Sarma, DS; Pani, P. (1989). Further evidence that mitogen-induced cell proliferation does not support the formation of enzyme-altered islands in rat liver by carcinogens. *Carcinogenesis*. 10: 847-850. <http://dx.doi.org/10.1093/carcin/10.5.847>.
- Ledda-Columbano, GM; Coni, P; Simbula, G; Zedda, I; Columbano, A. (1993). Compensatory regeneration, mitogen-induced liver growth, and multistage chemical carcinogenesis [Review]. *Environ Health Perspect*. 101: 163-168.
- Ledda-Columbano, GM; Curto, M; Piga, R; Zedda, AI; Menegazzi, M; Sartori, C; Shinozuka, H; Bluethmann, H; Poli, V; Ciliberto, G; Columbano, A. (1998). In vivo hepatocyte proliferation is inducible through a TNF and IL-6-independent pathway. *Oncogene*. 17: 1039-1044. <http://dx.doi.org/10.1038/sj.onc.1202018>.
- Ledda-Columbano, GM; Perra, A; Concas, D; Cossu, C; Molotzu, F; Sartori, C; Shinozuka, H; Columbano, A. (2003). Different effects of the liver mitogens triiodo-thyronine and ciprofibrate on the development of rat hepatocellular carcinoma. *Toxicol Pathol*. 31: 113-120. <http://dx.doi.org/10.1080/01926230390173851>.
- Lee, AF; Carr, P; Wilson, K. (2004). Direct observation of extremely low temperature catalytic dehydrochlorination of 1,1,1-trichloroethane over platinum. *J Phys Chem B*. 108: 14811-14814. <http://dx.doi.org/10.1021/jp046813h>.
- Lee, BD; Walton, MR; Megio, JL. (2005). Biological and chemical interactions with U(VI) during anaerobic enrichment in the presence of iron oxide coated quartz. *Water Res*. 39: 4363-4374. <http://dx.doi.org/10.1016/j.watres.2005.09.004>.
- Lee, BS, un; Chiou, CB; Lin, CY, i. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ*. 99: 112-123. <http://dx.doi.org/10.1016/j.atmosenv.2014.09.063>.
- Lee, BS; Kim, JH; Lee, KC; Kim, YB; Schwartz, FW; Lee, ES; Woo, NC; Lee, MK. (2009). Efficacy of controlled-release KMnO₄ (CRP) for controlling dissolved TCE plume in groundwater: a large flow-tank study. *Chemosphere*. 74: 745-750. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.062>.
- Lee, BY; Park, SH; Lee, SC; Kang, M; Choung, SJ. (2004). Decomposition of benzene by using a discharge plasma - photocatalyst hybrid system. *Catalysis Today*. 93-5: 769-776. <http://dx.doi.org/10.1016/j.cattod.2004.06.069>.
- Lee, C; Doong, R, an. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Sci Technol*. 62: 28-35. <http://dx.doi.org/10.2166/wst.2010.236>.
- Lee, C; Doong, R, an. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environ Sci Technol*. 45: 2301-2307. <http://dx.doi.org/10.1021/es1030273>.
- Lee, C, chi; Doong, R, an. (2014). Enhanced dechlorination of tetrachloroethylene by polyethylene glycol-coated zerovalent silicon in the presence of nickel ions. *Appl Catal B-Environ*. 144: 182-188. <http://dx.doi.org/10.1016/j.apcatb.2013.06.033>.
- Lee, C; Kim, J, eeY; Lee, W, onll; Nelson, KL; Yoon, J; Sedlak, DL. (2008). Bactericidal effect of zero-valent iron nanoparticles on *Escherichia coli*. *Environ Sci Technol*. 42: 4927-4933. <http://dx.doi.org/10.1021/es800408u>.
- Lee, C; Liu, W. (2006). The effect of salinity conditions on kinetics of trichloroethylene biodegradation by toluene-oxidizing cultures. *J Hazard Mater*. 137: 541-549. <http://dx.doi.org/10.1016/j.jhazmat.2006.02.031>.
- Lee, C; Sedlak, DL. (2008). Enhanced Formation of Oxidants from Bimetallic Nickel-Iron Nanoparticles in the Presence of Oxygen. *Environ Sci Technol*. 42: 8528-8533. <http://dx.doi.org/10.1021/es801947h>.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environ Sci Technol*. 42: 4752-4757. <http://dx.doi.org/10.1021/es071545x>.
- Lee, CL, i; Jou, CJ, uG. (2012). Degradation of Chlorobenzene with Microwave-Aided Zerovalent Iron Particles. *Environ Eng Sci*. 29: 432-435. <http://dx.doi.org/10.1089/ees.2010.0329>.
- Lee, CL; Jou, CJ; Wang, HP. (2010). Enhanced degradation of chlorobenzene in aqueous solution using microwave-induced zero-valent iron and copper particles. *Water Environ Res*. 82: 642-647. <http://dx.doi.org/10.2175/106143009X12529484816033>.
- Lee, CL; Jou, CJG. (2011). Reduced Degradation of Chlorobenzene in Cosolvent Solution Using Nanoscale Zerovalent Iron with Microwave Irradiation. *Environ Eng Sci*. 28: 191-195. <http://dx.doi.org/10.1089/ees.2010.0152>.
- Lee, CL; Jou, CJG; Huang, H. (2010). Degradation of Chlorobenzene in Water Using Nanoscale Cu Coupled with Microwave Irradiation. *J Environ Eng*. 136: 412. [http://dx.doi.org/10.1061/\(Asce\)Ee.1943-7870.0000163](http://dx.doi.org/10.1061/(Asce)Ee.1943-7870.0000163).
- Lee, CL; Lee, HY; Tseng, KH; Andy hong, PK; Jou, CJG. (2010). Enhanced dechlorination of chlorobenzene by microwave-induced zero-valent iron: particle effects and activation energy. *Environ Chem Lett*. 9: 355-359. <http://dx.doi.org/10.1007/s10311-010-0286-y>.
- Lee, CL, i; Lin, C; Jou, C. (2012). Microwave-induced nanoscale zero-valent iron degradation of perchloroethylene and pentachlorophenol. *Journal of the Air and Waste Management Association*. 62: 1443-1448. <http://dx.doi.org/10.1080/10962247.2012.719579>.
- Lee, CS; Gong, J; Huong, CV; Oh, D, aSom; Chang, YS. (2016). Macroporous alginate substrate-bound growth of Fe-0 nanoparticles with high redox activities for nitrate removal from aqueous solutions. *Chem Eng J*. 298: 206-213. <http://dx.doi.org/10.1016/j.cej.2016.03.113>.
- Lee, CY; Cheng, SZ. (1998). Toxic effects on respiratory activities of phenol-oxidizing cultures grown from various conditions. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 33: 1675-1691.
- Lee, CY; Cheng, SZ. (1998). Trichloroethylene biodegradation by phenol-oxidizing cultures grown from various conditions. *J Environ Sci Health B*. 33: 705-721.
- Lee, CY; Liu, WD. (2000). The identifiability of kinetic parameters of trichloroethylene biodegradation by phenol-oxidizing cultures grown from various conditions. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 35: 31-48.
- Lee, D, oG; Chu, K. (2013). Effects of growth substrate on triclosan biodegradation potential of oxygenase-expressing bacteria. *Chemosphere*. 93: 1904-1911. <http://dx.doi.org/10.1016/j.chemosphere.2013.06.069>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lee, D; Lee, H; Ahn, Y; Jeong, Y; Lee, DY; Lee, Y. (2013). Highly stable and flexible silver nanowire-graphene hybrid transparent conducting electrodes for emerging optoelectronic devices. *Nanoscale*. 5: 7750-7755. <http://dx.doi.org/10.1039/c3nr02320f>.
- Lee, DH; Park, IG; Kim, JH; Lee, YH; Kim, D; Kang, SK. (1998). Neurobehavioral changes in shoe manufacturing workers. *Neurotoxicol Teratol*. 20: 259-263. [http://dx.doi.org/10.1016/S0892-0362\(97\)00130-X](http://dx.doi.org/10.1016/S0892-0362(97)00130-X).
- Lee, DK; Song, BK; Jeong, S; Kim, D; Kim, T; Lee, YK; Le, NT; Cho, M, iJ; Henam, SD. (2010). Phosgene-Free Photocatalytic Degradation of TCE and PCE Vapors with Au/TiO₂. *Top Catal*. 53: 560-565. <http://dx.doi.org/10.1007/s11244-010-9487-7>.
- Lee, DS, u; Park, S, ooJin. (2015). Water-mediated modulation of TiO₂ decorated with graphene for photocatalytic degradation of trichloroethylene. *Curr Appl Phys*. 15: 144-148. <http://dx.doi.org/10.1016/j.cap.2014.11.015>.
- Lee, EH; Kim, J; Cho, KS; Ahn, YG; Hwang, GS. (2010). Degradation of hexane and other recalcitrant hydrocarbons by a novel isolate, *Rhodococcus* sp. EH831. *Environ Sci Pollut Res Int*. 17: 64-77. <http://dx.doi.org/10.1007/s11356-009-0238-x>.
- Lee, ES; Olson, PR; Gupta, N; Solpuker, U; Schwartz, FW; Kim, Y. (2014). Permanganate gel (PG) for groundwater remediation: Compatibility, gelation, and release characteristics. *Chemosphere*. 97: 140-145. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.008>.
- Lee, ES; Schwartz, FW. (2007). Characteristics and applications of controlled-release KMnO₄ for groundwater remediation. *Chemosphere*. 66: 2058-2066. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.093>.
- Lee, ES; Schwartz, FW. (2007). Characterization and optimization of long-term controlled release system for groundwater remediation: a generalized modeling approach. *Chemosphere*. 69: 247-253. <http://dx.doi.org/10.1016/j.chemosphere.2007.04.037>.
- Lee, ES; Seol, Y; Fang, YC; Schwartz, FW. (2003). Destruction efficiencies and dynamics of reaction fronts associated with the permanganate oxidation of trichloroethylene. *Environ Sci Technol*. 37: 2540-2546. <http://dx.doi.org/10.1021/es0261731>.
- Lee, ES; Woo, NC; Schwartz, FW; Lee, BS; Lee, KC; Woo, MH; Kim, JH; Kim, HK. (2008). Characterization of controlled-release KMnO₄ (CRP) barrier system for groundwater remediation: a pilot-scale flow-tank study. *Chemosphere*. 71: 902-910. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.037>.
- Lee, G; Rho, S; Jahng, D. (2004). Design considerations for groundwater remediation using reduced metals. *Korean J Chem Eng*. 21: 621-628.
- Lee, GT; Ro, HM; Lee, SM. (2007). Effects of triethyl phosphate and nitrate on electrokinetically enhanced biodegradation of diesel in low permeability soils. *Environ Technol*. 28: 853-860.
- Lee, H; Lee, Y; Kim, J; Kim, C. (2014). Field application of modified in situ soil flushing in combination with air sparging at a military site polluted by diesel and gasoline in Korea. *Int J Environ Res Public Health*. 11: 8806-8824. <http://dx.doi.org/10.3390/ijerph110908806>.
- Lee, HB, ok; Kim, BW, oo. (2015). Effect of NAPL exposure on the wettability and two-phase flow in a single rock fracture. *Hydrolog Process*. 29: 4919-4931. <http://dx.doi.org/10.1002/hyp.10543>.
- Lee, HJ; Chun, BS; Kim, WC; Chung, M; Park, JW. (2006). Zero valent iron and clay mixtures for removal of trichloroethylene, chromium(VI), and nitrate. *Environ Technol*. 27: 299-306. <http://dx.doi.org/10.1080/09593332708618642>.
- Lee, HK; Do, SH; Batchelor, B; Jo, YH; Kong, SH. (2009). PCE DNAPL degradation using ferrous iron solid mixture (ISM). *Chemosphere*. 76: 1082-1087. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.032>.
- Lee, IS; Bae, JH; Mccarty, PL. (2007). Comparison between acetate and hydrogen as electron donors and implications for the reductive dehalogenation of PCE and TCE. *J Contam Hydrol*. 94: 76-85. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.003>.
- Lee, IS; Bae, JH; Yang, Y; Mccarty, PL. (2004). Simulated and experimental evaluation of factors affecting the rate and extent of reductive dehalogenation of chloroethenes with glucose. *J Contam Hydrol*. 74: 313-331. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.006>.
- Lee, J; Park, Y; Kim, P; Kim, H; Yi, J. (2004). Preparation of NaCl-incorporated plugged mesoporous silica using a cost-effective precursor and applications to the hydrodechlorination of chlorinated hydrocarbons. *J Mater Chem*. 14: 1050-1056. <http://dx.doi.org/10.1039/b309991a>.
- Lee, J; Yang, JS; Kim, HJ; Baek, K; Yang, JW. (2005). Simultaneous removal of organic and inorganic contaminants by micellar enhanced ultrafiltration with mixed surfactant. *Desalination*. 184: 395-407. <http://dx.doi.org/10.1016/j.desal.2005.03.050>.
- Lee, JC; Choi, ES; Yoon, SG; Yoon, DS; Baik, HK. (1999). Integration of high dielectric (Ba_{1-x}Sr_x)TiO₃ thin films into new barrier layer electrode structures. *J Electrochem Soc*. 146: 3101-3104.
- Lee, JH; Dolan, M; Field, J; Istok, J. (2010). Monitoring bioaugmentation with single-well push-pull tests in sediment systems contaminated with trichloroethene. *Environ Sci Technol*. 44: 1085-1092. <http://dx.doi.org/10.1021/es9019645>.
- Lee, JH; Jung, KY; Park, SB. (1999). Modification of titania particles by ultrasonic spray pyrolysis of colloid. *Journal of Materials Science*. 34: 4089-4093.
- Lee, JH; Prud'homme, RK; Aksay, IA. (2001). Cure depth in photopolymerization: Experiments and theory. *J Mater Res*. 16: 3536-3544.
- Lee, JS; Chu, IS; Heo, J; Calvisi, DF; Sun, Z; Roskams, T; Durnez, A; Demetris, AJ; Thorgeirsson, SS. (2004). Classification and prediction of survival in hepatocellular carcinoma by gene expression profiling. *Hepatology*. 40: 667-676. <http://dx.doi.org/10.1002/hep.20375>.
- Lee, JS; Chu, IS; Mikaelyan, A; Calvisi, DF; Heo, J; Reddy, JK; Thorgeirsson, SS. (2004). Application of comparative functional genomics to identify best-fit mouse models to study human cancer. *Nat Genet*. 36: 1306-1311. <http://dx.doi.org/10.1038/ng1481>.
- Lee, JW; Choi, DY; Kwak, DH; Jung, HJ; Shim, WG; Moon, H. (2005). Adsorption dynamics of water vapor on activated carbon. *Adsorption*. 11: 437-441.
- Lee, JW; Lee, JW; Shim, WG; Suh, SH; Moon, H. (2003). Adsorption of chlorinated volatile organic compounds on MCM-48. *Journal of Chemical and Engineering Data*. 48: 381-387. <http://dx.doi.org/10.1021/jc020158u>.
- Lee, JW; Shim, WG; Moon, H. (2004). Adsorption equilibrium and kinetics for capillary condensation of trichloroethylene on MCM-41 and MCM-48. *Microporous and Mesoporous Materials*. 73: 109-119. <http://dx.doi.org/10.1016/j.micromeso.2004.04.020>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lee, JY. (2011). Environmental issues of groundwater in Korea: implications for sustainable use. *Environ Conserv.* 38: 64-74. <http://dx.doi.org/10.1017/S0376892911000087>.
- Lee, JY; Lee, KJ; Youm, SY; Lee, MR; Kamala-Kannan, S; Oh, BT. (2010). Stability of multi-permeable reactive barriers for long term removal of mixed contaminants. *Bull Environ Contam Toxicol.* 84: 250-254. <http://dx.doi.org/10.1007/s00128-009-9918-y>.
- Lee, JY; Moon, SH; Yi, MJ; Yun, ST. (2008). Groundwater contamination with petroleum hydrocarbons, chlorinated solvents and high pH: implications for multiple sources. *Quarterly Journal of Engineering Geology and Hydrogeology.* 41: 35-47.
- Lee, K, IC; Choo, KH, o. (2014). Optimization of flocculation conditions for the separation of TiO₂ particles in coagulation-photocatalysis hybrid water treatment. *Chemical Engineering and Processing: Process Intensification.* 78: 11-16. <http://dx.doi.org/10.1016/j.cep.2014.01.010>.
- Lee, K; Muralidhara, S; Dallas, C; Bruckner, J. (1997). Lack of volatilization and escape of orally administered trichloroethylene from the gastrointestinal tract of rats. *Toxicol Ind Health.* 13: 81-89.
- Lee, KU, k; Park, KJ, u; Kim, MH, o; Kwon, O, hJ; Kim, J, ael. (2014). Preparation of the carbon sphere coated with iron oxide and its application for electronic paper. *Dyes and Pigments.* 102: 22-28. <http://dx.doi.org/10.1016/j.dyepig.2013.10.012>.
- Lee, KY. (2002). Transport of dissolved contaminants originating from a rectangular prism-shaped, multicomponent nonaqueous-phase liquid source in saturated porous media. *Environ Geol.* 43: 132-137. <http://dx.doi.org/10.1007/s00254-002-0618-8>.
- Lee, KY. (2004). Modeling long-term transport of contaminants resulting from dissolution of a coal tar pool in saturated porous media. *J Environ Eng.* 130: 1507-1513. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:12\(1507\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:12(1507)).
- Lee, KY; Chrysikopoulos, CV. (1995). NUMERICAL MODELING OF THREE-DIMENSIONAL CONTAMINANT MIGRATION FROM DISSOLUTION OF MULTICOMPONENT NAPL POOLS IN SATURATED POROUS MEDIA. *Environ Geol.* 26: 157-165.
- Lee, KY; Chrysikopoulos, CV. (2002). Dissolution of a well-defined trichloroethylene pool in saturated porous media: experimental results and model simulations. *Water Res.* 36: 3911-3918.
- Lee, KY; Chrysikopoulos, CV. (2006). Dissolution of a multicomponent DNAPL pool in an experimental aquifer. *J Hazard Mater.* 128: 218-226. <http://dx.doi.org/10.1016/j.jhazmat.2005.08.005>.
- Lee, KY; Ha, DT. (2009). Phase separation behavior of three common alcohols with methoxy-nonafluorobutane or ethoxy-nonafluorobutane in water. *Can J Civ Eng.* 36: 738-742. <http://dx.doi.org/10.1139/L09-020>.
- Lee, KY; Ha, DT. (2012). Viscosity Variations of Three-Component Mixtures Comprising an Alcohol, Various Common Groundwater Contaminants, and Water. *Environ Eng Sci.* 29: 26-34. <http://dx.doi.org/10.1089/ees.2010.0254>.
- Lee, KY; Lee, JY. (2005). Photochemical destruction of tetrachloroethylene and trichloroethylene from the exhaust of an air stripper. *J Environ Eng.* 131: 1441-1446. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:10\(1441\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:10(1441)).
- Lee, KY; Lee, JY; Mellett, JJ. (2004). Transport of dissolved methoxy-nonafluorobutane through a saturated column. *Environ Geol.* 46: 883-889. <http://dx.doi.org/10.1007/s00254-004-1098-9>.
- Lee, KY; Yang, MH; Puri, IK. (1993). NUMERICAL-SIMULATION OF STOICHIOMETRIC PREMIXED FLAMES BURNING CH₃CL/CH₄/AIR MIXTURES AT ATMOSPHERIC-PRESSURE WITH A FULL AND SHORT REACTION-MECHANISM AND COMPARISON OF THE FLAME SPEEDS WITH EXPERIMENTAL RESULTS. *Combust Flame.* 92: 419-439.
- Lee, L; Ding, C; Yang, K; He, J. (2011). Complete Debromination of Tetra- and Penta-Brominated Diphenyl Ethers by a Coculture Consisting of Dehalococcoides and Desulfovibrio Species. *Environ Sci Technol.* 45: 8475-8482. <http://dx.doi.org/10.1021/es201559g>.
- Lee, LJH; Chan, CC; Chung, CW; Ma, YC; Wang, GS; Wang, JD. (2002). Health risk assessment on residents exposed to chlorinated hydrocarbons contaminated in groundwater of a hazardous waste site. *J Toxicol Environ Health A.* 65: 219-235. <http://dx.doi.org/10.1080/15287390252800828>.
- Lee, M; Cord-Ruwisch, R; Manefield, M. (2010). A process for the purification of organochlorine contaminated activated carbon: Sequential solvent purging and reductive dechlorination. *Water Res.* 44: 1580-1590. <http://dx.doi.org/10.1016/j.watres.2009.11.004>.
- Lee, MH; Clingenpeel, SC; Leiser, OP; Wymore, RA; Sorenson, KS; Watwood, ME. (2008). Activity-dependent labeling of oxygenase enzymes in a trichloroethene-contaminated groundwater site. *Environ Pollut.* 153: 238-246. <http://dx.doi.org/10.1016/j.envpol.2007.07.034>.
- Lee, PK; Warnecke, F; Brodie, EL; Macbeth, TW; Conrad, ME; Andersen, GL; Alvarez-Cohen, L. (2012). Phylogenetic microarray analysis of a microbial community performing reductive dechlorination at a TCE-contaminated site. *Environ Sci Technol.* 46: 1044-1054. <http://dx.doi.org/10.1021/es203005k>.
- Lee, PKC; Yeung, ACL; Cheng, TCE. (2009). Supplier alliances and environmental uncertainty: An empirical study. *International Journal of Production Economics.* 120: 190-204. <http://dx.doi.org/10.1016/j.ijpe.2008.07.019>.
- Lee, PKH; Cheng, D, an; Hu, P; West, KA; Dick, GJ; Brodie, EL; Andersen, GL; Zinder, SH; He, J; Alvarez-Cohen, L. (2011). Comparative genomics of two newly isolated Dehalococcoides strains and an enrichment using a genus microarray. *ISME J.* 5: 1014-1024. <http://dx.doi.org/10.1038/ismej.2010.202>.
- Lee, PKH; Conrad, ME; Alvarez-Cohen, L. (2007). Stable carbon isotope fractionation of chloroethenes by dehalorespiring isolates. *Environ Sci Technol.* 41: 4277-4285. <http://dx.doi.org/10.1021/es062736d>.
- Lee, RW; Jones, SA; Kuniarsky, EL; Harvey, G; Lollar, BS; Slater, GF. (2000). Phreatophyte Influence on Reductive Dechlorination in a Shallow Aquifer Contaminated with Trichloroethene (TCE). *Int J Phytoremediation.* 2: 193-211. <http://dx.doi.org/10.1080/15226510009359032>.
- Lee, S. (2007). Enhanced dissolution of TCE in NAPL by TCE-degrading bacteria in wetland soils. *J Hazard Mater.* 145: 17-22. <http://dx.doi.org/10.1016/j.jhazmat.2006.10.073>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lee, S; Kommalapati, RR; Valsaraj, KT; Pardue, JH; Constant, WD. (2002). Rate-limited desorption of volatile organic compounds from soils and implications for the remediation of a Louisiana Superfund site. *Environ Monit Assess.* 75: 87-105.
- Lee, S, oHee; Lim, S; Kim, H. (2015). Smooth-surface silver nanowire electrode with high conductivity and transparency on functional layer coated flexible film. *Thin Solid Films.* 589: 403-407. <http://dx.doi.org/10.1016/j.tsf.2015.05.073>.
- Lee, S; Moe, WM; Valsaraj, KT; Pardue, JH. (2002). Effect of sorption and desorption resistance on aerobic trichloroethylene biodegradation in soils. *Environ Toxicol Chem.* 21: 1609-1617.
- Lee, SB; Strand, SE; Stensel, HD. (2000). Sustained degradation of trichloroethylene in a suspended growth gas treatment reactor by an actinomycetes enrichment. *Environ Sci Technol.* 34: 3261-3268. <http://dx.doi.org/10.1021/es9907515>.
- Lee, SH; Nishijima, W; Lee, CH; Okada, M. (2003). Calcium accumulation on activated carbon deteriorates synthetic organic chemicals adsorption. *Water Res.* 37: 4631-4636. [http://dx.doi.org/10.1016/S0043-1354\(03\)00425-1](http://dx.doi.org/10.1016/S0043-1354(03)00425-1).
- Lee, SM; Lee, JW; Park, KR; Hong, EJ; Jeung, EB; Kim, MK; Kang, HY; Choi, IG. (2006). Biodegradation of methoxychlor and its metabolites by the white rot fungus *Stereum hirsutum* related to the inactivation of estrogenic activity. *J Environ Sci Health B.* 41: 385-397. <http://dx.doi.org/10.1080/03601230600616072>.
- Lee, SM; Mathews, AP; Nassar, R. (1996). Stochastic modeling of multicomponent adsorption kinetics with non-linear isotherm. *Water Sci Technol.* 33: 135-143.
- Lee, SS; Kaown, D; Lee, KK. (2015). Evaluation of the fate and transport of chlorinated ethenes in a complex groundwater system discharging to a stream in Wonju, Korea. *J Contam Hydrol.* 182: 231-243. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.005>.
- Lee, SW, oo; Kam, SK, yu; Lee, M, inGyu. (2007). Comparison of breakthrough characteristics for binary vapors composed of acetone and toluene based on adsorption intensity in activated carbon fixed-bed reactor. *J Ind Eng Chem.* 13: 911-916.
- Lee, SY; Park, J; Joo, H. (2006). Visible light-sensitized photocatalyst immobilized on beads by CVD in a fluidizing bed. *Solar Energy Materials and Solar Cells.* 90: 1905-1914. <http://dx.doi.org/10.1016/j.solmat.2005.11.009>.
- Lee, T; Benson, CH. (2004). Sorption and degradation of alachlor and metolachlor in ground water using green sands. *J Environ Qual.* 33: 1682-1693.
- Lee, T; Benson, CH. (2006). Leaching behavior of green sands from gray-iron foundries used for reactive barrier applications. *Environ Eng Sci.* 23: 156-170.
- Lee, T; Benson, CH; Eykholt, GR. (2004). Waste green sands as reactive media for groundwater contaminated with trichloroethylene (TCE). *J Hazard Mater.* 109: 25-36. <http://dx.doi.org/10.1016/j.jhazmat.2003.10.007>.
- Lee, TG; Biswas, P; Hedrick, E. (2004). Overall Kinetics of Heterogeneous Elemental Mercury Reactions on TiO₂ Sorbent Particles with UV Irradiation. *Ind Eng Chem Res.* 43: 1411-1417. <http://dx.doi.org/10.1021/ie0303707>.
- Lee, TH; Ike, M; Fujita, M. (2002). A reactor system combining reductive dechlorination with co-metabolic oxidation for complete degradation of tetrachloroethylene. *J Environ Sci.* 14: 445-450.
- Lee, TH; Kim, KH; Lee, BR; Park, JH; Schubert, EF; Kim, TG. (2016). Glass-Based Transparent Conductive Electrode: Its Application to Visible-to-Ultraviolet Light-Emitting Diodes. 8: 35668-35677. <http://dx.doi.org/10.1021/acsami.6b12767>.
- Lee, TH; Yoshimi, M; Ike, M; Fujita, M. (1997). Characterization of an anaerobic soil enrichment capable of dechlorinating high concentrations of tetrachloroethylene. *Water Sci Technol.* 36: 6-7.
- Lee, TR; Wilkin, RT. (2010). Iron hydroxy carbonate formation in zerovalent iron permeable reactive barriers: characterization and evaluation of phase stability. *J Contam Hydrol.* 116: 47-57. <http://dx.doi.org/10.1016/j.jconhyd.2010.05.009>.
- Lee, W. (2004). Removal of trichloroethylene in reduced soil columns. *J Hazard Mater.* 113: 175-180. <http://dx.doi.org/10.1016/j.jhazmat.2004.06.027>.
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environ Sci Technol.* 36: 5147-5154. <http://dx.doi.org/10.1021/es025836b>.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environ Sci Technol.* 36: 5348-5354. <http://dx.doi.org/10.1021/es0258374>.
- Lee, W; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environ Sci Technol.* 37: 535-541. <http://dx.doi.org/10.1021/es025830m>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere.* 56: 999-1009. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.015>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere.* 55: 705-713. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.033>.
- Lee, Y; Bae, S; Lee, W. (2012). Degradation of carbon tetrachloride in modified Fenton reaction. *Korean J Chem Eng.* 29: 769-774. <http://dx.doi.org/10.1007/s11814-011-0261-8>.
- Lee, Y; Lee, W. (2010). Degradation of trichloroethylene by Fe(II) chelated with cross-linked chitosan in a modified Fenton reaction. *J Hazard Mater.* 178: 187-193. <http://dx.doi.org/10.1016/j.jhazmat.2010.01.062>.
- Lee, YC; Kim, CW; Lee, J, aeY; Shin, HJ, ae; Yang, J, iWon. (2009). Characterization of nanoscale zero valent iron modified by nonionic surfactant for trichloroethylene removal in the presence of humic acid: A research note. *Desalination and Water Treatment.* 10: 33-38.
- Lee, YC; Kwon, TS; Yang, JS; Yang, JW. (2007). Remediation of groundwater contaminated with DNAPLs by biodegradable oil emulsion. *J Hazard Mater.* 140: 340-345. <http://dx.doi.org/10.1016/j.jhazmat.2006.09.036>.
- Lee, YG; Park, J. (2013). Effect of soil organic carbon on sorption and desorption of perchloroethylene in soils. *Korean J Chem Eng.* 30: 345-350. <http://dx.doi.org/10.1007/s11814-012-0222-x>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Legrand, R. (1995). FIELD-SCALE METHANOTROPHIC - BIOTREATMENT SYSTEM DEGRADES TCE IN-GROUND WATER. *Hazardous Waste Consultant*. 13: A18-A20.
- Lehman, RM; O'Connell, SP; Banta, A; Fredrickson, JK; Reysenbach, AL; Kieft, TL; Colwell, FS. (2004). Microbiological comparison of core and groundwater samples collected from a fractured basalt aquifer with that of dialysis chambers incubated in situ. *Geomicrobiology Journal*. 21: 169-182. <http://dx.doi.org/10.1080/01490450490275848>.
- Lehmann, I; Rehwagen, M; Diez, U; Seiffart, A; Rolle-Kampczyk, U; Richter, M; Wetzig, H; Borte, M; Herbarth, O. (2001). Enhanced in vivo IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: Results of the LARS study. *Int J Hyg Environ Health*. 204: 211-221. <http://dx.doi.org/10.1078/1438-4639-00100>.
- Lehmann, I; Thielke, A; Rehwagen, M; Rolle-Kampczyk, U; Schlink, U; Schulz, R; Borte, M; Diez, U; Herbarth, O. (2002). The influence of maternal exposure to volatile organic compounds on the cytokine secretion profile of neonatal T cells. *Environ Toxicol*. 17: 203-210. <http://dx.doi.org/10.1002/tox.10055>.
- Lehmle, HJ; He, X; Li, X; Duffel, MW; Parkin, S. (2013). Effective synthesis of sulfate metabolites of chlorinated phenols. *Chemosphere*. 93: 1965-1971. <http://dx.doi.org/10.1016/j.chemosphere.2013.06.087>.
- Lehnart, SE; Mongillo, M; Bellinger, A; Lindegger, N; Bi-Xing, C; Hsueh, W; Reiken, S; Wronska, A; Drew, LJ; Ward, CW; Lederer, WJ; Kass, RS; Morley, G; Marks, AR. (2008). Leaky Ca²⁺ release channel/ryanodine receptor 2 causes seizures and sudden cardiac death in mice. *J Clin Invest*. 118: 2230-2245. <http://dx.doi.org/10.1172/JCI35346>.
- Lei, H; Pitt, WG; Mcgrath, LK; Ho, CK. (2007). Modeling Carbon-Black/Polymer Composite Sensors. *Sens Actuators B*. 125: 396-407. <http://dx.doi.org/10.1016/j.snb.2007.02.041>.
- Lei, H, ua; Wilding, WV; Pitt, WG. (2007). Measurement of activities of toluene and trichloroethylene in polyisobutylene. *Journal of Chemical and Engineering Data*. 52: 2233-2236. <http://dx.doi.org/10.1021/je700255f>.
- Leidl, A; Oberlack, I; Schaber, U; Mader, B; Drost, S. (1997). Surface acoustic wave devices and applications in liquid sensing. *Smart Materials and Structures*. 6: 680-688.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data*. 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>.
- Leitao, EM; Dubberley, S. R.; Piers, WE; Wu, Q; McDonald, R. (2008). Thermal decomposition modes for four-coordinate ruthenium phosphonium alkylidene olefin metathesis catalysts. *Chemistry*. 14: 11565-11572. <http://dx.doi.org/10.1002/chem.200801584>.
- Leitão, P; Rossetti, S; Danko, AS; Nouws, H; Aulenta, F. (2016). Enrichment of *Dehalococcoides mccartyi* spp. from a municipal activated sludge during AQDS-mediated bioelectrochemical dechlorination of 1,2-dichloroethane to ethene. *Bioresour Technol*. 214: 426-431. <http://dx.doi.org/10.1016/j.biortech.2016.04.129>.
- Leitão, P; Rossetti, S; Nouws, HP; Danko, AS; Majone, M; Aulenta, F. (2015). Bioelectrochemically-assisted reductive dechlorination of 1,2-dichloroethane by a *Dehalococcoides*-enriched microbial culture. *Bioresour Technol*. 195: 78-82. <http://dx.doi.org/10.1016/j.biortech.2015.06.027>.
- Leiva-Presa, A; Janssen, BM. (2006). Effects of p,p'-DDE on retinoid homeostasis and sex hormones of adult male European common frogs (*Rana temporaria*). *J Toxicol Environ Health A*. 69: 2051-2062. <http://dx.doi.org/10.1080/15287390600747676>.
- Lemaire, J; Croze, V; Maier, J; Simonnot, MO. (2011). Is it possible to remediate a BTEX contaminated chalky aquifer by in situ chemical oxidation? *Chemosphere*. 84: 1181-1187. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.052>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag*. 18: 361-370.
- Lemke, LE; Mcqueen, CA. (1995). Acetylation and its role in the mutagenicity of the antihypertensive agent hydralazine. *Drug Metab Dispos*. 23: 559-565.
- Lemos, VA; Ferreira, VJ; Barreto, JA; Meira, LA. (2015). Development of a Method Using Ultrasound-Assisted Emulsification Microextraction for the Determination of Nickel in Water Samples. *Water Air Soil Pollut*. 226. <http://dx.doi.org/10.1007/s11270-015-2392-8>.
- Lenczewski, M; McKay, L; Pitner, A; Driese, S; Vulava, V. (2006). Pure-phase transport and dissolution of TCE in sedimentary rock saprolite. *Ground Water*. 44: 406-414. <http://dx.doi.org/10.1111/j.1745-6584.2005.00149.x>.
- Lenczewski, ME; McKay, LD; Layton, A. (2004). Anaerobic biodegradation of TCE in laboratory columns of fractured saprolite. *Ground Water*. 42: 534-541.
- Lendvay, JM; Dean, SM; Adriaens, P. (1998). Temporal and spatial trends in biogeochemical conditions at a groundwater-surface water interface: Implications for natural bioattenuation. *Environ Sci Technol*. 32: 3472-3478.
- Lendvay, JM; Sauck, WA; McCormick, ML; Barcelona, MJ; Kampbell, DH; Wilson, JT; Adriaens, P. (1998). Geophysical characterization, redox zonation, and contaminant distribution at a groundwater surface water interface. *Water Resour Res*. 34: 3545-3559.
- Lenell, BA; Arai, Y. (2017). Perrhenate sorption kinetics in zerovalent iron in high pH and nitrate media. *J Hazard Mater*. 321: 335-343. <http://dx.doi.org/10.1016/j.jhazmat.2016.09.024>.
- Lenhard, RJ; Oostrom, M; Simmons, CS; White, MD. (1995). INVESTIGATION OF DENSITY-DEPENDENT GAS ADVECTION OF TRICHLOROETHYLENE EXPERIMENT AND A MODEL VALIDATION EXERCISE. *J Contam Hydrol*. 19: 47-67.
- Leonardo, WJ; Bijman, J, os; Slingerland, MA. (2015). The Windmill Approach Combining transaction cost economics and farming systems theory to analyse farmer participation in value chains. *Outlook on Agriculture*. 44: 207-214. <http://dx.doi.org/10.5367/oa.2015.0212>.
- Lesage, S; Brown, S. (1997). Biochemical degradation of tetrachloroethylene using generator columns containing residual DNAPL. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 32: 241-257.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lesage, S; Brown, S; Millar, K. (1996). Vitamin B-12-catalyzed dechlorination of perchloroethylene present as residual DNAPL. *Ground Water Monitoring and Remediation*. 16: 76-85.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation*. 23: 102-110.
- Leslie, IH; Holbrook, ST. (1994). REFORMING AND GASIFICATION TECHNOLOGY FOR THE DESTRUCTION OF WASTES. *Radioactive Waste Management and Environmental Restoration*. 18: 67-79.
- Leung, HW. (1991). Development and utilization of physiologically based pharmacokinetic models for toxicological applications [Review]. *J Toxicol Environ Health*. 32: 247-267. <http://dx.doi.org/10.1080/15287399109531480>.
- Levallois, P; Gingras, S; Marcoux, S; Legay, C; Catto, C; Rodriguez, M; Tardif, R. (2012). Maternal Exposure to Drinking-water Chlorination By-products and Small-for-gestational-age Neonates. *Epidemiology*. 23: 267-276. <http://dx.doi.org/10.1097/EDE.0b013e3182468569>.
- Lévesque, B; Ayotte, P; Tardif, R; Ferron, L; Gingras, S; Schlouch, E; Gingras, G; Levallois, P; Dewailly, E. (2002). Cancer risk associated with household exposure to chloroform. *J Toxicol Environ Health A*. 65: 489-502. <http://dx.doi.org/10.1080/15287390252807957>.
- Levkovskaya, GG; Drozdova, TI; Rozentsveig, IB; Mirskova, AN. (1999). N-functionally substituted imines of polychlorinated (brominated) aldehydes and ketones. *Uspekhi Khimii*. 68: 638-662.
- Lewandowski, M; Ollis, DF. (2003). Halide acid pretreatments of photocatalysts for oxidation of aromatic air contaminants: rate enhancement, rate inhibition, and a thermodynamic rationale. *J Catal*. 217: 38-46. [http://dx.doi.org/10.1016/S0021-9517\(03\)00030-7](http://dx.doi.org/10.1016/S0021-9517(03)00030-7).
- Lewis, DF; Richardson, RJ; Yelverton, FH; Wentworth, TR. (2013). Bioavailability of Aminocyclopyrachlor and Triclopyr plus Clopyralid from Turfgrass Clippings in Aquatic and Riparian Plants. *Weed Sci*. 61: 594-600. <http://dx.doi.org/10.1614/WS-D-13-00013.1>.
- Lewis, J; Qvarfort, U; Sjöström, J. (2015). *Betula pendula*: A Promising Candidate for Phytoremediation of TCE in Northern Climates. *Int J Phytoremediation*. 17: 9-15. <http://dx.doi.org/10.1080/15226514.2013.828012>.
- Lewis, S; Lynch, A; Bachas, L; Hampson, S; Ormsbee, L; Bhattacharyya, D. (2009). Chelate-Modified Fenton Reaction for the Degradation of Trichloroethylene in Aqueous and Two-Phase Systems. *Environ Eng Sci*. 26: 849-859. <http://dx.doi.org/10.1089/ees.2008.0277>.
- Lewis, S; Smuleac, V; Montague, A; Bachas, L; Bhattacharyya, D. (2009). Iron-Functionalized Membranes for Nanoparticle Synthesis and Reactions. *Separation Science and Technology*. 44: 3289-3311. <http://dx.doi.org/10.1080/01496390903212805>.
- Lewis, TE; Wolfinger, TF; Barta, ML. (2004). The ecological effects of trichloroacetic acid in the environment [Review]. *Environ Int*. 30: 1119-1150. <http://dx.doi.org/10.1016/j.envint.2004.04.003>.
- Lewitt, MS; Brismar, K; Wang, J; Wivall-Helleryd, IL; Sindelar, P; Gonzalez, FJ; Bergman, T; Bobek, GA. (2001). Responses of insulin-like growth factor (IGF)-I and IGF-binding proteins to nutritional status in peroxisome proliferator-activated receptor-alpha knockout mice. *Growth Horm IGF Res*. 11: 303-313. <http://dx.doi.org/10.1054/ghir.2001.0247>.
- Li, B; Lin, K; Zhang, W, ei; Lu, S; Liu, Y. (2012). Effectiveness of Air Stripping, Advanced Oxidation, and Activated Carbon Adsorption-Coupled Process in Treating Chlorinated Solvent-Contaminated Groundwater. *J Environ Eng*. 138: 903-914. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000557](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000557).
- Li, B, o; Tang, B, o; Xu, M. (2015). Influences of CaO on Crystallization, Microstructures, and Properties of BaO-Al₂O₃-B₂O₃-SiO₂ Glass-Ceramics. *Journal of Electronic Materials*. 44: 3849-3854. <http://dx.doi.org/10.1007/s11664-015-3859-5>.
- Li, C; Voudrias, EA. (1994). Migration and sorption of jet fuel aliphatic vapors in unsaturated soil. *Water Res*. 28: 2447-2456.
- Li, CY; Voudrias, EA. (1993). EFFECT OF ORGANIC-CARBON ON THE UPTAKE OF BENZENE VAPOR BY SOIL. *Environ Technol*. 14: 189-194.
- Li, D; Haneda, H. (2003). Morphologies of zinc oxide particles and their effects on photocatalysis. *Chemosphere*. 51: 129-137.
- Li, D; Haneda, H. (2003). Synthesis of nitrogen-containing ZnO powders by spray pyrolysis and their visible-light photocatalysis in gas-phase acetaldehyde decomposition. *J Photochem Photobiol A*. 155: 171-178.
- Li, D; Haneda, H; Hishita, S; Ohashi, N. (2005). Visible-light-driven N-F-codoped TiO₂ photocatalysts. 2. Optical characterization, photocatalysis, and potential application to air purification. *Chem Mater*. 17: 2596-2602. <http://dx.doi.org/10.1021/cm049099p>.
- Li, D; Haneda, H; Hishita, S; Ohashi, N. (2005). Visible-light-driven nitrogen-doped TiO₂ photocatalysts: effect of nitrogen precursors on their photocatalysis for decomposition of gas-phase organic pollutants. *Mater Sci Eng B*. 117: 67-75. <http://dx.doi.org/10.1016/j.mseb.2004.10.018>.
- Li, D; Haneda, H; Labhsetwar, NK; Hishita, S; Ohashi, N. (2005). Visible-light-driven photocatalysis on fluorine-doped TiO₂ powders by the creation of surface oxygen vacancies. *Chem Phys Lett*. 401: 579-584. <http://dx.doi.org/10.1016/j.cplett.2004.11.126>.
- Li, D; Ohashi, N; Hishita, S; Kolodiazhnyi, T; Haneda, H. (2005). Origin of visible-light-driven photocatalysis: A comparative study on N/F-doped and N-F-codoped TiO₂ powders by means of experimental characterizations and theoretical calculations. *J Solid State Chem*. 178: 3293-3302. <http://dx.doi.org/10.1016/j.jssc.2005.08.008>.
- Li, D, ao; Zheng, Y, i; Wang, X. (2008). Effect of phosphoric acid on catalytic combustion of trichloroethylene over Pt/P-MCM-41. *Appl Catal A-Gen*. 340: 33-41. <http://dx.doi.org/10.1016/j.apcata.2008.01.035>.
- Li, G; Feng, YQ; Li, XG; Gao, P; Wang, J; Xie, JY. (2007). Preparation and characterization of polyurea microcapsules containing colored electrophoretic responsive fluid. *Journal of Materials Science*. 42: 4838-4844. <http://dx.doi.org/10.1007/s10853-006-0639-x>.
- Li, G, uo; Su, H; Li, X, in; Kuhn, U, we; Meusel, H; Hoffmann, T; Ammann, M; Poeschl, U; Shao, M, in; Cheng, Y. (2016). Uptake of gaseous formaldehyde by soil surfaces: a combination of adsorption/desorption equilibrium and chemical reactions. *Atmos Chem Phys*. 16: 10299-10311. <http://dx.doi.org/10.5194/acp-16-10299-2016>.
- Li, H; Arnold, RG; Betterton, EA; Ela, WP; Barbaris, B. (2004). Comment on "the mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources." [Comment]. *Water Res*. 38: 2791-2792; discussion 2793-2794. <http://dx.doi.org/10.1016/j.watres.2003.11.027>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Li, H; Lu, G; Dai, Q; Wang, Y; Guo, Y, un; Guo, Y. (2010). Hierarchical Organization and Catalytic Activity of High-Surface-Area Mesoporous Ceria Microspheres Prepared Via Hydrothermal Routes. *ACS Applied Materials & Interfaces*. 2: 838-846. <http://dx.doi.org/10.1021/am900829y>.
- Li, H; Lu, G; Dai, Q; Wang, Y; Guo, Y, un; Guo, Y. (2011). Efficient low-temperature catalytic combustion of trichloroethylene over flower-like mesoporous Mn-doped CeO₂ microspheres. *Appl Catal B-Environ*. 102: 475-483. <http://dx.doi.org/10.1016/j.apcatb.2010.12.029>.
- Li, H; Sheng, GY; Chiou, CT; Xu, OY. (2005). Relation of organic contaminant equilibrium sorption and kinetic uptake in plants. *Environ Sci Technol*. 39: 4864-4870. <http://dx.doi.org/10.1021/es050424z>.
- Li, H; Sheng, GY; Sheng, WT; Xu, OY. (2002). Up take of trifluralin and lindane from water by ryegrass. *Chemosphere*. 48: 335-341.
- Li, H; Wan, J; Ma, Y; Wang, Y, an; Huang, M. (2014). Influence of particle size of zero-valent iron and dissolved silica on the reactivity of activated persulfate for degradation of acid orange 7. *Chem Eng J*. 237: 487-496. <http://dx.doi.org/10.1019/j.cej.2013.10.035>.
- Li, H; Wang, J; Konig, R; Ansari, GAS; Khan, MF. (2007). Formaldehyde-protein conjugate-specific antibodies in rats exposed to formaldehyde. *J Toxicol Environ Health A*. 70: 1071-1075. <http://dx.doi.org/10.1080/15287390601172155>.
- Li, H; Zhang, SY; Wang, XL; Yang, J; Gu, JD; Zhu, RL; Wang, P; Lin, KF; Liu, YD. (2014). Aerobic biodegradation of trichloroethylene and phenol co-contaminants in groundwater by a bacterial community using hydrogen peroxide as the sole oxygen source. *Environ Technol*. 36: 1-8. <http://dx.doi.org/10.1080/09593330.2014.957730>.
- Li, H; Zhao, L, ei; Gao, X, in; Li, X. (2015). Experimental investigation of methyl tert-butyl ether dissolution in saturated porous media. *Chinese Journal of Chemical Engineering*. 23: 1685-1690. <http://dx.doi.org/10.1016/j.cjche.2015.08.022>.
- Li, HY; Jacob, KI; Wong, CP. (2003). An improvement of thermal conductivity of underfill materials for flip-chip packages. *I E E Transactions on Advanced Packaging*. 26: 25-32. <http://dx.doi.org/10.1109/TADVP.2003.811546>.
- Li, J; de Toledo, RA; Chung, J; Shim, H. (2014). Removal of mixture of cis-1,2-dichloroethylene/trichloroethylene/benzene, toluene, ethylbenzene, and xylenes from contaminated soil by *Pseudomonas plecoglossicida*. *J Chem Tech Biotechnol*. 89: 1934-1940. <http://dx.doi.org/10.1002/jctb.4279>.
- Li, J; de Toledo, RA; Shim, H. (2017). Multivariate optimization for the simultaneous bioremoval of BTEX and chlorinated aliphatic hydrocarbons by *Pseudomonas plecoglossicida*. *J Hazard Mater*. 321: 238-246. <http://dx.doi.org/10.1016/j.jhazmat.2016.09.020>.
- Li, J; Li, H; Zhu, Y, e; Hao, Y; Sun, X; Wang, L. (2011). Dual roles of amphiphilic triblock copolymer P123 in synthesis of alpha-Fe nanoparticle/ordered mesoporous silica composites. *Appl Surf Sci*. 258: 657-661. <http://dx.doi.org/10.1016/j.apsusc.2011.07.037>.
- Li, J; Lu, Q; de Toledo, RA; Lu, Y; Shim, H. (2015). Effect of toluene concentration and hydrogen peroxide on *Pseudomonas plecoglossicida* cometabolizing mixture of cis-DCE and TCE in soil slurry. *Environ Geochem Health*. 37: 985-995. <http://dx.doi.org/10.1007/s10653-015-9707-y>.
- Li, J; Werth, CJ. (2001). Evaluating competitive sorption mechanisms of volatile organic compounds in soils and sediments using polymers and zeolites. *Environ Sci Technol*. 35: 568-574.
- Li, J; Werth, CJ. (2002). Modeling sorption isotherms of volatile organic chemical mixtures in model and natural solids. *Environ Toxicol Chem*. 21: 1377-1383.
- Li, J; Werth, CJ. (2004). Slow desorption mechanisms of volatile organic chemical mixtures in soil and sediment micropores. *Environ Sci Technol*. 38: 440-448. <http://dx.doi.org/10.1021/es034830z>.
- Li, K; Crittenden, J. (2009). Computerized Pathway Elucidation for Hydroxyl Radical-Induced Chain Reaction Mechanisms in Aqueous Phase Advanced Oxidation Processes. *Environ Sci Technol*. 43: 2831-2837. <http://dx.doi.org/10.1021/es802039y>.
- Li, K; Stefan, MI; Crittenden, JC. (2004). UV photolysis of trichloroethylene: Product study and kinetic modeling. *Environ Sci Technol*. 38: 6685-6693. <http://dx.doi.org/10.1021/es040304b>.
- Li, K, e; Stefan, MI; Crittenden, JC. (2007). Trichloroethene degradation by UV/H₂O₂ advanced oxidation process: Product study and kinetic modeling. *Environ Sci Technol*. 41: 1696-1703. <http://dx.doi.org/10.1021/es0607638>.
- Li, K, ai; Tang, X; Yi, H; Ning, P; Xiang, Y; Wang, J; Wang, C, hi; Peng, X. (2013). Research on manganese oxide catalysts surface pretreated with non-thermal plasma for NO catalytic oxidation capacity enhancement. *Appl Surf Sci*. 264: 557-562. <http://dx.doi.org/10.1016/j.apsusc.2012.10.064>.
- Li, L; Benson, CH; Lawson, EM. (2005). Impact of mineral fouling on hydraulic behavior of permeable reactive barriers. *Ground Water*. 43: 582-596.
- Li, L; Quinlivan, PA; Knappe, DR. (2005). Predicting adsorption isotherms for aqueous organic micropollutants from activated carbon and pollutant properties. *Environ Sci Technol*. 39: 3393-3400. <http://dx.doi.org/10.1021/es048816d>.
- Li, L; Quinlivan, PA; Knappe, DRU. (2002). Effects of activated carbon surface chemistry and pore structure on the adsorption of organic contaminants from aqueous solution. *Carbon*. 40: 2085-2100.
- Li, M; Fiorenza, S; Chatham, JR; Mahendra, S; Alvarez, PJJ. (2010). 1,4-Dioxane biodegradation at low temperatures in Arctic groundwater samples. *Water Res*. 44: 2894-2900. <http://dx.doi.org/10.1016/j.watres.2010.02.007>.
- Li, M; Mathieu, J; Liu, Y; Van Orden, ET; Yang, Y, u; Fiorenza, S; Alvarez, PJJ. (2014). The Abundance of Tetrahydrofuran/Dioxane Monooxygenase Genes (thmA/dxmA) and 1,4-Dioxane Degradation Activity Are Significantly Correlated at Various Impacted Aquifers. *Environ Sci Technol Lett*. 1: 122-127. <http://dx.doi.org/10.1021/ez400176h>.
- Li, MT; Hao, LL; Sheng, LX; Xu, JB. (2008). Identification and degradation characterization of hexachlorobutadiene degrading strain *Serratia marcescens* HL1. *Bioresour Technol*. 99: 6878-6884. <http://dx.doi.org/10.1016/j.biortech.2008.01.048>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Li, Q; Mariñas, BJ; Snoeyink, VL; Campos, C. (2003). Three-component competitive adsorption model for flow-through PAC systems. 1. Model development and verification with a PAC/membrane system. *Environ Sci Technol.* 37: 2997-3004. <http://dx.doi.org/10.1021/es020989k>.
- Li, Q; Snoeyink, VL; Mariñas, BJ; Campos, C. (2003). Pore blockage effect of NOM on atrazine adsorption kinetics of PAC: the roles of PAC pore size distribution and NOM molecular weight. *Water Res.* 37: 4863-4872. <http://dx.doi.org/10.1016/j.watres.2003.08.018>.
- Li, QL; Marinas, BJ; Snoeyink, VL; Campos, C. (2004). Pore blockage effects on atrazine adsorption in a powdered activated carbon/membrane system. I: Model development. *J Environ Eng.* 130: 1242-1252. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:11\(1242\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:11(1242)).
- Li, QL; Snoeyink, VL; Mariaas, BJ; Campos, C. (2003). Elucidating competitive adsorption mechanisms of atrazine and NOM using model compounds. *Water Res.* 37: 773-784.
- Li, S; Fang, Y, uLun; Romanczuk, CD; Jin, Z; Li, T; Wong, MS. (2012). Establishing the trichloroethene dechlorination rates of palladium-based catalysts and iron-based reductants. *Appl Catal B-Environ.* 125: 95-102. <http://dx.doi.org/10.1016/j.apcatb.2012.05.025>.
- Li, S; Li, M; Luo, X; Huang, G; Liu, F; Chen, H. (2016). Effect of benzoic acid on the removal of 1,2-dichloroethane by a siderite-catalyzed hydrogen peroxide and persulfate system. *Environ Sci Pollut Res Int.* 23: 402-407. <http://dx.doi.org/10.1007/s11356-015-5124-0>.
- Li, S; Wu, P; Li, H; Zhu, N; Li, P; Wu, J; Wang, X; Dang, Z, hi. (2010). Synthesis and characterization of organo-montmorillonite supported iron nanoparticles. *Appl Clay Sci.* 50: 330-336. <http://dx.doi.org/10.1016/j.clay.2010.08.021>.
- Li, T; Farrell, J. (2000). Reductive dechlorination of trichloroethene and carbon tetrachloride using iron and palladized-iron cathodes. *Environ Sci Technol.* 34: 173-179.
- Li, T; Farrell, J. (2001). Electrochemical investigation of the rate-limiting mechanisms for trichloroethylene and carbon tetrachloride reduction at iron surfaces. *Environ Sci Technol.* 35: 3560-3565.
- Li, T; Guo, Y; Hu, H; Zhang, X; Jin, Y; Zhang, X; Zhang, Y. (2016). Determination of volatile chlorinated hydrocarbons in water samples by static headspace gas chromatography with electron capture detection. *J Sep Sci.* 39: 358-366. <http://dx.doi.org/10.1002/jssc.201500771>.
- Li, W; Cui, Z; Han, F. (2015). Methods for assessing the energy-saving efficiency of industrial symbiosis in industrial parks. *Environ Sci Pollut Res Int.* 22: 275-285. <http://dx.doi.org/10.1007/s11356-014-3327-4>.
- Li, W; Roberts, DP; Dery, PD; Meyer, SLF; Lohrke, S; Lumsden, RD; Hebbbar, KP. (2002). Broad spectrum anti-biotic activity and disease suppression by the potential biocontrol agent *Burkholderia ambifaria* BC-F. *Crop Protection.* 21: 129-135.
- Li, X; Parkin, S; Duffel, MW; Robertson, LW; Lehmler, HJ. (2010). An efficient approach to sulfate metabolites of polychlorinated biphenyls. *Environ Int.* 36: 843-848. <http://dx.doi.org/10.1016/j.envint.2009.02.005>.
- Li, X; Teske, S; Conroy-Ben, O. (2015). Estrogen mimics induce genes encoding chemical efflux proteins in gram-negative bacteria. *Chemosphere.* 128: 327-331. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.020>.
- Li, X, qin; Zhang, W, eiX. (2007). Sequestration of metal cations with zerovalent iron nanoparticles - A study with high resolution X-ray photoelectron spectroscopy (HR-XPS). *J Phys Chem C.* 111: 6939-6946. <http://dx.doi.org/10.1021/jp0702189>.
- Li, XD; Schwartz, FW. (2003). Permanganate oxidation schemes for the remediation of source zone DNAPLs and dissolved contaminant plumes. *ACS Symp Ser Am Chem Soc.* 837: 73-85.
- Li, XD; Schwartz, FW. (2004). DNAPL remediation with in situ chemical oxidation using potassium permanganate. II. Increasing removal efficiency by dissolving Mn oxide precipitates. *J Contam Hydrol.* 68: 269-287. [http://dx.doi.org/10.1016/S0169-7722\(03\)00145-1](http://dx.doi.org/10.1016/S0169-7722(03)00145-1).
- Li, XD; Schwartz, FW. (2004). DNAPL remediation with in situ chemical oxidation using potassium permanganate. Part I. Mineralogy of Mn oxide and its dissolution in organic acids. *J Contam Hydrol.* 68: 39-53. [http://dx.doi.org/10.1016/S0169-7722\(03\)00144-X](http://dx.doi.org/10.1016/S0169-7722(03)00144-X).
- Li, Y; Cai, K; Li, J; Dinnyes, A; Ji, W. (2006). Comparative studies with six extenders for sperm cryopreservation in the cynomolgus monkey (*Macaca fascicularis*) and rhesus monkey (*Macaca mulatta*). *Am J Primatol.* 68: 39-49. <http://dx.doi.org/10.1002/ajp.20205>.
- Li, Y; Cheng, W, ei; Sheng, G; Li, J; Dong, H; Chen, Y, a; Zhu, L. (2015). Synergetic effect of a pillared bentonite support on SE(VI) removal by nanoscale zero valent iron. *Appl Catal B-Environ.* 174: 329-335. <http://dx.doi.org/10.1016/j.apcatb.2015.03.025>.
- Li, Y; Huang, H; He, T; Gong, Y. (2010). The effect of the preferential affinity of the solvent on the microstructure of solution-cast block copolymer thin films. *J Phys Chem B.* 114: 1264-1270. <http://dx.doi.org/10.1021/jp908852u>.
- Li, Y; Li, J; Zhang, Y. (2012). Mechanism insights into enhanced Cr(VI) removal using nanoscale zerovalent iron supported on the pillared bentonite by macroscopic and spectroscopic studies. *J Hazard Mater.* 227-228: 211-218. <http://dx.doi.org/10.1016/j.jhazmat.2012.05.034>.
- Li, Y; Li, T; Jini, Z. (2011). Stabilization of Fe(0) nanoparticles with silica fume for enhanced transport and remediation of hexavalent chromium in water and soil. *J Environ Sci.* 23: 1211-1218. [http://dx.doi.org/10.1016/S1001-0742\(10\)60534-7](http://dx.doi.org/10.1016/S1001-0742(10)60534-7).
- Li, Y; Liu, C; Xu, P; Li, M; Zen, M; Tang, S. (2014). Controlled fabrication of ordered mesoporous titania/carbon fiber composites with high photoactivity: Synergistic relationship between surface adsorption and photocatalysis. *Chem Eng J.* 243: 108-116. <http://dx.doi.org/10.1016/j.cej.2013.12.050>.
- Li, Y; Liu, S. (2013). EFFECTS OF DIFFERENT THERMAL CONDUCTIVITY ENHANCERS ON THE THERMAL PERFORMANCE OF TWO ORGANIC PHASE-CHANGE MATERIALS: PARAFFIN WAX RT42 AND RT25. *Journal of Enhanced Heat Transfer.* 20: 463-473.
- Li, Y; Si, W; Zhang, X; Dinnyes, A; Ji, W. (2003). Effect of amino acids on cryopreservation of cynomolgus monkey (*Macaca fascicularis*) sperm. *Am J Primatol.* 59: 159-165. <http://dx.doi.org/10.1002/ajp.10073>.
- Li, Y; Zhang, Y, un; Li, J; Sheng, G; Zheng, X. (2013). Enhanced reduction of chlorophenols by nanoscale zerovalent iron supported on organobentonite. *Chemosphere.* 92: 368-374. <http://dx.doi.org/10.1016/j.chemosphere.2013.01.030>.
- Li, Z; Greden, K; Alvarez, PJ; Gregory, KB; Lowry, GV. (2010). Adsorbed polymer and NOM limits adhesion and toxicity of nano scale zerovalent iron to *E. coli*. *Environ Sci Technol.* 44: 3462-3467. <http://dx.doi.org/10.1021/es9031198>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Li, Z; Hanlie, H. (2008). Combination of surfactant solubilization with permanganate oxidation for DNAPL remediation. *Water Res.* 42: 605-614. <http://dx.doi.org/10.1016/j.watres.2007.08.010>.
- Li, Z; Willms, C; Alley, J; Zhang, P; Bowman, RS. (2006). A shift in pathway of iron-mediated perchloroethylene reduction in the presence of sorbed surfactant--a column study. *Water Res.* 40: 3811-3819. <http://dx.doi.org/10.1016/j.watres.2006.08.025>.
- Li, ZH. (2004). Surfactant-enhanced oxidation of trichloroethylene by permanganate - proof concept. *Chemosphere.* 54: 419-423. [http://dx.doi.org/10.1016/S0045-6535\(03\)00752-5](http://dx.doi.org/10.1016/S0045-6535(03)00752-5).
- Lian, F, ei; Chang, C; Du, Y; Zhu, L; Xing, B; Liu, C. (2012). Adsorptive removal of hydrophobic organic compounds by carbonaceous adsorbents: A comparative study of waste-polymer-based, coal-based activated carbon, and carbon nanotubes. *J Environ Sci.* 24: 1549-1558. [http://dx.doi.org/10.1016/S1001-0742\(11\)60984-4](http://dx.doi.org/10.1016/S1001-0742(11)60984-4).
- Liang, AH; Zhang, Y; Fan, YY; Chen, CQ; Wen, GQ; Liu, QY; Kang, CY; Jiang, ZL. (2011). Catalysis of aptamer-modified AuPd nanoalloy probe and its application to resonance scattering detection of trace UO₂²⁺. *Nanoscale.* 3: 3178-3184. <http://dx.doi.org/10.1039/c1nr10275c>.
- Liang, C; Bruell, CJ. (2008). Thermally activated persulfate oxidation of trichloroethylene: Experimental investigation of reaction orders. *Ind Eng Chem Res.* 47: 2912-2918. <http://dx.doi.org/10.1021/ie0708201>.
- Liang, C; Bruell, CJ; Albert, MF; Cross, PE; Ryan, DK. (2007). Evaluation of reverse osmosis and nanofiltration for in situ persulfate remediated groundwater. *Desalination.* 208: 238-259. <http://dx.doi.org/10.1016/j.desal.2006.06.015>.
- Liang, C; Bruell, CJ; Marley, MC; Sperry, KL. (2004). Persulfate oxidation for in situ remediation of TCE. I. Activated by ferrous ion with and without a persulfate-thiosulfate redox couple. *Chemosphere.* 55: 1213-1223. <http://dx.doi.org/10.1016/j.chemosphere.2004.01.029>.
- Liang, C; Bruell, CJ; Marley, MC; Sperry, KL. (2004). Persulfate oxidation for in situ remediation of TCE. II. Activated by chelated ferrous ion. *Chemosphere.* 55: 1225-1233. <http://dx.doi.org/10.1016/j.chemosphere.2004.01.030>.
- Liang, C; Chen, Y. (2010). Evaluation of activated carbon for remediating benzene contamination: Adsorption and oxidative regeneration. *J Hazard Mater.* 182: 544-551. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.066>.
- Liang, C; Guo, Y. (2010). Mass Transfer and Chemical Oxidation of Naphthalene Particles with Zerovalent Iron Activated Persulfate. *Environ Sci Technol.* 44: 8203-8208. <http://dx.doi.org/10.1021/es903411a>.
- Liang, C; Guo, Y, iYu; Chien, Y, iChi; Wu, Y, iJ. (2010). Oxidative Degradation of MTBE by Pyrite-Activated Persulfate: Proposed Reaction Pathways. *Ind Eng Chem Res.* 49: 8858-8864. <http://dx.doi.org/10.1021/ie100740d>.
- Liang, C; Guo, YY; Pan, YR. (2014). A study of the applicability of various activated persulfate processes for the treatment of 2,4-dichlorophenoxyacetic acid. *Int J Environ Sci Tech.* 11: 483-492. <http://dx.doi.org/10.1007/s13762-013-0212-5>.
- Liang, C; Hsieh, CL. (2015). Evaluation of surfactant flushing for remediating EDC-tar contamination. *J Contam Hydrol.* 177-178: 158-166. <http://dx.doi.org/10.1016/j.jconhyd.2015.04.006>.
- Liang, C; Huang, CF; Chen, YJ. (2008). Potential for activated persulfate degradation of BTEX contamination. *Water Res.* 42: 4091-4100. <http://dx.doi.org/10.1016/j.watres.2008.06.022>.
- Liang, C; Huang, CF, en; Mohanty, N; Lu, CJ, en; Kurakalva, RM. (2007). Hydroxypropyl-beta-cyclodextrin-mediated iron-activated persulfate oxidation of trichloroethylene and tetrachloroethylene. *Ind Eng Chem Res.* 46: 6466-6479. <http://dx.doi.org/10.1021/ie0705148>.
- Liang, C; Lai, MC. (2008). Trichloroethylene degradation by zero valent iron activated persulfate oxidation. *Environ Eng Sci.* 25: 1071-1077. <http://dx.doi.org/10.1089/ees.2007.0174>.
- Liang, C; Lee, IL. (2008). In situ iron activated persulfate oxidative fluid sparging treatment of TCE contamination - A proof of concept study. *J Contam Hydrol.* 100: 91-100. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.012>.
- Liang, C; Lee, IL; Hsu, IY; Liang, CP; Lin, Y, uL. (2008). Persulfate oxidation of trichloroethylene with and without iron activation in porous media. *Chemosphere.* 70: 426-435. <http://dx.doi.org/10.1016/j.chemosphere.2007-06.077>.
- Liang, C; Lee, PH. (2012). Granular activated carbon/pyrite composites for environmental application: synthesis and characterization. *J Hazard Mater.* 231-232: 120-126. <http://dx.doi.org/10.1016/j.jhazmat.2012.06.048>.
- Liang, C; Lin, Y, aT; Shih, W, uH. (2009). Treatment of Trichloroethylene by Adsorption and Persulfate Oxidation in Batch Studies. *Ind Eng Chem Res.* 48: 8373-8380. <http://dx.doi.org/10.1021/ie900841k>.
- Liang, C; Lin, Y, aT; Shiu, J. (2016). Reduction of nitrobenzene with alkaline ascorbic acid: Kinetics and pathways. *J Hazard Mater.* 302: 137-143. <http://dx.doi.org/10.1016/j.jhazmat.2015.09.029>.
- Liang, C; Lin, YT; Shin, WH. (2009). Persulfate regeneration of trichloroethylene spent activated carbon. *J Hazard Mater.* 168: 187-192. <http://dx.doi.org/10.1016/j.jhazmat.2009.02.006>.
- Liang, C; Wang, ZS; Bruell, CJ. (2007). Influence of pH on persulfate oxidation of TCE at ambient temperatures. *Chemosphere.* 66: 106-113. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.026>.
- Liang, C; Wang, ZS; Mohanty, N. (2006). Influences of carbonate and chloride ions on persulfate oxidation of trichloroethylene at 20, 30, and 40°C. *Sci Total Environ.* 370: 271-277. <http://dx.doi.org/10.1016/j.scitotenv.2006.08.028>.
- Liang, CH; Chiang, PC; Chang, EE. (2004). Quantitative elucidation of the effect of EBCT on adsorption and biodegradation of biological activated carbon filters. *Journal of the Chinese Institute of Chemical Engineers.* 35: 203-211.
- Liang, CJ; Bruell, CJ; Marley, MC; Sperry, KL. (2003). Thermally activated persulfate oxidation of trichloroethylene (TCE) and 1,1,1-trichloroethane (TCA) in aqueous systems and soil slurries. *Soil Sediment Contam.* 12: 207-228.
- Liang, CJ; Liang, CP; Chen, CC. (2009). pH dependence of persulfate activation by EDTA/Fe(III) for degradation of trichloroethylene. *J Contam Hydrol.* 106: 173-182. <http://dx.doi.org/10.1016/j.jconhyd.2009.02.008>.
- Liang, DH; Song, LG; Chen, ZJ; Chu, B. (2001). Effect of glycerol-induced DNA conformational change on the separation of DNA fragments by capillary electrophoresis. *J Chromatogr A.* 931: 163-173.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Liang, F; Fan, J; Guo, Y; Fan, M; Wang, J; Yang, H. (2008). Reduction of Nitrite by Ultrasound-Dispersed Nanoscale Zero-Valent Iron Particles. *Ind Eng Chem Res.* 47: 8550-8554. <http://dx.doi.org/10.1021/ie8003946>.
- Liang, H; Falta, RW; Henderson, JK; Shoemaker, S. (2012). Probabilistic Simulation of Remediation at a Site Contaminated by Trichloroethylene. *Ground Water Monitoring and Remediation.* 32: 131-141. <http://dx.doi.org/10.1111/j.1745-6592.2011.01378.x>.
- Liang, H; Zhang, YQ; Huang, S; Hussain, I. (2013). Oxidative degradation of p-chloroaniline by copper oxidate activated persulfate. *Chem Eng J.* 218: 384-391. <http://dx.doi.org/10.1016/j.cej.2012.11.093>.
- Liang, J, ie; Liu, J; Yuan, X; Dong, H; Zeng, G; Wu, H; Wang, H, ou; Liu, J; Hu, S; Zhang, S; Yu, Z; He, X; He, Y, an. (2015). Facile synthesis of alumina-decorated multi-walled carbon nanotubes for simultaneous adsorption of cadmium ion and trichloroethylene. *Chem Eng J.* 273: 101-110. <http://dx.doi.org/10.1016/j.cej.2015.03.069>.
- Liang, JC; Brinkley, BR. (1985). Chemical probes and possible targets for the induction of aneuploidy. *Basic Life Sci.* 36: 491-505.
- Liang, JC; Pacchierotti, F. (1988). Cytogenetic investigation of chemically-induced aneuploidy in mouse spermatocytes. *Mutat Res-Fundam Mol Mech Mutagen.* 201: 325-335. [http://dx.doi.org/10.1016/0027-5107\(88\)90021-8](http://dx.doi.org/10.1016/0027-5107(88)90021-8).
- Liang, KF; Kuo, MC. (2009). A model and experimental study for dissolution efficiency of gaseous substrates through in situ sparging. *J Hazard Mater.* 164: 204-214. <http://dx.doi.org/10.1016/j.jhazmat.2008.07.156>.
- Liang, L; Moline, GR; Kamolpornwijit, W; West, OR. (2005). Influence of hydrogeochemical processes on zero-valent iron reactive barrier performance: a field investigation. *J Contam Hydrol.* 80: 71-91. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.014>.
- Liang, LY; Korte, N; Goodlaxson, JD; Clausen, J; Fernando, Q; Muftikian, R. (1997). Byproduct formation during the reduction of TCE by zero-valence iron and palladized iron. *Ground Water Monitoring and Remediation.* 17: 122-127.
- Liang, LY; Sullivan, AB; West, OR; Moline, GR; Kamolpornwijit, W. (2003). Predicting the precipitation of mineral phases in permeable reactive barriers. *Environ Eng Sci.* 20: 635-653.
- Liang, SH; Chen, KF; Wu, CS; Lin, YH; Kao, CM. (2014). Development of KMnO(4)-releasing composites for in situ chemical oxidation of TCE-contaminated groundwater. *Water Res.* 54: 149-158. <http://dx.doi.org/10.1016/j.watres.2014.01.068>.
- Liang, SH; Kuo, YC; Chen, SH; Chen, CY; Kao, CM. (2013). Development of a slow polycolloid-releasing substrate (SPRS) biobarrier to remediate TCE-contaminated aquifers. *J Hazard Mater.* 254: 107-115. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.047>.
- Liang, SH; Liu, JK; Lee, KH; Kuo, YC; Kao, CM. (2011). Use of specific gene analysis to assess the effectiveness of surfactant-enhanced trichloroethylene cometabolism. *J Hazard Mater.* 198: 323-330. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.050>.
- Liang, X; Dong, Y; Kuder, T; Krumholz, L, eeR; Philp, RP; Butler, EC. (2007). Distinguishing abiotic and biotic transformation of tetrachloroethylene and trichloroethylene by stable carbon isotope fractionation. *Environ Sci Technol.* 41: 7094-7100. <http://dx.doi.org/10.1021/es070970n>.
- Liang, X; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere.* 75: 63-69. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.042>.
- Liangpunsakul, S; Kolwankar, D; Pinto, A; Gorski, JC; Hall, SD; Chalasani, N. (2005). Activity of CYP2E1 and CYP3A enzymes in adults with moderate alcohol consumption: A comparison with nonalcoholics. *Hepatology.* 41: 1144-1150. <http://dx.doi.org/10.1002/hep.20673>.
- Liao, CH; Chen, IM; Chang, YF; Lu, MC. (2003). Removal of trichloromethane and trichloroethylene by suspended zero valent iron and ultraviolet irradiation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 1717-1729. <http://dx.doi.org/10.1081/ESE-20022874>.
- Liao, KH; Dobrev, ID; Dennison, JE; Andersen, ME; Reisfeld, B; Reardon, KF; Campaign, JA; Wei, W; Klein, MT; Quann, RJ; Yang, RS. (2002). Application of biologically based computer modeling to simple or complex mixtures [Review]. *Environ Health Perspect.* 110 Suppl 6: 957-963.
- Liao, KH; Tan, YM; Clewell, HJ. (2007). Development of a screening approach to interpret human biomonitoring data on volatile organic compounds: reverse dosimetry on biomonitoring data for trichloroethylene. *Risk Anal.* 27: 1223-1236. <http://dx.doi.org/10.1111/j.1539-6924.2007.00964.x>.
- Liao, KH; Tan, YM; Conolly, RB; Borghoff, SJ; Gargas, ML; Andersen, ME; III, CH. (2007). Bayesian estimation of pharmacokinetic and pharmacodynamic parameters in a mode-of-action-based cancer risk assessment for chloroform. *Risk Anal.* 27: 1535-1551. <http://dx.doi.org/10.1111/j.1539-6924.2007.00987.x>.
- Liao, P; Yuan, S; Chen, M; Tong, M; Xie, W; Zhang, P. (2013). Regulation of electrochemically generated ferrous ions from an iron cathode for Pd-catalytic transformation of MTBE in groundwater. *Environ Sci Technol.* 47: 7918-7926. <http://dx.doi.org/10.1021/es401730s>.
- Liao, RZ; Chen, SL; Siegbahn, PE. (2016). Unraveling the Mechanism and Regioselectivity of the B12-Dependent Reductive Dehalogenase PceA. *Chemistry.* 22: 12391-12399. <http://dx.doi.org/10.1002/chem.201601575>.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology.* 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Libbrecht, L. (2006). Hepatic progenitor cells in human liver tumor development [Review]. *World J Gastroenterol.* 12: 6261-6265.
- Liberman, L; Hordof, AJ; Altmann, K; Pass, RH. (2006). Low energy biphasic waveform cardioversion of atrial arrhythmias in pediatric patients and young adults. *Pacing Clin Electrophysiol.* 29: 1383-1386.
- Lichtin, NN; Avudaithai, M. (1996). TiO₂-photocatalyzed oxidative degradation of CH₃CN, CH₃OH, C₂HCl₃, and CH₂Cl₂ supplied as vapors and in aqueous solution under similar conditions. *Environ Sci Technol.* 30: 2014-2020.
- Lichtin, NN; Avudaithai, M; Berman, E; Dong, J. (1994). PHOTOCATALYTIC OXIDATIVE-DEGRADATION OF VAPORS OF SOME ORGANIC-COMPOUNDS OVER TiO₂. *Res Chem Intermed.* 20: 755-781.
- Lide, DR. (1998). Handbook of chemistry and physics. In DR Lide (Ed.), (79th ed.). Boca Raton, FL: CRC Press.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Liebe, J; Heinmann, K; Barner, K; Medvedeva, IV; Tang, Y; Dong, S; Braunstein, R. (1997). Transient ambipolar charge distributions in amorphous and crystalline semiconductors. *Mater Sci Eng B*. 47: 244-251.
- Liebe, J; Kattwinkel, A; Barner, K; Sun, G; Dong, S; Braunstein, R. (2000). Determination of the gap state density differences in hydrogenated amorphous silicon and Si/Ge. *Mater Sci Eng A*. 282: 158-163.
- Lieber, C. (2004). The discovery of the microsomal ethanol oxidizing system and its physiologic and pathologic role [Review]. *Drug Metab Rev*. 36: 511-529. <http://dx.doi.org/10.1081/DMR-200033441>.
- Lieberman, MW; Lykissa, ED; Barrios, R; Ou, CN; Kala, G; Kala, SV. (1999). Cyclosiloxanes produce fatal liver and lung damage in mice. *Environ Health Perspect*. 107: 161-165.
- Lien, GJ; Mckim, JM; Hoffman, AD; Jenson, CT. (2001). A physiologically based toxicokinetic model for lake trout (*Salvelinus namaycush*). *Aquat Toxicol*. 51: 335-350.
- Lien, HL; Zhang, W, eiX. (2007). Nanoscale Pd/Fe bimetallic particles: Catalytic effects of palladium on hydrodechlorination. *Appl Catal B-Environ*. 77: 110-116. <http://dx.doi.org/10.1016/j.apcatb.2007.07.014>.
- Lien, PJ; Yang, ZH; Chang, YM; Tu, YT; Kao, CM. (2016). Enhanced bioremediation of TCE-contaminated groundwater with coexistence of fuel oil: Effectiveness and mechanism study. *Chem Eng J*. 289: 525-536. <http://dx.doi.org/10.1016/j.cej.2016.01.011>.
- Ligocki, MP; Leuenberger, C; Pankow, JF. (1985). Trace organic-compounds in rain: 2. Gas scavenging of neutral organic-compounds. *Atmos Environ*. 19: 1609-1617. [http://dx.doi.org/10.1016/0004-6981\(85\)90213-6](http://dx.doi.org/10.1016/0004-6981(85)90213-6).
- Lillo-Rodenas, MA; Bouazza, N; Berenguer-Murcia, A; Linares-Salinas, JJ; Soto, P; Linares-Solano, A. (2007). Photocatalytic oxidation of propene at low concentration. *Appl Catal B-Environ*. 71: 298-309. <http://dx.doi.org/10.1016/j.apcatb.2006.10.004>.
- Lilly, PD; Simmons, JE; Pegram, RA. (1994). Dose-dependent vehicle differences in the acute toxicity of bromodichloromethane. *Fundam Appl Toxicol*. 23: 132-140.
- Lim, DH, ee; Lastoskie, CM. (2009). Density Functional Theory Studies on the Relative Reactivity of Chloroethenes on Zerovalent Iron. *Environ Sci Technol*. 43: 5443-5448. <http://dx.doi.org/10.1021/es9003203>.
- Lim, DH, ee; Lastoskie, CM; Soon, A; Becker, U, do. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environ Sci Technol*. 43: 1192-1198. <http://dx.doi.org/10.1021/es802523a>.
- Lim, K; Jung, S; Kim, JK, uk; Kang, J, aeW; Kim, J, ooH; Choa, SH; Kim, D, oG. (2013). Flexible PEDOT: PSS/ITO hybrid transparent conducting electrode for organic photovoltaics. *Solar Energy Materials and Solar Cells*. 115: 71-78. <http://dx.doi.org/10.1016/j.solmat.2013.03.028>.
- Lim, MH; Kim, SH; Kim, YU; Khim, J. (2007). Sonolysis of chlorinated compounds in aqueous solution. *Ultrason Sonochem*. 14: 93-98. <http://dx.doi.org/10.1016/j.ultsonch.2006.03.003>.
- Lim, S; Fox, P. (2014). Effects of halogenated aromatics/aliphatics and nitrogen(N)-heterocyclic aromatics on estimating the persistence of future pharmaceutical compounds using a modified QSAR model. *Sci Total Environ*. 470: 348-355. <http://dx.doi.org/10.1016/j.scitotenv.2013.09.089>.
- Lim, T, akH; Kim, SD. (2008). Removal of Volatile Organic Compounds (VOCs) by Photocatalytic Reaction in a Circulating Fluidized Bed (CFB) Photoreactor. *J Chem Eng Jpn*. 41: 695-699.
- Lim, TH; Kim, SD. (2004). Photo-degradation characteristics of TCE (trichloroethylene) in an annulus fluidized bed photoreactor. *Korean J Chem Eng*. 21: 905-909.
- Lim, TH; Kim, SD. (2004). Trichloroethylene degradation by photocatalysis in annular flow and annulus fluidized bed photoreactors. *Chemosphere*. 54: 305-312. [http://dx.doi.org/10.1016/S0045-6535\(03\)00753-7](http://dx.doi.org/10.1016/S0045-6535(03)00753-7).
- Lim, TH; Kim, SD. (2005). Photocatalytic degradation of trichloroethylene (TCE) over TiO₂/silica gel in a circulating fluidized bed (CFB) photoreactor. *Chemical Engineering and Processing: Process Intensification*. 44: 327-334. <http://dx.doi.org/10.1016/j.cep.2004.02.027>.
- Lim, TT; Feng, J; Zhu, BW. (2007). Kinetic and mechanistic examinations of reductive transformation pathways of brominated methanes with nano-scale Fe and Ni/Fe particles. *Water Res*. 41: 875-883. <http://dx.doi.org/10.1016/j.watres.2006.11.011>.
- Lim, TT; Zhu, BW. (2008). Effects of anions on the kinetics and reactivity of nanoscale Pd/Fe in trichlorobenzene dechlorination. *Chemosphere*. 73: 1471-1477. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.050>.
- Lim, TY; Kim, SD. (2002). Photocatalytic degradation of trichloroethylene over TiO₂/SiO₂ in an annulus fluidized bed reactor. *Korean J Chem Eng*. 19: 1072-1077.
- Limmer, MA; Balouet, JC; Karg, F; Vroblesky, DA; Burken, JG. (2011). Phytoscreening for chlorinated solvents using rapid in vitro SPME sampling: application to urban plume in Verl, Germany. *Environ Sci Technol*. 45: 8276-8282. <http://dx.doi.org/10.1021/es201704v>.
- Limmer, MA; Holmes, AJ; Burken, JG. (2014). Phytomonitoring of Chlorinated Ethenes in Trees: A Four-Year Study of Seasonal Chemodynamics in Planta. *Environ Sci Technol*. 48: 10634-10640. <http://dx.doi.org/10.1021/es502680p>.
- Limmer, MA; West, DM; Mu, R; Shi, H; Whitlock, K, im; Burken, JG. (2015). Phytoscreening for perchlorate: rapid analysis of tree sap. *Environ Sci (Camb)*. 1: 138-145. <http://dx.doi.org/10.1039/c4ew00103f>.
- Lin, C; Jou, CJ; Wang, CL. (2009). Visible-light-sensitized dechlorination of perchloroethylene. *Water Environ Res*. 81: 76-81. <http://dx.doi.org/10.2175/106143008X304802>.
- Lin, C, han; Shih, YH; Macfarlane, J. (2015). Amphiphilic compounds enhance the dechlorination of pentachlorophenol with Ni/Fe bimetallic nanoparticles. *Chem Eng J*. 262: 59-67. <http://dx.doi.org/10.1016/j.cej.2014.09.038>.
- Lin, CH; Kuo, M; Sip, CY; Liang, KF; Han, YL. (2012). A nutrient injection scheme for in situ bio-remediation. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 47: 280-288. <http://dx.doi.org/10.1080/10934529.2012.640907>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lin, CH; Kuo, MCT, om; Fan, K, aiC; Yang, SC. (2009). Pilot study on contact efficiency of gaseous and misty substrates through in situ sparging. *J Chem Tech Biotechnol.* 84: 1456-1460. <http://dx.doi.org/10.1002/jctb.2198>.
- Lin, CJ; Liou, YH; Lo, SL. (2009). Supported Pd/Sn bimetallic nanoparticles for reductive dechlorination of aqueous trichloroethylene. *Chemosphere.* 74: 314-319. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.046>.
- Lin, CJ; Lo, SL; Liou, YH. (2004). Dechlorination of trichloroethylene in aqueous solution by noble metal-modified iron. *J Hazard Mater.* 116: 219-228. <http://dx.doi.org/10.1016/j.jhazmat.2004.09.005>.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere.* 59: 1299-1307. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.064>.
- Lin, CY; Li, CS. (2003). Inactivation of microorganisms on the photocatalytic surfaces in air. *Aerosol Sci Technol.* 37: 939-946. <http://dx.doi.org/10.1080/02786820390230352>.
- Lin, D. (1998). The development and prospective of bioenergy technology in China. *Biomass and Bioenergy.* 15: 181-186.
- Lin, E; Mattox, J; Daniel, F. (1993). Tissue distribution, excretion, and urinary metabolites of dichloroacetic acid in the male Fischer 344 rat. *J Toxicol Environ Health.* 38: 19-32. <http://dx.doi.org/10.1080/15287399309531697>.
- Lin, JC; Chen, J; Suib, SL; Cutlip, MB; Freihaut, JD. (1996). Recovery of bromine from methyl bromide using amorphous MnOx photocatalysts. *J Catal.* 161: 659-666.
- Lin, K, e; Kumar, RS; Cheng, L, aiSzu; Jin, CS, oo. (2009). Performance Improvement of Carbon-Nanotube-Incorporated Transparent Conducting Anode Film for Organic Device Application. *I E E E Transactions on Electron Devices.* 56: 31-37. <http://dx.doi.org/10.1109/TED.2008.2007831>.
- Lin, LW; Lin, XY; He, YM; Gao, SD; Lin, XD. (2003). Biological characteristics of HCC by ultrasound-guided aspiration biopsy and its clinical application. *World J Gastroenterol.* 9: 941-945.
- Lin, Q; Chen, YX; Plagantz, V; Schafer, D; Dahmke, A. (2004). ORC-GAC-Fe0 system for the remediation of trichloroethylene and monochlorobenzene contaminated aquifer: 1. Adsorption and degradation. *J Environ Sci.* 16: 108-112.
- Lin, TF; Little, JC; Nazaroff, WW. (1994). TRANSPORT AND SORPTION OF VOLATILE ORGANIC-COMPOUNDS AND WATER-VAPOR WITHIN DRY SOIL GRAINS. *Environ Sci Technol.* 28: 322-330. <http://dx.doi.org/10.1021/es00051a020>.
- Lin, Y; Chen, Z; Megharaj, M; Naidu, R. (2012). Degradation of scarlet 4BS in aqueous solution using bimetallic Fe/Ni nanoparticles. *J Colloid Interface Sci.* 381: 30-35. <http://dx.doi.org/10.1016/j.jcis.2012.05.035>.
- Lin, Y, iH; Hung, W; Chen, Y, uC; Chu, H. (2014). Photocatalytic Degradation of 1, 2-dichloroethane by V/TiO2: The Mechanism of Photocatalytic Reaction and Byproduct. *Aerosol Air Qual Res.* 14: 280-292. <http://dx.doi.org/10.4209/aaqr.2013.02.0053>.
- Lin, Y, aT; Liang, C; Yu, CW, ei. (2016). Trichloroethylene Degradation by Various Forms of Iron Activated Persulfate Oxidation with or without the Assistance of Ascorbic Acid. *Ind Eng Chem Res.* 55: 2302-2308. <http://dx.doi.org/10.1021/acs.iecr.5b04352>.
- Lin, Y, aoT; Weng, CH; Chen, FY. (2014). Key operating parameters affecting photocatalytic activity of visible-light-induced C-doped TiO2 catalyst for ethylene oxidation. *Chem Eng J.* 248: 175-183. <http://dx.doi.org/10.1016/j.cej.2014.02.085>.
- Lin, Y, aoT; Weng, CH; Hsu, H, uiJan; Huang, JW, en; Srivastav, AL, al; Shiesh, CC. (2014). Effect of oxygen, moisture, and temperature on the photo oxidation of ethylene on N-doped TiO2 catalyst. *Separation and Purification Technology.* 134: 117-125. <http://dx.doi.org/10.1016/j.seppur.2014.07.039>.
- Lin, YJ; Tseng, SL; Huang, WJ; Wu, WJ. (2006). Enhanced photocatalysis of pentachlorophenol by metal-modified titanium (IV) oxide. *J Environ Sci Health B.* 41: 1143-1158. <http://dx.doi.org/10.1080/03601230600856843>.
- Lin, YZ; Brunt, EM; Bowling, W; Hafenrichter, DG; Kennedy, SC; Flye, MW; Ponder, KP. (1995). Ras-transduced diethylnitrosamine-treated hepatocytes develop into cancers of mixed phenotype in vivo. *Cancer Res.* 55: 5242-5250.
- Lin, Z; Li, XM; Li, YT; Huang, DY; Dong, J; Li, FB. (2012). Enhancement effect of two ecological earthworm species (*Eisenia foetida* and *Amyntas robustus* E. Perrier) on removal and degradation processes of soil DDT. *J Environ Monit.* 14: 1551-1558. <http://dx.doi.org/10.1039/c2em30160a>.
- Lin, ZK; Han, DL; Li, SF. (2013). Effect of nano Ni-Fe alloy addition on flash pyrolysis of poly(ethylene glycol). *J Anal Appl Pyrol.* 99: 117-121. <http://dx.doi.org/10.1016/j.jaap.2012.10.014>.
- Lindbohm, ML; Taskinen, H; Sallmen, M; Hemminki, K. (1990). Spontaneous abortions among women exposed to organic solvents. *Am J Ind Med.* 17: 449-463. <http://dx.doi.org/10.1002/ajim.4700170404>.
- Linderholm, L; Biague, A; Månsson, F; Norrgren, H; Bergman, A; Jakobsson, K. (2010). Human exposure to persistent organic pollutants in West Africa--A temporal trend study from Guinea-Bissau. *Environ Int.* 36: 675-682. <http://dx.doi.org/10.1016/j.envint.2010.04.020>.
- Lindhardt, B; Christensen, TH; Brun, A. (1994). VOLATILIZATION OF O-XYLENE FROM SANDY SOIL. *Chemosphere.* 29: 2625-2637.
- Lindsey, MA. (2012). Community Outreach and Education Core.
- Lindsey, MA. (2013). Community Outreach and Education Core.
- Lindsey, MA. (2014). Community Outreach and Education Core.
- Lindsey, MA. (2015). Community Outreach and Education Core.
- Lindsey, TC; Ocker, AG; Miller, GD. (1994). RECOVERY OF AN AQUEOUS IRON PHOSPHATING DEGREASING BATH BY ULTRAFILTRATION. *J Air Waste Manag Assoc.* 44: 697-701.
- Lindstrom, AB; Pleil, JD. (1996). A methodological approach for exposure assessment studies in residences using volatile organic compound-contaminated water. *J Air Waste Manag Assoc.* 46: 1058-1066.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. (1996). Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull.* 32: 807-816.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Linek, V; Sinkule, J; Janda, V. (1998). Design of packed aeration towers to strip volatile organic contaminants from water. *Water Res.* 32: 1264-1270.
- Ling, M; Rifai, HS. (2007). Modeling natural attenuation with source control at a chlorinated solvents dry cleaner site. *Ground Water Monitoring and Remediation.* 27: 108-121.
- Ling, X; Li, J; Zhu, W; Zhu, Y; Sun, X; Shen, J; Han, W; Wang, L. (2012). Synthesis of nanoscale zero-valent iron/ordered mesoporous carbon for adsorption and synergistic reduction of nitrobenzene. *Chemosphere.* 87: 655-660. <http://dx.doi.org/10.1016/j.chemosphere.2012.02.002>.
- Lingohr, MK; Bull, RJ; Kato-Weinstein, J; Thrall, BD. (2002). Dichloroacetate stimulates glycogen accumulation in primary hepatocytes through an insulin-independent mechanism. *Toxicol Sci.* 68: 508-515.
- Lingohr, MK; Thrall, BD; Bull, RJ. (2001). Effects of dichloroacetate (DCA) on serum insulin levels and insulin-controlled signaling proteins in livers of male B6C3F1 mice. *Toxicol Sci.* 59: 178-184.
- Linnartz, P; Bitter, S; Schalley, CA. (2003). Deslipping of ester rotaxanes: A cooperative interplay of hydrogen bonding with rotational barriers. *European Journal of Organic Chemistry* 4819-4829. <http://dx.doi.org/10.1002/ejoc.200300466>.
- Liou, JSC; Szostek, B; Derito, CM; Madsen, EL. (2010). Investigating the biodegradability of perfluorooctanoic acid. *Chemosphere.* 80: 176-183. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.009>.
- Liou, YH; Lo, SL; Kuan, WH; Lin, CJ; Weng, SC. (2006). Effect of precursor concentration on the characteristics of nanoscale zerovalent iron and its reactivity of nitrate. *Water Res.* 40: 2485-2492. <http://dx.doi.org/10.1016/j.watres.2006.04.048>.
- Liou, YH; Lo, SL; Lin, CJ. (2007). Size effect in reactivity of copper nanoparticles to carbon tetrachloride degradation. *Water Res.* 41: 1705-1712. <http://dx.doi.org/10.1016/j.watres.2007.01.014>.
- Liou, YH; Lo, SL; Lin, CJ; Hu, CY; Kuan, WH; Weng, SC. (2005). Methods for accelerating nitrate reduction using zerovalent iron at near-neutral pH: Effects of H-2-reducing pretreatment and copper deposition. *Environ Sci Technol.* 39: 9643-9648. <http://dx.doi.org/10.1021/es048038p>.
- Liou, YH; Lo, SL; Lin, CJ; Kuan, WH; Weng, SC. (2005). Effects of iron surface pretreatment on kinetics of aqueous nitrate reduction. *J Hazard Mater.* 126: 189-194. <http://dx.doi.org/10.1016/j.jhazmat.200506.038>.
- Lipe, KM; Sabatini, DA; Hasegawa, MA; Harwell, JH. (1996). Micellar-enhanced ultrafiltration and air stripping for surfactant contaminant separation and surfactant reuse. *Ground Water Monitoring and Remediation.* 16: 85-92.
- Lipscomb, JC. (2004). Evaluating the relationship between variance in enzyme expression and toxicant concentration in health risk assessment. *Hum Ecol Risk Assess.* 10: 39-55. <http://dx.doi.org/10.1080/10807030490280945>.
- Lipscomb, JC; Barton, HA; Tornero-Velez, R; Evans, MV; Alcasey, S; Snawder, JE; Laskey, J. (2004). The metabolic rate constants and specific activity of human and rat hepatic cytochrome P-450 2E1 toward toluene and chloroform. *J Toxicol Environ Health A.* 67: 537-553. <http://dx.doi.org/10.1080/15287390490425588>.
- Lipscomb, JC; Confer, PD; Miller, MR; Stamm, SC; Snawder, JE; Bandiera, SM. (1998). Metabolism of trichloroethylene and chloral hydrate by the Japanese medaka (*Oryzias latipes*) in vitro. *Environ Toxicol Chem.* 17: 325-332. <http://dx.doi.org/10.1002/etc.5620170225>.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1998). Use of kinetic and mechanistic data in species extrapolation of bioactivation: Cytochrome P-450 dependent trichloroethylene metabolism at occupationally relevant concentrations. *J Occup Health.* 40: 110-117.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Barton, HA. (1995). Dichloroacetic acid: Metabolism in cytosol. *Drug Metab Dispos.* 23: 1202-1205.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Garrett, CM. (1996). A species comparison of chloral hydrate metabolism in blood and liver. *Biochem Biophys Res Commun.* 227: 340-350. <http://dx.doi.org/10.1006/bbrc.1996.1511>.
- Lipscomb, JC; Teuschler, LK; Swartout, J; Popken, D; Cox, T; Kedderis, GL. (2003). The impact of cytochrome P450 2E1-dependent metabolic variance on a risk-relevant pharmacokinetic outcome in humans. *Risk Anal.* 23: 1221-1238. <http://dx.doi.org/10.1111/j.0272-4332.2003.00397.x>.
- Lipson, DS; Kueper, BH; Gefell, MJ. (2005). Matrix diffusion-derived plume attenuation in fractured bedrock. *Ground Water.* 43: 30-39.
- Little, JC; Daisey, JM; Nazaroff, WW. (1992). Transport of subsurface contaminants into buildings: An exposure pathway for volatile organics. *Environ Sci Technol.* 26: 2058-2066. <http://dx.doi.org/10.1021/es00035a001>.
- Litz, N. (1993). The behavior of organic compounds in soils: A predicting system for environment risk assessment. *Z Pflanzenernaehr Bodenkd.* 156: 203-208.
- Liu, BY; Cheng, YC. (1984). GROWTH AND CHARACTERIZATION OF THIN GATE OXIDES BY DUAL TCE PROCESS. *J Electrochem Soc.* 131: 683-686.
- Liu, C; Li, X; Ma, B; Qin, A; He, C. (2014). Removal of water contaminants by nanoscale zero-valent iron immobilized in PAN-based oxidized membrane. *Appl Surf Sci.* 321: 158-165. <http://dx.doi.org/10.1016/j.apsusc.2014.09.202>.
- Liu, C; Xu, X; Fan, J. (2015). Accelerated anaerobic dechlorination of DDT in slurry with Hydragric Acrisols using citric acid and anthraquinone-2,6-disulfonate (AQDS). *J Environ Sci.* 38: 87-94. <http://dx.doi.org/10.1016/j.jes.2015.05.005>.
- Liu, CC; Liao, SF; Tseng, DH. (2006). Effects of the electrode arrangements on reductive dechlorination of trichloroethylene in an electro-enhanced iron wall. *Environ Technol.* 27: 683-693.
- Liu, CC; Tseng, DH; Wang, CY. (2006). Effects of ferrous ions on the reductive dechlorination of trichloroethylene by zero-valent iron. *J Hazard Mater.* 136: 706-713. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.045>.
- Liu, CS; Higgins, CP; Wang, F; Shih, K. (2012). Effect of temperature on oxidative transformation of perfluorooctanoic acid (PFOA) by persulfate activation in water. *Separation and Purification Technology.* 91: 46-51. <http://dx.doi.org/10.1016/j.seppur.2011.09.047>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Liu, CS; Kuo, M; Su, CY; Chen, YC; Cheng, WC; Chou, CY; Liang, KF; Han, YL; Lin, CH. (2013). A bacteria injection scheme for in situ bioaugmentation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 48: 1079-1085. <http://dx.doi.org/10.1080/10934529.2013.774601>.
- Liu, CX; Ball, WP. (1999). Application of inverse methods to contaminant source identification from aquitard diffusion profiles at Dover AFB, Delaware. *Water Resour Res.* 35: 1975-1985.
- Liu, CX; Ball, WP. (2002). Back diffusion of chlorinated solvent contaminants from a natural aquitard to a remediated aquifer under well-controlled field conditions: Predictions and measurements. *Ground Water.* 40: 175-184.
- Liu, CY; Cade-Menun, BJ; Xu, XH; Fan, JL. (2016). Electron Donor Substances and Iron Oxides Stimulate Anaerobic Dechlorination of DDT in a Slurry System with Hydragic Acrisols. *J Environ Qual.* 45: 331-340. <http://dx.doi.org/10.2134/jeq2015.07.0406>.
- Liu, D; Lei, Y; Yang, B; Yu, Q; Li, Z. (2013). Direct electron transfer from electrode to electrochemically active bacteria in a bioelectrochemical dechlorination system. *Bioresour Technol.* 148: 9-14. <http://dx.doi.org/10.1016/j.biortech.2013.08.108>.
- Liu, E; Jelinek, J; Pastore, YD; Guan, Y; Prchal, JF; Prchal, JT. (2003). Discrimination of polycythemia and thrombocytoses by novel, simple, accurate clonality assays and comparison with PRV-1 expression and BFU-E response to erythropoietin. *Blood.* 101: 3294-3301. <http://dx.doi.org/10.1182/blood-2002-07-2287>.
- Liu, EH; Richard, BM. (2000). Drawover anaesthesia for cleft palate and lip surgery in Pokhara, Nepal. *Trop Doct.* 30: 78-81.
- Liu, F; Yang, J; Zuo, J; Ma, D; Gan, L; Xie, B; Wang, P; Yang, B. (2014). Graphene-supported nanoscale zero-valent iron: removal of phosphorus from aqueous solution and mechanistic study. *J Environ Sci.* 26: 1751-1762. <http://dx.doi.org/10.1016/j.jes.2014.06.016>.
- Liu, G, uo; Zhou, Y; Liu, Z; Zhang, J; Tang, B; Yang, S; Sun, C. (2016). Efficient nitrate removal using micro-electrolysis with zero valent iron/activated carbon nanocomposite. *J Chem Tech Biotechnol.* 91: 2942-2949. <http://dx.doi.org/10.1002/jctb.4910>.
- Liu, H; S-A, C; Zhang, J; Cao, C; Jiang, W. (1997). The gas-photocatalytic degradation of trichloroethylene without water. *Chemosphere.* 35: 2881-2889.
- Liu, H; Zhang, J; Gan, N; Chen, Y; Huang, J, ie; Cao, Y; Li, T; Lan, H. (2016). Application of a multifunctional magnetic mesoporous material for seafood sample clean-up prior to the determination of highly chlorinated polychlorinated biphenyls. *RSC Advances.* 6: 183-189. <http://dx.doi.org/10.1039/c5ra21214f>.
- Liu, J, ie. (2009). Clinical Analysis of Seven Cases of Trichloroethylene Medicamentose-like Dermatitis. *Ind Health.* 47: 685-688.
- Liu, J; Drane, W; Liu, X; Wu, T. (2009). Examination of the relationships between environmental exposures to volatile organic compounds and biochemical liver tests: application of canonical correlation analysis. *Environ Res.* 109: 193-199. <http://dx.doi.org/10.1016/j.envres.2008.11.002>.
- Liu, J; He, F; Durham, E; Zhao, D; Roberts, CB. (2008). Polysugar-stabilized Pd nanoparticles exhibiting high catalytic activities for hydrodechlorination of environmentally deleterious trichloroethylene. *Langmuir.* 24: 328-336. <http://dx.doi.org/10.1021/la702731h>.
- Liu, J; Huang, H; Xing, X; Xi, R; Zhuang, Z; Yuan, J; Yang, F; Zhao, J. (2007). Comparative proteomic analysis on human L-02 liver cells treated with varying concentrations of trichloroethylene. *Toxicol Ind Health.* 23: 91-101. <http://dx.doi.org/10.1177/0748233707078223>.
- Liu, J; Huang, ZH; Wang, ZS; Kang, FY. (2004). Gas phase trichloroethylene removal at low concentration using activated carbon fiber. *J Environ Sci.* 16: 53-55.
- Liu, J; Yang, Y, i; Feng, K; Lu, D. (2009). Study on the effect of current on reactive sintering of the W-C-Co mixture under an electric field. *J Alloy Comp.* 476: 207-212. <http://dx.doi.org/10.1016/j.jallcom.2008.09.066>.
- Liu, JB; Amemiya, T; Chang, Q; Xu, X; Itoh, K. (2011). Real-time reverse transcription PCR analysis of trichloroethylene-regulated toluene dioxygenase expression in *Pseudomonas putida* F1. *J Environ Sci Health B.* 46: 294-300. <http://dx.doi.org/10.1080/03601234.2011.559877>.
- Liu, JB; Crittenden, JC; Hand, DW; Perram, DL. (1996). Regeneration of adsorbents using heterogeneous photocatalytic oxidation. *J Environ Eng.* 122: 707-713.
- Liu, JD, i; Zhang, TT; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2016). The effect of microstructural properties of CoCr2O4 spinel oxides on catalytic combustion of dichloromethane. *Appl Surf Sci.* 369: 58-66. <http://dx.doi.org/10.1016/j.apsusc.2016.02.036>.
- Liu, JJY; Bai, CL; Williamson, AM; Qu, SX; Hamdan, H; Stacey, NH. (1996). Individual serum bile acids in apprentice spray painters in association with solvent exposure. *Int Arch Occup Environ Health.* 69: 21-26.
- Liu, M; Gross, G. (2010). Application of substitutability in congestion relief. *International Journal of Electrical Power & Energy Systems.* 32: 187-193. <http://dx.doi.org/10.1016/j.ijepes.2009.07.007>.
- Liu, M; Zheng, J; Liu, Q; Xu, S; Wu, M; Xue, Q; Yan, Z; Xiao, H; Wei, Z; Zhu, H. (2013). The preparation, load and photocatalytic performance of N-doped and CdS-coupled TiO2. *RSC Advances.* 3: 9483-9489. <http://dx.doi.org/10.1039/c3ra40288f>.
- Liu, P; Long, C; Li, Q; Qian, H; Li, A; Zhang, Q. (2009). Adsorption of trichloroethylene and benzene vapors onto hypercrosslinked polymeric resin. *J Hazard Mater.* 166: 46-51. <http://dx.doi.org/10.1016/j.jhazmat.2008.10.124>.
- Liu, S; Jaffrezic, N; Guillard, C. (2008). Size effects in liquid-phase photo-oxidation of phenol using nanometer-sized TiO2 catalysts. *Appl Surf Sci.* 255: 2704-2709. <http://dx.doi.org/10.1016/j.apsusc.2008.07.191>.
- Liu, T, xu; Li, F; Li, XZ. (2008). TiO2 hydrosols with high activity for photocatalytic degradation of formaldehyde in a gaseous phase. *J Hazard Mater.* 152: 347-355. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.003>.
- Liu, T; Li, X; Waite, TD. (2013). Depassivation of Aged Fe-0 by Inorganic Salts: Implications to Contaminant Degradation in Seawater. *Environ Sci Technol.* 47: 7350-7356. <http://dx.doi.org/10.1021/es400362w>.
- Liu, T; Li, X; Waite, TD. (2013). Depassivation of Aged Fe(0) by Ferrous Ions: Implications to Contaminant Degradation. *Environ Sci Technol.* 47: 13712-13720. <http://dx.doi.org/10.1021/es403709v>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Liu, T; Li, X; Waite, TD. (2014). Depassivation of aged Fe 0 by divalent cations: correlation between contaminant degradation and surface complexation constants. *Environ Sci Technol.* 48: 14564-14571. <http://dx.doi.org/10.1021/es503777a>.
- Liu, T, ao; Xu, Q; Zhang, C; Zhang, P. (2013). Occupational exposure to methylene chloride and risk of cancer: a meta-analysis [Review]. *Cancer Causes Control.* 24: 2037-2049. <http://dx.doi.org/10.1007/s10552-013-0283-0>.
- Liu, TY; Zhao, L; Tan, X; Liu, SJ; Li, JJ; Qi, Y; Mao, GZ. (2010). Effects of physicochemical factors on Cr(VI) removal from leachate by zero-valent iron and alpha-Fe(2)O(3) nanoparticles. *Water Sci Technol.* 61: 2759-2767. <http://dx.doi.org/10.2166/wst.2010.167>.
- Liu, W; Xu, L; Li, X; Shen, C; Rashid, S; Wen, Y; Liu, W; Wu, X. (2015). High-dispersive FeS₂ on graphene oxide for effective degradation of 4-chlorophenol. *RSC Advances.* 5: 2449-2456. <http://dx.doi.org/10.1039/c4ra11354c>.
- Liu, X; Chen, Z; Chen, Z; Megharaj, M; Naidu, R. (2013). Remediation of Direct Black G in wastewater using kaolin-supported bimetallic Fe/Ni nanoparticles. *Chem Eng J.* 223: 764-771. <http://dx.doi.org/10.1016/j.cej.2013.03.002>.
- Liu, X; Murdoch, LC; Falta, RW; Tan, T. (2014). Experimental characterization of CVOC removal from fractured clay during boiling. *Int J Heat Mass Tran.* 70: 764-778. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2013.10.052>.
- Liu, X; Zhang, D; Guo, B; Qu, Y, ue; Tian, G, e; Yue, H; Feng, S. (2015). Facile synthesis of mesoporous FeNi-alloyed carbonaceous microspheres as recyclable magnetic adsorbents for trichloroethylene removal. *RSC Advances.* 5: 93491-93498. <http://dx.doi.org/10.1039/c5ra17165b>.
- Liu, Y; Gan, Y; Zhou, A; Liu, C; Li, X; Yu, T. (2014). Carbon and chlorine isotope fractionation during Fenton-like degradation of trichloroethene. *Chemosphere.* 107: 94-100. <http://dx.doi.org/10.1016/j.chemosphere.2014.03.011>.
- Liu, Y; Illangasekare, TH; Kitanidis, PK. (2014). Long-term mass transfer and mixing-controlled reactions of a DNAPL plume from persistent residuals. *J Contam Hydrol.* 157: 11-24. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.008>.
- Liu, Y; Lowry, GV. (2006). Effect of particle age (Fe-o content) and solution pH on NZVI reactivity: H-2 evolution and TCE dechlorination. *Environ Sci Technol.* 40: 6085-6090. <http://dx.doi.org/10.1021/es060685o>.
- Liu, Y; Muralidhara, S; Bruckner, JV; Bartlett, MG. (2008). Optimization, validation and application of a method for the determination of trichloroethylene in rat plasma by headspace solid-phase microextraction gas chromatography mass spectrometry. *Biomed Chromatogr.* 22: 977-984. <http://dx.doi.org/10.1002/bmc.1016>.
- Liu, Y; Phenrat, T; Lowry, GV. (2007). Effect of TCE concentration and dissolved groundwater solutes on NZVI-Promoted TCE dechlorination and H-2 evolution. *Environ Sci Technol.* 41: 7881-7887.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Effects of inorganic anions on carbon isotope fractionation during Fenton-like degradation of trichloroethene. *J Hazard Mater.* 308: 187-191. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.044>.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Variability in carbon isotope fractionation of trichloroethene during degradation by persulfate activated with zero-valent iron: Effects of inorganic anions. *Sci Total Environ.* 548-549: 1-5. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.011>.
- Liu, Y; Zhou, A; Gan, Y; Liu, C; Yu, T; Li, X. (2013). Stable carbon isotope fractionation during trichloroethene degradation in magnetite-catalyzed Fenton-like reaction. *J Contam Hydrol.* 145: 37-43. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.007>.
- Liu, YQ; Choi, H; Dionysiou, D; Lowry, GV. (2005). Trichloroethene hydrodechlorination in water by highly disordered monometallic nanoiron. *Chem Mater.* 17: 5315-5322. <http://dx.doi.org/10.1021/cm0511217>.
- Liu, YQ; Majetich, SA; Tilton, RD; Sholl, DS; Lowry, GV. (2005). TCE dechlorination rates, pathways, and efficiency of nanoscale iron particles with different properties. *Environ Sci Technol.* 39: 1338-1345. <http://dx.doi.org/10.1021/es049195r>.
- Liu, Z; Fang, Q; Yu, WT; Chen, SH; Jiang, MH; Zhang, B; Zhang, JB; Zhu, DB. (2000). Structure and electrical conductivity of (BEDT-TTF)₂HgCl(3) center dot TCE. *Synthetic Metals.* 114: 243-250.
- Liu, ZJ; Arnold, RG; Betterton, EA; Smotkin, E. (2001). Reductive dehalogenation of gas-phase chlorinated solvents using a modified fuel cell. *Environ Sci Technol.* 35: 4320-4326. <http://dx.doi.org/10.1021/es001772y>.
- Llop, S; Ballester, F; Vizcaino, E; Murcia, M; Lopez-Espinosa, MJ; Rebagliato, M; Vioque, J; Marco, A; Grimalt, JO. (2010). Concentrations and determinants of organochlorine levels among pregnant women in Eastern Spain. *Sci Total Environ.* 408: 5758-5767. <http://dx.doi.org/10.1016/j.scitotenv.2010.07.085>.
- L-N, L; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem.* 12: 1377-1393.
- Lo, C, hoC; Hung, CH; Yuan, CS; Wu, J, enF. (2007). Photoreduction of carbon dioxide with H-2 and H2O over TiO2 and ZrO2 in a circulated photocatalytic reactor. *Solar Energy Materials and Solar Cells.* 91: 1765-1774. <http://dx.doi.org/10.1016/j.solmat.2007.06.003>.
- Lo, IMC; Lam, CSC; Lai, KCK. (2005). Competitive effects of trichloroethylene on Cr(VI) removal by zero-valent iron. *J Environ Eng.* 131: 1598-1606. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:11\(1598\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:11(1598)).
- Lo, W, eiC; Sposito, G; Huang, Y, uHan. (2012). Modeling seismic stimulation: Enhanced non-aqueous fluid extraction from saturated porous media under pore-pressure pulsing at low frequencies. *Journal of Applied Geophysics.* 78: 77-84. <http://dx.doi.org/10.1016/j.jappgeo.2011.06.027>.
- Lock, E; Reed, C; Mcmillan, J; Oatis, J; Schnellmann, R. (2007). Lack of formic acid production in rat hepatocytes and human renal proximal tubule cells exposed to chloral hydrate or trichloroacetic acid. *Toxicology.* 230: 234-243. <http://dx.doi.org/10.1016/j.tox.2006.11.055>.
- Locke, MA; Reddy, KN; Gaston, LA; Zablotowicz, RM. (2002). Adjuvant modification of herbicide interactions in aqueous soil suspensions. *Soil Sci.* 167: 444-452.
- Lockey, J; Kelly, C; Cannon, G; Colby, T; Aldrich, V; Livingston, G. (1987). Progressive systemic sclerosis associated with exposure to trichloroethylene. *J Occup Med.* 29: 493-496.
- Loeber, C; Hendrix, M; Diez De Pinos, S; Goldberg, S. (1988). Trichloroethylene: A cardiac teratogen in developing chick embryos. *Pediatr Res.* 24: 740-744. <http://dx.doi.org/10.1203/00006450-198812000-00018>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Loeber, C; Runyan, R. (1990). A comparison of fibronectin, laminin, and galactosyltransferase adhesion mechanisms during embryonic cardiac mesenchymal cell migration in vitro. *Dev Biol.* 140: 401-412. [http://dx.doi.org/10.1016/0012-1606\(90\)90089-2](http://dx.doi.org/10.1016/0012-1606(90)90089-2).
- Logue, JM; Small, MJ; Stern, D; Maranche, J; Robinson, AL. (2010). Spatial variation in ambient air toxics concentrations and health risks between industrial-influenced, urban, and rural sites. *Journal of the Air and Waste Management Association.* 60: 271-286. <http://dx.doi.org/10.3155/1047-3289.60.3.271>.
- Lohse, S; Rosentreter, JJ. (2006). Photooxidation of aqueous trichloroethylene using a buoyant photocatalyst with reaction progress monitored via micro-headspace GC/MS. *Microchem J.* 82: 66-72. <http://dx.doi.org/10.1016/j.microc.2005.09.002>.
- Lojkasek-Lima, P; Aravena, R; Parker, BL; Cherry, JA. (2012). Fingerprinting TCE in a Bedrock Aquifer Using Compound-Specific Isotope Analysis. *Ground Water.* 50: 754-764. <http://dx.doi.org/10.1111/j.1745-6584.2011.00897.x>.
- Lojkasek-Lima, P; Aravena, R; Shouakar-Stash, O; Frappe, SK; Marchesi, M; Fiorenza, S; Vogan, J. (2012). Evaluating TCE abiotic and biotic degradation pathways in a permeable reactive barrier using compound specific isotope analysis. *Ground Water Monitoring and Remediation.* 32: 53-62. <http://dx.doi.org/10.1111/j.1745-6592.2012.01403.x>.
- Lollar, BS; Slater, GF; Ahad, J; Sleep, B; Spivack, J; Brennan, M; Mackenzie, P. (1999). Contrasting carbon isotope fractionation during biodegradation of trichloroethylene and toluene: Implications for intrinsic bioremediation. *Organic Geochemistry.* 30: 813-820.
- Lollar, BS; Slater, GF; Sleep, B; Witt, M; Klecka, GM; Harkness, M; Spivack, J. (2001). Stable carbon isotope evidence for intrinsic bioremediation of tetrachloroethene and trichloroethene at area 6, Dover Air Force Base. *Environ Sci Technol.* 35: 261-269. <http://dx.doi.org/10.1021/es001227x>.
- Long, C; Liu, P; Li, Y; Li, A; Zhang, Q. (2011). Characterization of Hydrophobic Hypercrosslinked Polymer as an Adsorbent for Removal of Chlorinated Volatile Organic Compounds. *Environ Sci Technol.* 45: 4506-4512. <http://dx.doi.org/10.1021/es104250j>.
- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng.* 119: 300-320.
- Long, T; Ramsburg, CA. (2011). Encapsulation of nZVI particles using a Gum Arabic stabilized oil-in-water emulsion. *J Hazard Mater.* 189: 801-808. <http://dx.doi.org/10.1016/j.jhazmat.2011.02.084>.
- Longnecker, M; Klebanoff, M; Dunson, D; Guo, X; Chen, Z; Zhou, H; Brock, J. (2005). Maternal serum level of the DDT metabolite DDE in relation to fetal loss in previous pregnancies. *Environ Res.* 97: 127-133. [http://dx.doi.org/10.1016/S0013-9351\(03\)00108-7](http://dx.doi.org/10.1016/S0013-9351(03)00108-7).
- Longnecker, MP; Gladen, BC; Cupul-Uicab, LA; Romano-Riquer, SP; Weber, JP; Chapin, RE; Hernández-Avila, M. (2007). In utero exposure to the antiandrogen 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) in relation to anogenital distance in male newborns from Chiapas, México. *Am J Epidemiol.* 165: 1015-1022. <http://dx.doi.org/10.1093/aje/kwk109>.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol.* 74: 133-144. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.007>.
- Lookman, R; Paulus, D; Marnette, E; Pijls, C; Ryngaert, A; Diels, L; Volkering, F. (2007). Ground water transfer initiates complete reductive dechlorination in a PCE-contaminated aquifer. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Loomer, DB; Al, T; Banks, VJ; Parker, BL; Mayer, KU. (2010). Manganese Valence in Oxides Formed from in Situ Chemical Oxidation of TCE by KMnO4. *Environ Sci Technol.* 44: 5934-5939. <http://dx.doi.org/10.1021/es100879w>.
- Loomer, DB; Al, T; Banks, VJ; Parker, BL; Mayer, KU. (2011). Manganese and trace-metal mobility under reducing conditions following in situ oxidation of TCE by KMnO4: A laboratory column experiment. *J Contam Hydrol.* 119: 13-24. <http://dx.doi.org/10.1016/j.jconhyd.2010.08.005>.
- Lope, V; Pérez-Gómez, B; Aragonés, N; López-Abente, G; Gustavsson, P; Plato, N; Silva-Mato, A; Pollán, M. (2009). Occupational exposure to chemicals and risk of thyroid cancer in Sweden. *Int Arch Occup Environ Health.* 82: 267-274. <http://dx.doi.org/10.1007/s00420-008-0314-4>.
- Lopes, FVS; Miranda, SM; Monteiro, RAR; Martins, SDS; Silva, AMT; Faria, JL; Boaventura, R; Vilar, VJP. (2013). Perchloroethylene gas-phase degradation over titania-coated transparent monoliths. *Appl Catal B-Environ.* 140: 444-456. <http://dx.doi.org/10.1016/j.apcatb.2013.04.034>.
- Lopes, TJ; Bender, DA. (1998). Nonpoint sources of volatile organic compounds in urban areas--relative importance of land surfaces and air. *Environ Pollut.* 101: 221-230. [http://dx.doi.org/10.1016/S0269-7491\(98\)00048-7](http://dx.doi.org/10.1016/S0269-7491(98)00048-7).
- Lopez, E; Diez, FV; Ordóñez, S. (2008). Effect of organosulphur, organonitrogen and organooxygen compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al2O3. *Appl Catal B-Environ.* 82: 264-272. <http://dx.doi.org/10.1016/j.apcatb.2008.02.001>.
- Lopez, E; Ordóñez, S; Diez, FV. (2003). Inhibition effects of organosulphur compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al2O3 catalysts. *Catalysis Today.* 84: 121-127. [http://dx.doi.org/10.1016/S0920-5861\(03\)00265-7](http://dx.doi.org/10.1016/S0920-5861(03)00265-7).
- Lopez-Carrillo, L; Torres-Sanchez, L; Moline, J; Ireland, K; Wolff, MS. (2001). Breast-feeding and serum p,p'DDT levels among Mexican women of childbearing age: a pilot study. *Environ Res.* 87: 131-135. <http://dx.doi.org/10.1006/enrs.2001.4296>.
- Lopez-Espinosa, MJ; Vizcaino, E; Murcia, M; Fuentes, V; Garcia, AM; Rebagliato, M; Grimalt, JO; Ballester, F. (2010). Prenatal exposure to organochlorine compounds and neonatal thyroid stimulating hormone levels. *J Expo Sci Environ Epidemiol.* 20: 579-588. <http://dx.doi.org/10.1038/jes.2009.47>.
- Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Alvarez-Urriarte, JI; Gonzalez-Velasco, JR. (2001). Comparative study of the oxidative decomposition of trichloroethylene over H-type zeolites under dry and humid conditions. *Appl Catal B-Environ.* 30: 303-313.
- Lopez-Fonseca, R; de Rivas, B; Gutierrez-Ortiz, JI; Aranzabal, A; Gonzalez-Velasco, JR. (2003). Enhanced activity of zeolites by chemical dealumination for chlorinated VOC abatement. *Appl Catal B-Environ.* 41: 31-42.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Ayastui, JL; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Gas-phase catalytic combustion of chlorinated VOC binary mixtures. *Appl Catal B-Environ*. 45: 13-21. [http://dx.doi.org/10.1016/S0926-3373\(03\)00106-1](http://dx.doi.org/10.1016/S0926-3373(03)00106-1).
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2002). Dealuminated Y zeolites for destruction of chlorinated volatile organic compounds. *J Catal*. 209: 145-150. <http://dx.doi.org/10.1006/jcat.2002.3591>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Application of zeolite catalysts for the abatement of chlorinated VOCs from waste streams. *Chem Paper Chem Zvesti*. 57: 413-420.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol*. 78: 15-22. <http://dx.doi.org/10.1002/jctb.726>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2005). Catalytic oxidation of aliphatic chlorinated volatile organic compounds over Pt/H-BETA zeolite catalyst under dry and humid conditions. *Catalysis Today*. 107-08: 200-207. <http://dx.doi.org/10.1016/j.cattod.2005.07.091>.
- Lopez-Forlaseca, R; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2004). Catalytic combustion of chlorinated hydrocarbons over H-BETA and PdO/H-BETA zeolite catalysts. *Appl Catal A-Gen*. 271: 39-46. <http://dx.doi.org/10.1016/j.apcata.2004.02.044>.
- Lopez-Naranjo, EJ; Gonzalez-Ortiz, LJ; Apatiga, LM; Rivera-Munoz, EM; Manzano-Ramirez, A. (2016). Transparent Electrodes: A Review of the Use of Carbon-Based Nanomaterials. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2016/4928365>.
- Lorah, MM; Olsen, LD. (1999). Degradation of 1,1,2,2-tetrachloroethane in a freshwater tidal wetland: Field and laboratory evidence. *Environ Sci Technol*. 33: 227-234.
- Lorah, MM; Olsen, LD. (1999). Natural attenuation of chlorinated volatile organic compounds in a freshwater tidal wetland: Field evidence of anaerobic biodegradation. *Water Resour Res*. 35: 3811-3827.
- Loraine, GA. (2001). Effects of alcohols, anionic and nonionic surfactants on the reduction of PCE and TCE by zero-valent iron. *Water Res*. 35: 1453-1460.
- Lorden, SW; Chen, W; Lion, LW. (1998). Experiments and modeling of the transport of trichloroethene vapor in unsaturated aquifer material. *Environ Sci Technol*. 32: 2009-2017.
- Lorefice, S; di Meane, EA; Segal, M. (2010). Stability assessment of density reference liquids supported by GC-MS analysis (density reference liquids stability supported by GC-MS). *Measurement*. 43: 637-644. <http://dx.doi.org/10.1016/j.measurement.2010.01.005>.
- Lorimore, SA; Coates, PJ; Wright, EG. (2003). Radiation-induced genomic instability and bystander effects: Inter-related nontargeted effects of exposure to ionizing radiation [Review]. *Oncogene*. 22: 7058-7069. <http://dx.doi.org/10.1038/sj.onc.1207044>.
- Lou, JC; Hung, CM; Yang, BY. (2004). Catalytic destruction of dichloromethane using perovskite-type oxide catalysts. *Journal of the Air and Waste Management Association*. 54: 727-740.
- Louarn, E; Aulenta, F; Levantesi, C; Majone, M; Tandoi, V. (2006). Modeling substrate interactions during aerobic biodegradation of mixtures of vinyl chloride and ethene. *J Environ Eng*. 132: 940-948. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:8\(940\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:8(940)).
- Love, OT, Jr; Eilers, RG. (1982). Treatment of drinking water containing trichloroethylene and related industrial solvents. *J Am Water Works Assoc*. 74: 413-425.
- Lovett-Doust, J; Lovett-Doust, L; Biernacki, M; Mal, TK; Lazar, R. (1997). Organic contaminants in submersed macrophytes drifting in the Detroit River. *Can J Fish Aquat Sci*. 54: 2417-2427.
- Lowe, KS; Gardner, FG; Siegrist, RL. (2002). Field evaluation of in situ chemical oxidation through vertical well-to-well recirculation of NaMnO4. *Ground Water Monitoring and Remediation*. 22: 106-115.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol*. 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.
- Lowry, GV; Reinhard, M. (2000). Pd-catalyzed TCE dechlorination in groundwater: Solute effects, biological control, and oxidative catalyst regeneration. *Environ Sci Technol*. 34: 3217-3223.
- Lowry, GV; Reinhard, M. (2001). Pd-catalyzed TCE dechlorination in water: Effect of [H₂](aq) and H₂-utilizing competitive solutes on the TCE dechlorination rate and product distribution. *Environ Sci Technol*. 35: 696-702.
- Lu, AH; Liu, J; Zhao, D; Guo, YJ; Li, QR; Li, N. (2004). Photocatalysis of V-bearing rutile on degradation of halohydrocarbons. *Catalysis Today*. 90: 337-342. <http://dx.doi.org/10.1016/j.cattod.2004.04.044>.
- Lu, B; Chen, G; Chen, D; Yu, W. (2016). An energy intensity optimization model for production system in iron and steel industry. *Applied Thermal Engineering*. 100: 285-295. <http://dx.doi.org/10.1016/j.applthermaleng.2016.01.064>.
- Lu, C; Bjerg, PL; Zhang, F; Broholm, MM. (2011). Sorption of chlorinated solvents and degradation products on natural clayey tills. *Chemosphere*. 83: 1467-1474. <http://dx.doi.org/10.1016/j.chemosphere.2011.03.007>.
- Lu, C; Holbrook, CM; Andres, L. (2010). The Implications of Using a Physiologically Based Pharmacokinetic (PBPK) Model for Pesticide Risk Assessment. *Environ Health Perspect*. 118: 125-130. <http://dx.doi.org/10.1289/ehp.0901144>.
- Lu, C, uiFen; Xie, C; Chen, Z, uX; Yang, G, uiC. (2006). Synthesis and investigation of PEG-supported amino dendrimers. *React Funct Polym*. 66: 952-956. <http://dx.doi.org/10.1016/j.reactfunctpolym.2006.01.004>.
- Lu, CJ; Lee, CM; Chung, MS. (1998). The comparison of trichloroethylene removal rates by methane- and aromatic-utilizing microorganisms. *Water Sci Technol*. 38: 19-24.
- Lu, H; Liu, JH; Li, W; Chen, KJ; Huang, XF. (1999). An investigation of the properties of silicon oxide prepared by oxidation of silicon in chlorine-containing ambients at 850 degrees C. *Mater Lett*. 38: 308-312.
- Lu, JA; Yang, H; Chen, SK; Shi, L; Pen, JG; Li, HL; Peng, SY. (1996). Synthesis of HFC-134a over CrF₃/AlF₃ catalysts. *Catalysis Letters*. 41: 221-224.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lu, P; Qian, L; Chu, Z; Xu, X. (2016). Role of Opportunism and Trust in Construction Projects: Empirical Evidence from China. *Journal of Management in Engineering*. 32. [http://dx.doi.org/10.1061/\(ASCE\)ME.1943-5479.0000401](http://dx.doi.org/10.1061/(ASCE)ME.1943-5479.0000401).
- Lu, Q; de Toledo, RA; Xie, F; Li, J; Shim, H. (2015). Combined removal of a BTEX, TCE, and cis-DCE mixture using *Pseudomonas* sp. immobilized on scrap tyres. *Environ Sci Pollut Res Int*. 22: 14043-14049. <http://dx.doi.org/10.1007/s11356-015-4644-y>.
- Lu, X; Wilson, JT; Kampbell, DH. (2006). Relationship between geochemical parameters and the occurrence of Dehalococcoides DNA in contaminated aquifers. *Water Resour Res*. 42. <http://dx.doi.org/10.1029/2005WR004283>.
- Lu, X; Wilson, JT; Kampbell, DH. (2009). Comparison of an assay for Dehalococcoides DNA and a microcosm study in predicting reductive dechlorination of chlorinated ethenes in the field. *Environ Pollut*. 157: 809-815. <http://dx.doi.org/10.1016/j.envpol.2008.11.015>.
- Lu, X; Wilson, JT; Shen, H; Henry, BM; Kampbell, DH. (2008). Remediation of TCE-contaminated groundwater by a permeable reactive barrier filled with plant mulch (Biowall). *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 43: 24-35. <http://dx.doi.org/10.1080/10934520701750421>.
- Lu, XJ; Sun, YW; Petersen, JN. (2003). Analytical solutions of TCE transport with convergent reactions. *Transport in Porous Media*. 51: 211-225.
- Lu, XJ; Sun, YW; Petersen, JN. (2004). Analytical solutions of TCE transport with convergent reactions, *Transport in Porous Media* 51, 211-225, 2003. *Transport in Porous Media*. 55: 255-255.
- Lu, XX; Li, GH; Tao, S; Bosma, T; Gerritse, J. (2002). Volatile fatty acids as electron donors for the reductive dechlorination of chloroethenes. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 37: 439-449.
- Lu, XX; Tao, S; Bosma, T; Gerritse, J. (2001). Characteristic hydrogen concentrations for various redox processes in batch study. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 1725-1734.
- Luan, J; Ma, K, un; Wang, S, hu; Hu, Z; Li, Y; Pan, B. (2010). Research on Photocatalytic Degradation Pathway and Degradation Mechanisms of Organics. *Current Organic Chemistry*. 14: 645-682.
- Lubicki, P; Cross, JD; Jayaram, S. (1998). Removal of volatile organic compounds in water using low-energy electron beam. *I E E E Transactions on Dielectrics and Electrical Insulation*. 5: 219-224.
- Lucia, A; Finger, EJ. (2004). Co-solvent selection and recovery. *Adv Environ Res*. 8: 197-211. [http://dx.doi.org/10.1016/S1093-0191\(02\)00132-6](http://dx.doi.org/10.1016/S1093-0191(02)00132-6).
- Luciano, A; Viotti, P; Papini, MP. (2012). On Morphometric Properties of DNAPL Sources: Relating Architecture to Mass Reduction. *Water Air Soil Pollut*. 223: 2849-2864. <http://dx.doi.org/10.1007/s11270-011-1071-7>.
- Lucio-Ortiz, CJ; Rivera De la Rosa, J; Hernandez Ramirez, A; De Los Reyes Heredia, JA; del Angel, P, az; Munoz-Aguirre, S; De Leon-Covian, LM. (2011). Synthesis and characterization of Fe doped mesoporous Al₂O₃ by sol-gel method and its use in trichloroethylene combustion. *Journal of Sol-Gel Science and Technology*. 58: 374-384. <http://dx.doi.org/10.1007/s10971-011-2403-1>.
- Luebke, RW; Chen, DH; Dietert, R; Yang, Y; King, M; Luster, MI. (2006). The comparative immunotoxicity of five selected compounds following developmental or adult exposure [Review]. *J Toxicol Environ Health B Crit Rev*. 9: 1-26. <http://dx.doi.org/10.1080/15287390500194326>.
- Luecke, RH; Pearce, BA; Wosilait, WD; Doerge, DR; Slikker, W; Young, JF. (2008). Windows based general PBPK/PD modeling software. *Comput Biol Med*. 38: 962-978. <http://dx.doi.org/10.1016/j.combiomed.2008.06.001>.
- Luedde, T; Beraza, N; Kotsikoris, V; van Loo, G; Nenci, A; De Vos, R; Roskams, T; Trautwein, C; Pasparakis, M. (2007). Deletion of NEMO/IKKgamma in liver parenchymal cells causes steatohepatitis and hepatocellular carcinoma. *Cancer Cell*. 11: 119-132. <http://dx.doi.org/10.1016/j.ccr.2006.12.016>.
- Lukavsky, J; Furnadzhieva, S; Ditttr, F. (2011). Toxicity of Trichloroethylene (TCE) on Some Algae and Cyanobacteria. *Bull Environ Contam Toxicol*. 86: 226-231. <http://dx.doi.org/10.1007/s00128-011-0195-1>.
- Lumpkin, MH; Bruckner, JV; Campbell, JL; Dallas, CE; White, CA; Fisher, JW. (2003). Plasma binding of trichloroacetic acid in mice, rats, and humans under cancer bioassay and environmental exposure conditions. *Drug Metab Dispos*. 31: 1203-1207. <http://dx.doi.org/10.1124/dmd.31.10.1203>.
- Lund, SP; Kristiansen, GB. (2008). Hazards to hearing from combined exposure to toluene and noise in rats. *Int J Occup Med Environ Health*. 21: 47-57. <http://dx.doi.org/10.2478/v10001-008-0008-x>.
- Lundberg, I; Alfredsson, L; Plato, N; Sverdrup, B; Klareskog, L; Kleinau, S. (1994). Occupation, occupational exposure to chemicals and rheumatological disease: A register based cohort study. *Scand J Rheumatol*. 23: 305-310. <http://dx.doi.org/10.3109/03009749409099278>.
- Lundgren, B; DePierre, JW. (1989). Proliferation of peroxisomes and induction of cytosolic and microsomal epoxide hydrolases in different strains of mice and rats after dietary treatment with clofibrate. *Xenobiotica*. 19: 867-881.
- Lundgren, B; Meijer, J; DePierre, JW. (1987). Induction of cytosolic and microsomal epoxide hydrolases and proliferation of peroxisomes and mitochondria in mouse liver after dietary exposure to p-chlorophenoxyacetic acid, 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid. *Biochem Pharmacol*. 36: 815-821. [http://dx.doi.org/10.1016/0006-2952\(87\)90169-9](http://dx.doi.org/10.1016/0006-2952(87)90169-9).
- Luo; Pawliszyn. (2000). Membrane extraction with a sorbent interface for headspace monitoring of aqueous samples using a cap sampling device. *Anal Chem*. 72: 1058-1063.
- Luo, F; Chen, Z; Megharaj, M; Naidu, R. (2016). Simultaneous removal of trichloroethylene and hexavalent chromium by green synthesized agarose-Fe nanoparticles hydrogel. *Chem Eng J*. 294: 290-297. <http://dx.doi.org/10.1016/j.cej.2016.03.005>.
- Luo, H; Jin, S; Fallgren, PH; Colberg, PJS; Johnson, PA. (2010). Prevention of iron passivation and enhancement of nitrate reduction by electron supplementation. *Chem Eng J*. 160: 185-189. <http://dx.doi.org/10.1016/j.cej.2010.03.036>.
- Luo, J; Farrell, J. (2003). Examination of hydrophobic contaminant adsorption in mineral micropores with grand canonical Monte Carlo simulations. *Environ Sci Technol*. 37: 1775-1782. <http://dx.doi.org/10.1021/es0260014>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech.* 10: 77-84. <http://dx.doi.org/10.1007/s13762-012-0082-2>.
- Luo, J; Suib, SL; Hayashi, Y; Matsumoto, H. (2000). Water splitting in low-temperature AC plasmas at atmospheric pressure. *Res Chem Intermed.* 26: 849-874.
- Luo, J; Suib, SL; Marquez, M; Hayashi, Y; Matsumoto, H. (1998). Decomposition of NO_x with low-temperature plasmas at atmospheric pressure: Neat and in the presence of oxidants, reductants, water, and carbon dioxide. *J Phys Chem A.* 102: 7954-7963.
- Luo, M; Mazyar, OA; Zhu, Q; Vaughn, MW; Hase, WL; Dai, LL. (2006). Molecular dynamics simulation of nanoparticle self-assembly at a liquid-liquid interface. *Langmuir.* 22: 6385-6390. <http://dx.doi.org/10.1021/la0607196>.
- Luo, M; Song, Y; Dai, LL. (2009). Effects of methanol on nanoparticle self-assembly at liquid-liquid interfaces: a molecular dynamics approach. *J Chem Phys.* 131: 194703. <http://dx.doi.org/10.1063/1.3258344>.
- Luo, M; Yuan, S; Tong, M; Liao, P; Xie, W; Xu, X. (2014). An integrated catalyst of Pd supported on magnetic Fe₃O₄ nanoparticles: simultaneous production of H₂O₂ and Fe²⁺ for efficient electro-Fenton degradation of organic contaminants. *Water Res.* 48: 190-199. <http://dx.doi.org/10.1016/j.watres.2013.09.029>.
- Luo, Q. (2014). Oxidative treatment of aqueous monochlorobenzene with thermally-activated persulfate. 8: 188-194. <http://dx.doi.org/10.1007/s11783-013-0544-x>.
- Luo, S, i; Lu, T; Peng, L; Shao, J; Zeng, Q; Gu, J, iD. (2014). Synthesis of nanoscale zero-valent iron immobilized in alginate microcapsules for removal of Pb(II) from aqueous solution. 2: 15463-15472. <http://dx.doi.org/10.1039/c4ta02920h>.
- Luo, S, i; Yang, S; Wang, X; Sun, C. (2010). Reductive degradation of tetrabromobisphenol A over iron-silver bimetallic nanoparticles under ultrasound radiation. *Chemosphere.* 79: 672-678. <http://dx.doi.org/10.1016/j.chemosphere.2010.02.011>.
- Luo, X; Li, R, an; Zong, J; Zhang, Y; Li, H; Zhang, T, ao. (2014). Enhanced degradation of azo dye by nanoporous-copper-decorated Mg-Cu-Y metallic glass powder through dealloying pretreatment. *Appl Surf Sci.* 305: 314-320. <http://dx.doi.org/10.1016/j.apsusc.2014.03.069>.
- Luo, XW; Foo, SC; Ong, HY. (1997). Serum DDT and DDE levels in Singapore general population. *Sci Total Environ.* 208: 97-104.
- Luo, Y; Gao, Q; Yang, X. (2007). Dynamic modeling of chemical fate and transport in multimedia environments at watershed scale-II: trichloroethylene test case. *J Environ Manage.* 83: 56-65. <http://dx.doi.org/10.1016/j.jenvman.2006.01.018>.
- Luo, Y; Ollis, DF. (1996). Heterogeneous photocatalytic oxidation of trichloroethylene and toluene mixtures in air: Kinetic promotion and inhibition, time-dependent catalyst activity. *J Catal.* 163: 1-11.
- Luo, Y; Zou, L; Hu, E. (2006). Enhanced degradation efficiency of toluene using titania/silica photocatalysis as a regeneration process. *Environ Technol.* 27: 359-366.
- Luo, YZ; Adams, M; Pawliszyn, J. (1997). Aqueous sample direct extraction and analysis by membrane extraction with a sorbent interface. *Analyst.* 122: 1461-1469.
- Luo, YZ; Adams, M; Pawliszyn, J. (1998). Kinetic study of membrane extraction with a sorbent interface for air analysis. *Anal Chem.* 70: 248-254.
- Lutz, WK; Gaylor, DW; Conolly, RB; Lutz, RW. (2005). Nonlinearity and thresholds in dose-response relationships for carcinogenicity due to sampling variation, logarithmic dose scaling, or small differences in individual susceptibility [Review]. *Toxicol Appl Pharmacol.* 207: S565-S569. <http://dx.doi.org/10.1016/j.taap.2005.01.038>.
- Lybarger, JA; Lichtveld, MY; Amler, RW. (1999). Biomedical testing of the kidney for persons exposed to hazardous substances in the environment. *Ren Fail.* 21: 263-274. <http://dx.doi.org/10.3109/08860229909085088>.
- Lynch, A; Parry, J. (1993). The cytochalasin-B micronucleus/kinetochore assay in vitro: studies with 10 suspected aneugens. *Mutat Res.* 287: 71-86. [http://dx.doi.org/10.1016/0027-5107\(93\)90146-7](http://dx.doi.org/10.1016/0027-5107(93)90146-7).
- Lyon, WG; West, CC; Osborn, ML; Sewell, GW. (1995). Microbial utilization of vadose zone organic carbon for reductive dechlorination of tetrachloroethene. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 30: 1627-1639.
- Lyons, MA; Yang, RS; Mayeno, AN; Reisfeld, B. (2008). Computational toxicology of chloroform: reverse dosimetry using Bayesian inference, Markov chain Monte Carlo simulation, and human biomonitoring data. *Environ Health Perspect.* 116: 1040-1046. <http://dx.doi.org/10.1289/ehp.11079>.
- Lyu, J; Wang, J; Lu, C; Ma, L, ei; Zhang, Q; He, X; Li, X. (2014). Size-Dependent Halogenated Nitrobenzene Hydrogenation Selectivity of Pd Nanoparticles. *J Phys Chem C.* 118: 2594-2601. <http://dx.doi.org/10.1021/jp411442f>.
- Ma, C; Wu, Y. (2008). Dechlorination of perchloroethylene using zero-valent metal and microbial community. *Environ Geol.* 55: 47-54. <http://dx.doi.org/10.1007/s00254-007-0963-8>.
- Ma, C; Wu, Y; Sun, C; Lee, L. (2007). Adsorption characteristics of perchloroethylene in natural sandy materials with low organic carbon content. *Environ Geol.* 52: 1511-1519. <http://dx.doi.org/10.1007/s00254-006-0595-4>.
- Ma, CM; Ku, Y. (2006). Photocatalytic oxidation of gaseous trichloroethylene by UV/TiO₂ process. 89: 293-301.
- Ma, CM; Ku, Y; Jeng, F, uT; Kuo, Y, uLin. (2007). Effect of platinum on the decomposition efficiency and apparent quantum yield of photocatalysis of isopropanol in an annular photoreactor. *Journal of Advanced Oxidation Technologies.* 10: 361-368.
- Ma, CM; Lee, YW; Hong, GB; Su, TL; Shie, JL; Chang, CT. (2011). Effect of platinum on the photocatalytic degradation of chlorinated organic compound. *J Environ Sci.* 23: 687-692. [http://dx.doi.org/10.1016/S1001-0742\(10\)60480-9](http://dx.doi.org/10.1016/S1001-0742(10)60480-9).
- Ma, CM; Wang, W; Ku, Y; Jeng, FT. (2007). Photocatalytic degradation of benzene in air streams in an optical fiber photoreactor. *Chem Eng Tech.* 30: 1083-1087. <http://dx.doi.org/10.1002/ceat.200700138>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ma, H, ui; Huang, Y; Shen, M; Guo, R, ui; Cao, X; Shi, X. (2012). Enhanced dechlorination of trichloroethylene using electrospun polymer nanofibrous mats immobilized with iron/palladium bimetallic nanoparticles. *J Hazard Mater.* 211: 349-356. <http://dx.doi.org/10.1016/j.jhazmat.2011.11.038>.
- Ma, H, ui; Huang, Y; Shen, M; Hu, D; Yang, H; Zhu, M; Yang, S; Shi, X. (2013). Enhanced decoloration efficacy of electrospun polymer nanofibers immobilized with Fe/Ni bimetallic nanoparticles. *RSC Advances.* 3: 6455-6465. <http://dx.doi.org/10.1039/c3ra20843e>.
- Ma, HW. (2002). Stochastic multimedia risk assessment for a site with contaminated groundwater. *Stoch Environ Res Risk Assess.* 16: 464-478. <http://dx.doi.org/10.1007/s00477-002-0112-6>.
- Ma, HW; Wu, KY; Ton, CD. (2002). Setting information priorities for remediation decisions at a contaminated-groundwater site. *Chemosphere.* 46: 75-81.
- Ma, HZ; O'Loughlin, EJ; Burris, DR. (2001). Factors affecting humic-nickel complex mediated seduction of trichloroethene in homogeneous aqueous solution. *Environ Sci Technol.* 35: 717-724. <http://dx.doi.org/10.1021/es001314p>.
- Ma, J, iaJun; Liu, L, iQiu; Su, B, in; Xie, B, aiC. (2015). Exploring the critical factors and appropriate polices for reducing energy consumption of China's urban civil building sector. *J Clean Prod.* 103: 446-454. <http://dx.doi.org/10.1016/j.jclepro.2014.11.001>.
- Ma, N; Quan, X, ie; Zhang, Y; Chen, S; Zhao, H. (2009). Integration of separation and photocatalysis using an inorganic membrane modified with Si-doped TiO₂ for water purification. *J Memb Sci.* 335: 58-67.
- Ma, R; Hu, P; Jin, L; Wang, Y; Lu, J; Luo, M. (2011). Characterization of CrOx/Al₂O₃ catalysts for dichloromethane oxidation. *Catalysis Today.* 175: 598-602. <http://dx.doi.org/10.1016/j.cattod.2011.04.025>.
- Ma, X; Anand, D; Zhang, X; Talapatra, S. (2011). Adsorption and Desorption of Chlorinated Compounds from Pristine and Thermally Treated Multiwalled Carbon Nanotubes. *J Phys Chem C.* 115: 4552-4557. <http://dx.doi.org/10.1021/jp1117272>.
- Ma, X; Burken, JG. (2002). VOCs fate and partitioning in vegetation: use of tree cores in groundwater analysis. *Environ Sci Technol.* 36: 4663-4668. <http://dx.doi.org/10.1021/es025795j>.
- Ma, X; Burken, JG. (2003). TCE diffusion to the atmosphere in phytoremediation applications. *Environ Sci Technol.* 37: 2534-2539. <http://dx.doi.org/10.1021/es026055d>.
- Ma, X; He, D; Jones, AM; Collins, RN; Waite, TD. (2016). Reductive reactivity of borohydride- and dithionite-synthesized iron-based nanoparticles: A comparative study. *J Hazard Mater.* 303: 101-110. <http://dx.doi.org/10.1016/j.jhazmat.2015.10.009>.
- Ma, X; Novak, PJ; Clapp, LW; Semmens, MJ; Hozalski, RM. (2003). Evaluation of polyethylene hollow-fiber membranes for hydrogen delivery to support reductive dechlorination in a soil column. *Water Res.* 37: 2905-2918. [http://dx.doi.org/10.1016/S0043-1354\(03\)00111-8](http://dx.doi.org/10.1016/S0043-1354(03)00111-8).
- Ma, X; Novak, PJ; Semmens, MJ; Clapp, LW; Hozalski, RM. (2006). Comparison of pulsed and continuous addition of H₂ gas via membranes for stimulating PCE biodegradation in soil columns. *Water Res.* 40: 1155-1166. <http://dx.doi.org/10.1016/j.watres.2006.01.005>.
- Ma, X; Wang, C. (2009). Impacts of the physiochemical properties of chlorinated solvents on the sorption of trichloroethylene to the roots of *Typha latifolia*. *Environ Pollut.* 157: 1019-1023. <http://dx.doi.org/10.1016/j.envpol.2008.10.005>.
- Ma, X; Wang, C. (2010). Fullerene Nanoparticles Affect the Fate and Uptake of Trichloroethylene in Phytoremediation Systems. *Environ Eng Sci.* 27: 989-992. <http://dx.doi.org/10.1089/ees.2010.0141>.
- Ma, XM; Burken, J. (2004). Modeling of RE diffusion to the atmosphere and distribution in plant stems. *Environ Sci Technol.* 38: 4580-4586. <http://dx.doi.org/10.1021/es035435b>.
- Maboya, WK; Coville, NJ; Mhlanga, SD. (2016). The Synthesis of Carbon Nanomaterials using Chlorinated Hydrocarbons over a Fe-Co/CaCO₃ Catalyst. *South African Journal of Chemistry.* 69: 15-26.
- Mabrouk, M; Marchand, M; Baronnet, JM; Lemont, F. (2016). Trichloroethylene Combustion in a Submerged Thermal Plasma: Results and Chemical Kinetics Model. *Plasma Chemistry and Plasma Processing.* 36: 1085-1110. <http://dx.doi.org/10.1007/s11090-016-9693-6>.
- Macca, I; Carrieri, M; Scapellato, ML; Scopa, P; Trevisan, A; Bartolucci, GB. (2012). Biological monitoring of exposure to perchloroethylene in dry cleaning workers. *Med Lav.* 103: 382-393.
- Macchiarini, P. (2006). Primary tracheal tumours [Review]. *Lancet Oncol.* 7: 83-91. [http://dx.doi.org/10.1016/S1470-2045\(05\)70541-6](http://dx.doi.org/10.1016/S1470-2045(05)70541-6).
- Macdonald, N; Holden, PR; Roberts, RA. (1999). Addition of peroxisome proliferator-activated receptor alpha to guinea pig hepatocytes confers increased responsiveness to peroxisome proliferators. *Cancer Res.* 59: 4776-4780.
- Macfarlane, S; Mackay, D. (1998). A fugacity-based screening model to assess contamination and remediation of the subsurface containing non-aqueous phase liquids. *Journal of Soil Contamination.* 7: 17-46.
- Machado, S; Stawinski, W; Slonina, P; Pinto, AR; Grosso, JP; Nouws, HPA; Albergaria, JT; Delerue-Matos, C. (2013). Application of green zero-valent iron nanoparticles to the remediation of soils contaminated with ibuprofen. *Sci Total Environ.* 461: 323-329. <http://dx.doi.org/10.1016/j.scitotenv.2013.05.016>.
- Mackay, DM; Bianchimosquera, G; Kopania, AA; Kianjah, H; Thorbjarnarson, KW. (1994). A FORCED-GRADIENT EXPERIMENT ON SOLUTE TRANSPORT IN THE BORDEN AQUIFER .1. EXPERIMENTAL METHODS AND MOMENT ANALYSES OF RESULTS. *Water Resour Res.* 30: 369-383.
- Mackay, DM; Wilson, RD; Brown, MJ; Ball, WP; Xia, G; Durfee, DP. (2000). A controlled field evaluation of continuous vs. pulsed pump-and-treat remediation of a VOC-contaminated aquifer: site characterization, experimental setup, and overview of results. *J Contam Hydrol.* 41: 81-131.
- Mackay, JM; Fox, V; Griffiths, K; Fox, DA; Howard, CA; Coutts, C; Wyatt, I; Styles, JA. (1995). Trichloroacetic acid: Investigation into the mechanism of chromosomal damage in the in vitro human lymphocyte cytogenetic assay and the mouse bone marrow micronucleus test. *Carcinogenesis.* 16: 1127-1133. <http://dx.doi.org/10.1093/carcin/16.5.1127>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mackenzie, K; Battke, J; Koehler, R; Kopinke, FD. (2005). Catalytic effects of activated carbon on hydrolysis reactions of chlorinated organic compounds - Part 2. 1,1,2,2-tetrachloroethane. *Appl Catal B-Environ*. 59: 171-179. <http://dx.doi.org/10.1016/j.apcatb.2005.02.005>.
- Mackenzie, K; Schierz, A; Georgi, A; Kopinke, FD. (2008). Colloidal activated carbon and carbo-iron - Novel materials for in-situ groundwater treatment. *Global NEST J*. 10: 54-61.
- Mackinnon, LK; Thomson, NR. (2002). Laboratory-scale in situ chemical oxidation of a perchloroethylene pool using permanganate. *J Contam Hydrol*. 56: 49-74.
- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health*. 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Maeda, S; Kamata, H; Luo, JL; Leffert, H; Karin, M. (2005). IKKbeta couples hepatocyte death to cytokine-driven compensatory proliferation that promotes chemical hepatocarcinogenesis. *Cell*. 121: 977-990. <http://dx.doi.org/10.1016/j.cell.2005.04.014>.
- Magana-Lopez, R; Luna-Pabello, VM; Barrera-Godinez, JA; Orta de Velasquez, MT; Fernandez-Villagomez, G. (2016). Effect of mineral aggregates on the morphology and viability of *Toxocara canis* eggs. *Ecol Eng*. 90: 125-134. <http://dx.doi.org/10.1016/j.ecoleng.2016.01.071>.
- Maghsoodi, S; Khodadadi, AA; Towfighi, J; Mortazavi, Y. (2013). Enhanced Trichloroethylene Catalytic Oxidation on Modified Lanthanum Manganite Nano-Perovskites. *Int J Chem React Eng*. 11. <http://dx.doi.org/10.1515/ijcre-2013-0005>.
- Maghsoodi, S; Towfighi, J; Khodadadi, A; Mortazavi, Y. (2013). The effects of excess manganese in nano-size lanthanum manganite perovskite on enhancement of trichloroethylene oxidation activity. *Chem Eng J*. 215: 827-837. <http://dx.doi.org/10.1016/j.cej.2012.11.005>.
- Magnusson, B; Kligman, AM. (1969). The identification of contact allergens by animal assay. The guinea pig maximization test. *J Invest Dermatol*. 52: 268-276. <http://dx.doi.org/10.1038/jid.1969.42>.
- Maguin, K; Campo, P; Parietti-Winkler, C. (2009). Toluene can perturb the neuronal voltage-dependent Ca²⁺ channels involved in the middle-ear reflex. *Toxicol Sci*. 107: 473-481. <http://dx.doi.org/10.1093/toxsci/kfn242>.
- Magureanu, M; Mandache, NB; Hu, JC; Richards, R; Florea, M; Parvulescu, VI. (2007). Plasma-assisted catalysis total oxidation of trichloroethylene over gold nano-particles embedded in SBA-15 catalysts. *Appl Catal B-Environ*. 76: 275-281. <http://dx.doi.org/10.1016/j.apcatb.2007.05.030>.
- Magureanu, M; Mandache, NB; Parvulescu, VI. (2007). Chlorinated organic compounds decomposition in a dielectric barrier discharge. *Plasma Chemistry and Plasma Processing*. 27: 679-690. <http://dx.doi.org/10.1007/s11090-007-9103-1>.
- Magureanu, M; Mandache, NB; Parvulescu, VI; Subrahmanyam, C, h; Renken, A; Kiwi-Minsker, L. (2007). Improved performance of non-thermal plasma reactor during decomposition of trichloroethylene: Optimization of the reactor geometry and introduction of catalytic electrode. *Appl Catal B-Environ*. 74: 270-277. <http://dx.doi.org/10.1016/j.apcatb.2007.02.019>.
- Magureanu, M; Piroi, D; Mandache, NB; Parvulescu, VI; Parvulescu, V; Cojocar, B; Cadigan, C; Richards, R; Daly, H; Hardacre, C. (2011). In situ study of ozone and hybrid plasma Ag-Al catalysts for the oxidation of toluene: Evidence of the nature of the active sites. *Appl Catal B-Environ*. 104: 84-90. <http://dx.doi.org/10.1016/j.apcatb.2011.02.025>.
- Mahal, MK; Murao, A; Johnson, GR; Russo, AE; Brusseau, ML. (2010). NONIDEAL BEHAVIOR DURING COMPLETE DISSOLUTION OF ORGANIC IMMISCIBLE LIQUID: 1. IDEAL POROUS MEDIA. *Water Air Soil Pollut*. 213: 191-197. <http://dx.doi.org/10.1007/s11270-010-0377-1>.
- Mahamuni, NN; Adewuyi, YG. (2010). Advanced oxidation processes (AOPs) involving ultrasound for waste water treatment: A review with emphasis on cost estimation. *Ultrason Sonochem*. 17: 990-1003. <http://dx.doi.org/10.1016/j.ultsonch.2009.09.005>.
- Mahendra, S; Alvarez-Cohen, L. (2006). Kinetics of 1,4-dioxane biodegradation by monoxygenase-expressing bacteria. *Environ Sci Technol*. 40: 5435-5442. <http://dx.doi.org/10.1021/es060714v>.
- Mahendra, S; Grostern, A; Alvarez-Cohen, L. (2013). The impact of chlorinated solvent co-contaminants on the biodegradation kinetics of 1,4-dioxane. *Chemosphere*. 91: 88-92. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.104>.
- Mahesh, KPO; Sivakumar, M; Yamamoto, Y; Tsujita, Y; Yoshimizu, H; Okamoto, S. (2005). Structure and properties of the mesophase of syndiotactic polystyrene - IX. Preferential sorption behavior of sPS-p-chlorotoluene mesophase membrane in a mixture of solvents. *J Memb Sci*. 262: 11-19. <http://dx.doi.org/10.1016/j.memsci.2005.04.002>.
- Mahle, DA; Gearhart, JM; Grigsby, CC; Mattie, DR; Barton, HA; Lipscomb, JC; Cook, RS. (2007). Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Environ Health A*. 70: 1745-1751. <http://dx.doi.org/10.1080/15287390701458991>.
- Mahle, DA; Godfrey, RJ; Buttler, GW; Narayanan, L; Fisher, JW; Taylor, A. (1999). Pharmacokinetics and metabolism of dichloroacetic acid and trichloroacetic acid administered in drinking water in rats and mice. Wright-Patterson AFB, OH: Human Effectiveness Directorate. <http://dodreports.com/pdf/ada453207.pdf>.
- Mahltig, B; Gutmann, E; Meyer, DC. (2011). Solvothermal preparation of nanocrystalline anatase containing TiO₂ and TiO₂/SiO₂ coating agents for application of photocatalytic treatments. *Mater Chem Phys*. 127: 285-291. <http://dx.doi.org/10.1016/j.matchemphys.2011.02.012>.
- Mahmoodlu, MG; Hartog, N; Hassanizadeh, SM; Raoof, A. (2013). Oxidation of volatile organic vapours in air by solid potassium permanganate. *Chemosphere*. 91: 1534-1538. <http://dx.doi.org/10.1016/j.chemosphere.2012.12.035>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N. (2014). Evaluation of the kinetic oxidation of aqueous volatile organic compounds by permanganate. *Sci Total Environ*. 485-486: 755-763. <http://dx.doi.org/10.1016/j.scitotenv.2013.11.066>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N; Raoof, A. (2014). Oxidation of trichloroethylene, toluene, and ethanol vapors by a partially saturated permeable reactive barrier. *J Contam Hydrol*. 164: 193-208. <http://dx.doi.org/10.1016/j.jconhyd.2014.05.013>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N; Raoof, A; van Genuchten, MT. (2015). Evaluation of a horizontal permeable reactive barrier for preventing upward diffusion of volatile organic compounds through the unsaturated zone. *J Environ Manage*. 163: 204-213. <http://dx.doi.org/10.1016/j.jenvman.2015.08.025>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mahmoud, ME; Saad, EA; Soliman, MA, I; Abdelwahab, MS. (2016). Synthesis and surface protection of nano zerovalent iron (NZVI) with 3-aminopropyltrimethoxysilane for water remediation of cobalt and zinc and their radioactive isotopes. *RSC Advances*. 6: 66242-66251. <http://dx.doi.org/10.1039/c6ra11049e>.
- Mahmoud, MHH; Ismail, AA; Sanad, MMS. (2012). Developing a cost-effective synthesis of active iron oxide doped titania photocatalysts loaded with palladium, platinum or silver nanoparticles. *Chem Eng J*. 187: 96-103. <http://dx.doi.org/10.1016/j.cej.2012.01.105>.
- Mahr, AD; Neogi, T; Merkel, PA. (2006). Epidemiology of Wegener's granulomatosis: Lessons from descriptive studies and analyses of genetic and environmental risk determinants [Review]. *Clin Exp Rheumatol*. 24: S82-S91.
- Maia, JL; Cerra, AL; Alves Filho, AG. (2010). Exploring variables of transaction costs in Brazilian automotive supply chains. *Industrial Management + Data Systems*. 110: 567-590. <http://dx.doi.org/10.1108/02635571011039034>.
- Mailhes, J; Aardema, M; Marchetti, F. (1993). Investigation of aneuploidy induction in mouse oocytes following exposure to vinblastine-sulfate, pyrimethamine, diethylstilbestrol diphosphate, or chloral hydrate. *Environ Mol Mutagen*. 22: 107-114. <http://dx.doi.org/10.1002/em.2850220209>.
- Mainhagu, J; Morrison, C; Brusseau, ML. (2015). Using vapor phase tomography to measure the spatial distribution of vapor concentrations and flux for vadose-zone VOC sources. *J Contam Hydrol*. 177-178: 54-63. <http://dx.doi.org/10.1016/j.jconhyd.2015.03.002>.
- Maira, AJ; Lau, WN; Lee, CY; Yue, PL; Chan, CK; Yeung, KL. (2003). Performance of a membrane-catalyst for photocatalytic oxidation of volatile organic compounds. *Chem Eng Sci*. 58: 959-962. [http://dx.doi.org/10.1016/S0009-2509\(02\)00634-6](http://dx.doi.org/10.1016/S0009-2509(02)00634-6).
- Maira, AJ; Yeung, KL; Lee, CY; Yue, PL; Chan, CK. (2000). Size effects in gas-phase photo-oxidation of trichloroethylene using nanometer-sized TiO₂ catalysts. *J Catal*. 192: 185-196.
- Maithreepala, RA; Doong, RA. (2004). Synergistic effect of copper ion on the reductive dechlorination of carbon tetrachloride by surface-bound Fe(II) associated with goethite. *Environ Sci Technol*. 38: 260-268. <http://dx.doi.org/10.1021/es034228k>.
- Maithreepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environ Sci Technol*. 39: 4082-4090. <http://dx.doi.org/10.1021/es048428b>.
- Maitre, A; Hours, M; Bonneterre, V; Arnaud, J; Arslan, MT; Carpentier, P; Bergeret, A; de Gaudemaris, R. (2004). Systemic sclerosis and occupational risk factors: role of solvents and cleaning products. *J Rheumatol*. 31: 2395-2401.
- Majid, A; Sparks, BD; Khan, AA; Xu, JG. (1999). Treatment of used diesel invert drilling mud to remove hydrocarbons, fix lead, and leach brine. *Journal of Soil Contamination*. 8: 255-283.
- Major, D; Edwards, E; Mccarty, P; Gossett, J; Hendrickson, E; Loeffler, F; Zinder, S; Ellis, D; Vidumsky, J; Harkness, M; Klecka, G; Cox, E. (2003). Discussion of environment vs. bacteria or let's play, 'name that bacteria'. *Ground Water Monitoring and Remediation*. 23: 32-+.
- Major, DW; McMaster, ML; Cox, EE; Edwards, EA; Dworatzek, SM; Hendrickson, ER; Starr, MG; Payne, JA; Buonamici, LW. (2002). Field demonstration of successful bioaugmentation to achieve dechlorination of tetrachloroethene to ethene. *Environ Sci Technol*. 36: 5106-5116. <http://dx.doi.org/10.1021/es0255711>.
- Mak, VW; Chatzis, I; Hudgins, RR; Fayed, ME. (2004). Removal of VOCs by sorption in fixed beds of popcorn. *Can J Chem Eng*. 82: 194-197.
- Makarovic, K; Meden, A; Hrovat, M; Holc, J; Bencan, A; Dakskobler, A; Kosec, M. (2012). The Effect of Processing Conditions on the Properties of LTCC Material. *Journal of the American Ceramic Society*. 95: 760-767. <http://dx.doi.org/10.1111/j.1551-2916.2011.05027.x>.
- Malaguerra, F; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ. (2011). Development and Sensitivity Analysis of a Fully Kinetic Model of Sequential Reductive Dechlorination in Groundwater. *Environ Sci Technol*. 45: 8395-8402. <http://dx.doi.org/10.1021/es201270z>.
- Malarkey, DE; Johnson, K; Ryan, L; Boorman, G; Maronpot, RR. (2005). New insights into functional aspects of liver morphology. *Toxicol Pathol*. 33: 27-34. <http://dx.doi.org/10.1080/01926230590881826>.
- Malherbe, P; Alberati-Giani, D; Kohler, C; Cesura, AM. (1995). Identification of a mitochondrial form of kynurenine aminotransferase/glutamine transaminase K from rat brain. *FEBS Lett*. 367: 141-144. [http://dx.doi.org/10.1016/0014-5793\(95\)00546-L](http://dx.doi.org/10.1016/0014-5793(95)00546-L).
- Malinga, SP; Arotiba, OA; Krause, RWM; Mapolie, SF; Diallo, MS; Mamba, BB. (2013). Composite polyester membranes with embedded dendrimer hosts and bimetallic Fe/Ni nanoparticles: synthesis, characterisation and application to water treatment. *J Nanopart Res*. 15. <http://dx.doi.org/10.1007/s11051-013-1698-y>.
- Mallick, KK; Holland, D. (2005). Strengthening of container glasses by ion-exchange dip coating. *Journal of Non-Crystalline Solids*. 351: 2524-2536. <http://dx.doi.org/10.1016/j.jnoncrysol.2005.06.040>.
- Mallick, KK; Holland, D. (2013). A method of surface strengthening of soda lime aluminosilicate glasses by Li and Al ion vapour treatment. *Journal of Materials Science*. 48: 5012-5021. <http://dx.doi.org/10.1007/s10853-013-7288-7>.
- Malocha, DC; Francois-Saint-Cyr, H; Richardson, K; Helmbold, R. (2002). Measurements of LGS, LGN, and LGT thermal coefficients of expansion and density. *IEEE Trans Ultrason Ferroelectr Freq Control*. 49: 350-355.
- Malone, R; Warner, RC; Evangelou, VP; Wong, JL. (1994). TRANSPORT OF BENZENE AND TRICHLOROETHYLENE THROUGH A LANDFILL SOIL LINER MIXED WITH COAL SLURRY. *Waste Manag Res*. 12: 417-428.
- Maltoni, C; Cotti, G. (1986). Results of long-term carcinogenicity bioassays of tetrachloroethylene on Sprague-Dawley rats administered by ingestion. *Acta Oncologica (Italy)*. 7: 11-26.
- Manamsa, K; Lapworth, DJ; Stuart, ME. (2016). Temporal variability of micro-organic contaminants in lowland chalk catchments: New insights into contaminant sources and hydrological processes. *Sci Total Environ*. 568: 566-577. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.146>.
- Mandel, JH; Kelsh, M; Mink, PJ; Alexander, DD. (2008). Trichloroethylene exposure and non-Hodgkin's lymphoma: supportive evidence [Letter]. *Occup Environ Med*. 65: 147-148. <http://dx.doi.org/10.1136/oem.2007.035212>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mandel, JS. (2001). Renal cell cancer correlated with occupational exposure to trichloroethylene [Letter]. *J Cancer Res Clin Oncol*. 127: 265-266. <http://dx.doi.org/10.1007/s004320000231>.
- Mandel, JS; Mclaughlin, JK; Schlehofer, B; Mellemgaard, A; Helmert, U; Lindblad, P; Mccredie, M; Adami, HO. (1995). International renal-cell cancer study. IV. Occupation. *Int J Cancer*. 61: 601-605. <http://dx.doi.org/10.1002/ijc.2910610503>.
- Mangir, M. (1991). A test system for the rapid detection of nuclear and cytoplasmic damage in Chinese hamster ovary cells. *Chemosphere*. 23: 777-784. [http://dx.doi.org/10.1016/0045-6535\(91\)90081-N](http://dx.doi.org/10.1016/0045-6535(91)90081-N).
- Manne, S; Fasanella, N; Connors, J; Floyd, B; Wang, H; Lessin, S. (2004). Sun protection and skin surveillance practices among relatives of patients with malignant melanoma: prevalence and predictors. *Prev Med*. 39: 36-47.
- Manoli, G; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ; Broholm, MM. (2012). A remediation performance model for enhanced metabolic reductive dechlorination of chloroethenes in fractured clay till. *J Contam Hydrol*. 131: 64-78. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.004>.
- Mantha, R; Taylor, KE; Biswas, N; Bewtra, JK. (2001). A continuous system for Fe(0) reduction of nitrobenzene in synthetic wastewater. *Environ Sci Technol*. 35: 3231-3236. <http://dx.doi.org/10.1021/es0014943>.
- Mao, D; Revil, A; Hort, RD; Munakata-Marr, J; Atekwana, EA; Kulesa, B. (2015). Resistivity and self-potential tomography applied to groundwater remediation and contaminant plumes: Sandbox and field experiments. *J Hydrol*. 530: 1-14. <http://dx.doi.org/10.1016/j.jhydrol.2015.09.031>.
- Mao, F; Gaunt, JA; Cheng, C, huLin; Ong, S, ayKee. (2011). Microscopic Visualization Technique to Predict the Permeation of Organic Solvents through PVC Pipes in Water Distribution Systems. *J Environ Eng*. 137: 137-145. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000306](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000306).
- Mao, F; Gaunt, JA; Ong, S, ayKee. (2009). Permeation of organic contaminants through PVC pipes. *J Am Water Works Assoc*. 101: 128-+.
- Mao, R, an; Zhao, X, u; Lan, H; Liu, H; Qu, J. (2014). Efficient electrochemical reduction of bromate by a Pd/rGO/CFP electrode with low applied potentials. *Appl Catal B-Environ*. 160: 179-187. <http://dx.doi.org/10.1016/j.apcatb.2014.04.040>.
- Mao, R; Zhao, X; Lan, H; Liu, H; Qu, J. (2015). Graphene-modified Pd/C cathode and Pd/GAC particles for enhanced electrocatalytic removal of bromate in a continuous three-dimensional electrochemical reactor. *Water Res*. 77: 1-12. <http://dx.doi.org/10.1016/j.watres.2015.03.002>.
- Mao, X; Baek, K; Alshawabkeh, AN. (2015). IRON ELECTROCOAGULATION WITH ENHANCED CATHODIC REDUCTION FOR THE REMOVAL OF AQUEOUS CONTAMINANT MIXTURES. *Environmental Engineering and Management Journal*. 14: 2905-2911.
- Mao, X; Ciblak, A, li; Amiri, M; Alshawabkeh, AN. (2011). Redox Control for Electrochemical Dechlorination of Trichloroethylene in Bicarbonate Aqueous Media. *Environ Sci Technol*. 45: 6517-6523. <http://dx.doi.org/10.1021/es200943z>.
- Mao, X; Ciblak, A, li; Baek, K; Amiri, M; Loch-Caruso, R; Alshawabkeh, AN. (2012). Optimization of electrochemical dechlorination of trichloroethylene in reducing electrolytes. *Water Res*. 46: 1847-1857. <http://dx.doi.org/10.1016/j.watres.2012.01.002>.
- Mao, X; Wang, J; Ciblak, A, li; Cox, EE; Riis, C; Terkelsen, M; Gent, DB; Alshawabkeh, AN. (2012). Electrokinetic-enhanced bioaugmentation for remediation of chlorinated solvents contaminated clay. *J Hazard Mater*. 213: 311-317. <http://dx.doi.org/10.1016/j.jhazmat.2012.02.001>.
- Mao, X; Yuan, S; Fallahpour, N; Ciblak, A; Howard, J; Padilla, I; Loch-Caruso, R; Alshawabkeh, AN. (2012). Electrochemically Induced Dual Reactive Barriers for Transformation of TCE and Mixture of Contaminants in Groundwater. *Environ Sci Technol*. 46: 12003-12011. <http://dx.doi.org/10.1021/es301711a>.
- Maphosa, F; Smidt, H; de Vos, WM; Röling, WF. (2010). Microbial community- and metabolite dynamics of an anoxic dechlorinating bioreactor. *Environ Sci Technol*. 44: 4884-4890. <http://dx.doi.org/10.1021/es903721s>.
- Marble, JC; Carroll, KC; Janousek, H; Brusseau, ML. (2010). In situ oxidation and associated mass-flux-reduction/mass-removal behavior for systems with organic liquid located in lower-permeability sediments. *J Contam Hydrol*. 117: 82-93. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.002>.
- Marchesi, M; Aravena, R; Sra, KS; Thomson, NR; Otero, N; Soler, A; Mancini, S. (2012). Carbon isotope fractionation of chlorinated ethenes during oxidation by Fe²⁺ activated persulfate. *Sci Total Environ*. 433: 318-322. <http://dx.doi.org/10.1016/j.scitotenv.2012.06.051>.
- Marchesi, M; Thomson, NR; Aravena, R; Sra, KS; Otero, N; Soler, A. (2013). Carbon isotope fractionation of 1,1,1-trichloroethane during base-catalyzed persulfate treatment. *J Hazard Mater*. 260: 61-66. <http://dx.doi.org/10.1016/j.jhazmat.2013.05.011>.
- Marciniak, B. (2002). Density and ultrasonic velocity of undersaturated and supersaturated solutions of fluoranthene in trichloroethylene, and study of their metastable zone width. *J Cryst Growth*. 236: 347-356.
- Marciniak, B. (2002). The growth, morphology and perfection of fluoranthene crystals grown from supercooled chlorine derivative solutions on spontaneously formed seeds. *J Cryst Growth*. 236: 333-346.
- Marco-Urrea, E; Aranda, E; Caminal, G; Guillén, F. (2009). Induction of hydroxyl radical production in *Trametes versicolor* to degrade recalcitrant chlorinated hydrocarbons. *Bioresour Technol*. 100: 5757-5762. <http://dx.doi.org/10.1016/j.biortech.2009.06.078>.
- Marco-Urrea, E; Gabarrell, X; Caminal, G; Vicent, T; Reddy, CA. (2008). Aerobic degradation by white-rot fungi of trichloroethylene (TCE) and mixtures of TCE and perchloroethylene (PCE). *J Chem Tech Biotechnol*. 83: 1190-1196. <http://dx.doi.org/10.1002/jctb.1914>.
- Marco-Urrea, E; Nijenhuis, I; Adrian, L. (2011). Transformation and carbon isotope fractionation of tetra- and trichloroethene to trans-dichloroethene by *Dehalococcoides* sp. strain CBDB1. *Environ Sci Technol*. 45: 1555-1562. <http://dx.doi.org/10.1021/es1023459>.
- Marco-Urrea, E; Parella, T; Gabarrell, X; Caminal, G; Vicent, T; Adinarayana Reddy, C. (2008). Mechanistics of trichloroethylene mineralization by the white-rot fungus *Trametes versicolor*. *Chemosphere*. 70: 404-410. <http://dx.doi.org/10.1016/j.chemosphere.2007.06.074>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Marcus, DL; Bonds, C. (1999). Results of the reactant sand-fracking pilot test and implications for the in situ remediation of chlorinated VOCs and metals in deep and fractured bedrock aquifers. *J Hazard Mater.* 68: 125-153.
- Marcus, Y. (2006). Preferential solvation in mixed solvents. 14. Mixtures of 1,4-dioxane with organic solvents: Kirkwood-Buff integrals and volume-corrected preferential solvation parameters. *Journal of Molecular Liquids.* 128: 115-126. <http://dx.doi.org/10.1016/j.molliq.2005.12.005>.
- Marczinek, S; Schafer, W; Peiffer, S. (2006). Identification and quantification of natural degradation processes in an aquifer contaminated with chlorinated ethenes. *Grundwasser.* 11: 207-216. <http://dx.doi.org/10.1007/s00767-006-0146-7>.
- Marinas, BJ; Li, RA. (1994). COMPOSITE SORPTION OF PURE VAPORS ON POLYOLEFINS, CARBON, AND MINERALS. *J Environ Eng.* 120: 1207-1231.
- Mariner, PE; Jin, M; Studer, JE; Pope, GA. (1999). The first vadose zone partitioning interwell tracer test for nonaqueous phase liquid and water residual. *Environ Sci Technol.* 33: 2825-2828.
- Marinsky, JA; Miyajima, T. (1998). Interpretation of the unique complexation behavior of transition metal ions in solid and liquid anion exchangers. *React Funct Polym.* 38: 127-135.
- Mariscal, MM; Mayoral, A; Olmos-Asar, JA; Magen, C; Mejia-Rosales, S; Perez-Tijerina, E; Jose-Yacaman, M. (2011). Nanoalloying in real time. A high resolution STEM and computer simulation study. *Nanoscale.* 3: 5013-5019. <http://dx.doi.org/10.1039/c1nr11052g>.
- Markels, JH; Lynn, S; Radke, CJ. (1995). DESIGN OF MICELLAR-ENHANCED ULTRAFILTERS. *Ind Eng Chem Res.* 34: 2436-2449.
- Markoc, AG; Sisul, G. (2015). Self-optimizing Uplink Outer Loop Power Control for WCDMA Network. *Radioengineering.* 24: 499-506. <http://dx.doi.org/10.13164/re.2015.0499>.
- Markoc, AG; Sisul, G. (2016). Optimal implementation of novel WCDMA uplink outer loop power control algorithm. *AEU: International Journal of Electronics and Communication.* 70: 1219-1227. <http://dx.doi.org/10.1016/j.aeue.2016.06.007>.
- Markwald, R; Eisenberg, C; Eisenberg, L; Trusk, T; Sugi, Y. (1996). Epithelial-mesenchymal transformations in early avian heart development [Review]. *Acta Anat.* 156: 173-186. <http://dx.doi.org/10.1159/000147845>.
- Markwald, RR; Runyan, RB; Kitten, GT; Funderburg, FM; Bernanke, DH; Brayer, PR. (1984). Use of collagen gel cultures to study heart development: Preteoglycan and glycoprotein interactions during formation of endocardial cushion tissue. In RL Trelstad (Ed.), (pp. 323-350). New York, NY: Alan R. Liss.
- Marongiu, B; Pusceddu, E; Porcedda, S; Lepori, L; Matteoli, E. (2006). Thermodynamic study of 1,1,2,2-tetrachloroethane plus hydrocarbon mixtures I. Excess and solvation enthalpies. *Fluid Phase Equilibria.* 250: 105-115. <http://dx.doi.org/10.1016/j.fluid.2006.10.013>.
- Maronpot, R; Anna, C; Devereux, T; Lucier, G; Butterworth, B; Anderson, M. (1995). Growth factors and tumor promotion: Implications for risk assessment: Proceedings of the Seventh International Conference on Carcinogenesis and Risk Assessment, held in Austin, Texas, on December 1-4, 1993 Considerations concerning the murine hepatocarcinogenicity of selected chlorinated hydrocarbons [Review]. In *Prog Clin Biol Res.* New York, NY: Wiley-Liss.
- Maronpot, RR. (2007). Biological basis of differential susceptibility to hepatocarcinogenesis among mouse strains. 3rd Workshop of the Standing Committee on Risk Analysis Issues and Reviews: Mouse liver tumors: Benefits and constraints on use in human health risk assessment, qualitative and quantitative aspects. http://dels-old.nas.edu/best/risk_analysis/Documents/background%20paper.pdf.
- Maronpot, RR; Flake, G; Huff, J. (2004). Relevance of animal carcinogenesis findings to human cancer predictions and prevention [Review]. *Toxicol Pathol.* 32: 40-48. <http://dx.doi.org/10.1080/01926230490425003>.
- Maronpot, RR; Fox, T; Malarkey, DE; Goldsworthy, TL. (1995). Mutations in the ras proto-oncogene: Clues to etiology and molecular pathogenesis of mouse liver tumors. *Toxicology.* 101: 125-156. [http://dx.doi.org/10.1016/0300-483X\(95\)03112-S](http://dx.doi.org/10.1016/0300-483X(95)03112-S).
- Marotta, E; Bosa, E; Scorrano, G; Paradisi, C. (2005). Positive and negative ion chemistry of the anesthetic halothane (1-bromo-1-chloro-2,2,2-trifluoroethane) in air plasma at atmospheric pressure. *Rapid Commun Mass Spectrom.* 19: 391-396. <http://dx.doi.org/10.1002/rcm.1794>.
- Marr, LC; Booth, EC; Andersen, RG; Widdowson, MA; Novak, JT. (2006). Direct volatilization of naphthalene to the atmosphere at a phytoremediation site. *Environ Sci Technol.* 40: 5560-5566. <http://dx.doi.org/10.1021/es060087+>.
- Marrazzini, A; Betti, C; Bernacchi, F; Barrai, I; Barale, R. (1994). Micronucleus test and metaphase analyses in mice exposed to known and suspected spindle poisons. *Mutagenesis.* 9: 505-515. <http://dx.doi.org/10.1093/mutage/9.6.505>.
- Marshall, EG; Gensburg, LJ; Deres, DA; Geary, NS; Cayo, MR. (1997). Maternal residential exposure to hazardous wastes and risk of central nervous system and musculoskeletal birth defects. *Arch Environ Health.* 52: 416-425. <http://dx.doi.org/10.1080/00039899709602220>.
- Marshall, JP. (2011). Hands-on assistance improves already successful pollution prevention services of the toxics use reduction institute's laboratory. *J Clean Prod.* 19: 424-428. <http://dx.doi.org/10.1016/j.jclepro.2010.05.020>.
- Marshall, RA; Hamilton, JTG; Dring, MJ; Harper, DB. (2000). The red alga *Asparagopsis taxiformis*/Falkenbergia hillebrandii - a possible source of trichloroethylene and perchloroethylene? *Limnol Oceanogr.* 45: 516-519.
- Marsman, DS; Cattley, RC; Conway, JG; Popp, JA. (1988). Relationship of hepatic peroxisome proliferation and replicative DNA synthesis to the hepatocarcinogenicity of the peroxisome proliferators di(2-ethylhexyl)phthalate and [4-chloro-6-(2,3-xylyldino)-2-pyrimidinylthio]acetic acid (Wy-14,643) in rats. *Cancer Res.* 48: 6739-6744.
- Marsman, DS; Goldsworthy, TL; Popp, JA. (1992). Contrasting hepatocytic peroxisome proliferation, lipofuscin accumulation and cell turnover for the hepatocarcinogens Wy-14,643 and clofibrilic acid. *Carcinogenesis.* 13: 1011-1017. <http://dx.doi.org/10.1093/carcin/13.6.1011>.
- Martel, R; Gelinis, PJ; Desnoyers, JE; Masson, A. (1993). PHASE-DIAGRAMS TO OPTIMIZE SURFACTANT SOLUTIONS FOR OIL AND DNAPL RECOVERY IN AQUIFERS. *Ground Water.* 31: 789-800.
- Martel, R; Hébert, A; Lefebvre, R; Gelinis, P; Gabriel, U. (2004). Displacement and sweep efficiencies in a DNAPL recovery test using micellar and polymer solutions injected in a five-spot pattern. *J Contam Hydrol.* 75: 1-29. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.007>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Marti, PB. (2010). Shelton laundry and cleaners groundwater monitoring results. october 2008 and june 2009. 30.
- Martin, EJ; Kueper, BH. (2011). Observation of trapped gas during electrical resistance heating of trichloroethylene under passive venting conditions. *J Contam Hydrol.* 126: 291-300. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.004>.
- Martin, F; Christia, A; Moulin, P; Fumery, JL; Bevilacqua, D. (2007). Renal adenocarcinoma risk and industrial painting. *Arch Mal Prof Environ.* 68: 57-65.
- Martin, SA; Simmons, MB; Ortiz-Serrano, M; Kendrick, C; Gallo, A; Campbell, J; Fisher, J. (2005). Environmental exposure of a community to airborne trichloroethylene. *Arch Environ Health.* 60: 314-316.
- Martinez Vargas, DX; Rivera De la Rosa, J; Lucio-Ortiz, CJ; Hernandez-Ramirez, A; Flores-Escamilla, GA; Garcia, CD. (2015). Photocatalytic degradation of trichloroethylene in a continuous annular reactor using Cu-doped TiO₂ catalysts by sol-gel synthesis. *Appl Catal B-Environ.* 179: 249-261. <http://dx.doi.org/10.1016/j.apcatb.2015.05.019>.
- Martinez-Larrañaga, MR; Anadón, A; Diaz, MJ; Fernandez, R; Sevil, B; Fernandez-Cruz, ML; Fernandez, MC; Martinez, MA; Anton, R. (1996). Induction of cytochrome P4501A1 and P4504A1 activities and peroxisomal proliferation by fumonisin B1. *Toxicol Appl Pharmacol.* 141: 185-194. <http://dx.doi.org/10.1006/taap.1996.0275>.
- Martinez-Rodriguez, MJ; Fox, EB; Rhodes, WD; Mcwhorter, CS; Greenway, S; Colon-Mercado, HR. (2011). The Effect of Low Concentrations of Tetrachloroethylene on the Performance of PEM Fuel Cells. *J Electrochem Soc.* 158: B698-B702. <http://dx.doi.org/10.1149/1.3563799>.
- Martino, M; Rosal, R; Sastre, H; Diez, FV. (1999). Hydrodechlorination of dichloromethane, trichloroethane, trichloroethylene and tetrachloroethylene over a sulfided Ni/Mo-gamma-alumina catalyst. *Appl Catal B-Environ.* 20: 301-307.
- Martra, G; Coluccia, S; Marchese, L; Augugliaro, V; Loddo, V; Palmisano, L; Schiavello, M. (1999). The role of H₂O in the photocatalytic oxidation of toluene in vapour phase on anatase TiO₂ catalyst - A FTIR study. *Catalysis Today.* 53: 695-702.
- Marzougui, S; Schaefer, G; Dridi, L. (2012). Prediction of Vertical DNAPL Vapour Fluxes in Soils Using Quasi-Analytical Approaches: Bias Related to Density-Driven and Pressure-Gradient-Induced Advection. *Water Air Soil Pollut.* 223: 5817-5840. <http://dx.doi.org/10.1007/s11270-012-1319-x>.
- Maskaoui, K; Zhou, JL; Zheng, TL; Hong, H; Yu, Z. (2005). Organochlorine micropollutants in the Jiulong River Estuary and Western Xiamen Sea, China. *Mar Pollut Bull.* 51: 950-959. <http://dx.doi.org/10.1016/j.marpolbul.2004.11.018>.
- Maslia, ML; Aral, MM; Faye, RE; Suarez-Soto, RJ; Sautner, JB; Wang, J; Jang, W; Bove, FJ; Ruckart, PZ. (2009). Reconstructing Historical Exposures to Volatile Organic Compound-Contaminated Drinking Water at a US Military Base. *Water Qual Expo Health.* 1: 49-68. <http://dx.doi.org/10.1007/s12403-009-0010-y>.
- Maslia, ML; Aral, MM; Ruckart, PZ; Bove, FJ. (2016). Reconstructing Historical VOC Concentrations in DrinkingWater for Epidemiological Studies at a US Military Base: Summary of Results. *Water.* 8. <http://dx.doi.org/10.3390/w8100449>.
- Maslia, ML; Aral, MM; Williams, RC; Williams-Fleetwood, S; Hayes, LC; Wilder, LC. (1996). Use of computational models to reconstruct and predict trichloroethylene exposure. *Toxicol Ind Health.* 12: 139-152.
- Massabo, M; Catania, F; Piazza, DD; Paladino, O. (2008). GROUNDWATER RISK ASSESSMENT OF PCE AT A CONTAMINATED SITE. *Fresen Environ Bull.* 17: 1452-1459.
- Masten, SJ. (1991). Ozonation of VOC's in the presence of humic acid and soils (pp. 287-312). (ISSN 0191-9512; EISSN 1547-6545; BIOSIS/91/25845). Masten, SJ.
- Masten, SJ; Hoigne, J. (1992). COMPARISON OF OZONE AND HYDROXYL RADICAL-INDUCED OXIDATION OF CHLORINATED HYDROCARBONS IN WATER. *Ozone: Science and Engineering.* 14: 197-214.
- Mastin, BJ; Sherrard, RM; Rodgers, JH; Shah, YT. (2001). Hybrid cavitation/constructed wetland reactors for treatment of chlorinated and non-chlorinated organics. *Chem Eng Tech.* 24: 97A-105A.
- Masuda, S; Hosokawa, S; Tu, X; Wang, Z. (1995). NOVEL PLASMA CHEMICAL TECHNOLOGIES - PPCP AND SPCP FOR CONTROL OF GASEOUS-POLLUTANTS AND AIR TOXICS. *Journal of Electrostatics.* 34: 415-438.
- Mather, GG; Exon, JH; Koller, LD. (1990). Subchronic 90 day toxicity of dichloroacetic and trichloroacetic acid in rats. *Toxicology.* 64: 71-80. [http://dx.doi.org/10.1016/0300-483X\(90\)90100-U](http://dx.doi.org/10.1016/0300-483X(90)90100-U).
- Mathes, SE; Rasmussen, TC. (2006). Combining multivariate statistical analysis with geographic information systems mapping: a tool for delineating groundwater contamination. *Hydrogeology Journal.* 14: 1493-1507. <http://dx.doi.org/10.1007/s10040-006-0041-4>.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environ Sci Technol.* 28: 2045-2053.
- Matlochova, A; Placha, D; Rapantova, N. (2013). The Application of Nanoscale Materials in Groundwater Remediation. *Pol J Environ Stud.* 22: 1401-1410.
- Matsuda, S; Hara, M; Miura, M; Matsuda, T; Ueda, M; Satoh, Y; Hashimoto, KY. (2011). Correlation between temperature coefficient of elasticity and fourier transform infrared spectra of silicon dioxide films for surface acoustic wave devices [Letter]. *IEEE Trans Ultrason Ferroelectr Freq Control.* 58: 1684-1687. <http://dx.doi.org/10.1109/TUFFC.2011.1996>.
- Matsuda, S; Hara, M; Miura, M; Matsuda, T; Ueda, M; Satoh, Y; Hashimoto, KY. (2012). Use of fluorine-doped silicon oxide for temperature compensation of radio frequency surface acoustic wave devices. *IEEE Trans Ultrason Ferroelectr Freq Control.* 59: 135-138. <http://dx.doi.org/10.1109/TUFFC.2012.2164>.
- Matsui, Y; Fukuda, Y; Inoue, T; Matsushita, T. (2003). Effect of natural organic matter on powdered activated carbon adsorption of trace contaminants: characteristics and mechanism of competitive adsorption. *Water Res.* 37: 4413-4424. [http://dx.doi.org/10.1016/S0043-1354\(03\)00423-8](http://dx.doi.org/10.1016/S0043-1354(03)00423-8).

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Matsui, Y; Knappe, DRU; Iwaki, K; Ohira, H. (2002). Pesticide adsorption by granular activated carbon adsorbers. 2. Effects of pesticide and natural organic matter characteristics on pesticide breakthrough curves. *Environ Sci Technol.* 36: 3432-3438. <http://dx.doi.org/10.1021/es011366u>.
- Matsui, Y; Knappe, DRU; Takagi, R. (2002). Pesticide adsorption by granular activated carbon adsorbers. 1. Effect of natural organic matter preloading on removal rates and model simplification. *Environ Sci Technol.* 36: 3426-3431. <http://dx.doi.org/10.1021/es0113652>.
- Matsumoto, M; Hashimoto, T; Murata, K; Goto, S. (1994). SURFACE MODIFICATION OF CARBON WHISKERS BY OXIDATION TREATMENT. *Carbon.* 32: 111-118.
- Matsumura, M; Kojima, T. (2001). Decomposition of trichloroethylene in soil by electric osmosis. *Kagaku Kogaku Ronbunshu.* 27: 1-6.
- Matsunaga, K; Yamabe, S; Mori, T. (1997). Photodegradation of polychlorobiphenyls by titanium dioxide/ferric ion/hydrogen peroxide/UV light system. *JTTHE.* 43: 174-181.
- Matsushita, K; Nakata, T; Tamura, J. (2015). The application of 2,2,2-trichloroethyl sulfate to the synthesis of chondroitin sulfate C and D. *Carbohydr Res.* 406: 76-85. <http://dx.doi.org/10.1016/j.carres.2015.01.007>.
- Matthews, DW; Massmann, J; Strand, SE. (2003). Influence of aquifer properties on phytoremediation effectiveness. *Ground Water.* 41: 41-47.
- Matthews, JL; Gademann, K; Jaun, B; Seebach, D. (1998). Linear and cyclic beta(3)-oligopeptides with functionalised side-chains (-CH₂OBN, -CO₂Bn, -CH(2)CH(2)CO₂Bn) derived from serine and from aspartic and glutamic acid. *J Chem Soc Perkin Trans I* 3331-3340.
- Matthews, SM; Boegel, AJ; Loftis, JA; Caufield, RA; Mincher, BJ; Meikrantz, DH; Murphy, RJ. (1993). DECOMPOSITION OF HALOGENATED HYDROCARBONS USING INTENSE, PENETRATING BREMSSTRAHLUNG. *Radiat Phys Chem Oxf Engl* 1993. 42: 689-693.
- Matthias, U; Roempp, S. (1994). Evaluation of the Dreissena-monitor at the River Rhine: A new biological monitoring system based on the zebra mussel *Dreissena polymorpha*. *Acta Hydrochim Hydrobiol.* 22: 161-165.
- Matthieu, DE; Brusseau, ML; Guo, Z; Plaschke, M; Carroll, KC; Brinker, F. (2014). Persistence of a Groundwater Contaminant Plume after Hydraulic Source Containment at a Chlorinated-Solvent Contaminated Site. *Ground Water Monitoring and Remediation.* 34: 23-32. <http://dx.doi.org/10.1111/gwmmr.12077>.
- Matthieu, DE; Brusseau, ML; Johnson, GR; Artiola, JL; Bowden, ML; Curry, JE. (2013). Intercalation of trichloroethene by sediment-associated clay minerals. *Chemosphere.* 90: 459-463. <http://dx.doi.org/10.1016/j.chemosphere.2012.07.061>.
- Mattioli, S; Truffelli, D; Baldasseroni, A; Risi, A; Marchesini, B; Giacomini, C; Bacchini, P; Violante, FS; Buiatti, E. (2002). Occupational risk factors for renal cell cancer: A case-control study in northern Italy. *J Occup Environ Med.* 44: 1028-1036. <http://dx.doi.org/10.1097/O1.jom.0000038320.36316.cb>.
- Matturro, B; Presta, E; Rossetti, S. (2016). Reductive dechlorination of tetrachloroethene in marine sediments: Biodiversity and dehalorespiring capabilities of the indigenous microbes. *Sci Total Environ.* 545-546: 445-452. <http://dx.doi.org/10.1016/j.scitotenv.2015.12.098>.
- Matveev, KI; Odyakov, VF; Zhizhina, EG. (2001). New route to vicasol, a water-soluble form of vitamin K-3. *Russian Journal of Applied Chemistry.* 74: 469-472.
- Maupin, I; Pinard, L; Mijoin, J; Magnoux, P. (2012). Bifunctional mechanism of dichloromethane oxidation over Pt/Al₂O₃: CH₂Cl₂ disproportionation over alumina and oxidation over platinum. *J Catal.* 291: 104-109. <http://dx.doi.org/10.1016/j.jcat.2012.04.011>.
- May, HD; Cutter, LA; Miller, GS; Milliken, CE; Watts, JE; Sowers, KR. (2006). Stimulatory and inhibitory effects of organohalides on the dehalogenating activities of PCB-dechlorinating bacterium o-17. *Environ Sci Technol.* 40: 5704-5709. <http://dx.doi.org/10.1021/es052521y>.
- Maya, K; Singh, RS; Upadhyay, SN; Dubey, SK. (2011). Kinetic analysis reveals bacterial efficacy for biodegradation of chlorpyrifos and its hydrolyzing metabolite TCP. *Process Biochemistry.* 46: 2130-2136. <http://dx.doi.org/10.1016/j.procbio.2011.08.012>.
- Mayeno, AN; Yang, RS; Reisfeld, B. (2005). Biochemical reaction network modeling: predicting metabolism of organic chemical mixtures. *Environ Sci Technol.* 39: 5363-5371. <http://dx.doi.org/10.1021/es0479991>.
- Mayer, AS; Zhong, L; Pope, GA. (1999). Measurement of mass-transfer rates for surfactant-enhanced solubilization of nonaqueous phase liquids. *Environ Sci Technol.* 33: 2965-2972.
- Mayer, KP; Grbic-Galic, D; Semprini, L; Mccarty, PL. (1988). DEGRADATION OF TRICHLOROETHYLENE BY METHANOTROPHIC BACTERIA IN A LABORATORY COLUMN OF SATURATED AQUIFER MATERIAL (pp. 8-11). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/89/20931). Mayer, KP; Grbic-Galic, D; Semprini, L; Mccarty, PL.
- Mayer, KU; Benner, SG; Blowes, DW. (2006). Process-based reactive transport modeling of a permeable reactive barrier for the treatment of mine drainage. *J Contam Hydrol.* 85: 195-211. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.006>.
- Mayer, KU; Blowes, DW; Frind, EO. (2001). Reactive transport modeling of an in situ reactive barrier for the treatment of hexavalent chromium and trichloroethylene in groundwater. *Water Resour Res.* 37: 3091-3103.
- Mayer-Blackwell, K; Azizian, MF; Machak, C; Vitale, E; Carpani, G; de Ferra, F; Semprini, L; Spormann, AM. (2014). Nanoliter qPCR platform for highly parallel, quantitative assessment of reductive dehalogenase genes and populations of dehalogenating microorganisms in complex environments. *Environ Sci Technol.* 48: 9659-9667. <http://dx.doi.org/10.1021/es500918w>.
- Mayer-Blackwell, K; Fincker, M; Molenda, O; Callahan, B; Sewell, H; Holmes, S; Edwards, EA; Spormann, AM. (2016). 1,2-Dichloroethane Exposure Alters the Population Structure, Metabolism, and Kinetics of a Trichloroethene-Dechlorinating *Dehalococcoides mccartyi* Consortium. *Environ Sci Technol.* 50: 12187-12196. <http://dx.doi.org/10.1021/acs.est.6b02957>.
- Maymó-Gatell, X; Nijenhuis, I; Zinder, SH. (2001). Reductive dechlorination of cis-1,2-dichloroethene and vinyl chloride by *Dehalococcoides ethenogenes*. *Environ Sci Technol.* 35: 516-521. <http://dx.doi.org/10.1021/es001285i>.
- Mazaj, M; Logar, NZ. (2015). Phase Formation Study of Ca-Terephthalate MOF-Type Materials. *Cryst Growth Des.* 15: 617-624. <http://dx.doi.org/10.1021/cg501273b>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mazur, CS; Jones, WJ. (2001). Hydrogen concentrations in sulfate-reducing estuarine sediments during PCE dehalogenation. *Environ Sci Technol.* 35: 4783-4788. <http://dx.doi.org/10.1021/es0110372>.
- Mccandrews, B; Heinze, K; Diguseppi, W. (2003). Defining TCE plume source areas using the Membrane Interface Probe (MIP). *Soil Sediment Contam.* 12: 799-813. <http://dx.doi.org/10.1080/10588330390254838>.
- Mccarthy, KA; Johnson, RL. (1993). TRANSPORT OF VOLATILE ORGANIC-COMPOUNDS ACROSS THE CAPILLARY-FRINGE. *Water Resour Res.* 29: 1675-1683.
- Mccarthy, KA; Johnson, RL. (1995). Measurement of trichloroethylene diffusion as a function of moisture content in sections of gravity-drained soil columns. *J Environ Qual.* 24: 49-55.
- Mccarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Sci Technol.* 42: 49-60.
- Mccarty, PL; Chu, M, inY; Kitanidis, PK. (2007). Electron donor and pH relationships for biologically enhanced dissolution of chlorinated solvent DNAPL in groundwater. *European Journal of Soil Biology.* 43: 276-282. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.004>.
- Mccarty, PL; Goltz, MN; Hopkins, GD; Dolan, ME; Allan, JP; Kawakami, BT; Carrothers, TJ. (1998). Full-scale evaluation of in situ cometabolic degradation of trichloroethylene in groundwater through toluene injection. *Environ Sci Technol.* 32: 88-100.
- McCarver, DG; Byun, R; Hines, RN; Hichme, M; Wegenek, W. (1998). A genetic polymorphism in the regulatory sequences of human CYP2E1: Association with increased chlorzoxazone hydroxylation in the presence of obesity and ethanol intake. *Toxicol Appl Pharmacol.* 152: 276-281. <http://dx.doi.org/10.1006/taap.1998.8532>.
- McCarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. *J Pharmacol Exp Ther.* 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- Mccauley, KM; Pratt, DA; Wilson, S. R.; Shey, J; Burkey, TJ; van Der Donk, WA. (2005). Properties and reactivity of chlorovinylcobalamin and vinylcobalamin and their implications for vitamin B-12-catalyzed reductive dechlorination of chlorinated alkenes. *J Am Chem Soc.* 127: 1126-1136. <http://dx.doi.org/10.1021/ja0488573p>.
- Mccauley, KM; Wilson, S. R.; van Der Donk, WA. (2002). Dichloroacetylene is not the precursor to dichlorinated vinylcobaloxime and vinylcobalamin in cobalt catalyzed dechlorination of perchloro- and trichloroethylene. *Inorg Chem.* 41: 5844-5848. <http://dx.doi.org/10.1021/ic025714k>.
- Mccauley, KM; Wilson, S. R.; van Der Donk, WA. (2002). Synthesis and characterization of chlorinated alkenylcobaloximes to probe the mechanism of vitamin B(12)-catalyzed dechlorination of priority pollutants. *Inorg Chem.* 41: 393-404. <http://dx.doi.org/10.1021/ic011023x>.
- Mccaulou, DR; Huling, SG. (1999). Compatibility of bentonite and DNAPLs. *Ground Water Monitoring and Remediation.* 19: 78-86.
- Mcclellan, KL; Buras, N; Bales, RC. (1989). BIODEGRADATION OF TRICHLOROETHYLENE BY BACTERIA INDIGENOUS TO A CONTAMINATED SITE. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 24: 561-570.
- Mcconnell, G; Ferguson, DM; Pearson, CR. (1975). Chlorinated hydrocarbons and the environment. *Endeavour.* 34: 13-18.
- Mccormick, K; Abdel-Rahman, M. (1991). The role of testosterone in trichloroethylene penetration in vitro. *Environ Res.* 54: 82-92.
- Mccray, JE; Dugan, PJ. (2002). Nonideal equilibrium dissolution of trichloroethene from a decane-based nonaqueous phase liquid mixture: Experimental and modeling investigation. *Water Resour Res.* 38. <http://dx.doi.org/10.1029/2001WR000883>.
- McCredie, M; Stewart, JH. (1993). Risk factors for kidney cancer in New South Wales. IV. Occupation. *Br J Ind Med.* 50: 349-354.
- Mccue, T; Hoxworth, S; Randall, AA. (2003). Degradation of halogenated aliphatic compounds utilizing sequential anaerobic/aerobic treatments. *Water Sci Technol.* 47: 79-84.
- McDaniel, T; Martin, P; Ross, N; Brown, S; Lesage, S; Pauli, B. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol.* 47: 101-109.
- Mcdaniel, TV; Martin, PA; Ross, N; Brown, S; Lesage, S; Pauli, BD. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol.* 47: 101-109. <http://dx.doi.org/10.1007/s00244-004-3015-3>.
- Mcdaniel, TV; Ross, N; Martin, PA; Steer, H; Abbey, AM; Lesage, S. (2007). Bioremediation of tetrachloroethylene-contaminated groundwater in a model aquifer: effects on green frogs (*Rana clamitans*) and *Xenopus laevis* as potential wetland receptors. *Arch Environ Contam Toxicol.* 52: 410-417. <http://dx.doi.org/10.1007/s00244-005-8218-8>.
- Mcdonald, GJ; Wertz, WE. (2007). PCE, TCE, and TCA vapors in subslab soil gas and indoor air: A case study in upstate New York. *Ground Water Monitoring and Remediation.* 27: 86-92.
- Mcelhoe, JA; Brennan, RA. (2012). Effects of Chitin Purity and Proppant Loading on the Bioremediation of Chloroethenes. *J Environ Eng.* 138: 862-872. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000541](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000541).
- McEntee, GP; Batts, KA; Katzmann, JA; Ilstrup, DM; Nagorney, DM. (1992). Relationship of nuclear DNA content to clinical and pathologic findings in patients with primary hepatic malignancy. *Surgery.* 111: 376-379.
- Mcfarland, MJ; Vogel, CM; Spain, JC. (1992). Methanotrophic cometabolism of trichloroethylene (TCE) in a two stage bioreactor system. *Water Res.* 26: 259-265.
- Mcgeough, KL; Kalin, RM; Myles, P. (2007). Carbon disulfide removal by zero valent iron. *Environ Sci Technol.* 41: 4607-4612. <http://dx.doi.org/10.1021/es062936z>.
- Mcgill, JP. (2007). Technological knowledge and governance in alliances among competitors. *International Journal of Technology Management.* 38: 69-89.
- McGuire, V; Nelson, LM; Koepsell, TD; Checkoway, H; Longstreth, WT, Jr. (1998). Assessment of occupational exposures in community-based case-control studies [Review]. *Annu Rev Public Health.* 19: 35-53. <http://dx.doi.org/10.1146/annurev.publhealth.19.1.35>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mchugh, T; Kuder, T; Fiorenza, S; Gorder, K; Dettenmaier, E; Philp, P. (2011). Application of CSIA to distinguish between vapor intrusion and indoor sources of VOCs. *Environ Sci Technol.* 45: 5952-5958. <http://dx.doi.org/10.1021/es200988d>.
- Mcintosh, GJ; Russell, DK. (2014). Experimental and theoretical studies into the formation of C4-C6 products in partially chlorinated hydrocarbon pyrolysis systems: a probabilistic approach to congener-specific yield predictions. *J Phys Chem A.* 118: 8644-8663. <http://dx.doi.org/10.1021/jp5015516>.
- Mcintosh, GJ; Russell, DK. (2015). High Temperature Chemistry of Chlorinated Acenaphthylene. 3C Bay Acetylene Additions and Annealing by Five-Membered Ring Shifts. *J Phys Chem A.* 119: 12767-12780. <http://dx.doi.org/10.1021/acs.jpca.5b08391>.
- Mckay, DJ; Morse, JS. (1995). Performance characterization of a laboratory-scale bioreactor with liquid suspensions of *Alcaligenes eutrophus* JMP134. *Hazardous Waste and Hazardous Materials.* 12: 195-206.
- Mckay, DJ; Morse, JS; Hazen, TC. (1994). BIODEGRADATION OF TRICHLOROETHYLENE BY *ALCALIGENES EUTROPHUS* JMP134 IN A LABORATORY SCALE BIOREACTOR. *Hazardous Waste and Hazardous Materials.* 11: 491-499.
- Mckelvie, JR; Hirschorn, SK; Lacrampe-Couloume, G; Lindstrom, J, on; Braddock, J; Finneran, K; Trego, D, on; Lollar, BS. (2007). Evaluation of TCE and MTBE in situ biodegradation: Integrating stable isotope, metabolic intermediate and microbial lines of evidence. *Ground Water Monitoring and Remediation.* 27: 63-73.
- Mckenzie, ER; Siegrist, RL; Mccray, JE; Higgins, CP. (2016). The influence of a non-aqueous phase liquid (NAPL) and chemical oxidant application on perfluoroalkyl acid (PFAA) fate and transport. *Water Res.* 92: 199-207. <http://dx.doi.org/10.1016/j.watres.2016.01.025>.
- Mckernan, LT; Ruder, AM; Petersen, MR; Hein, MJ; Forrester, CL; Sanderson, WT; Ashley, DL; Butler, MA. (2008). Biological exposure assessment to tetrachloroethylene for workers in the dry cleaning industry. *Environ Health.* 7: 12. <http://dx.doi.org/10.1186/1476-069X-7-12>.
- Mckim, J. (1999). Respiratory-cardiovascular physiology and xenobiotic gill flux in the lake trout (*Salvelinus namaycush*). *Comp Biochem Physiol A Mol Integr Physiol.* 123: 69-81. [http://dx.doi.org/10.1016/S1095-6433\(99\)00041-0](http://dx.doi.org/10.1016/S1095-6433(99)00041-0).
- Mckim, JM; Nichols, JW; Lien, GJ; Bertelsen, SL. (1994). RESPIRATORY-CARDIOVASCULAR PHYSIOLOGY AND CHLOROETHANE GILL FLUX IN THE CHANNEL CATFISH, *ICTALURUS PUNCTATUS*. *J Fish Biol.* 44: 527-547.
- Mcknight, US; Funder, SG; Rasmussen, J; Finkel, M; Binning, PJ; Bjerg, PL. (2010). An integrated model for assessing the risk of TCE groundwater contamination to human receptors and surface water ecosystems. *Ecol Eng.* 36: 1126-1137. <http://dx.doi.org/10.1016/j.ecoleng.2010.01.004>.
- Mcknight, US; Rasmussen, J; Kronvang, B; Bjerg, PL; Binning, PJ. (2012). Integrated assessment of the impact of chemical stressors on surface water ecosystems. *Sci Total Environ.* 427: 319-331. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.011>.
- Mckone, TE. (1996). Alternative modeling approaches for contaminant fate in soils: Uncertainty, variability, and reliability. *Reliab Eng Syst Saf.* 54: 165-181.
- Mckone, TE; Bogen, KT. (1991). PREDICTING THE UNCERTAINTIES IN RISK ASSESSMENT - A CALIFORNIA GROUNDWATER CASE-STUDY. *Environ Sci Technol.* 25: 1674-1681.
- Mckone, TE; Knezovich, JP. (1991). THE TRANSFER OF TRICHLOROETHYLENE (TCE) FROM A SHOWER TO INDOOR AIR - EXPERIMENTAL MEASUREMENTS AND THEIR IMPLICATIONS. *J Air Waste Manag Assoc.* 41: 282-286.
- Mckone, TE; Knezovich, JP. (1991). The transfer of trichloroethylene (TCE) from a shower to indoor air: experimental measurements and their implications. *Journal of the Air and Waste Management Association.* 41: 832-837.
- Mclaren, RG; Sudicky, EA; Park, YJ; Illman, WA. (2012). Numerical simulation of DNAPL emissions and remediation in a fractured dolomitic aquifer. *J Contam Hydrol.* 136-137: 56-71. <http://dx.doi.org/10.1016/j.jconhyd.2012.05.002>.
- Mclaughlin, JK; Blot, WJ. (1997). A critical review of epidemiology studies of trichloroethylene and perchloroethylene and risk of renal-cell cancer [Review]. *Int Arch Occup Environ Health.* 70: 222-231. <http://dx.doi.org/10.1007/s004200050211>.
- McLaughlin, JK; Hrubec, Z; Blot, WJ; Fraumeni, JF, Jr. (1995). Smoking and cancer mortality among U.S. veterans: A 26-year follow-up. *Int J Cancer.* 60: 190-193. <http://dx.doi.org/10.1002/ijc.2910600210>.
- McLaughlin, JK; Lipworth, L; Tarone, RE. (2006). Epidemiologic aspects of renal cell carcinoma [Review]. *Semin Oncol.* 33: 527-533. <http://dx.doi.org/10.1053/j.seminoncol.2006.06.010>.
- Mclaughlin, PA. (2011). Something in the Water? Testing for Groundwater Quality Information in the Housing Market. *J Agr Resource Econ.* 36: 375-394.
- McLean, AJ; Cogger, VC; Chong, GC; Warren, A; Markus, AM; Dahlstrom, JE; Le Couteur, DG. (2003). Age-related pseudocapillarization of the human liver. *J Pathol.* 200: 112-117. <http://dx.doi.org/10.1002/path.1328>.
- Mclean, JE; Dupont, RR; Sorensen, DL. (2006). Iron and arsenic release from aquifer solids in response to biostimulation. *J Environ Qual.* 35: 1193-1203. <http://dx.doi.org/10.2134/jeq2005.0463>.
- Mclean, JE; Ervin, J; Zhou, J; Sorensen, DL; Dupont, RR. (2015). Biostimulation and Bioaugmentation to Enhance Reductive Dechlorination of TCE in a Long-Term Flow Through Column Study. *Ground Water Monitoring and Remediation.* 35: 76-88. <http://dx.doi.org/10.1111/gwmr.12113>.
- McMichael, AJ; Spirtas, R; Gamble, JF; Tousey, PM. (1976). Mortality among rubber workers: Relationship to specific jobs. *J Occup Med.* 18: 178-185.
- Mcmillan, SA; Werth, CJ. (1999). Counter-diffusion of isotopically labeled trichloroethylene in silica gel and geosorbent micropores: Model development. *Environ Sci Technol.* 33: 2178-2185.
- Mcminn, TE; Moates, FC; Richardson, JT. (2001). Catalytic steam reforming of chlorocarbons: catalyst deactivation. *Appl Catal B-Environ.* 31: 93-105.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- McNab, WW; Narasimhan, TN. (1994). DEGRADATION OF CHLORINATED HYDROCARBONS AND GROUNDWATER GEOCHEMISTRY - A FIELD-STUDY. *Environ Sci Technol.* 28: 769-775.
- McNab, WW; Ruiz, R. (1998). Palladium-catalyzed reductive dehalogenation of dissolved chlorinated aliphatics using electrolytically-generated hydrogen. *Chemosphere.* 37: 925-936.
- McNab, WW; Ruiz, R; Reinhard, M. (2000). In-situ destruction of chlorinated hydrocarbons in groundwater using catalytic reductive dehalogenation in a reactive well: Testing and operational experiences. *Environ Sci Technol.* 34: 149-153.
- Mcnaughton, D. (1992). HIGH-RESOLUTION INFRARED-SPECTRUM AND MOLECULAR-STRUCTURE OF DICHLOROACETYLENE. *Structural Chemistry.* 3: 245-252.
- McNutt, LA; Wu, C; Xue, X; Hafner, JP. (2003). Estimating the relative risk in cohort studies and clinical trials of common outcomes. *Am J Epidemiol.* 157: 940-943. <http://dx.doi.org/10.1093/aje/kwg074>.
- Mcwatters, RS; Rowe, RK. (2015). Permeation of Volatile Organic Compounds through EVOH Thin Film Membranes and Coextruded LLDPE/EVOH/LLDPE Geomembranes. *Journal of Geotechnical and Geoenvironmental Engineering.* 141. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001209](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001209).
- MDPH. (1997). Woburn childhood leukemia follow-up study: Information booklet [Pamphlet]. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. Retrieved from http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_childhood_leukemia_follow.pdf
- MDPH. (1997). Woburn childhood leukemia follow-up study: Volume I: Analyses. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_cancer_leukemia_follow_up_study_1997.pdf.
- MDPH. (1997). Woburn childhood leukemia follow-up study: Volume II: Appendix. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment.
- Mecozzi, R; Di Palma, L; De Filippis, P. (2008). Effect of modified Fenton treatment on the thermal behavior of contaminated harbor sediments. *Chemosphere.* 71: 843-852. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.034>.
- Meeker, JD; Altshul, L; Hauser, R. (2007). Serum PCBs, p,p'-DDE and HCB predict thyroid hormone levels in men. *Environ Res.* 104: 296-304. <http://dx.doi.org/10.1016/j.envres.2006.11.007>.
- Meeks, ND; Smuleac, V; Stevens, C; Bhattacharyya, D. (2012). Iron-Based Nanoparticles for Toxic Organic Degradation: Silica Platform and Green Synthesis. *Ind Eng Chem Res.* 51: 9581-9590. <http://dx.doi.org/10.1021/ie301031u>.
- Meeravali, NN; Madhavi, K; Kumar, SJ, ai. (2016). A sensitive speciation analysis of chromium in natural and industrial effluents by electrothermal atomic absorption spectrometry after a novel ligandless mixed-micelle dispersive liquid-liquid microextraction. *J Anal At Spectrom.* 31: 1582-1589. <http://dx.doi.org/10.1039/c6ja00139d>.
- Megharaj, M; Boul, HL; Thiele, JH. (1999). Effects of DDT and its metabolites on soil algae and enzymatic activity. *Biol Fertil Soils.* 29: 130-134.
- Megharaj, M; Jovicic, A; Boul, HL; Thiele, JH. (1997). Recalcitrance of 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) to cometabolic degradation by pure cultures of aerobic and anaerobic bacteria. *Arch Environ Contam Toxicol.* 33: 141-146.
- Megharaj, M; Kantachote, D; Singleton, I; Naidu, R. (2000). Effects of long-term contamination of DDT on soil microflora with special reference to soil algae and algal transformation of DDT. *Environ Pollut.* 109: 35-42.
- Mehendale, HM. (2000). PPAR-alpha: A key to the mechanism of hepatoprotection by clofibrate [Review]. *Toxicol Sci.* 57: 187-190. <http://dx.doi.org/10.1093/toxsci/57.2.187>.
- Mehnert, R; Klenert, P; Prager, L. (1993). LOW-ENERGY-ELECTRON ACCELERATORS FOR INDUSTRIAL RADIATION PROCESSING. *Radiat Phys Chem Oxf Engl* 1993. 42: 525-529.
- Mehos, MS; Turchi, CS. (1993). FIELD TESTING SOLAR PHOTOCATALYTIC DETOXIFICATION ON TCE-CONTAMINATED GROUNDWATER. *Environmental Progress.* 12: 194-199.
- Mehran, M; Olsen, RL; Rector, BM. (1987). DISTRIBUTION COEFFICIENT OF TRICHLOROETHYLENE IN SOIL-WATER SYSTEMS. *Ground Water.* 25: 275-282.
- Mehring, M; Mansfeld, D; Costisella, B; Schurmann, M. (2006). The first metal-oxo cluster containing lithium and bismuth. *Eur J Inorg Chem* 735-739. <http://dx.doi.org/10.1002/ejic.200500629>.
- Mehta, SK; Sharma, AK; Bhasin, KK; Parkash, R. (2002). Physicochemical properties in mixtures of hexamethylphosphorotriamide with 2,2,2-trichloroethanol or 2,2,2-trifluoroethanol or 1,1,1,3,3,3-hexafluoropropan-2-ol. *Fluid Phase Equilibria.* 201: 203-216.
- Meinardus, HW; Dwarakanath, V; Ewing, J; Hirasaki, GJ; Jackson, RE; Jin, M; Ginn, JS; Londergan, JT; Miller, CA; Pope, GA. (2002). Performance assessment of NAPL remediation in heterogeneous alluvium. *J Contam Hydrol.* 54: 173-193.
- Meiri, D; Ghiasi, M; Patterson, RJ; Ramanujam, N; Tyson, MP. (1990). Extraction of TCE-contaminated ground water by subsurface drains and a pumping well. *Ground Water.* 28: 17-24.
- Melchiorri, C; Bolondi, L; Chieco, P; Pagnoni, M; Gramantieri, L; Barbara, L. (1994). Diagnostic and prognostic value of DNA ploidy and cell nuclearity in ultrasound-guided liver biopsies. *Cancer.* 74: 1713-1719. [http://dx.doi.org/10.1002/1097-0142\(19940915\)74:6<1713::AID-CNCR2820740612>3.0.CO;2-O](http://dx.doi.org/10.1002/1097-0142(19940915)74:6<1713::AID-CNCR2820740612>3.0.CO;2-O).
- Melchiorri, C; Chieco, P; Zedda, AI; Coni, P; Ledda-Columbano, GM; Columbano, A. (1993). Ploidy and nuclearity of rat hepatocytes after compensatory regeneration or mitogen-induced liver growth. *Carcinogenesis.* 14: 1825-1830. <http://dx.doi.org/10.1093/carcin/14.9.1825>.
- Melin, ES; Puhakka, JA; Strand, SE; Rockne, KJ; Ferguson, JF. (1996). Fluidized-bed enrichment of marine ammonia-to-nitrite oxidizers and their ability to degrade chloroaliphatics. *Int Biodeterior Biodegradation.* 38: 9-18.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mellot, CF; Cheetham, AK. (1999). Energetics and structures of fluoro- and chlorofluorocarbons in zeolites: Force field development and Monte Carlo simulations. *J Phys Chem B*. 103: 3864-3868.
- Mellot, CF; Cheetham, AK; Harms, S; Savitz, S; Gorte, RJ; Myers, AL. (1998). Halocarbon adsorption in nanoporous materials: A combined calorimetric and Monte Carlo study of trichloroethylene (TCE) in faujasite-type zeolites. *Langmuir*. 14: 6728-6733.
- Melnick, RL; Huff, J; Barrett, JC; Maronpot, RR; Lucier, G; Portier, CJ. (1993). Cell proliferation and chemical carcinogenesis: Symposium overview [Review]. *Environ Health Perspect*. 101: 3-7.
- Melnick, RL; Jameson, CW; Goehl, T. (1987). APPLICATION OF MICROENCAPSULATION FOR TOXICOLOGY STUDIES - STABILITY, BIOAVAILABILITY, AND TOXICITY OF MICROENCAPSULATED TRICHLOROETHYLENE. *Environ Health Perspect*. 75: 142-142.
- Melnick, RL; Thayer, KA; Bucher, JR. (2008). Conflicting views on chemical carcinogenesis arising from the design and evaluation of rodent carcinogenicity studies. *Environ Health Perspect*. 116: 130-135. <http://dx.doi.org/10.1289/ehp.9989>.
- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health*. 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.
- Melwanki, MB; Fuh, MR. (2008). Dispersive liquid-liquid microextraction combined with semi-automated in-syringe back extraction as a new approach for the sample preparation of ionizable organic compounds prior to liquid chromatography. *J Chromatogr A*. 1198-1199: 1-6. <http://dx.doi.org/10.1016/j.chroma.2008.05.007>.
- Melwanki, MB; Fuh, MR. (2008). Partitioned dispersive liquid-liquid microextraction: an approach for polar organic compounds extraction from aqueous samples. *J Chromatogr A*. 1207: 24-28. <http://dx.doi.org/10.1016/j.chroma.2008.08.052>.
- Memarain, HR; Ranjbar, M. (2012). Substituent effect in photocatalytic oxidation of 2-oxo-1,2,3,4-tetrahydropyrimidines using TiO₂ nanoparticles. *J Mol Catal Chem*. 356: 46-52. <http://dx.doi.org/10.1016/j.molcata.2011.12.026>.
- Mendez-Roman, R; Cardona-Martinez, N. (1998). Relationship between the formation of surface species and catalyst deactivation during the gas-phase photocatalytic oxidation of toluene. *Catalysis Today*. 40: 353-365.
- Mendoza-Sanchez, I; Cunningham, J. (2012). Efficient Algorithms for Modeling the Transport and Biodegradation of Chlorinated Ethenes in Groundwater. *Transport in Porous Media*. 92: 165-185. <http://dx.doi.org/10.1007/s11242-011-9896-5>.
- Menegazzi, M; Carcereri-De Prati, A; Suzuki, H; Shinozuka, H; Pibiri, M; Piga, R; Columbano, A; Ledda-Columbano, GM. (1997). Liver cell proliferation induced by nafenopin and cyproterone acetate is not associated with increases in activation of transcription factors NF-kappaB and AP-1 or with expression of tumor necrosis factor alpha. *Hepatology*. 25: 585-592. <http://dx.doi.org/10.1002/hep.510250316>.
- Menezes, RM; Oliveira, RV; de Oliveira, DM; Lemos, VA. (2016). A Method Using Liquid-Liquid Microextraction in a Dynamic System for Preconcentration and Determination of Lead in Food Samples. *Water Air Soil Pollut*. 227. <http://dx.doi.org/10.1007/s11270-016-2842-Y>.
- Menon, A; Zhou, RN; Josse, F. (1998). Coated-quartz crystal resonator (QCR) sensors for on-line detection of organic contaminants in water. *IEEE Trans Ultrason Ferroelectr Freq Control*. 45: 1416-1426.
- Menta, M; Frayret, J; Gleyzes, C; Castetbon, A; Potin-Gautier, M. (2012). Development of an analytical method to monitor industrial degreasing and rinsing baths. *J Clean Prod*. 20: 161-169. <http://dx.doi.org/10.1016/j.jclepro.2011.07.021>.
- Menta, M; Frayret, J; Grassl, B; Gleyzes, C; Castetbon, A; Potin-Gautier, M. (2016). Development of an alternative analytical methodology to monitor industrial degreasing baths by dynamic light scattering. *J Clean Prod*. 113: 981-988. <http://dx.doi.org/10.1016/j.jclepro.2015.10.004>.
- Merdink, JL; Stenner, RD; Stevens, DK; Parker, JC; Bull, RJ. (1999). Effect of enterohepatic circulation on the pharmacokinetics of chloral hydrate and its metabolites in F344 rats. *J Toxicol Environ Health A*. 57: 357-368. <http://dx.doi.org/10.1080/009841099157665>.
- Mergler, D; Huel, G; Bowler, R; Frenette, B; Cone, J. (1991). Visual dysfunction among former microelectronics assembly workers. *Arch Environ Health*. 46: 326-334. <http://dx.doi.org/10.1080/00039896.1991.9934398>.
- Merrer, DC; Moss, RA; Liu, MTH; Banks, JT; Ingold, KU. (1998). Benzylchlorocarbene: Origins of Arrhenius curvature in the kinetics of the 1,2-H shift rearrangement. *J Org Chem*. 63: 3010-3016.
- Merschman, SA; Lubbad, SH; Tilotta, DC. (1998). Poly(dimethylsiloxane) films as sorbents for solid-phase microextraction coupled with infrared spectroscopy. *J Chromatogr A*. 829: 377-384.
- Meshesha, BT; Barrabes, N; Foettinger, K; Chimentao, RJ; Llorca, J; Medina, F; Rupprechter, G; Sueiras, JE. (2012). Gas-phase hydrodechlorination of trichloroethylene over Pd/NiMgAl mixed oxide catalysts. *Appl Catal B-Environ*. 117: 236-245. <http://dx.doi.org/10.1016/j.apcatb.2012.01.018>.
- Meshesha, BT; Barrabes, N; Llorca, J; Dafinov, A; Medina, F; Foettinger, K. (2013). PdCu alloy nanoparticles on alumina as selective catalysts for trichloroethylene hydrodechlorination to ethylene. *Appl Catal A-Gen*. 453: 130-141. <http://dx.doi.org/10.1016/j.apcata.2012.12.019>.
- Meshram, N; Loka, C; Park, KR; Lee, K; eeSun. (2015). Enhanced transmittance of ITO/Ag(Cr)/ITO (IAI) multi-layered thin films by high temperature annealing. *Mater Lett*. 145: 120-124. <http://dx.doi.org/10.1016/j.matlet.2015.01.101>.
- Messing, K; Punnett, L; Bond, M; Alexanderson, K; Pyle, J; Zahm, S; Wegman, D; Stock, SR; de Grosbois, S. (2003). Be the fairest of them all: Challenges and recommendations for the treatment of gender in occupational health research [Review]. *Am J Ind Med*. 43: 618-629. <http://dx.doi.org/10.1002/ajim.10225>.
- Meszaros, E, va; Imfeld, G; Nikolausz, M; Nijenhuis, I. (2013). Occurrence of Dehalococoides and Reductive Dehalogenase Genes in Microcosms, a Constructed Wetland and Groundwater from a Chlorinated Ethene Contaminated Field Site as Indicators for In Situ Reductive Dehalogenation. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1768-x>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Meszaros, E; Sipos, R; Pal, R; Romsics, C; Marialigeti, K. (2013). Stimulation of trichloroethene biodegradation in an anaerobic three-phase microcosms. *Int Biodeterior Biodegradation*. 84 (Oct 2013): 126-133. <http://dx.doi.org/10.1016/j.ibiod.2012.08.006>.
- Metayer, C; Scelo, G; Kang, AY; Gunier, RB; Reinier, K; Lea, S; Chang, JS; Selvin, S; Kirsch, J; Crouse, V; Does, M; Quinlan, P; Hammond, SK. (2016). A task-based assessment of parental occupational exposure to organic solvents and other compounds and the risk of childhood leukemia in California. *Environ Res*. 151: 174-183. <http://dx.doi.org/10.1016/j.envres.2016.06.047>.
- Meyer, Cl; Borgna, A; Monzon, A; Garetto, TF. (2011). Kinetic study of trichloroethylene combustion on exchanged zeolites catalysts. *J Hazard Mater*. 190: 903-908. <http://dx.doi.org/10.1016/j.jhazmat.2011.04.007>.
- Meyer, DE; Bhattacharyya, D. (2007). Impact of membrane immobilization on particle formation and trichloroethylene dechlorination for bimetallic Fe/Ni nanoparticles in cellulose acetate membranes. *J Phys Chem B*. 111: 7142-7154. <http://dx.doi.org/10.1021/jp070972u>.
- Meyer, DE; Hampson, S; Ormsbee, L; Bhattacharyya, D. (2009). A Study of Groundwater Matrix Effects for the Destruction of Trichloroethylene Using Fe/Pd Nanoaggregates. *Environ Prog Sustain Energy*. 28: 507-518. <http://dx.doi.org/10.1002/ep.10334>.
- Meyer, DE; Wood, K; Bachas, LG; Bhattacharyya, D. (2004). Degradation of chlorinated organics by membrane-immobilized nanosized metals. *Environmental Progress*. 23: 232-242. <http://dx.doi.org/10.1002/ep.10031>.
- Meyer, K; Lee, JS; Dyck, PA; Cao, WQ; Rao, MS; Thorgeirsson, SS; Reddy, JK. (2003). Molecular profiling of hepatocellular carcinomas developing spontaneously in acyl-CoA oxidase deficient mice: Comparison with liver tumors induced in wild-type mice by a peroxisome proliferator and a genotoxic carcinogen. *Carcinogenesis*. 24: 975-984. <http://dx.doi.org/10.1093/carcin/bgg040>.
- Meyer, RJ; Reeves, CT; Safarik, DJ; Allen, DT; Mullins, CB. (2001). Comparison of phosgene formation from adsorption of carbon tetrachloride on oxygen modified Ir(111) and oxygen modified Ir(110). *Journal of Vacuum Science and Technology A*. 19: 1524-1530.
- Meyer-Monath, M; Beaumont, J; Morel, I; Rouget, F; Tack, K; Lestremau, F. (2014). Analysis of BTEX and chlorinated solvents in meconium by headspace-solid-phase microextraction gas chromatography coupled with mass spectrometry. *Anal Bioanal Chem*. 406: 4481-4490. <http://dx.doi.org/10.1007/s00216-014-7836-2>.
- Miao, Z; Gu, X; Lu, S; Zang, X; Wu, X; Xu, M; Ndong, LB; Qiu, Z; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe(2+)-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere*. 119: 1120-1125. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.065>.
- Michalak, AM; Kitanidis, PK. (2003). A method for enforcing parameter nonnegativity in Bayesian inverse problems with an application to contaminant source identification. *Water Resour Res*. 39. <http://dx.doi.org/10.1029/2002WR001480>.
- Michalak, AM; Kitanidis, PK. (2004). Application of geostatistical inverse modeling to contaminant source identification at Dover AFB, Delaware. *Journal of Hydraulic Research*. 42: 9-18.
- Michalik, L; Desvergne, B; Dreyer, C; Gavillet, M; Laurini, RN; Wahli, W. (2002). PPAR expression and function during vertebrate development [Review]. *Int J Dev Biol*. 46: 105-114.
- Michalik-Zym, A; Dula, R; Duraczynska, D; Krysiak-Czerwenka, J; Machej, T; Socha, RP; Wlodarczyk, W; Gawel, A; Matusik, J; Bahranowski, K; Wisla-Walsh, E; Litynska-Dobrzynska, L; Serwicka, EM. (2015). Active, selective and robust Pd and/or Cr catalysts supported on Ti-, Zr- or [Ti,Zr]-pillared montmorillonites for destruction of chlorinated volatile organic compounds. *Appl Catal B-Environ*. 174: 293-307. <http://dx.doi.org/10.1016/j.apcatb.2015.03.015>.
- Michaud, F; Barrio, M; Toscani, S; Agafonov, V; Szwarc, H; Ceolin, R. (1997). Solid-state studies on solvated [60] fullerene crystals grown from trichloroethylene. *Fullerene Sci Technol*. 5: 1645-1650.
- Michel, C; Desdouets, C; Slaoui, M; Isaacs, KR; Roberts, RA; Boitier, E. (2007). Diethylnitrosamine initiation does not alter clofibrate acid-induced hepatocarcinogenesis in the rat. *Toxicol Sci*. 99: 58-69. <http://dx.doi.org/10.1093/toxsci/kfm168>.
- Michulec, M; Wardencki, W. (2006). The application of single drop extraction technique for chromatographic determination of solvent residues in edible oils and pharmaceutical products. *Chromatographia*. 64: 191-197. <http://dx.doi.org/10.1365/s10337-006-0009-5>.
- Michulec, M; Wardencki, W. (2007). Validation of SPME-GC and HS-GC procedures for the determination of selected solvent residues in edible oil matrices. *Accreditation and Quality Assurance*. 12: 94-104. <http://dx.doi.org/10.1007/s00769-006-0235-4>.
- Middleman, KJ; Herbert, JD; Reid, RJ. (2007). Cleaning stainless steel for use in accelerators - Phase 1. *Vacuum*. 81: 793-798. <http://dx.doi.org/10.1016/j.vacuum.2005.11.057>.
- Miehr, R; Tratnyek, PG; Bandstra, JZ; Scherer, MM; Alowitz, MJ; Bylaska, EJ. (2004). Diversity of contaminant reduction reactions by zerovalent iron: Role of the reductate. *Environ Sci Technol*. 38: 139-147. <http://dx.doi.org/10.1021/es034237h>.
- Miettinen, I; Martikainen, P; Vartiainen, T; Lotjonen, S. (1993). BIOCHEMICAL AND CHEMICAL DEGRADATION OF 3-CHLORO-4-(DICHLOROMETHYL)-5-HYDROXY-2(5H)-FURANONE (MX) IN SURFACE AND DRINKING-WATER. *Chemosphere*. 27: 1707-1718.
- Mignet, N; Tosquellas, G; Barber, I; Morvan, F; Rayner, B; Imbach, JL. (1997). The prooligonucleotide approach: Synthesis and stability of chimeric prooligonucleotides in culture medium and in total cell extract. *New J Chem*. 21: 73-79.
- Miguez, CB; Bourque, D; Sealy, JA; Greer, CW; Groleau, D. (1997). Detection and isolation of methanotrophic bacteria possessing soluble methane monooxygenase (sMMO) genes using the polymerase chain reaction (PCR). *Microb Ecol*. 33: 21-31.
- Mihopoulos, PG; Sayles, GD; Suidan, MT; Shah, J; Bishop, DF. (2000). Vapor phase treatment of PCE in a soil column by lab-scale anaerobic bioventing. *Water Res*. 34: 3231-3237.
- Mihopoulos, PG; Suidan, MT; Sayles, GD. (2001). Complete remediation of PCE contaminated unsaturated soils by sequential anaerobic-aerobic bioventing. *Water Sci Technol*. 43: 365-372.
- Mijajlova-Nacheva, P; Canul-Chuil, A. (2006). Anaerobic biodegradation of chlorinated aliphatic compounds using packed bed reactors. *Water Sci Technol*. 54: 193-200. <http://dx.doi.org/10.2166/wst.2006.878>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mikhailov, VA; Parkes, MA; Simpson, MJ; Tuckett, RP; Mayhew, CA. (2008). Selected ion flow tube study of the ion-molecule reactions of monochloroethene, trichloroethene, and tetrachloroethene. *J Phys Chem A*. 112: 9012-9022. <http://dx.doi.org/10.1021/jp804443v>.
- Mikkola, H; Schmale, JY; Wesner, W; Petkovska, S. (2008). Laboratory pre-assays for soil remediation by electro synthesis of oxidants and their electrokinetic distribution. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 43: 907-912. <http://dx.doi.org/10.1080/10934520801974426>.
- Mikol, YB; Hoover, KL; Creasia, D; Poirier, LA. (1983). Hepatocarcinogenesis in rats fed methyl-deficient, amino acid-defined diets. *Carcinogenesis*. 4: 1619-1629. <http://dx.doi.org/10.1093/carcin/4.12.1619>.
- Milanovich, FP; Brown, SB; Colston B W, J. R.; Daley, PF; Langry, KC. (1994). A FIBER-OPTIC SENSOR SYSTEM FOR MONITORING CHLORINATED HYDROCARBON POLLUTANTS. *Talanta*. 41: 2189-2194.
- Mill, T; Su, MG; Yao, CCD; Matthews, SM; Wang, FTS. (1997). E-beam treatment of trichloroethylene-air mixtures: Products and rates. *Radiat Phys Chem Oxf Engl* 1993. 50: 283-291.
- Miller, BM; Adler, ID. (1992). Aneuploidy induction in mouse spermatocytes. *Mutagenesis*. 7: 69-76. <http://dx.doi.org/10.1093/mutage/7.1.69>.
- Miller, CT; Hill, EH; Moutier, M. (2000). Remediation of DNAPL-contaminated subsurface systems using density-motivated mobilization. *Environ Sci Technol*. 34: 719-724.
- Miller, GS; Milliken, CE; Sowers, KR; May, HD. (2005). Reductive dechlorination of tetrachloroethene to trans-dichloroethene and cis-dichloroethene by PCB-dechlorinating bacterium DF-1. *Environ Sci Technol*. 39: 2631-2635.
- Miller, PL; Vasudevan, D; Gschwend, PM; Roberts, AL. (1998). Transformation of hexachloroethane in a sulfidic natural water. *Environ Sci Technol*. 32: 1269-1275.
- Miller, RT; Shah, RS; Cattley, RC; Popp, JA. (1996). The peroxisome proliferations WY-14,643 and methylclofenapate induce hepatocyte ploidy alterations and ploidy-specific DNA synthesis in F344 rats. *Toxicol Appl Pharmacol*. 138: 317-323. <http://dx.doi.org/10.1006/taap.1996.0130>.
- Mills, LJ; Gutjahr-Gobell, RE; Haebler, RA; Horowitz, DJ; Jayaraman, S; Pruell, RJ; Mckinney, RA; Gardner, GR; Zaroogian, GE. (2001). Effects of estrogenic (o,p'-DDT; octylphenol) and anti-androgenic (p,p'-DDE) chemicals on indicators of endocrine status in juvenile male summer flounder (*Paralichthys dentatus*). *Aquat Toxicol*. 52: 157-176.
- Mills, NC; Means, AR. (1972). Sorbitol dehydrogenase of rat testis: Changes of activity during development, after hypophysectomy and following gonadotrophic hormone administration. *Endocrinology*. 91: 147-156. <http://dx.doi.org/10.1210/endo-91-1-147>.
- Mills, WB; Liu, S; Rigby, MC; Brenner, D. (2007). Time-variable simulation of soil vapor intrusion into a building with a combined crawl space and basement. *Environ Sci Technol*. 41: 4993-5001. <http://dx.doi.org/10.1021/es061747d>.
- Min, JE; Kim, M; Pardue, JH; Park, JW. (2008). Reduction of trichloroethylene and nitrate by zero-valent iron with peat. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 43: 144-153. <http://dx.doi.org/10.1080/10934520701781244>.
- Min, JE; Lee, T; Choi, J; Park, JW. (2005). Black shale as a sorbent for trichloroethylene and Cr(VI). *Environ Technol*. 26: 643-652. <http://dx.doi.org/10.1080/09593330.2001.9619504>.
- Min, JE; Park, IS; Ko, S; Shin, WS; Park, JW. (2009). Effect of phosphate and sediment bacteria on trichloroethylene dechlorination with zero valent iron. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 362-369. <http://dx.doi.org/10.1080/10934520802659703>.
- Min, Z; Ying, D; Shijun, Z; Wen, C. (2011). Highly efficient photocatalytic activity of boron-doped TiO₂ for gas phase degradation of benzene. *Rare Metals*. 30: 243-248. <http://dx.doi.org/10.1007/s12598-011-0278-5>.
- Minami, W; Kim, HJ. (2006). The decomposition property of trichloroethylene and ethylene using ultra-violet and TiO₂ catalyst. *Environ Technol*. 27: 477-482.
- Minamishima, YA; Nakayama, K; Nakayama, KI. (2002). Recovery of liver mass without proliferation of hepatocytes after partial hepatectomy in Skp2-deficient mice. *Cancer Res*. 62: 995-999.
- Miniero, R; Carere, C; De Felip, E; Iacovella, N; Rodriguez, F; Alleva, E; Di Domenico, A. (2008). The use of common swift (*Apus apus*), an aerial feeder bird, as a bioindicator of persistent organic microcontaminants. *Ann Ist Super Sanita*. 44: 187-194.
- Minkiewicz, VJ; Stasiak, J; White, RL; Cornell, RW; Moore, JO; Eaton, R; Eldridge, JM; Lee, FC. (1994). SOME MECHANICAL AND THERMAL-PROPERTIES OF PECVD A-SIXC1-X-H AND A-SIXN1-X-H FILMS PREPARED BY MIXED FREQUENCY PLASMA PROCESSES. *Surf Coating Tech*. 68: 229-233.
- Minnich, MM; Schumacher, BA; Zimmerman, JH. (1997). Comparison of soil VOCs measured by soil gas, heated headspace, and methanol extraction techniques. *Journal of Soil Contamination*. 6: 187-203.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1996). Extraction methods for recovery of volatile organic compounds from fortified dry soils. *J AOAC Int*. 79: 1198-1204.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1997). Long-term study of volatile organic compound recovery from ampulated, dry, fortified soils. *J Environ Qual*. 26: 108-114.
- Mino, ER; Okuda, T; Nishijima, W; Okada, M. (2007). Calcium accumulation onto GAC used for landfill leachate treatment and its effects on 2,4-DCP adsorption. *J Chem Eng Jpn*. 40: 275-279.
- Minocha, AK; Jain, N; Verma, CL. (2003). Effect of organic materials on the solidification of heavy metal sludge. *Construction and Building Materials*. 17: 77-81.
- Minsley, BJ; Sogade, J; Morgan, FD. (2007). Three-dimensional self-potential inversion for subsurface DNAPL contaminant detection at the Savannah River Site, South Carolina. *Water Resour Res*. 43: 4429-4429. <http://dx.doi.org/10.1029/2005WR003996>.
- Mir, L. (2008). Exposure to trichloroethylene and liver cancer: meta-analysis. *E R S*. 7: 394-395.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Miranda, B; Diaz, E; Ordonez, S; Diez, FV. (2006). Catalytic combustion of trichloroethene over Ru/Al²O₃: Reaction mechanism and kinetic study. *Catal Comm.* 7: 945-949. <http://dx.doi.org/10.1016/j.catcom.2006.04.007>.
- Miranda, B; Diaz, E; Ordonez, S; Vega, A; Diez, FV. (2006). Performance of alumina-supported noble metal catalysts for the combustion of trichloroethene at dry and wet conditions. *Appl Catal B-Environ.* 64: 262-271. <http://dx.doi.org/10.1016/j.apcatb.2005.12.008>.
- Miranda, B; Díaz, E; Ordóñez, S; Vega, A; Diez, FV. (2007). Oxidation of trichloroethene over metal oxide catalysts: kinetic studies and correlation with adsorption properties. *Chemosphere.* 66: 1706-1715. <http://dx.doi.org/10.1016/j.chemosphere.2006.07.016>.
- Miranda-Garcia, N; Suarez, S; Sanchez, B; Coronado, JM; Malato, S; Maldonado, M. (2011). Photocatalytic degradation of emerging contaminants in municipal wastewater treatment plant effluents using immobilized TiO₂ in a solar pilot plant). *Appl Catal B-Environ.* 103: 294-301. <http://dx.doi.org/10.1016/j.apcatb.2011.01.030>.
- Mirza, T; Gérin, M; Bégin, D; Drolet, D. (2000). A study on the substitution of trichloroethylene as a spot remover in the textile industry. *AIHAJ.* 61: 431-438.
- Misaki, Y; Nishikawa, H; Fujiwara, H; Yamabe, T; Mori, T; Mori, H; Tanaka, S. (1995). CRYSTAL-STRUCTURES AND PHYSICAL-PROPERTIES OF DTET-TTF SALTS. *Synthetic Metals.* 70: 1151-1152.
- Mishra, D; Liao, Z; Farrell, J. (2008). Understanding Reductive Dechlorination of Trichloroethene on Boron-Doped Diamond Film Electrodes. *Environ Sci Technol.* 42: 9344-9349. <http://dx.doi.org/10.1021/es801815z>.
- Mishra, T; Mohapatra, P; Parida, KM. (2008). Synthesis, characterisation and catalytic evaluation of iron-manganese mixed oxide pillared clay for VOC decomposition reaction. *Appl Catal B-Environ.* 79: 279-285. <http://dx.doi.org/10.1016/j.apcatb.2007.10.030>.
- Misra, C; Gupta, SK. (2001). Hybrid reactor for priority pollutant-trichloroethylene removal. *Water Res.* 35: 160-166.
- Missov, E. (2013). Left ventricular assist device inflow cannula thrombus: characterization with two-dimensional transthoracic echocardiography. *59: 662-663.* <http://dx.doi.org/10.1097/MAT.0000436712.27011.f4>.
- Mitra, S; Gupta, SK. (2013). Biodegradation of tetrachloroethylene-rich synthetic wastewater in anaerobic hybrid reactor. *Desalination and Water Treatment.* 51: 4506-4513. <http://dx.doi.org/10.1080/19443994.2013.770232>.
- Mitra, S; Gupta, SK. (2013). Biodegradation of Trichloroethylene in Anaerobic Hybrid Reactor. *Environ Prog Sustain Energy.* 32: 1055-1060. <http://dx.doi.org/10.1002/ep.11705>.
- Mitra, S; Gupta, SK. (2014). Pilot-scale treatment of a trichloroethylene rich synthetic wastewater in anaerobic hybrid reactor, with morphological study of the sludge granules. *Clean Tech Environ Pol.* 16: 947-956. <http://dx.doi.org/10.1007/s10098-013-0695-2>.
- Miura, Y; Anzai, K; Takahashi, S; Ozawa, T. (1997). A novel lipophilic spin probe for the measurement of radiation damage in mouse brain using in vivo electron spin resonance (ESR). *FEBS Lett.* 419: 99-102. [http://dx.doi.org/10.1016/S0014-5793\(97\)01443-9](http://dx.doi.org/10.1016/S0014-5793(97)01443-9).
- Miyabe, K; Taniguchi, N; Imura, A; Tezuka, Y. (2003). Kinetic study of the hydrodechlorination of trichloroethene in water using a platinum catalyst and hydrazine. *Water Environ Res.* 75: 472-477.
- Miyake, Y; Sakoda, A; Yamanashi, H; Kaneda, H; Suzuki, M. (2003). Activated carbon adsorption of trichloroethylene (TCE) vapor stripped from TCE-contaminated water. *Water Res.* 37: 1852-1858. [http://dx.doi.org/10.1016/S0043-1354\(02\)00564-X](http://dx.doi.org/10.1016/S0043-1354(02)00564-X).
- Mizunuma, K; Kawai, T; Horiguchi, S; Ikeda, M. (1995). Urinary methylchloroform rather than urinary metabolites as an indicator of occupational exposure to methylchloroform. *Int Arch Occup Environ Health.* 67: 19-25.
- Mjaatvedt, CH; Markwald, RR. (1991). An antiserum (ES1) against a particulate form of extracellular matrix blocks the transition of cardiac endothelium into mesenchyme in culture. *Dev Biol.* 145: 219-230. [http://dx.doi.org/10.1016/0012-1606\(91\)90121-I](http://dx.doi.org/10.1016/0012-1606(91)90121-I).
- Mjaatvedt, CH; Lepera, RC; Markwald, RR. (1987). Myocardial specificity for initiating endothelial-mesenchymal cell transition in embryonic chick heart correlates with a particulate distribution of fibronectin. *Dev Biol.* 119: 59-67. [http://dx.doi.org/10.1016/0012-1606\(87\)90206-5](http://dx.doi.org/10.1016/0012-1606(87)90206-5).
- Mlotek, M; Reda, E; Krawczyk, K. (2015). Conversion of tetrachloromethane in large scale gliding discharge reactor. *13: 212-217.* <http://dx.doi.org/10.1515/chem-2015-0022>.
- Moates, FC; McMinn, TE; Richardson, JT. (1999). Radial reactor for trichloroethylene steam reforming. *AIChE J.* 45: 2411-2418.
- Mochida, K; Saito, K. (1985). Toxicity assessment of tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane using human and monkey cells. *Bull Environ Contam Toxicol.* 35: 593-595.
- Moeck, C; Radny, D; Borer, P; Rothardt, J; Auckenthaler, A; Berg, M; Schirmer, M. (2016). Multicomponent statistical analysis to identify flow and transport processes in a highly-complex environment. *J Hydrol.* 542: 437-449. <http://dx.doi.org/10.1016/j.jhydrol.2016.09.023>.
- Mohamed, AMO; Said, RA. (2004). TDR detection of nonaqueous phase liquids in sandy soils using the eigendecomposition method. *Environ Geol.* 47: 30-37.
- Mohamed, RM; Aazam, ES. (2011). Preparation and characterization of platinum doped porous titania nanoparticles for photocatalytic oxidation of carbon monoxide. *J Alloy Comp.* 509: 10132-10138. <http://dx.doi.org/10.1016/j.jallcom.2011.08.059>.
- Mohammad, OI; Kibbey, TCG. (2005). Dissolution-induced contact angle modification in dense nonaqueous phase liquid/water systems. *Environ Sci Technol.* 39: 1698-1706. <http://dx.doi.org/10.1021/es048810o>.
- Mohseni, M. (2005). Gas phase trichloroethylene (TCE) photooxidation and byproduct formation: Photolysis vs. titania/silica based photocatalysis. *Chemosphere.* 59: 335-342. <http://dx.doi.org/10.1016/j.chemosphere.2004.10.054>.
- Mohseni, M; David, A. (2003). Gas phase vinyl chloride (VC) oxidation using TiO₂-based photocatalysis. *Appl Catal B-Environ.* 46: 219-228. [http://dx.doi.org/10.1016/S0926-3373\(03\)00223-6](http://dx.doi.org/10.1016/S0926-3373(03)00223-6).
- Mohseni, M; Taghipour, F. (2004). Experimental and CFD analysis of photocatalytic gas phase vinyl chloride (VC) oxidation. *Chem Eng Sci.* 59: 1601-1609. <http://dx.doi.org/10.1016/j.ces.2004.01.017>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Moinzadeh, P; Breuhahn, K; Stützer, H; Schirmacher, P. (2005). Chromosome alterations in human hepatocellular carcinomas correlate with aetiology and histological grade: Results of an explorative CGH meta-analysis. *Br J Cancer*. 92: 935-941. <http://dx.doi.org/10.1038/sj.bjc.6602448>.
- Mok, YS; Kang, HC; Cho, MH; Nam, IS. (2003). Oxidation of volatile organic compounds by using a microwave-induced plasma process. *Korean J Chem Eng*. 20: 239-246.
- Mok, YS; Lee, SB; Oh, JH; Ra, KS; Sung, BH. (2008). Abatement of Trichloromethane by Using Nonthermal Plasma Reactors. *Plasma Chemistry and Plasma Processing*. 28: 663-676. <http://dx.doi.org/10.1007/s11090-008-9151-1>.
- Mondal, PK; Lima, G; Zhang, D; Lomheim, L; Tossell, RW; Patel, P; Sleep, BE. (2016). Evaluation of peat and sawdust as permeable reactive barrier materials for stimulating in situ biodegradation of trichloroethene. *J Hazard Mater*. 313: 37-48. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.049>.
- Monster, AC. (1979). Difference in uptake, elimination, and metabolism in exposure to trichloroethylene, 1,1,1-trichloroethane, and tetrachloroethylene. *Int Arch Occup Environ Health*. 42: 311-317. <http://dx.doi.org/10.1007/BF00377785>.
- Monster, AC; Boersma, G. (1975). Simultaneous determination of trichloroethylene and metabolites in blood and exhaled air by gas chromatography. *Int Arch Occup Environ Health*. 35: 155-163.
- Monster, AC; Boersma, G; Duba, WC. (1976). Pharmacokinetics of trichloroethylene in volunteers, influence of workload and exposure concentration. *Int Arch Occup Environ Health*. 38: 87-102. <http://dx.doi.org/10.1007/BF00378619>.
- Monster, AC; Boersma, G; Duba, WC. (1979). Kinetics of trichloroethylene in repeated exposure of volunteers. *Int Arch Occup Environ Health*. 42: 283-292. <http://dx.doi.org/10.1007/BF00377782>.
- Montecchio, F; Persson, H; Engvall, K; Delin, J; Lanza, R. (2016). Development of a stagnation point flow system to screen and test TiO₂-based photocatalysts in air purification applications. *Chem Eng J*. 306: 734-744. <http://dx.doi.org/10.1016/j.cej.2016.07.117>.
- Monteiro, RAR; Miranda, SM; Rodrigues-Silva, C; Faria, JL; Silva, AMT; Boaventura, R, uiAR; Vilar, VJP. (2015). Gas phase oxidation of n-decane and PCE by photocatalysis using an annular photoreactor packed with a monolithic catalytic bed coated with P25 and PC500. *Appl Catal B-Environ*. 165: 306-315. <http://dx.doi.org/10.1016/j.apcatb.2014.10.026>.
- Monteiro, RAR; Rodrigues-Silva, C; Lopes, FVS; Silva, AMT; Boaventura, R, uiAR; Vilar, VJP. (2015). Evaluation of a solar/UV annular pilot scale reactor for 24 h continuous photocatalytic oxidation of n-decane. *Chem Eng J*. 280: 409-416. <http://dx.doi.org/10.1016/j.cej.2015.06.014>.
- Monteiro, RAR; Silva, AMT; Angelo, JRM; Silva, GV; Mendes, AM; Boaventura, R, uiAR; Vilar, VJP. (2015). Photocatalytic oxidation of gaseous perchloroethylene over TiO₂ based paint. *J Photochem Photobiol A*. 311: 41-52. <http://dx.doi.org/10.1016/j.jphotochem.2015.06.007>.
- Montesano, PM; Sun, G; Dubayah, RO; Ranson, KJ, on. (2016). S91 Spaceborne potential for examining taiga-tundra ecotone form and vulnerability. *Biogeosciences*. 13: 3847-3861. <http://dx.doi.org/10.5194/bg-13-3847-2016>.
- Moon, CS; Lee, JT; Chun, JH; Ikeda, M. (2001). Use of solvents in industries in Korea: experience in Sinpyeong-Jangrim industrial complex. *Int Arch Occup Environ Health*. 74: 148-152.
- Moon, HS; Chang, SW; Nam, K; Choe, J; Kim, JY. (2006). Effect of reactive media composition and co-contaminants on sulfur-based autotrophic denitrification. *Environ Pollut*. 144: 802-807. <http://dx.doi.org/10.1016/j.envpol.2006.02.020>.
- Moon, JW; Moon, HS; Kim, H; Roh, Y. (2005). Remediation of TCE-contaminated groundwater using zero valent iron and direct current: experimental results and electron competition model. *Environ Geol*. 48: 805-817. <http://dx.doi.org/10.1007/s00254-005-0023-1>.
- Moonsiri, M; Rangsunvigit, P; Chavadej, S; Gulari, E. (2004). Effects of Pt and Ag on the photocatalytic degradation of 4-chlorophenol and its by-products. *Chem Eng J*. 97: 241-248. <http://dx.doi.org/10.1016/j.cej.2003.05.003>.
- Moore, K; Forsberg, B; Baer, DR; Arnold, WA; Penns, R. (2011). Zero-Valent Iron: Impact of Anions Present during Synthesis on Subsequent Nanoparticle Reactivity. *J Environ Eng*. 137: 889-896. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000407](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000407).
- Moore, MM; Harrington-Brock, K. (2000). Mutagenicity of trichloroethylene and its metabolites: Implications for the risk assessment of trichloroethylene [Review]. *Environ Health Perspect*. 108: 215-223.
- Moore, P; Coucher, J; Ngai, S; Stanton, T; Wahi, S; Gould, P; Booth, C; Pratap, J; Kaye, G. (2016). Imaging and Right Ventricular Pacing Lead Position: A Comparison of CT, MRI, and Echocardiography. *Pacing Clin Electrophysiol*. 39: 382-392. <http://dx.doi.org/10.1111/pace.12817>.
- Mora, M; Skiles, R; Mckinney, B; Paredes, M; Buckler, D; Papoulias, D; Klein, D. (2002). Environmental contaminants in prey and tissues of the peregrine falcon in the Big Bend Region, Texas, USA. *Environ Pollut*. 116: 169-176. [http://dx.doi.org/10.1016/S0269-7491\(01\)00207-X](http://dx.doi.org/10.1016/S0269-7491(01)00207-X).
- Mora, MA; Durgin, B; Hudson, LB; Jones, E. (2016). Temporal and latitudinal trends of p,p'-DDE in eggs and carcasses of North American birds from 1980 to 2005 [Review]. *Environ Toxicol Chem*. 35: 1340-1348. <http://dx.doi.org/10.1002/etc.3360>.
- Mora, VC; Madueño, L; Peluffo, M; Rosso, JA; Del Panno, MT; Morelli, IS. (2014). Remediation of phenanthrene-contaminated soil by simultaneous persulfate chemical oxidation and biodegradation processes. *Environ Sci Pollut Res Int*. 21: 7548-7556. <http://dx.doi.org/10.1007/s11356-014-2687-0>.
- Mora, VC; Rossoa, JA; Carrillo Le Roux, G; Martire, DO; Gonzalez, MC. (2009). Thermally activated peroxydisulfate in the presence of additives: A clean method for the degradation of pollutants. *Chemosphere*. 75: 1405-1409. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.038>.
- Moradi, O; Norouzi, M; Fakhri, A, li; Naddafi, K. (2014). Interaction of removal Ethidium Bromide with Carbon Nanotube: Equilibrium and Isotherm studies. 12: 17. <http://dx.doi.org/10.1186/2052-336X-12-17>.
- Morag, Y; Tal, N; Nazarathy, M; Levron, Y. (2016). Thermodynamic Signal-to-Noise and Channel Capacity Limits of Magnetic Induction Sensors and Communication Systems. *IEEE Sens J*. 16: 1575-1585. <http://dx.doi.org/10.1109/JSEN.2015.2506341>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Moran, MJ; Zogorski, JS; Squillace, PJ. (2007). Chlorinated solvents in groundwater of the United States. *Environ Sci Technol.* 41: 74-81. <http://dx.doi.org/10.1021/es061553y>.
- Morata, TC; Dunn, DE; Sieber, WK. (1994). Occupational exposure to noise and ototoxic organic solvents [Review]. *Arch Environ Occup Health.* 49: 359-365. <http://dx.doi.org/10.1080/00039896.1994.9954988>.
- Morata, TC; Fiorini, AC; Fischer, FM; Colacioppo, S; Wallingford, KM; Krieg, EF; Dunn, DE; Gozzoli, L; Padrão, MA; Cesar, CL. (1997). Toluene-induced hearing loss among rotogravure printing workers. *Scand J Work Environ Health.* 23: 289-298.
- Morata, TC; Johnson, AC; Nylen, P; Svensson, EB; Cheng, J; Krieg, EF; Lindblad, AC; Ernstgård, L; Franks, J. (2002). Audiometric findings in workers exposed to low levels of styrene and noise. *J Occup Environ Med.* 44: 806-814.
- Morcillo, CAD; Patterson, CE; Lacroix, B; Coen, C; Poh, CHJ; Cressler, JD; Papapolymerou, J. (2012). An Ultra-Thin, High-Power, and Multilayer Organic Antenna Array With T/R Functionality in the X-Band. *IEEE Transactions on Microwave Theory and Techniques.* 60: 3856-3867. <http://dx.doi.org/10.1109/TMTT.2012.2218119>.
- Moreira-Matias, L; Gama, J; Ferreira, M; Mendes-Moreira, J; Damas, L. (2016). Time-evolving O-D matrix estimation using high-speed GPS data streams. *Expert Systems with Applications.* 44: 275-288. <http://dx.doi.org/10.1016/j.eswa.2015.08.048>.
- Moreno, B; Nogales, R; Macci, C; Masciandaro, G; Benitez, E. (2011). Microbial eco-physiological profiles to estimate the biological restoration of a trichloroethylene-contaminated soil. *Ecol Indic.* 11: 1563-1571. <http://dx.doi.org/10.1016/j.ecolind.2011.03.026>.
- Moreno, B; Vivas, A; Nogales, R; Benitez, E. (2009). Solvent tolerance acquired by *Brevibacillus brevis* during an olive-waste vermicomposting process. *Ecotoxicol Environ Saf.* 72: 2109-2114. <http://dx.doi.org/10.1016/j.ecoenv.2009.06.011>.
- Moreno, B; Vivas, A; Nogales, R; Macci, C; Masciandaro, G; Benitez, E. (2009). Restoring biochemical activity and bacterial diversity in a trichloroethylene-contaminated soil: the reclamation effect of vermicomposted olive wastes. *Environ Sci Pollut Res Int.* 16: 253-264. <http://dx.doi.org/10.1007/s11356-008-0035-y>.
- Morgan, JW; Cassady, RE. (2002). Community cancer assessment in response to long-time exposure to perchlorate and trichloroethylene in drinking water. *J Occup Environ Med.* 44: 616-621.
- Morgenstern, H. (1998). Ecologic studies. In KJ Rothman; S Greenland (Eds.), (2nd ed., pp. 459-480). Philadelphia, PA: Lippincott Williams & Wilkins.
- Morgenstern, H; Froines, J; Ritz, B; Young, B. (1997). Epidemiologic study to determine possible adverse effects to Rocketdyne/Atomics International workers from exposure to ionizing radiation. Berkeley, CA: Public Health Institute. <http://www.mapcruzin.com/rocketdyne-cancer/radiation.pdf>.
- Morgenstern, H; Froines, J; Ritz, B; Young, B. (1999). Epidemiologic study to determine possible adverse effects to Rocketdyne/Atomics International workers from exposure to selected chemicals. Berkeley, CA: Public Health Institute. http://www.ssfpanel.org/files/UCLA_chem.pdf.
- Mori, H; Kamiya, M; Suzuki, H; Suto, M; Tanaka, S; Nishio, Y; Kajita, K; Moriyama, H. (2003). Band filling control in ET salts. *Synthetic Metals.* 133: 161-163.
- Mori, H; Okano, T; Kamiya, M; Haemori, M; Suzuki, H; Tanaka, S; Tamura, M; Nishio, Y; Kajita, K; Kodani, M; Takimiya, K; Otsubo, T; Moriyama, H. (2001). Control of electronic states by bandwidth and band filling in organic conductors. *Synthetic Metals.* 120: 979-980.
- Mori, H; Sakurai, N; Tanaka, S; Moriyama, H. (1999). Antiferromagnetic fluctuation of (EDT-TTF)₄CoCl₄(1,1,2-TCE)_x. *Synthetic Metals.* 102: 1681-1681.
- Mori, H; Sakurai, N; Tanaka, S; Moriyama, H. (1999). Crystal structures and magnetic properties of d-p pi organic conductors, (EDT-TTF)₄CoCl₄(1,1,2-TCE)_x and related materials. *Bull Chem Soc Jpn.* 72: 683-689.
- Mori, K; Nakamura, Y; Kaneko, M; Kan, T; Amemiya, T; Suzuki, S; Nakamura, H. (1992). Determination of 1,1,1-trichloroethane and 1,4-dioxane in household aerosol products. *JTTHE.* 38: 511-516.
- Mori, K; Nakamura, Y; Kaneko, M; Kan, T; Nakamura, H. (1993). SIMULTANEOUS DETERMINATION OF 1,1,1-TRICHLOROETHANE AND ITS STABILIZER IN WATER PROOFING AEROSOL PRODUCTS BY DRYSPACE METHOD. *JTTHE.* 39: 317-323.
- Mori, T; Suzuki, J; Fujimoto, K; Watanabe, M. (1998). Photocatalytic decomposition of trichloro ethylene and nitrate ion in water on hollandite-type catalysts. *Journal of Materials Synthesis and Processing.* 6: 329-333.
- Morimatsu, Y; Ishitake, T; Irie, K; Hara, K; Sakamoto, T; Aizawa, H. (2006). Acute pulmonary injury due to exposure to a high concentration of trichloroethylene vapor. *J Occup Health.* 48: 271-272.
- Morimura, K; Cheung, C; Ward, JM; Reddy, JK; Gonzalez, FJ. (2006). Differential susceptibility of mice humanized for peroxisome proliferator-activated receptor alpha to Wy-14,643-induced liver tumorigenesis. *Carcinogenesis.* 27: 1074-1080. <http://dx.doi.org/10.1093/carcin/bgi329>.
- Morio, M; Finkel, M; Martac, E. (2010). Flow guided interpolation - A GIS-based method to represent contaminant concentration distributions in groundwater. *Environ Modell Softw.* 25: 1769-1780. <http://dx.doi.org/10.1016/j.envsoft.2010.05.018>.
- Morioka, I; Miyai, N; Yamamoto, H; Miyashita, K. (2000). Evaluation of combined effect of organic solvents and noise by the upper limit of hearing. *Ind Health.* 38: 252-257. <http://dx.doi.org/10.2486/indhealth.38.252>.
- Morita, Z; Hiraoka, S; Yamamori, T; Motomura, H. (1975). STUDIES OF SOLVENT DYEING OF POLY(ETHYLENE TEREPHTHALATE) WITH DISPERSE DYES FROM TRICHLOROETHYLENE AND ISOCTANE. *Bull Chem Soc Jpn.* 48: 2538-2541.
- Moriwaki, C; Costa, GL; Pazzetto, R; Zanin, GM; Moraes, FF; Portilho, M; Matioli, G. (2007). Production and characterization of a new cyclodextrin glycosyltransferase from *Bacillus firmus* isolated from Brazilian soil. *Process Biochemistry.* 42: 1384-1390. <http://dx.doi.org/10.1016/j.procbio.2007.07.007>.
- Moriyama, N; Terao, M; Kawata, K; Uemura, T; Shirai, F. (1988). BIOTRANSFORMATION OF TRICHLOROETHYLENE IN SOIL. *JTTHE.* 34: 366-370.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Morkin, M; Devlin, JF; Barker, JF; Butler, BJ. (2000). In situ sequential treatment of a mixed contaminant plume. *J Contam Hydrol.* 45: 283-302.
- Morono, Y; Unno, H; Hori, K. (2006). Correlation of TCE cometabolism with growth characteristics on aromatic substrates in toluene-degrading bacteria. *Biochem Eng J.* 31: 173-179. <http://dx.doi.org/10.1016/j.bej.2006.07.003>.
- Morou, E; Ismail, HM; Dowd, AJ; Hemingway, J; Labrou, N; Paine, M; Vontas, J. (2008). A dehydrochlorinase-based pH change assay for determination of DDT in sprayed surfaces. *Anal Biochem.* 378: 60-64. <http://dx.doi.org/10.1016/j.ab.2008.03.046>.
- Morozov, G; Breus, V; Nekludov, S; Breus, I. (2014). Sorption of volatile organic compounds and their mixtures on montmorillonite at different humidity. *Colloid Surface Physicochem Eng Aspect.* 454: 159-171. <http://dx.doi.org/10.1016/j.colsurfa.2014.03.104>.
- Morrill, PL; Lacrampe-Couloume, G; Lollar, BS. (2004). Dynamic headspace: a single-step extraction for isotopic analysis of microg/L concentrations of dissolved chlorinated ethenes. *Rapid Commun Mass Spectrom.* 18: 595-600. <http://dx.doi.org/10.1002/rcm.1372>.
- Morrill, PL; Lacrampe-Couloume, G; Slater, GF; Sleep, BE; Edwards, EA; McMaster, ML; Major, DW; Sherwood Lollar, B. (2005). Quantifying chlorinated ethene degradation during reductive dechlorination at Kelly AFB using stable carbon isotopes. *J Contam Hydrol.* 76: 279-293. <http://dx.doi.org/10.1016/j.jconhyd.2004.11.002>.
- Morrill, PL; Sleep, BE; Seepersad, DJ; McMaster, ML; Hood, ED; Lebron, C; Major, DW; Edwards, EA; Lollar, BS. (2009). Variations in expression of carbon isotope fractionation of chlorinated ethenes during biologically enhanced PCE dissolution close to a source zone. *J Contam Hydrol.* 110: 60-71. <http://dx.doi.org/10.1016/j.jconhyd.2009.08.006>.
- Morrill, PL; Sleep, BE; Slater, GF; Edwards, EA; Lollar, BS. (2006). Evaluation of isotopic enrichment factors for the biodegradation of chlorinated ethenes using a parameter estimation model: toward an improved quantification of biodegradation. *Environ Sci Technol.* 40: 3886-3892. <http://dx.doi.org/10.1021/es051513e>.
- Morrison, RD. (2000). Critical review of environmental forensic techniques: Part I. *Environ Forensics.* 1: 157-173. <http://dx.doi.org/10.1006/enfo.2000.0017>.
- Morrissey, A; Kelly, G; Alderman, J. (1999). Selection of materials for reduced stress packaging of a microsystem. *Sens Actuators A.* 74: 178-181.
- Morrissey, FA; Grismer, ME. (1999). Kinetics of volatile organic compound sorption/desorption on clay minerals. *J Contam Hydrol.* 36: 291-312.
- Morrow, LA; Steinhauer, SR; Hodgson, MJ. (1992). Delay in P300 latency in patients with organic solvent exposure. *Arch Neurol.* 49: 315-320.
- Mortazavi, SB; Ramavandi, B; Moussavi, G. (2011). Chemical reduction kinetics of nitrate in aqueous solution by Mg/Cu bimetallic particles. *Environ Technol.* 32: 251-260. <http://dx.doi.org/10.1080/09593330.2010.495399>.
- Morton, JD; Hayes, KF; Semrau, JD. (2000). Bioavailability of chelated and soil-adsorbed copper to *Methylosinus trichosporium* OB3b. *Environ Sci Technol.* 34: 4917-4922. <http://dx.doi.org/10.1021/es001330m>.
- Morton, LD; Youssef, AF; Lloyd, E; Kiorpes, AL; Goldsworthy, TL; Fort, FL. (2002). Evaluation of carcinogenic responses in the Eker rat following short-term exposure to selected nephrotoxins and carcinogens. *Toxicol Pathol.* 30: 559-564. <http://dx.doi.org/10.1080/01926230290105794>.
- Morton, LM; Hartge, P; Holford, TR; Holly, EA; Chiu, BC; Vineis, P; Stagnaro, E; Willett, EV; Franceschi, S; La Vecchia, C; Hughes, AM; Cozen, W; Davis, S; Severson, RK; Bernstein, L; Mayne, ST; Dee, FR; Cerhan, JR; Zheng, T. (2005). Cigarette smoking and risk of non-Hodgkin lymphoma: A pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph) [Review]. *Cancer Epidemiol Biomarkers Prev.* 14: 925-933. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0693>.
- Morton, LM; Holford, TR; Leaderer, B; Zhang, Y; Zahm, SH; Boyle, P; Flynn, S; Tallini, G; Owens, PH; Zhang, B; Zheng, T. (2003). Alcohol use and risk of non-Hodgkin's lymphoma among Connecticut women (United States). *Cancer Causes Control.* 14: 687-694. <http://dx.doi.org/10.1023/A:1025626208861>.
- Morton, LM; Turner, JJ; Cerhan, JR; Linet, MS; Tressler, PA; Clarke, CA; Jack, A; Cozen, W; Maynadie, M; Spinelli, JJ; Costantini, AS; Rudiger, T; Scarpa, A; Zheng, T; Weisenburger, DD. (2007). Proposed classification of lymphoid neoplasms for epidemiologic research from the Pathology Working Group of the International Lymphoma Epidemiology Consortium (InterLymph). *Blood.* 110: 695-708. <http://dx.doi.org/10.1182/blood-2006-11-051672>.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health A.* 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Moser, VC; Phillips, PM; McDaniel, KL; MacPhail, RC. (1999). Behavioral evaluation of the neurotoxicity produced by dichloroacetic acid in rats. *Neurotoxicol Teratol.* 21: 719-731. [http://dx.doi.org/10.1016/S0892-0362\(99\)00029-X](http://dx.doi.org/10.1016/S0892-0362(99)00029-X).
- Moss, JA; Szczepankiewicz, SH; Park, E; Hoffmann, MR. (2005). Adsorption and photodegradation of dimethyl methylphosphonate vapor at TiO₂ surfaces. *J Phys Chem B.* 109: 19779-19785. <http://dx.doi.org/10.1021/jp052057j>.
- Mossa hosseini, S; Ataie-Ashtiani, B; Kholghi, M. (2011). Nitrate reduction by nano-Fe/Cu particles in packed column. *Desalination.* 276: 214-221. <http://dx.doi.org/10.1016/j.desal.2011.03.051>.
- Motomatsu, M; Mizutani, W; Nie, HY; Tokumoto, H. (1996). Surface structure of a fluorinated thiol on Au(111) by scanning force microscopy. *Thin Solid Films.* 281: 548-551.
- Mouhamad, R; Ghanem, I; Alorfi, M; Ibrahim, K; Ali, N; Al-Daoude, A. (2012). PHYTOREMEDIATION OF TRICHLOROETHYLENE AND DICHLORODIPHENYLTRICHLOROETHANE-POLLUTED WATER USING TRANSGENIC SESBANIA GRANDIFLORA AND ARABIDOPSIS THALIANA PLANTS HARBORING RABBIT CYTOCHROME P450 2E1. *Int J Phytoremediation.* 14: 656-668. <http://dx.doi.org/10.1080/15226514.2011.619232>.
- Mouhyi, J; Sennerby, L; Pireaux, JJ; Dourov, N; Nammour, S; Van Reck, J. (1998). An XPS and SEM evaluation of six chemical and physical techniques for cleaning of contaminated titanium implants. *Clin Oral Implants Res.* 9: 185-194.
- Moulis, F; Krysa, J. (2013). Photocatalytic degradation of several VOCs (n-hexane, n-butyl acetate and toluene) on TiO₂ layer in a closed-loop reactor. *Catalysis Today.* 209: 153-158. <http://dx.doi.org/10.1016/j.cattod.2012.10.017>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Moulis, F; Krysa, J. (2015). Photocatalytic degradation of acetone and methanol in a flow-through photoreactor with immobilized TiO₂. *Res Chem Intermed.* 41: 9233-9242. <http://dx.doi.org/10.1007/s11164-015-1989-2>.
- Moura, FCC; Oliveira, GC; Araujo, MH; Ardisson, JD; Macedo, WAA; Lago, RM. (2006). Highly reactive species formed by interface reaction between Fe-O-iron oxides particles: An efficient electron transfer system for environmental applications. *Appl Catal A-Gen.* 307: 195-204. <http://dx.doi.org/10.1016/j.apcata.2006.03.037>.
- Mourand, JT; Crittenden, JC; Hand, DW; Perram, DL; Notthakun, S. (1995). REGENERATION OF SPENT ADSORBENTS USING HOMOGENEOUS ADVANCED OXIDATION. *Water Environ Res.* 67: 355-363.
- Mousa, IE. (2016). Total petroleum hydrocarbon degradation by hybrid electrobiochemical reactor in oilfield produced water. *Mar Pollut Bull.* 109: 356-360. <http://dx.doi.org/10.1016/j.marpolbul.2016.05.053>.
- Mouvet, C; Barberis, D; Bourg, ACM. (1993). ADSORPTION-ISOTHERMS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY VARIOUS NATURAL SOLIDS. *J Hydrol.* 149: 163-182.
- Moya, J; Howard-Reed, C; Corsi, RL. (1999). Volatilization of chemicals from tap water to indoor air from contaminated water used for showering. *Environ Sci Technol.* 33: 2321-2327.
- Mrema, EJ; Rubino, FM; Mandic-Rajcevic, S; Sturchio, E; Turci, R; Osculati, A; Brambilla, G; Minoia, C; Colosio, C. (2013). Exposure to priority organochlorine contaminants in the Italian general population. Part 1. Eight priority organochlorinated pesticides in blood serum. *Hum Exp Toxicol.* 32: 1323-1339. <http://dx.doi.org/10.1177/0960327113485255>.
- Mtolera, MSP; Collen, J; Pedersen, M; Ekdahl, A; Abrahamsson, K; Semesi, AK. (1996). Stress-induced production of volatile halogenated organic compounds in *Eucheuma denticulatum* (Rhodophyta) caused by elevated pH and high light intensities. *European Journal of Phycology.* 31: 89-95.
- Mu, Y; Radjenovic, J; Shen, J; Rozendal, RA; Rabaey, K; Keller, J. (2011). Dehalogenation of iodinated X-ray contrast media in a bioelectrochemical system. *Environ Sci Technol.* 45: 782-788. <http://dx.doi.org/10.1021/es1022812>.
- Muchitsch, N; Van Nooten, T; Bastiaens, L; Kjeldsen, P. (2011). Integrated evaluation of the performance of a more than seven year old permeable reactive barrier at a site contaminated with chlorinated aliphatic hydrocarbons (CAHs). *J Contam Hydrol.* 126: 258-270. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.007>.
- Mudiam, MKR; Ch, R; Chauhan, A; Manickam, N; Jain, R; Murthy, RC. (2012). Optimization of UA-DLLME by experimental design methodologies for the simultaneous determination of endosulfan and its metabolites in soil and urine samples by GC-MS. *Analytical Methods.* 4: 3855-3863. <http://dx.doi.org/10.1039/c2ay25432h>.
- Mudiam, MKR; Jain, R; Varshney, M; Ch, R; Chauhan, A; Goyal, SK; Khan, HA; Murthy, RC. (2013). In matrix derivatization of trichloroethylene metabolites in human plasma with methyl chloroformate and their determination by solid-phase microextraction-gas chromatography-electron capture detector. *Journal of Chromatography B.* 925: 63-69. <http://dx.doi.org/10.1016/j.jchromb.2013.02.029>.
- Mudiam, MKR; Ratnasekhar, C, h. (2013). Ultra sound assisted one step rapid derivatization and dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometric determination of amino acids in complex matrices. *J Chromatogr A.* 1291: 10-18. <http://dx.doi.org/10.1016/j.chroma.2013.03.061>.
- Mueller, M; Aust, H. (2011). Transaction costs detailed: single-industry studies and operationalization. *Industrial Management + Data Systems.* 111: 1287-1331. <http://dx.doi.org/10.1108/02635571111170802>.
- Muellerova, D; Matejkova, D; Dvorakova, J; Mueller, L; Rosmus, J, an; Kovarova, K. (2015). PERSISTENT ORGANOCHLORINE POLLUTANTS IN OBESE WOMEN AFTER DIET INDUCED WEIGHT LOSS: FIVE YEARS FOLLOW UP STUDY. *Cent Eur J Public Health.* 23: 214-217.
- Muff, J; Jepsen, H; Sogaard, E. (2012). Bench-Scale Study of Electrochemical Oxidation for On-Site Treatment of Polluted Groundwater. *J Environ Eng.* 138: 915-922. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000561](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000561).
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res.* 29: 2434-2439.
- Muftikian, R; Nebesny, K; Fernando, Q; Korte, N. (1996). X-ray photoelectron spectra of the palladium-iron bimetallic surface used for the rapid dechlorination of chlorinated organic environmental contaminants. *Environ Sci Technol.* 30: 3593-3596.
- Muggli, DS; Ding, LF. (2001). Photocatalytic performance of sulfated TiO₂ and Degussa P-25TiO₂ during oxidation of organics. *Appl Catal B-Environ.* 32: 181-194.
- Muggli, DS; Odland, MJ; Schmidt, LR. (2001). Effect of trichloroethylene on the photocatalytic oxidation of methanol on TiO₂. *J Catal.* 203: 51-63. <http://dx.doi.org/10.1006/jcat.2001.3311>.
- Mukesh, G; Ashutosh, D, as; Ravikumar, K; Nagarajan, R. (2012). Sonochemical degradation of volatile and Non-volatile compounds. *Res Journal Chem Environ.* 16: 192-199.
- Mukherjee, A; Fryar, AE; Lasage, DM. (2005). Using tracer tests to assess natural attenuation of contaminants along a channelized Coastal Plain stream. *Environmental and Engineering Geoscience.* 11: 371-382.
- Mukherjee, R; Kumar, R; Sinha, A; Lama, Y; Saha, AK. (2016). A review on synthesis, characterization, and applications of nano zero valent iron (nZVI) for environmental remediation. *Crit Rev Environ Sci Tech.* 46: 443-466. <http://dx.doi.org/10.1080/10643389.2015.1103832>.
- Mulholland, JA; Sarofim, AF; Beer, JM. (1992). CHEMICAL EFFECTS OF FUEL CHLORINE ON THE ENVELOPE FLAME IGNITION OF DROPLET STREAMS. *Combust Sci Tech.* 85: 405-417.
- Mulholland, JA; Sarofim, AF; Longwell, JP; Lafleur, AL; Thilly, WG. (1994). Bacterial mutagenicity of pyrolysis tars produced from chloro-organic fuels. *Environ Health Perspect.* 102: 283-289.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mulholland, JA; Sarofim, AF; Sosothikul, P; Lafleur, AL. (1993). EFFECTS OF ORGANIC CHLORINE ON THE CHEMICAL-COMPOSITION AND CARBON NUMBER-DISTRIBUTION OF PYROLYSIS TARS. *Combust Flame*. 92: 161-177.
- Mulholland, JA; Sarofim, AF; Sosothikul, P; Monchamp, PA; Plummer, EF; Lafleur, AL. (1992). FORMATION OF PERCHLOROAROMATICS DURING TRICHLOROETHYLENE PYROLYSIS. *Combust Flame*. 89: 103-115.
- Muller, WF; Coulston, F; Korte, F. (1982). COMPARATIVE METABOLISM OF [C-14] TRICHLOROETHYLENE IN CHIMPANZEES, BABOONS, AND RHESUS-MONKEYS. *Chemosphere*. 11: 215-218.
- Mullins, M; Rogers, T; Loll, A. (1998). Estimation of Henry's constants for aqueous systems at elevated temperatures. *Fluid Phase Equilibria*. 150: 245-253.
- Mumtaz, MM; De Rosa, CT; Groten, J; Feron, VJ; Hansen, H; Durkin, PR. (1998). Estimation of toxicity of chemical mixtures through modeling of chemical interactions. *Environ Health Perspect*. 106: 1353-1360.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A*. 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Munakata, N; Reinhard, M. (2007). Palladium-catalyzed aqueous hydrodehalogenation in column reactors: Modeling of deactivation kinetics with sulfide and comparison of regenerants. *Appl Catal B-Environ*. 75: 1-10. <http://dx.doi.org/10.1016/j.apcatb.2007.03.005>.
- Munakatamarr, J; Matheson, VG; Forney, LJ; Tiedje, JM; Mccarty, PL. (1997). Long-term biodegradation of trichloroethylene influenced by bioaugmentation and dissolved oxygen in aquifer microcosms. *Environ Sci Technol*. 31: 786-791.
- Munakata-Marr, J; Mccarty, PL; Shields, MS; Reagin, M; Francesconi, SC. (1996). Enhancement of trichloroethylene degradation in aquifer microcosms bioaugmented with wild type and genetically altered Burkholderia (*Pseudomonas*) cepacia G4 and PR1. *Environ Sci Technol*. 30: 2045-2052.
- Mundle, K; Reynolds, DA; West, MR; Kueper, BH. (2007). Concentration rebound following in situ chemical oxidation in fractured clay. *Ground Water*. 45: 692-702. <http://dx.doi.org/10.1111/j.1745-6584.2007.00359.x>.
- Mundle, SOC; Johnson, T; Lacrampe-Couloume, G; Perez-De-Mora, A; Duhamel, M; Edwards, EA; McMaster, ML; Cox, E; Revesz, K; Lollar, BS. (2012). Monitoring Biodegradation of Ethene and Bioremediation of Chlorinated Ethenes at a Contaminated Site Using Compound-Specific Isotope Analysis (CSIA). *Environ Sci Technol*. 46: 1731-1738. <http://dx.doi.org/10.1021/es202792x>.
- Mundt, DJ; Dell, LD; Luippold, RS; Sulsky, SI; Skillings, A; Gross, R; Cox, KL; Mundt, KA. (2002). Cause-specific mortality among Kelly Air Force Base civilian employees, 1981-2001. *J Occup Environ Med*. 44: 989-996. <http://dx.doi.org/10.1097/01.jom.0000038329>.
- Munholland, JL; Mumford, KG; Kueper, BH. (2016). Factors affecting gas migration and contaminant redistribution in heterogeneous porous media subject to electrical resistance heating. *J Contam Hydrol*. 184: 14-24. <http://dx.doi.org/10.1016/j.jconhyd.2015.10.011>.
- Munoz, MJ; Rodriguez, M; Martin, R; Galan, M. (1994). A STUDY OF THE VISCOSITY OF METHYL MYRISTATE SOLUTIONS IN ORGANIC-SOLVENTS. 90: 177-180.
- Murabayashi, M; Itoh, K; Hua, ZL; Kitahara, K. (2002). The effects of the pre-treatments on the photocatalytic degradation of trichloroethylene in the gas-phase. *Journal of Advanced Oxidation Technologies*. 5: 67-71.
- Murakami-Nitta, T; Kirimura, K; Kino, K. (2003). Degradation of dimethyl sulfoxide by the immobilized cells of Hyphomicrobium denitrificans WU-K217. *Biochem Eng J*. 15: 199-204. [http://dx.doi.org/10.1016/S1369-703X\(03\)00004-4](http://dx.doi.org/10.1016/S1369-703X(03)00004-4).
- Murali, B; Kim, D, oG; Kang, J, aeW; Kim, J. (2014). Inkjet-printing of hybrid transparent conducting electrodes for organic solar cells. *Physica Status Solidi A: Applications and Materials Science (Print)*. 211: 1801-1806. <http://dx.doi.org/10.1002/pssa.201330463>.
- Murphy, JP. (1990). Exposure to Wells G and H in Woburn, Massachusetts. Boston, MA: Massachusetts Health Research Institute, Inc. and Massachusetts Department of Public Health. http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_exposure_wells.pdf.
- Murphy, S; Ouellon, T; Ballard, JM; Lefebvre, R; Clark, I. (2011). Tritium-helium groundwater age used to constrain a groundwater flow model of a valley-fill aquifer contaminated with trichloroethylene (Quebec, Canada). *Hydrogeology Journal*. 19: 195-207. <http://dx.doi.org/10.1007/s10040-010-0662-5>.
- Murray, WD; Richardson, M. (1993). PROGRESS TOWARD THE BIOLOGICAL TREATMENT OF C-1 AND C-2 HALOGENATED HYDROCARBONS (pp. 195-217). (ISSN 1064-3389; EISSN 1547-6537; BIOSIS/94/36777). National Board of Labour Protection (Finland).
- Musialik-Piotrowska, A. (2007). Destruction of trichloroethylene (TCE) and trichloromethane (TCM) in the presence of selected VOCs over Pt-Pd-based catalyst. *Catalysis Today*. 119: 301-304. <http://dx.doi.org/10.1016/j.cattod.2006.08.059>.
- Musialik-Piotrowska, A; Mendyka, B. (2004). Catalytic oxidation of chlorinated hydrocarbons in two-component mixtures with selected VOCs. *Catalysis Today*. 90: 139-144. <http://dx.doi.org/10.1016/j.cattod.2004.04.019>.
- Musialik-Piotrowska, A; Syczewska, K. (2002). Catalytic oxidation of trichloroethylene in two-component mixtures with selected volatile organic compounds. *Catalysis Today*. 73: 333-342.
- Musielak, M; Brusseau, ML; Marcoux, M; Morrison, C; Quintard, M. (2014). Determination of Chlorinated Solvent Sorption by Porous Material-Application to Trichloroethene Vapor on Cement Mortar. *Transport in Porous Media*. 104: 77-90. <http://dx.doi.org/10.1007/s11242-014-0321-8>.
- Musso, E; Tesser, R; Basile, G; Di Serio, M; Santacesaria, E. (2000). Description of the liquid-liquid equilibrium in binary and multicomponent CFC/lubricating oil mixtures by means of an extended Flory-Huggins model. *J Fluor Chem*. 103: 41-51.
- Muthuraman, G; Moon, IS. (2016). Sustainable Generation of a Homogeneous Ni(II) Catalyst in the Cathodic Compartment of a Divided Flow Electrolytic Cell for the Degradation of Gaseous Carbon Tetrachloride by Electroscrubbing. 4: 1364-1372. <http://dx.doi.org/10.1021/acsschemeng.5b01383>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Myasoedova, TG; Dmitrieva, GV. (1991). RADIOCHEMICAL TRANSFORMATIONS OF DICYCLOHEXYL-18-CROWN-6 (DCH18C6) IN AN EXTRACTION SYSTEM WITH AN ORGANOCHLORINE DILUENT. *High Energy Chemistry*. 25: 205-208.
- Myekhlai, M; Lee, S; Lee, T; Chung, H; Jeong, H. (2015). A facile and eco-friendly synthesis of graphene-silver hybrid materials for transparent conductive films. *Ceramics International*. 41: 983-989. <http://dx.doi.org/10.1016/j.ceramint.2014.09.018>.
- Myrand, D; Gillham, RW; Sudicky, EA; O'Hannesin, SF; Johnson, RL. (1992). Diffusion of volatile organic compounds in natural clay deposits: Laboratory tests. *J Contam Hydrol*. 10: 159-177.
- Myszkowski, J; Milchert, E. (2003). Recovery of organochlorine derivatives from waste waters in the stripper-adsorber system. *Przemysł Chemiczny*. 82: 1048-1050.
- Nadagouda, MN; Castle, AB; Murdock, RC; Hussain, SM; Varma, RS. (2010). In vitro biocompatibility of nanoscale zerovalent iron particles (NZVI) synthesized using tea polyphenols. *Green Chem*. 12: 114-122. <http://dx.doi.org/10.1039/b921203p>.
- Nadim, F; Nadim, A; Hoag, GE; Dahmani, AM. (1997). Desorption rate limitation in the extraction of organic molecules from unsaturated soils during soil venting operations. *J Contam Hydrol*. 25: 1-2.
- Nagaki, A; Takahashi, Y; Henseler, A; Matsuo, C; Yoshida, J, unI. (2015). Flash Chemistry Using Trichlorovinyl lithium: Switching the Reaction Pathways by High-resolution Reaction Time Control. *Chem Lett*. 44: 214-216. <http://dx.doi.org/10.1246/cl.140980>.
- Nagano, K; Umeda, Y; Saito, M; Nishizawa, T; Ikawa, N; Arito, H; Yamamoto, S; Fukushima, S. (2007). Thirteen-week inhalation toxicity of carbon tetrachloride in rats and mice. *J Occup Health*. 49: 249-259.
- Nagaoka, T; Yamashita, J; Takase, M; Ogura, K. (1994). COMPOSITE ELECTRODES CONSISTING OF METAL AND OXIDIZED CARBON PARTICLES FOR COMPLETE DEGRADATION OF TRICHLOROETHYLENE IN ACETONITRILE. *J Electrochem Soc*. 141: 1522-1526.
- Nagasawa, Y; Ukai, H; Okamoto, S; Samoto, H; Itoh, K; Moriguchi, J; Sakuragi, S; Ohashi, F; Takada, S; Kawakami, T; Ikeda, M. (2011). Organic solvent use in enterprises in Japan. *Ind Health*. 49: 534-541.
- Naghizadeh, A; Nasser, S; Nazmara, S, h. (2011). REMOVAL OF TRICHLOROETHYLENE FROM WATER BY ADSORPTION ON TO MULTIWALL CARBON NANOTUBES. *Iranian Journal of Environmental Health Science and Engineering*. 8: 375-382.
- Nai-Ku, X; Chang-Fa, X; Yan, F. (2008). Preparation and characterization of absorptive functional fiber copolymerized by n-butyl methacrylate with hydroxyethyl methacrylate. *Chem J Chin Univ-Chin*. 29: 1677-1683.
- Nairat, M; Shahwan, T; Eroglu, AE; Fuchs, H. (2015). Incorporation of iron nanoparticles into clinoptilolite and its application for the removal of cationic and anionic dyes. *J Ind Eng Chem*. 21: 1143-1151. <http://dx.doi.org/10.1016/j.jiec.2014.05.027>.
- Naito, T; Inabe, T; Akutagawa, T; Hasegawa, T; Nakamura, T; Hosokoshi, Y; Inoue, K. (2003). Physical properties of (ET)₃(MnCl₄)(TCE) and the related salts. *Synthetic Metals*. 135: 613-614. [http://dx.doi.org/10.1016/S0379-6779\(02\)00794-4](http://dx.doi.org/10.1016/S0379-6779(02)00794-4).
- Naito, T; Inabe, T; Takeda, K; Awaga, K; Akutagawa, T; Hasegawa, T; Nakamura, T; Kakiuchi, T; Sawa, H; Yamamoto, T; Tajima, H. (2001). Peculiar physical properties of (ET)₃(MnCl₄)(TCE). *Synthetic Metals*. 120: 877-878.
- Naito, Y; Ikezaki, H; Taniguchi, A; Toko, K. (2004). Detection of noncharged organic substances by new measurement method using a lipid membrane sensor. *IEEE Sens J*. 4: 279-283. <http://dx.doi.org/10.1109/JSEN.2004.827218>.
- Nakagawa, F; Takahashi, Y; Gotoh, T; Fujieda, M; Hosokawa, M; Kiuchi, H; Imae, M. (2007). Development of time comparison equipment for ETS-VIII satellite. *Electrical Engineering in Japan*. 158: 61-71. <http://dx.doi.org/10.1002/eej.20385>.
- Nakagawa, Y; Ono, R, yo; Oda, T. (2014). Investigation of Humidity Effect on Atmospheric Plasma Decomposition of Toxic Gas With Direct Optical Measurement of OH Radicals. *IEEE Transactions on Industry Applications*. 50: 39-44. <http://dx.doi.org/10.1109/TIA.2013.2266891>.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE*. 38: 240-246.
- Nakahama, T; Fukuhara, M; Inouye, Y. (1997). Volatile halogenated hydrocarbons in ambient air and the metabolites in human urine in an urban area (pp. 280-284). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/98/03630). Nakahama, T; Fukuhara, M; Inouye, Y.
- Nakahama, T; Sarutani, S; Inouye, Y. (1999). Comparative study on the effect of trichloroethylene on the expression of P450 isoforms in rat lung and liver. *J Health Sci*. 45: 8-14.
- Nakai, JS; Stathopoulos, PB; Campbell, GL; Chu, I; Li-Muller, A; Aucoin, R. (1999). Penetration of chloroform, trichloroethylene, and tetrachloroethylene through human skin. *J Toxicol Environ Health A*. 58: 157-170. <http://dx.doi.org/10.1080/009841099157368>.
- Nakajima, T; Aoyama, T. (2000). Polymorphism of drug-metabolizing enzymes in relation to individual susceptibility to industrial chemicals [Review]. *Ind Health*. 38: 143-152. <http://dx.doi.org/10.2486/indhealth.38.143>.
- Nakajima, T; Moriguchi, M; Mitsumoto, Y; Sekoguchi, S; Nishikawa, T; Takashima, H; Watanabe, T; Katagishi, T; Kimura, H; Okanou, T; Kagawa, K. (2004). Centrosome aberration accompanied with p53 mutation can induce genetic instability in hepatocellular carcinoma. *Mod Pathol*. 17: 722-727. <http://dx.doi.org/10.1038/modpathol.3800115>.
- Nakajima, T; Yamanoshita, O; Kamijima, M; Kishi, R; Ichihara, G. (2003). Generalized skin reactions in relation to trichloroethylene exposure: a review from the viewpoint of drug-metabolizing enzymes [Review]. *J Occup Health*. 45: 8-14.
- Nakajima, Y; Mironov, V; Yamagishi, T; Nakamura, H; Markwald, R. (1997). Expression of smooth muscle alpha-actin in mesenchymal cells during formation of avian endocardial cushion tissue: a role for transforming growth factor beta3. *Dev Dyn*. 209: 296-309. [http://dx.doi.org/10.1002/\(SICI\)1097-0177\(199707\)209:3<296::AID-AJA5>3.0.CO;2-D](http://dx.doi.org/10.1002/(SICI)1097-0177(199707)209:3<296::AID-AJA5>3.0.CO;2-D).
- Nakamiya, K; Nakayama, T; Ito, H; Shibata, Y; Morita, M. (2009). Isolation and properties of a 2-chlorovinylarsonic acid-degrading microorganism. *J Hazard Mater*. 165: 388-393. <http://dx.doi.org/10.1016/j.jhazmat.2008.10.030>.
- Nakamura, T; Senior, CL; Burns, EG; Bell, MD. (2000). Solar-powered soil vapor extraction for removal of dense nonaqueous phase organics from soil. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. A35: 795-816.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nakanishi, S; Hino, T. (1993). DETERMINATION OF VOLATILE CHLORINATED HYDROCARBONS IN SOIL USING SAMPLING VIALS FOR STORAGE AND EXTRACTION BY MEANS OF WATER-HEXANE EXTRACTION METHOD. *JTHE*. 39: 29-36.
- Nakano, N; Yamamoto, A; Nagashima, K. (1996). Continuous monitoring of ozone in air by reflectometry. *Analyst*. 121: 1939-1942.
- Nakano, N; Yamamoto, A; Nagashima, K. (1996). Development of a monitoring system for vinyl chloride gas in air by using an HCl monitoring tape and pyrolyzer. *Talanta*. 43: 459-463.
- Nakano, Y; Hua, LQ; Nishijima, W; Shoto, E; Okada, M. (2000). Biodegradation of trichloroethylene (TCE) adsorbed on granular activated carbon (GAC). *Water Res*. 34: 4139-4142.
- Nakano, Y; Nishijima, W; Soto, E; Okada, M. (1999). Relationship between growth rate of phenol utilizing bacteria and the toxic effect of metabolic intermediates of trichloroethylene (TCE). *Water Res*. 33: 1085-1089.
- Nakano, Y; Okawa, K; Nishijima, W; Okada, M. (2003). Ozone decomposition of hazardous chemical substance in organic solvents. *Water Res*. 37: 2595-2598. [http://dx.doi.org/10.1016/S0043-1354\(03\)00077-0](http://dx.doi.org/10.1016/S0043-1354(03)00077-0).
- Nakashima, Y; Ikegami, S. (2001). Guar gum reduces trichloroethylene accumulation in the body by reducing TCE absorption and fat tissue mass. *J Agric Food Chem*. 49: 3499-3505. <http://dx.doi.org/10.1021/jf001221r>.
- Nakhjavan, B; Tahir, MN; Natalio, F; Panthoefer, M; Gao, H; Dietzsch, M; Andre, R; Gasi, T; Ksenofontov, V; Branscheid, R; Kolb, U, te; Tremel, W. (2012). Ni@Fe₂O₃ heterodimers: controlled synthesis and magnetically recyclable catalytic application for dehalogenation reactions. *Nanoscale*. 4: 4571-4577. <http://dx.doi.org/10.1039/c2nr12121b>.
- Nalaskowski, J; Hupka, J. (2004). Emulsion cleaning of metal surfaces contaminated with fresh and oxidized printing ink. *Fresen Environ Bull*. 13: 211-215.
- Nam, J; Kim, I; Kwon, J; Kim, YD, o. (2016). Applications of electrochemical ferrate(VI) for degradation of trichloroethylene in the aqueous phase. *Desalination and Water Treatment*. 57: 5138-5145. <http://dx.doi.org/10.1080/19443994.2014.1001440>.
- Nanba, K; Takeda, K; Higashihara, T; Ohwada, K. (1999). Distribution of methanotrophic bacteria in the coastal marine sediments. *Fish Sci*. 65: 531-536.
- Nanzyo, M; Takeda, A; Tsukada, H. (2009). Selective Dissolution Analysis of Major and Trace Elements in an Allophanic Andisol Acidified by Long-Term Fertilizer Application. *Commun Soil Sci Plant Anal*. 40: 2743-2755. <http://dx.doi.org/10.1080/00103620903173780>.
- Narayan, R; Asha, SK. (2013). Solvent-induced self-assembly of hydrogen bonded P4VP-perylenebisimide comb polymer. 1: 5925-5934. <http://dx.doi.org/10.1039/c3tc31015a>.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res*. 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res*. 67: 46-56.
- Narayanan, M; Davis, LC; Erickson, LE. (1995). Fate of volatile chlorinated organic compounds in a laboratory chamber with alfalfa plants. *Environ Sci Technol*. 29: 2437-2444.
- Narayanan, M; Erickson, LE; Davis, LC. (1999). Simple plant-based design strategies for volatile organic pollutants. *Environmental Progress*. 18: 231-242.
- Narayanan, M; Russell, NK; Davis, LC; Erickson, LE. (1999). Fate and Transport of Trichloroethylene in a Chamber with Alfalfa Plants. *Int J Phytoremediation*. 1: 387-411. <http://dx.doi.org/10.1080/15226519908500026>.
- Naresh, RK; Rathore, RS; Dhaliwal, SS; Yadav, RB; Kumar, D; Singh, SP; Nawaz, A; Kumar, N; Gupta, R, ajK. (2016). Crop establishment methods: foliar and basal nourishment of rice (*Oryza sativa*) cultivation affecting growth parameters, water saving, productivity and soil physical properties. *Paddy and Water Environment*. 14: 373-386. <http://dx.doi.org/10.1007/s10333-015-0507-x>.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health*. 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Nasr, AT; Alexander, K; Schreiner, LJ; Mcauley, KB. (2015). Leuco-crystal-violet micelle gel dosimeters: I. Influence of recipe components and potential sensitizers. *Phys Med Biol*. 60: 4665-4683. <http://dx.doi.org/10.1088/0031-9155/60/12/4665>.
- Nasr, AT; Alexander, KM; Olding, T; Schreiner, LJ; Mcauley, KB. (2015). Leuco-crystal-violet micelle gel dosimeters: II. Recipe optimization and testing. *Phys Med Biol*. 60: 4685-4704. <http://dx.doi.org/10.1088/0031-9155/60/12/4685>.
- Natarajan, A; Duivenvoorden, W; Meijers, M; Zwanenburg, T. (1993). Induction of mitotic aneuploidy using Chinese hamster primary embryonic cells. Test results of 10 chemicals. *Mutat Res*. 287: 47-56. [http://dx.doi.org/10.1016/0027-5107\(93\)90144-5](http://dx.doi.org/10.1016/0027-5107(93)90144-5).
- Nath, J. R.; Saini, R. (1991). VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE. *Fluid Phase Equilibria*. 68: 281-290.
- Nath, J. (1991). THERMODYNAMIC BEHAVIOR OF BINARY-SYSTEMS OF 1,4-DIOXANE WITH 1,2-DICHLOROETHANE, DICHLOROMETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE - VAPOR-PRESSURES AND EXCESS MOLAR GIBBS ENERGIES. *J Chem Soc Faraday Trans*. 87: 1345-1350.
- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. *Fluid Phase Equilibria*. 109: 39-51.
- Nath, J; Chaudhary, SK. (1992). EXCESS VOLUMES, DIELECTRIC-CONSTANTS, REFRACTIVE-INDEXES, AND VISCOSITIES FOR ANISOLE PLUS METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data*. 37: 387-390.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nath, J; Das, SS. (1993). THERMODYNAMIC BEHAVIOR OF BINARY-SYSTEMS OF QUINOLINE WITH METHYLENE-CHLORIDE, CHLOROFORM, CARBON-TETRACHLORIDE, BENZENE AND CYCLOHEXANE - VAPOR-PRESSURES AND EXCESS MOLAR GIBBS ENERGIES. *J Chem Soc Faraday Trans.* 89: 2429-2432.
- Nath, J; Dixit, AP. (1984). ULTRASONIC VELOCITIES IN, AND ADIABATIC COMPRESSIBILITIES AND EXCESS VOLUMES FOR, BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data.* 29: 313-316.
- Nath, J; Dixit, AP. (1990). TOTAL VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE AND CYCLOHEXANE AT 273.15 K. *Fluid Phase Equilibria.* 60: 205-212.
- Nath, J; Mishra, SK. (1998). Excess molar volumes and kinematic viscosities of binary liquid mixtures of cyclohexanone plus dichloromethane, plus trichloromethane, plus 1,2-dichloroethane, plus trichloroethene, plus 1,1,1-trichloroethane, and plus cyclohexane. *Journal of Chemical and Engineering Data.* 43: 196-200.
- Nath, J; Mishra, SK. (1998). Excess molar volumes of (cyclohexanone plus trichloromethane, or 1,2-dichloroethane, or trichloroethene, or 1,1,1-trichloroethane, or cyclohexane) at T = 308.15 K, and of (cyclohexanone plus dichloromethane) at T = 303.15 K. *Fluid Phase Equilibria.* 152: 277-282.
- Nath, J; Mishra, SK. (1998). Relative permittivities and refractive indices of binary mixtures of cyclohexanone with dichloromethane, trichloromethane, 1,2-dichloroethane, trichloroethene and cyclohexane at T = 303.15 K. *Fluid Phase Equilibria.* 145: 89-97.
- Nath, J; Pandey, JG. (1997). Viscosities of binary liquid mixtures of butanol plus pentane, plus hexane, plus heptane, and plus octane at T = 298.15 K. *Journal of Chemical and Engineering Data.* 42: 1133-1136.
- Nath, J; RASHMI. (1990). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF 1,4-DIOXANE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria.* 58: 319-324.
- Nath, J; Saini, R. (1989). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria.* 50: 297-303.
- Nath, J; Srivastava, AK. (1986). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHYLENE WITH ANISOLE, PYRIDINE, QUINOLINE AND CYCLOHEXANE AT 298.15K AND 308.15K. *Fluid Phase Equilibria.* 28: 97-101.
- Nath, J; Tiwari, M; Kumar, S. (1994). VAPOR-PRESSURES AND ACTIVITY-COEFFICIENTS FOR BINARY-SYSTEMS OF ANISOLE WITH DICHLOROMETHANE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE AT 298.15-K. 337-337.
- Naugler, WE; Sakurai, T; Kim, S; Maeda, S; Kim, K; Elsharkawy, AM; Karin, M. (2007). Gender disparity in liver cancer due to sex differences in MyD88-dependent IL-6 production. *Science.* 317: 121-124. <http://dx.doi.org/10.1126/science.1140485>.
- Navarrete, M; Rodrigues, N; Amils, R; Sanz, JL. (1999). Effect of 1,1,2,2-tetrachloroethane on the performance of upflow anaerobic sludge bed (UASB) reactors. *Water Sci Technol.* 40: 153-159.
- Navon, D; Loehr, RC; Liljestrand, HM; Daniel D E, J. R. (1998). Impact of biodegradable trenching slurry on iron treatment wall performance. *Water Sci Technol.* 38: 49-53.
- Nayak, JN; Aralaguppi, MI; Toti, US; Aminabhavi, TM. (2003). Density, Viscosity, Refractive Index, and Speed of Sound in the Binary Mixtures of Tri- n -butylamine + Triethylamine, + Tetrahydrofuran, + Tetradecane, + Tetrachloroethylene, + Pyridine, or + Trichloroethylene at (298.15, 303.15, and 308.15) K. *Journal of Chemical and Engineering Data.* 48: 1483-1488. <http://dx.doi.org/10.1021/je030147g>.
- Nayak, KC; Saha, SK; Srinivasan, K; Dutta, P. (2006). A numerical model for heat sinks with phase change materials and thermal conductivity enhancers. *Int J Heat Mass Tran.* 49: 1833-1844. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2005.10.039>.
- Nazari, MM; Burston, MW; Bishop, PK; Lerner, DN. (1993). Urban ground-water pollution: A case study from Coventry, United Kingdom. *Ground Water.* 31: 417-424.
- Nazir, M; Takasaki, J; Kumazawa, H. (2003). Photocatalytic degradation of gaseous ammonia and trichloroethylene over TiO₂ ultrafine powders deposited on activated carbon particles. *Chemical Engineering Communications.* 190: 322-333. <http://dx.doi.org/10.1080/00986440390183393>.
- Ndon, UJ; Randall, AA. (1999). Periodic aerated treatment and in-situ bioremediation strategies for polyhalogenated compounds. *Water Res.* 33: 2715-2720.
- Ndon, UJ; Randall, AA; Khouri, TZ. (2000). Reductive dechlorination of tetrachloroethylene by soil sulfate-reducing microbes under various electron donor conditions. *Environ Monit Assess.* 60: 329-336.
- Ndong, LBB, i; Gu, X; Lu, S; Ibondou, MP; Qiu, Z; Sui, Q; Mbadinga, SM; Mu, B. (2015). Role of reactive oxygen species in the dechlorination of trichloroethene and 1.1.1-trichloroethane in aqueous phase in UV/TiO₂ systems. *Chem Eng Sci.* 123: 367-375. <http://dx.doi.org/10.1016/j.ces.2014.11.034>.
- Ndong, LBB, i; Ibondou, MP; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Enhanced Photocatalytic Activity of TiO₂ Nanosheets by Doping with Cu for Chlorinated Solvent Pollutants Degradation. *Ind Eng Chem Res.* 53: 1368-1376. <http://dx.doi.org/10.1021/ie403405z>.
- Ndong, LBB, i; Ibondou, MP; Gu, X; Xu, M; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficiently Synthetic TiO₂ Nano-sheets for PCE, TCE, and TCA Degradations in Aqueous Phase Under VUV Irradiation. *Water Air Soil Pollut.* 225. <http://dx.doi.org/10.1007/s11270-014-1951-8>.
- Ndong, LBB, i; Ibondou, MP; Miao, Z; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficient dechlorination of chlorinated solvent pollutants under UV irradiation by using the synthesized TiO₂ nano-sheets in aqueous phase. *J Environ Sci.* 26: 1188-1194. [http://dx.doi.org/10.1016/S1001-0742\(13\)60541-0](http://dx.doi.org/10.1016/S1001-0742(13)60541-0).

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Neafsey, P; Ginsberg, G; Hattis, D; Johns, DO; Guyton, KZ; Sonawane, B. (2009). Genetic polymorphism in CYP2E1: Population distribution of CYP2E1 activity [Review]. *J Toxicol Environ Health B Crit Rev.* 12: 362-388. <http://dx.doi.org/10.1080/10937400903158359>.
- Nefso, EK; Burns, SE. (2007). Comparison of the equilibrium sorption of five organic compounds to HDPE, PP, and PVC geomembranes. *Geotextiles and Geomembranes.* 25: 360-365. <http://dx.doi.org/10.1016/j.geotextmem.2006.12.002>.
- Neghab, M; Stacey, N. (1997). Toluene-induced elevation of serum bile acids: Relationship to bile acid transport. *J Toxicol Environ Health.* 52: 249-268. <http://dx.doi.org/10.1080/00984109708984063>.
- Negrini, RM; Erbes, DB; Roberts, AP; Verosub, KL; Sarnawojcicki, AM; Meyer, CE. (1994). REPEATING WAVE-FORM INITIATED BY A 180-190-KA GEOMAGNETIC EXCURSION IN WESTERN NORTH-AMERICA - IMPLICATIONS FOR FIELD BEHAVIOR DURING POLARITY TRANSITIONS AND SUBSEQUENT SECULAR VARIATION. *J Geophys Res Solid Earth.* 99: 24105-24119.
- Nelson, AD; Schmitt, RJ; Dickeson, D. (1997). Upgrading the performance of groundwater VOC air strippers. *Environmental Progress.* 16: 43-46.
- Nelson, DK; Novak, PJ. (2009). Enhanced Dissolution of Trichloroethene: Effect of Carbohydrate Addition and Fermentation Processes. *J Environ Eng.* 135: 861-868. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000042](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000042).
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis.* 16: 1243-1245.
- Nelson, L; Longstreth, W; Koepsell, T; Checkoway, H; van Belle, G. (1994). Completeness and accuracy of interview data from proxy respondents: Demographic, medical, and life-style factors. *Epidemiology.* 5: 204-217.
- Nelson, MJ; Kinsella, JV; Montoya, T. (1990). INSITU BIODEGRADATION OF TCE CONTAMINATED GROUNDWATER. *Environmental Progress.* 9: 190-196.
- Nelson, NT; Brusseau, ML. (1996). FIELD STUDY OF THE PARTITIONING TRACER METHOD FOR DETECTION OF DENSE NONAQUEOUS PHASE LIQUID IN A TRICHLOROETHENE-CONTAMINATED AQUIFER. *Environ Sci Technol.* 30: 2859-2863.
- Nelson, NT; Oostrom, M; Wietsma, TW; Brusseau, ML. (1999). Partitioning tracer method for the in situ measurement of DNAPL saturation: Influence of heterogeneity and sampling method. *Environ Sci Technol.* 33: 4046-4053.
- Nelson, YM; Jewell, WJ. (1993). VINYL-CHLORIDE BIODEGRADATION WITH METHANOTROPHIC ATTACHED FILMS. *J Environ Eng.* 119: 890-907.
- Němeček, J; Pokorný, P; Lhotský, O; Knytl, V; Najmanová, P; Steinová, J; Černík, M; Filipová, A; Filip, J; Cajthaml, T. (2016). Combined nanobiotechnology for in-situ remediation of mixed contamination of groundwater by hexavalent chromium and chlorinated solvents. *Sci Total Environ.* 563-564: 822-834. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.019>.
- Nemir, A; David, MM; Perrussel, R; Sapkota, A, my; Simonet, P; Monier, JM; Vogel, TM. (2010). Comparative phylogenetic microarray analysis of microbial communities in TCE-contaminated soils. *Chemosphere.* 80: 600-607. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.036>.
- Netzer, L; Weisbrod, N; Kurtzman, D; Nasser, A; Graber, ER; Ronen, D. (2010). Observations on Vertical Variability in Groundwater Quality: Implications for Aquifer Management. *Water Resources Management.* 25: 1315-1324. <http://dx.doi.org/10.1007/s11269-010-9746-1>.
- Neumann, CM; Forman, DL; Rothlein, JE. (1998). Hazard screening of chemical releases and environment equity analysis of populations proximate to toxic release inventory facilities in Oregon. *Environ Health Perspect.* 106: 217-226. <http://dx.doi.org/10.1289/ehp.98106217>.
- Neupane, D; Park, JW. (2000). Partitioning of naphthalene to gemini surfactant-treated alumina. *Chemosphere.* 41: 787-792.
- Newcombe, G; Morrison, J; Hepplewhite, C; Knappe, DRU. (2002). Simultaneous adsorption of MIB and NOM onto activated carbon - II. Competitive effects. *Carbon.* 40: 2147-2156.
- Newell, CJ; Cowie, I; Mcguire, TM; Mcnab, WW, Jr. (2006). Multiyear temporal changes in chlorinated solvent concentrations at 23 monitored natural attenuation sites. *J Environ Eng.* 132: 653-663. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(653\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(653)).
- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination.* 7: 531-542.
- Newman, LA; Strand, SE; Choe, N; Duffy, J; Ekuan, G; Ruszaj, M; Shurtleff, BB; Wilmoth, J; Heilman, P; Gordon, MP. (1997). Uptake and biotransformation of trichloroethylene by hybrid poplars. *Environ Sci Technol.* 31: 1062-1067.
- Newman, LA; Wang, X; Muiznieks, IA; Ekuan, G; Ruszaj, M; Cortellucci, R; Domroes, D; Karscig, G; Newman, T; Crampton, RS; Hashmonay, RA; Yost, MG; Heilman, PE; Duffy, J; Gordon, MP; Strand, SE. (1999). Remediation of trichloroethylene in an artificial aquifer with trees: A controlled field study. *Environ Sci Technol.* 33: 2257-2265.
- Newman, LA; Wang, XP; Muiznieks, IA; Ekuan, G; Ruszaj, M; Cortellucci, R; Domroes, D; Karscig, G; Newman, T; Crampton, RS; Hashmonay, RA; Yost, MG; Heilman, PE; Duffy, J; Gordon, MP; Strand, SE. (1999). Remediation of trichloroethylene in an artificial aquifer with trees: A controlled field study. (vol 33, pg 2257, 1999). *Environ Sci Technol.* 33: 3935-3935.
- Nexo, BA. (1995). Risk assessment methodologies for carcinogenic compounds in indoor air. *Scand J Work Environ Health.* 21: 376-381.
- Nguetnkam, JP; Villieras, F; Kamga, R; Ekodeck, GE; Yvon, J. (2014). Mineralogy and geochemical behaviour during weathering of greenstone belt under tropical dry conditions in the extreme North Cameroon (Central Africa). *Chem Erde.* 74: 185-193. <http://dx.doi.org/10.1016/j.chemer.2013.06.007>.
- Nguyen Dinh, MT; Giraudon, JM; Lamonier, JF; Vandenbroucke, A; De Geyter, N; Leys, C; Morent, R. (2014). Plasma-catalysis of low TCE concentration in air using LaMnO₃+delta as catalyst. *Appl Catal B-Environ.* 147: 904-911. <http://dx.doi.org/10.1016/j.apcatb.2013.07.008>.
- Nguyen Dinh, MT; Giraudon, JM; Vandenbroucke, AM; Morent, R; De Geyter, N; Lamonier, JF. (2016). Manganese oxide octahedral molecular sieve K-OMS-2 as catalyst in post plasma-catalysis for trichloroethylene degradation in humid air. *J Hazard Mater.* 314: 88-94. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.027>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nguyen, VK; Park, Y; Yu, J; Lee, T. (2016). Microbial selenite reduction with organic carbon and electrode as sole electron donor by a bacterium isolated from domestic wastewater. *Bioresour Technol.* 212: 182-189. <http://dx.doi.org/10.1016/j.biortech.2016.04.033>.
- Ni, Z; Smit, M; Grotenhuis, T, im; van Gaans, P; Rijnaarts, H. (2014). Effectiveness of stimulating PCE reductive dechlorination: A step-wise approach. *J Contam Hydrol.* 164: 209-218. <http://dx.doi.org/10.1016/j.jconhyd.2014.06.005>.
- Nichols, JW; Mckim, JM; Lien, GJ; Hoffman, AD; Bertelsen, SL; Gallinat, CA. (1993). PHYSIOLOGICALLY-BASED TOXICOKINETIC MODELING OF 3 WATERBORNE CHLOROETHANES IN CHANNEL CATFISH, ICTALURUS-PUNCTATUS. *Aquat Toxicol.* 27: 83-112.
- Nicholson, GC. (1998). Keeping innovation alive. *Research-Technology Management.* 41: 34-40.
- Nickelsen, MG; Cooper, WJ; Kurucz, CN; Waite, TD. (1992). REMOVAL OF BENZENE AND SELECTED ALKYL-SUBSTITUTED BENZENES FROM AQUEOUS-SOLUTION UTILIZING CONTINUOUS HIGH-ENERGY ELECTRON-IRRADIATION. *Environ Sci Technol.* 26: 144-152.
- Nickerson, ML; Jaeger, E; Shi, Y; Durocher, JA; Mahurkar, S; Zaridze, D; Matveev, V; Janout, V; Kollarova, H; Bencko, V; Navratilova, M; Szeszenia-Dabrowska, N; Mates, D; Mukeria, A; Holcatova, I; Schmidt, LS; Toro, JR; Karami, S; Hung, R; Gerard, GF; Linehan, WM; Merino, M; Zbar, B; Boffetta, P; Brennan, P; Rothman, N; Chow, WH; Waldman, FM; Moore, LE. (2008). Improved identification of von Hippel-Lindau gene alterations in clear cell renal tumors. *Clin Cancer Res.* 14: 4726-4734. <http://dx.doi.org/10.1158/1078-0432.CCR-07-4921>.
- Nicolella, C; Rovatti, M. (1998). Mathematical modeling of monolith reactors for photocatalytic oxidation of air contaminants. *Chem Eng J.* 69: 119-126.
- Nie, HY; Walzak, MJ; Mcintyre, NS. (2006). Delivering octadecylphosphonic acid self-assembled monolayers on a Si wafer and other oxide surfaces. *J Phys Chem B.* 110: 21101-21108. <http://dx.doi.org/10.1021/jp062811g>.
- Nie, X; Liu, J; Yue, D; Zeng, X; Nie, Y. (2013). Dechlorination of hexachlorobenzene using lead-iron bimetallic particles. *Chemosphere.* 90: 2403-2407. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.068>.
- Nie, X; Liu, J; Zeng, X; Yue, D. (2013). Rapid degradation of hexachlorobenzene by micron Ag/Fe bimetal particles. *J Environ Sci.* 25: 473-478. [http://dx.doi.org/10.1016/S1001-0742\(12\)60088-6](http://dx.doi.org/10.1016/S1001-0742(12)60088-6).
- Niederlehner, B; Cairns, J; Smith, E. (1998). Modeling acute and chronic toxicity of nonpolar narcotic chemicals and mixtures to *Ceriodaphnia dubia*. *Ecotoxicol Environ Saf.* 39: 136-146. <http://dx.doi.org/10.1006/eesa.1997.1621>.
- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. (1995). IN-SITU AND LABORATORY STUDIES ON THE FATE OF SPECIFIC ORGANIC-COMPOUNDS IN AN ANAEROBIC LANDFILL LEACHATE PLUME .2. FATE OF AROMATIC AND CHLORINATED ALIPHATIC-COMPOUNDS. *J Contam Hydrol.* 20: 51-66.
- Nielsen, PH; Bjerg, PL; Nielsen, P; Smith, P; Christensen, TH. (1996). In situ and laboratory determined first-order degradation rate constants of specific organic compounds in an aerobic aquifer. *Environ Sci Technol.* 30: 31-37.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere.* 25: 449-462.
- Nielson, AJ; Schwerdtfeger, P; Waters, JM. (2000). Trichloro monophenoxide complexes of titanium(IV). *Journal of the Chemical Society Dalton transactions*529-537.
- Nies, E; Pueringer, J. (2014). New reference assessment values of the Committee for Risk Assessment (RAC) for chemicals subject to authorisation. *Gefahrst Reinhalt Luft.* 74: 343-346.
- Nietch, CT; Morris, JT; Vroblesky, DA. (1999). Biophysical mechanisms of trichloroethene uptake and loss in baldcypress growing in shallow contaminated groundwater. *Environ Sci Technol.* 33: 2899-2904.
- Nieto-Marquez, A; Valverde, JL; Keane, MA. (2009). Selective low temperature synthesis of carbon nanospheres via the catalytic decomposition of trichloroethylene. *Appl Catal A-Gen.* 352: 159-170. <http://dx.doi.org/10.1016/j.apcata.2008.10.006>.
- Nieuwenhuizen, MS; Groeneveld, FR. (2000). Formation of phosgene during welding activities in an atmosphere containing chlorinated hydrocarbons. *AIHAJ.* 61: 539-543.
- Nijenhuis, I; Adrian, L. (2011). Transformation and Carbon Isotope Fractionation of Tetra- and Trichloroethene to Trans-Dichloroethene by *Dehalococcoides* sp. Strain CBDB1 (vol 45, pg 1555, 2011). *Environ Sci Technol.* 45: 6216-6216. <http://dx.doi.org/10.1021/es202031v>.
- Nijenhuis, I; Nikolausz, M; Köth, A; Felföldi, T; Weiss, H; Drangmeister, J; Grossmann, J; Kästner, M; Richnow, HH. (2007). Assessment of the natural attenuation of chlorinated ethenes in an anaerobic contaminated aquifer in the Bitterfeld/Wolfen area using stable isotope techniques, microcosm studies and molecular biomarkers. *Chemosphere.* 67: 300-311. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.084>.
- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol.* 153: 92-105. <http://dx.doi.org/10.1016/j.jconhyd.2013.06.004>.
- Nijhuis, HH; Mulder, MHV; Smolders, CA. (1991). REMOVAL OF TRACE ORGANICS FROM AQUEOUS-SOLUTIONS - EFFECT OF MEMBRANE THICKNESS. *J Memb Sci.* 61: 99-111.
- Nikolaev, KM; Petrova, NI. (1981). ADSORPTION OF TRICHLOROETHYLENE FROM A STREAM OF MOIST VAPOR AIR MIXTURE. *J Appl Chem USSR.* 54: 1071-1074.
- Nikolic, NC; Cacic, SM; Novakovic, SM; Cvetkovic, MD; Stankovic, MZ. (2009). EFFECT OF EXTRACTION TECHNIQUES ON YIELD AND COMPOSITION OF SOYBEAN OIL. *Macedonian Journal of Chemistry and Chemical Engineering.* 28: 173-179.
- Nikolic, NC; Stankovic, MZ. (2003). Solanidine hydrolytic extraction and separation from the potato (*Solanum tuberosum* L.) vines by using solid-liquid-liquid systems. *J Agric Food Chem.* 51: 1845-1849. <http://dx.doi.org/10.1021/jf020426s>.
- Nikroo, R; Alemzadeh, I; Vossoughi, M; Haddadian, K. (2016). Evaluation of trichloroethylene degradation by starch supported Fe/Ni nanoparticles via response surface methodology. *Water Sci Technol.* 73: 935-946. <http://dx.doi.org/10.2166/wst.2015.566>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nilsson, T; Montanarella, L; Baglio, D; Tilio, R; Bidoglio, G; Facchetti, S. (1998). Analysis of volatile organic compounds in environmental water samples and soil gas by solid-phase microextraction. *Int J Environ Anal Chem.* 69: 217-226.
- Nimios, MR; Jacoby, WA; Blake, DM; Milne, TA. (1993). DIRECT MASS-SPECTROMETRIC STUDIES OF THE DESTRUCTION OF HAZARDOUS WASTES .2. GAS-PHASE PHOTOCATALYTIC OXIDATION OF TRICHLOROETHYLENE OVER TiO₂ - PRODUCTS AND MECHANISMS. *Environ Sci Technol.* 27: 732-740.
- Nimittrakoolchai, OU; Supothina, S. (2012). Preparation of stable ultrahydrophobic and superoleophobic silica-based coating. *J Nanosci Nanotechnol.* 12: 4962-4968. <http://dx.doi.org/10.1166/jnn.2012.4891>.
- Nimlos, MR; Wolfrum, EJ; Brewer, ML; Fennell, JA; Bintner, G. (1996). Gas-phase heterogeneous photocatalytic oxidation of ethanol: Pathways and kinetic modeling. *Environ Sci Technol.* 30: 3102-3110.
- Nims, RW; Lubet, RA; Fox, SD; Jones, CR; Thomas, PE; Reddy, AB; Kocarek, TA. (1998). Comparative pharmacodynamics of CYP2B induction by DDT, DDE, and DDD in male rat liver and cultured rat hepatocytes. *J Toxicol Environ Health A.* 53: 455-477.
- Ninomiyama, K; Sakai, M; Ohba, E; Kashiwagi, N. (1994). KINETIC-MODEL FOR THE BIOTRANSFORMATION OF TETRACHLOROETHYLENE IN GROUNDWATER. *Water Sci Technol.* 30: 13-18.
- NIOSH. (1998). Criteria for a recommended standard: Occupational exposure to metalworking fluids. (98-102). Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/98-102.html>.
- Nishijima, W; Ochi, Y; Tsai, TY; Nakano, Y; Okada, M. (2004). Catalytic hydrodechlorination of chlorinated ethylenes in organic solvents at room temperature and atmospheric pressure. *Appl Catal B-Environ.* 51: 135-140. <http://dx.doi.org/10.1016/j.apcatb.2004.02.001>.
- Nishikawa, H. (2001). Thermal behavior of hydroxyapatite in structural and spectrophotometric characteristics. *Mater Lett.* 50: 364-370.
- Nishikawa, H; Ikeda, S; Monma, H. (1993). CHARACTERIZATION OF CALCIUM-DEFICIENT HYDROXYAPATITE AFTER A CATALYTIC REACTION WITH TRICHLOROETHYLENE VAPOR. *Bull Chem Soc Jpn.* 66: 2570-2573.
- Nishikawa, H; Monma, H. (1991). OXIDATIVE CATALYTIC DECOMPOSITION OF TRICHLOROETHYLENE OVER HYDROXYAPATITE. 1562-1564.
- Nishikawa, H; Monma, H. (1994). OXIDATIVE DECOMPOSITION OF CHLOROENZENE OVER CALCIUM-DEFICIENT HYDROXYAPATITE. *Bull Chem Soc Jpn.* 67: 2454-2456.
- Nishikawa, H; Omamiuda, K. (2002). Photocatalytic activity of hydroxyapatite for methyl mercaptane. *J Mol Catal Chem.* 179: 193-200.
- Nishikiori, H; Fukasawa, Y; Yokosuka, Y; Fujii, T. (2011). Nitrogen doping into titanium dioxide by the sol-gel method using nitric acid. *Res Chem Intermed.* 37: 869-881. <http://dx.doi.org/10.1007/s11164-011-0294-y>.
- Nishikiori, H; Furukawa, M; Fujii, T. (2011). Degradation of trichloroethylene using highly adsorptive allophane-TiO₂ nanocomposite. *Appl Catal B-Environ.* 102: 470-474. <http://dx.doi.org/10.1016/j.apcatb.2010.12.028>.
- Nishikiori, H; Hashiguchi, S; Ito, M; Setiawan, RA; Fujii, T. (2014). Reaction in photofuel cells using allophane-titania nanocomposite electrodes. *Appl Catal B-Environ.* 147: 246-250. <http://dx.doi.org/10.1016/j.apcatb.2013.09.003>.
- Nishikiori, H; Kanada, N; Setiawan, RA; Morita, K; Teshima, K; Fujii, T. (2015). Photoelectrochemical properties of dye-dispersing allophane-titania composite electrodes. *Appl Clay Sci.* 107: 138-144. <http://dx.doi.org/10.1016/j.clay.2015.01.015>.
- Nishikiori, H; Sato, T; Kubota, S; Tanaka, N; Shimizu, Y; Fujii, T. (2012). Preparation of Cu-doped TiO₂ via refluxing of alkoxide solution and its photocatalytic properties. *Res Chem Intermed.* 38: 595-613. <http://dx.doi.org/10.1007/s11164-011-0374-z>.
- Nishikiori, H; Sato, Y; Oki, K; Fujii, T. (2015). Photocatalytic degradation of chlorinated propenes using TiO₂. *Res Chem Intermed.* 41: 7641-7654. <http://dx.doi.org/10.1007/s11164-014-1849-5>.
- Nisola, GM; Beltran, AB; Park, MJ; Torrejos, RE; Seo, JG; Lee, SP; Chung, WJ. (2015). Composite membranes with surface-modifying macromolecules for halogenated hydrocarbons removal from water in membrane extraction process. *Desalination and Water Treatment.* 54: 3551-3559. <http://dx.doi.org/10.1080/19443994.2014.922314>.
- Nissen, SE; Nicholls, SJ; Wolski, K; Howey, DC; Mcerlean, E; Wang, MD; Gomez, EV; Russo, JM. (2007). Effects of a potent and selective PPAR- α agonist in patients with atherogenic dyslipidemia or hypercholesterolemia: Two randomized controlled trials. *JAMA.* 297: 1362-1373. <http://dx.doi.org/10.1001/jama.297.12.1362>.
- Nitcheva, DK; Piegorsch, WW; West, RW. (2007). On use of the multistage dose-response model for assessing laboratory animal carcinogenicity. *Regul Toxicol Pharmacol.* 48: 135-147. <http://dx.doi.org/10.1016/j.yrtph.2007.03.002>.
- Niu, CG; Wang, Y; Zhang, XG; Zeng, GM; Huang, DW; Ruan, M; Li, XW. (2012). Decolorization of an azo dye Orange G in microbial fuel cells using Fe(II)-EDTA catalyzed persulfate. *Bioresour Technol.* 126: 101-106. <http://dx.doi.org/10.1016/j.biortech.2012.09.001>.
- Niu, J; Yin, L; Dai, Y; Bao, Y; Crittenden, JC. (2016). Design of visible light responsive photocatalysts for selective reduction of chlorinated organic compounds in water. *Appl Catal A-Gen.* 521: 90-95. <http://dx.doi.org/10.1016/j.apcata.2015.11.018>.
- Noda, K; Aizaiwa, H; Kurosawa, S. (2008). Characteristics of a simple monitoring system for trichloroethylene using a hybrid quartz crystal microbalance. *Sensor Mater.* 20: 179-189.
- Noegrohati, S, ri; Narsito; Hadi, S; Sanjayadi. (2008). Fate and behavior of organochlorine pesticides in the Indonesian tropical climate: A study in the segara anakan estuarine ecosystem. *CLEAN - Soil, Air, Water.* 36: 767-774. <http://dx.doi.org/10.1002/clen.200800083>.
- Nogueira, RFP; Alberici, RM; Mendes, MA; Jardim, WF; Eberlin, MN. (1999). Photocatalytic degradation of phenol and trichloroethylene: On-line and real-time monitoring via membrane introduction mass spectrometry. *Ind Eng Chem Res.* 38: 1754-1758.
- Noguera, DR; Pizarro, G; Clapp, LW. (2000). Mathematical modeling of trichloroethylene (TCE) degradation in membrane-attached biofilms. *Water Sci Technol.* 41: 239-244.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nöhhammer, C; Brunner, F; Wölkart, G; Staber, PB; Steyrer, E; Gonzalez, FJ; Zechner, R; Hoefler, G. (2003). Myocardial dysfunction and male mortality in peroxisome proliferator-activated receptor alpha knockout mice overexpressing lipoprotein lipase in muscle. *Lab Invest.* 83: 259-269. <http://dx.doi.org/10.1097/01.LAB.0000053916.61772.CA>.
- Nomiyama, H; Nomiyama, K; Uchiki, H. (1978). Gas-liquid chromatographic determination of trichloroethylene metabolites in urine. *Am Ind Hyg Assoc J.* 39: 506-510. <http://dx.doi.org/10.1080/0002889778507798>.
- Nomiyama, K; Nomiyama, H. (1977). Dose-response relationship for trichloroethylene in man. *Int Arch Occup Environ Health.* 39: 237-248.
- Nomura, T; Hayashi, E; Kawakami, S; Ogita, S; Kato, Y. (2015). Environmentally benign process for the preparation of antimicrobial α -methylene- β -hydroxy- γ -butyrolactone (tulipalin B) from tulip biomass. *Biosci Biotechnol Biochem.* 79: 25-35. <http://dx.doi.org/10.1080/09168451.2014.946395>.
- Nonnenberg, C; van der Donk, WA; Zipse, H. (2002). Reductive dechlorination of trichloroethylene: A computational study. *J Phys Chem A.* 106: 8708-8715. <http://dx.doi.org/10.1021/jp0264073>.
- Nordlund, LA; Carstensen, JM; Pershagen, G. (1997). Cancer incidence in female smokers: A 26-year follow-up. *Int J Cancer.* 73: 625-628. [http://dx.doi.org/10.1002/\(SICI\)1097-0215\(19971127\)73:5<625::AID-IJC2>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0215(19971127)73:5<625::AID-IJC2>3.0.CO;2-Z).
- Nordlund, LA; Carstensen, JM; Pershagen, G. (1999). Are male and female smokers at equal risk of smoking-related cancer: Evidence from a Swedish prospective study. *Scand J Public Health.* 27: 56-62.
- Notthakun, S; Crittenden, JC; Hand, DW; Perram, DL; Mullins, ME. (1993). Regeneration of Adsorbents Using Heterogeneous Advanced Oxidation. *J Environ Eng.* 119: 695-714.
- Noubactep, C. (2009). Comments on "Decontamination of solutions containing EDTA using metallic iron" by Gyliene O., et al. [*J. Hazard. Mater.* (2008)] [Letter]. *J Hazard Mater.* 165: 1261-1263. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.026>.
- Noubactep, C. (2012). Comment on "Reductive dechlorination of γ -hexachloro-cyclohexane using Fe-Pd bimetallic nanoparticles" by Nagpal et al. [*J. Hazard. Mater.* 175 (2010) 680-687] [Letter]. *J Hazard Mater.* 235-236: 388-391; author reply 392-383. <http://dx.doi.org/10.1016/j.jhazmat.2011.03.081>.
- Noubactep, C; Meinrath, G; Dietrich, P; Sauter, M; Merkel, BJ. (2005). Testing the suitability of zerovalent iron materials for reactive walls. *Environ Chem.* 2: 71-76. <http://dx.doi.org/10.1071/EN04014>.
- Novkovic, VM; Stanojevic, LP; Cacic, MD; Veljkovic, VB; Stankovic, MZ. (2014). Separation of digoxin by liquid-liquid extraction from extracts of foxglove secondary glycosides. *Hemijaska Industrija.* 68: 161-170. <http://dx.doi.org/10.2298/HEMIND130422040N>.
- NRC. (1983). *Risk Assessment in the Federal Government: Managing the Process.* Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC. (1993). *Pesticides in the diets of infants and children.* Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2126>.
- NRC. (1994). *Science and judgment in risk assessment* (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NRC. (1997). *Environmental epidemiology, volume 2: Use of the gray literature and other data in environmental epidemiology.* Washington, DC: National Academies Press. http://www.nap.edu/catalog.php?record_id=5804.
- Numata, M; Nakamura, N; Koshikawa, H; Terashima, Y. (2002). Chlorine isotope fractionation during reductive dechlorination of chlorinated ethenes by anaerobic bacteria. *Environ Sci Technol.* 36: 4389-4394. <http://dx.doi.org/10.1021/es025547n>.
- Numata, M; Nakamura, N; Koshikawa, H; Terashima, Y. (2002). Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry. *Anal Chim Acta.* 455: 1-9.
- Nunes, CD; Pires, J; Carvalho, A, naP; Calhorda, MJ, os; Ferreira, P. (2008). Synthesis and characterisation of organo-silica hydrophobic clay hetero structures for volatile organic compounds removal. *Microporous and Mesoporous Materials.* 111: 612-619. <http://dx.doi.org/10.1016/j.micromeso.2007.09.008>.
- Nunes-Halldorson, VD; Steiner, RL; Smith, GB. (2004). Residual toxicity after biodegradation: interactions among benzene, toluene, and chloroform. *Ecotoxicol Environ Saf.* 57: 162-167. [http://dx.doi.org/10.1016/S0147-651\(03\)00032-0](http://dx.doi.org/10.1016/S0147-651(03)00032-0).
- Nuns, N; Beaurain, A; Dinh, MTN; Vandenbroucke, A; De Geyter, N; Morent, R; Leys, C; Giraudon, JM; Lamonier, JF. (2014). A combined ToF-SIMS and XPS study for the elucidation of the role of water in the performances of a Post-Plasma Process using LaMnO₃+ δ as catalyst in the total oxidation of trichloroethylene. *Appl Surf Sci.* 320: 154-160. <http://dx.doi.org/10.1016/j.apsusc.2014.09.047>.
- Nuns, N; Lamonier, JF; Giraudon, JM; Siffert, S; Su, BL. (2013). ToF-SIMS studies of the TiO₂-ZrO₂ supported palladium as trace level used in the total oxidation of TCE in humid air. *Surf Interface Anal.* 45: 566-569. <http://dx.doi.org/10.1002/sia.5109>.
- Nurmi, JT; Sarathy, V; Tratnyek, PG; Baer, DR; Amonette, JE; Karkamkar, A. (2011). Recovery of iron/iron oxide nanoparticles from solution: comparison of methods and their effects. *J Nanopart Res.* 13: 1937-1952. <http://dx.doi.org/10.1007/s11051-010-9946-x>.
- Nuss, G; Saischek, G; Harum, BN; Volpe, M; Belaj, F; Mösch-Zanetti, NC. (2011). Pyridazine based scorpionate ligand in a copper boratrane compound. *Inorg Chem.* 50: 12632-12640. <http://dx.doi.org/10.1021/ic201666w>.
- Nutt, MO; Heck, KN; Alvarez, P; Wong, MS. (2006). Improved Pd-on-Au bimetallic nanoparticle catalysts for aqueous-phase trichloroethene hydrodechlorination. *Appl Catal B-Environ.* 69: 115-125. <http://dx.doi.org/10.1016/j.apcatb.2006.06.005>.
- Nutt, MO; Hughes, JB; Wong, MS. (2005). Designing Pd-on-Au bimetallic nanoparticle catalysts for trichloroethene hydrodechlorination. *Environ Sci Technol.* 39: 1346-1353. <http://dx.doi.org/10.1021/es048560b>.
- Nyberg, K. (1971). UDDEHOLM - TRICHLOROETHYLENE AND PERCHLORETHYLENE BY A NEW PROCESS - ETHYLENE AND ACETYLENE PROCESSES - OXICHLORINATION AND HYDROXYCHLORINATION-FLOW SHEET. 83: 24-&.
- Nyer, EK; Morello, B. (1993). TRICHLOROETHYLENE TREATMENT AND REMEDIATION (pp. 98-103). (ISSN 1069-3629; EISSN 1745-6592; BIOSIS/93/23668). Nyer, EK; Morello, B.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nyman, PJ; Limm, W; Begley, TH; Chirtel, SJ. (2014). Single-laboratory validation of a method for the determination of select volatile organic compounds in foods by using vacuum distillation with gas chromatography/mass spectrometry. *J AOAC Int.* 97: 510-520. <http://dx.doi.org/10.5740/jaoacint.13-294>.
- NYSDEC. (2008). Project information summary: Solvents, contamination and cleanup at Endicott. Albany, NY. <http://www.dec.ny.gov/chemical/24887.html>.
- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environ Sci Technol.* 35: 2244-2251. <http://dx.doi.org/10.1021/es001578b>.
- Nzengung, VA; Jeffers, P. (2001). Sequestration, Phytoreduction, and Phytooxidation of Halogenated Organic Chemicals by Aquatic and Terrestrial Plants. *Int J Phytoremediation.* 3: 13-40. <http://dx.doi.org/10.1080/15226510108500048>.
- Obee, TN; Brown, RT. (1995). TIO₂ PHOTOCATALYSIS FOR INDOOR AIR APPLICATIONS - EFFECTS OF HUMIDITY AND TRACE CONTAMINANT LEVELS ON THE OXIDATION RATES OF FORMALDEHYDE, TOLUENE, AND 1,3-BUTADIENE. *Environ Sci Technol.* 29: 1223-1231. <http://dx.doi.org/10.1021/es00005a013>.
- Obee, TN; Hay, SO. (1997). Effects of moisture and temperature on the photooxidation of ethylene on Titania. *Environ Sci Technol.* 31: 2034-2038.
- Obiri-Nyarko, F; Kwiatkowska-Malina, J; Malina, G; Kasela, T. (2015). Geochemical modelling for predicting the long-term performance of zeolite-PRB to treat lead contaminated groundwater. *J Contam Hydrol.* 177-178: 76-84. <http://dx.doi.org/10.1016/j.jconhyd.2015.03.007>.
- Ocal, FM; Darici, B; Okyar, MC. (2012). The economic importance of Sirnak asphaltites in the next decade. *Energy Education Science & Technology, Part A: Energy Science and Research.* 28: 773-784.
- O'Connor, TP; Mueller, J. (2001). Modeling competitive adsorption of chlorinated volatile organic compounds with the Dubinin-Radushkevich equation. *Microporous and Mesoporous Materials.* 46: 341-349.
- Oda, T. (2003). Non-thermal plasma processing for environmental protection: decomposition of dilute VOCs in air. *Journal of Electrostatics.* 57: 293-311.
- Oda, T; Takahashi, T; Yamaji, K. (2002). Nonthermal plasma processing for dilute VOCs decomposition. *I E E E Transactions on Industry Applications.* 38: 873-878.
- Oda, T; Takahashi, T; Kohzuma, S. (2001). Decomposition of dilute trichloroethylene by using nonthermal plasma processing-frequency and catalyst effects. *I E E E Transactions on Industry Applications.* 37: 965-970.
- Oda, T; Takahashi, T; Tada, K. (1999). Decomposition of dilute trichloroethylene by nonthermal plasma. *I E E E Transactions on Industry Applications.* 35: 373-379.
- Oda, T; Takahashi, T; Yamaji, K. (2004). TCE decomposition by the nonthermal plasma process concerning ozone effect. *I E E E Transactions on Industry Applications.* 40: 1249-1256. <http://dx.doi.org/10.1109/TIA.2004.834068>.
- Oda, T; Yamaji, K; Takahashi, T. (2004). Decomposition of dilute trichloroethylene by nonthermal plasma processing - Gas flow rate, catalyst, and ozone effect. *I E E E Transactions on Industry Applications.* 40: 430-436. <http://dx.doi.org/10.1109/TIA.2004.824440>.
- Oda, T; Yamashita, R; Haga, I; Takahashi, T; Masuda, S. (1996). Decomposition of gaseous organic contaminants by surface discharge induced plasma chemical processing SPCP. *I E E E Transactions on Industry Applications.* 32: 118-124.
- Oda, T; Yamashita, R; Takahashi, T; Masuda, S. (1996). Atmospheric pressure discharge plasma decomposition for gaseous air contaminants - Trichlorotrifluoroethane and trichloroethylene. *I E E E Transactions on Industry Applications.* 32: 227-232.
- Oda, T; Yamashita, R; Tanaka, K; Takahashi, T; Masuda, S. (1996). Analysis of low-temperature surface discharge plasma products from gaseous organic compounds. *I E E E Transactions on Industry Applications.* 32: 1044-1050.
- Oddone, E; Edefonti, V; Scaburri, A; Vai, T; Bai, E; Modonesi, C; Crosignani, P; Imbriani, M. (2014). Female Breast Cancer and Electrical Manufacturing: Results of a Nested Case-control Study. *J Occup Health.* 56: 369-378.
- Odom, L; Burken, J; Newman, L, ee. (2013). Distribution and Accumulation of Trichloroethylene and Trichloroacetic Acid in Hybrid Poplars. *J Environ Eng.* 139: 1162-1167. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000703](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000703).
- O'Donnell, GE; Juska, A; Geyer, R; Faiz, M; Stalder, S. (1995). Analysis of trichloroacetic acid in the urine of workers occupationally exposed to trichloroethylene by capillary gas chromatography. *J Chromatogr A.* 709: 313-317.
- O'Donnell, L; McLachlan, RI; Wreford, NG; Robertson, DM. (1994). Testosterone promotes the conversion of round spermatids between stages VII and VIII of the rat spermatogenic cycle. *Endocrinology.* 135: 2608-2614. <http://dx.doi.org/10.1210/en.135.6.2608>.
- Oemuer-Oezbek, P; Gallagher, DL; Dietrich, AM. (2011). Determining Human Exposure and Sensory Detection of Odorous Compounds Released During Showering. *Environ Sci Technol.* 45: 468-473. <http://dx.doi.org/10.1021/es1030068>.
- Oesterreich, RC; Siegrist, RL. (2009). Quantifying Volatile Organic Compounds in Porous Media: Effects of Sampling Method Attributes, Contaminant Characteristics and Environmental Conditions. *Environ Sci Technol.* 43: 2891-2898. <http://dx.doi.org/10.1021/es803080c>.
- Oeztuerk, Z; Tansel, B; Katsenovich, Y; Sukop, M; Laha, S. (2012). Highly organic natural media as permeable reactive barriers: TCE partitioning and anaerobic degradation profile in eucalyptus mulch and compost. *Chemosphere.* 89: 665-671. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.006>.
- Ogata, A; Ito, D; Mizuno, K; Kushiya, S; Gal, A; Yamamoto, T. (2002). Effect of coexisting components on aromatic decomposition in a packed-bed plasma reactor. *Appl Catal A-Gen.* 236: 9-15.
- Ogata, A; Miyamae, K; Mizuno, K; Kushiya, S; Tezuka, M. (2002). Decomposition of benzene in air in a plasma reactor: Effect of reactor type and operating conditions. *Plasma Chemistry and Plasma Processing.* 22: 537-552.
- Ogata, A; Shintani, N; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (2000). Effect of water vapor on benzene decomposition using a nonthermal-discharge plasma reactor. *Plasma Chemistry and Plasma Processing.* 20: 453-467.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ogata, M; Shimada, Y; Taguchi, T. (1987). A new microdetermination method used in an analysis of the excretion of trichloro-compounds in the urine of workers exposed to trichloroethylene vapour. *Ind Health*. 25: 103-112.
- Ogata, M; TAKATSUK.Y; Tomokuni, K. (1970). SIMPLE METHOD FOR QUANTITATIVE ANALYSIS OF URINARY TRICHLOROETHANOL AND TRICHLOROACETIC ACID AS AN INDEX OF TRICHLOROETHYLENE EXPOSURE. *Br J Ind Med*. 27: 378-&.
- Ogata, M; TAKATSUK.Y; Tomokuni, K. (1971). EXCRETION OF ORGANIC CHLORINE COMPOUNDS IN URINE OF PERSONS EXPOSED TO VAPOURS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Br J Ind Med*. 28: 386-&.
- Ogawa, K; Takao, Y; Shimizu, Y; Egashira, M. (1999). Decomposition of trichloroethylene by microwave-induced-plasma generated from SiC ceramics under atmospheric pressure. *Key Eng Mater*. 159-1: 113-118.
- Ogino, K; Hobara, T; Kobayashi, H; Ishiyama, H; Gotoh, M; Imamura, A; Egami, N. (1991). Lipid Peroxidation Induced by Trichloroethylene in Rat Liver. *Bull Environ Contam Toxicol*. 46: 417-421.
- Ogunseitán, OA. (1996). Protein profile variation in cultivated and native freshwater microorganisms exposed to chemical environmental pollutants. *Microb Ecol*. 31: 291-304.
- Oguz, H; Koch, S; Weisweiler, W. (2000). Comparison of mechanistic models for the catalytic oxidation of trichloroethylene over Cr/Al₂O₃ and Al-Cr/porous glass catalysts. *Chem Eng Tech*. 23: 395-400.
- Oh, BT; Lee, JY; Yoon, J. (2007). Removal of contaminants in leachate from landfill by waste steel scrap and converter slag. *Environ Geochem Health*. 29: 331-336. <http://dx.doi.org/10.1007/s10653-007-9094-0>.
- Oh, DI; Nam, K; Park, JW; Khim, JH; Kim, YK; Kim, JY. (2008). Impacts of environmental conditions on the sorption of volatile organic compounds onto tire powder. *J Hazard Mater*. 153: 157-163. <http://dx.doi.org/10.1016/j.jhazmat.2007.08.045>.
- Oh, JM, in; Hoshina, T; Takeda, H; Tsurumi, T. (2013). Design, simulation, and fabrication of longitudinal electro-optically tuned transparent-comb-electrode photonic crystals. *Ceramic Society of Japan Journal*. 121: 659-663. <http://dx.doi.org/10.2109/jcersj2.121.659>.
- Oh, K; Ring, TA; Deo, MD. (2004). Asphaltene aggregation in organic solvents. *J Colloid Interface Sci*. 271: 212-219. <http://dx.doi.org/10.1016/j.jcis.2003.09.054>.
- Oh, M; Kim, M, inSoo; Kim, H. (2016). Thin Metal Transparent Conductive Electrodes Formed by Oblique-Angle Deposition. 2. <http://dx.doi.org/10.1002/aelm.201600154>.
- Oh, SY; Kang, SG; Chiu, PC. (2010). Degradation of 2,4-dinitrotoluene by persulfate activated with zero-valent iron. *Sci Total Environ*. 408: 3464-3468. <http://dx.doi.org/10.1016/j.scitotenv.2010.04.032>.
- Oh, SY; Kang, SG, u; Kim, DW; Chiu, P. (2011). Degradation of 2,4-dinitrotoluene by persulfate activated with iron sulfides. *Chem Eng J*. 172: 641-646. <http://dx.doi.org/10.1016/j.cej.2011.06.023>.
- Oh, SY; Kim, HW; Park, JM; Park, HS; Yoon, C. (2009). Oxidation of polyvinyl alcohol by persulfate activated with heat, Fe²⁺, and zero-valent iron. *J Hazard Mater*. 168: 346-351. <http://dx.doi.org/10.1016/j.jhazmat.2009.02.065>.
- Oh, SY; Shin, D. (2013). Degradation of spent caustic by Fenton and persulfate oxidation with zero-valent iron. *J Chem Tech Biotechnol*. 88: 145-152. <http://dx.doi.org/10.1002/jctb.3876>.
- Oh, SY; Shin, DS, ik. (2014). Treatment of Diesel-Contaminated Soil by Fenton and Persulfate Oxidation with Zero-Valent Iron. *Soil Sediment Contam*. 23: 180-193. <http://dx.doi.org/10.1080/15320383.2014.808170>.
- Oh, SY; Yoon, MK. (2015). DEGRADATIONS OF 2,4-DICHLOROPHENOL AND POLYCHLORINATED BIPHENYLS WITH ZERO VALENT IRON UNDER SUBCRITICAL CONDITIONS. IMPORTANCE OF SUBCRITICAL WATER OXIDATION. *Environ Protect Eng*. 41: 73-86. <http://dx.doi.org/10.5277/epe150306>.
- Ohandja, DG, uy; Stuckey, DC. (2007). Biodegradation of PCE in a hybrid membrane aerated biofilm reactor. *J Environ Eng*. 133: 20-27. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:1\(20\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:1(20)).
- O'Hannesin, SF; Gillham, RW. (1998). Long-term performance of an in situ "iron wall" for remediation of VOCs. *Ground Water*. 36: 164-170.
- O'Hara, SK; Parker, BL; Jorgensen, PR; Cherry, JA. (2000). Trichloroethene DNAPL flow and mass distribution in naturally fractured clay: Evidence of aperture variability. *Water Resour Res*. 36: 135-147.
- Ohlen, K; Chang, YK; Hegemann, W; Yin, CR; Lee, ST. (2005). Enhanced degradation of chlorinated ethylenes in groundwater from a paint contaminated site by two-stage fluidized-bed reactor. *Chemosphere*. 58: 373-377. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.060>.
- Ohno, H; Aoyama, T; Kishimoto, H. (1992). Simultaneous determination of volatile organic pollutants in water by headspace gas chromatographic analysis with dual detection. *JJTHE*. 38: 84-92.
- Ohoya, S; Hashiya, S; Tsubakiyama, K; Matsuo, T. (2000). Chlorination of polyamides and characteristics of the chlorinated polymers. *Sen'i Gakkaishi*. 56: 145-154.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ*. 366: 485-499. <http://dx.doi.org/10.1016/j.scitotenv.2005.10.005>.
- Oiwa, M; Minami, S; Tsuji, K; Onodera, N; Saruwatari, M. (2010). Temporal-Talbot-effect-based preprocessing for pattern-effect reduction in all-optical clock recovery using a semiconductor-optical-amplifier-based fiber ring laser. 16: 63-71. <http://dx.doi.org/10.1016/j.yofte.2009.10.004>.
- Ojha, SM; Cureton, C; Bricheno, T; Day, S; Moule, D; Bell, AJ; Taylor, J. (1998). Simple method of fabricating polarisation-insensitive and very low crosstalk AWG grating devices. *Electronics Letters*. 34: 78-79.
- Okawa, K; Suzuki, K; Takeshita, T; Nakano, K. (2007). Regeneration of granular activated carbon with adsorbed trichloroethylene using wet peroxide oxidation. *Water Res*. 41: 1045-1051. <http://dx.doi.org/10.1016/j.watres.2006.10.032>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Okawa, K; Tsai, TY; Nakano, Y; Nishijima, W; Okada, M. (2005). Effect of metal ions on decomposition of chlorinated organic substances by ozonation in acetic acid. *Chemosphere*. 58: 523-527. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.044>.
- Oki, K; Tsuchida, S; Nishikiori, H; Tanaka, N; Fujii, T. (2003). Photocatalytic degradation of chlorinated ethenes. *Intl J Photoenergy*. 5: 11-15.
- Okochi, H; Kataniwa, M; Sugimoto, D; Igawa, M. (2005). Enhanced dissolution of volatile organic compounds into urban dew water collected in Yokohama, Japan. *Atmos Environ*. 39: 6027-6036. <http://dx.doi.org/10.1016/j.atmosenv.2005.05.025>.
- Okouchi, S. (1986). VOLATILIZATION COEFFICIENT FOR STRIPPING TRICHLOROETHYLENE 1 1 1 TRICHLOROETHANE AND TETRACHLOROETHYLENE FROM WATER (pp. TREATMENT). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/86/31597). Okouchi, S.
- Okuda, T; Nam, SY; Lim, JL; Shin, HS. (2003). Improvement of thermal hydrolysis rate of dichloroacetic acid using alcohol. *Chemosphere*. 53: 97-100. [http://dx.doi.org/10.1016/S0045-6535\(03\)00361-8](http://dx.doi.org/10.1016/S0045-6535(03)00361-8).
- Okwi, GJ; Thomson, NR; Gillham, RW. (2005). The impact of permanganate on the ability of granular iron to degrade trichloroethene. *Ground Water Monitoring and Remediation*. 25: 123-128.
- Olaguer, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int*. 9: 175-182. <http://dx.doi.org/10.1065/espr2001.06.080>.
- Olajire, AA; Azeez, L. (2014). Source apportionment and ozone formation potential of volatile organic compounds in Lagos (Nigeria). *Chem Ecol*. 30: 156-168. <http://dx.doi.org/10.1080/02757540.2013.844796>.
- Olaniran, AO; Pillay, D; Pillay, B. (2004). Aerobic dechlorination of cis- and trans-dichloroethenes by some indigenous bacteria isolated from contaminated sites in Africa. *J Environ Sci*. 16: 968-972.
- Olaniran, AO; Pillay, D; Pillay, B. (2006). Biostimulation and bioaugmentation enhances aerobic biodegradation of dichloroethenes. *Chemosphere*. 63: 600-608. <http://dx.doi.org/10.1016/j.chemosphere.2005.08.027>.
- Olaniran, AO; Pillay, D; Pillay, B. (2008). Aerobic biodegradation of dichloroethenes by indigenous bacteria isolated from contaminated sites in Africa. *Chemosphere*. 73: 24-29. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.003>.
- Olapade, OA; Leff, LG. (2003). The effect of toulene on the microbial community of a river in northeastern Ohio, USA. *J Freshw Ecol*. 18: 465-477.
- Olesen, T; Gamst, J; Moldrup, P; Komatsu, T; Rolston, DE. (2001). Diffusion of sorbing organic chemicals in the liquid and gaseous phases of repacked soil. *Soil Sci Soc Am J*. 65: 1585-1593.
- Olie, JD; Bessems, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere*. 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.
- Oliveira, LCA; Lago, RM; Fabris, JD; Sapag, K. (2008). Catalytic oxidation of aromatic VOCs with Cr or Pd-impregnated Al-pillared bentonite: Byproduct formation and deactivation studies. *Appl Clay Sci*. 39: 218-222. <http://dx.doi.org/10.1016/j.clay.2007.06.003>.
- Oliveira, PE; Oliveira, LD; Ardisson, JD; Lago, RM. (2011). Potential of modified iron-rich foundry waste for environmental applications: Fenton reaction and Cr(VI) reduction. *J Hazard Mater*. 194: 393-398. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.002>.
- Olivier, P; Plancke, MO; Marzin, D; Clavey, V; Sauzieres, J; Fruchart, JC. (1988). Effects of fenofibrate, gemfibrozil and nicotinic acid on plasma lipoprotein levels in normal and hyperlipidemic mice: A proposed model for drug screening. *Atherosclerosis*. 70: 107-114. [http://dx.doi.org/10.1016/0021-9150\(88\)90104-9](http://dx.doi.org/10.1016/0021-9150(88)90104-9).
- Olkhov, RV; Smith, IWM. (2004). Time-resolved experiments on the chlorine atom initiated oxidation of tetrachloroethene (Cl₂C=CCl₂). *J Phys Chem A*. 108: 2232-2237. <http://dx.doi.org/10.1021/jp031158j>.
- Ollis, DF. (2002). Photocatalytic powder layer reactor: A uniformly mixed gas phase occurring in a catalytic fixed-bed flow reactor. *Ind Eng Chem Res*. 41: 6409-6412. <http://dx.doi.org/10.1021/ie020038f>.
- Ollis, DF; Pelizzetti, E; Serpone, N. (1991). PHOTOCATALYZED ... DESTRUCTION ... OF WATER ... CONTAMINANTS. *Environ Sci Technol*. 25: 1522-1529.
- O'Loughlin, EJ; Burriss, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environ Sci Technol*. 33: 1145-1147.
- Olson, MR; Sale, TC. (2015). Implications of soil mixing for NAPL source zone remediation: Column studies and modeling of field-scale systems. *J Contam Hydrol*. 177-178: 206-219. <http://dx.doi.org/10.1016/j.jconhyd.2015.04.008>.
- Olson, MR; Sale, TC; Shackelford, CD; Bozzini, C; Skeeane, J. (2012). Chlorinated Solvent Source-Zone Remediation via ZVI-Clay Soil Mixing: 1-Year Results. *Ground Water Monitoring and Remediation*. 32: 63-74. <http://dx.doi.org/10.1111/j.1745-6592.2011.01391.x>.
- Olson, MS; Ford, RM; Smith, JA; Fernandez, EJ. (2004). Quantification of bacterial chemotaxis in porous media using magnetic resonance imaging. *Environ Sci Technol*. 38: 3864-3870. <http://dx.doi.org/10.1021/es035236s>.
- Olson, MS; Tillman, FD; Choi, JW; Smith, JA. (2001). Comparison of three techniques to measure unsaturated-zone air permeability at Picatinny Arsenal, NJ. *J Contam Hydrol*. 53: 1-19.
- Omran, H; Pfeiffer, D; Tebbenjohanns, J; Schumacher, B; Manz, M; Lauck, G; Hagendorff, A; Jung, W; Fehske, W; Luderitz, B. (1995). ECHOCARDIOGRAPHIC IMAGING OF CORONARY SINUS DIVERTICULA AND MIDDLE CARDIAC VEINS IN PATIENTS WITH PREEXCITATION SYNDROME - IMPACT ON RADIOFREQUENCY CATHETER ABLATION OF POSTEROSEPTAL ACCESSORY PATHWAYS. *Pacing Clin Electrophysiol*. 18: 1236-1243.
- Ondarts, M; Hort, C; Platel, V; Sochard, S. (2010). Indoor Air Purification by Compost Packed Biofilter. *Int J Chem React Eng*. 8: 2176.
- Ondarts, M; Hort, C; Sochard, S; Platel, V; Moynault, L; Seby, F. (2012). Evaluation of compost and a mixture of compost and activated carbon as biofilter media for the treatment of indoor air pollution. *Environ Technol*. 33: 273-284. <http://dx.doi.org/10.1080/09593330.2011.570793>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Oneta, CM; Lieber, CS; Li, J; Rüttimann, S; Schmid, B; Lattmann, J; Rosman, AS; Seitz, HK. (2002). Dynamics of cytochrome P450E1 activity in man: Induction by ethanol and disappearance during withdrawal phase. *J Hepatol.* 36: 47-52. [http://dx.doi.org/10.1016/S0168-8278\(01\)00223-9](http://dx.doi.org/10.1016/S0168-8278(01)00223-9).
- Ong, SK; Culver, TB; Lion, LW; Shoemaker, CA. (1992). Effects of soil moisture and physical-chemical properties of organic pollutants on vapor-phase transport in the vadose zone. *J Contam Hydrol.* 11: 3-4.
- Ong, SK; Lion, LW. (1991). Effects of soil properties and moisture on the sorption of trichloroethylene vapor. *Water Res.* 25: 29-36.
- Ong, SK; Lion, LW. (1991). Mechanisms for trichloroethylene vapor sorption onto soil minerals. *J Environ Qual.* 20: 180-188.
- Ong, SK; Lion, LW. (1991). Trichloroethylene vapor sorption onto soil minerals. *Soil Sci Soc Am J.* 55: 1559-1568.
- Ooka, C; Akita, S; Ohashi, Y; Horiuchi, T; Suzuki, K; Komai, S; Yoshida, H; Hattori, T. (1999). Crystallization of hydrothermally treated TiO₂ pillars in pillared montmorillonite for improvement of the photocatalytic activity. *J Mater Chem.* 9: 2943-2952.
- Ooka, C; Yoshida, H; Suzuki, K; Hattori, T. (2004). Effect of surface hydrophobicity of TiO₂-pillared clay on adsorption and photocatalysis of gaseous molecules in air. *Appl Catal A-Gen.* 260: 47-53. <http://dx.doi.org/10.1016/j.apcata.2003.10.001>.
- Oolman, T; Godard, ST; Pope, GA; Jin, M; Kirchner, K. (1995). DNAPL FLOW BEHAVIOR IN A CONTAMINATED AQUIFER - EVALUATION OF FIELD DATA. *Ground Water Monitoring and Remediation.* 15: 125-137.
- Oostrom, M; Dane, JH; Wietsma, TW. (2005). Removal of carbon tetrachloride from a layered porous medium by means of soil vapor extraction enhanced by desiccation and water table reduction. *Vadose Zone Journal.* 4: 1170-1182. <http://dx.doi.org/10.2136/vzj2004.0173>.
- Oostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated heterogeneous porous medium 1. Spill behavior and initial dissolution. *J Contam Hydrol.* 37: 159-178.
- Oostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated, heterogeneous porous medium 2. Pump-and-treat and surfactant flushing. *J Contam Hydrol.* 37: 179-197.
- Opdam, JJ. (1991). Linear systems dynamics in toxicokinetic studies. *Ann Occup Hyg.* 35: 633-649.
- Oran, U; Unveren, E; Wirth, T; Unger, WES. (2004). Poly-dimethyl-siloxane (PDMS) contamination of polystyrene (PS) oligomers samples: a comparison of time-of-flight static secondary ion mass spectrometry (TOF-SSIMS) and X-ray photoelectron spectroscopy (XPS) results. *Appl Surf Sci.* 227: 318-324. <http://dx.doi.org/10.1016/j.apsusc.2003.12.008>.
- Orchard, BJ; Doucette, WJ; Chard, JK; Bugbee, B. (2000). A novel laboratory system for determining fate of volatile organic compounds in planted systems. *Environ Toxicol Chem.* 19: 888-894. <http://dx.doi.org/10.1002/etc.5620190415>.
- Orchard, BJ; Doucette, WJ; Chard, JK; Bugbee, B. (2000). Uptake of trichloroethylene by hybrid poplar trees grown hydroponically in flow-through plant growth chambers. *Environ Toxicol Chem.* 19: 895-903.
- Ordonez, S; Diez, FV; Sastre, H. (2002). Catalytic hydrodechlorination of chlorinated olefins over a Pd/Al₂O₃ catalyst: Kinetics and inhibition phenomena. *Ind Eng Chem Res.* 41: 505-511. <http://dx.doi.org/10.1021/ie010679v>.
- Ordonez, S; Sastre, H; Diez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ.* 25: 49-58.
- Ordonez, S; Sastre, H; Diez, FV. (2003). Hydrodechlorination of tetrachloroethene over Pd/Al₂O₃: influence of process conditions on catalyst performance and stability. *Appl Catal B-Environ.* 40: 119-130.
- Ordonez, S; Vivas, BP; Diez, FV. (2010). Minimization of the deactivation of palladium catalysts in the hydrodechlorination of trichloroethylene in wastewaters. *Appl Catal B-Environ.* 95: 288-296. <http://dx.doi.org/10.1016/j.apcatb.2010.01.006>.
- Orsi, L; Monnereau, A; Dananche, B; Berthou, C; Fenaux, P; Marit, G; Soubeyran, P; Huguet, F; Milpied, N; Leporrier, M; Hemon, D; Troussard, X; Clavel, J. (2010). Occupational exposure to organic solvents and lymphoid neoplasms in men: Results of a French case-control study. *Occup Environ Med.* 67: 664-672. <http://dx.doi.org/10.1136/oem.2009.049460>.
- Orth, WS; Gillham, RW. (1995). CHLORIDE AND CARBON MASS BALANCES FOR IRON-ENHANCED DEGRADATION OF TRICHLOROETHENE. *Abstracts of Papers - American Chemical Society.* 209: 221-ENVR.
- Orth, WS; Gillham, RW. (1996). Dechlorination of trichloroethene in aqueous solution using Fe⁰. *Environ Sci Technol.* 30: 66-71.
- Ortiz, I; Velasco, A; Revah, S. (2006). Effect of toluene as gaseous cosubstrate in bioremediation of hydrocarbon-polluted soil. *J Hazard Mater.* 131: 112-117. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.013>.
- Orzechowska, GE; Poziomek, EJ; Hodge, VF; Engelmann, WH. (1995). USE OF SONOCHEMISTRY IN MONITORING CHLORINATED HYDROCARBONS IN WATER. *Environ Sci Technol.* 29: 1373-1379. <http://dx.doi.org/10.1021/es00005a033>.
- Osejo, RE; Wilson, DJ. (1991). SOIL CLEAN UP BY INSITU AERATION .9. DIFFUSION CONSTANTS OF VOLATILE ORGANICS AND REMOVAL OF UNDERLYING LIQUID. *Separation Science and Technology.* 26: 1433-1466.
- Oshima, Y; Kawamoto, H; Iguchi, K; Koda, S. (1993). A NOVEL LASER-INDUCED SYNTHESIS OF 1,1-DICHLOROETHYLENE FROM 1,1-DICHLOROETHANE. *J Chem Eng Jpn.* 26: 280-285.
- Ososkov, V; Kebbekus, B; Chou, CC. (1996). Emission of volatile organic compounds to the atmosphere in the solvent sublimation process .2. Volatile chlorinated organic compounds. *Separation Science and Technology.* 31: 1377-1391.
- Ostendorf, DW; Hinlein, ES; Lutenecker, AJ; Kelley, SP. (2000). Soil gas transport above a jet fuel/solvent spill at Plattsburgh Air Force Base. *Water Resour Res.* 36: 2531-2547.
- Ostrea, EM; Bielawski, DM; Posecion, NC; Corrión, M; Villanueva-Uy, E; Jin, Y; Janisse, JJ; Ager, JW. (2008). A comparison of infant hair, cord blood and meconium analysis to detect fetal exposure to environmental pesticides. *Environ Res.* 106: 277-283. <http://dx.doi.org/10.1016/j.envres.2007.08.014>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ostrea, EM; Villanueva-Uy, E; Bielawski, DM; Posecion, NC; Corrion, ML; Jin, Y; Janisse, JJ; Ager, JW. (2006). Maternal hair - An appropriate matrix for detecting maternal exposure to pesticides during pregnancy. *Environ Res.* 101: 312-322. <http://dx.doi.org/10.1016/j.envres.2006.02.006>.
- Oswal, SL; Patel, BM; Patel, AM; Ghael, NY. (2003). Densities, speeds of sound, isentropic compressibilities, and refractive indices of binary mixtures of methyl methacrylate with hydrocarbons, haloalkanes and alkyl amines. *Fluid Phase Equilibria.* 206: 313-329. [http://dx.doi.org/10.1016/S0378-3812\(03\)00031-1](http://dx.doi.org/10.1016/S0378-3812(03)00031-1).
- Otero P, A; Munoz P, M; Medina-Robles, V; Cruz-Casallas, P. (2013). Effect of food intake on productive variables of two species of cladocera, under laboratory conditions. *Revista M V Z Cordoba.* 18: 3642-3647.
- Otto, DA; Hudnell, HK. (1993). The use of visual and chemosensory evoked potentials in environmental and occupational health. *Environ Res.* 62: 159-171.
- Otto, DME; Sen, CK; Hidioglu, N; Madere, R; Moon, TW. (1997). Role of exogenous glutathione in teleost fish and its effects on antioxidant defense responses in rainbow trout exposed to 3,3',4,4'-tetrachlorobiphenyl. *Fish Physiol Biochem.* 16: 449-457. <http://dx.doi.org/10.1023/A:1007765609695>.
- Ou, HH; Liao, C; Lo, SL. (2010). Determination of X-Ray Diffraction on the Phase Transformation of Microwave-Assisted Titanate Nanotubes during Thermal Treatment. *Journal of Nanomaterials.* 2010 (2010). <http://dx.doi.org/10.1155/2010/837384>.
- Ou, HH; Lo, SL. (2007). Photocatalysis of gaseous trichloroethylene (TCE) over TiO₂: The effect of oxygen and relative humidity on the generation of dichloroacetyl chloride (DCAC) and phosgene. *J Hazard Mater.* 146: 302-308. <http://dx.doi.org/10.1016/j.jhazmat.2006.12.039>.
- Ou, LT; Joy, PJ; Thomas, JE; Hornsby, AG. (1997). Stimulation of microbial degradation of methyl bromide in soil during oxidation of an ammonia fertilizer by nitrifiers. *Environ Sci Technol.* 31: 717-722.
- Oudijk, G. (2003). Estimating the minimum age of a chlorinated solvent plume in groundwater with chlorofluorocarbon (CFC) and tritium methodologies: A case study. *Environ Forensics.* 4: 81-88. <http://dx.doi.org/10.1080/15275920390187001>.
- Ouellon, T; Lefebvre, R; Marcotte, D; Boutin, A; Blais, V; Parent, M. (2008). Hydraulic conductivity heterogeneity of a local deltaic aquifer system from the kriged 3D distribution of hydrofacies from borehole logs, Valcartier, Canada. *J Hydrol.* 351: 71-86. <http://dx.doi.org/10.1016/j.jhydrol.2007.11.040>.
- Ouoba, S; Cherblanc, F; Cousin, B; Benet, JC. (2010). A New Experimental Method to Determine the Sorption Isotherm of a Liquid in a Porous Medium. *Environ Sci Technol.* 44: 5914-5919. <http://dx.doi.org/10.1021/es101377v>.
- Ouoba, S; Cherblanc, F; Kouliadiati, J; Benet, JC. (2015). A New Experimental Method to Determine the Henry's Law Constant of a Volatile Organic Compound Adsorbed in Soil. *J Chem.* <http://dx.doi.org/10.1155/2015/479327>.
- Ouoba, S; Cousin, B; Toguyeni, DY; Ouiminga, SK; Cherblanc, F; Kouliadiati, J; Benet, JC. (2015). Highlighting of a local non-equilibrium thermodynamics during the transfer of trichloroethylene (TCE) in the superficial layers of arid soils. 19: 1096-1107. <http://dx.doi.org/10.1080/19648189.2014.996672>.
- Ouoba, S; Daho, T; Cherblanc, F; Kouliadiati, J; Benet, JC. (2015). A New Experimental Method to Determine the Evaporation Coefficient of Trichloroethylene (TCE) in an Arid Soil. *Transport in Porous Media.* 106: 339-353. <http://dx.doi.org/10.1007/s11242-014-0404-6>.
- Ouyan, Y; Cho, JS; Mansell, RS. (2002). Simulated formation and flow of microemulsions during surfactant flushing of contaminated soil. *Water Res.* 36: 33-40.
- Ovdat, H; Berkowitz, B. (2006). Pore-scale study of drainage displacement under combined capillary and gravity effects in index-matched porous media. *Water Resour Res.* 42. <http://dx.doi.org/10.1029/2005WR004553>.
- Owensby, GS; Plank, CA; Laukhuf, WLS. (1989). VAPOR LIQUID EQUILIBRIA OF THE TRIMETHYL BORATE (1)-TRICHLOROETHYLENE (2)-SYSTEM. *Journal of Chemical and Engineering Data.* 34: 213-214.
- Ozaki, S; Zhao, L; Amemiya, T; Itoh, K; Murabayashi, M. (2004). Gas-phase photocatalytic degradation of cis-1,2-dichloroethylene using titanium dioxide under near-UV-illumination. *Appl Catal B-Environ.* 52: 81-89. <http://dx.doi.org/10.1016/j.apcatb.2003.10.010>.
- Ozdemir, C; Sen, N; Kalipci, E. (2012). Reaction kinetics and removal of COD with treatment of TCE with the synthetic wastewater in UASB reactors. *Energy Education Science & Technology, Part A: Energy Science and Research.* 28: 689-698.
- Ozgan, E; Serin, S; Kap, T. (2013). Multi-faceted investigation into the effects of hot-mix asphalt parameters on Marshall Stability. *Construction and Building Materials.* 40: 419-425. <http://dx.doi.org/10.1016/j.conbuildmat.2012.11.002>.
- Ozturk, Z; Katsenovich, Y; Tansel, B; Laha, S; Moos, L; Allen, M. (2009). Enhancement of TCE Attenuation in Soils by Natural Amendments. *Soil Sediment Contam.* 18: 1-13. <http://dx.doi.org/10.1080/15320380802545167>.
- Paar, H; Ruhl, AS; Jekel, M. (2015). Influences of nanoscale zero valent iron loadings and bicarbonate and calcium concentrations on hydrogen evolution in anaerobic column experiments. *Water Res.* 68: 731-739. <http://dx.doi.org/10.1016/j.watres.2014.10.043>.
- Paaso, N; Peuravuori, J; Pihlaja, K. (2000). Extraction efficiency of chloroethenes from contaminated dry cleaner's sludge with three different methods. *Waste Manag.* 20: 69-74.
- Pacheco, A; Lindner, AS. (2005). Effects of Alpha-pinene and trichloroethylene on oxidation potentials of methanotrophic bacteria. *Bull Environ Contam Toxicol.* 74: 133-140. <http://dx.doi.org/10.1007/s00128-004-0559-x>.
- Pacheco, JE; Prairie, MR; Yellowhorse, L. (1993). PHOTOCATALYTIC DESTRUCTION OF CHLORINATED SOLVENTS IN WATER WITH SOLAR-ENERGY. *J Sol Energ Eng.* 115: 123-129.
- Padilla, I. (2010). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padilla, I. (2011). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padilla, I. (2012). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padilla, I. (2013). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Page, BD; Kennedy, BP. (1975). Determination of methylene chloride, ethylene dichloride, and trichloroethylene as solvent residues in spice oleoresins, using vacuum distillation and electron capture gas chromatography. *J AOAC Int.* 58: 1062-1068.
- Pal, A. (1994). PHOTOCHEMICAL-REACTION OF TRICHLOROACETIC-ACID WITH DIPHENYLAMINE AND ITS ANALYTICAL APPLICATION. *Bull Chem Soc Jpn.* 67: 2420-2423.
- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. *Fluid Phase Equilibria.* 143: 241-251.
- Pal, A; Sharma, S. (1998). Viscosities and densities of some n-alkoxyethanols with trichloroethylene and tetrachloroethylene at 298.15 K. *Journal of Chemical and Engineering Data.* 43: 21-24.
- Pal, A; Singh, W. (1995). EXCESS MOLAR VOLUMES OF 2-(2-ALKOXYETHOXY)ETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE AT 298.15 AND 308.15 K. *Journal of Chemical and Engineering Data.* 40: 1130-1133.
- Pal, A; Singh, W. (1996). Excess molar volumes of 2-[2-(2-alkoxyethoxy)ethoxy] ethanols with trichloroethylene and tetrachloroethylene at 298.15 and 308.15 K. *Journal of Chemical and Engineering Data.* 41: 181-184.
- Pal, A; Singh, W. (1996). Excess molar volumes of linear and cyclic ethers plus chloroethenes at 298.15 K. *Journal of Chemical and Engineering Data.* 41: 428-430.
- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. *Fluid Phase Equilibria.* 129: 211-221.
- Palakodeti, RC; Leboeuf, EJ; Clarke, JH. (2009). Tool for assessment of process importance at the groundwater/surface water interface. *J Environ Manage.* 91: 87-101. <http://dx.doi.org/10.1016/j.jenvman.2009.07.011>.
- Palau, J; Jamin, P; Badin, A; Vanhecke, N; Haerens, B; Brouyère, S; Hunkeler, D. (2016). Use of dual carbon-chlorine isotope analysis to assess the degradation pathways of 1,1,1-trichloroethane in groundwater. *Water Res.* 92: 235-243. <http://dx.doi.org/10.1016/j.watres.2016.01.057>.
- Paleta, O; Volkov, A; Hetflejš, J. (2000). Fluorinated butanolides and butenolides. Part 5. Synthesis and nucleophilic reactions of 3-chloro-2-fluoro-2-buten-4-olide as tetrionic acid analogue. Conjugate addition of hard nucleophiles and vinylic halogen displacement with soft phosphorus nucleophiles. *J Fluor Chem.* 102: 147-157.
- Pallos, LL; Burg J, AR. (1995). THE NATIONAL EXPOSURE TRICHLOROETHYLENE SUBREGISTRY ASSESSING HEALTH TRENDS AT MULTIPLE WASTE SITES (pp. 5-7). (ISSN 0277-6715; EISSN 1097-0258; BIOSIS/95/21767). Pallos, LL; Burg J, AR.
- Palmer, CN; Hsu, MH; Griffin, KJ; Raucy, JL; Johnson, EF. (1998). Peroxisome proliferator activated receptor-alpha expression in human liver. *Mol Pharmacol.* 53: 14-22.
- Pan, LW; Siegrist, RL; Crimi, M. (2012). Effects of In Situ Remediation Using Oxidants or Surfactants on Subsurface Organic Matter and Sorption of Trichloroethene. *Ground Water Monitoring and Remediation.* 32: 96-105. <http://dx.doi.org/10.1111/j.1745-6592.2011.01377.x>.
- Pan, Y; Wei, X; Hao, W. (2015). Trichloroethylene and Its Oxidative Metabolites Enhance the Activated State and Th1 Cytokine Gene Expression in Jurkat Cells. *Int J Environ Res Public Health.* 12: 10575-10586. <http://dx.doi.org/10.3390/ijerph120910575>.
- Panagiotakis, I; Antoniou, K; Mamais, D; Pantazidou, M. (2015). Effects of different electron donor feeding patterns on TCE reductive dechlorination performance. *Bull Environ Contam Toxicol.* 94: 289-294. <http://dx.doi.org/10.1007/s00128-015-1462-3>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Marneri, M; Parapouli, M; Hatziloukas, E; Tandoi, V. (2007). Dechlorinating ability of TCE-fed microcosms with different electron donors. *J Hazard Mater.* 149: 582-589. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.113>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Rossetti, S; Aulenta, F; Tandoi, V. (2014). Predominance of Dehalococoides in the presence of different sulfate concentrations. *Water Air Soil Pollut.* 225. <http://dx.doi.org/10.1007/s11270-013-1785-9>.
- Pandey, VC; Singh, JS; Singh, DP; Singh, RP. (2014). Methanotrophs: promising bacteria for environmental remediation. *Int J Environ Sci Tech.* 11: 241-250. <http://dx.doi.org/10.1007/s13762-013-0387-9>.
- Panek, D; Konieuny, K. (2007). Preparation and applying the membranes with carbon black to pervaporation of toluene from the diluted aqueous solutions. *Separation and Purification Technology.* 57: 507-512. <http://dx.doi.org/10.1016/j.seppur.2006.10.011>.
- Pankow, JF. (1991). GAS-PHASE RETENTION VOLUME BEHAVIOR OF ORGANIC-COMPOUNDS ON CARBOTRAP GRAPHITIZED CARBON. *J Chromatogr A.* 547: 488-493.
- Pant, N; Kumar, R; Mathur, N; Srivastava, SP; Saxena, DK; Gujrati, VR. (2007). Chlorinated pesticide concentration in semen of fertile and infertile men and correlation with sperm quality. *Environ Toxicol Pharmacol.* 23: 135-139. <http://dx.doi.org/10.1016/j.etap.2006.07.012>.
- Pant, P; Allen, M; Cai, Y; Jayachandran, K. (2008). Design and performance of a mesocosm chamber for trichloroethylene evaporation study. *Water Air Soil Pollut.* 193: 3-13. <http://dx.doi.org/10.1007/s11270-008-9663-6>.
- Pant, P; Allen, M; Cai, Y; Jayachandran, K; Chen, Y, in. (2007). Influence of physical factors on trichloroethylene evaporation from surface water. *Water Air Soil Pollut.* 183: 153-163. <http://dx.doi.org/10.1007/s11270-007-9365-5>.
- Pant, P; Pant, S. (2010). A review: Advances in microbial remediation of trichloroethylene (TCE) [Review]. *J Environ Sci.* 22: 116-126. [http://dx.doi.org/10.1016/S1001-0742\(09\)60082-6](http://dx.doi.org/10.1016/S1001-0742(09)60082-6).
- Pantazidou, M; Panagiotakis, I; Mamais, D; Zikidi, V. (2012). Chloroethene Biotransformation in the Presence of Different Sulfate Concentrations. *Ground Water Monitoring and Remediation.* 32: 106-119. <http://dx.doi.org/10.1111/j.1745-6592.2011.01372.x>.
- Paolini, M; Mesirca, R; Pozzetti, L; Biagi, GL; Cantelliforti, G. (1992). SELECTIVE INDUCTION OF MURINE LIVER CYTOCHROME-P450 IIB1 BY HALOGENATED HYDROCARBONS. *Toxicol Environ Chem.* 36: 235-249.
- Paolini, M; Mesirca, R; Pozzetti, L; Sapone, A; Biagi, GL; Trieff, NM; Cantelliforti, G. (1994). CORRELATION BETWEEN MURINE LIVER CYTOCHROME-P450 2B1 INDUCTION BY HALOGENATED HYDROCARBONS AND TOXICITY. *Toxicol Environ Chem.* 44: 55-64.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Papadopoulos, V; Lagaros, ND. (2009). Vulnerability-based robust design optimization of imperfect shell structures. *Structural Safety*. 31: 475-482. <http://dx.doi.org/10.1016/j.strusafe.2009.06.006>.
- Papadopoulos, V; Papadrakakis, M. (2005). The effect of material and thickness variability on the buckling load of shells with random initial imperfections. *Computer Methods in Applied Mechanics and Engineering*. 194: 1405-1426. <http://dx.doi.org/10.1016/j.cma.2004.01.043>.
- Papaefstathiou, I; Luque DE CASTRO, MD. (1997). Hyphenated pervaporation-solid-phase preconcentration-gas chromatography for the determination of volatile organic compounds in solid samples. *J Chromatogr A*. 779: 1-2.
- Papastavros, E; Shea, PJ; Langell, MA. (2004). Oxygen, carbon, and sulfur segregation in annealed and unannealed zerovalent iron substrates. *Langmuir*. 20: 11509-11516. <http://dx.doi.org/10.1021/la048288j>.
- Parajo, JC; Dominguez, H; Dominguez, JM. (1997). Xylitol production from Eucalyptus wood hydrolysates extracted with organic solvents. *Process Biochemistry*. 32: 599-604.
- Paralikar, SA; Simonsen, J; Lombardi, J. (2008). Poly(vinyl alcohol)/cellulose nanocrystal barrier membranes. *J Memb Sci*. 320: 248-258. <http://dx.doi.org/10.1016/j.memsci.2008.04.009>.
- Parbs, A; Ebert, M; Dahmke, A. (2007). Long-term effects of dissolved carbonate species on the degradation of trichloroethylene by zerovalent iron. *Environ Sci Technol*. 41: 291-296. <http://dx.doi.org/10.1021/es061397v>.
- Parchman, LG; Magee, PN. (1982). Metabolism of [¹⁴C]trichloroethylene to ¹⁴CO₂ and interaction of a metabolite with liver DNA in rats and mice. *J Toxicol Environ Health*. 9: 797-813. <http://dx.doi.org/10.1080/15287398209530204>.
- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2014). Remediation of a biodiesel blend-contaminated soil by using a modified Fenton process. *Environ Sci Pollut Res Int*. 21: 12198-12207. <http://dx.doi.org/10.1007/s11356-014-2997-2>.
- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2015). Remediation of a Biodiesel Blend-Contaminated Soil with Activated Persulfate by Different Sources of Iron. *Water Air Soil Pollut*. 226. <http://dx.doi.org/10.1007/s11270-014-2267-4>.
- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2015). Remediation of soil contaminated by NAPLs using modified Fenton reagent: application to gasoline type compounds. *J Chem Tech Biotechnol*. 90: 754-764. <http://dx.doi.org/10.1002/jctb.4373>.
- Paredes-Nunez, A; Lorito, D; Schuurman, Y; Guilhaume, N; Meunier, FC. (2015). Origins of the poisoning effect of chlorine on the CO hydrogenation activity of alumina-supported cobalt monitored by operando FT-IR spectroscopy. *J Catal*. 329: 229-236. <http://dx.doi.org/10.1016/j.jcat.2015.05.028>.
- Parikh, SS; Jons, C; Mcnitt, S; Daubert, JP; Schwarz, KQ; Hall, B. (2010). Predictive capability of left atrial size measured by CT, TEE, and TTE for recurrence of atrial fibrillation following radiofrequency catheter ablation. *Pacing Clin Electrophysiol*. 33: 532-540. <http://dx.doi.org/10.1111/j.1540-8159.2010.02693.x>.
- Park, H, eeJ; Kim, J; Won, JH, an; Choi, KS; Lim, Y, unTak; Shin, J, aeSoo; Park, JU, ng. (2016). Tin-doped indium oxide films for highly flexible transparent conducting electrodes. *Thin Solid Films*. 615: 8-12. <http://dx.doi.org/10.1016/j.tsf.2016.06.040>.
- Park, HW; Lee, JS; Choi, WY. (2006). Study of special cases where the enhanced photocatalytic activities of Pt/TiO₂ vanish under low light intensity. *Catalysis Today*. 111: 259-265. <http://dx.doi.org/10.1016/j.cattod.2005.10.035>.
- Park, HY; Hertz-Picciotto, I; Petrik, J; Palkovicova, L; Kocan, A; Trnovec, T. (2008). Prenatal PCB exposure and thymus size at birth in neonates in eastern Slovakia. *Environ Health Perspect*. 116: 104-109. <http://dx.doi.org/10.1289/ehp.9769>.
- Park, J; Chen, YM; Kukor, JJ; Abriola, LM. (2001). Influence of substrate exposure history on biodegradation in a porous medium. *J Contam Hydrol*. 51: 233-256.
- Park, J; Choi, E; Cho, IH; Kim, YG. (2003). Solar light induced degradation of trichloroethylene (TCE) using TiO₂: effects of solar light intensity and seasonal variations. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 38: 1915-1926. <http://dx.doi.org/10.1081/ESE-120022889>.
- Park, J; Lang, J; Thamaraiselvi, K; Kukor, JJ; Abriola, LM. (2008). Induction kinetics of aerobic toluene degradation as a function of carbon starvation history. *Process Biochemistry*. 43: 1345-1351. <http://dx.doi.org/10.1016/j.procbio.2008.08.004>.
- Park, JK; Kim, JY; Madsen, CD; Edil, TB. (1997). Retardation of volatile organic compound movement by a soil-bentonite slurry cutoff wall amended with ground tires. *Water Environ Res*. 69: 1022-1031.
- Park, JK; Nibras, M. (1993). Mass flux of organic chemicals through polyethylene geomembranes. *Water Environ Res*. 65: 227-237.
- Park, JK; Sakti, JP; Hoopes, JA. (1996). Transport of organic compounds in thermoplastic geomembranes .1. Mathematical model. *J Environ Eng*. 122: 800-806.
- Park, JN; Lee, CW; Chang, JS; Park, SE; Shin, CH. (2004). Catalytic oxidation of trichloroethylene over Pd-loaded sulfated zirconia. *Bull Kor Chem Soc*. 25: 1355-1360.
- Park, JW; Lee, SS; Choi, DK; Lee, YW; Kim, YM. (2002). Adsorption equilibria of toluene, dichloromethane, and trichloroethylene onto activated carbon fiber. *Journal of Chemical and Engineering Data*. 47: 980-983. <http://dx.doi.org/10.1021/je020020b>.
- Park, JW; Lee, YW; Choi, DK; Lee, SS. (2003). Adsorption characteristics of toluene and trichloroethylene onto activated carbon fiber. *J Ind Eng Chem*. 9: 381-390.
- Park, M; Komarneni, S; Roy, R. (2000). Microwave-hydrothermal decomposition of chlorinated organic compounds. *Mater Lett*. 43: 259-263.
- Park, MK; Ryu, SG; Park, HB; Lee, HW; Hwang, KC; Lee, CH. (2004). Decomposition of cyanogen chloride by using a Packed Bed Plasma Reactor at dry and wet air in atmospheric pressure. *Plasma Chemistry and Plasma Processing*. 24: 117-136.
- Park, S, uJin; Kim, YB, o; Yeo, SD, o. (2008). Vapor adsorption of volatile organic compounds using organically modified clay. *Separation Science and Technology*. 43: 1174-1190. <http://dx.doi.org/10.1080/01496390801910138>.
- Park, SB; Osterloh, JD; Vamvakas, S; Hashmi, M; Anders, MW; Cashman, JR. (1992). Flavin-containing monooxygenase-dependent stereoselective S-oxygenation and cytotoxicity of cysteine S-conjugates and mercapturates. *Chem Res Toxicol*. 5: 193-201.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Park, SE; Joo, H; Kang, JW. (2004). Effect of impurities in TiO₂ thin films on trichloroethylene conversion. *Solar Energy Materials and Solar Cells*. 83: 39-53. <http://dx.doi.org/10.1016/j.solmat.2004.02.012>.
- Park, SS; Kim, SO; Yun, ST; Chae, GT; Yu, SY; Kim, S; Kim, Y. (2005). Effects of land use on the spatial distribution of trace metals and volatile organic compounds in urban groundwater, Seoul, Korea. *Environ Geol*. 48: 1116-1131. <http://dx.doi.org/10.1007/s00254-005-0053-8>.
- Parker, BL; Chapman, SW; Guilbeault, MA. (2008). Plume persistence caused by back diffusion from thin clay layers in a sand aquifer following TCE source-zone hydraulic isolation. *J Contam Hydrol*. 102: 86-104. <http://dx.doi.org/10.1016/j.jconhyd.2008.07.003>.
- Parker, BL; Cherry, JA; Chapman, SW. (2004). Field study of TCE diffusion profiles below DNAPL to assess aquitard integrity. *J Contam Hydrol*. 74: 197-230. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.011>.
- Parker, BL; Gillham, RW; Cherry, JA. (1994). DIFFUSIVE DISAPPEARANCE OF IMMISCIBLE-PHASE ORGANIC LIQUIDS IN FRACTURED GEOLOGIC MEDIA. *Ground Water*. 32: 805-820.
- Parker, BL; Mcwhorter, DB; Cherry, JA. (1997). Diffusive loss of non-aqueous phase organic solvents from idealized fracture networks in geologic media. *Ground Water*. 35: 1077-1088.
- Parker, GR. (1995). Optimum isotherm equation and thermodynamic interpretation for aqueous 1,1,2-trichloroethene adsorption isotherms on three adsorbents. *Adsorption*. 1: 113-132.
- Parker, JC; Kim, U; Widdowson, M; Kitanidis, P; Gentry, R. (2010). Effects of model formulation and calibration data on uncertainty in dense nonaqueous phase liquids source dissolution predictions. *Water Resour Res*. 46. <http://dx.doi.org/10.1029/2010WR009361>.
- Parker, JC; Lenhard, RJ. (1990). DETERMINING THREE-PHASE PERMEABILITY-SATURATION-PRESSURE RELATIONS FROM TWO-PHASE SYSTEM MEASUREMENTS. *Journal of Petroleum Science and Engineering*. 4: 57-65.
- Parker, JC; Park, E. (2004). Modeling field-scale dense nonaqueous phase liquid dissolution kinetics in heterogeneous aquifers. *Water Resour Res*. 40. <http://dx.doi.org/10.1029/2003WR002807>.
- Parker, LV; Clark, CH. (2004). Study of five discrete-interval-type ground water sampling devices. *Ground Water Monitoring and Remediation*. 24: 111-123.
- Parker, LV; Ranney, TA. (1998). Sampling trace-level organic solutes with polymeric tubing Part 2. Dynamic studies. *Ground Water Monitoring and Remediation*. 18: 148-155.
- Parker, MJ; Tarlow, MJ; Milne Anderson, J. (1984). Glue sniffing and cerebral infarction. *Arch Dis Child*. 59: 675-677.
- Parkin, GF. (1999). Anaerobic biotransformation of chlorinated aliphatic hydrocarbons: Ugly duckling to beautiful swan. *Water Environ Res*. 71: 1158-1164.
- Parkinson, A; Mudra, DR; Johnson, C; Dwyer, A; Carroll, KM. (2004). The effects of gender, age, ethnicity, and liver cirrhosis on cytochrome P450 enzyme activity in human liver microsomes and inducibility in cultured human hepatocytes [Review]. *Toxicol Appl Pharmacol*. 199: 193-209. <http://dx.doi.org/10.1016/j.taap.2004.01.010>.
- Parmon, VN; Zakharenko, VS. (2001). Photocatalysis and photosorption in the Earth's atmosphere. 5: 96-115.
- Parry, EM; Hague, A; Parry, JM. (1990). A study of mitotic division fidelity and numerical chromosome changes in ageing Syrian hamster dermal cells. *Mutat Res*. 237: 83-93. [http://dx.doi.org/10.1016/0921-8734\(90\)90014-I](http://dx.doi.org/10.1016/0921-8734(90)90014-I).
- Parshetti, GK; Doong, R, an. (2010). Dechlorination and photodegradation of trichloroethylene by Fe/TiO₂ nanocomposites in the presence of nickel ions under anoxic conditions. *Appl Catal B-Environ*. 100: 116-123. <http://dx.doi.org/10.1016/j.apcatb.2010.07.020>.
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere*. 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parshetti, GK; Doong, RA. (2008). Immobilization of bimetallic nanoparticles on microfiltration membranes for trichloroethylene dechlorination. *Water Sci Technol*. 58: 1629-1636. <http://dx.doi.org/10.2166/wst.2008.543>.
- Parshetti, GK; Doong, RA. (2009). Dechlorination of trichloroethylene by Ni/Fe nanoparticles immobilized in PEG/PVDF and PEG/nylon 66 membranes. *Water Res*. 43: 3086-3094. <http://dx.doi.org/10.1016/j.watres.2009.04.037>.
- Parshetti, GK; Doong, RA. (2011). Synergistic effect of nickel ions on the coupled dechlorination of trichloroethylene and 2,4-dichlorophenol by Fe/TiO₂ nanocomposites in the presence of UV light under anoxic conditions. *Water Res*. 45: 4198-4210. <http://dx.doi.org/10.1016/j.watres.2011.05.019>.
- Parsons, F; Wood, PR; Demarco, J. (1984). Transformations of tetrachloroethene and trichloroethene in microcosms and groundwater. *J Am Water Works Assoc*. 762: 56-59.
- Pastino, GM; Yap, WY; Carroquino, M. (2000). Human variability and susceptibility to trichloroethylene [Review]. *Environ Health Perspect*. 108: 201-214.
- Pastore, P; Favaro, G; Badocco, D; Lavagnini, I. (2005). Headspace solid phase micro extraction GC-ECD determination of volatile organic chlorinated hydrocarbons in soils. *Ann Chim*. 95: 741-756.
- Patel, DK; Kamyshny, A; Ariando; Zhen, H; Magdassi, S. (2015). Fabrication of transparent conducting films composed of In³⁺ doped CuS and their application in flexible electroluminescent devices. 3: 8700-8705. <http://dx.doi.org/10.1039/c5tc01283j>.
- Patel, SV; Tolley, WK. (2014). Developments toward a low-cost approach for long-term, unattended vapor intrusion monitoring. *Analyst*. 139: 3770-3780. <http://dx.doi.org/10.1039/c4an00736k>.
- Patel, UD; Suresh, S. (2007). Dechlorination of chlorophenols using magnesium-palladium bimetallic system. *J Hazard Mater*. 147: 431-438. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.029>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Patil, VB; Medhi, M; Bhairamadgi, NS; Wadgaonkar, PP; Maldar, NN. (2010). Synthesis and characterization of polyesters from 2,3-bis (4'-hydroxy phenyl) quinoxaline and 2,3-bis (2'-hydroxynaphthalene-6'-yl) quinoxaline. *Mater Sci Eng B*. 168: 186-192. <http://dx.doi.org/10.1016/j.mseb.2009.12.036>.
- Patterson, BM; Aravena, R; Davis, GB; Furness, AJ; Bastow, TP; Bouchard, D. (2013). Multiple lines of evidence to demonstrate vinyl chloride aerobic biodegradation in the vadose zone, and factors controlling rates. *J Contam Hydrol*. 153: 69-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.008>.
- Patterson, BM; Cohen, E; Prommer, H; Thomas, DG; Rhodes, S; Mckinley, AJ. (2007). Origin of a mixed brominated ethene groundwater plume: Contaminant degradation pathways and reactions. *Environ Sci Technol*. 41: 1352-1358. <http://dx.doi.org/10.1021/es0615674>.
- Patterson, RF; Mykytiuk, PD. (1996). Solid-state, vapor phase, and aqueous cleaners for aerospace manufacturing operations. *S A M P E Journal*. 32: 40-49.
- Paul, CJ; Puls, RW. (1997). Impact of turbidity on TCE and degradation products in ground water. *Ground Water Monitoring and Remediation*. 17: 128-133.
- Paul, L; Herrmann, S; Koch, CB; Philips, J, o; Smolders, E. (2013). Inhibition of microbial trichloroethylene dechlorination by Fe (III) reduction depends on Fe mineralogy: A batch study using the bioaugmentation culture KB-1. *Water Res*. 47: 2543-2554. <http://dx.doi.org/10.1016/j.watres.2013.02.029>.
- Paul, L; Herrmann, S; Koch, CB; Philips, J, o; Smolders, E. (2014). Inhibition of microbial trichloroethylene dechlorination by Fe (III) reduction depends on Fe mineralogy: A batch study using the bioaugmentation culture KB-1 (vol 47, pg 2543, 2013). *Water Res*. 63: 325-325. <http://dx.doi.org/10.1016/j.watres.2014.05.047>.
- Paul, L; Jakobsen, R; Smolders, E; Albrechtsen, HJ; Bjerg, PL. (2016). Reductive Dechlorination of Trichloroethylene (TCE) in Competition with Fe and Mn Oxides-Observed Dynamics in H-2-dependent Terminal Electron Accepting Processes. *Geomicrobiology Journal*. 33: 357-366. <http://dx.doi.org/10.1080/01490451.2015.1043410>.
- Paul, L; Smolders, E. (2014). Inhibition of iron (III) minerals and acidification on the reductive dechlorination of trichloroethylene. *Chemosphere*. 111: 471-477. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.057>.
- Paul, L; Smolders, E. (2015). Bioenhanced dissolution of dense non-aqueous phase of trichloroethylene as affected by iron reducing conditions: model systems and environmental samples. *Chemosphere*. 119: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.022>.
- Paumier, S; Touze-Foltz, N; Mazeas, L; Guenne, A. (2011). Quantification of Volatile Organic Compounds Diffusion for Virgin Geosynthetic Clay Liners and for a GCL after Contact with a Synthetic Leachate. *Journal of Geotechnical and Geoenvironmental Engineering*. 137: 1039-1046. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0000525](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0000525).
- Pavlostathis, SG; Jaglal, K. (1991). Desorptive behavior of trichloroethylene in contaminated soil. *Environ Sci Technol*. 25: 274-279.
- Pavlostathis, SG; Mathavan, GN. (1992). APPLICATION OF HEADSPACE ANALYSIS FOR THE DETERMINATION OF VOLATILE ORGANIC-COMPOUNDS IN CONTAMINATED SOILS. *Environ Technol*. 13: 23-33.
- Pavlostathis, SG; Mathavan, GN. (1992). DESORPTION-KINETICS OF SELECTED VOLATILE ORGANIC-COMPOUNDS FROM FIELD CONTAMINATED SOILS. *Environ Sci Technol*. 26: 532-538.
- Pavlostathis, SG; Zhuang, P. (1993). Reductive dechlorination of chloroalkenes in microcosms developed with a field contaminated soil. *Chemosphere*. 27: 585-595.
- Pavoni, B; Giacometti, A; Bragadin, M. (2009). Determination of chlorinated organic compounds in aqueous matrices. *Journal of Water Supply: Research and Technology-AQUA*. 58: 405-415. <http://dx.doi.org/10.2166/aqua.2009.040>.
- Payne, MP; Kenny, LC. (2002). Comparison of models for the estimation of biological partition coefficients. *J Toxicol Environ Health A*. 65: 897-931. <http://dx.doi.org/10.1080/00984100290071171>.
- Pearce, AE; Voudrias, EA; Whelan, MP. (1994). DISSOLUTION OF TCE AND TCA POOLS IN SATURATED SUBSURFACE SYSTEMS. *J Environ Eng*. 120: 1191-1206.
- Pearsall, KA; Eckhardt D, AV. (1987). EFFECTS OF SELECTED SAMPLING EQUIPMENT AND PROCEDURES ON THE CONCENTRATIONS OF TRICHLOROETHYLENE AND RELATED COMPOUNDS IN GROUND WATER SAMPLES (pp. 64-73). (ISSN 1069-3629; EISSN 1745-6592; BIOSIS/87/20396). Pearsall, KA; Eckhardt D, AV.
- Pease, MD; Shriverlake, L; Ligler, FS. (1995). Adaptation of a fiber-optic biosensor for use in environmental monitoring. *ACS Symp Ser Am Chem Soc*. 613: 33-43.
- Pebalk, VL; Kostanyan, AE; Taruashvily, DK; Gorodetskaya, NI. (1982). REGULARITY OF INDUSTRIAL TRICHLOROETHYLENE CAPROLACTAM WATER-SYSTEM DISPERSION IN VIBRATING EXTRACTORS. 685-686.
- Pecoraino, G; Scalici, L, ea; Avellone, G; Ceraulo, L; Favara, R; Candela, EG; Provenzano, MC; Scaletta, C. (2008). Distribution of volatile organic compounds in Sicilian groundwaters analysed by head space-solid phase micro extraction coupled with gas chromatography mass spectrometry (SPME/GC/MS) [Review]. *Water Res*. 42: 3563-3577. <http://dx.doi.org/10.1016/j.watres.2008.07.022>.
- Peden-Adams, MM; Eudaly, JG; Heesemann, LM; Smythe, J; Miller, J; Gilkeson, GS; Keil, DE. (2006). Developmental immunotoxicity of trichloroethylene (TCE): Studies in B6C3F1 mice. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 41: 249-271. <http://dx.doi.org/10.1080/10934520500455289>.
- Peden-Adams, MM; Eudaly, JG; Lee, AM; Miller, J; Keil, DE; Gilkeson, GS. (2008). Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL +/- mice. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 43: 1402-1409. <http://dx.doi.org/10.1080/10934520802232063>.
- Peden-Adams, MM; Keil, DE; Gilkeson, GS. (2009). Response to "Comments on 'Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL+/- mice'". *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 117-122.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Pedersen, M; Collen, J; Abrahamsson, K; Ekdahl, A. (1996). Production of halocarbons from seaweeds: An oxidative stress reaction? *Scientia marina*. 60: 257-263.
- Pederson, BM; Thibodeaux, LJ; Valsaraj, KT; Reible, DD. (2001). Testing a multimedia compartmental model with monitoring data. *Environ Toxicol Chem*. 20: 2114-2121.
- Pedit, JA; Iwamasa, KJ; Miller, CT; Glaze, WH. (1997). Development and application of a gas-liquid contactor model for simulating advanced oxidation processes. *Environ Sci Technol*. 31: 2791-2796.
- Pedrozo, MF; Siqueira, M. (1996). [Spectrophotometric and gas chromatographic analysis of trichloroacetic acid in urine]. *Rev Saude Publica*. 30: 261-266. <http://dx.doi.org/10.1590/S0034-89101996000300009>.
- Peichl, P; Wichterle, D; Čihák, R; Aldhoon, B; Kautzner, J. (2016). Catheter Ablation Of Ventricular Tachycardia in the Presence of an Old Endocavitary Thrombus Guided by Intracardiac Echocardiography. *Pacing Clin Electrophysiol*. 39: 581-587. <http://dx.doi.org/10.1111/pace.12844>.
- Peill, NJ; Hoffmann, MR. (1995). DEVELOPMENT AND OPTIMIZATION OF A TIO-2-COATED FIBER OPTIC CABLE REACTOR PHOTOCATALYTIC DEGRADATION OF 4-CHLOROPHENOL (pp. 20-24). (ISSN 0013-936X; EISSN 1520-5851; BIOSIS/95/32128). Peill, NJ; Hoffmann, MR.
- Pelech, R. (2008). Equilibrium of Trichloroethylene Adsorption from Aqueous Solution onto Activated Carbons. *AST*. 26: 449-462.
- Pelech, R; Bemnowska, A; Milchert, E. (2003). Adsorption of hydrocarbon chloro-derivatives onto DTO commercial activated carbon from multi-component aqueous solutions. *AST*. 21: 707-720.
- Pelech, R; Bemnowska, A; Milchert, E. (2005). Kinetics of adsorption of hydrocarbon chloro-derivatives from seven-component aqueous solution onto a thin layer of DTO-activated carbon. *J Colloid Interface Sci*. 290: 83-90. <http://dx.doi.org/10.1016/j.jcis.2005.04.027>.
- Pelech, R; Milchert, E; Wróbel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *J Hazard Mater*. 137: 1479-1487. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.023>.
- Pelikhovskii, Y; Bogdal, D. (1994). APPLICATION OF TRICHLOROETHYLENE IN ORGANIC-SYNTHESIS .8. SYNTHESIS OF 1-(9-CARBAZOLYL)-1-DIALKYLAMINO-2-CHLOROETHYLENES AND N,N-DIALKYL-ALPHA-(9-CARBAZOLYL)ACETAMIDES. *Izvestiya Vysshikh Uchebnykh Zavedenii Khimiya i Khimicheskaya Tekhnologiya*. 37: 61-67.
- Pellerin, L; Beard, L; Mandell, W. (2010). Mapping Structures that Control Contaminant Migration using Helicopter Transient Electromagnetic Data. *J Environ Eng Geophys*. 15: 65-75.
- Pellizzari, E; Liroy, P; Quackenboss, J; Whitmore, R; Clayton, A; Freeman, N; Waldman, J; Thomas, K; Rodes, C; Wilcosky, T. (1995). Population-based exposure measurements in EPA region 5: A phase I field study in support of the National Human Exposure Assessment Survey. *J Expo Anal Environ Epidemiol*. 5: 327-358.
- Pellizzari, ED; Hartwell, TD; Harris, BS, III; Waddell, RD; Whitaker, DA; Erickson, MD. (1982). Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol*. 28: 322-328. <http://dx.doi.org/10.1007/BF01608515>.
- Pellizzari, ED; Wallace, LA; Gordon, SM. (1992). Elimination kinetics of volatile organics in humans using breath measurements. *J Expo Anal Environ Epidemiol*. 2: 341-355.
- Pelton, EJ; Blank, DA; Mcneill, K. (2013). Dechlorination of chlorinated ethylenes by a photochemically generated iron(0) complex. *Dalton Trans*. 42: 10121-10128. <http://dx.doi.org/10.1039/c3dt50693b>.
- Peng, C; Yan, D, a; Guo, S; Hu, S; Jiang, Y, i. (2015). Building energy use in China: Ceiling and scenario. *Energy and Buildings*. 102: 307-316. <http://dx.doi.org/10.1016/j.enbuild.2015.05.049>.
- Peng, J. (1998). Distribution of volatile organic contaminants between water and air. *Can J Civ Eng*. 25: 1091-1095.
- Peng, J; Bewtra, JK; Biswas, N. (1994). VOLATILIZATION OF SELECTED ORGANIC-COMPOUNDS FROM QUIESCENT WATER. *J Environ Eng*. 120: 662-669.
- Peng, J; Wan, A. (1997). Measurement of Henry's constants of high-volatility organic compounds using a headspace autosampler. *Environ Sci Technol*. 31: 2998-3003.
- Peng, J; Wan, A. (1998). Effect of ionic strength on Henry's constants of volatile organic compounds. *Chemosphere*. 36: 2731-2740.
- Peng, L, i; Chen, X; Zhang, Y; Du, Y; Huang, M; Wang, J, ue. (2015). Remediation of metal contamination by electrokinetics coupled with electrospun polyacrylonitrile nanofiber membrane. *Process Saf Environ Protect*. 98: 1-10. <http://dx.doi.org/10.1016/j.psep.2015.06.003>.
- Peng, L; Deng, D; Guan, M; Fang, X; Zhu, Q. (2015). Remediation HCHs POPs-contaminated soil by activated persulfate technologies: Feasibility, impact of activation methods and mechanistic implications. *Separation and Purification Technology*. 150: 215-222. <http://dx.doi.org/10.1016/j.seppur.2015.07.002>.
- Peng, S; Wang, N; Chen, J. (2013). Steam and air co-injection in removing residual TCE in unsaturated layered sandy porous media. *J Contam Hydrol*. 153: 24-36. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.002>.
- Peng, X; Ding, E; Xue, F. (2012). In situ synthesis of TiO₂/polyethylene terephthalate hybrid nanocomposites at low temperature. *Appl Surf Sci*. 258: 6564-6570. <http://dx.doi.org/10.1016/j.apsusc.2012.03.077>.
- Peng, Y, enP; Chen, K, uFan; Lin, W, eiHan; Chang, Y, uC; Wu, F, ei. (2016). A novel three-stage treatment train for the remediation of trichloroethylene-contaminated groundwater. *RSC Advances*. 6: 41247-41260. <http://dx.doi.org/10.1039/c6ra04660f>.
- Pennell, KD; Costanza, J, ed; Kong, L; Suchomel, E; Ramsburg, CA. (2002). GROUNDWATER QUALITY. *Water Environ Res*. 74: 1239-1370.
- Penning, H; Cramer, CJ; Elsner, M. (2008). Rate-Dependent Carbon and Nitrogen Kinetic Isotope Fractionation in Hydrolysis of Isoproturon. *Environ Sci Technol*. 42: 7764-7771. <http://dx.doi.org/10.1021/es801101c>.
- Peral, J; Domenech, X; Ollis, DF. (1997). Heterogeneous photocatalysis for purification, decontamination and deodorization of air. *J Chem Tech Biotechnol*. 70: 117-140.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Peral, J; Ollis, DF. (1992). HETEROGENEOUS PHOTOCATALYTIC OXIDATION OF GAS-PHASE ORGANICS FOR AIR PURIFICATION - ACETONE, 1-BUTANOL, BUTYRALDEHYDE, FORMALDEHYDE, AND META-XYLENE OXIDATION. *J Catal.* 136: 554-565.
- Percy, C; Ries, LG; Van Holten, VD. (1990). The accuracy of liver cancer as the underlying cause of death on death certificates. *Public Health Rep.* 105: 361-367.
- Percy, C; Stanek, E, III; Gloeckler, L. (1981). Accuracy of cancer death certificates and its effect on cancer mortality statistics. *Am J Public Health.* 71: 242-250. <http://dx.doi.org/10.2105/AJPH.71.3.242>.
- Pereira, CC; Habert, AC; Nobrega, R; Borges, CP. (1998). New insights in the removal of diluted volatile organic compounds from dilute aqueous solution by pervaporation process. *J Memb Sci.* 138: 227-235.
- Pereira, M; Wang, W; Kramer, P; Tao, L. (2004). DNA hypomethylation induced by non-genotoxic carcinogens in mouse and rat colon. *Cancer Lett.* 212: 145-151. <http://dx.doi.org/10.1016/j.canlet.2004.03.024>.
- Pereira, WE; Domagalski, JL; Hostettler, FD; Brown, LR; Rapp, JB. (1996). Occurrence and accumulation of pesticides and organic contaminants in river sediment, water and clam tissues from the San Joaquin River and tributaries, California. *Environ Toxicol Chem.* 15: 172-180.
- Pereira, WE; Hostettler, FD; Cashman, J. R.; Nishioka, RS. (1994). OCCURRENCE AND DISTRIBUTION OF ORGANOCHLORINE COMPOUNDS IN SEDIMENT AND LIVERS OF STRIPED BASS (MORONE-SAXATILIS) FROM THE SAN-FRANCISCO BAY DELTA ESTUARY. *Mar Pollut Bull.* 28: 434-441.
- Perez-Casany, MP; Nebot-Gil, I; Sanchez-Marin, J. (2000). Ab initio study on the mechanism of the reactions of the nitrate radical with haloalkenes: 1,2-dichloroethene, 1,1-dichloroethene, trichloroethene, and tetrachloroethene. *J Phys Chem A.* 104: 11340-11346. <http://dx.doi.org/10.1021/jp001046h>.
- Pérez-De-Mora, A; Zila, A; McMaster, ML; Edwards, EA. (2014). Bioremediation of chlorinated ethenes in fractured bedrock and associated changes in dechlorinating and nondechlorinating microbial populations. *Environ Sci Technol.* 48: 5770-5779. <http://dx.doi.org/10.1021/es404122y>.
- Perkins, ND. (2004). NF-kB: Tumor promoter or suppressor? [Review]. *Trends Cell Biol.* 14: 64-69. <http://dx.doi.org/10.1016/j.tcb.2003.12.004>.
- Perkins, ND; Gilmore, TD. (2006). Good cop, bad cop: The different faces of NF-kB [Review]. *Cell Death Differ.* 13: 759-772. <http://dx.doi.org/10.1038/sj.cdd.4401838>.
- Perkins, WS; Hall, DM. (1973). FUNDAMENTAL STUDY OF SORPTION FROM TRICHLOROETHYLENE OF 3 DISPERSE DYES ON POLYESTER. *Text Res J.* 43: 115-120.
- Perriello, FA; Simkins, S. (1999). Biotransformation of trichloroethylene using butane-oxidizing bacteria. *Journal of Soil Contamination.* 8: 117-129.
- Perrone, L; Prati, L; Rossi, M. (1998). Removal of chlorinated organic compounds from water by catalytic dehydrohalogenation. *Appl Catal B-Environ.* 15: 241-246.
- Perrot, N; Nalpas, B; Yang, CS; Beaune, PH. (1989). Modulation of cytochrome P450 isozymes in human liver, by ethanol and drug intake. *Eur J Clin Invest.* 19: 549-555. <http://dx.doi.org/10.1111/j.1365-2362.1989.tb00273.x>.
- Perry, MJ; Ouyang, F; Korricks, S; Venners, SA; Altshul, L; Xu, X; Wang, X. (2005). Body mass index and serum 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane in nulliparous Chinese women. *Cancer Epidemiol Biomarkers Prev.* 14: 2433-2438. <http://dx.doi.org/10.1158/1055-9965.EPI-05-0174>.
- Perry, SJ; Schofield, MA; MacFarlane, M; Lock, EA; King, LJ; Gibson, GG; Goldfarb, PS. (1993). Isolation and expression of a cDNA coding for rat kidney cytosolic cysteine conjugate beta-lyase. *Mol Pharmacol.* 43: 660-665.
- Pervizpour, M; Pamukcu, S; Moo-Young, H. (1999). Magnetic resonance imaging of hydrocarbon-contaminated porous media. *Journal of Computing in Civil Engineering.* 13: 96-102.
- Pesch, B; Haerting, J; Ranft, U; Klimpel, A; Oelschlägel, B; Schill, W. (2000). Occupational risk factors for renal cell carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol.* 29: 1014-1024. <http://dx.doi.org/10.1093/ije/29.6.1014>.
- Peshin, SS; Lall, SB; Gupta, SK. (2002). Potential food contaminants and associated health risks [Review]. *Acta Pharmacol Sin.* 23: 193-202.
- Petala, E; Dimos, K; Douvalis, A; Bakas, T; Tucek, J; Zboril, R; Karakassides, MA. (2013). Nanoscale zero-valent iron supported on mesoporous silica: Characterization and reactivity for Cr(VI) removal from aqueous solution. *J Hazard Mater.* 261: 295-306. <http://dx.doi.org/10.1016/j.jhazmat.2013.07.046>.
- Peter, R; Böcker, R; Beaune, PH; Iwasaki, M; Guengerich, FP; Yang, CS. (1990). Hydroxylation of chlorzoxazone as a specific probe for human liver cytochrome P-450IIE1. *Chem Res Toxicol.* 3: 566-573. <http://dx.doi.org/10.1021/tx00018a012>.
- Peters, GR; Beauchemin, D. (1993). Characterization of an interface allowing either nebulization or gas chromatography as the sample introduction system in ICPMS. *Anal Chem.* 65: 97-103.
- Peters, J; Garabrant, D; Wright, W; Bernstein, L; Mack, T. (1985). Uses of a cancer registry in the assessment of occupational cancer risks. *Natl Canc Inst Monogr.* 69: 157-161.
- Peters, JM; Cattley, RC; Gonzalez, FJ. (1997). Role of PPAR alpha in the mechanism of action of the nongenotoxic carcinogen and peroxisome proliferator Wy-14,643. *Carcinogenesis.* 18: 2029-2033. <http://dx.doi.org/10.1093/carcin/18.11.2029>.
- Petersen, EJ; Pinto, RA; Shi, X; Huang, Q. (2012). Impact of size and sorption on degradation of trichloroethylene and polychlorinated biphenyls by nano-scale zerovalent iron. *J Hazard Mater.* 243: 73-79. <http://dx.doi.org/10.1016/j.jhazmat.2012.09.070>.
- Petersen, LW; Moldrup, P; El-Farhan, YH; Jacobsen, OH; Yamaguchi, T; Rolston, DE. (1995). The effect of moisture and soil texture on the adsorption of organic vapors. *J Environ Qual.* 24: 752-759.
- Petersen, LW; Moldrup, P; Jacobsen, OH; Rolston, DE. (1996). Relations between specific surface area and soil physical and chemical properties. *Soil Sci.* 161: 9-21.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Petersen, LW; Rolston, DE; Moldrup, P; Yamaguchi, T. (1994). Volatile organic vapor diffusion and adsorption in soils. *J Environ Qual.* 23: 799-805.
- Petersen, MA; Sale, TC; Reardon, KF. (2007). Electrolytic trichloroethene degradation using mixed metal oxide coated titanium mesh electrodes. *Chemosphere.* 67: 1573-1581. <http://dx.doi.org/10.1016/j.chemosphere.2006.11.056>.
- Peterson, MS; Lion, LW; Shoemaker, CA. (1988). INFLUENCE OF VAPOR-PHASE SORPTION AND DIFFUSION ON THE FATE OF TRICHLOROETHYLENE IN AN UNSATURATED AQUIFER SYSTEM. *Environ Sci Technol.* 22: 571-578.
- Petit, N; Bouzaza, A; Wolbert, D; Petit, P; Dussaud, J. (2007). Photocatalytic degradation of gaseous perchloroethylene in continuous flow reactors: Rate enhancement by chlorine radicals. *Catalysis Today.* 124: 266-272. <http://dx.doi.org/10.1016/j.cattod.2007.03.050>.
- Petri, BG; Fućik, R; Illangasekare, TH; Smits, KM; Christ, JA; Sakaki, T; Sauck, CC. (2014). Effect of NAPL Source Morphology on Mass Transfer in the Vadose Zone. *Ground Water.* 53: 685-698. <http://dx.doi.org/10.1111/gwat.12284>.
- Petri, BG; Siegrist, RL; Crimi, ML. (2008). Effects of groundwater velocity and permanganate concentration on DNAPL mass depletion rates during in situ oxidation. *J Environ Eng.* 134: 1-13. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:1\(1\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:1(1)).
- Petrov, RV; Zirka, AA; Reshetnikov, SI. (2015). Kinetic Study of the Gas-Phase Hydrofluorination of Tetrachloroethylene into Pentafluoroethane over a Cr-Mg Catalyst. *Kinet Catal.* 56: 480-483. <http://dx.doi.org/10.1134/S002315841504014X>.
- Petrova, IV; Anokhina, TS; Borisov, RS; Volkov, VV; Yaroslavtsev, AB. (2016). Removal of trichloroethylene from water in the catalytic membrane reactor. *Catalysis Today.* 268: 150-155. <http://dx.doi.org/10.1016/j.cattod.2016.02.023>.
- Petrovic, AB; Glisic, SS. (2009). OPTIMIZATION OF THE PROCESS OF STEEL STRIP PERFORATION AND NICKEL PLATTING FOR THE PURPOSE OF ELIMINATION OF TRICHLOROETHYLENE FROM THE CLEANING PROCESS OF PERFORATED STEEL STRIP. *Hemijiska Industrija.* 63: 57-60. <http://dx.doi.org/10.2298/HEMIND0901057P>.
- Petrucci, E; Scarsella, M; De Filippis, P; Di Palma, L. (2015). Tetrachloroethene recovery and hazard reduction of spent powders from dry cleaning process. *Waste Manag Res.* 33: 339-344. <http://dx.doi.org/10.1177/0734242X14567505>.
- Petura, JC. (1981). TRI CHLORO ETHYLENE AND METHYL CHLOROFORM IN GROUND WATER A PROBLEM ASSESSMENT (pp. 200-205). (ISSN 0003-150X; EISSN 1551-8833; HEEP/82/05809). Petura, JC.
- Pfeiffer, P; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Partitioning of dissolved chlorinated ethenes into vegetable oil. *Water Res.* 39: 4521-4527. <http://dx.doi.org/10.1016/j.watres.2005.09.016>.
- Pfeiffer, PR; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Physical properties of vegetable oil and chlorinated ethene mixtures. *J Environ Eng.* 131: 1447-1452. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:10\(1447\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:10(1447)).
- Pfiffner, SM; Palumbo, AV; Sayles, GD; Gannon, D. (2004). Microbial population and degradation activity changes monitored during a chlorinated solvent biovent demonstration. *Ground Water Monitoring and Remediation.* 24: 102-110.
- Pfluger, AR; Wu, W; Pieja, AJ; Wan, J; Rostkowski, KH; Criddle, CS. (2011). Selection of Type I and Type II methanotrophic proteobacteria in a fluidized bed reactor under non-sterile conditions. *Bioresour Technol.* 102: 9919-9926. <http://dx.doi.org/10.1016/j.biortech.2011.08.054>.
- Pham, H, oaT; Suto, K; Inoue, C. (2009). Trichloroethylene Transformation in Aerobic Pyrite Suspension: Pathways and Kinetic Modeling. *Environ Sci Technol.* 43: 6744-6749. <http://dx.doi.org/10.1021/es900623u>.
- Pham, HN; Mcdowell, T; Wilkins, E. (1995). PHOTOCATALYTICALLY-MEDIATED DISINFECTION OF WATER USING TIO2 AS A CATALYST AND SPORE-FORMING BACILLUS-PUMILUS AS A MODEL. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 30: 627-636.
- Pham, HT; Kitsuneduka, M; Hara, J; Suto, K; Inoue, C. (2008). Trichloroethylene Transformation by Natural Mineral Pyrite: The Deciding Role of Oxygen. *Environ Sci Technol.* 42: 7470-7475. <http://dx.doi.org/10.1021/es801310y>.
- Phatai, P; Wittayakun, J; Chen, W, enH; Futralan, CM; Grisdanurak, N; Kan, C, hiC. (2014). Removal of manganese(II) and iron(II) from synthetic groundwater using potassium permanganate. *Desalination and Water Treatment.* 52: 5942-5951. <http://dx.doi.org/10.1080/19443994.2013.819150>.
- Phelps, TJ; Niedzielski, JJ; Malachowsky, KJ; Schram, RM; Herbes, SE; White, DC. (1991). BIODEGRADATION OF MIXED-ORGANIC WASTES BY MICROBIAL CONSORTIA IN CONTINUOUS-RECYCLE EXPANDED-BED BIOREACTORS. *Environ Sci Technol.* 25: 1461-1465.
- Phenrat, T; Fagerlund, F; Illangasekare, T; Lowry, GV; Tilton, RD. (2011). Polymer-modified Fe0 nanoparticles target entrapped NAPL in two dimensional porous media: effect of particle concentration, NAPL saturation, and injection strategy. *Environ Sci Technol.* 45: 6102-6109. <http://dx.doi.org/10.1021/es200577n>.
- Phenrat, T; Kim, H, yeJin; Fagerlund, F; Illangasekare, T; Tilton, RD; Lowry, GV. (2009). Particle Size Distribution, Concentration, and Magnetic Attraction Affect Transport of Polymer-Modified Fe-0 Nanoparticles in Sand Columns. *Environ Sci Technol.* 43: 5079-5085. <http://dx.doi.org/10.1021/es900171v>.
- Phenrat, T; Kim, HJ; Fagerlund, F; Illangasekare, T; Lowry, GV. (2010). Empirical correlations to estimate agglomerate size and deposition during injection of a polyelectrolyte-modified Fe0 nanoparticle at high particle concentration in saturated sand. *J Contam Hydrol.* 118: 152-164. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.002>.
- Phenrat, T; Kumloet, I. (2016). Electromagnetic induction of nanoscale zerovalent iron particles accelerates the degradation of chlorinated dense non-aqueous phase liquid: Proof of concept. *Water Res.* 107: 19-28. <http://dx.doi.org/10.1016/j.watres.2016.10.035>.
- Phenrat, T; Liu, Y; Tilton, RD; Lowry, GV. (2009). Adsorbed Polyelectrolyte Coatings Decrease Fe-0 Nanoparticle Reactivity with TCE in Water: Conceptual Model and Mechanisms. *Environ Sci Technol.* 43: 1507-1514. <http://dx.doi.org/10.1021/es802187d>.
- Phenrat, T; Long, TC; Lowry, GV; Veronesi, B. (2009). Partial oxidation ("aging") and surface modification decrease the toxicity of nanosized zerovalent iron. *Environ Sci Technol.* 43: 195-200. <http://dx.doi.org/10.1021/es801955n>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Phenrat, T; Saleh, N; Sirk, K; Kim, H, yeJin; Tilton, RD; Lowry, GV. (2008). Stabilization of aqueous nanoscale zerovalent iron dispersions by anionic polyelectrolytes: adsorbed anionic polyelectrolyte layer properties and their effect on aggregation and sedimentation. *J Nanopart Res.* 10: 795-814. <http://dx.doi.org/10.1007/s11051-007-9315-6>.
- Phenrat, T; Thongboot, T; Lowry, GV. (2016). Electromagnetic Induction of Zerovalent Iron (ZVI) Powder and Nanoscale Zerovalent Iron (NZVI) Particles Enhances Dechlorination of Trichloroethylene in Contaminated Groundwater and Soil: Proof of Concept. *Environ Sci Technol.* 50: 872-880. <http://dx.doi.org/10.1021/acs.est.5b04485>.
- Philips, J; Haest, PJ; Springael, D; Smolders, E. (2013). Inhibition of Geobacter dechlorinators at elevated trichloroethene concentrations is explained by a reduced activity rather than by an enhanced cell decay. *Environ Sci Technol.* 47: 1510-1517. <http://dx.doi.org/10.1021/es303390q>.
- Philips, J; Maes, N; Springael, D; Smolders, E. (2013). Acidification due to microbial dechlorination near a trichloroethene DNAPL is overcome with pH buffer or formate as electron donor: experimental demonstration in diffusion-cells. *J Contam Hydrol.* 147: 25-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.02.002>.
- Philips, J; Miroshnikov, A; Haest, PJ; Springael, D; Smolders, E. (2014). Motile Geobacter dechlorinators migrate into a model source zone of trichloroethene dense non-aqueous phase liquid: experimental evaluation and modeling. *J Contam Hydrol.* 170: 28-38. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.010>.
- Philips, J; Springael, D; Smolders, E. (2011). A three-layer diffusion-cell to examine bio-enhanced dissolution of chloroethene dense non-aqueous phase liquid. *Chemosphere.* 83: 991-996. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.012>.
- Philips, J; Van Muylder, R; Springael, D; Smolders, E. (2013). Electron donor limitations reduce microbial enhanced trichloroethene DNAPL dissolution: a flux-based analysis using diffusion-cells. *Chemosphere.* 91: 7-13. <http://dx.doi.org/10.1016/j.chemosphere.2012.11.016>.
- Phillips, DH; Thomas, AO; Forde, K; Dickson, K; Plant, S; Norris, G; Bone, B; Kalin, RM. (2007). Fate and transport of volatile organic compounds in glacial till and groundwater at an industrial site in Northern Ireland. *Environ Geol.* 52: 1117-1131. <http://dx.doi.org/10.1007/s00254-006-0550-4>.
- Phillips, DH; Van Nooten, T; Bastiaens, L; Russell, MI; Dickson, K; Plant, S; Ahad, JM; Newton, T; Elliot, T; Kalin, RM. (2010). Ten year performance evaluation of a field-scale zero-valent iron permeable reactive barrier installed to remediate trichloroethene contaminated groundwater. *Environ Sci Technol.* 44: 3861-3869. <http://dx.doi.org/10.1021/es902737t>.
- Phillips, LA; Raupp, GB. (1992). INFRARED SPECTROSCOPIC INVESTIGATION OF GAS SOLID HETEROGENEOUS PHOTOCATALYTIC OXIDATION OF TRICHLOROETHYLENE. 77: 297-311.
- Phuc, BHN; Lindberg, JE; Ogle, B; Thomke, S. (2001). Determination of the nutritive value of tropical biomass products as dietary ingredients for monogastrics using rats: 1. Comparison of eight forage species at two levels of inclusion in relation to a casein diet. *Asian-Australas J Anim Sci.* 14: 986-993.
- Pianta, R; Boller, M; Janex, ML; Chappaz, A; Birou, B; Ponce, R; Walther, JL. (1998). Micro- and ultrafiltration of karstic spring water. *Desalination.* 117: 61-71.
- Pichat, P; Disdier, J; Hoang-Van, C; Mas, D; Goutailler, G; Gaysse, C. (2000). Purification/deodorization of indoor air and gaseous effluents by TiO₂ photocatalysis. *Catalysis Today.* 63: 363-369.
- Pickerell, DS; Plank, CA. (1989). EXCESS VOLUMES OF THE SYSTEM BENZENE + 1,1,2-TRICHLOROETHYLENE AT 283.15-K AND 313.15-K. *Journal of Chemical and Engineering Data.* 34: 278-280.
- Pieja, AJ; Sundstrom, ER; Criddle, CS. (2012). Cyclic, alternating methane and nitrogen limitation increases PHB production in a methanotrophic community. *Bioresour Technol.* 107: 385-392. <http://dx.doi.org/10.1016/j.biortech.2011.12.044>.
- Pielichowski, J; Bogdal, D. (1994). APPLICATION OF TRICHLOROETHYLENE IN ORGANIC-SYNTHESIS .9. SYNTHESIS OF N-ALKYLIMINO-1,2-DI(9-CARBAZOLYL)ETHANES - EVIDENCE FOR THE MECHANISM OF THE REACTION OF DICHLOROACETYLENE WITH PRIMARY AMINES. *Synthetic Communications.* 24: 3091-3098.
- Pielichowski, J; Czub, P. (1995). A MODIFIED SYNTHESIS OF 9-(1,2-DICHLOROVINYL)CARBAZOLE BY USING CROWN-ETHERS AND CRYPTANDS IN A NONAQUEOUS SYSTEM. *Synthetic Communications.* 25: 3647-3654.
- Piera, E; Ayllon, JA; Domenech, X; Peral, J. (2002). TiO₂ deactivation during gas-phase photocatalytic oxidation of ethanol. *Catalysis Today.* 76: 259-270.
- Pietrzak, R; Szatanik, R; Olchawa, R; Ksiazek, K. (2013). The influence of mechanical damaging on the lifetime of positrons in ultrahigh-molecular polyethylene. *Materials Science.* 48: 729-738. <http://dx.doi.org/10.1007/s11003-013-9561-y>.
- Pignatello, JJ; Liu, D; Huston, P. (1999). Evidence for an additional oxidant in the photoassisted fenton reaction. *Environ Sci Technol.* 33: 1832-1839.
- Pikarsky, E; Porat, RM; Stein, I; Abramovitch, R; Amit, S; Kasem, S; Gutkovich-Pyest, E; Urieli-Shoval, S; Galun, E; Ben-Neriah, Y. (2004). NF-kappaB functions as a tumour promoter in inflammation-associated cancer. *Nature.* 431: 461-466. <http://dx.doi.org/10.1038/nature02924>.
- Ping, N; Gu, JJ; Bart, HJ. (1997). Numerical simulation of the effect of maldistribution in a fixed bed adsorber. *Chinese Journal of Chemical Engineering.* 5: 304-315.
- Pirbazari, M; Badriyha, BN; Ravindran, V. (1992). MF-PAC for treating waters contaminated with natural and synthetic organics (pp. 95-103). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/93/04550). Pirbazari, M; Badriyha, BN; Ravindran, V.
- Pires, J; Carvalho, A; de Carvalho, MB. (2001). Adsorption of volatile organic compounds in Y zeolites and pillared clays. *Microporous and Mesoporous Materials.* 43: 277-287.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Pires, J; Fernandes, A, naC; Duraiswami, D. (2014). Synthesis of novel hierarchical ZSM-5 monoliths and their application in trichloroethylene removal. *Chinese journal of catalysis*. 35: 1492-1496. [http://dx.doi.org/10.1016/51872-2067\(14\)60085-1](http://dx.doi.org/10.1016/51872-2067(14)60085-1).
- Pires, J; Pinto, M; Carvalho, A; de Carvalho, MB. (2003). Adsorption of acetone, methyl ethyl ketone, 1,1,1-trichloroethane, and trichloroethylene in granular activated carbons. *Journal of Chemical and Engineering Data*. 48: 416-420. <http://dx.doi.org/10.1021/jc020180n>.
- Pires, J; Pinto, ML; Carvalho, A; de Carvalho, MB. (2003). Adsorption of volatile organic compounds in pillared clays: Estimation of the separation factor by a method derived from the Dubinin-Radushkevich equation. *Langmuir*. 19: 7941-7943. <http://dx.doi.org/10.1021/la030086k>.
- Pirnie, EF; Talley, JW; Hunda, LS. (2006). Transformation of DDT and its metabolites by various abiotic methods. *J Environ Eng*. 132: 560-564. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:5\(560\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:5(560)).
- Pirnie, EF; Talley, JW; Hundal, LS. (2006). Abiotic transformation of DDT in aqueous solutions. *Chemosphere*. 65: 1576-1582. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.055>.
- Piscopo, AN; Neupauer, RM; Kasprzyk, JR. (2016). Optimal design of active spreading systems to remediate sorbing groundwater contaminants in situ. *J Contam Hydrol*. 190: 29-43. <http://dx.doi.org/10.1016/j.jconhyd.2016.03.005>.
- Pithan, F; Angevine, W; Mauritsen, T. (2015). Improving a global model from the boundary layer: Total turbulent energy and the neutral limit Prandtl number. *Journal of Advances in Modeling Earth Systems*. 7: 791-805. <http://dx.doi.org/10.1002/2014MS000382>.
- Pitkaaho, S; Ojala, S; Maunula, T; Savimaki, A; Kinnunen, T; Keiski, RL. (2011). Oxidation of dichloromethane and perchloroethylene as single compounds and in mixtures. *Appl Catal B-Environ*. 102: 395-403. <http://dx.doi.org/10.1016/j.apcatb.2010.12.011>.
- Pitkin, SE; Cherry, JA; Ingleton, RA; Broholm, M. (1999). Field demonstrations using the Waterloo ground water profiler. *Ground Water Monitoring and Remediation*. 19: 122-131.
- Pitterle, MT; Andersen, RG; Novak, JT; Widdowson, MA. (2005). Push-pull tests to quantify in situ degradation rates at a phytoremediation site. *Environ Sci Technol*. 39: 9317-9323. <http://dx.doi.org/10.1021/es0509275>.
- Plagentz, V; Ebert, M; Dahmke, A. (2006). Remediation of ground water containing chlorinated and brominated hydrocarbons, benzene and chromate by sequential treatment using ZVI and GAC. *Environ Geol*. 49: 684-695. <http://dx.doi.org/10.1007/s00254-005-0106-z>.
- Plagentz, V; Schaefer, D; Kober, R; Dethlefsen, F; Ebert, M; Dahmke, A. (2006). pH buffering downgradient of permeable reactive barriers. *Grundwasser*. 11: 259-269.
- Platteborzestienlet, K; Zeegershuyskens, T. (1996). IR characteristics of complexes involving 1,8-bis(dimethylamino)naphthalene and phenols-OH or phenols-OD in solution. *J Mol Struct*. 378: 29-34.
- Plaza, G; Ulfing, K; Rzychon, D; Wypych, J; Worsztynowicz, A; Brigmon, RL. (2004). TCE biodegradation in "interspecies hydrogen transfer" bioremediation model. *Fresen Environ Bull*. 13: 1151-1157.
- Pleil, JD; Fisher, JW; Lindstrom, AB. (1998). Trichloroethene levels in human blood and exhaled breath from controlled inhalation exposure. *Environ Health Perspect*. 106: 573-580.
- Plummer, M; Best, N; Cowles, K; Vines, K. (2006). CODA: Convergence diagnosis and output analysis for MCMC. *R News*. 6: 7-11.
- Pocklington, WD. (1992). Determination of tetrachloroethylene: Results of a collaborative study and the standardized method. *J Am Oil Chem Soc*. 69: 789-793. <http://dx.doi.org/10.1007/BF02635916>.
- Poddutoori, PK; Lim, GN; Vassiliev, S; D'Souza, F. (2015). Ultrafast charge separation and charge stabilization in axially linked 'tetrathiafulvalene-aluminum(III) porphyrin-gold(III) porphyrin' reaction center mimics. *Phys Chem Chem Phys*. 17: 26346-26358. <http://dx.doi.org/10.1039/c5cp04818d>.
- Podrouzkova, H; Bedanova, H; Tretina, M; Korinek, J; Stepanova, R; Hruskova, J; Nemecek, P; Konecny, T; Orban, M. (2015). Decrease in longitudinal strain in heart transplant recipients is associated with rejection. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub*. 159: 601-606. <http://dx.doi.org/10.5507/bp.2015.020>.
- Pohl, HR; Roney, N; Wilbur, S; Hansen, H; De Rosa, CT. (2003). Six interaction profiles for simple mixtures. *Chemosphere*. 53: 183-197. [http://dx.doi.org/10.1016/S0045-6535\(03\)00436-3](http://dx.doi.org/10.1016/S0045-6535(03)00436-3).
- Pohl, HR; Tylanda, CA. (2000). Breast-feeding exposure of infants to selected pesticides: a public health viewpoint [Review]. *Toxicol Ind Health*. 16: 65-77. <http://dx.doi.org/10.1177/074823370001600203>.
- Poli, D; Manini, P; Andreoli, R; Franchini, I; Mutti, A. (2005). Determination of dichloromethane, trichloroethylene and perchloroethylene in urine samples by headspace solid phase microextraction gas chromatography-mass spectrometry. *Journal of Chromatography B*. 820: 95-102. <http://dx.doi.org/10.1016/j.jchromb.2005.03.00>.
- Pollack, GM; Li, RC; Ermer, JC; Shen, DD. (1985). Effects of route of administration and repetitive dosing on the disposition kinetics of di(2-ethylhexyl) phthalate and its mono-de-esterified metabolite in rats. *Toxicol Appl Pharmacol*. 79: 246-256. [http://dx.doi.org/10.1016/0041-008X\(85\)90346-1](http://dx.doi.org/10.1016/0041-008X(85)90346-1).
- Pon, G; Hyman, MR; Semprini, L. (2003). Acetylene inhibition of trichloroethene and vinyl chloride reductive dechlorination. *Environ Sci Technol*. 37: 3181-3188. <http://dx.doi.org/10.1021/es026352i>.
- Pon, G; Semprini, L. (2004). Anaerobic reductive dechlorination of 1-chloro-1-fluoroethene to track the transformation of vinyl chloride. *Environ Sci Technol*. 38: 6803-6808. <http://dx.doi.org/10.1021/es0498383>.
- Pond, KL; Huang, YS; Wang, Y; Kulpa, CF. (2002). Hydrogen isotopic composition of individual n-alkanes as an intrinsic tracer for bioremediation and source identification of petroleum contamination. *Environ Sci Technol*. 36: 724-728. <http://dx.doi.org/10.1021/es011140r>.
- Ponder, SM; Darab, JG; Bucher, J; Caulder, D; Craig, I; Davis, L; Edelstein, N; Lukens, W; Nitsche, H; Rao, LF; Shuh, DK; Mallouk, TE. (2001). Surface chemistry and electrochemistry of supported zerovalent iron nanoparticles in the remediation of aqueous metal contaminants. *Chem Mater*. 13: 479-486. <http://dx.doi.org/10.1021/cm000288r>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ponder, SM; Darab, JG; Mallouk, TE. (2000). Remediation of Cr(VI) and Pb(II) aqueous solutions using supported, nanoscale zero-valent iron. *Environ Sci Technol.* 34: 2564-2569.
- Ponza, S; Parkpian, P; Polprasert, C; Shrestha, RP; Jugsujinda, A. (2010). Removal of trichloroethylene (TCE) contaminated soil using a two-stage anaerobic-aerobic composting technique. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 549-559. <http://dx.doi.org/10.1080/10934521003595233>.
- Pooley, KE; Blessing, M; Schmidt, TC; Haderlein, SB; Macquarrie, KT; Prommer, H. (2009). Aerobic biodegradation of chlorinated ethenes in a fractured bedrock aquifer: quantitative assessment by compound-specific isotope analysis (CSIA) and reactive transport modeling. *Environ Sci Technol.* 43: 7458-7464. <http://dx.doi.org/10.1021/es900658n>.
- Popat, SC; Deshusses, MA. (2009). Reductive dehalogenation of trichloroethene vapors in an anaerobic biotrickling filter. *Environ Sci Technol.* 43: 7856-7861. <http://dx.doi.org/10.1021/es901305x>.
- Popat, SC; Deshusses, MA. (2010). Analysis of the rate-limiting step of an anaerobic biotrickling filter removing TCE vapors. *Process Biochemistry.* 45: 549-555. <http://dx.doi.org/10.1016/j.procbio.2009.11.017>.
- Popat, SC; Deshusses, MA. (2010). Analysis of the rate-limiting step of an anaerobic biotrickling filter removing TCE vapors (vol 45, pg 549, 2010). *Process Biochemistry.* 45: 1201-1201. <http://dx.doi.org/10.1016/j.procbio.2010.03.032>.
- Popat, SC; Deshusses, MA. (2011). Kinetics and inhibition of reductive dechlorination of trichloroethene, cis-1,2-dichloroethene and vinyl chloride in a continuously fed anaerobic biofilm reactor. *Environ Sci Technol.* 45: 1569-1578. <http://dx.doi.org/10.1021/es102858t>.
- Popat, SC; Zhao, K; Deshusses, MA. (2012). Bioaugmentation of an anaerobic biotrickling filter for enhanced conversion of trichloroethene to ethene. *Chem Eng J.* 183: 98-103. <http://dx.doi.org/10.1016/j.cej.2011.12.026>.
- Popovicova, J; Brusseau, ML. (1997). Dispersion and transport of gas-phase contaminants in dry porous media: effect of heterogeneity and gas velocity. *J Contam Hydrol.* 28: 157-169.
- Popovicova, J; Brusseau, ML. (1998). Contaminant mass transfer during gas-phase transport in unsaturated porous media. *Water Resour Res.* 34: 83-92.
- Popp, S; Beyer, C; Dahmke, A; Koproch, N; Koeber, R; Bauer, S. (2016). Temperature-dependent dissolution of residual non-aqueous phase liquids: model development and verification. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5743-x>.
- Popper, H. (1986). Aging and the liver [Review]. In H Popper; F Schaffner (Eds.), (pp. 659-683). Orlando, FL: Grune and Stratton.
- Portier, CJ; Bailer, AJ. (1989). Testing for increased carcinogenicity using a survival-adjusted quantal response test. *Toxicol Sci.* 12: 731-737.
- Portier, CJ; Hedges, JC; Hoel, DG. (1986). Age-specific models of mortality and tumor onset for historical control animals in the National Toxicology Program's carcinogenicity experiments. *Cancer Res.* 46: 4372-4378.
- Pota, AA; Mathews, AP. (1999). Effects of particle stratification on fixed bed absorber performance. *J Environ Eng.* 125: 705-711.
- Pota, AA; Mathews, AP. (2000). Adsorption dynamics in a stratified convergent tapered bed. *Chem Eng Sci.* 55: 1399-1409.
- Poteracki, J; Walsh, KM. (1998). Spontaneous neoplasms in control Wistar rats: A comparison of reviews. *Toxicol Sci.* 45: 1-8. <http://dx.doi.org/10.1006/toxs.1998.2493>.
- Potter, K; Lovett-Doust, L. (2001). Biomonitoring site quality in stressed aquatic ecosystems using *Vallisneria americana*. *Ecol Appl.* 11: 215-225.
- Potyrailo, RA; May, RJ; Sivavec, TM. (2004). Recognition and quantification of perchloroethylene, trichloroethylene, vinyl chloride, and three isomers of dichloroethylene using acoustic wave sensor array. *Sensor Letters.* 2: 31-36. <http://dx.doi.org/10.1166/sl.2004.019>.
- Potyrailo, RA; Sivavec, TM. (2004). Boosting sensitivity of organic vapor detection with silicone block polyimide polymers. *Anal Chem.* 76: 7023-7027. <http://dx.doi.org/10.1021/ac049481l>.
- Potyrailo, RA; Sivavec, TM. (2005). Dual-response resonant chemical sensors for multianalyte analysis. *Sens Actuators B.* 106: 249-252. <http://dx.doi.org/10.1016/j.snb.2004.08.005>.
- Poulsen, TG; Moldrup, P; Schjonning, P; Massmann, JW; Hansen, JA. (1998). Gas permeability and diffusivity in undisturbed soil: SVE implications. *J Environ Eng.* 124: 979-986.
- Poulsen, TG; Moldrup, P; Yamaguchi, T; Massmann, JW; Hansen, JA. (1998). VOC vapor sorption in soil: Soil type dependent model and implications for vapor extraction. *J Environ Eng.* 124: 146-155.
- Poulsen, TG; Yamaguchi, T; Moldrup, P; de Jonge, LW; Rolston, DE. (2000). Predicting volatile organic vapor sorption from soil specific surface area and texture. *J Environ Qual.* 29: 1642-1649.
- Poulson, SR; Drever, JI. (1999). Stable isotope (C, Cl, and H) fractionation during vaporization of trichloroethylene. *Environ Sci Technol.* 33: 3689-3694.
- Poulson, SR; Naraoka, H. (2002). Carbon isotope fractionation during permanganate oxidation of chlorinated ethylenes (cDCE, TCE, PCE). *Environ Sci Technol.* 36: 3270-3274. <http://dx.doi.org/10.1021/es0205380>.
- Poulson, SR; Naraoka, H. (2006). Carbon isotope fractionation during degradation of benzene, trichloroethene, and tetrachloroethene under ultraviolet light. *Geochemical Journal.* 40: 291-296.
- Pour, SM; Woolley, I; Canavan, P; Chuah, J; Russell, DB; Law, M; Petoumenos, K. (2011). Triple class experience after initiation of combination antiretroviral treatment in Australia: survival and projections. *Sex Health.* 8: 295-303. <http://dx.doi.org/10.1071/SH10008>.
- Poursaberi, T; Falsafi, Z; Hassanisadi, M; Jabbari, A. (2015). Simultaneous adsorption and dechlorination of carbon tetrachloride using copper nanoparticles@graphene oxide composites. *Journal of the Iranian Chemical Society.* 12: 67-74. <http://dx.doi.org/10.1007/s13738-014-0455-1>.
- Pous, N; Casentini, B; Rossetti, S; Fazi, S; Puig, S; Aulenta, F. (2015). Anaerobic arsenite oxidation with an electrode serving as the sole electron acceptor: a novel approach to the bioremediation of arsenic-polluted groundwater. *J Hazard Mater.* 283: 617-622. <http://dx.doi.org/10.1016/j.jhazmat.2014.10.014>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Powell, CL; Agrawal, A. (2011). Biodegradation of Trichloroethene by Methane Oxidizers Naturally Associated with Wetland Plant Roots. *Wetlands*. 31: 45-52. <http://dx.doi.org/10.1007/s13157-010-0134-7>.
- Powell, CL; Goltz, MN; Agrawal, A. (2014). Degradation kinetics of chlorinated aliphatic hydrocarbons by methane oxidizers naturally-associated with wetland plant roots. *J Contam Hydrol*. 170: 68-75. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.001>.
- Powell, RM; Puls, RW. (1997). Proton generation by dissolution of intrinsic or augmented aluminosilicate minerals for in situ contaminant remediation by zero valence state iron. *Environ Sci Technol*. 31: 2244-2251.
- Powers, SE; Abriola, LM; Weber, WJ. (1994). AN EXPERIMENTAL INVESTIGATION OF NONAQUEOUS PHASE LIQUID DISSOLUTION IN SATURATED SUBSURFACE SYSTEMS - TRANSIENT MASS-TRANSFER RATES. *Water Resour Res*. 30: 321-332.
- Prade, K; Schmax, S. (1998). Rapid headspace-GC determination of the soil-water partition ratio of volatile hydrocarbons. *Z Pflanzenernaehr Bodenkd*. 161: 647-651.
- Prager, L; Langguth, H; Rummel, S; Mehnert, R. (1995). ELECTRON-BEAM DEGRADATION OF CHLORINATED HYDROCARBONS IN AIR. *Radiat Phys Chem Oxf Engl* 1993. 46: 1137-1142.
- Prakash; Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. *J Environ Eng*. 126: 622-628.
- Prakash, OM; Anklekar, RM; Khosla, NK; Kumar, S; Chaudhuri, B; Thomas, CA; Magadum, AP; Ramesh, M; Rao, BT; Mohan, TRR. (1991). SHAPE-FORMING AND DENSIFICATION OF CERAMIC SUPERCONDUCTORS. *Bulletin of Materials Science*. 14: 1145-1150.
- Prakash, SM; Gupta, SK. (2000). Biodegradation of tetrachloroethylene in upflow anaerobic sludge blanket reactor. *Bioresour Technol*. 72: 47-54.
- Prasad, RL; Thakur, SN. (2003). Monitoring air pollution using infrared photoacoustic spectra of organic vapours. *J Indian Chem Soc*. 80: 341-344.
- Prasad, TEV; Anand, SV; Prasad, DHL. (2006). Vapor-liquid equilibria of binary mixtures formed by m-xylene with some chlorohydrocarbons at 95.75 kPa. *Physics and Chemistry of Liquids*. 44: 15-19. <http://dx.doi.org/10.1080/00319100500217751>.
- Prasad, TEV; Banerjee, S; Babu, JK; Prasad, DHL. (2004). Boiling temperature measurements on the binary mixtures formed by dimethyl carbonate with some chloroethanes and chloroethylenes at 95.8 kPa. *Fluid Phase Equilibria*. 218: 291-293. <http://dx.doi.org/10.1016/j.fluid.2004.01.027>.
- Prasad, TEV; Harish, G; Krupavaram, N; Prasad, S; Jaiswal, A; Prasad, DHL. (2005). Bubble points of some binary mixtures formed by o-cresol at 95.75 kPa. *Fluid Phase Equilibria*. 238: 45-51. <http://dx.doi.org/10.1016/j.fluid.2005.09.012>.
- Prasad, TEV; Haritha, M; Geetha, NB; Kumar, YPP; Kalyan, KI; Prasad, DHL. (2004). Bubble temperature measurements on the binary mixtures formed by chlorobenzene with methanol, ethanol, n-propanol and sec-butanol at 94.6 kPa. *Physics and Chemistry of Liquids*. 42: 385-389. <http://dx.doi.org/10.1080/00319100410001684480>.
- Prasad, TEV; Kumar, AS; Prasad, DHL. (2002). Boiling temperature measurements on the binary mixtures formed by acetonitrile with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria*. 201: 47-55.
- Prasad, TEV; Manohar, V; Chaitanya, K; Prasad, DHL. (2006). Activity coefficients and excess Gibbs' energies of the binary mixtures formed by 2-cyanopyrazine with some chloroaliphatics at 95.5 kPa. *Physics and Chemistry of Liquids*. 44: 687-692. <http://dx.doi.org/10.1080/00319100600861193>.
- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Densities and viscosities of the binary mixtures of chloroethylenes with some aliphatic alcohols. *Journal of Chemical and Engineering Data*. 47: 68-71. <http://dx.doi.org/10.1021/je010141w>.
- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Vapor-liquid equilibria in trichloroethylene plus ethanol, plus isopropanol, and plus isobutanol and in tetrachloroethylene plus methanol at 95 kPa. *Journal of Chemical and Engineering Data*. 47: 816-817. <http://dx.doi.org/10.1021/je010248j>.
- Prasad, TEV; Naidu, BRP; Madhukiran, D; Prasad, DHL. (2001). Boiling temperature measurements on the binary mixtures of cyclohexane with some alcohols and chlorohydrocarbons. *Journal of Chemical and Engineering Data*. 46: 414-416.
- Prasad, TEV; Patanjali, V; Sudhakar, TA; Radhika, BS; Arvind, VM; Prasad, DHL. (2004). Bubble temperature measurements on the binary mixtures of n-heptane or nitrobenzene or chlorobenzene with some chloroethanes and chloroethylenes at (94.6 to 95.8) kPa. *Journal of Chemical and Engineering Data*. 49: 199-201. <http://dx.doi.org/10.1021/je030185>.
- Prasad, TEV; Prasad, DHL; Babu, JK; Banarjee, S. (2004). Bubble temperature measurements on the binary mixtures formed by 1,2-dimethylbenzene with some chloroethanes and chloroethylenes at 95.8 KPA. *Chemical Engineering Communications*. 191: 1323-1328. <http://dx.doi.org/10.1080/00986440490464246>.
- Prasad, TEV; Prasad, DHL; Krishna, VBV. (2005). Bubble temperature measurements on the binary mixtures of sec-butanol with chloroethanes and chloroethylenes at 94.6 kPa. *Chemical Engineering Communications*. 192: 168-173. <http://dx.doi.org/10.1080/00986440590473371>.
- Prasad, TEV; Raj, EDA; Maheedhar, G; Reddy, MS; Kumar, VS; Garapati, S; Patanjali, V; Prasad, DHL. (2004). Bubble-temperature measurements on some binary mixtures formed by tetrahydrofuran or amyl alcohol with hydrocarbons, chlorohydrocarbons, or butanols at (94.6 or 95.8) kPa. *Journal of Chemical and Engineering Data*. 49: 746-749. <http://dx.doi.org/10.1021/je030141r>.
- Prasad, TEV; Saisreekanth, K; Prasad, DHL. (2007). Vapor-liquid equilibria of selected binary mixtures formed by 2-methylpyrazine at 94.7 kPa. *Physics and Chemistry of Liquids*. 45: 307-311. <http://dx.doi.org/10.1080/00319100500502483>.
- Prasad, TEV; Sankar, B; Kumar, RP; Prasad, DHL. (2003). Boiling temperature measurements on the binary mixtures formed by tert-butanol with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria*. 213: 147-152. [http://dx.doi.org/10.1016/S0378-3812\(03\)00287-5](http://dx.doi.org/10.1016/S0378-3812(03)00287-5).
- Prasad, TEV; Sravani, Y; Ranjita, VS, ri; Prasada, DHL. (2006). Excess Gibbs' energies of selected binary mixtures formed by N,N-dimethyl formamide at 95.5 kPa. *Fluid Phase Equilibria*. 249: 49-54. <http://dx.doi.org/10.1016/j.fluid.2006.08.018>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Prasad, TEV; Sridevi, D; Kalpana, U; Kavitha, M; Himabindu, T; Agrawal, SB; Bajaj, MB; Prasad, DHL. (2005). Vapour-liquid equilibria of the binary mixtures of some aliphatic alcohols and chloroethanes or chloroethylenes. *Physics and Chemistry of Liquids*. 43: 1-4. <http://dx.doi.org/10.1080/00319100410001679891>.
- Prasad, TEV; Srinivas, MY; Prasad, DHL. (2006). Bubble points of the binary mixtures formed by ethylbenzene with some chloroaliphatics and substituted benzenes at p=94.7 kPa. *The Journal of Chemical Thermodynamics*. 38: 1186-1191. <http://dx.doi.org/10.1016/j.jct.2006.12.009>.
- Prasad, TEV; Venkanna, N; Kumar, YN; Ashok, K; Sirisha, NM; Prasad, DHL. (2007). Activity coefficients and excess Gibbs' free energy of some binary mixtures formed by p-cresol at 95.23 kPa. *The Journal of Chemical Thermodynamics*. 39: 1022-1026. <http://dx.doi.org/10.1016/j.jct.2006.12.017>.
- Prasanna, HR; Hart, RW; Magee, PN. (1989). Effect of food restriction on the metabolism of dimethylnitrosamine (NDMA) in rats. *Anticancer Res*. 9: 93-96.
- Prats-Boluda, G; Ye-Lin, Y; Bueno Barrachina, JM; Senent, E; Rodríguez de Sanabria, R; Garcia-Casado, J. (2015). Development of a portable wireless system for bipolar concentric ECG recording. *Meas Sci Technol*. 26. <http://dx.doi.org/10.1088/0957-0233/26/7/075102>.
- Pratt, DA; van der Donk, WA. (2005). Theoretical investigations into the intermediacy of chlorinated vinylcobalamins in the reductive dehalogenation of chlorinated ethylenes. *J Am Chem Soc*. 127: 384-396. <http://dx.doi.org/10.1021/ja047915o>.
- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. *Environ Sci Technol*. 39: 3261-3268. <http://dx.doi.org/10.1021/es0497328>.
- Pratt, KF; Pawliszyn, J. (1992). Water monitoring system based on gas extraction with a single hollow fiber membrane and gas chromatographic cryotrapping. *Anal Chem*. 64: 2107-2110.
- Prengle, HW; Symons, JM; Belhateche, D. (1996). H2O2/VisUV process for photo-oxidation of waterborne hazardous substances - C-1-C-6 chlorinated hydrocarbons. *Waste Manag*. 16: 327-333.
- Press, DJ; Mckinley, M; Deapen, D; Clarke, CA; Gomez, SL. (2016). Residential cancer cluster investigation nearby a Superfund Study Area with trichloroethylene contamination. *Cancer Causes Control*. 27: 607-613. <http://dx.doi.org/10.1007/s10552-016-0734-5>.
- Pressman, JG; Georgiou, G; Speitel, GE. (2005). Scale-up considerations for a hollow-fiber-membrane bioreactor treating trichloroethylene-contaminated water. *Water Environ Res*. 77: 533-542. <http://dx.doi.org/10.2175/106143005X67458>.
- Preston, C; Xu, Y; Han, X; Munday, JN; Hu, L. (2013). Optical haze of transparent and conductive silver nanowire films. *Nano Research*. 6: 461-468. <http://dx.doi.org/10.1007/s12274-013-0323-9>.
- Pretzer, LA; Heck, KN; Kim, SS; Fang, Y, uLun; Zhao, Z; Guo, N; Wu, T; Miller, JT; Wong, MS. (2016). Improving gold catalysis of nitroarene reduction with surface Pd. *Catalysis Today*. 264: 31-36. <http://dx.doi.org/10.1016/j.cattod.2015.07.040>.
- Pretzer, LA; Song, HJ; Fang, Y, uLun; Zhao, Z; Guo, N; Wu, T; Arslan, I; Miller, JT; Wong, MS. (2013). Hydrodechlorination catalysis of Pd-on-Au nanoparticles varies with particle size. *J Catal*. 298: 206-217. <http://dx.doi.org/10.1016/j.jcat.2012.11.005>.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. SAR and QSAR in Environmental Research. 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Price, PS; Conolly, RB; Chaisson, CF; Gross, EA; Young, JS; Mathis, ET; Tedder, DR. (2003). Modeling interindividual variation in physiological factors used in PBPK models of humans [Review]. *Crit Rev Toxicol*. 33: 469-503. <http://dx.doi.org/10.1080/10408440390242324>.
- Price, RG; Wedeen, R; Lichtveld, MY; Lybarger, JA; Porter, GA; Fels, L; Stolte, H; Safirstein, RL; Mueller, PW; Manley, S; Whiting, PH; Gomez, RA; Finn, WF. (1999). Urinary biomarkers: Roles in risk assessment to environmental and occupational nephrotoxins: Monitoring of effects and evaluation of mechanisms of toxicity. *Ren Fail*. 21: xiii-xviii. <http://dx.doi.org/10.3109/08860229909085085>.
- Priebe, CE. (2001). Olfactory classification via interpoint distance analysis. *IEEE Trans Pattern Anal Mach Intell*. 23: 404-413.
- Prince, MM; Ruder, AM; Hein, MJ; Waters, MA; Whelan, EA; Nilsen, N; Ward, EM; Schnorr, TM; Laber, PA; Davis-King, KE. (2006). Mortality and exposure response among 14,458 electrical capacitor manufacturing workers exposed to polychlorinated biphenyls (PCBs). *Environ Health Perspect*. 114: 1508-1514. <http://dx.doi.org/10.1289/ehp.9175>.
- Prommer, H; Aziz, LH; Bolaño, N; Taubald, H; Schüth, C. (2008). Modelling of geochemical and isotopic changes in a column experiment for degradation of TCE by zero-valent iron. *J Contam Hydrol*. 97: 13-26. <http://dx.doi.org/10.1016/j.jconhyd.2007.11.003>.
- Provoost, J; Reijnders, L; Swartjes, F; Bronders, J, an; Seuntjens, P; Lijzen, J. (2009). Accuracy of seven vapour intrusion algorithms for VOC in groundwater. *Journal of Soils and Sediments*. 9: 62-73. <http://dx.doi.org/10.1007/s11368-008-0036-y>.
- Pruden, AL; Ollis, DF. (1983). PHOTOASSISTED HETEROGENEOUS CATALYSIS - THE DEGRADATION OF TRICHLOROETHYLENE IN WATER. *J Catal*. 82: 404-417.
- Pryor, GT; Dickinson, J; Howd, RA; Rebert, CS. (1983). Transient cognitive deficits and high-frequency hearing loss in weanling rats exposed to toluene. *Neurobehav Toxicol Teratol*. 5: 53-57.
- Pryor, GT; Rebert, CS; Howd, RA. (1987). Hearing loss in rats caused by inhalation of mixed xylenes and styrene. *J Appl Toxicol*. 7: 55-61.
- Ptacek, B; Dalard, F; Rameau, JJ. (1996). Iron phosphating in a trichloroethylene solution. *Surf Coating Tech*. 82: 277-283.
- Pu, H; Shackelford, CD; Fox, PJ. (2016). Assessment of Consolidation-Induced VOC Transport for a GML/GCL Composite Liner System. *Journal of Geotechnical and Geoenvironmental Engineering*. 142. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001538](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001538).
- Pu, M, in; Dupont, RR; Doucette, WJ. (2008). Impact of Vegetable Oil on Distribution of Trichloroethylene in Groundwater During Enhanced Bioremediation. *Environ Forensics*. 9: 340-349. <http://dx.doi.org/10.1080/15275920802501846>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Pucher, P; Azouani, R; Kanaev, A; Krammer, G. (2008). A photocatalytic active adsorbent for gas cleaning in a fixed bed reactor. *Intl J Photoenergy*. <http://dx.doi.org/10.1155/2008/759736>.
- Pucher, P; Benmami, M; Azouani, R; Krammer, G; Chhor, K; Bocquet, JF; Kanaev, AV. (2007). Nano-TiO₂ sols immobilized on porous silica as new efficient photocatalyst. *Appl Catal A-Gen*. 332: 297-303. <http://dx.doi.org/10.1016/j.apcata.2007.08.031>.
- Pucher, P; Krammer, G; Azouani, R; Chhor, K; Kanaev, A. (2008). UV-A-induced autocatalytic oxidation of TCE in fixed-bed reactor with transparent silica-gel adsorbent. *Appl Catal A-Gen*. 345: 58-64. <http://dx.doi.org/10.1016/j.apcata.2008.04.027>.
- Puddu, V; Choi, H; Dionysiou, DD; Puma, GL, i. (2010). TiO₂ photocatalyst for indoor air remediation: Influence of crystallinity, crystal phase, and UV radiation intensity on trichloroethylene degradation. *Appl Catal B-Environ*. 94: 211-218. <http://dx.doi.org/10.1016/j.apcatb.2009.08.003>.
- Puigserver, D; Herrero, J; Torres, M; Cortés, A; Nijenhuis, I; Kuntze, K; Parker, BL; Carmona, JM. (2016). Reductive dechlorination in recalcitrant sources of chloroethenes in the transition zone between aquifers and aquitards. *Environ Sci Pollut Res Int*. 23: 18724-18741. <http://dx.doi.org/10.1007/s11356-016-7068-4>.
- Pullin, H, uw; Springell, R; Parry, S; Scott, T. (2017). The effect of aqueous corrosion on the structure and reactivity of zero-valent iron nanoparticles. *Chem Eng J*. 308: 568-577. <http://dx.doi.org/10.1016/j.cej.2016.09.088>.
- Puls, RW; Blowes, DW; Gillham, RW. (1999). Long-term performance monitoring for a permeable reactive barrier at the US Coast Guard Support Center, Elizabeth City, North Carolina. *J Hazard Mater*. 68: 109-124. [http://dx.doi.org/10.1016/S0304-3894\(99\)00034-5](http://dx.doi.org/10.1016/S0304-3894(99)00034-5).
- Puls, RW; Paul, CJ. (1995). LOW-FLOW PURGING AND SAMPLING OF GROUND-WATER MONITORING WELLS WITH DEDICATED SYSTEMS. *Ground Water Monitoring and Remediation*. 15: 116-123.
- Puma, GL, i; Salvado-Estivill, I; Obee, TN; Hay, SO. (2009). Kinetics rate model of the photocatalytic oxidation of trichloroethylene in air over TiO₂ thin films. *Separation and Purification Technology*. 67: 226-232. <http://dx.doi.org/10.1016/j.seppur.2009.03.011>.
- Purnomo, A, diS; Mori, T; Kondo, R. (2010). Involvement of Fenton reaction in DDT degradation by brown-rot fungi. *Int Biodeterior Biodegradation*. 64: 560-565. <http://dx.doi.org/10.1016/j.ibiod.2010.06.008>.
- Pusz, A; Kulig, A. (2014). MONITORING OF TRICHLOROETHENE AND TETRACHLOROETHENE CONTENT IN SOIL-WATER ENVIRONMENT IN THIRD PHASE OF ECOLOGICAL AUDIT OF LAND. 40: 65-80. <http://dx.doi.org/10.2478/aep-2014-0016>.
- Putthividhya, A; Kukor, JJ; Abriola, LM. (2016). The effects of substrate exposure history and carbon starvation-induced stress on the EPS synthesis of TCE degrading toluene oxidizing soil bacteria. *Environ Earth Sci*. 75. <http://dx.doi.org/10.1007/s12665-015-5080-5>.
- Putzlocher, R; Kueper, BH; Reynolds, DA. (2006). Relative velocities of DNAPL and aqueous phase plume migration. *J Contam Hydrol*. 88: 321-336. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.009>.
- Qi, L, in; Plagentz, V; Schafer, D; Dahmke, A. (2007). Remediation of trichloroethylene and monochlorobenzene-contaminated aquifers using the ORC-GAC-Fe-0-CaCO₃ system: Volatilization, precipitation, and porosity losses. *Pedosphere*. 17: 109-116.
- Qi, SY. (2004). Use of Dubinin-Astakhov equation to describe preloading effect of natural organic matter. *J Environ Eng*. 130: 472-477. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:4\(472\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:4(472)).
- Qian, A; Liao, P; Yuan, S; Luo, M. (2014). Efficient reduction of Cr(VI) in groundwater by a hybrid electro-Pd process. *Water Res*. 48: 326-334. <http://dx.doi.org/10.1016/j.watres.2013.09.043>.
- Qian, H; Pretzer, LA; Velazquez, JC; Zhao, Z; Wong, MS. (2013). Gold nanoparticles for cleaning contaminated water. *J Chem Tech Biotechnol*. 88: 735-741. <http://dx.doi.org/10.1002/jctb.4030>.
- Qian, H; Zhao, Z; Velazquez, JC; Pretzer, LA; Heck, KN; Wong, MS. (2014). Supporting palladium metal on gold nanoparticles improves its catalysis for nitrite reduction. *Nanoscale*. 6: 358-364. <http://dx.doi.org/10.1039/c3nr04540d>.
- Qian, L; Ren, Y, u; Liu, T; Pan, D; Wang, H; Chen, G. (2012). Influence of KIT-6's pore structure on its surface properties evaluated by inverse gas chromatography. *Chem Eng J*. 213: 186-194. <http://dx.doi.org/10.1016/j.cej.2012.09.110>.
- Qian, Y, i; Wang, Q; Yue, F. (2016). Remediation of TCE-contaminated water by enhanced chemical oxidation using Na₂S₂O₈/H₂O₂/red mud. *Desalination and Water Treatment*. 57: 4154-4161. <http://dx.doi.org/10.1080/19443994.2014.988648>.
- Qian, YL; Engelke, MC. (1999). Influence of trinexapac-ethyl on diamond zoysiagrass in a shade environment. *Crop Sci*. 39: 202-208.
- Qiang, ZM; Chang, JH; Huang, CP. (2002). Electrochemical generation of hydrogen peroxide from dissolved oxygen in acidic solutions. *Water Res*. 36: 85-94. [http://dx.doi.org/10.1016/S0043-1354\(01\)00235-4](http://dx.doi.org/10.1016/S0043-1354(01)00235-4).
- Qi-Feng, C; Dong, J; Yao, X; Dong, W; Yu-Han, S. (2009). Visible Region Photocatalysis of Ce-Si/TiO₂ Synthesized Using Sol-Gel-Hydrothermal Method. *Acta Phys - Chim Sin*. 25: 617-623. <http://dx.doi.org/10.3866/PKU.WHXB20090412>.
- Qin, K; Struckhoff, GC; Agrawal, A; Shelley, ML; Dong, H. (2014). Natural attenuation potential of trichloroethene in wetland plant roots: Role of native ammonium-oxidizing microorganisms. *Chemosphere*. 119C: 971-977. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.040>.
- Qin, XS; Huang, GH; Chakma, A; Chen, B; Zeng, GM. (2007). Simulation-based process optimization for surfactant-enhanced aquifer remediation at heterogeneous DNAPL-contaminated sites. *Sci Total Environ*. 381: 17-37. <http://dx.doi.org/10.1016/j.scitotenv.2007.04.011>.
- Qin, YJ; Sheth, JP; Sirkar, KK. (2002). Supported liquid membrane-based pervaporation for VOC removal from water. *Ind Eng Chem Res*. 41: 3413-3428. <http://dx.doi.org/10.1021/ie010901w>.
- Qiu, J; Chien, YC; Bruckner, JV; Fisher, JW. (2010). Bayesian analysis of a physiologically based pharmacokinetic model for perchloroethylene in humans. *J Toxicol Environ Health A*. 73: 74-91. <http://dx.doi.org/10.1080/15287390903249099>.
- Qiu, X; Fang, Z; Liang, B, in; Gu, F; Xu, Z. (2011). Degradation of decabromodiphenyl ether by nano zero-valent iron immobilized in mesoporous silica microspheres. *J Hazard Mater*. 193: 70-81. <http://dx.doi.org/10.1016/j.jhazmat.2011.07.024>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Qu, J, ie; Xu, Y; Ai, G; Liu, Y; Liu, Z. (2015). Novel *Chryseobacterium* sp PYR2 degrades various organochlorine pesticides (OCPs) and achieves enhancing removal and complete degradation of DDT in highly contaminated soil. *J Environ Manage.* 161: 350-357. <http://dx.doi.org/10.1016/j.jenvman.2015.07.025>.
- Qu, Z; Zhao, YS; Zhou, R, ui; Yin, XD; Zhu, Y; Wang, B; Jiao, L. (2013). Laboratory-scale analysis of transportation and natural attenuation of diesel fuel in aquifer. *Environ Earth Sci.* 68: 1555-1561. <http://dx.doi.org/10.1007/s12665-012-1849-y>.
- Quack, B; Suess, E. (1999). Volatile halogenated hydrocarbons over the western Pacific between 43 degrees and 4 degrees N. *J Geophys Res Atmos.* 104: 1663-1678.
- Quan, X; Zhang, X; Xu, H. (2015). In-situ formation and immobilization of biogenic nanopalladium into anaerobic granular sludge enhances azo dyes degradation. *Water Res.* 78: 74-83. <http://dx.doi.org/10.1016/j.watres.2015.03.024>.
- Quensen, JF; Tiedje, JM; Jain, MK; Mueller, SA. (2001). Factors controlling the rate of DDE dechlorination to DDMU in Palos Verdes margin sediments under anaerobic conditions. *Environ Sci Technol.* 35: 286-291.
- Quinlivan, PA; Li, L; Knappe, DR. (2005). Effects of activated carbon characteristics on the simultaneous adsorption of aqueous organic micropollutants and natural organic matter. *Water Res.* 39: 1663-1673. <http://dx.doi.org/10.1016/j.watres.2005.01.029>.
- Quinn, J; Geiger, C; Clausen, C; Brooks, K; Coon, C; O'Hara, S; Krug, T; Major, D; Yoon, WS; Gavaskar, A; Holdsworth, T. (2005). Field demonstration of DNAPL dehalogenation using emulsified zero-valent iron. *Environ Sci Technol.* 39: 1309-1318. <http://dx.doi.org/10.1021/es0490018>.
- Quinones-Bolanos, E; Zhou, HD; Soundararajan, R; Otten, L. (2005). Water and solute transport in pervaporation hydrophilic membranes to reclaim contaminated water for micro-irrigation. *J Memb Sci.* 252: 19-28. <http://dx.doi.org/10.1016/j.memsci.2004.10.038>.
- Quintelas, C; Figueiredo, H; Tavares, T. (2011). The effect of clay treatment on remediation of diethylketone contaminated wastewater: Uptake, equilibrium and kinetic studies. *J Hazard Mater.* 186: 1241-1248. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.131>.
- Rabbi, MF; Clark, B; Gale, RJ; Ozsu-Acar, E; Pardue, J; Jackson, A. (2000). In situ TCE bioremediation study using electrokinetic cometabolite injection. *Waste Manag.* 20: 279-286.
- Rabideau, AJ; Blayden, JM; Ganguly, C. (1999). Field performance of air sparging system for removing TCE from groundwater. *Environ Sci Technol.* 33: 157-162.
- Rabideau, AJ; Shen, PL; Khandelwal, A. (1999). Feasibility of amending slurry walls with zero-valent iron. *Journal of Geotechnical and Geoenvironmental Engineering.* 125: 330-333.
- Rabideau, AJ; Suribhatla, R; Craig, JR. (2005). Analytical models for the design of iron-based permeable reactive barriers. *J Environ Eng.* 131: 1589-1597. [http://dx.doi.org/10.1061/ASCE0733-9372\(2005\)131:11\(1589\)](http://dx.doi.org/10.1061/ASCE0733-9372(2005)131:11(1589)).
- Rachapudi, R; Chintawar, PS; Greene, HL. (1999). Aging and structure activity characteristics of CR-ZSM-5 catalysts during exposure to chlorinated VOCs. *J Catal.* 185: 58-72.
- Raczynska, ED; Duczmal, K; Darowska, M. (2005). Experimental (FT-IR) and theoretical (DFT-IR) studies of keto-enol tautomerism in pyruvic acid. *Vibrational Spectroscopy.* 39: 37-45. <http://dx.doi.org/10.1016/j.vibspec.2004.10.006>.
- Radak, BB; Petkovska, MT; Trtica, MS; Miljanic, SS; Petkovska, LT. (2004). Photoacoustic study of CO₂-laser coincidences with absorption of some organic solvent vapours. *Anal Chim Acta.* 505: 67-71. [http://dx.doi.org/10.1016/S0003-2670\(03\)00572-5](http://dx.doi.org/10.1016/S0003-2670(03)00572-5).
- Radhamma, M; Hsieh, CT; Venkatesu, P; Rao, MVP; Lee, MJ, er; Lin, H, omu. (2008). Isobaric vapor-liquid equilibrium for dimethylsulfoxide with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 53: 374-377. <http://dx.doi.org/10.1021/je700408x>.
- Radhamma, M; Liao, W, eiC; Venkatesu, P; Rao, MVP; Lee, MJ, er; Lin, H, omu. (2007). Excess molar enthalpies of dimethylsulfoxide with chloroethanes and chloroethenes at 298.15 K. *Thermochim Acta.* 465: 1-5. <http://dx.doi.org/10.1016/j.tca.2007.08.009>.
- Radhamma, M; Sivakumar, K; Rao, MVP. (2004). Molecular interactions in binary liquid mixures of dimethylsulphoxide with chloroethanes and chloroethenes. *Indian J Chem Tech.* 11: 710-713.
- Radican, L; Wartenberg, D; Rhoads, G; Schneider, D; Wedeen, R; Stewart, P; Blair, A. (2006). A retrospective cohort study of end-stage renal disease in workers exposed to trichloroethylene and other hydrocarbons. *Epidemiology.* 17: S520-S521.
- Radjenovic, J; Farre, MJ; Mu, Y; Gernjak, W; Keller, J. (2012). Reductive electrochemical remediation of emerging and regulated disinfection byproducts. *Water Res.* 46: 1705-1714. <http://dx.doi.org/10.1016/j.watres.2011.12.042>.
- Raengthon, N; Sebastian, T; Cumming, D; Reaney, I; Cann, DP. (2012). BaTiO₃-Bi(Zn_{1/2}Ti_{1/2})O-3-BiScO₃ Ceramics for High-Temperature Capacitor Applications. *Journal of the American Ceramic Society.* 95: 3554-3561. <http://dx.doi.org/10.1111/j.1551-2916.2012.05340.x>.
- Rahbar, AS; Azadani, PN; Thatipelli, S; Fleischmann, KE; Nguyen, N; Lee, BK. (2013). Risk factors and prognosis for clot formation on cardiac device leads. *Pacing Clin Electrophysiol.* 36: 1294-1300. <http://dx.doi.org/10.1111/pace.12210>.
- Rahm, BG; Richardson, RE. (2008). Dehalococoides' gene transcripts as quantitative bioindicators of tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene dehalorespiration rates. *Environ Sci Technol.* 42: 5099-5105. <http://dx.doi.org/10.1021/es7D2912t>.
- Rahman, AA, bd; Brookes, NJ; Bennett, DJ. (2009). The Precursors and Impacts of BSR on AMT Acquisition and Implementation. *IEEE Trans Eng Manag.* 56: 285-297. <http://dx.doi.org/10.1109/TEM.2009.2016070>.
- Rahman, MM; Liedl, R; Grathwohl, P. (2004). Sorption kinetics during macropore transport of organic contaminants in soils: Laboratory experiments and analytical modeling. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2002WR001946>.
- Rajmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod.* 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Rajagopal, VK; Burris, DR. (1999). Reduction of 1,2-dibromoethane in the presence of zero-valent iron. *Environ Toxicol Chem.* 18: 1779-1782.
- Rajajayavel, SR; Ghoshal, S. (2015). Enhanced reductive dechlorination of trichloroethylene by sulfidated nanoscale zerovalent iron. *Water Res.* 78: 144-153. <http://dx.doi.org/10.1016/j.watres.2015.04.009>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Rajashekaraiyah, H; Bheemappa, S; Yang, SH, an; Mohan, S. (2016). Abrasive Wear Behaviour of Thermoplastic Copolyester Elastomer Composites: A Statistical Approach. *International Journal of Precision Engineering and Manufacturing*. 17: 755-763. <http://dx.doi.org/10.1007/s12541-016-0093-x>.
- Rajic, L; Fallahpour, N; Alshawabkeh, AN. (2015). Impact of electrode sequence on electrochemical removal of trichloroethylene from aqueous solution. *Appl Catal B-Environ*. 174-175: 427-434. <http://dx.doi.org/10.1016/j.apcatb.2015.03.018>.
- Rajic, L; Fallahpour, N; Podlaha, E; Alshawabkeh, A. (2016). The influence of cathode material on electrochemical degradation of trichloroethylene in aqueous solution. *Chemosphere*. 147: 98-104. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.095>.
- Rajic, L; Fallahpour, N; Yuan, S; Alshawabkeh, AN. (2014). Electrochemical transformation of trichloroethylene in aqueous solution by electrode polarity reversal. *Water Res*. 67: 267-275. <http://dx.doi.org/10.1016/j.watres.2014.09.017>.
- Rake, JP; Visser, G; Labrune, P; Leonard, JV; Ullrich, K; Smit, GP. (2002). Glycogen storage disease type I: Diagnosis, management, clinical course and outcome. Results of the European Study on Glycogen Storage Disease Type I (ESGSD I). *Eur J Pediatr*. 161: S20-S34. <http://dx.doi.org/10.1007/s00431-002-0999-4>.
- Rakoff-Nahoum, S; Medzhitov, R. (2007). Regulation of spontaneous intestinal tumorigenesis through the adaptor protein MyD88. *Science*. 317: 124-127. <http://dx.doi.org/10.1126/science.1140488>.
- Rakyan, VK; Blewitt, ME; Druker, R; Preis, JI; Whitelaw, E. (2002). Metastable epialleles in mammals [Review]. *Trends in Genetics*. 18: 348-351.
- Rakyan, VK; Chong, S; Champ, ME; Cuthbert, PC; Morgan, HD; Luu, KV; Whitelaw, E. (2003). Transgenerational inheritance of epigenetic states at the murine Axin(Fu) allele occurs after maternal and paternal transmission. *Proc Natl Acad Sci USA*. 100: 2538-2543. <http://dx.doi.org/10.1073/pnas.0436776100>.
- Ramakrishnan, V; Ogram, AV; Lindner, AS. (2005). Impacts of co-solvent flushing on microbial populations capable of degrading trichloroethylene. *Environ Health Perspect*. 113: 55-61.
- Ramamurthy, AS; Eglal, MM. (2014). Degradation of TCE by TEOS Coated nZVI in the Presence of Cu(II) for Groundwater Remediation. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2014/606534>.
- Ramanjaneyulu, K; Surendranath, KN; Krishnaiah, A. (1989). EXCESS VOLUMES OF BINARY-MIXTURES OF TRICHLOROETHYLENE WITH SOME ALIPHATIC, ALICYCLIC AND AROMATIC-HYDROCARBONS. *Fluid Phase Equilibria*. 44: 357-361.
- Ramavandi, B; Mortazavi, SB; Moussavi, G; Khoshgard, A; Jahangiri, M. (2011). Experimental investigation of the chemical reduction of nitrate ion in aqueous solution by Mg/Cu bimetallic particles. *Reaction Kinetics, Mechanisms and Catalysis*. 102: 313-329. <http://dx.doi.org/10.1007/s11144-010-0274-z>.
- Ramavandi, B; Mortazavi, SB; Moussavi, G; Ranjbar, B; Mamisaheby, S. (2011). EXPERIMENTAL INVESTIGATION OF THE CHEMICAL REDUCTION OF NITRATE IN WATER BY Mg(o) AND Cu/Mg BIMETALLIC PARTICLES IN THE ABSENCE OF ANY PH- CONTROL MECHANISM. *Fresen Environ Bull*. 20: 2475-2484.
- Ramdhan, DH; Kamijima, M; Wang, D; Ito, Y; Naito, H; Yanagiba, Y; Hayashi, Y; Tanaka, N; Aoyama, T; Gonzalez, FJ; Nakajima, T. (2010). Differential response to trichloroethylene-induced hepatosteatosis in wild-type and PPARalpha-humanized mice. *Environ Health Perspect*. 118: 1557-1563. <http://dx.doi.org/10.1289/ehp.1001928>.
- Ramkumar, M; Schoenherr, T; Jenamani, M. (2016). Risk assessment of outsourcing e-procurement services: integrating SWOT analysis with a modified ANP-based fuzzy inference system. *Production Planning & Control*. 27: 1171-1190. <http://dx.doi.org/10.1080/09537287.2016.1190877>.
- Ramsburg, CA; Abriola, LM; Pennell, KD; Löffler, FE; Gamache, M; Amos, BK; Petrovskis, EA. (2004). Stimulated microbial reductive dechlorination following surfactant treatment at the Bachman Road site. *Environ Sci Technol*. 38: 5902-5914. <http://dx.doi.org/10.1021/es049675i>.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for DNAPL source zone remediation: Density conversion and recovery in heterogeneous aquifer cells. *Environ Sci Technol*. 36: 3176-3187. <http://dx.doi.org/10.1021/es011403h>.
- Ramsburg, CA; Pennell, KD; Kibbey, TC; Hayes, KF. (2004). Refinement of the density-modified displacement method for efficient treatment of tetrachloroethene source zones. *J Contam Hydrol*. 74: 105-131. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.008>.
- Ramsburg, CA; Pennell, KD; Kibbey, TCG; Hayes, KF. (2003). Use of a surfactant-stabilized emulsion to deliver 1-butanol for density-modified displacement of trichloroethene. *Environ Sci Technol*. 37: 4246-4253. <http://dx.doi.org/10.1021/es0210291>.
- Ramsburg, CA; Thornton, CE; Christ, JA. (2010). Degradation product partitioning in source zones containing chlorinated ethene dense non-aqueous-phase liquid. *Environ Sci Technol*. 44: 9105-9111. <http://dx.doi.org/10.1021/es102536f>.
- Ramsdell, A; Markwald, R. (1997). Induction of endocardial cushion tissue in the avian heart is regulated, in part, by TGFbeta-3-mediated autocrine signaling. *Dev Biol*. 188: 64-74. <http://dx.doi.org/10.1006/dbio.1997.8637>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol*. 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Ran, L, e; Wang, Z; Wang, X. (2014). The effect of Ce on catalytic decomposition of chlorinated methane over RuOx catalysts. *Appl Catal A-Gen*. 470: 442-450. <http://dx.doi.org/10.1016/j.apcata.2013.11.006>.
- Rana, SVS; Gupta, S. (2000). Metabolism of toluene and trichloroethylene in laboratory rats, pretreated with phenobarbital. *J Environ Biol*. 21: 105-109.
- Rao, JM; Sivaprasad, A; Rao, PS; Narsaiah, B; Reddy, SN; Vijayakumar, V; Manorama, SV; Krishna, KL; Srinivas, K; Krishnan, KR; Badrinarayanan, S. (1999). A comparative study of bulk and supported chromia catalysts for the fluorination of trichloroethylene. *J Catal*. 184: 105-111.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Rao, KP; Reddy, KS. (1987). EXCESS VOLUMES OF TRICHLOROETHYLENE WITH METHYLETHYLKETONE, DIETHYLKETONE, METHYLISOBUTYLKETONE, CYCLOHEXANONE AND 1,4-DIOXANE AT 298.15-K, 308.15-K AND 318.15-K. *Fluid Phase Equilibria*. 34: 265-272.
- Rao, KV; Chiranjivi, C. (1976). VAPOR-LIQUID-EQUILIBRIA AT ATMOSPHERIC-PRESSURE FOR SYSTEM TRICHLOROETHYLENE-NORMAL-PROPANOL. 14: 452-453.
- Rao, MN; Rao, BVS. (1978). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF THE BINARY-SYSTEMS TRICHLOROETHYLENE-CHLOROBENZENE AND TRICHLOROETHYLENE-NORMAL-BUTYL ACETATE. 16: 338-340.
- Rao, MS; Tatematsu, M; Subbarao, V; Ito, N; Reddy, JK. (1986). Analysis of peroxisome proliferator-induced preneoplastic and neoplastic lesions of rat liver for placental form of glutathione S-transferase and gamma-glutamyltranspeptidase. *Cancer Res*. 46: 5287-5290.
- Rao, P; Liu, T; Liang, X; Ding, G. (2016). Dual Effects of Humic Acid in Trichloroethylene Removal from Groundwater by Zero-Valent Iron: Hydrophobic Partition and Surface Adsorption. *Water Air Soil Pollut*. 227. <http://dx.doi.org/10.1007/s11270-016-2832-0>.
- Rappaport, SM. (1993). Biological considerations in assessing exposures to genotoxic and carcinogenic agents. *Int Arch Occup Environ Health*. 65: S29-S35.
- Rashid, M, dM; Sato, C. (2011). Photolysis, Sonolysis, and Photosonolysis of Trichloroethane (TCA), Trichloroethylene (TCE), and Tetrachloroethylene (PCE) Without Catalyst. *Water Air Soil Pollut*. 216: 429-440. <http://dx.doi.org/10.1007/s11270-010-0542-6>.
- Rashid, M, dM; Sato, C. (2012). Degradation of Trichloroethylene and Tetrachloroethylene in Simulated Groundwater in a Flow-Through Photosono Reactor. *J Environ Eng*. 138: 1179-1185. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000590](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000590).
- Rassabi, J; Riha, BD; Haas, JW; Eddy-Dilek, CA; Kreeger, AGL; Carrabba, M; Hyde, WK; Bello, J. (2000). Field tests of a DNAPL characterization system using cone penetrometer-based Raman spectroscopy. *Ground Water Monitoring and Remediation*. 20: 72-81.
- Rastogi, RP. (1994). THERMODYNAMICS OF EUTECTIC MIXTURES - ADDITION-COMPOUNDS AND ASSOCIATED MIXTURES. *Pure Appl Chem*. 66: 441-448.
- Raunio, H; Hakkola, J; Hukkanen, J; Pelkonen, O; Edwards, R; Boobis, A; Anttila, S. (1998). Expression of xenobiotic metabolising cytochrome P450s in human pulmonary tissue. *Arch Toxicol Suppl*. 20: 465-469.
- Raupp, GB. (1995). PHOTOCATALYTIC OXIDATION FOR POINT-OF-USE ABATEMENT OF VOLATILE ORGANIC-COMPOUNDS IN MICROELECTRONICS MANUFACTURING. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 13: 1883-1887.
- Raupp, GB; Junio, CT. (1993). PHOTOCATALYTIC OXIDATION OF OXYGENATED AIR TOXICS. *Appl Surf Sci*. 72: 321-327.
- Rausch, H; Sziklai, IL; Nazarov, VM; Bodon, P; Erdelyvari, I; Toth, B. (1991). DETERMINATION OF IMPURITIES IN HIGH-PURITY SOLVENTS BY NEUTRON-ACTIVATION ANALYSIS. *Journal of Radioanal Chem*. 148: 217-225.
- Rautio, A; Korkka-Niemi, K. (2011). Characterization of groundwater-lake water interactions at Pyhajarvi, a lake in SW Finland. *Boreal Environmental Research*. 16: 363-380.
- Ravikumar, JX; Gurol, MD. (1994). Chemical oxidation of chlorinated organics by hydrogen peroxide in the presence of sand. *Environ Sci Technol*. 28: 394-400.
- Ray, WA; Griffin, MR; Schaffner, W. (1987). Psychotropic drug use and the risk of hip fracture. *N Engl J Med*. 316: 363-369. <http://dx.doi.org/10.1056/NEJM198702123160702>.
- Raychoudhury, T; Scheytt, T. (2013). Potential of zerovalent iron nanoparticles for remediation of environmental organic contaminants in water: a review. *Water Sci Technol*. 68: 1425-1439. <http://dx.doi.org/10.2166/wst.2013.358>.
- Razafindratsima, S; Guerin, R; Bendjoudi, H; de Marsily, G. (2014). Hydrogeological modeling constraints provided by geophysical and geochemical mapping of a chlorinated ethenes plume in northern France. *Hydrogeology Journal*. 22: 1433-1446. <http://dx.doi.org/10.1007/s10040-014-1133-1>.
- Reamon-Buettner, SM; Borlak, J. (2007). A new paradigm in toxicology and teratology: Altering gene activity in the absence of DNA sequence variation [Review]. *Reprod Toxicol*. 24: 20-30. <http://dx.doi.org/10.1016/j.reprotox.2007.05.002>.
- Reardon, EJ. (2014). Capture and storage of hydrogen gas by zero-valent iron. *J Contam Hydrol*. 157: 117-124. <http://dx.doi.org/10.1016/j.jconhyd.2013.11.007>.
- Reardon, EJ; Fagan, R; Vogan, JL; Przepiora, A. (2008). Anaerobic corrosion reaction kinetics of nanosized iron. *Environ Sci Technol*. 42: 2420-2425. <http://dx.doi.org/10.1021/es0712120>.
- Reddy, AVB; Madhavi, V; Reddy, KG; Madhavi, G. (2013). Remediation of Chlorpyrifos-Contaminated Soils by Laboratory-Synthesized Zero-Valent Nano Iron PArticles: Effect of pH and Aluminum Salts. *J Chem*. <http://dx.doi.org/10.1155/2013/521045>.
- Reddy, KS; Swamy, AVN; Prasad, TEV; Prasad, DHL. (2010). Vapor-Liquid Equilibria of Binary Mixtures Formed by Hexan-1-ol with Chloroethanes and Chloroethenes at 95.6 kPa. *Journal of Chemical and Engineering Data*. 55: 2073-2076. <http://dx.doi.org/10.1021/jc9000608>.
- Reddy, TR; Meeravali, NN; Reddy, AVR. (2013). Novel reverse mixed micelle mediated transport of platinum and palladium through a bulk liquid membrane from real samples. *Separation and Purification Technology*. 103: 71-77. <http://dx.doi.org/10.1016/j.seppur.2012.10.025>.
- Reddy, TR; Meeravali, NN; Reddy, AVR. (2013). Reverse Micelle Mediated Bulk Liquid Membrane Separation of Platinum Gold and Silver From Real Samples. *Separation Science and Technology*. 48: 1858-1866. <http://dx.doi.org/10.1080/01496395.2013.763708>.
- Regens, JL; Zimmerman, RE; Wilkey, PL; Hodges, DG; Armstrong, AQ; Kelley, L. (2000). Evaluating environmental technology for meeting remediation end points and long-term stewardship options. *Environ Sci Pollut Res Int* 49-55.
- Regis, RG. (2016). Trust regions in Kriging-based optimization with expected improvement. *Engineering Optimization*. 48: 1037-1059. <http://dx.doi.org/10.1080/0305215X.2015.1082350>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Reiche, N; Lorenz, W; Borsdorf, H. (2010). Development and application of dynamic air chambers for measurement of volatilization fluxes of benzene and MTBE from constructed wetlands planted with common reed. *Chemosphere*. 79: 162-168. <http://dx.doi.org/10.1016/j.chemosphere.2010.01.017>.
- Reichman, R; Rolston, DE; Yates, SR; Skaggs, TH. (2011). Diurnal Variation of Diazinon Volatilization: Soil Moisture Effects. *Environ Sci Technol*. 45: 2144-2149. <http://dx.doi.org/10.1021/es102921r>.
- Reif, JS; Burch, JB; Nuckols, JR; Metzger, L; Ellington, D; Anger, WK. (2003). Neurobehavioral effects of exposure to trichloroethylene through a municipal water supply. *Environ Res*. 93: 248-258. [http://dx.doi.org/10.1016/S0013-9351\(03\)00131-2](http://dx.doi.org/10.1016/S0013-9351(03)00131-2).
- Reilly, J; Sarofim, M; Paltsev, S; Prinn, R. (2006). The role of non-CO₂ GHGs in climate policy: Analysis using the MIT IGSM. *Energy Journal* 503-520.
- Rein, A; Holm, O; Trapp, S; Popp-Hofmann, S; Bittens, M; Leven, C; Dietrich, P. (2015). Comparison of Phytoscreening and Direct-Push-Based Site Investigation at a Rural Megasite Contaminated with Chlorinated Ethenes. *Ground Water Monitoring and Remediation*. 35: 1-U108. <http://dx.doi.org/10.1111/gwmmr.12122>.
- Reinsch, BC; Forsberg, B; Penn, RL; Kim, CS; Lowry, GV. (2010). Chemical transformations during aging of zerovalent iron nanoparticles in the presence of common groundwater dissolved constituents. *Environ Sci Technol*. 44: 3455-3461. <http://dx.doi.org/10.1021/es902924h>.
- Remiezowicz, E; Pajak, M; Skrzypinski, W. (2003). Intermediates in photodegradation of chlorinated organic compounds. *Inzynieria Chemiczna i Procesowa*. 24: 643-650.
- Remiezowicz, E; Pajak, M; Skrzypinski, W. (2003). Properties of the catalysts used for the photodegradation of chlorinated organic compounds. *Inzynieria Chemiczna i Procesowa*. 24: 633-641.
- Ren, L; Zhang, J, in. (2012). Comparison of the Effects of Fluidized-Bed and Fixed-Bed Reactors in Microwave-Assisted Catalytic Decomposition of TCE by Hydrogen. *Advances in Materials Science and Engineering*. 2012 (Jan 2012). <http://dx.doi.org/10.1155/2012/728472>.
- Ren, M; Valsaraj, KT. (2008). Photocatalytic oxidation of gaseous 1,2-dichlorobenzene using photonic titania (inverse opal) on optical fibers in a monolith configuration. *Separation and Purification Technology*. 62: 523-528. <http://dx.doi.org/10.1016/j.seppur.2008.02.029>.
- Renpenning, J; Keller, S; Cretnik, S; Shouakar-Stash, O; Elsner, M; Schubert, T; Nijenhuis, I. (2014). Combined C and Cl isotope effects indicate differences between corrinoids and enzyme (Sulfurospirillum multivorans PceA) in reductive dehalogenation of tetrachloroethene, but not trichloroethene. *Environ Sci Technol*. 48: 11837-11845. <http://dx.doi.org/10.1021/es503306g>.
- Renpenning, J; Rapp, I; Nijenhuis, I. (2015). Substrate hydrophobicity and cell composition influence the extent of rate limitation and masking of isotope fractionation during microbial reductive dehalogenation of chlorinated ethenes. *Environ Sci Technol*. 49: 4293-4301. <http://dx.doi.org/10.1021/es506108j>.
- Revesz, K; Shapiro, AM; Tiedeman, CR; Goode, DJ. (2009). Monitoring delta C-13 of TCE to evaluate microbial degradation in a fractured sedimentary rock aquifer, New Jersey, USA. *Geochim Cosmo Acta*. 73: A1092-A1092.
- Révész, KM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and ²HH₂O tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol*. 156: 62-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.004>.
- Revesz, S; Sipos, R; Kende, A; Rikker, T; Romsics, C; Meszaros, E, va; Mohr, A; Tancsics, A; Marialigeti, K. (2006). Bacterial community changes in TCE biodegradation detected in microcosm experiments. *Int Biodeterior Biodegradation*. 58: 239-247. <http://dx.doi.org/10.1016/j.ibiod.2006.06.018>.
- Rexwinkel, G; Heesink, BBM; van Swaaij, WPM. (1999). Adsorption of halogenated hydrocarbons from aqueous solutions by wetted and nonwetted hydrophobic and hydrophilic sorbents: Equilibria. *Journal of Chemical and Engineering Data*. 44: 1139-1145.
- Reyes-Garcia, EA; Sun, Y; Reyes-Gil, K; Raftery, D. (2007). N-15 solid state NMR and EPR characterization of N-doped TiO₂ photocatalysts. *J Phys Chem C*. 111: 2738-2748. <http://dx.doi.org/10.1021/jp0652289>.
- Reynolds, DA; Kueper, BH. (2001). Multiphase flow and transport in fractured clay/sand sequences. *J Contam Hydrol*. 51: 41-62.
- Reynolds, DA; Kueper, BH. (2002). Numerical examination of the factors controlling DNAPL migration through a single fracture. *Ground Water*. 40: 368-377.
- Reznik, G; Ward, JM; Hardisty, JF; Russfield, A. (1979). Renal carcinogenic and nephrotoxic effects of the flame retardant tris(2,3-dibromopropyl) phosphate in F344 rats and (C57BL/6N X C3H/HeN)F1 mice. *J Natl Cancer Inst*. 63: 205-212.
- Rhee, E; Speece, RE. (1992). MAXIMAL BIODEGRADATION RATES OF CHLOROFORM AND TRICHLOROETHYLENE IN ANAEROBIC TREATMENT (pp. 17-20). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/92/28300). Rhee, E; Speece, RE.
- Rhee, I; Bachman, KE; Park, BH; Jair, KW; Yen, RW; Schuebel, KE; Cui, H; Feinberg, AP; Lengauer, C; Kinzler, KW; Baylin, SB; Vogelstein, B. (2002). DNMT1 and DNMT3b cooperate to silence genes in human cancer cells. *Nature*. 416: 552-556. <http://dx.doi.org/10.1038/416552a>.
- Rhomberg, L. (2002). The a posteriori probability of a kidney cancer cluster attributed to trichloroethylene exposure [Letter]. *Environ Health Perspect*. 110: A232.
- Rhomberg, LR. (2000). Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals [Review]. *Environ Health Perspect*. 108: 343-358.
- Rhomberg, LR. (2004). Separating pharmacokinetic and pharmacodynamic components in empirical adjustment factor distributions. *Hum Ecol Risk Assess*. 10: 79 - 90. <http://dx.doi.org/10.1080/10807030490280972>.
- Riba, O; Barnes, RJ; Scott, TB; Gardner, MN; Jackman, SA; Thompson, I, anP. (2011). Enhanced reactivity of nanoscale iron particles through a vacuum annealing process. *J Nanopart Res*. 13: 4591-4601. <http://dx.doi.org/10.1007/s11051-011-0421-0>.
- Ribas, D; Cernik, M; Marti, V; Benito, JA. (2016). Improvements in nanoscale zero-valent iron production by milling through the addition of alumina. *J Nanopart Res*. 18. <http://dx.doi.org/10.1007/s11051-016-3490-2>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ribera, E; Veciana, J; Molins, E; Mata, I; Wurst, K; Rovira, C. (2000). Novel dissymmetric tetrathiafulvalenes as precursors of organic metals: Synthesis, x-ray crystal structures, electrochemical properties and study of their radical cations. *European Journal of Organic Chemistry* 2867-2875.
- Rice, G; Teuschler, LK; Speth, TF; Richardson, SD; Miltner, RJ; Schenck, KM; Gennings, C; Hunter, ES; Narotsky, MG; Simmons, JE. (2008). Integrated disinfection by-products research: assessing reproductive and developmental risks posed by complex disinfection by-product mixtures [Review]. *J Toxicol Environ Health A*. 71: 1222-1234. <http://dx.doi.org/10.1080/15287390802182649>.
- Richardson, FC; Boucheron, JA; Dyroff, MC; Popp, JA; Swenberg, JA. (1986). Biochemical and morphologic studies of heterogeneous lobe responses in hepatocarcinogenesis. *Carcinogenesis*. 7: 247-251. <http://dx.doi.org/10.1093/carcin/7.2.247>.
- Richardson, JD; Bertaso, AG; Frost, L; Psaltis, PJ; Carbone, A; Koschade, B; Wong, DT; Nelson, AJ; Paton, S; Williams, K; Azarisman, S; Worthley, MI; Teo, KS; Gronthos, S; Zannettino, AC; Worthley, SG. (2013). Cardiac magnetic resonance, transthoracic and transoesophageal echocardiography: a comparison of in vivo assessment of ventricular function in rats. *Lab Anim*. 47: 291-300. <http://dx.doi.org/10.1177/0023677213494373>.
- Richardson, PL; Perdigoto, MLN; Wang, W; Lopes, RJG. (2013). Heterogeneous photo-enhanced conversion of carbon dioxide to formic acid with copper- and gallium-doped titania nanocomposites. *Appl Catal B-Environ*. 132: 408-415. <http://dx.doi.org/10.1016/j.apcatb.2012.11.045>.
- Richardson, RE; Bhupathiraju, VK; Song, DL; Goulet, TA; Alvarez-Cohen, L. (2002). Phylogenetic characterization of microbial communities that reductively dechlorinate TCE based upon a combination of molecular techniques. *Environ Sci Technol*. 36: 2652-2662. <http://dx.doi.org/10.1021/es0157797>.
- Richmond, SA; Lindstrom, JE; Braddock, JF. (2001). Assessment of natural attenuation of chlorinated aliphatics and BTEX in subarctic groundwater. *Environ Sci Technol*. 35: 4038-4045.
- Richnow, HH; Annweiler, E; Michaelis, W; Meckenstock, RU. (2003). Microbial in situ degradation of aromatic hydrocarbons in a contaminated aquifer monitored by carbon isotope fractionation. *J Contam Hydrol*. 65: 101-120. [http://dx.doi.org/10.1016/S0169-7722\(02\)00233-4](http://dx.doi.org/10.1016/S0169-7722(02)00233-4).
- Ricking, M; Terytze, K. (1999). Trace metals and organic compounds in sediment samples from the River Danube in Russe and Lake Srebarna (Bulgaria). *Environ Geol*. BERLIN: 1-2.
- Riebeth, DM; Belser, NO; Castro, CE. (1992). Partial rapid metabolism of 1,2-dichloroethane by *Methylosinus trichosporium* OB-3b. *Environ Toxicol Chem*. 11: 497-501.
- Riederer, F; Luborzewski, A; God, R; Bringmann, G; Scholz, J; Feineis, D; Moser, A. (2002). Modification of tyrosine hydroxylase activity by chloral derived beta-carbolines in vitro. *J Neurochem*. 81: 814-819.
- Ries, LAG; Melbert, D; Krapcho, M; Stinchcomb, DG; Howlader, N; Horner, MJ; Mariotto, A; Miller, BA; Feuer, EJ; Altekruse, SF; Lewis, DR; Clegg, L; Eisner, MP; Reichman, M; Edwards, BK. (2008). SEER cancer statistics review, 1975-2005. Bethesda, MD: U.S. National Institutes of Health, National Cancer Institute. http://seer.cancer.gov/csr/1975_2005.
- Rieutort, D; Moyne, O; Cocco, P; de Gaudemaris, R; Bicout, DJ. (2016). Ranking occupational contexts associated with risk of non-Hodgkin lymphoma. *Am J Ind Med*. 59: 561-574. <http://dx.doi.org/10.1002/ajim.22604>.
- Riley, RG; Szecsody, JE; Sklarew, DS; Mitroshkov, AV; Gent, PM; Brown, CF; Thompson, CJ. (2010). Desorption behavior of carbon tetrachloride and chloroform in contaminated low organic carbon aquifer sediments. *Chemosphere*. 79: 807-813. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.005>.
- Ripp, S; Nivens, DE; Ahn, Y; Werner, C; Jarrell, J; Easter, JP; Cox, CD; Burlage, RS; Sayler, GS. (2000). Controlled field release of a bioluminescent genetically engineered microorganism for bioremediation process monitoring and control. *Environ Sci Technol*. 34: 846-853.
- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Species and sex differences in expression of flavin-containing monooxygenase form 3 in liver and kidney microsomes. *Drug Metab Dispos*. 27: 46-52.
- Ripp, SL; Overby, LH; Philpot, RM; Elfarra, AA. (1997). Oxidation of cysteine S-conjugates by rabbit liver microsomes and cDNA-expressed flavin-containing mono-oxygenases: Studies with S-(1,2-dichlorovinyl)-L-cysteine, S-(1,2,2-trichlorovinyl)-L-cysteine, S-allyl-L-cysteine, and S-benzyl-L-cysteine. *Mol Pharmacol*. 51: 507-515.
- Rishell, S; Casey, E; Glennon, B; Hamer, G. (2004). Mass transfer analysis of a membrane aerated reactor. *Biochem Eng J*. 18: 159-167. <http://dx.doi.org/10.1016/j.bej.2003.08.005>.
- Ristic, A; Logar, NZ; Henninger, SK; Kaucic, V. (2012). The Performance of Small-Pore Microporous Aluminophosphates in Low-Temperature Solar Energy Storage: The Structure-Property Relationship. *Adv Funct Mater*. 22: 1952-1957. <http://dx.doi.org/10.1002/adfm.201102734>.
- Ristoff, E; Larsson, A. (2007). Inborn errors in the metabolism of glutathione [Review]. *Orphanet J Rare Dis*. 2: 16. <http://dx.doi.org/10.1186/1750-1172-2-16>.
- Ristoiu, I; Haydee, KM; Ristoiu, T. (2010). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY IN DEJ TOWN, ROMANIA. *J Environ Prot Ecol*. 11: 1229-1238.
- Ritter, K; Odziemkowski, MS; Gillham, RW. (2002). An in situ study of the role of surface films on granular iron in the permeable iron wall technology. *J Contam Hydrol*. 55: 87-111.
- Ritter, K; Odziemkowski, MS; Simpraga, R; Gillham, RW; Irish, DE. (2003). An in situ study of the effect of nitrate on the reduction of trichloroethylene by granular iron. *J Contam Hydrol*. 65: 121-136. [http://dx.doi.org/10.1016/S0169-7722\(02\)00234-6](http://dx.doi.org/10.1016/S0169-7722(02)00234-6).
- Rittmann, BE. (1992). MICROBIOLOGICAL DETOXIFICATION OF HAZARDOUS ORGANIC CONTAMINANTS THE CRUCIAL ROLE OF SUBSTRATE INTERACTIONS (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11387). Rittmann, BE.
- Rittmann, BE. (2006). The membrane biofilm reactor: the natural partnership of membranes and biofilm. *Water Sci Technol*. 53: 219-225. <http://dx.doi.org/10.2166/wst.2006.096>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ritz, B. (1999). Radiation exposure and cancer mortality in uranium processing workers. *Epidemiology*. 10: 531-538.
- Ritz, B; Morgenstern, H; Crawford-Brown, D; Young, B. (2000). The effects of internal radiation exposure on cancer mortality in nuclear workers at Rocketdyne/Atomics International. *Environ Health Perspect*. 108: 743-751.
- Ritz, B; Morgenstern, H; Froines, J; Moncau, J. (1999). Chemical exposures of rocket-engine test-stand personnel and cancer mortality in a cohort of aerospace workers. *J Occup Environ Med*. 41: 903-910.
- Ritz, B; Morgenstern, H; Froines, J; Young, BB. (1999). Effects of exposure to external ionizing radiation on cancer mortality in nuclear workers monitored for radiation at Rocketdyne/Atomics International. *Am J Ind Med*. 35: 21-31.
- Ritz, B; Zhao, Y; Krishnadasan, A; Kennedy, N; Morgenstern, H. (2006). Estimated effects of hydrazine exposure on cancer incidence and mortality in aerospace workers. *Epidemiology*. 17: 154-161. <http://dx.doi.org/10.1097/01.ede.0000199323.55534.fb>.
- Rivas, IM; Arvin, E. (2000). Biodegradation of thiophene by cometabolism in a biofilm system. *Water Sci Technol*. 41: 461-468.
- Rivera, D; Alam, MK; Davis, CE; Ho, CK. (2003). Characterization of the ability of polymeric chemiresistor arrays to quantitate trichloroethylene using partial least squares (PLS): effects of experimental design, humidity, and temperature. *Sens Actuators B*. 92: 110-120. [http://dx.doi.org/10.1016/S0925-4005\(03\)00122-9](http://dx.doi.org/10.1016/S0925-4005(03)00122-9).
- Rivera, LSZ; Carrillo, L; Mancilla, T. (1999). Syntheses and characterization of 2-hydroxy-N-(2'-hydroxyalkyl)acetamides. *Heteroatom Chemistry*. 10: 153-158.
- Rivett. (2007). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene (vol 7, pg 313, 2006). *Environ Forensics*. 8: 193-193.
- Rivett, MO. (2008). Reply to discussion of 'A quest to locate sites described in the world's first publication on trichloroethene contamination of groundwater' MO Rivett & L. Clark, *Quarterly Journal of Engineering Geology and Hydrogeology*, 40, 241-249. *Quarterly Journal of Engineering Geology and Hydrogeology*. 41: 493-497. <http://dx.doi.org/10.1144/1470-9236/08-055>.
- Rivett, MO; Allen-King, RM. (2003). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: dissolved-plume retardation. *J Contam Hydrol*. 66: 117-146. [http://dx.doi.org/10.1016/S0169-7722\(03\)00006-8](http://dx.doi.org/10.1016/S0169-7722(03)00006-8).
- Rivett, MO; Clark, L. (2007). A quest to locate sites described in the world's first publication on trichloroethene contamination of groundwater. *Quarterly Journal of Engineering Geology and Hydrogeology*. 40: 241-249.
- Rivett, MO; Dearden, RA; Wealthall, GP. (2014). Architecture, persistence and dissolution of a 20 to 45 year old trichloroethene DNAPL source zone. *J Contam Hydrol*. 170: 95-115. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.008>.
- Rivett, MO; Feenstra, S. (2005). Dissolution of an emplaced source of DNAPL in a natural aquifer setting. *Environ Sci Technol*. 39: 447-455.
- Rivett, MO; Feenstra, S; Cherry, JA. (1994). TRANSPORT OF A DISSOLVED-PHASE PLUME FROM A RESIDUAL SOLVENT SOURCE IN A SAND AQUIFER. *J Hydrol*. 159: 27-41.
- Rivett, MO; Feenstra, S; Cherry, JA. (2001). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: creation of the emplaced-source and overview of dissolved plume development. *J Contam Hydrol*. 49: 111-149. [http://dx.doi.org/10.1016/S0169-7722\(00\)00191-1](http://dx.doi.org/10.1016/S0169-7722(00)00191-1).
- Rivett, MO; Feenstra, S; Clark, L. (2006). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene. *Environ Forensics*. 7: 313-323. <http://dx.doi.org/10.1080/15275920600996180>.
- Rivett, MO; Shepherd, KA; Keeyes, LL; Brennan, AE. (2005). Chlorinated solvents in the Birmingham aquifer, UK: 1986-2001. *Quarterly Journal of Engineering Geology and Hydrogeology*. 38: 337-350. <http://dx.doi.org/10.1144/1470-9236/04-051>.
- Rivett, MO; Turner, RJ; Glibbery Née Murcott, P; Cuthbert, MO. (2012). The legacy of chlorinated solvents in the Birmingham aquifer, UK: observations spanning three decades and the challenge of future urban groundwater development. *J Contam Hydrol*. 140-141: 107-123. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.006>.
- Rivett, MO; Wealthall, GP; Dearden, RA; Mcalary, TA. (2011). Review of unsaturated-zone transport and attenuation of volatile organic compound (VOC) plumes leached from shallow source zones [Review]. *J Contam Hydrol*. 123: 130-156. <http://dx.doi.org/10.1016/j.jconhyd.2010.12.013>.
- Robert, T; Martel, R; Conrad, SH; Lefebvre, R; Gabriel, U. (2006). Visualization of TCE recovery mechanisms using surfactant-polymer solutions in a two-dimensional heterogeneous sand model. *J Contam Hydrol*. 86: 3-31. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.013>.
- Roberts, JJ; Wildenschild, D. (2004). Electrical properties of sand-clay mixtures containing trichloroethylene and ethanol. *J Environ Eng Geophys*. 9: 1-10.
- Roberts, PM; Sharma, A; Uddameri, V; Monagle, M; Dale, DE; Steck, LK. (2001). Enhanced DNAPL transport in a sand core during dynamic stress stimulation. *Environ Eng Sci*. 18: 67-79.
- Robertson, WD; Murphy, AM; Cherry, JA. (1995). LOW-COST ON-SITE TREATMENT OF LANDFILL LEACHATE USING INFILTRATION BEDS - PRELIMINARY FIELD TRIAL. *Ground Water Monitoring and Remediation*. 15: 107-115.
- Robins, J. (1987). A graphical approach to the identification and estimation of causal parameters in mortality studies with sustained exposure periods. *J Chronic Dis*. 40: 139S-161S. [http://dx.doi.org/10.1016/S0021-9681\(87\)80018-8](http://dx.doi.org/10.1016/S0021-9681(87)80018-8).
- Robinson, C; Barry, DA. (2009). Design tool for estimation of buffer requirement for enhanced reductive dechlorination of chlorinated solvents in groundwater. *Environ Modell Softw*. 24: 1332-1338. <http://dx.doi.org/10.1016/j.envsoft.2009.03.012>.
- Robinson, C; Barry, DA; Mccarty, PL; Gerhard, JI; Kouznetsova, I. (2009). pH control for enhanced reductive bioremediation of chlorinated solvent source zones. *Sci Total Environ*. 407: 4560-4573. <http://dx.doi.org/10.1016/j.scitotenv.2009.03.029>.
- Robinson, J; Slater, L; Johnson, T; Shapiro, A; Tiedeman, C; Ntarlagiannis, D; Johnson, C; Day-Lewis, F; Lacombe, P; Imbrigiotta, T; Lane, J. (2016). Imaging Pathways in Fractured Rock Using Three-Dimensional Electrical Resistivity Tomography. *Ground Water*. 54: 186-201. <http://dx.doi.org/10.1111/gwat.12356>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Robinson, KG; Pieters, JG; Sanseverino, J; Cox, CD; Wright, CL; Cheng, CL; Saylor, GS. (1998). Microbial oxidation and bioluminescence response for toluene and trichloroethylene. *Water Sci Technol.* 38: 1-8.
- Robrock, KR; Korytár, P; Alvarez-Cohen, L. (2008). Pathways for the Anaerobic Microbial Debromination of Polybrominated Diphenyl Ethers. *Environ Sci Technol.* 42: 2845-2852. <http://dx.doi.org/10.1021/es0720917>.
- Rocha, AC; Reis-Henriques, MA; Galhano, V; Ferreira, M; Guimarães, L. (2016). Toxicity of seven priority hazardous and noxious substances (HNSs) to marine organisms: Current status, knowledge gaps and recommendations for future research [Review]. *Sci Total Environ.* 542: 728-749. <http://dx.doi.org/10.1016/j.scitotenv.2015.10.049>.
- Rocha-Rios, J; Bordel, S; Hernandez, S; Revah, S. (2009). Methane degradation in two-phase partition bioreactors. *Chem Eng J.* 152: 289-292. <http://dx.doi.org/10.1016/j.cej.2009.04.028>.
- Roche, P; Prados, M. (1995). Removal of pesticides by use of ozone or hydrogen peroxide ozone. *Ozone: Science and Engineering.* 17: 657-672.
- Rochetto, UL; Tomaz, E. (2015). Degradation of volatile organic compounds in the gas phase by heterogeneous photocatalysis with titanium dioxide/ultraviolet light. *Journal of the Air and Waste Management Association.* 65: 810-817. <http://dx.doi.org/10.1080/10962247.2015.1020117>.
- Rockne, KJ; Strand, SE. (2003). Amplification of marine methanotrophic enrichment DNA with 16S rDNA PCR primers for Type II alpha proteobacteria methanotrophs. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 1877-1887. <http://dx.doi.org/10.1081/ESE-120022886>.
- Rodenbeck, S; Sanderson, L; Rene, A. (2000). Maternal exposure to trichloroethylene in drinking water and birth-weight outcomes. *Arch Environ Health.* 55: 188-194. <http://dx.doi.org/10.1080/00039890009603405>.
- Rodrigues, S; Ranjit, KT; Uma, S; Martyanov, IN; Klabunde, KJ. (2005). Visible-light photooxidation of trichloroethylene by Cr-Al-MCM-41. *J Catal.* 230: 158-165.
- Rodriguez, E; McGuinness, KA; Ophori, DU. (2004). A field evaluation of enhanced reductive dechlorination of chlorinated solvents in groundwater, New York Metropolitan Area. *Environ Geol.* 45: 623-632. <http://dx.doi.org/10.1007/s00254-003-0920-0>.
- Rodriguez, S; Vasquez, L; Costa, D; Romero, A; Santos, A. (2014). Oxidation of Orange G by persulfate activated by Fe(II), Fe(III) and zero valent iron (ZVI). *Chemosphere.* 101: 86-92. <http://dx.doi.org/10.1016/j.chemosphere.2013.12.037>.
- Rodriguez, S; Vasquez, L; Romero, A; Santos, A. (2014). Dye Oxidation in Aqueous Phase by Using Zero-Valent Iron as Persulfate Activator: Kinetic Model and Effect of Particle Size. *Ind Eng Chem Res.* 53: 12288-12294. <http://dx.doi.org/10.1021/ie501632e>.
- Rodriguez, Y; Mesa, J; Arguelles, E; Carrillo, RG. (2013). Tricuspid insufficiency after laser lead extraction. *Pacing Clin Electrophysiol.* 36: 939-944. <http://dx.doi.org/10.1111/pace.12160>.
- Roesler, JF; Yetter, RA; Dryer, FL. (1992). THE INHIBITION OF THE CO/H₂O/O₂ REACTION BY TRACE QUANTITIES OF HCL. *Combust Sci Tech.* 82: 87-100.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary: Volatile organohalogen compounds. *Mar Pollut Bull.* 24: 82-91.
- Roggy, DK; Novak, PJ; Hozalski, RM; Clapp, LW; Semmens, MJ. (2002). Membrane gas transfer for groundwater remediation: Chemical and biological fouling. *Environ Eng Sci.* 19: 563-574.
- Roh, Y; Cho, KS; Lee, S. (2001). Electrochemical remediation of trichloroethene-contaminated groundwater using palladized iron oxides. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 923-933.
- Roh, Y; Lee, SY; Elless, MP. (2000). Characterization of corrosion products in the permeable reactive barriers. *Environ Geol.* 40: 184-194.
- Roh, Y; Lee, SY; Elless, MP; Moon, HS. (2000). Electro-enhanced remediation of trichloroethene-contaminated groundwater using zero-valent iron. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 35: 1061-1076.
- Roland, U; Holzer, F; Kopinke, FD. (2002). Improved oxidation of air pollutants in a non-thermal plasma. *Catalysis Today.* 73: 315-323.
- Romero, RL; Alfano, OM; Cassano, AE. (2009). Photocatalytic Reactor Employing Titanium Dioxide: From a Theoretical Model to Realistic Experimental Results. *Ind Eng Chem Res.* 48: 10456-10466. <http://dx.doi.org/10.1021/ie900354y>.
- Romero-Saez, M; Divakar, D; Aranzabal, A; Gonzalez-Velasco, JR, JR; Gonzalez-Marcos, JA. (2016). Catalytic oxidation of trichloroethylene over Fe-ZSM-5: Influence of the preparation method on the iron species and the catalytic behavior. *Appl Catal B-Environ.* 180: 210-218. <http://dx.doi.org/10.1016/j.apcatb.2015.06.027>.
- Ronen, D; Graber, ER; Laor, Y. (2005). Volatile organic compounds in the saturated-unsaturated interface region of a contaminated phreatic aquifer. *Vadose Zone Journal.* 4: 337-344. <http://dx.doi.org/10.2136/vzj2004.0100>.
- Ronen, D; Lev-Wiener, H; Graber, ER; Dahan, O; Weisbrod, N. (2010). Simultaneous counter-flow of chlorinated volatile organic compounds across the saturated-unsaturated interface region of an aquifer. *Water Res.* 44: 2107-2112. <http://dx.doi.org/10.1016/j.watres.2009.12.016>.
- Rong, Y. (1999). A study of vadose zone transport model VLEACH. *Journal of Soil Contamination.* 8: 217-229.
- Roose, P; Brinkman, UA. (1998). Determination of volatile organic compounds in marine biota. *J Chromatogr A.* 799: 233-248. [http://dx.doi.org/10.1016/S0021-9673\(97\)01081-9](http://dx.doi.org/10.1016/S0021-9673(97)01081-9).
- Rosell, M; Lacorte, S; Barceló, D. (2006). Simultaneous determination of methyl tert-butyl ether, its degradation products and other gasoline additives in soil samples by closed-system purge-and-trap gas chromatography-mass spectrometry. *J Chromatogr A.* 1132: 28-38. <http://dx.doi.org/10.1016/j.chroma.2006.07.060>.
- Rosell, M; Lacorte, S; Forner, C; Rohns, HP; Irmischer, R; Barcelo, D. (2005). Fate of gasoline oxygenates in conventional and multilevel wells of a contaminated groundwater table in Dusseldorf, Germany. *Environ Toxicol Chem.* 24: 2785-2795. <http://dx.doi.org/10.1897/05-080r.1>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Rosenbloom, J; Mock, P; Lawson, P; Brown, J; Turin, HJ. (1993). APPLICATION OF VLEACH TO VADOSE ZONE TRANSPORT OF VOCS AT AN ARIZONA SUPERFUND SITE. *Ground Water Monitoring and Remediation*. 13: 159-169.
- Rosenthal, H; Adrian, L; Steiof, M. (2004). Dechlorination of PCE in the presence of FeO enhanced by a mixed culture containing two Dehalococcoides strains. *Chemosphere*. 55: 661-669. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.053>.
- Roser, JF; Mccue, PM; Hoye, E. (1994). Inhibin activity in the mare and stallion. *Domest Anim Endocrinol*. 11: 87-100.
- Roskams, T; Yang, SQ; Koteish, A; Durnez, A; DeVos, R; Huang, X; Achten, R; Verslype, C; Diehl, AM. (2003). Oxidative stress and oval cell accumulation in mice and humans with alcoholic and nonalcoholic fatty liver disease. *Am J Pathol*. 163: 1301-1311. [http://dx.doi.org/10.1016/S0002-9440\(10\)63489-X](http://dx.doi.org/10.1016/S0002-9440(10)63489-X).
- Roskams, TA; Theise, ND; Balabaud, C; Bhagat, G; Bhathal, PS; Bioulac-Sage, P; Brunt, EM; Crawford, JM; Crosby, HA; Desmet, V; Finegold, MJ; Geller, SA; Gouw, AS; Hytiroglou, P; Knisely, AS; Kojiro, ML, efkowitz, J. H. N., akanuma, Y.; Olynyk, JK; Park, YN; Portmann, B; Saxena, R; Scheuer, PJ; Strain, AJ; Thung, SN; Wanless, IR; West, AB. (2004). Nomenclature of the finer branches of the biliary tree: Canals, ductules, and ductular reactions in human livers. *Hepatology*. 39: 1739-1745. <http://dx.doi.org/10.1002/hep.20130>.
- Rosocha, LA; Secker, DA; Smith, JD. (1994). KINETIC MODELING OF TRICHLOROETHYLENE AND CARBON-TETRACHLORIDE REMOVAL FROM WATER BY ELECTRON-BEAM IRRADIATION. *ACS Symp Ser Am Chem Soc*. 554: 184-196.
- Ross, C; Murdoch, LC; Freedman, DL; Siegrist, RL. (2005). Characteristics of potassium permanganate encapsulated in polymer. *J Environ Eng*. 131: 1203-1211. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:8\(1203\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:8(1203)).
- Ross, JH; Driver, JH; Cochran, RC; Thongsinthusak, T; Krieger, RI. (2001). Could pesticide toxicology studies be more relevant to occupational risk assessment? [Review]. *Ann Occup Hyg*. 45 Suppl 1: S5-S17.
- Rossi, F; Cucciniello, R; Intiso, A; Proto, A; Motta, O; Marchettini, N. (2015). Determination of the trichloroethylene diffusion coefficient in water. *AIChE J*. 61: 3511-3515. <http://dx.doi.org/10.1002/aic.14861>.
- Rossi, M; Serraino, GF; Jiritano, F; Renzulli, A. (2012). Late de novo aortic regurgitation with the Jarvik 2000 Flowmaker® left ventricular assist device. *Int J Artif Organs*. 35: 1080-1082. <http://dx.doi.org/10.5301/ijao.5000111>.
- Rothman, KJ. (1986). *Modern Epidemiology* (1 ed.). Boston, MA: Little, Brown & Co.
- Rothman, KJ; Greenland, S. (1998). *Modern Epidemiology* (2 ed.). Philadelphia, PA: Lippincott-Raven.
- Rothmel, RK; Peters, RW; Martin, ES; Deflaun, MF. (1998). Surfactant foam/bioaugmentation technology for in situ treatment of TCE-DNAPLs. *Environ Sci Technol*. 32: 1667-1675.
- Rotter, H; Landau, MV; Herskowitz, M. (2005). Combustion of chlorinated VOC on nanostructured chromia aerogel as catalyst and catalyst support. *Environ Sci Technol*. 39: 6845-6850. <http://dx.doi.org/10.1021/es0500052>.
- Rouet, JF; Ros, C; Jegou, G; Metta, S. (2004). Locating relevant categories in Web menus: Effects of task complexity, menu structure and individual factors. 67: 377-395.
- Rouhou, MC; Charest-Tardif, G; Haddad, S. (2015). In vivo effects of naproxen, salicylic acid, and valproic acid on the pharmacokinetics of trichloroethylene and metabolites in rats. *J Toxicol Environ Health A*. 78: 671-684. <http://dx.doi.org/10.1080/15287394.2015.1020977>.
- Rouisse, L; Chakrabarti, SK. (1986). Dose-dependent metabolism of trichloroethylene and its relevance to hepatotoxicity in rats. *Environ Res*. 40: 450-458.
- Rowe, BL; Price, CV; Zogorski, JS; Moran, MJ. (2010). Vulnerability of drinking water supply wells to VOCs. *J Am Water Works Assoc*. 102: 133-+.
- Rowe, BL; Toccalino, PL; Moran, MJ; Zogorski, JS; Price, CV. (2007). Occurrence and potential human-health relevance of volatile organic compounds in drinking water from domestic wells in the United States. *Environ Health Perspect*. 115: 1539-1546. <http://dx.doi.org/10.1289/ehp.10253>.
- Rowell, FJ; Fletcher, A; Packham, C. (1997). Recovery of some common solvents from an adhesive commercial skin adsorption pad by thermal desorption-gas chromatography. *Analyst*. 122: 793-796.
- Roy, G; Mielczarski, JA. (2002). Infrared detection of chlorinated hydrocarbons in water at ppb levels of concentrations. *Water Res*. 36: 1902-1908.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol*. 59: 163-186.
- Royal, CL; Preston, DR; Sekelsky, AM; Shreve, GS. (2003). Reductive dechlorination of polychlorinated biphenyls in landfill leachate. *Int Biodeterior Biodegradation*. 51: 61-66.
- Rozentsveig, IB; Levkovskaya, GG; Rybalova, TN; Mirskova, AN. (2001). Synthesis and properties of N-(2,2,2-trichloroethylidene)and N-(2,2,2-trichloroethyl)nitrobenzenesulfonamides. *Russian Journal of Organic Chemistry*. 37: 87-92.
- Ruan, X; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Trichloroethylene degradation by persulphate with magnetite as a heterogeneous activator in aqueous solution. *Environ Technol*. 36: 1-9. <http://dx.doi.org/10.1080/09593330.2014.991353>.
- Rubab, I; Ali, S. (2016). Dried fruit extract of Terminalia chebula modulates the immune response in mice. *Food and Agricultural Immunology*. 27: 1-22. <http://dx.doi.org/10.1080/09540105.2015.1055554>.
- Rubin, EG; Ramaswami, A, nu. (2007). Evidence for phytodegradation of MTBE from coupled bench-scale and intermediate-scale tests. *J Environ Eng*. 133: 389-396. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:4\(389\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:4(389)).
- Rubinos, DA; Spagnoli, G; Barral, MT. (2016). Chemical and environmental compatibility of red mud liners for hazardous waste containment. *Int J Environ Sci Tech*. 13: 773-792. <http://dx.doi.org/10.1007/s13762-015-0917-8>.
- Rubio, SJ; Quintero, MC; Rodero, A. (2011). Application of microwave air plasma in the destruction of trichloroethylene and carbon tetrachloride at atmospheric pressure. *J Hazard Mater*. 186: 820-826. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.069>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Rubio, SJ; Quintero, MC; Rodero, A; Rodriguez, JM. (2007). Assessment of a new carbon tetrachloride destruction system based on a microwave plasma torch operating at atmospheric pressure. *J Hazard Mater.* 148: 419-427. <http://dx.doi.org/10.1016/j.jhazmat.2007.02.056>.
- Rubio, SJ; Rodero, A; Quintero, MC. (2008). Application of a microwave helium plasma torch operating at atmospheric pressure to destroy trichloroethylene. *Plasma Chemistry and Plasma Processing.* 28: 415-428. <http://dx.doi.org/10.1007/s11090-008-9133-3>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2013). Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case-control study. *Environ Health.* 12: 104. <http://dx.doi.org/10.1186/1476-069X-12-104>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2014). Evaluation of contaminated drinking water and preterm birth, small for gestational age, and birth weight at Marine Corps Base Camp Lejeune, North Carolina: a cross-sectional study. *Environ Health.* 13: 99. <http://dx.doi.org/10.1186/1476-069X-13-99>.
- Ruckart, PZ; Bove, FJ; Shanley, E; Maslia, M. (2015). Evaluation of contaminated drinking water and male breast cancer at Marine Corps Base Camp Lejeune, North Carolina: a case control study. *Environ Health.* 14: 74. <http://dx.doi.org/10.1186/s12940-015-0061-4>.
- Ruckenstein, MJ. (2004). Autoimmune inner ear disease [Review]. *Curr Opin Otolaryngol Head Neck Surg.* 12: 426-430.
- Rudén, C. (2003). Science and transscience in carcinogen risk assessment--the European Union regulatory process for trichloroethylene [Review]. *J Toxicol Environ Health B Crit Rev.* 6: 257-277. <http://dx.doi.org/10.1080/10937400306467>.
- Rudén, C. (2003). Scrutinizing ACGIH risk assessments: the trichloroethylene case. *Am J Ind Med.* 44: 207-213. <http://dx.doi.org/10.1002/ajim.10252>.
- Rudén, C. (2006). Science and policy in risk assessments of chlorinated ethenes. *Ann N Y Acad Sci.* 1076: 191-206. <http://dx.doi.org/10.1196/annals.1371.046>.
- Rudinger, C; Beruda, H; Schmidbaur, H. (1994). SYNTHESIS AND MOLECULAR-STRUCTURE OF SILYLATED ETHENES AND ACETYLENES. *Zeitschrift fuer Naturforschung B.* 49: 1348-1360.
- Rudolf, KL; DePinho, RA. (2001). Telomeres and telomerase in experimental liver cirrhosis. In D Shafritz (Ed.), (pp. 1001-1011). Philadelphia, PA: Lippincott Williams and Wilkins.
- Rufer, ES; Hacker, T; Lough, J; Smith, SM. (2008). Low-dose trichloroethylene exposure during valvuloseptal morphogenesis causes ventricular septal defects in hatched chicks [Abstract]. *Toxicologist.* 102: 314.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res.* 35: 1231-1246.
- Ruhl, A, kiS; Jekel, M. (2012). Impacts of Fe(0) grain sizes and grain size distributions in permeable reactive barriers. *Chem Eng J.* 213: 245-250. <http://dx.doi.org/10.1016/j.cej.2012.10.007>.
- Ruhl, A; Unal, N; Jekel, M. (2012). Evaluation of two-component Fe(0) fixed bed filters with porous materials for reductive dechlorination. *Chem Eng J.* 209: 401-406. <http://dx.doi.org/10.1016/j.cej.2012.08.006>.
- Ruhl, A; Unal, N; Jekel, M. (2013). Combination of Fe(0) with additional reactive materials in fixed bed reactors for TCE removal. *Chem Eng J.* 222: 180-185. <http://dx.doi.org/10.1016/j.cej.2013.02.059>.
- Ruiz, J; Bilbao, R; Murillo, MB. (1998). Adsorption of different VOC onto soil minerals from gas phase: Influence of mineral, type of VOC, and air humidity. *Environ Sci Technol.* 32: 1079-1084.
- Ruiz, N; Seal, S; Reinhart, D. (2000). Surface chemical reactivity in selected zero-valent iron samples used in groundwater remediation. *J Hazard Mater.* 80: 107-117.
- Ruiz-Haas, P; Ingle, J. (2009). Monitoring of redox state in a dechlorinating culture with immobilized redox indicators. *J Environ Monit.* 11: 1028-1036. <http://dx.doi.org/10.1039/b818487a>.
- Rule, KL; Comber, SD; Ross, D; Thornton, A; Makropoulos, CK; Rautiu, R. (2006). Sources of priority substances entering an urban wastewater catchment--trace organic chemicals. *Chemosphere.* 63: 581-591. <http://dx.doi.org/10.1016/j.chemosphere.2005.08.016>.
- Rusiecki, JA; Baccarelli, A; Bollati, V; Tarantini, L; Moore, LE; Bonefeld-Jorgensen, EC. (2008). Global DNA hypomethylation is associated with high serum-persistent organic pollutants in Greenlandic Inuit. *Environ Health Perspect.* 116: 1547-1552. <http://dx.doi.org/10.1289/ehp.11338>.
- Russell, RW; Gillan, KA; Haffner, GD. (1997). Polychlorinated biphenyls and chlorinated pesticides in southern Ontario, Canada, green frogs. *Environ Toxicol Chem.* 16: 2258-2263.
- Russo, A; Johnson, GR; Schnaar, G; Brusseau, ML. (2010). Nonideal transport of contaminants in heterogeneous porous media: 8. Characterizing and modeling asymptotic contaminant-elution tailing for several soils and aquifer sediments. *Chemosphere.* 81: 366-371. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.018>.
- Russo, A; Pacchierotti, F; Metalli, P. (1984). Nondisjunction induced in mouse spermatogenesis by chloral hydrate, a metabolite of trichloroethylene. *Environ Mutagen.* 6: 695-703. <http://dx.doi.org/10.1002/em.2860060507>.
- Russo, AE; Mahal, MK; Brusseau, ML. (2009). Nonideal behavior during complete dissolution of organic immiscible liquid: 1. Natural porous media. *J Hazard Mater.* 172: 208-213. <http://dx.doi.org/10.1016/j.jhazmat.2009.06.160>.
- Russo, AE; Narter, M; Brusseau, ML. (2009). Characterizing Pore-Scale Dissolution of Organic Immiscible Liquid in a Poorly-Sorted Natural Porous Medium. *Environ Sci Technol.* 43: 5671-5678. <http://dx.doi.org/10.1021/es803158x>.
- Rusyn, I; Bradham, CA; Cohn, L; Schoonhoven, R; Swenberg, JA; Brenner, DA; Thurman, RG. (1999). Corn oil rapidly activates nuclear factor-kappaB in hepatic Kupffer cells by oxidant-dependent mechanisms. *Carcinogenesis.* 20: 2095-2100.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Rusyn, I; Peters, JM; Cunningham, ML. (2006). Modes of action and species-specific effects of di-(2-ethylhexyl)phthalate in the liver [Review]. *Crit Rev Toxicol.* 36: 459-479. <http://dx.doi.org/10.1080/10408440600779065>.
- Rutherford, DW; Chiou, CT. (1992). Effect of water saturation in soil organic matter on the partition of organic compounds. *Environ Sci Technol.* 26: 965-970.
- Rutkiewicz, I; Kujawski, W; Namiesnik, J. (2011). A procedure for the determination of dichloromethane and tetrachloroethene in water using pervaporation and gas chromatography. *Chem Paper Chem Zvesti.* 65: 578-583. <http://dx.doi.org/10.2478/s11696-011-0065-7>.
- Ruus, A; Ugland, KI; Skaare, JU. (2002). Influence of trophic position on organochlorine concentrations and compositional patterns in a marine food web. *Environ Toxicol Chem.* 21: 2356-2364.
- Ryan, KW; Dwight, DM; Hlousek, DA. (2000). Recirculating wells: Ground water remediation and protection of surface water resources. *J Am Water Resour Assoc.* 36: 191-201.
- Rydzynski, K. (2001). Vanadium, niobium, and tantalum. In E Bingham; B Cohnsen; CH Powell (Eds.), (5 ed.). Hoboken, NJ: John Wiley & Sons.
- Ryu, J; Suh, DJ, in; Park, YK; Suh, YW. (2008). Effect of reduction temperature on the preparation of zero-valent iron aerogels for trichloroethylene dechlorination. *Korean J Chem Eng.* 25: 1377-1384.
- Saad, R; Thiboutot, S; Ampleman, G, uy; Dashan, W; Hawari, J. (2010). Degradation of trinitroglycerin (TNG) using zero-valent iron nanoparticles/nanosilica SBA-15 composite (ZVINS/SBA-15). *Chemosphere.* 81: 853-858. <http://dx.doi.org/10.1016/j.chemosphere.2010.08.012>.
- Sabate, J; Pujola, M; Centelles, E; Galan, M; Llorens, J. (1999). Determination of equilibrium distribution constants of phenol between surfactant micelles and water using ultrafiltering centrifuge tubes. *Colloid Surface Physicochem Eng Aspect.* 150: 229-245.
- Sabel, GV; Clark, TP. (1984). Volatile organic compounds as indicators of municipal solid waste leachate contamination. *Waste Manag Res.* 2: 119-130. [http://dx.doi.org/10.1016/0734-242X\(84\)90135-6](http://dx.doi.org/10.1016/0734-242X(84)90135-6).
- Sabin, F; Tuerk, T; Vogler, A. (1992). Decontamination of industrial waste water by photocatalytic oxidation of organic components: A model study (pp. 163-167). (ISSN 0044-3727; BIOSIS/92/30507). Sabin, F; Tuerk, T; Vogler, A.
- Saccani, G; Bernasconi, M; Antonelli, M. (2014). Optimization of low energy sonication treatment for granular activated carbon colonizing biomass assessment. *Environ Technol.* 35: 851-858. <http://dx.doi.org/10.1080/09593330.2013.853698>.
- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ.* 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).
- Saez, PB; Rittmann, BE. (1991). BIODEGRADATION KINETICS OF 4-CHLOROPHENOL, AN INHIBITORY CO-METABOLITE. *Res Journal Water Pollut Control Fed.* 63: 838-847.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Gonzalez-Garcia, J. (2010). Electrochemical Degradation of Perchloroethylene in Aqueous Media: Influence of the Electrochemical Operational Variables in the Viability of the Process. *Ind Eng Chem Res.* 49: 4123-4131. <http://dx.doi.org/10.1021/ie100134t>.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2010). 20 kHz sonoelectrochemical degradation of perchloroethylene in sodium sulfate aqueous media: Influence of the operational variables in batch mode. *J Hazard Mater.* 183: 648-654. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.074>.
- Saez, V; Esclapez, MD; Bonete, P; Walton, DJ; Rehorek, A; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonochemical degradation of perchloroethylene: The influence of ultrasonic variables, and the identification of products. *Ultrason Sonochem.* 18: 104-113. <http://dx.doi.org/10.1016/j.ultsonch.2010.03.009>.
- Saez, V; Esclapez, MD; Frias-Ferrer, A; Bonete, P; Gonzalez-Garcia, J. (2008). Electrochemical Reduction of Perchloroethylene in Aqueous Media: Influence of the Electrode Material. *Journal of New Materials for Electrochemical Systems.* 11: 287-295.
- Saha, S; Zhu, L; Captain, B. (2010). Synthesis and structural characterization of bimetallic iron-nickel carbido cluster complexes. *Inorg Chem.* 49: 3465-3472. <http://dx.doi.org/10.1021/ic100057x>.
- Saha, SK; Srinivasan, K; Dutta, P. (2008). Studies on optimum distribution of fins in heat sinks filled with phase change materials. *Journal of Heat Transfer.* 130. <http://dx.doi.org/10.1115/1.28049481>.
- Sahoo, D; Smith, JA. (1997). Enhanced trichloroethene desorption from long-term contaminated soil using triton X-100 and pH increases. *Environ Sci Technol.* 31: 1910-1915.
- Sahoo, D; Smith, JA; Imbrigiotta, TE; Mclellan, HM. (1998). Surfactant-enhanced remediation of a trichloroethene-contaminated aquifer: 2. Transport of TCE. *Environ Sci Technol.* 32: 1686-1693.
- Saikia, D; Wu, CG; Fang, J; Tsai, L, iD; Kao, HM. (2014). Organic-inorganic hybrid polymer electrolytes based on polyether diamine, alkoxysilane, and trichlorotriazine: Synthesis, characterization, and electrochemical applications. *J Power Sources.* 269: 651-660. <http://dx.doi.org/10.1016/j.jpowsour.2014.06.159>.
- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Saito, H; Tanaka, S; Fukuda, K; Takuma, Y; Kato, S; Satokawa, S; Yamasaki, A; Kojima, T. (2012). Influence of pH and Dissolved Fe Ion Concentration on Decomposition of Trichloroethylene with Fenton's Reaction Using Iron Powder. *Kagaku Kogaku Ronbunshu.* 38: 312-317.
- Saiyood, S; Inthorn, D; Vangnai, A; Thiravetyan, P. (2016). 1,2-dichloroethane removal by *Bruguiera gymnorhiza* (L.) Lamk and *Pseudomonas putida* BCC 23535. *Water Science and Technology: Water Supply.* 16: 1313-1319. <http://dx.doi.org/10.2166/ws.2016.060>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Saiz, G; Wynn, JG; Wurster, CM; Goodrick, I; Nelson, PN; Bird, MI. (2015). Pyrogenic carbon from tropical savanna burning: production and stable isotope composition. *Biogeosciences*. 12: 1849-1863. <http://dx.doi.org/10.5194/bg-12-1849-2015>.
- Sakaguchi-Söder, K; Jager, J; Grund, H; Matthäus, F; Schüth, C. (2007). Monitoring and evaluation of dechlorination processes using compound-specific chlorine isotope analysis. *Rapid Commun Mass Spectrom*. 21: 3077-3084. <http://dx.doi.org/10.1002/rcm.3170>.
- Sakulchaicharoen, N; O'Carroll, DM; Herrera, JE. (2010). Enhanced stability and dechlorination activity of pre-synthesis stabilized nanoscale FePd particles. *J Contam Hydrol*. 118: 117-127. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.004>.
- Sakurai, T; Maeda, S; Chang, L; Karin, M. (2006). Loss of hepatic NF-kappa B activity enhances chemical hepatocarcinogenesis through sustained c-Jun N-terminal kinase 1 activation. *Proc Natl Acad Sci USA*. 103: 10544-10551. <http://dx.doi.org/10.1073/pnas.0603499103>.
- Salaices Avila, MA; Breiter, R; Mott, H. (2007). Development of a simple, accurate SPME-based method for assay of VOCs in column breakthrough experiments. *Chemosphere*. 66: 18-29. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.069>.
- Salas, LA; Gracia-Lavedan, E; Goni, F; Moreno, V; Villanueva, CM. (2014). Use of urinary trichloroacetic acid as an exposure biomarker of disinfection by-products in cancer studies. *Environ Res*. 135: 276-284. <http://dx.doi.org/10.1016/j.envres.2014.09.018>.
- Salazar-García, F; Gallardo-Díaz, E; Cerón-Mireles, P; Loomis, D; Borja-Aburto, VH. (2004). Reproductive effects of occupational DDT exposure among male malaria control workers. *Environ Health Perspect*. 112: 542-547.
- Saleh, N; Sarbu, T; Sirk, K; Lowry, GV; Matyjaszewski, K; Tilton, RD. (2005). Oil-in-water emulsions stabilized by highly charged polyelectrolyte-grafted silica nanoparticles. *Langmuir*. 21: 9873-9878. <http://dx.doi.org/10.1021/la050654r>.
- Saleh, N; Sirk, K; Liu, Y; Phenrat, T; Dufour, B; Matyjaszewski, K; Tilton, RD; Lowry, GV. (2007). Surface modifications enhance nanoiron transport and NAPL targeting in saturated porous media. *Environ Eng Sci*. 24: 45-57.
- Salih, HH; Patterson, CL; Sorial, GA. (2013). Comparative Study on the Implication of Three Nanoparticles on the Removal of Trichloroethylene by Adsorption-Pilot and Rapid Small-Scale Column Tests. *Water Air Soil Pollut*. 224: 1-11. <http://dx.doi.org/10.1007/s11270-012-1402-3>.
- Salih, HH; Patterson, CL; Sorial, GA; Sinha, R; Krishnan, R. (2011). The fate and transport of the SiO₂ nanoparticles in a granular activated carbon bed and their impact on the removal of VOCs. *J Hazard Mater*. 193: 95-101. <http://dx.doi.org/10.1016/j.jhazmat.2011.07.030>.
- Salih, HH; Patterson, CL; Sorial, GA; Sinha, R; Krishnan, R. (2012). The implication of iron oxide nanoparticles on the removal of trichloroethylene by adsorption. *Chem Eng J*. 193: 422-428. <http://dx.doi.org/10.1016/j.cej.2012.03.040>.
- Salih, HH; Sorial, GA; Patterson, CL; Sinha, R; Krishnan, ER. (2012). Removal of Trichloroethylene by Activated Carbon in the Presence and Absence of TiO₂ Nanoparticles. *Water Air Soil Pollut*. 223: 2837. <http://dx.doi.org/10.1007/s11270-011-1070-8>.
- Salih, HH; Sorial, GA; Patterson, CL; Speth, TF. (2015). The Implications of Fe₂O₃ and TiO₂ Nanoparticles on the Removal of Trichloroethylene by Activated Carbon in the Presence and Absence of Humic Acid. *Water Air Soil Pollut*. 226. <http://dx.doi.org/10.1007/s11270-014-2287-0>.
- Salipira, KL; Mamba, BB; Krause, RW; Malefetse, TJ; Durbach, SH. (2007). Carbon nanotubes and cyclodextrin polymers for removing organic pollutants from water. *Environ Chem Lett*. 5: 13-17. <http://dx.doi.org/10.1007/s10311-006-0057-y>.
- Salipira, KL; Mamba, BB; Krause, RW; Malefetse, TJ; Durbach, SH. (2008). Cyclodextrin polyurethanes polymerised with carbon nanotubes for the removal of organic pollutants in water. *Water SA*. 34: 113-118.
- Salkinoja-Salonen, M; Uotila, J; Jokela, J; Laine, M; Sasaki, E. (1995). ORGANIC HALOGENS IN THE ENVIRONMENT STUDIES OF ENVIRONMENTAL BIODEGRADABILITY AND HUMAN EXPOSURE. *Environ Health Perspect*. 103: 63-69.
- Salman, M; Gerhard, JI; Major, DW; Pironi, P; Hadden, R. (2015). Remediation of trichloroethylene-contaminated soils by star technology using vegetable oil smoldering. *J Hazard Mater*. 285: 346-355. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.042>.
- Salvado-Estivill, I; Brucato, A; Puma, GL, i. (2007). Two-dimensional Modeling of a flat-plate photocatalytic reactor for oxidation of indoor air pollutants. *Ind Eng Chem Res*. 46: 7489-7496. <http://dx.doi.org/10.1021/ie070391r>.
- Salvado-Estivill, I; Hargreaves, DM; Puma, GL, i. (2007). Evaluation of the intrinsic photocatalytic oxidation kinetics of indoor air pollutants. *Environ Sci Technol*. 41: 2028-2035. <http://dx.doi.org/10.1021/es061569o>.
- Salvan, A; Stayner, L; Steenland, K; Smith, R. (1995). Selecting an exposure lag period. *Epidemiology*. 6: 387-390.
- Sam, FL; Dabera, GD; Lai, KT; Mills, CA; Rozanski, LJ; Silva, SR. (2014). Hybrid metal grid-polymer-carbon nanotube electrodes for high luminance organic light emitting diodes. *Nanotechnology*. 25: 345202. <http://dx.doi.org/10.1088/0957-4484/25/34/345202>.
- Sam, FLM; Razali, MA; Jayawardena, KDG, I; Mills, CA; Rozanski, LJ; Beliatas, MJ; Silva, SRP. (2014). Silver grid transparent conducting electrodes for organic light emitting diodes. *Organic Electronics*. 15: 3492-3500. <http://dx.doi.org/10.1016/j.orgel.2014.09.036>.
- Samarghandi, MR; Zarrabi, M; Amrane, A; Sepehr, MN; Noroozi, M; Namdari, S; Zarei, A. (2012). Kinetic of degradation of two azo dyes from aqueous solutions by zero iron powder: determination of the optimal conditions. *Desalination and Water Treatment*. 40: 137-143. <http://dx.doi.org/10.5004/dwt.2012.2746>.
- Sampath, S; Uchida, H; Yoneyama, H. (1994). PHOTOCATALYTIC DEGRADATION OF GASEOUS PYRIDINE OVER ZEOLITE-SUPPORTED TITANIUM-DIOXIDE. *J Catal*. 149: 189-194.
- San Vicente, G; Morales, A; German, N; Suarez, S; Sanchez, B. (2012). SiO₂/TiO₂ Antireflective Coatings With Photocatalytic Properties Prepared by Sol-Gel for Solar Glass Covers. *J Sol Energ Eng*. 134. <http://dx.doi.org/10.1115/1.4007298>.
- Sanchez, B; Cardona, AI; Romero, M; Avila, P; Bahamonde, A. (1999). Influence of temperature on gas-phase photo-assisted mineralization of TCE using tubular and monolithic catalysts. *Catalysis Today*. 54: 369-377.
- Sanchez, B; Coronado, JM; Candal, R; Portela, R; Tejedor, I; Anderson, MA; Tompkins, D; Lee, T. (2006). Preparation of TiO₂ coatings on PET monoliths for the photocatalytic elimination of trichloroethylene in the gas phase. *Appl Catal B-Environ*. 66: 295-301. <http://dx.doi.org/10.1016/j.apcatb.2006.03.021>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sanchez, IM; Bull, RJ. (1990). Early induction of reparative hyperplasia in the liver of B6C3F1 mice treated with dichloroacetate and trichloroacetate. *Toxicology*. 64: 33-46. [http://dx.doi.org/10.1016/0300-483X\(90\)90097-Z](http://dx.doi.org/10.1016/0300-483X(90)90097-Z).
- Sanchez, ME; Doublet, ML; Faulmann, C; Malfant, I; Cassoux, P; Kushch, LA; Yagubskii, EB. (2001). Anion conformation and physical properties in BETS salts with the nitroprusside anion and its related ruthenium halide (X = Cl, Br) mononitrosyl complexes: theta-(BETS)(4)[Fe(CN)(5)NO], (BETS)(2)[RuBr5NO], and (BETS)(2)[RuCl5NO]. *Eur J Inorg Chem* 2797-2804.
- Sangam, HP; Rowe, RK. (2001). Migration of dilute aqueous organic pollutants through HDPE geomembranes. *Geotextiles and Geomembranes*. 19: 329-357.
- Sanongraj, W; Chen, YS; Crittenden, JC; Destailats, H; Hand, DW; Perrarn, DL; Taylor, R. (2007). Mathematical model for photocatalytic destruction of organic contaminants in air. *Journal of the Air and Waste Management Association*. 57: 1112-1122. <http://dx.doi.org/10.3155/1047-3289.57.9.1112>.
- Santos, AP; Lemos, VA. (2015). Determination of Vanadium Levels in Seafood Using Dispersive Liquid-Liquid Microextraction and Optical Sensors. *Water Air Soil Pollut*. 226. <http://dx.doi.org/10.1007/s11270-015-2334-5>.
- Sanz, J; Garcia, A; Miro, J; Miguel, C. (2013). Drinking water supply by reverse osmosis plants: three years of experience at El Prat de Llobregat Municipality. *Desalination and Water Treatment*. 51: 124-131. <http://dx.doi.org/10.1080/19443994.2012.704728>.
- Sanz, J; Sobrados, I; Soria, J; Yurdakal, S; Augugliaro, V. (2017). Anatase nanoparticles boundaries resulting from titanium tetrachloride hydrolysis. *Catalysis Today*. 281: 198-204. <http://dx.doi.org/10.1016/j.cattod.2016.06.052>.
- Sanz, N; Díez-Fernández, C; Cascales, M. (1996). Variations of hepatic antioxidant systems and DNA ploidy in rats aged 2 to 8 months. *Biochim Biophys Acta*. 1315: 123-130. [http://dx.doi.org/10.1016/0925-4439\(95\)00113-1](http://dx.doi.org/10.1016/0925-4439(95)00113-1).
- Sapbamrer, R; Prapamontol, T; Prakobvitayakit, O; Vaneesorn, Y; Mangklabruks, A; Hock, B. (2008). Placental transfer of DDT in mother-infant pairs from Northern Thailand. *J Environ Sci Health B*. 43: 484-489. <http://dx.doi.org/10.1080/03601230802174615>.
- Sarangapani, R; Gentry, PR; Covington, TR; Teeguarden, JG; Clewell, HJ, III. (2003). Evaluation of the potential impact of age- and gender-specific lung morphology and ventilation rate on the dosimetry of vapors. *Inhal Toxicol*. 15: 987-1016. <http://dx.doi.org/10.1080/08958370390226350>.
- Sarathy, V; Tratnyek, PG; Nurmi, JT; Baer, DR; Amonette, JE; Chun, C; Penn, R; Reardon, EJ. (2008). Aging of iron nanoparticles in aqueous solution: Effects on structure and reactivity. *J Phys Chem C*. 112: 2286-2293. <http://dx.doi.org/10.1021/jp0777418>.
- Sarca, VD. (1998). A physico-chemical study on the methyl monochloroacetate synthesis. *Rev Chim*. 49: 102-109.
- Sargent, LM; Zhou, X; Keck, CL; Sanderson, ND; Zimonjic, DB; Popescu, NC; Thorgeirsson, SS. (1999). Nonrandom cytogenetic alterations in hepatocellular carcinoma from transgenic mice overexpressing c-Myc and transforming growth factor-alpha in the liver. *Am J Pathol*. 154: 1047-1055.
- Sarigiannis, DA; Hansen, U, te. (2012). Considering the cumulative risk of mixtures of chemicals - A challenge for policy makers [Review]. *Environ Health*. 11: S18. <http://dx.doi.org/10.1186/1476-069X-11-S1-S18>.
- Sarkany-Kiss, A; Herczeg, I; Palombi, B; Grigorszky, I; Antal, L; Bacsi, I; Mozsar, A; Kalmar, AF; Nagy, SA. (2012). Toxicity tests of chlorinated hydrocarbons on the river mussel, *Unio crassus* (Bivalvia, Unionidae). *North - Western Journal of Zoology*. 8: 358-361.
- Sarkar, S; Seenivasan, S; Asir, RPS. (2010). Biodegradation of propargite by *Pseudomonas putida*, isolated from tea rhizosphere. *J Hazard Mater*. 174: 295-298. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.050>.
- Sarkar, S; Seenivasan, S; Premkumar, R. (2009). Biodegradation of propiconazole by *Pseudomonas putida* isolated from tea rhizosphere. *Plant Soil Environ*. 55: 196-201.
- Sasaki, K; Takahashi, M; Hirata, Y. (2015). Temperature-Insensitive Sagnac-Type Optical Current Transformer. *Journal of Lightwave Technology*. 33: 2463-2467. <http://dx.doi.org/10.1109/JLT.2014.2366207>.
- Sasaki, T; Nakano, S; Yamauchi, S; Watanabe, M. (1997). Fabrication of titanium dioxide thin flakes and their porous aggregate. *Chem Mater*. 9: 602-608.
- Satapathy, J; Reddy, MVR; Samal, SS. (2013). Synthesis and characterisation of MgxCu1-xNb2O6 (x=0, 0.2, 0.4, 0.6, 0.8, 1) for LTCC application. *Mater Res Innovat*. 17: 161-166. <http://dx.doi.org/10.1179/1433075X12Y.0000000054>.
- Sato, A. (1991). The effect of environmental factors on the pharmacokinetic behaviour of organic solvent vapours [Review]. *Ann Occup Hyg*. 35: 525-541.
- Sato, A. (1993). Confounding factors in biological monitoring of exposure to organic solvents. *Int Arch Occup Environ Health*. 65: S61-S67.
- Sato, A; Endoh, K; Kaneko, T; Johanson, G. (1991). Effects of consumption of ethanol on the biological monitoring of exposure to organic solvent vapours: a simulation study with trichloroethylene. *Br J Ind Med*. 48: 548-556.
- Sato, A; Endoh, K; Kaneko, T; Johanson, G. (1991). A simulation study of physiological factors affecting pharmacokinetic behaviour of organic solvent vapours. *Br J Ind Med*. 48: 342-347.
- Sato, A; Nakajima, T. (1977). [Estimation of rate constants for absorption, metabolism and excretion of trichloroethylene from urinary excretion data (author's transl)]. *Sangyo Igaku*. 19: 92-93.
- Sato, A; Nakajima, T. (1978). Differences following skin or inhalation exposure in the absorption and excretion kinetics of trichloroethylene and toluene. *Br J Ind Med*. 35: 43-49.
- Sato, A; Nakajima, T. (1979). A vial-equilibration method to evaluate the drug-metabolizing enzyme activity for volatile hydrocarbons. *Toxicol Appl Pharmacol*. 47: 41-46. [http://dx.doi.org/10.1016/0041-008X\(79\)90069-3](http://dx.doi.org/10.1016/0041-008X(79)90069-3).
- Sato, A; Nakajima, T; Fujiwara, Y; Murayama, N. (1977). A pharmacokinetic model to study the excretion of trichloroethylene and its metabolites after an inhalation exposure. *Br J Ind Med*. 34: 56-63.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sato, A; Nakajima, T; Koyama, Y. (1980). Effects of chronic ethanol consumption on hepatic metabolism of aromatic and chlorinated hydrocarbons in rats. *Br J Ind Med.* 37: 382-386. <http://dx.doi.org/10.1136/oem.37.4.382>.
- Sato, A; Nakajima, T; Koyama, Y. (1981). Dose-related effects of a single dose of ethanol on the metabolism in rat liver of some aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol.* 60: 8-15. [http://dx.doi.org/10.1016/0041-008X\(81\)90129-0](http://dx.doi.org/10.1016/0041-008X(81)90129-0).
- Sato, A; Nakajima, T; Koyama, Y. (1983). Interaction between ethanol and carbohydrate on the metabolism in rat liver of aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol.* 68: 242-249. [http://dx.doi.org/10.1016/0041-008X\(83\)90008-X](http://dx.doi.org/10.1016/0041-008X(83)90008-X).
- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photolysis reactor. *J Environ Eng.* 129: 136-146. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(136\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(136)).
- Sato, C; Yao, J. (2006). Simultaneous and sequential photolysis of TCE and PCE. *J Environ Eng.* 132: 32-41. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:1\(32\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:1(32)).
- Sato, CK; Hartenstein, SD; Motes, W. (2001). Photolysis of TCA, TCE, and PCE in flow-through reactor system. *J Environ Eng.* 127: 620-629.
- Sato, K; Tsunashima, S; Takayanagi, T; Fujisawa, G; Yokoyama, A. (1997). Translational energy distributions of the products of the 193 and 157 nm photodissociation of chloroethylenes. *J Chem Phys.* 106: 10123-10133.
- Satyapal, S; Werner, JH; Cool, TA. (1995). An extended flame zone in the combustion of CH₃Cl. *Combust Sci Tech.* 106: 229-238.
- Saucedo-Lucero, JO; Arriaga, S. (2013). Photocatalytic degradation of hexane vapors in batch and continuous systems using impregnated ZnO nanoparticles. *Chem Eng J.* 218: 358-367. <http://dx.doi.org/10.1016/j.cej.2012.12.050>.
- Sauer, ML; Ollis, DF. (1994). ACETONE OXIDATION IN A PHOTOCATALYTIC MONOLITH REACTOR. *J Catal.* 149: 81-91.
- Sauer, ML; Ollis, DF. (1996). Photocatalyzed oxidation of ethanol and acetaldehyde in humidified air. *J Catal.* 158: 570-582.
- Saunders, RA. (1967). A new hazard in closed environmental atmospheres. *Arch Environ Health.* 14: 380-384.
- Saura, J. (1994). GAS-SENSING PROPERTIES OF SNO₂ PYROLYTIC FILMS SUBJECTED TO ULTRAVIOLET-RADIATION. *Sens Actuators B.* 17: 211-214.
- Sausen, PJ; Elfarrar, AA. (1990). Cysteine conjugate S-oxidase: Characterization of a novel enzymatic activity in rat hepatic and renal microsomes. *J Biol Chem.* 265: 6139-6145.
- Sausen, PJ; Elfarrar, AA. (1991). Reactivity of cysteine S-conjugate sulfoxides: formation of S-[1-chloro-2-(S-glutathionyl)vinyl]-L-cysteine sulfoxide by the reaction of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide with glutathione. *Chem Res Toxicol.* 4: 655-660. <http://dx.doi.org/10.1021/tx00024a010>.
- Savory, DM; Warren, DS; Mcquillan, AJ. (2011). Shallow Electron Trap, Interfacial Water, and Outer-Sphere Adsorbed Oxalate IR Absorptions Correlate during UV Irradiation of Photocatalytic TiO₂ Films in Aqueous Solution. *J Phys Chem C.* 115: 902-907. <http://dx.doi.org/10.1021/jp102723u>.
- Sawhney, BL; Gent, MPN. (1990). HYDROPHOBICITY OF CLAY SURFACES - SORPTION OF 1,2-DIBROMOETHANE AND TRICHLOROETHENE. *Clays and Clay Minerals.* 38: 14-20.
- Saxena, DK; Srivastava, RS; Lal, B; Chandra, SV. (1987). The effect of lead exposure on the testis of growing rats. *Exp Pathol.* 31: 249-252.
- Sbrana, I; Di Sibio, A; Lomi, A; Scarcelli, V. (1993). C-mitosis and numerical chromosome aberration analyses in human lymphocytes: 10 known or suspected spindle poisons. *Mutat Res.* 287: 57-70. [http://dx.doi.org/10.1016/0027-5107\(93\)90145-6](http://dx.doi.org/10.1016/0027-5107(93)90145-6).
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr.* 44: 703-707.
- Schacht, J; Laqua, H; Niedermeyer, H. (2006). Synchronization of processes in a distributed real time system exemplified by the control system of the fusion experiment WENDELSTEIN 7-X. *IEEE Trans Nucl Sci.* 53: 2187-2194. <http://dx.doi.org/10.1109/TNS.2006.877930>.
- Schacht, J; Skodzik, J; Team, C. (2015). Multifunction-Timing Card ITTEV2 for CoDaC Systems of Wendelstein 7-X. *IEEE Trans Nucl Sci.* 62: 1187-1194. <http://dx.doi.org/10.1109/TNS.2015.2425895>.
- Schaefer, CE; Condee, CW; Vainberg, S; Steffan, RJ. (2009). Bioaugmentation for chlorinated ethenes using *Dehalococcoides* sp.: comparison between batch and column experiments. *Chemosphere.* 75: 141-148. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.041>.
- Schaefer, CE; Schuth, C; Werth, CR; Reinhard, M. (2000). Binary desorption isotherms of TCE and PCE from silica gel and natural solids. *Environ Sci Technol.* 34: 4341-4347.
- Schaefer, CE; Topoleski, C; Fuller, ME. (2007). Effectiveness of zerovalent iron and nickel catalysts for degrading chlorinated solvents and n-nitrosodimethylamine in natural groundwater. *Water Environ Res.* 79: 57-62. <http://dx.doi.org/10.2175/106143006X136784>.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lacombe, PJ; Bishop, ME; Dong, H. (2015). Abiotic dechlorination in rock matrices impacted by long-term exposure to TCE. *Chemosphere.* 119: 744-749. <http://dx.doi.org/10.1016/j.chemosphere.2014.08.005>.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lazouskaya, V; Fischer, TB; Bishop, ME; Dong, H. (2013). Coupled Diffusion and Abiotic Reaction of Trichloroethene in Minimally Disturbed Rock Matrices. *Environ Sci Technol.* 47: 4291-4298. <http://dx.doi.org/10.1021/es400457s>.
- Schaefer, CE; Towne, RM; Root, D; McCray, JE. (2012). Assessment of Chemical Oxidation for Treatment of DNAPL in Fractured Sandstone Blocks. *J Environ Eng.* 138: 1-7. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000466](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000466).
- Schaerlaekens, J; Feyen, J. (2004). Effect of scale and dimensionality on the surfactant-enhanced solubilization of a residual DNAPL contamination. *J Contam Hydrol.* 71: 283-306. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.003>.
- Schaerlaekens, J; Mallants, D; Simunek, J; van Genuchten, MT; Feyen, J. (1999). Numerical simulation of transport and sequential biodegradation of chlorinated aliphatic hydrocarbons using CHAIN_2D. *Hydrolog Process.* 13: 2847-2859.
- Schaerlaekens, J; Mertens, J; Van Linden, J; Vermeiren, G; Carmeliet, J; Feyen, J. (2006). A multi-objective optimization framework for surfactant-enhanced remediation of DNAPL contaminations. *J Contam Hydrol.* 86: 176-194. <http://dx.doi.org/10.1016/j.jconhyd.2006.03.002>.
- Schaerlaekens, J; Vanderborght, J; Merckx, R; Feyen, J. (2000). Surfactant enhanced solubilization of residual trichloroethene: an experimental and numerical analysis. *J Contam Hydrol.* 46: 1-16.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Schafer, A; Bouwer, EJ. (2000). Toluene induced cometabolism of cis-1,2-dichloroethylene and vinyl chloride under conditions expected downgradient of a permeable Fe(0) barrier. *Water Res.* 34: 3391-3399.
- Schäfer, D; Köber, R; Dahmke, A. (2003). Competing TCE and cis-DCE degradation kinetics by zero-valent iron-experimental results and numerical simulation. *J Contam Hydrol.* 65: 183-202. [http://dx.doi.org/10.1016/S0169-7722\(02\)00239-5](http://dx.doi.org/10.1016/S0169-7722(02)00239-5).
- Schaller, KH; Angerer, J; Lehnert, G. (1993). 1ST RESULTS OF 2 EXTERNAL INTERCOMPARISON PROGRAMS FOR THE DETERMINATION OF ORGANOCHLORINE COMPOUNDS IN BLOOD SPECIMENS RELEVANT IN ENVIRONMENTAL AND OCCUPATIONAL-MEDICINE. *Fresenius J Anal Chem.* 346: 830-832.
- Scharf, JG; Dombrowski, F; Ramadori, G. (2001). The IGF axis and hepatocarcinogenesis. *Molecular Pathology.* 54: 138-144.
- Schatten, H; Chakrabarti, A. (1998). Centrosome structure and function is altered by chloral hydrate and diazepam during the first reproductive cell cycles in sea urchin eggs. *Eur J Cell Biol.* 75: 9-20.
- Scheff, PA; Wadden, RA. (1993). Receptor modeling of volatile organic compounds. I: Emission inventory and validation. *Environ Sci Technol.* 27: 617-625. <http://dx.doi.org/10.1021/es00041a005>.
- Schellin, M; Popp, P. (2006). Miniaturized membrane-assisted solvent extraction combined with gas chromatography/electron-capture detection applied to the analysis of volatile organic compounds. *J Chromatogr A.* 1103: 211-218. <http://dx.doi.org/10.1016/j.chroma.2005.11.01>.
- Schepens, PJ; Covaci, A; Jorens, PG; Hens, L; Scharpé, S; van Larebeke, N. (2001). Surprising findings following a Belgian food contamination with polychlorobiphenyls and dioxins. *Environ Health Perspect.* 109: 101-103.
- Scherer, MM; Balko, BA; Gallagher, DA; Tratnyek, PG. (1998). Correlation analysis of rate constants for dechlorination by zero-valent iron. *Environ Sci Technol.* 32: 3026-3033.
- Scheutz, C; Durant, ND; Dennis, P; Hansen, MH; Jørgensen, T; Jakobsen, R; Cox, EE; Bjerg, PL. (2008). Concurrent ethene generation and growth of Dehalococcoides containing vinyl chloride reductive dehalogenase genes during an enhanced reductive dechlorination field demonstration. *Environ Sci Technol.* 42: 9302-9309. <http://dx.doi.org/10.1021/es800764t>.
- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual.* 33: 61-71.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere.* 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schilling, KE. (1999). Demonstrating localized intrinsic biodegradation of chlorinated aliphatic hydrocarbons using time series sampling. *Ground Water Monitoring and Remediation.* 19: 115-124.
- Schipper, O. (2003). Phytoremediation releases TCE to the atmosphere. *Environ Sci Technol.* 37: 206A-206A.
- Schlehofer, B; Heuer, C; Blettner, M; Niehoff, D; Wahrendorf, J. (1995). Occupation, smoking and demographic factors, and renal cell carcinoma in Germany. *Int J Epidemiol.* 24: 51-57. <http://dx.doi.org/10.1093/ije/24.1.51>.
- Schlesselman, JJ. (1982). Case control studies: Design, conduct, analysis. In *Mongraphs in epidemiology and biostatistics*. New York, NY: Oxford University Press.
- Schlichting, LM; Wright, PF; Stacey, NH. (1992). Effects of tetrachloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicol Ind Health.* 8: 255-266.
- Schlicker, O; Ebert, M; Fruth, M; Weidner, M; Wust, W; Dahmke, A. (2000). Degradation of TCE with iron: The role of competing chromate and nitrate reduction. *Ground Water.* 38: 403-409.
- Schlipköter, HW; Fodor, GG; Winneke, G. (1974). Zum Einfluss neurotoxischer Industriegifte auf unfallgenerierendes Fehlverhalten bei Kontroll- und Steuertätigkeiten. Wilhelmshaven, Dortmund: Wirtschaftsverlag Nordwest.
- Schlueter, JA; Geiser, U; Kini, AM; Wang, HH; Williams, JM; Naumann, D; Roy, T; Hoge, B; Eujen, R. (1999). Trifluoromethylmetallate anions as components of molecular charge transfer salts and superconductors. *Coord Chem Rev.* 190: 781-810.
- Schlueter, JA; Williams, JM; Geiser, U; Dudek, JD; Sirchio, SA; Kelly, ME; Gregar, JS; Kwok, WH; Fendrich, JA; Schirber, JE; Bayless, WR; Naumann, D; Roy, T. (1995). SYNTHESIS AND CHARACTERIZATION OF 2 NEW ORGANIC SUPERCONDUCTORS, KAPPA-L-[BIS(ETHYLENEDISULFANYL)TETRATHIAFULVALENE]AU-2(CF3)4CENTER-DOT(1,1,2-TRICHLOROETHANE) AND KAPPA-H-[BIS(ETHYLENEDISULFANYL)TETRATHIAFULVALENE]AU-2(CF3)4CENTER-DOT(1,1,2-TRICHLOROETHANE) VIA MICROELECTROCRYSTALLIZATION. *J Chem Soc Chem Commun*1311-1312.
- Schmajuk, NA; Bushnell, PJ. (2009). A computational model reveals classical conditioning mechanisms underlying visual signal detection in rats. *Behav Processes.* 82: 340-351. <http://dx.doi.org/10.1016/j.beproc.2009.08.005>.
- Schmid, D; Micić, V; Laumann, S; Hofmann, T. (2015). Measuring the reactivity of commercially available zero-valent iron nanoparticles used for environmental remediation with iopromide. *J Contam Hydrol.* 181: 36-45. <http://dx.doi.org/10.1016/j.jconhyd.2015.01.006>.
- Schmid, FX; Keyser, A; Djavdani, B; Link, J; Holmer, S; Birnbaum, DE. (2002). Left ventricular remodeling after pulmonary autograft aortic valve replacement: Evaluation with color-Doppler echocardiography and magnetic resonance imaging. *Artif Organs.* 26: 444-448.
- Schmidt, B; Ehlert, DK; Braun, HA. (2004). E-1,2-dichlorovinyl ethers as irreversible protease inhibitors. *Tetrahedron Lett.* 45: 1751-1753. <http://dx.doi.org/10.1016/j.tetlet.2003.12.088>.
- Schmidt, KR; Augenstein, T; Heidinger, M; Ertl, S; Tiehm, A. (2010). Aerobic biodegradation of cis-1,2-dichloroethene as sole carbon source: Stable carbon isotope fractionation and growth characteristics. *Chemosphere.* 78: 527-532. <http://dx.doi.org/10.1016/j.chemosphere.2009.11.033>.
- Schmidt, KR; Gaza, S; Voropaev, A; Ertl, S; Tiehm, A. (2014). Aerobic biodegradation of trichloroethene without auxiliary substrates. *Water Res.* 59: 112-118. <http://dx.doi.org/10.1016/j.watres.2014.04.008>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Schmidt, KR; Tiehm, A. (2008). Natural attenuation of chloroethenes: identification of sequential reductive/oxidative biodegradation by microcosm studies. *Water Sci Technol.* 58: 1137-1145. <http://dx.doi.org/10.2166/wst.2008.729>.
- Schmidt, M; Lege, S; Nijenhuis, I. (2014). Comparison of 1,2-dichloroethane, dichloroethene and vinyl chloride carbon stable isotope fractionation during dechlorination by two Dehalococcoides strains. *Water Res.* 52: 146-154. <http://dx.doi.org/10.1016/j.watres.2013.12.042>.
- Schmidt, TC; Zwank, L; Elsner, M; Berg, M; Meckenstock, RU; Haderlein, SB. (2004). Compound-specific stable isotope analysis of organic contaminants in natural environments: a critical review of the state of the art, prospects, and future challenges [Review]. *Anal Bioanal Chem.* 378: 283-300. <http://dx.doi.org/10.1007/s00216-003-2350-y>.
- Schmitt, T. (2002). Determination of chloral hydrate and its metabolites in blood plasma by capillary gas chromatography with electron capture detection. *Journal of Chromatography B.* 780: 217-224.
- Schmitz, RPH; Wolf, J; Habel, A; Neumann, A; Ploss, K; Svatos, A; Boland, W; Diekert, G. (2007). Evidence for a radical mechanism of the dechlorination of chlorinated propenes mediated by the tetrachloroethene reductive dehalogenase of *Sulfurospirillum multivorans*. *Environ Sci Technol.* 41: 7370-7375. <http://dx.doi.org/10.1021/es071026u>.
- Schmucker, DL. (2001). Liver function and phase I drug metabolism in the elderly: A paradox [Review]. *Drugs Aging.* 18: 837-851.
- Schmucker, DL. (2005). Age-related changes in liver structure and function: Implications for disease? [Review]. *Exp Gerontol.* 40: 650-659. <http://dx.doi.org/10.1016/j.exger.2005.06.009>.
- Schmucker, DL; Mooney, JS; Jones, AL. (1978). Stereological analysis of hepatic fine structure in the Fischer 344 rat. Influence of sublobular location and animal age. *J Cell Biol.* 78: 319-337.
- Schnaar, G; Brusseau, ML. (2006). Characterizing pore-scale dissolution of organic immiscible liquid in natural porous media using synchrotron X-ray microtomography. *Environ Sci Technol.* 40: 6622-6629. <http://dx.doi.org/10.1021/es0602851>.
- Schnabel, WE; Dietz, AC; Burken, JG; Schnoor, JL; Alvarez, PJ. (1997). Uptake and transformation of trichloroethylene by edible garden plants. *Water Res.* 31: 816-824.
- Schnarr, M; Truax, C; Farquhar, G; Hood, E; Gonullu, T; Stickney, B. (1998). Laboratory and controlled field experiments using potassium permanganate to remediate trichloroethylene and perchloroethylene DNAPLs in porous media. *J Contam Hydrol.* 29: 205-224.
- Schneider, CO; Bremen, P; Schoensleben, P; Alard, R. (2013). Transaction cost economics in global sourcing: Assessing regional differences and implications for performance. *International Journal of Production Economics.* 141: 243-254. <http://dx.doi.org/10.1016/j.ijpe.2011.02.025>.
- Schneider, P; Tropper, P; Kaindl, R. (2013). The formation of phosphoran olivine and stanfieldite from the pyrometamorphic breakdown of apatite in slags from a prehistoric ritual immolation site (Goldbichl, Igls, Tyrol, Austria). *Mineralogy and Petrology.* 107: 327-340. <http://dx.doi.org/10.1007/s00710-012-0255-1>.
- Schneidewind, U; Haest, PJ; Atashgahi, S; Maphosa, F; Hamonts, K; Maesen, M; Calderer, M; Seuntjens, P; Smidt, H; Springael, D; Dejonghe, W. (2014). Kinetics of dechlorination by *Dehalococcoides mccartyi* using different carbon sources. *J Contam Hydrol.* 157: 25-36. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.006>.
- Schoen, ME; Small, MJ; Vanbriesen, JM. (2010). Bayesian model for flow-class dependent distributions of fecal-indicator bacterial concentration in surface waters. *Water Res.* 44: 1006-1016. <http://dx.doi.org/10.1016/j.watres.2009.10.016>.
- Schoenherr, T. (2010). Outsourcing decisions in global supply chains: an exploratory multi-country survey. *Int J Prod Res.* 48: 343-378. <http://dx.doi.org/10.1080/00207540903174908>.
- Schöftner, P; Waldner, G; Lottermoser, W; Stöger-Pollach, M; Freitag, P; Reichenauer, TG. (2015). Electron efficiency of nZVI does not change with variation of environmental parameters. *Sci Total Environ.* 535: 69-78. <http://dx.doi.org/10.1016/j.scitotenv.2015.05.033>.
- Schöftner, P; Watzinger, A; Holzknicht, P; Wimmer, B; Reichenauer, TG. (2016). Transpiration and metabolisation of TCE by willow plants - a pot experiment. *Int J Phytoremediation.* 18: 686-692. <http://dx.doi.org/10.1080/15226514.2015.1131228>.
- Schoknecht, W; Wodarz, R; Fritzsche, I; Weichardt, H. (1983). SIMPLE GAS-CHROMATOGRAPHIC DETERMINATION OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE AS WELL AS OF THEIR METABOLITES IN BIOLOGICAL SAMPLES IN A SINGLE OPERATION. *Staub, Reinhaltung der Luft.* 43: 186-188.
- Schollhorn, A; Savary, C; Stucki, G; Hanselmann, KW. (1997). Comparison of different substrates for the fast reductive dechlorination of trichloroethene under groundwater conditions. *Water Res.* 31: 1275-1282.
- Schomers, S; Sattler, C; Matzdorf, B. (2015). An analytical framework for assessing the potential of intermediaries to improve the performance of payments for ecosystem services. *Land Use Pol.* 42: 58-70.
- Schoonen, MAA; Harrington, AD; Laffers, R; Strongin, DR. (2010). Role of hydrogen peroxide and hydroxyl radical in pyrite oxidation by molecular oxygen. *Geochim Cosmo Acta.* 74: 4971-4987. <http://dx.doi.org/10.1016/j.gca.2010.05.028>.
- Schoutteten, L; Jean, M; Dinh, A; de Truchis, P; Breton, C; Descatha, A. (2011). Tetrachloroethylene exposure and trigeminal neuropathy: A case report with a possible indirect link. *Arch Mal Prof Environ.* 72: 346-349. <http://dx.doi.org/10.1016/j.admp.2011.07.010>.
- Schreiber, JS. (1993). Predicted infant exposure to tetrachloroethene in human breastmilk [Review]. *Risk Anal.* 13: 515-524. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00010.x>.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere.* 29: 1743-1753.
- Schrack, B; Blough, JL; Jones, AD; Mallouk, TE. (2002). Hydrodechlorination of trichloroethylene to hydrocarbons using bimetallic nickel-iron nanoparticles. *Chem Mater.* 14: 5140-5147. <http://dx.doi.org/10.1021/cm020737i>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Schrack, B; Hydutsky, BW; Blough, JL; Mallouk, TE. (2004). Delivery vehicles for zerovalent metal nanoparticles in soil and groundwater. *Chem Mater.* 16: 2187-2193. <http://dx.doi.org/10.1021/cm0218108>.
- Schroder, P; Plumacher, J. (1998). Evaluation of the impact of volatile chlorinated hydrocarbons on forest trees based on air and needle measurement data and the detoxification capacity of spruce needles. *Environ Sci Pollut Res Int. Special issue no. 1:* 38-45.
- Schroll, R; Bierling, B; Cao, G; Dorfler, U; Lahaniati, M; Langenbach, T; Scheunert, I; Winkler, R. (1994). Uptake pathways of organic chemicals from soil by agricultural plants. *Chemosphere.* 28: 297-303.
- Schroth, MH; Oostrom, M; Wietsma, TW; Istok, JD. (2001). In-situ oxidation of trichloroethene by permanganate: effects on porous medium hydraulic properties. *J Contam Hydrol.* 50: 79-98.
- Schulenber, JW; Reeves, HW. (2002). Axi-symmetric simulation of soil vapor extraction influenced by soil fracturing. *J Contam Hydrol.* 57: 189-222.
- Schulte-Hermann, R; Timmermann-Trosiener, I; Schuppler, J. (1986). Facilitated expression of adaptive responses to phenobarbital in putative pre-stages of liver cancer. *Carcinogenesis.* 7: 1651-1655. <http://dx.doi.org/10.1093/carcin/7.10.1651>.
- Schultz, MG; Sapp, JH; Cusack, CD; Fink, JM. (2010). The National Exposure Registry: history and lessons learned [Review]. *J Environ Health.* 72: 20-25.
- Schumacher, BA; Zimmerman, JH; Elliot, RJ; Swanson, GR. (2016). The Effect of Equilibration Time and Tubing Material on Soil Gas Measurements. *Soil Sediment Contam.* 25: 151-163. <http://dx.doi.org/10.1080/15320383.2016.1111860>.
- Schumucker, DL; Mooney, JS; Jones, AL. (1977). Age-related changes in the hepatic endoplasmic reticulum: A quantitative analysis. *Science.* 197: 1005-1008. <http://dx.doi.org/10.1126/science.887935>.
- Schunemann, JW; Kohnke, HJ; Barner, K. (1992). DETERMINATION OF CARRIER CONCENTRATIONS AND MOBILITIES IN SEMIMETALLIC MAGNETIC COMPOUNDS. *Journal of Magnetism and Magnetic Materials.* 104: 923-924.
- Schüth, C; Bill, M; Barth, JA; Slater, GF; Kalin, RM. (2003). Carbon isotope fractionation during reductive dechlorination of TCE in batch experiments with iron samples from reactive barriers. *J Contam Hydrol.* 66: 25-37. [http://dx.doi.org/10.1016/S0169-7722\(03\)00026-3](http://dx.doi.org/10.1016/S0169-7722(03)00026-3).
- Schuth, C; Taubald, H; Bolano, N; Maciejczyk, K. (2003). Carbon and hydrogen isotope effects during sorption of organic contaminants on carbonaceous materials. *J Contam Hydrol.* 64: 269-281. [http://dx.doi.org/10.1016/S0169-7722\(02\)00216-4](http://dx.doi.org/10.1016/S0169-7722(02)00216-4).
- Schwartz-Arad, D; Zajicek, G; Bartfeld, E. (1989). The streaming liver IV: DNA content of the hepatocyte increases with its age. *Liver.* 9: 93-99. <http://dx.doi.org/10.1111/j.1600-0676.1989.tb00385.x>.
- Schwartzman, G. (1978). VAPOR INFRARED SPECTROPHOTOMETRIC IDENTIFICATION OF CHLOROFORM, HALOTHANE, METHOXYFLURANE, TETRACHLOROETHYLENE, AND TRICHLOROETHYLENE. *J Assoc Offic Anal Chem.* 61: 1306-1308.
- Schwarz, BCE; Devinsky, JS; Tsotsis, TT. (1999). Degradation of PCE in an anaerobic waste gas by biofiltration. *Chem Eng Sci.* 54: 3187-3195.
- Schwarzbauer, J; Dsikowitzky, L; Heim, S; Littke, R. (2005). Determination of C-13/(12C)-ratios of anthropogenic organic contaminants in river water samples by GC-irmMS. *Int J Environ Anal Chem.* 85: 349-364. <http://dx.doi.org/10.1080/03067310500075962>.
- Scialdone, O; Guarisco, C; Galia, A; Herbois, R. (2010). Electroreduction of aliphatic chlorides at silver cathodes in water. *Journal of Electroanalytical Chemistry.* 641: 14-22. <http://dx.doi.org/10.1016/j.jelechem.2010.01.018>.
- Scollon, EJ; Carr, JA; Rintoul, DA; McMurry, ST; Cobb, GP. (2012). Metabolism and distribution of p,p'-DDT during flight of the white-crowned sparrow, *Zonotrichia leucophrys*. *Environ Toxicol Chem.* 31: 336-346. <http://dx.doi.org/10.1002/etc.730>.
- Scott, CS; Chiu, WA. (2006). Trichloroethylene cancer epidemiology: A consideration of select issues [Review]. *Environ Health Perspect.* 114: 1471-1478. <http://dx.doi.org/10.1289/ehp.8949>.
- Scott, D; Apblett, A; Materer, NF. (2011). Follow-up study on the effects on well chemistry from biological and chemical remediation of chlorinated solvents. *J Environ Monit.* 13: 2521-2526. <http://dx.doi.org/10.1039/c1em10360a>.
- Seagren, EA; Rittmann, BE; Valocchi, AJ. (1994). QUANTITATIVE-EVALUATION OF THE ENHANCEMENT OF NAPL-POOL DISSOLUTION BY FLUSHING AND BIODEGRADATION. *Environ Sci Technol.* 28: 833-839.
- Seaman, JC; Looney, BB; Harris, MK. (2007). Research in support of remediation activities at the Savannah River Site. *Vadose Zone Journal.* 6: 316-326. <http://dx.doi.org/10.2136/vzj2007.0044>.
- See, KA; Wu, HL; Lau, KC; Shin, M; Cheng, L; Balasubramanian, M; Gallagher, KG; Curtiss, LA; Gewirth, AA. (2016). Effect of Hydrofluoroether Cosolvent Addition on Li Solvation in Acetonitrile-Based Solvate Electrolytes and Its Influence on S Reduction in a Li-S Battery. 8: 34360-34371. <http://dx.doi.org/10.1021/acsami.6b11358>.
- Seelbach, A; Fissler, B; Madle, S. (1993). Further evaluation of a modified micronucleus assay with V79 cells for detection of aneugenic effects. *Mutat Res.* 303: 163-169.
- Seeram, NP; Adams, LS; Hardy, ML; Heber, D. (2004). Total cranberry extract versus its phytochemical constituents: antiproliferative and synergistic effects against human tumor cell lines. *J Agric Food Chem.* 52: 2512-2517. <http://dx.doi.org/10.1021/jf0352778>.
- Segar, RL; Dewys, SL; Speitel, GE. (1995). SUSTAINED TRICHLOROETHYLENE COMETABOLISM BY PHENOL-DEGRADING BACTERIA IN SEQUENCING BIOFILM REACTORS. *Water Environ Res.* 67: 764-774.
- Segar, RL; Leung, SY; Vivek, SA. (1997). Treatment of trichloroethene-contaminated water with a fluidized-bed bioreactor. *Ann N Y Acad Sci.* 829: 83-96.
- Seibel, EJ; Carroll, RE; Dominitz, JA; Johnston, RS; Melville, CD; Lee, CM; Seitz, SM; Kimmey, MB. (2008). Tethered capsule endoscopy, a low-cost and high-performance alternative technology for the screening of esophageal cancer and Barrett's esophagus. *IEEE Trans Biomed Eng.* 55: 1032-1042. <http://dx.doi.org/10.1109/TBME.2008.915680>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Seiji, K; Inoue, O; Jin, C; Liu, YT; Cai, SX; Ohashi, M; Watanabe, T; Nakatsuka, H; Kawai, T; Ikeda, M. (1989). Dose-excretion relationship in tetrachloroethylene-exposed workers and the effect of tetrachloroethylene co-exposure on trichloroethylene metabolism. *Am J Ind Med.* 16: 675-684. <http://dx.doi.org/10.1002/ajim.4700160607>.
- Seitz, CS; Lin, Q; Deng, H; Khavari, PA. (1998). Alterations in NF-kappaB function in transgenic epithelial tissue demonstrate a growth inhibitory role for NF-kappaB. *Proc Natl Acad Sci USA.* 95: 2307-2312.
- Seitz, HK; Stickel, F. (2006). Risk factors and mechanisms of hepatocarcinogenesis with special emphasis on alcohol and oxidative stress [Review]. *Biol Chem.* 387: 349-360. <http://dx.doi.org/10.1515/bc.2006.047>.
- Sekhar, GC; Venkatesu, P; Rao, MVP. (2001). Excess molar volumes and speeds of sound of N,N-dimethylacetamide with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data.* 46: 377-380.
- Sekiguchi, H; Saita, Y. (2001). Effect of alumina particles on sonolysis degradation of chlorobenzene in aqueous solution. *J Chem Eng Jpn.* 34: 1045-1048.
- Sekiguchi, H; Yamagata, K. (2004). Effect of liquid film on decomposition of CFC-12 using dielectric barrier discharge. *Thin Solid Films.* 457: 34-38. <http://dx.doi.org/10.1016/j.tsf.2003.12.010>.
- Sellers, EM; Lang, M; Koch-Weser, J; LeBlanc, E; Kalant, H. (1972). Interaction of chloral hydrate and ethanol in man. I. Metabolism. *Clin Pharmacol Ther.* 13: 37-49.
- Sellers, EM; Lang-Sellers, M; Koch-Weser, J. (1978). Comparative metabolism of chloral hydrate and triclofos. *J Clin Pharmacol.* 18: 457-461.
- Selli, E; Baglio, D; Montanarella, L; Bidoglio, G. (1999). Role of humic acids in the TiO₂-photocatalyzed degradation of tetrachloroethene in water. *Water Res.* 33: 1827-1836.
- Semadeni, M; P-C, C; Reinhard, M. (1998). Reductive transformation of trichloroethene by cobalamin: Reactivities of the intermediates acetylene, chloroacetylene, and the DCE isomers. *Environ Sci Technol.* 32: 1207-1213.
- Semkiw, ES; Barcelona, MJ. (2011). Field Study of Enhanced TCE Reductive Dechlorination by a Full-Scale Whey PRB. *Ground Water Monitoring and Remediation.* 31: 68-78. <http://dx.doi.org/10.1111/j.1745-6592.2010.01321.x>.
- Semkiw, ES; Dybas, MJ; Barcelona, MJ. (2009). Evaluation of Three Electron-Donor Permeable Reactive Barrier Materials for Enhanced Reductive Dechlorination of Trichloroethene. *Bioremediat J.* 13: 7-20. <http://dx.doi.org/10.1080/10889860802690489>.
- Semprini, L. (1995). In situ bioremediation of chlorinated solvents [Review]. *Environ Health Perspect.* 103: 101-105.
- Semprini, L; Dolan, ME; Azizian, MF. (2007). ENVR 198-Anaerobic transformation of trichloroethene and trichlorofluoroethene in a continuous flow column study. *Abstracts of Papers - American Chemical Society.* 234.
- Semprini, L; Dolan, ME; Hopkins, GD; Mccarty, PL. (2009). Bioaugmentation with butane-utilizing microorganisms to promote in situ cometabolic treatment of 1,1,1-trichloroethane and 1,1-dichloroethene. *J Contam Hydrol.* 103: 157-167. <http://dx.doi.org/10.1016/j.jconhyd.2008.10.005>.
- Semprini, L; Dolan, ME; Mathias, MA; Hopkins, GD; Mccarty, PL. (2007). Bioaugmentation of butane-utilizing microorganisms for the in situ cometabolic treatment of 1,1-dichloroethene, 1,1-dichloroethane, and 1,1,1-trichloroethane. *European Journal of Soil Biology.* 43: 322-327. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.006>.
- Semprini, L; Dolan, ME; Mathias, MAB; Hopkins, GD; Mccarty, PL. (2007). Laboratory, field, and modeling studies of bioaugmentation of butane-utilizing microorganisms for the in situ cometabolic treatment of 1,1-dichloroethene, 1,1-dichloroethane, and 1,1,1-trichloroethane. *Advances in Water Resources.* 30: 1528-1546. <http://dx.doi.org/10.1016/j.advwatres.2006.05.017>.
- Semprini, L; Hopkins, GD; Mccarty, PL; Roberts, PV. (1992). In situ transformation of carbon tetrachloride and other halogenated compounds resulting from biostimulation under anoxic conditions. *Environ Sci Technol.* 26: 2454-2461. <http://dx.doi.org/10.1021/es00036a018>.
- Semprini, L; Hopkins, GD; Roberts, PV; Grbic-Galic, D; McCarty, PL. (1991). A field evaluation of in-situ biodegradation of chlorinated ethenes: Part 3. Studies of competitive inhibition. *Ground Water.* 29: 239-250. <http://dx.doi.org/10.1111/j.1745-6584.1991.tb00516.x>.
- Semprini, L; Hopkins, GD; Roberts, PV; Mccarty, PL. (1992). PILOT SCALE FIELD STUDIES OF IN-SITU BIOREMEDIATION OF CHLORINATED SOLVENTS (pp. THE PROBLEM AND SOME SOLUTIONS). (ISSN 0304-3894; EISSN 1873-3336; BIOSIS/93/09041). Semprini, L; Hopkins, GD; Roberts, PV; Mccarty, PL.
- Semprini, L; Kitanidis, PK; Kampbell, DH; Wilson, JT. (1995). ANAEROBIC TRANSFORMATION OF CHLORINATED ALIPHATIC-HYDROCARBONS IN A SAND AQUIFER BASED ON SPATIAL CHEMICAL-DISTRIBUTIONS. *Water Resour Res.* 31: 1051-1062.
- Semprini, L; Mccarty, PL. (1992). COMPARISON BETWEEN MODEL SIMULATIONS AND FIELD RESULTS FOR INSITU BIORESTORATION OF CHLORINATED ALIPHATICS .2. COMETABOLIC TRANSFORMATIONS. *Ground Water.* 30: 37-44.
- Senaratne, C; Zhang, J; Fox, J; Burgess, I; Baker, MD. (1999). Electroanalytical chemistry with zeolites. *Microporous and Mesoporous Materials.* 33: 281-289.
- Seng, JE; Agrawal, N; Horsley, ETM; Leakey, TI; Scherer, EM; Xia, S; Allaben, WT; Leakey, JEA. (2003). Toxicokinetics of chloral hydrate in ad libitum-fed, dietary-controlled, and calorically restricted male B6C3F1 mice following short-term exposure. *Toxicol Appl Pharmacol.* 193: 281-292. <http://dx.doi.org/10.1016/j.taap.2003.07.008>.
- Senol, A. (2004). Liquid-liquid equilibria for the ternary systems of (water plus tetrahydrofuran plus polar solvent) at 298.15 K. *Journal of Chemical and Engineering Data.* 49: 1827-1832. <http://dx.doi.org/10.1021/je049747l>.
- Senol, A. (2006). Influence of diluent on amine extraction of pyruvic acid using Alamine system. *Chemical Engineering and Processing: Process Intensification.* 45: 755-763. <http://dx.doi.org/10.1016/j.cep.2006.03.002>.
- Senthilnathan, VP; Singh, S. (1976). CARBONYL STRETCH INTENSITY OF BENZOPHENONE IN BINARY SOLVENT MIXTURES OF CHLOROFORM, METHYLENE-CHLORIDE AND TRICHLOROETHYLENE WITH CYCLOHEXANE. *Indian Journal of Chemistry Section A: Inorganic, Physical, Theoretical and Analytical Chemistry.* 14: 743-745.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Seo, HS; Mccray, JE. (2002). Interfacial tension of chlorinated aliphatic DNAPL mixtures as a function of organic phase composition. *Environ Sci Technol.* 36: 1292-1298. <http://dx.doi.org/10.1021/es010931q>.
- Seo, JH; Liu, J; Fan, X; Kurabayashi, K. (2012). Effect of Thermal Desorption Kinetics on Vapor Injection Peak Irregularities by a Microscale Gas Chromatography Preconcentrator. *Anal Chem.* 84: 6336-6340. <http://dx.doi.org/10.1021/ac300755d>.
- Seo, JH; Liu, J; Fan, X; Kurabayashi, K. (2013). Fabry-Pérot cavity sensor-based optofluidic gas chromatography using a microfabricated passive preconcentrator/injector. *Lab Chip.* 13: 851-859. <http://dx.doi.org/10.1039/c2lc41119a>.
- Seo, YC; Paode, RD; Holsen, TM. (2000). Partitioning of SSOCs into straight-chained surfactants. *J Environ Eng.* 126: 467-470.
- Seol, Y; Javandel, I. (2008). Citric acid-modified Fenton's reaction for the oxidation of chlorinated ethylenes in soil solution systems. *Chemosphere.* 72: 537-542. <http://dx.doi.org/10.1016/j.chemosphere.2008.03.052>.
- Seol, Y; Schwartz, FW. (2000). Phase-transfer catalysis applied to the oxidation of nonaqueous phase trichloroethylene by potassium permanganate. *J Contam Hydrol.* 44: 185-201.
- Seol, Y; Schwartz, FW; Lee, S. (2001). Oxidation of binary DNAPL mixtures using potassium permanganate with a phase transfer catalyst. *Ground Water Monitoring and Remediation.* 21: 124-132.
- Seol, Y; Zhang, H; Schwartz, FW. (2003). A review of in situ chemical oxidation and heterogeneity. *Environmental and Engineering Geoscience.* 9: 37-49.
- Seol, YG; Trung, TQ; Yoon, O; Kja, S; Sohn, I; Lee, N; aeE. (2012). Nanocomposites of reduced graphene oxide nanosheets and conducting polymer for stretchable transparent conducting electrodes. *J Mater Chem.* 22: 23759-23766. <http://dx.doi.org/10.1039/c2jm33949h>.
- Sercu, B; Jones, ADG; Wu, CH; Escobar, MH; Serlin, CL; Knapp, TA; Andersen, GL; Holden, PA. (2013). The Influence of In Situ Chemical Oxidation on Microbial Community Composition in Groundwater Contaminated with Chlorinated Solvents. *Microb Ecol.* 65: 39-49. <http://dx.doi.org/10.1007/s00248-012-0092-0>.
- Sergejevova, M; Ruzicka, J. (2003). Potentials of aerobic microbial degradation of trichloroethene. *Chem Listy.* 97: 986-990.
- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A study of mixtures of organic solvents and triglycerides of linseed oil or the free fatty acids .2. Application to the viscosity of the Andrade, Krone, McAllister and Hildebrand equations. *Grasas y Aceites.* 46: 289-294.
- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A STUDY OF MIXTURES OF ORGANIC-SOLVENTS AND TRIGLYCERIDES OF LINSEED OIL OR THE FREE FATTY-ACIDS .1. MOLAR VOLUME, MOLAR REFRACTION AND DYNAMIC VISCOSITY. *Grasas y Aceites.* 46: 183-195.
- Serrano, DP; Calleja, G; Sanz, R; Pizarro, P. (2007). Development of crystallinity and photocatalytic properties in porous TiO₂ by mild acid treatment. *J Mater Chem.* 17: 1178-1187. <http://dx.doi.org/10.1039/b614052a>.
- Serrano, G; Paul, D; Kim, S; Kurabayashi, K; Zellers, ET. (2012). Comprehensive Two-Dimensional Gas Chromatographic Separations with a Microfabricated Thermal Modulator. *Anal Chem.* 84: 6973-6980. <http://dx.doi.org/10.1021/ac300924b>.
- Serrano, G; Sukaew, T; Zellers, ET. (2013). Hybrid preconcentrator/focuser module for determinations of explosive marker compounds with a micro-scale gas chromatograph. *J Chromatogr A.* 1279: 76-85. <http://dx.doi.org/10.1016/j.chroma.2013.01.009>.
- Serrano-Trespalacios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City metropolitan area. *J Expo Anal Environ Epidemiol.* 1: S118-S132. <http://dx.doi.org/10.1038/sj.jea.7500366>.
- Sever, VF; Boyd, GR; Bakeer, RM. (2010). Apparatus for Testing the Combined Effects of Deformation and Chemical Exposure on Polymeric Liners. *Journal of Materials in Civil Engineering.* 22: 227-235. [http://dx.doi.org/10.1061/\(ASCE\)0899-1561\(2010\)22:3\(227\)](http://dx.doi.org/10.1061/(ASCE)0899-1561(2010)22:3(227)).
- Severinsen, M; Andersen, MB; Chen, F; Nyholm, N. (1996). A regional chemical fate and exposure model suitable for Denmark and its coastal sea. *Chemosphere.* 32: 2159-2175. [http://dx.doi.org/10.1016/0045-6535\(96\)00124-5](http://dx.doi.org/10.1016/0045-6535(96)00124-5).
- Sexton, K; Adgate, JL; Church, TR; Ashley, DL; Needham, LL; Ramachandran, G; Fredrickson, AL; Ryan, AD. (2005). Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect.* 113: 342-349. <http://dx.doi.org/10.1289/ehp.7412>.
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol.* 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.
- Shabanov, VF; Pavlov, VF. (2004). Optically transparent glass ceramics with a low temperature expansion coefficient. *Glass Ceram.* 61: 13-15.
- Shade, WD; Jayjock, MA. (1997). Monte Carlo uncertainty analysis of a diffusion model for the assessment of halogen gas exposure during dosing of brominators. *Am Ind Hyg Assoc J.* 58: 418-424. <http://dx.doi.org/10.1080/15428119791012658>.
- Shafi, S; Sweetman, A; Hough, RL; Smith, R; Rosevear, A; Pollard, SJ. (2006). Evaluating fugacity models for trace components in landfill gas. *Environ Pollut.* 144: 1013-1023. <http://dx.doi.org/10.1016/j.envpol.2006.01.048>.
- Shafiei, M; Richardson, JT. (2004). Dechlorination of chlorinated hydrocarbons by catalytic steam reforming. *Appl Catal B-Environ.* 54: 251-259. <http://dx.doi.org/10.1016/j.apcatb.2004.06.010>.
- Shah, JJ; Singh, HB. (1988). Distribution of volatile organic chemicals in outdoor and indoor air: A national VOCs data base. *Environ Sci Technol.* 22: 1381-1388. <http://dx.doi.org/10.1021/es00177a001>.
- Shah, YM; Morimura, K; Yang, Q; Tanabe, T; Takagi, M; Gonzalez, FJ. (2007). Peroxisome proliferator-activated receptor alpha regulates a microRNA-mediated signaling cascade responsible for hepatocellular proliferation. *Mol Cell Biol.* 27: 4238-4247. <http://dx.doi.org/10.1128/MCB.00317-07>.
- Shahna, FG; Ebrahimi, H; Jaleh, B; Bahrami, A. (2015). Decomposition of gas-phase chloroform using nanophotocatalyst downstream the novel non-thermal plasma reactor: by-products elimination. *Int J Environ Sci Tech.* 12: 3489-3498. <http://dx.doi.org/10.1007/s13762-015-0882-2>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Shahwan, T; Abu Sirriah, S; Nairat, M; Boyaci, E; Eroglu, AE; Scott, TB; Hallam, KR. (2011). Green synthesis of iron nanoparticles and their application as a Fenton-like catalyst for the degradation of aqueous cationic and anionic dyes. *Chem Eng J.* 172: 258-266. <http://dx.doi.org/10.1016/j.cej.2011.05.103>.
- Shaikjee, A; Coville, NJ. (2012). Catalyst restructuring studies: The facile synthesis of tripod-like carbon fibers by the decomposition of trichloroethylene. *Mater Lett.* 68: 273-276. <http://dx.doi.org/10.1016/j.matlet.2011.10.083>.
- Shan, M; Wang, P; Li, J; Yue, G; Yang, X. (2015). Energy and environment in Chinese rural buildings: Situations, challenges, and intervention strategies. *Build Environ.* 91: 271-282. <http://dx.doi.org/10.1016/j.buildenv.2015.03.016>.
- Shanbhag, PV; Guha, AK; Sirkar, KK. (1996). Membrane-based integrated absorption-oxidation reactor for destroying VOCs in air. *Environ Sci Technol.* 30: 3435-3440.
- Shang, J; Du, YG; Xu, ZL. (2002). Kinetics of gas-phase photocatalytic oxidation of heptane over TiO₂. 75: 259-265.
- Shang, J; Du, YG; Xu, ZL. (2002). Photocatalytic oxidation of heptane in the gas-phase over TiO₂. *Chemosphere.* 46: 93-99.
- Shang, J; Zhu, YF; Du, YG; Xu, ZL. (2002). Comparative studies on the deactivation and regeneration of TiO₂ nanoparticles in three photocatalytic oxidation systems: C₇H₁₆, SO₂, and C₇H₁₆-SO₂. *J Solid State Chem.* 166: 395-399. <http://dx.doi.org/10.1006/jssc.2002.9613>.
- Shang, TQ; Gordon, MP. (2002). Transformation of [C-14] trichloroethylene by poplar suspension cells. *Chemosphere.* 47: 957-962.
- Shankar, K; Vaidya, VS; Corton, JC; Bucci, TJ; Liu, J; Waalkes, MP; Mehendale, HM. (2003). Activation of PPAR- α in streptozotocin-induced diabetes is essential for resistance against acetaminophen toxicity. *FASEB J.* 17: 1748-1750. <http://dx.doi.org/10.1096/fj.02-1186fje>.
- Shankar, R; Kolandaivel, P; Senthilkumar, K. (2011). A Theoretical Study on Decomposition and Rearrangement Reaction Mechanism of Trichloroacetyl Chloride (CCl₃COCl). *Int J Quant Chem.* 111: 3482-3496. <http://dx.doi.org/10.1002/qua.22790>.
- Shannon, D. (1995). STARVING MICROBES DEGRADE TCE, BUT APPLICATIONS LIMITED. *Environ Sci Technol.* 29: A207-A207.
- Shao, GN; Hilonga, A; Jeon, S; Lee, J; Elineema, G; Quang, DV; Kim, J; Kim, H. (2013). Influence of titania content on the mesostructure of titania-silica composites and their photocatalytic activity. *Powder Technology.* 233: 123-130. <http://dx.doi.org/10.1016/j.powtec.2012.08.025>.
- Shao, GN; Hilonga, A; Kim, Y; Kim, J; Elineema, G; Quang, DV; Jeon, S; Kim, H. (2012). Peptization technique in the synthesis of titania-silica composites and their photocatalytic properties. *Chem Eng J.* 198: 122-129. <http://dx.doi.org/10.1016/j.cej.2012.05.026>.
- Shao, J; Stapleton, PL; Lin, YS; Gallagher, EP. (2007). Cytochrome p450 and glutathione s-transferase mRNA expression in human fetal liver hematopoietic stem cells. *Drug Metab Dispos.* 35: 168-175. <http://dx.doi.org/10.1124/dmd.106.012757>.
- Shaofeng, H; Shuben, L; Jiayin, X; Jianzhong, N; Chungu, X; Haidong, T; Wei, T. (2007). Purification and biochemical characterization of soluble methane monooxygenase hydroxylase from *Methylosinus trichosporium* IMV 3011. *Biosci Biotechnol Biochem.* 71: 122-129. <http://dx.doi.org/10.1271/bbb.60402>.
- Sharma, RK; Zhou, B; Tong, SM; Chuang, KT. (1995). CATALYTIC DESTRUCTION OF VOLATILE ORGANIC-COMPOUNDS USING SUPPORTED PLATINUM AND PALLADIUM HYDROPHOBIC CATALYSTS. *Ind Eng Chem Res.* 34: 4310-4317.
- Sharpe, CR; Rochon, JE; Adam, JM; Suissa, S. (1989). Case-control study of hydrocarbon exposures in patients with renal cell carcinoma. *CMAJ.* 140: 1309-1318.
- Shearer, BG; Hoekstra, WJ. (2003). Recent advances in peroxisome proliferator-activated receptor science [Review]. *Curr Med Chem.* 10: 267-280. <http://dx.doi.org/10.2174/1567204052930970>.
- Sheffels, P; Schroeder, JL; Altuntas, TG; Liggitt, HD; Kharasch, ED. (2004). Role of cytochrome P4503A in cysteine S-conjugates sulfoxidation and the nephrotoxicity of the sevoflurane degradation product fluoromethyl-2,2-difluoro-1-(trifluoromethyl)vinyl ether (compound A) in rats. *Chem Res Toxicol.* 17: 1177-1189. <http://dx.doi.org/10.1021/tx049899e>.
- Shemer, H; Narkis, N. (2005). Effects of aqueous solutions composition and acoustic intensity on THM compounds sonolysis. *Environ Eng Sci.* 22: 138-144.
- Shen, C; Lee, SY; Lam, TH; Schooling, CM. (2016). Is Traditional Chinese Exercise Associated With Lower Mortality Rates in Older People? Evidence From a Prospective Chinese Elderly Cohort Study in Hong Kong. *Am J Epidemiol.* 183: 36-45. <http://dx.doi.org/10.1093/aje/kwv142>.
- Shen, H, ai; Wilson, JT. (2007). Trichloroethylene removal from groundwater in flow-through columns simulating a permeable reactive barrier constructed with plant mulch. *Environ Sci Technol.* 41: 4077-4083. <http://dx.doi.org/10.1021/es.0626180>.
- Shen, H, ai; Wilson, JT; Lu, X. (2012). A Tracer Test to Characterize Treatment of TCE in a Permeable Reactive Barrier. *Ground Water Monitoring and Remediation.* 32: 32-41. <http://dx.doi.org/10.1111/j.1745-6592.2011.01394.x>.
- Shen, L; Liu, L; Yao, Z; Liu, G; Lucas, M. (2010). Development potentials and policy options of biomass in China. *Environ Manage.* 46: 539-554. <http://dx.doi.org/10.1007/s00267-010-9476-4>.
- Shen, L; Wania, F. (2005). Compilation, evaluation, and selection of physical-chemical property data for organochlorine pesticides. *Journal of Chemical and Engineering Data.* 50: 742-768. <http://dx.doi.org/10.1021/jc049693f>.
- Shen, X; Zhao, L; Ding, Y; Liu, B; Zeng, H; Zhong, L; Li, X. (2011). Foam, a promising vehicle to deliver nanoparticles for vadose zone remediation. *J Hazard Mater.* 186: 1773-1780. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.071>.
- Shen, YS; Ku, Y. (1997). Treatment of gas-phase trichloroethene in air by the UV/O-3 process. *J Hazard Mater.* 54: 189-200.
- Shen, YS; Ku, Y. (1998). Decomposition of gas-phase chloroethenes by UV/O-3 process. *Water Res.* 32: 2669-2679.
- Shen, YS; Ku, Y. (2002). Decomposition of gas-phase trichloroethene by the UV/TiO₂ process in the presence of ozone. *Chemosphere.* 46: 101-107.
- Sheng, G; Wang, X; Wu, S; Boyd, SA. (1998). Enhanced sorption of organic contaminants by smectitic soils modified with a cationic surfactant. *J Environ Qual.* 27: 806-814.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sheng, G; Xu, S; Boyd, SA. (1996). Cosorption of organic contaminants from water by hexadecyltrimethylammonium-exchanged clays. *Water Res.* 30: 1483-1489.
- Sheng, Y; Rong, Y; He, Z; Fan, Y; Warner, JH. (2015). Uniformity of large-area bilayer graphene grown by chemical vapor deposition. *Nanotechnology.* 26: 395601. <http://dx.doi.org/10.1088/0957-4484/26/39/395601>.
- Shenl, H, ai; Adair, C; Wilson, JT. (2010). Long-Term Capacity of Plant Mulch to Remediate Trichloroethylene in Groundwater. *J Environ Eng.* 136: 1054-1062. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000253](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000253).
- Sher, T; Yi, HF; McBride, OW; Gonzalez, FJ. (1993). cDNA cloning, chromosomal mapping, and functional characterization of the human peroxisome proliferator activated receptor. *Biochemistry.* 32: 5598-5604. <http://dx.doi.org/10.1021/bi00072a015>.
- Sheremata, TW; Halasz, A; Paquet, L; Thiboutot, S; Ampleman, G; Hawari, J. (2001). The fate of the cyclic nitramine explosive RDX in natural soil. *Environ Sci Technol.* 35: 1037-1040.
- Sheremata, TW; Yong, RN; Ghoshal, S; Guiot, SR. (2000). Anaerobic biodegradation of trichloroethylene sorbed by a surrogate soil organic matter. *J Environ Qual.* 29: 1033-1040.
- Sheremata, TW; Yong, RN; Guiot, SR. (1997). Simulation and sterilization of a surrogate soil organic matter for the study of the fate of trichloroethylene in soil. *Commun Soil Sci Plant Anal.* 28: 13-14.
- Sherins, RJ; Hodgen, GD. (1976). Testicular gamma glutamyl-transpeptidase: An index of Sertoli cell function in man. *J Reprod Fertil.* 48: 191-193. <http://dx.doi.org/10.1530/jrf.0.0480191>.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere.* 104: 149-154. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.084>.
- Sheu, W, enJ; Chen, GJ, ie; Wang, C, hiC. (2015). Performance of piezoelectric fins for heat dissipation. *Int J Heat Mass Tran.* 86: 72-77. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2015.02.072>.
- Sheu, YT; Chen, SC; Chien, CC; Chen, CC; Kao, CM. (2015). Application of a long-lasting colloidal substrate with pH and hydrogen sulfide control capabilities to remediate TCE-contaminated groundwater. *J Hazard Mater.* 284: 222-232. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.023>.
- Shi, J; Yi, S; He, H; Long, C; Li, A. (2013). Preparation of nanoscale zero-valent iron supported on chelating resin with nitrogen donor atoms for simultaneous reduction of Pb²⁺ and NO₃. *Chem Eng J.* 230: 166-171. <http://dx.doi.org/10.1016/j.cej.2013.06.088>.
- Shi, J; Yi, S; Long, C; Li, A. (2015). Effect of Fe loading quantity on reduction reactivity of nano zero-valent iron supported on chelating resin. 9: 840-849. <http://dx.doi.org/10.1007/s11783-015-0781-2>.
- Shi, Y; Yang, J; Mao, W, ei; Li, Y; Xu, X, in; Zhang, H, ao; Yu, W; Li, Y, e; Yang, C. (2015). Influence of Fe²⁺-sodium persulfate on extracellular polymeric substances and dewaterability of sewage sludge. *Desalination and Water Treatment.* 53: 2655-2663. <http://dx.doi.org/10.1080/19443994.2013.868833>.
- Shiao, Y; Kamata, S; Li, L; Hooth, M; DeAngelo, A; Anderson, L; Wolf, D. (2002). Mutations in the VHL gene from potassium bromate-induced rat clear cell renal tumors. *Cancer Lett.* 187: 207-214.
- Shiao, Y; Rice, J; Anderson, L; Diwan, B; Hard, G. (1998). von Hippel-Lindau gene mutations in N-nitrosodimethylamine-induced rat renal epithelial tumors. *J Natl Cancer Inst.* 90: 1720-1723.
- Shiao, YH. (2009). Genetic Signature for Human Risk Assessment: Lessons From Trichloroethylene [Review]. *Environ Mol Mutagen.* 50: 68-77. <http://dx.doi.org/10.1002/em.20432>.
- Shiau, BJ; Hasagawa, MA; Brammer, JM; Carter, T; Goodspeed, M; Harwell, JH; Sabatini, DA; Knox, RC; Szekeres, E. (2003). Field demonstration of surfactant-enhanced DNAPL remediation: Two case studies. *ACS Symp Ser Am Chem Soc.* 837: 51-72.
- Shiau, BJ; Rouse, JD; Sabatini, DA; Harwell, JH. (1995). SURFACTANT SELECTION FOR OPTIMIZING SURFACTANT-ENHANCED SUBSURFACE REMEDIATION. *ACS Symp Ser Am Chem Soc.* 594: 65-79.
- Shiau, BJ; Sabatini, DA; Harwell, JH. (1994). SOLUBILIZATION AND MICROEMULSIFICATION OF CHLORINATED SOLVENTS USING DIRECT FOOD ADDITIVE (EDIBLE) SURFACTANTS. *Ground Water.* 32: 561-569.
- Shiau, BJ; Sabatini, DA; Harwell, JH; Vu, DQ. (1996). Microemulsion of mixed chlorinated solvents using food grade (edible) surfactants. *Environ Sci Technol.* 30: 97-103.
- Shiau, YJ; Chiang, KM; Lin, HW. (2015). Performance enhancement of metal nanowire-based transparent electrodes by electrically driven nanoscale nucleation of metal oxides. *Nanoscale.* 7: 12698-12705. <http://dx.doi.org/10.1039/c5nr02780b>.
- Shiba, M; Uddin, M, dA; Kato, Y; Ono, T. (2014). Degradation of Chlorinated Organic Compounds by Mixed Particles of Iron/Iron Sulfide or Iron/Iron Disulfide. *Mater Trans.* 55: 708-712. <http://dx.doi.org/10.2320/matertrans.M2013412>.
- Shibata, H; Sakai, H; Rangsunvigit, P; Hirano, T; Abe, M. (2003). Preparation and photocatalytic activity of titania particulate film with silica as binder. 86: 125-130.
- Shifrin, M; Cohen, A; Weisman, O; Gurewitz, O. (2016). Coded Retransmission in Wireless Networks Via Abstract MDPs: Theory and Algorithms. I E E E Transactions on Wireless Communications. 15: 4292-4306. <http://dx.doi.org/10.1109/TWC.2016.2538762>.
- Shigekawa, N; Nishimura, K; Yokoyama, H; Hohkawa, K. (2008). Surface acoustic waves in reverse-biased AlGaIn/GaN hetero structures. I E E E Transactions on Electron Devices. 55: 1585-1591. <http://dx.doi.org/10.1109/TED.2008.923565>.
- Shih, Y, uJen; Chen, CW, en; Hsia, K, uoF; Dong, CD, i. (2015). Granulation for extended-release of nanoscale zero-valent iron exemplified by hexavalent chromium reduction in aqueous solution. *Separation and Purification Technology.* 156: 1073-1081. <http://dx.doi.org/10.1016/j.seppur.2015.10.043>.
- Shih, YH. (2007). Sorption of trichloroethylene in humic acid studied by experimental investigations and molecular dynamics simulations. *Soil Sci Soc Am J.* 71: 1813-1821. <http://dx.doi.org/10.2136/sssaj2007.0282>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Shih, YH; Li, MS. (2008). Adsorption of selected volatile organic vapors on multiwall carbon nanotubes. *J Hazard Mater.* 154: 21-28. <http://dx.doi.org/10.1016/j.jhazmat.2007.09.095>.
- Shijin, W; Xiang, Y; Zhihang, H; Lili, Z; Jianmeng, C. (2009). Optimizing aerobic biodegradation of dichloromethane using response surface methodology. *J Environ Sci.* 21: 1276-1283. [http://dx.doi.org/10.1016/S1001-0742\(08\)62415-8](http://dx.doi.org/10.1016/S1001-0742(08)62415-8).
- Shikoh, A, IiS; Ahmad, Z; Touati, F; Shakoor, RA; Al-Thani, NJ; Zhu, Z; Mankowski, T; Benammar, MA; Mansuripur, M; Falco, CM. (2016). Integration of the inexpensive CuNWs based transparent counter electrode with dye sensitized photo sensors. *RSC Advances.* 6: 53123-53129. <http://dx.doi.org/10.1039/c6ra08395a>.
- Shim, JY; Richard, AM. (1996). Conformational aspects of glutathione conjugates of chlorinated alkenes: A computational study. *Chem Res Toxicol.* 9: 667-675. <http://dx.doi.org/10.1021/tx9501997>.
- Shim, WG; Lee, JW; Moon, H. (2006). Adsorption equilibrium and column dynamics of VOCs on MCM-48 depending on pelletizing pressure. *Microporous and Mesoporous Materials.* 88: 112-125. <http://dx.doi.org/10.1016/j.micromeso.2005.08.026>.
- Shim, WG; Lee, JW; Moon, H. (2006). Heterogeneous adsorption characteristics of volatile organic compounds (VOCs) on MCM-48. *Separation Science and Technology.* 41: 3693-3719. <http://dx.doi.org/10.1080/01496390600956936>.
- Shim, WG; Lee, JW; Rhee, HK; Moon, H. (2004). Adsorption dynamics for the capillary condensation of trichloroethylene vapor on mesoporous material. *Korean J Chem Eng.* 21: 469-476.
- Shim, WG; Lee, SG; Hwang, MJ; Park, KH; Kim, SC; Moon, H. (2011). Adsorption and Thermo Desorption Characteristics of Hydrocarbons on Single Walled Carbon Nanotubes. *J Nanosci Nanotechnol.* 11: 1518-1521. <http://dx.doi.org/10.1166/jnn.2011.3308>.
- Shim, WG; Moon, H, ee; Lee, J, aeW. (2006). Performance evaluation of wash-coated MCM-48 monolith for adsorption of volatile organic compounds and water vapors. *Microporous and Mesoporous Materials.* 94: 15-28. <http://dx.doi.org/10.1016/j.micromeso.2006.03.024>.
- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther.* 270: 414-423.
- Shimizu, Y; Akai, Y; Hyodo, T; Takao, Y; Egashira, M. (1999). Decomposition of trichlorotrifluoroethane by microwave-induced Ar plasma generated from SiC ceramics under atmospheric pressure. *J Electrochem Soc.* 146: 3052-3057.
- Shimizu, Y; Takei, N; Terashima, Y. (1992). SORPTION OF ORGANIC POLLUTANTS FROM VAPOR PHASE THE EFFECTS OF NATURAL SOLID CHARACTERISTICS AND MOISTURE CONTENT (pp. 24-30). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/05315). Shimizu, Y; Takei, N; Terashima, Y.
- Shimizu, Y; Takei, N; Terashima, Y. (1994). ROLES OF SOLID COMPONENTS ON THE SORPTION OF TRICHLOROETHYLENE TCE ONTO NATURAL SOLIDS FROM THE VAPOR PHASE. *Water Sci Technol.* 30: 1-11.
- Shimoda, S; Prengle H W, J. R.; Symons, JM. (1998). H2O2isUV photo-oxidation process for treatment of waterborne hazardous substances- reaction mechanism, rate model, and data for tubular flow and flow stirred tank reactors. *Waste Manag.* 17: 507-515.
- Shimomura, T; Sanford, RA. (2005). Reductive dechlorination of tetrachloroethene in a sand reactor using a potentiostat. *J Environ Qual.* 34: 1435-1438. <http://dx.doi.org/10.2134/jeq2004.0265>.
- Shimomura, T; Suda, F; Uchiyama, H; Yagi, O. (1997). Biodegradation of trichloroethylene by *Methylocystis* sp. strain M immobilized in gel beads in a fluidized-bed bioreactor. *Water Res.* 31: 2383-2386.
- Shimotori, T; Arnold, WA. (2002). Henry's law constants of chlorinated ethylenes in aqueous alcohol solutions: Measurement, estimation, and thermodynamic analysis. *Journal of Chemical and Engineering Data.* 47: 183-190. <http://dx.doi.org/10.1021/je010132n>.
- Shimotori, T; Arnold, WA. (2003). Measurement and estimation of Henry's law constants of chlorinated ethylenes in aqueous surfactant solutions. *Journal of Chemical and Engineering Data.* 48: 253-261. <http://dx.doi.org/10.1021/je025553z>.
- Shimotori, T; Cussler, EL; Arnold, WA. (2006). High-density polyethylene membrane containing Fe-0 as a contaminant barrier. *J Environ Eng.* 132: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(803\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(803)).
- Shimotori, T; Nuxoll, EE; Cussler, EL; Arnold, WA. (2004). A polymer membrane containing Fe-0 as a contaminant barrier. *Environ Sci Technol.* 38: 2264-2270. <http://dx.doi.org/10.1021/es034601c>.
- Shin, EM; Senthurchelvan, R; Munoz, J; Basak, S; Rajeshwar, K; Benglassmith, G; Howell, BC. (1996). Photolytic and photocatalytic destruction of formaldehyde in aqueous media. *J Electrochem Soc.* 143: 1562-1570.
- Shin, HS; Lim, JL. (1996). Performance of packed-bed bioreactors for the cometabolic degradation of trichloroethylene by phenol-oxidizing microorganisms. *Environ Technol.* 17: 1351-1358.
- Shin, HY; Singhal, N; Park, JW. (2007). Regeneration of iron for trichloroethylene reduction by *Shewanella* alga BrY. *Chemosphere.* 68: 1129-1134. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.059>.
- Shin, J, aWon; Park, Y, uRi; Kim, JJ, oo; Choi, W, onHo; Park, J, ooY. (2014). Electrochemical reduction of trichloroethylene using zero-valent iron bipolar packed-bed electrodes. *Desalination and Water Treatment.* 52: 900-908. <http://dx.doi.org/10.1080/19443994.2013.826326>.
- Shin, K; Cha, DK. (2008). Microbial reduction of nitrate in the presence of nanoscale zero-valent iron. *Chemosphere.* 72: 257-262. <http://dx.doi.org/10.1016/j.chemosphere.2008.01.043>.
- Shin, M, inC; Choi, HD, oc; Kim, D, oH; Baek, K. (2008). Effect of surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Desalination.* 223: 299-307. <http://dx.doi.org/10.1016/j.desal.2007.01.223>.
- Shin, M, inC; Yang, JS; Park, GY; Baek, K. (2011). Influence of mixed-surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Korean J Chem Eng.* 28: 1047-1053. <http://dx.doi.org/10.1007/s11814-010-0473-3>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Shin, S; Kim, J; Kim, YH; Kim, SI, I. (2013). Enhanced performance of organic light-emitting diodes by using hybrid anodes composed of graphene and conducting polymer. *Curr Appl Phys.* 13: S144-S147. <http://dx.doi.org/10.1016/j.cap.2013.01.016>.
- Shiraishi, F; Toyoda, K; Fukinbara, S; Obuchi, E; Nakano, K. (1999). Photolytic and photocatalytic treatment of an aqueous solution containing microbial cells and organic compounds in an annular-flow reactor. *Chem Eng Sci.* 54: 1547-1552.
- Shirasu, Y; Moriya, M; Kato, K; Furuhashi, A; Kada, T. (1976). Mutagenicity screening of pesticides in the microbial system. *Mutat Res.* 40: 19-30. [http://dx.doi.org/10.1016/0165-1218\(76\)90018-5](http://dx.doi.org/10.1016/0165-1218(76)90018-5).
- Shirayama, H; Tohezo, Y; Taguchi, S. (2001). Photodegradation of chlorinated hydrocarbons in the presence and absence of dissolved oxygen in water. *Water Res.* 35: 1941-1950.
- Shirin, S; Buncel, E; Vanloon, G. (2004). Effect of cyclodextrins on iron-mediated dechlorination of trichloroethylene - A proposed new mechanism. *Can J Chem.* 82: 1674-1685. <http://dx.doi.org/10.1139/V04-140>.
- Shivakumar, KI; Yan, Y; Hughes, CE; Apperley, DC; Harris, KDM; Sanjayan, GJ. (2015). Exploiting Powder X-ray Diffraction to Establish the Solvent-Assisted Solid-State Supramolecular Assembly of Pillar[5]quinone. *Cryst Growth Des.* 15: 1583-1587. <http://dx.doi.org/10.1021/acs.cgd.5b00277>.
- Shivaramaiah, HM; Odeh, IO; Kennedy, IR; Skerritt, JH. (2002). Mapping the distribution of DDT residues as DDE in the soils of the irrigated regions of northern New South Wales, Australia using ELISA and GIS. *J Agric Food Chem.* 50: 5360-5367. <http://dx.doi.org/10.1021/jf011542i>.
- Shiyang, Y; Ping, W; Xin, Y; Guang, W; Wenyi, Z; Liang, S. (2009). A novel advanced oxidation process to degrade organic pollutants in wastewater: Microwave-activated persulfate oxidation. *J Environ Sci.* 21: 1175-1180. [http://dx.doi.org/10.1016/S1001-0742\(08\)62399-2](http://dx.doi.org/10.1016/S1001-0742(08)62399-2).
- Sholtz, RI; Mclaughlin, KR; Cirillo, PM; Petreas, M; Park, JS; Wolff, MS; Factor-Litvak, P; Eskenazi, B; Krigbaum, N; Cohn, BA. (2011). Assaying organochlorines in archived serum for a large, long-term cohort: implications of combining assay results from multiple laboratories over time. *Environ Int.* 37: 709-714. <http://dx.doi.org/10.1016/j.envint.2011.01.013>.
- Shonnard, DR; Bell, RL. (1993). Benzene emissions from a contaminated air-dry soil with fluctuations of soil temperature or relative humidity. *Environ Sci Technol.* 27: 2909-2913.
- Short, BG. (1993). Cell proliferation and renal carcinogenesis [Review]. *Environ Health Perspect.* 101: 115-120.
- Shouakar-Stash, O; Drimmie, RJ. (2013). Online methodology for determining compound-specific hydrogen stable isotope ratios of trichloroethene and 1,2-cis-dichloroethene by continuous-flow isotope ratio mass spectrometry. *Rapid Commun Mass Spectrom.* 27: 1335-1344. <http://dx.doi.org/10.1002/rcm.6578>.
- Shouakar-Stash, O; Drimmie, RJ; Frape, SK. (2005). Determination of inorganic chlorine stable isotopes by continuous flow isotope ratio mass spectrometry. *Rapid Commun Mass Spectrom.* 19: 121-127. <http://dx.doi.org/10.1002/rcm.1762>.
- Shouakar-Stash, O; Drimmie, RJ; Zhang, M; Frape, SK. (2006). Compound-specific chlorine isotope ratios of TCE, PCE and DCE isomers by direct injection using CF-IRMS. *Appl Geochem.* 21: 766-781. <http://dx.doi.org/10.1016/j.apgeochem.2006.02.006>.
- Shouakar-Stash, O; Frape, SK; Drimmie, RJ. (2003). Stable hydrogen, carbon and chlorine isotope measurements of selected chlorinated organic solvents. *J Contam Hydrol.* 60: 211-228. [http://dx.doi.org/10.1016/S0169-7722\(02\)00085-2](http://dx.doi.org/10.1016/S0169-7722(02)00085-2).
- Shouakar-Stash, O; Stotler, RL; Frape, SK; Illman, WA. (2009). The effect of sorption on chlorine stable isotopes of TCE. *Geochim Cosmo Acta.* 73: A1217-A1217.
- Shroods, AL; Guo, X; Dixit, V; Liu, HP; James, MO; Stacpoole, PW. (2008). Age-dependent kinetics and metabolism of dichloroacetate: Possible relevance to toxicity. *J Pharmacol Exp Ther.* 324: 1163-1171. <http://dx.doi.org/10.1124/jpet.107.134593>.
- Shu, HY; Chang, MC; Chang, CC. (2009). Integration of nanosized zero-valent iron particles addition with UV/H₂O₂ process for purification of azo dye Acid Black 24 solution. *J Hazard Mater.* 167: 1178-1184. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.106>.
- Shu, HY; Chang, MC; Chen, CC; Chen, PE. (2010). Using resin supported nano zero-valent iron particles for decoloration of Acid Blue 113 azo dye solution. *J Hazard Mater.* 184: 499-505. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.064>.
- Shu, XO; Perentesis, JP; Wen, W; Buckley, JD; Boyle, E; Ross, JA; Robison, LL; Group, CsO. (2004). Parental exposure to medications and hydrocarbons and ras mutations in children with acute lymphoblastic leukemia: A report from the Children's Oncology Group. *Cancer Epidemiol Biomarkers Prev.* 13: 1230-1235.
- Shu, XO; Stewart, P; Wen, WQ; Han, D; Potter, JD; Buckley, JD; Heineman, E; Robison, LL. (1999). Parental occupational exposure to hydrocarbons and risk of acute lymphocytic leukemia in offspring. *Cancer Epidemiol Biomarkers Prev.* 8: 783-791.
- Shuai, D; Chaplin, BP; Shapley, J. R.; Menendez, NP; Mccalman, DC; Schneider, WF; Werth, CJ. (2010). Enhancement of oxyanion and diatrizoate reduction kinetics using selected azo dyes on Pd-based catalysts. *Environ Sci Technol.* 44: 1773-1779. <http://dx.doi.org/10.1021/es9029842>.
- Shukla, AK; Singh, RS; Upadhyay, SN; Dubey, SK. (2010). Kinetics of bio-filtration of trichloroethylene by methanotrophs in presence of methanol. *Bioresour Technol.* 101: 8119-8126. <http://dx.doi.org/10.1016/j.biortech.2010.06.040>.
- Shukla, AK; Singh, RS; Upadhyay, SN; Dubey, SK. (2011). Substrate inhibition during bio-filtration of TCE using diazotrophic bacterial community. *Bioresour Technol.* 102: 3561-3563. <http://dx.doi.org/10.1016/j.biortech.2010.09.037>.
- Shukla, AK; Vishwakarma, P; Singh, RS; Upadhyay, SN; Dubey, SK. (2010). Bio-filtration of trichloroethylene using diazotrophic bacterial community. *Bioresour Technol.* 101: 2126-2133. <http://dx.doi.org/10.1016/j.biortech.2009.10.094>.
- Shukla, AK; Vishwakarma, P; Upadhyay, SN; Tripathi, AK; Prasana, HC; Dubey, SK. (2009). Biodegradation of trichloroethylene (TCE) by methanotrophic community. *Bioresour Technol.* 100: 2469-2474. <http://dx.doi.org/10.1016/j.biortech.2008.12.022>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Shulman, SA; Groff, JH; Schlecht, PC; Xue, DX. (1996). Performance of laboratories analyzing organic solvents in the proficiency analytical testing program. *Am Ind Hyg Assoc J.* 57: 295-303.
- Shultz, J; Weiner, H. (1979). Alteration of the enzymology of chloral hydrate reduction in the presence of ethanol. *Biochem Pharmacol.* 28: 3379-3384. [http://dx.doi.org/10.1016/0006-2952\(79\)90076-5](http://dx.doi.org/10.1016/0006-2952(79)90076-5).
- Shurtliff, MM; Parkin, GF; Weathers, LJ; Gibson, DT. (1996). Biotransformation of trichloroethylene by a phenol-induced mixed culture. *J Environ Eng.* 122: 581-589.
- Si, YB; Fang, GD; Zhou, J; Zhou, DM. (2010). Reductive transformation of 2,4-dichlorophenoxyacetic acid by nanoscale and microscale Fe₃O₄ particles. *J Environ Sci Health B.* 45: 233-241. <http://dx.doi.org/10.1080/10934520903430020>.
- Siciliano, SD; Germida, JJ. (1997). Bacterial inoculants of forage grasses that enhance degradation of 2-chlorobenzoic acid in soil. *Environ Toxicol Chem.* 16: 1098-1104.
- Sidheswaran, M; Tavlirides, LL. (2008). Visible light photocatalytic oxidation of toluene using a cerium-doped titania catalyst. *Ind Eng Chem Res.* 47: 3346-3357. <http://dx.doi.org/10.1021/ie007127j>.
- Sidhu, KS; Chadzynski, L. (1994). RISK COMMUNICATION - HEALTH RISKS ASSOCIATED WITH ENVIRONMENTALLY CONTAMINATED PRIVATE WELLS VERSUS CHLOROFORM IN A PUBLIC WATER-SUPPLY. *J Environ Health.* 56: 13-16.
- Sidonia, V; Haydee, KM; Ristoiu, D; Luminita, SD. (2009). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY FROM DEJ TOWN, ROMANIA. 54: 125-134.
- Siegel, JH; Kasmin, FE. (1997). Biliary tract diseases in the elderly: Management and outcomes [Review]. *Gut.* 41: 433-435. <http://dx.doi.org/10.1136/gut.41.4.433>.
- Siegrist, RL. (1991). VOLATILE ORGANIC-COMPOUNDS IN CONTAMINATED SOILS - THE NATURE AND VALIDITY OF THE MEASUREMENT PROCESS. *J Hazard Mater.* 29: 3-15.
- Siegrist, RL; Lowe, KS; Crimi, ML; Urynowicz, MA. (2006). Quantifying PCE and TCE in DNAPL source zones: Effects of sampling methods used for intact cores at varied contaminant levels and media temperatures. *Ground Water Monitoring and Remediation.* 26: 114-124.
- Siegrist, RL; Lowe, KS; Murdoch, LC; Case, TL; Pickering, DA. (1999). In situ oxidation by fracture emplaced reactive solids. *J Environ Eng.* 125: 429-440.
- Siegrist, RL; Urynowicz, MA; Crimi, ML; Lowe, KS. (2002). Genesis and effects of particles produced during in situ chemical oxidation using permanganate. *J Environ Eng.* 128: 1068-1079. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2002\)128:11\(1068\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2002)128:11(1068)).
- Siegrist, RL; West, OR; Morris, MI; Pickering, DA; Greene, DW; Muhr, CA; Davenport, DD; Gierke, JS. (1995). In situ mixed region vapor stripping in low-permeability media. 2. Full-scale field experiments. *Environ Sci Technol.* 29: 2198-2207.
- Siemiatycki, J; Dewar, R; Nadon, L; Gérin, M. (1994). Occupational risk factors for bladder cancer: Results from a case-control study in Montreal, Quebec, Canada. *Am J Epidemiol.* 140: 1061-1080.
- Siemiatycki, J; Fritschi, L; Nadon, L; Gérin, M. (1997). Reliability of an expert rating procedure for retrospective assessment of occupational exposures in community-based case-control studies. *Am J Ind Med.* 31: 280-286.
- Siemiatycki, J; Wacholder, S; Richardson, L; Dewar, R; Gérin, M. (1987). Discovering carcinogens in the occupational environment: Methods of data collection and analysis of a large case-referent monitoring system. *Scand J Work Environ Health.* 13: 486-492.
- Sigal, SH; Rajvanshi, P; Gorla, GR; Sokhi, RP; Saxena, R; Gebhard, DR, Jr; Reid, LM; Gupta, S. (1999). Partial hepatectomy-induced polyploidy attenuates hepatocyte replication and activates cell aging events. *Am J Physiol.* 276: G1260-G1272.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Low-temperature (7 degrees C) anaerobic treatment of a trichloroethylene-contaminated wastewater: Microbial community development. *Water Res.* 45: 4035-4046. <http://dx.doi.org/10.1016/j.watres.2011.05.013>.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Methanogenic community development in anaerobic granular bioreactors treating trichloroethylene (TCE)-contaminated wastewater at 37 degrees C and 15 degrees C. *Water Res.* 45: 2452-2462. <http://dx.doi.org/10.1016/j.watres.2011.01.030>.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Temperature dependent (37-15 degrees C) anaerobic digestion of a trichloroethylene-contaminated wastewater. *Bioresour Technol.* 102: 7645-7656. <http://dx.doi.org/10.1016/j.biortech.2011.05.055>.
- Silva, AMS; Viana, ED; Pimentel, MF; Almeida, YMB; Raimundo, IM. (2011). Evaluation of a PVC Sensing Phase for Determination of Chlorinated Hydrocarbons in Water by Mid-Infrared Spectroscopy. *J Braz Chem Soc.* 22: 1470-1477.
- Silva, E; Correia, LO; dos Santos, L; dos Santos Vieira, EV; Lemos, VA. (2012). Dispersive liquid-liquid microextraction for simultaneous determination of cadmium, cobalt, lead and nickel in water samples by inductively coupled plasma optical emission spectrometry. *Mikrochim Acta.* 178: 269-275. <http://dx.doi.org/10.1007/s00604-012-0836-z>.
- Silva, E; Lemos, VA. (2013). Sensitive determination of trace molybdenum in natural waters using dispersive liquid-liquid microextraction and electrothermal atomic absorption spectrometry. *Analytical Methods.* 5: 2098-2103. <http://dx.doi.org/10.1039/c3ay00056g>.
- Silva, JAK; Bruant, RG; Conklin, MH; Corley, TL. (2002). Equilibrium partitioning of chlorinated solvents in the vadose zone: Low f(oc) geomeedia. *Environ Sci Technol.* 36: 1613-1619. <http://dx.doi.org/10.1021/es010812a>.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med.* 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Silverman, AP; Williams, H. (1975). BEHAVIOR OF RATS EXPOSED TO TRICHLOROETHYLENE VAPOR. *Br J Ind Med.* 32: 308-315.
- Simmonds, PG; Manning, AJ; Cunnold, DM; Mcculloch, A; O'Doherty, S; Derwent, RG; Krummel, PB; Fraser, PJ; Dunse, B; Porter, LW; Wang, RHJ; Greally, BR; Miller, BR; Salameh, P; Weiss, RF; Prinn, RG. (2006). Global trends, seasonal cycles, and European emissions of dichloromethane, trichloroethene, and tetrachloroethene from the AGAGE observations at Mace Head, Ireland, and Cape Grim, Tasmania. *J Geophys Res Atmos.* 111. <http://dx.doi.org/10.1029/2006JD007082>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Simmons, JE; Evans, MV; Boyes, WK. (2005). Moving from external exposure concentration to internal dose: Duration extrapolation based on physiologically based pharmacokinetic derived estimates of internal dose. *J Toxicol Environ Health A*. 68: 927-950. <http://dx.doi.org/10.1080/15287390590912586>.
- Simmons, JE; Yang, RS; Svendsgaard, DJ; Thompson, MB; Seely, JC; McDonald, A. (1994). Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health*. 43: 305-325. <http://dx.doi.org/10.1080/15287399409531923>.
- Simoes, A; Stringfellow, AM; Smallman, D; Beaven, R; Marshall, J; Powrie, W; Potter, HAB. (2011). Sorption of organic contaminants by Oxford Clay and Mercia Mudstone landfill liners. *Quarterly Journal of Engineering Geology and Hydrogeology*. 44: 345-360. <http://dx.doi.org/10.1144/1470-9236/09-003>.
- Simon, MA; Brusseau, ML. (2006). Method for measuring air-immiscible liquid partition coefficients. *J Environ Eng*. 132: 140-144.
- Simonds, M; Xiao, HK; Levine, SP. (1994). OPTICAL REMOTE-SENSING FOR AIR-POLLUTANTS - REVIEW. *Am Ind Hyg Assoc J*. 55: 953-965.
- Simonsen, L; Johnsen, H; Lund, S; Matikainen, E; Midtgård, U; Wennberg, A. (1994). Methodological approach to the evaluation of neurotoxicity data and the classification of neurotoxic chemicals [Review]. *Scand J Work Environ Health*. 20: 1-12.
- Simonsen, ME; Sogaard, EG. (2010). Sol-gel reactions of titanium alkoxides and water: influence of pH and alkoxy group on cluster formation and properties of the resulting products. *Journal of Sol-Gel Science and Technology*. 53: 485-497. <http://dx.doi.org/10.1007/s10971-009-2121-0>.
- Simpson, EJ; Abukhadra, RK; Koros, WJ; Schechter, RS. (1993). SORPTION EQUILIBRIUM ISOTHERMS FOR VOLATILE ORGANICS IN AQUEOUS-SOLUTION - COMPARISON OF HEADSPACE GAS-CHROMATOGRAPHY AND ONLINE UV STIRRED CELL RESULTS. *Ind Eng Chem Res*. 32: 2269-2276.
- Sin, DWM; Wong, YC; Louie, PKK. (2000). Monitoring of Ambient Volatile Organic Compounds at Two Urban Sites in Hong Kong from 1997 to 1998. *Indoor Built Environ*. 9: 216-227. <http://dx.doi.org/10.1159/000057510>.
- Sinfield, JV; Monwuba, C. (2016). Inferential monitoring of chlorinated solvents through Raman spectroscopic observation of the vibrational modes of water. *Talanta*. 148: 7-16. <http://dx.doi.org/10.1016/j.talanta.2015.10.055>.
- Singh, M; Rana, TR; Kim, S; Kim, K; Yun, JH; Kim, J. (2016). Silver Nanowires Binding with Sputtered ZnO to Fabricate Highly Conductive and Thermally Stable Transparent Electrode for Solar Cell Applications. 8: 12764-12771. <http://dx.doi.org/10.1021/acsami.6b01506>.
- Singh, M; Sinha, U. (1976). Chloral hydrate induced haploidization in *Aspergillus nidulans*. *Experientia*. 32: 1144-1145. <http://dx.doi.org/10.1007/BF01927592>.
- Singh, M; Sinha, U. (1979). Mitotic haploidization and growth of *Aspergillus nidulans* on media containing chloral hydrate. *J Cytol Genet*. 14: 1-4.
- Singh, R. (1996). Removal of volatile organic compounds by ultrafiltration. *Desalination*. 104: 203-213.
- Singh, R; Manickam, N; Mudiamc, MKR; Murthy, RC; Misra, V. (2013). An integrated (nano-bio) technique for degradation of gamma-HCH contaminated soil. *J Hazard Mater*. 258: 35-41. <http://dx.doi.org/10.1016/j.jhazmat.2013.04.016>.
- Singh, R; Misra, V; Singh, RP. (2011). Synthesis, characterization and role of zero-valent iron nanoparticle in removal of hexavalent chromium from chromium-spiked soil. *J Nanopart Res*. 13: 4063-4073. <http://dx.doi.org/10.1007/s11051-011-0350-y>.
- Singh, R; Olson, MS. (2010). KINETICS OF TRICHLOROETHYLENE AND TOLUENE TOXICITY TO PSEUDOMONAS PUTIDA F1. *Environ Toxicol Chem*. 29: 56-63. <http://dx.doi.org/10.1002/etc.14>.
- Singh, R; Olson, MS. (2012). Transverse Chemotactic Migration of Bacteria from High to Low Permeability Regions in a Dual Permeability Microfluidic Device. *Environ Sci Technol*. 46: 3188-3195. <http://dx.doi.org/10.1021/es203614y>.
- Singh, VK; Yadvinder-Singh; Dwivedi, BS; Singh, SK; Majumdar, K; Jat, ML, al; Mishra, RP; Rani, M. (2016). Soil physical properties, yield trends and economics after five years of conservation agriculture based rice-maize system in north-western India. *Soil Till Res*. 155: 133-148. <http://dx.doi.org/10.1016/j.still.2015.08.001>.
- Singhal, N; Jaffe, P; Maier, W; Jho, EH. (2007). The opposing effects of bacterial activity and gas production on anaerobic TCE degradation in soil columns. *Chemosphere*. 69: 1790-1797. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.049>.
- Sinha, A; Bose, P. (2006). Dehalogenation of 2-chloronaphthalene by cast iron. *Water Air Soil Pollut*. 172: 375-390. <http://dx.doi.org/10.1007/s11270-006-9102-5>.
- Sinha, A; Bose, P. (2007). Interaction of 2-chloronaphthalene with high carbon iron filings (HCIF): adsorption, dehalogenation and mass transfer limitations. *J Colloid Interface Sci*. 314: 552-561. <http://dx.doi.org/10.1016/j.jcis.2007.05.045>.
- Sipler, RE; Bronk, DA; Seitzinger, SP; Lauck, RJ; McGuinness, LR; Kirkpatrick, GJ; Heil, CA; Kerkhof, L, eel; Schofield, OM. (2013). Trichodesmium-derived dissolved organic matter is a source of nitrogen capable of supporting the growth of toxic red tide *Karenia brevis*. *Mar Ecol Prog Ser*. 483: 31-45. <http://dx.doi.org/10.3354/meps10258>.
- Sirk, KM; Saleh, NB; Phenrat, T; Kim, H, yeJin; Dufour, B; Ok, J; Golas, PL; Matyjaszewski, K; Lowry, GV; Tilton, RD. (2009). Effect of Adsorbed Polyelectrolytes on Nanoscale Zero Valent Iron Particle Attachment to Soil Surface Models. *Environ Sci Technol*. 43: 3803-3808. <http://dx.doi.org/10.1021/es803589t>.
- Siskova, K; Tucek, J; Machala, L; Otyepkova, E, va; Filip, J, an; Safarova, K; Pechousek, J; Zboril, R. (2012). Air-stable nZVI formation mediated by glutamic acid: solid-state storable material exhibiting 2D chain morphology and high reactivity in aqueous environment. *J Nanopart Res*. 14. <http://dx.doi.org/10.1007/s11051-012-0805-9>.
- Sisto, R; Moleti, A; Palkovičová Murínová, L; Wimmerová, S; Lancz, K; Tihányi, J; Čonka, K; Šovčíková, E; Hertz-Picciotto, I; Jusko, TA; Trnovec, T. (2015). Environmental exposure to organochlorine pesticides and deficits in cochlear status in children. *Environ Sci Pollut Res Int*. 22: 14570-14578. <http://dx.doi.org/10.1007/s11356-015-4690-5>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sivachandiran, L; Karuppiah, J; Subrahmanyam, C, h. (2012). DBD plasma reactor for oxidative decomposition of Chlorobenzene. *Int J Chem React Eng.* 10. <http://dx.doi.org/10.1515/1542-6580.2785>.
- Skadberg, B; Geoly-Horn, SL; Sangamalli, V; Flora, JRV. (1999). Influence of pH, current and copper on the biological dechlorination of 2,6-dichlorophenol in an electrochemical cell. *Water Res.* 33: 1997-2010.
- Skapin, T. (1995). PREPARATION AND PROPERTIES OF HIGHLY FLUORINATED ALUMINA PREPARED FROM BOEHMITE AEROGELS OR COMMERCIAL GAMMA-AI(2)O(3). *J Mater Chem.* 5: 1215-1222.
- Skender, L. (1995). ASSESSMENT OF URBAN-POPULATION EXPOSURE TO TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY MEANS OF BIOLOGICAL MONITORING (VOL 49, PG 445, 1994). *Arch Environ Health.* 50: 174-174.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1993). Assessment of exposure to trichloroethylene and tetrachloroethylene in the population of Zagreb, Croatia. *Int Arch Occup Environ Health.* 65: S163-S165.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1994). Assessment of urban population exposure to trichloroethylene and tetrachloroethylene by means of biological monitoring. *Arch Environ Occup Health.* 49: 445-451.
- Skubal, KL; Barcelona, MJ; Adriaens, P. (2001). An assessment of natural biotransformation of petroleum hydrocarbons and chlorinated solvents at an aquifer plume transect. *J Contam Hydrol.* 49: 151-169.
- Skubal, KL; Haack, SK; Forney, LJ; Adriaens, P. (1999). Effects of dynamic redox zonation on the potential for natural attenuation of trichloroethylene at a fire-training-impacted aquifer. 24: 517-527.
- Skubal, LR; Meshkov, NK; Vogt, MC. (2002). Detection and identification of gaseous organics using a TiO₂ sensor. *J Photochem Photobiol A.* 148: 103-108.
- Slater, GF; Ahad, JME; Lollar, BS; Allen-King, R; Sleep, B. (2000). Carbon isotope effects resulting from equilibrium sorption of dissolved VOCs. *Anal Chem.* 72: 5669-5672.
- Slater, GF; Dempster, HS; Lollar, BS; Ahad, J. (1999). Headspace analysis: A new application for isotopic characterization of dissolved organic contaminants. *Environ Sci Technol.* 33: 190-194.
- Slater, GF; Lollar, BS; King, RA; O'Hannesin, S. (2002). Isotopic fractionation during reductive dechlorination of trichloroethene by zero-valent iron: influence of surface treatment. *Chemosphere.* 49: 587-596.
- Slater, GF; Lollar, BS; Lesage, S; Brown, S. (2003). Carbon isotope fractionation of PCE and TCE during dechlorination by vitamin B12. *Ground Water Monitoring and Remediation.* 23: 59-67.
- Slater, GF; Lollar, BS; Sleep, BE; Edwards, EA. (2001). Variability in carbon isotopic fractionation during biodegradation of chlorinated ethenes: Implications for field applications. *Environ Sci Technol.* 35: 901-907. <http://dx.doi.org/10.1021/es001583f>.
- Sleep, BE. (1995). A METHOD OF CHARACTERISTICS MODEL FOR EQUATION OF STATE COMPOSITIONAL SIMULATION OF ORGANIC COMPOUNDS IN GROUNDWATER. *J Contam Hydrol.* 17: 189-212.
- Sleiman, M; Ferronato, C; Chovelon, JM. (2008). Photocatalytic removal of pesticide dichlorvos from indoor air: A study of reaction parameters, intermediates and mineralization. *Environ Sci Technol.* 42: 3018-3024. <http://dx.doi.org/10.1021/es702425q>.
- Sliwińska-Kowalska, M; Jedlińska, U; Rządzińska, A; Rajkowska, E. (1999). [Hair cell regeneration in a chicken's inner ear after damage due to exposure to industrial noise]. *Otolaryngol Pol.* 53: 469-477.
- Slough, KJ; Sudicky, EA; Forsyth, PA. (1999). Numerical simulation of multiphase flow and phase partitioning in discretely fractured geologic media. *J Contam Hydrol.* 40: 107-136.
- Smart, JL. (2005). Application of six-phase soil heating technology for groundwater remediation. *Environmental Progress.* 24: 34-43. <http://dx.doi.org/10.1002/ep.10030>.
- Smets, BF; Rittmann, BE. (1990). SORPTION EQUILIBRIA FOR TRICHLOROETHENE ON ALGAE. *Water Res.* 24: 355-360.
- Smith, BA; Teel, A, myL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H₂O₂ Propagations. *J Environ Eng.* 135: 535-543. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:7\(535\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:7(535)).
- Smith, EH. (1997). Wave front analysis for design of fixed-bed adsorbers. *Chemical Engineering Communications.* 159: 17-37.
- Smith, JA. (1988). VAPOR DISTRIBUTION OF TRICHLOROETHENE AND RELATED-COMPOUNDS IN SOIL GAS ABOVE CONTAMINATED GROUND-WATER AT PICATINNY ARSENAL, NEW-JERSEY. *Abstracts of Papers - American Chemical Society.* 196: 154-ENVR.
- Smith, JA; Chiou, CT; Kammer, JA; Kile, DE. (1990). Effect of soil moisture on the sorption of trichloroethene vapor to vadose-zone soil at Picatinny Arsenal, New Jersey (USA). *Environ Sci Technol.* 24: 676-683.
- Smith, JA; Cho, HJ; Jaffe, PR; Macleod, CL; Koehnlein, SA. (1992). Sampling unsaturated-zone water for trichloroethene at Picatinny Arsenal, New Jersey. *J Environ Qual.* 21: 264-271.
- Smith, JA; Galan, A. (1995). Sorption of nonionic organic contaminants to single and dual organic cation bentonites from water. *Environ Sci Technol.* 29: 685-692.
- Smith, JA; Jaffe, PR. (1994). Adsorptive selectivity of organic-cation-modified bentonite for nonionic organic contaminants. *Water Air Soil Pollut.* 72: 1-4.
- Smith, JA; Sahoo, D; McLellan, HM; Imbrigiotta, TE. (1997). Surfactant-enhanced remediation of a trichloroethene-contaminated aquifer. 1. Transport of Triton X-100. *Environ Sci Technol.* 31: 3565-3572.
- Smith, JA; Tisdale, AK; Cho, HJ. (1996). Quantification of natural vapor fluxes of trichloroethene in the unsaturated zone at Picatinny Arsenal, New Jersey. *Environ Sci Technol.* 30: 2243-2250.
- Smith, MM; Silva, JAK; Munakata-Marr, J; Mccray, JE. (2008). Compatibility of Polymers and Chemical Oxidants for Enhanced Groundwater Remediation. *Environ Sci Technol.* 42: 9296-9301. <http://dx.doi.org/10.1021/es800757g>.
- Smith, MT. (2012). *Toxic Substances in the Environment.*

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Smith, MT. (2013). Toxic Substances in the Environment.
- Smith, MT. (2014). Toxic Substances in the Environment.
- Smith, MT. (2015). Toxic Substances in the Environment.
- Smuleac, V; Bachas, L; Bhattacharyya, D. (2010). Aqueous-phase synthesis of PAA in PVDF membrane pores for nanoparticle synthesis and dichlorobiphenyl degradation. *J Memb Sci.* 346: 310-317. <http://dx.doi.org/10.1016/j.memsci.2009.09.052>.
- Smuleac, V; Varma, R; Sikdar, S; Bhattacharyya, D. (2011). Green synthesis of Fe and Fe/Pd bimetallic nanoparticles in membranes for reductive degradation of chlorinated organics. *J Memb Sci.* 379: 131-137. <http://dx.doi.org/10.1016/j.memsci.2011.05.054>.
- Snedecor, GW; Cochran, WG. (1980). *Statistical methods* (7th ed.). Ames, IA: Iowa State University Press.
- Snyder; Millward; Steffensen. (2000). Aquifer Protist Response and the Potential for TCE Bioremediation with Burkholderia cepacia G4 PR1. *Microb Ecol.* 40: 189-199.
- S-O, K; Schlautman, MA. (1998). Partitioning of hydrophobic organic compounds to sorbed surfactants. 2. Model development/predictions for surfactant-enhanced remediation applications. *Environ Sci Technol.* 32: 2776-2781.
- Sohn, H; Celik, G; Gunduz, S; Dean, SL; Painting, E; Edmiston, PL; Ozkan, US. (2017). Hydrodechlorination of trichloroethylene over Pd supported on swellable organically-modified silica (SOMS). *Appl Catal B-Environ.* 203: 641-653. <http://dx.doi.org/10.1016/j.apcatb.2016.10.032>.
- Sohn, K; Kang, SW; Ahn, S; Woo, M; Yang, SK, oo. (2006). Fe(0) nanoparticles for nitrate reduction: Stability, reactivity, and transformation. *Environ Sci Technol.* 40: 5514-5519. <http://dx.doi.org/10.1021/es0525758>.
- Sohn, M; Mckone, T; Blancato, J. (2004). Reconstructing population exposures from dose biomarkers: inhalation of trichloroethylene (TCE) as a case study. *J Expo Anal Environ Epidemiol.* 14: 204-213. <http://dx.doi.org/10.1038/sj.jea.7500314>.
- Solis Maldonado, C; Rivera De la Rosa, J; Lucio-Ortiz, CJ; Hernandez-Ramirez, A; Castillon Barraza, FF; Valente, JS. (2014). Low Concentration Fe-Doped Alumina Catalysts Using Sol-Gel and Impregnation Methods: The Synthesis, Characterization and Catalytic Performance during the Combustion of Trichloroethylene. *Materials.* 7: 2062-2086. <http://dx.doi.org/10.3390/ma7032062>.
- Solomon, BO; Posten, C; Harder, MPF; Hecht, V; Deckwer, WD. (1994). ENERGETICS OF PSEUDOMONAS-CEPACIA G4 GROWTH IN A CHEMOSTAT WITH PHENOL LIMITATION. *J Chem Tech Biotechnol.* 60: 275-282.
- Solpuker, U; Cotter, Z; Kim, Y; Schwartz, FW. (2014). Potassium Permanganate Doped Geopolymers for Remedial Applications. *Ground Water Monitoring and Remediation.* 34: 93-101. <http://dx.doi.org/10.1111/gwmmr.12087>.
- Soltanali, S; Hagani, ZS. (2008). Modeling of air stripping from volatile organic compounds in biological treatment processes. *Int J Environ Sci Tech.* 5: 353-360.
- Son, B; Breyse, P; Yang, W. (2003). Volatile organic compounds concentrations in residential indoor and outdoor and its personal exposure in Korea. *Environ Int.* 29: 79-85. [http://dx.doi.org/10.1016/S0160-4120\(02\)00148-4](http://dx.doi.org/10.1016/S0160-4120(02)00148-4).
- Sonawala, SP; Spontak, RJ. (1996). Degradation kinetics of glass-reinforced polyesters in chemical environments .2. Organic solvents. *Journal of Materials Science.* 31: 4757-4765.
- Song, BJ; Veech, RL; Saenger, P. (1990). Cytochrome P450IIE1 is elevated in lymphocytes from poorly controlled insulin-dependent diabetics. *J Clin Endocrinol Metab.* 71: 1036-1040.
- Song, DL; Conrad, ME; Sorenson, KS; Alvarez-Cohen, L. (2002). Stable carbon isotope fractionation during enhanced in situ bioremediation of trichloroethene. *Environ Sci Technol.* 36: 2262-2268. <http://dx.doi.org/10.1021/es011162d>.
- Song, H; Carraway, ER. (2008). Catalytic hydrodechlorination of chlorinated ethenes by nanoscale zero-valent iron. *Appl Catal B-Environ.* 78: 53-60. <http://dx.doi.org/10.1016/j.apcatb.2007.07.034>.
- Song, H; Carraway, ER; Kim, YH; Batchelor, B; Jeon, BH; Kim, JG. (2008). Amendment of hydroxyapatite in reduction of tetrachloroethylene by zero-valent zinc: Its rate enhancing effect and removal of Zn(II). *Chemosphere.* 73: 1420-1427. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.006>.
- Song, H; Jeon, B; Chon, C; Kim, Y; Nam, I, nH; Schwartz, FW; Cho, D. (2013). The effect of granular ferric hydroxide amendment on the reduction of nitrate in groundwater by zero-valent iron. *Chemosphere.* 93: 2767-2773. <http://dx.doi.org/10.1016/j.chemosphere.2013.09.033>.
- Song, J; Son, Y; Khim, J. (2007). Performance of a membrane diffuser bioreactor for the removal of gaseous toluene. *Environ Eng Sci.* 24: 927-935. <http://dx.doi.org/10.1089/ees.2006.0200>.
- Song, JY; Choi, S, eY. (2006). Fabrication and characterization of Pb-free transparent dielectric layer for plasma display panel. *Displays.* 27: 112-116. <http://dx.doi.org/10.1016/j.displa.2006.02.001>.
- Song, JY; Park, T, aeJin; Choi, S, eY. (2006). Preparation and characterization of CuO doped Bo(2)O(3)-B2O3-BaO-ZnO glass system for transparent dielectric layer. *Journal of Non-Crystalline Solids.* 352: 5403-5407. <http://dx.doi.org/10.1016/j.jnoncrysol.2006.05.041>.
- Song, T, ieH; Gao, Y, anJ. (2014). Removal of trichloroethylene (TCE) from groundwater by GAC and ZVI. *Desalination and Water Treatment.* 52: 5990-5994. <http://dx.doi.org/10.1080/19443994.2013.812522>.
- Song, Y; Song, S. (2015). Preparation, characterization, and kinetics of nanoscale iron in nitrate nitrogen removal from polluted water. *Toxicol Environ Chem.* 97: 379-387. <http://dx.doi.org/10.1080/02772248.2015.1050191>.
- Song, YH; Kim, SJ; Choi, KI; Yamamoto, T. (2002). Effects of adsorption and temperature on a nonthermal plasma process for removing VOCs. *Journal of Electrostatics.* 55: 189-201.
- Soni, MG; Mehendale, HM. (1998). Role of tissue repair in toxicologic interactions among hepatotoxic organics [Review]. *Environ Health Perspect.* 106 Suppl 6: 1307-1317.
- Soni, MG; Nomiya, H; Nomiya, K. (1990). Chronic inhalation effects of trichloroethylene on hepatic microsomal mixed function oxidase system in rats. *Toxicol Environ Chem.* 29: 121-126.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sonnenfeld, N; Hertz-Picciotto, I; Kaye, WE. (2001). Tetrachloroethylene in drinking water and birth outcomes at the US Marine Corps Base at Camp Lejeune, North Carolina. *Am J Epidemiol.* 154: 902-908. <http://dx.doi.org/10.1093/aje/154.10.902>.
- Sonoyama, N; Sakata, T. (1999). Electrochemical Continuous Decomposition of Chloroform and Other Volatile Chlorinated Hydrocarbons in Water Using a Column Type Metal Impregnated Carbon Fiber Electrode. *Environ Sci Technol.* 33: 3438-3442. <http://dx.doi.org/10.1021/es980903g>.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B-12 and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation.* 21: 140-148.
- Sorenson, KS. (2003). Enhanced bioremediation for treatment of chlorinated solvent residual source areas. *ACS Symp Ser Am Chem Soc.* 837: 119-131.
- Soresi, M; Giannitrapani, L; D'Antona, F; Florena, AM; La Spada, E; Terranova, A; Cervello, M; D'Alessandro, N; Montalto, G. (2006). Interleukin-6 and its soluble receptor in patients with liver cirrhosis and hepatocellular carcinoma. *World J Gastroenterol.* 12: 2563-2568.
- Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF. (1994). Competitive Adsorption of VOCs and BOM: Oxic and Anoxic Environments (pp. 1907-1919). (ISSN 0043-1354; EISSN 1879-2448; NTIS/02997963_a). Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF.
- Sosnowska, A; Barycki, M; Zaborowska, M; Rybinska, A; Puzyn, T. (2014). Towards designing environmentally safe ionic liquids: the influence of the cation structure. *Green Chem.* 16: 4749-4757. <http://dx.doi.org/10.1039/c4gc00526k>.
- Sotelo, JL; Uguina, MA; Delgado, JA; Celemin, LI. (2004). Adsorption of methyl ethyl ketone and trichloroethene from aqueous solutions onto activated carbon fixed-bed adsorbers. *Separation and Purification Technology.* 37: 149-160. <http://dx.doi.org/10.1016/j.seppur.2003.09.006>.
- Soukupova, J; Zboril, R; Medrik, I, vo; Filip, J, an; Safarova, K; Ledl, R; Mashlan, M; Nosek, J; Cernik, M. (2015). Highly concentrated, reactive and stable dispersion of zero-valent iron nanoparticles: Direct surface modification and site application. *Chem Eng J.* 262: 813-822. <http://dx.doi.org/10.1016/j.cej.2014.10.024>.
- Soutter, D; Mcbean, E. (2007). Potential for sample bias due to NAPL partitioning. *Ground Water Monitoring and Remediation.* 27: 129-132.
- Soylu, GSP; Ozcelik, Z; Boz, I. (2010). Total oxidation of toluene over metal oxides supported on a natural clinoptilolite-type zeolite. *Chem Eng J.* 162: 380-387. <http://dx.doi.org/10.1016/j.cej.2010.05.020>.
- Speitel, GE; Closmann, FB. (1991). CHLORINATED SOLVENT BIODEGRADATION BY METHANOTROPHS IN UNSATURATED SOILS. *J Environ Eng.* 117: 541-548.
- Speitel, GE; Leonard, JM. (1992). A SEQUENCING BIOFILM REACTOR FOR THE TREATMENT OF CHLORINATED SOLVENTS USING METHANOTROPHS. *Water Environ Res.* 64: 712-719.
- Speitel, GE; Mclay, DS. (1993). BIOFILM REACTORS FOR TREATMENT OF GAS STREAMS CONTAINING CHLORINATED SOLVENTS. *J Environ Eng.* 119: 658-678.
- Speitel, GE; Segar, RL. (1995). COMETABOLISM IN BIOFILM REACTORS. *Water Sci Technol.* 31: 215-225.
- Speitel, GE; Thompson, RC; Weissman, D. (1993). Biodegradation kinetics of *Methylosinus trichosporium* OB3b at low concentrations of chloroform in the presence and absence of enzyme competition by methane. *Water Res.* 27: 15-24.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2006). Growth inhibition in Japanese medaka (*Oryzias latipes*) fish exposed to tetrachloroethylene. *J Environ Biol.* 27: 1-5.
- Spencer, TJ; Chen, YC; Saha, R; Kohl, PA. (2011). Stabilization of the Thermal Decomposition of Poly(Propylene Carbonate) Through Copper Ion Incorporation and Use in Self-Patterning. *Journal of Electronic Materials.* 40: 1350-1363. <http://dx.doi.org/10.1007/s11664-011-1518-z>.
- Spiegelhalter, D; Thomas, A; Best, N; Lunn, D. (2003). WinBugs version 1.4 user manual. Cambridge, UK: MRC Biostatistics Unit. <http://www.mrc-bsu.cam.ac.uk/bugs/winbugs/manual14.pdf>.
- Spiegelhalter, DJ; Best, NG; Carlin, BP; Van der Linde, A. (2002). Bayesian measures of model complexity and fit. *J R Stat Soc Series B Stat Methodol.* 64: 583-639. <http://dx.doi.org/10.1111/1467-9868.00353>.
- Spielberg, SP. (1996). N-acetyltransferases: pharmacogenetics and clinical consequences of polymorphic drug metabolism. *J Pharmacokinet Biopharm.* 24: 509-519.
- Sponza, DT. (2002). Tetrachloroethylene (TCE) removal during anaerobic granulation in an upflow anaerobic sludge blanket (UASB) reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 213-236.
- Sponza, DT. (2003). Enhancement of granule formation and sludge retention for tetrachloroethylene (TCE) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Adv Environ Res.* 7: 453-462.
- Sponza, DT. (2003). Toxicity and treatability of carbontetrachloride and tetrachloroethylene in anaerobic batch cultures. *Int Biodeterior Biodegradation.* 51: 119-127.
- Sponza, DT; Atalay, H. (2005). Treatment of trichlorotoluene in an anaerobic/aerobic sequential reactor system. *Process Biochemistry.* 40: 69-82. <http://dx.doi.org/10.1016/j.procbio.2003.11.046>.
- Spring, SE; Miles, AK; Anderson, MJ. (2004). Effects of trichloroethylene and perchloroethylene on wild rodents at Edwards Air Force Base, California, USA. *Environ Toxicol Chem.* 23: 2162-2169.
- Squillace, PJ; Moran, MJ; Price, CV. (2004). VOCs in shallow groundwater in new residential/commercial areas of the United States. *Environ Sci Technol.* 38: 5327-5338. <http://dx.doi.org/10.1021/es0349756>.
- Sra, KS. (2010). Mobility Enhancement of Mn Oxide during Permanganate Oxidation of TCE. *Ground Water Monitoring and Remediation.* 30: 99-106. <http://dx.doi.org/10.1111/j.1745-6592.2010.01313.x>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Srebowata, A; Baran, R; Slowik, G; Lisovytskiy, D; Dzwigaj, S. (2016). Influence of the postsynthesis preparation procedure on catalytic behaviour of Ag-loaded BEA zeolites in the hydrodechlorination of 1,2-dichloroethane into value added products. *Appl Catal B-Environ.* 199: 514-522. <http://dx.doi.org/10.1016/j.apcatb.2016.06.060>.
- Srebowata, A; Tarach, K; Girman, V; Gora-Marek, K. (2016). Catalytic removal of trichloroethylene from water over palladium loaded microporous and hierarchical zeolites. *Appl Catal B-Environ.* 181: 550-560. <http://dx.doi.org/10.1016/j.apcatb.2015.08.025>.
- SRI International. (1992). 1992 directory of chemical producers: United States of America [Catalog]. Menlo Park, CA: SRI International. <http://www.sriconsulting.com/DCP/>.
- Srivastava, A; Ismail, K. (2014). Solubilization of polycyclic aromatic hydrocarbons in aqueous sodium dioctylsulfosuccinate solutions. *Journal of Molecular Liquids.* 195: 105-109. <http://dx.doi.org/10.1016/j.molliq.2014.02.007>.
- Srivastava, S; Srivastava, S. (1991). Effect of di(2-ethylhexyl)phthalate on 17 β -hydroxysteroid dehydrogenase activity in testis of rat. *Toxicol Lett.* 57: 235-239. [http://dx.doi.org/10.1016/0378-4274\(91\)90150-5](http://dx.doi.org/10.1016/0378-4274(91)90150-5).
- Sriwatanapongse, W; Reinhard, M; Klug, CA. (2006). Reductive hydrodechlorination of trichloroethylene by palladium-on-alumina catalyst: 13C solid-state NMR study of surface reaction precursors. *Langmuir.* 22: 4158-4164. <http://dx.doi.org/10.1021/la053087g>.
- Ssekaalo, H. (1991). THE EFFECT OF AMMINE, ETHANOATE, TRICHLORO-ETHANOATE AND TRIFLUOROETHANOATE LIGANDS ON TRIS(2,4-PENTANEDIONATO)CHROMIUM(III) FORMATION IN HIGH PH AQUEOUS-SOLUTION. *Res Chem Intermed.* 16: 45-55.
- Stacpoole, PW. (2011). The Dichloroacetate Dilemma: Environmental Hazard versus Therapeutic Goldmine-Both or Neither? *Environ Health Perspect.* 119: 155-158. <http://dx.doi.org/10.1289/ehp.1002554>.
- Stager, MP; Perram, GP. (1999). Long-term desorption of trichloroethylene from flint clay using multiplexed optical detection. *Environ Pollut.* 104: 397-400.
- Stakebake, JL. (1974). PHYSICAL ADSORPTION OF TRICHLOROETHYLENE ON URANIUM-DIOXIDE. *J Catal.* 35: 153-161.
- Stanescu, G; Trutia, A, th. (2006). Optical spectra of the CoCl₂/PEG systems. *Optical Materials.* 29: 332-336. <http://dx.doi.org/10.1016/j.optmat.2005.08.040>.
- Stange, CF; Spott, O; Arriaga, H; Menendez, S; Estavillo, JM; Merino, P. (2013). Use of the inverse abundance approach to identify the sources of NO and N₂O release from Spanish forest soils under oxic and hypoxic conditions. *Soil Biol Biochem.* 57: 451-458. <http://dx.doi.org/10.1016/j.soilbio.2012.10.006>.
- Stange, CF; Spott, O; Müller, C. (2009). An inverse abundance approach to separate soil nitrogen pools and gaseous nitrogen fluxes into fractions related to ammonium, nitrate and soil organic nitrogen. *Eur J Soil Sci.* 60: 907-915. <http://dx.doi.org/10.1111/j.1365-2389.2009.01188.x>.
- Stange, CF; Spott, O; Russow, R. (2013). Analysis of the coexisting pathways for NO and N₂O formation in Chernozem using the (15)N-tracer SimKIM-Advanced model. *Isotopes Environ Health Stud.* 49: 503-519. <http://dx.doi.org/10.1080/10256016.2013.863770>.
- Stanhope, A; Berry, CJ; Brigmon, RL. (2008). Phytoremediation of chlorinated ethenes in seepage sediments: tree selection. *Int J Phytoremediation.* 10: 529-546. <http://dx.doi.org/10.1080/15226510802115067>.
- Stanley, LA; Blackburn, DR; Devereaux, S; Foley, J; Lord, PG; Maronpot, RR; Orton, TC; Anderson, MW. (1994). Ras mutations in methylclofenapate-induced B6C3F₁ and C57BL/10J mouse liver tumours. *Carcinogenesis.* 15: 1125-1131.
- Staples, RE. (1974). Detection of visceral alterations in mammalian fetuses [Abstract]. *Teratology.* 9: A37-A38.
- Starkey, R. (2014). REACH authorisation or substitution of trichloroethylene - future options? *Institute of Metal Finishing Transactions.* 92: 4-4. <http://dx.doi.org/10.1179/0020296713Z.000000000167>.
- Stauffer, PH; Birdsell, KH; Witkowski, MS; Hopkins, JK. (2005). Vadose zone transport of 1,1,1-trichloroethane: Conceptual model validation through numerical simulation. *Vadose Zone Journal.* 4: 760-773. <http://dx.doi.org/10.2136/vzj2004.0120>.
- Stavarakis, C; Raillard, C; Hequet, V; Le Cloirec, P. (2007). TiO₂-based materials for toluene photocatalytic oxidation: Water vapor influence. *Journal of Advanced Oxidation Technologies.* 10: 94-100.
- Stedtfeld, RD; Stedtfeld, TM; Kronlein, M; Seyrig, G; Steffan, RJ; Cupples, AM; Hashsham, SA. (2014). DNA extraction-free quantification of Dehalococcoides spp. in groundwater using a hand-held device. *Environ Sci Technol.* 48: 13855-13863. <http://dx.doi.org/10.1021/es503472h>.
- Stefan, DG; Akgerman, A. (1998). Single-component and binary-mixture adsorption of volatile organic contaminants on silica gel. *Environ Eng Sci.* 15: 191-202.
- Stefanou, G; Papadrakakis, M. (2004). Stochastic finite element analysis of shells with combined random material and geometric properties. *Computer Methods in Applied Mechanics and Engineering.* 193: 139-160. <http://dx.doi.org/10.1016/j.cma.2003.10.001>.
- Steffan, DG; Akgerman, A. (2001). Thermodynamic modeling of binary and ternary adsorption on silica gel. *AIChE J.* 47: 1234-1246.
- Steffan, RJ; Sperry, KL; Walsh, MT; Vainberg, S; Condee, CW. (1999). Field-scale evaluation of in situ bioaugmentation for remediation of chlorinated solvents in groundwater. *Environ Sci Technol.* 33: 2771-2781.
- Steinberg, SM; Schmeltzer, JS; Kreamer, DK. (1996). Sorption of benzene and trichloroethylene (TCE) on a desert soil: Effects of moisture and organic matter. *Chemosphere.* 33: 961-980.
- Steinmaus, C; Smith, AH; Jones, RM; Smith, MT. (2008). Meta-analysis of benzene exposure and non-Hodgkin lymphoma: Biases could mask an important association [Review]. *Occup Environ Med.* 65: 371-378. <http://dx.doi.org/10.1136/oem.2007.036913>.
- Stellman, SD; Djordjevic, MV; Britton, JA; Muscat, JE; Citron, ML; Kemeny, M; Busch, E; Gong, L. (2000). Breast cancer risk in relation to adipose concentrations of organochlorine pesticides and polychlorinated biphenyls in Long Island, New York. *Cancer Epidemiol Biomarkers Prev.* 9: 1241-1249.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Stemmer, K; Ellinger-Ziegelbauer, H; Ahr, HJ; Dietrich, DR. (2007). Carcinogen-specific gene expression profiles in short-term treated Eker and wild-type rats indicative of pathways involved in renal tumorigenesis. *Cancer Res.* 67: 4052-4068. <http://dx.doi.org/10.1158/0008-5472.CAN-06-3587>.
- Stenger, HG; Buzan, GE; Berty, JM. (1993). CHLORINE CAPTURE BY CATALYST SORBENTS FOR THE OXIDATION OF AIR-POLLUTANTS. *Appl Catal B- Environ.* 2: 117-130.
- Stenner, RD; Merdink, JL; Fisher, JW; Bull, RJ. (1998). Physiologically-based pharmacokinetic model for trichloroethylene considering enterohepatic recirculation of major metabolites. *Risk Anal.* 18: 261-269.
- Stephan, K; Hackenberger, M; Kiessling, D; Wendt, G. (2002). Total oxidation of chlorinated hydrocarbons on A(1-x)Sr(x)MnO(3) perovskite-type oxide catalysts - Part II: Catalytic activity. *Chem Eng Tech.* 25: 565-571.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics.* 4: 185-192.
- Stephens, JJ; Vianco, PT; Hosking, FM. (1996). The active metal brazing of TZM-Mo and SiN ceramics. *J O M.* 48: 54-58.
- Stephenson, RP. (1956). A modification of receptor theory. *Br J Pharmacol Chemother.* 11: 379-393.
- Sterling, SN; Parker, BL; Cherry, JA; Williams, JH; Lane, JW; Haeni, FP. (2005). Vertical cross contamination of trichloroethylene in a borehole in fractured sandstone. *Ground Water.* 43: 557-573.
- Sterling, TM; Lownds, NK; Murray, LW. (1996). Environmental effects on picloram uptake and ethylene production by broom snakeweed. *Journal of Range Management.* 49: 245-250.
- Stern, F; Lehman, E; Ruder, A. (2001). Mortality among unionized construction plasterers and cement masons. *Am J Ind Med.* 39: 373-388.
- Stevens, J; Jakoby, WB. (1983). Cysteine conjugate beta-lyase. *Mol Pharmacol.* 23: 761-765.
- Stevens, JL. (1985). Cysteine conjugate beta-lyase activities in rat kidney cortex: Subcellular localization and relationship to the hepatic enzyme. *Biochem Biophys Res Commun.* 129: 499-504. [http://dx.doi.org/10.1016/0006-291X\(85\)90179-2](http://dx.doi.org/10.1016/0006-291X(85)90179-2).
- Stevens, JL; Ayoubi, N; Robbins, JD. (1988). The role of mitochondrial matrix enzymes in the metabolism and toxicity of cysteine conjugates. *J Biol Chem.* 263: 3395-3401.
- Stevens, JL; Hatzinger, PB; Hayden, PJ. (1989). Quantitation of multiple pathways for the metabolism of nephrotoxic cysteine conjugates using selective inhibitors of L-alpha-hydroxy acid oxidase (L-amino acid oxidase) and cysteine conjugate beta-lyase. *Drug Metab Dispos.* 17: 297-303.
- Stevens, JL; Robbins, JD; Byrd, RA. (1986). A purified cysteine conjugate beta-lyase from rat kidney cytosol. Requirement for an alpha-keto acid or an amino acid oxidase for activity and identity with soluble glutamine transaminase K. *J Biol Chem.* 261: 15529-15537.
- Stevens, L; Lanning, JA; Anderson, LG; Jacoby, WA; Chornet, N. (1998). Investigation of the photocatalytic oxidation of low-level carbonyl compounds. *J Air Waste Manag Assoc.* 48: 979-984.
- Stewart, M; North, L. (2006). A borehole geophysical method for detection and quantification of dense, non-aqueous phase liquids (DNAPL) in saturated soils. *Journal of Applied Geophysics.* 60: 87-99. <http://dx.doi.org/10.1016/j.jappgeo.2005.12.004>.
- Stewart, P; Dosemeci, M. (2005). Exposure estimation in occupational epidemiology studies [Paper]. *Third Meeting on Assessing Human Health Risks of Trichloroethylene.*
- Stewart, PA; Lees, PS; Francis, M. (1996). Quantification of historical exposures in occupational cohort studies [Review]. *Scand J Work Environ Health.* 22: 405-414.
- Stewart, RD; Dodd, HC; Gay, HH; Erley, DS. (1970). Experimental human exposure to trichloroethylene. *Arch Environ Health.* 20: 64-71.
- Stewart, RD; Hake, CL; Peterson, JE. (1974). "Degreaser's flush". *Arch Environ Health.* 29: 1-5.
- Stewart, RD; Hake, CL; Peterson, JE. (1974). Use of breath analysis to monitor trichloroethylene exposures. *Arch Environ Occup Health.* 29: 6-13.
- Stewart, TJ; Sprules, WG. (2011). Carbon-based balanced trophic structure and flows in the offshore Lake Ontario food web before (1987-1991) and after (2001-2005) invasion-induced ecosystem change. *Ecol Modell.* 222: 692-708. <http://dx.doi.org/10.1016/j.ecolmodel.2010.10.024>.
- Stewart, WF; Correa-Villaseor, A. (1991). False positive exposure errors and low exposure prevalence in community-based case-control studies. *Appl Occup Environ Hyg.* 6: 534-540. <http://dx.doi.org/10.1080/1047322X.1991.10387924>.
- Stiber, NA; Pantazidou, M; Small, MJ. (1999). Expert system methodology for evaluating reductive dechlorination at TCE sites. *Environ Sci Technol.* 33: 3012-3020.
- Stiber, NA; Pantazidou, M; Small, MJ. (2004). Embedding expert knowledge in a decision model: evaluating natural attenuation at TCE sites. *J Hazard Mater.* 110: 151-160. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.048>.
- Stiber, NA; Small, MJ; Pantazidou, M. (2004). Site-specific updating and aggregation of Bayesian belief network models for multiple experts. *Risk Anal.* 24: 1529-1538.
- Stoichev, T; Makedonski, L; Trifonova, T; Stancheva, M; Ribarova, F. (2007). DDT in fish from the Bulgarian region of the Black Sea. *Chem Ecol.* 23: 191-200. <http://dx.doi.org/10.1080/02757540701339851>.
- Stoin, U, ri; Mojon, A; Sasson, Y. (2015). Fast and complete in situ mineralization of contaminated soils using a novel method for superoxide generation. *RSC Advances.* 5: 6571-6577. <http://dx.doi.org/10.1039/c4ra08015g>.
- Stoltz, MP; Burgaud, P; Murgadella, F; Hirtz, JP; Petit, P; Vervoitte, A. (1998). Reliability and qualification methodology of 60 W QCW linear bar arrays. *Microelectron Reliab.* 38: 689-696.
- Stoppel, CM; Goltz, MN. (2003). Modeling Pd-catalyzed destruction of chlorinated ethenes in groundwater. *J Environ Eng.* 129: 147-154. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(147\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(147)).
- Stowell, JP; Jensen, JN. (1991). DECHLORINATION OF CHLORENDIC ACID WITH OZONE. *Water Res.* 25: 83-90.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- St-Pierre, C; Martel, R; Gabriel, U; Lefebvre, R; Robert, T; Hawari, J. (2004). TCE recovery mechanisms using micellar and alcohol solutions: phase diagrams and sand column experiments. *J Contam Hydrol.* 71: 155-192. <http://dx.doi.org/10.1016/j.jconhyd.2003.09.010>.
- Straka, M; Ruzicka, K; Fulem, M; Cervinka, C. (2012). Heat capacities of selected chlorohydrocarbons. *Fluid Phase Equilibria.* 336: 128-136. <http://dx.doi.org/10.1016/j.fluid.2012.09.001>.
- Strakova, M; Matisova, E; Simon, P; Annus, J; Lisy, JM. (1998). Silicone membrane measuring system with SnO₂ gas sensor for on-line monitoring of volatile organic compounds in water. *Sens Actuators B.* 52: 274-282.
- Strand, SE; Wodrich, JV; Stensel, HD. (1991). Biodegradation of chlorinated solvents in a sparged, methanotrophic biofilm reactor (pp. 859-867). (ISSN 1047-7624; BIOSIS/92/24113). Strand, SE; Wodrich, JV; Stensel, HD.
- Strandberg, GW; Donaldson, TL; Farr, LL. (1989). DEGRADATION OF TRICHLOROETHYLENE AND TRANS-1,2-DICHLOROETHYLENE BY A METHANOTROPHIC CONSORTIUM IN A FIXED-FILM, PACKED-BED BIOREACTOR. *Environ Sci Technol.* 23: 1422-1425.
- Stratula, C; Mihai, T; Cheta, I; Oprea, F. (1992). A COMPARATIVE-STUDY OF CAPROLACTAM PURIFICATION WITH 2 SOLVENTS .2. STUDY OF THE LIQUID-VAPORS EQUILIBRIUM. *Rev Chim.* 43: 549-552.
- Stratula, C; Mihai, T; Cheta, I; Oprea, F. (1992). COMPARATIVE-STUDY ON CAPROLACTAM PURIFICATION WITH 2 SOLVENTS .1. LIQUID-LIQUID EQUILIBRIUM STUDY. *Rev Chim.* 43: 372-381.
- Streger, SH; Condee, CW; Togna, AP; Deflaun, MF. (1999). Degradation of hydrohalocarbons and brominated compounds by methane- and propane-oxidizing bacteria. *Environ Sci Technol.* 33: 4477-4482.
- Strömpl, C; Thiele, JH. (1997). Comparative fate of 1,1-diphenylethylene (DPE), 1,1-dichloro-2,2-bis(4-Chlorophenyl)-ethylene (DDE), and pentachlorophenol (PCP) under alternating aerobic and anaerobic conditions. *Arch Environ Contam Toxicol.* 33: 350-356.
- Stroo, HF. (1992). BIOTECHNOLOGY AND HAZARDOUS-WASTE TREATMENT. *J Environ Qual.* 21: 167-175.
- Stroup-Gardiner, M; Nelson, JW. (2001). Use of n-propyl bromide solvents for extraction and recovery of asphalt cements. *Journal of Testing and Evaluation.* 29: 432-441.
- Struse, AM; Siegrist, RL; Dawson, HE; Urynowicz, MA. (2002). Diffusive transport of permanganate during in situ oxidation. *J Environ Eng.* 128: 327-334. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2002\)128:4\(327\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2002)128:4(327)).
- Strycharz, S; Newman, L. (2009). USE OF NATIVE PLANTS FOR REMEDIATION OF TRICHLOROETHYLENE: I. DECIDUOUS TREES. *Int J Phytoremediation.* 11: 150-170. <http://dx.doi.org/10.1080/15226510802378442>.
- Strycharz, S; Newman, L. (2009). USE OF NATIVE PLANTS FOR REMEDIATION OF TRICHLOROETHYLENE: II. CONIFEROUS TREES. *Int J Phytoremediation.* 11: 171-186. <http://dx.doi.org/10.1080/15226510802378459>.
- Strycharz, SM; Gannon, SM; Boles, AR; Franks, AE; Nevin, KP; Lovley, DR. (2010). Reductive dechlorination of 2-chlorophenol by *Anaeromyxobacter dehalogenans* with an electrode serving as the electron donor. *Environmental Microbiology Reports.* 2: 289-294. <http://dx.doi.org/10.1111/j.1758-2229.2009.00118.x>.
- Stuart, ME; Lapworth, DJ; Thomas, J; Edwards, L. (2014). Fingerprinting groundwater pollution in catchments with contrasting contaminant sources using microorganic compounds. *Sci Total Environ.* 468-469: 564-577. <http://dx.doi.org/10.1016/j.scitotenv.2013.08.042>.
- Stuckhardt, JL; Poppe, SM. (1984). Fresh visceral examination of rat and rabbit fetuses used in teratogenicity testing. *Teratog Carcinog Mutagen.* 4: 181-188. <http://dx.doi.org/10.1002/tcm.1770040203>.
- Sturchio, NC; Böhlke, JK; Beloso, AD; Streger, SH; Heraty, LJ; Hatzinger, PB. (2007). Oxygen and chlorine isotopic fractionation during perchlorate biodegradation: laboratory results and implications for forensics and natural attenuation studies. *Environ Sci Technol.* 41: 2796-2802. <http://dx.doi.org/10.1021/es0621849>.
- Sturchio, NC; Clausen, JL; Heraty, LJ; Huang, L; Holt, BD; Abrajano T A, J. R. (1998). Chlorine isotope investigation of natural attenuation of trichloroethene in an aerobic aquifer. *Environ Sci Technol.* 32: 3037-3042.
- Sturchio, NC; Hatzinger, PB; Arkins, MD; Suh, C; Heraty, LJ. (2003). Chlorine isotope fractionation during microbial reduction of perchlorate. *Environ Sci Technol.* 37: 3859-3863. <http://dx.doi.org/10.1021/es034066g>.
- Styles, JA; Kelly, M; Pritchard, NR; Ekcombe, CR. (1988). A species comparison of acute hyperplasia induced by the peroxisome proliferator methylclofenapate: Involvement of the binucleated hepatocyte. *Carcinogenesis.* 9: 1647-1655. <http://dx.doi.org/10.1093/carcin/9.9.1647>.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2012). A two and half-year-performance evaluation of a field test on treatment of source zone tetrachloroethene and its chlorinated daughter products using emulsified zero valent iron nanoparticles. *Water Res.* 46: 5071-5084. <http://dx.doi.org/10.1016/j.watres.2012.06.051>.
- Su, CM; Puls, RW. (1999). Kinetics of trichloroethene reduction by zerovalent iron and tin: Pretreatment effect, apparent activation energy, and intermediate products. *Environ Sci Technol.* 33: 163-168.
- Su, CY; Kuo, M; Liang, KF; Lin, CY. (2010). Model simulations for in situ aerobic cometabolism of trichloroethylene. *J Chem Tech Biotechnol.* 85: 1604-1615. <http://dx.doi.org/10.1002/jctb.2472>.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Su, H; Mu, Y; Feng, C; Zhu, Y; Wang, H; Wu, F; Giesy, JP. (2014). Tissue Residue Guideline for Sigma DDT for Protection of Aquatic Birds in China. *Hum Ecol Risk Assess.* 20: 1629-1642. <http://dx.doi.org/10.1080/10807039.2013.866853>.
- Su, J, ie; Liu, Y, ue; Yao, W; Wu, Z. (2016). Catalytic Combustion of Dichloromethane over HZSM-5-Supported Typical Transition Metal (Cr, Fe, and Cu) Oxide Catalysts: A Stability Study. *J Phys Chem C.* 120: 18046-18054. <http://dx.doi.org/10.1021/acs.jpcc.6b04702>.
- Su, Q; Bannasch, P. (2003). Relevance of hepatic preneoplasia for human hepatocarcinogenesis [Review]. *Toxicol Pathol.* 31: 126-133. <http://dx.doi.org/10.1080/01926230390173905>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Su, Y; Liang, Y. (2013). The foliar uptake and downward translocation of trichloroethylene and 1,2,3-trichlorobenzene in air-plant-water systems. *J Hazard Mater.* 252: 300-305. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.013>.
- Su, Y; Liang, Y. (2015). Foliar uptake and translocation of formaldehyde with Bracket plants (*Chlorophytum comosum*). *J Hazard Mater.* 291: 120-128. <http://dx.doi.org/10.1016/j.jhazmat.2015.03.001>.
- Su, Y, uH; Liu, T; Liang, YC. (2010). Transport via xylem of trichloroethylene in wheat, corn, and tomato seedlings. *J Hazard Mater.* 182: 472-476. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.055>.
- Su, Y; Pei, J; Tian, B; Fan, F; Tang, M; Li, W; He, R. (2015). Potential application of biocover soils to landfills for mitigating toluene emission. *J Hazard Mater.* 299: 18-26. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.007>.
- Su, Y, ao; Zhang, X; Wei, XM; Kong, J; Xia, FF; Li, W, ei; He, R, uo. (2014). Evaluation of simultaneous biodegradation of methane and toluene in landfill covers. *J Hazard Mater.* 274: 367-375. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.041>.
- Su, Y; Zhu, Y; Liang, Y. (2009). Interactions of mixed organic contaminants in uptake by rice seedlings. *Chemosphere.* 74: 890-895. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.05>.
- Su, YF; Cheng, YL; Shih, YH. (2013). Removal of trichloroethylene by zerovalent iron/activated carbon derived from agricultural wastes. *J Environ Manage.* 129: 361-366. <http://dx.doi.org/10.1016/j.jenvman.2013.08.003>.
- Su, YF; Hsu, CY; Shih, YH. (2012). Effects of various ions on the dechlorination kinetics of hexachlorobenzene by nanoscale zero-valent iron. *Chemosphere.* 88: 1346-1352. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.036>.
- Su, ZH; Xu, Z; Peng, R; Tian, YS; Zhao, W, ei; Han, HJ; Yao, QH; Wu, A, iZ. (2012). Phytoremediation of Trichlorophenol by Phase II Metabolism in Transgenic Arabidopsis Overexpressing a Populus Glucosyltransferase. *Environ Sci Technol.* 46: 4016-4024. <http://dx.doi.org/10.1021/es203753b>.
- Suanon, F; Sun, Q; Li, M; Cai, X; Zhang, Y; Yan, Y; Yu, CP. (2017). Application of nanoscale zero valent iron and iron powder during sludge anaerobic digestion: Impact on methane yield and pharmaceutical and personal care products degradation. *J Hazard Mater.* 321: 47-53. <http://dx.doi.org/10.1016/j.jhazmat.2016.08.076>.
- Suarez, S; Arconada, N; Castro, Y; Coronado, JM; Portela, R; Duran, A; Sanchez, B. (2011). Photocatalytic degradation of TCE in dry and wet air conditions with TiO₂ porous thin films. *Appl Catal B-Environ.* 108: 14-21. <http://dx.doi.org/10.1016/j.apcatb.2011.07.027>.
- Suarez, S; Coronado, JM; Portela, R; Carlos Martin, J; Yates, M; Avila, P; Sanchez, B. (2008). On the preparation of TiO₂ - Sepiolite hybrid materials for the photocatalytic degradation of TCE: Influence of TiO₂ distribution in the mineralization. *Environ Sci Technol.* 42: 5892-5896. <http://dx.doi.org/10.1021/es703257w>.
- Suárez, S; Hewer, TLR; Portela, R; Hernández-Alonso, MD; Freire, RS; Sánchez, B. (2011). Behaviour of TiO₂-SiMgOx hybrid composites on the solar photocatalytic degradation of polluted air. *Appl Catal B-Environ.* 101: 176-182. <http://dx.doi.org/10.1016/j.apcatb.2010.09.014>.
- SUBRAHMA,D; Subbarao, BV. (1973). STUDIES IN VAPOR-LIQUID EQUILIBRIA FOR SYSTEMS ISOPROPANOL-TRICHLOROETHYLENE AND TRICHLOROETHYLENE-ISOBUTANOL. 11: 91-94.
- Subrahmanyam, C, h; Magureanu, M; Laub, D; Renken, A; Kiwi-Minsker, L. (2007). Nonthermal plasma abatement of trichloroethylene enhanced by photocatalysis. *J Phys Chem C.* 111: 4315-4318. <http://dx.doi.org/10.1021/jp066731o>.
- Subrahmanyam, C; Renken, A; Kiwi-Minsker, L. (2007). Novel catalytic non-thermal plasma reactor for the abatement of VOCs. *Chem Eng J.* 134: 78-83. <http://dx.doi.org/10.1016/j.cej.2007.03.063>.
- Suchomel, EJ; Ramsburg, CA; Pennell, KD. (2007). Evaluation of trichloroethene recovery processes in heterogeneous aquifer cells flushed with biodegradable surfactants. *J Contam Hydrol.* 94: 195-214. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.011>.
- Suchy, KD; Dower, JF; Varela, DE; Lagunas, MG. (2016). Interannual variability in the relationship between in situ primary productivity and somatic crustacean productivity in a temperate fjord. *Mar Ecol Prog Ser.* 545: 91-108. <http://dx.doi.org/10.3354/meps11608>.
- Sudharshan, S; Mallavarapu, M; Bolan, N; Naidu, R. (2013). Effect of Seaweeds on Degradation of DDT in Soils. *Water Air Soil Pollut.* 224. <http://dx.doi.org/10.1007/s11270-013-1715-x>.
- Suggala, SV; Bhattacharya, PK. (2003). Real coded genetic algorithm for optimization of pervaporation process parameters for removal of volatile organics from water. *Ind Eng Chem Res.* 42: 3118-3128. <http://dx.doi.org/10.1021/ie020183t>.
- Sui, H; Li, X; Huang, G; Jiang, B. (2006). A study on cometabolic bioventing for the in situ remediation of trichloroethylene. *Environ Geochem Health.* 28: 147-152. <http://dx.doi.org/10.1007/s10653-005-9025-x>.
- Sui, H; Li, XG; Xu, SM. (2004). Cometabolic microbial degradation of trichloroethylene in the presence of toluene. *J Environ Sci.* 16: 487-489.
- Sukaew, T; Chang, H; Serrano, G; Zellers, ET. (2011). Multi-stage preconcentrator/focuser module designed to enable trace level determinations of trichloroethylene in indoor air with a microfabricated gas chromatograph. *Analyst.* 136: 1664-1674. <http://dx.doi.org/10.1039/c0an00780c>.
- Sukaew, T; Zellers, ET. (2013). Evaluating the dynamic retention capacities of microfabricated vapor preconcentrators as a function of flow rate. *Sens Actuators B.* 183: 163-171. <http://dx.doi.org/10.1016/j.snb.2013.03.105>.
- Sukesan, S; Watwood, ME. (1996). Biodegradation of vapor phase trichloroethylene (TCE) in compost packed biofilters. *Abstracts of Papers - American Chemical Society.* 211: 59-BTEC.
- Sulaymon, AH; Gzar, HA. (2011). Experimental investigation and numerical modeling of light nonaqueous phase liquid dissolution and transport in a saturated zone of the soil. *J Hazard Mater.* 186: 1601-1614. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.035>.
- Suma, N; Prakash, B; Iyengar, P. (2011). Oxidation of Phenol, o-nitro Phenol, o-chloro Phenol and Trichloroethylene Present in Water Using Surfactant Immobilized Manganate and Impregnated Metal Cations. *Silicon.* 3: 13-26. <http://dx.doi.org/10.1007/s12633-010-9063-6>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sun, C; Lou, Z; Liu, Y, u; Fu, R; Zhou, X; Zhang, Z; Baig, SA, li; Xu, X. (2015). Influence of environmental factors on the electrocatalytic dechlorination of 2,4-dichlorophenoxyacetic acid on nTiN doped Pd/Ni foam electrode. *Chem Eng J.* 281: 183-191. <http://dx.doi.org/10.1016/j.cej.2015.06.113>.
- Sun, H; Guo, K; Gan, H; Li, X; Hunter, CA. (2015). Influence of receptor flexibility on intramolecular H-bonding interactions. *Org Biomol Chem.* 13: 8053-8066. <http://dx.doi.org/10.1039/c5ob00805k>.
- Sun, H; Hunter, CA; Llamas, E, vaM. (2015). The flexibility-complementarity dichotomy in receptor-ligand interactions. 6: 1444-1453. <http://dx.doi.org/10.1039/c4sc03398a>.
- Sun, H; Xu, X; Gao, G; Zhang, Z; Yin, P. (2010). A novel integrated active capping technique for the remediation of nitrobenzene-contaminated sediment. *J Hazard Mater.* 182: 184-190. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.013>.
- Sun, J; Chen, Z; Yuan, L; Chen, Y; Ning, J; Liu, S; Ma, D; Song, X; Priyadarshi, MK; Bachmatiuk, A; Rummeli, MH; Ma, T; Zhi, L; Huang, L; Zhang, Y; Liu, Z. (2016). Direct Chemical-Vapor-Deposition-Fabricated, Large-Scale Graphene Glass with High Carrier Mobility and Uniformity for Touch Panel Applications. *ACS Nano.* 10: 11136-11144. <http://dx.doi.org/10.1021/acsnano.6b06066>.
- Sun, JH; Yang, M; Wang, XM; Xu, M; Liu, AH; Guo, DA. (2007). Identification of tanshinones and their metabolites in rat bile after oral administration of TTE-50, a standardized extract of *Salvia miltiorrhiza* by HPLC-ESI-DAD-MSn. *J Pharm Biomed Anal.* 44: 564-574. <http://dx.doi.org/10.1016/j.jpba.2006.11.003>.
- Sun, L; Song, H; Li, Q; Li, A. (2016). Fe/Cu bimetallic catalysis for reductive degradation of nitrobenzene under oxic conditions. *Chem Eng J.* 283: 366-374. <http://dx.doi.org/10.1016/j.cej.2015.06.065>.
- Sun, Q; Feitz, AJ; Guan, J; Waite, TD. (2008). COMPARISON OF THE REACTIVITY OF NANOSIZED ZERO-VALENT IRON (nZVI) PARTICLES PRODUCED BY BOROHYDRIDE AND DITHIONITE REDUCTION OF IRON SALTS. *NANO.* 3: 341-349.
- Sun, Y; Brown, GM; Moyer, BA. (1994). PHOTODEGRADATION OF TRICHLOROETHYLENE USING TIO-2 SUSPENDED IN FLUOROCARBON SOLVENTS (pp. 13-17). (ISSN 0065-7727; BIOSIS/94/14779). Sun, Y; Brown, GM; Moyer, BA.
- Sun, Y; Brown, GM; Moyer, BA. (1995). TIO2 mediated photooxidation of trichloroethylene and toluene dissolved in fluorocarbon solvents. *Chemosphere.* 31: 3575-3584.
- Sun, YP; Li, XQ, in; Zhang, W, eiX; Wang, HP. (2007). A method for the preparation of stable dispersion of zero-valent iron nanoparticles. *Colloid Surface Physicochem Eng Aspect.* 308: 60-66. <http://dx.doi.org/10.1016/j.colsurfa.2007.05.029>.
- Sun, YW; Lu, XJ; Petersen, JN; Buscheck, TA. (2004). An analytical solution of tetrachloroethylene transport and biodegradation. *Transport in Porous Media.* 55: 301-308.
- Sunder, M; D-C, H. (1997). Oxidation of tri- and perchloroethene in aqueous solution with ozone and hydrogen peroxide in a tube reactor. *Water Res.* 31: 33-40.
- Sunkara, B; Su, Y; Zhan, J; He, J; Mcpherson, GL; John, VT. (2015). Iron-carbon composite microspheres prepared through a facile aerosol-based process for the simultaneous adsorption and reduction of chlorinated hydrocarbons. 9: 939-947. <http://dx.doi.org/10.1007/s11783-015-0807-9>.
- Sunkara, B; Zhan, J; He, J; Mcpherson, GL; Piringer, G; John, VT. (2010). Nanoscale Zerovalent Iron Supported on Uniform Carbon Microspheres for the In situ Remediation of Chlorinated Hydrocarbons. *ACS Applied Materials & Interfaces.* 2: 2854-2862. <http://dx.doi.org/10.1021/am1005282>.
- Sunkara, B; Zhan, J; Kolesnichenko, I; Wang, Y; He, J; Holland, JE; Mcpherson, GL; John, VT. (2011). Modifying Metal Nanoparticle Placement on Carbon Supports Using an Aerosol-Based Process, with Application to the Environmental Remediation of Chlorinated Hydrocarbons. *Langmuir.* 27: 7854-7859. <http://dx.doi.org/10.1021/la200657m>.
- Sunyer, J; Alvarez-Pedrerol, M; To-Figueras, J; Ribas-Fito, N; Grimalt, JO; Herrero, C. (2008). Urinary porphyrin excretion in children is associated with exposure to organochlorine compounds. *Environ Health Perspect.* 116: 1407-1410. <http://dx.doi.org/10.1289/ehp.11354>.
- Surdo, EM; Cussler, EL; Arnold, WA. (2009). Sorptive and Reactive Scavenger-Containing Sandwich Membranes as Contaminant Barriers. *J Environ Eng.* 135: 69-76. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:2\(69\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:2(69)).
- Suri, RP; Liu, J; Crittenden, JC; Hand, DW. (1999). Removal and Destruction of Organic Contaminants in Water Using Adsorption, Steam Regeneration, and Photocatalytic Oxidation: A Pilot-Scale Study. *J Air Waste Manag Assoc.* 49: 951-958. <http://dx.doi.org/10.1080/10473289.1999.10463861>.
- Suri, RP; Paraskewich, MR; Zhang, QB. (1999). Effect of process variables on sonochemical destruction of aqueous trichloroethylene. *Environ Eng Sci.* 16: 345-352.
- Suri, RPS; Liu, J; Hand, DW; Crittenden, JC; Perram, DL; Mullins, ME. (1993). HETEROGENEOUS PHOTOCATALYTIC OXIDATION OF HAZARDOUS ORGANIC CONTAMINANTS IN WATER. *Water Environ Res.* 65: 665-673.
- Susarla, S; Medina, VF; Mccutcheon, SC. (2002). Phytoremediation: An ecological solution to organic chemical contamination. *Ecol Eng.* 18: 647-658.
- Sutfin, JA; Ramey, D. (1997). In situ biological treatment of TCE-impacted soil and groundwater: Demonstration results. *Environmental Progress.* 16: 287-296.
- Sutherland, IW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2011). Chlorination and dehydrochlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene Part 1. Reaction pathways. *Appl Catal A-Gen.* 399: 1-11. <http://dx.doi.org/10.1016/j.apcata.2011.02.035>.
- Sutherland, K, inW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2014). Chlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene, Part 2: Effects of chlorine supply. *Appl Catal A-Gen.* 471: 149-156. <http://dx.doi.org/10.1016/j.apcata.2013.11.030>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Suthersan, S; Nelson, D; Schnobrich, M. (2011). Hybridized Design Concepts and Their Application to ERD Systems. *Ground Water Monitoring and Remediation*. 31: 45-49. <http://dx.doi.org/10.1111/j.1745-6592.2011.01323.x>.
- Suttinun, O; Luepromchai, E; Mueller, R. (2013). Cometabolism of trichloroethylene: concepts, limitations and available strategies for sustained biodegradation. *Reviews in Environmental Science and Biotechnology*. 12: 99-114. <http://dx.doi.org/10.1007/s11157-012-9291-x>.
- Sutton, NB; Atashgahi, S; van der Wal, J; Wijn, G; Grotenhuis, T; Smidt, H; Rijnaarts, HH. (2015). Microbial dynamics during and after in situ chemical oxidation of chlorinated solvents. *Ground Water*. 53: 261-270. <http://dx.doi.org/10.1111/gwat.12209>.
- Sutton, PT; Ginn, TR. (2014). Sustainable in-well vapor stripping: A design, analytical model, and pilot study for groundwater remediation. *J Contam Hydrol*. 171C: 32-41. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.010>.
- Suty, H; De Traversay, C; Cost, M. (2004). Applications of advanced oxidation processes: present and future [Review]. *Water Sci Technol*. 49: 227-233.
- Suwanmanee, U; Varabuntoonvit, V; Chaiwutthinan, P; Tajan, M; Mungcharoen, T; Leejarkpai, T. (2013). Life cycle assessment of single use thermoform boxes made from polystyrene (PS), polylactic acid, (PLA), and PLA/starch: cradle to consumer gate. *Int J Life Cycle Assess*. 18: 401-417. <http://dx.doi.org/10.1007/s11367-012-0479-7>.
- Suyadal, Y. (2003). Deactivation model for desorption of trichloroethylene vapor from granular activated carbon. *Ind Eng Chem Res*. 42: 897-903. <http://dx.doi.org/10.1021/ie020229i>.
- Suyadal, Y; Erol, M; Oguz, H. (2000). Deactivation model for the adsorption of trichloroethylene vapor on an activated carbon bed. *Ind Eng Chem Res*. 39: 724-730.
- Suyama, A; Iwakiri, R; Kai, K; Tokunaga, T; Sera, N; Furukawa, K. (2001). Isolation and characterization of *Desulfitobacterium* sp strain Y51 capable of efficient dehalogenation of tetrachloroethene and polychloroethanes. *Biosci Biotechnol Biochem*. 65: 1474-1481.
- Suzuki, M. (1991). APPLICATION OF FIBER ADSORBENTS IN WATER TREATMENT (pp. 7-9). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08681). Suzuki, M.
- Suzuki, M. (1994). ACTIVATED CARBON-FIBER - FUNDAMENTALS AND APPLICATIONS. *Carbon*. 32: 577-586.
- Sverdrup, B; Kallberg, H; Bengtsson, C; Lundberg, I; Padyukov, L; Alfredsson, L; Klareskog, L; Group, EloRAS. (2005). Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. *Arthritis Res Ther*. 7: R1296-R1303. <http://dx.doi.org/10.1186/ar1824>.
- Swami, K; Narang, AS; Narang, RS; Eadon, GA. (1992). Thermally induced formation of PCDD and PCDF from tri- and tetrachlorobenzene in dielectric fluids. *Chemosphere*. 24: 1845-1853.
- Swanson, ME; Greene, HL; Qutubuddin, S. (2004). Reactive sorption of chlorinated VOCs on ZSM-5 zeolites at ambient and elevated temperatures. *Appl Catal B-Environ*. 52: 91-108. <http://dx.doi.org/10.1016/j.apcatb.2004.03.015>.
- Swartz, MD; Cai, Y; Chan, W; Symanski, E; Mitchell, LE; Danysh, HE; Langlois, PH; Lupo, PJ. (2015). Air toxics and birth defects: a Bayesian hierarchical approach to evaluate multiple pollutants and spina bifida. *Environ Health*. 14: 16. <http://dx.doi.org/10.1186/1476-069X-14-16>.
- Sweeney, C; Farrow, D; Schwartz, S; Eaton, D; Checkoway, H; Vaughan, T. (2000). Glutathione S-transferase M1, T1, and P1 polymorphisms as risk factors for renal cell carcinoma: A case-control study. *Cancer Epidemiol Biomarkers Prev*. 9: 449-454.
- Sweeney, LM; Kirman, CR; Gargas, ML; Dugard, PH. (2009). Contribution of trichloroacetic acid to liver tumors observed in perchloroethylene (perc)-exposed mice. *Toxicology*. 260: 77-83. <http://dx.doi.org/10.1016/j.tox.2009.03.008>.
- Sweet, CW; Vermette, SJ. (1992). Toxic volatile organic compounds in urban air in Illinois. *Environ Sci Technol*. 26: 165-173. <http://dx.doi.org/10.1021/es00025a020>.
- Sweet, ND; Burroughs, GE; Ewers, L; Talaska, G. (2004). A field method for near real-time analysis of perchloroethylene in end-exhaled breath. *J Occup Environ Hyg*. 1: 515-520. <http://dx.doi.org/10.1080/15459620490472921>.
- Switzer, C; Kosson, DS. (2007). Soil vapor extraction performance in layered vadose zone materials. *Vadose Zone Journal*. 6: 397-405. <http://dx.doi.org/10.2136/vzj2005.0131>.
- Switzer, C; Pironi, P; Gerhard, JI; Rein, G; Torero, JL. (2009). Self-Sustaining Smoldering Combustion: A Novel Remediation Process for Non-Aqueous-Phase Liquids in Porous Media. *Environ Sci Technol*. 43: 5871-5877. <http://dx.doi.org/10.1021/es803483s>.
- Switzer, C; Slagle, T; Hunter, D; Kosson, DS. (2004). Use of rebound testing for evaluation of soil vapor extraction performance at the Savannah River Site. *Ground Water Monitoring and Remediation*. 24: 106-117.
- Syeda, AB; Koula, AJ; Boodida, S; Nallani, S. (2010). Excess Molar Volumes and Sound Speed in (Phenylacetone+nitrile+1,2-Dichloroethane), (Phenylacetone+nitrile+1,1,2-Trichloroethane), (Phenylacetone+nitrile+1,1,2,2-Tetrachloroethane), (Phenylacetone+nitrile plus Trichloroethene), and (Phenylacetone+nitrile plus Tetrachloroethene) at Temperatures of (303.15, 308.15, and 313.15) K. *Journal of Chemical and Engineering Data*. 55: 1405-1410. <http://dx.doi.org/10.1021/je900570e>.
- Szecsody, JE; Fruchter, JS; Williams, MD; Vermeul, VR; Sklarew, D. (2004). In situ chemical reduction of aquifer sediments: Enhancement of reactive iron phases and TCE dechlorination. *Environ Sci Technol*. 38: 4656-4663. <http://dx.doi.org/10.1021/es034756k>.
- Szeto, SY. (1993). DETERMINATION OF KINETICS OF HYDROLYSIS BY HIGH-PRESSURE LIQUID-CHROMATOGRAPHY - APPLICATION TO HYDROLYSIS OF THE ETHYLENE-GLYCOL BUTYL ETHER ESTER OF TRICLOPYR. *J Agric Food Chem*. 41: 1118-1121.
- Szyf, M. (2007). The dynamic epigenome and its implications in toxicology [Review]. *Toxicol Sci*. 100: 7-23. <http://dx.doi.org/10.1093/toxsci/kfm177>.
- Szymańska, K; Moore, LE; Rothman, N; Chow, WH; Waldman, F; Jaeger, E; Waterboer, T; Foretova, L; Navratilova, M; Janout, V; Kollarova, H; Zaridze, D; Matveev, V; Mates, D; Szeszenia-Dabrowska, N; Holcatova, I; Bencko, V; Le Calvez-Kelm, F; Villar, S; Pawlita, M; Boffetta, P;

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hainaut, P; Brennan, P. (2010). TP53, EGFR, and KRAS mutations in relation to VHL inactivation and lifestyle risk factors in renal-cell carcinoma from central and eastern Europe. *Cancer Lett.* 293: 92-98. <http://dx.doi.org/10.1016/j.canlet.2009.11.024>.
- 't Mannetje, A; Steenland, K; Attfield, M; Boffetta, P; Checkoway, H; DeKlerk, N; Koskela, R. (2002). Exposure-response analysis and risk assessment for silica and silicosis mortality in a pooled analysis of six cohorts. *Occup Environ Med.* 59: 723-728.
- Tabachnik, VP; Chernova, GS; Fedorishcheva, EE. (1990). RESIDUAL FIELD OF PLATES MAGNETIZED BY BIPOLAR ELECTROMAGNET. 26: 288-292.
- Tabernacka, A. (2014). Biological Treatment of Groundwaters Polluted with Chlorinated Ethene. 36: 9-13.
- Tabernacka, A; Zborowska, E; Lebkowska, M. (2006). Trichloroethene elimination from air by means of biofiltration (vol 15, pg 335, 2006). *Pol J Environ Stud.* 15.
- Tabernacka, A; Zborowska, E; Lebkowska, M. (2006). Trichloroethene elimination from air by means of biofiltration. *Pol J Environ Stud.* 15: 335-340.
- Tabernacka, A; Zborowska, E, wa; Lebkowska, M. (2012). Removal of Chlorinated Ethenes (TCE and PCE) from the Air by Using Integrated Bioreactors with Immobilized Biomass. 34: 11-18.
- Tabernacka, A; Zborowska, E; Lebkowska, M; Borawski, M. (2014). Air purification from TCE and PCE contamination in a hybrid bioreactors and biofilter integrated system. *J Hazard Mater.* 264: 363-369. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.013>.
- Tabor, RF; Zaveer, MI; Dagastine, RR; Grillo, I; Garvey, CJ. (2013). Phase behavior, small-angle neutron scattering and rheology of ternary nonionic surfactant-oil-water systems: a comparison of oils. *Langmuir.* 29: 3575-3582. <http://dx.doi.org/10.1021/la400100n>.
- Tabrez, S; Ahmad, M. (2009). Toxicity, biomarkers, genotoxicity, and carcinogenicity of trichloroethylene and its metabolites: a review [Review]. 27: 178-196. <http://dx.doi.org/10.1080/10590500903091340>.
- Tabrez, S; Ahmad, M. (2011). Components of antioxidative system in *Allium cepa* as the toxicity monitor of trichloroethylene (TCE). *Toxicol Environ Chem.* 93: 73-84. <http://dx.doi.org/10.1080/02772248.2010.498375>.
- Tabrez, S; Ahmad, M. (2011). Some Enzymatic/Nonenzymatic Antioxidants as Potential Stress Biomarkers of Trichloroethylene, Heavy Metal Mixture, and Ethyl Alcohol in Rat Tissues. *Environ Toxicol.* 26: 207-216. <http://dx.doi.org/10.1002/tox.20548>.
- Tabrez, S; Ahmad, M. (2012). Genotoxicity of trichloroethylene in the natural milieu. *Int J Hyg Environ Health.* 215: 333-338. <http://dx.doi.org/10.1016/j.ijheh.2011.08.004>.
- Tabrez, S; Ahmad, M. (2013). Cytochrome P450 system as potential biomarkers of certain toxicants: comparison between plant and animal models. *Environ Monit Assess.* 185: 2977-2987. <http://dx.doi.org/10.1007/s10661-012-2765-z>.
- Tachikawa, T; Takai, Y; Tojo, S; Fujitsuka, M; Majima, T. (2006). Probing the surface adsorption and photocatalytic degradation of catechols on TiO₂ by solid-state NMR spectroscopy. *Langmuir.* 22: 893-896. <http://dx.doi.org/10.1021/la051967p>.
- Taechangam, P; Scamehorn, JF; Osuwan, S; Rirkomboon, T. (2008). Continuous Cloud Point Extraction of Volatile Organic Contaminants from Wastewater in a Multi-Stage Rotating Disc Contactor: Effect of Structure and Concentration of Solutes. *Separation Science and Technology.* 43: 3601-3623. <http://dx.doi.org/10.1080/01496390802282339>.
- Taghavy, A; Costanza, J, ed; Pennell, KD; Abriola, LM. (2010). Effectiveness of nanoscale zero-valent iron for treatment of a PCE-DNAPL source zone. *J Contam Hydrol.* 118: 128-142. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.001>.
- Taghipour, F; Mohseni, M. (2005). CFD simulation of UV photocatalytic reactors for air treatment. *AIChE J.* 51: 3039-3047. <http://dx.doi.org/10.1002/aic.10538>.
- Tai, H, uaS; Lee, CL, i. (2007). Desorption of methy-ethyl-ketone from granular activated carbon with microwave radiation. *Environmental Progress.* 26: 299-303. <http://dx.doi.org/10.1002/ep.10224>.
- Tait, NG; Davison, RM; Leharne, SA; Lerner, DN. (2008). Borehole Optimisation System (BOS) - A case study assessing options for abstraction of urban groundwater in Nottingham, UK. *Environ Modell Softw.* 23: 611-621. <http://dx.doi.org/10.1016/j.envsoft.2007.09.001>.
- Takahashi, S; Fujii, T. (2007). Direct mass spectrometric study of the ionic species content of a C₂HCl₃/He/O-2 microwave discharge plasma. *Plasma Chemistry and Plasma Processing.* 27: 517-528. <http://dx.doi.org/10.1007/s11090-007-9077-z>.
- Takamuku, T; Kumai, T; Yoshida, K; Otomo, T; Yamaguchi, T. (2005). Structure and dynamics of halogenoethanol-water mixtures studied by large-angle X-ray scattering, small-angle neutron scattering, and NMR relaxation. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory.* 109: 7667-7676. <http://dx.doi.org/10.1021/jp051470o>.
- Takashima, H; Karches, M; Kanno, Y. (2008). Catalytic decomposition of trichloroethylene over Pt-/Ni-catalyst under microwave heating. *Appl Surf Sci.* 254: 2023-2030. <http://dx.doi.org/10.1016/j.apsusc.2007.08.030>.
- Takashima, K; Ito, Y; Gonzalez, FJ; Nakajima, T. (2008). Different mechanisms of DEHP-induced hepatocellular adenoma tumorigenesis in wild-type and Ppar alpha-null mice. *J Occup Health.* 50: 169-180.
- Takasu, M; Morita, N; Tajima, S; Almunia, J; Maeda, M; Kamiguchi, T. (2016). Cryopreservation of lar gibbon semen collected by manual stimulation. *Primates.* 57: 303-307. <http://dx.doi.org/10.1007/s10329-016-0543-1>.
- Takeda, S; Kondo, M; Kumada, T; Koshikawa, T; Ueda, R; Nishio, M; Osada, H; Suzuki, H; Nagatake, M; Washimi, O; Takagi, K; Takahashi, T; Nakao, A; Takahashi, T. (1996). Allelic-expression imbalance of the insulin-like growth factor 2 gene in hepatocellular carcinoma and underlying disease. *Oncogene.* 12: 1589-1592.
- Takemura, Y; Mukai, T; Senoo, K; Suzuki, M. (1995). DECOMPOSITION OF ORGANIC CHLORINE COMPOUNDS BY FENTONS REACTION ON RETICULATED IRON. *Kagaku Kogaku Ronbunshu.* 21: 32-40.
- Takeuchi, M; Kawabe, Y; Watanabe, E; Oiwa, T; Takahashi, M; Nanba, K; Kamagata, Y; Hanada, S; Ohko, Y; Komai, T. (2011). Comparative study of microbial dechlorination of chlorinated ethenes in an aquifer and a clayey aquitard. *J Contam Hydrol.* 124: 14-24. <http://dx.doi.org/10.1016/j.jconhyd.2011.01.003>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Takeuchi, M; Nanba, K; Furuya, K; Nirei, H; Yoshida, M. (2004). Natural groundwater of a gas field utilizable for a bioremediation of trichloroethylene-contamination. *Environ Geol.* 45: 891-898. <http://dx.doi.org/10.1007/s00254-003-0951-6>.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kazaoka, O; Furuya, K. (2000). Distribution and seasonal variation of methanotrophs in trichloroethylene contaminated groundwater. *Water Res.* 34: 3717-3724.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kusuda, T; Kazaoka, O; Furuya, K. (2001). Distribution of methanotrophs in trichloroethylene-contaminated aquifers in a natural gas field. *Geomicrobiology Journal.* 18: 387-399.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kusuda, T; Kazaoka, O; Owaki, M; Furuya, K. (2005). In situ bioremediation of a cis-dichloroethylene-contaminated aquifer utilizing methane-rich groundwater from an uncontaminated aquifer. *Water Res.* 39: 2438-2444. <http://dx.doi.org/10.1016/j.watres.2005.04.041>.
- Takeuchi, M; Okochi, H; Igawa, M. (2003). Deposition of coarse soil particles and ambient gaseous components dominating dew water chemistry. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003058>.
- Takubo, K; Kaminishi, M. (2001). [Diseases of the digestive tract and telomere lengths: Significance and problems of telomere measurement]. *Nippon Shokakibyō Gakkai Zasshi.* 98: 144-150.
- Takuma, Y; Fukuda, K; Kawata, K; Kato, S; Satokawa, S; Kojima, T. (2008). Decomposition Kinetics of Trichloroethylene by Fenton's Reaction that Uses Iron Powder. *Kagaku Kogaku Ronbunshu.* 34: 309-312.
- Takuma, Y; Kojima, T. (2014). Synergistic Effects of Fenton's Reaction and the Sonochemical Reaction on the Decomposition of Trichloroethylene in Water. *J Chem Eng Jpn.* 47: 309-313. <http://dx.doi.org/10.1252/jcej.13we203>.
- Tal-Figiel, B; Repelewicz, U. (2004). Intensification of emulsification and dewatering of liquid-liquid systems using ultrasound energy. *Inżynieria Chemiczna i Procesowa.* 25: 1695-1702.
- Tamezane, T; Tanaka, N; Nishikiori, H; Fujii, T. (2006). Matrix isolation and theoretical study on the photolysis of trichloroacetyl chloride. *Chem Phys Lett.* 423: 434-438. <http://dx.doi.org/10.1016/j.cplett.2006.04.031>.
- Tan, LK; Liem, AJ. (1997). Effect of hydrochloric acid on sampling and analysis of semivolatiles organic compounds in incineration flue gas .3. Chlorobenzenes and polychlorinated biphenyls. *Environ Sci Technol.* 31: 1785-1793.
- Tan, R; Beckmann, V. (2010). Diversity of Practical Quota Systems for Farmland Preservation: A Multicountry Comparison and Analysis. *Environment and Planning C: Government and Policy.* 28: 211-224.
- Tanada, S; Nakamura, T; Xiaohong, M; Higuchi, T; Shinoda, S. (1992). Adsorption Characteristics of Trichloroethylene and 1,1,1-Trichloroethane onto Activated Carbon Fiber in Gaseous Phase. *Bull Environ Contam Toxicol.* 49: 112-119.
- Tanada, S; Shinoda, S; Nakamura, T. (1991). Dominant properties of activated carbon fiber for the adsorptive removal of trichloroethylene in liquid phase. *Eisei Kagaku.* 37: 239-245.
- Tanada, S; Shinoda, S; Nakamura, T; Harada, T; Ohtsu, J. (1992). Studies on the adsorption characteristics of trichloroethylene onto activated carbon fiber in gaseous phase (pp. 93-98). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/92/26590). Tanada, S; Shinoda, S; Nakamura, T; Harada, T; Ohtsu, J.
- Tanaka, K; Smith, PF; Stromberg, PC; Eydelloth, RS; Herold, EG; Grossman, SJ; Frank, JD; Hertzog, PR; Soper, KA; Keenan, KP. (1992). Studies of early hepatocellular proliferation and peroxisomal proliferation in Sprague-Dawley rats treated with tumorigenic doses of clofibrate. *Toxicol Appl Pharmacol.* 116: 71-77. [http://dx.doi.org/10.1016/0041-008X\(92\)90146-J](http://dx.doi.org/10.1016/0041-008X(92)90146-J).
- Tanaka, M; Shirasawa, K; Taka, J; Kashino, S. (1999). Spectral study and the crystal analysis of a few crystals of the TCE-TTF radical salts. *Synthetic Metals.* 103: 2232-2233.
- Tanaka, N; Tamezane, T; Nishikiori, H; Fujii, T. (2003). An ab initio study on the phosgene-water complex. *J Mol Struct.* 631: 21-28. [http://dx.doi.org/10.1016/S0166-1280\(03\)00129-5](http://dx.doi.org/10.1016/S0166-1280(03)00129-5).
- Tanaka, Y; Mano, H. (2012). Functional traits of herbivores and food chain efficiency in a simple aquatic community model. *Ecol Modell.* 237: 88-100. <http://dx.doi.org/10.1016/j.ecolmodel.2012.04.021>.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol.* 28: 973-979.
- Tang, C, en; Jin, Y; Lu, J; Li, X; Xie, G; Luo, M. (2015). Highly efficient Mg(OH)Cl/SiO₂ catalysts for selective dehydrochlorination of 1,1,2-trichloroethane. *Appl Catal A-Gen.* 508: 10-15. <http://dx.doi.org/10.1016/j.apcata.2015.09.024>.
- Tang, H, ao; Zhu, D; Li, T; Kong, H; Chen, W, ei. (2011). Reductive Dechlorination of Activated Carbon-Adsorbed Trichloroethylene by Zero-Valent Iron: Carbon as Electron Shuttle. *J Environ Qual.* 40: 1878-1885. <http://dx.doi.org/10.2134/jeq2011.0185>.
- Tang, S; Liu, Z; Yan, X; Li, N; Cheng, R; He, X; Liu, B. (2014). Kinetic studies on the pyrrole-Cr-based Chevron-Phillips ethylene trimerization catalyst system. *Appl Catal A-Gen.* 481: 39-48. <http://dx.doi.org/10.1016/j.apcata.2014.04.006>.
- Tang, WM; Lai, PT; Xu, JP; Chan, CL. (2005). Enhanced hydrogen-sensing characteristics of MISiC Schottky-diode hydrogen sensor by trichloroethylene oxidation. *Sens Actuators A.* 119: 63-67. <http://dx.doi.org/10.1016/j.sna.2004.08.032>.
- Tang, WZ; Huang, CP. (1996). An oxidation kinetic model of unsaturated chlorinated aliphatic compounds by Fenton's reagent. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 31: 2755-2775.
- Tang, WZ; Huang, CP. (1997). Stoichiometry of Fenton's reagent in the oxidation of chlorinated aliphatic organic pollutants. *Environ Technol.* 18: 13-23.
- Tang, X; Hashmi, MZ; Zeng, B; Yang, J; Shen, C. (2015). Application of iron-activated persulfate oxidation for the degradation of PCBs in soil. *Chem Eng J.* 279: 673-680. <http://dx.doi.org/10.1016/j.cej.2015.05.059>.
- Tang, X; Li, L; Huang, J; Deng, Y. (2002). Guinea pig maximization test for trichloroethylene and its metabolites. *Biomed Environ Sci.* 15: 113-118.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Tang, X; Que, B; Song, X; Li, S; Yang, X; Wang, H; Huang, H; Kamijima, M; Nakajima, T; Lin, Y; Li, L. (2008). Characterization of liver injury associated with hypersensitive skin reactions induced by trichloroethylene in the guinea pig maximization test. *J Occup Health*. 50: 114-121.
- Tang, Y; Krajmalnik-Brown, R; Rittmann, BE. (2013). Modeling trichloroethene reduction in a hydrogen-based biofilm. *Water Sci Technol*. 68: 1158-1163. <http://dx.doi.org/10.2166/wst.2013.362>.
- Tanguay, RM; Jorquera, R; Poudrier, J; St-Louis, M. (1996). Tyrosine and its catabolites: From disease to cancer [Review]. *Acta Biochim Pol*. 43: 209-216.
- Tanimura, T; Yoshida, A; Yamazaki, S. (2005). Reduced formation of undesirable by-products from photocatalytic degradation of trichloroethylene. *Appl Catal B-Environ*. 61: 346-351. <http://dx.doi.org/10.1016/j.apcatb.2005.05.015>.
- Tao, L; Wang, W; Li, L; Kramer, PM; Pereira, MA. (2004). Effect of dibromoacetic acid on DNA methylation, glycogen accumulation, and peroxisome proliferation in mouse and rat liver. *Toxicol Sci*. 82: 62-69. <http://dx.doi.org/10.1093/toxsci/kfh266>.
- Tao, T; Yang, JJ; Maciel, GE. (1999). Photoinduced decomposition of trichloroethylene on soil components. *Environ Sci Technol*. 33: 74-80.
- Tardif, R; Goyal, R; Brodeur, J. (1992). Assessment of occupational health risk from multiple exposure: review of industrial solvent interaction and implication for biological monitoring of exposure [Review]. *Toxicol Ind Health*. 8: 37-52.
- Tardif, R; Sato, A; Lapare, S; Brodeur, J. (1994). ETHANOL-INDUCED MODIFICATION OF M-XYLENE TOXICOKINETICS IN HUMANS. *Occup Environ Med*. 51: 187-191.
- Tarsetti, F; Lenzi, R; Salvi, R; Schuler, E; Rijhsinghani, K; Lenzen, R; Tavoloni, N. (1993). Liver carcinogenesis associated with feeding of ethionine in a choline-free diet: Evidence against a role of oval cells in the emergence of hepatocellular carcinoma. *Hepatology*. 18: 596-603. <http://dx.doi.org/10.1002/hep.1840180319>.
- Tartakovsky, B; Manuel, ME; Guiot, SR. (2005). Degradation of trichloroethylene in a coupled anaerobic-aerobic bioreactor: Modeling and experiment. *Biochem Eng J*. 26: 72-81. <http://dx.doi.org/10.1016/j.bej.2005.06.007>.
- Tartakovsky, B; Manuel, MF; Guiot, SR. (2003). Trichloroethylene degradation in a coupled anaerobic/aerobic reactor oxygenated using hydrogen peroxide. *Environ Sci Technol*. 37: 5823-5828.
- Tartakovsky, B; Mehta, P; Bourque, JS; Guiot, S. R. (2011). Electrolysis-enhanced anaerobic digestion of wastewater. *Bioresour Technol*. 102: 5685-5691. <http://dx.doi.org/10.1016/j.biortech.2011.02.097>.
- Tasaltin, C; Basarir, F. (2014). Preparation of flexible VOC sensor based on carbon nanotubes and gold nanoparticles. *Sens Actuators B*. 194: 173-179. <http://dx.doi.org/10.1016/j.snb.2013.12.063>.
- Tasaltin, C; Ebeoglu, M; Ozturk, ZZ. (2012). Acoustoelectric Effect on the Responses of SAW Sensors Coated with Electrospun ZnO Nanostructured Thin Film. *Sensors*. 12: 12006-12015. <http://dx.doi.org/10.3390/s120912006>.
- Tase, N. (1992). Groundwater contamination in Japan. *Environ Geol Water Sci*. 20: 15-20.
- Tateishi, M; Suzuki, S; Shimizu, H. (1978). Cysteine conjugate beta-lyase in rat liver. A novel enzyme catalyzing formation of thiol-containing metabolites of drugs. *J Biol Chem*. 253: 8854-8859.
- Tateishi, T; Nakura, H; Asoh, M; Watanabe, M; Tanaka, M; Kumai, T; Takashima, S; Imaoka, S; Funae, Y; Yabusaki, Y; Kamataki, T; Kobayashi, S. (1997). A comparison of hepatic cytochrome P450 protein expression between infancy and postinfancy. *Life Sci*. 61: 2567-2574. [http://dx.doi.org/10.1016/S0024-3205\(97\)01011-4](http://dx.doi.org/10.1016/S0024-3205(97)01011-4).
- Taurozzi, JS; Arul, H; Bosak, VZ; Burban, AF; Voice, TC; Bruening, ML; Tarabara, VV. (2008). Effect of filler incorporation route on the properties of polysulfone-silver nanocomposite membranes of different porosities. *J Memb Sci*. 325: 58-68. <http://dx.doi.org/10.1016/j.memsci.2008.07.010>.
- Tavakoli, J; Doney, JA. (1993). PYROLYSIS OF METHYLENE-CHLORIDE IN METHANE NITROGEN BATH USING A FLOW REACTOR. *Chemical Engineering Communications*. 119: 135-150.
- Tawney, I; Becker, JG; Baldwin, AH. (2008). A novel dual-compartment, continuous-flow wetland microcosm to assess cis-dichloroethene removal from the rhizosphere. *Int J Phytoremediation*. 10: 455-471. <http://dx.doi.org/10.1080/15226510802100655>.
- Tay, P; Pinnagoda, J; Sam, CT; Ho, SF; Tan, KT; Ong, CN. (1995). ENVIRONMENTAL AND BIOLOGICAL MONITORING OF OCCUPATIONAL EXPOSURE TO 1,1,1-TRICHLOROETHANE. *Occup Med (Lond)*. 45: 147-150.
- Taylor, DH; Lagory, KE; Zaccaro, DJ; Pfohl, RJ; Laurie, RD. (1985). Effect of trichloroethylene on the exploratory and locomotor activity of rats exposed during development. *Sci Total Environ*. 47: 415-420. [http://dx.doi.org/10.1016/0048-9697\(85\)90345-6](http://dx.doi.org/10.1016/0048-9697(85)90345-6).
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). A detailed kinetic model of the high-temperature pyrolysis of tetrachloroethene. *Combust Flame*. 104: 260-271.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of 1,3-hexachlorobutadiene. *Combust Flame*. 106: 1-10. [http://dx.doi.org/10.1016/0010-2180\(95\)00248-0](http://dx.doi.org/10.1016/0010-2180(95)00248-0).
- Taylor, PH; Tirey, DA; Rubey, WA; Dellinger, B. (1994). DETAILED MODELING OF THE PYROLYSIS OF TRICHLOROETHENE - FORMATION OF CHLORINATED AROMATIC SPECIES. *Combust Sci Tech*. 101: 75-102.
- Taylor, RT; Hanna, ML; Shah, NN; Shonnard, DR; Duba, AG; Durham, WB; Jackson, KJ; Knapp, RB; Wijesinghe, AM; Et, AL. (1993). In situ bioremediation of trichloroethylene-contaminated water by a resting-cell methanotrophic microbial filter (pp. 323-342). (ISSN 0262-6667; BIOSIS/93/32497). Taylor, RT; Hanna, ML; Shah, NN; Shonnard, DR; Duba, AG; Durham, WB; Jackson, KJ; Knapp, RB; Wijesinghe, AM; Et, AL.
- Teaca, CA; Popa, VI. (2002). Trees as bioindicators of environmental pollution. *Cellulose Chemistry and Technology*. 36: 183-191.
- Teal, JM; Peterson, SB. (1991). The next generation of septage treatment (pp. 84-89). (ISSN 1047-7624; BIOSIS/92/23634). Teal, JM; Peterson, SB.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Tebourbi, O; Driss, MR; Sakly, M; Rhouma, KB. (2006). Metabolism of DDT in different tissues of young rats. *J Environ Sci Health B*. 41: 167-176. <http://dx.doi.org/10.1080/03601230500364674>.
- Tee, Y, itH; Bachas, L; Bhattacharyya, D. (2009). Degradation of Trichloroethylene by Iron-Based Bimetallic Nanoparticles (vol 113, pg 9454, 2009). *J Phys Chem C*. 113: 12616-12616. <http://dx.doi.org/10.1021/jp905273a>.
- Tee, YH; Bachas, L; Bhattacharyya, D. (2009). Degradation of Trichloroethylene and Dichlorobiphenyls by Iron-Based Bimetallic Nanoparticles. *J Phys Chem C*. 113: 9454-9464. <http://dx.doi.org/10.1021/jp809098z>.
- Tee, YH; Grulke, E; Bhattacharyya, D. (2005). Role of Ni/Fe nanoparticle composition on the degradation of trichloroethylene from water. *Ind Eng Chem Res*. 44: 7062-7070. <http://dx.doi.org/10.1021/ie050086a>.
- Teel, A; Ahmad, M; Watts, RJ. (2011). Persulfate activation by naturally occurring trace minerals. *J Hazard Mater*. 196: 153-159. <http://dx.doi.org/10.1016/j.jhazmat.2011.09.011>.
- Teel, AL; Elloy, FC; Watts, RJ. (2016). Persulfate activation during exertion of total oxidant demand. *Chemosphere*. 158: 184-192. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.055>.
- Teel, AL; Warberg, CR; Atkinson, DA; Watts, RJ. (2001). Comparison of mineral and soluble iron Fenton's catalysts for the treatment of trichloroethylene. *Water Res*. 35: 977-984.
- Teel, AL; Watts, RJ. (2002). Degradation of carbon tetrachloride by modified Fenton's reagent. *J Hazard Mater*. 94: 179-189.
- Teerakun, M; Reungsang, A; Lin, CJ; Liao, CH. (2011). Coupling of zero valent iron and biobarriers for remediation of trichloroethylene in groundwater. *J Environ Sci*. 23: 560-567. [http://dx.doi.org/10.1016/S1001-0742\(10\)60448-2](http://dx.doi.org/10.1016/S1001-0742(10)60448-2).
- Tehrani, FMK; Rashidzadeh, M; Nemati, A; Irandoukht, A; Faridnia, B. (2011). Characterization and photocatalytic activities of nanosized titanium dioxide thin films. *Int J Environ Sci Tech*. 8: 545-552.
- Tekic, MN; Pekic, B; Vatai, G; Zekovic, Z. (1994). SEPARATION OF LANATOSIDES BY MEMBRANE-BASED EXTRACTION. *Separation Science and Technology*. 29: 551-556.
- Tekrony, MC; Ahlert, RC. (2001). Adsorption of chlorinated hydrocarbon vapors onto soil in the presence of water. *J Hazard Mater*. 84: 135-146.
- Teliba, B; Sibari, A; Silvestre, F; Gaset, A. (1993). VEGETABLE TANNING IN APOLAR SOLVENT MEDIA. *Journal of the Society of Leather Technologists and Chemists*. 77: 174-178.
- Templin, MV; Stevens, DK; Stenner, RD; Bonate, PL; Tuman, D; Bull, RJ. (1995). Factors affecting species differences in the kinetics of metabolites of trichloroethylene. *J Toxicol Environ Health*. 44: 435-447. <http://dx.doi.org/10.1080/15287399509531972>.
- Teppen, BJ; Yu, CH; Newton, SQ; Miller, DM; Schafer, L. (2002). Quantum molecular dynamics simulations regarding the dechlorination of trichloro ethene in the interlayer space of the 2 : 1 clay mineral nontronite. *J Phys Chem A*. 106: 5498-5503. <http://dx.doi.org/10.1021/jp0132127>.
- Terracini, B; Parker, V. (1965). A pathological study on the toxicity of s-dichlorovinyl-l-cysteine. *Food Cosmet Toxicol*. 3: 67-74.
- Teruel, MA; Taccone, RA; Lane, SI. (2001). Gase-phase reactivity study of O(P-3) atoms with trans-CHCl=CHCl and CHCl=CCl2 at 298 K: Comparison to reactions with some other substituted ethenes. *Int J Chem Kinet*. 33: 415-421.
- Terzi, K; Sikinioti-Lock, A; Gkelios, A; Tzavara, D; Skouras, A; Aggelopoulos, C; Klepetsanis, P; Antimisariis, S; Tsakiroglou, CD. (2016). Mobility of zero valent iron nanoparticles and liposomes in porous media. *Colloid Surface Physicochem Eng Aspect*. 506: 711-722. <http://dx.doi.org/10.1016/j.colsurfa.2016.07.054>.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med*. 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Teshima, K; Lee, S; Murakoshi, S; Suzuki, S; Kiyohara, M; Yubuta, K; Shishido, T; Endo, M; Oishi, S. (2010). A Unique Three-Dimensional Photocatalytic Structure Consisting of Highly Crystalline Na2Ti3O7 Whiskers Grown from a NaCl Flux. *Cryst Growth Des*. 10: 2533-2540. <http://dx.doi.org/10.1021/cg901229d>.
- Testud, F. (2015). B-cell lymphoma in a maintenance technician. *Arch Mal Prof Environ*. 76: 409-410. <http://dx.doi.org/10.1016/j.admp.2015.06.003>.
- Teuschler, LK; Gennings, C; Hartley, WR; Carter, H; Thiyagarajah, A; Schoeny, R; Cubbison, C. (2005). The interaction effects of binary mixtures of benzene and toluene on the developing heart of medaka (*Oryzias latipes*). *Chemosphere*. 58: 1283-1291. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.075>.
- Tezel, U; Demirer, GN; Uludag-Demirer, S. (2005). Control of trichloroethylene emissions from sparging systems by horizontal bio- and chemo-barriers. *Environ Technol*. 26: 171-177.
- Thakulsukanant, C; Lobban, LL; Osuwan, S; Waritswat, A. (1997). Adsorbilization and stability characteristics of hydrocarbon aggregates chemically bonded to porous silica. *Langmuir*. 13: 4595-4599.
- Thamtharai, P; Rangsunvigit, P; Malakul, P; Scamehorn, JF. (2007). Surfactant-enhanced carbon regeneration in a vapor-phase application. *Separation Science and Technology*. 42: 3333-3349. <http://dx.doi.org/10.1080/01496390701626842>.
- Thamtharai, P; Rangsunvigit, P; Malakul, P; Scamehorn, JF. (2007). Surfactant-enhanced regeneration of polymeric resin in a vapor-phase application. *Separation Science and Technology*. 42: 3117-3130. <http://dx.doi.org/10.1080/01496390701588976>.
- Thanga, HH; Verma, AL. (2003). Photooxidation of cobalt(II) meso-tetraphenylporphyrin by p-benzopuinone and its mechanism studied by optical absorption and resonance Raman spectroscopies. *Journal of Porphyrins and Phthalocyanines*. 7: 540-547.
- Thangavadivel, K; Wang, W, eiH; Birke, V; Naidu, R. (2013). A Comparative Study of Trichloroethylene (TCE) Degradation in Contaminated Groundwater (GW) and TCE-Spiked Deionised Water Using Zero Valent Iron (ZVI) Under Various Mass Transport Conditions. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1718-7>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Thantu, N; Schley, RS. (2003). Ultrafast third-order nonlinear optical spectroscopy of chlorinated hydrocarbons. *Vibrational Spectroscopy*. 32: 215-223. [http://dx.doi.org/10.1016/S0924-2031\(03\)00068-7](http://dx.doi.org/10.1016/S0924-2031(03)00068-7).
- Tharappel, JC; Cunningham, ML; Spear, BT; Glauert, HP. (2001). Differential activation of hepatic NF-kB in rats and hamsters by the peroxisome proliferators Wy-14,643, gemfibrozil, and dibutyl phthalate. *Toxicol Sci*. 62: 20-27. <http://dx.doi.org/10.1093/toxsci/62.1.20>.
- Thiel, A; Schleyer, C; Hinkel, J; Schluter, M; Hagedorn, K; Bisaro, S; Bobojonov, I; Hamidov, A. (2016). Transferring Williamson's discriminating alignment to the analysis of environmental governance of social-ecological interdependence. *Ecol Econ*. 128: 159-168. <http://dx.doi.org/10.1016/j.ecolecon.2016.04.018>.
- Thijs, S; Sillen, W; Weyens, N; Vangronsveld, J. (2017). Phytoremediation: State-of-the-art and a key role for the plant microbiome in future trends and research prospects. *Int J Phytoremediation*. 19: 23-38. <http://dx.doi.org/10.1080/15226514.2016.1216076>.
- Thoben, M; Xie, X; Silber, D; Wilde, J. (2001). Reliability of chip/DCB solder joints in ASIC base plate power modules: Influence of chip size. *Microelectron Reliab*. 41: 1719-1723.
- Thomas, JJ; Kim, JH; Mauro, DM. (1992). 4-(4-nitrobenzyl)pyridine tests for alkylating agents following chemical oxidative activation. *Arch Environ Contam Toxicol*. 22: 219-227. <http://dx.doi.org/10.1007/BF00213289>.
- Thomas, JM; Ward, CH. (1992). SUBSURFACE MICROBIAL ECOLOGY AND BIOREMEDIATION. *J Hazard Mater*. 32: 179-194.
- Thomas, LK; Widdowson, MA; Chapelle, FH; Novak, JT; Boncal, JE; Lebron, CA. (2013). Distribution of Potentially Bioavailable Natural Organic Carbon in Aquifer Sediments at a Chloroethene-Contaminated Site. *J Environ Eng*. 139: 54-60. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000597](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000597).
- Thomas, RS; Bigelow, PL; Keefe, TJ; Yang, RS. (1996). Variability in biological exposure indices using physiologically based pharmacokinetic modeling and Monte Carlo simulation. *Am Ind Hyg Assoc J*. 57: 23-32. <http://dx.doi.org/10.1080/15428119691015188>.
- Thoms, S. R.; Lion, LW. (1992). COMPETITION AND ENHANCEMENT OF VOC SORPTION AT LOW SORBENT MOISTURE CONTENTS. *Chemosphere*. 25: 1707-1719.
- Thomson, NR; Hood, ED; Farquhar, GJ. (2007). Permanganate treatment of an emplaced DNAPL source. *Ground Water Monitoring and Remediation*. 27: 74-85.
- Thomson, NR; Sykes, JF; Van Vliet, D. (1997). A numerical investigation into factors affecting gas and aqueous phase plumes in the subsurface. *J Contam Hydrol*. 28: 1-2.
- Thong, JTL. (1992). TRANSIT-TIME EFFECT IN ELECTRON-BEAM TESTING VOLTAGE MEASUREMENTS. *Meas Sci Technol*. 3: 827-837.
- Thorbjarnarson, KW; Mackay, DM. (1997). A field test of tracer transport and organic contaminant elution in a stratified aquifer at the Rocky Mountain Arsenal (Denver, Colorado, USA). *J Contam Hydrol*. 24: 287-312.
- Thoreson, KA; Mcneill, K. (2011). Vicinal dichlorine elimination at dichloroalkenes promoted by a well-defined iron(0) complex. *Dalton Trans*. 40: 1646-1648. <http://dx.doi.org/10.1039/c0dt01532f>.
- Thorgeirsson, SS. (2006). Genomic decoding of hepatocellular carcinoma [Editorial]. *Gastroenterology*. 131: 1344-1346. <http://dx.doi.org/10.1053/j.gastro.2006.08.060>.
- Thornton, WA. (1998). Toward a more accurate and extensible colorimetry. Part VI. Improved weighting functions. Preliminary results. *Color Res Appl*. 23: 226-233.
- Thrall, KD; Poet, TS. (2000). Determination of biokinetic interactions in chemical mixtures using real-time breath analysis and physiologically based pharmacokinetic modeling. *J Toxicol Environ Health A*. 59: 653-670. <http://dx.doi.org/10.1080/009841000156646>.
- Tian, H, ua; Li, J; Mu, Z; Li, L; Hao, Z. (2009). Effect of pH on DDT degradation in aqueous solution using bimetallic Ni/Fe nanoparticles. *Separation and Purification Technology*. 66: 84-89. <http://dx.doi.org/10.1016/j.seppur.2008.11.018>.
- Tichenor, LAB; El-Sinawi, A; Yamada, T; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2001). Kinetic studies of the reaction of hydroxyl radicals with trichloroethylene and tetrachloroethylene. *Chemosphere*. 42: 571-577.
- Tichenor, LAB; Lozada-Ruiz, AJ; Yamada, T; El-Sinawi, A; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2000). Reaction of hydroxyl radicals with trichloroethylene: Evidence for chlorine elimination channels at elevated temperatures. *Proc Combust Inst*. 28: 1495-1502.
- Tick, GR; Harvell, JR; Murgulet, D. (2015). Intermediate-Scale Investigation of Enhanced-Solubilization Agents on the Dissolution and Removal of a Multicomponent Dense Nonaqueous Phase Liquid (DNAPL) Source. *Water Air Soil Pollut*. 226: 2636-7. <http://dx.doi.org/10.1007/s11270-015-2636-7>.
- Tick, GR; Rincon, EA. (2009). Effect of Enhanced-Solubilization Agents on Dissolution and Mass Flux from Uniformly Distributed Immiscible Liquid Trichloroethene (TCE) in Homogeneous Porous Media. *Water Air Soil Pollut*. 204: 315-332. <http://dx.doi.org/10.1007/s11270-009-0047-3>.
- Ticknor, JL; Elsayed-Ali, O; Kim, W, onS; Trotz, MA; Cunningham, JA. (2013). Simplified Analysis of Chlorinated Ethenes in Water Samples by Gas Chromatography with Flame Ionization Detection. *Environ Eng Sci*. 30: 30-37. <http://dx.doi.org/10.1089/ees.2012.0101>.
- Tiedeman, CR; Lacombe, PJ; Goode, DJ. (2010). Multiple well-shutdown tests and site-scale flow simulation in fractured rocks. *Ground Water*. 48: 401-415. <http://dx.doi.org/10.1111/j.1745-6584.2009.00651.x>.
- Tiedje, JM; Thiem, SM; Massol-Deya, A; Ka, JO; Fries, MR. (1995). Tracking microbial Populations effective in reducing exposure. *Environ Health Perspect*. 103: 117-120.
- Tiehm, A; Schmidt, KR; Pfeifer, B; Heidinger, M; Ertl, S. (2008). Growth kinetics and stable carbon isotope fractionation during aerobic degradation of cis-1,2-dichloroethene and vinyl chloride. *Water Res*. 42: 2431-2438. <http://dx.doi.org/10.1016/j.watres.2008.01.029>.
- Tillman, FD; Choi, JW; Smith, JA. (2003). A comparison of direct measurement and model simulation of total flux of volatile organic compounds from the subsurface to the atmosphere under natural field conditions. *Water Resour Res*. 39. <http://dx.doi.org/10.1029/2003WR002098>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Tillman, FD; Smith, JA. (2004). Design and laboratory testing of a chamber device to measure total flux of volatile organic compounds from the unsaturated zone under natural conditions. *J Contam Hydrol.* 75: 71-90. <http://dx.doi.org/10.1016/j.jconhyd.2004.04.005>.
- Tillman, FD; Smith, JA. (2005). Site characteristics controlling airflow in the 4-shallow unsaturated zone in response to atmospheric pressure changes. *Environ Eng Sci.* 22: 25-37.
- Tillman, FD; Weaver, JW. (2007). Temporal moisture content variability beneath and external to a building and the potential effects on vapor intrusion risk assessment. *Sci Total Environ.* 379: 1-15. <http://dx.doi.org/10.1016/j.scitotenv.2007.02.003>.
- Ting, G, uo; Zhipeng, B; Can, W, u; Tan, Z, hu. (2007). Influence of environmental humidity on the photocatalytic oxidation of toluene by TiO₂ loaded on activated carbon fibers. *Chinese journal of catalysis.* 28: 1089-1095.
- Tipagornwong, C; Figliozzi, M. (2014). Analysis of Competitiveness of Freight Tricycle Delivery Services in Urban Areas. *Trans Res Rec*76-84. <http://dx.doi.org/10.3141/2410-09>.
- Tiwari, M; Sahu, SK; Pandit, GG. (2016). Distribution and ecotoxicological concerns of persistent organic pollutants in sediment from creek ecosystem. *J Environ Sci Health B.* 51: 616-621. <http://dx.doi.org/10.1080/03601234.2016.1181907>.
- Tiwari, N; Asthana, A; Upadhyay, K. (2013). Spectrophotometric analysis of trichloroethylene in various environmental and biological samples. *Res Chem Intermed.* 39: 3867-3875. <http://dx.doi.org/10.1007/s11164-012-0888-z>.
- Tkachenko, IS; Tkachenko, SN; Lokteva, ES; Likhobolov, VA. (2016). Ozone-adsorption Method of TRIC and PERC Elimination from Underground Water Corresponding to the Russian Maximum Permissible Concentration Standards. *Ozone: Science and Engineering.* 38: 302-311. <http://dx.doi.org/10.1080/01919512.2016.1141671>.
- To, PC; Marinas, BJ; Snoeyink, VL; Ng, WJ. (2008). Effect of pore-blocking background compounds on the kinetics of trace organic contaminant desorption from activated carbon. *Environ Sci Technol.* 42: 4825-4830. <http://dx.doi.org/10.1021/es800058s>.
- Tobiszewski, M; Namieśnik, J. (2012). Abiotic degradation of chlorinated ethanes and ethenes in water [Review]. *Environ Sci Pollut Res Int.* 19: 1994-2006. <http://dx.doi.org/10.1007/s11356-012-0764-9>.
- Toffoletto, F; Crippa, M; Torri, D. (2007). Interactions between alcohol and work exposure to chemical substances [Review]. *Med Lav.* 98: 513-520.
- Tokunaga, T; Hanashima, M; Matsufuji, Y; Kitamori, S; Sera, N. (1998). Biodechlorination of tetrachloroethylene by anaerobic bacteria cell cultures isolated from contaminated and uncontaminated soils. *Bull Environ Contam Toxicol.* 60: 88-95.
- Toledo, JM; Corella, J; Sanz, A. (2001). Noble metal-based catalysts for total oxidation of chlorinated hydrocarbons. *Environmental Progress.* 20: 167-174.
- Tom Kuo, MC; Liang, KF; Han, YL; Fan, KC. (2004). Pilot studies for in-situ aerobic cometabolism of trichloroethylene using toluene-vapor as the primary substrate. *Water Res.* 38: 4125-4134. <http://dx.doi.org/10.1016/j.watres.2004.08.009>.
- Toma, M; Grosser, M; Herr, A; Aust, D; Meye, A; Hoefling, C; Fuessel, S; Wuttig, D; Wirth, M; Baretton, G. (2008). Loss of heterozygosity and copy number abnormality in clear cell renal cell carcinoma discovered by high-density affymetrix 10K single nucleotide polymorphism mapping array. *Neoplasia.* 10: 634-642.
- Toman, F; Benes, L. (2007). Enthalpies of sorption of linear hydrocarbons (C-2-C-8) and chloroderivatives of methane and ethylene on the surface of hydrocalcite. *J Incl Phenom Macrocycl Chem.* 59: 231-236. <http://dx.doi.org/10.1007/s10847-007-9318-z>.
- Tomasic, V; Jovic, F; Gomzi, Z. (2008). Photocatalytic oxidation of toluene in the gas phase: Modelling an annular photocatalytic reactor. *Catalysis Today.* 137: 350-356. <http://dx.doi.org/10.1016/j.cattod.2008.05.017>.
- Tomisawa, H; Ichihara, S; Fukazawa, H; Ichimoto, N; Tateishi, M; Yamamoto, I. (1986). Purification and characterization of human hepatic cysteine-conjugate beta-lyase. *Biochem J.* 235: 569-575.
- Tomisawa, H; Suzuki, S; Ichihara, S; Fukazawa, H; Tateishi, M. (1984). Purification and characterization of C-S lyase from *Fusobacterium varium*: A C-S cleavage enzyme of cysteine conjugates and some S-containing amino acids. *J Biol Chem.* 259: 2588-2593.
- Tompson, AFB; Knapp, RB; Hanna, ML; Taylor, RT. (1994). SIMULATION OF TCE MIGRATION AND BIODEGRADATION IN A POROUS-MEDIUM UNDER CONDITIONS OF FINITE DEGRADATION CAPACITY. *Advances in Water Resources.* 17: 241-249.
- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta catalyses the oxygenation of the carcinogen dichloroacetic acid to glyoxylic acid. *Biochem J.* 331: 371-374.
- Topudurti, K; Keefe, M; Wooliever, P; Lewis, N. (1994). FIELD-EVALUATION OF PEROX-PURE(TM) CHEMICAL OXIDATION TECHNOLOGY. *Water Sci Technol.* 30: 95-104.
- Toren, K; Sterner, T. (2003). How to promote prevention-economic incentives or legal regulations or both? *Scand J Work Environ Health.* 29: 239-245.
- Torimoto, T; Ito, S; Kuwabata, S; Yoneyama, H. (1996). Effects of adsorbents used as supports for titanium dioxide loading on photocatalytic degradation of propylamide. *Environ Sci Technol.* 30: 1275-1281.
- Torn, MS; Davis, S; Bird, JA; Shaw, MR; Conrad, ME. (2003). Automated analysis of ¹³C/¹²C ratios in CO₂ and dissolved inorganic carbon for ecological and environmental applications. *Rapid Commun Mass Spectrom.* 17: 2675-2682. <http://dx.doi.org/10.1002/rcm.1246>.
- Torres-Dosal, A; Isabel Martinez-Salinas, R; Hernandez-Benavides, D; Javier Perez-Vazquez, F; Ilizaliturri-Hernandez, C; Nelinho Perez-Maldonado, I. (2012). Assessment of the levels of DDT and DDE in soil and blood samples from Tabasco, Mexico. *Environ Monit Assess.* 184: 7551-7559. <http://dx.doi.org/10.1007/s10661-012-2518-z>.
- Toth, B; Hornung, D; Scholz, C; Djalali, S; Friese, K; Jeschke, U. (2007). Peroxisome proliferator-activated receptors: new players in the field of reproduction [Review]. *Am J Reprod Immunol.* 58: 289-310. <http://dx.doi.org/10.1111/j.1600-0897.2007.00514.x>.
- Tracz, A; Jeszka, JK; Sroczynska, A; Ulanski, J; Pakula, T. (1996). Properties and microstructure of crystalline BEDT-TTF polyiodide network in polycarbonate matrix. *6: 335-342.*

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Tratnyek, PG. (2015). Comment on "evaluation of the kinetic oxidation of aqueous volatile organic compounds by permanganate" by M. G. Mahmoodlu, S. M. Hassanizadeh, and N. Hartog, in *Science of the Total Environment* (2014) 485-486: 755-763 [Letter]. *Sci Total Environ.* 502: 722-723. <http://dx.doi.org/10.1016/j.scitotenv.2014.08.065>.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res.* 35: 4435-4443.
- Travis, BJ; Rosenberg, ND. (1997). Modeling in situ bioremediation of TCE at Savannah River: Effects of product toxicity and microbial interactions on TCE degradation. *Environ Sci Technol.* 31: 3093-3102.
- Travis, CC. (2011). On the Definition of Internal Dose Metrics. *Hum Ecol Risk Assess.* 17: 467-477. <http://dx.doi.org/10.1080/10807039.2011.552399>.
- Trejo-Acevedo, A; Rivero-Pérez, NE; Flores-Ramírez, R; Orta-García, ST; Varela-Silva, JA; Pérez-Maldonado, IN. (2012). Assessment of the levels of persistent organic pollutants and 1-hydroxypyrene in blood and urine samples from Mexican children living in an endemic malaria area in Mexico. *Bull Environ Contam Toxicol.* 88: 828-832. <http://dx.doi.org/10.1007/s00128-012-0593-z>.
- Trevisan, A; Giraldo, M; Borella, M; Maso, S. (2001). Historical control data on urinary and renal tissue biomarkers in naive male Wistar rats. *J Appl Toxicol.* 21: 409-413.
- Triebig, G; Bestler, W; Baumeister, P; Valentin, H. (1983). [Neurotoxicity of workplace substances. IV. Determination of motor and sensory nerve conduction velocity in persons exposed to solvent mixtures]. *Int Arch Occup Environ Health.* 52: 139-150. <http://dx.doi.org/10.1007/BF00405417>.
- Troldborg, M; Nowak, W; Tuxen, N; Bjerg, PL; Helmig, R; Binning, PJ. (2010). Uncertainty evaluation of mass discharge estimates from a contaminated site using a fully Bayesian framework. *Water Resour Res.* 46: n/a. <http://dx.doi.org/10.1029/2010WR009227>.
- Truchon, G; Tardif, R; Droz, PO; Charest-Tardif, G; Pierrehumbert, G. (2006). Biological exposure indicators: quantification of biological variability using toxicokinetic modeling. *J Occup Environ Hyg.* 3: 137-143. <http://dx.doi.org/10.1080/15459620500524987>.
- Truex, M; Powell, T; Lynch, K. (2007). In situ dechlorination of TCE during aquifer heating. *Ground Water Monitoring and Remediation.* 27: 96-105.
- Truex, MJ; Macbeth, TW; Vermeul, VR; Fritz, BG; Mendoza, DP; Mackley, RD; Wietsma, TW; Sandberg, G; Powell, T; Powers, J; Pitre, E; Michalsen, M; Ballock-Dixon, SJ; Zhong, L; Oostrom, M. (2011). Demonstration of combined zero-valent iron and electrical resistance heating for in situ trichloroethene remediation. *Environ Sci Technol.* 45: 5346-5351. <http://dx.doi.org/10.1021/es104266a>.
- Truex, MJ; Vermeul, VR; Mendoza, DP; Fritz, BG; Mackley, RD; Oostrom, M; Wietsma, TW; Macbeth, TW. (2011). Injection of zero-valent iron into an unconfined aquifer using shear-thinning fluids. *Ground Water Monitoring and Remediation.* 31: 50-58. <http://dx.doi.org/10.1111/j.1745-6592.2010.01319.x>.
- Truhaut, R. (1951). [Contribution to the study of toxicology of trichloroethylene; Establishment of a method of determination applicable to atmosphere and biological media]. *Ann Pharm Fr.* 9: 175-187.
- Trung, T; Ha, CS. (2004). One-component solution system to prepare nanometric anatase TiO₂. *Mater Sci Eng C.* 24: 19-22. <http://dx.doi.org/10.1016/j.msec.2003.09.004>.
- Tryndyak, VP; Muskhelishvili, L; Kovalchuk, O; Rodriguez-Juarez, R; Montgomery, B; Churchwell, MI; Ross, SA; Beland, FA; Pogribny, IP. (2006). Effect of long-term tamoxifen exposure on genotoxic and epigenetic changes in rat liver: implications for tamoxifen-induced hepatocarcinogenesis. *Carcinogenesis.* 27: 1713-1720. <http://dx.doi.org/10.1093/carcin/bgl050>.
- Tsai, CJ; Chen, ML; Chang, KF; Chang, FK; Mao, IF. (2009). The pollution characteristics of odor, volatile organochlorinated compounds and polycyclic aromatic hydrocarbons emitted from plastic waste recycling plants. *Chemosphere.* 74: 1104-1110. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.041>.
- Tsai, TT; Chen, KF; Tsai, WA; Liu, YH; Kao, CM. (2012). Application of Monitored Natural Attenuation and Risk-based Corrective Action at a Chlorinated-Hydrocarbon Contaminated Site for Risk Management. *Res Journal Chem Environ.* 16: 87-97.
- Tsai, TT; Kao, CM; Hong, A; Liang, SH; Chien, HY. (2008). Remediation of TCE-contaminated aquifer by an in situ three-stage treatment train system. *Colloid Surface Physicochem Eng Aspect.* 322: 130-137. <http://dx.doi.org/10.1016/j.colsurfa.2008.03.012>.
- Tsai, TT; Kao, CM; Surampalli, R; Weng, CH; Liang, SH. (2010). Treatment of TCE-Contaminated Groundwater Using Fenton-Like Oxidation Activated with Basic Oxygen Furnace Slag. *J Environ Eng.* 136: 288-294. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000137](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000137).
- Tsai, TT; Kao, CM; Wang, JY. (2011). Remediation of TCE-contaminated groundwater using acid/BOF slag enhanced chemical oxidation. *Chemosphere.* 83: 687-692. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.023>.
- Tsai, TT; Kao, CM; Yeh, TY; Liang, SH; Chien, HY. (2009). Application of surfactant enhanced permanganate oxidation and biodegradation of trichloroethylene in groundwater. *J Hazard Mater.* 161: 111-119. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.061>.
- Tsai, TT; Liu, JK; Chang, YM; Chen, KF; Kao, CM. (2014). Application of polycolloid-releasing substrate to remediate trichloroethylene-contaminated groundwater: A pilot-scale study. *J Hazard Mater.* 268: 92-101. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.004>.
- Tsai, TY; Okawa, K; Nakano, Y; Nishijima, W; Okada, M. (2004). Decomposition of trichloroethylene and 2,4-dichlorophenol by ozonation in several organic solvents. *Chemosphere.* 57: 1151-1155. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.081>.
- Tsakiroglou, C; Terzi, K; Sikinioti-Lock, A; Hajdu, K; Aggelopoulos, C. (2016). Assessing the capacity of zero valent iron nanofluids to remediate NAPL-polluted porous media. *Sci Total Environ.* 563-564: 866-878. <http://dx.doi.org/10.1016/j.scitotenv.2016.02.010>.
- Tsang, DC; Graham, NJ; Lo, IM. (2009). Humic acid aggregation in zero-valent iron systems and its effects on trichloroethylene removal. *Chemosphere.* 75: 1338-1343. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.058>.
- Tschantz, MF; Bowman, JP; Donaldson, TL; Bienkowski, PR; Strong-Gunderson, JM; Palumbo, AV; Herbes, SE; Sayler, GS. (1995). Methanotrophic TCE biodegradation in a multi-stage bioreactor. *Environ Sci Technol.* 29: 2073-2082.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Tschantz, MF; Bowman, JP; Evans, F; Bienkowski, PR; Donaldson, TL; Saylor, GS. (1996). Development of a fully suspended, multi-stage bioreactor system for trichloroethylene degradation based on soluble monooxygenase cometabolism. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 31: 249-266.
- Tsekov, R; Smirniotis, PG. (1997). Radiation field in continuous annular photocatalytic reactors: Role of the lamp finite size. *Chem Eng Sci.* 52: 1667-1671.
- Tseng, H; Su, JG; Liang, C. (2011). Synthesis of granular activated carbon/zero valent iron composites for simultaneous adsorption/dechlorination of trichloroethylene. *J Hazard Mater.* 192: 500-506. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.047>.
- Tseng, TK; Chu, H; Hsu, HH. (2003). The catalytic incineration of trichloroethylene over a gamma-alumina supported manganese oxide catalyst. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 1159-1176. <http://dx.doi.org/10.1081/ESE-120019871>.
- Tseng, TK; Chu, H; Hsu, HH. (2003). Characterization of gamma-alumina-supported manganese oxide as an incineration catalyst for trichloroethylene. *Environ Sci Technol.* 37: 171-176. <http://dx.doi.org/10.1021/es0255960>.
- Tseng, TK, e; Wang, L; Ho, C; Chu, H. (2010). The destruction of dichloroethane over a gamma-alumina supported manganese oxide catalyst. *J Hazard Mater.* 178: 1035-1040. <http://dx.doi.org/10.1016/j.jhazmat.2010.02.044>.
- Tserng, H, uiP; Ho, SP; Chou, J, uiS; Lin, C. (2014). PROACTIVE MEASURES OF GOVERNMENTAL DEBT GUARANTEES TO FACILITATE PUBLIC-PRIVATE PARTNERSHIPS PROJECT. *Journal of Civil Engineering and Management.* 20: 548-560. <http://dx.doi.org/10.3846/13923730.2013.801883>.
- Tsitonaki, A; Petri, B; Crimi, M; Mosbaek, H; Siegrist, RL; Bjerg, PL. (2010). In Situ Chemical Oxidation of Contaminated Soil and Groundwater Using Persulfate: A Review. *Crit Rev Environ Sci Tech.* 40: 55-91. <http://dx.doi.org/10.1080/10643380802039303>.
- Tsitonaki, A; Smets, BF; Bjerg, PL. (2008). Effects of heat-activated persulfate oxidation on soil microorganisms. *Water Res.* 42: 1013-1022. <http://dx.doi.org/10.1016/j.watres.2007.09.018>.
- Tso, CP; Shih, YH. (2015). The reactivity of well-dispersed zerovalent iron nanoparticles toward pentachlorophenol in water. *Water Res.* 72: 372-380. <http://dx.doi.org/10.1016/j.watres.2014.12.038>.
- Tsotsou, GE; Cass, AEG; Gilardi, G. (2002). High throughput assay for cytochrome P450BM3 for screening libraries of substrates and combinatorial mutants. *Biosens Bioelectron.* 17: 119-131.
- Tsuda, S. (1970). TRICHLOROETHYLENE AND PERCHLOROETHYLENE MADE VIA SIMPLE NEW ROUTE. *Chem Eng.* 77: 74-&.
- Tsuji, S; Kawaguchi, H. (2008). Thermosensitive pickering emulsion stabilized by poly(N-isopropylacrylamide)-carrying particles. *Langmuir.* 24: 3300-3305. <http://dx.doi.org/10.1021/la701780g>.
- Tsuru, T; Toyosada, T; Yoshioka, T; Asaeda, M. (2001). Photocatalytic reactions in a filtration system through porous titanium dioxide membranes. *J Chem Eng Jpn.* 34: 844-847.
- Tsuru, T; Toyosada, T; Yoshioka, T; Asaeda, M. (2003). Photocatalytic membrane reactor using porous titanium oxide membranes. *J Chem Eng Jpn.* 36: 1063-1069.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology.* 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tugwood, JD; Aldridge, TC; Lambe, KG; Macdonald, N; Woodyatt, NJ. (1996). Peroxisome proliferator-activated receptors: Structures and function. *Ann N Y Acad Sci.* 804: 252-265. <http://dx.doi.org/10.1111/j.1749-6632.1996.tb18620.x>.
- Turcio-Ortega, D; Fan, D; Tratnyek, PG; Kim, E; Chang, YS. (2012). Reactivity of Fe/FeS Nanoparticles: Electrolyte Composition Effects on Corrosion Electrochemistry. *Environ Sci Technol.* 46: 12484-12492. <http://dx.doi.org/10.1021/es303422w>.
- Turgut, C; Cutright, TJ; Mermer, S; Atatanir, L; Turgut, N; Usluy, M; Erdogan, O. (2013). The source of DDT and its metabolites contamination in Turkish agricultural soils. *Environ Monit Assess.* 185: 1087-1093. <http://dx.doi.org/10.1007/s10661-012-2616-y>.
- Turkall, R; Skowronski, GA; Suh, DH; Abdel-rahman, MS. (2003). Effect of a chemical mixture on dermal penetration of arsenic and nickel in male pig in vitro. *J Toxicol Environ Health A.* 66: 647-655. <http://dx.doi.org/10.1080/15287390309353772>.
- Turner, LH; Chiew, YC; Ahlert, RC; Kosson, DS. (1996). Measuring vapor-liquid equilibrium for aqueous-organic systems: Review and a new technique. *AIChE J.* 42: 1772-1788.
- Tutkun, O. (1993). CONDENSATION OF VAPORS OF BINARY IMMISCIBLE LIQUIDS. *Chemical Engineering and Processing: Process Intensification.* 32: 263-272.
- Twesme, TM; Tompkins, DT; Anderson, MA; Root, TW. (2006). Photocatalytic oxidation of low molecular weight alkanes: Observations with ZrO₂-TiO₂ supported thin films. *Appl Catal B-Environ.* 64: 153-160. <http://dx.doi.org/10.1016/j.apcatb.2005.11.010>.
- U.S. EPA. (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.
- U.S. EPA. (1986). Guidelines for the health risk assessment of chemical mixtures (pp. 1-38). (EPA/630/R-98/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=22567>.
- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=34855>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=23162>.
- U.S. EPA. (1992). A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg^{3/4}/day [EPA Report] (pp. 24152-24161). Washington, DC.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- U.S. EPA. (1992). Dermal exposure assessment: Principles and applications (interim report) [EPA Report]. (EPA/600/8-91/011B). Washington, DC: Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=12188>.
- U.S. EPA. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=186068>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recorddisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA. (1995). The national public water system supervision program: Compliance report, FY 1994 [EPA Report]. (EPA 812-R-95-001). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20001TKR.txt>.
- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA. (1997). Exposure factors handbook [EPA Report] (pp. 1216). (EPA/600/P-95/002Fa-c). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=12464>.
- U.S. EPA. (1998). EPA data file: Office of groundwater and drinking water [EPA Report]. Washington, DC.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.
- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727.
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2002). Health assessment of 1,3-butadiene [EPA Report]. (EPA/600/P-98/001F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=54499>.
- U.S. EPA. (2002). OSWER draft guidance for evaluating the vapor intrusion to indoor air pathway from groundwater and soils (subsurface vapor intrusion guidance) [EPA Report]. (EPA 530-D-02-004). Washington, DC. <http://epa.gov/osw/hazard/correctiveaction/eis/vapor/guidance.pdf>.
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA. (2003). Framework for cumulative risk assessment [EPA Report]. (EPA/630/P-02/001F). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004TJH.txt>.
- U.S. EPA. (2003). Occurrence estimation methodology and occurrence findings report of the six-year review of existing national primary drinking water regulations [EPA Report]. (EPA-815/R-03-006). Washington, DC. http://water.epa.gov/lawsregs/rulesregs/regulatingcontaminants/sixyearreview/first_review/upload/support_6yr_occurrencemethods_final.pdf.
- U.S. EPA. (2003). Toxicological review of dichloroacetic acid (CAS No. 79-43-6) [EPA Report]. (EPA 635/R-03/007). Washington, DC. <http://www.epa.gov/iris/toxreviews/0654tr.pdf>.
- U.S. EPA. (2004). Estimated per capita water ingestion and body weight in the United States: An update [EPA Report]. (EPA-822/R-00-001). Washington, DC: U.S. Environmental Protection Agency, Office of Water. http://water.epa.gov/action/advisories/drinking/upload/2005_05_06_criteria_drinking_percapita_2004.pdf.
- U.S. EPA. (2005). Documentation of environmental indicator determination: RCRA corrective action: Current human exposures under control (IBM-Endicott) [EPA Report]. New York, NY. http://www.epa.gov/Region2/waste/ibm_e725.pdf.
- U.S. EPA. (2005). Guidance on selecting age groups for monitoring and assessing childhood exposures to environmental contaminants (final) [EPA Report]. (EPA/630/P-03/003F). Washington, DC. <http://www.epa.gov/raf/publications/guidance-on-selecting-age-groups.htm>.
- U.S. EPA. (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA. (2005). The HAPEM5 user's guide: Hazardous air pollutant exposure model, version 5 [EPA Report]. Research Triangle Park, NC. <http://www.epa.gov/airtoxics/nata1999/ted/hapem5guide.pdf>.
- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=158363>.
- U.S. EPA. (2006). Peer review handbook (3rd edition) [EPA Report]. (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. <http://www.epa.gov/peerreview/>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- U.S. EPA. (2006). Technology transfer network 1999 national-scale air toxics assessment [Website]. Retrieved from <http://www.epa.gov/ttn/atw/nata1999/index.html>
- U.S. EPA. (2008). 1,1,2-Trichloro-1,2,2-trifluoroethane [EPA Report]. Washington, D.C. <http://www.epa.gov/IRIS/subst/0123.htm>.
- U.S. EPA. (2008). Child-specific exposure factors handbook [EPA Report]. (EPA/600/R-06/096F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=199243>.
- U.S. EPA. (2008). Factoids: Drinking water and ground water statistics for 2008 [EPA Report]. (EPA-816/K-08-004). Washington, DC. http://www.epa.gov/ogwdw000/databases/pdfs/data_factoids_2008.pdf.
- U.S. EPA. (2010). AirData: Access to air pollution data [Database]. Research Triangle Park, NC: Office of Air Quality Planning and Standards. Retrieved from <http://www.epa.gov/air/data/index.html>
- U.S. EPA. (2011). Recommended use of body weight 3/4 as the default method in derivation of the oral reference dose (pp. 1-50). (EPA/100/R11/0001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum, Office of the Science Advisor. <https://www.epa.gov/risk/recommended-use-body-weight-34-default-method-derivation-oral-reference-dose>.
- Uchiyama, H; Acosta, E; Tran, S; Sabatini, DA; Harwell, JH. (2000). Supersolubilization in chlorinated hydrocarbon microemulsions: Solubilization enhancement by lipophilic and hydrophilic linkers. *Ind Eng Chem Res.* 39: 2704-2708.
- Uchiyama, H; Christian, SD; Tucker, EE; Scamehorn, JF. (1994). SOLUBILIZATION OF TRICHLOROETHYLENE BY POLYELECTROLYTE SURFACTANT COMPLEXES. *AIChE J.* 40: 1969-1975.
- Uchiyama, H; Kato, C; Kokufuta, E; Yagi, O. (1997). Quantitative colorimetric determination of trichloroethylene degradation activity and implications for environmental use. *Environ Technol.* 18: 1123-1131.
- Uchiyama, H; Nakajima, T; Yagi, O; Tabuchi, T. (1989). Aerobic degradation of trichloroethylene at high concentration by a methane-utilizing mixed culture. *Agric Biol Chem.* 53: 1019-1024.
- Uchiyama, H; Nakajima, T; Yagi, O; Tabuchi, T. (1989). AEROBIC DEGRADATION OF TRICHLOROETHYLENE BY A NEW TYPE-II METHANE-UTILIZING BACTERIUM, STRAIN-M. *Agric Biol Chem.* 53: 2903-2907.
- Uchiyama, H; Tucker, EE; Christian, SD; Scamehorn, JF. (1994). SOLUBILIZATION OF TRICHLOROETHYLENE BY N-HEXADECYLPYRIDINIUM CHLORIDE MICELLES. *J Phys Chem.* 98: 1714-1718.
- Uguina, MA; Sotelo, JL; Delgado, JA; Gomez, JM; Celemin, LI. (2005). Adsorption of methyl ethyl ketone and trichloroethene from aqueous solutions onto silicalite fixed-bed adsorbers. *Separation and Purification Technology.* 42: 91-99. <http://dx.doi.org/10.1016/j.seppur.2004.06.007>.
- Ukai, H; Inui, S; Takada, S; Dendo, J; Ogawa, J; Isobe, K; Ashida, T; Tamura, M; Tabuki, K; Ikeda, M. (1997). Types of organic solvents used in small- to medium-scale industries in Japan; a nationwide field survey. *Int Arch Occup Environ Health.* 70: 385-392.
- Ulrich, RG; Rockett, JC; Gibson, GG; Pettit, SD. (2004). Overview of an interlaboratory collaboration on evaluating the effects of model hepatotoxicants on hepatic gene expression. *Environ Health Perspect.* 112: 423-427.
- Uludag-Demirer, S; Bowers, AR. (2000). Adsorption/reduction reactions of trichloroethylene by elemental iron in the gas phase: The role of water. *Environ Sci Technol.* 34: 4407-4412. <http://dx.doi.org/10.1021/es001017k>.
- Uludag-Demirer, S; Bowers, AR. (2001). Gas phase reduction of chlorinated VOCs by zero valent iron. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 1535-1547.
- Uludag-Demirer, S; Bowers, AR. (2003). Effects of surface oxidation and oxygen on the removal of trichloroethylene from the gas phase using elemental iron. *Water Air Soil Pollut.* 142: 229-242.
- Unger, DR; Lam, TT; Schaefer, CE; Kosson, DS. (1996). Predicting the effect of moisture on vapor-phase sorption of volatile organic compounds to soils. *Environ Sci Technol.* 30: 1081-1091.
- Unsworth, NK; Hancox, I; Dearden, CA; Sullivan, P; Walker, M; Lilley, RS; Sharp, J; Jones, TS. (2014). Comparison of dimethyl sulfoxide treated highly conductive poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) electrodes for use in indium tin oxide-free organic electronic photovoltaic devices. *Organic Electronics.* 15: 2624-2631. <http://dx.doi.org/10.1016/j.orgel.2014.07.015>.
- Upadhyaya, A; Acosta, EJ; Scamehorn, JF; Sabatini, DA. (2006). Microemulsion phase behavior of anionic-cationic surfactant mixtures: Effect of tail branching. *Journal of Surfactants and Detergents.* 9: 169-179.
- Urabe, Y; Nouse, K; Higashi, T; Nakatsukasa, H; Hino, N; Ashida, K; Kinugasa, N; Yoshida, K; Uematsu, S; Tsuji, T. (1996). Telomere length in human liver diseases. *Liver Int.* 16: 293-297. <http://dx.doi.org/10.1111/j.1600-0676.1996.tb00748.x>.
- Urano, K; Yamamoto, E; Tonegawa, M; Fujie, K. (1991). Adsorption of chlorinated organic compounds on activated carbon from water. *Water Res.* 25: 1459-1464.
- Urbanczyk, M; Jakubik, W; Kochowski, S. (1994). INVESTIGATION OF SENSOR PROPERTIES OF COPPER PHTHALOCYANINE WITH THE USE OF SURFACE ACOUSTIC-WAVES. *Sens Actuators B.* 22: 133-137.
- Urkiaga, A; Bolano, N; De Las Fuentes, L. (2002). Removal of micropollutants in aqueous streams by organophilic pervaporation. *Desalination.* 149: 55-60.
- Ursescu, D; Ionel, L. (2010). Gain and ionization dynamics in transient, collisionally excited X-ray lasers. *J Optoelect Adv Mater.* 12: 48-51.
- Urriaga, A; Gorri, D; Ortiz, I. (2002). Mass-transfer modeling in the pervaporation of VOCs from diluted solutions. *AIChE J.* 48: 572-581.
- Uryniewicz, MA. (2007). In situ chemical oxidation with permanganate: Assessing the competitive interactions between target and nontarget compounds. *Soil Sediment Contam.* 17: 53-62. <http://dx.doi.org/10.1080/15320380701741412>.
- Uryniewicz, MA. (2007). Kinetic approach for modeling TCE chemical oxidation by permanganate. *Journal of Advanced Oxidation Technologies.* 10: 196-201.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Urynowicz, MA; Siegrist, RL. (2005). Interphase mass transfer during chemical oxidation of TCE DNAPL in an aqueous system. *J Contam Hydrol.* 80: 93-106. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.002>.
- Usman, ARA; Ahmad, M; El-Mahrouky, M; Al-Omran, A; Ok, Y; Sallam, AS, h; El-Naggar, AH; Al-Wabel, MI. (2016). Chemically modified biochar produced from conocarpus waste increases NO₃ removal from aqueous solutions. *Environ Geochem Health.* 38: 511-521. <http://dx.doi.org/10.1007/s10653-015-9736-6>.
- Usman, M; Faure, P; Ruby, C; Hanna, K. (2012). Application of magnetite-activated persulfate oxidation for the degradation of PAHs in contaminated soils. *Chemosphere.* 87: 234-240. <http://dx.doi.org/10.1016/j.chemosphere.2012.01.001>.
- Utidjian, HM. (1974). Exerpts from criteria for a recommended standard: OCCUPATIONAL EXPOSURE TO TRICHLOROETHYLENE. *J Occup Environ Med.* 16: 192-194.
- Vähänikkilä, H; Miettunen, J; Tjäderhane, L; Larmas, M; Nieminen, P. (2012). The use of time-to-event methods in dental research: a comparison based on five dental journals over a 11-year period. *Community Dent Oral Epidemiol.* 40 Suppl 1: 36-42. <http://dx.doi.org/10.1111/j.1600-0528.2011.00664.x>.
- Vainio, H; Linnainmaa, K; Kähönen, M; Nickels, J; Hietanen, E; Marniemi, J; Peltonen, P. (1983). Hypolipidemia and peroxisome proliferation induced by phenoxyacetic acid herbicides in rats. *Biochem Pharmacol.* 32: 2775-2779.
- Vainio, H; Nickels, J; Linnainmaa, K. (1982). Phenoxy acid herbicides cause peroxisome proliferation in Chinese hamsters. *Scand J Work Environ Health.* 8: 70-73.
- Valcke, M; Krishnan, K. (2010). An Assessment of the Interindividual Variability of internal Dosimetry during Multi-Route Exposure to Drinking Water Contaminants. *Int J Environ Res Public Health.* 7: 4002-4022. <http://dx.doi.org/10.3390/ijerph7114002>.
- Valentini, F; Compagnone, D; Giraudi, G; Palleschi, G. (2003). Electrochemical ELISA for the screening of DDT related compounds: analysis in waste waters. *Anal Chim Acta.* 487: 83-90. [http://dx.doi.org/10.1016/S0003-2670\(03\)00535-X](http://dx.doi.org/10.1016/S0003-2670(03)00535-X).
- Van Acker, MR; Shahar, A; Young, ED; Coleman, ML. (2006). GC/multiple collector-ICPMS method for chlorine stable isotope analysis of chlorinated aliphatic hydrocarbons. *Anal Chem.* 78: 4663-4667. <http://dx.doi.org/10.1021/ac0602120>.
- van Beelen, P; Verbruggen, EMJ; Peijnenburg, WJG, M. (2003). The evaluation of the equilibrium partitioning method using sensitivity distributions of species in water and soil. *Chemosphere.* 52: 1153-1162. [http://dx.doi.org/10.1016/S0045-6535\(03\)00359-X](http://dx.doi.org/10.1016/S0045-6535(03)00359-X).
- van Beilen, JB; Li, Z; Duetz, WA; Smits, THM; Witholt, B. (2003). Diversity of alkane hydroxylase systems in the environment. *Oil & Gas Science & Technology.* 58: 427-440.
- van Bree, L; Commandeur, J; Lamberts, B; Cornelissen, M; van Roon, M; Laterveer, H; de Vries, J. (1990). Induction of drug metabolism enzymes by dihalogenated biphenyls. *J Biochem Toxicol.* 5: 57-63. <http://dx.doi.org/10.1002/jbt.2570050109>.
- van Breukelen, BM; Hunkeler, D; Volkering, F. (2005). Quantification of sequential chlorinated ethene degradation by use of a reactive transport model incorporating isotope fractionation. *Environ Sci Technol.* 39: 4189-4197. <http://dx.doi.org/10.1021/es048973c>.
- Van Craeynest, K; Dewulf, J; Vandeburie, S; Van Langenhove, H. (2003). Removal of trichloroethylene from waste gases via the peroxone process. *Water Sci Technol.* 48: 65-72.
- van Dijk, BA; Schouten, LJ; Oosterwijk, E; Hulsbergen-Van de Kaa, CA; Kiemeny, LA; Goldbohm, RA; Schalken, JA; van Den Brandt, PA. (2008). Carotenoid and vitamin intake, von Hippel-Lindau gene mutations and sporadic renal cell carcinoma. *Cancer Causes Control.* 19: 125-134. <http://dx.doi.org/10.1007/s10552-007-9078-5>.
- Van Durme, J; Dewulf, J; Demeestere, K; Leys, C; Van Langenhove, H. (2009). Post-plasma catalytic technology for the removal of toluene from indoor air: Effect of humidity. *Appl Catal B-Environ.* 87: 78-83. <http://dx.doi.org/10.1016/j.apcatb.2008.08.015>.
- van Eekert, MH; Schröder, TJ; van Rhee, A; Stams, AJ; Schraa, G; Field, JA. (2001). Constitutive dechlorination of chlorinated ethenes by a methanol degrading methanogenic consortium. *Bioresour Technol.* 77: 163-170.
- Van Nooten, T; Springael, D; Bastiaens, L. (2010). Microbial Community Characterization in a Pilot-Scale Permeable Reactive Iron Barrier. *Environ Eng Sci.* 27: 287-292. <http://dx.doi.org/10.1089/ees.2009.0271>.
- Van Nostrand, JD; Khijniak, TJ; Neely, B; Sattar, MA; Sowder, AG; Mills, G; Bertsch, PM; Morris, PJ. (2007). Reduction of nickel and uranium toxicity and enhanced trichloroethylene degradation to Burkholderia vietnamiensis PR1301 with hydroxyapatite amendment. *Environ Sci Technol.* 41: 1877-1882. <http://dx.doi.org/10.1021/es0616581>.
- Van Zwieten, L; Ayres, MR; Morris, SG. (2003). Influence of arsenic co-contamination on DDT breakdown and microbial activity. *Environ Pollut.* 124: 331-339. [http://dx.doi.org/10.1016/S0269-7491\(02\)00463-3](http://dx.doi.org/10.1016/S0269-7491(02)00463-3).
- Vanbeelen, P. (1990). DEGRADATION OF ORGANIC POLLUTANTS IN GROUND-WATER. 5: 199-212.
- Vancheeswaran, S; Halden, RU; Williamson, KJ; Ingle J D, J. R.; Semprini, L. (1999). Abiotic and biological transformation of tetraalkoxysilanes and trichloroethene/cis-1,2-dichloroethene cometabolism driven by tetrabutoxysilane-degrading microorganisms. *Environ Sci Technol.* 33: 1077-1085.
- Vancheeswaran, S; Hyman, MR; Semprini, L. (1999). Anaerobic biotransformation of trichlorofluoroethene in groundwater microcosms. *Environ Sci Technol.* 33: 2040-2045.
- Vandenbroucke, AM; Aerts, R; Van Gaens, W; De Geyter, N; Leys, C; Morent, R; Bogaerts, A. (2015). Modeling and Experimental Study of Trichloroethylene Abatement with a Negative Direct Current Corona Discharge. *Plasma Chemistry and Plasma Processing.* 35: 217-230. <http://dx.doi.org/10.1007/s11090-014-9584-7>.
- Vandenbroucke, AM; Dinh, MTN; Giraudon, JM; Morent, R; De Geyter, N; Lamonier, JF; Leys, C. (2011). Qualitative By-Product Identification of Plasma-Assisted TCE Abatement by Mass Spectrometry and Fourier-Transform Infrared Spectroscopy. *Plasma Chemistry and Plasma Processing.* 31: 707-718. <http://dx.doi.org/10.1007/s11090-011-9310-7>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Vandenbroucke, AM; Dinh, MTN; Nuns, N; Giraudon, JM; De Geyter, N; Leys, C; Lamonier, JF; Morent, R. (2016). Combination of non-thermal plasma and Pd/LaMnO₃ for dilute trichloroethylene abatement. *Chem Eng J.* 283: 668-675. <http://dx.doi.org/10.1016/j.cej.2015.07.089>.
- Vandenbroucke, AM; Mora, M; Jimenez-Sanchidrian, C; Romero-Salguero, FJ; De Geyter, N; Leys, C; Morent, R. (2014). TCE abatement with a plasma-catalytic combined system using MnO₂ as catalyst. *Appl Catal B-Environ.* 156: 94-100. <http://dx.doi.org/10.1016/j.apcatb.2014.03.007>.
- Vandenbroucke, AM; Morent, R; De Geyter, N; Leys, C. (2011). Decomposition of Trichloroethylene with Plasma-catalysis: A review. *Journal of Advanced Oxidation Technologies.* 14: 165-173.
- Vane, LM; Alvarez, FR. (2005). Vibrating pervaporation modules: Effect of module design on performance. *J Memb Sci.* 255: 213-224. <http://dx.doi.org/10.1016/j.memsci.2005.01.047>.
- Vane, LM; Giroux, EL. (2000). Henry's law constants and micellar partitioning of volatile organic compounds in surfactant solutions. *Journal of Chemical and Engineering Data.* 45: 38-47.
- Vannikov, AV; Grishina, AD; Gorbunova, Y, uG; Isakova, AA; Krivenko, TV; Zolotarevskii, VI; Lapkina, LA; Savel'ev, VV; Tsvadze, AY, u. (2014). Nonlinear optical properties of systems based on (tetra-15-crown-5-phthalocyaninato)indium(III). *High Energy Chemistry.* 48: 97-103. <http://dx.doi.org/10.1134/S0018143914020118>.
- Vanstone, N; Przepiora, A; Vogan, J; Lacrampe-Couloume, G; Powers, B; Perez, E; Mabury, S; Sherwood Lollar, B. (2005). Monitoring trichloroethene remediation at an iron permeable reactive barrier using stable carbon isotopic analysis. *J Contam Hydrol.* 78: 313-325. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.013>.
- Vanstone, NA; Focht, RM; Mabury, SA; Lollar, BS. (2004). Effect of iron type on kinetics and carbon isotopic enrichment of chlorinated ethylenes during abiotic reduction on Fe(0). *Ground Water.* 42: 268-276.
- Vanwarmerdam, EM; Frape, SK; Aravena, R; Drimmie, RJ; Flatt, H; Cherry, JA. (1995). Stable chlorine and carbon isotope measurements of selected chlorinated organic solvents. *Appl Geochem.* 10: 547-552.
- Varshney, M; Chandra, A; Chauhan, LK; Goel, SK. (2013). Micronucleus induction by oxidative metabolites of trichloroethylene in cultured human peripheral blood lymphocytes: a comparative genotoxicity study. *Environ Sci Pollut Res Int.* 20: 8709-8716. <http://dx.doi.org/10.1007/s11356-013-1806-7>.
- Varshney, M; Chandra, A; Chauhan, LK; Goel, SK. (2014). In vitro cytogenetic assessment of trichloroacetic acid in human peripheral blood lymphocytes. *Environ Sci Pollut Res Int.* 21: 843-850. <http://dx.doi.org/10.1007/s11356-013-1949-6>.
- Vartiainen, T; Pukkala, E; Rienoja, T; Strandman, T; Kaksonen, K. (1993). Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water pollution. *Chemosphere.* 27: 1171-1181. [http://dx.doi.org/10.1016/0045-6535\(93\)90165-2](http://dx.doi.org/10.1016/0045-6535(93)90165-2).
- Vaughan, RL; Reed, BE; Viadero, RC; Jamil, M; Berg, M. (1999). Simultaneous removal of organic and heavy metal contaminants by granular activated carbon (GAC) columns. *Adv Environ Res.* 3: 229-242.
- Vaughan-jackson, JD; Dunlop, EMC; Darougar, S; Dwyer, RSC; Jones, BR. (1972). CHLAMYDIAL INFECTION - RESULTS OF TESTS FOR CHLAMYDIA IN PATIENTS SUFFERING FROM ACUTE REITERS DISEASE COMPARED WITH RESULTS OF TESTS OF GENITAL TRACT AND RECTUM IN PATIENTS WITH OCULAR INFECTION DUE TO TRIC AGENT. 48: 445-451.
- Vazquez-Gomez, L; de Battisti, A; Ferro, S; Cerro, M; Reyna, S; Martinez-Huitile, CA; Quiroz, MA. (2012). Anodic Oxidation as Green Alternative for Removing Diethyl Phthalate from Wastewater Using Pb/PbO₂ and Ti/SnO₂ Anodes. *CLEAN - Soil, Air, Water.* 40: 408-415. <http://dx.doi.org/10.1002/clen.201000357>.
- Veazey, MV. (2005). Microbe could be used to clean PCE and TCE contamination. *Mater Perform.* 44: 44-44.
- Vecchia, ED; Coisson, M; Appino, C; Vinai, F; Sethi, R. (2009). Magnetic Characterization and Interaction Modeling of Zerovalent Iron Nanoparticles for the Remediation of Contaminated Aquifers. *J Nanosci Nanotechnol.* 9: 3210-3218. <http://dx.doi.org/10.1166/jnn.2009.047>.
- Vedhi, C; Raj, JA; Gopal, N; Somasudaram, RM; Manisankar, P. (2010). Synthesis of potential capacitive Poly 4, 4'-diaminodiphenyl sulphone-metal nanocomposites and their characterizations. *Synthetic Metals.* 160: 1307-1312. <http://dx.doi.org/10.1016/j.synthmet.2010.04.005>.
- Vedrinaro-Dragojevic, I; Dragojevic, D. (1997). Trichloroethene and tetrachloroethene in ground waters of Zagreb, Croatia. *Sci Total Environ.* 203: 253-259.
- Veenstra, JN; Sanders, DA; Johan, J. (1999). Removal of air-phase 1,2-dichloroethane in a biofilter: A comparison of cometabolism using pre-loaded phenol and concurrent phenol addition. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 34: 1569-1589.
- Veeramachaneni, DNR. (2008). Impact of environmental pollutants on the male: Effects on germ cell differentiation. *Anim Reprod Sci.* 105: 144-157. <http://dx.doi.org/10.1016/j.anireprosci.2007.11.020>.
- Veeramachaneni, DNR; Palmer, JS; Amann, RP. (2001). Long-term effects on male reproduction of early exposure to common chemical contaminants in drinking water. *Hum Reprod.* 16: 979-987. <http://dx.doi.org/10.1093/humrep/16.5.979>.
- Vega, AM; Lancaster, VA; Roulier, MH. (2004). Comparison of two field sampling procedures (En Core and field methanol extraction) for volatile organic compounds. *Environ Sci Technol.* 38: 6790-6794. <http://dx.doi.org/10.1021/es049276n>.
- Velazquez, JC; Leekumjorn, S; Nguyen, QX; Fang, Y, uLun; Heck, KN; Hopkins, GD; Reinhard, M; Wong, MS. (2013). Chloroform Hydrodechlorination Behavior of Alumina-supported Pd and PdAu Catalysts. *AIChE J.* 59: 4474-4482. <http://dx.doi.org/10.1002/aic.14250>.
- Velimirovic, M; Carniato, L; Simons, Q; Schoups, G; Seuntjens, P; Bastiaens, L. (2014). Corrosion rate estimations of microscale zerovalent iron particles via direct hydrogen production measurements. *J Hazard Mater.* 270: 18-26. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.034>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Velimirovic, M; Larsson, P; Simons, Q; Bastiaens, L. (2013). Impact of carbon, oxygen and sulfur content of microscale zerovalent iron particles on its reactivity towards chlorinated aliphatic hydrocarbons. *Chemosphere*. 93: 2040-2045. <http://dx.doi.org/10.1016/j.chemosphere.2013.07.034>.
- Velimirovic, M; Larsson, P; Simons, Q; Bastiaens, L. (2013). Reactivity screening of microscale zerovalent irons and iron sulfides towards different CAHs under standardized experimental conditions. *J Hazard Mater*. 252: 204-212. <http://dx.doi.org/10.1016/j.jhazmat.2013.02.047>.
- Velimirovic, M; Schmid, D; Wagner, S; Micić, V; von der Kammer, F; Hofmann, T. (2016). Agar agar-stabilized milled zerovalent iron particles for in situ groundwater remediation. *Sci Total Environ*. 563-564: 713-723. <http://dx.doi.org/10.1016/j.scitotenv.2015.11.007>.
- Velimirovic, M; Simons, Q; Bastiaens, L. (2014). Guar gum coupled microscale ZVI for in situ treatment of CAHs: continuous-flow column study. *J Hazard Mater*. 265: 20-29. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.020>.
- Veljanoska-Sarafiloska, E; Stafilov, T; Jordanoski, M. (2011). DISTRIBUTION OF DDT METABOLITES IN THE SEDIMENT AND MUSCLE FISH TISSUE FROM AGRICULTURALLY IMPACTED LAKE DOJRAN (MACEDONIA/GREECE). *Fresen Environ Bull*. 20: 2027-2035.
- Veljanoska-Sarafiloska, EM; Jordanoski, M; Stafilov, T. (2013). Presence of DDT metabolites in water, sediment and fish muscle tissue from Lake Prespa, Republic of Macedonia. *J Environ Sci Health B*. 48: 548-558. <http://dx.doi.org/10.1080/03601234.2013.774879>.
- Veljanoska-Sarafiloska, EM; Stafilov, T. (2012). Comparison of the Presence of DDT Metabolites in Sediments and Fish from Lakes Ohrid, Prespa and Dojran. *Acta Zoolog Bulg* 215-222.
- Venkatapathy, R; Bessingpas, DG; Canonica, S; Perlinger, JA. (2002). Kinetics models for trichloroethylene transformation by zero-valent iron. *Appl Catal B-Environ*. 37: 139-159.
- Venkataraman, P; Sunkara, B; St Dennis, JE; He, J; John, VT; Bose, A. (2012). Water-in-Trichloroethylene Emulsions Stabilized by Uniform Carbon Microspheres. *Langmuir*. 28: 1058-1063. <http://dx.doi.org/10.1021/la204215x>.
- Venkatesulu, D; Rao, MVP. (1992). EXCESS VOLUMES OF 2-ALKOXYETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data*. 37: 479-481.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1996). Excess volumes and viscosities of tetrachloroethylene with branched alcohols at 303.15 K. *Journal of Chemical and Engineering Data*. 41: 819-820.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Excess enthalpies of ethyl acetate and butyl acetate with 2-alkoxyethanols at 298.15 K. *Fluid Phase Equilibria*. 136: 249-255.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Excess volumes and viscosities of binary mixtures of trichloroethylene with branched alcohols. *Fluid Phase Equilibria*. 128: 241-248.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Speed of sound and isentropic compressibilities of trichloroethylene with branched alcohols at 303.15 K. *Journal of Chemical and Engineering Data*. 42: 1145-1146.
- Ventura, F; Romero, J; Pares, J. (1997). Determination of dicyclopentadiene and its derivatives as compounds causing odors in groundwater supplies. *Environ Sci Technol*. 31: 2368-2374.
- Veraldi, A; Seniori, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med*. 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Verbruggen, SW; Ribbens, S; Tytgat, T, om; Hauchecorne, B; Smits, M; Meynen, V; Cool, P; Martens, JA; Lenaerts, S. (2011). The benefit of glass bead supports for efficient gas phase photocatalysis: Case study of a commercial and a synthesised photocatalyst. *Chem Eng J*. 174: 318-325. <http://dx.doi.org/10.1016/j.cej.2011.09.038>.
- Verce, MF; Gunsch, CK; Danko, AS; Freedman, DL. (2002). Cometabolism of cis-1,2-dichloroethene by aerobic cultures grown on vinyl chloride as the primary substrate. *Environ Sci Technol*. 36: 2171-2177. <http://dx.doi.org/10.1021/es011220v>.
- Verce, MF; Madrid, VM; Gregory, SD; Demir, Z; Singleton, MJ; Salazar, EP; Jackson, PJ; Halden, RU; Verce, A. (2015). A Long-Term Field Study of In Situ Bioremediation in a Fractured Conglomerate Trichloroethene Source Zone. *Bioremediat J*. 19: 18-31. <http://dx.doi.org/10.1080/10889868.2014.978836>.
- Verdini, R; Aulenta, F; de Tora, F; Lai, A; Majone, M. (2015). Relative contribution of set cathode potential and external mass transport on TCE dechlorination in a continuous-flow bioelectrochemical reactor. *Chemosphere*. 136: 72-78. <http://dx.doi.org/10.1016/j.chemosphere.2015.03.092>.
- Verma, Y; Rana, S. (2003). Gender differences in the metabolism of benzene, toluene and trichloroethylene in rat with special reference to certain biochemical parameters. *J Environ Biol*. 24: 135-140.
- Vermeulen, NP; Bladeren, PJ, v. (2001). Trichloroethylene Risk Assessment: Relevance of Interindividual Differences. *Hum Ecol Risk Assess*. 7: 717-726.
- Verner, MA; Ayotte, P; Muckle, G; Charbonneau, M; Haddad, S. (2009). A physiologically based pharmacokinetic model for the assessment of infant exposure to persistent organic pollutants in epidemiologic studies. *Environ Health Perspect*. 117: 481-487. <http://dx.doi.org/10.1289/ehp.0800047>.
- Verplanke, AJ; Leummens, MH; Herber, RF. (1999). Occupational exposure to tetrachloroethene and its effects on the kidneys. *J Occup Environ Med*. 41: 11-16.
- Vesela, L; Nemecek, J, an; Siglova, M; Kubal, M. (2006). The biofiltration permeable reactive barrier: Practical experience from Synthesia. *Int Biodeterior Biodegradation*. 58: 224-230. <http://dx.doi.org/10.1016/j.ibiod.2006.06.013>.
- Vesterberg, O; Astrand, I. (1976). Exposure to trichloroethylene monitored by analysis of metabolites in blood and urine. *J Occup Med*. 18: 224-226.
- Vicente, F; Santos, A; Romero, A; Rodriguez, S. (2011). Kinetic study of diuron oxidation and mineralization by persulphate: Effects of temperature, oxidant concentration and iron dosage method. *Chem Eng J*. 170: 127-135. <http://dx.doi.org/10.1016/j.cej.2011.03.042>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Vidal, AJM; Soria, J; Augugliaro, V; Loddo, V. (1997). Oxidation of ethanol in gas phase via heterogeneous photocatalysis. *Chemical and Biochemical Engineering Quarterly*. 11: 89-95.
- Vidal, M; Bassères, A; Narbonne, J. (2001). Potential biomarkers of trichloroethylene and toluene exposure in *Corbicula fluminea*. *Environ Toxicol Pharmacol*. 9: 87-97.
- Vidal, ML; Basseres, A; Narbonne, JF. (2001). Interest of a multibiomarker approach in the assessment of freshwater ecosystem quality: laboratory and field studies. *Water Sci Technol*. 44: 305-312.
- Vidic, RD; Suidan, MT. (1991). Role of dissolved oxygen on the adsorptive capacity of activated carbon for synthetic and natural organic matter. *Environ Sci Technol*. 25: 1612-1618.
- Vieth, A; Müller, J; Strauch, G; Kästner, M; Gehre, M; Meckenstock, RU; Richnow, HH. (2003). In-situ biodegradation of tetrachloroethene and trichloroethene in contaminated aquifers monitored by stable isotope fractionation. *Isotopes Environ Health Stud*. 39: 113-124. <http://dx.doi.org/10.1080/1025601031000108688>.
- Viisimaa, M; Goi, A. (2014). Use of hydrogen peroxide and percarbonate to treat chlorinated aromatic hydrocarbon-contaminated soil. *Journal of Environmental Engineering and Landscape Management*. 22: 30. <http://dx.doi.org/10.3846/16486897.2013.804827>.
- Vijayakumar, NS; Flower, NAL; Brabu, B; Gopalakrishnan, C; Raja, SVK. (2013). Degradation of DCE and TCE by Fe-Ni nanoparticles immobilised polysulphone matrix. *Journal of Experimental Nanoscience*. 8: 890-900. <http://dx.doi.org/10.1080/17458080.2011.620017>.
- Vikesland, PJ; Klausen, J; Zimmermann, H; Roberts, AL; Ball, WP. (2003). Longevity of granular iron in groundwater treatment processes: changes in solute transport properties over time. *J Contam Hydrol*. 64: 3-33. [http://dx.doi.org/10.1016/S0169-7722\(02\)00150-X](http://dx.doi.org/10.1016/S0169-7722(02)00150-X).
- Vilaplana, M; Marco-Urrea, E; Gabarrell, X; Sarra, M; Caminal, G. (2008). Required equilibrium studies for designing a three-phase bioreactor to degrade trichloroethylene (TCE) and tetrachloroethylene (PCE) by *Trametes versicolor*. *Chem Eng J*. 144: 21-27. <http://dx.doi.org/10.1016/j.cej.2008.01.004>.
- Villalobos, SA; Anderson, MJ; Denison, MS; Hinton, DE; Tullis, K; Kennedy, IM; Jones, AD; Chang D, PY; Yang, G; Kelly, P. (1996). Dioxinlike properties of a trichloroethylene combustion-generated aerosol. *Environ Health Perspect*. 104: 734-743.
- Villaluenga, JPG; Cohen, Y. (2005). Numerical model of non-isothermal pervaporation in a rectangular channel. *J Memb Sci*. 260: 119-130. <http://dx.doi.org/10.1016/j.memsci.2005.03.025>.
- Villano, M; Aulenta, F; Ciucci, C; Ferri, T; Giuliano, A; Majone, M. (2010). Bioelectrochemical reduction of CO(2) to CH(4) via direct and indirect extracellular electron transfer by a hydrogenophilic methanogenic culture. *Bioresour Technol*. 101: 3085-3090. <http://dx.doi.org/10.1016/j.biortech.2009.12.077>.
- Villela, A; Weaver, LK; Ritesh, D. (2015). Coronary gas embolism during a dive: a case report. *Undersea Hyperb Med*. 42: 613-617.
- Villenave, E; Morozov, I; Lesclaux, R. (2000). Kinetics of the self-reactions of peroxy radicals arising from chlorine-initiated oxidation of chloroethenes. *J Phys Chem A*. 104: 9933-9940. <http://dx.doi.org/10.1021/jp001704y>.
- Vilve, M; Vilhunen, S; Vepsäläinen, M; Kurniawan, TA; Lehtonen, N; Isomäki, H; Sillanpää, M. (2010). Degradation of 1,2-dichloroethane from wash water of ion-exchange resin using Fenton's oxidation. *Environ Sci Pollut Res Int*. 17: 875-884. <http://dx.doi.org/10.1007/s11356-009-0291-5>.
- Vine, MF; Stein, L; Weigle, K; Schroeder, J; Degnan, D; Tse, CK; Backer, L. (2001). Plasma 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) levels and immune response. *Am J Epidemiol*. 153: 53-63. <http://dx.doi.org/10.1093/aje/153.1.53>.
- Vinter, AA; Gorodetskii, IY; Lupanov, PA; Legochkina, LA. (1976). PHASE-EQUILIBRIA IN INDUSTRIAL SYSTEMS AT STAGE OF EXTRACTING CAPROLACTAM WITH TRICHLOROETHYLENE. *J Appl Chem USSR*. 49: 939-941.
- Visscher, F; Gaakeer, WA; Mendoza, PG; de Croon, MHJ, M; van Der Schaaf, J; Schouten, JC. (2011). Liquid-Liquid Extraction Systems of Benzoic Acid in Water and Heptane, Methylbenzene, or Trichloroethylene as Cosolvent. *Journal of Chemical and Engineering Data*. 56: 3630-3636. <http://dx.doi.org/10.1021/je200478p>.
- Visvanathan, C; Basu, B; Mora, JC. (1995). SEPARATION OF VOLATILE ORGANIC-COMPOUNDS BY PERVAPORATION FOR A BINARY COMPOUND COMBINATION - TRICHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE. *Ind Eng Chem Res*. 34: 3956-3962.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1996). Electron beam generated plasma decomposition of 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing*. 16: 651-668.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1997). The effect of a carbon-carbon double bond on electron beam-generated plasma decomposition of trichloroethylene and 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing*. 17: 59-78.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemiatycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med*. 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- Vlaanderen, J; Straif, K; Ruder, A; Blair, A; Hansen, J; Lyng, E; Charbotel, B; Loomis, D; Kauppinen, T; Kyyronen, P; Pukkala, E; Weiderpass, E; Guha, N. (2014). Tetrachloroethylene Exposure and Bladder Cancer Risk: A Meta-Analysis of Dry-Cleaning-Worker Studies [Review]. *Environ Health Perspect*. 122: 661-666. <http://dx.doi.org/10.1289/ehp.1307055>.
- Vn, S; Esclapez Vicente, MD; Bonete, P; González-García, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res*. 43: 8. <http://dx.doi.org/10.1016/j.watres.2009.02.019>.
- Vo, E; Berardinelli, SP; Hall, RC. (1999). Recovery of some common solvents from protective clothing breakthrough indicator pads by microwave-solvent extraction and gas chromatography. *Analyst*. 124: 941-944.
- Vodola, JK; Lenz, SD; Renden, JA; Mcelhenney, WH; Kempainen, BW. (1997). Drinking water contaminants (arsenic, cadmium, lead, benzene, and trichloroethylene). 2. Effects on reproductive performance, egg quality, and embryo toxicity in broiler breeders. *Poult Sci*. 76: 1493-1500.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Vodela, JK; Renden, JA; Lenz, SD; Mcelhenney, WH; Kemppainen, BW. (1997). Drinking water contaminants (arsenic, cadmium, lead, benzene, and trichloroethylene). 1. Interaction of contaminants with nutritional status on general performance and immune function in broiler chickens. *Poult Sci.* 76: 1474-1492.
- Vogler, ET; Chrysikopoulos, CV. (2004). An experimental study of acoustically enhanced NAPL dissolution in porous media. *AIChE J.* 50: 3271-3280. <http://dx.doi.org/10.1002/aic.10221>.
- Volcik, V; Hoffmann, J; Ruzicka, J; Sergejevova, M. (2005). Trichloroethylene (TCE) removal in a single pulse suspension bioreactor. *J Environ Manage.* 74: 293-304. <http://dx.doi.org/10.1016/j.jenvman.2004.09.001>.
- Völkel, W; Dekant, W. (1998). Chlorothioketene, the ultimate reactive intermediate formed by cysteine conjugate beta-lyase-mediated cleavage of the trichloroethene metabolite S-(1,2-Dichlorovinyl)-L-cysteine, forms cytosine adducts in organic solvents, but not in aqueous solution. *Chem Res Toxicol.* 11: 1082-1088. <http://dx.doi.org/10.1021/tx980084d>.
- Volkel, W; Pehler, A; Dekant, W. (1999). Gas chromatography-negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins. *J Chromatogr A.* 847: 35-46. [http://dx.doi.org/10.1016/S0021-9673\(99\)00022-9](http://dx.doi.org/10.1016/S0021-9673(99)00022-9).
- Volpe, A; Lopez, A; Mascolo, G; Detomaso, A. (2004). Chlorinated herbicide (trallate) dehalogenation by iron powder. *Chemosphere.* 57: 579-586. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.040>.
- von Grote, J; Hurlimann, C; Scheringer, M; Hungerbühler, K. (2002). Occupational exposure to perchloroethylene and trichloroethylene in metal degreasing over the last 30 years - Influences of technology innovation and legislation. *Epidemiology.* 13: S119-S119.
- Von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere.* 39: 2479-2488.
- von Wandruszka, R; Newell, JD. (2002). Removal of zinc and trichloroethylene from water by column extraction with a crude humic acid. *Environmental Progress.* 21: 209-214.
- Vorkamp, K; Haas, BS; Herrmann, R. (1998). Development of passive samplers for the detection of chlorinated hydrocarbons in sewers. *Water Sci Technol.* 37: 311-318.
- Vorontsov, AV; Savinov, EN; Barannik, GB; Troitsky, VN; Parmon, VN. (1997). Quantitative studies on the heterogeneous gas-phase photooxidation of CO and simple VOCs by air over TiO₂. *Catalysis Today.* 39: 207-218.
- Vose, JM; Swank, WT; Harvey, GJ; Clinton, BD; Sobek, C. (2000). Leaf Water Relations and Sapflow in Eastern Cottonwood (*Populus deltoides* Bartr.) Trees Planted for Phytoremediation of a Groundwater Pollutant. *Int J Phytoremediation.* 2: 53-73. <http://dx.doi.org/10.1080/15226510008500030>.
- Voss, C; Zerban, H; Bannasch, P; Berger, MR. (2005). Lifelong exposure to di-(2-ethylhexyl)-phthalate induces tumors in liver and testes of Sprague-Dawley rats. *Toxicology.* 206: 359-371. <http://dx.doi.org/10.1016/j.tox.2004.07.016>.
- Voss, KA; Riley, R; Dunn, C; Christopher Corton, JC. (2006). The role of tumor necrosis factor alpha and the peroxisome proliferator-activated receptor alpha in modulating the effects of fumonisin in mouse liver. *Toxicology.* 222: 165-174. <http://dx.doi.org/10.1016/j.tox.2006.02.012>.
- Voudrias, EA; Li, CY. (1993). BENZENE VAPOR TRANSPORT IN UNSATURATED SOIL - ADEQUACY OF THE DIFFUSION EQUATION. *J Hazard Mater.* 34: 295-311.
- Vroblesky, DA; Clinton, BD; Vose, JM; Casey, CC; Harvey, G; Bradley, PM. (2004). Ground water chlorinated ethenes in tree trunks: Case studies, influence of recharge, and potential degradation mechanism. *Ground Water Monitoring and Remediation.* 24: 124-138.
- Vroblesky, DA; Lorah, MM. (1991). Prospecting for zones of contaminated ground-water discharge to streams using bottom-sediment gas bubbles. *Ground Water.* 29: 333-340.
- Vroblesky, DA; Lorah, MM; Trimble, SP. (1991). Mapping zones of contaminated ground-water discharge using creek-bottom-sediment vapor samplers, Aberdeen Proving Ground, Maryland (USA). *Ground Water.* 29: 7-12.
- Vroblesky, DA; Nietch, CT; Morris, JT. (1999). Chlorinated ethenes from groundwater in tree trunks. *Environ Sci Technol.* 33: 510-515.
- Wackett, LP. (1995). RECRUITMENT OF CO-METABOLIC ENZYMES FOR ENVIRONMENTAL DETOXIFICATION OF ORGANOHALIDES. *Environ Health Perspect.* 103: 45-48.
- Wackett, LP; Schanke, CA. (1992). MECHANISMS OF REDUCTIVE DEHALOGENATION BY TRANSITION-METAL COFACTORS FOUND IN ANAEROBIC-BACTERIA. *Met Ions Biol Syst.* 28: 329-356.
- Waclawek, S; Nosek, J; Cadrova, L; Antos, V; Cernik, M. (2015). USE OF VARIOUS ZERO VALENT IRONS FOR DEGRADATION OF CHLORINATED ETHENES AND ETHANES. 22: 577-587. <http://dx.doi.org/10.1515/eces-2015-0034>.
- Wada, N; Marsman, DS; Popp, JA. (1992). Dose-related effects of the hepatocarcinogen, Wy-14,643, on peroxisomes and cell replication. *Fundam Appl Toxicol.* 18: 149-154.
- Wadley, SL; Gillham, RW; Gui, L. (2005). Remediation of DNAPL source zones with granular iron: laboratory and field tests. *Ground Water.* 43: 9-18.
- Wagholikar, SG; Mayadevi, S; Jacob, NE; Sivasanker, S. (2006). Claisen rearrangement of allyl phenyl ether over zeolites beta, mordenite and Y. Microporous and Mesoporous Materials. 95: 8-16. <http://dx.doi.org/10.1016/j.micromeso.2006.05.001>.
- Wagner, A; Cooper, M; Ferdi, S; Seifert, J; Adrian, L. (2012). Growth of *Dehalococcoides mccartyi* strain CBDB1 by reductive dehalogenation of brominated benzenes to benzene. *Environ Sci Technol.* 46: 8960-8968. <http://dx.doi.org/10.1021/es3003519>.
- Wahman, DG; Henry, AE; Katz, LE; Speitel, GE, Jr. (2006). Cometabolism of trihalomethanes by mixed culture nitrifiers. *Water Res.* 40: 3349-3358. <http://dx.doi.org/10.1016/j.watres.2006.07.03>.
- Wahman, DG; Katz, LE; Speitel, GE, Jr. (2007). Modeling of trihalomethane cometabolism in nitrifying biofilters. *Water Res.* 41: 449-457. <http://dx.doi.org/10.1016/j.watres.2006.10.01>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wald, S; Glocker, B; Weiss, E; Pokryvailo, A; Labrune, P; Kempnaers, P; Handte, J. (2001). Treating hazardous wastes with pulsed-plasma technology. *J O M*. 53: 28-31.
- Waldemer, RH; Tratnyek, PG. (2006). Kinetics of contaminant degradation by permanganate. *Environ Sci Technol*. 40: 1055-1061. <http://dx.doi.org/10.1021/es051330s>.
- Waldemer, RH; Tratnyek, PG; Johnson, RL; Nurmi, JT. (2007). Oxidation of chlorinated ethenes by heat-activated persulfate: Kinetics and products. *Environ Sci Technol*. 41: 1010-1015. <http://dx.doi.org/10.1021/es062237m>.
- Walivaara, B; Askendal, A; Lundstrom, I; Tengvall, P. (1996). Blood protein interactions with titanium surfaces. *J Biomater Sci Polym Ed*. 8: 41-48.
- Walker, B; Tamayo, A; Duong, D; Dang, XD; Kim, C; Granstrom, J; Nguyen, TQ. (2011). A Systematic Approach to Solvent Selection Based on Cohesive Energy Densities in a Molecular Bulk Heterojunction System. 1: 221-229. <http://dx.doi.org/10.1002/aenm.201000054>.
- Walker, DI; Mallon, CT; Hopke, PK; Uppal, K; Go, YM; Rohrbeck, P; Pennell, KD; Jones, DP. (2016). Deployment-Associated Exposure Surveillance With High-Resolution Metabolomics. *J Occup Environ Med*. 58: S12-S21. <http://dx.doi.org/10.1097/JOM.0000000000000768>.
- Walker, SL. (2005). The role of nutrient presence on the adhesion kinetics of *Burkholderia cepacia* G4g and ENV435g. *Colloids Surf B Biointerfaces*. 45: 181-188. <http://dx.doi.org/10.1016/j.colsurfb.2005.08.007>.
- Wallace, L. (1998). Trichloroethylene [correction of Trichloroethene] levels in human blood and exhaled breath from controlled inhalation exposure [Comment]. *Environ Health Perspect*. 106: 531-533.
- Wallace, L; Nelson, W; Pellizzari, E; Raymer, J. (1997). Uptake and decay of volatile organic compounds at environmental concentrations: application of a four-compartment model to a chamber study of five human subjects. *J Expo Anal Environ Epidemiol*. 7: 141-163.
- Waller, LA; Turnbull, BW. (1993). The effects of scale on tests for disease clustering. *Stat Med*. 12: 1869-1884.
- Waller, LA; Turnbull, BW; Clark, LC. (1992). Chronic disease surveillance and testing of clustering of disease and exposure: application to leukemia incidence and TCE-contaminated dump-sites in upstate New York. *Environmetrics*. 3: 281-300.
- Walter, GA; Strand, SE; Herwig, RR; Treat, TP; Stensel, HD. (1997). Trichloroethylene and methane feeding strategies to sustain degradation by methanotrophic enrichments. *Water Environ Res*. 69: 1066-1074.
- Walters, GW; Aitken, MD. (2001). Surfactant-enhanced solubilization and anaerobic biodegradation of 1,1,1-trichloro-2,2-bis(p-chlorophenyl)-ethane (DDT) in contaminated soil. *Water Environ Res*. 73: 15-23.
- Walton, BT; Guthrie, EA; Hoylman, AM. (1994). TOXICANT DEGRADATION IN THE RHIZOSPHERE. *ACS Symp Ser Am Chem Soc*. 563: 11-26.
- Wan, J; Wan, J; Ma, Y; Huang, M; Wang, Y, an; Ren, R. (2013). Reactivity characteristics of SiO₂-coated zero-valent iron nanoparticles for 2,4-dichlorophenol degradation. *Chem Eng J*. 221: 300-307. <http://dx.doi.org/10.1016/j.cej.2013.01.093>.
- Wang, AJ; Cheng, HY; Liang, B; Ren, NQ; Cui, D; Lin, N; Kim, BH; Rabaey, K. (2011). Efficient reduction of nitrobenzene to aniline with a biocatalyzed cathode. *Environ Sci Technol*. 45: 10186-10193. <http://dx.doi.org/10.1021/es202356w>.
- Wang, B; Xue, Y. (1992). BEHAVIOR OF A MOIST KELVIN WAVE PACKET WITH NONLINEAR HEATING. *J Atmos Sci*. 49: 549-559.
- Wang, C, hiWei; Liang, C. (2014). Oxidative degradation of TMAH solution with UV persulfate activation. *Chem Eng J*. 254: 472-478. <http://dx.doi.org/10.1016/j.cej.2014.05.116>.
- Wang, C; Ma, X; Walsh, MP. (2011). Competitive uptake and phytomonitoring of chlorinated contaminant mixtures by Redosier dogwood (*Cornus sericea*). *Int J Phytoremediation*. 13: 333-344. <http://dx.doi.org/10.1080/15226514.2010.495146>.
- Wang, CB; Zhang, WX. (1997). Synthesizing nanoscale iron particles for rapid and complete dechlorination of TCE and PCBs. *Environ Sci Technol*. 31: 2154-2156.
- Wang, D; Bolton, J. R.; Hofmann, R, on. (2012). Medium pressure UV combined with chlorine advanced oxidation for trichloroethylene destruction in a model water. *Water Res*. 46: 4677-4686. <http://dx.doi.org/10.1016/j.watres.2012.06.007>.
- Wang, D; McLaughlin, E; Pfeiffer, R; Lin, YS. (2011). Adsorption of Organic Compounds in Vapor, Liquid, and Aqueous Solution Phases on Hydrophobic Aerogels. *Ind Eng Chem Res*. 50: 12177-12185. <http://dx.doi.org/10.1021/ie201301n>.
- Wang, DW; Zhao, XP. (2009). Microencapsulated electric ink using gelatin/gum arabic. *J Microencapsul*. 26: 37-45. <http://dx.doi.org/10.1080/02652040802127806>.
- Wang, F; Annable, MD; Schaefer, CE; Ault, TD; Cho, J; Jawitz, JW. (2014). Enhanced aqueous dissolution of a DNAPL source to characterize the source strength function. *J Contam Hydrol*. 169: 75-89. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.004>.
- Wang, F; Kuo, M; Shun, C; Ma, Y; Wang, J; Ueng, T. (2002). Chronic toxicity of a mixture of chlorinated alkanes and alkenes in ICR mice. *J Toxicol Environ Health A*. 65: 279-291. <http://dx.doi.org/10.1080/15287390252800864>.
- Wang, G; Ansari, GAS; Khan, MF. (2007). Involvement of lipid peroxidation-derived aldehyde-protein adducts in autoimmunity mediated by trichloroethene. *J Toxicol Environ Health A*. 70: 1977-1985. <http://dx.doi.org/10.1080/15287390701550888>.
- Wang, G, en; Feng, C; Kang, C; Zhang, B; Chen, N, an; Zhang, X. (2016). Electrochemical Degradation of Chloroform Using Ti/IrO₂ Anode and Cu/Zn Cathode. *J Environ Eng*. 142. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0001035](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0001035).
- Wang, G; Grathwohl, P. (2009). Activation energies of phenanthrene desorption from carbonaceous materials: Column studies. *J Hydrol*. 369: 234-240. <http://dx.doi.org/10.1016/j.jhydrol.2009.02.018>.
- Wang, GS; Alben, KT. (1998). Effect of preadsorbed background organic matter on granular activated carbon adsorption of atrazine. *Sci Total Environ*. 224: 221-226.
- Wang, H, ao; Chen, J. (2012). Enhanced flushing of polychlorinated biphenyls contaminated sands using surfactant foam: Effect of partition coefficient and sweep efficiency. *J Environ Sci*. 24: 1270-1277. [http://dx.doi.org/10.1016/S1001-0742\(11\)60881-4](http://dx.doi.org/10.1016/S1001-0742(11)60881-4).
- Wang, H, ao; Chen, J. (2013). A study on the permeability and flow behavior of surfactant foam in unconsolidated media. *Environ Earth Sci*. 68: 567-576. <http://dx.doi.org/10.1007/s12665-012-1760-6>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wang, H, ao; Chen, J. (2014). Experimental investigation on influence of foam mobility on polychlorinated biphenyl removal in foam flushing. *Environ Technol.* 35: 993-1002. <http://dx.doi.org/10.1080/09593330.2013.858185>.
- Wang, H; Kim, B; Wunder, SL. (2015). Nanoparticle-Supported Lipid Bilayers as an In Situ Remediation Strategy for Hydrophobic Organic Contaminants in Soils. *Environ Sci Technol.* 49: 529-536. <http://dx.doi.org/10.1021/es504832n>.
- Wang, H; Li, D; Wu, Y, an; Li, J, ie; Li, G. (2009). Removal of four kinds of volatile organic compounds mixture in air using silent discharge reactor driven by bipolar pulsed power. *Journal of Electrostatics.* 67: 547-553. <http://dx.doi.org/10.1016/j.elstat.2008.11.004>.
- Wang, H; Zhao, Y; Li, T; Chen, Z; Wang, Y; Qin, C. (2016). Properties of calcium peroxide for release of hydrogen peroxide and oxygen: A kinetics study. *Chem Eng J.* 303: 450-457. <http://dx.doi.org/10.1016/j.cej.2016.05.123>.
- Wang, HCA; Chang, WJV; Michiels, A; Dickeson, D. (1995). Stripping of TCE from water at low air water ratios. *Environmental Progress.* 14: 111-114.
- Wang, HH; Schlueter, JA; Geiser, U; Williams, JM; Naumann, D; Roy, T. (1995). ESR CHARACTERIZATION OF THE ORGANIC SUPERCONDUCTING SALTS OF THE BEDT-TTF DONOR MOLECULE WITH THE NOVEL ORGANOMETALLIC ANION [CU(CF₃)(4)](-) [BEDT-TTF=BIS(ETHYLENEDITHIO)TETRATHIAFULVALENE]. *Inorg Chem.* 34: 5552-5557.
- Wang, HY; Chen, HY; Hsu, YY; Stimming, U; Chen, HM; Liu, B. (2016). Modulation of Crystal Surface and Lattice by Doping: Achieving Ultrafast Metal-Ion Insertion in Anatase TiO₂. <http://dx.doi.org/10.1021/acsami.6b11185>.
- Wang, J; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environ Sci Technol.* 38: 1576-1581. <http://dx.doi.org/10.1021/es034877k>.
- Wang, J; Cutright, TJ. (2005). Potential waste minimization of trichloroethylene and perchloroethylene via aerobic biodegradation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 40: 1569-1584. <http://dx.doi.org/10.1081/ESE-200060640>.
- Wang, J; Farrell, J. (2003). Investigating the role of atomic hydrogen on chloroethene reactions with iron using tafel analysis and electrochemical impedance spectroscopy. *Environ Sci Technol.* 37: 3891-3896. <http://dx.doi.org/10.1021/es0254605>.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol.* 34: 2243-2248.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2004). Preparation of microcapsules containing two-phase core materials. *Langmuir.* 20: 10845-10850. <http://dx.doi.org/10.1021/la0490902>.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2008). Preparation and response behavior of blue electronic ink microcapsules. *Optical Materials.* 30: 1268-1272. <http://dx.doi.org/10.1016/j.optmat.2007.05.057>.
- Wang, K, e; Wei, Y, iM. (2014). China's regional industrial energy efficiency and carbon emissions abatement costs. *Appl Energ.* 130: 617-631. <http://dx.doi.org/10.1016/j.apenergy.2014.03.010>.
- Wang, KH; Hsieh, YH. (1998). Heterogeneous photocatalytic degradation of trichloroethylene in vapor phase by titanium dioxide. *Environ Int.* 24: 267-274.
- Wang, KH; Hsieh, YH; Lin, CH; Chang, CY. (1999). The study of the photocatalytic degradation kinetics for dichloroethylene in vapor phase. *Chemosphere.* 39: 1371-1384.
- Wang, KH; Jehng, JM; Hsieh, YH; Chang, CY. (2002). The reaction pathway for the heterogeneous photocatalysis of trichloroethylene in gas phase. *J Hazard Mater.* 90: 63-75.
- Wang, KH; Tsai, HH; Hsieh, YH. (1998). The kinetics of photocatalytic degradation of trichloroethylene in gas phase over TiO₂ supported on glass bead. *Appl Catal B-Environ.* 17: 313-320.
- Wang, KH; Tsai, HH; Hsieh, YH. (1998). A study of photocatalytic degradation of trichloroethylene in vapor phase on TiO₂ photocatalyst. *Chemosphere.* 36: 2763-2773.
- Wang, L; Cheng, Y; Liu, Z; Yi, X; Zhu, H; Wang, G. (2016). Hybrid Tunnel Junction-Graphene Transparent Conductive Electrodes for Nitride Lateral Light Emitting Diodes. 8: 1176-1183. <http://dx.doi.org/10.1021/acsami.5b09419>.
- Wang, Q; Ding, JN; Wang, WX. (2005). Fabrication and temperature coefficient compensation technology of low cost high temperature pressure sensor. *Sens Actuators A.* 120: 468-473. <http://dx.doi.org/10.1016/j.sna.2005.01.036>.
- Wang, Q; Goldsmith, RH; Jiang, Y; Bockenbauer, SD; Moerner, WE. (2012). Probing single biomolecules in solution using the anti-Brownian electrokinetic (ABEL) trap. *Acc Chem Res.* 45: 1955-1964. <http://dx.doi.org/10.1021/ar200304t>.
- Wang, Q; Jeong, S; Choi, H. (2012). Removal of trichloroethylene DNAPL trapped in porous media using nanoscale zerovalent iron and bimetallic nanoparticles: Direct observation and quantification. *J Hazard Mater.* 213: 299-310. <http://dx.doi.org/10.1016/j.jhazmat.2012.02.002>.
- Wang, Q; Kanel, SR, aj; Park, H; Ryu, A; Choi, H. (2009). Controllable synthesis, characterization, and magnetic properties of nanoscale zerovalent iron with specific high Brunauer-Emmett-Teller surface area. *J Nanopart Res.* 11: 749-755. <http://dx.doi.org/10.1007/s11051-008-9524-7>.
- Wang, Q; Lee, S; Choi, H. (2010). Aging Study on the Structure of Fe-0-Nanoparticles: Stabilization, Characterization, and Reactivity. *J Phys Chem C.* 114: 2027-2033. <http://dx.doi.org/10.1021/jp909137f>.
- Wang, Q; Qian, H; Yang, Y; Zhang, Z; Naman, C; Xu, X. (2010). Reduction of hexavalent chromium by carboxymethyl cellulose-stabilized zero-valent iron nanoparticles. *J Contam Hydrol.* 114: 35-42. <http://dx.doi.org/10.1016/j.jconhyd.2010.02.006>.
- Wang, Q; Shao, Y; Gao, N; Chu, W; Deng, J; Shen, X; Lu, X; Zhu, Y; Wei, X. (2016). Degradation of alachlor with zero-valent iron activating persulfate oxidation. *Taiwan Institute of Chemical Engineers Journal.* 63: 379-385. <http://dx.doi.org/10.1016/j.jtice.2016.03.038>.
- Wang, Q; Snyder, S; Kim, J; Choi, H. (2009). Aqueous Ethanol modified Nanoscale Zerovalent Iron in Bromate Reduction: Synthesis, Characterization, and Reactivity. *Environ Sci Technol.* 43: 3292-3299. <http://dx.doi.org/10.1021/es803540b>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wang, R; Nakajima, T; Honma, T. (1999). Different change patterns of the isozymes of cytochrome P450 and glutathione S-transferases in chemically induced liver damage in rat. *Ind Health*. 37: 440-448.
- Wang, R; Shin, CH, o; Kim, D; Ryu, M; Park, JS. (2016). Adsorption of heavy metals and organic contaminants from aqueous stream with chemically enhanced kapok fibers. *Environ Earth Sci*. 75. <http://dx.doi.org/10.1007/s12665-016-5254-9>.
- Wang, RS; Nakajima, T. (1992). Effects of ethanol and phenobarbital treatments on the pharmacokinetics of toluene in rats. *Occup Environ Med*. 49: 104-112.
- Wang, S; Han, Y; Cao, X, i; Zhao, D, an; Yang, D; Chen, J. (2016). Enhanced degradation of trichloroethylene using bentonite-supported nanoscale Fe/Ni and humic acids. *Environ Chem Lett*. 14: 237-242. <http://dx.doi.org/10.1007/s10311-015-0548-9>.
- Wang, S; He, J. (2013). Dechlorination of commercial PCBs and other multiple halogenated compounds by a sediment-free culture containing Dehalococcoides and Dehalobacter. *Environ Sci Technol*. 47: 10526-10534. <http://dx.doi.org/10.1021/es4017624>.
- Wang, S; Huang, G; Wei, J; He, L. (2013). Simulation-Based Variance Components Analysis for Characterization of Interaction Effects of Random Factors on Trichloroethylene Vapor Transport in Unsaturated Porous Media. *Ind Eng Chem Res*. 52: 8602-8611. <http://dx.doi.org/10.1021/ie4012003>.
- Wang, S; Yang, Q, i. (2013). ACCLIMATION OF ANAEROBIC SLUDGE-DEGRADING 1,1-DICHLOROETHYLENE (1,1-DCE) UNDER DIFFERENT SUBSTRATE CONDITIONS AND THE BIODEGRADATION KINETICS. *Fresen Environ Bull*. 22: 3016-3023.
- Wang, S; Yang, Q, i. (2013). COMETABOLIC DEGRADATION OF 1,1-DCE WITH BENZENE AS THE PRIMARY SUBSTRATE BY AEROBIC SLUDGE. *Fresen Environ Bull*. 22: 220-227.
- Wang, S; Yang, Q, i; Bai, Z; Wang, S; Wang, Y; Nowak, KM. (2015). Acclimation of aerobic-activated sludge degrading benzene derivatives and cometabolic degradation activities of trichloroethylene by benzene derivative-grown aerobic sludge. *Environ Technol*. 36: 115-123. <http://dx.doi.org/10.1080/09593330.2014.938127>.
- Wang, SJ; Loh, KC. (2000). New cell growth pattern on mixed substrates and substrate utilization in cometabolic transformation of 4-chlorophenol. *Water Res*. 34: 3786-3794.
- Wang, SL; Lee, TC; Ho, TI. (2002). Excited state proton transfer and steric effect on the hydrogen bonding interaction of the styrylquinoline system. *J Photochem Photobiol A*. 151: 21-26.
- Wang, SM; Tseng, SK. (2009). Reductive dechlorination of trichloroethylene by combining autotrophic hydrogen-bacteria and zero-valent iron particles. *Bioresour Technol*. 100: 111-117. <http://dx.doi.org/10.1016/j.biortech.2008.05.033>.
- Wang, SY; Chen, SC; Lin, YC; Kuo, YC; Chen, JY; Kao, CM. (2016). Acidification and sulfide formation control during reductive dechlorination of 1,2-dichloroethane in groundwater: Effectiveness and mechanistic study. *Chemosphere*. 160: 216-229. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.066>.
- Wang, T; Lenahan, R; Kanik, M. (1985). Impact of trichloroethylene contaminated groundwater discharged to the main canal and Indian River lagoon, Vero Beach, Florida. *Bull Environ Contam Toxicol*. 34: 578-586.
- Wang, T; Lenahan, R; Kanik, M; Teneyck, J. (1986). THE REMOVAL OF TRICHLOROETHYLENE (TCT) CONTAMINATED GROUNDWATER AND IMPACTS OF CONTAMINANTS DISCHARGED TO THE MAIN CANAL AND INDIAN RIVER ESTUARY, FLORIDA, USA. *Water Sci Technol*. 18: 352-352.
- Wang, TC; Lenahan, R; et al. (1985). THE REMOVAL OF TRICHLOROETHYLENE CONTAMINATED GROUNDWATER AT VERO BEACH, FLORIDA (pp. 719-723; 1985). (ISSN 0090-4341; EISSN 1432-0703; HMTTC/85/0003165). Wang, TC; Lenahan, R; Et al.
- Wang, W; Chiang, LW; Ku, Y. (2003). Decomposition of benzene in air streams by UV/TiO(2) process. *J Hazard Mater*. 101: 133-146. [http://dx.doi.org/10.1016/S0304-3894\(03\)00169-9](http://dx.doi.org/10.1016/S0304-3894(03)00169-9).
- Wang, W, eiH; Hoag, GE; Collins, JB; Naidu, R. (2013). Evaluation of Surfactant-Enhanced In Situ Chemical Oxidation (S-ISCO) in Contaminated Soil. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1713-z>.
- Wang, W; Ku, Y. (2003). Photocatalytic degradation of gaseous benzene in air streams by using an optical fiber photoreactor. *J Photochem Photobiol A*. 159: 47-59. [http://dx.doi.org/10.1016/S1010-6030\(03\)00111-4](http://dx.doi.org/10.1016/S1010-6030(03)00111-4).
- Wang, W; Qu, Y; Yang, B; Liu, X; Su, W. (2012). Lactate oxidation in pyrite suspension: a Fenton-like process in situ generating H2O2. *Chemosphere*. 86: 376-382. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.026>.
- Wang, W, ei; Wang, S; Zhang, J; Hu, Z; Zhang, X; Sierra, JM. (2016). Degradation kinetics of pentachlorophenol and changes in anaerobic microbial community with different dosing modes of co-substrate and zero-valent iron. *Int Biodeterior Biodegradation*. 113: 126-133. <http://dx.doi.org/10.1016/j.ibiod.2015.12.006>.
- Wang, W, ei; Zhou, M. (2010). Degradation of trichloroethylene using solvent-responsive polymer coated Fe nanoparticles. *Colloid Surface Physicochem Eng Aspect*. 369: 232-239. <http://dx.doi.org/10.1016/j.colsurfa.2010.08.031>.
- Wang, W; Zhou, M; Jin, Z; Li, T. (2010). Reactivity characteristics of poly(methyl methacrylate) coated nanoscale iron particles for trichloroethylene remediation. *J Hazard Mater*. 173: 724-730. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.145>.
- Wang, X; Brusseau, ML. (1993). Solubilization of some low-polarity organic compounds by hydroxypropyl-beta-cyclodextrin. *Environ Sci Technol*. 27: 2821-2825.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater*. 161: 815-823. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.027>.
- Wang, X; Dossett, MP; Gordon, MP; Strand, SE. (2004). Fate of carbon tetrachloride during phytoremediation with poplar under controlled field conditions. *Environ Sci Technol*. 38: 5744-5749. <http://dx.doi.org/10.1021/es0499187>.
- Wang, X; Li, JR; Fu, ML; Yuan, B; Cui, HJ; Wang, YF. (2014). Fabrication and evaluation of Au-Pd core-shell nanocomposites for dechlorination of diclofenac in water. *Environ Technol*. 36: 1-25. <http://dx.doi.org/10.1080/09593330.2014.994044>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wang, X; Ning, P; Liu, H; Ma, J, un. (2010). Dechlorination of chloroacetic acids by Pd/Fe nanoparticles: Effect of drying method on metallic activity and the parameter optimization. *Appl Catal B-Environ*. 94: 55-63. <http://dx.doi.org/10.1016/j.apcatb.2009.10.020>.
- Wang, X; So, L; Su, R, en; Wendt, S; Hald, P; Mamakhel, A; Yang, C; Huang, Y; Iversen, B, oB; Besenbacher, F. (2014). The influence of crystallite size and crystallinity of anatase nanoparticles on the photo-degradation of phenol. *J Catal*. 310: 100-108. <http://dx.doi.org/10.1016/j.jcat.2013.04.022>.
- Wang, X, in; Tan, X, in; Yu, T, ao. (2014). Kinetic Study of Ozone Photocatalytic Decomposition Using a Thin Film of TiO₂ Coated on a Glass Plate and the CFD Modeling Approach. *Ind Eng Chem Res*. 53: 7902-7909. <http://dx.doi.org/10.1021/ie403144w>.
- Wang, X; Unger, AJ; Parker, BL. (2012). Simulating an exclusion zone for vapour intrusion of TCE from groundwater into indoor air. *J Contam Hydrol*. 140-141: 124-138. <http://dx.doi.org/10.1016/j.jconhyd.2012.07.004>.
- Wang, X, u; Wang, Y, unXia; Yuan, B; Cui, H, aoJie; Fu, ML, ai. (2015). Fabrication of resin supported Au-Pd bimetallic nanoparticle composite to efficiently remove chloramphenicol from water. *RSC Advances*. 5: 18806-18812. <http://dx.doi.org/10.1039/c4ra17309k>.
- Wang, X; Yang, J; Zhu, M; Li, F. (2013). Characterization and regeneration of Pd/Fe nanoparticles immobilized in modified PVDF membrane. *Taiwan Institute of Chemical Engineers Journal*. 44: 386-392. <http://dx.doi.org/10.1016/j.jtice.2012.12.007>.
- Wang, X; Yu, H; Hua, D; Zhou, S. (2013). Enhanced Catalytic Hydrogenation Activity and Selectivity of Pt-MxOy/Al₂O₃ (M = Ni, Fe, Co) Heteroaggregate Catalysts by in Situ Transformation of PtM Alloy Nanoparticles. *J Phys Chem C*. 117: 7294-7302. <http://dx.doi.org/10.1021/jp309548v>.
- Wang, X; Zhang, S; Li, J; Xu, J; Wang, X. (2014). Fabrication of Fe/Fe₃C@porous carbon sheets from biomass and their application for simultaneous reduction and adsorption of uranium(VI) from solution. 1: 641-648. <http://dx.doi.org/10.1039/c4qi00071d>.
- Wang, XD; Fang, J; Carey, P; Yee, S. (1993). MIXTURE ANALYSIS OF ORGANIC-SOLVENTS USING NONSELECTIVE AND NONLINEAR TAGUCHI GAS SENSORS WITH ARTIFICIAL NEURAL NETWORKS. *Sens Actuators B*. 13: 455-457.
- Wang, XH; Feng, ZM. (2003). Energy consumption with sustainable development in developing country: a case in Jiangsu, China. *Energy Policy*. 31: 1679-1684.
- Wang, Y; Chen, Y; Yao, M; Qin, H; Kang, S; Li, X, i; Zuo, Y; Zhang, X; Cui, L, iF. (2015). Simple synthesis of mesoporous FeNi/graphitic carbon nanocomposite catalysts and study on their activities in catalytic cracking of toluene. *Mater Chem Phys*. 167: 347-353. <http://dx.doi.org/10.1016/j.matchemphys.2015.10.054>.
- Wang, Y, e; Deng, B; Kim, CN. (2012). Transient Characteristics of VOCs Removal by an Air Cleaner in Association with a Humidifier Combined with Different Ventilation Strategies in an Office. *Indoor Built Environ*. 21: 71-78. <http://dx.doi.org/10.1177/1420326X11419928>.
- Wang, Y; Huang, YS. (2001). Hydrogen isotope fractionation of low molecular weight n-alkanes during progressive vaporization. *Organic Geochemistry*. 32: 991-998.
- Wang, Y; Huang, YS. (2003). Hydrogen isotopic fractionation of petroleum hydrocarbons during vaporization: implications for assessing artificial and natural remediation of petroleum contamination. *Appl Geochem*. 18: 1641-1651. [http://dx.doi.org/10.1016/S0883-2927\(03\)00076-3](http://dx.doi.org/10.1016/S0883-2927(03)00076-3).
- Wang, Y; Li, H; Song, Q; Qi, Y, e. (2017). The consequence of energy policies in China: A case study of the iron and steel sector. *Resour Conservat Recycl*. 117: 66-73. <http://dx.doi.org/10.1016/j.resconrec.2015.07.007>.
- Wang, Y; Li, Y; Zhang, W; Wang, Q; Wang, D. (2014). Photocatalytic degradation and reactor modeling of 17 α -ethynylestradiol employing titanium dioxide-incorporated foam concrete. *Environ Sci Pollut Res Int*. 22: 3508-3517. <http://dx.doi.org/10.1007/s11356-014-3573-5>.
- Wang, Y; Merkel, BJ; Li, Y; Ye, H, ui; Fu, S; Ihm, D. (2007). Vulnerability of groundwater in Quaternary aquifers to organic contaminants: a case study in Wuhan City, China. *Environ Geol*. 53: 479-484. <http://dx.doi.org/10.1007/s00254-007-0669-y>.
- Wang, YT; Zhao, XP; Wang, DW. (2006). Electrophoretic ink using urea-formaldehyde microspheres. *J Microencapsul*. 23: 762-768. <http://dx.doi.org/10.1080/02652040600788197>.
- Wang, Z; Acosta, E. (2013). Formulation design for target delivery of iron nanoparticles to TCE zones. *J Contam Hydrol*. 155: 9-19. <http://dx.doi.org/10.1016/j.jconhyd.2013.08.005>.
- Wang, Z; Hall, SD; Maya, JF; Li, L; Asghar, A; Gorski, JC. (2003). Diabetes mellitus increases the in vivo activity of cytochrome P450 2E1 in humans. *Br J Clin Pharmacol*. 55: 77-85.
- Wang, Z; Liu, J; Dai, Y; Dong, W; Zhang, S; Chen, J. (2011). Dimethyl Sulfide Photocatalytic Degradation in a Light-Emitting-Diode Continuous Reactor: Kinetic and Mechanistic Study. *Ind Eng Chem Res*. 50: 7977-7984. <http://dx.doi.org/10.1021/ie200297x>.
- Wang, Z; Peng, P; Huang, W. (2009). Dechlorination of gamma-hexachlorocyclohexane by zero-valent metallic iron. *J Hazard Mater*. 166: 992-997. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.10>.
- Wang, Z; Xiu, G; Wu, X; Wang, L; Cai, J; Zhang, D. (2013). Biodegradation of xylene mixture from artificial simulated waste gases by capillary membrane bioreactors. *Chem Eng J*. 229: 508-514. <http://dx.doi.org/10.1016/j.cej.2013.05.001>.
- Wanner, C; Zink, S; Eggenberger, U; Mäder, U. (2012). Assessing the Cr(VI) reduction efficiency of a permeable reactive barrier using Cr isotope measurements and 2D reactive transport modeling. *J Contam Hydrol*. 131: 54-63. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.007>.
- Wanner, P; Hunkeler, D. (2015). Carbon and chlorine isotopologue fractionation of chlorinated hydrocarbons during diffusion in water and low permeability sediments. *Geochim Cosmo Acta*. 157: 198-212. <http://dx.doi.org/10.1016/j.gca.2015.02.034>.
- Wanner, P; Parker, BL; Chapman, SW; Aravena, R; Hunkeler, D. (2016). Quantification of Degradation of Chlorinated Hydrocarbons in Saturated Low Permeability Sediments Using Compound-Specific Isotope Analysis. *Environ Sci Technol*. 50: 5622-5630. <http://dx.doi.org/10.1021/acs.est.5b06330>.
- Wanson, JC; Bernaert, D; Penasse, W; Mosselmans, R; Bannasch, P. (1980). Separation in distinct subpopulations by elutriation of liver cells following exposure of rats to N-nitrosomorpholine. *Cancer Res*. 40: 459-471.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ward, EM; Thun, MJ; Hannan, LM; Jemal, A. (2006). Interpreting cancer trends [Review]. *Ann N Y Acad Sci.* 1076: 29-53. <http://dx.doi.org/10.1196/annals.1371.048>.
- Ward, JM; Peters, JM; Perella, CM; Gonzalez, FJ. (1998). Receptor and nonreceptor-mediated organ-specific toxicity of di(2-ethylhexyl)phthalate (DEHP) in peroxisome proliferator-activated receptor alpha-null mice. *Toxicol Pathol.* 26: 240-246.
- Ward, TE; Bulmer, D; Walton, MR; Apel, WA. (1998). Development of genetically engineered bacteria for trichloroethylene degradation (pp. 179-193). (ISSN 1093-4529; EISSN 1532-4117; BIOSIS/98/12311). Ward, TE; Bulmer, D; Walton, MR; Apel, WA.
- Wardencki, W; Michulec, M; Cisowski, W; Glensk, M; Zbikowska, B. (2005). Solvent residue determination in *Uncaria tomentosa* bark by HS-GC technique. *Chemia analityczna.* 50: 575-581.
- Wareham, JD. (2003). Information assets in interorganizational governance: Exploring the property rights perspective. *IEEE Trans Eng Manag.* 50: 337-351. <http://dx.doi.org/10.1109/TEM.2003.817291>.
- Warr, T; Parry, E; Parry, J. (1993). A comparison of two in vitro mammalian cell cytogenetic assays for the detection of mitotic aneuploidy using 10 known or suspected aneugens. *Mutat Res-Fundam Mol Mech Mutagen.* 287: 29-46. [http://dx.doi.org/10.1016/0027-5107\(93\)90143-4](http://dx.doi.org/10.1016/0027-5107(93)90143-4).
- Warren, C; Mackay, D; Whelan, M; Fox, K. (2007). Mass balance modelling of contaminants in river basins: application of the flexible matrix approach. *Chemosphere.* 68: 1232-1244. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.084>.
- Warren, DA; Reigle, TG; Muralidhara, S; Dallas, CE. (1996). Schedule-controlled operant behavior of rats following oral administration of perchloroethylene: Time course and relationship to blood and brain solvent levels. *J Toxicol Environ Health.* 47: 345-362. <http://dx.doi.org/10.1080/009841096161690>.
- Warren, DR; Blain, GT; Shorney, FL; Klein, LJ. (1995). IRP - A CASE-STUDY FROM KANSAS. *J Am Water Works Assoc.* 87: 57-71.
- Warren, KA; Gabr, MA; Quaranta, JD. (2006). Field study to investigate WIDE technology for TCE extraction. *Journal of Geotechnical and Geoenvironmental Engineering.* 132: 1111-1120. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2006\)132:9\(1111\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2006)132:9(1111)).
- Wartenberg, D; Reyner, D. (2000). TCE Meta-Analyses: Wartenberg et al.'s Response. *Environ Health Perspect.* 108: A543-A544.
- Wartenberg, D. (2007). Causal relationship between trichloroethylene exposure and non-Hodgkin's lymphoma. *Occup Environ Med.* 64: 352-352.
- Wartenberg, D; Reyner, D; Scott, CS. (2001). Errors in TCE analysis: response. *Environ Health Perspect.* 109: A108-A109.
- Wartenberg, D; Siegel, SC. (2002). Carcinogenicity of trichloroethylene. *Environ Health Perspect.* 110: A13-A14.
- Washington, JW; Cameron, BA. (2001). Evaluating degradation rates of chlorinated organics in groundwater using analytical models. *Environ Toxicol Chem.* 20: 1909-1915.
- Watanabe, KH; Bois, FY; Daisey, JM; Auslander, DM; Spear, RC. (1994). Benzene toxicokinetics in humans: exposure of bone marrow to metabolites. *Occup Environ Med.* 51: 414-420.
- Watanabe, M; Takano, T; Nakamura, K. (1998). Effect of ethanol on the metabolism of trichloroethylene in the perfused rat liver. *J Toxicol Environ Health A.* 55: 297-305.
- Watanabe, S; Fukui, T. (1997). Inhibitory effect of curcumin on the peroxisome proliferation by trichloroethylene. *JTTHE.* 43: P3-P3.
- Watanabe, S; Kato, Y; Kawauchi, S. (1994). The liver injury and the lipid peroxidation in mice by trichloroacetic acid or trichloroethylene (pp. 440-447). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/95/14466). Watanabe, S; Kato, Y; Kawauchi, S.
- Watanabe, S; Yamamoto, K; Kato, Y; Kawauchi, S. (1994). INHIBITORY EFFECT OF FLAVIN DERIVATIVES ON THE LIPID-PEROXIDATION ATTENDED TO THE IN-VITRO METABOLISM OF TRICHLOROACETIC-ACID. *JTTHE.* 40: 171-177.
- Watanabe, T; Shimada, H; Tanaka, Y. (1978). Human hepatocytes and aging: A cytophotometrical analysis in 35 sudden-death cases. *Virchows Arch B Cell Pathol Incl Mol Pathol.* 27: 307-316.
- Watanabe-Suzuki, K; Ishii, A; Suzuki, O. (2002). Cryogenic oven-trapping gas chromatography for analysis of volatile organic compounds in body fluids. *Anal Bioanal Chem.* 373: 75-80. <http://dx.doi.org/10.1007/s00216-002-1240-z>.
- Watson, RE; Goodman, JI. (2002). Effects of phenobarbital on DNA methylation in GC-rich regions of hepatic DNA from mice that exhibit different levels of susceptibility to liver tumorigenesis. *Toxicol Sci.* 68: 51-58. <http://dx.doi.org/10.1093/toxsci/68.1.51>.
- Watt, AS; Magrini, KA; Carlson, LE; Wolfrum, EJ; Larson, SA; Roth, C; Glatzmaier, GC. (1999). Pilot-scale demonstration of an innovative treatment for vapor emissions. *J Air Waste Manag Assoc.* 49: 1368-1373.
- Wattanaarun, J; Pavarajarn, V; Supaphol, P. (2005). Titanium (IV) oxide nanofibers by combined sol-gel and electrospinning techniques: preliminary report on effects of preparation conditions and secondary metal dopant. *Science and Technology of Advanced Materials.* 6: 240-245. <http://dx.doi.org/10.1016/j.stam.2005.02.002>.
- Wattanaarun, J; Supaphol, P; Pavarajarn, V. (2007). Photocatalytic activity of neat and silicon-doped titanium(IV) oxide nanofibers prepared by combined sol-gel and electrospinning techniques. *J Nanosci Nanotechnol.* 7: 2443-2450. <http://dx.doi.org/10.1166/jnn.2007.417>.
- Watts, MP; Coker, VS; Parry, SA; Thomas, RA; Kalin, R; Lloyd, JR. (2015). Effective treatment of alkaline Cr(VI) contaminated leachate using a novel Pd-bionanocatalyst: Impact of electron donor and aqueous geochemistry. *Appl Catal B-Environ.* 170-171: 162-172. <http://dx.doi.org/10.1016/j.apcatb.2015.01.017>.
- Watts, RJ; Bottenberg, BC; Hess, TF; Jensen, MD; Teel, AL. (1999). Role of reductants in the enhanced desorption and transformation of chloroaliphatic compounds by modified Fenton's reactions. *Environ Sci Technol.* 33: 3432-3437.
- Watts, RJ; Kong, S; Orr, MP; Miller, GC; Henry, BE. (1995). Photocatalytic inactivation of coliform bacteria and viruses in secondary wastewater effluent. *Water Res.* 29: 95-100.
- Watts, RJ; Stanton, PC. (1999). Mineralization of sorbed and NAPL-phase hexadecane by catalyzed hydrogen peroxide. *Water Res.* 33: 1405-1414.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Waxman, S; Wurmbach, E. (2007). De-regulation of common housekeeping genes in hepatocellular carcinoma. *BMC Genomics*. 8: 243. <http://dx.doi.org/10.1186/1471-2164-8-243>.
- Weatherill, J; Krause, S; Voyce, K; Drijfhout, F; Levy, A; Cassidy, N. (2014). Nested monitoring approaches to delineate groundwater trichloroethene discharge to a UK lowland stream at multiple spatial scales. *J Contam Hydrol*. 158: 38-54. <http://dx.doi.org/10.1016/j.jconhyd.2013.12.001>.
- Weathers, TS; Harding-Marjanovic, K; Higgins, CP; Alvarez-Cohen, L; Sharp, JO. (2016). Perfluoroalkyl Acids Inhibit Reductive Dechlorination of Trichloroethene by Repressing Dehalococcoides. *Environ Sci Technol*. 50: 240-248. <http://dx.doi.org/10.1021/acs.est.5b04854>.
- Weber, A; Ruhl, A; Amos, RT. (2013). Investigating dominant processes in ZVI permeable reactive barriers using reactive transport modeling. *J Contam Hydrol*. 151: 68-82. <http://dx.doi.org/10.1016/j.jconhyd.2013.05.001>.
- Weber, G; Bertrand, O; Fromont, E; Bourg, S; Bouvier, F; Bissinger, D; Simonotgrange, MH. (1996). TCE adsorption on hydrophobic Y and MFI zeolites. Possibilities of using such materials for solvent recovery. *J Chim Phys Phys Chim Biol*. 93: 1412-1425.
- Weber, WI. (2004). Preloading of GAC by natural organic matter in potable water treatment systems: Mechanisms, effects and design considerations. *Journal of Water Supply: Research and Technology-AQUA*. 53: 469-482.
- Weber, WJ; Kim, SH; Johnson, MD. (2002). Distributed reactivity model for sorption by soils and sediments. 15. High-concentration co-contaminant effects on phenanthrene sorption and Desorption. *Environ Sci Technol*. 36: 3625-3634.
- Weber, WJ; Leboeuf, EJ. (1999). Processes for advanced treatment of water. *Water Sci Technol*. 40: 11-19.
- Weber, WJ; Young, TM. (1997). A distributed reactivity model for sorption by soils and sediments. 6. Mechanistic implications of desorption under supercritical fluid conditions. *Environ Sci Technol*. 31: 1686-1691.
- Webster, RD; Heath, GA. (2001). Voltammetric, EPR and UV-VIS-NIR spectroscopic studies associated with the one-electron oxidation of C-60 and C-70 in 1,1',2,2'-tetrachloroethane containing trifluoromethanesulfonic acid. *Phys Chem Chem Phys*. 3: 2588-2594.
- Webster, T; Connett, P. (1991). ESTIMATING BIOCONCENTRATION FACTORS AND HALF-LIVES IN HUMANS USING PHYSIOLOGICALLY BASED PHARMACOKINETIC MODELING - 2,3,7,8-TCDD. *Chemosphere*. 23: 1763-1768. [http://dx.doi.org/10.1016/0045-6535\(91\)90023-7](http://dx.doi.org/10.1016/0045-6535(91)90023-7).
- Webster, TS; Condee, C; Hatzinger, PB. (2013). Ex situ treatment of N-nitrosodimethylamine (NDMA) in groundwater using a fluidized bed reactor. *Water Res*. 47: 811-820. <http://dx.doi.org/10.1016/j.watres.2012.11.011>.
- Weed, DL. (2010). Meta-Analysis and Causal Inference: A Case Study of Benzene and Non-Hodgkin Lymphoma. *Ann Epidemiol*. 20: 347-355. <http://dx.doi.org/10.1016/j.annepidem.2010.02.001>.
- Weeks, KR; Bruell, CJ; Mohanty, NR. (2000). Use of Fenton's reagent for the degradation of TCE in aqueous systems and soil slurries. *Int J Phytoremediation*. 9: 331-345.
- Weerasooriya, R; Dharmasena, B. (2001). Pyrite-assisted degradation of trichloroethene (TCE). *Chemosphere*. 42: 389-396.
- Wehland, F; Stancu, A; Rochette, P; Dekkers, MJ; Appel, E. (2005). Experimental evaluation of magnetic interaction in pyrrhotite bearing samples. *Phys Earth Planet In*. 153: 181-190. <http://dx.doi.org/10.1016/j.pepi.2005.05.006>.
- Wei, J; Qian, Y; Liu, W; Wang, L; Ge, Y; Zhang, J; Yu, J; Ma, X. (2014). Effects of particle composition and environmental parameters on catalytic hydrodechlorination of trichloroethylene by nanoscale bimetallic Ni-Fe. *J Environ Sci*. 26: 1162-1170. [http://dx.doi.org/10.1016/S1001-0742\(13\)60506-9](http://dx.doi.org/10.1016/S1001-0742(13)60506-9).
- Wei, J; Qian, Y; Wang, L; Ge, Y; Su, L; Zhai, D; Wang, J; Wang, J; Yu, J. (2016). Enhancement of Degradation and Dechlorination of Trichloroethylene via Supporting Palladium/Iron Bimetallic Nanoparticles onto Mesoporous Silica. 6. <http://dx.doi.org/10.3390/catal6070105>.
- Wei, J; Schaeffer, N; Pileni, MP. (2016). Solvent-Mediated Crystallization of Nanocrystal 3D Assemblies of Silver Nanocrystals: Unexpected Super lattice Ripening. *Chem Mater*. 28: 293-302. <http://dx.doi.org/10.1021/acs.chemmater.5b04120>.
- Wei, J; Xu, X; Liu, Y; Wang, D. (2006). Catalytic hydrodechlorination of 2,4-dichlorophenol over nanoscale Pd/Fe: reaction pathway and some experimental parameters. *Water Res*. 40: 348-354. <http://dx.doi.org/10.1016/j.watres.2005.10.017>.
- Wei, JJ; Xu, XH; Liu, Y. (2004). Kinetics and mechanism of dechlorination of o-chlorophenol by nanoscale Pd/Fe. *Chem Res Chin Univ*. 20: 73-76.
- Wei, JJ; Xu, XH; Wang, DH. (2004). Catalytic dechlorination of o-chlorophenol by nanoscale Pd/Fe. *J Environ Sci*. 16: 621-613.
- Wei, MC, hi; Wang, K, aiS; Lin, IC; Hsiao, TE, n; Lin, Y, anN; Tang, CT; Chen, J, yhC; Chang, SH. (2012). Rapid regeneration of sulfanilic acid-sorbed activated carbon by microwave with persulfate. *Chem Eng J*. 193: 366-371. <http://dx.doi.org/10.1016/j.cej.2012.04.072>.
- Wei, N, a; Finneran, KT. (2011). Influence of Ferric Iron on Complete Dechlorination of Trichloroethylene (TCE) to Ethene: Fe(III) Reduction Does Not Always Inhibit Complete Dechlorination. *Environ Sci Technol*. 45: 7422-7430. <http://dx.doi.org/10.1021/es201501a>.
- Wei, Y, uT; Wu, SC; Chou, CM; Che, CH; Tsai, SM, u; Lien, HL. (2010). Influence of nanoscale zero-valent iron on geochemical properties of groundwater and vinyl chloride degradation: A field case study. *Water Res*. 44: 131-140. <http://dx.doi.org/10.1016/j.watres.2009.09.012>.
- Wei, Z; Seo, Y. (2010). Trichloroethylene (TCE) adsorption using sustainable organic mulch. *J Hazard Mater*. 181: 147-153. <http://dx.doi.org/10.1016/j.jhazmat.2010.04.109>.
- Wei-Bin, L; Hao, G. (2010). Recent Progress in the Removal of Volatile Organic Compounds by Catalytic Combustion. *Acta Phys - Chim Sin*. 26: 885-894. <http://dx.doi.org/10.3866/PKU.WHXB20100436>.
- Weidhaas, J; Dupont, RR. (2013). Aerobic biotransformation of N-nitrosodimethylamine and N-nitrodimethylamine in methane and benzene amended soil columns. *J Contam Hydrol*. 150: 45-53. <http://dx.doi.org/10.1016/j.jconhyd.2013.04.004>.
- Weidhaas, JL; Zigmund, MJ; Dupont, RR. (2012). Aerobic Biotransformation of N-Nitrosodimethylamine and N-Nitrodimethylamine by Benzene-, Butane-, Methane-, Propane-, and Toluene-Fed Cultures. *Bioremediat J*. 16: 74-85. <http://dx.doi.org/10.1080/10889868.2012.665961>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Weidman, JR; Dolinoy, DC; Murphy, SK; Jirtle, RL. (2007). Cancer susceptibility: Epigenetic manifestation of environmental exposures [Review]. *Cancer J.* 13: 9-16. <http://dx.doi.org/10.1097/PPO.0b013e31803c71f2>.
- Wei-hua, Z; Xie, Q; Zhuo-yong, Z. (2007). Catalytic reductive dechlorination of p-chlorophenol in water using Ni/Fe nanoscale particles. *J Environ Sci.* 19: 362-366. [http://dx.doi.org/10.1016/S1001-0742\(07\)60060-6](http://dx.doi.org/10.1016/S1001-0742(07)60060-6).
- Weinberg, HS; Krasner, SW; Richardson, SD; Thruston, AD, Jr. (2002). The occurrence of disinfection by-products (DBPs) of health concern in drinking water: Results of a nationwide DBP occurrence study. (EPA/600/R-02/068). Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development, National Exposure Research Laboratory. http://epa.gov/athens/publications/reports/EPA_600_R02_068.pdf.
- Weir, BA; Mclane, CR; Leger, RJ. (1996). Design of a UV oxidation system for treatment of TCE-contaminated groundwater. *Environmental Progress.* 15: 179-186.
- Weir, BA; Sundstrom, DW. (1993). Destruction of trichloroethylene by UV light-catalyzed oxidation with hydrogen peroxide. *Chemosphere.* 27: 1279-1291.
- Weisel, CP; Jo, WK. (1996). Ingestion, inhalation, and dermal exposures to chloroform and trichloroethene from tap water. *Environ Health Perspect.* 104: 48-51.
- Weisel, CP; Kim, H; Haltmeier, P; Klotz, JB. (1999). Exposure estimates to disinfection by-products of chlorinated drinking water. *Environ Health Perspect.* 107: 103-110.
- Weisenburger, DD. (1992). Pathological classification of non-Hodgkin's lymphoma for epidemiological studies [Review]. *Cancer Res.* 52: 5456s-5462s.
- Weiss, JR; Moysich, KB; Swede, H. (2005). Epidemiology of male breast cancer [Review]. *Cancer Epidemiol Biomarkers Prev.* 14: 20-26.
- Weiss, PA. (1971). A cell is not an island entire of itself. *Perspect Biol Med.* 14: 182-205.
- Weiss, T; Schierbaum, KD; Vanvelzen, UT; Reinhoudt, DN; Gopel, W. (1995). SELF-ASSEMBLED MONOLAYERS OF SUPRAMOLECULAR COMPOUNDS FOR CHEMICAL SENSORS. *Sens Actuators B.* 26: 203-207.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: Salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ.* 38: 4197-4204. <http://dx.doi.org/10.1016/j.atmosenv.2004.04.032>.
- Weissflog, L; Kruger, G; Elansky, N; Putz, E; Pfennigsdorff, A; Seyfarth, KU; Nuchter, M; Lange, C; Kotte, K. (2003). Input of trichloroacetic acid into the vegetation of various climate zones--measurements on several continents. *Chemosphere.* 52: 443-449. [http://dx.doi.org/10.1016/S0045-6535\(03\)00209-1](http://dx.doi.org/10.1016/S0045-6535(03)00209-1).
- Weissflog, L; Pfennigsdorff, A; Martinez-Pastur, G; Puliafito, E; Figueroa, D; Elansky, N; Nikonov, V; Putz, E; Kruger, G; Kellner, K. (2001). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres--Part I Its formation, uptake and geographical distribution. *Atmos Environ.* 35: 4511-4521.
- Weistenhofer, W; Blaszkewicz, M; Bolt, HM; Golka, K. (2008). N-acetyltransferase-2 and medical history in bladder cancer cases with a suspected occupational disease (BK 1301) in Germany. *J Toxicol Environ Health A.* 71: 906-910. <http://dx.doi.org/10.1080/15287390801988681>.
- Weiyang, H; Fei, L; Anhuai, L; Ximing, L. (2012). Decomposition of hydrogen peroxide in the remediation of trichloroethylene contaminated groundwater by Fenton oxidation technology. *Disaster Advances.* 5: 1179-1182.
- Wejrzanowski, T; Grybczuk, M; Chmielewski, M; Pietrzak, K; Kurzydowski, KJ; Strojny-Nedza, A. (2016). Thermal conductivity of metal-graphene composites. *Materials & Design.* 99: 163-173. <http://dx.doi.org/10.1016/j.matdes.2016.03.069>.
- Welp, G; Brümmer, GW. (1999). Effects of organic pollutants on soil microbial activity: the influence of sorption, solubility, and speciation. *Ecotoxicol Environ Saf.* 43: 83-90. <http://dx.doi.org/10.1006/eesa.1999.1770>.
- Wen, LL; Yang, Q; Zhang, ZX; Yi, YY; Tang, Y; Zhao, HP. (2016). Interaction of perchlorate and trichloroethene bioreductions in mixed anaerobic culture. *Sci Total Environ.* 571: 11-17. <http://dx.doi.org/10.1016/j.scitotenv.2016.07.122>.
- Wen, LL; Zhang, Y; Pan, YW; Wu, WQ; Meng, SH; Zhou, C; Tang, Y; Zheng, P; Zhao, HP. (2015). The roles of methanogens and acetogens in dechlorination of trichloroethene using different electron donors. *Environ Sci Pollut Res Int.* 22: 19039-19047. <http://dx.doi.org/10.1007/s11356-015-5117-z>.
- Wen, Z; Li, H. (2014). Analysis of potential energy conservation and CO2 emissions reduction in China's non-ferrous metals industry from a technology perspective. *Int J Greenhouse Gas Control.* 28: 45-56. <http://dx.doi.org/10.1016/j.ijggc.2014.06.013>.
- Wen, Z; Meng, F; Chen, M, in. (2014). Estimates of the potential for energy conservation and CO2 emissions mitigation based on Asian-Pacific Integrated Model (AIM): the case of the iron and steel industry in China. *J Clean Prod.* 65: 120-130. <http://dx.doi.org/10.1016/j.jclepro.2013.09.008>.
- Wendling, O; Chambon, P; Mark, M. (1999). Retinoid X receptors are essential for early mouse development and placentogenesis. *Proc Natl Acad Sci USA.* 96: 547-551.
- Wen-ying, X; Ting-yao, G. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci.* 19: 792-799.
- Werner, H; Le Roith, D. (2000). New concepts in regulation and function of the insulin-like growth factors: Implications for understanding normal growth and neoplasia [Review]. *Cell Mol Life Sci.* 57: 932-942.
- Werner, JH; Cool, TA. (1998). Flame sampling photoionization mass spectrometry of dichloroethanol. *Chem Phys Lett.* 290: 81-87.
- Werner, JH; Cool, TA. (2000). The kinetics of the combustion of trichloroethylene for low Cl/H ratios. *Combust Flame.* 120: 125-142.
- Werner, M; Birner, G; Dekant, W. (1995). The role of cytochrome P4503A1/2 in the sex-specific sulfoxidation of the hexachlorobutadiene metabolite, N-acetyl-S-(pentachlorobutadienyl)-L-cysteine in rats. *Drug Metab Dispos.* 23: 861-868.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Werner, M; Guo, Z; Birner, G; Dekant, W; Guengerich, FP. (1995). The sulfoxidation of the hexachlorobutadiene metabolite N-acetyl-S-(1,2,3,4,4-pentachlorobutadienyl)-L-cysteine is catalyzed by human cytochrome P450 3A enzymes. *Chem Res Toxicol.* 8: 917-923.
- Wershaw, RL; Aiken, GR; Imbrigiotta, TE; Goldberg, MC. (1994). Displacement of soil pore water by trichloroethylene. *J Environ Qual.* 23: 792-798.
- Werth, CJ; Cunningham, JA; Roberts, PV; Reinhard, M. (1997). Effects of grain-scale mass transfer on the transport of volatile organics through sediments .2. Column results. *Water Resour Res.* 33: 2727-2740.
- Werth, CJ; Hansen, KM. (2002). Modeling the effects of concentration history on the slow desorption of trichloroethene from a soil at 100% relative humidity. *J Contam Hydrol.* 54: 307-327.
- Werth, CJ; Mcmillan, SJ; Castilla, HJ. (2000). Structural evaluation of slow desorbing sites in model and natural solids using temperature stepped desorption profiles. 1. Model development. *Environ Sci Technol.* 34: 2959-2965.
- Werth, CJ; Reinhard, M. (1997). Effects of temperature on trichloroethylene desorption from silica gel and natural sediments .1. Isotherms. *Environ Sci Technol.* 31: 689-696.
- Werth, CJ; Reinhard, M. (1997). Effects of temperature on trichloroethylene desorption from silica gel and natural sediments .2. Kinetics. *Environ Sci Technol.* 31: 697-703.
- Werth, CJ; Reinhard, M. (1999). Counter diffusion of isotopically labeled trichloroethylene in silica gel and geosorbent micropores: Column results. *Environ Sci Technol.* 33: 730-736.
- Werth, CJ; Reinhardt, M. (1997). Effects of temperature on trichloroethylene desorption from silica gel and natural sediments .2. Kinetics (vol 31, pg 697, 1997). *Environ Sci Technol.* 31: 3339-3339.
- West, GB; Woodruff, WH; Brown, JH. (2002). Allometric scaling of metabolic rate from molecules and mitochondria to cells and mammals. *Proc Natl Acad Sci USA.* 99: 2473-2478. <http://dx.doi.org/10.1073/pnas.012579799>.
- West, MR; Grant, GP; Gerhard, JI; Kueper, BH. (2008). The influence of precipitate formation on the chemical oxidation of TCE DNAPL with potassium permanganate. *Advances in Water Resources.* 31: 324-338. <http://dx.doi.org/10.1016/j.advwatres.2007.08.011>.
- West, MR; Kueper, BH. (2012). Numerical simulation of DNAPL source zone remediation with in situ chemical oxidation (ISCO). *Advances in Water Resources.* 44: 126-139. <http://dx.doi.org/10.1016/j.advwatres.2012.05.001>.
- West, OR; Siegrist, RL; Gierke, JS; Schmunk, SW; Lucero, AJ; Jennings, HL. (1995). In situ mixed region vapor stripping in low-permeability media. 1. Process features and laboratory experiments. *Environ Sci Technol.* 29: 2191-2197.
- Weyens, N; Beckers, B; Schellingen, K; Ceulemans, R; van der Lelie, D; Newman, L; Taghavi, S; Carleer, R; Vangronsveld, J. (2015). The Potential of the Ni-Resistant TCE-Degrading *Pseudomonas putida* W619-TCE to Reduce Phytotoxicity and Improve Phytoremediation Efficiency of Poplar Cuttings on A Ni-TCE Co-Contamination. *Int J Phytoremediation.* 17: 40-48. <http://dx.doi.org/10.1080/15226514.2013.828016>.
- Weyens, N; Croes, S; Dupae, J; Newman, L, ee; van Der Lelie, D; Carleer, R; Vangronsveld, J. (2010). Endophytic bacteria improve phytoremediation of Ni and TCE co-contamination. *Environ Pollut.* 158: 2422-2427. <http://dx.doi.org/10.1016/j.envpol.2010.04.004>.
- Weyens, N; Schellingen, K; Beckers, B; Janssen, J; Ceulemans, R; van Der Lelie, D; Taghavi, S; Carleer, R; Vangronsveld, J. (2013). Potential of willow and its genetically engineered associated bacteria to remediate mixed Cd and toluene contamination. *Journal of Soils and Sediments.* 13: 176-188. <http://dx.doi.org/10.1007/s11368-012-0582-1>.
- Weyens, N; Taghavi, S; Barac, T; van der Lelie, D; Boulet, J; Artois, T; Carleer, R; Vangronsveld, J. (2009). Bacteria associated with oak and ash on a TCE-contaminated site: characterization of isolates with potential to avoid evapotranspiration of TCE. *Environ Sci Pollut Res Int.* 16: 830-843. <http://dx.doi.org/10.1007/s11356-009-0154-0>.
- Weyens, N; Truyens, S; Dupae, J; Newman, L, ee; Taghavi, S; van Der Lelie, D; Carleer, R; Vangronsveld, J. (2010). Potential of the TCE-degrading endophyte *Pseudomonas putida* W619-TCE to improve plant growth and reduce TCE phytotoxicity and evapotranspiration in poplar cuttings. *Environ Pollut.* 158: 2915-2919. <http://dx.doi.org/10.1016/j.envpol.2010.06.004>.
- Weyens, N; Truyens, S; Saenen, E; Boulet, J; Dupae, J; Taghavi, S; van der Lelie, D; Carleer, R; Vangronsveld, J. (2011). Endophytes and their potential to deal with co-contamination of organic contaminants (toluene) and toxic metals (nickel) during phytoremediation. *Int J Phytoremediation.* 13: 244-255. <http://dx.doi.org/10.1080/15226511003753920>.
- Weyens, N; Van Der Lelie, D; Artois, T, om; Smeets, K; Taghavi, S; Newman, L, ee; Carleer, R; Vangronsveld, J. (2009). Bioaugmentation with Engineered Endophytic Bacteria Improves Contaminant Fate in Phytoremediation. *Environ Sci Technol.* 43: 9413-9418. <http://dx.doi.org/10.1021/es901997z>.
- Wheeler, CW; Guenther, TM. (1990). Spectroscopic quantitation of cytochrome P-450 in human lung microsomes. *J Biochem Toxicol.* 5: 269-272. <http://dx.doi.org/10.1002/jbt.2570050410>.
- Wheeler, CW; Wrighton, SA; Guenther, TM. (1992). Detection of human lung cytochromes P450 that are immunochemically related to cytochrome P450IIE1 and cytochrome P-450IIIA. *Biochem Pharmacol.* 44: 183-187.
- Whelan, MP; Voudrias, EA; Pearce, A. (1994). DNAPL POOL DISSOLUTION IN SATURATED POROUS-MEDIA - PROCEDURE DEVELOPMENT AND PRELIMINARY-RESULTS. *J Contam Hydrol.* 15: 223-237.
- White, K; David, D; Butterworth, L; Klykken, P. (2000). Assessment of autoimmunity-inducing potential using the brown Norway rat challenge model [Review]. *Toxicol Lett.* 112-113: 443-451.
- White, RF; Feldman, RG; Eviator, II; Jabre, JF; Niles, CA. (1997). Hazardous waste and neurobehavioral effects: A developmental perspective. *Environ Res.* 73: 113-124. <http://dx.doi.org/10.1006/enrs.1997.3699>.
- White, RF; Robins, TG; Proctor, S; Echeverria, D; Rocskay, AS. (1994). Neuropsychological effects of exposure to naphtha among automotive workers. *Occup Environ Med.* 51: 102-112.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Whiting, K; Evans, PJ; Lebron, C; Henry, B; Wilson, JT; Becvar, E. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Field Survey. *Ground Water Monitoring and Remediation*. 34: 79-94. <http://dx.doi.org/10.1111/gwmmr.12068>.
- WHO. (1977). *Manual of the international statistical classification of diseases, injuries, and causes of death*. Geneva, Switzerland.
- Wideroff, L; Gridley, G; Chow, WH; Linet, M; Mellemkjaer, L; Olsen, JH; Keehn, S; Borch-Johnsen, K. (1997). Cancer incidence in a population-based cohort of patients hospitalized with diabetes mellitus in Denmark. *J Natl Cancer Inst*. 89: 1360-1365. <http://dx.doi.org/10.1093/jnci/89.18.1360>.
- Wiegert, C; Aeppli, C; Knowles, T; Holmstrand, H; Evershed, R; Pancost, RD; Macháčková, J; Gustafsson, Ö. (2012). Dual carbon-chlorine stable isotope investigation of sources and fate of chlorinated ethenes in contaminated groundwater. *Environ Sci Technol*. 46: 10918-10925. <http://dx.doi.org/10.1021/es3016843>.
- Wiegert, C; Mandalakis, M; Knowles, T; Polymenakou, PN; Aeppli, C; Macháčková, J; Holmstrand, H; Evershed, RP; Pancost, RD; Gustafsson, O. (2013). Carbon and chlorine isotope fractionation during microbial degradation of tetra- and trichloroethene. *Environ Sci Technol*. 47: 6449-6456. <http://dx.doi.org/10.1021/es305236y>.
- Wiesmann, U; Herbst, B. (1999). Biological degradation of chlorinated hydrocarbons. *Chem Ing Tech*. 71: 568-579.
- Wigle, DT; Turner, MC; Gomes, J; Parent, ME. (2008). Role of hormonal and other factors in human prostate cancer [Review]. *J Toxicol Environ Health B Crit Rev*. 11: 242-259. <http://dx.doi.org/10.1080/10937400701873548>.
- Wigton, A; Kilduff, JE. (2004). Modeling trichloroethylene adsorption by activated carbon preloaded with natural dissolved organic matter using a modified IAST approach. *Environ Sci Technol*. 38: 5825-5833. <http://dx.doi.org/10.1021/es049676a>.
- Wilcox, JD; Johnson, KM. (2016). Trichloroethylene (TCE) in tree cores to complement a subsurface investigation on residential property near a former electroplating facility. *Environ Monit Assess*. 188: 587. <http://dx.doi.org/10.1007/s10661-016-5603-x>.
- Wiles, AD; Peters, TM. (2010). Target tracking errors for 5D and 6D spatial measurement systems. *IEEE Trans Med Imaging*. 29: 879-894. <http://dx.doi.org/10.1109/TMI.2009.2039344>.
- Wilkens, L; Flemming, P; Gebel, M; Bleck, J; Terkamp, C; Wingen, L; Kreipe, H; Schlegelberger, B. (2004). Induction of aneuploidy by increasing chromosomal instability during dedifferentiation of hepatocellular carcinoma. *Proc Natl Acad Sci USA*. 101: 1309-1314. <http://dx.doi.org/10.1073/pnas.0305817101>.
- Wilkin, RT; Acree, SD; Ross, RR; Puls, RW; Lee, TR; Woods, LL. (2014). Fifteen-year assessment of a permeable reactive barrier for treatment of chromate and trichloroethylene in groundwater. *Sci Total Environ*. 468-469: 186-194. <http://dx.doi.org/10.1016/j.scitotenv.2013.08.056>.
- Willett, LB; O'Donnell, AF; Durst, HI; Kurz, MM. (1993). Mechanisms of movement of organochlorine pesticides from soils to cows via forages. *J Dairy Sci*. 76: 1635-1644. [http://dx.doi.org/10.3168/jds.S0022-0302\(93\)77497-4](http://dx.doi.org/10.3168/jds.S0022-0302(93)77497-4).
- Willhite, CC. (2001). Trichloroethylene Carcinogenic Potency. *Hum Ecol Risk Assess*. 7: 767-777.
- Williams; D., PR. (2014). Methyl Tertiary Butyl Ether (MTBE) and Other Volatile Organic Compounds (VOCs) in Public Water Systems, Private Wells, and Ambient Groundwater Wells in New Jersey Compared to Regulatory and Human-Health Benchmarks. *Environ Forensics*. 15: 97-119. <http://dx.doi.org/10.1080/15275922.2013.873096>.
- Williams, F; Meenagh, A; Darke, C; Acosta, A; Daar, AS; Gorodezky, C; Hammond, M; Nascimento, E; Middleton, D. (2001). Analysis of the distribution of HLA-B alleles in populations from five continents. *Hum Immunol*. 62: 645-650.
- Williams, P; Benton, L; Warmerdam, J; Sheehans, P. (2002). Comparative risk analysis of six volatile organic compounds in California drinking water. *Environ Sci Technol*. 36: 4721-4728. <http://dx.doi.org/10.1021/es020725y>.
- Williams, PRD; Benton, L; Sheehan, PJ. (2004). The risk of MTBE relative to other VOCs in public drinking water in California. *Risk Anal*. 24: 621-634. <http://dx.doi.org/10.1111/j.0272-4332.2004.00463.x>.
- Williams-Johnson, MW; Ashizawa, AE; Rosa, CTD. (2001). Trichloroethylene in the Environment: Public Health Concerns. *Hum Ecol Risk Assess*. 7: 737-753.
- Willson, CS; Pau, O; Pedit, JA; Miller, CT. (2000). Mass transfer rate limitation effects on partitioning tracer tests. *J Contam Hydrol*. 45: 79-97.
- Wilmanski, K; Van Breemen, AN. (1990). Competitive adsorption of trichloroethylene and humic substances from groundwater on activated carbon. *Water Res*. 24: 773-780.
- Wilson, BH; Wilson, JT; Kampbell, DH; Bledsoe, BE; Armstrong, JM. (1990). BIOTRANSFORMATION OF MONOAROMATIC AND CHLORINATED HYDROCARBONS AT AN AVIATION GASOLINE SPILL SITE. *Geomicrobiology Journal*. 8: 225-240.
- Wilson, DJ; Norris, RD. (1997). Groundwater cleanup by in-situ sparging .11. Engineered bioremediation with aeration curtains. *Separation Science and Technology*. 32: 2569-2589.
- Wilson, DJ; Norris, RD; Mutch, RD. (1997). Groundwater cleanup by in-situ sparging .12. An improved aeration curtain design. *Separation Science and Technology*. 32: 2851-2872.
- Wilson, JG. (1965). Methods for administering agents and detecting malformations in experimental animals. In J Warkany; JG Wilson (Eds.), (pp. 262-267). Chicago, IL: University of Chicago Press.
- Wilson, R; Donahue, M; Gridley, G; Adami, J; El Ghormli, L; Dosemeci, M. (2008). Shared occupational risks for transitional cell cancer of the bladder and renal pelvis among men and women in Sweden. *Am J Ind Med*. 51: 83-99. <http://dx.doi.org/10.1002/ajim.20522>.
- Wilson, RD; Mackay, DM. (1995). DIRECT-DETECTION OF RESIDUAL NONAQUEOUS PHASE LIQUID IN THE SATURATED ZONE USING SF6 AS A PARTITIONING TRACER. *Environ Sci Technol*. 29: 1255-1258.
- Wilson, RD; Mackay, DM. (1995). A method for passive release of solutes from an unpumped well. *Ground Water*. 33: 936-964.
- Wilson, RD; Mackay, DM; Cherry, JA. (1997). Arrays of unpumped wells for plume migration control by semi-passive in situ remediation. *Ground Water Monitoring and Remediation*. 17: 185-193.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environ Sci Technol.* 28: 259-266. <http://dx.doi.org/10.1021/es00051a012>.
- Wiltowski, TS; Howerton, RD; Lalvani, SB; Zamansky, V. (2001). Photocatalytic oxidation of trichloroethylene and carbon tetrachloride using titanium dioxide filter as a catalyst. *Energy Sources.* 23: 845-852.
- Wiltshire, KS; Almond, MJ; Mitchell, PCH. (2004). Reactions of hydroxyl radicals with trichloroethene and tetrachloroethene in argon matrices at 12 K. *Phys Chem Chem Phys.* 6: 58-63. <http://dx.doi.org/10.1039/b310495h>.
- Windemuller, FJB; Ettema, JH. (1978). Effects of combined exposure to trichloroethylene and alcohol on mental capacity. *Int Arch Occup Environ Health.* 41: 77-85. <http://dx.doi.org/10.1007/BF00381792>.
- Windham, GC; Zhang, L; Gunier, R; Croen, LA; Grether, JK. (2006). Autism spectrum disorders in relation to distribution of hazardous air pollutants in the San Francisco Bay area. *Environ Health Perspect.* 114: 1438-1444. <http://dx.doi.org/10.1289/ehp.9120>.
- Winkler, K; Radeke, KH; Stach, H. (1996). Adsorptions/desorption behaviour of organic water pollutants onto an adsorber polymer. *Chem Tech (Leipzig).* 48: 249-257.
- Winneke, G; Kramer, U; Kastka, J. (1976). Zur Beeinflussung psychomotor Leistungen Durch Alkohol und durch verschiedene Lösungsmitteldämpfe. In M Horvath (Ed.), (pp. 99-110). Amsterdam, The Netherlands: Elsevier.
- Wirbisky, SE; Damayanti, N; Mahapatra, CT; Sepulveda, MS; Irudayaraj, J; Freeman, JL. (2016). Mitochondrial Dysfunction, Disruption of F-Actin Polymerization, and Transcriptomic Alterations in Zebrafish Larvae Exposed to Trichloroethylene. *Chem Res Toxicol.* 29: 169-179. <http://dx.doi.org/10.1021/acs.chemrestox.5b00402>.
- Witekowa, S; Ignaczak, W; Filipiak, K; Kaminski, W. (1976). INDICATING PIPES FOR DETECTION OF TRICHLOROETHYLENE IN AIR. *Przemysł Chemiczny.* 55: 214-216.
- Withey, JR; Collins, BT. (1980). Chlorinated aliphatic hydrocarbons used in the foods industry: the comparative pharmacokinetics of methylene chloride, 1,2 dichloroethane, chloroform and trichloroethylene after i.v. administration in the rat. *J Environ Pathol Toxicol.* 3: 313-332.
- Witt, ME; Klecka, GM; Lutz, EJ; Ei, TA; Grosso, NR; Chapelle, FH. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: groundwater biogeochemistry. *J Contam Hydrol.* 57: 61-80.
- Wittlingerova, Z. (2000). Old environmental loads and their impacts on the quality of groundwaters and soils. *Rostl Vyroba.* 46: 119-122.
- Wittlingerova, Z; Machackova, J; Petruzelkova, A; Trapp, S; Vlk, K; Zima, J. (2013). One-year measurements of chloroethenes in tree cores and groundwater at the SAP Mimoň Site, Northern Bohemia. *Environ Sci Pollut Res Int.* 20: 834-847. <http://dx.doi.org/10.1007/s11356-012-1238-9>.
- Wittmann, G; Demeestere, K; Dombi, A; Dewulf, J; Van Langenhove, H. (2005). Preparation, structural characterization and photocatalytic activity of mesoporous Ti-silicates. *Appl Catal B-Environ.* 61: 47-57. <http://dx.doi.org/10.1016/j.apcatb.2005.04.010>.
- Wittsiepe, J; Selenka, F; Jackwerth, E. (1996). Gas chromatographic determination of trace amounts of vinyl chloride and dichloroethenes in landfill-gas. *Anal Bioanal Chem.* 354: 910-914. <http://dx.doi.org/10.1007/s0021663540910>.
- Wo, JJ; Zhang, Z; Xu, X, inhua. (2009). Dechlorination mechanism of 2,4-dichlorophenol by Ni/Fe nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A.* 10: 121-126. <http://dx.doi.org/10.1631/jzus.A0820277>.
- Woldie, GA; Nuppenau, EA. (2011). A Contribution to Transaction Costs: Evidence From Banana Markets in Ethiopia. 27: 493-508. <http://dx.doi.org/10.1002/agr.20279>.
- Wolf, DC; Goldsworthy, TL; Janszen, DB; Harden, R; Donner, EM; David, CS; Everitt, JI. (2000). Promotion by sodium barbital induces early development but does not increase the multiplicity of hereditary renal tumors in Eker rats. *Carcinogenesis.* 21: 1553-1558.
- Wolf, J. (1996). A method for determining the lift-to-drag ratio of a propelled hang-glider. *The Aeronautical Journal.* 100: 60-64.
- Wolf, RL; Lepore, SJ; Vandergrift, JL; Basch, CE; Yaroch, AL. (2009). Tailored telephone education to promote awareness and adoption of fruit and vegetable recommendations among urban and mostly immigrant black men: a randomized controlled trial. *Prev Med.* 48: 32-38. <http://dx.doi.org/10.1016/j.ypmed.2008.10.015>.
- Wolff, DL; Hinz, G; Just, A; Bergschicker, R. (1990). THE INFLUENCE OF SUBCHRONIC AND CHRONIC EXPOSURE TO TRICHLOROETHYLENE, ETHANOL, AND TRICHLOROETHYLENE PLUS ETHANOL ON BEHAVIORAL PARAMETERS IN RATS. *Zoologische Jahrbücher.* 94: 375-385.
- Wolfgang, G; Gandolfi, A; Stevens, J; Brendel, K. (1989). In vitro and in vivo nephrotoxicity of the L and D isomers of S-(1,2-dichlorovinyl)-cysteine. *Toxicology.* 58: 33-42.
- Wolfgang, GHI; Gandolfi, AJ; Stevens, JL; Brendel, K. (1989). N-acetyl S-(1,2-dichlorovinyl)-L-cysteine produces a similar toxicity to S-(1,2-dichlorovinyl)-L-cysteine in rabbit renal slices: Differential transport and metabolism. *Toxicol Appl Pharmacol.* 101: 205-219. [http://dx.doi.org/10.1016/0041-008X\(89\)90270-6](http://dx.doi.org/10.1016/0041-008X(89)90270-6).
- Wolska, L; Olszewska, C; Turska, M; Zygmunt, B; Namieśnik, J. (1998). Volatile and semivolatile organo-halogen trace analysis in surface water by direct aqueous injection GC-ECD. *Chemosphere.* 37: 2645-2651.
- Won, YS, oo. (2009). Thermal decomposition of trichloroethylene under a reducing atmosphere of hydrogen. *Korean J Chem Eng.* 26: 36-41.
- Won, YS; Han, DH; Stuchinskaya, T; Park, WS; Lee, HS. (2002). Electron beam treatment of chloroethylenes/air mixture in a flow reactor. *Radiat Phys Chem Oxf Engl* 1993. 63: 165-175. [http://dx.doi.org/10.1016/S0969-806x\(01\)00237-7](http://dx.doi.org/10.1016/S0969-806x(01)00237-7).
- Wong, CK; Ooi, VEC; Wong, CK. (2003). Protective effects of N-acetylcysteine against carbon tetrachloride- and trichloroethylene-induced poisoning in rats. *Environ Toxicol Pharmacol.* 14: 109-116. [http://dx.doi.org/10.1016/S1382-6689\(03\)00045-0](http://dx.doi.org/10.1016/S1382-6689(03)00045-0).
- Wong, CP. (1995). RECENT ADVANCES IN HERMETIC EQUIVALENT FLIP-CHIP HYBRID IC PACKAGING OF MICROELECTRONICS. *Mater Chem Phys.* 42: 25-30.
- Wong, CP; Shi, SHH; Jefferson, G. (1998). High performance no-flow underfills for low-cost flip-chip applications: Material characterization. 21: 450-458.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wong, CP; Vincent, MB; Shi, S. (1998). Fast-flow underfill encapsulant: Flow rate and coefficient of thermal expansion. 21: 360-364.
- Wong, CP; Wong, MM. (1999). Recent advances in plastic packaging of flip-chip and multichip modules (MCM) of microelectronics. IEEE Trans Compon Packag Tech. 22: 21-25.
- Wong, MS; Alvarez, PJJ; Fang, Y, ulun; Akcin, N; Nutt, MO; Miller, JT; Heck, KN. (2009). Cleaner water using bimetallic nanoparticle catalysts. J Chem Tech Biotechnol. 84: 158-166. <http://dx.doi.org/10.1002/jctb.2002>.
- Woo, HK; Wang, P; Lau, KC; Xing, X; Chang, C; Ng, CY. (2003). State-selected and state-to-state photoionization study of trichloroethene using the two-color infrared-vacuum ultraviolet scheme. J Chem Phys. 119: 9333-9336. <http://dx.doi.org/10.1063/1.1622932>.
- Woo, HK; Wang, P; Lau, KC; Xing, X; Ng, CY. (2004). Vacuum ultraviolet-infrared photo-induced Rydberg ionization spectroscopy: C-H stretching frequencies for trans-2-butene and trichloroethene cations. J Chem Phys. 120: 1756-1760. <http://dx.doi.org/10.1063/1.1634561>.
- Woo, K, ieY; Kim, KH; Kim, T, aeG. (2016). Performance of InGaN/AlGaInN Near- UV LEDs With Ni/Ga₂O₃/Ag/Ga₂O₃ Electrode. I E E E Photonics Technology Letters. 28: 67-70. <http://dx.doi.org/10.1109/LPT.2015.2480744>.
- Woo, NC; Hyun, SG; Park, WW; Lee, ES; Schwartz, FW. (2009). Characteristics of permanganate oxidation of TCE at low reagent concentrations. Environ Technol. 30: 1337-1342. <http://dx.doi.org/10.1080/09593330902840342>.
- Wood, LD; Parsons, DW; Jones, S; Lin, J; Sjoblom, T; Leary, RJ; Shen, D; Boca, SM; Barber, T; Ptak, J; Silliman, N; Szabo, S; Dezsó, Z; Ustyansky, V; Nikolskaya, T; Nikolsky, Y; Karchin, R; Wilson, PA; Kaminker, JS; Zhang, Z; Croshaw, R; Willis, J; Dawson, D; Shipitsin, M; Willson, JKV; Sukumar, S; Polyak, K; Park, BH; Pethiyagoda, CL; Pant, PVK; Ballinger, DG; Sparks, AB; Hartigan, J; Smith, DR; Suh, E; Papadopoulos, N; Buckhaults, P; Markowitz, SD; Parmigiani, G; Kinzler, KW; Velculescu, VE; Vogelstein, B. (2007). The genomic landscapes of human breast and colorectal cancers. Science. 318: 1108-1113. <http://dx.doi.org/10.1126/science.1145720>.
- Woodfine, D; Macleod, M; Mackay, D. (2002). A regionally segmented national scale multimedia contaminant fate model for Canada with GIS data input and display. Environ Pollut. 119: 341-355.
- Woodruff, TJ; Axelrad, DA; Caldwell, J; Morello-Frosch, R; Rosenbaum, A. (1998). Public health implications of 1990 air toxics concentrations across the United States. Environ Health Perspect. 106: 245-251. <http://dx.doi.org/10.1289/ehp.98106245>.
- Woods, CG; Burns, AM; Bradford, BU; Ross, PK; Kosyk, O; Swenberg, JA; Cunningham, ML; Rusyn, I. (2007). WY-14,643-induced cell proliferation and oxidative stress in mouse liver are independent of NADPH oxidase. Toxicol Sci. 98: 366-374. <http://dx.doi.org/10.1093/toxsci/kfm104>.
- Woods, CG; Heuvel, JPV; Rusyn, I. (2007). Genomic profiling in nuclear receptor-mediated toxicity [Review]. Toxicol Pathol. 35: 474-494. <http://dx.doi.org/10.1080/01926230701311351>.
- Woolf, B. (1955). On estimating the relation between blood group and disease. Ann Hum Genet. 19: 251-253. <http://dx.doi.org/10.1111/j.1469-1809.1955.tb01348.x>.
- Wormuth, M; Demou, E; Scheringer, M; Hungerbuehler, K. (2007). Assessments of direct human exposure - the approach of EU risk assessments compared to scenario-based risk assessment. Risk Anal. 27: 979-990. <http://dx.doi.org/10.1111/j.1539-6924.2007.00936.x>.
- Wosman, A; Lu, Y; Sun, S; Liu, X; Wan, C; Zhang, Y; Lee, DJ; Tay, J. (2016). Effect of operational strategies on activated sludge's acclimation to phenol, subsequent aerobic granulation, and accumulation of polyhydroxyalkanoates. J Hazard Mater. 317: 221-228. <http://dx.doi.org/10.1016/j.jhazmat.2016.05.074>.
- Wright, NP. (2002). CTR or TBR - That is the question. 41: 56-+.
- Wright, RS; Kong, EJ; Bahner, MA; Clayton, CA; Nunez, CM; Ramsey, GH. (1999). Comparison of analytical techniques for measuring hydrocarbon emissions from the manufacture of fiberglass-reinforced plastics. J Air Waste Manag Assoc. 49: 1110-1115.
- Wrzyszczyk, J; Zawadzki, M; Trawczynski, J; Grabowska, H; Mista, W. (2001). Some catalytic properties of hydrothermally synthesised zinc aluminate spinel. Appl Catal A-Gen. 210: 263-269.
- Wu, B; Li, Y; Li, X; Zhu, J. (2015). Distribution and Identification of Chlorides in Distillates from YS Crude Oil. Energy Fuels. 29: 1391-1396. <http://dx.doi.org/10.1021/ef502450w>.
- Wu, CD; Wang, L; Hu, CX; He, MH. (2013). Single-solute and bisolute sorption of phenol and trichloroethylene from aqueous solution onto modified montmorillonite and application of sorption models. Water Sci Technol. 67: 152-158. <http://dx.doi.org/10.2166/wst.2012.488>.
- Wu, CY; Wu, P, uWei; Lin, P. (2010). Evaluation on carbon nanocapsules for supercapacitors using a titanium cavity electrode. J Power Sources. 195: 5122-5129. <http://dx.doi.org/10.1016/j.jpowsour.2010.02.053>.
- Wu, D; Wang, Z; Wang, HW, u; Fan, J; Ma, L, uM. (2009). EFFECT OF Cu ON THE REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN WATER BY SCRAP-IRON. Fresen Environ Bull. 18: 423-428.
- Wu, H; Ramanna, MS; Arens, P; van Tuyl, JM. (2011). Genome constitution of Narcissus variety, 'Tte-A -Tte', analysed through GISH and NBS profiling. Euphytica. 181: 285-292. <http://dx.doi.org/10.1007/s10681-011-0438-6>.
- Wu, H, aoY; Saikia, D; Chao, HY, u; Pan, Y, uChi; Fang, J; Tsai, L, iD; Fey, GTK; Kao, HM. (2013). Synthesis and characterization of highly conductive plasticized double core organic-inorganic hybrid electrolytes for lithium polymer batteries. J Power Sources. 238: 265-273. <http://dx.doi.org/10.1016/j.jpowsour.2013.03.097>.
- Wu, J; Yi, Y; Li, Y; Fang, Z; Tsang, EP. (2016). Excellently reactive Ni/Fe bimetallic catalyst supported by biochar for the remediation of decabromodiphenyl contaminated soil: Reactivity, mechanism, pathways and reducing secondary risks. J Hazard Mater. 320: 341-349. <http://dx.doi.org/10.1016/j.jhazmat.2016.08.049>.
- Wu, JF; Hung, CH; Yuan, CS. (2005). Kinetic modeling of promotion and inhibition of temperature on photocatalytic degradation of benzene vapor. J Photochem Photobiol A. 170: 299-306. <http://dx.doi.org/10.1016/j.jphotochem.2004.07.020>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wu, KL; Berger, T. (2008). Reduction in rat oocyte fertilizability mediated by S-(1, 2-dichlorovinyl)-L-cysteine: a trichloroethylene metabolite produced by the glutathione conjugation pathway. *Bull Environ Contam Toxicol.* 81: 490-493. <http://dx.doi.org/10.1007/s00128-008-9509-3>.
- Wu, KL, in; Yu, R, ui; Li, XZ, i; Wei, XW, en. (2012). Dendritic and flowerlike Ni-Co alloy microstructures: a comparison study of their catalytic activities. *Micro and Nano Letters.* 7: 1041-1045. <http://dx.doi.org/10.1049/mnl.2012.0689>.
- Wu, L; Liao, L; Lv, G; Qin, F. (2015). Stability and pH-independence of nano-zero-valent iron intercalated montmorillonite and its application on Cr(VI) removal. *J Contam Hydrol.* 179: 1-9. <http://dx.doi.org/10.1016/j.jconhyd.2015.05.001>.
- Wu, L; Ma, Z; He, A; Wang, J. (2009). Decomposition of silicon tetrachloride by microwave plasma jet at atmospheric pressure. *Inorg Mater.* 45: 1403-1407. <http://dx.doi.org/10.1134/S0020168509120188>.
- Wu, L; Ma, Z; He, A; Wang, J. (2010). Studies on destruction of silicon tetrachloride using microwave plasma jet. *J Hazard Mater.* 173: 305-309. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.095>.
- Wu, L; Ritchie, SM. (2006). Removal of trichloroethylene from water by cellulose acetate supported bimetallic Ni/Fe nanoparticles. *Chemosphere.* 63: 285-292. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.021>.
- Wu, L; Ritchie, SMC. (2008). Enhanced dechlorination of trichloroethylene by membrane-supported Pd-coated iron nanoparticles. *Environmental Progress.* 27: 218-224. <http://dx.doi.org/10.1002/ep.10277>.
- Wu, L; Shamsuzzoha, M; Ritchie, SMC. (2005). Preparation of cellulose acetate supported zero-valent iron nanoparticles for the dechlorination of trichloroethylene in water. *J Nanopart Res.* 7: 469-476. <http://dx.doi.org/10.1007/s11051-005-4271-5>.
- Wu, M; Wang, X; Dai, Q; Gu, Y; Li, D. (2010). Low temperature catalytic combustion of chlorobenzene over Mn-Ce-O/gamma-Al(2)O(3) mixed oxides catalyst. *Catalysis Today.* 158: 336-342. <http://dx.doi.org/10.1016/j.cattod.2010.04.006>.
- Wu, MY; Smits, KM; Goltz, MN; Christ, JA. (2008). A Screening Model for Injection-Extraction Treatment Well Recirculation System Design. *Ground Water Monitoring and Remediation.* 28: 63-71. <http://dx.doi.org/10.1111/j.1745-6592.2008.00212.x>.
- Wu, T; Bhanegaonkar, AJ; Flowers, JW. (2006). Blood concentrations of selected volatile organic compounds and neurobehavioral performance in a population-based sample. *Arch Environ Occup Health.* 61: 17-25. <http://dx.doi.org/10.3200/AEOH.61.1.17-25>.
- Wu, W; Shi, J; Hickey, RF. (2008). Long-term performance of co-metabolic degradation of trichloroethylene in a fluidized bed reactor fed with benzene, toluene and xylene. *J Chem Tech Biotechnol.* 83: 513-523.
- Wu, WJ; Delshad, M; Oolman, T; Pope, GA. (2000). Remedial options for creosote-contaminated sites. *Ground Water Monitoring and Remediation.* 20: 78-86.
- Wu, WM; Carley, J; Fienen, M; Mehlhorn, T; Lowe, K; Nyman, J; Luo, J; Gentile, ME; Rajan, R; Wagner, D; Hickey, RF; Gu, B; Watson, D; Cirpka, OA; Kitanidis, PK; Jardine, PM; Criddle, CS. (2006). Pilot-scale in situ bioremediation of uranium in a highly contaminated aquifer. 1. Conditioning of a treatment zone. *Environ Sci Technol.* 40: 3978-3985. <http://dx.doi.org/10.1021/es051954y>.
- Wu, WM; Nye, J; Jain, MK; Hickey, RF. (1998). Anaerobic dechlorination of trichloroethylene (TCE) to ethylene using complex organic materials. *Water Res.* 32: 1445-1454.
- Wu, X; Alshwabkeh, AN; Gent, DB; Larson, SL; Davis, JL. (2007). Lactate transport in soil by DC fields. *Journal of Geotechnical and Geoenvironmental Engineering.* 133: 1587-1596. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2007\)133:12\(1587\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2007)133:12(1587)).
- Wu, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Zang, X; Miao, Z; Xu, M. (2015). Strong enhancement of trichloroethylene degradation in ferrous ion activated persulfate system by promoting ferric and ferrous ion cycles with hydroxylamine. *Separation and Purification Technology.* 147: 186-193. <http://dx.doi.org/10.1016/j.seppur.2015.04.031>.
- Wu, X; Gu, X; Lu, S; Xu, M; Zang, X; Miao, Z; Qiu, Z; Sui, Q. (2014). Degradation of trichloroethylene in aqueous solution by persulfate activated with citric acid chelated ferrous ion. *Chem Eng J.* 255: 585-592. <http://dx.doi.org/10.1016/j.cej.2014.06.085>.
- Wu, X; Lu, S; Qiu, Z; Sui, Q; Lin, K; Du, X; Luo, Q. (2014). The reductive degradation of 1,1,1-trichloroethane by Fe(0) in a soil slurry system. *Environ Sci Pollut Res Int.* 21: 1401-1410. <http://dx.doi.org/10.1007/s11356-013-2029-7>.
- Wu, X; Yang, Q, i; Xu, D; Zhong, Y, u; Luo, K, un; Li, X; Chen, H; Zeng, G. (2013). Simultaneous Adsorption/Reduction of Bromate by Nanoscale Zerovalent Iron Supported on Modified Activated Carbon. *Ind Eng Chem Res.* 52: 12574-12581. <http://dx.doi.org/10.1021/ie4009524>.
- Wu, XH; Shan, Z; Lu, XH. (2003). Study on the ultrasonic degradation of black liquor. *Fresen Environ Bull.* 12: 1083-1086.
- Wu, XZ; Chen, D. (2006). Origin of hepatocellular carcinoma: Role of stem cells [Review]. *J Gastroenterol Hepatol.* 21: 1093-1098. <http://dx.doi.org/10.1111/j.1440-1746.2006.04485.x>.
- Wu, Y; Wang, SC; Jin, MR; Yang, XY. (2001). Poly(acrylate-co-acrylic acid)/polysulfone composite membranes for pervaporation of volatile organic compounds from water. *Separation Science and Technology.* 36: 3529-3540.
- Wu, YPG; Lin, YF. (2004). The oxidation of trichloroethene with methane: Experiment and kinetic modeling. *Combust Flame.* 137: 376-402. <http://dx.doi.org/10.1016/j.combustflame.2004.03.002>.
- Wu, Z; Zhang, M; Zhao, Z; Li, W; Tao, K. (2008). Synthesis of a Pd on Ni-B nanoparticle catalyst by the replacement reaction method for hydrodechlorination. *J Catal.* 256: 323-330. <http://dx.doi.org/10.1016/j.jcat.2008.03.026>.
- Wuebbles, DJ; Patten, KO; Wang, D; Youn, D; Martinez-Aviles, M; Francisco, JS. (2011). Three-dimensional model evaluation of the Ozone Depletion Potentials for n-propyl bromide, trichloroethylene and perchloroethylene. *Atmos Chem Phys.* 11: 2371-2380. <http://dx.doi.org/10.5194/acp-11-2371-2011>.
- Wust, WF; Kober, R; Schlicker, O; Dahmke, A. (1999). Combined zero- and first-order kinetic model of the degradation of TCE and cis-DCE with commercial iron. *Environ Sci Technol.* 33: 4304-4309.
- Wycisk, P; Neumann, C; Gossel, W. (2005). Flooding induced effects from the mining Lake Goitzsche on groundwater and land-use in the Bitterfeld area. *Acta Hydrochim Hydrobiol.* 33: 507-518. <http://dx.doi.org/10.1002/ahch.200400594>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Xiao, G; Xu, W; Wu, R; Ni, M; Du, C; Gao, X; Luo, Z; Cen, K. (2014). Non-Thermal Plasmas for VOCs Abatement. *Plasma Chemistry and Plasma Processing*. 34: 1033-1065. <http://dx.doi.org/10.1007/s11090-014-9562-0>.
- Xiao, H; Chang-Fa, X; Jian, Z; Yan, F; Nai-Ku, X. (2013). Preparation of PLMA/PU Blend Fiber and Its Absorption Properties. *Chem J Chin Univ-Chin*. 34: 1985-1992. <http://dx.doi.org/10.7503/cjcu20130222>.
- Xiao, HK; Levine, SP; D'Arcy, JB; Kinnes, G; Almaguer, D. (1990). Comparison of the Fourier transform infrared (FTIR) spectrophotometer and the Miniature Infrared Analyzer (MIRAN) for the determination of trichloroethylene (TCE) in the presence of Freon-113 in workplace air. *Am Ind Hyg Assoc J*. 51: 395-401. <http://dx.doi.org/10.1080/15298669091369844>.
- Xiao, HK; Levine, SP; Kinnes, G; Almaguer, D. (1990). Evaluation of the Fourier transform infrared (FTIR) spectrophotometer for analysis of trichloroethylene (TCE) in the presence of Freon-113 in carbon disulfide eluates of charcoal air sampling tubes. *Am Ind Hyg Assoc J*. 51: 402-404. <http://dx.doi.org/10.1080/15298669091369853>.
- Xiao, J; Lu, Z; Li, Y. (2015). Carboxymethylcellulose-Supported Palladium Nanoparticles Generated in Situ from Palladium(II) Carboxymethylcellulose: An Efficient and Reusable Catalyst for Suzuki-Miyaura and Mizoroki-Heck Reactions. *Ind Eng Chem Res*. 54: 790-797. <http://dx.doi.org/10.1021/ie503075d>.
- Xiao, J; Yue, Q; Gao, B; Sun, Y; Kong, J; Gao, Y; Li, Q; Wang, Y, an. (2014). Performance of activated carbon/nanoscale zero-valent iron for removal of trihalomethanes (THMs) at infinitesimal concentration in drinking water. *Chem Eng J*. 253: 63-72. <http://dx.doi.org/10.1016/j.cej.2014.05.030>.
- Xiao, S; Moresoli, C; Burczyk, A; Pintauro, P; De Kee, D. (1999). Transport of organic contaminants in geomembranes under stress. *J Environ Eng*. 125: 647-652.
- Xiao, S; Shen, M; Guo, R, ui; Huang, Q; Wang, S; Shi, X. (2010). Fabrication of multiwalled carbon nanotube-reinforced electrospun polymer nanofibers containing zero-valent iron nanoparticles for environmental applications. *J Mater Chem*. 20: 5700-5708. <http://dx.doi.org/10.1039/c0jm00368a>.
- Xiao, S; Shen, M; Guo, R, ui; Wang, S; Shi, X. (2009). Immobilization of Zerovalent Iron Nanoparticles into Electrospun Polymer Nanofibers: Synthesis, Characterization, and Potential Environmental Applications. *J Phys Chem C*. 113: 18062-18068. <http://dx.doi.org/10.1021/jp905542g>.
- Xiao, S; Shen, M; Ma, H, ui; Fang, X, u; Huang, Q; Weber, WJ, Jr; Shi, X. (2011). Manipulation of the Loading and Size of Zero-Valent Iron Nanoparticles Immobilized in Electrospun Polymer Nanofibers. *J Nanosci Nanotechnol*. 11: 5089-5097. <http://dx.doi.org/10.1166/jnn.2011.4162>.
- Xiao, X; Sheng, G; Mu, Y; Yu, H. (2013). A modeling approach to describe ZVI-based anaerobic system. *Water Res*. 47: 6007-6013. <http://dx.doi.org/10.1016/j.watres.2013.07.025>.
- Xiao, Z, hiX; Luo, K, unYu. (2015). Improved delayed detached-eddy simulation of massive separation around triple cylinders. *Acta Mechanica Sinica*. 31: 799-816. <http://dx.doi.org/10.1007/s10409-015-0445-2>.
- Xie, C; Xu, ZL; Yang, QJ; Li, N; Zhao, DF; Wang, DB; Du, YG. (2004). Comparative studies of heterogeneous photocatalytic oxidation of heptane and toluene on pure titania, titania-silica mixed oxides and sulfated titania. *J Mol Catal Chem*. 217: 193-201. <http://dx.doi.org/10.1016/j.molcata.2004.03.033>.
- Xie, C; Xu, ZL; Yang, QJ; Xue, BY; Du, YG; Zhang, JH. (2004). Enhanced photocatalytic activity of titania-silica mixed oxide prepared via basic hydrolyzation. *Mater Sci Eng B*. 112: 34-41. <http://dx.doi.org/10.1016/j.mseb.2004.05.011>.
- Xie, F, ei; Lu, Q; de Toledo, RA; Shim, H. (2016). Enhanced simultaneous removal of MTBE and TCE mixture by *Paracoccus* sp immobilized on waste silica gel. *Int Biodeterior Biodegradation*. 114: 222-227. <http://dx.doi.org/10.1016/j.ibiod.2016.07.003>.
- Xie, H; Jiang, Y; Zhang, C; Feng, S; Qiu, Z. (2015). Steady-state analytical models for performance assessment of landfill composite liners. *Environ Sci Pollut Res Int*. 22: 12198-12214. <http://dx.doi.org/10.1007/s11356-015-4200-9>.
- Xie, J; Hui, F; Rosset, R. (1996). Determination of triethylamine content in trichloroethylene by acid-base titration and open-tubular column gas chromatography. *Analisis*. 24: 214-216.
- Xie, S; Yuan, S; Liao, P; Jia, M; Wang, Y, in. (2015). Pd-catalytic hydrodechlorination of chlorinated hydrocarbons in groundwater using H-2 produced by a dual-anode system. *Water Res*. 86: 74-81. <http://dx.doi.org/10.1016/j.watres.2015.07.026>.
- Xie, SM; Wan, PY; Feitz, AJ; Guan, J; Yang, XB; Liu, XG. (2004). Dechlorination of chlorinated aliphatic compounds by micro-scale Al-Zn-Mg/Fe powders as advanced zero-valent iron. *Chinese Journal of Chemical Engineering*. 12: 716-718.
- Xie, W; Yuan, S; Mao, X; Hu, W, ei; Liao, P; Tong, M, an; Alshaulabkeh, AN. (2013). Electrochemical activity of Pd-loaded Ti/TiO₂ nanotubes cathode for TCE reduction in groundwater. *Water Res*. 47: 3573-3582. <http://dx.doi.org/10.1016/j.watres.2013.04.004>.
- Xie, Y; Cwiertny, DM. (2010). Use of dithionite to extend the reactive lifetime of nanoscale zero-valent iron treatment systems. *Environ Sci Technol*. 44: 8649-8655. <http://dx.doi.org/10.1021/es102451t>.
- Xie, Y; Cwiertny, DM. (2012). Influence of anionic cosolutes and pH on nanoscale zerovalent iron longevity: time scales and mechanisms of reactivity loss toward 1,1,1,2-tetrachloroethane and Cr(VI). *Environ Sci Technol*. 46: 8365-8373. <http://dx.doi.org/10.1021/es301753u>.
- Xie, Y; Cwiertny, DM. (2013). Chlorinated Solvent Transformation by Palladized Zerovalent Iron: Mechanistic Insights from Reductant Loading Studies and Solvent Kinetic Isotope Effects. *Environ Sci Technol*. 47: 7940-7948. <http://dx.doi.org/10.1021/es401481a>.
- Xie, Y, i; Li, Y; Zhao, X. (2007). Low-temperature preparation and visible-light-induced catalytic activity of anatase F-N-codoped TiO₂. *J Mol Catal Chem*. 277: 119-126. <http://dx.doi.org/10.1016/j.molcata.2007.07.031>.
- Xie, Z; Chen, L; Sun, F; Ye, Q. (2009). A NOVEL PLASMA REACTOR FOR TOLUENE DECOMPOSITION IN CONTAMINATED AIR FLOW. *Environmental Engineering and Management Journal*. 8: 207-212.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Xin, G; Zhang, G; Kang, J, unWon; Staley, JT; Doty, SL. (2009). A diazotrophic, indole-3-acetic acid-producing endophyte from wild cottonwood. *Biol Fertil Soils*. 45: 669-674. <http://dx.doi.org/10.1007/s00374-009-0377-8>.
- Xin, J; Han, J; Zheng, X; Shao, H; Kolditz, O. (2015). Mechanism insights into enhanced trichloroethylene removal using xanthan gum-modified microscale zero-valent iron particles. *J Environ Manage*. 150: 420-426. <http://dx.doi.org/10.1016/j.jenvman.2014.12.022>.
- Xin, J; Tang, F; Zheng, X; Shao, H; Kolditz, O; Lu, X. (2016). Distinct kinetics and mechanisms of mZVI particles aging in saline and fresh groundwater: H₂ evolution and surface passivation. *Water Res*. 100: 80-87. <http://dx.doi.org/10.1016/j.watres.2016.04.074>.
- Xin, J, ia; Zheng, X; Han, J, un; Shao, H; Kolditz, O. (2015). Remediation of trichloroethylene by xanthan gum-coated microscale zero valent iron (XG-mZVI) in groundwater: Effects of geochemical constituents. *Chem Eng J*. 271: 164-172. <http://dx.doi.org/10.1016/j.cej.2015.02.092>.
- Xin-De, C; Wen-Ting, D; Jia-Yi, W; Rong-Fei, L; Yang, G; Zi-Jiang, Y. (2012). Effective Treatment of Trichloroethylene-Contaminated Soil by Hydrogen Peroxide in Soil Slurries. *Pedosphere*. 22: 572-579.
- Xing, BS. (2000). Processing environmental samples containing organic chemicals using polymeric microfilters. *J Environ Qual*. 29: 221-224.
- Xing, BS; Pignatello, JJ; Gigliotti, B. (1996). Competitive sorption between atrazine and other organic compounds in soils and model sorbents. *Environ Sci Technol*. 30: 2432-2440.
- Xing, X, inHui; Wu, H, ao; Luo, MF; Wang, BP. (2006). Effects of organic chemicals on growth of *Methylosinus trichosporium* OB3b. *Biochem Eng J*. 31: 113-117. <http://dx.doi.org/10.1016/j.bej.2006.06.001>.
- Xing, YN; Guo, Y; Xie, M; Shen, RL; Zeng, EY. (2009). Detection of DDT and its metabolites in two estuaries of South China using a SPME-based device: first report of p,p'-DDMU in water column. *Environ Pollut*. 157: 1382-1387. <http://dx.doi.org/10.1016/j.envpol.2008.11.034>.
- Xingyi, W; Qian, K; Dao, L. (2009). Catalytic combustion of chlorobenzene over MnO_x-CeO₂ mixed oxide catalysts. *Appl Catal B-Environ*. 86: 166-175. <http://dx.doi.org/10.1016/j.apcatb.2008.08.009>.
- Xingyi, W; Qiguang, D; Yi, Z. (2006). Low-temperature catalytic combustion of trichloroethylene over La, Ce, and Pt catalysts supported on MCM-41. *Chinese journal of catalysis*. 27: 468-470.
- Xiong, H; Zhou, Q. (2012). Cellular and molecular damage of *Phanerochaete chrysosporium* by the oxidation hair dyes. *Environ Sci Pollut Res Int*. 19: 2172-2178. <http://dx.doi.org/10.1007/s11356-011-0717-8>.
- Xiong, J; Lock, H; I-S, C; Keeler, C; Maciel, GE. (1999). Local motions of organic pollutants in soil components, as studied by 2H NMR. *Environ Sci Technol*. 33: 2224-2233.
- Xiong, Z; Zhao, D; Pan, G. (2007). Rapid and complete destruction of perchlorate in water and ion-exchange brine using stabilized zero-valent iron nanoparticles. *Water Res*. 41: 3497-3505. <http://dx.doi.org/10.1016/j.watres.2007.05.049>.
- Xiu, ZM; Gregory, KB; Lowry, GV; Alvarez, PJJ. (2010). Effect of Bare and Coated Nanoscale Zerovalent Iron on tceA and vcrA Gene Expression in *Dehalococcoides* spp. *Environ Sci Technol*. 44: 7647-7651. <http://dx.doi.org/10.1021/es101786y>.
- Xiu, ZM; Jin, Z; Li, T; Mahendra, S; Lowry, GV; Alvarez, PJJ. (2010). Effects of nano-scale zero-valent iron particles on a mixed culture dechlorinating trichloroethylene. *Bioresour Technol*. 101: 1141-1146. <http://dx.doi.org/10.1016/j.biortech.2009.09.057>.
- Xu, F; Deng, S; Xu, J, ie; Zhang, W; Wu, M, in; Wang, B, in; Huang, J, un; Yu, G. (2012). Highly Active and Stable Ni-Fe Bimetal Prepared by Ball Milling for Catalytic Hydrodechlorination of 4-Chlorophenol. *Environ Sci Technol*. 46: 4576-4582. <http://dx.doi.org/10.1021/es203876e>.
- Xu, G; Gao, Y; Shiue, A; Ma, CM; Chang, CT. (2011). Vapor Photocatalytic Degradation Characteristics of Acetone and Dichloromethane Using TiO₂ Nanotube in Indoor Environment. *Nanoscience and Nanotechnology Letters*. 3: 778-783. <http://dx.doi.org/10.1166/nnl.2011.1261>.
- Xu, H; Lu, S; Ren, L. (2016). A novel synthetic route to freely adjust the crystal structures of Ni-P compounds. 3. <http://dx.doi.org/10.1088/2053-1591/3/10/105010>.
- Xu, HW; Bo, YJ; Tong, CM; Yan, Y; Feng, ZG; Fei, YX; Liang, Y; Hu, RX; Yan, HH; Li, Z; Feng, HX; Xiong, ZZ; Jun, LJ. (2013). Trichloroethylene Induces Biphasic Concentration-dependent Changes in Cell Proliferation and the Expression of SET-Associated Proteins in Human Hepatic L-02 Cells [Letter]. *Biomed Environ Sci*. 26: 618-621. <http://dx.doi.org/10.3967/0895-3988.2013.07.016>.
- Xu, J; Bhattacharyya, D. (2005). Membrane-based bimetallic nanoparticles for environmental remediation: Synthesis and reactive properties. *Environmental Progress*. 24: 358-366. <http://dx.doi.org/10.1002/ep.10106>.
- Xu, J; Bhattacharyya, D. (2007). Fe/Pd nanoparticle immobilization in microfiltration membrane pores: Synthesis, characterization, and application in the dechlorination of polychlorinated biphenyls. *Ind Eng Chem Res*. 46: 2348-2359. <http://dx.doi.org/10.1021/ie0611498>.
- Xu, J; Cao, Z; Liu, X; Zhao, H; Xiao, X; Wu, J; Xu, X; Zhou, JL. (2016). Preparation of functionalized Pd/Fe-Fe₃O₄@MWCNTs nanomaterials for aqueous 2,4-dichlorophenol removal: Interactions, influence factors, and kinetics. *J Hazard Mater*. 317: 656-666. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.063>.
- Xu, J; Dozier, A; Bhattacharyya, D. (2005). Synthesis of nanoscale bimetallic particles in polyelectrolyte membrane matrix for reductive transformation of halogenated organic compounds. *J Nanopart Res*. 7: 449-467. <http://dx.doi.org/10.1007/s11051-005-4273-3>.
- Xu, J; Liu, X; Lowry, GV; Cao, Z; Zhao, H; Zhou, JL; Xu, X. (2016). Dechlorination Mechanism of 2,4-Dichlorophenol by Magnetic MWCNTs Supported Pd/Fe Nanohybrids: Rapid Adsorption, Gradual Dechlorination, and Desorption of Phenol. 8: 7333-7342. <http://dx.doi.org/10.1021/acsami.5b11859>.
- Xu, JP; Lai, PT; Wu, HP; Chan, CL. (2005). Effects of chlorine on interfacial properties and reliability of SiO₂ grown on 6H-SiC. *Applied Physics A: Materials Science and Processing*. 81: 173-176. <http://dx.doi.org/10.1007/s00339-004-2882-9>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Xu, M; Du, H; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Generation and intensity of active oxygen species in thermally activated persulfate systems for the degradation of trichloroethylene. *RSC Advances*. 4: 40511-40517. <http://dx.doi.org/10.1039/c4ra04942j>.
- Xu, N; Vandegrift, S; Sewell, GW. (1996). Determination of chloroethenes in environmental biological samples using gas chromatography coupled with solid phase micro extraction. *Chromatographia*. 42: 313-317.
- Xu, N; Xiao, C. (2010). Swelling and crystallization behaviors of absorptive functional fiber based on butyl methacrylate/hydroxyethyl methacrylate copolymer. *Journal of Materials Science*. 45: 98-105. <http://dx.doi.org/10.1007/s10853-009-3897-6>.
- Xu, Q; Song, T; Cui, W; Liu, Y; Xu, W; Lee, ST; Sun, B. (2015). Solution-processed highly conductive PEDOT:PSS/AgNW/GO transparent film for efficient organic-Si hybrid solar cells. 7: 3272-3279. <http://dx.doi.org/10.1021/am508006q>.
- Xu, W; Adler, I. (1990). Clastogenic effects of known and suspect spindle poisons studied by chromosome analysis in mouse bone marrow cells. *Mutagenesis*. 5: 371-374.
- Xu, W; Guo, C; Rhee, S, hiWoo. (2013). High performance organic field-effect transistors using cyanoethyl pullulan (CEP) high-k polymer cross-linked with trimethylolpropane triglycidyl ether (TTE) at low temperatures. 1: 3955-3960. <http://dx.doi.org/10.1039/c3tc30134f>.
- Xu, WY; Gao, TY; Fan, JH. (2005). Reduction of nitrobenzene by the catalyzed Fe-Cu process. *J Hazard Mater*. 123: 232-241. <http://dx.doi.org/10.1016/j.jhazmat.2005.04.011>.
- Xu, WZ; Raftery, D. (2001). In situ solid-state nuclear magnetic resonance studies of acetone photocatalytic oxidation on titanium oxide surfaces. *J Catal*. 204: 110-117. <http://dx.doi.org/10.1006/jcat.2001.3380>.
- Xu, WZ; Raftery, D. (2001). Photocatalytic oxidation of 2-propanol on TiO₂ powder and TiO₂ monolayer catalysts studied by solid-state NMR. *J Phys Chem B*. 105: 4343-4349. <http://dx.doi.org/10.1021/jp004381e>.
- Xu, X; Thomson, NR. (2009). A long-term bench-scale investigation of permanganate consumption by aquifer materials. *J Contam Hydrol*. 110: 73-86. <http://dx.doi.org/10.1016/j.jconhyd.2009.09.001>.
- Xu, X; Thomson, NR. (2010). Hydrogen Peroxide Persistence in the Presence of Aquifer Materials. *Soil Sediment Contam*. 19: 602-616. <http://dx.doi.org/10.1080/15320383.2010.499924>.
- Xu, X; Wang, Q; Choi, H; Kim, YH, a. (2010). Encapsulation of iron nanoparticles with PVP nanofibrous membranes to maintain their catalytic activity. *J Memb Sci*. 348: 231-237. <http://dx.doi.org/10.1016/j.memsci.2009.11.006>.
- Xu, X; Weisel, CP. (2003). Inhalation exposure to haloacetic acids and haloketones during showering. *Environ Sci Technol*. 37: 569-576. <http://dx.doi.org/10.1021/es025747>.
- Xu, XH; Zhou, HY; Wang, DH. (2005). Structure relationship for catalytic dechlorination rate of dichlorobenzenes in water. *Chemosphere*. 58: 1497-1502. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.071>.
- Xu, Y, an; He, Y, an; Zhang, Q; Xu, J; Crowley, D. (2015). Coupling between Pentachlorophenol Dechlorination and Soil Redox As Revealed by Stable Carbon Isotope, Microbial Community Structure, and Biogeochemical Data. *Environ Sci Technol*. 49: 5425-5433. <http://dx.doi.org/10.1021/es505040c>.
- Xu, Z; Wu, Y; Yu, F, ei. (2012). A Three-Dimensional Flow and Transport Modeling of an Aquifer Contaminated by Perchloroethylene Subject to Multi-PRB Remediation. *Transport in Porous Media*. 91: 319-337. <http://dx.doi.org/10.1007/s11242-011-9847-1>.
- Xue, G; Liu, H; Chen, Q; Hills, C; Tyrer, M; Innocent, F. (2011). Synergy between surface adsorption and photocatalysis during degradation of humic acid on TiO₂/activated carbon composites. *J Hazard Mater*. 186: 765-772. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.063>.
- Xue, Y; Gu, X; Lu, S; Miao, Z; Brusseau, ML; Xu, M; Fu, X; Zhang, X; Qiu, Z; Sui, Q. (2016). The destruction of benzene by calcium peroxide activated with Fe(II) in water. *Chem Eng J*. 302: 187-193. <http://dx.doi.org/10.1016/j.cej.2016.05.016>.
- Yabusaki, S; Cantrell, K; Sass, B; Steefel, C. (2001). Multicomponent reactive transport in an in situ zero-valent iron cell. *Environ Sci Technol*. 35: 1493-1503.
- Yadav, JS; Bethea, C; Reddy, CA. (2000). Mineralization of trichloroethylene (TCE) by the white rot fungus *Phanerochaete chrysosporium*. *Bull Environ Contam Toxicol*. 65: 28-34.
- Yadava, L; Verma, R; Singh, RS. (2012). Detection and sensing mechanism of acetone with modeling using Pd/TiO₂/Si structure. *Thin Solid Films*. 520: 3039-3042. <http://dx.doi.org/10.1016/j.tsf.2011.10.158>.
- Yager, RM; Bilotta, SE; Mann, CL; Madsen, EL. (1997). Metabolic adaptation and in situ attenuation of chlorinated ethenes by naturally occurring microorganisms in a fractured dolomite aquifer near Niagara Falls, New York. *Environ Sci Technol*. 31: 3138-3147.
- Yagi, O; Uchiyama, H; Iwasaki, K. (1992). BIODEGRADATION RATE OF CHLOROETHYLENE IN SOIL ENVIRONMENT. *Water Sci Technol*. 25: 419-424.
- Yamaguchi, SI; Iwaizumi, T; Mitsui, Y; Tsuda, S. (1998). Decomposition of gaseous Trichloroethylene (TCE) by ultraviolet irradiation. *Combust Sci Tech*. 133: 107-115.
- Yamaguchi, T; Suzuki, T; Kai, T; Nakao, S. (2001). Hollow-fiber-type pore-filling membranes made by plasma-graft polymerization for the removal of chlorinated organics from water. *J Memb Sci*. 194: 217-228.
- Yamaguchi, T; Yamahara, S; Nakao, S; Kimura, SJ. (1994). PREPARATION OF PERVAPORATION MEMBRANES FOR REMOVAL OF DISSOLVED ORGANICS FROM WATER BY PLASMA-GRAFT FILLING POLYMERIZATION. *J Memb Sci*. 95: 39-49.
- Yamamoto, H; Heyamoto, N; Yatsuhashi, T; Matsui, T; Takami, Y; Shibata, J. (2003). Adsorption removal of organic chlorine and bromine compounds from water using temperature-sensitive polymer hydrogel with temperature swing. *Kagaku Kogaku Ronbunshu*. 29: 395-399.
- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut*. 95: 135-143. [http://dx.doi.org/10.1016/S0269-7491\(96\)00100-5](http://dx.doi.org/10.1016/S0269-7491(96)00100-5).
- Yamamoto, K; Fukushima, M; Kakutani, N; Tsuruho, K. (2001). Contamination of vinyl chloride in shallow urban rivers in Osaka, Japan. *Water Res*. 35: 561-566.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yamamoto, N; Okayasu, H; Murayama, S; Mori, S; Hunahashi, K; Suzuki, K. (2000). Measurement of volatile organic compounds in the urban atmosphere of Yokohama, Japan, by an automated gas chromatographic system. *Atmos Environ.* 34: 4441-4446.
- Yamamoto, T; Futamura, S. (1998). Nonthermal plasma processing for controlling volatile organic compounds. *Combust Sci Tech.* 133: 117-133.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on molecular sieve 13X. *Environ Sci Technol.* 35: 2122-2127.
- Yamasaki, S; Nomura, N; Nakajima, T; Uchiyama, H. (2012). Cultivation-independent identification of candidate dehalorespiring bacteria in tetrachloroethylene degradation. *Environ Sci Technol.* 46: 7709-7716. <http://dx.doi.org/10.1021/es301288y>.
- Yamasaki, T; Oki, N; Okuno, T. (1992). CYCLE OF HALOCARBONS IN THE AIR-WATER PHASE (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11338). Yamasaki, T; Oki, N; Okuno, T.
- Yamazaki, H; Yamaguchi, T; Yamauchi, A; Kakiuchi, Y. (1992). Effect of halocarbons and styrene on thrombin and calcium ionophore induced activation of rabbit platelets. *Chemosphere.* 25: 665-673. [http://dx.doi.org/10.1016/0045-6535\(92\)90429-U](http://dx.doi.org/10.1016/0045-6535(92)90429-U).
- Yamazaki, S; Abe, H; Tanimura, T; Yamasaki, Y; Kanaori, K; Tajima, K. (2009). Effect of thermal treatment on the photocatalytic degradation of ethylene, trichloroethylene, and chloroform. *Res Chem Intermed.* 35: 91-101. <http://dx.doi.org/10.1007/s11164-008-0001-9>.
- Yamazaki, S; Fujinaga, N; Araki, K. (2001). Effect of sulfate ions for sol-gel synthesis of titania photocatalyst. *Appl Catal A-Gen.* 210: 97-102.
- Yamazaki, S; Ichikawa, K; Saeki, A; Tanimura, T; Adachi, K. (2010). Photocatalytic Degradation of Chlorinated Ethanes in the Gas Phase on the Porous TiO₂ Pellets: Effect of Surface Acidity. *J Phys Chem A.* 114: 5092-5098. <http://dx.doi.org/10.1021/jp911842t>.
- Yamazaki, S; Matsunaga, S; Hori, K. (2001). Photocatalytic degradation of trichloroethylene in water using TiO₂ pellets. *Water Res.* 35: 1022-1028.
- Yamazaki, S; Tanaka, S; Tsukamoto, H. (1999). Kinetic studies of oxidation of ethylene over a TiO₂ photocatalyst. *J Photochem Photobiol A.* 121: 55-61.
- Yamazaki, S; Tanimura, T; Yoshida, A; Hori, K. (2004). Reaction mechanism of photocatalytic degradation of chlorinated ethylenes on porous TiO₂ pellets: Cl radical-initiated mechanism. *J Phys Chem A.* 108: 5183-5188. <http://dx.doi.org/10.1021/jp0311310>.
- Yamazaki, S; Tsukamoto, H; Araki, K; Tanimura, T; Tejedor-Tejedor, I; Anderson, MA. (2001). Photocatalytic degradation of gaseous tetrachloroethylene on porous TiO₂ pellets. *Appl Catal B-Environ.* 33: 109-117.
- Yamazaki, S; Yamabe, N; Nagano, S; Fukuda, A. (2007). Adsorption and photocatalytic degradation of 1,4-dioxane on TiO₂. *J Photochem Photobiol A.* 185: 150-155. <http://dx.doi.org/10.1016/j.jphotochem.2006.05.024>.
- Yamazaki, S; Yoshida, A; Abe, H. (2005). Photocatalytic degradation of chloroform in the gas phase on the porous TiO₂ pellets: effect of Cl accumulated on the catalyst surface. *J Photochem Photobiol A.* 169: 191-196. <http://dx.doi.org/10.1016/j.jphotochem.2004.06.018>.
- Yan, B, in; Zhu, W; Liu, L; Liu, K, ai; Fang, G. (2015). Design of Induction Magnetometer Receiving Sensor for Through-the-Earth Communications. *IEEE Sens J.* 15: 1139-1144. <http://dx.doi.org/10.1109/JSEN.2014.2359228>.
- Yan, J; Gao, W; Dong, M; Han, L, u; Qian, L; Nathanail, CP; Chen, M. (2016). Degradation of trichloroethylene by activated persulfate using a reduced graphene oxide supported magnetite nanoparticle. *Chem Eng J.* 295: 309-316. <http://dx.doi.org/10.1016/j.cej.2016.01.085>.
- Yan, J; Han, L, u; Gao, W; Xue, S; Chen, M. (2015). Biochar supported nanoscale zerovalent iron composite used as persulfate activator for removing trichloroethylene. *Bioresour Technol.* 175: 269-274. <http://dx.doi.org/10.1016/j.biortech.2014.10.103>.
- Yan, J; Lei, M, in; Zhu, L; Anjum, MN; Zou, J; Tang, H. (2011). Degradation of sulfamonomethoxine with Fe₃O₄ magnetic nanoparticles as heterogeneous activator of persulfate. *J Hazard Mater.* 186: 1398-1404. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.017>.
- Yan, J; Zhu, L; Luo, Z; Huang, Y; Tang, H; Chen, M. (2013). Oxidative decomposition of organic pollutants by using persulfate with ferrous hydroxide colloids as efficient heterogeneous activator. *Separation and Purification Technology.* 106: 8-14. <http://dx.doi.org/10.1016/j.seppur.2012.12.012>.
- Yan, L; Deeter, V; Lalley, J; Medellin, O; Kupferle, MJ; Sorial, GA. (2014). Effects of oligomerization phenomenon on dissolved organic matter removal kinetics on novel activated carbons. *J Hazard Mater.* 278: 514-519. <http://dx.doi.org/10.1016/j.jhazmat.2014.06.042>.
- Yan, L; Fitzgerald, M; Khov, C; Schafermeyer, A, my; Kupferle, MJ; Sorial, GA. (2013). Elucidating the role of phenolic compounds in the effectiveness of DOM adsorption on novel tailored activated carbon. *J Hazard Mater.* 262: 100-105. <http://dx.doi.org/10.1016/j.jhazmat.2013.08.022>.
- Yan, L; Waynert, J; Sunderman, C. (2014). Earth Conductivity Estimation from Through-the-Earth Measurements of 94 Coal Mines Using Different Electromagnetic Models. *Applied Computational Electromagnetics Society Journal.* 29: 755-762.
- Yan, L; Waynert, JA; Sunderman, C. (2013). Measurements and Modeling of Through-the-Earth Communications for Coal Mines. *I E E E Transactions on Industry Applications.* 49. <http://dx.doi.org/10.1109/TIA.2013.2260116>.
- Yan, N, i; Liu, F, ei; Chen, Y; Brusseau, ML. (2016). Influence of Groundwater Constituents on 1,4-Dioxane Degradation by a Binary Oxidant System. *Water Air Soil Pollut.* 227: 436-436. <http://dx.doi.org/10.1007/s11270-016-3146-y>.
- Yan, N, i; Liu, F, ei; Huang, W. (2013). Interaction of oxidants in siderite catalyzed hydrogen peroxide and persulfate system using trichloroethylene as a target contaminant. *Chem Eng J.* 219: 149-154. <http://dx.doi.org/10.1016/j.cej.2012.12.072>.
- Yan, N, i; Liu, F, ei; Xue, Q; Brusseau, ML; Liu, Y; Wang, J. (2015). Degradation of trichloroethene by siderite-catalyzed hydrogen peroxide and persulfate: Investigation of reaction mechanisms and degradation products. *Chem Eng J.* 274: 61-68. <http://dx.doi.org/10.1016/j.cej.2015.03.056>.
- Yan, W; Herzing, AA; Li, XQ; Kiely, CJ; Zhang, WX. (2010). Structural evolution of Pd-doped nanoscale zero-valent iron (nZVI) in aqueous media and implications for particle aging and reactivity. *Environ Sci Technol.* 44: 4288-4294. <http://dx.doi.org/10.1021/es100051q>.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol.* 37: 3-4.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yan, YE; Schwartz, FW. (2000). Kinetics and mechanisms for TCE oxidation by permanganate. *Environ Sci Technol.* 34: 2535-2541.
- Yan, YL, i; Deng, Q; He, F, ei; Zhang, X, inQ; Liu, Y, inP. (2011). Remediation of DNAPL-contaminated aquifers using density modification method with colloidal liquid aphrons. *Colloid Surface Physicochem Eng Aspect.* 385: 219-228. <http://dx.doi.org/10.1016/j.colsurfa.2011.06.012>.
- Yan, Z; Henderson, G; James, M; Stacpoole, P. (1999). Determination of chloral hydrate metabolites in human plasma by gas chromatography-mass spectrometry. *J Pharm Biomed Anal.* 19: 309-318.
- Yang, BL; Kwok, PCK; Lai, PT. (2006). Influence of TCE concentration in thermal oxidation on reliability of SiC MOS capacitors under Fowler-Nordheim electron injection. *Microelectron Reliab.* 46: 2044-2048. <http://dx.doi.org/10.1016/j.microrel.2005.12.007>.
- Yang, BL; Lin, LM; Lo, HB; Lai, PT. (2005). Effects of TCE concentration on oxide-charge and interface properties of SiO₂ thermally grown on SiC. *Solid-State Electronics.* 49: 1223-1227. <http://dx.doi.org/10.1016/j.sse.2005.05.010>.
- Yang, BL; Lin, LM; Lo, HB; Lai, PT; Chan, CL. (2005). Kinetics of thermal oxidation of 6H silicon carbide in oxygen plus trichloroethylene. *J Electrochem Soc.* 152: G441-G444. <http://dx.doi.org/10.1149/1.1899284>.
- Yang, C; Wacker, JG; Sheu, C. (2012). What makes outsourcing effective? A transaction-cost economics analysis. *Int J Prod Res.* 50: 4462-4476. <http://dx.doi.org/10.1080/00207543.2011.600345>.
- Yang, D; Pennisi, SV; Son, K, iC; Kays, SJ. (2009). Screening Indoor Plants for Volatile Organic Pollutant Removal Efficiency. *HortScience.* 44: 1377-1381.
- Yang, D; Wang, Y, aQ; Liu, W; Tao, S, hu. (2008). A novel pretreatment approach for fast determination of organochlorine pesticides in biotic samples. *J Environ Sci Health B.* 43: 307-313. <http://dx.doi.org/10.1080/03601230801941642>.
- Yang, D; Zhang, L. (2012). Excited-state hydrogen bonding dynamics of pyruvic acid and geminal-diol, 2,2-dihydroxypropanoic acid in aqueous solution: a DFT/TDDFT study. *Journal of Physical Organic Chemistry.* 25: 1391-1394. <http://dx.doi.org/10.1002/poc.3055>.
- Yang, DL; Majumdar, S; Kovenklioglu, S; Sirkar, KK. (1995). HOLLOW-FIBER CONTAINED LIQUID MEMBRANE PERVAPORATION SYSTEM FOR THE REMOVAL OF TOXIC VOLATILE ORGANICS FROM WASTE-WATER. *J Memb Sci.* 103: 195-210.
- Yang, G, uiP; Yang, B, in; Lu, XL, an; Ding, H, aiB; He, Z. (2014). Spatio-temporal variations of sea surface halocarbon concentrations and fluxes from southern Yellow Sea. *Biogeochemistry.* 121: 369-388. <http://dx.doi.org/10.1007/s10533-014-0007-x>.
- Yang, GC; Lee, HL. (2005). Chemical reduction of nitrate by nanosized iron: kinetics and pathways. *Water Res.* 39: 884-894. <http://dx.doi.org/10.1016/j.watres.2004.11.030>.
- Yang, GCC; Chang, YI. (2011). Integration of emulsified nanoiron injection with the electrokinetic process for remediation of trichloroethylene in saturated soil. *Separation and Purification Technology.* 79: 278-284. <http://dx.doi.org/10.1016/j.seppur.2011.03.004>.
- Yang, GCC; Liu, CY. (2001). Remediation of TCE contaminated soils by in situ EK-Fenton process. *J Hazard Mater.* 85: 317-331.
- Yang, GCC; Tu, HC; Hung, CH. (2007). Stability of nanoiron slurries and their transport in the subsurface environment. *Separation and Purification Technology.* 58: 166-172. <http://dx.doi.org/10.1016/j.seppur.2007.07.018>.
- Yang, GCC; Yeh, CF, u. (2011). Enhanced nano-Fe₃O₄/S₂O₈²⁻ oxidation of trichloroethylene in a clayey soil by electrokinetics. *Separation and Purification Technology.* 79: 264-271. <http://dx.doi.org/10.1016/j.seppur.2011.03.003>.
- Yang, GS; Kennedy, IM. (1993). THE EFFECT OF STRAIN ON LAMINAR DIFFUSION FLAMES OF CHLORINATED HYDROCARBONS. *Combust Flame.* 92: 187-196.
- Yang, GS; Kennedy, IM. (1994). THE NONEQUILIBRIUM STRUCTURE OF A TRICHLORO-ETHENE METHANE LAMINAR DIFFUSION FLAME. *Combust Sci Tech.* 101: 349-359.
- Yang, H, eeC; Cho, YJ; Eun, H, eeC; Kim, EH, o. (2007). Destruction of chlorinated organic solvents in a two-stage molten salt oxidation reactor system. *Chem Eng Sci.* 62: 5137-5143. <http://dx.doi.org/10.1016/j.ces.2007.01.055>.
- Yang, H, eeC; Cho, YZ, un; Eun, H, eeC; Kang, Y. (2008). Destruction of Trichloroethylene in a Two Stage Molten Salt Oxidation Reactor System. *J Chem Eng Jpn.* 41: 597-601.
- Yang, H; Hu, Y; Cheng, H. (2016). Sorption of chlorophenols on microporous minerals: mechanism and influence of metal cations, solution pH, and humic acid. *Environ Sci Pollut Res Int.* 23: 19266-19280. <http://dx.doi.org/10.1007/s11356-016-7128-9>.
- Yang, J; Cao, L; Guo, R; Jia, J. (2010). Permeable reactive barrier of surface hydrophobic granular activated carbon coupled with elemental iron for the removal of 2,4-dichlorophenol in water. *J Hazard Mater.* 184: 782-787. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.109>.
- Yang, J, aeHa; Jun, SC; Kwon, HP, yo; Lee, KK, un. (2014). Tracing of residual multiple DNAPL sources in the subsurface using Rn-222 as a natural tracer at an industrial complex in Wonju, Korea. *Environ Earth Sci.* 71: 407-417. <http://dx.doi.org/10.1007/s12665-013-2448-2>.
- Yang, J; Lee, K; Clement, TP. (2012). Impact of seasonal variations in hydrological stresses and spatial variations in geologic conditions on a TCE plume at an industrial complex in Wonju, Korea. *Hydrolog Process.* 26: 317-325. <http://dx.doi.org/10.1002/hyp.8236>.
- Yang, J; Wang, Y; Xu, W; Dai, Q. (2008). Image coding using dual-tree discrete wavelet transform. *IEEE Trans Image Process.* 17: 1555-1569. <http://dx.doi.org/10.1109/TIP.2008.926159>.
- Yang, JS; Baek, K; Kwon, T, aeS; Yang, J, iWon. (2009). Adsorption of chlorinated solvents in nonionic surfactant solutions with activated carbon in a fixed bed. *J Ind Eng Chem.* 15: 777-779. <http://dx.doi.org/10.1016/j.jiec.2009.09.027>.
- Yang, JS; Baek, K; Kwon, TS; Yang, JW. (2006). Competitive immobilization of multiple component chlorinated solvents by cyclodextrin derivatives. *J Hazard Mater.* 137: 1866-1869. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.020>.
- Yang, L, ei; Lv, L, u; Zhang, S; Pan, B; Zhang, W. (2011). Catalytic dechlorination of monochlorobenzene by Pd/Fe nanoparticles immobilized within a polymeric anion exchanger. *Chem Eng J.* 178: 161-167. <http://dx.doi.org/10.1016/j.cej.2011.10.039>.
- Yang, L; Y-F, C; M-S, C. (1999). Feasibility of bioremediation of trichloroethylene contaminated sites by nitrifying bacteria through cometabolism with ammonia. *J Hazard Mater.* 69: 111-126.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yang, MH; Puri, IK. (1993). EXPERIMENTAL INVESTIGATION OF STRETCHED PREMIXED FLAMES BURNING MIXTURES OF METHANE AND METHYL-CHLORIDE IN AIR AND COMPARISON WITH NUMERICAL SIMULATIONS. *Combust Flame*. 94: 25-34.
- Yang, MJ; Harms, S; Luo, YZ; Pawliszyn, J. (1994). MEMBRANE EXTRACTION WITH A SORBENT INTERFACE FOR CAPILLARY GAS-CHROMATOGRAPHY. *Anal Chem*. 66: 1339-1346.
- Yang, MJ; Pawliszyn, J. (1993). Multiplex gas chromatography with a hollow fiber membrane interface for determination of trace volatile organic compounds in aqueous samples. *Anal Chem*. 65: 1758-1763.
- Yang, MJ; Pawliszyn, J. (1996). Headspace membrane extraction combined with multiplex gas chromatography and mass selective detector for monitoring of volatile organic compounds. *J Microcolumn Sep*. 8: 89-98.
- Yang, MX; Kash, PW; Sun, DH; Flynn, GW; Bent, BE; Holbrook, MT; Bare, SR; Fischer, DA; Gland, JL. (1997). Chemistry of chloroethylenes on Cu(100): Bonding and reactions. *Surf Sci*. 380: 151-164.
- Yang, P; Shi, Z; Tao, F, ei; Yang, S; Zhou, R. (2015). Synergistic performance between oxidizability and acidity/texture properties for 1,2-dichloroethane oxidation over (Ce,Cr)(x)O-2/zeolite catalyts. *Chem Eng Sci*. 134: 340-347. <http://dx.doi.org/10.1016/j.ces.2015.05.024>.
- Yang, P; Shi, Z; Yang, S; Zhou, R. (2015). High catalytic performances of CeO₂-CrO_x catalysts for chlorinated VOCs elimination. *Chem Eng Sci*. 126: 361-369. <http://dx.doi.org/10.1016/j.ces.2014.12.051>.
- Yang, P; Xue, X; Meng, Z; Zhou, R. (2013). Enhanced catalytic activity and stability of Ce doping on Cr supported HZSM-5 catalysts for deep oxidation of chlorinated volatile organic compounds. *Chem Eng J*. 234: 203-210. <http://dx.doi.org/10.1016/j.cej.2013.08.107>.
- Yang, P; Yang, S; Shi, Z; Meng, Z; Zhou, R. (2015). Deep oxidation of chlorinated VOCs over CeO₂-based transition metal mixed oxide catalysts. *Appl Catal B-Environ*. 162: 227-235. <http://dx.doi.org/10.1016/j.apcatb.2014.06.048>.
- Yang, P; Yang, S; Shi, Z; Tao, F, ei; Guo, X; Zhou, R. (2016). Accelerating effect of ZrO₂ doping on catalytic performance and thermal stability of CeO₂-CrO_x mixed oxide for 1,2-dichloroethane elimination. *Chem Eng J*. 285: 544-553. <http://dx.doi.org/10.1016/j.cej.2015.10.025>.
- Yang, P; Zuo, S; Shi, Z; Tao, F, ei; Zhou, R. (2016). Elimination of 1,2-dichloroethane over (Ce,Cr)(x)O-2/MO_y catalysts (M =Ti, V, Nb, Mo, W and La). *Appl Catal B-Environ*. 191: 53-61. <http://dx.doi.org/10.1016/j.apcatb.2016.03.017>.
- Yang, Q; Ito, S; Gonzalez, FJ. (2007). Hepatocyte-restricted constitutive activation of PPAR alpha induces hepatoproliferation but not hepatocarcinogenesis. *Carcinogenesis*. 28: 1171-1177. <http://dx.doi.org/10.1093/carcin/bgm046>.
- Yang, Q, i; Shang, H; Wang, J. (2009). Biosorption and biodegradation of trichloroethylene by acclimated activated sludge. *Int J Environ Pollut*. 38: 289-298.
- Yang, Q; Shang, HT; Li, HD; Xi, HB; Wang, JL. (2008). Biodegradation of tetrachloroethylene using methanol as co-metabolic substrate. *Biomed Environ Sci*. 21: 98-102. [http://dx.doi.org/10.1016/S0895-3988\(08\)60013-6](http://dx.doi.org/10.1016/S0895-3988(08)60013-6).
- Yang, RS; Thomas, RS; Gustafson, DL; Campaign, J; Benjamin, SA; Verhaar, HJ; Mumtaz, MM. (1998). Approaches to developing alternative and predictive toxicology based on PBPK/PD and QSAR modeling [Review]. *Environ Health Perspect*. 106 Suppl 6: 1385-1393.
- Yang, RSH. (1998). Some critical issues and concerns related to research advances on the toxicology of chemical mixtures. *Environ Health Perspect*. 106: 1059-1063. <http://dx.doi.org/10.2307/3434152>.
- Yang, S; Oostrom, M; Truex, MJ; Li, G; Zhong, L. (2016). Injectable silica-permanganate gel as a slow-release MnO₄(-) source for groundwater remediation: rheological properties and release dynamics. *Environ Sci Process Impacts*. 18: 256-264. <http://dx.doi.org/10.1039/c5em00559k>.
- Yang, W, onHo; Kim, MH. (2008). Wet oxidation of trichloroethylene over well-characterized CoO(x)/TiO(2) catalysts. *Res Chem Intermed*. 34: 717-725.
- Yang, W; Qiu, Z; Zhao, Z; Lu, S; Sui, Q; Gu, X. (2017). To postpone the precipitation of manganese oxides in the degradation of tetrachloroethylene by controlling the permanganate concentration. *Environ Technol*. 38: 34-41. <http://dx.doi.org/10.1080/09593330.2016.1184320>.
- Yang, Y; Mccarty, PL. (1998). Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture. *Environ Sci Technol*. 32: 3591-3597.
- Yang, Y, un; Wu, J; Sun, X; Wu, J; Zheng, C. (2013). Development and application of a master-slave parallel hybrid multi-objective evolutionary algorithm for groundwater remediation design. *Environ Earth Sci*. 70: 2481-2494. <http://dx.doi.org/10.1007/s12665-013-2291-5>.
- Yang, Y; Xu, X; Georgopoulos, PG. (2010). A Bayesian population PBPK model for multiroute chloroform exposure. *J Expo Sci Environ Epidemiol*. 20: 326-341. <http://dx.doi.org/10.1038/jes.2009.29>.
- Yang, YR; Mccarty, PL. (2000). Biologically enhanced dissolution of tetrachloroethene DNAPL. *Environ Sci Technol*. 34: 2979-2984.
- Yang, Z; Qiu, X; Fang, Z; Pokeung, T. (2015). Transport of nano zero-valent iron supported by mesoporous silica microspheres in porous media. *Water Sci Technol*. 71: 1800-1805. <http://dx.doi.org/10.2166/wst.2015.158>.
- Yano, M; Yamamoto, T; Kobayashi, S; Ikeda, Y; Matsuzaki, M. (2008). Defective Ca²⁺ cycling as a key pathogenic mechanism of heart failure [Review]. *Circ J*. 72: A22-A30.
- Yanosky, TM; Hansen, BP; Schening, MR. (2001). Use of tree rings to investigate the onset of contamination of a shallow aquifer by chlorinated hydrocarbons. *J Contam Hydrol*. 50: 159-173.
- Yan-Xia, J; Cen, T; Xiu-Qing, M; Xiao-Xia, W; Guan-Qun, X; Meng-Fei, L; Xiao-Nian, L. (2016). Highly Stable CsNO₃/SiO₂ Catalysts for the Synthesis of Vinylidene Chloride Using a Gaseous Phase Method. *Acta Phys - Chim Sin*. 32: 510-518. <http://dx.doi.org/10.3866/PKU.WHXB201511134>.
- Yao, N, an; Cao, S; Yeung, KL, un. (2009). Mesoporous TiO₂-SiO₂ aerogels with hierarchal pore structures. *Microporous and Mesoporous Materials*. 117: 570-579. <http://dx.doi.org/10.1016/j.micromeso.2008.08.020>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yao, W, ei; Zheng, X; Guo, Y; Zhan, W; Guo, Y, un; Lu, G. (2011). Role of chlorohydrocarbon in increasing selectivity of propylene oxide over Ag-Y2O3-K2O/alpha-Al2O3 catalyst for epoxidation of propylene by molecular oxygen. *J Mol Catal Chem.* 342-43: 30-34. <http://dx.doi.org/10.1016/j.molcata.2011.04.006>.
- Yaron-Marcovich, D; Dror, I; Berkowitz, B. (2007). Behavior and stability of organic contaminant droplets in aqueous solutions. *Chemosphere.* 69: 1593-1601. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.056>.
- Yaroshenko, V; Katashinsky, V. (1997). Processing and properties of silicon nitride based laminated composites. 66: 292-296.
- Yasuhara, A. (1993). Thermal decomposition of tetrachloroethylene. *Chemosphere.* 26: 1507-1512.
- Yasunaga, N; Hirotsuji, J. (2008). Efficient decomposition of trichloroethylene (TCE) in groundwater by ozone-hydrogen peroxide treatment. *Ozone: Science and Engineering.* 30: 127-135. <http://dx.doi.org/10.1080/01919510701861284>.
- Yateem, A; Al-Sharrah, T; Bin-Haji, A. (2008). Investigation of microbes in the rhizosphere of selected trees for the rhizoremediation of hydrocarbon-contaminated soils. *Int J Phytoremediation.* 10: 311-324. <http://dx.doi.org/10.1080/15226510802096143>.
- Ye, H; Chen, X; van Zeijl, H; Gielen, AWJ; Zhang, G. (2013). Thermal Transient Effect and Improved Junction Temperature Measurement Method in High-Voltage Light-Emitting Diodes. *I E E E Electron Device Letters.* 34: 1172-1174. <http://dx.doi.org/10.1109/LED.2013.2274473>.
- Ye, M; Beach, J; Martin, JW; Senthilselvan, A. (2015). Association between lung function in adults and plasma DDT and DDE levels: results from the Canadian Health Measures Survey. *Environ Health Perspect.* 123: 422-427. <http://dx.doi.org/10.1289/ehp.1408217>.
- Yeh, CK; Wu, HM; Chen, TC. (2003). Chemical oxidation of chlorinated non-aqueous phase liquid by hydrogen peroxide in natural sand systems. *J Hazard Mater.* 96: 29-51.
- Yeh, HC; Kastenbergh, WE. (1991). Health risk assessment of biodegradable volatile organic chemicals: a case study of PCE, TCE, DCE and VC. *J Hazard Mater.* 27: 111-126.
- Yeh, KJ; Chen, TC; Young, W. (2013). Competitive Removal of Two Contaminants in a Goethite-Catalyzed Fenton Process at Neutral pH. *Environ Eng Sci.* 30: 47-52. <http://dx.doi.org/10.1089/ees.2012.0001>.
- Yeh, MM; Larson, AM; Campbell, JS; Fausto, N; Rulyak, SJ; Swanson, PE. (2007). The expression of transforming growth factor-alpha in cirrhosis, dysplastic nodules, and hepatocellular carcinoma: An immunohistochemical study of 70 cases. *Am J Surg Pathol.* 31: 681-689. <http://dx.doi.org/10.1097/PAS.0b013e31802ff7aa>.
- Yeldandi, AV; Milano, M; Subbarao, V; Reddy, JK; Rao, MS. (1989). Evaluation of liver cell proliferation during ciprofibrate-induced hepatocarcinogenesis. *Cancer Lett.* 47: 21-27. [http://dx.doi.org/10.1016/0304-3835\(89\)90172-9](http://dx.doi.org/10.1016/0304-3835(89)90172-9).
- Yenchek, MR; Homce, GT; Damiano, NW; Srednicki, JR. (2012). NIOSH-Sponsored Research in Through-the-Earth Communications for Mines: A Status Report. *I E E E Transactions on Industry Applications.* 48: 1700-1707. <http://dx.doi.org/10.1109/TIA.2012.2209853>.
- Yeo, SD; Tuncer, E; Akgerman, A. (1997). Adsorption of volatile organic compounds on soil and prediction of desorption breakthroughs. *Separation Science and Technology.* 32: 2497-2512.
- Yeung, K; Lee, PKC; Yeung, ACL; Cheng, TCE. (2013). Supplier partnership and cost performance: The moderating roles of specific investments and environmental uncertainty. *International Journal of Production Economics.* 144: 546-559. <http://dx.doi.org/10.1016/j.ijpe.2013.04.008>.
- Yeung, KL, un; Leung, W, aiKin; Yao, N, an; Cao, S. (2009). Reactivity and antimicrobial properties of nanostructured titanium dioxide. *Catalysis Today.* 143: 218-224. <http://dx.doi.org/10.1016/j.cattod.2008.09.036>.
- Yeung, KL; Maira, AJ; Stolz, J; Hung, E; Ho, NKC; Wei, AC; Soria, J; Chao, KJ. (2002). Ensemble effects in nanostructured TiO2 used in the gas-phase photooxidation of trichloroethylene. *J Phys Chem B.* 106: 4608-4616. <http://dx.doi.org/10.1021/jp0131121>.
- Yeung, KL; Yau, ST; Maira, AJ; Coronado, JM; Soria, J; Yue, PL. (2003). The influence of surface properties on the photocatalytic activity of nanostructured TiO2. *J Catal.* 219: 107-116. [http://dx.doi.org/10.1016/S0021-9517\(03\)00187-8](http://dx.doi.org/10.1016/S0021-9517(03)00187-8).
- Yeung, RS; Xiao, GH; Everitt, JI; Jin, F; Walker, CL. (1995). Allelic loss at the tuberous sclerosis 2 locus in spontaneous tumors in the Eker rat. *Mol Carcinog.* 14: 28-36.
- Yi, HB; Duan, XH; Lee, JY; Lee, HM; Li, XY; Kim, KS. (2003). Theoretical study of photoinduced electron transfer from tetramethylethylene to tetracyanoethylene. *J Chem Phys.* 119: 8854-8863. <http://dx.doi.org/10.1063/1.1613252>.
- Yim, B; Okuno, H; Nagata, Y; Maeda, Y. (2001). Sonochemical degradation of chlorinated hydrocarbons using a batch and continuous flow system. *J Hazard Mater.* 81: 253-263.
- Yim, SD; Chang, KH; Koh, DJ; Nam, IS; Kim, YG. (2000). Catalytic removal of perchloroethylene (PCE) over supported chromium oxide catalysts. *Catalysis Today.* 63: 215-222.
- Yin, L; Dai, Y; Niu, J; Bao, Y; Shen, Z. (2012). Rapid dechlorination of chlorophenols in aqueous solution by [Ni vertical bar Cu] microcell. *J Hazard Mater.* 209: 414-420. <http://dx.doi.org/10.1016/j.jhazmat.2012.01.044>.
- Yin, L; Zhang, K; Luo, H; Cheng, G; Ma, X; Xiong, Z; Xiao, X. (2014). Highly efficient graphene-based Cu(In, Ga)Se2 solar cells with large active area. *Nanoscale.* 6: 10879-10886. <http://dx.doi.org/10.1039/c4nr02988g>.
- Yin, Y; Sykes, JF; Normani, SD. (2015). Impacts of spatial and temporal recharge on field-scale contaminant transport model calibration. *J Hydrol.* 527: 77-87. <http://dx.doi.org/10.1016/j.jhydrol.2015.04.040>.
- Ying, WC; Bonk, RR; Hannam, SC; Li, QD. (1994). FINAL DISPOSAL OF VOCs FROM INDUSTRIAL WASTEWATERS. *Environmental Progress.* 13: 192-201.
- Yingjian, L; Jiezhil, L; Qi, Q; Yafei, X. (2010). Energy auditing and energy conservation potential for glass works. *Appl Energ.* 87: 2438-2446. <http://dx.doi.org/10.1016/j.apenergy.2010.02.029>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yokouchi, Y; Akimoto, H; Barrie, LA; Bottenheim, JW; Anlauf, K; Jobson, BT. (1994). SERIAL GAS-CHROMATOGRAPHIC MASS-SPECTROMETRIC MEASUREMENTS OF SOME VOLATILE ORGANIC-COMPOUNDS IN THE ARCTIC ATMOSPHERE DURING THE 1992 POLAR SUNRISE EXPERIMENT. *J Geophys Res Atmos.* 99: 25379-25389.
- Yokouchi, Y; Barrie, LA; Toom, D; Akimoto, H. (1996). The seasonal variation of selected natural and anthropogenic halocarbons in the Arctic troposphere. *Atmos Environ.* 30: 1723-1727.
- Yokouchi, Y; Mukai, H; Yamamoto, H; Otsuki, A; Saitoh, C; Nojiri, Y. (1997). Distribution of methyl iodide, ethyl iodide, bromoform, and dibromomethane over the ocean (east and southeast Asian seas and the western Pacific). *J Geophys Res Atmos.* 102: 8805-8809.
- Yoo, H; Bradford, BU; Kosyk, O; Shymonyak, S; Uehara, T; Collins, LB; Bodnar, WM; Ball, LM; Gold, A; Rusyn, I. (2015). Comparative Analysis of the Relationship Between Trichloroethylene Metabolism and Tissue-Specific Toxicity Among Inbred Mouse Strains: Liver Effects. *J Toxicol Environ Health A.* 78: 15-31. <http://dx.doi.org/10.1080/15287394.2015.958417>.
- Yoo, H; Bradford, BU; Kosyk, O; Uehara, T; Shymonyak, S; Collins, LB; Bodnar, WM; Ball, LM; Gold, A; Rusyn, I. (2015). Comparative Analysis of the Relationship Between Trichloroethylene Metabolism and Tissue-Specific Toxicity Among Inbred Mouse Strains: Kidney Effects. *J Toxicol Environ Health A.* 78: 32-49. <http://dx.doi.org/10.1080/15287394.2015.958418>.
- Yoo, K; Shukla, SK; Ahn, J, aeJ; Oh, K; Park, J. (2016). Decision tree-based data mining and rule induction for identifying hydrogeological parameters that influence groundwater pollution sensitivity. *J Clean Prod.* 122: 277-286. <http://dx.doi.org/10.1016/j.jclepro.2016.01.075>.
- Yoon, HS; Monks, TJ; Walker, CL; Lau, SS. (2001). Transformation of kidney epithelial cells by a quinol thioether via inactivation of the tuberous sclerosis-2 tumor suppressor gene. *Mol Carcinog.* 31: 37-45.
- Yoon, IK; Kim, CN; Park, CH. (2002). Optimum operating conditions for the removal of volatile organic compounds in a compost-packed biofilter. *Korean J Chem Eng.* 19: 954-959.
- Yoon, M; Madden, MC; Barton, HA. (2007). Extrahepatic metabolism by CYP2E1 in PBPK modeling of lipophilic volatile organic chemicals: Impacts on metabolic parameter estimation and prediction of dose metrics. *J Toxicol Environ Health A.* 70: 1527-1541. <http://dx.doi.org/10.1080/15287390701384684>.
- Yoon, S; Im, J; Bandow, N; Dispirito, AA; Semrau, JD. (2011). Constitutive expression of pMMO by *Methylocystis* strain SB2 when grown on multi-carbon substrates: implications for biodegradation of chlorinated ethenes. *Environmental Microbiology Reports.* 3: 182-188. <http://dx.doi.org/10.1111/j.1758-2229.2010.00205.x>.
- Yoon, WL; Lee, DK. (2004). Characterization and reaction performance of the Ru-CrOx/Al₂O₃ catalyst for the oxidative decomposition of trichloroethylene. *J Chem Eng Jpn.* 37: 143-151.
- Yoon, YY; Koh, DC; Lee, KY; Cho, SY; Yang, JH; Lee, KK. (2013). Using ²²²Rn as a naturally occurring tracer to estimate NAPL contamination in an aquifer. 81: 233-237. <http://dx.doi.org/10.1016/j.apradiso.2013.03.061>.
- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere.* 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-O](http://dx.doi.org/10.1016/0045-6535(93)90097-O).
- Yoshida, N; Ye, L; Liu, F; Li, Z; Katayama, A. (2013). Evaluation of biodegradable plastics as solid hydrogen donors for the reductive dechlorination of fthalide by *Dehalobacter* species. *Bioresour Technol.* 130: 478-485. <http://dx.doi.org/10.1016/j.biortech.2012.11.139>.
- Yoshida, T; Andoh, K; Fukuhara, M. (1998). Estimation of absorption of environmental contaminants in low-level exposure by pharmacokinetic analysis. *J Toxicol Environ Health A.* 54: 145-158.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut.* 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.
- Yoshioka, T; Krauser, JA; Guengerich, FP. (2002). Tetrachloroethylene oxide: hydrolytic products and reactions with phosphate and lysine. *Chem Res Toxicol.* 15: 1096-1105. <http://dx.doi.org/10.1021/tx020028j>.
- You, K; Zhan, H. (2013). Comparisons of diffusive and advective fluxes of gas phase volatile organic compounds (VOCs) in unsaturated zones under natural conditions. *Advances in Water Resources.* 52: 221-231. <http://dx.doi.org/10.1016/j.advwatres.2012.11.021>.
- You, YW; Zhao, HT; Vance, GF. (2002). Hybrid organic-inorganic derivatives of layered double hydroxides and dodecylbenzenesulfonate: Preparation and adsorption characteristics. *J Mater Chem.* 12: 907-912. <http://dx.doi.org/10.1039/b106811c>.
- Young, C; Lim, TM; Chiang, K; Scott, J; Amal, R. (2008). Photocatalytic oxidation of toluene and trichloroethylene in the gas-phase by metallised (Pt, Ag) titanium dioxide. *Appl Catal B-Environ.* 78: 1-10. <http://dx.doi.org/10.1016/j.apcatb.2007.08.011>.
- Young, KD; Leboeuf, EJ. (2001). Development of a glass ampoule system for evaluation of long-term sorption/desorption behavior of vapor phase volatile organic compounds in geosorbents. *Analyst.* 126: 1816-1819.
- Yu, CP; Roh, H; Chu, KH, ui. (2007). 17 beta-estradiol-degrading bacteria isolated from activated sludge. *Environ Sci Technol.* 41: 486-492. <http://dx.doi.org/10.1021/es060923f>.
- Yu, H; Zhang, K; Rossi, C. (2007). Experimental study of the photocatalytic degradation of formaldehyde in indoor air using a nano-particulate titanium dioxide photocatalyst. *Indoor Built Environ.* 16: 529-537. <http://dx.doi.org/10.1177/1420326X07083513>.
- Yu, HY; Bao, LJ; Liang, Y; Zeng, EY. (2011). Field validation of anaerobic degradation pathways for dichlorodiphenyltrichloroethane (DDT) and 13 metabolites in marine sediment cores from China. *Environ Sci Technol.* 45: 5245-5252. <http://dx.doi.org/10.1021/es2006397>.
- Yu, HY; Li, FB; Yu, WM; Li, YT; Yang, GY; Zhou, SG; Zhang, TB; Gao, YX; Wan, HF. (2013). Assessment of organochlorine pesticide contamination in relation to soil properties in the Pearl River Delta, China. *Sci Total Environ.* 447: 160-168. <http://dx.doi.org/10.1016/j.scitotenv.2012.12.070>.
- Yu, J, ie; Liu, W; Zeng, A; Guan, B; Xu, X. (2013). Effect of SO on 1,1,1-Trichloroethane Degradation by Fe⁰ in Aqueous Solution. *Ground Water.* 51: 286-292. <http://dx.doi.org/10.1111/j.1745-6584.2012.00957.x>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yu, JC; Tang, HY; Yu, JG; Chan, HC; Zhang, LZ; Xie, YD; Wang, H; Wong, SP. (2002). Bactericidal and photocatalytic activities of TiO₂ thin films prepared by sol-gel and reverse micelle methods. *J Photochem Photobiol A*. 153: 211-219.
- Yu, JJ; Chou, SY. (2000). Contaminated site remedial investigation and feasibility removal of chlorinated volatile organic compounds from groundwater by activated carbon fiber adsorption. *Chemosphere*. 41: 371-378. [http://dx.doi.org/10.1016/S0045-6535\(99\)00437-3](http://dx.doi.org/10.1016/S0045-6535(99)00437-3).
- Yu, JS, u; Jo, J; Yoon, SM, an; Kim, D, oJin. (2012). Fabrication of Transparent Conductive Electrode Film Using Thermal Roll-Imprinted Ag Metal Grid and Coated Conductive Polymer. *J Nanosci Nanotechnol*. 12: 1179-1182. <http://dx.doi.org/10.1166/jnn.2012.4675>.
- Yu, MC; Garabrant, DH; Peters, JM; Mack, TM. (1988). Tobacco, alcohol, diet, occupation, and carcinoma of the esophagus. *Cancer Res*. 48: 3843-3848.
- Yu, RF; Chi, FH; Cheng, WP; Wang, MH. (2015). Online monitoring of the nanoscale zero-valent iron process for trichloroethylene wastewater treatment. *Int J Environ Sci Tech*. 12: 1647-1656. <http://dx.doi.org/10.1007/s13762-014-0567-2>.
- Yu, S; Dolan, ME; Semprini, L. (2005). Kinetics and inhibition of reductive dechlorination of chlorinated ethylenes by two different mixed cultures. *Environ Sci Technol*. 39: 195-205. <http://dx.doi.org/10.1021/es0496773>.
- Yu, S; Lee, P; Hwang, SI, I. (2015). Groundwater contamination with volatile organic compounds in urban and industrial areas: analysis of co-occurrence and land use effects. *Environ Earth Sci*. 74: 3661-3677. <http://dx.doi.org/10.1007/s12665-015-4551-z>.
- Yu, S; Rao, S; Reddy, JK. (2003). Peroxisome proliferator-activated receptors, fatty acid oxidation, steatohepatitis and hepatocarcinogenesis [Review]. *Curr Mol Med*. 3: 561-572.
- Yu, S; Semprini, L. (2009). Enhanced reductive dechlorination of PCE DNAPL with TBOS as a slow-release electron donor. *J Hazard Mater*. 167: 97-104. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.087>.
- Yu, S; Unger, AJ; Parker, B. (2009). Simulating the fate and transport of TCE from groundwater to indoor air. *J Contam Hydrol*. 107: 140-161. <http://dx.doi.org/10.1016/j.jconhyd.2009.04.009>.
- Yu, S; Wei, Y, iM; Wang, K, e. (2012). A PSO-GA optimal model to estimate primary energy demand of China. *Energy Policy*. 42: 329-340. <http://dx.doi.org/10.1016/j.enpol.2011.11.090>.
- Yu, SH; Semprini, L. (2002). Comparison of trichloroethylene reductive dehalogenation by microbial communities stimulated on silicon-based organic compounds as slow-release anaerobic substrates. *Water Res*. 36: 4985-4996.
- Yu, SY; Chae, GT; Jeon, KH; Jeong, JS; Park, JG. (2006). Trichloroethylene contamination in fractured bedrock aquifer in Wonju, South Korea. *Bull Environ Contam Toxicol*. 76: 341-348. <http://dx.doi.org/10.1007/s00128-006-0927-9>.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ*. 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Yu, X; Wu, T; Yang, XJ; Xu, J; Auzam, J; Semiat, R; Han, YF. (2016). Degradation of trichloroethylene by hydrodechlorination using formic acid as hydrogen source over supported Pd catalysts. *J Hazard Mater*. 305: 178-189. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.025>.
- Yu, Z; Peldszus, S; Huck, PM. (2009). Adsorption of Selected Pharmaceuticals and an Endocrine Disrupting Compound by Granular Activated Carbon. 1. Adsorption Capacity and Kinetics. *Environ Sci Technol*. 43: 1467-1473. <http://dx.doi.org/10.1021/es801961y>.
- Yu, Z; Peldszus, S; Huck, PM. (2009). Adsorption of selected pharmaceuticals and an endocrine disrupting compound by granular activated carbon. 2. Model prediction. *Environ Sci Technol*. 43: 1474-1479. <http://dx.doi.org/10.1021/es7032185>.
- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C-1- and C-2-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem*. 19: 2212-2217.
- Yuan, B; Chen, Y; Fu, M. (2012). Degradation efficiencies and mechanisms of trichloroethylene (TCE) by controlled-release permanganate (CRP) oxidation. *Chem Eng J*. 192: 276-283. <http://dx.doi.org/10.1016/j.cej.2012.03.049>.
- Yuan, B; Li, F, ei; Chen, Y; Fu, M. (2013). Laboratory-scale column study for remediation of TCE-contaminated aquifers using three-section controlled-release potassium permanganate barriers. *J Environ Sci*. 25: 971-977. [http://dx.doi.org/10.1016/S1001-0742\(12\)60134-X](http://dx.doi.org/10.1016/S1001-0742(12)60134-X).
- Yuan, J. (1995). Effects of drinking pattern on the peak/trough blood concentrations in drinking water studies. *Food Chem Toxicol*. 33: 565-571. [http://dx.doi.org/10.1016/0278-6915\(95\)00027-Y](http://dx.doi.org/10.1016/0278-6915(95)00027-Y).
- Yuan, J; Xu, Y, an; Hu, Z; Zhao, C; Xiong, M; Guo, J. (2014). Peak energy consumption and CO₂ emissions in China. *Energy Policy*. 68: 508-523. <http://dx.doi.org/10.1016/j.enpol.2014.01.019>.
- Yuan, JM; Castela, JE; Gago-Dominguez, M; Yu, MC; Ross, RK. (1998). Tobacco use in relation to renal cell carcinoma. *Cancer Epidemiol Biomarkers Prev*. 7: 429-433.
- Yuan, R; Fan, S; Zhou, H; Ding, Z; Lin, S, en; Li, Z; Zhang, Z; Xu, C; Wu, L; Wang, X; Fu, X. (2013). Chlorine-Radical-Mediated Photocatalytic Activation of C-H Bonds with Visible Light. *Angew Chem Int Ed Engl*. 52: 1035-1039. <http://dx.doi.org/10.1002/anie.201207904>.
- Yuan, R; Zhao, T, ao. (2016). A combined input-output and sensitivity analysis of CO₂ emissions in the high energy-consuming industries: A case study of China. *Atmos Pollut Res*. 7: 315-325. <http://dx.doi.org/10.1016/j.apr.2015.10.003>.
- Yuan, S; Chen, M; Mao, X; Alshawabkeh, AN. (2013). Effects of reduced sulfur compounds on Pd-catalytic hydrodechlorination of trichloroethylene in groundwater by cathodic H₂ under electrochemically induced oxidizing conditions. *Environ Sci Technol*. 47: 10502-10509. <http://dx.doi.org/10.1021/es402169d>.
- Yuan, S; Chen, M; Mao, X; Alshawabkeh, AN. (2013). A three-electrode column for Pd-catalytic oxidation of TCE in groundwater with automatic pH-regulation and resistance to reduced sulfur compound foiling. *Water Res*. 47: 269-278. <http://dx.doi.org/10.1016/j.watres.2012.10.009>.
- Yuan, S; Liao, P; Alshawabkeh, AN. (2014). Electrolytic Manipulation of Persulfate Reactivity by Iron Electrodes for Trichloroethylene Degradation in Groundwater. *Environ Sci Technol*. 48: 656-663. <http://dx.doi.org/10.1021/es404535q>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yuan, S; Mao, X; Alshawabkeh, AN. (2012). Efficient Degradation of TCE in Groundwater Using Pd and Electro-generated H-2 and O-2: A Shift in Pathway from Hydrodechlorination to Oxidation in the Presence of Ferrous Ions. *Environ Sci Technol.* 46: 3398-3405. <http://dx.doi.org/10.1021/es204546u>.
- Yuan, Y; Tao, H; Fan, J; Ma, L. (2015). Degradation of p-chloroaniline by persulfate activated with ferrous sulfide ore particles. *Chem Eng J.* 268: 38-46. <http://dx.doi.org/10.1016/j.cej.2014.12.092>.
- Yue, ZR; Economy, J. (2005). Nanoparticle and nanoporous carbon adsorbents for removal of trace organic contaminants from water. *J Nanopart Res.* 7: 477-487. <http://dx.doi.org/10.1007/s11051-005-4719-7>.
- Yun, DM; Cho, HH; Jang, JW; Park, JW. (2013). Nano zero-valent iron impregnated on titanium dioxide nanotube array film for both oxidation and reduction of methyl orange. *Water Res.* 47: 1858-1866. <http://dx.doi.org/10.1016/j.watres.2013.01.014>.
- Yun, HD, uk; Seo, DM, in; Lee, M, inY; Kwon, SY; Park, L, eeS. (2016). Effective Synthesis and Recovery of Silver Nanowires Prepared by Tapered Continuous Flow Reactor for Flexible and Transparent Conducting Electrode. 6. <http://dx.doi.org/10.3390/met6010014>.
- Yun, JH. (2001). Equilibrium isotherms of dichloromethane, trichloroethylene, and 1,1,1-trichloroethane on activated carbon fiber. *Journal of Chemical and Engineering Data.* 46: 156-159.
- Yun, JH; Choi, DK; Kim, SH. (1998). Adsorption equilibria of chlorinated organic solvents onto activated carbon. *Ind Eng Chem Res.* 37: 1422-1427.
- Yun, L; Huijuan, G; Yang, Y; Huixian, Z; Xing, S; Qiming, X; Shixiang, G. (2006). Stability of 4'-substituted monobenzo-15-crown-5-bentonites and its adsorption properties for tetrachloroethane and naphthalene. *Appl Clay Sci.* 33: 7-12. <http://dx.doi.org/10.1016/j.clay.2006.03.002>.
- Yuvakkumar, R; Elango, V; Rajendran, V; Kannan, N. (2011). PREPARATION AND CHARACTERIZATION OF ZERO VALENT IRON NANOPARTICLES. *Digest Journal of Nanomaterials and Biostructures.* 6: 1771-1776.
- Zaa, CLY; Mclean, JE; Dupont, R; Norton, JM; Sorensen, DL. (2010). Dechlorinating and Iron Reducing Bacteria Distribution in a TCE-Contaminated Aquifer. *Ground Water Monitoring and Remediation.* 30: 46-57. <http://dx.doi.org/10.1111/j1745-6592.2009.001268.x>.
- Zaatar, M; Nirlo, E; Jareemit, D; Crain, N; Srebric, J; Siegel, J. (2014). Ventilation and indoor air quality in retail stores: A critical review (RP-1596). *HVACandR Research.* 20: 276-294. <http://dx.doi.org/10.1080/10789669.2013.869126>.
- Zabetakis, KM; Niño de Guzmán, GT; Torrents, A; Yarwood, S. (2015). Toxicity of zero-valent iron nanoparticles to a trichloroethylene-degrading groundwater microbial community. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 794-805. <http://dx.doi.org/10.1080/10934529.2015.1019796>.
- Zacarias, SM; Satuf, ML; Vaccari, MC; Alfano, OM. (2012). Efficiency Evaluation of Different TiO₂ Coatings on the Photocatalytic Inactivation of Airborne Bacterial Spores. *Ind Eng Chem Res.* 51: 13599-13608. <http://dx.doi.org/10.1021/ie3009956>.
- Zacharias, A; Srinivasan, D; Rau, MGS. (1976). ISOBARIC VAPOR-LIQUID-EQUILIBRIA FOR SYSTEMS ACETONE-NORMAL-HEPTANE AND NORMAL-HEXANE-TRICHLOROETHYLENE. 14: 162-164.
- Zack, M; Cannon, S; Loyd, D; Heath, CW, Jr; Falletta, JM; Jones, B; Housworth, J; Crowley, S. (1980). Cancer in children of parents exposed to hydrocarbon-related industries and occupations. *Am J Epidemiol.* 111: 329-336.
- Zahm, SH. (1992). Computerized occupational referent population system (CORPS): Study documentation. Rockville, MD: National Cancer Institute & National Institute for Occupational Safety and Health.
- Zajicek, G; Arber, N; Schwartz-Arad, D. (1991). Streaming liver VIII: Cell production rates following partial hepatectomy. *Liver.* 11: 347-351. <http://dx.doi.org/10.1111/j.1600-0676.1991.tb00541.x>.
- Zajicek, G; Schwartz-Arad, D. (1990). Streaming liver VII: DNA turnover in acinus zone-3. *Liver.* 10: 137-140. <http://dx.doi.org/10.1111/j.1600-0676.1990.tb00448.x>.
- Zajicek, G; Schwartz-Arad, D; Bartfeld, E. (1989). The streaming liver V: Time and age-dependent changes of hepatocyte DNA content, following partial hepatectomy. *Liver.* 9: 164-171. <http://dx.doi.org/10.1111/j.1600-0676.1989.tb00394.x>.
- Zaki, K; Fahmi, LH; Ramadan, MIA. (1972). ADRENOCORTICAL ACTIVITY AND PLASMA-PROTEIN BINDING OF CORTISOL IN RESPONSE TO SURGICAL TRAUMA AND ANESTHESIA (HALOTHANE AND TRILENE) IN BILHARZIAL PATIENTS. 75: 76-&.
- Zalazar, CS; Martin, CA; Cassano, AE. (2005). Photocatalytic intrinsic reaction kinetics. II: Effects of oxygen concentration on the kinetics of the photocatalytic degradation of dichloroacetic acid. *Chem Eng Sci.* 60: 4311-4322. <http://dx.doi.org/10.1016/j.ces.2004.10.050>.
- Zalazar, CS; Romero, RL; Martin, CA; Cassano, AE. (2005). Photocatalytic intrinsic reaction kinetics I: Mineralization of dichloroacetic acid. *Chem Eng Sci.* 60: 5240-5254. <http://dx.doi.org/10.1016/j.cell.2005.04.050>.
- Zalesny, RS; Bauer, EO. (2007). Selecting and utilizing Populus and Salix for landfill covers: implications for leachate irrigation [Review]. *Int J Phytoremediation.* 9: 497-511. <http://dx.doi.org/10.1080/15226510701709689>.
- Zalikin, AA; Antonov, VN. (1988). TRICHLOROETHYLENE AND METHYLCHLORIDE PRODUCTION JOINT PROCESS. 205-206.
- Zander, AK; Chen, JS; Semmens, MJ. (1992). REMOVAL OF HEXACHLOROCYCLOHEXANE ISOMERS FROM WATER BY MEMBRANE EXTRACTION INTO OIL. *Water Res.* 26: 129-137.
- Zandi-Nejad, K; Eddy, A; Glasscock, R; Brenner, B. (2004). Why is proteinuria an ominous biomarker of progressive kidney disease [Review]. *Kidney Int Suppl* 576-S89. <http://dx.doi.org/10.1111/j.1523-1755.2004.09220.x>.
- Zanetti, MC; Fiore, S. (2005). Evaluation of mutual connections between zero-valent iron reactivity and groundwater composition in trichloroethylene degradation. *Ann Chim.* 95: 779-789.
- Zang, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Lin, K; Du, X. (2014). Trichloroethylene oxidation performance in sodium percarbonate (SPC)/Fe²⁺ system. *Environ Technol.* 35: 791-798. <http://dx.doi.org/10.1080/09593330.2013.852592>.
- Zarchy, TM. (1996). Chlorinated Hydrocarbon Solvents and Biliary-Pancreatic Cancer: Report of Three Cases. *Am J Ind Med.* 30: 341-342.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zarei, H; Salami, Z. (2012). Densities, Excess Molar Volumes, Viscosity, and Refractive Indices of Binary Mixtures of Ethanoic Acid and Trichloroethylene with Dimethylbenzenes at Different Temperatures. *Journal of Chemical and Engineering Data*. 57: 620-625. <http://dx.doi.org/10.1021/je201211f>.
- Zazouli, M; Yousefi, Z; Eslami, A; Ardebilian, MB. (2012). Municipal solid waste landfill leachate treatment by fenton, photo-fenton and fenton-like processes: Effect of some variables. *Iranian Journal of Environmental Health Science and Engineering*. 9: 3. <http://dx.doi.org/10.1186/1735-2746-9-3>.
- Zazueta, A; Destailats, H; Puma, GL, i. (2013). Radiation field modeling and optimization of a compact and modular multi-plate photocatalytic reactor (MPPR) for air/water purification by Monte Carlo method. *Chem Eng J*. 217: 475-485. <http://dx.doi.org/10.1016/j.cej.2012.11.085>.
- Zellers, ET; Morishita, M; Cai, QY. (2000). Evaluating porous-layer open-tubular capillaries as vapor preconcentrators in a microanalytical system. *Sens Actuators B*. 67: 244-253.
- Zemo, DA; Delfino, TA; Gallinatti, JD; Baker, VA; Hilpert, LR. (1995). FIELD COMPARISON OF ANALYTICAL RESULTS FROM DISCRETE-DEPTH GROUND-WATER SAMPLERS. *Ground Water Monitoring and Remediation*. 15: 133-141.
- Zeng, Q, ru; Liao, B, ohan; Yang, B, o; Tang, HX; Xue, N, and. (2006). Sorption of methyl-parathion and carbaryl by an organo-bentonite. *Biol Fertil Soils*. 42: 457-463. <http://dx.doi.org/10.1007/s00374-006-0091-8>.
- Zenker, MJ; Borden, RC; Barlaz, MA. (2002). Modeling cometabolism of cyclic ethers. *Environ Eng Sci*. 19: 215-228.
- Zeppa, P; Benincasa, G; Troncone, G; Lucariello, A; Zabatta, A; Cochand-Priollet, B; Fulciniti, F; Vetrani, A; De Rosa, G; Palombini, L. (1998). Retrospective evaluation of DNA ploidy of hepatocarcinoma on cytologic samples. *Diagn Cytopathol*. 19: 323-329. [http://dx.doi.org/10.1002/\(SICI\)1097-0339\(199811\)19:5<323::AID-DC2>3.0.CO;2-Y](http://dx.doi.org/10.1002/(SICI)1097-0339(199811)19:5<323::AID-DC2>3.0.CO;2-Y).
- Zgoła-Grzeškowiak, A. (2010). Dispersive liquid-liquid microextraction applied to isolation and concentration of alkylphenols and their short-chained ethoxylates in water samples. *J Chromatogr A*. 1217: 1761-1766. <http://dx.doi.org/10.1016/j.chroma.2010.01.054>.
- Zhai, X; Hua, I; Rao, PS; Lee, LS. (2006). Cosolvent-enhanced chemical oxidation of perchloroethylene by potassium permanganate. *J Contam Hydrol*. 82: 61-74. <http://dx.doi.org/10.1016/j.jconhyd.2005.08.007>.
- Zhan, J; Kolesnichenko, I; Sunkara, B; He, J; Mcpherson, GL; Piringer, G; John, VT. (2011). Multifunctional iron-carbon nanocomposites through an aerosol-based process for the in situ remediation of chlorinated hydrocarbons. *Environ Sci Technol*. 45: 1949-1954. <http://dx.doi.org/10.1021/es103493e>.
- Zhan, J; Sunkara, B; Le, L; John, VT; He, J; Mcpherson, GL; Piringer, G; Lu, Y. (2009). Multifunctional colloidal particles for in situ remediation of chlorinated hydrocarbons. *Environ Sci Technol*. 43: 8616-8621. <http://dx.doi.org/10.1021/es901968g>.
- Zhan, J; Sunkara, B; Tang, J; Wang, Y; He, J; Mcpherson, GL; John, VT. (2011). Carbothermal Synthesis of Aerosol-Based Adsorptive-Reactive Iron-Carbon Particles for the Remediation of Chlorinated Hydrocarbons. *Ind Eng Chem Res*. 50: 13021-13029. <http://dx.doi.org/10.1021/ie200783z>.
- Zhan, J; Zheng, T; Piningir, G; Day, C; He, J; Mcpherson, GL; Lu, Y; John, VT. (2008). ENVR 197-Reductive dehalogenation of trichloroethylene using aerosol-assisted Fe/Silica particles. *Abstracts of Papers - American Chemical Society*. 235.
- Zhan, J; Zheng, T; Piringir, G; Day, C; Mcpherson, GL; Lu, Y; Papadopoulos, K; John, VT. (2008). Transport Characteristics of Nanoscale Functional Zerovalent Iron/Silica Composites for in Situ Remediation of Trichloroethylene. *Environ Sci Technol*. 42: 8871-8876. <http://dx.doi.org/10.1021/es800387p>.
- Zhang, A; Futamura, S; Yamamoto, T. (1999). Nonthermal plasma chemical processing of bromomethane. *J Air Waste Manag Assoc*. 49: 1442-1448.
- Zhang, B; Pan, X; Cobb, GP; Anderson, TA. (2007). MicroRNAs as oncogenes and tumor suppressors [Review]. *Dev Biol*. 302: 1-12. <http://dx.doi.org/10.1016/j.ydbio.2006.08.028>.
- Zhang, B, o; Qiao, H; Chen, B. (2015). Embodied energy uses by China's four municipalities: A study based on multi-regional input-output model. *Ecol Modell*. 318: 138-149. <http://dx.doi.org/10.1016/j.ecolmodel.2014.10.007>.
- Zhang, C; Wang, C; Gil, S; Boreave, A; Retaillieu, L; Guo, Y; Luis Valverde, J; Giroir-Fendler, A. (2017). Catalytic oxidation of 1,2-dichloropropane over supported LaMnOx oxides catalysts. *Appl Catal B-Environ*. 201: 552-560. <http://dx.doi.org/10.1016/j.apcatb.2016.08.038>.
- Zhang, C; Wang, C; Zhan, W; Guo, Y; Guo, Y, un; Lu, G; Baylet, A; Giroir-Fendler, A. (2013). Catalytic oxidation of vinyl chloride emission over LaMnO3 and LaB0.2Mn0.8O3 (B = Co, Ni, Fe) catalysts. *Appl Catal B-Environ*. 129: 509-516. <http://dx.doi.org/10.1016/j.apcatb.2012.09.056>.
- Zhang, D; Zhang, C; Li, Z; Suzuki, D; Komatsu, DD; Tsunogai, U; Katayama, A. (2014). Electrochemical stimulation of microbial reductive dechlorination of pentachlorophenol using solid-state redox mediator (humins) immobilization. *Bioresour Technol*. 164: 232-240. <http://dx.doi.org/10.1016/j.biortech.2014.04.071>.
- Zhang, G; Stevens, JL. (1989). Transport and activation of S-(1,2-dichlorovinyl)-L-cysteine and N-acetyl-S-(1,2-dichlorovinyl)-L-cysteine in rat kidney proximal tubules. *Toxicol Appl Pharmacol*. 100: 51-61. [http://dx.doi.org/10.1016/0041-008X\(89\)90091-4](http://dx.doi.org/10.1016/0041-008X(89)90091-4).
- Zhang, H; Ulrich, AC; Liu, Y. (2015). Retention and transport of an anaerobic trichloroethene dechlorinating microbial culture in anaerobic porous media. *Colloids Surf B Biointerfaces*. 130: 110-118. <http://dx.doi.org/10.1016/j.colsurfb.2015.04.020>.
- Zhang, H; Xie, M. (2015). DSMC Simulation of Non-Premixed Combustion of H-2/O-2 in a Y-shaped Microchannel. *Nanoscale & Microscale Thermophysical Engineering (Print)*. 19: 31-62. <http://dx.doi.org/10.1080/15567265.2014.998399>.
- Zhang, H; Ziv-El, M; Rittmann, BE; Krajmalnik-Brown, R. (2010). Effect of dechlorination and sulfate reduction on the microbial community structure in denitrifying membrane-biofilm reactors. *Environ Sci Technol*. 44: 5159-5164. <http://dx.doi.org/10.1021/es100695n>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zhang, HB; Schwartz, FW. (2000). Simulating the in situ oxidative treatment of chlorinated ethylenes by potassium permanganate. *Water Resour Res.* 36: 3031-3042.
- Zhang, J; Fowler, JE; Liu, G. (2008). Lossy-to-Lossless Compression of Hyperspectral Imagery Using Three-Dimensional TCE and an Integer KLT. *Geosci Rem Sens Lett IEEE.* 5: 814-818. <http://dx.doi.org/10.1109/LGRS.2008.2006571>.
- Zhang, J; Joslyn, AP; Chiu, PC. (2006). 1,1-dichloroethene as a predominant intermediate of microbial trichloroethene reduction. *Environ Sci Technol.* 40: 1830-1836. <http://dx.doi.org/10.1021/es051829m>.
- Zhang, J; Yu, KF. (1998). What's the relative risk? A method of correcting the odds ratio in cohort studies of common outcomes. *JAMA.* 280: 1690-1691.
- Zhang, K; Woodbury, AD. (2002). A Krylov finite element approach for multi-species contaminant transport in discretely fractured porous media. *Advances in Water Resources.* 25: 705-721.
- Zhang, L; Arnold, WA; Hozalski, RM. (2004). Kinetics of haloacetic acid reactions with Fe(0). *Environ Sci Technol.* 38: 6881-6889. <http://dx.doi.org/10.1021/es049267e>.
- Zhang, L; Steinmaus, C; Eastmond, DA; Xin, XK; Smith, MT. (2009). Formaldehyde exposure and leukemia: A new meta-analysis and potential mechanisms [Review]. *Mutat Res Rev Mutat Res.* 681: 150-168. <http://dx.doi.org/10.1016/j.mrrev.2008.07.002>.
- Zhang, LF; Kanki, T; Sano, N; Toyoda, A. (2003). Development of TiO₂ photocatalyst reaction for water purification. *Separation and Purification Technology.* 31: 105-110.
- Zhang, M; Ahmad, M; Al-Wabel, MI; Vithanage, M; Rajapaksha, AU; Kim, HS, oo; Lee, SS, oo; Ok, YS, ik. (2015). Adsorptive Removal of Trichloroethylene in Water by Crop Residue Biochars Pyrolyzed at Contrasting Temperatures: Continuous Fixed-Bed Experiments. *J Chem.* <http://dx.doi.org/10.1155/2015/647072>.
- Zhang, M, an; Bacik, DB; Roberts, CB; Zhao, D. (2013). Catalytic hydrodechlorination of trichloroethylene in water with supported CMC-stabilized palladium nanoparticles. *Water Res.* 47: 3706-3715. <http://dx.doi.org/10.1016/j.watres.2013.04.024>.
- Zhang, M, an; He, F; Zhao, D. (2015). Catalytic activity of noble metal nanoparticles toward hydrodechlorination: influence of catalyst electronic structure and nature of adsorption. 9: 888-896. <http://dx.doi.org/10.1007/s11783-015-0774-1>.
- Zhang, M; He, F; Zhao, D; Hao, X. (2011). Degradation of soil-sorbed trichloroethylene by stabilized zero valent iron nanoparticles: effects of sorption, surfactants, and natural organic matter. *Water Res.* 45: 2401-2414. <http://dx.doi.org/10.1016/j.watres.2011.01.028>.
- Zhang, M, in; Shouakar-Stash, O; Gillham, RW; Frappe, SK; Drimmie, J. (2008). Carbon and chlorine isotope fractionation during degradation of trichloroethene by metals. *Geochim Cosmo Acta.* 72: A1087-A1087.
- Zhang, N; Luo, J; Blowers, P; Farrell, J. (2008). Understanding trichloroethylene chemisorption to iron surfaces using density functional theory. *Environ Sci Technol.* 42: 2015-2020. <http://dx.doi.org/10.1021/es0717663>.
- Zhang, P; Yuan, S; Liao, P. (2016). Mechanisms of hydroxyl radical production from abiotic oxidation of pyrite under acidic conditions. *Geochim Cosmo Acta.* 172: 444-457. <http://dx.doi.org/10.1016/j.gca.2015.10.015>.
- Zhang, PF; Tao, X; Li, ZH; Bowman, RS. (2002). Enhanced perchloroethylene reduction in column systems using surfactant-modified zeolite/zero-valent iron pellets. *Environ Sci Technol.* 36: 3597-3603. <http://dx.doi.org/10.1021/es015816u>.
- Zhang, PY; Liu, J. (2004). Photocatalytic degradation of trace hexane in the gas phase with and without ozone addition: kinetic study. *J Photochem Photobiol A.* 167: 87-94. <http://dx.doi.org/10.1016/j.jphotochem.2004.05.015>.
- Zhang, Q; Guo, Y; Huang, M; Li, H, ui; Gu, C. (2015). Degradation of selected polychlorinated biphenyls by montmorillonite clay-templated Fe-0/Ni-0 bimetallic system. *Chem Eng J.* 276: 122-129. <http://dx.doi.org/10.1016/j.cej.2015.04.044>.
- Zhang, Q; Ma, J; Qiu, G; Li, L; Geng, S; Hasi, E; Li, C; Wang, G; Li, X. (2012). Potential energy production from algae on marginal land in China. *Bioresour Technol.* 109: 252-260. <http://dx.doi.org/10.1016/j.biortech.2011.08.084>.
- Zhang, Q; Sun, FY; Dong, WY; Zhang, GM; Han, RB. (2015). Micro-polluted surface water treatment and trace-organics removal pathway in a PAC-MBR system. *Process Biochemistry.* 50: 1422-1428. <http://dx.doi.org/10.1016/j.procbio.2015.05.021>.
- Zhang, R; Li, J; Liu, C; Shen, J; Sun, X; Han, W; Wang, L. (2013). Reduction of nitrobenzene using nanoscale zero-valent iron confined in channels of ordered mesoporous silica. *Colloid Surface Physicochem Eng Aspect.* 425: 108-114. <http://dx.doi.org/10.1016/j.colsurfa.2013.02.040>.
- Zhang, RD; Wood, AL; Enfield, CG; Jeong, SW. (2003). Stochastic analysis of surfactant-enhanced remediation of denser-than-water nonaqueous phase liquid (DNAPL)-contaminated soils. *J Environ Qual.* 32: 957-965.
- Zhang, S; Gedalanga, PB; Mahendra, S. (2016). Biodegradation Kinetics of 1,4-Dioxane in Chlorinated Solvent Mixtures. *Environ Sci Technol.* 50: 9599-9607. <http://dx.doi.org/10.1021/acs.est.6b02797>.
- Zhang, T; Huang, J; Zhang, W; Yu, Y; Deng, S; Wang, B; Yu, G. (2013). Coupling the dechlorination of aqueous 4-CP with the mechanochemical destruction of solid PCNB using Fe-Ni-SiO₂. *J Hazard Mater.* 250-251: 175-180. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.072>.
- Zhang, T; Johansson, JS. (2005). A calorimetric study on the binding of six general anesthetics to the hydrophobic core of a model protein. *Biophys Chem.* 113: 169-174. <http://dx.doi.org/10.1016/j.bpc.2004.08.00>.
- Zhang, TM; Wu, R, eB; Zhang, F, eiHao; Tarn, TJ; Long, G, uiLu. (2015). Minimum-Time Selective Control of Homonuclear Spins. *I E E E Transactions on Control Systems Technology.* 23: 2018-2025. <http://dx.doi.org/10.1109/TCST.2015.2390191>.
- Zhang, W; Gabos, S; Schopflocher, D; Li, XF; Gati, WP; Hrudehy, SE. (2009). Validation of urinary trichloroacetic acid as a biomarker of exposure to drinking water disinfection by-products. *J Water Health.* 7: 359-371. <http://dx.doi.org/10.2166/wh.2009.009>.
- Zhang, W; Huang, L; Yang, C; Ying, W. (2013). Experimental Method for Estimating Henry's Law Constant of Volatile Organic Compound. *Asian J Chem.* 25: 2647-2650.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zhang, W; Jia, N; Han, X; Qiu, Z; Lv, S; Lin, K; Ying, W. (2016). A comparison of the dechlorination mechanisms and Ni release styles of chloroalkane and chloroalkene removal using nickel/iron nanoparticles. *Environ Technol.* 37: 2088-2098. <http://dx.doi.org/10.1080/09593330.2016.1141998>.
- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng.* 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, W, ei; Li, L, i; Lin, K; Xiong, B; Li, B; Lu, S; Guo, M; Cui, X. (2012). Synergetic degradation of Fe/Cu/C for groundwater polluted by trichloroethylene. *Water Sci Technol.* 65: 2258-2264. <http://dx.doi.org/10.2166/wst.2012.146>.
- Zhang, W; Quan, X; Wang, J; Zhang, Z; Chen, S. (2006). Rapid and complete dechlorination of PCP in aqueous solution using Ni-Fe nanoparticles under assistance of ultrasound. *Chemosphere.* 65: 58-64. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.060>.
- Zhang, W, ei; Xie, Y; Jia, N, an; Lin, K; Lv, S; Ying, W. (2016). EFFECT OF REACTION ENVIRONMENTS ON CHLORINATED ALIPHATIC HYDROCARBONS REMOVAL IN WATER BY Ni/Fe NANOPARTICLES. *Fresen Environ Bull.* 25: 1647-1653.
- Zhang, W; Yu, T; Han, X; Ying, W. (2016). Removal of 2-CIBP from soil-water system using activated carbon supported nanoscale zerovalent iron. *J Environ Sci.* 47: 143-152. <http://dx.doi.org/10.1016/j.jes.2015.12.032>.
- Zhang, WX; Wang, CB; Lien, HL. (1998). Treatment of chlorinated organic contaminants with nanoscale bimetallic particles. *Catalysis Today.* 40: 387-395.
- Zhang, X; Deng, B; Guo, J; Wang, Y; Lan, Y. (2011). Ligand-assisted degradation of carbon tetrachloride by microscale zero-valent iron. *J Environ Manage.* 92: 1328-1333. <http://dx.doi.org/10.1016/j.jenvman.2010.12.020>.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Danish, M; Brusseau, ML; Qiu, Z; Sui, Q. (2016). Enhanced degradation of trichloroethene by calcium peroxide activated with Fe(III) in the presence of citric acid. 10: 502-512. <http://dx.doi.org/10.1007/s11783-016-0838-x>.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Qiu, Z; Sui, Q. (2015). Degradation of trichloroethylene in aqueous solution by calcium peroxide activated with ferrous ion. *J Hazard Mater.* 284: 253-260. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.030>.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Qiu, Z; Sui, Q. (2016). Application of calcium peroxide activated with Fe(II)-EDDS complex in trichloroethylene degradation. *Chemosphere.* 160: 1-6. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.067>.
- Zhang, X; Guo, W; Gao, G; Que, M; Pan, C; Wang, ZL, in. (2016). CuS nanotrough-networks for highly stable transparent conducting electrodes. 4: 4733-4739. <http://dx.doi.org/10.1039/c6tc01010e>.
- Zhang, X, in; Lin, Y, uman; Shan, XQ; Chen, Z, uL. (2010). Degradation of 2,4,6-trinitrotoluene (TNT) from explosive wastewater using nanoscale zero-valent iron. *Chem Eng J.* 158: 566-570. <http://dx.doi.org/10.1016/j.cej.2010.01.054>.
- Zhang, X; Qian, L; Xu, P; He, H; Du, Q. (2008). Study of H-beta-zeolite supported Rh catalyst by inverse gas chromatography. *Chem Eng J.* 137: 579-586. <http://dx.doi.org/10.1016/j.cej.2007.05.020>.
- Zhang, X; Xu, D. (2013). Characterization and Growth Optimization of a Novel Salt Resistant *Pseudomonas putida* Strain Zm Capable of Degrading Trichloroethylene by Cometabolism Under Aerobic Conditions. *Asian J Chem.* 25: 8718-8722.
- Zhang, Y; Cantor, KP; Lynch, CF; Zheng, T. (2004). A population-based case-control study of occupation and renal cell carcinoma risk in Iowa. *J Occup Environ Med.* 46: 235-240. <http://dx.doi.org/10.1097/01.jom.0000116805.62079.d6>.
- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1994). Fixed-bed photocatalysts for solar decontamination of water. *Environ Sci Technol.* 28: 435-442.
- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1996). Destruction of organic compounds in water using supported photocatalysts. *J Sol Energy Eng.* 118: 123-129.
- Zhang, Y; Hu, M; Jiang, Z; Liu, Y. (2011). Effect of anthraquinone-2,6-disulfonate on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 192: 1896-1899. <http://dx.doi.org/10.1016/j.jhazmat.2011.06.087>.
- Zhang, Y; Li, C; Wang, X; Guo, H; Feng, Y; Chen, J. (2012). Rush-hour aromatic and chlorinated hydrocarbons in selected subway stations of Shanghai, China. *J Environ Sci.* 24: 131-141. [http://dx.doi.org/10.1016/s1001-0742\(11\)60736-5](http://dx.doi.org/10.1016/s1001-0742(11)60736-5).
- Zhang, Y, un; Li, Y; Li, J; Hu, L; Zheng, X. (2011). Enhanced removal of nitrate by a novel composite: Nanoscale zero valent iron supported on pillared clay. *Chem Eng J.* 171: 526-531. <http://dx.doi.org/10.1016/j.cej.2011.04.022>.
- Zhang, Y, un; Li, Y; Zheng, X. (2011). Removal of atrazine by nanoscale zero valent iron supported on organobentonite. *Sci Total Environ.* 409: 625-630. <http://dx.doi.org/10.1016/j.scitotenv.2010.10.015>.
- Zhang, Y; Liu, J. (2011). Transgenic alfalfa plants co-expressing glutathione S-transferase (GST) and human CYP2E1 show enhanced resistance to mixed contaminants of heavy metals and organic pollutants. *J Hazard Mater.* 189: 357-362. <http://dx.doi.org/10.1016/j.jhazmat.2011.02.042>.
- Zhang, Y; Liu, J; Zhou, Y; Gong, T; Wang, J; Ge, Y. (2013). Enhanced phytoremediation of mixed heavy metal (mercury)-organic pollutants (trichloroethylene) with transgenic alfalfa co-expressing glutathione S-transferase and human P450 2E1. *J Hazard Mater.* 260: 1100-1107. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.065>.
- Zhang, Y; Liu, Y; Hu, M; Jiang, Z. (2014). Acclimation of the trichloroethylene-degrading anaerobic granular sludge and the degradation characteristics in an upflow anaerobic sludge blanket reactor. *Water Sci Technol.* 69: 120-127. <http://dx.doi.org/10.2166/wst.2013.564>.
- Zhang, Y; Park, M; Kim, H, akY; Ding, B, in; Park, S, ooJin. (2016). In-situ synthesis of nanofibers with various ratios of BiOClx/BiOBry/BiOlz for effective trichloroethylene photocatalytic degradation. *Appl Surf Sci.* 384: 192-199. <http://dx.doi.org/10.1016/j.apsusc.2016.05.039>.
- Zhang, Y; Tay, J. (2015). Toxic and inhibitory effects of trichloroethylene aerobic co-metabolism on phenol-grown aerobic granules. *J Hazard Mater.* 286C: 204-210. <http://dx.doi.org/10.1016/j.jhazmat.2015.01.003>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zhang, Y, i; Tay, J, ooHwa. (2016). Alternated phenol and trichloroethylene biodegradation in an aerobic granular sludge reactor. *Biochem Eng J.* 106: 1-10. <http://dx.doi.org/10.1016/j.bej.2015.10.026>.
- Zhang, Y; Tay, JH. (2016). Physiological and functional diversity of phenol degraders isolated from phenol-grown aerobic granules: Phenol degradation kinetics and trichloroethylene co-metabolic activities. *J Environ Manage.* 169: 34-45. <http://dx.doi.org/10.1016/j.jenvman.2015.12.021>.
- Zhang, Y; Tran, HP; Du, X; Hussain, I; Huang, S; Zhou, S; Wen, W. (2017). Efficient pyrite activating persulfate process for degradation of p-chloroaniline in aqueous systems: A mechanistic study. *Chem Eng J.* 308: 1112-1119. <http://dx.doi.org/10.1016/j.cej.2016.09.104>.
- Zhang, Y; Tran, HP; Hussain, I; Zhong, Y; Huang, S. (2015). Degradation of p-chloroaniline by pyrite in aqueous solutions. *Chem Eng J.* 279: 396-401. <http://dx.doi.org/10.1016/j.cej.2015.03.016>.
- Zhang, Y; Zhang, K, e; Dai, C; Zhou, X. (2014). Performance and mechanism of pyrite for nitrobenzene removal in aqueous solution. *Chem Eng Sci.* 111: 135-141. <http://dx.doi.org/10.1016/j.ces.2014.02.029>.
- Zhang, Y; Zhang, K, e; Dai, C; Zhou, X; Si, H. (2014). An enhanced Fenton reaction catalyzed by natural heterogeneous pyrite for nitrobenzene degradation in an aqueous solution. *Chem Eng J.* 244: 438-445. <http://dx.doi.org/10.1016/j.cej.2014.01.088>.
- Zhang, Y; Zhou, J, un; Zhang, X; Hu, J, un; Gao, H, an. (2014). Solvent polarity effect on quality of n-octadecanethiol self-assembled monolayers on copper and oxidized copper. *Appl Surf Sci.* 320: 200-206. <http://dx.doi.org/10.1016/j.apsusc.2014.09.070>.
- Zhang, YD; Kennedy, IM. (2002). Oxidation of trichloroethene in stagnation flows over inert and catalytic heated ceramic surfaces. *Combust Flame.* 131: 436-451.
- Zhang, YP; Yang, R; Xu, QJ; Mo, JH. (2007). Characteristics of photocatalytic oxidation of toluene, benzene, and their mixture. *Journal of the Air and Waste Management Association.* 57: 94-101.
- Zhang, YS; Gillham, RK. (2005). Effects of gas generation and precipitates on performance of Fe degrees PRBs. *Ground Water.* 43: 113-121.
- Zhang, Z; Brusseau, ML. (1998). Characterizing three-dimensional hydraulic conductivity distributions using qualitative and quantitative geologic borehole data: Application to a field site. *Ground Water.* 36: 671-678.
- Zhang, Z; Chen, Y. (2009). Simulation of fracture propagation subjected to compressive and shear stress field using virtual multidimensional internal bonds. *International Journal of Rock Mechanics and Mining Sciences.* 46: 1010-1022. <http://dx.doi.org/10.1016/j.ijrmms.2009.01.003>.
- Zhang, Z; Cissoko, N; Wo, J; Xu, X. (2009). Factors influencing the dechlorination of 2,4-dichlorophenol by Ni-Fe nanoparticles in the presence of humic acid. *J Hazard Mater.* 165: 78-86. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.08>.
- Zhang, Z; Hao, Z; Yang, Y; Zhang, J; Wang, Q; Xu, X. (2010). Reductive denitrification kinetics of nitrite by zero-valent iron. *Desalination.* 257: 158-162. <http://dx.doi.org/10.1016/j.desal.2010.02.031>.
- Zhang, Z; Huang, K; Yuan, F; Xie, C. (2014). Gas sensing properties and in situ diffuse reflectance infrared Fourier transform spectroscopy study of trichloroethylene adsorption and reactions on SnO₂ films. *Appl Surf Sci.* 300: 98-103. <http://dx.doi.org/10.1016/j.apsusc.2014.02.011>.
- Zhang, Z; Lu, M; Zhang, Z; Xiao, M; Zhang, M, in. (2012). Dechlorination of short chain chlorinated paraffins by nanoscale zero-valent iron. *J Hazard Mater.* 243: 105-111. <http://dx.doi.org/10.1016/j.jhazmat.2012.10.004>.
- Zhang, Z; Wo, JJ; Cissoko, N; Xu, X, inhua. (2008). Kinetics of 2,4-dichlorophenol dechlorination by Pd-Fe bimetallic nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A.* 9: 118-124. <http://dx.doi.org/10.1631/jzus.A071313>.
- Zhang, Z; Yu, G; Cheng, J; Wang, X; Zhang, F; Zhou, J. (2005). Carbon isotopic fractionation during photolysis of hexachlorobenzene. *Progress in Natural Science.* 15: 82-88.
- Zhang, ZH; Brusseau, ML. (1999). Nonideal transport of reactive solutes in heterogeneous porous media 5. Simulating regional-scale behavior of a trichloroethene plume during pump-and-treat remediation. *Water Resour Res.* 35: 2921-2935.
- Zhang, ZL; Hong, HS; Zhou, JL; Dai, MH; Maskouib, K; Chen, WQ. (2002). Contamination by organochlorine pesticides in the estuaries of southeast China. *Chem Res Chin Univ.* 18: 153-160.
- Zhao, B; Shen, H; Liu, F; Liu, S; Niu, J; Guo, F, ei; Sun, X. (2012). Exposure to organochlorine pesticides is an independent risk factor of hepatocellular carcinoma: A case-control study. *J Expo Sci Environ Epidemiol.* 22: 541-548. <http://dx.doi.org/10.1038/jes.2011.29>.
- Zhao, B; Zhu, L. (2006). Solubilization of DNAPLs by mixed surfactant: synergism and solubilization capacity. *J Hazard Mater.* 136: 513-519. <http://dx.doi.org/10.1016/j.jhazmat.2005.08.03>.
- Zhao, B; Zhu, L; Yang, K. (2006). Solubilization of DNAPLs by mixed surfactant: reduction in partitioning losses of nonionic surfactant. *Chemosphere.* 62: 772-779. <http://dx.doi.org/10.1016/j.chemosphere.2005.04.08>.
- Zhao, C; Mumford, KG; Kueper, BH. (2014). Laboratory study of non-aqueous phase liquid and water co-boiling during thermal treatment. *J Contam Hydrol.* 164: 49-58. <http://dx.doi.org/10.1016/j.jconhyd.2014.05.008>.
- Zhao, D, an; Cheng, J; Chen, J. (2014). One-step synthesis of bentonite-supported nanoscale Fe/Ni bimetal for rapid degradation of methyl orange in water. *Environ Chem Lett.* 12: 461-466. <http://dx.doi.org/10.1007/s10311-014-0473-3>.
- Zhao, D, an; Liao, X; Yan, X; Huling, SG; Chai, T; Tao, H. (2013). Effect and mechanism of persulfate activated by different methods for PAHs removal in soil. *J Hazard Mater.* 254: 228-235. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.056>.
- Zhao, H, eP; Schmidt, KR; Lohner, S; Tiehm, A. (2011). Robustness of an aerobic metabolically vinyl chloride degrading bacterial enrichment culture. *Water Sci Technol.* 64: 1796-1803. <http://dx.doi.org/10.2166/wst.2011.752>.
- Zhao, H; Vance, GF. (1998). Sorption of trichloroethylene by organo-clays in the presence of humic substances. *Water Res.* 32: 3710-3716.
- Zhao, HP; Schmidt, KR; Tiehm, A. (2010). Inhibition of aerobic metabolic cis-1,2-di-chloroethene biodegradation by other chloroethenes. *Water Res.* 44: 2276-2282. <http://dx.doi.org/10.1016/j.watres.2009.12.023>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zhao, J; Yang, XD. (2003). Photocatalytic oxidation for indoor air purification: a literature review. *Build Environ.* 38: 645-654. [http://dx.doi.org/10.1016/S0360-1323\(02\)00212-3](http://dx.doi.org/10.1016/S0360-1323(02)00212-3).
- Zhao, L; Hou, H; Fujii, A; Hosomi, M; Li, F. (2014). Degradation of 1,4-dioxane in water with heat- and Fe²⁺-activated persulfate oxidation. *Environ Sci Pollut Res Int.* 21: 7457-7465. <http://dx.doi.org/10.1007/s11356-014-2668-3>.
- Zhao, LH; Itoh, K; Murabayashi, M. (2004). Reaction mechanism of photocatalytic oxidation of trichloroethylene on TiO₂ film. *Chinese journal of catalysis.* 25: 915-919.
- Zhao, LH; Itoh, K; Murabayashi, M; Kondoh, M; Wen, XZ. (2004). Photocatalytic reaction of volatile organic compounds on TiO₂ film pretreated by trichloroethylene. *Chinese journal of catalysis.* 25: 669-672.
- Zhao, LH; Yamashida, K; Itoh, K; Murabayashi, M. (2005). Effect of ultraviolet pre-irradiation on photocatalytic oxidation of trichloroethylene over TiO₂ in gas phase. *Chinese journal of catalysis.* 26: 307-310.
- Zhao, S; Huang, B; Shu, X. (2015). Investigation on binder homogeneity of RAP/RAS mixtures through staged extraction. *Construction and Building Materials.* 82: 184-191. <http://dx.doi.org/10.1016/j.conbuildmat.2015.02.013>.
- Zhao, S, HiX; Zhang, L, iJ; Wang, Y, uXin. (2013). Enhanced performance of a Nafion membrane through ionomer self-organization in the casting solution. *J Power Sources.* 233: 309-312. <http://dx.doi.org/10.1016/j.jpowsour.2013.01.052>.
- Zhao, W, ei; Shi, B. (2009). Removal of Volatile Organic Compounds from Water by Pervaporation Using Polyetherimide-Polyethersulfone Blend Hollow Fiber Membranes. *Separation Science and Technology.* 44: 1737-1752. <http://dx.doi.org/10.1080/01496390902775851>.
- Zhao, Y, a; Liu, Z; Liu, F; Li, Z. (2011). Cometabolic degradation of trichloroethylene in a hollow fiber membrane reactor with toluene as a substrate. *J Memb Sci.* 372: 322-330. <http://dx.doi.org/10.1016/j.memsci.2011.02.016>.
- Zhao, Y, an; Zhao, Y; Li, Q, in; Zhou, R, ui; Chen, X, u. (2016). Effect of common inorganic ions on aniline degradation in groundwater by activated persulfate with ferrous iron. *Water Science and Technology: Water Supply.* 16: 667-674. <http://dx.doi.org/10.2166/ws.2015.174>.
- Zhao, Z; Alford, TL. (2016). The optimal TiO₂/Ag/TiO₂ electrode for organic solar cell application with high device-specific Haacke figure of merit. *Solar Energy Materials and Solar Cells.* 157: 599-603. <http://dx.doi.org/10.1016/j.solmat.2016.07.044>.
- Zhao, Z; Dhar, A; Alford, TL. (2015). A Method for Efficient Transmittance Spectrum Prediction of Transparent Composite Electrodes. *J O M.* 67: 1612-1616. <http://dx.doi.org/10.1007/s11837-015-1342-7>.
- Zhao, Z; Fang, Y, uLun; Alvarez, PJJ; Wong, MS. (2013). Degrading perchloroethene at ambient conditions using Pd and Pd-on-Au reduction catalysts. *Appl Catal B-Environ.* 140: 468-477. <http://dx.doi.org/10.1016/j.apcatb.2013.04.032>.
- Zhao, Z; Xia, L; Wang, F; Jiang, X; Gao, Y. (2012). Optimization of extractants, purifying packings, and eluents for analytical extraction of organochlorine pesticides in Hydragric Acrisols. *Environ Monit Assess.* 184: 5159-5171. <http://dx.doi.org/10.1007/s10661-011-2330-1>.
- Zheng, C; Zhu, X; Gao, X; Liu, L, u; Chang, Q; Luo, Z; Cen, K. (2014). Experimental study of acetone removal by packed-bed dielectric barrier discharge reactor. *J Ind Eng Chem.* 20: 2761-2768. <http://dx.doi.org/10.1016/j.jiec.2013.11.004>.
- Zheng, CM; Wang, PP. (2002). A field demonstration of the simulation optimization approach for remediation system design. *Ground Water.* 40: 258-265.
- Zheng, F, ei; Gao, B, in; Sun, Y; Shi, X; Xu, H; Wu, J; Gao, Y. (2016). Removal of tetrachloroethylene from homogeneous and heterogeneous porous media: Combined effects of surfactant solubilization and oxidant degradation. *Chem Eng J.* 283: 595-603. <http://dx.doi.org/10.1016/j.cej.2015.08.004>.
- Zheng, J; Xue, Z; Li, S; Li, S; Rao, Z. (2012). Development of trichloroethylene gaseous sensor utilizing ZnO-Y₂O₃ as nanocatalyst based on thermal desorption/cataluminescence. *Analytical Methods.* 4: 2791-2796. <http://dx.doi.org/10.1039/c2ay25351h>.
- Zheng, M; Bao, J; Liao, P; Wang, K, un; Yuan, S; Tong, M, an; Long, H. (2012). Electrogeneration of H₂ for Pd-catalytic hydrodechlorination of 2,4-dichlorophenol in groundwater. *Chemosphere.* 87: 1097-1104. <http://dx.doi.org/10.1016/j.chemosphere.2012.01.058>.
- Zheng, T; Zhan, J; He, J; Day, C; Lu, Y; Mcpherson, GL; Piringer, G; John, VT. (2008). Reactivity characteristics of nanoscale zerovalent iron-silica composites for trichloroethylene remediation. *Environ Sci Technol.* 42: 4494-4499. <http://dx.doi.org/10.1021/es702214x>.
- Zheng, T; Zhan, J; He, J; Piringer, G; Mcpherson, G; Lu, Y; John, VT. (2007). ENVR 212-Trichloroethylene remediation using nanoscale iron/silica aerosol particles. *Abstracts of Papers - American Chemical Society.* 234.
- Zheng, Y; Li, DZ; Fu, XZ. (2001). Effect of water vapor on microwave-assisted photocatalytic oxidation of organic pollutants over titania. *Chinese journal of catalysis.* 22: 165-167.
- Zhong, H, ua; Brusseau, ML; Wang, Y; Yan, N, i; Quig, L; Johnson, GR. (2015). In-situ activation of persulfate by iron filings and degradation of 1,4-dioxane. *Water Res.* 83: 104-111. <http://dx.doi.org/10.1016/j.watres.2015.06.025>.
- Zhong, H, ua; Tian, Y; Yang, Q, i; Brusseau, ML; Yang, L, ei; Zeng, G. (2017). Degradation of landfill leachate compounds by persulfate for groundwater remediation. *Chem Eng J.* 307: 399-407. <http://dx.doi.org/10.1016/j.cej.2016.08.069>.
- Zhong, L; Kuo, CH. (2000). Reaction kinetics of ozonation of trichloroethylene and benzene in gas and liquid phases. *Chinese Journal of Chemical Engineering.* 8: 272-275.
- Zhong, XH; Bajpai, RK. (2000). A comprehensive model for the cometabolism of chlorinated solvents. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 35: 229-244.
- Zhou, H; Cheong, HG; Park, JW. (2016). Charge Carrier Transport Through the Interface Between Hybrid Electrodes and Organic Materials in Flexible Organic Light Emitting Diodes. *J Nanosci Nanotechnol.* 16: 5179-5185. <http://dx.doi.org/10.1166/jnn.2016.12265>.
- Zhou, H; Han, J; Baig, S; Xu, X. (2011). Dechlorination of 2,4-dichlorophenoxyacetic acid by sodium carboxymethyl cellulose-stabilized Pd/Fe nanoparticles. *J Hazard Mater.* 198: 7-12. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.002>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zhou, H; Park, J, inWoo. (2015). Effect of the crystallinity of indium tin oxide on the charge transfer at the interfaces and the performances of flexible organic light emitting diodes. *Physica Status Solidi A: Applications and Materials Science (Print)*. 212: 414-424. <http://dx.doi.org/10.1002/pssa.201431550>.
- Zhou, H; Randers-Pehrson, G; Geard, CR; Brenner, DJ; Hall, EJ; Hei, TK. (2003). Interaction between radiation-induced adaptive response and bystander mutagenesis in mammalian cells. *Radiat Res*. 160: 512-516.
- Zhou, H, yi; Wang, SC; Sheng, GD. (2010). Catalytic dechlorination and detoxification of 1-(2-chlorophenyl) ethanol by Pd/Fe. *Journal of Zhejiang University- Science A*. 11: 356-362. <http://dx.doi.org/10.1631/jzus.A0900469>.
- Zhou, HY; Xu, XH; Wang, DH. (2004). Catalytic dechlorination and kinetics of o-dichlorobenzene by Pd/Fe. *Chinese Journal of Chemical Engineering*. 12: 505-509.
- Zhou, J; Chen, H; Huang, Z. (2016). Bimetallic Au-decorated Pd catalyst for the liquid phase hydrodechlorination of 2,4-dichlorophenol. *Appl Surf Sci*. 387: 588-594. <http://dx.doi.org/10.1016/j.apsusc.2016.06.154>.
- Zhou, Q; Bishop, PL. (1997). Determination of oxygen profiles and diffusivity in encapsulated biomass k-carrageenan gel beads. *Water Sci Technol*. 36: 271-277.
- Zhou, T; Li, YZ; Lim, TT. (2010). Catalytic hydrodechlorination of chlorophenols by Pd/Fe nanoparticles: Comparisons with other bimetallic systems, kinetics and mechanism. *Separation and Purification Technology*. 76: 206-214. <http://dx.doi.org/10.1016/j.seppur.2010.10.010>.
- Zhou, W; Zhu, L. (2008). Influence of surfactant sorption on the removal of phenanthrene from contaminated soils. *Environ Pollut*. 152: 99-105. <http://dx.doi.org/10.1016/j.envpol.2007.05.016>.
- Zhou, X, ue; Li, D; Yang, Q, i; Hao, C. (2012). ISOLATION AND CHARACTERIZATION OF A 1,1-DICHLOROETHYLENE-DEGRADING BACTERIAL STRAIN FROM ACTIVATED SLUDGE. *Fresen Environ Bull*. 21: 2051-2055.
- Zhou, X; Yang, D; Frindt, RF. (1996). Study of restacked single molecular layer molybdenum disulfide with organic tetrachloroethylene included. *J Phys Chem Solids*. 57: 1137-1140.
- Zhou, YC; Waxman, DJ. (1998). Activation of peroxisome proliferator-activated receptors by chlorinated hydrocarbons and endogenous steroids. *Environ Health Perspect*. 106 Suppl 4: 983-988.
- Zhou, Z; Ruan, W; Huang, H; Shen, C; Yuan, B; Huang, CH, ua. (2016). Fabrication and characterization of Fe/Ni nanoparticles supported by polystyrene resin for trichloroethylene degradation. *Chem Eng J*. 283: 730-739. <http://dx.doi.org/10.1016/j.cej.2015.07.076>.
- Zhu, HW; Keener, TC; Orton, TL; Bishop, PL; Khang, SJ; Siddiqui, K. (1997). The effectiveness of aeration recirculation in controlling VOC emissions from publicly owned treatment works. *J Air Waste Manag Assoc*. 47: 1259-1267.
- Zhu, J; Newhook, R; Marro, L; Chan, CC. (2005). Selected volatile organic compounds in residential air in the city of Ottawa, Canada. *Environ Sci Technol*. 39: 3964-3971. <http://dx.doi.org/10.1021/es050173u>.
- Zhu, K; Sun, C; Chen, H; Baig, S; Sheng, T; Xu, X. (2013). Enhanced catalytic hydrodechlorination of 2,4-dichlorophenoxyacetic acid by nanoscale zero valent iron with electrochemical technique using a palladium/nickel foam electrode. *Chem Eng J*. 223: 192-199. <http://dx.doi.org/10.1016/j.cej.2013.03.019>.
- Zhu, L; Ai, Z; Ho, W; Zhang, L. (2013). Core-shell Fe-Fe₂O₃ nanostructures as effective persulfate activator for degradation of methyl orange. *Separation and Purification Technology*. 108: 159-165. <http://dx.doi.org/10.1016/j.seppur.2013.02.016>.
- Zhu, L; Gao, K; Jin, J; Lin, H; Xu, X. (2014). Analysis of ZVI corrosion products and their functions in the combined ZVI and anaerobic sludge system. *Environ Sci Pollut Res Int*. 21: 12747-12756. <http://dx.doi.org/10.1007/s11356-014-3215-y>.
- Zhu, L; Jin, J; Lin, H; Gao, K; Xu, X. (2015). Succession of microbial community and enhanced mechanism of a ZVI-based anaerobic granular sludge process treating chloronitrobenzenes wastewater. *J Hazard Mater*. 285: 157-166. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.029>.
- Zhu, L; Lin, HZ; Qi, JQ; Xu, XY; Qi, HY. (2012). Effect of H₂ on reductive transformation of p-CINB in a combined ZVI-anaerobic sludge system. *Water Res*. 46: 6291-6299. <http://dx.doi.org/10.1016/j.watres.2012.08.029>.
- Zhu, MX; Xue, JY, i; Zhang, J, iaN; Li, Y; Deng, J, unBo; Mu, H, aiBao; Zhang, GJ, un; Shao, XJ, un; Liu, XW, ei. (2016). Classification and separation of partial discharge ultra-high-frequency signals in a 252 kV gas insulated substation by using cumulative energy technique. *I E T Science, Measurement and Technology*. 10: 316-326. <http://dx.doi.org/10.1049/iet-smt.2015.0171>.
- Zhu, MX; Zhang, J, iaN; Li, Y; Wei, Y, anHui; Xue, JY, i; Deng, J, unBo; Mu, H, aiBao; Zhang, GJ, un; Shao, XJ, un. (2016). Partial Discharge Signals Separation Using Cumulative Energy Function and Mathematical Morphology Gradient. *I E E Transactions on Dielectrics and Electrical Insulation*. 23: 482-493. <http://dx.doi.org/10.1109/TDEI.2015.005481>.
- Zhu, R; Che, S; Liu, X; Lin, S; Xu, G; Ouyang, F. (2014). A novel fluidized-bed-optical-fibers photocatalytic reactor (FBOFPR) and its performance. *Appl Catal A-Gen*. 471: 136-141. <http://dx.doi.org/10.1016/j.apcata.2013.11.044>.
- Zhu, T; Li, J; Jin, Y; Liang, Y; Ma, G. (2008). Decomposition of benzene by non-thermal plasma processing: Photocatalyst and ozone effect. *Int J Environ Sci Tech*. 5: 375-384.
- Zhu, X; He, J; Su, S; Zhang, X; Wang, F. (2016). Concept model of the formation process of humic acid-kaolin complexes deduced by trichloroethylene sorption experiments and various characterizations. *Chemosphere*. 151: 116-123. <http://dx.doi.org/10.1016/j.chemosphere.2016.02.068>.
- Zhu, Y; Liu, Q; Huang, X. (2013). Applying Time-Temperature Equivalent Principle to the Creep Property of Granite. *Disaster Advances*. 6: 145-151.
- Zhuang, P; Pavlostathis, SG. (1994). EFFECT OF CHLORINATED ALKENES ON THE REDUCTIVE DECHLORINATION AND METHANE PRODUCTION PROCESSES. *Water Sci Technol*. 30: 85-94.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zhuang, P; Pavlostathis, SG. (1995). EFFECT OF TEMPERATURE, PH AND ELECTRON-DONOR ON THE MICROBIAL REDUCTIVE DECHLORINATION OF CHLOROALKENES. *Chemosphere*. 31: 3537-3548.
- Zhuang, Y; Ahn, S; Luthy, RG. (2010). Debromination of Polybrominated Diphenyl Ethers by Nanoscale Zerovalent Iron: Pathways, Kinetics, and Reactivity. *Environ Sci Technol*. 44: 8236-8242. <http://dx.doi.org/10.1021/es101601s>.
- Ziagova, MG; Liakopoulou-Kyriakides, M. (2010). Comparative studies on the degradation of three aromatic compounds by *Pseudomonas* sp. and *Staphylococcus xylosus*. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 45: 1017-1025. <http://dx.doi.org/10.1080/10934521003772444>.
- Zielinska-Psuja, B; Orłowski, J; Kowalowska, J; Zieba-Proc, B. (1998). Implikacje metaboliczne benzenu i trichloroetyleny. Cz. 1. Wpływ trichloroetyleny na wydalanie fenolu u szczurów. *Bromatol Chem Toksykol*. 31: 13-20.
- Zielinska-Psuja, B; Orłowski, J; Plewka, A; Kaminski, M; Kowalowska-Zawieja, J. (2001). Metabolic interactions between acetylsalicylic acid, xylene and trichloroethylene in rats. *Pol J Environ Stud*. 10: 43-49.
- Ziener, CE; Braunsdorf, P. (2014). Trace Analysis in End-Exhaled Air Using Direct Solvent Extraction in Gas Sampling Tubes: Tetrachloroethene in Workers as an Example. *International Journal of Analytical Chemistry*. 2014: 904512. <http://dx.doi.org/10.1155/2014/904512>.
- Ziglio, G. (1981). Human exposure to environmental trichloroethylene and tetrachloroethylene: preliminary data on population groups of Milan, Italy. *Bull Environ Contam Toxicol*. 26: 131-136.
- Ziglio, G; Fara, GM; Beltramelli, G; Pregliasco, F. (1983). Human environmental exposure to trichloro- and tetrachloroethylene from water and air in Milan, Italy. *Arch Environ Contam Toxicol*. 12: 57-64.
- Zilitinkevich, SS; Elperin, T; Kleerorin, N; L'vov, V; Rogachevskii, I. (2009). Energy- and Flux-Budget Turbulence Closure Model for Stably Stratified Flows. Part II: The Role of Internal Gravity Waves. *Boundary Layer Meteorol*. 133: 139-164. <http://dx.doi.org/10.1007/s10546-009-9424-0>.
- Zilitinkevich, SS; Elperin, T; Kleerorin, N; Rogachevskii, I. (2007). Energy- and flux-budget (EFB) turbulence closure model for stably stratified flows. Part I: steady-state, homogeneous regimes. *Boundary Layer Meteorol*. 125: 167-191. <http://dx.doi.org/10.1007/s10546-007-9189-2>.
- Zilitinkevich, SS; Elperin, T; Kleerorin, N; Rogachevskii, I; Esau, I; Mauritsen, T; Miles, MW. (2008). Turbulence energetics in stably stratified geophysical flows: Strong and weak mixing regimes. *Q J Roy Meteorol Soc*. 134: 793-799. <http://dx.doi.org/10.1002/qj.264>.
- Zimmermann, B; Burck, J; Ache, HJ. (1997). Studies on siloxane polymers for NIR-evanescent wave absorbance sensors. *Sens Actuators B*. 41: 45-54.
- Zinder, SH; Gossett, JM. (1995). Reductive dechlorination of tetrachloroethene by a high rate anaerobic microbial consortium [Review]. *Environ Health Perspect*. 103: 5-7.
- Zitomer, DH; Speece, RE. (1995). METHANETHIOL IN NONACCLIMATED SEWAGE-SLUDGE AFTER ADDITION OF CHLOROFORM AND OTHER TOXICANTS. *Environ Sci Technol*. 29: 762-768. <http://dx.doi.org/10.1021/es00003a025>.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem*. 84: 513-522. <http://dx.doi.org/10.1080/03067310310001637676>.
- Zoccolillo, L; Amendola, L; Cafaro, C; Insogna, S. (2007). Volatile chlorinated hydrocarbons in Antarctic superficial snow sampled during Italian ITASE expeditions. *Chemosphere*. 67: 1897-1903. <http://dx.doi.org/10.1016/j.chemosphere.2006.12.050>.
- Zoccolillo, L; Amendola, L; Insogna, S. (2009). Comparison of atmosphere/aquatic environment concentration ratio of volatile chlorinated hydrocarbons between temperate regions and Antarctica. *Chemosphere*. 76: 1525-1532. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.044>.
- Zoccolillo, L; Amendola, L; Tarallo, GA. (1996). Halocarbons in Antarctic surface waters and snow. *Int J Environ Anal Chem*. 63: 91-98.
- Zoccolillo, L; Rellori, M. (1994). HALOCARBONS IN ANTARCTIC SURFACE WATERS. *Int J Environ Anal Chem*. 55: 27-32.
- Zogorski, JS; Carter, JM; Ivahnenko, T; Lapham, WW; Moran, MJ; Rowe, BL; Squillace, PJ; Toccalino, PL. (2006). Volatile organic compounds in the nation's ground water and drinking-water supply wells. (Circular 1292). Reston, VA: U.S. Department of the Interior, U.S. Geological Survey. <http://pubs.usgs.gov/circ/circ1292/pdf/circular1292.pdf>.
- Zolla, V; Freyria, FS; Sethi, R; Di Molfetta, A. (2009). Hydrogeochemical and Biological Processes Affecting the Long-term Performance of an Iron-Based Permeable Reactive Barrier. *J Environ Qual*. 38: 897-908. <http://dx.doi.org/10.2134/jeq2007.0622>.
- Zorina, LV; Khasanov, SS; Shibaeva, RP; Gener, M; Rousseau, R; Canadell, E; Kushch, LA; Yagubskii, EB; Drozdova, OO; Yakushi, K. (2000). A new stable organic metal based on the BEDO-TTF donor and the doubly charged nitroprusside anion, (BEDO-TTF)₄[Fe(CN)₅NO]. *J Mater Chem*. 10: 2017-2023.
- Zorn, ME; Tompkins, DT; Zeltner, WA; Anderson, MA. (2000). Catalytic and photocatalytic oxidation of ethylene on titania-based thin-films. *Environ Sci Technol*. 34: 5206-5210. <http://dx.doi.org/10.1021/es991250m>.
- Zou, J, in; Liu, Y; Shan, B; Chattopadhyay, A; Dai, LL. (2014). Early damage detection in epoxy matrix using cyclobutane-based polymers. *Smart Materials and Structures*. 23. <http://dx.doi.org/10.1088/0964-1726/23/9/095038>.
- Zou, J; Ma, J, un; Zhang, J. (2014). Comment on Electrolytic Manipulation of Persulfate Reactivity by Iron Electrodes for TCE Degradation in Groundwater [Letter]. *Environ Sci Technol*. 48: 4630-4631. <http://dx.doi.org/10.1021/es501061n>.
- Zou, L; Luo, Y; Hooper, M; Hu, E. (2006). Removal of VOCs by photocatalysis process using adsorption enhanced TiO₂-SiO₂ catalyst. *Chemical Engineering and Processing: Process Intensification*. 45: 959-964. <http://dx.doi.org/10.1016/j.cep.2006.01.014>.
- Zuo, GM; Cheng, ZX; Chen, H; Li, GW; Miao, T. (2006). Study on photocatalytic degradation of several volatile organic compounds. *J Hazard Mater*. 128: 158-163. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.056>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zuo, L; Ai, J; Fu, H; Chen, W; Zheng, S; Xu, Z; Zhu, D. (2016). Enhanced removal of sulfonamide antibiotics by KOH-activated anthracite coal: Batch and fixed-bed studies. *Environ Pollut.* 211: 425-434. <http://dx.doi.org/10.1016/j.envpol.2015.12.064>.
- Zuo, YJ; Xi, HL; Zhang, JH; Li, ZJ; Zhou, F. (2001). Foundation of kinetics model for TiO₂-photocatalyzed degradation of organic compounds in suspending system. *Chinese journal of catalysis.* 22: 198-202.
- Zwank, L; Elsner, M; Aeberhard, A; Schwarzenbach, RP; Haderlein, SB. (2005). Carbon isotope fractionation in the reductive dehalogenation of carbon tetrachloride at iron (hydr)oxide and iron sulfide minerals. *Environ Sci Technol.* 39: 5634-5641. <http://dx.doi.org/10.1021/es0487776>.
- Zytner, RG. (1992). Adsorption-desorption of trichloroethylene in granular media. *Water Air Soil Pollut.* 65: 3-4.
- Zytner, RG; Biswas, N; Bewtra, JK. (1993). Retention capacity of dry soils for NAPLs. *Environ Technol.* 14: 1073-1080.

Exposure Literature Search Results

On Topic

- Adamson, DT; Anderson, RH; Mahendra, S; Newell, CJ. (2015). Evidence of 1,4-dioxane attenuation at groundwater sites contaminated with chlorinated solvents and 1,4-dioxane. *Environ Sci Technol.* 49: 6510-6518. <http://dx.doi.org/10.1021/acs.est.5b00964>.
- Adetutu, EM; Gundry, TD; Patil, SS; Golneshin, A; Adigun, J, oy; Bhaskarla, V; Aleer, S; Shahsavari, E; Ross, E; Ball, AS. (2015). Exploiting the intrinsic microbial degradative potential for field-based in situ dechlorination of trichloroethene contaminated groundwater. *J Hazard Mater.* 300: 48-57. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.055>.
- Adgate, J; Eberly, L; Stroebel, C; Pellizzari, E; Sexton, K. (2004). Personal, indoor, and outdoor VOC exposures in a probability sample of children. *J Expo Anal Environ Epidemiol.* 14: S4-S13. <http://dx.doi.org/10.1038/sj.jea.7500353>.
- Adgate, JL; Church, TR; Ryan, AD; Ramachandran, G; Fredrickson, AL; Stock, TH; Morandi, MT; Sexton, K. (2004). Outdoor, indoor, and personal exposure to VOCs in children. *Environ Health Perspect.* 112: 1386-1392. <http://dx.doi.org/10.1289/ehp.7107>.
- Aelion, CM; Conte, BC. (2004). Susceptibility of residential wells to VOC and nitrate contamination. *Environ Sci Technol.* 38: 1648-1653. <http://dx.doi.org/10.1021/es030401p>.
- Aeppli, C; Hofstetter, TB; Amaral, HI; Kipfer, R; Schwarzenbach, RP; Berg, M. (2010). Quantifying in situ transformation rates of chlorinated ethenes by combining compound-specific stable isotope analysis, groundwater dating, and carbon isotope mass balances. *Environ Sci Technol.* 44: 3705-3711. <http://dx.doi.org/10.1021/es903895b>.
- Ahmed, AA; Chen, D. (2010). Desorption kinetics of trichloroethylene and perchloroethylene from aged dense nonaqueous phase liquid-contaminated soil. *Water Environ J.* 24: 159-164. <http://dx.doi.org/10.1111/j.1747-6593.2009.00175.x>.
- Ahn, JY; Kim, C; Kim, HS; Hwang, KY; Hwang, I. (2016). Effects of oxidants on in situ treatment of a DNAPL source by nanoscale zero-valent iron: A field study. *Water Res.* 107: 57-65. <http://dx.doi.org/10.1016/j.watres.2016.10.037>.
- Ahrens, C; Altman, N; Casella, G; Eaton, M; Hwang, JTG; Staudenmayer, J; Stefanescu, C. (2001). Leukemia clusters in upstate New York: how adding covariates changes the story. *Environmetrics.* 12: 659-672.
- Aiken, BS; Lapat-Polasko, L. (2003). Estimating chlorinated ethene bioattenuation rates from a single well. *ACS Symp Ser Am Chem Soc.* 837: 109-118.
- Ala, NK; Domenico, PA. (1992). INVERSE ANALYTICAL TECHNIQUES APPLIED TO COINCIDENT CONTAMINANT DISTRIBUTIONS AT OTIS-AIR-FORCE-BASE, MASSACHUSETTS. *Ground Water.* 30: 212-218.
- Alberti, L; Lombi, S; Zanini, A. (2011). Identifying sources of chlorinated aliphatic hydrocarbons in a residential area in Italy using the integral pumping test method. *Hydrogeology Journal.* 19: 1253-1267. <http://dx.doi.org/10.1007/s10040-011-0742-1>.
- Altissimo, L; Andreoli, E; Giacometti, A; Marcomini, A. (2002). Time trends of 1,1,1-trichloroethane, trichloroethylene, and perchloroethylene in confined and unconfined aquifers of a groundwater system in northern Italy. *Ann Chim.* 92: 61-71.
- Altmann, L; Neuhaan, HF; Krämer, U; Witten, J; Jermann, E. (1995). Neurobehavioral and neurophysiological outcome of chronic low-level tetrachloroethene exposure measured in neighborhoods of dry cleaning shops. *Environ Res.* 69: 83-89. <http://dx.doi.org/10.1006/enrs.1995.1028>.
- Amagai, T; Olansandan; Matsushita, H; Ono, M; Nakai, S; Tamura, K; Maeda, K. (1999). A survey of indoor pollution by volatile organohalogen compounds in Katsushika, Tokyo, Japan. *Indoor Built Environ.* 8: 255-268.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res.* 30: 1876-1884.
- An, YJ; Kampbell, DH; Weaver, JW; Wilson, JT; Jeong, SW. (2004). Natural attenuation of trichloroethene and its degradation products at a lake-shore site. *Environ Pollut.* 130: 325-335. <http://dx.doi.org/10.1016/j.envpol.2004.01.005>.
- Andelman, JB. (1985). Human exposures to volatile halogenated organic chemicals in indoor and outdoor air. *Environ Health Perspect.* 62: 313-318.
- Anderson, M; Church, G. (1998). Offshore passive soil vapor survey at a contaminated coastal site. *J Environ Eng.* 124: 555-563.
- Anderson, TA; Walton, BT. (1995). Comparative fate of (14C)trichloroethylene in the root zone of plants from a former solvent disposal site. *Environ Toxicol Chem.* 14: 2041-2047.
- Anon. (1995). BIOREMEDIATION DEGRADES TCE. *Pollution Engineering.* 27: 19-19.
- Anon. (1995). Catalytic process claims to remove TCE and other harmful chemicals in groundwater. *J Environ Health.* 57: 35-35.
- Anon. (1999). Removal of TCE from groundwater. *Chem Eng Tech.* 22: 728-729.

Exposure Literature Search Results

On Topic

- Antonelli, R; Dal PRA, A. (1991). PROBLEMS OF CONTAMINATION AND PROTECTION OF UNDERGROUND WATERS IN THE VENETO ALLUVIAL PLAIN NORTHERN ITALY (pp. 20-21). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/92/13845). Antonelli, R; Dal PRA, A.
- Anttila, A; Pukkala, E; Sallmen, M; Hernberg, S; Hemminki, K. (1995). Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med.* 37: 797-806.
- Archer, N; Bradford, C; Villanacci, J; Crane, N; Corsi, R; Chambers, D; Blount, B. (2013). ASSOCIATION BETWEEN VAPOR INTRUSION AND HUMAN EXPOSURE TO TRICHLOROETHYLENE. *Am J Epidemiol.* 177: S42-S42.
- Archer, NP; Bradford, CM; Villanacci, JF; Crain, NE; Corsi, RL; Chambers, DM; Burk, T; Blount, BC. (2015). Relationship between vapor intrusion and human exposure to trichloroethylene. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 1360-1368. <http://dx.doi.org/10.1080/10934529.2015.1064275>.
- Arif, AA; Shah, SM. (2007). Association between personal exposure to volatile organic compounds and asthma among US adult population. *Int Arch Occup Environ Health.* 80: 711-719. <http://dx.doi.org/10.1007/s00420-007-0183-2>.
- Ashley, DL; Bonin, MA; Cardinali, FL; Mccraw, JM; Wooten, JV. (1994). Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clin Chem.* 40: 1401-1404.
- Askari, MD; Maskarinec, MP; Smith, SM; Beam, PM; Travis, CC. (1996). Effectiveness of Purge-and-Trap for Measurement of Volatile Organic Compounds in Aged Soils. *Anal Chem.* 68: 3431-3433. <http://dx.doi.org/10.1021/ac960009c>.
- Assmuth, TW. (1996). Comparative risk analysis of waste site toxicants by indices based on concentration distributions, fluxes, environmental fate and critical effects. *J Hazard Mater.* 48: 121-135. [http://dx.doi.org/10.1016/0304-3894\(95\)00139-5](http://dx.doi.org/10.1016/0304-3894(95)00139-5).
- Athmer, C. (2004). In-situ remediation of TCE in clayey soils. *Soil Sediment Contam.* 13: 479-488.
- ATSDR. (2006). Health consultation: Public health implications of exposures to low-level volatile organic compounds in public drinking water: Endicott area investigation, Broome County, New York. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/HAC/pha/EndicottAreaInvestigation113006/EndicottAreaInvestigationHC113006.pdf>.
- Back, H; Susser, P. (1992). Concentrations of volatile chlorinated hydrocarbons and trichloroacetic acid in earthworms. *Soil Biol Biochem.* 24: 1745-1748.
- Baduru, KK; Trapp, S; Burken, JG. (2008). Direct measurement of VOC diffusivities in tree tissues: Impacts on tree-based phytoremediation and plant contamination. *Environ Sci Technol.* 42: 1268-1275. <http://dx.doi.org/10.1021/es071552l>.
- Baek, SO; Suvarapu, LN; Seo, YK. (2015). Occurrence and Concentrations of Toxic VOCs in the Ambient Air of Gumi, an Electronics-Industrial City in Korea. *Sensors.* 15: 19102-19123. <http://dx.doi.org/10.3390/s150819102>.
- Bardoděj, Z. (1991). Exposure limits for occupational and environmental chemical pollutants in various media. *Sci Total Environ.* 101: 45-54.
- Bartelt-Hunt, SL; Smith, JA. (2002). Measurement of effective air diffusion coefficients for trichloroethene in undisturbed soil cores. *J Contam Hydrol.* 56: 193-208. [http://dx.doi.org/10.1016/S0169-7722\(01\)00209-1](http://dx.doi.org/10.1016/S0169-7722(01)00209-1).
- Bartow, G; Davenport, C. (1995). PUMP-AND-TREAT ACCOMPLISHMENTS - A REVIEW OF THE EFFECTIVENESS OF GROUND-WATER REMEDIATION IN SANTA-CLARA VALLEY, CALIFORNIA. *Ground Water Monitoring and Remediation.* 15: 140-146.
- Basu, NB; Rao, PS; Poyer, IC; Annable, MD; Hatfield, K. (2006). Flux-based assessment at a manufacturing site contaminated with trichloroethylene. *J Contam Hydrol.* 86: 105-127. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.011>.
- Basu, NB; Suresh, P; Rao, C; Poyer, IC; Nandy, S; Mallavarapu, M; Naidu, R; Davis, GB; Patterson, BM; Annable, MD; Hatfield, K. (2009). Integration of traditional and innovative characterization techniques for flux-based assessment of dense non-aqueous phase liquid (DNAPL) sites. *J Contam Hydrol.* 105: 161-172. <http://dx.doi.org/10.1016/j.jconhyd.2008.12.005>.
- Batterman, S; Su, FC; Li, S; Mukherjee, B; Jia, C; Committee, HHR. (2014). Personal exposure to mixtures of volatile organic compounds: modeling and further analysis of the RIOPA data. *Res Rep Health Eff Inst3-63*.
- Bauer, S; Bayer-Raich, M; Holder, T; Kolesar, C; Müller, D; Ptak, T. (2004). Quantification of groundwater contamination in an urban area using integral pumping tests. *J Contam Hydrol.* 75: 183-213. <http://dx.doi.org/10.1016/j.jconhyd.2004.06.002>.
- Beamer, PI; Luik, CE; Abrell, L; Campos, S; Martinez, ME; Saez, AE. (2012). Correction to concentration of trichloroethylene in breast milk and household water from Nogales, Arizona [Erratum]. *Environ Sci Technol.* 46: 11483-11483. <http://dx.doi.org/10.1021/es303836r>.
- Beeman, RE; Bleckmann, CA. (2002). Sequential anaerobic-aerobic treatment of an aquifer contaminated by halogenated organics: field results. *J Contam Hydrol.* 57: 147-159.
- Bekele, DN; Naidu, R; Chadalavada, S. (2014). Influence of spatial and temporal variability of subsurface soil moisture and temperature on vapour intrusion. *Atmos Environ.* 88: 14-22. <http://dx.doi.org/10.1016/j.atmosenv.2014.01.053>.
- Bellamy, WD; Hickman, GT; Mueller, PA; Ziemba, N. (1991). TREATMENT OF VOC-CONTAMINATED GROUNDWATER BY HYDROGEN-PEROXIDE AND OZONE OXIDATION. *Res Journal Water Pollut Control Fed.* 63: 120-128.
- Benker, E; Davis, GB; Barry, DA. (1997). Factors controlling the distribution and transport of trichloroethene in a sand aquifer: Hydrogeology and results of an in situ transport experiment. *J Hydrol. AMSTERDAM:* 1-4.
- Benker, E; Davis, GB; Barry, DA. (1998). Estimating the retardation coefficient of trichloroethene for a sand aquifer low in sediment organic carbon: A comparison of methods. *J Contam Hydrol.* 30: 1-2.
- Bennett, P; Gandhi, D; Warner, S; Bussey, J. (2007). In situ reductive dechlorination of chlorinated ethenes in high nitrate groundwater. *J Hazard Mater.* 149: 568-573. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.092>.
- Beyer, C; Popp, S; Bauer, S. (2016). Simulation of temperature effects on groundwater flow, contaminant dissolution, transport and biodegradation due to shallow geothermal use. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5976-8>.
- Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RV; Tabak, H. (1996). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Water Environ Res.* 68: 260-269.

Exposure Literature Search Results

On Topic

- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation*. 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Bielefeldt, AR; Stensel, HD; Strand, SE. (1995). COMETABOLIC DEGRADATION OF TCE AND DCE WITHOUT INTERMEDIATE TOXICITY. *J Environ Eng*. 121: 791-797.
- Billionnet, C; Gay, E; Kirchner, S; Leynaert, B; Annesi-Maesano, I. (2011). Quantitative assessments of indoor air pollution and respiratory health in a population-based sample of French dwellings. *Environ Res*. 111: 425-434. <http://dx.doi.org/10.1016/j.envres.2011.02.008>.
- Bishop, PK; Lerner, DN; Jakobsen, R; Gosk, E; Burston, MW; Chen, T. (1993). INVESTIGATION OF A SOLVENT POLLUTED INDUSTRIAL SITE ON A DEEP SANDSTONE MUDSTONE SEQUENCE IN THE UK .2. CONTAMINANT SOURCES, DISTRIBUTIONS, TRANSPORT AND RETARDATION. *J Hydrol*. 149: 231-256.
- Biziuk, M; Czerwinski, J; Kozlowski, E. (1993). IDENTIFICATION AND DETERMINATION OF ORGANOHALOGEN COMPOUNDS IN SWIMMING POOL WATER. *Int J Environ Anal Chem*. 50: 109-115.
- Bjerg, PL; Rugge, K; Cortsen, J; Nielsen, PH; Christensen, TH. (1999). Degradation of aromatic and chlorinated aliphatic hydrocarbons in the anaerobic part of the Grindsted Landfill Leachate Plume: In situ microcosm and laboratory batch experiments. *Ground Water*. 37: 113-121.
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med*. 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>.
- Blair, A; Petralia, SA; Stewart, PA. (2003). Extended mortality follow-up of a cohort of dry cleaners. *Ann Epidemiol*. 13: 50-56. [http://dx.doi.org/10.1016/S1047-2797\(02\)00250-8](http://dx.doi.org/10.1016/S1047-2797(02)00250-8).
- Blanco, S; Bécares, E. (2010). Are biotic indices sensitive to river toxicants? A comparison of metrics based on diatoms and macro-invertebrates. *Chemosphere*. 79: 18-25. <http://dx.doi.org/10.1016/j.chemosphere.2010.01.059>.
- Blando, JD; Cohn, P. (2004). Exposure and health risk from swimming in outdoor pools contaminated by trichloroethylene. *Hum Ecol Risk Assess*. 10: 717-731. <http://dx.doi.org/10.1080/10807030490484183>.
- Boeglin, ML; Wessels, D; Henshel, D. (2006). An investigation of the relationship between air emissions of volatile organic compounds and the incidence of cancer in Indiana counties. *Environ Res*. 100: 242-254. <http://dx.doi.org/10.1016/j.envres.2005.04.004>.
- Bolt, H; Lammert, M; Selinski, S; Brüning, T. (2004). Urinary alpha1-microglobulin excretion as biomarker of renal toxicity in trichloroethylene-exposed persons. *Int Arch Occup Environ Health*. 77: 186-190. <http://dx.doi.org/10.1007/s00420-003-0500-3>.
- Borden, RC. (2007). Concurrent bioremediation of perchlorate and 1,1,1-trichloroethane in an emulsified oil barrier. *J Contam Hydrol*. 94: 13-33. <http://dx.doi.org/10.1016/j.jconhyd.2007.06.002>.
- Bourg, ACM; Degranges, P; Mouvet, C; Sauty, JP. (1993). MIGRATION OF CHLORINATED-HYDROCARBON SOLVENTS THROUGH COVENTRY SANDSTONE ROCK COLUMNS. *J Hydrol*. 149: 183-207.
- Bourg, ACM; Mouvet, C; Lerner, DN. (1992). A REVIEW OF THE ATTENUATION OF TRICHLOROETHYLENE IN SOILS AND AQUIFERS. 25: 359-370.
- Boutonnet, JC; De Rooij, C; Garny, V; Lecloux, A; Papp, R; Thompson, RS; Van Wijk, D. (1998). Euro Chlor risk assessment for the marine environment OSPARCOM region: North sea - Trichloroethylene. *Environ Monit Assess*. 53: 467-487.
- Bove, F; Shim, Y; Zeitz, P. (2002). Drinking water contaminants and adverse pregnancy outcomes: A review [Review]. *Environ Health Perspect*. 110: 61-74.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol*. 141: 850-862.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health*. 13: 10. <http://dx.doi.org/10.1186/1476-069X-13-10>.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health*. 13: 68. <http://dx.doi.org/10.1186/1476-069X-13-68>.
- Boydén, BH; Banh, DT; Huckabay, HK; Fernandes, JB. (1992). Using inclined cascade aeration to strip chlorinated VOCs from drinking water. *J Am Water Works Assoc*. 84: 62-69.
- Boyle, EB; Viet, SM; Wright, DJ; Merrill, LS; Alwis, KU; Blount, BC; Mortensen, ME; Moye, J; Dellarco, M. (2016). Assessment of Exposure to VOCs among Pregnant Women in the National Children's Study. *Int J Environ Res Public Health*. 13: 376. <http://dx.doi.org/10.3390/ijerph13040376>.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull*. 54: 1742-1753. <http://dx.doi.org/10.1016/j.marpolbul.2007.07.013>.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health*. 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.
- Brenner, D. (2010). Results of a long-term study of vapor intrusion at four large buildings at the NASA Ames research center. *J Air Waste Manag Assoc*. 60: 747-758. <http://dx.doi.org/10.3155/1047-3289.60.6.747>.
- Brooks, MC; Wood, AL; Annable, MD; Hatfield, K; Cho, J; Holbert, C; Rao, RSC; Enfield, CG; Lynch, K; Smith, RE. (2008). Changes in contaminant mass discharge from DNAPL source mass depletion: Evaluation at two field sites. *J Contam Hydrol*. 102: 140-153. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.008>.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere*. 36: 1799-1810.
- Brown, RHA; Cape, JN; Farmer, JG. (1999). Chlorinated hydrocarbons in Scots pine needles in northern Britain. *Chemosphere*. 38: 795-806.

Exposure Literature Search Results

On Topic

- Brüning, T; Mann, H; Melzer, H; Sundberg, A; Bolt, H. (1999). Pathological excretion patterns of urinary proteins in renal cell cancer patients exposed to trichloroethylene. *Occup Med (Lond)*. 49: 299-305.
- Bu, FY; Wen, XG; Wan, M; Liu, R; Cai, Q; Chen, LJ; Zhang, YM. (2011). [Applicability of an electronic nose for detection of volatile chlorinated hydrocarbons in soil]. *Huanjing Kexue*. 32: 3641-3646.
- Burg, J; Barrett, L; Cusack, C; Gist, G. (1997). IMPACT OF TRICHLOROETHYLENE TCE ENVIRONMENTAL EXPOSURE ON WOMEN (pp. 12-14). (ISSN 0002-9262; EISSN 1476-6256; BIOSIS/97/22440). Burg, J; Barrett, L; Cusack, C; Gist, G.
- Burg, J; Gist, G. (1999). Health effects of environmental contaminant exposure: An intrafile comparison of the Trichloroethylene Subregistry. *Arch Environ Health*. 54: 231-241. <http://dx.doi.org/10.1080/00039899909602480>.
- Burg, JR; Gist, G; Allred, SL; Rudtke, TM; Pallos, LL; Cusack, CD. (1995). The national exposure registry - morbidity analyses of noncancer outcomes from the trichloroethylene subregistry baseline data. *Int J Occup Med Toxicol*. 4: 237 - 257.
- Burge, SR; May, J. (2005). Automated ground water sampling and analysis of trichloroethene using a "universal" sampling/analytical system. *Ground Water Monitoring and Remediation*. 25: 113-122.
- Burston, MW; Nazari, MM; Bishop, PK; Lerner, DN. (1993). Pollution of groundwater in the Coventry region (UK) by chlorinated hydrocarbon solvents. *J Hydrol. AMST*: 1-4.
- Burton, DT; Dilorenzo, JL; Shedd, TR; Wrobel, JG. (2002). Aquatic Hazard Assessment of a Contaminated Surficial Aquifer Discharge into the Bush River, Maryland (U.S.A.). *Water Air Soil Pollut*. 139: 159-182.
- Bushnell, PJ; Shafer, TJ; Bale, AS; Boyes, WK; Simmons, JE; Eklund, C; Jackson, TL. (2005). Developing an exposure-dose-response model for the acute neurotoxicity of organic solvents: overview and progress on in vitro models and dosimetry. *Environ Toxicol Pharmacol*. 19: 607-614. <http://dx.doi.org/10.1016/j.etap.2004.12.026>.
- Buzio, L; De Palma, G; Mozzoni, P; Tondel, M; Buzio, C; Franchini, I; Axelson, O; Mutti, A. (2003). Glutathione S-transferases M1-1 and T1-1 as risk modifiers for renal cell cancer associated with occupational exposure to chemicals. *Occup Environ Med*. 60: 789-793.
- Carlson, AE; Barnes, DL. (2011). Movement of trichloroethene in a discontinuous permafrost zone. *J Contam Hydrol*. 124: 1-13. <http://dx.doi.org/10.1016/j.jconhyd.2010.11.002>.
- Chan, CY; Chan, LY; Wang, XM; Liu, YM; Lee, SC; Zou, SC; Sheng, GY; Fu, JM. (2002). Volatile organic compounds in roadside microenvironments of metropolitan Hong Kong. *Atmos Environ*. 36: 2039-2047.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ*. 40: 7331-7345. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.041>.
- Chan, LY; Chu, KW. (2007). Halocarbons in the atmosphere of the industrial-related Pearl River Delta region of China. *J Geophys Res Atmos*. 112. <http://dx.doi.org/10.1029/2006JD007097>.
- Chang, CC; Lo, GG; Tsai, CH; Wang, JL. (2001). Concentration variability of halocarbons over an electronics industrial park and its implication in compliance with the Montreal protocol. *Environ Sci Technol*. 35: 3273-3279. <http://dx.doi.org/10.1021/es001894q>.
- Chao, CY; Chan, GY. (2001). Quantification of indoor VOCs in twenty mechanically ventilated buildings in Hong Kong. *Atmos Environ*. 35: 5895-5913. [http://dx.doi.org/10.1016/s1352-2310\(01\)00410-1](http://dx.doi.org/10.1016/s1352-2310(01)00410-1).
- Chapman, SW; Parker, BL; Cherry, JA; Aravena, R; Hunkeler, D. (2007). Groundwater-surface water interaction and its role on TCE groundwater plume attenuation. *J Contam Hydrol*. 91: 203-232. <http://dx.doi.org/10.1016/j.jconhyd.2006.10.006>.
- Charbotel, B; Fevotte, J; Hours, M; Martin, JL; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part II: Epidemiological aspects. *Ann Occup Hyg*. 50: 777-787. <http://dx.doi.org/10.1093/annhyg/mel039>.
- Chard, BK; Doucette, WJ; Chard, JK; Bugbee, B; Gorder, K. (2006). Trichloroethylene uptake by apple and peach trees and transfer to fruit. *Environ Sci Technol*. 40: 4788-4793. <http://dx.doi.org/10.1021/es060156k>.
- Chen, C; Shih, MC; Wu, K. (2012). Exposure reconstruction using a physiologically based toxicokinetic model with cumulative amount of metabolite in urine: a case study of trichloroethylene inhalation. *Stoch Environ Res Risk Assess*. 26: 21-31. <http://dx.doi.org/10.1007/s00477-011-0502-8>.
- Chen, G; Hoag, GE; Chedda, P; Nadim, F; Woody, BA; Dobbs, GM. (2001). The mechanism and applicability of in situ oxidation of trichloroethylene with Fenton's reagent. *J Hazard Mater*. 87: 171-186.
- Chen, Y; Pan, W; Wu, F. (2013). Emission Fluxes of Volatile Organic Compounds from Three Heavily Polluted Rivers in Guangzhou, South China. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1509-1>.
- Chen, ZL; Megharaj, M; Naidu, R. (2004). Determination of tetrachloroethene, trichloroethylene, and their metabolites at trace levels in ground waters by on-line solid phase extraction/HPLC. *Journal of Liquid Chromatography and Related Technologies*. 27: 885-896. <http://dx.doi.org/10.1081/JLC-120029705>.
- Cherry, JA. (1992). CHLORINATED SOLVENTS IN GROUNDWATER - FIELD EXPERIMENTAL STUDIES OF BEHAVIOR AND REMEDIATION. *J Hazard Mater*. 32: 275-278.
- Chiang, SY; Mora, R; Diguiseppi, WH; Davis, G; Sublette, K; Gedalanga, P; Mahendra, S. (2012). Characterizing the intrinsic bioremediation potential of 1,4-dioxane and trichloroethene using innovative environmental diagnostic tools. *J Environ Monit*. 14: 2317-2326. <http://dx.doi.org/10.1039/c2em30358b>.
- Chin, JY; Godwin, C; Parker, E; Robins, T; Lewis, T; Harbin, P; Batterman, S. (2014). Levels and sources of volatile organic compounds in homes of children with asthma. *Indoor Air*. 24: 403-415. <http://dx.doi.org/10.1111/ina.12086>.
- Chiou, CT; Kile, DE. (1994). EFFECTS OF POLAR AND NONPOLAR GROUPS ON THE STABILITY OF ORGANIC-COMPOUNDS IN SOIL ORGANIC-MATTER. *Environ Sci Technol*. 28: 1139-1144.

Exposure Literature Search Results

On Topic

- Cho, C; Park, S; Sung, K. (2013). Subsurface and Plant Contamination During Natural Attenuation and Phytoremediation of Silt Loam Contaminated with Chlorinated Organic Compounds. *Vadose Zone Journal*. 12: NIL_318-NIL_328. <http://dx.doi.org/10.2136/vzj2012.0081>.
- Cho, HJ; Jaffe, PR; Smith, JA. (1993). SIMULATING THE VOLATILIZATION OF SOLVENTS IN UNSATURATED SOILS DURING LABORATORY AND FIELD INFILTRATION EXPERIMENTS. *Water Resour Res*. 29: 3329-3342.
- Choi, JW; Tillman, FD; Smith, JA. (2002). Relative importance of gas-phase diffusive and advective trichloroethene (TCE) fluxes in the unsaturated zone under natural conditions. *Environ Sci Technol*. 36: 3157-3164. <http://dx.doi.org/10.1021/es011348c>.
- Choung, S; Zimmerman, LR; Allen-King, RM; Ligouis, B; Feenstra, S. (2014). Heterogeneous carbonaceous matter in sedimentary rock lithocomponents causes significant trichloroethylene (TCE) sorption in a low organic carbon content aquifer/aquitard system. *J Contam Hydrol*. 167: 23-31. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.010>.
- Christof, O; Seifert, R; Michaelis, W. (2002). Volatile halogenated organic compounds in European estuaries. *Biogeochemistry*. 59: 143-160.
- Chu, KH; Jewell, WJ. (1994). TREATMENT OF TETRACHLOROETHYLENE WITH ANAEROBIC ATTACHED FILM PROCESS. *J Environ Eng*. 120: 58-71.
- Clayton, CA; Pellizzari, ED; Whitmore, RW; Perritt, RL; Quackenboss, JJ. (1999). National Human Exposure Assessment Survey (NHEXAS): Distributions and associations of lead, arsenic, and volatile organic compounds in EPA Region 5. *J Expo Anal Environ Epidemiol*. 9: 381-392. <http://dx.doi.org/10.1038/sj.jea.7500055>.
- Clement, TP; Johnson, CD; Sun, YW; Klecka, GM; Bartlett, C. (2000). Natural attenuation of chlorinated ethene compounds: model development and field-scale application at the Dover site. *J Contam Hydrol*. 42: 113-140.
- Clewell, HJ; Andersen, ME. (1994). Physiologically-based pharmacokinetic modeling and bioactivation of xenobiotics [Review]. *Toxicol Ind Health*. 10: 1-24.
- Clewell, HJ, III; Gentry, PR; Covington, TR; Gearhart, JM. (2000). Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment [Review]. *Environ Health Perspect*. 108: 283-305. <http://dx.doi.org/10.1289/ehp.00108s2283>.
- Clinton, BD; Vose, JM; Vroblesky, DA; Harvey, GJ. (2004). Determination of the relative uptake of ground vs. surface water by *Populus deltoides* during phytoremediation. *Int J Phytoremediation*. 6: 239-252. <http://dx.doi.org/10.1080/16226510490496438>.
- Cohn, P; Klotz, J; Bove, F; Berkowitz, M; Fagliano, J. (1994). Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environ Health Perspect*. 102: 556-561.
- Colomb, A; Williams, J; Crowley, J; Gros, V; Hofmann, R; Salisbury, G; Klupfel, T; Kormann, R; Stickler, A; Forster, C; Lelieveld, J. (2006). Airborne measurements of trace organic species in the upper troposphere over Europe: the impact of deep convection. *Environ Chem*. 3: 244-259. <http://dx.doi.org/10.1071/EN06020>.
- Colomb, A; Yassaa, N; Williams, J; Peeken, I; Lochte, K. (2008). Screening volatile organic compounds (VOCs) emissions from five marine phytoplankton species by head space gas chromatography/mass spectrometry (HS-GC/MS). *J Environ Monit*. 10: 325-330. <http://dx.doi.org/10.1039/b715312>.
- Conka, K; Chovancová, J; Stachová Sejáková, Z; Dömötöröová, M; Fabišiková, A; Drobná, B; Kočan, A. (2014). PCDDs, PCDFs, PCBs and OCPs in sediments from selected areas in the Slovak Republic. *Chemosphere*. 98: 37-43. <http://dx.doi.org/10.1016/j.chemosphere.2013.09.068>.
- Cooper, GS; Gilbert, KM; Greidinger, EL; James, JA; Pfau, JC; Reinlib, L; Richardson, BC; Rose, NR. (2008). Recent advances and opportunities in research on lupus: environmental influences and mechanisms of disease [Review]. *Environ Health Perspect*. 116: 695-702. <http://dx.doi.org/10.1289/ehp.11092>.
- Cooper, GS; Makris, SL; Nietert, PJ; Jinot, J. (2009). Evidence of autoimmune-related effects of trichloroethylene exposure from studies in mice and humans [Review]. *Environ Health Perspect*. 117: 696-702. <http://dx.doi.org/10.1289/ehp.11782>.
- Corapcioglu, MY; Hossain, MA; Hossain, MA. (1991). ANAEROBIC BIOTRANSFORMATION OF PCE AND TCE IN GROUNDWATER A COMPARISON OF EXPERIMENTAL DATA WITH NUMERICAL RESULTS (pp. 1-3). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08571). Corapcioglu, MY; Hossain, MA; Hossain, MA.
- Cordier, S; Garlandezec, R; Labat, L; Rouget, F; Monfort, C; Bonvallot, N; Roig, B; Pulkkinen, J; Chevrier, C; Multigner, L, uc. (2012). Exposure during pregnancy to glycol ethers and chlorinated solvents and the risk of congenital malformations. *Epidemiology*. 23: 806-812. <http://dx.doi.org/10.1097/EDE.0b013e31826c2bd8>.
- Correia, Y; Martens, GJ; Van Mensch, FH; Whim, BP. (1977). The occurrence of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane in western Europe in air and water. *Atmos Environ*. 11: 1113-1116. [http://dx.doi.org/10.1016/0004-6981\(77\)90243-8](http://dx.doi.org/10.1016/0004-6981(77)90243-8).
- Costanza, J, ed; Pennell, KD. (2007). Distribution and abiotic degradation of chlorinated solvents in heated field samples. *Environ Sci Technol*. 41: 1729-1734. <http://dx.doi.org/10.1021/es062419g>.
- Costas, K; Knorr, RS; Condon, SK. (2002). A case-control study of childhood leukemia in Woburn, Massachusetts: The relationship between leukemia incidence and exposure to public drinking water. *Sci Total Environ*. 300: 23-35. [http://dx.doi.org/10.1016/S0048-9697\(02\)00169-9](http://dx.doi.org/10.1016/S0048-9697(02)00169-9).
- Coulibaly, L; Labib, ME; Hazen, R. (2004). A GIS-based multimedia watershed model: development and application. *Chemosphere*. 55: 1067-1080. <http://dx.doi.org/10.1016/j.chemosphere.2004.01.014>.
- Courbet, C; Riviere, A; Jeannotat, S; Rinaldi, S; Hunkeler, D; Bendjoudi, H; de Marsily, G. (2011). Complementing approaches to demonstrate chlorinated solvent biodegradation in a complex pollution plume: Mass balance, PCR and compound-specific stable isotope analysis. *J Contam Hydrol*. 126: 315-329. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.009>.

Exposure Literature Search Results

On Topic

- Crawford, NC; Ulmer, CS. (1994). HYDROGEOLOGIC INVESTIGATIONS OF CONTAMINANT MOVEMENT IN KARST AQUIFERS IN THE VICINITY OF A TRAIN DERAILMENT NEAR LEWISBURG TENNESSEE. *Environ Geol.* 23: 41-52.
- Damgaard, I; Bjerg, PL; Bælum, J; Scheutz, C; Hunkeler, D; Jacobsen, CS; Tuxen, N; Broholm, MM. (2013). Identification of chlorinated solvents degradation zones in clay till by high resolution chemical, microbial and compound specific isotope analysis. *J Contam Hydrol.* 146: 37-50. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.010>.
- Daniels, JI; Bogen, KT; Hall, LC. (2000). Analysis of uncertainty and variability in exposure to characterize risk: Case study involving trichloroethylene groundwater contamination at Beale Air Force Base in California. *Water Air Soil Pollut.* 123: 273-298.
- Darko, G; Akoto, O; Oppong, C. (2008). Persistent organochlorine pesticide residues in fish, sediments and water from Lake Bosomtwi, Ghana. *Chemosphere.* 72: 21-24. <http://dx.doi.org/10.1016/j.chemosphere.2008.02.052>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2008). Biotic and abiotic anaerobic transformations of trichloroethene and cis-1,2-dichloroethene in fractured sandstone. *Environ Sci Technol.* 42: 4323-4330. <http://dx.doi.org/10.1021/es702196a>.
- Datskou, I; North, K. (1996). Risks due to groundwater contamination at a plutonium processing facility. *Water Air Soil Pollut.* 90: 1-2.
- Davie, MG; Cheng, H; Hopkins, GD; Lebron, CA; Reinhard, M. (2008). Implementing heterogeneous catalytic dechlorination technology for remediating TCE-contaminated groundwater. *Environ Sci Technol.* 42: 8908-8915. <http://dx.doi.org/10.1021/es8014919>.
- Davis, S; Laszlo Pallos, L; Wu, J; Sapp, J; Cusack, C. (2005). ATSDR's trichloroethylene subregistry methods and results: 1989-2000. *Arch Environ Occup Health.* 60: 130-139. <http://dx.doi.org/10.3200/AEOH.60.3.130-139>.
- Dawes, VJ; Waldock, MJ. (1994). Measurement of Volatile Organic Compounds at UK National Monitoring Plan Stations. *Mar Pollut Bull.* 28: 291-298.
- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation.* 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- Dayal, H; Gupta, S; Trieff, N; Maierson, D; Reich, D. (1995). Symptom clusters in a community with chronic exposure to chemicals in two superfund sites. *Arch Environ Health.* 50: 108-111. <http://dx.doi.org/10.1080/00039896.1995.9940887>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ.* 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Iza, J, on. (2013). Trichloroethylene, tetrachloroethylene and carbon tetrachloride in an urban atmosphere: mixing ratios and temporal patterns. *Int J Environ Anal Chem.* 93: 228-244. <http://dx.doi.org/10.1080/03067319.2011.629346>.
- De Nicola, E; Meriç, S; Della Rocca, C; Gallo, M; Iaccarino, M; Manini, P; Petruzzelli, D; Belgiorno, V; Cheggour, M; Di Gennaro, A; Moukrim, A; Tünay, O; Pagano, G. (2007). Wastewater toxicity of tannin- versus chromium-based leather tanneries in Marrakesh, Morocco. *Arch Environ Contam Toxicol.* 53: 321-328. <http://dx.doi.org/10.1007/s00244-006-0181-5>.
- Denton, GRW; Sian-Denton, CM. (2010). Groundwater Monitoring on Guam: Management Responses to Recent Water Quality Violations. *Ground Water Monitoring and Remediation.* 30: 127-133. <http://dx.doi.org/10.1111/j.1745-6592.2010.001282.x>.
- Desrosiers, TA; Lawson, CC; Meyer, RE; Stewart, PA; Waters, MA; Correa, A; Olshan, AF; Study, NBDP. (2015). Assessed occupational exposure to chlorinated, aromatic and Stoddard solvents during pregnancy and risk of fetal growth restriction. *Occup Environ Med.* 72: 587-593. <http://dx.doi.org/10.1136/oemed-2015-102835>.
- Devault, G; Ettinger, R; Gustafson, J. (2002). Chemical vapor intrusion from soil or groundwater to indoor air: Significance of unsaturated zone biodegradation of aromatic hydrocarbons. *Soil Sediment Contam.* 11: 625-641.
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res.* 38: 1002-1002. <http://dx.doi.org/10.1029/2000WR000148>.
- Di Lorenzo, T; Borgoni, R; Ambrosini, R; Cifoni, M; Galassi, DM; Petitta, M. (2015). Occurrence of volatile organic compounds in shallow alluvial aquifers of a Mediterranean region: Baseline scenario and ecological implications. *Sci Total Environ.* 538: 712-723. <http://dx.doi.org/10.1016/j.scitotenv.2015.08.077>.
- Diamadopoulos, E; Sakellariadis, D; Koukouraki, E. (1998). The effect of humic acid on the transport of volatile chlorinated hydrocarbons in soil. *Water Res.* 32: 3325-3330.
- Dicintio, D. (2016). The Investigation of Groundwater Contamination in Wicomico County's Morris Mill Community. *J Environ Health.* 78: 16-19.
- Dimmer, CH; Mcculloch, A; Simmonds, PG; Nickless, G; Bassford, MR; Smythe-Wright, D. (2001). Tropospheric concentrations of the chlorinated solvents, tetrachloroethene and trichloroethene, measured in the remote northern hemisphere. *Atmos Environ.* 35: 1171-1182.
- Dobaradaran, S; Mahvi, AH; Nabizadeh, R; Mesdaghinia, A; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S. (2010). Hazardous Organic Compounds in Groundwater Near Tehran Automobile Industry. *Bull Environ Contam Toxicol.* 85: 530-533. <http://dx.doi.org/10.1007/s00128-010-0131-9>.
- Dodson, RE; Houseman, EA; Levy, JI; Spengler, JD; Shine, JP; Bennett, DH. (2007). Measured and modeled personal exposures to and risks from volatile organic compounds. *Environ Sci Technol.* 41: 8498-8505. <http://dx.doi.org/10.1021/es071127s>.
- Dorgerloh, U, te; Becker, R; Lutz, A; Bremser, W; Hilbert, S; Nehls, I. (2012). How to improve reliability in groundwater analysis: over a decade of experience with external quality control in field campaigns on volatile halogenated compounds. *J Environ Monit.* 14: 217-223. <http://dx.doi.org/10.1039/c1em10460h>.
- Dorgerloh, U, te; Theissen, H; Becker, R; Hilbert, S; Nehls, I. (2010). Sampling and Quantification of Volatile Organohalogenes, Ethene and Methane in Groundwater. *Grundwasser.* 15: 231-239. <http://dx.doi.org/10.1007/s00767-010-0144-7>.

Exposure Literature Search Results

On Topic

- Dosemeci, M; Cocco, P; Chow, WH. (1999). Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. *Am J Ind Med.* 36: 54-59. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<54::AID-AJIM8>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<54::AID-AJIM8>3.0.CO;2-0).
- Doty, SL; Shang, TQ; Wilson, AM; Moore, AL; Newman, LA; Strand, SE; Gordon, MP. (2003). Metabolism of the soil and groundwater contaminants, ethylene dibromide and trichloroethylene, by the tropical leguminous tree, *Leuceana leucocephala*. *Water Res.* 37: 441-449.
- Doucette, W; Klein, H; Chard, J; Dupont, R; Plaehn, W; Bugbee, B. (2013). Volatilization of Trichloroethylene from Trees and Soil: Measurement and Scaling Approaches. *Environ Sci Technol.* 47: 5813-5820. <http://dx.doi.org/10.1021/es304115c>.
- Doucette, WJ; Chard, JK; Fabrizius, H; Crouch, C; Petersen, MR; Carlsen, TE; Chard, BK; Gorder, K. (2007). Trichloroethylene uptake into fruits and vegetables: Three-year field monitoring study. *Environ Sci Technol.* 41: 2505-2509. <http://dx.doi.org/10.1021/es0621804>.
- Doucette, WJ; Hall, AJ; Gorder, KA. (2010). Emissions of 1,2-Dichloroethane from Holiday Decorations as a Source of Indoor Air Contamination. *Ground Water Monitoring and Remediation.* 30: 67-73. <http://dx.doi.org/10.1111/j.1745-6592.2009.001267.x>.
- Doust, HG; Huang, JC. (1992). THE FATE AND TRANSPORT OF HAZARDOUS CHEMICALS IN THE SUBSURFACE ENVIRONMENT. *Water Sci Technol.* 25: 169-176.
- Dridi, L; Pollet, I; Razakarisoa, O; Schäfer, G. (2009). Characterisation of a DNAPL source zone in a porous aquifer using the Partitioning Interwell Tracer Test and an inverse modelling approach. *J Contam Hydrol.* 107: 22-44. <http://dx.doi.org/10.1016/j.jconhyd.2009.03.003>.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environ Sci Technol.* 38: 2879-2884. <http://dx.doi.org/10.1021/es034933h>.
- Droz, PO; Fernandez, JG. (1978). Trichloroethylene exposure Biological monitoring by breath and urine analyses. *Occup Environ Med.* 35: 35-42.
- Druschel, SJ; Kinner, NE. (2009). Rock Fragments in Trichloroethene Microcosms for Bedrock Aquifers. *Bioremediat J.* 13: 107-120. <http://dx.doi.org/10.1080/10889860903124214>.
- Drzyzga, O; El Mamouni, R; Agathos, SN; Gottschal, JC. (2002). Dehalogenation of chlorinated ethenes and immobilization of nickel in anaerobic sediment columns under sulfidogenic conditions. *Environ Sci Technol.* 36: 2630-2635. <http://dx.doi.org/10.1021/es010184x>.
- Duba, AG; Jackson, KJ; Jovanovich, MC; Knapp, RB; Taylor, RT. (1996). TCE remediation using in situ, resting-state bioaugmentation. *Environ Sci Technol.* 30: 1982-1989.
- Duboudin, C. (2010). Pollution inside the home: descriptive analyses Part II: Identification of groups of homogenous homes in terms of pollution. *E R S.* 9: 27-38. <http://dx.doi.org/10.1684/ers.2009.0318>.
- Duke, LD; Rong, Y; Harmon, TC. (1998). Parameter-induced uncertainty in modeling vadose zone transport of VOCs. *J Environ Eng.* 124: 441-448.
- Dumanoglu, Y; Kara, M; Altiok, H; Odabasi, M; Elbir, T; Bayram, A. (2014). Spatial and seasonal variation and source apportionment of volatile organic compounds (VOCs) in a heavily industrialized region. *Atmos Environ.* 98: 168-178. <http://dx.doi.org/10.1016/j.atmosenv.2014.08.048>.
- Dyer, M. (2003). Field investigation into the biodegradation of TCE and BTEX at a former metal plating works. *Eng Geol.* 70: 321-329. [http://dx.doi.org/10.1016/S0013-7952\(03\)00100-5](http://dx.doi.org/10.1016/S0013-7952(03)00100-5).
- Dyer, M; van Zutphen, M; Hetterschijt, R. (2001). Improved site characterisation of contaminated land using pump-and-treat data. *Institution of Civil Engineers Proceedings Geotechnical Engineering.* 149: 159-166.
- Ebert, M; Köber, R; Parbs, A; Plagentz, V; Schäfer, D; Dahmke, A. (2006). Assessing degradation rates of chlorinated ethylenes in column experiments with commercial iron materials used in permeable reactive barriers. *Environ Sci Technol.* 40: 2004-2010. <http://dx.doi.org/10.1021/es051720e>.
- Eberts, SM; Braun, C; Jones, S. (2008). Compound-specific isotope analysis: Questioning the origins of a trichloroethene plume. *Environ Forensics.* 9: 85-95. <http://dx.doi.org/10.1080/15275920801888368>.
- Eberts, SM; Jones, SA; Braun, CL; Harvey, GJ. (2005). Long-term changes in ground water chemistry at a phytoremediation demonstration site. *Ground Water.* 43: 178-186.
- Edstrom, JA; Semmens, MJ; Hozalski, RM; Clapp, LW; Novak, PJ. (2005). Stimulation of dechlorination by membrane-delivered hydrogen: Small field demonstration. *Environ Eng Sci.* 22: 281-293.
- Effio, DG; Kroner, O; Maier, A; Hayes, W; Willis, A; Strawson, J. (2013). A Look at State-Level Risk Assessment in the United States: Making Decisions in the Absence of Federal Risk Values. *Risk Anal.* 33: 54-67. <http://dx.doi.org/10.1111/j.1539-6924.2012.01842.x>.
- Eguchi, M; Kitagawa, M; Suzuki, Y; Nakamura, M; Kawai, T; Okamura, K; Sasaki, S; Miyake, Y. (2001). A field evaluation of in situ biodegradation of trichloroethylene through methane injection. *Water Res.* 35: 2145-2152.
- Eighmy, TT; Spear, JCM; Case, J; Mills, M; Newman, K; Kinner, NE; Marbet, H; Casas, J; Bothner, W; Coulburn, J; Tisa, LS; Majko, M; Sullivan, ER; Gonsoulin, ME. (2007). Microfracture surface geochemistry and adherent microbial population metabolism in TCE-contaminated competent bedrock. *Geomicrobiology Journal.* 24: 307-330. <http://dx.doi.org/10.1080/01490450701456610>.
- Eklund, BM; Simon, MA. (2007). Concentration of tetrachloroethylene in indoor air at a former dry cleaner facility as a function of subsurface contamination: A case study. *J Air Waste Manag Assoc.* 57: 753-760. <http://dx.doi.org/10.3155/1047-3289.57.6.753>.
- El Mamouni, R; Jacquet, R; Gerin, P; Agathos, SN. (2002). Influence of electron donors and acceptors on the bioremediation of soil contaminated with trichloroethene and nickel: laboratory- and pilot-scale study. *Water Sci Technol.* 45: 49-54.
- Elango, V; Cashwell, JM; Bellotti, MJ; Marotte, R; Freedman, DL. (2010). Bioremediation of Hexachlorocyclohexane Isomers, Chlorinated Benzenes, and Chlorinated Ethenes in Soil and Fractured Dolomite. *Bioremediat J.* 14: 10-27. <http://dx.doi.org/10.1080/10889860903463695>.
- El-Farhan, YH; Scow, KM; de Jonge, LW; Rolston, DE; Moldrup, P. (1998). Coupling transport and biodegradation of toluene and trichloroethylene in unsaturated soils. *Water Resour Res.* 34: 437-445.

Exposure Literature Search Results

On Topic

- El-Farhan, YH; Scow, KM; Fan, SF; Rolston, DE. (2000). Kinetics of trichloroethylene cometabolism and toluene biodegradation: Model application to soil batch experiments. *J Environ Qual.* 29: 778-786.
- Elliott, DW; Zhang, WX. (2001). Field assessment of nanoscale biometallic particles for groundwater treatment. *Environ Sci Technol.* 35: 4922-4926. <http://dx.doi.org/10.1021/es0108584>.
- Ellis, DE; Lutz, EJ; Odom, JM; Buchanan, RJ; Bartlett, CL; Lee, MD; Harkness, MR; Deweerdt, KA. (2000). Bioaugmentation for accelerated in situ anaerobic bioremediation. *Environ Sci Technol.* 34: 2254-2260.
- Ellis, PA; Rivett, MO. (2007). Assessing the impact of VOC-contaminated groundwater on surface water at the city scale. *J Contam Hydrol.* 91: 107-127. <http://dx.doi.org/10.1016/j.jconhyd.2006.08.015>.
- English, CW; Loehr, RC. (1991). Degradation of organic vapors in unsaturated soils. *J Hazard Mater.* 28: 1-2.
- Ergas, SJ; Hinlein, ES; Reyes, PO; Ostendorf, DW; Tehrany, JP. (2000). Near surface soil vapor clusters for monitoring emissions of volatile organic compounds from soils. *J Air Waste Manag Assoc.* 50: 118-124.
- Fan, A. (1988). Trichloroethylene: Water contamination and health risk assessment [Review]. *Rev Environ Contam Toxicol.* 101: 55-92.
- Fan, C; Wang, GS; Chen, YC; Ko, CH. (2009). Risk assessment of exposure to volatile organic compounds in groundwater in Taiwan. *Sci Total Environ.* 407: 2165-2174. <http://dx.doi.org/10.1016/j.scitotenv.2008.12.015>.
- Farrow, A; Taylor, H; Northstone, K; Golding, J; Study, AL. (2003). Symptoms of mothers and infants related to total volatile organic compounds in household products. *Arch Environ Health.* 58: 633-641. <http://dx.doi.org/10.3200/AEOH.58.10.633-641>.
- Fekete-Kertesz, I; Molnar, M; Atkari, A; Gruiz, K; Fenyvesi, E. (2013). Hydrogen peroxide oxidation for in situ remediation of trichloroethylene - from the laboratory to the field. *Periodica Polytechnica Chemical Engineering.* 57: 41-51. <http://dx.doi.org/10.3311/PPCh.2169>.
- Feldman, RG; Chirico-Post, J; Proctor, SP. (1988). Blink reflex latency after exposure to trichloroethylene in well water. *Arch Environ Health.* 43: 143-148. <http://dx.doi.org/10.1080/00039896.1988.9935843>.
- Feldman, RG; White, RF; Currie, JN; Travers, PH; Lessell, S. (1985). Long-term follow-up after single toxic exposure to trichloroethylene. *Am J Ind Med.* 8: 119-126.
- Fielding, M; Gibson, TM; James, HA. (1981). LEVELS OF TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND PARA-DICHLOROBENZENE IN GROUNDWATERS. *Environ Technol Letters.* 2: 545-550.
- Fischer, D; Uchrin, CG. (1994). A PROTOTYPE LABORATORY MODEL TO PREDICT TCE CONTAMINATION OF RESIDENCE BASEMENTS FROM POLLUTED GROUND-WATER. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicology.* 29: 1565-1576.
- Fischer, D; Uchrin, CG. (1996). Laboratory simulation of VOC entry into residence basements from soil gas. *Environ Sci Technol.* 30: 2598-2603.
- Fleming-Jones, ME; Smith, RE. (2003). Volatile organic compounds in foods: A five year study. *J Agric Food Chem.* 51: 8120-8127. <http://dx.doi.org/10.1021/jf0303159>.
- Forand, SP; Lewis-Michl, EL; Gomez, MI. (2012). Adverse birth outcomes and maternal exposure to trichloroethylene and tetrachloroethylene through soil vapor intrusion in New York State. *Environ Health Perspect.* 120: 616-621. <http://dx.doi.org/10.1289/ehp.1103884>.
- Fox, MA; Sheehan, MC; Burke, TA. (2015). A risk assessment approach for policy evaluation: New Jersey case studies. *Hum Ecol Risk Assess.* 21: 2258-2272. <http://dx.doi.org/10.1080/10807039.2015.1046982>.
- Franco, A; Costoya, MA; Roca, E. (2007). Estimating risk during showering exposure to VOCs of workers in a metal-degreasing facility. *J Toxicol Environ Health A.* 70: 627-637. <http://dx.doi.org/10.1080/15287390600974551>.
- Frangos, SA; Peters, JM. (1993). Chlorinated Hydrocarbon Solvents: Substituting Our Way Toward Human Carcinogenicity. *Am J Ind Med.* 24: 355-364.
- Frank, H; Frank, W; Neves, HJC. (1991). AIRBORNE C-1-HALOCARBONS AND C2-HALOCARBONS AT 4 REPRESENTATIVE SITES IN EUROPE. *Atmos Environ* (1967). 25: 257-261.
- Frank, U. (1994). UNITED-STATES-ENVIRONMENTAL-PROTECTION-AGENCY SUPERFUND INNOVATIVE TECHNOLOGY EVALUATION OF PNEUMATIC FRACTURING EXTRACTION (SM). *J Air Waste Manag Assoc.* 44: 1219-1223.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere.* 23: 609-626.
- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol.* 13: 437-447.
- Friesen, MC; Locke, SJ; Chen, YC; Coble, JB; Stewart, PA; Ji, BT; Bassig, B; Lu, W; Xue, S; Chow, WH; Lan, Q; Purdue, MP; Rothman, N; Vermeulen, R. (2015). Historical occupational trichloroethylene air concentrations based on inspection measurements from shanghai, china. *Ann Occup Hyg.* 59: 62-78. <http://dx.doi.org/10.1093/annhyg/meu066>.
- Gallegos, P; Lutz, J; Markwiese, J; Ryt, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem.* 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.
- Garabrant, DH; Lacey, JV, Jr; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (2003). Scleroderma and solvent exposure among women. *Am J Epidemiol.* 157: 493-500. <http://dx.doi.org/10.1093/aje/kwf223>.
- Gardner, H; Brennan, L; Toussaint, M; Rosencrance, A; Boncavage-Hennessey, E; Wolfe, M. (1998). Environmental complex mixture toxicity assessment. *Environ Health Perspect.* 106 Suppl 6: 1299-1305.
- Garny, V; Lecloux, A; Papp, R. (1998). Euro chlor risk assessment for the marine environment osparcom region: North Sea - principles and purposes. *Environ Monit Assess.* 53: 395-399.
- Gautrois, M; Brauers, T; Koppmann, R; Rohrer, F; Stein, O; Rudolph, J. (2003). Seasonal variability and trends of volatile organic compounds in the lower polar troposphere. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD002765>.

Exposure Literature Search Results

On Topic

- Geibel, NM. (2006). Use of passive-diffusion bag samplers to profile low-level trichloroethene concentrations in ground-water extraction wells. *Environmental and Engineering Geoscience*. 12: 361-368.
- Geng, C; Luo, Q; Chen, M; Li, Z; Zhang, C. (2010). Quantitative Risk Assessment of Trichloroethylene for a Former Chemical Works in Shanghai, China. *Hum Ecol Risk Assess*. 16: 429-443. <http://dx.doi.org/10.1080/10807031003672788>.
- Gentner, DR; Miller, AM; Goldstein, AH. (2010). Seasonal variability in anthropogenic halocarbon emissions. *Environ Sci Technol*. 44: 5377-5382. <http://dx.doi.org/10.1021/es1005362>.
- Gilboa, SM; Desrosiers, TA; Lawson, C; Lupo, PJ; Riehle-Colarusso, TJ; Stewart, PA; van Wijngaarden, E; Waters, MA; Correa, A; Stud, NBDP. (2012). Association between maternal occupational exposure to organic solvents and congenital heart defects, National Birth Defects Prevention Study, 1997-2002. *Occup Environ Med*. 69: 628-635. <http://dx.doi.org/10.1136/oemed-2011-100536>.
- Gist, G; Burg, J. (1995). Trichloroethylene--a review of the literature from a health effects perspective [Review]. *Toxicol Ind Health*. 11: 253-307.
- Gokhale, S; Kohajda, T; Schlink, U, we. (2008). Source apportionment of human personal exposure to volatile organic compounds in homes, offices and outdoors by chemical mass balance and genetic algorithm receptor models. *Sci Total Environ*. 407: 122-138. <http://dx.doi.org/10.1016/j.scitotenv.2008.08.025>.
- Goltz, MN; Gandhi, RK; Gorelick, SM; Hopkins, GD; Smith, LH; Timmins, BH; Mccarty, PL. (2005). Field evaluation of in situ source reduction of trichloroethylene in groundwater using bioenhanced in-well vapor stripping. *Environ Sci Technol*. 39: 8963-8970. <http://dx.doi.org/10.1021/es050628f>.
- Goode, DJ; Imbrigiotta, TE; Lacombe, PJ. (2014). High-resolution delineation of chlorinated volatile organic compounds in a dipping, fractured mudstone: Depth- and strata-dependent spatial variability from rock-core sampling. *J Contam Hydrol*. 171C: 1-11. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.005>.
- Gordon, SM; Callahan, PJ; Nishioka, MG; Brinkman, MC; O'Rourke, MK; Lebowitz, MD; Moschandreas, DJ. (1999). Residential environmental measurements in the National Human Exposure Assessment Survey (NHEXAS) pilot study in Arizona: Preliminary results for pesticides and VOCs. *J Expo Anal Environ Epidemiol*. 9: 456-470. <http://dx.doi.org/10.1038/sj.jea.7500042>.
- Graber, ER; Laor, Y; Ronen, D. (2008). Aquifer contamination by chlorinated-VOCs: the case of an urban metropolis megasite overlying the Coastal Plain aquifer in Israel. *Hydrogeology Journal*. 16: 1615-1623. <http://dx.doi.org/10.1007/s10040-008-0366-2>.
- Green, T. (1997). Trichloroethylene induced cancer in animals and its relevance to humans. *J Occup Health*. 39: 261-273.
- Guilbeault, MA; Parker, BL; Cherry, JA. (2005). Mass and flux distributions from DNAPL zones in sandy aquifers. *Ground Water*. 43: 70-86.
- Guo, H; Lee, SC; Louie, PK; Ho, KF. (2004). Characterization of hydrocarbons, halocarbons and carbonyls in the atmosphere of Hong Kong. *Chemosphere*. 57: 1363-1372. <http://dx.doi.org/10.1016/j.chemosphere.2004.07.055>.
- Haddad, S; Tardif, G; Tardif, R. (2006). Development of physiologically based toxicokinetic models for improving the human indoor exposure assessment to water contaminants: trichloroethylene and trihalomethanes. *J Toxicol Environ Health A*. 69: 2095-2136. <http://dx.doi.org/10.1080/15287390600631789>.
- Halden, RU. (2015). Epistemology of contaminants of emerging concern and literature meta-analysis. *J Hazard Mater*. 282: 2-9. <http://dx.doi.org/10.1016/j.jhazmat.2014.08.074>.
- Harkness, MR; Bracco, AA; Brennan, MJ; Deweed, KA; Spivack, JL. (1999). Use of bioaugmentation to stimulate complete reductive dechlorination of trichloroethene in dover soil columns. *Environ Sci Technol*. 33: 1100-1109.
- Hasbach, A. (1999). Process destroys TCE in soil, groundwater. *Pollution Engineering*. 31: 55-55.
- Haselmann, KF; Ketola, RA; Laternus, F; Lauritsen, FR; Gron, C. (2000). Occurrence and formation of chloroform at Danish forest sites. *Atmos Environ*. 34: 187-193.
- Haselmann, KF; Laternus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air Soil Pollut*. 139: 35-41.
- He, Z; Yang, G; Lu, X; Zhang, H. (2013). Distributions and sea-to-air fluxes of chloroform, trichloroethylene, tetrachloroethylene, chlorodibromomethane and bromoform in the Yellow Sea and the East China Sea during spring. *Environ Pollut*. 177: 28-37. <http://dx.doi.org/10.1016/j.envpol.2013.02.008>.
- He, Z; Yang, G, uiP; Lu, XL, an; Ding, QY, ao; Zhang, HH, ai. (2013). Halocarbons in the marine atmosphere and surface seawater of the south Yellow Sea during spring. *Atmos Environ*. 80: 514-523. <http://dx.doi.org/10.1016/j.atmosenv.2013.08.025>.
- He, Z; Yang, GP; Lu, XL. (2013). Distributions and sea-to-air fluxes of volatile halocarbons in the East China Sea in early winter. *Chemosphere*. 90: 747-757. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.067>.
- Heavner, DL; Morgan, WT; Ogden, MW. (1995). Determination of volatile organic compounds and ETS apportionment in 49 homes. *Environ Int*. 21: 3-21.
- Hellweg, S; Demou, E; Bruzzi, R; Meijer, A; Rosenbaum, RK; Huijbregts, MA; Mckone, TE. (2009). Integrating human indoor air pollutant exposure within Life Cycle Impact Assessment [Review]. *Environ Sci Technol*. 43: 1670-1679. <http://dx.doi.org/10.1021/es8018176>.
- Herbarth, O; Rolle-Kampczyk, U; Franck, U; Rehwagen, M; Weiss, H; Krumbiegel, P. (2004). Detecting exposure-dependent changes of liver detoxification capacity of children in a formerly high-loaded industrial area with a N-15-labelled diagnostic tool. *Isotopes Environ Health Stud*. 40: 69-74. <http://dx.doi.org/10.1080/10256010310001646545>.
- Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K. (1992). GROUNDWATER POLLUTION BY VOLATILE ORGANOCHLORINES IN JAPAN AND RELATED PHENOMENA IN THE SUBSURFACE ENVIRONMENT (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11335). Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K.
- Holsen, TM; Park, JK; Bontoux, L; Jenkins, D; Selleck, RE. (1991). THE EFFECT OF SOILS ON THE PERMEATION OF PLASTIC PIPES BY ORGANIC-CHEMICALS. *J Am Water Works Assoc*. 83: 85-91.

Exposure Literature Search Results

On Topic

- Holton, C; Luo, H; Dahlen, P; Gorder, K; Dettenmaier, E; Johnson, PC. (2013). Temporal variability of indoor air concentrations under natural conditions in a house overlying a dilute chlorinated solvent groundwater plume. *Environ Sci Technol.* 47: 13347-13354. <http://dx.doi.org/10.1021/es4024767>.
- Hood, ED; Major, DW; Quinn, JW; Yoon, WS; Gavaskar, A; Edwards, EA. (2008). Demonstration of enhanced bioremediation in a TCE source area at Launch Complex 34, Cape Canaveral Air Force Station. *Ground Water Monitoring and Remediation.* 28: 98-107.
- Hopkins, GD; Mccarty, PL. (1995). Field evaluation of in situ aerobic cometabolism of trichloroethylene and three dichloroethylene isomers using phenol and toluene as the primary substrates. *Environ Sci Technol.* 29: 1628-1637.
- Hsieh, LL; Chang, CC; Sree, U; Lo, JG. (2006). Determination of volatile organic compounds in indoor air of buildings in nuclear power plants, Taiwan. *Water Air Soil Pollut.* 170: 107-121. <http://dx.doi.org/10.1007/s11270-006-2839-z>.
- Huang, J; Appiah-Sefah, G; Nkrumah, NP; Li, J. (2016). MAGNOLIA GRANDIFLORA FOR MONITORING TRICHLOROETHYLENE AND TETRACHLOROETHYLENE CONTAMINATION OF GROUNDWATER. *Fresen Environ Bull.* 25: 783-792.
- Hughes, K; Meek, ME; Windle, W. (1994). Trichloroethylene: evaluation of risks to health from environmental exposure in Canada. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 12: 527-543.
- Huybrechts, T; Dewulf, J; Van Langenhove, H. (2005). Priority volatile organic compounds in surface waters of the southern North Sea. *Environ Pollut.* 133: 255-264. <http://dx.doi.org/10.1016/j.envpol.2004.05.03>.
- Insogna, S; Frison, S; Marconi, E; Bacaloni, A. (2014). Trends of volatile chlorinated hydrocarbons and trihalomethanes in Antarctica. *Int J Environ Anal Chem.* 94: 1343-1359. <http://dx.doi.org/10.1080/03067319.2014.974587>.
- Jackson, WA; Martino, L; Hirsh, S; Wrobel, J; Pardue, JH. (2005). Application of a dialysis sampler to monitor phytoremediation processes. *Environ Monit Assess.* 107: 155-171. <http://dx.doi.org/10.1007/s10661-005-5436-5>.
- Jacobs, TL; Warmerdam, JM; Medina, MA; Piver, WT. (1996). Second moment method for evaluating human health risks from groundwater contaminated by trichloroethylene. *Environ Health Perspect.* 104: 866-870.
- Jennings, AA. (2011). Worldwide Residential Soil Regulatory Guidance Values for Chlorinated Ethenes. *J Environ Eng.* 137: 651-668. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000380](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000380).
- Jia, CR; D'Souza, J; Batterman, S. (2008). Distributions of personal VOC exposures: A population-based analysis. *Environ Int.* 34: 922-931. <http://dx.doi.org/10.1016/j.envint.2008.02.002>.
- Jiun-Horng, T; Kuo-Hsiung, L; Chih-Yu, C; Nina, L; Sen-Yi, M; Hung-Lung, C. (2008). Volatile organic compound constituents from an integrated iron and steel facility. *J Hazard Mater.* 157: 569-578. <http://dx.doi.org/10.1016/j.jhazmat.2008.01.022>.
- Johnson, P; Dawson, B; Goldberg, S. (1998). A review: Trichloroethylene metabolites: Potential cardiac teratogens [Review]. *Environ Health Perspect.* 106: 995-999.
- Johnston, JE; Gibson, JM. (2011). Probabilistic Approach to Estimating Indoor Air Concentrations of Chlorinated Volatile Organic Compounds from Contaminated Groundwater: A Case Study in San Antonio, Texas. *Environ Sci Technol.* 45: 1007-1013. <http://dx.doi.org/10.1021/es102099h>.
- Johnston, JJ; Borden, RC; Barlaz, MA. (1996). Anaerobic biodegradation of alkylbenzenes and trichloroethylene in aquifer sediment down gradient of a sanitary landfill. *J Contam Hydrol.* 23: 263-283.
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol.* 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.
- Kaluzny, P; Chazal, S; Jacob, V; Tripoli, F; Baussand, P; Foster, P. (2001). Characterisation of volatile organic compound emissions during the composting of household wastes. *Fresen Environ Bull.* 10: 520-526.
- Kanazawa, S; Filip, Z. (1987). EFFECTS OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND DICHLOROMETHANE ON SOIL BIOMASS AND MICROBIAL COUNTS (pp. 24-33). (ISSN 0174-3015; BIOSIS/87/29199). Kanazawa, S; Filip, Z.
- Kaneko, T; Wang, P; Sato, A. (1997). Assessment of the health effects of trichloroethylene [Review]. *Ind Health.* 35: 301-324.
- Kaneko, T; Wang, PY; Sato, A. (1994). Enzymes induced by ethanol differently affect the pharmacokinetics of trichloroethylene and 1,1,1-trichloroethane. *Occup Environ Med.* 51: 113-119.
- Kang, KH; Dong, JI. (2010). Hazardous air pollutant (HAP) emission characterization of sewage treatment facilities in Korea. *J Environ Monit.* 12: 898-905. <http://dx.doi.org/10.1039/b906771j>.
- Karami, S; Bassig, B; Stewart, PA; Lee, KM, u; Rothman, N; Moore, L; Lan, Q. (2013). Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis. *Occup Environ Med.* 70: 591-599. <http://dx.doi.org/10.1136/oemed-2012-101212>.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol.* 90: 155-159. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Katami, T; Nisikawa, H; Yasuhara, A. (1992). Emission of chlorinated compounds by combustion of waste dry-cleaning materials. *Chemosphere.* 24: 343-349.
- Katsenovich, YP; Miralles-Wilhelm, FR. (2009). Evaluation of nanoscale zerovalent iron particles for trichloroethene degradation in clayey soils. *Sci Total Environ.* 407: 4986-4993. <http://dx.doi.org/10.1016/j.scitotenv.2009.05.033>.
- Kawata, K; Fujieda, Y. (1993). Volatile chlorinated hydrocarbons in ambient air at Niigata area (pp. 474-479). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/09149). Kawata, K; Fujieda, Y.
- Kawata, K; Kitajima, E; Murayama, H; Uemura, T. (1992). Distribution of trichloroethylene in air, soil and groundwater around a metalware factory (pp. 156-161). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/92/27554). Kawata, K; Kitajima, E; Murayama, H; Uemura, T.

Exposure Literature Search Results

On Topic

- Kelsh, MA; Alexander, DD; Mink, PJ; Mandel, JH. (2010). Occupational trichloroethylene exposure and kidney cancer: a meta-analysis. *Epidemiology*. 21: 95-102. <http://dx.doi.org/10.1097/EDE.0b013e3181c30e92>.
- Kempton, H; Davis, A; Olsen, R. (1992). Remediation of solvent-contaminated soils by aeration. *J Environ Qual*. 21: 121-128.
- Keng, F; Phang, S; Abd Rahman, N; Leedham, EC; Hughes, C; Robinson, AD; Harris, NRP; Pyle, JA; Sturges, WT. (2013). Volatile halocarbon emissions by three tropical brown seaweeds under different irradiances. *J Appl Phycol*. 25: 1377-1386. <http://dx.doi.org/10.1007/s10811-013-9990-x>.
- Kennedy, LG; Everett, JW; Becvar, E; Defeo, D. (2006). Field-scale demonstration of induced biogeochemical reductive dechlorination at Dover Air Force Base, Dover, Delaware. *J Contam Hydrol*. 88: 119-136. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.007>.
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc*. 50: 1124-1137. <http://dx.doi.org/10.1111/jawr.12181>.
- Kerfoot, WB. (2003). Microbubble ozone sparging for chlorinated ethene spill remediation. *ACS Symp Ser Am Chem Soc*. 837: 86-108.
- Khalil, MAK; Moore, RM; Harper, DB; Lobert, JM; Erickson, DJ; Koropalov, V; Sturges, WT; Keene, WC. (1999). Natural emissions of chlorine-containing gases: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos*. 104: 8333-8346.
- Kiecak, A; Kret, E, wa; Cichostepska, M; Malina, G. (2013). ASSESSMENT OF INTRINSIC BIODEGRADATION POTENTIALS IN AN AQUIFER CONTAMINATED WITH CHLORINATED ETHENES IN THE VICINITY OF NOWA DEBA. 20: 265-278. <http://dx.doi.org/10.2478/eces-2013-0019>.
- Kikuchi, Y; Hirao, M. (2010). Local risks and global impacts considering plant-specific functions and constraints: a case study of metal parts cleaning. *Int J Life Cycle Assess*. 15: 17-31. <http://dx.doi.org/10.1007/s11367-009-0137-x>.
- Kilburn, K. (2002). Do duration of exposure, proximity to electronic manufacturing plants, and involvement in a lawsuit affect chlorinated solvent toxicity. *Arch Environ Health*. 57: 121-126. <http://dx.doi.org/10.1080/00039890209602926>.
- Kilburn, K. (2002). Is neurotoxicity associated with environmental trichloroethylene (TCE)? *Arch Environ Health*. 57: 113-120. <http://dx.doi.org/10.1080/00039890209602925>.
- Kilburn, KH; Thornton, JC. (1996). Prediction equations for simple and visual two-choice reactions times in environmental neurotoxicology. *Arch Environ Health*. 51: 439-444. <http://dx.doi.org/10.1080/00039896.1996.9936043>.
- Kilburn, KH; Warshaw, R; Thornton, JC; McPhee, R. (1988). POSSIBLE EFFECTS OF WELL WATER CONTAINING TRICHOLORETHYLENE (TCE), TRICHLOROETHANE AND CHROMIUM FROM 1956 TO 1960 ON A MEXICAN-AMERICAN POPULATION. *Arch Environ Health*. 43: 202-202.
- Kilburn, KH; Warshaw, RH. (1992). Prevalence of symptoms of systemic lupus erythematosus (SLE) and of fluorescent antinuclear antibodies associated with chronic exposure to trichloroethylene and other chemicals in well water. *Environ Res*. 57: 1-9.
- Kilburn, KH; Warshaw, RH. (1993). Effects on neurobehavioral performance of chronic exposure to chemically contaminated well water. *Toxicol Ind Health*. 9: 391-404.
- Kilburn, KH; Warshaw, RH. (1993). Neurobehavioral testing of subjects exposed residentially to groundwater contaminated from an aluminum die-casting plant and local referents. *J Toxicol Environ Health*. 39: 483-496. <http://dx.doi.org/10.1080/15287399309531766>.
- Kilburn, KH; Warshaw, RH; Hanscom, B. (1994). Balance measured by head (and trunk) tracking and a force platform in chemically (PCB and TCE) exposed and referent subjects. *Occup Environ Med*. 51: 381-385.
- Kim, E; Little, JC; Chiu, N; Chiu, A. (2001). Inhalation exposure to volatile chemicals in drinking water. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. C19: 387-413.
- Kim, H; Hemond, HF. (1998). Natural discharge of volatile organic compounds from contaminated aquifer to surface waters. *J Environ Eng*. 124: 744-751.
- Kim, H, unMi; Hyun, Y; Lee, KK, un. (2007). Remediation of TCE-contaminated groundwater in a sandy aquifer using pulsed air sparging: Laboratory and numerical studies. *J Environ Eng*. 133: 380-388. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:4\(380\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:4(380)).
- Kim, H; Lee, S; Moon, JW; Rao, PSC. (2005). Gas transport of volatile organic compounds in unsaturated soils: Quantitative analysis of retardation processes. *Soil Sci Soc Am J*. 69: 990-995. <http://dx.doi.org/10.2136/sssaj2003.0208>.
- Kim, JY; Park, JK; Emmons, B; Armstrong, DE. (1995). Survey of volatile organic compounds at a municipal solid waste cocomposting facility. *Water Environ Res*. 67: 1044-1051.
- Kjeldsen, P; Dalager, A; Broholm, K. (1997). Attenuation of methane and nonmethane organic compounds in landfill gas affected soils. *J Air Waste Manag Assoc*. 47: 1268-1275.
- Klammler, H; Hatfield, K; Guimaraes da Luz, JA; Annable, MD; Newman, M; Cho, J; Peacock, A; Stucker, V; Ranville, J; Cabaniss, SA; Rao, PSC. (2012). Contaminant discharge and uncertainty estimates from passive flux meter measurements. *Water Resour Res*. 48: n/a. <http://dx.doi.org/10.1029/2011WR010535>.
- Kleiman, G; Prinn, RG. (2000). Measurement and deduction of emissions of trichloroethene, tetrachloroethene, and trichloromethane (chloroform) in the northeastern United States and southeastern Canada. *J Geophys Res Atmos*. 105: 28875-28893.
- Kleopfer, RD; Easley, DM; Haas B B, J. R.; Deihl, TG; Jackson, DE; Wurrey, CJ. (1985). ANAEROBIC DEGRADATION OF TRICHLOROETHYLENE IN SOIL. *Environ Sci Technol*. 19: 277-280.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis Metropolitan Area. *Arch Environ Health*. 52: 348-354. <http://dx.doi.org/10.1080/00039899709602210>.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis metropolitan area (vol 52, pg 348, 1997). *Arch Environ Health*. 52: 486-486.

Exposure Literature Search Results

On Topic

- Knorr, R; Schendel, D; Condon, S; Disirio, M; Boyle, C; Krueger, E. (1994). The relationship between birth defects and exposure to trichloroethylene-contaminated water in Woburn, Massachusetts (MA). *Am J Epidemiol.* 139: 15-18.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut.* 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Ko, JH; Musson, S; Townsend, T. (2011). Removal of trichloroethylene from soil using the hydration of calcium oxide. *J Environ Manage.* 92: 1767-1773. <http://dx.doi.org/10.1016/j.jenvman.2011.02.004>.
- Kong, JY, an; Bai, Y, un; Su, Y, ao; Yao, Y; He, R, uo. (2014). Effects of trichloroethylene on community structure and activity of methanotrophs in landfill cover soils. *Soil Biol Biochem.* 78: 118-127. <http://dx.doi.org/10.1016/j.soilbio.2014.07.018>.
- Koppmann, R; Johnen, FJ; Plassdulmer, C; Rudolph, J. (1993). DISTRIBUTION OF METHYLCHLORIDE, DICHLOROMETHANE, TRICHLOROETHENE AND TETRACHLOROETHENE OVER THE NORTH AND SOUTH-ATLANTIC. *J Geophys Res Atmos.* 98: 20517-20526.
- Kos, G; Kanthasami, V; Adechina, N; Ariya, PA. (2014). Volatile organic compounds in Arctic snow: concentrations and implications for atmospheric processes. *Environ Sci Process Impacts.* 16: 2592-2603. <http://dx.doi.org/10.1039/c4em00410h>.
- Kostopoulou, MN; Golfinopoulos, SK; Nikolaou, AD; Xilourgidis, NK; Lekkas, TD. (2000). Volatile organic compounds in the surface waters of northern Greece. *Chemosphere.* 40: 527-532.
- Koukouraki, EE; Berkhoudt, RA; Diamadopoulou, E. (1997). Determination of volatile chlorination by-products in drinking water in Greece. *Fresen Environ Bull.* 6: 160-165.
- Kowalska, J; Szewczyńska, M; Pośniak, M. (2014). Measurements of chlorinated volatile organic compounds emitted from office printers and photocopiers. *Environ Sci Pollut Res Int.* 22: 5241-5252. <http://dx.doi.org/10.1007/s11356-014-3672-3>.
- Krall, K; Douglas, J, ae; Perrin, NA; Austin, D; Lambert, WE; Heumann, M. (2008). The view-master health study focus groups. *J Environ Health.* 71: 16-20.
- Kret, E; Kiecak, A; Malina, G; Nijenhuis, I; Postawa, A. (2015). Identification of TCE and PCE sorption and biodegradation parameters in a sandy aquifer for fate and transport modelling: batch and column studies. *Environ Sci Pollut Res Int.* 22: 9877-9888. <http://dx.doi.org/10.1007/s11356-015-4156-9>.
- Kroneld, R. (1989). Volatile pollutants in the environment and human tissues. *Bull Environ Contam Toxicol.* 42: 873-877. <http://dx.doi.org/10.1007/BF01701629>.
- Kuchovsky, T; Sracek, O. (2007). Natural attenuation of chlorinated solvents: a comparative study. *Environ Geol.* 53: 147-157. <http://dx.doi.org/10.1007/s00254-006-0628-z>.
- Kuster, M; Díaz-Cruz, S; Rosell, M; López de Alda, M; Barceló, D. (2010). Fate of selected pesticides, estrogens, progesterones and volatile organic compounds during artificial aquifer recharge using surface waters. *Chemosphere.* 79: 880-886. <http://dx.doi.org/10.1016/j.chemosphere.2010.02.026>.
- Kutzman, RS; Gimon, DM; Hinz, JP. (2010). Identification of chemicals of interest to the department of defense and u.s. air force among the u.s. environmental protection agency's integrated risk information system chemicals that are due for reassessment of their toxicity values. 564.
- Labieniec, PA; Dzombak, DA; Siegrist, RL. (1996). Risk variability due to uniform soil remediation goals. *J Environ Eng.* 122: 612-621.
- Lam, RHF; Brown, JP; Fan, AM; Milea, A. (1994). Chemicals in California drinking water: source contaminants, risk assessment, risk management, and regulatory standards. *J Hazard Mater.* 39: 173-192. [http://dx.doi.org/10.1016/0304-3894\(94\)00053-0](http://dx.doi.org/10.1016/0304-3894(94)00053-0).
- Landers, J. (2002). Remediation - Groundwater circulation wells modified to treat TCE, RDX. *Civil Engineering.* 72: 28-29.
- Landmeyer, JE; Miller, S; Campbell, BG; Vroblesky, D; Gill, A; Clark, AP. (2011). Investigation of the potential source area, contamination pathway, and probable release history of chlorinated-solvent-contaminated groundwater at the Capital City Plume Site, Montgomery, Alabama, 2008-2010. United States (USA): U.S. Geological Survey.
- Landrigan, PJ; Stein, GF; Kominsky, JR; Ruhe, RL; Watanabe, AS. (1987). Common-source community and industrial exposure to trichloroethylene. *Arch Environ Health.* 42: 327-332. <http://dx.doi.org/10.1080/00039896.1987.9934354>.
- Larsen, M; Burken, J; Machackova, J; Karlson, UG; Trapp, S. (2008). Using tree core samples to monitor natural attenuation and plume distribution after a PCE spill. *Environ Sci Technol.* 42: 1711-1717. <http://dx.doi.org/10.1021/es0717055>.
- Lasage, DM; Fryar, AE; Mukherjee, A; Sturchio, NC; Heraty, LJ. (2008). Groundwater-derived contaminant fluxes along a channelized Coastal Plain stream. *J Hydrol.* 360: 265-280. <http://dx.doi.org/10.1016/j.jhydrol.2008.07.026>.
- Lawrence, A; Stuart, M; Cheney, C; Jones, N; Moss, R. (2006). Investigating the scale of structural controls on chlorinated hydrocarbon distributions in the fractured-porous unsaturated zone of a sandstone aquifer in the UK. *Hydrogeology Journal.* 14: 1470-1482. <http://dx.doi.org/10.1007/s10040-006-0068-6>.
- Lee, JY. (2011). Environmental issues of groundwater in Korea: implications for sustainable use. *Environ Conserv.* 38: 64-74. <http://dx.doi.org/10.1017/S0376892911000087>.
- Lee, JY; Moon, SH; Yi, MJ; Yun, ST. (2008). Groundwater contamination with petroleum hydrocarbons, chlorinated solvents and high pH: implications for multiple sources. *Quarterly Journal of Engineering Geology and Hydrogeology.* 41: 35-47.
- Lee, LJH; Chan, CC; Chung, CW; Ma, YC; Wang, GS; Wang, JD. (2002). Health risk assessment on residents exposed to chlorinated hydrocarbons contaminated in groundwater of a hazardous waste site. *J Toxicol Environ Health A.* 65: 219-235. <http://dx.doi.org/10.1080/15287390252800828>.
- Lee, SS; Kaown, D; Lee, KK. (2015). Evaluation of the fate and transport of chlorinated ethenes in a complex groundwater system discharging to a stream in Wonju, Korea. *J Contam Hydrol.* 182: 231-243. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.005>.

Exposure Literature Search Results

On Topic

- Lemming, G; Chambon, JC; Binning, PJ; Bjerg, PL. (2012). Is there an environmental benefit from remediation of a contaminated site? Combined assessments of the risk reduction and life cycle impact of remediation. *J Environ Manage.* 112: 392-403. <http://dx.doi.org/10.1016/j.jenvman.2012.08.002>.
- Lemming, G; Hauschild, MZ; Chambon, J; Binning, PJ; Bulle, C; Margni, M; Bjerg, PL. (2010). Environmental impacts of remediation of a trichloroethene-contaminated site: life cycle assessment of remediation alternatives. *Environ Sci Technol.* 44: 9163-9169. <http://dx.doi.org/10.1021/es102007s>.
- Lenczewski, M; Jardine, P; Mckay, L; Layton, A. (2003). Natural attenuation of trichloroethylene in fractured shale bedrock. *J Contam Hydrol.* 64: 151-168. [http://dx.doi.org/10.1016/S0169-7722\(02\)00090-6](http://dx.doi.org/10.1016/S0169-7722(02)00090-6).
- Lendvay, JM; Dean, SM; Adriaens, P. (1998). Temporal and spatial trends in biogeochemical conditions at a groundwater-surface water interface: Implications for natural bioattenuation. *Environ Sci Technol.* 32: 3472-3478.
- Lendvay, JM; Sauck, WA; McCormick, ML; Barcelona, MJ; Kampbell, DH; Wilson, JT; Adriaens, P. (1998). Geophysical characterization, redox zonation, and contaminant distribution at a groundwater surface water interface. *Water Resour Res.* 34: 3545-3559.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology.* 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Lindsey, MA. (2012). Community Outreach and Education Core.
- Lindsey, MA. (2013). Community Outreach and Education Core.
- Lindsey, MA. (2014). Community Outreach and Education Core.
- Lindsey, MA. (2015). Community Outreach and Education Core.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. (1996). Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull.* 32: 807-816.
- Logue, JM; Small, MJ; Stern, D; Maranche, J; Robinson, AL. (2010). Spatial variation in ambient air toxics concentrations and health risks between industrial-influenced, urban, and rural sites. *Journal of the Air and Waste Management Association.* 60: 271-286. <http://dx.doi.org/10.3155/1047-3289.60.3.271>.
- Lorente, C; Cordier, S; Bergeret, A; De Walle, HEK; Goujard, J; Ayme, S; Knill-Jones, R; Calzolari, E; Bianchi, F. (2000). Maternal occupational risk factors for oral clefts. *Scand J Work Environ Health.* 26: 137-145.
- Love, OT, Jr; Eilers, RG. (1982). Treatment of drinking water containing trichloroethylene and related industrial solvents. *J Am Water Works Assoc.* 74: 413-425.
- Lynge, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control.* 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Ma, HW. (2002). Stochastic multimedia risk assessment for a site with contaminated groundwater. *Stoch Environ Res Risk Assess.* 16: 464-478. <http://dx.doi.org/10.1007/s00477-002-0112-6>.
- Ma, TH; Xu, C; Liao, S; Mcconnell, H; Jeong, BS; Won, CD. (1996). In situ monitoring with the Tradescantia bioassays on the genotoxicity of gaseous emissions from a closed landfill site and an incinerator. *Mutat Res.* 359: 39-52.
- Ma, X; Burken, JG. (2002). VOCs fate and partitioning in vegetation: use of tree cores in groundwater analysis. *Environ Sci Technol.* 36: 4663-4668. <http://dx.doi.org/10.1021/es025795j>.
- Manamsa, K; Lapworth, DJ; Stuart, ME. (2016). Temporal variability of micro-organic contaminants in lowland chalk catchments: New insights into contaminant sources and hydrological processes. *Sci Total Environ.* 568: 566-577. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.146>.
- Marti, PB. (2010). Shelton laundry and cleaners groundwater monitoring results. october 2008 and june 2009. 30.
- Martí, V; Jubany, I; Pérez, C; Rubio, X; De Pablo, J; Giménez, J. (2014). Human health risk assessment of a landfill based on volatile organic compounds emission, immission and soil gas concentration measurements. *Appl Geochem.* 49: 218-224. <http://dx.doi.org/10.1016/j.apgeochem.2014.06.018>.
- Martin, SA; Simmons, MB; Ortiz-Serrano, M; Kendrick, C; Gallo, A; Campbell, J; Fisher, J. (2005). Environmental exposure of a community to airborne trichloroethylene. *Arch Environ Health.* 60: 314-316.
- Martinez, E; Llobet, I; Lacorte, S; Viana, P; Barcelo, D. (2002). Patterns and levels of halogenated volatile compounds in Portuguese surface waters. *J Environ Monit.* 4: 253-257. <http://dx.doi.org/10.1039/b109623k>.
- Maslia, ML; Aral, MM; Faye, RE; Suarez-Soto, RJ; Sautner, JB; Wang, J; Jang, W; Bove, FJ; Ruckart, PZ. (2009). Reconstructing Historical Exposures to Volatile Organic Compound-Contaminated Drinking Water at a US Military Base. *Water Qual Expo Health.* 1: 49-68. <http://dx.doi.org/10.1007/s12403-009-0010-y>.
- Maslia, ML; Aral, MM; Ruckart, PZ; Bove, FJ. (2016). Reconstructing Historical VOC Concentrations in DrinkingWater for Epidemiological Studies at a US Military Base: Summary of Results. *Water.* 8. <http://dx.doi.org/10.3390/w8100449>.
- Maslia, ML; Aral, MM; Williams, RC; Williams-Fleetwood, S; Hayes, LC; Wilder, LC. (1996). Use of computational models to reconstruct and predict trichloroethylene exposure. *Toxicol Ind Health.* 12: 139-152.
- Matthews, DW; Massmann, J; Strand, SE. (2003). Influence of aquifer properties on phytoremediation effectiveness. *Ground Water.* 41: 41-47.
- Mcconnell, G; Ferguson, DM; Pearson, CR. (1975). Chlorinated hydrocarbons and the environment. *Endeavour.* 34: 13-18.
- McCulloch, A; Midgley, PM. (1996). The production and global distribution of emissions of trichloroethene, tetrachloroethene and dichloromethane over the period 1988-1992. *Atmos Environ.* 30: 601-608. [http://dx.doi.org/10.1016/1352-2310\(09\)50032-5](http://dx.doi.org/10.1016/1352-2310(09)50032-5).
- Mcdaniel, TV; Martin, PA; Ross, N; Brown, S; Lesage, S; Pauli, BD. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol.* 47: 101-109. <http://dx.doi.org/10.1007/s00244-004-3015-3>.

Exposure Literature Search Results

On Topic

- Mcdaniel, TV; Ross, N; Martin, PA; Steer, H; Abbey, AM; Lesage, S. (2007). Bioremediation of tetrachloroethylene-contaminated groundwater in a model aquifer: effects on green frogs (*Rana clamitans*) and *Xenopus laevis* as potential wetland receptors. *Arch Environ Contam Toxicol*. 52: 410-417. <http://dx.doi.org/10.1007/s00244-005-8218-8>.
- Mcdonald, GJ; Wertz, WE. (2007). PCE, TCE, and TCA vapors in subslab soil gas and indoor air: A case study in upstate New York. *Ground Water Monitoring and Remediation*. 27: 86-92.
- Mchugh, T; Kuder, T; Fiorenza, S; Gorder, K; Dettenmaier, E; Philp, P. (2011). Application of CSIA to distinguish between vapor intrusion and indoor sources of VOCs. *Environ Sci Technol*. 45: 5952-5958. <http://dx.doi.org/10.1021/es200988d>.
- Mcknight, US; Funder, SG; Rasmussen, J; Finkel, M; Binning, PJ; Bjerg, PL. (2010). An integrated model for assessing the risk of TCE groundwater contamination to human receptors and surface water ecosystems. *Ecol Eng*. 36: 1126-1137. <http://dx.doi.org/10.1016/j.ecoleng.2010.01.004>.
- Mcknight, US; Rasmussen, J; Kronvang, B; Bjerg, PL; Binning, PJ. (2012). Integrated assessment of the impact of chemical stressors on surface water ecosystems. *Sci Total Environ*. 427: 319-331. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.011>.
- Mckone, TE; Bogen, KT. (1991). PREDICTING THE UNCERTAINTIES IN RISK ASSESSMENT - A CALIFORNIA GROUNDWATER CASE-STUDY. *Environ Sci Technol*. 25: 1674-1681.
- Mckone, TE; Knezovich, JP. (1991). THE TRANSFER OF TRICHLOROETHYLENE (TCE) FROM A SHOWER TO INDOOR AIR - EXPERIMENTAL MEASUREMENTS AND THEIR IMPLICATIONS. *J Air Waste Manag Assoc*. 41: 282-286.
- Mckone, TE; Knezovich, JP. (1991). The transfer of trichloroethylene (TCE) from a shower to indoor air: experimental measurements and their implications. *Journal of the Air and Waste Management Association*. 41: 832-837.
- MDPH. (1997). Woburn childhood leukemia follow-up study: Volume I: Analyses. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_cancer_leukemia_follow_up_study_1997.pdf.
- Meyer-Monath, M; Beaumont, J; Morel, I; Rouget, F; Tack, K; Lestremau, F. (2014). Analysis of BTEX and chlorinated solvents in meconium by headspace-solid-phase microextraction gas chromatography coupled with mass spectrometry. *Anal Bioanal Chem*. 406: 4481-4490. <http://dx.doi.org/10.1007/s00216-014-7836-2>.
- Middeldorp, PJM; van Aalst, MA; Rijnaarts, HHM; Stams, FJM; de Kreuk, HF; Schraa, G; Bosma, TNP. (1998). Stimulation of reductive dechlorination for in situ bioremediation of a soil contaminated with chlorinated ethenes. *Water Sci Technol*. 37: 105-110.
- Mir, L. (2008). Exposure to trichloroethylene and liver cancer: meta-analysis. *E R S*. 7: 394-395.
- Mizunuma, K; Kawai, T; Horiguchi, S; Ikeda, M. (1995). Urinary methylchloroform rather than urinary metabolites as an indicator of occupational exposure to methylchloroform. *Int Arch Occup Environ Health*. 67: 19-25.
- Moran, MJ; Zogorski, JS; Squillace, PJ. (2007). Chlorinated solvents in groundwater of the United States. *Environ Sci Technol*. 41: 74-81. <http://dx.doi.org/10.1021/es061553y>.
- Morata, TC; Dunn, DE; Sieber, WK. (1994). Occupational exposure to noise and ototoxic organic solvents [Review]. *Arch Environ Occup Health*. 49: 359-365. <http://dx.doi.org/10.1080/00039896.1994.9954988>.
- Moreno, B; Vivas, A; Nogales, R; Macci, C; Masciandro, G; Benitez, E. (2009). Restoring biochemical activity and bacterial diversity in a trichloroethylene-contaminated soil: the reclamation effect of vermicomposted olive wastes. *Environ Sci Pollut Res Int*. 16: 253-264. <http://dx.doi.org/10.1007/s11356-008-0035-y>.
- Morgan, JW; Cassady, RE. (2002). Community cancer assessment in response to long-time exposure to perchlorate and trichloroethylene in drinking water. *J Occup Environ Med*. 44: 616-621.
- Morio, M; Finkel, M; Martac, E. (2010). Flow guided interpolation - A GIS-based method to represent contaminant concentration distributions in groundwater. *Environ Modell Softw*. 25: 1769-1780. <http://dx.doi.org/10.1016/j.envsoft.2010.05.018>.
- Morrill, PL; Lacrampe-Couloume, G; Slater, GF; Sleep, BE; Edwards, EA; McMaster, ML; Major, DW; Sherwood Lollar, B. (2005). Quantifying chlorinated ethene degradation during reductive dechlorination at Kelly AFB using stable carbon isotopes. *J Contam Hydrol*. 76: 279-293. <http://dx.doi.org/10.1016/j.jconhyd.2004.11.002>.
- Mrema, EJ; Rubino, FM; Mandic-Rajcevic, S; Sturchio, E; Turci, R; Osculati, A; Brambilla, G; Minoia, C; Colosio, C. (2013). Exposure to priority organochlorine contaminants in the Italian general population. Part 1. Eight priority organochlorinated pesticides in blood serum. *Hum Exp Toxicol*. 32: 1323-1339. <http://dx.doi.org/10.1177/0960327113485255>.
- Mudiam, MKR; Jain, R; Varshney, M; Ch, R; Chauhan, A; Goyal, SK; Khan, HA; Murthy, RC. (2013). In matrix derivatization of trichloroethylene metabolites in human plasma with methyl chloroformate and their determination by solid-phase microextraction-gas chromatography-electron capture detector. *Journal of Chromatography B*. 925: 63-69. <http://dx.doi.org/10.1016/j.jchromb.2013.02.029>.
- Mukherjee, A; Fryar, AE; Lasage, DM. (2005). Using tracer tests to assess natural attenuation of contaminants along a channelized Coastal Plain stream. *Environmental and Engineering Geoscience*. 11: 371-382.
- Murphy, JP. (1990). Exposure to Wells G and H in Woburn, Massachusetts. Boston, MA: Massachusetts Health Research Institute, Inc. and Massachusetts Department of Public Health. http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_exposure_wells.pdf.
- Murphy, S; Ouelton, T; Ballard, JM; Lefebvre, R; Clark, I. (2011). Tritium-helium groundwater age used to constrain a groundwater flow model of a valley-fill aquifer contaminated with trichloroethylene (Quebec, Canada). *Hydrogeology Journal*. 19: 195-207. <http://dx.doi.org/10.1007/s10040-010-0662-5>.

Exposure Literature Search Results

On Topic

- Nakahama, T; Fukuhara, M; Inouye, Y. (1997). Volatile halogenated hydrocarbons in ambient air and the metabolites in human urine in an urban area (pp. 280-284). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/98/03630). Nakahama, T; Fukuhara, M; Inouye, Y.
- Nakajima, T; Yamanoshita, O; Kamijima, M; Kishi, R; Ichihara, G. (2003). Generalized skin reactions in relation to trichloroethylene exposure: a review from the viewpoint of drug-metabolizing enzymes [Review]. *J Occup Health*. 45: 8-14.
- Nazari, MM; Burston, MW; Bishop, PK; Lerner, DN. (1993). Urban ground-water pollution: A case study from Coventry, United Kingdom. *Ground Water*. 31: 417-424.
- Nelson, MJ; Kinsella, JV; Montoya, T. (1990). INSITU BIODEGRADATION OF TCE CONTAMINATED GROUNDWATER. *Environmental Progress*. 9: 190-196.
- Nelson, NT; Brusseau, ML. (1996). FIELD STUDY OF THE PARTITIONING TRACER METHOD FOR DETECTION OF DENSE NONAQUEOUS PHASE LIQUID IN A TRICHLOROETHENE-CONTAMINATED AQUIFER. *Environ Sci Technol*. 30: 2859-2863.
- Němeček, J; Pokorný, P; Lhotský, O; Knytl, V; Najmanová, P; Steinová, J; Černík, M; Filipová, A; Filip, J; Cajthaml, T. (2016). Combined nanobiotechnology for in-situ remediation of mixed contamination of groundwater by hexavalent chromium and chlorinated solvents. *Sci Total Environ*. 563-564: 822-834. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.019>.
- Neumann, CM; Forman, DL; Rothlein, JE. (1998). Hazard screening of chemical releases and environment equity analysis of populations proximate to toxic release inventory facilities in Oregon. *Environ Health Perspect*. 106: 217-226. <http://dx.doi.org/10.1289/ehp.98106217>.
- Newell, CJ; Cowie, I; Mcguire, TM; Mcnab, WW, Jr. (2006). Multiyear temporal changes in chlorinated solvent concentrations at 23 monitored natural attenuation sites. *J Environ Eng*. 132: 653-663. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(653\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(653)).
- Newman, LA; Strand, SE; Choe, N; Duffy, J; Ekuan, G; Ruszaj, M; Shurtleff, BB; Wilmoth, J; Heilman, P; Gordon, MP. (1997). Uptake and biotransformation of trichloroethylene by hybrid poplars. *Environ Sci Technol*. 31: 1062-1067.
- Newman, LA; Wang, X; Muiznieks, IA; Ekuan, G; Ruszaj, M; Cortellucci, R; Domroes, D; Karscig, G; Newman, T; Crampton, RS; Hashmonay, RA; Yost, MG; Heilman, PE; Duffy, J; Gordon, MP; Strand, SE. (1999). Remediation of trichloroethylene in an artificial aquifer with trees: A controlled field study. *Environ Sci Technol*. 33: 2257-2265.
- Newman, LA; Wang, XP; Muiznieks, IA; Ekuan, G; Ruszaj, M; Cortellucci, R; Domroes, D; Karscig, G; Newman, T; Crampton, RS; Hashmonay, RA; Yost, MG; Heilman, PE; Duffy, J; Gordon, MP; Strand, SE. (1999). Remediation of trichloroethylene in an artificial aquifer with trees: A controlled field study. (vol 33, pg 2257, 1999). *Environ Sci Technol*. 33: 3935-3935.
- Nexo, BA. (1995). Risk assessment methodologies for carcinogenic compounds in indoor air. *Scand J Work Environ Health*. 21: 376-381.
- Nietch, CT; Morris, JT; Vroblesky, DA. (1999). Biophysical mechanisms of trichloroethene uptake and loss in baldcypress growing in shallow contaminated groundwater. *Environ Sci Technol*. 33: 2899-2904.
- Nijenhuis, I; Nikolausz, M; Köth, A; Felföldi, T; Weiss, H; Drangmeister, J; Grossmann, J; Kästner, M; Richnow, HH. (2007). Assessment of the natural attenuation of chlorinated ethenes in an anaerobic contaminated aquifer in the Bitterfeld/Wolfen area using stable isotope techniques, microcosm studies and molecular biomarkers. *Chemosphere*. 67: 300-311. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.084>.
- Nomiyama, H; Nomiyama, K; Uchiki, H. (1978). Gas-liquid chromatographic determination of trichloroethylene metabolites in urine. *Am Ind Hyg Assoc J*. 39: 506-510. <http://dx.doi.org/10.1080/0002889778507798>.
- Nomiyama, K; Nomiyama, H. (1977). Dose-response relationship for trichloroethylene in man. *Int Arch Occup Environ Health*. 39: 237-248.
- Nunes, LM; Zhu, YG; Stigter, TY; Monteiro, JP; Teixeira, MR. (2011). Environmental impacts on soil and groundwater at airports: origin, contaminants of concern and environmental risks [Review]. *J Environ Monit*. 13: 3026-3039. <http://dx.doi.org/10.1039/c1em10458f>.
- Nyman, PJ; Limm, W; Begley, TH; Chirtel, SJ. (2014). Single-laboratory validation of a method for the determination of select volatile organic compounds in foods by using vacuum distillation with gas chromatography/mass spectrometry. *J AOAC Int*. 97: 510-520. <http://dx.doi.org/10.5740/jaoacint.13-294>.
- Oddone, E; Edefonti, V; Scaburri, A; Vai, T; Bai, E; Modonesi, C; Crosignani, P; Imbriani, M. (2014). Female Breast Cancer and Electrical Manufacturing: Results of a Nested Case-control Study. *J Occup Health*. 56: 369-378.
- Odom, L; Burken, J; Newman, L, ee. (2013). Distribution and Accumulation of Trichloroethylene and Trichloroacetic Acid in Hybrid Poplars. *J Environ Eng*. 139: 1162-1167. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000703](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000703).
- Oeztuerk, Z; Tansel, B; Katsenovich, Y; Sukop, M; Laha, S. (2012). Highly organic natural media as permeable reactive barriers: TCE partitioning and anaerobic degradation profile in eucalyptus mulch and compost. *Chemosphere*. 89: 665-671. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.006>.
- Ogata, M; Shimada, Y; Taguchi, T. (1987). A new microdetermination method used in an analysis of the excretion of trichloro-compounds in the urine of workers exposed to trichloroethylene vapour. *Ind Health*. 25: 103-112.
- Ogata, M; TAKATSUK.Y; Tomokuni, K. (1971). EXCRETION OF ORGANIC CHLORINE COMPOUNDS IN URINE OF PERSONS EXPOSED TO VAPOURS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Br J Ind Med*. 28: 386-&.
- O'Hannesin, SF; Gillham, RW. (1998). Long-term performance of an in situ "iron wall" for remediation of VOCs. *Ground Water*. 36: 164-170.
- O'Hara, SK; Parker, BL; Jorgensen, PR; Cherry, JA. (2000). Trichloroethene DNAPL flow and mass distribution in naturally fractured clay: Evidence of aperture variability. *Water Resour Res*. 36: 135-147.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ*. 366: 485-499. <http://dx.doi.org/10.1016/j.scitotenv.2005.10.005>.
- Okochi, H; Kataniwa, M; Sugimoto, D; Igawa, M. (2005). Enhanced dissolution of volatile organic compounds into urban dew water collected in Yokohama, Japan. *Atmos Environ*. 39: 6027-6036. <http://dx.doi.org/10.1016/j.atmosenv.2005.05.025>.

Exposure Literature Search Results

On Topic

- Olague, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int.* 9: 175-182. <http://dx.doi.org/10.1065/espr2001.06.080>.
- Olajire, AA; Azeez, L. (2014). Source apportionment and ozone formation potential of volatile organic compounds in Lagos (Nigeria). *Chem Ecol.* 30: 156-168. <http://dx.doi.org/10.1080/02757540.2013.844796>.
- Olson, MR; Sale, TC. (2015). Implications of soil mixing for NAPL source zone remediation: Column studies and modeling of field-scale systems. *J Contam Hydrol.* 177-178: 206-219. <http://dx.doi.org/10.1016/j.jconhyd.2015.04.008>.
- Oolman, T; Godard, ST; Pope, GA; Jin, M; Kirchner, K. (1995). DNAPL FLOW BEHAVIOR IN A CONTAMINATED AQUIFER - EVALUATION OF FIELD DATA. *Ground Water Monitoring and Remediation.* 15: 125-137.
- Pecoraino, G; Scalici, L, ea; Avellone, G; Ceraulo, L; Favara, R; Candela, EG; Provenzano, MC; Scaletta, C. (2008). Distribution of volatile organic compounds in Sicilian groundwaters analysed by head space-solid phase micro extraction coupled with gas chromatography mass spectrometry (SPME/GC/MS) [Review]. *Water Res.* 42: 3563-3577. <http://dx.doi.org/10.1016/j.watres.2008.07.022>.
- Pellizzari, E; Liroy, P; Quackenboss, J; Whitmore, R; Clayton, A; Freeman, N; Waldman, J; Thomas, K; Rodes, C; Wilcosky, T. (1995). Population-based exposure measurements in EPA region 5: A phase I field study in support of the National Human Exposure Assessment Survey. *J Expo Anal Environ Epidemiol.* 5: 327-358.
- Pellizzari, ED; Hartwell, TD; Harris, BS, III; Waddell, RD; Whitaker, DA; Erickson, MD. (1982). Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol.* 28: 322-328. <http://dx.doi.org/10.1007/BF01608515>.
- Pellizzari, ED; Wallace, LA; Gordon, SM. (1992). Elimination kinetics of volatile organics in humans using breath measurements. *J Expo Anal Environ Epidemiol.* 2: 341-355.
- Pennell, KD; Costanza, J, ed; Kong, L; Suchomel, E; Ramsburg, CA. (2002). GROUNDWATER QUALITY. *Water Environ Res.* 74: 1239-1370.
- Petersen, LW; El-Farhan, YH; Moldrup, P; Rolston, DE; Yamaguchi, T. (1996). Transient diffusion, adsorption, and emission of volatile organic vapors in soils with fluctuating low water contents. *J Environ Qual.* 25: 1054-1063.
- Petersen, LW; Moldrup, P; El-Farhan, YH; Jacobsen, OH; Yamaguchi, T; Rolston, DE. (1995). The effect of moisture and soil texture on the adsorption of organic vapors. *J Environ Qual.* 24: 752-759.
- Petura, JC. (1981). TRI CHLORO ETHYLENE AND METHYL CHLOROFORM IN GROUND WATER A PROBLEM ASSESSMENT (pp. 200-205). (ISSN 0003-150X; EISSN 1551-8833; HEEP/82/05809). Petura, JC.
- Phillips, DH; Thomas, AO; Forde, K; Dickson, K; Plant, S; Norris, G; Bone, B; Kalin, RM. (2007). Fate and transport of volatile organic compounds in glacial till and groundwater at an industrial site in Northern Ireland. *Environ Geol.* 52: 1117-1131. <http://dx.doi.org/10.1007/s00254-006-0550-4>.
- Pleil, JD; Fisher, JW; Lindstrom, AB. (1998). Trichloroethene levels in human blood and exhaled breath from controlled inhalation exposure. *Environ Health Perspect.* 106: 573-580.
- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. *Environ Sci Technol.* 39: 3261-3268. <http://dx.doi.org/10.1021/es0497328>.
- Press, DJ; Mckinley, M; Deapen, D; Clarke, CA; Gomez, SL. (2016). Residential cancer cluster investigation nearby a Superfund Study Area with trichloroethylene contamination. *Cancer Causes Control.* 27: 607-613. <http://dx.doi.org/10.1007/s10552-016-0734-5>.
- Provoost, J; Reijnders, L; Swartjes, F; Bronders, J, an; Seuntjens, P; Lijzen, J. (2009). Accuracy of seven vapour intrusion algorithms for VOC in groundwater. *Journal of Soils and Sediments.* 9: 62-73. <http://dx.doi.org/10.1007/s11368-008-0036-y>.
- Puls, RW; Blowes, DW; Gillham, RW. (1999). Long-term performance monitoring for a permeable reactive barrier at the US Coast Guard Support Center, Elizabeth City, North Carolina. *J Hazard Mater.* 68: 109-124. [http://dx.doi.org/10.1016/S0304-3894\(99\)00034-5](http://dx.doi.org/10.1016/S0304-3894(99)00034-5).
- Puls, RW; Paul, CJ. (1995). LOW-FLOW PURGING AND SAMPLING OF GROUND-WATER MONITORING WELLS WITH DEDICATED SYSTEMS. *Ground Water Monitoring and Remediation.* 15: 116-123.
- Pusz, A; Kulig, A. (2014). MONITORING OF TRICHLOROETHENE AND TETRACHLOROETHENE CONTENT IN SOIL-WATER ENVIRONMENT IN THIRD PHASE OF ECOLOGICAL AUDIT OF LAND. 40: 65-80. <http://dx.doi.org/10.2478/aep-2014-0016>.
- Rabideau, AJ; Blayden, JM; Ganguly, C. (1999). Field performance of air sparging system for removing TCE from groundwater. *Environ Sci Technol.* 33: 157-162.
- Ramis, R; Vidal, E; Garcia-Perez, J; Lope, V; Aragones, N; Perez-Gomez, B; Pollan, M; Lopez-Abente, G. (2009). Study of non-Hodgkin's lymphoma mortality associated with industrial pollution in Spain, using Poisson models. *BMC Public Health.* 9: 26. <http://dx.doi.org/10.1186/1471-2458-9-26>.
- Ramlow, JM. (1995). CRITIQUE OF REVIEW OF CHLORINATED SOLVENTS EPIDEMIOLOGY. *Am J Ind Med.* 27: 313-316.
- Read, HW; Fu, X; Clark, LA; Anderson, MA; Jarosch, T. (1996). Field trials of a TiO₂ pellet-based photocatalytic reactor for off-gas treatment at a soil vapor extraction well. *Journal of Soil Contamination.* 5: 187-202.
- Regens, JL; Zimmerman, RE; Wilkey, PL; Hodges, DG; Armstrong, AQ; Kelley, L. (2000). Evaluating environmental technology for meeting remediation end points and long-term stewardship options. *Environ Sci Pollut Res Int* 49-55.
- Reif, JS; Burch, JB; Nuckols, JR; Metzger, L; Ellington, D; Anger, WK. (2003). Neurobehavioral effects of exposure to trichloroethylene through a municipal water supply. *Environ Res.* 93: 248-258. [http://dx.doi.org/10.1016/S0013-9351\(03\)00131-2](http://dx.doi.org/10.1016/S0013-9351(03)00131-2).
- Rein, A; Holm, O; Trapp, S; Popp-Hofmann, S; Bittens, M; Leven, C; Dietrich, P. (2015). Comparison of Phytoscreening and Direct-Push-Based Site Investigation at a Rural Megasite Contaminated with Chlorinated Ethenes. *Ground Water Monitoring and Remediation.* 35: 1-U108. <http://dx.doi.org/10.1111/gwmr.12122>.

Exposure Literature Search Results

On Topic

- Révész, KM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and $^2\text{HH}_2\text{O}$ tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol.* 156: 62-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.004>.
- Richmond, SA; Lindstrom, JE; Braddock, JF. (2001). Assessment of natural attenuation of chlorinated aliphatics and BTEX in subarctic groundwater. *Environ Sci Technol.* 35: 4038-4045.
- Rippen, G; Klopffer, W; Frische, R; K-O, G. (1984). The Environmental Model Segment Approach For Estimating Potential Environmental Concentrations. II. Application Of The Model To p-Dichlorobenzene And Trichloroethane. *Ecotoxicol Environ Saf.* 8: 363-377.
- Ristoiu, I; Haydee, KM; Ristoiu, T. (2010). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY IN DEJ TOWN, ROMANIA. *J Environ Prot Ecol.* 11: 1229-1238.
- Rivett, MO; Feenstra, S; Cherry, JA. (2001). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: creation of the emplaced-source and overview of dissolved plume development. *J Contam Hydrol.* 49: 111-149. [http://dx.doi.org/10.1016/S0169-7722\(00\)00191-1](http://dx.doi.org/10.1016/S0169-7722(00)00191-1).
- Rodenbeck, S; Sanderson, L; Rene, A. (2000). Maternal exposure to trichloroethylene in drinking water and birth-weight outcomes. *Arch Environ Health.* 55: 188-194. <http://dx.doi.org/10.1080/00039890009603405>.
- Rodriguez, E; Mcguinness, KA; Ophori, DU. (2004). A field evaluation of enhanced reductive dechlorination of chlorinated solvents in groundwater, New York Metropolitan Area. *Environ Geol.* 45: 623-632. <http://dx.doi.org/10.1007/s00254-003-0920-0>.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary: Volatile organohalogen compounds. *Mar Pollut Bull.* 24: 82-91.
- Ronen, D; Graber, ER; Laor, Y. (2005). Volatile organic compounds in the saturated-unsaturated interface region of a contaminated phreatic aquifer. *Vadose Zone Journal.* 4: 337-344. <http://dx.doi.org/10.2136/vzj2004.0100>.
- Ronen, D; Lev-Wiener, H; Graber, ER; Dahan, O; Weisbrod, N. (2010). Simultaneous counter-flow of chlorinated volatile organic compounds across the saturated-unsaturated interface region of an aquifer. *Water Res.* 44: 2107-2112. <http://dx.doi.org/10.1016/j.watres.2009.12.016>.
- Rosenbloom, J; Mock, P; Lawson, P; Brown, J; Turin, HJ. (1993). APPLICATION OF VLEACH TO VADOSE ZONE TRANSPORT OF VOCs AT AN ARIZONA SUPERFUND SITE. *Ground Water Monitoring and Remediation.* 13: 159-169.
- Rowe, BL; Price, CV; Zogorski, JS; Moran, MJ. (2010). Vulnerability of drinking water supply wells to VOCs. *J Am Water Works Assoc.* 102: 133-+.
- Rowe, BL; Toccalino, PL; Moran, MJ; Zogorski, JS; Price, CV. (2007). Occurrence and potential human-health relevance of volatile organic compounds in drinking water from domestic wells in the United States. *Environ Health Perspect.* 115: 1539-1546. <http://dx.doi.org/10.1289/ehp.10253>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2013). Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case--control study. *Environ Health.* 12: 104. <http://dx.doi.org/10.1186/1476-069X-12-104>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2014). Evaluation of contaminated drinking water and preterm birth, small for gestational age, and birth weight at Marine Corps Base Camp Lejeune, North Carolina: a cross-sectional study. *Environ Health.* 13: 99. <http://dx.doi.org/10.1186/1476-069X-13-99>.
- Ruckart, PZ; Bove, FJ; Shanley, E; Maslia, M. (2015). Evaluation of contaminated drinking water and male breast cancer at Marine Corps Base Camp Lejeune, North Carolina: a case control study. *Environ Health.* 14: 74. <http://dx.doi.org/10.1186/s12940-015-0061-4>.
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med.* 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Sabel, GV; Clark, TP. (1984). Volatile organic compounds as indicators of municipal solid waste leachate contamination. *Waste Manag Res.* 2: 119-130. [http://dx.doi.org/10.1016/0734-242X\(84\)90135-6](http://dx.doi.org/10.1016/0734-242X(84)90135-6).
- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ.* 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).
- Salas, LA; Gracia-Lavedan, E; Goni, F; Moreno, V; Villanueva, CM. (2014). Use of urinary trichloroacetic acid as an exposure biomarker of disinfection by-products in cancer studies. *Environ Res.* 135: 276-284. <http://dx.doi.org/10.1016/j.envres.2014.09.018>.
- Salkinoja-Salonen, M; Uotila, J; Jokela, J; Laine, M; Sasaki, E. (1995). ORGANIC HALOGENS IN THE ENVIRONMENT STUDIES OF ENVIRONMENTAL BIODEGRADABILITY AND HUMAN EXPOSURE. *Environ Health Perspect.* 103: 63-69.
- Sanz, J; Garcia, A; Miro, J; Miguel, C. (2013). Drinking water supply by reverse osmosis plants: three years of experience at El Prat de Llobregat Municipality. *Desalination and Water Treatment.* 51: 124-131. <http://dx.doi.org/10.1080/19443994.2012.704728>.
- Sato, A; Nakajima, T. (1977). [Estimation of rate constants for absorption, metabolism and excretion of trichloroethylene from urinary excretion data (author's transl)]. *Sangyo Igaku.* 19: 92-93.
- Scheff, PA; Wadden, RA. (1993). Receptor modeling of volatile organic compounds. I: Emission inventory and validation. *Environ Sci Technol.* 27: 617-625. <http://dx.doi.org/10.1021/es00041a005>.
- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *J Air Waste Manag Assoc.* 55: 878-885.
- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual.* 33: 61-71.
- Schroder, P; Plumacher, J. (1998). Evaluation of the impact of volatile chlorinated hydrocarbons on forest trees based on air and needle measurement data and the detoxification capacity of spruce needles. *Environ Sci Pollut Res Int. Special issue no. 1:* 38-45.

Exposure Literature Search Results

On Topic

- Scott, CS; Jinot, J. (2011). Trichloroethylene and Cancer: Systematic and Quantitative Review of Epidemiologic Evidence for Identifying Hazards [Review]. *Int J Environ Res Public Health*. 8: 4238-4163. <http://dx.doi.org/10.3390/ijerph8114238>.
- Semprini, L. (1995). In situ bioremediation of chlorinated solvents [Review]. *Environ Health Perspect*. 103: 101-105.
- Semprini, L; Hopkins, GD; Roberts, PV; Mccarty, PL. (1992). PILOT SCALE FIELD STUDIES OF IN-SITU BIOREMEDIATION OF CHLORINATED SOLVENTS (pp. THE PROBLEM AND SOME SOLUTIONS). (ISSN 0304-3894; EISSN 1873-3336; BIOSIS/93/09041). Semprini, L; Hopkins, GD; Roberts, PV; Mccarty, PL.
- Semprini, L; Kitanidis, PK; Kampbell, DH; Wilson, JT. (1995). ANAEROBIC TRANSFORMATION OF CHLORINATED ALIPHATIC-HYDROCARBONS IN A SAND AQUIFER BASED ON SPATIAL CHEMICAL-DISTRIBUTIONS. *Water Resour Res*. 31: 1051-1062.
- Serrano-Trespalcios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City metropolitan area. *J Expo Anal Environ Epidemiol*. 1: S118-S132. <http://dx.doi.org/10.1038/sj.jea.7500366>.
- Sexton, K; Adgate, JL; Church, TR; Ashley, DL; Needham, LL; Ramachandran, G; Fredrickson, AL; Ryan, AD. (2005). Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect*. 113: 342-349. <http://dx.doi.org/10.1289/ehp.7412>.
- Sexton, K; Mongin, SJ; Adgate, JL; Pratt, GC; Ramachandran, G; Stock, TH; Morandi, MT. (2007). Estimating volatile organic compound concentrations in selected microenvironments using time-activity and personal exposure data. *J Toxicol Environ Health A*. 70: 465-476. <http://dx.doi.org/10.1080/15287390600870858>.
- Shah, JJ; Singh, HB. (1988). Distribution of volatile organic chemicals in outdoor and indoor air: A national VOCs data base. *Environ Sci Technol*. 22: 1381-1388. <http://dx.doi.org/10.1021/es00177a001>.
- Shang, TQ; Gordon, MP. (2002). Transformation of [C-14] trichloroethylene by poplar suspension cells. *Chemosphere*. 47: 957-962.
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys*. 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.
- Shen, H, ai; Wilson, JT; Lu, X. (2012). A Tracer Test to Characterize Treatment of TCE in a Permeable Reactive Barrier. *Ground Water Monitoring and Remediation*. 32: 32-41. <http://dx.doi.org/10.1111/j.1745-6592.2011.01394.x>.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere*. 104: 149-154. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.084>.
- Shiau, BJ; Hasagawa, MA; Brammer, JM; Carter, T; Goodspeed, M; Harwell, JH; Sabatini, DA; Knox, RC; Szekeres, E. (2003). Field demonstration of surfactant-enhanced DNAPL remediation: Two case studies. *ACS Symp Ser Am Chem Soc*. 837: 51-72.
- Shrestha, D; Liu, S; Hammond, SK; Lavalley, MP; Weiner, DE; Eisen, EA; Applebaum, KM. (2016). Risk of renal cell carcinoma following exposure to metalworking fluids among autoworkers. *Occup Environ Med*. 73: 656-662. <http://dx.doi.org/10.1136/oemed-2016-103769>.
- Sidonia, V; Haydee, KM; Ristoiu, D; Luminita, SD. (2009). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY FROM DEJ TOWN, ROMANIA. 54: 125-134.
- Siegrist, RL; Lowe, KS; Murdoch, LC; Case, TL; Pickering, DA. (1999). In situ oxidation by fracture emplaced reactive solids. *J Environ Eng*. 125: 429-440.
- Siegrist, RL; West, OR; Morris, MI; Pickering, DA; Greene, DW; Muhr, CA; Davenport, DD; Gierke, JS. (1995). In situ mixed region vapor stripping in low-permeability media. 2. Full-scale field experiments. *Environ Sci Technol*. 29: 2198-2207.
- Simmonds, PG; Manning, AJ; Cunnold, DM; Mcculloch, A; O'Doherty, S; Derwent, RG; Krummel, PB; Fraser, PJ; Dunse, B; Porter, LW; Wang, RHJ; Grealley, BR; Miller, BR; Salameh, P; Weiss, RF; Prinn, RG. (2006). Global trends, seasonal cycles, and European emissions of dichloromethane, trichloroethene, and tetrachloroethene from the AGAGE observations at Mace Head, Ireland, and Cape Grim, Tasmania. *J Geophys Res Atmos*. 111. <http://dx.doi.org/10.1029/2006JD007082>.
- Sin, DWM; Wong, YC; Louie, PKK. (2000). Monitoring of Ambient Volatile Organic Compounds at Two Urban Sites in Hong Kong from 1997 to 1998. *Indoor Built Environ*. 9: 216-227. <http://dx.doi.org/10.1159/000057510>.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1993). Assessment of exposure to trichloroethylene and tetrachloroethylene in the population of Zagreb, Croatia. *Int Arch Occup Environ Health*. 65: S163-S165.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1994). Assessment of urban population exposure to trichloroethylene and tetrachloroethylene by means of biological monitoring. *Arch Environ Occup Health*. 49: 445-451.
- Skubal, KL; Barcelona, MJ; Adriaens, P. (2001). An assessment of natural biotransformation of petroleum hydrocarbons and chlorinated solvents at an aquifer plume transect. *J Contam Hydrol*. 49: 151-169.
- Skubal, KL; Haack, SK; Forney, LJ; Adriaens, P. (1999). Effects of dynamic redox zonation on the potential for natural attenuation of trichloroethylene at a fire-training-impacted aquifer. 24: 517-527.
- Smart, JL. (2005). Application of six-phase soil heating technology for groundwater remediation. *Environmental Progress*. 24: 34-43. <http://dx.doi.org/10.1002/ep.10030>.
- Smith, JA; Chiou, CT; Kammer, JA; Kile, DE. (1990). Effect of soil moisture on the sorption of trichloroethene vapor to vadose-zone soil at Picatinny Arsenal, New Jersey (USA). *Environ Sci Technol*. 24: 676-683.
- Smith, JA; Sahoo, D; Mclellan, HM; Imbrigiotta, TE. (1997). Surfactant-enhanced remediation of a trichloroethene-contaminated aquifer. 1. Transport of Triton X-100. *Environ Sci Technol*. 31: 3565-3572.
- Smith, JA; Tisdale, AK; Cho, HJ. (1996). Quantification of natural vapor fluxes of trichloroethene in the unsaturated zone at Picatinny Arsenal, New Jersey. *Environ Sci Technol*. 30: 2243-2250.
- Soh, SC; Abdullah, MP. (2007). Determination of volatile organic compounds pollution sources in Malaysian drinking water using multivariate analysis. *Environ Monit Assess*. 124: 39-50. <http://dx.doi.org/10.1007/s10661-006-9207->

Exposure Literature Search Results

On Topic

- Sohn, M; Mckone, T; Blancato, J. (2004). Reconstructing population exposures from dose biomarkers: inhalation of trichloroethylene (TCE) as a case study. *J Expo Anal Environ Epidemiol.* 14: 204-213. <http://dx.doi.org/10.1038/sj.jea.7500314>.
- Son, B; Breyse, P; Yang, W. (2003). Volatile organic compounds concentrations in residential indoor and outdoor and its personal exposure in Korea. *Environ Int.* 29: 79-85. [http://dx.doi.org/10.1016/S0160-4120\(02\)00148-4](http://dx.doi.org/10.1016/S0160-4120(02)00148-4).
- Song, DL; Conrad, ME; Sorenson, KS; Alvarez-Cohen, L. (2002). Stable carbon isotope fractionation during enhanced in situ bioremediation of trichloroethene. *Environ Sci Technol.* 36: 2262-2268. <http://dx.doi.org/10.1021/es011162d>.
- Spring, SE; Miles, AK; Anderson, MJ. (2004). Effects of trichloroethylene and perchloroethylene on wild rodents at Edwards Air Force Base, California, USA. *Environ Toxicol Chem.* 23: 2162-2169.
- Squillace, PJ; Moran, MJ; Price, CV. (2004). VOCs in shallow groundwater in new residential/commercial areas of the United States. *Environ Sci Technol.* 38: 5327-5338. <http://dx.doi.org/10.1021/es0349756>.
- Stangroom, SJ; Collins, CD; Lester, JN. (1998). Sources of organic micropollutants to lowland rivers. *Environ Technol.* 19: 643-666.
- Strycharz, S; Newman, L. (2009). USE OF NATIVE PLANTS FOR REMEDIATION OF TRICHLOROETHYLENE: I. DECIDUOUS TREES. *Int J Phytoremediation.* 11: 150-170. <http://dx.doi.org/10.1080/15226510802378442>.
- Strycharz, S; Newman, L. (2009). USE OF NATIVE PLANTS FOR REMEDIATION OF TRICHLOROETHYLENE: II. CONIFEROUS TREES. *Int J Phytoremediation.* 11: 171-186. <http://dx.doi.org/10.1080/15226510802378459>.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Su, Y; Liang, Y. (2013). The foliar uptake and downward translocation of trichloroethylene and 1,2,3-trichlorobenzene in air-plant-water systems. *J Hazard Mater.* 252: 300-305. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.013>.
- Su, Y, uH; Liu, T; Liang, YC. (2010). Transport via xylem of trichloroethylene in wheat, corn, and tomato seedlings. *J Hazard Mater.* 182: 472-476. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.055>.
- Su, Y; Zhu, Y; Liang, Y. (2009). Interactions of mixed organic contaminants in uptake by rice seedlings. *Chemosphere.* 74: 890-895. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.05>.
- Sutfin, JA; Ramey, D. (1997). In situ biological treatment of TCE-impacted soil and groundwater: Demonstration results. *Environmental Progress.* 16: 287-296.
- Swartz, MD; Cai, Y; Chan, W; Symanski, E; Mitchell, LE; Danysh, HE; Langlois, PH; Lupo, PJ. (2015). Air toxics and birth defects: a Bayesian hierarchical approach to evaluate multiple pollutants and spina bifida. *Environ Health.* 14: 16. <http://dx.doi.org/10.1186/1476-069X-14-16>.
- Sweet, CW; Vermette, SJ. (1992). Toxic volatile organic compounds in urban air in Illinois. *Environ Sci Technol.* 26: 165-173. <http://dx.doi.org/10.1021/es00025a020>.
- Switzer, C; Kosson, DS. (2007). Soil vapor extraction performance in layered vadose zone materials. *Vadose Zone Journal.* 6: 397-405. <http://dx.doi.org/10.2136/vzj2005.0131>.
- Switzer, C; Slagle, T; Hunter, D; Kosson, DS. (2004). Use of rebound testing for evaluation of soil vapor extraction performance at the Savannah River Site. *Ground Water Monitoring and Remediation.* 24: 106-117.
- Takeuchi, M; Nanba, K; Furuya, K; Nirei, H; Yoshida, M. (2004). Natural groundwater of a gas field utilizable for a bioremediation of trichloroethylene-contamination. *Environ Geol.* 45: 891-898. <http://dx.doi.org/10.1007/s00254-003-0951-6>.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kazaoka, O; Furuya, K. (2000). Distribution and seasonal variation of methanotrophs in trichloroethylene contaminated groundwater. *Water Res.* 34: 3717-3724.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kusuda, T; Kazaoka, O; Furuya, K. (2001). Distribution of methanotrophs in trichloroethylene-contaminated aquifers in a natural gas field. *Geomicrobiology Journal.* 18: 387-399.
- Tase, N. (1992). Groundwater contamination in Japan. *Environ Geol Water Sci.* 20: 15-20.
- Truex, M; Powell, T; Lynch, K. (2007). In situ dechlorination of TCE during aquifer heating. *Ground Water Monitoring and Remediation.* 27: 96-105.
- Tsai, TT; Chen, KF; Tsai, WA; Liu, YH; Kao, CM. (2012). Application of Monitored Natural Attenuation and Risk-based Corrective Action at a Chlorinated-Hydrocarbon Contaminated Site for Risk Management. *Res Journal Chem Environ.* 16: 87-97.
- U.S. EPA. (2001). Sources, emission and exposure for trichloroethylene (TCE) and related chemicals [EPA Report]. (EPA/600/R-00/099). Washington, DC. <http://nepis.epa.gov/Exe/ZyNET.exe/30002FKO.TXT?ZyActionD=ZyDocument&Client=EPA&Index=2000+Thru+2005&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5Cindex%20Data%5C00thru05%5Ctxt%5C00000002%5C30002FKO.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL#>.
- Vanstone, N; Przepiora, A; Vogan, J; Lacrampe-Couloume, G; Powers, B; Perez, E; Mabury, S; Sherwood Lollar, B. (2005). Monitoring trichloroethene remediation at an iron permeable reactive barrier using stable carbon isotopic analysis. *J Contam Hydrol.* 78: 313-325. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.013>.
- Vartiainen, T; Pukkala, E; Rienoja, T; Strandman, T; Kaksonen, K. (1993). Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water pollution. *Chemosphere.* 27: 1171-1181. [http://dx.doi.org/10.1016/0045-6535\(93\)90165-2](http://dx.doi.org/10.1016/0045-6535(93)90165-2).

Exposure Literature Search Results

On Topic

- Vedrinaro-Dragojevic, I; Dragojevic, D. (1997). Trichloroethene and tetrachloroethene in ground waters of Zagreb, Croatia. *Sci Total Environ.* 203: 253-259.
- Ventura, F; Romero, J; Pares, J. (1997). Determination of dicyclopentadiene and its derivatives as compounds causing odors in groundwater supplies. *Environ Sci Technol.* 31: 2368-2374.
- Verce, MF; Madrid, VM; Gregory, SD; Demir, Z; Singleton, MJ; Salazar, EP; Jackson, PJ; Halden, RU; Verce, A. (2015). A Long-Term Field Study of In Situ Bioremediation in a Fractured Conglomerate Trichloroethene Source Zone. *Bioremediat J.* 19: 18-31. <http://dx.doi.org/10.1080/10889868.2014.978836>.
- Vesterberg, O; Astrand, I. (1976). Exposure to trichloroethylene monitored by analysis of metabolites in blood and urine. *J Occup Med.* 18: 224-226.
- Vroblesky, DA; Clinton, BD; Vose, JM; Casey, CC; Harvey, G; Bradley, PM. (2004). Ground water chlorinated ethenes in tree trunks: Case studies, influence of recharge, and potential degradation mechanism. *Ground Water Monitoring and Remediation.* 24: 124-138.
- Vroblesky, DA; Lorah, MM. (1991). Prospecting for zones of contaminated ground-water discharge to streams using bottom-sediment gas bubbles. *Ground Water.* 29: 333-340.
- Vroblesky, DA; Lorah, MM; Trimble, SP. (1991). Mapping zones of contaminated ground-water discharge using creek-bottom-sediment vapor samplers, Aberdeen Proving Ground, Maryland (USA). *Ground Water.* 29: 7-12.
- Wallace, L; Nelson, W; Pellizzari, E; Raymer, J. (1997). Uptake and decay of volatile organic compounds at environmental concentrations: application of a four-compartment model to a chamber study of five human subjects. *J Expo Anal Environ Epidemiol.* 7: 141-163.
- Waller, LA; Turnbull, BW; Clark, LC. (1992). Chronic disease surveillance and testing of clustering of disease and exposure: application to leukemia incidence and TCE-contaminated dump-sites in upstate New York. *Environmetrics.* 3: 281-300.
- Wang, T; Lenahan, R; Kanik, M. (1985). Impact of trichloroethylene contaminated groundwater discharged to the main canal and Indian River lagoon, Vero Beach, Florida. *Bull Environ Contam Toxicol.* 34: 578-586.
- Wang, TC; Lenahan, R; et al. (1985). THE REMOVAL OF TRICHLOROETHYLENE CONTAMINATED GROUNDWATER AT VERO BEACH, FLORIDA (pp. 719-723; 1985). (ISSN 0090-4341; EISSN 1432-0703; HMTC/85/0003165). Wang, TC; Lenahan, R; Et al.
- Wang, X; Unger, AJ; Parker, BL. (2012). Simulating an exclusion zone for vapour intrusion of TCE from groundwater into indoor air. *J Contam Hydrol.* 140-141: 124-138. <http://dx.doi.org/10.1016/j.jconhyd.2012.07.004>.
- Wang, Y; Merkel, BJ; Li, Y; Ye, H, ui; Fu, S; Ihm, D. (2007). Vulnerability of groundwater in Quaternary aquifers to organic contaminants: a case study in Wuhan City, China. *Environ Geol.* 53: 479-484. <http://dx.doi.org/10.1007/s00254-007-0669-y>.
- Wartenberg, D. (2007). Causal relationship between trichloroethylene exposure and non-Hodgkin's lymphoma. *Occup Environ Med.* 64: 352-352.
- Watanabe-Suzuki, K; Ishii, A; Suzuki, O. (2002). Cryogenic oven-trapping gas chromatography for analysis of volatile organic compounds in body fluids. *Anal Bioanal Chem.* 373: 75-80. <http://dx.doi.org/10.1007/s00216-002-1240-z>.
- Weatherill, J; Krause, S; Voyce, K; Drijfhout, F; Levy, A; Cassidy, N. (2014). Nested monitoring approaches to delineate groundwater trichloroethene discharge to a UK lowland stream at multiple spatial scales. *J Contam Hydrol.* 158: 38-54. <http://dx.doi.org/10.1016/j.jconhyd.2013.12.001>.
- Weisel, CP; Jo, WK. (1996). Ingestion, inhalation, and dermal exposures to chloroform and trichloroethene from tap water. *Environ Health Perspect.* 104: 48-51.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfnennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: Salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ.* 38: 4197-4204. <http://dx.doi.org/10.1016/j.atmosenv.2004.04.032>.
- Wershaw, RL; Aiken, GR; Imbrigiotta, TE; Goldberg, MC. (1994). Displacement of soil pore water by trichloroethylene. *J Environ Qual.* 23: 792-798.
- White, RF; Feldman, RG; Eviator, II; Jabre, JF; Niles, CA. (1997). Hazardous waste and neurobehavioral effects: A developmental perspective. *Environ Res.* 73: 113-124. <http://dx.doi.org/10.1006/enrs.1997.3699>.
- Whittaker, SG; Taylor, J; Van Hooser, LM. (2015). Characterization of "Hydrocarbon" Dry Cleaning in King County, Washington. *J Environ Health.* 78: 8-13.
- Wilcox, JD; Johnson, KM. (2016). Trichloroethylene (TCE) in tree cores to complement a subsurface investigation on residential property near a former electroplating facility. *Environ Monit Assess.* 188: 587. <http://dx.doi.org/10.1007/s10661-016-5603-x>.
- Williams, P; Benton, L; Warmerdam, J; Sheehans, P. (2002). Comparative risk analysis of six volatile organic compounds in California drinking water. *Environ Sci Technol.* 36: 4721-4728. <http://dx.doi.org/10.1021/es020725y>.
- Williams, PRD; Benton, L; Sheehan, PJ. (2004). The risk of MTBE relative to other VOCs in public drinking water in California. *Risk Anal.* 24: 621-634. <http://dx.doi.org/10.1111/j.0272-4332.2004.00463.x>.
- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environ Sci Technol.* 28: 259-266. <http://dx.doi.org/10.1021/es00051a012>.
- Windham, GC; Shusterman, D; Swan, SH; Fenster, L; Eskenazi, B. (1991). Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med.* 20: 241-259. <http://dx.doi.org/10.1002/ajim.4700200210>.
- Windham, GC; Zhang, L; Gunier, R; Croen, LA; Grether, JK. (2006). Autism spectrum disorders in relation to distribution of hazardous air pollutants in the San Francisco Bay area. *Environ Health Perspect.* 114: 1438-1444. <http://dx.doi.org/10.1289/ehp.9120>.

Exposure Literature Search Results

On Topic

- Wittlingerova, Z; Machackova, J; Petruzekova, A; Trapp, S; Vlk, K; Zima, J. (2013). One-year measurements of chloroethenes in tree cores and groundwater at the SAP Mimoň Site, Northern Bohemia. *Environ Sci Pollut Res Int*. 20: 834-847. <http://dx.doi.org/10.1007/s11356-012-1238-9>.
- Woodruff, TJ; Axelrad, DA; Caldwell, J; Morello-Frosch, R; Rosenbaum, A. (1998). Public health implications of 1990 air toxics concentrations across the United States. *Environ Health Perspect*. 106: 245-251. <http://dx.doi.org/10.1289/ehp.98106245>.
- Wu, C; Schaum, J. (2000). Exposure assessment of trichloroethylene. *Environ Health Perspect*. 108: 359-363.
- Wu, T; Bhanegaonkar, AJ; Flowers, JW. (2006). Blood concentrations of selected volatile organic compounds and neurobehavioral performance in a population-based sample. *Arch Environ Occup Health*. 61: 17-25. <http://dx.doi.org/10.3200/AEOH.61.1.17-25>.
- Wycisk, P; Neumann, C; Gossel, W. (2005). Flooding induced effects from the mining Lake Goitzsche on groundwater and land-use in the Bitterfeld area. *Acta Hydrochim Hydrobiol*. 33: 507-518. <http://dx.doi.org/10.1002/ahch.200400594>.
- Xu, N; Vandegrift, S; Sewell, GW. (1996). Determination of chloroethenes in environmental biological samples using gas chromatography coupled with solid phase micro extraction. *Chromatographia*. 42: 313-317.
- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut*. 95: 135-143. [http://dx.doi.org/10.1016/S0269-7491\(96\)00100-5](http://dx.doi.org/10.1016/S0269-7491(96)00100-5).
- Yamamoto, K; Fukushima, M; Kakutani, N; Tsuruho, K. (2001). Contamination of vinyl chloride in shallow urban rivers in Osaka, Japan. *Water Res*. 35: 561-566.
- Yamamoto, N; Okayasu, H; Murayama, S; Mori, S; Hunahashi, K; Suzuki, K. (2000). Measurement of volatile organic compounds in the urban atmosphere of Yokohama, Japan, by an automated gas chromatographic system. *Atmos Environ*. 34: 4441-4446.
- Yang, G, uiP; Yang, B, in; Lu, XL, an; Ding, H, aiB; He, Z. (2014). Spatio-temporal variations of sea surface halocarbon concentrations and fluxes from southern Yellow Sea. *Biogeochemistry*. 121: 369-388. <http://dx.doi.org/10.1007/s10533-014-0007-x>.
- Yeh, HC; Kastenber, WE. (1991). Health risk assessment of biodegradable volatile organic chemicals: a case study of PCE, TCE, DCE and VC. *J Hazard Mater*. 27: 111-126.
- Yokouchi, Y; Akimoto, H; Barrie, LA; Bottenheim, JW; Anlauf, K; Jobson, BT. (1994). SERIAL GAS-CHROMATOGRAPHIC MASS-SPECTROMETRIC MEASUREMENTS OF SOME VOLATILE ORGANIC-COMPOUNDS IN THE ARCTIC ATMOSPHERE DURING THE 1992 POLAR SUNRISE EXPERIMENT. *J Geophys Res Atmos*. 99: 25379-25389.
- Yokouchi, Y; Barrie, LA; Toom, D; Akimoto, H. (1996). The seasonal variation of selected natural and anthropogenic halocarbons in the Arctic troposphere. *Atmos Environ*. 30: 1723-1727.
- Yokouchi, Y; Mukai, H; Yamamoto, H; Otsuki, A; Saitoh, C; Nojiri, Y. (1997). Distribution of methyl iodide, ethyl iodide, bromoform, and dibromomethane over the ocean (east and southeast Asian seas and the western Pacific). *J Geophys Res Atmos*. 102: 8805-8809.
- Yoon, YY; Koh, DC; Lee, KY; Cho, SY; Yang, JH; Lee, KK. (2013). Using ²²²Rn as a naturally occurring tracer to estimate NAPL contamination in an aquifer. 81: 233-237. <http://dx.doi.org/10.1016/j.apradiso.2013.03.061>.
- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere*. 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-O](http://dx.doi.org/10.1016/0045-6535(93)90097-O).
- Yu, S; Lee, P; Hwang, SI, I. (2015). Groundwater contamination with volatile organic compounds in urban and industrial areas: analysis of co-occurrence and land use effects. *Environ Earth Sci*. 74: 3661-3677. <http://dx.doi.org/10.1007/s12665-015-4551-z>.
- Yu, SY; Chae, GT; Jeon, KH; Jeong, JS; Park, JG. (2006). Trichloroethylene contamination in fractured bedrock aquifer in Wonju, South Korea. *Bull Environ Contam Toxicol*. 76: 341-348. <http://dx.doi.org/10.1007/s00128-006-0927-9>.
- Zaatari, M; Nirlo, E; Jareemit, D; Crain, N; Srebric, J; Siegel, J. (2014). Ventilation and indoor air quality in retail stores: A critical review (RP-1596). *HVACandR Research*. 20: 276-294. <http://dx.doi.org/10.1080/10789669.2013.869126>.
- Zarchy, TM. (1996). Chlorinated Hydrocarbon Solvents and Biliary-Pancreatic Cancer: Report of Three Cases. *Am J Ind Med*. 30: 341-342.
- Zhang, Y; Li, C; Wang, X; Guo, H; Feng, Y; Chen, J. (2012). Rush-hour aromatic and chlorinated hydrocarbons in selected subway stations of Shanghai, China. *J Environ Sci*. 24: 131-141. [http://dx.doi.org/10.1016/s1001-0742\(11\)60736-5](http://dx.doi.org/10.1016/s1001-0742(11)60736-5).
- Zhang, Y; Wang, X; Blake, DR; Li, L; Zhang, Z; Wang, S; Guo, H, ai; Lee, FSC; Gao, B, o; Chan, L; Wu, D, ui; Rowland, FS. (2012). Aromatic hydrocarbons as ozone precursors before and after outbreak of the 2008 financial crisis in the Pearl River Delta region, south China. *J Geophys Res Atmos*. 117: n/a. <http://dx.doi.org/10.1029/2011JD017356>.
- Zhou, Y; Varner, RK; Russo, RS; Wingenter, OW; Haase, KB; Talbot, R; Sive, BC. (2005). Coastal water source of short-lived halocarbons in New England. *J Geophys Res Atmos*. 110. <http://dx.doi.org/10.1029/2004JD005603>.
- Ziglio, G. (1981). Human exposure to environmental trichloroethylene and tetrachloroethylene: preliminary data on population groups of Milan, Italy. *Bull Environ Contam Toxicol*. 26: 131-136.
- Ziglio, G; Fara, GM; Beltramelli, G; Pregliasco, F. (1983). Human environmental exposure to trichloro- and tetrachloroethylene from water and air in Milan, Italy. *Arch Environ Contam Toxicol*. 12: 57-64.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem*. 84: 513-522. <http://dx.doi.org/10.1080/03067310310001637676>.
- Zoccolillo, L; Amendola, L; Cafaro, C; Insogna, S. (2007). Volatile chlorinated hydrocarbons in Antarctic superficial snow sampled during Italian ITASE expeditions. *Chemosphere*. 67: 1897-1903. <http://dx.doi.org/10.1016/j.chemosphere.2006.12.050>.
- Zoccolillo, L; Amendola, L; Insogna, S. (2009). Comparison of atmosphere/aquatic environment concentration ratio of volatile chlorinated hydrocarbons between temperate regions and Antarctica. *Chemosphere*. 76: 1525-1532. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.044>.
- Zoccolillo, L; Amendola, L; Tarallo, GA. (1996). Halocarbons in Antarctic surface waters and snow. *Int J Environ Anal Chem*. 63: 91-98.

Exposure Literature Search Results

On Topic

Zoccolillo, L; Rellori, M. (1994). HALOCARBONS IN ANTARCTIC SURFACE WATERS. *Int J Environ Anal Chem.* 55: 27-32.

Exposure Literature Search Results

Off Topic

- Abadi, PGS; Rafiee, E; Nadri, S; Hajian, G; Joshaghani, M. (2014). Synthesis and activity evaluation of a FeCl₂-promoted palladium hollow nano-sphere heterogeneous catalyst in Mizoroki-Heck coupling reactions. *Appl Catal A-Gen.* 487: 139-147. <http://dx.doi.org/10.1016/j.apcata.2014.09.001>.
- Abb, M; Breuer, JV; Zeitz, C; Lorenz, W. (2010). Analysis of pesticides and PCBs in waste wood and house dust. *Chemosphere.* 81: 488-493. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.042>.
- Abbas, R; Seckel, CS; MacMahon, KL; Fisher, JW. (1997). Determination of kinetic rate constants for chloral hydrate, trichloroethanol, trichloroacetic acid and dichloroacetic acid: A physiologically based modeling approach [Abstract]. *Toxicologist.* 36: 32-33.
- Abbate, C; Giorgianni, C; Munao, F; Brecciaroli, R. (1993). Neurotoxicity induced by exposure to toluene: An electrophysiologic study. *Int Arch Occup Environ Health.* 64: 389-392. <http://dx.doi.org/10.1007/BF00517943>.
- Abdelghani, A; Chovelon, JM; Jaffrezic-Renault, N; Lacroix, M; Gagnaire, H; Veillas, C; Berkova, B; Chomat, M; Matejec, V. (1997). Optical fibre sensor coated with porous silica layers for gas and chemical vapour detection. *Sens Actuators B.* 44: 495-498.
- Abdelghani, A; Chovelon, JM; Jaffrezicrenault, N; Ronottricoli, C; Veillas, C; Gagnaire, H. (1997). Surface plasmon resonance fibre-optic sensor for gas detection. *Sens Actuators B.* 39: 407-410.
- Abdelghani, A; Chovelon, JM; Jaffrezicrenault, N; Veilla, C; Gagnaire, H. (1997). Chemical vapour sensing by surface plasmon resonance optical fibre sensor coated with fluoropolymer. *Anal Chim Acta.* 337: 225-232.
- Abdelghani, A; Jaffrezic-Renault, N. (2001). SPR fibre sensor sensitised by fluoroxiloxane polymers. *Sens Actuators B.* 74: 117-123.
- Abdullah, AZ; Abu Bakar, MZ; Bhatia, S. (2003). A kinetic study of catalytic combustion of ethyl acetate and benzene in air stream over Cr-ZSM-5 catalyst. *Ind Eng Chem Res.* 42: 6059-6067. <http://dx.doi.org/10.1021/ie020989t>.
- Abdullah, AZ; Bakar, MZ; Bhatia, S. (2003). Coking characteristics of chromium-exchanged ZSM-5 in catalytic combustion of ethyl acetate and benzene in air. *Ind Eng Chem Res.* 42: 5737-5744. <http://dx.doi.org/10.1021/ie030427p>.
- Abdullah, AZ; Bakar, MZA; Bhatia, S. (2006). Combustion of chlorinated volatile organic compounds (VOCs) using bimetallic chromium-copper supported on modified H-ZSM-5 catalyst. *J Hazard Mater.* 129: 39-49. <http://dx.doi.org/10.1016/j.jhazmat.2005.05.051>.
- Abedi, K; Ghorbani-Shahna, F; Bahrami, A; Jaleh, B; Yarahmadi, R. (2015). Effect of TiO₂-ZnO/GAC on by-product distribution of CVOCs decomposition in a NTP-assisted catalysis system. *Polish Journal of Chemical Technology.* 17: 32-40. <http://dx.doi.org/10.1515/pjct-2015-0006>.
- Abedi, K; Ghorbani-Shahna, F; Jaleh, B; Bahrami, A; Yarahmadi, R. (2014). Enhanced performance of non-thermal plasma coupled with TiO₂/GAC for decomposition of chlorinated organic compounds: influence of a hydrogen-rich substance. *J Environ Health Sci Eng.* 12: 119. <http://dx.doi.org/10.1186/s40201-014-0119-1>.
- Abedi, K; Ghorbani-Shahna, F; Jaleh, B; Bahrami, A; Yarahmadi, R; Haddadi, R; Gandomi, M. (2015). Decomposition of chlorinated volatile organic compounds (CVOCs) using NTP coupled with TiO₂/GAC, ZnO/GAC, and TiO₂-ZnO/GAC in a plasma-assisted catalysis system. *Journal of Electrostatics.* 73: 80-88. <http://dx.doi.org/10.1016/j.elstat.2014.10.008>.
- Abou-Nemeh, I; Das, A; Saraf, A; Sirkar, KK. (1999). A composite hollow fiber membrane-based pervaporation process for separation of VOCs from aqueous surfactant solutions. *J Memb Sci.* 158: 187-209.
- Abou-Nemeh, I; Majumdar, S; Saraf, A; Sirkar, KK; Vane, LM; Alvarez, FR; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. II: Hollow fiber membrane modules. *Environmental Progress.* 20: 64-73.
- Abraham, D; Patel, P; Cooper, A. (1995). Isolation from rat kidney of a cytosolic high molecular weight cysteine-S-conjugate beta-lyase with activity toward leukotriene E₄. *J Biol Chem.* 270: 180-188. <http://dx.doi.org/10.1074/jbc.270.1.180>.
- Abraham, D; Thomas, R; Cooper, A. (1995). Glutamine transaminase K is not a major cysteine S-conjugate beta-lyase of rat kidney mitochondria: Evidence that a high-molecular weight enzyme fulfills this role. *Mol Pharmacol.* 48: 855-860.
- Abraham, MH; Berthelot, M; Laurence, C; Taylor, PJ. (1998). Analysis of hydrogen-bond complexation constants in 1,1,-trichloroethane: the alpha(H)(2)beta(H)(2) relationship. 187-191.
- Abrahamsson, K; Ekdahl, A; Collen, J; Pedersen, M. (1995). Marine algae - A source of trichloroethylene and perchloroethylene. *Limnol Oceanogr.* 40: 1321-1326.
- Abrahamsson, K; Pedersen, M. (2000). Evidence of the natural production of trichloroethylene (Reply to the comment by Marshall et al.). *Limnol Oceanogr.* 45: 520-522.
- Abu Hamed, T; Bayraktar, E; Mehmetoglu, T; Mehmetoglu, U. (2013). Cometabolic Degradation of Trichloroethylene by Single- and Two-Phase Systems. *Soil Sediment Contam.* 22: 85-94. <http://dx.doi.org/10.1080/15320383.2012.714422>.
- Abuin, E; Lissi, E; Jara, P. (2007). Effect of the organic solvent on the interfacial micropolarity of AOT-water reverse micelles. *Journal of the Chilean Chemical Society.* 52: 1082-1087.
- Abusoglu, S; Celik, HT; Tutkun, E; Yilmaz, H; Serdar, MA; Bal, CD; Yildirimkaya, M; Avcikucuk, M. (2014). 8-hydroxydeoxyguanosine as a useful marker for determining the severity of trichloroethylene exposure. *Arch Environ Occup Health.* 69: 180-186. <http://dx.doi.org/10.1080/19338244.2013.763761>.

Exposure Literature Search Results

Off Topic

- Acha, V; Meurens, M; Naveau, H; Agathos, SN. (1999). Detoxification of a mixture of aliphatic chlorinated hydrocarbons in a fixed-bed bioreactor: Continuous on-line monitoring via an attenuated total reflection-Fourier transform infrared sensor. *Water Sci Technol.* 40: 41-47. [http://dx.doi.org/10.1016/S0273-1223\(99\)00607-1](http://dx.doi.org/10.1016/S0273-1223(99)00607-1).
- Acosta, E; Szekeres, E; Sabatini, DA; Harwell, JH. (2003). Net-average curvature model for solubilization and supersolubilization in surfactant microemulsions. *Langmuir.* 19: 186-195. <http://dx.doi.org/10.1021/1a026168a>.
- Acosta, E; Tran, S; Uchiyama, H; Sabatini, DA; Harwell, JH. (2002). Formulating chlorinated hydrocarbon microemulsions using linker molecules. *Environ Sci Technol.* 36: 4618-4624. <http://dx.doi.org/10.1021/es0158859>.
- Acosta, E; Uchiyama, H; Sabatini, DA; Harwell, JH. (2002). The role of hydrophilic linkers. *Journal of Surfactants and Detergents.* 5: 151-157.
- Acosta, EJ; Le, MA; Harwell, JH; Sabatini, DA. (2003). Coalescence and solubilization kinetics in linker-modified microemulsions and related systems. *Langmuir.* 19: 566-574. <http://dx.doi.org/10.1021/la0261693>.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem.* 49: 1309-1314.
- Adachi, A; Komiyama, T; Tanaka, T; Nakatani, M; Muguruma, R; Okano, T. (2000). Studies on defatted seed removal efficiency for organochlorine compounds. *J Agric Food Chem.* 48: 6158-6162.
- Adachi, A; Ozaki, H; Kasuga, I; Okano, T. (2006). Use of beer bran as an adsorbent for the removal of organic compounds from wastewater. *J Agric Food Chem.* 54: 6209-6211. <http://dx.doi.org/10.1021/jf061082z>.
- Adachi, H; Kubota, I; Okamura, N; Iwata, H; Tsujimoto, M; Nakazato, H; Nishihara, T; Noguchi, T. (1989). Purification and characterization of human microsomal dipeptidase. *J Biochem.* 105: 957-961.
- Adamczyk, P; Dybala-Defratyka, A; Paneth, P. (2011). DFT study of trichloroethene reaction with permanganate in aqueous solution. *Environ Sci Technol.* 45: 3006-3011. <http://dx.doi.org/10.1021/es103251u>.
- Adami, HO; Chow, WH; Nyrén, O; Berne, C; Linet, MS; Ekbohm, A; Wolk, A; McLaughlin, JK; Fraumeni, JF. (1996). Excess risk of primary liver cancer in patients with diabetes mellitus. *J Natl Cancer Inst.* 88: 1472-1477.
- Adams, H; Chekmeneva, E; Hunter, CA; Misuraca, MC; Navarro, C; Turega, SM. (2013). Quantification of the effect of conformational restriction on supramolecular effective molarities. *J Am Chem Soc.* 135: 1853-1863. <http://dx.doi.org/10.1021/ja310221t>.
- Adams, JA; Reddy, KR. (1999). Laboratory study of air sparging of TCE-Contaminated saturated soils and ground water. *Ground Water Monitoring and Remediation.* 19: 182-190.
- Adams, JA; Reddy, KR; Tekola, L. (2011). Remediation of chlorinated solvent plumes using in-situ air sparging--a 2-D laboratory study. *Int J Environ Res Public Health.* 8: 2226-2239. <http://dx.doi.org/10.3390/ijerph8062226>.
- Adams, LA; Lindor, KD. (2007). Nonalcoholic fatty liver disease [Review]. *Ann Epidemiol.* 17: 863-869. <http://dx.doi.org/10.1016/j.annepidem.2007.05.013>.
- Adamson, DT; Mahendra, S; Walker, KL, Jr; Rauch, SR; Sengupta, S; Newell, CJ. (2014). A Multisite Survey To Identify the Scale of the 1,4-Dioxane Problem at Contaminated Groundwater Sites. *Environ Sci Technol Lett.* 1: 254-258. <http://dx.doi.org/10.1021/ez500092u>.
- Adamson, DT; Mcdade, JM; Hughes, JB. (2003). Inoculation of DNAPL source zone to initiate reductive dechlorination of PCE. *Environ Sci Technol.* 37: 2525-2533. <http://dx.doi.org/10.1021/es020236y>.
- Adamson, DT; Newell, CJ. (2009). Support of Source Zone Bioremediation through Endogenous Biomass Decay and Electron Donor Recycling. *Bioremediat J.* 13: 29-40. <http://dx.doi.org/10.1080/10889860802690539>.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res.* 33: 1482-1494.
- Adey, WH; Luckett, C; Smith, M. (1996). Purification of industrially contaminated groundwaters using controlled ecosystems. *Ecol Eng.* 7: 191-212.
- Adiaens, P; Grbicgalic, D. (1994). COMETABOLIC TRANSFORMATION OF MONOCHLOROBIPHENYLS AND DICHLOROBIPHENYLS AND CHLOROXYDROXYBIPHENYLS BY METHANOTROPHIC GROUNDWATER ISOLATES. *Environ Sci Technol.* 28: 1325-1330.
- Adler, ID. (1993). Synopsis of the in vivo results obtained with the 10 known or suspected aeneugens tested in the CEC collaborative study [Review]. *Mutat Res-Fundam Mol Mech Mutagen.* 287: 131-137. [http://dx.doi.org/10.1016/0027-5107\(93\)90152-6](http://dx.doi.org/10.1016/0027-5107(93)90152-6).
- Adli, M; Baldwin, AS. (2006). IKK-i/IKKepsilon controls constitutive, cancer cell-associated NF-kappaB activity via regulation of Ser-536 p65/RelA phosphorylation. *J Biol Chem.* 281: 26976-26984. <http://dx.doi.org/10.1074/jbc.M603133200>.
- Adrian, L; Hansen, SK; Fung, JM; Goerisch, H; Zinder, SH. (2007). Growth of Dehalococcoides strains with chlorophenols as electron acceptors. *Environ Sci Technol.* 41: 2318-2323. <http://dx.doi.org/10.1021/es062076m>.
- Aeppli, C; Berg, M; Cirpka, OA; Holliger, C; Schwarzenbach, RP; Hofstetter, TB. (2009). Influence of mass-transfer limitations on carbon isotope fractionation during microbial dechlorination of trichloroethene. *Environ Sci Technol.* 43: 8813-8820. <http://dx.doi.org/10.1021/es901481b>.
- Agarwal, D; Singh, M. (2004). Densities and viscosities of binary liquid mixtures of trichloroethylene and tetrachloroethylene with some polar and nonpolar solvents. *Journal of Chemical and Engineering Data.* 49: 1218-1224. <http://dx.doi.org/10.1021/je034203p>.
- Agarwal, S; Cluxton, P; Kemper, M; Dionysiou, DD; Al-Abed, SR. (2008). Assessment of the functionality of a pilot-scale reactor and its potential for electrochemical degradation of calmagite, a sulfonated azo-dye. *Chemosphere.* 73: 837-843. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.050>.
- Agarwal, SK; Spivey, JJ; Butt, JB. (1992). CATALYST DEACTIVATION DURING DEEP OXIDATION OF CHLOROXYDROCARBONS. *Appl Catal A-Gen.* 82: 259-275.

Exposure Literature Search Results

Off Topic

- Agerstrand, M; Kuester, A; Bachmann, J; Breitholtz, M; Ebert, I; Rechenberg, B; Ruden, C. (2011). Reporting and evaluation criteria as means towards a transparent use of ecotoxicity data for environmental risk assessment of pharmaceuticals. *Environ Pollut.* 159: 2487-2492. <http://dx.doi.org/10.1016/j.envpol.2011.06.023>.
- Aggarwal, V; Li, H; Boyd, SA; Teppen, BJ. (2006). Enhanced sorption of trichloroethene by smectite clay exchanged with Cs+. *Environ Sci Technol.* 40: 894-899. <http://dx.doi.org/10.1021/es0500411>.
- Aggelopoulos, CA; Tsakiroglou, CD; Ognier, S; Cavadias, S. (2015). Non-aqueous phase liquid-contaminated soil remediation by ex situ dielectric barrier discharge plasma. *Int J Environ Sci Tech.* 12: 1011-1020. <http://dx.doi.org/10.1007/s13762-013-0489-4>.
- Aguilera, J; Wright, JD; Bean, VE. (2008). Hydrometer calibration by hydrostatic weighing with automated liquid surface positioning. *Meas Sci Technol.* 19. <http://dx.doi.org/10.1088/0957-0233/19/1/015104>.
- Ahlers, C; Klos, G; Kurz, H; Wunder, K; Schneider, J; Dueber, C; Mildenerberger, P. (2007). Open source software tool for vendor independent integration of PACS clients with the teaching database MIRC according to IHE TCE. *International Journal of Computer Assisted Radiology and Surgery.* 2: S299-S300.
- Ahmad, A; Gu, X; Li, L, i; Lu, S; Xu, Y; Guo, X. (2015). Effects of pH and Anions on the Generation of Reactive Oxygen Species (ROS) in nZVI-rGo-Activated Persulfate System. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2635-8>.
- Ahmad, A; Gu, X; Li, L, i; Lv, S; Xu, Y; Guo, X. (2015). Efficient degradation of trichloroethylene in water using persulfate activated by reduced graphene oxide-iron nanocomposite. *Environ Sci Pollut Res Int.* 22: 17876-17885. <http://dx.doi.org/10.1007/s11356-015-5034-1>.
- Ahmad, M; Lee, S; Dou, X; Mohan, D; Sung, J; Yang, J; Ok, Y. (2012). Effects of pyrolysis temperature on soybean stover- and peanut shell-derived biochar properties and TCE adsorption in water. *Bioresour Technol.* 118: 536-544. <http://dx.doi.org/10.1016/j.biortech.2012.05.042>.
- Ahmad, M; Lee, S; Rajapaksha, AU; Vithanage, M; Zhang, M; Cho, J; Lee, S; Ok, Y. (2013). Trichloroethylene adsorption by pine needle biochars produced at various pyrolysis temperatures. *Bioresour Technol.* 143: 615-622. <http://dx.doi.org/10.1016/j.biortech.2013.06.033>.
- Ahmad, M; Lee, SS; Oh, SE; Mohan, D; Moon, DH; Lee, YH; Ok, YS. (2013). Modeling adsorption kinetics of trichloroethylene onto biochars derived from soybean stover and peanut shell wastes. *Environ Sci Pollut Res Int.* 20: 8364-8373. <http://dx.doi.org/10.1007/s11356-013-1676-z>.
- Ahmad, M; Moon, DH; Vithanage, M; Koutsospyros, A; Lee, SS, oo; Yang, J, aeE; Lee, SE, un; Jeon, C; Ok, YS, ik. (2014). Production and use of biochar from buffalo-weed (*Ambrosia trifida* L.) for trichloroethylene removal from water. *J Chem Tech Biotechnol.* 89: 150-157. <http://dx.doi.org/10.1002/jctb.4157>.
- Ahmad, M; Ok, YS; Kim, BY; Ahn, JH; Lee, YH; Zhang, M; Moon, DH; Al-Wabel, MI; Lee, SS. (2016). Impact of soybean stover- and pine needle-derived biochars on Pb and As mobility, microbial community, and carbon stability in a contaminated agricultural soil. *J Environ Manage.* 166: 131-139. <http://dx.doi.org/10.1016/j.jenvman.2015.10.006>.
- Ahmad, M; Teel, A; Furman, OS; Reed, JI; Watts, RJ. (2012). Oxidative and Reductive Pathways in Iron-Ethylenediaminetetraacetic Acid-Activated Persulfate Systems. *J Environ Eng.* 138: 411-418. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000496](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000496).
- Ahmad, M; Teel, A; Watts, RJ. (2010). Persulfate activation by subsurface minerals. *J Contam Hydrol.* 115: 34-45. <http://dx.doi.org/10.1016/j.jconhyd.2010.04.002>.
- Ahmed, AA; Chen, D. (2006). Field scale DNAPLs transport under nonequilibrium sorption conditions. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 41: 273-290. <http://dx.doi.org/10.1080/10934520500423097>.
- Ahmed, AM; Boshta, M; Braunstein, R; Morchshakov, V; Barner, K; Yang, CP; Sun, JR; Rao, GH. (2003). Heat conductivity of valence doped La_{0.7}Ca_{0.3}Mn_{1-x}FexO_{3-delta}. *J Alloy Comp.* 348: 23-29.
- Ahmed, AM; Morchshakov, V; Barner, K; Yang, CP; Terzieff, P; Schicketanz, H; Gron, T; Sun, JR; Rao, GH. (2003). Recurrent behaviour of magnetisation and resistivity in Ge-substituted La_{0.7}Ca_{0.3}MnO₃. 200: 407-414. <http://dx.doi.org/10.1002/pssa.200306723>.
- Ahn, H; Jeong, D; Jeong, HK, yu; Lee, Y. (2009). Pervaporation characteristics of trichlorinated organic compounds through Silicalite-1 zeolite membrane. *Desalination.* 245: 754-762. <http://dx.doi.org/10.1016/j.desal.2009.02.048>.
- Ahn, JJ; Kim, YM; Yoo, K; Park, J; Oh, KJ. (2012). Using GA-Ridge regression to select hydro-geological parameters influencing groundwater pollution vulnerability. *Environ Monit Assess.* 184: 6637-6645. <http://dx.doi.org/10.1007/s10661-011-2448-1>.
- Ahn, Y; Jeong, Y; Lee, D; Lee, Y. (2015). Copper nanowire-graphene core-shell nanostructure for highly stable transparent conducting electrodes. *ACS Nano.* 9: 3125-3133. <http://dx.doi.org/10.1021/acsnano.5b00053>.
- Ahuja, DK; Gavalas, VG; Bachas, LG; Bhattacharyya, D. (2004). Aqueous-phase dechlorination of toxic chloroethylenes by vitamin B-12 cobalt center: Conventional and polypyrrole film-based electrochemical studies. *Ind Eng Chem Res.* 43: 1049-1055. <http://dx.doi.org/10.1021/ie030484i>.
- Aickin, M. (2004). Bayes without priors [Review]. *J Clin Epidemiol.* 57: 4-13. [http://dx.doi.org/10.1016/S0895-4356\(03\)00251-8](http://dx.doi.org/10.1016/S0895-4356(03)00251-8).
- Aickin, M; Chapin, CA; Flood, TJ; Englender, SJ; Caldwell, GG. (1992). Assessment of the spatial occurrence of childhood leukaemia mortality using standardized rate ratios with a simple linear Poisson model. *Int J Epidemiol.* 21: 649-655. <http://dx.doi.org/10.1093/ije/21.4.649>.
- Aieta, EM; Reagan, KM; Lang, JS; McCreynolds, L; J-W, K; Glaze, WH. (1988). ADVANCED OXIDATION PROCESSES FOR TREATING GROUNDWATER CONTAMINATED WITH TCE AND PCE PILOT-SCALE EVALUATIONS (pp. 64-72). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/88/21973). Aieta, EM; Reagan, KM; Lang, JS; McCreynolds, L; Kang J-W; Glaze, WH.
- Aikata, H; Takaishi, H; Kawakami, Y; Takahashi, S; Kitamoto, M; Nakanishi, T; Nakamura, Y; Shimamoto, F; Kajiyama, G; Ide, T. (2000). Telomere reduction in human liver tissues with age and chronic inflammation. *Exp Cell Res.* 256: 578-582. <http://dx.doi.org/10.1006/excr.2000.4862>.
- Ajo-Franklin, JB; Geller, J, iT; Harris, JM. (2006). A survey of the geophysical properties of chlorinated DNAPLs. *Journal of Applied Geophysics.* 59: 177-189. <http://dx.doi.org/10.1016/j.jappgeo.2005.10.002>.

Exposure Literature Search Results

Off Topic

- Akira, S; Takeda, K. (2004). Toll-like receptor signalling [Review]. *Nat Rev Immunol.* 4: 499-511. <http://dx.doi.org/10.1038/nri1391>.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual.* 36: 508-520. <http://dx.doi.org/10.2134/jeq2005.0426>.
- Akiyama, TE; Nicol, CJ; Fievet, C; Staels, B; Ward, JM; Auwerx, J; Lee, SS; Gonzalez, FJ; Peters, JM. (2001). Peroxisome proliferator-activated receptor-alpha regulates lipid homeostasis, but is not associated with obesity: Studies with congenic mouse lines. *J Biol Chem.* 276: 39088-39093. <http://dx.doi.org/10.1074/jbc.M107073200>.
- Akyol, NH; Lee, AR; Brusseau, ML. (2013). Impact of enhanced-flushing reagents and organic-liquid distribution on mass removal and mass-discharge reduction. *Water Air Soil Pollut.* 224. <http://dx.doi.org/10.1007/s11270-013-1731-x>.
- Akyol, NH; Yolcubal, I. (2013). Oxidation of Nonaqueous Phase Trichloroethylene with Permanganate in Epikarst. *Water Air Soil Pollut.* 224: 1573. <http://dx.doi.org/10.1007/s11270-013-1573-6>.
- Akyol, NH; Yolcubal, I; Yukse, DI. (2011). Sorption and transport of trichloroethylene in caliche soil. *Chemosphere.* 82: 809-816. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.029>.
- Al, TA; Banks, V; Loomer, D; Parker, BL; Ulrich Mayer, K. (2006). Metal mobility during in situ chemical oxidation of TCE by KMnO₄. *J Contam Hydrol.* 88: 137-152. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.004>.
- Al-Abed; Fang, Y. (2007). Use of Granular Graphite for Electrolytic Dechlorination of Trichloroethylene. *Environ Eng Sci.* 24: 842-851. <http://dx.doi.org/10.1089/ees.2005.0096>.
- Al-Abed, SR; Fang, Y. (2006). Influences of pH and current on electrolytic dechlorination of trichloroethylene at a granular-graphite packed electrode. *Chemosphere.* 64: 462-469. <http://dx.doi.org/10.1016/j.chemosphere.2005.11.005>.
- Alam, SMS; Choi, G. (2016). Design and implementation of a novel LT codec architecture on TTA based codesign environment. *I E I C E Electronics Express.* 13. <http://dx.doi.org/10.1587/elex.13.20160298>.
- Alawadhi, EM; Amon, CH. (2003). PCM thermal control unit for portable electronic devices: Experimental and numerical studies. *IEEE Trans Compon Packag Technol.* 26: 116-125. <http://dx.doi.org/10.1109/TCAPT.2003.811480>.
- Alayil, R; Balaji, C. (2015). Conjugate Heat Transfer in Latent Heat Thermal Storage System With Cross Plate Fins. *Journal of Heat Transfer.* 137. <http://dx.doi.org/10.1115/1.4030496>.
- Albanna, M; Warith, M; Fernandes, L. (2010). Kinetics of biological methane oxidation in the presence of non-methane organic compounds in landfill bio-covers. *Waste Manag.* 30: 219-227. <http://dx.doi.org/10.1016/j.wasman.2009.09.038>.
- Alberati-Giani, D; Malherbe, P; Kohler, C; Lang, G; Kiefer, V; Lahm, HW; Cesura, AM. (1995). Cloning and characterization of a soluble kynurenine aminotransferase from rat brain: Identity with kidney cysteine conjugate [beta]-lyase. *J Neurochem.* 64: 1448-1455. <http://dx.doi.org/10.1046/j.1471-4159.1995.64041448.x>.
- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, C. (2012). Remediation of sandy soils contaminated with hydrocarbons and halogenated hydrocarbons by soil vapour extraction. *J Environ Manage.* 104: 195-201. <http://dx.doi.org/10.1016/j.jenvman.2012.03.033>.
- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, MCF. (2010). Estimation of pollutant partition in sandy soils with different water contents. *Environ Monit Assess.* 171: 171-180. <http://dx.doi.org/10.1007/s10661-009-1269-y>.
- Albergaria, JT; Alvim-Ferraz Maria da, C; Delerue, M. (2008). Soil vapor extraction in sandy soils: Influence of airflow rate. *Chemosphere.* 73: 1557-1561. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.080>.
- Albergaria, JT; Martins, FG; Alvim-Ferraz, MCM; Delerue-Matos, C. (2014). Multiple Linear Regression and Artificial Neural Networks to Predict Time and Efficiency of Soil Vapor Extraction. *Water Air Soil Pollut.* 225: 2058-2058. <http://dx.doi.org/10.1007/s11270-014-2058-y>.
- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ.* 14: 55-68.
- Albers, JW; Wald, JJ; Trask, CL; Garabrant, DH; Berent, S. (2001). Evaluation of blink reflex results obtained from workers previously diagnosed with solvent-induced toxic encephalopathy. *J Occup Environ Med.* 43: 713-722.
- Albers, JW; Wald, JJ; Werner, RA; Franzblau, A; Berent, S. (1999). Absence of polyneuropathy among workers previously diagnosed with solvent-induced toxic encephalopathy. *J Occup Environ Med.* 41: 500-509.
- Albertini, S. (1990). Analysis of nine known or suspected spindle poisons for mitotic chromosome malsegregation using *Saccharomyces cerevisiae* D61.M. *Mutagenesis.* 5: 453-459.
- Albino, JD; Nambi, IM. (2009). Effect of biosurfactants on the aqueous solubility of PCE and TCE. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 1565-1573. <http://dx.doi.org/10.1080/10934520903263538>.
- Alcantara-Garduno, ME; Okuda, T; Nishijima, W; Okada, M. (2005). TCE removal from porous media using an ozone-saturated solvent. *Chem Lett.* 34: 1504-1505. <http://dx.doi.org/10.1246/cl.2005.1504>.
- Alcántara-Garduño, ME; Okuda, T; Nishijima, W; Okada, M. (2008). Ozonation of trichloroethylene in acetic acid solution with soluble and solid humic acid. *J Hazard Mater.* 160: 662-667. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.106>.
- Alcantara-Garduño, ME; Okuda, T; Tsai, TY; Nishijima, W; Okada, M. (2008). Experimental and mathematical evaluation of trichloroethylene removal from saturated soil using acetic acid with saturated ozone. *Separation and Purification Technology.* 60: 299-307. <http://dx.doi.org/10.1016/j.seppur.2007.09.001>.
- Aldrich, TE; Seidu, D; Bahr, D; Freitas, S; Brion, GM; Tollerud, D. (2010). Time-period mortality patterns in a gaseous diffusion plant workforce. *Int J Occup Med Environ Health.* 23: 145-151. <http://dx.doi.org/10.2478/v10001-010-0022-7>.
- Aleboye, A; Olya, ME; Aleboye, H. (2009). Oxidative treatment of azo dyes in aqueous solution by potassium permanganate. *J Hazard Mater.* 162: 1530-1535. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.089>.
- Alessi, DS; Li, ZH. (2001). Synergistic effect of cationic surfactants on perchloroethylene degradation by zero-valent iron. *Environ Sci Technol.* 35: 3713-3717.

Exposure Literature Search Results

Off Topic

- Alexander, DD; Kelsh, MA; Mink, PJ; Mandel, JH; Basu, R; Weingart, M. (2007). A meta-analysis of occupational trichloroethylene exposure and liver cancer [Review]. *Int Arch Occup Environ Health*. 81: 127-143. <http://dx.doi.org/10.1007/s00420-007-0201-4>.
- Alexander, DD; Mink, PJ; Mandel, JH; Kelsh, MA. (2006). A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukaemia. *Occup Med (Lond)*. 56: 485-493. <http://dx.doi.org/10.1093/ocmed/kql083>.
- Alexander, DD; Mink, PJ; Mandel, JH; Kelsh, MA. (2006). A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukemia. *Am J Epidemiol*. 163: S211-S211.
- Alexander, MV; Rosentreter, JJ. (2008). Photocatalytic oxidation of aqueous trichloroethylene using dye sensitized buoyant photocatalyst monitored via micro-headspace solid-phase microextraction gas chromatography/electron capture detection and mass spectrometry. *Microchem J*. 88: 38-44. <http://dx.doi.org/10.1016/j.microc.2007.09.008>.
- Alfano, OM; Cabrera, MI; Cassano, AE. (1997). Photocatalytic reactions involving hydroxyl radical attack - I. Reaction kinetics formulation with explicit photon absorption effects. *J Catal*. 172: 370-379.
- Algreen, M; Trapp, S; Jensen, PR; Broholm, MM. (2015). Tree Coring as a Complement to Soil Gas Screening to Locate PCE and TCE Source Zones and Hot Spots. *Ground Water Monitoring and Remediation*. 35: 57-66. <http://dx.doi.org/10.1111/gwmmr.12133>.
- Ali, AH; Abu Bakar, AS; Hassan, Z. (2014). Improved optoelectronics properties of ITO-based transparent conductive electrodes with the insertion of Ag/Ni under-layer. *Appl Surf Sci*. 315: 387-391. <http://dx.doi.org/10.1016/j.apsusc.2014.07.172>.
- Ali, AH; Shuhaimi, A; Hassan, Z. (2014). Structural, optical and electrical characterization of ITO, ITO/Ag and ITO/Ni transparent conductive electrodes. *Appl Surf Sci*. 288: 599-603. <http://dx.doi.org/10.1016/j.apsusc.2013.10.079>.
- Ali, AM; Najmy, R. (2013). Structural, optical and photocatalytic properties of NiO-SiO₂ nanocomposites prepared by sol-gel technique. *Catalysis Today*. 208: 2-6. <http://dx.doi.org/10.1016/j.cattod.2012.09.016>.
- Ali, N; Tardif, R. (1999). Toxicokinetic modeling of the combined exposure to toluene and n-hexane in rats and humans. *J Occup Health*. 41: 95-103.
- Alibegic, D; Tsuneda, S; Hirata, A. (2001). Kinetics of tetrachloroethylene (PCE) gas degradation and byproducts formation during UV/H₂O₂ treatment in UV-bubble column reactor. *Chem Eng Sci*. 56: 6195-6203.
- Alibegic, D; Tsuneda, S; Hirata, A. (2003). UV-bubble column reactor (UV-BCR) for photolytic removal of tetrachloroethylene (PCE) from the vapor phase: Methodological approach. *J Chem Eng Jpn*. 36: 178-186.
- Alimov, A; Kost-Alimova, M; Liu, J; Li, C; Bergerheim, U; Imreh, S; Klein, G; Zabarovsky, ER. (2000). Combined LOH/CGH analysis proves the existence of interstitial 3p deletions in renal cell carcinoma. *Oncogene*. 19: 1392-1399. <http://dx.doi.org/10.1038/sj.onc.1203449>.
- Alkorta, I; Garbisu, C. (2001). Phytoremediation of organic contaminants in soils. *Bioresour Technol*. 79: 273-276.
- Allen, BC; Fisher, JW. (1993). Pharmacokinetic modeling of trichloroethylene and trichloroacetic acid in humans. *Risk Anal*. 13: 71-86.
- Allen, BC; Shipp, AM; Crump, KS; Kilian, B; Hogg, ML; Tudor, J; Keller, B. (1987). Investigation of cancer risk assessment methods (3 volumes plus summary report). Washington, D.C.: U.S. Environmental Protection Agency.
- Allen, D; Pearce, G; Haseman, J; Maronpot, R. (2004). Prediction of rodent carcinogenesis: An evaluation of prechronic liver lesions as forecasters of liver tumors in NTP carcinogenicity studies. *Toxicol Pathol*. 32: 393-401. <http://dx.doi.org/10.1080/01926230490440934>.
- Allen-King, RM; Groenevelt, H; Warren, CJ; Mackay, DM. (1996). Non-linear chlorinated-solvent sorption in four aquitards. *J Contam Hydrol*. 22: 3-4.
- Allen-King, RM; Mckay, LD; Trudell, MR. (1997). Organic carbon dominated trichloroethene sorption in a clay-rich glacial deposit. *Ground Water*. 35: 124-130.
- Allred, BB; Swan, KS. (2014). Process Technology Sourcing and the Innovation Context. *Journal of Product Innovation Management*. 31: 1146-1166. <http://dx.doi.org/10.1111/jpim.12211>.
- Allred, SL; Burg J, AR. (1995). Environmental personal injury litigation as one source of response effects: Findings from the national exposure registry. *Toxicol Ind Health*. 11: 217-230.
- Almazan-Almazan, MC; Perez-Mendoza, M; Domingo-Garcia, M; Fernandez-Morales, I; del Rey-Bueno, F; Garcia-Rodriguez, A; Lopez-Garzon, FJ. (2007). The role of the porosity and oxygen groups on the adsorption of n-alkanes, benzene, trichloroethylene and 1,2-dichloro ethane on active carbons at zero surface coverage. *Carbon*. 45: 1777-1785. <http://dx.doi.org/10.1016/j.carbon.2007.05.003>.
- Alpaslan Kocamemi, B; Cecen, F. (2007). Inhibitory effect of the xenobiotic 1,2-dichloroethane in a nitrifying biofilm reactor. *Water Sci Technol*. 55: 67-73. <http://dx.doi.org/10.2166/wst.2007.243>.
- Al-Radadi, NS; Al-Ashqar, SMA; Mostafa, MM. (2011). Synthesis and Characterization of Some New Binary and Ternary Cull Complexes. *Synth React Inorg Met-Org Nano-Met Chem*. 41: 203-210. <http://dx.doi.org/10.1080/15533174.2010.538287>.
- Al-Saleh, I; Al-Doush, I; Alsabhaheen, A; Mohamed, G; Rabbah, A. (2012). Levels of DDT and its metabolites in placenta, maternal and cord blood and their potential influence on neonatal anthropometric measures. *Sci Total Environ*. 416: 62-74. <http://dx.doi.org/10.1016/j.scitotenv.2011.11.020>.
- Al-Shamsi, MA; Thomson, NR. (2013). Competition by aquifer materials in a bimetallic nanoparticle/persulfate system for the treatment of trichloroethylene. *J Environ Monit*. 15: 1964-1968. <http://dx.doi.org/10.1039/c3em00285c>.
- Al-Shamsi, MA; Thomson, NR. (2013). Treatment of a Trichloroethylene Source Zone using Persulfate Activated by an Emplaced Nano-Pd-Fe-0 Zone. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1780-1>.
- Al-Shamsi, MA; Thomson, NR; Forsey, SP. (2013). Iron based bimetallic nanoparticles to activate peroxyls. *Chem Eng J*. 232: 555-563. <http://dx.doi.org/10.1016/j.cej.2013.07.109>.

Exposure Literature Search Results

Off Topic

- Alshwabkeh, AN. (2009). Electrokinetic Soil Remediation: Challenges and Opportunities. *Separation Science and Technology*. 44: 2171-2187. <http://dx.doi.org/10.1080/01496390902976681>.
- Altevogt, AS; Rolston, DE; Venterea, RT. (2003). Density and pressure effects on the transport of gas phase chemicals in unsaturated porous media. *Water Resour Res*. 39. <http://dx.doi.org/10.1029/2002WR001338>.
- Altin, Y; Tas, M; Borazan, I; Demir, A, li; Bedeloglu, A. (2016). Solution-processed transparent conducting electrodes with graphene, silver nanowires and PEDOT:PSS as alternative to ITO. *Surf Coating Tech*. 302: 75-81. <http://dx.doi.org/10.1016/j.surfcoat.2016.05.058>.
- Altmann, L; Welge, P; Mensing, T; Lilienthal, H; Voss, B; Wilhelm, M. (2002). Chronic exposure to trichloroethylene affects neuronal plasticity in rat hippocampal slices. *Environ Toxicol Pharmacol*. 12: 157-167. [http://dx.doi.org/10.1016/S1382-6689\(02\)00032-7](http://dx.doi.org/10.1016/S1382-6689(02)00032-7).
- Altuntas, T; Park, S; Kharasch, E. (2004). Sulfoxidation of cysteine and mercapturic acid conjugates of the sevoflurane degradation product fluoromethyl-2,2-difluoro-1-(trifluoromethyl)vinyl ether (compound A). *Chem Res Toxicol*. 17: 435-445. <http://dx.doi.org/10.1021/tx034254k>.
- Alvarez, FR; Vane, LM; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. I: Spiral wound membrane modules. *Environmental Progress*. 20: 53-63.
- Alvarez-Cohen, L; Mccarty, PL. (1991). 2-STAGE DISPERSED-GROWTH TREATMENT OF HALOGENATED ALIPHATIC-COMPOUNDS BY COMETABOLISM. *Environ Sci Technol*. 25: 1387-1393.
- Alvarez-Cohen, L; Mccarty, PL. (1991). A COMETABOLIC BIOTRANSFORMATION MODEL FOR HALOGENATED ALIPHATIC-COMPOUNDS EXHIBITING PRODUCT TOXICITY. *Environ Sci Technol*. 25: 1381-1387.
- Alvarez-Cohen, L; Mccarty, PL; Roberts, PV. (1993). Sorption of trichloroethylene onto a Zeolite accompanied by methanotrophic biotransformation. *Environ Sci Technol*. 27: 2141-2148.
- Alves, A; Vanermen, G; Covaci, A; Voorspoels, S. (2016). Ultrasound assisted extraction combined with dispersive liquid-liquid microextraction (US-DLLME)-a fast new approach to measure phthalate metabolites in nails. *Anal Bioanal Chem*. 408: 6169-6180. <http://dx.doi.org/10.1007/s00216-016-9727-1>.
- Al-Zahrani, AA; Alhamed, YA. (2000). Oil removal from spent bleaching clay by solvent extraction. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 35: 1577-1590.
- Amali, S; Petersen, LW; Rolston, DE; Moldrup, P. (1994). CORRECTION OF PREVIEWS 97148862. MODELING MULTICOMPONENT VOLATILE ORGANIC AND WATER VAPOR ADSORPTION ON SOILS. ADDITION OF AUTHOR NAME ERRATUM PUBLISHED IN JOURNAL OF HAZARDOUS MATERIALS VOL. 37. ISS. 2. 1994. P. 395. *J Hazard Mater*. 36: 89-108.
- Amali, S; Rolston, DE; Yamaguchi, T. (1996). Transient multicomponent gas-phase transport of volatile organic chemicals in porous media. *J Environ Qual*. 25: 1041-1047.
- Amama, PB; Itoh, K; Murabayashi, M. (2001). Photocatalytic oxidation of trichloroethylene in humidified atmosphere. *J Mol Catal Chem*. 176: 165-172.
- Amama, PB; Itoh, K; Murabayashi, M. (2002). Gas-phase photocatalytic degradation of trichloroethylene on pretreated TiO₂. *Appl Catal B-Environ*. 37: 321-330.
- Amama, PB; Itoh, K; Murabayashi, M. (2004). Effect of RuO₂ deposition on the activity of TiO₂: Photocatalytic oxidation of trichloroethylene in aqueous phase. *Journal of Materials Science*. 39: 4349-4351.
- Amaral, HI; Aeppli, C; Kipfer, R; Berg, M. (2011). Assessing the transformation of chlorinated ethenes in aquifers with limited potential for natural attenuation: added values of compound-specific carbon isotope analysis and groundwater dating. *Chemosphere*. 85: 774-781. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.063>.
- Amaral, HIF; Berg, M; Brennwald, MS; Hofer, M; Kipfer, R. (2010). C-13/C-12 Analysis of Ultra-Trace Amounts of Volatile Organic Contaminants in Groundwater by Vacuum Extraction. *Environ Sci Technol*. 44: 1023-1029. <http://dx.doi.org/10.1021/es901760q>.
- Amarasinghe, PM; Katti, KS; Katti, DR. (2009). Nature of organic fluid-montmorillonite interactions: an FTIR spectroscopic study. *J Colloid Interface Sci*. 337: 97-105. <http://dx.doi.org/10.1016/j.jcis.2009.05.011>.
- Ameen, MM; Raupp, GB. (1999). Reversible catalyst deactivation in the photocatalytic oxidation of dilute o-xylene in air. *J Catal*. 184: 112-122.
- American Cancer Society. (2008). What are the risk factors for cervical cancer? (pp. 3-7). Atlanta, GA. http://www.cancer.org/docroot/CRI/content/CRI_2_4_2X_What_are_the_risk_factors_for_cervical_cancer_8.asp.
- Amet, Y; Berthou, F; Fournier, G; Dreano, Y; Bardou, L; Cledes, J; Menez, JF. (1997). Cytochrome P450 4A and 2E1 expression in human kidney microsomes. *Biochem Pharmacol*. 53: 765-771. [http://dx.doi.org/10.1016/S0006-2952\(96\)00821-0](http://dx.doi.org/10.1016/S0006-2952(96)00821-0).
- Amin, MT; Hamid, S; Alazba, AA; Amin, MN; Islam, M; Manzoor, U. (2014). ENVIRONMENTAL DYNAMICS AND ENGINEERED SYSTEMS FOR THE DEGRADATION OF TRICHLOROETHYLENE: A CRITICAL REVIEW. *Global NEST J*. 16: 316-328.
- Amin, TA; Bindra, S; Narang, RS. (1998). Evaluation of passive samplers for analysis of chlorinated solvents. *J AOAC Int*. 81: 1027-1032.
- Amir, A; Lee, W. (2011). Enhanced reductive dechlorination of tetrachloroethene by nano-sized zero valent iron with vitamin B-12. *Chem Eng J*. 170: 492-497. <http://dx.doi.org/10.1016/j.cej.2011.01.048>.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater*. 235: 359-366. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.017>.
- Amiri, F; Rahman, MM; Bornick, H; Worch, E. (2004). Sorption behaviour of phenols on natural sandy aquifer material during flow-through column experiments: The effect of pH. *Acta Hydrochim Hydrobiol*. 32: 214-224. <http://dx.doi.org/10.1002/ahch.200300531>.
- Amiss, TJ; Smoak, IW. (1995). Determination of chlorobutanol in mouse serum, urine and embryos by capillary gas chromatography with electron capture detection. *J Chromatogr B Biomed Appl*. 673: 59-66.

Exposure Literature Search Results

Off Topic

- Ammini, C; Fernandez-Canon, J; Shroads, A; Cornett, R; Cheung, J; James, M; Henderson, G; Grompe, M; Stacpoole, P. (2003). Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents. *Biochem Pharmacol.* 66: 2029-2038. <http://dx.doi.org/10.1016/j.bcp.2003.07.002>.
- Amon, JP; Agrawal, A; Shelley, ML; Opperman, BC; Enright, MP; Clemmer, ND; Slusser, T; Lach, J; Sobolewski, T; Gruner, W; Entingh, AC. (2007). Development of a wetland constructed for the treatment of groundwater contaminated by chlorinated ethenes. *Ecol Eng.* 30: 51-66. <http://dx.doi.org/10.1016/j.ecoleng.2007.01.008>.
- Amos, BK; Christ, JA; Abriola, LM; Pennell, KD; Löffler, FE. (2007). Experimental evaluation and mathematical modeling of microbially enhanced tetrachloroethene (PCE) dissolution. *Environ Sci Technol.* 41: 963-970. <http://dx.doi.org/10.1021/es061438n>.
- Amos, BK; Daprato, RC; Hughes, JB; Pennell, KD; Löffler, FE. (2007). Effects of the nonionic surfactant tween 80 on microbial reductive dechlorination of chlorinated ethenes. *Environ Sci Technol.* 41: 1710-1716. <http://dx.doi.org/10.1021/es061926v>.
- Amos, BK; Ritalahti, KM; Cruz-Garcia, C; Padilla-Crespo, E; Löffler, FE. (2008). Oxygen effect on Dehalococcoides viability and biomarker quantification. *Environ Sci Technol.* 42: 5718-5726. <http://dx.doi.org/10.1021/es703227g>.
- Amter, S; Ross, B. (2008). Discussion of 'A quest to locate sites described in the world's first publication on trichloroethene contamination of groundwater' by M. O. Rivett & L. Clark, *Quarterly Journal of Engineering Geology and Hydrogeology*, 40, 241-249. *Quarterly Journal of Engineering Geology and Hydrogeology.* 41: 491-493. <http://dx.doi.org/10.1144/1470-9236/08-021>.
- An, H, aRim; Oh, ST, ag; Kim, CY; Baek, SH, o; Park, I, lKyu; Ahn, H, yoJin. (2014). Al-doped ZnO/Ag grid hybrid transparent conductive electrodes fabricated using a low-temperature process. *J Alloy Comp.* 615: 728-733. <http://dx.doi.org/10.1016/j.jallcom.2014.06.168>.
- An, TC; Zhang, ML; Wang, XM; Sheng, GY; Fu, JM. (2005). Photocatalytic degradation of gaseous trichloroethene using immobilized ZnO/SnO₂ coupled oxide in a flow-through photocatalytic reactor. *J Chem Tech Biotechnol.* 80: 251-258. <http://dx.doi.org/10.1002/jctb.1187>.
- Anand, SS; Mehendale, HM. (2004). Liver regeneration: a critical toxicodynamic response in predictive toxicology. *Environ Toxicol Pharmacol.* 18: 149-160. <http://dx.doi.org/10.1016/j.etap.2004.02.011>.
- Anarbaev, RO; Khodyreva, SN; Zakharenko, AL; Rechkunova, NI; Lavrik, OI. (2005). DNA polymerase activity in water-structured and confined environment of reverse micelles. *Journal of Molecular Catalysis B: Enzymatic.* 33: 29-34. <http://dx.doi.org/10.1016/j.molcatb.2005.01.004>.
- Andersen, ME; Clewell, HJ, III; Gargas, ML; Smith, FA; Reitz, RH. (1987). Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol.* 87: 185-205. [http://dx.doi.org/10.1016/0041-008X\(87\)90281-X](http://dx.doi.org/10.1016/0041-008X(87)90281-X).
- Andersen, ME; Dennison, JE. (2004). Mechanistic approaches for mixture risk assessments-present capabilities with simple mixtures and future directions. *Environ Toxicol Pharmacol.* 16: 1-11. <http://dx.doi.org/10.1016/j.etap.2003.10.004>.
- Andersin, J; Honkala, K. (2011). First principles investigations of Pd-on-Au nanostructures for trichloroethene catalytic removal from groundwater. *Phys Chem Chem Phys.* 13: 1386-1394. <http://dx.doi.org/10.1039/c0cp00524j>.
- Andersin, J; Parkkinen, P; Honkala, K. (2012). Pd-catalyzed hydrodehalogenation of chlorinated olefins: Theoretical insights to the reaction mechanism. *J Catal.* 290: 118-125. <http://dx.doi.org/10.1016/j.jcat.2012.03.006>.
- Anderson, BJ; McKee, AD; Holford, NH. (1997). Size, myths and the clinical pharmacokinetics of analgesia in paediatric patients [Review]. *Clin Pharmacokinet.* 33: 313-327.
- Anderson, JE; Mccarty, PL. (1994). MODEL FOR TREATMENT OF TRICHLOROETHYLENE BY METHANOTROPHIC BIOFILMS. *J Environ Eng.* 120: 379-400.
- Anderson, JE; Mccarty, PL. (1996). Effect of three chlorinated ethenes on growth rates for a methanotrophic mixed culture. *Environ Sci Technol.* 30: 3517-3524.
- Anderson, JE; Mccarty, PL. (1997). Effect of chlorinated ethenes on Smin for a methanotrophic mixed culture. *Environ Sci Technol.* 31: 2204-2210.
- Anderson, MA. (2000). Removal of MTBE and other organic contaminants from water by sorption to high silica zeolites. *Environ Sci Technol.* 34: 725-727.
- Anderson, RH; Anderson, JK; Bower, PA. (In Press) Co-occurrence of 1,4-dioxane with trichloroethylene in chlorinated solvent groundwater plumes at US Air Force installations: Fact or fiction. *Integr Environ Assess Manag.* <http://dx.doi.org/10.1002/ieam.1306>.
- Anderson, SP; Howroyd, P; Liu, J; Qian, X; Bahnemann, R; Swanson, C; Kwak, MK; Kensler, TW; Corton, JC. (2004). The transcriptional response to a peroxisome proliferator-activated receptor alpha agonist includes increased expression of proteome maintenance genes. *J Biol Chem.* 279: 52390-52398. <http://dx.doi.org/10.1074/jbc.M409347200>.
- Andersson, L; Haraldsson, B; Johansson, C; Barregard, L. (2008). Methodological issues on the use of urinary alpha-1-microglobuline in epidemiological studies. *Nephrol Dial Transplant.* 23: 1252-1256. <http://dx.doi.org/10.1093/ndt/gfm729>.
- Ando, S; Tanahashi, N; Mihara, N; Fujita, T; Watanabe, C; Matsuda, H. (2007). Effect of CaO and Na₂CO₃ on TCE decomposition and dry sorption of Cl compounds derived from TCE. *Kagaku Kogaku Ronbunshu.* 33: 261-266.
- Angeles-Wedler, D; Mackenzie, K; Kopinke, FD. (2008). Permanganate oxidation of sulfur compounds to prevent poisoning of Pd catalysts in water treatment processes. *Environ Sci Technol.* 42: 5734-5739. <http://dx.doi.org/10.1021/es800330s>.
- Anila, P; Reddy, KR; Rao, GS; Ram, PVS, Sai; Ramachandran, D; Rambabu, C. (2015). Phase equilibrium and excess Gibbs energy functions of acetophenone with 1,1,2-trichloroethene and cyclohexane binary mixtures by using NRTL, UNIQUAC, UNIFAC and VANLAAR models at a local atmospheric pressure of 95.3 kPa. *Journal of Molecular Liquids.* 202: 107-114. <http://dx.doi.org/10.1016/j.molliq.2014.12.026>.
- Annappagada, R; Leet, R; Changrani, R; Raupp, GB. (1997). Vacuum photocatalytic oxidation of trichloroethylene. *Environ Sci Technol.* 31: 1898-1901.
- Anon. (1997). Water SG delight with 1997 TCE awards. *Chem Eng (London)*29-30.

Exposure Literature Search Results

Off Topic

- Anon. (1998). Five more big fish join TCE Awards 1999. *Chem Eng (London)*26-26.
- Anon. (2001). Questions & answers regarding Trichloroethylene reclassification. *Insight*. 43: 473-474.
- Anon. (2004). Flow and level control - tce looks at the latest products on the market. *Chem Eng (London)*49-49.
- Anon. (2007). Federal TCE review may trigger cleanup and exposure issues. *Environ Geol*. 52: 1224-1224.
- Anotai, J, in; Bunmahotama, W; Lu, MC. (2011). Oxidation of Aniline with Sulfate Radicals in the Presence of Citric Acid. *Environ Eng Sci*. 28: 207-215. <http://dx.doi.org/10.1089/ees.2010.0169>.
- Anotai, J, in; Masomboon, N; Chuang, CL, in; Lu, MC. (2011). Persulfate oxidation for the aniline degradation in aqueous systems. *Water Sci Technol*. 63: 1434-1440. <http://dx.doi.org/10.2166/wst.2011.325>.
- Anti, M; Marra, G; Rapaccini, GL; Rumi, C; Bussa, S; Fadda, G; Vecchio, FM; Valenti, A; Percesepe, A; Pompili, M. (1994). DNA ploidy pattern in human chronic liver diseases and hepatic nodular lesions. Flow cytometric analysis on echo-guided needle liver biopsy. *Cancer*. 73: 281-288.
- Antia, J., DD. (2011). Modification of Aquifer Pore-Water by Static Diffusion Using Nano-Zero-Valent Metals. *Water*. 3: 79-112. <http://dx.doi.org/10.3390/w3010079>.
- Antoszczyszyn, M; Zalinskagawronska, J; Myszkowski, J. (1992). LOW-TEMPERATURE ABSORPTION OF SO₂ FROM OFF-GASES FROM THE PLANT OF META-CHLOROACETIC ACID PRODUCTION. *Przemysł Chemiczny*. 71: 190-191.
- Anway, MD; Cupp, AS; Uzumcu, M; Skinner, MK. (2005). Epigenetic transgenerational actions of endocrine disruptors and male fertility. *Science*. 308: 1466-1469. <http://dx.doi.org/10.1126/science.1108190>.
- Anway, MD; Cupp, AS; Uzumcu, M; Skinner, MK. (2005). Epigenetic transgenerational actions of endocrine disruptors and male fertility - Supplemental material [Supplemental Data]. *Science*. 308: 1466-1469.
- Ao, CH; Lee, SC; Zou, SC; Mak, CL. (2004). Inhibition effect of SO₂ on NO_x and VOCs during the photodegradation of synchronous indoor air pollutants at parts per billion (ppb) level by TiO₂. *Appl Catal B-Environ*. 49: 187-193. <http://dx.doi.org/10.1016/j.apcatb.2003.12.01>.
- Aochi, YO; Farmer, WJ. (2011). Effects of surface charge and particle morphology on the sorption/desorption behavior of water on clay minerals. *Colloid Surface Physicochem Eng Aspect*. 374: 22-32. <http://dx.doi.org/10.1016/j.colsurfa.2010.10.039>.
- Aoki, N; Soma, K; Katagiri, H; Aizawa, Y; Kadowaki, T; Ohwada, T. (1997). The pulmonary hemodynamic effects of 1,1,1-trichloroethane inhalation. *Ind Health*. 35: 451-455.
- Apel, WA; Dugan, PR; Wiebe, MR; Johnson, EG; Wolfram, JH; Rogers, RD. (1993). BIOPROCESSING OF ENVIRONMENTALLY SIGNIFICANT GASES AND VAPORS WITH GAS-PHASE BIOREACTORS - METHANE, TRICHLOROETHYLENE, AND XYLENE. *ACS Symp Ser Am Chem Soc*. 518: 411-428.
- Arabi, A; Mahmoudi, J; Saradar, H; Jafarzade, A; Ghasemi, M. (2011). Liquid plus liquid equilibria of ternary water plus carboxylic acid plus solvent systems at 288.15 K. *Korean J Chem Eng*. 28: 917-922. <http://dx.doi.org/10.1007/s11814-010-0425-y>.
- Araki, S. (1978). The effects of water restriction and water loading on urinary excretion of lead, delta-aminolevulinic acid and coproporphyrin. *Br J Ind Med*. 35: 312-317.
- Arancibia, R; Godoy, F; Garland, MT; Ibanez, A; Baggio, R; Klahn, AH. (2007). Reactions of the rhenium fragment (eta(5)-C₅Me₅)Re(CO)(2) with chlorinated ethylenes: Coordination and C-Cl bond activation. *J Organomet Chem*. 692: 963-967. <http://dx.doi.org/10.1016/j.jorganchem.2006.10.050>.
- Arands, R; Lam, T; Massry, I; Berler, DH; Muzzio, FJ; Kosson, DS. (1997). Modeling and experimental validation of volatile organic contaminant diffusion through an unsaturated soil. *Water Resour Res*. 33: 599-609.
- Aranzabal, A; Ayastuy-Arizti, JL; Gonzalez-Marcos, JA; Gonzalez-Velasco, JR. (2003). Kinetics of the catalytic oxidation of lean trichloroethylene in air over Pd/Alumina. *Ind Eng Chem Res*. 42: 6007-6011. <http://dx.doi.org/10.1021/ie030286r>.
- Aranzabal, A; Ayastuy-Arizti, JL; Gonzalez-Marcos, JA; Gonzalez-Velasco, JR. (2003). The reaction pathway and kinetic mechanism of the catalytic oxidation of gaseous lean TCE on Pd/alumina catalysts. *J Catal*. 214: 130-135. [http://dx.doi.org/10.1016/S0021-9517\(02\)00091-X](http://dx.doi.org/10.1016/S0021-9517(02)00091-X).
- Aranzabal, A; Gonzalez-Marcos, JA; Romero-Saez, A; Gonzalez-Velasco, JR, JR; Guillemot, M; Magnoux, P. (2009). Stability of protonic zeolites in the catalytic oxidation of chlorinated VOCs (1,2-dichloroethane). *Appl Catal B-Environ*. 88: 533-541. <http://dx.doi.org/10.1016/j.apcatb.2008.10.007>.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2012). Deactivation of H-zeolites during catalytic oxidation of trichloroethylene. *J Catal*. 296: 165-174. <http://dx.doi.org/10.1016/j.jcat.2012.09.012>.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol*. 91: 318-326. <http://dx.doi.org/10.1002/jctb.4585>.
- Araujo L'Amoura, RJ; Azevedo, EB; Ferreira Leite, SG; Dezotti, M. (2008). Removal of phenol in high salinity media by a hybrid process (activated sludge plus photocatalysis). *Separation and Purification Technology*. 60: 142-146. <http://dx.doi.org/10.1016/j.seppur.2007.08.008>.
- Arbuckle, WB; Osman, MY. (2000). Polyethylene glycol adsorption equilibrium on activated carbon. *Environ Eng Sci*. 17: 147-158.
- Arcangeli, JP; Arvin, E. (1997). Modeling of the cometabolic biodegradation of trichloroethylene by toluene oxidizing bacteria in a biofilm system. *Environ Sci Technol*. 31: 3044-3052.
- Arcangeli, JP; Arvin, E. (1997). Modelling of the growth of a methanotrophic biofilm. *Water Sci Technol*. 36: 199-204.
- Arcangeli, JP; Arvin, E. (2004). Methanotrophic biodegradation of cis-1,2-dichloroethylene in a continuously fed fixed-film bioreactor. *Water Sci Technol*. 49: 231-236.
- Arcangeli, JP; Arvin, E; Mejlhede, M; Lauritsen, FR. (1996). Biodegradation of CIS-1,2-dichloro-ethylene at low concentrations with methane-oxidizing bacteria in a biofilm reactor. *Water Res*. 30: 1885-1893.

Exposure Literature Search Results

Off Topic

- Arconada, N; Duran, A; Suarez, S; Portela, R; Coronado, JM; Sanchez, B; Castro, Y. (2009). Synthesis and photocatalytic properties of dense and porous TiO₂-anatase thin films prepared by sol-gel. *Appl Catal B-Environ.* 86: 1-7. <http://dx.doi.org/10.1016/j.apcatb.2008.07.021>.
- Ardila A, AN; Reyes, J; Arriola, E; Hernandez, JA; Fuentes, GA. (2015). Liquid-phase chloroform hydrodechlorination catalyzed by Pd/TiO₂-Na. *Appl Catal A-Gen.* 497: 211-215. <http://dx.doi.org/10.1016/j.apcata.2015.02.045>.
- Argüello, JE; Costentin, C; Griveau, S; Savéant, JM. (2005). Role of protonation and of axial ligands in the reductive dechlorination of alkyl chlorides by vitamin B12 complexes. Reductive cleavage of chloroacetonitrile by Co(I) cobalamins and cobinamides. *J Am Chem Soc.* 127: 5049-5055. <http://dx.doi.org/10.1021/ja042940f>.
- Argyelan, J; Mathews, AP; Nassar, R; Lee, SM. (1991). A NONLINEAR STOCHASTIC-MODEL FOR ADSORPTION IN BATCH REACTORS. *Water Sci Technol.* 24: 49-56.
- Argyelan, J; Nassar, R. (1995). A NONLINEAR MODEL OF AN OPEN FLOW ADSORPTION PROCESS. *Environmetrics.* 6: 195-203.
- Argyris, J; Papadrakakis, M; Stefanou, G. (2002). Stochastic finite element analysis of shells. *Computer Methods in Applied Mechanics and Engineering.* 191: 4781-4804.
- Argyris, J; Papadrakis, M; Mouroutis, ZS. (2003). Nonlinear dynamic analysis of shells with the triangular element TRIC. *Computer Methods in Applied Mechanics and Engineering.* 192: 3005-3038. [http://dx.doi.org/10.1016/S0045-7825\(03\)00315-3](http://dx.doi.org/10.1016/S0045-7825(03)00315-3).
- Argyris, J; Tenek, L; Olofsson, L. (1997). TRIC: A simple but sophisticated 3-node triangular element based on 6 rigid-body and 12 straining modes for fast computational simulations of arbitrary isotropic and laminated composite shells. *Computer Methods in Applied Mechanics and Engineering.* 145: 11-85.
- Argyris, J; Tenek, L; Papadrakakis, M; Apostolopoulou, C. (1998). Postbuckling performance of the TRIC natural mode triangular element for isotropic and laminated composite shells. *Computer Methods in Applied Mechanics and Engineering.* 166: 211-231.
- Argyris, JH; Papadrakakis, M; Apostolopoulou, C; Koutsourelakis, S. (2000). The TRIC shell element: theoretical and numerical investigation. *Computer Methods in Applied Mechanics and Engineering.* 182: 217-245.
- Argyris, JH; Papadrakakis, M; Karapitta, L. (2002). Elasto-plastic analysis of shells with the triangular element TRIC. *Computer Methods in Applied Mechanics and Engineering.* 191: 3613-3636.
- Arito, H; Takahashi, M; Tsuruta, H; Ishikawa, T. (1994). Age-related changes in electrocardiographic responses to trichloroethylene inhalation in conscious rats. *Ind Health.* 32: 129-144.
- Ariya, PA; Catoire, V; Sander, R; Niki, H; Harris, GW. (1997). Trichloroethene and tetrachloroethene: Tropospheric probes for Cl- and Br-atom reactions during polar sunrise. *Tellus B Chem Phys Meteorol.* 49: 583-591.
- Arkhangelskaja, IV. (2004). Fractal analysis of short and intermediate GRB and the fireball model. *Adv Space Res.* 34: 2723-2728. <http://dx.doi.org/10.1016/j.asr.2003.01.043>.
- Armbruster, K; Bele, P; Brunner, H; Chen, BM; Dahm, S; Geiger, R; Heinen, I; Keller, HJ; Schweitzer, D. (1991). (BEDT-TTF)2X(TCE)0.5[X-BF4,FSO3,IO4] NEW ORGANIC METALS. *Synthetic Metals.* 42: 2025-2028.
- Armin, A; Hamsch, M; Wolfer, P; Jin, H, ui; Li, J, un; Shi, Z; Burn, PL; Meredith, P. (2015). Efficient, Large Area, and Thick Junction Polymer Solar Cells with Balanced Mobilities and Low Defect Densities. 5. <http://dx.doi.org/10.1002/aenm.201401221>.
- Armstrong, JE; Frind, EO; McClellan, RD. (1994). NONEQUILIBRIUM MASS-TRANSFER BETWEEN THE VAPOR, AQUEOUS, AND SOLID-PHASES IN UNSATURATED SOILS DURING VAPOR EXTRACTION. *Water Resour Res.* 30: 355-368.
- Arno, J; Bevan, JW; Moisan, M. (1996). Detoxification of trichloroethylene in a low-pressure surface wave plasma reactor. *Environ Sci Technol.* 30: 2427-2431.
- Arnold, SA; Albiez, S; Opara, N; Chami, M; Schmidli, C; Bieri, A; Padeste, C; Stahlberg, H; Braun, T. (2016). Total Sample Conditioning and Preparation of Nanoliter Volumes for Electron Microscopy. *ACS Nano.* 10: 4981-4988. <http://dx.doi.org/10.1021/acsnano.6b01328>.
- Arnold, WA; Roberts, AL. (1998). Pathways of chlorinated ethylene and chlorinated acetylene reaction with Zn(0). *Environ Sci Technol.* 32: 3017-3025.
- Arnold, WA; Roberts, AL. (2000). Pathways and kinetics of chlorinated ethylene and chlorinated acetylene reaction with Fe(O) particles. *Environ Sci Technol.* 34: 1794-1805.
- Arpita, B; Ishimura, K; Nakamura, K; Takamizawa, K. (2013). Microbial dynamics in the process of restoration of groundwater contaminated by chlorinated ethene in the presence of *Escherichia coli*. *Journal of Material Cycles and Waste Management.* 15: 335-341. <http://dx.doi.org/10.1007/s10163-013-0124-y>.
- Arrebola, FJ; Gonzalez-Rodriguez, MJ; Frenich, AG; Marin-Juan, A; Vidal, JLM. (2005). Determination of halogenated solvents content in olive oil by two completely automated headspace techniques coupled to gas chromatography-mass spectrometry. *Anal Chim Acta.* 552: 60-66. <http://dx.doi.org/10.1016/j.aca.2005.07.054>.
- Arshadi, M; Rajaram, H. (2015). A transition in the spatially integrated reaction rate of bimolecular reaction-diffusion systems. *Water Resour Res.* 51: 7798-7810. <http://dx.doi.org/10.1002/2015WR017674>.
- Arshadi, M; Rajaram, H; Detwiler, RL; Jones, T. (2015). High-resolution experiments on chemical oxidation of DNAPL in variable-aperture fractures. *Water Resour Res.* 51: 2317-2335. <http://dx.doi.org/10.1002/2014WR016159>.
- Arvin, E. (1991). BIODEGRADATION KINETICS OF CHLORINATED ALIPHATIC-HYDROCARBONS WITH METHANE OXIDIZING BACTERIA IN AN AEROBIC FIXED BIOFILM REACTOR. *Water Res.* 25: 873-881.
- Arvin, E; Pedersen, LF. (2015). Hydrogen peroxide decomposition kinetics in aquaculture water. *Aquacultural Engineering.* 64: 1-7. <http://dx.doi.org/10.1016/j.aquaeng.2014.12.004>.
- Asal, NR; Geyer, JR; Risser, DR; Lee, ET; Kadamani, S; Cherng, N. (1988). Risk factors in renal cell carcinoma. II. Medical history, occupation, multivariate analysis, and conclusions. *Cancer Detect Prev.* 13: 263-279.

Exposure Literature Search Results

Off Topic

- Asal, NR; Risser, DR; Kadamani, S; Geyer, JR; Lee, ET; Cherng, N. (1988). Risk factors in renal cell carcinoma: I. Methodology, demographics, tobacco, beverage use, and obesity. *Cancer Detect Prev.* 11: 359-377.
- Asawasinsopon, R; Prapamontol, T; Prakobvitayakit, O; Vaneesorn, Y; Mangklabruks, A; Hock, B. (2006). Plasma levels of DDT and their association with reproductive hormones in adult men from northern Thailand. *Sci Total Environ.* 355: 98-105. <http://dx.doi.org/10.1016/j.scitotenv.2005.03.004>.
- Aschengrau, A; Rogers, S; Ozonoff, D. (2003). Perchloroethylene-contaminated drinking water and the risk of breast cancer: Additional results from Cape Cod, Massachusetts, USA. *Environ Health Perspect.* 111: 167-173. <http://dx.doi.org/10.1289/ehp.4980>.
- Aschengrau, A; Weinberg, J; Rogers, S; Gallagher, L; Winter, M; Vieira, V; Webster, T; Ozonoff, D. (2008). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of adverse birth outcomes. *Environ Health Perspect.* 116: 814-820. <http://dx.doi.org/10.1289/ehp.10414>.
- Aschengrau, A; Weinberg, JM; Janulewicz, PA; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: A retrospective cohort study. *Environ Health.* 8: 44. <http://dx.doi.org/10.1186/1476-069X-8-44>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2011). Affinity for risky behaviors following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 10: 102. <http://dx.doi.org/10.1186/1476-069X-10-102>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2012). Occurrence of mental illness following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 11: 2. <http://dx.doi.org/10.1186/1476-069X-11-2>.
- Ashby, J; Brady, A; Elcombe, CR; Elliott, BM; Ishmael, J; Odum, J; Tugwood, JD; Kettle, S; Purchase, IF. (1994). Mechanistically-based human hazard assessment of peroxisome proliferator-induced hepatocarcinogenesis [Review]. *Hum Exp Toxicol.* 13: S1-S117. <http://dx.doi.org/10.1177/096032719401300201>.
- Asher, WE; Luo, W; Campo, KW; Bender, DA; Robinson, KW; Zogorski, JS; Pankow, TE. (2007). Application of a source apportionment model in consideration of volatile organic compounds in an urban stream. *Environ Toxicol Chem.* 26: 1606-1613.
- Asplund, L; Svensson, BG; Nilsson, A; Eriksson, U; Jansson, B; Jensen, S; Wideqvist, U; Skerfving, S. (1994). Polychlorinated biphenyls, 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane (p,p'-DDT) and 1,1-dichloro-2,2-bis(p-chlorophenyl)-ethylene (p,p'-DDE) in human plasma related to fish consumption. *Arch Environ Health.* 49: 477-486. <http://dx.doi.org/10.1080/00039896.1994.9955004>.
- Assadi, AA; Bouzaza, A; Wolbert, D. (2012). Photocatalytic oxidation of trimethylamine and isovaleraldehyde in an annular reactor: Influence of the mass transfer and the relative humidity. *J Photochem Photobiol A.* 236: 61-69. <http://dx.doi.org/10.1016/j.jphotochem.2012.03.020>.
- ATSDR. (1990). Toxicological profile for cis-, trans-1,2-dichloroethene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.
- ATSDR. (1996). Biennial report to congress (1991 and 1992). Atlanta, GA: U.S. Department of Health and Human Services.
- ATSDR. (1996). Toxicological profile for 1,2-dichloroethene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/ToxProfiles/tp.asp?id=464&tid=82>.
- ATSDR. (1997). Toxicological profile for tetrachloroethylene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/toxprofiles/tp.asp?id=265&tid=48>.
- ATSDR. (1998). Health consultation: Evaluation of health impacts from potential past exposure to tetrachloroethylene in the Natick public water supply. Atlanta, GA: Agency for Toxic Substances & Disease Registry. <http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1270&pg=0>.
- ATSDR. (2000). Public Health Assessment for Tucson International Airport Area (a/k/a El Vado Residential Properties) Tucson, Pima County, Arizona, Region 9. CERCLIS No. AZD980737530. Office of Environmental Health, Environmental Health Consultation Services: U.S. Department of Health and Human Services. http://www.azdhs.gov/phs/oeh/pdf/tuc_brn.pdf.
- ATSDR. (2003). Health consultation: View-Master factory supply well (a.k.a. Mattel Portland Operations) Beaverton, Washington County, Oregon. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=293&pg=0>.
- ATSDR. (2007). Analyses of groundwater flow, contaminant fate and transport and distribution of drinking water at Tarawa Terrace and vicinity, U.S. Marine Corps Base Camp Lejeune, North Carolina: Historical reconstruction and present-day conditions. Atlanta, GA: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/sites/lejeune/tarawaterrace.html>.
- ATSDR. (2007). The verbatim transcript of the Meeting of the Camp Lejeune Community Assistance Panel held at the ATSDR, 1825 Century Boulevard, Atlanta, Georgia, on December 6, 2007. Atlanta, GA. http://www.atsdr.cdc.gov/sites/lejeune/docs/CAPtranscript12_07.pdf.
- ATSDR. (2010). The verbatim transcript of the Meeting of the Camp Lejeune Community Assistance Panel held at the Chamblee Building 106, Conference Room B, Atlanta, Georgia, on Dec. 9, 2010. Atlanta, GA. http://www.atsdr.cdc.gov/sites/lejeune/docs/CAPtranscript_12_10.pdf.
- Attallah, AM; Tabll, AA; Salem, SF; El-Sadany, M; Ibrahim, TA; Osman, S; El-Dosoky, IM. (1999). DNA ploidy of liver biopsies from patients with liver cirrhosis and hepatocellular carcinoma: A flow cytometric analysis. *Cancer Lett.* 142: 65-69.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.

Exposure Literature Search Results

Off Topic

- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2015). Single-Walled Carbon Nanotube/Silica Composite as a Novel Coating for Solid-Phase Microextraction Fiber Based on Sol-Gel Technology. *Journal of Analytical Chemistry*. 70: 1192-1198. <http://dx.doi.org/10.1134/S1061934815100032>.
- Atteia, O; Franceschi, M; Dupuy, A. (2008). Validation of reactive model assumptions with isotope data: Application to the Dover case. *Environ Sci Technol*. 42: 3289-3295. <http://dx.doi.org/10.1021/es071269m>.
- Atteia, O; Guillot, C. (2007). Factors controlling BTEX and chlorinated solvents plume length under natural attenuation conditions. *J Contam Hydrol*. 90: 81-104. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.012>.
- Atteia, O; Höhener, P. (2010). Semianalytical model predicting transfer of volatile pollutants from groundwater to the soil surface. *Environ Sci Technol*. 44: 6228-6232. <http://dx.doi.org/10.1021/es903477f>.
- Atthi, N; Supadech, J; Dupuy, G; Nimittrakoolchai, O, nUma; Pankiew, A; Supothina, S; Jeamsaksiri, W; Hruanun, C; Poyai, A; Brachais, CH. (2012). Increasing Active Surface Area to Fabricate Ultra-Hydrophobic Surface by Using "Black Silicon" with Bosch Etching Process. *J Nanosci Nanotechnol*. 12: 4919-4927. <http://dx.doi.org/10.1166/jnn.2012.4906>.
- Atwater, JE; Akse, J. R.; Mckinnis, JA; Thompson, JO. (1996). Aqueous phase heterogeneous catalytic oxidation of trichloroethylene. *Appl Catal B-Environ*. 11: L11-L18.
- Atwood, GA; Greene, HL; Chintawar, P; Rachapudi, R; Ramachandran, B; Vogel, CA. (1998). Trichloroethylene sorption and oxidation using a dual function sorbent/catalyst in a falling furnace reactor. *Appl Catal B-Environ*. 18: 51-61.
- Aucejo, A; Gonzalezalfaro, V; Monton, JB; Vazquez, MI. (1995). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF TRICHLOROETHYLENE WITH 1-PROPANOL AND 2-PROPANOL AT 20 AND 100 KPA. *Journal of Chemical and Engineering Data*. 40: 332-335.
- Audi-Miro, C; Cretnik, S; Otero, N; Palau, J; Shouakar-Stash, O; Soler, A; Elsner, M. (2013). Cl and C isotope analysis to assess the effectiveness of chlorinated ethene degradation by zero-valent iron: Evidence from dual element and product isotope values. *Appl Geochem*. 32: 175-183. <http://dx.doi.org/10.1016/j.apgeochem.2012.08.025>.
- Audí-Miró, C; Cretnik, S; Torrentó, C; Rosell, M; Shouakar-Stash, O; Otero, N; Palau, J; Elsner, M; Soler, A. (2015). C, Cl and H compound-specific isotope analysis to assess natural versus Fe(0) barrier-induced degradation of chlorinated ethenes at a contaminated site. *J Hazard Mater*. 299: 747-754. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.052>.
- Augugliaro, V; Coluccia, S; Loddo, V; Marchese, L; Martra, G; Palmisano, L; Schiavello, M. (1999). Photocatalytic oxidation of gaseous toluene on anatase TiO₂ catalyst: mechanistic aspects and FT-IR investigation. *Appl Catal B-Environ*. 20: 15-27.
- Aulenta, F; Bianchi, A; Majone, M; Petrangeli Papini, M; Potalivo, M; Tandoi, V. (2005). Assessment of natural or enhanced in situ bioremediation at a chlorinated solvent-contaminated aquifer in Italy: a microcosm study. *Environ Int*. 31: 185-190. <http://dx.doi.org/10.1016/j.envint.2004.09.014>.
- Aulenta, F; Canosa, A; De Roma, L; Reale, P; Panero, S; Rossetti, S; Majone, M. (2009). Influence of mediator immobilization on the electrochemically assisted microbial dechlorination of trichloroethene (TCE) and cis-dichloroethene (cis-DCE). *J Chem Tech Biotechnol*. 84: 864-870. <http://dx.doi.org/10.1002/jctb.2162>.
- Aulenta, F; Canosa, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2008). Trichloroethene dechlorination and H₂ evolution are alternative biological pathways of electric charge utilization by a dechlorinating culture in a bioelectrochemical system. *Environ Sci Technol*. 42: 6185-6190. <http://dx.doi.org/10.1021/es800265b>.
- Aulenta, F; Catervi, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2007). Electron transfer from a solid-state electrode assisted by methyl viologen sustains efficient microbial reductive dechlorination of TCE. *Environ Sci Technol*. 41: 2554-2559. <http://dx.doi.org/10.1021/es0624321>.
- Aulenta, F; Fazi, S; Majone, M; Rossetti, S. (2014). Electrically conductive magnetite particles enhance the kinetics and steer the composition of anaerobic TCE-dechlorinating cultures. *Process Biochemistry*. 49: 2235-2240. <http://dx.doi.org/10.1016/j.procbio.2014.09.015>.
- Aulenta, F; Fuoco, M; Canosa, A; Petrangeli Papini, M; Majone, M. (2008). Use of poly-beta-hydroxy-butyrate as a slow-release electron donor for the microbial reductive dechlorination of TCE. *Water Sci Technol*. 57: 921-925. <http://dx.doi.org/10.2166/wst.2008.073>.
- Aulenta, F; Maio, VD; Ferri, T; Majone, M. (2010). The humic acid analogue antraquinone-2,6-disulfonate (AQDS) serves as an electron shuttle in the electricity-driven microbial dechlorination of trichloroethene to cis-dichloroethene. *Bioresour Technol*. 101: 9728-9733. <http://dx.doi.org/10.1016/j.biortech.2010.07.090>.
- Aulenta, F; Reale, P; Canosa, A; Rossetti, S; Panero, S; Majone, M. (2010). Characterization of an electro-active biocathode capable of dechlorinating trichloroethene and cis-dichloroethene to ethene. 25: 1796-1802. <http://dx.doi.org/10.1016/j.bios.2009.12.033>.
- Aulenta, F; Tocca, L; Verdini, R; Reale, P; Majone, M. (2011). Dechlorination of trichloroethene in a continuous-flow bioelectrochemical reactor: effect of cathode potential on rate, selectivity, and electron transfer mechanisms. *Environ Sci Technol*. 45: 8444-8451. <http://dx.doi.org/10.1021/es202262y>.
- Auman, HJ; Ludwig, JP; Summer, CL; Verbrugge, DA; Froese, KL; Colborn, T; Giesy, JP. (1997). PCBs, DDE, DDT and TCDD-EQ in two species of albatross on sand island, midway atoll, North Pacific Ocean. *Environ Toxicol Chem*. 16: 498-504.
- Auperin, A; Benhamou, S; Ory-Paoletti, C; Flamant, R. (1994). Occupational risk factors for renal cell carcinoma: A case-control study. *Occup Environ Med*. 51: 426-428. <http://dx.doi.org/10.1136/oem.51.6.426>.
- Aust, SD; Bourquin, A; Loper, JC; Salanitro, JP; Suk, WA; Tiedje, J. (1994). Biodegradation of hazardous wastes. *Environ Health Perspect*. 102 Suppl 1: 245-252.
- Aust, SD; Swaner, PR; Stahl, JD. (2004). Detoxification and metabolism of chemicals by white-rot fungi. *ACS Symp Ser Am Chem Soc*. 863: 3-14.
- Austin, EW; Parrish, JM; Kinder, DH; Bull, RJ. (1996). Lipid peroxidation and formation of 8-hydroxydeoxyguanosine from acute doses of halogenated acetic acids. *Fundam Appl Toxicol*. 31: 77-82. <http://dx.doi.org/10.1006/faat.1996.0078>.

Exposure Literature Search Results

Off Topic

- Austin, H; Delzell, E; Grufferman, S; Levine, R; Morrison, AS; Stolley, PD; Cole, P. (1987). Case-control study of hepatocellular carcinoma, occupation, and chemical exposures. *J Occup Med.* 29: 665-669.
- Auwerx, J; Schoonjans, K; Fruchart, JC; Staels, B. (1996). Transcriptional control of triglyceride metabolism: Fibrates and fatty acids change the expression of the LPL and apo C-III genes by activating the nuclear receptor PPAR [Review]. *Atherosclerosis.* 124: S29-S37. [http://dx.doi.org/10.1016/0021-9150\(96\)05854-6](http://dx.doi.org/10.1016/0021-9150(96)05854-6).
- Avakyan, VG; Gromak, VV; Yatsenko, AY. (1994). SPECTROSCOPIC DETECTION OF THE ENDO-ENOL FORM OF 2-ACETYL CYCLOPENTANE-1,3-DIONE. *Russian Chemical Bulletin.* 43: 50-56.
- Aven, MR; Schmidt, M. (1991). ADSORPTION OF FISH OIL AND POLY(VINYL BUTYRAL) ONTO ALUMINUM-OXIDE PARTICLES STUDIED BY LIGHT-SCATTERING. *Colloid and Polymer Science.* 269: 1077-1085.
- Avila, MA; Breiter, R. (2008). Competitive sorption of cis-DCE and TCE in silica gel as a model porous mineral solid. *Chemosphere.* 72: 1807-1815. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.046>.
- Avila, MAS; Breiter, R. (2009). Modelling the Competitive Sorption Process of Multiple Solutes During their Transport in Porous Media. *Environ Model Assess.* 14: 615-629. <http://dx.doi.org/10.1007/s10666-008-9168-0>.
- Avila, P; Bahamonde, A; Blanco, J; Sanchez, B; Cardona, AI; Romero, M. (1998). Gas-phase photo-assisted mineralization of volatile organic compounds by monolithic titania catalysts. *Appl Catal B-Environ.* 17: 75-88.
- Avila, P; Sanchez, B; Cardona, AI. (2002). Influence of the methods of TiO₂ incorporation in monolithic catalysts for the photocatalytic destruction of chlorinated hydrocarbons in gas phase. *Catalysis Today.* 76: 271-278.
- Avon, L; Bredehoeft, JD. (1989). AN ANALYSIS OF TRICHLOROETHYLENE MOVEMENT IN GROUNDWATER AT CASTLE-AIR-FORCE-BASE, CALIFORNIA. *J Hydrol.* 110: 23-50.
- Avramescu, ME; Sager, WFC; Wessling, M. (2003). Functionalised ethylene vinyl alcohol copolymer (EVAL) membranes for affinity protein separation. *J Memb Sci.* 216: 177-193. [http://dx.doi.org/10.1016/S0376-7388\(03\)00070-X](http://dx.doi.org/10.1016/S0376-7388(03)00070-X).
- Axelson, O. (2005). Negative and non-positive epidemiological studies (Reprinted from the European Journal of Oncology Library, vol 2, 2003). *Hum Ecol Risk Assess.* 11: 159-167. <http://dx.doi.org/10.1080/10807030590919981>.
- Axelson, O; Andersson, K; Hogstedt, C; Holmberg, B; Molina, G; de Verdier, A. (1978). A cohort study on trichloroethylene exposure and cancer mortality. *J Occup Environ Med.* 20: 194-196.
- Axelson, O; Seldén, A; Andersson, K; Hogstedt, C. (1994). Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. *J Occup Med.* 36: 556-562.
- Aydemir, ME. (2016). Design and implementation of a compact avionics instrument for light aviation. *Turkish Journal of Electrical Engineering and Computer Sciences.* 24: 3471-3482. <http://dx.doi.org/10.3906/elk-1407-149>.
- Aydin, GA; Agaoglu, B; Kocasoy, G; Copty, NK. (2011). Effect of temperature on cosolvent flooding for the enhanced solubilization and mobilization of NAPLs in porous media. *J Hazard Mater.* 186: 636-644. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.046>.
- Aydin-Sarikurt, D; Dokou, Z, oi; Copty, NK; Karatzas, GP. (2016). Experimental Investigation and Numerical Modeling of Enhanced DNAPL Solubilization in Saturated Porous Media. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-3136-0>.
- Ayoub, G; Ghauch, A. (2014). Assessment of bimetallic and trimetallic iron-based systems for persulfate activation: Application to sulfamethoxazole degradation. *Chem Eng J.* 256: 280-292. <http://dx.doi.org/10.1016/j.cej.2014.07.002>.
- Ayoub, SR; Uchiyama, H; Iwasaki, K; Doi, T; Inaba, K. (2008). Effects of several surfactants and high-molecular-weight organic compounds on decomposition of trichloroethylene with zerovalent iron powder. *Environ Technol.* 29: 363-373. <http://dx.doi.org/10.1080/09593330801984126>.
- Ayral, D; Otero, M; Goltz, MN; Demond, AH. (2014). Impact of DNAPL contact on the structure of smectitic clay materials. *Chemosphere.* 95: 182-187. <http://dx.doi.org/10.1016/j.chemosphere.2013.08.062>.
- Ayyildiz, O; Peters, RW; Anderson, PR. (2007). Sonolytic degradation of halogenated organic compounds in groundwater: mass transfer effects. *Ultrason Sonochem.* 14: 163-172. <http://dx.doi.org/10.1016/j.ultsonch.2006.04.004>.
- Azadpour-Keeley, A; Keeley, JW; Russell, HH; Sewell, GW. (2001). Monitored natural attenuation of contaminants in the subsurface: Processes. *Ground Water Monitoring and Remediation.* 21: 97-107.
- Azamarbarrios, JA; Munoz, E; Penicaud, A. (1997). Electrochemical generation of the higher fullerene radicals C-76(center dot-) C-78(center dot-) and C-84(center dot-) under oxygen- and moisture-free conditions and their observation by EPR. *J Chem Soc Faraday Trans.* 93: 3119-3123.
- Azevedo, EB; Neto, FRD; Dezotti, M. (2004). TiO₂-photocatalyzed degradation of phenol in saline media: lumped kinetics, intermediates, and acute toxicity. *Appl Catal B-Environ.* 54: 165-173. <http://dx.doi.org/10.1016/j.apcatb.2004.06.014>.
- Azimi, N; Xue, Z; Bloom, I; Gordin, ML; Wang, D; Daniel, T; Takoudis, C; Zhang, Z. (2015). Understanding the effect of a fluorinated ether on the performance of lithium-sulfur batteries. 7: 9169-9177. <http://dx.doi.org/10.1021/acsami.5b01412>.
- Azimi, N; Xue, Z; Rago, ND; Takoudis, C; Gordin, ML; Song, J; Wang, D; Zhang, Z. (2015). Fluorinated Electrolytes for Li-S Battery: Suppressing the Self-Discharge with an Electrolyte Containing Fluoroether Solvent. *J Electrochem Soc.* 162: A64-A68. <http://dx.doi.org/10.1149/2.0431501jes>.
- Aziz, CE; Fitch, MW; Linqvist, LK; Pressman, JG; Georgiou, G; Speitel G E, J. R. (1995). Methanotrophic biodegradation of trichloroethylene in a hollow fiber membrane bioreactor. *Environ Sci Technol.* 29: 2574-2583.
- Azizian, MF; Behrens, S; Sabalowsky, A; Dolan, ME; Spormann, AM; Semprini, L. (2008). Continuous-flow column study of reductive dehalogenation of PCE upon bioaugmentation with the Evanite enrichment culture. *J Contam Hydrol.* 100: 11-21. <http://dx.doi.org/10.1016/j.jconhyd.2008.04.006>.

Exposure Literature Search Results

Off Topic

- Azizian, MF; Istok, JD; Semprini, L. (2005). Push-pull test evaluation of the in situ aerobic cometabolism of chlorinated ethenes by toluene-utilizing microorganisms. *Water Sci Technol.* 52: 35-40.
- Azizian, MF; Istok, JD; Semprini, L. (2007). Evaluation of the in-situ aerobic cometabolism of chlorinated ethenes by toluene-utilizing microorganisms using push-pull tests. *J Contam Hydrol.* 90: 105-124. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.015>.
- Azizian, MF; Marshall, I; Behrens, S; Spormann, AM; Semprini, L. (2010). Comparison of lactate, formate, and propionate as hydrogen donors for the reductive dehalogenation of trichloroethene in a continuous-flow column. *J Contam Hydrol.* 113: 77-92. <http://dx.doi.org/10.1016/j.jconhyd.2010.02.004>.
- Azvine, B; Ho, C; Kay, S; Nauck, D; Spott, M. (2003). Estimating travel times of field engineers. 21: 33-38.
- Babu, KR; Raman, GK; Krishna, MR. (1990). VAPOR-LIQUID-EQUILIBRIA AT 715 MM/HG IN THE SYSTEMS NORMAL-BUTYL BROMIDE TRICHLOROETHYLENE AND NORMAL-BUTYL BROMIDE TETRACHLOROETHYLENE. *J Indian Chem Soc.* 67: 951-953.
- Baby, R; Balaji, C. (2012). Experimental investigations on phase change material based finned heat sinks for electronic equipment cooling. *Int J Heat Mass Tran.* 55: 1642-1649. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2011.11.020>.
- Bacik, DB; Zhang, M; Zhao, D; Roberts, CB; Seehra, MS; Singh, V; Shah, N. (2012). Synthesis and characterization of supported polysugar-stabilized palladium nanoparticle catalysts for enhanced hydrodechlorination of trichloroethylene. *Nanotechnology.* 23: 294004. <http://dx.doi.org/10.1088/0957-4484/23/29/294004>.
- Baciocchi, R; Boni, MR; D'Aprile, L. (2003). Characterization and performance of granular iron as reactive media for TCE degradation by permeable reactive barriers. *Water Air Soil Pollut.* 149: 211-226.
- Baciocchi, R; Boni, MR; D'Aprile, L. (2004). Application of H₂O₂ lifetime as an indicator of TCE Fenton-like oxidation in soils. *J Hazard Mater.* 107: 97-102. <http://dx.doi.org/10.1016/j.jhazmat.2003.09.008>.
- Bacsi, I; Gonda, S; B-Beres, V; Novak, Z; Nagy, SA; Vasas, G. (2015). Alterations of phytoplankton assemblages treated with chlorinated hydrocarbons: effects of dominant species sensitivity and initial diversity. *Ecotoxicology.* 24: 823-834. <http://dx.doi.org/10.1007/s10646-015-1427-7>.
- Bacsi, I; Toeroek, T; B-Beres, V; Toeroek, P; Tothmeresz, B; Nagy, AS; Vasas, G. (2013). Laboratory and microcosm experiments testing the toxicity of chlorinated hydrocarbons on a cyanobacterium strain (*Synechococcus* PCC 6301) and on natural phytoplankton assemblages. *Hydrobiologia.* 710: 189-203. <http://dx.doi.org/10.1007/s10750-012-1364-x>.
- Badger, TM; Ronis, MJ; Seitz, HK; Albano, E; Ingelman-Sundberg, M; Lieber, CS. (2003). Alcohol metabolism: Role in toxicity and carcinogenesis. *Alcohol Clin Exp Res.* 27: 336-347. <http://dx.doi.org/10.1097/01.ALC.0000052583.87673.37>.
- Badin, A; Broholm, MM; Jacobsen, CS; Palau, J; Dennis, P; Hunkeler, D. (2016). Identification of abiotic and biotic reductive dechlorination in a chlorinated ethene plume after thermal source remediation by means of isotopic and molecular biology tools. *J Contam Hydrol.* 192: 1-19. <http://dx.doi.org/10.1016/j.jconhyd.2016.05.003>.
- Badin, A; Buttet, G; Maillard, J; Holliger, C; Hunkeler, D. (2014). Multiple dual C-Cl isotope patterns associated with reductive dechlorination of tetrachloroethene. *Environ Sci Technol.* 48: 9179-9186. <http://dx.doi.org/10.1021/es500822d>.
- Badin, A; Schirmer, M; Wermeille, C; Hunkeler, D. (2015). Perchloroethene source delineation using carbon-chlorine isotopic analysis: field investigations of isotopic signature variability. *Grundwasser.* 20: 263-270. <http://dx.doi.org/10.1007/s00767-015-0301-0>.
- Bae, JW; Park, ED; Lee, JS; Lee, KH; Kim, YG; Yeon, SH; Sung, BH. (2001). Hydrodechlorination of CCl₄ over Pt/gamma-Al₂O₃ - Effects of reaction pressure and diluent gases on distribution of products and catalyst stability. *Appl Catal A-Gen.* 217: 79-89.
- Bae, S; Hanna, K. (2015). Reactivity of Nanoscale Zero-Valent Iron in Unbuffered Systems: Effect of pH and Fe(II) Dissolution. *Environ Sci Technol.* 49: 10536-10543. <http://dx.doi.org/10.1021/acs.est.5b01298>.
- Bae, S; Hong, YK, i; Lee, J; Park, J; Jalli, J; Abo, GS; Kwon, HM; Jayasooriya, CKK. (2013). Pulsed Ferrite Magnetic Field Generator for Through-the-earth Communication Systems for Disaster Situation in Mines. 18: 43-49. <http://dx.doi.org/10.4283/JMAG.2013.18.1.043>.
- Bae, S; Lee, W. (2014). Influence of riboflavin on nanoscale zero-valent iron reactivity during the degradation of carbon tetrachloride. *Environ Sci Technol.* 48: 2368-2376. <http://dx.doi.org/10.1021/es4056565>.
- Bae, Y; Kim, D; Cho, H; Singhal, N; Park, J. (2012). Transformation impacts of dissolved and solid phase Fe(II) on trichloroethylene (TCE) reduction in an iron-reducing bacteria (IRB) mixed column system: A mathematical model. *Water Res.* 46: 6391-6398. <http://dx.doi.org/10.1016/j.watres.2012.09.019>.
- Bae, Y; Park, J, aeWoo. (2009). TCE reduction modeling in soil column: Effect of zero-valent iron, ferrous iron, and iron-reducing bacteria. *Desalination and Water Treatment.* 4: 229-232.
- Baek, JM; Park, SJ. (2000). Tracking the distribution of organic compounds using fugacity model. *Korean J Chem Eng.* 17: 12-16.
- Baek, NH; Jaffe, PR. (1989). THE DEGRADATION OF TRICHLOROETHYLENE IN MIXED METHANOGENIC CULTURES. *J Environ Qual.* 18: 515-518.
- Baek, NH; Jaffe, PR; Shingal, N. (1990). Simulating the degradation of TCE under methanogenesis. *J Environ Sci Health, Part A: Environ Sci Eng.* 25: 987-1006.
- Baek, W; Lee, JY. (2011). Source apportionment of trichloroethylene in groundwater of the industrial complex in Wonju, Korea: a 15-year dispute and perspective. *Water Environ J.* 25: 336-344. <http://dx.doi.org/10.1111/j.1747-6593.2010.00226.x>.
- Baelum, J. (1999). Acute symptoms during non-inhalation exposure to combinations of toluene, trichloroethylene, and n-hexane. *Int Arch Occup Environ Health.* 72: 408-410.
- Baelum, J; Chambon, JC; Scheutz, C; Binning, PJ; Laier, T; Bjerg, PL; Jacobsen, CS. (2013). A conceptual model linking functional gene expression and reductive dechlorination rates of chlorinated ethenes in clay rich groundwater sediment. *Water Res.* 47: 2467-2478. <http://dx.doi.org/10.1016/j.watres.2013.02.016>.

Exposure Literature Search Results

Off Topic

- Baelum, J; Molhave, L; Hansen, SH; Vaeth, M. (1998). Metabolic interaction between toluene, trichloroethylene and n-hexane in humans. *Scand J Work Environ Health*. 24: 30-37.
- Baelum, J; Scheutz, C; Chambon, JC; Jensen, CM; Brochmann, RP; Dennis, P; Laier, T; Broholm, MM; Bjerg, PL; Binning, PJ; Jacobsen, CS. (2014). The impact of bioaugmentation on dechlorination kinetics and on microbial dechlorinating communities in subsurface clay till. *Environ Pollut*. 186: 149-157. <http://dx.doi.org/10.1016/j.envpol.2013.11.013>.
- Baetjer, AM; Annau, Z; Abbey, H. (1970). WATER DEPRIVATION AND TRICHLOROETHYLENE - EFFECT ON HYPOTHALAMIC SELF-STIMULATION. *Arch Environ Health*. 20: 712-&.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res*. 34: 171-178.
- Bahr, DE; Aldrich, TE; Seidu, D; Brion, GM; Tollerud, DJ; Plant, PGD. (2011). OCCUPATIONAL EXPOSURE TO TRICHLOROETHYLENE AND CANCER RISK FOR WORKERS AT THE PADUCAH GASEOUS DIFFUSION PLANT. *Int J Occup Med Environ Health*. 24: 67-77. <http://dx.doi.org/10.2478/s13382-011-0007-1>.
- Bahranowski, K; Gawel, A; Janik, R; Komorek, J; Machej, T; Michalik, A; Serwicka, EM; Wlodarczyk, W. (2003). Catalytic combustion of trichloroethylene over Pd-doped Ti-pillared montmorillonites. *Polish Journal of Chemistry*. 77: 675-682.
- Bai, C; Canfield, PJ; Stacey, NH. (1992). Individual serum bile acids as early indicators of carbon tetrachloride- and chloroform-induced liver injury. *Toxicology*. 75: 221-234. [http://dx.doi.org/10.1016/0300-483X\(92\)90004-X](http://dx.doi.org/10.1016/0300-483X(92)90004-X).
- Bai, CL; Canfield, PJ; Stacey, NH. (1992). Effects of hexachloro-1,3-butadiene and 1,1,2,2-tetrachloroethylene on individual serum bile acids. *Toxicol Ind Health*. 8: 191-203.
- Bailer, AJ; Piegorsch, WW. (1997). *Statistics for environmental biology and toxicology*. London, England: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412047312>.
- Bailey, P; Waite, D; Quinnett-Abbott, L; Ripley, BD. (2005). Residues of DDT and other selected organochlorine pesticides in soils from Saskatchewan, Canada (1999). *Can J Soil Sci*. 85: 265-271.
- Bailly, M; Bain, C; Favrot, MC; Ozturk, M. (1995). Somatic mutations of von Hippel-Lindau (VHL) tumor-suppressor gene in European kidney cancers. *Int J Cancer*. 63: 660-664.
- Bajaj, A; Mayilraj, S; Mudiam, MK; Patel, DK; Manickam, N. (2014). Isolation and functional analysis of a glycolipid producing *Rhodococcus* sp. strain IITR03 with potential for degradation of 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane (DDT). *Bioresour Technol*. 167: 398-406. <http://dx.doi.org/10.1016/j.biortech.2014.06.007>.
- Bak, S, olA; Song, MS; Nam, I, nTak; Lee, WG. (2015). Photocatalytic Oxidation of Trichloroethylene in Water Using a Porous Ball of Nano-ZnO and Nanoclay Composite. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2015/160212>.
- Bak, S, olA; Song, MS; Nam, I, nTak; Lee, WG. (2015). Photocatalytic Oxidation of Trichloroethylene in Water Using a Porous Ball of Nano-ZnO and Nanoclay Composite (vol 2015, 160212, 2015). *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2015/201490>.
- Baker, AW; Bonniface, D; Klapotke, TM; Nicol, I; Scott, JD; Scott, WDS; Spence, RR; Watson, MJ; Webb, G; Winfield, JM. (2000). Catalytic fluorination of trichloroethene by anhydrous hydrogen fluoride in the presence of fluorinated chromia under static conditions. Synthesis of [(18F)-labelled CF(3)CH(2)F and [(36Cl)-labelled CF(3)CH(2)Cl]. *Catalytic dehydrofluorination of CF(3)CH(2)F and CF(3)CH(2)Cl*. *J Fluor Chem*. 102: 279-284.
- Baker, MP; King, JC; Gorman, BP; Marshall, DW. (2013). Selection and properties of alternative forming fluids for TRISO fuel kernel production. *J Nucl Mater*. 432: 395-406. <http://dx.doi.org/10.1016/j.jnucmat.2012.07.047>.
- Baker, P; King, JC; Gorman, BP; Braley, JC. (2015). Straight-chain halocarbon forming fluids for TRISO fuel kernel production - Tests with yttria-stabilized zirconia microspheres. *J Nucl Mater*. 458: 77-86. <http://dx.doi.org/10.1016/j.jnucmat.2014.11.118>.
- Baker, RS; Nielsen, SG; Heron, G; Ploug, N. (2016). How Effective Is Thermal Remediation of DNAPL Source Zones in Reducing Groundwater Concentrations? *Ground Water Monitoring and Remediation*. 36: 38-53. <http://dx.doi.org/10.1111/gwmr.12149>.
- Baker, RW; Wijmans, JG; Athayde, AL; Daniels, R; Ly, JH; Le, M. (1997). The effect of concentration polarization on the separation of volatile organic compounds from water by pervaporation. *J Memb Sci*. 137: 159-172.
- Baker, VA; Harries, HM; Waring, JF; Duggan, CM; Ni, HA; Jolly, RA; Yoon, LW; De Souza, AT; Schmid, JE; Brown, RH; Ulrich, RG; Rockett, JC. (2004). Clofibrate-induced gene expression changes in rat liver: A cross-laboratory analysis using membrane cDNA arrays. *Environ Health Perspect*. 112: 428-438. <http://dx.doi.org/10.1289/ehp.6677>.
- Bakke, B; Stewart, P; Waters, M. (2007). Uses of and exposure to trichloroethylene in U.S. industry: A systematic literature review [Review]. *J Occup Environ Hyg*. 4: 375-390. <http://dx.doi.org/10.1080/15459620701301763>.
- Balasubramanian, P; Philip, L; Bhallamudi, SM. (2012). Biotrickling filtration of complex pharmaceutical VOC emissions along with chloroform. *Bioresour Technol*. 114: 149-159. <http://dx.doi.org/10.1016/j.biortech.2012.03.035>.
- Balazova, A; Slodicka, M; Van Keer, R. (2006). Parameter determination for reductive dechlorination of chlorinated solvents. *Transport in Porous Media*. 65: 411-424. <http://dx.doi.org/10.1007/s11242-006-0001-4>.
- Balderaslopez, JA; Acostaavalos, D; Alvarado, JJ; Zelayaangel, O; Sanchezsinencio, F; Falcony, C; Cruzorea, A; Vargas, H. (1995). PHOTOACOUSTIC MEASUREMENTS OF TRANSPARENT LIQUID SAMPLES - THERMAL EFFUSIVITY. *Meas Sci Technol*. 6: 1163-1168.
- Balkwill, F; Charles, KA; Mantovani, A. (2005). Smoldering and polarized inflammation in the initiation and promotion of malignant disease [Review]. *Cancer Cell*. 7: 211-217. <http://dx.doi.org/10.1016/j.ccr.2005.02.013>.
- Balkwill, F; Coussens, LM. (2004). Cancer: An inflammatory link [Comment]. *Nature*. 431: 405-406. <http://dx.doi.org/10.1038/431405a>.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (1997). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard. *Water Resour Res*. 33: 2741-2757.

Exposure Literature Search Results

Off Topic

- Ball, WP; Liu, CX; Xia, GS; Young, DF. (2001). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitar" by W. P. Ball et al. (vol 33, pg 2741, 1997). *Water Resour Res.* 37: 189-189.
- Ballapragada, BS; Stensel, HD; Puhakka, JA; Ferguson, JF. (1997). Effect of hydrogen on reductive dechlorination of chlorinated ethenes. *Environ Sci Technol.* 31: 1728-1734.
- Ballesta, PP; Ferradas, EG; Aznar, AM. (1995). DESORPTION ISOTHERMS OF VOLATILE ORGANIC-COMPOUNDS ADSORBED ON ACTIVATED-CHARCOAL. *Am Ind Hyg Assoc J.* 56: 171-177.
- Ballestar, E; Esteller, M. (2002). The impact of chromatin in human cancer: Linking DNA methylation to gene silencing [Review]. *Carcinogenesis.* 23: 1103-1109. <http://dx.doi.org/10.1093/carcin/23.7.1103>.
- Ballinger, MY; Larson, TV. (2014). Source apportionment of stack emissions from research and development facilities using positive matrix factorization. *Atmos Environ.* 98: 59-65. <http://dx.doi.org/10.1016/j.atmosenv.2014.08.041>.
- Balluz, L; Moll, D; Diaz Martinez, MG; Merida Colindres, JE; Malilay, J. (2001). Environmental pesticide exposure in Honduras following hurricane Mitch. *Bull World Health Organ.* 79: 288-295.
- Balluz, L; Philen, R; Ortega, L; Rosales, C; Brock, J; Barr, D; Kieszak, S. (2001). Investigation of systemic lupus erythematosus in Nogales, Arizona. *Am J Epidemiol.* 154: 1029-1036.
- Band, PR; Le, ND; Fang, R; Deschamps, M; Gallagher, RP; Yang, P. (2000). Identification of occupational cancer risks in British Columbia: A population-based case-control study of 995 incident breast cancer cases by menopausal status, controlling for confounding factors. *J Occup Environ Med.* 42: 284-310. <http://dx.doi.org/10.1097/00043764-200003000-00010>.
- Bangalore, AS; Small, GW; Combs, RJ; Knapp, RB; Kroutil, RT; Traynor, CA; Ko, JD. (1997). Automated Detection of Trichloroethylene by Fourier Transform Infrared Remote Sensing Measurements. *Anal Chem.* 69: 118-129.
- Bangash, FK; Gul, S. (2012). Removal of Acid Dye from Water by Nano Zero-Valent Iron. *J Chem Soc Pakistan.* 34: 1279-1285.
- Banisharif, A; Khodadadi, AA; Ii, Mortazavi, Y; Firooz, AA; Beheshtian, J; Agah, S; Menbari, S. (2015). Highly active Fe₂O₃-doped TiO₂ photocatalyst for degradation of trichloroethylene in air under UV and visible light irradiation: Experimental and computational studies. *Appl Catal B-Environ.* 165: 209-221. <http://dx.doi.org/10.1016/j.apcatb.2014.10.023>.
- Banks, PM. (1992). Changes in diagnosis of non-Hodgkin's lymphomas over time [Review]. *Cancer Res.* 52: 5453s-5455s.
- Bankston, JL; Sola, DL; Komor, AT; Dwyer, DF. (2002). Degradation of trichloroethylene in wetland microcosms containing broad-leaved cattail and eastern cottonwood. *Water Res.* 36: 1539-1546.
- Bannasch, P. (1996). Pathogenesis of hepatocellular carcinoma: Sequential cellular, molecular, and metabolic changes [Review]. *Prog Liver Dis.* 14: 161-197.
- Bannasch, P. (2001). Hormonal and hormone-like effects eliciting hepatocarcinogenesis [Review]. *Folia Histochem Cytobiol.* 39: 28-29.
- Bannasch, P; Haertel, T; Su, Q. (2003). Significance of hepatic preneoplasia in risk identification and early detection of neoplasia [Review]. *Toxicol Pathol.* 31: 134-139. <http://dx.doi.org/10.1080/01926230390173923>.
- Bannasch, P; Nehrbass, D; Kopp-Schneider, A. (2001). Significance of hepatic preneoplasia for cancer chemoprevention [Review]. In AB Miller; H Bartsch; P Bofetta; L Dragsted; H Vainio (Eds.), IARC Scientific Publication (pp. 223-240). Lyon, France: International Agency for Research on Cancer.
- Bansal, AK; Holzer, W; Penzkofer, A; Hoerhold, HH; Klemm, E; Frank, W; Kley, EB. (2008). Spectroscopic and lasing characterisation of a luminescent phenylene/bipyridine polymer. *Synthetic Metals.* 158: 758-766. <http://dx.doi.org/10.1016/j.synthmet.2008.04.029>.
- Bao, N, an; Wu, G; Niu, J; Zhang, Q; He, S, ui; Wang, J, in. (2014). Wide spectral response and enhanced photocatalytic activity of TiO₂ continuous fibers modified with aminosilane coupling agents. *J Alloy Comp.* 599: 40-48. <http://dx.doi.org/10.1016/j.jallcom.2014.02.072>.
- Bao, WMJ; Vogler, ET; Chrysikopoulos, CV. (2003). Nonaqueous liquid pool dissolution in three-dimensional heterogeneous subsurface formations. *Environ Geol.* 43: 968-977. <http://dx.doi.org/10.1007/s00254-002-0721-x>.
- Barac, T; Weyens, N; Oeyen, L; Taghavi, S; van der Lelie, D; Dubin, D; Spliet, M; Vangronsveld, J. (2009). Field note: hydraulic containment of a BTEX plume using poplar trees. *Int J Phytoremediation.* 11: 416-424. <http://dx.doi.org/10.1080/15226510802655880>.
- Baragi, JG; Aralaguppi, MI; Aminabhavi, TM; Kariduraganavar, MY; Kulkarni, SS. (2005). Density, viscosity, refractive index, and speed of sound for binary mixtures of 1,4-dioxane with different organic liquids at (298.15, 303.15, and 308.15) K. *Journal of Chemical and Engineering Data.* 50: 917-923. <http://dx.doi.org/10.1021/je049609w>.
- Barak, Y; Sadvovsky, Y; Shalom-Barak, T. (2008). PPAR Signaling in Placental Development and Function. *PPAR Research.* 2008: 142082. <http://dx.doi.org/10.1155/2008/142082>.
- Baran, J. R.; Pope, GA; Wade, WH; Weerasooriya, V; Yapa, A. (1994). MICROEMULSION FORMATION WITH CHLORINATED HYDROCARBONS OF DIFFERING POLARITY. *Environ Sci Technol.* 28: 1361-1366.
- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. *Environ Sci Technol.* 30: 2143-2147.
- Baraona, E; Shoichet, L; Navder, K; Lieber, C. (2002). Mediation by nitric oxide of the stimulatory effects of ethanol on blood flow. *Life Sci.* 70: 2987-2995. [http://dx.doi.org/10.1016/S0024-3205\(02\)01572-2](http://dx.doi.org/10.1016/S0024-3205(02)01572-2).
- Baraona, E; Zeballos, G; Shoichet, L; Mak, K; Lieber, C. (2002). Ethanol consumption increases nitric oxide production in rats, and its peroxynitrite-mediated toxicity is attenuated by polyenylphosphatidylcholine. *Alcohol Clin Exp Res.* 26: 883-889. <http://dx.doi.org/10.1111/j.1530-0277.2002.tb02618.x>.
- Barbaro, JR; Neupane, PP. (2006). Use of plume mapping data to estimate chlorinated solvent mass loss. *Ground Water Monitoring and Remediation.* 26: 115-127.

Exposure Literature Search Results

Off Topic

- Barberis, S; Quiroga, E; Morcelle, S; Priolo, N; Luco, JA. (2006). Study of phytoproteases stability in aqueous-organic biphasic systems using linear free energy relationships. *Journal of Molecular Catalysis B: Enzymatic*. 38: 95-103. <http://dx.doi.org/10.1016/j.molcatb.2005.11.011>.
- Barbosa, LAM, M; Loffreda, D; Sautet, P. (2002). Chemisorption of trichloroethene on the PdCu alloy (110) surface: A periodical density functional study. *Langmuir*. 18: 2625-2635. <http://dx.doi.org/10.1021/la011113e>.
- Barbosa, LAM, M; Sautet, P. (2002). Trichloroethene dechlorination reactions on the PdCu(110) alloy surface: A periodical density functional theory study of the mechanism. *J Catal*. 207: 127-138. <http://dx.doi.org/10.1006/jcat.2002.3512>.
- Barbour, JP; Smith, JA; Chiou, CT. (2005). Sorption of aromatic organic pollutants to grasses from water. *Environ Sci Technol*. 39: 8369-8373. <http://dx.doi.org/10.1021/es0504946>.
- Barclay, LRC; Dakin, KA; Zahalka, HA. (1992). ASCORBATE - ANTIOXIDANT ACTIVITY DETERMINED IN A HYDROCARBON PHASE USING QUATERNARY AMMONIUM-SALTS AS PHASE-TRANSFER AGENTS. *Can J Chem*. 70: 2148-2153.
- Bardo, L; Bird, DM. (2009). THE USE OF CAPTIVE AMERICAN KESTRELS (FALCO SPARVERIUS) AS WILDLIFE MODELS: A REVIEW. *Journal of Raptor Research*. 43: 345-364.
- Baric, M; Majone, M; Beccari, M; Papini, MP. (2012). Coupling of polyhydroxybutyrate (PHB) and zero valent iron (ZVI) for enhanced treatment of chlorinated ethanes in permeable reactive barriers (PRBs). *Chem Eng J*. 195: 22-30. <http://dx.doi.org/10.1016/j.cej.2012.04.026>.
- Barnes, JA; Brown, RS; Cheung, AH; Dreher, MA; Mackey, G; Loock, HP. (2010). Chemical sensing using a polymer coated long-period fiber grating interrogated by ring-down spectroscopy. *Sens Actuators B*. 148: 221-226. <http://dx.doi.org/10.1016/j.snb.2010.04.007>.
- Barnes, RJ; Riba, O; Gardner, MN; Scott, TB; Jackman, SA; Thompson, I. (2010). Optimization of nano-scale nickel/iron particles for the reduction of high concentration chlorinated aliphatic hydrocarbon solutions. *Chemosphere*. 79: 448-454. <http://dx.doi.org/10.1016/j.chemosphere.2010.01.044>.
- Barnes, RJ; Riba, O; Gardner, MN; Singer, AC; Jackman, SA; Thompson, IP. (2010). Inhibition of biological TCE and sulphate reduction in the presence of iron nanoparticles. *Chemosphere*. 80: 554-562. <http://dx.doi.org/10.1016/j.chemosphere.2010.04.033>.
- Barnes, RJ; van Der Gast, CJ; Riba, O; Lehtovirta, LE; Prosser, JI; Dobson, PJ; Thompson, I. (2010). The impact of zero-valent iron nanoparticles on a river water bacterial community. *J Hazard Mater*. 184: 73-80. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.006>.
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere*. 82: 592-596. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.015>.
- Barnier, C; Palmier, C; Atteia, O. (2013). Validation of a multilevel sampling device to determine the vertical variability of chlorinated solvent in a contaminated aquifer. *Environ Technol*. 34: 1543-1553. <http://dx.doi.org/10.1080/09593330.2012.758665>.
- Barrabes, N; Cornado, D; Foettinger, K; Dafinov, A; Llorca, J; Medina, F; Rupprechter, G. (2009). Hydrodechlorination of trichloroethylene on noble metal promoted Cu-hydroxalcite-derived catalysts. *J Catal*. 263: 239-246. <http://dx.doi.org/10.1016/j.jcat.2009.02.015>.
- Barrabes, N; Foettinger, K; Dafinov, A; Medina, F; Rupprechter, G; Llorca, J; Sueiras, JE. (2009). Study of Pt-CeO₂ interaction and the effect in the selective hydrodechlorination of trichloroethylene. *Appl Catal B-Environ*. 87: 84-91. <http://dx.doi.org/10.1016/j.apcatb.2008.08.018>.
- Barrabes, N; Foettinger, K; Llorca, J; Dalinov, A; Medina, F; Sa, J; Hardacre, C; Rupprechter, G. (2010). Pretreatment Effect on Pt/CeO₂ Catalyst in the Selective Hydrodechlorination of Trichloroethylene. *J Phys Chem C*. 114: 17675-17682. <http://dx.doi.org/10.1021/jp1048748>.
- Barragan-Huerta, BE; Costa-Perez, C; Peralta-Cruz, J; Barrera-Cortes, J; Esparza-Garcia, F; Rodriguez-Vazquez, R. (2007). Biodegradation of organochlorine pesticides by bacteria grown in microniches of the porous structure of green bean coffee. *Int Biodeterior Biodegradation*. 59: 239-244. <http://dx.doi.org/10.1016/j.ibiod.2006.11.001>.
- Barranco, FT; Dawson, HE; Christener, JM; Honeyman, BD. (1997). Influence of aqueous pH and ionic strength on the wettability of quartz in the presence of dense non-aqueous-phase liquids. *Environ Sci Technol*. 31: 676-681.
- Barrass, NC; Price, RJ; Lake, BG; Orton, TC. (1993). Comparison of the acute and chronic mitogenic effects of the peroxisome proliferators methylclofenapate and clofibrac acid in rat liver. *Carcinogenesis*. 14: 1451-1456. <http://dx.doi.org/10.1093/carcin/14.7.1451>.
- Barraza-Villarreal, A; Farias, P; Díaz Sánchez, V; Bailey, JL; De Jager, T; Ayotte, P; Hernández-Avila, M; Dewailly, E. (2004). Nonoccupational determinants of plasma DDT and p,p'-DDE in men from Chiapas, Mexico. *Arch Environ Health*. 59: 42-49. <http://dx.doi.org/10.3200/AEOH.59.1.42-49>.
- Barret, L; Faure, J; Guiland, B; Chomat, D; Didier, B; Debru, J. (1984). Trichloroethylene occupational exposure: Elements for better prevention. *Int Arch Occup Environ Health*. 53: 283-289. <http://dx.doi.org/10.1007/BF00380666>.
- Barrio-Lage, G; Parsons, FZ; Nassar, RS. (1987). KINETICS OF THE DEPLETION OF TRICHLOROETHENE. *Environ Sci Technol*. 21: 366-370.
- Barrio-Lage, GA; Parsons, FZ; Lorenzo, PA. (1988). INHIBITION AND STIMULATION OF TRICHLOROETHYLENE BIODEGRADATION IN MICROAEROPHILIC MICROCOSMS. *Environ Toxicol Chem*. 7: 889-896.
- Barrio-Lage, GA; Parsons, FZ; Nassar, RS; Lorenzo, PA. (1987). BIOTRANSFORMATION OF TRICHLOROETHENE IN A VARIETY OF SUBSURFACE MATERIALS. *Environ Toxicol Chem*. 6: 571-578.
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol*. 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Barshteyn, N; Elfarra, AA. (2007). Formation of three N-acetyl-L-cysteine monoadducts and one diadduct by the reaction of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide with N-acetyl-L-cysteine at physiological conditions: chemical mechanisms and toxicological implications. *Chem Res Toxicol*. 20: 1563-1569. <http://dx.doi.org/10.1021/tx700263w>.
- Barshteyn, N; Elfarra, AA. (2009). Globin monoadducts and cross-links provide evidence for the presence of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide, chlorothioacetone, and 2-chlorothioacetone in the circulation in rats administered S-(1,2-dichlorovinyl)-L-cysteine. *Chem Res Toxicol*. 22: 1629-1638. <http://dx.doi.org/10.1021/tx900219x>.

Exposure Literature Search Results

Off Topic

- Bartelt-Hunt, SL; Smith, JA; Burns, SE; Rabideau, AJ. (2005). Evaluation of granular activated carbon, shale, and two organoclays for use as sorptive amendments in clay landfill liners. *Journal of Geotechnical and Geoenvironmental Engineering*. 131: 848-856. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2005\)131:7\(848\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2005)131:7(848)).
- Barter, ZE; Bayliss, MK; Beaune, PH; Boobis, AR; Carlile, DJ; Edwards, RJ; Houston, JB; Lake, BG; Lipscomb, JC; Pelkonen, OR; Tucker, GT; Rostami-Hodjegan, A. (2007). Scaling factors for the extrapolation of in vivo metabolic drug clearance from in vitro data: Reaching a consensus on values of human microsomal protein and hepatocellularity per gram of liver [Review]. *Curr Drug Metab*. 8: 33-45.
- Barthos, R; Mehn, D; Demortier, A; Pierard, N; Morciaux, Y; Demortier, G; Fonseca, A; Nagy, JB. (2005). Functionalization of single-walled carbon nanotubes by using alkyl-halides. *Carbon*. 43: 321-325. <http://dx.doi.org/10.1016/j.carbon.2004.09.018>.
- Barton, HA; Chiu, WA; Setzer, RW; Andersen, ME; Bailer, AJ; Bois, FY; DeWoskin, RS; Hays, S; Johanson, G; Jones, N; Loizou, G; Macphail, RC; Portier, CJ; Spendiff, M; Tan, YM. (2007). Characterizing uncertainty and variability in physiologically-based pharmacokinetic (PBPK) models: State of the science and needs for research and implementation. *Toxicol Sci*. 99: 395-402. <http://dx.doi.org/10.1093/toxsci/kfm100>.
- Barton, HA; Clewell, HJ, III. (2000). Evaluating noncancer effects of trichloroethylene: Dosimetry, mode of action, and risk assessment [Review]. *Environ Health Perspect*. 108: 323-334.
- Barton, JW; Vodraska, CD; Flanary, SA; Davison, BH. (2003). Partitioning of BTEX Constituents and Chloroorganics in High-Biomass Systems. *Environmental Progress*. 22: 95-102.
- Barton, JW; Vodraska, CD; Flanary, SA; Davison, BH. (2008). Solubility of toluene, benzene and TCE in high-microbial concentration systems. *Chemosphere*. 73: 1737-1740. <http://dx.doi.org/10.1016/j.chemosphere.2008.09.008>.
- Bartosiewicz, M; Penn, S; Buckpitt, A. (2001). Applications of gene arrays in environmental toxicology: Fingerprints of gene regulation associated with cadmium chloride, benzo(a)pyrene, and trichloroethylene. *Environ Health Perspect*. 109: 71-74.
- Bartsch, H; Malaveille, C; Barbin, A; Planche, G. (1979). Mutagenic and alkylating metabolites of halo-ethylenes, chlorobutadienes and dichlorobutenes produced by rodent or human liver tissues: Evidence for oxirane formation by P450-linked microsomal monooxygenases. *Arch Toxicol*. 41: 249-277. <http://dx.doi.org/10.1007/BF00296896>.
- Bartulewicz, J; Bartulewicz, E; Gawlowski, J; Niedzielski, J. (1998). Simple and rapid method for the determination of methylene chloride, ethylene dichloride, trichloroethylene and tetrachloroethylene in atmospheric air. *Chemia analityczna*. 43: 887-895.
- Basseres, A; Simonet, F; Lafont, M; Coste, M; Narbonne, JF. (2004). Validation of biomarkers for impact evaluation of aqueous industrial waste in mesocosms. *Water Sci Technol*. 49: 123-130.
- Bassig, BA; Zhang, L; Tang, X; Vermeulen, R; Shen, M, in; Smith, MT; Qiu, C; Ge, Y; Ji, Z; Reiss, B; Hosgood, HD, III; Liu, S; Bagni, R; Guo, W; Purdue, M; Hu, W, ei; Yue, F, ei; Li, L; Huang, H; Rothman, N; Lan, Q. (2013). Occupational exposure to trichloroethylene and serum concentrations of IL-6, IL-10, and TNF-alpha. *Environ Mol Mutagen*. 54: 450-454. <http://dx.doi.org/10.1002/em.21789>.
- Basu, B; Visvanathan, C. (2000). Membrane permeation of a binary compound for co-current and cross flow modes. *Desalination*. 130: 113-129.
- Bataller, V; Munoz, A; Gaudio, PM; Mediano, A; Cuchi, JA; Villarroel, JL. (2010). Earth impedance model for through-the-earth communication applications with electrodes. *Radio Sci*. 45. <http://dx.doi.org/10.1029/2010RS004406>.
- Bataller, V; Munoz, A; Molina Gaudio, P; Mediano, A; Cuchi, A; Villarroel, JYL. (2012). Electrode impedance measurement in through-the-earth communication applications. *I E T Microwaves, Antennas & Propagation*. 6: 807-812. <http://dx.doi.org/10.1049/iet-map.2010.0312>.
- Bates, BA; Brenniman, GR; Allen, RJ; Anderson, RJ. (1991). ELUTION PROFILES OF 3 CHLORINATED HYDROCARBONS LEACHING THROUGH SANDY SOIL. *J Environ Eng*. 117: 279-290.
- Batterman, S; Kulshrestha, A; H-Y, C. (1995). Hydrocarbon Vapor Transport in Low Moisture Soils. *Environ Sci Technol*. 29: 171-180.
- Batterman, S; Padmanabham, I; Milne, P. (1996). Effective gas-phase diffusion coefficients in soils at varying water content measured using a one-flow sorbent-based technique. *Environ Sci Technol*. 30: 770-778.
- Baum, G; Oppenlaender, T. (1995). Vacuum-UV: Oxidation of chloroorganic compounds in an excimer flow through photoreactor. *Chemosphere*. 30: 1781-1790.
- Baumgartner, MT; Taccone, RA; Teruel, MA; Lane, SI. (2002). Theoretical study of the relative reactivity of chloroethenes with atmospheric oxidants (OH, NO₃, O(P-3), Cl(P-2) and Br(P-2)). *Phys Chem Chem Phys*. 4: 1028-1032. <http://dx.doi.org/10.1039/b108856b>.
- Baya, MP; Figa-Talamanca, I; Siskos, PA. (1998). Determination of selected volatile organic compounds in the air of dry-cleaning shops in the Athens area: Pilot study. *Indoor Built Environ*. 7: 315-318.
- Bayer, P; Finkel, M. (2005). Modelling of sequential groundwater treatment with zero valent iron and granular activated carbon. *J Contam Hydrol*. 78: 129-146. <http://dx.doi.org/10.1016/j.jconhyd.2005.03.005>.
- Bayer, P; Schüth, C. (2010). Technico-economic assessment of groundwater treatment by palladium-on-zeolite-catalyst in comparison to GAC fixed bed adsorbers. *Water Sci Technol*. 62: 708-718. <http://dx.doi.org/10.2166/wst.2010.342>.
- Bayer, T; Amberg, A; Bertermann, R; Rusch, GM; Anders, MW; Dekant, W. (2002). Biotransformation of 1,1,1,3,3-pentafluoropropane (HFC-245fa). *Chem Res Toxicol*. 15: 723-733. <http://dx.doi.org/10.1021/tx025505c>.
- Beard, A; Naikwadi, KP; Karasek, FW. (1993). FORMATION OF POLYCHLORINATED DIBENZOFURANS BY CHLORINATION AND DE-NOVO REACTIONS WITH FECL₃ IN PETROLEUM REFINING PROCESSES. *Environ Sci Technol*. 27: 1505-1511.
- Beard, J; Marshall, S; Jong, K; Newton, R; Triplett-Mcbride, T; Humphries, B; Bronks, R. (2000). 1,1,1-trichloro-2,2-bis (p-chlorophenyl)-ethane (DDT) and reduced bone mineral density. *Arch Environ Health*. 55: 177-180. <http://dx.doi.org/10.1080/00039890009603403>.
- Beauchet, R; Mijoin, J; Magnoux, P. (2009). Improved catalytic oxidation of cumene by formation of catalytically active species during reaction over NaX zeolite. *Appl Catal B-Environ*. 88: 106-112. <http://dx.doi.org/10.1016/j.apcatb.2008.09.014>.

Exposure Literature Search Results

Off Topic

- Beaudreuil, S; Lasfargues, G; Laueriere, L; El Ghoul, Z; Fourquet, F; Longuet, C; Halimi, JM; Nivet, H; Buchler, M. (2005). Occupational exposure in ANCA-positive patients: A case-control study. *Kidney Int.* 67: 1961-1966. <http://dx.doi.org/10.1111/j.1523-1755.2005.00295.x>.
- Beaumont, JJ; Breslow, NE. (1981). Power considerations in epidemiologic studies of vinyl chloride workers [Review]. *Am J Epidemiol.* 114: 725-734.
- Bechard, KM; Gillis, PL; Wood, CM. (2008). Trophic transfer of Cd from larval chironomids (*Chironomus riparius*) exposed via sediment or waterborne routes, to zebrafish (*Danio rerio*): Tissue-specific and subcellular comparisons. *Aquat Toxicol.* 90: 310-321. <http://dx.doi.org/10.1016/j.aquatox.2008.07.014>.
- Beck, KR; Moore, LG. (1997). Extraction of cotton impurities: Supercritical CO₂ vs. Soxhlet/TCE. *Text Chem Color.* 29: 66-70.
- Becker, JG. (2006). A modeling study and implications of competition between Dehalococcoides ethenogenes and other tetrachloroethene-respiring bacteria. *Environ Sci Technol.* 40: 4473-4480. <http://dx.doi.org/10.1021/es051849o>.
- Becker, N; Deeg, E; Nieters, A. (2004). Population-based study of lymphoma in Germany: Rationale, study design and first results. *Leuk Res.* 28: 713-724. <http://dx.doi.org/10.1016/j.leukres.2003.11.010>.
- Beekman, JM; Boess, F; Hildebrand, H; Kalkuhl, A; Suter, L. (2006). Gene expression analysis of the hepatotoxicant methapyrilene in primary rat hepatocytes: An interlaboratory study. *Environ Health Perspect.* 114: 92-99.
- Beesoon, S; Webster, GM; Shoeib, M; Harner, T, om; Benskin, JP; Martin, JW. (2011). Isomer Profiles of Perfluorochemicals in Matched Maternal, Cord, and House Dust Samples: Manufacturing Sources and Transplacental Transfer. *Environ Health Perspect.* 119: 1659-1664. <http://dx.doi.org/10.1289/ehp.1003265>.
- Begg, CB; Mazumdar, M. (1994). Operating characteristics of a rank correlation test for publication bias. *Biometrics.* 50: 1088-1101. <http://dx.doi.org/10.2307/2533446>.
- Begley, JF; Czarnecki, M; Kemen, S; Verardo, A; Robb, AK; Fogel, S; Begley, GS. (2012). Oxygen and Ethene Biostimulation for a Persistent Dilute Vinyl Chloride Plume. *Ground Water Monitoring and Remediation.* 32: 99-105. <http://dx.doi.org/10.1111/j.1745-6592.2011.01371.x>.
- BEIR. (1988). Health risks of radon and other internally deposited alpha-emitters: BEIR IV. Washington, DC: National Academy Press. <http://www.nap.edu/openbook.php?isbn=0309037972>.
- Bekanntmachung des Umweltbundesamtes. (2015). [Health evaluation of trichloroethylene in indoor air : communication from the German ad-hoc working group on indoor guidelines of the Indoor Air Hygiene Committee and of the states' supreme health authorities]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz.* 58: 762-768. <http://dx.doi.org/10.1007/s00103-015-2173-y>.
- Bekele, DN; Naidu, R; Chadalavada, S. (2016). Influence of soil properties on vapor-phase sorption of trichloroethylene. *J Hazard Mater.* 306: 34-40. <http://dx.doi.org/10.1016/j.jhazmat.2015.12.002>.
- Beland, F. (1999). NTP technical report on the toxicity and metabolism studies of chloral hydrate (CAS No. 302-17-0). Administered by gavage to F344/N rats and B6C3F1 mice. In *Toxicity Report Series* (pp. 1-66, A61-E67). U.S. Dept. of Health and Human Services, National Institutes of Health: Rockville, MD.
- Beland, F; Schmitt, T; Fullerton, N; Young, J. (1998). Metabolism of chloral hydrate in mice and rats after single and multiple doses. *J Toxicol Environ Health A.* 54: 209-226.
- Beliveau, M; Krishnan, K. (2005). A spreadsheet program for modeling quantitative structure-pharmacokinetic relationships for inhaled volatile organics in humans. *SAR and QSAR in Environmental Research.* 16: 63-77. <http://dx.doi.org/10.1080/10629360412331319880>.
- Bell, KY; Leboeuf, EJ. (2012). Mechanistic Investigation of Non-Ideal Sorption Behavior in Natural Organic Matter. 1. Vapor Phase Equilibrium. *Environ Sci Technol.* 46: 6689-6697. <http://dx.doi.org/10.1021/es204726p>.
- Bell, KY; Leboeuf, EJ. (2013). Influence of temperature and macromolecular mobility on sorption of TCE on humic acid coated mineral surfaces. *Chemosphere.* 90: 176-181. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.112>.
- Bellat, JP; Bertrand, O; Bouvier, F; Broyer, M; Francois, V; Maure, S; Weber, G. (1999). Characterization and utilization of MFI zeolites and MCM-41 materials for gaseous pollutant adsorption. *Stud Surf Sci Catal.* 125: 737-744.
- Bellobono, IR; Barni, B; Gianturco, F. (1995). PREINDUSTRIAL EXPERIENCE IN ADVANCED OXIDATION AND INTEGRAL PHOTODEGRADATION OF ORGANICS IN POTABLE WATERS AND WASTE-WATERS BY PHOTOPERM(TM) MEMBRANES IMMOBILIZING TITANIUM-DIOXIDE AND PROMOTING PHOTOCATALYSTS. *J Memb Sci.* 102: 139-147.
- Bellobono, IR; Gianturco, F; Chioldaroli, CM. (1997). Pilot-plant photomineralization of volatile organic compounds in air, by photocatalytic membranes immobilising titanium dioxide and promoting photocatalysts. *Fresen Environ Bull.* 6: 469-474.
- Belter, RK; Bhamare, NK. (2006). Solvent effects in the fluorination of 1,2-dichloro-1,1-difluoroethane (R-132b) to 2-chloro-1,1,1-trifluoroethane (R-133a). *J Fluor Chem.* 127: 1606-1610. <http://dx.doi.org/10.1016/j.jfluchem.2006.08.002>.
- Beltran, FJ; Gonzalez, M; Acedo, B; Gomez, C. (1997). Kinetic modelling of aqueous trichloroethylene direct ozonation in a continuous tank. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 32: 9-10.
- Beltran, FJ; Gonzalez, M; Acedo, B; Jaramillo, J. (1996). Contribution of free radical oxidation to eliminate volatile organochlorine compounds in water by ultraviolet radiation and hydrogen peroxide. *Chemosphere.* 32: 1949-1961.
- Beltran, FJ; Gonzalez, M; Rivas, FJ; Jaramillo, J. (1995). APPLICATION OF PHOTOCHEMICAL REACTOR MODELS TO UV IRRADIATION OF TRICHLOROETHYLENE IN WATER. *Chemosphere.* 31: 2873-2885.
- Beltran, FJ; Gonzalez, M; Rivas, J; Acedo, B. (1999). Aqueous degradation of VOCs in the ozone combined with hydrogen peroxide or UV radiation processes - 1. Experimental results. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 34: 649-671.
- Beltran, FJ; Gonzalez, M; Rivas, J; Acedo, B. (1999). Aqueous degradation of VOCs in the ozone combined with hydrogen peroxide or UV radiation processes. 2. Kinetic modeling. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 34: 673-693.

Exposure Literature Search Results

Off Topic

- Benane, S; Blackman, C; House, D. (1996). Effect of perchloroethylene and its metabolites on intercellular communication in clone 9 rat liver cells. *J Toxicol Environ Health*. 48: 427-437.
- Benedetti, MS; Whomsley, R; Canning, M. (2007). Drug metabolism in the paediatric population and in the elderly [Review]. *Drug Discov Today*. 12: 599-610. <http://dx.doi.org/10.1016/j.drudis.2007.06.011>.
- Beneteau, KM; Aravena, R; Frape, SK. (1999). Isotopic characterization of chlorinated solvents-laboratory and field results. *Organic Geochemistry*. 30: 739-753.
- Benfield, P; Ming, Y. (2015). Energy Development and Urbanization in China. *Energy and Environment*. 26: 1-14.
- Benichou, J; Chow, WH; McLaughlin, JK; Mandel, JS; Fraumeni, JF. (1998). Population attributable risk of renal cell cancer in Minnesota. *Am J Epidemiol*. 148: 424-430.
- Benignus, VA; Boyes, WK; Geller, AM; Bushnell, PJ. (2009). Long-term perchloroethylene exposure: A meta-analysis of neurobehavioral deficits in occupationally and residentially exposed groups. *J Toxicol Environ Health A*. 72: 824-831. <http://dx.doi.org/10.1080/15287390902800413>.
- Bennett, DH; James, AL; Mckone, TE; Oldenburg, CM. (1998). On uncertainty in remediation analysis: variance propagation from subsurface transport to exposure modeling. *Reliab Eng Syst Saf*. 62: 117-129.
- Benson, R. (2004). Correspondence from Robert Benson (U. S. EPA) to Dr. P. D. Johnson (University of Arizona) [Personal Communication].
- Beranger, SC; Sleep, BE; Lollar, BS; Brown, AJ. (2006). Isotopic fractionation of tetrachloroethene undergoing biodegradation supported by endogenous decay. *J Environ Eng*. 132: 725-735. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(725\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(725)).
- Beranger, SC; Sleep, BE; Lollar, BS; Monteagudo, FP. (2005). Transport, biodegradation and isotopic fractionation of chlorinated ethenes: modeling and parameter estimation methods. *Advances in Water Resources*. 28: 87-98. <http://dx.doi.org/10.1016/j.advwatres.2004.08.014>.
- Berez, A; Schafer, G; Ayari, F; Trabelsi-Ayadi, M. (2016). Adsorptive removal of azo dyes from aqueous solutions by natural bentonite under static and dynamic flow conditions. *Int J Environ Sci Tech*. 13: 1625-1640. <http://dx.doi.org/10.1007/s13762-016-1006-3>.
- Berge, ND; Ramsburg, CA. (2009). Oil-in-Water Emulsions for Encapsulated Delivery of Reactive Iron Particles. *Environ Sci Technol*. 43: 5060-5066. <http://dx.doi.org/10.1021/es900358p>.
- Berge, ND; Ramsburg, CA. (2010). Iron-mediated trichloroethene reduction within nonaqueous phase liquid. *J Contam Hydrol*. 118: 105-116. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.006>.
- Berger, J; Daxenbichler, G. (2002). DNA methylation of nuclear receptor genes - Possible role in malignancy [Review]. *J Steroid Biochem Mol Biol*. 80: 1-11. [http://dx.doi.org/10.1016/S0960-0760\(01\)00179-0](http://dx.doi.org/10.1016/S0960-0760(01)00179-0).
- Bergeron, A; Jorquera, R; Tanguay, R. (2003). La tyrosinémie héréditaire: Une maladie du stress du réticulum endoplasmique? [Review]. *Med Sci (Paris)*. 19: 976-980. <http://dx.doi.org/10.1051/medsci/20031910976>.
- Berggren, DRV; Marshall, I; Azizian, MF; Spormann, AM; Semprini, L. (2013). Effects of Sulfate Reduction on the Bacterial Community and Kinetic Parameters of a Dechlorinating Culture under Chemostat Growth Conditions. *Environ Sci Technol*. 47: 1879-1886. <http://dx.doi.org/10.1021/es304244z>.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scand J Work Environ Health*. 5 Suppl 1: 1-263.
- Bergner, H; Bartelt, J; Kijora, C; Gotz, KP. (1991). DEMONSTRATION OF MICROBIAL PROTEIN-SYNTHESIS IN THE SMALL-INTESTINE OF SHEEP WITH AN INTRADUODENAL INFUSION OF N-15-UREA. *Arch Tierernaehr*. 41: 765-768.
- Berisford, YC; Bush, PB; Blake, JI; Bayer, CL. (2003). Use of mini-sprinklers to strip trichloroethylene and tetrachloroethylene from contaminated ground water. *J Environ Qual*. 32: 801-815.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health*. 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernad, PG; Newell, S; Spyker, DA. (1987). Neurotoxicity and behavior abnormalities in a cohort chronically exposed to trichloroethylene [Abstract]. *Vet Hum Toxicol*. 29: 475.
- Bernard, GM; Wasylishen, RE; Phillips, AD. (2000). A carbon-13 and deuterium NMR investigation of solid platinum-ethylene complexes: Zeise's salt and Pt(eta(2)-C(2)H(4))(PPh(3))(2). *J Phys Chem A*. 104: 8131-8141. <http://dx.doi.org/10.1021/jp994439t>.
- Bernardo, M; Gonçalves, M; Lapa, N; Mendes, B. (2010). Determination of alkylphenols in eluates from pyrolysis solid residues using dispersive liquid-liquid microextraction. *Chemosphere*. 79: 1026-1032. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.062>.
- Bernasconi, CF; Rappoport, Z. (2009). Recent advances in our mechanistic understanding of S(N)V reactions. *Acc Chem Res*. 42: 993-1003. <http://dx.doi.org/10.1021/ar900048q>.
- Bernillon, P; Bois, FY. (2000). Statistical issues in toxicokinetic modeling: A bayesian perspective. *Environ Health Perspect*. 108: 883-893.
- Bernstein, A; Shouakar-Stash, O; Ebert, K; Laskov, C; Hunkeler, D; Jeannotat, S; Sakaguchi-Soeder, K; Laaks, J; Jochmann, MA; Cretnik, S; Jager, J; Haderlein, SB; Schmidt, TC; Aravena, R; Elsner, M. (2011). Compound-Specific Chlorine Isotope Analysis: A Comparison of Gas Chromatography/Isotope Ratio Mass Spectrometry and Gas Chromatography/Quadrupole Mass Spectrometry Methods in an Interlaboratory Study. *Anal Chem*. 83: 7624-7634. <http://dx.doi.org/10.1021/ac200516c>.
- Bérout, C; Joly, D; Gallou, C; Staroz, F; Orfanelli, MT; Junien, C. (1998). Software and database for the analysis of mutations in the VHL gene. *Nucleic Acids Res*. 26: 256-258.
- Berson, O; Lidstrom, ME. (1996). Study of copper accumulation by the type I methanotroph *Methylomicrobium albus* BG8. *Environ Sci Technol*. 30: 802-809.

Exposure Literature Search Results

Off Topic

- Bertrand, O; Weber, G; Maure, S; Bernardet, V; Bellat, JP; Paulin, C. (2005). Spectroscopic signatures of VOC physisorption on microporous solids. Application for trichloroethylene and tetrachloroethylene adsorption on MFI zeolites. *J Phys Chem B*. 109: 13312-13321. <http://dx.doi.org/10.1021/jp048442a>.
- Berty, JM; Stenger, HG; Buzan, GE; Hu, K. (1993). OXIDATION AND REMOVAL OF CHLORINATED HYDROCARBONS. *Stud Surf Sci Catal*. 75: 1571-1574.
- Besio, W; Chen, T. (2007). Tripolar Laplacian electrocardiogram and moment of activation isochronal mapping. *Physiol Meas*. 28: 515-529. <http://dx.doi.org/10.1088/0967-3334/28/5/006>.
- Besov, AS; Vorontsov, AV; Parmon, VN. (2009). Fast adsorptive and photocatalytic purification of air from acetone and dimethyl methylphosphonate by TiO₂ aerosol. *Appl Catal B-Environ*. 89: 602-612. <http://dx.doi.org/10.1016/j.apcatb.2009.01.024>.
- Besson, H; Brennan, P; Becker, N; Nieters, A; De Sanjosé, S; Font, R; Maynadié, M; Foretova, L; Cocco, PL; Staines, A; Vornanen, M; Boffetta, P. (2006). Tobacco smoking, alcohol drinking and non-Hodgkin's lymphoma: A European multicenter case-control study (EpiLymph). *Int J Cancer*. 119: 901-908. <http://dx.doi.org/10.1002/ijc.21913>.
- Best, DH; Coleman, WB. (2007). Treatment with 2-AAF blocks the small hepatocyte-like progenitor cell response in retrorsine-exposed rats. *J Hepatol*. 46: 1055-1063. <http://dx.doi.org/10.1016/j.jhep.2007.01.040>.
- Betancur-Corredor, B; Pino, NJ; Cardona, S; Peñuela, GA. (2015). Evaluation of biostimulation and Tween 80 addition for the bioremediation of long-term DDT-contaminated soil. *J Environ Sci*. 28: 101-109. <http://dx.doi.org/10.1016/j.jes.2014.06.044>.
- Bethoux, N; Tric, E; Chery, J; Beslier, MO. (2008). Why is the Ligurian Basin (Mediterranean Sea) seismogenic? Thermomechanical modeling of a reactivated passive margin. *Tectonics*. 27. <http://dx.doi.org/10.1029/2007tc002232>.
- Beukes, JA; Klaeboe, P; Mollendal, H; Nielsen, CJ. (1995). VIBRATIONAL AND ROTATIONAL SPECTRA AND AB-INITIO CALCULATIONS OF THIOCYANATOETHENE. *J Mol Struct*. 349: 37-40.
- Beuscher, U; Gooding, CH. (1998). The permeation of binary gas mixtures through support structures of composite membranes. *J Memb Sci*. 150: 57-73.
- Beuscher, U; Gooding, CH. (1999). The influence of the porous support layer of composite membranes on the separation of binary gas mixtures. *J Memb Sci*. 152: 99-116.
- Beyer, RP; Fry, RC; Lasarev, MR; Mcconnachie, LA; Meira, LB; Palmer, VS; Powell, CL; Ross, PK; Bammler, TK; Bradford, BU; Cranson, AB; Cunningham, ML; Fannin, RD; Higgins, GM; Hurban, P; Kayton, RJ; Kerr, KF; Kosyk, O; Lobenhofer, EK; Sieber, SO; Vliet, PA; Weis, BK; Wolfinger, R; Woods, CG; Freedman, JH; Linney, E; Kaufmann, WK; Kavanagh, TJ; Paules, RS; Rusyn, I; Samson, LD; Spencer, PS; Suk, W; Tennant, RJ; Zarbl, H; Consortium, MotTR. (2007). Multicenter study of acetaminophen hepatotoxicity reveals the importance of biological endpoints in genomic analyses. *Toxicol Sci*. 99: 326-337. <http://dx.doi.org/10.1093/toxsci/kfm150>.
- Bezbaruah, AN; Krajanganpan, S; Chisholm, BJ; Khan, E; Bermudez, JJ. (2009). Entrapment of iron nanoparticles in calcium alginate beads for groundwater remediation applications. *J Hazard Mater*. 166: 1339-1343. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.054>.
- Bezbaruah, AN; Shanbhogue, S; Simsek, S; Khan, E. (2011). Encapsulation of iron nanoparticles in alginate biopolymer for trichloroethylene remediation. *J Nanopart Res*. 13: 6673-6681. <http://dx.doi.org/10.1007/s11051-011-0574-x>.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol*. 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhattacharjee, S; Basnet, M; Tufenkji, N; Ghoshal, S. (2016). Effects of Rhamnolipid and Carboxymethylcellulose Coatings on Reactivity of Palladium-Doped Nanoscale Zerovalent Iron Particles. *Environ Sci Technol*. 50: 1812-1820. <http://dx.doi.org/10.1021/acs.est.5b05074>.
- Bhattacharjee, S; Ghoshal, S. (2016). Phase Transfer of Palladized Nanoscale Zerovalent Iron for Environmental Remediation of Trichloroethene. *Environ Sci Technol*. 50: 8631-8639. <http://dx.doi.org/10.1021/acs.est.6b01646>.
- Bhattacharyya, D; Van Dierdonck, TF; West, SD; Freshour, AR. (1995). TWO-PHASE OZONATION OF CHLORINATED ORGANICS. *J Hazard Mater*. 41: 73-93.
- Bhattacharyya, J; Read, D; Amos, S; Dooley, S; Killham, K; Paton, GI. (2005). Biosensor-based diagnostics of contaminated groundwater: assessment and remediation strategy. *Environ Pollut*. 134: 485-492. <http://dx.doi.org/10.1016/j.envpol.2004.09.002>.
- Bhowmick, M; Semmens, MJ. (1994). Laboratory-Scale Testing of a Continuous Clas Process. *J Am Water Works Assoc*. 86: 86-96.
- Bhunya, SP; Jena, GB. (1996). The evaluation of clastogenic potential of trichloroacetic acid (TCA) in chick in vivo test system. *Mutat Res Genet Toxicol Environ Mutagen*. 367: 253-259. [http://dx.doi.org/10.1016/S0165-1218\(96\)90085-3](http://dx.doi.org/10.1016/S0165-1218(96)90085-3).
- Bi, E; Devlin, JF; Huang, B, ei. (2009). Effects of Mixing Granular Iron with Sand on the Kinetics of Trichloroethylene Reduction. *Ground Water Monitoring and Remediation*. 29: 56-62. <http://dx.doi.org/10.1111/j.1745-6592.2009.01234.x>.
- Bi, E; Devlin, JF; Huang, B, ei; Firdous, R. (2010). Transport and Kinetic Studies To Characterize Reactive and Nonreactive Sites on Granular Iron. *Environ Sci Technol*. 44: 5564-5569. <http://dx.doi.org/10.1021/es101012p>.
- Bianco, A; Fabbri, D; Minella, M; Brigante, M; Mailhot, G; Maurino, V; Minero, C; Vione, D. (2015). New insights into the environmental photochemistry of 5-chloro-2-(2,4-dichlorophenoxy)phenol (triclosan): reconsidering the importance of indirect photoreactions. *Water Res*. 72: 271-280. <http://dx.doi.org/10.1016/j.watres.2014.07.036>.
- Biard, PF; Bouzaza, A; Wolbert, D. (2007). Photocatalytic degradation of two volatile fatty acids in an annular plug-flow reactor; Kinetic modeling and contribution of mass transfer rate. *Environ Sci Technol*. 41: 2908-2914. <http://dx.doi.org/10.1021/es062368n>.
- Bickle, GM; Suzuki, T; Mitarai, Y. (1994). CATALYTIC DESTRUCTION OF CHLOROFLUOROCARBONS AND TOXIC CHLORINATED HYDROCARBONS. *Appl Catal B-Environ*. 4: 141-153.
- Biernacki, M; Doust, JL; Doust, LL. (1995). Effects of trichloroethylene, plant sex and site of origin on modular demography in *Vallisneria americana*. *J Appl Ecol*. 32: 761-777.

Exposure Literature Search Results

Off Topic

- Bierwagen, BG; Keller, AA. (2001). Measurement of Henry's law constant for methyl tert-butyl ether using solid-phase microextraction. *Environ Toxicol Chem.* 20: 1625-1629.
- Bignami, M; Conti, G; Conti, L; Crebelli, R; Misuraca, F; Puglia, AM; Randazzo, R; Sciandrello, G; Carere, A. (1980). Mutagenicity of halogenated aliphatic hydrocarbons in *Salmonella typhimurium*, *Streptomyces coelicolor* and *Aspergillus nidulans*. *Chem Biol Interact.* 30: 9-23. [http://dx.doi.org/10.1016/0009-2797\(80\)90110-6](http://dx.doi.org/10.1016/0009-2797(80)90110-6).
- Bill, M; Schuth, C; Barth, JAC; Kalin, RM. (2001). Carbon isotope fractionation during abiotic reductive dehalogenation of trichloroethene (TCE). *Chemosphere.* 44: 1281-1286.
- Binas, VD; Sambani, K; Maggos, T; Katsanaki, A; Kiriakidis, G. (2012). Synthesis and photocatalytic activity of Mn-doped TiO₂ nanostructured powders under UV and visible light. *Appl Catal B-Environ.* 113: 79-86. <http://dx.doi.org/10.1016/j.apcatb.2011.11.021>.
- Bing, G; Tie-Long, L; Zhao-Hui, J; Xin-Hua, Q. (2009). Synthesis of Chitosan-stabilized Nanoscale Zero-valent Iron for Removal of Hexavalent Chromium from Surface Water. *Chem J Chin Univ-Chin.* 30: 796-799.
- Bingham, E; Cohrssen, B; Powell, CH. (2001). Patty's toxicology. In E Bingham; B Cohrssen; CH Powell (Eds.), (5 ed.). Hoboken, NJ: John Wiley & Sons. <http://dx.doi.org/10.1002/0471125474>.
- Birner, G; Bernauer, U; Werner, M; Dekant, W. (1997). Biotransformation, excretion and nephrotoxicity of haloalkene-derived cysteine S-conjugates. *Arch Toxicol.* 72: 1-8. <http://dx.doi.org/10.1007/s002040050461>.
- Birner, G; Richling, C; Henschler, D; Anders, MW; Dekant, W. (1994). Metabolism of tetrachloroethene in rats: Identification of N[epsilon]-(dichloroacetyl)-L-lysine and N[epsilon]-(trichloroacetyl)-L-lysine as protein adducts. *Chem Res Toxicol.* 7: 724-732. <http://dx.doi.org/10.1021/tx00042a003>.
- Birner, G; Vamvakas, S; Dekant, W; Henschler, D. (1993). Nephrotoxic and genotoxic N-acetyl-S-dichlorovinyl-L-cysteine is a urinary metabolite after occupational 1,1,2-trichloroethene exposure in humans: Implications for the risk of trichloroethene exposure. *Environ Health Perspect.* 99: 281-284.
- Birner, G; Werner, M; Rosner, E; Mehler, C; Dekant, W. (1998). Biotransformation, excretion, and nephrotoxicity of the hexachlorobutadiene metabolite (E)-N-acetyl-S-(1,2,3,4, 4-pentachlorobutadienyl)-L-cysteine sulfoxide. *Chem Res Toxicol.* 11: 750-757. <http://dx.doi.org/10.1021/tx970216n>.
- Bjornsson, HT; Sigurdsson, MI; Fallin, MD; Irizarry, RA; Aspelund, T; Cui, H; Yu, W; Rongione, MA; Ekström, TJ; Harris, TB; Launer, LJ; Eiriksdottir, G; Leppert, MF; Sapienza, C; Gudnason, V; Feinberg, AP. (2008). Intra-individual change over time in DNA methylation with familial clustering. *JAMA.* 299: 2877-2883. <http://dx.doi.org/10.1001/jama.299.24.2877>.
- Blackburn, A; Coggan, M; Tzeng, H; Lantum, H; Polekhina, G; Parker, M; Anders, M; Board, P. (2001). GSTZ1d: A new allele of glutathione transferase zeta and maleylacetoacetate isomerase. *Pharmacogenetics.* 11: 671-678.
- Blackburn, A; Tzeng, H; Anders, M; Board, P. (2000). Discovery of a functional polymorphism in human glutathione transferase zeta by expressed sequence tag database analysis. *Pharmacogenetics.* 10: 49-57.
- Blackshaw, AW. (1970). Histochemical localization of testicular enzyme. In AD Johnson; WR Gomes; NL VanDemark (Eds.), (pp. 73-173). New York, NY: Academic Press.
- Blair, DS; Bando, J. (1998). Quantitative monitoring of volatile organic compounds in water using an evanescent fiber optic chemical sensor. *Environ Sci Technol.* 32: 294-298.
- Blake, JE; Compton, KV; Schmidt, W; Orrego, H. (1988). Accuracy of death certificates in the diagnosis of alcoholic liver cirrhosis. *Alcohol Clin Exp Res.* 12: 168-172. <http://dx.doi.org/10.1111/j.1530-0277.1988.tb00154.x>.
- Blake, MJ; Castro, L; Leeder, JS; Kearns, GL. (2005). Ontogeny of drug metabolizing enzymes in the neonate [Review]. *Semin Fetal Neonatal Med.* 10: 123-138. <http://dx.doi.org/10.1016/j.siny.2004.11.001>.
- Blanch-Raga, N; Eduardo Palomares, A; Martinez-Triguero, J; Fetter, G; Bosch, P. (2013). Cu Mixed Oxides Based on Hydrotalcite-Like Compounds for the Oxidation of Trichloroethylene. *Ind Eng Chem Res.* 52: 15772-15779. <http://dx.doi.org/10.1021/ie4024935>.
- Blanch-Raga, N; Eduardo Palomares, A; Martinez-Triguero, J; Puche, M; Fetter, G; Bosch, P. (2014). The oxidation of trichloroethylene over different mixed oxides derived from hydrotalcites. *Appl Catal B-Environ.* 160: 129-134. <http://dx.doi.org/10.1016/j.apcatb.2014.05.014>.
- Blanch-Raga, N; Palomares, AE; Martinez-Triguero, J; Valencia, S. (2016). Cu and Co modified beta zeolite catalysts for the trichloroethylene oxidation. *Appl Catal B-Environ.* 187: 90-97. <http://dx.doi.org/10.1016/j.apcatb.2016.01.029>.
- Blanch-Raga, N; Soriano, MD; Palomares, AE; Concepcion, P; Martinez-Triguero, J; Lopez Nieto, JM. (2013). Catalytic abatement of trichloroethylene over Mo and/or W-based bronzes. *Appl Catal B-Environ.* 130: 36-43. <http://dx.doi.org/10.1016/j.apcatb.2012.10.016>.
- Blanco, MB; Taccone, RA; Lane, SI; Teruel, MA. (2006). Kinetics of the reactions of O(3P) with CCl₂=CH₂, (Z)-CHCl=CHCl, and CCl₂=CCl₂: a temperature dependence study. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory.* 110: 11091-11097. <http://dx.doi.org/10.1021/jp063028r>.
- Blanes, I, an; Serra-Sagrasta, J. (2010). Cost and Scalability Improvements to the Karhunen-Loeve Transform for Remote-Sensing Image Coding. *IEEE Trans Geosci Remote Sens.* 48: 2854-2863. <http://dx.doi.org/10.1109/TGRS.2010.2042063>.
- Blanford, WJ; Barackman, ML; Boving, TB; Klingel, EJ; Johnson, GR; Brusseau, ML. (2001). Cyclodextrin-enhanced vertical flushing of a trichloroethene contaminated aquifer. *Ground Water Monitoring and Remediation.* 21: 58-66.
- Blanford, WJ; Gao, H. (2012). Dynamic interactions between cyclodextrin, an organic pollutant, and granular activated carbon in column studies. *J Environ Monit.* 14: 3024-3028. <http://dx.doi.org/10.1039/c2em30313b>.

Exposure Literature Search Results

Off Topic

- Blankenship, A; Chang, DPY; Jones, AD; Kelly, PB; Kennedy, IM; Matsumura, F; Pasek, R; Yang, GS. (1994). TOXIC COMBUSTION BY-PRODUCTS FROM THE INCINERATION OF CHLORINATED HYDROCARBONS AND PLASTICS. *Chemosphere*. 28: 183-196.
- Blatter, BM; Roeleveld, N; Zielhuis, GA; Verbeek, AL. (1997). Assessment of occupational exposure in a population based case-control study: Comparing postal questionnaires with personal interviews. *Occup Environ Med*. 54: 54-59.
- Blechacz, BR; Gores, GJ. (2008). Cholangiocarcinoma [Review]. *Clin Liver Dis*. 12: 131-150, ix. <http://dx.doi.org/10.1016/j.cld.2007.11.003>.
- Blessing, M; Schmidt, TC; Dinkel, R; Haderlein, SB. (2009). Delineation of multiple chlorinated ethene sources in an industrialized area--a forensic field study using compound-specific isotope analysis. *Environ Sci Technol*. 43: 2701-2707. <http://dx.doi.org/10.1021/es803100p>.
- Bleyl, S; Kopinke, FD; Georgi, A; Mackenzie, K. (2013). Carbo-Iron - A Tailored Reagent for In Situ Groundwater Remediation. *Chem Ing Tech*. 85: 1302-1311. <http://dx.doi.org/10.1002/cite.201300009>.
- Bloemen, L; Monster, A; Kezic, S; Commandeur, J; Veulemans, H; Vermeulen, N; Wilmer, J. (2001). Study on the cytochrome P-450- and glutathione-dependent biotransformation of trichloroethylene in humans. *Int Arch Occup Environ Health*. 74: 102-108. <http://dx.doi.org/10.1007/s00420000198>.
- Bloemen, LJ; Tomenson, J. (1995). Increased incidence of renal cell tumours in a cohort of cardboard workers exposed to trichloroethylene [Letter]. *Arch Toxicol*. 70: 129-130. <http://dx.doi.org/10.1007/BF02733675>.
- Bloom, Y; Aravena, R; Hunkeler, D; Edwards, E; Frape, SK. (2000). Carbon isotope fractionation during microbial dechlorination of trichloroethene, cis-1,2-dichloroethene, and vinyl chloride: Implications for assessment of natural attenuation. *Environ Sci Technol*. 34: 2768-2772. <http://dx.doi.org/10.1021/es991179k>.
- Blot, WJ; Fryzek, JP; Henderson, BE; Sadler, CJ; McLaughlin, JK. (2000). A cohort mortality study among gas generator utility workers. *J Occup Environ Med*. 42: 194-199.
- Blount, MC; Falconer, JL. (2001). Characterization of adsorbed species on TiO₂ after photocatalytic oxidation of toluene. *J Catal*. 200: 21-33. <http://dx.doi.org/10.1006/jcat.2001.3174>.
- Bloxham, LH; Haq, S; Yugnet, Y; Bertolini, JC; Raval, R. (2004). trans-1,2-dichloroethene on Cu₅₀Pd₅₀(110) alloy surface: dynamical changes in the adsorption, reaction, and surface segregation. *J Catal*. 227: 33-43. <http://dx.doi.org/10.1016/j.jcat.2004.06.015>.
- Blunck, DL; Shouse, DT; Neuroth, C; Lynch, A, my; Erdmann, TJ; Burrus, DL; Zelina, J; Richardson, D; Caswell, A. (2014). Experimental Studies of Cavity and Core Flow Interactions With Application to Ultra-Compact Combustors. *J Eng Gas Turbines Power*. 136. <http://dx.doi.org/10.1115/1.4026975>.
- Blystone, PG; Johnson, MD; Haag, WR; Daley, PF. (1993). ADVANCED ULTRAVIOLET FLASH LAMPS FOR THE DESTRUCTION OF ORGANIC CONTAMINANTS IN AIR. *ACS Symp Ser Am Chem Soc*. 518: 380-392.
- Blyth, WA; Taverne, J. (1974). CULTIVATION OF TRIC AGENTS - COMPARISON BETWEEN USE OF BHK-21 AND IRRADIATED MCCOY CELLS. *J Hyg*. 72: 121-128.
- Boal, AK; Rhodes, C; Garcia, S. (2015). Pump-and-Treat Groundwater Remediation Using Chlorine/Ultraviolet Advanced Oxidation Processes. *Ground Water Monitoring and Remediation*. 35: 93-100. <http://dx.doi.org/10.1111/gwmr.12095>.
- Board, P; Chelvanayagam, G; Jermiin, L; Tetlow, N; Tzeng, H; Anders, M; Blackburn, A. (2001). Identification of novel glutathione transferases and polymorphic variants by expressed sequence tag database analysis. *Drug Metab Dispos*. 29: 544-547.
- Bobadilla, R; Huybrechts, T; Dewulf, J; Van Langenhove, H. (2003). Determination of the Henry's constant of volatile and semi-volatile organic compounds of environmental concern by the BAS (batch air stripping) technique: A new mathematical approach. *Journal of the Chilean Chemical Society*. 48: 7-11.
- Bocchini, P; Pozzi, R; Andalo, C; Galletti, GC. (1999). Membrane inlet mass spectrometry of volatile organohalogen compounds in drinking water. *Rapid Commun Mass Spectrom*. 13: 2049-2053. [http://dx.doi.org/10.1002/\(SICI\)1097-0231\(19991030\)13:20<2049::AID-RCM752>3.0.CO;2-B](http://dx.doi.org/10.1002/(SICI)1097-0231(19991030)13:20<2049::AID-RCM752>3.0.CO;2-B).
- Bocchini, P; Pozzi, R; Andalo, C; Galletti, GC. (2001). Experimental upgrades of membrane introduction mass spectrometry for water and air analysis. *Anal Chem*. 73: 3824-3827.
- Boerrigter, ME. (2004). Mutagenicity of the peroxisome proliferators clofibrate, Wyeth 14,643 and di-2-ethylhexyl phthalate in the lacZ plasmid-based transgenic mouse mutation assay. *Journal of Carcinogenesis*. 3: 7. <http://dx.doi.org/10.1186/1477-3163-3-7>.
- Boffetta, P; de Vocht, F. (2007). Occupation and the risk of non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev*. 16: 369-372. <http://dx.doi.org/10.1158/1055-9965.EPI-06-1055>.
- Bogdal, D; Pielichowski, J. (1995). Application of trichloroethylene in organic synthesis .8. Competitive reactions of dichloroacetylene with secondary amines and carbazole. New evidence for the reaction mechanism. *Bull Soc Chim Fr*. 132: 1127-1131.
- Bogen, K; Keating, G; Meissner, S; Vogel, J. (1998). Initial uptake kinetics in human skin exposed to dilute aqueous trichloroethylene in vitro. *J Expo Anal Environ Epidemiol*. 8: 253-271.
- Bogen, KT. (1990). Uncertainty in environmental health risk assessment. New York, NY: Garland Publishing.
- Bogen, KT. (1995). Methods to Approximate Joint Uncertainty and Variability in Risk. *Risk Anal*. 15: 411-419.
- Bogen, KT. (2006). Comment on "Steady State Solutions to PBPK Models and Their Applications to Risk Assessment I: Route to Route Extrapolation of Volatile Chemicals," by Chiu and White in *Risk Analysis*, 26(3), 769-780 [Comment]. *Risk Anal*. 26: 1415; author reply 1417-1418. <http://dx.doi.org/10.1111/j.1539-6924.2006.00854.x>.
- Bohy, M; Dridi, L; Schaefer, G; Razakarisoa, O. (2006). Transport of a mixture of chlorinated solvent vapors in the vadose zone of a sandy aquifer: Experimental study and numerical modeling. *Vadose Zone Journal*. 5: 539-553. <http://dx.doi.org/10.2136/vzj2005.0079>.
- Boice, J; McLaughlin, J. (2001). Errors in TCE analysis [Letter]. *Environ Health Perspect*. 109: A108-A109.

Exposure Literature Search Results

Off Topic

- Boice, JD; Cohen, SS; Mumma, MT; Dupree Ellis, E; Eckerman, KF; Leggett, RW; Boecker, BB; Brill, AB; Henderson, BE. (2006). Mortality among radiation workers at Rocketdyne (Atomics International), 1948-1999. *Radiat Res.* 166: 98-115. <http://dx.doi.org/10.1667/RR3582.1>.
- Boice, JD, Jr; Marano, D; Fryzek, J; Sadler, C; Mclaughlin, JK. (1999). Mortality among aircraft manufacturing workers. *Occup Environ Med.* 56: 581-597. <http://dx.doi.org/10.1136/oem.56.9.581>.
- Boice, JD; Marano, DE; Cohen, SS; Mumma, MT; Blot, WJ; Brill, AB; Fryzek, JP; Henderson, BE; Mclaughlin, JK. (2006). Mortality among Rocketdyne workers who tested rocket engines, 1948-1999. *J Occup Environ Med.* 48: 1070-1092. <http://dx.doi.org/10.1097/01.jom.0000240661.33413.b5>.
- Bois, F. (2000). Statistical analysis of Fisher et al. PBPK model of trichloroethylene kinetics. *Environ Health Perspect.* 108: 275-282.
- Bois, FY. (2000). Statistical analysis of Clewell et al. PBPK model of trichloroethylene kinetics. *Environ Health Perspect.* 108: 307-316.
- Bokare, AD; Chikate, RC; Rode, CV; Paknikar, KM. (2007). Effect of surface chemistry of Fe-Ni nanoparticles on mechanistic pathways of azo dye degradation. *Environ Sci Technol.* 41: 7437-7443. <http://dx.doi.org/10.1021/es071107q>.
- Bokare, AD; Chikate, RC; Rode, CV; Paknikar, KM. (2008). Iron-nickel bimetallic nanoparticles for reductive degradation of azo dye Orange G in aqueous solution. *Appl Catal B-Environ.* 79: 270-278. <http://dx.doi.org/10.1016/j.apcatb.2007.10.033>.
- Bold, S; Kraft, S; Grathwohl, P; Liedl, R. (2003). Sorption/desorption kinetics of contaminants on mobile particles: Modeling and experimental evidence. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001798>.
- Bolesch, DG; Nielsen, RB; Keasling, JD. (1997). COMPLETE REDUCTIVE DECHLORINATION OF TRICHLOROETHENE BY A GROUNDWATER MICROBIAL CONSORTIUM (pp. NEW YORK). (ISSN 0077-8923; EISSN 1749-6632; BIOSIS/98/14946). Bolesch, DG; Nielsen, RB; Keasling, JD.
- Bolm-Audorff, U; Ahrens, W; Jockel, KH; Molik, B; Greiser, E; Timm, J. (1988). Experience with supplementary questionnaires in a lung cancer case-referent study. In D Henon; M Goldberg (Eds.), (pp. 117-168). Luxembourg: Commission of the European Communities.
- Bolt, HM; Buchter, A; Wolowski, L; Gil, DL; Bolt, W. (1977). Incubation of 14C-trichloroethylene vapor with rat liver microsomes: uptake of radioactivity and covalent protein binding of metabolites. *Int Arch Occup Environ Health.* 39: 103-111.
- Bolzoni, A; Viglianti, L; Bossi, A; Mussini, PR; Cauteruccio, S; Baldoli, C; Licandro, E. (2013). Synthesis, Photophysics, and Electrochemistry of Tetra(2-thienyl)ethylene (TTE) Derivatives. *European Journal of Organic Chemistry.* 2013: 7489-7499. <http://dx.doi.org/10.1002/ejoc.201300745>.
- Bonatti, S; Cavaliere, Z; Viaggi, S; Abbondandolo, A. (1992). The analysis of 10 potential spindle poisons for their ability to induce CREST-positive micronuclei in human diploid fibroblasts. *Mutagenesis.* 7: 111-114. <http://dx.doi.org/10.1093/mutage/7.2.111>.
- Bontha, JR; Kaplan, DI. (1999). Immobilization or recovery of chlorinated hydrocarbons from contaminated groundwater using clathrate hydrates: A proof-of-concept. *Environ Sci Technol.* 33: 1051-1055.
- Booker, RS; Pavlostathis, SG. (2000). Microbial reductive dechlorination of hexachloro-1,3-butadiene in a methanogenic enrichment culture. *Water Res.* 34: 4437-4445.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. *Bioresour Technol.* 84: 69-73.
- Boorman, GA. (1999). Drinking water disinfection byproducts: Review and approach to toxicity evaluation [Review]. *Environ Health Perspect.* 107: 207-217.
- Bootharaju, MS; Deepesh, GK; Udayabhaskararao, T; Pradeep, T. (2013). Atomically precise silver clusters for efficient chlorocarbon degradation. 1: 611-620. <http://dx.doi.org/10.1039/c2ta00254j>.
- Borak, J; Russi, M; Puglisi, J. (2000). Meta-analyses of TCE carcinogenicity [Letter]. *Environ Health Perspect.* 108: A542-A544.
- Borch, T; Ambus, P; Laturnus, F; Svensmark, B; Grøn, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. *Chemosphere.* 51: 143-152. [http://dx.doi.org/10.1016/S0045-6535\(02\)00851-2](http://dx.doi.org/10.1016/S0045-6535(02)00851-2).
- Bordel, S; Munoz, R; Diaz, LF; Villaverde, S. (2007). Predicting the accumulation of harmful metabolic byproducts during the treatment of VOC emissions in suspended growth bioreactors. *Environ Sci Technol.* 41: 5875-5881. <http://dx.doi.org/10.1021/es070365k>.
- Borgert, CJ. (2004). Chemical mixtures: An unsolvable riddle? *Hum Ecol Risk Assess.* 10: 619-629. <http://dx.doi.org/10.1080/10807030490484192>.
- Born, B; Maurer, H; Pilchowski, K. (1996). Adsorptive separation of highly volatile chlorohydrocarbons from inert gases with adsorbent polymers and activated charcoal .1. Isotherms and kinetics of adsorption. *Chem Tech (Leipzig).* 48: 315-322.
- Born, B; Pilchowski, K. (1997). Adsorptive separation of vapours of VCHC from inert gases by polymeric adsorbents and activated carbons .2. Dynamics of adsorption. *Chem Tech (Leipzig).* 49: 227-234.
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol.* 32: 2614-2622.
- Borzio, M; Fargion, S; Borzio, F; Fracanzani, AL; Croce, AM; Stroffolini, T; Oldani, S; Cotichini, R; Roncalli, M. (2003). Impact of large regenerative, low grade and high grade dysplastic nodules in hepatocellular carcinoma development. *J Hepatol.* 39: 208-214. [http://dx.doi.org/10.1016/S0168-8278\(03\)00190-9](http://dx.doi.org/10.1016/S0168-8278(03)00190-9).
- Bosc, JJ; Jarry, C; Leger, JM; Negrier, P; Haget, Y. (1995). POLYMORPHISM AND CHIRALITY OF N-PHENYL-N'-[1-(3-(1-PHENYL-4-PIPERAZINO)PROPAN-2-OL)]UREA. *J Chim Phys Phys Chim Biol.* 92: 1066-1083.
- Boschini, F; Rulmont, A; Cloots, R; Moreno, R. (2009). Rheological behaviour of BaZrO3 suspensions in non-aqueous media. *Ceramics International.* 35: 1007-1013. <http://dx.doi.org/10.1016/j.ceramint.2008.04.012>.
- Boshta, M; Barner, K; Braunstein, R; Alavi, B; Dalal, V. (2004). Determination of the trap state density differences in hydrogenated microcrystalline silicon-germanium (Si : Ge : H) alloys. *Mater Sci Eng B.* 112: 69-72. <http://dx.doi.org/10.1016/j.mseb.2004.06.009>.

Exposure Literature Search Results

Off Topic

- Boshta, M; Barner, K; Braunstein, R; Alavi, B; Nelson, B. (2005). Determination of the trap state density differences in hydrogenated amorphous silicon-germanium alloys. *J Mater Res.* 20: 48-53. <http://dx.doi.org/10.1557/JMR.2005.0014>.
- Bou, A; Torchio, P; Barakel, D; Thoulon, PY; Ricci, M. (2016). Numerical and experimental investigation of transparent and conductive TiOx/Ag/TiOx electrode. *Thin Solid Films.* 617: 86-94. <http://dx.doi.org/10.1016/j.tsf.2015.12.041>.
- Boublík, T; Fried, V; Hála, E. (1984). The vapour pressures of pure substances: Selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. In *Physical Sciences Data*, vol 17 (2nd Revised ed.). Amsterdam, The Netherlands: Elsevier Science Publishers. <https://www.elsevier.com/books/the-vapour-pressures-of-pure-substances/boubl-k/978-0-444-42266-8>.
- Bouchard, D; Hunkeler, D. (2014). Solvent-based dissolution method to sample gas-phase volatile organic compounds for compound-specific isotope analysis. *J Chromatogr A.* 1325: 16-22. <http://dx.doi.org/10.1016/j.chroma.2013.11.055>.
- Boufahja, F; Hedfi, A; Amorri, J; Aïssa, P; Beyrem, H; Mahmoudi, E. (2011). Examination of the bioindicator potential of *Oncholaimus campylocercoides* (Oncholaimidae, Nematoda) from Bizerte bay (Tunisia). *Ecol Indic.* 11: 1139-1148. <http://dx.doi.org/10.1016/j.ecolind.2010.12.014>.
- Boufahja, F; Hedfi, A; Essid, N; Aïssa, P; Mahmoudi, E; Beyrem, H. (2012). An observational study on changes in biometry and generation time of *Odontophora villoti* (Nematoda, Axonolaimidae) related to petroleum pollution in Bizerte bay, Tunisia. *Environ Sci Pollut Res Int.* 19: 646-655. <http://dx.doi.org/10.1007/s11356-011-0609-y>.
- Bougie, S; Dube, JS. (2007). Oxidation of dichlorobenzene isomers with the help of thermally activated sodium persulfate. *J Environ Eng Sci.* 6: 397-407. <http://dx.doi.org/10.1139/S07-024>.
- Boul, HL. (1996). Effect of soil moisture on the fate of radiolabelled DDT and DDE in vitro. *Chemosphere.* 32: 855-866.
- Boving, TB; Brusseau, ML. (2000). Solubilization and removal of residual trichloroethene from porous media: comparison of several solubilization agents. *J Contam Hydrol.* 42: 51-67.
- Boving, TB; Brusseau, ML. (2001). Solubilization and removal of residual trichloroethene from porous media: comparison of several solubilization agents (vol 42, pg 51, 2000). *J Contam Hydrol.* 49: 171-171.
- Boving, TB; Wang, XJ; Brusseau, ML. (1999). Cyclodextrin-enhanced solubilization and removal of residual-phase chlorinated solvents from porous media. *Environ Sci Technol.* 33: 764-770.
- Bovo, R; Aimoni, C; Martini, A. (2006). Immune-mediated inner ear disease [Review]. *Acta Otolaryngol.* 126: 1012-1021. <http://dx.doi.org/10.1080/00016480600606723>.
- Bowers, BF; Huang, B; He, Q; Shu, X; Jia, X; Miller, BC. (2015). Investigation of Sequential Dissolution of Asphalt Binder in Common Solvents by FTIR and Binder Fractionation. *Journal of Materials in Civil Engineering.* 27. [http://dx.doi.org/10.1061/\(ASCE\)MT.1943-5533.0001198](http://dx.doi.org/10.1061/(ASCE)MT.1943-5533.0001198).
- Bowers, BF; Huang, B; Shu, X. (2014). Refining laboratory procedure for artificial RAP: A comparative study. *Construction and Building Materials.* 52: 385-390. <http://dx.doi.org/10.1016/j.conbuildmat.2013.11.003>.
- Box, GEP; Hunter, WG; Hunter, JS. (1978). *Statistics for experimenters: an introduction to design, data analysis, and model building*. New York, NY: Wiley.
- Boyadzhiev, L; Yordanov, B. (2004). Pertraction of indole alkaloids from *Vinca minor* L. *Separation Science and Technology.* 39: 1321-1329. <http://dx.doi.org/10.1081/SS-120030485>.
- Boyault, S; Rickman, DS; de Reyniés, A; Balabaud, C; Rebouissou, S; Jeannot, E; Herault, A; Saric, J; Belghiti, J; Franco, D; Bioulac-Sage, P; Laurent-Puig, P; Zucman-Rossi, J. (2007). Transcriptome classification of HCC is related to gene alterations and to new therapeutic targets. *Hepatology.* 45: 42-52. <http://dx.doi.org/10.1002/hep.21467>.
- Boyes, WK; Bushnell, PJ; Crofton, KM; Evans, M; Simmons, JE. (2000). Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario [Review]. *Environ Health Perspect.* 108: 317-322.
- Boyes, WK; Evans, MV; Eklund, C; Janssen, P; Simmons, JE. (2005). Duration adjustment of acute exposure guideline level values for trichloroethylene using a physiologically-based pharmacokinetic model. *Risk Anal.* 25: 677-686. <http://dx.doi.org/10.1111/j.1539-6924.2005.00622.x>.
- Boyes, WK; Simmons, JE; Eklund, C; Benignus, VA; Janssen, P; Bushnell, PJ. (2005). Applications of dosimetry modeling to assessment of neurotoxic risk. *Environ Toxicol Pharmacol.* 19: 599-605. <http://dx.doi.org/10.1016/j.etap.2004.12.025>.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol.* 136: 712-721.
- Bozzelli, JW; Barat, RB. (1988). REACTIONS OF WATER-VAPOR OR MOLECULAR-HYDROGEN WITH TRICHLOROETHYLENE IN A MICROWAVE PLASMA REACTOR. *Plasma Chemistry and Plasma Processing.* 8: 293-314.
- Bradford, BU; Kono, H; Isayama, F; Kosyk, O; Wheeler, MD; Akiyama, TE; Bleye, L; Krausz, KW; Gonzalez, FJ; Koop, DR; Rusyn, I. (2005). Cytochrome P450 CYP2E1, but not nicotinamide adenine dinucleotide phosphate oxidase, is required for ethanol-induced oxidative DNA damage in rodent liver. *Hepatology.* 41: 336-344. <http://dx.doi.org/10.1002/hep.20532>.
- Bradley, PM. (2000). Microbial degradation of chloroethenes in groundwater systems. *Hydrogeology Journal.* 8: 104-111.
- Bradley, PM. (2011). Reinterpreting the Importance of Oxygen-Based Biodegradation in Chloroethene-Contaminated Groundwater. *Ground Water Monitoring and Remediation.* 31: 50-55. <http://dx.doi.org/10.1111/j.1745-6592.2011.01344.x>.
- Bradley, PM; Chapelle, FH. (1996). Anaerobic mineralization of vinyl chloride in Fe(III)-reducing, aquifer sediments. *Environ Sci Technol.* 30: 2084-2086.
- Bradley, PM; Chapelle, FH. (1997). Kinetics of DCE and VC mineralization under methanogenic and Fe(III)-reducing conditions. *Environ Sci Technol.* 31: 2692-2696.

Exposure Literature Search Results

Off Topic

- Bradley, PM; Chapelle, FH. (1998). Effect of contaminant concentration on aerobic microbial mineralization of DCE and VC in stream-bed sediments. *Environ Sci Technol.* 32: 553-557.
- Bradley, PM; Chapelle, FH. (1999). Methane as a product of chloroethane biodegradation under methanogenic conditions. *Environ Sci Technol.* 33: 653-656.
- Bradley, PM; Chapelle, FH. (2000). Aerobic microbial mineralization of dichloroethene as sole carbon substrate. *Environ Sci Technol.* 34: 221-223.
- Bradley, PM; Chapelle, FH; Wilson, JT. (1998). Field and laboratory evidence for intrinsic biodegradation of vinyl chloride contamination in a Fe(III)-reducing aquifer. *J Contam Hydrol.* 31: 111-127.
- Braeckevelt, M; Reiche, N; Trapp, S; Wiessner, A; Paschke, H; Kuschke, P; Kaestner, M. (2011). Chlorobenzene removal efficiencies and removal processes in a pilot-scale constructed wetland treating contaminated groundwater. *Ecol Eng.* 37: 903-913. <http://dx.doi.org/10.1016/j.ecoleng.2011.01.014>.
- Braeckevelt, M; Seeger, EM; Paschke, H; Kuschke, P; Kaestner, M. (2011). Adaptation of a Constructed Wetland to Simultaneous Treatment of Monochlorobenzene and Perchloroethene. *Int J Phytoremediation.* 13: 998-1013. <http://dx.doi.org/10.1080/15226514.2010.549860>.
- Brahma, PP; Harmon, TC. (2003). The effect of multicomponent diffusion on NAPL dissolution from spherical ternary mixtures. *J Contam Hydrol.* 67: 43-60. [http://dx.doi.org/10.1016/S0169-7722\(03\)00087-1](http://dx.doi.org/10.1016/S0169-7722(03)00087-1).
- Braissant, O; Wahli, W. (1998). Differential expression of peroxisome proliferator-activated receptor-alpha, -beta, and -gamma during rat embryonic development. *Endocrinology.* 139: 2748-2754.
- Branda, M; Wands, JR. (2006). Signal transduction cascades and hepatitis B and C related hepatocellular carcinoma [Review]. *Hepatology.* 43: 891-902. <http://dx.doi.org/10.1002/hep.21196>.
- Brandes, D; Farley, KJ. (1993). Importance of phase behaviour on the removal of residual DNAPLs from porous media by alcohol flooding. *Water Environ Res.* 65: 869-878.
- Brandi, RJ; Rintoul, G; Alfano, OM; Cassano, AE. (2002). Photocatalytic reactors - Reaction kinetics in a flat plate solar simulator. *Catalysis Today.* 76: 161-175.
- Brandt, BW; van Leeuwen, IM; Kooijman, SA. (2003). A general model for multiple substrate biodegradation. Application to co-metabolism of structurally non-analogous compounds. *Water Res.* 37: 4843-4854. <http://dx.doi.org/10.1016/j.watres.2003.08.006>.
- Bransfield, SJ; Cwiertny, DM; Livi, K; Fairbrother, DH. (2007). Influence of transition metal additives and temperature on the rate of organohalide reduction by granular iron: Implications for reaction mechanisms. *Appl Catal B-Environ.* 76: 348-356. <http://dx.doi.org/10.1016/j.apcatb.2007.06.003>.
- Bransfield, SJ; Cwiertny, DM; Roberts, AL; Fairbrother, DH. (2006). Influence of copper loading and surface coverage on the reactivity of granular iron toward 1,1,1-trichloroethane. *Environ Sci Technol.* 40: 1485-1490. <http://dx.doi.org/10.1021/es051300p>.
- Brar, SK; Gupta, SK. (2000). Biodegradation of trichloroethylene in a rotating biological contactor. *Water Res.* 34: 4207-4214.
- Brautbar, N; Richter, ED; Neshet, G. (2004). Systemic vasculitis and prior recent exposure to organic solvents: Report of two cases. *Arch Environ Health.* 59: 515-517.
- Brautbar, N; Williams, J. (2002). Industrial solvents and liver toxicity: Risk assessment, risk factors and mechanisms [Review]. *Int J Hyg Environ Health.* 205: 479-491. <http://dx.doi.org/10.1078/1438-4639-00175>.
- Brenan, CJH; Hunter, IW; Brenan, JM. (1997). Noninvasive confocal Raman imaging of immiscible liquids in a porous medium. *Anal Chem.* 69: 45-50.
- Brendel, ML; Sandler, SI. (1999). The effect of salt and temperature on the infinite dilution activity coefficients of volatile organic chemicals in water. *Fluid Phase Equilibria.* 165: 87-97.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Biodegradation of tetrachloroethene by chitin fermentation products in a continuous flow column system. *J Environ Eng.* 132: 664-673. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(664\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(664)).
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Chitin and corn cobs as electron donor sources for the reductive dechlorination of tetrachloroethene. *Water Res.* 40: 2125-2134. <http://dx.doi.org/10.1016/j.watres.2006.04.011>.
- Brenner, H; Gefeller, O. (1993). Use of the positive predictive value to correct for disease misclassification in epidemiologic studies. *Am J Epidemiol.* 138: 1007-1015.
- Breslow, N, . E.; Day, N, . E. (1987). Statistical methods in cancer research. Volume 2 - The design and analysis of cohort studies. In NE Breslow; NE Day (Eds.), *IARC Sci Publ.* Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Breslow, NE; Day, NE. (1980). Statistical methods in cancer research: Volume 1 - the analysis of case-control studies. In IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp32/index.php>.
- Bressler, DC; Gray, MR. (2003). Transport and Reaction Processes in Bioremediation of Organic Contaminants. 1. Review of Bacterial Degradation and Transport. *Int J Chem React Eng.* 1.
- Breuer, D. (1993). INTERLABORATORY TRIAL SERIES HALOGENATED HYDROCARBONS - QUALITY ASSURANCE WITHIN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCE OF EXTERNAL MEASURING SERVICES .3. *Staub, Reinhaltung der Luft.* 53: 435-440.
- Breuer, D; Schenk, H; Schirk, O. (1991). MULTICENTER TRIAL HALOGENATED HYDROCARBONS - QUALITY ASSURANCE IN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCES OF EXTERNAL MEASURING SERVICES (II). *Staub, Reinhaltung der Luft.* 51: 181-185.
- Brigmon, RL; Anderson, TA; Fliermans, CB. (1999). Methanotrophic Bacteria in the Rhizosphere of Trichloroethylene-Degrading Plants. *Int J Phytoremediation.* 1: 241-253. <http://dx.doi.org/10.1080/15226519908500018>.

Exposure Literature Search Results

Off Topic

- Brigmon, RL; Bell, NC; Freedman, DL; Berry, CJ. (1998). Natural attenuation of trichloroethylene in rhizosphere soils at the Savannah River Site. *Journal of Soil Contamination*. 7: 433-453.
- Bringmann, G; Friedrich, H; Feineis, D. (1992). Trichloroharmanes as potential endogenously formed inducers of Morbus Parkinson: synthesis, analytics, and first in vivo-investigations [Review]. *J Neural Transm Suppl*. 38: 15-26.
- Bringmann, G; God, R; Fähr, S; Feineis, D; Fornadi, K; Fornadi, F. (1999). Identification of the dopaminergic neurotoxin 1-trichloromethyl-1,2, 3,4-tetrahydro-beta-carboline in human blood after intake of the hypnotic chloral hydrate. *Anal Biochem*. 270: 167-175. <http://dx.doi.org/10.1006/abio.1999.4088>.
- Bringmann, G; God, R; Feineis, D; Wesemann, W; Riederer, P; Rausch, W; Reichmann, H; Sontag, K. (1995). The TaClo concept: 1-trichloromethyl-1,2,3,4-tetrahydro-beta-carboline (TaClo), a new toxin for dopaminergic neurons [Review]. *J Neural Transm Suppl*. 46: 235-244.
- Brisson, VL; West, KA; Lee, PK; Tringe, SG; Brodie, EL; Alvarez-Cohen, L. (2012). Metagenomic analysis of a stable trichloroethene-degrading microbial community. *ISME J*. 6: 1702-1714. <http://dx.doi.org/10.1038/ismej.2012.15>.
- Britto, R; Sherrard, JH; Truax, DD. (1996). Kinetics of pseudo-continuous flow bioreactor treatment of diesel contaminated soils. *Water Air Soil Pollut*. 86: 125-136.
- Brockman, FJ; Payne, W; Workman, DJ; Soong, A; Manley, S; Hazen, TC. (1995). EFFECT OF GASEOUS NITROGEN AND PHOSPHORUS INJECTION ON IN SITU BIOREMEDIATION OF A TRICHLOROETHYLENE-CONTAMINATED SITE. *J Hazard Mater*. 41: 2-3.
- Brodsky, WY; Uryvaeva, IV. (1977). Cell polyploidy: Its relation to tissue growth and function [Review]. *Int Rev Cytol*. 50: 275-332. [http://dx.doi.org/10.1016/S0074-7696\(08\)60100-X](http://dx.doi.org/10.1016/S0074-7696(08)60100-X).
- Broholm, K. (2007). Solvent release into a sandy aquifer 3: enhanced dissolution by methanol injection. *Environ Technol*. 28: 11-18. <http://dx.doi.org/10.1080/09593332808618767>.
- Broholm, K; Christensen, TH; Jensen, BK. (1991). LABORATORY FEASIBILITY STUDIES ON BIOLOGICAL INSITU TREATMENT OF A SANDY SOIL CONTAMINATED WITH CHLORINATED ALIPHATICS. *Environ Technol*. 12: 279-289.
- Broholm, K; Christensen, TH; Jensen, BK. (1992). Modelling TCE degradation by a mixed culture of methane-oxidizing bacteria. *Water Res*. 26: 1177-1185.
- Broholm, K; Christensen, TH; Jensen, BK. (1993). DIFFERENT ABILITIES OF 8 MIXED CULTURES OF METHANE-OXIDIZING BACTERIA TO DEGRADE TCE. *Water Res*. 27: 215-224.
- Broholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem*. 14: 9-15.
- Broholm, K; Feenstra, S; Cherry, JA. (1999). Solvent release into a sandy aquifer. 1. Overview of source distribution and dissolution behavior. *Environ Sci Technol*. 33: 681-690.
- Broholm, K; Feenstra, S; Cherry, JA. (2005). Solvent release into a sandy aquifer. 2. Estimation of DNAPL mass based on a multiple-component dissolution model. *Environ Sci Technol*. 39: 317-324.
- Broholm, K; Ludvigsen, L; Jensen, TF; Østergaard, H. (2005). Aerobic biodegradation of vinyl chloride and cis-1,2-dichloroethylene in aquifer sediments. *Chemosphere*. 60: 1555-1564. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.056>.
- Bronley-Delancey, A; Mcmillan, D; Mcmillan, J; Jollow, D; Mohr, L; Hoel, D. (2006). Application of cryopreserved human hepatocytes in trichloroethylene risk assessment: Relative disposition of chloral hydrate to trichloroacetate and trichloroethanol. *Environ Health Perspect*. 114: 1237-1242. <http://dx.doi.org/10.1289/ehp.9047>.
- Bronzetti, G; Galli, A; Corsi, C; Cundari, E; Del Carratore, R; Nieri, R; Paolini, M. (1984). Genetic and biochemical investigation on chloral hydrate in vitro and in vivo. *Mutat Res*. 141: 19-22. [http://dx.doi.org/10.1016/0165-7992\(84\)90031-9](http://dx.doi.org/10.1016/0165-7992(84)90031-9).
- Bronzetti, G; Zeiger, E; Frezza, D. (1978). Genetic activity of trichloroethylene in yeast. *J Environ Pathol Toxicol Oncol*. 1: 411-418.
- Brooks, AJ; Lim, HN; Kilduff, JE. (2012). Adsorption uptake of synthetic organic chemicals by carbon nanotubes and activated carbons. *Nanotechnology*. 23: 294008. <http://dx.doi.org/10.1088/0957-4484/23/29/294008>.
- Brouse, CH; Basch, CE; Wolf, RL. (2008). The RESPECT approach to tailored telephone education. 67: 67-73.
- Brown, KW; Thomas, JC; Holder, M; Artioli, JF. (1990). THE ABILITY OF SORBENT MATERIALS TO ADSORB AND RETAIN ORGANIC LIQUIDS UNDER LANDFILL CONDITIONS. *Hazardous Waste and Hazardous Materials*. 7: 361-372.
- Brown, MJ; Burris, DR. (1996). Enhanced organic contaminant sorption on soil treated with cationic surfactants. *Ground Water*. 34: 734-744.
- Brown, SD; Dixon, AM; Bruckner, JV; Bartlett, MG. (2003). A validated GC-MS assay for the quantitation of trichloroethylene (TCE) from drinking water. *Int J Environ Anal Chem*. 83: 427-432. <http://dx.doi.org/10.1080/0306731031000104713>.
- Brown, SD; Muralidhara, S; Bruckner, JV; Bartlett, MG. (2003). Trace level determination of trichloroethylene from liver, lung and kidney tissues by gas chromatography-magnetic sector mass spectrometry. *Journal of Chromatography B*. 783: 319-325.
- Browne, TE; Cohen, Y. (1990). AQUEOUS-PHASE ADSORPTION OF TRICHLOROETHENE AND CHLOROFORM ONTO POLYMERIC RESINS AND ACTIVATED CARBON. *Ind Eng Chem Res*. 29: 1338-1345.
- Browne, TE; Cohen, Y. (1993). POLYMER-GRAFTED SILICA - A SCREENING SYSTEM FOR POLYMERIC ADSORPTION RESIN DEVELOPMENT. *Ind Eng Chem Res*. 32: 716-725.
- Bruant, RG; Conklin, MH. (2001). Adsorption of trichloroethene at the vapor/water interface. *Environ Sci Technol*. 35: 362-364.
- Bruckner, CA; Ecker, ST; Synovec, RE. (1997). Simultaneous flame ionization and absorbance detection of volatile and nonvolatile compounds by reversed-phase liquid chromatography with a water mobile phase. *Anal Chem*. 69: 3465-3470. <http://dx.doi.org/10.1021/ac9701142>.
- Bruckner, J; Keys, D; Fisher, J. (2004). The Acute Exposure Guideline Level (AeGL) program: applications of physiologically based pharmacokinetic modeling [Review]. *J Toxicol Environ Health A*. 67: 621-634. <http://dx.doi.org/10.1080/15287390490428017>.

Exposure Literature Search Results

Off Topic

- Bruell, CJ; Segall, BA; Walsh, MT. (1992). ELECTROOSMOTIC REMOVAL OF GASOLINE HYDROCARBONS AND TCE FROM CLAY. *J Environ Eng.* 118: 68-83.
- Brungard, KL; Munakata-Marr, J; Johnson, CA; Mandernack, KW. (2003). Stable carbon isotope fractionation of trans-1,2-dichloroethylene during co-metabolic degradation by methanotrophic bacteria. *Chem Geol.* 195: 59-67. [http://dx.doi.org/10.1016/S0009-2541\(02\)00388-1](http://dx.doi.org/10.1016/S0009-2541(02)00388-1).
- Brüning, T; Pesch, B; Wiesenhütter, B; Rabstein, S; Lammert, M; Baumüller, A; Bolt, H. (2003). Renal cell cancer risk and occupational exposure to trichloroethylene: Results of a consecutive case-control study in Arnsberg, Germany. *Am J Ind Med.* 43: 274-285. <http://dx.doi.org/10.1002/ajim.10185>.
- Bruning, T; Thier, R; Mann, H; Melzer, H; Brode, P; Dallner, G; Bolt, HM. (2001). Pathological excretion patterns of urinary proteins in miners highly exposed to dinitrotoluene. *J Occup Environ Med.* 43: 610-615.
- Bruno, TJ; Wertz, KH. (1996). Retention of halocarbons on a hexafluoropropylene-epoxide modified graphitized carbon black .5. Heavier ethane- and ethene-based compounds. *J Chromatogr A.* 723: 325-335.
- Brusseau, ML; Carroll, KC; Allen, T; Baker, J; Diguseppi, W; Hatton, J; Morrison, C; Russo, A; Berkompas, J. (2011). Impact of in situ chemical oxidation on contaminant mass discharge: linking source-zone and plume-scale characterizations of remediation performance. *Environ Sci Technol.* 45: 5352-5358. <http://dx.doi.org/10.1021/es200716s>.
- Brusseau, ML; Hatton, J; Diguseppi, W. (2011). Assessing the impact of source-zone remediation efforts at the contaminant-plume scale through analysis of contaminant mass discharge. *J Contam Hydrol.* 126: 130-139. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.003>.
- Brusseau, ML; Matthieu, DE; Carroll, KC; Mainhagu, J; Morrison, C; Mcmillan, A; Russo, A; Plaschke, M. (2013). Characterizing long-term contaminant mass discharge and the relationship between reductions in discharge and reductions in mass for DNAPL source areas. *J Contam Hydrol.* 149 (June 2013): 1-12. <http://dx.doi.org/10.1016/j.jconhyd.2013.02.011>.
- Brusseau, ML; Nelson, NT; Oostrom, M; Zhang, ZH; Johnson, GR; Wietsma, TW. (2000). Influence of heterogeneity and sampling method on aqueous concentrations associated with NAPL dissolution. *Environ Sci Technol.* 34: 3657-3664. <http://dx.doi.org/10.1021/es9909677>.
- Brusseau, ML; Popovicova, J; Silva J, AK. (1997). Characterizing gas-water interfacial and bulk-water partitioning for gas-phase transport or organic contaminants in unsaturated porous media. *Environ Sci Technol.* 31: 1645-1649.
- Brusseau, ML; Russo, AE; Schnaar, G. (2012). Nonideal transport of contaminants in heterogeneous porous media: 9 - impact of contact time on desorption and elution tailing. *Chemosphere.* 89: 287-292. <http://dx.doi.org/10.1016/j.chemosphere.2012.04.038>.
- Brusseau, ML; Zhang, ZH; Nelson, NT; Cain, RB; Tick, GR; Oostrom, M. (2002). Dissolution of nonuniformly distributed immiscible liquid: Intermediate-scale experiments and mathematical modeling. *Environ Sci Technol.* 36: 1033-1041. <http://dx.doi.org/10.1021/es010609f>.
- Bruton, TA; Pycke, BFG; Halden, RU. (2015). Effect of Nanoscale Zero-Valent Iron Treatment on Biological Reductive Dechlorination: A Review of Current Understanding and Research Needs. *Crit Rev Environ Sci Tech.* 45: 1148-1175. <http://dx.doi.org/10.1080/10643389.2014.924185>.
- Bruzzoniti, MC; Mentasti, E; Sarzanini, C; Onida, B; Bonelli, B; Garrone, E. (2000). Retention properties of mesoporous silica-based materials. *Anal Chim Acta.* 422: 231-238.
- Bryant-Genevier, J; Zellers, ET. (2015). Toward a microfabricated preconcentrator-focuser for a wearable micro-scale gas chromatograph. *J Chromatogr A.* 1422: 299-309. <http://dx.doi.org/10.1016/j.chroma.2015.10.045>.
- Bryers, JD; Sharp, RR. (1997). Retention and expression of recombinant plasmids in suspended and biofilm-bound bacteria degrading trichloroethene (TCE). *Water Sci Technol.* 36: 1-8.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther.* 289: 1648-1653.
- Buchner, D; Behrens, S; Laskov, C; Haderlein, SB. (2015). Resiliency of Stable Isotope Fractionation ($\delta(13)C$ and $\delta(37)Cl$) of Trichloroethene to Bacterial Growth Physiology and Expression of Key Enzymes. *Environ Sci Technol.* 49: 13230-13237. <http://dx.doi.org/10.1021/acs.est.5b02918>.
- Buckpitt, A; Chang, AM; Weir, A; Van Winkle, L; Duan, X; Philpot, R; Plopper, C. (1995). Relationship of cytochrome P450 activity to Clara cell cytotoxicity IV Metabolism of naphthalene and naphthalene oxide in microdissected airways from mice, rats, and hamsters. *Mol Pharmacol.* 47: 74-81.
- Buechler, KJ; Noble, RD; Koval, CA; Jacoby, WA. (1999). Investigation of the effects of controlled periodic illumination on the oxidation of gaseous trichloroethylene using a thin film of TiO₂. *Ind Eng Chem Res.* 38: 892-896.
- Buettner, HM; Daily, WD. (1995). CLEANING CONTAMINATED SOIL USING ELECTRICAL HEATING AND AIR STRIPPING. *J Environ Eng.* 121: 580-589.
- Buhagen, M; Grønskag, A; Ragde, SF; Hilt, B. (2016). Association Between Kidney Cancer and Occupational Exposure to Trichloroethylene. *J Occup Environ Med.* 58: 957-959. <http://dx.doi.org/10.1097/JOM.0000000000000838>.
- Buin, A; Wang, H; Consta, S; Huang, Y. (2014). A study of conformational equilibrium of 1,1,2-trichloroethane in FAU-type zeolites. *Microporous and Mesoporous Materials.* 183: 207-217. <http://dx.doi.org/10.1016/j.micromeso.2013.08.033>.
- Buisson, JP; Lefrant, S; Louarn, G; Mevellec, JY; Orion, I; Eckhardt, H. (1992). VIBRATIONAL PROPERTIES OF POLY(ARYLENE VINYLENE)S. *Synthetic Metals.* 49: 305-311.
- Bull, RJ. (2000). Mode of action of liver tumor induction by trichloroethylene and its metabolites, trichloroacetate and dichloroacetate [Review]. *Environ Health Perspect.* 108: 241-259.
- Bull, RJ; Sanchez, IM; Nelson, MA; Larson, JL; Lansing, AJ. (1990). Liver tumor induction in B6C3F1 mice by dichloroacetate and trichloroacetate. *Toxicology.* 63: 341-359. [http://dx.doi.org/10.1016/0300-483X\(90\)90195-M](http://dx.doi.org/10.1016/0300-483X(90)90195-M).

Exposure Literature Search Results

Off Topic

- Bunce, NJ; Schneider, UA. (1994). Chemical lifetimes of chlorinated aliphatic priority pollutants in the Canadian troposphere. *J Photochem Photobiol A*. 81: 93 - 101. [http://dx.doi.org/10.1016/1010-6030\(94\)03781-7](http://dx.doi.org/10.1016/1010-6030(94)03781-7).
- Buravov, LI; Dyachenko, OA; Konovalikhin, SV; Kushch, ND; Lavrentev, IP; Spitsyna, NG; Shilov, GV; Yagubskii, EB. (1994). COMPLEX OF BUCKMINSTERFULLERENE WITH SULFUR, C-60-CENTER-DOT-25(8) - SYNTHESIS AND CRYSTAL-STRUCTURE. *Russian Chemical Bulletin*. 43: 240-244.
- Burck, J; Conzen, JP; Ache, HJ. (1992). A FIBER OPTIC EVANESCENT FIELD ABSORPTION SENSOR FOR MONITORING ORGANIC CONTAMINANTS IN WATER. *Fresenius J Anal Chem*. 342: 394-400.
- Burck, J; Conzen, JP; Beckhaus, B; Ache, HJ. (1994). FIBEROPTIC EVANESCENT-WAVE SENSOR FOR IN-SITU DETERMINATION OF NONPOLAR ORGANIC-COMPOUNDS IN WATER. *Sens Actuators B*. 18: 291-295.
- Bürck, J; Zimmermann, B; Mayer, J; Ache, HJ. (1996). Integrated optical NIR-evanescent wave absorbance sensor for chemical analysis. *Anal Bioanal Chem*. 354: 284-290. <http://dx.doi.org/10.1007/s0021663540284>.
- Burg, J. R.; Gist, GL. (1995). THE NATIONAL EXPOSURE REGISTRY - PROCEDURES FOR ESTABLISHING A REGISTRY OF PERSONS ENVIRONMENTALLY EXPOSED TO HAZARDOUS SUBSTANCES. *Toxicol Ind Health*. 11: 231-248.
- Burg, JA; Allred, SL; Sapp, JH. (1997). The potential for bias due to attrition in the National Exposure Registry: an examination of reasons for nonresponse, nonrespondent characteristics, and the response rate. *Toxicol Ind Health*. 13: 1-13.
- Burghardt, JM; Kueper, BH. (2008). Laboratory Study Evaluating Heating of Tetrachloroethylene Impacted Soil. *Ground Water Monitoring and Remediation*. 28: 95-106. <http://dx.doi.org/10.1111/j.1745-6592.2008.00214.x>.
- Burleigh, TD; Gu, Y; Donahey, G; Vida, M; Waldeck, DH. (2001). Tarnish protection of silver using a hexadecanethiol self-assembled monolayer and descriptions of accelerated tarnish tests. *Corrosion*. 57: 1066-1074.
- Burmaster, DE. (1982). The new pollution: Groundwater contamination. *Environment*. 24: 6-13;33-36.
- Burnell, DK; Mercer, JW; Sims, LS; Anonymous. (2012). Analytical models of steady-state plumes undergoing sequential first-order degradation. *Ground Water*. 50: 394-411. <http://dx.doi.org/10.1111/j.1745-6584.2011.00858.x>.
- Burns, RA; Crittenden, JC; Hand, DW; Selzer, VH; Sutter, LL; Salman, SR. (1999). Effect of inorganic ions in heterogeneous photocatalysis of TCE. *J Environ Eng*. 125: 77-85.
- Burris, DR; Allen-King, RM; Manoranjan, VS; Campbell, TJ; Loraine, GA; Deng, BL. (1998). Chlorinated ethene reduction by cast iron: Sorption and mass transfer. *J Environ Eng*. 124: 1012-1019.
- Burris, DR; Campbell, TJ; Manoranjan, VS. (1995). Sorption of trichloroethylene and tetrachloroethylene in a batch reactive metallic iron-water system. *Environ Sci Technol*. 29: 2850-2855.
- Burris, DR; Delcomyn, CA; Deng, B; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene-reductive dechlorination catalyzed by vitamin B12. *Environ Toxicol Chem*. 17: 1681-1688.
- Burris, DR; Delcomyn, CA; Smith, MH; Roberts, AL. (1996). Reductive dechlorination of tetrachloroethylene and trichloroethylene catalyzed by vitamin B12 in homogeneous and heterogeneous systems. *Environ Sci Technol*. 30: 3047-3052.
- Burrows, RW; Kepler, WF; Hurcomb, D; Schaffer, J; Sellers, JG. (2004). Three simple tests for selecting low-crack cement. *Cement and Concrete Composites*. 26: 509-519. [http://dx.doi.org/10.1016/s0958-9465\(03\)00066-0](http://dx.doi.org/10.1016/s0958-9465(03)00066-0).
- Burt, TA; Li, ZH; Bowman, RS. (2005). Evaluation of granular surfactant-modified/zeolite zero valent iron pellets as a reactive material for perchloroethylene reduction. *J Environ Eng*. 131: 934-942. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:6\(934\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:6(934)).
- Busby, RD; Lenhard, RJ; Rolston, DE. (1995). AN INVESTIGATION OF SATURATION-CAPILLARY PRESSURE RELATIONS IN 2-FLUID AND 3-FLUID SYSTEMS FOR SEVERAL NAPLS IN DIFFERENT POROUS-MEDIA. *Ground Water*. 33: 570-578.
- Bushnell, PJ; Benignus, VA; Case, MW. (2003). Signal detection behavior in humans and rats: a comparison with matched tasks. *Behav Processes*. 64: 121-129. [http://dx.doi.org/10.1016/S0376-6357\(03\)00146-3](http://dx.doi.org/10.1016/S0376-6357(03)00146-3).
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Klinger, R. (2007). The role of physical activity and feeding schedule on the kinetics of inhaled and oral toluene in rats. *J Toxicol Environ Health A*. 70: 1806-1814. <http://dx.doi.org/10.1080/15287390701459155>.
- Butler, EC; Chen, L; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation*. 33: 52-60. <http://dx.doi.org/10.1111/gwmr.12015>.
- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environ Sci Technol*. 32: 1276-1284.
- Butler, EC; Hayes, KF. (1999). Kinetics of the transformation of trichloroethylene and tetrachloroethylene by iron sulfide. *Environ Sci Technol*. 33: 2021-2027.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environ Sci Technol*. 35: 3884-3891. <http://dx.doi.org/10.1021/es010620f>.
- Bychkov, AM; Rusakov, VS; Meshalkin, SS. (1993). AN EXPERIMENTAL-DETERMINATION OF LOW-SANIDINE -] MICROCLINE TRANSITION. *Geokhimiya*1683-1696.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater*. 82: 313-322.
- Cabezas, JL; Beltran, S; Coca, J. (1991). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR FURFURAL WITH CHLORINATED HYDROCARBONS. *Fluid Phase Equilibria*. 62: 163-172.
- Cabot, PL; Segarra, L; Casado, J. (2003). Electrodegradation of chlorofluorocarbons 11 and 113 at small concentrations in closed cells. *Electrochemical and Solid-State Letters*. 6: B15-B18. <http://dx.doi.org/10.1149/1.1545193>.
- Cabrera, MI; Alfano, OM; Cassano, AE. (1994). NOVEL REACTOR FOR PHOTOCATALYTIC KINETIC-STUDIES. *Ind Eng Chem Res*. 33: 3031-3042.

Exposure Literature Search Results

Off Topic

- Cabrera, MI; Negro, AC; Alfano, OM; Cassano, AE. (1997). Photocatalytic reactions involving hydroxyl radical attack - II. Kinetics of the decomposition of trichloroethylene using titanium dioxide. *J Catal.* 172: 380-390.
- Cabrera, MI; Negro, AC; Alfano, OM; Cassano, AE. (1999). Photocatalytic reactions involving hydroxyl radical attack. II. Kinetics of the decomposition of trichloroethylene using titanium dioxide (vol 172, pg 386, 1997). *J Catal.* 181: 170-170.
- Cahill, TM; Cousins, I; Mackay, D. (2003). Development and application of a generalized physiologically based pharmacokinetic model for multiple environmental contaminants. *Environ Toxicol Chem.* 22: 26-34. <http://dx.doi.org/10.1002/etc.5620220104>.
- Cai, H; Guengerich, FP. (1999). Mechanisms of aqueous decomposition of trichloroethylene oxide. *J Am Chem Soc.* 121: 11656-11663. <http://dx.doi.org/10.1021/ja9914240>.
- Cai, P; König, R; Khan, MF; Qiu, S; Kaphalia, BS; Ansari, GA. (2006). Autoimmune response in MRL+/- mice following treatment with dichloroacetyl chloride or dichloroacetic anhydride. *Toxicol Appl Pharmacol.* 216: 248-255. <http://dx.doi.org/10.1016/j.taap.2006.05.010>.
- Cai, SX; Huang, MY; Chen, Z; Liu, YT; Jin, C; Watanabe, T; Nakatsuka, H; Seiji, K; Inoue, O; Ikeda, M. (1991). Subjective symptom increase among dry-cleaning workers exposed to tetrachloroethylene vapor. *Ind Health.* 29: 111-121. <http://dx.doi.org/10.2486/indhealth.29.111>.
- Cai, Z; Merly, C; Thomson, NR; Wilson, RD; Lerner, DN. (2007). Channel flow and trichloroethylene treatment in a partly iron-filled fracture: experimental and model results. *J Contam Hydrol.* 93: 284-303. <http://dx.doi.org/10.1016/j.jconhyd.2007.04.001>.
- Cai, Z; Wilson, RD; Lerner, DN. (2012). Assessing TCE source bioremediation by geostatistical analysis of a flux fence. *Ground Water.* 50: 908-917. <http://dx.doi.org/10.1111/j.1745-6584.2012.00916.x>.
- Cai, ZS; Lerner, DN; McLaren, RG; Wilson, RD. (2007). Conceptual analysis of zero-valent iron fracture reactive barriers for remediating a trichloroethylene plume in a chalk aquifer. *Water Resour Res.* 43. <http://dx.doi.org/10.1029/2006wr004946>.
- Calace, N; Massimiani, A; Petronio, BM; Pietroletti, M. (2001). Municipal landfill leachate-soil interactions: a kinetic approach. *Chemosphere.* 44: 1025-1031.
- Calafat, AM; Kuklennyik, Z; Caudill, SP; Ashley, DL. (2003). Urinary levels of trichloroacetic acid, a disinfection by-product in chlorinated drinking water, in a human reference population. *Environ Health Perspect.* 111: 151-154. <http://dx.doi.org/10.1289/ehp.5644>.
- Caldwell, J; Jinot, J; Devoney, D; Gift, JS. (2008). Evaluation of evidence for infection as a mode of action for induction of rat lymphoma [Review]. *Environ Mol Mutagen.* 49: 155-164. <http://dx.doi.org/10.1002/em.20356>.
- Caldwell, JC; Keshava, N. (2006). Key issues in the modes of action and effects of trichloroethylene metabolites for liver and kidney tumorigenesis [Review]. *Environ Health Perspect.* 114: 1457-1463. <http://dx.doi.org/10.1289/ehp.8692>.
- Caldwell, JC; Keshava, N; Evans, MV. (2008). Difficulty of mode of action determination for trichloroethylene: An example of complex interactions of metabolites and other chemical exposures [Review]. *Environ Mol Mutagen.* 49: 142-154. <http://dx.doi.org/10.1002/em.20350>.
- Callister, SJ; Ayala-Del-Rio, HL; Hashsham, SA. (2003). Quantification of a single population in a mixed microbial community using a laser integrated microarray scanner. *J Environ Eng Sci.* 2: 247-253.
- Calvert, GM; Ruder, AM; Petersen, MR. (2011). Mortality and end-stage renal disease incidence among dry cleaning workers. *Occup Environ Med.* 68: 709-716. <http://dx.doi.org/10.1136/oem.2010.060665>.
- Calvisi, DF; Factor, VM; Ladu, S; Conner, EA; Thorgeirsson, SS. (2004). Disruption of beta-catenin pathway or genomic instability define two distinct categories of liver cancer in transgenic mice. *Gastroenterology.* 126: 1374-1386. <http://dx.doi.org/10.1053/j.gastro.2004.02.014>.
- Calvisi, DF; Ladu, S; Conner, EA; Factor, VM; Thorgeirsson, SS. (2004). Disregulation of E-cadherin in transgenic mouse models of liver cancer. *Lab Invest.* 84: 1137-1147. <http://dx.doi.org/10.1038/labinvest.3700147>.
- Calvisi, DF; Ladu, S; Gorden, A; Farina, M; Conner, EA; Lee, JS; Factor, VM; Thorgeirsson, SS. (2006). Ubiquitous activation of Ras and Jak/Stat pathways in human HCC. *Gastroenterology.* 130: 1117-1128. <http://dx.doi.org/10.1053/j.gastro.2006.01.006>.
- Calvisi, DF; Ladu, S; Gorden, A; Farina, M; Lee, JS; Conner, EA; Schroeder, I; Factor, VM; Thorgeirsson, SS. (2007). Mechanistic and prognostic significance of aberrant methylation in the molecular pathogenesis of human hepatocellular carcinoma. *J Clin Invest.* 117: 2713-2722. <http://dx.doi.org/10.1172/JCI31457>.
- Calvo, B; Cepeda, EA. (2008). Solubilities of stearic acid in organic solvents and in azeotropic solvent mixtures. *Journal of Chemical and Engineering Data.* 53: 628-633. <http://dx.doi.org/10.1021/je7006567>.
- Calvo, B; Collado, I; Cepeda, EA. (2009). Solubilities of Palmitic Acid in Pure Solvents and Its Mixtures. *Journal of Chemical and Engineering Data.* 54: 64-68. <http://dx.doi.org/10.1021/je8005979>.
- Camara, RM; Crespo, E; Portela, R; Suarez, S; Bautista, L; Gutierrez-Martin, F; Sanchez, B. (2014). Enhanced photocatalytic activity of TiO₂ thin films on plasma-pretreated organic polymers. *Catalysis Today.* 230: 145-151. <http://dx.doi.org/10.1016/j.cattod.2013.10.049>.
- Camara, RM; Portela, R; Gutierrez-Martin, F; Sanchez, B. (2016). Photocatalytic activity of TiO₂ films prepared by surfactant-mediated sol-gel methods over commercial polymer substrates. *Chem Eng J.* 283: 535-543. <http://dx.doi.org/10.1016/j.cej.2015.07.080>.
- Camesano, TA; Natan, MJ; Logan, BE. (2000). Observation of changes in bacterial cell morphology using tapping mode atomic force microscopy. *Langmuir.* 16: 4563-4572.
- Camisa, AG. (1975). Analysis and characteristics of trichloroethylene wastes. *J Water Pollut Control Fed.* 47: 1021-1031.
- Camp, JS; Leboeuf, EJ; Abkowitz, MD. (2010). Application of an enhanced spill management information system to inland waterways. *J Hazard Mater.* 175: 583-592. <http://dx.doi.org/10.1016/j.jhazmat.2009.10.045>.
- Campagnolo, JF; Akgerman, A. (1995). Modeling of soil vapor extraction (SVE) systems .1. *Waste Manag.* 15: 379-389.

Exposure Literature Search Results

Off Topic

- Campbell, TJ; Burris, DR. (1996). Analysis of chlorinated ethene reduction products in vapor/water phase systems by dual-column, single-detector gas chromatography. *Int J Environ Anal Chem.* 63: 119-126.
- Campbell, TJ; Burris, DR; Roberts, AL; Wells, JR. (1997). Trichloroethylene and tetrachloroethylene reduction in a metallic iron-water-vapor batch system. *Environ Toxicol Chem.* 16: 625-630.
- Campinas, M; Viegas, R; Rosa, MJ. (2013). Modelling and understanding the competitive adsorption of microcystins and tannic acid. *Water Res.* 47: 5690-5699. <http://dx.doi.org/10.1016/j.watres.2013.06.048>.
- Campo, P; Blachère, V; Payan, JP; Cossec, B; Ducos, P. (2006). Toluene toxicokinetics and metabolism parameters in the rat and guinea pig. *Environ Toxicol Pharmacol.* 21: 276-282. <http://dx.doi.org/10.1016/j.etap.2005.09.004>.
- Campo, P; Loquet, G; Blachère, V; Roure, M. (1999). Toluene and styrene intoxication route in the rat cochlea. *Neurotoxicol Teratol.* 21: 427-434. [http://dx.doi.org/10.1016/S0892-0362\(99\)00010-0](http://dx.doi.org/10.1016/S0892-0362(99)00010-0).
- Candelaria, LM; Matsumoto, MR. (2000). Effects of NAPL contaminants on the permeability of a soil-bentonite slurry wall material. *Transport in Porous Media.* 38: 43-56.
- Canning, K. (2000). Soil remediation - Lasagna technology takes on DOE's TCE. *Pollution Engineering.* 32: 10-+.
- Cano, MI; Pollán, M. (2001). Non-Hodgkin's lymphomas and occupation in Sweden. *Int Arch Occup Environ Health.* 74: 443-449. <http://dx.doi.org/10.1007/s004200100248>.
- Cao, F; Liu, TX; Wu, CY; Li, FB; Li, XM; Yu, HY; Tong, H; Chen, MJ. (2012). Enhanced biotransformation of DDTs by an iron- and humic-reducing bacteria *Aeromonas hydrophila* HS01 upon addition of goethite and anthraquinone-2,6-disulphonic disodium salt (AQDS). *J Agric Food Chem.* 60: 11238-11244. <http://dx.doi.org/10.1021/jf303610w>.
- Cao, K; Hollenbach, J; Shi, X; Shi, W; Chopek, M; Fernández-Viña, MA. (2001). Analysis of the frequencies of HLA-A, B, and C alleles and haplotypes in the five major ethnic groups of the United States reveals high levels of diversity in these loci and contrasting distribution patterns in these populations. *Hum Immunol.* 62: 1009-1030. [http://dx.doi.org/10.1016/S0198-8859\(01\)00298-1](http://dx.doi.org/10.1016/S0198-8859(01)00298-1).
- Cao, LX; Gao, Z; Suib, SL; Obee, TN; Hay, SO; Freihaut, JD. (2000). Photocatalytic oxidation of toluene on nanoscale TiO₂ catalysts: Studies of deactivation and regeneration. *J Catal.* 196: 253-261. <http://dx.doi.org/10.1006/jcat.2000.3050>.
- Cao, LX; Huang, AM; Spiess, FJ; Suib, SL. (1999). Gas-phase oxidation of 1-butene using nanoscale TiO₂ photocatalysts. *J Catal.* 188: 48-57.
- Cao, LX; Spiess, FJ; Huang, AM; Suib, SL; Obee, TN; Hay, SO; Freihaut, JD. (1999). Heterogeneous photocatalytic oxidation of 1-butene on SnO₂ and TiO₂ films. *J Phys Chem B.* 103: 2912-2917.
- Cao, S; Yao, N, an; Yeung, KL, un. (2008). Synthesis of freestanding silica and titania-silica aerogels with ordered and disordered mesopores. *Journal of Sol-Gel Science and Technology.* 46: 323-333. <http://dx.doi.org/10.1007/s10971-008-1701-8>.
- Cao, S; Yeung, K; Yue, P, oL. (2006). Preparation of freestanding and crack-free titania-silica aerogels and their performance for gas phase, photocatalytic oxidation of VOCs. *Appl Catal B-Environ.* 68: 99-108. <http://dx.doi.org/10.1016/j.apcatb.2006.07.022>.
- Cao, S; Yeung, KL; Kwan, JKC; To, PMT; Yu, SCT. (2009). An investigation of the performance of catalytic aerogel filters. *Appl Catal B-Environ.* 86: 127-136. <http://dx.doi.org/10.1016/j.apcatb.2008.08.019>.
- Cao, S; Yeung, KL; Yue, PL. (2007). An investigation Of trichloroethylene photocatalytic oxidation on mesoporous titania-silica aerogel catalysts. *Appl Catal B-Environ.* 76: 64-72. <http://dx.doi.org/10.1016/j.apcatb.2007.05.009>.
- Capan, I; Tarimci, C; Hassan, AK; Tanrisever, T. (2009). Characterisation and optical vapour sensing properties of PMMA thin films. *Mater Sci Eng C.* 29: 140-143. <http://dx.doi.org/10.1016/j.msec.2008.05.021>.
- Cápiro, NL; Granbery, EK; Lebrón, CA; Major, DW; McMaster, ML; Pound, MJ; Löffler, FE; Pennell, KD. (2011). Liquid-Liquid Mass Transfer of Partitioning Electron Donors in Chlorinated Solvent Source Zones. *Environ Sci Technol.* 45: 1547-1554. <http://dx.doi.org/10.1021/es102249x>.
- Cappaert, NLM; Klis, SFL; Baretta, AB; Muijsers, H; Smoorenburg, GF. (2000). Ethyl benzene-induced ototoxicity in rats: A dose-dependent mid-frequency hearing loss. *J Assoc Res Otolaryngol.* 1: 292-299. <http://dx.doi.org/10.1007/s101620010050>.
- Cappaert, NLM; Klis, SFL; Muijsers, H; de Groot, JCM, J; Kulig, BM; Smoorenburg, GF. (1999). The ototoxic effects of ethyl benzene in rats. *Hear Res.* 137: 91-102. [http://dx.doi.org/10.1016/S0378-5955\(99\)00141-0](http://dx.doi.org/10.1016/S0378-5955(99)00141-0).
- Carberry, JB; Benzing, TM. (1991). PEROXIDE PREOXIDATION OF RECALCITRANT TOXIC WASTE TO ENHANCE BIODEGRADATION (pp. 1-3). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08555). Carberry, JB; Benzing, TM.
- Cardador, MJ; Gallego, M. (2011). Haloacetic Acids in Swimming Pools: Swimmer and Worker Exposure. *Environ Sci Technol.* 45: 5783-5790. <http://dx.doi.org/10.1021/es103959d>.
- Cardenas-Lizana, F; Gomez-Quero, S; Hugon, A; Delannoy, L; Louis, C; Keane, MA. (2009). Pd-promoted selective gas phase hydrogenation of p-chloronitrobenzene over alumina supported Au. *J Catal.* 262: 235-243. <http://dx.doi.org/10.1016/j.jcat.2008.12.019>.
- Care, S; Crane, R; Calabro, PS; Ghauch, A; Temgoua, E; Noubactep, C. (2013). Modeling the Permeability Loss of Metallic Iron Water Filtration Systems. *CLEAN - Soil, Air, Water.* 41: 275-282. <http://dx.doi.org/10.1002/clen.201200167>.
- Carey, GR; Van Geel, PJ; Wiedemeier, TH; Mcbean, EA. (2003). A modified radial diagram approach for evaluating natural attenuation trends for chlorinated solvents and inorganic redox indicators. *Ground Water Monitoring and Remediation.* 23: 75-84.
- Carlsen, TM. (1996). Ecological risks to fossorial vertebrates from volatile organic compounds in soil. *Risk Anal.* 16: 211-219.
- Carmichael, LM; Smith, TG; Pardieck, DL. (1999). Site-specific sorption values for mixtures of volatile and semivolatile organic compounds in sandy soils. *J Environ Qual.* 28: 888-897.
- Carniato, L; Schoups, G; Seuntjens, P; Van Nooten, T; Simons, Q; Bastiaens, L. (2012). Predicting longevity of iron permeable reactive barriers using multiple iron deactivation models. *J Contam Hydrol.* 142-143: 93-108. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.012>.

Exposure Literature Search Results

Off Topic

- Caroselli, M; Variali, G; SEBASTIA.E. (1972). SEPARATION OF ALUMINUM, POTASSIUM AND IRON IONS WITH ORGANIC-SOLVENTS (ACETYLACETONE IN TRICHLOROETHYLENE). *Chim Ind.* 54: 312-+.
- Carpenter, SP; Lasker, JM; Raucy, JL. (1996). Expression, induction, and catalytic activity of the ethanol-inducible cytochrome P450 (CYP2E1) in human fetal liver and hepatocytes. *Mol Pharmacol.* 49: 260-268.
- Carpinteiro, I; Abuín, B; Rodríguez, I; Ramil, M; Cela, R. (2012). Mixed-mode solid-phase extraction followed by dispersive liquid-liquid microextraction for the sensitive determination of ethylphenols in red wines. *J Chromatogr A.* 1229: 79-85. <http://dx.doi.org/10.1016/j.chroma.2012.01.044>.
- Carr, CS; Garg, S; Hughes, JB. (2000). Effect of dechlorinating bacteria on the longevity and composition of PCE-containing nonaqueous phase liquids under equilibrium dissolution conditions. *Environ Sci Technol.* 34: 1088-1094.
- Carreón-Diazconti, C; Santamaría, J; Berkompas, J; Field, JA; Brusseau, ML. (2009). Assessment of in situ reductive dechlorination using compound-specific stable isotopes, functional gene PCR, and geochemical data. *Environ Sci Technol.* 43: 4301-4307. <http://dx.doi.org/10.1021/es803308q>.
- Carrera, E; Cosatto, C. (2010). Flight Mechanics Analysis of a Motorized Trike with Composite Wing. *J Aerosp Eng.* 23: 251-264. [http://dx.doi.org/10.1061/\(ASCE\)AS.1943-5525.0000038](http://dx.doi.org/10.1061/(ASCE)AS.1943-5525.0000038).
- Carrigan, CR; Nitao, JJ. (2000). Predictive and diagnostic simulation of in situ electrical heating in contaminated, low-permeability soils. *Environ Sci Technol.* 34: 4835-4841.
- Carroll, KC; Mcdonald, K; Marble, J; Russo, AE; Brusseau, ML. (2015). The impact of transitions between two-fluid and three-fluidphases on fluid configuration and fluid-fluid interfacial areain porous media. *Water Resour Res.* 51: 7189-7201. <http://dx.doi.org/10.1002/2015WR017490>.
- Carter, JH; Carter, HW; DeAngelo, AB. (1995). Biochemical, pathologic and morphometric alterations induced in male B6C3F1 mouse liver by short-term exposure to dichloroacetic acid. *Toxicol Lett.* 81: 55-71. [http://dx.doi.org/10.1016/0378-4274\(95\)03409-9](http://dx.doi.org/10.1016/0378-4274(95)03409-9).
- Carter, JH; Carter, HW; Deddens, JA; Hurst, BM; George, MH; DeAngelo, AB. (2003). A 2-year dose-response study of lesion sequences during hepatocellular carcinogenesis in the male B6C3F(1) mouse given the drinking water chemical dichloroacetic acid. *Environ Health Perspect.* 111: 53-64. <http://dx.doi.org/10.1289/ehp.5442>.
- Carter, KE; Farrell, J. (2009). Electrochemical oxidation of trichloroethylene using boron-doped diamond film electrodes. *Environ Sci Technol.* 43: 8350-8354. <http://dx.doi.org/10.1021/es9017738>.
- Carter, MC; Weber W J, J. R. (1994). Modelling adsorption of TCE by activated carbon preloaded by background organic matter. *Environ Sci Technol.* 28: 614-623.
- Carter, MC; Weber W J, J. R.; Olmstead, KP. (1992). Effects of background dissolved organic matter on TCE adsorption by GAC (pp. 81-91). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/92/27663). Carter, MC; Weber W J, , JR; Olmstead, KP.
- Carter, SR; Jewell, WJ. (1993). Biotransformation of tetrachloroethylene by anaerobic attached-films at low temperatures. *Water Res.* 27: 607-615.
- Carvalho, AP; Mestre, AS; Pires, J; Pinto, ML; Rosa, ME. (2006). Granular activated carbons from powdered samples using clays as binders for the adsorption of organic vapours. *Microporous and Mesoporous Materials.* 93: 226-231. <http://dx.doi.org/10.1016/j.micromeso.2006.03.001>.
- Carvalho, CP; Salvador, A; Navarro, P; Monterde, A; Martinez-Javega, JM. (2008). Effect of auxin treatments on calyx senescence in the degreening of four mandarin cultivars. *HortScience.* 43: 747-752.
- Cary, JW; McBride, JF; Simmons, CS. (1989). TRICHLOROETHYLENE RESIDUALS IN THE CAPILLARY FRINGE AS AFFECTED BY AIR-ENTRY PRESSURES. *J Environ Qual.* 18: 72-77.
- Casey, FXM; Ong, SK; Horton, R. (2000). Degradation and transformation of trichloroethylene in miscible displacement experiments through zerovalent metals. *Environ Sci Technol.* 34: 5023-5029. <http://dx.doi.org/10.1021/es001185c>.
- Casey, FXM; Simunek, J. (2001). Inverse analyses of transport of chlorinated hydrocarbons subject to sequential transformation reactions. *J Environ Qual.* 30: 1354-1360.
- Casey, M; Gennings, C; Carter, WH; Moser, VC; Simmons, JE. (2006). Power and sample size calculations for linear hypotheses associated with mixtures of many components using fixed-ratio ray designs. *Environ Ecol Stat.* 13: 11-23. <http://dx.doi.org/10.1007/s10651-005-5687-x>.
- Cassano, AE; Alfano, OM. (2000). Reaction engineering of suspended solid heterogeneous photocatalytic reactors. *Catalysis Today.* 58: 167-197.
- Cassuto, A; Hugenschmidt, MB; Parent, P; Laffon, C; Tourillon, HG. (1994). A NEXAFS AND UPS STUDY OF THE ADSORPTION OF TETRACHLOROETHYLENE, TRICHLOROETHYLENE, ISO-DICHLOROETHYLENE, CIS-DICHLOROETHYLENE, AND TRANS-DICHLOROETHYLENE ON PLATINUM SURFACES AT 95-K - MULTILAYERS AND MONOLAYERS. *Surf Sci.* 310: 390-398.
- Castelbaum, D; Olson, MR; Sale, TC; Shackelford, CD. (2011). Laboratory Apparatus and Procedures for Preparing Test Specimens of Slurry Mixed Soils. *Geotechnical Testing Journal.* 34: 18-26.
- Castilla, HJ; Werth, CJ; Mcmillan, SA. (2000). Structural evaluation of slow desorbing sites in model and natural solids using temperature stepped desorption profiles. 2. Column results. *Environ Sci Technol.* 34: 2966-2972.
- Castorina, R; Bradman, A; Fenster, L; Barr, DB; Bravo, R; Vedar, MG; Harnly, ME; Mckone, TE; Eisen, EA; Eskenazi, B. (2010). Comparison of current-use pesticide and other toxicant urinary metabolite levels among pregnant women in the CHAMACOS cohort and NHANES. *Environ Health Perspect.* 118: 856-863. <http://dx.doi.org/10.1289/ehp.0901568>.
- Castro, CE. (1993). Biodehalogenation: The kinetics and rates of the microbial cleavage of carbon-halogen bonds. *Environ Toxicol Chem.* 12: 1609-1618.

Exposure Literature Search Results

Off Topic

- Castro, CE; Riebeth, DM; Belser, NO. (1992). BIODEHALOGENATION - THE METABOLISM OF VINYL-CHLORIDE BY METHYLOSINUS-TRICHOSPORIUM OB-3B - A SEQUENTIAL OXIDATIVE AND REDUCTIVE PATHWAY THROUGH CHLOROETHYLENE OXIDE. *Environ Toxicol Chem.* 11: 749-755.
- Castro, CE; Wade, RS; Riebeth, DM; Bartnicki, EW; Belser, NO. (1992). BIODEHALOGENATION - RAPID METABOLISM OF VINYL-CHLORIDE BY A SOIL PSEUDOMONAS SP DIRECT HYDROLYSIS OF A VINYL C-CL BOND. *Environ Toxicol Chem.* 11: 757-764.
- Castro, Y; Duran, A. (2014). Mesoporous and mesostructured TiO₂ coatings for photocatalytic applications. *Journal of Sol-Gel Science and Technology.* 70: 254-262. <http://dx.doi.org/10.1007/s10971-013-3240-1>.
- Cauliez, P; Meziere, C; Auban-Senzier, P; Clerac, R; Fourmigue, M. (2008). Square-lattice hybrid organic-inorganic conducting layers in the tau phase of a TTF tertiary amide derivative. *New J Chem.* 32: 1561-1566. <http://dx.doi.org/10.1039/b801464g>.
- Cavigneaux, A; Lebbe, J; Petouille, F. (1977). ABSORPTION AND EXCRETION OF TRICHLOROETHYLENE BY PULMONARY ROUTE IN MAN. *Arch Mal Prof Med Trav Secur Soc.* 38: 258-259.
- CDC. (2007). National Vital Statistics Reports: Deaths: Final data for 2004. Hyattsville, MD. <http://www.cdc.gov/nchs/products/nvsr.htm>.
- CDHS. (1986). Organic chemical contamination of large public water systems in California. (86870001977). Sacramento, CA.
- Cedillo-Gonzalez, EI; Mugoni, C; Montorsi, M; Siligardi, C. (2016). Evaluation of the correlations between temperature, humidity, incident UV light and the photocatalytic activity of TiO₂ films using a rationale approach. *Appl Surf Sci.* 378: 73-79. <http://dx.doi.org/10.1016/j.apsusc.2016.03.202>.
- Cemeli, E; Wagner, ED; Anderson, D; Richardson, SD; Plewa, MJ. (2006). Modulation of the cytotoxicity and genotoxicity of the drinking water disinfection byproduct iodoacetic acid by suppressors of oxidative stress. *Environ Sci Technol.* 40: 1878-1883. <http://dx.doi.org/10.1021/es051602r>.
- Cengiz-Callioglu, F; Jirsak, O; Dayik, M. (2013). The Influence of Non-Solvent Addition on the Independent and Dependent Parameters in Roller Electrospinning of Polyurethane. *J Nanosci Nanotechnol.* 13: 4727-4735. <http://dx.doi.org/10.1166/jnn.2013.7190>.
- Cepeda, EA; Bravo, R; Calvo, B. (2009). Solubilities of Lauric Acid in n-Hexane, Acetone, Propanol, 2-Propanol, 1-Bromopropane, and Trichloroethylene from (279.0 to 315.3) K. *Journal of Chemical and Engineering Data.* 54: 1371-1374. <http://dx.doi.org/10.1021/jc800739y>.
- Cernansky, R. (2016). IT CAME FROM BENEATH Detecting And Mitigating Vapor Intrusion. *Environ Health Perspect.* 124: A141-A146. <http://dx.doi.org/10.1289/ehp.124-A141>.
- Cervera, MI; Beltran, J; Lopez, FJ; Hernandez, F. (2011). Determination of volatile organic compounds in water by head space-solid-phase microextraction gas chromatography coupled to tandem mass spectrometry with triple quadrupole analyzer. *Anal Chim Acta.* 704: 87-97. <http://dx.doi.org/10.1016/j.aca.2011.08.012>.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem.* 22: 2298-2305.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environ Sci Technol.* 35: 805-809.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2002). Dechlorination of pentachloroethane by commercial Fe and ferruginous smectite. *Chemosphere.* 47: 971-976.
- Cha, H, unJu; Kang, DH; Cho, YS, oo. (2007). Optimized microwave dielectric properties of Co- and Ca-substituted Mg_{0.6}Zn_{0.4}TiO₃. *Materials Research Bulletin.* 42: 265-273. <http://dx.doi.org/10.1016/j.materresbull.2006.06.002>.
- Chaiko, DJ; Tasker, IR; Fredrickson, DR; Difilippo, AA; Smidt, SM; Vandegrift, GF. (1993). MEASUREMENTS OF AL(NO₃)₃ ACTIVITIES IN AQUEOUS NITRATE SOLUTIONS. *J Nucl Mater.* 201: 184-189.
- Chaithawiwat, K; Vangnai, A; Mcevoy, JM; Pruess, B; Krajangpan, S; Khan, E. (2016). Impact of nanoscale zero valent iron on bacteria is growth phase dependent. *Chemosphere.* 144: 352-359. <http://dx.doi.org/10.1016/j.chemosphere.2015.09.025>.
- Chaloosi, M; Nejad-Darzi, SKH; Choulipour, V. (2009). Separation and Determination of PETN and TNT by HPTLC. *Propellants, Explosives, Pyrotechnics.* 34: 50-52. <http://dx.doi.org/10.1002/prep.200900012>.
- Chambers, JE; Loke, MH; Ogilvy, RD; Meldrum, PI. (2004). Noninvasive monitoring of DNAPL migration through a saturated porous medium using electrical impedance tomography. *J Contam Hydrol.* 68: 1-22. [http://dx.doi.org/10.1016/S0169-7722\(03\)00142-6](http://dx.doi.org/10.1016/S0169-7722(03)00142-6).
- Chambers, JE; Wilkinson, PB; Wealthall, GP; Loke, MH; Dearden, R; Wilson, R; Allen, D; Ogilvy, RD. (2010). Hydrogeophysical imaging of deposit heterogeneity and groundwater chemistry changes during DNAPL source zone bioremediation. *J Contam Hydrol.* 118: 43-61. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.001>.
- Chambon, JC; Broholm, MM; Binning, PJ; Bjerg, PL. (2010). Modeling multi-component transport and enhanced anaerobic dechlorination processes in a single fracture-clay matrix system. *J Contam Hydrol.* 112: 77-90. <http://dx.doi.org/10.1016/j.jconhyd.2009.10.008>.
- Chan, WW; Grostern, A; Löffler, FE; Edwards, EA. (2011). Quantifying the effects of 1,1,1-trichloroethane and 1,1-dichloroethane on chlorinated ethene reductive dehalogenases. *Environ Sci Technol.* 45: 9693-9702. <http://dx.doi.org/10.1021/es201260n>.
- Chandak, MV; Lin, YS. (1998). Hydrophobic zeolites as adsorbents for removal of volatile organic compounds from air. *Environ Technol.* 19: 941-948.
- Chandak, MV; Lin, YS; Ji, W; Higgins, RJ. (1997). Sorption and diffusion of VOCs in DAY zeolite and silicalite-filled PDMS membranes. *J Memb Sci.* 133: 231-243.
- Chang, BJ; Chang, YH; Kim, DK; Kim, JH; Lee, SB. (2005). New copolyimide membranes for the pervaporation of trichloroethylene from water. *J Memb Sci.* 248: 99-107. <http://dx.doi.org/10.1016/j.memsci.2004.10.002>.

Exposure Literature Search Results

Off Topic

- Chang, BV; Liao, CS; Yuan, SY. (2005). Anaerobic degradation of diethyl phthalate, di-n-butyl phthalate, and di-(2-ethylhexyl) phthalate from river sediment in Taiwan. *Chemosphere*. 58: 1601-1607. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.031>.
- Chang, CL; Lin, YC; Bai, HL; Liu, YH. (2009). Applying spray pyrolysis to synthesize MnO (x) for decomposing isopropyl alcohol in ozone- and thermal-catalytic oxidation. *Korean J Chem Eng*. 26: 1047-1052. <http://dx.doi.org/10.2478/s11814-009-0174-y>.
- Chang, HL; Alvarez-Cohen, L. (1995). MODEL FOR THE COMETABOLIC BIODEGRADATION OF CHLORINATED ORGANICS. *Environ Sci Technol*. 29: 2357-2367.
- Chang, HL; Alvarez-Cohen, L. (1997). Two-stage methanotrophic bioreactor for the treatment of chlorinated organic wastewater. *Water Res*. 31: 2026-2036.
- Chang, J, ihH; Qiang, Z; Huang, CP, ao. (2006). Remediation and stimulation of selected chlorinated organic solvents in unsaturated soil by a specific enhanced electrokinetics. *Colloid Surface Physicochem Eng Aspect*. 287: 86-93. <http://dx.doi.org/10.1016/j.colsurfa.2006.03.039>.
- Chang, JH; Cheng, SF. (2006). The remediation performance of a specific electrokinetics integrated with zero-valent metals for perchloroethylene contaminated soils. *J Hazard Mater*. 131: 153-162. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.026>.
- Chang, JS. (2003). Next generation integrated electrostatic gas cleaning systems. *Journal of Electrostatics*. 57: 273-291.
- Chang, JS; Urashima, K; Ito, T; Misaka, T. (1995). Removal of volatile organic compounds by an electrical discharge/activated carbon filter hybrid system. *Institute of Physics Conference Series*. 143: 183-186.
- Chang, LW; Daniel, FB; Deangelo, AB. (1992). Analysis of DNA strand breaks induced in rodent liver in vivo, hepatocytes in primary culture, and a human cell line by chlorinated acetic acids and chlorinated acetaldehydes. *Environ Mol Mutagen*. 20: 277-288. <http://dx.doi.org/10.1002/em.2850200406>.
- Chang, MC; Kang, HY. (2009). Remediation of pyrene-contaminated soil by synthesized nanoscale zero-valent iron particles. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 576-582. <http://dx.doi.org/10.1080/10934520902784609>.
- Chang, MC; Shu, HY; Hsieh, WP; Wang, MC. (2005). Using nanoscale zero-valent iron for the remediation of polycyclic aromatic hydrocarbons contaminated soil. *Journal of the Air and Waste Management Association*. 55: 1200-1207.
- Chang, MC; Shu, HY, ee; Yu, HH; Sung, Y, iC. (2006). Reductive decolourization and total organic carbon reduction of the diazo dye Cl Acid Black 24 by zero-valent iron powder. *J Chem Tech Biotechnol*. 81: 1259-1266. <http://dx.doi.org/10.1002/jctb.1543>.
- Chang, W; Korenaga, T. (2006). Application of a monolithic silica capillary adsorbent for the preconcentration of airborne trichloroethylene and tetrachloroethylene. *Anal Bioanal Chem*. 385: 1149-1152. <http://dx.doi.org/10.1007/s00216-006-0525-z>.
- Chang, Y; Achari, G; Langford, CH. (2009). Protocols for the analysis of transformer oil and its degradation in soil by hydrogen peroxide. *Can J Civ Eng*. 36: 1547-1557. <http://dx.doi.org/10.1139/L09-065>.
- Chang, YC; Huang, SC; Chen, KF. (2014). Evaluation of the effects of nanoscale zero-valent iron (nZVI) dispersants on intrinsic biodegradation of trichloroethylene (TCE). *Water Sci Technol*. 69: 2357-2363. <http://dx.doi.org/10.2166/wst.2014.169>.
- Chang, YC; Kikuchi, S; Kawachi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol*. 29: 381-391. <http://dx.doi.org/10.1080/09593330801984050>.
- Chang, YC; Okeke, BC; Hatsu, M; Takamizawa, K. (2001). In vitro dehalogenation of tetrachloroethylene (PCE) by cell-free extracts of *Clostridium bifermentans* DPH-1. *Bioresour Technol*. 78: 141-147.
- Chang, YM; Tai, CF; Yang, SC; Chen, CJ; Shih, TS; Lin, R; Liou, SH. (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. *Ann Epidemiol*. 13: 652-660. [http://dx.doi.org/10.1016/S1047-2797\(03\)00038-3](http://dx.doi.org/10.1016/S1047-2797(03)00038-3).
- Chang, YM; Tai, CF; Yang, SC; Lin, RS; Sung, FC; Shih, TS; Liou, SH. (2005). Cancer incidence among workers potentially exposed to chlorinated solvents in an electronics factory. *J Occup Health*. 47: 171-180. <http://dx.doi.org/10.1539/joh.47.171>.
- Changrani, R; Raupp, GB. (1999). Monte Carlo simulation of the radiation field in a reticulated foam photocatalytic reactor. *AIChE J*. 45: 1085-1094.
- Changrani, RG; Raupp, GB. (2000). Two-dimensional heterogeneous model for a reticulated-foam photocatalytic reactor. *AIChE J*. 46: 829-842.
- Changsuphan, A; Wahab, M; Kim oanh, NT. (2012). Removal of benzene by ZnO nanoparticles coated on porous adsorbents in presence of ozone and UV. *Chem Eng J*. 181-182: 215-221. <http://dx.doi.org/10.1016/j.cej.2011.11.064>.
- Chang-Yun, C; Xiao-Feng, W; Hong, Z; Xin-Hui, Z; Jing-Lin, Z. (2011). Synthesis, Structure and Physical Properties of Mn and Cd Complexes with 1,1,2,2-Tetracarboxyl-ethylene Acid. *Chinese Journal of Structural Chemistry*. 30: 59-66.
- Chao, C; Xiangyu, W; Ying, C; Huiling, L. (2008). Dechlorination of disinfection by-product monochloroacetic acid in drinking water by nanoscale palladized iron bimetallic particle. *J Environ Sci*. 20: 945-951. [http://dx.doi.org/10.1016/S1001-0742\(08\)62191-9](http://dx.doi.org/10.1016/S1001-0742(08)62191-9).
- Chao, KP; Ong, SK; Fryzek, T; Yuan, W; Braida, W. (2012). Degradation of trichloroethylene using iron, bimetal and trimetal. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 47: 1536-1542. <http://dx.doi.org/10.1080/10934529.2012.680397>.
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng*. 124: 1054-1060.
- Chapelle, FH; Kauffman, LJ; Widdowson, MA. (2014). Modeling the Effects of Naturally Occurring Organic Carbon on Chlorinated Ethene Transport to a Public Supply Well. *Ground Water*. 52 Suppl 1: 76-89. <http://dx.doi.org/10.1111/gwat.12152>.
- Chapin, RE; Norton, RM; Popp, JA; Bus, JS. (1982). The effects of 2,5-hexanedione on reproductive hormones and testicular enzyme activities in the F-344 rat. *Toxicol Appl Pharmacol*. 62: 262-272. [http://dx.doi.org/10.1016/0041-008X\(82\)90124-7](http://dx.doi.org/10.1016/0041-008X(82)90124-7).
- Chapman, PJ; Vogt, F; Dutta, P; Datskos, PG; Devault, GL; Sepaniak, MJ. (2007). Facile hyphenation of gas chromatography and a microcantilever array sensor for enhanced selectivity. *Anal Chem*. 79: 364-370. <http://dx.doi.org/10.1021/ac061389x>.

Exposure Literature Search Results

Off Topic

- Chapman, SW; Parker, BL. (2005). Plume persistence due to aquitard back diffusion following dense nonaqueous phase liquid source removal or isolation. *Water Resour Res.* 41. <http://dx.doi.org/10.1029/2005WR004224>.
- Charbonneau, M; Couture, J; Plaa, GL. (1991). Inhalation versus oral administration of acetone: effect of the vehicle on the potentiation of CCl₄-induced liver injury. *Toxicol Lett.* 57: 47-54. [http://dx.doi.org/10.1016/0378-4274\(91\)90118-P](http://dx.doi.org/10.1016/0378-4274(91)90118-P).
- Charbotel, B. (2008). E mail from Barbara Charbotel, University of Lyon, to Cheryl Scott, U.S. EPA [Personal Communication].
- Charbotel, B; Fevotte, J; Martin, JL; Bergeret, A. (2009). Cancer du rein et expositions au trichloroéthylène : les valeurs limites d'exposition professionnelle françaises en vigueur sont-elles adaptées? *Rev Epidemiol Sante Publique.* 57: 41-47. <http://dx.doi.org/10.1016/j.respe.2008.09.008>.
- Charbotel, B; Massardier-Pilonchery, A; Fort, E; Dananché, B; Févotte, J; Confavreux-Romestaing, C; Bergeret, A. (2013). Occupational trichloroethylene exposure and cervical pathology: a case-control study. *Ann Occup Hyg.* 57: 407-416. <http://dx.doi.org/10.1093/annhyg/mes075>.
- Charles, JM; Leeming, NM. (1998). Chronic dietary toxicity/oncogenicity studies on 2,4-dichlorophenoxybutyric acid in rodents. *Toxicol Sci.* 46: 21-30. <http://dx.doi.org/10.1006/toxs.1998.2502>.
- Charlet, L; Bosbach, D; Peretyashko, T. (2002). Natural attenuation of TCE, As, Hg linked to the heterogeneous oxidation of Fe(II): an AFM study. *Chem Geol.* 190: 303-319. [http://dx.doi.org/10.1016/S0009-2541\(02\)00122-5](http://dx.doi.org/10.1016/S0009-2541(02)00122-5).
- Charlet, L; Liger, E; Gerasimo, P. (1998). Decontamination of TCE- and U-rich waters by granular iron: Role of sorbed Fe(II). *J Environ Eng.* 124: 25-30.
- Charmpis, DC; Papadrakakis, M. (2005). Improving the computational efficiency in finite element analysis of shells with uncertain properties. *Computer Methods in Applied Mechanics and Engineering.* 194: 1447-1478. <http://dx.doi.org/10.1016/j.cma.2003.12.075>.
- Chartrand, MM; Morrill, PL; Lacrampe-Couloume, G; Lollar, BS. (2005). Stable isotope evidence for biodegradation of chlorinated ethenes at a fractured bedrock site. *Environ Sci Technol.* 39: 4848-4856. <http://dx.doi.org/10.1021/es048592z>.
- Chartrand, MMG; Waller, A; Mattes, TE; Elsner, M; Lacrampe-Couloume, G; Gossett, JM; Edwards, EA; Lollar, BS. (2005). Carbon isotopic fractionation during aerobic vinyl chloride degradation. *Environ Sci Technol.* 39: 1064-1070. <http://dx.doi.org/10.1021/es0492945>.
- Chatterjee, D; Mahata, A. (2001). Demineralization of organic pollutants on the dye modified TiO₂ semiconductor particulate system using visible light. *Appl Catal B-Environ.* 33: 119-125.
- Chatterjee, D; Mahata, A. (2002). Visible light induced photodegradation of organic pollutants on dye adsorbed TiO₂ surface. *J Photochem Photobiol A.* 153: 199-204.
- Chatterjee, S; Greene, HL. (1993). EFFECTS OF CATALYST COMPOSITION ON DUAL SITE ZEOLITE CATALYSTS USED IN CHLORINATED-HYDROCARBON OXIDATION. *Appl Catal A-Gen.* 98: 139-158.
- Chatterjee, S; Greene, HL; Park, YJ. (1992). DEACTIVATION OF METAL EXCHANGED ZEOLITE CATALYSTS DURING EXPOSURE TO CHLORINATED HYDROCARBONS UNDER OXIDIZING CONDITIONS. *Catalysis Today.* 11: 569-596.
- Chaudhary, A; van Amerom, FHW; Short, RT. (2009). Development of Microfabricated Cylindrical Ion Trap Mass Spectrometer Arrays. *I E E E Journal of Microelectromechanical Systems.* 18: 442-448. <http://dx.doi.org/10.1109/JMEMS.2009.2013390>.
- Chavan, RB; Rao, JV. (1983). AGGREGATION BEHAVIOR OF ACID DYES IN N,N-DIMETHYLFORMAMIDE TRICHLOROETHYLENE SOLVENT MIXTURES - A QUASIELASTIC LIGHT-SCATTERING STUDY. *J Soc Dyers Colour.* 99: 126-130.
- Chavan, RB; Rao, JV. (1983). DYEING OF WATER SWOLLEN, SOLVENT EXCHANGED COTTON WITH ANIONIC DYES FROM "DIMETHYLFORMAMIDE-TRICHLOROETHYLENE SOLVENT MIXTURES. *Text Res J.* 53: 290-297.
- Che, H; Bae, S; Lee, W. (2011). Degradation of trichloroethylene by Fenton reaction in pyrite suspension. *J Hazard Mater.* 185: 1355-1361. <http://dx.doi.org/10.1016/j.jhazmat.2010.10.055>.
- Che, H; Lee, W. (2011). Selective redox degradation of chlorinated aliphatic compounds by Fenton reaction in pyrite suspension. *Chemosphere.* 82: 1103-1108. <http://dx.doi.org/10.1016/j.chemosphere.2010.12.002>.
- Checkoway, H; Pearce, N; Crawford-Brown, DJ. (1989). *Research methods in occupational epidemiology.* In *Monographs in epidemiology and biostatistics.* New York, NY: Oxford University Press.
- Chekmeneva, E; Hunter, CA; Misuraca, MC; Turega, SM. (2012). Steric desolation enhances the effective molarities of intramolecular H-bonding interactions. *Org Biomol Chem.* 10: 6022-6031. <http://dx.doi.org/10.1039/c2ob25372k>.
- Chen, C; Hennig, G; Whiteley, H; Manautou, J. (2002). Protection against acetaminophen hepatotoxicity by clofibrate pretreatment: role of catalase induction. *J Biochem Mol Toxicol.* 16: 227-234. <http://dx.doi.org/10.1002/jbt.10043>.
- Chen, C; Puhakka, JA; Ferguson, JF. (1996). Transformations of 1,1,2,2-tetrachloroethane under methanogenic conditions. *Environ Sci Technol.* 30: 542-547.
- Chen, C; Shih, MC; Wu, K. (2010). Exposure estimation using repeated blood concentration measurements. *Stoch Environ Res Risk Assess.* 24: 445-454. <http://dx.doi.org/10.1007/s00477-009-0332-0>.
- Chen, CT; Graham, JL; Dellinger, B. (1995). PHOTOTHERMAL DESTRUCTION OF THE VAPOR OF ORGANIC COMPOUNDS. *Waste Manag.* 15: 159-170.
- Chen, CW. (2000). Biologically based dose-response model for liver tumors induced by trichloroethylene. *Environ Health Perspect.* 108: 335-342. <http://dx.doi.org/10.1289/ehp.00108s2335>.
- Chen, CW, en; Chen, T, eSan; Hsia, K, uoF; Chen, CF; Dong, CD, i. (2016). Effect of operating parameters on trichloroethylene degradation by extended release of nanoscale zero-valent iron. *Desalination and Water Treatment.* 57: 27794-27803. <http://dx.doi.org/10.1080/19443994.2016.1174740>.

Exposure Literature Search Results

Off Topic

- Chen, D; Li, J; Cui, P; Liu, H, ui; Yang, J, un. (2016). Gold-catalyzed formation of core-shell gold-palladium nanoparticles with palladium shells up to three atomic layers. 4: 3813-3821. <http://dx.doi.org/10.1039/c5ta10303g>.
- Chen, D; Rolston, DE; Yamaguchi, T. (2000). Calculating partition coefficients of organic vapors in unsaturated soil and clays. *Soil Sci.* 165: 217-225.
- Chen, F; Falta, RW; Murdoch, LC. (2014). Numerical Analysis of Thermal Remediation in 3D Field-Scale Fractured Geologic Media. *Ground Water.* 53: 572-587. <http://dx.doi.org/10.1111/gwat.12241>.
- Chen, F, ei; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere.* 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.
- Chen, F, ei; Liu, X; Falta, RW; Murdoch, LC. (2010). Experimental Demonstration of Contaminant Removal from Fractured Rock by Boiling. *Environ Sci Technol.* 44: 6437-6442. <http://dx.doi.org/10.1021/es1015923>.
- Chen, FY; Pehkonen, SO; Ray, MB. (2002). Kinetics and mechanisms of UV-photodegradation of chlorinated organics in the gas phase. *Water Res.* 36: 4203-4214.
- Chen, G, uoHua. (2007). Effect of replacement of MgO by CaO on sintering, crystallization and properties of MgO-Al₂O₃-SiO₂ system glass-ceramics. *Journal of Materials Science.* 42: 7239-7244. <http://dx.doi.org/10.1007/s10853-007-1548-3>.
- Chen, G, uohua. (2008). Sintering, crystallization, and properties of CaO doped cordierite-based glass-ceramics. *J Alloy Comp.* 455: 298-302. <http://dx.doi.org/10.1016/j.jallcom.2007.01.036>.
- Chen, G, uoHua; Liu, X, inYu. (2007). Sintering, crystallization and properties of MgO-Al₂O₃-SiO₂ system glass-ceramics containing ZnO. *J Alloy Comp.* 431: 282-286. <http://dx.doi.org/10.1016/j.jallcom.2006.05.060>.
- Chen, HF; Wang, J; Cai, SM; Liu, ZF. (1999). Self-assembled Au nanoparticles on GaAs and its surface enhanced Raman scattering(SERS)-activity. *Chem J Chin Univ-Chin.* 20: 620-623.
- Chen, HH, ui; Chang, LC; Shan, HY, u; Tsai, J, uiPin. (2009). Joint Impact of Scaling and Hysteresis on NAPL Flow Simulation. *Environ Model Assess.* 14: 715-728. <http://dx.doi.org/10.1007/s10666-008-9180-4>.
- Chen, J; Ely, RL. (2001). Comparison of artificial neural network, genetic programming, and mechanistic modeling of complex biological processes. *Environ Eng Sci.* 18: 267-278.
- Chen, J; Gillham, RW; Gui, L. (2013). Passivation of bimetallic catalysts used in water treatment: prevention and reactivation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 48: 48-56. <http://dx.doi.org/10.1080/10934529.2012.707836>.
- Chen, J; Lin, JC; Purohit, V; Cutlip, MB; Suib, SL. (1997). Photoassisted catalytic oxidation of alcohols and halogenated hydrocarbons with amorphous manganese oxides. *Catalysis Today.* 33: 205-214.
- Chen, J, uiS; Liu, CW; Chan, Y, iC; Ni, CF, a; Kao, K, eK. (2011). Effect of transverse dispersion on solute transport in a vertical dipole flow test with a tracer. *J Hydrol.* 402: 206-216. <http://dx.doi.org/10.1016/j.jhydrol.2011.03.005>.
- Chen, J; Ollis, DF; Rulkens, WH; Bruning, H. (1999). Photocatalyzed oxidation of alcohols and organochlorides in the presence of native TiO₂ and metallized TiO₂ suspensions. Part (I): Photocatalytic activity and pH influence. *Water Res.* 33: 661-668.
- Chen, J; Ollis, DF; Rulkens, WH; Bruning, H. (1999). Photocatalyzed oxidation of alcohols and organochlorides in the presence of native TiO₂ and metallized TiO₂ suspensions. Part (II): Photocatalytic mechanisms. *Water Res.* 33: 669-676.
- Chen, J; Xie, Z. (2013). Removal of H₂S in a novel dielectric barrier discharge reactor with photocatalytic electrode and activated carbon fiber. *J Hazard Mater.* 261: 38-43. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.075>.
- Chen, J; Xiu, Z; Lowry, GV; Alvarez, PJJ. (2011). Effect of natural organic matter on toxicity and reactivity of nano-scale zero-valent iron. *Water Res.* 45: 1995-2001. <http://dx.doi.org/10.1016/j.watres.2010.11.036>.
- Chen, JC; Tang, CT. (2007). Preparation and application of granular ZnO/Al₂O₃ catalyst for the removal of hazardous trichloroethylene. *J Hazard Mater.* 142: 88-96. <http://dx.doi.org/10.1016/j.jhazmat.2006.07.061>.
- Chen, JL; Al-Abed, SR; Ryan, JA; Li, ZB. (2001). Effects of pH on dechlorination of trichloroethylene by zero-valent iron. *J Hazard Mater.* 83: 243-254.
- Chen, JP; Kiaei, D; Hoffman, AS. (1993). ACTIVITY OF HORSERADISH PEROXIDE ADSORBED ON RADIO-FREQUENCY GLOW DISCHARGE-TREATED POLYMERS. *J Biomater Sci Polym Ed.* 5: 167-182.
- Chen, K, uFan; Li, S; Zhang, W, eiX. (2011). Renewable hydrogen generation by bimetallic zero valent iron nanoparticles. *Chem Eng J.* 170: 562-567. <http://dx.doi.org/10.1016/j.cej.2010.12.019>.
- Chen, KF; Kao, CM; Wu, LC; Surampalli, RY; Liang, SH. (2009). Methyl tert-butyl ether (MTBE) degradation by ferrous ion-activated persulfate oxidation: feasibility and kinetics studies. *Water Environ Res.* 81: 687-694. <http://dx.doi.org/10.2175/106143008X370539>.
- Chen, KF; Yeh, TY; Kao, CM; Sung, WP; Lin, CC. (2012). Application of Nanoscale Zero-valent Iron (nZVI) to Enhance Microbial Reductive Dechlorination of TCE: A Feasibility Study. *Current Nanoscience.* 8: 55-59.
- Chen, L; Jin, S; Fallgren, PH; Liu, F; Colberg, PJ. (2013). Passivation of zero-valent iron by denitrifying bacteria and the impact on trichloroethene reduction in groundwater. *Water Sci Technol.* 67: 1254-1259. <http://dx.doi.org/10.2166/wst.2013.689>.
- Chen, L; Jin, S; Fallgren, PH; Swoboda-Colberg, NG; Liu, F; Colberg, PJ. (2012). Electrochemical depassivation of zero-valent iron for trichloroethene reduction. *J Hazard Mater.* 239-240: 265-269. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.074>.
- Chen, L; Liu, F; Liu, Y; Dong, H; Colberg, PJ. (2011). Benzene and toluene biodegradation down gradient of a zero-valent iron permeable reactive barrier. *J Hazard Mater.* 188: 110-115. <http://dx.doi.org/10.1016/j.jhazmat.2011.01.076>.
- Chen, L; Liu, Y; Liu, F; Jin, S. (2014). Treatment of co-mingled benzene, toluene and TCE in groundwater. *J Hazard Mater.* 275: 116-120. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.057>.

Exposure Literature Search Results

Off Topic

- Chen, M, in; Yang, X. (2015). Situations and challenges of household energy consumption in Chinese small towns. *Energy and Buildings*. 107: 155-162. <http://dx.doi.org/10.1016/j.enbuild.2015.08.017>.
- Chen, MH; Chou, TC. (2003). Electrochemical detection of trichloroethylene with an electrodeposited Pb-modified electrode. *J Electrochem Soc*. 150: H214-H219. <http://dx.doi.org/10.1149/1.1600466>.
- Chen, MH; Lin, TY; Chou, TC. (2002). Trichloroethylene sensor by using electrodeposited Pb-modified graphite strip electrode. *J Electrochem Soc*. 149: H87-H92. <http://dx.doi.org/10.1149/1.1449955>.
- Chen, MY; Su, YF; Shih, YH. (2014). Effect of geochemical properties on degradation of trichloroethylene by stabilized zerovalent iron nanoparticle with Na-acrylic copolymer. *J Environ Manage*. 144: 88-92. <http://dx.doi.org/10.1016/j.jenvman.2014.04.024>.
- Chen, Q; Jiang, D; Shi, W; Wu, D; Xu, Y, ao. (2009). Visible-light-activated Ce-Si co-doped TiO₂ photocatalyst. *Appl Surf Sci*. 255: 7918-7924. <http://dx.doi.org/10.1016/j.apsusc.2009.04.167>.
- Chen, Q; Li, N, a; Luo, M; Lu, J, iQ. (2012). Catalytic oxidation of dichloromethane over Pt/CeO₂-Al₂O₃ catalysts. *Appl Catal B-Environ*. 127: 159-166. <http://dx.doi.org/10.1016/j.apcatb.2012.08.020>.
- Chen, Q; Shi, W; Jiang, D; Xu, Y, ao; Wu, D; Sun, Y. (2010). Visible-Light-Activated Ni-Si Co-Doped TiO₂ with Photocatalytic Performance. *Huaxue Xuebao*. 68: 301-308.
- Chen, R; Das, SR; Jeong, C; Khan, MR; Janes, DB; Alam, MA. (2013). Co-Percolating Graphene-Wrapped Silver Nanowire Network for High Performance, Highly Stable, Transparent Conducting Electrodes. *Adv Funct Mater*. 23: 5150-5158. <http://dx.doi.org/10.1002/adfm.201300124>.
- Chen, R; Wang, X; Yu, Z. (2014). Electrochemical sensing of the genotoxicity of the micron LiFePO₄ rice granule using a guanine biosensor based on LiFePO₄/HCl/K₂S₂O₈ System. *Sens Actuators B*. 192: 234-238. <http://dx.doi.org/10.1016/j.snb.2013.10.105>.
- Chen, R; Zhou, J; Xu, B, in; Meng, X. (2013). Preparation of TiO₂-BaSO₄ composite microparticles and their photocatalytic activity. *Chem Eng J*. 218: 24-31. <http://dx.doi.org/10.1016/j.cej.2012.12.039>.
- Chen, SS; Hsu, BC; Hung, LW. (2008). Chromate reduction by waste iron from electroplating wastewater using plug flow reactor. *J Hazard Mater*. 152: 1092-1097. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.086>.
- Chen, SS; Huang, Y; Kuo, T. (2010). The Remediation of Perchloroethylene Contaminated Groundwater by Nanoscale Iron Reactive Barrier Integrated with Surfactant and Electrokinetics. *Ground Water Monitoring and Remediation*. 30: 90-98. <http://dx.doi.org/10.1111/j.1745-6592.2010.01311.x>.
- Chen, SS; Huang, Y, iChu; Lin, JY, u; Lin, MH, ei. (2014). Dechlorination of tetrachloroethylene in water using stabilized nanoscale iron and palladized iron particles. *Desalination and Water Treatment*. 52: 702-711. <http://dx.doi.org/10.1080/19443994.2013.827305>.
- Chen, W, eiF; Wang, W; Zhang, J; Zhang, X; Li, Y. (2016). Effects of co-present cations and anions on hexachlorobenzene removal by activated carbon, nano zerovalent iron and nano zerovalent/activated carbon composite. *Desalination and Water Treatment*. 57: 20494-20502. <http://dx.doi.org/10.1080/19443994.2015.1108238>.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere*. 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.
- Chen, X; Cheung, ST; So, S; Fan, ST; Barry, C; Higgins, J; Lai, KM; Ji, J; Dudoit, S; Ng, IO; Van De Rijn, M; Botstein, D; Brown, PO. (2002). Gene expression patterns in human liver cancers. *Mol Biol Cell*. 13: 1929-1939. <http://dx.doi.org/10.1091/mbc.02-02-0023>.
- Chen, X; Rozak, J; Lin, JC; Suib, SL; Hayashi, J; Matsumoto, H. (2001). Oxidative decomposition of chlorinated hydrocarbons by glow discharge in PACT (plasma and catalyst integrated technologies) reactors. *Appl Catal A-Gen*. 219: 25-31.
- Chen, XY, an; Zhuang, Z, hiX; Wang, XH, ui; Zhang, J, inZ. (2006). Immune responses to trichloroethylene and skin gene expression profiles in sprague dawley rats. *Biomed Environ Sci*. 19: 346-352.
- Chen, Y; Cai, J; Anders, M; Stevens, J; Jones, D. (2001). Role of mitochondrial dysfunction in S-(1,2-dichlorovinyl)-l-cysteine-induced apoptosis. *Toxicol Appl Pharmacol*. 170: 172-180. <http://dx.doi.org/10.1006/taap.2000.9107>.
- Chen, Y, iS; Hsu, Y, ehL; Lu, J, unM. (2013). TRiC(mini)(+) - A Telepresence Robot for Interpersonal Communication for Older Adults. 34: 121-127.
- Chen, Y; Lin, T; Huang, C; Lin, J. (2008). Cometabolic degradation kinetics of TCE and phenol by *Pseudomonas putida*. *Chemosphere*. 72: 1671-1680. <http://dx.doi.org/10.1016/j.chemosphere.2008.05.035>.
- Chen, Y; Lin, T; Huang, C; Lin, J; Hsieh, FM. (2007). Degradation of phenol and TCE using suspended and chitosan-bead immobilized *Pseudomonas putida*. *J Hazard Mater*. 148: 660-670. <http://dx.doi.org/10.1016/j.jhazmat.2007.03.030>.
- Chen, Y; Tsao, TM; Liu, CC; Lin, K; Wang, MK. (2011). Aluminium and nutrients induce changes in the profiles of phenolic substances in tea plants (*Camellia sinensis* CV TTES, No. 12 (TTE)). *J Sci Food Agric*. 91: 1111-1117. <http://dx.doi.org/10.1002/jsfa.4291>.
- Chen, Y, ueM; Wang, MK; Zhuang, SY, ao; Chiang, P, oN. (2006). Chemical and physical properties of rhizosphere and bulk soils of three tea plants cultivated in Ultisols. *Geoderma*. 136: 378-387. <http://dx.doi.org/10.1016/j.geoderma.2006.04.003>.
- Chen, YJ; Dionysiou, DD. (2006). TiO₂ photocatalytic films on stainless steel: The role of Degussa P-25 in modified sol-gel methods. *Appl Catal B-Environ*. 62: 255-264. <http://dx.doi.org/10.1016/j.apcatb.2005.07.017>.
- Chen, YX; Wang, K; Lou, LP. (2004). Photodegradation of dye pollutants on silica gel supported TiO₂ particles under visible light irradiation. *J Photochem Photobiol A*. 163: 281-287. <http://dx.doi.org/10.1016/j.jphotochem.2003.12.012>.
- Chen, Z; Wu, S; Braeckevelt, M; Paschke, H; Kästner, M; Köser, H; Kusch, P. (2012). Effect of vegetation in pilot-scale horizontal subsurface flow constructed wetlands treating sulphate rich groundwater contaminated with a low and high chlorinated hydrocarbon. *Chemosphere*. 89: 724-731. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.042>.

Exposure Literature Search Results

Off Topic

- Chen, ZY; White, CC; He, CY; Liu, YF; Eaton, DL. (1995). Zonal differences in DNA synthesis activity and cytochrome P450 gene expression in livers of male F344 rats treated with five nongenotoxic carcinogens. *J Environ Pathol Toxicol Oncol.* 14: 83-99.
- Cheng, D; Chow, WL; He, J. (2010). A Dehalococcoides-containing co-culture that dechlorinates tetrachloroethene to trans-1,2-dichloroethene. *ISME J.* 4: 88-97. <http://dx.doi.org/10.1038/ismej.2009.90>.
- Cheng, H; Hu, E; Hu, Y. (2012). Impact of mineral micropores on transport and fate of organic contaminants: A review [Review]. *J Contam Hydrol.* 129: 80-90. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.008>.
- Cheng, H; Reinhard, M. (2006). Measuring hydrophobic micropore volumes in geosorbents from trichloroethylene desorption data. *Environ Sci Technol.* 40: 3595-3602. <http://dx.doi.org/10.1021/es0522581>.
- Cheng, H; Reinhard, M. (2006). Sorption of trichloroethylene in hydrophobic micropores of dealuminated Y zeolites and natural minerals. *Environ Sci Technol.* 40: 7694-7701. <http://dx.doi.org/10.1021/es060886s>.
- Cheng, H; Reinhard, M. (2007). Sorption and inhibited dehydrohalogenation of 2,2-dichloropropane in micropores of dealuminated Y zeolites. *Environ Sci Technol.* 41: 1934-1941. <http://dx.doi.org/10.1021/es062332v>.
- Cheng, H; Reinhard, M. (2008). The rate of 2,2-dichloropropane transformation in mineral micropores: implications of sorptive preservation for fate and transport of organic contaminants in the subsurface. *Environ Sci Technol.* 42: 2879-2885. <http://dx.doi.org/10.1021/es702888h>.
- Cheng, H; Reinhard, M. (2010). In-line gas chromatographic apparatus for measuring the hydrophobic micropore volume (HMV) and contaminant transformation in mineral micropores. *J Hazard Mater.* 179: 596-603. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.045>.
- Cheng, K; Lee, Z, uHsu; Shomali, H. (2012). Airline firm boundary and ticket distribution in electronic markets. *International Journal of Production Economics.* 137: 137-144. <http://dx.doi.org/10.1016/j.ijpe.2012.01.024>.
- Cheng, K, un; Pan, G; Smith, P; Luo, T; Li, L; Zheng, J; Zhang, X; Han, X; Yan, M. (2011). Carbon footprint of China's crop production-An estimation using agro-statistics data over 1993-2007. *Agric Ecosyst Environ.* 142: 231-237. <http://dx.doi.org/10.1016/j.agee.2011.05.012>.
- Cheng, R; Wang, JL; Zhang, WX. (2007). Comparison of reductive dechlorination of p-chlorophenol using Fe0 and nanosized Fe0. *J Hazard Mater.* 144: 334-339. <http://dx.doi.org/10.1016/j.jhazmat.2006.10.032>.
- Cheng, R; Xue, X; Shi, L; Zhang, T; Liu, Y; Kang, M; Zheng, X. (2017). Degradation of 4-chlorophenol by mixed Fe(0)/Fe3O4 nanoparticles: from the perspective of mechanisms. *Water Sci Technol.* 75: 263-270. <http://dx.doi.org/10.2166/wst.2016.505>.
- Cheng, SF; Wu, SC. (2000). The enhancement methods for the degradation of TCE by zero-valent metals. *Chemosphere.* 41: 1263-1270.
- Cheng, SF; Wu, SC. (2001). Feasibility of using metals to remediate water containing TCE. *Chemosphere.* 43: 1023-1028.
- Cheng, WC; Kuo, MCT, om. (2010). The Effect of Toluene-Substrate Concentration on Biological Clogging and Sloughing in Porous Media. *Ground Water Monitoring and Remediation.* 30: 73-80. <http://dx.doi.org/10.1111/j.1745-6592.2010.01306.x>.
- Cheng, Y, ue; Lu, M; Jiao, C; Liu, H. (2013). Preparation of stabilized nano zero-valent iron particles via a rheological phase reaction method and their use in dye decolourization. *Environ Technol.* 34: 445-451. <http://dx.doi.org/10.1080/09593330.2012.698652>.
- Cheng, YC; Hwang, C. (2006). Use of the Lambert W function for time-domain analysis of feedback fractional delay systems. 153: 167-174. <http://dx.doi.org/10.1049/ip-cta:20050020>.
- Cherrie, J; Kromhout, H; Semple, S. (2001). The importance of reliable exposure estimates in deciding whether trichloroethylene can cause kidney cancer [Letter]. *J Cancer Res Clin Oncol.* 127: 400-404. <http://dx.doi.org/10.1007/s004320000206>.
- Cherry, JA; Parker, BL; Keller, C. (2007). A new depth-discrete multilevel monitoring approach for fractured rock. *Ground Water Monitoring and Remediation.* 27: 57-70.
- Cheung, C; Akiyama, TE; Ward, JM; Nicol, CJ; Feigenbaum, L; Vinson, C; Gonzalez, FJ. (2004). Diminished hepatocellular proliferation in mice humanized for the nuclear receptor peroxisome proliferator-activated receptor alpha. *Cancer Res.* 64: 3849-3854. <http://dx.doi.org/10.1158/0008-5472.CAN-04-0322>.
- Chheda, D; Sorial, GA. (2016). Effect of a Ternary Mixture of Volatile Organic Compounds on Degradation of TCE in Biotrickling Filter Systems. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-2950-8>.
- Chia, SE; Goh, VH; Ong, CN. (1997). Endocrine profiles of male workers with exposure to trichloroethylene. *Am J Ind Med.* 32: 217-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<217::AID-AJIM6>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<217::AID-AJIM6>3.0.CO;2-U).
- Chiang, HL; Lin, WH; Lai, JS; Wang, WC. (2010). Inhalation risk assessment of exposure to the selected volatile organic compounds (VOCs) emitted from the facilities of a steel plant. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 1397-1405. <http://dx.doi.org/10.1080/10934529.2010.500932>.
- Chiappe, C; Lenoir, D; Pomelli, CS; Bianchini, R. (2004). Influence of alkene structure on the stability of alkene-Br(2) complexes: Effect of chlorine substitution. *Phys Chem Chem Phys.* 6: 3235-3240. <http://dx.doi.org/10.1039/b316388a>.
- Chibisov, AK; Slavnova, TD; Goerner, H. (2010). J-aggregation of N-sulfobutyl oxacarbocyanine in binary mixtures of organic solvents. *Chem Phys Lett.* 498: 63-66. <http://dx.doi.org/10.1016/j.cplett.2010.08.023>.
- Chieco, P; Moslen, MT; Reynolds, ES. (1981). Effect of administrative vehicle on oral 1,1-dichloroethylene toxicity. *Toxicol Appl Pharmacol.* 57: 146-155. [http://dx.doi.org/10.1016/0041-008X\(81\)90274-X](http://dx.doi.org/10.1016/0041-008X(81)90274-X).
- Chiesa, R; Donato, F; Tagger, A; Favret, M; Ribero, ML; Nardi, G; Gelatti, U; Bucella, E; Tomasi, E; Portolani, N; Bonetti, M; Bettini, L; Pelizzari, G; Salmi, A; Savio, A; Garatti, M; Callea, F. (2000). Etiology of hepatocellular carcinoma in Italian patients with and without cirrhosis. *Cancer Epidemiol Biomarkers Prev.* 9: 213-216.
- Chihara, K; Suzuki, Y; Tomita, S; Kabe, J. (2011). Adsorption equilibrium of the mixture of EtOH and TCE on FAU type high silica zeolite. *Adsorption.* 17: 201-203. <http://dx.doi.org/10.1007/s10450-010-9310-6>.

Exposure Literature Search Results

Off Topic

- Chihara, K; Terakado, T; Ninomiya, T; Mizuochi, H. (2004). Chromatographic adsorption measurement of chlorinated organics on high silica zeolite. *Stud Surf Sci Catal.* 154: 1991-1998.
- Chilakapati, A. (1999). Optimal design of a subsurface redox barrier. *AIChE J.* 45: 1342-1350.
- Chilakapati, A; Williams, M; Yabusaki, S; Cole, C; Szecsody, J. (2000). Optimal design of an in situ Fe(II) barrier: Transport limited reoxidation. *Environ Sci Technol.* 34: 5215-5221.
- Chilakapati, A; Yabusaki, S; Szecsody, J; Macevoy, W. (2000). Groundwater flow, multicomponent transport and biogeochemistry: development and application of a coupled process model. *J Contam Hydrol.* 43: 303-325.
- Chimot, L; Marqué, S; Gros, A; Gacouin, A; Lavoué, S; Camus, C; Le Tulzo, Y. (2013). Avalon© bicaval dual-lumen cannula for venovenous extracorporeal membrane oxygenation: survey of cannula use in France. 59: 157-161. <http://dx.doi.org/10.1097/MAT.0b013e31827db6f3>.
- Chintakrinda, K; Weinstein, RD; Fleischer, A, myS. (2011). A direct comparison of three different material enhancement methods on the transient thermal response of paraffin phase change material exposed to high heat fluxes. *International Journal of Thermal Sciences.* 50: 1639-1647. <http://dx.doi.org/10.1016/j.ijthermalsci.2011.04.005>.
- Chintawar, PS; Greene, HL. (1997). Adsorption and catalytic destruction of trichloroethylene in hydrophobic zeolites. *Appl Catal B-Environ.* 14: 37-47.
- Chintawar, PS; Greene, HL. (1997). Decomposition characteristics of chlorinated ethylenes on metal loaded zeolite Y and gamma-Al₂O₃. *Appl Catal B-Environ.* 13: 81-92.
- Chintawar, PS; Greene, HL. (1997). Interaction of chlorinated ethylenes with chromium exchanged zeolite Y: An in situ FT-IR study. *J Catal.* 165: 12-21.
- Chiou, CT; Kile, DE. (1998). Deviations from sorption linearity on soils of polar and nonpolar organic compounds at low relative concentrations. *Environ Sci Technol.* 32: 338-343.
- Chiovetta, MG; Romero, RL; Cassano, AE. (2001). Modeling of a fluidized-bed photocatalytic reactor for water pollution abatement. *Chem Eng Sci.* 56: 1631-1638.
- Chiriac, R; Carre, J; Perrodin, Y; Fine, L; Letoffe, JM. (2007). Characterisation of VOCs emitted by open cells receiving municipal solid waste. *J Hazard Mater.* 149: 249-263. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.094>.
- Chiu, BC; Weisenburger, DD. (2003). An update of the epidemiology of non-Hodgkin's lymphoma [Review]. *Clin Lymphoma Myeloma.* 4: 161-168.
- Chiu, H; Kuo, CC; Kuo, H; Lee, IM; Yang, C. (2014). Parity, age at first birth and risk of death from kidney cancer: a population-based cohort study in Taiwan. *Eur J Public Health.* 24: 249-252. <http://dx.doi.org/10.1093/eurpub/ckt057>.
- Chiu, HY; Liu, JK; Chien, HY; Surampalli, RY; Kao, CM. (2013). Evaluation of Enhanced Reductive Dechlorination of Trichloroethylene Using Gene Analysis: Pilot-Scale Study. *J Environ Eng.* 139: 428-437. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000654](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000654).
- Chiu, W; Caldwell, J; Keshava, N; Scott, C. (2006). Key scientific issues in the health risk assessment of trichloroethylene [Review]. *Environ Health Perspect.* 114: 1445-1449. <http://dx.doi.org/10.1289/ehp.8690>.
- Chiu, WA. (2006). Statistical issues in physiologically based pharmacokinetic modeling. In JC Lipscomb; EV Ohanian (Eds.), (pp. 269). New York: Informa Healthcare.
- Chiu, WA; Bois, FY. (2007). An approximate method for population toxicokinetic analysis with aggregated data. *Journal of Agricultural, Biological, and Environmental Statistics.* 12: 346-363. <http://dx.doi.org/10.1198/108571107X229340>.
- Chiu, WA; Campbell, JL; Clewell, HJ; Zhou, YH; Wright, FA; Guyton, KZ; Rusyn, I. (2014). Physiologically based pharmacokinetic (PBPK) modeling of interstrain variability in trichloroethylene metabolism in the mouse. *Environ Health Perspect.* 122: 456-463. <http://dx.doi.org/10.1289/ehp.1307623>.
- Chiu, WA; Hassenzehl, DM; Kammen, DM. (1999). A comparison of regulatory implications of traditional and exact two-stage dose-response models. *Risk Anal.* 19: 15-22.
- Chiu, WA; Jinot, J; Scott, CS; Makris, SL; Cooper, GS; Dzubow, RC; Bale, AS; Evans, MV; Guyton, KZ; Keshava, N; Lipscomb, JC; Barone, S, Jr; Fox, JF; Gwinn, MR; Schaum, J; Caldwell, JC. (2013). Human Health Effects of Trichloroethylene: Key Findings and Scientific Issues [Review]. *Environ Health Perspect.* 121: 303-311. <http://dx.doi.org/10.1289/ehp.1205879>.
- Chiu, WA; Okino, MS; Lipscomb, JC; Evans, MV. (2006). Issues in the pharmacokinetics of trichloroethylene and its metabolites [Review]. *Environ Health Perspect.* 114: 1450-1456. <http://dx.doi.org/10.1289/ehp.8691>.
- Chiu, WA; White, P. (2004). PBPK model-based route extrapolation: Exact and approximate solutions for use in risk assessment.
- Chiu, WA; White, P. (2006). Steady-state solutions to PBPK models and their applications to risk assessment I: Route-to-route extrapolation of volatile chemicals. *Risk Anal.* 26: 769-780. <http://dx.doi.org/10.1111/j.1539-6924.2006.00762.x>.
- Cho, C; Corapcioglu, MY; Park, S; Sung, K. (2007). Effects of Grasses on the Fate of VOCs in Contaminated Soil and Air. *Water Air Soil Pollut.* 187: 243-250. <http://dx.doi.org/10.1007/s11270-007-9512-z>.
- Cho, CW; Park, JG; Choi, SC; Paik, U. (2009). Device performance and polymer layer morphology in polymer bistable device (PBD): the control of physicochemical properties of solvent. *J Nanosci Nanotechnol.* 9: 3759-3762. <http://dx.doi.org/10.1166/jnn.2009.NS63>.
- Cho, CW; Sung, K; Coapcioglu, MY; Drew, M. (2005). Influence of water content and plants on the dissipation of chlorinated volatile organic compounds in soil. *Water Air Soil Pollut.* 167: 259-271. <http://dx.doi.org/10.1007/s11270-005-0081-8>.
- Cho, D; Chon, C; Jeon, B; Kim, Y; Khan, M; Song, H. (2010). The role of clay minerals in the reduction of nitrate in groundwater by zero-valent iron. *Chemosphere.* 81: 611-616. <http://dx.doi.org/10.1016/j.chemosphere.2010.08.005>.

Exposure Literature Search Results

Off Topic

- Cho, DL; Chung, D; Kim, G. (2007). Decomposition and solidification of hazardous volatile organic compounds through plasma chemical reactions. *J Ind Eng Chem.* 13: 287-291.
- Cho, HH; Lee, T; Hwang, SJ; Park, JW. (2005). Iron and organo-bentonite for the reduction and sorption of trichloroethylene. *Chemosphere.* 58: 103-108. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.004>.
- Cho, HH; Park, JW. (2003). Reactive dechlorination of PCE using zero valent iron plus surfactants. *ACS Symp Ser Am Chem Soc.* 837: 141-153.
- Cho, HH; Park, JW. (2005). Effect of coexisting compounds on the sorption and reduction of trichloroethylene with iron. *Environ Toxicol Chem.* 24: 11-16.
- Cho, HH; Park, JW. (2006). Sorption and reduction of tetrachloroethylene with zero valent iron and amphiphilic molecules. *Chemosphere.* 64: 1047-1052. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.062>.
- Cho, IH; Park, JH; Kim, YG. (2005). Oxidative degradation and toxicity reduction of trichloroethylene (TCE) in water using TiO₂/solar light: comparative study of TiO₂ slurry and immobilized systems. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 40: 1033-1044. <http://dx.doi.org/10.1081/ESE-200056155>.
- Cho, KD; Peirce, JJ. (2006). Nitric oxide emissions as a surrogate indicator of toluene contaminated soil. *Environ Eng Sci.* 23: 372-382.
- Cho, W; Sarada, G; Lee, H; Song, M; Gal, YS; Lee, Y; Jin, SH, o. (2017). Highly efficient, conventional and flexible deep-red phosphorescent OLEDs using ambipolar thiophene/selenophene-phenylquinoline ligand-based Ir(III) complexes. *Dyes and Pigments.* 136: 390-397. <http://dx.doi.org/10.1016/j.dyepig.2016.08.060>.
- Cho, WC. (2007). OncomiRs: The discovery and progress of microRNAs in cancers [Review]. *Mol Cancer.* 6: 60. <http://dx.doi.org/10.1186/1476-4598-6-60>.
- Cho, Y; Choi, SI. (2010). Degradation of PCE, TCE and 1,1,1-TCA by nanosized FePd bimetallic particles under various experimental conditions. *Chemosphere.* 81: 940-945. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.054>.
- Cho-Ching, L; Chung-Hsuang, H; Chung-Shin, Y; Yu-Li, H. (2007). Parameter effects and reaction pathways of photoreduction of CO₂ over TiO₂/SO₄²⁻ photocatalyst. *Chinese journal of catalysis.* 28: 528-534.
- Choe, S; Lee, SH; Chang, YY; Hwang, KY; Khim, J. (2001). Rapid reductive destruction of hazardous organic compounds by nanoscale Fe⁰. *Chemosphere.* 42: 367-372.
- Choi, DG; Kreikebaum, F; Thomas, VM; Divan, D. (2013). Coordinated EV adoption: double-digit reductions in emissions and fuel use for \$40/vehicle-year. *Environ Sci Technol.* 47: 10703-10707. <http://dx.doi.org/10.1021/es4016926>.
- Choi, H; Al-Abed, SR. (2010). Effect of reaction environments on the reactivity of PCB (2-chlorobiphenyl) over activated carbon impregnated with palladized iron. *J Hazard Mater.* 179: 869-874. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.085>.
- Choi, H; Al-Abed, SR; Agarwal, S. (2009). Effects of aging and oxidation of palladized iron embedded in activated carbon on the dechlorination of 2-chlorobiphenyl. *Environ Sci Technol.* 43: 4137-4142. <http://dx.doi.org/10.1021/es803535b>.
- Choi, HC; Kim, KS; Kim, IS. (1998). Characteristics of contaminant transport in bank filtration through dunes. *Water Sci Technol.* 386: 97-103.
- Choi, HW, oo; Theodore, ND; Alford, TL. (2013). ZnO-Ag-MoO₃ transparent composite electrode for ITO-free, PEDOT: PSS-free bulk-heterojunction organic solar cells. *Solar Energy Materials and Solar Cells.* 117: 446-450. <http://dx.doi.org/10.1016/j.solmat.2013.07.009>.
- Choi, I; Cho, Y. (2009). Effects of various oxide fillers on physical and dielectric properties of calcium aluminoborosilicate-based dielectrics. *Journal of Electroceramics.* 23: 185-190. <http://dx.doi.org/10.1007/s10832-007-9371-4>.
- Choi, IS; Hwang, SW; Park, JC. (2001). Application of medium frequency atmospheric plasma on continuous aluminum wire cleaning for magnet wire manufacturing. *Surf Coating Tech.* 142: 300-305.
- Choi, J; Batchelor, B; Chung, J. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air Soil Pollut.* 212: 407-417. <http://dx.doi.org/10.1007/s11270-010-0354-8>.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater.* 162: 1151-1158. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.007>.
- Choi, J, unH; Kim, S, eiMin; Jang, J, aS. (2016). Optimization of p-Bonding Electrodes on ZnO:Ga in GaN-Based Light-Emitting Diodes. *I E E E Transactions on Electron Devices.* 63: 1957-1962. <http://dx.doi.org/10.1109/TED.2016.2540159>.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environ Sci Technol.* 42: 3356-3362. <http://dx.doi.org/10.1021/es702661d>.
- Choi, JH; Kim, YH. (2009). Reduction of 2,4,6-trichlorophenol with zero-valent zinc and catalyzed zinc. *J Hazard Mater.* 166: 984-991. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.00>.
- Choi, JW; Smith, JA. (2005). Geoenvironmental factors affecting organic vapor advection and diffusion fluxes from the unsaturated zone to the atmosphere under natural conditions. *Environ Eng Sci.* 22: 95-108.
- Choi, K; Bae, S; Lee, W. (2014). Degradation of off-gas toluene in continuous pyrite Fenton system. *J Hazard Mater.* 280: 31-37. <http://dx.doi.org/10.1016/j.jhazmat.2014.07.054>.
- Choi, K; Lee, W. (2012). Enhanced degradation of trichloroethylene in nano-scale zero-valent iron Fenton system with Cu(II). *J Hazard Mater.* 211: 146-153. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.056>.
- Choi, S; Lee, E; Cho, K. (2013). Effect of trichloroethylene and tetrachloroethylene on methane oxidation and community structure of methanotrophic consortium. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 48: 1723-1731. <http://dx.doi.org/10.1080/10934529.2013.815559>.
- Choi, W; Ko, JY; Park, H; Chung, JS. (2001). Investigation on TiO₂-coated optical fibers for gas-phase photocatalytic oxidation of acetone. *Appl Catal B-Environ.* 31: 209-220.

Exposure Literature Search Results

Off Topic

- Chokejaroenrat, C; Comfort, S; Sakulthaew, C; Dvorak, B. (2014). Improving the treatment of non-aqueous phase TCE in low permeability zones with permanganate. *J Hazard Mater.* 268: 177-184. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.007>.
- Chokejaroenrat, C; Kananizadeh, N; Sakulthaew, C; Comfort, S; Li, Y. (2013). Improving the sweeping efficiency of permanganate into low permeable zones to treat TCE: experimental results and model development. *Environ Sci Technol.* 47: 13031-13038. <http://dx.doi.org/10.1021/es403150x>.
- Chokejaroenrat, C; Sakulthaew, C; Satapanajaru, T; Tikhamram, T; Pho-Ong, A; Mulseesuk, T. (2015). Treating Methyl Orange in a Two-Dimensional Flow Tank by In Situ Chemical Oxidation Using Slow-Release Persulfate Activated with Zero-Valent Iron. *Environ Eng Sci.* 32: 1007-1015. <http://dx.doi.org/10.1089/ees.2015.0110>.
- Chomsurin, C; Kajorntraidej, J; Luangmuang, K. (2008). Bioremediation of trichloroethylene contaminated groundwater using anaerobic process. *Water Sci Technol.* 58: 2127-2132. <http://dx.doi.org/10.2166/wst.2008.830>.
- Choo, KH; Chang, DI; Park, KW; Kim, MH. (2008). Use of an integrated photocatalysis/hollow fiber microfiltration system for the removal of trichloroethylene in water. *J Hazard Mater.* 152: 183-190. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.117>.
- Choori, UN; Scaemhorn, JF; O'Haver, JH; Harwell, JH. (1998). Removal of volatile organic compounds from surfactant solutions by flash vacuum stripping in a packed column. *Ground Water Monitoring and Remediation.* 18: 157-165.
- Choubassi, C; Seedah, D; anPK; Jiang, N, an; Walton, CM. (2016). Economic Analysis of Cargo Cycles for Urban Mail Delivery. *Trans Res Rec*102-110. <http://dx.doi.org/10.3141/2547-14>.
- Choulier, L; Nominé, Y; Zeder-Lutz, G; Charbonnier, S; Didier, B; Jung, ML; Altschuh, D. (2013). Chemical library screening using a SPR-based inhibition in solution assay: simulations and experimental validation. *Anal Chem.* 85: 8787-8795. <http://dx.doi.org/10.1021/ac4019445>.
- Chow, W; Gridley, G; McLaughlin, J; Mandel, J; Wacholder, S; Blot, W; Niwa, S; Fraumeni, J. (1994). Protein intake and risk of renal cell cancer. *J Natl Cancer Inst.* 86: 1131-1139. <http://dx.doi.org/10.1093/jnci/86.15.1131>.
- Chow, WL; Cheng, D; Wang, S; He, J. (2010). Identification and transcriptional analysis of trans-DCE-producing reductive dehalogenases in Dehalococcoides species. *ISME J.* 4: 1020-1030. <http://dx.doi.org/10.1038/ismej.2010.27>.
- Chowdhury, AI; Krol, MM; Kocur, CM; Boparai, HK; Weber, KP; Sleep, BE; O'Carroll, DM. (2015). nZVI injection into variably saturated soils: Field and modeling study. *J Contam Hydrol.* 183: 16-28. <http://dx.doi.org/10.1016/j.jconhyd.2015.10.003>.
- Choy, WK; Chu, W. (2001). The modelling of trichloroethene photodegradation in Brij 35 surfactant by two-stage reaction. *Chemosphere.* 44: 211-215.
- Choy, WK; Chu, W. (2001). The rate improvement and modeling of trichloroethene photodegradation by acetone sensitizer in surfactant solution. *Chemosphere.* 44: 943-947.
- Choy, WK; Chu, W. (2001). The study of rate improvement of trichloroethene (TCE) decay in UV system with hydrogen source. *Water Sci Technol.* 44: 27-33.
- Christensen, KY; Vizcaya, D; Richardson, H; Lavoue, J; Aronson, K; Siemiatycki, J. (2013). Risk of Selected Cancers due to Occupational Exposure to Chlorinated Solvents in a Case-Control Study in Montreal. *J Occup Environ Med.* 55: 198-208. <http://dx.doi.org/10.1097/JOM.0b013e3182728eab>.
- Christenson, M; Kambhu, A; Reece, J; Comfort, S; Brunner, L. (2016). A five-year performance review of field-scale, slow-release permanganate candles with recommendations for second-generation improvements. *Chemosphere.* 150: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2016.01.125>.
- Christenson, MD; Kambhu, A; Comfort, SD. (2012). Using slow-release permanganate candles to remove TCE from a low permeable aquifer at a former landfill. *Chemosphere.* 89: 680-687. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.009>.
- Chrysikopoulos, CV; Hsuan, PY; Fyrrillas, MM. (2002). Bootstrap estimation of the mass transfer coefficient of a dissolving nonaqueous phase liquid pool in porous media. *Water Resour Res.* 38. <http://dx.doi.org/10.1029/2001WR000661>.
- Chrysikopoulos, CV; Hsuan, PY; Fyrrillas, MM; Lee, KY. (2003). Mass transfer coefficient and concentration boundary layer thickness for a dissolving NAPL pool in porous media. *J Hazard Mater.* 97: 245-255.
- Chrysikopoulos, CV; Lee, KY; Harmon, TC. (2000). Dissolution of a well-defined trichloroethylene pool in saturated porous media: Experimental design and aquifer characterization. *Water Resour Res.* 36: 1687-1696.
- Chrysikopoulos, CV; Syngouna, VI; Vasiliadou, IA; Katzourakis, VE. (2012). Transport of *Pseudomonas putida* in a 3-D Bench Scale Experimental Aquifer. *Transport in Porous Media.* 94: 617-642. <http://dx.doi.org/10.1007/s11242-012-0015-z>.
- Chrysikopoulos, CV; Vogler, ET. (2004). Acoustically enhanced multicomponent NAPL ganglia dissolution in water saturated packed columns. *Environ Sci Technol.* 38: 2940-2945. <http://dx.doi.org/10.1021/es034665n>.
- Chu, BS; Baharin, BS; Man, YBC; Quek, SY. (2004). Separation of vitamin E from palm fatty acid distillate using silica. III. Batch desorption study. *Journal of Food Engineering.* 64: 1-7. [http://dx.doi.org/10.1016/S0260\(03\)00198-5](http://dx.doi.org/10.1016/S0260(03)00198-5).
- Chu, G; Chen, J, un; Liu, F; Shan, X; Sheng, L; Xu, Y; Tian, S. (2013). Positive and negative photoion spectroscopy study of C2Cl4. *Mol Phys.* 111: 427-435. <http://dx.doi.org/10.1080/00268976.2012.728256>.
- Chu, HC; Chang, YC; Lin, Y; Chang, SH; Chang, WC; Li, GA; Tuan, HY. (2016). Spray-Deposited Large-Area Copper Nanowire Transparent Conductive Electrodes and Their Uses for Touch Screen Applications. 8: 13009-13017. <http://dx.doi.org/10.1021/acsami.6b02652>.
- Chu, KH; Alvarez-Cohen, L. (1996). Trichloroethylene degradation by methane-oxidizing cultures grown with various nitrogen sources. *Water Environ Res.* 68: 76-82.
- Chu, KH; Alvarez-Cohen, L. (2000). Treatment of chlorinated solvents by nitrogen-fixing and nitrate-supplied methane oxidizers in columns packed with unsaturated porous media. *Environ Sci Technol.* 34: 1784-1793.

Exposure Literature Search Results

Off Topic

- Chu, KH; Mahendra, S; Song, DL; Conrad, ME; Alvarez-Cohen, L. (2004). Stable carbon isotope fractionation during aerobic biodegradation of chlorinated ethenes. *Environ Sci Technol.* 38: 3126-3130. <http://dx.doi.org/10.1021/es035238c>.
- Chu, S; Hong, CS. (2008). PHOTOCATALYTIC DEGRADATION OF GASEOUS METHYL-TERT-BUTYL ETHER OVER TiO₂. *Fresen Environ Bull.* 17: 2000-2006.
- Chu, W. (2004). Reply to the comment of "the mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources". *Water Res.* 38: 2793-2794. <http://dx.doi.org/10.1016/j.watres.2003.12.001>.
- Chu, W; Choy, WK. (2000). The study of lag phase and rate improvement of TCE decay in UV/surfactant systems. *Chemosphere.* 41: 1199-1204. [http://dx.doi.org/10.1016/S0045-6535\(99\)00544-5](http://dx.doi.org/10.1016/S0045-6535(99)00544-5).
- Chu, W; Choy, WK. (2002). The mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources. *Water Res.* 36: 2525-2532.
- Chu, W; Jia, J. (2009). The Photodegradation and Modeling of a Typical NAPL, Trichloroethene, by Monochromatic UV Irradiations. *Environ Sci Technol.* 43: 1455-1459. <http://dx.doi.org/10.1021/es802640q>.
- Chuang, CH; Chang, B, oH; Chen, JM; Lu, DM, aw. (2016). Metal-mesh based transparent electrodes using roll-to-sheet ultraviolet soft imprinting. *Micro and Nano Letters.* 11: 572-576. <http://dx.doi.org/10.1049/mnl.2016.0284>.
- Chuang, Y, iH; Hong, G, uiB; Chang, CT. (2014). Study on particulates and volatile organic compounds removal with TiO₂ nonwoven filter prepared by electrospinning. *Journal of the Air and Waste Management Association.* 64: 738-742. <http://dx.doi.org/10.1080/10962247.2014.889614>.
- Chun, CL; Lee, JJ; Park, JW. (2002). Solubilization of PAH mixtures by three different anionic surfactants. *Environ Pollut.* 118: 307-313.
- Chun, H, oH; Jo, W, anK. (2014). Polymer material-supported titania nanofibers with different polyvinylpyrrolidone to TiO₂ ratios for degradation of vaporous trichloroethylene. *J Ind Eng Chem.* 20: 1010-1015. <http://dx.doi.org/10.1016/j.jiec.2013.06.036>.
- Chun, HD; Park, JK. (1994). PHOTOCATALYTIC OXIDATION OF CHLORINATED ORGANIC-COMPOUNDS OVER TiO₂ MEMBRANE COATED ON GLASS TUBE. *Hazardous Waste and Hazardous Materials.* 11: 501-510.
- Chun, Y; Sheng, GY; Boyd, SA. (2003). Sorptive characteristics of tetraalkylammonium-exchanged smectite clays. *Clays and Clay Minerals.* 51: 415-420. <http://dx.doi.org/10.1346/CCMN.2003.0510407>.
- Chung, CM; Kim, JG; Kim, MS; Kim, KM; Kim, KN. (2002). Development of a new photocurable composite resin with reduced curing shrinkage. *Dent Mater.* 18: 174-178.
- Chung, J; Krajmalnik-Brown, R; Rittmann, BE. (2008). Bioreduction of trichloroethene using a hydrogen-based membrane biofilm reactor. *Environ Sci Technol.* 42: 477-483. <http://dx.doi.org/10.1021/es702422d>.
- Chung, J; Rittmann, BE. (2008). Simultaneous bio-reduction of trichloroethene, trichloroethane, and chloroform using a hydrogen-based membrane biofilm reactor. *Water Sci Technol.* 58: 495-501. <http://dx.doi.org/10.2166/wst.2008.432>.
- Chung, S, il; Kim, P, anK; Kwon, Y, woo; Ha, T, aegy; Hur, J, iwon; Lee, K, yuman. (2016). Fabrication of metallic nanomesh structures using phase shift lithography and its application to touch screen panels. *J Mater Process Tech.* 238: 431-436. <http://dx.doi.org/10.1016/j.jmatprotec.2016.08.002>.
- Cialoni, D; Pieri, M; Balestra, C; Marroni, A. (2015). Flying after diving: should recommendations be reviewed? In-flight echocardiographic study in bubble-prone and bubble-resistant divers. *Diving and Hyperbaric Medicine.* 45: 10-15.
- Ciavarelli, R; Cappelletti, M; Fedi, S; Pinelli, D; Frascari, D. (2012). Chloroform aerobic cometabolism by butane-growing *Rhodococcus aetherovorans* BCP1 in continuous-flow biofilm reactors. *Bioprocess Biosyst Eng.* 35: 667-681. <http://dx.doi.org/10.1007/s00449-011-0647-3>.
- Ciblak, A, li; Mao, X; Padilla, I; Vesper, D; Alshawabkeh, I; Alshawabkeh, AN. (2012). Electrode effects on temporal changes in electrolyte pH and redox potential for water treatment. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 47: 718-726. <http://dx.doi.org/10.1080/10934529.2012.660088>.
- Cichocka, D; Imfeld, G; Richnow, HH; Nijenhuis, I. (2008). Variability in microbial carbon isotope fractionation of tetra- and trichloroethene upon reductive dechlorination. *Chemosphere.* 71: 639-648. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.013>.
- Cicmanec, J; Condie, L; Olson, G; Wang, S. (1991). 90-Day toxicity study of dichloroacetate in dogs. *Fundam Appl Toxicol.* 17: 376-389. <http://dx.doi.org/10.1093/toxsci/17.2.376>.
- Ciptadjaya, CG; Guo, W; Angeli, JM; Obare, SO. (2009). Controlling the reactivity of chlorinated ethylenes with flavin mononucleotide hydroquinone. *Environ Sci Technol.* 43: 1591-1597. <http://dx.doi.org/10.1021/es8021792>.
- Cirpka, OA; Kitanidis, PK. (2000). Impact of biomass-decay terms on the simulation of pulsed bioremediation. *Ground Water.* 38: 254-263.
- Cirpka, OA; Kitanidis, PK. (2001). Travel-time based model of bioremediation using circulation wells. *Ground Water.* 39: 422-432.
- Ciruelo, G; Cuenca, T; Gomez, R; Gomez-Sal, P; Martin, A; Rodriguez, G; Royo, P. (1997). Synthesis and reactivity of new silyl substituted monocyclopentadienyl zirconium complexes. X-ray molecular structure of [Zr{eta(5)-C5H4(SiMe2CH2Ph)}(CH2Ph)(3)]. *J Organomet Chem.* 547: 287-296.
- Ciruelos, S; Sebastian, A; Cuenca, T; Gomez-Sal, P; Manzanero, A; Royo, P. (2000). Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of Hf{(eta 5-C5H4) SiMe2OSiMe2OSiMe2(eta(5)-C5H4)}Cl-2 and Zr(eta(5)-1,3-(Bu2C5H3)-Bu-t)(eta(5)-C5H4SiMe2-eta-(NBu)-Bu-t)Cl. *J Organomet Chem.* 604: 103-115.
- Ciucanu, I; Chiriac, A. (2002). Membrane and trap system for continuous monitoring of volatile organic compounds using a portable gas chromatograph with thermal conductivity detector. *J Sep Sci.* 25: 447-452.

Exposure Literature Search Results

Off Topic

- Clancy, PB; Armstrong, J; Couture, M; Lussky, R; Wheeler, K. (1996). Treatment of chlorinated ethenes in groundwater with ozone and hydrogen peroxide. *Environmental Progress*. 15: 187-193.
- Clapp, LW; Regan, JM; Ali, F; Newman, JD; Park, JK; Noguera, DR. (1999). Activity, structure, and stratification of membrane-attached methanotrophic biofilms cometabolically degrading trichloroethylene. *Water Sci Technol*. 39: 153-161.
- Clark, CJ; Chen, XS; Babu, S. (2005). Degradation of toxaphene by zero-valent iron and bimetallic substrates. *J Environ Eng*. 131: 1733-1739. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:12\(1733\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:12(1733)).
- Clark, CJ; Rao, PS; Annable, MD. (2003). Degradation of perchloroethylene in cosolvent solutions by zero-valent iron. *J Hazard Mater*. 96: 65-78.
- Clark, PB; Mccann, EJ; Hallowes, GR; Spence, S. (2001). Bandra Pumping Station, Bombay: re-design of Bandra influent pumping station. *Journal of Water Supply: Research and Technology-AQUA*. 50: 61-68.
- Clark, RS. (1978). THERMAL-OXIDATION OF SILICON USING TRICHLOROETHYLENE. *Solid State Technology*. 21: 80-82.
- Clausen, CA; Cooper, CD; Hewett, M; Martinez, A. (1992). Enhancement of organic vapor incineration by using ozone. *J Hazard Mater*. 31: 75-98.
- Clausse, B; Garrot, B; Cornier, C; Paulin, C; Simonot-Grange, MH; Boutros, F. (1998). Adsorption of chlorinated volatile organic compounds on hydrophobic faujasite: correlation between the thermodynamic and kinetic properties and the prediction of air cleaning. *Microporous and Mesoporous Materials*. 25: 169-177.
- Clavijo, S; Avivar, J; Suárez, R; Cerdà, V. (2016). In-syringe magnetic stirring-assisted dispersive liquid-liquid microextraction and silylation prior gas chromatography-mass spectrometry for ultraviolet filters determination in environmental water samples. *J Chromatogr A*. 1443: 26-34. <http://dx.doi.org/10.1016/j.chroma.2016.03.036>.
- Clegg, ED; Cook, JC; Chapin, RE; Foster, PMD; Daston, GP. (1997). Leydig cell hyperplasia and adenoma formation: Mechanisms and relevance to humans [Review]. *Reprod Toxicol*. 11: 107-121. [http://dx.doi.org/10.1016/S0890-6238\(96\)00203-1](http://dx.doi.org/10.1016/S0890-6238(96)00203-1).
- Clement International Corporation. (1994). Final draft for the drinking water criteria document on chlorinated acids/aldehydes/ketones/alcohols. Washington, D.C.: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB94179918>.
- Clement, TP; Kim, YC; Gautam, TR; Lee, KK. (2004). Experimental and numerical investigation of DNAPL dissolution processes in a laboratory aquifer model. *Ground Water Monitoring and Remediation*. 24: 88-96.
- Cleveland, TG; Garg, S; Rixey, WG. (1996). Feasibility of fullerene waste as carbonaceous adsorbent. *J Environ Eng*. 122: 235-238.
- Clewell, HJ, III; Barton, HA; Maull, EA; Andersen, ME. (2001). Under What Conditions Is Trichloroethylene Likely To Be a Carcinogen in Humans. *Hum Ecol Risk Assess*. 7: 687-716.
- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modeling in noncancer risk assessment. *J Toxicol Environ Health*. 52: 475-515. <http://dx.doi.org/10.1080/00984109708984077>.
- Clewell, HJ; Gentry, PR; Gearhart, JM; Allen, BC; Andersen, ME. (1995). Considering pharmacokinetic and mechanistic information in cancer risk assessments for environmental contaminants: examples with vinyl chloride and trichloroethylene [Review]. *Chemosphere*. 31: 2561-2578.
- Clewell, RA; Merrill, EA; Robinson, PJ. (2001). The use of physiologically based models to integrate diverse data sets and reduce uncertainty in the prediction of perchlorate and iodide kinetics across life stages and species. *Toxicol Ind Health*. 17: 210-222. <http://dx.doi.org/10.1191/0748233701th108oa>.
- Close, M; Bright, J; Wang, F; Pang, L; Manning, M. (2008). Key Features of Artificial Aquifers for Use in Modeling Contaminant Transport. *Ground Water*. 46: 814-828. <http://dx.doi.org/10.1111/j.1745-6584.2008.00474.x>.
- Cobo, M; Becerra, J; Castelblanco, M; Cifuentes, B; Conesa, JA. (2015). Catalytic hydrodechlorination of trichloroethylene in a novel NaOH/2-propanol/methanol/water system on ceria-supported Pd and Rh catalysts. *J Environ Manage*. 158: 1-10. <http://dx.doi.org/10.1016/j.jenvman.2015.04.035>.
- Cobo, M; Gonzalez, CA; Sanchez, EG; Montes, C. (2011). Catalytic hydrodechlorination of trichloroethylene with 2-propanol over Pd/Al₂O₃. *Catalysis Today*. 172: 78-83. <http://dx.doi.org/10.1016/j.cattod.2011.02.064>.
- Cocco, P. (2010). Sezione di Medicina del Lavoro, Università di Cagliari to Cheryl Siegel Scott, U. S. EPA, December 12, 2010 [Personal Communication].
- Cocco, P; T'Mannetje, A; Fadda, D; Melis, M; Becker, N; de Sanjosé, S; Foretova, L; Mareckova, J; Staines, A; Kleefeld, S; Maynadié, M; Nieters, A; Brennan, P; Boffetta, P. (2010). Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. *Occup Environ Med*. 67: 341-347. <http://dx.doi.org/10.1136/oem.2009.046839>.
- Cocco, P; Vermeulen, R; Flore, V; Nonne, T; Campagna, M; Purdue, M; Blair, A; Monnereau, A; Orsi, L; Clavel, J; Becker, N; de Sanjosé, S; Foretova, L; Staines, A; Maynadié, M; Nieters, A; Miligi, L; T'Mannetje, A; Krickler, A; Brennan, P; Boffetta, P; Lan, Q; Rothman, N. (2013). Occupational exposure to trichloroethylene and risk of non-Hodgkin lymphoma and its major subtypes: a pooled linterLymph analysis. *Occup Environ Med*. 70: 795-802. <http://dx.doi.org/10.1136/oemed-2013-101551>.
- Coffey, JO; Sager, SJ; Gangireddy, S; Levine, A; Viles-Gonzalez, JF; Fischer, A. (2014). The impact of transvenous lead extraction on tricuspid valve function. *Pacing Clin Electrophysiol*. 37: 19-24. <http://dx.doi.org/10.1111/pace.12236>.
- Cogger, VC; Warren, A; Fraser, R; Ngu, M; McLean, AJ; Le Couteur, DG. (2003). Hepatic sinusoidal pseudocapillarization with aging in the non-human primate. *Exp Gerontol*. 38: 1101-1107. <http://dx.doi.org/10.1016/j.exger.2003.07.002>.
- Cogliano, VJ; Baan, RA; Straif, K; Grosse, Y; Secretan, B; El Ghissassi, F. (2008). Use of mechanistic data in IARC evaluations [Review]. *Environ Mol Mutagen*. 49: 100-109. <http://dx.doi.org/10.1002/em.20370>.
- Cogliano, VT; Scott, CS; Caldwell, JC; Farland, WH. (2001). Trichloroethylene: Using New Information To Improve the Cancer Characterization. *Hum Ecol Risk Assess*. 7: 755 - 766.

Exposure Literature Search Results

Off Topic

- Cohen, C; Frank, AL. (1994). Liver disease following occupational exposure to 1,1,1-trichloroethane: a case report. *Am J Ind Med.* 26: 237-241.
- Cohen, EL; Patterson, BM; Mckinley, AJ; Prommer, H. (2009). Zero valent iron remediation of a mixed brominated ethene contaminated groundwater. *J Contam Hydrol.* 103: 109-118. <http://dx.doi.org/10.1016/j.jconhyd.2008.09.010>.
- Cohen, PE; Nishimura, K; Zhu, L; Pollard, JW. (1999). Macrophages: Important accessory cells for reproductive function [Review]. *J Leukoc Biol.* 66: 765-772.
- Cohn, BA; Cirillo, PM; Christianson, RE. (2010). Prenatal DDT exposure and testicular cancer: A nested case-control study. *Arch Environ Occup Health.* 65: 127-134. <http://dx.doi.org/10.1080/19338241003730887>.
- Colli-Dula, RC; Mehinto, AC; Kroll, KJ; Barber, DS; Vulpe, CD; Denslow, ND. (2014). Molecular Signature and DNA Damage Pathways Altered in Male Largemouth Bass (*Micropterus salmoides*) By a Single Dose of Benzene and Trichloroethylene. *Environ Mol Mutagen.* 55: S55-S55.
- Collin, WR; Serrano, G; Wright, LK; Chang, H; Nunovero, N; Zellers, ET. (2014). Microfabricated Gas Chromatograph for Rapid, Trace-Level Determinations of Gas-Phase, Explosive Marker Compounds. *Anal Chem.* 86: 655-663. <http://dx.doi.org/10.1021/ac402961t>.
- Collins, C; Laturnus, F; Nepovim, A. (2002). Remediation of BTEX and trichloroethene. Current knowledge with special emphasis on phytoremediation [Review]. *Environ Sci Pollut Res Int.* 9: 86-94.
- Collins-Garcia, H; Tia, M; Roque, R; Choubane, B; TRB. (2000). Alternative solvent for reducing health and environmental hazards in extracting asphalt - An evaluation. *Trans Res Rec79-85*.
- Colman lerner, JE; Sanchez, EY; Sambeth, J; Porta, A. (2012). Characterization and health risk assessment of VOCs in occupational environments in Buenos Aires, Argentina. *Atmos Environ.* 55: 440-447. <http://dx.doi.org/10.1016/j.atmosenv.2012.03.041>.
- Columbano, A; Ledda-Columbano, GM. (2003). Mitogenesis by ligands of nuclear receptors: an attractive model for the study of the molecular mechanisms implicated in liver growth [Review]. *Cell Death Differ.* 10: S19-S21. <http://dx.doi.org/10.1038/sj.cdd.4401113>.
- Columbano, A; Ledda-Columbano, GM; Coni, PP; Faa, G; Liguori, C; Santa Cruz, G; Pani, P. (1985). Occurrence of cell death (apoptosis) during the involution of liver hyperplasia. *Lab Invest.* 52: 670-675.
- Columbano, A; Ledda-Columbano, GM; Ennas, MG; Curto, M; Chelo, A; Pani, P. (1990). Cell proliferation and promotion of rat liver carcinogenesis: Different effect of hepatic regeneration and mitogen induced hyperplasia on the development of enzyme-altered foci. *Carcinogenesis.* 11: 771-776. <http://dx.doi.org/10.1093/carcin/11.5.771>.
- Columbano, A; Ledda-Columbano, GM; Lee, G; Rajalakshmi, S; Sarma, DS. (1987). Inability of mitogen-induced liver hyperplasia to support the induction of enzyme-altered islands induced by liver carcinogens. *Cancer Res.* 47: 5557-5559.
- Comandella, D; Woszidlo, S; Georgi, A; Kopinke, FD; Mackenzie, K. (2016). Efforts for long-term protection of palladium hydrodechlorination catalysts. *Appl Catal B-Environ.* 186: 204-211. <http://dx.doi.org/10.1016/j.apcatb.2015.12.043>.
- Comelli, F; Castellari, C; Francesconi, R. (1981). VAPOR-LIQUID-EQUILIBRIA IN BINARY-SYSTEMS CONTAINING 1,3-DIOXOLANE AT ISOBARIC CONDITIONS .1. BINARY-MIXTURES OF 1,3-DIOXOLANE WITH 1,2-TRANS-DICHLOROETHYLENE, TRICHLOROETHYLENE, AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data.* 26: 334-338.
- Comelli, F; Francesconi, R. (1995). DENSITIES AND EXCESS MOLAR VOLUMES OF BINARY-MIXTURES CONTAINING PROPYLENE CARBONATE PLUS 10 CHLOROHYDROCARBONS AT 298.15 K AND ATMOSPHERIC-PRESSURE. *Journal of Chemical and Engineering Data.* 40: 1184-1187.
- Comelli, F; Francesconi, R. (1995). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR 2,2,4-TRIMETHYLPENTANE PLUS 5 CHLOROHYDROCARBON BINARY-SYSTEMS AT 343.15-K. *Journal of Chemical and Engineering Data.* 40: 21-24.
- Conant, BH; Gillham, RW; Mendoza, CA. (1996). Vapor transport of trichloroethylene in the unsaturated zone: Field and numerical modeling investigations. *Water Resour Res.* 32: 9-22.
- Confavreux-Romestaing, C; Charbotel, B; Muller-Beaute, P; Fevotte, J; Massardier-Pilonchery, A; Bergeret, A. (2009). Links between work exposure to trichloroethylene and cervical cancer: A pilot study. *Arch Mal Prof Environ.* 70: 417-424. <http://dx.doi.org/10.1016/j.admp.2009.04.011>.
- Coni, P; Simbula, G; De Prati, AC; Menegazzi, M; Suzuki, H; Sarma, DSR; Ledda-Columbano, GM; Columbano, A. (1993). Differences in the steady-state levels of c-fos, c-jun and c-myc messenger RNA during mitogen-induced liver growth and compensatory regeneration. *Hepatology.* 17: 1109-1116. <http://dx.doi.org/10.1002/hep.1840170626>.
- Conklin, MH; Corley, TL; Roberts, PA; Davis, JH; Vandewater, JG. (1995). NONEQUILIBRIUM PROCESSES AFFECTING FORCED VENTILATION OF BENZENE AND XYLENE IN A DESERT SOIL. *Water Resour Res.* 31: 1355-1365.
- Connaughton, DF; Stedinger, JR; Lion, LW; Shuler, ML. (1993). Description of time-varying desorption kinetics: Release of naphthalene from contaminated soils. *Environ Sci Technol.* 27: 2397-2403.
- Conner, EA; Lemmer, ER; Omori, M; Wirth, PJ; Factor, VM; Thorgeirsson, SS. (2000). Dual functions of E2F-1 in a transgenic mouse model of liver carcinogenesis. *Oncogene.* 19: 5054-5062. <http://dx.doi.org/10.1038/sj.onc.1203885>.
- Conner, EA; Lemmer, ER; Sánchez, A; Factor, VM; Thorgeirsson, SS. (2003). E2F1 blocks and c-Myc accelerates hepatic ploidy in transgenic mouse models. *Biochem Biophys Res Commun.* 302: 114-120. [http://dx.doi.org/10.1016/S0006-291X\(03\)00125-6](http://dx.doi.org/10.1016/S0006-291X(03)00125-6).
- Conrad, ME; Brodie, EL; Radtke, CW; Bill, M; Delwiche, ME; Lee, MH; Swift, DL; Colwell, FS. (2009). Isotopic evidence for TCE co-metabolism stimulated by electron donor addition to groundwater. *Geochim Cosmo Acta.* 73: A241-A241.
- Conrad, ME; Brodie, EL; Radtke, CW; Bill, M; Delwiche, ME; Lee, MH; Swift, DL; Colwell, FS. (2010). Field evidence for co-metabolism of trichloroethene stimulated by addition of electron donor to groundwater. *Environ Sci Technol.* 44: 4697-4704. <http://dx.doi.org/10.1021/es903535j>.
- Conrad, SH; Glass, RJ; Peplinski, WJ. (2002). Bench-scale visualization of DNAPL remediation processes in analog heterogeneous aquifers: surfactant floods and in situ oxidation using permanganate. *J Contam Hydrol.* 58: 13-49.

Exposure Literature Search Results

Off Topic

- Consales, C; Toft, G; Leter, G; Bonde, JP; Uccelli, R; Pacchierotti, F; Eleuteri, P; Jönsson, BA; Giwercman, A; Pedersen, HS; Struciński, P; Góralczyk, K; Zvezdai, V; Spanò, M. (2016). Exposure to persistent organic pollutants and sperm DNA methylation changes in Arctic and European populations. *Environ Mol Mutagen*. 57: 200-209. <http://dx.doi.org/10.1002/em.21994>.
- Contrera, JF; Jacobs, AC; DeGeorge, JJ. (1997). Carcinogenicity testing and the evaluation of regulatory requirements for pharmaceuticals. *Regul Toxicol Pharmacol*. 25: 130-145. <http://dx.doi.org/10.1006/rtph.1997.1085>.
- Conzen, JP; Burck, J; Ache, HJ. (1994). DETERMINATION OF CHLORINATED HYDROCARBONS IN WATER BY FIBEROPTIC EVANESCENT-WAVE SPECTROSCOPY AND PARTIAL LEAST-SQUARES REGRESSION. *Fresenius J Anal Chem*. 348: 501-505.
- Cook, RE; Thoreson, KA; McNeill, K. (2009). Dechlorination of trichloroethylene (TCE) using zero-valent iron in organic solvents. *Abstracts of Papers - American Chemical Society*. 237.
- Cool, TA; Nakajima, K; Mostefaoui, TA; Qi, F; McIlroy, A; Westmoreland, PR; Law, ME; Poisson, L; Peterka, DS; Ahmed, M. (2003). Selective detection of isomers with photoionization mass spectrometry for studies of hydrocarbon flame chemistry. *J Chem Phys*. 119: 8356-8365. <http://dx.doi.org/10.1063/1.1611173>.
- Cooper, A. (2004). The role of glutamine transaminase K (GTK) in sulfur and alpha-keto acid metabolism in the brain, and in the possible bioactivation of neurotoxins [Review]. *Neurochem Int*. 44: 557-577. <http://dx.doi.org/10.1016/j.neuint.2003.12.002>.
- Cooper, AM; Hristovski, KD; Möller, T; Westerhoff, P; Sylvester, P. (2010). The effect of carbon type on arsenic and trichloroethylene removal capabilities of iron (hydr)oxide nanoparticle-impregnated granulated activated carbons. *J Hazard Mater*. 183: 381-388. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.036>.
- Cooper, G; Miller, F; Pandey, J. (1999). The role of genetic factors in autoimmune disease: implications for environmental research [Review]. *Environ Health Perspect*. 107: 693-700. <http://dx.doi.org/10.1289/ehp.99107s5693>.
- Cooper, G; Stroehla, B. (2003). The epidemiology of autoimmune diseases [Review]. *Autoimmun Rev*. 2: 119-125. [http://dx.doi.org/10.1016/S1568-9972\(03\)00006-5](http://dx.doi.org/10.1016/S1568-9972(03)00006-5).
- Cooper, GS; Parks, CG; Treadwell, EL; St Clair, EW; Gilkeson, GS; Dooley, MA. (2004). Occupational risk factors for the development of systemic lupus erythematosus. *J Rheumatol*. 31: 1928-1933.
- Cooper, WJ; Meacham, DE; Nickelsen, MG; Lin, KJ; Ford, DB; Kurucz, CN; Waite, TD. (1993). THE REMOVAL OF TRICHLOROETHYLENE (TCE) AND TETRACHLOROETHYLENE (PCE) FROM AQUEOUS-SOLUTION USING HIGH-ENERGY ELECTRONS. *Journal of the Air and Waste Management Association*. 43: 1358-1366.
- Cooper, WJ; Mehran, M; Riusech, DJ; Joens, JA. (1987). ABIOTIC TRANSFORMATIONS OF HALOGENATED ORGANICS 1. ELIMINATION REACTION OF 1,1,2,2-TETRACHLOROETHANE AND FORMATION OF 1,1,2,2-TRICHLOROETHENE. *Environ Sci Technol*. 21: 1112-1114.
- Cooper, WJ; Nickelsen, MG; Meacham, DE; Cadavid, EM; Waite, TD; Kurucz, CN. (1992). High energy electron beam irradiation: An innovative process for the treatment of aqueous based organic hazardous wastes. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 27: 219-244.
- Cope, DB; Benson, CH. (2009). Grey-iron foundry slags as reactive media for removing trichloroethylene from groundwater. *Environ Sci Technol*. 43: 169-175. <http://dx.doi.org/10.1021/es801359d>.
- Cope, N; Hughes, JB. (2001). Biologically-enhanced removal of PCE from NAPL source zones. *Environ Sci Technol*. 35: 2014-2021.
- Copeland, CD; Chen, Z. (2016). The Benefits of an Inverted Brayton Bottoming Cycle as an Alternative to Turbocompounding. *J Eng Gas Turbines Power*. 138. <http://dx.doi.org/10.1115/1.4031790>.
- Copeland, KT; Checkoway, H; McMichael, AJ; Holbrook, RH. (1977). Bias due to misclassification in the estimation of relative risk. *Am J Epidemiol*. 105: 488-495.
- Corapcioglu, MY; Hossain, MA; Hossain, MA. (1991). METHANOGENIC BIOTRANSFORMATION OF CHLORINATED HYDROCARBONS IN GROUND-WATER. *J Environ Eng*. 117: 47-65.
- Corapcioglu, MY; Sung, K; Kim, J. (2004). Parameter determination of sequential reductive dehalogenation reactions of chlorinated hydrocarbons. *Transport in Porous Media*. 55: 169-182.
- Corella, J; Toledo, JM; Padilla, AM. (2000). On the selection of the catalyst among the commercial platinum-based ones for total oxidation of some chlorinated hydrocarbons. *Appl Catal B-Environ*. 27: 243-256.
- Cornejo, JJ; Munoz, FG; Ma, CY; Stewart, AJ. (1999). Studies on the decontamination of air by plants. *Ecotoxicology*. 8: 311-320.
- Cornelissen, G; Riggerink, H; van Noort, PCM; Govers, HAJ. (2000). Slowly and very slowly desorbing organic compounds in sediments exhibit Langmuir-type sorption. *Environ Toxicol Chem*. 19: 1532-1539.
- Coronado, JM; Sanchez, B; Fresno, F; Suarez, S; Portela, R. (2008). Influence of catalyst properties and reactor configuration on the photocatalytic degradation of trichloroethylene under sunlight irradiation. *J Sol Energ Eng*. 130: 041012. <http://dx.doi.org/10.1115/1.2969797>.
- Coronado, JM; Sanchez, B; Portela, R; Suarez, S. (2008). Solar photocatalysis for the elimination of trichloroethylene in the gas phase. *J Sol Energ Eng*. 130. <http://dx.doi.org/10.1115/1.2807194>.
- Coronado, JM; Zorn, ME; Tejedor-Tejedor, I; Anderson, MA. (2003). Photocatalytic oxidation of ketones in the gas phase over TiO₂ thin films: a kinetic study on the influence of water vapor. *Appl Catal B-Environ*. 43: 329-344. [http://dx.doi.org/10.1016/S0926-3373\(03\)00022-5](http://dx.doi.org/10.1016/S0926-3373(03)00022-5).
- Corradi, L; Panzeri, N. (2003). Post-collapse analysis of plates and shells based on a rigid-plastic version of the TRIC element. *Computer Methods in Applied Mechanics and Engineering*. 192: 3747-3775. [http://dx.doi.org/10.1016/S0045-7825\(03\)00373-6](http://dx.doi.org/10.1016/S0045-7825(03)00373-6).
- Corradi, L; Panzeri, N. (2004). A triangular finite element for sequential limit analysis of shells. *Adv Eng Software*. 35: 633-643. <http://dx.doi.org/10.1016/j.advengsoft.2004.03.014>.

Exposure Literature Search Results

Off Topic

- Corton, JC; Lapinskas, PJ. (2005). Peroxisome proliferator-activated receptors: Mediators of phthalate ester-induced effects in the male reproductive tract? [Review]. *Toxicol Sci.* 83: 4-17. <http://dx.doi.org/10.1093/toxsci/kfi011>.
- Cosnier, F; Celzard, A; Furdin, G; Begin, D; Mareche, JF; Barres, O. (2005). Hydrophobisation of active carbon surface and effect on the adsorption of water. *Carbon.* 43: 2554-2563. <http://dx.doi.org/10.1016/j.carbon.2005.05.007>.
- Coss, PM; Cha, CY. (2000). Microwave regeneration of activated carbon used for removal of solvents from vented air. *J Air Waste Manag Assoc.* 50: 529-535.
- Costa, AK; Ivanetich, KM. (1984). Chlorinated ethylenes: their metabolism and effect on DNA repair in rat hepatocytes. *Carcinogenesis.* 5: 1629-1636. <http://dx.doi.org/10.1093/carcin/5.12.1629>.
- Costa, G; Merletti, F; Segnan, N. (1989). A mortality cohort study in a north Italian aircraft factory. *Br J Ind Med.* 46: 738-743. <http://dx.doi.org/10.1136/oem.46.10.738>.
- Costanza, J; Davis, EL; Mulholland, JA; Pennell, KD. (2005). Abiotic degradation of trichloroethylene under thermal remediation conditions. *Environ Sci Technol.* 39: 6825-6830. <http://dx.doi.org/10.1021/es0502932>.
- Costanza, J; Fletcher, KE; Löffler, FE; Pennell, KD. (2009). Fate of TCE in heated Fort Lewis soil. *Environ Sci Technol.* 43: 909-914. <http://dx.doi.org/10.1021/es802508x>.
- Costanza, J; Pennell, KD. (2008). Comparison of PCE and TCE disappearance in heated volatile organic analysis vials and flame-sealed ampules. *Chemosphere.* 70: 2060-2067. <http://dx.doi.org/10.1016/j.chemosphere.2007.09.007>.
- Costanza-Robinson, MS; Brusseau, ML. (2002). Gas phase advection and dispersion in unsaturated porous media. *Water Resour Res.* 38. <http://dx.doi.org/10.1029/2001WR000895>.
- Costanza-Robinson, MS; Carlson, TD; Brusseau, ML. (2013). Vapor-phase transport of trichloroethene in an intermediate-scale vadose-zone system: retention processes and tracer-based prediction. *J Contam Hydrol.* 145: 82-89. <http://dx.doi.org/10.1016/j.jconhyd.2012.12.004>.
- Costet, N; Garlandezec, R; Monfort, C; Rouget, F; Gagniere, B; Chevrier, C; Cordier, S. (2012). Environmental and Urinary Markers of Prenatal Exposure to Drinking Water Disinfection By-Products, Fetal Growth, and Duration of Gestation in the PELAGIE Birth Cohort (Brittany, France, 2002-2006). *Am J Epidemiol.* 175: 263-275. <http://dx.doi.org/10.1093/aje/kwr419>.
- Costet, P; Legendre, C; Moré, J; Edgar, A; Galtier, P; Pineau, T. (1998). Peroxisome proliferator-activated receptor alpha-isoform deficiency leads to progressive dyslipidemia with sexually dimorphic obesity and steatosis. *J Biol Chem.* 273: 29577-29585. <http://dx.doi.org/10.1074/jbc.273.45.29577>.
- Cotel, S; Schaefer, G; Barthes, V; Baussand, P. (2011). Effect of Density-Driven Advection on Trichloroethylene Vapor Diffusion in a Porous Medium. *Vadose Zone Journal.* 10: 565-581. <http://dx.doi.org/10.2136/vzj2010.0032>.
- Cotel, S; Schaefer, G; Traverse, S; Marzougui-Jaafar, S; Gay, G; Razakarisoa, O. (2015). Evaluation of VOC fluxes at the soil-air interface using different flux chambers and a quasi-analytical approach. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2596-y>.
- Couffin, N; Cabassud, C; Lahoussine-Turcaud, V. (1998). A new process to remove halogenated VOCs for drinking water production: vacuum membrane distillation. *Desalination.* 117: 233-245.
- Coulibaly, L; Labib, ME; Hazen, R. (2001). Comparative study between CalTOX and soil screening levels modeling approaches. *Int J Phytoremediation.* 10: 285-300.
- Counts, J; Sarmiento, J; Harbison, M; Downing, J; McClain, R; Goodman, J. (1996). Cell proliferation and global methylation status changes in mouse liver after phenobarbital and/or choline-devoid, methionine-deficient diet administration. *Carcinogenesis.* 17: 1251-1257. <http://dx.doi.org/10.1093/carcin/17.6.1251>.
- Coote, N; Ortego, JD; Richardson, JT; Twigg, MV. (1998). Catalytic steam reforming of chlorocarbons: trichloroethane, trichloroethylene and perchloroethylene. *Appl Catal B-Environ.* 19: 175-187.
- Covaci, A; Jorens, P; Jacquemyn, Y; Schepens, P. (2002). Distribution of PCBs and organochlorine pesticides in umbilical cord and maternal serum. *Sci Total Environ.* 298: 45-53. [http://dx.doi.org/10.1016/S0048-9697\(02\)00167-5](http://dx.doi.org/10.1016/S0048-9697(02)00167-5).
- Cowman, PF; Bellwood, DR. (2013). Vicariance across major marine biogeographic barriers: temporal concordance and the relative intensity of hard versus soft barriers. *Proceedings of the Royal Society of London B: Biological Sciences.* 280: 20131541. <http://dx.doi.org/10.1098/rspb.2013.1541>.
- Cox, CD; H-J, W; Robinson, KG. (1998). Cometabolic biodegradation of trichloroethylene (TCE) in the gas phase. *Water Sci Technol.* 37: 97-104.
- Cox, SF; Mckinley, JD; Ferguson, AS; O'Sullivan, G; Kalin, RM. (2013). Degradation of carbon disulphide (CS₂) in soils and groundwater from a CS₂-contaminated site. *Environ Earth Sci.* 68: 1935-1944. <http://dx.doi.org/10.1007/s12665-012-1881-y>.
- Crabb, D; Pinaire, J; Chou, W; Sissom, S; Peters, J; Harris, R; Stewart, M. (2001). Peroxisome proliferator-activated receptors (PPAR) and the mitochondrial aldehyde dehydrogenase (ALDH2) promoter in vitro and in vivo. *Alcohol Clin Exp Res.* 25: 945-952. <http://dx.doi.org/10.1111/j.1530-0277.2001.tb02301.x>.
- Crane, RA; Scott, TB. (2012). Nanoscale zero-valent iron: Future prospects for an emerging water treatment technology [Review]. *J Hazard Mater.* 211: 112-125. <http://dx.doi.org/10.1016/j.jhazmat.2011.11.073>.
- Cretnik, S; Bernstein, A; Shouakar-Stash, O; Löffler, F; Elsner, M. (2014). Chlorine isotope effects from isotope ratio mass spectrometry suggest intramolecular C-Cl bond competition in trichloroethene (TCE) reductive dehalogenation. *Molecules.* 19: 6450-6473. <http://dx.doi.org/10.3390/molecules19056450>.
- Cretnik, S; Thoreson, KA; Bernstein, A; Ebert, K; Buchner, D; Laskov, C; Haderlein, S; Shouakar-Stash, O; Kliegman, S; Mcneill, K; Elsner, M. (2013). Reductive dechlorination of TCE by chemical model systems in comparison to dehalogenating bacteria: insights from dual element isotope analysis (13C/12C, 37Cl/35Cl). *Environ Sci Technol.* 47: 6855-6863. <http://dx.doi.org/10.1021/es400107n>.

Exposure Literature Search Results

Off Topic

- Crimi, M; Quickel, M; Ko, S. (2009). Enhanced permanganate in situ chemical oxidation through MnO₂ particle stabilization: Evaluation in 1-D transport systems. *J Contam Hydrol.* 105: 69-79. <http://dx.doi.org/10.1016/j.jconhyd.2008.11.007>.
- Crimi, ML; Siegrist, RL. (2004). Association of cadmium with MnO₂ particles generated during permanganate oxidation. *Water Res.* 38: 887-894. <http://dx.doi.org/10.1016/j.watres.2003.09.029>.
- Crimi, ML; Siegrist, RL. (2004). Impact of reaction conditions on MnO₂ genesis during permanganate oxidation. *J Environ Eng.* 130: 562-572. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:5\(562\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:5(562)).
- Crimi, ML; Siegrist, RL. (2005). Factors affecting effectiveness and efficiency of DNAPL destruction using potassium permanganate and catalyzed hydrogen peroxide. *J Environ Eng.* 131: 1724-1732. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:12\(1724\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:12(1724)).
- Crimi, ML; Taylor, J. (2007). Experimental evaluation of catalyzed hydrogen peroxide and sodium persulfate for destruction of BTEX contaminants. *Soil Sediment Contam.* 16: 29-45. <http://dx.doi.org/10.1080/15320380601077792>.
- Crittenden, JC; Liu, J; Hand, DW; Perram, DL. (1997). Photocatalytic oxidation of chlorinated hydrocarbons in water. *Water Res.* 31: 429-438.
- Crittenden, JC; Suri, RPS; Perram, DL; Hand, DW. (1997). Decontamination of water using adsorption and photocatalysis. *Water Res.* 31: 411-418. [http://dx.doi.org/10.1016/S0043-1354\(96\)00258-8](http://dx.doi.org/10.1016/S0043-1354(96)00258-8).
- Crock, CA; Tarabara, VV. (2016). Pd and Pd-Au nanocatalysts supported on exfoliated graphite for high throughput dehalogenation by nanocomposite membranes. 3: 453-461. <http://dx.doi.org/10.1039/c5en00245a>.
- Croen, LA; Shaw, GM; Sanbonmatsu, L; Selvin, S; Buffler, PA. (1997). Maternal residential proximity to hazardous waste sites and risk for selected congenital malformations. *Epidemiology.* 8: 347-354. <http://dx.doi.org/10.1097/00001648-199707000-00001>.
- Cronin, W; Oswald, E; Shelley, M; Fisher, J; Flemming, C. (1995). A trichloroethylene risk assessment using a Monte Carlo analysis of parameter uncertainty in conjunction with physiologically-based pharmacokinetic modeling. *Risk Anal.* 15: 555-565.
- Crook, ED; Wofford, P; Oliver, B. (2003). Advanced diabetic nephropathy disproportionately affects African-American females: Cross-sectional analysis and determinants of renal survival in an academic renal clinic. *Ethn Dis.* 13: 28-33.
- Crowder, ML; Gooding, CH. (1997). Spiral wound, hollow fiber membrane modules: A new approach to higher mass transfer efficiency. *J Memb Sci.* 137: 17-29.
- Cruzan, G; Bus, J; Banton, M; Gingell, R; Carlson, G. (2009). Mouse specific lung tumors from CYP2F2-mediated cytotoxic metabolism: An endpoint/toxic response where data from multiple chemicals converge to support a mode of action [Review]. *Regul Toxicol Pharmacol.* 55: 205-218. <http://dx.doi.org/10.1016/j.yrtph.2009.07.002>.
- Cuadra, SN; Linderholm, L; Athanasiadou, M; Jakobsson, K. (2006). Persistent organochlorine pollutants in children working at a waste-disposal site and in young females with high fish consumption in Managua, Nicaragua. *Ambio.* 35: 109-116.
- Cucciniello, R; Intiso, A; Castiglione, S; Genga, A; Proto, A; Rossi, F. (2017). Total oxidation of trichloroethylene over mayenite (Ca₁₂Al₁₄O₃₃) catalyst. *Appl Catal B-Environ.* 204: 167-172. <http://dx.doi.org/10.1016/j.apcatb.2016.11.035>.
- Cueto, MJM; Vallejo, MG; Rodriguez, MR; Minchero, RM. (1994). PHYSICO-CHEMICAL STUDIES CONCERNING MISCELLES OF VEGETABLE-OILS .15. APPLICATION OF ANDRADE AND KRONE EQUATIONS TO METHYL MIRYSTATE SOLUTIONS IN CYCLOHEXANE, HEXANE, TETRACHLOROETHYLENE OR TRICHLOROETHYLENE. *Grasas y Aceites.* 45: 224-226.
- Culver, TB; Brown, RA; Smith, JA. (2000). Rate-limited sorption and desorption of 1,2-dichlorobenzene to a natural sand soil column. *Environ Sci Technol.* 34: 2446-2452. <http://dx.doi.org/10.1021/es9906655>.
- Culver, TB; Hallisey, SP; Sahoo, D; Deitsch, JJ; Smith, JA. (1997). Modeling the desorption of organic contaminants from long-term contaminated soil using distributed mass transfer rates. *Environ Sci Technol.* 31: 1581-1588.
- Cummings, B; Zangar, R; Novak, R; Lash, L. (2000). Cytotoxicity of trichloroethylene and S-(1, 2-dichlorovinyl)-L-cysteine in primary cultures of rat renal proximal tubular and distal tubular cells. *Toxicology.* 150: 83-98. [http://dx.doi.org/10.1016/S0300-483X\(00\)00252-3](http://dx.doi.org/10.1016/S0300-483X(00)00252-3).
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther.* 293: 677-685.
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos.* 27: 542-548.
- Cunningham, JA; Hoelen, TP; Hopkins, GD; Lebron, CA; Reinhard, M. (2004). Hydraulics of recirculating well pairs for ground water remediation. *Ground Water.* 42: 880-889.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Comparative evaluation of chloroethene dechlorination to ethene by Dehalococcoides-like microorganisms. *Environ Sci Technol.* 38: 4768-4774. <http://dx.doi.org/10.1021/es049965z>.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Vinyl chloride and cis-dichloroethene dechlorination kinetics and microorganism growth under substrate limiting conditions. *Environ Sci Technol.* 38: 1102-1107. <http://dx.doi.org/10.1021/es0348647>.
- Cupul-Uicab, LA; Gladen, BC; Hernández-Avila, M; Weber, JP; Longnecker, MP. (2008). DDE, a degradation product of DDT, and duration of lactation in a highly exposed area of Mexico. *Environ Health Perspect.* 116: 179-183. <http://dx.doi.org/10.1289/ehp.10550>.
- Curcio, MS; Oliveira, MP; Waldman, WR; Sánchez, B; Canela, MC. (2015). TiO₂ sol-gel for formaldehyde photodegradation using polymeric support: photocatalysis efficiency versus material stability. *Environ Sci Pollut Res Int.* 22: 800-809. <http://dx.doi.org/10.1007/s11356-014-2683-4>.
- Cutright, TJ; Meza, L. (2007). Evaluation of the aerobic biodegradation of trichloroethylene via response surface methodology. *Environ Int.* 33: 338-345. <http://dx.doi.org/10.1016/j.envint.2006.11.012>.
- Cwiertny, DM; Bransfield, SJ; Livi, KJ; Fairbrother, DH; Robertst, AL. (2006). Exploring the influence of granular iron additives on 1,1,1-trichloroethane reduction. *Environ Sci Technol.* 40: 6837-6843. <http://dx.doi.org/10.1021/es060921v>.

Exposure Literature Search Results

Off Topic

- Cwiertny, DM; Bransfield, SJ; Roberts, AL. (2007). Influence of the oxidizing species on the reactivity of iron-based bimetallic reductants. *Environ Sci Technol.* 41: 3734-3740. <http://dx.doi.org/10.1021/es062993s>.
- Cyr, PJ; Paraskewich, MR; Suri R, PS. (1999). Sonochemical destruction of trichloroethylene in water. *Water Sci Technol.* 40: 4-5.
- Czaja, K; Ludwicki, JK; Goralczyk, K; Strucinski, P. (1999). Effect of changes in excretion of persistent organochlorine compounds with human breast milk on related exposure of breast-fed infants. *Arch Environ Contam Toxicol.* 36: 498-503. <http://dx.doi.org/10.1007/PL00006623>.
- Czarnowski, J. (1991). FORMATION OF GLYOXYLOXYL CHLORIDE, HC(O)C(O)CL, IN THE GAS-PHASE OXIDATION OF TRICHLOROETHENE BY NO₂. *J Chem Soc Perkin Trans* 21459-1462.
- Czarnowski, J. (2006). Formation of bromodifluoroacetyl fluoride, CF₂BrC(O)F, in the thermal gas-phase oxidation of bromotrifluoroethene, CF₂CFBr, initiated by trifluoromethylhypofluorite, CF₃OF. *J Fluor Chem.* 127: 736-739. <http://dx.doi.org/10.1016/j.jfluchem.2006.02.003>.
- da Silva, CKO; Vianna, MMG, R; Foletto, EL; Chiavone-Filho, O; Do Nascimento, CAO. (2015). Optimizing Phenanthrene and Anthracene Oxidation by Sodium Persulfate and Fe-Modified Diatomite Using the Response Surface Method. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2362-1>.
- Da Silva, MLB; Alvarez, PJJ. (2008). Exploring the Correlation between Halorespirer Biomarker Concentrations and TCE Dechlorination Rates. *J Environ Eng.* 134: 895-901. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:11\(895\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:11(895)).
- Da Silva, MLB; Daprato, RC; Gomez, DE; Hughes, JB; Ward, CH; Alvarez, PJJ. (2006). Comparison of bioaugmentation and biostimulation for the enhancement of dense nonaqueous phase liquid source zone bioremediation. *Water Environ Res.* 78: 2456-2465. <http://dx.doi.org/10.2175/106143006X123111>.
- Dabral, S; Vanetten, J; Zhang, X; Apblett, C; Yang, GR; Ficalora, P; Mcdonald, JF. (1992). STRESS IN THERMALLY ANNEALED PARYLENE FILMS. *Journal of Electronic Materials.* 21: 989-994.
- Dahlgren, J; Takhar, H; Anderson-Mahoney, P; Kotlerman, J; Tarr, J; Warshaw, R. (2007). Cluster of systemic lupus erythematosus (SLE) associated with an oil field waste site: a cross sectional study. *Environ Health.* 6: 8. <http://dx.doi.org/10.1186/1476-069X-6-8>.
- Dahmann, D; Bauer, HD; Beckmann, U; Stoyke, G; Wuff, T. (1996). Calculation of pollutant concentrations at underground workplaces. *Staub, Reinhaltung der Luft.* 56: 465-469.
- Dai, LL; Sharma, R; Wu, CY. (2005). Self-assembled structure of nanoparticles at a liquid-liquid interface. *Langmuir.* 21: 2641-2643. <http://dx.doi.org/10.1021/la047256t>.
- Dai, Q; Bai, S; Wang, J; Li, M; Wang, X; Lu, G. (2013). The effect of TiO₂ doping on catalytic performances of Ru/CeO₂ catalysts during catalytic combustion of chlorobenzene. *Appl Catal B-Environ.* 142: 222-233. <http://dx.doi.org/10.1016/j.apcatb.2013.05.026>.
- Dai, Q; Bai, S; Wang, Z; Wang, X; Lu, G. (2012). Catalytic combustion of chlorobenzene over Ru-doped ceria catalysts. *Appl Catal B-Environ.* 126: 64-75. <http://dx.doi.org/10.1016/j.apcatb.2012.07.008>.
- Dai, Q; Wang, W, ei; Wang, X; Lu, G. (2017). Sandwich-structured CeO₂@ZSM-5 hybrid composites for catalytic oxidation of 1, 2-dichloroethane: An integrated solution to coking and chlorine poisoning deactivation. *Appl Catal B-Environ.* 203: 31-42. <http://dx.doi.org/10.1016/j.apcatb.2016.10.009>.
- Dai, Q; Wang, X; Lu, G. (2008). Low-temperature catalytic combustion of trichloroethylene over cerium oxide and catalyst deactivation. *Appl Catal B-Environ.* 81: 192-202. <http://dx.doi.org/10.1016/j.apcatb.2007.12.013>.
- Dai, RL; Zhang, GY, a; Gu, X; Wang, MK. (2008). Sorption of 1,1,1-trichloro-2,2-bis(p-chlorophenyl) ethane (DDT) by clays and organoclays. *Environ Geochem Health.* 30: 479-488. <http://dx.doi.org/10.1007/s10653-007-9130-0>.
- Dai, X; De Souza, AT; Dai, H; Lewis, DL; Lee, CK; Spencer, AG; Herweijer, H; Hagstrom, JE; Linsley, PS; Bassett, DE; Ulrich, RG; He, YD. (2007). PPARalpha siRNA-treated expression profiles uncover the causal sufficiency network for compound-induced liver hypertrophy. *PLoS Comput Biol.* 3: 389-401. <http://dx.doi.org/10.1371/journal.pcbi.0030030>.
- Dai, Y; Leng, S; Li, L; Niu, Y; Huang, H; Liu, Q; Duan, H; Cheng, J; Zheng, Y. (2009). Effects of genetic polymorphisms of N-acetyltransferase on trichloroethylene-induced hypersensitivity dermatitis among exposed workers. *Ind Health.* 47: 479-486.
- Daily, W; Ramirez, A. (1995). ELECTRICAL-RESISTANCE TOMOGRAPHY DURING IN-SITU TRICHLOROETHYLENE REMEDIATION AT THE SAVANNA RIVER SITE. *Journal of Applied Geophysics.* 33: 239-249.
- Dajee, M; Lazarov, M; Zhang, JY; Cai, T; Green, CL; Russell, AJ; Marinkovich, MP; Tao, S; Lin, Q; Kubo, Y; Khavari, PA. (2003). NF-kappaB blockade and oncogenic Ras trigger invasive human epidermal neoplasia. *Nature.* 421: 639-643. <http://dx.doi.org/10.1038/nature01283>.
- Dalla Vecchia, E; Luna, M; Sethi, R. (2009). Transport in Porous Media of Highly Concentrated Iron Micro- and Nanoparticles in the Presence of Xanthan Gum. *Environ Sci Technol.* 43: 8942-8947. <http://dx.doi.org/10.1021/es901897d>.
- Dalla Villa, R; Pupo Nogueira, RF. (2006). Oxidation of p,p'-DDT and p,p'-DDE in highly and long-term contaminated soil using Fenton reaction in a slurry system. *Sci Total Environ.* 371: 11-18. <http://dx.doi.org/10.1016/j.scitotenv.2006.05.010>.
- Dallas, CE; Chen, XM; Muralidhara, S; Varkonyi, P; Tackett, RL; Bruckner, JV. (1994). Use of tissue deposition data from rats and dogs to determine species differences in input parameters for a physiological model for perchloroethylene. *Environ Res.* 67: 54-67. <http://dx.doi.org/10.1006/enrs.1994.1064>.
- Damgaard, I, da; Bjerg, PL; Jacobsen, CS; Tsitonaki, A; Kerrn-Jespersen, H; Broholm, MM. (2013). Performance of Full-Scale Enhanced Reductive Dechlorination in Clay Till. *Ground Water Monitoring and Remediation.* 33: 48-61. <http://dx.doi.org/10.1111/j.1745-6592.2012.01405.x>.
- Damgaard, IN; Skakkebaek, NE; Toppari, J; Virtanen, HE; Shen, H; Schramm, KW; Petersen, JH; Jensen, TK; Main, KM. (2006). Persistent pesticides in human breast milk and cryptorchidism. *Environ Health Perspect.* 114: 1133-1138. <http://dx.doi.org/10.1289/ehp.8741>.

Exposure Literature Search Results

Off Topic

- Damm, JH; Hardacre, C; Kalin, RM; Walsh, KP. (2002). Kinetics of the oxidation of methyl tert-butyl ether (MTBE) by potassium permanganate. *Water Res.* 36: 3638-3646.
- D'Andrea, P; Lai, KCK; Kjeldsen, P; Lo, IMC. (2005). Effect of groundwater inorganics on the reductive dechlorination of TCE by zero-valent iron. *Water Air Soil Pollut.* 162: 401-420. <http://dx.doi.org/10.1007/s11270-005-7420-7>.
- Dane, JH; Oostrom, M; Missildine, BC. (1992). An improved method for the determination of capillary pressure-saturation curves involving TCE, water and air. *J Contam Hydrol.* 11: 1-2.
- Danhof, M; de Jongh, J; De Lange, EC; Della Pasqua, O; Ploeger, BA; Voskuyl, RA. (2007). Mechanism-based pharmacokinetic-pharmacodynamic modeling: biophase distribution, receptor theory, and dynamical systems analysis [Review]. *Annu Rev Pharmacol Toxicol.* 47: 357-400. <http://dx.doi.org/10.1146/annurev.pharmtox.47.120505.105154>.
- Daniel Espinosa-Chaurand, L; Silva-Loera, A; Garcia-Esquivel, Z, al; Mercedes Lopez-Acuna, L, us. (2015). Using shrimp head meal as protein replacement of fish meal in diets for juvenile of *Totoaba macdonaldi* (Gilbert, 1890). *Latin American Journal of Aquatic Research.* 43: 457-465. <http://dx.doi.org/10.3856/vol43-issue3-fulltext-7>.
- Danish, M; Gu, X; Lu, S; Ahmad, A; Naqvi, M; Farooq, U; Zhang, X; Fu, X; Miao, Z; Xue, Y. (2017). Efficient transformation of trichloroethylene activated through sodium percarbonate using heterogeneous zeolite supported nano zero valent iron-copper bimetallic composite. *Chem Eng J.* 308: 396-407. <http://dx.doi.org/10.1016/j.cej.2016.09.051>.
- Danish, M; Gu, X; Lu, S; Brusseau, ML; Ahmad, A; Naqvi, M; Farooq, U; Zaman, WQ; Fu, X; Miao, Z. (2017). An efficient catalytic degradation of trichloroethene in a percarbonate system catalyzed by ultra-fine heterogeneous zeolite supported zero valent iron-nickel bimetallic composite. *Appl Catal A-Gen.* 531: 177-186. <http://dx.doi.org/10.1016/j.apcata.2016.11.001>.
- Danish, M; Gu, X; Lu, S; Naqvi, M. (2016). Degradation of chlorinated organic solvents in aqueous percarbonate system using zeolite supported nano zero valent iron (Z-nZVI) composite. *Environ Sci Pollut Res Int.* 23: 13298-13307. <http://dx.doi.org/10.1007/s11356-016-6488-5>.
- Danish, M; Gu, X; Lu, S; Xu, M; Zhang, X; Fu, X; Xue, Y; Miao, Z; Naqvi, M; Nasir, M. (2016). Role of reactive oxygen species and effect of solution matrix in trichloroethylene degradation from aqueous solution by zeolite-supported nano iron as percarbonate activator. *Res Chem Intermed.* 42: 6959-6973. <http://dx.doi.org/10.1007/s11164-016-2509-8>.
- Danish, M; Gu, X; Lu, S; Zhang, X; Fu, X; Xue, Y; Miao, Z; Ahmad, A; Naqvi, M; Qureshi, AS. (2016). The Effect of Chelating Agents on Enhancement of 1,1,1-Trichloroethane and Trichloroethylene Degradation by Z-nZVI-Catalyzed Percarbonate Process. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-3005-x>.
- Darko-Kagya, K; Khodadoust, AP; Reddy, KR. (2010). Reactivity of Aluminum Lactate-Modified Nanoscale Iron Particles with Pentachlorophenol in Soils. *Environ Eng Sci.* 27: 861-869. <http://dx.doi.org/10.1089/ees.2010.0081>.
- Darko-Kagya, K; Khodadoust, AP; Reddy, KR. (2010). Reactivity of lactate-modified nanoscale iron particles with 2,4-dinitrotoluene in soils. *J Hazard Mater.* 182: 177-183. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.012>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2013). Anaerobic abiotic transformations of cis-1,2-dichloroethene in fractured sandstone. *Chemosphere.* 90: 2226-2232. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.084>.
- Darnerud, P; Brandt, I; Feil, V; Bakke, J. (1989). Dichlorovinyl cysteine (DCVC) in the mouse kidney: tissue-binding and toxicity after glutathione depletion and probenecid treatment. *Arch Toxicol.* 63: 345-350.
- Das, A; Abou-Nemeh, I; Chandra, S; Sirkar, KK. (1998). Membrane-moderated stripping process for removing VOCs from water in a composite hollow fiber module. *J Memb Sci.* 148: 257-271.
- Das, A; Molla, MR; Maity, B; Koley, D; Ghosh, S. (2012). Hydrogen-bonding induced alternate stacking of donor (D) and acceptor (A) chromophores and their supramolecular switching to segregated states. *Chemistry.* 18: 9849-9859. <http://dx.doi.org/10.1002/chem.201201140>.
- Das, C; Chowdhury, R; Bhattacharya, P. (2011). Experiments and three phase modelling of a biofilter for the removal of toluene and trichloroethylene. *Bioprocess Biosyst Eng.* 34: 447-458. <http://dx.doi.org/10.1007/s00449-010-0487-6>.
- Das, S; Banthia, AK; Adhikari, B. (2006). Removal of chlorinated volatile organic contaminants from water by pervaporation using a novel polyurethane urea-poly (methyl methacrylate) interpenetrating network membrane. *Chem Eng Sci.* 61: 6454-6467. <http://dx.doi.org/10.1016/j.ces.2006.06.014>.
- Das, SR; Sadeque, S; Jeong, C; Chen, R; Alam, MA; Janes, DB. (2016). Copercolating Networks: An Approach for Realizing High-Performance Transparent Conductors using Multicomponent Nanostructured Networks. 5: 180-195. <http://dx.doi.org/10.1515/nanoph-2016-0036>.
- Dashliborun, AM; Sotudeh-Gharebagh, R; Hajaghadzadeh, M; Kakoei, H; Afshar, S. (2013). Modeling of the photocatalytic degradation of methyl ethyl ketone in a fluidized bed reactor of nano-TiO₂/gamma-Al₂O₃ particles. *Chem Eng J.* 226: 59-67. <http://dx.doi.org/10.1016/j.cej.2013.04.022>.
- Dassharma, A; Sen, A; Maiti, HS. (1993). EFFECTIVENESS OF VARIOUS SUSPENSION MEDIA FOR ELECTROPHORETIC DEPOSITION OF YBCO SUPERCONDUCTOR POWDER. *Ceramics International.* 19: 65-70.
- Dastgheib, SA; Karanfil, T. (2005). The effect of the physical and chemical characteristics of activated carbons on the adsorption energy and affinity coefficient of Dubinin equation. *J Colloid Interface Sci.* 292: 312-321. <http://dx.doi.org/10.1016/j.jcis.2005.06.017>.
- Datskos, PG; Rajic, S; Sepaniak, MJ; Lavrik, N; Tipple, CA; Senesac, LR; Datskou, I. (2001). Chemical detection based on adsorption-induced and photoinduced stresses in microelectromechanical systems devices. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 19: 1173-1179.
- Datta, KJ; Gawande, MB; Datta, KKR; Ranc, V; Pechousek, J; Krizek, M; Tucek, J; Kale, R; Pospisil, P; Varma, RS; Asefa, T; Zoppellaro, G; Zboril, R. (2016). Micro-mesoporous iron oxides with record efficiency for the decomposition of hydrogen peroxide: morphology driven catalysis for the degradation of organic contaminants. 4: 596-604. <http://dx.doi.org/10.1039/c5ta08386a>.

Exposure Literature Search Results

Off Topic

- Dautel, J; Abele, S; Schwarz, W. (1997). Syntheses of 2,2-diphenylethyl-substituted silanes - Molecular structure of trichloro-2,2-diphenylethylsilane. *Zeitschrift fuer Naturforschung B*. 52: 778-784.
- David, RM; Clewell, HJ; Gentry, PR; Covington, TR; Morgott, DA; Marino, DJ. (2006). Revised assessment of cancer risk to dichloromethane II. Application of probabilistic methods to cancer risk determinations. *Regul Toxicol Pharmacol*. 45: 55-65. <http://dx.doi.org/10.1016/j.yrtph.2005.12.003>.
- David, RM; Moore, MR; Cifone, MA; Finney, DC; Guest, D. (1999). Chronic peroxisome proliferation and hepatomegaly associated with the hepatocellular tumorigenesis of di(2-ethylhexyl)phthalate and the effects of recovery. *Toxicol Sci*. 50: 195-205.
- Davidson, AM; Mellot, CF; Eckert, J; Cheetham, AK. (2000). An inelastic neutron scattering and NIR-FT Raman spectroscopy study of chloroform and trichloroethylene in faujasites. *J Phys Chem B*. 104: 432-438.
- Davie, MG; Shih, K; Pacheco, FA; Leckie, JO; Reinhard, M. (2008). Palladium-indium catalyzed reduction of N-nitrosodimethylamine: Indium as a promoter metal. *Environ Sci Technol*. 42: 3040-3046. <http://dx.doi.org/10.1021/es7023115>.
- Davis, BM; Istok, JD; Semprini, L. (2002). Push-pull partitioning tracer tests using radon-222 to quantify non-aqueous phase liquid contamination. *J Contam Hydrol*. 58: 129-146.
- Davis, BM; Istok, JD; Semprini, L. (2003). Static and push-pull methods using radon-222 to characterize dense nonaqueous phase liquid saturations. *Ground Water*. 41: 470-481.
- Davis, BM; Istok, JD; Semprini, L. (2005). Numerical simulations of radon as an in situ partitioning tracer for quantifying NAPL contamination using push-pull tests. *J Contam Hydrol*. 78: 87-103. <http://dx.doi.org/10.1016/j.jconhyd.2005.03.003>.
- Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem*. 10: 463-474.
- Davis, LC; Muralidharan, N; Visser, VP; Chaffin, C; Fateley, WG; Erickson, LE; Hammaker, RM. (1994). ALFALFA PLANTS AND ASSOCIATED MICROORGANISMS PROMOTE BIODEGRADATION RATHER THAN VOLATILIZATION OF ORGANIC-SUBSTANCES FROM GROUND-WATER. *ACS Symp Ser Am Chem Soc*. 563: 112-122.
- Davis, RR; Murphy, WJ; Snawder, JE; Striley, CA; Henderson, D; Khan, A; Krieg, EF. (2002). Susceptibility to the ototoxic properties of toluene is species specific. *Hear Res*. 166: 24-32. [http://dx.doi.org/10.1016/S0378-5955\(02\)00280-0](http://dx.doi.org/10.1016/S0378-5955(02)00280-0).
- Davis, WT; Hood, CC; Dever, M. (1995). ANALYSIS OF A THIN ACTIVATED CARBON LOADED ADSORPTION MEDIUM. *Separation Science and Technology*. 30: 1309-1324.
- Davydov, L; Pratsinis, SE; Smirniotis, PG. (2000). The intrinsic catalytic activity in photoreactors. *Environ Sci Technol*. 34: 3435-3442.
- Dawsey, WJ; Minsker, BS; Vanblaricum, VL. (2006). Bayesian belief networks to integrate monitoring evidence of water distribution system contamination. *J Water Resour Plann Manag*. 132: 234-241. [http://dx.doi.org/10.1061/\(ASCE\)0733-9496\(2006\)132:4\(234\)](http://dx.doi.org/10.1061/(ASCE)0733-9496(2006)132:4(234)).
- Dawson, HE; Roberts, PV. (1997). Influence of viscous, gravitational, and capillary forces on DNAPL saturation. *Ground Water*. 35: 261-269.
- Dayan, H; Abrajano, T; Sturchio, NC; Winsor, L. (1999). Carbon isotopic fractionation during reductive dehalogenation of chlorinated ethenes by metallic iron. *Organic Geochemistry*. 30: 755-763.
- De, AK; Chaudhuri, B; Bhattacharjee, S. (1999). A kinetic study of the oxidation of phenol, o-chlorophenol and catechol by hydrogen peroxide between 298 K and 333 K: the effect of pH, temperature and ratio of oxidant to substrate. *J Chem Tech Biotechnol*. 74: 162-168.
- De Bo, I; Van Langenhove, H; De Keijser, J. (2002). Application of vapour phase calibration method for determination of sorption of gases and VOC in polydimethylsiloxane membranes. *J Memb Sci*. 209: 39-52.
- De Bo, I; Van Langenhove, H; Pruuost, P; De Neve, J; Pieters, J; Vankelecom, IFJ; Dick, E. (2003). Investigation of the permeability and selectivity of gases and volatile organic compounds for polydimethylsiloxane membranes. *J Memb Sci*. 215: 303-319. [http://dx.doi.org/10.1016/S0376-7388\(03\)00024-3](http://dx.doi.org/10.1016/S0376-7388(03)00024-3).
- De Corte, S; Hennebel, T; Fitts, JP; Sabbe, T; Bliznuk, V; Verschuere, S; van der Lelie, D; Verstraete, W; Boon, N. (2011). Biosupported bimetallic Pd-Au nanocatalysts for dechlorination of environmental contaminants. *Environ Sci Technol*. 45: 8506-8513. <http://dx.doi.org/10.1021/es2019324>.
- De Corte, S; Sabbe, T; Hennebel, T; Vanhaecke, L; De Gussemme, B; Verstraete, W; Boon, N. (2012). Doping of biogenic Pd catalysts with Au enables dechlorination of diclofenac at environmental conditions. *Water Res*. 46: 2718-2726. <http://dx.doi.org/10.1016/j.watres.2012.02.036>.
- De Felip, E; di Domenico, A; Miniero, R; Silvestroni, L. (2004). Polychlorobiphenyls and other organochlorine compounds in human follicular fluid. *Chemosphere*. 54: 1445-1449. <http://dx.doi.org/10.1016/j.chemosphere.2003.10.040>.
- De Gussemme, B; Du Laing, G; Hennebel, T, om; Renard, P; Chidambaram, D, ev; Fitts, JP; Bruneel, E, Is; Van Driessche, I; Verbeken, K, im; Boon, N; Verstraete, W. (2010). Virus Removal by Biogenic Cerium. *Environ Sci Technol*. 44: 6350-6356. <http://dx.doi.org/10.1021/es100100p>.
- de Jong, P; Brenner, B. (2004). From secondary to primary prevention of progressive renal disease: the case for screening for albuminuria [Review]. *Kidney Int*. 66: 2109-2118. <http://dx.doi.org/10.1111/j.1523-1755.2004.66001.x>.
- de Jonge, H; de Jonge, LW; Mittelmeijer-Hazeleger, MC. (2000). The microporous structure of organic and mineral soil materials. *Soil Sci*. 165: 99-108.
- De Paoli, A; Barresi, AA. (2001). Deep oxidation kinetics of trieline over LaFeO₃ perovskite catalyst. *Ind Eng Chem Res*. 40: 1460-1464. <http://dx.doi.org/10.1021/ie000729g>.
- de Rivas, B; Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2006). Analysis of the simultaneous catalytic combustion of chlorinated aliphatic pollutants and toluene over ceria-zirconia mixed oxides. *Appl Catal A-Gen*. 314: 54-63. <http://dx.doi.org/10.1016/j.apcata.2006.08.005>.
- de Rivas, B; Lopez-Fonseca, R; Gutierrez-Ortiz, MA; Gutierrez-Ortiz, JI. (2008). Analysis of the behaviour of different mixed oxides in the treatment of Cl-VOC containing gas streams. *Int J Chem React Eng*. 6.

Exposure Literature Search Results

Off Topic

- de Rivas, B; López-Fonseca, R; Gutiérrez-Ortiz, MA; Gutiérrez-Ortiz, JI. (2009). Role of water and other H-rich additives in the catalytic combustion of 1,2-dichloroethane and trichloroethylene. *Chemosphere*. 75: 1356-1362. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.019>.
- de Rivas, B; Lopez-Fonseca, R; Sampedro, C; Gutierrez-Ortiz, JI. (2009). Catalytic behaviour of thermally aged Ce/Zr mixed oxides for the purification of chlorinated VOC-containing gas streams. *Appl Catal B-Environ*. 90: 545-555. <http://dx.doi.org/10.1016/j.apcatb.2009.04.017>.
- De Rivas, B; Sampedro, C; López-Fonseca, R; Gutiérrez-Ortiz, MÁ; Gutiérrez-Ortiz, JI. (2012). Low-temperature combustion of chlorinated hydrocarbons over CeO₂/H-ZSM5 catalysts. *Appl Catal A-Gen*. 417-418: 93-101. <http://dx.doi.org/10.1016/j.apcata.2011.12.028>.
- De Roos, A; Olshan, A; Teschke, K; Poole, C; Savitz, D; Blatt, J; Bondy, M; Pollock, B. (2001). Parental occupational exposures to chemicals and incidence of neuroblastoma in offspring. *Am J Epidemiol*. 154: 106-114. <http://dx.doi.org/10.1093/aje/154.2.106>.
- De Rosa, CT; Pohl, HR; Williams, M; Ademoyero, AA; C-HSJ, C; Jones, DE. (1998). Public health implications of environmental exposures. *Environ Health Perspect*. 106: 369-378.
- de Seze, G; Valsaraj, KT; Reible, DD; Thibodeaux, LJ. (2000). Sediment-air equilibrium partitioning of semi-volatile hydrophobic organic compounds. Part 1. Method development and water vapor sorption isotherm. *Sci Total Environ*. 253: 15-26.
- de Souza e Silva, PT; da Silva, VL; Neto, B; Simonnot, MO. (2009). Potassium permanganate oxidation of phenanthrene and pyrene in contaminated soils. *J Hazard Mater*. 168: 1269-1273. <http://dx.doi.org/10.1016/j.jhazmat.2009.03.007>.
- de Torres, HB; Rensch, C; Fischer, M; Schober, A; Hoffmann, M; Mueller, J. (2010). Thick film flow sensor for biological microsystems. *Sens Actuators A*. 160: 109-115. <http://dx.doi.org/10.1016/j.sna.2010.04.010>.
- de Villiers, AP; Matthews, J; Visagie, SE. (2012). TOUR CONSTRUCTION HEURISTICS FOR AN ORDER SEQUENCING PROBLEM. *South African Journal of Industrial Engineering*. 23: 56-67.
- De Visscher, A. (2003). Kinetic model for the sonochemical degradation of monocyclic aromatic compounds in aqueous solution: new insights. *Ultrason Sonochem*. 10: 157-165. [http://dx.doi.org/10.1016/S1350-4177\(03\)00073-7](http://dx.doi.org/10.1016/S1350-4177(03)00073-7).
- De Visscher, A; Van Langenhove, H; Van Eenoo, P. (1997). Sonochemical degradation of ethylbenzene in aqueous solution: a product study. *Ultrason Sonochem*. 4: 145-151.
- De Vita, G; Tekaya, A. (2015). Hotel outsourcing under asset specificity: "The good, the bad and the ugly". 47: 97-106.
- de Weert, JP; Keijzer, TJ; van Gaans, PF. (2014). Lowering temperature to increase chemical oxidation efficiency: the effect of temperature on permanganate oxidation rates of five types of well defined organic matter, two natural soils, and three pure phase products. *Chemosphere*. 117: 94-103. <http://dx.doi.org/10.1016/j.chemosphere.2014.05.082>.
- De Wildeman, S; Nollet, H; Van Langenhove, H; Verstraete, W. (2001). Reductive biodegradation of 1,2-dichloroethane by methanogenic granular sludge in lab-scale UASB reactors. *Adv Environ Res*. 6: 17-27.
- Deane, M; Swan, S; Harris, J; Epstein, D; Neutra, R. (1989). Adverse pregnancy outcomes in relation to water contamination, Santa Clara County, California, 1980-1981. *Am J Epidemiol*. 129: 894-904.
- Dearden, RA; Noy, DJ; Lelliott, MR; Wilson, R; Wealthall, GP. (2013). Release of contaminants from a heterogeneously fractured low permeability unit underlying a DNAPL source zone. *J Contam Hydrol*. 153: 141-155. <http://dx.doi.org/10.1016/j.jconhyd.2011.05.006>.
- Deduffard, AME; Duffard, R. (1996). Behavioral toxicology, risk assessment, and chlorinated hydrocarbons. *Environ Health Perspect*. 104: 353-360.
- Deeds, DA; Kulongoski, JT; Belitz, K. (2012). Assessing California Groundwater Susceptibility Using Trace Concentrations of Halogenated Volatile Organic Compounds. *Environ Sci Technol*. 46: 13128-13135. <http://dx.doi.org/10.1021/es303546b>.
- Deeg, S; Wittmer, H; Breuer, HD. (2000). Influence of pre-illuminating immobilised titania on the gas phase photodegradation of trichloroethylene. *Journal of Information Recording*. 25: 427-433.
- Deerberg, F; Müller-Peddinghaus, R. (1970). [Comparative studies on the occurrence of spontaneous diseases and spontaneous deaths in conventional and specific germ-free female NMRI-HAN mice]. *Z Versuchstierkd*. 12: 341-347.
- Deerberg, F; Pittermann, W; Rapp, K. (1974). [Lung tumor in the mouse: a progressive tumor]. *Vet Pathol*. 11: 430-441.
- Deflaun, MF; Condee, CW. (1997). Electrokinetic transport of bacteria. *J Hazard Mater*. 55: 1-3.
- Degraffenreid, N; Shreve, GS. (1998). The effect of cadmium on the kinetics of trichloroethylene biodegradation by *Pseudomonas* (Burkholderia) picketti PK01 under denitrifying conditions. *Water Res*. 32: 3398-3402.
- Degrassi, F; Tanzarella, C. (1988). Immunofluorescent staining of kinetochores in micronuclei: A new assay for the detection of aneuploidy. *Mutat Res*. 203: 339-345. [http://dx.doi.org/10.1016/0165-1161\(88\)90030-1](http://dx.doi.org/10.1016/0165-1161(88)90030-1).
- Deitsch, JJ; Smith, JA. (1995). Effect of triton X-100 on the rate of trichloroethene desorption from soil to water. *Environ Sci Technol*. 29: 1069-1080.
- Deitsch, JJ; Smith, JA. (1999). Sorption and desorption rate comparisons for 1,2-dichlorobenzene to a peat soil. *Environ Toxicol Chem*. 18: 1701-1709.
- Deitsch, JJ; Smith, JA; Culver, TB; Brown, RA; Riddle, SA. (2000). Distributed rate model analysis of 1,2-dichlorobenzene batch sorption and desorption rates for five natural sorbents. *Environ Sci Technol*. 34: 1469-1476.
- Dejz, A; Gonzalez-Alfaro, V; Llopis, FJ; Miguel, PJ; Vazquez, MI. (1999). Vapor-liquid equilibrium of binary mixtures of trichloroethylene with 1-pentanol, 2-methyl-1-butanol and 3-methyl-1-butanol at 100 kPa. *Fluid Phase Equilibria*. 155: 229-239.
- Dejz, A; Gonzalezalfaro, V; Miguel, PJ; Vazquez, MI. (1996). Isobaric vapor-liquid equilibria of trichloroethylene with 1-butanol and 2-butanol at 28 and 180 kPa. *Journal of Chemical and Engineering Data*. 41: 89-92.

Exposure Literature Search Results

Off Topic

- Dekant, W. (2001). Does exposure to trichloroethene in low doses constitute a cancer risk to humans? *Hum Ecol Risk Assess.* 7: 657-675. <http://dx.doi.org/10.1080/20018091094565>.
- Dekant, W; Vamvakas, S; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1986). Bacterial beta-lyase mediated cleavage and mutagenicity of cysteine conjugates derived from the nephrocarcinogenic alkenes trichloroethylene, tetrachloroethylene and hexachlorobutadiene. *Chem Biol Interact.* 60: 31-45. [http://dx.doi.org/10.1016/0009-2797\(86\)90015-3](http://dx.doi.org/10.1016/0009-2797(86)90015-3).
- Dela Barre, BK; Harmon, TC; Chrysikopoulos, CV. (2002). Measuring and modeling the dissolution of nonideally shaped dense nonaqueous phase liquid pools in saturated porous media. *Water Resour Res.* 38: 1133-1133. <http://dx.doi.org/10.1029/2001WR000444>.
- Delahunt, B; Bethwaite, PB; Nacey, JN. (1995). Occupational risk for renal cell carcinoma. A case-control study based on the New Zealand Cancer Registry. *Br J Urol.* 75: 578-582. <http://dx.doi.org/10.1111/j.1464-410X.1995.tb07410.x>.
- Delange, PPM; Deboer, RP; Vanwijkoop, M; Ernsting, JM; Fruhauf, HW; Vrieze, K; Smeets, WJJ; Spek, AL; Goubitz, K. (1993). 1,3-DIPOLAR CYCLOADDITION TO THE FE-N=C FRAGMENT .11. ISOCYANIDE-CONTROLLED CHANGE BETWEEN A REVERSIBLE MOLECULAR SELF-ASSEMBLY OF 3 COMPONENTS, INCLUDING A UNIQUE ISOCYANIDE DEINSERTION, AND DIMETHYL MALEATE COUPLING REACTIONS. *Organometallics.* 12: 440-453.
- Delange, PPM; Vanwijkoop, M; Fruhauf, HW; Vrieze, K; Goubitz, K. (1993). 1,3-DIPOLAR CYCLOADDITION TO THE FE-N=C FRAGMENT .10. SYNTHESIS OF FE(CNR)₃(ALPHA-DIIMINE) COMPLEXES AND THEIR REACTIVITY TOWARD DIMETHYL ACETYLENEDICARBOXYLATE. *Organometallics.* 12: 428-439.
- Delinsky, AD; Delinsky, DC; Muralidhara, S; Fisher, JW; Bruckner, JV; Bartlett, MG. (2005). Analysis of dichloroacetic acid in rat blood and tissues by hydrophilic interaction liquid chromatography with tandem mass spectrometry. *Rapid Commun Mass Spectrom.* 19: 1075-1083. <http://dx.doi.org/10.1002/rcm.189>.
- Demarest, L. (2014). Soil composition at the aquifer level, groundwater quality and the presence of Dehalococcoides ethenogenes at Dover AFB. *Environ Earth Sci.* 71: 4157-4164. <http://dx.doi.org/10.1007/s12665-013-2806-0>.
- Demeestere, K; De Visscher, A; Dewulf, J; Van Leeuwen, M; Van Langenhove, H. (2004). A new kinetic model for titanium dioxide mediated heterogeneous photocatalytic degradation of trichloroethylene in gas-phase. *Appl Catal B-Environ.* 54: 261-274. <http://dx.doi.org/10.1016/j.apcatb.2004.06.020>.
- Demeestere, K; Dewulf, J; Ohno, T; Salgado, PH; Van Langenhove, H. (2005). Visible light mediated photocatalytic degradation of gaseous trichloroethylene and dimethyl sulfide on modified titanium dioxide. *Appl Catal B-Environ.* 61: 140-149. <http://dx.doi.org/10.1016/j.apcatb.2005.04.017>.
- Demeestere, K; Dewulf, J; Van Langenhove, H; Sercu, B. (2003). Gas-solid adsorption of selected volatile organic compounds on titanium dioxide Degussa P25. *Chem Eng Sci.* 58: 2255-2267. [http://dx.doi.org/10.1016/S0009-2509\(03\)00087-3](http://dx.doi.org/10.1016/S0009-2509(03)00087-3).
- Demou, E; Hellweg, S; Wilson, MP; Hammond, SK; Mckone, TE. (2009). Evaluating indoor exposure modeling alternatives for LCA: A case study in the vehicle repair industry. *Environ Sci Technol.* 43: 5804-5810. <http://dx.doi.org/10.1021/es803551y>.
- Den, W; Huang, C; Li, CH. (2003). Biotrickling Filtration for Control of Volatile Organic Compounds from Microelectronics Industry. *J Environ Eng.* 129: 610. [http://dx.doi.org/10.1061/\(asce\)0733-9372\(2003\)129:7\(610\)](http://dx.doi.org/10.1061/(asce)0733-9372(2003)129:7(610)).
- Den, W; Huang, C; Li, CH. (2004). Effects of cross-substrate interaction on biotrickling filtration for the control of VOC emissions. *Chemosphere.* 57: 697-709. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.018>.
- Den, W; Pirbazari, M. (2002). Modeling and design of vapor-phase biofiltration for chlorinated volatile organic compounds. *AIChE J.* 48: 2084-2103.
- Den, W; Ravindran, V; Pirbazari, M. (2006). Photooxidation and biotrickling filtration for controlling industrial emissions of trichloroethylene and. *Chem Eng Sci.* 61: 7909-7923. <http://dx.doi.org/10.1016/j.ces.2006.09.015>.
- Deng, B; Campbell, TJ; Burris, DR. (1997). Hydrocarbon formation in metallic iron/water systems. *Environ Sci Technol.* 31: 1185-1190.
- Deng, B; Kim, ES. (2016). Co-adsorption of Trichloroethylene and Arsenate by Iron-Impregnated Granular Activated Carbon. *Water Environ Res.* 88: 394-402. <http://dx.doi.org/10.2175/106143016X14504669768372>.
- Deng, B; Kong, S; Kim, CN. (2007). Modeling of photocatalytic oxidation of VOCs in a packed bed reactor under continuous and discontinuous illuminations. *Korean J Chem Eng.* 24: 577-582.
- Deng, BL; Burris, DR; Campbell, TJ. (1999). Reduction of vinyl chloride in metallic iron-water systems. *Environ Sci Technol.* 33: 2651-2656.
- Deng, BL; Hu, SD; Whitworth, TM; Lee, R. (2003). Trichloroethylene reduction on zero valent iron: Probing reactive versus nonreactive sites. *ACS Symp Ser Am Chem Soc.* 837: 181-205.
- Deng, Y; Ezyse, CM. (2011). Sulfate radical-advanced oxidation process (SR-AOP) for simultaneous removal of refractory organic contaminants and ammonia in landfill leachate. *Water Res.* 45: 6189-6194. <http://dx.doi.org/10.1016/j.watres.2011.09.015>.
- Dennison, JE; Andersen, ME; Clewell, HJ; Yang, RS. (2004). Development of a physiologically based pharmacokinetic model for volatile fractions of gasoline using chemical lumping analysis. *Environ Sci Technol.* 38: 5674-5681. <http://dx.doi.org/10.1021/es035201s>.
- Dennison, JE; Andersen, ME; Dobrev, ID; Mumtaz, MM; Yang, RS. (2004). PBPK modeling of complex hydrocarbon mixtures: Gasoline. *Environ Toxicol Pharmacol.* 16: 107-119. <http://dx.doi.org/10.1016/j.etap.2003.10.003>.
- Dennison, JE; Bigelow, PL; Andersen, ME. (2004). Occupational exposure limits in the context of solvent mixtures, consumption of ethanol, and target tissue dose [Review]. *Toxicol Ind Health.* 20: 165-175. <http://dx.doi.org/10.1191/0748233704th2030a>.
- Dennison, JE; Bigelow, PL; Mumtaz, MM; Andersen, ME; Dobrev, ID; Yang, RS. (2005). Evaluation of potential toxicity from co-exposure to three CNS depressants (toluene, ethylbenzene, and xylene) under resting and working conditions using PBPK modeling. *J Occup Environ Hyg.* 2: 127-135. <http://dx.doi.org/10.1080/15459620590916198>.

Exposure Literature Search Results

Off Topic

- Derakhshesh, M; Abedi, J; Hassanzadeh, H. (2010). Mechanism of methanol decomposition by non-thermal plasma. *Journal of Electrostatics*. 68: 424-428. <http://dx.doi.org/10.1016/j.elstat.2010.06.004>.
- Dersimonian, R; Laird, N. (1986). Meta-analysis in clinical trials. *Contr Clin Trials*. 7: 177-188. [http://dx.doi.org/10.1016/0197-2456\(86\)90046-2](http://dx.doi.org/10.1016/0197-2456(86)90046-2).
- Derwent, RG; Carslaw, N; Simmonds, PG; Bassford, M; O'Doherty, S; Ryall, DB; Pilling, MJ; Lewis, AC; McQuaid, JB. (1999). Hydroxyl radical concentrations estimated from measurements of trichloroethylene during the EASE/ACSOE campaign at Mace Head, Ireland during July 1996. *J Atmos Chem*. 34: 185-205.
- Desesso, JM; Lavin, AL. (2001). Debate-commentary: Should trichloroethylene be classified as a human carcinogen? *Hum Ecol Risk Assess*. 7: 651-655.
- Desimone, MC; Rathmell, WK; Threadgill, DW. (2009). Elucidating the Functional Consequences of the Trichloroethylene Associated Von-Hippel Lindau Tumor Suppressor Gene Mutation Using a Genetically Engineered Model System. *Environ Mol Mutagen*. 50: 562-562.
- Destailats, H; Alderson, TW; Hoffmann, MR. (2001). Applications of ultrasound in NAPL remediation: Sonochemical degradation of TCE in aqueous surfactant solutions. *Environ Sci Technol*. 35: 3019-3024.
- Destailats, H; Lesko, TM; Knowlton, M; Wallace, H; Hoffmann, MR. (2001). Scale-up of sonochemical reactors for water treatment. *Ind Eng Chem Res*. 40: 3855-3860.
- Destailats, H; Sleiman, M; Sullivan, DP; Jacquioid, C; Sablayrolles, J; Molins, L. (2012). Key parameters influencing the performance of photocatalytic oxidation (PCO) air purification under realistic indoor conditions. *Appl Catal B-Environ*. 128: 159-170. <http://dx.doi.org/10.1016/j.apcatb.2012.03.014>.
- Dettenmaier, EM; Doucette, WJ; Bugbee, B. (2009). Chemical hydrophobicity and uptake by plant roots. *Environ Sci Technol*. 43: 324-329. <http://dx.doi.org/10.1021/es801751x>.
- Detwiler, RL; Rajaram, H; Glass, RJ. (2001). Nonaqueous-phase-liquid dissolution in variable-aperture fractures: Development of a depth-averaged computational model with comparison to a physical experiment. *Water Resour Res*. 37: 3115-3129.
- Deviny, JS; Webster, TS; Torres, E; Basrai, S. (1995). Biofiltration for removal of PCE and TCE vapors from contaminated air. *Hazardous Waste and Hazardous Materials*. 12: 283-293.
- Devlin, JF; Barbaro, JR. (2001). A method of estimating multicomponent nonaqueous-phase liquid mass in porous media using aqueous concentration ratios. *Environ Toxicol Chem*. 20: 2443-2449. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<2443:AMOEMN>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<2443:AMOEMN>2.0.CO;2).
- Devlin, JF; Parker, BL. (1996). Optimum hydraulic conductivity to limit contaminant flux through cutoff walls. *Ground Water*. 34: 719-726.
- Dewar, R; Siemiatyckia, J; Geacuterin, M. (1991). Loss of statistical power associated with the use of a job-exposure matrix in occupational case-control studies. *Appl Occup Environ Hyg*. 6: 508-515.
- Dewulf, J; Van Langenhove, H; De Smedt, E; Geuens, S. (2001). Combination of advanced oxidation processes and gas absorption for the treatment of chlorinated solvents in waste gases. *Water Sci Technol*. 44: 173-180.
- Dewulf, J; Vanlangenhove, H; Everaert, M. (1997). Solid-phase microextraction of volatile organic compounds - Estimation of the sorption equilibrium from the Kovats index, effect of salinity and humic acids and the study of the kinetics by the development of an "agitated/static layer" model. *J Chromatogr A*. 761: 205-217.
- Dhaidan, NS; Khodadadi, JM; Al-Hattab, TA; Al-Mashat, SM. (2013). Experimental and numerical investigation of melting of NePCM inside an annular container under a constant heat flux including the effect of eccentricity. *Int J Heat Mass Tran*. 67: 455-468. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2013.08.002>.
- Dhaidan, NS; Khodadadi, JM; Al-Hattab, TA; Al-Mashat, SM. (2013). Experimental and numerical study of constrained melting of n-octadecane with CuO nanoparticle dispersions in a horizontal cylindrical capsule subjected to a constant heat flux. *Int J Heat Mass Tran*. 67: 523-534. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2013.08.001>.
- Dhar, A; Alford, TL. (2014). Optimization of TiO₂/Cu/TiO₂ Multilayer as Transparent Composite Electrode (TCE) Deposited on Flexible Substrate at Room Temperature. 3: N33-N36. <http://dx.doi.org/10.1149/2.0061411ssl>.
- Dhennezel, O; Ollis, DF. (1996). Photocatalytic oxidation of air contaminants by chlorine (Cl) or hydroxyl (OH) radicals or holes (h⁺): Mechanistic correlations. *Stud Surf Sci Catal*. 101: 435-442.
- Dhennezel, O; Ollis, DF. (1997). Trichloroethylene-promoted photocatalytic oxidation of air contaminants. *J Catal*. 167: 118-126.
- D'Hennezel, O; Pichat, P; Ollis, DF. (1998). Benzene and toluene gas-phase photocatalytic degradation over H₂O and HCl pretreated TiO₂: by-products and mechanisms. *J Photochem Photobiol A*. 118: 197-204.
- Di Palma, L; De Filippis, P; Lausdei, D; Petrucci, E. (2015). KINETIC TESTS OF ANAEROBIC DECHLORINATION OF A POLLUTED GROUNDWATER IN ITALY. *Environmental Engineering and Management Journal*. 14: 2713-2718.
- Di, Z; Zheng, S; Xiao-Hui, Y; Da-Peng, W; Kun, D; Ya-Feng, G. (2013). A Porous Membrane Extraction and Microtrap System for On-line Monitoring of Volatile Organic Compounds in Water. *Chin J Anal Chem*. 41: 1153-1158. <http://dx.doi.org/10.3724/SP.J.1096.2013.21228>.
- Diallo, MS; Abriola, LM; Weber, WJ, Jr. (1994). Solubilization of non-aqueous phase liquid hydrocarbons in micellar solutions of dodecyl alcohol ethoxylates. Washington, D.C.
- Diaz, E, va; Faba, L; Ordonez, S. (2011). Effect of carbonaceous supports on the Pd-catalyzed aqueous-phase trichloroethylene hydrodechlorination. *Appl Catal B-Environ*. 104: 415-417. <http://dx.doi.org/10.1016/j.apcatb.2011.03.031>.
- Diaz, E, va; Mccall, A; Faba, L; Sastre, H; Ordonez, S. (2013). Trichloroethylene Hydrodechlorination in Water Using Formic Acid as Hydrogen Source: Selection of Catalyst and Operation Conditions. *Environ Prog Sustain Energy*. 32: 1217-1222. <http://dx.doi.org/10.1002/ep.11730>.

Exposure Literature Search Results

Off Topic

- Díaz, E; Ordóñez, S; Bueres, RF; Asedegbega-Nieto, E; Sastre, H. (2010). High-surface area graphites as supports for hydrodechlorination catalysts: Tuning support surface chemistry for an optimal performance. *Appl Catal B-Environ*. 99: 181-190. <http://dx.doi.org/10.1016/j.apcatb.2010.06.016>.
- Diaz, E; Ordonez, S; Vega, A; Coca, J. (2005). Influence of catalyst treatments on the adsorption properties of gamma-Al₂O₃ supported Pt, Rh and Ru catalysts. *Microporous and Mesoporous Materials*. 77: 245-255. <http://dx.doi.org/10.1016/j.micromeso.2004.09.008>.
- Dibble, L; Raupp, GB. (1992). Fluidized-bed photocatalytic oxidation of trichloroethylene in contaminated airstreams. *Environ Sci Technol*. 26: 492-495.
- Dickey, CA; Heal, KV; Cape, JN; Stidson, RT; Reeves, NM; Heal, MR. (2005). Addressing analytical uncertainties in the determination of trichloroacetic acid in soil. *J Environ Monit*. 7: 137-144. <http://dx.doi.org/10.1039/b410248g>.
- Dickson, SE; Thomson, NR. (2003). Dissolution of entrapped DNAPLs in variable aperture fractures: Experimental data and empirical model. *Environ Sci Technol*. 37: 4128-4137. <http://dx.doi.org/10.1021/es026275r>.
- Dietz, AC; Schnoor, JL. (2001). Advances in phytoremediation. *Environ Health Perspect*. 109: 163-168.
- Dietz, AC; Schnoor, JL. (2001). Phytotoxicity of chlorinated aliphatics to hybrid poplar (*Populus deltoides* x *nigra* DN34). *Environ Toxicol Chem*. 20: 389-393. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<0389:POCATH>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<0389:POCATH>2.0.CO;2).
- Diez, FV; Ordonez, S; Padilla, B. (2006). Hydrodechlorination of trichloroethylene in wastewater in a batch slurry reactor: Mass transfer and kinetic study. *Abstracts of Papers - American Chemical Society*. 232: 929-929.
- Dilla, W; Koser, HJK. (1983). ON THE DEHYDROCHLORINATION DECHLORINATION OF TRICHLOROETHYLENE, PERCHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE BY METAL CHLORIDES AND OXIDATIVE HYDROLYTIC DEGRADATION PRODUCTS. *Mater Corros*. 34: 241-245.
- Dincutoiu, I; Gorecki, T; Parker, BL. (2003). A novel technique for rapid extraction of volatile organohalogen compounds from low permeability media. *Environ Sci Technol*. 37: 3978-3984. <http://dx.doi.org/10.1021/es0340275>.
- Dincutoiu, I; Gorecki, T; Parker, BL. (2006). Microwave-assisted extraction of trichloroethylene from clay samples. *Int J Environ Anal Chem*. 86: 1113-1125. <http://dx.doi.org/10.1080/03067310600797580>.
- Ding, K; Xu, W. (2016). Black Carbon Facilitated Dechlorination of DDT and its Metabolites by Sulfide. *Environ Sci Technol*. 50: 12976-12983. <http://dx.doi.org/10.1021/acs.est.6b03154>.
- Ding, S, hu; Zhao, L, in; Qi, Y, un; Lv, Q. (2015). Synthesis of Ni/Fe Nanoparticles Utilizing PVP-SDS Bound Micelles as a Template to Remove PCB77. *NANO*. 10. <http://dx.doi.org/10.1142/S1793292015500356>.
- Dingemans, M; Dewulf, J, o; Braeckman, L; Van Langenhove, H; Friess, K; Hynek, V; Sipek, M. (2008). Mass transfer characteristics for VOC permeation through flat sheet porous and composite membranes: The impact of the different membrane layers on the overall membrane resistance. *J Memb Sci*. 322: 234-242. <http://dx.doi.org/10.1016/j.memsci.2008.05.043>.
- Dingemans, M; Dewulf, J, o; Kumar, A; Van Langenhove, H. (2008). Solubility of volatile organic compounds in polymers: Effect of polymer type and processing. *J Memb Sci*. 312: 107-114. <http://dx.doi.org/10.1016/j.memsci.2007.12.042>.
- Dinh, MTN; Giraudon, JM; Vandebroucke, AM; Morent, R; De Geyter, N; Lamonier, JF. (2015). Post plasma-catalysis for total oxidation of trichloroethylene over Ce-Mn based oxides synthesized by a modified "redox-precipitation route". *Appl Catal B-Environ*. 172: 65-72. <http://dx.doi.org/10.1016/j.apcatb.2015.02.013>.
- Dini, JW. (2005). The carcinogenic body. *Plat Surf Finish*. 92: 34-35.
- Dion-Fortier, A; Rodriguez, MJ; Sérodes, J; Proulx, F. (2009). Impact of water stagnation in residential cold and hot water plumbing on concentrations of trihalomethanes and haloacetic acids. *Water Res*. 43: 3057-3066. <http://dx.doi.org/10.1016/j.watres.2009.04.019>.
- Distefano, TD. (1999). The effect of tetrachloroethene on biological dechlorination of vinyl chloride: Potential implication for natural bioattenuation. *Water Res*. 33: 1688-1694.
- Divakar, D; Romero-Sáez, M; Pereda-Ayo, B; Aranzabal, A; González-Marcos, JA; González-Velasco, J. R. (2011). Catalytic oxidation of trichloroethylene over Fe-zeolites. *Catalysis Today*. 176: 357-360. <http://dx.doi.org/10.1016/j.cattod.2010.11.065>.
- Divine, CE; Sanford, WE; Mccray, JE. (2003). Helium and Neon Groundwater Tracers to Measure Residual DNAPL: Laboratory Investigation. *Vadose Zone Journal*. 2: 382-388.
- Dix, KJ; Kedderis, GL; Borghoff, SJ. (1997). Vehicle-dependent oral absorption and target tissue dosimetry of chloroform in male rats and female mice. *Toxicol Lett*. 91: 197-209.
- Dixon, AM; Brown, SD; Muralidhara, S; Bruckner, JV; Bartlett, MG. (2005). Optimization of SPME for analysis of trichloroethylene in rat blood and tissues by SPME-GC/MS. *Instrum Sci Tech*. 33: 175-186. <http://dx.doi.org/10.1081/CI-200048062>.
- Djouadi, F; Weinheimer, CJ; Saffitz, JE; Pitchford, C; Bastin, J; Gonzalez, FJ; Kelly, DP. (1998). A gender-related defect in lipid metabolism and glucose homeostasis in peroxisome proliferator- activated receptor alpha- deficient mice. *J Clin Invest*. 102: 1083-1091. <http://dx.doi.org/10.1172/JCI3949>.
- Do, S, iH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ*. 430: 82-87. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.070>.
- Doan, T; Acosta, E; Scamehorn, JF; Sabatini, DA. (2003). Formulating middle-phase microemulsions using mixed anionic and cationic surfactant systems. *Journal of Surfactants and Detergents*. 6: 215-224.
- Dobaradaran, S; Lutze, H; Mahvi, AH; Schmidt, TC. (2014). Transformation efficiency and formation of transformation products during photochemical degradation of TCE and PCE at micromolar concentrations. 12: 16. <http://dx.doi.org/10.1186/2052-336X-12-16>.
- Dobaradaran, S; Mahvi, AH; Nabizadeh, R; Ramavandi, B; Nazmara, S; Zarei, S. (2012). BIOASSAY COMPARISON OF TRICHLOROETHYLENE (TCE) TOXICITY ON DAPHNIA MAGNA (D. MAGNA) BEFORE AND AFTER ULTRASOUND AND PHOTOLYSIS PROCESSES. *Fresen Environ Bull*. 21: 1533-1538.

Exposure Literature Search Results

Off Topic

- Dobaradran, S; Nabizadeh, R; Mahvi, AH; Mesdaghinia, AR; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S, h. (2010). SURVEY ON DEGRADATION RATES OF TRICHLOROETHYLENE IN AQUEOUS SOLUTIONS BY ULTRASOUND. *Iranian Journal of Environmental Health Science and Engineering*. 7: 307-312.
- Dobbins, DC; Peltola, J; Kustritz, JM; Chresand, TJ; Preston, JC. (1995). PILOT-SCALE DEMONSTRATION OF A 2-STAGE METHANOTROPHIC BIOREACTOR FOR BIODEGRADATION OF TRICHLOROETHYLENE IN GROUNDWATER. *J Air Waste Manag Assoc*. 45: 12-19.
- Dobosy, P; Vizsolyi, E, vaC; Varga, I; Varga, J; Lang, GG; Zaray, G. (2016). Trichloroethylene removal from water by ferrate treatment. *Microchem J*. 127: 74-78. <http://dx.doi.org/10.1016/j.microc.2016.02.010>.
- Dobrev, ID; Andersen, ME; Yang, RS. (2001). Assessing interaction thresholds for trichloroethylene in combination with tetrachloroethylene and 1,1,1-trichloroethane using gas uptake studies and PBPK modeling. *Arch Toxicol*. 75: 134-144. <http://dx.doi.org/10.1007/s002040100216>.
- Dogan-Subasi, E; Bastiaens, L; Boon, N; Dejonghe, W. (2013). Microbial dechlorination activity during and after chemical oxidant treatment. *J Hazard Mater*. 262: 598-605. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.003>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1—historical background; carbon tetrachloride and tetrachloroethylene. *Environ Forensics*. 1: 69-81. <http://dx.doi.org/10.1006/enfo.2000.0010>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics*. 1: 83-93. <http://dx.doi.org/10.1006/enfo.2000.0011>.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics*. 13: 7-26. <http://dx.doi.org/10.1080/15275922.2011.643341>.
- Dohn, DR; Anders, MW. (1982). Assay of cysteine conjugate beta-lyase activity with S-(2-benzothiazolyl)cysteine as the substrate. *Anal Biochem*. 120: 379-386. [http://dx.doi.org/10.1016/0003-2697\(82\)90361-X](http://dx.doi.org/10.1016/0003-2697(82)90361-X).
- Doi, T; Tsuda, I; Unagida, H; Murata, A; Sakuta, K; Kurokawa, K. (2001). Experimental study on PV module recycling with organic solvent method. *Solar Energy Materials and Solar Cells*. 67: 397-403.
- Dolan, ME; Mccarty, PL. (1995). Methanotrophic Chloroethene Transformation Capacities And 1,1-dichloroethene Transformation Product Toxicity. *Environ Sci Technol*. 29: 2741-2747. <http://dx.doi.org/10.1021/es00011a007>.
- Dolan, ME; Mccarty, PL. (1995). SMALL COLUMN MICROCOSM FOR ASSESSING METHANE-STIMULATED VINYL-CHLORIDE TRANSFORMATION IN AQUIFER SAMPLES. *Environ Sci Technol*. 29: 1892-1897.
- Dolasa, AR; Ergas, SJ. (2000). Membrane bioreactor for cometabolism of trichloroethene air emissions. *J Environ Eng*. 126: 969-973.
- Dombek, T; Davis, D; Stine, J; Klarup, D. (2004). Degradation of terbutylazine (2-chloro-4-ethylamino-6-terbutylamino-1,3,5-triazine), deisopropyl atrazine (2-amino-4-chloro-6-ethylamino-1,3,5-triazine), and chlorinated dimethoxy triazine (2-chloro-4,6-dimethoxy-1,3,5-triazine) by zero valent iron and electrochemical reduction. *Environ Pollut*. 129: 267-275. <http://dx.doi.org/10.1016/j.envpol.2003.10.008>.
- Dombek, T; Dolan, E; Schultz, J; Klarup, D. (2001). Rapid reductive dechlorination of atrazine by zero-valent iron under acidic conditions. *Environ Pollut*. 111: 21-27.
- Domingo, LR; Pérez, P; Sáez, JA. (2012). Origin of the synchronicity in bond formation in polar Diels-Alder reactions: an ELF analysis of the reaction between cyclopentadiene and tetracyanoethylene. *Org Biomol Chem*. 10: 3841-3851. <http://dx.doi.org/10.1039/c2ob25152c>.
- Donato, R. (2010). Extending transaction cost economics: towards a synthesised approach for analysing contracting in health care markets with experience from the Australian private sector. 71: 1989-1996. <http://dx.doi.org/10.1016/j.socscimed.2010.09.016>.
- Dong, C; Zeng, Z; Li, X. (2005). Determination of organochlorine pesticides and their metabolites in radish after headspace solid-phase microextraction using calix[4]arene fiber. *Talanta*. 66: 721-727. <http://dx.doi.org/10.1016/j.talanta.2004.12.020>.
- Dong, J, un; Wen, C; Liu, D; Zhang, W; Li, J; Jiang, H; Qin, C; Hong, M, ei. (2015). Study on degradation of nitrobenzene in groundwater using emulsified nano-zero-valent iron. *J Nanopart Res*. 17. <http://dx.doi.org/10.1007/s11051-014-2829-9>.
- Dong, JI; Yoon, KD. (1999). Thermal decomposition mechanism of chlorinated volatile organics at pyrolytic and oxidative conditions. *Korean J Chem Eng*. 16: 501-504.
- Dong, L; Gu, F; Fujita, T; Hayashi, Y; Gao, J, ie. (2014). Uncovering opportunity of low-carbon city promotion with industrial system innovation: Case study on industrial symbiosis projects in China. *Energy Policy*. 65: 388-397. <http://dx.doi.org/10.1016/j.enpol.2013.10.019>.
- Dong, S; Li, J; Shim, H. (2013). Bioremoval of Trichloroethylene/Toluene Mixture by Burkholderia vietnamiensis G4 from Water. *Res Journal Chem Environ*. 17: 32-37.
- Dong, S; Zhang, X; He, F; Dong, S; Zhou, D; Wang, B, o. (2015). Visible-light photocatalytic degradation of methyl orange over spherical activated carbon-supported and Er³⁺-YAlO₃-doped TiO₂ in a fluidized bed. *J Chem Tech Biotechnol*. 90: 880-887. <http://dx.doi.org/10.1002/jctb.4391>.
- Dong, T; Luo, H; Wang, Y; Hu, B; Chen, H, ua. (2011). Stabilization of Fe-Pd bimetallic nanoparticles with sodium carboxymethyl cellulose for catalytic reduction of para-nitrochlorobenzene in water. *Desalination*. 271: 11-19. <http://dx.doi.org/10.1016/j.desal.2010.12.003>.
- Dong, Y; Bai, Z; Liu, R; Wang, X; Yan, H; Zhu, T. (2006). Heterogeneous decomposition of indoor ammonia in a photoreactor with TiO₂-finished cotton fabrics. *Environ Technol*. 27: 705-714. <http://dx.doi.org/10.1080/09593332708618688>.
- Dong, Y; Liang, X; Krumholz, L; Philp, RP; Butler, EC. (2009). The Relative Contributions of Abiotic and Microbial Processes to the Transformation of Tetrachloroethylene and Trichloroethylene in Anaerobic Microcosms. *Environ Sci Technol*. 43: 690-697. <http://dx.doi.org/10.1021/es801917p>.

Exposure Literature Search Results

Off Topic

- Donnelly, KC; Lingenfelter, R; Cizmas, L; Falahatpisheh, MH; Qian, Y; Tang, Y; Garcia, S; Ramos, K; Tiffany-Castiglioni, E; Mumtaz, MM. (2004). Toxicity assessment of complex mixtures remains a goal. *Environ Toxicol Pharmacol.* 18: 135-141. <http://dx.doi.org/10.1016/j.etap.2004.03.013>.
- Doong, R, an; Saha, S; Lee, CH; Lin, HP. (2015). Mesoporous silica supported bimetallic Pd/Fe for enhanced dechlorination of tetrachloroethylene. *RSC Advances.* 5: 90797-90805. <http://dx.doi.org/10.1039/c5ra15070a>.
- Doong, RA; Chang, SM. (2000). Relationship between electron donor and microorganism on the dechlorination of carbon tetrachloride by an anaerobic enrichment culture. *Chemosphere.* 40: 1427-1433.
- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environ Sci Technol.* 37: 2575-2581. <http://dx.doi.org/10.1021/es020978r>.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environ Sci Technol.* 39: 7460-7468. <http://dx.doi.org/10.1021/es047956k>.
- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res.* 39: 2309-2318. <http://dx.doi.org/10.1016/j.watres.2005.04.036>.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere.* 64: 371-378. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.038>.
- Doong, RA; Lee, CC; Chen, KT; Wu, SF. (2004). Coupled reduction of chlorinated hydrocarbons and heavy metals by zerovalent silicon. *Water Sci Technol.* 50: 89-96.
- Doong, RA; Wu, SC; Chen, TF. (1996). Anaerobic biotransformation of polychlorinated methane and ethene under various redox conditions. *Chemosphere.* 32: 377-390.
- Dordevic, D; Cerkovnik, J; Gorenek, M. (2006). The comparison of the kinetics of hydrolysis of some reactive dyes before and after purification. 14: 85-88.
- Dorea, JG; Cruz-Granja, AC; Lacayo-Romero, ML; Cuadra-Leal, J. (2001). Perinatal metabolism of dichlorodiphenyldichloroethylene in Nicaraguan mothers. *Environ Res.* 86: 229-237. <http://dx.doi.org/10.1006/enrs.2001.4277>.
- Dorraj, MSS; Mirmohseni, A; Carraro, M; Gross, S; Simone, S; Tasselli, F; Figoli, A. (2015). Fenton-like catalytic activity of wet-spun chitosan hollow fibers loaded with Fe₃O₄ nanoparticles: Batch and continuous flow investigations. *J Mol Catal Chem.* 398: 353-357. <http://dx.doi.org/10.1016/j.molcata.2015.01.003>.
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology.* 5: 124-127.
- Dosemeci, M; Wacholder, S; Lubin, JH. (1990). Does nondifferential misclassification of exposure always bias a true effect toward the null value? *Am J Epidemiol.* 132: 746-748.
- Dotremont, C; Vandenberghe, S; Vandommele, H; Vandecasteele, C. (1994). CONCENTRATION POLARIZATION AND OTHER BOUNDARY-LAYER EFFECTS IN THE PERVAPORATION OF CHLORINATED HYDROCARBONS. *Desalination.* 95: 91-113.
- Dou, W; Omran, K; Grimberg, SJ; Denham, M; Powers, SE. (2008). Characterization of DNAPL from the U.S. DOE Savannah River Site. *J Contam Hydrol.* 97: 75-86. <http://dx.doi.org/10.1016/j.jconhyd.2008.01.002>.
- Doucet, N; Bocquillon, F; Zahraa, O; Bouchy, M. (2006). Kinetics of photocatalytic VOCs abatement in a standardized reactor. *Chemosphere.* 65: 1188-1196. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.061>.
- Douglas, G; Gingerich, J; Soper, L; Potvin, M; Bjarnason, S. (1999). Evidence for the lack of base-change and small-deletion mutation induction by trichloroethylene in lacZ transgenic mice. *Environ Mol Mutagen.* 34: 190-194.
- Dowideit, P; von Sonntag, C. (1998). Reaction of ozone with ethene and its methyl- and chlorine-substituted derivatives in aqueous solution. *Environ Sci Technol.* 32: 1112-1119.
- Dragoescu, D; Gheorghe, D; Bendova, M; Wagner, Z. (2015). Speeds of sound, isentropic compressibilities and refractive indices for some binary mixtures of nitromethane with chloroalkane at temperatures from 298.15 to 318.15 K. Comparison with theories. *Fluid Phase Equilibria.* 385: 105-119. <http://dx.doi.org/10.1016/j.fluid.2014.10.004>.
- Drake, V; Koprowski, S; Lough, J; Hu, N; Smith, S. (2006). Trichloroethylene exposure during cardiac valvuloseptal morphogenesis alters cushion formation and cardiac hemodynamics in the avian embryo. *Environ Health Perspect.* 114: 842-847. <http://dx.doi.org/10.1289/ehp.8781>.
- Drenzek, NJ; Tarr, CH; Eglinton, TI; Heraty, LJ; Sturchio, NC; Shiner, VJ; Reddy, CM. (2002). Stable chlorine and carbon isotopic compositions of selected semi-volatile organochlorine compounds. *Organic Geochemistry.* 33: 437-444.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2005). Combined removal of chlorinated ethenes and heavy metals by zerovalent iron in batch and continuous flow column systems. *Environ Sci Technol.* 39: 8460-8465. <http://dx.doi.org/10.1021/es050251d>.
- Drijvers, D; van Langenhove, H; Beckers, M. (1999). Decomposition of phenol and trichloroethylene by the ultrasound/H₂O₂/CuO process. *Water Res.* 33: 1187-1194.
- Driscoll, T; Hamdan, H; Wang, G; Wright, P; Stacey, N. (1992). Concentrations of individual serum or plasma bile acids in workers exposed to chlorinated aliphatic hydrocarbons. *Br J Ind Med.* 49: 700-705.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environ Sci Technol.* 39: 1283-1290. <http://dx.doi.org/10.1021/es049022z>.
- Dror, I; Jacov, OM; Cortis, A; Berkowitz, B. (2012). Catalytic transformation of persistent contaminants using a new composite material based on nanosized zero-valent iron. 4: 3416-3423. <http://dx.doi.org/10.1021/am300402q>.

Exposure Literature Search Results

Off Topic

- D'Souza, R; Bruckner, J; Feldman, S. (1985). Oral and intravenous trichloroethylene pharmacokinetics in the rat. *J Toxicol Environ Health*. 15: 587-601. <http://dx.doi.org/10.1080/15287398509530688>.
- Du, CL; Wang, JD. (1998). Increased morbidity odds ratio of primary liver cancer and cirrhosis of the liver among vinyl chloride monomer workers. *Occup Environ Med*. 55: 528-532.
- Du, J; Bao, J; Tong, M, an; Yuan, S. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci*. 30: 350-356. <http://dx.doi.org/10.1089/ees.2011.0318>.
- du Plessis, A; Strydom, C; Botha, L. (2010). Comparative study of the dissociative ionization of 1,1,1-trichloroethane using nanosecond and femtosecond laser pulses. *International Journal of Molecular Sciences*. 11: 1114-1140. <http://dx.doi.org/10.3390/ijms11031114>.
- Du, Y; Zhang, W, ei; Whitten, W; Li, H; Watson, DB; Xu, J, un. (2010). Membrane-Extraction Ion Mobility Spectrometry for in Situ Detection of Chlorinated Hydrocarbons in Water. *Anal Chem*. 82: 4089-4096. <http://dx.doi.org/10.1021/ac100162d>.
- Duan, C; Grover, V; Roberts, N; Balakrishnan, N. (2014). Firm valuation effects of the decision to adopt relationally governed business process outsourcing arrangements. *Int J Prod Res*. 52: 4673-4694. <http://dx.doi.org/10.1080/00207543.2014.884289>.
- Duan, H; Liu, Y; Yin, X; Bai, J; Qi, J. (2016). Degradation of nitrobenzene by Fenton-like reaction in a H₂O₂/schwertmannite system. *Chem Eng J*. 283: 873-879. <http://dx.doi.org/10.1016/j.cej.2015.08.033>.
- Duan, SH; Ito, A; Ohkawa, A. (2001). Removal of trichloroethylene from water by aeration, pervaporation and membrane distillation. *J Chem Eng Jpn*. 34: 1069-1073.
- Duan, X; Indrawirawan, S; Sun, H; Wang, S. (2015). Effects of nitrogen-, boron-, and phosphorus-doping or codoping on metal-free graphene catalysis. *Catalysis Today*. 249: 184-191. <http://dx.doi.org/10.1016/j.cattod.2014.11.005>.
- Duan, X; Sun, D; Zhu, Z; Chen, X; Shi, P. (2002). Photocatalytic decomposition of toluene by TiO₂ film as photocatalyst. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 37: 679-692.
- Duarte, CL; Ribeiro, MA; Sato, IM; Sampa, MHD, O. (2004). Efficiency of organic compounds removal by electron-beam irradiation in presence of high metal concentration. *Radiat Phys Chem Oxf Engl* 1993. 71: 451-454. <http://dx.doi.org/10.1016/j.radphyschem.2004.04.024>.
- Duba, AG; Jackson, KJ; Jovanovich, MC; Knapp, RB; Taylor, RT. (1996). TCE remediation using resting-state bioaugmentation (vol 30, pg 1982, 1996). *Environ Sci Technol*. 30: 3132-3132.
- Dubey, DK; Pardasani, D; Gupta, AK; Palit, M; Kanaujia, PK; Tak, V. (2006). Hollow fiber-mediated liquid-phase microextraction of chemical warfare agents from water. *J Chromatogr A*. 1107: 29-35. <http://dx.doi.org/10.1016/j.chroma.2005.12.095>.
- Ducom, G; Cabassud, C. (1999). Interests and limitations of nano-filtration for the removal of volatile organic compounds in drinking water production. *Desalination*. 124: 115-123.
- Duesterberg, CK; Waite, TD. (2006). Process optimization of Fenton oxidation using kinetic modeling. *Environ Sci Technol*. 40: 4189-4195. <http://dx.doi.org/10.1021/es060311v>.
- Duffel, MW; Jakoby, WB. (1982). Cysteine S-conjugate N-acetyltransferase from rat kidney microsomes. *Mol Pharmacol*. 21: 444-448.
- Dugan, PJ; Mccray, JE; Thyne, GD. (2003). Influence of a solubility-enhancing agent (cyclodextrin) on NAPL-water partition coefficients, with implications for partitioning tracer tests. *Water Resour Res*. 39. <http://dx.doi.org/10.1029/2002WR001672>.
- Duhamel, M; Edwards, EA. (2007). Growth and yields of dechlorinators, acetogens, and methanogens during reductive dechlorination of chlorinated ethenes and dihaloelimination of 1,2-dichloroethane. *Environ Sci Technol*. 41: 2303-2310. <http://dx.doi.org/10.1021/es062010r>.
- Duhamel, M; Wehr, SD; Yu, L; Rizvi, H; Seepersad, D; Dworatzek, S; Cox, EE; Edwards, EA. (2002). Comparison of anaerobic dechlorinating enrichment cultures maintained on tetrachloroethene, trichloroethene, cis-dichloroethene and vinyl chloride. *Water Res*. 36: 4193-4202.
- Dumitriu, D; Schmid, PE; Karimi, A. (2003). Role of H-2 in the deposition of CN_x layers by PE-HF-CVD. *Surf Coating Tech*. 163: 189-195.
- Duncan, GB; Counce, RM; Donaldson, TL. (1995). A MODEL OF A FIXED-FILM TRICKLE-FILTER BIOREACTOR FOR TCE DEGRADATION. *Separation Science and Technology*. 30: 1791-1805.
- Duong, MH; Penrod, SL; Grant, SB. (1997). Kinetics of p-nitrophenol degradation by *Pseudomonas* sp.: An experiment illustrating bioremediation. *J Chem Educ*. 74: 1451-1454.
- Durante, C; Huang, B; Isse, AA; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at copper cathode. Part II: Polychloroethanes. *Appl Catal B-Environ*. 126: 355-362. <http://dx.doi.org/10.1016/j.apcatb.2012.07.003>.
- Durante, C; Isse, AA; Sandona, G; Gennaro, A. (2009). Electrochemical hydrodehalogenation of polychloromethanes at silver and carbon electrodes. *Appl Catal B-Environ*. 88: 479-489. <http://dx.doi.org/10.1016/j.apcatb.2008.10.010>.
- Durante, C; Perazzolo, V; Perini, L; Favaro, M; Granozzi, G; Gennaro, A. (2014). Electrochemical activation of carbon-halogen bonds: Electrocatalysis at silver/copper nanoparticles. *Appl Catal B-Environ*. 158: 286-295. <http://dx.doi.org/10.1016/j.apcatb.2014.04.023>.
- Durmusoglu, E; Corapcioglu, MY. (2000). Experimental study of horizontal barrier formation by colloidal silica. *J Environ Eng*. 126: 833-841.
- DuTeaux, S; Newman, J; Morisseau, C; Fairbairn, E; Jelks, K; Hammock, B; Miller, M. (2004). Epoxide hydrolases in the rat epididymis: possible roles in xenobiotic and endogenous fatty acid metabolism. *Toxicol Sci*. 78: 187-195. <http://dx.doi.org/10.1093/toxsci/kfh066>.
- Dutta, BK; Sikdar, SK. (1999). Separation of volatile organic compounds from aqueous solutions by pervaporation using S-B-S block copolymer membranes. *Environ Sci Technol*. 33: 1709-1716.
- Duval, S; Tweedie, R. (2000). A nonparametric "trim and fill" method of accounting for publication bias in meta-analysis. *J Am Stat Assoc*. 95: 89-98.

Exposure Literature Search Results

Off Topic

- Dwarakanath, V; Kostarelos, K; Pope, GA; Shotts, D; Wade, WH. (1999). Anionic surfactant remediation of soil columns contaminated by nonaqueous phase liquids. *J Contam Hydrol.* 38: 465-488.
- Dwarakanath, V; Pope, GA. (2000). Surfactant phase behavior with field degreasing solvent. *Environ Sci Technol.* 34: 4842-4848. <http://dx.doi.org/10.1021/es0009121>.
- Dyer, RS. (2002). Chemical mixtures and health effects at Superfund sites. *Int J Hyg Environ Health.* 205: 149-153.
- Eacho, PI; Lanier, TL; Brodhecker, CA. (1991). Hepatocellular DNA synthesis in rats given peroxisome proliferating agents: Comparison of WY-14,643 to clofibric acid, nafenopin and LY171883. *Carcinogenesis.* 12: 1557-1561.
- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis.* 24: 341-349. <http://dx.doi.org/10.1093/mutage/geb014>.
- Eastmond, DA; Tucker, JD. (1989). Identification of aneuploidy-inducing agents using cytokinesis-blocked human lymphocytes and an antikinetochores antibody. *Environ Mol Mutagen.* 13: 34-43. <http://dx.doi.org/10.1002/em.2850130104>.
- Eberle, D; Ball, R; Boving, TB. (2016). Peroxone activated persulfate treatment of 1,4-dioxane in the presence of chlorinated solvent co-contaminants. *Chemosphere.* 144: 728-735. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.063>.
- Echeverria, D; White, RF; Sampaio, C. (1995). A behavioral evaluation of PCE exposure in patients and dry cleaners: A possible relationship between clinical and preclinical effects. *J Occup Environ Med.* 37: 667-680.
- Eckert, J; Draznieks, CM; Cheetham, AK. (2002). Direct observation of host-guest hydrogen bonding in the zeolite NaY/chloroform system by neutron scattering. *J Am Chem Soc.* 124: 170-171.
- Edmiston, PL; Underwood, LA. (2009). Absorption of dissolved organic species from water using organically modified silica that swells. *Separation and Purification Technology.* 66: 532-540. <http://dx.doi.org/10.1016/j.seppur.2009.02.001>.
- Edrisi, M; Keshavarz, AR. (2012). Synthesis of Cobalt Chromite Nanoparticles by Thermolysis of Mixed Cr³⁺ and Co²⁺ Chelates of 2-Mercaptopyridin N-Oxide. *Nano-Micro Letters.* 4: 83-89. <http://dx.doi.org/10.3786/nml.v4i2.p83-89>.
- Efroymsen, RA; Suter, GW. (1999). Finding a niche for soil microbial toxicity tests in ecological risk assessment. *Hum Ecol Risk Assess.* 5: 715-727.
- EFSA. (2006). Opinion of the scientific panel on food additives, flavourings, processing aids and materials in contact with food (AFC) on a request from the commission related to a new long-term carcinogenicity study on aspartame. *EFSA J.* 4: 1-44. <http://dx.doi.org/10.2903/j.efsa.2006.356>.
- Egashira, M; Shimizu, Y; Takao, Y; Ono, M; Sasada, S. (1998). Decomposition of trichloroethylene by microwave-induced plasma generated from SiC whiskers. *J Electrochem Soc.* 145: 229-235.
- Egger, M; Smith, GD; Schneider, M; Minder, C. (1997). Bias in meta-analysis detected by a simple, graphical test. *Br Med J.* 315: 629-634.
- Eglal, MM; Ramamurthy, AS. (2014). Nanofer ZVI: Morphology, Particle Characteristics, Kinetics, and Applications. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2014/152824>.
- Eglal, MM; Ramamurthy, AS. (2015). Removal of Pb(II), Cd(II), Cu(II) and trichloroethylene from water by Nanofer ZVI. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 901-912. <http://dx.doi.org/10.1080/10934529.2015.1030277>.
- Ehlke, TA; Imbrigiotta, TE; Dale, JM. (2004). Laboratory comparison of polyethylene and dialysis membrane diffusion samplers. *Ground Water Monitoring and Remediation.* 24: 53-59.
- Eichenlaub-Ritter, U; Baart, E; Yin, H; Betzendahl, I. (1996). Mechanisms of spontaneous and chemically-induced aneuploidy in mammalian oogenesis: basis of sex-specific differences in response to aneugens and the necessity for further tests. *Mutat Res.* 372: 279-294.
- Einaga, H; Futamura, S; Ibusuki, T. (2002). Heterogeneous photocatalytic oxidation of benzene, toluene, cyclohexene and cyclohexane in humidified air: comparison of decomposition behavior on photoirradiated TiO₂ catalyst. *Appl Catal B-Environ.* 38: 215-225.
- Einaga, H; Harada, M; Futamura, S; Ibusuki, T. (2003). Generation of active sites for CO photooxidation on TiO₂ by platinum deposition. *J Phys Chem B.* 107: 9290-9297. <http://dx.doi.org/10.1021/jp0343638>.
- Einaga, H; Ibusuki, T; Futamura, S. (2004). Improvement of catalyst durability by deposition of Rh on TiO₂ in photooxidation of aromatic compounds. *Environ Sci Technol.* 38: 285-289. <http://dx.doi.org/10.1012/es034336v>.
- Eisenbeis, M; Bauer-Kreisel, P; Scholz-Muramatsu, H. (1997). Studies on the dechlorination of tetrachloroethene to cis-1,2-dichloroethene by *Dehalospirillum multivorans* in biofilms. *Water Sci Technol.* 36: 191-198. [http://dx.doi.org/10.1016/S0273-1223\(97\)00352-1](http://dx.doi.org/10.1016/S0273-1223(97)00352-1).
- Elango, V; Kurtz, HD; Freedman, DL. (2011). Aerobic cometabolism of trichloroethene and cis-dichloroethene with benzene and chlorinated benzenes as growth substrates. *Chemosphere.* 84: 247-253. <http://dx.doi.org/10.1016/j.chemosphere.2011.04.007>.
- Elfarra, A; Hwang, I. (1990). In vivo metabolites of S-(2-benzothiazolyl)-L-cysteine as markers of in vivo cysteine conjugate beta-lyase and thiol glucuronosyl transferase activities. *Drug Metab Dispos.* 18: 917-922.
- Elfarra, A; Lash, L; Anders, M. (1987). Alpha-ketoacids stimulate rat renal cysteine conjugate beta-lyase activity and potentiate the cytotoxicity of S-(1,2-dichlorovinyl)-L-cysteine. *Mol Pharmacol.* 31: 208-212.
- Elfarra, AA; Jakobson, I; Anders, MW. (1986). Mechanism of S-(1,2-dichlorovinyl)glutathione-induced nephrotoxicity. *Biochem Pharmacol.* 35: 283-288.
- Elhaddad, E; Ensinger, W; Schueth, C. (2013). Sorption reversibility of organic contaminants in activated carbon, charcoal and Zeolite Y-200. *Grundwasser.* 18: 197-202. <http://dx.doi.org/10.1007/s00767-013-0229-1>.
- Elhaddad, EE; Bahadori, A; Abdel-Raouf, ME, IS; Elkhatny, S. (2015). A new experimental method to prevent paraffin-wax formation on the crude oil wells: A field case study in Libya. *Hemijiska Industrija.* 69: 269-274. <http://dx.doi.org/10.2298/HEMIND13071704OE>.

Exposure Literature Search Results

Off Topic

- Elizur, A; Adair-Kirk, TL; Kelley, DG; Griffin, GL; Demello, DE; Senior, RM. (2008). Tumor necrosis factor-alpha from macrophages enhances LPS-induced clara cell expression of keratinocyte-derived chemokine. *Am J Respir Cell Mol Biol.* 38: 8-15. <http://dx.doi.org/10.1165/rcmb.2007-0203OC>.
- Ellsworth, EMG; Palma, JF; Spence, WC; Bleicher, JM; Smith, DM, Jr; Finkelstein, SD. (2012). Mutational profiling of sporadic versus toxin-associated brain cancer formation: Initial findings using loss of heterozygosity profiling. *Int J Hyg Environ Health.* 215: 427-433. <http://dx.doi.org/10.1016/j.ijheh.2011.08.018>.
- Elola, A; Díaz, E; Ordoñez, S. (2009). A new procedure for the treatment of organochlorinated off-gases combining adsorption and catalytic hydrodechlorination. *Environ Sci Technol.* 43: 1999-2004. <http://dx.doi.org/10.1021/es803226v>.
- El-Raghy, T; Chakraborty, S; Barsoum, MW. (2000). Synthesis and characterization of Hf2PbC, Zr2PbC and M2SnC (M = Ti, Hf, Nb or Zr). *J Eur Ceram Soc.* 20: 2619-2625.
- El-Serag, HB. (2004). Hepatocellular carcinoma: Recent trends in the United States [Review]. *Gastroenterology.* 127: S27-S34. <http://dx.doi.org/10.1053/j.gastro.2004.09.013>.
- El-Serag, HB. (2007). Epidemiology of hepatocellular carcinoma in USA. *Hepatology Research.* 37: S88-S94. <http://dx.doi.org/10.1111/j.1872-034X.2007.00168.x>.
- El-Serag, HB; Rudolph, KL. (2007). Hepatocellular carcinoma: epidemiology and molecular carcinogenesis [Review]. *Gastroenterology.* 132: 2557-2576. <http://dx.doi.org/10.1053/j.gastro.2007.04.061>.
- Elsner, M; Chartrand, M; Vanstone, N; Couloume, GL; Lollar, BS. (2008). Identifying abiotic chlorinated ethene degradation: characteristic isotope patterns in reaction products with nanoscale zero-valent iron. *Environ Sci Technol.* 42: 5963-5970. <http://dx.doi.org/10.1021/es8001986>.
- Elsner, M; Couloume, GL; Mancini, S; Burns, L; Lollar, BS. (2010). Carbon Isotope Analysis to Evaluate Nanoscale Fe(O) Treatment at a Chlorohydrocarbon Contaminated Site. *Ground Water Monitoring and Remediation.* 30: 79-95. <http://dx.doi.org/10.1111/j1745-6592.2010.01294.x>.
- Elsner, M; Cwiertny, DM; Roberts, AL; Sherwood Lollar, B. (2007). 1,1,2,2-tetrachloroethane reactions with OH-, Cr(II), granular iron, and a copper-iron bimetal: Insights from product formation and associated carbon isotope fractionation. *Environ Sci Technol.* 41: 4111-4117. <http://dx.doi.org/10.1021/es063040x>.
- Elsner, M; Hunkeler, D. (2008). Evaluating chlorine isotope effects from isotope ratios and mass spectra of polychlorinated molecules. *Anal Chem.* 80: 4731-4740. <http://dx.doi.org/10.1021/ac702543y>.
- Ennis, E; Reed, R; Dolan, M; Semprini, L; Istok, J; Field, J. (2005). Reductive dechlorination of the vinyl chloride surrogate chlorofluoroethene in TCE-contaminated groundwater. *Environ Sci Technol.* 39: 6777-6785. <http://dx.doi.org/10.1021/es048640f>.
- Enoki, T; Ichikawa, I; Miyazaki, A; Saito, G. (1997). Structural effects on the electronic properties of (BEDT-TTF)(2)BF4TCE0.5. *Synthetic Metals.* 86: 1971-1972.
- Epold, I; Trapido, M; Dulova, N. (2015). Degradation of levofloxacin in aqueous solutions by Fenton, ferrous ion-activated persulfate and combined Fenton/persulfate systems. *Chem Eng J.* 279: 452-462. <http://dx.doi.org/10.1016/j.cej.2015.05.054>.
- Erdem, Z; Cutright, TJ. (2016). Biodegradation Potential of 1,1,1-Trichloro-2,2-Bis(p-Chlorophenyl) Ethane (4,4'-DDT) on a Sandy-Loam Soil Using Aerobic Bacterium *Alcaligenes eutrophus* A5. *Environ Eng Sci.* 33: 149-159. <http://dx.doi.org/10.1089/ees.2015.0277>.
- Erdem, Z; Cutright, TJ. (2016). Biotransformation of 1,1,1-trichloro-2,2-bis(p-chlorophenyl) ethane (4,4'-DDT) on a Sandy Loam Soil using aerobic bacterium *Corynebacterium* sp. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-6057-8>.
- Ergas, SJ; Schroeder, ED; Chang D, PY; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. *Water Environ Res.* 67: 816-821.
- Erickson, B. (2016). EPA moves to ban uses of trichloroethylene. *Chem Eng News.* 94: 20-20.
- Eriksson, A; Pacoste, C. (2002). Element formulation and numerical techniques for stability problems in shells. *Computer Methods in Applied Mechanics and Engineering.* 191: 3775-3810.
- Erning, K; Grandel, S; Dahmke, A; Schaefer, D. (2012). Simulation of DNAPL infiltration and spreading behaviour in the saturated zone at varying flow velocities and alternating subsurface geometries. *Environ Earth Sci.* 65: 1119-1131. <http://dx.doi.org/10.1007/s12665-011-1361-9>.
- Ersan, G; Kaya, Y; Apul, OG; Karanfil, T. (2016). Adsorption of organic contaminants by graphene nanosheets, carbon nanotubes and granular activated carbons under natural organic matter preloading conditions. *Sci Total Environ.* 565: 811-817. <http://dx.doi.org/10.1016/j.scitotenv.2016.03.224>.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1996). Determination of the 13C/12C isotope ratio of organic compounds for the biological degradation of tetrachloroethene (PCE) and trichloroethene (TCE). *Acta Hydrochim Hydrobiol.* 24: 16-21.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1998). The C-13/C-12 and H-2/H-1 ratios of trichloroethene, tetrachloroethene and their metabolites. *Isotopes Environ Health Stud.* 34: 245-253.
- Erto, A; Andreozzi, R; Di Natale, F; Lancia, A; Musmarra, D. (2010). Experimental and statistical analysis of trichloroethylene adsorption onto activated carbon. *Chem Eng J.* 156: 353-359. <http://dx.doi.org/10.1016/j.cej.2009.10.034>.
- Erto, A; Andreozzi, R; Lancia, A; Musmarra, D. (2010). Factors affecting the adsorption of trichloroethylene onto activated carbons. *Appl Surf Sci.* 256: 5237-5242. <http://dx.doi.org/10.1016/j.apsusc.2009.12.110>.
- Erto, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2014). Permeable Adsorptive Barrier (PAB) for the remediation of groundwater simultaneously contaminated by some chlorinated organic compounds. *J Environ Manage.* 140: 111-119. <http://dx.doi.org/10.1016/j.jenvman.2014.03.012>.

Exposure Literature Search Results

Off Topic

- Erto, A; Lancia, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2011). A procedure to design a Permeable Adsorptive Barrier (PAB) for contaminated groundwater remediation. *J Environ Manage.* 92: 23-30. <http://dx.doi.org/10.1016/j.jenvman.2010.07.044>.
- Erto, A; Lancia, A; Musmarra, D. (2011). A modelling analysis of PCE/TCE mixture adsorption based on Ideal Adsorbed Solution Theory. *Separation and Purification Technology.* 80: 140-147. <http://dx.doi.org/10.1016/j.seppur.2011.04.021>.
- Erto, A; Lancia, A; Musmarra, D. (2012). A Real Adsorbed Solution Theory model for competitive multicomponent liquid adsorption onto granular activated carbon. *Microporous and Mesoporous Materials.* 154: 45-50. <http://dx.doi.org/10.1016/j.micromeso.2011.10.041>.
- Ervin, RE; Boroumand, A; Abriola, LM; Ramsburg, CA. (2011). Kinetic limitations on tracer partitioning in ganglia dominated source zones. *J Contam Hydrol.* 126: 195-207. <http://dx.doi.org/10.1016/j.jconhyd.2011.07.006>.
- Eryilmaz, OL; Urgen, M; Cakir, AF; Kazmanli, MK; Kahraman, UH. (1997). The effect of the sputter cleaning of steel substrates with neutral molecule source on the adhesion of TiN films. *Surf Coating Tech.* 97: 488-491.
- Escardino, A; Aucejo, A; Costa, JM. (1978). WATER-CAFFEINE-TRICHLOROETHYLENE SYSTEM - STUDY OF CAFFEINE EXTRACTION IN PACKED-COLUMNS. *Reviews Agroquim Tecnol Aliment.* 18: 224-231.
- Escardino, A; Monzo, M; Costa, JM. (1977). LIQUID-LIQUID EQUILIBRIUM IN WATER-CAFFEINE-TRICHLOROETHYLENE SYSTEM. *Reviews Agroquim Tecnol Aliment.* 17: 372-382.
- Esmailzadeh, P; Sadeghi, MT; Bahramian, A; Fakhroueian, Z; Zorbakhsh, A. (2016). Superamphiphobic Surfaces Prepared by Coating Multifunctional Nanofluids. 8: 32011-32020. <http://dx.doi.org/10.1021/acsami.6b10913>.
- Esterkin, CR; Negro, AC; Alfano, OM; Cassano, AE. (2005). Air pollution remediation in a fixed bed photocatalytic reactor coated with TiO₂. *AIChE J.* 51: 2298-2310. <http://dx.doi.org/10.1002/aic.10472>.
- Ettema, JH; Zielhuis, RL; Burer, E; Meier, HA; Kleerekoper, L; de Graaf, MA. (1975). Effects of alcohol, carbon monoxide and trichloroethylene exposure on mental capacity. *Int Arch Occup Environ Health.* 35: 117-132.
- Evans, CAW; Gilman, RH; Rabbani, GH; Salazar, G; Ali, A. (1997). Gastric acid secretion and enteric infection in Bangladesh. *Trans Roy Soc Trop Med Hyg.* 91: 681-685.
- Evans, GM. (1991). US-EPA SITE DEMONSTRATION OF AWD TECHNOLOGIES AQUADETOX - SVE SYSTEM. *J Air Waste Manag Assoc.* 41: 1519-1523.
- Evans, PJ; Nguyen, D; Chappell, RW; Whiting, K; Gillette, J; Bodour, A; Wilson, JT. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Column Study. *Ground Water Monitoring and Remediation.* 34: 65-78. <http://dx.doi.org/10.1111/gwmr.12069>.
- Evelo, CTA; Oostendorp, JGM; Tenberge, WF; Borm, PJA. (1993). PHYSIOLOGICALLY-BASED TOXICOKINETIC MODELING OF 1,3-BUTADIENE LUNG METABOLISM IN MICE BECOMES MORE IMPORTANT AT LOW-DOSES. *Environ Health Perspect.* 101: 496-502. <http://dx.doi.org/10.2307/3431586>.
- Even-Ezra, I; Mizrahi, A; Gerrity, D; Snyder, S; Salveson, A; Lahav, O, ri. (2009). Application of a novel plasma-based advanced oxidation process for efficient and cost-effective destruction of refractory organics in tertiary effluents and contaminated groundwater. *Desalination and Water Treatment.* 11: 236-244. <http://dx.doi.org/10.5004/dwt.2009.807>.
- Evert, M; Schneider-Stock, R; Dombrowski, F. (2003). Apolipoprotein A-IV mRNA overexpression in early preneoplastic hepatic foci induced by low-number pancreatic islet transplants in streptozotocin-diabetic rats. *Pathol Res Pract.* 199: 373-379. <http://dx.doi.org/10.1078/0344-0338-00433>.
- Ewald, E; Wagner, A; Nijenhuis, I; Richnow, HH; Lechner, U, te. (2007). Microbial dehalogenation of trichlorinated dibenzo-p-dioxins by a Dehalococoides-containing mixed culture is coupled to carbon isotope Fractionation. *Environ Sci Technol.* 41: 7744-7751.
- Ewing, KJ; Nau, G; Bilodeau, T; Dagenais, DM; Bucholtz, F; Aggarwal, ID. (1997). Monitoring the absorption of organic vapors to a solid phase extraction medium - Applications to detection of trace volatile organic compounds by integration of solid phase absorbents with fiber optic Raman spectroscopy. *Anal Chim Acta.* 340: 227-232.
- Eyre, R; Stevens, D; Parker, J; Bull, R. (1995). Acid-labile adducts to protein can be used as indicators of the cysteine S-conjugate pathway of trichloroethene metabolism. *J Toxicol Environ Health.* 46: 443-464. <http://dx.doi.org/10.1080/15287399509532048>.
- Eyre, R; Stevens, D; Parker, J; Bull, R. (1995). Renal activation of trichloroethene and S-(1,2-dichlorovinyl)-L-cysteine and cell proliferative responses in the kidneys of F344 rats and B6C3F1 mice. *J Toxicol Environ Health.* 46: 465-481. <http://dx.doi.org/10.1080/15287399509532049>.
- Fabbri, D; Bezzi, R; Torri, C; Galletti, P; Tagliavini, E. (2007). Determination of tetrachloroethylene and other volatile halogenated organic compounds in oil wastes by headspace SPME GC-MS. *Chromatographia.* 66: 377-382. <http://dx.doi.org/10.1365/s10337-007-0353-0>.
- Fagerlund, F; Illangasekare, TH; Phenrat, T; Kim, HJ; Lowry, GV. (2012). PCE dissolution and simultaneous dechlorination by nanoscale zero-valent iron particles in a DNAPL source zone. *J Contam Hydrol.* 131: 9-28. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.011>.
- Fairey, JL; Speitel, GE; Katz, LE. (2006). Impact of natural organic matter on monochloramine reduction by granular activated carbon: The role of porosity and electrostatic surface properties. *Environ Sci Technol.* 40: 4268-4273. <http://dx.doi.org/10.1021/es060111j>.
- Fairman, MJ; Scott, BB; Toothill, C; Losowsky, MS. (1977). Jejunal mucosal gamma glutamyl transferase activity in coeliac disease. *Gut.* 18: 484-487.
- Falk Filipsson, A, . F.; Victorin, K, . (2003). Comparison of available benchmark dose softwares and models using trichloroethylene as a model substance. *Regul Toxicol Pharmacol.* 37: 343-355.
- Fallahpour, N; Yuan, S; Rajic, L; Alshawabkeh, AN. (2016). Hydrodechlorination of TCE in a circulated electrolytic column at high flow rate. *Chemosphere.* 144: 59-64. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.037>.

Exposure Literature Search Results

Off Topic

- Falta, RW. (2000). Numerical modeling of kinetic interphase mass transfer during air sparging using a dual-media approach. *Water Resour Res.* 36: 3391-3400.
- Falta, RW; Pruess, K; Javandel, I; Witherspoon, PA. (1992). NUMERICAL MODELING OF STEAM INJECTION FOR THE REMOVAL OF NONAQUEOUS PHASE LIQUIDS FROM THE SUBSURFACE .2. CODE VALIDATION AND APPLICATION. *Water Resour Res.* 28: 451-465.
- Fan, D; O'Brien Johnson, G; Tratnyek, PG; Johnson, RL. (2016). Sulfidation of Nano Zerovalent Iron (nZVI) for Improved Selectivity During In-Situ Chemical Reduction (ISCR). *Environ Sci Technol.* 50: 9558-9565. <http://dx.doi.org/10.1021/acs.est.6b02170>.
- Fan, G; Cang, L; Gomes, HI; Zhou, D. (2016). Electrokinetic delivery of persulfate to remediate PCBs polluted soils: Effect of different activation methods. *Chemosphere.* 144: 138-147. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.074>.
- Fan, JL, i; Liao, H, ua; Tang, B, aoJun; Pan, S, uYan; Yu, H, ao; Wei, Y, iM. (2016). The impacts of migrant workers consumption on energy use and CO₂ emissions in China. *Natural Hazards.* 81: 725-743. <http://dx.doi.org/10.1007/s11069-015-2103-1>.
- Fan, W; Cheng, Y, ue; Yu, S; Fan, X; Deng, Y. (2015). Preparation of wrapped nZVI particles and their application for the degradation of trichloroethylene (TCE) in aqueous solution. 5: 335-343. <http://dx.doi.org/10.2166/wrd.2015.082>.
- Fan, Z; Casey, FXM. (2008). Estimating solute transport parameters using Stochastic ranking evolutionary strategy. *Vadose Zone Journal.* 7: 124-130. <http://dx.doi.org/10.2136/vzj2007.0021>.
- Fang, G; Si, Y; Tian, C; Zhang, G; Zhou, D. (2012). Degradation of 2,4-D in soils by Fe₃O₄ nanoparticles combined with stimulating indigenous microbes. *Environ Sci Pollut Res Int.* 19: 784-793. <http://dx.doi.org/10.1007/s11356-011-0597-y>.
- Fang, H, ua; Chu, X; Wang, X; Pang, G; Yu, Y. (2010). Using Matrix Solid-Phase Microextraction (Matrix-SPME) to Estimate Bioavailability of DDTs in Soil to Both Earthworm and Vegetables. *Arch Environ Contam Toxicol.* 58: 62-70. <http://dx.doi.org/10.1007/s00244-009-9329-4>.
- Fang, H; Dong, B; Yan, H; Tang, F; Yu, Y. (2010). Characterization of a bacterial strain capable of degrading DDT congeners and its use in bioremediation of contaminated soil. *J Hazard Mater.* 184: 281-289. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.034>.
- Fang, NB; Casida, JE. (1999). Cube resin insecticide: Identification and biological activity of 29 rotenoid constituents. *J Agric Food Chem.* 47: 2130-2136.
- Fang, SC; Lo, SL. (2011). Application of Sodium Persulfate as the In-Situ Remediation for Groundwater Contamination at a Gasoline Service Station. *Res Journal Chem Environ.* 15: 280-290.
- Fang, Y; Al-Abed. (2007). Modeling the Electrolytic Dechlorination of Trichloroethylene in a Granular Graphite-Packed Reactor. *Environ Eng Sci.* 24: 581-594. <http://dx.doi.org/10.1089/ees.2006.0181>.
- Fang, Y; Al-Abed, SR. (2007). Use of carbon stable isotope to investigate chloromethane formation in the electrolytic dechlorination of trichloroethylene. *J Hazard Mater.* 141: 729-735. <http://dx.doi.org/10.1016/j.jhazmat.2006.07.036>.
- Fang, Y; Al-Abed, SR. (2008). Correlation of 2-chlorobiphenyl dechlorination by Fe/Pd with iron corrosion at different pH. *Environ Sci Technol.* 42: 6942-6948. <http://dx.doi.org/10.1021/es800805y>.
- Fang, Y, uLun; Heck, KN; Alvarez, PJJ; Wong, MS. (2011). Kinetics Analysis of Palladium/Gold Nanoparticles as Colloidal Hydrodechlorination Catalysts. 1: 128-138. <http://dx.doi.org/10.1021/cs100067k>.
- Fang, Y, uLun; Heck, KN; Zhao, Z; Pretzer, LA; Guo, N; Wu, T; Miller, JT; Wong, MS. (2016). Gold-doping of carbon-supported palladium improves reduction catalysis. *Chinese journal of catalysis.* 37: 1776-1786. [http://dx.doi.org/10.1016/S1872-2067\(16\)62530-5](http://dx.doi.org/10.1016/S1872-2067(16)62530-5).
- Fang, YL; Miller, JT; Guo, N; Heck, KN; Alvarez, PJJ; Wong, MS. (2011). Structural analysis of palladium-decorated gold nanoparticles as colloidal bimetallic catalysts. *Catalysis Today.* 160: 96-102. <http://dx.doi.org/10.1016/j.cattod.2010.08.010>.
- Farajzadeh, MA; Goushjuji, L; Djozan, D; Mohammadi, JK. (2012). Dispersive liquid-liquid microextraction combined with gas chromatography for extraction and determination of class 1 residual solvents in pharmaceuticals. *J Sep Sci.* 35: 1027-1035. <http://dx.doi.org/10.1002/jssc.201100917>.
- Fares, A; Kindt, BT; Lapuma, P; Perram, GP. (1995). DESORPTION-KINETICS OF TRICHLOROETHYLENE FROM POWDERED SOILS. *Environ Sci Technol.* 29: 1564-1568. <http://dx.doi.org/10.1021/es00006a019>.
- Farhadi, K; Maleki, R; Tahmasebi, R. (2011). Preparation of Al₂O₃/TiO₂ composite sol-gel fiber for headspace solid-phase microextraction of chlorinated organic solvents from urine. *J Sep Sci.* 34: 1669-1674. <http://dx.doi.org/10.1002/jssc.201000924>.
- Farhan, S; Budiman, J; Holsen, TM. (2002). Experimental investigation of the interaction of soil air permeability and soil vapor extraction. *J Environ Eng.* 128: 120-130.
- Farrell, J; Grassian, D; Jones, M. (1999). Investigation of mechanisms contributing to slow desorption of hydrophobic organic compounds from mineral solids. *Environ Sci Technol.* 33: 1237-1243.
- Farrell, J; Hauck, B; Jones, M. (1999). Thermodynamic investigation of trichloroethylene adsorption in water-saturated microporous adsorbents. *Environ Toxicol Chem.* 18: 1637-1642.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environ Sci Technol.* 34: 514-521.
- Farrell, J; Luo, J; Blowers, P; Curry, J. (2002). Experimental and molecular mechanics and ab initio investigation of activated adsorption and desorption of trichloroethylene in mineral micropores. *Environ Sci Technol.* 36: 1524-1531. <http://dx.doi.org/10.1021/es011172e>.
- Farrell, J; Manspeaker, C; Luo, J. (2003). Understanding competitive adsorption of water and trichloroethylene in a high-silica Y zeolite. *Microporous and Mesoporous Materials.* 59: 205-214. [http://dx.doi.org/10.1016/S1387-1811\(03\)00315-9](http://dx.doi.org/10.1016/S1387-1811(03)00315-9).
- Farrell, J; Melitas, N; Kason, M; Li, T. (2000). Electrochemical and column investigation of iron-mediated reductive dechlorination of trichloroethylene and perchloroethylene. *Environ Sci Technol.* 34: 2549-2556. <http://dx.doi.org/10.1021/es991135b>.
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions. 2. Kinetics. *Environ Sci Technol.* 28: 63-72.

Exposure Literature Search Results

Off Topic

- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions: 1. Isotherms. *Environ Sci Technol.* 28: 53-62.
- Fathepure, BZ; Tiedje, JM. (1994). Reductive dechlorination of tetrachloroethylene by a chlorobenzoate-enriched biofilm reactor. *Environ Sci Technol.* 28: 746-752.
- Fattal, E; Carter, EA. (2000). Ab initio reaction energetics of phosgene decomposition by Zn²⁺ and Ni atoms: Implications for gas mask filters. *J Phys Chem A.* 104: 2248-2252.
- Fattori, TR; Hildebrand, PE; Wilson, HR. (1991). RESPONSE OF BROILER BREEDER FEMALES TO FEED RESTRICTION BELOW RECOMMENDED LEVELS .2. ECONOMIC-ANALYSIS. *Poult Sci.* 70: 489-498.
- Fayolle, F. (1996). Bioremediation of aquifers polluted by chlorinated solvents. *Rev Inst Fr Pet.* 51: 559-574.
- Fechter, LD; Gearhart, C; Fulton, S; Campbell, J; Fisher, J; Na, K; Cocker, D; Nelson-Miller, A; Moon, P; Pouyatos, B. (2007). Promotion of noise-induced cochlear injury by toluene and ethylbenzene in the rat. *Toxicol Sci.* 98: 542-551. <http://dx.doi.org/10.1093/toxsci/kfm109>.
- Fei, T; Shanshan, Y; Peng, Y; Zhinan, S; Renxian, Z. (2016). Effects of support property on the catalytic performance of CeO₂-ZrO₂-CrO_x for 1,2-dichloroethane oxidation. *Journal of Rare Earths.* 34: 381-389. [http://dx.doi.org/10.1016/S1002-0721\(16\)60037-6](http://dx.doi.org/10.1016/S1002-0721(16)60037-6).
- Feijen-Jeurissen, MMR; Jorna, JJ; Nieuwenhuys, BE; Sinquin, G; Petit, C; Hindermann, JP. (1999). Mechanism of catalytic destruction of 1,2-dichloroethane and trichloroethylene over gamma-Al₂O₃ and gamma-Al₂O₃ supported chromium and palladium catalysts. *Catalysis Today.* 54: 65-79.
- Feinberg, AP; Ohlsson, R; Henikoff, S. (2006). The epigenetic progenitor origin of human cancer [Review]. *Nat Rev Genet.* 7: 21-33. <http://dx.doi.org/10.1038/nrg1748>.
- Feitelson, MA; Sun, B; Satiroglu Tufan, NL; Liu, J; Pan, J; Lian, Z. (2002). Genetic mechanisms of hepatocarcinogenesis [Review]. *Oncogene.* 21: 2593-2604. <http://dx.doi.org/10.1038/sj.onc.1205434>.
- Feldman, RG; White, RF. (1996). Role of the neurologist in hazard identification and risk assessment. *Environ Health Perspect.* 104: 227-237.
- Feng, H; Zhang, X; Liang, Y; Wang, M; Shen, D; Ding, Y; Huang, B; Shentu, J. (2014). Enhanced removal of p-fluoronitrobenzene using bioelectrochemical system. *Water Res.* 60: 54-63. <http://dx.doi.org/10.1016/j.watres.2014.03.027>.
- Feng, J; Lim, TT. (2007). Iron-mediated reduction rates and pathways of halogenated methanes with nanoscale Pd/Fe: analysis of linear free energy relationship. *Chemosphere.* 66: 1765-1774. <http://dx.doi.org/10.1016/j.chemosphere.2006.06.068>.
- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. *Chemosphere.* 73: 1817-1823. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.014>.
- Feng, X; Wang, X; Chen, X; Yue, Y. (2011). Thermo-physical properties of thin films composed of anatase TiO₂ nanofibers. *Acta Materialia.* 59: 1934-1944. <http://dx.doi.org/10.1016/j.actamat.2010.11.059>.
- Fennell, DE; Carroll, AB; Gossett, JM; Zinder, SH. (2001). Assessment of indigenous reductive dechlorinating potential at a TCE-contaminated site using microcosms, polymerase chain reaction analysis, and site data. *Environ Sci Technol.* 35: 1830-1839.
- Fennell, DE; Gossett, JM; Zinder, SH. (1997). Comparison of butyric acid, ethanol, lactic acid, and propionic acid as hydrogen donors for the reductive dechlorination of tetrachloroethene. *Environ Sci Technol.* 31: 918-926.
- Fenyvesi, E; Balogh, K; Olah, E; Batai, B; Varga, E; Molnar, M; Gruiz, K. (2011). Cyclodextrins for remediation of soils contaminated with chlorinated organics. *J Incl Phenom Macrocycl Chem.* 70: 291-297. <http://dx.doi.org/10.1007/s10847-010-9839-8>.
- Ferguson, DW; Gramith, JT; Mcguire, MJ. (1991). APPLYING OZONE FOR ORGANICS CONTROL AND DISINFECTION - A UTILITY PERSPECTIVE. *J Am Water Works Assoc.* 83: 32-39.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. *Environ Pollut.* 107: 209-215.
- Ferlay, J; Bray, F; Pisani, P; Parkin, DM. (2004). GLOBOCAN 2002: Cancer incidence, mortality and prevalence worldwide. Lyon, France: International Agency for Research on Cancer.
- Ferlay, J; Shin, HR; Bray, F; Mathers, C; Parkin, DM. (2008). GLOBOCAN 2008, cancer incidence and mortality worldwide: IARC CancerBase no. 10. Lyon, France: International Agency for Research on Cancer. <http://globocan.iarc.fr>.
- Fernandez, JG; Droz, PO; Humbert, BE; Caperos, JR. (1977). Trichloroethylene exposure: Simulation of uptake, excretion, and metabolism using a mathematical model. *Br J Ind Med.* 34: 43-55.
- Fernández, M; Clavijo, S; Forteza, R; Cerdà, V. (2015). Determination of polycyclic aromatic hydrocarbons using lab on valve dispersive liquid-liquid microextraction coupled to high performance chromatography. *Talanta.* 138: 190-195. <http://dx.doi.org/10.1016/j.talanta.2015.02.007>.
- Ferreira, P; Nunes, CD; Pires, J; Carvalho, AP; Brandao, P; Rocha, J. (2006). Hydrophobic porous benzene-silica hybrid clay heterostructure and its application in the adsorption of volatile organic compounds. *Materials Science Forum.* 514-516: 470-474.
- Ferreira, RC; Domingues, AL; Bandeira, AP; Markman Filho, B; Albuquerque Filho, ES; Correiade de Araújo, AC; Batista, LJ; Markman, M; Campelo, AR. (2009). Prevalence of pulmonary hypertension in patients with schistosomal liver fibrosis. *Ann Trop Med Parasitol.* 103: 129-143. <http://dx.doi.org/10.1179/136485909X398168>.
- Ferrey, ML; Wilkin, RT; Ford, RG; Wilson, JT. (2004). Nonbiological removal of cis-dichloroethylene and 1,1-dichloroethylene in aquifer sediment containing magnetite. *Environ Sci Technol.* 38: 1746-1752. <http://dx.doi.org/10.1021/es0305609>.
- Ferro, AM; Kennedy, J; Larue, JC. (2013). Phytoremediation of 1,4-dioxane-containing recovered groundwater. *Int J Phytoremediation.* 15: 911-923. <http://dx.doi.org/10.1080/15226514.2012.687018>.
- Fevotte, J; Charbotel, B; Muller-Beauté, P; Martin, JL; Hours, M; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part I: Exposure assessment. *Ann Occup Hyg.* 50: 765-775. <http://dx.doi.org/10.1093/annhyg/mel040>.

Exposure Literature Search Results

Off Topic

- Field, JA; Istok, JD; Schroth, MH; Sawyer, TE; Humphrey, MD. (1999). Laboratory investigation of surfactant-enhanced trichloroethene solubilization using single-well, "push-pull" tests. *Ground Water*. 37: 581-588.
- Field, JA; Reed, RL; Istok, JD; Semprini, L; Bennett, P; Buscheck, TE. (2005). Trichlorofluoroethene: A reactive tracer for evaluating reductive dechlorination in large-diameter permeable columns. *Ground Water Monitoring and Remediation*. 25: 68-77.
- Field, JA; Sawyer, TE. (2000). High-performance liquid chromatography-diode array detection of trichloroethene and aromatic and aliphatic anionic surfactants used for surfactant-enhanced aquifer remediation. *J Chromatogr A*. 893: 253-260.
- Field, JA; Sawyer, TE; Schroth, MH; Humphrey, MD; Istok, JD. (2000). Effect of cation exchange on surfactant-enhanced solubilization of trichloroethene. *J Contam Hydrol*. 46: 131-149.
- Filippini, M; Amorosi, A; Campo, B; Herrero-Martin, S; Nijenhuis, I; Parker, BL; Gargini, A. (2016). Origin of VC-only plumes from naturally enhanced dechlorination in a peat-rich hydrogeologic setting. *J Contam Hydrol*. 192: 129-139. <http://dx.doi.org/10.1016/j.jconhyd.2016.07.003>.
- Finckh, A; Cooper, GS; Chibnik, LB; Costenbader, KH; Watts, J; Pankey, H; Fraser, PA; Karlson, EW. (2006). Occupational silica and solvent exposures and risk of systemic lupus erythematosus in urban women. *Arthritis Rheum*. 54: 3648-3654. <http://dx.doi.org/10.1002/art.22210>.
- Findlay, M; Smoler, DF; Fogel, S; Mattes, TE. (2016). Aerobic Vinyl Chloride Metabolism in Groundwater Microcosms by Methanotrophic and Etheneotrophic Bacteria. *Environ Sci Technol*. 50: 3617-3625. <http://dx.doi.org/10.1021/acs.est.5b05798>.
- Finkbeiner; Hoffmann; Kreisel. (1997). ENVIRONMENTAL AUDITING: The Functional Unit in the Life Cycle Inventory Analysis of Degreasing Processes in the Metal-Processing Industry. *Environ Manage*. 21: 635-642.
- Finklea, HO; Phillippi, MA; Lompert, E; Grate, JW. (1998). Highly sorbent films derived from Ni(SCN)₂(4-picoline)₄ for the detection of chlorinated and aromatic hydrocarbons with quartz crystal microbalance sensors. *Anal Chem*. 70: 1268-1276.
- Finocchio, E; Pistarino, C; Dellepiane, S; Serra, B; Braggio, S; Baldi, M; Busca, G. (2002). Studies on the catalytic dechlorination and abatement of chlorinated VOC: the cases of 2-chloropropane, 1,2-dichloropropane and trichloroethylene. *Catalysis Today*. 75: 263-267.
- Finocchio, E; Sapienza, G; Baldi, M; Busca, G. (2004). Trichloroethylene catalytic conversion over acidic solid catalysts. *Appl Catal B-Environ*. 51: 143-148. <http://dx.doi.org/10.1016/j.apcatb.2004.01.018>.
- Finon, D; Perez, Y. (2007). The social efficiency of instruments of promotion of renewable energies: A transaction-cost perspective. *Ecol Econ*. 62: 77-92. <http://dx.doi.org/10.1016/j.ecolecon.2006.05.011>.
- Firdous, R; Devlin, JF. (2014). Consideration of grain packing in granular iron treatability studies. *J Contam Hydrol*. 164: 230-239. <http://dx.doi.org/10.1016/j.jconhyd.2014.05.014>.
- Fiserova-Bergerova, V. (1990). Application of toxicokinetic models to establish biological exposure indicators [Review]. *Ann Occup Hyg*. 34: 639-651.
- Fisher, J. (2000). Physiologically based pharmacokinetic models for trichloroethylene and its oxidative metabolites [Review]. *Environ Health Perspect*. 108: 265-273.
- Fisher, J; Lumpkin, M; Boyd, J; Mahle, D; Bruckner, JV; El-Masri, HA. (2004). PBPK modeling of the metabolic interactions of carbon tetrachloride and tetrachloroethylene in B6C3F1 mice. *Environ Toxicol Pharmacol*. 16: 93-105. <http://dx.doi.org/10.1016/j.etap.2003.10.006>.
- Fisher, JW; Allen, BC. (1993). Evaluating the risk of liver cancer in humans exposed to trichloroethylene using physiological models. *Risk Anal*. 13: 87-95.
- Fisher, ML. (1997). The TCE Corporate Technical Memory: Groupware on the cheap. *International Journal of Human-Computer Studies*. 46: 847-860.
- Fisher, SC; Schoonen, MAA; Brownawell, BJ. (2012). Phenylalanine as a hydroxyl radical-specific probe in pyrite slurries. *Geochemical Transactions*. 13: 3. <http://dx.doi.org/10.1186/1467-4866-13-3>.
- Fitch, MW; Weissman, D; Phelps, P; Georgiou, G; Speitel G E, J. R. (1996). Trichloroethylene degradation by *Methylosinus trichosporium* OB3B mutants in a sequencing biofilm reactor. *Water Res*. 30: 2655-2664.
- Fitzgerald, JE; Sanyer, JL; Schardein, JL; Lake, RS; McGuire, EJ; de la Iglesia, FA. (1981). Carcinogen bioassay and mutagenicity studies with the hypolipidemic agent gemfibrozil. *J Natl Cancer Inst*. 67: 1105-1116.
- Fitzpatrick, JM. (2010). The role of registration in accurate surgical guidance. *Proc Inst Mech Eng H*. 224: 607-622. <http://dx.doi.org/10.1243/09544119JEIM589>.
- Fitzpatrick, LJ; Dean, JR. (2002). Extraction solvent selection in environmental analysis. *Anal Chem*. 74: 74-79. <http://dx.doi.org/10.1021/ac0001336u>.
- Fitzpatrick, LJ; Dean, JR; Comber, MH; Harradine, K; Evans, KP. (2000). Extraction of DDT [1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane] and its metabolites DDE [1,1-dichloro-2,2-bis(p-chlorophenyl)-ethylene] and DDD [1,1-dichloro-2,2-bis(p-chlorophenyl)-ethane] from aged contaminated soil. *J Chromatogr A*. 874: 257-264.
- Fjordboge, AS; Riis, C; Christensen, AG; Kjeldsen, P. (2012). ZVI-Clay remediation of a chlorinated solvent source zone, Skuldelev, Denmark: 1. Site description and contaminant source mass reduction. *J Contam Hydrol*. 140: 56-66. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.007>.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg*. 11: 292-305. <http://dx.doi.org/10.1080/15459624.2013.862591>.

Exposure Literature Search Results

Off Topic

- Fletcher, KE; Costanza, J; Cruz-Garcia, C; Ramaswamy, NS; Pennell, KD; Löffler, FE. (2011). Effects of elevated temperature on Dehalococcoides dechlorination performance and DNA and RNA biomarker abundance. *Environ Sci Technol.* 45: 712-718. <http://dx.doi.org/10.1021/es1023477>.
- Fletcher, KE; Costanza, J, ed; Pennell, KD; Löffler, FE. (2011). Electron donor availability for microbial reductive processes following thermal treatment. *Water Res.* 45: 6625-6636. <http://dx.doi.org/10.1016/j.watres.2011.09.033>.
- Fletcher, KE; Löffler, FE; Richnow, HH; Nijenhuis, I. (2009). Stable carbon isotope fractionation of 1,2-dichloropropane during dichloroelimination by Dehalococcoides populations. *Environ Sci Technol.* 43: 6915-6919. <http://dx.doi.org/10.1021/es900365x>.
- Fletcher, KE; Nijenhuis, I; Richnow, HH; Loeffler, FE. (2011). Stable Carbon Isotope Enrichment Factors for cis-1,2-Dichloroethene and Vinyl Chloride Reductive Dechlorination by Dehalococcoides. *Environ Sci Technol.* 45: 2951-2957. <http://dx.doi.org/10.1021/es103728q>.
- Flodin, U; Fredriksson, M; Persson, B. (1987). Multiple myeloma and engine exhausts, fresh wood, and creosote: A case-referent study. *Am J Ind Med.* 12: 519-529.
- Flórez Menéndez, JC; Fernández Sánchez, ML; Fernández Martínez, E; Sánchez Uría, JE; Sanz-Medel, A. (2004). Static headspace versus head space solid-phase microextraction (HS-SPME) for the determination of volatile organochlorine compounds in landfill leachates by gas chromatography. *Talanta.* 63: 809-814. <http://dx.doi.org/10.1016/j.talanta.2003.12.044>.
- Foco, GM; Bottini, SB; Brignole, EA. (1992). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR THE 1,2-DICHLOROETHANE ANISOLE AND TRICHLOROETHYLENE ANISOLE SYSTEMS. *Journal of Chemical and Engineering Data.* 37: 17-19.
- Follett, AD; Mcnabb, KA; Peterson, AA; Scanlon, JD; Cramer, CJ; Mcneill, K. (2007). Characterization of Co-C bonding in dichlorovinylcobaloxime complexes. *Inorg Chem.* 46: 1645-1654. <http://dx.doi.org/10.1021/ic0618293>.
- Follett, AD; Mcneill, K. (2006). Evidence for the formation of a cis-dichlorovinyl anion upon reduction of cis-1,2-dichlorovinyl(pyridine)cobaloxime. *Inorg Chem.* 45: 2727-2732. <http://dx.doi.org/10.1021/ic052020d>.
- Foote, GR; Bice, NT; Rowles, LD; Gallinatti, JD. (1998). TCE and flow monitoring methods using an existing water supply well. *J Environ Eng.* 124: 564-571.
- Forczek, ST; Pavlík, M; Holík, J; Rederer, L; Ferencík, M. (2016). The natural chlorine cycle - Formation of the carcinogenic and greenhouse gas compound chloroform in drinking water reservoirs. *Chemosphere.* 157: 190-199. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.017>.
- Ford, DK; Mccandlish, L. (1971). Isolation of human genital TRIC agents in nongonococcal urethritis and Reiter's disease by an irradiated cell culture method. 47: 196-197.
- Ford, E; Rhodes, S; Mcdiarmid, M; Schwartz, S; Brown, J. (1995). Deaths from acute exposure to trichloroethylene [Review]. *J Occup Environ Med.* 37: 749-754.
- Forkert, P. (1999). 1,1-Dichloroethylene-induced Clara cell damage is associated with in situ formation of the reactive epoxide. Immunohistochemical detection of its glutathione conjugate. *Am J Respir Cell Mol Biol.* 20: 1310-1318. <http://dx.doi.org/10.1165/ajrcmb.20.6.3525>.
- Forkert, P; Malkinson, A; Rice, P; Moussa, M. (1999). Diminished CYP2E1 expression and formation of 2-S-glutathionyl acetate, a glutathione conjugate derived from 1,1-dichloroethylene epoxide, in murine lung tumors. *Drug Metab Dispos.* 27: 68-73.
- Forkert, PG. (1999). In vivo formation and localization of 1,1-dichloroethylene epoxide in murine liver: Identification of its glutathione conjugate 2-S-glutathionyl acetate. *J Pharmacol Exp Ther.* 290: 1299-1306.
- Fornaro, L; Luchini, L; Koncke, M; Mussio, L; Quagliata, E; Chattopadhyay, K; Burger, A. (2000). Growth of mercuric iodide platelets for X-ray room temperature detectors in the HgI₂-HI-H₂O system. *J Cryst Growth.* 217: 263-270.
- Forrester, SB; Han, JI; Dybas, MJ; Semrau, JD; Lastoskie, CM. (2005). Characterization of a mixed methanotrophic culture capable of chloroethylene degradation. *Environ Eng Sci.* 22: 177-186.
- Foster, NS; Lancaster, AN; Noble, RD; Koval, CA. (1995). EFFECT OF ORGANICS ON THE PHOTODEPOSITION OF COPPER IN TITANIUM-DIOXIDE AQUEOUS SUSPENSIONS. *Ind Eng Chem Res.* 34: 3865-3871.
- Foster, WG; Desaulniers, D; Leingartner, K; Wade, MG; Poon, R; Chu, I. (1999). Reproductive effects of tris(4-chlorophenyl)methanol in the rat. *Chemosphere.* 39: 709-724.
- Föttinger, K; Ruppelcher, G. (2014). In situ spectroscopy of complex surface reactions on supported Pd-Zn, Pd-Ga, and Pd(Pt)-Cu nanoparticles. *Acc Chem Res.* 47: 3071-3079. <http://dx.doi.org/10.1021/ar500220v>.
- Fourmigué, M; Auban-Senzier, P. (2008). Anionic layered networks reconstructed from [Cd(SCN)₃]infinity(-) chains in pseudo one-dimensional conducting salts of halogenated tetrathiafulvalenes. *Inorg Chem.* 47: 9979-9986. <http://dx.doi.org/10.1021/ic801207v>.
- Fox, A; Sullivan, B; Buffini, J; Neichin, M; Nicora, R; Hoehler, F; O'Rourke, R; Stoltz, R. (1996). Reduction of serum lactate by sodium dichloroacetate, and human pharmacokinetic-pharmacodynamic relationships. *J Pharmacol Exp Ther.* 279: 686-693.
- Fox, TR; Schumann, AM; Watanabe, PG; Yano, BL; Maher, VM; McCormick, JJ. (1990). Mutational analysis of the H-ras oncogene in spontaneous C57BL/6 x C3H/He mouse liver tumors and tumors induced with genotoxic and nongenotoxic hepatocarcinogens. *Cancer Res.* 50: 4014-4019.
- Foy, BR; Waldthausen, K; Sedillo, MA; Buelow, SJ. (1996). Hydrothermal Processing of Chlorinated Hydrocarbons in a Titanium Reactor. *Environ Sci Technol.* 30: 2790-2799. <http://dx.doi.org/10.1021/es960041o>.
- Fraga, MF; Ballestar, E; Villar-Garea, A; Boix-Chornet, M; Espada, J; Schotta, G; Bonaldi, T; Haydon, C; Roperio, S; Petrie, K; Iyer, NG; Pérez-Rosado, A; Calvo, E; Lopez, JA; Cano, A; Calasanz, MJ; Colomer, D; Piris, MA; Ahn, N; Imhof, A; Caldas, C; Jenuwein, T; Esteller, M. (2005). Loss of acetylation at Lys16 and trimethylation at Lys20 of histone H4 is a common hallmark of human cancer. *Nat Genet.* 37: 391-400. <http://dx.doi.org/10.1038/ng1531>.

Exposure Literature Search Results

Off Topic

- Fraga, MF; Herranz, M; Espada, J; Ballestar, E; Paz, MF; Ropero, S; Erkek, E; Bozdogan, O; Peinado, H; Niveleau, A; Mao, JH; Balmain, A; Cano, A; Esteller, M. (2004). A mouse skin multistage carcinogenesis model reflects the aberrant DNA methylation patterns of human tumors. *Cancer Res.* 64: 5527-5534. <http://dx.doi.org/10.1158/0008-5472.CAN-03-4061>.
- Francesconi, R; Castellari, C; Comelli, F. (1999). Excess molar enthalpies and excess molar volumes of diethyl carbonate plus some n-alkoxyethanols at (298.15 and 313.15) K. *Journal of Chemical and Engineering Data.* 44: 1373-1378.
- Francesconi, R; Castellari, C; Comelli, F; Bandini, E. (1991). ENTHALPY OF MIXING WITH H-BONDS INTERACTIONS - THE ROLE OF THE REACTIONAL CONTRIBUTIONS. *Zeitschrift fuer Physikalische Chemie.* 173: 37-51.
- Francesconi, R; Cojutti, A. (1971). LIQUID-VAPOUR EQUILIBRIUM IN BINARY MIXTURES WITH ASSOCIATIONS OF COMPONENTS .2. ACETIC ACID-TRICHLOROETHYLENE SYSTEM. *Chem Eng Sci.* 26: 1341-+.
- Francesconi, R; Comelli, F; Montefusco, L; Trevisoi, C. (1978). ISOBARIC LIQUID-VAPOR-EQUILIBRIUM DATA CORRELATION FOR A TERNARY MIXTURE EXHIBITING ASSOCIATIONS - ACETIC ACID ACETONE-TRICHLOROETHYLENE. *Can J Chem Eng.* 56: 364-370.
- Franco, JL; Teixeira, A; Meotti, FC; Ribas, CM; Stringari, J; Garcia Pomblum, SC; Moro, AM; Bohrer, D; Bairo, AV; Dafre, AL; Santos, AR; Farina, M. (2006). Cerebellar thiol status and motor deficit after lactational exposure to methylmercury. *Environ Res.* 102: 22-28. <http://dx.doi.org/10.1016/j.envres.2006.02.003>.
- Frasconi, D; Cappelletti, M; Fedi, S; Zannoni, D; Nocentini, M; Pinelli, D. (2010). 1,1,2,2-Tetrachloroethane aerobic cometabolic biodegradation in slurry and soil-free bioreactors: A kinetic study. *Biochem Eng J.* 52: 55-64. <http://dx.doi.org/10.1016/j.bej.2010.07.004>.
- Frasconi, D; Fraraccio, S; Nocentini, M; Pinelli, D. (2013). Aerobic/anaerobic/aerobic sequenced biodegradation of a mixture of chlorinated ethenes, ethanes and methanes in batch bioreactors. *Bioresour Technol.* 128: 479-486. <http://dx.doi.org/10.1016/j.biortech.2012.10.026>.
- Frasconi, D; Pinelli, D; Nocentini, M; Baleani, E; Cappelletti, M; Fedi, S. (2008). A kinetic study of chlorinated solvent cometabolic biodegradation by propane-grown *Rhodococcus* sp PB1. *Biochem Eng J.* 42: 139-147. <http://dx.doi.org/10.1016/j.bej.2008.06.011>.
- Frasconi, D; Pinelli, D; Nocentini, M; Zannoni, A; Fedi, S; Baleani, E; Zannoni, D; Farneti, A; Battistelli, A. (2006). Long-term aerobic cometabolism of a chlorinated solvent mixture by vinyl chloride-, methane- and propane-utilizing biomasses. *J Hazard Mater.* 138: 29-39. <http://dx.doi.org/10.1016/j.jhazmat.2006.05.00>.
- Frasconi, D; Zanolli, G; Bucchi, G; Rosato, A; Tavanaie, N; Fraraccio, S; Pinelli, D; Fava, F. (2013). Trichloroethylene aerobic cometabolism by suspended and immobilized butane-growing microbial consortia: A kinetic study. *Bioresour Technol.* 144: 529-538. <http://dx.doi.org/10.1016/j.biortech.2013.07.006>.
- Frasconi, D; Zanolli, G; Danko, AS. (2014). In situ aerobic cometabolism of chlorinated solvents: A review [Review]. *J Hazard Mater.* 283C: 382-399. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.041>.
- Frasconi, D; Zannoni, A; Pinelli, D; Nocentini, M. (2007). Chloroform aerobic cometabolism by butane-utilizing bacteria in bioaugmented and non-bioaugmented soil/groundwater microcosms. *Process Biochemistry.* 42: 1218-1228. <http://dx.doi.org/10.1016/j.procbio.2007.05.018>.
- Freeberg, KM; Bedient, PB; Connor, JA. (1987). MODELING OF TCE CONTAMINATION AND RECOVERY IN A SHALLOW SAND AQUIFER. *Ground Water.* 25: 70-80.
- Freeborn, RA; West, KA; Bhupathiraju, VK; Chauhan, S; Rahm, BG; Richardson, RE; Alvarez-Cohen, L. (2005). Phylogenetic analysis of TCE-dechlorinating consortia enriched on a variety of electron donors. *Environ Sci Technol.* 39: 8358-8368.
- Freedman, DL; Danko, AS; Verce, MF. (2001). Substrate interactions during aerobic biodegradation of methane, ethene, vinyl chloride and 1,2-dichloroethenes. *Water Sci Technol.* 43: 333-340.
- Freedman, DL; Herz, SD. (1996). Use of ethylene and ethane as primary substrates for aerobic cometabolism of vinyl chloride. *Water Environ Res.* 68: 320-328.
- Freitas, JG; Rivett, MO; Roche, RS; Durrant, M; Walker, C; Tellam, JH. (2015). Heterogeneous hyporheic zone dechlorination of a TCE groundwater plume discharging to an urban river reach. *Sci Total Environ.* 505: 236-252. <http://dx.doi.org/10.1016/j.scitotenv.2014.09.083>.
- French, WT; Brown, LR; Downer, DN; Fredrickson, HL; Teeter, CL. (2002). Effects of n-hexadecane and PM-100 clay on trichloroethylene degradation by *Burkholderia cepacia*. *J Hazard Mater.* 92: 89-102.
- Freshour, AR; Mawhinney, S; Battacharyya, D. (1996). Two-phase ozonation of hazardous organics in single and multicomponent systems. *Water Res.* 30: 1949-1958.
- Fresno, F; Tudela, D; Coronado, JM; Soria, J. (2009). Synthesis of Ti1-xSnxO2 nanosized photocatalysts in reverse microemulsions. *Catalysis Today.* 143: 230-236. <http://dx.doi.org/10.1016/j.cattod.2008.10.024>.
- Fries, E; Püttmann, W. (2006). Improvement of HS-SPME for analysis of volatile organic compounds (VOC) in water samples by simultaneous direct fiber cooling and freezing of analyte solution. *Anal Bioanal Chem.* 386: 1497-1503. <http://dx.doi.org/10.1007/s00216-006-0715-8>.
- Friesen, MC; Locke, SJ; Tornow, C; Chen, YC; Koh, DH; Stewart, PA; Purdue, M; Colt, JS. (2014). Systematically extracting metal- and solvent-related occupational information from free-text responses to lifetime occupational history questionnaires. *Ann Occup Hyg.* 58: 612-624. <http://dx.doi.org/10.1093/annhyg/meu012>.
- Friis, AK; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2006). The need for bioaugmentation after thermal treatment of a TCE-contaminated aquifer: Laboratory experiments. *J Contam Hydrol.* 88: 235-248. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.001>.
- Friis, AK; Albrechtsen, HJ; Heron, G; Bjerg, PL. (2005). Redox processes and release of organic matter after thermal treatment of a TCE-contaminated aquifer. *Environ Sci Technol.* 39: 5787-5795. <http://dx.doi.org/10.1021/es048322g>.

Exposure Literature Search Results

Off Topic

- Friis, AK; Edwards, EA; Albrechtsen, HJ; Udell, KS; Duhamel, M; Bjerg, PL. (2007). Dechlorination after thermal treatment of a TCE-contaminated aquifer: laboratory experiments. *Chemosphere*. 67: 816-825. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.012>.
- Friis, AK; Heimann, AC; Jakobsen, R; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2007). Temperature dependence of anaerobic TCE-dechlorination in a highly enriched Dehalococcoides-containing culture. *Water Res*. 41: 355-364. <http://dx.doi.org/10.1016/j.watres.2006.09.026>.
- Friis, AK; Heron, G; Albrechtsen, HJ; Udell, KS; Bjerg, PL. (2006). Anaerobic dechlorination and redox activities after full-scale Electrical Resistance Heating (ERH) of a TCE-contaminated aquifer. *J Contam Hydrol*. 88: 219-234. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.001>.
- Fritsch, JM; Retka, ND; McNeill, K. (2006). Synthesis, structure, and unusual reactivity of beta-halovinyl cobalt porphyrin complexes. *Inorg Chem*. 45: 2288-2295. <http://dx.doi.org/10.1021/ic0518834>.
- Fritschi, L; Nadon, L; Benke, G; Lakhani, R; Latreille, B; Parent, ME; Siemiatycki, J. (2003). Validation of expert assessment of occupational exposures. *Am J Ind Med*. 43: 519-522. <http://dx.doi.org/10.1002/ajim.10208>.
- Fritschi, L; Siemiatycki, J. (1996). Melanoma and occupation: Results of a case-control study. *Occup Environ Med*. 53: 168-173.
- Fritschi, L; Siemiatycki, J; Richardson, L. (1996). Self-assessed versus expert-assessed occupational exposures. *Am J Epidemiol*. 144: 521-527.
- Froese, K; Sinclair, M; Hrudey, S. (2002). Trichloroacetic acid as a biomarker of exposure to disinfection by-products in drinking water: a human exposure trial in Adelaide, Australia. *Environ Health Perspect*. 110: 679-687.
- Froese, KL; Hutzinger, O. (1994). The formation of chlorinated benzenes and phenols in flyash catalysed reactions of trichloroethylene. *Chemosphere*. 28: 1977-1987.
- Fronheiser, MP; Idriss, SF; Wolf, PD; Smith, SW. (2008). Vibrating interventional device detection using real-time 3-D color Doppler. *IEEE Trans Ultrason Ferroelectr Freq Control*. 55: 1355-1362. <http://dx.doi.org/10.1109/TUFFC.2008.798>.
- Frøyland, L; Madsen, L; Vaagenes, H; Totland, GK; Auwerx, J; Kryvi, H; Staels, B; Berge, RK. (1997). Mitochondrion is the principal target for nutritional and pharmacological control of triglyceride metabolism. *J Lipid Res*. 38: 1851-1858.
- Fruchter, JS; Cole, CR; Williams, MD; Vermeul, VR; Amonette, JE; Szecsody, JE; Istok, JD; Humphrey, MD. (2000). Creation of a subsurface permeable treatment zone for aqueous chromate contamination using in situ redox manipulation. *Ground Water Monitoring and Remediation*. 20: 66-77.
- Fryar, AE; Wallin, EJ; Brown, DL. (2000). Spatial and temporal variability in seepage between a contaminated aquifer and tributaries to the Ohio River. *Ground Water Monitoring and Remediation*. 20: 129-146.
- Fu, X; Gu, X; Lu, S; Miao, Z; Xu, M; Zhang, X; Danish, M; Cui, H; Farooq, U; Qiu, Z; Sui, Q. (2016). Enhanced degradation of benzene by percarbonate activated with Fe(II)-glutamate complex. *Environ Sci Pollut Res Int*. 23: 6758-6766. <http://dx.doi.org/10.1007/s11356-015-5908-2>.
- Fu, X; Gu, X; Lu, S; Xu, M; Miao, Z; Zhang, X; Zhang, Y; Xue, Y; Qiu, Z; Sui, Q. (2016). Enhanced degradation of benzene in aqueous solution by sodium percarbonate activated with chelated-Fe(II). *Chem Eng J*. 285: 180-188. <http://dx.doi.org/10.1016/j.cej.2015.09.112>.
- Fu, XZ; Clark, LA; Yang, Q; Anderson, MA. (1996). Enhanced photocatalytic performance of titania-based binary metal oxides: TiO₂/SiO₂ and TiO₂/ZrO₂. *Environ Sci Technol*. 30: 647-653.
- Fu, XZ; Clark, LA; Zeltner, WA; Anderson, MA. (1996). Effects of reaction temperature and water vapor content on the heterogeneous photocatalytic oxidation of ethylene. *J Photochem Photobiol A*. 97: 181-186.
- Fuentes, HR; Polzer, WL; Smith, JL. (1991). Laboratory measurements of diffusion coefficients for trichloroethylene and o-xylene in undisturbed tuff. *J Environ Qual*. 20: 215-221.
- Fuentes, HR; Smith, JL; Essington, EH; Polzer, WL. (1990). MULTIPHASE PARTITIONING OF TRICHLOROETHYLENE AND ORTHO-XYLENE IN WATER SUSPENSIONS OF TUFF - EXPERIMENTS AND ANALYSIS. *Hazardous Waste and Hazardous Materials*. 7: 347-359.
- Fujii, T. (1977). [Excretion of trichloroethanol and trichloroacetic acid in the urine of rats exposed repeatedly to trichloroethylene (author's transl)]. *Sangyo Igaku*. 19: 251-255.
- Fujita, H; Izumi, J; Sagehashi, M; Fujii, T; Sakoda, A. (2004). Decomposition of trichloroethene on ozone-adsorbed high silica zeolites. *Water Res*. 38: 166-172. [http://dx.doi.org/10.1016/S0043-1354\(03\)00392-0](http://dx.doi.org/10.1016/S0043-1354(03)00392-0).
- Fujita, J; Marino, MW; Wada, H; Jungbluth, AA; Mackrell, PJ; Rivadeneira, DE; Stapleton, PP; Daly, JM. (2001). Effect of TNF gene depletion on liver regeneration after partial hepatectomy in mice. *Surgery*. 129: 48-54.
- Fujita, M; Ike, M; Kawagoshi, Y; Miyata, N. (2000). Biotreatment of persistent substances using effective microorganisms. *Water Sci Technol*. 42: 93-106.
- Fukahori, S; Ichiura, H; Kitaoka, T; Tanaka, H; Wariishi, H. (2007). Preparation of porous sheet composite impregnated with TiO₂ photocatalyst by a papermaking technique. *Journal of Materials Science*. 42: 6087-6092. <http://dx.doi.org/10.1007/s10853-006-1150-0>.
- Fukui, H; Akiyoshi, K; Sato, T; Sunamoto, J; Yamaguchi, S; Numata, M. (1993). ANTICANCER ACTIVITY OF POLYUNSATURATED FATTY-ACID EMULSION STABILIZED BY HYDROPHOBIZED POLYSACCHARIDE. *J Bioact Compat Polymer*. 8: 305-316.
- Fukui, H; Akiyoshi, K; Sunamoto, J. (1996). o/w-emulsion of alpha-linolenic acid stabilized with hydrophobized polysaccharide. Its effect on the growth of human colon cancer cells. *J Biomater Sci Polym Ed*. 7: 829-838.
- Fukui, S; Kajihara, A; Hirano, T; Sato, F; Suzuki, N; Nagao, H. (2011). Synthesis and characterization of ethylbis(2-pyridylethyl)amineruthenium complexes and two different types of C-H bond cleavage at an ethylene arm. *Inorg Chem*. 50: 4713-4724. <http://dx.doi.org/10.1021/ic101940f>.
- Fuller, ME; Manning, JF. (1998). Evidence for differential effects of 2,4,6-trinitrotoluene and other munitions compounds on specific subpopulations of soil microbial communities. *Environ Toxicol Chem*. 17: 2185-2195.
- Fuller, ME; Mu, DY; Scow, KM. (1995). BIODEGRADATION OF TRICHLOROETHYLENE AND TOLUENE BY INDIGENOUS MICROBIAL-POPULATIONS IN VADOSE SEDIMENTS. *Microb Ecol*. 29: 311-325. <http://dx.doi.org/10.1007/BF00164893>.

Exposure Literature Search Results

Off Topic

- Fuller, ME; Scow, KM. (1996). Effects of toluene on microbially-mediated processes involved in the soil nitrogen cycle. *Microb Ecol.* 32: 171-184.
- Fuller, ME; Scow, KM. (1997). Lack of capsular exopolymer effects on the biodegradation of organic compounds by *Pseudomonas* sp. strains JS1 and JS150. *Microb Ecol.* 34: 248-253.
- Fuller, ME; Scow, KM; Lau, S; Ferris, H. (1997). Trichloroethylene (TCE) and toluene effects on the structure and function of the soil community. *Soil Biol Biochem.* 29: 75-89.
- Furge, KA; Dykema, K; Petillo, D; Westphal, M; Zhang, ZF; Kort, EJ; Teh, BT. (2007). Combining differential expression, chromosomal and pathway analyses for the molecular characterization of renal cell carcinoma. *Canadian Urological Association Journal.* 1: S21-S27.
- Furman, OS; Teel, A; Ahmad, M; Merker, MC; Watts, RJ. (2011). Effect of Basicity on Persulfate Reactivity. *J Environ Eng.* 137: 241-247. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000323](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000323).
- Fürstenberger, G; Senn, HJ. (2002). Insulin-like growth factors and cancer [Review]. *Lancet Oncol.* 3: 298-302. [http://dx.doi.org/10.1016/S1470-2045\(02\)00731-3](http://dx.doi.org/10.1016/S1470-2045(02)00731-3).
- Furukawa, K. (2006). Oxygenases and dehalogenases: molecular approaches to efficient degradation of chlorinated environmental pollutants [Review]. *Biosci Biotechnol Biochem.* 70: 2335-2348. <http://dx.doi.org/10.1271/bbb.60218>.
- Furuki, K; Ukai, H; Okamoto, S; Takada, S; Kawai, T; Miyama, Y; Mitsuyoshi, K; Zhang, ZW; Higashikawa, K; Ikeda, M. (2000). Monitoring of occupational exposure to tetrachloroethene by analysis for unmetabolized tetrachloroethene in blood and urine in comparison with urinalysis for trichloroacetic acid. *Int Arch Occup Environ Health.* 73: 221-227.
- Furuki, M; Pu, LS. (1992). HYBRID GAS DETECTOR OF SQUARYLIUM DYE LANGMUIR-BLODGETT-FILM DEPOSITED ON A QUARTZ OSCILLATOR. *Thin Solid Films.* 210: 471-473.
- Furusawa, T; Asama, R; Okada, M; Aika, K; Kojima, R; Kato, M; Suzuki, N. (2010). Destructive Adsorption of Chlorinated Volatile Organic Compounds on Calcium Oxide Powder under Air Flow. *J Chem Eng Jpn.* 43: 537-543.
- Furuse, M; Kanno, S; Takano, T; Matsumura, Y. (2001). Cyclohexane as an alternative vapor of carbon tetrachloride for the assessment of gas removing capacities of gas masks. *Ind Health.* 39: 1-7. <http://dx.doi.org/10.2486/indhealth.39.1>.
- Fusco, JC; Afshari, AJ; George, MH; Deangelo, AB; Tice, RR; Salman, T; Allen, JW. (1996). In vivo genotoxicity of dichloroacetic acid: Evaluation with the mouse peripheral blood micronucleus assay and the single cell gel assay. *Environ Mol Mutagen.* 27: 1-9. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)27:1<1::AID-EM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)27:1<1::AID-EM1>3.0.CO;2-L).
- Futamata, H; Yoshida, N; Kurogi, T; Kaiya, S; Hiraishi, A. (2007). Reductive dechlorination of chloroethenes by Dehalococoides-containing cultures enriched from a polychlorinated-dioxin-contaminated microcosm. *ISME J.* 1: 471-479. <http://dx.doi.org/10.1038/ismej.2007.42>.
- Futamura, S; Einaga, H; Kabashima, H; Hwan, LY. (2004). Synergistic effect of silent discharge plasma and catalysts on benzene decomposition. *Catalysis Today.* 89: 89-95. <http://dx.doi.org/10.1016/j.cattod.2003.11.014>.
- Futamura, S; Einaga, H; Zhang, AH. (2001). Comparison of reactor performance in the nonthermal plasma chemical processing of hazardous air pollutants. *I E E E Transactions on Industry Applications.* 37: 978-985.
- Futamura, S; Yamamoto, T. (1997). Byproduct identification and mechanism determination in plasma chemical decomposition of trichloroethylene. *I E E E Transactions on Industry Applications.* 33: 447-453.
- Futamura, S; Zhang, AH; Einaga, H; Kabashima, H. (2002). Involvement of catalyst materials in nonthermal plasma chemical processing of hazardous air pollutants. *Catalysis Today.* 72: 259-265.
- Futamura, S; Zhang, AH; Yamamoto, T. (1997). The dependence of nonthermal plasma behavior of VOCs on their chemical structures. *Journal of Electrostatics.* 42: 51-62.
- G, M; A G, R; Moon, IS. (2016). Gaseous trichloroethylene removal using an electrochemically generated homogeneous low-valent ligand-free Co(I) electrocatalyst by electro-scrubbing. *J Hazard Mater.* 311: 210-217. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.011>.
- Gade, A; Jensen, HH. (1985). State-dependent learning during chronic trichloroethylene exposure [Letter]. *Scand J Work Environ Health.* 11: 495-497.
- Gaffga, G; Hagemester, C. (2016). Space for tricycles and bike trailers: necessary provisions. *Institution of Civil Engineers Proceedings Engineering Sustainability.* 169: 67-75. <http://dx.doi.org/10.1680/ensu.14.00062>.
- Gaglio, PJ; Liu, H; Dash, S; Cheng, S; Dunne, B; Ratterree, M; Baskin, G; Blanchard, J; Bohm, R; Theise, ND; LaBrecque, D. (2002). Liver regeneration investigated in a non-human primate model (*Macaca mulatta*). *J Hepatol.* 37: 625-632. [http://dx.doi.org/10.1016/S0168-8278\(02\)00262-3](http://dx.doi.org/10.1016/S0168-8278(02)00262-3).
- Gagnaire, F; Marignac, B; Langlais, C; Bonnet, P. (2001). Ototoxicity in rats exposed to ortho-, meta- and para-xylene vapours for 13 weeks. *Pharmacol Toxicol.* 89: 6-14. <http://dx.doi.org/10.1111/j.1600-0773.2001.890102.x>.
- Gaido, K; Dohme, L; Wang, F; Chen, I; Blankvoort, B; Ramamoorthy, K; Safe, S. (1998). Comparative estrogenic activity of wine extracts and organochlorine pesticide residues in food. *Environ Health Perspect.* 106: 1347-1351.
- Gallastegi-Villa, M; Aranzabal, A; Romero-Saez, M; Gonzalez-Marcos, JA; Gonzalez-Velasco, JR, JR. (2014). Catalytic activity of regenerated catalyst after the oxidation of 1,2-dichloroethane and trichloroethylene. *Chem Eng J.* 241: 200-206. <http://dx.doi.org/10.1016/j.cej.2013.12.008>.
- Gallastegi-Villa, M; Romero-Saez, M; Aranzabal, A; Gonzalez-Marcos, JA; Gonzalez-Velasco, J. R. (2013). Strategies to enhance the stability of h-bea zeolite in the catalytic oxidation of Cl-VOCs: 1,2-Dichloroethane. *Catalysis Today.* 213: 192-197. <http://dx.doi.org/10.1016/j.cattod.2013.02.022>.

Exposure Literature Search Results

Off Topic

- Gallego, E; Roca, FJ; Perales, JF; Guardino, X. (2010). Comparative study of the adsorption performance of a multi-sorbent bed (Carbotrap, Carboxpack X, Carboxen 569) and a Tenax TA adsorbent tube for the analysis of volatile organic compounds (VOCs). *Talanta*. 81: 916-924. <http://dx.doi.org/10.1016/j.talanta.2010.01.037>.
- Gallou, C; Longuemaux, S; Deloménie, C; Méjean, A; Martin, N; Martinet, S; Palais, G; Bouvier, R; Droz, D; Krishnamoorthy, R; Junien, C; Bérout, C; Dupret, J. (2001). Association of GSTT1 non-null and NAT1 slow/rapid genotypes with von Hippel-Lindau tumour suppressor gene transversions in sporadic renal cell carcinoma. *Pharmacogenetics*. 11: 521-535.
- Galyaltdinov, SF; Ziganshin, MA; Drapailo, AB; Gorbachuk, VV. (2012). Unusually High Selectivity of Guest Exchange in tert-Butylthiacalix[4]arene Clathrate Producing More Thermostable Inclusion and Memory of Guest. *J Phys Chem B*. 116: 11379-11385. <http://dx.doi.org/10.1021/jp3065739>.
- Gama, C; Meira, JB. (1978). Occupational acro-osteolysis. *J Bone Joint Surg Am*. 60: 86-90.
- Gan, J; Yates, S. R.; Anderson, MA; Spencer, WF; Ernst, FF; Yates, MV. (1994). EFFECT OF SOIL PROPERTIES OF DEGRADATION AND SORPTION OF METHYL-BROMIDE IN SOIL. *Chemosphere*. 29: 2685-2700.
- Gan, W, ei; Babu, SS; Kapustka, N; Wagoner, RH. (2006). Microstructural effects on the springback of advanced high-strength steel. *Metallurgical and Materials Transactions A*. 37A: 3221-3231.
- Gan, Y; Yu, T; Zhou, A; Liu, Y; Yu, K; Han, L. (2014). Variability in the carbon isotope fractionation of trichloroethene on its reductive dechlorination by vitamin B12. *Environ Sci Process Impacts*. 16: 1882-1888. <http://dx.doi.org/10.1039/c4em00040d>.
- Gander, B; Wehrli, E; Alder, R; Merkle, HP. (1995). Quality improvement of spray-dried, protein-loaded D,L-PLA microspheres by appropriate polymer solvent selection. *J Microencapsul*. 12: 83-97. <http://dx.doi.org/10.3109/02652049509051129>.
- Gandhi, M; Aweeka, F; Greenblatt, RM; Blaschke, TF. (2004). Sex differences in pharmacokinetics and pharmacodynamics. *Annu Rev Pharmacol Toxicol*. 44: 499-523. <http://dx.doi.org/10.1146/annurev.pharmtox.44.101802.121453>.
- Gandhi, P; Erickson, LE; Fan, LT. (1994). A SIMPLE METHOD TO STUDY THE EFFECTIVENESS OF BIOREMEDIATION AIDED, PUMP-AND-TREAT TECHNOLOGY FOR AQUIFERS CONTAMINATED BY NONAQUEOUS PHASE LIQUIDS .1. SINGLE-COMPONENT SYSTEMS. *J Hazard Mater*. 39: 49-68.
- Gandhi, RK; Hopkins, GD; Goltz, MN; Gorelick, SM; Mcc rty, PL. (2002). Full-scale demonstration of in situ cometabolic biodegradation of trichloroethylene in groundwater - 1. Dynamics of a recirculating well system. *Water Resour Res*. 38. <http://dx.doi.org/10.1029/2001WR000379>.
- Gandhi, RK; Hopkins, GD; Goltz, MN; Gorelick, SM; Mccarty, PL. (2002). Full-scale demonstration of in situ cometabolic biodegradation of trichloroethylene in groundwater - 2. Comprehensive analysis of field data using reactive transport modeling. *Water Resour Res*. 38. <http://dx.doi.org/10.1029/2001WR000380>.
- Gandhi, S; Oh, BT; Schnoor, JL; Alvarez, PJ. (2002). Degradation of TCE, Cr(VI), sulfate, and nitrate mixtures by granular iron in flow-through columns under different microbial conditions. *Water Res*. 36: 1973-1982.
- Gandillet, A; Alexandre, E; Royer, C; Cinqualbre, J; Jaeck, D; Richert, L. (2003). Hepatocyte ploidy in regenerating livers after partial hepatectomy, drug-induced necrosis, and cirrhosis. *Eur Surg Res*. 35: 148-160. <http://dx.doi.org/10.1159/000070044>.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environ Sci Technol*. 25: 715-722.
- Gao, B, o; Liu, L; Liu, J; Yang, F. (2013). A photo-catalysis and rotating nano-CaCO3 dynamic membrane system with Fe-ZnIn2S4 efficiently removes halogenated compounds in water. *Appl Catal B-Environ*. 138: 62-69. <http://dx.doi.org/10.1016/j.apcatb.2013.02.023>.
- Gao, B; Liu, WB; Jia, LY; Xu, L; Xie, J. (2011). Isolation and characterization of an *Alcaligenes* sp. strain DG-5 capable of degrading DDTs under aerobic conditions. *J Environ Sci Health B*. 46: 257-263. <http://dx.doi.org/10.1080/03601234.2011.540534>.
- Gao, H; Blanford, WJ. (2012). Partitioning Behavior of Trichloroethylene in Cyclodextrin-Water-Granular-Activated Carbon Systems. *Environ Eng Sci*. 29: 533-539. <http://dx.doi.org/10.1089/ees.2011.0451>.
- Gao, H; Blanford, WJ; Birdwell, JE. (2009). The Pseudophase Approach to Assessing Chemical Partitioning in Air-Water-Cyclodextrin Systems. *Environ Sci Technol*. 43: 2943-2949. <http://dx.doi.org/10.1021/es803382z>.
- Gao, H; Blanford, WJ; Gao, A. (2013). Solubility Enhancement Effect of Cyclodextrin on Groundwater Pollutants. *Ground Water*. 51: 268-275. <http://dx.doi.org/10.1111/j.1745-6584.2012.00963.x>.
- Gao, HJ; Jiang, X; Wang, F; Bian, YR; Wang, DZ; Dend, JC; Yan, DY. (2005). Residual levels and new inputs of chlorinated POPs in agricultural soils from Taihu Lake region. *Pedosphere*. 15: 301-309.
- Gao, J; Skeen, RS. (1999). Glucose-induced biodegradation of cis-dichloroethylene under aerobic conditions. *Water Res*. 33: 2789-2796.
- Gao, J; Wang, W; Rondinone, AJ; He, F; Liang, L. (2015). Degradation of Trichloroethene with a Novel Ball Milled Fe-C Nanocomposite. *J Hazard Mater*. 300: 443-450. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.038>.
- Gao, JW; Skeen, RS; Hooker, BS; Quesenberry, RD. (1997). Effects of several electron donors on tetrachloroethylene dechlorination in anaerobic soil microcosms. *Water Res*. 31: 2479-2486.
- Gao, S; Rupp, E; Bell, S; Willinger, M; Foley, T; Barbaris, B; Saez, AE; Arnold, RG; Betterton, E. (2008). Mixed redox catalytic destruction of chlorinated solvents in soils and groundwater. *Ann N Y Acad Sci*. 1140: 435-445. <http://dx.doi.org/10.1196/annals.1454.044>.
- Gao, W; Zhang, Y; Zhang, X; Duan, Z; Wang, Y; Qin, C; Hu, X; Wang, H; Chang, S. (2015). Permeable reactive barrier of coarse sand-supported zero valent iron for the removal of 2,4-dichlorophenol in groundwater. *Environ Sci Pollut Res Int*. 22: 16889-16896. <http://dx.doi.org/10.1007/s11356-015-4912-x>.
- Gao, Y; Liu, R, ui; Song, T; Xiao, J. (2016). IRON REMOVING TCE AND Cr(VI) IN POLLUTED GROUNDWATER. *Fresen Environ Bull*. 25: 6094-6099.
- Gao, Y; Wang, F; Wu, Y, an; Naidu, R; Chen, Z. (2016). Comparison of degradation mechanisms of microcystin-LR using nanoscale zero-valent iron (nZVI) and bimetallic Fe/Ni and Fe/Pd nanoparticles. *Chem Eng J*. 285: 459-466. <http://dx.doi.org/10.1016/j.cej.2015.09.078>.

Exposure Literature Search Results

Off Topic

- Garbarini, DR; Lion, LW. (1986). INFLUENCE OF THE NATURE OF SOIL ORGANICS ON THE SORPTION OF TOLUENE AND TRICHLOROETHYLENE. *Environ Sci Technol.* 20: 1263-1269.
- Garcia-Rivero, M; Peralta-Perez, MR. (2008). Cometabolism in the biodegradation of hydrocarbons. *Revista Mexicana de Ingenieria Quimica.* 7: 1-12.
- Garcia-Solares, M; Guerrero-Barajas, C; Garcia-Pena, I; Chairez, I; Luviano-Juarez, A. (2016). Switched constrained linear adaptive identifier for the trichloroethylene elimination in sequential upflow anaerobic sludge blanket. *Appl Math Model.* 40: 3720-3737. <http://dx.doi.org/10.1016/j.apm.2015.10.031>.
- Garcia-Solares, SM; Ordaz, A; Monroy-Hermosillo, O; Guerrero-Barajas, C. (2013). Trichloroethylene (TCE) biodegradation and its effect on sulfate reducing activity in enriched sulfidogenic cultures prevented from a UASB maintained at 20 degrees C. *Int Biodeterior Biodegradation.* 83: 92-96. <http://dx.doi.org/10.1016/j.ibiod.2013.04.011>.
- Garfinkel, L; Stellman, SD. (1988). Smoking and lung cancer in women: Findings in a prospective study. *Cancer Res.* 48: 6951-6955.
- Gargouri, I; Khadhraoui, M; Nisse, C; Leroyer, A; Larbi Masmoudi, M; Elleuch, B; Zmirou-Navier, D. (2012). Occupational assessment of exposure to organic solvents in an adhesive producing company in Sfax, Tunisia. *J Occup Environ Hyg.* 9: D71-D76. <http://dx.doi.org/10.1080/15459624.2012.666494>.
- Garlantezec, R; Multigner, L; Labat, L; Bonvallot, N; Pulkkinen, J; Dananche, B; Monfort, C; Rouget, F; Cordier, S. (2012). Urinary biomarkers of exposure to glycol ethers and chlorinated solvents during pregnancy: determinants of exposure and comparison with indirect methods of exposure assessment. *Occup Environ Med.* 69: 62-70. <http://dx.doi.org/10.1136/oem.2010.062315>.
- Gart, JJ; Chu, KC; Tarone, RE. (1979). Statistical issues in interpretation of chronic bioassay tests for carcinogenicity. *J Natl Cancer Inst.* 62: 957-974.
- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev.* 10: 1239-1248.
- Gates, DD; Siegrist, RL. (1995). IN-SITU CHEMICAL OXIDATION OF TRICHLOROETHYLENE USING HYDROGEN-PEROXIDE. *J Environ Eng.* 121: 639-644.
- Gates, K; Aragona, K; Sabodish, M; Gabr, MA; TRB. (2001). Adsorption and desorption capacity of trichloroethylene on glacial till with high-percent fines. *Trans Res Rec*141-148.
- Gates-Anderson, DD; Siegrist, RL; Cline, SR. (2001). Comparison of potassium permanganate and hydrogen peroxide as chemical oxidants for organically contaminated soils. *J Environ Eng.* 127: 337-347.
- Gathala, MK; Timsina, J; Islam, M, dS; Krupnik, TJ; Bose, TR; Islam, N; Rahman, M, dM; Hossain, M, dI; Harun-Ar-Rashid, M, d; Ghosh, AK; Hasan, M, dMK; Khayer, M, dA; Islam, M, dZ; Tiwari, TP; McDonald, A. (2016). Productivity, profitability, and energetics: A multi-criteria assessment of farmers' tillage and crop establishment options for maize in intensively cultivated environments of South Asia. *Field Crops Research.* 186: 32-46. <http://dx.doi.org/10.1016/j.fcr.2015.11.008>.
- Gaur, A; Park, J; Maken, S; Song, H; Park, J. (2010). Landfill gas (LFG) processing via adsorption and alkanolamine absorption. *Fuel Process Tech.* 91: 635-640. <http://dx.doi.org/10.1016/j.fuproc.2010.01.010>.
- Gauthier, E; Thivel, PX; Delpech, F; Roux, JC; Ozil, P. (2008). SFGP 2007 - An adsorption and photocatalysis study of ethyl hexanoate. *Int J Chem React Eng.* 6.
- Gavaskar, AR. (1999). Design and construction techniques for permeable reactive barriers [Review]. *J Hazard Mater.* 68: 41-71.
- Gaw, S; Northcott, G; Kim, N; Wilkins, A; Jensen, J. (2012). Comparison of earthworm and chemical assays of the bioavailability of aged 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene, 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane, and heavy metals in orchard soils. *Environ Toxicol Chem.* 31: 1306-1316. <http://dx.doi.org/10.1002/etc.1817>.
- Gaw, SK; Kim, ND; Northcott, GL; Wilkins, AL; Robinson, A. (2008). Uptake of SDDT, arsenic, cadmium, copper, and lead by lettuce and radish grown in contaminated horticultural soils. *J Agric Food Chem.* 56: 6584-6593. <http://dx.doi.org/10.1021/jf073327t>.
- Gawthrope, IC; Playford, DA; King, B; Brown, K; Wilson, C; Mckeown, B. (2014). The cardiac effects of hyperbaric oxygen at 243 kPa using in-chamber echocardiography. *Diving and Hyperbaric Medicine.* 44: 141-145.
- Ge, R; Wang, W; Kramer, PM; Yang, S; Tao, L; Pereira, MA. (2001). Wy-14,643-induced hypomethylation of the c-myc gene in mouse liver. *Toxicol Sci.* 62: 28-35.
- Geary, LM; Hultin, PG. (2010). 2-Substituted Benzo[b]furans from (E)-1,2-Dichlorovinyl Ethers and Organoboron Reagents: Scope and Mechanistic Investigations into the One-Pot Suzuki Coupling/Direct Arylation. *European Journal of Organic Chemistry*5563-5573. <http://dx.doi.org/10.1002/ejoc.201000787>.
- Geary, LM; Hultin, PG. (2010). Palladium-Catalyzed Modular Assembly of Electron-Rich Alkenes, Dienes, Trienes, and Enynes from (E)-1,2-Dichlorovinyl Phenyl Ether. *J Org Chem.* 75: 6354-6371. <http://dx.doi.org/10.1021/jo1014678>.
- Gehring, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone: Science and Engineering.* 21: 523-538.
- Gehring, P; Eschweiler, H; Fiedler, H. (1995). OZONE-ELECTRON BEAM TREATMENT FOR GROUNDWATER REMEDIATION. *Radiat Phys Chem Oxf Engl* 1993. 46: 1075-1078.

Exposure Literature Search Results

Off Topic

- Gehring, P; Matschiner, H. (1998). Radiation induced pollutant decomposition in water. *Water Sci Technol.* 37: 195-201.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1986). RADIATION-CHEMICAL DEGRADATION OF TRACES OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE IN DRINKING WATER (pp. 196-203). (ISSN 0044-3727; BIOSIS/87/06691). Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1988). DECOMPOSITION OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE IN DRINKING WATER BY A COMBINED RADIATION-OZONE TREATMENT. *Water Res.* 22: 645-646.
- Geiger, CL; Clausen, CA; Brooks, K; Clausen, C; Huntley, C; Filipek, L; Reinhart, DD; Quinn, J; Krug, T; O'Hara, S; Major, D. (2003). Nanoscale and microscale iron emulsions for treating DNAPL. *ACS Symp Ser Am Chem Soc.* 837: 132-140.
- Geiger, CL; Ruiz, NE; Clausen, CA; Reinhart, DR; Quinn, JW. (2002). Ultrasound pretreatment of elemental iron: kinetic studies of dehalogenation reaction enhancement and surface effects. *Water Res.* 36: 1342-1350.
- Geiser, U; Schlueter, JA; Williams, JM; Naumann, D; Roy, T. (1995). ANION DISORDER IN THE 115-118 K STRUCTURES OF THE ORGANIC SUPERCONDUCTORS $\text{KAPPA(L)-(BEDT-TTF)(2)CU(CF3)(4)(C2H3CL3)}$ AND $\text{KAPPA(L)-(BEDT-TTF)(2)AG(CF3)(4)(C2H3CL3)}$ [BEDT-TTF=3,4-3',4'-BIS(ETHYLENEDITHIO)-2,2',5,5'-TETRATHIAFULVALENE]. *Acta Crystallogr B.* 51: 789-797.
- Gelderblom, WC; Galendo, D; Abel, S; Swanevelder, S; Marasas, WF; Wild, CP. (2001). Cancer initiation by fumonisin B(1) in rat liver: Role of cell proliferation. *Cancer Lett.* 169: 127-137.
- Gelfand, AE; Smith, AFM. (1990). Sampling based approaches to calculating marginal densities. *J Am Stat Assoc.* 85: 398 - 409.
- Gelman, A; Bois, F; Jiang, J. (1996). Physiological pharmacokinetic analysis using population modeling and informative prior distributions. *J Am Stat Assoc.* 91: 1400-1412.
- Gelman, A; Carlin, JB; Stern, HS; Rubin, DB. (2003). Bayesian data analysis. In Chapman & Hall/CRC Texts in Statistical Science (2nd ed.). Boca Raton, FL: Chapman and Hall/CRC Press. <http://www.crcpress.com/product/isbn/9781584883883>.
- Geng, Q; Guo, Q; Yue, X. (2010). Adsorption and Photocatalytic Degradation Kinetics of Gaseous Cyclohexane in an Annular Fluidized Bed Photocatalytic Reactor. *Ind Eng Chem Res.* 49: 4644-4652. <http://dx.doi.org/10.1021/ie100114e>.
- Geng, Q; Tang, S; Wang, L; Zhang, Y. (2015). Investigation into adsorption and photocatalytic degradation of gaseous benzene in an annular fluidized bed photocatalytic reactor. *Environ Technol.* 36: 605-614. <http://dx.doi.org/10.1080/09593330.2014.954005>.
- George, CE; Azwell, DE; Adams, PA; Rao G, VN; Averett, DE. (1995). Evaluation of steam as a sweep gas in low temperature thermal desorption processes used for contaminated soil clean up. *Waste Manag.* 15: 5-6.
- George, J; Byth, K; Farrell, GC. (1995). Age but not gender selectively affects expression of individual cytochrome P450 proteins in human liver. *Biochem Pharmacol.* 50: 727-730. [http://dx.doi.org/10.1016/0006-2952\(95\)00192-3](http://dx.doi.org/10.1016/0006-2952(95)00192-3).
- George, JD; Price, CJ; Navarro, HA; Marr, MC; Myers, CB; Hunter ES Schwetz, BA; Shelby, MD. (1995). Developmental toxicity of thiophenol (THIO) in rats and rabbits [Abstract]. *Toxicologist.* 15: 160.
- George, MH; Moore, T; Kilburn, S; Olson, GR; Deangelo, AB. (2000). Carcinogenicity of chloral hydrate administered in drinking water to the male F344/N rat and male B6C3F1 mouse. *Toxicol Pathol.* 28: 610-618.
- Georgi, A; Gonzalez-Olmos, R; Kohler, R; Kopinke, FD. (2010). Fe-Zeolites as Catalysts for Wet Peroxide Oxidation of Organic Groundwater Contaminants: Mechanistic Studies and Applicability Tests. *Separation Science and Technology.* 45: 1579-1586. <http://dx.doi.org/10.1080/01496395.2010.487466>.
- Georgi, A; Kopinke, FD. (2005). Interaction of adsorption and catalytic reactions in water decontamination processes Part I, Oxidation of organic contaminants with hydrogen peroxide catalyzed by activated carbon. *Appl Catal B-Environ.* 58: 9-18. <http://dx.doi.org/10.1016/j.apcatb.2004.11.014>.
- Georgi, A; Schierz, A; Mackenzie, K; Kopinke, FD. (2015). Colloidal activated carbon for in-situ groundwater remediation--Transport characteristics and adsorption of organic compounds in water-saturated sediment columns. *J Contam Hydrol.* 179: 76-88. <http://dx.doi.org/10.1016/j.jconhyd.2015.05.002>.
- Gerbino, TC; Nadotti, S; Castello, P. (1992). Extraction and gas chromatographic determination of chlorinated solvents in contaminated soil. *J Chromatogr.* 623: 123-127.
- Gerhard, JI; Pang, T; Kueper, BH. (2007). Time scales of DNAPL migration in sandy aquifers examined via numerical simulation. *Ground Water.* 45: 147-157. <http://dx.doi.org/10.1111/j.1475-6584.2006.00269.x>.
- Gervasini, A; Pirola, C; Zilio, S; Ragaini, V. (2004). Destruction of carbon tetrachloride in the presence of hydrogen-supplying compounds with ionisation and catalytic oxidation - Part 2. Methane as hydrogen font. *Appl Catal B-Environ.* 47: 257-267. <http://dx.doi.org/10.1016/j.apcatb.2003.09.008>.
- Ghaemi, H; Behdian, K; Spence, A. (2006). On the development of compressible pseudo-strain energy density function for elastomers - Part 1. Theory and experiment. *J Mater Process Tech.* 178: 307-316. <http://dx.doi.org/10.1016/j.jmatrotec.2006.04.014>.
- Ghauch, A; Ayoub, G; Naim, S. (2013). Degradation of sulfamethoxazole by persulfate assisted micrometric Fe-0 in aqueous solution. *Chem Eng J.* 228: 1168-1181. <http://dx.doi.org/10.1016/j.cej.2013.05.045>.
- Ghauch, A; Kaluzny, P; Deveau, PA; Baussand, P. (2005). Effects of chlorinated volatile organic compounds on the degradation of biogenic alkenes in presence of ozone in an atmospheric simulation chamber. *Fresen Environ Bull.* 14: 1058-1065.
- Ghauch, A; Kaluzny, P; Rouviere, A; Deveau, PA; Baussand, P. (2006). Effect of hydroxyl radicals on the interaction between chlorinated volatile organic compounds and beta-pinene under simulated and sunlight irradiation. *Fresen Environ Bull.* 15: 1244-1251.
- Ghorpade, PA; Ha, M, inGyu; Choi, W, onHo; Park, J, ooY. (2013). Combined calcium sulfoaluminate and ordinary portland cement/Fe(II) system for enhanced dechlorination of trichloroethylene. *Chem Eng J.* 231: 326-333. <http://dx.doi.org/10.1016/j.cej.2013.07.031>.

Exposure Literature Search Results

Off Topic

- Ghorpade, PA; Ha, M, inGyu; Park, J, ooY. (2015). Effect of different types of calcium sulfate on the reactivity of cement/Fe(II) system in dechlorination of trichloroethylene. *Desalination and Water Treatment*. 54: 1426-1435. <http://dx.doi.org/10.1080/19443994.2014.950342>.
- Ghorpade, PA; Kim, JH; Choi, W, onHo; Park, J, ooY. (2014). Reactivity of different cement minerals in presence of Fe(II) for reducing trichloroethylene. *Desalination and Water Treatment*. 52: 805-815. <http://dx.doi.org/10.1080/19443994.2013.827300>.
- Ghorpade, PA; Kim, JH; Choi, WH; Park, JY. (2014). New and effective multi-element alpha-hematite systems for reduction of trichloroethylene. *Environ Technol*. 35: 27-35. <http://dx.doi.org/10.1080/09593330.2013.805819>.
- Ghoshal, AK; Farber, E. (1984). The induction of liver cancer by dietary deficiency of choline and methionine without added carcinogens. *Carcinogenesis*. 5: 1367-1370. <http://dx.doi.org/10.1093/carcin/5.10.1367>.
- Giannoukos, S; Brkic, B; Taylor, S. (2016). Analysis of chlorinated hydrocarbons in gas phase using a portable membrane inlet mass spectrometer. *Analytical Methods*. 8: 6607-6615. <http://dx.doi.org/10.1039/c6ay00375c>.
- Gianturco, F; Vianelli, L; Tatti, L; Rota, F; Bruzzi, P; Rivas, L; Bellobono, IR; Bianchi, M; Muntau, H. (1996). Pilot-plant photomineralization of dichloromethane and tetrachloroethene in aqueous solution, by photocatalytic membranes immobilizing titanium dioxide and photopromoters. *Chemosphere*. 33: 1531-1542.
- Giardino, NJ; Andelman, JB. (1996). Characterization of the emissions of trichloroethylene, chloroform, and 1,2-dibromo-3-chloropropane in a full-size, experimental shower. *J Expo Anal Environ Epidemiol*. 6: 413-423.
- Giardino, NJ; Eamen, NA; Andelman, JB. (1992). Modeling volatilization of trichloroethylene from a domestic shower spray: the role of drop-size distribution. *Environ Sci Technol*. 26: 1602-1606.
- Giaya, A; Thompson, RW. (2002). Single-component gas phase adsorption and desorption studies using a tapered element oscillating microbalance. *Microporous and Mesoporous Materials*. 55: 265-274.
- Giaya, A; Thompson, RW; Denkwicz, R. (2000). Liquid and vapor phase adsorption of chlorinated volatile organic compounds on hydrophobic molecular sieves. *Microporous and Mesoporous Materials*. 40: 205-218.
- Gibson, D; Aardema, M; Kerckaert, G; Carr, G; Brauningner, R; LeBoeuf, R. (1995). Detection of aneuploidy-inducing carcinogens in the Syrian hamster embryo (SHE) cell transformation assay. *Mutat Res*. 343: 7-24. [http://dx.doi.org/10.1016/0165-1218\(95\)90058-6](http://dx.doi.org/10.1016/0165-1218(95)90058-6).
- Gibson, SA; Roberson, DS; Russell, HH; Sewell, GW. (1994). Effects of three concentrations of mixed fatty acids on dechlorination of tetrachloroethene in aquifer microcosms. *Environ Toxicol Chem*. 13: 453-460.
- Giddings, CGS; Liu, F; Gossett, JM. (2010). Microcosm Assessment of *Polaromonas* sp. JS666 as a Bioaugmentation Agent for Degradation of cis-1,2-dichloroethene in Aerobic, Subsurface Environments. *Ground Water Monitoring and Remediation*. 30: 106-113. <http://dx.doi.org/10.1111/j1745-6592.2010.001283.x>.
- Gilbert, KM; Blossom, SJ; Pumford, NR. (2009). Comments on "Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL+/- mice [Comment]". *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 116; author reply 117-122. <http://dx.doi.org/10.1080/10934520802656584>.
- Gilbertson, AW; Fitch, MW; Burken, JG; Wood, TK. (2007). Transport and survival of GFP-tagged root-colonizing microbes: Implications for rhizodegradation. *European Journal of Soil Biology*. 43: 224-232. <http://dx.doi.org/10.1016/j.ejsobi.2007.02.005>.
- Gilks, WR; Richardson, S; Spiegelhalter, DJ. (1995). *Markov chain Monte Carlo in practice*. Boca Raton, FL: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412055515>.
- Giller, S; Le Curieux, F; Erb, F; Marzin, D. (1997). Comparative genotoxicity of halogenated acetic acids found in drinking water. *Mutagenesis*. 12: 321-328.
- Giller, S; Le Curieux, F; Gauthier, L; Erb, F; Marzin, D. (1995). Genotoxicity assay of chloral hydrate and chloropicrine. *Mutat Res*. 348: 147-152. [http://dx.doi.org/10.1016/0165-7992\(95\)90002-0](http://dx.doi.org/10.1016/0165-7992(95)90002-0).
- Gimmi, T; Fluhler, H; Studer, B; Rasmuson, A. (1993). Transport of volatile chlorinated hydrocarbons in unsaturated aggregated media. *Water Air Soil Pollut*. 68: 291-305.
- Ginsberg, G; Hattis, D; Miller, R; Sonawane, B. (2004). Pediatric pharmacokinetic data: Implications for environmental risk assessment for children. *Pediatrics*. 113: 973-983.
- Ginsberg, G; Hattis, D; Russ, A; Sonawane, B. (2005). Pharmacokinetic and pharmacodynamic factors that can affect sensitivity to neurotoxic sequelae in elderly individuals. *Environ Health Perspect*. 113: 1243-1249. <http://dx.doi.org/10.1289/ehp.7568>.
- Ginsberg, G; Hattis, D; Sonawane, B. (2004). Incorporating pharmacokinetic differences between children and adults in assessing children's risks to environmental toxicants [Review]. *Toxicol Appl Pharmacol*. 198: 164-183. <http://dx.doi.org/10.1016/j.taap.2003.10.010>.
- Ginsberg, G; Hattis, D; Sonawane, B; Russ, A; Banati, P; Kozlak, M; Smolenski, S; Goble, R. (2002). Evaluation of child/adult pharmacokinetic differences from a database derived from the therapeutic drug literature. *Toxicol Sci*. 66: 185-200.
- Giver, C; Wong, R; Moore, D; Pallavicini, M. (2001). Dermal benzene and trichloroethylene induce aneuploidy in immature hematopoietic subpopulations in vivo. *Environ Mol Mutagen*. 37: 185-194.
- Gladden, BC; Klebanoff, MA; Hediger, ML; Katz, SH; Barr, DB; Davis, MD; Longnecker, MP. (2004). Prenatal DDT exposure in relation to anthropometric and pubertal measures in adolescent males. *Environ Health Perspect*. 112: 1761-1767. <http://dx.doi.org/10.1289/ehp.7287>.
- Glass, DJ. (1991). WASTE MANAGEMENT - BIOLOGICAL TREATMENT OF HAZARDOUS WASTES. *Environment*. 33: 5-&.
- Glass, RJ; Conrad, SH; Peplinski, W. (2000). Gravity-destabilized nonwetting phase invasion in macroheterogeneous porous media: Experimental observations of invasion dynamics and scale analysis. *Water Resour Res*. 36: 3121-3137.

Exposure Literature Search Results

Off Topic

- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ.* 290: 231-237.
- Glaze, WH; J-W, K. (1988). ADVANCED OXIDATION PROCESSES FOR TREATING GROUNDWATER CONTAMINATED WITH TCE AND PCE LABORATORY STUDIES (pp. 57-63). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/88/21972). Glaze, WH; Kang J-W.
- Glaze, WH; Kenneke, JF; Ferry, JL. (1993). Chlorinated byproducts from the titanium dioxide-mediated photodegradation of trichloroethylene and tetrachloroethylene in water. *Environ Sci Technol.* 27: 177-184.
- Glod, G; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Corrinoid-mediated reduction of tetrachloroethene, trichloroethene, and trichlorofluoroethene in homogeneous aqueous solution: Reaction kinetics and reaction mechanisms. *Environ Sci Technol.* 31: 253-260.
- Glod, G; Brodmann, U; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Cobalamin-mediated reduction of cis- and trans-dichloroethene, 1,1-dichloroethene, and vinyl chloride in homogeneous aqueous solution: Reaction kinetics and mechanistic considerations. *Environ Sci Technol.* 31: 3154-3160.
- Gloor, M; Bakwin, P; Hurst, D; Lock, L; Draxler, R; Tans, P. (2001). What is the concentration footprint of a tall tower? *J Geophys Res Atmos.* 106: 17831-17840.
- Gnanakumari, P; Rao, MVP; Prasad, DHL; Kumar, YVL, R. (2003). Vapor-liquid equilibria and excess molar enthalpies for N-methyl-2-pyrrolidone with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 48: 535-540. <http://dx.doi.org/10.1021/je020065c>.
- Gochfeld, M. (2007). Framework for gender differences in human and animal toxicology. *Environ Res.* 104: 4-21. <http://dx.doi.org/10.1016/j.envres.2005.12.005>.
- Godoy, T; Matsui, K; Kida, T; Mu, M. (1998). Improved plating efficiency of lily (*Lilium x formolongi hort*) protoplasts by silver thiosulfate added to enzyme solution. *Breeding Science.* 48: 159-161.
- Godsy, EM; Warren, E; Paganelli, VV. (2003). The role of microbial reductive dechlorination of TCE at a phytoremediation site. *Int J Phytoremediation.* 5: 73-87. <http://dx.doi.org/10.1080/16226510390856484>.
- Godts, P; Dupont, D; Leclercq, D. (2005). Direct measurement of the latent heat of evaporation by flowmetric method. *I E E E Transactions on Instrumentation and Measurement.* 54: 2364-2369. <http://dx.doi.org/10.1109/TIM.2005.858554>.
- Goh, VH; Chia, SE; Ong, CN. (1998). Effects of chronic exposure to low doses of trichloroethylene on steroid hormone and insulin levels in normal men. *Environ Health Perspect.* 106: 41-44.
- Golas, PL; Louie, S; Lowry, GV; Matyjaszewski, K; Tilton, RD. (2010). Comparative study of polymeric stabilizers for magnetite nanoparticles using ATRP. *Langmuir.* 26: 16890-16900. <http://dx.doi.org/10.1021/la103098q>.
- Gold, L, S.; Zeiger, E, . (1997). Handbook of carcinogenic potency and genotoxicity databases. In LS Gold; E Zeiger (Eds.). Boca Raton, FL: CRC Press.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med.* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Gold, SC. (2010). THE MORE WE KNOW, THE LESS INTELLIGENT WE ARE? -- HOW GENOMIC INFORMATION SHOULD, AND SHOULD NOT, CHANGE TOXIC TORT CAUSATION DOCTRINE. *Harvard Environmental Law Review.* 34: 369-423.
- Gole, VL; Gogate, PR. (2014). Sonochemical degradation of chlorobenzene in the presence of additives. *Water Sci Technol.* 69: 882-888. <http://dx.doi.org/10.2166/wst.2013.790>.
- Gole, VL; Gogate, PR. (2015). Intensification of sonochemical degradation of chlorobenzene using additives. *Desalination and Water Treatment.* 53: 2623-2635. <http://dx.doi.org/10.1080/19443994.2013.862743>.
- Goli, VD; Prasad, R; Hamilton, K; Moulton, KP; Tyler, M; Logan, P; Lazzara, R; Jackman, WM. (1991). TRANSESOPHAGEAL ECHOCARDIOGRAPHIC EVALUATION FOR MURAL THROMBUS FOLLOWING RADIOFREQUENCY CATHETER ABLATION OF ACCESSORY PATHWAYS. *Pacing Clin Electrophysiol.* 14: 1992-1997.
- Gollin, SM. (2005). Mechanisms leading to chromosomal instability. *Semin Cancer Biol.* 15: 33-42. <http://dx.doi.org/10.1016/j.semcancer.2004.09.004>.
- Golsteijn, L; Huizer, D; Hauck, M; van Zelm, R; Huijbregts, MA. (2014). Including exposure variability in the life cycle impact assessment of indoor chemical emissions: the case of metal degreasing. *Environ Int.* 71: 36-45. <http://dx.doi.org/10.1016/j.envint.2014.06.003>.
- Goltz, MN; Close, ME; Yoon, H; Huang, J; Flintoft, MJ; Kim, S; Enfield, C. (2009). Validation of two innovative methods to measure contaminant mass flux in groundwater. *J Contam Hydrol.* 106: 51-61. <http://dx.doi.org/10.1016/j.jconhyd.2009.01.001>.
- Goltz, MN; Huang, J; Close, ME; Flintoft, MJ; Pang, L. (2008). Use of tandem circulation wells to measure hydraulic conductivity without groundwater extraction. *J Contam Hydrol.* 100: 127-136. <http://dx.doi.org/10.1016/j.jconhyd.2008.06.003>.
- Golubina, EV; Lokteva, ES; Lazareva, TS; Kostyuk, BG; Lunin, VV; Simagina, VI; Stoyanova, IV. (2004). Hydrodechlorination of tetrachloromethane in the vapor phase in the presence of Pd-Fe/Sibunit catalysts. *Kinet Catal.* 45: 183-188.
- Gomes, HI; Dias-Ferreira, C; Ribeiro, AB; Pamukcu, S. (2014). Influence of electrolyte and voltage on the direct current enhanced transport of iron nanoparticles in clay. *Chemosphere.* 99: 171-179. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.065>.
- Gomez De Arco, L; Zhang, Y; Schlenker, CW; Ryu, K; Thompson, ME; Zhou, C. (2010). Continuous, highly flexible, and transparent graphene films by chemical vapor deposition for organic photovoltaics. *ACS Nano.* 4: 2865-2873. <http://dx.doi.org/10.1021/nn901587x>.
- Gomez, L; Sebastian, V; Arruebo, M; Santamaria, J; Cronin, SB. (2014). Plasmon-enhanced photocatalytic water purification. *Phys Chem Chem Phys.* 16: 15111-15116. <http://dx.doi.org/10.1039/c4cp00229f>.

Exposure Literature Search Results

Off Topic

- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med.* 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Gonca, G; Sahin, B; Ust, Y; Parlak, A. (2015). Comprehensive performance analyses and optimization of the irreversible thermodynamic cycle engines (TCE) under maximum power (MP) and maximum power density (MPD) conditions. *Applied Thermal Engineering.* 85: 9-20. <http://dx.doi.org/10.1016/j.applthermaleng.2015.02.041>.
- Gonçalves, Al; Rodrigues, MT; Carvalho, PP; Bañobre-López, M; Paz, E; Freitas, P; Gomes, ME. (2016). Exploring the Potential of Starch/Polycaprolactone Aligned Magnetic Responsive Scaffolds for Tendon Regeneration. 5: 213-222. <http://dx.doi.org/10.1002/adhm.201500623>.
- Goncalves, G; Cutts, FT; Hills, M; Rebelo-Andrade, H; Trigo, FA; Barros, H. (1999). Transplacental transfer of measles and total IgG. *Epidemiol Infect.* 122: 273-279.
- Goncalves Junior, LP; Mendonca, PP; Pereira, SL; Matielo, MD; da Silva Amorim, IR. (2014). STOCKING DENSITIES IN THE LARVICULTURE OF GOLDFISH. 40: 597-604.
- Gonen, O; Gvirtzman, H. (1997). Laboratory-scale analysis of aquifer remediation by in-well vapor stripping: 1. Laboratory results. *J Contam Hydrol.* 29: 23-39.
- Gong, Y; Tang, J; Zhao, D. (2016). Application of iron sulfide particles for groundwater and soil remediation: A review [Review]. *Water Res.* 89: 309-320. <http://dx.doi.org/10.1016/j.watres.2015.11.063>.
- Gonullu, MT. (1996). Modelling dissolution of an organic mixture in the subsurface. *Water Res.* 30: 649-653.
- Gonullu, MT; Farquhar, GJ. (1994). EFFECTS OF RESIDUAL CONFIGURATION ON THE RATE OF TRICHLOROETHYLENE TCE DISSOLUTION. *Water Sci Technol.* 30: 19-22.
- González, A; Avivar, J; Cerdà, V. (2015). Estrogens determination in wastewater samples by automatic in-syringe dispersive liquid-liquid microextraction prior silylation and gas chromatography. *J Chromatogr A.* 1413: 1-8. <http://dx.doi.org/10.1016/j.chroma.2015.08.031>.
- Gonzalez, J. (2002). Mulch "biowall" treats TCE-contaminated groundwater. *Biocycle.* 43: 12-12.
- Gonzalez-Garcia, N; Ayllon, JA; Domenech, X; Peral, J. (2004). TiO₂ deactivation during the gas-phase photocatalytic oxidation of dimethyl sulfide. *Appl Catal B-Environ.* 52: 69-77. <http://dx.doi.org/10.1016/j.apcatb.2004.03.016>.
- Gonzalez-Leon, A; Merdink, J; Bull, R; Schultz, I. (1999). Effect of pre-treatment with dichloroacetic or trichloroacetic acid in drinking water on the pharmacokinetics of a subsequent challenge dose in B6C3F1 mice. *Chem Biol Interact.* 123: 239-253.
- Gonzalez-Olmos, R; Roland, U; Toufar, H; Kopinke, FD; Georgi, A. (2009). Fe-zeolites as catalysts for chemical oxidation of MTBE in water with H₂O₂. *Appl Catal B-Environ.* 89: 356-364. <http://dx.doi.org/10.1016/j.apcatb.2008.12.014>.
- Gonzalez-Velasco, JR; Aranzabal, A; Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Gutierrez-Ortiz, MA. (1998). Activity and product distribution of alumina supported platinum and palladium catalysts in the gas-phase oxidative decomposition of chlorinated hydrocarbons. *Appl Catal B-Environ.* 19: 189-197.
- Gonzalez-Velasco, JR; Aranzabal, A; Lopez-Fonseca, R; Ferret, R; Gonzalez-Marcos, JA. (2000). Enhancement of the catalytic oxidation of hydrogen-lean chlorinated VOCs in the presence of hydrogen-supplying compounds. *Appl Catal B-Environ.* 24: 33-43.
- Gonzalez-Velasco, JR; Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Steltenpohl, P. (2000). Evaluation of H-type zeolites in the destructive oxidation of chlorinated volatile organic compounds. *Appl Catal B-Environ.* 24: 233-242.
- Gopalakrishnan, G; Burken, JG; Werth, CJ. (2009). Lignin and Lipid Impact on Sorption and Diffusion of Trichloroethylene in Tree Branches for Determining Contaminant Fate during Plant Sampling and Phytoremediation. *Environ Sci Technol.* 43: 5732-5738. <http://dx.doi.org/10.1021/es9006417>.
- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Gopalakrishnan, G; Werth, CJ; Negri, MC. (2009). Mass recovery methods for trichloroethylene in plant tissue. *Environ Toxicol Chem.* 28: 1185-1190. <http://dx.doi.org/10.1897/08-420.1>.
- Gopalan, KS; Eswaran, V. (2016). Numerical investigation of thermal performance of PCM based heat sink using structured porous media as thermal conductivity enhancers. *International Journal of Thermal Sciences.* 104: 266-280. <http://dx.doi.org/10.1016/j.ijthermalsci.2016.01.008>.
- Gordon, M; Choe, N; Duffy, J; Ekuan, G; Heilman, P; Muiznieks, I; Newman, L; Ruszaj, M; Shurtleff, BB; Strand, S; Wilmoth, J. (1997). ACS Symposium Series Phytoremediation of trichloroethylene with hybrid poplars.
- Gordon, M; Choe, N; Duffy, J; Ekuan, G; Heilman, P; Muiznieks, I; Ruszaj, M; Shurtleff, BB; Strand, S; Wilmoth, J; Newman, LA. (1998). Phytoremediation of trichloroethylene with hybrid poplars. *Environ Health Perspect.* 4: 1001-1004.
- Gordon, MP. (2003). Results misinterpreted. *Environ Sci Technol.* 37: 342A-342A.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology.* 1: 277-284.
- Gorgenyi, M; Dewulf, J; Van Langenhove, H. (2002). Temperature dependence of Henry's law constant in an extended temperature range. *Chemosphere.* 48: 757-762.
- Gorla, GR; Malhi, H; Gupta, S. (2001). Polyploidy associated with oxidative injury attenuates proliferative potential of cells. *J Cell Sci.* 114: 2943-2951.
- Gorodkiewicz, E; Figaszewski, Z. (1998). Potentiometric and spectrophotometric measurements of stability constants of complexes in non-aqueous solutions. *Chemia analityczna.* 43: 445-455.

Exposure Literature Search Results

Off Topic

- Górski, T; Goehl, T; Jameson, C; Collins, B. (1990). Sources of error in the determination of trichloroethylene in blood. *Bull Environ Contam Toxicol.* 45: 1-5.
- Gorzka, Z; Zarczynski, A; Paryjczak, T; Kazmierczak, M; Zaborowski, M. (2009). Total Catalytic Oxidation of Volatile Chloroorganics Occurring in Liquid Industrial Wastes from Organics Synthesis. *Rocznik Ochrona Srodowiska.* 11: 439-448.
- Goss, KU. (1992). EFFECTS OF TEMPERATURE AND RELATIVE-HUMIDITY ON THE SORPTION OF ORGANIC VAPORS ON QUARTZ SAND. *Environ Sci Technol.* 26: 2287-2294.
- Goss, KU; Buschmann, J; Schwarzenbach, RP. (2003). Determination of the surface sorption properties of talc, different salts, and clay minerals at various relative humidities using adsorption data of a diverse set of organic vapors. *Environ Toxicol Chem.* 22: 2667-2672.
- Goss, KU; Eisenreich, SJ. (1996). Adsorption of VOCs from the gas phase to different minerals and a mineral mixture. *Environ Sci Technol.* 30: 2135-2142.
- Gossett, JM. (2010). Sustained Aerobic Oxidation of Vinyl Chloride at Low Oxygen Concentrations. *Environ Sci Technol.* 44: 1405-1411. <http://dx.doi.org/10.1021/es9033974>.
- Gosu, V; Gurjar, BR, am; Surampalli, R, aoY; Zhang, TC. (2016). Treatment of pyridine-bearing wastewater by Nano Zero-valent iron supported on activated carbon derived from agricultural waste. *Desalination and Water Treatment.* 57: 6250-6260. <http://dx.doi.org/10.1080/19443994.2015.1005686>.
- Goswami, DY. (1997). A review of engineering developments of aqueous phase solar photocatalytic detoxification and disinfection processes. *J Sol Energ Eng.* 119: 101-107.
- Gosztony, G. (1991). CCITT WORK IN TELETRAFFIC ENGINEERING. *I E E E Journal on Selected Areas in Communications.* 9: 131-134.
- Gotoh, M; Hobara, T; Kobayashi, H; Okuda, M. (1998). Pollution due to trichloroacetic acid in clams (*Tapes japonica*) in an estuary adjacent to industrial areas. *Bull Environ Contam Toxicol.* 60: 74-80.
- Gotoh, Y; Iwata, G; Choh, K; Kubota, M; Matsuda, H. (2011). Trichloroethylene decomposition and in-situ dry sorption of Cl-products by calcium oxides prepared from hydrated limes. *Chemosphere.* 85: 637-642. <http://dx.doi.org/10.1016/j.chemosphere.2011.07.010>.
- Gotpagar, J; Grulke, E; Tsang, T; Bhattacharyya, D. (1997). Reductive dehalogenation of trichloroethylene using zero-valent iron. *Environmental Progress.* 16: 137-143.
- Gotpagar, J; Lyuksyutov, S; Cohn, R; Grulke, E; Bhattacharyya, D. (1999). Reductive dehalogenation of trichloroethylene with zero-valent iron: Surface profiling microscopy and rate enhancement studies. *Langmuir.* 15: 8412-8420.
- Gotpagar, JK; Grulke, EA; Bhattacharyya, D. (1998). Reductive dehalogenation of trichloroethylene: Kinetic models and experimental verification. *J Hazard Mater.* 62: 243-264.
- Govindan, M; Gopal, RA; Moon, I, IS. (2017). Efficient removal of gaseous trichloroethylene by continuous feed electro-scrubbing using a new homogeneous heterobimetallic electro-catalyst. *Chem Eng J.* 308: 1145-1153. <http://dx.doi.org/10.1016/j.cej.2016.09.137>.
- Gow, AS; Gow, AS. (2004). Microeconomic theory of chemical production processes: application to aqueous VOC air stripping operations. *Adv Environ Res.* 8: 267-285. [http://dx.doi.org/10.1016/S1093-0191\(02\)00134-X](http://dx.doi.org/10.1016/S1093-0191(02)00134-X).
- Goyal, A; Singh, M. (2007). Densities, viscosities and thermodynamic excess properties of ternary liquid mixtures of aniline plus acetone plus (benzene or plus toluene or plus carbon tetrachloride or plus 1,4-dioxane) and their constituent binaries at 298.15 K. *J Indian Chem Soc.* 84: 250-255.
- Graber, ER; Sorek, A; Tsechansky, L; Atzmon, N. (2007). Competitive uptake of trichloroethene and 1,1,1-trichloroethane by *Eucalyptus camaldulensis* seedlings and wood. *Environ Sci Technol.* 41: 6704-6710. <http://dx.doi.org/10.1021/es0707431>.
- Graciano, VA; Pires, C, deS; Godinho Teixeira, SC; Ziolli, RL; Perez, DV. (2012). REMEDIATION OF OIL-CONTAMINATED SOIL BY CHEMICAL OXIDATION. *Revista Brasileira de Ciencia do Solo.* 36: 1656-1660.
- Gracy, S; Hort, C; Platel, V; Gidas, MB. (2006). Volatile Organic Compounds (VOCs) biofiltration with two packing materials. *Environ Technol.* 27: 1053-1061. <http://dx.doi.org/10.1080/09593332708618719>.
- Grafelman, DD; Meagher, MM. (1995). LIQUEFACTION OF STARCH BY A SINGLE-SCREW EXTRUDER AND POST-EXTRUSION STATIC-MIXER REACTOR. *Journal of Food Engineering.* 24: 529-542.
- Graham, DJ; Staffa, JA; Shatin, D; Andrade, SE; Schech, SD; La Grenade, L; Gurwitz, JH; Chan, KA; Goodman, MJ; Platt, R. (2004). Incidence of hospitalized rhabdomyolysis in patients treated with lipid-lowering drugs. *JAMA.* 292: 2585-2590. <http://dx.doi.org/10.1001/jama.292.21.2585>.
- Graham, DW; Chaudhary, JA; Hanson, RS; Arnold, RG. (1993). FACTORS AFFECTING COMPETITION BETWEEN TYPE-I AND TYPE-II METHANOTROPHS IN 2-ORGANISM, CONTINUOUS-FLOW REACTORS. *Microb Ecol.* 25: 1-17.
- Graham, N; Jiang, CC; Li, XZ; Jiang, JQ; Ma, J. (2004). The influence of pH on the degradation of phenol and chlorophenols by potassium ferrate. *Chemosphere.* 56: 949-956. <http://dx.doi.org/10.1016/j.chemosphere.2004.04.06>.
- Grajales-Mesa, SJ; Malina, G. (2016). Screening reactive materials for a permeable barrier to treat TCE-contaminated groundwater: laboratory studies. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5567-8>.
- Gramantieri, L; Melchiorri, C; Chieco, P; Gaiani, S; Stecca, B; Casali, A; Bolondi, L. (1996). Alteration of DNA ploidy and cell nuclearity in human hepatocellular carcinoma associated with HBV infection. *J Hepatol.* 25: 848-853. [http://dx.doi.org/10.1016/S0168-8278\(96\)80288-1](http://dx.doi.org/10.1016/S0168-8278(96)80288-1).
- Grant, GP; Kueper, BH. (2004). The influence of high initial concentration aqueous-phase TCE on the performance of iron wall systems. *J Contam Hydrol.* 74: 299-312. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.005>.
- Gras, R; Shellie, RA; Cortes, H; Luong, J. (2013). Multidimensional Gas Chromatography using Planar Microfluidic Devices for the Characterization of Chlorinated Degreasers in Marine Gas Oil. 26: 450-454.

Exposure Literature Search Results

Off Topic

- Grasl-Kraupp, B; Waldhör, T; Huber, W; Schulte-Hermann, R. (1993). Glutathione S-transferase isoenzyme patterns in different subtypes of enzyme-altered rat liver foci treated with the peroxisome proliferator nafenopin or with phenobarbital. *Carcinogenesis*. 14: 2407-2412. <http://dx.doi.org/10.1093/carcin/14.11.2407>.
- Grasso, D; Hoag, GE; Dudek, HM. (1994). CLOSED-LOOP RECOVERY OF SITE REMEDIATION GAS-PHASE CONTAMINANTS. *J Air Waste Manag Assoc*. 44: 983-988.
- Grathwohl, P; Reinhard, M. (1993). DESORPTION OF TRICHLOROETHYLENE IN AQUIFER MATERIAL - RATE LIMITATION AT THE GRAIN SCALE. *Environ Sci Technol*. 27: 2360-2366.
- Gratton, GB. (2001). The weightshift-controlled microlight aeroplane. *Institution of Mechanical Engineers Proceedings Part G: Journal of Aerospace Engineering*. 215: 147-154.
- Grawé, J; Nüsse, M; Adler, ID. (1997). Quantitative and qualitative studies of micronucleus induction in mouse erythrocytes using flow cytometry: I: Measurement of micronucleus induction in peripheral blood polychromatic erythrocytes by chemicals with known and suspected genotoxicity. *Mutagenesis*. 12: 1-8. <http://dx.doi.org/10.1093/mutage/12.1.1>.
- Green, L; Lash, T. (1999). Re: "Renal cell cancer correlated with occupational exposure to trichloroethylene" [Letter]. *J Cancer Res Clin Oncol*. 125: 430-432. <http://dx.doi.org/10.1007/s004320050298>.
- Green, SM; Khan, MF; Kaphalia, BS; Ansari, GA. (2001). Immunohistochemical localization of trichloroacetylated protein adducts in tetrachloroethene-treated mice. *J Toxicol Environ Health A*. 63: 145-157. <http://dx.doi.org/10.1080/15287390151126487>.
- Green, T. (2000). Pulmonary toxicity and carcinogenicity of trichloroethylene: Species differences and modes of action [Review]. *Environ Health Perspect*. 108: 261-264.
- Green, T. (2001). Trichloroethylene and Human Cancer. *Hum Ecol Risk Assess*. 7: 677-685.
- Green, T. (2003). The concentrations of trichloroacetic acid in blood following administration of trichloroacetic acid in drinking water. Cheshire, UK: Central Toxicology Laboratory.
- Green, T. (2003). Trichloroacetic acid: Drinking water study in male and female B6C3F1, male PPARalpha knockout and male 129/sv wild type mice. (CTL/024741). Cheshire, UK: Central Toxicology Laboratory.
- Green, T; Dow, J; Ong, C; Ng, V; Ong, H; Zhuang, Z; Yang, X; Bloemen, L. (2004). Biological monitoring of kidney function among workers occupationally exposed to trichloroethylene. *Occup Environ Med*. 61: 312-317. <http://dx.doi.org/10.1136/oem.2003.007153>.
- Green, T; Odum, J; Nash, JA; Foster, JR. (1990). Perchloroethylene-induced rat kidney tumors: An investigation of the mechanisms involved and their relevance to humans. *Toxicol Appl Pharmacol*. 103: 77-89. [http://dx.doi.org/10.1016/0041-008X\(90\)90264-U](http://dx.doi.org/10.1016/0041-008X(90)90264-U).
- Greene, AK; Wiener, S; Puder, M; Yoshida, A; Shi, B; Perez-Atayde, AR; Efstathiou, JA; Holmgren, L; Adamis, AP; Rupnick, M; Folkman, J; O'Reilly, MS. (2003). Endothelial-directed hepatic regeneration after partial hepatectomy. *Ann Surg*. 237: 530-535. <http://dx.doi.org/10.1097/01.SLA.0000059986.96051.EA>.
- Greene, HL; Prakash, DS; Athota, KV. (1996). Combined sorbent catalyst media for destruction of halogenated VOCs. *Appl Catal B-Environ*. 7: 213-224.
- Greenland, S. (1992). A semi-Bayes approach to the analysis of correlated multiple associations, with an application to an occupational cancer-mortality study. *Stat Med*. 11: 219-230. <http://dx.doi.org/10.1002/sim.4780110208>.
- Greenland, S. (2004). Model-based estimation of relative risks and other epidemiologic measures in studies of common outcomes and in case-control studies [Review]. *Am J Epidemiol*. 160: 301-305. <http://dx.doi.org/10.1093/aje/kwh221>.
- Greenland, S; Salvan, A; Wegman, DH; Hallock, MF; Smith, TJ. (1994). A case-control study of cancer mortality at a transformer-assembly facility. *Int Arch Occup Environ Health*. 66: 49-54. <http://dx.doi.org/10.1007/BF00386579>.
- Greenlee, LF; Hooker, SA. (2012). Development of stabilized zero valent iron nanoparticles. *Desalination and Water Treatment*. 37: 114-121. <http://dx.doi.org/10.5004/dwt.2012.2526>.
- Greenlee, LF; Torrey, JD; Amaro, RL; Shaw, JM. (2012). Kinetics of Zero Valent Iron Nanoparticle Oxidation in Oxygenated Water. *Environ Sci Technol*. 46: 12913-12920. <http://dx.doi.org/10.1021/es303037k>.
- Greim, H; Bonse, G; Radwan, Z; Reichert, D; Henschler, D. (1975). Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol*. 24: 2013-2017. [http://dx.doi.org/10.1016/0006-2952\(75\)90396-2](http://dx.doi.org/10.1016/0006-2952(75)90396-2).
- Greim, H; Wolff, T; Höfler, M; Lahaniatis, E. (1984). Formation of dichloroacetylene from trichloroethylene in the presence of alkaline material--possible cause of intoxication after abundant use of chloroethylene-containing solvents. *Arch Toxicol*. 56: 74-77.
- Greten, FR; Eckmann, L; Greten, TF; Park, JM; Li, ZW; Egan, LJ; Kagnoff, MF; Karin, M. (2004). IKKbeta links inflammation and tumorigenesis in a mouse model of colitis-associated cancer. *Cell*. 118: 285-296. <http://dx.doi.org/10.1016/j.cell.2004.07.013>.
- Grewal, J; Bhattacharya, A; Kumar, S; Singh, DK; Khare, SK. (2016). Biodegradation of 1,1,1-trichloro-2,2-bis(4-chlorophenyl) ethane (DDT) by using *Serratia marcescens* NCIM 2919. *J Environ Sci Health B*. 51: 809-816. <http://dx.doi.org/10.1080/03601234.2016.1208455>.
- Grieger, KD; Fjordbøge, A; Hartmann, NB; Eriksson, E; Bjerg, PL; Baun, A. (2010). Environmental benefits and risks of zero-valent iron nanoparticles (nZVI) for in situ remediation: risk mitigation or trade-off? *J Contam Hydrol*. 118: 165-183. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.011>.
- Griffin, BM; Tiedje, JM. (2007). Microbial reductive dehalogenation in Antarctic melt pond sediments. *Antarct Sci*. 19: 411-416. <http://dx.doi.org/10.1017/S0954102007000570>.
- Griffin, BM; Tiedje, JM; Löffler, FE. (2004). Anaerobic microbial reductive dechlorination of tetrachloroethene to predominately trans-1,2-dichloroethene. *Environ Sci Technol*. 38: 4300-4303. <http://dx.doi.org/10.1021/es035439g>.
- Grisdanurak, N; Chiarakorn, S; Wittayakun, J. (2003). Utilization of mesoporous molecular sieves synthesized from natural source rice husk silica to chlorinated volatile organic compounds (CVOs) adsorption. *Korean J Chem Eng*. 20: 950-955.

Exposure Literature Search Results

Off Topic

- Gross, LJ. (2007). Use of geostatistics to evaluate the monitoring well network of a TCE plume. *Int J Environ Pollut*. 29: 370-382.
- Grosterm, A; Chan, WW; Edwards, EA. (2009). 1,1,1-trichloroethane and 1,1-dichloroethane reductive dechlorination kinetics and co-contaminant effects in a *Dehalobacter*-containing mixed culture. *Environ Sci Technol*. 43: 6799-6807. <http://dx.doi.org/10.1021/es901038x>.
- Groves, C; Hayden, P; Lock, E; Schnellmann, R. (1993). Differential cellular effects in the toxicity of haloalkene and haloalkane cysteine conjugates to rabbit renal proximal tubules. *J Biochem Toxicol*. 8: 49-56. <http://dx.doi.org/10.1002/jbt.2570080108>.
- Groves, WA; Zellers, ET. (1996). Prototype Instrument Employing a Microsensor Array for the Analysis of Organic Vapors in Exhaled Breath. *Am Ind Hyg Assoc J*. 57: 1103-1108.
- Grubb, DG; Sitar, N. (1999). Mobilization of trichloroethene (TCE) during ethanol flooding in uniform and layered sand packs under confined conditions. *Water Resour Res*. 35: 3275-3289.
- Grubb, DT; Li, ZF. (1994). SINGLE-FIBER POLYMER COMPOSITES .2. RESIDUAL-STRESSES AND THEIR EFFECTS IN HIGH-MODULUS POLYETHYLENE FIBER COMPOSITES. *Journal of Materials Science*. 29: 203-212.
- Gryzenia, J; Cassidy, D; Hampton, D. (2009). Production and accumulation of surfactants during the chemical oxidation of PAH in soil. *Chemosphere*. 77: 540-545. <http://dx.doi.org/10.1016/j.chemosphere.2009.07.012>.
- Grzechulska-Damszel, J; Grzeskowiak, M; Przepiorski, J; Morawski, AW. (2014). Photocatalytic Decomposition of low-concentrated Trichloroethylene and Tetrachloroethylene in Water. *International Journal of Environmental Research*. 8: 347-352.
- Gu, BH; Siegrist, RL. (1997). Dehalogenation of chlorinated organic compounds by strong alkalis. *J Environ Eng*. 123: 982-987.
- Gu, BH; West, OR; Siegrist, RL. (1995). USING C-14-LABELED RADIOCHEMICALS CAN CAUSE EXPERIMENTAL ERROR IN STUDIES OF THE BEHAVIOR OF VOLATILE ORGANIC-COMPOUNDS. *Environ Sci Technol*. 29: 1210-1214.
- Gu, X; Lu, S; Guo, X; Sima, J; Qiu, Z; Sui, Q. (2015). Oxidation and reduction performance of 1,1,1-trichloroethane in aqueous solution by means of a combination of persulfate and zero-valent iron. *RSC Advances*. 5: 60849-60856. <http://dx.doi.org/10.1039/c5ra07655b>.
- Gu, X; Lu, S; Li, L, in; Qiu, Z; Sui, Q; Lin, K; Luo, Q. (2011). Oxidation of 1,1,1-Trichloroethane Stimulated by Thermally Activated Persulfate. *Ind Eng Chem Res*. 50: 11029-11036. <http://dx.doi.org/10.1021/ie201059x>.
- Gualandi, G. (1987). Use of alpha- and beta-tubulin mutants for the study of spontaneous and induced chromosomal mis-distribution in *Aspergillus nidulans*. *Mutat Res-Fundam Mol Mech Mutagen*. 178: 33-41. [http://dx.doi.org/10.1016/0027-5107\(87\)90083-2](http://dx.doi.org/10.1016/0027-5107(87)90083-2).
- Guan, X; Liu, F, ei; Xie, Y; Zhu, L; Han, B, in. (2013). Microbiota associated with the migration and transformation of chlorinated aliphatic hydrocarbons in groundwater. *Environ Geochem Health*. 35: 535-549. <http://dx.doi.org/10.1007/s10653-013-9513-3>.
- Guay, D; Divigalpitiya, WMR; Belanger, D; Feng, XH. (1994). CHEMICAL BONDING IN RESTACKED SINGLE-LAYER MOS(2) BY X-RAY-ABSORPTION SPECTROSCOPY. *Chem Mater*. 6: 614-619.
- Guberan, E. (1977). Proposed biological threshold limit values for industrial exposure to trichloroethylene vapor. *Scand J Work Environ Health*. 3: 80-90.
- Gudena, K; Rangaiah, GP; Lakshminarayanan, S. (2012). Optimal Design of a Rotating Packed Bed for VOC Stripping from Contaminated Groundwater. *Ind Eng Chem Res*. 51: 835-847. <http://dx.doi.org/10.1021/ie201218w>.
- Guengerich, FP; Crawford, WM, Jr; Watanabe, PG. (1979). Activation of vinyl chloride to covalently bound metabolites: roles of 2-chloroethylene oxide and 2-chloroacetaldehyde. *Biochemistry*. 18: 5177-5182. <http://dx.doi.org/10.1021/bi00590a023>.
- Guerrero-Barajas, C; Garibay-Orijel, C; Rosas-Rocha, LE. (2011). Sulfate reduction and trichloroethylene biodegradation by a marine microbial community from hydrothermal vents sediments. *Int Biodeterior Biodegradation*. 65: 116-123. <http://dx.doi.org/10.1016/j.ibiod.2010.10.004>.
- Guerrero-Barajas, C; Ordaz, A; Garibay-Orijel, C; Montserrat Garcia-Solares, S; Bastida-Gonzalez, F; Berenice Zarate-Segura, P. (2014). Enhanced sulfate reduction and trichloroethylene (TCE) biodegradation in a UASB reactor operated with a sludge developed from hydrothermal vents sediments: Process and microbial ecology. *Int Biodeterior Biodegradation*. 94: 182-191. <http://dx.doi.org/10.1016/j.ibiod.2014.07.015>.
- Guerrero-Bosagna, CM; Skinner, MK. (2009). Epigenetic transgenerational effects of endocrine disruptors on male reproduction [Review]. *Seminars in Reproductive Medicine*. 27: 403-408. <http://dx.doi.org/10.1055/s-0029-1237428>.
- Guha, AK; Shanbhag, PV; Sirkar, KK; Vaccari, DA; Trivedi, DH. (1995). MULTIPHASE OZONOLYSIS OF ORGANICS IN WASTE-WATER BY A NOVEL MEMBRANE REACTOR. *AIChE J*. 41: 1998-2012.
- Gui, J; Chen, Z; Zhang, Y; Zhang, L, i; Liu, F, ei. (2015). Novel Approach to Stable Chlorine Isotope Analysis using Gas Chromatography-Negative Chemical Ionization Mass Spectrometry. *Anal Lett*. 48: 605-616. <http://dx.doi.org/10.1080/00032719.2014.954122>.
- Gui, L; Gillham, RW. (2003). Preparation and regeneration of nickel-iron for reduction of organic contaminants. *ACS Symp Ser Am Chem Soc*. 837: 206-216.
- Gui, M; Papp, JK; Colburn, AS; Meeks, ND; Weaver, B; Wilf, I; Bhattacharyya, D. (2015). Engineered iron/iron oxide functionalized membranes for selenium and other toxic metal removal from power plant scrubber water. *J Memb Sci*. 488: 79-91. <http://dx.doi.org/10.1016/j.memsci.2015.03.089>.
- Gui, M; Smuleac, V; Ormsbee, LE; Sedlak, DL; Bhattacharyya, D. (2012). Iron oxide nanoparticle synthesis in aqueous and membrane systems for oxidative degradation of trichloroethylene from water. *J Nanopart Res*. 14: 1-16. <http://dx.doi.org/10.1007/s11051-012-0861-1>.
- Guiguer, N. (1991). NUMERICAL MODELING OF THE FATE OF RESIDUAL IMMISCIBLE FLUIDS IN SATURATED POROUS-MEDIA. *Water Sci Technol*. 24: 261-270.
- Guillemot, A; Mijoin, J; Mignard, S; Magnoux, P. (2007). Volatile organic compounds (VOCs) removal over dual functional adsorbent/catalyst system. *Appl Catal B-Environ*. 75: 249-255. <http://dx.doi.org/10.1016/j.apcatb.2007.04.020>.

Exposure Literature Search Results

Off Topic

- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Mode of zeolite catalysts deactivation during chlorinated VOCs oxidation. *Appl Catal A-Gen.* 327: 211-217. <http://dx.doi.org/10.1016/j.apcata.2007.05.012>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2008). Adsorption of tetrachloroethylene (PCE) in gas phase on zeolites of faujasite type: Influence of water vapour and of Si/Al ratio. *Microporous and Mesoporous Materials.* 111: 334-342. <http://dx.doi.org/10.1016/j.micromeso.2007.08.035>.
- Guiot, SR; Cimpoia, R; Kuhn, R; Alaplantive, A. (2008). Electrolytic methanogenic - Methanotrophic coupling for tetrachloroethylene bioremediation: Proof of concept. *Environ Sci Technol.* 42: 3011-3017. <http://dx.doi.org/10.1021/es702121u>.
- Guiot, SR; Kuhn, R; Lévesque, MJ; Cimpoia, R. (2007). Ultrastructure of a bio-electrolytic methanogenic/methanotrophic granular biofilm for the complete degradation of tetrachloroethylene in contaminated groundwater. *Water Sci Technol.* 55: 465-471. <http://dx.doi.org/10.2166/wst.2007.292>.
- Gulbag, A, li; Temurtas, F; Tasaltin, C; Oeztuerk, ZZ. (2007). A study on radial basis function neural network size reduction for quantitative identification of individual gas concentrations in their gas mixtures. *Sens Actuators B.* 124: 383-392. <http://dx.doi.org/10.1016/j.snb.2007.01.006>.
- Gulbag, A; Temurtas, F; Tasaltin, C; Ozturk, ZZ. (2009). A neural network implemented microcontroller system for quantitative classification of hazardous organic gases in the ambient air. *Int J Environ Pollut.* 36: 151. <http://dx.doi.org/10.1504/ijep.2009.021823>.
- Gullick, RW; Weber, WJ. (2001). Evaluation of shale and organoclays as sorbent additives for low-permeability soil containment barriers. *Environ Sci Technol.* 35: 1523-1530. <http://dx.doi.org/10.1021/es0015601>.
- Gunnagol, RM; Sharma, B; Rabinal, MK. (2016). Flexible contact stamp for electrical conductivity measurements of a soft matter. *Measurement.* 92: 224-229. <http://dx.doi.org/10.1016/j.measurement.2016.06.012>.
- Guo, H; Lee, SC; Chan, LY; Li, WM. (2004). Risk assessment of exposure to volatile organic compounds in different indoor environments. *Environ Res.* 94: 57-66. [http://dx.doi.org/10.1016/S0013-9351\(03\)00035-5](http://dx.doi.org/10.1016/S0013-9351(03)00035-5).
- Guo, Q; Ren, L. (2016). Hydrodechlorination of trichloroethylene over MoP/gamma-Al₂O₃ catalyst with high surface area. *Catalysis Today.* 264: 158-162. <http://dx.doi.org/10.1016/j.cattod.2015.09.019>.
- Guo, T; Bai, Z; Wu, C, an; Zhu, T, an. (2008). Influence of relative humidity on the photocatalytic oxidation (PCO) of toluene by TiO₂ loaded on activated carbon fibers: PCO rate and intermediates accumulation. *Appl Catal B-Environ.* 79: 171-178. <http://dx.doi.org/10.1016/j.apcatb.2007.09.033>.
- Guo, X; Minakata, D; Crittenden, J. (2015). On-the-Fly Kinetic Monte Carlo Simulation of Aqueous Phase Advanced Oxidation Processes. *Environ Sci Technol.* 49: 9230-9236. <http://dx.doi.org/10.1021/acs.est.5b02034>.
- Guo, X; Minakata, D; Niu, J; Crittenden, J. (2014). Computer-based first-principles kinetic modeling of degradation pathways and byproduct fates in aqueous-phase advanced oxidation processes. *Environ Sci Technol.* 48: 5718-5725. <http://dx.doi.org/10.1021/es500359g>.
- Guo, Y; Yadav, A; Karanfil, T. (2007). Approaches to mitigate the impact of dissolved organic matter on the adsorption of synthetic organic contaminants by porous carbonaceous sorbents. *Environ Sci Technol.* 41: 7888-7894.
- Guo, Y; Zhang, BZ; Meng, XZ; Yu, HY; Ran, Y; Li, SM; Zeng, EY. (2009). Occurrence and fate of 1-chloro-2,2-bis(4-chlorophenyl)ethene in the environment of the Pearl River Delta, South China. *Environ Sci Technol.* 43: 3073-3079. <http://dx.doi.org/10.1021/es803294w>.
- Gupta, BN; Rastogi, SK; Husain, T; Mathur, N; Pangtey, BS. (1991). A STUDY OF RESPIRATORY MORBIDITY AND PULMONARY-FUNCTION AMONG SOLDERERS IN THE ELECTRONICS INDUSTRY. *Am Ind Hyg Assoc J.* 52: 45-51. [http://dx.doi.org/10.1202/0002-8894\(1991\)052<0045:ASORMA>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(1991)052<0045:ASORMA>2.0.CO;2).
- Gupta, H; Tanaka, S. (1995). PHOTOCATALYTIC MINERALISATION OF PERCHLOROETHYLENE USING TITANIUM DIOXIDE. *Water Sci Technol.* 31: 47-54.
- Gupta, R; Kulkarni, GU. (2013). Holistic method for evaluating large area transparent conducting electrodes. 5: 730-736. <http://dx.doi.org/10.1021/am302264a>.
- Gupta, R; Rao, KD; Kiruthika, S; Kulkarni, GU. (2016). Visibly Transparent Heaters. 8: 12559-12575. <http://dx.doi.org/10.1021/acsami.5b11026>.
- Gupta, S. (2000). Hepatic polyploidy and liver growth control [Review]. *Semin Cancer Biol.* 10: 161-171. <http://dx.doi.org/10.1006/scbi.2000.0317>.
- Guseva Canu, I; Faust, S; Knieczech, E; Carles, M; Samson, E; Laurier, D. (2013). Estimating historic exposures at the European Gaseous Diffusion plants. *Int J Hyg Environ Health.* 216: 499-507. <http://dx.doi.org/10.1016/j.ijheh.2012.07.002>.
- Guseva Canu, I; Paquet, F; Goldberg, M; Auriol, B; Bérard, P; Collomb, P; David, JC; Molina, G; Perez, P; Tirmarche, M. (2009). Comparative assessing for radiological, chemical, and physical exposures at the French uranium conversion plant: Is uranium the only stressor. *Int J Hyg Environ Health.* 212: 398-413. <http://dx.doi.org/10.1016/j.ijheh.2008.09.002>.
- Gusmão, AD; de Campos, TM; Nobre, M; Vargas, E. (2004). Laboratory tests for reactive barrier design. *J Hazard Mater.* 110: 105-112. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.043>.
- Gutiérrez-Ortiz, JI; De Rivas, B; López-Fonseca, R; González-Velasco, J. R. (2006). Catalytic purification of waste gases containing VOC mixtures with Ce/Zr solid solutions. *Appl Catal B-Environ.* 65: 191-200. <http://dx.doi.org/10.1016/j.apcatb.2006.02.001>.
- Gutiérrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2004). Combustion of aliphatic C-2 chlorohydrocarbons over ceria-zirconia mixed oxides catalysts. *Appl Catal A-Gen.* 269: 147-155. <http://dx.doi.org/10.1016/j.apcata.2004.04.014>.
- Gutiérrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2005). Effect of the presence of n-hexane on the catalytic combustion of chlororganics over ceria-zirconia mixed oxides. *Catalysis Today.* 107-08: 933-941. <http://dx.doi.org/10.1016/j.cattod.2005.07.045>.

Exposure Literature Search Results

Off Topic

- Gutiérrez-Ortiz, JI; de Rivas, B; López-Fonseca, R; Martín, S; González-Velasco, JR. (2007). Structure of Mn-Zr mixed oxides catalysts and their catalytic performance in the gas-phase oxidation of chlorocarbons. *Chemosphere*. 68: 1004-1012. <http://dx.doi.org/10.1016/j.chemosphere.2007.02.025>.
- Gutiérrez-Ortiz, JI; López-Fonseca, R; Aurrekoetxea, U; González-Velasco, JR. (2003). Low-temperature deep oxidation of dichloromethane and trichloroethylene by H-ZSM-5-supported manganese oxide catalysts. *J Catal*. 218: 148-154. [http://dx.doi.org/10.1016/S0021-9517\(03\)00142-8](http://dx.doi.org/10.1016/S0021-9517(03)00142-8).
- Guvenc, E; Ahunbay, MG. (2012). Adsorption of Methyl Tertiary Butyl Ether and Trichloroethylene in MFI-Type Zeolites. *J Phys Chem C*. 116: 21836-21843. <http://dx.doi.org/10.1021/jp3067052>.
- Guyton, KZ; Barone, S; Brown, RC; Euling, SY; Jinot, J; Makris, S. (2008). Mode of action frameworks: a critical analysis. *J Toxicol Environ Health B Crit Rev*. 11: 16-31. <http://dx.doi.org/10.1080/10937400701600321>.
- Guzelian, PS; Henry, CJ; Olin, SS. (1992). Similarities and differences between children and adults: Implications for risk assessment. In PS Guzelian; CJ Henry; SS Olin (Eds.). Washington, DC: ILSI Press.
- Gvozdk, L; Valentova, J. (2007). Contaminant transport modelling in the vicinity of Bzenec water-withdrawal area. 55: 111-121.
- Gyorke, S; Terentyev, D. (2008). Modulation of ryanodine receptor by luminal calcium and accessory proteins in health and cardiac disease. *Cardiovasc Res*. 77: 245-255. <http://dx.doi.org/10.1093/cvr/cvm038>.
- Ha, C; Kim, N; Park, H; Kwon, S; Lee, HS; Hong, U, il; Park, S; Kim, S; Kim, Y. (2011). Natural Gradient Drift Tests for Assessing the Feasibility of In Situ Aerobic Cometabolism of Trichloroethylene and Evaluating the Microbial Community Change. *Water Air Soil Pollut*. 219: 353-364. <http://dx.doi.org/10.1007/s11270-010-0712-6>.
- Haag, WR; Johnson, MD; Scofield, R. (1996). Direct photolysis of trichloroethene in air: Effect of cocontaminants, toxicity of products, and hydrothermal treatment of products. *Environ Sci Technol*. 30: 414-421.
- Haas, BS; Herrmann, R. (1996). Transport of chlorinated hydrocarbons between sewage and sewer atmosphere. *Water Sci Technol*. 34: 557-564.
- Haas, JE; Trego, DA. (2001). A field application of Hydrogen-Releasing Compound (HRC (TM)) for the enhanced bioremediation of Methyl Tertiary Butyl Ether (MTBE). *Int J Phytoremediation*. 10: 555-575.
- Haas, JR; Shock, EL. (1999). Halocarbons in the environment: Estimates of thermodynamic properties for aqueous chloroethylene species and their stabilities in natural settings. *Geochim Cosmo Acta*. 63: 3429-3441.
- Haasch, ML. (1996). Induction of anti-trout lauric acid hydroxylase immunoreactive proteins by peroxisome proliferators in bluegill and catfish. *Mar Environ Res*. 42: 287-291.
- Habib, GM; Barrios, R; Shi, ZZ; Lieberman, MW. (1996). Four distinct membrane-bound dipeptidase RNAs are differentially expressed and show discordant regulation with gamma-glutamyl transpeptidase. *J Biol Chem*. 271: 16273-16280.
- Hack, CE; Haber, LT; Maier, A; Shulte, P; Fowler, B; Lotz, WG; Savage, RE, Jr. (2010). A Bayesian Network Model for Biomarker-Based Dose Response. *Risk Anal*. 30: 1037-1051. <http://dx.doi.org/10.1111/j.1539-6924.2010.01413.x>.
- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *J Toxicol Environ Health A*. 61: 209-223. <http://dx.doi.org/10.1080/00984100050131350>.
- Haddad, S; Krishnan, K. (1998). Physiological modeling of toxicokinetic interactions: implications for mixture risk assessment [Review]. *Environ Health Perspect*. 106 Suppl 6: 1377-1384.
- Hadidi, K; Cohn, DR; Vitale, S; Bromberg, L. (1999). Economic study of the tunable electron beam plasma reactor for volatile organic compound treatment. *J Air Waste Manag Assoc*. 49: 225-228.
- Hadjoudj, R; Monnier, H; Roizard, C; Fo, L. (2008). Measurements of diffusivity of chlorinated VOCs in heavy absorption solvents using a laminar falling film contactor. *Chemical Engineering and Processing: Process Intensification*. 47: 1478-1483. <http://dx.doi.org/10.1016/j.cep.2007.04.014>.
- Hadjoudj, R; Monnier, H; Roizard, C; Lapique, F. (2004). Absorption of chlorinated VOCs in high-boiling solvents: Determination of Henry's law constants and infinite dilution activity coefficients. *Ind Eng Chem Res*. 43: 2238-2246. <http://dx.doi.org/10.1021/ie0304006>.
- Haest, PJ; Philips, J; Springael, D; Smolders, E. (2011). The reactive transport of trichloroethene is influenced by residence time and microbial numbers. *J Contam Hydrol*. 119: 89-98. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.011>.
- Haest, PJ; Springael, D; Seuntjens, P; Smolders, E. (2012). Self-inhibition can limit biologically enhanced TCE dissolution from a TCE DNAPL. *Chemosphere*. 89: 1369-1375. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.097>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models. *Water Res*. 44: 331-339. <http://dx.doi.org/10.1016/j.watres.2009.09.033>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models (vol 44, pg 1, 2010). *Water Res*. 44: 2995-2995. <http://dx.doi.org/10.1016/j.watres.2010.01.031>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Modelling reactive CAH transport using batch experiment degradation kinetics. *Water Res*. 44: 2981-2989. <http://dx.doi.org/10.1016/j.watres.2010.02.031>.
- Hageman, KJ; Field, JA; Istok, JD; Semprini, L. (2004). Quantifying the effects of fumarate on in situ reductive dechlorination rates. *J Contam Hydrol*. 75: 281-296. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.002>.
- Hageman, KJ; Istok, JD; Field, JA; Buscheck, TE; Semprini, L. (2001). In situ anaerobic transformation of trichlorofluoroethene in trichloroethene contaminated groundwater (vol 35, pg 1729, 2001). *Environ Sci Technol*. 35: 2860-2860.
- Hageman, KJ; Istok, JD; Field, JA; Buscheck, TE; Semprini, L. (2001). In situ anaerobic transformation of trichlorofluoroethene in trichloroethene-contaminated groundwater. *Environ Sci Technol*. 35: 1729-1735.

Exposure Literature Search Results

Off Topic

- Hager, S; Bauer, R. (1999). Heterogeneous photocatalytic oxidation of organics for air purification by near UV irradiated titanium dioxide. *Chemosphere*. 38: 1549-1559.
- Hager, S; Bauer, R; Kudielka, G. (2000). Photocatalytic oxidation of gaseous chlorinated organics over titanium dioxide. *Chemosphere*. 41: 1219-1225.
- Haghofer, A; Sonström, P; Fenske, D; Föttinger, K; Schwarz, S; Bernardi, J; Al-Shamery, K; Bäumer, M; Rupprechter, G. (2010). Colloidally prepared Pt nanowires versus impregnated Pt nanoparticles: comparison of adsorption and reaction properties. *Langmuir*. 26: 16330-16338. <http://dx.doi.org/10.1021/la1015912>.
- Hahn, T; Diamond, J; Dobson, S; Howe, P; Kielhorn, J; Koennecker, G; Lee-Steere, C; Mangelsdorf, I; Schneider, U; Sugaya, Y; Taylor, K; Van Dam, R; Stauber, JL. (2014). Predicted no effect concentration (PNEC) derivation as a significant source of variability in environmental hazard assessments of chemicals in aquatic systems: An international analysis. *Integr Environ Assess Manag*. 10: 30-36. <http://dx.doi.org/10.1002/ieam.1473>.
- Hahn, W; Boshta, M; Barner, K; Braunstein, R. (2006). The charge transport properties of a-Si : H thin films under hydrostatic pressure. *Mater Sci Eng B*. 130: 184-188. <http://dx.doi.org/10.1016/j.mseb.2006.03.007>.
- Hai-jun, L; Hua, Q; Lan-ying, Z; Na, L; Bo-lin, Z. (2013). Trichloroethylene dechlorination by copper-contained zero-valent iron slurry. *Chem Res Chin Univ*. 29: 1173-1179. <http://dx.doi.org/10.1007/s40242-013-3165-9>.
- HaiTao, S; Qi, Y; Yang, Z. (2011). Kinetic Models of Dichloroethylene Biodegradation by Two Strains of Aerobic Bacteria. *Biomed Environ Sci*. 24: 261-267. <http://dx.doi.org/10.3967/0895-3988.2011.03.009>.
- Hajaghazadeh, M; Kakooei, H; Dashliborun, AM; Sotudeh-Gharebagh, R; Golbabaie, F; Foroushani, AR; Afshar, S. (2013). PHOTOCATALYTIC DEGRADATION OF METHYL ETHYL KETONE IN A FLUIDIZED BED REACTOR: A FACTORIAL DESIGN ANALYSIS. *Fresen Environ Bull*. 22: 1719-1726.
- Hakkola, J; Pasanen, M; Hukkanen, J; Pelkonen, O; Maenpaa, J; Edwards, RJ; Boobis, AR; Raunio, H. (1996). Expression of xenobiotic-metabolizing cytochrome P450 forms in human full-term placenta. *Biochem Pharmacol*. 51: 403-411. [http://dx.doi.org/10.1016/0006-2952\(95\)02184-1](http://dx.doi.org/10.1016/0006-2952(95)02184-1).
- Hakkola, J; Pelkonen, O; Pasanen, M; Raunio, H. (1998). Xenobiotic-metabolizing cytochrome P450 enzymes in the human fetoplacental unit: Role in intrauterine toxicity [Review]. *Crit Rev Toxicol*. 28: 35-72. <http://dx.doi.org/10.1080/10408449891344173>.
- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol*. 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Hakkola, J; Tanaka, E; Pelkonen, O. (1998). Developmental expression of cytochrome P450 enzymes in human liver [Review]. *Pharmacol Toxicol*. 82: 209-217. <http://dx.doi.org/10.1111/j.1600-0773.1998.tb01427.x>.
- Hakoda, T; Arai, H; Hashimoto, S. (2001). The real-time gas mass filter system for the analysis of products from trichloroethylene-air mixture during electron beam irradiation. *J Chem Eng Jpn*. 34: 1300-1308.
- Hakoda, T; Chowdhury, MAZ; Shimada, A; Hirota, K. (2009). Oxidation of Dimethyl Sulfide in Air Using Electron-Beam Irradiation, and Enhancement of its Oxidation Via an MnO₂ Catalyst. *Plasma Chemistry and Plasma Processing*. 29: 549-557. <http://dx.doi.org/10.1007/s11090-009-9194-y>.
- Hakoda, T; Shimada, A; Matsumoto, K; Hirota, K. (2009). Determination of the Number of OH Radicals in EB-Irradiated Humid Gases Using Oxidation of CO. *Plasma Chemistry and Plasma Processing*. 29: 69-78. <http://dx.doi.org/10.1007/s11090-008-9162-y>.
- Halasz, J; Imre, B; Hannus, I. (2004). IR spectroscopic investigation of hydrodechlorination on Pt-containing zeolites. *Appl Catal A-Gen*. 271: 47-53. <http://dx.doi.org/10.1016/j.apcata.2004.02.045>.
- Halden, K; Chase, HA. (1991). METHANOTROPHS FOR CLEANUP OF POLLUTED AQUIFERS. *Water Sci Technol*. 24: 9-17.
- Halihan, T; Albano, J; Comfort, SD; Zlotnik, VA. (2012). Electrical Resistivity Imaging of a Permanganate Injection During In Situ Treatment of RDX-Contaminated Groundwater. *Ground Water Monitoring and Remediation*. 32: 43-52. <http://dx.doi.org/10.1111/j.1745-6592.2011.01361.x>.
- Hamada, T; Tanaka, H. (1995). Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut*. 87: 313-318. [http://dx.doi.org/10.1016/0269-7491\(94\)P4163-I](http://dx.doi.org/10.1016/0269-7491(94)P4163-I).
- Hamelink, JL; Simon, PB; Silberhorn, EM. (1996). Henry's law constant, volatilization rate, and aquatic half-life of octamethylcyclotetrasiloxane. *Environ Sci Technol*. 30: 1946-1952.
- Hamid, S; Amin, MT; Alazba, AA; li; Manzoor, U. (2014). Simultaneous Degradation of Trichloroethylene and Toluene by *Burkholderia cepacia* G4 and the Effect of Biotransformation on Bacterial Density. *CLEAN - Soil, Air, Water*. 42: 998-1003. <http://dx.doi.org/10.1002/clen.201300201>.
- Hamid, S; Amin, MT; Alazba, AA; Manzoor, U; Amin, MN. (2014). Cometabolic Degradation Kinetics of Trichloroethylene Based on Toluene Enhancement by Encapsulated *Burkholderia cepacia* G4. *CLEAN - Soil, Air, Water*. 42: 1642-1649. <http://dx.doi.org/10.1002/clen.201300725>.
- Hamid, S; Bae, W; Kim, S; Amin, MT. (2014). Enhancing co-metabolic degradation of trichloroethylene with toluene using *Burkholderia vietnamiensis* G4 encapsulated in polyethylene glycol polymer. *Environ Technol*. 35: 1470-1477. <http://dx.doi.org/10.1080/09593330.2013.871045>.
- Hamill, NA; Hardacre, C; Barth, JAC; Kalin, RM; Cunningham, JF. (2001). Gas-phase photocatalytic oxidation of dichlorobutenes. *Environ Sci Technol*. 35: 2823-2827. <http://dx.doi.org/10.1021/es001939n>.

Exposure Literature Search Results

Off Topic

- Hamitouche, A; Bendjama, Z; Amrane, A; Kaouah, F. (2016). Biodegradation of p-cresol by *Pseudomonas* spp. *Desalination and Water Treatment*. 57: 3059-3064. <http://dx.doi.org/10.1080/19443994.2014.982956>.
- Hamm, AK; Carter, WH; Gennings, C. (2005). Analysis of an interaction threshold in a mixture of drugs and/or chemicals. *Stat Med*. 24: 2493-2507. <http://dx.doi.org/10.1002/sim.2110>.
- Hammer, CL; Small, GW; Combs, RJ; Knapp, RB; Kroutil, RT. (2000). Artificial neural networks for the automated detection of trichloroethylene by passive Fourier transform infrared spectrometry. *Anal Chem*. 72: 1680-1689.
- Hamon, M; Dickinson, N; Devineau, A; Bolien, D; Tranchant, MJ; Taillier, C; Jabin, I; Harrowven, DC; Whitby, RJ; Ganesan, A; Dalla, V. (2014). Intra- and intermolecular alkylation of N,O-acetals and π -activated alcohols catalyzed by in situ generated acid. *J Org Chem*. 79: 1900-1912. <http://dx.doi.org/10.1021/jo4015886>.
- Han, D; Wan, J; Ma, Y; Wang, Y, an; Li, Y; Li, D; Guan, Z. (2015). New insights into the role of organic chelating agents in Fe(II) activated persulfate processes. *Chem Eng J*. 269: 425-433. <http://dx.doi.org/10.1016/j.cej.2015.01.106>.
- Han, J; Xin, J; Zheng, X; Kolditz, O; Shao, H. (2016). Remediation of trichloroethylene-contaminated groundwater by three modifier-coated microscale zero-valent iron. *Environ Sci Pollut Res Int*. 23: 14442-14450. <http://dx.doi.org/10.1007/s11356-016-6368-z>.
- Han, K; Hong, U; Park, S; Lee, G; Kwon, S; Kim, Y. (2016). Long-term monitoring and evaluating biological activity of in situ anaerobic reductive dechlorination at a highly recharged and TCE-contaminated aquifer. *Desalination and Water Treatment*. 57: 24085-24095. <http://dx.doi.org/10.1080/19443994.2016.1153903>.
- Han, SB; Oda, T; Ono, R. (2005). Improvement of the energy efficiency in the decomposition of dilute trichloroethylene by the barrier discharge plasma process. *I E E E Transactions on Industry Applications*. 41: 1343-1349. <http://dx.doi.org/10.1109/TIA.2005.855046>.
- Han, TS; Sasaki, S; Yano, K; Ikebukuro, K; Kitayama, A; Nagamune, T; Karube, I. (2002). Flow injection microbial trichloroethylene sensor. *Talanta*. 57: 271-276.
- Han, X; Balakrishnan, VK; Buncel, E. (2007). Alkaline degradation of the organophosphorus pesticide fenitrothion as mediated by cationic C12, C14, C16, and C18 surfactants. *Langmuir*. 23: 6519-6525. <http://dx.doi.org/10.1021/la063521u>.
- Han, Y; Hyun, S; Jeong, HY; Hayes, K. (2012). Kinetic study of cis-dichloroethylene (cis-DCE) and vinyl chloride (VC) dechlorination using green rusts formed under varying conditions. *Water Res*. 46: 6339-6350. <http://dx.doi.org/10.1016/j.watres.2012.08.041>.
- Han, Y; Liu, C; Horita, J; Yan, W. (2016). Trichloroethene hydrodechlorination by Pd-Fe bimetallic nanoparticles: Solute-induced catalyst deactivation analyzed by carbon isotope fractionation. *Appl Catal B-Environ*. 188: 77-86. <http://dx.doi.org/10.1016/j.apcatb.2016.01.047>.
- Han, Y; Yan, W. (2014). Bimetallic nickel-iron nanoparticles for groundwater decontamination: effect of groundwater constituents on surface deactivation. *Water Res*. 66: 149-159. <http://dx.doi.org/10.1016/j.watres.2014.08.001>.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environ Sci Technol*. 50: 12992-13001. <http://dx.doi.org/10.1021/acs.est.6b03997>.
- Han, Y; Yang, MDY; Zhang, W; Yan, W. (2015). Optimizing synthesis conditions of nanoscale zero-valent iron (nZVI) through aqueous reactivity assessment. 9: 813-822. <http://dx.doi.org/10.1007/s11783-015-0784-z>.
- Han, YL; Kuo, M; Tseng, IC; Lu, CJ. (2007). Semicontinuous microcosm study of aerobic cometabolism of trichloroethylene using toluene. *J Hazard Mater*. 148: 583-591. <http://dx.doi.org/10.1016/j.jhazmat.2007.03.013>.
- Hanahan, D; Weinberg, RA. (2000). The hallmarks of cancer [Review]. *Cell*. 100: 57-70. [http://dx.doi.org/10.1016/S0092-8674\(00\)81683-9](http://dx.doi.org/10.1016/S0092-8674(00)81683-9).
- Hand, DW; Herlevich J A, J. R.; Perram, DL; Crittenden, JC. (1994). SYNTHETIC ADSORBENT VERSUS GAC FOR TCE REMOVAL (pp. 64-72). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/95/02023). Hand, DW; Herlevich J A, , JR; Perram, DL; Crittenden, JC.
- Hand, S; Wang, B; Chu, KH. (2015). Biodegradation of 1,4-dioxane: effects of enzyme inducers and trichloroethylene. *Sci Total Environ*. 520: 154-159. <http://dx.doi.org/10.1016/j.scitotenv.2015.03.031>.
- Handal, AJ; Hund, L; Páez, M; Bear, S; Greenberg, C; Fenske, RA; Barr, DB. (2016). Characterization of Pesticide Exposure in a Sample of Pregnant Women in Ecuador. *Arch Environ Contam Toxicol*. 70: 627-639. <http://dx.doi.org/10.1007/s00244-015-0217-9>.
- Haney, JT, Jr. (2016). Historical drinking water contamination at Camp Lejeune: Regulatory risk assessor and personal perspectives. *Hum Ecol Risk Assess*. 22: 1029-1035. <http://dx.doi.org/10.1080/10807039.2015.1129890>.
- Hanioka, N; Jinno, H; Toyo'oka, T; Nishimura, T; Ando, M. (1995). Induction of rat liver drug-metabolizing enzymes by tetrachloroethylene. *Arch Environ Contam Toxicol*. 28: 273-280. <http://dx.doi.org/10.1007/BF00213102>.
- Hanioka, N; Omae, E; Yoda, R; Jinno, H; Nishimura, T; Ando, M. (1997). Effect of trichloroethylene on cytochrome P450 enzymes in the rat liver. *Bull Environ Contam Toxicol*. 58: 628-635.
- Hannus, I; Fozo, M; Halasz, J; Tasi, G. (2005). Theoretical and experimental study of hydrodechlorination reactions on Pt- and Pd-containing zeolites. *Stud Surf Sci Catal*. 158: 1803-1810.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), ACS Professional Reference Book. Washington, DC: American Chemical Society.
- Hansen, FK; Fagerheim, H. (1998). The influence of oil phase on the adsorption of non-ionic surfactants investigated by the automatic sessile drop method. *Colloid Surface Physicochem Eng Aspect*. 137: 217-230.
- Hansen, J; Raaschou-Nielsen, O; Christensen, JM; Johansen, I; McLaughlin, JK; Lipworth, L; Blot, WJ; Olsen, JH. (2001). Cancer incidence among Danish workers exposed to trichloroethylene. *J Occup Environ Med*. 43: 133-139.
- HANUMANT.G; Subbarao, BV. (1974). ISOBARIC VAPOR-LIQUID-EQUILIBRIA - CHLOROFORM-ISOPROPANOL, TERTIARY BUTANOL-TOLUENE AND TERTIARY BUTANOL-TRICHLOROETHYLENE SYSTEMS. 12: 292-295.

Exposure Literature Search Results

Off Topic

- Hao, OJ; Kim, MH; Seagren, EA; Kim, H. (2002). Kinetics of phenol and chlorophenol utilization by *Acinetobacter* species. *Chemosphere*. 46: 797-807.
- Hara, J; Ito, H; Suto, K; Inoue, C; Chida, T. (2005). Kinetics of trichloroethene dechlorination with iron powder. *Water Res*. 39: 1165-1173. <http://dx.doi.org/10.1016/j.watres.2004.12.011>.
- Harabuchi, I; Kishi, R; Ikeda, T; Kiyosawa, H; Miyake, H. (1993). Circadian variations of acute toxicity and blood and brain concentrations of inhaled toluene in rats. *Occup Environ Med*. 50: 280-286.
- Harada, N; Matsuyama, T; Yamamoto, H. (2007). Decomposition of volatile organic compounds by a novel electrode system integrating ceramic filter and SPCP method. *Journal of Electrostatics*. 65: 43-53. <http://dx.doi.org/10.1016/j.elstat.2006.01.008>.
- Harbec, D; Meunier, JL. (2011). Growth of carbon nanotubes above the peritectic temperature of tungsten metal catalyst. *Carbon*. 49: 2206-2215. <http://dx.doi.org/10.1016/j.carbon.2011.01.050>.
- Harbec, D; Meunier, JL; Guo, L; Jureidini, J. (2007). A parametric study of carbon nanotubes production from tetrachloroethylene using a supersonic thermal plasma jet. *Carbon*. 45: 2054-2064. <http://dx.doi.org/10.1016/j.carbon.2007.05.025>.
- Hardell, L; Eriksson, M; Degerman, A. (1994). Exposure to phenoxyacetic acids, chlorophenols, or organic solvents in relation to histopathology, stage, and anatomical localization of non-Hodgkin's lymphoma. *Cancer Res*. 54: 2386-2389.
- Hardin, BD; Kelman, BJ; Brent, RL. (2004). Trichloroethylene and cardiac malformations [Letter]. *Environ Health Perspect*. 112: A607-A608.
- Harding, KC; Lee, PK; Bill, M; Buscheck, TE; Conrad, ME; Alvarez-Cohen, L. (2013). Effects of varying growth conditions on stable carbon isotope fractionation of trichloroethene (TCE) by tceA-containing *Dehalococcoides mccartyi* strains. *Environ Sci Technol*. 47: 12342-12350. <http://dx.doi.org/10.1021/es402617q>.
- Harding-Marjanovic, KC; Yi, S; Weathers, TS; Sharp, JO; Sedlak, DL; Alvarez-Cohen, L. (2016). Effects of Aqueous Film-Forming Foams (AFFFs) on Trichloroethene (TCE) Dechlorination by a *Dehalococcoides mccartyi*-Containing Microbial Community. *Environ Sci Technol*. 50: 3352-3361. <http://dx.doi.org/10.1021/acs.est.5b04773>.
- Harendra, S; Vipulanandan, C. (2008). Degradation of high concentrations of PCE solubilized in SDS and biosurfactant with Fe/Ni bi-metallic particles. *Colloid Surface Physicochem Eng Aspect*. 322: 6-13. <http://dx.doi.org/10.1016/j.colsurfa.2008.02.009>.
- Harendra, S; Vipulanandan, C. (2010). Kinetics and Reductive Degradation of Surfactant-Solubilized CCl₄ in Water Using Bimetallic Particles. *Ind Eng Chem Res*. 49: 8812-8820. <http://dx.doi.org/10.1021/ie1001372>.
- Harendra, S; Vipulanandan, C. (2011). Effects of Surfactants on Solubilization of Perchloroethylene (PCE) and Trichloroethylene (TCE). *Ind Eng Chem Res*. 50: 5831-5837. <http://dx.doi.org/10.1021/ie102589e>.
- Harendra, S; Vipulanandan, C. (2011). Fe/Ni Bimetallic Particles Transport in Columns Packed with Sandy Clay Soil. *Ind Eng Chem Res*. 50: 404-411. <http://dx.doi.org/10.1021/ie101546k>.
- Hari, T; Nakajo, K; Huang, LW; Kojima, Y; Ozawa, S; Matsuda, H. (2002). Influence of the coexistence gas and in-situ solid absorbent on the decomposition of covalent chlorides and fluorides by non-thermal plasma. *Kagaku Kogaku Ronbunshu*. 28: 522-527.
- Hariharan, C. (2006). Photocatalytic degradation of organic contaminants in water by ZnO nanoparticles: Revisited. *Appl Catal A-Gen*. 304: 55-61. <http://dx.doi.org/10.1016/j.apcata.2006.02.020>.
- Harkness, M; Fisher, A. (2013). Use of emulsified vegetable oil to support bioremediation of TCE DNAPL in soil columns. *J Contam Hydrol*. 151: 16-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.04.002>.
- Harkness, M; Fisher, A; Lee, MD; Mack, EE; Payne, JA; Dworatzek, S; Roberts, J; Acheson, C; Herrmann, R; Possolo, A. (2012). Use of statistical tools to evaluate the reductive dechlorination of high levels of TCE in microcosm studies. *J Contam Hydrol*. 131: 100-118. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.011>.
- Harmon, TC; Delabarre, BK; Roberts, PV. (1996). Estimating internal mass transfer rates in soils using scintillation fluid extraction. 6: 155-164.
- Harmon, TC; Roberts, PV. (1994). THE EFFECT OF EQUILIBRATION TIME ON DESORPTION RATE MEASUREMENTS WITH CHLORINATED ALKENES AND AQUIFER PARTICLES. *Environmental Progress*. 13: 1-8.
- Harmon, TC; Semprini, L; Roberts, PV. (1992). SIMULATING SOLUTE TRANSPORT USING LABORATORY-BASED SORPTION PARAMETERS. *J Environ Eng*. 118: 666-689.
- Harris, NL; Jaffe, ES; Diebold, J; Flandrin, G; Muller-Hermelink, HK; Vardiman, J. (2000). Lymphoma classification - from controversy to consensus: The R.E.A.L. and WHO Classification of lymphoid neoplasms [Review]. *Ann Oncol*. 11: 3-10. http://dx.doi.org/10.1093/annonc/11.suppl_1.53.
- Harrold, G; Goody, DC; Lerner, DN; Leharne, SA. (2001). Wettability changes in trichloroethylene-contaminated sandstone. *Environ Sci Technol*. 35: 1504-1510. <http://dx.doi.org/10.1021/es0000504>.
- Harrold, G; Goody, DC; Reid, S; Lerner, DN; Leharne, SA. (2003). Changes in interfacial tension of chlorinated solvents following flow through UK soils and shallow aquifer material. *Environ Sci Technol*. 37: 1919-1925. <http://dx.doi.org/10.1021/es020117i>.
- Harrold, G; Lerner, DN; Leharne, SA. (2005). The impact of additives found in industrial formulations of TCE on the wettability of sandstone. *J Contam Hydrol*. 80: 1-17. <http://dx.doi.org/10.1016/j.jconhyd.2005.07.004>.
- Hasegawa, A; Yajima, I. (1991). DETERMINATION OF HALOCARBONS IN AIR BY USING ADSORBENT COLLECTION SOLVENT-EXTRACTION GC. *Bunseki Kagaku*. 40: 489-494.
- Hasegawa, Y; Tsusima, S; Noro, J; Kusakabe, S. (2006). Relationship between Lewis acidity of organic solvents and europium(III) extraction in a synergistic system. *Solvent Extraction and Ion Exchange*. 24: 663-676. <http://dx.doi.org/10.1080/07366290600760748>.
- Haselkorn, T; Whittemore, A; Udaltsova, N; Friedman, G. (2006). Short-term chloral hydrate administration and cancer in humans. *Drug Saf*. 29: 67-77.

Exposure Literature Search Results

Off Topic

- Haselmann, KF; Laturnus F; Svensmark, B; Gron, C. (2000). Formation of chloroform in spruce forest soil - results from laboratory incubation studies. *Chemosphere*. 41: 1769-1774.
- Haseman, JK; Huff, J; Boorman, GA. (1984). Use of historical control data in carcinogenicity studies in rodents. *Toxicol Pathol*. 12: 126-135. <http://dx.doi.org/10.1177/019262338401200203>.
- Hashimoto, K; Wasada, K; Toukai, N; Kominami, H; Kera, Y. (2000). Photocatalytic oxidation of nitrogen monoxide over titanium(IV) oxide nanocrystals large size areas. *J Photochem Photobiol A*. 136: 103-109.
- Hashimoto, S; Hakoda, T; Hirata, K; Arai, H. (2000). Low energy electron beam treatment of VOCs. *Radiat Phys Chem Oxf Engl* 1993. 57: 485-488.
- Hashmi, MZ; Qin, Z; Yao, X; Ahmed, Z; Xiaomei, S; Shen, C; Tang, X. (2016). PCBs attenuation and abundance of *Dehalococcoides* spp., *bphC*, *CheA*, and *flic* genes in typical polychlorinated biphenyl-polluted soil under floody and dry soil conditions. *Environ Sci Pollut Res Int*. 23: 3907-3913. <http://dx.doi.org/10.1007/s11356-015-5577-1>.
- Hasmall, SC; Roberts, RA. (2000). The nongenotoxic hepatocarcinogens diethylhexylphthalate and methylclofenapate induce DNA synthesis preferentially in octoploid rat hepatocytes. *Toxicol Pathol*. 28: 503-509. <http://dx.doi.org/10.1177/019262330002800401>.
- Hassall, C; Brendel, K; Gandolfi, A. (1983). Regulation of a S(trans-1,2-dichlorovinyl)-L-cysteine-induced renal tubular toxicity by glutathione. *J Appl Toxicol*. 3: 321-325.
- Hassan, MM; Frome, A; Patt, YZ; El-Serag, HB. (2002). Rising prevalence of hepatitis C virus infection among patients recently diagnosed with hepatocellular carcinoma in the United States. *J Clin Gastroenterol*. 35: 266-269.
- Hasson, AS; Smith, IWM. (1999). Chlorine atom initiated oxidation of chlorinated ethenes: Results for 1,1-dichloroethene (H₂C=CCl₂), 1,2-dichloroethene (HCIC=CCH), trichloroethene (HCIC=CCl₂), and tetrachloroethene (Cl₂C=CCl₂). *J Phys Chem A*. 103: 2031-2043.
- Hassoun, E; Cearfoss, J. (2014). Do antioxidant enzymes and glutathione play roles in the induction of hepatic oxidative stress in mice upon subchronic exposure to mixtures of dichloroacetate and trichloroacetate? *Toxicol Environ Chem*. 96: 482-490. <http://dx.doi.org/10.1080/02772248.2014.947988>.
- Hassoun, EA; Ray, S. (2003). The induction of oxidative stress and cellular death by the drinking water disinfection by-products, dichloroacetate and trichloroacetate in J774.A1 cells. *Comp Biochem Physiol C Toxicol Pharmacol*. 135: 119-128. [http://dx.doi.org/10.1016/S1532-0456\(03\)00082-6](http://dx.doi.org/10.1016/S1532-0456(03)00082-6).
- Haston, ZC; Mccarty, PL. (1999). Chlorinated ethene half-velocity coefficients (K_S) for reductive dehalogenation. *Environ Sci Technol*. 33: 223-226.
- Hatch, GP; Williams, AJ; Mycock, GJ; Harris, IR. (1996). Upset forging of an as-cast Pr-Fe-B-Cu alloy in air. *Journal of Magnetism and Magnetic Materials*. 157: 69-70.
- Hattis, D; Ginsberg, G; Sonawane, B; Smolenski, S; Russ, A; Kozlak, M; Goble, R. (2003). Differences in pharmacokinetics between children and adults: II. Childrens variability in drug elimination half-lives and in some parameters needed for physiologically-based pharmacokinetic modeling. *Risk Anal*. 23: 117-142. <http://dx.doi.org/10.1111/1539-6924.00295>.
- Hatzinger, PB; Condee, C; Mccay, KR; Paul Togna, A. (2011). Aerobic treatment of N-nitrosodimethylamine in a propane-fed membrane bioreactor. *Water Res*. 45: 254-262. <http://dx.doi.org/10.1016/j.watres.2010.07.056>.
- Hauser, B; Popp, P. (1999). Membrane extraction combined with thermodesorption/gas chromatography and mass selective detection for the analysis of volatile organic compounds in water. *HRC - Journal of High Resolution Chromatography*. 22: 205-212.
- Hauser, B; Popp, P. (2001). Combining membrane extraction with mobile gas chromatography for the field analysis of volatile organic compounds in contaminated waters. *J Chromatogr A*. 909: 3-12.
- Hawley, GG; Lewis, RJ, Sr. (2001). *Hawley's condensed chemical dictionary*. In GG Hawley; RJ Lewis, Sr. (Eds.), (14 ed.). New York, NY: John Wiley & Sons.
- Haworth, S; Lawlor, T; Mortelmans, K; Speck, W; Zeiger, E. (1983). Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen*. 5: 3-142. <http://dx.doi.org/10.1002/em.2860050703>.
- Haws, NW; Ball, WP; Bouwer, EJ. (2006). Modeling and interpreting bioavailability of organic contaminant mixtures in subsurface environments [Review]. *J Contam Hydrol*. 82: 255-292. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.005>.
- Haws, NW; Bouwer, EJ; Ball, WP. (2006). The influence of biogeochemical conditions and level of model complexity when simulating cometabolic biodegradation in sorbent-water systems. *Advances in Water Resources*. 29: 571-589. <http://dx.doi.org/10.1016/j.advwatres.2005.06.009>.
- Hayden, MS; Ghosh, S. (2004). Signaling to NF-kappaB [Review]. *Genes Dev*. 18: 2195-2224. <http://dx.doi.org/10.1101/gad.1228704>.
- Hayden, NJ; Diebold, J; Noyes, G. (1999). Phase behavior of chlorinated solvent plus water plus alcohol mixtures with application to alcohol flushing. *Journal of Chemical and Engineering Data*. 44: 1085-1090.
- Hays, T; Rusyn, I; Burns, AM; Kennett, MJ; Ward, JM; Gonzalez, FJ; Peters, JM. (2005). Role of peroxisome proliferator-activated receptor-alpha (PPARalpha) in bezafibrate-induced hepatocarcinogenesis and cholestasis. *Carcinogenesis*. 26: 219-227. <http://dx.doi.org/10.1093/carcin/bgh285>.
- He, D, i; Ma, X; Jones, AM; Ho, L, am; Waite, TD. (2016). Mechanistic and kinetic insights into the ligand-promoted depassivation of bimetallic zero-valent iron nanoparticles. 3: 737-744. <http://dx.doi.org/10.1039/c6en00071a>.
- He, F; Liu, J; Roberts, CB; Zhao, D. (2009). One-Step "Green" Synthesis of Pd Nanoparticles of Controlled Size and Their Catalytic Activity for Trichloroethene Hydrodechlorination. *Ind Eng Chem Res*. 48: 6550-6557. <http://dx.doi.org/10.1021/ie801962f>.
- He, F; Zhao, D. (2005). Preparation and characterization of a new class of starch-stabilized bimetallic nanoparticles for degradation of chlorinated hydrocarbons in water. *Environ Sci Technol*. 39: 3314-3320. <http://dx.doi.org/10.1021/es048743y>.

Exposure Literature Search Results

Off Topic

- He, F; Zhao, D. (2008). Hydrodechlorination of trichloroethene using stabilized Fe-Pd nanoparticles: Reaction mechanism and effects of stabilizers, catalysts and reaction conditions. *Appl Catal B-Environ.* 84: 533-540. <http://dx.doi.org/10.1016/j.apcatb.2008.05.008>.
- He, F; Zhao, D; Liu, J; Roberts, CB. (2007). Stabilization of Fe-Pd nanoparticles with sodium carboxymethyl cellulose for enhanced transport and dechlorination of trichloroethylene in soil and groundwater. *Ind Eng Chem Res.* 46: 29-34. <http://dx.doi.org/10.1021/ie0610896>.
- He, F; Zhao, D; Paul, C. (2010). Field assessment of carboxymethyl cellulose stabilized iron nanoparticles for in situ destruction of chlorinated solvents in source zones. *Water Res.* 44: 2360-2370. <http://dx.doi.org/10.1016/j.watres.2009.12.041>.
- He, JH; Arnold, RG; Saez, AE; Betterton, EA; Ela, WP. (2004). Removal of aqueous phase trichloroethylene using membrane air stripping contactors. *J Environ Eng.* 130: 1232-1241. [http://dx.doi.org/10.1016/\(ASCE\)0733-9372\(2004\)130:11\(1232\)](http://dx.doi.org/10.1016/(ASCE)0733-9372(2004)130:11(1232)).
- He, JH; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2004). Reductive dehalogenation of aqueous-phase chlorinated hydrocarbons in an electrochemical reactor. *Ind Eng Chem Res.* 43: 7965-7974. <http://dx.doi.org/10.1021/ie049568x>.
- He, JH; Saez, AE; Ela, WP; Betterton, EA; Arnold, RG. (2004). Destruction of aqueous-phase carbon tetrachloride in an electrochemical reactor with a porous cathode. *Ind Eng Chem Res.* 43: 913-923. <http://dx.doi.org/10.1021/ie030591c>.
- He, JZ; Sung, Y; Dollhopf, ME; Fathepure, BZ; Tiedje, JM; Loffler, FE. (2002). Acetate versus hydrogen as direct electron donors to stimulate the microbial reductive dechlorination process at chloroethene-contaminated sites. *Environ Sci Technol.* 36: 3945-3952. <http://dx.doi.org/10.1021/es025528d>.
- He, R; Su, Y; Kong, J. (2015). Characterization of trichloroethylene adsorption onto waste biocover soil in the presence of landfill gas. *J Hazard Mater.* 295: 185-192. <http://dx.doi.org/10.1016/j.jhazmat.2015.04.026>.
- He, W; Jin, Z; Wang, J; Pan, Z. (2013). Decomposition of 1,1,1-trichloroethane in hot compressed water in anti-corrosive fused silica capillary reactor and Raman spectroscopic measurement of CO₂ product. *Chem Eng Sci.* 94: 185-191. <http://dx.doi.org/10.1016/j.ces.2013.02.031>.
- He, Y; Zeng, H; Kerans, C; Hardage, B, obA. (2015). Seismic chronostratigraphy at reservoir scale: Statistical modeling. 3: SN69-SN87. <http://dx.doi.org/10.1190/INT-2014-0136.1>.
- He, YT; Wilson, JT; Wilkin, RT. (2008). Transformation of reactive iron minerals in a permeable reactive barrier (biowall) used to treat TCE in groundwater. *Environ Sci Technol.* 42: 6690-6696. <http://dx.doi.org/10.1021/es8010354>.
- He, YT; Wilson, JT; Wilkin, RT. (2010). Impact of iron sulfide transformation on trichloroethylene degradation. *Geochim Cosmo Acta.* 74: 2025-2039. <http://dx.doi.org/10.1016/j.gca.2010.01.013>.
- He, Z; Zhan, L; Wang, Q; Song, S; Chen, J; Zhu, K; Xu, X; Liu, W. (2011). Increasing the activity and stability of chemi-deposited palladium catalysts on nickel foam substrate by electrochemical deposition of a middle coating of silver. *Separation and Purification Technology.* 80: 526-532. <http://dx.doi.org/10.1016/j.seppur.2011.06.007>.
- He, ZH; Leung, KT. (2005). Room-temperature chemisorption and thermal evolution of perchloroethylene and trichloroethylene on Si(111)7x7: Formation of chlorinated vinylene and vinylidene and acetylidene species, and thermal etching reactions. *Surf Sci.* 583: 179-190. <http://dx.doi.org/10.1016/j.susc.2005.03.037>.
- He, ZH; Li, Q; Leung, KT. (2006). Isomeric effects on room-temperature chemisorption and thermal evolution of iso-, cis- and trans-dichloroethylene on Si(111)7x7. *Surf Sci.* 600: 514-526. <http://dx.doi.org/10.1016/j.susc.2005.11.003>.
- He, ZH; Yang, X; Zhou, XJ; Leung, KT. (2003). Room-temperature chemisorption of chloroethylenes on Si(111)7 x 7: formation of surface vinyl, vinylidene and their chlorinated derivatives. *Surf Sci.* 547: L840-L846. <http://dx.doi.org/10.1016/j.susc.2003.10.017>.
- Head, S; Associates. (2003). Groupwater vapor project: Summary of findings, working draft. Endicott, New York: Health Statistics Reviews, Cancer and Birth Outcome Analysis.
- Heath, CW; Lally, CA; Calle, EE; McLaughlin, JK; Thun, MJ. (1997). Hypertension, diuretics, and antihypertensive medications as possible risk factors for renal cell cancer. *Am J Epidemiol.* 145: 607-613.
- Heavner, GL; Rowe, AR; Mansfeldt, CB; Pan, JK; Gossett, JM; Richardson, RE. (2013). Molecular biomarker-based biokinetic modeling of a PCE-dechlorinating and methanogenic mixed culture. *Environ Sci Technol.* 47: 3724-3733. <http://dx.doi.org/10.1021/es303517s>.
- Heck, KN; Janesko, BG; Scuseria, GE; Halas, NJ; Wong, MS. (2008). Observing metal-catalyzed chemical reactions in situ using surface-enhanced Raman spectroscopy on Pd-Au nanoshells. *J Am Chem Soc.* 130: 16592-16600. <http://dx.doi.org/10.1021/ja803556k>.
- Heck, KN; Nutt, MO; Alvarez, P; Wong, MS. (2009). Deactivation resistance of Pd/Au nanoparticle catalysts for water-phase hydrodechlorination. *J Catal.* 267: 97-104. <http://dx.doi.org/10.1016/j.jcat.2009.07.015>.
- Hegedus, M; Dombi, A. (2004). Comparative study of heterogeneous photocatalytic decomposition of tetrachloroethene and trichloroethene in the gas phase. *Appl Catal A-Gen.* 271: 177-184. <http://dx.doi.org/10.1016/j.apcata.2004.02.057>.
- Hegedus, M; Dombi, A. (2004). Gas-phase heterogeneous photocatalytic oxidation of chlorinated ethenes over titanium dioxide: perchloroethene. *Appl Catal B-Environ.* 53: 141-151. <http://dx.doi.org/10.1016/j.apcatb.2004.05.010>.
- Hegedus, M; Dombi, A; Kiricsi, I. (2001). Photocatalytic decomposition of tetrachloroethylene in the gas phase with titanium dioxide as catalyst. *74: 209-215.*
- Hegele, PR; Mumford, KG. (2014). Gas production and transport during bench-scale electrical resistance heating of water and trichloroethene. *J Contam Hydrol.* 165: 24-36. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.002>.
- Hegi, ME; Fox, TR; Belinsky, SA; Devereux, TR; Anderson, MW. (1993). Analysis of activated protooncogenes in B6C3F1 mouse liver tumors induced by ciprofibrate, a potent peroxisome proliferator. *Carcinogenesis.* 14: 145-149. <http://dx.doi.org/10.1093/carcin/14.1.145>.
- Heiderscheidt, JL; Siegrist, RL; Illangasekare, TH. (2008). Intermediate-scale 2D experimental investigation of in situ chemical oxidation using potassium permanganate for remediation of complex DNAPL source zones. *J Contam Hydrol.* 102: 3-16. <http://dx.doi.org/10.1016/j.jconhyd.2008.07.002>.

Exposure Literature Search Results

Off Topic

- Heimann, AC; Friis, AK; Jakobsen, R. (2005). Effects of sulfate on anaerobic chloroethene degradation by an enriched culture under transient and steady-state hydrogen supply. *Water Res.* 39: 3579-3586. <http://dx.doi.org/10.1016/j.watres.2005.06.029>.
- Hein, MJ; Waters, MA; Ruder, AM; Stenzel, MR; Blair, A; Stewart, PA. (2010). Statistical modeling of occupational chlorinated solvent exposures for case-control studies using a literature-based database. *Ann Occup Hyg.* 54: 459-472. <http://dx.doi.org/10.1093/annhyg/meq027>.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med.* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.
- Hejtmančik, MR; Trela, BA; Kurtz, PJ; Persing, RL; Ryan, MJ; Yarrington, JT; Chhabra, RS. (2002). Comparative gavage subchronic toxicity studies of o-chloroaniline and m-chloroaniline in F344 rats and B6C3F1 mice. *Toxicol Sci.* 69: 234-243.
- Helburn, R; Albritton, J; Howe, G; Michael, L; Franke, D. (2008). Henry's law constants for fragrance and organic solvent compounds in aqueous industrial surfactants. *Journal of Chemical and Engineering Data.* 53: 1071-1079. <http://dx.doi.org/10.1021/jc700418a>.
- Held, RJ; Illangasekare, TH. (1995). FINGERING OF DENSE NONAQUEOUS PHASE LIQUIDS IN POROUS-MEDIA .1. EXPERIMENTAL INVESTIGATION. *Water Resour Res.* 31: 1213-1222.
- Helliwell, PJ; Hutton, AM. (1950). Trichlorethylene anesthesia. *Anaesthesia.* 5: 4-13. <http://dx.doi.org/10.1111/j.1365-2044.1950.tb13680.x>.
- Hellweg, S; Demou, E; Scheringer, M; Mckone, TE; Hungerbuhler, K. (2005). Confronting workplace exposure to chemicals with LCA: examples of trichloroethylene and perchloroethylene in metal degreasing and dry cleaning. *Environ Sci Technol.* 39: 7741-7748. <http://dx.doi.org/10.1021/es047944z>.
- Helzlsouer, KJ; Alberg, AJ; Huang, HY; Hoffman, SC; Strickland, PT; Brock, JW; Burse, VW; Needham, LL; Bell, DA; Lavigne, JA; Yager, JD; Comstock, GW. (1999). Serum concentrations of organochlorine compounds and the subsequent development of breast cancer. *Cancer Epidemiol Biomarkers Prev.* 8: 525-532.
- Hemanth, R; Suresha, B; Sekar, M. (2015). Abrasive wear behavior of thermoplastic copolyester elastomer composites. 4: 108-118. <http://dx.doi.org/10.1680/emr.15.00008>.
- Hemanth, R; Suresha, B; Sekar, M. (2015). Physico-mechanical behaviour of thermoplastic co-polyester elastomer/polytetrafluoroethylene composite with short fibers and microfillers. *Journal of Composite Materials.* 49: 2217-2229. <http://dx.doi.org/10.1177/0021998314545183>.
- Henderson, G; Yan, Z; James, M; Davydova, N; Stacpoole, P. (1997). Kinetics and metabolism of chloral hydrate in children: Identification of dichloroacetate as a metabolite. *Biochem Biophys Res Commun.* 235: 695-698. <http://dx.doi.org/10.1006/bbrc.1997.6868>.
- Henderson, TH; Mayer, KU; Parker, BL; Al, TA. (2009). Three-dimensional density-dependent flow and multicomponent reactive transport modeling of chlorinated solvent oxidation by potassium permanganate. *J Contam Hydrol.* 106: 195-211. <http://dx.doi.org/10.1016/j.jconhyd.2009.02.009>.
- Hendler, AH; Crow, WL. (1992). Proceedings of 85th annual meeting and exhibition of the Air & Waste Management Association; June; Kansas City, MO Preliminary results of the Chemical Manufacturers Association urban baseline VOC measurement program. Pittsburgh, PA: Air & Waste Management Association. <http://trove.nla.gov.au/work/34485343>.
- Hennebel, T, om; De Corte, S; Vanhaecke, L; Vanherck, K; Forrez, I; De Gussemme, B; Verhagen, P; Verbeken, K, im; Van Der Bruggen, B; Vankelecom, I, vo; Boon, N; Verstraete, W. (2010). Removal of diatrizoate with catalytically active membranes incorporating microbially produced palladium nanoparticles. *Water Res.* 44: 1498-1506. <http://dx.doi.org/10.1016/j.watres.2009.10.041>.
- Hennebel, T; Simoen, H; Verhagen, P; Windt, W; Dick, J; Weise, C; Pietschner, F; Boon, N; Verstraete, W. (2010). Biocatalytic dechlorination of hexachlorocyclohexane by immobilized bio-Pd in a pilot scale fluidized bed reactor. *Environ Chem Lett.* 9: 417-422. <http://dx.doi.org/10.1007/s10311-010-0295-x>.
- Hennebel, T, om; Verhagen, P; Simoen, H; De Gussemme, B; Vlaeminck, SE; Boon, N; Verstraete, W. (2009). Remediation of trichloroethylene by bio-precipitated and encapsulated palladium nanoparticles in a fixed bed reactor. *Chemosphere.* 76: 1221-1225. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.046>.
- Hennig, UG; Rudd, NL; Hoar, DI. (1988). Kinetochore immunofluorescence in micronuclei: A rapid method for the in situ detection of aneuploidy and chromosome breakage in human fibroblasts. *Mutat Res.* 203: 405-414.
- Henning, SM; Swendseid, ME. (1996). The role of folate, choline, and methionine in carcinogenesis induced by methyl-deficient diets [Review]. In D Heber; D Kritchevsky (Eds.), *Adv Exp Med Biol* (pp. 143-155). New York, NY: Plenum Press.
- Henry, SM; Hardcastle, CH; Warner, SD. (2003). Chlorinated solvent and DNAPL remediation: An overview of physical, chemical, and biological processes. *ACS Symp Ser Am Chem Soc.* 837: 1-20.
- Henschel, DB. (1998). Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air. *Journal of the Air and Waste Management Association.* 48: 985-994.
- Henschler, D; Eder, E; Neudecker, T; Metzler, M. (1977). Carcinogenicity of trichloroethylene: Fact or artifact? *Arch Toxicol.* 37: 233-236. <http://dx.doi.org/10.1007/BF00355492>.
- Henshaw, JM; Burgess, LW; Booksh, KS; Kowalski, BR. (1994). Multicomponent Determination of Chlorinated Hydrocarbons Using a Reaction-Based Chemical Sensor. 1. Multivariate Calibration of Fujiwara Reaction Products. *Anal Chem.* 66: 3328-3336.
- Heo, JH; Lee, D, alH; Chang, H, oWan. (2007). The application of granular activated carbon on remediation in trichloro ethylene contaminated groundwater. *Geochim Cosmo Act.* 71: A397-A397.
- Heo, JH; Lee, D, alH; Koh, DC; Chang, H, oWan. (2008). The effect of ionic strength and hardness of trichloroethylene contaminated groundwater in remediation using granular activated carbon. *Geochim Cosmo Act.* 72: A370-A370.

Exposure Literature Search Results

Off Topic

- Herber, U; Meisch, HU. (1995). STUDIES ABOUT THE DESORPTION OF VOLATILE HALOCARBONS FROM ACTIVATED CARBON BY APPLICATION OF STATIC HEADSPACE GAS-CHROMATOGRAPHY. *Fresenius J Anal Chem.* 353: 219-221.
- Herbert, V; Gardner, A; Colman, N. (1980). Mutagenicity of dichloroacetate, an ingredient of some formulations of pangamic acid (trade-named "vitamin B15"). *Am J Clin Nutr.* 33: 1179-1182.
- Herman, J; Umar, A; Polyak, K; Graff, J; Ahuja, N; Issa, J; Markowitz, S; Willson, J; Hamilton, S; Kinzler, K; Kane, M; Kolodner, R; Vogelstein, B; Kunkel, T; Baylin, S. (1998). Incidence and functional consequences of hMLH1 promoter hypermethylation in colorectal carcinoma. *Proc Natl Acad Sci USA.* 95: 6870-6875.
- Heron, T; Tshuva, EY. (2008). Synthesis and conformational analysis of constrained ethylene-bridged bis(hydroxylamino-1,3,5-triazine) compounds as tetradentate ligands; structure of rigid dinuclear Ti(IV) complex. *J Org Chem.* 73: 5953-5958. <http://dx.doi.org/10.1021/jo800966s>.
- Hernandez, C; Isabel Abdo-de la Parra, M; Duncan, N; Blanco-Albarran, L; Gonzalez-Rodriguez, B. (2013). Effect of soybean and tuna gonad in the diet of juvenile bullseye puffer fish *Sphoeroides annulatus*. 23: 320-327.
- Hernandez, S; Lei, S, hi; Rong, W; Ormsbee, L; Bhattacharyya, D. (2016). Functionalization of Flat Sheet and Hollow Fiber Microfiltration Membranes for Water Applications. 4: 907-918. <http://dx.doi.org/10.1021/acssuschemeng.5b01005>.
- Hernández, S; Papp, JK; Bhattacharyya, D. (2014). Iron-Based Redox Polymerization of Acrylic Acid for Direct Synthesis of Hydrogel/Membranes, and Metal Nanoparticles for Water Treatment. *Ind Eng Chem Res.* 53: 1130-1142. <http://dx.doi.org/10.1021/ie403353g>.
- Hernandez-Alonso, MD; Garcia-Rodriguez, S; Suarez, S; Portela, R; Sanchez, B; Coronado, JM. (2011). Highly selective one-dimensional TiO₂-based nanostructures for air treatment applications. *Appl Catal B-Environ.* 110: 251-259. <http://dx.doi.org/10.1016/j.apcatb.2011.09.009>.
- Hernandez-Alonso, MD; Garcia-Rodriguez, S; Suarez, S; Portela, R; Sanchez, B; Coronado, JM. (2013). Operando DRIFTS study of the role of hydroxyls groups in trichloroethylene photo-oxidation over titanate and TiO₂ nanostructures. *Catalysis Today.* 206: 32-39. <http://dx.doi.org/10.1016/j.cattod.2012.01.029>.
- Heron, G; Carroll, S; Nielsen, SG. (2005). Full-scale removal of DNAPL constituents using steam-enhanced extraction and electrical resistance heating. *Ground Water Monitoring and Remediation.* 25: 92-107.
- Heron, G; Christensen, TH; Enfield, CG. (1998). Henry's law constant for trichloroethylene between 10 and 95 degrees C. *Environ Sci Technol.* 32: 1433-1437.
- Heron, G; Lachance, J; Baker, R. (2013). Removal of PCE DNAPL from Tight Clays Using In Situ Thermal Desorption. *Ground Water Monitoring and Remediation.* 33: 31-43. <http://dx.doi.org/10.1111/gwmr.12028>.
- Heron, G; Parker, K, en; Galligan, J, im; Holmes, TC. (2009). Thermal Treatment of Eight CVOC Source Zones to Near Nondetect Concentrations. *Ground Water Monitoring and Remediation.* 29: 56-65.
- Heron, G; van Zutphen, M; Enfield, CG. (1998). In-line measurement of trichloroethylene vapors using tin dioxide sensors. *Ground Water Monitoring and Remediation.* 18: 111-118.
- Heron, G; Zutphen, MV; Christensen, TH; Enfield, CG. (1998). Soil heating for enhanced remediation of chlorinated solvents: A laboratory study on resistive heating and vapor extraction in a silty, low-permeable soil contaminated with trichloroethylene. *Environ Sci Technol.* 32: 1474-1481.
- Herrera, E; Samper, E; Martín-Caballero, J; Flores, JM; Lee, HW; Blasco, MA. (1999). Disease states associated with telomerase deficiency appear earlier in mice with short telomeres. *EMBO J.* 18: 2950-2960. <http://dx.doi.org/10.1093/emboj/18.11.2950>.
- Herrero-Huerta, M; Hernandez-Lopez, D; Rodriguez-Gonzalvez, P; Gonzalez-Aguilera, D; Gonzalez-Piqueras, J. (2014). Vicarious radiometric calibration of a multispectral sensor from an aerial trike applied to precision agriculture. *Computers and Electronics in Agriculture.* 108: 28-38. <http://dx.doi.org/10.1016/j.compag.2014.07.001>.
- Hers, I; Zapf-Gilje, R; Li, L; Atwater, J. (2001). The use of indoor air measurements to evaluate intrusion of subsurface VOC vapors into buildings. *Journal of the Air and Waste Management Association.* 51: 1318-1331.
- Hertwig, K; Bisanz, S; Adler, R. (1974). REACTIONS KINETIC STUDIES IN GAS-LIQUID PHASE-SYSTEM WITH EXAMPLE OF HYDROLYSIS OF TRICHLOROETHYLENE. *Chem Tech (Leipzig).* 26: 504-505.
- Hertzberg, RC; Macdonell, MM. (2002). Synergy and other ineffective mixture risk definitions. *Sci Total Environ.* 288: 31-42. [http://dx.doi.org/10.1016/S0048-9697\(01\)01113-5](http://dx.doi.org/10.1016/S0048-9697(01)01113-5).
- Hestad, OL; Smalo, HS; Astrand, PO; Ingebrigtsen, S; Lundgaard, LE. (2011). Effects of N,N-dimethylaniline and Trichloroethene on Prebreakdown Phenomena in Liquid and Solid n-tridecane. *I E E E Transactions on Dielectrics and Electrical Insulation.* 18: 1886-1896. <http://dx.doi.org/10.1109/TDEI.2011.6118627>.
- Heus, R; Den Hartog, EA; Kistemaker, LJ; van Dijk, WJ; Swenker, G. (2004). Influence of inspiratory resistance on performance during graded exercise tests on a cycle ergometer. *Appl Ergon.* 35: 583-590. <http://dx.doi.org/10.1016/j.apergo.2004.05.002>.
- Hewer, TLR; Suarez, S; Coronado, JM; Portela, R; Avila, P; Sanchez, B. (2009). Hybrid photocatalysts for the degradation of trichloroethylene in air. *Catalysis Today.* 143: 302-308. <http://dx.doi.org/10.1016/j.cattod.2009.02.001>.
- Hewitt, AD. (1994). DYNAMIC STUDY OF COMMON WELL SCREEN MATERIALS. *Ground Water Monitoring and Remediation.* 14: 87-94.
- Hewitt, AD; Grant, CL. (1995). ROUND-ROBIN STUDY OF PERFORMANCE EVALUATION SOILS VAPOR-FORTIFIED WITH VOLATILE ORGANIC-COMPOUNDS. *Environ Sci Technol.* 29: 769-774.
- Hewitt, AD; Miyares, PH; Leggett, DC; Jenkins, TF. (1992). Comparison of analytical methods for determination of volatile organic compounds in soils. *Environ Sci Technol.* 26: 1932-1938.

Exposure Literature Search Results

Off Topic

- Hewitt, AD; Shoop, SA. (1994). RAPID ASSESSMENT OF TRICHLOROETHYLENE IN-GROUND WATER. *Ground Water Monitoring and Remediation*. 14: 116-122.
- Heydari, R; Azizi, S. (2015). Rapid Monitoring and Determination of Class 1 Residual Solvents in Pharmaceuticals Using Dispersive Liquid-Liquid Microextraction and Gas Chromatography-Mass Spectrometry. *J Chromatogr Sci*. 53: 1020-1025. <http://dx.doi.org/10.1093/chromsci/bmu147>.
- Hibino, Y, ui; Wang, H; Naito, H; Zhao, N, a; Wang, D; Jia, X; Li, H; Song, X; Liu, L; Huang, Y; Ito, Y; Huang, H; Kamijima, M; Nakajima, T. (2013). Sex Differences in Metabolism of Trichloroethylene and Trichloroethanol in Guinea Pigs. *J Occup Health*. 55: 443-449.
- Hichiri, K, ei; Shirai, O; Kano, K. (2012). Influence of Inhalation Anesthetics on Ion Transport across a Planar Bilayer Lipid Membrane. *Anal Sci*. 28: 45-49.
- Hickey, WJ; Arnold, SM; Moran, BN. (1995). Laboratory methods for volatile organic compounds evolved in mineralization studies. *Environ Toxicol Chem*. 14: 1823-1825.
- Hiejima, T; Takamizawa, Y; Uchida, T; Kawabata, S. (2011). Ellipsometric determination of optical properties of carbazole-containing poly(L-glutamate) thin films prepared from different solvents. *Thin Solid Films*. 519: 2972-2977. <http://dx.doi.org/10.1016/j.tsf.2010.12.048>.
- Hiejima, T; Yakamizawa, Y; Tanaka, Y; Ueda, K; Uchida, T. (2009). Effects of casting solvents on characteristics of organic EL devices containing poly(L-glutamate) as hole-transport material. *Synthetic Metals*. 159: 986-989. <http://dx.doi.org/10.1016/j.synthmet.2009.02.042>.
- Higgins, J; Hohn, C. (2008). Effects of prevalent freshwater chemical contaminants on in vitro growth of *Escherichia coli* and *Klebsiella pneumoniae*. *Environ Pollut*. 152: 259-266. <http://dx.doi.org/10.1016/j.envpol.2007.06.049>.
- Higgins, JP; Thompson, SG; Deeks, JJ; Altman, DG. (2003). Measuring inconsistency in meta-analyses [Review]. *Br Med J*. 327: 557-560. <http://dx.doi.org/10.1136/bmj.327.7414.557>.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. (1996). Effect of geochemical conditions on fate of organic compounds in groundwater. *Environ Geol*. 27: 335-346.
- Hildebrand, H; Mackenzie, K; Kopinke, FD. (2008). Novel nano-catalysts for wastewater treatment. *Global NEST J*. 10: 47-53.
- Hildebrand, H; Mackenzie, K; Kopinke, FD. (2009). Highly active Pd-on-magnetite nanocatalysts for aqueous phase hydrodechlorination reactions. *Environ Sci Technol*. 43: 3254-3259. <http://dx.doi.org/10.1021/es802726v>.
- Hildebrand, H; Mackenzie, K; Kopinke, FD. (2009). Pd/Fe sub(3)O sub(4) nano-catalysts for selective dehalogenation in wastewater treatment processes - Influence of water constituents. *Appl Catal B-Environ*. 91: 1-2. <http://dx.doi.org/10.1016/j.apcatb.2009.06.006>.
- Hill, AB. (1965). The environment and disease: Association or causation? *Proc R Soc Med*. 58: 295-300.
- Hill, EH; Moutier, M; Alfaro, J; Miller, CT. (2001). Remediation of DNAPL pools using dense brine barrier strategies. *Environ Sci Technol*. 35: 3031-3039.
- Himeno, S; Urano, K. (2003). Measurement and correlation of single and binary gas adsorption equilibria of volatile organic compounds in trace concentrations using headspace gas chromatography method. *Kagaku Kogaku Ronbunshu*. 29: 653-659.
- Himeno, S; Urano, K. (2006). Determination and Correlation of Binary Gas Adsorption Equilibria of VOCs. *J Environ Eng*. 132: 301-308. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:3\(301\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:3(301)).
- Hinchman, CA; Ballatori, N. (1990). Glutathione-degrading capacities of liver and kidney in different species. *Biochem Pharmacol*. 40: 1131-1135. [http://dx.doi.org/10.1016/0006-2952\(90\)90503-D](http://dx.doi.org/10.1016/0006-2952(90)90503-D).
- Hines, RN; McCarver, DG. (2002). The ontogeny of human drug-metabolizing enzymes: Phase I oxidative enzymes [Review]. *J Pharmacol Exp Ther*. 300: 355-360. <http://dx.doi.org/10.1124/jpet.300.2.355>.
- Hinestroza, J; De Kee, D. (2004). Permeation of organics through linear low density polyethylene geomembranes under mechanical deformation. *J Environ Eng*. 130: 1468-1474. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:12\(1468\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:12(1468)).
- Hiortdahl, KM; Borden, RC. (2014). Enhanced reductive dechlorination of tetrachloroethene dense nonaqueous phase liquid with EVO and Mg(OH)₂. *Environ Sci Technol*. 48: 624-631. <http://dx.doi.org/10.1021/es4042379>.
- Hippelein, M; McLachlan, MS. (2000). Soil/air partitioning of semivolatile organic compounds. 2. Influence of temperature and relative humidity. *Environ Sci Technol*. 34: 3521-3526.
- Hiramatsu, H; Shima, H; Mizuguchi, J, in. (2011). Complete Removal of Chloro-Based Volatile Organic Compounds by Thermally Activated Oxide Semiconductors. *Mater Trans*. 52: 1281-1287. <http://dx.doi.org/10.2320/matertrans.M2011028>.
- Hirata, S; Fan, PD; Auer, AA; Nooijen, M; Piecuch, P. (2004). Combined coupled-cluster and many-body perturbation theories. *J Chem Phys*. 121: 12197-12207. <http://dx.doi.org/10.1063/1.1814932>.
- Hirata, S; Yanai, T; de Jong, WA; Nakajima, T; Hirao, K. (2004). Third-order Douglas-Kroll relativistic coupled-cluster theory through connected single, double, triple, and quadruple substitutions: applications to diatomic and triatomic hydrides. *J Chem Phys*. 120: 3297-3310. <http://dx.doi.org/10.1063/1.1639361>.
- Hirata, T; Egusa, N; Nakasugi, O; Ishizaka, S; Murakami, M. (1998). Cost efficiency of subsurface remediation using soil vapor extraction and groundwater extraction. *Water Sci Technol*. 37: 161-168.
- Hirl, PJ; COUNCIL, NR. (1998). Combined anaerobic/aerobic biostimulation for remediation of rail yards contaminated by diesel engine repair and maintenance. *Trans Res Rec* 114-119.
- Hirl, PJ; Irvine, RL. (1997). Reductive dechlorination of perchloroethylene using anaerobic sequencing batch biofilm reactors (AnSBBR). *Water Sci Technol*. 35: 49-56.
- Hirota, K; Hakoda, T; Arai, H; Hashimoto, S. (2002). Electron-beam decomposition of vaporized VOCs in air. *Radiat Phys Chem Oxf Engl* 1993. 65: 415-421.

Exposure Literature Search Results

Off Topic

- Hirschorn, SK; Grostern, A; Lacrampe-Couloume, G; Edwards, EA; Mackinnon, L; Repta, C; Major, DW; Sherwood Lollar, B. (2007). Quantification of biotransformation of chlorinated hydrocarbons in a biostimulation study: added value via stable carbon isotope analysis. *J Contam Hydrol.* 94: 249-260. <http://dx.doi.org/10.1016/j.jconhyd.2007.07.001>.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Formation of chlorinated acetic acids during UV H₂O₂-oxidation of ground water contaminated with chlorinated ethylenes. *Chemosphere.* 32: 1091-1102.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Removal of chlorinated ethylenes in contaminated ground water by hydrogen peroxide mediated oxidation processes. *Environ Technol.* 17: 263-272.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). TREATMENT OF TCE-AND PCE-CONTAMINATED GROUNDWATER USING V-H-2O₂ AND O-3H-2O-2 OXIDATION PROCESS. *Water Sci Technol.* 33: 67-73.
- Hissink, EM; Bogaards, JJP; Freidig, AP; Commandeur, JNM; Vermeulen, NPE; van Bladeren, PJ. (2002). The use of in vitro metabolic parameters and physiologically based pharmacokinetic (PBPK) modeling to explore the risk assessment of trichloroethylene. *Environ Toxicol Pharmacol.* 11: 259-271. [http://dx.doi.org/10.1016/S1382-6689\(02\)00019-4](http://dx.doi.org/10.1016/S1382-6689(02)00019-4).
- Hizal, G; Zhu, QQ; Fischer, CH; Majima, T; Schnabel, W. (1992). PHOTOREACTIONS OF PHTHALIC-ACID DIALKYL ESTERS - A FLASH-PHOTOLYSIS STUDY. *J Photochem Photobiol A.* 69: 33-39.
- Ho, CK; Lohrstorfer, CF. (2003). In situ monitoring of vapor phase TCE using a chemiresistor microchemical sensor. *Ground Water Monitoring and Remediation.* 23: 85-90.
- Ho, DL; Glinka, CJ. (2003). Effects of solvent solubility parameters on organoclay dispersions. *Chem Mater.* 15: 1309-1312. <http://dx.doi.org/10.1021/cm0217194>.
- Ho, DP; Vigneswaran, S; Ngo, HH. (2009). Photocatalysis-membrane hybrid system for organic removal from biologically treated sewage effluent. *Separation and Purification Technology.* 68: 145-152. <http://dx.doi.org/10.1016/j.seppur.2009.04.019>.
- Ho, L; Newcombe, G. (2010). Granular Activated Carbon Adsorption of 2-Methylisoborneol (MIB): Pilot- and Laboratory-Scale Evaluations. *J Environ Eng.* 136: 965-974. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000231](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000231).
- Ho, SP; Levitt, R; Tsui, CW, ei; Hsu, Y. (2015). Opportunism-Focused Transaction Cost Analysis of Public-Private Partnerships. *Journal of Management in Engineering.* 31. [http://dx.doi.org/10.1061/\(ASCE\)ME.1943-5479.0000361](http://dx.doi.org/10.1061/(ASCE)ME.1943-5479.0000361).
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; Mckenzie, D; Brodsky, PH; Shapiro, A; Thornton, R; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The lasagna technology for in situ soil remediation. 1. Small field test. *Environ Sci Technol.* 33: 1086-1091.
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; Mckenzie, D; Brodsky, PH; Shapiro, AM; Sivavec, TM; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The Lasagna technology for in situ soil remediation. 2. Large field test. *Environ Sci Technol.* 33: 1092-1099.
- Ho, SV; Athmer, CJ; Sheridan, PW; Shapiro, AP. (1997). Scale-up aspects of the Lasagna(TM) process for in situ soil decontamination. *J Hazard Mater.* 55: 39-60.
- Hoag, GE; Collins, JB; Holcomb, JL; Hoag, JR; Nadagouda, MN; Varma, RS. (2009). Degradation of bromothymol blue by 'greener' nano-scale zero-valent iron synthesized using tea polyphenols. *J Mater Chem.* 19: 8671-8677. <http://dx.doi.org/10.1039/b909148c>.
- Hoch, LB; Mack, EJ; Hydutsky, BW; Hershman, JM; Skluzacek, JM; Mallouk, TE. (2008). Carbothermal synthesis of carbon-supported nanoscale zero-valent iron particles for the remediation of hexavalent chromium. *Environ Sci Technol.* 42: 2600-2605. <http://dx.doi.org/10.1021/es702589u>.
- Hodgen, GD; Sherins, RJ. (1973). Enzymes as markers of testicular growth and development in the rat. *Endocrinology.* 93: 985-989. <http://dx.doi.org/10.1210/endo-93-4-985>.
- Hoel, DG; Walburg, HE, Jr. (1972). Statistical analysis of survival experiments. *J Natl Cancer Inst.* 49: 361-372.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol.* 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Hofstee, C; Gutiérrez Ziegler, C; Trötschler, O; Braun, J. (2003). Removal of DNAPL contamination from the saturated zone by the combined effect of vertical upward flushing and density reduction. *J Contam Hydrol.* 67: 61-78. [http://dx.doi.org/10.1016/S0169-7722\(03\)00088-3](http://dx.doi.org/10.1016/S0169-7722(03)00088-3).
- Hogue, C. (2016). Notification required for new consumer products with TCE. *Chem Eng News.* 94: 16-16.
- Höhener, P. (2016). Simulating stable carbon and chlorine isotope ratios in dissolved chlorinated groundwater pollutants with BIOCHLOR-ISO. *J Contam Hydrol.* 195: 52-61. <http://dx.doi.org/10.1016/j.jconhyd.2016.11.002>.
- Höhener, P; Elsner, M; Eisenmann, H; Atteia, O. (2015). Improved constraints on in situ rates and on quantification of complete chloroethene degradation from stable carbon isotope mass balances in groundwater plumes. *J Contam Hydrol.* 182: 173-182. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.006>.
- Höhener, P; Yu, X. (2012). Stable carbon and hydrogen isotope fractionation of dissolved organic groundwater pollutants by equilibrium sorption. *J Contam Hydrol.* 129-130: 54-61. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.006>.
- Hohnstock-Ashe, AM; Plummer, SM; Yager, RM; Baveye, P; Madsen, EL. (2001). Further biogeochemical characterization of a trichloroethene-contaminated fractured dolomite aquifer: Electron source and microbial communities involved in reductive dechlorination. *Environ Sci Technol.* 35: 4449-4456. <http://dx.doi.org/10.1021/es0110067>.
- Høier, CK; Sonnenborg, TO; Jensen, KH; Kortegaard, C; Nasser, MM. (2007). Experimental investigation of pneumatic soil vapor extraction. *J Contam Hydrol.* 89: 29-47. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.006>.
- Hoivik, DJ; Qualls, CW, Jr; Mirabile, RC; Cariello, NF; Kimbrough, CL; Colton, HM; Anderson, SP; Santostefano, MJ; Morgan, RJO; Dahl, RR; Brown, AR; Zhao, Z; Mudd, PN, Jr; Oliver, WB, Jr; Brown, HR; Miller, RT. (2004). Fibrates induce hepatic peroxisome and mitochondrial

Exposure Literature Search Results

Off Topic

- proliferation without overt evidence of cellular proliferation and oxidative stress in cynomolgus monkeys. *Carcinogenesis*. 25: 1757-1769. <http://dx.doi.org/10.1093/carcin/bgh182>.
- Hojae, S; Wei, M; Aijun, L; Kaicho, C. (2009). Bio-removal of mixture of benzene, toluene, ethylbenzene, and xylenes/total petroleum hydrocarbons/trichloroethylene from contaminated water. *J Environ Sci*. 21: 758-763. [http://dx.doi.org/10.1016/S1001-0742\(08\)62337-2](http://dx.doi.org/10.1016/S1001-0742(08)62337-2).
- Hojati-Talemi, P; Bächler, C; Fabretto, M; Murphy, P; Evans, D. (2013). Ultrathin polymer films for transparent electrode applications prepared by controlled nucleation. 5: 11654-11660. <http://dx.doi.org/10.1021/am403135p>.
- Holl, RJ; Chambers, RP. (2002). The synthesis of semipermeable membrane microcapsules using in situ cyanoacrylate ester polymerization. *J Microencapsul*. 19: 699-724. <http://dx.doi.org/10.1080/02652040110055225>.
- Hollenbeck, KJ; Harvey, CF; Haggerty, R; Werth, CJ. (1999). A method for estimating distributions of mass transfer rate coefficients with application to purging and batch experiments. *J Contam Hydrol*. 37: 367-388.
- Holm, O; Rotard, W. (2011). Effect of Radial Directional Dependences and Rainwater Influence on CVOC Concentrations in Tree Core and Birch Sap Samples Taken for Phytoscreening Using HS-SPME-GC/MS. *Environ Sci Technol*. 45: 9604-9610. <http://dx.doi.org/10.1021/es202014h>.
- Holmstrand, H; Mandalakis, M; Zencak, Z; Andersson, P; Gustafsson, O. (2007). First compound-specific chlorine-isotope analysis of environmentally-bioaccumulated organochlorines indicates a degradation-relatable kinetic isotope effect for DDT. *Chemosphere*. 69: 1533-1539. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.067>.
- Holsen, TM; Taylor, ER; Seo, YC; Anderson, PR. (1991). REMOVAL OF SPARINGLY SOLUBLE ORGANIC-CHEMICALS FROM AQUEOUS-SOLUTIONS WITH SURFACTANT-COATED FERRIHYDRITE. *Environ Sci Technol*. 25: 1585-1589.
- Holzer, F; Roland, U; Kopinke, FD. (2002). Combination of non-thermal plasma and heterogeneous catalysis for oxidation of volatile organic compounds Part 1. Accessibility of the intra-particle volume. *Appl Catal B-Environ*. 38: 163-181.
- Holzinger, M; Abraham, J; Whelan, P; Graupner, R; Ley, L; Hennrich, F; Kappes, M; Hirsch, A. (2003). Functionalization of single-walled carbon nanotubes with (R)-oxycarbonyl nitrenes. *J Am Chem Soc*. 125: 8566-8580. <http://dx.doi.org/10.1021/ja029931w>.
- Homem, V; Sousa, R; Moreira, JL; Santos, L; Alves, A. (2012). Response surface optimisation applied to a headspace-solid phase microextraction-gas chromatography-mass spectrometry method for the analysis of volatile organic compounds in water matrices. *Int J Environ Anal Chem*. 92: 166-189. <http://dx.doi.org/10.1080/03067319.2010.536228>.
- Honetschlägerová, L; Janouškovcová, P; Kubal, M. (2016). Enhanced transport of Si-coated nanoscale zero-valent iron particles in porous media. *Environ Technol*. 37: 1530-1538. <http://dx.doi.org/10.1080/09593330.2015.1120784>.
- Hong, G, uiB; Wu, W, wiS; Chang, CT; Ma, CM. (2015). Dichloromethane treatment by mesoporous metal catalysts. *Zhongguo Gongcheng Xuekan*. 38: 908-917. <http://dx.doi.org/10.1080/02533839.2015.1039163>.
- Hong, I. (2006). VOCs degradation performance of TiO₂ aerogel photocatalyst prepared in SCF drying. *J Ind Eng Chem*. 12: 918-925.
- Hong, L, i; Liang, D; Di, W. (2013). Economic and environmental gains of China's fossil energy subsidies reform: A rebound effect case study with EIMO model. *Energy Policy*. 54: 335-342. <http://dx.doi.org/10.1016/j.enpol.2012.11.045>.
- Hong, Q; De-zhi, S; Guo-qing, C. (2007). Formaldehyde degradation by UV/TiO₂/O₃ process using continuous flow mode. *J Environ Sci*. 19: 1136-1140.
- Hong, SS; Ju, CS; Lim, CG; Ahn, BH; Lim, KT; Lee, GD. (2001). A photocatalytic degradation of phenol over TiO₂ prepared by sol-gel method. *J Ind Eng Chem*. 7: 99-104.
- Hong, SS; Lee, MS; Kim, JH; Ahn, BH; Lim, KT; Lee, GD. (2002). Photocatalytic decomposition of bromate over titanium dioxides prepared using sol-gel method. *J Ind Eng Chem*. 8: 150-155.
- Hong, WX; Huang, A; Lin, S; Yang, X; Yang, L; Zhou, L; Huang, H; Wu, D; Huang, X; Xu, H; Liu, J. (2016). Differential expression profile of membrane proteins in L-02 cells exposed to trichloroethylene. *Toxicol Ind Health*. 32: 1774-1783. <http://dx.doi.org/10.1177/0748233715588438>.
- Hong, YT; He, ZQ; Lennhoff, NS; Banach, DA; Kanicki, J. (2004). Transparent flexible plastic substrates for organic light-emitting devices. *Journal of Electronic Materials*. 33: 312-320.
- Honma, T. (1990). Effects of trichloroethylene, 1,1,1-trichloroethane and carbon tetrachloride on plasma lipoproteins of rats. *Ind Health*. 28: 159-174.
- Honning, J; Broholm, MM; Bjerg, PL. (2007). Role of diffusion in chemical oxidation of PCE in a dual permeability system. *Environ Sci Technol*. 41: 8426-8432. <http://dx.doi.org/10.1021/es0708417>.
- Hood, E; Major, D; Driedger, G. (2007). The effect of concentrated electron donors on the solubility of trichloroethene. *Ground Water Monitoring and Remediation*. 27: 93-98.
- Hood, ED; Thomson, NR; Grossi, D; Farquhar, GJ. (2000). Experimental determination of the kinetic rate law for the oxidation of perchloroethylene by potassium permanganate. *Chemosphere*. 40: 1383-1388.
- Hooper, NM; Hesp, RJ; Tiekou, S. (1994). Metabolism of aspartame by human and pig intestinal microvillar peptidases. *Biochem J*. 298: 635-639.
- Hoover, RN; Strasser, PH. (1980). Artificial sweeteners and human bladder cancer: Preliminary results. *Lancet*. 315: 837-840. [http://dx.doi.org/10.1016/S0140-6736\(80\)91350-1](http://dx.doi.org/10.1016/S0140-6736(80)91350-1).
- Hopkins, GD; Munakata, J; Semprini, L; Mccarty, PL. (1993). Trichloroethylene concentration effects on pilot field-scale in-situ groundwater bioremediation by phenol-oxidizing microorganisms. *Environ Sci Technol*. 27: 2542-2547.
- Hopper, JF; Peters, B; Yokouchi, Y; Niki, H; Jobson, BT; Shepson, PB; Muthuramu, K. (1994). CHEMICAL AND METEOROLOGICAL OBSERVATIONS AT ICE CAMP SWAN DURING POLAR SUNRISE EXPERIMENT 1992. *J Geophys Res Atmos*. 99: 25489-25498.

Exposure Literature Search Results

Off Topic

- Horesovsky, G; Ginsler, J; Everitt, J; Walker, C. (1994). Increased susceptibility to in vitro transformation of cells carrying the Eker tumor susceptibility mutation. *Carcinogenesis*. 15: 2183-2187. <http://dx.doi.org/10.1093/carcin/15.10.2183>.
- Hori, K; Mii, J; Morono, Y; Tanji, Y; Unno, H. (2005). Kinetic analyses of trichloroethylene cometabolism by toluene-degrading bacteria harboring a tod homologous gene. *Biochem Eng J*. 26: 59-64. <http://dx.doi.org/10.1016/j.bej.2005.06.005>.
- Hornig, JJ. (2007). Growing carbon nanotube on aluminum oxides - An inherently safe approach for environmental applications. *Process Saf Environ Protect*. 85: 332-339. <http://dx.doi.org/10.1205/psep05056>.
- Hornung, RW; Pinney, SM; Lodwick, J; Killough, GG; Brewer, DE; Nasuta, J. (2008). Estimation of radon exposures to workers at the Fernald Feed Materials Production Center 1952-1988. *J Expo Sci Environ Epidemiol*. 18: 512-523. <http://dx.doi.org/10.1038/sj.jes.7500645>.
- Horst, A; Lacrampe-Couloume, G; Sherwood Lollar, B. (2016). Vapor Pressure Isotope Effects in Halogenated Organic Compounds and Alcohols Dissolved in Water. *Anal Chem*. 88: 12066-12071. <http://dx.doi.org/10.1021/acs.analchem.6b02597>.
- Hort, RD; Revil, A; Munakata-Marr, J. (2014). Analysis of sources of bulk conductivity change in saturated silica sand after unbuffered TCE oxidation by permanganate. *J Contam Hydrol*. 165: 11-23. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.003>.
- Hort, RD; Revil, A; Munakata-Marr, J; Mao, D. (2015). Evaluating the potential for quantitative monitoring of in situ chemical oxidation of aqueous-phase TCE using in-phase and quadrature electrical conductivity. *Water Resour Res*. 51: 5239-5259. <http://dx.doi.org/10.1002/2014WR016868>.
- Hortelano, S; Dewez, B; Genaro, AM; Díaz-Guerra, MJM; Boscá, L. (1995). Nitric oxide is released in regenerating liver after partial hepatectomy. *Hepatology*. 21: 776-786. <http://dx.doi.org/10.1002/hep.1840210327>.
- Horvath, AL; Getzen, FW; Maczynska, Z. (1999). IUPAC-NIST Solubility data series 67: Halogenated ethanes and ethenes with water. *J Phys Chem Ref Data*. 28: 395-627. <http://dx.doi.org/10.1063/1.556039>.
- Hoseini, M; Nabizadeh, R; Nazmara, S; Safari, GH. (2013). Influence of under pressure dissolved oxygen on trichloroethylene degradation by the H₂O₂/TiO₂ process. 11: 38. <http://dx.doi.org/10.1186/2052-336X-11-38>.
- Hossain, A; Corapcioglu, MY. (1996). Modeling primary substrate controlled biotransformation and transport of halogenated aliphatics in porous media. *Transport in Porous Media*. 24: 203-220.
- Hossain, M; Ameen, MM; Raupp, GB. (1999). Photocatalytic oxidation of dilute methylamine in air. *Adv Environ Res*. 3.
- Hossain, MM; Raupp, GB. (1998). Radiation field modeling in a photocatalytic monolith reactor. *Chem Eng Sci*. 53: 3771-3780.
- Hossain, MM; Raupp, GB; Hay, SO; Obee, TN. (1999). Three-dimensional developing flow model for photocatalytic monolith reactors. *AIChE J*. 45: 1309-1321.
- Hosseinkhani, B; Hennebel, T; Van Nevel, S; Verschuere, S; Yakimov, MM; Cappello, S; Blaghen, M; Boon, N. (2014). Biogenic nanopalladium based remediation of chlorinated hydrocarbons in marine environments. *Environ Sci Technol*. 48: 550-557. <http://dx.doi.org/10.1021/es403047u>.
- Hosseinkhani, B; Nuzzo, A; Zanzaroli, G; Fava, F; Boon, N. (2015). Assessment of catalytic dechlorination activity of suspended and immobilized bio-Pd NPs in different marine conditions. *Appl Catal B-Environ*. 168: 62-67. <http://dx.doi.org/10.1016/j.apcatb.2014.12.014>.
- Hou, N; Chai, J; Zhang, JQ; Song, J; Zhang, Y, an; Lu, J. (2016). Application of epsilon-beta fishlike phase diagrams on the microemulsion solubilizations of dense nonaqueous phase liquids. *Fluid Phase Equilibria*. 412: 211-217. <http://dx.doi.org/10.1016/j.fluid.2015.12.024>.
- Houde, M; Douville, M; Gagnon, P; Sproull, J; Cloutier, F. (2015). Exposure of Daphnia magna to trichloroethylene (TCE) and vinyl chloride (VC): evaluation of gene transcription, cellular activity, and life-history parameters. *Ecotoxicol Environ Saf*. 116: 10-18. <http://dx.doi.org/10.1016/j.ecoenv.2015.02.031>.
- Hourbron, E; Escoffier, S; Capdeville, B. (2000). Trichloroethylene elimination assay by natural consortia of heterotrophic and methanotrophic bacteria. *Water Sci Technol*. 42: 395-402.
- Howard, C; Corsi, RL. (1996). Volatilization of chemicals from drinking water to indoor air: role of the kitchen sink. *Journal of the Air and Waste Management Association*. 46: 830-837.
- Howard, PH; Boethling, RS; Jarvis, WF; Meylan, WM; Michalenko, EM. (1991). *Handbook of environmental degradation rates*. Boca Raton, FL: Lewis Publishers/CRC Press. <http://www.crcpress.com/product/isbn/9780873713580>.
- Howard-Reed, C; Corsi, RL; Moya, J. (1999). Mass Transfer of Volatile Organic Compounds from Drinking Water to Indoor Air: The Role of Residential Dishwashers. *Environ Sci Technol*. 33: 2266-2272. <http://dx.doi.org/10.1021/es981354h>.
- Howroyd, P; Swanson, C; Dunn, C; Cattley, RC; Corton, JC. (2004). Decreased longevity and enhancement of age-dependent lesions in mice lacking the nuclear receptor peroxisome proliferator-activated receptor alpha (PPARalpha). *Toxicol Pathol*. 32: 591-599.
- Hozalski, RM; Zhang, L; Arnold, WA. (2001). Reduction of haloacetic acids by Fe⁰: Implications for treatment and fate. *Environ Sci Technol*. 35: 2258-2263. <http://dx.doi.org/10.1021/es001785b>.
- Hrapovic, L; Sleep, BE; Major, DJ; Hood, ED. (2005). Laboratory study of treatment of trichloroethene by chemical oxidation followed by bioremediation. *Environ Sci Technol*. 39: 2888-2897. <http://dx.doi.org/10.1021/es049017y>.
- Hrelia, P; Maffei, F; Vigagni, F; Fimognari, C; Flori, P; Stanzani, R; Forti, GC. (1994). Interactive effects between trichloroethylene and pesticides at metabolic and genetic level in mice. *Environ Health Perspect*. 102: 31-34.
- Hrsak, D. (1995). AEROBIC TRANSFORMATION OF LINEAR ALKYL BENZENESULPHONATES BY MIXED METHANE-UTILIZING BACTERIA. *Arch Environ Contam Toxicol*. 28: 265-272.
- Hrsak, D. (1995). BIODEGRADATION OF UNDECYLBENZENESULPHONATE BY MIXED METHANE-OXIDIZING CULTURE. *Environ Pollut*. 89: 285-292.
- Hrsak, D. (1996). Cometabolic transformation of linear alkylbenzenesulphonates by methanotrophs. *Water Res*. 30: 3092-3098.
- Hrubesh, LW; Coronado, PR; Satcher, JH. (2001). Solvent removal from water with hydrophobic aerogels. *Journal of Non-Crystalline Solids*. 285: 328-332.

Exposure Literature Search Results

Off Topic

- HSDB. (1996). Trichloroethylene [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>
- HSDB. (2002). Trichloroethylene [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>
- Hsia, CY; Huo, TI; Chiang, SY; Lu, MF; Sun, CL; Wu, JC; Lee, PC; Chi, CW; Lui, WY; Lee, SD. (2007). Evaluation of interleukin-6, interleukin-10 and human hepatocyte growth factor as tumor markers for hepatocellular carcinoma. *Eur J Surg Oncol.* 33: 208-212. <http://dx.doi.org/10.1016/j.ejso.2006.10.036>.
- Hsieh, S; Horng, J. (2006). Deposition of Fe-Ni nanoparticles on Al₂O₃ for dechlorination of chloroform and trichloroethylene. *Appl Surf Sci.* 253: 1660-1665. <http://dx.doi.org/10.1016/j.apsusc.2006.03.001>.
- Hsieh, SJ; Chiu, YW; Li, WF; Wu, CH; Chen, HI; Chuang, HY. (2009). Increased concentrations of serum inhibin B among male workers with long-term moderate lead exposure. *Sci Total Environ.* 407: 2603-2607. <http://dx.doi.org/10.1016/j.scitotenv.2008.12.056>.
- Hsu, CS; Lu, MC; Anotai, J; Huang, YY. (2006). Chemical oxidation of TCE-contaminated groundwater by permanganate. *Fresen Environ Bull.* 15: 125-128.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal.* 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Hsueh, KP; Hao, OJ; Wu, YC. (1991). Removal of volatile organic compounds in a rotating disk contactor: Batch and continuous operation (pp. 67-74). (ISSN 1047-7624; BIOSIS/92/23712). Hsueh, KP; Hao, OJ; Wu, YC.
- Hu, H, uS. (2010). Determination of vapour-liquid and vapour-liquid-liquid equilibrium of the chloroform-water and trichloroethylene-water binary mixtures. *Fluid Phase Equilibria.* 289: 80-89. <http://dx.doi.org/10.1016/j.fluid.2009.11.006>.
- Hu, J; Shang, R; Heijman, B; Rietveld, L. (2015). Reuse of spent granular activated carbon for organic micro-pollutant removal from treated wastewater. *J Environ Manage.* 160: 98-104. <http://dx.doi.org/10.1016/j.jenvman.2015.06.011>.
- Hu, M; Zhang, Y; Liu, Y; Wang, X, in; Wong, P, oK. (2013). Effect of different nutrients on the anaerobic degradation of trichloroethene at optimal temperature. *Int Biodeterior Biodegradation.* 85: 103-107. <http://dx.doi.org/10.1016/j.ibiod.2013.06.008>.
- Hu, M; Zhang, Y; Wang, Z; Jiang, Z; Li, J. (2011). Influence of humic acid on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 190: 1074-1078. <http://dx.doi.org/10.1016/j.jhazmat.2011.03.088>.
- Hu, S; Li, F; Fan, Z. (2013). A convenient N₂-CCl₄ mixture plasma treatment to improve TiO₂ photocatalytic oxidation of aromatic air contaminants under both UV and visible light. *Appl Surf Sci.* 286: 228-234. <http://dx.doi.org/10.1016/j.apsusc.2013.09.052>.
- Hu, Y; Hakkola, J; Oscarson, M; Ingelman-Sundberg, M. (1999). Structural and functional characterization of the 5'-flanking region of the rat and human cytochrome P450 2E1 genes: Identification of a polymorphic repeat in the human gene. *Biochem Biophys Res Commun.* 263: 286-293. <http://dx.doi.org/10.1006/bbrc.1999.1362>.
- Hu, YM; Zhu, Y; Zhou, W; Wang, H; Yi, JH; Xin, SS; He, WJ; Shen, T. (2016). Dip-coating for dodecylphosphonic acid derivatization on aluminum surfaces: an easy approach to superhydrophobicity. *JCT Research.* 13: 115-121. <http://dx.doi.org/10.1007/s11998-015-9729-5>.
- Hu, YS; Kong, WH; Wang, ZX; Huang, XJ; Chen, LQ. (2005). Tetrachloroethylene as new film-forming additive to propylene carbonate-based electrolytes for lithium ion batteries with graphitic anode. *Solid State Ionics.* 176: 53-56. <http://dx.doi.org/10.1016/j.ssi.2004.05.006>.
- Huan, Z; Zhao-Hui, J; Tie-Long, L. (2007). Preparation and modification of supported nano Cu/Fe bimetal alloy in ethanol-water solution and its reduction-chlorination property for trichloroethylene. *Chem J Chin Univ-Chin.* 28: 2234-2238.
- Huang, AM; Cao, LX; Chen, J; Spiess, FJ; Suib, SL; Obee, TN; Hay, SO; Freihaut, JD. (1999). Photocatalytic degradation of triethylamine on titanium oxide thin films. *J Catal.* 188: 40-47.
- Huang, C; Liu, C; Sun, X; Li, J; Shen, J; Han, W; Liu, X; Wang, L. (2016). Hydrolysis and acidification of waste activated sludge enhanced by zero valent iron-acid pretreatment: effect of pH. *Desalination and Water Treatment.* 57: 12099-12107. <http://dx.doi.org/10.1080/19443994.2015.1051127>.
- Huang, D; Becker, JG. (2011). Dehalorespiration model that incorporates the self-inhibition and biomass inactivation effects of high tetrachloroethene concentrations. *Environ Sci Technol.* 45: 1093-1099. <http://dx.doi.org/10.1021/es102729v>.
- Huang, H; Kamijima, M; Wang, H; Li, S; Yoshikawa, T; Lai, G; Huang, Z; Liu, H; Chen, J; Takeuchi, Y; Nakajima, T; Li, L. (2006). Human herpesvirus 6 reactivation in trichloroethylene-exposed workers suffering from generalized skin disorders accompanied by hepatic dysfunction. *J Occup Health.* 48: 417-423.
- Huang, HC; Lee, JF; Lee, CK; Chen, JC. (2006). The structural and sorptive characteristics of high-surface-area carbonaceous material (HSACM) in soils. *J Hazard Mater.* 138: 485-492. <http://dx.doi.org/10.1016/j.jhazmat.2006.05.094>.
- Huang, HJ; Liu, SM; Kuo, CE. (2001). Anaerobic biodegradation of DDT residues (DDT, DDD, and DDE) in estuarine sediment. *J Environ Sci Health B.* 36: 273-288. <http://dx.doi.org/10.1081/PFC-100103569>.
- Huang, J; Li, C; Li, K. (2012). A new soy flour-polyepoxide adhesive system for making interior plywood. *Holzforschung.* 66: 427-431. <http://dx.doi.org/10.1515/HF.2011.169>.
- Huang, J; Yeung, CS; Ma, J; Gayner, ER; Phillips, DL. (2014). A computational chemistry investigation of the mechanism of the water-assisted decomposition of trichloroethylene oxide. *J Phys Chem A.* 118: 1557-1567. <http://dx.doi.org/10.1021/jp501310z>.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (1999). Kinetic study of oxidation of trichloroethylene by potassium permanganate. *Environ Eng Sci.* 16: 265-274.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2001). Oxidation of chlorinated ethenes by potassium permanganate: a kinetics study. *J Hazard Mater.* 87: 155-169.

Exposure Literature Search Results

Off Topic

- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2002). Chemical oxidation of trichloroethylene with potassium permanganate in a porous medium. *Adv Environ Res.* 7: 217-229.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2002). Kinetics and mechanism of oxidation of tetrachloroethylene with permanganate. *Chemosphere.* 46: 815-825.
- Huang, KC; Zhao, Z; Hoag, GE; Dahmani, A; Block, PA. (2005). Degradation of volatile organic compounds with thermally activated persulfate oxidation. *Chemosphere.* 61: 551-560. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.032>.
- Huang, L; Chai, X; Chen, G; Logan, BE. (2011). Effect of set potential on hexavalent chromium reduction and electricity generation from biocathode microbial fuel cells. *Environ Sci Technol.* 45: 5025-5031. <http://dx.doi.org/10.1021/es103875d>.
- Huang, L; Fujita, T; Zhang, X; Matsuda, H. (2006). Influences of H-2 and O-2 and in situ Ca(OH)₂ absorption on nonthermal plasma decomposition of trichloroethylene in N-2. *Chem Eng J.* 124: 81-87. <http://dx.doi.org/10.1016/j.cej.2006.07.008>.
- Huang, L; Sturchio, NC; Abrajano, T; Heraty, LJ; Holt, BD. (1999). Carbon and chlorine isotope fractionation of chlorinated aliphatic hydrocarbons by evaporation. *Organic Geochemistry.* 30: 777-785.
- Huang, LW; Nakajyo, K; Hari, T; Ozawa, S; Matsuda, H. (2001). Decomposition of carbon tetrachloride by a pulsed corona reactor incorporated with in situ absorption. *Ind Eng Chem Res.* 40: 5481-5486.
- Huang, LY; Yang, ZD; Li, BJ; Hu, JA; Zhang, W; Ying, WC. (2011). Granular Activated Carbon Adsorption Process for Removing Trichloroethylene from Groundwater. *AIChE J.* 57: 542-550. <http://dx.doi.org/10.1002/aic.12273>.
- Huang, Q; Dong, H; Towne, RM; Fischer, TB; Schaefer, CE. (2014). Permanganate diffusion and reaction in sedimentary rocks. *J Contam Hydrol.* 159: 36-46. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.010>.
- Huang, Q; Liu, W; Peng, P; Huang, W. (2013). Reductive dechlorination of tetrachlorobisphenol A by Pd/Fe bimetallic catalysts. *J Hazard Mater.* 262: 634-641. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.015>.
- Huang, Q; Meng, Z; Zhou, R. (2012). The effect of synergy between Cr₂O₃-CeO₂ and USY zeolite on the catalytic performance and durability of chromium and cerium modified USY catalysts for decomposition of chlorinated volatile organic compounds. *Appl Catal B-Environ.* 115-116: 179-189. <http://dx.doi.org/10.1016/j.apcatb.2011.12.028>.
- Huang, Q; Shi, X; Pinto, RA; Petersen, EJ; Weber, WJ, Jr. (2008). Tunable Synthesis and Immobilization of Zero-Valent Iron Nanoparticles for Environmental Applications. *Environ Sci Technol.* 42: 8884-8889. <http://dx.doi.org/10.1021/es8015588>.
- Huang, Q; Xue, X; Zhou, R. (2010). Decomposition of 1,2-dichloroethane over CeO₂ modified USY zeolite catalysts: effect of acidity and redox property on the catalytic behavior. *J Hazard Mater.* 183: 694-700. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.081>.
- Huang, W; Liu, F, ei; HongHan, C; Bi, E; Li, T. (2010). Removal of trichloroethylene in groundwater using heterogeneous modified Fenton chemical oxidation technology. *Disaster Advances.* 3: 293-296.
- Huang, W; Liu, F, ei; Yan, N, i; Lu, A; Chen, H; Chen, L; Wang, F, ei. (2013). Removal of trichloroethylene in groundwater with two oxidants: siderite catalyzed hydrogen peroxide and sodium persulfate. *Water Science and Technology: Water Supply.* 13: 36-43. <http://dx.doi.org/10.2166/ws.2012.072>.
- Huang, WL; Young, TM; Schlautman, MA; Yu, H; Weber, WJ. (1997). A distributed reactivity model for sorption by soils and sediments .9. General isotherm nonlinearity and applicability of the dual reactive domain model. *Environ Sci Technol.* 31: 1703-1710.
- Huang, Y, u; Ho, W; Ai, Z; Song, X; Zhang, L; Lee, S. (2009). Aerosol-assisted flow synthesis of B-doped, Ni-doped and B-Ni-codoped TiO₂ solid and hollow microspheres for photocatalytic removal of NO. *Appl Catal B-Environ.* 89: 398-405. <http://dx.doi.org/10.1016/j.apcatb.2008.12.020>.
- Huang, Y; Wang, J. (2013). Degradation and mineralization of DDT by the ectomycorrhizal fungi, *Xerocomus chrysenteron*. *Chemosphere.* 92: 760-764. <http://dx.doi.org/10.1016/j.chemosphere.2013.04.002>.
- Huang, YF; Huang, YH. (2009). Identification of produced powerful radicals involved in the mineralization of bisphenol A using a novel UV-Na₂S₂O₈/H₂O₂-Fe(II,III) two-stage oxidation process. *J Hazard Mater.* 162: 1211-1216. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.008>.
- Huang, YH; Zhang, TC. (2002). Kinetics of nitrate reduction by iron at near neutral pH. *J Environ Eng.* 128: 604-611. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2002\)128:7\(604\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2002)128:7(604)).
- Huang, YH; Zhang, TC. (2005). Effects of dissolved oxygen on formation of corrosion products and concomitant oxygen and nitrate reduction in zero-valent iron systems with or without aqueous Fe²⁺. *Water Res.* 39: 1751-1760. <http://dx.doi.org/10.1016/j.watres.2005.03.002>.
- Huang, YH; Zhang, TC. (2005). Modeling of nitrate adsorption and reduction in Fe⁰-packed columns through impulse loading tests. *J Environ Eng.* 131: 1194-1202. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:8\(1194\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:8(1194)).
- Huang, YH; Zhang, TC. (2006). Reduction of nitrobenzene and formation of corrosion coatings in zerovalent iron systems. *Water Res.* 40: 3075-3082. <http://dx.doi.org/10.1016/j.watres.2006.06.016>.
- Huang, YX; Guo, J; Zhang, C; Hu, Z. (2016). Hydrogen production from the dissolution of nano zero valent iron and its effect on anaerobic digestion. *Water Res.* 88: 475-480. <http://dx.doi.org/10.1016/j.watres.2015.10.028>.
- Huang, Z; Yue, F, ei; Yang, X; Xia, L; Chen, C; Qiu, X; Huang, J; Li, L; Kamijima, M; Nakajima, T; Huang, H. (2012). Upregulation of Calprotectin and Downregulation of Retinol Binding Protein in the Serum of Workers with Trichloroethylene-induced Hypersensitivity Dermatitis. *J Occup Health.* 54: 299-309.
- Huff, J. (2002). Chemicals studied and evaluated in long-term carcinogenesis bioassays by both the Ramazzini Foundation and the National Toxicology Program: In tribute to Cesare Maltoni and David Rall. *Ann N Y Acad Sci.* 982: 208-230.
- Huff, J. (2002). IARC monographs, industry influence, and upgrading, downgrading, and under-grading chemicals: a personal point of view [Comment]. *Int J Occup Environ Health.* 8: 249-270.

Exposure Literature Search Results

Off Topic

- Hughes, JB; Parkin, GF. (1996). Concentration Effects on Chlorinated Aliphatic Transformation Kinetics. *J Environ Eng.* 122: 92. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(1996\)122:2\(92\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(1996)122:2(92)).
- Hughes, JB; Parkin, GF. (1996). Individual biotransformation rates in chlorinated aliphatic mixtures. *J Environ Eng.* 122: 99-106.
- Hughes, K; Meek, ME; Caldwell, I. (1994). 1,1,2,2-tetrachloroethane: evaluation of risks to health from environmental exposure in Canada. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 12: 483-491.
- Hughes, R; Gui, L; Gillham, RW. (2009). Degradation of chlorinated butenes and butadienes in granular iron columns. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 1209-1218. <http://dx.doi.org/10.1080/10934520903139837>.
- Hui, Y; Chng, EL; Chua, LP; Liu, WZ; Webster, RD. (2010). Voltammetric method for determining the trace moisture content of organic solvents based on hydrogen-bonding interactions with quinones. *Anal Chem.* 82: 1928-1934. <http://dx.doi.org/10.1021/ac9026719>.
- Huling, SG; Jones, PK; Ela, WP; Arnold, RG. (2005). Repeated reductive and oxidative treatments of granular activated carbon. *J Environ Eng.* 131: 287-297. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:2\(287\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:2(287)).
- Huling, SG; Ko, S; Park, S; Kan, E. (2011). Persulfate oxidation of MTBE- and chloroform-spent granular activated carbon. *J Hazard Mater.* 192: 1484-1490. <http://dx.doi.org/10.1016/j.jhazmat.2011.06.070>.
- Huling, SG; Ko, S; Pivetz, B. (2011). Groundwater Sampling at ISCO Sites: Binary Mixtures of Volatile Organic Compounds and Persulfate. *Ground Water Monitoring and Remediation.* 31: 72-79. <http://dx.doi.org/10.1111/j.1745-6592.2011.01332.x>.
- Hung, CH; Chiang, PC; Yuan, C; Chou, CY. (2001). Photocatalytic degradation of azo dye in TiO₂ suspended solution. *Water Sci Technol.* 43: 313-320.
- Hung, CH; Marinas, BJ. (1995). Identification and Quantification of Products Formed from the Photocatalytic Degradation of Trichloroethylene Vapor on TiO₂ Illuminated with near-Uv Light. Chicago, IL.
- Hung, CH; Marinas, BJ. (1997). Role of chlorine and oxygen in the photocatalytic degradation of trichloroethylene vapor on TiO₂ films. *Environ Sci Technol.* 31: 562-568.
- Hung, CH; Marinas, BJ. (1997). Role of water in the photocatalytic degradation of trichloroethylene vapor on TiO₂ films. *Environ Sci Technol.* 31: 1440-1445.
- Hung, W, enChi; Chen, Y, uC; Chu, H; Tseng, TK, e. (2008). Synthesis and characterization of TiO₂ and Fe/TiO₂ nanoparticles and their performance for photocatalytic degradation of 1,2-dichloroethane. *Appl Surf Sci.* 255: 2205-2213. <http://dx.doi.org/10.1016/j.apsusc.2008.07.079>.
- Hung, WC; Fu, SH; Tseng, JJ; Chu, H; Ko, TH. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO₂ prepared by the sol-gel method. *Chemosphere.* 66: 2142-2151. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.037>.
- Hunka, DE; Herman, DC; Lormand, KD; Jaramillo, DM; Land, DP. (2005). Decomposition of 1,1-dichloroethene on Pd(111). *Langmuir.* 21: 8333-8337. <http://dx.doi.org/10.1021/la050645i>.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-chlorine isotope analysis and quantitative PCR. *J Contam Hydrol.* 119: 69-79. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.009>.
- Hunkeler, D; Arava, R; Parker, BL; Cherry, JA; Diao, X. (2003). Monitoring oxidation of chlorinated ethenes by permanganate in groundwater using stable isotopes: laboratory and field studies. *Environ Sci Technol.* 37: 798-804. <http://dx.doi.org/10.1021/es020073d>.
- Hunkeler, D; Aravena, R; Berry-Spark, K; Cox, E. (2005). Assessment of degradation pathways in an aquifer with mixed chlorinated hydrocarbon contamination using stable isotope analysis. *Environ Sci Technol.* 39: 5975-5981. <http://dx.doi.org/10.1021/es048464a>.
- Hunkeler, D; Aravena, R; Butler, BJ. (1999). Monitoring microbial dechlorination of tetrachloroethene (PCE) in groundwater using compound-specific stable carbon isotope ratios: Microcosm and field studies. *Environ Sci Technol.* 33: 2733-2738.
- Hunkeler, D; Aravena, R; Shouakar-Stash, O; Weisbrod, N; Nasser, A; Netzer, L; Ronen, D. (2011). Carbon and chlorine isotope ratios of chlorinated ethenes migrating through a thick unsaturated zone of a sandy aquifer. *Environ Sci Technol.* 45: 8247-8253. <http://dx.doi.org/10.1021/es201415k>.
- Hunkeler, D; Chollet, N; Pittet, X; Aravena, R; Cherry, JA; Parker, BL. (2004). Effect of source variability and transport processes on carbon isotope ratios of TCE and PCE in two sandy aquifers. *J Contam Hydrol.* 74: 265-282. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.003>.
- Hunkeler, D; Van Breukelen, BM; Elsner, M. (2009). Modeling Chlorine Isotope Trends during Sequential Transformation of Chlorinated Ethenes. *Environ Sci Technol.* 43: 6750-6756. <http://dx.doi.org/10.1021/es900579z>.
- Hunt, JR; Holden, PA; Firestone, MF. (1995). COUPLING TRANSPORT AND BIODEGRADATION OF VOCs IN SURFACE AND SUBSURFACE SOILS. *Environ Health Perspect.* 103: 75-78.
- Hunter, CA; Misuraca, MC; Turega, SM. (2012). Comparative analysis of the influence of H-bond strength and solvent on chelate cooperativity in H-bonded supramolecular complexes. 3: 2462-2469. <http://dx.doi.org/10.1039/c2sc20358h>.
- Hunter, CA; Misuraca, MC; Turega, SM. (2012). Solvent effects on chelate cooperativity. 3: 589-601. <http://dx.doi.org/10.1039/c1sc00635e>.
- Hunter, E; Rogers, E; Schmid, J; Richard, A. (1996). Comparative effects of haloacetic acids in whole embryo culture. *Teratology.* 54: 57-64. [http://dx.doi.org/10.1002/\(SICI\)1096-9926\(199606\)54:2<57::AID-TERA1>3.0.CO;2-1](http://dx.doi.org/10.1002/(SICI)1096-9926(199606)54:2<57::AID-TERA1>3.0.CO;2-1).
- Hunter, WJ. (2005). Injection of innocuous oils to create reactive barriers for bioremediation: laboratory studies. *J Contam Hydrol.* 80: 31-48. <http://dx.doi.org/10.1016/j.jconhyd.2005.06.008>.
- Hussain, I; Zhang, Y; Huang, S. (2014). Degradation of aniline with zero-valent iron as an activator of persulfate in aqueous solution. *RSC Advances.* 4: 3502-3511. <http://dx.doi.org/10.1039/c3ra43364a>.
- Hutson, A; Ko, S; Huling, SG. (2012). Persulfate oxidation regeneration of granular activated carbon: Reversible impacts on sorption behavior. *Chemosphere.* 89: 1218-1223. <http://dx.doi.org/10.1016/j.chemosphere.2012.07.040>.

Exposure Literature Search Results

Off Topic

- Hutter, GM; Brenniman, GR; Anderson, RJ. (1992). Measurement of the apparent diffusion coefficient of trichloroethylene in soil. *Water Environ Res.* 64: 69-77.
- Hwang, C; An, J; Choi, BD, oo; Kim, K; Jung, SW, on; Baeg, KJ, un; Kim, MG, il; Ok, KM, in; Hong, J. (2016). Controlled aqueous synthesis of ultra-long copper nanowires for stretchable transparent conducting electrode. 4: 1441-1447. <http://dx.doi.org/10.1039/c5tc03614c>.
- Hwang, C; Cheng, YC. (2005). A note on the use of the Lambert W function in the stability analysis of time-delay systems. *Automatica.* 41: 1979-1985. <http://dx.doi.org/10.1016/j.automatica.2005.05.020>.
- Hwang, H; Kim, A; Zhong, Z; Kwon, HC; Jeong, S; Moon, J. (2016). Reducible-Shell-Derived Pure-Copper-Nanowire Network and Its Application to Transparent Conducting Electrodes. *Adv Funct Mater.* 26: 6545-6554. <http://dx.doi.org/10.1002/adfm.201602094>.
- Hwang, HT; Jeon, SW; Sudicky, EA; Illman, WA. (2015). Determination of rate constants and branching ratios for TCE degradation by zero-valent iron using a chain decay multispecies model. *J Contam Hydrol.* 177-178: 43-53. <http://dx.doi.org/10.1016/j.jconhyd.2015.03.001>.
- Hwang, I; Batchelor, B. (2001). Reductive dechlorination of tetrachloroethylene in soils by Fe(II)-based degradative solidification/stabilization. *Environ Sci Technol.* 35: 3792-3797.
- Hwang, I; Park, HJ; Kang, WH; Park, JY. (2005). Reactivity of Fe(II)/cement systems in dechlorinating chlorinated ethylenes. *J Hazard Mater.* 118: 103-111. <http://dx.doi.org/10.1016/j.jhazmat.2004.10.002>.
- Hwang, Y; Mines, PD; Jakobsen, MH; Andersen, HR. (2015). Simple colorimetric assay for dehalogenation reactivity of nanoscale zero-valent iron using 4-chlorophenol. *Appl Catal B-Environ.* 166: 18-24. <http://dx.doi.org/10.1016/j.apcatb.2014.10.059>.
- Hylton, TD. (1992). EVALUATION OF THE TCE CATALYTIC-OXIDATION UNIT AT WURTSMITH AIR-FORCE BASE. *Environmental Progress.* 11: 54-57.
- Hyun, S; Hayes, K. (2015). Abiotic reductive dechlorination of cis-DCE by ferrous monosulfide mackinawite. *Environ Sci Pollut Res Int.* 22: 16463-16474. <http://dx.doi.org/10.1007/s11356-015-5033-2>.
- Hyun, SP, il; Hayes, K, imF. (2009). Feasibility of Using In Situ FeS Precipitation for TCE Degradation. *J Environ Eng.* 135: 1009-1014. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000073](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000073).
- IARC. (1995). Tetrachloroethylene. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans* (pp. 159-221). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol63/index.php>.
- IARC. (2001). Pathology and genetics of tumours of haematopoietic and lymphoid tissues. In *IARC WHO classification of tumours*. Lyon, France. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=70&codcch=3>.
- IARC. (2004). Tobacco smoke and involuntary smoking [IARC Monograph] (pp. 1-1438). (RISKLIN/2004080004). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol83/mono83.pdf>.
- Iavicoli, I; Marinaccio, A; Carelli, G. (2005). Effects of occupational trichloroethylene exposure on cytokine levels in workers. *J Occup Environ Med.* 47: 453-457. <http://dx.doi.org/10.1097/01.jom.0000161728.23285.66>.
- Ibhadon, AO; Arabatzis, IM; Falaras, P; Tsoukleris, D. (2007). The design and photoreaction kinetic modeling of a gas-phase titania foam packed bed reactor. *Chem Eng J.* 133: 317-323. <http://dx.doi.org/10.1016/j.cej.2007.02.018>.
- Ibrahim, H; de Lasa, H. (1999). Novel photocatalytic reactor for the destruction of airborne pollutants reaction kinetics and quantum yields. *Ind Eng Chem Res.* 38: 3211-3217.
- Ibrahim, H; de Lasa, H. (2002). Photo-catalytic conversion of air borne pollutants - Effect of catalyst type and catalyst loading in a novel photo-CREC-air unit. *Appl Catal B-Environ.* 38: 201-213.
- Ibrahim, H; de Lasa, H. (2003). Photo-catalytic degradation of air borne pollutants apparent quantum efficiencies in a novel photo-CREC-air reactor. *Chem Eng Sci.* 58: 943-949. [http://dx.doi.org/10.1016/S0009-2509\(02\)00632-2](http://dx.doi.org/10.1016/S0009-2509(02)00632-2).
- ICRP. (2002). Basic anatomical and physiological data for use in radiological protection: Reference values. In *Annals of the ICRP* (pp. 1-277). (ICRP Publication 89). New York, NY: Pergamon Press. [http://dx.doi.org/10.1016/S0146-6453\(03\)00002-2](http://dx.doi.org/10.1016/S0146-6453(03)00002-2).
- IEI. (2005). Rocketdyne worker health study: Final report: Executive summary & appendices. Rockville, MD. http://www.boeing.com/aboutus/environment/santa_susana/factsheets/Rocketdyne_Worker_Health_Study_Final_Report_July_2005.pdf.
- Ikatsu, H; Shinoda, S; Nakajima, T. (1998). CYP2E1 level in rat liver injured by the interaction between carbon tetrachloride and chloroform. *J Occup Health.* 40: 223-229. <http://dx.doi.org/10.1539/joh.40.223>.
- Ikeda, M. (1977). Metabolism of trichloroethylene and tetrachloroethylene in human subjects. *Environ Health Perspect.* 21: 239-245. <http://dx.doi.org/10.1289/ehp.7721239>.
- Ikeda, M; Ohtsujii, H. (1972). COMPARATIVE STUDY OF EXCRETION OF FUJIWARA REACTION-POSITIVE SUBSTANCES IN URINE OF HUMANS AND RODENTS GIVEN TRICHLORO-DERIVATIVES OR TETRACHLORO-DERIVATIVES OF ETHANE AND ETHYLENE. *Br J Ind Med.* 29: 99-&.
- Ikeda, M; Ohtsujii, H; Imamura, T; Komoike, Y. (1972). Urinary excretion of total trichloro-compounds, trichloroethanol, and trichloroacetic acid as a measure of exposure to trichloroethylene and tetrachloroethylene. *Br J Ind Med.* 29: 328-333. <http://dx.doi.org/10.1136/oem.29.3.328>.
- Ikeda, M; Otsuji, H; Kawai, H; Kuniyoshi, M. (1971). Excretion kinetics of urinary metabolites in a patient addicted to trichloroethylene. *Br J Ind Med.* 28: 203-206.
- Ikehata, K; Wang-Staley, L; Qu, X; Li, Y. (2016). Treatment of groundwater contaminated with 1,4-dioxane, tetrahydrofuran, and chlorinated volatile organic compounds using advanced oxidation processes. *Ozone: Science and Engineering.* 38: 413-424. <http://dx.doi.org/10.1080/01919512.2016.1198686>.
- Iloukhani, F; Zarei, HA. (2002). Excess thermodynamic properties of binary liquid mixtures containing N,N-dimethylacetamide with some alkan-1-ols (C-1-C-6) at 298.15 K. *Physics and Chemistry of Liquids.* 40: 449-455. <http://dx.doi.org/10.1080/0031910021000017762>.

Exposure Literature Search Results

Off Topic

- Iloukhani, H. (1997). Excess molar enthalpies for binary mixtures with trichloroethylene plus alkan-1-ols (C-3-C-8) at 298.15 K. *Journal of Chemical and Engineering Data*. 42: 802-804.
- Iloukhani, H; Parsa, JB. (2001). Excess molar enthalpies of binary mixtures of trichloroethylene with six 2-alkanols at 25 degrees C. *Journal of Solution Chemistry*. 30: 425-433.
- Iloukhani, H; Parsa, JB; Azizian, S. (1999). Ultrasonic studies for binary mixtures with trichloroethylene plus alkan-1-ols (C-3-C-8) at 303.15 K. *Journal of Chemical and Engineering Data*. 44: 152-154.
- Iloukhani, H; Samiey, B. (2005). Studies of viscosities and excess molar volumes of the binary mixtures of 1-heptanol plus 1,2-dichloroethane, plus 1,1,1-trichloroethane, plus 1,1,2,2-tetrachloroethane, plus trichloroethylene and tetrachloroethylene at (293.15, 298.15, and 303.15) K for the liquid region and at ambient pressure. *Journal of Chemical and Engineering Data*. 50: 1911-1916. <http://dx.doi.org/10.1021/je0501890>.
- Im, J; Walshe-Langford, GE; Moon, J; Loeffler, FE. (2014). Environmental Fate of the Next Generation Refrigerant 2,3,3,3-Tetrafluoropropene (HFO-1234yf). *Environ Sci Technol*. 48: 13181-13187. <http://dx.doi.org/10.1021/es5032147>.
- Imaoka, T; Takatsuka, T; Yamamoto, K. (2006). Catalytic dehalogenation enhanced by appending dendritic ligands on cobalt porphyrins. *Journal of Porphyrins and Phthalocyanines*. 10: 1066-1070.
- Imbriani, M; Niu, Q; Negri, S; Ghittori, S. (2001). Trichloroethylene in urine as biological exposure index. *Ind Health*. 39: 225-230. <http://dx.doi.org/10.2486/indhealth.39.225>.
- Imfeld, G; Nijenhuis, I; Nikolausz, M; Zeiger, S; Paschke, H; Drangmeister, J; Grossmann, J; Richnow, HH; Weber, S. (2008). Assessment of in situ degradation of chlorinated ethenes and bacterial community structure in a complex contaminated groundwater system. *Water Res*. 42: 871-882. <http://dx.doi.org/10.1016/j.watres.2007.08.035>.
- Imhoff, PT; Arthur, MH; Miller, CT. (1998). Complete dissolution of trichloroethylene in saturated porous media. *Environ Sci Technol*. 32: 2417-2424.
- Imhoff, PT; Jaffe, PR; Pinder, GF. (1994). AN EXPERIMENTAL-STUDY OF COMPLETE DISSOLUTION OF A NONAQUEOUS PHASE LIQUID IN SATURATED POROUS-MEDIA. *Water Resour Res*. 30: 307-320.
- Imhoff, PT; Pirestani, K; Jafarpour, Y; Spivey, KM. (2003). Tracer interaction effects during partitioning tracer tests for NAPL detection. *Environ Sci Technol*. 37: 1441-1447. <http://dx.doi.org/10.1021/es026040f>.
- Imoberdorf, GE; Cassano, AE; Alfano, OM; Irazoqui, HA. (2006). Modeling of a multiannular photocatalytic reactor for perchloroethylene degradation in air. *AIChE J*. 52: 1814-1823. <http://dx.doi.org/10.1002/aic.10771>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Optimal design and modeling of annular photocatalytic wall reactors. *Catalysis Today*. 129: 118-126. <http://dx.doi.org/10.1016/j.cattod.2007.06.057>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Simulation of a multi-annular photocatalytic reactor for degradation of perchloroethylene in air: Parametric analysis of radiative energy efficiencies. *Chem Eng Sci*. 62: 1138-1154. <http://dx.doi.org/10.1016/j.ces.2006.10.024>.
- Imoberdorf, GE; Irazoqui, HA; Alfano, OM; Cassano, AE. (2007). Scaling-up from first principles of a photocatalytic reactor for air pollution remediation. *Chem Eng Sci*. 62: 793-804. <http://dx.doi.org/10.1016/j.ces.2006.10.004>.
- Imoberdorf, GE; Irazoqui, HA; Cassano, AE; Alfano, OM. (2005). Photocatalytic degradation of tetrachloroethylene in gas phase on TiO(2) films: A kinetic study. *Ind Eng Chem Res*. 44: 6075-6085. <http://dx.doi.org/10.1021/ie049185z>.
- Imoberdorf, GE; Taghipour, F; Keshmiri, M; Mohseni, M. (2008). Predictive radiation field modeling for fluidized bed photocatalytic reactors. *Chem Eng Sci*. 63: 4228-4238. <http://dx.doi.org/10.1016/j.ces.2008.05.022>.
- Inaba, K; Hirata, T. (1992). Effects of coexisting linear alkylbenzenesulfonates on migration behavior of trichloroethylene in porous media. *Environ Technol*. 13: 259-265.
- Inayoshi, T; Sanada, M; Matsumoto, S. (2016). DBTTF derivative with bis(propylenedioxy) (BPDO) groups: Synthesis, electrochemical properties, conductivity, and crystal and band structures of salts. *Synthetic Metals*. 220: 174-186. <http://dx.doi.org/10.1016/j.synthmet.2016.06.005>.
- Indarto, A; Choi, JW; Lee, H; Song, HK. (2006). Decomposition of CCl4 and CHCl3 on gliding arc plasma. *J Environ Sci*. 18: 83-89.
- Indarto, A; Yang, D, aeR; Choi, J, aeW; Lee, H; Song, HK. (2007). CCl4 decomposition by gliding arc plasma: Role of C-2 compounds on products distribution. *Chemical Engineering Communications*. 194: 1111-1125. <http://dx.doi.org/10.1080/00986440701293363>.
- Inderjit; Asakawa, C; Kakuta, H. (2003). Phytotoxicity and fate of 1,1,2-trichloroethylene: A laboratory study. *J Chem Ecol*. 29: 1329-1335.
- Inguva, S; Boensch, M; Shreve, GS. (1998). Microbial enhancement of TCE and 1,2-DCA solute flux in UF-membrane bioreactors. *AIChE J*. 44: 2112-2123.
- Inguva, S; Shreve, GS. (1999). Biodegradation kinetics of trichloroethylene and 1,2-dichloroethane by Burkholderia (Pseudomonas) cepacia PR131 and Xanthobacter autotrophicus GJ10. *Int Biodeterior Biodegradation*. 43: 1-2.
- Inostroza, AA; Pantoja, S; Gonzalez, RR. (2011). Enzymatic activity of marine methanotrophs and its potential use in bioremediation. 75: 138-145.
- Inoue, O; Seiji, K; Kawai, T; Jin, C; Liu, YT; Chen, Z; Cai, SX; Yin, SN; Li, GL; Nakasutka, H; Watanabe, T; Ikeda, M. (1989). Relationship between vapor exposure and urinary metabolite excretion among workers exposed to trichloroethylene. *Am J Ind Med*. 15: 103-110.
- Inoue, O; Seiji, K; Kawai, T; Watanabe, T; Jin, C; Cai, SX; Chen, Z; Qu, QS; Zhang, T; Ikeda, M. (1993). Excretion of methylhippuric acids in urine of workers exposed to a xylene mixture: comparison among three xylene isomers and toluene. *Int Arch Occup Environ Health*. 64: 533-539.

Exposure Literature Search Results

Off Topic

- Inoue, O; Seiji, K; Watanabe, T; Chen, Z; Huang, MY; Xu, XP; Qiao, X; Ikeda, M. (1994). Effects of smoking and drinking habits on urinary o-cresol excretion after occupational exposure to toluene vapor among Chinese workers. *Am J Ind Med.* 25: 697-708.
- Inoue, O; Ukai, H; Ikeda, M. (2006). Green chemistry in urinalysis for trichloroethanol and trichloroacetic acid as markers of exposure to chlorinated hydrocarbon solvents. *Ind Health.* 44: 207-214.
- Intriago, L; Diaz, E; Ordonez, S; Vega, A. (2006). Combustion of trichloroethylene and dichloromethane over protonic zeolites: Influence of adsorption properties on the catalytic performance. *Microporous and Mesoporous Materials.* 91: 161-169. <http://dx.doi.org/10.1016/j.micromeso.2005.11.043>.
- Intrieri, C; Poni, S; Rebucci, B; Magnanini, E. (1998). Row orientation effects on whole-canopy gas exchange of potted and field-grown grapevines. *Vitis.* 37: 147-154.
- IOM. (2003). *Gulf war and health: Volume 2. Insecticides and solvents.* Washington, DC: National Academies Press. http://www.nap.edu/catalog.php?record_id=10628.
- Ireland, JC; Davila, B; Moreno, H; Fink, SK; Tassos, S. (1995). Heterogeneous photocatalytic decomposition of polyaromatic hydrocarbons over titanium dioxide. *Chemosphere.* 30: 965-984.
- Ireland, JC; Valinieks, J. (1992). Rapid measurement of aqueous hydroxyl radical concentrations in steady-state hydroxyl radical flux systems. *Chemosphere.* 25: 383-396.
- Irokawa, Y; Morikawa, T; Aoki, K; Kosaka, S; Ohwaki, T; Taga, Y. (2006). Photodegradation of toluene over TiO₂-xNx under visible light irradiation. *Phys Chem Chem Phys.* 8: 1116-1121. <http://dx.doi.org/10.1039/b517653k>.
- Isaacs, KK; Evans, MV; Harris, TR. (2004). Visualization-based analysis for a mixed-inhibition binary PBPK model: Determination of inhibition mechanism. *J Pharmacokinetic Pharmacodyn.* 31: 215-242.
- Isalou, M; Sleep, BE; Liss, SN. (1998). Biodegradation of high concentrations of tetrachloroethene in a continuous flow column system. *Environ Sci Technol.* 32: 3579-3585.
- Ise, K; Suto, K; Inoue, C. (2011). Microbial diversity and changes in the distribution of dehalogenase genes during dechlorination with different concentrations of cis-DCE. *Environ Sci Technol.* 45: 5339-5345. <http://dx.doi.org/10.1021/es104199y>.
- Ishiguro, T; Ohtake, Y; Nakayama, S; Inamori, Y; Amagai, T; Soma, M; Matsusita, H. (2000). Biodegradation of dibenzofuran and dioxins by *Pseudomonas aeruginosa* and *Xanthomonas maltophilia*. *Environ Technol.* 21: 1309-1316.
- Ishikawa, H; Okumura, K; Naito, N; Harada, T; Yamauchi, Y; Yamasaki, K; Murayama, M; Ihara, T. (2003). Purity evaluation of volatile organic compounds by GC-FID for standard gases and solutions using environmental analysis. *Bunseki Kagaku.* 52: 357-365.
- Ishikawa, S; Kojima, Y; Ozawa, S; Matsuda, H; Ushiroebisu, K; Yamada, Z. (2002). Effect of amount of trichloroethylene adsorbed on TiO₂/SiO₂ beads on photocatalytic decomposition. *Kagaku Kogaku Ronbunshu.* 28: 528-532.
- Ishizaka, S; Nishijima, Y; Kitamura, N. (2006). A thermodynamic study on the complexation between riboflavin and a diaminotriazine derivative mediated by triple hydrogen bonds at water/oil interfaces. *Anal Bioanal Chem.* 386: 749-758. <http://dx.doi.org/10.1007/s00216-006-0573-4>.
- Islam, MR; Sundararajan, PR. (2011). Tubular or subsurface morphology of octabutoxyphthalocyanine upon self-assembly in polymer matrices: effect of the casting solvent. *Chemistry.* 17: 6098-6108. <http://dx.doi.org/10.1002/chem.201003339>.
- Islam, MS; Zhao, L; Zhou, J; Dong, L; McDougal, JN; Flynn, GL. (1996). Systemic uptake and clearance of chloroform by hairless rats following dermal exposure. I. Brief exposure to aqueous solutions. *Risk Anal.* 16: 349-357.
- Ismail, AA. (2008). Single-step synthesis of a highly active photocatalyst for oxidation of trichloroethylene. *Appl Catal B-Environ.* 85: 33-39. <http://dx.doi.org/10.1016/j.apcatb.2008.06.025>.
- Ismail, AA; Ibrahim, IA. (2008). Impact of supercritical drying and heat treatment on physical properties of titania/silica aerogel monolithic and its applications. *Appl Catal A-Gen.* 346: 200-205. <http://dx.doi.org/10.1016/j.apcata.2008.05.031>.
- Isse, AA; Huang, B; Durante, C; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at a copper cathode. Part I: Polychloromethanes. *Appl Catal B-Environ.* 126: 347-354. <http://dx.doi.org/10.1016/j.apcatb.2012.07.004>.
- Istok, JD; Field, JA; Schroth, MH; Davis, BM; Dwarakanath, V. (2002). Single-well "push-pull" partitioning tracer test for NAPL detection in the subsurface. *Environ Sci Technol.* 36: 2708-2716. <http://dx.doi.org/10.1021/es015624z>.
- Itakura, T; Airey, DW; Leo, CJ. (2003). The diffusion and sorption of volatile organic compounds through kaolinitic clayey soils. *J Contam Hydrol.* 65: 219-243. [http://dx.doi.org/10.1016/S0169-7722\(03\)00002-0](http://dx.doi.org/10.1016/S0169-7722(03)00002-0).
- Ito, T; Meyer, GJ. (2007). Heme-Mediated Reduction of Organohalide Pollutants at Nanocrystalline TiO₂ Thin-Film Interfaces. *Environ Eng Sci.* 24: 31-44.
- Ito, Y; Yamanoshita, O; Asaeda, N; Tagawa, Y; Lee, CH; Aoyama, T; Ichihara, G; Furuhashi, K; Kamijima, M; Gonzalez, FJ; Nakajima, T. (2007). Di(2-ethylhexyl)phthalate induces hepatic tumorigenesis through a peroxisome proliferator-activated receptor alpha-independent pathway. *J Occup Health.* 49: 172-182.
- Ito, Y; Yokota, H; Wang, R; Yamanoshita, O; Ichihara, G; Wang, H; Kurata, Y; Takagi, K; Nakajima, T. (2005). Species differences in the metabolism of di(2-ethylhexyl) phthalate (DEHP) in several organs of mice, rats, and marmosets. *Arch Toxicol.* 79: 147-154. <http://dx.doi.org/10.1007/s00204-004-0615-7>.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A PRODUCT STUDY OF THE OH RADICAL-INITIATED OXIDATION OF PERCHLOROETHYLENE AND TRICHLOROETHYLENE. *Chemosphere.* 28: 2029-2040. [http://dx.doi.org/10.1016/0045-6535\(94\)90153-8](http://dx.doi.org/10.1016/0045-6535(94)90153-8).
- Iwatsubo, Y; Benezet, L; Boutou-Kempf, O; Fevotte, J; Garras, L; Goldberg, M; Luce, D; Pilorget, C; Imbernon, E. (2014). An extensive epidemiological investigation of a kidney cancer cluster in a chemical plant: what have we learned? *Occup Environ Med.* 71: 4-11. <http://dx.doi.org/10.1136/oemed-2013-101477>.

Exposure Literature Search Results

Off Topic

- Iyer, RA; Frink, EJ, Jr; Ebert, TJ; Anders, MW. (1998). Cysteine conjugate beta-lyase-dependent metabolism of compound A (2-[fluoromethoxy]-1,1,3,3,3-pentafluoro-1-propene) in human subjects anesthetized with sevoflurane and in rats given compound A. *Anesthesiology*. 88: 611-618.
- Izcapa-Treviño, C; Loera, O; Tomasini-Campocoso, A; Esparza-García, F; Salazar-Montoya, JA; Díaz-Cervantes, MD; Rodríguez-Vázquez, R. (2009). Fenton (H₂O₂/Fe) reaction involved in *Penicillium* sp. culture for DDT [1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane]] degradation. *J Environ Sci Health B*. 44: 798-804. <http://dx.doi.org/10.1080/03601230903238368>.
- Jackson, RE. (1999). Anticipating ground-water contamination by new technologies and chemicals: The case of chlorinated solvents in California. *Environmental and Engineering Geoscience*. 5: 331-338.
- Jackson, RE; Dwarakanath, V. (1999). Chlorinated degreasing solvents: Physical-chemical properties affecting aquifer contamination and remediation. *Ground Water Monitoring and Remediation*. 19: 102-110.
- Jackson, RE; Mariner, PE. (1995). ESTIMATING DNAPL COMPOSITION AND VOC DILUTION FROM EXTRACTION WELL DATA. *Ground Water*. 33: 407-414.
- Jackson, S, aM; Rananaware, A; Rix, C; Bhosale, SV; Latham, K, ay. (2015). Clathrate directed assembly of tetrapyrrolyl-tetraphenylethylene metal-organic frameworks. *RSC Advances*. 5: 84134-84141. <http://dx.doi.org/10.1039/c5ra18499a>.
- Jacobs, AM; Amin, IE; Fisher, ON. (2007). Persistence of vinyl chloride in ground water at the Woodlawn landfill Superfund site, northeastern Maryland, USA. *Environ Geol*. 52: 1253-1260. <http://dx.doi.org/10.1007/s00254-006-0563-z>.
- Jacoby, WA; Blake, DM; Fennell, JA; Boulter, JE; Vargo, LM; George, MC; Dolberg, SK. (1996). Heterogeneous photocatalysis for control of volatile organic compounds in indoor air. *J Air Waste Manag Assoc*. 46: 891-898.
- Jacoby, WA; Blake, DM; Noble, RD; Koval, CA. (1995). KINETICS OF THE OXIDATION OF TRICHLOROETHYLENE IN AIR VIA HETEROGENEOUS PHOTOCATALYSIS. *J Catal*. 157: 87-96.
- Jacoby, WA; Nimlos, MR; Blake, DM; Noble, RD; Koval, CA. (1994). Products, Intermediates, Mass Balances, and Reaction Pathways for the Oxidation of Trichloroethylene in Air via Heterogeneous Photocatalysis. *Environ Sci Technol*. 28: 1661-1668. <http://dx.doi.org/10.1021/es00058a018>.
- Jacques, B; Devaux, J; Legras, R; Nield, E. (1996). Study of an appropriate procedure for the chromatographic analysis of poly(ethylene terephthalate), after melt processing with triphenyl phosphite. *J Chromatogr A*. 725: 367-371.
- Jafarpour, B; Imhoff, PT; Chiu, PC. (2005). Quantification and modelling of 2,4-dinitrotoluene reduction with high-purity and cast iron. *J Contam Hydrol*. 76: 87-107. <http://dx.doi.org/10.1016/j.jconhyd.2004.08.00>.
- Jaffe, D; Gandolfi, A; Nagle, R. (1984). Chronic toxicity of S-(trans-1,2-dichlorovinyl)-L-cysteine in mice. *J Appl Toxicol*. 4: 315-319. <http://dx.doi.org/10.1002/jat.2550040607>.
- Jaffe, D; Hassall, C; Gandolfi, A; Brendel, K. (1985). Production of DNA single strand breaks in rabbit renal tissue after exposure to 1,2-dichlorovinylcysteine. *Toxicology*. 35: 25-33. [http://dx.doi.org/10.1016/0300-483X\(85\)90129-5](http://dx.doi.org/10.1016/0300-483X(85)90129-5).
- Jahnke, SA; Niemann, J; Kautek, W; Bischoff, R; Pfeiffer, C; Kossmehl, G. (1997). Sensor system for alcohol and chlorinated hydrocarbon vapours on the basis of semiconducting polymers. *Int J Environ Anal Chem*. 67: 223-236.
- Jakubowska, N; Polkowska, Z; Kujawski, W; Konieczka, P; Namieśnik, J. (2007). A comparison of three solvent-free techniques coupled with gas chromatography for determining trihalomethanes in urine samples. *Anal Bioanal Chem*. 388: 691-698. <http://dx.doi.org/10.1007/s00216-007-1259-2>.
- James, AL; Oldenburg, CM. (1997). Linear and Monte Carlo uncertainty analysis for subsurface contaminant transport simulation. *Water Resour Res*. 33: 2495-2508.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. *Environ Pollut*. 157: 2564-2569. <http://dx.doi.org/10.1016/j.envpol.2009.02.033>.
- James, CA; Xin, G; Doty, SL; Strand, SE. (2008). Degradation of low molecular weight volatile organic compounds by plants genetically modified with mammalian cytochrome P450 2E1. *Environ Sci Technol*. 42: 289-293. <http://dx.doi.org/10.1021/es071197z>.
- James, KJ; Stack, MA. (1996). The determination of volatile organic compounds in soils using solid phase microextraction with gas chromatography-mass spectrometry. *HRC - Journal of High Resolution Chromatography*. 19: 515-519.
- James, MO; Cornett, R; Yan, Z; Henderson, GN; Stacpoole, PW. (1997). Glutathione-dependent conversion to glyoxylate, a major pathway of dichloroacetate biotransformation in hepatic cytosol from humans and rats, is reduced in dichloroacetate-treated rats. *Drug Metab Dispos*. 25: 1223-1227.
- Jamrah, A; Al-Futaisi, A; Hassan, H; Al-Oraimi, S. (2007). Petroleum contaminated soil in Oman: Evaluation of bioremediation treatment and potential for reuse in hot asphalt mix concrete. *Environ Monit Assess*. 124: 331-341. <http://dx.doi.org/10.1007/s10661-006-9230-9>.
- Janda, V; Vasek, P; Bizova, J; Belohlav, Z. (2004). Kinetic models for volatile chlorinated hydrocarbons removal by zero-valent iron. *Chemosphere*. 54: 917-925. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.033>.
- Jang, C; Jiang, Q; Lu, J; Ye, Z. (2015). Structural, Optical and Electrical Properties of Ga Doped ZnO/Cu grid/Ga Doped ZnO Transparent Electrodes. *Journal of Materials Science & Technology*. 31: 1108-1110. <http://dx.doi.org/10.1016/j.jmst.2015.07.018>.
- Jang, D, aeGyu; Ahn, CH; Choi, JS; Kim, JH, o; Kim, JK, yu; Joo, J, inC. (2016). Enhanced Removal of Trichloroethylene in Water Using Nano-ZnO/Polybutadiene Rubber Composites. 6. <http://dx.doi.org/10.3390/catal6100152>.
- Jang, J; Im, HG; Jin, J; Lee, J; Lee, JY; Bae, BS. (2016). A Flexible and Robust Transparent Conducting Electrode Platform Using an Electroplated Silver Grid/Surface-Embedded Silver Nanowire Hybrid Structure. 8: 27035-27043. <http://dx.doi.org/10.1021/acsami.6b07140>.
- Jang, M; Kim, JH; Hwang, DH; Yang, H. (2015). Controlling Conjugation and Solubility of Donor-Acceptor Semiconducting Copolymers for High-Performance Organic Field-Effect Transistors. 7: 12781-12788. <http://dx.doi.org/10.1021/acsami.5b01746>.

Exposure Literature Search Results

Off Topic

- Jang, W; Aral, MM. (2007). Density-driven transport of volatile organic compounds and its impact on contaminated groundwater plume evolution. *Transport in Porous Media*. 67: 353-374. <http://dx.doi.org/10.1007/s11242-006-9029-8>.
- Jang, W; Aral, MM. (2008). Effect of biotransformation on multispecies plume evolution and natural attenuation. *Transport in Porous Media*. 72: 207-226. <http://dx.doi.org/10.1007/s11242-007-9145-0>.
- Jang, W; Aral, MM. (2009). Multiphase Flow Fields in In-situ Air Sparging and its Effect on Remediation. *Transport in Porous Media*. 76: 99-119. <http://dx.doi.org/10.1007/s11242-008-9238-4>.
- Jankowski, P; Ogończyk, D; Lisowski, W; Garstecki, P. (2012). Polyethyleneimine coating renders polycarbonate resistant to organic solvents. *Lab Chip*. 12: 2580-2584. <http://dx.doi.org/10.1039/c2lc21297h>.
- Jansson, I; Suarez, S; Garcia-Garcia, FJ; Sanchez, B. (2015). Zeolite-TiO₂ hybrid composites for pollutant degradation in gas phase. *Appl Catal B-Environ*. 178: 100-107. <http://dx.doi.org/10.1016/j.apcatb.2014.10.022>.
- Jansson, I; Yoshiiri, K; Hori, H; Garcia-Garcia, FJ; Rojas, S; Sanchez, B; Ohtani, B; Suarez, S. (2016). Visible light responsive Zeolite/WO₃-Pt hybrid photocatalysts for degradation of pollutants in air. *Appl Catal A-Gen*. 521: 208-219. <http://dx.doi.org/10.1016/j.apcata.2015.12.015>.
- Jarandehi, A; De Visscher, A. (2009). Three-Dimensional CFD Model for a Flat Plate Photocatalytic Reactor: Degradation of TCE in a Serpentine Flow Field. *AIChE J*. 55: 312-320. <http://dx.doi.org/10.1002/aic.11692>.
- Jarandehi, A; Golpayegani, MK; De Visscher, A. (2008). Kinetic modeling of photocatalytic degradation reactions: Effect of charge trapping. *Appl Catal B-Environ*. 84: 65-74. <http://dx.doi.org/10.1016/j.apcatb.2008.03.006>.
- Jarrett, MR; Finklea, HO. (1999). Detection of nonpolar vapors on quartz crystal microbalances with Ni(SCN)₂(4-picoline)₄ coatings. *Anal Chem*. 71: 353-357.
- Jasińska, M. (1965). [General anesthesia with trichloroethylene in children with congenital developmental defects of the jaw and face]. *Czas Stomatol*. 18: 935-940.
- Jasper, A; Salih, HH; Sorial, GA; Sinha, R; Krishnan, R; Patterson, CL. (2010). Impact of Nanoparticles and Natural Organic Matter on the Removal of Organic Pollutants by Activated Carbon Adsorption. *Environ Eng Sci*. 27: 85-93. <http://dx.doi.org/10.1089/ees.2009.0234>.
- Jat, ML; Gathala, MK; Ladha, JK; Saharawat, YS; Jat, AS; Kumar, V; Sharma, SK; Kumar, V; Gupta, R, aj. (2009). Evaluation of precision land leveling and double zero-till systems in the rice-wheat rotation: Water use, productivity, profitability and soil physical properties. *Soil Till Res*. 105: 112-121. <http://dx.doi.org/10.1016/j.still.2009.06.003>.
- Jayanti, S; Britton, LN; Dwarakanath, V; Pope, GA. (2002). Laboratory evaluation of custom-designed surfactants to remediate NAPL source zones. *Environ Sci Technol*. 36: 5491-5497. <http://dx.doi.org/10.1021/es020566i>.
- Jayaraj, J; Rockne, KJ; Makkar, RS. (2004). Reductive dechlorination of tetrachloroethene by a mixed bacterial culture growing on ethyl lactate. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 39: 1399-1414. <http://dx.doi.org/10.1081/ESE-120037841>.
- Jean, JH; Gupta, TK. (1992). CRYSTALLIZATION KINETICS OF BINARY BOROSILICATE GLASS COMPOSITE. *J Mater Res*. 7: 3103-3111.
- Jean, JH; Gupta, TK. (1993). CRYSTAL-GROWTH INHIBITOR IN BINARY BOROSILICATE GLASS COMPOSITE GALLIUM OXIDE. *Journal of the American Ceramic Society*. 76: 751-753.
- Jeannotat, S; Hunkeler, D. (2012). Chlorine and carbon isotopes fractionation during volatilization and diffusive transport of trichloroethene in the unsaturated zone. *Environ Sci Technol*. 46: 3169-3176. <http://dx.doi.org/10.1021/es203547p>.
- Jedynak, K; Zdenkowski, J, an; Swiecicka, A; Choma, J. (2015). Adsorption Properties Characterization of Ordered Mesoporous Carbons by Inverse Gas Chromatography. 37: 3-10.
- Jeen, SW; Amos, RT; Blowes, DW. (2012). Modeling gas formation and mineral precipitation in a granular iron column. *Environ Sci Technol*. 46: 6742-6749. <http://dx.doi.org/10.1021/es300299r>.
- Jeen, SW; Blowes, DW; Gillham, RW. (2008). Performance evaluation of granular iron for removing hexavalent chromium under different geochemical conditions. *J Contam Hydrol*. 95: 76-91. <http://dx.doi.org/10.1016/j.jconhyd.2007.07.012>.
- Jeen, SW; Gillham, RW; Blowes, DW. (2006). Effects of carbonate precipitates on long-term performance of granular iron for reductive dechlorination of TCE. *Environ Sci Technol*. 40: 6432-6437. <http://dx.doi.org/10.1021/es0608747>.
- Jeen, SW; Gillham, RW; Przepiora, A. (2011). Predictions of long-term performance of granular iron permeable reactive barriers: Field-scale evaluation. *J Contam Hydrol*. 123: 50-64. <http://dx.doi.org/10.1016/j.jconhyd.2010.12.006>.
- Jeen, SW; Jambor, JL; Blowes, DW; Gillham, RW. (2007). Precipitates on granular iron in solutions containing calcium carbonate with trichloroethene and hexavalent chromium. *Environ Sci Technol*. 41: 1989-1994. <http://dx.doi.org/10.1021/es0618393>.
- Jeen, SW; Lazar, S; Gui, L; Gillham, RW. (2014). Degradation of chlorofluorocarbons using granular iron and bimetallic irons. *J Contam Hydrol*. 158: 55-64. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.002>.
- Jeen, SW; Mayer, KU; Gillham, RW; Blowes, DW. (2007). Reactive transport modeling of trichloroethene treatment with declining reactivity of iron. *Environ Sci Technol*. 41: 1432-1438. <http://dx.doi.org/10.1021/es062490m>.
- Jeen, SW; Yang, Y; Gui, L; Gillham, RW. (2013). Treatment of trichloroethene and hexavalent chromium by granular iron in the presence of dissolved CaCO₃. *J Contam Hydrol*. 144: 108-121. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.004>.
- Jeffers, PM; Wolfe, NL. (1996). Homogeneous hydrolysis rate constants-Part II: Additions, corrections and halogen effects. *Environ Toxicol Chem*. 15: 1066-1070.
- Jellali, S; Benremita, H; Muntzer, P; Razakarisoa, O; Schäfer, G. (2003). A large-scale experiment on mass transfer of trichloroethylene from the unsaturated zone of a sandy aquifer to its interfaces. *J Contam Hydrol*. 60: 31-53.
- Jellali, S; Muntzer, P; Razakarisoa, O; Schafer, G. (2001). Large scale experiment on transport of trichloroethylene in a controlled aquifer. *Transport in Porous Media*. 44: 145-163.

Exposure Literature Search Results

Off Topic

- Jemal, A; Siegel, R; Ward, E; Hao, Y; Xu, J; Murray, T; Thun, MJ. (2008). Cancer statistics, 2008. *CA Cancer J Clin.* 58: 71-96. <http://dx.doi.org/10.3322/CA.2007.0010>.
- Jenal-Wanner, U; Mccarty, PL. (1997). Development and evaluation of semicontinuous slurry microcosms to simulate in situ biodegradation of trichloroethylene in contaminated aquifers. *Environ Sci Technol.* 31: 2915-2922.
- Jendrzewski, N; Eggenkamp, HGM; Coleman, ML. (1997). Sequential determination of chlorine and carbon isotopic composition in single microliter samples of chlorinated solvent. *Anal Chem.* 69: 4259-4266.
- Jendrzewski, N; Eggenkamp, HGM; Coleman, ML. (2001). Characterisation of chlorinated hydrocarbons from chlorine and carbon isotopic compositions: scope of application to environmental problems. *Appl Geochem.* 16: 1021-1031.
- Jeng, D, onJyhFu. (2015). Generating a causal model of supply chain collaboration using the fuzzy DEMATEL technique. *Computers & Industrial Engineering.* 87: 283-295. <http://dx.doi.org/10.1016/j.cie.2015.05.007>.
- Jennings, AA. (2008). Analysis of worldwide regulatory guidance for surface soil contamination. *J Environ Eng Sci.* 7: 597-615. <http://dx.doi.org/10.1139/S08-034>.
- Jensen, OM; Knudsen, JB; McLaughlin, JK; Sorensen, BL. (1988). The Copenhagen case-control study of renal pelvis and ureter cancer: Role of smoking and occupational exposures. *Int J Cancer.* 41: 557-561. <http://dx.doi.org/10.1002/ijc.2910410414>.
- Jeon, JH; Kim, SD; Lim, TH; Lee, DH. (2005). Degradation of trichloroethylene by photocatalysis in an internally circulating slurry bubble column reactor. *Chemosphere.* 60: 1162-1168. <http://dx.doi.org/10.1016/j.chemosphere.2004.12.058>.
- Jeong, HH, o; Lee, SH, o; Kim, J; Kim, H; Kim, Y; Yoo, J; Chang, W; Lee, C. (2010). Microfluidic monitoring of *Pseudomonas aeruginosa* chemotaxis under the continuous chemical gradient. *Biosens Bioelectron.* 26: 351-356. <http://dx.doi.org/10.1016/j.bios.2010.08.006>.
- Jeong, HY; Anantharaman, K; Han, Y; Hayes, K. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environ Sci Technol.* 45: 5186-5194. <http://dx.doi.org/10.1021/es104387w>.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: reaction rates. *Environ Sci Technol.* 41: 6390-6396. <http://dx.doi.org/10.1021/es0706394>.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environ Sci Technol.* 41: 7736-7743. <http://dx.doi.org/10.1021/es0708518>.
- Jeong, J; Sekiguchi, K; Sakamoto, K. (2004). Photochemical and photocatalytic degradation of gaseous toluene using short-wavelength UV irradiation with TiO₂ catalyst: comparison of three UV sources. *Chemosphere.* 57: 663-671. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.037>.
- Jeong, KE; Kim, DC; Ihm, SK. (2003). The nature of low temperature deactivation of CoCr₂O₄ and CrOx/gamma-Al₂O₃ catalysts for the oxidative decomposition of trichloroethylene. *Catalysis Today.* 87: 29-34. <http://dx.doi.org/10.1016/j.cattod.2003.09.007>.
- Jeong, S; Wander, MM; Kleinedam, S; Grathwohl, P; Ligouis, B; Werth, CJ. (2008). The role of condensed carbonaceous materials on the sorption of hydrophobic organic contaminants in subsurface sediments. *Environ Sci Technol.* 42: 1458-1464. <http://dx.doi.org/10.1021/es0719879>.
- Jeong, S; Werth, CI. (2005). Evaluation of methods to obtain geosorbent fractions enriched in carbonaceous materials that affect hydrophobic organic chemical sorption. *Environ Sci Technol.* 39: 3279-3288. <http://dx.doi.org/10.1021/es0491836>.
- Jeong, SW; Corapcioglu, MY. (2003). A micromodel analysis of factors influencing NAPL removal by surfactant foam flooding. *J Contam Hydrol.* 60: 77-96.
- Jeong, SW; Corapcioglu, MY. (2003). Physical model analysis of foam-TCE displacement in porous media. *AIChE J.* 49: 782-788.
- Jeong, SW; Corapcioglu, MY. (2005). Force analysis and visualization of NAPL removal during surfactant-related floods in a porous medium. *J Hazard Mater.* 126: 8-13. <http://dx.doi.org/10.1016/j.jhazmat.2005.06.015>.
- Jeong, SW; Corapcioglu, MY; Roosevelt, SE. (2000). Micromodel study of surfactant foam remediation of residual trichloroethylene. *Environ Sci Technol.* 34: 3456-3461. <http://dx.doi.org/10.1021/es9910558>.
- Jeong, SW; Ju, BK; Lee, BJ. (2009). Effects of alcohol-partitioning type and airflow on cosolvent flooding to benzene-LNAPL saturated porous media. *J Hazard Mater.* 166: 603-611. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.102>.
- Jeong, SW; Wood, AL; Lee, TR. (2002). Effects of pure and dyed PCE on physical and interfacial properties of remedial solutions. *J Hazard Mater.* 95: 125-135.
- Jericevic, A; Fagerli, H; Grisogono, B. (2012). Exploring the properties of local and non-local vertical diffusion schemes in the EMEP model using Rn-222 data. *Int J Environ Pollut.* 48: 231-243. <http://dx.doi.org/10.1504/IJEP.2012.049670>.
- Jesus, J; Frascari, D; Pozdniakova, T; Danko, AS. (2016). Kinetics of aerobic cometabolic biodegradation of chlorinated and brominated aliphatic hydrocarbons: A review [Review]. *J Hazard Mater.* 309: 37-52. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.065>.
- Jha, KC; Liu, Z; Vijwani, H; Nadagouda, M; Mukhopadhyay, SM; Tsige, M. (2016). Carbon Nanotube Based Groundwater Remediation: The Case of Trichloroethylene [Letter]. *Molecules.* 21. <http://dx.doi.org/10.3390/molecules21070953>.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Sci Technol.* 58: 2211-2214. <http://dx.doi.org/10.2166/wst.2008.576>.
- Ji, BT; Blair, A; Shu, XO; Chow, WH; Hauptmann, M; Dosemeci, M; Yang, G; Lubin, J; Gao, YT; Rothman, N; Zheng, W. (2008). Occupation and breast cancer risk among Shanghai women in a population-based cohort study. *Am J Ind Med.* 51: 100-110. <http://dx.doi.org/10.1002/ajim.20507>.
- Ji, J; Hemminki, K. (2005). Variation in the risk for liver and gallbladder cancers in socioeconomic and occupational groups in Sweden with etiological implications. *Int Arch Occup Environ Health.* 78: 641-649. <http://dx.doi.org/10.1007/s00420-005-0015-1>.

Exposure Literature Search Results

Off Topic

- Ji, SH; Nicholl, MJ; Glass, RJ; Lee, KK, un. (2006). Influence of simple fracture intersections with differing aperture on density-driven immiscible flow: Wetting versus nonwetting flows. *Water Resour Res.* 42. <http://dx.doi.org/10.1029/2006WR004953>.
- Ji, T; Tan, L; Bai, J; Hu, X; Xiao, S; Chen, Y. (2016). Synergistic dispersible graphene: Sulfonated carbon nanotubes integrated with PEDOT for large-scale transparent conductive electrodes. *Carbon.* 98: 15-23. <http://dx.doi.org/10.1016/j.carbon.2015.10.079>.
- Ji, WC; Hilaly, A; Sikdar, SK; Hwang, ST. (1994). OPTIMIZATION OF MULTICOMPONENT PERVAPORATION FOR REMOVAL OF VOLATILE, ORGANIC-COMPOUNDS FROM WATER. *J Memb Sci.* 97: 109-125.
- Ji, Y. (2014). Ions removal by iron nanoparticles: a study on solid-water interface with zeta potential. *Colloid Surface Physicochem Eng Aspect.* 444: 1-8. <http://dx.doi.org/10.1016/j.colsurfa.2013.12.031>.
- Ji, Y; Yang, Z; Ji, X; Feng, X, in; Huang, W; Liu, C; Li, W, ei; Lu, X. (2009). Thermodynamic Analysis on the Mineralization of Trace Organic Contaminants with Oxidants in Advanced Oxidation Processes. *Ind Eng Chem Res.* 48: 10728-10733. <http://dx.doi.org/10.1021/ie900620n>.
- Jia, H; Gu, C; Boyd, SA; Teppen, BJ; Johnston, CT; Song, C; Li, H, ui. (2011). Comparison of Reactivity of Nanoscaled Zero-Valent Iron Formed on Clay Surfaces. *Soil Sci Soc Am J.* 75: 357-364. <http://dx.doi.org/10.2136/sssaj2010.0080nps>.
- Jia, H; Gu, C; Li, H; Fan, X; Li, S; Wang, C. (2012). Effect of groundwater geochemistry on pentachlorophenol remediation by smectite-templated nanosized Pd0/Fe0. *Environ Sci Pollut Res Int.* 19: 3498-3505. <http://dx.doi.org/10.1007/s11356-012-0895-z>.
- Jia, H, - L; Ye, QH; Qin, LX; Budhu, A; Forges, M; Chen, Y; Liu, YK; Sun, HC; Wang, L; Lu, HZ; Shen, F; Tang, ZY; Wang, XW. (2007). Gene expression profiling reveals potential biomarkers of human hepatocellular carcinoma. *Clin Cancer Res.* 13: 1133-1139. <http://dx.doi.org/10.1158/1078-0432.CCR-06-1025>.
- Jia, J; Chu, W. (2009). The photodegradation of trichloroethylene with or without the NAPL by UV irradiation in surfactant solutions. *J Hazard Mater.* 161: 196-201. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.072>.
- Jia, M; Coats, B; Chadha, M; Frentzen, B; Perez-Rodriguez, J; Chadik, P; Yost, R; Henderson, G; Stacpoole, P. (2006). Human kinetics of orally and intravenously administered low-dose 1,2-(13)C-dichloroacetate. *J Clin Pharmacol.* 46: 1449-1459. <http://dx.doi.org/10.1177/0091270006292627>.
- Jianchen, Z; Kunmin, G; Lan, M; Hongyang, Z. (2006). Reaction kinetic model of gaseous pollutant degradation over TiO2/AC photocatalyst. *Chinese journal of catalysis.* 27: 849-852.
- Jiang, G; Crimi, M; Fowler, K; Fu, X. (2011). Experimental design of diffusion and desorption of contaminant in heterogeneous media. *Water Sci Technol.* 64: 988-998. <http://dx.doi.org/10.2166/wst.2011.065>.
- Jiang, H, ui; Yang, X; Wang, E; Fu, Y; Liu, Y; Li, H; Cui, Z; Liu, Y; Hu, W. (2011). Organic single crystalline micro- and nanowires field-effect transistors of a tetrathiafulvalene (TTF) derivative with strong pi-pi orbits and S center dot center dot center dot S interactions. *Synthetic Metals.* 161: 136-142. <http://dx.doi.org/10.1016/j.synthmet.2010.11.009>.
- Jiang, SC; Paul, JH. (1996). Occurrence of lysogenic bacteria in marine microbial communities as determined by prophage induction. *Mar Ecol Prog Ser.* 142: 1-3.
- Jiang, X; Wu, Y; Wang, P; Li, H; Dong, W. (2013). Degradation of bisphenol A in aqueous solution by persulfate activated with ferrous ion. *Environ Sci Pollut Res Int.* 20: 4947-4953. <http://dx.doi.org/10.1007/s11356-013-1468-5>.
- Jiang, Y; Petrier, C; Waite, TD. (2002). Kinetics and mechanisms of ultrasonic degradation of volatile chlorinated aromatics in aqueous solutions. *Ultrason Sonochem.* 9: 317-323.
- Jiang, Y; Su, M, in; Zhang, Y, ao; Zhan, G; Tao, Y; Li, D. (2013). Bioelectrochemical systems for simultaneously production of methane and acetate from carbon dioxide at relatively high rate. *Int J Hydrogen Energy.* 38: 3497-3502. <http://dx.doi.org/10.1016/j.ijhydene.2012.12.107>.
- Jiang, Y; Wang, D; Zhang, G; Wang, G; Tong, J; Chen, T. (2015). Disruption of cardiogenesis in human embryonic stem cells exposed to trichloroethylene. *Environ Toxicol.* 31: 1372-1380. <http://dx.doi.org/10.1002/tox.22142>.
- Jiang, Y; Zhang, J; Xi, B; An, D; Yang, Y; Li, M. (2014). Degradation of toluene-2,4-diamine by persulphate: kinetics, intermediates and degradation pathway. *Environ Technol.* 36: 1-7. <http://dx.doi.org/10.1080/09593330.2014.993727>.
- Jiang, Z; Zhang, S; Pan, B; Wang, W; Wang, X; Lv, L, u; Zhang, W; Zhang, Q. (2012). A fabrication strategy for nanosized zero valent iron (nZVI)-polymeric anion exchanger composites with tunable structure for nitrate reduction. *J Hazard Mater.* 233: 1-6. <http://dx.doi.org/10.1016/j.jhazmat.2012.06.025>.
- Jiao, Y; Qiu, C; Huang, L; Wu, K; Ma, H; Chen, S; Ma, L; Wu, D. (2009). Reductive dechlorination of carbon tetrachloride by zero-valent iron and related iron corrosion. *Appl Catal B-Environ.* 91: 434-440. <http://dx.doi.org/10.1016/j.apcatb.2009.06.012>.
- Jin, B; Laskov, C; Rolle, M; Haderlein, SB. (2011). Chlorine isotope analysis of organic contaminants using GC-qMS: method optimization and comparison of different evaluation schemes. *Environ Sci Technol.* 45: 5279-5286. <http://dx.doi.org/10.1021/es200749d>.
- Jin, B; Rolle, M; Li, T; Haderlein, SB. (2014). Diffusive Fractionation of BTEX and Chlorinated Ethenes in Aqueous Solution: Quantification of Spatial Isotope Gradients. *Environ Sci Technol.* 48: 6141-6150. <http://dx.doi.org/10.1021/es4046956>.
- Jin, G; Englande, AJ. (1997). Biodegradation kinetics of carbon tetrachloride by *Pseudomonas cepacia* under varying oxidation-reduction potential conditions. *Water Environ Res.* 69: 1094-1099.
- Jin, L; Ma, R; Lin, J; Meng, L; Wang, Y; Luo, M. (2011). Bifunctional Pd/Cr2O3-ZrO2 Catalyst for the Oxidation of Volatile Organic Compounds. *Ind Eng Chem Res.* 50: 10878-10882. <http://dx.doi.org/10.1021/ie200599v>.
- Jin, S. (1991). SEPARATION OF DICHLOROETHANE TRICHLOROETHYLENE MIXTURES BY MEANS OF A MEMBRANE PERVAPORATION PROCESS. *Desalination.* 80: 85-95.
- Jin, S; Fallgren, PH. (2010). Electrically induced reduction of trichloroethene in clay. *J Hazard Mater.* 173: 200-204. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.069>.

Exposure Literature Search Results

Off Topic

- Jin, S; Fallgren, PH; Morris, JM; Edgar, ES. (2008). Degradation of trichloroethene in water by electron supplementation. *Chem Eng J.* 140: 642-645. <http://dx.doi.org/10.1016/j.cej.2008.01.035>.
- Jin, S; Shiraishi, F. (2004). Photocatalytic activities enhanced for decompositions of organic compounds over metal-photodepositing titanium dioxide. *Chem Eng J.* 97: 203-211. <http://dx.doi.org/10.1016/j.cej.2003.04.001>.
- Jin, X; Chen, Z; Wang, T; Chen, Z; Megharaj, M; Naidu, R. (2014). Simultaneous removal of co-contaminants: acid brilliant violet and Cu²⁺ by functional bimetallic Fe/Pd nanoparticles. *J Nanopart Res.* 16. <http://dx.doi.org/10.1007/s11051-014-2657-y>.
- Jin, XH, ua; Doloi, H. (2009). Modeling Risk Allocation in Privately Financed Infrastructure Projects Using Fuzzy Logic. *Computer-Aided Civil and Infrastructure Engineering.* 24: 509-524. <http://dx.doi.org/10.1111/j.1467-8667.2009.00609.x>.
- Jing, Z; Yan, L; Li, Y; Bo, Z; Xiao-Li, Z; Zhen, L. (2016). Determination of Metabolites of Benzene Compounds and Trichloroethylene in Urinary by Isotope Dilution-Ultra Performance Liquid Chromatography-Tandem Mass Spectrometry. *Chin J Anal Chem.* 44: 81-87. <http://dx.doi.org/10.11895/j.issn.0253-3820.150497>.
- Jinks, MA; Sun, H; Hunter, CA. (2014). Measurement of supramolecular effective molarities for intramolecular H-bonds in zinc porphyrin-imidazole complexes. *Org Biomol Chem.* 12: 1440-1447. <http://dx.doi.org/10.1039/c3ob42246a>.
- Jiricek, M; Sracek, O; Janda, V. (2007). Removal of chlorinated solvents from carbonate-buffered water by zero-valent iron. *Central European Journal of Chemistry.* 5: 87-106. <http://dx.doi.org/10.2478/s11532-006-0071-8>.
- Jirtle, RL; Meyer, SA; Brockenbrough, JS. (1991). Liver tumor promoter phenobarbital: A biphasic modulator of hepatocyte proliferation [Review]. *Prog Clin Biol Res.* 369: 209-216.
- Jo, W. (2013). Photocatalytic Oxidation of Low-Level Airborne 2-Propanol and Trichloroethylene over Titania Irradiated with Bulb-Type Light-Emitting Diodes. *Materials.* 6: 265-278. <http://dx.doi.org/10.3390/ma6010265>.
- Jo, W; Kang, HJ. (2012). Photocatalytic performance of cylindrical reactor inserted with UV light-emitting-diodes for purification of low-level toxic volatile organic compounds. *Appl Surf Sci.* 259: 657-663. <http://dx.doi.org/10.1016/j.apsusc.2012.07.093>.
- Jo, W, anK; Kang, HJ. (2014). Aluminum sheet-based S-doped TiO₂ for photocatalytic decomposition of toxic organic vapors. *Chinese journal of catalysis.* 35: 1189-1195. [http://dx.doi.org/10.1016/S1872-2067\(14\)60076-0](http://dx.doi.org/10.1016/S1872-2067(14)60076-0).
- Jo, W; Kim, J. (2010). Decomposition of gas-phase aromatic hydrocarbons by applying an annular-type reactor coated with sulfur-doped photocatalyst under visible-light irradiation. *J Chem Tech Biotechnol.* 85: 485-492. <http://dx.doi.org/10.1002/jctb.2314>.
- Jo, W; Shin, SH, o. (2010). Photocatalytic decomposition of mobile-source related pollutants using a continuous-flow reactor. *J Environ Sci.* 22: 460-466. [http://dx.doi.org/10.1016/S1001-0742\(09\)60130-3](http://dx.doi.org/10.1016/S1001-0742(09)60130-3).
- Jo, W; Yang, C. (2010). Visible-light-induced photocatalysis of low-level methyl-tertiary butyl ether (MTBE) and trichloroethylene (TCE) using element-doped titanium dioxide. *Build Environ.* 45: 819-824. <http://dx.doi.org/10.1016/j.buildenv.2009.08.021>.
- Jo, W; Yang, SH; Shin, SH; Yang, SB. (2011). Utilization of Fin-Installed Annular Reactors Coated with Visible Light- or Ultraviolet-Driven Photocatalysts for Removal of Gas-Phase Monocyclic Aromatic Compounds. *Environ Eng Sci.* 28: 43-51. <http://dx.doi.org/10.1089/ees.2010.0181>.
- Jo, WK; Kang, HJ. (2015). Photocatalysis of sub-ppm limonene over multiwalled carbon nanotubes/titania composite nanofiber under visible-light irradiation. *J Hazard Mater.* 283: 680-688. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.067>.
- Jo, WK; Kim, JT. (2009). Application of visible-light photocatalysis with nitrogen-doped or unmodified titanium dioxide for control of indoor-level volatile organic compounds. *J Hazard Mater.* 164: 360-366. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.033>.
- Jo, WK; Park, KH. (2004). Heterogeneous photocatalysis of aromatic and chlorinated volatile organic compounds (VOCs) for non-occupational indoor air application. *Chemosphere.* 57: 555-565. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.018>.
- Jo, WK; Weisel, CP; Liroy, PJ. (1990). Chloroform exposure and the health risk associated with multiple uses of chlorinated tap water. *Risk Anal.* 10: 581-584.
- Jo, WK; Weisel, CP; Liroy, PJ. (1990). Routes of chloroform exposure and body burden from showering with chlorinated tap water. *Risk Anal.* 10: 575-580.
- Jo, WK; Yang, CH. (2009). Feasibility of a tandem photocatalytic oxidation-adsorption system for removal of monoaromatic compounds at concentrations in the sub-ppm-range. *Chemosphere.* 77: 236-241. <http://dx.doi.org/10.1016/j.chemosphere.2009.07.034>.
- Jochmann, MA; Blessing, M; Haderlein, SB; Schmidt, TC. (2006). A new approach to determine method detection limits for compound-specific isotope analysis of volatile organic compounds. *Rapid Commun Mass Spectrom.* 20: 3639-3648. <http://dx.doi.org/10.1002/rcm.278>.
- Jochmann, MA; Yuan, X; Schmidt, TC. (2007). Determination of volatile organic hydrocarbons in water samples by solid-phase dynamic extraction. *Anal Bioanal Chem.* 387: 2163-2174. <http://dx.doi.org/10.1007/s00216-006-1066->.
- Joens, JA; Slifker, RA; Cadavid, EM; Martinez, RD; Nickelsen, MG; Cooper, WJ. (1995). IONIC-STRENGTH AND BUFFER EFFECTS IN THE ELIMINATION-REACTION OF 1,1,2,2-TETRACHLOROETHANE. *Water Res.* 29: 1924-1928.
- Johnson, AD; VanDemark, WL; Gomes, WR. (1967). The effect of antispermatic and hormone treatments on testicular cholesterol. *Fed Proc.* 26: 645.
- Johnson, FWA; Hobson, D. (1976). FACTORS AFFECTING SENSITIVITY OF REPLICATING MCCOY CELLS IN ISOLATION AND GROWTH OF CHLAMYDIA-A (TRIC AGENTS). *J Hyg.* 76: 441-451.
- Johnson, GR; Gupta, K; Putz, DK; Hu, Q; Brusseau, ML. (2003). The effect of local-scale physical heterogeneity and nonlinear, rate-limited sorption/desorption on contaminant transport in porous media. *J Contam Hydrol.* 64: 35-58. [http://dx.doi.org/10.1016/S0169-7722\(02\)00103-1](http://dx.doi.org/10.1016/S0169-7722(02)00103-1).
- Johnson, GR; Norris, DK; Brusseau, ML. (2009). Mass removal and low-concentration tailing of trichloroethene in freshly-amended, synthetically-aged, and field-contaminated aquifer material. *Chemosphere.* 75: 542-548. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.004>.

Exposure Literature Search Results

Off Topic

- Johnson, GR; Zhang, Z; Brusseau, ML. (2003). Characterizing and quantifying the impact of immiscible-liquid dissolution and nonlinear, rate-limited sorption/desorption on low-concentration elution tailing. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001435>.
- Johnson, PD; Dawson, BV; Goldberg, SJ; Mays, MZ. (2004). Trichloroethylene: Johnson et al.'s response [Letter]. *Environ Health Perspect.* 112: A608-A609. <http://dx.doi.org/10.1289/ehp.112-a608>.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2002). Threshold of Trichloroethylene Contamination in Maternal Drinking Waters Affecting Fetal Heart Development in the Rat. *Environ Health Perspect.* 111: 289-292. <http://dx.doi.org/10.1289/ehp.5125>.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2005). Threshold of trichloroethylene contamination in maternal drinking waters affecting fetal heart development in the rat (vol 111, pg 289, 2003). *Environ Health Perspect.* 113: A18-A18.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2014). Erratum: Erratum for Johnson et al. [*Environ Health Perspect* 113:A18 (2005)]. *Environ Health Perspect.* 122: A94. <http://dx.doi.org/10.1289/ehp.122-A94>.
- Johnson, RL; Pankow, JF. (1992). Dissolution of dense chlorinated solvents into groundwater: 2. Source functions for pools of solvent. *Environ Sci Technol.* 26: 896-901.
- Johnson, RL; Simon, MA. (2007). Evaluation of groundwater flow patterns around a dual-screened groundwater circulation well. *J Contam Hydrol.* 93: 188-202. <http://dx.doi.org/10.1016/j.jconhyd.2007.02.003>.
- Johnson, RL; Tratnyek, PG; Johnson, ROB. (2008). Persulfate Persistence under Thermal Activation Conditions. *Environ Sci Technol.* 42: 9350-9356. <http://dx.doi.org/10.1021/es8019462>.
- Johnsrud, EK; Koukouritaki, SB; Divakaran, K; Brunengraber, LL; Hines, RN; Mccarver, DG. (2003). Human hepatic CYP2E1 expression during development. *J Pharmacol Exp Ther.* 307: 402-407. <http://dx.doi.org/10.1124/jpet.102.053124>.
- Jonasson, A; Savoia, M; Persson, O; Fredenslund, A. (1994). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIUM DATA FOR ETHER PLUS GLYCOL, CHLOROALKENE PLUS GLYCOL, EPOXY ETHER PLUS ALKANE, EPOXY ETHER PLUS ALKENE, AND EPOXY ETHER PLUS CHLOROALKANE SYSTEMS. *Journal of Chemical and Engineering Data.* 39: 134-139.
- Jones, AP; Watts, RJ. (1997). Dry Phase Titanium Dioxide-Mediated Photocatalysis: Basis for In Situ Surface Destruction of Hazardous Chemicals: The Boulevard Kidlington Oxford OX5 1GB.
- Jones, BD; Ingle, JD. (2005). Evaluation of redox indicators for determining sulfate-reducing and dechlorinating conditions. *Water Res.* 39: 4343-4354. <http://dx.doi.org/10.1016/j.watres.2005.09.006>.
- Jones, EH; Reynolds, DA; Wood, AL; Thomas, DG. (2011). Use of Electrophoresis for Transporting Nano-Iron in Porous Media. *Ground Water.* 49: 172-183. <http://dx.doi.org/10.1111/j.1745-6584.2010.00718.x>.
- Jones, RM; Dell, L; Torres, C; Simmons, CE; Poole, J; Boelter, FW; Harper, P. (2015). Exposure Reconstruction and Risk Analysis for Six Semiconductor Workers With Lymphohematopoietic Cancers. *J Occup Environ Med.* 57: 649-658. <http://dx.doi.org/10.1097/JOM.0000000000000413>.
- Jones, TW; Howatson, G; Russell, M; French, DN. (2013). Validity and reproducibility of a lower limb isokinetic muscular endurance testing protocol. *Isokinetics and Exercise Science.* 21: 311-316. <http://dx.doi.org/10.3233/IES-130502>.
- Jones, TW; Qin, C; Schaeffer, VH; Stevens, JL. (1988). Immunohistochemical localization of glutamine transaminase K, a rat kidney cysteine conjugate beta-lyase, and the relationship to the segment specificity of cysteine conjugate nephrotoxicity. *Mol Pharmacol.* 34: 621-627.
- Jongwutiwes, S; Tanabe, K; Hughes, MK; Kanbara, H; Hughes, AL. (1994). ALLELIC VARIATION IN THE CIRCUMSPOROZOITE PROTEIN OF PLASMODIUM-FALCIPARUM FROM THAI FIELD ISOLATES. *Am J Trop Med Hyg.* 51: 659-668.
- Joo, H; Jeong, H; Jeon, M; Moon, I. (2003). The use of plastic optical fibers in photocatalysis of trichloroethylene. *Solar Energy Materials and Solar Cells.* 79: 93-101.
- Joo, JC; Ahn, CH; Jang, DG; Yoon, YH; Kim, JK; Campos, L; Ahn, H. (2013). Photocatalytic degradation of trichloroethylene in aqueous phase using nano-ZNO/Laponite composites. *J Hazard Mater.* 263 Pt 2: 569-574. <http://dx.doi.org/10.1016/j.jhazmat.2013.10.017>.
- Jopski, T; Wiecker, A. (1992). SOLUBILITY MEMBRANES IN WASTE AIR AND WASTE-WATER PURIFICATION. 82: 342-345.
- Jorgensen, PR; Broholm, K; Sonnenborg, TO; Arvin, E. (1998). DNAPL transport through macroporous clayey till columns. *Ground Water.* 36: 651-660.
- Jorquera, R; Tanguay, R. (2001). Fumarylacetoacetate, the metabolite accumulating in hereditary tyrosinemia, activates the ERK pathway and induces mitotic abnormalities and genomic instability. *Hum Mol Genet.* 10: 1741-1752.
- Joshi, SS; Aminabhavi, TM; Shukla, SS. (1991). DENSITIES AND VISCOSITIES OF BINARY-MIXTURES OF BROMOFORM WITH ANISOLE, ACETOPHENONE, ETHYL BENZOATE, 1,2-DICHLOROETHANE AND 1,1,2,2-TETRACHLORO-ETHANE FROM 298.15 TO 313.15K. 29: 319-326.
- Josse, F; Lukas, R; Zhou, RN; Schneider, S; Everhart, D. (1996). AC-impedance-based chemical sensors for organic solvent vapors. *Sens Actuators B.* 36: 363-369.
- Jothiramalingam, R; Wang, MK. (2007). Synthesis, characterization and photocatalytic activity of porous manganese oxide doped titania for toluene decomposition. *J Hazard Mater.* 147: 562-569. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.069>.
- Jou, CJG; Lee, CL; Tsai, CH; Wang, HP. (2008). Microwave-assisted photocatalytic degradation of trichloroethylene using titanium dioxide. *Environ Eng Sci.* 25: 975-979. <http://dx.doi.org/10.1089/ees.2007.0155>.
- Jou, C-JG; Hsieh, S-C; Lee, C-L; Lin, C; Huang, H-W. (2010). Combining zero-valent iron nanoparticles with microwave energy to treat chlorobenzene. *Taiwan Institute of Chemical Engineers Journal.* 41: 216-220. <http://dx.doi.org/10.1016/j.tjice.2009.08.012>.
- Jou, GCJ. (1998). Application of activated carbon in a microwave radiation field to treat trichloroethylene. *Carbon.* 36: 1643-1648.

Exposure Literature Search Results

Off Topic

- Jou, JD; Yoshida, W; Cohen, Y. (1999). A novel ceramic-supported polymer membrane for pervaporation of dilute volatile organic compounds. *J Memb Sci.* 162: 269-284.
- Joun, W, onTak; Lee, SS, un; Koh, YE, un; Lee, KK, un. (2016). Impact of Water Table Fluctuations on the Concentration of Borehole Gas from NAPL Sources in the Vadose Zone. *Vadose Zone Journal.* 15. <http://dx.doi.org/10.2136/vzj2015.09.0124>.
- Joung, SK; Amemiya, T; Murabayashi, M; Cai, R; Itoh, K. (2005). Chemical adsorption of phosgene on TiO₂ and its effect on the photocatalytic oxidation of trichloroethylene. *Surf Sci.* 598: 174-184. <http://dx.doi.org/10.1016/j.susc.2005.08.037>.
- Joung, SK, il; Amemiya, T; Murabayashi, M; Itoh, K. (2006). Adsorbed species on TiO₂ associated with the photocatalytic oxidation of trichloroethylene under UV. *J Photochem Photobiol A.* 184: 273-281. <http://dx.doi.org/10.1016/j.jphotochem.2006.04.040>.
- Jović, F; Kosar, V; Tomašić, V; Gomzi, Z. (2011). Non-ideal flow in an annular photocatalytic reactor. *Chem Eng Res Des.* 90: 1297-1306. <http://dx.doi.org/10.1016/j.cherd.2011.12.014>.
- Ju, XM; Hecht, M; Galhotra, RA; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2006). Destruction of gas-phase trichloroethylene in a modified fuel cell. *Environ Sci Technol.* 40: 612-617. <http://dx.doi.org/10.1021/es0514895>.
- Juang, RS; Tsai, SY. (2006). Role of membrane-attached biofilm in the biodegradation of phenol and sodium salicylate in microporous membrane bioreactors. *J Memb Sci.* 282: 484-492. <http://dx.doi.org/10.1016/j.memsci.2006.06.007>.
- Jugnet, Y; Bertolini, JC; Barbosa, LAM, M; Sautet, P. (2002). Vibrational identification of the surface reaction intermediates for the dehalogenation of trichloroethene on PdCu(110) alloy. *Surf Sci.* 505: 153-162.
- Juliastuti, SR; Baeyens, J; Creemers, C. (2003). Inhibition of nitrification by heavy metals and organic compounds: The ISO 9509 test. *Environ Eng Sci.* 20: 79-90.
- Juliastuti, SR; Baeyens, J; Creemers, C; Bixio, D; Lodewyckx, E. (2003). The inhibitory effects of heavy metals and organic compounds on the net maximum specific growth rate of the autotrophic biomass in activated sludge. *J Hazard Mater.* 100: 271-283. [http://dx.doi.org/10.1016/S0304-3894\(03\)00116-X](http://dx.doi.org/10.1016/S0304-3894(03)00116-X).
- Julien, M; Nun, P; Höhener, P; Parinet, J; Robins, RJ; Remaud, GS. (2016). Enhanced forensic discrimination of pollutants by position-specific isotope analysis using isotope ratio monitoring by (13)C nuclear magnetic resonance spectrometry. *Talanta.* 147: 383-389. <http://dx.doi.org/10.1016/j.talanta.2015.10.010>.
- Julien, M; Parinet, J; Nun, P; Bayle, K; Höhener, P; Robins, RJ; Remaud, GS. (2015). Fractionation in position-specific isotope composition during vaporization of environmental pollutants measured with isotope ratio monitoring by ¹³C nuclear magnetic resonance spectrometry. *Environ Pollut.* 205: 299-306. <http://dx.doi.org/10.1016/j.envpol.2015.05.047>.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater.* 152: 62-70. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.061>.
- Jung, B; Batchelor, B. (2008). Dechlorination of trichloroethylene formed from 1,1,2,2-tetrachloroethane by dehydrochlorination in Portland cement slurry including Fe(II). *Chemosphere.* 71: 726-734. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.020>.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ.* 449: 443-450. <http://dx.doi.org/10.1016/j.scitotenv.2013.01.085>.
- Jung, BM; Batchelor, B; Park, JY; Abdel-Wahab, A. (2014). Linear Free Energy Relationship Analysis of Chlorinated Hydrocarbons in Cement Slurries. *International Journal of Environmental Research.* 8: 819-830.
- Jung, H; Ahn, Y; Choi, H; Kim, IS. (2005). Effects of in-situ ozonation on indigenous microorganisms in diesel contaminated soil: survival and regrowth. *Chemosphere.* 61: 923-932. <http://dx.doi.org/10.1016/j.chemosphere.2005.03.038>.
- Jung, J; Yoon, JH; Chung, HH; Lee, MJ. (2003). Comparative study of H₂O₂ and O₃ effects on radiation treatment of TCE and PCE. *Chemosphere.* 51: 881-885. [http://dx.doi.org/10.1016/S0045-6535\(03\)00039-0](http://dx.doi.org/10.1016/S0045-6535(03)00039-0).
- Jung, KY; Bin Park, S; Ihm, SK. (2002). Linear relationship between the crystallite size and the photoactivity of non-porous titania ranging from nanometer to micrometer size. *Appl Catal A-Gen.* 224: 229-237.
- Jung, KY; Kang, YC; Park, SB. (1997). Photodegradation of trichloroethylene using nanometre-sized ZnO particles prepared by spray pyrolysis. *Journal of Mater Sci Lett.* 16: 1848-1849.
- Jung, KY; Park, SB. (2000). Enhanced photoactivity of silica-embedded titania particles prepared by sol-gel process for the decomposition of trichloroethylene. *Appl Catal B-Environ.* 25: 249-256.
- Jung, KY; Park, SB. (2004). Photoactivity of SiO₂/TiO₂ and ZrO₂/TiO₂ mixed oxides prepared by sol-gel method. *Mater Lett.* 58: 2897-2900. <http://dx.doi.org/10.1016/j.matlet.2004.05.015>.
- Jung, KY; Park, SB; Ihm, SK. (2004). Local structure and photocatalytic activity of B₂O₃-SiO₂/TiO₂ ternary mixed oxides prepared by sol-gel method. *Appl Catal B-Environ.* 51: 239-245. <http://dx.doi.org/10.1016/j.apcatb.2004.03.010>.
- Jung, KY; Park, SB; Matsuoka, M; Anpo, M. (2003). In-situ investigations of the photoluminescence properties of SiO₂/TiO₂ binary and Boron-SiO₂/TiO₂ ternary oxides prepared by the sol-gel method and their photocatalytic reactivity for the oxidative decomposition of trichloroethylene. *Intl J Photoenergy.* 5: 31-36.
- Jung Lin, C; Lo, SL. (2005). Effects of iron surface pretreatment on sorption and reduction kinetics of trichloroethylene in a closed batch system. *Water Res.* 39: 1037-1046. <http://dx.doi.org/10.1016/j.watres.2004.06.035>.
- Jung, SC; Kim, BH; Kim, SJ; Imaishi, N; Cho, YI. (2005). Characterization of a TiO₂ photocatalyst film deposited by CVD and its photocatalytic activity. *Chemical Vapor Deposition.* 11: 137-141. <http://dx.doi.org/10.1002/cvde.200406321>.
- Jung, W; Fujita, M. (1991). Optimal conditions of purge trap/on-column cryofocusing method with capillary gas chromatography for determination of volatile halogenated hydrocarbons in aqueous samples. *Eisei Kagaku.* 37: 395-400.

Exposure Literature Search Results

Off Topic

- Jung, WT; Fujita, M; Sohn, D. (1992). Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal time-series changes (pp. 490-497). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/93/16067). Jung, WT; Fujita, M; Sohn, D.
- Jung, YS; Lim, WT; Park, JY; Kim, YH. (2009). Effect of pH on Fenton and Fenton-like oxidation. *Environ Technol.* 30: 183-190. <http://dx.doi.org/10.1080/09593330802468848>.
- Juntunen, J; Antti-Poika, M; Tola, S; Partanen, T. (1982). Clinical prognosis of patients with diagnosed chronic solvent intoxication. *Acta Neurol Scand.* 65: 488-503. <http://dx.doi.org/10.1111/j.1600-0404.1982.tb03105.x>.
- Juran, BD; Lazaridis, KN. (2006). Genomics and complex liver disease: Challenges and opportunities [Review]. *Hepatology.* 44: 1380-1390. <http://dx.doi.org/10.1002/hep.21453>.
- Jurkiewicz, A; Maciel, GE. (1995). SOLID-STATE ¹³C NMR STUDIES OF THE INTERACTION OF ACETONE CARBON TETRACHLORIDE AND TRICHLOROETHYLENE WITH SOIL COMPONENTS. *Sci Total Environ.* 164: 195-202.
- Just, S. R.; Stockwell, KJ. (1993). COMPARISON OF THE EFFECTIVENESS OF EMERGING INSITU TECHNOLOGIES AND TRADITIONAL EXSITU TREATMENT OF SOLVENT-CONTAMINATED SOILS. *ACS Symp Ser Am Chem Soc.* 518: 238-277.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, S; Edwards, EA; Löffler, FE. (2014). Bioaugmentation with distinct Dehalobacter strains achieves chloroform detoxification in microcosms. *Environ Sci Technol.* 48: 1851-1858. <http://dx.doi.org/10.1021/es403582f>.
- Kadlec, RH; Martin, DC; Tsao, D. (2012). Constructed marshes for control of chlorinated ethenes: An 11-year study. *Ecol Eng.* 46: 11-23. <http://dx.doi.org/10.1016/j.ecoleng.2012.04.032>.
- Kadry, AM; Farghali, H; Abdel-Rahman, MS. (1989). Toxicity and metabolism of trichloroethylene in rat hepatocytes. *Arch Environ Contam Toxicol.* 18: 888-894.
- Kadu, BS; Limaye, RA; Natu, AD; Chikate, RC. (2013). Potentiality of Fe-Ni nanocomposites towards environmental abatement of magenta dye. *Environ Prog Sustain Energy.* 32: 615-623. <http://dx.doi.org/10.1002/ep.11672>.
- Kaewsanee, J; Visal-Athaphand, P; Supaphol, P; Pavarajarn, V. (2010). Fabrication and characterization of neat and aluminium-doped titanium (IV) oxide fibers prepared by combined sol gel and electrospinning techniques. *Ceramics International.* 36: 2055-2061. <http://dx.doi.org/10.1016/j.ceramint.2010.04.004>.
- Kaewsanee, J; Visal-Athaphand, P; Supaphol, P; Pavarajarn, V. (2011). Effects of Magnesium and Zirconium Dopants on Characteristics of Titanium(IV) Oxide Fibers Prepared by Combined Sol-Gel and Electrospinning Techniques. *Ind Eng Chem Res.* 50: 8042-8049. <http://dx.doi.org/10.1021/ie102527p>.
- Käfer, E. (1986). Tests which distinguish induced crossing-over and aneuploidy from secondary segregation in *Aspergillus* treated with chloral hydrate or gamma-rays. *Mutat Res.* 164: 145-166. [http://dx.doi.org/10.1016/0165-1161\(86\)90006-3](http://dx.doi.org/10.1016/0165-1161(86)90006-3).
- Kaifas, D; Malleret, L; Kumar, N; Fétimi, W; Claeys-Bruno, M; Sergent, M; Doumenq, P. (2014). Assessment of potential positive effects of nZVI surface modification and concentration levels on TCE dechlorination in the presence of competing strong oxidants, using an experimental design. *Sci Total Environ.* 481: 335-342. <http://dx.doi.org/10.1016/j.scitotenv.2014.02.043>.
- Kaiser, JP; Raschle, P. (1995). BIOLOGICAL-MATERIAL DEGRADATION - RECYCLING AND RECOVERY OF MATERIALS. *Chimia.* 49: 214-221.
- Kaiser, KL; Mckinnon, MB; Stendahl, DH; Pett, WB. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem.* 14: 2107-2113.
- Kaiser, M; Emmerich, R; Urban, H; Joos, M; Elsner, P. (2003). Bifocal plasma source for treatment of gaseous pollutants. *Surf Coating Tech.* 174: 498-502. [http://dx.doi.org/10.1016/S0257-8972\(02\)00622-4](http://dx.doi.org/10.1016/S0257-8972(02)00622-4).
- Kakinoki, K; Yamane, K; Teraoka, R; Otsuka, M; Matsuda, Y. (2004). Effect of relative humidity on the photocatalytic activity of titanium dioxide and photostability of famotidine. *J Pharm Sci.* 93: 582-589. <http://dx.doi.org/10.1002/jps.10575>.
- Kalimuthu, K; Solomon, RDJ; Ganesh-Kumar, S; Vimalan, J. (2011). REDUCTIVE DECHLORINATION OF PERCHLOROETHYLENE BY BACILLUS SP JSK1 ISOLATED FROM DRY CLEANING INDUSTRIAL SLUDGE. *Carpath J Earth Env.* 6: 165-170.
- Kaluzny, P; Ferronato, C; Jacob, V; Baussand, P; Foster, P. (1998). Interactions between chlorinated and biogenic compounds. *Fresen Environ Bull.* 7: 267-271.
- Kambe, R; Imai, R; Takada, T; Arakawa, M; Kuroda, M. (1995). MCM SUBSTRATE WITH HIGH CAPACITANCE. 18: 23-27.
- Kamgang-Youbi, G; Poizot, K; Lemont, F. (2013). Inductively coupled plasma torch efficiency at atmospheric pressure for organo-chlorine liquid waste removal: Chloroform destruction in oxidative conditions. *J Hazard Mater.* 244: 171-179. <http://dx.doi.org/10.1016/j.jhazmat.2012.10.072>.
- Kamijima, M; Hisanaga, N; Wang, H; Nakajima, T. (2007). Occupational trichloroethylene exposure as a cause of idiosyncratic generalized skin disorders and accompanying hepatitis similar to drug hypersensitivities [Review]. *Int Arch Occup Environ Health.* 80: 357-370. <http://dx.doi.org/10.1007/s00420-006-0147-y>.
- Kamijima, M; Wang, H; Huang, H; Li, L; Shibata, E; Lin, B; Sakai, K; Liu, H; Tsuchiyama, F; Chen, J; Okamura, A; Huang, X; Hisanaga, N; Huang, Z; Ito, Y; Takeuchi, Y; Nakajima, T. (2008). Trichloroethylene causes generalized hypersensitivity skin disorders complicated by hepatitis. *J Occup Health.* 50: 328-338.
- Kamijo, Y; Hora, K; Nakajima, T; Kono, K; Takahashi, K; Ito, Y; Higuchi, M; Kiyosawa, K; Shigematsu, H; Gonzalez, FJ; Aoyama, T. (2007). Peroxisome proliferator-activated receptor alpha protects against glomerulonephritis induced by long-term exposure to the plasticizer di-(2-ethylhexyl)phthalate. *J Am Soc Nephrol.* 18: 176-188. <http://dx.doi.org/10.1681/asn.2006060597>.
- Kaminska, I; Lisovyt'skiy, D; Casale, S; Srebrowata, A; Dzwigaj, S. (2017). Influence of preparation procedure on catalytic activity of PdBEA zeolites in aqueous phase hydrodechlorination of 1,1,2-trichloroethene. *Microporous and Mesoporous Materials.* 237: 65-73. <http://dx.doi.org/10.1016/j.micromeso.2016.09.023>.

Exposure Literature Search Results

Off Topic

- Kaminsky, JF; Wylie, AH. (1995). VERTICAL CONTAMINANT PROFILING OF VOLATILE ORGANICS IN A DEEP FRACTURED BASALT AQUIFER. *Ground Water Monitoring and Remediation*. 15: 97-103.
- Kamolpornwijit, W; Liang, LY; Moline, GR; Hart, T; West, OR. (2004). Identification and quantification of mineral precipitation in Fe-0 filings from a column study. *Environ Sci Technol*. 38: 5757-5765. <http://dx.doi.org/10.1021/es035085t>.
- Kamon, M; Endo, K; Kawabata, J; Inui, T; Katsumi, T. (2004). Two-dimensional DNAPL migration affected by groundwater flow in unconfined aquifer. *J Hazard Mater*. 110: 1-12. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.033>.
- Kan, E; Kim, S; Deshusses, MA. (2007). Fenton oxidation of TCE vapors in a foam reactor. *Environmental Progress*. 26: 226-232. <http://dx.doi.org/10.1002/ep.10205>.
- Kan, ES; Deshusses, MA. (2006). Cometabolic degradation of TCE vapors in a foamed emulsion bioreactor. *Environ Sci Technol*. 40: 1022-1028. <http://dx.doi.org/10.1021/es0510055>.
- Kananizadeh, N; Chokeyaroenrat, C; Li, Y; Comfort, S. (2015). Modeling improved ISCO treatment of low permeable zones via viscosity modification: assessment of system variables. *J Contam Hydrol*. 173: 25-37. <http://dx.doi.org/10.1016/j.jconhyd.2014.11.009>.
- Kanda, H. (2009). The Environmental and Genetic Approach for Life on Earth (EAGLE) project. *Polar Science*. 3: 189-196. <http://dx.doi.org/10.1016/j.polar.2009.06.005>.
- Kandris, K; Antoniou, K; Pantazidou, M; Mamais, D. (2015). Modelling microbial dechlorination of trichloroethene: investigating the trade-off between quality of fit and parameter reliability. *Bull Environ Contam Toxicol*. 94: 295-301. <http://dx.doi.org/10.1007/s00128-014-1436-x>.
- Kane, MS; Bushong, JH; Foley, HC; Brendley, WH. (1998). Effect of nanopore size distributions on trichloroethylene adsorption and desorption on carbogenic adsorbents. *Ind Eng Chem Res*. 37: 2416-2425.
- Kaneko, T; Wang, PY; Sato, A. (1994). Partition coefficients of some acetate esters and alcohols in water, blood, olive oil, and rat tissues. *Occup Environ Med*. 51: 68-72. <http://dx.doi.org/10.1136/oem.51.1.68>.
- Kanel, SR; Goswami, RR; Clement, TP; Barnett, MO; Zhao, D. (2008). Two dimensional transport characteristics of surface stabilized zero-valent iron nanoparticles in porous media. *Environ Sci Technol*. 42: 896-900. <http://dx.doi.org/10.1021/es071774j>.
- Kang, H; Xiu, Z; Chen, J; Cao, W; Guo, Y; Li, T; Jin, Z. (2012). Reduction of nitrate by bimetallic Fe/Ni nanoparticles. *Environ Technol*. 33: 2185-2192. <http://dx.doi.org/10.1080/09593330.2012.665486>.
- Kang, HS, uk; Choi, J; Cho, W; Lee, H; Lee, D; Lee, D, aiGil; Kim, H, eeTak. (2016). Silver nanowire networks embedded in a cure-controlled optical adhesive film for a transparent and highly conductive electrode. 4: 9834-9840. <http://dx.doi.org/10.1039/c6tc03817d>.
- Kang, JW; Le, KH. (1997). A kinetic model of the hydrogen peroxide UV process for the treatment of hazardous waste chemicals. *Environ Eng Sci*. 14: 183-192.
- Kang, JW; Lee, KH; Koh, Cl; Nam, SN. (2001). The kinetics of the sonochemical process for the destruction of aliphatic and aromatic hydrocarbons. *Korean J Chem Eng*. 18: 336-341.
- Kang, M; Lee, JH; Lee, SH; Chung, CH; Yoon, KJ; Ogino, K; Miyata, S; Choung, SJ. (2003). Preparation of TiO₂ film by the MOCVD method and analysis for decomposition of trichloroethylene using in situ FT-IR spectroscopy. *J Mol Catal Chem*. 193: 273-283.
- Kang, MG, yu; Park, H, uij; Ahn, S, eH; Xu, T; Guo, LJ, ay. (2010). Toward Low-Cost, High-Efficiency, and Scalable Organic Solar Cells with Transparent Metal Electrode and Improved Domain Morphology. *I E E E Journal on Selected Topics in Quantum Electronics*. 16: 1807-1820. <http://dx.doi.org/10.1109/JSTQE.2010.2044634>.
- Kang, N; Hua, I; Rao, PSC. (2004). Production and characterization of encapsulated potassium permanganate for sustained release as an in situ oxidant. *Ind Eng Chem Res*. 43: 5187-5193. <http://dx.doi.org/10.1021/ie0499097>.
- Kang, S; Seo, H; Sun, E; Kim, I; Roh, Y, ul; Anonymous. (2010). Remediation of TCE-contaminated groundwater using nanocatalyst and bacteria. *Geochim Cosmo Acta*. 74: A494.
- Kang, SK; Seo, H; Sun, E; Kim, I; Roh, Y. (2011). Remediation of TCE-contaminated groundwater using nanocatalyst and bacteria. *J Nanosci Nanotechnol*. 11: 7172-7175. <http://dx.doi.org/10.1166/jnn.2011.4872>.
- Kang, WH; Hwang, I; Park, JY. (2006). Dechlorination of trichloroethylene by a steel converter slag amended with Fe(II). *Chemosphere*. 62: 285-293. <http://dx.doi.org/10.1016/j.chemosphere.2005.05.011>.
- Kango, RA; Quinn, JG. (1992). A combined reversed-phase and purge and trap chromatographic method to study the interaction of volatile organic compounds with dissolved humic acid in aqueous solutions. *Environ Sci Technol*. 26: 163-165.
- Kanisawa, M; Suzuki, S. (1978). Induction of renal and hepatic tumors in mice by ochratoxin A, a mycotoxin. *Gann*. 69: 599-600.
- Kantachote, D; Singleton, I; McClure, N; Naidu, R; Megharaj, M; Harch, BD. (2003). DDT resistance and transformation by different microbial strains isolated from DDT-contaminated soils and compost materials. *Compost Science and Utilization*. 11: 300-310.
- Kantachote, D; Singleton, I; Naidu, R; McClure, N; Megharaj, M. (2004). Sodium application enhances DDT transformation in a long-term contaminated soil. *Water Air Soil Pollut*. 154: 115-125.
- Kanu, AB; Hill, HH; Gribb, MM; Walters, RN. (2007). A small subsurface ion mobility spectrometer sensor for detecting environmental soil-gas contaminants. *J Environ Monit*. 9: 51-60. <http://dx.doi.org/10.1039/b610493b>.
- Kao, CM. (2014). Recovery of chlorinated solvent trichloroethylene contaminated groundwater using a hybrid treatment system. *Int J Environ Sci Tech*. 11: 149-158. <http://dx.doi.org/10.1007/s13762-012-0161-4>.
- Kao, CM; Chen, KF; Chen, YL; Chen, TY; Huang, WY. (2004). Biobarrier system for remediation of TCE-contaminated aquifers. *Bull Environ Contam Toxicol*. 72: 87-93. <http://dx.doi.org/10.1007/s00128-003-0244-5>.
- Kao, CM; Chen, SC; Liu, JK. (2001). Development of a biobarrier for the remediation of PCE-contaminated aquifer. *Chemosphere*. 43: 1071-1078.

Exposure Literature Search Results

Off Topic

- Kao, CM; Chen, SC; Su, MC. (2001). Laboratory column studies for evaluating a barrier system for providing oxygen and substrate for TCE biodegradation. *Chemosphere*. 44: 925-934.
- Kao, CM; Chen, YL; Chen, SC; Yeh, TY; Wu, WS. (2003). Enhanced PCE dechlorination by biobarrier systems under different redox conditions. *Water Res*. 37: 4885-4894. <http://dx.doi.org/10.1016/j.watres.2003.08.001>.
- Kao, CM; Huang, KD; Wang, JY; Chen, TY; Chien, HY. (2008). Application of potassium permanganate as an oxidant for in situ oxidation of trichloroethylene-contaminated groundwater: a laboratory and kinetics study. *J Hazard Mater*. 153: 919-927. <http://dx.doi.org/10.1016/j.jhazmat.2007.09.116>.
- Kao, CM; Lei, SE. (2000). Using a peat biobarrier to remediate PCE/TCE contaminated aquifers. *Water Res*. 34: 835-845.
- Kao, CM; Liao, HY; Chien, CC; Tseng, YK; Tang, P; Lin, CE; Chen, SC. (2016). The change of microbial community from chlorinated solvent-contaminated groundwater after biostimulation using the metagenome analysis. *J Hazard Mater*. 302: 144-150. <http://dx.doi.org/10.1016/j.jhazmat.2015.09.047>.
- Kao, CM; Prosser, J. (1999). Intrinsic bioremediation of trichloroethylene and chlorobenzene: field and laboratory studies. *J Hazard Mater*. 69: 67-79.
- Kao, CM; Yang, L. (2000). Enhanced bioremediation of trichloroethene contaminated by a biobarrier system. *Water Sci Technol*. 42: 429-434.
- Kaown, D; Jun, SC; Kim, R, akH; Woosik, S; Lee, KK, un. (2016). Characterization of a site contaminated by chlorinated ethenes and ethanes using multi-analysis. *Environ Earth Sci*. 75. <http://dx.doi.org/10.1007/s12665-016-5536-2>.
- Kaown, D; Koh, DC; Solomon, DK, ip; Yoon, YY; Yang, J; Lee, KK, un. (2014). Delineation of recharge patterns and contaminant transport using H-3-He-3 in a shallow aquifer contaminated by chlorinated solvents in South Korea. *Hydrogeology Journal*. 22: 1041-1054. <http://dx.doi.org/10.1007/s10040-014-1123-3>.
- Kaown, D; Shouakar-Stash, O; Yang, J; Hyun, Y; Lee, KK. (2014). Identification of multiple sources of groundwater contamination by dual isotopes. *Ground Water*. 52: 875-885. <http://dx.doi.org/10.1111/gwat.12130>.
- Kappas, A. (1989). On the mechanisms of induced aneuploidy in *Aspergillus nidulans* and validation of tests for genomic mutations. In MA Resnick; BK Vig (Eds.), *Prog Clin Biol Res* (pp. 377-384). New York, NY: Wiley.
- Kara, S. (2003). Health effects - Study links TCE to male infertility. *Chem Week*. 165: 47-47.
- Karamanev, DG. (1999). Biodegradation of soil contaminants. *Journal of Sci Ind Res*. 58: 764-772.
- Karami, S; Boffetta, P; Brennan, P; Stewart, PA; Zaridze, D; Matveev, V; Janout, V; Kollarova, H; Bencko, V; Navratilova, M; Szeszenia-Dabrowska, N; Mates, D; Gromiec, JP; Sobotka, R; Chow, WH; Rothman, N; Moore, LE. (2011). Renal cancer risk and occupational exposure to polycyclic aromatic hydrocarbons and plastics. *J Occup Environ Med*. 53: 218-223. <http://dx.doi.org/10.1097/JOM.0b013e31820a40a3>.
- Karami, S; Lan, Q; Rothman, N; Stewart, PA; Lee, KM, u; Vermeulen, R; Moore, L. (2012). Occupational trichloroethylene exposure and kidney cancer risk: a meta-analysis. *Occup Environ Med*. 69: 858-867. <http://dx.doi.org/10.1136/oemed-2012-100932>.
- Karanfil, T; Dastgheib, SA. (2004). Trichloroethylene adsorption by fibrous and granular activated carbons: Aqueous phase, gas phase, and water vapor adsorption studies. *Environ Sci Technol*. 38: 5834-5841. <http://dx.doi.org/10.1021/es0497936>.
- Karanfil, T; Dastgheib, SA; Mauldin, D. (2006). Exploring molecular sieve capabilities of activated carbon fibers to reduce the impact of NOM preloading on trichloroethylene adsorption. *Environ Sci Technol*. 40: 1321-1327. <http://dx.doi.org/10.1021/es051285o>.
- Karanfil, T; Kilduff, JE. (1999). Role of granular activated carbon surface chemistry on the adsorption of organic compounds. 1. Priority pollutants. *Environ Sci Technol*. 33: 3217-3224.
- Karapanagioti, HK; Kleinedam, S; Sabatini, DA; Grathwohl, P; Ligouis, B. (2000). Impacts of heterogeneous organic matter on phenanthrene sorption: Equilibrium and kinetic studies with aquifer material. *Environ Sci Technol*. 34: 406-414.
- Karataş, S; Hasar, H; Taşkan, E; Özkaya, B; Şahinkaya, E. (2014). Bio-reduction of tetrachloroethen using a H₂-based membrane biofilm reactor and community fingerprinting. *Water Res*. 58: 21-28. <http://dx.doi.org/10.1016/j.watres.2014.03.053>.
- Karches, M; Takashima, H; Kanno, Y. (2004). Development of a circulating fluidized-bed reactor for microwave-activated catalysis. *Ind Eng Chem Res*. 43: 8200-8206. <http://dx.doi.org/10.1021/ie049569p>.
- Kargalioglu, Y; Mcmillan, BJ; Minear, RA; Plewa, MJ. (2002). Analysis of the cytotoxicity and mutagenicity of drinking water disinfection by-products in *Salmonella typhimurium*. *Teratog Carcinog Mutagen*. 22: 113-128. <http://dx.doi.org/10.1002/tcm.10010>.
- Kargar, M; Nabizadeh, R; Naddafi, K; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Pahlevanzadeh, B. (2012). Modeling perchloroethylene degradation under ultrasonic irradiation and photochemical oxidation in aqueous solution. *Iranian Journal of Environmental Health Science and Engineering*. 9: 32. <http://dx.doi.org/10.1186/1735-2746-9-32>.
- Karimi, AA; Redman, JA; Glaze, WH; Stolarik, GF. (1997). Evaluating an AOP for TCE and PCE removal. *J Am Water Works Assoc*. 89: 41-53.
- Karp, KE. (1993). A diffusive sampler for passive monitoring of volatile organic compounds in ground water. *Ground Water*. 31: 735-739.
- Karpinets, TV; Foy, BD. (2005). Tumorigenesis: The adaptation of mammalian cells to sustained stress environment by epigenetic alterations and succeeding matched mutations [Review]. *Carcinogenesis*. 26: 1323-1334. <http://dx.doi.org/10.1093/carcin/bgi079>.
- Karunanayake, CP; McDuffie, HH; Dosman, JA; Spinelli, JJ; Pahwa, P. (2008). Occupational exposures and non-Hodgkin's lymphoma: Canadian case-control study. *Environ Health*. 7: 44. <http://dx.doi.org/10.1186/1476-069X-7-44>.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res*. 34: 4161-4168.
- Kashiyama, N; Boving, TB. (2004). Hindered gas-phase partitioning of trichloroethylene from aqueous cyclodextrin systems: Implications for treatment and analysis. *Environ Sci Technol*. 38: 4439-4444. <http://dx.doi.org/10.1021/es049956q>.
- Kaslusky, SF; Udell, KS. (2002). A theoretical model of air and steam co-injection to prevent the downward migration of DNAPLs during steam-enhanced extraction. *J Contam Hydrol*. 55: 213-232.

Exposure Literature Search Results

Off Topic

- Kaslusky, SF; Udell, KS. (2005). Co-injection of air and steam for the prevention of the downward migration of DNAPLs during steam enhanced extraction: an experimental evaluation of optimum injection ratio predictions. *J Contam Hydrol.* 77: 325-347. <http://dx.doi.org/10.1016/j.jconhyd.2005.02.003>.
- Kasozi, GN; Kiremire, BT; Bugenyi, FW; Kirsch, NH; Nkedi-Kizza, P. (2006). Organochlorine residues in fish and water samples from lake victoria, Uganda. *J Environ Qual.* 35: 584-589. <http://dx.doi.org/10.2134/jeq2005.0222>.
- Kaspar, S; Rathgeb, F; Nopper, D; Gauglitz, G. (1999). Influence of relative humidity in sensing halogenated hydrocarbons with Reflectometric Interference Spectroscopy (RfS). *Fresenius J Anal Chem.* 363: 193-196.
- Kasry, A; El Ashry, M; Nistor, RA; Bol, AA; Tulevski, GS; Martyna, GJ; Newns, DM. (2012). High performance metal microstructure for carbon-based transparent conducting electrodes. *Thin Solid Films.* 520: 4827-4830. <http://dx.doi.org/10.1016/j.tsf.2012.01.031>.
- Kassem, M; Senkan, SM. (1991). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF 1,2-C₂H₄CL₂ AND CH₄. *Combust Flame.* 83: 365-374.
- Katagiri, H; Aoki, N; Soma, K; Karube, H; Aizawa, Y; Kadowaki, T; Inoue, Y. (1997). Concentration in blood and organs of dogs after high dose 1,1,1-trichloroethane inhalation. *Ind Health.* 35: 461-466.
- Kataky, R; Wylie, LA. (2001). Investigation of mechanisms for the reductive dechlorination of chlorinated ethylenes using electroanalytical techniques. *Analyst.* 126: 1901-1906.
- Kato-Weinstein, J; Lingohr, MK; Orner, GA; Thrall, BD; Bull, RJ. (1998). Effects of dichloroacetate on glycogen metabolism in B6C3F1 mice. *Toxicology.* 130: 141-154. [http://dx.doi.org/10.1016/S0300-483X\(98\)00106-1](http://dx.doi.org/10.1016/S0300-483X(98)00106-1).
- Kato-Weinstein, J; Stauber, AJ; Orner, GA; Thrall, BD; Bull, RJ. (2001). Differential effects of dihalogenated and trihalogenated acetates in the liver of B6C3F1 mice. *J Appl Toxicol.* 21: 81-89. <http://dx.doi.org/10.1002/jat.717>.
- Katsanou, O; Zervas, E; Pouloupoulos, SG; Philippopoulos, CJ. (2008). Photocatalytic oxidation of TCE and MTBE in the gas phase. *Global NEST J.* 10: 237-240.
- Kattwinkel, A; Braunstein, R; Haupt, L; Hamad, N; Barner, K; Gommert, E; Wecker, J; Von Helmolt, R; Medvedeva, IV. (2001). Spectral and time-resolved photoresponse in Nd₂/3Sr₁/3MnO₃-d epitaxial layers. *Materials Science Forum.* 373-3: 593-596.
- Katz, Y; Gvirtzman, H. (2000). Capture and cleanup of a migrating VOC plume by the in-well vapor stripping: a sand tank experiment. *J Contam Hydrol.* 43: 25-44.
- Kauffmann, B; White, K; Sanders, V; Douglas, K; Sain, L; Borzelleca, J; Munson, A. (1982). Humoral and cell-mediated immune status in mice exposed to chloral hydrate. *Environ Health Perspect.* 44: 147-151.
- Kausamo, A; Andersin, J; Honkala, K. (2014). Mechanism of Trichloroethene Hydrodehalogenation: A First-Principles Kinetic Monte Carlo Study. *J Phys Chem C.* 118: 19759-19767. <http://dx.doi.org/10.1021/jp503494g>.
- Kaviratna, PD; Peden, CHF. (1996). Photocatalytic destruction of automobile exhaust emissions. *ACS Symp Ser Am Chem Soc.* 638: 428-435.
- Kawaguchi, H. (1994). Dependence of photocatalytic reaction rate on titanium dioxide concentration in aqueous suspensions. *Environ Technol.* 15: 183-188.
- Kawai, Y; Matsubayashi, K. (1996). A novel redox reaction of ebselen with alcohol in basic solution. *Chem Pharm Bull (Tokyo).* 44: 1561-1566.
- Kawamoto, T; Hobara, T; Aoki, T; Kobayashi, H; Iwamoto, S; Sakai, T; Takano, T; Miyazaki, Y; Imamura, A; Ogino, K. (1988). Metabolism of chloral hydrate in the anoxic perfused liver. *Toxicol Lett.* 40: 225-231. [http://dx.doi.org/10.1016/0378-4274\(88\)90045-8](http://dx.doi.org/10.1016/0378-4274(88)90045-8).
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health.* <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.
- Kawase, Y; Masuya, T; Yasuda, K; Nakamura, M. (2006). VOC decomposition by combination of ultrasonic atomization and ozone irradiation. *Kagaku Kogaku Ronbunshu.* 32: 369-371.
- Kawata, K; Shimazaki, R; Okabe, S. (2009). Comparison of gene expression profiles in HepG2 cells exposed to arsenic, cadmium, nickel, and three model carcinogens for investigating the mechanisms of metal carcinogenesis. *Environ Mol Mutagen.* 50: 46-59. <http://dx.doi.org/10.1002/em.20438>.
- Kawi, S; Te, M. (1998). MCM-48 supported chromium catalyst for trichloroethylene oxidation. *Catalysis Today.* 44: 101-109.
- Kearns, JJ. (2001). On the relationship among 'f' texture factors for the principal planes of zirconium, hafnium and titanium alloys. *J Nucl Mater.* 299: 171-174.
- Keating, GA; Mckone, TE; Gillett, JW. (1997). Measured and estimated air concentrations of chloroform in showers: effects of water temperature and aerosols. *Atmos Environ.* 31: 123-130.
- Kedderis, GL; Lipscomb, JC. (2001). Application of in vitro biotransformation data and pharmacokinetic modeling to risk assessment. *Toxicol Ind Health.* 17: 315-321. <http://dx.doi.org/10.1191/0748233701th119oa>.
- Keech, A; Simes, J; Barter, P; Best, J; Scott, R; Taskinen, MR. (2006). Correction to the FIELD study report [Erratum]. *Lancet.* 368: 1415. [http://dx.doi.org/10.1016/S0140-6736\(06\)69594-9](http://dx.doi.org/10.1016/S0140-6736(06)69594-9).
- Keech, A; Simes, RJ; Barter, P; Best, J; Scott, R; Taskinen, MR; Forder, P; Pillai, A; Davis, T; Glasziou, P; Drury, P; Kesäniemi, YA; Sullivan, D; Hunt, D; Colman, P; d'Emden, M; Whiting, M; Ehnholm, C; Laakso, M. (2005). Effects of long-term fenofibrate therapy on cardiovascular events in 9795 people with type 2 diabetes mellitus (the FIELD study): Randomised controlled trial. *Lancet.* 366: 1849-1861. [http://dx.doi.org/10.1016/S0140-6736\(05\)67667-2](http://dx.doi.org/10.1016/S0140-6736(05)67667-2).
- Keil, DE; Peden-Adams, MM; Wallace, S; Ruiz, P; Gilkeson, GS. (2009). Assessment of trichloroethylene (TCE) exposure in murine strains genetically-prone and non-prone to develop autoimmune disease. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 443-453. <http://dx.doi.org/10.1080/10934520902719738>.

Exposure Literature Search Results

Off Topic

- Keller, V; Bernhardt, P; Garin, F. (2003). Photocatalytic oxidation of butyl acetate in vapor phase on TiO₂, Pt/TiO₂ and WO₃/TiO₂ catalysts. *J Catal.* 215: 129-138. [http://dx.doi.org/10.1016/S0021-9517\(03\)00002-2](http://dx.doi.org/10.1016/S0021-9517(03)00002-2).
- Kelley, SL; Aitchison, EW; Deshpande, M; Schnoor, JL; Alvarez, PJJ. (2001). Biodegradation of 1,4-dioxane in planted and unplanted soil: Effect of bioaugmentation with *Amycolata* sp CB1190. *Water Res.* 35: 3791-3800. [http://dx.doi.org/10.1016/S0043-1354\(01\)00129-4](http://dx.doi.org/10.1016/S0043-1354(01)00129-4).
- Kelly, G; Lyden, C; Lawton, W; Barrett, J; Saboui, A; Pape, H; Peters, HJB. (1996). Importance of molding compound chemical shrinkage in the stress and warpage analysis of PQFP's. 19: 296-300.
- Kelsh, MA; Exuzides, KA; Cher, D; Mandel, JS. (2002). Heterogeneity, influence and sensitivity analyses in meta-analysis studies - It matters: A case study of trichloroethylene and cancer. *Am J Epidemiol.* 155: s79-s79.
- Kelsh, MA; Mandel, JH; Mink, PJ; Weingart, M; Alexander, DD; Goodman, M. (2006). A meta-analysis of kidney cancer, non Hodgkin's lymphoma and occupational trichloroethylene exposure. *Am J Epidemiol.* 163: S236-S236.
- Kemp, WM; Brooks, MT; Hood, RR. (2001). Nutrient enrichment, habitat variability and trophic transfer efficiency in simple models of pelagic ecosystems. *Mar Ecol Prog Ser.* 223: 73-87.
- Kenck, C; Wilhelm, M; Bugert, P; Staehler, G; Kovacs, G. (1996). Mutation of the VHL gene is associated exclusively with the development of non-papillary renal cell carcinomas. *J Pathol.* 179: 157-161. [http://dx.doi.org/10.1002/\(SICI\)1096-9896\(199606\)179:2<157::AID-PATH557>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1096-9896(199606)179:2<157::AID-PATH557>3.0.CO;2-S).
- Kendale, JC; Valentin, EM; Woerpel, KA. (2014). Solvent effects in the nucleophilic substitutions of tetrahydropyran acetals promoted by trimethylsilyl trifluoromethanesulfonate: trichloroethylene as solvent for stereoselective C- and O-glycosylations. *Org Lett.* 16: 3684-3687. <http://dx.doi.org/10.1021/ol501471c>.
- Kennedy, AM; Summers, RS. (2015). Effect of DOM Size on Organic Micropollutant Adsorption by GAC. *Environ Sci Technol.* 49: 6617-6624. <http://dx.doi.org/10.1021/acs.est.5b00411>.
- Kennedy, CA; Lennox, WC. (1997). A pore-scale investigation of mass transport from dissolving DNAPL droplets. *J Contam Hydrol.* 24: 3-4.
- Kennedy, LG; Everett, JW; Gonzales, J. (2006). Assessment of biogeochemical natural attenuation and treatment of chlorinated solvents, Altus Air Force Base, Altus, Oklahoma. *J Contam Hydrol.* 83: 221-236. <http://dx.doi.org/10.1016/j.jconhyd.2005.11.006>.
- Kennedy, RA; Mayhew, CA; Peverall, R; Watts, P. (2000). Reaction pathways in the gas phase negative ion chemistry of chlorinated ethenes. *Phys Chem Chem Phys.* 2: 3145-3153.
- Kennedy, RM; Luhmann, JD. (1999). The 'Ouchless Emergency Department' getting closer: Advances in decreasing distress during painful procedures in the emergency department. 46/6 (1215-1247).
- Kenneke, JF; Mccutcheon, SC. (2003). Use of pretreatment zones and zero-valent iron for the remediation of chloroalkenes in an oxic aquifer. *Environ Sci Technol.* 37: 2829-2835. <http://dx.doi.org/10.1021/es0207302>.
- Kent, B; Mosquera, GCB. (2001). Remediation of NAPL-contaminated aquifers: Is the cure worth the cost? *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 1559-1569.
- Kenyon, EM; Benignus, V; Eklund, C; Highfill, JW; Oshiro, WM; Samsam, TE; Bushnell, PJ. (2008). Modeling the toxicokinetics of inhaled toluene in rats: influence of physical activity and feeding status. *J Toxicol Environ Health A.* 71: 249-265. <http://dx.doi.org/10.1080/15287390701528363>.
- Keppler, F; Borchers, R; Pracht, J; Rheinberger, S; Scholer, HF. (2002). Natural formation of vinyl chloride in the terrestrial environment. *Environ Sci Technol.* 36: 2479-2483. <http://dx.doi.org/10.1021/es015611j>.
- Kerger, BD; Schmidt, CE; Paustenbach, DJ. (2000). Assessment of airborne exposure to trihalomethanes from tap water in residential showers and baths. *Risk Anal.* 20: 637-651.
- Kerger, BD; Suder, DR; Schmidt, CE; Paustenbach, DJ. (2005). Airborne exposure to trihalomethanes from tap water in homes with refrigeration-type and evaporative cooling systems. *J Toxicol Environ Health A.* 68: 401-429. <http://dx.doi.org/10.1080/15287390590903577>.
- Kerkar, AV; Feke, DL. (1991). INDUCED FLOCCULATION IN STERICALLY STABILIZED CERAMIC POWDER DISPERSIONS. *Coll Surf.* 53: 363-381.
- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med.* 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Keshava, N; Caldwell, J. (2006). Key issues in the role of peroxisome proliferator-activated receptor agonism and cell signaling in trichloroethylene toxicity [Review]. *Environ Health Perspect.* 114: 1464-1470. <http://dx.doi.org/10.1289/chp.8693>.
- Keshava, N; Chiu, WA; Caldwell, JC. (2007). PPARalpha and TCE: Keshava et al. respond [Letter]. *Environ Health Perspect.* 115: A15-A16. <http://dx.doi.org/10.1289/ehp.115-a15>.
- Keshmiri, M; Mohseni, M; Troczynski, T. (2004). Development of novel TiO₂ sol-gel-derived composite and its photocatalytic activities for trichloroethylene oxidation. *Appl Catal B-Environ.* 53: 209-219. <http://dx.doi.org/10.1016/j.apcatb.2004.05.016>.
- Keshmiri, M; Troczynski, T; Mohseni, M. (2006). Oxidation of gas phase trichloroethylene and toluene using composite sol-gel TiO₂ photocatalytic coatings. *J Hazard Mater.* 128: 130-137. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.060>.
- Kessick, R; Tepper, G. (2006). Electrospun polymer composite fiber arrays for the detection and identification of volatile organic compounds. *Sens Actuators B.* 117: 205-210. <http://dx.doi.org/10.1016/j.snb.2005.11.045>.
- Kessler, W; Numtip, W; Grote, K; Csanady, GA; Chahoud, I; Filser, JG. (2004). Blood burden of di(2-ethylhexyl) phthalate and its primary metabolite mono(2-ethylhexyl) phthalate in pregnant and nonpregnant rats and marmosets. *Toxicol Appl Pharmacol.* 195: 142-153. <http://dx.doi.org/10.1016/j.taap.2003.11.014>.
- Ketola, RA; Gron, C; Lauritsen, FR. (1998). Temperature-programmed desorption for membrane inlet mass spectrometry. *Rapid Commun Mass Spectrom.* 12: 773-778.

Exposure Literature Search Results

Off Topic

- Keum, YS; Li, QX. (2004). Reduction of nitroaromatic pesticides with zero-valent iron. *Chemosphere*. 54: 255-263. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.003>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin*. 200: 5-6.
- Keyvani, D; Maclay, J; Lee, S; Stetter, J; Cao, Z. (1991). A PLANAR INTEGRATED CHLORINATED-HYDROCARBON GAS SENSOR ON A SILICON SUBSTRATE. *Sens Actuators B*. 5: 199-203.
- Kezic, S; Monster, AC; Krüse, J; Verberk, MM. (2000). Skin absorption of some vaporous solvents in volunteers. *Int Arch Occup Environ Health*. 73: 415-422. <http://dx.doi.org/10.1007/s00420000161>.
- Kezic, S; Monster, AC; van de Gevel, I; Krüse, J; Opdam, JG; Verberk, MM. (2001). Dermal absorption of neat liquid solvents on brief exposures in volunteers. *Am Ind Hyg Assoc J*. 62: 12-18. <http://dx.doi.org/10.1080/15298660108984604>.
- Khalilzadeh, A; Fatemi, S. (2016). Spouted bed reactor for VOC removal by modified nano-TiO₂ photocatalytic particles. *Chem Eng Res Des*. 115: 241-250. <http://dx.doi.org/10.1016/j.cherd.2016.10.004>.
- Khan, E; Wirojanagud, W; Sermasai, N. (2009). Effects of iron type in Fenton reaction on mineralization and biodegradability enhancement of hazardous organic compounds. *J Hazard Mater*. 161: 1024-1034. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.049>.
- Khandelwal, A; Rabideau, AJ. (1999). Transport of sequentially decaying reaction products influenced by linear nonequilibrium sorption. *Water Resour Res*. 35: 1939-1945.
- Khandelwal, A; Rabideau, AJ. (2000). Enhancement of soil-bentonite barrier performance with the addition of natural humus. *J Contam Hydrol*. 45: 267-282.
- Khandelwal, A; Rabideau, AJ; Shen, PL. (1998). Analysis of diffusion and sorption of organic solutes in soil-bentonite barrier materials. *Environ Sci Technol*. 32: 1333-1339.
- Khandwala, HM; McCutcheon, IE; Flyvbjerg, A; Friend, KE. (2000). The effects of insulin-like growth factors on tumorigenesis and neoplastic growth [Review]. *Endocr Rev*. 21: 215-244. <http://dx.doi.org/10.1210/er.21.3.215>.
- Khayet, M; Villaluenga, JP; Godino, MP; Mengual, JI; Seoane, B; Khulbe, KC; Matsuura, T. (2004). Preparation and application of dense poly(phenylene oxide) membranes in pervaporation. *J Colloid Interface Sci*. 278: 410-422. <http://dx.doi.org/10.1016/j.jcis.2004.06.021>.
- Khera, R; Ransom, P, at; Speth, TF. (2013). Using work breakdown structure models to develop unit treatment costs. 105: 61-62. <http://dx.doi.org/10.5942/jawwa.2013.105.0129>.
- Khindaria, A; Grover, TA; Aust, SD. (1995). Reductive dehalogenation of aliphatic halocarbons by lignin peroxidase of *Phanerochaete chrysosporium*. *Environ Sci Technol*. 29: 719-725.
- Khulbe, KC; Chowdhury, G; Kruczek, B; Vujosevic, R; Matsuura, T; Lamarche, G. (1997). Characterization of the PPO dense membrane prepared at different temperatures by ESR, atomic force microscope and gas permeation. *J Memb Sci*. 126: 115-122.
- Khulbe, KC; Chowdhury, G; Matsuura, T; Lamarche, G. (1997). Characterization of PPO [poly(phenylene oxide)] powder and membranes from it by ESR technique. *J Memb Sci*. 123: 9-15.
- Khulbe, KC; Hamad, F; Feng, C; Matsuura, T; Gumi, T; Palet, C. (2004). Characterization of the poly(phenylene oxide) dense membrane prepared at different temperatures. *Separation and Purification Technology*. 36: 53-62. [http://dx.doi.org/10.1016/S1383-5866\(03\)00152-7](http://dx.doi.org/10.1016/S1383-5866(03)00152-7).
- Khulbe, KC; Kruczek, B; Chowdhury, G; Gagne, S; Matsuura, T; Verma, SP. (1996). Characterization of membranes prepared from PPO by Raman scattering and atomic force microscopy. *J Memb Sci*. 111: 57-70.
- Khulbe, KC; Matsuura, T. (2000). Characterization of PPO membranes by oxygen plasma etching, gas separation and atomic force microscopy. *J Memb Sci*. 171: 273-284.
- Khulbe, KC; Matsuura, T; Lamarche, G; Kim, HJ. (1997). The morphology characterisation and performance of dense PPO membranes for gas separation. *J Memb Sci*. 135: 211-223.
- Khulbe, KC; Matsuura, T; Lamarche, G; Lamarche, AM. (2000). X-ray diffraction analysis of dense PPO membranes. *J Memb Sci*. 170: 81-89.
- Khulbe, KC; Matsuura, T; Noh, SH. (1998). Effect of thickness of the PPO membranes on the surface morphology. *J Memb Sci*. 145: 243-251.
- Kiaei, D; Hoffman, AS; Horbett, TA. (1995). Platelet adhesion to fibrinogen adsorbed on glow discharge-deposited polymers. *ACS Symp Ser Am Chem Soc*. 602: 450-462.
- Kibbey, TCG; Ramsburg, CA; Pennell, KD. (2002). Implications of alcohol partitioning behavior for in situ density modification of entrapped dense nonaqueous phase liquids. *Environ Sci Technol*. 36: 104-111. <http://dx.doi.org/10.1021/es010966q>.
- Kibecheu, RW; Mamo, MA; Msagati, TAM; Sampath, S; Mamba, BB. (2014). Synthesis and application of reduced graphene oxide and molecularly imprinted polymers composite in chemo sensor for trichloroacetic acid detection in aqueous solution. *Phys Chem Earth*. 76-78: 49-53. <http://dx.doi.org/10.1016/j.pce.2014.09.008>.
- Kielhorn, J; Melber, C; Wahnschaffe, U; Aitio, A; Mangelsdorf, I. (2000). Vinyl chloride: still a cause for concern [Review]. *Environ Health Perspect*. 108: 579-588.
- Kijora, C; Bergner, H; Szakacz, J; Bartelt, J; Gotz, KP. (1992). UTILIZATION OF N-15-UREA IN SHEEP AFTER N-15-UREA INFUSION IN THE SMALL-INTESTINE. *J Anim Physiol Anim Nutr (Berl)*. 67: 237-249.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg*. 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Kikuchi, Y; Hirao, M. (2008). Practical method of assessing local and global impacts for risk-based decision making: A case study of metal degreasing processes. *Environ Sci Technol*. 42: 4527-4533. <http://dx.doi.org/10.1021/es7024164>.
- Kilburn, KH. (1999). Neurobehavioral and respiratory findings in jet engine repair workers: a comparison of exposed and unexposed volunteers. *Environ Res*. 80: 244-252. <http://dx.doi.org/10.1006/enrs.1998.3898>.

Exposure Literature Search Results

Off Topic

- Kilburn, KH. (2000). Effects of diesel exhaust on neurobehavioral and pulmonary functions. *Arch Environ Occup Health*. 55: 11-17.
- Kilburn, KH; Warshaw, R; Thornton, JC. (1987). Formaldehyde impairs memory, equilibrium, and dexterity in histology technicians: Effects which persist for days after exposure. *Arch Environ Occup Health*. 42: 117-120. <http://dx.doi.org/10.1080/00039896.1987.9935806>.
- Kilduff, JE; Karanfil, T. (2002). Trichloroethylene adsorption by activated carbon preloaded with humic substances: effects of solution chemistry. *Water Res*. 36: 1685-1698.
- Kilduff, JE; Karanfil, T; Weber W J, J. R. (1998). TCE adsorption by GAC preloaded with humic substances (pp. 76-89). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/98/19081). Kilduff, JE; Karanfil, T; Weber W J, , JR.
- Kilduff, JE; Mattaraj, S; Wigton, A; Kitis, M; Karanfil, T. (2004). Effects of reverse osmosis isolation on reactivity of naturally occurring dissolved organic matter in physicochemical processes. *Water Res*. 38: 1026-1036. <http://dx.doi.org/10.1016/j.watres.2003.10.049>.
- Kilduff, JE; Wigton, A. (1999). Sorption of TCE by humic-preloaded activated carbon: Incorporating size-exclusion and pore blockage phenomena in a competitive adsorption model. *Environ Sci Technol*. 33: 250-256.
- Kim, CF; Jackson, EL; Woolfenden, AE; Lawrence, S; Babar, I; Vogel, S; Crowley, D; Bronson, RT; Jacks, T. (2005). Identification of bronchioalveolar stem cells in normal lung and lung cancer. *Cell*. 121: 823-835. <http://dx.doi.org/10.1016/j.cell.2005.03.032>.
- Kim, D, oGun; Hwang, Y, uH; Shin, HS, ik; Ko, SO, h. (2012). Humic acid characteristics and effects on the reactivity of nano-scale zero-valent iron particles during nitrate reduction. *Desalination and Water Treatment*. 49: 147-156. <http://dx.doi.org/10.1080/19443994.2012.708212>.
- Kim, DC; Ihm, SK. (2001). Application of spinel-type cobalt chromite as a novel catalyst for combustion of chlorinated organic pollutants. *Environ Sci Technol*. 35: 222-226. <http://dx.doi.org/10.1021/es001098k>.
- Kim, DC; Ihm, SK. (2001). Role of water in the catalytic decomposition of chlorinated hydrocarbons over chromium-containing catalysts. *J Chem Eng Jpn*. 34: 143-147.
- Kim, E; Kim, J; Azad, AM; Chang, YS. (2011). Facile Synthesis and Characterization of Fe/FeS Nanoparticles for Environmental Applications. *ACS Applied Materials & Interfaces*. 3: 1457-1462. <http://dx.doi.org/10.1021/am200016v>.
- Kim, E, uIjin; Lee, YC; Lee, HU, k; Huh, Y, unSuk; Lee, M. (2016). Environment-friendly industrial cleaning agents incorporating plant-oil-based raw materials as chlorofluorocarbon (CFC) alternatives. *Chem Eng J*. 290: 103-115. <http://dx.doi.org/10.1016/j.cej.2016.01.023>.
- Kim, E; Murugesan, K; Kim, J; Tratnyek, PG; Chang, YS. (2013). Remediation of Trichloroethylene by FeS-Coated Iron Nanoparticles in Simulated and Real Groundwater: Effects of Water Chemistry. *Ind Eng Chem Res*. 52: 9343-9350. <http://dx.doi.org/10.1021/ie400165a>.
- Kim, EJ; Kim, JH; Chang, YS; Turcio-Ortega, D; Tratnyek, PG. (2014). Effects of metal ions on the reactivity and corrosion electrochemistry of Fe/FeS nanoparticles. *Environ Sci Technol*. 48: 4002-4011. <http://dx.doi.org/10.1021/es405622d>.
- Kim, G; Jeong, W; Choe, S. (2007). Impact of pH buffer capacity of sediment on dechlorination of atrazine using zero valent iron. *J Environ Sci Health B*. 42: 287-295. <http://dx.doi.org/10.1080/03601230701229270>.
- Kim, G; Jeong, W; Choe, S. (2008). Dechlorination of atrazine using zero-valent iron (Fe⁰) under neutral pH conditions. *J Hazard Mater*. 155: 502-506. <http://dx.doi.org/10.1016/j.jhazmat.2007.11.092>.
- Kim, H; Ahn, D; Annable, MD. (2016). Enhanced removal of VOCs from aquifers during air sparging using thickeners and surfactants: Bench-scale experiments. *J Contam Hydrol*. 184: 25-34. <http://dx.doi.org/10.1016/j.jconhyd.2015.11.002>.
- Kim, H; Hong, H, yeJin; Lee, Y, ouJin; Shin, HJ, ae; Yang, J, iWon. (2008). Degradation of trichloroethylene by zero-valent iron immobilized in cationic exchange membrane. *Desalination*. 223: 212-220. <http://dx.doi.org/10.1016/j.desal.2007.03.015>.
- Kim, H; Hong, HJ; Jung, J; Kim, SH; Yang, JW. (2010). Degradation of trichloroethylene (TCE) by nanoscale zero-valent iron (nZVI) immobilized in alginate bead. *J Hazard Mater*. 176: 1038-1043. <http://dx.doi.org/10.1016/j.jhazmat.2009.11.145>.
- Kim, H, eeSam; Kee, K, iBum; Lee, YJ, ae; Han, SS, oo; Chung, YS, ik; Jeon, H, anY; Lee, YR, ok; Gal, YS; Noh, SK; Lyoo, W, onS. (2010). Effect of Solvent on the Morphology of High Molecular Weight Poly(N-vinyl carbazole) Web Prepared by Electrospinning. *Polymers and Polymer Composites*. 18: 461-467.
- Kim, H, eeY; Kim, S, eNa; Kim, J, un; Ahn, W, haS. (2013). Liquid phase adsorption of selected chloroaromatic compounds over metal organic frameworks. *Materials Research Bulletin*. 48: 4499-4505. <http://dx.doi.org/10.1016/j.materresbull.2013.07.052>.
- Kim, H, yeJin; Phenrat, T; Tilton, RD; Lowry, GV. (2009). Fe-0 Nanoparticles Remain Mobile in Porous Media after Aging Due to Slow Desorption of Polymeric Surface Modifiers. *Environ Sci Technol*. 43: 3824-3830. <http://dx.doi.org/10.1021/es802978s>.
- Kim, H; Yang, H; Kim, J. (2014). Standardization of the reducing power of zero-valent iron using iodine. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 49: 514-523. <http://dx.doi.org/10.1080/10934529.2014.859029>.
- Kim, HH; Prieto, G; Takashima, K; Katsura, S; Mizuno, A. (2002). Performance evaluation of discharge plasma process for gaseous pollutant removal. *Journal of Electrostatics*. 55: 25-41.
- Kim, HJ; Cho, KS; Park, JW; Goltz, MN; Khim, JH; Kim, JY. (2001). Sorption and biodegradation of vapor-phase organic compounds with wastewater sludge and food waste compost. *J Air Waste Manag Assoc*. 51: 1237-1244.
- Kim, HJ; Leitch, M; Naknakorn, B; Tilton, RD; Lowry, GV. (2017). Effect of emplaced nZVI mass and groundwater velocity on PCE dechlorination and hydrogen evolution in water-saturated sand. *J Hazard Mater*. 322: 136-144. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.037>.
- Kim, HK; Hemond, HF; Krumholz, LR; Cohen, BA. (1995). IN-SITU BIODEGRADATION OF TOLUENE IN A CONTAMINATED STREAM. 1. FIELD STUDIES. *Environ Sci Technol*. 29: 108-116.
- Kim, HS; Ahn, JY; Hwang, KY; Kim, IK; Hwang, I. (2010). Atmospherically stable nanoscale zero-valent iron particles formed under controlled air contact: characteristics and reactivity. *Environ Sci Technol*. 44: 1760-1766. <http://dx.doi.org/10.1021/es902772r>.
- Kim, HS; Ahn, JY; Kim, C; Lee, S; Hwang, I. (2014). Effect of anions and humic acid on the performance of nanoscale zero-valent iron particles coated with polyacrylic acid. *Chemosphere*. 113: 93-100. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.047>.

Exposure Literature Search Results

Off Topic

- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere*. 73: 813-819. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.092>.
- Kim, HS; Kim, T; Ahn, J; Hwang, K; Park, J; Lim, TT; Hwang, I. (2012). Aging characteristics and reactivity of two types of nanoscale zero-valent iron particles (Fe-BH and Fe-H2) in nitrate reduction. *Chem Eng J*. 197: 16-23. <http://dx.doi.org/10.1016/j.cej.2012.05.018>.
- Kim, I; Kwak, S, unWoo; Ju, Y; Park, G, unY; Lee, TM, in; Jang, Y; Choi, YM, an; Kang, D. (2015). Roll-offset printed transparent conducting electrode for organic solar cells. *Thin Solid Films*. 580: 21-28. <http://dx.doi.org/10.1016/j.tsf.2015.02.075>.
- Kim, J, aeH; Kim, J, iHun; Bokare, V; Kim, E, unJu; Chang, YY; Chang, YS. (2012). Enhanced removal of chromate from aqueous solution by sequential adsorption-reduction on mesoporous iron-iron oxide nanocomposites. *J Nanopart Res*. 14. <http://dx.doi.org/10.1007/s11051-012-1010-6>.
- Kim, J; Lee, W, ooBum. (2009). The Development of a Prediction Model for the Kinetic Constant of Chlorinated Aliphatic Hydrocarbons. *Environ Model Assess*. 14: 93-100. <http://dx.doi.org/10.1007/s10666-007-9119-1>.
- Kim, J; Park, H; Ha, E; Jung, T; Paik, N; Yang, S. (2005). Combined effects of noise and mixed solvents exposure on the hearing function among workers in the aviation industry. *Ind Health*. 43: 567-573. <http://dx.doi.org/10.2486/indhealth.43.567>.
- Kim, JO. (1997). Gaseous TCE and PCE removal by an activated carbon biofilter (pp. 331-337). (BIOSIS/97/18416). Kim, JO.
- Kim, JO. (1998). Removal of trichloroethylene in presence and absence of surfactant. *Water Air Soil Pollut*. 108: 1-2.
- Kim, JO; Terkonda, PK; Lee, SD. (1998). Gaseous CAH removal by biofiltration in presence and absence of a nonionic surfactant (pp. 253-259). (BIOSIS/99/00164). Kim, JO; Terkonda, PK; Lee, SD.
- Kim, JS; Itoh, K; Murabayashi, M. (1998). Photocatalytic degradation of trichloroethylene in the gas phase over TiO₂ sol-gel films: Analysis of products. *Chemosphere*. 36: 483-495.
- Kim, JS; Itoh, K; Murabayashi, M; Kim, BA. (1999). Pretreatment of the photocatalyst and the photocatalytic degradation of trichloroethylene in the gas-phase. *Chemosphere*. 38: 2969-2978.
- Kim, JS; Joo, HK; Lee, TK; Itoh, K; Murabayashi, M. (2000). Photocatalytic activity of TiO₂ films preserved under different conditions: The gas-phase photocatalytic degradation reaction of trichloroethylene. *J Catal*. 194: 484-486.
- Kim, JS; Lee, TK. (2001). Effect of humidity on the photocatalytic degradation of trichloroethylene in gas phase over TiO₂ thin films treated by different conditions. *Korean J Chem Eng*. 18: 935-940.
- Kim, JY; Park, JK; Edil, TB. (1997). Sorption of organic compounds in the aqueous phase onto tire rubber. *J Environ Eng*. 123: 827-835.
- Kim, K; Gurol, MD. (2005). Reaction of nonaqueous phase TCE with permanganate. *Environ Sci Technol*. 39: 9303-9308. <http://dx.doi.org/10.1021/es050830j>.
- Kim, K; Kim, YS; Gurol, MD. (2013). DNAPL TCE Oxidation with Permanganate: Influence of the Phase Transfer Catalyst Pentyltriphenylphosphonium. *Water Air Soil Pollut*. 224: 1. <http://dx.doi.org/10.1007/s11270-013-1735-6>.
- Kim, KS; Kwon, T, aeS; Yang, JS; Yang, J, iWon. (2007). Simultaneous removal of chlorinated contaminants by pervaporation for the reuse of a surfactant. *Desalination*. 205: 87-96. <http://dx.doi.org/10.1016/j.desal.2006.04.043>.
- Kim, MH. (2005). Surface chemical structures of CoOx/TiO₂ catalysts for continuous wet trichloroethylene oxidation. *Korean J Chem Eng*. 22: 839-843.
- Kim, MH; Choo, KH, o. (2007). Low-temperature continuous wet oxidation of trichloroethylene over CoOx/TiO₂ catalysts. *Catal Comm*. 8: 462-466. <http://dx.doi.org/10.1016/j.catcom.2006.07.015>.
- Kim, MH; Hao, OJ. (1999). Cometabolic degradation of chlorophenols by *Acinetobacter* species. *Water Res*. 33: 562-574.
- Kim, S; Bae, W; Hwang, J; Park, J. (2010). Aerobic TCE degradation by encapsulated toluene-oxidizing bacteria, *Pseudomonas putida* and *Bacillus* spp. *Water Sci Technol*. 62: 1991-1997. <http://dx.doi.org/10.2166/wst.2010.471>.
- Kim, S; Burris, DR; Bryant-Genevier, J; Gorder, KA; Dettenmaier, EM; Zellers, ET. (2012). Microfabricated Gas Chromatograph for On-Site Determinations of TCE in Indoor Air Arising from Vapor Intrusion. 2. Spatial/Temporal Monitoring. *Environ Sci Technol*. 46: 6073-6080. <http://dx.doi.org/10.1021/es204625w>.
- Kim, S; Burris, DR; Chang, H; Bryant-Genevier, J; Zellers, ET. (2012). Microfabricated Gas Chromatograph for On-Site Determination of Trichloroethylene in Indoor Air Arising from Vapor Intrusion. 1. Field Evaluation. *Environ Sci Technol*. 46: 6065-6072. <http://dx.doi.org/10.1021/es204624z>.
- Kim, S; Hwang, J; Chung, J; Bae, W. (2014). Enhancing trichloroethylene degradation using non-aromatic compounds as growth substrates. *J Hazard Mater*. 275: 99-106. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.052>.
- Kim, S; Kupke, K; Ierardi-Curto, L; Holme, E; Greter, J; Tanguay, R; Poudrier, J; D'Astous, M; Lettre, F; Hahn, S; Levy, H. (2000). Hepatocellular carcinoma despite long-term survival in chronic tyrosinaemia I. *J Inher Metab Dis*. 23: 791-804. <http://dx.doi.org/10.1023/A:1026756501669>.
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nano-sized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage*. 151: 378-385. <http://dx.doi.org/10.1016/j.jenvman.2015.01.004>.
- Kim, SB; Hong, SC. (2002). Kinetic study for photocatalytic degradation of volatile organic compounds in air using thin film TiO₂ photocatalyst. *Appl Catal B-Environ*. 35: 305-315.
- Kim, SB; Hwang, HT; Hong, SC. (2002). Photocatalytic degradation of volatile organic compounds at the gas-solid interface of a TiO₂ photocatalyst. *Chemosphere*. 48: 437-444.
- Kim, SB; Jang, HT; Hong, SC. (2002). Photocatalytic degradation of gas-phase methanol and toluene using thin-film TiO₂ photocatalyst I. Influence of water vapor, molecular oxygen and temperature. *J Ind Eng Chem*. 8: 156-161.

Exposure Literature Search Results

Off Topic

- Kim, SB, um; Kim, GS, oo; Hong, SC. (2006). Degradation of gaseous trichloroethylene over a thin-film TiO₂ photocatalyst. *J Ind Eng Chem.* 12: 749-756.
- Kim, SB, um; Kim, GS, oo; Hong, SC. (2007). Degradation of gas-phase trichloroethylene over thin-film TiO₂ photocatalyst in multi-modules reactor. *Environmental Engineering and Management Journal.* 6: 137-142.
- Kim, SB; Lee, JY; Jang, HT; Cha, WS; Hong, SC. (2003). Enhanced photocatalytic activity of TiO₂ by metal doping for degradation of VOCs in air. *J Ind Eng Chem.* 9: 440-446.
- Kim, SB; Lee, JY; Kim, GS; Hong, SC. (2009). Degradation of gas-phase trichloroethylene over thin-film TiO₂ photocatalyst in multi-modules reactor. *J Hazard Mater.* 166: 848-852. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.098>.
- Kim, SK; Chang, H; Zellers, ET. (2011). Microfabricated gas chromatograph for the selective determination of trichloroethylene vapor at sub-parts-per-billion concentrations in complex mixtures. *Anal Chem.* 83: 7198-7206. <http://dx.doi.org/10.1021/ac201788q>.
- Kim, TY; Jeng, SJ; Kim, SJ; Kim, JH; Cho, SY. (2004). Effect of residual water on the adsorption of ethylene dichloride onto pellet-type activated carbon. *J Ind Eng Chem.* 10: 531-538.
- Kim, Y; Arp, DJ; Semprini, L. (2000). Chlorinated solvent cometabolism by butane-grown mixed culture. *J Environ Eng.* 126: 934-942.
- Kim, Y; Istok, JD; Semprini, L. (2004). Push-pull tests for assessing in situ aerobic cometabolism. *Ground Water.* 42: 329-337.
- Kim, Y; Istok, JD; Semprini, L. (2006). Push-pull tests evaluating in situ aerobic cometabolism of ethylene, propylene, and cis-1,2-dichloroethylene. *J Contam Hydrol.* 82: 165-181. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.003>.
- Kim, Y; Istok, JD; Semprini, L. (2008). Single-well, gas-sparging tests for evaluating the in situ aerobic cometabolism of cis-1,2-dichloroethene and trichloroethene. *Chemosphere.* 71: 1654-1664. <http://dx.doi.org/10.1016/j.chemosphere.2008.01.021>.
- Kim, Y; Lee, J. (2012). Dissolution of ethylene vinyl acetate in crystalline silicon PV modules using ultrasonic irradiation and organic solvent. *Solar Energy Materials and Solar Cells.* 98: 317-322. <http://dx.doi.org/10.1016/j.solmat.2011.11.022>.
- Kim, Y; Semprini, L. (2005). Cometabolic transformation of cis-1,2-dichloroethylene and cis-1,2-dichloroethylene epoxide by a butane-grown mixed culture. *Water Sci Technol.* 52: 125-131.
- Kim, YH; Carraway, ER. (2000). Dechlorination of pentachlorophenol by zero valent iron and modified zero valent irons. *Environ Sci Technol.* 34: 2014-2017.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol.* 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated ethenes and acetylenes by palladized iron. *Environ Technol.* 24: 809-819.
- Kim, YH; Carraway, ER. (2003). Reductive dechlorination of TCE by zero valent bimetals. *Environ Technol.* 24: 69-75.
- Kim, YK; Shin, J, iY; Lee, KK; Cho, HS; Jeon, H; Kim, J. (2012). Mass transfer of trichloroethylene through the palladized iron coated reactive geomembrane. *J Hazard Mater.* 201: 7-15. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.091>.
- Kim, YS. (2007). A study of timing control and array weight error effects in the antenna array aided uplink synchronous DS-CDMA system. *IEE Transactions on Communications.* E90B: 3729-3732. <http://dx.doi.org/10.1093/ietcom/e90-b.12.3729>.
- Kimchuanit, W; Osuwan, S; Scamehorn, JF; Harwell, JH; Haller, KJ. (2000). Use of a micellar-rich coacervate phase to extract trichloroethylene from water. *Separation Science and Technology.* 35: 1991-2002.
- Kimchuanit, W; Scamehorn, JF; Osuwan, S; Haller, KJ; Harwell, JH. (1996). Use of a surfactant coacervate phase to extract trichloroethylene from water. *Abstracts of Papers - American Chemical Society.* 211: 90-IEC.
- Kimura, Y; Asano, M; Chen, J; Maekawa, Y; Katakai, R; Yoshida, M. (2008). Influence of grafting solvents on the properties of polymer electrolyte membranes prepared by gamma-ray preirradiation method. *Radiat Phys Chem Oxf Engl* 1993. 77: 864-870. <http://dx.doi.org/10.1016/j.radphyschem.2007.12.012>.
- King, BH; Ruminski, AM; Snyder, J, aYL; Sailor, MJ. (2007). Optical-fiber-mounted porous silicon photonic crystals for sensing organic vapor breakthrough in activated carbon. *Adv Mater Deerfield.* 19: 4530-+. <http://dx.doi.org/10.1002/adma.200701294>.
- Kioski, C; Heubach, S; Petersen, N. (1990). The incidence of childhood leukemia and testicular cancer in Pima County: 1970-1986. Phoenix, AZ: Arizona Department of Health Services.
- Kira, S. (1977). [Measurements of the levels of organic solvent vapours by personal air samplers and the levels of urinary metabolites of workers. Part 1. trichloroethylene vapour in an automobile parts workshop (author's transl)]. *Sangyo Igaku.* 19: 119-125.
- Kiran, S; Cocco, P; Mannelte, A; Satta, G; D'Andrea, I; Becker, N; de Sanjosé, S; Foretova, L; Staines, A; Kleefeld, S; Maynadié, M; Nieters, A; Brennan, P; Boffetta, P. (2010). Occupational exposure to ethylene oxide and risk of lymphoma. *Epidemiology.* 21: 905-910. <http://dx.doi.org/10.1097/EDE.0b013e3181f4cc0f>.
- Kirschling, TL; Gregory, KB; Minkley, EG, Jr; Lowry, GV; Tilton, RD. (2010). Impact of Nanoscale Zero Valent Iron on Geochemistry and Microbial Populations in Trichloroethylene Contaminated Aquifer Materials. *Environ Sci Technol.* 44: 3474-3480. <http://dx.doi.org/10.1021/es903744f>.
- Kirtland, BC; Aelion, CM; Stone, PA. (2005). Assessing in situ mineralization of recalcitrant organic compounds in vadose zone sediments using delta¹³C and ¹⁴C measurements. *J Contam Hydrol.* 76: 1-18. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.007>.
- Kirtland, BC; Aelion, CM; Stone, PA; Hunkeler, D. (2003). Isotopic and geochemical assessment of in situ biodegradation of chlorinated hydrocarbons. *Environ Sci Technol.* 37: 4205-4212. <http://dx.doi.org/10.1021/es034046e>.
- Kiruthika, S; Gupta, R; Anand, A; Kumar, A; Kulkarni, GU. (2015). Fabrication of Oxidation-Resistant Metal Wire Network-Based Transparent Electrodes by a Spray-Roll Coating Process. 7: 27215-27222. <http://dx.doi.org/10.1021/acsami.5b08171>.
- Kiruthika, S; Gupta, R; Rao, KDM; Chakraborty, S; Padmavathy, N; Kulkarni, GU. (2014). Large area solution processed transparent conducting electrode based on highly interconnected Cu wire network. 2: 2089-2094. <http://dx.doi.org/10.1039/c3tc32167c>.

Exposure Literature Search Results

Off Topic

- Kiruthika, S; Rao, KDM; Kumar, A; Gupta, R; Kulkarni, GU. (2014). Metal wire network based transparent conducting electrodes fabricated using interconnected crackled layer as template. 1. <http://dx.doi.org/10.1088/2053-1591/1/2/026301>.
- Kishi, R; Harabuchi, I; Ikeda, T; Katakura, Y; Miyake, H. (1993). Acute effects of trichloroethylene on blood concentrations and performance decrements in rats and their relevance to humans. *Br J Ind Med*. 50: 470-480.
- Kishi, R; Sata, F; Katakura, Y; Wang, RS; Nakajima, T. (2005). Effects of pregnancy, age and sex in the metabolism of styrene in rat liver in relation to the regulation of cytochrome P450 enzymes. *J Occup Health*. 47: 49-55.
- Kisiel, Z; Bialkowska-Jaworska, E; Psczolkowski, L. (1998). Nuclear quadrupole coupling in $\text{Cl}_2\text{C}=\text{CHCl}$ and $\text{Cl}_2\text{C}=\text{CH}_2$: Evidence for systematic differences in orientations between internuclear and field gradient axes for terminal quadrupolar nuclei. *J Chem Phys*. 109: 10263-10272.
- Kislina, IS; Maiorov, VD; Sysoeva, SG. (1997). Effect of 1,1,2,2-tetrachloroethane on IR spectra of HCl complexes with N,N-dimethylformamide and 1-methyl-2-pyrrolidone formed by a strong quasi-symmetric hydrogen bond. *Russian Chemical Bulletin*. 46: 916-920.
- Kislina, IS; Maiorov, VD; Sysoeva, SG. (2002). Effect of 1,1,2,2-tetrachloroethane on the IR spectra of molecular and ionic complexes of methanesulfonic acid with aprotic bases. *Kinet Catal*. 43: 667-670.
- Kislina, IS; Sysoeva, SG; Temkin, ON. (1996). Effect of 1,1,2,2-tetrachloroethane on the ionizing ability of complexes of HCl with DMF. *Russian Chemical Bulletin*. 45: 69-73.
- Kislina, IS; Sysoeva, SG; Temkin, ON. (1996). Solvent effect on catalytic properties of the HCl-DMF-1,1,2,2-tetrachloroethane system. *Russian Chemical Bulletin*. 45: 1376-1379.
- Kistemann, T; Hundhausen, J; Herbst, S; Classen, T; Faerber, H. (2008). Assessment of a groundwater contamination with vinyl chloride (VC) and precursor volatile organic compounds (VOC) by use of a geographical information system (GIS). *Int J Hyg Environ Health*. 211: 308-317. <http://dx.doi.org/10.1016/j.ijheh.2007.02.01>.
- Kitada, T; Seki, S; Kawakita, N; Kuroki, T; Monna, T. (1995). Telomere shortening in chronic liver diseases. *Biochem Biophys Res Commun*. 211: 33-39. <http://dx.doi.org/10.1006/bbrc.1995.1774>.
- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research*. 7: 109-116.
- Kjellstrand, P. (1986). Comment on the interpretation of effects caused by chronic trichloroethylene exposure [Letter]. *Scand J Work Environ Health*. 12: 154-155.
- Kjellstrand, P; Bjerkemo, M; Mortensen, I; Månsson, L. (1981). Effects of long-term exposure to trichloroethylene on the behavior of Mongolian gerbils (*Meriones unguiculatus*). *J Toxicol Environ Health A*. 8: 787-793. <http://dx.doi.org/10.1080/15287398109530114>.
- Kjellstrand, P; Lanke, J; Bjerkemo, M; Zetterqvist, L; Månsson, L. (1980). Irreversible effects of trichloroethylene exposure on the central nervous system. *Scand J Work Environ Health*. 6: 40-47.
- Klasson, KT; Ledbetter, CA; Wartelle, LH; Lingle, SE. (2010). Feasibility of dibromochloropropane (DBCP) and trichloroethylene (TCE) adsorption onto activated carbons made from nut shells of different almond varieties. *Ind Crop Prod*. 31: 261-265. <http://dx.doi.org/10.1016/j.indcrop.2009.11.002>.
- Klasson, KT; Ledbetter, CA; Wartelle, LH; Lingle, SE. (2011). Feasibility of dibromochloropropane (DBCP) and trichloroethylene (TCE) adsorption onto activated carbons made from nut shells of different almond varieties (vol 31, pg 261, 2010). *Ind Crop Prod*. 33: 783-783. <http://dx.doi.org/10.1016/j.indcrop.2011.01.001>.
- Klasson, KT; Wartelle, LH; Lima, IM; Marshall, WE; Akin, DE. (2009). Activated carbons from flax shive and cotton gin waste as environmental adsorbents for the chlorinated hydrocarbon trichloroethylene. *Bioresour Technol*. 100: 5045-5050. <http://dx.doi.org/10.1016/j.biortech.2009.02.068>.
- Klausen, J; Vikesland, PJ; Kohn, T; Burris, DR; Ball, WP; Roberts, AL. (2003). Longevity of granular iron in groundwater treatment processes: Solution composition effects on reduction of organohalides and nitroaromatic compounds. *Environ Sci Technol*. 37: 1208-1218. <http://dx.doi.org/10.1021/es025965s>.
- Klecka, GM; Mcdaniel, SG; Wilson, PS; Carpenter, CL; Clark, JE; Thomas, A; Spain, JC. (1996). Field evaluation of a granular activated carbon fluid-bed bioreactor for treatment of chlorobenzene in groundwater. *Environmental Progress*. 15: 93-107.
- Kleineidam, S; Schuth, C; Grathwohl, P. (2002). Solubility-normalized combined adsorption-partitioning sorption isotherms for organic pollutants. *Environ Sci Technol*. 36: 4689-4697. <http://dx.doi.org/10.1021/es010293b>.
- Kleinknecht, SM; Class, H; Braun, J. (2015). Density-Driven Migration of Heavy NAPL Vapor in the Unsaturated Zone. *Vadose Zone Journal*. 14. <http://dx.doi.org/10.2136/vzj2014.12.0173>.
- Klenk, ID; Grathwohl, P. (2002). Transverse vertical dispersion in groundwater and the capillary fringe. *J Contam Hydrol*. 58: 111-128.
- Kliegman, S; Mcneill, K. (2009). Reconciling disparate models of the involvement of vinyl radicals in cobalamin-mediated dechlorination reactions. *Environ Sci Technol*. 43: 8961-8967. <http://dx.doi.org/10.1021/es902267j>.
- Klier, NJ; West, RJ; Donberg, PA. (1999). Aerobic biodegradation of dichloroethylenes in surface and subsurface soils. *Chemosphere*. 38: 1175-1188. [http://dx.doi.org/10.1016/S0045-6535\(98\)00485-8](http://dx.doi.org/10.1016/S0045-6535(98)00485-8).
- Klimkova, S; Cernik, M; Lacinova, L; Nosek, J. (2008). APPLICATION OF NANOSCALE ZERO-VALENT IRON FOR GROUNDWATER REMEDIATION: LABORATORY AND PILOT EXPERIMENTS. *NANO*. 3: 287-289.
- Kling, T; Korkealaakso, J; Saarenpaa, J. (2004). Application of nonisothermal multiphase modeling to in situ soil remediation in Soderkulla. *Vadose Zone Journal*. 3: 901-908.
- Klisch, M; Kuder, T; Philp, RP; Mchugh, TE. (2012). Validation of adsorbents for sample preconcentration in compound-specific isotope analysis of common vapor intrusion pollutants. *J Chromatogr A*. 1270: 20-27. <http://dx.doi.org/10.1016/j.chroma.2012.10.050>.

Exposure Literature Search Results

Off Topic

- Klongdee, J; Petchkroh, W; Phuempoonsathaporn, K; Praserthdam, P; Vangnai, AS; Pavarajarn, V. (2005). Activity of nanosized titania synthesized from thermal decomposition of titanium (IV) n-butoxide for the photocatalytic degradation of diuron. *Science and Technology of Advanced Materials*. 6: 290-295. <http://dx.doi.org/10.1016/j.stam.2005.02.007>.
- Knappe, DRU; Snoeyink, VL; Roche, P; Prados, MJ; Bourbigot, MM. (1999). Atrazine removal by preloaded GAC. *J Am Water Works Assoc*. 91: 97-109.
- Knauss, KG; Dibley, MJ; Leif, RN; Mew, DA; Aines, RD. (1999). Aqueous oxidation of trichloroethene (TCE): a kinetic analysis. *Appl Geochem*. 14: 531-541.
- Knauss, KG; Dibley, MJ; Leif, RN; Mew, DA; Aines, RD. (2000). The aqueous solubility of trichloroethene (TCE) and tetrachloroethene (PCE) as a function of temperature. *Appl Geochem*. 15: 501-512.
- Kneidel, AL; Yang, ST. (2003). Kinetic study of trichloroethylene biodegradation by *Methylosinus trichosporium* OB3b PP358 immobilized in a fibrous-bed bioreactor. *Journal of the Chinese Institute of Chemical Engineers*. 34: 65-73.
- Knight, MW; van De Groep, J; Bronsveld, PCP; Sinke, W, imC; Polman, A. (2016). Soft imprinted Ag nanowire hybrid electrodes on silicon heterojunction solar cells. 30: 398-406. <http://dx.doi.org/10.1016/j.nanoen.2016.10.011>.
- Knobel, LL; Mann, LJ. (1993). SAMPLING FOR PURGEABLE ORGANIC-COMPOUNDS USING POSITIVE-DISPLACEMENT PISTON AND CENTRIFUGAL SUBMERSIBLE PUMPS - A COMPARATIVE-STUDY. *Ground Water Monitoring and Remediation*. 13: 142-148.
- Ko, JH; Musson, S; Townsend, T. (2010). Destruction of trichloroethylene during hydration of calcium oxide. *J Hazard Mater*. 174: 876-879. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.043>.
- Ko, S; Crimi, M; Marvin, BK; Holmes, V; Huling, SG. (2012). Comparative study on oxidative treatments of NAPL containing chlorinated ethanes and ethenes using hydrogen peroxide and persulfate in soils. *J Environ Manage*. 108: 42-48. <http://dx.doi.org/10.1016/j.jenvman.2012.04.034>.
- Ko, SO, h; Ji, SH. (2007). In situ push-pull tests for the determination of TCE degradation and permanganate consumption rates. *Environ Geol*. 53: 359-364. <http://dx.doi.org/10.1007/s00254-007-0651-8>.
- Ko, Y; Yang, G; Chang, DP; Kennedy, IM. (2003). Microwave plasma conversion of volatile organic compounds. *Journal of the Air and Waste Management Association*. 53: 580-585.
- Kobayashi, M; Ikeda, K; Hosaka, T; Sezaki, H; Someya, T; Akuta, N; Suzuki, F; Suzuki, Y; Saitoh, S; Arase, Y; Kumada, H. (2006). Dysplastic nodules frequently develop into hepatocellular carcinoma in patients with chronic viral hepatitis and cirrhosis. *Cancer*. 106: 636-647. <http://dx.doi.org/10.1002/cncr.21607>.
- Kobayashi, T; Shimizu, Y; Urano, K. (2003). Estimation of adsorbed amounts of volatile chlorinated organic compounds to wet soil based on the properties of the compounds and soils. *Sci Total Environ*. 301: 215-223.
- Kober, R; Schlicker, O; Ebert, M; Dahmke, A. (2002). Degradation of chlorinated ethylenes by Fe-0: inhibition processes and mineral precipitation. *Environ Geol*. 41: 644-652. <http://dx.doi.org/10.1007/s00254-001-0443-5>.
- Kocamemi, BA; Cecen, F. (2005). Cometabolic degradation of TCE in enriched nitrifying batch systems. *J Hazard Mater*. 125: 260-265.
- Kocamemi, BA; Cecen, F. (2009). Biodegradation of 1,2-dichloroethane (1,2-DCA) by cometabolism in a nitrifying biofilm reactor. *Int Biodeterior Biodegradation*. 63: 717-726. <http://dx.doi.org/10.1016/j.ibiod.2009.04.008>.
- Kocamemi, BA; Cecen, F. (2010). Biological removal of the xenobiotic trichloroethylene (TCE) through cometabolism in nitrifying systems. *Bioresour Technol*. 101: 430-433. <http://dx.doi.org/10.1016/j.biortech.2009.07.079>.
- Kocamemi, BA; Ceçen, F. (2010). Cometabolic degradation and inhibition kinetics of 1,2-dichloroethane (1,2-DCA) in suspended-growth nitrifying systems. *Environ Technol*. 31: 295-305. <http://dx.doi.org/10.1080/09593330903470677>.
- Koch, A; Orjala, J; Mutiso, PC; Soejarto, DD. (2006). An antimalarial abietane diterpene from *Fuerstia africana* TCE fries. *Biochemical Systematics and Ecology*. 34: 270-272. <http://dx.doi.org/10.1016/j.bse.2005.08.002>.
- Koch, B; Gramith, JT; Dale, MS; Ferguson, DW. (1992). CONTROL OF 2-METHYLISOBORNEOL AND GEOSMIN BY OZONE AND PEROXONE - A PILOT-STUDY. *Water Sci Technol*. 25: 291-298.
- Koch, J; Voelker, P. (1996). Formation of artefacts and its suppression during the determination of volatile halogenated hydrocarbons in water by means of headspace gas chromatography under the standard conditions of DIN 38407-F5. Part I: Formation of dehydrohalogenation products from saturated halogenated hydrocarbons. *Acta Hydrochim Hydrobiol*. 24: 176-178.
- Koch, M; Cohn, DR; Patrick, RM; Schuetze, MP; Bromberg, L; Reilly, D; Hadidi, K; Thomas, P; Falkos, P. (1995). ELECTRON-BEAM ATMOSPHERIC-PRESSURE COLD-PLASMA DECOMPOSITION OF CARBON-TETRACHLORIDE AND TRICHLOROETHYLENE. *Environ Sci Technol*. 29: 2946-2952.
- Kocur, CM; Chowdhury, AI; Sakulchaicharoen, N; Boparai, HK; Weber, KP; Sharma, P; Krol, MM; Austrins, L; Peace, C; Sleep, BE; O'Carroll, DM. (2014). Characterization of nZVI mobility in a field scale test. *Environ Sci Technol*. 48: 2862-2869. <http://dx.doi.org/10.1021/es4044209>.
- Kocur, CM; Lomheim, L; Boparai, HK; Chowdhury, AI; Weber, KP; Austrins, LM; Edwards, EA; Sleep, BE; O'Carroll, DM. (2015). Contributions of Abiotic and Biotic Dechlorination Following Carboxymethyl Cellulose Stabilized Nanoscale Zero Valent Iron Injection. *Environ Sci Technol*. 49: 8648-8656. <http://dx.doi.org/10.1021/acs.est.5b00719>.
- Koepke, R; Warner, M; Petreas, M; Cabria, A; Danis, R; Hernandez-Avila, M; Eskenazi, B. (2004). Serum DDT and DDE levels in pregnant women of Chiapas, Mexico. *Arch Environ Health*. 59: 559-565. <http://dx.doi.org/10.1080/00039890409603434>.
- Koga, M; Akiyama, T; Glaze, WH. (1991). Analysis of Ozonation by-Products Produced in Drinking Water Treatment. *Toxicol Ind Health*. 7: 423-432.

Exposure Literature Search Results

Off Topic

- Kogel-Knabner, I; Totsche, KU; Raber, B. (2000). Desorption of polycyclic aromatic hydrocarbons from soil in the presence of dissolved organic matter: Effect of solution composition and aging. *J Environ Qual.* 29: 906-916.
- Koh, LH; Kuhn, DCS; Mohseni, M; Allen, DG. (2004). Utilizing ultraviolet photooxidation as a pre-treatment of volatile organic compounds upstream of a biological gas cleaning operation. *J Chem Tech Biotechnol.* 79: 619-625. <http://dx.doi.org/10.1002/jctb.1030>.
- Kohári, M; Zado, E; Marchlinski, FE; Callans, DJ; Han, Y. (2014). Left atrial volume best predicts recurrence after catheter ablation in patients with persistent and longstanding persistent atrial fibrillation. *Pacing Clin Electrophysiol.* 37: 422-429. <http://dx.doi.org/10.1111/pace.12279>.
- Kohn, T; Livi, KJT; Roberts, AL; Vikesland, PJ. (2005). Longevity of granular iron in groundwater treatment processes: Corrosion product development. *Environ Sci Technol.* 39: 2867-2879. <http://dx.doi.org/10.1021/es048851k>.
- Kohn, T; Roberts, AL. (2006). The effect of silica on the degradation of organohalides in granular iron columns. *J Contam Hydrol.* 83: 70-88. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.010>.
- Kohn, T; Roberts, AL. (2006). Interspecies competitive effects in reduction of organohalides in Connelly iron columns. *Environ Eng Sci.* 23: 874-885.
- Kohne, A; Kemnitz, E. (1995). HETEROGENEOUS CATALYZED SYNTHESIS OF 1,1,1,2-TETRAFLUOROETHANE FROM 1,1,1,2-TETRACHLOROETHANE - THERMODYNAMICS AND REACTION PATHWAYS. *J Fluor Chem.* 75: 103-110.
- Kohno, H; Berezin, AA; Chang, JS; Tamura, M; Yamamoto, T; Shibuya, A; Hondo, S. (1998). Destruction of volatile organic compounds used in a semiconductor industry by a capillary tube discharge reactor. *I E E E Transactions on Industry Applications.* 34: 953-966.
- Kojima, T; Saito, H; Fukuda, K; Takuma, Y; Kato, S; Satokawa, S. (2009). The Influence of Soil and Organic Matter on Trichloroethylene Decomposition by Fenton Reaction. *J Chem Eng Jpn.* 42: S23-S28.
- Kolb, FR; Wilderer, PA. (1997). Activated carbon sequencing batch biofilm reactor to treat industrial wastewater. *Water Sci Technol.* 35: 169-176.
- Komatsu, T; Momonoi, K; Matsuo, T; Hanaki, K. (1994). BIOTRANSFORMATION OF CIS-1,2-DICHLOROETHYLENE TO ETHYLENE AND ETHANE UNDER ANAEROBIC CONDITIONS. *Water Sci Technol.* 30: 75-84.
- Komatsu, T; Shinmyo, J; Momonoi, K. (1997). Reductive transformation of tetrachloroethylene to ethylene and ethane by an anaerobic filter. *Water Sci Technol.* 36: 125-132.
- Komlos, J; Cunningham, AB; Camper, AK; Sharp, RR. (2004). Biofilm barriers to contain and degrade dissolved trichloroethylene. *Environmental Progress.* 23: 69-77. <http://dx.doi.org/10.1002/ep.10003>.
- Komlos, J; Cunningham, AB; Camper, AK; Sharp, RR. (2005). Interaction of *Klebsiella oxytoca* and *Burkholderia cepacia* in dual-species batch cultures and biofilms as a function of growth rate and substrate concentration. *Microb Ecol.* 49: 114-125. <http://dx.doi.org/10.1007/s00248-003-1066-z>.
- Komnitsas, K; Bartzas, G; Paspaliaris, I. (2006). Inorganic contaminant fate assessment in zero-valent iron treatment walls. *Environ Forensics.* 7: 207-217. <http://dx.doi.org/10.1080/15275920600840479>.
- Komori, K; Miyajima, S; Tsuru, T; Fujii, T; Mohri, S; Ono, Y; Sakai, Y. (2009). A rapid and simple evaluation system for gas toxicity using luminous bacteria entrapped by a polyion complex membrane. *Chemosphere.* 77: 1106-1112. <http://dx.doi.org/10.1016/j.chemosphere.2009.08.004>.
- Komori, K; Murai, K; Miyajima, S; Fujii, T; Mohri, S; Ono, Y; Sakai, Y. (2008). Development of an in vitro batch-type closed gas exposure device with an alveolar epithelial cell line, A549, for toxicity evaluations of gaseous compounds. *Anal Sci.* 24: 957-962. <http://dx.doi.org/10.2116/analsci.24.957>.
- Kong, SH; Kwon, CI; Kim, MH. (2003). Ozone kinetics and diesel decomposition by ozonation in groundwater. *Korean J Chem Eng.* 20: 293-299.
- Konietzko, H; Elster, I; Bencsath, A; Drysch, K; Weichardt, H. (1975). EEG-Veränderungen unter definierter Trichloräthylen-Exposition. *Int Arch Occup Environ Health.* 35: 257-264.
- Konietzko, H; Reill, G. (1980). The effect of trichloroethylene on some serum-enzymes, on the cytoenzymological activity in leucocytes, and on the acid-base equilibrium. *Int Arch Occup Environ Health.* 47: 61-67.
- Koo, B; Chattopadhyay, A; Dai, L. (2016). Atomistic modeling framework for a cyclobutane-based mechanophore-embedded nanocomposite for damage precursor detection. *Computational Materials Science.* 120: 135-141. <http://dx.doi.org/10.1016/j.commatsci.2016.04.003>.
- Koo, B; Liu, Y; Zou, J; Chattopadhyay, A; Dai, LL. (2014). Study of glass transition temperature (T-g) of novel stress-sensitive composites using molecular dynamic simulation. *Modelling and Simulation in Materials Science and Engineering.* 22. <http://dx.doi.org/10.1088/0965-0393/22/6/065018>.
- Koper, O; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .3. Chloroform, trichloroethene, and tetrachloroethene. *Chem Mater.* 9: 2481-2485.
- Kopinke, FD; Angeles-Wedler, D; Fritsch, D; Mackenzie, K. (2010). Pd-catalyzed hydrodechlorination of chlorinated aromatics in contaminated waters-Effects of surfactants, organic matter and catalyst protection by silicone coating. *Appl Catal B-Environ.* 96: 323-328. <http://dx.doi.org/10.1016/j.apcatb.2010.02.028>.
- Kopinke, FD; Georgi, A; Voskamp, M; Richnow, HH. (2005). Carbon isotope fractionation of organic contaminants due to retardation on humic substances: implications for natural attenuation studies in aquifers. *Environ Sci Technol.* 39: 6052-6062. <http://dx.doi.org/10.1021/es040096n>.
- Kopinke, FD; Speichert, G; Mackenzie, K; Hey-Hawkins, E. (2016). Reductive dechlorination in water: Interplay of sorption and reactivity. *Appl Catal B-Environ.* 181: 747-753. <http://dx.doi.org/10.1016/j.apcatb.2015.08.031>.

Exposure Literature Search Results

Off Topic

- Kopylev, L; Chen, C; White, P. (2007). Towards quantitative uncertainty assessment for cancer risks: Central estimates and probability distributions of risk in dose-response modeling [Review]. *Regul Toxicol Pharmacol.* 49: 203-207. <http://dx.doi.org/10.1016/j.yrtph.2007.08.002>.
- Korkeila, PJ; Saraste, MK; Nyman, K, aiM; Koistinen, J; Lund, J; Airaksinen, KEJ. (2006). Transesophageal echocardiography in the diagnosis of thrombosis associated with permanent transvenous pacemaker electrodes. *Pacing Clin Electrophysiol.* 29: 1245-1250.
- Korosi, L; Oszko, A; Galbacs, G; Richardt, A; Zoellmer, V; Dekany, I. (2007). Structural properties and photocatalytic behaviour of phosphate-modified nanocrystalline titania films. *Appl Catal B-Environ.* 77: 175-183. <http://dx.doi.org/10.1016/j.apcatb.2007.07.019>.
- Korrapati, M; Lock, E; Mehendale, H. (2005). Molecular mechanisms of enhanced renal cell division in protection against S-1,2-dichlorovinyl-L-cysteine-induced acute renal failure and death. *Am J Physiol Renal Physiol.* 289: F175-F185. <http://dx.doi.org/10.1152/ajprenal.00418.2004>.
- Korte, NE; Zutman, JL; Schlosser, RM; Liang, L; Gu, B; Fernando, Q. (2000). Field application of palladized iron for the dechlorination of trichloroethene. *Waste Manag.* 20: 687-694.
- Kosegi, JM; Minsker, BS; Dougherty, DE. (2000). Feasibility study of thermal in situ bioremediation. *J Environ Eng.* 126: 601-610.
- Kostarelos, K; Pope, GA; Rouse, BA; Shook, GM. (1998). A new concept: The use of neutrally-buoyant microemulsions for DNAPL remediation. *J Contam Hydrol.* 34: 383-397.
- Kotik, M; Davidova, A; Voriskova, J; Baldrian, P. (2013). Bacterial communities in tetrachloroethene-polluted groundwaters: A case study. *Sci Total Environ.* 454: 517-527. <http://dx.doi.org/10.1016/j.scitotenv.2013.02.082>.
- Kotula, I; Marciniak, B. (2001). Solubilities of naphthalene and acenaphthene in chloro derivative solvents. *Journal of Chemical and Engineering Data.* 46: 783-787.
- Kouchi, A; Okabayashi, K; Okamoto, S; Yoshikado, H; Yamamoto, S; Kobayashi, K; Ono, N; Koizumi, M. (2004). Development of a low-rise industrial source dispersion model (METI-LIS model). *Int J Environ Pollut.* 21: 325-338.
- Koutny, M; Ruzicka, J; Chlachula, J. (2003). Screening for phenol-degrading bacteria in the pristine soils of south Siberia. *Appl Soil Ecol.* 23: 79-83. [http://dx.doi.org/10.1016/S0929-1393\(03\)00005-2](http://dx.doi.org/10.1016/S0929-1393(03)00005-2).
- Kouznetsova, I; Mao, X; Robinson, C; Barry, DA; Gerhard, JI; Mccarty, PL. (2010). Biological reduction of chlorinated solvents: Batch-scale geochemical modeling. *Advances in Water Resources.* 33: 969-986. <http://dx.doi.org/10.1016/j.advwatres.2010.04.017>.
- Kowalzik, A; Pilchowski, K. (1999). Investigations of the adsorptive separation of volatile chlorinated hydrocarbons (VCHC) from water with humic substance by novel polymeric adsorbents and activated carbons. Part I: Isotherms and kinetics of adsorption. *Acta Hydrochim Hydrobiol.* 27: 79-86.
- Kowalzik, A; Pilchowski, K. (1999). Investigations of the adsorptive separation of volatile chlorinated hydrocarbons (VCHC) from water with humic substance by novel polymeric adsorbents and activated carbons. Part II: Dynamics of adsorption. *Acta Hydrochim Hydrobiol.* 27: 437-445.
- Koydemir, HC; Kulah, H; Ozgen, C. (2014). Solvent Compatibility of Parylene C Film Layer. *I E E E Journal of Microelectromechanical Systems.* 23: 298-307. <http://dx.doi.org/10.1109/JMEMS.2013.2273032>.
- Kozak, EM; Tate, SS. (1982). Glutathione-degrading enzymes of microvillus membranes. *J Biol Chem.* 257: 6322-6327.
- Kozlov, DV; Panchenko, AA; Bavykin, DV; Savinov, EN; Smirniotis, PG. (2003). Influence of humidity and acidity of the titanium dioxide surface on the kinetics of photocatalytic oxidation of volatile organic compounds. *Russian Chemical Bulletin.* 52: 1100-1105.
- Kozma, G; Ronavari, A; Konya, Z; Kukovec, A. (2016). Environmentally Benign Synthesis Methods of Zero-Valent Iron Nanoparticles. 4: 291-297. <http://dx.doi.org/10.1021/acssuschemeng.5b01185>.
- Krajangpan, S; Bermudez, JJ; Bezbaruah, AN; Chisholm, BJ; Khan, E. (2008). Nitrate removal by entrapped zero-valent iron nanoparticles in calcium alginate. *Water Sci Technol.* 58: 2215-2222. <http://dx.doi.org/10.2166/wst.2008.925>.
- Krajangpan, S; Kalita, H; Chisholm, BJ; Bezbaruah, AN. (2012). Iron Nanoparticles Coated with Amphiphilic Polysiloxane Graft Copolymers: Dispersibility and Contaminant Treatability. *Environ Sci Technol.* 46: 10130-10136. <http://dx.doi.org/10.1021/es3000239>.
- Kranzioch, I; Ganz, S; Tiehm, A. (2015). Chloroethene degradation and expression of Dehalococcoides dehalogenase genes in cultures originating from Yangtze sediments. *Environ Sci Pollut Res Int.* 22: 3138-3148. <http://dx.doi.org/10.1007/s11356-014-3574-4>.
- Kratz, T; Exner, M; Campo dell'Orto, M; Timmesfeld, N; Schüttler, KF; Efe, T; Zoremba, M; Wulf, H; Steinfeldt, T. (2016). A pocket-sized hand held ultrasound system for intraoperative transthoracic echocardiography by anaesthesiologists: A feasibility study. *Technol Health Care.* 24: 309-315. <http://dx.doi.org/10.3233/THC-161131>.
- Kraupp-Grasl, B; Huber, W; Putz, B; Gerbracht, U; Schulte-Hermann, R. (1990). Tumor promotion by the peroxisome proliferator nafenopin involving a specific subtype of altered foci in rat liver. *Cancer Res.* 50: 3701-3708.
- Krause, R; Mamba, BB; Dlamini, LN; Durbach, SH. (2010). Fe-Ni Nanoparticles supported on carbon nanotube-co-cyclodextrin polyurethanes for the removal of trichloroethylene in water. *J Nanopart Res.* 12: 449-456. <http://dx.doi.org/10.1007/s11051-009-9659-1>.
- Krause, RJ; Lash, LH; Elfarra, AA. (2003). Human kidney flavin-containing monooxygenases and their potential roles in cysteine s-conjugate metabolism and nephrotoxicity. *J Pharmacol Exp Ther.* 304: 185-191. <http://dx.doi.org/10.1124/jpet.102.042911>.
- Krause, TR; Helt, JE. (1993). CHEMICAL DETOXIFICATION OF TRICHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE IN A MICROWAVE-DISCHARGE PLASMA REACTOR AT ATMOSPHERIC-PRESSURE. *ACS Symp Ser Am Chem Soc.* 518: 393-410.
- Krawczyk, K; Jodzis, S; Lamenta, A; Kostka, K; Schmidt-Szalowski, K. (2010). Study on decomposition of tetrachloromethane as a model substance in environment of spark discharge plasma. *Przemysł Chemiczny.* 89: 1101-1106.
- Kreamer, DK; Oja, KJ; Steinberg, SM; Phillips, H. (1994). VAPOR ADSORPTION OF TRICHLOROETHYLENE ON QUARTZ SANDS OF VARYING GRAIN-SIZE. *J Environ Eng.* 120: 348-358.

Exposure Literature Search Results

Off Topic

- Kreiling, JA; Stephens, RE; Reinisch, CL. (2005). A mixture of environmental contaminants increases cAMP-dependent protein kinase in *Spisula* embryos. *Environ Toxicol Pharmacol.* 19: 9-18. <http://dx.doi.org/10.1016/j.etap.2004.02.007>.
- Krejci, M; Ridgewell, R; Koechel, D. (1991). Acute effects of the D-isomer of S-(1,2-dichlorovinyl)cysteine on renal function and ultrastructure in the pentobarbital-anesthetized dog: site-specific toxicity involving the S1 and S2 cells of the proximal tubule. *Toxicology.* 69: 151-164.
- Krins, A; Karche, K; Nosske, D; Sahre, P; Schonmuth, T. (2003). Determination of dose coefficients and urinary excretion function for inhalation of carbon-14-labelled benzene. *Radiat Prot Dosimetry.* 104: 139-152.
- Krishnadasan, A; Kennedy, N; Zhao, Y; Morgenstern, H; Ritz, B. (2007). Nested case-control study of occupational chemical exposures and prostate cancer in aerospace and radiation workers. *Am J Ind Med.* 50: 383-390. <http://dx.doi.org/10.1002/ajim.20458>.
- Krishnadasan, A; Kennedy, N; Zhao, Y; Morgenstern, H; Ritz, B. (2008). Nested case-control study of occupational physical activity and prostate cancer among workers using a job exposure matrix. *Cancer Causes Control.* 19: 107-114. <http://dx.doi.org/10.1007/s10552-007-9076-7>.
- Krishnaiah, A; Surendranath, KN. (1996). Densities, speeds of sound, and viscosities of mixtures of oxolane with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 41: 1012-1014.
- Krishnaiah, A; Surendranath, KN; Viswanath, DS. (1994). EXCESS VOLUMES AND VISCOSITIES OF 1,4-DIOXANE PLUS CHLORINATED ETHANES OR PLUS CHLORINATED ETHENES AT 303.15-K. *Journal of Chemical and Engineering Data.* 39: 756-758.
- Krishnan, K; G, J. (2005). Physiologically-based pharmacokinetic and toxicokinetic models in cancer risk assessment [Review]. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 23: 31 - 53. <http://dx.doi.org/10.1081/GNC-200051856>.
- Krishnan, K; Haddad, S; Beliveau, M; Tardif, R. (2002). Physiological modeling and extrapolation of pharmacokinetic interactions from binary to more complex chemical mixtures. *Environ Health Perspect.* 110: 989-994.
- Krishnan, K; III, CH; Andersen, ME. (1994). Physiologically based pharmacokinetic analyses of simple mixtures. *Environ Health Perspect.* 102: 151-155.
- Krochmal, D. (1999). Determination of organic volatile compounds in workplace air by use of passive samplers and gas chromatography. Part I. A method of determination of chlorinated aliphatic hydrocarbons after solvent desorption. *Chemia analityczna.* 44: 963-976.
- Krol, MM; Johnson, RL; Sleep, BE. (2014). An analysis of a mixed convection associated with thermal heating in contaminated porous media. *Sci Total Environ.* 499: 7-17. <http://dx.doi.org/10.1016/j.scitotenv.2014.08.028>.
- Krol, MM; Rowe, RK. (2004). Diffusion of TCE through soil-bentonite slurry walls. *Soil Sediment Contam.* 13: 81-101. <http://dx.doi.org/10.1080/10588330490269903>.
- Kromann, A; Ludvigsen, L; H-J, A; Christensen, TH; Ejlerstson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Manag Res.* 16: 54-62.
- Ku, Y; Chen, JS; Chen, HW. (2007). Decomposition of benzene and toluene in air streams in fixed-film photoreactors coated with TiO₂ catalyst. *Journal of the Air and Waste Management Association.* 57: 279-285.
- Ku, Y; Ma, CM; Shen, YS. (2001). Decomposition of gaseous trichloroethylene in a photoreactor with TiO₂-coated nonwoven fiber textile. *Appl Catal B-Environ.* 34: 181-190.
- Ku, Y; Tseng, K, unYu; Ma, CM. (2008). Photocatalytic decomposition of gaseous acetone using TiO₂ and Pt/TiO₂ catalysts. *Int J Chem Kinet.* 40: 209-216. <http://dx.doi.org/10.1002/kin.20303>.
- Ku, Y; Tseng, KY; Wang, WY. (2005). Decomposition of gaseous acetone in an annular photoreactor coated with TiO₂ thin film. *Water Air Soil Pollut.* 168: 313-323. <http://dx.doi.org/10.1007/s11270-005-1778-4>.
- Kubatova, A; Lagadec, AJM; Hawthorne, SB. (2002). Dechlorination of lindane, dieldrin, tetrachloroethane, trichloroethene, and PVC in subcritical water. *Environ Sci Technol.* 36: 1337-1343. <http://dx.doi.org/10.1021/es011186k>.
- Kubo, S; Matsuzaki, K; Seki, T; Ohsawa, M; Kumagai, S; Endo, G. (2014). Severe acute hepatitis in a printing company worker: a case study. *J Occup Health.* 57: 87-90. <http://dx.doi.org/10.1539/joh.14-0122-CS>.
- Kubo, Y; Mitani, H; Hino, O. (1994). Allelic loss at the predisposing gene locus in spontaneous and chemically induced renal cell carcinomas in the Eker rat. *Cancer Res.* 54: 2633-2635.
- Kubota, M; Hayashi, M; Matsuda, H; Serizawa, H. (2012). Enhanced decomposition of (4-chloro-2-methylphenoxy) acetic acid by combined ultrasonic and oxidative treatment. *Journal of Material Cycles and Waste Management.* 14: 132-138. <http://dx.doi.org/10.1007/s10163-012-0047-z>.
- Kuder, T; Philp, P. (2013). Demonstration of compound-specific isotope analysis of hydrogen isotope ratios in chlorinated ethenes. *Environ Sci Technol.* 47: 1461-1467. <http://dx.doi.org/10.1021/es303476v>.
- Kuder, T; van Breukelen, BM; Vanderford, M; Philp, P. (2013). 3D-CSIA: carbon, chlorine, and hydrogen isotope fractionation in transformation of TCE to ethene by a Dehalococcoides culture. *Environ Sci Technol.* 47: 9668-9677. <http://dx.doi.org/10.1021/es400463p>.
- Kuder, T; Wilson, JT; Philp, P; He, YT. (2012). Carbon Isotope Fractionation in Reactions of 1,2-Dibromoethane with FeS and Hydrogen Sulfide. *Environ Sci Technol.* 46: 7495-7502. <http://dx.doi.org/10.1021/es300850x>.
- Kudryavtsev, BN; Kudryavtseva, MV; Sakuta, GA; Stein, GI. (1993). Human hepatocyte polyploidization kinetics in the course of life cycle. *Virchows Arch B Cell Pathol Incl Mol Pathol.* 64: 387-393. <http://dx.doi.org/10.1007/BF02915139>.
- Kulazynski, M; van Ommen, JG; Trawczynski, J; Walendziewski, J. (2002). Catalytic combustion of trichloroethylene over TiO₂-SiO₂ supported catalysts. *Appl Catal B-Environ.* 36: 239-247.
- Kulbachiinskii, VA; Inoue, M; Sasaki, M; Negishi, H; Gao, WX; Gimán, Y; Lostak, P; Horak, J. (1995). Upper and lower valence band energy spectra of narrow gap semiconductor solid solutions of Bi₂-xSn_xTe₃ crystals. *Institute of Physics Conference Series*184-188.

Exposure Literature Search Results

Off Topic

- Kulkarni, K; Barcak, E; El-Serag, H; Goodgame, R. (2004). The impact of immigration on the increasing incidence of hepatocellular carcinoma in the United States. *Aliment Pharmacol Ther.* 20: 445-450. <http://dx.doi.org/10.1111/j.1365-2036.2004.02090.x>.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination.* 196: 43-54. <http://dx.doi.org/10.1016/j.deasi.2005.11.019>.
- Kuller, LH; Ockene, JK; Meilahn, E; Wentworth, DN; Svendsen, KH; Neaton, JD. (1991). Cigarette smoking and mortality. MRFIT Research Group. *Prev Med.* 20: 638-654. [http://dx.doi.org/10.1016/0091-7435\(91\)90060-H](http://dx.doi.org/10.1016/0091-7435(91)90060-H).
- Kultti, S; Nevalainen, L; Luoto, TP; Sarmaja-Korjonen, K. (2011). Subfossil chydorid (Cladocera, Chydoridae) ephippia as paleoenvironmental proxies: evidence from boreal and subarctic lakes in Finland. *Hydrobiologia.* 676: 23-37. <http://dx.doi.org/10.1007/s10750-011-0869-z>.
- Kumagai, S. (2014). Two offset printing workers with cholangiocarcinoma. *J Occup Health.* 56: 164-168.
- Kumagai, S; Matsunaga, I. (1995). Effect of variation of exposure to airborne chlorobenzene on internal exposure and concentrations of urinary metabolite. *Occup Environ Med.* 52: 65-70. <http://dx.doi.org/10.1136/oem.52.1.65>.
- Kumagai, S; Matsunaga, I. (1995). PHYSIOLOGICALLY-BASED PHARMACOKINETIC MODEL FOR ACETONE. *Occup Environ Med.* 52: 344-352.
- Kumagai, S; Matsunaga, I; Tabuchi, T. (1998). Effects of variation in exposure to airborne acetone and difference in work load on acetone concentrations in blood, urine, and exhaled air. *Am Ind Hyg Assoc J.* 59: 242-251.
- Kumar, A; Hooda, VS; Rani, V; Mukesh, S; Sheokand, R; Singh, A. (2015). Evaluation of alternative tillage and crop establishment methods in rice (*Oryza sativa*) cultivation. *Indian J Agric Sci.* 85: 1109-1113.
- Kumar, A; Saha, SK. (2016). Energy and exergy analyses of medium temperature latent heat thermal storage with high porosity metal matrix. *Applied Thermal Engineering.* 109: 911-923. <http://dx.doi.org/10.1016/j.applthermaleng.2016.04.161>.
- Kumar, A; Vercruyssen, A; Dewulf, J; Lens, P; Van Langenhove, H. (2012). Removal of gaseous trichloroethylene (TCE) in a composite membrane biofilm reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 47: 1046-1052. <http://dx.doi.org/10.1080/10934529.2012.667326>.
- Kumar, A; Zhou, C. (2010). The race to replace tin-doped indium oxide: which material will win? [Comment]. *ACS Nano.* 4: 11-14. <http://dx.doi.org/10.1021/nn901903b>.
- Kumar, G; Kanjarla, AK; Lodh, A; Singh, J; Singh, R; Srivastava, D; Dey, GK; Saibaba, N; Doherty, RD; Samajdar, I. (2016). Burst Ductility of Zirconium Clads: The Defining Role of Residual Stress. *Metallurgical and Materials Transactions A.* 47A: 3882-3896. <http://dx.doi.org/10.1007/s11661-016-3526-3>.
- Kumar, M; Kumar, R; Hissar, SS; Saraswat, MK; Sharma, BC; Sakhuja, P; Sarin, SK. (2007). Risk factors analysis for hepatocellular carcinoma in patients with and without cirrhosis: A case-control study of 213 hepatocellular carcinoma patients from India. *J Gastroenterol Hepatol.* 22: 1104-1111. <http://dx.doi.org/10.1111/j.1440-1746.2007.04908.x>.
- Kumar, M; Tewari, S; Sharma, P; Verma, VK; Chauhan, LK; Agarwal, SK; Dwivedi, UN; Goel, SK. (2009). Study of genetic polymorphism in solvent exposed population and its correlation to in vitro effect of trichloroethylene on lymphocytes. *J Environ Biol.* 30: 685-691.
- Kumar, N; Auffan, M; Gattacceca, J; Rose, J; Olivi, L; Borschneck, D; Kvapil, P; Jublot, M; Kaifas, D; Malleret, L; Doumenq, P; Bottero, JY. (2014). Molecular insights of oxidation process of iron nanoparticles: spectroscopic, magnetic, and microscopic evidence. *Environ Sci Technol.* 48: 13888-13894. <http://dx.doi.org/10.1021/es503154q>.
- Kumar, P; Prasad, A; Maji, B; Mani, U; Dutta, K. (2001). Hepatotoxic alterations induced by inhalation of trichloroethylene (TCE) in rats. *Biomed Environ Sci.* 14: 325-332.
- Kumar, P; Prasad, A; Mani, U; Maji, B; Dutta, K. (2002). Effect of trichloroethylene (TCE) inhalation on biotransformation enzymes of rat lung and liver. *J Environ Biol.* 23: 1-6.
- Kumar, RV; Rao, MA; Rao, MV; Kumar, YVL, R; Prasad, DHL. (1996). Activity coefficient and excess Gibbs free energies of allyl alcohol with trichloroethylene. *Thermochim Acta.* 287: 7-11.
- Kumar, RV; Rao, MA; Rao, MV; Prasad, DHL. (1999). Activity coefficient and excess gibes free energies of propargyl alcohol with trichloroethylene. *Physics and Chemistry of Liquids.* 37: 345-349.
- Kumar, RV; Viswanathan, S; Rao, MA. (1996). Excess volumes, speeds of sound, and isentropic compressibilities of 2-propyn-1-ol plus 1,2-dichloroethane, plus 1,1,1-trichloroethane, plus 1,1,2,2-tetrachloroethane, and plus trichloroethylene at 303.15 K. *Journal of Chemical and Engineering Data.* 41: 755-757.
- Kumari, PG; Radhamma, M; Sekhar, GC; Rao, MVP. (2002). Excess volumes and speeds of sound of N-methyl-2-pyrrolidone with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data.* 47: 425-427. <http://dx.doi.org/10.1021/je0102661>.
- Kun, Z; Liu, ZC; Liu, X. (1993). VERTICAL MIGRATION OF PHENOL IN AIR-DRIED SOIL UNDER CAPILLARY EFFECT. *Water Air Soil Pollut.* 68: 449-459.
- Kuncova, G; Pazlarova, J; Hlavata, A; Ripp, S; Sayler, GS. (2011). Bioluminescent bioreporter *Pseudomonas putida* TVA8 as a detector of water pollution. Operational conditions and selectivity of free cells sensor. *Ecol Indic.* 11: 882-887. <http://dx.doi.org/10.1016/j.ecolind.2010.12.001>.
- Kung, HC; Hoyert, DL; Xu, J; Murphy, SL. (2008). Deaths: Final data for 2005. *National Vital Statistics Reports.* 56.
- Kungsanant, S; Kitiyanan, B; Rirkomboon, T; Osuwan, S; Scamehorn, JF. (2009). Recovery of nonionic surfactant from VOC-contaminated coacervate phase solutions by co-current vacuum stripping: Effect of surfactant concentration, temperature, and solute type. *Separation and Purification Technology.* 66: 510-516. <http://dx.doi.org/10.1016/j.seppur.2009.02.008>.
- Kuo, HP; Wu, CT; Hsu, RC. (2009). Continuous reduction of toluene vapours from the contaminated gas stream in a fluidised bed photoreactor. *Powder Technology.* 195: 50-56. <http://dx.doi.org/10.1016/j.powtec.2009.05.010>.
- Kuo, S, hu, L; Wu, EMY. (2014). The photocatalytic degradation of trichloroethylene in water by reaction board using clay catalyst. *J Indian Chem Soc.* 91: 1731-1743.

Exposure Literature Search Results

Off Topic

- Kuo, YC; Cheng, SF; Liu, PWG; Chiou, HY; Kao, CM. (2012). Application of enhanced bioremediation for TCE-contaminated groundwater: a pilot-scale study. *Desalination and Water Treatment*. 41: 364-371. <http://dx.doi.org/10.1080/19443994.2012.664742>.
- Kuo, YC; Liu, JK; Chien, HY; Chen, CC; Kao, CM. (2012). Remediation of TCE-contaminated groundwater using integrated biosparging and enhanced bioremediation system. *Res Journal Chem Environ*. 16: 37-47.
- Kuo, YC; Wang, SY; Chang, YM; Chen, SH; Kao, CM. (2014). Control of trichloroethylene plume migration using a biobarrier system: a field-scale study. *Water Sci Technol*. 69: 2074-2078. <http://dx.doi.org/10.2166/wst.2014.126>.
- Kupferle, MJ; Chen, T; Gallardo, VJ; Lindberg, DE; Bishop, PL; Safferman, SI; Bishop, DF. (1995). Anaerobic pretreatment of hazardous waste leachates in publicly owned treatment works. *Water Environ Res*. 67: 910-920.
- Kurimoto, Y; Doi, S; Aoyama, M. (2001). Removal of trichloroethylene from aqueous solution by pyrolyzed Japanese cedar bark. *J Wood Sci*. 47: 76-79.
- Kuroki, T; Fujioka, T; Kawabata, R; Okubo, M; Yamamoto, T. (2009). Regeneration of Honeycomb Zeolite by Nonthermal Plasma Desorption of Toluene. *I E E E Transactions on Industry Applications*. 45: 10-15. <http://dx.doi.org/10.1109/TIA.2008.2009476>.
- Kuroki, T; Hirai, K; Kawabata, R; Okubo, M; Yamamoto, T. (2010). Decomposition of Adsorbed Xylene on Adsorbents Using Nonthermal Plasma With Gas Circulation. *I E E E Transactions on Industry Applications*. 46: 672-679. <http://dx.doi.org/10.1109/TIA.2010.2040051>.
- Kuroki, T; Hirai, K; Matsuoka, S; Kim, JY; Okubo, M. (2011). Oxidation System of Adsorbed VOCs on Adsorbent Using Nonthermal Plasma Flow. *I E E E Transactions on Industry Applications*. 47: 1916-1921. <http://dx.doi.org/10.1109/TIA.2011.2155013>.
- Kuroki, T; Oishi, T; Yamamoto, T; Okubo, M. (2013). Bromomethane Decomposition Using a Pulsed Dielectric Barrier Discharge. *I E E E Transactions on Industry Applications*. 49: 293-297. <http://dx.doi.org/10.1109/TIA.2012.2228612>.
- Kurtz, JP; Wolfe, EM; Woodland, AK; Foster, SJ. (2010). Evidence for Increasing Indoor Sources of 1,2-Dichloroethane Since 2004 at Two Colorado Residential Vapor Intrusion Sites. *Ground Water Monitoring and Remediation*. 30: 107-112. <http://dx.doi.org/10.1111/j1745-6592.2010.01296.x>.
- Kusakabe, K; Aso, S; Wada, T; Hayashi, JI; Morooka, S; Isomura, K. (1991). DESTRUCTION RATE OF VOLATILE ORGANOCHLORINE COMPOUNDS IN WATER BY OZONATION WITH ULTRAVIOLET-RADIATION. *Water Res*. 25: 1199-1203.
- Kusic, H; Peternel, I; Koprivanac, N; Bozic, AL. (2011). Iron-Activated Persulfate Oxidation of an Azo Dye in Model Wastewater: Influence of Iron Activator Type on Process Optimization. *J Environ Eng*. 137: 454-463. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000347](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000347).
- Kusic, H; Peternel, I; Ukic, S; Koprivanac, N; Bolanca, T; Papic, S; Bozic, A. (2011). Modeling of iron activated persulfate oxidation treating reactive azo dye in water matrix. *Chem Eng J*. 172: 109-121. <http://dx.doi.org/10.1016/j.cej.2011.05.076>.
- Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide (pp. 599-604). (ISSN 0960-1686; BIOSIS/93/18832). Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T.
- Kutsuna, S; Ibusuki, T; Takeuchi, K. (2000). Heterogeneous photoreaction of tetrachloroethene - Air mixture on halloysite particles. *Environ Sci Technol*. 34: 2484-2489. <http://dx.doi.org/10.1021/es9900095>.
- Kvam, BM; Romundstad, PR; Boffetta, P; Andersen, A. (2005). Cancer in the Norwegian printing industry. *Scand J Work Environ Health*. 31: 36-43.
- Kwan, Y, ueCG; Le, QL; Huan, CH, onA. (2016). Time to failure modeling of silver nanowire transparent conducting electrodes and effects of a reduced graphene oxide over layer. *Solar Energy Materials and Solar Cells*. 144: 102-108. <http://dx.doi.org/10.1016/j.solmat.2015.08.005>.
- Kwon, K; Bae, W; Oh, J; Shim, H. (2015). Enhancing bioregeneration of TCE-sorbed Biological Powdered Activated Carbon by dosing toluene as primary substrate and competitive adsorbate. *K S C E Journal of Civil Engineering*. 19: 550-557. <http://dx.doi.org/10.1007/s12205-013-1372-z>.
- Kwon, K; Shim, H; Bae, W; Oh, J; Bae, J. (2016). Simultaneous biodegradation of carbon tetrachloride and trichloroethylene in a coupled anaerobic/aerobic biobarrier. *J Hazard Mater*. 313: 60-67. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.057>.
- Kwon, TS; Baek, K; Ahn, Y; Lee, JY; Yang, JS; Yang, JW. (2005). The solubilization characteristics of DNAPLs by oil-based emulsion. *Separation Science and Technology*. 40: 685-698. <http://dx.doi.org/10.1081/SS-200042654>.
- Kwon, TS; Yang, JS; Baek, K; Lee, JY; Yang, JW. (2006). Silicone emulsion-enhanced recovery of chlorinated solvents: batch and column studies. *J Hazard Mater*. 136: 610-617. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.038>.
- Kyrklund, T. (1992). The use of experimental studies to reveal suspected neurotoxic chemicals as occupational hazards: Acute and chronic exposures to organic solvents [Review]. *Am J Ind Med*. 21: 15-24. <http://dx.doi.org/10.1002/ajim.4700210105>.
- Kyrklund, T; Haglid, K. (1991). Brain lipid composition in guinea pigs after intrauterine exposure to perchloroethylene. *Pharmacol Toxicol*. 68: 146-148. <http://dx.doi.org/10.1111/j.1600-0773.1991.tb02054.x>.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1988). Effects of exposure to Freon 11, 1,1,1-trichloroethane or perchloroethylene on the lipid and fatty-acid composition of rat cerebral cortex. *Scand J Work Environ Health*. 14: 91-94.
- Kyung, D; Amir, A; Choi, K; Lee, W. (2015). Reductive Transformation of Tetrachloroethene Catalyzed by Sulfide-Cobalamin in Nano-Mackinawite Suspension. *Ind Eng Chem Res*. 54: 1439-1446. <http://dx.doi.org/10.1021/ie503605n>.
- Kyung, D; Sihn, Y; Kim, S; Bae, S; Amin, MT; Alazba, AA; Lee, W. (2016). Synergistic effect of nano-sized mackinawite with cyano-cobalamin in cement slurries for reductive dechlorination of tetrachloroethylene. *J Hazard Mater*. 311: 1-10. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.074>.
- La Vecchia, C; Negri, E; Franceschi, S; D'Avanzo, B; Boyle, P. (1994). A case-control study of diabetes mellitus and cancer risk. *Br J Cancer*. 70: 950-953.

Exposure Literature Search Results

Off Topic

- Labieniec, PA; Dzombak, DA; Siegrist, RL. (1997). Evaluation of uncertainty in site-specific risk assessment. *J Environ Eng.* 123: 234-243.
- Labra, M; Mattia, F; Bernasconi, M; Bertacchi, D; Grassi, F; Bruni, I; Citterio, S. (2010). The Combined Toxic and Genotoxic Effects of Chromium and Volatile Organic Contaminants to *Pseudokirchneriella subcapitata*. *Water Air Soil Pollut.* 213: 57-70. <http://dx.doi.org/10.1007/s11270-010-0367-3>.
- Labranche, DF; Collins, MR. (1996). Stripping volatile organic compounds and petroleum hydrocarbons from water. *Water Environ Res.* 68: 348-358.
- Labreche, FP; Goldberg, MS. (1997). Exposure to organic solvents and breast cancer in women: a hypothesis [Review]. *Am J Ind Med.* 32: 1-14.
- Lacey, JV, Jr; Garabrant, DH; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (1999). Petroleum distillate solvents as risk factors for undifferentiated connective tissue disease (UCTD). *Am J Epidemiol.* 149: 761-770.
- Lacinova, L; Cernikova, M; Hrabal, J; Cernik, M. (2013). IN-SITU COMBINATION OF BIO AND ABIO REMEDIATION OF CHLORINATED ETHENES. 20: 463-473. <http://dx.doi.org/10.2478/eces-2013-0034>.
- Lacinova, L; Kvapil, P; Cernik, M. (2012). A field comparison of two reductive dechlorination (zero-valent iron and lactate) methods. *Environ Technol.* 33: 741-749. <http://dx.doi.org/10.1080/09593330.2011.592225>.
- Lackey, LW; Gamble, JR; Boles, JL. (2002). Bench-scale evaluation of a biofiltration system used to mitigate trichloroethylene contaminated air streams. *Adv Environ Res.* 7: 97-104.
- Lackey, LW; Gamble, JR; Boles, JL. (2003). Biofiltration of trichloroethylene-contaminated air: A pilot study. *J Air Waste Manag Assoc.* 53: 1248-1255.
- Lackey, LW; Phelps, TJ; Korde, V; Nold, S; Ringelberg, D; Bienkowski, PR; White, DC. (1994). FEASIBILITY TESTING FOR THE ON-SITE BIOREMEDIATION OF ORGANIC WASTES BY NATIVE MICROBIAL CONSORTIA. *Int Biodeterior Biodegradation.* 33: 41-59.
- Lacombe, PJ; Burton, WC. (2010). Hydrogeologic Framework of Fractured Sedimentary Rock, Newark Basin, New Jersey. *Ground Water Monitoring and Remediation.* 30: 35-45. <http://dx.doi.org/10.1111/j1745-6592.2010.001275.x>.
- Lagakos, SW; Wessen, BJ; Zelen, M. (1986). An analysis of contaminated well water and health effects in Woburn, Massachusetts. *J Am Stat Assoc.* 81: 583-596.
- Lahaniatis, ES; Bergheim, W; Kettrup, A. (1992). Thermal degradation of polychlorinated bornanes. *Fresen Environ Bull.* 1: 358-363.
- Lai, A; Verdini, R; Aulenta, F; Majone, M. (2015). Influence of nitrate and sulfate reduction in the bioelectrochemically assisted dechlorination of cis-DCE. *Chemosphere.* 125: 147-154. <http://dx.doi.org/10.1016/j.chemosphere.2014.12.023>.
- Lai, KCK; Lo, IMC. (2007). Effects of seepage velocity and temperature on the dechlorination of chlorinated aliphatic hydrocarbons. *J Environ Eng.* 133: 859-868. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372](http://dx.doi.org/10.1061/(ASCE)0733-9372).
- Lai, KCK; Lo, IMC; Birkelund, V; Kjeldsen, P. (2006). Field monitoring of a permeable reactive barrier for removal of chlorinated organics. *J Environ Eng.* 132: 199-210. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:2\(199\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:2(199)).
- Lai, PT; Xu, JP; Wu, HP; Chan, CL. (2004). Interfacial properties and reliability of SiO₂ grown on 6H-SiC in dry O₂ plus trichloroethylene. *Microelectron Reliab.* 44: 577-580. <http://dx.doi.org/10.1016/j.microrel.2004.01.009>.
- Lai, Y; Becker, JG. (2013). Compounded effects of chlorinated ethene inhibition on ecological interactions and population abundance in a *Dehalococcoides* - *Dehalobacter* coculture. *Environ Sci Technol.* 47: 1518-1525. <http://dx.doi.org/10.1021/es3034582>.
- Laine, A; Seppäläinen, AM; Savolainen, K; Riihimäki, V. (1996). Acute effects of 1,1,1-trichloroethane inhalation on the human central nervous system. *Int Arch Occup Environ Health.* 69: 53-61.
- Laj, C; Rais, A; Surmont, J; Gillot, PY; Guillou, H; Kissel, C; Zanella, E. (1997). Changes of the geomagnetic field vector obtained from lava sequences on the island of Vulcano (Aeolian Islands, Sicily). *Phys Earth Planet In.* 99: 161-177.
- Lake, BG; Evans, JG; Cunninghame, ME; Price, RJ. (1993). Comparison of the hepatic effects of nafenopin and WY-14,643 on peroxisome proliferation and cell replication in the rat and Syrian hamster. *Environ Health Perspect.* 101: 241-247.
- Lake, CB; Arefi, G; Yuet, P. (2013). Examining fly ash as a sorbent for benzene, trichloroethylene, and ethylbenzene in cement-treated soils. *Canadian Geotechnical Journal.* 50: 423-434. <http://dx.doi.org/10.1139/cgj-2012-0198>.
- Lake, CB; Rowe, RK. (2004). Volatile organic compound diffusion and sorption coefficients for a needle-punched GCL. *Geosynthetics International.* 11: 257-272.
- Lake, CB; Rowe, RK. (2005). A comparative assessment of volatile organic compound (VOC) sorption to various types of potential GCL bentonites. *Geotextiles and Geomembranes.* 23: 323-347. <http://dx.doi.org/10.1016/j.geotexmen.2005.01.001>.
- Lakind, JS; Naiman, DQ; Hays, SM; Aylward, LL; Blount, BC. (2010). Public health interpretation of trihalomethane blood levels in the United States: NHANES 1999-2004. *J Expo Sci Environ Epidemiol.* 20: 255-262. <http://dx.doi.org/10.1038/jes.2009.35>.
- Lakshminathiraj, P; Raju, GB; Sakai, Y; Takuma, Y; Yamasaki, A; Kato, S; Kojima, T. (2012). Studies on electrochemical detoxification of trichloroethene (TCE) on Ti/IrO₂-Ta₂O₅ electrode from aqueous solution. *Chem Eng J.* 198: 211-218. <http://dx.doi.org/10.1016/j.cej.2012.05.092>.
- Lalwani, ND; Dethloff, LA; Haskins, JR; Robertson, DG; de la Iglesia, FA. (1997). Increased nuclear ploidy, not cell proliferation, is sustained in the peroxisome proliferator-treated rat liver. *Toxicol Pathol.* 25: 165-176. <http://dx.doi.org/10.1177/019262339702500206>.
- Lam, RCW; Leung, MKH; Leung, DYC; Vrijinoed, LLP; Yam, WC; Ng, SP. (2007). Visible-light-assisted photocatalytic degradation of gaseous formaldehyde by parallel-plate reactor coated with Cr ion-implanted TiO₂ thin film. *Solar Energy Materials and Solar Cells.* 91: 54-61. <http://dx.doi.org/10.1016/j.solmat.2006.07.004>.
- Lammers, JH; van Asperen, J; de Groot, D; Rijcken, WR. (2005). Behavioural effects and kinetics in brain in response to inhalation of constant or fluctuating toluene concentrations in the rat. *Environ Toxicol Pharmacol.* 19: 625-634. <http://dx.doi.org/10.1016/j.etap.2004.12.028>.

Exposure Literature Search Results

Off Topic

- Lampron, KJ; Chiu, PC; Cha, DK. (2001). Reductive dehalogenation of chlorinated ethenes with elemental iron: The role of microorganisms. *Water Res.* 35: 3077-3084.
- Lan, Y; Elwood Madden, AS; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environ Sci Process Impacts.* 18: 1266-1273. <http://dx.doi.org/10.1039/c6em00461j>.
- Landau, D. (2000). Loosening the shackles of regulation - The new radio and telecommunications terminal equipment (R&TTE) directive. 1: 107-110.
- Lane, SE; Watts, RA; Bentham, G; Innes, NJ; Scott, DGI. (2003). Are environmental factors important in primary systemic vasculitis? A case-control study. *Arthritis Rheum.* 48: 814-823. <http://dx.doi.org/10.1002/art.10830>.
- Lang, J; Clark, B; Grams, N; Kavanaugh, MC; Tate, CH; Umphres, MD. (1985). GAS-PHASE ADSORPTION OF TCE AT LOW CONCENTRATIONS. *J Am Water Works Assoc.* 77: 65-65.
- Lang, MM; Roberts, PV; Semprini, L. (1997). Model simulations in support of field scale design and operation of bioremediation based on cometabolic degradation. *Ground Water.* 35: 565-573.
- Langer, VW; Novakowski, KS; Woodbury, AD. (1999). Sorption of trichloroethene onto stylolites. *J Contam Hydrol.* 40: 1-23.
- Langholz, B; Goldstein, L. (1996). Risk set sampling in epidemiologic cohort studies. *Stat Sci.* 11: 35-53. <http://dx.doi.org/10.1214/ss/1032209663>.
- Lanzarone, NA; Mccarty, PL. (1990). Column studies on methanotrophic degradation of trichloroethene and 1,2-dichloroethane. *Ground Water.* 28: 910-919.
- Laor, Y; Ronen, D; Graber, ER. (2003). Using a passive multilayer sampler for measuring detailed profiles of gas-phase VOCs in the unsaturated zone. *Environ Sci Technol.* 37: 352-360. <http://dx.doi.org/10.1021/es0207201>.
- Lapare, S; Tardif, R; Brodeur, J. (1995). Effect of Various Exposure Scenarios on the Biological Monitoring of Organic-Solvents in Alveolar Air .2. 1,1,1-Trichloroethane and Trichloroethylene. *Int Arch Occup Environ Health.* 67: 375-394.
- Lapinski, A; Gasecka, A; Graja, A; Waplak, S; Ostrowski, A; Kotov, AI. (2012). Spectral investigation of the phase-transition behavior in (DOEO)(4)HgBr4 center dot TCE salt. *Optical Materials.* 34: 1651-1655. <http://dx.doi.org/10.1016/j.optmat.2012.03.012>.
- Lapinski, A; Kotov, AI. (2006). Optical properties of the conducting salt (DOEO)(4)HgBr4 center dot TCE. *Chem Phys.* 326: 551-562. <http://dx.doi.org/10.1016/j.chemphys.2006.03.018>.
- Lapis, K; Zalatnai, A; Timár, F; Thorgeirsson, UP. (1995). Quantitative evaluation of lysozyme- and CD68-positive Kupffer cells in diethylnitrosamine-induced hepatocellular carcinomas in monkeys. *Carcinogenesis.* 16: 3083-3085. <http://dx.doi.org/10.1093/carcin/16.12.3083>.
- Laribi, B; Kouki, K; Bettaieb, T; Mougou, A; Marzouk, B. (2013). Essential oils and fatty acids composition of Tunisian, German and Egyptian caraway (*Carum carvi* L.) seed ecotypes: A comparative study. *Ind Crop Prod.* 41: 312-318. <http://dx.doi.org/10.1016/j.indcrop.2012.04.060>.
- Larroque, V; Desauziers, V; Mocho, P. (2006). Development of a solid phase microextraction (SPME) method for the sampling of VOC traces in indoor air. *J Environ Monit.* 8: 106-111. <http://dx.doi.org/10.1039/b511201j>.
- Larsen, GL; Stevens, JL. (1986). Cysteine conjugate beta-lyase in the gastrointestinal bacterium *Eubacterium limosum*. *Mol Pharmacol.* 29: 97-103.
- Larson, JL; Bull, RJ. (1989). Effect of ethanol on the metabolism of trichloroethylene. *J Toxicol Environ Health A.* 28: 395-406. <http://dx.doi.org/10.1080/15287398909531359>.
- Larson, JL; Bull, RJ. (1992). Metabolism and lipoperoxidative activity of trichloroacetate and dichloroacetate in rats and mice. *Toxicol Appl Pharmacol.* 115: 268-277. [http://dx.doi.org/10.1016/0041-008X\(92\)90332-M](http://dx.doi.org/10.1016/0041-008X(92)90332-M).
- Larson, SA; Falconer, JL. (1994). CHARACTERIZATION OF TIO(2) PHOTOCATALYSTS USED IN TRICHLOROETHENE OXIDATION. *Appl Catal B-Environ.* 4: 325-342.
- Lash, LH; Elfarra, AA; Anders, MW. (1986). Renal cysteine conjugate beta-lyase. Bioactivation of nephrotoxic cysteine S-conjugates in mitochondrial outer membrane. *J Biol Chem.* 261: 5930-5935.
- Lash, LH; Elfarra, AA; Rakiewicz-Nemeth, D; Anders, MW. (1990). Bioactivation mechanism of cytotoxic homocysteine S-conjugates. *Arch Biochem Biophys.* 276: 322-330. [http://dx.doi.org/10.1016/0003-9861\(90\)90727-G](http://dx.doi.org/10.1016/0003-9861(90)90727-G).
- Lash, LH; Fisher, JW; Lipscomb, JC; Parker, JC. (2000). Metabolism of trichloroethylene [Review]. *Environ Health Perspect.* 108: 177-200.
- Lash, LH; Parker, JC; Scott, CS. (2000). Modes of action of trichloroethylene for kidney tumorigenesis [Review]. *Environ Health Perspect.* 108: 225-240.
- Lash, LH; Putt, DA; Brashear, WT; Abbas, R; Parker, JC; Fisher, JW. (1999). Identification of S-(1,2-dichlorovinyl)glutathione in the blood of human volunteers exposed to trichloroethylene. *J Toxicol Environ Health A.* 56: 1-21. <http://dx.doi.org/10.1080/009841099158204>.
- Lash, LH; Putt, DA; Parker, JC. (2006). Metabolism and tissue distribution of orally administered trichloroethylene in male and female rats: Identification of glutathione- and cytochrome P-450-derived metabolites in liver, kidney, blood, and urine. *J Toxicol Environ Health A.* 69: 1285-1309. <http://dx.doi.org/10.1080/15287390500360133>.
- Lash, LH; Sausen, PJ; Duescher, RJ; Cooley, AJ; Elfarra, AA. (1994). Roles of cysteine conjugate beta-lyase and S-oxidase in nephrotoxicity: Studies with S-(1,2-dichlorovinyl)-L-cysteine and S-(1,2-dichlorovinyl)-L-cysteine sulfoxide. *J Pharmacol Exp Ther.* 269: 374-383.
- Lash, LH; Visarius, TM; Sall, JM; Qian, W; Tokarz, JJ. (1998). Cellular and subcellular heterogeneity of glutathione metabolism and transport in rat kidney cells. *Toxicology.* 130: 1-15. [http://dx.doi.org/10.1016/S0300-483X\(98\)00093-6](http://dx.doi.org/10.1016/S0300-483X(98)00093-6).
- Laternus, F; Haselmann, KF; Borch, T; Gron, C. (2002). Terrestrial natural sources of trichloromethane (chloroform, CHCl(3)) - An overview. *Biogeochemistry.* 60: 121-139.

Exposure Literature Search Results

Off Topic

- Lau, JH; Chang, C. (1999). TMA, DMA, DSC and TGA of lead free solders. *Soldering and Surface Mount Technology*. 11: 17-24.
- Lau, SS; Kleiner, HE; Monks, TJ. (1995). Metabolism as a determinant of species susceptibility to 2,3,5-(triglutathion-S-yl)hydroquinone-mediated nephrotoxicity. The role of N-acetylation and N-deacetylation. *Drug Metab Dispos*. 23: 1136-1142.
- Laureno, R. (1993). Trichloroethylene does not cause trigeminal neuropathy [Letter]. *Muscle Nerve*. 16: 217.
<http://dx.doi.org/10.1002/mus.880160217>.
- Lavin, AL; Jacobson, CF; Desesso, JM. (2000). An assessment of the carcinogenic potential of trichloroethylene in humans. *Hum Ecol Risk Assess*. 6: 575-641.
- Lavrik, NL; Molin, YN. (1991). TIME-RESOLVED MAGNETIC-FIELD EFFECTS IN THE RECOMBINATION PRODUCTS OF GEMINATE TRIPLET PAIRS FOR ELECTRON PHOTOTRANSFER REACTIONS. *Int J Quant Chem*. 40: 387-399.
- Law, DCG; Klebanoff, MA; Brock, JW; Dunson, DB; Longnecker, MP. (2005). Maternal serum levels of polychlorinated biphenyls and 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) and time to pregnancy. *Am J Epidemiol*. 162: 523-532. <http://dx.doi.org/10.1093/aje/kwi240>.
- Lawrence, T; Hagemann, T; Balkwill, F. (2007). Cancer. Sex, cytokines, and cancer [Comment]. *Science*. 317: 51-52.
<http://dx.doi.org/10.1126/science.1146052>.
- Lawrinenko, M; Laird, DA; van Leeuwen, JH. (2017). Sustainable Pyrolytic Production of Zerovalent Iron. 5: 767-773.
<http://dx.doi.org/10.1021/acssuschemeng.6b02105>.
- Lawson, RB; Adams, CD. (1999). Enhanced VOC absorption using the ozone/hydrogen peroxide advanced oxidation process. *J Air Waste Manag Assoc*. 49: 1315-1323.
- Lbova, AK; Vasiliev, MP; Gutmann, ES. (2011). Phthalocyanine and polystyrene film nanocomposites. *Russian Journal of Physical Chemistry A, Focus on Chemistry*. 85: 457-461. <http://dx.doi.org/10.1134/S0036024411030216>.
- Le, C; Wu, JH; Li, P; Wang, X; Zhu, NW; Wu, PX; Yang, B. (2011). Decolorization of anthraquinone dye Reactive Blue 19 by the combination of persulfate and zero-valent iron. *Water Sci Technol*. 64: 754-759. <http://dx.doi.org/10.2166/wst.2011.708>.
- Le Mesurier, SM; Lykke, AWJ; Stewart, BW. (1980). Reduced yield of pulmonary surfactant: Patterns of response following administration of chemicals to rats by inhalation. *Toxicol Lett*. 5: 89-93. [http://dx.doi.org/10.1016/0378-4274\(80\)90153-8](http://dx.doi.org/10.1016/0378-4274(80)90153-8).
- Le, MH; Buddenbaum, JE; Burns, RE; Shonka, JJ; Gaffney, SH; Donovan, EP; Flack, SM; Widner, TE. (2011). An independent review and prioritization of past radionuclide and chemical releases from the Los Alamos National Laboratory - implications for future dose reconstruction studies [Review]. *J Environ Monit*. 13: 2735-2747. <http://dx.doi.org/10.1039/c1em10374a>.
- Leahy, JG; Shreve, GS. (2000). The effect of organic carbon on the sequential reductive dehalogenation of tetrachloroethylene in landfill leachates. *Water Res*. 34: 2390-2396.
- Leakey, JE; Seng, JE; Allaben, WT. (2003). Body weight considerations in the B6C3F1 mouse and the use of dietary control to standardize background tumor incidence in chronic bioassays. *Toxicol Appl Pharmacol*. 193: 237-265.
<http://dx.doi.org/10.1016/j.taap.2003.07.006>.
- Leakey, JEA; Seng, JE; Latendresse, JR; Hussain, N; Allen, LJ; Allaben, WT. (2003). Dietary controlled carcinogenicity study of chloral hydrate in male B6C3F1 mice. *Toxicol Appl Pharmacol*. 193: 266-280. <http://dx.doi.org/10.1016/j.taap.2003.07.007>.
- Leather, KE; McGillen, M; Ghalaieny, M; Shallcross, DE; Percival, CJ. (2011). Temperature-Dependent Kinetics for the Ozonolysis of Selected Chlorinated Alkenes in the Gas Phase. *Int J Chem Kinet*. 43: 120-129.
- Leavitt, SA; DeAngelo, AB; George, MH; Ross, JA. (1997). Assessment of the mutagenicity of dichloroacetic acid in lacI transgenic B6C3F1 mouse liver. *Carcinogenesis*. 18: 2101-2106. <http://dx.doi.org/10.1093/carcin/18.11.2101>.
- Lebouf, RF; Coffey, CC. (2015). Effect of interferents on the performance of direct-reading organic vapor monitors. *Journal of the Air and Waste Management Association*. 65: 261-269. <http://dx.doi.org/10.1080/10962247.2014.986308>.
- Lebrero, R; López, JC; Lehtinen, I; Pérez, R; Quijano, G; Muñoz, R. (2016). Exploring the potential of fungi for methane abatement: Performance evaluation of a fungal-bacterial biofilter. *Chemosphere*. 144: 97-106. <http://dx.doi.org/10.1016/J.chemosphere.2015.08.017>.
- Ledda-Columbano, GM; Columbano, A; Curto, M; Ennas, MG; Coni, P; Sarma, DS; Pani, P. (1989). Further evidence that mitogen-induced cell proliferation does not support the formation of enzyme-altered islands in rat liver by carcinogens. *Carcinogenesis*. 10: 847-850.
<http://dx.doi.org/10.1093/carcin/10.5.847>.
- Ledda-Columbano, GM; Coni, P; Simbula, G; Zedda, I; Columbano, A. (1993). Compensatory regeneration, mitogen-induced liver growth, and multistage chemical carcinogenesis [Review]. *Environ Health Perspect*. 101: 163-168.
- Ledda-Columbano, GM; Curto, M; Piga, R; Zedda, AI; Menegazzi, M; Sartori, C; Shinozuka, H; Bluethmann, H; Poli, V; Ciliberto, G; Columbano, A. (1998). In vivo hepatocyte proliferation is inducible through a TNF and IL-6-independent pathway. *Oncogene*. 17: 1039-1044.
<http://dx.doi.org/10.1038/sj.onc.1202018>.
- Ledda-Columbano, GM; Perra, A; Concas, D; Cossu, C; Molotzu, F; Sartori, C; Shinozuka, H; Columbano, A. (2003). Different effects of the liver mitogens triiodo-thyronine and ciprofibrate on the development of rat hepatocellular carcinoma. *Toxicol Pathol*. 31: 113-120.
<http://dx.doi.org/10.1080/01926230390173851>.
- Lee, AF; Carr, P; Wilson, K. (2004). Direct observation of extremely low temperature catalytic dehydrochlorination of 1,1,1-trichloroethane over platinum. *J Phys Chem B*. 108: 14811-14814. <http://dx.doi.org/10.1021/jp046813h>.
- Lee, BD; Walton, MR; Megio, JL. (2005). Biological and chemical interactions with U(VI) during anaerobic enrichment in the presence of iron oxide coated quartz. *Water Res*. 39: 4363-4374. <http://dx.doi.org/10.1016/j.watres.2005.09.004>.
- Lee, BS, un; Chiou, CB; Lin, CY, i. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ*. 99: 112-123.
<http://dx.doi.org/10.1016/j.atmosenv.2014.09.063>.

Exposure Literature Search Results

Off Topic

- Lee, BS; Kim, JH; Lee, KC; Kim, YB; Schwartz, FW; Lee, ES; Woo, NC; Lee, MK. (2009). Efficacy of controlled-release KMnO₄ (CRP) for controlling dissolved TCE plume in groundwater: a large flow-tank study. *Chemosphere*. 74: 745-750. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.062>.
- Lee, BY; Park, SH; Lee, SC; Kang, M; Choung, SJ. (2004). Decomposition of benzene by using a discharge plasma - photocatalyst hybrid system. *Catalysis Today*. 93-5: 769-776. <http://dx.doi.org/10.1016/j.cattod.2004.06.069>.
- Lee, C; Doong, R, an. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Sci Technol*. 62: 28-35. <http://dx.doi.org/10.2166/wst.2010.236>.
- Lee, C; Doong, R, an. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environ Sci Technol*. 45: 2301-2307. <http://dx.doi.org/10.1021/es1030273>.
- Lee, C, chi; Doong, R, an. (2014). Enhanced dechlorination of tetrachloroethylene by polyethylene glycol-coated zerovalent silicon in the presence of nickel ions. *Appl Catal B-Environ*. 144: 182-188. <http://dx.doi.org/10.1016/j.apcatb.2013.06.033>.
- Lee, C; Kim, J, eeY; Lee, W, onll; Nelson, KL; Yoon, J; Sedlak, DL. (2008). Bactericidal effect of zero-valent iron nanoparticles on *Escherichia coli*. *Environ Sci Technol*. 42: 4927-4933. <http://dx.doi.org/10.1021/es800408u>.
- Lee, C; Liu, W. (2006). The effect of salinity conditions on kinetics of trichloroethylene biodegradation by toluene-oxidizing cultures. *J Hazard Mater*. 137: 541-549. <http://dx.doi.org/10.1016/j.jhazmat.2006.02.031>.
- Lee, C; Sedlak, DL. (2008). Enhanced Formation of Oxidants from Bimetallic Nickel-Iron Nanoparticles in the Presence of Oxygen. *Environ Sci Technol*. 42: 8528-8533. <http://dx.doi.org/10.1021/es801947h>.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environ Sci Technol*. 42: 4752-4757. <http://dx.doi.org/10.1021/es071545x>.
- Lee, CL, i; Jou, CJ, uG. (2012). Degradation of Chlorobenzene with Microwave-Aided Zerovalent Iron Particles. *Environ Eng Sci*. 29: 432-435. <http://dx.doi.org/10.1089/ees.2010.0329>.
- Lee, CL; Jou, CJ; Wang, HP. (2010). Enhanced degradation of chlorobenzene in aqueous solution using microwave-induced zero-valent iron and copper particles. *Water Environ Res*. 82: 642-647. <http://dx.doi.org/10.2175/106143009X12529484816033>.
- Lee, CL; Jou, CJG. (2011). Reduced Degradation of Chlorobenzene in Cosolvent Solution Using Nanoscale Zerovalent Iron with Microwave Irradiation. *Environ Eng Sci*. 28: 191-195. <http://dx.doi.org/10.1089/ees.2010.0152>.
- Lee, CL; Jou, CJG; Huang, H. (2010). Degradation of Chlorobenzene in Water Using Nanoscale Cu Coupled with Microwave Irradiation. *J Environ Eng*. 136: 412. [http://dx.doi.org/10.1061/\(Asce\)Ee.1943-7870.0000163](http://dx.doi.org/10.1061/(Asce)Ee.1943-7870.0000163).
- Lee, CL; Lee, HY; Tseng, KH; Andy hong, PK; Jou, CJG. (2010). Enhanced dechlorination of chlorobenzene by microwave-induced zero-valent iron: particle effects and activation energy. *Environ Chem Lett*. 9: 355-359. <http://dx.doi.org/10.1007/s10311-010-0286-y>.
- Lee, CL, i; Lin, C; Jou, C. (2012). Microwave-induced nanoscale zero-valent iron degradation of perchloroethylene and pentachlorophenol. *Journal of the Air and Waste Management Association*. 62: 1443-1448. <http://dx.doi.org/10.1080/10962247.2012.719579>.
- Lee, CS; Gong, J; Huang, CV; Oh, D, aSom; Chang, YS. (2016). Macroporous alginate substrate-bound growth of Fe-0 nanoparticles with high redox activities for nitrate removal from aqueous solutions. *Chem Eng J*. 298: 206-213. <http://dx.doi.org/10.1016/j.cej.2016.03.113>.
- Lee, CY; Cheng, SZ. (1998). Toxic effects on respiratory activities of phenol-oxidizing cultures grown from various conditions. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 33: 1675-1691.
- Lee, CY; Cheng, SZ. (1998). Trichloroethylene biodegradation by phenol-oxidizing cultures grown from various conditions. *J Environ Sci Health B*. 33: 705-721.
- Lee, CY; Liu, WD. (2000). The identifiability of kinetic parameters of trichloroethylene biodegradation by phenol-oxidizing cultures grown from various conditions. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 35: 31-48.
- Lee, D, oG; Chu, K. (2013). Effects of growth substrate on triclosan biodegradation potential of oxygenase-expressing bacteria. *Chemosphere*. 93: 1904-1911. <http://dx.doi.org/10.1016/j.chemosphere.2013.06.069>.
- Lee, D; Lee, H; Ahn, Y; Jeong, Y; Lee, DY; Lee, Y. (2013). Highly stable and flexible silver nanowire-graphene hybrid transparent conducting electrodes for emerging optoelectronic devices. *Nanoscale*. 5: 7750-7755. <http://dx.doi.org/10.1039/c3nr02320f>.
- Lee, DH; Park, IG; Kim, JH; Lee, YH; Kim, D; Kang, SK. (1998). Neurobehavioral changes in shoe manufacturing workers. *Neurotoxicol Teratol*. 20: 259-263. [http://dx.doi.org/10.1016/S0892-0362\(97\)00130-X](http://dx.doi.org/10.1016/S0892-0362(97)00130-X).
- Lee, DK; Song, BK; Jeong, S; Kim, D; Kim, T; Lee, YK; Le, NT; Cho, M, iJ; Henam, SD. (2010). Phosgene-Free Photocatalytic Degradation of TCE and PCE Vapors with Au/TiO₂. *Top Catal*. 53: 560-565. <http://dx.doi.org/10.1007/s11244-010-9487-7>.
- Lee, DS, u; Park, S, ooJin. (2015). Water-mediated modulation of TiO₂ decorated with graphene for photocatalytic degradation of trichloroethylene. *Curr Appl Phys*. 15: 144-148. <http://dx.doi.org/10.1016/j.cap.2014.11.015>.
- Lee, EH; Kim, J; Cho, KS; Ahn, YG; Hwang, GS. (2010). Degradation of hexane and other recalcitrant hydrocarbons by a novel isolate, *Rhodococcus* sp. EH831. *Environ Sci Pollut Res Int*. 17: 64-77. <http://dx.doi.org/10.1007/s11356-009-0238-x>.
- Lee, ES; Olson, PR; Gupta, N; Solpuker, U; Schwartz, FW; Kim, Y. (2014). Permanganate gel (PG) for groundwater remediation: Compatibility, gelation, and release characteristics. *Chemosphere*. 97: 140-145. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.008>.
- Lee, ES; Schwartz, FW. (2007). Characteristics and applications of controlled-release KMnO₄ for groundwater remediation. *Chemosphere*. 66: 2058-2066. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.093>.
- Lee, ES; Schwartz, FW. (2007). Characterization and optimization of long-term controlled release system for groundwater remediation: a generalized modeling approach. *Chemosphere*. 69: 247-253. <http://dx.doi.org/10.1016/j.chemosphere.2007.04.037>.
- Lee, ES; Seol, Y; Fang, YC; Schwartz, FW. (2003). Destruction efficiencies and dynamics of reaction fronts associated with the permanganate oxidation of trichloroethylene. *Environ Sci Technol*. 37: 2540-2546. <http://dx.doi.org/10.1021/es0261731>.

Exposure Literature Search Results

Off Topic

- Lee, ES; Woo, NC; Schwartz, FW; Lee, BS; Lee, KC; Woo, MH; Kim, JH; Kim, HK. (2008). Characterization of controlled-release KMnO₄ (CRP) barrier system for groundwater remediation: a pilot-scale flow-tank study. *Chemosphere*. 71: 902-910. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.037>.
- Lee, G; Rho, S; Jahng, D. (2004). Design considerations for groundwater remediation using reduced metals. *Korean J Chem Eng*. 21: 621-628.
- Lee, GT; Ro, HM; Lee, SM. (2007). Effects of triethyl phosphate and nitrate on electrokinetically enhanced biodegradation of diesel in low permeability soils. *Environ Technol*. 28: 853-860.
- Lee, H; Lee, Y; Kim, J; Kim, C. (2014). Field application of modified in situ soil flushing in combination with air sparging at a military site polluted by diesel and gasoline in Korea. *Int J Environ Res Public Health*. 11: 8806-8824. <http://dx.doi.org/10.3390/ijerph110908806>.
- Lee, HB, ok; Kim, BW, oo. (2015). Effect of NAPL exposure on the wettability and two-phase flow in a single rock fracture. *Hydrolog Process*. 29: 4919-4931. <http://dx.doi.org/10.1002/hyp.10543>.
- Lee, HJ; Chun, BS; Kim, WC; Chung, M; Park, JW. (2006). Zero valent iron and clay mixtures for removal of trichloroethylene, chromium(VI), and nitrate. *Environ Technol*. 27: 299-306. <http://dx.doi.org/10.1080/09593332708618642>.
- Lee, HK; Do, SH; Batchelor, B; Jo, YH; Kong, SH. (2009). PCE DNAPL degradation using ferrous iron solid mixture (ISM). *Chemosphere*. 76: 1082-1087. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.032>.
- Lee, IS; Bae, JH; Mccarty, PL. (2007). Comparison between acetate and hydrogen as electron donors and implications for the reductive dehalogenation of PCE and TCE. *J Contam Hydrol*. 94: 76-85. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.003>.
- Lee, IS; Bae, JH; Yang, Y; Mccarty, PL. (2004). Simulated and experimental evaluation of factors affecting the rate and extent of reductive dehalogenation of chloroethenes with glucose. *J Contam Hydrol*. 74: 313-331. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.006>.
- Lee, J; Park, Y; Kim, P; Kim, H; Yi, J. (2004). Preparation of NaCl-incorporated plugged mesoporous silica using a cost-effective precursor and applications to the hydrodechlorination of chlorinated hydrocarbons. *J Mater Chem*. 14: 1050-1056. <http://dx.doi.org/10.1039/b309991a>.
- Lee, J; Yang, JS; Kim, HJ; Baek, K; Yang, JW. (2005). Simultaneous removal of organic and inorganic contaminants by micellar enhanced ultrafiltration with mixed surfactant. *Desalination*. 184: 395-407. <http://dx.doi.org/10.1016/j.desal.2005.03.050>.
- Lee, JC; Choi, ES; Yoon, SG; Yoon, DS; Baik, HK. (1999). Integration of high dielectric (Ba_{1-x}Sr_x)TiO₃ thin films into new barrier layer electrode structures. *J Electrochem Soc*. 146: 3101-3104.
- Lee, JH; Dolan, M; Field, J; Istok, J. (2010). Monitoring bioaugmentation with single-well push-pull tests in sediment systems contaminated with trichloroethene. *Environ Sci Technol*. 44: 1085-1092. <http://dx.doi.org/10.1021/es9019645>.
- Lee, JH; Jung, KY; Park, SB. (1999). Modification of titania particles by ultrasonic spray pyrolysis of colloid. *Journal of Materials Science*. 34: 4089-4093.
- Lee, JH; Prud'homme, RK; Aksay, IA. (2001). Cure depth in photopolymerization: Experiments and theory. *J Mater Res*. 16: 3536-3544.
- Lee, JS; Chu, IS; Heo, J; Calvisi, DF; Sun, Z; Roskams, T; Durnez, A; Demetris, AJ; Thorgeirsson, SS. (2004). Classification and prediction of survival in hepatocellular carcinoma by gene expression profiling. *Hepatology*. 40: 667-676. <http://dx.doi.org/10.1002/hep.20375>.
- Lee, JS; Chu, IS; Mikaelyan, A; Calvisi, DF; Heo, J; Reddy, JK; Thorgeirsson, SS. (2004). Application of comparative functional genomics to identify best-fit mouse models to study human cancer. *Nat Genet*. 36: 1306-1311. <http://dx.doi.org/10.1038/ng1481>.
- Lee, JW; Choi, DY; Kwak, DH; Jung, HJ; Shim, WG; Moon, H. (2005). Adsorption dynamics of water vapor on activated carbon. *Adsorption*. 11: 437-441.
- Lee, JW; Lee, JW; Shim, WG; Suh, SH; Moon, H. (2003). Adsorption of chlorinated volatile organic compounds on MCM-48. *Journal of Chemical and Engineering Data*. 48: 381-387. <http://dx.doi.org/10.1021/je020158u>.
- Lee, JW; Shim, WG; Moon, H. (2004). Adsorption equilibrium and kinetics for capillary condensation of trichloroethylene on MCM-41 and MCM-48. *Microporous and Mesoporous Materials*. 73: 109-119. <http://dx.doi.org/10.1016/j.micromeso.2004.04.020>.
- Lee, JY; Lee, KJ; Youm, SY; Lee, MR; Kamala-Kannan, S; Oh, BT. (2010). Stability of multi-permeable reactive barriers for long term removal of mixed contaminants. *Bull Environ Contam Toxicol*. 84: 250-254. <http://dx.doi.org/10.1007/s00128-009-9918-y>.
- Lee, K, iC; Choo, KH, o. (2014). Optimization of flocculation conditions for the separation of TiO₂ particles in coagulation-photocatalysis hybrid water treatment. *Chemical Engineering and Processing: Process Intensification*. 78: 11-16. <http://dx.doi.org/10.1016/j.cep.2014.01.010>.
- Lee, K; Muralidhara, S; Dallas, C; Bruckner, J. (1997). Lack of volatilization and escape of orally administered trichloroethylene from the gastrointestinal tract of rats. *Toxicol Ind Health*. 13: 81-89.
- Lee, KU, k; Park, KJ, u; Kim, MH, o; Kwon, O, hJ; Kim, J, aeJ. (2014). Preparation of the carbon sphere coated with iron oxide and its application for electronic paper. *Dyes and Pigments*. 102: 22-28. <http://dx.doi.org/10.1016/j.dyepig.2013.10.012>.
- Lee, KY. (2002). Transport of dissolved contaminants originating from a rectangular prism-shaped, multicomponent nonaqueous-phase liquid source in saturated porous media. *Environ Geol*. 43: 132-137. <http://dx.doi.org/10.1007/s00254-002-0618-8>.
- Lee, KY. (2004). Modeling long-term transport of contaminants resulting from dissolution of a coal tar pool in saturated porous media. *J Environ Eng*. 130: 1507-1513. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:12\(1507\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:12(1507)).
- Lee, KY; Chrysikopoulos, CV. (1995). NUMERICAL MODELING OF THREE-DIMENSIONAL CONTAMINANT MIGRATION FROM DISSOLUTION OF MULTICOMPONENT NAPL POOLS IN SATURATED POROUS MEDIA. *Environ Geol*. 26: 157-165.
- Lee, KY; Chrysikopoulos, CV. (2002). Dissolution of a well-defined trichloroethylene pool in saturated porous media: experimental results and model simulations. *Water Res*. 36: 3911-3918.
- Lee, KY; Chrysikopoulos, CV. (2006). Dissolution of a multicomponent DNAPL pool in an experimental aquifer. *J Hazard Mater*. 128: 218-226. <http://dx.doi.org/10.1016/j.jhazmat.2005.08.005>.

Exposure Literature Search Results

Off Topic

- Lee, KY; Ha, DT. (2009). Phase separation behavior of three common alcohols with methoxy-nonafluorobutane or ethoxy-nonafluorobutane in water. *Can J Civ Eng.* 36: 738-742. <http://dx.doi.org/10.1139/L09-020>.
- Lee, KY; Ha, DT. (2012). Viscosity Variations of Three-Component Mixtures Comprising an Alcohol, Various Common Groundwater Contaminants, and Water. *Environ Eng Sci.* 29: 26-34. <http://dx.doi.org/10.1089/ees.2010.0254>.
- Lee, KY; Lee, JY. (2005). Photochemical destruction of tetrachloroethylene and trichloroethylene from the exhaust of an air stripper. *J Environ Eng.* 131: 1441-1446. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:10\(1441\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:10(1441)).
- Lee, KY; Lee, JY; Mellett, JJ. (2004). Transport of dissolved methoxy-nonafluorobutane through a saturated column. *Environ Geol.* 46: 883-889. <http://dx.doi.org/10.1007/s00254-004-1098-9>.
- Lee, KY; Yang, MH; Puri, IK. (1993). NUMERICAL-SIMULATION OF STOICHIOMETRIC PREMIXED FLAMES BURNING CH₃CL/CH₄/AIR MIXTURES AT ATMOSPHERIC-PRESSURE WITH A FULL AND SHORT REACTION-MECHANISM AND COMPARISON OF THE FLAME SPEEDS WITH EXPERIMENTAL RESULTS. *Combust Flame.* 92: 419-439.
- Lee, L; Ding, C; Yang, K; He, J. (2011). Complete Debromination of Tetra- and Penta-Brominated Diphenyl Ethers by a Coculture Consisting of Dehalococcoides and Desulfovibrio Species. *Environ Sci Technol.* 45: 8475-8482. <http://dx.doi.org/10.1021/es201559g>.
- Lee, M; Cord-Ruwisch, R; Manefield, M. (2010). A process for the purification of organochlorine contaminated activated carbon: Sequential solvent purging and reductive dechlorination. *Water Res.* 44: 1580-1590. <http://dx.doi.org/10.1016/j.watres.2009.11.004>.
- Lee, MH; Clingenpeel, SC; Leiser, OP; Wymore, RA; Sorenson, KS; Watwood, ME. (2008). Activity-dependent labeling of oxygenase enzymes in a trichloroethene-contaminated groundwater site. *Environ Pollut.* 153: 238-246. <http://dx.doi.org/10.1016/j.envpol.2007.07.034>.
- Lee, PK; Warnecke, F; Brodie, EL; Macbeth, TW; Conrad, ME; Andersen, GL; Alvarez-Cohen, L. (2012). Phylogenetic microarray analysis of a microbial community performing reductive dechlorination at a TCE-contaminated site. *Environ Sci Technol.* 46: 1044-1054. <http://dx.doi.org/10.1021/es203005k>.
- Lee, PK; Yeung, ACL; Cheng, TCE. (2009). Supplier alliances and environmental uncertainty: An empirical study. *International Journal of Production Economics.* 120: 190-204. <http://dx.doi.org/10.1016/j.ijpe.2008.07.019>.
- Lee, PKH; Cheng, D, an; Hu, P; West, KA; Dick, GJ; Brodie, EL; Andersen, GL; Zinder, SH; He, J; Alvarez-Cohen, L. (2011). Comparative genomics of two newly isolated Dehalococcoides strains and an enrichment using a genus microarray. *ISME J.* 5: 1014-1024. <http://dx.doi.org/10.1038/ismej.2010.202>.
- Lee, PKH; Conrad, ME; Alvarez-Cohen, L. (2007). Stable carbon isotope fractionation of chloroethenes by dehalorespiring isolates. *Environ Sci Technol.* 41: 4277-4285. <http://dx.doi.org/10.1021/es062736d>.
- Lee, RW; Jones, SA; Kuniandy, EL; Harvey, G; Lollar, BS; Slater, GF. (2000). Phreatophyte Influence on Reductive Dechlorination in a Shallow Aquifer Contaminated with Trichloroethene (TCE). *Int J Phytoremediation.* 2: 193-211. <http://dx.doi.org/10.1080/15226510009359032>.
- Lee, S. (2007). Enhanced dissolution of TCE in NAPL by TCE-degrading bacteria in wetland soils. *J Hazard Mater.* 145: 17-22. <http://dx.doi.org/10.1016/j.jhazmat.2006.10.073>.
- Lee, S; Kommalapati, RR; Valsaraj, KT; Pardue, JH; Constant, WD. (2002). Rate-limited desorption of volatile organic compounds from soils and implications for the remediation of a Louisiana Superfund site. *Environ Monit Assess.* 75: 87-105.
- Lee, S, oHee; Lim, S; Kim, H. (2015). Smooth-surface silver nanowire electrode with high conductivity and transparency on functional layer coated flexible film. *Thin Solid Films.* 589: 403-407. <http://dx.doi.org/10.1016/j.tsf.2015.05.073>.
- Lee, S; Moe, WM; Valsaraj, KT; Pardue, JH. (2002). Effect of sorption and desorption resistance on aerobic trichloroethylene biodegradation in soils. *Environ Toxicol Chem.* 21: 1609-1617.
- Lee, SB; Strand, SE; Stensel, HD. (2000). Sustained degradation of trichloroethylene in a suspended growth gas treatment reactor by an actinomycetes enrichment. *Environ Sci Technol.* 34: 3261-3268. <http://dx.doi.org/10.1021/es9907515>.
- Lee, SH; Nishijima, W; Lee, CH; Okada, M. (2003). Calcium accumulation on activated carbon deteriorates synthetic organic chemicals adsorption. *Water Res.* 37: 4631-4636. [http://dx.doi.org/10.1016/S0043-1354\(03\)00425-1](http://dx.doi.org/10.1016/S0043-1354(03)00425-1).
- Lee, SM; Lee, JW; Park, KR; Hong, EJ; Jeung, EB; Kim, MK; Kang, HY; Choi, IG. (2006). Biodegradation of methoxychlor and its metabolites by the white rot fungus *Stereum hirsutum* related to the inactivation of estrogenic activity. *J Environ Sci Health B.* 41: 385-397. <http://dx.doi.org/10.1080/03601230600616072>.
- Lee, SM; Mathews, AP; Nassar, R. (1996). Stochastic modeling of multicomponent adsorption kinetics with non-linear isotherm. *Water Sci Technol.* 33: 135-143.
- Lee, SW, oo; Kam, SK, yu; Lee, M, inGyu. (2007). Comparison of breakthrough characteristics for binary vapors composed of acetone and toluene based on adsorption intensity in activated carbon fixed-bed reactor. *J Ind Eng Chem.* 13: 911-916.
- Lee, SY; Park, J; Joo, H. (2006). Visible light-sensitized photocatalyst immobilized on beads by CVD in a fluidizing bed. *Solar Energy Materials and Solar Cells.* 90: 1905-1914. <http://dx.doi.org/10.1016/j.solmat.2005.11.009>.
- Lee, T; Benson, CH. (2004). Sorption and degradation of alachlor and metolachlor in ground water using green sands. *J Environ Qual.* 33: 1682-1693.
- Lee, T; Benson, CH. (2006). Leaching behavior of green sands from gray-iron foundries used for reactive barrier applications. *Environ Eng Sci.* 23: 156-170.
- Lee, T; Benson, CH; Eykholt, GR. (2004). Waste green sands as reactive media for groundwater contaminated with trichloroethylene (TCE). *J Hazard Mater.* 109: 25-36. <http://dx.doi.org/10.1016/j.jhazmat.2003.10.007>.
- Lee, TG; Biswas, P; Hedrick, E. (2004). Overall Kinetics of Heterogeneous Elemental Mercury Reactions on TiO₂ Sorbent Particles with UV Irradiation. *Ind Eng Chem Res.* 43: 1411-1417. <http://dx.doi.org/10.1021/ie0303707>.

Exposure Literature Search Results

Off Topic

- Lee, TH; Ike, M; Fujita, M. (2002). A reactor system combining reductive dechlorination with co-metabolic oxidation for complete degradation of tetrachloroethylene. *J Environ Sci.* 14: 445-450.
- Lee, TH; Kim, KH; Lee, BR; Park, JH; Schubert, EF; Kim, TG. (2016). Glass-Based Transparent Conductive Electrode: Its Application to Visible-to-Ultraviolet Light-Emitting Diodes. 8: 35668-35677. <http://dx.doi.org/10.1021/acsami.6b12767>.
- Lee, TH; Yoshimi, M; Ike, M; Fujita, M. (1997). Characterization of an anaerobic soil enrichment capable of dechlorinating high concentrations of tetrachloroethylene. *Water Sci Technol.* 36: 6-7.
- Lee, TR; Wilkin, RT. (2010). Iron hydroxy carbonate formation in zerovalent iron permeable reactive barriers: characterization and evaluation of phase stability. *J Contam Hydrol.* 116: 47-57. <http://dx.doi.org/10.1016/j.jconhyd.2010.05.009>.
- Lee, W. (2004). Removal of trichloroethylene in reduced soil columns. *J Hazard Mater.* 113: 175-180. <http://dx.doi.org/10.1016/j.jhazmat.2004.06.027>.
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environ Sci Technol.* 36: 5147-5154. <http://dx.doi.org/10.1021/es025836b>.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environ Sci Technol.* 36: 5348-5354. <http://dx.doi.org/10.1021/es0258374>.
- Lee, W; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environ Sci Technol.* 37: 535-541. <http://dx.doi.org/10.1021/es025830m>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere.* 56: 999-1009. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.015>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere.* 55: 705-713. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.033>.
- Lee, Y; Bae, S; Lee, W. (2012). Degradation of carbon tetrachloride in modified Fenton reaction. *Korean J Chem Eng.* 29: 769-774. <http://dx.doi.org/10.1007/s11814-011-0261-8>.
- Lee, Y; Lee, W. (2010). Degradation of trichloroethylene by Fe(II) chelated with cross-linked chitosan in a modified Fenton reaction. *J Hazard Mater.* 178: 187-193. <http://dx.doi.org/10.1016/j.jhazmat.2010.01.062>.
- Lee, YC; Kim, CW; Lee, J, aeY; Shin, HJ, ae; Yang, J, iWon. (2009). Characterization of nanoscale zero valent iron modified by nonionic surfactant for trichloroethylene removal in the presence of humic acid: A research note. *Desalination and Water Treatment.* 10: 33-38.
- Lee, YC; Kwon, TS; Yang, JS; Yang, JW. (2007). Remediation of groundwater contaminated with DNAPLs by biodegradable oil emulsion. *J Hazard Mater.* 140: 340-345. <http://dx.doi.org/10.1016/j.jhazmat.2006.09.036>.
- Lee, YG; Park, J. (2013). Effect of soil organic carbon on sorption and desorption of perchloroethylene in soils. *Korean J Chem Eng.* 30: 345-350. <http://dx.doi.org/10.1007/s11814-012-0222-x>.
- Legrand, R. (1995). FIELD-SCALE METHANOTROPHIC - BIOTREATMENT SYSTEM DEGRADES TCE IN-GROUND WATER. *Hazardous Waste Consultant.* 13: A18-A20.
- Lehman, RM; O'Connell, SP; Banta, A; Fredrickson, JK; Reysenbach, AL; Kieft, TL; Colwell, FS. (2004). Microbiological comparison of core and groundwater samples collected from a fractured basalt aquifer with that of dialysis chambers incubated in situ. *Geomicrobiology Journal.* 21: 169-182. <http://dx.doi.org/10.1080/01490450490275848>.
- Lehmann, I; Rehwagen, M; Diez, U; Seiffart, A; Rolle-Kampczyk, U; Richter, M; Wetzig, H; Borte, M; Herbarth, O. (2001). Enhanced in vivo IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: Results of the LARS study. *Int J Hyg Environ Health.* 204: 211-221. <http://dx.doi.org/10.1078/1438-4639-00100>.
- Lehmann, I; Thoenke, A; Rehwagen, M; Rolle-Kampczyk, U; Schlink, U; Schulz, R; Borte, M; Diez, U; Herbarth, O. (2002). The influence of maternal exposure to volatile organic compounds on the cytokine secretion profile of neonatal T cells. *Environ Toxicol.* 17: 203-210. <http://dx.doi.org/10.1002/tox.10055>.
- Lehmiller, HJ; He, X; Li, X; Duffel, MW; Parkin, S. (2013). Effective synthesis of sulfate metabolites of chlorinated phenols. *Chemosphere.* 93: 1965-1971. <http://dx.doi.org/10.1016/j.chemosphere.2013.06.087>.
- Lehnart, SE; Mongillo, M; Bellingier, A; Lindegger, N; Bi-Xing, C; Hsueh, W; Reiken, S; Wronska, A; Drew, LJ; Ward, CW; Lederer, WJ; Kass, RS; Morley, G; Marks, AR. (2008). Leaky Ca²⁺ release channel/ryanodine receptor 2 causes seizures and sudden cardiac death in mice. *J Clin Invest.* 118: 2230-2245. <http://dx.doi.org/10.1172/JCI35346>.
- Lei, H; Pitt, WG; Mcgrath, LK; Ho, CK. (2007). Modeling Carbon-Black/Polymer Composite Sensors. *Sens Actuators B.* 125: 396-407. <http://dx.doi.org/10.1016/j.snb.2007.02.041>.
- Lei, H, ua; Wilding, WV; Pitt, WG. (2007). Measurement of activities of toluene and trichloroethylene in polyisobutylene. *Journal of Chemical and Engineering Data.* 52: 2233-2236. <http://dx.doi.org/10.1021/je700255f>.
- Leidl, A; Oberlack, I; Schaber, U; Mader, B; Drost, S. (1997). Surface acoustic wave devices and applications in liquid sensing. *Smart Materials and Structures.* 6: 680-688.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data.* 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>.
- Leitao, EM; Dubberley, S. R.; Piers, WE; Wu, Q; McDonald, R. (2008). Thermal decomposition modes for four-coordinate ruthenium phosphonium alkylidene olefin metathesis catalysts. *Chemistry.* 14: 11565-11572. <http://dx.doi.org/10.1002/chem.200801584>.
- Leitão, P; Rossetti, S; Danko, AS; Nouws, H; Aulenta, F. (2016). Enrichment of *Dehalococcoides mccartyi* spp. from a municipal activated sludge during AQDS-mediated bioelectrochemical dechlorination of 1,2-dichloroethane to ethene. *Bioresour Technol.* 214: 426-431. <http://dx.doi.org/10.1016/j.biortech.2016.04.129>.

Exposure Literature Search Results

Off Topic

- Leitão, P; Rossetti, S; Nouws, HP; Danko, AS; Majone, M; Aulenta, F. (2015). Bioelectrochemically-assisted reductive dechlorination of 1,2-dichloroethane by a Dehalococcoides-enriched microbial culture. *Bioresour Technol.* 195: 78-82. <http://dx.doi.org/10.1016/j.biortech.2015.06.027>.
- Leiva-Presa, A; Janssen, BM. (2006). Effects of p,p'-DDE on retinoid homeostasis and sex hormones of adult male European common frogs (*Rana temporaria*). *J Toxicol Environ Health A.* 69: 2051-2062. <http://dx.doi.org/10.1080/15287390600747676>.
- Lemaire, J; Croze, V; Maier, J; Simonnot, MO. (2011). Is it possible to remediate a BTEX contaminated chalky aquifer by in situ chemical oxidation? *Chemosphere.* 84: 1181-1187. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.052>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag.* 18: 361-370.
- Lemke, LE; McQueen, CA. (1995). Acetylation and its role in the mutagenicity of the antihypertensive agent hydralazine. *Drug Metab Dispos.* 23: 559-565.
- Lemos, VA; Ferreira, VJ; Barreto, JA; Meira, LA. (2015). Development of a Method Using Ultrasound-Assisted Emulsification Microextraction for the Determination of Nickel in Water Samples. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2392-8>.
- Lenczewski, M; McKay, L; Pitner, A; Driese, S; Vulava, V. (2006). Pure-phase transport and dissolution of TCE in sedimentary rock saprolite. *Ground Water.* 44: 406-414. <http://dx.doi.org/10.1111/j.1745-6584.2005.00149.x>.
- Lenczewski, ME; McKay, LD; Layton, A. (2004). Anaerobic biodegradation of TCE in laboratory columns of fractured saprolite. *Ground Water.* 42: 534-541.
- Lenell, BA; Arai, Y. (2017). Perrhenate sorption kinetics in zerovalent iron in high pH and nitrate media. *J Hazard Mater.* 321: 335-343. <http://dx.doi.org/10.1016/j.jhazmat.2016.09.024>.
- Lenhard, RJ; Oostrom, M; Simmons, CS; White, MD. (1995). INVESTIGATION OF DENSITY-DEPENDENT GAS ADVECTION OF TRICHLOROETHYLENE EXPERIMENT AND A MODEL VALIDATION EXERCISE. *J Contam Hydrol.* 19: 47-67.
- Leonardo, WJ; Bijman, J, os; Slingerland, MA. (2015). The Windmill Approach Combining transaction cost economics and farming systems theory to analyse farmer participation in value chains. *Outlook on Agriculture.* 44: 207-214. <http://dx.doi.org/10.5367/oa.2015.0212>.
- Lesage, S; Brown, S. (1997). Biochemical degradation of tetrachloroethylene using generator columns containing residual DNAPL. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 32: 241-257.
- Lesage, S; Brown, S; Millar, K. (1996). Vitamin B-12-catalyzed dechlorination of perchloroethylene present as residual DNAPL. *Ground Water Monitoring and Remediation.* 16: 76-85.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation.* 23: 102-110.
- Leslie, IH; Holbrook, ST. (1994). REFORMING AND GASIFICATION TECHNOLOGY FOR THE DESTRUCTION OF WASTES. *Radioactive Waste Management and Environmental Restoration.* 18: 67-79.
- Leung, HW. (1991). Development and utilization of physiologically based pharmacokinetic models for toxicological applications [Review]. *J Toxicol Environ Health.* 32: 247-267. <http://dx.doi.org/10.1080/15287399109531480>.
- Levallois, P; Gingras, S; Marcoux, S; Legay, C; Catto, C; Rodriguez, M; Tardif, R. (2012). Maternal Exposure to Drinking-water Chlorination By-products and Small-for-gestational-age Neonates. *Epidemiology.* 23: 267-276. <http://dx.doi.org/10.1097/EDE.0b013e3182468569>.
- Lévesque, B; Ayotte, P; Tardif, R; Ferron, L; Gingras, S; Schlouch, E; Gingras, G; Levallois, P; Dewailly, E. (2002). Cancer risk associated with household exposure to chloroform. *J Toxicol Environ Health A.* 65: 489-502. <http://dx.doi.org/10.1080/15287390252807957>.
- Levkovskaya, GG; Drozdova, TI; Rozentsveig, IB; Mirskova, AN. (1999). N-functionally substituted imines of polychlorinated (brominated) aldehydes and ketones. *Uspekhi Khimii.* 68: 638-662.
- Lewandowski, M; Ollis, DF. (2003). Halide acid pretreatments of photocatalysts for oxidation of aromatic air contaminants: rate enhancement, rate inhibition, and a thermodynamic rationale. *J Catal.* 217: 38-46. [http://dx.doi.org/10.1016/S0021-9517\(03\)00030-7](http://dx.doi.org/10.1016/S0021-9517(03)00030-7).
- Lewis, DF; Richardson, RJ; Yelverton, FH; Wentworth, TR. (2013). Bioavailability of Aminocyclopyrachlor and Triclopyr plus Clopyralid from Turfgrass Clippings in Aquatic and Riparian Plants. *Weed Sci.* 61: 594-600. <http://dx.doi.org/10.1614/WS-D-13-00013.1>.
- Lewis, J; Qvarfort, U; Sjöström, J. (2015). *Betula pendula*: A Promising Candidate for Phytoremediation of TCE in Northern Climates. *Int J Phytoremediation.* 17: 9-15. <http://dx.doi.org/10.1080/15226514.2013.828012>.
- Lewis, S; Lynch, A; Bachas, L; Hampson, S; Ormsbee, L; Bhattacharyya, D. (2009). Chelate-Modified Fenton Reaction for the Degradation of Trichloroethylene in Aqueous and Two-Phase Systems. *Environ Eng Sci.* 26: 849-859. <http://dx.doi.org/10.1089/ees.2008.0277>.
- Lewis, S; Smuleac, V; Montague, A; Bachas, L; Bhattacharyya, D. (2009). Iron-Functionalized Membranes for Nanoparticle Synthesis and Reactions. *Separation Science and Technology.* 44: 3289-3311. <http://dx.doi.org/10.1080/01496390903212805>.
- Lewis, TE; Wolfinger, TF; Barta, ML. (2004). The ecological effects of trichloroacetic acid in the environment [Review]. *Environ Int.* 30: 1119-1150. <http://dx.doi.org/10.1016/j.envint.2004.04.003>.
- Lewitt, MS; Brismar, K; Wang, J; Wivall-Helleryd, IL; Sindelar, P; Gonzalez, FJ; Bergman, T; Bobek, GA. (2001). Responses of insulin-like growth factor (IGF)-I and IGF-binding proteins to nutritional status in peroxisome proliferator-activated receptor-alpha knockout mice. *Growth Horm IGF Res.* 11: 303-313. <http://dx.doi.org/10.1054/ghir.2001.0247>.
- Li, B; Lin, K; Zhang, W, ei; Lu, S; Liu, Y. (2012). Effectiveness of Air Stripping, Advanced Oxidation, and Activated Carbon Adsorption-Coupled Process in Treating Chlorinated Solvent-Contaminated Groundwater. *J Environ Eng.* 138: 903-914. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000557](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000557).
- Li, B, o; Tang, B, o; Xu, M. (2015). Influences of CaO on Crystallization, Microstructures, and Properties of BaO-Al₂O₃-B₂O₃-SiO₂ Glass-Ceramics. *Journal of Electronic Materials.* 44: 3849-3854. <http://dx.doi.org/10.1007/s11664-015-3859-5>.

Exposure Literature Search Results

Off Topic

- Li, C; Voudrias, EA. (1994). Migration and sorption of jet fuel aliphatic vapors in unsaturated soil. *Water Res.* 28: 2447-2456.
- Li, CY; Voudrias, EA. (1993). EFFECT OF ORGANIC-CARBON ON THE UPTAKE OF BENZENE VAPOR BY SOIL. *Environ Technol.* 14: 189-194.
- Li, D; Haneda, H. (2003). Morphologies of zinc oxide particles and their effects on photocatalysis. *Chemosphere.* 51: 129-137.
- Li, D; Haneda, H. (2003). Synthesis of nitrogen-containing ZnO powders by spray pyrolysis and their visible-light photocatalysis in gas-phase acetaldehyde decomposition. *J Photochem Photobiol A.* 155: 171-178.
- Li, D; Haneda, H; Hishita, S; Ohashi, N. (2005). Visible-light-driven N-F-codoped TiO₂ photocatalysts. 2. Optical characterization, photocatalysis, and potential application to air purification. *Chem Mater.* 17: 2596-2602. <http://dx.doi.org/10.1021/cm049099p>.
- Li, D; Haneda, H; Hishita, S; Ohashi, N. (2005). Visible-light-driven nitrogen-doped TiO₂ photocatalysts: effect of nitrogen precursors on their photocatalysis for decomposition of gas-phase organic pollutants. *Mater Sci Eng B.* 117: 67-75. <http://dx.doi.org/10.1016/j.mseb.2004.10.018>.
- Li, D; Haneda, H; Labhsetwar, NK; Hishita, S; Ohashi, N. (2005). Visible-light-driven photocatalysis on fluorine-doped TiO₂ powders by the creation of surface oxygen vacancies. *Chem Phys Lett.* 401: 579-584. <http://dx.doi.org/10.1016/j.cplett.2004.11.126>.
- Li, D; Ohashi, N; Hishita, S; Kolodiazny, T; Haneda, H. (2005). Origin of visible-light-driven photocatalysis: A comparative study on N/F-doped and N-F-codoped TiO₂ powders by means of experimental characterizations and theoretical calculations. *J Solid State Chem.* 178: 3293-3302. <http://dx.doi.org/10.1016/j.jssc.2005.08.008>.
- Li, D, ao; Zheng, Y, i; Wang, X. (2008). Effect of phosphoric acid on catalytic combustion of trichloroethylene over Pt/P-MCM-41. *Appl Catal A-Gen.* 340: 33-41. <http://dx.doi.org/10.1016/j.apcata.2008.01.035>.
- Li, G; Feng, YQ; Li, XG; Gao, P; Wang, J; Xie, JY. (2007). Preparation and characterization of polyurea microcapsules containing colored electrophoretic responsive fluid. *Journal of Materials Science.* 42: 4838-4844. <http://dx.doi.org/10.1007/s10853-006-0639-x>.
- Li, G, uo; Su, H; Li, X, in; Kuhn, U, we; Meusel, H; Hoffmann, T; Ammann, M; Poeschl, U; Shao, M, in; Cheng, Y. (2016). Uptake of gaseous formaldehyde by soil surfaces: a combination of adsorption/desorption equilibrium and chemical reactions. *Atmos Chem Phys.* 16: 10299-10311. <http://dx.doi.org/10.5194/acp-16-10299-2016>.
- Li, H; Arnold, RG; Betterton, EA; Ela, WP; Barbaris, B. (2004). Comment on "the mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources." [Comment]. *Water Res.* 38: 2791-2792; discussion 2793-2794. <http://dx.doi.org/10.1016/j.watres.2003.11.027>.
- Li, H; Dai, Y; Huang, H; Li, L; Leng, S; Cheng, J; Niu, Y; Duan, H; Liu, Q; Zhang, X; Huang, X; Xie, J; Feng, Z; Wang, J; He, J; Zheng, Y. (2007). HLA-B*1301 as a biomarker for genetic susceptibility to hypersensitivity dermatitis induced by trichloroethylene among workers in China. *Environ Health Perspect.* 115: 1553-1556. <http://dx.doi.org/10.1289/ehp.10325>.
- Li, H; Lu, G; Dai, Q; Wang, Y; Guo, Y, un; Guo, Y. (2010). Hierarchical Organization and Catalytic Activity of High-Surface-Area Mesoporous Ceria Microspheres Prepared Via Hydrothermal Routes. *ACS Applied Materials & Interfaces.* 2: 838-846. <http://dx.doi.org/10.1021/am900829y>.
- Li, H; Lu, G; Dai, Q; Wang, Y; Guo, Y, un; Guo, Y. (2011). Efficient low-temperature catalytic combustion of trichloroethylene over flower-like mesoporous Mn-doped CeO₂ microspheres. *Appl Catal B-Environ.* 102: 475-483. <http://dx.doi.org/10.1016/j.apcatb.2010.12.029>.
- Li, H; Sheng, GY; Chiou, CT; Xu, OY. (2005). Relation of organic contaminant equilibrium sorption and kinetic uptake in plants. *Environ Sci Technol.* 39: 4864-4870. <http://dx.doi.org/10.1021/es050424z>.
- Li, H; Sheng, GY; Sheng, WT; Xu, OY. (2002). Uptake of trifluralin and lindane from water by ryegrass. *Chemosphere.* 48: 335-341.
- Li, H; Wan, J; Ma, Y; Wang, Y, an; Huang, M. (2014). Influence of particle size of zero-valent iron and dissolved silica on the reactivity of activated persulfate for degradation of acid orange 7. *Chem Eng J.* 237: 487-496. <http://dx.doi.org/10.1019/j.cej.2013.10.035>.
- Li, H; Wang, J; Konig, R; Ansari, GAS; Khan, MF. (2007). Formaldehyde-protein conjugate-specific antibodies in rats exposed to formaldehyde. *J Toxicol Environ Health A.* 70: 1071-1075. <http://dx.doi.org/10.1080/15287390601172155>.
- Li, H; Zhang, SY; Wang, XL; Yang, J; Gu, JD; Zhu, RL; Wang, P; Lin, KF; Liu, YD. (2014). Aerobic biodegradation of trichloroethylene and phenol co-contaminants in groundwater by a bacterial community using hydrogen peroxide as the sole oxygen source. *Environ Technol.* 36: 1-8. <http://dx.doi.org/10.1080/09593330.2014.957730>.
- Li, H; Zhao, L, ei; Gao, X, in; Li, X. (2015). Experimental investigation of methyl tert-butyl ether dissolution in saturated porous media. *Chinese Journal of Chemical Engineering.* 23: 1685-1690. <http://dx.doi.org/10.1016/j.cjche.2015.08.022>.
- Li, HY; Jacob, KI; Wong, CP. (2003). An improvement of thermal conductivity of underfill materials for flip-chip packages. *I E E E Transactions on Advanced Packaging.* 26: 25-32. <http://dx.doi.org/10.1109/TADVP.2003.811546>.
- Li, J; de Toledo, RA; Chung, J; Shim, H. (2014). Removal of mixture of cis-1,2-dichloroethylene/trichloroethylene/benzene, toluene, ethylbenzene, and xylenes from contaminated soil by *Pseudomonas plecoglossicida*. *J Chem Tech Biotechnol.* 89: 1934-1940. <http://dx.doi.org/10.1002/jctb.4279>.
- Li, J; de Toledo, RA; Shim, H. (2017). Multivariate optimization for the simultaneous bioremoval of BTEX and chlorinated aliphatic hydrocarbons by *Pseudomonas plecoglossicida*. *J Hazard Mater.* 321: 238-246. <http://dx.doi.org/10.1016/j.jhazmat.2016.09.020>.
- Li, J; Li, H; Zhu, Y, e; Hao, Y; Sun, X; Wang, L. (2011). Dual roles of amphiphilic triblock copolymer P123 in synthesis of alpha-Fe nanoparticle/ordered mesoporous silica composites. *Appl Surf Sci.* 258: 657-661. <http://dx.doi.org/10.1016/j.apsusc.2011.07.037>.
- Li, J; Lu, Q; de Toledo, RA; Lu, Y; Shim, H. (2015). Effect of toluene concentration and hydrogen peroxide on *Pseudomonas plecoglossicida* cometabolizing mixture of cis-DCE and TCE in soil slurry. *Environ Geochem Health.* 37: 985-995. <http://dx.doi.org/10.1007/s10653-015-9707-y>.
- Li, J; Werth, CJ. (2001). Evaluating competitive sorption mechanisms of volatile organic compounds in soils and sediments using polymers and zeolites. *Environ Sci Technol.* 35: 568-574.

Exposure Literature Search Results

Off Topic

- Li, J; Werth, CJ. (2002). Modeling sorption isotherms of volatile organic chemical mixtures in model and natural solids. *Environ Toxicol Chem.* 21: 1377-1383.
- Li, J; Werth, CJ. (2004). Slow desorption mechanisms of volatile organic chemical mixtures in soil and sediment micropores. *Environ Sci Technol.* 38: 440-448. <http://dx.doi.org/10.1021/es034830z>.
- Li, K; Crittenden, J. (2009). Computerized Pathway Elucidation for Hydroxyl Radical-Induced Chain Reaction Mechanisms in Aqueous Phase Advanced Oxidation Processes. *Environ Sci Technol.* 43: 2831-2837. <http://dx.doi.org/10.1021/es802039y>.
- Li, K; Stefan, MI; Crittenden, JC. (2004). UV photolysis of trichloroethylene: Product study and kinetic modeling. *Environ Sci Technol.* 38: 6685-6693. <http://dx.doi.org/10.1021/es040304b>.
- Li, K, e; Stefan, MI; Crittenden, JC. (2007). Trichloroethene degradation by UV/H₂O₂ advanced oxidation process: Product study and kinetic modeling. *Environ Sci Technol.* 41: 1696-1703. <http://dx.doi.org/10.1021/es0607638>.
- Li, K, ai; Tang, X; Yi, H; Ning, P; Xiang, Y; Wang, J; Wang, C, hi; Peng, X. (2013). Research on manganese oxide catalysts surface pretreated with non-thermal plasma for NO catalytic oxidation capacity enhancement. *Appl Surf Sci.* 264: 557-562. <http://dx.doi.org/10.1016/j.apsusc.2012.10.064>.
- Li, L; Benson, CH; Lawson, EM. (2005). Impact of mineral fouling on hydraulic behavior of permeable reactive barriers. *Ground Water.* 43: 582-596.
- Li, L; Quinlivan, PA; Knappe, DR. (2005). Predicting adsorption isotherms for aqueous organic micropollutants from activated carbon and pollutant properties. *Environ Sci Technol.* 39: 3393-3400. <http://dx.doi.org/10.1021/es048816d>.
- Li, L; Quinlivan, PA; Knappe, DRU. (2002). Effects of activated carbon surface chemistry and pore structure on the adsorption of organic contaminants from aqueous solution. *Carbon.* 40: 2085-2100.
- Li, M; Fiorenza, S; Chatham, JR; Mahendra, S; Alvarez, PJJ. (2010). 1,4-Dioxane biodegradation at low temperatures in Arctic groundwater samples. *Water Res.* 44: 2894-2900. <http://dx.doi.org/10.1016/j.watres.2010.02.007>.
- Li, M; Mathieu, J; Liu, Y; Van Orden, ET; Yang, Y, u; Fiorenza, S; Alvarez, PJJ. (2014). The Abundance of Tetrahydrofuran/Dioxane Monooxygenase Genes (thmA/dxmA) and 1,4-Dioxane Degradation Activity Are Significantly Correlated at Various Impacted Aquifers. *Environ Sci Technol Lett.* 1: 122-127. <http://dx.doi.org/10.1021/ez400176h>.
- Li, MT; Hao, LL; Sheng, LX; Xu, JB. (2008). Identification and degradation characterization of hexachlorobutadiene degrading strain *Serratia marcescens* HL1. *Bioresour Technol.* 99: 6878-6884. <http://dx.doi.org/10.1016/j.biortech.2008.01.048>.
- Li, Q; Mariñas, BJ; Snoeyink, VL; Campos, C. (2003). Three-component competitive adsorption model for flow-through PAC systems. 1. Model development and verification with a PAC/membrane system. *Environ Sci Technol.* 37: 2997-3004. <http://dx.doi.org/10.1021/es020989k>.
- Li, Q; Snoeyink, VL; Mariñas, BJ; Campos, C. (2003). Pore blockage effect of NOM on atrazine adsorption kinetics of PAC: the roles of PAC pore size distribution and NOM molecular weight. *Water Res.* 37: 4863-4872. <http://dx.doi.org/10.1016/j.watres.2003.08.018>.
- Li, QL; Marinas, BJ; Snoeyink, VL; Campos, C. (2004). Pore blockage effects on atrazine adsorption in a powdered activated carbon/membrane system. I: Model development. *J Environ Eng.* 130: 1242-1252. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:11\(1242\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:11(1242)).
- Li, QL; Snoeyink, VL; Mariaas, BJ; Campos, C. (2003). Elucidating competitive adsorption mechanisms of atrazine and NOM using model compounds. *Water Res.* 37: 773-784.
- Li, S; Fang, Y, uLun; Romanczuk, CD; Jin, Z; Li, T; Wong, MS. (2012). Establishing the trichloroethene dechlorination rates of palladium-based catalysts and iron-based reductants. *Appl Catal B-Environ.* 125: 95-102. <http://dx.doi.org/10.1016/j.apcatb.2012.05.025>.
- Li, S; Li, M; Luo, X; Huang, G; Liu, F; Chen, H. (2016). Effect of benzoic acid on the removal of 1,2-dichloroethane by a siderite-catalyzed hydrogen peroxide and persulfate system. *Environ Sci Pollut Res Int.* 23: 402-407. <http://dx.doi.org/10.1007/s11356-015-5124-0>.
- Li, S; Wu, P; Li, H; Zhu, N; Li, P; Wu, J; Wang, X; Dang, Z, hi. (2010). Synthesis and characterization of organo-montmorillonite supported iron nanoparticles. *Appl Clay Sci.* 50: 330-336. <http://dx.doi.org/10.1016/j.clay.2010.08.021>.
- Li, T; Farrell, J. (2000). Reductive dechlorination of trichloroethene and carbon tetrachloride using iron and palladized-iron cathodes. *Environ Sci Technol.* 34: 173-179.
- Li, T; Farrell, J. (2001). Electrochemical investigation of the rate-limiting mechanisms for trichloroethylene and carbon tetrachloride reduction at iron surfaces. *Environ Sci Technol.* 35: 3560-3565.
- Li, T; Guo, Y; Hu, H; Zhang, X; Jin, Y; Zhang, X; Zhang, Y. (2016). Determination of volatile chlorinated hydrocarbons in water samples by static headspace gas chromatography with electron capture detection. *J Sep Sci.* 39: 358-366. <http://dx.doi.org/10.1002/jssc.201500771>.
- Li, W; Cui, Z; Han, F. (2015). Methods for assessing the energy-saving efficiency of industrial symbiosis in industrial parks. *Environ Sci Pollut Res Int.* 22: 275-285. <http://dx.doi.org/10.1007/s11356-014-3327-4>.
- Li, W; Roberts, DP; Dery, PD; Meyer, SLF; Lohrke, S; Lumsden, RD; Hebbard, KP. (2002). Broad spectrum anti-biotic activity and disease suppression by the potential biocontrol agent *Burkholderia ambifaria* BC-F. *Crop Protection.* 21: 129-135.
- Li, X; Parkin, S; Duffel, MW; Robertson, LW; Lehmler, HJ. (2010). An efficient approach to sulfate metabolites of polychlorinated biphenyls. *Environ Int.* 36: 843-848. <http://dx.doi.org/10.1016/j.envint.2009.02.005>.
- Li, X; Teske, S; Conroy-Ben, O. (2015). Estrogen mimics induce genes encoding chemical efflux proteins in gram-negative bacteria. *Chemosphere.* 128: 327-331. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.020>.
- Li, X, qin; Zhang, W, eiX. (2007). Sequestration of metal cations with zerovalent iron nanoparticles - A study with high resolution X-ray photoelectron spectroscopy (HR-XPS). *J Phys Chem C.* 111: 6939-6946. <http://dx.doi.org/10.1021/jp0702189>.
- Li, XD; Schwartz, FW. (2003). Permanganate oxidation schemes for the remediation of source zone DNAPLs and dissolved contaminant plumes. *ACS Symp Ser Am Chem Soc.* 837: 73-85.

Exposure Literature Search Results

Off Topic

- Li, XD; Schwartz, FW. (2004). DNAPL remediation with in situ chemical oxidation using potassium permanganate. II. Increasing removal efficiency by dissolving Mn oxide precipitates. *J Contam Hydrol.* 68: 269-287. [http://dx.doi.org/10.1016/S0169-7722\(03\)00145-1](http://dx.doi.org/10.1016/S0169-7722(03)00145-1).
- Li, XD; Schwartz, FW. (2004). DNAPL remediation with in situ chemical oxidation using potassium permanganate. Part I. Mineralogy of Mn oxide and its dissolution in organic acids. *J Contam Hydrol.* 68: 39-53. [http://dx.doi.org/10.1016/S0169-7722\(03\)00144-X](http://dx.doi.org/10.1016/S0169-7722(03)00144-X).
- Li, Y; Cai, K; Li, J; Dinnyes, A; Ji, W. (2006). Comparative studies with six extenders for sperm cryopreservation in the cynomolgus monkey (*Macaca fascicularis*) and rhesus monkey (*Macaca mulatta*). *Am J Primatol.* 68: 39-49. <http://dx.doi.org/10.1002/ajp.20205>.
- Li, Y; Cheng, W, ei; Sheng, G; Li, J; Dong, H; Chen, Y, a; Zhu, L. (2015). Synergetic effect of a pillared bentonite support on SE(VI) removal by nanoscale zero valent iron. *Appl Catal B-Environ.* 174: 329-335. <http://dx.doi.org/10.1016/j.apcatb.2015.03.025>.
- Li, Y; Huang, H; He, T; Gong, Y. (2010). The effect of the preferential affinity of the solvent on the microstructure of solution-cast block copolymer thin films. *J Phys Chem B.* 114: 1264-1270. <http://dx.doi.org/10.1021/jp908852u>.
- Li, Y; Li, J; Zhang, Y. (2012). Mechanism insights into enhanced Cr(VI) removal using nanoscale zerovalent iron supported on the pillared bentonite by macroscopic and spectroscopic studies. *J Hazard Mater.* 227-228: 211-218. <http://dx.doi.org/10.1016/j.jhazmat.2012.05.034>.
- Li, Y; Li, T; Jini, Z. (2011). Stabilization of Fe(0) nanoparticles with silica fume for enhanced transport and remediation of hexavalent chromium in water and soil. *J Environ Sci.* 23: 1211-1218. [http://dx.doi.org/10.1016/S1001-0742\(10\)60534-7](http://dx.doi.org/10.1016/S1001-0742(10)60534-7).
- Li, Y; Liu, C; Xu, P; Li, M; Zen, M; Tang, S. (2014). Controlled fabrication of ordered mesoporous titania/carbon fiber composites with high photoactivity: Synergistic relationship between surface adsorption and photocatalysis. *Chem Eng J.* 243: 108-116. <http://dx.doi.org/10.1016/j.cej.2013.12.050>.
- Li, Y; Liu, S. (2013). EFFECTS OF DIFFERENT THERMAL CONDUCTIVITY ENHANCERS ON THE THERMAL PERFORMANCE OF TWO ORGANIC PHASE-CHANGE MATERIALS: PARAFFIN WAX RT42 AND RT25. *Journal of Enhanced Heat Transfer.* 20: 463-473.
- Li, Y; Si, W; Zhang, X; Dinnyes, A; Ji, W. (2003). Effect of amino acids on cryopreservation of cynomolgus monkey (*Macaca fascicularis*) sperm. *Am J Primatol.* 59: 159-165. <http://dx.doi.org/10.1002/ajp.10073>.
- Li, Y; Zhang, Y, un; Li, J; Sheng, G; Zheng, X. (2013). Enhanced reduction of chlorophenols by nanoscale zerovalent iron supported on organobentonite. *Chemosphere.* 92: 368-374. <http://dx.doi.org/10.1016/j.chemosphere.2013.01.030>.
- Li, Z; Greden, K; Alvarez, PJ; Gregory, KB; Lowry, GV. (2010). Adsorbed polymer and NOM limits adhesion and toxicity of nano scale zerovalent iron to *E. coli*. *Environ Sci Technol.* 44: 3462-3467. <http://dx.doi.org/10.1021/es9031198>.
- Li, Z; Hanlie, H. (2008). Combination of surfactant solubilization with permanganate oxidation for DNAPL remediation. *Water Res.* 42: 605-614. <http://dx.doi.org/10.1016/j.watres.2007.08.010>.
- Li, Z; Willms, C; Alley, J; Zhang, P; Bowman, RS. (2006). A shift in pathway of iron-mediated perchloroethylene reduction in the presence of sorbed surfactant—a column study. *Water Res.* 40: 3811-3819. <http://dx.doi.org/10.1016/j.watres.2006.08.025>.
- Li, ZH. (2004). Surfactant-enhanced oxidation of trichloroethylene by permanganate - proof concept. *Chemosphere.* 54: 419-423. [http://dx.doi.org/10.1016/S0045-6535\(03\)00752-5](http://dx.doi.org/10.1016/S0045-6535(03)00752-5).
- Lian, F, ei; Chang, C; Du, Y; Zhu, L; Xing, B; Liu, C. (2012). Adsorptive removal of hydrophobic organic compounds by carbonaceous adsorbents: A comparative study of waste-polymer-based, coal-based activated carbon, and carbon nanotubes. *J Environ Sci.* 24: 1549-1558. [http://dx.doi.org/10.1016/S1001-0742\(11\)60984-4](http://dx.doi.org/10.1016/S1001-0742(11)60984-4).
- Liang, AH; Zhang, Y; Fan, YY; Chen, CQ; Wen, GQ; Liu, QY; Kang, CY; Jiang, ZL. (2011). Catalysis of aptamer-modified AuPd nanoalloy probe and its application to resonance scattering detection of trace UO₂²⁺. *Nanoscale.* 3: 3178-3184. <http://dx.doi.org/10.1039/c1nr10275c>.
- Liang, C; Bruell, CJ. (2008). Thermally activated persulfate oxidation of trichloroethylene: Experimental investigation of reaction orders. *Ind Eng Chem Res.* 47: 2912-2918. <http://dx.doi.org/10.1021/ie0708201>.
- Liang, C; Bruell, CJ; Albert, MF; Cross, PE; Ryan, DK. (2007). Evaluation of reverse osmosis and nanofiltration for in situ persulfate remediated groundwater. *Desalination.* 208: 238-259. <http://dx.doi.org/10.1016/j.desal.2006.06.015>.
- Liang, C; Bruell, CJ; Marley, MC; Sperry, KL. (2004). Persulfate oxidation for in situ remediation of TCE. I. Activated by ferrous ion with and without a persulfate-thiosulfate redox couple. *Chemosphere.* 55: 1213-1223. <http://dx.doi.org/10.1016/j.chemosphere.2004.01.029>.
- Liang, C; Bruell, CJ; Marley, MC; Sperry, KL. (2004). Persulfate oxidation for in situ remediation of TCE. II. Activated by chelated ferrous ion. *Chemosphere.* 55: 1225-1233. <http://dx.doi.org/10.1016/j.chemosphere.2004.01.030>.
- Liang, C; Chen, Y. (2010). Evaluation of activated carbon for remediating benzene contamination: Adsorption and oxidative regeneration. *J Hazard Mater.* 182: 544-551. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.066>.
- Liang, C; Guo, Y. (2010). Mass Transfer and Chemical Oxidation of Naphthalene Particles with Zerovalent Iron Activated Persulfate. *Environ Sci Technol.* 44: 8203-8208. <http://dx.doi.org/10.1021/es903411a>.
- Liang, C; Guo, Y, iYu; Chien, Y, iChi; Wu, Y, iJ. (2010). Oxidative Degradation of MTBE by Pyrite-Activated Persulfate: Proposed Reaction Pathways. *Ind Eng Chem Res.* 49: 8858-8864. <http://dx.doi.org/10.1021/ie100740d>.
- Liang, C; Guo, YY; Pan, YR. (2014). A study of the applicability of various activated persulfate processes for the treatment of 2,4-dichlorophenoxyacetic acid. *Int J Environ Sci Tech.* 11: 483-492. <http://dx.doi.org/10.1007/s13762-013-0212-5>.
- Liang, C; Hsieh, CL. (2015). Evaluation of surfactant flushing for remediating EDC-tar contamination. *J Contam Hydrol.* 177-178: 158-166. <http://dx.doi.org/10.1016/j.jconhyd.2015.04.006>.
- Liang, C; Huang, CF; Chen, YJ. (2008). Potential for activated persulfate degradation of BTEX contamination. *Water Res.* 42: 4091-4100. <http://dx.doi.org/10.1016/j.watres.2008.06.022>.
- Liang, C; Huang, CF, en; Mohanty, N; Lu, CJ, en; Kurakalva, RM. (2007). Hydroxypropyl-beta-cyclodextrin-mediated iron-activated persulfate oxidation of trichloroethylene and tetrachloroethylene. *Ind Eng Chem Res.* 46: 6466-6479. <http://dx.doi.org/10.1021/ie0705148>.

Exposure Literature Search Results

Off Topic

- Liang, C; Lai, MC. (2008). Trichloroethylene degradation by zero valent iron activated persulfate oxidation. *Environ Eng Sci.* 25: 1071-1077. <http://dx.doi.org/10.1089/ees.2007.0174>.
- Liang, C; Lee, IL. (2008). In situ iron activated persulfate oxidative fluid sparging treatment of TCE contamination - A proof of concept study. *J Contam Hydrol.* 100: 91-100. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.012>.
- Liang, C; Lee, IL; Hsu, IY; Liang, CP; Lin, Y, uL. (2008). Persulfate oxidation of trichloroethylene with and without iron activation in porous media. *Chemosphere.* 70: 426-435. <http://dx.doi.org/10.1016/j.chemosphere.2007-06.077>.
- Liang, C; Lee, PH. (2012). Granular activated carbon/pyrite composites for environmental application: synthesis and characterization. *J Hazard Mater.* 231-232: 120-126. <http://dx.doi.org/10.1016/j.jhazmat.2012.06.048>.
- Liang, C; Lin, Y, aT; Shih, W, uH. (2009). Treatment of Trichloroethylene by Adsorption and Persulfate Oxidation in Batch Studies. *Ind Eng Chem Res.* 48: 8373-8380. <http://dx.doi.org/10.1021/ie900841k>.
- Liang, C; Lin, Y, aT; Shiu, J. (2016). Reduction of nitrobenzene with alkaline ascorbic acid: Kinetics and pathways. *J Hazard Mater.* 302: 137-143. <http://dx.doi.org/10.1016/j.jhazmat.2015.09.029>.
- Liang, C; Lin, YT; Shin, WH. (2009). Persulfate regeneration of trichloroethylene spent activated carbon. *J Hazard Mater.* 168: 187-192. <http://dx.doi.org/10.1016/j.jhazmat.2009.02.006>.
- Liang, C; Wang, ZS; Bruell, CJ. (2007). Influence of pH on persulfate oxidation of TCE at ambient temperatures. *Chemosphere.* 66: 106-113. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.026>.
- Liang, C; Wang, ZS; Mohanty, N. (2006). Influences of carbonate and chloride ions on persulfate oxidation of trichloroethylene at 20°C. *Sci Total Environ.* 370: 271-277. <http://dx.doi.org/10.1016/j.scitotenv.2006.08.028>.
- Liang, CH; Chiang, PC; Chang, EE. (2004). Quantitative elucidation of the effect of EBCT on adsorption and biodegradation of biological activated carbon filters. *Journal of the Chinese Institute of Chemical Engineers.* 35: 203-211.
- Liang, CJ; Bruell, CJ; Marley, MC; Sperry, KL. (2003). Thermally activated persulfate oxidation of trichloroethylene (TCE) and 1,1,1-trichloroethane (TCA) in aqueous systems and soil slurries. *Soil Sediment Contam.* 12: 207-228.
- Liang, CJ; Liang, CP; Chen, CC. (2009). pH dependence of persulfate activation by EDTA/Fe(III) for degradation of trichloroethylene. *J Contam Hydrol.* 106: 173-182. <http://dx.doi.org/10.1016/j.jconhyd.2009.02.008>.
- Liang, DH; Song, LG; Chen, ZJ; Chu, B. (2001). Effect of glycerol-induced DNA conformational change on the separation of DNA fragments by capillary electrophoresis. *J Chromatogr A.* 931: 163-173.
- Liang, F; Fan, J; Guo, Y; Fan, M; Wang, J; Yang, H. (2008). Reduction of Nitrite by Ultrasound-Dispersed Nanoscale Zero-Valent Iron Particles. *Ind Eng Chem Res.* 47: 8550-8554. <http://dx.doi.org/10.1021/ie8003946>.
- Liang, H; Falta, RW; Henderson, JK; Shoemaker, S. (2012). Probabilistic Simulation of Remediation at a Site Contaminated by Trichloroethylene. *Ground Water Monitoring and Remediation.* 32: 131-141. <http://dx.doi.org/10.1111/j.1745-6592.2011.01378.x>.
- Liang, H; Zhang, YQ; Huang, S; Hussain, I. (2013). Oxidative degradation of p-chloroaniline by copper oxidate activated persulfate. *Chem Eng J.* 218: 384-391. <http://dx.doi.org/10.1016/j.cej.2012.11.093>.
- Liang, J, ie; Liu, J; Yuan, X; Dong, H; Zeng, G; Wu, H; Wang, H, ou; Liu, J; Hu, S; Zhang, S; Yu, Z; He, X; He, Y, an. (2015). Facile synthesis of alumina-decorated multi-walled carbon nanotubes for simultaneous adsorption of cadmium ion and trichloroethylene. *Chem Eng J.* 273: 101-110. <http://dx.doi.org/10.1016/j.cej.2015.03.069>.
- Liang, JC; Brinkley, BR. (1985). Chemical probes and possible targets for the induction of aneuploidy. *Basic Life Sci.* 36: 491-505.
- Liang, JC; Pacchierotti, F. (1988). Cytogenetic investigation of chemically-induced aneuploidy in mouse spermatocytes. *Mutat Res-Fundam Mol Mech Mutagen.* 201: 325-335. [http://dx.doi.org/10.1016/0027-5107\(88\)90021-8](http://dx.doi.org/10.1016/0027-5107(88)90021-8).
- Liang, KF; Kuo, MC. (2009). A model and experimental study for dissolution efficiency of gaseous substrates through in situ sparging. *J Hazard Mater.* 164: 204-214. <http://dx.doi.org/10.1016/j.jhazmat.2008.07.156>.
- Liang, L; Moline, GR; Kamolpornwijit, W; West, OR. (2005). Influence of hydrogeochemical processes on zero-valent iron reactive barrier performance: a field investigation. *J Contam Hydrol.* 80: 71-91. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.014>.
- Liang, LY; Korte, N; Goodlaxson, JD; Clausen, J; Fernando, Q; Muftikian, R. (1997). Byproduct formation during the reduction of TCE by zero-valence iron and palladized iron. *Ground Water Monitoring and Remediation.* 17: 122-127.
- Liang, LY; Sullivan, AB; West, OR; Moline, GR; Kamolpornwijit, W. (2003). Predicting the precipitation of mineral phases in permeable reactive barriers. *Environ Eng Sci.* 20: 635-653.
- Liang, SH; Chen, KF; Wu, CS; Lin, YH; Kao, CM. (2014). Development of KMnO₄-releasing composites for in situ chemical oxidation of TCE-contaminated groundwater. *Water Res.* 54: 149-158. <http://dx.doi.org/10.1016/j.watres.2014.01.068>.
- Liang, SH; Kuo, YC; Chen, SH; Chen, CY; Kao, CM. (2013). Development of a slow polycolloid-releasing substrate (SPRS) biobarrier to remediate TCE-contaminated aquifers. *J Hazard Mater.* 254: 107-115. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.047>.
- Liang, SH; Liu, JK; Lee, KH; Kuo, YC; Kao, CM. (2011). Use of specific gene analysis to assess the effectiveness of surfactant-enhanced trichloroethylene cometabolism. *J Hazard Mater.* 198: 323-330. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.050>.
- Liang, X; Dong, Y; Kuder, T; Krumholz, L, eeR; Philp, RP; Butler, EC. (2007). Distinguishing abiotic and biotic transformation of tetrachloroethylene and trichloroethylene by stable carbon isotope fractionation. *Environ Sci Technol.* 41: 7094-7100. <http://dx.doi.org/10.1021/es070970n>.
- Liang, X; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere.* 75: 63-69. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.042>.
- Liangpunsakul, S; Kolwankar, D; Pinto, A; Gorski, JC; Hall, SD; Chalasani, N. (2005). Activity of CYP2E1 and CYP3A enzymes in adults with moderate alcohol consumption: A comparison with nonalcoholics. *Hepatology.* 41: 1144-1150. <http://dx.doi.org/10.1002/hep.20673>.

Exposure Literature Search Results

Off Topic

- Liao, CH; Chen, IM; Chang, YF; Lu, MC. (2003). Removal of trichloromethane and trichloroethylene by suspended zero valent iron and ultraviolet irradiation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 1717-1729. <http://dx.doi.org/10.1081/ESE-20022874>.
- Liao, KH; Dobrev, ID; Dennison, JE; Andersen, ME; Reisfeld, B; Reardon, KF; Campaign, JA; Wei, W; Klein, MT; Quann, RJ; Yang, RS. (2002). Application of biologically based computer modeling to simple or complex mixtures [Review]. *Environ Health Perspect.* 110 Suppl 6: 957-963.
- Liao, KH; Tan, YM; Clewell, HJ. (2007). Development of a screening approach to interpret human biomonitoring data on volatile organic compounds: reverse dosimetry on biomonitoring data for trichloroethylene. *Risk Anal.* 27: 1223-1236. <http://dx.doi.org/10.1111/j.1539-6924.2007.00964.x>.
- Liao, KH; Tan, YM; Conolly, RB; Borghoff, SJ; Gargas, ML; Andersen, ME; III, CH. (2007). Bayesian estimation of pharmacokinetic and pharmacodynamic parameters in a mode-of-action-based cancer risk assessment for chloroform. *Risk Anal.* 27: 1535-1551. <http://dx.doi.org/10.1111/j.1539-6924.2007.00987.x>.
- Liao, P; Yuan, S; Chen, M; Tong, M; Xie, W; Zhang, P. (2013). Regulation of electrochemically generated ferrous ions from an iron cathode for Pd-catalytic transformation of MTBE in groundwater. *Environ Sci Technol.* 47: 7918-7926. <http://dx.doi.org/10.1021/es401730s>.
- Liao, RZ; Chen, SL; Siegbahn, PE. (2016). Unraveling the Mechanism and Regioselectivity of the B12-Dependent Reductive Dehalogenase PceA. *Chemistry.* 22: 12391-12399. <http://dx.doi.org/10.1002/chem.201601575>.
- Libbrecht, L. (2006). Hepatic progenitor cells in human liver tumor development [Review]. *World J Gastroenterol.* 12: 6261-6265.
- Lieberman, L; Hordof, AJ; Altmann, K; Pass, RH. (2006). Low energy biphasic waveform cardioversion of atrial arrhythmias in pediatric patients and young adults. *Pacing Clin Electrophysiol.* 29: 1383-1386.
- Lichtin, NN; Avudaithai, M. (1996). TiO₂-photocatalyzed oxidative degradation of CH₃CN, CH₃OH, C₂HCl₃, and CH₂Cl₂ supplied as vapors and in aqueous solution under similar conditions. *Environ Sci Technol.* 30: 2014-2020.
- Lichtin, NN; Avudaithai, M; Berman, E; Dong, J. (1994). PHOTOCATALYTIC OXIDATIVE-DEGRADATION OF VAPORS OF SOME ORGANIC-COMPOUNDS OVER TiO₂. *Res Chem Intermed.* 20: 755-781.
- Lide, DR. (1998). Handbook of chemistry and physics. In DR Lide (Ed.), (79th ed.). Boca Raton, FL: CRC Press.
- Liebe, J; Heinmann, K; Barner, K; Medvedeva, IV; Tang, Y; Dong, S; Braunstein, R. (1997). Transient ambipolar charge distributions in amorphous and crystalline semiconductors. *Mater Sci Eng B.* 47: 244-251.
- Liebe, J; Kattwinkel, A; Barner, K; Sun, G; Dong, S; Braunstein, R. (2000). Determination of the gap state density differences in hydrogenated amorphous silicon and Si/Ge. *Mater Sci Eng A.* 282: 158-163.
- Lieber, C. (2004). The discovery of the microsomal ethanol oxidizing system and its physiologic and pathologic role [Review]. *Drug Metab Rev.* 36: 511-529. <http://dx.doi.org/10.1081/DMR-200033441>.
- Lieberman, MW; Lykissa, ED; Barrios, R; Ou, CN; Kala, G; Kala, SV. (1999). Cyclosiloxanes produce fatal liver and lung damage in mice. *Environ Health Perspect.* 107: 161-165.
- Lien, GJ; Mckim, JM; Hoffman, AD; Jenson, CT. (2001). A physiologically based toxicokinetic model for lake trout (*Salvelinus namaycush*). *Aquat Toxicol.* 51: 335-350.
- Lien, HL; Zhang, W, eiX. (2007). Nanoscale Pd/Fe bimetallic particles: Catalytic effects of palladium on hydrodechlorination. *Appl Catal B-Environ.* 77: 110-116. <http://dx.doi.org/10.1016/j.apcatb.2007.07.014>.
- Lien, PJ; Yang, ZH; Chang, YM; Tu, YT; Kao, CM. (2016). Enhanced bioremediation of TCE-contaminated groundwater with coexistence of fuel oil: Effectiveness and mechanism study. *Chem Eng J.* 289: 525-536. <http://dx.doi.org/10.1016/j.cej.2016.01.011>.
- Ligocki, MP; Leuenberger, C; Pankow, JF. (1985). Trace organic-compounds in rain: 2. Gas scavenging of neutral organic-compounds. *Atmos Environ.* 19: 1609-1617. [http://dx.doi.org/10.1016/0004-6981\(85\)90213-6](http://dx.doi.org/10.1016/0004-6981(85)90213-6).
- Lillo-Rodenas, MA; Bouazza, N; Berenguer-Murcia, A; Linares-Salinas, JJ; Soto, P; Linares-Solano, A. (2007). Photocatalytic oxidation of propene at low concentration. *Appl Catal B-Environ.* 71: 298-309. <http://dx.doi.org/10.1016/j.apcatb.2006.10.004>.
- Lilly, PD; Simmons, JE; Pegram, RA. (1994). Dose-dependent vehicle differences in the acute toxicity of bromodichloromethane. *Fundam Appl Toxicol.* 23: 132-140.
- Lim, DH, ee; Lastoskie, CM. (2009). Density Functional Theory Studies on the Relative Reactivity of Chloroethenes on Zerovalent Iron. *Environ Sci Technol.* 43: 5443-5448. <http://dx.doi.org/10.1021/es9003203>.
- Lim, DH, ee; Lastoskie, CM; Soon, A; Becker, U, do. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environ Sci Technol.* 43: 1192-1198. <http://dx.doi.org/10.1021/es802523a>.
- Lim, K; Jung, S; Kim, JK, uk; Kang, J, aeW; Kim, J, ooH; Choa, SH; Kim, D, oG. (2013). Flexible PEDOT: PSS/ITO hybrid transparent conducting electrode for organic photovoltaics. *Solar Energy Materials and Solar Cells.* 115: 71-78. <http://dx.doi.org/10.1016/j.solmat.2013.03.028>.
- Lim, MH; Kim, SH; Kim, YU; Khim, J. (2007). Sonolysis of chlorinated compounds in aqueous solution. *Ultrason Sonochem.* 14: 93-98. <http://dx.doi.org/10.1016/j.ultsonch.2006.03.003>.
- Lim, S; Fox, P. (2014). Effects of halogenated aromatics/aliphatics and nitrogen(N)-heterocyclic aromatics on estimating the persistence of future pharmaceutical compounds using a modified QSAR model. *Sci Total Environ.* 470: 348-355. <http://dx.doi.org/10.1016/j.scitotenv.2013.09.089>.
- Lim, T, akH; Kim, SD. (2008). Removal of Volatile Organic Compounds (VOCs) by Photocatalytic Reaction in a Circulating Fluidized Bed (CFB) Photoreactor. *J Chem Eng Jpn.* 41: 695-699.
- Lim, TH; Kim, SD. (2004). Photo-degradation characteristics of TCE (trichloroethylene) in an annulus fluidized bed photoreactor. *Korean J Chem Eng.* 21: 905-909.

Exposure Literature Search Results

Off Topic

- Lim, TH; Kim, SD. (2004). Trichloroethylene degradation by photocatalysis in annular flow and annulus fluidized bed photoreactors. *Chemosphere*. 54: 305-312. [http://dx.doi.org/10.1016/S0045-6535\(03\)00753-7](http://dx.doi.org/10.1016/S0045-6535(03)00753-7).
- Lim, TH; Kim, SD. (2005). Photocatalytic degradation of trichloroethylene (TCE) over TiO₂/silica gel in a circulating fluidized bed (CFB) photoreactor. *Chemical Engineering and Processing: Process Intensification*. 44: 327-334. <http://dx.doi.org/10.1016/j.cep.2004.02.027>.
- Lim, TT; Feng, J; Zhu, BW. (2007). Kinetic and mechanistic examinations of reductive transformation pathways of brominated methanes with nano-scale Fe and Ni/Fe particles. *Water Res*. 41: 875-883. <http://dx.doi.org/10.1016/j.watres.2006.11.011>.
- Lim, TT; Zhu, BW. (2008). Effects of anions on the kinetics and reactivity of nanoscale Pd/Fe in trichlorobenzene dechlorination. *Chemosphere*. 73: 1471-1477. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.050>.
- Lim, TY; Kim, SD. (2002). Photocatalytic degradation of trichloroethylene over TiO₂/SiO₂ in an annulus fluidized bed reactor. *Korean J Chem Eng*. 19: 1072-1077.
- Limmer, MA; Balouet, JC; Karg, F; Vroblesky, DA; Burken, JG. (2011). Phytoscreening for chlorinated solvents using rapid in vitro SPME sampling: application to urban plume in Verl, Germany. *Environ Sci Technol*. 45: 8276-8282. <http://dx.doi.org/10.1021/es201704v>.
- Limmer, MA; Holmes, AJ; Burken, JG. (2014). Phytomonitoring of Chlorinated Ethenes in Trees: A Four-Year Study of Seasonal Chemodynamics in Planta. *Environ Sci Technol*. 48: 10634-10640. <http://dx.doi.org/10.1021/es502680p>.
- Limmer, MA; West, DM; Mu, R; Shi, H; Whitlock, K, im; Burken, JG. (2015). Phytoscreening for perchlorate: rapid analysis of tree sap. *Environ Sci (Camb)*. 1: 138-145. <http://dx.doi.org/10.1039/c4ew00103f>.
- Lin, C; Jou, CJ; Wang, CL. (2009). Visible-light-sensitized dechlorination of perchloroethylene. *Water Environ Res*. 81: 76-81. <http://dx.doi.org/10.2175/106143008X304802>.
- Lin, C, han; Shih, YH; Macfarlane, J. (2015). Amphiphilic compounds enhance the dechlorination of pentachlorophenol with Ni/Fe bimetallic nanoparticles. *Chem Eng J*. 262: 59-67. <http://dx.doi.org/10.1016/j.cej.2014.09.038>.
- Lin, CH; Kuo, M; Sip, CY; Liang, KF; Han, YL. (2012). A nutrient injection scheme for in situ bio-remediation. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 47: 280-288. <http://dx.doi.org/10.1080/10934529.2012.640907>.
- Lin, CH; Kuo, MCT, om; Fan, K, aiC; Yang, SC. (2009). Pilot study on contact efficiency of gaseous and misty substrates through in situ sparging. *J Chem Tech Biotechnol*. 84: 1456-1460. <http://dx.doi.org/10.1002/jctb.2198>.
- Lin, CJ; Liou, YH; Lo, SL. (2009). Supported Pd/Sn bimetallic nanoparticles for reductive dechlorination of aqueous trichloroethylene. *Chemosphere*. 74: 314-319. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.046>.
- Lin, CJ; Lo, SL; Liou, YH. (2004). Dechlorination of trichloroethylene in aqueous solution by noble metal-modified iron. *J Hazard Mater*. 116: 219-228. <http://dx.doi.org/10.1016/j.jhazmat.2004.09.005>.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere*. 59: 1299-1307. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.064>.
- Lin, CY; Li, CS. (2003). Inactivation of microorganisms on the photocatalytic surfaces in air. *Aerosol Sci Technol*. 37: 939-946. <http://dx.doi.org/10.1080/02786820390230352>.
- Lin, D. (1998). The development and prospective of bioenergy technology in China. *Biomass and Bioenergy*. 15: 181-186.
- Lin, E; Mattox, J; Daniel, F. (1993). Tissue distribution, excretion, and urinary metabolites of dichloroacetic acid in the male Fischer 344 rat. *J Toxicol Environ Health*. 38: 19-32. <http://dx.doi.org/10.1080/15287399309531697>.
- Lin, JC; Chen, J; Suib, SL; Cutlip, MB; Freihaut, JD. (1996). Recovery of bromine from methyl bromide using amorphous MnOx photocatalysts. *J Catal*. 161: 659-666.
- Lin, K, e; Kumar, RS; Cheng, L, aiSzu; Jin, CS, oo. (2009). Performance Improvement of Carbon-Nanotube-Incorporated Transparent Conducting Anode Film for Organic Device Application. *I E E E Transactions on Electron Devices*. 56: 31-37. <http://dx.doi.org/10.1109/TED.2008.2007831>.
- Lin, LW; Lin, XY; He, YM; Gao, SD; Lin, XD. (2003). Biological characteristics of HCC by ultrasound-guided aspiration biopsy and its clinical application. *World J Gastroenterol*. 9: 941-945.
- Lin, Q; Chen, YX; Plagentz, V; Schafer, D; Dahmke, A. (2004). ORC-GAC-Fe₀ system for the remediation of trichloroethylene and monochlorobenzene contaminated aquifer: 1. Adsorption and degradation. *J Environ Sci*. 16: 108-112.
- Lin, TF; Little, JC; Nazaroff, WW. (1994). TRANSPORT AND SORPTION OF VOLATILE ORGANIC-COMPOUNDS AND WATER-VAPOR WITHIN DRY SOIL GRAINS. *Environ Sci Technol*. 28: 322-330. <http://dx.doi.org/10.1021/es00051a020>.
- Lin, Y; Chen, Z; Megharaj, M; Naidu, R. (2012). Degradation of scarlet 4BS in aqueous solution using bimetallic Fe/Ni nanoparticles. *J Colloid Interface Sci*. 381: 30-35. <http://dx.doi.org/10.1016/j.jcis.2012.05.035>.
- Lin, Y, iH; Hung, W; Chen, Y, uC; Chu, H. (2014). Photocatalytic Degradation of 1, 2-dichloroethane by V/TiO₂: The Mechanism of Photocatalytic Reaction and Byproduct. *Aerosol Air Qual Res*. 14: 280-292. <http://dx.doi.org/10.4209/aaqr.2013.02.0053>.
- Lin, Y, aT; Liang, C; Yu, CW, ei. (2016). Trichloroethylene Degradation by Various Forms of Iron Activated Persulfate Oxidation with or without the Assistance of Ascorbic Acid. *Ind Eng Chem Res*. 55: 2302-2308. <http://dx.doi.org/10.1021/acs.iecr.5b04352>.
- Lin, Y, aoT; Weng, CH; Chen, FY. (2014). Key operating parameters affecting photocatalytic activity of visible-light-induced C-doped TiO₂ catalyst for ethylene oxidation. *Chem Eng J*. 248: 175-183. <http://dx.doi.org/10.1016/j.cej.2014.02.085>.
- Lin, Y, aoT; Weng, CH; Hsu, H, uiJan; Huang, JW, en; Srivastav, AL, al; Shiesh, CC. (2014). Effect of oxygen, moisture, and temperature on the photo oxidation of ethylene on N-doped TiO₂ catalyst. *Separation and Purification Technology*. 134: 117-125. <http://dx.doi.org/10.1016/j.seppur.2014.07.039>.
- Lin, YJ; Tseng, SL; Huang, WJ; Wu, WJ. (2006). Enhanced photocatalysis of pentachlorophenol by metal-modified titanium (IV) oxide. *J Environ Sci Health B*. 41: 1143-1158. <http://dx.doi.org/10.1080/03601230600856843>.

Exposure Literature Search Results

Off Topic

- Lin, YZ; Brunt, EM; Bowling, W; Hafenrichter, DG; Kennedy, SC; Flye, MW; Ponder, KP. (1995). Ras-transduced diethylnitrosamine-treated hepatocytes develop into cancers of mixed phenotype in vivo. *Cancer Res.* 55: 5242-5250.
- Lin, Z; Li, XM; Li, YT; Huang, DY; Dong, J; Li, FB. (2012). Enhancement effect of two ecological earthworm species (*Eisenia foetida* and *Amyntas robustus* E. Perrier) on removal and degradation processes of soil DDT. *J Environ Monit.* 14: 1551-1558. <http://dx.doi.org/10.1039/c2em30160a>.
- Lin, ZK; Han, DL; Li, SF. (2013). Effect of nano Ni-Fe alloy addition on flash pyrolysis of poly(ethylene glycol). *J Anal Appl Pyrol.* 99: 117-121. <http://dx.doi.org/10.1016/j.jaap.2012.10.014>.
- Lindbohm, ML; Sallmén, M; Kyyrönen, P; Kauppinen, T; Pukkala, E. (2009). Risk of liver cancer and exposure to organic solvents and gasoline vapors among Finnish workers. *Int J Cancer.* 124: 2954-2959. <http://dx.doi.org/10.1002/ijc.24309>.
- Lindbohm, ML; Taskinen, H; Sallmen, M; Hemminki, K. (1990). Spontaneous abortions among women exposed to organic solvents. *Am J Ind Med.* 17: 449-463. <http://dx.doi.org/10.1002/ajim.4700170404>.
- Linderholm, L; Biague, A; Månsson, F; Norrgren, H; Bergman, A; Jakobsson, K. (2010). Human exposure to persistent organic pollutants in West Africa--A temporal trend study from Guinea-Bissau. *Environ Int.* 36: 675-682. <http://dx.doi.org/10.1016/j.envint.2010.04.020>.
- Lindhardt, B; Christensen, TH; Brun, A. (1994). VOLATILIZATION OF O-XYLENE FROM SANDY SOIL. *Chemosphere.* 29: 2625-2637.
- Lindsey, TC; Ocker, AG; Miller, GD. (1994). RECOVERY OF AN AQUEOUS IRON PHOSPHATING DEGREASING BATH BY ULTRAFILTRATION. *J Air Waste Manag Assoc.* 44: 697-701.
- Lindstrom, AB; Pleil, JD. (1996). A methodological approach for exposure assessment studies in residences using volatile organic compound-contaminated water. *J Air Waste Manag Assoc.* 46: 1058-1066.
- Linek, V; Sinkule, J; Janda, V. (1998). Design of packed aeration towers to strip volatile organic contaminants from water. *Water Res.* 32: 1264-1270.
- Ling, M; Rifai, HS. (2007). Modeling natural attenuation with source control at a chlorinated solvents dry cleaner site. *Ground Water Monitoring and Remediation.* 27: 108-121.
- Ling, X; Li, J; Zhu, W; Zhu, Y; Sun, X; Shen, J; Han, W; Wang, L. (2012). Synthesis of nanoscale zero-valent iron/ordered mesoporous carbon for adsorption and synergistic reduction of nitrobenzene. *Chemosphere.* 87: 655-660. <http://dx.doi.org/10.1016/j.chemosphere.2012.02.002>.
- Lingohr, MK; Bull, RJ; Kato-Weinstein, J; Thrall, BD. (2002). Dichloroacetate stimulates glycogen accumulation in primary hepatocytes through an insulin-independent mechanism. *Toxicol Sci.* 68: 508-515.
- Lingohr, MK; Thrall, BD; Bull, RJ. (2001). Effects of dichloroacetate (DCA) on serum insulin levels and insulin-controlled signaling proteins in livers of male B6C3F1 mice. *Toxicol Sci.* 59: 178-184.
- Linnartz, P; Bitter, S; Schalley, CA. (2003). Deslipping of ester rotaxanes: A cooperative interplay of hydrogen bonding with rotational barriers. *European Journal of Organic Chemistry* 4819-4829. <http://dx.doi.org/10.1002/ejoc.200300466>.
- Liou, JSC; Szostek, B; Derito, CM; Madsen, EL. (2010). Investigating the biodegradability of perfluorooctanoic acid. *Chemosphere.* 80: 176-183. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.009>.
- Liou, YH; Lo, SL; Kuan, WH; Lin, CJ; Weng, SC. (2006). Effect of precursor concentration on the characteristics of nanoscale zerovalent iron and its reactivity of nitrate. *Water Res.* 40: 2485-2492. <http://dx.doi.org/10.1016/j.watres.2006.04.048>.
- Liou, YH; Lo, SL; Lin, CJ. (2007). Size effect in reactivity of copper nanoparticles to carbon tetrachloride degradation. *Water Res.* 41: 1705-1712. <http://dx.doi.org/10.1016/j.watres.2007.01.014>.
- Liou, YH; Lo, SL; Lin, CJ; Hu, CY; Kuan, WH; Weng, SC. (2005). Methods for accelerating nitrate reduction using zerovalent iron at near-neutral pH: Effects of H₂-reducing pretreatment and copper deposition. *Environ Sci Technol.* 39: 9643-9648. <http://dx.doi.org/10.1021/es048038p>.
- Liou, YH; Lo, SL; Lin, CJ; Kuan, WH; Weng, SC. (2005). Effects of iron surface pretreatment on kinetics of aqueous nitrate reduction. *J Hazard Mater.* 126: 189-194. <http://dx.doi.org/10.1016/j.jhazmat.2005.06.038>.
- Lipe, KM; Sabatini, DA; Hasegawa, MA; Harwell, JH. (1996). Micellar-enhanced ultrafiltration and air stripping for surfactant contaminant separation and surfactant reuse. *Ground Water Monitoring and Remediation.* 16: 85-92.
- Lipscomb, JC. (2004). Evaluating the relationship between variance in enzyme expression and toxicant concentration in health risk assessment. *Hum Ecol Risk Assess.* 10: 39-55. <http://dx.doi.org/10.1080/10807030490280945>.
- Lipscomb, JC; Barton, HA; Tornero-Velez, R; Evans, MV; Alcalsey, S; Snawder, JE; Laskey, J. (2004). The metabolic rate constants and specific activity of human and rat hepatic cytochrome P-450 2E1 toward toluene and chloroform. *J Toxicol Environ Health A.* 67: 537-553. <http://dx.doi.org/10.1080/15287390490425588>.
- Lipscomb, JC; Confer, PD; Miller, MR; Stamm, SC; Snawder, JE; Bandiera, SM. (1998). Metabolism of trichloroethylene and chloral hydrate by the Japanese medaka (*Oryzias latipes*) in vitro. *Environ Toxicol Chem.* 17: 325-332. <http://dx.doi.org/10.1002/etc.5620170225>.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1998). Use of kinetic and mechanistic data in species extrapolation of bioactivation: Cytochrome P-450 dependent trichloroethylene metabolism at occupationally relevant concentrations. *J Occup Health.* 40: 110-117.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Barton, HA. (1995). Dichloroacetic acid: Metabolism in cytosol. *Drug Metab Dispos.* 23: 1202-1205.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Garrett, CM. (1996). A species comparison of chloral hydrate metabolism in blood and liver. *Biochem Biophys Res Commun.* 227: 340-350. <http://dx.doi.org/10.1006/bbrc.1996.1511>.
- Lipscomb, JC; Teuschler, LK; Swartout, J; Popken, D; Cox, T; Kedderis, GL. (2003). The impact of cytochrome P450 2E1-dependent metabolic variance on a risk-relevant pharmacokinetic outcome in humans. *Risk Anal.* 23: 1221-1238. <http://dx.doi.org/10.1111/j.0272-4332.2003.00397.x>.

Exposure Literature Search Results

Off Topic

- Lipson, DS; Kueper, BH; Gefell, MJ. (2005). Matrix diffusion-derived plume attenuation in fractured bedrock. *Ground Water*. 43: 30-39.
- Lipworth, L; Sonderman, JS; Mumma, MT; Tarone, RE; Marano, DE; Boice, JD; Mclaughlin, JK. (2011). Cancer mortality among aircraft manufacturing workers: an extended follow-up. *J Occup Environ Med*. 53: 992-1007. <http://dx.doi.org/10.1097/JOM.0b013e31822e0940>.
- Little, JC; Daisey, JM; Nazaroff, WW. (1992). Transport of subsurface contaminants into buildings: An exposure pathway for volatile organics. *Environ Sci Technol*. 26: 2058-2066. <http://dx.doi.org/10.1021/es00035a001>.
- Litz, N. (1993). The behavior of organic compounds in soils: A predicting system for environment risk assessment. *Z Pflanzenernaehr Bodenkd*. 156: 203-208.
- Liu, BY; Cheng, YC. (1984). GROWTH AND CHARACTERIZATION OF THIN GATE OXIDES BY DUAL TCE PROCESS. *J Electrochem Soc*. 131: 683-686.
- Liu, C; Li, X; Ma, B; Qin, A; He, C. (2014). Removal of water contaminants by nanoscale zero-valent iron immobilized in PAN-based oxidized membrane. *Appl Surf Sci*. 321: 158-165. <http://dx.doi.org/10.1016/j.apsusc.2014.09.202>.
- Liu, C; Xu, X; Fan, J. (2015). Accelerated anaerobic dechlorination of DDT in slurry with Hydragric Acrisols using citric acid and anthraquinone-2,6-disulfonate (AQDS). *J Environ Sci*. 38: 87-94. <http://dx.doi.org/10.1016/j.jes.2015.05.005>.
- Liu, CC; Liau, SF; Tseng, DH. (2006). Effects of the electrode arrangements on reductive dechlorination of trichloroethylene in an electro-enhanced iron wall. *Environ Technol*. 27: 683-693.
- Liu, CC; Tseng, DH; Wang, CY. (2006). Effects of ferrous ions on the reductive dechlorination of trichloroethylene by zero-valent iron. *J Hazard Mater*. 136: 706-713. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.045>.
- Liu, CS; Higgins, CP; Wang, F; Shih, K. (2012). Effect of temperature on oxidative transformation of perfluorooctanoic acid (PFOA) by persulfate activation in water. *Separation and Purification Technology*. 91: 46-51. <http://dx.doi.org/10.1016/j.seppur.2011.09.047>.
- Liu, CS; Kuo, M; Su, CY; Chen, YC; Cheng, WC; Chou, CY; Liang, KF; Han, YL; Lin, CH. (2013). A bacteria injection scheme for in situ bioaugmentation. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 48: 1079-1085. <http://dx.doi.org/10.1080/10934529.2013.774601>.
- Liu, CX; Ball, WP. (1999). Application of inverse methods to contaminant source identification from aquitard diffusion profiles at Dover AFB, Delaware. *Water Resour Res*. 35: 1975-1985.
- Liu, CX; Ball, WP. (2002). Back diffusion of chlorinated solvent contaminants from a natural aquitard to a remediated aquifer under well-controlled field conditions: Predictions and measurements. *Ground Water*. 40: 175-184.
- Liu, CY; Cade-Menun, BJ; Xu, XH; Fan, JL. (2016). Electron Donor Substances and Iron Oxides Stimulate Anaerobic Dechlorination of DDT in a Slurry System with Hydragric Acrisols. *J Environ Qual*. 45: 331-340. <http://dx.doi.org/10.2134/jeq2015.07.0406>.
- Liu, D; Lei, L; Yang, B; Yu, Q; Li, Z. (2013). Direct electron transfer from electrode to electrochemically active bacteria in a bioelectrochemical dechlorination system. *Bioresour Technol*. 148: 9-14. <http://dx.doi.org/10.1016/j.biortech.2013.08.108>.
- Liu, E; Jelinek, J; Pastore, YD; Guan, Y; Prchal, JF; Prchal, JT. (2003). Discrimination of polycythemia and thrombocytoses by novel, simple, accurate clonality assays and comparison with PRV-1 expression and BFU-E response to erythropoietin. *Blood*. 101: 3294-3301. <http://dx.doi.org/10.1182/blood-2002-07-2287>.
- Liu, EH; Richard, BM. (2000). Drawover anaesthesia for cleft palate and lip surgery in Pokhara, Nepal. *Trop Doct*. 30: 78-81.
- Liu, F; Yang, J; Zuo, J; Ma, D; Gan, L; Xie, B; Wang, P; Yang, B. (2014). Graphene-supported nanoscale zero-valent iron: removal of phosphorus from aqueous solution and mechanistic study. *J Environ Sci*. 26: 1751-1762. <http://dx.doi.org/10.1016/j.jes.2014.06.016>.
- Liu, G, uo; Zhou, Y; Liu, Z; Zhang, J; Tang, B; Yang, S; Sun, C. (2016). Efficient nitrate removal using micro-electrolysis with zero valent iron/activated carbon nanocomposite. *J Chem Tech Biotechnol*. 91: 2942-2949. <http://dx.doi.org/10.1002/jctb.4910>.
- Liu, H; S-A, C; Zhang, J; Cao, C; Jiang, W. (1997). The gas-photocatalytic degradation of trichloroethylene without water. *Chemosphere*. 35: 2881-2889.
- Liu, H; Zhang, J; Gan, N; Chen, Y; Huang, J, ie; Cao, Y; Li, T; Lan, H. (2016). Application of a multifunctional magnetic mesoporous material for seafood sample clean-up prior to the determination of highly chlorinated polychlorinated biphenyls. *RSC Advances*. 6: 183-189. <http://dx.doi.org/10.1039/c5ra21214f>.
- Liu, J, ie. (2009). Clinical Analysis of Seven Cases of Trichloroethylene Medicamentose-like Dermatitis. *Ind Health*. 47: 685-688.
- Liu, J; Drane, W; Liu, X; Wu, T. (2009). Examination of the relationships between environmental exposures to volatile organic compounds and biochemical liver tests: application of canonical correlation analysis. *Environ Res*. 109: 193-199. <http://dx.doi.org/10.1016/j.envres.2008.11.002>.
- Liu, J; He, F; Durham, E; Zhao, D; Roberts, CB. (2008). Polysugar-stabilized Pd nanoparticles exhibiting high catalytic activities for hydrodechlorination of environmentally deleterious trichloroethylene. *Langmuir*. 24: 328-336. <http://dx.doi.org/10.1021/la702731h>.
- Liu, J; Huang, H; Xing, X; Xi, R; Zhuang, Z; Yuan, J; Yang, F; Zhao, J. (2007). Comparative proteomic analysis on human L-02 liver cells treated with varying concentrations of trichloroethylene. *Toxicol Ind Health*. 23: 91-101. <http://dx.doi.org/10.1177/0748233707078223>.
- Liu, J; Huang, ZH; Wang, ZS; Kang, FY. (2004). Gas phase trichloroethylene removal at low concentration using activated carbon fiber. *J Environ Sci*. 16: 53-55.
- Liu, J; Yang, Y, i; Feng, K; Lu, D. (2009). Study on the effect of current on reactive sintering of the W-C-Co mixture under an electric field. *J Alloy Comp*. 476: 207-212. <http://dx.doi.org/10.1016/j.jallcom.2008.09.066>.
- Liu, JB; Amemiya, T; Chang, Q; Xu, X; Itoh, K. (2011). Real-time reverse transcription PCR analysis of trichloroethylene-regulated toluene dioxygenase expression in *Pseudomonas putida* F1. *J Environ Sci Health B*. 46: 294-300. <http://dx.doi.org/10.1080/03601234.2011.559877>.

Exposure Literature Search Results

Off Topic

- Liu, JB; Crittenden, JC; Hand, DW; Perram, DL. (1996). Regeneration of adsorbents using heterogeneous photocatalytic oxidation. *J Environ Eng.* 122: 707-713.
- Liu, JD, i; Zhang, TT; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2016). The effect of microstructural properties of CoCr₂O₄ spinel oxides on catalytic combustion of dichloromethane. *Appl Surf Sci.* 369: 58-66. <http://dx.doi.org/10.1016/j.apsusc.2016.02.036>.
- Liu, JJY; Bai, CL; Williamson, AM; Qu, SX; Hamdan, H; Stacey, NH. (1996). Individual serum bile acids in apprentice spray painters in association with solvent exposure. *Int Arch Occup Environ Health.* 69: 21-26.
- Liu, M; Gross, G. (2010). Application of substitutability in congestion relief. *International Journal of Electrical Power & Energy Systems.* 32: 187-193. <http://dx.doi.org/10.1016/j.ijepes.2009.07.007>.
- Liu, M; Zheng, J; Liu, Q; Xu, S; Wu, M; Xue, Q; Yan, Z; Xiao, H; Wei, Z; Zhu, H. (2013). The preparation, load and photocatalytic performance of N-doped and CdS-coupled TiO₂. *RSC Advances.* 3: 9483-9489. <http://dx.doi.org/10.1039/c3ra40288f>.
- Liu, P; Long, C; Li, Q; Qian, H; Li, A; Zhang, Q. (2009). Adsorption of trichloroethylene and benzene vapors onto hypercrosslinked polymeric resin. *J Hazard Mater.* 166: 46-51. <http://dx.doi.org/10.1016/j.jhazmat.2008.10.124>.
- Liu, S; Jaffrezic, N; Guillard, C. (2008). Size effects in liquid-phase photo-oxidation of phenol using nanometer-sized TiO₂ catalysts. *Appl Surf Sci.* 255: 2704-2709. <http://dx.doi.org/10.1016/j.apsusc.2008.07.191>.
- Liu, T, xu; Li, F; Li, XZ. (2008). TiO₂ hydrosols with high activity for photocatalytic degradation of formaldehyde in a gaseous phase. *J Hazard Mater.* 152: 347-355. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.003>.
- Liu, T; Li, X; Waite, TD. (2013). Depassivation of Aged Fe-0 by Inorganic Salts: Implications to Contaminant Degradation in Seawater. *Environ Sci Technol.* 47: 7350-7356. <http://dx.doi.org/10.1021/es400362w>.
- Liu, T; Li, X; Waite, TD. (2013). Depassivation of Aged Fe(0) by Ferrous Ions: Implications to Contaminant Degradation. *Environ Sci Technol.* 47: 13712-13720. <http://dx.doi.org/10.1021/es403709v>.
- Liu, T; Li, X; Waite, TD. (2014). Depassivation of aged Fe 0 by divalent cations: correlation between contaminant degradation and surface complexation constants. *Environ Sci Technol.* 48: 14564-14571. <http://dx.doi.org/10.1021/es503777a>.
- Liu, T, ao; Xu, Q; Zhang, C; Zhang, P. (2013). Occupational exposure to methylene chloride and risk of cancer: a meta-analysis [Review]. *Cancer Causes Control.* 24: 2037-2049. <http://dx.doi.org/10.1007/s10552-013-0283-0>.
- Liu, TY; Zhao, L; Tan, X; Liu, SJ; Li, JJ; Qi, Y; Mao, GZ. (2010). Effects of physicochemical factors on Cr(VI) removal from leachate by zero-valent iron and alpha-Fe₂(O)₃ nanoparticles. *Water Sci Technol.* 61: 2759-2767. <http://dx.doi.org/10.2166/wst.2010.167>.
- Liu, W; Xu, L; Li, X; Shen, C; Rashid, S; Wen, Y; Liu, W; Wu, X. (2015). High-dispersive FeS₂ on graphene oxide for effective degradation of 4-chlorophenol. *RSC Advances.* 5: 2449-2456. <http://dx.doi.org/10.1039/c4ra11354c>.
- Liu, X; Chen, Z; Chen, Z; Megharaj, M; Naidu, R. (2013). Remediation of Direct Black G in wastewater using kaolin-supported bimetallic Fe/Ni nanoparticles. *Chem Eng J.* 223: 764-771. <http://dx.doi.org/10.1016/j.cej.2013.03.002>.
- Liu, X; Murdoch, LC; Falta, RW; Tan, T. (2014). Experimental characterization of CVOC removal from fractured clay during boiling. *Int J Heat Mass Tran.* 70: 764-778. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2013.10.052>.
- Liu, X; Zhang, D; Guo, B; Qu, Y, ue; Tian, G, e; Yue, H; Feng, S. (2015). Facile synthesis of mesoporous FeNi-alloyed carbonaceous microspheres as recyclable magnetic adsorbents for trichloroethylene removal. *RSC Advances.* 5: 93491-93498. <http://dx.doi.org/10.1039/c5ra17165b>.
- Liu, Y; Gan, Y; Zhou, A; Liu, C; Li, X; Yu, T. (2014). Carbon and chlorine isotope fractionation during Fenton-like degradation of trichloroethene. *Chemosphere.* 107: 94-100. <http://dx.doi.org/10.1016/j.chemosphere.2014.03.011>.
- Liu, Y; Illangasekare, TH; Kitanidis, PK. (2014). Long-term mass transfer and mixing-controlled reactions of a DNAPL plume from persistent residuals. *J Contam Hydrol.* 157: 11-24. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.008>.
- Liu, Y; Lowry, GV. (2006). Effect of particle age (Fe-o content) and solution pH on NZVI reactivity: H-2 evolution and TCE dechlorination. *Environ Sci Technol.* 40: 6085-6090. <http://dx.doi.org/10.1021/es060685o>.
- Liu, Y; Muralidhara, S; Bruckner, JV; Bartlett, MG. (2008). Optimization, validation and application of a method for the determination of trichloroethylene in rat plasma by headspace solid-phase microextraction gas chromatography mass spectrometry. *Biomed Chromatogr.* 22: 977-984. <http://dx.doi.org/10.1002/bmc.1016>.
- Liu, Y; Phenrat, T; Lowry, GV. (2007). Effect of TCE concentration and dissolved groundwater solutes on NZVI-Promoted TCE dechlorination and H-2 evolution. *Environ Sci Technol.* 41: 7881-7887.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Effects of inorganic anions on carbon isotope fractionation during Fenton-like degradation of trichloroethene. *J Hazard Mater.* 308: 187-191. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.044>.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Variability in carbon isotope fractionation of trichloroethene during degradation by persulfate activated with zero-valent iron: Effects of inorganic anions. *Sci Total Environ.* 548-549: 1-5. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.011>.
- Liu, Y; Zhou, A; Gan, Y; Liu, C; Yu, T; Li, X. (2013). Stable carbon isotope fractionation during trichloroethene degradation in magnetite-catalyzed Fenton-like reaction. *J Contam Hydrol.* 145: 37-43. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.007>.
- Liu, YQ; Choi, H; Dionysiou, D; Lowry, GV. (2005). Trichloroethene hydrodechlorination in water by highly disordered monometallic nanoiron. *Chem Mater.* 17: 5315-5322. <http://dx.doi.org/10.1021/cm0511217>.
- Liu, YQ; Majetich, SA; Tilton, RD; Sholl, DS; Lowry, GV. (2005). TCE dechlorination rates, pathways, and efficiency of nanoscale iron particles with different properties. *Environ Sci Technol.* 39: 1338-1345. <http://dx.doi.org/10.1021/es049195r>.
- Liu, Z; Fang, Q; Yu, WT; Chen, SH; Jiang, MH; Zhang, B; Zhang, JB; Zhu, DB. (2000). Structure and electrical conductivity of (BEDT-TTF)₂HgCl(3) center dot TCE. *Synthetic Metals.* 114: 243-250.
- Liu, ZJ; Arnold, RG; Betterton, EA; Smotkin, E. (2001). Reductive dehalogenation of gas-phase chlorinated solvents using a modified fuel cell. *Environ Sci Technol.* 35: 4320-4326. <http://dx.doi.org/10.1021/es001772y>.

Exposure Literature Search Results

Off Topic

- Llop, S; Ballester, F; Vizcaino, E; Murcia, M; Lopez-Espinosa, MJ; Rebagliato, M; Vioque, J; Marco, A; Grimalt, JO. (2010). Concentrations and determinants of organochlorine levels among pregnant women in Eastern Spain. *Sci Total Environ.* 408: 5758-5767. <http://dx.doi.org/10.1016/j.scitotenv.2010.07.085>.
- L-N, L; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem.* 12: 1377-1393.
- Lo, C, hoC; Hung, CH; Yuan, CS; Wu, J, enF. (2007). Photoreduction of carbon dioxide with H-2 and H2O over TiO2 and ZrO2 in a circulated photocatalytic reactor. *Solar Energy Materials and Solar Cells.* 91: 1765-1774. <http://dx.doi.org/10.1016/j.solmat.2007.06.003>.
- Lo, IMC; Lam, CSC; Lai, KCK. (2005). Competitive effects of trichloroethylene on Cr(VI) removal by zero-valent iron. *J Environ Eng.* 131: 1598-1606. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:11\(1598\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:11(1598)).
- Lo, W, eiC; Sposito, G; Huang, Y, uHan. (2012). Modeling seismic stimulation: Enhanced non-aqueous fluid extraction from saturated porous media under pore-pressure pulsing at low frequencies. *Journal of Applied Geophysics.* 78: 77-84. <http://dx.doi.org/10.1016/j.jappgeo.2011.06.027>.
- Lock, E; Reed, C; Mcmillan, J; Oatis, J; Schnellmann, R. (2007). Lack of formic acid production in rat hepatocytes and human renal proximal tubule cells exposed to chloral hydrate or trichloroacetic acid. *Toxicology.* 230: 234-243. <http://dx.doi.org/10.1016/j.tox.2006.11.055>.
- Locke, MA; Reddy, KN; Gaston, LA; Zablotowicz, RM. (2002). Adjuvant modification of herbicide interactions in aqueous soil suspensions. *Soil Sci.* 167: 444-452.
- Lockey, J; Kelly, C; Cannon, G; Colby, T; Aldrich, V; Livingston, G. (1987). Progressive systemic sclerosis associated with exposure to trichloroethylene. *J Occup Med.* 29: 493-496.
- Loeber, C; Hendrix, M; Diez De Pinos, S; Goldberg, S. (1988). Trichloroethylene: A cardiac teratogen in developing chick embryos. *Pediatr Res.* 24: 740-744. <http://dx.doi.org/10.1203/00006450-198812000-00018>.
- Loeber, C; Runyan, R. (1990). A comparison of fibronectin, laminin, and galactosyltransferase adhesion mechanisms during embryonic cardiac mesenchymal cell migration in vitro. *Dev Biol.* 140: 401-412. [http://dx.doi.org/10.1016/0012-1606\(90\)90089-2](http://dx.doi.org/10.1016/0012-1606(90)90089-2).
- Lohse, S; Rosentreter, JJ. (2006). Photooxidation of aqueous trichloroethylene using a buoyant photocatalyst with reaction progress monitored via micro-headspace GC/MS. *Microchem J.* 82: 66-72. <http://dx.doi.org/10.1016/j.microc.2005.09.002>.
- Lojkasek-Lima, P; Aravena, R; Parker, BL; Cherry, JA. (2012). Fingerprinting TCE in a Bedrock Aquifer Using Compound-Specific Isotope Analysis. *Ground Water.* 50: 754-764. <http://dx.doi.org/10.1111/j.1745-6584.2011.00897.x>.
- Lojkasek-Lima, P; Aravena, R; Shouakar-Stash, O; Frapce, SK; Marchesi, M; Fiorenza, S; Vogan, J. (2012). Evaluating TCE abiotic and biotic degradation pathways in a permeable reactive barrier using compound specific isotope analysis. *Ground Water Monitoring and Remediation.* 32: 53-62. <http://dx.doi.org/10.1111/j.1745-6592.2012.01403.x>.
- Lollar, BS; Slater, GF; Ahad, J; Sleep, B; Spivack, J; Brennan, M; Mackenzie, P. (1999). Contrasting carbon isotope fractionation during biodegradation of trichloroethylene and toluene: Implications for intrinsic bioremediation. *Organic Geochemistry.* 30: 813-820.
- Lollar, BS; Slater, GF; Sleep, B; Witt, M; Klecka, GM; Harkness, M; Spivack, J. (2001). Stable carbon isotope evidence for intrinsic bioremediation of tetrachloroethene and trichloroethene at area 6, Dover Air Force Base. *Environ Sci Technol.* 35: 261-269. <http://dx.doi.org/10.1021/es001227x>.
- Long, C; Liu, P; Li, Y; Li, A; Zhang, Q. (2011). Characterization of Hydrophobic Hypercrosslinked Polymer as an Adsorbent for Removal of Chlorinated Volatile Organic Compounds. *Environ Sci Technol.* 45: 4506-4512. <http://dx.doi.org/10.1021/es104250j>.
- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng.* 119: 300-320.
- Long, T; Ramsburg, CA. (2011). Encapsulation of nZVI particles using a Gum Arabic stabilized oil-in-water emulsion. *J Hazard Mater.* 189: 801-808. <http://dx.doi.org/10.1016/j.jhazmat.2011.02.084>.
- Longnecker, M; Klebanoff, M; Dunson, D; Guo, X; Chen, Z; Zhou, H; Brock, J. (2005). Maternal serum level of the DDT metabolite DDE in relation to fetal loss in previous pregnancies. *Environ Res.* 97: 127-133. [http://dx.doi.org/10.1016/S0013-9351\(03\)00108-7](http://dx.doi.org/10.1016/S0013-9351(03)00108-7).
- Longnecker, MP; Gladen, BC; Cupul-Uicab, LA; Romano-Riquer, SP; Weber, JP; Chapin, RE; Hernández-Avila, M. (2007). In utero exposure to the antiandrogen 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) in relation to anogenital distance in male newborns from Chiapas, México. *Am J Epidemiol.* 165: 1015-1022. <http://dx.doi.org/10.1093/aje/kwk109>.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol.* 74: 133-144. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.007>.
- Lookman, R; Paulus, D; Marnette, E; Pijls, C; Ryngaert, A; Diels, L; Volkering, F. (2007). Ground water transfer initiates complete reductive dechlorination in a PCE-contaminated aquifer. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Loomer, DB; Al, T; Banks, VJ; Parker, BL; Mayer, KU. (2010). Manganese Valence in Oxides Formed from in Situ Chemical Oxidation of TCE by KMnO4. *Environ Sci Technol.* 44: 5934-5939. <http://dx.doi.org/10.1021/es100879w>.
- Loomer, DB; Al, T; Banks, VJ; Parker, BL; Mayer, KU. (2011). Manganese and trace-metal mobility under reducing conditions following in situ oxidation of TCE by KMnO4: A laboratory column experiment. *J Contam Hydrol.* 119: 13-24. <http://dx.doi.org/10.1016/j.jconhyd.2010.08.005>.
- Lope, V; Pérez-Gómez, B; Aragonés, N; López-Abente, G; Gustavsson, P; Plato, N; Silva-Mato, A; Pollán, M. (2009). Occupational exposure to chemicals and risk of thyroid cancer in Sweden. *Int Arch Occup Environ Health.* 82: 267-274. <http://dx.doi.org/10.1007/s00420-008-0314-4>.

Exposure Literature Search Results

Off Topic

- Lopes, FVS; Miranda, SM; Monteiro, RAR; Martins, SDS; Silva, AMT; Faria, JL; Boaventura, R; Vilar, VJP. (2013). Perchloroethylene gas-phase degradation over titania-coated transparent monoliths. *Appl Catal B-Environ.* 140: 444-456. <http://dx.doi.org/10.1016/j.apcatb.2013.04.034>.
- Lopes, TJ; Bender, DA. (1998). Nonpoint sources of volatile organic compounds in urban areas--relative importance of land surfaces and air. *Environ Pollut.* 101: 221-230. [http://dx.doi.org/10.1016/S0269-7491\(98\)00048-7](http://dx.doi.org/10.1016/S0269-7491(98)00048-7).
- Lopez, E; Diez, FV; Ordonez, S. (2008). Effect of organosulphur, organonitrogen and organooxygen compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al₂O₃. *Appl Catal B-Environ.* 82: 264-272. <http://dx.doi.org/10.1016/j.apcatb.2008.02.001>.
- Lopez, E; Ordonez, S; Diez, FV. (2003). Inhibition effects of organosulphur compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al₂O₃ catalysts. *Catalysis Today.* 84: 121-127. [http://dx.doi.org/10.1016/S0920-5861\(03\)00265-7](http://dx.doi.org/10.1016/S0920-5861(03)00265-7).
- Lopez-Carrillo, L; Torres-Sanchez, L; Moline, J; Ireland, K; Wolff, MS. (2001). Breast-feeding and serum p,p'DDT levels among Mexican women of childbearing age: a pilot study. *Environ Res.* 87: 131-135. <http://dx.doi.org/10.1006/enrs.2001.4296>.
- Lopez-Espinosa, MJ; Vizcaino, E; Murcia, M; Fuentes, V; Garcia, AM; Rebagliato, M; Grimalt, JO; Ballester, F. (2010). Prenatal exposure to organochlorine compounds and neonatal thyroid stimulating hormone levels. *J Expo Sci Environ Epidemiol.* 20: 579-588. <http://dx.doi.org/10.1038/jes.2009.47>.
- Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Alvarez-Uriarte, JI; Gonzalez-Velasco, JR. (2001). Comparative study of the oxidative decomposition of trichloroethylene over H-type zeolites under dry and humid conditions. *Appl Catal B-Environ.* 30: 303-313.
- Lopez-Fonseca, R; de Rivas, B; Gutierrez-Ortiz, JI; Aranzabal, A; Gonzalez-Velasco, JR. (2003). Enhanced activity of zeolites by chemical dealumination for chlorinated VOC abatement. *Appl Catal B-Environ.* 41: 31-42.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Ayastui, JL; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Gas-phase catalytic combustion of chlorinated VOC binary mixtures. *Appl Catal B-Environ.* 45: 13-21. [http://dx.doi.org/10.1016/S0926-3373\(03\)00106-1](http://dx.doi.org/10.1016/S0926-3373(03)00106-1).
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2002). Dealuminated Y zeolites for destruction of chlorinated volatile organic compounds. *J Catal.* 209: 145-150. <http://dx.doi.org/10.1006/jcat.2002.3591>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Application of zeolite catalysts for the abatement of chlorinated VOCs from waste streams. *Chem Paper Chem Zvesti.* 57: 413-420.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol.* 78: 15-22. <http://dx.doi.org/10.1002/jctb.726>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2005). Catalytic oxidation of aliphatic chlorinated volatile organic compounds over Pt/H-BETA zeolite catalyst under dry and humid conditions. *Catalysis Today.* 107-08: 200-207. <http://dx.doi.org/10.1016/j.cattod.2005.07.091>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2004). Catalytic combustion of chlorinated hydrocarbons over H-BETA and PdO/H-BETA zeolite catalysts. *Appl Catal A-Gen.* 271: 39-46. <http://dx.doi.org/10.1016/j.apcata.2004.02.044>.
- Lopez-Naranjo, EJ; Gonzalez-Ortiz, LJ; Apatiga, LM; Rivera-Munoz, EM; Manzano-Ramirez, A. (2016). Transparent Electrodes: A Review of the Use of Carbon-Based Nanomaterials. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2016/4928365>.
- Lorah, MM; Olsen, LD. (1999). Degradation of 1,1,2,2-tetrachloroethane in a freshwater tidal wetland: Field and laboratory evidence. *Environ Sci Technol.* 33: 227-234.
- Lorah, MM; Olsen, LD. (1999). Natural attenuation of chlorinated volatile organic compounds in a freshwater tidal wetland: Field evidence of anaerobic biodegradation. *Water Resour Res.* 35: 3811-3827.
- Loraine, GA. (2001). Effects of alcohols, anionic and nonionic surfactants on the reduction of PCE and TCE by zero-valent iron. *Water Res.* 35: 1453-1460.
- Lorden, SW; Chen, W; Lion, LW. (1998). Experiments and modeling of the transport of trichloroethene vapor in unsaturated aquifer material. *Environ Sci Technol.* 32: 2009-2017.
- Lorefice, S; di Meane, EA; Segal, M. (2010). Stability assessment of density reference liquids supported by GC-MS analysis (density reference liquids stability supported by GC-MS). *Measurement.* 43: 637-644. <http://dx.doi.org/10.1016/j.measurement.2010.01.005>.
- Lorimore, SA; Coates, PJ; Wright, EG. (2003). Radiation-induced genomic instability and bystander effects: Inter-related nontargeted effects of exposure to ionizing radiation [Review]. *Oncogene.* 22: 7058-7069. <http://dx.doi.org/10.1038/sj.onc.1207044>.
- Lou, JC; Hung, CM; Yang, BY. (2004). Catalytic destruction of dichloromethane using perovskite-type oxide catalysts. *Journal of the Air and Waste Management Association.* 54: 727-740.
- Louarn, E; Aulenta, F; Levantesi, C; Majone, M; Tandoi, V. (2006). Modeling substrate interactions during aerobic biodegradation of mixtures of vinyl chloride and ethene. *J Environ Eng.* 132: 940-948. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:8\(940\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:8(940)).
- Lovett-Doust, J; Lovett-Doust, L; Biernacki, M; Mal, TK; Lazar, R. (1997). Organic contaminants in submersed macrophytes drifting in the Detroit River. *Can J Fish Aquat Sci.* 54: 2417-2427.
- Lowe, KS; Gardner, FG; Siegrist, RL. (2002). Field evaluation of in situ chemical oxidation through vertical well-to-well recirculation of NaMnO₄. *Ground Water Monitoring and Remediation.* 22: 106-115.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol.* 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.
- Lowry, GV; Reinhard, M. (2000). Pd-catalyzed TCE dechlorination in groundwater: Solute effects, biological control, and oxidative catalyst regeneration. *Environ Sci Technol.* 34: 3217-3223.
- Lowry, GV; Reinhard, M. (2001). Pd-catalyzed TCE dechlorination in water: Effect of [H₂](aq) and H₂-utilizing competitive solutes on the TCE dechlorination rate and product distribution. *Environ Sci Technol.* 35: 696-702.

Exposure Literature Search Results

Off Topic

- Lowry, LK; Vandervort, R; Polakoff, PL. (1974). Biological indicators of occupational exposure to trichloroethylene. *J Occup Environ Med.* 16: 98-101.
- Lu, AH; Liu, J; Zhao, D; Guo, YJ; Li, QR; Li, N. (2004). Photocatalysis of V-bearing rutile on degradation of halohydrocarbons. *Catalysis Today.* 90: 337-342. <http://dx.doi.org/10.1016/j.cattod.2004.04.044>.
- Lu, B; Chen, G; Chen, D; Yu, W. (2016). An energy intensity optimization model for production system in iron and steel industry. *Applied Thermal Engineering.* 100: 285-295. <http://dx.doi.org/10.1016/j.applthermaleng.2016.01.064>.
- Lu, C; Bjerg, PL; Zhang, F; Broholm, MM. (2011). Sorption of chlorinated solvents and degradation products on natural clayey tills. *Chemosphere.* 83: 1467-1474. <http://dx.doi.org/10.1016/j.chemosphere.2011.03.007>.
- Lu, C; Holbrook, CM; Andres, L. (2010). The Implications of Using a Physiologically Based Pharmacokinetic (PBPK) Model for Pesticide Risk Assessment. *Environ Health Perspect.* 118: 125-130. <http://dx.doi.org/10.1289/ehp.0901144>.
- Lu, C, uiFen; Xie, C; Chen, Z, uX; Yang, G, uiC. (2006). Synthesis and investigation of PEG-supported amino dendrimers. *React Funct Polym.* 66: 952-956. <http://dx.doi.org/10.1016/j.reactfunctpolym.2006.01.004>.
- Lu, CJ; Lee, CM; Chung, MS. (1998). The comparison of trichloroethylene removal rates by methane- and aromatic-utilizing microorganisms. *Water Sci Technol.* 38: 19-24.
- Lu, H; Liu, JH; Li, W; Chen, KJ; Huang, XF. (1999). An investigation of the properties of silicon oxide prepared by oxidation of silicon in chlorine-containing ambients at 850 degrees C. *Mater Lett.* 38: 308-312.
- Lu, JA; Yang, H; Chen, SK; Shi, L; Pen, JG; Li, HL; Peng, SY. (1996). Synthesis of HFC-134a over CrF₃/AlF₃ catalysts. *Catalysis Letters.* 41: 221-224.
- Lu, P; Qian, L; Chu, Z; Xu, X. (2016). Role of Opportunism and Trust in Construction Projects: Empirical Evidence from China. *Journal of Management in Engineering.* 32. [http://dx.doi.org/10.1061/\(ASCE\)ME.1943-5479.0000401](http://dx.doi.org/10.1061/(ASCE)ME.1943-5479.0000401).
- Lu, Q; de Toledo, RA; Xie, F; Li, J; Shim, H. (2015). Combined removal of a BTEX, TCE, and cis-DCE mixture using *Pseudomonas* sp. immobilized on scrap tyres. *Environ Sci Pollut Res Int.* 22: 14043-14049. <http://dx.doi.org/10.1007/s11356-015-4644-y>.
- Lu, X; Wilson, JT; Kampbell, DH. (2006). Relationship between geochemical parameters and the occurrence of *Dehalococcoides* DNA in contaminated aquifers. *Water Resour Res.* 42. <http://dx.doi.org/10.1029/2005WR004283>.
- Lu, X; Wilson, JT; Kampbell, DH. (2009). Comparison of an assay for *Dehalococcoides* DNA and a microcosm study in predicting reductive dechlorination of chlorinated ethenes in the field. *Environ Pollut.* 157: 809-815. <http://dx.doi.org/10.1016/j.envpol.2008.11.015>.
- Lu, X; Wilson, JT; Shen, H; Henry, BM; Kampbell, DH. (2008). Remediation of TCE-contaminated groundwater by a permeable reactive barrier filled with plant mulch (Biowall). *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 43: 24-35. <http://dx.doi.org/10.1080/10934520701750421>.
- Lu, XJ; Sun, YW; Petersen, JN. (2003). Analytical solutions of TCE transport with convergent reactions. *Transport in Porous Media.* 51: 211-225.
- Lu, XJ; Sun, YW; Petersen, JN. (2004). Analytical solutions of TCE transport with convergent reactions, *Transport in Porous Media* 51, 211-225, 2003. *Transport in Porous Media.* 55: 255-255.
- Lu, XX; Li, GH; Tao, S; Bosma, T; Gerritse, J. (2002). Volatile fatty acids as electron donors for the reductive dechlorination of chloroethenes. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 439-449.
- Lu, XX; Tao, S; Bosma, T; Gerritse, J. (2001). Characteristic hydrogen concentrations for various redox processes in batch study. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 1725-1734.
- Luan, J; Ma, K, un; Wang, S, hu; Hu, Z; Li, Y; Pan, B. (2010). Research on Photocatalytic Degradation Pathway and Degradation Mechanisms of Organics. *Current Organic Chemistry.* 14: 645-682.
- Lubicki, P; Cross, JD; Jayaram, S. (1998). Removal of volatile organic compounds in water using low-energy electron beam. *I E E E Transactions on Dielectrics and Electrical Insulation.* 5: 219-224.
- Lucia, A; Finger, EJ. (2004). Co-solvent selection and recovery. *Adv Environ Res.* 8: 197-211. [http://dx.doi.org/10.1016/S1093-0191\(02\)00132-6](http://dx.doi.org/10.1016/S1093-0191(02)00132-6).
- Luciano, A; Viotti, P; Papini, MP. (2012). On Morphometric Properties of DNAPL Sources: Relating Architecture to Mass Reduction. *Water Air Soil Pollut.* 223: 2849-2864. <http://dx.doi.org/10.1007/s11270-011-1071-7>.
- Lucio-Ortiz, CJ; Rivera De la Rosa, J; Hernandez Ramirez, A; De Los Reyes Heredia, JA; del Angel, P, az; Munoz-Aguirre, S; De Leon-Covian, LM. (2011). Synthesis and characterization of Fe doped mesoporous Al₂O₃ by sol-gel method and its use in trichloroethylene combustion. *Journal of Sol-Gel Science and Technology.* 58: 374-384. <http://dx.doi.org/10.1007/s10971-011-2403-1>.
- Luebke, RW; Chen, DH; Dietert, R; Yang, Y; King, M; Luster, MI. (2006). The comparative immunotoxicity of five selected compounds following developmental or adult exposure [Review]. *J Toxicol Environ Health B Crit Rev.* 9: 1-26. <http://dx.doi.org/10.1080/15287390500194326>.
- Luecke, RH; Pearce, BA; Wosilait, WD; Doerge, DR; Slikker, W; Young, JF. (2008). Windows based general PBPK/PD modeling software. *Comput Biol Med.* 38: 962-978. <http://dx.doi.org/10.1016/j.combiomed.2008.06.001>.
- Luedde, T; Beraza, N; Kotsikoris, V; van Loo, G; Nenci, A; De Vos, R; Roskams, T; Trautwein, C; Pasparakis, M. (2007). Deletion of NEMO/IKKgamma in liver parenchymal cells causes steatohepatitis and hepatocellular carcinoma. *Cancer Cell.* 11: 119-132. <http://dx.doi.org/10.1016/j.ccr.2006.12.016>.
- Lukavsky, J; Furnadzhieva, S; Ditttr, F. (2011). Toxicity of Trichloroethylene (TCE) on Some Algae and Cyanobacteria. *Bull Environ Contam Toxicol.* 86: 226-231. <http://dx.doi.org/10.1007/s00128-011-0195-1>.
- Lumpkin, MH; Bruckner, JV; Campbell, JL; Dallas, CE; White, CA; Fisher, JW. (2003). Plasma binding of trichloroacetic acid in mice, rats, and humans under cancer bioassay and environmental exposure conditions. *Drug Metab Dispos.* 31: 1203-1207. <http://dx.doi.org/10.1124/dmd.31.10.1203>.

Exposure Literature Search Results

Off Topic

- Lund, SP; Kristiansen, GB. (2008). Hazards to hearing from combined exposure to toluene and noise in rats. *Int J Occup Med Environ Health*. 21: 47-57. <http://dx.doi.org/10.2478/v10001-008-0008-x>.
- Lundberg, I; Alfredsson, L; Plato, N; Sverdrup, B; Klareskog, L; Kleinau, S. (1994). Occupation, occupational exposure to chemicals and rheumatological disease: A register based cohort study. *Scand J Rheumatol*. 23: 305-310. <http://dx.doi.org/10.3109/03009749409099278>.
- Lundgren, B; DePierre, JW. (1989). Proliferation of peroxisomes and induction of cytosolic and microsomal epoxide hydrolases in different strains of mice and rats after dietary treatment with clofibrate. *Xenobiotica*. 19: 867-881.
- Lundgren, B; Meijer, J; DePierre, JW. (1987). Induction of cytosolic and microsomal epoxide hydrolases and proliferation of peroxisomes and mitochondria in mouse liver after dietary exposure to p-chlorophenoxyacetic acid, 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid. *Biochem Pharmacol*. 36: 815-821. [http://dx.doi.org/10.1016/0006-2952\(87\)90169-9](http://dx.doi.org/10.1016/0006-2952(87)90169-9).
- Luo; Pawliszyn. (2000). Membrane extraction with a sorbent interface for headspace monitoring of aqueous samples using a cap sampling device. *Anal Chem*. 72: 1058-1063.
- Luo, F; Chen, Z; Megharaj, M; Naidu, R. (2016). Simultaneous removal of trichloroethylene and hexavalent chromium by green synthesized agarose-Fe nanoparticles hydrogel. *Chem Eng J*. 294: 290-297. <http://dx.doi.org/10.1016/j.cej.2016.03.005>.
- Luo, H; Jin, S; Fallgren, PH; Colberg, PJS; Johnson, PA. (2010). Prevention of iron passivation and enhancement of nitrate reduction by electron supplementation. *Chem Eng J*. 160: 185-189. <http://dx.doi.org/10.1016/j.cej.2010.03.036>.
- Luo, J; Farrell, J. (2003). Examination of hydrophobic contaminant adsorption in mineral micropores with grand canonical Monte Carlo simulations. *Environ Sci Technol*. 37: 1775-1782. <http://dx.doi.org/10.1021/es0260014>.
- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech*. 10: 77-84. <http://dx.doi.org/10.1007/s13762-012-0082-2>.
- Luo, J; Suib, SL; Hayashi, Y; Matsumoto, H. (2000). Water splitting in low-temperature AC plasmas at atmospheric pressure. *Res Chem Intermed*. 26: 849-874.
- Luo, J; Suib, SL; Marquez, M; Hayashi, Y; Matsumoto, H. (1998). Decomposition of NO_x with low-temperature plasmas at atmospheric pressure: Neat and in the presence of oxidants, reductants, water, and carbon dioxide. *J Phys Chem A*. 102: 7954-7963.
- Luo, M; Mazyar, OA; Zhu, Q; Vaughn, MW; Hase, WL; Dai, LL. (2006). Molecular dynamics simulation of nanoparticle self-assembly at a liquid-liquid interface. *Langmuir*. 22: 6385-6390. <http://dx.doi.org/10.1021/la0607196>.
- Luo, M; Song, Y; Dai, LL. (2009). Effects of methanol on nanoparticle self-assembly at liquid-liquid interfaces: a molecular dynamics approach. *J Chem Phys*. 131: 194703. <http://dx.doi.org/10.1063/1.3258344>.
- Luo, M; Yuan, S; Tong, M; Liao, P; Xie, W; Xu, X. (2014). An integrated catalyst of Pd supported on magnetic Fe₃O₄ nanoparticles: simultaneous production of H₂O₂ and Fe²⁺ for efficient electro-Fenton degradation of organic contaminants. *Water Res*. 48: 190-199. <http://dx.doi.org/10.1016/j.watres.2013.09.029>.
- Luo, Q. (2014). Oxidative treatment of aqueous monochlorobenzene with thermally-activated persulfate. 8: 188-194. <http://dx.doi.org/10.1007/s11783-013-0544-x>.
- Luo, S, i; Lu, T; Peng, L; Shao, J; Zeng, Q; Gu, J, iD. (2014). Synthesis of nanoscale zero-valent iron immobilized in alginate microcapsules for removal of Pb(II) from aqueous solution. 2: 15463-15472. <http://dx.doi.org/10.1039/c4ta02920h>.
- Luo, S, i; Yang, S; Wang, X; Sun, C. (2010). Reductive degradation of tetrabromobisphenol A over iron-silver bimetallic nanoparticles under ultrasound radiation. *Chemosphere*. 79: 672-678. <http://dx.doi.org/10.1016/j.chemosphere.2010.02.011>.
- Luo, X; Li, R, an; Zong, J; Zhang, Y; Li, H; Zhang, T, ao. (2014). Enhanced degradation of azo dye by nanoporous-copper-decorated Mg-Cu-Y metallic glass powder through dealloying pretreatment. *Appl Surf Sci*. 305: 314-320. <http://dx.doi.org/10.1016/j.apsusc.2014.03.069>.
- Luo, XW; Foo, SC; Ong, HY. (1997). Serum DDT and DDE levels in Singapore general population. *Sci Total Environ*. 208: 97-104.
- Luo, Y; Gao, Q; Yang, X. (2007). Dynamic modeling of chemical fate and transport in multimedia environments at watershed scale-II: trichloroethylene test case. *J Environ Manage*. 83: 56-65. <http://dx.doi.org/10.1016/j.jenvman.2006.01.018>.
- Luo, Y; Ollis, DF. (1996). Heterogeneous photocatalytic oxidation of trichloroethylene and toluene mixtures in air: Kinetic promotion and inhibition, time-dependent catalyst activity. *J Catal*. 163: 1-11.
- Luo, Y; Zou, L; Hu, E. (2006). Enhanced degradation efficiency of toluene using titania/silica photocatalysis as a regeneration process. *Environ Technol*. 27: 359-366.
- Luo, YZ; Adams, M; Pawliszyn, J. (1997). Aqueous sample direct extraction and analysis by membrane extraction with a sorbent interface. *Analyst*. 122: 1461-1469.
- Luo, YZ; Adams, M; Pawliszyn, J. (1998). Kinetic study of membrane extraction with a sorbent interface for air analysis. *Anal Chem*. 70: 248-254.
- Lutz, WK; Gaylor, DW; Conolly, RB; Lutz, RW. (2005). Nonlinearity and thresholds in dose-response relationships for carcinogenicity due to sampling variation, logarithmic dose scaling, or small differences in individual susceptibility [Review]. *Toxicol Appl Pharmacol*. 207: S565-S569. <http://dx.doi.org/10.1016/j.taap.2005.01.038>.
- Lybarger, JA; Lichtveld, MY; Amler, RW. (1999). Biomedical testing of the kidney for persons exposed to hazardous substances in the environment. *Ren Fail*. 21: 263-274. <http://dx.doi.org/10.3109/08860229909085088>.
- Lynch, A; Parry, J. (1993). The cytochalasin-B micronucleus/kinetochore assay in vitro: studies with 10 suspected aneugens. *Mutat Res*. 287: 71-86. [http://dx.doi.org/10.1016/0027-5107\(93\)90146-7](http://dx.doi.org/10.1016/0027-5107(93)90146-7).
- Lyon, WG; West, CC; Osborn, ML; Sewell, GW. (1995). Microbial utilization of vadose zone organic carbon for reductive dechlorination of tetrachloroethene. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 30: 1627-1639.

Exposure Literature Search Results

Off Topic

- Lyons, MA; Yang, RS; Mayeno, AN; Reisfeld, B. (2008). Computational toxicology of chloroform: reverse dosimetry using Bayesian inference, Markov chain Monte Carlo simulation, and human biomonitoring data. *Environ Health Perspect.* 116: 1040-1046. <http://dx.doi.org/10.1289/ehp.11079>.
- Lyu, J; Wang, J; Lu, C; Ma, L, ei; Zhang, Q; He, X; Li, X. (2014). Size-Dependent Halogenated Nitrobenzene Hydrogenation Selectivity of Pd Nanoparticles. *J Phys Chem C.* 118: 2594-2601. <http://dx.doi.org/10.1021/jp411442f>.
- Ma, C; Wu, Y. (2008). Dechlorination of perchloroethylene using zero-valent metal and microbial community. *Environ Geol.* 55: 47-54. <http://dx.doi.org/10.1007/s00254-007-0963-8>.
- Ma, C; Wu, Y; Sun, C; Lee, L. (2007). Adsorption characteristics of perchloroethylene in natural sandy materials with low organic carbon content. *Environ Geol.* 52: 1511-1519. <http://dx.doi.org/10.1007/s00254-006-0595-4>.
- Ma, CM; Ku, Y. (2006). Photocatalytic oxidation of gaseous trichloroethylene by UV/TiO₂ process. 89: 293-301.
- Ma, CM; Ku, Y; Jeng, F, uT; Kuo, Y, uLin. (2007). Effect of platinum on the decomposition efficiency and apparent quantum yield of photocatalysis of isopropanol in an annular photoreactor. *Journal of Advanced Oxidation Technologies.* 10: 361-368.
- Ma, CM; Lee, YW; Hong, GB; Su, TL; Shie, JL; Chang, CT. (2011). Effect of platinum on the photocatalytic degradation of chlorinated organic compound. *J Environ Sci.* 23: 687-692. [http://dx.doi.org/10.1016/S1001-0742\(10\)60480-9](http://dx.doi.org/10.1016/S1001-0742(10)60480-9).
- Ma, CM; Wang, W; Ku, Y; Jeng, FT. (2007). Photocatalytic degradation of benzene in air streams in an optical fiber photoreactor. *Chem Eng Tech.* 30: 1083-1087. <http://dx.doi.org/10.1002/ceat.200700138>.
- Ma, H, ui; Huang, Y; Shen, M; Guo, R, ui; Cao, X; Shi, X. (2012). Enhanced dechlorination of trichloroethylene using electrospun polymer nanofibrous mats immobilized with iron/palladium bimetallic nanoparticles. *J Hazard Mater.* 211: 349-356. <http://dx.doi.org/10.1016/j.jhazmat.2011.11.038>.
- Ma, H, ui; Huang, Y; Shen, M; Hu, D; Yang, H; Zhu, M; Yang, S; Shi, X. (2013). Enhanced decoloration efficacy of electrospun polymer nanofibers immobilized with Fe/Ni bimetallic nanoparticles. *RSC Advances.* 3: 6455-6465. <http://dx.doi.org/10.1039/c3ra20843e>.
- Ma, HW; Wu, KY; Ton, CD. (2002). Setting information priorities for remediation decisions at a contaminated-groundwater site. *Chemosphere.* 46: 75-81.
- Ma, HZ; O'Loughlin, EJ; Burriss, DR. (2001). Factors affecting humic-nickel complex mediated seduction of trichloroethene in homogeneous aqueous solution. *Environ Sci Technol.* 35: 717-724. <http://dx.doi.org/10.1021/es001314p>.
- Ma, J, iaJun; Liu, L, iQiu; Su, B, in; Xie, B, aiC. (2015). Exploring the critical factors and appropriate polices for reducing energy consumption of China's urban civil building sector. *J Clean Prod.* 103: 446-454. <http://dx.doi.org/10.1016/j.jclepro.2014.11.001>.
- Ma, N; Quan, X, ie; Zhang, Y; Chen, S; Zhao, H. (2009). Integration of separation and photocatalysis using an inorganic membrane modified with Si-doped TiO₂ for water purification. *J Memb Sci.* 335: 58-67.
- Ma, R; Hu, P; Jin, L; Wang, Y; Lu, J; Luo, M. (2011). Characterization of CrOx/Al₂O₃ catalysts for dichloromethane oxidation. *Catalysis Today.* 175: 598-602. <http://dx.doi.org/10.1016/j.cattod.2011.04.025>.
- Ma, R, ui; Zhu, J; Wu, B; Hu, J; Li, X. (2017). Distribution and Qualitative and Quantitative Analyses of Chlorides in Distillates of Shengli Crude Oil. *Energy Fuels.* 31: 374-378. <http://dx.doi.org/10.1021/acs.energyfuels.6b02527>.
- Ma, X; Anand, D; Zhang, X; Talapatra, S. (2011). Adsorption and Desorption of Chlorinated Compounds from Pristine and Thermally Treated Multiwalled Carbon Nanotubes. *J Phys Chem C.* 115: 4552-4557. <http://dx.doi.org/10.1021/jp1117272>.
- Ma, X; Burken, JG. (2003). TCE diffusion to the atmosphere in phytoremediation applications. *Environ Sci Technol.* 37: 2534-2539. <http://dx.doi.org/10.1021/es026055d>.
- Ma, X; He, D; Jones, AM; Collins, RN; Waite, TD. (2016). Reductive reactivity of borohydride- and dithionite-synthesized iron-based nanoparticles: A comparative study. *J Hazard Mater.* 303: 101-110. <http://dx.doi.org/10.1016/j.jhazmat.2015.10.009>.
- Ma, X; Novak, PJ; Clapp, LW; Semmens, MJ; Hozalski, RM. (2003). Evaluation of polyethylene hollow-fiber membranes for hydrogen delivery to support reductive dechlorination in a soil column. *Water Res.* 37: 2905-2918. [http://dx.doi.org/10.1016/S0043-1354\(03\)00111-8](http://dx.doi.org/10.1016/S0043-1354(03)00111-8).
- Ma, X; Novak, PJ; Semmens, MJ; Clapp, LW; Hozalski, RM. (2006). Comparison of pulsed and continuous addition of H₂ gas via membranes for stimulating PCE biodegradation in soil columns. *Water Res.* 40: 1155-1166. <http://dx.doi.org/10.1016/j.watres.2006.01.005>.
- Ma, X; Wang, C. (2009). Impacts of the physiochemical properties of chlorinated solvents on the sorption of trichloroethylene to the roots of *Typha latifolia*. *Environ Pollut.* 157: 1019-1023. <http://dx.doi.org/10.1016/j.envpol.2008.10.005>.
- Ma, X; Wang, C. (2010). Fullerene Nanoparticles Affect the Fate and Uptake of Trichloroethylene in Phytoremediation Systems. *Environ Eng Sci.* 27: 989-992. <http://dx.doi.org/10.1089/ees.2010.0141>.
- Ma, XM; Burken, J. (2004). Modeling of RE diffusion to the atmosphere and distribution in plant stems. *Environ Sci Technol.* 38: 4580-4586. <http://dx.doi.org/10.1021/es035435b>.
- Maboya, WK; Coville, NJ; Mhlanga, SD. (2016). The Synthesis of Carbon Nanomaterials using Chlorinated Hydrocarbons over a Fe-Co/CaCO₃ Catalyst. *South African Journal of Chemistry.* 69: 15-26.
- Mabrouk, M; Marchand, M; Baronnet, JM; Lemont, F. (2016). Trichloroethylene Combustion in a Submerged Thermal Plasma: Results and Chemical Kinetics Model. *Plasma Chemistry and Plasma Processing.* 36: 1085-1110. <http://dx.doi.org/10.1007/s11090-016-9693-6>.
- Macca, I; Carrieri, M; Scapellato, ML; Scopa, P; Trevisan, A; Bartolucci, GB. (2012). Biological monitoring of exposure to perchloroethylene in dry cleaning workers. *Med Lav.* 103: 382-393.
- Macchiarini, P. (2006). Primary tracheal tumours [Review]. *Lancet Oncol.* 7: 83-91. [http://dx.doi.org/10.1016/S1470-2045\(05\)70541-6](http://dx.doi.org/10.1016/S1470-2045(05)70541-6).
- Macdonald, N; Holden, PR; Roberts, RA. (1999). Addition of peroxisome proliferator-activated receptor alpha to guinea pig hepatocytes confers increased responsiveness to peroxisome proliferators. *Cancer Res.* 59: 4776-4780.

Exposure Literature Search Results

Off Topic

- Macfarlane, S; Mackay, D. (1998). A fugacity-based screening model to assess contamination and remediation of the subsurface containing non-aqueous phase liquids. *Journal of Soil Contamination*. 7: 17-46.
- Machado, S; Stawinski, W; Slonina, P; Pinto, AR; Grosso, JP; Nouws, HPA; Albergaria, JT; Delerue-Matos, C. (2013). Application of green zero-valent iron nanoparticles to the remediation of soils contaminated with ibuprofen. *Sci Total Environ*. 461: 323-329. <http://dx.doi.org/10.1016/j.scitotenv.2013.05.016>.
- Mackay, DM; Bianchimosquera, G; Kopania, AA; Kianjah, H; Thorbjarnarson, KW. (1994). A FORCED-GRADIENT EXPERIMENT ON SOLUTE TRANSPORT IN THE BORDEN AQUIFER .1. EXPERIMENTAL METHODS AND MOMENT ANALYSES OF RESULTS. *Water Resour Res*. 30: 369-383.
- Mackay, DM; Wilson, RD; Brown, MJ; Ball, WP; Xia, G; Durfee, DP. (2000). A controlled field evaluation of continuous vs. pulsed pump-and-treat remediation of a VOC-contaminated aquifer: site characterization, experimental setup, and overview of results. *J Contam Hydrol*. 41: 81-131.
- Mackay, JM; Fox, V; Griffiths, K; Fox, DA; Howard, CA; Coutts, C; Wyatt, I; Styles, JA. (1995). Trichloroacetic acid: Investigation into the mechanism of chromosomal damage in the in vitro human lymphocyte cytogenetic assay and the mouse bone marrow micronucleus test. *Carcinogenesis*. 16: 1127-1133. <http://dx.doi.org/10.1093/carcin/16.5.1127>.
- Mackenzie, K; Battke, J; Koehler, R; Kopinke, FD. (2005). Catalytic effects of activated carbon on hydrolysis reactions of chlorinated organic compounds - Part 2. 1,1,2,2-tetrachloroethane. *Appl Catal B-Environ*. 59: 171-179. <http://dx.doi.org/10.1016/j.apcatb.2005.02.005>.
- Mackenzie, K; Schierz, A; Georgi, A; Kopinke, FD. (2008). Colloidal activated carbon and carbo-iron - Novel materials for in-situ groundwater treatment. *Global NEST J*. 10: 54-61.
- Mackinnon, LK; Thomson, NR. (2002). Laboratory-scale in situ chemical oxidation of a perchloroethylene pool using permanganate. *J Contam Hydrol*. 56: 49-74.
- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health*. 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Maeda, S; Kamata, H; Luo, JL; Leffert, H; Karin, M. (2005). IKKbeta couples hepatocyte death to cytokine-driven compensatory proliferation that promotes chemical hepatocarcinogenesis. *Cell*. 121: 977-990. <http://dx.doi.org/10.1016/j.cell.2005.04.014>.
- Magana-Lopez, R; Luna-Pabello, VM; Barrera-Godinez, JA; Orta de Velasquez, MT; Fernandez-Villagomez, G. (2016). Effect of mineral aggregates on the morphology and viability of *Toxocara canis* eggs. *Ecol Eng*. 90: 125-134. <http://dx.doi.org/10.1016/j.ecoleng.2016.01.071>.
- Maghsoodi, S; Khodadadi, AA; Towfighi, J; Mortazavi, Y. (2013). Enhanced Trichloroethylene Catalytic Oxidation on Modified Lanthanum Manganite Nano-Perovskites. *Int J Chem React Eng*. 11. <http://dx.doi.org/10.1515/ijcre-2013-0005>.
- Maghsoodi, S; Towfighi, J; Khodadadi, A; Mortazavi, Y. (2013). The effects of excess manganese in nano-size lanthanum manganite perovskite on enhancement of trichloroethylene oxidation activity. *Chem Eng J*. 215: 827-837. <http://dx.doi.org/10.1016/j.cej.2012.11.005>.
- Magnusson, B; Kligman, AM. (1969). The identification of contact allergens by animal assay. The guinea pig maximization test. *J Invest Dermatol*. 52: 268-276. <http://dx.doi.org/10.1038/jid.1969.42>.
- Maguin, K; Campo, P; Parietti-Winkler, C. (2009). Toluene can perturb the neuronal voltage-dependent Ca²⁺ channels involved in the middle-ear reflex. *Toxicol Sci*. 107: 473-481. <http://dx.doi.org/10.1093/toxsci/kfn242>.
- Magureanu, M; Mandache, NB; Hu, JC; Richards, R; Florea, M; Parvulescu, VI. (2007). Plasma-assisted catalysis total oxidation of trichloroethylene over gold nano-particles embedded in SBA-15 catalysts. *Appl Catal B-Environ*. 76: 275-281. <http://dx.doi.org/10.1016/j.apcatb.2007.05.030>.
- Magureanu, M; Mandache, NB; Parvulescu, VI. (2007). Chlorinated organic compounds decomposition in a dielectric barrier discharge. *Plasma Chemistry and Plasma Processing*. 27: 679-690. <http://dx.doi.org/10.1007/s11090-007-9103-1>.
- Magureanu, M; Mandache, NB; Parvulescu, VI; Subrahmanyam, C, h; Renken, A; Kiwi-Minsker, L. (2007). Improved performance of non-thermal plasma reactor during decomposition of trichloroethylene: Optimization of the reactor geometry and introduction of catalytic electrode. *Appl Catal B-Environ*. 74: 270-277. <http://dx.doi.org/10.1016/j.apcatb.2007.02.019>.
- Magureanu, M; Piroi, D; Mandache, NB; Parvulescu, VI; Parvulescu, V; Cojocar, B; Cadigan, C; Richards, R; Daly, H; Hardacre, C. (2011). In situ study of ozone and hybrid plasma Ag-Al catalysts for the oxidation of toluene: Evidence of the nature of the active sites. *Appl Catal B-Environ*. 104: 84-90. <http://dx.doi.org/10.1016/j.apcatb.2011.02.025>.
- Mahal, MK; Murao, A; Johnson, GR; Russo, AE; Brusseau, ML. (2010). NONIDEAL BEHAVIOR DURING COMPLETE DISSOLUTION OF ORGANIC IMMISCIBLE LIQUID: 1. IDEAL POROUS MEDIA. *Water Air Soil Pollut*. 213: 191-197. <http://dx.doi.org/10.1007/s11270-010-0377-1>.
- Mahamuni, NN; Adewuyi, YG. (2010). Advanced oxidation processes (AOPs) involving ultrasound for waste water treatment: A review with emphasis on cost estimation. *Ultrason Sonochem*. 17: 990-1003. <http://dx.doi.org/10.1016/j.ultsonch.2009.09.005>.
- Mahendra, S; Alvarez-Cohen, L. (2006). Kinetics of 1,4-dioxane biodegradation by monoxygenase-expressing bacteria. *Environ Sci Technol*. 40: 5435-5442. <http://dx.doi.org/10.1021/es060714v>.
- Mahendra, S; Grostern, A; Alvarez-Cohen, L. (2013). The impact of chlorinated solvent co-contaminants on the biodegradation kinetics of 1,4-dioxane. *Chemosphere*. 91: 88-92. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.104>.
- Mahesh, KPO; Sivakumar, M; Yamamoto, Y; Tsujita, Y; Yoshimizu, H; Okamoto, S. (2005). Structure and properties of the mesophase of syndiotactic polystyrene - IX. Preferential sorption behavior of sPS-p-chlorotoluene mesophase membrane in a mixture of solvents. *J Memb Sci*. 262: 11-19. <http://dx.doi.org/10.1016/j.memsci.2005.04.002>.
- Mahle, DA; Gearhart, JM; Grigsby, CC; Mattie, DR; Barton, HA; Lipscomb, JC; Cook, RS. (2007). Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Environ Health A*. 70: 1745-1751. <http://dx.doi.org/10.1080/15287390701458991>.

Exposure Literature Search Results

Off Topic

- Mahle, DA; Godfrey, RJ; Buttler, GW; Narayanan, L; Fisher, JW; Taylor, A. (1999). Pharmacokinetics and metabolism of dichloroacetic acid and trichloroacetic acid administered in drinking water in rats and mice. Wright-Patterson AFB, OH: Human Effectiveness Directorate. <http://dodreports.com/pdf/ada453207.pdf>.
- Mahltig, B; Gutmann, E; Meyer, DC. (2011). Solvothermal preparation of nanocrystalline anatase containing TiO₂ and TiO₂/SiO₂ coating agents for application of photocatalytic treatments. *Mater Chem Phys*. 127: 285-291. <http://dx.doi.org/10.1016/j.matchemphys.2011.02.012>.
- Mahmoodlu, MG; Hartog, N; Hassanizadeh, SM; Raoof, A. (2013). Oxidation of volatile organic vapours in air by solid potassium permanganate. *Chemosphere*. 91: 1534-1538. <http://dx.doi.org/10.1016/j.chemosphere.2012.12.035>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N. (2014). Evaluation of the kinetic oxidation of aqueous volatile organic compounds by permanganate. *Sci Total Environ*. 485-486: 755-763. <http://dx.doi.org/10.1016/j.scitotenv.2013.11.066>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N; Raoof, A. (2014). Oxidation of trichloroethylene, toluene, and ethanol vapors by a partially saturated permeable reactive barrier. *J Contam Hydrol*. 164: 193-208. <http://dx.doi.org/10.1016/j.jconhyd.2014.05.013>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N; Raoof, A; van Genuchten, MT. (2015). Evaluation of a horizontal permeable reactive barrier for preventing upward diffusion of volatile organic compounds through the unsaturated zone. *J Environ Manage*. 163: 204-213. <http://dx.doi.org/10.1016/j.jenvman.2015.08.025>.
- Mahmoud, ME; Saad, EA; Soliman, MA, li; Abdelwahab, MS. (2016). Synthesis and surface protection of nano zerovalent iron (NZVI) with 3-aminopropyltrimethoxysilane for water remediation of cobalt and zinc and their radioactive isotopes. *RSC Advances*. 6: 66242-66251. <http://dx.doi.org/10.1039/c6ra11049e>.
- Mahmoud, MHH; Ismail, AA; Sanad, MMS. (2012). Developing a cost-effective synthesis of active iron oxide doped titania photocatalysts loaded with palladium, platinum or silver nanoparticles. *Chem Eng J*. 187: 96-103. <http://dx.doi.org/10.1016/j.cej.2012.01.105>.
- Mahr, AD; Neogi, T; Merkel, PA. (2006). Epidemiology of Wegener's granulomatosis: Lessons from descriptive studies and analyses of genetic and environmental risk determinants [Review]. *Clin Exp Rheumatol*. 24: S82-S91.
- Maia, JL; Cerra, AL; Alves Filho, AG. (2010). Exploring variables of transaction costs in Brazilian automotive supply chains. *Industrial Management + Data Systems*. 110: 567-590. <http://dx.doi.org/10.1108/02635571011039034>.
- Mailhes, J; Aardema, M; Marchetti, F. (1993). Investigation of aneuploidy induction in mouse oocytes following exposure to vinblastine-sulfate, pyrimethamine, diethylstilbestrol diphosphate, or chloral hydrate. *Environ Mol Mutagen*. 22: 107-114. <http://dx.doi.org/10.1002/em.2850220209>.
- Mainhagu, J; Morrison, C; Brusseau, ML. (2015). Using vapor phase tomography to measure the spatial distribution of vapor concentrations and flux for vadose-zone VOC sources. *J Contam Hydrol*. 177-178: 54-63. <http://dx.doi.org/10.1016/j.jconhyd.2015.03.002>.
- Maira, AJ; Lau, WN; Lee, CY; Yue, PL; Chan, CK; Yeung, KL. (2003). Performance of a membrane-catalyst for photocatalytic oxidation of volatile organic compounds. *Chem Eng Sci*. 58: 959-962. [http://dx.doi.org/10.1016/S0009-2509\(02\)00634-6](http://dx.doi.org/10.1016/S0009-2509(02)00634-6).
- Maira, AJ; Yeung, KL; Lee, CY; Yue, PL; Chan, CK. (2000). Size effects in gas-phase photo-oxidation of trichloroethylene using nanometer-sized TiO₂ catalysts. *J Catal*. 192: 185-196.
- Maitheepala, RA; Doong, RA. (2004). Synergistic effect of copper ion on the reductive dechlorination of carbon tetrachloride by surface-bound Fe(II) associated with goethite. *Environ Sci Technol*. 38: 260-268. <http://dx.doi.org/10.1021/es034228k>.
- Maitheepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environ Sci Technol*. 39: 4082-4090. <http://dx.doi.org/10.1021/es048428b>.
- Maitre, A; Hours, M; Bonnetterre, V; Arnaud, J; Arslan, MT; Carpentier, P; Bergeret, A; de Gaudemaris, R. (2004). Systemic sclerosis and occupational risk factors: role of solvents and cleaning products. *J Rheumatol*. 31: 2395-2401.
- Majid, A; Sparks, BD; Khan, AA; Xu, JG. (1999). Treatment of used diesel invert drilling mud to remove hydrocarbons, fix lead, and leach brine. *Journal of Soil Contamination*. 8: 255-283.
- Major, D; Edwards, E; Mccarty, P; Gossett, J; Hendrickson, E; Loeffler, F; Zinder, S; Ellis, D; Vidumsky, J; Harkness, M; Klecka, G; Cox, E. (2003). Discussion of environment vs. bacteria or let's play, 'name that bacteria'. *Ground Water Monitoring and Remediation*. 23: 32-+.
- Major, DW; McMaster, ML; Cox, EE; Edwards, EA; Dworatzek, SM; Hendrickson, ER; Starr, MG; Payne, JA; Buonamici, LW. (2002). Field demonstration of successful bioaugmentation to achieve dechlorination of tetrachloroethene to ethene. *Environ Sci Technol*. 36: 5106-5116. <http://dx.doi.org/10.1021/es0255711>.
- Mak, VW; Chatzis, I; Hudgins, RR; Fayed, ME. (2004). Removal of VOCs by sorption in fixed beds of popcorn. *Can J Chem Eng*. 82: 194-197.
- Makarovic, K; Meden, A; Hrovat, M; Holc, J; Bencan, A; Dakskobler, A; Kosec, M. (2012). The Effect of Processing Conditions on the Properties of LTCC Material. *Journal of the American Ceramic Society*. 95: 760-767. <http://dx.doi.org/10.1111/j.1551-2916.2011.05027.x>.
- Malaguerra, F; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ. (2011). Development and Sensitivity Analysis of a Fully Kinetic Model of Sequential Reductive Dechlorination in Groundwater. *Environ Sci Technol*. 45: 8395-8402. <http://dx.doi.org/10.1021/es201270z>.
- Malarkey, DE; Johnson, K; Ryan, L; Boorman, G; Maronpot, RR. (2005). New insights into functional aspects of liver morphology. *Toxicol Pathol*. 33: 27-34. <http://dx.doi.org/10.1080/01926230590881826>.
- Malherbe, P; Alberati-Giani, D; Kohler, C; Cesura, AM. (1995). Identification of a mitochondrial form of kynurenine aminotransferase/glutamine transaminase K from rat brain. *FEBS Lett*. 367: 141-144. [http://dx.doi.org/10.1016/0014-5793\(95\)00546-L](http://dx.doi.org/10.1016/0014-5793(95)00546-L).
- Malinga, SP; Arotiba, OA; Krause, RWM; Mapolie, SF; Diallo, MS; Mamba, BB. (2013). Composite polyester membranes with embedded dendrimer hosts and bimetallic Fe/Ni nanoparticles: synthesis, characterisation and application to water treatment. *J Nanopart Res*. 15. <http://dx.doi.org/10.1007/s11051-013-1698-y>.
- Mallick, KK; Holland, D. (2005). Strengthening of container glasses by ion-exchange dip coating. *Journal of Non-Crystalline Solids*. 351: 2524-2536. <http://dx.doi.org/10.1016/j.jnoncrysol.2005.06.040>.

Exposure Literature Search Results

Off Topic

- Mallick, KK; Holland, D. (2013). A method of surface strengthening of soda lime aluminosilicate glasses by Li and Al ion vapour treatment. *Journal of Materials Science*. 48: 5012-5021. <http://dx.doi.org/10.1007/s10853-013-7288-7>.
- Malocha, DC; Francois-Saint-Cyr, H; Richardson, K; Helmbold, R. (2002). Measurements of LGS, LGN, and LGT thermal coefficients of expansion and density. *IEEE Trans Ultrason Ferroelectr Freq Control*. 49: 350-355.
- Malone, R; Warner, RC; Evangelou, VP; Wong, JL. (1994). TRANSPORT OF BENZENE AND TRICHLOROETHYLENE THROUGH A LANDFILL SOIL LINER MIXED WITH COAL SLURRY. *Waste Manag Res*. 12: 417-428.
- Maltoni, C; Cotti, G. (1986). Results of long-term carcinogenicity bioassays of tetrachloroethylene on Sprague-Dawley rats administered by ingestion. *Acta Oncologica (Italy)*. 7: 11-26.
- Mandel, J; Kelsh, M. (2001). A review of the epidemiology of trichloroethylene and kidney cancer. *Hum Ecol Risk Assess*. 7: 727-735.
- Mandel, JH; Kelsh, M; Mink, PJ; Alexander, DD. (2008). Trichloroethylene exposure and non-Hodgkin's lymphoma: supportive evidence [Letter]. *Occup Environ Med*. 65: 147-148. <http://dx.doi.org/10.1136/oem.2007.035212>.
- Mandel, JH; Kelsh, MA; Mink, PJ; Alexander, DD; Kalmes, RM; Weingart, M; Yost, L; Goodman, M. (2006). Occupational trichloroethylene exposure and non-Hodgkin's lymphoma: A meta-analysis and review [Review]. *Occup Environ Med*. 63: 597-607. <http://dx.doi.org/10.1136/oem.2005.022418>.
- Mandel, JS. (2001). Renal cell cancer correlated with occupational exposure to trichloroethylene [Letter]. *J Cancer Res Clin Oncol*. 127: 265-266. <http://dx.doi.org/10.1007/s004320000231>.
- Mandel, JS; McLaughlin, JK; Schlehofer, B; Mellemegaard, A; Helmert, U; Lindblad, P; Mccredie, M; Adami, HO. (1995). International renal-cell cancer study. IV. Occupation. *Int J Cancer*. 61: 601-605. <http://dx.doi.org/10.1002/ijc.2910610503>.
- Mangir, M. (1991). A test system for the rapid detection of nuclear and cytoplasmic damage in Chinese hamster ovary cells. *Chemosphere*. 23: 777-784. [http://dx.doi.org/10.1016/0045-6535\(91\)90081-N](http://dx.doi.org/10.1016/0045-6535(91)90081-N).
- Manne, S; Fasanella, N; Connors, J; Floyd, B; Wang, H; Lessin, S. (2004). Sun protection and skin surveillance practices among relatives of patients with malignant melanoma: prevalence and predictors. *Prev Med*. 39: 36-47.
- Manoli, G; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ; Broholm, MM. (2012). A remediation performance model for enhanced metabolic reductive dechlorination of chloroethenes in fractured clay till. *J Contam Hydrol*. 131: 64-78. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.004>.
- Mantha, R; Taylor, KE; Biswas, N; Bewtra, JK. (2001). A continuous system for Fe(0) reduction of nitrobenzene in synthetic wastewater. *Environ Sci Technol*. 35: 3231-3236. <http://dx.doi.org/10.1021/es0014943>.
- Mao, D; Revil, A; Hort, RD; Munakata-Marr, J; Atekwana, EA; Kulesa, B. (2015). Resistivity and self-potential tomography applied to groundwater remediation and contaminant plumes: Sandbox and field experiments. *J Hydrol*. 530: 1-14. <http://dx.doi.org/10.1016/j.jhydrol.2015.09.031>.
- Mao, F; Gaunt, JA; Cheng, C, huLin; Ong, S, ayKee. (2011). Microscopic Visualization Technique to Predict the Permeation of Organic Solvents through PVC Pipes in Water Distribution Systems. *J Environ Eng*. 137: 137-145. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000306](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000306).
- Mao, F; Gaunt, JA; Ong, S, ayKee. (2009). Permeation of organic contaminants through PVC pipes. *J Am Water Works Assoc*. 101: 128-+.
- Mao, R, an; Zhao, X, u; Lan, H; Liu, H; Qu, J. (2014). Efficient electrochemical reduction of bromate by a Pd/rGO/CFP electrode with low applied potentials. *Appl Catal B-Environ*. 160: 179-187. <http://dx.doi.org/10.1016/j.apcatb.2014.04.040>.
- Mao, R; Zhao, X; Lan, H; Liu, H; Qu, J. (2015). Graphene-modified Pd/C cathode and Pd/GAC particles for enhanced electrocatalytic removal of bromate in a continuous three-dimensional electrochemical reactor. *Water Res*. 77: 1-12. <http://dx.doi.org/10.1016/j.watres.2015.03.002>.
- Mao, X; Baek, K; Alshawabkeh, AN. (2015). IRON ELECTROCOAGULATION WITH ENHANCED CATHODIC REDUCTION FOR THE REMOVAL OF AQUEOUS CONTAMINANT MIXTURES. *Environmental Engineering and Management Journal*. 14: 2905-2911.
- Mao, X; Ciblak, A, li; Amiri, M; Alshawabkeh, AN. (2011). Redox Control for Electrochemical Dechlorination of Trichloroethylene in Bicarbonate Aqueous Media. *Environ Sci Technol*. 45: 6517-6523. <http://dx.doi.org/10.1021/es200943z>.
- Mao, X; Ciblak, A, li; Baek, K; Amiri, M; Loch-Carusio, R; Alshawabkeh, AN. (2012). Optimization of electrochemical dechlorination of trichloroethylene in reducing electrolytes. *Water Res*. 46: 1847-1857. <http://dx.doi.org/10.1016/j.watres.2012.01.002>.
- Mao, X; Wang, J; Ciblak, A, li; Cox, EE; Riis, C; Terkelsen, M; Gent, DB; Alshawabkeh, AN. (2012). Electrokinetic-enhanced bioaugmentation for remediation of chlorinated solvents contaminated clay. *J Hazard Mater*. 213: 311-317. <http://dx.doi.org/10.1016/j.jhazmat.2012.02.001>.
- Mao, X; Yuan, S; Fallahpour, N; Ciblak, A; Howard, J; Padilla, I; Loch-Carusio, R; Alshawabkeh, AN. (2012). Electrochemically Induced Dual Reactive Barriers for Transformation of TCE and Mixture of Contaminants in Groundwater. *Environ Sci Technol*. 46: 12003-12011. <http://dx.doi.org/10.1021/es301711a>.
- Maphosa, F; Smidt, H; de Vos, WM; Röling, WF. (2010). Microbial community- and metabolite dynamics of an anoxic dechlorinating bioreactor. *Environ Sci Technol*. 44: 4884-4890. <http://dx.doi.org/10.1021/es903721s>.
- Marano, DE; Boice, JD, Jr; Fryzek, JP; Morrison, JA; Sadler, CJ; McLaughlin, JK. (2000). Exposure assessment for a large epidemiological study of aircraft manufacturing workers. *Appl Occup Environ Hyg*. 15: 644-656. <http://dx.doi.org/10.1080/10473220050075653>.
- Marble, JC; Carroll, KC; Janousek, H; Brusseau, ML. (2010). In situ oxidation and associated mass-flux-reduction/mass-removal behavior for systems with organic liquid located in lower-permeability sediments. *J Contam Hydrol*. 117: 82-93. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.002>.

Exposure Literature Search Results

Off Topic

- Marchesi, M; Aravena, R; Sra, KS; Thomson, NR; Otero, N; Soler, A; Mancini, S. (2012). Carbon isotope fractionation of chlorinated ethenes during oxidation by Fe²⁺ activated persulfate. *Sci Total Environ.* 433: 318-322. <http://dx.doi.org/10.1016/j.scitotenv.2012.06.051>.
- Marchesi, M; Thomson, NR; Aravena, R; Sra, KS; Otero, N; Soler, A. (2013). Carbon isotope fractionation of 1,1,1-trichloroethane during base-catalyzed persulfate treatment. *J Hazard Mater.* 260: 61-66. <http://dx.doi.org/10.1016/j.jhazmat.2013.05.011>.
- Marciniak, B. (2002). Density and ultrasonic velocity of undersaturated and supersaturated solutions of fluoranthene in trichloroethylene, and study of their metastable zone width. *J Cryst Growth.* 236: 347-356.
- Marciniak, B. (2002). The growth, morphology and perfection of fluoranthene crystals grown from supercooled chlorine derivative solutions on spontaneously formed seeds. *J Cryst Growth.* 236: 333-346.
- Marco-Urrea, E; Aranda, E; Caminal, G; Guillén, F. (2009). Induction of hydroxyl radical production in *Trametes versicolor* to degrade recalcitrant chlorinated hydrocarbons. *Bioresour Technol.* 100: 5757-5762. <http://dx.doi.org/10.1016/j.biortech.2009.06.078>.
- Marco-Urrea, E; Gabarrell, X; Caminal, G; Vicent, T; Reddy, CA. (2008). Aerobic degradation by white-rot fungi of trichloroethylene (TCE) and mixtures of TCE and perchloroethylene (PCE). *J Chem Tech Biotechnol.* 83: 1190-1196. <http://dx.doi.org/10.1002/jctb.1914>.
- Marco-Urrea, E; Nijenhuis, I; Adrian, L. (2011). Transformation and carbon isotope fractionation of tetra- and trichloroethene to trans-dichloroethene by *Dehalococcoides* sp. strain CBDB1. *Environ Sci Technol.* 45: 1555-1562. <http://dx.doi.org/10.1021/es1023459>.
- Marco-Urrea, E; Parella, T; Gabarrell, X; Caminal, G; Vicent, T; Adinarayana Reddy, C. (2008). Mechanistics of trichloroethylene mineralization by the white-rot fungus *Trametes versicolor*. *Chemosphere.* 70: 404-410. <http://dx.doi.org/10.1016/j.chemosphere.2007.06.074>.
- Marcus, DL; Bonds, C. (1999). Results of the reactant sand-fracking pilot test and implications for the in situ remediation of chlorinated VOCs and metals in deep and fractured bedrock aquifers. *J Hazard Mater.* 68: 125-153.
- Marcus, Y. (2006). Preferential solvation in mixed solvents. 14. Mixtures of 1,4-dioxane with organic solvents: Kirkwood-Buff integrals and volume-corrected preferential solvation parameters. *Journal of Molecular Liquids.* 128: 115-126. <http://dx.doi.org/10.1016/j.molliq.2005.12.005>.
- Marczinek, S; Schafer, W; Peiffer, S. (2006). Identification and quantification of natural degradation processes in an aquifer contaminated with chlorinated ethenes. *Grundwasser.* 11: 207-216. <http://dx.doi.org/10.1007/s00767-006-0146-7>.
- Marinas, BJ; Li, RA. (1994). COMPOSITE SORPTION OF PURE VAPORS ON POLYOLEFINS, CARBON, AND MINERALS. *J Environ Eng.* 120: 1207-1231.
- Mariner, PE; Jin, M; Studer, JE; Pope, GA. (1999). The first vadose zone partitioning interwell tracer test for nonaqueous phase liquid and water residual. *Environ Sci Technol.* 33: 2825-2828.
- Marinsky, JA; Miyajima, T. (1998). Interpretation of the unique complexation behavior of transition metal ions in solid and liquid anion exchangers. *React Funct Polym.* 38: 127-135.
- Mariscal, MM; Mayoral, A; Olmos-Asar, JA; Magen, C; Mejia-Rosales, S; Perez-Tijerina, E; Jose-Yacaman, M. (2011). Nanoalloying in real time. A high resolution STEM and computer simulation study. *Nanoscale.* 3: 5013-5019. <http://dx.doi.org/10.1039/c1nr11052g>.
- Markels, JH; Lynn, S; Radke, CJ. (1995). DESIGN OF MICELLAR-ENHANCED ULTRAFILTERS. *Ind Eng Chem Res.* 34: 2436-2449.
- Markoc, AG; Sisul, G. (2015). Self-optimizing Uplink Outer Loop Power Control for WCDMA Network. *Radioengineering.* 24: 499-506. <http://dx.doi.org/10.13164/re.2015.0499>.
- Markoc, AG; Sisul, G. (2016). Optimal implementation of novel WCDMA uplink outer loop power control algorithm. *AEU: International Journal of Electronics and Communication.* 70: 1219-1227. <http://dx.doi.org/10.1016/j.aeue.2016.06.007>.
- Markwald, R; Eisenberg, C; Eisenberg, L; Trusk, T; Sugi, Y. (1996). Epithelial-mesenchymal transformations in early avian heart development [Review]. *Acta Anat.* 156: 173-186. <http://dx.doi.org/10.1159/000147845>.
- Markwald, RR; Runyan, RB; Kitten, GT; Funderburg, FM; Bernanke, DH; Brayer, PR. (1984). Use of collagen gel cultures to study heart development: Preteoglycan and glycoprotein interactions during formation of endocardial cushion tissue. In RL Trelstad (Ed.), (pp. 323-350). New York, NY: Alan R. Liss.
- Marongiu, B; Pusceddu, E; Porcedda, S; Lepori, L; Matteoli, E. (2006). Thermodynamic study of 1,1,2,2-tetrachloroethane plus hydrocarbon mixtures I. Excess and solvation enthalpies. *Fluid Phase Equilibria.* 250: 105-115. <http://dx.doi.org/10.1016/j.fluid.2006.10.013>.
- Maronpot, R; Anna, C; Devereux, T; Lucier, G; Butterworth, B; Anderson, M. (1995). Growth factors and tumor promotion: Implications for risk assessment: Proceedings of the Seventh International Conference on Carcinogenesis and Risk Assessment, held in Austin, Texas, on December 1-4, 1993 Considerations concerning the murine hepatocarcinogenicity of selected chlorinated hydrocarbons [Review]. In *Prog Clin Biol Res.* New York, NY: Wiley-Liss.
- Maronpot, RR. (2007). Biological basis of differential susceptibility to hepatocarcinogenesis among mouse strains. 3rd Workshop of the Standing Committee on Risk Analysis Issues and Reviews: Mouse liver tumors: Benefits and constraints on use in human health risk assessment, qualitative and quantitative aspects. http://dels-old.nas.edu/best/risk_analysis/Documents/background%20paper.pdf.
- Maronpot, RR; Flake, G; Huff, J. (2004). Relevance of animal carcinogenesis findings to human cancer predictions and prevention [Review]. *Toxicol Pathol.* 32: 40-48. <http://dx.doi.org/10.1080/01926230490425003>.
- Maronpot, RR; Fox, T; Malarkey, DE; Goldsworthy, TL. (1995). Mutations in the ras proto-oncogene: Clues to etiology and molecular pathogenesis of mouse liver tumors. *Toxicology.* 101: 125-156. [http://dx.doi.org/10.1016/0300-483X\(95\)03112-S](http://dx.doi.org/10.1016/0300-483X(95)03112-S).
- Marotta, E; Bosa, E; Scorrano, G; Paradisi, C. (2005). Positive and negative ion chemistry of the anesthetic halothane (1-bromo-1-chloro-2,2,2-trifluoroethane) in air plasma at atmospheric pressure. *Rapid Commun Mass Spectrom.* 19: 391-396. <http://dx.doi.org/10.1002/rcm.1794>.
- Marr, LC; Booth, EC; Andersen, RG; Widdowson, MA; Novak, JT. (2006). Direct volatilization of naphthalene to the atmosphere at a phytoremediation site. *Environ Sci Technol.* 40: 5560-5566. <http://dx.doi.org/10.1021/es060087+>.

Exposure Literature Search Results

Off Topic

- Marrazzini, A; Betti, C; Bernacchi, F; Barrai, I; Barale, R. (1994). Micronucleus test and metaphase analyses in mice exposed to known and suspected spindle poisons. *Mutagenesis*. 9: 505-515. <http://dx.doi.org/10.1093/mutage/9.6.505>.
- Marshall, EG; Gensburg, LJ; Deres, DA; Geary, NS; Cayo, MR. (1997). Maternal residential exposure to hazardous wastes and risk of central nervous system and musculoskeletal birth defects. *Arch Environ Health*. 52: 416-425. <http://dx.doi.org/10.1080/00039899709602220>.
- Marshall, JP. (2011). Hands-on assistance improves already successful pollution prevention services of the toxics use reduction institute's laboratory. *J Clean Prod*. 19: 424-428. <http://dx.doi.org/10.1016/j.jclepro.2010.05.020>.
- Marshall, RA; Hamilton, JTG; Dring, MJ; Harper, DB. (2000). The red alga *Asparagopsis taxiformis*/Falkenbergia hillebrandii - a possible source of trichloroethylene and perchloroethylene? *Limnol Oceanogr*. 45: 516-519.
- Marsman, DS; Cattley, RC; Conway, JG; Popp, JA. (1988). Relationship of hepatic peroxisome proliferation and replicative DNA synthesis to the hepatocarcinogenicity of the peroxisome proliferators di(2-ethylhexyl)phthalate and [4-chloro-6-(2,3-xylylidino)-2-pyrimidinylthio]acetic acid (Wy-14,643) in rats. *Cancer Res*. 48: 6739-6744.
- Marsman, DS; Goldsworthy, TL; Popp, JA. (1992). Contrasting hepatocytic peroxisome proliferation, lipofuscin accumulation and cell turnover for the hepatocarcinogens Wy-14,643 and clofibrilic acid. *Carcinogenesis*. 13: 1011-1017. <http://dx.doi.org/10.1093/carcin/13.6.1011>.
- Martel, R; Gelinat, PJ; Desnoyers, JE; Masson, A. (1993). PHASE-DIAGRAMS TO OPTIMIZE SURFACTANT SOLUTIONS FOR OIL AND DNAPL RECOVERY IN AQUIFERS. *Ground Water*. 31: 789-800.
- Martel, R; Hébert, A; Lefebvre, R; Gelinat, P; Gabriel, U. (2004). Displacement and sweep efficiencies in a DNAPL recovery test using micellar and polymer solutions injected in a five-spot pattern. *J Contam Hydrol*. 75: 1-29. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.007>.
- Martin, EJ; Kueper, BH. (2011). Observation of trapped gas during electrical resistance heating of trichloroethylene under passive venting conditions. *J Contam Hydrol*. 126: 291-300. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.004>.
- Martin, F; Christia, A; Moulin, P; Fumery, JL; Bevilacqua, D. (2007). Renal adenocarcinoma risk and industrial painting. *Arch Mal Prof Environ*. 68: 57-65.
- Martinez Vargas, DX; Rivera De la Rosa, J; Lucio-Ortiz, CJ; Hernandez-Ramirez, A; Flores-Escamilla, GA; Garcia, CD. (2015). Photocatalytic degradation of trichloroethylene in a continuous annular reactor using Cu-doped TiO₂ catalysts by sol-gel synthesis. *Appl Catal B- Environ*. 179: 249-261. <http://dx.doi.org/10.1016/j.apcatb.2015.05.019>.
- Martinez-Larrañaga, MR; Anadón, A; Díaz, MJ; Fernandez, R; Sevil, B; Fernandez-Cruz, ML; Fernandez, MC; Martinez, MA; Anton, R. (1996). Induction of cytochrome P4501A1 and P4504A1 activities and peroxisomal proliferation by fumonisin B1. *Toxicol Appl Pharmacol*. 141: 185-194. <http://dx.doi.org/10.1006/taap.1996.0275>.
- Martinez-Rodriguez, MJ; Fox, EB; Rhodes, WD; Mcwhorter, CS; Greenway, S; Colon-Mercado, HR. (2011). The Effect of Low Concentrations of Tetrachloroethylene on the Performance of PEM Fuel Cells. *J Electrochem Soc*. 158: B698-B702. <http://dx.doi.org/10.1149/1.3563799>.
- Martino, M; Rosal, R; Sastre, H; Diez, FV. (1999). Hydrodechlorination of dichloromethane, trichloroethane, trichloroethylene and tetrachloroethylene over a sulfided Ni/Mo-gamma-alumina catalyst. *Appl Catal B-Environ*. 20: 301-307.
- Martra, G; Coluccia, S; Marchese, L; Augugliaro, V; Loddo, V; Palmisano, L; Schiavello, M. (1999). The role of H₂O in the photocatalytic oxidation of toluene in vapour phase on anatase TiO₂ catalyst - A FTIR study. *Catalysis Today*. 53: 695-702.
- Marzougui, S; Schaefer, G; Dridi, L. (2012). Prediction of Vertical DNAPL Vapour Fluxes in Soils Using Quasi-Analytical Approaches: Bias Related to Density-Driven and Pressure-Gradient-Induced Advection. *Water Air Soil Pollut*. 223: 5817-5840. <http://dx.doi.org/10.1007/s11270-012-1319-x>.
- Maskaoui, K; Zhou, JL; Zheng, TL; Hong, H; Yu, Z. (2005). Organochlorine micropollutants in the Jiulong River Estuary and Western Xiamen Sea, China. *Mar Pollut Bull*. 51: 950-959. <http://dx.doi.org/10.1016/j.marpolbul.2004.11.018>.
- Massabo, M; Catania, F; Piazza, DD; Paladino, O. (2008). GROUNDWATER RISK ASSESSMENT OF PCE AT A CONTAMINATED SITE. *Fresen Environ Bull*. 17: 1452-1459.
- Masten, SJ. (1991). Ozonation of VOC's in the presence of humic acid and soils (pp. 287-312). (ISSN 0191-9512; EISSN 1547-6545; BIOSIS/91/25845). Masten, SJ.
- Masten, SJ; Hoigne, J. (1992). COMPARISON OF OZONE AND HYDROXYL RADICAL-INDUCED OXIDATION OF CHLORINATED HYDROCARBONS IN WATER. *Ozone: Science and Engineering*. 14: 197-214.
- Mastin, BJ; Sherrard, RM; Rodgers, JH; Shah, YT. (2001). Hybrid cavitation/constructed wetland reactors for treatment of chlorinated and non-chlorinated organics. *Chem Eng Tech*. 24: 97A-105A.
- Masuda, S; Hosokawa, S; Tu, X; Wang, Z. (1995). NOVEL PLASMA CHEMICAL TECHNOLOGIES - PPCP AND SPCP FOR CONTROL OF GASEOUS-POLLUTANTS AND AIR TOXICS. *Journal of Electrostatics*. 34: 415-438.
- Mather, GG; Exon, JH; Koller, LD. (1990). Subchronic 90 day toxicity of dichloroacetic and trichloroacetic acid in rats. *Toxicology*. 64: 71-80. [http://dx.doi.org/10.1016/0300-483X\(90\)90100-U](http://dx.doi.org/10.1016/0300-483X(90)90100-U).
- Mathes, SE; Rasmussen, TC. (2006). Combining multivariate statistical analysis with geographic information systems mapping: a tool for delineating groundwater contamination. *Hydrogeology Journal*. 14: 1493-1507. <http://dx.doi.org/10.1007/s10040-006-0041-4>.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environ Sci Technol*. 28: 2045-2053.
- Matlochova, A; Placha, D; Rapantova, N. (2013). The Application of Nanoscale Materials in Groundwater Remediation. *Pol J Environ Stud*. 22: 1401-1410.
- Matsuda, S; Hara, M; Miura, M; Matsuda, T; Ueda, M; Satoh, Y; Hashimoto, KY. (2011). Correlation between temperature coefficient of elasticity and fourier transform infrared spectra of silicon dioxide films for surface acoustic wave devices [Letter]. *IEEE Trans Ultrason Ferroelectr Freq Control*. 58: 1684-1687. <http://dx.doi.org/10.1109/TUFFC.2011.1996>.

Exposure Literature Search Results

Off Topic

- Matsuda, S; Hara, M; Miura, M; Matsuda, T; Ueda, M; Satoh, Y; Hashimoto, KY. (2012). Use of fluorine-doped silicon oxide for temperature compensation of radio frequency surface acoustic wave devices. *IEEE Trans Ultrason Ferroelectr Freq Control*. 59: 135-138. <http://dx.doi.org/10.1109/TUFFC.2012.2164>.
- Matsui, Y; Fukuda, Y; Inoue, T; Matsushita, T. (2003). Effect of natural organic matter on powdered activated carbon adsorption of trace contaminants: characteristics and mechanism of competitive adsorption. *Water Res*. 37: 4413-4424. [http://dx.doi.org/10.1016/S0043-1354\(03\)00423-8](http://dx.doi.org/10.1016/S0043-1354(03)00423-8).
- Matsui, Y; Knappe, DRU; Iwaki, K; Ohira, H. (2002). Pesticide adsorption by granular activated carbon adsorbers. 2. Effects of pesticide and natural organic matter characteristics on pesticide breakthrough curves. *Environ Sci Technol*. 36: 3432-3438. <http://dx.doi.org/10.1021/es011366u>.
- Matsui, Y; Knappe, DRU; Takagi, R. (2002). Pesticide adsorption by granular activated carbon adsorbers. 1. Effect of natural organic matter preloading on removal rates and model simplification. *Environ Sci Technol*. 36: 3426-3431. <http://dx.doi.org/10.1021/es0113652>.
- Matsumoto, M; Hashimoto, T; Murata, K; Goto, S. (1994). SURFACE MODIFICATION OF CARBON WHISKERS BY OXIDATION TREATMENT. *Carbon*. 32: 111-118.
- Matsumura, M; Kojima, T. (2001). Decomposition of trichloroethylene in soil by electric osmosis. *Kagaku Kogaku Ronbunshu*. 27: 1-6.
- Matsunaga, K; Yamabe, S; Mori, T. (1997). Photodegradation of polychlorobiphenyls by titanium dioxide/ferric ion/hydrogen peroxide/UV light system. *JTTHE*. 43: 174-181.
- Matsushita, K; Nakata, T; Tamura, J. (2015). The application of 2,2,2-trichloroethyl sulfate to the synthesis of chondroitin sulfate C and D. *Carbohydr Res*. 406: 76-85. <http://dx.doi.org/10.1016/j.carres.2015.01.007>.
- Mattei, F; Guida, F; Matrat, M; Cenée, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med*. 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Matthews, JL; Gademann, K; Jaun, B; Seebach, D. (1998). Linear and cyclic beta(3)-oligopeptides with functionalised side-chains (-CH₂OBN, -CO₂Bn, -CH(2)CH(2)CO₂Bn) derived from serine and from aspartic and glutamic acid. *J Chem Soc Perkin Trans I* 3331-3340.
- Matthews, SM; Boegel, AJ; Loftis, JA; Caufield, RA; Mincher, BJ; Meikrantz, DH; Murphy, RJ. (1993). DECOMPOSITION OF HALOGENATED HYDROCARBONS USING INTENSE, PENETRATING BREMSSTRAHLUNG. *Radiat Phys Chem Oxf Engl* 1993. 42: 689-693.
- Matthias, U; Roempp, S. (1994). Evaluation of the Dreissena-monitor at the River Rhine: A new biological monitoring system based on the zebra mussel *Dreissena polymorpha*. *Acta Hydrochim Hydrobiol*. 22: 161-165.
- Matthieu, DE; Brusseau, ML; Guo, Z; Plaschke, M; Carroll, KC; Brinker, F. (2014). Persistence of a Groundwater Contaminant Plume after Hydraulic Source Containment at a Chlorinated-Solvent Contaminated Site. *Ground Water Monitoring and Remediation*. 34: 23-32. <http://dx.doi.org/10.1111/gwmmr.12077>.
- Matthieu, DE; Brusseau, ML; Johnson, GR; Artioli, JL; Bowden, ML; Curry, JE. (2013). Intercalation of trichloroethene by sediment-associated clay minerals. *Chemosphere*. 90: 459-463. <http://dx.doi.org/10.1016/j.chemosphere.2012.07.061>.
- Mattioli, S; Truffelli, D; Baldasseroni, A; Risi, A; Marchesini, B; Giacomini, C; Bacchini, P; Violante, FS; Buiatti, E. (2002). Occupational risk factors for renal cell cancer: A case-control study in northern Italy. *J Occup Environ Med*. 44: 1028-1036. <http://dx.doi.org/10.1097/01.jom.0000038320.36316.cb>.
- Matturro, B; Presta, E; Rossetti, S. (2016). Reductive dechlorination of tetrachloroethene in marine sediments: Biodiversity and dehalorespiring capabilities of the indigenous microbes. *Sci Total Environ*. 545-546: 445-452. <http://dx.doi.org/10.1016/j.scitotenv.2015.12.098>.
- Matveev, KI; Odyakov, VF; Zhizhina, EG. (2001). New route to vicasol, a water-soluble form of vitamin K-3. *Russian Journal of Applied Chemistry*. 74: 469-472.
- Maupin, I; Pinard, L; Mijoin, J; Magnoux, P. (2012). Bifunctional mechanism of dichloromethane oxidation over Pt/Al₂O₃: CH₂Cl₂ disproportionation over alumina and oxidation over platinum. *J Catal*. 291: 104-109. <http://dx.doi.org/10.1016/j.jcat.2012.04.011>.
- May, HD; Cutter, LA; Miller, GS; Milliken, CE; Watts, JE; Sowers, KR. (2006). Stimulatory and inhibitory effects of organohalides on the dehalogenating activities of PCB-dechlorinating bacterium o-17. *Environ Sci Technol*. 40: 5704-5709. <http://dx.doi.org/10.1021/es052521y>.
- Maya, K; Singh, RS; Upadhyay, SN; Dubey, SK. (2011). Kinetic analysis reveals bacterial efficacy for biodegradation of chlorpyrifos and its hydrolyzing metabolite TCP. *Process Biochemistry*. 46: 2130-2136. <http://dx.doi.org/10.1016/j.procbio.2011.08.012>.
- Mayeno, AN; Yang, RS; Reisfeld, B. (2005). Biochemical reaction network modeling: predicting metabolism of organic chemical mixtures. *Environ Sci Technol*. 39: 5363-5371. <http://dx.doi.org/10.1021/es0479991>.
- Mayer, AS; Zhong, L; Pope, GA. (1999). Measurement of mass-transfer rates for surfactant-enhanced solubilization of nonaqueous phase liquids. *Environ Sci Technol*. 33: 2965-2972.
- Mayer, KP; Grbic-Galic, D; Semprini, L; Mccarty, PL. (1988). DEGRADATION OF TRICHLOROETHYLENE BY METHANOTROPHIC BACTERIA IN A LABORATORY COLUMN OF SATURATED AQUIFER MATERIAL (pp. 8-11). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/89/20931). Mayer, KP; Grbic-Galic, D; Semprini, L; Mccarty, PL.
- Mayer, KU; Benner, SG; Blowes, DW. (2006). Process-based reactive transport modeling of a permeable reactive barrier for the treatment of mine drainage. *J Contam Hydrol*. 85: 195-211. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.006>.
- Mayer, KU; Blowes, DW; Frind, EO. (2001). Reactive transport modeling of an in situ reactive barrier for the treatment of hexavalent chromium and trichloroethylene in groundwater. *Water Resour Res*. 37: 3091-3103.

Exposure Literature Search Results

Off Topic

- Mayer-Blackwell, K; Azizian, MF; Machak, C; Vitale, E; Carpani, G; de Ferra, F; Semprini, L; Spormann, AM. (2014). Nanoliter qPCR platform for highly parallel, quantitative assessment of reductive dehalogenase genes and populations of dehalogenating microorganisms in complex environments. *Environ Sci Technol.* 48: 9659-9667. <http://dx.doi.org/10.1021/es500918w>.
- Mayer-Blackwell, K; Fincker, M; Molenda, O; Callahan, B; Sewell, H; Holmes, S; Edwards, EA; Spormann, AM. (2016). 1,2-Dichloroethane Exposure Alters the Population Structure, Metabolism, and Kinetics of a Trichloroethene-Dechlorinating Dehalococcoides mccartyi Consortium. *Environ Sci Technol.* 50: 12187-12196. <http://dx.doi.org/10.1021/acs.est.6b02957>.
- Maymó-Gatell, X; Nijenhuis, I; Zinder, SH. (2001). Reductive dechlorination of cis-1,2-dichloroethene and vinyl chloride by "Dehalococcoides ethenogenes". *Environ Sci Technol.* 35: 516-521. <http://dx.doi.org/10.1021/es001285i>.
- Mazaj, M; Logar, NZ. (2015). Phase Formation Study of Ca-Terephthalate MOF-Type Materials. *Cryst Growth Des.* 15: 617-624. <http://dx.doi.org/10.1021/cg501273b>.
- Mazur, CS; Jones, WJ. (2001). Hydrogen concentrations in sulfate-reducing estuarine sediments during PCE dehalogenation. *Environ Sci Technol.* 35: 4783-4788. <http://dx.doi.org/10.1021/es0110372>.
- Mccandrews, B; Heinze, K; Diguseppi, W. (2003). Defining TCE plume source areas using the Membrane Interface Probe (MIP). *Soil Sediment Contam.* 12: 799-813. <http://dx.doi.org/10.1080/10588330390254838>.
- Mccarthy, KA; Johnson, RL. (1993). TRANSPORT OF VOLATILE ORGANIC-COMPOUNDS ACROSS THE CAPILLARY-FRINGE. *Water Resour Res.* 29: 1675-1683.
- Mccarthy, KA; Johnson, RL. (1995). Measurement of trichloroethylene diffusion as a function of moisture content in sections of gravity-drained soil columns. *J Environ Qual.* 24: 49-55.
- Mccarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Sci Technol.* 42: 49-60.
- Mccarty, PL; Chu, M, inY; Kitanidis, PK. (2007). Electron donor and pH relationships for biologically enhanced dissolution of chlorinated solvent DNAPL in groundwater. *European Journal of Soil Biology.* 43: 276-282. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.004>.
- Mccarty, PL; Goltz, MN; Hopkins, GD; Dolan, ME; Allan, JP; Kawakami, BT; Carrothers, TJ. (1998). Full-scale evaluation of in situ cometabolic degradation of trichloroethylene in groundwater through toluene injection. *Environ Sci Technol.* 32: 88-100.
- McCarver, DG; Byun, R; Hines, RN; Hichme, M; Wegenek, W. (1998). A genetic polymorphism in the regulatory sequences of human CYP2E1: Association with increased chlorzoxazone hydroxylation in the presence of obesity and ethanol intake. *Toxicol Appl Pharmacol.* 152: 276-281. <http://dx.doi.org/10.1006/taap.1998.8532>.
- Mccarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. *J Pharmacol Exp Ther.* 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- Mccauley, KM; Pratt, DA; Wilson, S. R.; Shey, J; Burkey, TJ; van Der Donk, WA. (2005). Properties and reactivity of chlorovinylcobalamin and vinylcobalamin and their implications for vitamin B-12-catalyzed reductive dechlorination of chlorinated alkenes. *J Am Chem Soc.* 127: 1126-1136. <http://dx.doi.org/10.1021/ja0488573p>.
- Mccauley, KM; Wilson, S. R.; van Der Donk, WA. (2002). Dichloroacetylene is not the precursor to dichlorinated vinylcobaloxime and vinylcobalamin in cobalt catalyzed dechlorination of perchloro- and trichloroethylene. *Inorg Chem.* 41: 5844-5848. <http://dx.doi.org/10.1021/ic025714k>.
- Mccauley, KM; Wilson, S. R.; van Der Donk, WA. (2002). Synthesis and characterization of chlorinated alkenylcobaloximes to probe the mechanism of vitamin B(12)-catalyzed dechlorination of priority pollutants. *Inorg Chem.* 41: 393-404. <http://dx.doi.org/10.1021/ic011023x>.
- Mccaulou, DR; Huling, SG. (1999). Compatibility of bentonite and DNAPLs. *Ground Water Monitoring and Remediation.* 19: 78-86.
- Mcclellan, KL; Buras, N; Bales, RC. (1989). BIODEGRADATION OF TRICHLOROETHYLENE BY BACTERIA INDIGENOUS TO A CONTAMINATED SITE. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 24: 561-570.
- Mccormick, K; Abdel-Rahman, M. (1991). The role of testosterone in trichloroethylene penetration in vitro. *Environ Res.* 54: 82-92.
- Mccray, JE; Dugan, PJ. (2002). Nonideal equilibrium dissolution of trichloroethene from a decane-based nonaqueous phase liquid mixture: Experimental and modeling investigation. *Water Resour Res.* 38. <http://dx.doi.org/10.1029/2001WR000883>.
- McCredie, M; Stewart, JH. (1993). Risk factors for kidney cancer in New South Wales. IV. Occupation. *Br J Ind Med.* 50: 349-354.
- Mccue, T; Hoxworth, S; Randall, AA. (2003). Degradation of halogenated aliphatic compounds utilizing sequential anaerobic/aerobic treatments. *Water Sci Technol.* 47: 79-84.
- Mcculloch, A; Aucott, ML; Graedel, TE; Kleiman, G; Midgley, PM; Li, YF. (1999). Industrial emissions of trichloroethene, tetrachloroethene, and dichloromethane: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos.* 104: 8417-8427.
- McDaniel, T; Martin, P; Ross, N; Brown, S; Lesage, S; Pauli, B. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol.* 47: 101-109.
- Mcelhoe, JA; Brennan, RA. (2012). Effects of Chitin Purity and Proppant Loading on the Bioremediation of Chloroethenes. *J Environ Eng.* 138: 862-872. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000541](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000541).
- McEntee, GP; Batts, KA; Katzmann, JA; Ilstrup, DM; Nagorney, DM. (1992). Relationship of nuclear DNA content to clinical and pathologic findings in patients with primary hepatic malignancy. *Surgery.* 111: 376-379.
- Mcfarland, MJ; Vogel, CM; Spain, JC. (1992). Methanotrophic cometabolism of trichloroethylene (TCE) in a two stage bioreactor system. *Water Res.* 26: 259-265.
- Mcgeough, KL; Kalin, RM; Myles, P. (2007). Carbon disulfide removal by zero valent iron. *Environ Sci Technol.* 41: 4607-4612. <http://dx.doi.org/10.1021/es062936z>.

Exposure Literature Search Results

Off Topic

- Mcgill, JP. (2007). Technological knowledge and governance in alliances among competitors. *International Journal of Technology Management*. 38: 69-89.
- McGuire, V; Nelson, LM; Koepsell, TD; Checkoway, H; Longstreth, WT, Jr. (1998). Assessment of occupational exposures in community-based case-control studies [Review]. *Annu Rev Public Health*. 19: 35-53. <http://dx.doi.org/10.1146/annurev.publhealth.19.1.35>.
- Mcintosh, GJ; Russell, DK. (2014). Experimental and theoretical studies into the formation of C4-C6 products in partially chlorinated hydrocarbon pyrolysis systems: a probabilistic approach to congener-specific yield predictions. *J Phys Chem A*. 118: 8644-8663. <http://dx.doi.org/10.1021/jp5015516>.
- Mcintosh, GJ; Russell, DK. (2015). High Temperature Chemistry of Chlorinated Acenaphthylene. 3C Bay Acetylene Additions and Annealing by Five-Membered Ring Shifts. *J Phys Chem A*. 119: 12767-12780. <http://dx.doi.org/10.1021/acs.jpca.5b08391>.
- Mckay, DJ; Morse, JS. (1995). Performance characterization of a laboratory-scale bioreactor with liquid suspensions of *Alcaligenes eutrophus* JMP134. *Hazardous Waste and Hazardous Materials*. 12: 195-206.
- Mckay, DJ; Morse, JS; Hazen, TC. (1994). BIODEGRADATION OF TRICHLOROETHYLENE BY ALCALIGENES EUTROPHUS JMP134 IN A LABORATORY SCALE BIOREACTOR. *Hazardous Waste and Hazardous Materials*. 11: 491-499.
- Mckelvie, JR; Hirschorn, SK; Lacrampe-Couloume, G; Lindstrom, J, on; Braddock, J; Finneran, K; Trego, D, on; Lollar, BS. (2007). Evaluation of TCE and MTBE in situ biodegradation: Integrating stable isotope, metabolic intermediate and microbial lines of evidence. *Ground Water Monitoring and Remediation*. 27: 63-73.
- Mckenzie, ER; Siegrist, RL; Mccray, JE; Higgins, CP. (2016). The influence of a non-aqueous phase liquid (NAPL) and chemical oxidant application on perfluoroalkyl acid (PFAA) fate and transport. *Water Res*. 92: 199-207. <http://dx.doi.org/10.1016/j.watres.2016.01.025>.
- Mckernan, LT; Ruder, AM; Petersen, MR; Hein, MJ; Forrester, CL; Sanderson, WT; Ashley, DL; Butler, MA. (2008). Biological exposure assessment to tetrachloroethylene for workers in the dry cleaning industry. *Environ Health*. 7: 12. <http://dx.doi.org/10.1186/1476-069X-7-12>.
- Mckim, J. (1999). Respiratory-cardiovascular physiology and xenobiotic gill flux in the lake trout (*Salvelinus namaycush*). *Comp Biochem Physiol A Mol Integr Physiol*. 123: 69-81. [http://dx.doi.org/10.1016/S1095-6433\(99\)00041-0](http://dx.doi.org/10.1016/S1095-6433(99)00041-0).
- Mckim, JM; Nichols, JW; Lien, GJ; Bertelsen, SL. (1994). RESPIRATORY-CARDIOVASCULAR PHYSIOLOGY AND CHLOROETHANE GILL FLUX IN THE CHANNEL CATFISH, *ICTALURUS-PUNCTATUS*. *J Fish Biol*. 44: 527-547.
- Mckinney, PA; Alexander, FE; Cartwright, RA; Parker, L. (1991). Parental occupations of children with leukaemia in west Cumbria, north Humberside, and Gateshead. *Br Med J*. 302: 681-687. <http://dx.doi.org/10.1136/bmj.302.6778.681>.
- Mckone, TE. (1996). Alternative modeling approaches for contaminant fate in soils: Uncertainty, variability, and reliability. *Reliab Eng Syst Saf*. 54: 165-181.
- Mclaren, RG; Sudicky, EA; Park, YJ; Illman, WA. (2012). Numerical simulation of DNAPL emissions and remediation in a fractured dolomitic aquifer. *J Contam Hydrol*. 136-137: 56-71. <http://dx.doi.org/10.1016/j.jconhyd.2012.05.002>.
- Mclaughlin, JK; Blot, WJ. (1997). A critical review of epidemiology studies of trichloroethylene and perchloroethylene and risk of renal-cell cancer [Review]. *Int Arch Occup Environ Health*. 70: 222-231. <http://dx.doi.org/10.1007/s004200050211>.
- McLaughlin, JK; Hrubec, Z; Blot, WJ; Fraumeni, JF, Jr. (1995). Smoking and cancer mortality among U.S. veterans: A 26-year follow-up. *Int J Cancer*. 60: 190-193. <http://dx.doi.org/10.1002/ijc.2910600210>.
- McLaughlin, JK; Lipworth, L; Tarone, RE. (2006). Epidemiologic aspects of renal cell carcinoma [Review]. *Semin Oncol*. 33: 527-533. <http://dx.doi.org/10.1053/j.seminoncol.2006.06.010>.
- Mclaughlin, PA. (2011). Something in the Water? Testing for Groundwater Quality Information in the Housing Market. *J Agr Resource Econ*. 36: 375-394.
- McLean, AJ; Cogger, VC; Chong, GC; Warren, A; Markus, AM; Dahlstrom, JE; Le Couteur, DG. (2003). Age-related pseudocapillarization of the human liver. *J Pathol*. 200: 112-117. <http://dx.doi.org/10.1002/path.1328>.
- McLean, JE; Dupont, RR; Sorensen, DL. (2006). Iron and arsenic release from aquifer solids in response to biostimulation. *J Environ Qual*. 35: 1193-1203. <http://dx.doi.org/10.2134/jeq2005.0463>.
- McLean, JE; Ervin, J; Zhou, J; Sorensen, DL; Dupont, RR. (2015). Biostimulation and Bioaugmentation to Enhance Reductive Dechlorination of TCE in a Long-Term Flow Through Column Study. *Ground Water Monitoring and Remediation*. 35: 76-88. <http://dx.doi.org/10.1111/gwmr.12113>.
- McMichael, AJ; Spirtas, R; Gamble, JF; Tousey, PM. (1976). Mortality among rubber workers: Relationship to specific jobs. *J Occup Med*. 18: 178-185.
- Mcmillan, SA; Werth, CJ. (1999). Counter-diffusion of isotopically labeled trichloroethylene in silica gel and geosorbent micropores: Model development. *Environ Sci Technol*. 33: 2178-2185.
- Mcminn, TE; Moates, FC; Richardson, JT. (2001). Catalytic steam reforming of chlorocarbons: catalyst deactivation. *Appl Catal B-Environ*. 31: 93-105.
- Mcnab, WW; Narasimhan, TN. (1994). DEGRADATION OF CHLORINATED HYDROCARBONS AND GROUNDWATER GEOCHEMISTRY - A FIELD-STUDY. *Environ Sci Technol*. 28: 769-775.
- Mcnab, WW; Ruiz, R. (1998). Palladium-catalyzed reductive dehalogenation of dissolved chlorinated aliphatics using electrolytically-generated hydrogen. *Chemosphere*. 37: 925-936.
- Mcnab, WW; Ruiz, R; Reinhard, M. (2000). In-situ destruction of chlorinated hydrocarbons in groundwater using catalytic reductive dehalogenation in a reactive well: Testing and operational experiences. *Environ Sci Technol*. 34: 149-153.
- Mcnaughton, D. (1992). HIGH-RESOLUTION INFRARED-SPECTRUM AND MOLECULAR-STRUCTURE OF DICHLOROACETYLENE. *Structural Chemistry*. 3: 245-252.

Exposure Literature Search Results

Off Topic

- McNutt, LA; Wu, C; Xue, X; Hafner, JP. (2003). Estimating the relative risk in cohort studies and clinical trials of common outcomes. *Am J Epidemiol.* 157: 940-943. <http://dx.doi.org/10.1093/aje/kwg074>.
- Mcwatters, RS; Rowe, RK. (2015). Permeation of Volatile Organic Compounds through EVOH Thin Film Membranes and Coextruded LLDPE/EVOH/LLDPE Geomembranes. *Journal of Geotechnical and Geoenvironmental Engineering.* 141. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001209](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001209).
- MDPH. (1997). Woburn childhood leukemia follow-up study: Information booklet [Pamphlet]. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. Retrieved from http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_childhood_leukemia_follow.pdf
- MDPH. (1997). Woburn childhood leukemia follow-up study: Volume II: Appendix. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment.
- Mecozzi, R; Di Palma, L; De Filippis, P. (2008). Effect of modified Fenton treatment on the thermal behavior of contaminated harbor sediments. *Chemosphere.* 71: 843-852. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.034>.
- Meeker, JD; Altshul, L; Hauser, R. (2007). Serum PCBs, p,p'-DDE and HCB predict thyroid hormone levels in men. *Environ Res.* 104: 296-304. <http://dx.doi.org/10.1016/j.envres.2006.11.007>.
- Meeks, ND; Smuleac, V; Stevens, C; Bhattacharyya, D. (2012). Iron-Based Nanoparticles for Toxic Organic Degradation: Silica Platform and Green Synthesis. *Ind Eng Chem Res.* 51: 9581-9590. <http://dx.doi.org/10.1021/ie301031u>.
- Meeravali, NN; Madhavi, K; Kumar, SJ, ai. (2016). A sensitive speciation analysis of chromium in natural and industrial effluents by electrothermal atomic absorption spectrometry after a novel ligandless mixed-micelle dispersive liquid-liquid microextraction. *J Anal At Spectrom.* 31: 1582-1589. <http://dx.doi.org/10.1039/c6ja00139d>.
- Megharaj, M; Boul, HL; Thiele, JH. (1999). Effects of DDT and its metabolites on soil algae and enzymatic activity. *Biol Fertil Soils.* 29: 130-134.
- Megharaj, M; Jovicic, A; Boul, HL; Thiele, JH. (1997). Recalcitrance of 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) to cometabolic degradation by pure cultures of aerobic and anaerobic bacteria. *Arch Environ Contam Toxicol.* 33: 141-146.
- Megharaj, M; Kantachote, D; Singleton, I; Naidu, R. (2000). Effects of long-term contamination of DDT on soil microflora with special reference to soil algae and algal transformation of DDT. *Environ Pollut.* 109: 35-42.
- Mehendale, HM. (2000). PPAR-alpha: A key to the mechanism of hepatoprotection by clofibrate [Review]. *Toxicol Sci.* 57: 187-190. <http://dx.doi.org/10.1093/toxsci/57.2.187>.
- Mehnert, R; Klenert, P; Prager, L. (1993). LOW-ENERGY-ELECTRON ACCELERATORS FOR INDUSTRIAL RADIATION PROCESSING. *Radiat Phys Chem Oxf Engl* 1993. 42: 525-529.
- Mehos, MS; Turchi, CS. (1993). FIELD TESTING SOLAR PHOTOCATALYTIC DETOXIFICATION ON TCE-CONTAMINATED GROUNDWATER. *Environmental Progress.* 12: 194-199.
- Mehran, M; Olsen, RL; Rector, BM. (1987). DISTRIBUTION COEFFICIENT OF TRICHLOROETHYLENE IN SOIL-WATER SYSTEMS. *Ground Water.* 25: 275-282.
- Mehring, M; Mansfeld, D; Costisella, B; Schurmann, M. (2006). The first metal-oxo cluster containing lithium and bismuth. *Eur J Inorg Chem* 735-739. <http://dx.doi.org/10.1002/ejic.200500629>.
- Mehta, SK; Sharma, AK; Bhasin, KK; Parkash, R. (2002). Physicochemical properties in mixtures of hexamethylphosphorotriamide with 2,2,2-trichloroethanol or 2,2,2-trifluoroethanol or 1,1,1,3,3,3-hexafluoropropan-2-ol. *Fluid Phase Equilibria.* 201: 203-216.
- Meinardus, HW; Dwarakanath, V; Ewing, J; Hirasaki, GJ; Jackson, RE; Jin, M; Ginn, JS; Londergan, JT; Miller, CA; Pope, GA. (2002). Performance assessment of NAPL remediation in heterogeneous alluvium. *J Contam Hydrol.* 54: 173-193.
- Meiri, D; Ghiasi, M; Patterson, RJ; Ramanujam, N; Tyson, MP. (1990). Extraction of TCE-contaminated ground water by subsurface drains and a pumping well. *Ground Water.* 28: 17-24.
- Melchiorri, C; Bolondi, L; Chieco, P; Pagnoni, M; Gramantieri, L; Barbara, L. (1994). Diagnostic and prognostic value of DNA ploidy and cell nuclearity in ultrasound-guided liver biopsies. *Cancer.* 74: 1713-1719. [http://dx.doi.org/10.1002/1097-0142\(19940915\)74:6<1713::AID-CNCR2820740612>3.0.CO;2-O](http://dx.doi.org/10.1002/1097-0142(19940915)74:6<1713::AID-CNCR2820740612>3.0.CO;2-O).
- Melchiorri, C; Chieco, P; Zedda, AI; Coni, P; Ledda-Columbano, GM; Columbano, A. (1993). Ploidy and nuclearity of rat hepatocytes after compensatory regeneration or mitogen-induced liver growth. *Carcinogenesis.* 14: 1825-1830. <http://dx.doi.org/10.1093/carcin/14.9.1825>.
- Melin, ES; Puhakka, JA; Strand, SE; Rockne, KJ; Ferguson, JF. (1996). Fluidized-bed enrichment of marine ammonia-to-nitrite oxidizers and their ability to degrade chloroaliphatics. *Int Biodeterior Biodegradation.* 38: 9-18.
- Mellot, CF; Cheetham, AK. (1999). Energetics and structures of fluoro- and chlorofluorocarbons in zeolites: Force field development and Monte Carlo simulations. *J Phys Chem B.* 103: 3864-3868.
- Mellot, CF; Cheetham, AK; Harms, S; Savitz, S; Gorte, RJ; Myers, AL. (1998). Halocarbon adsorption in nanoporous materials: A combined calorimetric and Monte Carlo study of trichloroethylene (TCE) in faujasite-type zeolites. *Langmuir.* 14: 6728-6733.
- Melnick, RL; Huff, J; Barrett, JC; Maronpot, RR; Lucier, G; Portier, CJ. (1993). Cell proliferation and chemical carcinogenesis: Symposium overview [Review]. *Environ Health Perspect.* 101: 3-7.
- Melnick, RL; Jameson, CW; Goehl, T. (1987). APPLICATION OF MICROENCAPSULATION FOR TOXICOLOGY STUDIES - STABILITY, BIOAVAILABILITY, AND TOXICITY OF MICROENCAPSULATED TRICHLOROETHYLENE. *Environ Health Perspect.* 75: 142-142.
- Melnick, RL; Thayer, KA; Bucher, JR. (2008). Conflicting views on chemical carcinogenesis arising from the design and evaluation of rodent carcinogenicity studies. *Environ Health Perspect.* 116: 130-135. <http://dx.doi.org/10.1289/ehp.9989>.

Exposure Literature Search Results

Off Topic

- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health*. 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.
- Melwanki, MB; Fuh, MR. (2008). Dispersive liquid-liquid microextraction combined with semi-automated in-syringe back extraction as a new approach for the sample preparation of ionizable organic compounds prior to liquid chromatography. *J Chromatogr A*. 1198-1199: 1-6. <http://dx.doi.org/10.1016/j.chroma.2008.05.007>.
- Melwanki, MB; Fuh, MR. (2008). Partitioned dispersive liquid-liquid microextraction: an approach for polar organic compounds extraction from aqueous samples. *J Chromatogr A*. 1207: 24-28. <http://dx.doi.org/10.1016/j.chroma.2008.08.052>.
- Memarain, HR; Ranjbar, M. (2012). Substituent effect in photocatalytic oxidation of 2-oxo-1,2,3,4-tetrahydropyrimidines using TiO₂ nanoparticles. *J Mol Catal Chem*. 356: 46-52. <http://dx.doi.org/10.1016/j.molcata.2011.12.026>.
- Mendez-Roman, R; Cardona-Martinez, N. (1998). Relationship between the formation of surface species and catalyst deactivation during the gas-phase photocatalytic oxidation of toluene. *Catalysis Today*. 40: 353-365.
- Mendoza-Sanchez, I; Cunningham, J. (2012). Efficient Algorithms for Modeling the Transport and Biodegradation of Chlorinated Ethenes in Groundwater. *Transport in Porous Media*. 92: 165-185. <http://dx.doi.org/10.1007/s11242-011-9896-5>.
- Menegazzi, M; Carcereri-De Prati, A; Suzuki, H; Shinozuka, H; Pibiri, M; Piga, R; Columbano, A; Ledda-Columbano, GM. (1997). Liver cell proliferation induced by nafenopin and cyproterone acetate is not associated with increases in activation of transcription factors NF- κ B and AP-1 or with expression of tumor necrosis factor alpha. *Hepatology*. 25: 585-592. <http://dx.doi.org/10.1002/hep.510250316>.
- Menezes, RM; Oliveira, RV; de Oliveira, DM; Lemos, VA. (2016). A Method Using Liquid-Liquid Microextraction in a Dynamic System for Preconcentration and Determination of Lead in Food Samples. *Water Air Soil Pollut*. 227. <http://dx.doi.org/10.1007/s11270-016-2842-y>.
- Menon, A; Zhou, RN; Josse, F. (1998). Coated-quartz crystal resonator (QCR) sensors for on-line detection of organic contaminants in water. *IEEE Trans Ultrason Ferroelectr Freq Control*. 45: 1416-1426.
- Menta, M; Frayret, J; Gleyzes, C; Castetbon, A; Potin-Gautier, M. (2012). Development of an analytical method to monitor industrial degreasing and rinsing baths. *J Clean Prod*. 20: 161-169. <http://dx.doi.org/10.1016/j.jclepro.2011.07.021>.
- Menta, M; Frayret, J; Grassl, B; Gleyzes, C; Castetbon, A; Potin-Gautier, M. (2016). Development of an alternative analytical methodology to monitor industrial degreasing baths by dynamic light scattering. *J Clean Prod*. 113: 981-988. <http://dx.doi.org/10.1016/j.jclepro.2015.10.004>.
- Merdink, JL; Stenner, RD; Stevens, DK; Parker, JC; Bull, RJ. (1999). Effect of enterohepatic circulation on the pharmacokinetics of chloral hydrate and its metabolites in F344 rats. *J Toxicol Environ Health A*. 57: 357-368. <http://dx.doi.org/10.1080/009841099157665>.
- Mergler, D; Huel, G; Bowler, R; Frenette, B; Cone, J. (1991). Visual dysfunction among former microelectronics assembly workers. *Arch Environ Health*. 46: 326-334. <http://dx.doi.org/10.1080/00039896.1991.9934398>.
- Merrer, DC; Moss, RA; Liu, MTH; Banks, JT; Ingold, KU. (1998). Benzylchlorocarbene: Origins of Arrhenius curvature in the kinetics of the 1,2-H shift rearrangement. *J Org Chem*. 63: 3010-3016.
- Merschman, SA; Lubbad, SH; Tilotta, DC. (1998). Poly(dimethylsiloxane) films as sorbents for solid-phase microextraction coupled with infrared spectroscopy. *J Chromatogr A*. 829: 377-384.
- Meshesha, BT; Barrabes, N; Foettinger, K; Chimentao, RJ; Llorca, J; Medina, F; Rupprechter, G; Sueiras, JE. (2012). Gas-phase hydrodechlorination of trichloroethylene over Pd/NiMgAl mixed oxide catalysts. *Appl Catal B-Environ*. 117: 236-245. <http://dx.doi.org/10.1016/j.apcatb.2012.01.018>.
- Meshesha, BT; Barrabes, N; Llorca, J; Dafinov, A; Medina, F; Foettinger, K. (2013). PdCu alloy nanoparticles on alumina as selective catalysts for trichloroethylene hydrodechlorination to ethylene. *Appl Catal A-Gen*. 453: 130-141. <http://dx.doi.org/10.1016/j.apcata.2012.12.019>.
- Meshram, N; Loka, C; Park, KR; Lee, K, eeSun. (2015). Enhanced transmittance of ITO/Ag(Cr)/ITO (IAI) multi-layered thin films by high temperature annealing. *Mater Lett*. 145: 120-124. <http://dx.doi.org/10.1016/j.matlet.2015.01.101>.
- Messing, K; Punnett, L; Bond, M; Alexanderson, K; Pyle, J; Zahm, S; Wegman, D; Stock, SR; de Grosbois, S. (2003). Be the fairest of them all: Challenges and recommendations for the treatment of gender in occupational health research [Review]. *Am J Ind Med*. 43: 618-629. <http://dx.doi.org/10.1002/ajim.10225>.
- Meszaros, E, va; Imfeld, G; Nikolausz, M; Nijenhuis, I. (2013). Occurrence of Dehalococoides and Reductive Dehalogenase Genes in Microcosms, a Constructed Wetland and Groundwater from a Chlorinated Ethene Contaminated Field Site as Indicators for In Situ Reductive Dehalogenation. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1768-x>.
- Meszaros, E; Sipos, R; Pal, R; Romsics, C; Marialigeti, K. (2013). Stimulation of trichloroethene biodegradation in anaerobic three-phase microcosms. *Int Biodeterior Biodegradation*. 84 (Oct 2013): 126-133. <http://dx.doi.org/10.1016/j.ibiod.2012.08.006>.
- Metayer, C; Scelo, G; Kang, AY; Gunier, RB; Reinier, K; Lea, S; Chang, JS; Selvin, S; Kirsch, J; Crouse, V; Does, M; Quinlan, P; Hammond, SK. (2016). A task-based assessment of parental occupational exposure to organic solvents and other compounds and the risk of childhood leukemia in California. *Environ Res*. 151: 174-183. <http://dx.doi.org/10.1016/j.envres.2016.06.047>.
- Meyer, CI; Borgna, A; Monzon, A; Garetto, TF. (2011). Kinetic study of trichloroethylene combustion on exchanged zeolites catalysts. *J Hazard Mater*. 190: 903-908. <http://dx.doi.org/10.1016/j.jhazmat.2011.04.007>.
- Meyer, DE; Bhattacharyya, D. (2007). Impact of membrane immobilization on particle formation and trichloroethylene dechlorination for bimetallic Fe/Ni nanoparticles in cellulose acetate membranes. *J Phys Chem B*. 111: 7142-7154. <http://dx.doi.org/10.1021/jp070972u>.

Exposure Literature Search Results

Off Topic

- Meyer, DE; Hampson, S; Ormsbee, L; Bhattacharyya, D. (2009). A Study of Groundwater Matrix Effects for the Destruction of Trichloroethylene Using Fe/Pd Nanoaggregates. *Environ Prog Sustain Energy*. 28: 507-518. <http://dx.doi.org/10.1002/ep.10334>.
- Meyer, DE; Wood, K; Bachas, LG; Bhattacharyya, D. (2004). Degradation of chlorinated organics by membrane-immobilized nanosized metals. *Environmental Progress*. 23: 232-242. <http://dx.doi.org/10.1002/ep.10031>.
- Meyer, K; Lee, JS; Dyck, PA; Cao, WQ; Rao, MS; Thorgeirsson, SS; Reddy, JK. (2003). Molecular profiling of hepatocellular carcinomas developing spontaneously in acyl-CoA oxidase deficient mice: Comparison with liver tumors induced in wild-type mice by a peroxisome proliferator and a genotoxic carcinogen. *Carcinogenesis*. 24: 975-984. <http://dx.doi.org/10.1093/carcin/bgg040>.
- Meyer, RJ; Reeves, CT; Safarik, DJ; Allen, DT; Mullins, CB. (2001). Comparison of phosgene formation from adsorption of carbon tetrachloride on oxygen modified Ir(111) and oxygen modified Ir(110). *Journal of Vacuum Science and Technology A*. 19: 1524-1530.
- Miao, Z; Gu, X; Lu, S; Zang, X; Wu, X; Xu, M; Ndong, LB; Qiu, Z; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe(2+)-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere*. 119: 1120-1125. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.065>.
- Michalak, AM; Kitanidis, PK. (2003). A method for enforcing parameter nonnegativity in Bayesian inverse problems with an application to contaminant source identification. *Water Resour Res*. 39. <http://dx.doi.org/10.1029/2002WR001480>.
- Michalak, AM; Kitanidis, PK. (2004). Application of geostatistical inverse modeling to contaminant source identification at Dover AFB, Delaware. *Journal of Hydraulic Research*. 42: 9-18.
- Michalik, L; Desvergne, B; Dreyer, C; Gavillet, M; Laurini, RN; Wahli, W. (2002). PPAR expression and function during vertebrate development [Review]. *Int J Dev Biol*. 46: 105-114.
- Michalik-Zym, A; Dula, R; Duraczynska, D; Krysiak-Czerwenka, J; Machej, T; Socha, RP; Wlodarczyk, W; Gawel, A; Matusik, J; Bahranowski, K; Wisla-Walsh, E; Litynska-Dobrzynska, L; Serwicka, EM. (2015). Active, selective and robust Pd and/or Cr catalysts supported on Ti-, Zr- or [Ti,Zr]-pillared montmorillonites for destruction of chlorinated volatile organic compounds. *Appl Catal B-Environ*. 174: 293-307. <http://dx.doi.org/10.1016/j.apcatb.2015.03.015>.
- Michaud, F; Barrio, M; Toscani, S; Agafonov, V; Szwarc, H; Ceolin, R. (1997). Solid-state studies on solvated [60] fullerene crystals grown from trichloroethylene. *Fullerene Sci Technol*. 5: 1645-1650.
- Michel, C; Desdouets, C; Slaoui, M; Isaacs, KR; Roberts, RA; Boitier, E. (2007). Diethylnitrosamine initiation does not alter clofibril acid-induced hepatocarcinogenesis in the rat. *Toxicol Sci*. 99: 58-69. <http://dx.doi.org/10.1093/toxsci/kfm168>.
- Michulec, M; Wardencki, W. (2006). The application of single drop extraction technique for chromatographic determination of solvent residues in edible oils and pharmaceutical products. *Chromatographia*. 64: 191-197. <http://dx.doi.org/10.1365/s10337-006-0009-5>.
- Michulec, M; Wardencki, W. (2007). Validation of SPME-GC and HS-GC procedures for the determination of selected solvent residues in edible oil matrices. *Accreditation and Quality Assurance*. 12: 94-104. <http://dx.doi.org/10.1007/s00769-006-0235-4>.
- Middleman, KJ; Herbert, JD; Reid, RJ. (2007). Cleaning stainless steel for use in accelerators - Phase 1. *Vacuum*. 81: 793-798. <http://dx.doi.org/10.1016/j.vacuum.2005.11.057>.
- Miehr, R; Tratnyek, PG; Bandstra, JZ; Scherer, MM; Alowitz, MJ; Bylaska, EJ. (2004). Diversity of contaminant reduction reactions by zerovalent iron: Role of the redox state. *Environ Sci Technol*. 38: 139-147. <http://dx.doi.org/10.1021/es034237h>.
- Miettinen, I; Martikainen, P; Vartiainen, T; Lotjonen, S. (1993). BIOCHEMICAL AND CHEMICAL DEGRADATION OF 3-CHLORO-4-(DICHLOROMETHYL)-5-HYDROXY-2(5H)-FURANONE (MX) IN SURFACE AND DRINKING-WATER. *Chemosphere*. 27: 1707-1718.
- Mignet, N; Tosquellas, G; Barber, I; Morvan, F; Rayner, B; Imbach, JL. (1997). The prooligonucleotide approach: Synthesis and stability of chimeric prooligonucleotides in culture medium and in total cell extract. *New J Chem*. 21: 73-79.
- Miguez, CB; Bourque, D; Sealy, JA; Greer, CW; Groleau, D. (1997). Detection and isolation of methanotrophic bacteria possessing soluble methane monooxygenase (sMMO) genes using the polymerase chain reaction (PCR). *Microb Ecol*. 33: 21-31.
- Mihopoulos, PG; Sayles, GD; Suidan, MT; Shah, J; Bishop, DF. (2000). Vapor phase treatment of PCE in a soil column by lab-scale anaerobic bioventing. *Water Res*. 34: 3231-3237.
- Mihopoulos, PG; Suidan, MT; Sayles, GD. (2001). Complete remediation of PCE contaminated unsaturated soils by sequential anaerobic-aerobic bioventing. *Water Sci Technol*. 43: 365-372.
- Mijajlova-Nacheva, P; Canul-Chuil, A. (2006). Anaerobic biodegradation of chlorinated aliphatic compounds using packed bed reactors. *Water Sci Technol*. 54: 193-200. <http://dx.doi.org/10.2166/wst.2006.878>.
- Mikhailov, VA; Parkes, MA; Simpson, MJ; Tuckett, RP; Mayhew, CA. (2008). Selected ion flow tube study of the ion-molecule reactions of monochloroethene, trichloroethene, and tetrachloroethene. *J Phys Chem A*. 112: 9012-9022. <http://dx.doi.org/10.1021/jp804443v>.
- Mikkola, H; Schmale, JY; Wesner, W; Petkovska, S. (2008). Laboratory pre-assays for soil remediation by electro synthesis of oxidants and their electrokinetic distribution. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 43: 907-912. <http://dx.doi.org/10.1080/10934520801974426>.
- Mikol, YB; Hoover, KL; Creasia, D; Poirier, LA. (1983). Hepatocarcinogenesis in rats fed methyl-deficient, amino acid-defined diets. *Carcinogenesis*. 4: 1619-1629. <http://dx.doi.org/10.1093/carcin/4.12.1619>.
- Milanovich, FP; Brown, SB; Colston B W, J. R.; Daley, PF; Langry, KC. (1994). A FIBER-OPTIC SENSOR SYSTEM FOR MONITORING CHLORINATED HYDROCARBON POLLUTANTS. *Talanta*. 41: 2189-2194.
- Mill, T; Su, MG; Yao, CCD; Matthews, SM; Wang, FTS. (1997). E-beam treatment of trichloroethylene-air mixtures: Products and rates. *Radiat Phys Chem Oxf Engl* 1993. 50: 283-291.
- Miller, BM; Adler, ID. (1992). Aneuploidy induction in mouse spermatocytes. *Mutagenesis*. 7: 69-76. <http://dx.doi.org/10.1093/mutage/7.1.69>.

Exposure Literature Search Results

Off Topic

- Miller, CT; Hill, EH; Moutier, M. (2000). Remediation of DNAPL-contaminated subsurface systems using density-motivated mobilization. *Environ Sci Technol.* 34: 719-724.
- Miller, GS; Milliken, CE; Sowers, KR; May, HD. (2005). Reductive dechlorination of tetrachloroethene to trans-dichloroethene and cis-dichloroethene by PCB-dechlorinating bacterium DF-1. *Environ Sci Technol.* 39: 2631-2635.
- Miller, PL; Vasudevan, D; Gschwend, PM; Roberts, AL. (1998). Transformation of hexachloroethane in a sulfidic natural water. *Environ Sci Technol.* 32: 1269-1275.
- Miller, RT; Shah, RS; Cattley, RC; Popp, JA. (1996). The peroxisome proliferations WY-14,643 and methylclofenapate induce hepatocyte ploidy alterations and ploidy-specific DNA synthesis in F344 rats. *Toxicol Appl Pharmacol.* 138: 317-323.
<http://dx.doi.org/10.1006/taap.1996.0130>.
- Mills, LJ; Gutjahr-Gobell, RE; Haebler, RA; Horowitz, DJ; Jayaraman, S; Pruell, RJ; McKinney, RA; Gardner, GR; Zaroogian, GE. (2001). Effects of estrogenic (o,p'-DDT; octylphenol) and anti-androgenic (p,p'-DDE) chemicals on indicators of endocrine status in juvenile male summer flounder (*Paralichthys dentatus*). *Aquat Toxicol.* 52: 157-176.
- Mills, NC; Means, AR. (1972). Sorbitol dehydrogenase of rat testis: Changes of activity during development, after hypophysectomy and following gonadotrophic hormone administration. *Endocrinology.* 91: 147-156. <http://dx.doi.org/10.1210/endo-91-1-147>.
- Mills, WB; Liu, S; Rigby, MC; Brenner, D. (2007). Time-variable simulation of soil vapor intrusion into a building with a combined crawl space and basement. *Environ Sci Technol.* 41: 4993-5001. <http://dx.doi.org/10.1021/es061747d>.
- Min, JE; Kim, M; Pardue, JH; Park, JW. (2008). Reduction of trichloroethylene and nitrate by zero-valent iron with peat. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 43: 144-153. <http://dx.doi.org/10.1080/10934520701781244>.
- Min, JE; Lee, T; Choi, J; Park, JW. (2005). Black shale as a sorbent for trichloroethylene and Cr(VI). *Environ Technol.* 26: 643-652.
<http://dx.doi.org/10.1080/09593330.2001.9619504>.
- Min, JE; Park, IS; Ko, S; Shin, WS; Park, JW. (2009). Effect of phosphate and sediment bacteria on trichloroethylene dechlorination with zero valent iron. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 362-369. <http://dx.doi.org/10.1080/10934520802659703>.
- Min, Z; Ying, D; Shijun, Z; Wen, C. (2011). Highly efficient photocatalytic activity of boron-doped TiO₂ for gas phase degradation of benzene. *Rare Metals.* 30: 243-248. <http://dx.doi.org/10.1007/s12598-011-0278-5>.
- Minami, W; Kim, HJ. (2006). The decomposition property of trichloroethylene and ethylene using ultra-violet and TiO₂ catalyst. *Environ Technol.* 27: 477-482.
- Minamishima, YA; Nakayama, K; Nakayama, KI. (2002). Recovery of liver mass without proliferation of hepatocytes after partial hepatectomy in Skp2-deficient mice. *Cancer Res.* 62: 995-999.
- Miniero, R; Carere, C; De Felip, E; Iacovella, N; Rodriguez, F; Alleva, E; Di Domenico, A. (2008). The use of common swift (*Apus apus*), an aerial feeder bird, as a bioindicator of persistent organic microcontaminants. *Ann Ist Super Sanita.* 44: 187-194.
- Minkiewicz, VJ; Stasiak, J; White, RL; Cornell, RW; Moore, JO; Eaton, R; Eldridge, JM; Lee, FC. (1994). SOME MECHANICAL AND THERMAL-PROPERTIES OF PECVD A-SIXC1-X-H AND A-SIXN1-X-H FILMS PREPARED BY MIXED FREQUENCY PLASMA PROCESSES. *Surf Coating Tech.* 68: 229-233.
- Minnich, MM; Schumacher, BA; Zimmerman, JH. (1997). Comparison of soil VOCs measured by soil gas, heated headspace, and methanol extraction techniques. *Journal of Soil Contamination.* 6: 187-203.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1996). Extraction methods for recovery of volatile organic compounds from fortified dry soils. *J AOAC Int.* 79: 1198-1204.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1997). Long-term study of volatile organic compound recovery from ampulated, dry, fortified soils. *J Environ Qual.* 26: 108-114.
- Mino, ER; Okuda, T; Nishijima, W; Okada, M. (2007). Calcium accumulation onto GAC used for landfill leachate treatment and its effects on 2,4-DCP adsorption. *J Chem Eng Jpn.* 40: 275-279.
- Minocha, AK; Jain, N; Verma, CL. (2003). Effect of organic materials on the solidification of heavy metal sludge. *Construction and Building Materials.* 17: 77-81.
- Minsley, BJ; Sogade, J; Morgan, FD. (2007). Three-dimensional self-potential inversion for subsurface DNAPL contaminant detection at the Savannah River Site, South Carolina. *Water Resour Res.* 43: 4429-4429. <http://dx.doi.org/10.1029/2005WR003996>.
- Miranda, B; Diaz, E; Ordonez, S; Diez, FV. (2006). Catalytic combustion of trichloroethene over Ru/Al²O₃: Reaction mechanism and kinetic study. *Catal Comm.* 7: 945-949. <http://dx.doi.org/10.1016/j.catcom.2006.04.007>.
- Miranda, B; Diaz, E; Ordonez, S; Vega, A; Diez, FV. (2006). Performance of alumina-supported noble metal catalysts for the combustion of trichloroethene at dry and wet conditions. *Appl Catal B-Environ.* 64: 262-271. <http://dx.doi.org/10.1016/j.apcatb.2005.12.008>.
- Miranda, B; Díaz, E; Ordóñez, S; Vega, A; Díez, FV. (2007). Oxidation of trichloroethene over metal oxide catalysts: kinetic studies and correlation with adsorption properties. *Chemosphere.* 66: 1706-1715. <http://dx.doi.org/10.1016/j.chemosphere.2006.07.016>.
- Miranda-Garcia, N; Suarez, S; Sanchez, B; Coronado, JM; Malato, S; Maldonado, M. (2011). Photocatalytic degradation of emerging contaminants in municipal wastewater treatment plant effluents using immobilized TiO₂ in a solar pilot plant. *Appl Catal B-Environ.* 103: 294-301. <http://dx.doi.org/10.1016/j.apcatb.2011.01.030>.
- Mirza, T; Gérin, M; Bégin, D; Drolet, D. (2000). A study on the substitution of trichloroethylene as a spot remover in the textile industry. *AIHAJ.* 61: 431-438.
- Misaki, Y; Nishikawa, H; Fujiwara, H; Yamabe, T; Mori, T; Mori, H; Tanaka, S. (1995). CRYSTAL-STRUCTURES AND PHYSICAL-PROPERTIES OF DTET-TTF SALTS. *Synthetic Metals.* 70: 1151-1152.

Exposure Literature Search Results

Off Topic

- Mishra, D; Liao, Z; Farrell, J. (2008). Understanding Reductive Dechlorination of Trichloroethene on Boron-Doped Diamond Film Electrodes. *Environ Sci Technol.* 42: 9344-9349. <http://dx.doi.org/10.1021/es801815z>.
- Mishra, T; Mohapatra, P; Parida, KM. (2008). Synthesis, characterisation and catalytic evaluation of iron-manganese mixed oxide pillared clay for VOC decomposition reaction. *Appl Catal B-Environ.* 79: 279-285. <http://dx.doi.org/10.1016/j.apcatb.2007.10.030>.
- Misra, C; Gupta, SK. (2001). Hybrid reactor for priority pollutant-trichloroethylene removal. *Water Res.* 35: 160-166.
- Missov, E. (2013). Left ventricular assist device inflow cannula thrombus: characterization with two-dimensional transthoracic echocardiography. 59: 662-663. <http://dx.doi.org/10.1097/MAT.0000436712.27011.f4>.
- Mitra, S; Gupta, SK. (2013). Biodegradation of tetrachloroethylene-rich synthetic wastewater in anaerobic hybrid reactor. *Desalination and Water Treatment.* 51: 4506-4513. <http://dx.doi.org/10.1080/19443994.2013.770232>.
- Mitra, S; Gupta, SK. (2013). Biodegradation of Trichloroethylene in Anaerobic Hybrid Reactor. *Environ Prog Sustain Energy.* 32: 1055-1060. <http://dx.doi.org/10.1002/ep.11705>.
- Mitra, S; Gupta, SK. (2014). Pilot-scale treatment of a trichloroethylene rich synthetic wastewater in anaerobic hybrid reactor, with morphological study of the sludge granules. *Clean Tech Environ Pol.* 16: 947-956. <http://dx.doi.org/10.1007/s10098-013-0695-2>.
- Miura, Y; Anzai, K; Takahashi, S; Ozawa, T. (1997). A novel lipophilic spin probe for the measurement of radiation damage in mouse brain using in vivo electron spin resonance (ESR). *FEBS Lett.* 419: 99-102. [http://dx.doi.org/10.1016/S0014-5793\(97\)01443-9](http://dx.doi.org/10.1016/S0014-5793(97)01443-9).
- Miyabe, K; Taniguchi, N; Imura, A; Tezuka, Y. (2003). Kinetic study of the hydrodechlorination of trichloroethene in water using a platinum catalyst and hydrazine. *Water Environ Res.* 75: 472-477.
- Miyake, Y; Sakoda, A; Yamanashi, H; Kaneda, H; Suzuki, M. (2003). Activated carbon adsorption of trichloroethylene (TCE) vapor stripped from TCE-contaminated water. *Water Res.* 37: 1852-1858. [http://dx.doi.org/10.1016/S0043-1354\(02\)00564-X](http://dx.doi.org/10.1016/S0043-1354(02)00564-X).
- Mjaatvedt, CH; Krug, EL; Markwald, RR. (1991). An antiserum (E51) against a particulate form of extracellular matrix blocks the transition of cardiac endothelium into mesenchyme in culture. *Dev Biol.* 145: 219-230. [http://dx.doi.org/10.1016/0012-1606\(91\)90121-I](http://dx.doi.org/10.1016/0012-1606(91)90121-I).
- Mjaatvedt, CH; Lepera, RC; Markwald, RR. (1987). Myocardial specificity for initiating endothelial-mesenchymal cell transition in embryonic chick heart correlates with a particulate distribution of fibronectin. *Dev Biol.* 119: 59-67. [http://dx.doi.org/10.1016/0012-1606\(87\)90206-5](http://dx.doi.org/10.1016/0012-1606(87)90206-5).
- Mlotek, M; Reda, E; Krawczyk, K. (2015). Conversion of tetrachloromethane in large scale gliding discharge reactor. 13: 212-217. <http://dx.doi.org/10.1515/chem-2015-0022>.
- Moates, FC; Mcminn, TE; Richardson, JT. (1999). Radial reactor for trichloroethylene steam reforming. *AIChE J.* 45: 2411-2418.
- Mochida, K; Saito, K. (1985). Toxicity assessment of tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane using human and monkey cells. *Bull Environ Contam Toxicol.* 35: 593-595.
- Moeck, C; Radny, D; Borer, P; Rothardt, J; Auckenthaler, A; Berg, M; Schirmer, M. (2016). Multicomponent statistical analysis to identify flow and transport processes in a highly-complex environment. *J Hydrol.* 542: 437-449. <http://dx.doi.org/10.1016/j.jhydrol.2016.09.023>.
- Mohamed, AMO; Said, RA. (2004). TDR detection of nonaqueous phase liquids in sandy soils using the eigendecomposition method. *Environ Geol.* 47: 30-37.
- Mohamed, RM; Aazam, ES. (2011). Preparation and characterization of platinum doped porous titania nanoparticles for photocatalytic oxidation of carbon monoxide. *J Alloy Comp.* 509: 10132-10138. <http://dx.doi.org/10.1016/j.jallcom.2011.08.059>.
- Mohammad, OI; Kibbey, TCG. (2005). Dissolution-induced contact angle modification in dense nonaqueous phase liquid/water systems. *Environ Sci Technol.* 39: 1698-1706. <http://dx.doi.org/10.1021/es048810o>.
- Mohseni, M. (2005). Gas phase trichloroethylene (TCE) photooxidation and byproduct formation: Photolysis vs. titania/silica based photocatalysis. *Chemosphere.* 59: 335-342. <http://dx.doi.org/10.1016/j.chemosphere.2004.10.054>.
- Mohseni, M; David, A. (2003). Gas phase vinyl chloride (VC) oxidation using TiO₂-based photocatalysis. *Appl Catal B-Environ.* 46: 219-228. [http://dx.doi.org/10.1016/S0926-3373\(03\)00223-6](http://dx.doi.org/10.1016/S0926-3373(03)00223-6).
- Mohseni, M; Taghipour, F. (2004). Experimental and CFD analysis of photocatalytic gas phase vinyl chloride (VC) oxidation. *Chem Eng Sci.* 59: 1601-1609. <http://dx.doi.org/10.1016/j.ces.2004.01.017>.
- Moizadeh, P; Breuhahn, K; Stützer, H; Schirmacher, P. (2005). Chromosome alterations in human hepatocellular carcinomas correlate with aetiology and histological grade: Results of an explorative CGH meta-analysis. *Br J Cancer.* 92: 935-941. <http://dx.doi.org/10.1038/sj.bjc.6602448>.
- Mok, YS; Kang, HC; Cho, MH; Nam, IS. (2003). Oxidation of volatile organic compounds by using a microwave-induced plasma process. *Korean J Chem Eng.* 20: 239-246.
- Mok, YS; Lee, SB; Oh, JH; Ra, KS; Sung, BH. (2008). Abatement of Trichloromethane by Using Nonthermal Plasma Reactors. *Plasma Chemistry and Plasma Processing.* 28: 663-676. <http://dx.doi.org/10.1007/s11090-008-9151-1>.
- Mondal, PK; Lima, G; Zhang, D; Lomheim, L; Tossell, RW; Patel, P; Sleep, BE. (2016). Evaluation of peat and sawdust as permeable reactive barrier materials for stimulating in situ biodegradation of trichloroethene. *J Hazard Mater.* 313: 37-48. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.049>.
- Monster, AC. (1979). Difference in uptake, elimination, and metabolism in exposure to trichloroethylene, 1,1,1-trichloroethane, and tetrachloroethylene. *Int Arch Occup Environ Health.* 42: 311-317. <http://dx.doi.org/10.1007/BF00377785>.
- Monster, AC; Boersma, G. (1975). Simultaneous determination of trichloroethylene and metabolites in blood and exhaled air by gas chromatography. *Int Arch Occup Environ Health.* 35: 155-163.
- Monster, AC; Boersma, G; Duba, WC. (1976). Pharmacokinetics of trichloroethylene in volunteers, influence of workload and exposure concentration. *Int Arch Occup Environ Health.* 38: 87-102. <http://dx.doi.org/10.1007/BF00378619>.

Exposure Literature Search Results

Off Topic

- Monster, AC; Boersma, G; Duba, WC. (1979). Kinetics of trichloroethylene in repeated exposure of volunteers. *Int Arch Occup Environ Health*. 42: 283-292. <http://dx.doi.org/10.1007/BF00377782>.
- Montecchio, F; Persson, H; Engvall, K; Delin, J; Lanza, R. (2016). Development of a stagnation point flow system to screen and test TiO₂-based photocatalysts in air purification applications. *Chem Eng J*. 306: 734-744. <http://dx.doi.org/10.1016/j.cej.2016.07.117>.
- Monteiro, RAR; Miranda, SM; Rodrigues-Silva, C; Faria, JL; Silva, AMT; Boaventura, R, uiAR; Vilar, VJP. (2015). Gas phase oxidation of n-decane and PCE by photocatalysis using an annular photoreactor packed with a monolithic catalytic bed coated with P25 and PC500. *Appl Catal B-Environ*. 165: 306-315. <http://dx.doi.org/10.1016/j.apcatb.2014.10.026>.
- Monteiro, RAR; Rodrigues-Silva, C; Lopes, FVS; Silva, AMT; Boaventura, R, uiAR; Vilar, VJP. (2015). Evaluation of a solar/UV annular pilot scale reactor for 24 h continuous photocatalytic oxidation of n-decane. *Chem Eng J*. 280: 409-416. <http://dx.doi.org/10.1016/j.cej.2015.06.014>.
- Monteiro, RAR; Silva, AMT; Angelo, JRM; Silva, GV; Mendes, AM; Boaventura, R, uiAR; Vilar, VJP. (2015). Photocatalytic oxidation of gaseous perchloroethylene over TiO₂ based paint. *J Photochem Photobiol A*. 311: 41-52. <http://dx.doi.org/10.1016/j.jphotochem.2015.06.007>.
- Montesano, PM; Sun, G; Dubayah, RO; Ranson, KJ, on. (2016). S91 Spaceborne potential for examining taiga-tundra ecotone form and vulnerability. *Biogeosciences*. 13: 3847-3861. <http://dx.doi.org/10.5194/bg-13-3847-2016>.
- Moon, CS; Lee, JT; Chun, JH; Ikeda, M. (2001). Use of solvents in industries in Korea: experience in Sinpyeong-Jangrim industrial complex. *Int Arch Occup Environ Health*. 74: 148-152.
- Moon, HS; Chang, SW; Nam, K; Choe, J; Kim, JY. (2006). Effect of reactive media composition and co-contaminants on sulfur-based autotrophic denitrification. *Environ Pollut*. 144: 802-807. <http://dx.doi.org/10.1016/j.envpol.2006.02.020>.
- Moon, JW; Moon, HS; Kim, H; Roh, Y. (2005). Remediation of TCE-contaminated groundwater using zero valent iron and direct current: experimental results and electron competition model. *Environ Geol*. 48: 805-817. <http://dx.doi.org/10.1007/s00254-005-0023-1>.
- Moonsiri, M; Rangsunvigit, P; Chavadej, S; Gulari, E. (2004). Effects of Pt and Ag on the photocatalytic degradation of 4-chlorophenol and its by-products. *Chem Eng J*. 97: 241-248. <http://dx.doi.org/10.1016/j.cej.2003.05.003>.
- Moore, K; Forsberg, B; Baer, DR; Arnold, WA; Penns, R. (2011). Zero-Valent Iron: Impact of Anions Present during Synthesis on Subsequent Nanoparticle Reactivity. *J Environ Eng*. 137: 889-896. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000407](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000407).
- Moore, MM; Harrington-Brock, K. (2000). Mutagenicity of trichloroethylene and its metabolites: Implications for the risk assessment of trichloroethylene [Review]. *Environ Health Perspect*. 108: 215-223.
- Moore, P; Coucher, J; Ngai, S; Stanton, T; Wahi, S; Gould, P; Booth, C; Pratap, J; Kaye, G. (2016). Imaging and Right Ventricular Pacing Lead Position: A Comparison of CT, MRI, and Echocardiography. *Pacing Clin Electrophysiol*. 39: 382-392. <http://dx.doi.org/10.1111/pace.12817>.
- Mora, M; Skiles, R; Mckinney, B; Paredes, M; Buckler, D; Papoulias, D; Klein, D. (2002). Environmental contaminants in prey and tissues of the peregrine falcon in the Big Bend Region, Texas, USA. *Environ Pollut*. 116: 169-176. [http://dx.doi.org/10.1016/S0269-7491\(01\)00207-X](http://dx.doi.org/10.1016/S0269-7491(01)00207-X).
- Mora, MA; Durgin, B; Hudson, LB; Jones, E. (2016). Temporal and latitudinal trends of p,p'-DDE in eggs and carcasses of North American birds from 1980 to 2005 [Review]. *Environ Toxicol Chem*. 35: 1340-1348. <http://dx.doi.org/10.1002/etc.3360>.
- Mora, VC; Madueño, L; Peluffo, M; Rosso, JA; Del Panno, MT; Morelli, IS. (2014). Remediation of phenanthrene-contaminated soil by simultaneous persulfate chemical oxidation and biodegradation processes. *Environ Sci Pollut Res Int*. 21: 7548-7556. <http://dx.doi.org/10.1007/s11356-014-2687-0>.
- Mora, VC; Rosso, JA; Carrillo Le Roux, G; Martire, DO; Gonzalez, MC. (2009). Thermally activated peroxydisulfate in the presence of additives: A clean method for the degradation of pollutants. *Chemosphere*. 75: 1405-1409. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.038>.
- Moradi, O; Norouzi, M; Fakhri, A, li; Naddafi, K. (2014). Interaction of removal Ethidium Bromide with Carbon Nanotube: Equilibrium and Isotherm studies. 12: 17. <http://dx.doi.org/10.1186/2052-336X-12-17>.
- Morag, Y; Tal, N; Nazareth, M; Levron, Y. (2016). Thermodynamic Signal-to-Noise and Channel Capacity Limits of Magnetic Induction Sensors and Communication Systems. *IEEE Sens J*. 16: 1575-1585. <http://dx.doi.org/10.1109/JSEN.2015.2506341>.
- Morales-Suarez-Varela, MM; Olsen, J; Villeneuve, S; Johansen, P; Kaerlev, L; Llopis-Gonzalez, A; Wingren, G; Hardell, L; Ahrens, W; Stang, A; Merletti, F; Gorini, G; Aurrekoetxea, JJ; Fevotte, J. (2013). Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. *J Occup Environ Med*. 55: 924-931. <http://dx.doi.org/10.1097/JOM.0b013e3182941a1c>.
- Morata, TC; Fiorini, AC; Fischer, FM; Colacioppo, S; Wallingford, KM; Krieg, EF; Dunn, DE; Gozzoli, L; Padrão, MA; Cesar, CL. (1997). Toluene-induced hearing loss among rotogravure printing workers. *Scand J Work Environ Health*. 23: 289-298.
- Morata, TC; Johnson, AC; Nylen, P; Svensson, EB; Cheng, J; Krieg, EF; Lindblad, AC; Ernstgård, L; Franks, J. (2002). Audiometric findings in workers exposed to low levels of styrene and noise. *J Occup Environ Med*. 44: 806-814.
- Morcillo, CAD; Patterson, CE; Lacroix, B; Coen, C; Poh, CHJ; Cressler, JD; Papapolymerou, J. (2012). An Ultra-Thin, High-Power, and Multilayer Organic Antenna Array With T/R Functionality in the X-Band. *IEEE Transactions on Microwave Theory and Techniques*. 60: 3856-3867. <http://dx.doi.org/10.1109/TMTT.2012.2218119>.
- Moreira-Matias, L; Gama, J; Ferreira, M; Mendes-Moreira, J; Damas, L. (2016). Time-evolving O-D matrix estimation using high-speed GPS data streams. *Expert Systems with Applications*. 44: 275-288. <http://dx.doi.org/10.1016/j.eswa.2015.08.048>.
- Moreno, B; Nogales, R; Macci, C; Masciandaro, G; Benitez, E. (2011). Microbial eco-physiological profiles to estimate the biological restoration of a trichloroethylene-contaminated soil. *Ecol Indic*. 11: 1563-1571. <http://dx.doi.org/10.1016/j.ecolind.2011.03.026>.
- Moreno, B; Vivas, A; Nogales, R; Benitez, E. (2009). Solvent tolerance acquired by *Brevibacillus brevis* during an olive-waste vermicomposting process. *Ecotoxicol Environ Saf*. 72: 2109-2114. <http://dx.doi.org/10.1016/j.ecoenv.2009.06.011>.
- Morgan, RW; Kelsh, MA; Zhao, K; Heringer, S. (1998). Mortality of aerospace workers exposed to trichloroethylene. *Epidemiology*. 9: 424-431.

Exposure Literature Search Results

Off Topic

- Morgan, RW; Kelsh, MA; Zhao, K; Heringer, S. (2000). Mortality of aerospace workers exposed to trichloroethylene (vol 9, pg 424, 1998). *Epidemiology*. 11: 360-360.
- Morgenstern, H. (1998). Ecologic studies. In KJ Rothman; S Greenland (Eds.), (2nd ed., pp. 459-480). Philadelphia, PA: Lippincott Williams & Wilkins.
- Morgenstern, H; Froines, J; Ritz, B; Young, B. (1997). Epidemiologic study to determine possible adverse effects to Rocketdyne/Atomics International workers from exposure to ionizing radiation. Berkeley, CA: Public Health Institute. <http://www.mapcruzin.com/rocketdyne-cancer/radiation.pdf>.
- Morgenstern, H; Froines, J; Ritz, B; Young, B. (1999). Epidemiologic study to determine possible adverse effects to Rocketdyne/Atomics International workers from exposure to selected chemicals. Berkeley, CA: Public Health Institute. http://www.ssflpanel.org/files/UCLA_chem.pdf.
- Mori, H; Kamiya, M; Suzuki, H; Suto, M; Tanaka, S; Nishio, Y; Kajita, K; Moriyama, H. (2003). Band filling control in ET salts. *Synthetic Metals*. 133: 161-163.
- Mori, H; Okano, T; Kamiya, M; Haemori, M; Suzuki, H; Tanaka, S; Tamura, M; Nishio, Y; Kajita, K; Kodani, M; Takimiya, K; Otsubo, T; Moriyama, H. (2001). Control of electronic states by bandwidth and band filling in organic conductors. *Synthetic Metals*. 120: 979-980.
- Mori, H; Sakurai, N; Tanaka, S; Moriyama, H. (1999). Antiferromagnetic fluctuation of (EDT-TTF)(4)CoCl4(1,1,2-TCE)(x). *Synthetic Metals*. 102: 1681-1681.
- Mori, H; Sakurai, N; Tanaka, S; Moriyama, H. (1999). Crystal structures and magnetic properties of d-p pi organic conductors, (EDT-TTF)(4)CoCl4(1,1,2-TCE)(x) and related materials. *Bull Chem Soc Jpn*. 72: 683-689.
- Mori, K; Nakamura, Y; Kaneko, M; Kan, T; Amemiya, T; Suzuki, S; Nakamura, H. (1992). Determination of 1,1,1-trichloroethane and 1,4-dioxane in household aerosol products. *JTTHE*. 38: 511-516.
- Mori, K; Nakamura, Y; Kaneko, M; Kan, T; Nakamura, H. (1993). SIMULTANEOUS DETERMINATION OF 1,1,1-TRICHLOROETHANE AND ITS STABILIZER IN WATER PROOFING AEROSOL PRODUCTS BY DRYSPACE METHOD. *JTTHE*. 39: 317-323.
- Mori, T; Suzuki, J; Fujimoto, K; Watanabe, M. (1998). Photocatalytic decomposition of trichloro ethylene and nitrate ion in water on hollandite-type catalysts. *Journal of Materials Synthesis and Processing*. 6: 329-333.
- Morimatsu, Y; Ishitake, T; Irie, K; Hara, K; Sakamoto, T; Aizawa, H. (2006). Acute pulmonary injury due to exposure to a high concentration of trichloroethylene vapor. *J Occup Health*. 48: 271-272.
- Morimura, K; Cheung, C; Ward, JM; Reddy, JK; Gonzalez, FJ. (2006). Differential susceptibility of mice humanized for peroxisome proliferator-activated receptor alpha to Wy-14,643-induced liver tumorigenesis. *Carcinogenesis*. 27: 1074-1080. <http://dx.doi.org/10.1093/carcin/bgi329>.
- Morioka, I; Miyai, N; Yamamoto, H; Miyashita, K. (2000). Evaluation of combined effect of organic solvents and noise by the upper limit of hearing. *Ind Health*. 38: 252-257. <http://dx.doi.org/10.2486/indhealth.38.252>.
- Morita, Z; Hiraoka, S; Yamamori, T; Motomura, H. (1975). STUDIES OF SOLVENT DYEING OF POLY(ETHYLENE TEREPHTHALATE) WITH DISPERSE DYES FROM TRICHLOROETHYLENE AND ISOCTANE. *Bull Chem Soc Jpn*. 48: 2538-2541.
- Moriwaki, C; Costa, GL; Pazzetto, R; Zanin, GM; Moraes, FF; Portilho, M; Matioli, G. (2007). Production and characterization of a new cyclodextrin glycosyltransferase from *Bacillus firmus* isolated from Brazilian soil. *Process Biochemistry*. 42: 1384-1390. <http://dx.doi.org/10.1016/j.procbio.2007.07.007>.
- Moriyama, N; Terao, M; Kawata, K; Uemura, T; Shirai, F. (1988). BIOTRANSFORMATION OF TRICHLOROETHYLENE IN SOIL. *JTTHE*. 34: 366-370.
- Morkin, M; Devlin, JF; Barker, JF; Butler, BJ. (2000). In situ sequential treatment of a mixed contaminant plume. *J Contam Hydrol*. 45: 283-302.
- Morono, Y; Unno, H; Hori, K. (2006). Correlation of TCE cometabolism with growth characteristics on aromatic substrates in toluene-degrading bacteria. *Biochem Eng J*. 31: 173-179. <http://dx.doi.org/10.1016/j.bej.2006.07.003>.
- Morou, E; Ismail, HM; Dowd, AJ; Hemingway, J; Labrou, N; Paine, M; Vontas, J. (2008). A dehydrochlorinase-based pH change assay for determination of DDT in sprayed surfaces. *Anal Biochem*. 378: 60-64. <http://dx.doi.org/10.1016/j.ab.2008.03.046>.
- Morozov, G; Breus, V; Nekludov, S; Breus, I. (2014). Sorption of volatile organic compounds and their mixtures on montmorillonite at different humidity. *Colloid Surface Physicochem Eng Aspect*. 454: 159-171. <http://dx.doi.org/10.1016/j.colsurfa.2014.03.104>.
- Morrill, PL; Lacrampe-Couloume, G; Lollar, BS. (2004). Dynamic headspace: a single-step extraction for isotopic analysis of microg/L concentrations of dissolved chlorinated ethenes. *Rapid Commun Mass Spectrom*. 18: 595-600. <http://dx.doi.org/10.1002/rcm.1372>.
- Morrill, PL; Sleep, BE; Seepersad, DJ; McMaster, ML; Hood, ED; Lebron, C; Major, DW; Edwards, EA; Lollar, BS. (2009). Variations in expression of carbon isotope fractionation of chlorinated ethenes during biologically enhanced PCE dissolution close to a source zone. *J Contam Hydrol*. 110: 60-71. <http://dx.doi.org/10.1016/j.jconhyd.2009.08.006>.
- Morrill, PL; Sleep, BE; Slater, GF; Edwards, EA; Lollar, BS. (2006). Evaluation of isotopic enrichment factors for the biodegradation of chlorinated ethenes using a parameter estimation model: toward an improved quantification of biodegradation. *Environ Sci Technol*. 40: 3886-3892. <http://dx.doi.org/10.1021/es051513e>.
- Morrison, RD. (2000). Critical review of environmental forensic techniques: Part I. *Environ Forensics*. 1: 157-173. <http://dx.doi.org/10.1006/enfo.2000.0017>.
- Morrissey, A; Kelly, G; Alderman, J. (1999). Selection of materials for reduced stress packaging of a microsystem. *Sens Actuators A*. 74: 178-181.
- Morrissey, FA; Grismer, ME. (1999). Kinetics of volatile organic compound sorption/desorption on clay minerals. *J Contam Hydrol*. 36: 291-312.
- Morrow, LA; Steinhauer, SR; Hodgson, MJ. (1992). Delay in P300 latency in patients with organic solvent exposure. *Arch Neurol*. 49: 315-320.
- Mortazavi, SB; Ramavandi, B; Moussavi, G. (2011). Chemical reduction kinetics of nitrate in aqueous solution by Mg/Cu bimetallic particles. *Environ Technol*. 32: 251-260. <http://dx.doi.org/10.1080/09593330.2010.495399>.

Exposure Literature Search Results

Off Topic

- Morton, JD; Hayes, KF; Semrau, JD. (2000). Bioavailability of chelated and soil-adsorbed copper to *Methylosinus trichosporium* OB3b. *Environ Sci Technol.* 34: 4917-4922. <http://dx.doi.org/10.1021/es001330m>.
- Morton, LD; Youssef, AF; Lloyd, E; Kiorpes, AL; Goldsworthy, TL; Fort, FL. (2002). Evaluation of carcinogenic responses in the Eker rat following short-term exposure to selected nephrotoxins and carcinogens. *Toxicol Pathol.* 30: 559-564. <http://dx.doi.org/10.1080/01926230290105794>.
- Morton, LM; Hartge, P; Holford, TR; Holly, EA; Chiu, BC; Vineis, P; Stagnaro, E; Willett, EV; Franceschi, S; La Vecchia, C; Hughes, AM; Cozen, W; Davis, S; Severson, RK; Bernstein, L; Mayne, ST; Dee, FR; Cerhan, JR; Zheng, T. (2005). Cigarette smoking and risk of non-Hodgkin lymphoma: A pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph) [Review]. *Cancer Epidemiol Biomarkers Prev.* 14: 925-933. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0693>.
- Morton, LM; Holford, TR; Leaderer, B; Zhang, Y; Zahm, SH; Boyle, P; Flynn, S; Tallini, G; Owens, PH; Zhang, B; Zheng, T. (2003). Alcohol use and risk of non-Hodgkin's lymphoma among Connecticut women (United States). *Cancer Causes Control.* 14: 687-694. <http://dx.doi.org/10.1023/A:1025626208861>.
- Morton, LM; Turner, JJ; Cerhan, JR; Linet, MS; Treseler, PA; Clarke, CA; Jack, A; Cozen, W; Maynadie, M; Spinelli, JJ; Costantini, AS; Rudiger, T; Scarpa, A; Zheng, T; Weisenburger, DD. (2007). Proposed classification of lymphoid neoplasms for epidemiologic research from the Pathology Working Group of the International Lymphoma Epidemiology Consortium (InterLymph). *Blood.* 110: 695-708. <http://dx.doi.org/10.1182/blood-2006-11-051672>.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health A.* 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Moser, VC; Phillips, PM; McDaniel, KL; MacPhail, RC. (1999). Behavioral evaluation of the neurotoxicity produced by dichloroacetic acid in rats. *Neurotoxicol Teratol.* 21: 719-731. [http://dx.doi.org/10.1016/S0892-0362\(99\)00029-X](http://dx.doi.org/10.1016/S0892-0362(99)00029-X).
- Moss, JA; Szczepankiewicz, SH; Park, E; Hoffmann, MR. (2005). Adsorption and photodegradation of dimethyl methylphosphonate vapor at TiO₂ surfaces. *J Phys Chem B.* 109: 19779-19785. <http://dx.doi.org/10.1021/jp052057j>.
- Mossa hosseini, S; Ataie-Ashtiani, B; Kholghi, M. (2011). Nitrate reduction by nano-Fe/Cu particles in packed column. *Desalination.* 276: 214-221. <http://dx.doi.org/10.1016/j.desal.2011.03.051>.
- Motomatsu, M; Mizutani, W; Nie, HY; Tokumoto, H. (1996). Surface structure of a fluorinated thiol on Au(111) by scanning force microscopy. *Thin Solid Films.* 281: 548-551.
- Mouhamad, R; Ghanem, I; Alorfi, M; Ibrahim, K; Ali, N; Al-Daoude, A. (2012). PHYTOREMEDIATION OF TRICHLOROETHYLENE AND DICHLORODIPHENYLTRICHLOROETHANE-POLLUTED WATER USING TRANSGENIC SESBANIA GRANDIFLORA AND ARABIDOPSIS THALIANA PLANTS HARBORING RABBIT CYTOCHROME P450 2E1. *Int J Phytoremediation.* 14: 656-668. <http://dx.doi.org/10.1080/15226514.2011.619232>.
- Mouhyi, J; Sennerby, L; Pireaux, JJ; Dourov, N; Nammour, S; Van Reck, J. (1998). An XPS and SEM evaluation of six chemical and physical techniques for cleaning of contaminated titanium implants. *Clin Oral Implants Res.* 9: 185-194.
- Moulis, F; Krysa, J. (2013). Photocatalytic degradation of several VOCs (n-hexane, n-butyl acetate and toluene) on TiO₂ layer in a closed-loop reactor. *Catalysis Today.* 209: 153-158. <http://dx.doi.org/10.1016/j.cattod.2012.10.017>.
- Moulis, F; Krysa, J. (2015). Photocatalytic degradation of acetone and methanol in a flow-through photoreactor with immobilized TiO₂. *Res Chem Intermed.* 41: 9233-9242. <http://dx.doi.org/10.1007/s11164-015-1989-2>.
- Moura, FCC; Oliveira, GC; Araujo, MH; Ardisson, JD; Macedo, WAA; Lago, RM. (2006). Highly reactive species formed by interface reaction between Fe-0-iron oxides particles: An efficient electron transfer system for environmental applications. *Appl Catal A-Gen.* 307: 195-204. <http://dx.doi.org/10.1016/j.apcata.2006.03.037>.
- Mourand, JT; Crittenden, JC; Hand, DW; Perram, DL; Notthakun, S. (1995). REGENERATION OF SPENT ADSORBENTS USING HOMOGENEOUS ADVANCED OXIDATION. *Water Environ Res.* 67: 355-363.
- Mousa, IE. (2016). Total petroleum hydrocarbon degradation by hybrid electrobiochemical reactor in oilfield produced water. *Mar Pollut Bull.* 109: 356-360. <http://dx.doi.org/10.1016/j.marpolbul.2016.05.053>.
- Mouvet, C; Barberis, D; Bourg, ACM. (1993). ADSORPTION-ISOTHERMS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY VARIOUS NATURAL SOLIDS. *J Hydrol.* 149: 163-182.
- Moya, J; Howard-Reed, C; Corsi, RL. (1999). Volatilization of chemicals from tap water to indoor air from contaminated water used for showering. *Environ Sci Technol.* 33: 2321-2327.
- Mtolera, MSP; Collen, J; Pedersen, M; Ekdahl, A; Abrahamsson, K; Semesi, AK. (1996). Stress-induced production of volatile halogenated organic compounds in *Eucheuma denticulatum* (Rhodophyta) caused by elevated pH and high light intensities. *European Journal of Phycology.* 31: 89-95.
- Mu, Y; Radjenovic, J; Shen, J; Rozendal, RA; Rabaey, K; Keller, J. (2011). Dehalogenation of iodinated X-ray contrast media in a bioelectrochemical system. *Environ Sci Technol.* 45: 782-788. <http://dx.doi.org/10.1021/es1022812>.
- Muchitsch, N; Van Nooten, T; Bastiaens, L; Kjeldsen, P. (2011). Integrated evaluation of the performance of a more than seven year old permeable reactive barrier at a site contaminated with chlorinated aliphatic hydrocarbons (CAHs). *J Contam Hydrol.* 126: 258-270. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.007>.
- Mudiam, MKR; Ch, R; Chauhan, A; Manickam, N; Jain, R; Murthy, RC. (2012). Optimization of UA-DLLME by experimental design methodologies for the simultaneous determination of endosulfan and its metabolites in soil and urine samples by GC-MS. *Analytical Methods.* 4: 3855-3863. <http://dx.doi.org/10.1039/c2ay25432h>.

Exposure Literature Search Results

Off Topic

- Mudiam, MKR; Ratnasekhar, C, h. (2013). Ultra sound assisted one step rapid derivatization and dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometric determination of amino acids in complex matrices. *J Chromatogr A*. 1291: 10-18. <http://dx.doi.org/10.1016/j.chroma.2013.03.061>.
- Mueller, M; Aust, H. (2011). Transaction costs detailed: single-industry studies and operationalization. *Industrial Management + Data Systems*. 111: 1287-1331. <http://dx.doi.org/10.1108/02635571111170802>.
- Muellerova, D; Matejkova, D; Dvorakova, J; Mueller, L; Rosmus, J, an; Kovarova, K. (2015). PERSISTENT ORGANOCHLORINE POLLUTANTS IN OBESE WOMEN AFTER DIET INDUCED WEIGHT LOSS: FIVE YEARS FOLLOW UP STUDY. *Cent Eur J Public Health*. 23: 214-217.
- Muff, J; Jepsen, H; Sogaard, E. (2012). Bench-Scale Study of Electrochemical Oxidation for On-Site Treatment of Polluted Groundwater. *J Environ Eng*. 138: 915-922. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000561](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000561).
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res*. 29: 2434-2439.
- Muftikian, R; Nebesny, K; Fernando, Q; Korte, N. (1996). X-ray photoelectron spectra of the palladium-iron bimetallic surface used for the rapid dechlorination of chlorinated organic environmental contaminants. *Environ Sci Technol*. 30: 3593-3596.
- Muggli, DS; Ding, LF. (2001). Photocatalytic performance of sulfated TiO₂ and Degussa P-25TiO₂ during oxidation of organics. *Appl Catal B-Environ*. 32: 181-194.
- Muggli, DS; Odland, MJ; Schmidt, LR. (2001). Effect of trichloroethylene on the photocatalytic oxidation of methanol on TiO₂. *J Catal*. 203: 51-63. <http://dx.doi.org/10.1006/jcat.2001.3311>.
- Mukesh, G; Ashutosh, D, as; Ravikumar, K; Nagarajan, R. (2012). Sonochemical degradation of volatile and Non-volatile compounds. *Res Journal Chem Environ*. 16: 192-199.
- Mukherjee, R; Kumar, R; Sinha, A; Lama, Y; Saha, AK. (2016). A review on synthesis, characterization, and applications of nano zero valent iron (nZVI) for environmental remediation. *Crit Rev Environ Sci Tech*. 46: 443-466. <http://dx.doi.org/10.1080/10643389.2015.1103832>.
- Mulholland, JA; Sarofim, AF; Beer, JM. (1992). CHEMICAL EFFECTS OF FUEL CHLORINE ON THE ENVELOPE FLAME IGNITION OF DROPLET STREAMS. *Combust Sci Tech*. 85: 405-417.
- Mulholland, JA; Sarofim, AF; Longwell, JP; Lafleur, AL; Thilly, WG. (1994). Bacterial mutagenicity of pyrolysis tars produced from chloro-organic fuels. *Environ Health Perspect*. 102: 283-289.
- Mulholland, JA; Sarofim, AF; Sosothikul, P; Lafleur, AL. (1993). EFFECTS OF ORGANIC CHLORINE ON THE CHEMICAL-COMPOSITION AND CARBON NUMBER-DISTRIBUTION OF PYROLYSIS TARS. *Combust Flame*. 92: 161-177.
- Mulholland, JA; Sarofim, AF; Sosothikul, P; Monchamp, PA; Plummer, EF; Lafleur, AL. (1992). FORMATION OF PERCHLOROAROMATICS DURING TRICHLOROETHYLENE PYROLYSIS. *Combust Flame*. 89: 103-115.
- Muller, WF; Coulston, F; Korte, F. (1982). COMPARATIVE METABOLISM OF [C-14] TRICHLOROETHYLENE IN CHIMPANZEES, BABOONS, AND RHESUS-MONKEYS. *Chemosphere*. 11: 215-218.
- Mullins, M; Rogers, T; Loll, A. (1998). Estimation of Henry's constants for aqueous systems at elevated temperatures. *Fluid Phase Equilibria*. 150: 245-253.
- Mumtaz, MM; De Rosa, CT; Groten, J; Feron, VJ; Hansen, H; Durkin, PR. (1998). Estimation of toxicity of chemical mixtures through modeling of chemical interactions. *Environ Health Perspect*. 106: 1353-1360.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A*. 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Munakata, N; Reinhard, M. (2007). Palladium-catalyzed aqueous hydrodehalogenation in column reactors: Modeling of deactivation kinetics with sulfide and comparison of regenerants. *Appl Catal B-Environ*. 75: 1-10. <http://dx.doi.org/10.1016/j.apcatb.2007.03.005>.
- Munakatamarr, J; Matheson, VG; Forney, LJ; Tiedje, JM; Mccarty, PL. (1997). Long-term biodegradation of trichloroethylene influenced by bioaugmentation and dissolved oxygen in aquifer microcosms. *Environ Sci Technol*. 31: 786-791.
- Munakata-Marr, J; Mccarty, PL; Shields, MS; Reagin, M; Francesconi, SC. (1996). Enhancement of trichloroethylene degradation in aquifer microcosms bioaugmented with wild type and genetically altered Burkholderia (*Pseudomonas*) cepacia G4 and PR1. *Environ Sci Technol*. 30: 2045-2052.
- Mundle, K; Reynolds, DA; West, MR; Kueper, BH. (2007). Concentration rebound following in situ chemical oxidation in fractured clay. *Ground Water*. 45: 692-702. <http://dx.doi.org/10.1111/j.1745-6584.2007.00359.x>.
- Mundle, SOC; Johnson, T; Lacrampe-Couloume, G; Perez-De-Mora, A; Duhamel, M; Edwards, EA; McMaster, ML; Cox, E; Revesz, K; Lollar, BS. (2012). Monitoring Biodegradation of Ethene and Bioremediation of Chlorinated Ethenes at a Contaminated Site Using Compound-Specific Isotope Analysis (CSIA). *Environ Sci Technol*. 46: 1731-1738. <http://dx.doi.org/10.1021/es202792x>.
- Mundt, DJ; Dell, LD; Luippold, RS; Sulsky, SI; Skillings, A; Gross, R; Cox, KL; Mundt, KA. (2002). Cause-specific mortality among Kelly Air Force Base civilian employees, 1981-2001. *J Occup Environ Med*. 44: 989-996. <http://dx.doi.org/10.1097/01.jom.0000038329>.
- Munholland, JL; Mumford, KG; Kueper, BH. (2016). Factors affecting gas migration and contaminant redistribution in heterogeneous porous media subject to electrical resistance heating. *J Contam Hydrol*. 184: 14-24. <http://dx.doi.org/10.1016/j.jconhyd.2015.10.011>.
- Munoz, MJ; Rodriguez, M; Martin, R; Galan, M. (1994). A STUDY OF THE VISCOSITY OF METHYL MYRISTATE SOLUTIONS IN ORGANIC-SOLVENTS. 90: 177-180.
- Murabayashi, M; Itoh, K; Hua, ZL; Kitahara, K. (2002). The effects of the pre-treatments on the photocatalytic degradation of trichloroethylene in the gas-phase. *Journal of Advanced Oxidation Technologies*. 5: 67-71.
- Murakami-Nitta, T; Kirimura, K; Kino, K. (2003). Degradation of dimethyl sulfoxide by the immobilized cells of *Hyphomicrobium denitrificans* WU-K217. *Biochem Eng J*. 15: 199-204. [http://dx.doi.org/10.1016/S1369-703X\(03\)00004-4](http://dx.doi.org/10.1016/S1369-703X(03)00004-4).

Exposure Literature Search Results

Off Topic

- Murali, B; Kim, D, oG; Kang, J, aeW; Kim, J. (2014). Inkjet-printing of hybrid transparent conducting electrodes for organic solar cells. *Physica Status Solidi A: Applications and Materials Science (Print)*. 211: 1801-1806. <http://dx.doi.org/10.1002/pssa.201330463>.
- Murata, K; Inoue, O; Akutsu, M; Iwata, T. (2010). Neuromotor Effects of Short-Term and Long-Term Exposures to Trichloroethylene in Workers. *Am J Ind Med*. 53: 915-921. <http://dx.doi.org/10.1002/ajim.20850>.
- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics*. 17: 282-293. <http://dx.doi.org/10.1080/15275922.2016.1230907>.
- Murray, WD; Richardson, M. (1993). PROGRESS TOWARD THE BIOLOGICAL TREATMENT OF C-1 AND C-2 HALOGENATED HYDROCARBONS (pp. 195-217). (ISSN 1064-3389; EISSN 1547-6537; BIOSIS/94/36777). National Board of Labour Protection (Finland).
- Musialik-Piotrowska, A. (2007). Destruction of trichloroethylene (TCE) and trichloromethane (TCM) in the presence of selected VOCs over Pt-Pd-based catalyst. *Catalysis Today*. 119: 301-304. <http://dx.doi.org/10.1016/j.cattod.2006.08.059>.
- Musialik-Piotrowska, A; Mendyka, B. (2004). Catalytic oxidation of chlorinated hydrocarbons in two-component mixtures with selected VOCs. *Catalysis Today*. 90: 139-144. <http://dx.doi.org/10.1016/j.cattod.2004.04.019>.
- Musialik-Piotrowska, A; Syczewska, K. (2002). Catalytic oxidation of trichloroethylene in two-component mixtures with selected volatile organic compounds. *Catalysis Today*. 73: 333-342.
- Musielak, M; Brusseau, ML; Marcoux, M; Morrison, C; Quintard, M. (2014). Determination of Chlorinated Solvent Sorption by Porous Material-Application to Trichloroethene Vapor on Cement Mortar. *Transport in Porous Media*. 104: 77-90. <http://dx.doi.org/10.1007/s11242-014-0321-8>.
- Musso, E; Tesser, R; Basile, G; Di Serio, M; Santacesaria, E. (2000). Description of the liquid-liquid equilibrium in binary and multicomponent CFC/lubricating oil mixtures by means of an extended Flory-Huggins model. *J Fluor Chem*. 103: 41-51.
- Muthuraman, G; Moon, IS. (2016). Sustainable Generation of a Homogeneous Ni(II) Catalyst in the Cathodic Compartment of a Divided Flow Electrolytic Cell for the Degradation of Gaseous Carbon Tetrachloride by Electroscrubbing. 4: 1364-1372. <http://dx.doi.org/10.1021/acssuschemeng.5b01383>.
- Myasoedova, TG; Dmitrieva, GV. (1991). RADIOCHEMICAL TRANSFORMATIONS OF DICYCLOHEXYL-18-CROWN-6 (DCH18C6) IN AN EXTRACTION SYSTEM WITH AN ORGANOCHLORINE DILUENT. *High Energy Chemistry*. 25: 205-208.
- Myekhlai, M; Lee, S; Lee, T; Chung, H; Jeong, H. (2015). A facile and eco-friendly synthesis of graphene-silver hybrid materials for transparent conductive films. *Ceramics International*. 41: 983-989. <http://dx.doi.org/10.1016/j.ceramint.2014.09.018>.
- Myrand, D; Gillham, RW; Sudicky, EA; O'Hannesin, SF; Johnson, RL. (1992). Diffusion of volatile organic compounds in natural clay deposits: Laboratory tests. *J Contam Hydrol*. 10: 159-177.
- Myszkowski, J; Milchert, E. (2003). Recovery of organochlorine derivatives from waste waters in the stripper-adsorber system. *Przemysł Chemiczny*. 82: 1048-1050.
- Nadagouda, MN; Castle, AB; Murdock, RC; Hussain, SM; Varma, RS. (2010). In vitro biocompatibility of nanoscale zerovalent iron particles (NZVI) synthesized using tea polyphenols. *Green Chem*. 12: 114-122. <http://dx.doi.org/10.1039/b921203p>.
- Nadim, F; Nadim, A; Hoag, GE; Dahmani, AM. (1997). Desorption rate limitation in the extraction of organic molecules from unsaturated soils during soil venting operations. *J Contam Hydrol*. 25: 1-2.
- Nagaki, A; Takahashi, Y; Henseler, A; Matsuo, C; Yoshida, J, unI. (2015). Flash Chemistry Using Trichlorovinyl lithium: Switching the Reaction Pathways by High-resolution Reaction Time Control. *Chem Lett*. 44: 214-216. <http://dx.doi.org/10.1246/cl.140980>.
- Nagano, K; Umeda, Y; Saito, M; Nishizawa, T; Ikawa, N; Arito, H; Yamamoto, S; Fukushima, S. (2007). Thirteen-week inhalation toxicity of carbon tetrachloride in rats and mice. *J Occup Health*. 49: 249-259.
- Nagaoka, T; Yamashita, J; Takase, M; Ogura, K. (1994). COMPOSITE ELECTRODES CONSISTING OF METAL AND OXIDIZED CARBON PARTICLES FOR COMPLETE DEGRADATION OF TRICHLOROETHYLENE IN ACETONITRILE. *J Electrochem Soc*. 141: 1522-1526.
- Nagasawa, Y; Ukai, H; Okamoto, S; Samoto, H; Itoh, K; Moriguchi, J; Sakuragi, S; Ohashi, F; Takada, S; Kawakami, T; Ikeda, M. (2011). Organic solvent use in enterprises in Japan. *Ind Health*. 49: 534-541.
- Nagaya, T; Ishikawa, N; Hata, H. (1989). Urinary total protein and "beta"-2-microglobulin in workers exposed to trichloroethylene. *Environ Res*. 50: 86-92. [http://dx.doi.org/10.1016/S0013-9351\(89\)80050-7](http://dx.doi.org/10.1016/S0013-9351(89)80050-7).
- Nagaya, T; Ishikawa, N; Hata, H; Otobe, T. (1993). Subclinical and reversible hepatic effects of occupational exposure to trichloroethylene. *Int Arch Occup Environ Health*. 64: 561-563. <http://dx.doi.org/10.1007/BF00517701>.
- Naghizadeh, A; Nasser, S; Nazmara, S, h. (2011). REMOVAL OF TRICHLOROETHYLENE FROM WATER BY ADSORPTION ON TO MULTIWALL CARBON NANOTUBES. *Iranian Journal of Environmental Health Science and Engineering*. 8: 375-382.
- Nai-Ku, X; Chang-Fa, X; Yan, F. (2008). Preparation and characterization of absorptive functional fiber copolymerized by n-butyl methacrylate with hydroxyethyl methacrylate. *Chem J Chin Univ-Chin*. 29: 1677-1683.
- Nairat, M; Shahwan, T; Eroglu, AE; Fuchs, H. (2015). Incorporation of iron nanoparticles into clinoptilolite and its application for the removal of cationic and anionic dyes. *J Ind Eng Chem*. 21: 1143-1151. <http://dx.doi.org/10.1016/j.jiec.2014.05.027>.
- Naito, T; Inabe, T; Akutagawa, T; Hasegawa, T; Nakamura, T; Hosokoshi, Y; Inoue, K. (2003). Physical properties of (ET)(3)(MnCl4)(TCE) and the related salts. *Synthetic Metals*. 135: 613-614. [http://dx.doi.org/10.1016/S0379-6779\(02\)00794-4](http://dx.doi.org/10.1016/S0379-6779(02)00794-4).
- Naito, T; Inabe, T; Takeda, K; Awaga, K; Akutagawa, T; Hasegawa, T; Nakamura, T; Kakiuchi, T; Sawa, H; Yamamoto, T; Tajima, H. (2001). Peculiar physical properties of (ET)(3)(MnCl4)(TCE). *Synthetic Metals*. 120: 877-878.
- Naito, Y; Ikezaki, H; Taniguchi, A; Toko, K. (2004). Detection of noncharged organic substances by new measurement method using a lipid membrane sensor. *IEEE Sens J*. 4: 279-283. <http://dx.doi.org/10.1109/JSEN.2004.827218>.

Exposure Literature Search Results

Off Topic

- Nakagawa, F; Takahashi, Y; Gotoh, T; Fujieda, M; Hosokawa, M; Kiuchi, H; Imae, M. (2007). Development of time comparison equipment for ETS-VIII satellite. *Electrical Engineering in Japan*. 158: 61-71. <http://dx.doi.org/10.1002/ej.20385>.
- Nakagawa, Y; Ono, R, yo; Oda, T. (2014). Investigation of Humidity Effect on Atmospheric Plasma Decomposition of Toxic Gas With Direct Optical Measurement of OH Radicals. *I E E Transactions on Industry Applications*. 50: 39-44. <http://dx.doi.org/10.1109/TIA.2013.2266891>.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE*. 38: 240-246.
- Nakahama, T; Sarutani, S; Inouye, Y. (1999). Comparative study on the effect of trichloroethylene on the expression of P450 isoforms in rat lung and liver. *J Health Sci*. 45: 8-14.
- Nakai, JS; Stathopoulos, PB; Campbell, GL; Chu, I; Li-Muller, A; Aucoin, R. (1999). Penetration of chloroform, trichloroethylene, and tetrachloroethylene through human skin. *J Toxicol Environ Health A*. 58: 157-170. <http://dx.doi.org/10.1080/009841099157368>.
- Nakajima, T; Aoyama, T. (2000). Polymorphism of drug-metabolizing enzymes in relation to individual susceptibility to industrial chemicals [Review]. *Ind Health*. 38: 143-152. <http://dx.doi.org/10.2486/indhealth.38.143>.
- Nakajima, T; Moriguchi, M; Mitsumoto, Y; Sekoguchi, S; Nishikawa, T; Takashima, H; Watanabe, T; Katagishi, T; Kimura, H; Okanou, T; Kagawa, K. (2004). Centrosome aberration accompanied with p53 mutation can induce genetic instability in hepatocellular carcinoma. *Mod Pathol*. 17: 722-727. <http://dx.doi.org/10.1038/modpathol.3800115>.
- Nakajima, Y; Mironov, V; Yamagishi, T; Nakamura, H; Markwald, R. (1997). Expression of smooth muscle alpha-actin in mesenchymal cells during formation of avian endocardial cushion tissue: a role for transforming growth factor beta3. *Dev Dyn*. 209: 296-309. [http://dx.doi.org/10.1002/\(SICI\)1097-0177\(199707\)209:3<296::AID-AJA5>3.0.CO;2-D](http://dx.doi.org/10.1002/(SICI)1097-0177(199707)209:3<296::AID-AJA5>3.0.CO;2-D).
- Nakamiya, K; Nakayama, T; Ito, H; Shibata, Y; Morita, M. (2009). Isolation and properties of a 2-chlorovinylarsonic acid-degrading microorganism. *J Hazard Mater*. 165: 388-393. <http://dx.doi.org/10.1016/j.jhazmat.2008.10.030>.
- Nakamura, T; Senior, CL; Burns, EG; Bell, MD. (2000). Solar-powered soil vapor extraction for removal of dense nonaqueous phase organics from soil. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. A35: 795-816.
- Nakanishi, S; Hino, T. (1993). DETERMINATION OF VOLATILE CHLORINATED HYDROCARBONS IN SOIL USING SAMPLING VIALS FOR STORAGE AND EXTRACTION BY MEANS OF WATER-HEXANE EXTRACTION METHOD. *JTTHE*. 39: 29-36.
- Nakano, N; Yamamoto, A; Nagashima, K. (1996). Continuous monitoring of ozone in air by reflectometry. *Analyst*. 121: 1939-1942.
- Nakano, N; Yamamoto, A; Nagashima, K. (1996). Development of a monitoring system for vinyl chloride gas in air by using an HCl monitoring tape and pyrolyzer. *Talanta*. 43: 459-463.
- Nakano, Y; Hua, LQ; Nishijima, W; Shoto, E; Okada, M. (2000). Biodegradation of trichloroethylene (TCE) adsorbed on granular activated carbon (GAC). *Water Res*. 34: 4139-4142.
- Nakano, Y; Nishijima, W; Soto, E; Okada, M. (1999). Relationship between growth rate of phenol utilizing bacteria and the toxic effect of metabolic intermediates of trichloroethylene (TCE). *Water Res*. 33: 1085-1089.
- Nakano, Y; Okawa, K; Nishijima, W; Okada, M. (2003). Ozone decomposition of hazardous chemical substance in organic solvents. *Water Res*. 37: 2595-2598. [http://dx.doi.org/10.1016/S0043-1354\(03\)00077-0](http://dx.doi.org/10.1016/S0043-1354(03)00077-0).
- Nakashima, Y; Ikegami, S. (2001). Guar gum reduces trichloroethylene accumulation in the body by reducing TCE absorption and fat tissue mass. *J Agric Food Chem*. 49: 3499-3505. <http://dx.doi.org/10.1021/jf001221r>.
- Nakatsuka, H; Watanabe, T; Takeuchi, Y; Hisanaga, N; Shibata, E; Suzuki, H; Huang, MY; Chen, Z; Qu, QS; Ikeda, M. (1992). Absence of blue-yellow color vision loss among workers exposed to toluene or tetrachloroethylene, mostly at levels below occupational exposure limits. *Int Arch Occup Environ Health*. 64: 113-117. <http://dx.doi.org/10.1007/BF00381478>.
- Nakhjavan, B; Tahir, MN; Natalio, F; Panthoefer, M; Gao, H; Dietzsch, M; Andre, R; Gasi, T; Ksenofontov, V; Branscheid, R; Kolb, U, te; Tremel, W. (2012). Ni@Fe2O3 heterodimers: controlled synthesis and magnetically recyclable catalytic application for dehalogenation reactions. *Nanoscale*. 4: 4571-4577. <http://dx.doi.org/10.1039/c2nr12121b>.
- Nalaskowski, J; Hupka, J. (2004). Emulsion cleaning of metal surfaces contaminated with fresh and oxidized printing ink. *Fresen Environ Bull*. 13: 211-215.
- Nam, J; Kim, I; Kwon, J; Kim, YD, o. (2016). Applications of electrochemical ferrate(VI) for degradation of trichloroethylene in the aqueous phase. *Desalination and Water Treatment*. 57: 5138-5145. <http://dx.doi.org/10.1080/19443994.2014.1001440>.
- Nanba, K; Takeda, K; Higashihara, T; Ohwada, K. (1999). Distribution of methanotrophic bacteria in the coastal marine sediments. *Fish Sci*. 65: 531-536.
- Nanzyo, M; Takeda, A; Tsukada, H. (2009). Selective Dissolution Analysis of Major and Trace Elements in an Allophanic Andisol Acidified by Long-Term Fertilizer Application. *Commun Soil Sci Plant Anal*. 40: 2743-2755. <http://dx.doi.org/10.1080/00103620903173780>.
- Narayan, R; Asha, SK. (2013). Solvent-induced self-assembly of hydrogen bonded P4VP-perylenebisimide comb polymer. 1: 5925-5934. <http://dx.doi.org/10.1039/c3tc31015a>.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res*. 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res*. 67: 46-56.
- Narayanan, M; Davis, LC; Erickson, LE. (1995). Fate of volatile chlorinated organic compounds in a laboratory chamber with alfalfa plants. *Environ Sci Technol*. 29: 2437-2444.
- Narayanan, M; Erickson, LE; Davis, LC. (1999). Simple plant-based design strategies for volatile organic pollutants. *Environmental Progress*. 18: 231-242.

Exposure Literature Search Results

Off Topic

- Narayanan, M; Russell, NK; Davis, LC; Erickson, LE. (1999). Fate and Transport of Trichloroethylene in a Chamber with Alfalfa Plants. *Int J Phytoremediation*. 1: 387-411. <http://dx.doi.org/10.1080/15226519908500026>.
- Naresh, RK; Rathore, RS; Dhaliwal, SS; Yadav, RB; Kumar, D; Singh, SP; Nawaz, A; Kumar, N; Gupta, R, ajK. (2016). Crop establishment methods: foliar and basal nourishment of rice (*Oryza sativa*) cultivation affecting growth parameters, water saving, productivity and soil physical properties. *Paddy and Water Environment*. 14: 373-386. <http://dx.doi.org/10.1007/s10333-015-0507-x>.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health*. 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Nasr, AT; Alexander, K; Schreiner, LJ; Mcauley, KB. (2015). Leuco-crystal-violet micelle gel dosimeters: I. Influence of recipe components and potential sensitizers. *Phys Med Biol*. 60: 4665-4683. <http://dx.doi.org/10.1088/0031-9155/60/12/4665>.
- Nasr, AT; Alexander, KM; Olding, T; Schreiner, LJ; Mcauley, KB. (2015). Leuco-crystal-violet micelle gel dosimeters: II. Recipe optimization and testing. *Phys Med Biol*. 60: 4685-4704. <http://dx.doi.org/10.1088/0031-9155/60/12/4685>.
- Natarajan, A; Duivenvoorden, W; Meijers, M; Zwanenburg, T. (1993). Induction of mitotic aneuploidy using Chinese hamster primary embryonic cells. Test results of 10 chemicals. *Mutat Res*. 287: 47-56. [http://dx.doi.org/10.1016/0027-5107\(93\)90144-5](http://dx.doi.org/10.1016/0027-5107(93)90144-5).
- Nath, J. R.; Saini, R. (1991). VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE. *Fluid Phase Equilibria*. 68: 281-290.
- Nath, J. (1991). THERMODYNAMIC BEHAVIOR OF BINARY-SYSTEMS OF 1,4-DIOXANE WITH 1,2-DICHLOROETHANE, DICHLOROMETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE - VAPOR-PRESSURES AND EXCESS MOLAR GIBBS ENERGIES. *J Chem Soc Faraday Trans*. 87: 1345-1350.
- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. *Fluid Phase Equilibria*. 109: 39-51.
- Nath, J; Chaudhary, SK. (1992). EXCESS VOLUMES, DIELECTRIC-CONSTANTS, REFRACTIVE-INDEXES, AND VISCOSITIES FOR ANISOLE PLUS METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data*. 37: 387-390.
- Nath, J; Das, SS. (1993). THERMODYNAMIC BEHAVIOR OF BINARY-SYSTEMS OF QUINOLINE WITH METHYLENE-CHLORIDE, CHLOROFORM, CARBON-TETRACHLORIDE, BENZENE AND CYCLOHEXANE - VAPOR-PRESSURES AND EXCESS MOLAR GIBBS ENERGIES. *J Chem Soc Faraday Trans*. 89: 2429-2432.
- Nath, J; Dixit, AP. (1984). ULTRASONIC VELOCITIES IN, AND ADIABATIC COMPRESSIBILITIES AND EXCESS VOLUMES FOR, BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data*. 29: 313-316.
- Nath, J; Dixit, AP. (1990). TOTAL VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE AND CYCLOHEXANE AT 273.15 K. *Fluid Phase Equilibria*. 60: 205-212.
- Nath, J; Mishra, SK. (1998). Excess molar volumes and kinematic viscosities of binary liquid mixtures of cyclohexanone plus dichloromethane, plus trichloromethane, plus 1,2-dichloroethane, plus trichloroethene, plus 1,1,1-trichloroethane, and plus cyclohexane. *Journal of Chemical and Engineering Data*. 43: 196-200.
- Nath, J; Mishra, SK. (1998). Excess molar volumes of (cyclohexanone plus trichloromethane, or 1,2-dichloroethane, or trichloroethene, or 1,1,1-trichloroethane, or cyclohexane) at T = 308.15 K, and of (cyclohexanone plus dichloromethane) at T = 303.15 K. *Fluid Phase Equilibria*. 152: 277-282.
- Nath, J; Mishra, SK. (1998). Relative permittivities and refractive indices of binary mixtures of cyclohexanone with dichloromethane, trichloromethane, 1,2-dichloroethane, trichloroethene and cyclohexane at T = 303.15 K. *Fluid Phase Equilibria*. 145: 89-97.
- Nath, J; Pandey, JG. (1997). Viscosities of binary liquid mixtures of butanol plus pentane, plus hexane, plus heptane, and plus octane at T = 298.15 K. *Journal of Chemical and Engineering Data*. 42: 1133-1136.
- Nath, J; RASHMI. (1990). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF 1,4-DIOXANE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria*. 58: 319-324.
- Nath, J; Saini, R. (1989). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria*. 50: 297-303.
- Nath, J; Srivastava, AK. (1986). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHYLENE WITH ANISOLE, PYRIDINE, QUINOLINE AND CYCLOHEXANE AT 298.15K AND 308.15K. *Fluid Phase Equilibria*. 28: 97-101.
- Nath, J; Tiwari, M; Kumar, S. (1994). VAPOR-PRESSURES AND ACTIVITY-COEFFICIENTS FOR BINARY-SYSTEMS OF ANISOLE WITH DICHLOROMETHANE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE AT 298.15-K. 337-337.
- Naugler, WE; Sakurai, T; Kim, S; Maeda, S; Kim, K; Elsharkawy, AM; Karin, M. (2007). Gender disparity in liver cancer due to sex differences in MyD88-dependent IL-6 production. *Science*. 317: 121-124. <http://dx.doi.org/10.1126/science.1140485>.
- Navarrete, M; Rodrigues, N; Amils, R; Sanz, JL. (1999). Effect of 1,1,2,2-tetrachloroethane on the performance of upflow anaerobic sludge bed (UASB) reactors. *Water Sci Technol*. 40: 153-159.
- Navon, D; Loehr, RC; Liljestrand, HM; Daniel D E, J. R. (1998). Impact of biodegradable trenching slurry on iron treatment wall performance. *Water Sci Technol*. 38: 49-53.

Exposure Literature Search Results

Off Topic

- Nayak, JN; Aralaguppi, MI; Toti, US; Aminabhavi, TM. (2003). Density, Viscosity, Refractive Index, and Speed of Sound in the Binary Mixtures of Tri- n -butylamine + Triethylamine, + Tetrahydrofuran, + Tetradecane, + Tetrachloroethylene, + Pyridine, or + Trichloroethylene at (298.15, 303.15, and 308.15) K. *Journal of Chemical and Engineering Data*. 48: 1483-1488. <http://dx.doi.org/10.1021/jc030147g>.
- Nayak, KC; Saha, SK; Srinivasan, K; Dutta, P. (2006). A numerical model for heat sinks with phase change materials and thermal conductivity enhancers. *Int J Heat Mass Tran*. 49: 1833-1844. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2005.10.039>.
- Nazir, M; Takasaki, J; Kumazawa, H. (2003). Photocatalytic degradation of gaseous ammonia and trichloroethylene over TiO₂ ultrafine powders deposited on activated carbon particles. *Chemical Engineering Communications*. 190: 322-333. <http://dx.doi.org/10.1080/00986440390183393>.
- Ndon, UJ; Randall, AA. (1999). Periodic aerated treatment and in-situ bioremediation strategies for polyhalogenated compounds. *Water Res*. 33: 2715-2720.
- Ndon, UJ; Randall, AA; Khouri, TZ. (2000). Reductive dechlorination of tetrachloroethylene by soil sulfate-reducing microbes under various electron donor conditions. *Environ Monit Assess*. 60: 329-336.
- Ndong, LBB, i; Gu, X; Lu, S; Ibondou, MP; Qiu, Z; Sui, Q; Mbadinga, SM; Mu, B. (2015). Role of reactive oxygen species in the dechlorination of trichloroethene and 1,1,1-trichloroethane in aqueous phase in UV/TiO₂ systems. *Chem Eng Sci*. 123: 367-375. <http://dx.doi.org/10.1016/j.ces.2014.11.034>.
- Ndong, LBB, i; Ibondou, MP; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Enhanced Photocatalytic Activity of TiO₂ Nanosheets by Doping with Cu for Chlorinated Solvent Pollutants Degradation. *Ind Eng Chem Res*. 53: 1368-1376. <http://dx.doi.org/10.1021/ie403405z>.
- Ndong, LBB, i; Ibondou, MP; Gu, X; Xu, M; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficiently Synthetic TiO₂ Nano-sheets for PCE, TCE, and TCA Degradations in Aqueous Phase Under VUV Irradiation. *Water Air Soil Pollut*. 225. <http://dx.doi.org/10.1007/s11270-014-1951-8>.
- Ndong, LBB, i; Ibondou, MP; Miao, Z; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficient dechlorination of chlorinated solvent pollutants under UV irradiation by using the synthesized TiO₂ nano-sheets in aqueous phase. *J Environ Sci*. 26: 1188-1194. [http://dx.doi.org/10.1016/S1001-0742\(13\)60541-0](http://dx.doi.org/10.1016/S1001-0742(13)60541-0).
- Neafsey, P; Ginsberg, G; Hattis, D; Johns, DO; Guyton, KZ; Sonawane, B. (2009). Genetic polymorphism in CYP2E1: Population distribution of CYP2E1 activity [Review]. *J Toxicol Environ Health B Crit Rev*. 12: 362-388. <http://dx.doi.org/10.1080/10937400903158359>.
- Nefso, EK; Burns, SE. (2007). Comparison of the equilibrium sorption of five organic compounds to HDPE, PP, and PVC geomembranes. *Geotextiles and Geomembranes*. 25: 360-365. <http://dx.doi.org/10.1016/j.geotextmem.2006.12.002>.
- Neghab, M; Qu, S; Bai, CL; Caples, J; Stacey, NH. (1997). Raised concentration of serum bile acids following occupational exposure to halogenated solvents, 1,1,2-trichloro-1,2,2-trifluoroethane and trichloroethylene. *Int Arch Occup Environ Health*. 70: 187-194. <http://dx.doi.org/10.1007/s004200050205>.
- Neghab, M; Stacey, N. (1997). Toluene-induced elevation of serum bile acids: Relationship to bile acid transport. *J Toxicol Environ Health*. 52: 249-268. <http://dx.doi.org/10.1080/00984109708984063>.
- Negrini, RM; Erbes, DB; Roberts, AP; Verosub, KL; Sarnawojcicki, AM; Meyer, CE. (1994). REPEATING WAVE-FORM INITIATED BY A 180-190-KA GEOMAGNETIC EXCURSION IN WESTERN NORTH-AMERICA - IMPLICATIONS FOR FIELD BEHAVIOR DURING POLARITY TRANSITIONS AND SUBSEQUENT SECULAR VARIATION. *J Geophys Res Solid Earth*. 99: 24105-24119.
- Nelson, AD; Schmitt, RJ; Dickeson, D. (1997). Upgrading the performance of groundwater VOC air strippers. *Environmental Progress*. 16: 43-46.
- Nelson, DK; Novak, PJ. (2009). Enhanced Dissolution of Trichloroethene: Effect of Carbohydrate Addition and Fermentation Processes. *J Environ Eng*. 135: 861-868. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000042](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000042).
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis*. 16: 1243-1245.
- Nelson, L; Longstreth, W; Koepsell, T; Checkoway, H; van Belle, G. (1994). Completeness and accuracy of interview data from proxy respondents: Demographic, medical, and life-style factors. *Epidemiology*. 5: 204-217.
- Nelson, NT; Oostrom, M; Wietsma, TW; Brusseau, ML. (1999). Partitioning tracer method for the in situ measurement of DNAPL saturation: Influence of heterogeneity and sampling method. *Environ Sci Technol*. 33: 4046-4053.
- Nelson, YM; Jewell, WJ. (1993). VINYL-CHLORIDE BIODEGRADATION WITH METHANOTROPHIC ATTACHED FILMS. *J Environ Eng*. 119: 890-907.
- Nemir, A; David, MM; Perrussel, R; Sapkota, A, my; Simonet, P; Monier, JM; Vogel, TM. (2010). Comparative phylogenetic microarray analysis of microbial communities in TCE-contaminated soils. *Chemosphere*. 80: 600-607. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.036>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med*. 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Netzer, L; Weisbrod, N; Kurtzman, D; Nasser, A; Graber, ER; Ronen, D. (2010). Observations on Vertical Variability in Groundwater Quality: Implications for Aquifer Management. *Water Resources Management*. 25: 1315-1324. <http://dx.doi.org/10.1007/s11269-010-9746-1>.
- Neupane, D; Park, JW. (2000). Partitioning of naphthalene to gemini surfactant-treated alumina. *Chemosphere*. 41: 787-792.
- Neupauer, RM; Lin, R; O'Shea, H. (2007). Conditioned backward probability modeling to identify sources of groundwater contaminants subject to sorption and decay. *Water Resour Res*. 43. <http://dx.doi.org/10.1029/2006WR005580>.
- Neupauer, RM; Wilson, JL. (2004). Forward and backward location probabilities for sorbing solutes in groundwater. *Advances in Water Resources*. 27: 689-705. <http://dx.doi.org/10.1016/j.advwaters.2004.05.003>.
- Neupauer, RM; Wilson, JL. (2005). Backward probability model using multiple observations of contamination to identify groundwater contamination sources at the Massachusetts Military Reservation. *Water Resour Res*. 41. <http://dx.doi.org/10.1029/2003WR002974>.

Exposure Literature Search Results

Off Topic

- Newcombe, G; Morrison, J; Hepplewhite, C; Knappe, DRU. (2002). Simultaneous adsorption of MIB and NOM onto activated carbon - II. Competitive effects. *Carbon*. 40: 2147-2156.
- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination*. 7: 531-542.
- Nguetnkam, JP; Villieras, F; Kamga, R; Ekodeck, GE; Yvon, J. (2014). Mineralogy and geochemical behaviour during weathering of greenstone belt under tropical dry conditions in the extreme North Cameroon (Central Africa). *Chem Erde*. 74: 185-193. <http://dx.doi.org/10.1016/j.chemer.2013.06.007>.
- Nguyen Dinh, MT; Giraudon, JM; Lamonier, JF; Vandenbroucke, A; De Geyter, N; Leys, C; Morent, R. (2014). Plasma-catalysis of low TCE concentration in air using LaMnO₃+delta as catalyst. *Appl Catal B-Environ*. 147: 904-911. <http://dx.doi.org/10.1016/j.apcatb.2013.07.008>.
- Nguyen Dinh, MT; Giraudon, JM; Vandenbroucke, AM; Morent, R; De Geyter, N; Lamonier, JF. (2016). Manganese oxide octahedral molecular sieve K-OMS-2 as catalyst in post plasma-catalysis for trichloroethylene degradation in humid air. *J Hazard Mater*. 314: 88-94. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.027>.
- Nguyen, VK; Park, Y; Yu, J; Lee, T. (2016). Microbial selenite reduction with organic carbon and electrode as sole electron donor by a bacterium isolated from domestic wastewater. *Bioresour Technol*. 212: 182-189. <http://dx.doi.org/10.1016/j.biortech.2016.04.033>.
- Ni, Z; Smit, M; Grotenhuis, T, im; van Gaans, P; Rijnaarts, H. (2014). Effectiveness of stimulating PCE reductive dechlorination: A step-wise approach. *J Contam Hydrol*. 164: 209-218. <http://dx.doi.org/10.1016/j.jconhyd.2014.06.005>.
- Nichols, JW; Mckim, JM; Lien, GJ; Hoffman, AD; Bertelsen, SL; Gallinat, CA. (1993). PHYSIOLOGICALLY-BASED TOXICOKINETIC MODELING OF 3 WATERBORNE CHLOROETHANES IN CHANNEL CATFISH, ICTALURUS-PUNCTATUS. *Aquat Toxicol*. 27: 83-112.
- Nicholson, GC. (1998). Keeping innovation alive. *Research-Technology Management*. 41: 34-40.
- Nickelsen, MG; Cooper, WJ; Kurucz, CN; Waite, TD. (1992). REMOVAL OF BENZENE AND SELECTED ALKYL-SUBSTITUTED BENZENES FROM AQUEOUS-SOLUTION UTILIZING CONTINUOUS HIGH-ENERGY ELECTRON-IRRADIATION. *Environ Sci Technol*. 26: 144-152.
- Nickerson, ML; Jaeger, E; Shi, Y; Durocher, JA; Mahurkar, S; Zaridze, D; Matveev, V; Janout, V; Kollarova, H; Bencko, V; Navratilova, M; Szeszenia-Dabrowska, N; Mates, D; Mukeria, A; Holcatova, I; Schmidt, LS; Toro, JR; Karami, S; Hung, R; Gerard, GF; Linehan, WM; Merino, M; Zbar, B; Boffetta, P; Brennan, P; Rothman, N; Chow, WH; Waldman, FM; Moore, LE. (2008). Improved identification of von Hippel-Lindau gene alterations in clear cell renal tumors. *Clin Cancer Res*. 14: 4726-4734. <http://dx.doi.org/10.1158/1078-0432.CCR-07-4921>.
- Nicolella, C; Rovatti, M. (1998). Mathematical modeling of monolith reactors for photocatalytic oxidation of air contaminants. *Chem Eng J*. 69: 119-126.
- Nie, HY; Walzak, MJ; Mcintyre, NS. (2006). Delivering octadecylphosphonic acid self-assembled monolayers on a Si wafer and other oxide surfaces. *J Phys Chem B*. 110: 21101-21108. <http://dx.doi.org/10.1021/jp062811g>.
- Nie, X; Liu, J; Yue, D; Zeng, X; Nie, Y. (2013). Dechlorination of hexachlorobenzene using lead-iron bimetallic particles. *Chemosphere*. 90: 2403-2407. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.068>.
- Nie, X; Liu, J; Zeng, X; Yue, D. (2013). Rapid degradation of hexachlorobenzene by micron Ag/Fe bimetal particles. *J Environ Sci*. 25: 473-478. [http://dx.doi.org/10.1016/S1001-0742\(12\)60088-6](http://dx.doi.org/10.1016/S1001-0742(12)60088-6).
- Niederlehner, B; Cairns, J; Smith, E. (1998). Modeling acute and chronic toxicity of nonpolar narcotic chemicals and mixtures to *Ceriodaphnia dubia*. *Ecotoxicol Environ Saf*. 39: 136-146. <http://dx.doi.org/10.1006/eesa.1997.1621>.
- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. (1995). IN-SITU AND LABORATORY STUDIES ON THE FATE OF SPECIFIC ORGANIC-COMPOUNDS IN AN ANAEROBIC LANDFILL LEACHATE PLUME .2. FATE OF AROMATIC AND CHLORINATED ALIPHATIC-COMPOUNDS. *J Contam Hydrol*. 20: 51-66.
- Nielsen, PH; Bjerg, PL; Nielsen, P; Smith, P; Christensen, TH. (1996). In situ and laboratory determined first-order degradation rate constants of specific organic compounds in an aerobic aquifer. *Environ Sci Technol*. 30: 31-37.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere*. 25: 449-462.
- Nielson, AJ; Schwerdtfeger, P; Waters, JM. (2000). Trichloro monophenoxide complexes of titanium(IV). *Journal of the Chemical Society Dalton transactions*529-537.
- Nies, E. (2012). Ototoxic substances at the workplace: a brief update [Review]. *Arh Hig Rada Toksikol*. 63: 147-152. <http://dx.doi.org/10.2478/10004-1254-63-2012-2199>.
- Nies, E; Pueringer, J. (2014). New reference assessment values of the Committee for Risk Assessment (RAC) for chemicals subject to authorisation. *Gefahrst Reinhalt Luft*. 74: 343-346.
- Nieto-Marquez, A; Valverde, JL; Keane, MA. (2009). Selective low temperature synthesis of carbon nanospheres via the catalytic decomposition of trichloroethylene. *Appl Catal A-Gen*. 352: 159-170. <http://dx.doi.org/10.1016/j.apcata.2008.10.006>.
- Nieuwenhuizen, MS; Groeneveld, FR. (2000). Formation of phosgene during welding activities in an atmosphere containing chlorinated hydrocarbons. *AIHAJ*. 61: 539-543.
- Nijenhuis, I; Adrian, L. (2011). Transformation and Carbon Isotope Fractionation of Tetra- and Trichloroethene to Trans-Dichloroethene by *Dehalococcoides* sp. *Strain CBDB1* (vol 45, pg 1555, 2011). *Environ Sci Technol*. 45: 6216-6216. <http://dx.doi.org/10.1021/es202031v>.
- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol*. 153: 92-105. <http://dx.doi.org/10.1016/j.jconhyd.2013.06.004>.

Exposure Literature Search Results

Off Topic

- Nijhuis, HH; Mulder, MHV; Smolders, CA. (1991). REMOVAL OF TRACE ORGANICS FROM AQUEOUS-SOLUTIONS - EFFECT OF MEMBRANE THICKNESS. *J Memb Sci.* 61: 99-111.
- Nikolaev, KM; Petrova, NI. (1981). ADSORPTION OF TRICHLOROETHYLENE FROM A STREAM OF MOIST VAPOR AIR MIXTURE. *J Appl Chem USSR.* 54: 1071-1074.
- Nikolic, NC; Cakic, SM; Novakovic, SM; Cvetkovic, MD; Stankovic, MZ. (2009). EFFECT OF EXTRACTION TECHNIQUES ON YIELD AND COMPOSITION OF SOYBEAN OIL. *Macedonian Journal of Chemistry and Chemical Engineering.* 28: 173-179.
- Nikolic, NC; Stankovic, MZ. (2003). Solanidine hydrolytic extraction and separation from the potato (*Solanum tuberosum* L.) vines by using solid-liquid-liquid systems. *J Agric Food Chem.* 51: 1845-1849. <http://dx.doi.org/10.1021/jf020426s>.
- Nikroo, R; Alemzadeh, I; Vossoughi, M; Haddadian, K. (2016). Evaluation of trichloroethylene degradation by starch supported Fe/Ni nanoparticles via response surface methodology. *Water Sci Technol.* 73: 935-946. <http://dx.doi.org/10.2166/wst.2015.566>.
- Nilsson, T; Montanarella, L; Baglio, D; Tilio, R; Bidoglio, G; Facchetti, S. (1998). Analysis of volatile organic compounds in environmental water samples and soil gas by solid-phase microextraction. *Int J Environ Anal Chem.* 69: 217-226.
- Nimios, MR; Jacoby, WA; Blake, DM; Milne, TA. (1993). DIRECT MASS-SPECTROMETRIC STUDIES OF THE DESTRUCTION OF HAZARDOUS WASTES .2. GAS-PHASE PHOTOCATALYTIC OXIDATION OF TRICHLOROETHYLENE OVER TiO₂ - PRODUCTS AND MECHANISMS. *Environ Sci Technol.* 27: 732-740.
- Nimitrakoolchai, OU; Supothina, S. (2012). Preparation of stable ultrahydrophobic and superoleophobic silica-based coating. *J Nanosci Nanotechnol.* 12: 4962-4968. <http://dx.doi.org/10.1166/jnn.2012.4891>.
- Nimlos, MR; Wolfrum, EJ; Brewer, ML; Fennell, JA; Bintner, G. (1996). Gas-phase heterogeneous photocatalytic oxidation of ethanol: Pathways and kinetic modeling. *Environ Sci Technol.* 30: 3102-3110.
- Nims, RW; Lubet, RA; Fox, SD; Jones, CR; Thomas, PE; Reddy, AB; Kocarek, TA. (1998). Comparative pharmacodynamics of CYP2B induction by DDT, DDE, and DDD in male rat liver and cultured rat hepatocytes. *J Toxicol Environ Health A.* 53: 455-477.
- Ninomiya, K; Sakai, M; Ohba, E; Kashiwagi, N. (1994). KINETIC-MODEL FOR THE BIOTRANSFORMATION OF TETRACHLOROETHYLENE IN GROUNDWATER. *Water Sci Technol.* 30: 13-18.
- NIOSH. (1998). Criteria for a recommended standard: Occupational exposure to metalworking fluids. (98-102). Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/98-102.html>.
- Nishijima, W; Ochi, Y; Tsai, TY; Nakano, Y; Okada, M. (2004). Catalytic hydrodechlorination of chlorinated ethylenes in organic solvents at room temperature and atmospheric pressure. *Appl Catal B-Environ.* 51: 135-140. <http://dx.doi.org/10.1016/j.apcatb.2004.02.001>.
- Nishikawa, H. (2001). Thermal behavior of hydroxyapatite in structural and spectrophotometric characteristics. *Mater Lett.* 50: 364-370.
- Nishikawa, H; Ikeda, S; Monma, H. (1993). CHARACTERIZATION OF CALCIUM-DEFICIENT HYDROXYAPATITE AFTER A CATALYTIC REACTION WITH TRICHLOROETHYLENE VAPOR. *Bull Chem Soc Jpn.* 66: 2570-2573.
- Nishikawa, H; Monma, H. (1991). OXIDATIVE CATALYTIC DECOMPOSITION OF TRICHLOROETHYLENE OVER HYDROXYAPATITE. 1562-1564.
- Nishikawa, H; Monma, H. (1994). OXIDATIVE DECOMPOSITION OF CHLOROBENZENE OVER CALCIUM-DEFICIENT HYDROXYAPATITE. *Bull Chem Soc Jpn.* 67: 2454-2456.
- Nishikawa, H; Omamiuda, K. (2002). Photocatalytic activity of hydroxyapatite for methyl mercaptane. *J Mol Catal Chem.* 179: 193-200.
- Nishikiori, H; Fukasawa, Y; Yokosuka, Y; Fujii, T. (2011). Nitrogen doping into titanium dioxide by the sol-gel method using nitric acid. *Res Chem Intermed.* 37: 869-881. <http://dx.doi.org/10.1007/s11164-011-0294-y>.
- Nishikiori, H; Furukawa, M; Fujii, T. (2011). Degradation of trichloroethylene using highly adsorptive allophane-TiO₂ nanocomposite. *Appl Catal B-Environ.* 102: 470-474. <http://dx.doi.org/10.1016/j.apcatb.2010.12.028>.
- Nishikiori, H; Hashiguchi, S; Ito, M; Setiawan, RA; Fujii, T. (2014). Reaction in photofuel cells using allophane-titania nanocomposite electrodes. *Appl Catal B-Environ.* 147: 246-250. <http://dx.doi.org/10.1016/j.apcatb.2013.09.003>.
- Nishikiori, H; Kanada, N; Setiawan, RA; Morita, K; Teshima, K; Fujii, T. (2015). Photoelectrochemical properties of dye-dispersing allophane-titania composite electrodes. *Appl Clay Sci.* 107: 138-144. <http://dx.doi.org/10.1016/j.clay.2015.01.015>.
- Nishikiori, H; Sato, T; Kubota, S; Tanaka, N; Shimizu, Y; Fujii, T. (2012). Preparation of Cu-doped TiO₂ via refluxing of alkoxide solution and its photocatalytic properties. *Res Chem Intermed.* 38: 595-613. <http://dx.doi.org/10.1007/s11164-011-0374-z>.
- Nishikiori, H; Sato, Y; Oki, K; Fujii, T. (2015). Photocatalytic degradation of chlorinated propenes using TiO₂. *Res Chem Intermed.* 41: 7641-7654. <http://dx.doi.org/10.1007/s11164-014-1849-5>.
- Nisola, GM; Beltran, AB; Park, MJ; Torrejos, RE; Seo, JG; Lee, SP; Chung, WJ. (2015). Composite membranes with surface-modifying macromolecules for halogenated hydrocarbons removal from water in membrane extraction process. *Desalination and Water Treatment.* 54: 3551-3559. <http://dx.doi.org/10.1080/19443994.2014.922314>.
- Nissen, SE; Nicholls, SJ; Wolski, K; Howey, DC; Mcerlean, E; Wang, MD; Gomez, EV; Russo, JM. (2007). Effects of a potent and selective PPAR- α agonist in patients with atherogenic dyslipidemia or hypercholesterolemia: Two randomized controlled trials. *JAMA.* 297: 1362-1373. <http://dx.doi.org/10.1001/jama.297.12.1362>.
- Nitcheva, DK; Piegorsch, WW; West, RW. (2007). On use of the multistage dose-response model for assessing laboratory animal carcinogenicity. *Regul Toxicol Pharmacol.* 48: 135-147. <http://dx.doi.org/10.1016/j.yrtph.2007.03.002>.
- Niu, CG; Wang, Y; Zhang, XG; Zeng, GM; Huang, DW; Ruan, M; Li, XW. (2012). Decolorization of an azo dye Orange G in microbial fuel cells using Fe(II)-EDTA catalyzed persulfate. *Bioresour Technol.* 126: 101-106. <http://dx.doi.org/10.1016/j.biortech.2012.09.001>.
- Niu, J; Yin, L; Dai, Y; Bao, Y; Crittenden, JC. (2016). Design of visible light responsive photocatalysts for selective reduction of chlorinated organic compounds in water. *Appl Catal A-Gen.* 521: 90-95. <http://dx.doi.org/10.1016/j.apcata.2015.11.018>.

Exposure Literature Search Results

Off Topic

- Noda, K; Aizaiwa, H; Kurosawa, S. (2008). Characteristics of a simple monitoring system for trichloroethylene using a hybrid quartz crystal microbalance. *Sensor Mater.* 20: 179-189.
- Noegrohati, S, ri; Narsito; Hadi, S; Sanjayadi. (2008). Fate and behavior of organochlorine pesticides in the Indonesian tropical climate: A study in the segara anakan estuarine ecosystem. *CLEAN - Soil, Air, Water.* 36: 767-774. <http://dx.doi.org/10.1002/clen.200800083>.
- Nogueira, RFP; Alberici, RM; Mendes, MA; Jardim, WF; Eberlin, MN. (1999). Photocatalytic degradation of phenol and trichloroethylene: On-line and real-time monitoring via membrane introduction mass spectrometry. *Ind Eng Chem Res.* 38: 1754-1758.
- Noguera, DR; Pizarro, G; Clapp, LW. (2000). Mathematical modeling of trichloroethylene (TCE) degradation in membrane-attached biofilms. *Water Sci Technol.* 41: 239-244.
- Nöhammer, C; Brunner, F; Wölkart, G; Staber, PB; Steyrer, E; Gonzalez, FJ; Zechner, R; Hoefler, G. (2003). Myocardial dysfunction and male mortality in peroxisome proliferator-activated receptor alpha knockout mice overexpressing lipoprotein lipase in muscle. *Lab Invest.* 83: 259-269. <http://dx.doi.org/10.1097/01.LAB.0000053916.61772.CA>.
- Nomura, T; Hayashi, E; Kawakami, S; Ogita, S; Kato, Y. (2015). Environmentally benign process for the preparation of antimicrobial α -methylene- β -hydroxy- γ -butyrolactone (tulipalin B) from tulip biomass. *Biosci Biotechnol Biochem.* 79: 25-35. <http://dx.doi.org/10.1080/09168451.2014.946395>.
- Nonnenberg, C; van der Donk, WA; Zipse, H. (2002). Reductive dechlorination of trichloroethylene: A computational study. *J Phys Chem A.* 106: 8708-8715. <http://dx.doi.org/10.1021/jp0264073>.
- Nordlund, LA; Carstensen, JM; Pershagen, G. (1997). Cancer incidence in female smokers: A 26-year follow-up. *Int J Cancer.* 73: 625-628. [http://dx.doi.org/10.1002/\(SICI\)1097-0215\(19971127\)73:5<625::AID-IJC2>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0215(19971127)73:5<625::AID-IJC2>3.0.CO;2-Z).
- Nordlund, LA; Carstensen, JM; Pershagen, G. (1999). Are male and female smokers at equal risk of smoking-related cancer: Evidence from a Swedish prospective study. *Scand J Public Health.* 27: 56-62.
- Notthakun, S; Crittenden, JC; Hand, DW; Perram, DL; Mullins, ME. (1993). Regeneration of Adsorbents Using Heterogeneous Advanced Oxidation. *J Environ Eng.* 119: 695-714.
- Noubactep, C. (2009). Comments on "Decontamination of solutions containing EDTA using metallic iron" by Gylie O., et al. [*J. Hazard. Mater.* (2008)] [Letter]. *J Hazard Mater.* 165: 1261-1263. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.026>.
- Noubactep, C. (2012). Comment on "Reductive dechlorination of γ -hexachloro-cyclohexane using Fe-Pd bimetallic nanoparticles" by Nagpal et al. [*J. Hazard. Mater.* 175 (2010) 680-687] [Letter]. *J Hazard Mater.* 235-236: 388-391; author reply 392-383. <http://dx.doi.org/10.1016/j.jhazmat.2011.03.081>.
- Noubactep, C; Meinrath, G; Dietrich, P; Sauter, M; Merkel, BJ. (2005). Testing the suitability of zerovalent iron materials for reactive walls. *Environ Chem.* 2: 71-76. <http://dx.doi.org/10.1071/EN04014>.
- Novkovic, VM; Stanojevic, LP; Kacic, MD; Veljkovic, VB; Stankovic, MZ. (2014). Separation of digoxin by liquid-liquid extraction from extracts of foxglove secondary glycosides. *Hemijaska Industrija.* 68: 161-170. <http://dx.doi.org/10.2298/HEMIND130422040N>.
- NRC. (1983). *Risk Assessment in the Federal Government: Managing the Process.* Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC. (1993). *Pesticides in the diets of infants and children.* Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2126>.
- NRC. (1994). *Science and judgment in risk assessment* (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NRC. (1997). *Environmental epidemiology, volume 2: Use of the gray literature and other data in environmental epidemiology.* Washington, DC: National Academies Press. http://www.nap.edu/catalog.php?record_id=5804.
- Numata, M; Nakamura, N; Koshikawa, H; Terashima, Y. (2002). Chlorine isotope fractionation during reductive dechlorination of chlorinated ethenes by anaerobic bacteria. *Environ Sci Technol.* 36: 4389-4394. <http://dx.doi.org/10.1021/es025547n>.
- Numata, M; Nakamura, N; Koshikawa, H; Terashima, Y. (2002). Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry. *Anal Chim Acta.* 455: 1-9.
- Nunes, CD; Pires, J; Carvalho, A, naP; Calhorda, MJ, os; Ferreira, P. (2008). Synthesis and characterisation of organo-silica hydrophobic clay hetero structures for volatile organic compounds removal. *Microporous and Mesoporous Materials.* 111: 612-619. <http://dx.doi.org/10.1016/j.micromeso.2007.09.008>.
- Nunes-Halldorson, VD; Steiner, RL; Smith, GB. (2004). Residual toxicity after biodegradation: interactions among benzene, toluene, and chloroform. *Ecotoxicol Environ Saf.* 57: 162-167. [http://dx.doi.org/10.1016/S0147-651\(03\)00032-0](http://dx.doi.org/10.1016/S0147-651(03)00032-0).
- Nuns, N; Beaurain, A; Dinh, MTN; Vandenbroucke, A; De Geyter, N; Morent, R; Leys, C; Giraudon, JM; Lamonier, JF. (2014). A combined ToF-SIMS and XPS study for the elucidation of the role of water in the performances of a Post-Plasma Process using LaMnO₃+ δ as catalyst in the total oxidation of trichloroethylene. *Appl Surf Sci.* 320: 154-160. <http://dx.doi.org/10.1016/j.apsusc.2014.09.047>.
- Nuns, N; Lamonier, JF; Giraudon, JM; Siffert, S; Su, BL. (2013). ToF-SIMS studies of the TiO₂-ZrO₂ supported palladium as trace level used in the total oxidation of TCE in humid air. *Surf Interface Anal.* 45: 566-569. <http://dx.doi.org/10.1002/sia.5109>.
- Nurmi, JT; Sarathy, V; Tratnyek, PG; Baer, DR; Amonette, JE; Karkamkar, A. (2011). Recovery of iron/iron oxide nanoparticles from solution: comparison of methods and their effects. *J Nanopart Res.* 13: 1937-1952. <http://dx.doi.org/10.1007/s11051-010-9946-x>.
- Nuss, G; Saischek, G; Harum, BN; Volpe, M; Belaj, F; Mösch-Zanetti, NC. (2011). Pyridazine based scorpionate ligand in a copper boratrane compound. *Inorg Chem.* 50: 12632-12640. <http://dx.doi.org/10.1021/ic201666w>.
- Nutt, MO; Heck, KN; Alvarez, P; Wong, MS. (2006). Improved Pd-on-Au bimetallic nanoparticle catalysts for aqueous-phase trichloroethene hydrodechlorination. *Appl Catal B-Environ.* 69: 115-125. <http://dx.doi.org/10.1016/j.apcatb.2006.06.005>.
- Nutt, MO; Hughes, JB; Wong, MS. (2005). Designing Pd-on-Au bimetallic nanoparticle catalysts for trichloroethene hydrodechlorination. *Environ Sci Technol.* 39: 1346-1353. <http://dx.doi.org/10.1021/es048560b>.

Exposure Literature Search Results

Off Topic

- Nyberg, K. (1971). UDDEHOLM - TRICHLOROETHYLENE AND PERCHLOROETHYLENE BY A NEW PROCESS - ETHYLENE AND ACETYLENE PROCESSES - OXICHLORINATION AND HYDROXYCHLORINATION-FLOW SHEET. 83: 24-&.
- Nyer, EK; Morello, B. (1993). TRICHLOROETHYLENE TREATMENT AND REMEDIATION (pp. 98-103). (ISSN 1069-3629; EISSN 1745-6592; BIOSIS/93/23668). Nyer, EK; Morello, B.
- NYSDEC. (2008). Project information summary: Solvents, contamination and cleanup at Endicott. Albany, NY. <http://www.dec.ny.gov/chemical/24887.html>.
- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environ Sci Technol.* 35: 2244-2251. <http://dx.doi.org/10.1021/es001578b>.
- Nzengung, VA; Jeffers, P. (2001). Sequestration, Phytoreduction, and Phytooxidation of Halogenated Organic Chemicals by Aquatic and Terrestrial Plants. *Int J Phytoremediation.* 3: 13-40. <http://dx.doi.org/10.1080/15226510108500048>.
- Obee, TN; Brown, RT. (1995). TIO2 PHOTOCATALYSIS FOR INDOOR AIR APPLICATIONS - EFFECTS OF HUMIDITY AND TRACE CONTAMINANT LEVELS ON THE OXIDATION RATES OF FORMALDEHYDE, TOLUENE, AND 1,3-BUTADIENE. *Environ Sci Technol.* 29: 1223-1231. <http://dx.doi.org/10.1021/es00005a013>.
- Obee, TN; Hay, SO. (1997). Effects of moisture and temperature on the photooxidation of ethylene on Titania. *Environ Sci Technol.* 31: 2034-2038.
- Obiri-Nyarko, F; Kwiatkowska-Malina, J; Malina, G; Kasela, T. (2015). Geochemical modelling for predicting the long-term performance of zeolite-PRB to treat lead contaminated groundwater. *J Contam Hydrol.* 177-178: 76-84. <http://dx.doi.org/10.1016/j.jconhyd.2015.03.007>.
- Ocal, FM; Darici, B; Okyar, MC. (2012). The economic importance of Sirnak asphaltites in the next decade. *Energy Education Science & Technology, Part A: Energy Science and Research.* 28: 773-784.
- O'Connor, TP; Mueller, J. (2001). Modeling competitive adsorption of chlorinated volatile organic compounds with the Dubinin-Radushkevich equation. *Microporous and Mesoporous Materials.* 46: 341-349.
- Oda, T. (2003). Non-thermal plasma processing for environmental protection: decomposition of dilute VOCs in air. *Journal of Electrostatics.* 57: 293-311.
- Oda, T; Takahashi, T; Yamaji, K. (2002). Nonthermal plasma processing for dilute VOCs decomposition. *I E E E Transactions on Industry Applications.* 38: 873-878.
- Oda, T; Takahashi, T; Kohzuma, S. (2001). Decomposition of dilute trichloroethylene by using nonthermal plasma processing-frequency and catalyst effects. *I E E E Transactions on Industry Applications.* 37: 965-970.
- Oda, T; Takahashi, T; Tada, K. (1999). Decomposition of dilute trichloroethylene by nonthermal plasma. *I E E E Transactions on Industry Applications.* 35: 373-379.
- Oda, T; Takahashi, T; Yamaji, K. (2004). TCE decomposition by the nonthermal plasma process concerning ozone effect. *I E E E Transactions on Industry Applications.* 40: 1249-1256. <http://dx.doi.org/10.1109/TIA.2004.834068>.
- Oda, T; Yamaji, K; Takahashi, T. (2004). Decomposition of dilute trichloroethylene by nonthermal plasma processing - Gas flow rate, catalyst, and ozone effect. *I E E E Transactions on Industry Applications.* 40: 430-436. <http://dx.doi.org/10.1109/TIA.2004.824440>.
- Oda, T; Yamashita, R; Haga, I; Takahashi, T; Masuda, S. (1996). Decomposition of gaseous organic contaminants by surface discharge induced plasma chemical processing SPCP. *I E E E Transactions on Industry Applications.* 32: 118-124.
- Oda, T; Yamashita, R; Takahashi, T; Masuda, S. (1996). Atmospheric pressure discharge plasma decomposition for gaseous air contaminants - Trichlorotrifluoroethane and trichloroethylene. *I E E E Transactions on Industry Applications.* 32: 227-232.
- Oda, T; Yamashita, R; Tanaka, K; Takahashi, T; Masuda, S. (1996). Analysis of low-temperature surface discharge plasma products from gaseous organic compounds. *I E E E Transactions on Industry Applications.* 32: 1044-1050.
- O'Donnell, GE; Juska, A; Geyer, R; Faiz, M; Stalder, S. (1995). Analysis of trichloroacetic acid in the urine of workers occupationally exposed to trichloroethylene by capillary gas chromatography. *J Chromatogr A.* 709: 313-317.
- O'Donnell, L; McLachlan, RI; Wreford, NG; Robertson, DM. (1994). Testosterone promotes the conversion of round spermatids between stages VII and VIII of the rat spermatogenic cycle. *Endocrinology.* 135: 2608-2614. <http://dx.doi.org/10.1210/en.135.6.2608>.
- Oemuer-Oezbek, P; Gallagher, DL; Dietrich, AM. (2011). Determining Human Exposure and Sensory Detection of Odorous Compounds Released During Showering. *Environ Sci Technol.* 45: 468-473. <http://dx.doi.org/10.1021/es1030068>.
- Oesterreich, RC; Siegrist, RL. (2009). Quantifying Volatile Organic Compounds in Porous Media: Effects of Sampling Method Attributes, Contaminant Characteristics and Environmental Conditions. *Environ Sci Technol.* 43: 2891-2898. <http://dx.doi.org/10.1021/es803080c>.
- Ogata, A; Ito, D; Mizuno, K; Kushiya, S; Gal, A; Yamamoto, T. (2002). Effect of coexisting components on aromatic decomposition in a packed-bed plasma reactor. *Appl Catal A-Gen.* 236: 9-15.
- Ogata, A; Miyamae, K; Mizuno, K; Kushiya, S; Tezuka, M. (2002). Decomposition of benzene in air in a plasma reactor: Effect of reactor type and operating conditions. *Plasma Chemistry and Plasma Processing.* 22: 537-552.
- Ogata, A; Shintani, N; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (2000). Effect of water vapor on benzene decomposition using a nonthermal-discharge plasma reactor. *Plasma Chemistry and Plasma Processing.* 20: 453-467.
- Ogata, M; Kihara, T; Kamoi, R; Taguchi, T; Oda, J; Kenmotsu, K. (1988). A report of worker suffering from pneumatois cystoides intestinalis following trichloroethylene exposure. *Ind Health.* 26: 179-182.
- Ogata, M; TAKATSUK.Y; Tomokuni, K. (1970). SIMPLE METHOD FOR QUANTITATIVE ANALYSIS OF URINARY TRICHLOROETHANOL AND TRICHLOROACETIC ACID AS AN INDEX OF TRICHLOROETHYLENE EXPOSURE. *Br J Ind Med.* 27: 378-&.
- Ogawa, K; Takao, Y; Shimizu, Y; Egashira, M. (1999). Decomposition of trichloroethylene by microwave-induced-plasma generated from SiC ceramics under atmospheric pressure. *Key Eng Mater.* 159-1: 113-118.

Exposure Literature Search Results

Off Topic

- Ogino, K; Hobara, T; Kobayashi, H; Ishiyama, H; Gotoh, M; Imamura, A; Egami, N. (1991). Lipid Peroxidation Induced by Trichloroethylene in Rat Liver. *Bull Environ Contam Toxicol*. 46: 417-421.
- Ogunseitan, OA. (1996). Protein profile variation in cultivated and native freshwater microorganisms exposed to chemical environmental pollutants. *Microb Ecol*. 31: 291-304.
- Oguz, H; Koch, S; Weisweiler, W. (2000). Comparison of mechanistic models for the catalytic oxidation of trichloroethylene over Cr/Al₂O₃ and Al-Cr/porous glass catalysts. *Chem Eng Tech*. 23: 395-400.
- Oh, BT; Lee, JY; Yoon, J. (2007). Removal of contaminants in leachate from landfill by waste steel scrap and converter slag. *Environ Geochem Health*. 29: 331-336. <http://dx.doi.org/10.1007/s10653-007-9094-0>.
- Oh, DI; Nam, K; Park, JW; Khim, JH; Kim, YK; Kim, JY. (2008). Impacts of environmental conditions on the sorption of volatile organic compounds onto tire powder. *J Hazard Mater*. 153: 157-163. <http://dx.doi.org/10.1016/j.jhazmat.2007.08.045>.
- Oh, JM, in; Hoshina, T; Takeda, H; Tsurumi, T. (2013). Design, simulation, and fabrication of longitudinal electro-optically tuned transparent-comb-electrode photonic crystals. *Ceramic Society of Japan Journal*. 121: 659-663. <http://dx.doi.org/10.2109/jcersj2.121.659>.
- Oh, K; Ring, TA; Deo, MD. (2004). Asphaltene aggregation in organic solvents. *J Colloid Interface Sci*. 271: 212-219. <http://dx.doi.org/10.1016/j.jcis.2003.09.054>.
- Oh, M; Kim, M, inSoo; Kim, H. (2016). Thin Metal Transparent Conductive Electrodes Formed by Oblique-Angle Deposition. 2. <http://dx.doi.org/10.1002/aelm.201600154>.
- Oh, SY; Kang, SG; Chiu, PC. (2010). Degradation of 2,4-dinitrotoluene by persulfate activated with zero-valent iron. *Sci Total Environ*. 408: 3464-3468. <http://dx.doi.org/10.1016/j.scitotenv.2010.04.032>.
- Oh, SY; Kang, SG, u; Kim, DW; Chiu, P. (2011). Degradation of 2,4-dinitrotoluene by persulfate activated with iron sulfides. *Chem Eng J*. 172: 641-646. <http://dx.doi.org/10.1016/j.cej.2011.06.023>.
- Oh, SY; Kim, HW; Park, JM; Park, HS; Yoon, C. (2009). Oxidation of polyvinyl alcohol by persulfate activated with heat, Fe²⁺, and zero-valent iron. *J Hazard Mater*. 168: 346-351. <http://dx.doi.org/10.1016/j.jhazmat.2009.02.065>.
- Oh, SY; Shin, D. (2013). Degradation of spent caustic by Fenton and persulfate oxidation with zero-valent iron. *J Chem Tech Biotechnol*. 88: 145-152. <http://dx.doi.org/10.1002/jctb.3876>.
- Oh, SY; Shin, DS, ik. (2014). Treatment of Diesel-Contaminated Soil by Fenton and Persulfate Oxidation with Zero-Valent Iron. *Soil Sediment Contam*. 23: 180-193. <http://dx.doi.org/10.1080/15320383.2014.808170>.
- Oh, SY; Yoon, MK. (2015). DEGRADATIONS OF 2,4-DICHLOROPHENOL AND POLYCHLORINATED BIPHENYLS WITH ZERO VALENT IRON UNDER SUBCRITICAL CONDITIONS. IMPORTANCE OF SUBCRITICAL WATER OXIDATION. *Environ Protect Eng*. 41: 73-86. <http://dx.doi.org/10.5277/epe150306>.
- Ohandja, DG, uy; Stuckey, DC. (2007). Biodegradation of PCE in a hybrid membrane aerated biofilm reactor. *J Environ Eng*. 133: 20-27. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:1\(20\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:1(20)).
- Ohlen, K; Chang, YK; Hegemann, W; Yin, CR; Lee, ST. (2005). Enhanced degradation of chlorinated ethylenes in groundwater from a paint contaminated site by two-stage fluidized-bed reactor. *Chemosphere*. 58: 373-377. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.060>.
- Ohno, H; Aoyama, T; Kishimoto, H. (1992). Simultaneous determination of volatile organic pollutants in water by headspace gas chromatographic analysis with dual detection. *JTTHE*. 38: 84-92.
- Ohoya, S; Hashiya, S; Tsubakiyama, K; Matsuo, T. (2000). Chlorination of polyamides and characteristics of the chlorinated polymers. *Sen'i Gakkaishi*. 56: 145-154.
- Oiwa, M; Minami, S; Tsuji, K; Onodera, N; Saruwatari, M. (2010). Temporal-Talbot-effect-based preprocessing for pattern-effect reduction in all-optical clock recovery using a semiconductor-optical-amplifier-based fiber ring laser. 16: 63-71. <http://dx.doi.org/10.1016/j.yofte.2009.10.004>.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol*. 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Ojha, SM; Cureton, C; Bricheno, T; Day, S; Moule, D; Bell, AJ; Taylor, J. (1998). Simple method of fabricating polarisation-insensitive and very low crosstalk AWG grating devices. *Electronics Letters*. 34: 78-79.
- Okawa, K; Suzuki, K; Takeshita, T; Nakano, K. (2007). Regeneration of granular activated carbon with adsorbed trichloroethylene using wet peroxide oxidation. *Water Res*. 41: 1045-1051. <http://dx.doi.org/10.1016/j.watres.2006.10.032>.
- Okawa, K; Tsai, TY; Nakano, Y; Nishijima, W; Okada, M. (2005). Effect of metal ions on decomposition of chlorinated organic substances by ozonation in acetic acid. *Chemosphere*. 58: 523-527. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.044>.
- Oki, K; Tsuchida, S; Nishikiori, H; Tanaka, N; Fujii, T. (2003). Photocatalytic degradation of chlorinated ethenes. *Intl J Photoenergy*. 5: 11-15.
- Okouchi, S. (1986). VOLATILIZATION COEFFICIENT FOR STRIPPING TRICHLOROETHYLENE 1 1 1 TRICHLOROETHANE AND TETRACHLOROETHYLENE FROM WATER (pp. TREATMENT). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/86/31597). Okouchi, S.
- Okuda, T; Nam, SY; Lim, JL; Shin, HS. (2003). Improvement of thermal hydrolysis rate of dichloroacetic acid using alcohol. *Chemosphere*. 53: 97-100. [http://dx.doi.org/10.1016/S0045-6535\(03\)00361-8](http://dx.doi.org/10.1016/S0045-6535(03)00361-8).
- Okwi, GJ; Thomson, NR; Gillham, RW. (2005). The impact of permanganate on the ability of granular iron to degrade trichloroethene. *Ground Water Monitoring and Remediation*. 25: 123-128.
- Olaniran, AO; Pillay, D; Pillay, B. (2004). Aerobic dechlorination of cis- and trans-dichloroethenes by some indigenous bacteria isolated from contaminated sites in Africa. *J Environ Sci*. 16: 968-972.

Exposure Literature Search Results

Off Topic

- Olaniran, AO; Pillay, D; Pillay, B. (2006). Biostimulation and bioaugmentation enhances aerobic biodegradation of dichloroethenes. *Chemosphere*. 63: 600-608. <http://dx.doi.org/10.1016/j.chemosphere.2005.08.027>.
- Olaniran, AO; Pillay, D; Pillay, B. (2008). Aerobic biodegradation of dichloroethenes by indigenous bacteria isolated from contaminated sites in Africa. *Chemosphere*. 73: 24-29. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.003>.
- Olapade, OA; Leff, LG. (2003). The effect of toluene on the microbial community of a river in northeastern Ohio, USA. *J Freshw Ecol*. 18: 465-477.
- Olesen, T; Gamst, J; Moldrup, P; Komatsu, T; Rolston, DE. (2001). Diffusion of sorbing organic chemicals in the liquid and gaseous phases of repacked soil. *Soil Sci Soc Am J*. 65: 1585-1593.
- Olie, JD; Bessems, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere*. 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.
- Oliveira, LCA; Lago, RM; Fabris, JD; Sapag, K. (2008). Catalytic oxidation of aromatic VOCs with Cr or Pd-impregnated Al-pillared bentonite: Byproduct formation and deactivation studies. *Appl Clay Sci*. 39: 218-222. <http://dx.doi.org/10.1016/j.clay.2007.06.003>.
- Oliveira, PE; Oliveira, LD; Ardisson, JD; Lago, RM. (2011). Potential of modified iron-rich foundry waste for environmental applications: Fenton reaction and Cr(VI) reduction. *J Hazard Mater*. 194: 393-398. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.002>.
- Olivier, P; Plancke, MO; Marzin, D; Clavey, V; Sauzies, J; Fruchart, JC. (1988). Effects of fenofibrate, gemfibrozil and nicotinic acid on plasma lipoprotein levels in normal and hyperlipidemic mice: A proposed model for drug screening. *Atherosclerosis*. 70: 107-114. [http://dx.doi.org/10.1016/0021-9150\(88\)90104-9](http://dx.doi.org/10.1016/0021-9150(88)90104-9).
- Olkhov, RV; Smith, IWM. (2004). Time-resolved experiments on the chlorine atom initiated oxidation of tetrachloroethene (Cl₂C=CCl₂). *J Phys Chem A*. 108: 2232-2237. <http://dx.doi.org/10.1021/jp031158j>.
- Ollis, DF. (2002). Photocatalytic powder layer reactor: A uniformly mixed gas phase occurring in a catalytic fixed-bed flow reactor. *Ind Eng Chem Res*. 41: 6409-6412. <http://dx.doi.org/10.1021/ie020038f>.
- Ollis, DF; Pelizzetti, E; Serpone, N. (1991). PHOTOCATALYZED ... DESTRUCTION ... OF WATER ... CONTAMINANTS. *Environ Sci Technol*. 25: 1522-1529.
- O'Loughlin, EJ; Burris, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environ Sci Technol*. 33: 1145-1147.
- Olson, MR; Sale, TC; Shackelford, CD; Bozzini, C; Skeeane, J. (2012). Chlorinated Solvent Source-Zone Remediation via ZVI-Clay Soil Mixing: 1-Year Results. *Ground Water Monitoring and Remediation*. 32: 63-74. <http://dx.doi.org/10.1111/j.1745-6592.2011.01391.x>.
- Olson, MS; Ford, RM; Smith, JA; Fernandez, EJ. (2004). Quantification of bacterial chemotaxis in porous media using magnetic resonance imaging. *Environ Sci Technol*. 38: 3864-3870. <http://dx.doi.org/10.1021/es035236s>.
- Olson, MS; Tillman, FD; Choi, JW; Smith, JA. (2001). Comparison of three techniques to measure unsaturated-zone air permeability at Picatinny Arsenal, NJ. *J Contam Hydrol*. 53: 1-19.
- Omae, K; Takebayashi, T; Sakurai, H. (1999). Occupational exposure limits based on biological monitoring: The Japan Society for Occupational Health. *Int Arch Occup Environ Health*. 72: 271-273. <http://dx.doi.org/10.1007/s004200050372>.
- Omran, H; Pfeiffer, D; Tebbenjohanns, J; Schumacher, B; Manz, M; Lauck, G; Hagedorff, A; Jung, W; Fehske, W; Luderitz, B. (1995). ECHOCARDIOGRAPHIC IMAGING OF CORONARY SINUS DIVERTICULA AND MIDDLE CARDIAC VEINS IN PATIENTS WITH PREEXCITATION SYNDROME - IMPACT ON RADIOFREQUENCY CATHETER ABLATION OF POSTEROSEPTAL ACCESSORY PATHWAYS. *Pacing Clin Electrophysiol*. 18: 1236-1243.
- Ondarts, M; Hort, C; Platel, V; Sochard, S. (2010). Indoor Air Purification by Compost Packed Biofilter. *Int J Chem React Eng*. 8: 2176.
- Ondarts, M; Hort, C; Sochard, S; Platel, V; Moynault, L; Seby, F. (2012). Evaluation of compost and a mixture of compost and activated carbon as biofilter media for the treatment of indoor air pollution. *Environ Technol*. 33: 273-284. <http://dx.doi.org/10.1080/09593330.2011.570793>.
- Oneta, CM; Lieber, CS; Li, J; Rüttimann, S; Schmid, B; Lattmann, J; Rosman, AS; Seitz, HK. (2002). Dynamics of cytochrome P4502E1 activity in man: Induction by ethanol and disappearance during withdrawal phase. *J Hepatol*. 36: 47-52. [http://dx.doi.org/10.1016/S0168-8278\(01\)00223-9](http://dx.doi.org/10.1016/S0168-8278(01)00223-9).
- Ong, SK; Culver, TB; Lion, LW; Shoemaker, CA. (1992). Effects of soil moisture and physical-chemical properties of organic pollutants on vapor-phase transport in the vadose zone. *J Contam Hydrol*. 11: 3-4.
- Ong, SK; Lion, LW. (1991). Effects of soil properties and moisture on the sorption of trichloroethylene vapor. *Water Res*. 25: 29-36.
- Ong, SK; Lion, LW. (1991). Mechanisms for trichloroethylene vapor sorption onto soil minerals. *J Environ Qual*. 20: 180-188.
- Ong, SK; Lion, LW. (1991). Trichloroethylene vapor sorption onto soil minerals. *Soil Sci Soc Am J*. 55: 1559-1568.
- Ooka, C; Akita, S; Ohashi, Y; Horiuchi, T; Suzuki, K; Komai, S; Yoshida, H; Hattori, T. (1999). Crystallization of hydrothermally treated TiO₂ pillars in pillared montmorillonite for improvement of the photocatalytic activity. *J Mater Chem*. 9: 2943-2952.
- Ooka, C; Yoshida, H; Suzuki, K; Hattori, T. (2004). Effect of surface hydrophobicity of TiO₂-pillared clay on adsorption and photocatalysis of gaseous molecules in air. *Appl Catal A-Gen*. 260: 47-53. <http://dx.doi.org/10.1016/j.apcata.2003.10.001>.
- Oostrom, M; Dane, JH; Wietsma, TW. (2005). Removal of carbon tetrachloride from a layered porous medium by means of soil vapor extraction enhanced by desiccation and water table reduction. *Vadose Zone Journal*. 4: 1170-1182. <http://dx.doi.org/10.2136/vzj2004.0173>.
- Oostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated heterogeneous porous medium 1. Spill behavior and initial dissolution. *J Contam Hydrol*. 37: 159-178.
- Oostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated, heterogeneous porous medium 2. Pump-and-treat and surfactant flushing. *J Contam Hydrol*. 37: 179-197.

Exposure Literature Search Results

Off Topic

- Opdam, JJ. (1991). Linear systems dynamics in toxicokinetic studies. *Ann Occup Hyg.* 35: 633-649.
- Oran, U; Unveren, E; Wirth, T; Unger, WES. (2004). Poly-dimethyl-siloxane (PDMS) contamination of polystyrene (PS) oligomers samples: a comparison of time-of-flight static secondary ion mass spectrometry (TOF-SSIMS) and X-ray photoelectron spectroscopy (XPS) results. *Appl Surf Sci.* 227: 318-324. <http://dx.doi.org/10.1016/j.apsusc.2003.12.008>.
- Orchard, BJ; Doucette, WJ; Chard, JK; Bugbee, B. (2000). A novel laboratory system for determining fate of volatile organic compounds in planted systems. *Environ Toxicol Chem.* 19: 888-894. <http://dx.doi.org/10.1002/etc.5620190415>.
- Orchard, BJ; Doucette, WJ; Chard, JK; Bugbee, B. (2000). Uptake of trichloroethylene by hybrid poplar trees grown hydroponically in flow-through plant growth chambers. *Environ Toxicol Chem.* 19: 895-903.
- Ordenez, S; Diez, FV; Sastre, H. (2002). Catalytic hydrodechlorination of chlorinated olefins over a Pd/Al₂O₃ catalyst: Kinetics and inhibition phenomena. *Ind Eng Chem Res.* 41: 505-511. <http://dx.doi.org/10.1021/ie010679v>.
- Ordenez, S; Sastre, H; Diez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ.* 25: 49-58.
- Ordenez, S; Sastre, H; Diez, FV. (2003). Hydrodechlorination of tetrachloroethene over Pd/Al₂O₃: influence of process conditions on catalyst performance and stability. *Appl Catal B-Environ.* 40: 119-130.
- Ordenez, S; Vivas, BP; Diez, FV. (2010). Minimization of the deactivation of palladium catalysts in the hydrodechlorination of trichloroethylene in wastewaters. *Appl Catal B-Environ.* 95: 288-296. <http://dx.doi.org/10.1016/j.apcatb.2010.01.006>.
- Orsi, L; MonnerEAU, A; Dananche, B; Berthou, C; FenauX, P; Marit, G; Soubeyran, P; HuguE, F; Milpied, N; Leporrier, M; Hemon, D; Troussard, X; Clavel, J. (2010). Occupational exposure to organic solvents and lymphoid neoplasms in men: Results of a French case-control study. *Occup Environ Med.* 67: 664-672. <http://dx.doi.org/10.1136/oem.2009.049460>.
- Orth, WS; Gillham, RW. (1995). CHLORIDE AND CARBON MASS BALANCES FOR IRON-ENHANCED DEGRADATION OF TRICHLOROETHENE. *Abstracts of Papers - American Chemical Society.* 209: 221-ENVR.
- Orth, WS; Gillham, RW. (1996). Dechlorination of trichloroethene in aqueous solution using Fe⁰. *Environ Sci Technol.* 30: 66-71.
- Ortiz, I; Velasco, A; Revah, S. (2006). Effect of toluene as gaseous cosubstrate in bioremediation of hydrocarbon-polluted soil. *J Hazard Mater.* 131: 112-117. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.013>.
- Orzechowska, GE; Poziomek, EJ; Hodge, VF; Engelmann, WH. (1995). USE OF SONOCHEMISTRY IN MONITORING CHLORINATED HYDROCARBONS IN WATER. *Environ Sci Technol.* 29: 1373-1379. <http://dx.doi.org/10.1021/es00005a033>.
- Osejo, RE; Wilson, DJ. (1991). SOIL CLEAN UP BY INSITU AERATION .9. DIFFUSION CONSTANTS OF VOLATILE ORGANICS AND REMOVAL OF UNDERLYING LIQUID. *Separation Science and Technology.* 26: 1433-1466.
- Oshima, Y; Kawamoto, H; Iguchi, K; Koda, S. (1993). A NOVEL LASER-INDUCED SYNTHESIS OF 1,1-DICHLOROETHYLENE FROM 1,1-DICHLOROETHANE. *J Chem Eng Jpn.* 26: 280-285.
- Ososkov, V; Kebbekus, B; Chou, CC. (1996). Emission of volatile organic compounds to the atmosphere in the solvent sublation process .2. Volatile chlorinated organic compounds. *Separation Science and Technology.* 31: 1377-1391.
- Ostendorf, DW; Hinlein, ES; Lutenegger, AJ; Kelley, SP. (2000). Soil gas transport above a jet fuel/solvent spill at Plattsburgh Air Force Base. *Water Resour Res.* 36: 2531-2547.
- Ostrea, EM; Bielawski, DM; Posecion, NC; Corrión, M; Villanueva-Uy, E; Jin, Y; Janisse, JJ; Ager, JW. (2008). A comparison of infant hair, cord blood and meconium analysis to detect fetal exposure to environmental pesticides. *Environ Res.* 106: 277-283. <http://dx.doi.org/10.1016/j.envres.2007.08.014>.
- Ostrea, EM; Villanueva-Uy, E; Bielawski, DM; Posecion, NC; Corrión, ML; Jin, Y; Janisse, JJ; Ager, JW. (2006). Maternal hair - An appropriate matrix for detecting maternal exposure to pesticides during pregnancy. *Environ Res.* 101: 312-322. <http://dx.doi.org/10.1016/j.envres.2006.02.006>.
- Oswal, SL; Patel, BM; Patel, AM; Ghael, NY. (2003). Densities, speeds of sound, isentropic compressibilities, and refractive indices of binary mixtures of methyl methacrylate with hydrocarbons, haloalkanes and alkyl amines. *Fluid Phase Equilibria.* 206: 313-329. [http://dx.doi.org/10.1016/S0378-3812\(03\)00031-1](http://dx.doi.org/10.1016/S0378-3812(03)00031-1).
- Otero P, A; Munoz P, M; Medina-Robles, V; Cruz-Casallas, P. (2013). Effect of food intake on productive variables of two species of cladocera, under laboratory conditions. *Revista M V Z Cordoba.* 18: 3642-3647.
- Otto, DA; Hudnell, HK. (1993). The use of visual and chemosensory evoked potentials in environmental and occupational health. *Environ Res.* 62: 159-171.
- Otto, DME; Sen, CK; Hidirolou, N; Madere, R; Moon, TW. (1997). Role of exogenous glutathione in teleost fish and its effects on antioxidant defense responses in rainbow trout exposed to 3,3',4,4'-tetrachlorobiphenyl. *Fish Physiol Biochem.* 16: 449-457. <http://dx.doi.org/10.1023/A:1007765609695>.
- Ou, HH; Liao, C; Lo, SL. (2010). Determination of X-Ray Diffraction on the Phase Transformation of Microwave-Assisted Titanate Nanotubes during Thermal Treatment. *Journal of Nanomaterials.* 2010 (2010). <http://dx.doi.org/10.1155/2010/837384>.
- Ou, HH; Lo, SL. (2007). Photocatalysis of gaseous trichloroethylene (TCE) over TiO₂: The effect of oxygen and relative humidity on the generation of dichloroacetyl chloride (DCAC) and phosgene. *J Hazard Mater.* 146: 302-308. <http://dx.doi.org/10.1016/j.jhazmat.2006.12.039>.
- Ou, LT; Joy, PJ; Thomas, JE; Hornsby, AG. (1997). Stimulation of microbial degradation of methyl bromide in soil during oxidation of an ammonia fertilizer by nitrifiers. *Environ Sci Technol.* 31: 717-722.
- Oudijk, G. (2003). Estimating the minimum age of a chlorinated solvent plume in groundwater with chlorofluorocarbon (CFC) and tritium methodologies: A case study. *Environ Forensics.* 4: 81-88. <http://dx.doi.org/10.1080/15275920390187001>.

Exposure Literature Search Results

Off Topic

- Ouellon, T; Lefebvre, R; Marcotte, D; Boutin, A; Blais, V; Parent, M. (2008). Hydraulic conductivity heterogeneity of a local deltaic aquifer system from the kriged 3D distribution of hydrofacies from borehole logs, Valcartier, Canada. *J Hydrol.* 351: 71-86. <http://dx.doi.org/10.1016/j.jhydrol.2007.11.040>.
- Ouoba, S; Cherblanc, F; Cousin, B; Benet, JC. (2010). A New Experimental Method to Determine the Sorption Isotherm of a Liquid in a Porous Medium. *Environ Sci Technol.* 44: 5914-5919. <http://dx.doi.org/10.1021/es101377v>.
- Ouoba, S; Cherblanc, F; Kouliadiati, J; Benet, JC. (2015). A New Experimental Method to Determine the Henry's Law Constant of a Volatile Organic Compound Adsorbed in Soil. *J Chem.* <http://dx.doi.org/10.1155/2015/479327>.
- Ouoba, S; Cousin, B; Toguyeni, DY; Ouiminga, SK; Cherblanc, F; Kouliadiati, J; Benet, JC. (2015). Highlighting of a local non-equilibrium thermodynamics during the transfer of trichloroethylene (TCE) in the superficial layers of arid soils. 19: 1096-1107. <http://dx.doi.org/10.1080/19648189.2014.996672>.
- Ouoba, S; Daho, T; Cherblanc, F; Kouliadiati, J; Benet, JC. (2015). A New Experimental Method to Determine the Evaporation Coefficient of Trichloroethylene (TCE) in an Arid Soil. *Transport in Porous Media.* 106: 339-353. <http://dx.doi.org/10.1007/s11242-014-0404-6>.
- Ouyan, Y; Cho, JS; Mansell, RS. (2002). Simulated formation and flow of microemulsions during surfactant flushing of contaminated soil. *Water Res.* 36: 33-40.
- Ovdat, H; Berkowitz, B. (2006). Pore-scale study of drainage displacement under combined capillary and gravity effects in index-matched porous media. *Water Resour Res.* 42. <http://dx.doi.org/10.1029/2005WR004553>.
- Owensby, GS; Plank, CA; Laukhuf, WLS. (1989). VAPOR LIQUID EQUILIBRIA OF THE TRIMETHYL BORATE (1)-TRICHLOROETHYLENE (2)-SYSTEM. *Journal of Chemical and Engineering Data.* 34: 213-214.
- Ozaki, S; Zhao, L; Amemiya, T; Itoh, K; Murabayashi, M. (2004). Gas-phase photocatalytic degradation of cis-1,2-dichloroethylene using titanium dioxide under near-UV-illumination. *Appl Catal B-Environ.* 52: 81-89. <http://dx.doi.org/10.1016/j.apcatb.2003.10.010>.
- Ozdemir, C; Sen, N; Kalipci, E. (2012). Reaction kinetics and removal of COD with treatment of TCE with the synthetic wastewater in UASB reactors. *Energy Education Science & Technology, Part A: Energy Science and Research.* 28: 689-698.
- Ozgan, E; Serin, S; Kap, T. (2013). Multi-faceted investigation into the effects of hot-mix asphalt parameters on Marshall Stability. *Construction and Building Materials.* 40: 419-425. <http://dx.doi.org/10.1016/j.conbuildmat.2012.11.002>.
- Ozturk, Z; Katsenovich, Y; Tansel, B; Laha, S; Moos, L; Allen, M. (2009). Enhancement of TCE Attenuation in Soils by Natural Amendments. *Soil Sediment Contam.* 18: 1-13. <http://dx.doi.org/10.1080/15320380802545167>.
- Paar, H; Ruhl, AS; Jekel, M. (2015). Influences of nanoscale zero valent iron loadings and bicarbonate and calcium concentrations on hydrogen evolution in anaerobic column experiments. *Water Res.* 68: 731-739. <http://dx.doi.org/10.1016/j.watres.2014.10.043>.
- Paaso, N; Peuravuori, J; Pihlaja, K. (2000). Extraction efficiency of chloroethenes from contaminated dry cleaner's sludge with three different methods. *Waste Manag.* 20: 69-74.
- Pacheco, A; Lindner, AS. (2005). Effects of Alpha-pinene and trichloroethylene on oxidation potentials of methanotrophic bacteria. *Bull Environ Contam Toxicol.* 74: 133-140. <http://dx.doi.org/10.1007/s00128-004-0559-x>.
- Pacheco, JE; Prairie, MR; Yellowhorse, L. (1993). PHOTOCATALYTIC DESTRUCTION OF CHLORINATED SOLVENTS IN WATER WITH SOLAR-ENERGY. *J Sol Energ Eng.* 115: 123-129.
- Padilla, I. (2010). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padilla, I. (2011). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padilla, I. (2012). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padilla, I. (2013). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Page, BD; Kennedy, BP. (1975). Determination of methylene chloride, ethylene dichloride, and trichloroethylene as solvent residues in spice oleoresins, using vacuum distillation and electron capture gas chromatography. *J AOAC Int.* 58: 1062-1068.
- Pal, A. (1994). PHOTOCHEMICAL-REACTION OF TRICHLOROACETIC-ACID WITH DIPHENYLAMINE AND ITS ANALYTICAL APPLICATION. *Bull Chem Soc Jpn.* 67: 2420-2423.
- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. *Fluid Phase Equilibria.* 143: 241-251.
- Pal, A; Sharma, S. (1998). Viscosities and densities of some n-alkoxyethanols with trichloroethylene and tetrachloroethylene at 298.15 K. *Journal of Chemical and Engineering Data.* 43: 21-24.
- Pal, A; Singh, W. (1995). EXCESS MOLAR VOLUMES OF 2-(2-ALKOXYETHOXY)ETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE AT 298.15 AND 308.15 K. *Journal of Chemical and Engineering Data.* 40: 1130-1133.
- Pal, A; Singh, W. (1996). Excess molar volumes of 2-[2-(2-alkoxyethoxy)ethoxy] ethanols with trichloroethylene and tetrachloroethylene at 298.15 and 308.15 K. *Journal of Chemical and Engineering Data.* 41: 181-184.
- Pal, A; Singh, W. (1996). Excess molar volumes of linear and cyclic ethers plus chloroethenes at 298.15 K. *Journal of Chemical and Engineering Data.* 41: 428-430.
- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. *Fluid Phase Equilibria.* 129: 211-221.
- Palakodeti, RC; Leboeuf, EJ; Clarke, JH. (2009). Tool for assessment of process importance at the groundwater/surface water interface. *J Environ Manage.* 91: 87-101. <http://dx.doi.org/10.1016/j.jenvman.2009.07.011>.
- Palau, J; Jamin, P; Badin, A; Vanhecke, N; Haerens, B; Brouyère, S; Hunkeler, D. (2016). Use of dual carbon-chlorine isotope analysis to assess the degradation pathways of 1,1,1-trichloroethane in groundwater. *Water Res.* 92: 235-243. <http://dx.doi.org/10.1016/j.watres.2016.01.057>.

Exposure Literature Search Results

Off Topic

- Palau, J; Marchesi, M; Chambon, JC; Aravena, R; Canals, À; Binning, PJ; Bjerg, PL; Otero, N; Soler, A. (2014). Multi-isotope (carbon and chlorine) analysis for fingerprinting and site characterization at a fractured bedrock aquifer contaminated by chlorinated ethenes. *Sci Total Environ.* 475: 61-70. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.059>.
- Paleta, O; Volkov, A; Hetflejs, J. (2000). Fluorinated butanolides and butenolides. Part 5. Synthesis and nucleophilic reactions of 3-chloro-2-fluoro-2-buten-4-olide as tetronic acid analogue. Conjugate addition of hard nucleophiles and vinylic halogen displacement with soft phosphorus nucleophiles. *J Fluor Chem.* 102: 147-157.
- Pallos, LL; Burg J, AR. (1995). THE NATIONAL EXPOSURE TRICHLOROETHYLENE SUBREGISTRY ASSESSING HEALTH TRENDS AT MULTIPLE WASTE SITES (pp. 5-7). (ISSN 0277-6715; EISSN 1097-0258; BIOSIS/95/21767). Pallos, LL; Burg J, AR.
- Palmer, CN; Hsu, MH; Griffin, KJ; Raucy, JL; Johnson, EF. (1998). Peroxisome proliferator activated receptor-alpha expression in human liver. *Mol Pharmacol.* 53: 14-22.
- Pan, LW; Siegrist, RL; Crimi, M. (2012). Effects of In Situ Remediation Using Oxidants or Surfactants on Subsurface Organic Matter and Sorption of Trichloroethene. *Ground Water Monitoring and Remediation.* 32: 96-105. <http://dx.doi.org/10.1111/j.1745-6592.2011.01377.x>.
- Pan, Y; Wei, X; Hao, W. (2015). Trichloroethylene and Its Oxidative Metabolites Enhance the Activated State and Th1 Cytokine Gene Expression in Jurkat Cells. *Int J Environ Res Public Health.* 12: 10575-10586. <http://dx.doi.org/10.3390/ijerph120910575>.
- Panagiotakis, I; Antoniou, K; Mamais, D; Pantazidou, M. (2015). Effects of different electron donor feeding patterns on TCE reductive dechlorination performance. *Bull Environ Contam Toxicol.* 94: 289-294. <http://dx.doi.org/10.1007/s00128-015-1462-3>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Marneri, M; Parapouli, M; Hatziloukas, E; Tandoi, V. (2007). Dechlorinating ability of TCE-fed microcosms with different electron donors. *J Hazard Mater.* 149: 582-589. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.113>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Rossetti, S; Aulenta, F; Tandoi, V. (2014). Predominance of Dehalococoides in the presence of different sulfate concentrations. *Water Air Soil Pollut.* 225. <http://dx.doi.org/10.1007/s11270-013-1785-9>.
- Pandey, VC; Singh, JS; Singh, DP; Singh, RP. (2014). Methanotrophs: promising bacteria for environmental remediation. *Int J Environ Sci Tech.* 11: 241-250. <http://dx.doi.org/10.1007/s13762-013-0387-9>.
- Panek, D; Konieuny, K. (2007). Preparation and applying the membranes with carbon black to pervaporation of toluene from the diluted aqueous solutions. *Separation and Purification Technology.* 57: 507-512. <http://dx.doi.org/10.1016/j.seppur.2006.10.011>.
- Pankow, JF. (1991). GAS-PHASE RETENTION VOLUME BEHAVIOR OF ORGANIC-COMPOUNDS ON CARBOTRAP GRAPHITIZED CARBON. *J Chromatogr A.* 547: 488-493.
- Pant, N; Kumar, R; Mathur, N; Srivastava, SP; Saxena, DK; Gujrati, VR. (2007). Chlorinated pesticide concentration in semen of fertile and infertile men and correlation with sperm quality. *Environ Toxicol Pharmacol.* 23: 135-139. <http://dx.doi.org/10.1016/j.etap.2006.07.012>.
- Pant, P; Allen, M; Cai, Y; Jayachandran, K. (2008). Design and performance of a mesocosm chamber for trichloroethylene evaporation study. *Water Air Soil Pollut.* 193: 3-13. <http://dx.doi.org/10.1007/s11270-008-9663-6>.
- Pant, P; Allen, M; Cai, Y; Jayachandran, K; Chen, Y, in. (2007). Influence of physical factors on trichloroethylene evaporation from surface water. *Water Air Soil Pollut.* 183: 153-163. <http://dx.doi.org/10.1007/s11270-007-9365-5>.
- Pant, P; Pant, S. (2010). A review: Advances in microbial remediation of trichloroethylene (TCE) [Review]. *J Environ Sci.* 22: 116-126. [http://dx.doi.org/10.1016/S1001-0742\(09\)60082-6](http://dx.doi.org/10.1016/S1001-0742(09)60082-6).
- Pantazidou, M; Panagiotakis, I; Mamais, D; Zikidi, V. (2012). Chloroethene Biotransformation in the Presence of Different Sulfate Concentrations. *Ground Water Monitoring and Remediation.* 32: 106-119. <http://dx.doi.org/10.1111/j.1745-6592.2011.01372.x>.
- Pantucharoensri, S; Boontee, P; Likhitsan, P; Padungtod, C; Prasartsansou, S. (2004). Generalized eruption accompanied by hepatitis in two Thai metal cleaners exposed to trichloroethylene. *Ind Health.* 42: 385-388.
- Paolini, M; Mesirca, R; Pozzetti, L; Biagi, GL; Cantelliforti, G. (1992). SELECTIVE INDUCTION OF MURINE LIVER CYTOCHROME-P450 IIB1 BY HALOGENATED HYDROCARBONS. *Toxicol Environ Chem.* 36: 235-249.
- Paolini, M; Mesirca, R; Pozzetti, L; Sapone, A; Biagi, GL; Trieff, NM; Cantelliforti, G. (1994). CORRELATION BETWEEN MURINE LIVER CYTOCHROME-P450 2B1 INDUCTION BY HALOGENATED HYDROCARBONS AND TOXICITY. *Toxicol Environ Chem.* 44: 55-64.
- Papadopoulos, V; Lagaros, ND. (2009). Vulnerability-based robust design optimization of imperfect shell structures. *Structural Safety.* 31: 475-482. <http://dx.doi.org/10.1016/j.strusafe.2009.06.006>.
- Papadopoulos, V; Papadarakakis, M. (2005). The effect of material and thickness variability on the buckling load of shells with random initial imperfections. *Computer Methods in Applied Mechanics and Engineering.* 194: 1405-1426. <http://dx.doi.org/10.1016/j.cma.2004.01.043>.
- Papaefstathiou, I; Luque DE CASTRO, MD. (1997). Hyphenated pervaporation-solid-phase preconcentration-gas chromatography for the determination of volatile organic compounds in solid samples. *J Chromatogr A.* 779: 1-2.
- Papastavros, E; Shea, PJ; Langell, MA. (2004). Oxygen, carbon, and sulfur segregation in annealed and unannealed zerovalent iron substrates. *Langmuir.* 20: 11509-11516. <http://dx.doi.org/10.1021/la04288j>.
- Parajo, JC; Dominguez, H; Dominguez, JM. (1997). Xylitol production from Eucalyptus wood hydrolysates extracted with organic solvents. *Process Biochemistry.* 32: 599-604.
- Paralikar, SA; Simonsen, J; Lombardi, J. (2008). Poly(vinyl alcohol)/cellulose nanocrystal barrier membranes. *J Memb Sci.* 320: 248-258. <http://dx.doi.org/10.1016/j.memsci.2008.04.009>.
- Parbs, A; Ebert, M; Dahmke, A. (2007). Long-term effects of dissolved carbonate species on the degradation of trichloroethylene by zerovalent iron. *Environ Sci Technol.* 41: 291-296. <http://dx.doi.org/10.1021/es061397v>.
- Parchman, LG; Magee, PN. (1982). Metabolism of [¹⁴C]trichloroethylene to ¹⁴CO₂ and interaction of a metabolite with liver DNA in rats and mice. *J Toxicol Environ Health.* 9: 797-813. <http://dx.doi.org/10.1080/15287398209530204>.

Exposure Literature Search Results

Off Topic

- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2014). Remediation of a biodiesel blend-contaminated soil by using a modified Fenton process. *Environ Sci Pollut Res Int.* 21: 12198-12207. <http://dx.doi.org/10.1007/s11356-014-2997-2>.
- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2015). Remediation of a Biodiesel Blend-Contaminated Soil with Activated Persulfate by Different Sources of Iron. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-014-2267-4>.
- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2015). Remediation of soil contaminated by NAPLs using modified Fenton reagent: application to gasoline type compounds. *J Chem Tech Biotechnol.* 90: 754-764. <http://dx.doi.org/10.1002/jctb.4373>.
- Paredes-Nunez, A; Lorito, D; Schuurman, Y; Guilhaume, N; Meunier, FC. (2015). Origins of the poisoning effect of chlorine on the CO hydrogenation activity of alumina-supported cobalt monitored by operando FT-IR spectroscopy. *J Catal.* 329: 229-236. <http://dx.doi.org/10.1016/j.jcat.2015.05.028>.
- Parikh, SS; Jons, C; Mcnitt, S; Daubert, JP; Schwarz, KQ; Hall, B. (2010). Predictive capability of left atrial size measured by CT, TEE, and TTE for recurrence of atrial fibrillation following radiofrequency catheter ablation. *Pacing Clin Electrophysiol.* 33: 532-540. <http://dx.doi.org/10.1111/j.1540-8159.2010.02693.x>.
- Park, H, eeJ; Kim, J; Won, JH, an; Choi, KS; Lim, Y, unTak; Shin, J, aeSoo; Park, JU, ng. (2016). Tin-doped indium oxide films for highly flexible transparent conducting electrodes. *Thin Solid Films.* 615: 8-12. <http://dx.doi.org/10.1016/j.tsf.2016.06.040>.
- Park, HW; Lee, JS; Choi, WY. (2006). Study of special cases where the enhanced photocatalytic activities of Pt/TiO₂ vanish under low light intensity. *Catalysis Today.* 111: 259-265. <http://dx.doi.org/10.1016/j.cattod.2005.10.035>.
- Park, HY; Hertz-Picciotto, I; Petrik, J; Palkovicova, L; Kocan, A; Trnovec, T. (2008). Prenatal PCB exposure and thymus size at birth in neonates in eastern Slovakia. *Environ Health Perspect.* 116: 104-109. <http://dx.doi.org/10.1289/ehp.9769>.
- Park, J; Chen, YM; Kukor, JJ; Abriola, LM. (2001). Influence of substrate exposure history on biodegradation in a porous medium. *J Contam Hydrol.* 51: 233-256.
- Park, J; Choi, E; Cho, IH; Kim, YG. (2003). Solar light induced degradation of trichloroethylene (TCE) using TiO₂: effects of solar light intensity and seasonal variations. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 1915-1926. <http://dx.doi.org/10.1081/ESE-120022889>.
- Park, J; Lang, J; Thamaraiselvi, K; Kukor, JJ; Abriola, LM. (2008). Induction kinetics of aerobic toluene degradation as a function of carbon starvation history. *Process Biochemistry.* 43: 1345-1351. <http://dx.doi.org/10.1016/j.procbio.2008.08.004>.
- Park, JK; Kim, JY; Madsen, CD; Edil, TB. (1997). Retardation of volatile organic compound movement by a soil-bentonite slurry cutoff wall amended with ground tires. *Water Environ Res.* 69: 1022-1031.
- Park, JK; Nibras, M. (1993). Mass flux of organic chemicals through polyethylene geomembranes. *Water Environ Res.* 65: 227-237.
- Park, JK; Sakti, JP; Hoopes, JA. (1996). Transport of organic compounds in thermoplastic geomembranes .1. Mathematical model. *J Environ Eng.* 122: 800-806.
- Park, JN; Lee, CW; Chang, JS; Park, SE; Shin, CH. (2004). Catalytic oxidation of trichloroethylene over Pd-loaded sulfated zirconia. *Bull Kor Chem Soc.* 25: 1355-1360.
- Park, JW; Lee, SS; Choi, DK; Lee, YW; Kim, YM. (2002). Adsorption equilibria of toluene, dichloromethane, and trichloroethylene onto activated carbon fiber. *Journal of Chemical and Engineering Data.* 47: 980-983. <http://dx.doi.org/10.1021/je020020b>.
- Park, JW; Lee, YW; Choi, DK; Lee, SS. (2003). Adsorption characteristics of toluene and trichloroethylene onto activated carbon fiber. *J Ind Eng Chem.* 9: 381-390.
- Park, M; Komarneni, S; Roy, R. (2000). Microwave-hydrothermal decomposition of chlorinated organic compounds. *Mater Lett.* 43: 259-263.
- Park, MK; Ryu, SG; Park, HB; Lee, HW; Hwang, KC; Lee, CH. (2004). Decomposition of cyanogen chloride by using a Packed Bed Plasma Reactor at dry and wet air in atmospheric pressure. *Plasma Chemistry and Plasma Processing.* 24: 117-136.
- Park, S, uJin; Kim, YB, o; Yeo, SD, o. (2008). Vapor adsorption of volatile organic compounds using organically modified clay. *Separation Science and Technology.* 43: 1174-1190. <http://dx.doi.org/10.1080/01496390801910138>.
- Park, SB; Osterloh, JD; Vamvakas, S; Hashmi, M; Anders, MW; Cashman, JR. (1992). Flavin-containing monooxygenase-dependent stereoselective S-oxygenation and cytotoxicity of cysteine S-conjugates and mercapturates. *Chem Res Toxicol.* 5: 193-201.
- Park, SE; Joo, H; Kang, JW. (2004). Effect of impurities in TiO₂ thin films on trichloroethylene conversion. *Solar Energy Materials and Solar Cells.* 83: 39-53. <http://dx.doi.org/10.1016/j.solmat.2004.02.012>.
- Park, SS; Kim, SO; Yun, ST; Chae, GT; Yu, SY; Kim, S; Kim, Y. (2005). Effects of land use on the spatial distribution of trace metals and volatile organic compounds in urban groundwater, Seoul, Korea. *Environ Geol.* 48: 1116-1131. <http://dx.doi.org/10.1007/s00254-005-0053-8>.
- Parker, BL; Chapman, SW; Guilbeault, MA. (2008). Plume persistence caused by back diffusion from thin clay layers in a sand aquifer following TCE source-zone hydraulic isolation. *J Contam Hydrol.* 102: 86-104. <http://dx.doi.org/10.1016/j.jconhyd.2008.07.003>.
- Parker, BL; Cherry, JA; Chapman, SW. (2004). Field study of TCE diffusion profiles below DNAPL to assess aquitard integrity. *J Contam Hydrol.* 74: 197-230. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.011>.
- Parker, BL; Gillham, RW; Cherry, JA. (1994). DIFFUSIVE DISAPPEARANCE OF IMMISCIBLE-PHASE ORGANIC LIQUIDS IN FRACTURED GEOLOGIC MEDIA. *Ground Water.* 32: 805-820.
- Parker, BL; Mcwhorter, DB; Cherry, JA. (1997). Diffusive loss of non-aqueous phase organic solvents from idealized fracture networks in geologic media. *Ground Water.* 35: 1077-1088.
- Parker, GR. (1995). Optimum isotherm equation and thermodynamic interpretation for aqueous 1,1,2-trichloroethene adsorption isotherms on three adsorbents. *Adsorption.* 1: 113-132.
- Parker, JC; Kim, U; Widdowson, M; Kitanidis, P; Gentry, R. (2010). Effects of model formulation and calibration data on uncertainty in dense nonaqueous phase liquids source dissolution predictions. *Water Resour Res.* 46. <http://dx.doi.org/10.1029/2010WR009361>.

Exposure Literature Search Results

Off Topic

- Parker, JC; Lenhard, RJ. (1990). DETERMINING THREE-PHASE PERMEABILITY-SATURATION-PRESSURE RELATIONS FROM TWO-PHASE SYSTEM MEASUREMENTS. *Journal of Petroleum Science and Engineering*. 4: 57-65.
- Parker, JC; Park, E. (2004). Modeling field-scale dense nonaqueous phase liquid dissolution kinetics in heterogeneous aquifers. *Water Resour Res*. 40. <http://dx.doi.org/10.1029/2003WR002807>.
- Parker, LV; Clark, CH. (2004). Study of five discrete-interval-type ground water sampling devices. *Ground Water Monitoring and Remediation*. 24: 111-123.
- Parker, LV; Ranney, TA. (1998). Sampling trace-level organic solutes with polymeric tubing Part 2. Dynamic studies. *Ground Water Monitoring and Remediation*. 18: 148-155.
- Parker, MJ; Tarlow, MJ; Milne Anderson, J. (1984). Glue sniffing and cerebral infarction. *Arch Dis Child*. 59: 675-677.
- Parkin, GF. (1999). Anaerobic biotransformation of chlorinated aliphatic hydrocarbons: Ugly duckling to beautiful swan. *Water Environ Res*. 71: 1158-1164.
- Parkinson, A; Mudra, DR; Johnson, C; Dwyer, A; Carroll, KM. (2004). The effects of gender, age, ethnicity, and liver cirrhosis on cytochrome P450 enzyme activity in human liver microsomes and inducibility in cultured human hepatocytes [Review]. *Toxicol Appl Pharmacol*. 199: 193-209. <http://dx.doi.org/10.1016/j.taap.2004.01.010>.
- Parmon, VN; Zakharenko, VS. (2001). Photocatalysis and photosorption in the Earth's atmosphere. 5: 96-115.
- Parry, EM; Hague, A; Parry, JM. (1990). A study of mitotic division fidelity and numerical chromosome changes in ageing Syrian hamster dermal cells. *Mutat Res*. 237: 83-93. [http://dx.doi.org/10.1016/0921-8734\(90\)90014-I](http://dx.doi.org/10.1016/0921-8734(90)90014-I).
- Parshetti, GK; Doong, R, an. (2010). Dechlorination and photodegradation of trichloroethylene by Fe/TiO₂ nanocomposites in the presence of nickel ions under anoxic conditions. *Appl Catal B-Environ*. 100: 116-123. <http://dx.doi.org/10.1016/j.apcatb.2010.07.020>.
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere*. 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parshetti, GK; Doong, RA. (2008). Immobilization of bimetallic nanoparticles on microfiltration membranes for trichloroethylene dechlorination. *Water Sci Technol*. 58: 1629-1636. <http://dx.doi.org/10.2166/wst.2008.543>.
- Parshetti, GK; Doong, RA. (2009). Dechlorination of trichloroethylene by Ni/Fe nanoparticles immobilized in PEG/PVDF and PEG/nylon 66 membranes. *Water Res*. 43: 3086-3094. <http://dx.doi.org/10.1016/j.watres.2009.04.037>.
- Parshetti, GK; Doong, RA. (2011). Synergistic effect of nickel ions on the coupled dechlorination of trichloroethylene and 2,4-dichlorophenol by Fe/TiO₂ nanocomposites in the presence of UV light under anoxic conditions. *Water Res*. 45: 4198-4210. <http://dx.doi.org/10.1016/j.watres.2011.05.019>.
- Parsons, F; Wood, PR; Demarco, J. (1984). Transformations of tetrachloroethene and trichloroethene in microcosms and groundwater. *J Am Water Works Assoc*. 762: 56-59.
- Pastino, GM; Yap, WY; Carroquino, M. (2000). Human variability and susceptibility to trichloroethylene [Review]. *Environ Health Perspect*. 108: 201-214.
- Pastore, P; Favaro, G; Badocco, D; Lavagnini, I. (2005). Headspace solid phase micro extraction GC-ECD determination of volatile organic chlorinated hydrocarbons in soils. *Ann Chim*. 95: 741-756.
- Patel, DK; Kamyshny, A; Ariando; Zhen, H; Magdassi, S. (2015). Fabrication of transparent conducting films composed of In³⁺ doped CuS and their application in flexible electroluminescent devices. 3: 8700-8705. <http://dx.doi.org/10.1039/c5tc01283j>.
- Patel, SV; Tolley, WK. (2014). Developments toward a low-cost approach for long-term, unattended vapor intrusion monitoring. *Analyst*. 139: 3770-3780. <http://dx.doi.org/10.1039/c4an00736k>.
- Patel, UD; Suresh, S. (2007). Dechlorination of chlorophenols using magnesium-palladium bimetallic system. *J Hazard Mater*. 147: 431-438. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.029>.
- Patil, VB; Medhi, M; Bhairamadgi, NS; Wadgaonkar, PP; Maldar, NN. (2010). Synthesis and characterization of polyesters from 2,3-bis (4'-hydroxy phenyl) quinoxaline and 2,3-bis (2'-hydroxynaphthalene-6'-yl) quinoxaline. *Mater Sci Eng B*. 168: 186-192. <http://dx.doi.org/10.1016/j.mseb.2009.12.036>.
- Patterson, BM; Aravena, R; Davis, GB; Furness, AJ; Bastow, TP; Bouchard, D. (2013). Multiple lines of evidence to demonstrate vinyl chloride aerobic biodegradation in the vadose zone, and factors controlling rates. *J Contam Hydrol*. 153: 69-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.008>.
- Patterson, BM; Cohen, E; Prommer, H; Thomas, DG; Rhodes, S; Mckinley, AJ. (2007). Origin of a mixed brominated ethene groundwater plume: Contaminant degradation pathways and reactions. *Environ Sci Technol*. 41: 1352-1358. <http://dx.doi.org/10.1021/es0615674>.
- Patterson, RF; Mykytiuk, PD. (1996). Solid-state, vapor phase, and aqueous cleaners for aerospace manufacturing operations. *S A M P E Journal*. 32: 40-49.
- Paul, CJ; Puls, RW. (1997). Impact of turbidity on TCE and degradation products in ground water. *Ground Water Monitoring and Remediation*. 17: 128-133.
- Paul, L; Herrmann, S; Koch, CB; Philips, J, o; Smolders, E. (2013). Inhibition of microbial trichloroethylene dechlorination by Fe (III) reduction depends on Fe mineralogy: A batch study using the bioaugmentation culture KB-1. *Water Res*. 47: 2543-2554. <http://dx.doi.org/10.1016/j.watres.2013.02.029>.
- Paul, L; Herrmann, S; Koch, CB; Philips, J, o; Smolders, E. (2014). Inhibition of microbial trichloroethylene dechlorination by Fe (III) reduction depends on Fe mineralogy: A batch study using the bioaugmentation culture KB-1 (vol 47, pg 2543, 2013). *Water Res*. 63: 325-325. <http://dx.doi.org/10.1016/j.watres.2014.05.047>.

Exposure Literature Search Results

Off Topic

- Paul, L; Jakobsen, R; Smolders, E; Albrechtsen, HJ; Bjerg, PL. (2016). Reductive Dechlorination of Trichloroethylene (TCE) in Competition with Fe and Mn Oxides-Observed Dynamics in H-2-dependent Terminal Electron Accepting Processes. *Geomicrobiology Journal*. 33: 357-366. <http://dx.doi.org/10.1080/01490451.2015.1043410>.
- Paul, L; Smolders, E. (2014). Inhibition of iron (III) minerals and acidification on the reductive dechlorination of trichloroethylene. *Chemosphere*. 111: 471-477. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.057>.
- Paul, L; Smolders, E. (2015). Bioenhanced dissolution of dense non-aqueous phase of trichloroethylene as affected by iron reducing conditions: model systems and environmental samples. *Chemosphere*. 119: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.022>.
- Paumier, S; Touze-Foltz, N; Mazeas, L; Guenne, A. (2011). Quantification of Volatile Organic Compounds Diffusion for Virgin Geosynthetic Clay Liners and for a GCL after Contact with a Synthetic Leachate. *Journal of Geotechnical and Geoenvironmental Engineering*. 137: 1039-1046. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0000525](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0000525).
- Pavlostathis, SG; Jaglal, K. (1991). Desorptive behavior of trichloroethylene in contaminated soil. *Environ Sci Technol*. 25: 274-279.
- Pavlostathis, SG; Mathavan, GN. (1992). APPLICATION OF HEADSPACE ANALYSIS FOR THE DETERMINATION OF VOLATILE ORGANIC-COMPOUNDS IN CONTAMINATED SOILS. *Environ Technol*. 13: 23-33.
- Pavlostathis, SG; Mathavan, GN. (1992). DESORPTION-KINETICS OF SELECTED VOLATILE ORGANIC-COMPOUNDS FROM FIELD CONTAMINATED SOILS. *Environ Sci Technol*. 26: 532-538.
- Pavlostathis, SG; Zhuang, P. (1993). Reductive dechlorination of chloroalkenes in microcosms developed with a field contaminated soil. *Chemosphere*. 27: 585-595.
- Pavoni, B; Giacometti, A; Bragadin, M. (2009). Determination of chlorinated organic compounds in aqueous matrices. *Journal of Water Supply: Research and Technology-AQUA*. 58: 405-415. <http://dx.doi.org/10.2166/aqua.2009.040>.
- Payne, MP; Kenny, LC. (2002). Comparison of models for the estimation of biological partition coefficients. *J Toxicol Environ Health A*. 65: 897-931. <http://dx.doi.org/10.1080/00984100290071171>.
- Pearce, AE; Voudrias, EA; Whelan, MP. (1994). DISSOLUTION OF TCE AND TCA POOLS IN SATURATED SUBSURFACE SYSTEMS. *J Environ Eng*. 120: 1191-1206.
- Pearsall, KA; Eckhardt D, AV. (1987). EFFECTS OF SELECTED SAMPLING EQUIPMENT AND PROCEDURES ON THE CONCENTRATIONS OF TRICHLOROETHYLENE AND RELATED COMPOUNDS IN GROUND WATER SAMPLES (pp. 64-73). (ISSN 1069-3629; EISSN 1745-6592; BIOSIS/87/20396). Pearsall, KA; Eckhardt D, AV.
- Pease, MD; Shriverlake, L; Ligler, FS. (1995). Adaptation of a fiber-optic biosensor for use in environmental monitoring. *ACS Symp Ser Am Chem Soc*. 613: 33-43.
- Pebalk, VL; Kostanyan, AE; Taruashvily, DK; Gorodetskaya, NI. (1982). REGULARITY OF INDUSTRIAL TRICHLOROETHYLENE CAPROLACTAM WATER-SYSTEM DISPERSION IN VIBRATING EXTRACTORS. 685-686.
- Peden-Adams, MM; Eudaly, JG; Heesemann, LM; Smythe, J; Miller, J; Gilkeson, GS; Keil, DE. (2006). Developmental immunotoxicity of trichloroethylene (TCE): Studies in B6C3F1 mice. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 41: 249-271. <http://dx.doi.org/10.1080/10934520500455289>.
- Peden-Adams, MM; Eudaly, JG; Lee, AM; Miller, J; Keil, DE; Gilkeson, GS. (2008). Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL +/+ mice. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 43: 1402-1409. <http://dx.doi.org/10.1080/10934520802232063>.
- Peden-Adams, MM; Keil, DE; Gilkeson, GS. (2009). Response to "Comments on 'Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL+/+ mice'". *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 117-122.
- Pedersen, M; Collen, J; Abrahamsson, K; Ekdahl, A. (1996). Production of halocarbons from seaweeds: An oxidative stress reaction? *Scientia marina*. 60: 257-263.
- Pederson, BM; Thibodeaux, LJ; Valsaraj, KT; Reible, DD. (2001). Testing a multimedia compartmental model with monitoring data. *Environ Toxicol Chem*. 20: 2114-2121.
- Pedit, JA; Iwamasa, KJ; Miller, CT; Glaze, WH. (1997). Development and application of a gas-liquid contactor model for simulating advanced oxidation processes. *Environ Sci Technol*. 31: 2791-2796.
- Pedrozo, MF; Siqueira, M. (1996). [Spectrophotometric and gas chromatographic analysis of trichloroacetic acid in urine]. *Rev Saude Publica*. 30: 261-266. <http://dx.doi.org/10.1590/S0034-89101996000300009>.
- Peichl, P; Wichterle, D; Čihák, R; Aldhoon, B; Kautzner, J. (2016). Catheter Ablation Of Ventricular Tachycardia in the Presence of an Old Endocavitary Thrombus Guided by Intracardiac Echocardiography. *Pacing Clin Electrophysiol*. 39: 581-587. <http://dx.doi.org/10.1111/pace.12844>.
- Peill, NJ; Hoffmann, MR. (1995). DEVELOPMENT AND OPTIMIZATION OF A TIO-2-COATED FIBER OPTIC CABLE REACTOR PHOTOCATALYTIC DEGRADATION OF 4-CHLOROPHENOL (pp. 20-24). (ISSN 0013-936X; EISSN 1520-5851; BIOSIS/95/32128). Peill, NJ; Hoffmann, MR.
- Pelech, R. (2008). Equilibrium of Trichloroethylene Adsorption from Aqueous Solution onto Activated Carbons. *AST*. 26: 449-462.
- Pelech, R; Bemnowska, A; Milchert, E. (2003). Adsorption of hydrocarbon chloro-derivatives onto DTO commercial activated carbon from multi-component aqueous solutions. *AST*. 21: 707-720.
- Pelech, R; Bemnowska, A; Milchert, E. (2005). Kinetics of adsorption of hydrocarbon chloro-derivatives from seven-component aqueous solution onto a thin layer of DTO-activated carbon. *J Colloid Interface Sci*. 290: 83-90. <http://dx.doi.org/10.1016/j.jcis.2005.04.027>.
- Pelech, R; Milchert, E; Wróbel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *J Hazard Mater*. 137: 1479-1487. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.023>.

Exposure Literature Search Results

Off Topic

- Pelikhovskii, Y; Bogdal, D. (1994). APPLICATION OF TRICHLOROETHYLENE IN ORGANIC-SYNTHESIS .8. SYNTHESIS OF 1-(9-CARBAZOLYL)-1-DIALKYLAMINO-2-CHLOROETHYLENES AND N,N-DIALKYL-ALPHA-(9-CARBAZOLYL)ACETAMIDES. *Izvestiya Vysshikh Uchebnykh Zavedenii Khimiya i Khimicheskaya Tekhnologiya*. 37: 61-67.
- Pellerin, L; Beard, L; Mandell, W. (2010). Mapping Structures that Control Contaminant Migration using Helicopter Transient Electromagnetic Data. *J Environ Eng Geophys*. 15: 65-75.
- Pelton, EJ; Blank, DA; Mcneill, K. (2013). Dechlorination of chlorinated ethylenes by a photochemically generated iron(0) complex. *Dalton Trans*. 42: 10121-10128. <http://dx.doi.org/10.1039/c3dt50693b>.
- Peng, C; Yan, D, a; Guo, S; Hu, S; Jiang, Y, i. (2015). Building energy use in China: Ceiling and scenario. *Energy and Buildings*. 102: 307-316. <http://dx.doi.org/10.1016/j.enbuild.2015.05.049>.
- Peng, J. (1998). Distribution of volatile organic contaminants between water and air. *Can J Civ Eng*. 25: 1091-1095.
- Peng, J; Bewtra, JK; Biswas, N. (1994). VOLATILIZATION OF SELECTED ORGANIC-COMPOUNDS FROM QUIESCENT WATER. *J Environ Eng*. 120: 662-669.
- Peng, J; Wan, A. (1997). Measurement of Henry's constants of high-volatility organic compounds using a headspace autosampler. *Environ Sci Technol*. 31: 2998-3003.
- Peng, J; Wan, A. (1998). Effect of ionic strength on Henry's constants of volatile organic compounds. *Chemosphere*. 36: 2731-2740.
- Peng, L, i; Chen, X; Zhang, Y; Du, Y; Huang, M; Wang, J, ue. (2015). Remediation of metal contamination by electrokinetics coupled with electrospun polyacrylonitrile nanofiber membrane. *Process Saf Environ Protect*. 98: 1-10. <http://dx.doi.org/10.1016/j.psep.2015.06.003>.
- Peng, L; Deng, D; Guan, M; Fang, X; Zhu, Q. (2015). Remediation HCHs POPs-contaminated soil by activated persulfate technologies: Feasibility, impact of activation methods and mechanistic implications. *Separation and Purification Technology*. 150: 215-222. <http://dx.doi.org/10.1016/j.seppur.2015.07.002>.
- Peng, S; Wang, N; Chen, J. (2013). Steam and air co-injection in removing residual TCE in unsaturated layered sandy porous media. *J Contam Hydrol*. 153: 24-36. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.002>.
- Peng, X; Ding, E; Xue, F. (2012). In situ synthesis of TiO₂/polyethylene terephthalate hybrid nanocomposites at low temperature. *Appl Surf Sci*. 258: 6564-6570. <http://dx.doi.org/10.1016/j.apsusc.2012.03.077>.
- Peng, Y, enP; Chen, K, uFan; Lin, W, eiHan; Chang, Y, uC; Wu, F, ei. (2016). A novel three-stage treatment train for the remediation of trichloroethylene-contaminated groundwater. *RSC Advances*. 6: 41247-41260. <http://dx.doi.org/10.1039/c6ra04660f>.
- Penning, H; Cramer, CJ; Elsner, M. (2008). Rate-Dependent Carbon and Nitrogen Kinetic Isotope Fractionation in Hydrolysis of Isoproturon. *Environ Sci Technol*. 42: 7764-7771. <http://dx.doi.org/10.1021/es801101c>.
- Peral, J; Domenech, X; Ollis, DF. (1997). Heterogeneous photocatalysis for purification, decontamination and deodorization of air. *J Chem Tech Biotechnol*. 70: 117-140.
- Peral, J; Ollis, DF. (1992). HETEROGENEOUS PHOTOCATALYTIC OXIDATION OF GAS-PHASE ORGANICS FOR AIR PURIFICATION - ACETONE, 1-BUTANOL, BUTYRALDEHYDE, FORMALDEHYDE, AND META-XYLENE OXIDATION. *J Catal*. 136: 554-565.
- Percy, C; Ries, LG; Van Holten, VD. (1990). The accuracy of liver cancer as the underlying cause of death on death certificates. *Public Health Rep*. 105: 361-367.
- Percy, C; Stanek, E, III; Gloeckler, L. (1981). Accuracy of cancer death certificates and its effect on cancer mortality statistics. *Am J Public Health*. 71: 242-250. <http://dx.doi.org/10.2105/AJPH.71.3.242>.
- Pereira, CC; Habert, AC; Nobrega, R; Borges, CP. (1998). New insights in the removal of diluted volatile organic compounds from dilute aqueous solution by pervaporation process. *J Memb Sci*. 138: 227-235.
- Pereira, M; Wang, W; Kramer, P; Tao, L. (2004). DNA hypomethylation induced by non-genotoxic carcinogens in mouse and rat colon. *Cancer Lett*. 212: 145-151. <http://dx.doi.org/10.1016/j.canlet.2004.03.024>.
- Pereira, WE; Domagalski, JL; Hostettler, FD; Brown, LR; Rapp, JB. (1996). Occurrence and accumulation of pesticides and organic contaminants in river sediment, water and clam tissues from the San Joaquin River and tributaries, California. *Environ Toxicol Chem*. 15: 172-180.
- Pereira, WE; Hostettler, FD; Cashman, J. R.; Nishioka, RS. (1994). OCCURRENCE AND DISTRIBUTION OF ORGANOCHLORINE COMPOUNDS IN SEDIMENT AND LIVERS OF STRIPED BASS (MORONE-SAXATILIS) FROM THE SAN-FRANCISCO BAY DELTA ESTUARY. *Mar Pollut Bull*. 28: 434-441.
- Perez-Casany, MP; Nebot-Gil, I; Sanchez-Marin, J. (2000). Ab initio study on the mechanism of the reactions of the nitrate radical with haloalkenes: 1,2-dichloroethene, 1,1-dichloroethene, trichloroethene, and tetrachloroethene. *J Phys Chem A*. 104: 11340-11346. <http://dx.doi.org/10.1021/jp001046h>.
- Pérez-De-Mora, A; Zila, A; McMaster, ML; Edwards, EA. (2014). Bioremediation of chlorinated ethenes in fractured bedrock and associated changes in dechlorinating and nondechlorinating microbial populations. *Environ Sci Technol*. 48: 5770-5779. <http://dx.doi.org/10.1021/es404122y>.
- Perkins, ND. (2004). NF-κB: Tumor promoter or suppressor? [Review]. *Trends Cell Biol*. 14: 64-69. <http://dx.doi.org/10.1016/j.tcb.2003.12.004>.
- Perkins, ND; Gilmore, TD. (2006). Good cop, bad cop: The different faces of NF-κB [Review]. *Cell Death Differ*. 13: 759-772. <http://dx.doi.org/10.1038/sj.cdd.4401838>.
- Perkins, WS; Hall, DM. (1973). FUNDAMENTAL STUDY OF SORPTION FROM TRICHLOROETHYLENE OF 3 DISPERSE DYES ON POLYESTER. *Text Res J*. 43: 115-120.
- Perriello, FA; Simkins, S. (1999). Biotransformation of trichloroethylene using butane-oxidizing bacteria. *Journal of Soil Contamination*. 8: 117-129.

Exposure Literature Search Results

Off Topic

- Perrone, L; Prati, L; Rossi, M. (1998). Removal of chlorinated organic compounds from water by catalytic dehydrohalogenation. *Appl Catal B-Environ.* 15: 241-246.
- Perrot, N; Nalpas, B; Yang, CS; Beaune, PH. (1989). Modulation of cytochrome P450 isozymes in human liver, by ethanol and drug intake. *Eur J Clin Invest.* 19: 549-555. <http://dx.doi.org/10.1111/j.1365-2362.1989.tb00273.x>.
- Perry, MJ; Ouyang, F; Korricks, S; Venners, SA; Altshul, L; Xu, X; Wang, X. (2005). Body mass index and serum 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane in nulliparous Chinese women. *Cancer Epidemiol Biomarkers Prev.* 14: 2433-2438. <http://dx.doi.org/10.1158/1055-9965.EPI-05-0174>.
- Perry, SJ; Schofield, MA; MacFarlane, M; Lock, EA; King, LJ; Gibson, GG; Goldfarb, PS. (1993). Isolation and expression of a cDNA coding for rat kidney cytosolic cysteine conjugate beta-lyase. *Mol Pharmacol.* 43: 660-665.
- Pervizpour, M; Pamukcu, S; Moo-Young, H. (1999). Magnetic resonance imaging of hydrocarbon-contaminated porous media. *Journal of Computing in Civil Engineering.* 13: 96-102.
- Pesch, B; Haerting, J; Ranft, U; Klimpel, A; Oelschlägel, B; Schill, W. (2000). Occupational risk factors for renal cell carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol.* 29: 1014-1024. <http://dx.doi.org/10.1093/ije/29.6.1014>.
- Peshin, SS; Lall, SB; Gupta, SK. (2002). Potential food contaminants and associated health risks [Review]. *Acta Pharmacol Sin.* 23: 193-202.
- Petala, E; Dimos, K; Douvalis, A; Bakas, T; Tucek, J; Zboril, R; Karakassides, MA. (2013). Nanoscale zero-valent iron supported on mesoporous silica: Characterization and reactivity for Cr(VI) removal from aqueous solution. *J Hazard Mater.* 261: 295-306. <http://dx.doi.org/10.1016/j.jhazmat.2013.07.046>.
- Peter, R; Böcker, R; Beaune, PH; Iwasaki, M; Guengerich, FP; Yang, CS. (1990). Hydroxylation of chlorzoxazone as a specific probe for human liver cytochrome P-450IIE1. *Chem Res Toxicol.* 3: 566-573. <http://dx.doi.org/10.1021/tx00018a012>.
- Peters, GR; Beauchemin, D. (1993). Characterization of an interface allowing either nebulization or gas chromatography as the sample introduction system in ICPMS. *Anal Chem.* 65: 97-103.
- Peters, J; Garabrant, D; Wright, W; Bernstein, L; Mack, T. (1985). Uses of a cancer registry in the assessment of occupational cancer risks. *Natl Canc Inst Monogr.* 69: 157-161.
- Peters, JM; Cattley, RC; Gonzalez, FJ. (1997). Role of PPAR alpha in the mechanism of action of the nongenotoxic carcinogen and peroxisome proliferator Wy-14,643. *Carcinogenesis.* 18: 2029-2033. <http://dx.doi.org/10.1093/carcin/18.11.2029>.
- Petersen, EJ; Pinto, RA; Shi, X; Huang, Q. (2012). Impact of size and sorption on degradation of trichloroethylene and polychlorinated biphenyls by nano-scale zerovalent iron. *J Hazard Mater.* 243: 73-79. <http://dx.doi.org/10.1016/j.jhazmat.2012.09.070>.
- Petersen, LW; Moldrup, P; Jacobsen, OH; Rolston, DE. (1996). Relations between specific surface area and soil physical and chemical properties. *Soil Sci.* 161: 9-21.
- Petersen, LW; Rolston, DE; Moldrup, P; Yamaguchi, T. (1994). Volatile organic vapor diffusion and adsorption in soils. *J Environ Qual.* 23: 799-805.
- Petersen, MA; Sale, TC; Reardon, KF. (2007). Electrolytic trichloroethene degradation using mixed metal oxide coated titanium mesh electrodes. *Chemosphere.* 67: 1573-1581. <http://dx.doi.org/10.1016/j.chemosphere.2006.11.056>.
- Peterson, MS; Lion, LW; Shoemaker, CA. (1988). INFLUENCE OF VAPOR-PHASE SORPTION AND DIFFUSION ON THE FATE OF TRICHLOROETHYLENE IN AN UNSATURATED AQUIFER SYSTEM. *Environ Sci Technol.* 22: 571-578.
- Petit, N; Bouzaza, A; Wolbert, D; Petit, P; Dussaud, J. (2007). Photocatalytic degradation of gaseous perchloroethylene in continuous flow reactors: Rate enhancement by chlorine radicals. *Catalysis Today.* 124: 266-272. <http://dx.doi.org/10.1016/j.cattod.2007.03.050>.
- Petri, BG; Fučík, R; Illangasekare, TH; Smits, KM; Christ, JA; Sakaki, T; Sauck, CC. (2014). Effect of NAPL Source Morphology on Mass Transfer in the Vadose Zone. *Ground Water.* 53: 685-698. <http://dx.doi.org/10.1111/gwat.12284>.
- Petri, BG; Siegrist, RL; Crimi, ML. (2008). Effects of groundwater velocity and permanganate concentration on DNAPL mass depletion rates during in situ oxidation. *J Environ Eng.* 134: 1-13. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:1\(1\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:1(1)).
- Petrov, RV; Zirka, AA; Reshetnikov, SI. (2015). Kinetic Study of the Gas-Phase Hydrofluorination of Tetrachloroethylene into Pentafluoroethane over a Cr-Mg Catalyst. *Kinet Catal.* 56: 480-483. <http://dx.doi.org/10.1134/S002315841504014X>.
- Petrova, IV; Anokhina, TS; Borisov, RS; Volkov, VV; Yaroslavtsev, AB. (2016). Removal of trichloroethylene from water in the catalytic membrane reactor. *Catalysis Today.* 268: 150-155. <http://dx.doi.org/10.1016/j.cattod.2016.02.023>.
- Petrovic, AB; Glisic, SS. (2009). OPTIMIZATION OF THE PROCESS OF STEEL STRIP PERFORATION AND NICKEL PLATTING FOR THE PURPOSE OF ELIMINATION OF TRICHLOROETHYLENE FROM THE CLEANING PROCESS OF PERFORATED STEEL STRIP. *Hemijaska Industrija.* 63: 57-60. <http://dx.doi.org/10.2298/HEMIND0901057P>.
- Petrucci, E; Scarsella, M; De Filippis, P; Di Palma, L. (2015). Tetrachloroethene recovery and hazard reduction of spent powders from dry cleaning process. *Waste Manag Res.* 33: 339-344. <http://dx.doi.org/10.1177/0734242X14567505>.
- Pfeiffer, P; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Partitioning of dissolved chlorinated ethenes into vegetable oil. *Water Res.* 39: 4521-4527. <http://dx.doi.org/10.1016/j.watres.2005.09.016>.
- Pfeiffer, PR; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Physical properties of vegetable oil and chlorinated ethene mixtures. *J Environ Eng.* 131: 1447-1452. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:10\(1447\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:10(1447)).
- Pfiffner, SM; Palumbo, AV; Sayles, GD; Gannon, D. (2004). Microbial population and degradation activity changes monitored during a chlorinated solvent biovent demonstration. *Ground Water Monitoring and Remediation.* 24: 102-110.
- Pfluger, AR; Wu, W; Pieja, AJ; Wan, J; Rostkowski, KH; Criddle, CS. (2011). Selection of Type I and Type II methanotrophic proteobacteria in a fluidized bed reactor under non-sterile conditions. *Bioresour Technol.* 102: 9919-9926. <http://dx.doi.org/10.1016/j.biortech.2011.08.054>.

Exposure Literature Search Results

Off Topic

- Pham, H, oaT; Suto, K; Inoue, C. (2009). Trichloroethylene Transformation in Aerobic Pyrite Suspension: Pathways and Kinetic Modeling. *Environ Sci Technol.* 43: 6744-6749. <http://dx.doi.org/10.1021/es900623u>.
- Pham, HN; Mcdowell, T; Wilkins, E. (1995). PHOTOCATALYTICALLY-MEDIATED DISINFECTION OF WATER USING TIO₂ AS A CATALYST AND SPORE-FORMING BACILLUS-PUMILUS AS A MODEL. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 30: 627-636.
- Pham, HT; Kitsuneduka, M; Hara, J; Suto, K; Inoue, C. (2008). Trichloroethylene Transformation by Natural Mineral Pyrite: The Deciding Role of Oxygen. *Environ Sci Technol.* 42: 7470-7475. <http://dx.doi.org/10.1021/es801310y>.
- Phatai, P; Wittayakun, J; Chen, W, enH; Futralan, CM; Grisdanurak, N; Kan, C, hiC. (2014). Removal of manganese(II) and iron(II) from synthetic groundwater using potassium permanganate. *Desalination and Water Treatment.* 52: 5942-5951. <http://dx.doi.org/10.1080/19443994.2013.819150>.
- Phelps, TJ; Niedzielski, JJ; Malachowsky, KJ; Schram, RM; Herbes, SE; White, DC. (1991). BIODEGRADATION OF MIXED-ORGANIC WASTES BY MICROBIAL CONSORTIA IN CONTINUOUS-RECYCLE EXPANDED-BED BIOREACTORS. *Environ Sci Technol.* 25: 1461-1465.
- Phenrat, T; Fagerlund, F; Illangasekare, T; Lowry, GV; Tilton, RD. (2011). Polymer-modified Fe₀ nanoparticles target entrapped NAPL in two dimensional porous media: effect of particle concentration, NAPL saturation, and injection strategy. *Environ Sci Technol.* 45: 6102-6109. <http://dx.doi.org/10.1021/es200577n>.
- Phenrat, T; Kim, H, yeJin; Fagerlund, F; Illangasekare, T; Tilton, RD; Lowry, GV. (2009). Particle Size Distribution, Concentration, and Magnetic Attraction Affect Transport of Polymer-Modified Fe-O Nanoparticles in Sand Columns. *Environ Sci Technol.* 43: 5079-5085. <http://dx.doi.org/10.1021/es900171v>.
- Phenrat, T; Kim, HJ; Fagerlund, F; Illangasekare, T; Lowry, GV. (2010). Empirical correlations to estimate agglomerate size and deposition during injection of a polyelectrolyte-modified Fe₀ nanoparticle at high particle concentration in saturated sand. *J Contam Hydrol.* 118: 152-164. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.002>.
- Phenrat, T; Kumloet, I. (2016). Electromagnetic induction of nanoscale zerovalent iron particles accelerates the degradation of chlorinated dense non-aqueous phase liquid: Proof of concept. *Water Res.* 107: 19-28. <http://dx.doi.org/10.1016/j.watres.2016.10.035>.
- Phenrat, T; Liu, Y; Tilton, RD; Lowry, GV. (2009). Adsorbed Polyelectrolyte Coatings Decrease Fe-0 Nanoparticle Reactivity with TCE in Water: Conceptual Model and Mechanisms. *Environ Sci Technol.* 43: 1507-1514. <http://dx.doi.org/10.1021/es802187d>.
- Phenrat, T; Long, TC; Lowry, GV; Veronesi, B. (2009). Partial oxidation ("aging") and surface modification decrease the toxicity of nanosized zerovalent iron. *Environ Sci Technol.* 43: 195-200. <http://dx.doi.org/10.1021/es801955n>.
- Phenrat, T; Saleh, N; Sirk, K; Kim, H, yeJin; Tilton, RD; Lowry, GV. (2008). Stabilization of aqueous nanoscale zerovalent iron dispersions by anionic polyelectrolytes: adsorbed anionic polyelectrolyte layer properties and their effect on aggregation and sedimentation. *J Nanopart Res.* 10: 795-814. <http://dx.doi.org/10.1007/s11051-007-9315-6>.
- Phenrat, T; Thongboot, T; Lowry, GV. (2016). Electromagnetic Induction of Zerovalent Iron (ZVI) Powder and Nanoscale Zerovalent Iron (NZVI) Particles Enhances Dechlorination of Trichloroethylene in Contaminated Groundwater and Soil: Proof of Concept. *Environ Sci Technol.* 50: 872-880. <http://dx.doi.org/10.1021/acs.est.5b04485>.
- Philips, J; Haest, PJ; Springael, D; Smolders, E. (2013). Inhibition of Geobacter dechlorinators at elevated trichloroethene concentrations is explained by a reduced activity rather than by an enhanced cell decay. *Environ Sci Technol.* 47: 1510-1517. <http://dx.doi.org/10.1021/es303390q>.
- Philips, J; Maes, N; Springael, D; Smolders, E. (2013). Acidification due to microbial dechlorination near a trichloroethene DNAPL is overcome with pH buffer or formate as electron donor: experimental demonstration in diffusion-cells. *J Contam Hydrol.* 147: 25-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.02.002>.
- Philips, J; Miroshnikov, A; Haest, PJ; Springael, D; Smolders, E. (2014). Motile Geobacter dechlorinators migrate into a model source zone of trichloroethene dense non-aqueous phase liquid: experimental evaluation and modeling. *J Contam Hydrol.* 170: 28-38. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.010>.
- Philips, J; Springael, D; Smolders, E. (2011). A three-layer diffusion-cell to examine bio-enhanced dissolution of chloroethene dense non-aqueous phase liquid. *Chemosphere.* 83: 991-996. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.012>.
- Philips, J; Van Muylder, R; Springael, D; Smolders, E. (2013). Electron donor limitations reduce microbial enhanced trichloroethene DNAPL dissolution: a flux-based analysis using diffusion-cells. *Chemosphere.* 91: 7-13. <http://dx.doi.org/10.1016/j.chemosphere.2012.11.016>.
- Phillips, DH; Van Nooten, T; Bastiaens, L; Russell, MI; Dickson, K; Plant, S; Ahad, JM; Newton, T; Elliot, T; Kalin, RM. (2010). Ten year performance evaluation of a field-scale zero-valent iron permeable reactive barrier installed to remediate trichloroethene contaminated groundwater. *Environ Sci Technol.* 44: 3861-3869. <http://dx.doi.org/10.1021/es902737t>.
- Phillips, LA; Raupp, GB. (1992). INFRARED SPECTROSCOPIC INVESTIGATION OF GAS SOLID HETEROGENEOUS PHOTOCATALYTIC OXIDATION OF TRICHLOROETHYLENE. 77: 297-311.
- Phuc, BHN; Lindberg, JE; Ogle, B; Thomke, S. (2001). Determination of the nutritive value of tropical biomass products as dietary ingredients for monogastrics using rats: 1. Comparison of eight forage species at two levels of inclusion in relation to a casein diet. *Asian-Australas J Anim Sci.* 14: 986-993.
- Pianta, R; Boller, M; Janex, ML; Chappaz, A; Birou, B; Ponce, R; Walther, JL. (1998). Micro- and ultrafiltration of karstic spring water. *Desalination.* 117: 61-71.
- Pichat, P; Disdier, J; Hoang-Van, C; Mas, D; Goutailler, G; Gaysse, C. (2000). Purification/deodorization of indoor air and gaseous effluents by TiO₂ photocatalysis. *Catalysis Today.* 63: 363-369.

Exposure Literature Search Results

Off Topic

- Pickerell, DS; Plank, CA. (1989). EXCESS VOLUMES OF THE SYSTEM BENZENE + 1,1,2-TRICHLOROETHYLENE AT 283.15-K AND 313.15-K. *Journal of Chemical and Engineering Data*. 34: 278-280.
- Pieja, AJ; Sundstrom, ER; Criddle, CS. (2012). Cyclic, alternating methane and nitrogen limitation increases PHB production in a methanotrophic community. *Bioresour Technol*. 107: 385-392. <http://dx.doi.org/10.1016/j.biortech.2011.12.044>.
- Pielichowski, J; Bogdal, D. (1994). APPLICATION OF TRICHLOROETHYLENE IN ORGANIC-SYNTHESIS .9. SYNTHESIS OF N-ALKYLIMINO-1,2-DI(9-CARBAZOLYL)ETHANES - EVIDENCE FOR THE MECHANISM OF THE REACTION OF DICHLOROACETYLENE WITH PRIMARY AMINES. *Synthetic Communications*. 24: 3091-3098.
- Pielichowski, J; Czub, P. (1995). A MODIFIED SYNTHESIS OF 9-(1,2-DICHLOROVINYLCARBAZOLE BY USING CROWN-ETHERS AND CRYPTANDS IN A NONAQUEOUS SYSTEM. *Synthetic Communications*. 25: 3647-3654.
- Piera, E; Ayllon, JA; Domenech, X; Peral, J. (2002). TiO(2) deactivation during gas-phase photocatalytic oxidation of ethanol. *Catalysis Today*. 76: 259-270.
- Pietrzak, R; Szatanik, R; Olchawa, R; Ksiazek, K. (2013). The influence of mechanical damaging on the lifetime of positrons in ultrahigh-molecular polyethylene. *Materials Science*. 48: 729-738. <http://dx.doi.org/10.1007/s11003-013-9561-y>.
- Pignatello, JJ; Liu, D; Huston, P. (1999). Evidence for an additional oxidant in the photoassisted fenton reaction. *Environ Sci Technol*. 33: 1832-1839.
- Pikarsky, E; Porat, RM; Stein, I; Abramovitch, R; Amit, S; Kasem, S; Gutkovich-Pyest, E; Urieli-Shoval, S; Galun, E; Ben-Neriah, Y. (2004). NF-kappaB functions as a tumour promoter in inflammation-associated cancer. *Nature*. 431: 461-466. <http://dx.doi.org/10.1038/nature02924>.
- Ping, N; Gu, JJ; Bart, HJ. (1997). Numerical simulation of the effect of maldistribution in a fixed bed adsorber. *Chinese Journal of Chemical Engineering*. 5: 304-315.
- Pirbazari, M; Badriyha, BN; Ravindran, V. (1992). MF-PAC for treating waters contaminated with natural and synthetic organics (pp. 95-103). (ISSN 0003-150X; EISSN 1551-8833; BIOSIS/93/04550). Pirbazari, M; Badriyha, BN; Ravindran, V.
- Pires, J; Carvalho, A; de Carvalho, MB. (2001). Adsorption of volatile organic compounds in Y zeolites and pillared clays. *Microporous and Mesoporous Materials*. 43: 277-287.
- Pires, J; Fernandes, A, naC; Duraiswami, D. (2014). Synthesis of novel hierarchical ZSM-5 monoliths and their application in trichloroethylene removal. *Chinese journal of catalysis*. 35: 1492-1496. [http://dx.doi.org/10.1016/51872-2067\(14\)60085-1](http://dx.doi.org/10.1016/51872-2067(14)60085-1).
- Pires, J; Pinto, M; Carvalho, A; de Carvalho, MB. (2003). Adsorption of acetone, methyl ethyl ketone, 1,1,1-trichloroethane, and trichloroethylene in granular activated carbons. *Journal of Chemical and Engineering Data*. 48: 416-420. <http://dx.doi.org/10.1021/jc020180n>.
- Pires, J; Pinto, ML; Carvalho, A; de Carvalho, MB. (2003). Adsorption of volatile organic compounds in pillared clays: Estimation of the separation factor by a method derived from the Dubinin-Radushkevich equation. *Langmuir*. 19: 7941-7943. <http://dx.doi.org/10.1021/la030086k>.
- Pirnie, EF; Talley, JW; Hunda, LS. (2006). Transformation of DDT and its metabolites by various abiotic methods. *J Environ Eng*. 132: 560-564. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:5\(560\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:5(560)).
- Pirnie, EF; Talley, JW; Hundal, LS. (2006). Abiotic transformation of DDT in aqueous solutions. *Chemosphere*. 65: 1576-1582. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.055>.
- Piscopo, AN; Neupauer, RM; Kasprzyk, JR. (2016). Optimal design of active spreading systems to remediate sorbing groundwater contaminants in situ. *J Contam Hydrol*. 190: 29-43. <http://dx.doi.org/10.1016/j.jconhyd.2016.03.005>.
- Pithan, F; Angevine, W; Mauritsen, T. (2015). Improving a global model from the boundary layer: Total turbulent energy and the neutral limit Prandtl number. *Journal of Advances in Modeling Earth Systems*. 7: 791-805. <http://dx.doi.org/10.1002/2014MS000382>.
- Pitkaaho, S; Ojala, S; Maunula, T; Savimaki, A; Kinnunen, T; Keiski, RL. (2011). Oxidation of dichloromethane and perchloroethylene as single compounds and in mixtures. *Appl Catal B-Environ*. 102: 395-403. <http://dx.doi.org/10.1016/j.apcatb.2010.12.011>.
- Pitkin, SE; Cherry, JA; Ingleton, RA; Broholm, M. (1999). Field demonstrations using the Waterloo ground water profiler. *Ground Water Monitoring and Remediation*. 19: 122-131.
- Pitterle, MT; Andersen, RG; Novak, JT; Widdowson, MA. (2005). Push-pull tests to quantify in situ degradation rates at a phytoremediation site. *Environ Sci Technol*. 39: 9317-9323. <http://dx.doi.org/10.1021/es0509275>.
- Plagentz, V; Ebert, M; Dahmke, A. (2006). Remediation of ground water containing chlorinated and brominated hydrocarbons, benzene and chromate by sequential treatment using ZVI and GAC. *Environ Geol*. 49: 684-695. <http://dx.doi.org/10.1007/s00254-005-0106-z>.
- Plagentz, V; Schaefer, D; Kober, R; Dethlefsen, F; Ebert, M; Dahmke, A. (2006). pH buffering downgradient of permeable reactive barriers. *Grundwasser*. 11: 259-269.
- Platteborzestienlet, K; Zeegershuyskens, T. (1996). IR characteristics of complexes involving 1,8-bis(dimethylamino)naphthalene and phenols-OH or phenols-OD in solution. *J Mol Struct*. 378: 29-34.
- Plaza, G; Ulfing, K; Rzychon, D; Wypych, J; Worsztynowicz, A; Brigmon, RL. (2004). TCE biodegradation in "interspecies hydrogen transfer" bioremediation model. *Fresen Environ Bull*. 13: 1151-1157.
- Plummer, M; Best, N; Cowles, K; Vines, K. (2006). CODA: Convergence diagnosis and output analysis for MCMC. *R News*. 6: 7-11.
- Pocklington, WD. (1992). Determination of tetrachloroethylene: Results of a collaborative study and the standardized method. *J Am Oil Chem Soc*. 69: 789-793. <http://dx.doi.org/10.1007/BF02635916>.
- Poddutoori, PK; Lim, GN; Vassiliev, S; D'Souza, F. (2015). Ultrafast charge separation and charge stabilization in axially linked 'tetrathiafulvalene-aluminum(III) porphyrin-gold(III) porphyrin' reaction center mimics. *Phys Chem Chem Phys*. 17: 26346-26358. <http://dx.doi.org/10.1039/c5cp04818d>.

Exposure Literature Search Results

Off Topic

- Podrouzkova, H; Bedanova, H; Tretina, M; Korinek, J; Stepanova, R; Hruskova, J; Nemecek, P; Konecny, T; Orban, M. (2015). Decrease in longitudinal strain in heart transplant recipients is associated with rejection. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub.* 159: 601-606. <http://dx.doi.org/10.5507/bp.2015.020>.
- Pohl, HR; Roney, N; Wilbur, S; Hansen, H; De Rosa, CT. (2003). Six interaction profiles for simple mixtures. *Chemosphere.* 53: 183-197. [http://dx.doi.org/10.1016/S0045-6535\(03\)00436-3](http://dx.doi.org/10.1016/S0045-6535(03)00436-3).
- Pohl, HR; Tylenda, CA. (2000). Breast-feeding exposure of infants to selected pesticides: a public health viewpoint [Review]. *Toxicol Ind Health.* 16: 65-77. <http://dx.doi.org/10.1177/074823370001600203>.
- Poli, D; Manini, P; Andreoli, R; Franchini, I; Mutti, A. (2005). Determination of dichloromethane, trichloroethylene and perchloroethylene in urine samples by headspace solid phase microextraction gas chromatography-mass spectrometry. *Journal of Chromatography B.* 820: 95-102. <http://dx.doi.org/10.1016/j.jchromb.2005.03.00>.
- Pollack, GM; Li, RC; Ermer, JC; Shen, DD. (1985). Effects of route of administration and repetitive dosing on the disposition kinetics of di(2-ethylhexyl) phthalate and its mono-de-esterified metabolite in rats. *Toxicol Appl Pharmacol.* 79: 246-256. [http://dx.doi.org/10.1016/0041-008X\(85\)90346-1](http://dx.doi.org/10.1016/0041-008X(85)90346-1).
- Pon, G; Hyman, MR; Semprini, L. (2003). Acetylene inhibition of trichloroethene and vinyl chloride reductive dechlorination. *Environ Sci Technol.* 37: 3181-3188. <http://dx.doi.org/10.1021/es026352i>.
- Pon, G; Semprini, L. (2004). Anaerobic reductive dechlorination of 1-chloro-1-fluoroethene to track the transformation of vinyl chloride. *Environ Sci Technol.* 38: 6803-6808. <http://dx.doi.org/10.1021/es0498383>.
- Pond, KL; Huang, YS; Wang, Y; Kulpa, CF. (2002). Hydrogen isotopic composition of individual n-alkanes as an intrinsic tracer for bioremediation and source identification of petroleum contamination. *Environ Sci Technol.* 36: 724-728. <http://dx.doi.org/10.1021/es011140r>.
- Ponder, SM; Darab, JG; Bucher, J; Caulder, D; Craig, I; Davis, L; Edelstein, N; Lukens, W; Nitsche, H; Rao, LF; Shuh, DK; Mallouk, TE. (2001). Surface chemistry and electrochemistry of supported zerovalent iron nanoparticles in the remediation of aqueous metal contaminants. *Chem Mater.* 13: 479-486. <http://dx.doi.org/10.1021/cm000288r>.
- Ponder, SM; Darab, JG; Mallouk, TE. (2000). Remediation of Cr(VI) and Pb(II) aqueous solutions using supported, nanoscale zero-valent iron. *Environ Sci Technol.* 34: 2564-2569.
- Ponza, S; Parkpian, P; Polprasert, C; Shrestha, RP; Jugsujinda, A. (2010). Removal of trichloroethylene (TCE) contaminated soil using a two-stage anaerobic-aerobic composting technique. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 549-559. <http://dx.doi.org/10.1080/10934521003595233>.
- Pooley, KE; Blessing, M; Schmidt, TC; Haderlein, SB; Macquarrie, KT; Prommer, H. (2009). Aerobic biodegradation of chlorinated ethenes in a fractured bedrock aquifer: quantitative assessment by compound-specific isotope analysis (CSIA) and reactive transport modeling. *Environ Sci Technol.* 43: 7458-7464. <http://dx.doi.org/10.1021/es900658n>.
- Popat, SC; Deshusses, MA. (2009). Reductive dehalogenation of trichloroethene vapors in an anaerobic biotrickling filter. *Environ Sci Technol.* 43: 7856-7861. <http://dx.doi.org/10.1021/es901305x>.
- Popat, SC; Deshusses, MA. (2010). Analysis of the rate-limiting step of an anaerobic biotrickling filter removing TCE vapors. *Process Biochemistry.* 45: 549-555. <http://dx.doi.org/10.1016/j.procbio.2009.11.017>.
- Popat, SC; Deshusses, MA. (2010). Analysis of the rate-limiting step of an anaerobic biotrickling filter removing TCE vapors (vol 45, pg 549, 2010). *Process Biochemistry.* 45: 1201-1201. <http://dx.doi.org/10.1016/j.procbio.2010.03.032>.
- Popat, SC; Deshusses, MA. (2011). Kinetics and inhibition of reductive dechlorination of trichloroethene, cis-1,2-dichloroethene and vinyl chloride in a continuously fed anaerobic biofilm reactor. *Environ Sci Technol.* 45: 1569-1578. <http://dx.doi.org/10.1021/es102858t>.
- Popat, SC; Zhao, K; Deshusses, MA. (2012). Bioaugmentation of an anaerobic biotrickling filter for enhanced conversion of trichloroethene to ethene. *Chem Eng J.* 183: 98-103. <http://dx.doi.org/10.1016/j.cej.2011.12.026>.
- Popovicova, J; Brusseau, ML. (1997). Dispersion and transport of gas-phase contaminants in dry porous media: effect of heterogeneity and gas velocity. *J Contam Hydrol.* 28: 157-169.
- Popovicova, J; Brusseau, ML. (1998). Contaminant mass transfer during gas-phase transport in unsaturated porous media. *Water Resour Res.* 34: 83-92.
- Popp, S; Beyer, C; Dahmke, A; Koproch, N; Koeber, R; Bauer, S. (2016). Temperature-dependent dissolution of residual non-aqueous phase liquids: model development and verification. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5743-x>.
- Popper, H. (1986). Aging and the liver [Review]. In H Popper; F Schaffner (Eds.), (pp. 659-683). Orlando, FL: Grune and Stratton.
- Portier, CJ; Bailer, AJ. (1989). Testing for increased carcinogenicity using a survival-adjusted quantal response test. *Toxicol Sci.* 12: 731-737.
- Portier, CJ; Hedges, JC; Hoel, DG. (1986). Age-specific models of mortality and tumor onset for historical control animals in the National Toxicology Program's carcinogenicity experiments. *Cancer Res.* 46: 4372-4378.
- Pota, AA; Mathews, AP. (1999). Effects of particle stratification on fixed bed absorber performance. *J Environ Eng.* 125: 705-711.
- Pota, AA; Mathews, AP. (2000). Adsorption dynamics in a stratified convergent tapered bed. *Chem Eng Sci.* 55: 1399-1409.
- Poteracki, J; Walsh, KM. (1998). Spontaneous neoplasms in control Wistar rats: A comparison of reviews. *Toxicol Sci.* 45: 1-8. <http://dx.doi.org/10.1006/toxs.1998.2493>.
- Potter, K; Lovett-Doust, L. (2001). Biomonitoring site quality in stressed aquatic ecosystems using *Vallisneria americana*. *Ecol Appl.* 11: 215-225.
- Potyrailo, RA; May, RJ; Sivavec, TM. (2004). Recognition and quantification of perchloroethylene, trichloroethylene, vinyl chloride, and three isomers of dichloroethylene using acoustic wave sensor array. *Sensor Letters.* 2: 31-36. <http://dx.doi.org/10.1166/sl.2004.019>.
- Potyrailo, RA; Sivavec, TM. (2004). Boosting sensitivity of organic vapor detection with silicone block polyimide polymers. *Anal Chem.* 76: 7023-7027. <http://dx.doi.org/10.1021/ac049481l>.

Exposure Literature Search Results

Off Topic

- Potyrailo, RA; Sivavec, TM. (2005). Dual-response resonant chemical sensors for multianalyte analysis. *Sens Actuators B*. 106: 249-252. <http://dx.doi.org/10.1016/j.snb.2004.08.005>.
- Poulsen, TG; Moldrup, P; Schjonning, P; Massmann, JW; Hansen, JA. (1998). Gas permeability and diffusivity in undisturbed soil: SVE implications. *J Environ Eng*. 124: 979-986.
- Poulsen, TG; Moldrup, P; Yamaguchi, T; Massmann, JW; Hansen, JA. (1998). VOC vapor sorption in soil: Soil type dependent model and implications for vapor extraction. *J Environ Eng*. 124: 146-155.
- Poulsen, TG; Yamaguchi, T; Moldrup, P; de Jonge, LW; Rolston, DE. (2000). Predicting volatile organic vapor sorption from soil specific surface area and texture. *J Environ Qual*. 29: 1642-1649.
- Poulson, SR; Drever, JI. (1999). Stable isotope (C, Cl, and H) fractionation during vaporization of trichloroethylene. *Environ Sci Technol*. 33: 3689-3694.
- Poulson, SR; Naraoka, H. (2002). Carbon isotope fractionation during permanganate oxidation of chlorinated ethylenes (cDCE, TCE, PCE). *Environ Sci Technol*. 36: 3270-3274. <http://dx.doi.org/10.1021/es0205380>.
- Poulson, SR; Naraoka, H. (2006). Carbon isotope fractionation during degradation of benzene, trichloroethene, and tetrachloroethene under ultraviolet light. *Geochemical Journal*. 40: 291-296.
- Pour, SM; Woolley, I; Canavan, P; Chuah, J; Russell, DB; Law, M; Petoumenos, K. (2011). Triple class experience after initiation of combination antiretroviral treatment in Australia: survival and projections. *Sex Health*. 8: 295-303. <http://dx.doi.org/10.1071/SH10008>.
- Poursaberi, T; Falsafi, Z; Hassanisadi, M; Jabbari, A. (2015). Simultaneous adsorption and dechlorination of carbon tetrachloride using copper nanoparticles@graphene oxide composites. *Journal of the Iranian Chemical Society*. 12: 67-74. <http://dx.doi.org/10.1007/s13738-014-0455-1>.
- Pous, N; Casentini, B; Rossetti, S; Fazi, S; Puig, S; Aulenta, F. (2015). Anaerobic arsenite oxidation with an electrode serving as the sole electron acceptor: a novel approach to the bioremediation of arsenic-polluted groundwater. *J Hazard Mater*. 283: 617-622. <http://dx.doi.org/10.1016/j.jhazmat.2014.10.014>.
- Powell, CL; Agrawal, A. (2011). Biodegradation of Trichloroethene by Methane Oxidizers Naturally Associated with Wetland Plant Roots. *Wetlands*. 31: 45-52. <http://dx.doi.org/10.1007/s13157-010-0134-7>.
- Powell, CL; Goltz, MN; Agrawal, A. (2014). Degradation kinetics of chlorinated aliphatic hydrocarbons by methane oxidizers naturally-associated with wetland plant roots. *J Contam Hydrol*. 170: 68-75. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.001>.
- Powell, RM; Puls, RW. (1997). Proton generation by dissolution of intrinsic or augmented aluminosilicate minerals for in situ contaminant remediation by zero valence state iron. *Environ Sci Technol*. 31: 2244-2251.
- Powers, SE; Abriola, LM; Weber, WJ. (1994). AN EXPERIMENTAL INVESTIGATION OF NONAQUEOUS PHASE LIQUID DISSOLUTION IN SATURATED SUBSURFACE SYSTEMS - TRANSIENT MASS-TRANSFER RATES. *Water Resour Res*. 30: 321-332.
- Prade, K; Schmax, S. (1998). Rapid headspace-GC determination of the soil-water partition ratio of volatile hydrocarbons. *Z Pflanzenernaehr Bodenkd*. 161: 647-651.
- Prager, L; Langguth, H; Rummel, S; Mehnert, R. (1995). ELECTRON-BEAM DEGRADATION OF CHLORINATED HYDROCARBONS IN AIR. *Radiat Phys Chem Oxf Engl* 1993. 46: 1137-1142.
- Prakash; Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. *J Environ Eng*. 126: 622-628.
- Prakash, OM; Anklekar, RM; Khosla, NK; Kumar, S; Chaudhuri, B; Thomas, CA; Magadum, AP; Ramesh, M; Rao, BT; Mohan, TRR. (1991). SHAPE-FORMING AND DENSIFICATION OF CERAMIC SUPERCONDUCTORS. *Bulletin of Materials Science*. 14: 1145-1150.
- Prakash, SM; Gupta, SK. (2000). Biodegradation of tetrachloroethylene in upflow anaerobic sludge blanket reactor. *Bioresour Technol*. 72: 47-54.
- Prasad, RL; Thakur, SN. (2003). Monitoring air pollution using infrared photoacoustic spectra of organic vapours. *J Indian Chem Soc*. 80: 341-344.
- Prasad, TEV; Anand, SV; Prasad, DHL. (2006). Vapor-liquid equilibria of binary mixtures formed by m-xylene with some chlorohydrocarbons at 95.75 kPa. *Physics and Chemistry of Liquids*. 44: 15-19. <http://dx.doi.org/10.1080/00319100500217751>.
- Prasad, TEV; Banerjee, S; Babu, JK; Prasad, DHL. (2004). Boiling temperature measurements on the binary mixtures formed by dimethyl carbonate with some chloroethanes and chloroethylenes at 95.8 kPa. *Fluid Phase Equilibria*. 218: 291-293. <http://dx.doi.org/10.1016/j.fluid.2004.01.027>.
- Prasad, TEV; Harish, G; Krupavaram, N; Prasad, S; Jaiswal, A; Prasad, DHL. (2005). Bubble points of some binary mixtures formed by o-cresol at 95.75 kPa. *Fluid Phase Equilibria*. 238: 45-51. <http://dx.doi.org/10.1016/j.fluid.2005.09.012>.
- Prasad, TEV; Haritha, M; Geetha, NB; Kumar, YPP; Kalyan, KI; Prasad, DHL. (2004). Bubble temperature measurements on the binary mixtures formed by chlorobenzene with methanol, ethanol, n-propanol and sec-butanol at 94.6 kPa. *Physics and Chemistry of Liquids*. 42: 385-389. <http://dx.doi.org/10.1080/00319100410001684480>.
- Prasad, TEV; Kumar, AS; Prasad, DHL. (2002). Boiling temperature measurements on the binary mixtures formed by acetonitrile with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria*. 201: 47-55.
- Prasad, TEV; Manohar, V; Chaitanya, K; Prasad, DHL. (2006). Activity coefficients and excess Gibbs' energies of the binary mixtures formed by 2-cyanopyrazine with some chloroaliphatics at 95.5 kPa. *Physics and Chemistry of Liquids*. 44: 687-692. <http://dx.doi.org/10.1080/00319100600861193>.
- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Densities and viscosities of the binary mixtures of chloroethylenes with some aliphatic alcohols. *Journal of Chemical and Engineering Data*. 47: 68-71. <http://dx.doi.org/10.1021/je010141w>.
- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Vapor-liquid equilibria in trichloroethylene plus ethanol, plus isopropanol, and plus isobutanol and in tetrachloroethylene plus methanol at 95 kPa. *Journal of Chemical and Engineering Data*. 47: 816-817. <http://dx.doi.org/10.1021/je010248j>.

Exposure Literature Search Results

Off Topic

- Prasad, TEV; Naidu, BRP; Madhukiran, D; Prasad, DHL. (2001). Boiling temperature measurements on the binary mixtures of cyclohexane with some alcohols and chlorohydrocarbons. *Journal of Chemical and Engineering Data*. 46: 414-416.
- Prasad, TEV; Patanjali, V; Sudhakar, TA; Radhika, BS; Arvind, VM; Prasad, DHL. (2004). Bubble temperature measurements on the binary mixtures of n-heptane or nitrobenzene or chlorobenzene with some chloroethanes and chloroethylenes at (94.6 to 95.8) kPa. *Journal of Chemical and Engineering Data*. 49: 199-201. <http://dx.doi.org/10.1021/je030185>.
- Prasad, TEV; Prasad, DHL; Babu, JK; Banarjee, S. (2004). Bubble temperature measurements on the binary mixtures formed by 1,2-dimethylbenzene with some chloroethanes and chloroethylenes at 95.8 KPA. *Chemical Engineering Communications*. 191: 1323-1328. <http://dx.doi.org/10.1080/00986440490464246>.
- Prasad, TEV; Prasad, DHL; Krishna, VB. (2005). Bubble temperature measurements on the binary mixtures of sec-butanol with chloroethanes and chloroethylenes at 94.6 kPa. *Chemical Engineering Communications*. 192: 168-173. <http://dx.doi.org/10.1080/00986440590473371>.
- Prasad, TEV; Raj, EDA; Maheedhar, G; Reddy, MS; Kumar, VS; Garapati, S; Patanjali, V; Prasad, DHL. (2004). Bubble-temperature measurements on some binary mixtures formed by tetrahydrofuran or amyl alcohol with hydrocarbons, chlorohydrocarbons, or butanols at (94.6 or 95.8) kPa. *Journal of Chemical and Engineering Data*. 49: 746-749. <http://dx.doi.org/10.1021/je030141r>.
- Prasad, TEV; Saisreekanth, K; Prasad, DHL. (2007). Vapor-liquid equilibria of selected binary mixtures formed by 2-methylpyrazine at 94.7 kPa. *Physics and Chemistry of Liquids*. 45: 307-311. <http://dx.doi.org/10.1080/00319100500502483>.
- Prasad, TEV; Sankar, B; Kumar, RP; Prasad, DHL. (2003). Boiling temperature measurements on the binary mixtures formed by tert-butanol with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria*. 213: 147-152. [http://dx.doi.org/10.1016/S0378-3812\(03\)00287-5](http://dx.doi.org/10.1016/S0378-3812(03)00287-5).
- Prasad, TEV; Sravani, Y; Ranjita, VS, ri; Prasada, DHL. (2006). Excess Gibbs' energies of selected binary mixtures formed by N,N-dimethyl formamide at 95.5 kPa. *Fluid Phase Equilibria*. 249: 49-54. <http://dx.doi.org/10.1016/j.fluid.2006.08.018>.
- Prasad, TEV; Sridevi, D; Kalpana, U; Kavitha, M; Himabindu, T; Agrawal, SB; Bajaj, MB; Prasad, DHL. (2005). Vapour-liquid equilibria of the binary mixtures of some aliphatic alcohols and chloroethanes or chloroethylenes. *Physics and Chemistry of Liquids*. 43: 1-4. <http://dx.doi.org/10.1080/00319100410001679891>.
- Prasad, TEV; Srinivas, MY; Prasad, DHL. (2006). Bubble points of the binary mixtures formed by ethylbenzene with some chloroaliphatics and substituted benzenes at p=94.7 kPa. *The Journal of Chemical Thermodynamics*. 38: 1186-1191. <http://dx.doi.org/10.1016/j.jct.2006.12.009>.
- Prasad, TEV; Venkanna, N; Kumar, YN; Ashok, K; Sirisha, NM; Prasad, DHL. (2007). Activity coefficients and excess Gibbs' free energy of some binary mixtures formed by p-cresol at 95.23 kPa. *The Journal of Chemical Thermodynamics*. 39: 1022-1026. <http://dx.doi.org/10.1016/j.jct.2006.12.017>.
- Prasanna, HR; Hart, RW; Magee, PN. (1989). Effect of food restriction on the metabolism of dimethylnitrosamine (NDMA) in rats. *Anticancer Res*. 9: 93-96.
- Prats-Boluda, G; Ye-Lin, Y; Bueno Barrachina, JM; Senent, E; Rodriguez de Sanabria, R; Garcia-Casado, J. (2015). Development of a portable wireless system for bipolar concentric ECG recording. *Meas Sci Technol*. 26. <http://dx.doi.org/10.1088/0957-0233/26/7/075102>.
- Pratt, DA; van der Donk, WA. (2005). Theoretical investigations into the intermediacy of chlorinated vinylcobalamins in the reductive dehalogenation of chlorinated ethylenes. *J Am Chem Soc*. 127: 384-396. <http://dx.doi.org/10.1021/ja047915o>.
- Pratt, KF; Pawliszyn, J. (1992). Water monitoring system based on gas extraction with a single hollow fiber membrane and gas chromatographic cryotrapping. *Anal Chem*. 64: 2107-2110.
- Prengle, HW; Symons, JM; Belhateche, D. (1996). H2O2/VisUV process for photo-oxidation of waterborne hazardous substances - C-1-C-6 chlorinated hydrocarbons. *Waste Manag*. 16: 327-333.
- Pressman, JG; Georgiou, G; Speitel, GE. (2005). Scale-up considerations for a hollow-fiber-membrane bioreactor treating trichloroethylene-contaminated water. *Water Environ Res*. 77: 533-542. <http://dx.doi.org/10.2175/106143005X67458>.
- Preston, C; Xu, Y; Han, X; Munday, JN; Hu, L. (2013). Optical haze of transparent and conductive silver nanowire films. *Nano Research*. 6: 461-468. <http://dx.doi.org/10.1007/s12274-013-0323-9>.
- Pretzer, LA; Heck, KN; Kim, SS; Fang, Y, uLun; Zhao, Z; Guo, N; Wu, T; Miller, JT; Wong, MS. (2016). Improving gold catalysis of nitroarene reduction with surface Pd. *Catalysis Today*. 264: 31-36. <http://dx.doi.org/10.1016/j.cattod.2015.07.040>.
- Pretzer, LA; Song, HJ; Fang, Y, uLun; Zhao, Z; Guo, N; Wu, T; Arslan, I; Miller, JT; Wong, MS. (2013). Hydrodechlorination catalysis of Pd-on-Au nanoparticles varies with particle size. *J Catal*. 298: 206-217. <http://dx.doi.org/10.1016/j.jcat.2012.11.005>.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research*. 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Price, PS; Conolly, RB; Chaisson, CF; Gross, EA; Young, JS; Mathis, ET; Tedder, DR. (2003). Modeling interindividual variation in physiological factors used in PBPK models of humans [Review]. *Crit Rev Toxicol*. 33: 469-503. <http://dx.doi.org/10.1080/10408440390242324>.
- Price, RG; Wedeen, R; Lichtveld, MY; Lybarger, JA; Porter, GA; Fels, L; Stolte, H; Safirstein, RL; Mueller, PW; Manley, S; Whiting, PH; Gomez, RA; Finn, WF. (1999). Urinary biomarkers: Roles in risk assessment to environmental and occupational nephrotoxins: Monitoring of effects and evaluation of mechanisms of toxicity. *Ren Fail*. 21: xiii-xviii. <http://dx.doi.org/10.3109/08860229909085085>.
- Priebe, CE. (2001). Olfactory classification via interpoint distance analysis. *IEEE Trans Pattern Anal Mach Intell*. 23: 404-413.

Exposure Literature Search Results

Off Topic

- Prince, MM; Ruder, AM; Hein, MJ; Waters, MA; Whelan, EA; Nilsen, N; Ward, EM; Schnorr, TM; Laber, PA; Davis-King, KE. (2006). Mortality and exposure response among 14,458 electrical capacitor manufacturing workers exposed to polychlorinated biphenyls (PCBs). *Environ Health Perspect.* 114: 1508-1514. <http://dx.doi.org/10.1289/ehp.9175>.
- Prommer, H; Aziz, LH; Bolaño, N; Taubald, H; Schüth, C. (2008). Modelling of geochemical and isotopic changes in a column experiment for degradation of TCE by zero-valent iron. *J Contam Hydrol.* 97: 13-26. <http://dx.doi.org/10.1016/j.jconhyd.2007.11.003>.
- Pruden, AL; Ollis, DF. (1983). PHOTOASSISTED HETEROGENEOUS CATALYSIS - THE DEGRADATION OF TRICHLOROETHYLENE IN WATER. *J Catal.* 82: 404-417.
- Pryor, GT; Dickinson, J; Howd, RA; Rebert, CS. (1983). Transient cognitive deficits and high-frequency hearing loss in weanling rats exposed to toluene. *Neurobehav Toxicol Teratol.* 5: 53-57.
- Pryor, GT; Rebert, CS; Howd, RA. (1987). Hearing loss in rats caused by inhalation of mixed xylenes and styrene. *J Appl Toxicol.* 7: 55-61.
- Ptacek, B; Dalard, F; Rameau, JJ. (1996). Iron phosphating in a trichloroethylene solution. *Surf Coating Tech.* 82: 277-283.
- Pu, H; Shackelford, CD; Fox, PJ. (2016). Assessment of Consolidation-Induced VOC Transport for a GML/GCL Composite Liner System. *Journal of Geotechnical and Geoenvironmental Engineering.* 142. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001538](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001538).
- Pu, M, in; Dupont, RR; Doucette, WJ. (2008). Impact of Vegetable Oil on Distribution of Trichloroethylene in Groundwater During Enhanced Bioremediation. *Environ Forensics.* 9: 340-349. <http://dx.doi.org/10.1080/15275920802501846>.
- Pucher, P; Azouani, R; Kanaev, A; Krammer, G. (2008). A photocatalytic active adsorbent for gas cleaning in a fixed bed reactor. *Intl J Photoenergy.* <http://dx.doi.org/10.1155/2008/759736>.
- Pucher, P; Benmami, M; Azouani, R; Krammer, G; Chhor, K; Bocquet, JF; Kanaev, AV. (2007). Nano-TiO₂ sols immobilized on porous silica as new efficient photocatalyst. *Appl Catal A-Gen.* 332: 297-303. <http://dx.doi.org/10.1016/j.apcata.2007.08.031>.
- Pucher, P; Krammer, G; Azouani, R; Chhor, K; Kanaev, A. (2008). UV-A-induced autocatalytic oxidation of TCE in fixed-bed reactor with transparent silica-gel adsorbent. *Appl Catal A-Gen.* 345: 58-64. <http://dx.doi.org/10.1016/j.apcata.2008.04.027>.
- Pudasainee, D; Kim, JH; Lee, SH; Park, JM; Jang, HN; Song, GJ; Seo, YC. (2010). Hazardous air pollutants emission from coal and oil-fired power plants. *Asia-Pacific Journal of Chemical Engineering.* 5: 299-303. <http://dx.doi.org/10.1002/apj.268>.
- Puddu, V; Choi, H; Dionysiou, DD; Puma, GL, i. (2010). TiO₂ photocatalyst for indoor air remediation: Influence of crystallinity, crystal phase, and UV radiation intensity on trichloroethylene degradation. *Appl Catal B-Environ.* 94: 211-218. <http://dx.doi.org/10.1016/j.apcatb.2009.08.003>.
- Puigserver, D; Herrero, J; Torres, M; Cortés, A; Nijenhuis, I; Kuntze, K; Parker, BL; Carmona, JM. (2016). Reductive dechlorination in recalcitrant sources of chloroethenes in the transition zone between aquifers and aquitards. *Environ Sci Pollut Res Int.* 23: 18724-18741. <http://dx.doi.org/10.1007/s11356-016-7068-4>.
- Pullin, H, uw; Springell, R; Parry, S; Scott, T. (2017). The effect of aqueous corrosion on the structure and reactivity of zero-valent iron nanoparticles. *Chem Eng J.* 308: 568-577. <http://dx.doi.org/10.1016/j.cej.2016.09.088>.
- Puma, GL, i; Salvado-Estivill, I; Obee, TN; Hay, SO. (2009). Kinetics rate model of the photocatalytic oxidation of trichloroethylene in air over TiO₂ thin films. *Separation and Purification Technology.* 67: 226-232. <http://dx.doi.org/10.1016/j.seppur.2009.03.011>.
- Purdue, MP; Bakke, B; Stewart, P; De Roos, AJ; Schenk, M; Lynch, CF; Bernstein, L; Morton, LM; Cerhan, JR; Severson, RK; Cozen, W; Davis, S; Rothman, N; Hartge, P; Colt, JS. (2011). A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect.* 119: 232-238. <http://dx.doi.org/10.1289/ehp.1002106>.
- Purnomo, A, diS; Mori, T; Kondo, R. (2010). Involvement of Fenton reaction in DDT degradation by brown-rot fungi. *Int Biodeterior Biodegradation.* 64: 560-565. <http://dx.doi.org/10.1016/j.ibiod.2010.06.008>.
- Putthividhya, A; Kukor, JJ; Abriola, LM. (2016). The effects of substrate exposure history and carbon starvation-induced stress on the EPS synthesis of TCE degrading toluene oxidizing soil bacteria. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-015-5080-5>.
- Putzlocher, R; Kueper, BH; Reynolds, DA. (2006). Relative velocities of DNAPL and aqueous phase plume migration. *J Contam Hydrol.* 88: 321-336. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.009>.
- Qi, L, in; Plagentz, V; Schafer, D; Dahmke, A. (2007). Remediation of trichloroethylene and monochlorobenzene-contaminated aquifers using the ORC-GAC-Fe-0-CaCO₃ system: Volatilization, precipitation, and porosity losses. *Pedosphere.* 17: 109-116.
- Qi, SY. (2004). Use of Dubinin-Astakhov equation to describe preloading effect of natural organic matter. *J Environ Eng.* 130: 472-477. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:4\(472\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:4(472)).
- Qian, A; Liao, P; Yuan, S; Luo, M. (2014). Efficient reduction of Cr(VI) in groundwater by a hybrid electro-Pd process. *Water Res.* 48: 326-334. <http://dx.doi.org/10.1016/j.watres.2013.09.043>.
- Qian, H; Pretzer, LA; Velazquez, JC; Zhao, Z; Wong, MS. (2013). Gold nanoparticles for cleaning contaminated water. *J Chem Tech Biotechnol.* 88: 735-741. <http://dx.doi.org/10.1002/jctb.4030>.
- Qian, H; Zhao, Z; Velazquez, JC; Pretzer, LA; Heck, KN; Wong, MS. (2014). Supporting palladium metal on gold nanoparticles improves its catalysis for nitrite reduction. *Nanoscale.* 6: 358-364. <http://dx.doi.org/10.1039/c3nr04540d>.
- Qian, L; Ren, Y, u; Liu, T; Pan, D; Wang, H; Chen, G. (2012). Influence of KIT-6's pore structure on its surface properties evaluated by inverse gas chromatography. *Chem Eng J.* 213: 186-194. <http://dx.doi.org/10.1016/j.cej.2012.09.110>.
- Qian, Y, i; Wang, Q; Yue, F. (2016). Remediation of TCE-contaminated water by enhanced chemical oxidation using Na₂S₂O₈/H₂O₂/red mud. *Desalination and Water Treatment.* 57: 4154-4161. <http://dx.doi.org/10.1080/19443994.2014.988648>.
- Qian, YL; Engelke, MC. (1999). Influence of trinexapac-ethyl on diamond zoysiagrass in a shade environment. *Crop Sci.* 39: 202-208.
- Qiang, ZM; Chang, JH; Huang, CP. (2002). Electrochemical generation of hydrogen peroxide from dissolved oxygen in acidic solutions. *Water Res.* 36: 85-94. [http://dx.doi.org/10.1016/S0043-1354\(01\)00235-4](http://dx.doi.org/10.1016/S0043-1354(01)00235-4).

Exposure Literature Search Results

Off Topic

- Qi-Feng, C; Dong, J; Yao, X; Dong, W; Yu-Han, S. (2009). Visible Region Photocatalysis of Ce-Si/TiO₂ Synthesized Using Sol-Gel-Hydrothermal Method. *Acta Phys - Chim Sin.* 25: 617-623. <http://dx.doi.org/10.3866/PKU.WHXB20090412>.
- Qin, K; Struckhoff, GC; Agrawal, A; Shelley, ML; Dong, H. (2014). Natural attenuation potential of trichloroethene in wetland plant roots: Role of native ammonium-oxidizing microorganisms. *Chemosphere.* 119C: 971-977. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.040>.
- Qin, XS; Huang, GH; Chakma, A; Chen, B; Zeng, GM. (2007). Simulation-based process optimization for surfactant-enhanced aquifer remediation at heterogeneous DNAPL-contaminated sites. *Sci Total Environ.* 381: 17-37. <http://dx.doi.org/10.1016/j.scitotenv.2007.04.011>.
- Qin, YJ; Sheth, JP; Sirkar, KK. (2002). Supported liquid membrane-based pervaporation for VOC removal from water. *Ind Eng Chem Res.* 41: 3413-3428. <http://dx.doi.org/10.1021/ie010901w>.
- Qiu, J; Chien, YC; Bruckner, JV; Fisher, JW. (2010). Bayesian analysis of a physiologically based pharmacokinetic model for perchloroethylene in humans. *J Toxicol Environ Health A.* 73: 74-91. <http://dx.doi.org/10.1080/15287390903249099>.
- Qiu, X; Fang, Z; Liang, B, in; Gu, F; Xu, Z. (2011). Degradation of decabromodiphenyl ether by nano zero-valent iron immobilized in mesoporous silica microspheres. *J Hazard Mater.* 193: 70-81. <http://dx.doi.org/10.1016/j.jhazmat.2011.07.024>.
- Qu, J, ie; Xu, Y; Ai, G; Liu, Y; Liu, Z. (2015). Novel *Chryseobacterium* sp PYR2 degrades various organochlorine pesticides (OCPs) and achieves enhancing removal and complete degradation of DDT in highly contaminated soil. *J Environ Manage.* 161: 350-357. <http://dx.doi.org/10.1016/j.jenvman.2015.07.025>.
- Qu, Z; Zhao, YS; Zhou, R, ui; Yin, XD; Zhu, Y; Wang, B; Jiao, L. (2013). Laboratory-scale analysis of transportation and natural attenuation of diesel fuel in aquifer. *Environ Earth Sci.* 68: 1555-1561. <http://dx.doi.org/10.1007/s12665-012-1849-y>.
- Quack, B; Suess, E. (1999). Volatile halogenated hydrocarbons over the western Pacific between 43 degrees and 4 degrees N. *J Geophys Res Atmos.* 104: 1663-1678.
- Quan, X; Zhang, X; Xu, H. (2015). In-situ formation and immobilization of biogenic nanopalladium into anaerobic granular sludge enhances azo dyes degradation. *Water Res.* 78: 74-83. <http://dx.doi.org/10.1016/j.watres.2015.03.024>.
- Quensen, JF; Tiedje, JM; Jain, MK; Mueller, SA. (2001). Factors controlling the rate of DDE dechlorination to DDMU in Palos Verdes margin sediments under anaerobic conditions. *Environ Sci Technol.* 35: 286-291.
- Quinlivan, PA; Li, L; Knappe, DR. (2005). Effects of activated carbon characteristics on the simultaneous adsorption of aqueous organic micropollutants and natural organic matter. *Water Res.* 39: 1663-1673. <http://dx.doi.org/10.1016/j.watres.2005.01.029>.
- Quinn, J; Geiger, C; Clausen, C; Brooks, K; Coon, C; O'Hara, S; Krug, T; Major, D; Yoon, WS; Gavaskar, A; Holdsworth, T. (2005). Field demonstration of DNAPL dehalogenation using emulsified zero-valent iron. *Environ Sci Technol.* 39: 1309-1318. <http://dx.doi.org/10.1021/es0490018>.
- Quinones-Bolanos, E; Zhou, HD; Soundararajan, R; Otten, L. (2005). Water and solute transport in pervaporation hydrophilic membranes to reclaim contaminated water for micro-irrigation. *J Memb Sci.* 252: 19-28. <http://dx.doi.org/10.1016/j.memsci.2004.10.038>.
- Quintelas, C; Figueiredo, H; Tavares, T. (2011). The effect of clay treatment on remediation of diethylketone contaminated wastewater: Uptake, equilibrium and kinetic studies. *J Hazard Mater.* 186: 1241-1248. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.131>.
- Raaschou-Nielsen, O; Hansen, J; Christensen, JM; Blot, WJ; McLaughlin, JK; Olsen, JH. (2001). Urinary concentrations of trichloroacetic acid in Danish workers exposed to trichloroethylene, 1947-1985. *Am J Ind Med.* 39: 320-327.
- Raaschou-Nielsen, O; Hansen, J; McLaughlin, JK; Kolstad, H; Christensen, JM; Tarone, RE; Olsen, JH. (2003). Cancer risk among workers at Danish companies using trichloroethylene: A cohort study. *Am J Epidemiol.* 158: 1182-1192. <http://dx.doi.org/10.1093/aje/kwg282>.
- Raaschou-Nielsen, O; Hansen, J; Thomsen, BL; Johansen, I; Lipworth, L; McLaughlin, JK; Olsen, JH. (2002). Exposure of Danish workers to trichloroethylene, 1947-1989. *Appl Occup Environ Hyg.* 17: 693-703. <http://dx.doi.org/10.1080/10473220290096186>.
- Rabbi, MF; Clark, B; Gale, RJ; Ozsu-Acar, E; Pardue, J; Jackson, A. (2000). In situ TCE bioremediation study using electrokinetic cometabolite injection. *Waste Manag.* 20: 279-286.
- Rabideau, AJ; Shen, PL; Khandelwal, A. (1999). Feasibility of amending slurry walls with zero-valent iron. *Journal of Geotechnical and Geoenvironmental Engineering.* 125: 330-333.
- Rabideau, AJ; Suribhatla, R; Craig, JR. (2005). Analytical models for the design of iron-based permeable reactive barriers. *J Environ Eng.* 131: 1589-1597. [http://dx.doi.org/10.1061/ASCE0733-9372\(2005\)131:11\(1589\)](http://dx.doi.org/10.1061/ASCE0733-9372(2005)131:11(1589)).
- Rachapudi, R; Chintawar, PS; Greene, HL. (1999). Aging and structure activity characteristics of CR-ZSM-5 catalysts during exposure to chlorinated VOCs. *J Catal.* 185: 58-72.
- Raczynska, ED; Duczmal, K; Darowska, M. (2005). Experimental (FT-IR) and theoretical (DFT-IR) studies of keto-enol tautomerism in pyruvic acid. *Vibrational Spectroscopy.* 39: 37-45. <http://dx.doi.org/10.1016/j.vibspec.2004.10.006>.
- Radak, BB; Petkovska, MT; Trtica, MS; Miljanic, SS; Petkovska, LT. (2004). Photoacoustic study of CO₂-laser coincidences with absorption of some organic solvent vapours. *Anal Chim Acta.* 505: 67-71. [http://dx.doi.org/10.1016/S0003-2670\(03\)00572-5](http://dx.doi.org/10.1016/S0003-2670(03)00572-5).
- Radhamma, M; Hsieh, CT; Venkatesu, P; Rao, MVP; Lee, MJ, er; Lin, H, omu. (2008). Isobaric vapor-liquid equilibrium for dimethylsulfoxide with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 53: 374-377. <http://dx.doi.org/10.1021/je700408x>.
- Radhamma, M; Liao, W, eiC; Venkatesu, P; Rao, MVP; Lee, MJ, er; Lin, H, omu. (2007). Excess molar enthalpies of dimethylsulfoxide with chloroethanes and chloroethenes at 298.15 K. *Thermochim Acta.* 465: 1-5. <http://dx.doi.org/10.1016/j.tca.2007.08.009>.
- Radhamma, M; Sivakumar, K; Rao, MVP. (2004). Molecular interactions in binary liquid mixtures of dimethylsulphoxide with chloroethanes and chloroethenes. *Indian J Chem Tech.* 11: 710-713.
- Radican, L; Blair, A; Stewart, P; Wartenberg, D. (2008). Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: Extended follow-up. *J Occup Environ Med.* 50: 1306-1319. <http://dx.doi.org/10.1097/JOM.0b013e3181845f7f>.

Exposure Literature Search Results

Off Topic

- Radican, L; Wartenberg, D; Rhoads, G; Schneider, D; Wedeen, R; Stewart, P; Blair, A. (2006). A retrospective cohort study of end-stage renal disease in workers exposed to trichloroethylene and other hydrocarbons. *Epidemiology*. 17: S520-S521.
- Radican, L; Wartenberg, D; Rhoads, G; Schneider, D; Wedeen, R; Stewart, P; Blair, A. (2006). A retrospective occupational cohort study of end-stage renal disease in aircraft workers exposed to trichloroethylene and other hydrocarbons. *J Occup Environ Med*. 48: 1-12. <http://dx.doi.org/10.1097/01.jom.0000190300.51629.e0>.
- Radjenovic, J; Farre, MJ; Mu, Y; Gernjak, W; Keller, J. (2012). Reductive electrochemical remediation of emerging and regulated disinfection byproducts. *Water Res*. 46: 1705-1714. <http://dx.doi.org/10.1016/j.watres.2011.12.042>.
- Raengthon, N; Sebastian, T; Cumming, D; Reaney, I; Cann, DP. (2012). BaTiO₃-Bi(Zn_{1/2}Ti_{1/2})O-3-BiScO₃ Ceramics for High-Temperature Capacitor Applications. *Journal of the American Ceramic Society*. 95: 3554-3561. <http://dx.doi.org/10.1111/j.1551-2916.2012.05340.x>.
- Rahbar, AS; Azadani, PN; Thatipelli, S; Fleischmann, KE; Nguyen, N; Lee, BK. (2013). Risk factors and prognosis for clot formation on cardiac device leads. *Pacing Clin Electrophysiol*. 36: 1294-1300. <http://dx.doi.org/10.1111/pace.12210>.
- Rahm, BG; Richardson, RE. (2008). Dehalococoides' gene transcripts as quantitative bioindicators of tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene dehalorespiration rates. *Environ Sci Technol*. 42: 5099-5105. <http://dx.doi.org/10.1021/es7D2912t>.
- Rahman, AA, bd; Brookes, NJ; Bennett, DJ. (2009). The Precursors and Impacts of BSR on AMT Acquisition and Implementation. *IEEE Trans Eng Manag*. 56: 285-297. <http://dx.doi.org/10.1109/TEM.2009.2016070>.
- Rahman, MM; Liedl, R; Grathwohl, P. (2004). Sorption kinetics during macropore transport of organic contaminants in soils: Laboratory experiments and analytical modeling. *Water Resour Res*. 40. <http://dx.doi.org/10.1029/2002WR001946>.
- Raijmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod*. 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Rajagopal, VK; Burris, DR. (1999). Reduction of 1,2-dibromoethane in the presence of zero-valent iron. *Environ Toxicol Chem*. 18: 1779-1782.
- Rajajayavel, SR; Ghoshal, S. (2015). Enhanced reductive dechlorination of trichloroethylene by sulfidated nanoscale zerovalent iron. *Water Res*. 78: 144-153. <http://dx.doi.org/10.1016/j.watres.2015.04.009>.
- Rajashekaraiah, H; Bheemappa, S; Yang, SH, an; Mohan, S. (2016). Abrasive Wear Behaviour of Thermoplastic Copolyester Elastomer Composites: A Statistical Approach. *International Journal of Precision Engineering and Manufacturing*. 17: 755-763. <http://dx.doi.org/10.1007/s12541-016-0093-x>.
- Rajic, L; Fallahpour, N; Alshawabkeh, AN. (2015). Impact of electrode sequence on electrochemical removal of trichloroethylene from aqueous solution. *Appl Catal B-Environ*. 174-175: 427-434. <http://dx.doi.org/10.1016/j.apcatb.2015.03.018>.
- Rajic, L; Fallahpour, N; Podlaha, E; Alshawabkeh, A. (2016). The influence of cathode material on electrochemical degradation of trichloroethylene in aqueous solution. *Chemosphere*. 147: 98-104. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.095>.
- Rajic, L; Fallahpour, N; Yuan, S; Alshawabkeh, AN. (2014). Electrochemical transformation of trichloroethylene in aqueous solution by electrode polarity reversal. *Water Res*. 67: 267-275. <http://dx.doi.org/10.1016/j.watres.2014.09.017>.
- Rake, JP; Visser, G; Labrune, P; Leonard, JV; Ullrich, K; Smit, GP. (2002). Glycogen storage disease type I: Diagnosis, management, clinical course and outcome. Results of the European Study on Glycogen Storage Disease Type I (ESGSD I). *Eur J Pediatr*. 161: S20-S34. <http://dx.doi.org/10.1007/s00431-002-0999-4>.
- Rakoff-Nahoum, S; Medzhitov, R. (2007). Regulation of spontaneous intestinal tumorigenesis through the adaptor protein MyD88. *Science*. 317: 124-127. <http://dx.doi.org/10.1126/science.1140488>.
- Rakyan, VK; Blewitt, ME; Druker, R; Preis, JI; Whitelaw, E. (2002). Metastable epialleles in mammals [Review]. *Trends in Genetics*. 18: 348-351.
- Rakyan, VK; Chong, S; Champ, ME; Cuthbert, PC; Morgan, HD; Luu, KV; Whitelaw, E. (2003). Transgenerational inheritance of epigenetic states at the murine Axin(Fu) allele occurs after maternal and paternal transmission. *Proc Natl Acad Sci USA*. 100: 2538-2543. <http://dx.doi.org/10.1073/pnas.0436776100>.
- Ramakrishnan, V; Ogram, AV; Lindner, AS. (2005). Impacts of co-solvent flushing on microbial populations capable of degrading trichloroethylene. *Environ Health Perspect*. 113: 55-61.
- Ramamurthy, AS; Eglal, MM. (2014). Degradation of TCE by TEOS Coated nZVI in the Presence of Cu(II) for Groundwater Remediation. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2014/606534>.
- Ramanjaneyulu, K; Surendranath, KN; Krishnaiah, A. (1989). EXCESS VOLUMES OF BINARY-MIXTURES OF TRICHLOROETHYLENE WITH SOME ALIPHATIC, ALICYCLIC AND AROMATIC-HYDROCARBONS. *Fluid Phase Equilibria*. 44: 357-361.
- Ramavandi, B; Mortazavi, SB; Moussavi, G; Khoshgard, A; Jahangiri, M. (2011). Experimental investigation of the chemical reduction of nitrate ion in aqueous solution by Mg/Cu bimetallic particles. *Reaction Kinetics, Mechanisms and Catalysis*. 102: 313-329. <http://dx.doi.org/10.1007/s11144-010-0274-z>.
- Ramavandi, B; Mortazavi, SB; Moussavi, G; Ranjbar, B; Mamasheby, S. (2011). EXPERIMENTAL INVESTIGATION OF THE CHEMICAL REDUCTION OF NITRATE IN WATER BY Mg(o) AND Cu/Mg BIMETALLIC PARTICLES IN THE ABSENCE OF ANY PH- CONTROL MECHANISM. *Fresen Environ Bull*. 20: 2475-2484.
- Ramdhan, DH; Kamijima, M; Wang, D; Ito, Y; Naito, H; Yanagiba, Y; Hayashi, Y; Tanaka, N; Aoyama, T; Gonzalez, FJ; Nakajima, T. (2010). Differential response to trichloroethylene-induced hepatosteatosis in wild-type and PPAR α -humanized mice. *Environ Health Perspect*. 118: 1557-1563. <http://dx.doi.org/10.1289/ehp.1001928>.
- Ramkumar, M; Schoenherr, T; Jenamani, M. (2016). Risk assessment of outsourcing e-procurement services: integrating SWOT analysis with a modified ANP-based fuzzy inference system. *Production Planning & Control*. 27: 1171-1190. <http://dx.doi.org/10.1080/09537287.2016.1190877>.

Exposure Literature Search Results

Off Topic

- Ramsburg, CA; Abriola, LM; Pennell, KD; Löffler, FE; Gamache, M; Amos, BK; Petrovskis, EA. (2004). Stimulated microbial reductive dechlorination following surfactant treatment at the Bachman Road site. *Environ Sci Technol.* 38: 5902-5914. <http://dx.doi.org/10.1021/es049675i>.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for DNAPL source zone remediation: Density conversion and recovery in heterogeneous aquifer cells. *Environ Sci Technol.* 36: 3176-3187. <http://dx.doi.org/10.1021/es011403h>.
- Ramsburg, CA; Pennell, KD; Kibbey, TC; Hayes, KF. (2004). Refinement of the density-modified displacement method for efficient treatment of tetrachloroethene source zones. *J Contam Hydrol.* 74: 105-131. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.008>.
- Ramsburg, CA; Pennell, KD; Kibbey, TCG; Hayes, KF. (2003). Use of a surfactant-stabilized emulsion to deliver 1-butanol for density-modified displacement of trichloroethene. *Environ Sci Technol.* 37: 4246-4253. <http://dx.doi.org/10.1021/es0210291>.
- Ramsburg, CA; Thornton, CE; Christ, JA. (2010). Degradation product partitioning in source zones containing chlorinated ethene dense non-aqueous-phase liquid. *Environ Sci Technol.* 44: 9105-9111. <http://dx.doi.org/10.1021/es102536f>.
- Ramsdell, A; Markwald, R. (1997). Induction of endocardial cushion tissue in the avian heart is regulated, in part, by TGFbeta-3-mediated autocrine signaling. *Dev Biol.* 188: 64-74. <http://dx.doi.org/10.1006/dbio.1997.8637>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol.* 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Ran, L, e; Wang, Z; Wang, X. (2014). The effect of Ce on catalytic decomposition of chlorinated methane over RuOx catalysts. *Appl Catal A-Gen.* 470: 442-450. <http://dx.doi.org/10.1016/j.apcata.2013.11.006>.
- Rana, SVS; Gupta, S. (2000). Metabolism of toluene and trichloroethylene in laboratory rats, pretreated with phenobarbital. *J Environ Biol.* 21: 105-109.
- Rao, JM; Sivaprasad, A; Rao, PS; Narsaiah, B; Reddy, SN; Vijayakumar, V; Manorama, SV; Krishna, KL; Srinivas, K; Krishnan, KR; Badrinarayanan, S. (1999). A comparative study of bulk and supported chromia catalysts for the fluorination of trichloroethylene. *J Catal.* 184: 105-111.
- Rao, KP; Reddy, KS. (1987). EXCESS VOLUMES OF TRICHLOROETHYLENE WITH METHYLETHYLKETONE, DIETHYLKETONE, METHYLISOBUTYLKETONE, CYCLOHEXANONE AND 1,4-DIOXANE AT 298.15-K, 308.15-K AND 318.15-K. *Fluid Phase Equilibria.* 34: 265-272.
- Rao, KV; Chiranjivi, C. (1976). VAPOR-LIQUID-EQUILIBRIA AT ATMOSPHERIC-PRESSURE FOR SYSTEM TRICHLOROETHYLENE-NORMAL-PROPANOL. 14: 452-453.
- Rao, MN; Rao, BVS. (1978). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF THE BINARY-SYSTEMS TRICHLOROETHYLENE-CHLOROBENZENE AND TRICHLOROETHYLENE-NORMAL-BUTYL ACETATE. 16: 338-340.
- Rao, MS; Tatematsu, M; Subbarao, V; Ito, N; Reddy, JK. (1986). Analysis of peroxisome proliferator-induced preneoplastic and neoplastic lesions of rat liver for placental form of glutathione S-transferase and gamma-glutamyltranspeptidase. *Cancer Res.* 46: 5287-5290.
- Rao, P; Liu, T; Liang, X; Ding, G. (2016). Dual Effects of Humic Acid in Trichloroethylene Removal from Groundwater by Zero-Valent Iron: Hydrophobic Partition and Surface Adsorption. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-2832-0>.
- Rappaport, SM. (1993). Biological considerations in assessing exposures to genotoxic and carcinogenic agents. *Int Arch Occup Environ Health.* 65: S29-S35.
- Rashid, M, dM; Sato, C. (2011). Photolysis, Sonolysis, and Photosonolysis of Trichloroethane (TCA), Trichloroethylene (TCE), and Tetrachloroethylene (PCE) Without Catalyst. *Water Air Soil Pollut.* 216: 429-440. <http://dx.doi.org/10.1007/s11270-010-0542-6>.
- Rashid, M, dM; Sato, C. (2012). Degradation of Trichloroethylene and Tetrachloroethylene in Simulated Groundwater in a Flow-Through Photosono Reactor. *J Environ Eng.* 138: 1179-1185. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000590](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000590).
- Rasmussen, K; Brogren, CH; Sabroe, S. (1993). Subclinical affection of liver and kidney function and solvent exposure. *Int Arch Occup Environ Health.* 64: 445-448. <http://dx.doi.org/10.1007/BF00517951>.
- Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993). Psychometric tests for assessment of brain function after solvent exposure. *Am J Ind Med.* 24: 553-565. <http://dx.doi.org/10.1002/ajim.4700240506>.
- Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993). Solvent-induced chronic toxic encephalopathy. *Am J Ind Med.* 23: 779-792. <http://dx.doi.org/10.1002/ajim.4700230511>.
- Rasmussen, K; Sabroe, S; Wohler, M; Ingerslev, HJ; Kappel, B; Nielsen, J. (1988). A genotoxic study of metal workers exposed to trichloroethylene Sperm parameters and chromosome aberrations in lymphocytes. *Int Arch Occup Environ Health.* 60: 419-423.
- Rassabi, J; Riha, BD; Haas, JW; Eddy-Dilek, CA; Kreeger, AGL; Carrabba, M; Hyde, WK; Bello, J. (2000). Field tests of a DNAPL characterization system using cone penetrometer-based Raman spectroscopy. *Ground Water Monitoring and Remediation.* 20: 72-81.
- Rastkari, N; Ahmadkhaniha, R; Yunesian, M. (2012). Simultaneous determination of trichloroethylene, perchloroethylene and trichloroacetic acid in human urine using solid-phase microextraction fibre coated with single-walled carbon nanotubes. *Int J Environ Anal Chem.* 92: 1650-1665. <http://dx.doi.org/10.1080/03067319.2011.581367>.
- Rastkari, N; Yunesian, M; Ahmadkhaniha, R. (2011). Exposure Assessment to Trichloroethylene and Perchloroethylene for Workers in the Dry Cleaning Industry. *Bull Environ Contam Toxicol.* 86: 363-367. <http://dx.doi.org/10.1007/s00128-011-0244-9>.
- Rastogi, RP. (1994). THERMODYNAMICS OF EUTECTIC MIXTURES - ADDITION-COMPOUNDS AND ASSOCIATED MIXTURES. *Pure Appl Chem.* 66: 441-448.
- Raunio, H; Hakkola, J; Hukkanen, J; Pelkonen, O; Edwards, R; Boobis, A; Anttila, S. (1998). Expression of xenobiotic metabolising cytochrome P450s in human pulmonary tissue. *Arch Toxicol Suppl.* 20: 465-469.
- Raupp, GB. (1995). PHOTOCATALYTIC OXIDATION FOR POINT-OF-USE ABATEMENT OF VOLATILE ORGANIC-COMPOUNDS IN MICROELECTRONICS MANUFACTURING. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 13: 1883-1887.

Exposure Literature Search Results

Off Topic

- Raupp, GB; Junio, CT. (1993). PHOTOCATALYTIC OXIDATION OF OXYGENATED AIR TOXICS. *Appl Surf Sci.* 72: 321-327.
- Rausch, H; Sziklai, IL; Nazarov, VM; Bodon, P; Erdelyvari, I; Toth, B. (1991). DETERMINATION OF IMPURITIES IN HIGH-PURITY SOLVENTS BY NEUTRON-ACTIVATION ANALYSIS. *Journal of Radioanal Chem.* 148: 217-225.
- Rautio, A; Korkka-Niemi, K. (2011). Characterization of groundwater-lake water interactions at Pyhajarvi, a lake in SW Finland. *Boreal Environmental Research.* 16: 363-380.
- Ravikumar, JX; Gurol, MD. (1994). Chemical oxidation of chlorinated organics by hydrogen peroxide in the presence of sand. *Environ Sci Technol.* 28: 394-400.
- Ray, WA; Griffin, MR; Schaffner, W. (1987). Psychotropic drug use and the risk of hip fracture. *N Engl J Med.* 316: 363-369. <http://dx.doi.org/10.1056/NEJM198702123160702>.
- Raychoudhury, T; Scheytt, T. (2013). Potential of zerovalent iron nanoparticles for remediation of environmental organic contaminants in water: a review. *Water Sci Technol.* 68: 1425-1439. <http://dx.doi.org/10.2166/wst.2013.358>.
- Razafindratsima, S; Guerin, R; Bendjoudi, H; de Marsily, G. (2014). Hydrogeological modeling constraints provided by geophysical and geochemical mapping of a chlorinated ethenes plume in northern France. *Hydrogeology Journal.* 22: 1433-1446. <http://dx.doi.org/10.1007/s10040-014-1133-1>.
- Reamon-Buettner, SM; Borlak, J. (2007). A new paradigm in toxicology and teratology: Altering gene activity in the absence of DNA sequence variation [Review]. *Reprod Toxicol.* 24: 20-30. <http://dx.doi.org/10.1016/j.reprotox.2007.05.002>.
- Reardon, EJ. (2014). Capture and storage of hydrogen gas by zero-valent iron. *J Contam Hydrol.* 157: 117-124. <http://dx.doi.org/10.1016/j.jconhyd.2013.11.007>.
- Reardon, EJ; Fagan, R; Vogan, JL; Przepiora, A. (2008). Anaerobic corrosion reaction kinetics of nanosized iron. *Environ Sci Technol.* 42: 2420-2425. <http://dx.doi.org/10.1021/es0712120>.
- Reddy, AVB; Madhavi, V; Reddy, KG; Madhavi, G. (2013). Remediation of Chlorpyrifos-Contaminated Soils by Laboratory-Synthesized Zero-Valent Nano Iron Particles: Effect of pH and Aluminum Salts. *J Chem.* <http://dx.doi.org/10.1155/2013/521045>.
- Reddy, KS; Swamy, AVN; Prasad, TEV; Prasad, DHL. (2010). Vapor-Liquid Equilibria of Binary Mixtures Formed by Hexan-1-ol with Chloroethanes and Chloroethenes at 95.6 kPa. *Journal of Chemical and Engineering Data.* 55: 2073-2076. <http://dx.doi.org/10.1021/jc9000608>.
- Reddy, TR; Meeravali, NN; Reddy, AVR. (2013). Novel reverse mixed micelle mediated transport of platinum and palladium through a bulk liquid membrane from real samples. *Separation and Purification Technology.* 103: 71-77. <http://dx.doi.org/10.1016/j.seppur.2012.10.025>.
- Reddy, TR; Meeravali, NN; Reddy, AVR. (2013). Reverse Micelle Mediated Bulk Liquid Membrane Separation of Platinum Gold and Silver From Real Samples. *Separation Science and Technology.* 48: 1858-1866. <http://dx.doi.org/10.1080/01496395.2013.763708>.
- Regis, RG. (2016). Trust regions in Kriging-based optimization with expected improvement. *Engineering Optimization.* 48: 1037-1059. <http://dx.doi.org/10.1080/0305215X.2015.1082350>.
- Reiche, N; Lorenz, W; Borsdorf, H. (2010). Development and application of dynamic air chambers for measurement of volatilization fluxes of benzene and MTBE from constructed wetlands planted with common reed. *Chemosphere.* 79: 162-168. <http://dx.doi.org/10.1016/j.chemosphere.2010.01.017>.
- Reichman, R; Rolston, DE; Yates, SR; Skaggs, TH. (2011). Diurnal Variation of Diazinon Volatilization: Soil Moisture Effects. *Environ Sci Technol.* 45: 2144-2149. <http://dx.doi.org/10.1021/es102921r>.
- Reilly, J; Sarofim, M; Paltsev, S; Prinn, R. (2006). The role of non-CO2 GHGs in climate policy: Analysis using the MIT IGSM. *Energy Journal* 503-520.
- Reinsch, BC; Forsberg, B; Penn, RL; Kim, CS; Lowry, GV. (2010). Chemical transformations during aging of zerovalent iron nanoparticles in the presence of common groundwater dissolved constituents. *Environ Sci Technol.* 44: 3455-3461. <http://dx.doi.org/10.1021/es902924h>.
- Remiezowicz, E; Pajak, M; Skrzypinski, W. (2003). Intermediates in photodegradation of chlorinated organic compounds. *Inzynieria Chemiczna i Procesowa.* 24: 643-650.
- Remiezowicz, E; Pajak, M; Skrzypinski, W. (2003). Properties of the catalysts used for the photodegradation of chlorinated organic compounds. *Inzynieria Chemiczna i Procesowa.* 24: 633-641.
- Ren, L; Zhang, J, in. (2012). Comparison of the Effects of Fluidized-Bed and Fixed-Bed Reactors in Microwave-Assisted Catalytic Decomposition of TCE by Hydrogen. *Advances in Materials Science and Engineering.* 2012 (Jan 2012). <http://dx.doi.org/10.1155/2012/728472>.
- Ren, M; Valsaraj, KT. (2008). Photocatalytic oxidation of gaseous 1,2-dichlorobenzene using photonic titania (inverse opal) on optical fibers in a monolith configuration. *Separation and Purification Technology.* 62: 523-528. <http://dx.doi.org/10.1016/j.seppur.2008.02.029>.
- Renpenning, J; Keller, S; Cretnik, S; Shouakar-Stash, O; Elsner, M; Schubert, T; Nijenhuis, I. (2014). Combined C and Cl isotope effects indicate differences between corrinoids and enzyme (Sulfurospirillum multivorans PceA) in reductive dehalogenation of tetrachloroethene, but not trichloroethene. *Environ Sci Technol.* 48: 11837-11845. <http://dx.doi.org/10.1021/es503306g>.
- Renpenning, J; Rapp, I; Nijenhuis, I. (2015). Substrate hydrophobicity and cell composition influence the extent of rate limitation and masking of isotope fractionation during microbial reductive dehalogenation of chlorinated ethenes. *Environ Sci Technol.* 49: 4293-4301. <http://dx.doi.org/10.1021/es506108j>.
- Revesz, K; Shapiro, AM; Tiedeman, CR; Goode, DJ. (2009). Monitoring delta C-13 of TCE to evaluate microbial degradation in a fractured sedimentary rock aquifer, New Jersey, USA. *Geochim Cosmo Acta.* 73: A1092-A1092.
- Revesz, S; Sipos, R; Kende, A; Rikker, T; Romsics, C; Meszaros, E, va; Mohr, A; Tancsics, A; Marialigeti, K. (2006). Bacterial community changes in TCE biodegradation detected in microcosm experiments. *Int Biodeterior Biodegradation.* 58: 239-247. <http://dx.doi.org/10.1016/j.ibiod.2006.06.018>.

Exposure Literature Search Results

Off Topic

- Rexwinkel, G; Heesink, BBM; van Swaaij, WPM. (1999). Adsorption of halogenated hydrocarbons from aqueous solutions by wetted and nonwetted hydrophobic and hydrophilic sorbents: Equilibria. *Journal of Chemical and Engineering Data*. 44: 1139-1145.
- Reyes-Garcia, EA; Sun, Y; Reyes-Gil, K; Raftery, D. (2007). N-15 solid state NMR and EPR characterization of N-doped TiO₂ photocatalysts. *J Phys Chem C*. 111: 2738-2748. <http://dx.doi.org/10.1021/jp0652289>.
- Reynolds, DA; Kueper, BH. (2001). Multiphase flow and transport in fractured clay/sand sequences. *J Contam Hydrol*. 51: 41-62.
- Reynolds, DA; Kueper, BH. (2002). Numerical examination of the factors controlling DNAPL migration through a single fracture. *Ground Water*. 40: 368-377.
- Reznik, G; Ward, JM; Hardisty, JF; Russfield, A. (1979). Renal carcinogenic and nephrotoxic effects of the flame retardant tris(2,3-dibromopropyl) phosphate in F344 rats and (C57BL/6N X C3H/HeN)F1 mice. *J Natl Cancer Inst*. 63: 205-212.
- Rhee, E; Speece, RE. (1992). MAXIMAL BIODEGRADATION RATES OF CHLOROFORM AND TRICHLOROETHYLENE IN ANAEROBIC TREATMENT (pp. 17-20). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/92/28300). Rhee, E; Speece, RE.
- Rhee, I; Bachman, KE; Park, BH; Jair, KW; Yen, RW; Schuebel, KE; Cui, H; Feinberg, AP; Lengauer, C; Kinzler, KW; Baylin, SB; Vogelstein, B. (2002). DNMT1 and DNMT3b cooperate to silence genes in human cancer cells. *Nature*. 416: 552-556. <http://dx.doi.org/10.1038/416552a>.
- Rhomberg, L. (2002). The a posteriori probability of a kidney cancer cluster attributed to trichloroethylene exposure [Letter]. *Environ Health Perspect*. 110: A232.
- Rhomberg, LR. (2000). Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals [Review]. *Environ Health Perspect*. 108: 343-358.
- Rhomberg, LR. (2004). Separating pharmacokinetic and pharmacodynamic components in empirical adjustment factor distributions. *Hum Ecol Risk Assess*. 10: 79 - 90. <http://dx.doi.org/10.1080/10807030490280972>.
- Riba, O; Barnes, RJ; Scott, TB; Gardner, MN; Jackman, SA; Thompson, I, anP. (2011). Enhanced reactivity of nanoscale iron particles through a vacuum annealing process. *J Nanopart Res*. 13: 4591-4601. <http://dx.doi.org/10.1007/s11051-011-0421-0>.
- Ribas, D; Cernik, M; Marti, V; Benito, JA. (2016). Improvements in nanoscale zero-valent iron production by milling through the addition of alumina. *J Nanopart Res*. 18. <http://dx.doi.org/10.1007/s11051-016-3490-2>.
- Ribera, E; Veciana, J; Molins, E; Mata, I; Wurst, K; Rovira, C. (2000). Novel dissymmetric tetrathiafulvalenes as precursors of organic metals: Synthesis, x-ray crystal structures, electrochemical properties and study of their radical cations. *European Journal of Organic Chemistry*2867-2875.
- Rice, G; Teuschler, LK; Speth, TF; Richardson, SD; Miltner, RJ; Schenck, KM; Gennings, C; Hunter, ES; Narotsky, MG; Simmons, JE. (2008). Integrated disinfection by-products research: assessing reproductive and developmental risks posed by complex disinfection by-product mixtures [Review]. *J Toxicol Environ Health A*. 71: 1222-1234. <http://dx.doi.org/10.1080/15287390802182649>.
- Richardson, FC; Boucheron, JA; Dyroff, MC; Popp, JA; Swenberg, JA. (1986). Biochemical and morphologic studies of heterogeneous lobe responses in hepatocarcinogenesis. *Carcinogenesis*. 7: 247-251. <http://dx.doi.org/10.1093/carcin/7.2.247>.
- Richardson, JD; Bertaso, AG; Frost, L; Psaltis, PJ; Carbone, A; Koschade, B; Wong, DT; Nelson, AJ; Paton, S; Williams, K; Azarisman, S; Worthley, MI; Teo, KS; Gronthos, S; Zannettino, AC; Worthley, SG. (2013). Cardiac magnetic resonance, transthoracic and transoesophageal echocardiography: a comparison of in vivo assessment of ventricular function in rats. *Lab Anim*. 47: 291-300. <http://dx.doi.org/10.1177/0023677213494373>.
- Richardson, PL; Perdigoto, MLN; Wang, W; Lopes, RJG. (2013). Heterogeneous photo-enhanced conversion of carbon dioxide to formic acid with copper- and gallium-doped titania nanocomposites. *Appl Catal B-Environ*. 132: 408-415. <http://dx.doi.org/10.1016/j.apcatb.2012.11.045>.
- Richardson, RE; Bhupathiraju, VK; Song, DL; Goulet, TA; Alvarez-Cohen, L. (2002). Phylogenetic characterization of microbial communities that reductively dechlorinate TCE based upon a combination of molecular techniques. *Environ Sci Technol*. 36: 2652-2662. <http://dx.doi.org/10.1021/es0157797>.
- Richnow, HH; Annweiler, E; Michaelis, W; Meckenstock, RU. (2003). Microbial in situ degradation of aromatic hydrocarbons in a contaminated aquifer monitored by carbon isotope fractionation. *J Contam Hydrol*. 65: 101-120. [http://dx.doi.org/10.1016/S0169-7722\(02\)00233-4](http://dx.doi.org/10.1016/S0169-7722(02)00233-4).
- Ricking, M; Tertytze, K. (1999). Trace metals and organic compounds in sediment samples from the River Danube in Russe and Lake Srebarna (Bulgaria). *Environ Geol*. BERLIN: 1-2.
- Riebeth, DM; Belsler, NO; Castro, CE. (1992). Partial rapid metabolism of 1,2-dichloroethane by *Methylosinus trichosporium* OB-3b. *Environ Toxicol Chem*. 11: 497-501.
- Riederer, F; Luborzewski, A; God, R; Bringmann, G; Scholz, J; Feineis, D; Moser, A. (2002). Modification of tyrosine hydroxylase activity by chloral derived beta-carbolines in vitro. *J Neurochem*. 81: 814-819.
- Ries, LAG; Melbert, D; Krapcho, M; Stinchcomb, DG; Howlader, N; Horner, MJ; Mariotto, A; Miller, BA; Feuer, EJ; Altekruse, SF; Lewis, DR; Clegg, L; Eisner, MP; Reichman, M; Edwards, BK. (2008). SEER cancer statistics review, 1975-2005. Bethesda, MD: U.S. National Institutes of Health, National Cancer Institute. http://seer.cancer.gov/csr/1975_2005.
- Rieutort, D; Moyne, O; Cocco, P; de Gaudemaris, R; Bicout, DJ. (2016). Ranking occupational contexts associated with risk of non-Hodgkin lymphoma. *Am J Ind Med*. 59: 561-574. <http://dx.doi.org/10.1002/ajim.22604>.
- Riley, RG; Szecsody, JE; Sklarew, DS; Mitroshkov, AV; Gent, PM; Brown, CF; Thompson, CJ. (2010). Desorption behavior of carbon tetrachloride and chloroform in contaminated low organic carbon aquifer sediments. *Chemosphere*. 79: 807-813. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.005>.
- Ripp, S; Nivens, DE; Ahn, Y; Werner, C; Jarrell, J; Easter, JP; Cox, CD; Burlage, RS; Sayler, GS. (2000). Controlled field release of a bioluminescent genetically engineered microorganism for bioremediation process monitoring and control. *Environ Sci Technol*. 34: 846-853.

Exposure Literature Search Results

Off Topic

- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Species and sex differences in expression of flavin-containing monooxygenase form 3 in liver and kidney microsomes. *Drug Metab Dispos.* 27: 46-52.
- Ripp, SL; Overby, LH; Philpot, RM; Elfarra, AA. (1997). Oxidation of cysteine S-conjugates by rabbit liver microsomes and cDNA-expressed flavin-containing mono-oxygenases: Studies with S-(1,2-dichlorovinyl)-L-cysteine, S-(1,2,2-trichlorovinyl)-L-cysteine, S-allyl-L-cysteine, and S-benzyl-L-cysteine. *Mol Pharmacol.* 51: 507-515.
- Rishell, S; Casey, E; Glennon, B; Hamer, G. (2004). Mass transfer analysis of a membrane aerated reactor. *Biochem Eng J.* 18: 159-167. <http://dx.doi.org/10.1016/j.bej.2003.08.005>.
- Ristic, A; Logar, NZ; Henninger, SK; Kaucic, V. (2012). The Performance of Small-Pore Microporous Aluminophosphates in Low-Temperature Solar Energy Storage: The Structure-Property Relationship. *Adv Funct Mater.* 22: 1952-1957. <http://dx.doi.org/10.1002/adfm.201102734>.
- Ristoff, E; Larsson, A. (2007). Inborn errors in the metabolism of glutathione [Review]. *Orphanet J Rare Dis.* 2: 16. <http://dx.doi.org/10.1186/1750-1172-2-16>.
- Ritter, K; Odziemkowski, MS; Gillham, RW. (2002). An in situ study of the role of surface films on granular iron in the permeable iron wall technology. *J Contam Hydrol.* 55: 87-111.
- Ritter, K; Odziemkowski, MS; Simpraga, R; Gillham, RW; Irish, DE. (2003). An in situ study of the effect of nitrate on the reduction of trichloroethylene by granular iron. *J Contam Hydrol.* 65: 121-136. [http://dx.doi.org/10.1016/S0169-7722\(02\)00234-6](http://dx.doi.org/10.1016/S0169-7722(02)00234-6).
- Rittmann, BE. (1992). MICROBIOLOGICAL DETOXIFICATION OF HAZARDOUS ORGANIC CONTAMINANTS THE CRUCIAL ROLE OF SUBSTRATE INTERACTIONS (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11387). Rittmann, BE.
- Rittmann, BE. (2006). The membrane biofilm reactor: the natural partnership of membranes and biofilm. *Water Sci Technol.* 53: 219-225. <http://dx.doi.org/10.2166/wst.2006.096>.
- Ritz, B. (1999). Cancer mortality among workers exposed to chemicals during uranium processing. *J Occup Environ Med.* 41: 556-566.
- Ritz, B. (1999). Radiation exposure and cancer mortality in uranium processing workers. *Epidemiology.* 10: 531-538.
- Ritz, B; Morgenstern, H; Crawford-Brown, D; Young, B. (2000). The effects of internal radiation exposure on cancer mortality in nuclear workers at Rocketdyne/Atomics International. *Environ Health Perspect.* 108: 743-751.
- Ritz, B; Morgenstern, H; Froines, J; Moncau, J. (1999). Chemical exposures of rocket-engine test-stand personnel and cancer mortality in a cohort of aerospace workers. *J Occup Environ Med.* 41: 903-910.
- Ritz, B; Morgenstern, H; Froines, J; Young, BB. (1999). Effects of exposure to external ionizing radiation on cancer mortality in nuclear workers monitored for radiation at Rocketdyne/Atomics International. *Am J Ind Med.* 35: 21-31.
- Ritz, B; Zhao, Y; Krishnasadan, A; Kennedy, N; Morgenstern, H. (2006). Estimated effects of hydrazine exposure on cancer incidence and mortality in aerospace workers. *Epidemiology.* 17: 154-161. <http://dx.doi.org/10.1097/01.ede.0000199323.55534.fb>.
- Rivas, IM; Arvin, E. (2000). Biodegradation of thiophene by cometabolism in a biofilm system. *Water Sci Technol.* 41: 461-468.
- Rivera, D; Alam, MK; Davis, CE; Ho, CK. (2003). Characterization of the ability of polymeric chemiresistor arrays to quantitate trichloroethylene using partial least squares (PLS): effects of experimental design, humidity, and temperature. *Sens Actuators B.* 92: 110-120. [http://dx.doi.org/10.1016/S0925-4005\(03\)00122-9](http://dx.doi.org/10.1016/S0925-4005(03)00122-9).
- Rivera, LS; Carrillo, L; Mancilla, T. (1999). Syntheses and characterization of 2-hydroxy-N-(2'-hydroxyalkyl)acetamides. *Heteroatom Chemistry.* 10: 153-158.
- Rivett. (2007). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene (vol 7, pg 313, 2006). *Environ Forensics.* 8: 193-193.
- Rivett, MO. (2008). Reply to discussion of 'A quest to locate sites described in the world's first publication on trichloroethene contamination of groundwater' MO Rivett & L. Clark, *Quarterly Journal of Engineering Geology and Hydrogeology*, 40, 241-249. *Quarterly Journal of Engineering Geology and Hydrogeology.* 41: 493-497. <http://dx.doi.org/10.1144/1470-9236/08-055>.
- Rivett, MO; Allen-King, RM. (2003). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: dissolved-plume retardation. *J Contam Hydrol.* 66: 117-146. [http://dx.doi.org/10.1016/S0169-7722\(03\)00006-8](http://dx.doi.org/10.1016/S0169-7722(03)00006-8).
- Rivett, MO; Clark, L. (2007). A quest to locate sites described in the world's first publication on trichloroethene contamination of groundwater. *Quarterly Journal of Engineering Geology and Hydrogeology.* 40: 241-249.
- Rivett, MO; Dearden, RA; Wealthall, GP. (2014). Architecture, persistence and dissolution of a 20 to 45 year old trichloroethene DNAPL source zone. *J Contam Hydrol.* 170: 95-115. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.008>.
- Rivett, MO; Feenstra, S. (2005). Dissolution of an emplaced source of DNAPL in a natural aquifer setting. *Environ Sci Technol.* 39: 447-455.
- Rivett, MO; Feenstra, S; Cherry, JA. (1994). TRANSPORT OF A DISSOLVED-PHASE PLUME FROM A RESIDUAL SOLVENT SOURCE IN A SAND AQUIFER. *J Hydrol.* 159: 27-41.
- Rivett, MO; Feenstra, S; Clark, L. (2006). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene. *Environ Forensics.* 7: 313-323. <http://dx.doi.org/10.1080/15275920600996180>.
- Rivett, MO; Shepherd, KA; Keays, LL; Brennan, AE. (2005). Chlorinated solvents in the Birmingham aquifer, UK: 1986-2001. *Quarterly Journal of Engineering Geology and Hydrogeology.* 38: 337-350. <http://dx.doi.org/10.1144/1470-9236/04-051>.
- Rivett, MO; Turner, RJ; Glibbery Née Murcott, P; Cuthbert, MO. (2012). The legacy of chlorinated solvents in the Birmingham aquifer, UK: observations spanning three decades and the challenge of future urban groundwater development. *J Contam Hydrol.* 140-141: 107-123. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.006>.
- Rivett, MO; Wealthall, GP; Dearden, RA; Mcalary, TA. (2011). Review of unsaturated-zone transport and attenuation of volatile organic compound (VOC) plumes leached from shallow source zones [Review]. *J Contam Hydrol.* 123: 130-156. <http://dx.doi.org/10.1016/j.jconhyd.2010.12.013>.

Exposure Literature Search Results

Off Topic

- Robert, T; Martel, R; Conrad, SH; Lefebvre, R; Gabriel, U. (2006). Visualization of TCE recovery mechanisms using surfactant-polymer solutions in a two-dimensional heterogeneous sand model. *J Contam Hydrol.* 86: 3-31. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.013>.
- Roberts, JJ; Wildenschild, D. (2004). Electrical properties of sand-clay mixtures containing trichloroethylene and ethanol. *J Environ Eng Geophys.* 9: 1-10.
- Roberts, PM; Sharma, A; Uddameri, V; Monagle, M; Dale, DE; Steck, LK. (2001). Enhanced DNAPL transport in a sand core during dynamic stress stimulation. *Environ Eng Sci.* 18: 67-79.
- Robertson, WD; Murphy, AM; Cherry, JA. (1995). LOW-COST ON-SITE TREATMENT OF LANDFILL LEACHATE USING INFILTRATION BEDS - PRELIMINARY FIELD TRIAL. *Ground Water Monitoring and Remediation.* 15: 107-115.
- Robins, J. (1987). A graphical approach to the identification and estimation of causal parameters in mortality studies with sustained exposure periods. *J Chronic Dis.* 40: 139S-161S. [http://dx.doi.org/10.1016/S0021-9681\(87\)80018-8](http://dx.doi.org/10.1016/S0021-9681(87)80018-8).
- Robinson, C; Barry, DA. (2009). Design tool for estimation of buffer requirement for enhanced reductive dechlorination of chlorinated solvents in groundwater. *Environ Modell Softw.* 24: 1332-1338. <http://dx.doi.org/10.1016/j.envsoft.2009.03.012>.
- Robinson, C; Barry, DA; Mccarty, PL; Gerhard, JI; Kouznetsova, I. (2009). pH control for enhanced reductive bioremediation of chlorinated solvent source zones. *Sci Total Environ.* 407: 4560-4573. <http://dx.doi.org/10.1016/j.scitotenv.2009.03.029>.
- Robinson, J; Slater, L; Johnson, T; Shapiro, A; Tiedeman, C; Ntarlagiannis, D; Johnson, C; Day-Lewis, F; Lacombe, P; Imbrigiotta, T; Lane, J. (2016). Imaging Pathways in Fractured Rock Using Three-Dimensional Electrical Resistivity Tomography. *Ground Water.* 54: 186-201. <http://dx.doi.org/10.1111/gwat.12356>.
- Robinson, KG; Pieters, JG; Sansiverino, J; Cox, CD; Wright, CL; Cheng, CL; Saylor, GS. (1998). Microbial oxidation and bioluminescence response for toluene and trichloroethylene. *Water Sci Technol.* 38: 1-8.
- Robrock, KR; Korytár, P; Alvarez-Cohen, L. (2008). Pathways for the Anaerobic Microbial Debromination of Polybrominated Diphenyl Ethers. *Environ Sci Technol.* 42: 2845-2852. <http://dx.doi.org/10.1021/es0720917>.
- Rocha, AC; Reis-Henriques, MA; Galhano, V; Ferreira, M; Guimarães, L. (2016). Toxicity of seven priority hazardous and noxious substances (HNSS) to marine organisms: Current status, knowledge gaps and recommendations for future research [Review]. *Sci Total Environ.* 542: 728-749. <http://dx.doi.org/10.1016/j.scitotenv.2015.10.049>.
- Rocha-Rios, J; Bordel, S; Hernandez, S; Revah, S. (2009). Methane degradation in two-phase partition bioreactors. *Chem Eng J.* 152: 289-292. <http://dx.doi.org/10.1016/j.cej.2009.04.028>.
- Roche, P; Prados, M. (1995). Removal of pesticides by use of ozone or hydrogen peroxide ozone. *Ozone: Science and Engineering.* 17: 657-672.
- Rochetto, UL; Tomaz, E. (2015). Degradation of volatile organic compounds in the gas phase by heterogeneous photocatalysis with titanium dioxide/ultraviolet light. *Journal of the Air and Waste Management Association.* 65: 810-817. <http://dx.doi.org/10.1080/10962247.2015.1020117>.
- Rockne, KJ; Strand, SE. (2003). Amplification of marine methanotrophic enrichment DNA with 16S rDNA PCR primers for Type II alpha proteobacteria methanotrophs. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 1877-1887. <http://dx.doi.org/10.1081/ESE-120022886>.
- Rodrigues, S; Ranjit, KT; Uma, S; Martyanov, IN; Klabunde, KJ. (2005). Visible-light photooxidation of trichloroethylene by Cr-Al-MCM-41. *J Catal.* 230: 158-165.
- Rodriguez, S; Vasquez, L; Costa, D; Romero, A; Santos, A. (2014). Oxidation of Orange G by persulfate activated by Fe(II), Fe(III) and zero valent iron (ZVI). *Chemosphere.* 101: 86-92. <http://dx.doi.org/10.1016/j.chemosphere.2013.12.037>.
- Rodriguez, S; Vasquez, L; Romero, A; Santos, A. (2014). Dye Oxidation in Aqueous Phase by Using Zero-Valent Iron as Persulfate Activator: Kinetic Model and Effect of Particle Size. *Ind Eng Chem Res.* 53: 12288-12294. <http://dx.doi.org/10.1021/ie501632e>.
- Rodriguez, Y; Mesa, J; Arguelles, E; Carrillo, RG. (2013). Tricuspid insufficiency after laser lead extraction. *Pacing Clin Electrophysiol.* 36: 939-944. <http://dx.doi.org/10.1111/pace.12160>.
- Roesler, JF; Yetter, RA; Dryer, FL. (1992). THE INHIBITION OF THE CO/H₂O/O₂ REACTION BY TRACE QUANTITIES OF HCL. *Combust Sci Tech.* 82: 87-100.
- Roggy, DK; Novak, PJ; Hozalski, RM; Clapp, LW; Semmens, MJ. (2002). Membrane gas transfer for groundwater remediation: Chemical and biological fouling. *Environ Eng Sci.* 19: 563-574.
- Roh, Y; Cho, KS; Lee, S. (2001). Electrochemical remediation of trichloroethene-contaminated groundwater using palladized iron oxides. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 923-933.
- Roh, Y; Lee, SY; Elless, MP. (2000). Characterization of corrosion products in the permeable reactive barriers. *Environ Geol.* 40: 184-194.
- Roh, Y; Lee, SY; Elless, MP; Moon, HS. (2000). Electro-enhanced remediation of trichloroethene-contaminated groundwater using zero-valent iron. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 35: 1061-1076.
- Roland, U; Holzer, F; Kopinke, FD. (2002). Improved oxidation of air pollutants in a non-thermal plasma. *Catalysis Today.* 73: 315-323.
- Romero, RL; Alfano, OM; Cassano, AE. (2009). Photocatalytic Reactor Employing Titanium Dioxide: From a Theoretical Model to Realistic Experimental Results. *Ind Eng Chem Res.* 48: 10456-10466. <http://dx.doi.org/10.1021/ie900354y>.
- Romero-Saez, M; Divakar, D; Aranzabal, A; Gonzalez-Velasco, JR, JR; Gonzalez-Marcos, JA. (2016). Catalytic oxidation of trichloroethylene over Fe-ZSM-5: Influence of the preparation method on the iron species and the catalytic behavior. *Appl Catal B-Environ.* 180: 210-218. <http://dx.doi.org/10.1016/j.apcatb.2015.06.027>.
- Rong, Y. (1999). A study of vadose zone transport model VLEACH. *Journal of Soil Contamination.* 8: 217-229.
- Roose, P; Brinkman, UA. (1998). Determination of volatile organic compounds in marine biota. *J Chromatogr A.* 799: 233-248. [http://dx.doi.org/10.1016/S0021-9673\(97\)01081-9](http://dx.doi.org/10.1016/S0021-9673(97)01081-9).

Exposure Literature Search Results

Off Topic

- Rosell, M; Lacorte, S; Barceló, D. (2006). Simultaneous determination of methyl tert-butyl ether, its degradation products and other gasoline additives in soil samples by closed-system purge-and-trap gas chromatography-mass spectrometry. *J Chromatogr A*. 1132: 28-38. <http://dx.doi.org/10.1016/j.chroma.2006.07.060>.
- Rosell, M; Lacorte, S; Forner, C; Rohns, HP; Irmscher, R; Barcelo, D. (2005). Fate of gasoline oxygenates in conventional and multilevel wells of a contaminated groundwater table in Dusseldorf, Germany. *Environ Toxicol Chem*. 24: 2785-2795. <http://dx.doi.org/10.1897/05-080r.1>.
- Rosenthal, H; Adrian, L; Steiof, M. (2004). Dechlorination of PCE in the presence of Fe0 enhanced by a mixed culture containing two Dehalococcoides strains. *Chemosphere*. 55: 661-669. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.053>.
- Roser, JF; Mccue, PM; Hoyer, E. (1994). Inhibin activity in the mare and stallion. *Domest Anim Endocrinol*. 11: 87-100.
- Roskams, T; Yang, SQ; Koteish, A; Durnez, A; DeVos, R; Huang, X; Achten, R; Verslype, C; Diehl, AM. (2003). Oxidative stress and oval cell accumulation in mice and humans with alcoholic and nonalcoholic fatty liver disease. *Am J Pathol*. 163: 1301-1311. [http://dx.doi.org/10.1016/S0002-9440\(10\)63489-X](http://dx.doi.org/10.1016/S0002-9440(10)63489-X).
- Roskams, TA; Theise, ND; Balabaud, C; Bhagat, G; Bhathal, PS; Bioulac-Sage, P; Brunt, EM; Crawford, JM; Crosby, HA; Desmet, V; Finegold, MJ; Geller, SA; Gouw, AS; Hytiroglou, P; Knisely, AS; Kojiro, ML; efkowitz, J. H. N.; akanuma, Y.; Olynyk, JK; Park, YN; Portmann, B; Saxena, R; Scheuer, PJ; Strain, AJ; Thung, SN; Wanless, IR; West, AB. (2004). Nomenclature of the finer branches of the biliary tree: Canals, ductules, and ductular reactions in human livers. *Hepatology*. 39: 1739-1745. <http://dx.doi.org/10.1002/hep.20130>.
- Rosocha, LA; Secker, DA; Smith, JD. (1994). KINETIC MODELING OF TRICHLOROETHYLENE AND CARBON-TETRACHLORIDE REMOVAL FROM WATER BY ELECTRON-BEAM IRRADIATION. *ACS Symp Ser Am Chem Soc*. 554: 184-196.
- Ross, C; Murdoch, LC; Freedman, DL; Siegrist, RL. (2005). Characteristics of potassium permanganate encapsulated in polymer. *J Environ Eng*. 131: 1203-1211. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:8\(1203\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:8(1203)).
- Ross, JH; Driver, JH; Cochran, RC; Thongsinthusak, T; Krieger, RI. (2001). Could pesticide toxicology studies be more relevant to occupational risk assessment? [Review]. *Ann Occup Hyg*. 45 Suppl 1: S5-S17.
- Rossi, F; Cucciniello, R; Intiso, A; Proto, A; Motta, O; Marchettini, N. (2015). Determination of the trichloroethylene diffusion coefficient in water. *AIChE J*. 61: 3511-3515. <http://dx.doi.org/10.1002/aic.14861>.
- Rossi, M; Serraino, GF; Jiritano, F; Renzulli, A. (2012). Late de novo aortic regurgitation with the Jarvik 2000 Flowmaker® left ventricular assist device. *Int J Artif Organs*. 35: 1080-1082. <http://dx.doi.org/10.5301/ijao.5000111>.
- Rothman, KJ. (1986). *Modern Epidemiology* (1 ed.). Boston, MA: Little, Brown & Co.
- Rothman, KJ; Greenland, S. (1998). *Modern Epidemiology* (2 ed.). Philadelphia, PA: Lippincott-Raven.
- Rothmel, RK; Peters, RW; Martin, ES; Deflaun, MF. (1998). Surfactant foam/bioaugmentation technology for in situ treatment of TCE-DNAPLs. *Environ Sci Technol*. 32: 1667-1675.
- Rotter, H; Landau, MV; Herskowitz, M. (2005). Combustion of chlorinated VOC on nanostructured chromia aerogel as catalyst and catalyst support. *Environ Sci Technol*. 39: 6845-6850. <http://dx.doi.org/10.1021/es0500052>.
- Rouet, JF; Ros, C; Jegou, G; Metta, S. (2004). Locating relevant categories in Web menus: Effects of task complexity, menu structure and individual factors. 67: 377-395.
- Rouhou, MC; Charest-Tardif, G; Haddad, S. (2015). In vivo effects of naproxen, salicylic acid, and valproic acid on the pharmacokinetics of trichloroethylene and metabolites in rats. *J Toxicol Environ Health A*. 78: 671-684. <http://dx.doi.org/10.1080/15287394.2015.1020977>.
- Rouisse, L; Chakrabarti, SK. (1986). Dose-dependent metabolism of trichloroethylene and its relevance to hepatotoxicity in rats. *Environ Res*. 40: 450-458.
- Rowell, FJ; Fletcher, A; Packham, C. (1997). Recovery of some common solvents from an adhesive commercial skin adsorption pad by thermal desorption-gas chromatography. *Analyst*. 122: 793-796.
- Roy, G; Mielczarski, JA. (2002). Infrared detection of chlorinated hydrocarbons in water at ppb levels of concentrations. *Water Res*. 36: 1902-1908.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol*. 59: 163-186.
- Royal, CL; Preston, DR; Sekelsky, AM; Shreve, GS. (2003). Reductive dechlorination of polychlorinated biphenyls in landfill leachate. *Int Biodeterior Biodegradation*. 51: 61-66.
- Rozentsveig, IB; Levkovskaya, GG; Rybalova, TN; Mirskova, AN. (2001). Synthesis and properties of N-(2,2,2-trichloroethylidene) and N-(2,2,2-trichloroethyl)nitrobenzenesulfonamides. *Russian Journal of Organic Chemistry*. 37: 87-92.
- Ruan, X; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Trichloroethylene degradation by persulphate with magnetite as a heterogeneous activator in aqueous solution. *Environ Technol*. 36: 1-9. <http://dx.doi.org/10.1080/09593330.2014.991353>.
- Rubab, I; Ali, S. (2016). Dried fruit extract of Terminalia chebula modulates the immune response in mice. *Food and Agricultural Immunology*. 27: 1-22. <http://dx.doi.org/10.1080/09540105.2015.1055554>.
- Rubin, EG; Ramaswami, A. (2007). Evidence for phytodegradation of MTBE from coupled bench-scale and intermediate-scale tests. *J Environ Eng*. 133: 389-396. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:4\(389\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:4(389)).
- Rubinos, DA; Spagnoli, G; Barral, MT. (2016). Chemical and environmental compatibility of red mud liners for hazardous waste containment. *Int J Environ Sci Tech*. 13: 773-792. <http://dx.doi.org/10.1007/s13762-015-0917-8>.
- Rubio, SJ; Quintero, MC; Rodero, A. (2011). Application of microwave air plasma in the destruction of trichloroethylene and carbon tetrachloride at atmospheric pressure. *J Hazard Mater*. 186: 820-826. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.069>.
- Rubio, SJ; Quintero, MC; Rodero, A; Rodriguez, JM. (2007). Assessment of a new carbon tetrachloride destruction system based on a microwave plasma torch operating at atmospheric pressure. *J Hazard Mater*. 148: 419-427. <http://dx.doi.org/10.1016/j.jhazmat.2007.02.056>.

Exposure Literature Search Results

Off Topic

- Rubio, SJ; Rodero, A; Quintero, MC. (2008). Application of a microwave helium plasma torch operating at atmospheric pressure to destroy trichloroethylene. *Plasma Chemistry and Plasma Processing*. 28: 415-428. <http://dx.doi.org/10.1007/s11090-008-9133-3>.
- Ruckenstein, MJ. (2004). Autoimmune inner ear disease [Review]. *Curr Opin Otolaryngol Head Neck Surg*. 12: 426-430.
- Rudén, C. (2003). Science and transscience in carcinogen risk assessment--the European Union regulatory process for trichloroethylene [Review]. *J Toxicol Environ Health B Crit Rev*. 6: 257-277. <http://dx.doi.org/10.1080/10937400306467>.
- Rudén, C. (2003). Scrutinizing ACGIH risk assessments: the trichloroethylene case. *Am J Ind Med*. 44: 207-213. <http://dx.doi.org/10.1002/ajim.10252>.
- Rudén, C. (2006). Science and policy in risk assessments of chlorinated ethenes. *Ann N Y Acad Sci*. 1076: 191-206. <http://dx.doi.org/10.1196/annals.1371.046>.
- Ruder, A. (2006). Potential health effects of occupational chlorinated solvent exposure. *Ann N Y Acad Sci*. 1076: 207-227. <http://dx.doi.org/10.1196/annals.1371.050>.
- Rudinger, C; Beruda, H; Schmidbaur, H. (1994). SYNTHESIS AND MOLECULAR-STRUCTURE OF SILYLATED ETHENES AND ACETYLENES. *Zeitschrift fuer Naturforschung B*. 49: 1348-1360.
- Rudolf, KL; DePinho, RA. (2001). Telomeres and telomerase in experimental liver cirrhosis. In D Shafritz (Ed.), (pp. 1001-1011). Philadelphia, PA: Lippincott Williams and Wilkins.
- Ruettinger, S; Breiter, R; Hirsch, K; Alejandro, M; Avila, S; Tobschall, HJ; Neesse, T; Bayer, M. (2006). Natural Attenuation investigations of an abandoned landfill contaminated by chlorinated hydrocarbons. *Grundwasser*. 11: 184-193. <http://dx.doi.org/10.1007/s00767-006-0144-9>.
- Rufer, ES; Hacker, T; Lough, J; Smith, SM. (2008). Low-dose trichloroethylene exposure during valvuloseptal morphogenesis causes ventricular septal defects in hatched chicks [Abstract]. *Toxicologist*. 102: 314.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res*. 35: 1231-1246.
- Ruhl, A, kiS; Jekel, M. (2012). Impacts of Fe(0) grain sizes and grain size distributions in permeable reactive barriers. *Chem Eng J*. 213: 245-250. <http://dx.doi.org/10.1016/j.cej.2012.10.007>.
- Ruhl, A; Unal, N; Jekel, M. (2012). Evaluation of two-component Fe(0) fixed bed filters with porous materials for reductive dechlorination. *Chem Eng J*. 209: 401-406. <http://dx.doi.org/10.1016/j.cej.2012.08.006>.
- Ruhl, A; Unal, N; Jekel, M. (2013). Combination of Fe(0) with additional reactive materials in fixed bed reactors for TCE removal. *Chem Eng J*. 222: 180-185. <http://dx.doi.org/10.1016/j.cej.2013.02.059>.
- Ruijten, MW; Verberk, MM; Sallé, HJ. (1991). Nerve function in workers with long term exposure to trichloroethene. *Br J Ind Med*. 48: 87-92.
- Ruiz, J; Bilbao, R; Murillo, MB. (1998). Adsorption of different VOC onto soil minerals from gas phase: Influence of mineral, type of VOC, and air humidity. *Environ Sci Technol*. 32: 1079-1084.
- Ruiz, N; Seal, S; Reinhart, D. (2000). Surface chemical reactivity in selected zero-valent iron samples used in groundwater remediation. *J Hazard Mater*. 80: 107-117.
- Ruiz-Haas, P; Ingle, J. (2009). Monitoring of redox state in a dechlorinating culture with immobilized redox indicators. *J Environ Monit*. 11: 1028-1036. <http://dx.doi.org/10.1039/b818487a>.
- Rule, KL; Comber, SD; Ross, D; Thornton, A; Makropoulos, CK; Rautiu, R. (2006). Sources of priority substances entering an urban wastewater catchment--trace organic chemicals. *Chemosphere*. 63: 581-591. <http://dx.doi.org/10.1016/j.chemosphere.2005.08.016>.
- Rusiecki, JA; Baccarelli, A; Bollati, V; Tarantini, L; Moore, LE; Bonefeld-Jorgensen, EC. (2008). Global DNA hypomethylation is associated with high serum-persistent organic pollutants in Greenlandic Inuit. *Environ Health Perspect*. 116: 1547-1552. <http://dx.doi.org/10.1289/ehp.11338>.
- Russell, RW; Gillan, KA; Haffner, GD. (1997). Polychlorinated biphenyls and chlorinated pesticides in southern Ontario, Canada, green frogs. *Environ Toxicol Chem*. 16: 2258-2263.
- Russo, A; Johnson, GR; Schnaar, G; Brusseau, ML. (2010). Nonideal transport of contaminants in heterogeneous porous media: 8. Characterizing and modeling asymptotic contaminant-elution tailing for several soils and aquifer sediments. *Chemosphere*. 81: 366-371. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.018>.
- Russo, A; Pacchierotti, F; Metallì, P. (1984). Nondisjunction induced in mouse spermatogenesis by chloral hydrate, a metabolite of trichloroethylene. *Environ Mutagen*. 6: 695-703. <http://dx.doi.org/10.1002/em.2860060507>.
- Russo, AE; Mahal, MK; Brusseau, ML. (2009). Nonideal behavior during complete dissolution of organic immiscible liquid: 1. Natural porous media. *J Hazard Mater*. 172: 208-213. <http://dx.doi.org/10.1016/j.jhazmat.2009.06.160>.
- Russo, AE; Narter, M; Brusseau, ML. (2009). Characterizing Pore-Scale Dissolution of Organic Immiscible Liquid in a Poorly-Sorted Natural Porous Medium. *Environ Sci Technol*. 43: 5671-5678. <http://dx.doi.org/10.1021/es803158x>.
- Russo, RS; Zhou, Y; White, ML; Mao, H; Talbot, R; Sive, BC. (2010). Multi-year (2004-2008) record of nonmethane hydrocarbons and halocarbons in New England: seasonal variations and regional sources. *Atmos Chem Phys*. 10: 4909-4929. <http://dx.doi.org/10.5194/acp-10-4909-2010>.
- Rusyn, I; Bradham, CA; Cohn, L; Schoonhoven, R; Swenberg, JA; Brenner, DA; Thurman, RG. (1999). Corn oil rapidly activates nuclear factor-kappaB in hepatic Kupffer cells by oxidant-dependent mechanisms. *Carcinogenesis*. 20: 2095-2100.
- Rusyn, I; Peters, JM; Cunningham, ML. (2006). Modes of action and species-specific effects of di-(2-ethylhexyl)phthalate in the liver [Review]. *Crit Rev Toxicol*. 36: 459-479. <http://dx.doi.org/10.1080/10408440600779065>.

Exposure Literature Search Results

Off Topic

- Rutherford, DW; Chiou, CT. (1992). Effect of water saturation in soil organic matter on the partition of organic compounds. *Environ Sci Technol.* 26: 965-970.
- Rutkiewicz, I; Kujawski, W; Namiesnik, J. (2011). A procedure for the determination of dichloromethane and tetrachloroethene in water using pervaporation and gas chromatography. *Chem Paper Chem Zvesti.* 65: 578-583. <http://dx.doi.org/10.2478/s11696-011-0065-7>.
- Ruus, A; Ugland, KI; Skaare, JU. (2002). Influence of trophic position on organochlorine concentrations and compositional patterns in a marine food web. *Environ Toxicol Chem.* 21: 2356-2364.
- Ryan, KW; Dwight, DM; Hlousek, DA. (2000). Recirculating wells: Ground water remediation and protection of surface water resources. *J Am Water Resour Assoc.* 36: 191-201.
- Rydzyński, K. (2001). Vanadium, niobium, and tantalum. In E Bingham; B Cohnsen; CH Powell (Eds.), (5 ed.). Hoboken, NJ: John Wiley & Sons.
- Ryu, J; Suh, DJ, in; Park, YK; Suh, YW. (2008). Effect of reduction temperature on the preparation of zero-valent iron aerogels for trichloroethylene dechlorination. *Korean J Chem Eng.* 25: 1377-1384.
- Saad, R; Thiboutot, S; Ampleman, G, uy; Dashan, W; Hawari, J. (2010). Degradation of trinitroglycerin (TNG) using zero-valent iron nanoparticles/nanosilica SBA-15 composite (ZVNs/SBA-15). *Chemosphere.* 81: 853-858. <http://dx.doi.org/10.1016/j.chemosphere.2010.08.012>.
- Sabate, J; Pujola, M; Centelles, E; Galan, M; Llorens, J. (1999). Determination of equilibrium distribution constants of phenol between surfactant micelles and water using ultrafiltering centrifuge tubes. *Colloid Surface Physicochem Eng Aspect.* 150: 229-245.
- Sabin, F; Tuerk, T; Vogler, A. (1992). Decontamination of industrial waste water by photocatalytic oxidation of organic components: A model study (pp. 163-167). (ISSN 0044-3727; BIOSIS/92/30507). Sabin, F; Tuerk, T; Vogler, A.
- Saccani, G; Bernasconi, M; Antonelli, M. (2014). Optimization of low energy sonication treatment for granular activated carbon colonizing biomass assessment. *Environ Technol.* 35: 851-858. <http://dx.doi.org/10.1080/09593330.2013.853698>.
- Saez, PB; Rittmann, BE. (1991). BIODEGRADATION KINETICS OF 4-CHLOROPHENOL, AN INHIBITORY CO-METABOLITE. *Res Journal Water Pollut Control Fed.* 63: 838-847.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Gonzalez-Garcia, J. (2010). Electrochemical Degradation of Perchloroethylene in Aqueous Media: Influence of the Electrochemical Operational Variables in the Viability of the Process. *Ind Eng Chem Res.* 49: 4123-4131. <http://dx.doi.org/10.1021/ie100134t>.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2010). 20 kHz sonoelectrochemical degradation of perchloroethylene in sodium sulfate aqueous media: Influence of the operational variables in batch mode. *J Hazard Mater.* 183: 648-654. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.074>.
- Saez, V; Esclapez, MD; Bonete, P; Walton, DJ; Rehorek, A; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonochemical degradation of perchloroethylene: The influence of ultrasonic variables, and the identification of products. *Ultrason Sonochem.* 18: 104-113. <http://dx.doi.org/10.1016/j.ultsonch.2010.03.009>.
- Saez, V; Esclapez, MD; Frias-Ferrer, A; Bonete, P; Gonzalez-Garcia, J. (2008). Electrochemical Reduction of Perchloroethylene in Aqueous Media: Influence of the Electrode Material. *Journal of New Materials for Electrochemical Systems.* 11: 287-295.
- Saha, S; Zhu, L; Captain, B. (2010). Synthesis and structural characterization of bimetallic iron-nickel carbido cluster complexes. *Inorg Chem.* 49: 3465-3472. <http://dx.doi.org/10.1021/ic100057x>.
- Saha, SK; Srinivasan, K; Dutta, P. (2008). Studies on optimum distribution of fins in heat sinks filled with phase change materials. *Journal of Heat Transfer.* 130. <http://dx.doi.org/10.1115/1.28049481>.
- Sahoo, D; Smith, JA. (1997). Enhanced trichloroethene desorption from long-term contaminated soil using triton X-100 and pH increases. *Environ Sci Technol.* 31: 1910-1915.
- Sahoo, D; Smith, JA; Imbrigiotta, TE; Mclellan, HM. (1998). Surfactant-enhanced remediation of a trichloroethene-contaminated aquifer: 2. Transport of TCE. *Environ Sci Technol.* 32: 1686-1693.
- Saikia, D; Wu, CG; Fang, J; Tsai, L, iD; Kao, HM. (2014). Organic-inorganic hybrid polymer electrolytes based on polyether diamine, alkoxysilane, and trichlorotriazine: Synthesis, characterization, and electrochemical applications. *J Power Sources.* 269: 651-660. <http://dx.doi.org/10.1016/j.jpowsour.2014.06.159>.
- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Saito, H; Tanaka, S; Fukuda, K; Takuma, Y; Kato, S; Satokawa, S; Yamasaki, A; Kojima, T. (2012). Influence of pH and Dissolved Fe Ion Concentration on Decomposition of Trichloroethylene with Fenton's Reaction Using Iron Powder. *Kagaku Kogaku Ronbunshu.* 38: 312-317.
- Saiyood, S; Inthorn, D; Vangnai, A; Thiravetyan, P. (2016). 1,2-dichloroethane removal by *Bruguiera gymnorrhiza* (L.) Lamk and *Pseudomonas putida* BCC 23535. *Water Science and Technology: Water Supply.* 16: 1313-1319. <http://dx.doi.org/10.2166/ws.2016.060>.
- Saiz, G; Wynn, JG; Wurster, CM; Goodrick, I; Nelson, PN; Bird, MI. (2015). Pyrogenic carbon from tropical savanna burning: production and stable isotope composition. *Biogeosciences.* 12: 1849-1863. <http://dx.doi.org/10.5194/bg-12-1849-2015>.
- Sakaguchi-Söder, K; Jäger, J; Grund, H; Matthäus, F; Schüth, C. (2007). Monitoring and evaluation of dechlorination processes using compound-specific chlorine isotope analysis. *Rapid Commun Mass Spectrom.* 21: 3077-3084. <http://dx.doi.org/10.1002/rcm.3170>.
- Sakulchaicharoen, N; O'Carroll, DM; Herrera, JE. (2010). Enhanced stability and dechlorination activity of pre-synthesis stabilized nanoscale FePd particles. *J Contam Hydrol.* 118: 117-127. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.004>.

Exposure Literature Search Results

Off Topic

- Sakurai, T; Maeda, S; Chang, L; Karin, M. (2006). Loss of hepatic NF-kappa B activity enhances chemical hepatocarcinogenesis through sustained c-Jun N-terminal kinase 1 activation. *Proc Natl Acad Sci USA*. 103: 10544-10551. <http://dx.doi.org/10.1073/pnas.0603499103>.
- Salaices Avila, MA; Breiter, R; Mott, H. (2007). Development of a simple, accurate SPME-based method for assay of VOCs in column breakthrough experiments. *Chemosphere*. 66: 18-29. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.069>.
- Salazar-García, F; Gallardo-Díaz, E; Cerón-Mireles, P; Loomis, D; Borja-Aburto, VH. (2004). Reproductive effects of occupational DDT exposure among male malaria control workers. *Environ Health Perspect*. 112: 542-547.
- Saleh, N; Sarbu, T; Sirk, K; Lowry, GV; Matyjaszewski, K; Tilton, RD. (2005). Oil-in-water emulsions stabilized by highly charged polyelectrolyte-grafted silica nanoparticles. *Langmuir*. 21: 9873-9878. <http://dx.doi.org/10.1021/la050654r>.
- Saleh, N; Sirk, K; Liu, Y; Phenrat, T; Dufour, B; Matyjaszewski, K; Tilton, RD; Lowry, GV. (2007). Surface modifications enhance nanoiron transport and NAPL targeting in saturated porous media. *Environ Eng Sci*. 24: 45-57.
- Salih, HH; Patterson, CL; Sorial, GA. (2013). Comparative Study on the Implication of Three Nanoparticles on the Removal of Trichloroethylene by Adsorption-Pilot and Rapid Small-Scale Column Tests. *Water Air Soil Pollut*. 224: 1-11. <http://dx.doi.org/10.1007/s11270-012-1402-3>.
- Salih, HH; Patterson, CL; Sorial, GA; Sinha, R; Krishnan, R. (2011). The fate and transport of the SiO₂ nanoparticles in a granular activated carbon bed and their impact on the removal of VOCs. *J Hazard Mater*. 193: 95-101. <http://dx.doi.org/10.1016/j.jhazmat.2011.07.030>.
- Salih, HH; Patterson, CL; Sorial, GA; Sinha, R; Krishnan, R. (2012). The implication of iron oxide nanoparticles on the removal of trichloroethylene by adsorption. *Chem Eng J*. 193: 422-428. <http://dx.doi.org/10.1016/j.cej.2012.03.040>.
- Salih, HH; Sorial, GA; Patterson, CL; Sinha, R; Krishnan, ER. (2012). Removal of Trichloroethylene by Activated Carbon in the Presence and Absence of TiO₂ Nanoparticles. *Water Air Soil Pollut*. 223: 2837. <http://dx.doi.org/10.1007/s11270-011-1070-8>.
- Salih, HH; Sorial, GA; Patterson, CL; Speth, TF. (2015). The Implications of Fe₂O₃ and TiO₂ Nanoparticles on the Removal of Trichloroethylene by Activated Carbon in the Presence and Absence of Humic Acid. *Water Air Soil Pollut*. 226. <http://dx.doi.org/10.1007/s11270-014-2287-0>.
- Salipira, KL; Mamba, BB; Krause, RW; Malefetse, TJ; Durbach, SH. (2007). Carbon nanotubes and cyclodextrin polymers for removing organic pollutants from water. *Environ Chem Lett*. 5: 13-17. <http://dx.doi.org/10.1007/s10311-006-0057-y>.
- Salipira, KL; Mamba, BB; Krause, RW; Malefetse, TJ; Durbach, SH. (2008). Cyclodextrin polyurethanes polymerised with carbon nanotubes for the removal of organic pollutants in water. *Water SA*. 34: 113-118.
- Salman, M; Gerhard, JI; Major, DW; Pironi, P; Hadden, R. (2015). Remediation of trichloroethylene-contaminated soils by star technology using vegetable oil smoldering. *J Hazard Mater*. 285: 346-355. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.042>.
- Salvado-Estivill, I; Brucato, A; Puma, GL, i. (2007). Two-dimensional Modeling of a flat-plate photocatalytic reactor for oxidation of indoor air pollutants. *Ind Eng Chem Res*. 46: 7489-7496. <http://dx.doi.org/10.1021/ie070391r>.
- Salvado-Estivill, I; Hargreaves, DM; Puma, GL, i. (2007). Evaluation of the intrinsic photocatalytic oxidation kinetics of indoor air pollutants. *Environ Sci Technol*. 41: 2028-2035. <http://dx.doi.org/10.1021/es061569o>.
- Salvan, A; Stayner, L; Steenland, K; Smith, R. (1995). Selecting an exposure lag period. *Epidemiology*. 6: 387-390.
- Sam, FL; Dabera, GD; Lai, KT; Mills, CA; Rozanski, LJ; Silva, SR. (2014). Hybrid metal grid-polymer-carbon nanotube electrodes for high luminance organic light emitting diodes. *Nanotechnology*. 25: 345202. <http://dx.doi.org/10.1088/0957-4484/25/34/345202>.
- Sam, FLM; Razali, MA; Jayawardena, KDG, I; Mills, CA; Rozanski, LJ; Beliatas, MJ; Silva, SRP. (2014). Silver grid transparent conducting electrodes for organic light emitting diodes. *Organic Electronics*. 15: 3492-3500. <http://dx.doi.org/10.1016/j.orgel.2014.09.036>.
- Samarghandi, MR; Zarrabi, M; Amrane, A; Sepehr, MN; Noroozi, M; Namdari, S; Zarei, A. (2012). Kinetic of degradation of two azo dyes from aqueous solutions by zero iron powder: determination of the optimal conditions. *Desalination and Water Treatment*. 40: 137-143. <http://dx.doi.org/10.5004/dwt.2012.2746>.
- Sampath, S; Uchida, H; Yoneyama, H. (1994). PHOTOCATALYTIC DEGRADATION OF GASEOUS PYRIDINE OVER ZEOLITE-SUPPORTED TITANIUM-DIOXIDE. *J Catal*. 149: 189-194.
- San Vicente, G; Morales, A; German, N; Suarez, S; Sanchez, B. (2012). SiO₂/TiO₂ Antireflective Coatings With Photocatalytic Properties Prepared by Sol-Gel for Solar Glass Covers. *J Sol Energ Eng*. 134. <http://dx.doi.org/10.1115/1.4007298>.
- Sanchez, B; Cardona, AI; Romero, M; Avila, P; Bahamonde, A. (1999). Influence of temperature on gas-phase photo-assisted mineralization of TCE using tubular and monolithic catalysts. *Catalysis Today*. 54: 369-377.
- Sanchez, B; Coronado, JM; Candal, R; Portela, R; Tejedor, I; Anderson, MA; Tompkins, D; Lee, T. (2006). Preparation of TiO₂ coatings on PET monoliths for the photocatalytic elimination of trichloroethylene in the gas phase. *Appl Catal B-Environ*. 66: 295-301. <http://dx.doi.org/10.1016/j.apcatb.2006.03.021>.
- Sanchez, IM; Bull, RJ. (1990). Early induction of reparative hyperplasia in the liver of B6C3F1 mice treated with dichloroacetate and trichloroacetate. *Toxicology*. 64: 33-46. [http://dx.doi.org/10.1016/0300-483X\(90\)90097-Z](http://dx.doi.org/10.1016/0300-483X(90)90097-Z).
- Sanchez, ME; Doublet, ML; Faulmann, C; Malfant, I; Cassoux, P; Kushch, LA; Yagubskii, EB. (2001). Anion conformation and physical properties in BETS salts with the nitroprusside anion and its related ruthenium halide (X = Cl, Br) mononitrosyl complexes: theta-(BETS)(4)[Fe(CN)(5)NO], (BETS)(2)[RuBr5NO], and (BETS)(2)[RuCl5NO]. *Eur J Inorg Chem* 2797-2804.
- Sangam, HP; Rowe, RK. (2001). Migration of dilute aqueous organic pollutants through HDPE geomembranes. *Geotextiles and Geomembranes*. 19: 329-357.
- Sanongraj, W; Chen, YS; Crittenden, JC; Destailats, H; Hand, DW; Perrarn, DL; Taylor, R. (2007). Mathematical model for photocatalytic destruction of organic contaminants in air. *Journal of the Air and Waste Management Association*. 57: 1112-1122. <http://dx.doi.org/10.3155/1047-3289.57.9.1112>.

Exposure Literature Search Results

Off Topic

- Santos, AP; Lemos, VA. (2015). Determination of Vanadium Levels in Seafood Using Dispersive Liquid-Liquid Microextraction and Optical Sensors. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2334-5>.
- Sanz, J; Sobrados, I; Soria, J; Yurdakal, S; Augugliaro, V. (2017). Anatase nanoparticles boundaries resulting from titanium tetrachloride hydrolysis. *Catalysis Today.* 281: 198-204. <http://dx.doi.org/10.1016/j.cattod.2016.06.052>.
- Sanz, N; Díez-Fernández, C; Cascales, M. (1996). Variations of hepatic antioxidant systems and DNA ploidy in rats aged 2 to 8 months. *Biochim Biophys Acta.* 1315: 123-130. [http://dx.doi.org/10.1016/0925-4439\(95\)00113-1](http://dx.doi.org/10.1016/0925-4439(95)00113-1).
- Sanz, P; Nogue, S; Vilchez, D; Salvado, E; Casal, A; Logroscino, G. (2008). Myoclonic Encephalopathy after Exposure to Trichloroethylene. *Ind Health.* 46: 635-637.
- Sapbamrer, R; Prapamontol, T; Prakobvitayakit, O; Vaneesorn, Y; Mangklabruks, A; Hock, B. (2008). Placental transfer of DDT in mother-infant pairs from Northern Thailand. *J Environ Sci Health B.* 43: 484-489. <http://dx.doi.org/10.1080/03601230802174615>.
- Sapkota, A; Williams, D; Buckley, TJ. (2005). Tollbooth workers and mobile source-related hazardous air pollutants: How protective is the indoor environment? *Environ Sci Technol.* 39: 2936-2943. <http://dx.doi.org/10.1021/es0489644>.
- Sarangapani, R; Gentry, PR; Covington, TR; Teegarden, JG; Clewell, HJ, III. (2003). Evaluation of the potential impact of age- and gender-specific lung morphology and ventilation rate on the dosimetry of vapors. *Inhal Toxicol.* 15: 987-1016. <http://dx.doi.org/10.1080/08958370390226350>.
- Sarathy, V; Tratnyek, PG; Nurmi, JT; Baer, DR; Amonette, JE; Chun, C; Penn, R; Reardon, EJ. (2008). Aging of iron nanoparticles in aqueous solution: Effects on structure and reactivity. *J Phys Chem C.* 112: 2286-2293. <http://dx.doi.org/10.1021/jp0777418>.
- Sarca, VD. (1998). A physico-chemical study on the methyl monochloroacetate synthesis. *Rev Chim.* 49: 102-109.
- Sargent, LM; Zhou, X; Keck, CL; Sanderson, ND; Zimonjic, DB; Popescu, NC; Thorgeirsson, SS. (1999). Nonrandom cytogenetic alterations in hepatocellular carcinoma from transgenic mice overexpressing c-Myc and transforming growth factor-alpha in the liver. *Am J Pathol.* 154: 1047-1055.
- Sarigiannis, DA; Hansen, U, te. (2012). Considering the cumulative risk of mixtures of chemicals - A challenge for policy makers [Review]. *Environ Health.* 11: S18. <http://dx.doi.org/10.1186/1476-069X-11-S1-S18>.
- Sarkany-Kiss, A; Herczeg, I; Palombi, B; Grigorszky, I; Antal, L; Bacsi, I; Mozsar, A; Kalmar, AF; Nagy, SA. (2012). Toxicity tests of chlorinated hydrocarbons on the river mussel, *Unio crassus* (Bivalvia, Unionidae). *North - Western Journal of Zoology.* 8: 358-361.
- Sarkar, S; Seenivasan, S; Asir, RPS. (2010). Biodegradation of propargite by *Pseudomonas putida*, isolated from tea rhizosphere. *J Hazard Mater.* 174: 295-298. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.050>.
- Sarkar, S; Seenivasan, S; Premkumar, R. (2009). Biodegradation of propiconazole by *Pseudomonas putida* isolated from tea rhizosphere. *Plant Soil Environ.* 55: 196-201.
- Sasaki, K; Takahashi, M; Hirata, Y. (2015). Temperature-Insensitive Sagnac-Type Optical Current Transformer. *Journal of Lightwave Technology.* 33: 2463-2467. <http://dx.doi.org/10.1109/JLT.2014.2366207>.
- Sasaki, T; Nakano, S; Yamauchi, S; Watanabe, M. (1997). Fabrication of titanium dioxide thin flakes and their porous aggregate. *Chem Mater.* 9: 602-608.
- Satapathy, J; Reddy, MVR; Samal, SS. (2013). Synthesis and characterisation of MgxCu1-xNb2O6 (x=0, 0.2, 0.4, 0.6, 0.8, 1) for LTCC application. *Mater Res Innovat.* 17: 161-166. <http://dx.doi.org/10.1179/1433075X12Y.0000000054>.
- Sato, A. (1991). The effect of environmental factors on the pharmacokinetic behaviour of organic solvent vapours [Review]. *Ann Occup Hyg.* 35: 525-541.
- Sato, A. (1993). Confounding factors in biological monitoring of exposure to organic solvents. *Int Arch Occup Environ Health.* 65: S61-S67.
- Sato, A; Endoh, K; Kaneko, T; Johanson, G. (1991). Effects of consumption of ethanol on the biological monitoring of exposure to organic solvent vapours: a simulation study with trichloroethylene. *Br J Ind Med.* 48: 548-556.
- Sato, A; Endoh, K; Kaneko, T; Johanson, G. (1991). A simulation study of physiological factors affecting pharmacokinetic behaviour of organic solvent vapours. *Br J Ind Med.* 48: 342-347.
- Sato, A; Nakajima, T. (1978). Differences following skin or inhalation exposure in the absorption and excretion kinetics of trichloroethylene and toluene. *Br J Ind Med.* 35: 43-49.
- Sato, A; Nakajima, T. (1979). A vial-equilibration method to evaluate the drug-metabolizing enzyme activity for volatile hydrocarbons. *Toxicol Appl Pharmacol.* 47: 41-46. [http://dx.doi.org/10.1016/0041-008X\(79\)90069-3](http://dx.doi.org/10.1016/0041-008X(79)90069-3).
- Sato, A; Nakajima, T; Fujiwara, Y; Murayama, N. (1977). A pharmacokinetic model to study the excretion of trichloroethylene and its metabolites after an inhalation exposure. *Br J Ind Med.* 34: 56-63.
- Sato, A; Nakajima, T; Koyama, Y. (1980). Effects of chronic ethanol consumption on hepatic metabolism of aromatic and chlorinated hydrocarbons in rats. *Br J Ind Med.* 37: 382-386. <http://dx.doi.org/10.1136/oem.37.4.382>.
- Sato, A; Nakajima, T; Koyama, Y. (1981). Dose-related effects of a single dose of ethanol on the metabolism in rat liver of some aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol.* 60: 8-15. [http://dx.doi.org/10.1016/0041-008X\(81\)90129-0](http://dx.doi.org/10.1016/0041-008X(81)90129-0).
- Sato, A; Nakajima, T; Koyama, Y. (1983). Interaction between ethanol and carbohydrate on the metabolism in rat liver of aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol.* 68: 242-249. [http://dx.doi.org/10.1016/0041-008X\(83\)90008-X](http://dx.doi.org/10.1016/0041-008X(83)90008-X).
- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photosonolysis reactor. *J Environ Eng.* 129: 136-146. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(136\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(136)).
- Sato, C; Yao, J. (2006). Simultaneous and sequential photosonolysis of TCE and PCE. *J Environ Eng.* 132: 32-41. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:1\(32\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:1(32)).
- Sato, CK; Hartenstein, SD; Motes, W. (2001). Photosonolysis of TCA, TCE, and PCE in flow-through reactor system. *J Environ Eng.* 127: 620-629.

Exposure Literature Search Results

Off Topic

- Sato, K; Tsunashima, S; Takayanagi, T; Fujisawa, G; Yokoyama, A. (1997). Translational energy distributions of the products of the 193 and 157 nm photodissociation of chloroethylenes. *J Chem Phys.* 106: 10123-10133.
- Satyapal, S; Werner, JH; Cool, TA. (1995). An extended flame zone in the combustion of CH₃Cl. *Combust Sci Tech.* 106: 229-238.
- Saucedo-Lucero, JO; Arriaga, S. (2013). Photocatalytic degradation of hexane vapors in batch and continuous systems using impregnated ZnO nanoparticles. *Chem Eng J.* 218: 358-367. <http://dx.doi.org/10.1016/j.cej.2012.12.050>.
- Sauer, ML; Ollis, DF. (1994). ACETONE OXIDATION IN A PHOTOCATALYTIC MONOLITH REACTOR. *J Catal.* 149: 81-91.
- Sauer, ML; Ollis, DF. (1996). Photocatalyzed oxidation of ethanol and acetaldehyde in humidified air. *J Catal.* 158: 570-582.
- Saunders, RA. (1967). A new hazard in closed environmental atmospheres. *Arch Environ Health.* 14: 380-384.
- Saura, J. (1994). GAS-SENSING PROPERTIES OF SNO₂ PYROLYTIC FILMS SUBJECTED TO ULTRAVIOLET-RADIATION. *Sens Actuators B.* 17: 211-214.
- Sausen, PJ; Elfarrar, AA. (1990). Cysteine conjugate S-oxidase: Characterization of a novel enzymatic activity in rat hepatic and renal microsomes. *J Biol Chem.* 265: 6139-6145.
- Sausen, PJ; Elfarrar, AA. (1991). Reactivity of cysteine S-conjugate sulfoxides: formation of S-[1-chloro-2-(S-glutathionyl)vinyl]-L-cysteine sulfoxide by the reaction of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide with glutathione. *Chem Res Toxicol.* 4: 655-660. <http://dx.doi.org/10.1021/tx00024a010>.
- Savory, DM; Warren, DS; Mcquillan, AJ. (2011). Shallow Electron Trap, Interfacial Water, and Outer-Sphere Adsorbed Oxalate IR Absorptions Correlate during UV Irradiation of Photocatalytic TiO₂ Films in Aqueous Solution. *J Phys Chem C.* 115: 902-907. <http://dx.doi.org/10.1021/jp102723u>.
- Sawhney, BL; Gent, MPN. (1990). HYDROPHOBICITY OF CLAY SURFACES - SORPTION OF 1,2-DIBROMOETHANE AND TRICHLOROETHENE. *Clays and Clay Minerals.* 38: 14-20.
- Saxena, DK; Srivastava, RS; Lal, B; Chandra, SV. (1987). The effect of lead exposure on the testis of growing rats. *Exp Pathol.* 31: 249-252.
- Sbrana, I; Di Sibio, A; Lomi, A; Scarcelli, V. (1993). C-mitosis and numerical chromosome aberration analyses in human lymphocytes: 10 known or suspected spindle poisons. *Mutat Res.* 287: 57-70. [http://dx.doi.org/10.1016/0027-5107\(93\)90145-6](http://dx.doi.org/10.1016/0027-5107(93)90145-6).
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr.* 44: 703-707.
- Schacht, J; Laqua, H; Niedermeyer, H. (2006). Synchronization of processes in a distributed real time system exemplified by the control system of the fusion experiment WENDELSTEIN 7-X. *IEEE Trans Nucl Sci.* 53: 2187-2194. <http://dx.doi.org/10.1109/TNS.2006.877930>.
- Schacht, J; Skodzik, J; Team, C. (2015). Multifunction-Timing Card ITTEV2 for CoDaC Systems of Wendelstein 7-X. *IEEE Trans Nucl Sci.* 62: 1187-1194. <http://dx.doi.org/10.1109/TNS.2015.2425895>.
- Schaefer, CE; Condee, CW; Vainberg, S; Steffan, RJ. (2009). Bioaugmentation for chlorinated ethenes using *Dehalococcoides* sp.: comparison between batch and column experiments. *Chemosphere.* 75: 141-148. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.041>.
- Schaefer, CE; Schuth, C; Werth, CR; Reinhard, M. (2000). Binary desorption isotherms of TCE and PCE from silica gel and natural solids. *Environ Sci Technol.* 34: 4341-4347.
- Schaefer, CE; Topoleski, C; Fuller, ME. (2007). Effectiveness of zerovalent iron and nickel catalysts for degrading chlorinated solvents and n-nitrosodimethylamine in natural groundwater. *Water Environ Res.* 79: 57-62. <http://dx.doi.org/10.2175/106143006X136784>.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lacombe, PJ; Bishop, ME; Dong, H. (2015). Abiotic dechlorination in rock matrices impacted by long-term exposure to TCE. *Chemosphere.* 119: 744-749. <http://dx.doi.org/10.1016/j.chemosphere.2014.08.005>.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lazouskaya, V; Fischer, TB; Bishop, ME; Dong, H. (2013). Coupled Diffusion and Abiotic Reaction of Trichloroethene in Minimally Disturbed Rock Matrices. *Environ Sci Technol.* 47: 4291-4298. <http://dx.doi.org/10.1021/es400457s>.
- Schaefer, CE; Towne, RM; Root, D; McCray, JE. (2012). Assessment of Chemical Oxidation for Treatment of DNAPL in Fractured Sandstone Blocks. *J Environ Eng.* 138: 1-7. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000466](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000466).
- Schaerlaekens, J; Feyen, J. (2004). Effect of scale and dimensionality on the surfactant-enhanced solubilization of a residual DNAPL contamination. *J Contam Hydrol.* 71: 283-306. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.003>.
- Schaerlaekens, J; Mallants, D; Simunek, J; van Genuchten, MT; Feyen, J. (1999). Numerical simulation of transport and sequential biodegradation of chlorinated aliphatic hydrocarbons using CHAIN_2D. *Hydrolog Process.* 13: 2847-2859.
- Schaerlaekens, J; Mertens, J; Van Linden, J; Vermeiren, G; Carmeliet, J; Feyen, J. (2006). A multi-objective optimization framework for surfactant-enhanced remediation of DNAPL contaminations. *J Contam Hydrol.* 86: 176-194. <http://dx.doi.org/10.1016/j.jconhyd.2006.03.002>.
- Schaerlaekens, J; Vanderborght, J; Merckx, R; Feyen, J. (2000). Surfactant enhanced solubilization of residual trichloroethene: an experimental and numerical analysis. *J Contam Hydrol.* 46: 1-16.
- Schafer, A; Bouwer, EJ. (2000). Toluene induced cometabolism of cis-1,2-dichloroethylene and vinyl chloride under conditions expected downgradient of a permeable Fe(0) barrier. *Water Res.* 34: 3391-3399.
- Schäfer, D; Köber, R; Dahmke, A. (2003). Competing TCE and cis-DCE degradation kinetics by zero-valent iron-experimental results and numerical simulation. *J Contam Hydrol.* 65: 183-202. [http://dx.doi.org/10.1016/S0169-7722\(02\)00239-5](http://dx.doi.org/10.1016/S0169-7722(02)00239-5).
- Schaller, KH; Angerer, J; Lehnert, G. (1993). 1ST RESULTS OF 2 EXTERNAL INTERCOMPARISON PROGRAMS FOR THE DETERMINATION OF ORGANOCHLORINE COMPOUNDS IN BLOOD SPECIMENS RELEVANT IN ENVIRONMENTAL AND OCCUPATIONAL-MEDICINE. *Fresenius J Anal Chem.* 346: 830-832.
- Scharf, JG; Dombrowski, F; Ramadori, G. (2001). The IGF axis and hepatocarcinogenesis. *Molecular Pathology.* 54: 138-144.
- Schatten, H; Chakrabarti, A. (1998). Centrosome structure and function is altered by chloral hydrate and diazepam during the first reproductive cell cycles in sea urchin eggs. *Eur J Cell Biol.* 75: 9-20.

Exposure Literature Search Results

Off Topic

- Schellin, M; Popp, P. (2006). Miniaturized membrane-assisted solvent extraction combined with gas chromatography/electron-capture detection applied to the analysis of volatile organic compounds. *J Chromatogr A*. 1103: 211-218. <http://dx.doi.org/10.1016/j.chroma.2005.11.01>.
- Schepens, PJ; Covaci, A; Jorens, PG; Hens, L; Scharpé, S; van Larebeke, N. (2001). Surprising findings following a Belgian food contamination with polychlorobiphenyls and dioxins. *Environ Health Perspect*. 109: 101-103.
- Scherer, MM; Balko, BA; Gallagher, DA; Tratnyek, PG. (1998). Correlation analysis of rate constants for dechlorination by zero-valent iron. *Environ Sci Technol*. 32: 3026-3033.
- Scheutz, C; Durant, ND; Dennis, P; Hansen, MH; Jørgensen, T; Jakobsen, R; Cox, EE; Bjerg, PL. (2008). Concurrent ethene generation and growth of *Dehalococcoides* containing vinyl chloride reductive dehalogenase genes during an enhanced reductive dechlorination field demonstration. *Environ Sci Technol*. 42: 9302-9309. <http://dx.doi.org/10.1021/es800764t>.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere*. 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schilling, KE. (1999). Demonstrating localized intrinsic biodegradation of chlorinated aliphatic hydrocarbons using time series sampling. *Ground Water Monitoring and Remediation*. 19: 115-124.
- Schipper, O. (2003). Phytoremediation releases TCE to the atmosphere. *Environ Sci Technol*. 37: 206A-206A.
- Schlehofer, B; Heuer, C; Blettner, M; Niehoff, D; Wahrendorf, J. (1995). Occupation, smoking and demographic factors, and renal cell carcinoma in Germany. *Int J Epidemiol*. 24: 51-57. <http://dx.doi.org/10.1093/ije/24.1.51>.
- Schlesselman, JJ. (1982). Case control studies: Design, conduct, analysis. In *Mongraphs in epidemiology and biostatistics*. New York, NY: Oxford University Press.
- Schlichting, LM; Wright, PF; Stacey, NH. (1992). Effects of tetrachloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicol Ind Health*. 8: 255-266.
- Schlicker, O; Ebert, M; Fruth, M; Weidner, M; Wust, W; Dahmke, A. (2000). Degradation of TCE with iron: The role of competing chromate and nitrate reduction. *Ground Water*. 38: 403-409.
- Schlipköter, HW; Fodor, GG; Winneke, G. (1974). Zum Einfluss neurotoxischer Industriegifte auf unfallgenerierendes Fehlverhalten bei Kontroll- und Steuertätigkeiten. Wilhelmshaven, Dortmund: Wirtschaftsverlag Nordwest.
- Schlueter, JA; Geiser, U; Kini, AM; Wang, HH; Williams, JM; Naumann, D; Roy, T; Hoge, B; Eujen, R. (1999). Trifluoromethylmetallate anions as components of molecular charge transfer salts and superconductors. *Coord Chem Rev*. 190: 781-810.
- Schlueter, JA; Williams, JM; Geiser, U; Dudek, JD; Sirchio, SA; Kelly, ME; Gregar, JS; Kwok, WH; Fendrich, JA; Schirber, JE; Bayless, WR; Naumann, D; Roy, T. (1995). SYNTHESIS AND CHARACTERIZATION OF 2 NEW ORGANIC SUPERCONDUCTORS, KAPPA-L-[BIS(ETHYLENEDISULFANYL)TETRATHIAFULVALENE]AU-2(CF₃)₄CENTER-DOT(1,1,2-TRICHLOROETHANE) AND KAPPA-H-[BIS(ETHYLENEDISULFANYL)TETRATHIAFULVALENE]AU-2(CF₃)₄CENTER-DOT(1,1,2-TRICHLOROETHANE) VIA MICROELECTROCRYSTALLIZATION. *J Chem Soc Chem Commun*1311-1312.
- Schmajuk, NA; Bushnell, PJ. (2009). A computational model reveals classical conditioning mechanisms underlying visual signal detection in rats. *Behav Processes*. 82: 340-351. <http://dx.doi.org/10.1016/j.beproc.2009.08.005>.
- Schmid, D; Micić, V; Laumann, S; Hofmann, T. (2015). Measuring the reactivity of commercially available zero-valent iron nanoparticles used for environmental remediation with iopromide. *J Contam Hydrol*. 181: 36-45. <http://dx.doi.org/10.1016/j.jconhyd.2015.01.006>.
- Schmid, FX; Keyser, A; Djavidani, B; Link, J; Holmer, S; Birnbaum, DE. (2002). Left ventricular remodeling after pulmonary autograft aortic valve replacement: Evaluation with color-Doppler echocardiography and magnetic resonance imaging. *Artif Organs*. 26: 444-448.
- Schmidt, B; Ehlert, DK; Braun, HA. (2004). E-1,2-dichlorovinyl ethers as irreversible protease inhibitors. *Tetrahedron Lett*. 45: 1751-1753. <http://dx.doi.org/10.1016/j.tetlet.2003.12.088>.
- Schmidt, KR; Augenstein, T; Heidinger, M; Ertl, S; Tiehm, A. (2010). Aerobic biodegradation of cis-1,2-dichloroethene as sole carbon source: Stable carbon isotope fractionation and growth characteristics. *Chemosphere*. 78: 527-532. <http://dx.doi.org/10.1016/j.chemosphere.2009.11.033>.
- Schmidt, KR; Gaza, S; Voropaev, A; Ertl, S; Tiehm, A. (2014). Aerobic biodegradation of trichloroethene without auxiliary substrates. *Water Res*. 59: 112-118. <http://dx.doi.org/10.1016/j.watres.2014.04.008>.
- Schmidt, KR; Tiehm, A. (2008). Natural attenuation of chloroethenes: identification of sequential reductive/oxidative biodegradation by microcosm studies. *Water Sci Technol*. 58: 1137-1145. <http://dx.doi.org/10.2166/wst.2008.729>.
- Schmidt, M; Lege, S; Nijenhuis, I. (2014). Comparison of 1,2-dichloroethane, dichloroethene and vinyl chloride carbon stable isotope fractionation during dechlorination by two *Dehalococcoides* strains. *Water Res*. 52: 146-154. <http://dx.doi.org/10.1016/j.watres.2013.12.042>.
- Schmidt, TC; Zwank, L; Elsner, M; Berg, M; Meckenstock, RU; Haderlein, SB. (2004). Compound-specific stable isotope analysis of organic contaminants in natural environments: a critical review of the state of the art, prospects, and future challenges [Review]. *Anal Bioanal Chem*. 378: 283-300. <http://dx.doi.org/10.1007/s00216-003-2350-y>.
- Schmitt, T. (2002). Determination of chloral hydrate and its metabolites in blood plasma by capillary gas chromatography with electron capture detection. *Journal of Chromatography B*. 780: 217-224.
- Schmitz, RPH; Wolf, J; Habel, A; Neumann, A; Ploss, K; Svatos, A; Boland, W; Diekert, G. (2007). Evidence for a radical mechanism of the dechlorination of chlorinated propenes mediated by the tetrachloroethene reductive dehalogenase of *Sulfurospirillum multivorans*. *Environ Sci Technol*. 41: 7370-7375. <http://dx.doi.org/10.1021/es071026u>.
- Schmucker, DL. (2001). Liver function and phase I drug metabolism in the elderly: A paradox [Review]. *Drugs Aging*. 18: 837-851.

Exposure Literature Search Results

Off Topic

- Schmucker, DL. (2005). Age-related changes in liver structure and function: Implications for disease? [Review]. *Exp Gerontol.* 40: 650-659. <http://dx.doi.org/10.1016/j.exger.2005.06.009>.
- Schmucker, DL; Mooney, JS; Jones, AL. (1978). Stereological analysis of hepatic fine structure in the Fischer 344 rat. Influence of sublobular location and animal age. *J Cell Biol.* 78: 319-337.
- Schnaar, G; Brusseau, ML. (2006). Characterizing pore-scale dissolution of organic immiscible liquid in natural porous media using synchrotron X-ray microtomography. *Environ Sci Technol.* 40: 6622-6629. <http://dx.doi.org/10.1021/es0602851>.
- Schnabel, WE; Dietz, AC; Burken, JG; Schnoor, JL; Alvarez, PJ. (1997). Uptake and transformation of trichloroethylene by edible garden plants. *Water Res.* 31: 816-824.
- Schnarr, M; Truax, C; Farquhar, G; Hood, E; Gonullu, T; Stickney, B. (1998). Laboratory and controlled field experiments using potassium permanganate to remediate trichloroethylene and perchloroethylene DNAPLs in porous media. *J Contam Hydrol.* 29: 205-224.
- Schneider, CO; Bremen, P; Schoensleben, P; Alard, R. (2013). Transaction cost economics in global sourcing: Assessing regional differences and implications for performance. *International Journal of Production Economics.* 141: 243-254. <http://dx.doi.org/10.1016/j.ijpe.2011.02.025>.
- Schneider, P; Tropper, P; Kaindl, R. (2013). The formation of phosphoran olivine and stanfieldite from the pyrometamorphic breakdown of apatite in slags from a prehistoric ritual immolation site (Goldbichl, Igls, Tyrol, Austria). *Mineralogy and Petrology.* 107: 327-340. <http://dx.doi.org/10.1007/s00710-012-0255-1>.
- Schneidewind, U; Haest, PJ; Atashgahi, S; Maphosa, F; Hamonts, K; Maesen, M; Calderer, M; Seuntjens, P; Smidt, H; Springael, D; Dejonghe, W. (2014). Kinetics of dechlorination by *Dehalococcoides mccartyi* using different carbon sources. *J Contam Hydrol.* 157: 25-36. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.006>.
- Schoen, ME; Small, MJ; Vanbriesen, JM. (2010). Bayesian model for flow-class dependent distributions of fecal-indicator bacterial concentration in surface waters. *Water Res.* 44: 1006-1016. <http://dx.doi.org/10.1016/j.watres.2009.10.016>.
- Schoenherr, T. (2010). Outsourcing decisions in global supply chains: an exploratory multi-country survey. *Int J Prod Res.* 48: 343-378. <http://dx.doi.org/10.1080/00207540903174908>.
- Schöftner, P; Waldner, G; Lottermoser, W; Stöger-Pollach, M; Freitag, P; Reichenauer, TG. (2015). Electron efficiency of nZVI does not change with variation of environmental parameters. *Sci Total Environ.* 535: 69-78. <http://dx.doi.org/10.1016/j.scitotenv.2015.05.033>.
- Schöftner, P; Watzinger, A; Holzknicht, P; Wimmer, B; Reichenauer, TG. (2016). Transpiration and metabolisation of TCE by willow plants - a pot experiment. *Int J Phytoremediation.* 18: 686-692. <http://dx.doi.org/10.1080/15226514.2015.1131228>.
- Schoknecht, W; Wodarz, R; Fritzsche, I; Weichardt, H. (1983). SIMPLE GAS-CHROMATOGRAPHIC DETERMINATION OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE AS WELL AS OF THEIR METABOLITES IN BIOLOGICAL SAMPLES IN A SINGLE OPERATION. *Staub, Reinhaltung der Luft.* 43: 186-188.
- Schollhorn, A; Savary, C; Stucki, G; Hanselmann, KW. (1997). Comparison of different substrates for the fast reductive dechlorination of trichloroethene under groundwater conditions. *Water Res.* 31: 1275-1282.
- Schomers, S; Sattler, C; Matzdorf, B. (2015). An analytical framework for assessing the potential of intermediaries to improve the performance of payments for ecosystem services. *Land Use Pol.* 42: 58-70.
- Schoonen, MAA; Harrington, AD; Laffers, R; Strongin, DR. (2010). Role of hydrogen peroxide and hydroxyl radical in pyrite oxidation by molecular oxygen. *Geochim Cosmo Acta.* 74: 4971-4987. <http://dx.doi.org/10.1016/j.gca.2010.05.028>.
- Schoutteten, L; Jean, M; Dinh, A; de Truchis, P; Breton, C; Descatha, A. (2011). Tetrachloroethylene exposure and trigeminal neuropathy: A case report with a possible indirect link. *Arch Mal Prof Environ.* 72: 346-349. <http://dx.doi.org/10.1016/j.admp.2011.07.010>.
- Schreiber, JS. (1993). Predicted infant exposure to tetrachloroethene in human breastmilk [Review]. *Risk Anal.* 13: 515-524. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00010.x>.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere.* 29: 1743-1753.
- Schrack, B; Blough, JL; Jones, AD; Mallouk, TE. (2002). Hydrodechlorination of trichloroethylene to hydrocarbons using bimetallic nickel-iron nanoparticles. *Chem Mater.* 14: 5140-5147. <http://dx.doi.org/10.1021/cm020737i>.
- Schrack, B; Hydutsky, BW; Blough, JL; Mallouk, TE. (2004). Delivery vehicles for zerovalent metal nanoparticles in soil and groundwater. *Chem Mater.* 16: 2187-2193. <http://dx.doi.org/10.1021/cm0218108>.
- Schroll, R; Bierling, B; Cao, G; Dorfler, U; Lahaniati, M; Langenbach, T; Scheunert, I; Winkler, R. (1994). Uptake pathways of organic chemicals from soil by agricultural plants. *Chemosphere.* 28: 297-303.
- Schroth, MH; Oostrom, M; Wietsma, TW; Istok, JD. (2001). In-situ oxidation of trichloroethene by permanganate: effects on porous medium hydraulic properties. *J Contam Hydrol.* 50: 79-98.
- Schulenber, JW; Reeves, HW. (2002). Axi-symmetric simulation of soil vapor extraction influenced by soil fracturing. *J Contam Hydrol.* 57: 189-222.
- Schulte-Hermann, R; Timmermann-Trosiener, I; Schuppler, J. (1986). Facilitated expression of adaptive responses to phenobarbital in putative pre-stages of liver cancer. *Carcinogenesis.* 7: 1651-1655. <http://dx.doi.org/10.1093/carcin/7.10.1651>.
- Schultz, MG; Sapp, JH; Cusack, CD; Fink, JM. (2010). The National Exposure Registry: history and lessons learned [Review]. *J Environ Health.* 72: 20-25.
- Schumacher, BA; Zimmerman, JH; Elliot, RJ; Swanson, GR. (2016). The Effect of Equilibration Time and Tubing Material on Soil Gas Measurements. *Soil Sediment Contam.* 25: 151-163. <http://dx.doi.org/10.1080/15320383.2016.1111860>.

Exposure Literature Search Results

Off Topic

- Schumucker, DL; Mooney, JS; Jones, AL. (1977). Age-related changes in the hepatic endoplasmic reticulum: A quantitative analysis. *Science*. 197: 1005-1008. <http://dx.doi.org/10.1126/science.887935>.
- Schunemann, JW; Kohnke, HJ; Barner, K. (1992). DETERMINATION OF CARRIER CONCENTRATIONS AND MOBILITIES IN SEMIMETALLIC MAGNETIC COMPOUNDS. *Journal of Magnetism and Magnetic Materials*. 104: 923-924.
- Schüth, C; Bill, M; Barth, JA; Slater, GF; Kalin, RM. (2003). Carbon isotope fractionation during reductive dechlorination of TCE in batch experiments with iron samples from reactive barriers. *J Contam Hydrol*. 66: 25-37. [http://dx.doi.org/10.1016/S0169-7722\(03\)00026-3](http://dx.doi.org/10.1016/S0169-7722(03)00026-3).
- Schuth, C; Taubald, H; Bolano, N; Maciejczyk, K. (2003). Carbon and hydrogen isotope effects during sorption of organic contaminants on carbonaceous materials. *J Contam Hydrol*. 64: 269-281. [http://dx.doi.org/10.1016/S0169-7722\(02\)00216-4](http://dx.doi.org/10.1016/S0169-7722(02)00216-4).
- Schwartz-Arad, D; Zajicek, G; Bartfeld, E. (1989). The streaming liver IV: DNA content of the hepatocyte increases with its age. *Liver*. 9: 93-99. <http://dx.doi.org/10.1111/j.1600-0676.1989.tb00385.x>.
- Schwartzman, G. (1978). VAPOR INFRARED SPECTROPHOTOMETRIC IDENTIFICATION OF CHLOROFORM, HALOTHANE, METHOXYFLURANE, TETRACHLOROETHYLENE, AND TRICHLOROETHYLENE. *J Assoc Offic Anal Chem*. 61: 1306-1308.
- Schwarz, BCE; Deviny, JS; Tsotsis, TT. (1999). Degradation of PCE in an anaerobic waste gas by biofiltration. *Chem Eng Sci*. 54: 3187-3195.
- Schwarzbauer, J; Dsikowitzky, L; Heim, S; Littke, R. (2005). Determination of C-13/(12C)-ratios of anthropogenic organic contaminants in river water samples by GC-irmMS. *Int J Environ Anal Chem*. 85: 349-364. <http://dx.doi.org/10.1080/03067310500075962>.
- Scialdone, O; Guarisco, C; Galia, A; Herbois, R. (2010). Electroreduction of aliphatic chlorides at silver cathodes in water. *Journal of Electroanalytical Chemistry*. 641: 14-22. <http://dx.doi.org/10.1016/j.jelechem.2010.01.018>.
- Scollon, EJ; Carr, JA; Rintoul, DA; McMurry, ST; Cobb, GP. (2012). Metabolism and distribution of p,p'-DDT during flight of the white-crowned sparrow, *Zonotrichia leucophrys*. *Environ Toxicol Chem*. 31: 336-346. <http://dx.doi.org/10.1002/etc.730>.
- Scott, CS; Chiu, WA. (2006). Trichloroethylene cancer epidemiology: A consideration of select issues [Review]. *Environ Health Perspect*. 114: 1471-1478. <http://dx.doi.org/10.1289/ehp.8949>.
- Scott, D; Applett, A; Materer, NF. (2011). Follow-up study on the effects on well chemistry from biological and chemical remediation of chlorinated solvents. *J Environ Monit*. 13: 2521-2526. <http://dx.doi.org/10.1039/c1em10360a>.
- Seagren, EA; Rittmann, BE; Valocchi, AJ. (1994). QUANTITATIVE-EVALUATION OF THE ENHANCEMENT OF NAPL-POOL DISSOLUTION BY FLUSHING AND BIODEGRADATION. *Environ Sci Technol*. 28: 833-839.
- Seaman, JC; Looney, BB; Harris, MK. (2007). Research in support of remediation activities at the Savannah River Site. *Vadose Zone Journal*. 6: 316-326. <http://dx.doi.org/10.2136/vzj2007.0044>.
- See, KA; Wu, HL; Lau, KC; Shin, M; Cheng, L; Balasubramanian, M; Gallagher, KG; Curtiss, LA; Gewirth, AA. (2016). Effect of Hydrofluoroether Cosolvent Addition on Li Solvation in Acetonitrile-Based Solvate Electrolytes and Its Influence on S Reduction in a Li-S Battery. 8: 34360-34371. <http://dx.doi.org/10.1021/acsami.6b11358>.
- Seelbach, A; Fissler, B; Madle, S. (1993). Further evaluation of a modified micronucleus assay with V79 cells for detection of aneugenic effects. *Mutat Res*. 303: 163-169.
- Seeram, NP; Adams, LS; Hardy, ML; Heber, D. (2004). Total cranberry extract versus its phytochemical constituents: antiproliferative and synergistic effects against human tumor cell lines. *J Agric Food Chem*. 52: 2512-2517. <http://dx.doi.org/10.1021/jf0352778>.
- Segar, RL; Dewys, SL; Speitel, GE. (1995). SUSTAINED TRICHLOROETHYLENE COMETABOLISM BY PHENOL-DEGRADING BACTERIA IN SEQUENCING BIOFILM REACTORS. *Water Environ Res*. 67: 764-774.
- Segar, RL; Leung, SY; Vivek, SA. (1997). Treatment of trichloroethene-contaminated water with a fluidized-bed bioreactor. *Ann N Y Acad Sci*. 829: 83-96.
- Seibel, EJ; Carroll, RE; Dominitz, JA; Johnston, RS; Melville, CD; Lee, CM; Seitz, SM; Kimmey, MB. (2008). Tethered capsule endoscopy, a low-cost and high-performance alternative technology for the screening of esophageal cancer and Barrett's esophagus. *IEEE Trans Biomed Eng*. 55: 1032-1042. <http://dx.doi.org/10.1109/TBME.2008.915680>.
- Seiji, K; Inoue, O; Jin, C; Liu, YT; Cai, SX; Ohashi, M; Watanabe, T; Nakatsuka, H; Kawai, T; Ikeda, M. (1989). Dose-excretion relationship in tetrachloroethylene-exposed workers and the effect of tetrachloroethylene co-exposure on trichloroethylene metabolism. *Am J Ind Med*. 16: 675-684. <http://dx.doi.org/10.1002/ajim.4700160607>.
- Seiji, K; Jin, C; Watanabe, T; Nakatsuka, H; Ikeda, M. (1990). Sister chromatid exchanges in peripheral lymphocytes of workers exposed to benzene, trichloroethylene, or tetrachloroethylene, with reference to smoking habits. *Int Arch Occup Environ Health*. 62: 171-176. <http://dx.doi.org/10.1007/BF00383594>.
- Seitz, CS; Lin, Q; Deng, H; Khavari, PA. (1998). Alterations in NF-kappaB function in transgenic epithelial tissue demonstrate a growth inhibitory role for NF-kappaB. *Proc Natl Acad Sci USA*. 95: 2307-2312.
- Seitz, HK; Stickel, F. (2006). Risk factors and mechanisms of hepatocarcinogenesis with special emphasis on alcohol and oxidative stress [Review]. *Biol Chem*. 387: 349-360. <http://dx.doi.org/10.1515/bc.2006.047>.
- Sekhar, GC; Venkatesu, P; Rao, MVP. (2001). Excess molar volumes and speeds of sound of N,N-dimethylacetamide with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data*. 46: 377-380.
- Sekiguchi, H; Saita, Y. (2001). Effect of alumina particles on sonolysis degradation of chlorobenzene in aqueous solution. *J Chem Eng Jpn*. 34: 1045-1048.
- Sekiguchi, H; Yamagata, K. (2004). Effect of liquid film on decomposition of CFC-12 using dielectric barrier discharge. *Thin Solid Films*. 457: 34-38. <http://dx.doi.org/10.1016/j.tsf.2003.12.010>.
- Sellers, EM; Lang, M; Koch-Weser, J; LeBlanc, E; Kalant, H. (1972). Interaction of chloral hydrate and ethanol in man. I. Metabolism. *Clin Pharmacol Ther*. 13: 37-49.

Exposure Literature Search Results

Off Topic

- Sellers, EM; Lang-Sellers, M; Koch-Weser, J. (1978). Comparative metabolism of chloral hydrate and triclofos. *J Clin Pharmacol.* 18: 457-461.
- Selli, E; Baglio, D; Montanarella, L; Bidoglio, G. (1999). Role of humic acids in the TiO₂-photocatalyzed degradation of tetrachloroethene in water. *Water Res.* 33: 1827-1836.
- Semadeni, M; P-C, C; Reinhard, M. (1998). Reductive transformation of trichloroethene by cobalamin: Reactivities of the intermediates acetylene, chloroacetylene, and the DCE isomers. *Environ Sci Technol.* 32: 1207-1213.
- Semkiw, ES; Barcelona, MJ. (2011). Field Study of Enhanced TCE Reductive Dechlorination by a Full-Scale Whey PRB. *Ground Water Monitoring and Remediation.* 31: 68-78. <http://dx.doi.org/10.1111/j.1745-6592.2010.01321.x>.
- Semkiw, ES; Dybas, MJ; Barcelona, MJ. (2009). Evaluation of Three Electron-Donor Permeable Reactive Barrier Materials for Enhanced Reductive Dechlorination of Trichloroethene. *Bioremediat J.* 13: 7-20. <http://dx.doi.org/10.1080/10889860802690489>.
- Semprini, L; Dolan, ME; Azizian, MF. (2007). ENVR 198-Aerobic transformation of trichloroethene and trichlorofluoroethene in a continuous flow column study. *Abstracts of Papers - American Chemical Society.* 234.
- Semprini, L; Dolan, ME; Hopkins, GD; Mccarty, PL. (2009). Bioaugmentation with butane-utilizing microorganisms to promote in situ cometabolic treatment of 1,1,1-trichloroethane and 1,1-dichloroethene. *J Contam Hydrol.* 103: 157-167. <http://dx.doi.org/10.1016/j.jconhyd.2008.10.005>.
- Semprini, L; Dolan, ME; Mathias, MA; Hopkins, GD; Mccarty, PL. (2007). Bioaugmentation of butane-utilizing microorganisms for the in situ cometabolic treatment of 1,1-dichloroethene, 1,1-dichloroethane, and 1,1,1-trichloroethane. *European Journal of Soil Biology.* 43: 322-327. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.006>.
- Semprini, L; Dolan, ME; Mathias, MAB; Hopkins, GD; Mccarty, PL. (2007). Laboratory, field, and modeling studies of bioaugmentation of butane-utilizing microorganisms for the in situ cometabolic treatment of 1,1-dichloroethene, 1,1-dichloroethane, and 1,1,1-trichloroethane. *Advances in Water Resources.* 30: 1528-1546. <http://dx.doi.org/10.1016/j.advwatres.2006.05.017>.
- Semprini, L; Hopkins, GD; Mccarty, PL; Roberts, PV. (1992). In situ transformation of carbon tetrachloride and other halogenated compounds resulting from biostimulation under anoxic conditions. *Environ Sci Technol.* 26: 2454-2461. <http://dx.doi.org/10.1021/es00036a018>.
- Semprini, L; Hopkins, GD; Roberts, PV; Grbic-Galic, D; McCarty, PL. (1991). A field evaluation of in-situ biodegradation of chlorinated ethenes: Part 3. Studies of competitive inhibition. *Ground Water.* 29: 239-250. <http://dx.doi.org/10.1111/j.1745-6584.1991.tb00516.x>.
- Semprini, L; Mccarty, PL. (1992). COMPARISON BETWEEN MODEL SIMULATIONS AND FIELD RESULTS FOR INSITU BIORESTORATION OF CHLORINATED ALIPHATICS .2. COMETABOLIC TRANSFORMATIONS. *Ground Water.* 30: 37-44.
- Senaratne, C; Zhang, J; Fox, J; Burgess, I; Baker, MD. (1999). Electroanalytical chemistry with zeolites. *Microporous and Mesoporous Materials.* 33: 281-289.
- Seng, JE; Agrawal, N; Horsley, ETM; Leakey, TI; Scherer, EM; Xia, S; Allaben, WT; Leakey, JEA. (2003). Toxicokinetics of chloral hydrate in ad libitum-fed, dietary-controlled, and calorically restricted male B6C3F1 mice following short-term exposure. *Toxicol Appl Pharmacol.* 193: 281-292. <http://dx.doi.org/10.1016/j.taap.2003.07.008>.
- Senol, A. (2004). Liquid-liquid equilibria for the ternary systems of (water plus tetrahydrofuran plus polar solvent) at 298.15 K. *Journal of Chemical and Engineering Data.* 49: 1827-1832. <http://dx.doi.org/10.1021/jc049747l>.
- Senol, A. (2006). Influence of diluent on amine extraction of pyruvic acid using Alamine system. *Chemical Engineering and Processing: Process Intensification.* 45: 755-763. <http://dx.doi.org/10.1016/j.cep.2006.03.002>.
- Senthilnathan, VP; Singh, S. (1976). CARBONYL STRETCH INTENSITY OF BENZOPHENONE IN BINARY SOLVENT MIXTURES OF CHLOROFORM, METHYLENE-CHLORIDE AND TRICHLOROETHYLENE WITH CYCLOHEXANE. *Indian Journal of Chemistry Section A: Inorganic, Physical, Theoretical and Analytical Chemistry.* 14: 743-745.
- Seo, HS; Mccray, JE. (2002). Interfacial tension of chlorinated aliphatic DNAPL mixtures as a function of organic phase composition. *Environ Sci Technol.* 36: 1292-1298. <http://dx.doi.org/10.1021/es010931q>.
- Seo, JH; Liu, J; Fan, X; Kurabayashi, K. (2012). Effect of Thermal Desorption Kinetics on Vapor Injection Peak Irregularities by a Microscale Gas Chromatography Preconcentrator. *Anal Chem.* 84: 6336-6340. <http://dx.doi.org/10.1021/ac300755d>.
- Seo, JH; Liu, J; Fan, X; Kurabayashi, K. (2013). Fabry-Pérot cavity sensor-based optofluidic gas chromatography using a microfabricated passive preconcentrator/injector. *Lab Chip.* 13: 851-859. <http://dx.doi.org/10.1039/c2lc41119a>.
- Seo, YC; Paode, RD; Holsen, TM. (2000). Partitioning of SSOCs into straight-chained surfactants. *J Environ Eng.* 126: 467-470.
- Seol, Y; Javandel, I. (2008). Citric acid-modified Fenton's reaction for the oxidation of chlorinated ethylenes in soil solution systems. *Chemosphere.* 72: 537-542. <http://dx.doi.org/10.1016/j.chemosphere.2008.03.052>.
- Seol, Y; Schwartz, FW. (2000). Phase-transfer catalysis applied to the oxidation of nonaqueous phase trichloroethylene by potassium permanganate. *J Contam Hydrol.* 44: 185-201.
- Seol, Y; Schwartz, FW; Lee, S. (2001). Oxidation of binary DNAPL mixtures using potassium permanganate with a phase transfer catalyst. *Ground Water Monitoring and Remediation.* 21: 124-132.
- Seol, Y; Zhang, H; Schwartz, FW. (2003). A review of in situ chemical oxidation and heterogeneity. *Environmental and Engineering Geoscience.* 9: 37-49.
- Seol, YG; Trung, TQ; Yoon, O, KJa; Sohn, I, IY; Lee, N, aeE. (2012). Nanocomposites of reduced graphene oxide nanosheets and conducting polymer for stretchable transparent conducting electrodes. *J Mater Chem.* 22: 23759-23766. <http://dx.doi.org/10.1039/c2jm33949h>.
- Sercu, B; Jones, ADG; Wu, CH; Escobar, MH; Serlin, CL; Knapp, TA; Andersen, GL; Holden, PA. (2013). The Influence of In Situ Chemical Oxidation on Microbial Community Composition in Groundwater Contaminated with Chlorinated Solvents. *Microb Ecol.* 65: 39-49. <http://dx.doi.org/10.1007/s00248-012-0092-0>.
- Sergejeva, M; Ruzicka, J. (2003). Potentials of aerobic microbial degradation of trichloroethene. *Chem Listy.* 97: 986-990.

Exposure Literature Search Results

Off Topic

- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A study of mixtures of organic solvents and triglycerides of linseed oil or the free fatty acids .2. Application to the viscosity of the Andrade, Krone, McAllister and Hildebrand equations. *Grasas y Aceites*. 46: 289-294.
- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A STUDY OF MIXTURES OF ORGANIC-SOLVENTS AND TRIGLYCERIDES OF LINSEED OIL OR THE FREE FATTY-ACIDS .1. MOLAR VOLUME, MOLAR REFRACTION AND DYNAMIC VISCOSITY. *Grasas y Aceites*. 46: 183-195.
- Serrano, DP; Calleja, G; Sanz, R; Pizarro, P. (2007). Development of crystallinity and photocatalytic properties in porous TiO₂ by mild acid treatment. *J Mater Chem*. 17: 1178-1187. <http://dx.doi.org/10.1039/b614052a>.
- Serrano, G; Paul, D; Kim, S; Kurabayashi, K; Zellers, ET. (2012). Comprehensive Two-Dimensional Gas Chromatographic Separations with a Microfabricated Thermal Modulator. *Anal Chem*. 84: 6973-6980. <http://dx.doi.org/10.1021/ac300924b>.
- Serrano, G; Sukaew, T; Zellers, ET. (2013). Hybrid preconcentrator/focuser module for determinations of explosive marker compounds with a micro-scale gas chromatograph. *J Chromatogr A*. 1279: 76-85. <http://dx.doi.org/10.1016/j.chroma.2013.01.009>.
- Sever, VF; Boyd, GR; Bakeer, RM. (2010). Apparatus for Testing the Combined Effects of Deformation and Chemical Exposure on Polymeric Liners. *Journal of Materials in Civil Engineering*. 22: 227-235. [http://dx.doi.org/10.1061/\(ASCE\)0899-1561\(2010\)22:3\(227\)](http://dx.doi.org/10.1061/(ASCE)0899-1561(2010)22:3(227)).
- Severinsen, M; Andersen, MB; Chen, F; Nyholm, N. (1996). A regional chemical fate and exposure model suitable for Denmark and its coastal sea. *Chemosphere*. 32: 2159-2175. [http://dx.doi.org/10.1016/0045-6535\(96\)00124-5](http://dx.doi.org/10.1016/0045-6535(96)00124-5).
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol*. 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.
- Shabanov, VF; Pavlov, VF. (2004). Optically transparent glass ceramics with a low temperature expansion coefficient. *Glass Ceram*. 61: 13-15.
- Shade, WD; Jaycock, MA. (1997). Monte Carlo uncertainty analysis of a diffusion model for the assessment of halogen gas exposure during dosing of brominators. *Am Ind Hyg Assoc J*. 58: 418-424. <http://dx.doi.org/10.1080/15428119791012658>.
- Shafi, S; Sweetman, A; Hough, RL; Smith, R; Rosevear, A; Pollard, SJ. (2006). Evaluating fugacity models for trace components in landfill gas. *Environ Pollut*. 144: 1013-1023. <http://dx.doi.org/10.1016/j.envpol.2006.01.048>.
- Shafiei, M; Richardson, JT. (2004). Dechlorination of chlorinated hydrocarbons by catalytic steam reforming. *Appl Catal B-Environ*. 54: 251-259. <http://dx.doi.org/10.1016/j.apcatb.2004.06.010>.
- Shah, YM; Morimura, K; Yang, Q; Tanabe, T; Takagi, M; Gonzalez, FJ. (2007). Peroxisome proliferator-activated receptor alpha regulates a microRNA-mediated signaling cascade responsible for hepatocellular proliferation. *Mol Cell Biol*. 27: 4238-4247. <http://dx.doi.org/10.1128/MCB.00317-07>.
- Shahna, FG; Ebrahimi, H; Jaleh, B; Bahrami, A. (2015). Decomposition of gas-phase chloroform using nanophotocatalyst downstream the novel non-thermal plasma reactor: by-products elimination. *Int J Environ Sci Tech*. 12: 3489-3498. <http://dx.doi.org/10.1007/s13762-015-0882-2>.
- Shahwan, T; Abu Sirriah, S; Nairat, M; Boyaci, E; Eroglu, AE; Scott, TB; Hallam, KR. (2011). Green synthesis of iron nanoparticles and their application as a Fenton-like catalyst for the degradation of aqueous cationic and anionic dyes. *Chem Eng J*. 172: 258-266. <http://dx.doi.org/10.1016/j.cej.2011.05.103>.
- Shaikjee, A; Coville, NJ. (2012). Catalyst restructuring studies: The facile synthesis of tripod-like carbon fibers by the decomposition of trichloroethylene. *Mater Lett*. 68: 273-276. <http://dx.doi.org/10.1016/j.matlet.2011.10.083>.
- Shan, M; Wang, P; Li, J; Yue, G; Yang, X. (2015). Energy and environment in Chinese rural buildings: Situations, challenges, and intervention strategies. *Build Environ*. 91: 271-282. <http://dx.doi.org/10.1016/j.buildenv.2015.03.016>.
- Shanbhag, PV; Guha, AK; Sirkar, KK. (1996). Membrane-based integrated absorption-oxidation reactor for destroying VOCs in air. *Environ Sci Technol*. 30: 3435-3440.
- Shang, J; Du, YG; Xu, ZL. (2002). Kinetics of gas-phase photocatalytic oxidation of heptane over TiO₂. 75: 259-265.
- Shang, J; Du, YG; Xu, ZL. (2002). Photocatalytic oxidation of heptane in the gas-phase over TiO₂. *Chemosphere*. 46: 93-99.
- Shang, J; Zhu, YF; Du, YG; Xu, ZL. (2002). Comparative studies on the deactivation and regeneration of TiO₂ nanoparticles in three photocatalytic oxidation systems: C₇H₁₆, SO₂, and C₇H₁₆-SO₂. *J Solid State Chem*. 166: 395-399. <http://dx.doi.org/10.1006/jssc.2002.9613>.
- Shankar, K; Vaidya, VS; Corton, JC; Bucci, TJ; Liu, J; Waalkes, MP; Mehendale, HM. (2003). Activation of PPAR-alpha in streptozotocin-induced diabetes is essential for resistance against acetaminophen toxicity. *FASEB J*. 17: 1748-1750. <http://dx.doi.org/10.1096/fj.02-1186fje>.
- Shankar, R; Kolandaivel, P; Senthilkumar, K. (2011). A Theoretical Study on Decomposition and Rearrangement Reaction Mechanism of Trichloroacetyl Chloride (CCl₃COCl). *Int J Quant Chem*. 111: 3482-3496. <http://dx.doi.org/10.1002/qua.22790>.
- Shannon, D. (1995). STARVING MICROBES DEGRADE TCE, BUT APPLICATIONS LIMITED. *Environ Sci Technol*. 29: A207-A207.
- Shao, GN; Hilonga, A; Jeon, S; Lee, J; Elineema, G; Quang, DV; Kim, J; Kim, H. (2013). Influence of titania content on the mesostructure of titania-silica composites and their photocatalytic activity. *Powder Technology*. 233: 123-130. <http://dx.doi.org/10.1016/j.powtec.2012.08.025>.
- Shao, GN; Hilonga, A; Kim, Y; Kim, J; Elineema, G; Quang, DV; Jeon, S; Kim, H. (2012). Peptization technique in the synthesis of titania-silica composites and their photocatalytic properties. *Chem Eng J*. 198: 122-129. <http://dx.doi.org/10.1016/j.cej.2012.05.026>.
- Shao, J; Stapleton, PL; Lin, YS; Gallagher, EP. (2007). Cytochrome p450 and glutathione s-transferase mRNA expression in human fetal liver hematopoietic stem cells. *Drug Metab Dispos*. 35: 168-175. <http://dx.doi.org/10.1124/dmd.106.012757>.
- Shaofeng, H; Shuben, L; Jiayin, X; Jianzhong, N; Chungu, X; Haidong, T; Wei, T. (2007). Purification and biochemical characterization of soluble methane monooxygenase hydroxylase from *Methylosinus trichosporium* IMV 3011. *Biosci Biotechnol Biochem*. 71: 122-129. <http://dx.doi.org/10.1271/bbb.60402>.

Exposure Literature Search Results

Off Topic

- Sharma, RK; Zhou, B; Tong, SM; Chuang, KT. (1995). CATALYTIC DESTRUCTION OF VOLATILE ORGANIC-COMPOUNDS USING SUPPORTED PLATINUM AND PALLADIUM HYDROPHOBIC CATALYSTS. *Ind Eng Chem Res.* 34: 4310-4317.
- Sharpe, CR; Rochon, JE; Adam, JM; Suissa, S. (1989). Case-control study of hydrocarbon exposures in patients with renal cell carcinoma. *CMAJ.* 140: 1309-1318.
- Shearer, BG; Hoekstra, WJ. (2003). Recent advances in peroxisome proliferator-activated receptor science [Review]. *Curr Med Chem.* 10: 267-280. <http://dx.doi.org/10.2174/1567204052930970>.
- Sheffels, P; Schroeder, JL; Altuntas, TG; Liggitt, HD; Kharasch, ED. (2004). Role of cytochrome P4503A in cysteine S-conjugates sulfoxidation and the nephrotoxicity of the sevoflurane degradation product fluoromethyl-2,2-difluoro-1-(trifluoromethyl)vinyl ether (compound A) in rats. *Chem Res Toxicol.* 17: 1177-1189. <http://dx.doi.org/10.1021/tx049899e>.
- Shemer, H; Narkis, N. (2005). Effects of aqueous solutions composition and acoustic intensity on THM compounds sonolysis. *Environ Eng Sci.* 22: 138-144.
- Shen, C; Lee, SY; Lam, TH; Schooling, CM. (2016). Is Traditional Chinese Exercise Associated With Lower Mortality Rates in Older People? Evidence From a Prospective Chinese Elderly Cohort Study in Hong Kong. *Am J Epidemiol.* 183: 36-45. <http://dx.doi.org/10.1093/aje/kwv142>.
- Shen, H, ai; Wilson, JT. (2007). Trichloroethylene removal from groundwater in flow-through columns simulating a permeable reactive barrier constructed with plant mulch. *Environ Sci Technol.* 41: 4077-4083. <http://dx.doi.org/10.1021/es.0626180>.
- Shen, L; Liu, L; Yao, Z; Liu, G; Lucas, M. (2010). Development potentials and policy options of biomass in China. *Environ Manage.* 46: 539-554. <http://dx.doi.org/10.1007/s00267-010-9476-4>.
- Shen, L; Wania, F. (2005). Compilation, evaluation, and selection of physical-chemical property data for organochlorine pesticides. *Journal of Chemical and Engineering Data.* 50: 742-768. <http://dx.doi.org/10.1021/je049693f>.
- Shen, X; Zhao, L; Ding, Y; Liu, B; Zeng, H; Zhong, L; Li, X. (2011). Foam, a promising vehicle to deliver nanoparticles for vadose zone remediation. *J Hazard Mater.* 186: 1773-1780. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.071>.
- Shen, YS; Ku, Y. (1997). Treatment of gas-phase trichloroethene in air by the UV/O-3 process. *J Hazard Mater.* 54: 189-200.
- Shen, YS; Ku, Y. (1998). Decomposition of gas-phase chloroethenes by UV/O-3 process. *Water Res.* 32: 2669-2679.
- Shen, YS; Ku, Y. (2002). Decomposition of gas-phase trichloroethene by the UV/TiO₂ process in the presence of ozone. *Chemosphere.* 46: 101-107.
- Sheng, G; Wang, X; Wu, S; Boyd, SA. (1998). Enhanced sorption of organic contaminants by smectitic soils modified with a cationic surfactant. *J Environ Qual.* 27: 806-814.
- Sheng, G; Xu, S; Boyd, SA. (1996). Cosorption of organic contaminants from water by hexadecyltrimethylammonium-exchanged clays. *Water Res.* 30: 1483-1489.
- Sheng, Y; Rong, Y; He, Z; Fan, Y; Warner, JH. (2015). Uniformity of large-area bilayer graphene grown by chemical vapor deposition. *Nanotechnology.* 26: 395601. <http://dx.doi.org/10.1088/0957-4484/26/39/395601>.
- Shenl, H, ai; Adair, C; Wilson, JT. (2010). Long-Term Capacity of Plant Mulch to Remediate Trichloroethylene in Groundwater. *J Environ Eng.* 136: 1054-1062. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000253](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000253).
- Sher, T; Yi, HF; McBride, OW; Gonzalez, FJ. (1993). cDNA cloning, chromosomal mapping, and functional characterization of the human peroxisome proliferator activated receptor. *Biochemistry.* 32: 5598-5604. <http://dx.doi.org/10.1021/bi00072a015>.
- Sheremata, TW; Halasz, A; Paquet, L; Thiboutot, S; Ampleman, G; Hawari, J. (2001). The fate of the cyclic nitramine explosive RDX in natural soil. *Environ Sci Technol.* 35: 1037-1040.
- Sheremata, TW; Yong, RN; Ghoshal, S; Guiot, SR. (2000). Anaerobic biodegradation of trichloroethylene sorbed by a surrogate soil organic matter. *J Environ Qual.* 29: 1033-1040.
- Sheremata, TW; Yong, RN; Guiot, SR. (1997). Simulation and sterilization of a surrogate soil organic matter for the study of the fate of trichloroethylene in soil. *Commun Soil Sci Plant Anal.* 28: 13-14.
- Sherins, RJ; Hodgen, GD. (1976). Testicular gamma glutamyl-transpeptidase: An index of Sertoli cell function in man. *J Reprod Fertil.* 48: 191-193. <http://dx.doi.org/10.1530/jrf.0.0480191>.
- Sheu, W, enJ; Chen, GJ, ie; Wang, C, hiC. (2015). Performance of piezoelectric fins for heat dissipation. *Int J Heat Mass Tran.* 86: 72-77. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2015.02.072>.
- Sheu, YT; Chen, SC; Chien, CC; Chen, CC; Kao, CM. (2015). Application of a long-lasting colloidal substrate with pH and hydrogen sulfide control capabilities to remediate TCE-contaminated groundwater. *J Hazard Mater.* 284: 222-232. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.023>.
- Shi, J; Yi, S; He, H; Long, C; Li, A. (2013). Preparation of nanoscale zero-valent iron supported on chelating resin with nitrogen donor atoms for simultaneous reduction of Pb²⁺ and NO₃. *Chem Eng J.* 230: 166-171. <http://dx.doi.org/10.1016/j.cej.2013.06.088>.
- Shi, J; Yi, S; Long, C; Li, A. (2015). Effect of Fe loading quantity on reduction reactivity of nano zero-valent iron supported on chelating resin. 9: 840-849. <http://dx.doi.org/10.1007/s11783-015-0781-2>.
- Shi, Y; Yang, J; Mao, W, ei; Li, Y; Xu, X, in; Zhang, H, ao; Yu, W; Li, Y, e; Yang, C. (2015). Influence of Fe²⁺-sodium persulfate on extracellular polymeric substances and dewaterability of sewage sludge. *Desalination and Water Treatment.* 53: 2655-2663. <http://dx.doi.org/10.1080/19443994.2013.868833>.
- Shiao, Y; Kamata, S; Li, L; Hooth, M; DeAngelo, A; Anderson, L; Wolf, D. (2002). Mutations in the VHL gene from potassium bromate-induced rat clear cell renal tumors. *Cancer Lett.* 187: 207-214.

Exposure Literature Search Results

Off Topic

- Shiao, Y; Rice, J; Anderson, L; Diwan, B; Hard, G. (1998). von Hippel-Lindau gene mutations in N-nitrosodimethylamine-induced rat renal epithelial tumors. *J Natl Cancer Inst.* 90: 1720-1723.
- Shiao, YH. (2009). Genetic Signature for Human Risk Assessment: Lessons From Trichloroethylene [Review]. *Environ Mol Mutagen.* 50: 68-77. <http://dx.doi.org/10.1002/em.20432>.
- Shiau, BJ; Rouse, JD; Sabatini, DA; Harwell, JH. (1995). SURFACTANT SELECTION FOR OPTIMIZING SURFACTANT-ENHANCED SUBSURFACE REMEDIATION. *ACS Symp Ser Am Chem Soc.* 594: 65-79.
- Shiau, BJ; Sabatini, DA; Harwell, JH. (1994). SOLUBILIZATION AND MICROEMULSIFICATION OF CHLORINATED SOLVENTS USING DIRECT FOOD ADDITIVE (EDIBLE) SURFACTANTS. *Ground Water.* 32: 561-569.
- Shiau, BJ; Sabatini, DA; Harwell, JH; Vu, DQ. (1996). Microemulsion of mixed chlorinated solvents using food grade (edible) surfactants. *Environ Sci Technol.* 30: 97-103.
- Shiau, YJ; Chiang, KM; Lin, HW. (2015). Performance enhancement of metal nanowire-based transparent electrodes by electrically driven nanoscale nucleation of metal oxides. *Nanoscale.* 7: 12698-12705. <http://dx.doi.org/10.1039/c5nr02780b>.
- Shiba, M; Uddin, M, dA; Kato, Y; Ono, T. (2014). Degradation of Chlorinated Organic Compounds by Mixed Particles of Iron/Iron Sulfide or Iron/Iron Disulfide. *Mater Trans.* 55: 708-712. <http://dx.doi.org/10.2320/matertrans.M2013412>.
- Shibata, H; Sakai, H; Rangsunvigit, P; Hirano, T; Abe, M. (2003). Preparation and photocatalytic activity of titania particulate film with silica as binder. 86: 125-130.
- Shifrin, M; Cohen, A; Weisman, O; Gurewitz, O. (2016). Coded Retransmission in Wireless Networks Via Abstract MDPs: Theory and Algorithms. *I E E E Transactions on Wireless Communications.* 15: 4292-4306. <http://dx.doi.org/10.1109/TWC.2016.2538762>.
- Shigekawa, N; Nishimura, K; Yokoyama, H; Hohkawa, K. (2008). Surface acoustic waves in reverse-biased AlGaIn/GaN hetero structures. *I E E E Transactions on Electron Devices.* 55: 1585-1591. <http://dx.doi.org/10.1109/TED.2008.923565>.
- Shih, Y, uen; Chen, CW, en; Hsia, K, uoF; Dong, CD, i. (2015). Granulation for extended-release of nanoscale zero-valent iron exemplified by hexavalent chromium reduction in aqueous solution. *Separation and Purification Technology.* 156: 1073-1081. <http://dx.doi.org/10.1016/j.seppur.2015.10.043>.
- Shih, YH. (2007). Sorption of trichloroethylene in humic acid studied by experimental investigations and molecular dynamics simulations. *Soil Sci Soc Am J.* 71: 1813-1821. <http://dx.doi.org/10.2136/sssaj2007.0282>.
- Shih, YH; Li, MS. (2008). Adsorption of selected volatile organic vapors on multiwall carbon nanotubes. *J Hazard Mater.* 154: 21-28. <http://dx.doi.org/10.1016/j.jhazmat.2007.09.095>.
- Shijin, W; Xiang, Y; Zhihang, H; Lili, Z; Jianmeng, C. (2009). Optimizing aerobic biodegradation of dichloromethane using response surface methodology. *J Environ Sci.* 21: 1276-1283. [http://dx.doi.org/10.1016/S1001-0742\(08\)62415-8](http://dx.doi.org/10.1016/S1001-0742(08)62415-8).
- Shikoh, A, liS; Ahmad, Z; Touati, F; Shakoor, RA; Al-Thani, NJ; Zhu, Z; Mankowski, T; Benammar, MA; Mansuripur, M; Falco, CM. (2016). Integration of the inexpensive CuNWs based transparent counter electrode with dye sensitized photo sensors. *RSC Advances.* 6: 53123-53129. <http://dx.doi.org/10.1039/c6ra08395a>.
- Shim, JY; Richard, AM. (1996). Conformational aspects of glutathione conjugates of chlorinated alkenes: A computational study. *Chem Res Toxicol.* 9: 667-675. <http://dx.doi.org/10.1021/tx9501997>.
- Shim, WG; Lee, JW; Moon, H. (2006). Adsorption equilibrium and column dynamics of VOCs on MCM-48 depending on pelletizing pressure. *Microporous and Mesoporous Materials.* 88: 112-125. <http://dx.doi.org/10.1016/j.micromeso.2005.08.026>.
- Shim, WG; Lee, JW; Moon, H. (2006). Heterogeneous adsorption characteristics of volatile organic compounds (VOCs) on MCM-48. *Separation Science and Technology.* 41: 3693-3719. <http://dx.doi.org/10.1080/01496390600956936>.
- Shim, WG; Lee, JW; Rhee, HK; Moon, H. (2004). Adsorption dynamics for the capillary condensation of trichloroethylene vapor on mesoporous material. *Korean J Chem Eng.* 21: 469-476.
- Shim, WG; Lee, SG; Hwang, MJ; Park, KH; Kim, SC; Moon, H. (2011). Adsorption and Thermo Desorption Characteristics of Hydrocarbons on Single Walled Carbon Nanotubes. *J Nanosci Nanotechnol.* 11: 1518-1521. <http://dx.doi.org/10.1166/jnn.2011.3308>.
- Shim, WG; Moon, H, ee; Lee, J, aeW. (2006). Performance evaluation of wash-coated MCM-48 monolith for adsorption of volatile organic compounds and water vapors. *Microporous and Mesoporous Materials.* 94: 15-28. <http://dx.doi.org/10.1016/j.micromeso.2006.03.024>.
- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther.* 270: 414-423.
- Shimizu, Y; Akai, Y; Hyodo, T; Takao, Y; Egashira, M. (1999). Decomposition of trichlorotrifluoroethane by microwave-induced Ar plasma generated from SiC ceramics under atmospheric pressure. *J Electrochem Soc.* 146: 3052-3057.
- Shimizu, Y; Takei, N; Terashima, Y. (1992). SORPTION OF ORGANIC POLLUTANTS FROM VAPOR PHASE THE EFFECTS OF NATURAL SOLID CHARACTERISTICS AND MOISTURE CONTENT (pp. 24-30). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/05315). Shimizu, Y; Takei, N; Terashima, Y.
- Shimizu, Y; Takei, N; Terashima, Y. (1994). ROLES OF SOLID COMPONENTS ON THE SORPTION OF TRICHLOROETHYLENE TCE ONTO NATURAL SOLIDS FROM THE VAPOR PHASE. *Water Sci Technol.* 30: 1-11.
- Shimoda, S; Prengle H W, J. R.; Symons, JM. (1998). H₂O₂isUV photo-oxidation process for treatment of waterborne hazardous substances-reaction mechanism, rate model, and data for tubular flow and flow stirred tank reactors. *Waste Manag.* 17: 507-515.
- Shimomura, T; Sanford, RA. (2005). Reductive dechlorination of tetrachloroethene in a sand reactor using a potentiostat. *J Environ Qual.* 34: 1435-1438. <http://dx.doi.org/10.2134/jeq2004.0265>.

Exposure Literature Search Results

Off Topic

- Shimomura, T; Suda, F; Uchiyama, H; Yagi, O. (1997). Biodegradation of trichloroethylene by *Methylocystis* sp. strain M immobilized in gel beads in a fluidized-bed bioreactor. *Water Res.* 31: 2383-2386.
- Shimotori, T; Arnold, WA. (2002). Henry's law constants of chlorinated ethylenes in aqueous alcohol solutions: Measurement, estimation, and thermodynamic analysis. *Journal of Chemical and Engineering Data.* 47: 183-190. <http://dx.doi.org/10.1021/je010132n>.
- Shimotori, T; Arnold, WA. (2003). Measurement and estimation of Henry's law constants of chlorinated ethylenes in aqueous surfactant solutions. *Journal of Chemical and Engineering Data.* 48: 253-261. <http://dx.doi.org/10.1021/je025553z>.
- Shimotori, T; Cussler, EL; Arnold, WA. (2006). High-density polyethylene membrane containing Fe-0 as a contaminant barrier. *J Environ Eng.* 132: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(803\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(803)).
- Shimotori, T; Nuxoll, EE; Cussler, EL; Arnold, WA. (2004). A polymer membrane containing Fe-0 as a contaminant barrier. *Environ Sci Technol.* 38: 2264-2270. <http://dx.doi.org/10.1021/es034601c>.
- Shin, EM; Senthurchelvan, R; Munoz, J; Basak, S; Rajeshwar, K; Benglassmith, G; Howell, BC. (1996). Photolytic and photocatalytic destruction of formaldehyde in aqueous media. *J Electrochem Soc.* 143: 1562-1570.
- Shin, HS; Lim, JL. (1996). Performance of packed-bed bioreactors for the cometabolic degradation of trichloroethylene by phenol-oxidizing microorganisms. *Environ Technol.* 17: 1351-1358.
- Shin, HY; Singhal, N; Park, JW. (2007). Regeneration of iron for trichloroethylene reduction by *Shewanella* alga BrY. *Chemosphere.* 68: 1129-1134. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.059>.
- Shin, J, aWon; Park, Y, uRi; Kim, JJ, oo; Choi, W, onHo; Park, J, ooY. (2014). Electrochemical reduction of trichloroethylene using zero-valent iron bipolar packed-bed electrodes. *Desalination and Water Treatment.* 52: 900-908. <http://dx.doi.org/10.1080/19443994.2013.826326>.
- Shin, K; Cha, DK. (2008). Microbial reduction of nitrate in the presence of nanoscale zero-valent iron. *Chemosphere.* 72: 257-262. <http://dx.doi.org/10.1016/j.chemosphere.2008.01.043>.
- Shin, M, inC; Choi, HD, oc; Kim, D, oH; Baek, K. (2008). Effect of surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Desalination.* 223: 299-307. <http://dx.doi.org/10.1016/j.desal.2007.01.223>.
- Shin, M, inC; Yang, JS; Park, GY; Baek, K. (2011). Influence of mixed-surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Korean J Chem Eng.* 28: 1047-1053. <http://dx.doi.org/10.1007/s11814-010-0473-3>.
- Shin, S; Kim, J; Kim, YH; Kim, SI, I. (2013). Enhanced performance of organic light-emitting diodes by using hybrid anodes composed of graphene and conducting polymer. *Curr Appl Phys.* 13: S144-S147. <http://dx.doi.org/10.1016/j.cap.2013.01.016>.
- Shipman, AJ; Whim, BP. (1980). Occupational exposure to trichloroethylene in metal cleaning processes and to tetrachloroethylene in the drycleaning industry in the UK. *Ann Occup Hyg.* 23: 197-204. <http://dx.doi.org/10.1093/annhyg/23.2.197>.
- Shiraishi, F; Toyoda, K; Fukinbara, S; Obuchi, E; Nakano, K. (1999). Photolytic and photocatalytic treatment of an aqueous solution containing microbial cells and organic compounds in an annular-flow reactor. *Chem Eng Sci.* 54: 1547-1552.
- Shirasu, Y; Moriya, M; Kato, K; Furuhashi, A; Kada, T. (1976). Mutagenicity screening of pesticides in the microbial system. *Mutat Res.* 40: 19-30. [http://dx.doi.org/10.1016/0165-1218\(76\)90018-5](http://dx.doi.org/10.1016/0165-1218(76)90018-5).
- Shirayama, H; Tohezo, Y; Taguchi, S. (2001). Photodegradation of chlorinated hydrocarbons in the presence and absence of dissolved oxygen in water. *Water Res.* 35: 1941-1950.
- Shirin, S; Buncl, E; Vanloon, G. (2004). Effect of cyclodextrins on iron-mediated dechlorination of trichloroethylene - A proposed new mechanism. *Can J Chem.* 82: 1674-1685. <http://dx.doi.org/10.1139/V04-140>.
- Shivakumar, KI; Yan, Y; Hughes, CE; Apperley, DC; Harris, KDM; Sanjayan, GJ. (2015). Exploiting Powder X-ray Diffraction to Establish the Solvent-Assisted Solid-State Supramolecular Assembly of Pillar[5]quinone. *Cryst Growth Des.* 15: 1583-1587. <http://dx.doi.org/10.1021/acs.cgd.5b00277>.
- Shivaramaiah, HM; Odeh, IO; Kennedy, IR; Skerritt, JH. (2002). Mapping the distribution of DDT residues as DDE in the soils of the irrigated regions of northern New South Wales, Australia using ELISA and GIS. *J Agric Food Chem.* 50: 5360-5367. <http://dx.doi.org/10.1021/jf011542i>.
- Shiying, Y; Ping, W; Xin, Y; Guang, W; Wenyi, Z; Liang, S. (2009). A novel advanced oxidation process to degrade organic pollutants in wastewater: Microwave-activated persulfate oxidation. *J Environ Sci.* 21: 1175-1180. [http://dx.doi.org/10.1016/S1001-0742\(08\)62399-2](http://dx.doi.org/10.1016/S1001-0742(08)62399-2).
- Sholtz, RI; Mclaughlin, KR; Cirillo, PM; Petreas, M; Park, JS; Wolff, MS; Factor-Litvak, P; Eskenazi, B; Krigbaum, N; Cohn, BA. (2011). Assaying organochlorines in archived serum for a large, long-term cohort: implications of combining assay results from multiple laboratories over time. *Environ Int.* 37: 709-714. <http://dx.doi.org/10.1016/j.envint.2011.01.013>.
- Shonnard, DR; Bell, RL. (1993). Benzene emissions from a contaminated air-dry soil with fluctuations of soil temperature or relative humidity. *Environ Sci Technol.* 27: 2909-2913.
- Short, BG. (1993). Cell proliferation and renal carcinogenesis [Review]. *Environ Health Perspect.* 101: 115-120.
- Shouakar-Stash, O; Drimmie, RJ. (2013). Online methodology for determining compound-specific hydrogen stable isotope ratios of trichloroethene and 1,2-cis-dichloroethene by continuous-flow isotope ratio mass spectrometry. *Rapid Commun Mass Spectrom.* 27: 1335-1344. <http://dx.doi.org/10.1002/rcm.6578>.
- Shouakar-Stash, O; Drimmie, RJ; Frape, SK. (2005). Determination of inorganic chlorine stable isotopes by continuous flow isotope ratio mass spectrometry. *Rapid Commun Mass Spectrom.* 19: 121-127. <http://dx.doi.org/10.1002/rcm.1762>.
- Shouakar-Stash, O; Drimmie, RJ; Zhang, M; Frape, SK. (2006). Compound-specific chlorine isotope ratios of TCE, PCE and DCE isomers by direct injection using CF-IRMS. *Appl Geochem.* 21: 766-781. <http://dx.doi.org/10.1016/j.apgeochem.2006.02.006>.

Exposure Literature Search Results

Off Topic

- Shouakar-Stash, O; Frappe, SK; Drimmie, RJ. (2003). Stable hydrogen, carbon and chlorine isotope measurements of selected chlorinated organic solvents. *J Contam Hydrol.* 60: 211-228. [http://dx.doi.org/10.1016/S0169-7722\(02\)00085-2](http://dx.doi.org/10.1016/S0169-7722(02)00085-2).
- Shouakar-Stash, O; Stotler, RL; Frappe, SK; Illman, WA. (2009). The effect of sorption on chlorine stable isotopes of TCE. *Geochim Cosmo Acta.* 73: A1217-A1217.
- Shroads, AL; Guo, X; Dixit, V; Liu, HP; James, MO; Stacpoole, PW. (2008). Age-dependent kinetics and metabolism of dichloroacetate: Possible relevance to toxicity. *J Pharmacol Exp Ther.* 324: 1163-1171. <http://dx.doi.org/10.1124/jpet.107.134593>.
- Shu, HY; Chang, MC; Chang, CC. (2009). Integration of nanosized zero-valent iron particles addition with UV/H₂O₂ process for purification of azo dye Acid Black 24 solution. *J Hazard Mater.* 167: 1178-1184. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.106>.
- Shu, HY; Chang, MC; Chen, CC; Chen, PE. (2010). Using resin supported nano zero-valent iron particles for decoloration of Acid Blue 113 azo dye solution. *J Hazard Mater.* 184: 499-505. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.064>.
- Shu, XO; Perentesis, JP; Wen, W; Buckley, JD; Boyle, E; Ross, JA; Robison, LL; Group, CsO. (2004). Parental exposure to medications and hydrocarbons and ras mutations in children with acute lymphoblastic leukemia: A report from the Children's Oncology Group. *Cancer Epidemiol Biomarkers Prev.* 13: 1230-1235.
- Shu, XO; Stewart, P; Wen, WQ; Han, D; Potter, JD; Buckley, JD; Heineman, E; Robison, LL. (1999). Parental occupational exposure to hydrocarbons and risk of acute lymphocytic leukemia in offspring. *Cancer Epidemiol Biomarkers Prev.* 8: 783-791.
- Shuai, D; Chaplin, BP; Shapley, J. R.; Menendez, NP; Mccalman, DC; Schneider, WF; Werth, CJ. (2010). Enhancement of oxyanion and diatrizoate reduction kinetics using selected azo dyes on Pd-based catalysts. *Environ Sci Technol.* 44: 1773-1779. <http://dx.doi.org/10.1021/es9029842>.
- Shukla, AK; Singh, RS; Upadhyay, SN; Dubey, SK. (2010). Kinetics of bio-filtration of trichloroethylene by methanotrophs in presence of methanol. *Bioresour Technol.* 101: 8119-8126. <http://dx.doi.org/10.1016/j.biortech.2010.06.040>.
- Shukla, AK; Singh, RS; Upadhyay, SN; Dubey, SK. (2011). Substrate inhibition during bio-filtration of TCE using diazotrophic bacterial community. *Bioresour Technol.* 102: 3561-3563. <http://dx.doi.org/10.1016/j.biortech.2010.09.037>.
- Shukla, AK; Vishwakarma, P; Singh, RS; Upadhyay, SN; Dubey, SK. (2010). Bio-filtration of trichloroethylene using diazotrophic bacterial community. *Bioresour Technol.* 101: 2126-2133. <http://dx.doi.org/10.1016/j.biortech.2009.10.094>.
- Shukla, AK; Vishwakarma, P; Upadhyay, SN; Tripathi, AK; Prasana, HC; Dubey, SK. (2009). Biodegradation of trichloroethylene (TCE) by methanotrophic community. *Bioresour Technol.* 100: 2469-2474. <http://dx.doi.org/10.1016/j.biortech.2008.12.022>.
- Shulman, SA; Groff, JH; Schlecht, PC; Xue, DX. (1996). Performance of laboratories analyzing organic solvents in the proficiency analytical testing program. *Am Ind Hyg Assoc J.* 57: 295-303.
- Shultz, J; Weiner, H. (1979). Alteration of the enzymology of chloral hydrate reduction in the presence of ethanol. *Biochem Pharmacol.* 28: 3379-3384. [http://dx.doi.org/10.1016/0006-2952\(79\)90076-5](http://dx.doi.org/10.1016/0006-2952(79)90076-5).
- Shurtliff, MM; Parkin, GF; Weathers, LJ; Gibson, DT. (1996). Biotransformation of trichloroethylene by a phenol-induced mixed culture. *J Environ Eng.* 122: 581-589.
- Si, YB; Fang, GD; Zhou, J; Zhou, DM. (2010). Reductive transformation of 2,4-dichlorophenoxyacetic acid by nanoscale and microscale Fe₃O₄ particles. *J Environ Sci Health B.* 45: 233-241. <http://dx.doi.org/10.1080/10934520903430020>.
- Siciliano, SD; Germida, JJ. (1997). Bacterial inoculants of forage grasses that enhance degradation of 2-chlorobenzoic acid in soil. *Environ Toxicol Chem.* 16: 1098-1104.
- Sidheswaran, M; Tavlarides, LL. (2008). Visible light photocatalytic oxidation of toluene using a cerium-doped titania catalyst. *Ind Eng Chem Res.* 47: 3346-3357. <http://dx.doi.org/10.1021/ie0071276j>.
- Sidhu, KS; Chadzynski, L. (1994). RISK COMMUNICATION - HEALTH RISKS ASSOCIATED WITH ENVIRONMENTALLY CONTAMINATED PRIVATE WELLS VERSUS CHLOROFORM IN A PUBLIC WATER-SUPPLY. *J Environ Health.* 56: 13-16.
- Siegel, JH; Kasmin, FE. (1997). Biliary tract diseases in the elderly: Management and outcomes [Review]. *Gut.* 41: 433-435. <http://dx.doi.org/10.1136/gut.41.4.433>.
- Siegrist, RL. (1991). VOLATILE ORGANIC-COMPOUNDS IN CONTAMINATED SOILS - THE NATURE AND VALIDITY OF THE MEASUREMENT PROCESS. *J Hazard Mater.* 29: 3-15.
- Siegrist, RL; Lowe, KS; Crimi, ML; Urynowicz, MA. (2006). Quantifying PCE and TCE in DNAPL source zones: Effects of sampling methods used for intact cores at varied contaminant levels and media temperatures. *Ground Water Monitoring and Remediation.* 26: 114-124.
- Siegrist, RL; Urynowicz, MA; Crimi, ML; Lowe, KS. (2002). Genesis and effects of particles produced during in situ chemical oxidation using permanganate. *J Environ Eng.* 128: 1068-1079. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2002\)128:11\(1068\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2002)128:11(1068)).
- Siemiatycki, J; Dewar, R; Nadon, L; Gérin, M. (1994). Occupational risk factors for bladder cancer: Results from a case-control study in Montreal, Quebec, Canada. *Am J Epidemiol.* 140: 1061-1080.
- Siemiatycki, J; Fritschi, L; Nadon, L; Gérin, M. (1997). Reliability of an expert rating procedure for retrospective assessment of occupational exposures in community-based case-control studies. *Am J Ind Med.* 31: 280-286.
- Siemiatycki, J; Wacholder, S; Richardson, L; Dewar, R; Gérin, M. (1987). Discovering carcinogens in the occupational environment: Methods of data collection and analysis of a large case-referent monitoring system. *Scand J Work Environ Health.* 13: 486-492.
- Sigal, SH; Rajvanshi, P; Gorla, GR; Sokhi, RP; Saxena, R; Gebhard, DR, Jr; Reid, LM; Gupta, S. (1999). Partial hepatectomy-induced polyploidy attenuates hepatocyte replication and activates cell aging events. *Am J Physiol.* 276: G1260-G1272.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Low-temperature (7 degrees C) anaerobic treatment of a trichloroethylene-contaminated wastewater: Microbial community development. *Water Res.* 45: 4035-4046. <http://dx.doi.org/10.1016/j.watres.2011.05.013>.

Exposure Literature Search Results

Off Topic

- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Methanogenic community development in anaerobic granular bioreactors treating trichloroethylene (TCE)-contaminated wastewater at 37 degrees C and 15 degrees C. *Water Res.* 45: 2452-2462. <http://dx.doi.org/10.1016/j.watres.2011.01.030>.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Temperature dependent (37-15 degrees C) anaerobic digestion of a trichloroethylene-contaminated wastewater. *Bioresour Technol.* 102: 7645-7656. <http://dx.doi.org/10.1016/j.biortech.2011.05.055>.
- Silva, AMS; Viana, ED; Pimentel, MF; Almeida, YMB; Raimundo, IM. (2011). Evaluation of a PVC Sensing Phase for Determination of Chlorinated Hydrocarbons in Water by Mid-Infrared Spectroscopy. *J Braz Chem Soc.* 22: 1470-1477.
- Silva, E; Correia, LO; dos Santos, L; dos Santos Vieira, EV; Lemos, VA. (2012). Dispersive liquid-liquid microextraction for simultaneous determination of cadmium, cobalt, lead and nickel in water samples by inductively coupled plasma optical emission spectrometry. *Mikrochim Acta.* 178: 269-275. <http://dx.doi.org/10.1007/s00604-012-0836-z>.
- Silva, E; Lemos, VA. (2013). Sensitive determination of trace molybdenum in natural waters using dispersive liquid-liquid microextraction and electrothermal atomic absorption spectrometry. *Analytical Methods.* 5: 2098-2103. <http://dx.doi.org/10.1039/c3ay00056g>.
- Silva, JAK; Bruant, RG; Conklin, MH; Corley, TL. (2002). Equilibrium partitioning of chlorinated solvents in the vadose zone: Low f(oc) geomeedia. *Environ Sci Technol.* 36: 1613-1619. <http://dx.doi.org/10.1021/es010812a>.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med.* 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Silverman, AP; Williams, H. (1975). BEHAVIOR OF RATS EXPOSED TO TRICHLOROETHYLENE VAPOR. *Br J Ind Med.* 32: 308-315.
- Simmons, JE; Evans, MV; Boyes, WK. (2005). Moving from external exposure concentration to internal dose: Duration extrapolation based on physiologically based pharmacokinetic derived estimates of internal dose. *J Toxicol Environ Health A.* 68: 927-950. <http://dx.doi.org/10.1080/15287390590912586>.
- Simmons, JE; Yang, RS; Svendsgaard, DJ; Thompson, MB; Seely, JC; McDonald, A. (1994). Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health.* 43: 305-325. <http://dx.doi.org/10.1080/15287399409531923>.
- Simoës, A; Stringfellow, AM; Smallman, D; Beaven, R; Marshall, J; Powrie, W; Potter, HAB. (2011). Sorption of organic contaminants by Oxford Clay and Mercia Mudstone landfill liners. *Quarterly Journal of Engineering Geology and Hydrogeology.* 44: 345-360. <http://dx.doi.org/10.1144/1470-9236/09-003>.
- Simon, MA; Brusseau, ML. (2006). Method for measuring air-immiscible liquid partition coefficients. *J Environ Eng.* 132: 140-144.
- Simonds, M; Xiao, HK; Levine, SP. (1994). OPTICAL REMOTE-SENSING FOR AIR-POLLUTANTS - REVIEW. *Am Ind Hyg Assoc J.* 55: 953-965.
- Simonsen, L; Johnsen, H; Lund, S; Matikainen, E; Midtgård, U; Wennberg, A. (1994). Methodological approach to the evaluation of neurotoxicity data and the classification of neurotoxic chemicals [Review]. *Scand J Work Environ Health.* 20: 1-12.
- Simonsen, ME; Sogaard, EG. (2010). Sol-gel reactions of titanium alkoxides and water: influence of pH and alkoxy group on cluster formation and properties of the resulting products. *Journal of Sol-Gel Science and Technology.* 53: 485-497. <http://dx.doi.org/10.1007/s10971-009-2121-0>.
- Simpson, EJ; Abukhadra, RK; Koros, WJ; Schechter, RS. (1993). SORPTION EQUILIBRIUM ISOTHERMS FOR VOLATILE ORGANICS IN AQUEOUS-SOLUTION - COMPARISON OF HEADSPACE GAS-CHROMATOGRAPHY AND ONLINE UV STIRRED CELL RESULTS. *Ind Eng Chem Res.* 32: 2269-2276.
- Sinfield, JV; Monwuba, C. (2016). Inferential monitoring of chlorinated solvents through Raman spectroscopic observation of the vibrational modes of water. *Talanta.* 148: 7-16. <http://dx.doi.org/10.1016/j.talanta.2015.10.055>.
- Singh, M; Rana, TR; Kim, S; Kim, K; Yun, JH; Kim, J. (2016). Silver Nanowires Binding with Sputtered ZnO to Fabricate Highly Conductive and Thermally Stable Transparent Electrode for Solar Cell Applications. 8: 12764-12771. <http://dx.doi.org/10.1021/acsami.6b01506>.
- Singh, M; Sinha, U. (1976). Chloral hydrate induced haploidization in *Aspergillus nidulans*. *Experientia.* 32: 1144-1145. <http://dx.doi.org/10.1007/BF01927592>.
- Singh, M; Sinha, U. (1979). Mitotic haploidization and growth of *Aspergillus nidulans* on media containing chloral hydrate. *J Cytol Genet.* 14: 1-4.
- Singh, R. (1996). Removal of volatile organic compounds by ultrafiltration. *Desalination.* 104: 203-213.
- Singh, R; Manickam, N; Mudiama, MKR; Murthy, RC; Misra, V. (2013). An integrated (nano-bio) technique for degradation of gamma-HCH contaminated soil. *J Hazard Mater.* 258: 35-41. <http://dx.doi.org/10.1016/j.jhazmat.2013.04.016>.
- Singh, R; Misra, V; Singh, RP. (2011). Synthesis, characterization and role of zero-valent iron nanoparticle in removal of hexavalent chromium from chromium-spiked soil. *J Nanopart Res.* 13: 4063-4073. <http://dx.doi.org/10.1007/s11051-011-0350-y>.
- Singh, R; Olson, MS. (2010). KINETICS OF TRICHLOROETHYLENE AND TOLUENE TOXICITY TO PSEUDOMONAS PUTIDA F1. *Environ Toxicol Chem.* 29: 56-63. <http://dx.doi.org/10.1002/etc.14>.
- Singh, R; Olson, MS. (2012). Transverse Chemotactic Migration of Bacteria from High to Low Permeability Regions in a Dual Permeability Microfluidic Device. *Environ Sci Technol.* 46: 3188-3195. <http://dx.doi.org/10.1021/es203614y>.
- Singh, VK; Yadvinder-Singh; Dwivedi, BS; Singh, SK; Majumdar, K; Jat, ML, al; Mishra, RP; Rani, M. (2016). Soil physical properties, yield trends and economics after five years of conservation agriculture based rice-maize system in north-western India. *Soil Till Res.* 155: 133-148. <http://dx.doi.org/10.1016/j.still.2015.08.001>.
- Singhal, N; Jaffe, P; Maier, W; Jho, EH. (2007). The opposing effects of bacterial activity and gas production on anaerobic TCE degradation in soil columns. *Chemosphere.* 69: 1790-1797. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.049>.
- Sinha, A; Bose, P. (2006). Dehalogenation of 2-chloronaphthalene by cast iron. *Water Air Soil Pollut.* 172: 375-390. <http://dx.doi.org/10.1007/s11270-006-9102-5>.

Exposure Literature Search Results

Off Topic

- Sinha, A; Bose, P. (2007). Interaction of 2-chloronaphthalene with high carbon iron filings (HCIF): adsorption, dehalogenation and mass transfer limitations. *J Colloid Interface Sci.* 314: 552-561. <http://dx.doi.org/10.1016/j.jcis.2007.05.045>.
- Sipler, RE; Bronk, DA; Seitzinger, SP; Lauck, RJ; McGuinness, LR; Kirkpatrick, GJ; Heil, CA; Kerkhof, L, eel; Schofield, OM. (2013). Trichodesmium-derived dissolved organic matter is a source of nitrogen capable of supporting the growth of toxic red tide *Karenia brevis*. *Mar Ecol Prog Ser.* 483: 31-45. <http://dx.doi.org/10.3354/meps10258>.
- Sirk, KM; Saleh, NB; Phenrat, T; Kim, H, yeJin; Dufour, B; Ok, J; Golas, PL; Matyjaszewski, K; Lowry, GV; Tilton, RD. (2009). Effect of Adsorbed Polyelectrolytes on Nanoscale Zero Valent Iron Particle Attachment to Soil Surface Models. *Environ Sci Technol.* 43: 3803-3808. <http://dx.doi.org/10.1021/es803589t>.
- Siskova, K; Tucek, J; Machala, L; Otyepkova, E, va; Filip, J, an; Safarova, K; Pechousek, J; Zboril, R. (2012). Air-stable nZVI formation mediated by glutamic acid: solid-state storable material exhibiting 2D chain morphology and high reactivity in aqueous environment. *J Nanopart Res.* 14. <http://dx.doi.org/10.1007/s11051-012-0805-9>.
- Sisto, R; Moleti, A; Palkovičová Murínová, L; Wimmerová, S; Lancz, K; Tihányi, J; Čonka, K; Šovčíková, E; Hertz-Picciotto, I; Jusko, TA; Trnovec, T. (2015). Environmental exposure to organochlorine pesticides and deficits in cochlear status in children. *Environ Sci Pollut Res Int.* 22: 14570-14578. <http://dx.doi.org/10.1007/s11356-015-4690-5>.
- Sivachandiran, L; Karuppiyah, J; Subrahmanyam, C, h. (2012). DBD plasma reactor for oxidative decomposition of Chlorobenzene. *Int J Chem React Eng.* 10. <http://dx.doi.org/10.1515/1542-6580.2785>.
- Skadberg, B; Geoly-Horn, SL; Sangamalli, V; Flora, JRV. (1999). Influence of pH, current and copper on the biological dechlorination of 2,6-dichlorophenol in an electrochemical cell. *Water Res.* 33: 1997-2010.
- Skapin, T. (1995). PREPARATION AND PROPERTIES OF HIGHLY FLUORINATED ALUMINA PREPARED FROM BOEHMITE AEROGELS OR COMMERCIAL GAMMA-Al₂O₃. *J Mater Chem.* 5: 1215-1222.
- Skender, L. (1995). ASSESSMENT OF URBAN-POPULATION EXPOSURE TO TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY MEANS OF BIOLOGICAL MONITORING (VOL 49, PG 445, 1994). *Arch Environ Health.* 50: 174-174.
- Skender, L; Karacic, V; Prpic-Majic, D. (1988). Metabolic activity of antipyrine in workers occupationally exposed to trichloroethylene. *Int Arch Occup Environ Health.* 61: 189-195.
- Skender, LJ; Karacic, V; Prpic-Majic, D. (1991). A comparative study of human levels of trichloroethylene and tetrachloroethylene after occupational exposure [Review]. *Arch Environ Health.* 46: 174-178. <http://dx.doi.org/10.1080/15459620802510866>.
- Skubal, LR; Meshkov, NK; Vogt, MC. (2002). Detection and identification of gaseous organics using a TiO₂ sensor. *J Photochem Photobiol A.* 148: 103-108.
- Slater, GF; Ahad, JME; Lollar, BS; Allen-King, R; Sleep, B. (2000). Carbon isotope effects resulting from equilibrium sorption of dissolved VOCs. *Anal Chem.* 72: 5669-5672.
- Slater, GF; Dempster, HS; Lollar, BS; Ahad, J. (1999). Headspace analysis: A new application for isotopic characterization of dissolved organic contaminants. *Environ Sci Technol.* 33: 190-194.
- Slater, GF; Lollar, BS; King, RA; O'Hannesin, S. (2002). Isotopic fractionation during reductive dechlorination of trichloroethene by zero-valent iron: influence of surface treatment. *Chemosphere.* 49: 587-596.
- Slater, GF; Lollar, BS; Lesage, S; Brown, S. (2003). Carbon isotope fractionation of PCE and TCE during dechlorination by vitamin B12. *Ground Water Monitoring and Remediation.* 23: 59-67.
- Slater, GF; Lollar, BS; Sleep, BE; Edwards, EA. (2001). Variability in carbon isotopic fractionation during biodegradation of chlorinated ethenes: Implications for field applications. *Environ Sci Technol.* 35: 901-907. <http://dx.doi.org/10.1021/es001583f>.
- Sleep, BE. (1995). A METHOD OF CHARACTERISTICS MODEL FOR EQUATION OF STATE COMPOSITIONAL SIMULATION OF ORGANIC COMPOUNDS IN GROUNDWATER. *J Contam Hydrol.* 17: 189-212.
- Sleiman, M; Ferronato, C; Chovelon, JM. (2008). Photocatalytic removal of pesticide dichlorvos from indoor air: A study of reaction parameters, intermediates and mineralization. *Environ Sci Technol.* 42: 3018-3024. <http://dx.doi.org/10.1021/es702425q>.
- Sliwińska-Kowalska, M; Jedlińska, U; Rządzińska, A; Rajkowska, E. (1999). [Hair cell regeneration in a chicken's inner ear after damage due to exposure to industrial noise]. *Otolaryngol Pol.* 53: 469-477.
- Slough, KJ; Sudicky, EA; Forsyth, PA. (1999). Numerical simulation of multiphase flow and phase partitioning in discretely fractured geologic media. *J Contam Hydrol.* 40: 107-136.
- Smets, BF; Rittmann, BE. (1990). SORPTION EQUILIBRIA FOR TRICHLOROETHENE ON ALGAE. *Water Res.* 24: 355-360.
- Smith, BA; Teel, A, myL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H₂O₂ Propagations. *J Environ Eng.* 135: 535-543. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:7\(535\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:7(535)).
- Smith, EH. (1997). Wave front analysis for design of fixed-bed adsorbers. *Chemical Engineering Communications.* 159: 17-37.
- Smith, JA. (1988). VAPOR DISTRIBUTION OF TRICHLOROETHENE AND RELATED-COMPOUNDS IN SOIL GAS ABOVE CONTAMINATED GROUND-WATER AT PICATINNY ARSENAL, NEW-JERSEY. Abstracts of Papers - American Chemical Society. 196: 154-ENVR.
- Smith, JA; Cho, HJ; Jaffe, PR; Macleod, CL; Koehnlein, SA. (1992). Sampling unsaturated-zone water for trichloroethene at Picatinny Arsenal, New Jersey. *J Environ Qual.* 21: 264-271.
- Smith, JA; Galan, A. (1995). Sorption of nonionic organic contaminants to single and dual organic cation bentonites from water. *Environ Sci Technol.* 29: 685-692.
- Smith, JA; Jaffe, PR. (1994). Adsorptive selectivity of organic-cation-modified bentonite for nonionic organic contaminants. *Water Air Soil Pollut.* 72: 1-4.

Exposure Literature Search Results

Off Topic

- Smith, MM; Silva, JAK; Munakata-Marr, J; Mccray, JE. (2008). Compatibility of Polymers and Chemical Oxidants for Enhanced Groundwater Remediation. *Environ Sci Technol.* 42: 9296-9301. <http://dx.doi.org/10.1021/es800757g>.
- Smith, MT. (2012). Toxic Substances in the Environment.
- Smith, MT. (2013). Toxic Substances in the Environment.
- Smith, MT. (2014). Toxic Substances in the Environment.
- Smith, MT. (2015). Toxic Substances in the Environment.
- Smuleac, V; Bachas, L; Bhattacharyya, D. (2010). Aqueous-phase synthesis of PAA in PVDF membrane pores for nanoparticle synthesis and dichlorobiphenyl degradation. *J Memb Sci.* 346: 310-317. <http://dx.doi.org/10.1016/j.memsci.2009.09.052>.
- Smuleac, V; Varma, R; Sikdar, S; Bhattacharyya, D. (2011). Green synthesis of Fe and Fe/Pd bimetallic nanoparticles in membranes for reductive degradation of chlorinated organics. *J Memb Sci.* 379: 131-137. <http://dx.doi.org/10.1016/j.memsci.2011.05.054>.
- Snedecor, GW; Cochran, WG. (1980). *Statistical methods* (7th ed.). Ames, IA: Iowa State University Press.
- Snyder; Millward; Steffensen. (2000). Aquifer Protist Response and the Potential for TCE Bioremediation with *Burkholderia cepacia* G4 PR1. *Microb Ecol.* 40: 189-199.
- S-O, K; Schlautman, MA. (1998). Partitioning of hydrophobic organic compounds to sorbed surfactants. 2. Model development/predictions for surfactant-enhanced remediation applications. *Environ Sci Technol.* 32: 2776-2781.
- Sohn, H; Celik, G; Gunduz, S; Dean, SL; Painting, E; Edmiston, PL; Ozkan, US. (2017). Hydrodechlorination of trichloroethylene over Pd supported on swellable organically-modified silica (SOMS). *Appl Catal B-Environ.* 203: 641-653. <http://dx.doi.org/10.1016/j.apcatb.2016.10.032>.
- Sohn, K; Kang, SW; Ahn, S; Woo, M; Yang, SK, oo. (2006). Fe(0) nanoparticles for nitrate reduction: Stability, reactivity, and transformation. *Environ Sci Technol.* 40: 5514-5519. <http://dx.doi.org/10.1021/es0525758>.
- Solis Maldonado, C; Rivera De la Rosa, J; Lucio-Ortiz, CJ; Hernandez-Ramirez, A; Castillon Barraza, FF; Valente, JS. (2014). Low Concentration Fe-Doped Alumina Catalysts Using Sol-Gel and Impregnation Methods: The Synthesis, Characterization and Catalytic Performance during the Combustion of Trichloroethylene. *Materials.* 7: 2062-2086. <http://dx.doi.org/10.3390/ma7032062>.
- Solomon, BO; Posten, C; Harder, MPF; Hecht, V; Deckwer, WD. (1994). ENERGETICS OF PSEUDOMONAS-CEPACIA G4 GROWTH IN A CHEMOSTAT WITH PHENOL LIMITATION. *J Chem Tech Biotechnol.* 60: 275-282.
- Solpuker, U; Cotter, Z; Kim, Y; Schwartz, FW. (2014). Potassium Permanganate Doped Geopolymers for Remedial Applications. *Ground Water Monitoring and Remediation.* 34: 93-101. <http://dx.doi.org/10.1111/gwmr.12087>.
- Soltanali, S; Hagani, ZS. (2008). Modeling of air stripping from volatile organic compounds in biological treatment processes. *Int J Environ Sci Tech.* 5: 353-360.
- Sonawala, SP; Spontak, RJ. (1996). Degradation kinetics of glass-reinforced polyesters in chemical environments .2. Organic solvents. *Journal of Materials Science.* 31: 4757-4765.
- Song, BJ; Veech, RL; Saenger, P. (1990). Cytochrome P450IIE1 is elevated in lymphocytes from poorly controlled insulin-dependent diabetics. *J Clin Endocrinol Metab.* 71: 1036-1040.
- Song, H; Carraway, ER. (2008). Catalytic hydrodechlorination of chlorinated ethenes bly nanoscale zero-valent iron. *Appl Catal B-Environ.* 78: 53-60. <http://dx.doi.org/10.1016/j.apcatb.2007.07.034>.
- Song, H; Carraway, ER; Kim, YH; Batchelor, B; Jeon, BH; Kim, JG. (2008). Amendment of hydroxyapatite in reduction of tetrachloroethylene by zero-valent zinc: Its rate enhancing effect and removal of Zn(II). *Chemosphere.* 73: 1420-1427. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.006>.
- Song, H; Jeon, B; Chon, C; Kim, Y; Nam, I, nH; Schwartz, FW; Cho, D. (2013). The effect of granular ferric hydroxide amendment on the reduction of nitrate in groundwater by zero-valent iron. *Chemosphere.* 93: 2767-2773. <http://dx.doi.org/10.1016/j.chemosphere.2013.09.033>.
- Song, J; Son, Y; Khim, J. (2007). Performance of a membrane diffuser bioreactor for the removal of gaseous toluene. *Environ Eng Sci.* 24: 927-935. <http://dx.doi.org/10.1089/ees.2006.0200>.
- Song, JY; Choi, S, eY. (2006). Fabrication and characterization of Pb-free transparent dielectric layer for plasma display panel. *Displays.* 27: 112-116. <http://dx.doi.org/10.1016/j.displa.2006.02.001>.
- Song, JY; Park, T, aeJin; Choi, S, eY. (2006). Preparation and characterization of CuO doped Bo(2)O(3)-B2O3-BaO-ZnO glass system for transparent dielectric layer. *Journal of Non-Crystalline Solids.* 352: 5403-5407. <http://dx.doi.org/10.1016/j.jnoncrysol.2006.05.041>.
- Song, T, ieH; Gao, Y, anJ. (2014). Removal of trichloroethylene (TCE) from groundwater by GAC and ZVI. *Desalination and Water Treatment.* 52: 5990-5994. <http://dx.doi.org/10.1080/19443994.2013.812522>.
- Song, Y; Song, S. (2015). Preparation, characterization, and kinetics of nanoscale iron in nitrate nitrogen removal from polluted water. *Toxicol Environ Chem.* 97: 379-387. <http://dx.doi.org/10.1080/02772248.2015.1050191>.
- Song, YH; Kim, SJ; Choi, KI; Yamamoto, T. (2002). Effects of adsorption and temperature on a nonthermal plasma process for removing VOCs. *Journal of Electrostatics.* 55: 189-201.
- Soni, MG; Mehendale, HM. (1998). Role of tissue repair in toxicologic interactions among hepatotoxic organics [Review]. *Environ Health Perspect.* 106 Suppl 6: 1307-1317.
- Soni, MG; Nomiya, H; Nomiya, K. (1990). Chronic inhalation effects of trichloroethylene on hepatic microsomal mixed function oxidase system in rats. *Toxicol Environ Chem.* 29: 121-126.
- Sonnenfeld, N; Hertz-Picciotto, I; Kaye, WE. (2001). Tetrachloroethylene in drinking water and birth outcomes at the US Marine Corps Base at Camp Lejeune, North Carolina. *Am J Epidemiol.* 154: 902-908. <http://dx.doi.org/10.1093/aje/154.10.902>.

Exposure Literature Search Results

Off Topic

- Sonoyama, N; Sakata, T. (1999). Electrochemical Continuous Decomposition of Chloroform and Other Volatile Chlorinated Hydrocarbons in Water Using a Column Type Metal Impregnated Carbon Fiber Electrode. *Environ Sci Technol.* 33: 3438-3442. <http://dx.doi.org/10.1021/es980903g>.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B-12 and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation.* 21: 140-148.
- Sorenson, KS. (2003). Enhanced bioremediation for treatment of chlorinated solvent residual source areas. *ACS Symp Ser Am Chem Soc.* 837: 119-131.
- Soresi, M; Giannitrapani, L; D'Antona, F; Florena, AM; La Spada, E; Terranova, A; Cervello, M; D'Alessandro, N; Montalto, G. (2006). Interleukin-6 and its soluble receptor in patients with liver cirrhosis and hepatocellular carcinoma. *World J Gastroenterol.* 12: 2563-2568.
- Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF. (1994). Competitive Adsorption of VOCs and BOM: Oxidic and Anoxic Environments (pp. 1907-1919). (ISSN 0043-1354; EISSN 1879-2448; NTIS/02997963_a). Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF.
- Sosnowska, A; Barycki, M; Zaborowska, M; Rybinska, A; Puzyn, T. (2014). Towards designing environmentally safe ionic liquids: the influence of the cation structure. *Green Chem.* 16: 4749-4757. <http://dx.doi.org/10.1039/c4gc00526k>.
- Sotelo, JL; Uguina, MA; Delgado, JA; Celemin, LI. (2004). Adsorption of methyl ethyl ketone and trichloroethene from aqueous solutions onto activated carbon fixed-bed adsorbers. *Separation and Purification Technology.* 37: 149-160. <http://dx.doi.org/10.1016/j.seppur.2003.09.006>.
- Soukupova, J; Zboril, R; Medrik, I, vo; Filip, J, an; Safarova, K; Ledl, R; Mashlan, M; Nosek, J; Cernik, M. (2015). Highly concentrated, reactive and stable dispersion of zero-valent iron nanoparticles: Direct surface modification and site application. *Chem Eng J.* 262: 813-822. <http://dx.doi.org/10.1016/j.cej.2014.10.024>.
- Soutter, D; Mcbean, E. (2007). Potential for sample bias due to NAPL partitioning. *Ground Water Monitoring and Remediation.* 27: 129-132.
- Soylu, GSP; Ozcelik, Z; Boz, I. (2010). Total oxidation of toluene over metal oxides supported on a natural clinoptilolite-type zeolite. *Chem Eng J.* 162: 380-387. <http://dx.doi.org/10.1016/j.cej.2010.05.020>.
- Speitel, GE; Closmann, FB. (1991). CHLORINATED SOLVENT BIODEGRADATION BY METHANOTROPHS IN UNSATURATED SOILS. *J Environ Eng.* 117: 541-548.
- Speitel, GE; Leonard, JM. (1992). A SEQUENCING BIOFILM REACTOR FOR THE TREATMENT OF CHLORINATED SOLVENTS USING METHANOTROPHS. *Water Environ Res.* 64: 712-719.
- Speitel, GE; Mclay, DS. (1993). BIOFILM REACTORS FOR TREATMENT OF GAS STREAMS CONTAINING CHLORINATED SOLVENTS. *J Environ Eng.* 119: 658-678.
- Speitel, GE; Segar, RL. (1995). COMETABOLISM IN BIOFILM REACTORS. *Water Sci Technol.* 31: 215-225.
- Speitel, GE; Thompson, RC; Weissman, D. (1993). Biodegradation kinetics of *Methylosinus trichosporium* OB3b at low concentrations of chloroform in the presence and absence of enzyme competition by methane. *Water Res.* 27: 15-24.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2006). Growth inhibition in Japanese medaka (*Oryzias latipes*) fish exposed to tetrachloroethylene. *J Environ Biol.* 27: 1-5.
- Spencer, TJ; Chen, YC; Saha, R; Kohl, PA. (2011). Stabilization of the Thermal Decomposition of Poly(Propylene Carbonate) Through Copper Ion Incorporation and Use in Self-Patterning. *Journal of Electronic Materials.* 40: 1350-1363. <http://dx.doi.org/10.1007/s11664-011-1518-z>.
- Spiegelhalter, D; Thomas, A; Best, N; Lunn, D. (2003). WinBugs version 1.4 user manual. Cambridge, UK: MRC Biostatistics Unit. <http://www.mrc-bsu.cam.ac.uk/bugs/winbugs/manual14.pdf>.
- Spiegelhalter, DJ; Best, NG; Carlin, BP; Van der Linde, A. (2002). Bayesian measures of model complexity and fit. *J R Stat Soc Series B Stat Methodol.* 64: 583-639. <http://dx.doi.org/10.1111/1467-9868.00353>.
- Spielberg, SP. (1996). N-acetyltransferases: pharmacogenetics and clinical consequences of polymorphic drug metabolism. *J Pharmacokinetic Biopharm.* 24: 509-519.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med.* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Sponza, DT. (2002). Tetrachloroethylene (TCE) removal during anaerobic granulation in an upflow anaerobic sludge blanket (UASB) reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 213-236.
- Sponza, DT. (2003). Enhancement of granule formation and sludge retainment for tetrachloroethylene (TCE) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Adv Environ Res.* 7: 453-462.
- Sponza, DT. (2003). Toxicity and treatability of carbontetrachloride and tetrachloroethylene in anaerobic batch cultures. *Int Biodeterior Biodegradation.* 51: 119-127.
- Sponza, DT; Atalay, H. (2005). Treatment of trichlorotoluene in an anaerobic/aerobic sequential reactor system. *Process Biochemistry.* 40: 69-82. <http://dx.doi.org/10.1016/j.procbio.2003.11.046>.
- Sra, KS. (2010). Mobility Enhancement of Mn Oxide during Permanganate Oxidation of TCE. *Ground Water Monitoring and Remediation.* 30: 99-106. <http://dx.doi.org/10.1111/j.1745-6592.2010.01313.x>.
- Srebowata, A; Baran, R; Slowik, G; Lisovytskiy, D; Dzwigaj, S. (2016). Influence of the postsynthesis preparation procedure on catalytic behaviour of Ag-loaded BEA zeolites in the hydrodechlorination of 1,2-dichloroethane into value added products. *Appl Catal B-Environ.* 199: 514-522. <http://dx.doi.org/10.1016/j.apcatb.2016.06.060>.

Exposure Literature Search Results

Off Topic

- Srebowata, A; Tarach, K; Girman, V; Gora-Marek, K. (2016). Catalytic removal of trichloroethylene from water over palladium loaded microporous and hierarchical zeolites. *Appl Catal B-Environ.* 181: 550-560. <http://dx.doi.org/10.1016/j.apcatb.2015.08.025>.
- SRI International. (1992). 1992 directory of chemical producers: United States of America [Catalog]. Menlo Park, CA: SRI International. <http://www.sriconsulting.com/DCP/>.
- Srivastava, A; Ismail, K. (2014). Solubilization of polycyclic aromatic hydrocarbons in aqueous sodium dioctylsulfosuccinate solutions. *Journal of Molecular Liquids.* 195: 105-109. <http://dx.doi.org/10.1016/j.molliq.2014.02.007>.
- Srivastava, S; Srivastava, S. (1991). Effect of di(2-ethylhexyl)phthalate on 17 β -hydroxysteroid dehydrogenase activity in testis of rat. *Toxicol Lett.* 57: 235-239. [http://dx.doi.org/10.1016/0378-4274\(91\)90150-5](http://dx.doi.org/10.1016/0378-4274(91)90150-5).
- Sriwatanapongse, W; Reinhard, M; Klug, CA. (2006). Reductive hydrodechlorination of trichloroethylene by palladium-on-alumina catalyst: 13C solid-state NMR study of surface reaction precursors. *Langmuir.* 22: 4158-4164. <http://dx.doi.org/10.1021/la053087g>.
- Ssekaalo, H. (1991). THE EFFECT OF AMMINE, ETHANOATE, TRICHLORO-ETHANOATE AND TRIFLUOROETHANOATE LIGANDS ON TRIS(2,4-PENTANEDIONATO)CHROMIUM(III) FORMATION IN HIGH PH AQUEOUS-SOLUTION. *Res Chem Intermed.* 16: 45-55.
- Stacpoole, PW. (2011). The Dichloroacetate Dilemma: Environmental Hazard versus Therapeutic Goldmine-Both or Neither? *Environ Health Perspect.* 119: 155-158. <http://dx.doi.org/10.1289/ehp.1002554>.
- Stager, MP; Perram, GP. (1999). Long-term desorption of trichloroethylene from flint clay using multiplexed optical detection. *Environ Pollut.* 104: 397-400.
- Stakebake, JL. (1974). PHYSICAL ADSORPTION OF TRICHLOROETHYLENE ON URANIUM-DIOXIDE. *J Catal.* 35: 153-161.
- Stanescu, G; Trutia, A, th. (2006). Optical spectra of the CoCl₂/PEG systems. *Optical Materials.* 29: 332-336. <http://dx.doi.org/10.1016/j.optmat.2005.08.040>.
- Stange, CF; Spott, O; Arriaga, H; Menendez, S; Estavillo, JM; Merino, P. (2013). Use of the inverse abundance approach to identify the sources of NO and N₂O release from Spanish forest soils under oxic and hypoxic conditions. *Soil Biol Biochem.* 57: 451-458. <http://dx.doi.org/10.1016/j.soilbio.2012.10.006>.
- Stange, CF; Spott, O; Müller, C. (2009). An inverse abundance approach to separate soil nitrogen pools and gaseous nitrogen fluxes into fractions related to ammonium, nitrate and soil organic nitrogen. *Eur J Soil Sci.* 60: 907-915. <http://dx.doi.org/10.1111/j.1365-2389.2009.01188.x>.
- Stange, CF; Spott, O; Russow, R. (2013). Analysis of the coexisting pathways for NO and N₂O formation in Chernozem using the (15)N-tracer SimKIM-Advanced model. *Isotopes Environ Health Stud.* 49: 503-519. <http://dx.doi.org/10.1080/10256016.2013.863770>.
- Stanhope, A; Berry, CJ; Brigmon, RL. (2008). Phytoremediation of chlorinated ethenes in seepage sediments: tree selection. *Int J Phytoremediation.* 10: 529-546. <http://dx.doi.org/10.1080/15226510802115067>.
- Stanley, LA; Blackburn, DR; Devereaux, S; Foley, J; Lord, PG; Maronpot, RR; Orton, TC; Anderson, MW. (1994). Ras mutations in methylclofenapate-induced B6C3F1 and C57BL/10J mouse liver tumours. *Carcinogenesis.* 15: 1125-1131.
- Staples, RE. (1974). Detection of visceral alterations in mammalian fetuses [Abstract]. *Teratology.* 9: A37-A38.
- Starkey, R. (2014). REACH authorisation or substitution of trichloroethylene - future options? Institute of Metal Finishing Transactions. 92: 4-4. <http://dx.doi.org/10.1179/0020296713Z.000000000167>.
- Stauffer, PH; Birdsell, KH; Witkowski, MS; Hopkins, JK. (2005). Vadose zone transport of 1,1,1-trichloroethane: Conceptual model validation through numerical simulation. *Vadose Zone Journal.* 4: 760-773. <http://dx.doi.org/10.2136/vzj2004.0120>.
- Stavarakakis, C; Raillard, C; Hequet, V; Le Cloirec, P. (2007). TiO₂-based materials for toluene photocatalytic oxidation: Water vapor influence. *Journal of Advanced Oxidation Technologies.* 10: 94-100.
- Stedtfeld, RD; Stedtfeld, TM; Kronlein, M; Seyrig, G; Steffan, RJ; Cupples, AM; Hashsham, SA. (2014). DNA extraction-free quantification of *Dehalococcoides* spp. in groundwater using a hand-held device. *Environ Sci Technol.* 48: 13855-13863. <http://dx.doi.org/10.1021/es503472h>.
- Stefan, DG; Akgerman, A. (1998). Single-component and binary-mixture adsorption of volatile organic contaminants on silica gel. *Environ Eng Sci.* 15: 191-202.
- Stefanou, G; Papadrakakis, M. (2004). Stochastic finite element analysis of shells with combined random material and geometric properties. *Computer Methods in Applied Mechanics and Engineering.* 193: 139-160. <http://dx.doi.org/10.1016/j.cma.2003.10.001>.
- Steffan, DG; Akgerman, A. (2001). Thermodynamic modeling of binary and ternary adsorption on silica gel. *AIChE J.* 47: 1234-1246.
- Steffan, RJ; Sperry, KL; Walsh, MT; Vainberg, S; Condee, CW. (1999). Field-scale evaluation of in situ bioaugmentation for remediation of chlorinated solvents in groundwater. *Environ Sci Technol.* 33: 2771-2781.
- Steinberg, SM; Schmeltzer, JS; Kreamer, DK. (1996). Sorption of benzene and trichloroethylene (TCE) on a desert soil: Effects of moisture and organic matter. *Chemosphere.* 33: 961-980.
- Steinhausen, M; Van Gelder, R; Gabriel, S. (2012). Arbeitsbedingte expositionen gegenüber krebserzeugenden, erbgutverändernden oder fortpflanzungsgefährdenden substanzen in Deutschland – teil 2: Stoffe mit ERB nach BekGS 910. *Gefahrst Reinhalt Luft.* 72: 347-358.
- Steinmaus, C; Smith, AH; Jones, RM; Smith, MT. (2008). Meta-analysis of benzene exposure and non-Hodgkin lymphoma: Biases could mask an important association [Review]. *Occup Environ Med.* 65: 371-378. <http://dx.doi.org/10.1136/oem.2007.036913>.
- Stellman, SD; Djordjevic, MV; Britton, JA; Muscat, JE; Citron, ML; Kemeny, M; Busch, E; Gong, L. (2000). Breast cancer risk in relation to adipose concentrations of organochlorine pesticides and polychlorinated biphenyls in Long Island, New York. *Cancer Epidemiol Biomarkers Prev.* 9: 1241-1249.

Exposure Literature Search Results

Off Topic

- Stemmer, K; Ellinger-Ziegelbauer, H; Ahr, HJ; Dietrich, DR. (2007). Carcinogen-specific gene expression profiles in short-term treated Eker and wild-type rats indicative of pathways involved in renal tumorigenesis. *Cancer Res.* 67: 4052-4068. <http://dx.doi.org/10.1158/0008-5472.CAN-06-3587>.
- Stenger, HG; Buzan, GE; Berty, JM. (1993). CHLORINE CAPTURE BY CATALYST SORBENTS FOR THE OXIDATION OF AIR-POLLUTANTS. *Appl Catal B- Environ.* 2: 117-130.
- Stenner, RD; Merdink, JL; Fisher, JW; Bull, RJ. (1998). Physiologically-based pharmacokinetic model for trichloroethylene considering enterohepatic recirculation of major metabolites. *Risk Anal.* 18: 261-269.
- Stephan, K; Hackenberger, M; Kiessling, D; Wendt, G. (2002). Total oxidation of chlorinated hydrocarbons on A(1-x)Sr(x)MnO(3) perovskite-type oxide catalysts - Part II: Catalytic activity. *Chem Eng Tech.* 25: 565-571.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics.* 4: 185-192.
- Stephens, JJ; Vianco, PT; Hosking, FM. (1996). The active metal brazing of TZM-Mo and SiN ceramics. *J O M.* 48: 54-58.
- Stephenson, RP. (1956). A modification of receptor theory. *Br J Pharmacol Chemother.* 11: 379-393.
- Sterling, SN; Parker, BL; Cherry, JA; Williams, JH; Lane, JW; Haeni, FP. (2005). Vertical cross contamination of trichloroethylene in a borehole in fractured sandstone. *Ground Water.* 43: 557-573.
- Sterling, TM; Lownds, NK; Murray, LW. (1996). Environmental effects on picloram uptake and ethylene production by broom snakeweed. *Journal of Range Management.* 49: 245-250.
- Stern, F; Lehman, E; Ruder, A. (2001). Mortality among unionized construction plasterers and cement masons. *Am J Ind Med.* 39: 373-388.
- Stevens, J; Jakoby, WB. (1983). Cysteine conjugate beta-lyase. *Mol Pharmacol.* 23: 761-765.
- Stevens, JL. (1985). Cysteine conjugate beta-lyase activities in rat kidney cortex: Subcellular localization and relationship to the hepatic enzyme. *Biochem Biophys Res Commun.* 129: 499-504. [http://dx.doi.org/10.1016/0006-291X\(85\)90179-2](http://dx.doi.org/10.1016/0006-291X(85)90179-2).
- Stevens, JL; Ayoubi, N; Robbins, JD. (1988). The role of mitochondrial matrix enzymes in the metabolism and toxicity of cysteine conjugates. *J Biol Chem.* 263: 3395-3401.
- Stevens, JL; Hatzinger, PB; Hayden, PJ. (1989). Quantitation of multiple pathways for the metabolism of nephrotoxic cysteine conjugates using selective inhibitors of L-alpha-hydroxy acid oxidase (L-amino acid oxidase) and cysteine conjugate beta-lyase. *Drug Metab Dispos.* 17: 297-303.
- Stevens, JL; Robbins, JD; Byrd, RA. (1986). A purified cysteine conjugate beta-lyase from rat kidney cytosol. Requirement for an alpha-keto acid or an amino acid oxidase for activity and identity with soluble glutamine transaminase K. *J Biol Chem.* 261: 15529-15537.
- Stevens, L; Lanning, JA; Anderson, LG; Jacoby, WA; Chornet, N. (1998). Investigation of the photocatalytic oxidation of low-level carbonyl compounds. *J Air Waste Manag Assoc.* 48: 979-984.
- Stewart, M; North, L. (2006). A borehole geophysical method for detection and quantification of dense, non-aqueous phase liquids (DNAPL) in saturated soils. *Journal of Applied Geophysics.* 60: 87-99. <http://dx.doi.org/10.1016/j.jappgeo.2005.12.004>.
- Stewart, P; Dosemeci, M. (2005). Exposure estimation in occupational epidemiology studies [Paper]. Third Meeting on Assessing Human Health Risks of Trichloroethylene.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med.* 48: 531-537.
- Stewart, PA; Lees, PS; Francis, M. (1996). Quantification of historical exposures in occupational cohort studies [Review]. *Scand J Work Environ Health.* 22: 405-414.
- Stewart, RD; Dodd, HC; Gay, HH; Erley, DS. (1970). Experimental human exposure to trichloroethylene. *Arch Environ Health.* 20: 64-71.
- Stewart, RD; Hake, CL; Peterson, JE. (1974). "Degreaser's flush" *Arch Environ Health.* 29: 1-5.
- Stewart, RD; Hake, CL; Peterson, JE. (1974). Use of breath analysis to monitor trichloroethylene exposures. *Arch Environ Occup Health.* 29: 6-13.
- Stewart, TJ; Sprules, WG. (2011). Carbon-based balanced trophic structure and flows in the offshore Lake Ontario food web before (1987-1991) and after (2001-2005) invasion-induced ecosystem change. *Ecol Modell.* 222: 692-708. <http://dx.doi.org/10.1016/j.ecolmodel.2010.10.024>.
- Stewart, WF; Correa-Villaseor, A. (1991). False positive exposure errors and low exposure prevalence in community-based case-control studies. *Appl Occup Environ Hyg.* 6: 534-540. <http://dx.doi.org/10.1080/1047322X.1991.10387924>.
- Stiber, NA; Pantazidou, M; Small, MJ. (1999). Expert system methodology for evaluating reductive dechlorination at TCE sites. *Environ Sci Technol.* 33: 3012-3020.
- Stiber, NA; Pantazidou, M; Small, MJ. (2004). Embedding expert knowledge in a decision model: evaluating natural attenuation at TCE sites. *J Hazard Mater.* 110: 151-160. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.048>.
- Stiber, NA; Small, MJ; Pantazidou, M. (2004). Site-specific updating and aggregation of Bayesian belief network models for multiple experts. *Risk Anal.* 24: 1529-1538.
- Stoichev, T; Makedonski, L; Trifonova, T; Stancheva, M; Ribarova, F. (2007). DDT in fish from the Bulgarian region of the Black Sea. *Chem Ecol.* 23: 191-200. <http://dx.doi.org/10.1080/02757540701339851>.
- Stoin, U, ri; Mojon, A; Sasson, Y. (2015). Fast and complete in situ mineralization of contaminated soils using a novel method for superoxide generation. *RSC Advances.* 5: 6571-6577. <http://dx.doi.org/10.1039/c4ra08015g>.
- Stoltz, MP; Burgaud, P; Murgadella, F; Hirtz, JP; Petit, P; Vervoitte, A. (1998). Reliability and qualification methodology of 60 W QCW linear bar arrays. *Microelectron Reliab.* 38: 689-696.

Exposure Literature Search Results

Off Topic

- Stoppel, CM; Goltz, MN. (2003). Modeling Pd-catalyzed destruction of chlorinated ethenes in groundwater. *J Environ Eng.* 129: 147-154. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(147\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(147)).
- Stowell, JP; Jensen, JN. (1991). DECHLORINATION OF CHLORENDIC ACID WITH OZONE. *Water Res.* 25: 83-90.
- St-Pierre, C; Martel, R; Gabriel, U; Lefebvre, R; Robert, T; Hawari, J. (2004). TCE recovery mechanisms using micellar and alcohol solutions: phase diagrams and sand column experiments. *J Contam Hydrol.* 71: 155-192. <http://dx.doi.org/10.1016/j.jconhyd.2003.09.010>.
- Straka, M; Ruzicka, K; Fulem, M; Cervinka, C. (2012). Heat capacities of selected chlorohydrocarbons. *Fluid Phase Equilibria.* 336: 128-136. <http://dx.doi.org/10.1016/j.fluid.2012.09.001>.
- Strakova, M; Matisova, E; Simon, P; Annus, J; Lisy, JM. (1998). Silicone membrane measuring system with SnO₂ gas sensor for on-line monitoring of volatile organic compounds in water. *Sens Actuators B.* 52: 274-282.
- Strand, SE; Wodrich, JV; Stensel, HD. (1991). Biodegradation of chlorinated solvents in a sparged, methanotrophic biofilm reactor (pp. 859-867). (ISSN 1047-7624; BIOSIS/92/24113). Strand, SE; Wodrich, JV; Stensel, HD.
- Strandberg, GW; Donaldson, TL; Farr, LL. (1989). DEGRADATION OF TRICHLOROETHYLENE AND TRANS-1,2-DICHLOROETHYLENE BY A METHANOTROPHIC CONSORTIUM IN A FIXED-FILM, PACKED-BED BIOREACTOR. *Environ Sci Technol.* 23: 1422-1425.
- Stratula, C; Mihai, T; Cheta, I; Oprea, F. (1992). A COMPARATIVE-STUDY OF CAPROLACTAM PURIFICATION WITH 2 SOLVENTS .2. STUDY OF THE LIQUID-VAPORS EQUILIBRIUM. *Rev Chim.* 43: 549-552.
- Stratula, C; Mihai, T; Cheta, I; Oprea, F. (1992). COMPARATIVE-STUDY ON CAPROLACTAM PURIFICATION WITH 2 SOLVENTS .1. LIQUID-LIQUID EQUILIBRIUM STUDY. *Rev Chim.* 43: 372-381.
- Streger, SH; Condee, CW; Togna, AP; Deflaun, MF. (1999). Degradation of hydrohalocarbons and brominated compounds by methane- and propane-oxidizing bacteria. *Environ Sci Technol.* 33: 4477-4482.
- Strelec, F. (2012). Trichloroethylene Overexposure in an Automotive Stamping Facility. *J Occup Environ Hyg.* 9: D114-D116. <http://dx.doi.org/10.1080/15459624.2012.683761>.
- Strömpl, C; Thiele, JH. (1997). Comparative fate of 1,1-diphenylethylene (DPE), 1,1-dichloro-2,2-bis(4-Chlorophenyl)-ethylene (DDE), and pentachlorophenol (PCP) under alternating aerobic and anaerobic conditions. *Arch Environ Contam Toxicol.* 33: 350-356.
- Stroo, HF. (1992). BIOTECHNOLOGY AND HAZARDOUS-WASTE TREATMENT. *J Environ Qual.* 21: 167-175.
- Stroup-Gardiner, M; Nelson, JW. (2001). Use of n-propyl bromide solvents for extraction and recovery of asphalt cements. *Journal of Testing and Evaluation.* 29: 432-441.
- Struse, AM; Siegrist, RL; Dawson, HE; Urynowicz, MA. (2002). Diffusive transport of permanganate during in situ oxidation. *J Environ Eng.* 128: 327-334. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2002\)128:4\(327\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2002)128:4(327)).
- Strycharz, SM; Gannon, SM; Boles, AR; Franks, AE; Nevin, KP; Lovley, DR. (2010). Reductive dechlorination of 2-chlorophenol by *Anaeromyxobacter dehalogenans* with an electrode serving as the electron donor. *Environmental Microbiology Reports.* 2: 289-294. <http://dx.doi.org/10.1111/j.1758-2229.2009.00118.x>.
- Stuart, ME; Lapworth, DJ; Thomas, J; Edwards, L. (2014). Fingerprinting groundwater pollution in catchments with contrasting contaminant sources using microorganic compounds. *Sci Total Environ.* 468-469: 564-577. <http://dx.doi.org/10.1016/j.scitotenv.2013.08.042>.
- Stuckhardt, JL; Poppe, SM. (1984). Fresh visceral examination of rat and rabbit fetuses used in teratogenicity testing. *Teratog Carcinog Mutagen.* 4: 181-188. <http://dx.doi.org/10.1002/tcm.1770040203>.
- Sturchio, NC; Böhlke, JK; Beloso, AD; Streger, SH; Heraty, LJ; Hatzinger, PB. (2007). Oxygen and chlorine isotopic fractionation during perchlorate biodegradation: laboratory results and implications for forensics and natural attenuation studies. *Environ Sci Technol.* 41: 2796-2802. <http://dx.doi.org/10.1021/es0621849>.
- Sturchio, NC; Clausen, JL; Heraty, LJ; Huang, L; Holt, BD; Abrajano T A, J. R. (1998). Chlorine isotope investigation of natural attenuation of trichloroethene in an aerobic aquifer. *Environ Sci Technol.* 32: 3037-3042.
- Sturchio, NC; Hatzinger, PB; Arkins, MD; Suh, C; Heraty, LJ. (2003). Chlorine isotope fractionation during microbial reduction of perchlorate. *Environ Sci Technol.* 37: 3859-3863. <http://dx.doi.org/10.1021/es034066g>.
- Styles, JA; Kelly, M; Pritchard, NR; Ekcombe, CR. (1988). A species comparison of acute hyperplasia induced by the peroxisome proliferator methylclofenapate: Involvement of the binucleated hepatocyte. *Carcinogenesis.* 9: 1647-1655. <http://dx.doi.org/10.1093/carcin/9.9.1647>.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2012). A two and half-year-performance evaluation of a field test on treatment of source zone tetrachloroethene and its chlorinated daughter products using emulsified zero valent iron nanoparticles. *Water Res.* 46: 5071-5084. <http://dx.doi.org/10.1016/j.watres.2012.06.051>.
- Su, CM; Puls, RW. (1999). Kinetics of trichloroethene reduction by zerovalent iron and tin: Pretreatment effect, apparent activation energy, and intermediate products. *Environ Sci Technol.* 33: 163-168.
- Su, CY; Kuo, M; Liang, KF; Lin, CY. (2010). Model simulations for in situ aerobic cometabolism of trichloroethylene. *J Chem Tech Biotechnol.* 85: 1604-1615. <http://dx.doi.org/10.1002/jctb.2472>.
- Su, H; Mu, Y; Feng, C; Zhu, Y; Wang, H; Wu, F; Giesy, JP. (2014). Tissue Residue Guideline for Sigma DDT for Protection of Aquatic Birds in China. *Hum Ecol Risk Assess.* 20: 1629-1642. <http://dx.doi.org/10.1080/10807039.2013.866853>.
- Su, J, ie; Liu, Y, ue; Yao, W; Wu, Z. (2016). Catalytic Combustion of Dichloromethane over HZSM-5-Supported Typical Transition Metal (Cr, Fe, and Cu) Oxide Catalysts: A Stability Study. *J Phys Chem C.* 120: 18046-18054. <http://dx.doi.org/10.1021/acs.jpcc.6b04702>.
- Su, Q; Bannasch, P. (2003). Relevance of hepatic preneoplasia for human hepatocarcinogenesis [Review]. *Toxicol Pathol.* 31: 126-133. <http://dx.doi.org/10.1080/01926230390173905>.

Exposure Literature Search Results

Off Topic

- Su, Y; Liang, Y. (2015). Foliar uptake and translocation of formaldehyde with Bracket plants (*Chlorophytum comosum*). *J Hazard Mater.* 291: 120-128. <http://dx.doi.org/10.1016/j.jhazmat.2015.03.001>.
- Su, Y; Pei, J; Tian, B; Fan, F; Tang, M; Li, W; He, R. (2015). Potential application of biocover soils to landfills for mitigating toluene emission. *J Hazard Mater.* 299: 18-26. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.007>.
- Su, Y, ao; Zhang, X; Wei, XM; Kong, J; Xia, FF; Li, W, ei; He, R, uo. (2014). Evaluation of simultaneous biodegradation of methane and toluene in landfill covers. *J Hazard Mater.* 274: 367-375. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.041>.
- Su, YF; Cheng, YL; Shih, YH. (2013). Removal of trichloroethylene by zerovalent iron/activated carbon derived from agricultural wastes. *J Environ Manage.* 129: 361-366. <http://dx.doi.org/10.1016/j.jenvman.2013.08.003>.
- Su, YF; Hsu, CY; Shih, YH. (2012). Effects of various ions on the dechlorination kinetics of hexachlorobenzene by nanoscale zero-valent iron. *Chemosphere.* 88: 1346-1352. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.036>.
- Su, ZH; Xu, Z; Peng, R; Tian, YS; Zhao, W, ei; Han, HJ; Yao, QH; Wu, A, iZ. (2012). Phytoremediation of Trichlorophenol by Phase II Metabolism in Transgenic *Arabidopsis* Overexpressing a *Populus* Glucosyltransferase. *Environ Sci Technol.* 46: 4016-4024. <http://dx.doi.org/10.1021/es203753b>.
- Suanon, F; Sun, Q; Li, M; Cai, X; Zhang, Y; Yan, Y; Yu, CP. (2017). Application of nanoscale zero valent iron and iron powder during sludge anaerobic digestion: Impact on methane yield and pharmaceutical and personal care products degradation. *J Hazard Mater.* 321: 47-53. <http://dx.doi.org/10.1016/j.jhazmat.2016.08.076>.
- Suarez, S; Arconada, N; Castro, Y; Coronado, JM; Portela, R; Duran, A; Sanchez, B. (2011). Photocatalytic degradation of TCE in dry and wet air conditions with TiO₂ porous thin films. *Appl Catal B-Environ.* 108: 14-21. <http://dx.doi.org/10.1016/j.apcatb.2011.07.027>.
- Suarez, S; Coronado, JM; Portela, R; Carlos Martin, J; Yates, M; Avila, P; Sanchez, B. (2008). On the preparation of TiO₂ - Sepiolite hybrid materials for the photocatalytic degradation of TCE: Influence of TiO₂ distribution in the mineralization. *Environ Sci Technol.* 42: 5892-5896. <http://dx.doi.org/10.1021/es703257w>.
- Suárez, S; Hewer, TLR; Portela, R; Hernández-Alonso, MD; Freire, RS; Sánchez, B. (2011). Behaviour of TiO₂-SiMgOx hybrid composites on the solar photocatalytic degradation of polluted air. *Appl Catal B-Environ.* 101: 176-182. <http://dx.doi.org/10.1016/j.apcatb.2010.09.014>.
- SUBRAHMA.D; Subbarao, BV. (1973). STUDIES IN VAPOR-LIQUID EQUILIBRIA FOR SYSTEMS ISOPROPANOL-TRICHLOROETHYLENE AND TRICHLOROETHYLENE-ISOBUTANOL. 11: 91-94.
- Subrahmanyam, C, h; Magureanu, M; Laub, D; Renken, A; Kiwi-Minsker, L. (2007). Nonthermal plasma abatement of trichloroethylene enhanced by photocatalysis. *J Phys Chem C.* 111: 4315-4318. <http://dx.doi.org/10.1021/jp066731o>.
- Subrahmanyam, C; Renken, A; Kiwi-Minsker, L. (2007). Novel catalytic non-thermal plasma reactor for the abatement of VOCs. *Chem Eng J.* 134: 78-83. <http://dx.doi.org/10.1016/j.cej.2007.03.063>.
- Suchomel, EJ; Ramsburg, CA; Pennell, KD. (2007). Evaluation of trichloroethene recovery processes in heterogeneous aquifer cells flushed with biodegradable surfactants. *J Contam Hydrol.* 94: 195-214. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.011>.
- Suchy, KD; Dower, JF; Varela, DE; Lagunas, MG. (2016). Interannual variability in the relationship between in situ primary productivity and somatic crustacean productivity in a temperate fjord. *Mar Ecol Prog Ser.* 545: 91-108. <http://dx.doi.org/10.3354/meps11608>.
- Sudharshan, S; Mallavarapu, M; Bolan, N; Naidu, R. (2013). Effect of Seaweeds on Degradation of DDT in Soils. *Water Air Soil Pollut.* 224. <http://dx.doi.org/10.1007/s11270-013-1715-x>.
- Suggala, SV; Bhattacharya, PK. (2003). Real coded genetic algorithm for optimization of pervaporation process parameters for removal of volatile organics from water. *Ind Eng Chem Res.* 42: 3118-3128. <http://dx.doi.org/10.1021/ie020183t>.
- Sui, H; Li, X; Huang, G; Jiang, B. (2006). A study on cometabolic bioventing for the in situ remediation of trichloroethylene. *Environ Geochem Health.* 28: 147-152. <http://dx.doi.org/10.1007/s10653-005-9025-x>.
- Sui, H; Li, XG; Xu, SM. (2004). Cometabolic microbial degradation of trichloroethylene in the presence of toluene. *J Environ Sci.* 16: 487-489.
- Sukaew, T; Chang, H; Serrano, G; Zellers, ET. (2011). Multi-stage preconcentrator/focuser module designed to enable trace level determinations of trichloroethylene in indoor air with a microfabricated gas chromatograph. *Analyst.* 136: 1664-1674. <http://dx.doi.org/10.1039/c0an00780c>.
- Sukaew, T; Zellers, ET. (2013). Evaluating the dynamic retention capacities of microfabricated vapor preconcentrators as a function of flow rate. *Sens Actuators B.* 183: 163-171. <http://dx.doi.org/10.1016/j.snb.2013.03.105>.
- Sukesan, S; Watwood, ME. (1996). Biodegradation of vapor phase trichloroethylene (TCE) in compost packed biofilters. *Abstracts of Papers - American Chemical Society.* 211: 59-BTEC.
- Sulaymon, AH; Gzar, HA. (2011). Experimental investigation and numerical modeling of light nonaqueous phase liquid dissolution and transport in a saturated zone of the soil. *J Hazard Mater.* 186: 1601-1614. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.035>.
- Suma, N; Prakash, B; Iyengar, P. (2011). Oxidation of Phenol, o-nitro Phenol, o-chloro Phenol and Trichloroethylene Present in Water Using Surfactant Immobilized Manganate and Impregnated Metal Cations. *Silicon.* 3: 13-26. <http://dx.doi.org/10.1007/s12633-010-9063-6>.
- Sun, C; Lou, Z; Liu, Y, u; Fu, R; Zhou, X; Zhang, Z; Baig, SA, li; Xu, X. (2015). Influence of environmental factors on the electrocatalytic dechlorination of 2,4-dichlorophenoxyacetic acid on nTiN doped Pd/Ni foam electrode. *Chem Eng J.* 281: 183-191. <http://dx.doi.org/10.1016/j.cej.2015.06.113>.
- Sun, H; Guo, K; Gan, H; Li, X; Hunter, CA. (2015). Influence of receptor flexibility on intramolecular H-bonding interactions. *Org Biomol Chem.* 13: 8053-8066. <http://dx.doi.org/10.1039/c5ob00805k>.
- Sun, H; Hunter, CA; Llamas, E, vaM. (2015). The flexibility-complementarity dichotomy in receptor-ligand interactions. 6: 1444-1453. <http://dx.doi.org/10.1039/c4sc03398a>.

Exposure Literature Search Results

Off Topic

- Sun, H; Xu, X; Gao, G; Zhang, Z; Yin, P. (2010). A novel integrated active capping technique for the remediation of nitrobenzene-contaminated sediment. *J Hazard Mater.* 182: 184-190. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.013>.
- Sun, J; Chen, Z; Yuan, L; Chen, Y; Ning, J; Liu, S; Ma, D; Song, X; Priyadarshi, MK; Bachmatiuk, A; Rummeli, MH; Ma, T; Zhi, L; Huang, L; Zhang, Y; Liu, Z. (2016). Direct Chemical-Vapor-Deposition-Fabricated, Large-Scale Graphene Glass with High Carrier Mobility and Uniformity for Touch Panel Applications. *ACS Nano.* 10: 11136-11144. <http://dx.doi.org/10.1021/acsnano.6b06066>.
- Sun, JH; Yang, M; Wang, XM; Xu, M; Liu, AH; Guo, DA. (2007). Identification of tanshinones and their metabolites in rat bile after oral administration of TTE-50, a standardized extract of *Salvia miltiorrhiza* by HPLC-ESI-DAD-MSn. *J Pharm Biomed Anal.* 44: 564-574. <http://dx.doi.org/10.1016/j.jpba.2006.11.003>.
- Sun, L; Song, H; Li, Q; Li, A. (2016). Fe/Cu bimetallic catalysis for reductive degradation of nitrobenzene under oxic conditions. *Chem Eng J.* 283: 366-374. <http://dx.doi.org/10.1016/j.cej.2015.06.065>.
- Sun, Q; Feitz, AJ; Guan, J; Waite, TD. (2008). COMPARISON OF THE REACTIVITY OF NANOSIZED ZERO-VALENT IRON (nZVI) PARTICLES PRODUCED BY BOROHYDRIDE AND DITHIONITE REDUCTION OF IRON SALTS. *NANO.* 3: 341-349.
- Sun, Y; Brown, GM; Moyer, BA. (1994). PHOTODEGRADATION OF TRICHLOROETHYLENE USING TIO₂ SUSPENDED IN FLUOROCARBON SOLVENTS (pp. 13-17). (ISSN 0065-7727; BIOSIS/94/14779). Sun, Y; Brown, GM; Moyer, BA.
- Sun, Y; Brown, GM; Moyer, BA. (1995). TIO₂ mediated photooxidation of trichloroethylene and toluene dissolved in fluorocarbon solvents. *Chemosphere.* 31: 3575-3584.
- Sun, YP; Li, XQ, in; Zhang, W, eiX; Wang, HP. (2007). A method for the preparation of stable dispersion of zero-valent iron nanoparticles. *Colloid Surface Physicochem Eng Aspect.* 308: 60-66. <http://dx.doi.org/10.1016/j.colsurfa.2007.05.029>.
- Sun, YW; Lu, XJ; Petersen, JN; Buscheck, TA. (2004). An analytical solution of tetrachloroethylene transport and biodegradation. *Transport in Porous Media.* 55: 301-308.
- Sunder, M; D-C, H. (1997). Oxidation of tri- and perchloroethene in aqueous solution with ozone and hydrogen peroxide in a tube reactor. *Water Res.* 31: 33-40.
- Sung, TI; Chen, PC; Lee, LJH; Lin, YP; Hsieh, GY; Wang, JD. (2007). Increased standardized incidence ratio of breast cancer in female electronics workers. *BMC Public Health.* 7: 102. <http://dx.doi.org/10.1186/1471-2458-7-102>.
- Sunkara, B; Su, Y; Zhan, J; He, J; Mcpherson, GL; John, VT. (2015). Iron-carbon composite microspheres prepared through a facile aerosol-based process for the simultaneous adsorption and reduction of chlorinated hydrocarbons. 9: 939-947. <http://dx.doi.org/10.1007/s11783-015-0807-9>.
- Sunkara, B; Zhan, J; He, J; Mcpherson, GL; Piringer, G; John, VT. (2010). Nanoscale Zerovalent Iron Supported on Uniform Carbon Microspheres for the In situ Remediation of Chlorinated Hydrocarbons. *ACS Applied Materials & Interfaces.* 2: 2854-2862. <http://dx.doi.org/10.1021/am1005282>.
- Sunkara, B; Zhan, J; Kolesnichenko, I; Wang, Y; He, J; Holland, JE; Mcpherson, GL; John, VT. (2011). Modifying Metal Nanoparticle Placement on Carbon Supports Using an Aerosol-Based Process, with Application to the Environmental Remediation of Chlorinated Hydrocarbons. *Langmuir.* 27: 7854-7859. <http://dx.doi.org/10.1021/la200657m>.
- Sunyer, J; Alvarez-Pedrerol, M; To-Figueras, J; Ribas-Fito, N; Grimalt, JO; Herrero, C. (2008). Urinary porphyrin excretion in children is associated with exposure to organochlorine compounds. *Environ Health Perspect.* 116: 1407-1410. <http://dx.doi.org/10.1289/ehp.11354>.
- Surdo, EM; Cussler, EL; Arnold, WA. (2009). Sorptive and Reactive Scavenger-Containing Sandwich Membranes as Contaminant Barriers. *J Environ Eng.* 135: 69-76. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:2\(69\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:2(69)).
- Suri, RP; Liu, J; Crittenden, JC; Hand, DW. (1999). Removal and Destruction of Organic Contaminants in Water Using Adsorption, Steam Regeneration, and Photocatalytic Oxidation: A Pilot-Scale Study. *J Air Waste Manag Assoc.* 49: 951-958. <http://dx.doi.org/10.1080/10473289.1999.10463861>.
- Suri, RP; Paraskewich, MR; Zhang, QB. (1999). Effect of process variables on sonochemical destruction of aqueous trichloroethylene. *Environ Eng Sci.* 16: 345-352.
- Suri, RPS; Liu, J; Hand, DW; Crittenden, JC; Perram, DL; Mullins, ME. (1993). HETEROGENEOUS PHOTOCATALYTIC OXIDATION OF HAZARDOUS ORGANIC CONTAMINANTS IN WATER. *Water Environ Res.* 65: 665-673.
- Susarla, S; Medina, VF; Mccutcheon, SC. (2002). Phytoremediation: An ecological solution to organic chemical contamination. *Ecol Eng.* 18: 647-658.
- Sutherland, IW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2011). Chlorination and dehydrochlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene Part 1. Reaction pathways. *Appl Catal A-Gen.* 399: 1-11. <http://dx.doi.org/10.1016/j.apcata.2011.02.035>.
- Sutherland, K, inW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2014). Chlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene, Part 2: Effects of chlorine supply. *Appl Catal A-Gen.* 471: 149-156. <http://dx.doi.org/10.1016/j.apcata.2013.11.030>.
- Suthersan, S; Nelson, D; Schnobrich, M. (2011). Hybridized Design Concepts and Their Application to ERD Systems. *Ground Water Monitoring and Remediation.* 31: 45-49. <http://dx.doi.org/10.1111/j.1745-6592.2011.01323.x>.
- Suttinun, O; Luepromchai, E; Mueller, R. (2013). Cometabolism of trichloroethylene: concepts, limitations and available strategies for sustained biodegradation. *Reviews in Environmental Science and Biotechnology.* 12: 99-114. <http://dx.doi.org/10.1007/s11157-012-9291-x>.
- Sutton, NB; Atashgahi, S; van der Wal, J; Wijn, G; Grotenhuis, T; Smidt, H; Rijnaarts, HH. (2015). Microbial dynamics during and after in situ chemical oxidation of chlorinated solvents. *Ground Water.* 53: 261-270. <http://dx.doi.org/10.1111/gwat.12209>.

Exposure Literature Search Results

Off Topic

- Sutton, PT; Ginn, TR. (2014). Sustainable in-well vapor stripping: A design, analytical model, and pilot study for groundwater remediation. *J Contam Hydrol.* 171C: 32-41. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.010>.
- Suty, H; De Traversay, C; Cost, M. (2004). Applications of advanced oxidation processes: present and future [Review]. *Water Sci Technol.* 49: 227-233.
- Suwanmanee, U; Varabuntoonvit, V; Chaiwutthinan, P; Tajan, M; Mungcharoen, T; Leejarkpai, T. (2013). Life cycle assessment of single use thermoform boxes made from polystyrene (PS), polylactic acid, (PLA), and PLA/starch: cradle to consumer gate. *Int J Life Cycle Assess.* 18: 401-417. <http://dx.doi.org/10.1007/s11367-012-0479-7>.
- Suyadal, Y. (2003). Deactivation model for desorption of trichloroethylene vapor from granular activated carbon. *Ind Eng Chem Res.* 42: 897-903. <http://dx.doi.org/10.1021/ie020229i>.
- Suyadal, Y; Erol, M; Oguz, H. (2000). Deactivation model for the adsorption of trichloroethylene vapor on an activated carbon bed. *Ind Eng Chem Res.* 39: 724-730.
- Suyama, A; Iwakiri, R; Kai, K; Tokunaga, T; Sera, N; Furukawa, K. (2001). Isolation and characterization of *Desulfotobacterium* sp strain Y51 capable of efficient dehalogenation of tetrachloroethene and polychloroethanes. *Biosci Biotechnol Biochem.* 65: 1474-1481.
- Suzuki, M. (1991). APPLICATION OF FIBER ADSORBENTS IN WATER TREATMENT (pp. 7-9). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08681). Suzuki, M.
- Suzuki, M. (1994). ACTIVATED CARBON-FIBER - FUNDAMENTALS AND APPLICATIONS. *Carbon.* 32: 577-586.
- Sverdrup, B; Kallberg, H; Bengtsson, C; Lundberg, I; Padyukov, L; Alfredsson, L; Klareskog, L; Group, EloRAS. (2005). Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. *Arthritis Res Ther.* 7: R1296-R1303. <http://dx.doi.org/10.1186/ar1824>.
- Swami, K; Narang, AS; Narang, RS; Eadon, GA. (1992). Thermally induced formation of PCDD and PCDF from tri- and tetrachlorobenzene in dielectric fluids. *Chemosphere.* 24: 1845-1853.
- Swanson, ME; Greene, HL; Qutubuddin, S. (2004). Reactive sorption of chlorinated VOCs on ZSM-5 zeolites at ambient and elevated temperatures. *Appl Catal B-Environ.* 52: 91-108. <http://dx.doi.org/10.1016/j.apcatb.2004.03.015>.
- Sweeney, C; Farrow, D; Schwartz, S; Eaton, D; Checkoway, H; Vaughan, T. (2000). Glutathione S-transferase M1, T1, and P1 polymorphisms as risk factors for renal cell carcinoma: A case-control study. *Cancer Epidemiol Biomarkers Prev.* 9: 449-454.
- Sweeney, LM; Kirman, CR; Gargas, ML; Dugard, PH. (2009). Contribution of trichloroacetic acid to liver tumors observed in perchloroethylene (perc)-exposed mice. *Toxicology.* 260: 77-83. <http://dx.doi.org/10.1016/j.tox.2009.03.008>.
- Sweet, ND; Burroughs, GE; Ewers, L; Talaska, G. (2004). A field method for near real-time analysis of perchloroethylene in end-exhaled breath. *J Occup Environ Hyg.* 1: 515-520. <http://dx.doi.org/10.1080/15459620490472921>.
- Switzer, C; Pironi, P; Gerhard, JI; Rein, G; Torero, JL. (2009). Self-Sustaining Smoldering Combustion: A Novel Remediation Process for Non-Aqueous-Phase Liquids in Porous Media. *Environ Sci Technol.* 43: 5871-5877. <http://dx.doi.org/10.1021/es803483s>.
- Syeda, AB; Koula, AJ; Boodida, S; Nallani, S. (2010). Excess Molar Volumes and Sound Speed in (Phenylacetone+nitrile+1,2-Dichloroethane), (Phenylacetone+nitrile+1,1,2-Trichloroethane), (Phenylacetone+nitrile+1,1,2,2-Tetrachloroethane), (Phenylacetone+nitrile plus Trichloroethene), and (Phenylacetone+nitrile plus Tetrachloroethene) at Temperatures of (303.15, 308.15, and 313.15) K. *Journal of Chemical and Engineering Data.* 55: 1405-1410. <http://dx.doi.org/10.1021/je900570e>.
- Szecsody, JE; Fruchter, JS; Williams, MD; Vermeul, VR; Sklarew, D. (2004). In situ chemical reduction of aquifer sediments: Enhancement of reactive iron phases and TCE dechlorination. *Environ Sci Technol.* 38: 4656-4663. <http://dx.doi.org/10.1021/es034756k>.
- Szeto, SY. (1993). DETERMINATION OF KINETICS OF HYDROLYSIS BY HIGH-PRESSURE LIQUID-CHROMATOGRAPHY - APPLICATION TO HYDROLYSIS OF THE ETHYLENE-GLYCOL BUTYL ETHER ESTER OF TRICLOPYR. *J Agric Food Chem.* 41: 1118-1121.
- Szyf, M. (2007). The dynamic epigenome and its implications in toxicology [Review]. *Toxicol Sci.* 100: 7-23. <http://dx.doi.org/10.1093/toxsci/kfm177>.
- Szymańska, K; Moore, LE; Rothman, N; Chow, WH; Waldman, F; Jaeger, E; Waterboer, T; Foretova, L; Navratilova, M; Janout, V; Kollarova, H; Zaridze, D; Matveev, V; Mates, D; Szeszenia-Dabrowska, N; Holcatova, I; Bencko, V; Le Calvez-Kelm, F; Villar, S; Pawlita, M; Boffetta, P; Hainaut, P; Brennan, P. (2010). TP53, EGFR, and KRAS mutations in relation to VHL inactivation and lifestyle risk factors in renal-cell carcinoma from central and eastern Europe. *Cancer Lett.* 293: 92-98. <http://dx.doi.org/10.1016/j.canlet.2009.11.024>.
- 't Mannetje, A; Steenland, K; Attfield, M; Boffetta, P; Checkoway, H; DeKlerk, N; Koskela, R. (2002). Exposure-response analysis and risk assessment for silica and silicosis mortality in a pooled analysis of six cohorts. *Occup Environ Med.* 59: 723-728.
- Tabachnik, VP; Chernova, GS; Fedorishcheva, EE. (1990). RESIDUAL FIELD OF PLATES MAGNETIZED BY BIPOLAR ELECTROMAGNET. 26: 288-292.
- Tabernacka, A. (2014). Biological Treatment of Groundwaters Polluted with Chlorinated Ethene. 36: 9-13.
- Tabernacka, A; Zborowska, E; Lebkowska, M. (2006). Trichloroethene elimination from air by means of biofiltration (vol 15, pg 335, 2006). *Pol J Environ Stud.* 15.
- Tabernacka, A; Zborowska, E; Lebkowska, M. (2006). Trichloroethene elimination from air by means of biofiltration. *Pol J Environ Stud.* 15: 335-340.
- Tabernacka, A; Zborowska, E, wa; Lebkowska, M. (2012). Removal of Chlorinated Ethenes (TCE and PCE) from the Air by Using Integrated Bioreactors with Immobilized Biomass. 34: 11-18.
- Tabernacka, A; Zborowska, E; Lebkowska, M; Borawski, M. (2014). Air purification from TCE and PCE contamination in a hybrid bioreactors and biofilter integrated system. *J Hazard Mater.* 264: 363-369. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.013>.
- Tabor, RF; Zaveer, MI; Dagastine, RR; Grillo, I; Garvey, CJ. (2013). Phase behavior, small-angle neutron scattering and rheology of ternary nonionic surfactant-oil-water systems: a comparison of oils. *Langmuir.* 29: 3575-3582. <http://dx.doi.org/10.1021/la400100n>.

Exposure Literature Search Results

Off Topic

- Tabrez, S; Ahmad, M. (2009). Toxicity, biomarkers, genotoxicity, and carcinogenicity of trichloroethylene and its metabolites: a review [Review]. 27: 178-196. <http://dx.doi.org/10.1080/10590500903091340>.
- Tabrez, S; Ahmad, M. (2011). Components of antioxidative system in *Allium cepa* as the toxicity monitor of trichloroethylene (TCE). *Toxicol Environ Chem*. 93: 73-84. <http://dx.doi.org/10.1080/02772248.2010.498375>.
- Tabrez, S; Ahmad, M. (2011). Some Enzymatic/Nonenzymatic Antioxidants as Potential Stress Biomarkers of Trichloroethylene, Heavy Metal Mixture, and Ethyl Alcohol in Rat Tissues. *Environ Toxicol*. 26: 207-216. <http://dx.doi.org/10.1002/tox.20548>.
- Tabrez, S; Ahmad, M. (2012). Genotoxicity of trichloroethylene in the natural milieu. *Int J Hyg Environ Health*. 215: 333-338. <http://dx.doi.org/10.1016/j.ijheh.2011.08.004>.
- Tabrez, S; Ahmad, M. (2013). Cytochrome P450 system as potential biomarkers of certain toxicants: comparison between plant and animal models. *Environ Monit Assess*. 185: 2977-2987. <http://dx.doi.org/10.1007/s10661-012-2765-z>.
- Tachikawa, T; Takai, Y; Tojo, S; Fujitsuka, M; Majima, T. (2006). Probing the surface adsorption and photocatalytic degradation of catechols on TiO₂ by solid-state NMR spectroscopy. *Langmuir*. 22: 893-896. <http://dx.doi.org/10.1021/la051967p>.
- Taechangam, P; Scamehorn, JF; Osuwan, S; Rirksomboon, T. (2008). Continuous Cloud Point Extraction of Volatile Organic Contaminants from Wastewater in a Multi-Stage Rotating Disc Contactor: Effect of Structure and Concentration of Solutes. *Separation Science and Technology*. 43: 3601-3623. <http://dx.doi.org/10.1080/01496390802282339>.
- Taghavy, A; Costanza, J, ed; Pennell, KD; Abriola, LM. (2010). Effectiveness of nanoscale zero-valent iron for treatment of a PCE-DNAPL source zone. *J Contam Hydrol*. 118: 128-142. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.001>.
- Taghipour, F; Mohseni, M. (2005). CFD simulation of UV photocatalytic reactors for air treatment. *AIChE J*. 51: 3039-3047. <http://dx.doi.org/10.1002/aic.10538>.
- Tai, H, uaS; Lee, CL, i. (2007). Desorption of methy-ethyl-ketone from granular activated carbon with microwave radiation. *Environmental Progress*. 26: 299-303. <http://dx.doi.org/10.1002/ep.10224>.
- Tait, NG; Davison, RM; Leharne, SA; Lerner, DN. (2008). Borehole Optimisation System (BOS) - A case study assessing options for abstraction of urban groundwater in Nottingham, UK. *Environ Modell Softw*. 23: 611-621. <http://dx.doi.org/10.1016/j.envsoft.2007.09.001>.
- Takahashi, S; Fujii, T. (2007). Direct mass spectrometric study of the ionic species content of a C₂HCl₃/He/O-2 microwave discharge plasma. *Plasma Chemistry and Plasma Processing*. 27: 517-528. <http://dx.doi.org/10.1007/s11090-007-9077-z>.
- Takamuku, T; Kumai, T; Yoshida, K; Otomo, T; Yamaguchi, T. (2005). Structure and dynamics of halogenoethanol-water mixtures studied by large-angle X-ray scattering, small-angle neutron scattering, and NMR relaxation. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory*. 109: 7667-7676. <http://dx.doi.org/10.1021/jp051470o>.
- Takashima, H; Karches, M; Kanno, Y. (2008). Catalytic decomposition of trichloroethylene over Pt-/Ni-catalyst under microwave heating. *Appl Surf Sci*. 254: 2023-2030. <http://dx.doi.org/10.1016/j.apsusc.2007.08.030>.
- Takashima, K; Ito, Y; Gonzalez, FJ; Nakajima, T. (2008). Different mechanisms of DEHP-induced hepatocellular adenoma tumorigenesis in wild-type and Ppar alpha-null mice. *J Occup Health*. 50: 169-180.
- Takasu, M; Morita, N; Tajima, S; Almunia, J; Maeda, M; Kamiguchi, T. (2016). Cryopreservation of lar gibbon semen collected by manual stimulation. *Primates*. 57: 303-307. <http://dx.doi.org/10.1007/s10329-016-0543-1>.
- Takeda, S; Kondo, M; Kumada, T; Koshikawa, T; Ueda, R; Nishio, M; Osada, H; Suzuki, H; Nagatake, M; Washimi, O; Takagi, K; Takahashi, T; Nakao, A; Takahashi, T. (1996). Allelic-expression imbalance of the insulin-like growth factor 2 gene in hepatocellular carcinoma and underlying disease. *Oncogene*. 12: 1589-1592.
- Takemura, Y; Mukai, T; Senoo, K; Suzuki, M. (1995). DECOMPOSITION OF ORGANIC CHLORINE COMPOUNDS BY FENTONS REACTION ON RETICULATED IRON. *Kagaku Kogaku Ronbunshu*. 21: 32-40.
- Takeuchi, M; Kawabe, Y; Watanabe, E; Oiwa, T; Takahashi, M; Nanba, K; Kamagata, Y; Hanada, S; Ohko, Y; Komai, T. (2011). Comparative study of microbial dechlorination of chlorinated ethenes in an aquifer and a clayey aquitard. *J Contam Hydrol*. 124: 14-24. <http://dx.doi.org/10.1016/j.jconhyd.2011.01.003>.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kusuda, T; Kazaoka, O; Owaki, M; Furuya, K. (2005). In situ bioremediation of a cis-dichloroethylene-contaminated aquifer utilizing methane-rich groundwater from an uncontaminated aquifer. *Water Res*. 39: 2438-2444. <http://dx.doi.org/10.1016/j.watres.2005.04.041>.
- Takeuchi, M; Okochi, H; Igawa, M. (2003). Deposition of coarse soil particles and ambient gaseous components dominating dew water chemistry. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2002JD003058>.
- Takubo, K; Kaminishi, M. (2001). [Diseases of the digestive tract and telomere lengths: Significance and problems of telomere measurement]. *Nippon Shokakibyō Gakkai Zasshi*. 98: 144-150.
- Takuma, Y; Fukuda, K; Kawata, K; Kato, S; Satokawa, S; Kojima, T. (2008). Decomposition Kinetics of Trichloroethylene by Fenton's Reaction that Uses Iron Powder. *Kagaku Kogaku Ronbunshu*. 34: 309-312.
- Takuma, Y; Kojima, T. (2014). Synergistic Effects of Fenton's Reaction and the Sonochemical Reaction on the Decomposition of Trichloroethylene in Water. *J Chem Eng Jpn*. 47: 309-313. <http://dx.doi.org/10.1252/jcej.13we203>.
- Tal-Figiel, B; Repelewicz, U. (2004). Intensification of emulsification and dewatering of liquid-liquid systems using ultrasound energy. *Inżynieria Chemiczna i Procesowa*. 25: 1695-1702.
- Talibov, M; Lehtinen-Jacks, S; Martinsen, JI; Kjærheim, K; Lynge, E; Sparén, P; Tryggvadottir, L; Weiderpass, E; Kauppinen, T; Kyrrönen, P; Pukkala, E. (2014). Occupational exposure to solvents and acute myeloid leukemia: a population-based, case-control study in four Nordic countries. *Scand J Work Environ Health*. 40: 511-517. <http://dx.doi.org/10.5271/sjweh.3436>.

Exposure Literature Search Results

Off Topic

- Tamezane, T; Tanaka, N; Nishikiori, H; Fujii, T. (2006). Matrix isolation and theoretical study on the photolysis of trichloroacetyl chloride. *Chem Phys Lett.* 423: 434-438. <http://dx.doi.org/10.1016/j.cplett.2006.04.031>.
- Tan, LK; Liem, AJ. (1997). Effect of hydrochloric acid on sampling and analysis of semivolatiles organic compounds in incineration flue gas .3. Chlorobenzenes and polychlorinated biphenyls. *Environ Sci Technol.* 31: 1785-1793.
- Tan, R; Beckmann, V. (2010). Diversity of Practical Quota Systems for Farmland Preservation: A Multicountry Comparison and Analysis. *Environment and Planning C: Government and Policy.* 28: 211-224.
- Tanada, S; Nakamura, T; Xiaohong, M; Higuchi, T; Shinoda, S. (1992). Adsorption Characteristics of Trichloroethylene and 1,1,1-Trichloroethane onto Activated Carbon Fiber in Gaseous Phase. *Bull Environ Contam Toxicol.* 49: 112-119.
- Tanada, S; Shinoda, S; Nakamura, T. (1991). Dominant properties of activated carbon fiber for the adsorptive removal of trichloroethylene in liquid phase. *Eisei Kagaku.* 37: 239-245.
- Tanada, S; Shinoda, S; Nakamura, T; Harada, T; Ohtsu, J. (1992). Studies on the adsorption characteristics of trichloroethylene onto activated carbon fiber in gaseous phase (pp. 93-98). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/92/26590). Tanada, S; Shinoda, S; Nakamura, T; Harada, T; Ohtsu, J.
- Tanaka, K; Smith, PF; Stromberg, PC; Eydeloth, RS; Herold, EG; Grossman, SJ; Frank, JD; Hertzog, PR; Soper, KA; Keenan, KP. (1992). Studies of early hepatocellular proliferation and peroxisomal proliferation in Sprague-Dawley rats treated with tumorigenic doses of clofibrate. *Toxicol Appl Pharmacol.* 116: 71-77. [http://dx.doi.org/10.1016/0041-008X\(92\)90146-J](http://dx.doi.org/10.1016/0041-008X(92)90146-J).
- Tanaka, M; Shirasawa, K; Taka, J; Kashino, S. (1999). Spectral study and the crystal analysis of a few crystals of the TCE-TTF radical salts. *Synthetic Metals.* 103: 2232-2233.
- Tanaka, N; Tamezane, T; Nishikiori, H; Fujii, T. (2003). An ab initio study on the phosgene-water complex. *J Mol Struct.* 631: 21-28. [http://dx.doi.org/10.1016/S0166-1280\(03\)00129-5](http://dx.doi.org/10.1016/S0166-1280(03)00129-5).
- Tanaka, Y; Mano, H. (2012). Functional traits of herbivores and food chain efficiency in a simple aquatic community model. *Ecol Modell.* 237: 88-100. <http://dx.doi.org/10.1016/j.ecolmodel.2012.04.021>.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol.* 28: 973-979.
- Tang, C, en; Jin, Y; Lu, J; Li, X; Xie, G; Luo, M. (2015). Highly efficient Mg(OH)Cl/SiO₂ catalysts for selective dehydrochlorination of 1,1,2-trichloroethane. *Appl Catal A-Gen.* 508: 10-15. <http://dx.doi.org/10.1016/j.apcata.2015.09.024>.
- Tang, H, ao; Zhu, D; Li, T; Kong, H; Chen, W, ei. (2011). Reductive Dechlorination of Activated Carbon-Adsorbed Trichloroethylene by Zero-Valent Iron: Carbon as Electron Shuttle. *J Environ Qual.* 40: 1878-1885. <http://dx.doi.org/10.2134/jeq2011.0185>.
- Tang, S; Liu, Z; Yan, X; Li, N; Cheng, R; He, X; Liu, B. (2014). Kinetic studies on the pyrrole-Cr-based Chevron-Phillips ethylene trimerization catalyst system. *Appl Catal A-Gen.* 481: 39-48. <http://dx.doi.org/10.1016/j.apcata.2014.04.006>.
- Tang, WM; Lai, PT; Xu, JP; Chan, CL. (2005). Enhanced hydrogen-sensing characteristics of MISiC Schottky-diode hydrogen sensor by trichloroethylene oxidation. *Sens Actuators A.* 119: 63-67. <http://dx.doi.org/10.1016/j.sna.2004.08.032>.
- Tang, WZ; Huang, CP. (1996). An oxidation kinetic model of unsaturated chlorinated aliphatic compounds by Fenton's reagent. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 31: 2755-2775.
- Tang, WZ; Huang, CP. (1997). Stoichiometry of Fenton's reagent in the oxidation of chlorinated aliphatic organic pollutants. *Environ Technol.* 18: 13-23.
- Tang, X; Hashmi, MZ; Zeng, B; Yang, J; Shen, C. (2015). Application of iron-activated persulfate oxidation for the degradation of PCBs in soil. *Chem Eng J.* 279: 673-680. <http://dx.doi.org/10.1016/j.cej.2015.05.059>.
- Tang, X; Li, L; Huang, J; Deng, Y. (2002). Guinea pig maximization test for trichloroethylene and its metabolites. *Biomed Environ Sci.* 15: 113-118.
- Tang, X; Que, B; Song, X; Li, S; Yang, X; Wang, H; Huang, H; Kamijima, M; Nakajima, T; Lin, Y; Li, L. (2008). Characterization of liver injury associated with hypersensitive skin reactions induced by trichloroethylene in the guinea pig maximization test. *J Occup Health.* 50: 114-121.
- Tang, Y; Krajmalnik-Brown, R; Rittmann, BE. (2013). Modeling trichloroethene reduction in a hydrogen-based biofilm. *Water Sci Technol.* 68: 1158-1163. <http://dx.doi.org/10.2166/wst.2013.362>.
- Tanguay, RM; Jorquera, R; Poudrier, J; St-Louis, M. (1996). Tyrosine and its catabolites: From disease to cancer [Review]. *Acta Biochim Pol.* 43: 209-216.
- Tanimura, T; Yoshida, A; Yamazaki, S. (2005). Reduced formation of undesirable by-products from photocatalytic degradation of trichloroethylene. *Appl Catal B-Environ.* 61: 346-351. <http://dx.doi.org/10.1016/j.apcatb.2005.05.015>.
- Tao, L; Wang, W; Li, L; Kramer, PM; Pereira, MA. (2004). Effect of dibromoacetic acid on DNA methylation, glycogen accumulation, and peroxisome proliferation in mouse and rat liver. *Toxicol Sci.* 82: 62-69. <http://dx.doi.org/10.1093/toxsci/kfh266>.
- Tao, T; Yang, JJ; Maciel, GE. (1999). Photoinduced decomposition of trichloroethylene on soil components. *Environ Sci Technol.* 33: 74-80.
- Tardif, R; Goyal, R; Brodeur, J. (1992). Assessment of occupational health risk from multiple exposure: review of industrial solvent interaction and implication for biological monitoring of exposure [Review]. *Toxicol Ind Health.* 8: 37-52.
- Tardif, R; Sato, A; Lapare, S; Brodeur, J. (1994). ETHANOL-INDUCED MODIFICATION OF M-XYLENE TOXICOKINETICS IN HUMANS. *Occup Environ Med.* 51: 187-191.
- Tarsetti, F; Lenzi, R; Salvi, R; Schuler, E; Rijhsinghani, K; Lenzen, R; Tavoloni, N. (1993). Liver carcinogenesis associated with feeding of ethionine in a choline-free diet: Evidence against a role of oval cells in the emergence of hepatocellular carcinoma. *Hepatology.* 18: 596-603. <http://dx.doi.org/10.1002/hep.1840180319>.

Exposure Literature Search Results

Off Topic

- Tartakovsky, B; Manuel, ME; Guiot, SR. (2005). Degradation of trichloroethylene in a coupled anaerobic-aerobic bioreactor: Modeling and experiment. *Biochem Eng J.* 26: 72-81. <http://dx.doi.org/10.1016/j.bej.2005.06.007>.
- Tartakovsky, B; Manuel, MF; Guiot, SR. (2003). Trichloroethylene degradation in a coupled anaerobic/aerobic reactor oxygenated using hydrogen peroxide. *Environ Sci Technol.* 37: 5823-5828.
- Tartakovsky, B; Mehta, P; Bourque, JS; Guiot, S. R. (2011). Electrolysis-enhanced anaerobic digestion of wastewater. *Bioresour Technol.* 102: 5685-5691. <http://dx.doi.org/10.1016/j.biortech.2011.02.097>.
- Tasaltin, C; Basarir, F. (2014). Preparation of flexible VOC sensor based on carbon nanotubes and gold nanoparticles. *Sens Actuators B.* 194: 173-179. <http://dx.doi.org/10.1016/j.snb.2013.12.063>.
- Tasaltin, C; Ebeoglu, M; Ozturk, ZZ. (2012). Acoustoelectric Effect on the Responses of SAW Sensors Coated with Electrospun ZnO Nanostructured Thin Film. *Sensors.* 12: 12006-12015. <http://dx.doi.org/10.3390/s120912006>.
- Tateishi, M; Suzuki, S; Shimizu, H. (1978). Cysteine conjugate beta-lyase in rat liver. A novel enzyme catalyzing formation of thiol-containing metabolites of drugs. *J Biol Chem.* 253: 8854-8859.
- Tateishi, T; Nakura, H; Asoh, M; Watanabe, M; Tanaka, M; Kumai, T; Takashima, S; Imaoka, S; Funae, Y; Yabusaki, Y; Kamataki, T; Kobayashi, S. (1997). A comparison of hepatic cytochrome P450 protein expression between infancy and postinfancy. *Life Sci.* 61: 2567-2574. [http://dx.doi.org/10.1016/S0024-3205\(97\)01011-4](http://dx.doi.org/10.1016/S0024-3205(97)01011-4).
- Taurozzi, JS; Arul, H; Bosak, VZ; Burban, AF; Voice, TC; Bruening, ML; Tarabara, VV. (2008). Effect of filler incorporation route on the properties of polysulfone-silver nanocomposite membranes of different porosities. *J Memb Sci.* 325: 58-68. <http://dx.doi.org/10.1016/j.memsci.2008.07.010>.
- Tavakoli, J; Doney, JA. (1993). PYROLYSIS OF METHYLENE-CHLORIDE IN METHANE NITROGEN BATH USING A FLOW REACTOR. *Chemical Engineering Communications.* 119: 135-150.
- Tawney, I; Becker, JG; Baldwin, AH. (2008). A novel dual-compartment, continuous-flow wetland microcosm to assess cis-dichloroethene removal from the rhizosphere. *Int J Phytoremediation.* 10: 455-471. <http://dx.doi.org/10.1080/15226510802100655>.
- Tay, P; Pinnagoda, J; Sam, CT; Ho, SF; Tan, KT; Ong, CN. (1995). ENVIRONMENTAL AND BIOLOGICAL MONITORING OF OCCUPATIONAL EXPOSURE TO 1,1,1-TRICHLOROETHANE. *Occup Med (Lond).* 45: 147-150.
- Taylor, DH; Lagory, KE; Zaccaro, DJ; Pfohl, RJ; Laurie, RD. (1985). Effect of trichloroethylene on the exploratory and locomotor activity of rats exposed during development. *Sci Total Environ.* 47: 415-420. [http://dx.doi.org/10.1016/0048-9697\(85\)90345-6](http://dx.doi.org/10.1016/0048-9697(85)90345-6).
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). A detailed kinetic model of the high-temperature pyrolysis of tetrachloroethene. *Combust Flame.* 104: 260-271.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of 1,3-hexachlorobutadiene. *Combust Flame.* 106: 1-10. [http://dx.doi.org/10.1016/0010-2180\(95\)00248-0](http://dx.doi.org/10.1016/0010-2180(95)00248-0).
- Taylor, PH; Tirey, DA; Rubey, WA; Dellinger, B. (1994). DETAILED MODELING OF THE PYROLYSIS OF TRICHLOROETHENE - FORMATION OF CHLORINATED AROMATIC SPECIES. *Combust Sci Tech.* 101: 75-102.
- Taylor, RT; Hanna, ML; Shah, NN; Shonnard, DR; Duba, AG; Durham, WB; Jackson, KJ; Knapp, RB; Wijesinghe, AM; Et, AL. (1993). In situ bioremediation of trichloroethylene-contaminated water by a resting-cell methanotrophic microbial filter (pp. 323-342). (ISSN 0262-6667; BIOSIS/93/32497). Taylor, RT; Hanna, ML; Shah, NN; Shonnard, DR; Duba, AG; Durham, WB; Jackson, KJ; Knapp, RB; Wijesinghe, AM; Et, AL.
- Teaca, CA; Popa, VI. (2002). Trees as bioindicators of environmental pollution. *Cellulose Chemistry and Technology.* 36: 183-191.
- Teal, JM; Peterson, SB. (1991). The next generation of septage treatment (pp. 84-89). (ISSN 1047-7624; BIOSIS/92/23634). Teal, JM; Peterson, SB.
- Tebourbi, O; Driss, MR; Sakly, M; Rhouma, KB. (2006). Metabolism of DDT in different tissues of young rats. *J Environ Sci Health B.* 41: 167-176. <http://dx.doi.org/10.1080/03601230500364674>.
- Tee, Y, itH; Bachas, L; Bhattacharyya, D. (2009). Degradation of Trichloroethylene by Iron-Based Bimetallic Nanoparticles (vol 113, pg 9454, 2009). *J Phys Chem C.* 113: 12616-12616. <http://dx.doi.org/10.1021/jp905273a>.
- Tee, YH; Bachas, L; Bhattacharyya, D. (2009). Degradation of Trichloroethylene and Dichlorobiphenyls by Iron-Based Bimetallic Nanoparticles. *J Phys Chem C.* 113: 9454-9464. <http://dx.doi.org/10.1021/jp809098z>.
- Tee, YH; Grulke, E; Bhattacharyya, D. (2005). Role of Ni/Fe nanoparticle composition on the degradation of trichloroethylene from water. *Ind Eng Chem Res.* 44: 7062-7070. <http://dx.doi.org/10.1021/ie050086a>.
- Teel, A; Ahmad, M; Watts, RJ. (2011). Persulfate activation by naturally occurring trace minerals. *J Hazard Mater.* 196: 153-159. <http://dx.doi.org/10.1016/j.jhazmat.2011.09.011>.
- Teel, AL; Elloy, FC; Watts, RJ. (2016). Persulfate activation during exertion of total oxidant demand. *Chemosphere.* 158: 184-192. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.055>.
- Teel, AL; Warberg, CR; Atkinson, DA; Watts, RJ. (2001). Comparison of mineral and soluble iron Fenton's catalysts for the treatment of trichloroethylene. *Water Res.* 35: 977-984.
- Teel, AL; Watts, RJ. (2002). Degradation of carbon tetrachloride by modified Fenton's reagent. *J Hazard Mater.* 94: 179-189.
- Teerakun, M; Reungsang, A; Lin, CJ; Liao, CH. (2011). Coupling of zero valent iron and biobarriers for remediation of trichloroethylene in groundwater. *J Environ Sci.* 23: 560-567. [http://dx.doi.org/10.1016/S1001-0742\(10\)60448-2](http://dx.doi.org/10.1016/S1001-0742(10)60448-2).
- Tehrani, FMK; Rashidzadeh, M; Nemati, A; Irandoukht, A; Faridnia, B. (2011). Characterization and photocatalytic activities of nanosized titanium dioxide thin films. *Int J Environ Sci Tech.* 8: 545-552.

Exposure Literature Search Results

Off Topic

- Tekic, MN; Pekic, B; Vatai, G; Zekovic, Z. (1994). SEPARATION OF LANATOSIDES BY MEMBRANE-BASED EXTRACTION. *Separation Science and Technology*. 29: 551-556.
- Tekrony, MC; Ahlert, RC. (2001). Adsorption of chlorinated hydrocarbon vapors onto soil in the presence of water. *J Hazard Mater*. 84: 135-146.
- Teliba, B; Sibari, A; Silvestre, F; Gaset, A. (1993). VEGETABLE TANNING IN APOLAR SOLVENT MEDIA. *Journal of the Society of Leather Technologists and Chemists*. 77: 174-178.
- Templin, MV; Stevens, DK; Stenner, RD; Bonate, PL; Tuman, D; Bull, RJ. (1995). Factors affecting species differences in the kinetics of metabolites of trichloroethylene. *J Toxicol Environ Health*. 44: 435-447. <http://dx.doi.org/10.1080/15287399509531972>.
- Teppen, BJ; Yu, CH; Newton, SQ; Miller, DM; Schafer, L. (2002). Quantum molecular dynamics simulations regarding the dechlorination of trichloro ethene in the interlayer space of the 2 : 1 clay mineral nontronite. *J Phys Chem A*. 106: 5498-5503. <http://dx.doi.org/10.1021/jp0132127>.
- Terracini, B; Parker, V. (1965). A pathological study on the toxicity of *s*-dichlorovinyl-L-cysteine. *Food Cosmet Toxicol*. 3: 67-74.
- Teruel, MA; Taccone, RA; Lane, SI. (2001). Gase-phase reactivity study of O(P-3) atoms with trans-CHCl=CHCl and CHCl=CCl₂ at 298 K: Comparison to reactions with some other substituted ethenes. *Int J Chem Kinet*. 33: 415-421.
- Terzi, K; Sikinioti-Lock, A; Gkelios, A; Tzavara, D; Skouras, A; Aggelopoulos, C; Klepetsanis, P; Antimisariaris, S; Tsakiroglou, CD. (2016). Mobility of zero valent iron nanoparticles and liposomes in porous media. *Colloid Surface Physicochem Eng Aspect*. 506: 711-722. <http://dx.doi.org/10.1016/j.colsurfa.2016.07.054>.
- Teschke, K; Ahrens, W; Andersen, A; Boffetta, P; Fincham, S; Finkelstein, M; Henneberger, P; Kauppinen, T; Kogevinas, M; Korhonen, K; Liss, G; Liukkonen, T; Osvoll, P; Savela, A; Szadkowska-Stanczyk, I; Westberg, H; Widerkiewicz, K. (1999). Occupational exposure to chemical and biological agents in the nonproduction departments of pulp, paper, and paper product mills: an international study. *Am Ind Hyg Assoc J*. 60: 73-83. <http://dx.doi.org/10.1080/00028899908984424>.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med*. 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Teshima, K; Lee, S; Murakoshi, S; Suzuki, S; Kiyohara, M; Yubuta, K; Shishido, T; Endo, M; Oishi, S. (2010). A Unique Three-Dimensional Photocatalytic Structure Consisting of Highly Crystalline Na₂Ti₃O₇ Whiskers Grown from a NaCl Flux. *Cryst Growth Des*. 10: 2533-2540. <http://dx.doi.org/10.1021/cg901229d>.
- Testud, F. (2015). B-cell lymphoma in a maintenance technician. *Arch Mal Prof Environ*. 76: 409-410. <http://dx.doi.org/10.1016/j.admp.2015.06.003>.
- Teuschler, LK; Gennings, C; Hartley, WR; Carter, H; Thiyagarajah, A; Schoeny, R; Cubbison, C. (2005). The interaction effects of binary mixtures of benzene and toluene on the developing heart of medaka (*Oryzias latipes*). *Chemosphere*. 58: 1283-1291. <http://dx.doi.org/10.1016/j.chemosphere.2004.09.075>.
- Tezel, U; Demirer, GN; Uludag-Demirer, S. (2005). Control of trichloroethylene emissions from sparging systems by horizontal bio- and chemo-barriers. *Environ Technol*. 26: 171-177.
- Thakulsukanant, C; Lobban, LL; Osuwan, S; Waritswat, A. (1997). Adsorbilization and stability characteristics of hydrocarbon aggregates chemically bonded to porous silica. *Langmuir*. 13: 4595-4599.
- Thamtharai, P; Rangsunvigit, P; Malakul, P; Scamehorn, JF. (2007). Surfactant-enhanced carbon regeneration in a vapor-phase application. *Separation Science and Technology*. 42: 3333-3349. <http://dx.doi.org/10.1080/01496390701626842>.
- Thamtharai, P; Rangsunvigit, P; Malakul, P; Scamehorn, JF. (2007). Surfactant-enhanced regeneration of polymeric resin in a vapor-phase application. *Separation Science and Technology*. 42: 3117-3130. <http://dx.doi.org/10.1080/01496390701588976>.
- Thanga, HH; Verma, AL. (2003). Photooxidation of cobalt(II) meso-tetraphenylporphyrin by *p*-benzopinone and its mechanism studied by optical absorption and resonance Raman spectroscopies. *Journal of Porphyrins and Phthalocyanines*. 7: 540-547.
- Thangavadivel, K; Wang, W, eiH; Birke, V; Naidu, R. (2013). A Comparative Study of Trichloroethylene (TCE) Degradation in Contaminated Groundwater (GW) and TCE-Spiked Deionised Water Using Zero Valent Iron (ZVI) Under Various Mass Transport Conditions. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1718-7>.
- Thantu, N; Schley, RS. (2003). Ultrafast third-order nonlinear optical spectroscopy of chlorinated hydrocarbons. *Vibrational Spectroscopy*. 32: 215-223. [http://dx.doi.org/10.1016/S0924-2031\(03\)00068-7](http://dx.doi.org/10.1016/S0924-2031(03)00068-7).
- Tharappel, JC; Cunningham, ML; Spear, BT; Glauert, HP. (2001). Differential activation of hepatic NF-κB in rats and hamsters by the peroxisome proliferators Wy-14,643, gemfibrozil, and dibutyl phthalate. *Toxicol Sci*. 62: 20-27. <http://dx.doi.org/10.1093/toxsci/62.1.20>.
- Thibodeaux, LJ; Carver, JC. (1997). Hindcasting volatile chemical emissions to air from ponded recycle oil. *Environmental Progress*. 16: 106-115.
- Thiel, A; Schleyer, C; Hinkel, J; Schluter, M; Hagedorn, K; Bisaro, S; Bobojonov, I; Hamidov, A. (2016). Transferring Williamson's discriminating alignment to the analysis of environmental governance of social-ecological interdependence. *Ecol Econ*. 128: 159-168. <http://dx.doi.org/10.1016/j.ecolecon.2016.04.018>.
- Thijs, S; Sillen, W; Weyens, N; Vangronsveld, J. (2017). Phytoremediation: State-of-the-art and a key role for the plant microbiome in future trends and research prospects. *Int J Phytoremediation*. 19: 23-38. <http://dx.doi.org/10.1080/15226514.2016.1216076>.
- Thoben, M; Xie, X; Silber, D; Wilde, J. (2001). Reliability of chip/DCB solder joints in AlSiC base plate power modules: Influence of chip size. *Microelectron Reliab*. 41: 1719-1723.
- Thomas, JJ; Kim, JH; Mauro, DM. (1992). 4-(4-nitrobenzyl)pyridine tests for alkylating agents following chemical oxidative activation. *Arch Environ Contam Toxicol*. 22: 219-227. <http://dx.doi.org/10.1007/BF00213289>.
- Thomas, JM; Ward, CH. (1992). SUBSURFACE MICROBIAL ECOLOGY AND BIOREMEDIATION. *J Hazard Mater*. 32: 179-194.

Exposure Literature Search Results

Off Topic

- Thomas, LK; Widdowson, MA; Chapelle, FH; Novak, JT; Boncal, JE; Lebron, CA. (2013). Distribution of Potentially Bioavailable Natural Organic Carbon in Aquifer Sediments at a Chloroethene-Contaminated Site. *J Environ Eng.* 139: 54-60. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000597](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000597).
- Thomas, RS; Bigelow, PL; Keefe, TJ; Yang, RS. (1996). Variability in biological exposure indices using physiologically based pharmacokinetic modeling and Monte Carlo simulation. *Am Ind Hyg Assoc J.* 57: 23-32. <http://dx.doi.org/10.1080/15428119691015188>.
- Thoms, S. R.; Lion, LW. (1992). COMPETITION AND ENHANCEMENT OF VOC SORPTION AT LOW SORBENT MOISTURE CONTENTS. *Chemosphere.* 25: 1707-1719.
- Thomson, NR; Hood, ED; Farquhar, GJ. (2007). Permanganate treatment of an emplaced DNAPL source. *Ground Water Monitoring and Remediation.* 27: 74-85.
- Thomson, NR; Sykes, JF; Van Vliet, D. (1997). A numerical investigation into factors affecting gas and aqueous phase plumes in the subsurface. *J Contam Hydrol.* 28: 1-2.
- Thong, JTL. (1992). TRANSIT-TIME EFFECT IN ELECTRON-BEAM TESTING VOLTAGE MEASUREMENTS. *Meas Sci Technol.* 3: 827-837.
- Thorbjarnarson, KW; Mackay, DM. (1997). A field test of tracer transport and organic contaminant elution in a stratified aquifer at the Rocky Mountain Arsenal (Denver, Colorado, USA). *J Contam Hydrol.* 24: 287-312.
- Thoreson, KA; Mcneill, K. (2011). Vicinal dichlorine elimination at dichloroalkenes promoted by a well-defined iron(0) complex. *Dalton Trans.* 40: 1646-1648. <http://dx.doi.org/10.1039/c0dt01532f>.
- Thorgeirsson, SS. (2006). Genomic decoding of hepatocellular carcinoma [Editorial]. *Gastroenterology.* 131: 1344-1346. <http://dx.doi.org/10.1053/j.gastro.2006.08.060>.
- Thornton, WA. (1998). Toward a more accurate and extensible colorimetry. Part VI. Improved weighting functions. Preliminary results. *Color Res Appl.* 23: 226-233.
- Thrall, KD; Poet, TS. (2000). Determination of biokinetic interactions in chemical mixtures using real-time breath analysis and physiologically based pharmacokinetic modeling. *J Toxicol Environ Health A.* 59: 653-670. <http://dx.doi.org/10.1080/009841000156646>.
- Tian, H, ua; Li, J; Mu, Z; Li, L; Hao, Z. (2009). Effect of pH on DDT degradation in aqueous solution using bimetallic Ni/Fe nanoparticles. *Separation and Purification Technology.* 66: 84-89. <http://dx.doi.org/10.1016/j.seppur.2008.11.018>.
- Tichenor, LAB; El-Sinawi, A; Yamada, T; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2001). Kinetic studies of the reaction of hydroxyl radicals with trichloroethylene and tetrachloroethylene. *Chemosphere.* 42: 571-577.
- Tichenor, LAB; Lozada-Ruiz, AJ; Yamada, T; El-Sinawi, A; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2000). Reaction of hydroxyl radicals with trichloroethylene: Evidence for chlorine elimination channels at elevated temperatures. *Proc Combust Inst.* 28: 1495-1502.
- Tick, GR; Harvell, JR; Murgulet, D. (2015). Intermediate-Scale Investigation of Enhanced-Solubilization Agents on the Dissolution and Removal of a Multicomponent Dense Nonaqueous Phase Liquid (DNAPL) Source. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2636-7>.
- Tick, GR; Rincon, EA. (2009). Effect of Enhanced-Solubilization Agents on Dissolution and Mass Flux from Uniformly Distributed Immiscible Liquid Trichloroethene (TCE) in Homogeneous Porous Media. *Water Air Soil Pollut.* 204: 315-332. <http://dx.doi.org/10.1007/s11270-009-0047-3>.
- Ticknor, JL; Elsayed-Ali, O; Kim, W, onS; Trotz, MA; Cunningham, JA. (2013). Simplified Analysis of Chlorinated Ethenes in Water Samples by Gas Chromatography with Flame Ionization Detection. *Environ Eng Sci.* 30: 30-37. <http://dx.doi.org/10.1089/ees.2012.0101>.
- Tiedeman, CR; Lacombe, PJ; Goode, DJ. (2010). Multiple well-shutdown tests and site-scale flow simulation in fractured rocks. *Ground Water.* 48: 401-415. <http://dx.doi.org/10.1111/j.1745-6584.2009.00651.x>.
- Tiedje, JM; Thiem, SM; Massol-Deya, A; Ka, JO; Fries, MR. (1995). Tracking microbial Populations effective in reducing exposure. *Environ Health Perspect.* 103: 117-120.
- Tiehm, A; Schmidt, KR; Pfeifer, B; Heidinger, M; Ertl, S. (2008). Growth kinetics and stable carbon isotope fractionation during aerobic degradation of cis-1,2-dichloroethene and vinyl chloride. *Water Res.* 42: 2431-2438. <http://dx.doi.org/10.1016/j.watres.2008.01.029>.
- Tielemans, E; Heederik, D; Burdorf, A; Vermeulen, R; Veulemans, H; Kromhout, H; Hartog, K. (1999). Assessment of occupational exposures in a general population: comparison of different methods. *Occup Environ Med.* 56: 145-151.
- Tillman, FD; Choi, JW; Smith, JA. (2003). A comparison of direct measurement and model simulation of total flux of volatile organic compounds from the subsurface to the atmosphere under natural field conditions. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2003WR002098>.
- Tillman, FD; Smith, JA. (2004). Design and laboratory testing of a chamber device to measure total flux of volatile organic compounds from the unsaturated zone under natural conditions. *J Contam Hydrol.* 75: 71-90. <http://dx.doi.org/10.1016/j.jconhyd.2004.04.005>.
- Tillman, FD; Smith, JA. (2005). Site characteristics controlling airflow in the 4-shallow unsaturated zone in response to atmospheric pressure changes. *Environ Eng Sci.* 22: 25-37.
- Tillman, FD; Weaver, JW. (2007). Temporal moisture content variability beneath and external to a building and the potential effects on vapor intrusion risk assessment. *Sci Total Environ.* 379: 1-15. <http://dx.doi.org/10.1016/j.scitotenv.2007.02.003>.
- Ting, G, uo; Zhipeng, B; Can, W, u; Tan, Z, hu. (2007). Influence of environmental humidity on the photocatalytic oxidation of toluene by TiO2 loaded on activated carbon fibers. *Chinese journal of catalysis.* 28: 1089-1095.
- Tipagornwong, C; Figliozzi, M. (2014). Analysis of Competitiveness of Freight Tricycle Delivery Services in Urban Areas. *Trans Res Rec*76-84. <http://dx.doi.org/10.3141/2410-09>.
- Tiwari, M; Sahu, SK; Pandit, GG. (2016). Distribution and ecotoxicological concerns of persistent organic pollutants in sediment from creek ecosystem. *J Environ Sci Health B.* 51: 616-621. <http://dx.doi.org/10.1080/03601234.2016.1181907>.

Exposure Literature Search Results

Off Topic

- Tiwari, N; Asthana, A; Upadhyay, K. (2013). Spectrophotometric analysis of trichloroethylene in various environmental and biological samples. *Res Chem Intermed.* 39: 3867-3875. <http://dx.doi.org/10.1007/s11164-012-0888-z>.
- Tkachenko, IS; Tkachenko, SN; Lokteva, ES; Likhobolov, VA. (2016). Ozone-adsorption Method of TRIC and PERC Elimination from Underground Water Corresponding to the Russian Maximum Permissible Concentration Standards. *Ozone: Science and Engineering.* 38: 302-311. <http://dx.doi.org/10.1080/01919512.2016.1141671>.
- To, PC; Marinas, BJ; Snoeyink, VL; Ng, WJ. (2008). Effect of pore-blocking background compounds on the kinetics of trace organic contaminant desorption from activated carbon. *Environ Sci Technol.* 42: 4825-4830. <http://dx.doi.org/10.1021/es800058s>.
- Tobiszewski, M; Namieśnik, J. (2012). Abiotic degradation of chlorinated ethanes and ethenes in water [Review]. *Environ Sci Pollut Res Int.* 19: 1994-2006. <http://dx.doi.org/10.1007/s11356-012-0764-9>.
- Toffoletto, F; Crippa, M; Torri, D. (2007). Interactions between alcohol and work exposure to chemical substances [Review]. *Med Lav.* 98: 513-520.
- Tokunaga, T; Hanashima, M; Matsufuji, Y; Kitamori, S; Sera, N. (1998). Biodechlorination of tetrachloroethylene by anaerobic bacteria cell cultures isolated from contaminated and uncontaminated soils. *Bull Environ Contam Toxicol.* 60: 88-95.
- Tola, S; Vilhunen, R; Jarvinen, E; Korkala, ML. (1980). A cohort study on workers exposed to trichloroethylene. *J Occup Environ Med.* 22: 737-740.
- Toledo, JM; Corella, J; Sanz, A. (2001). Noble metal-based catalysts for total oxidation of chlorinated hydrocarbons. *Environmental Progress.* 20: 167-174.
- Tom Kuo, MC; Liang, KF; Han, YL; Fan, KC. (2004). Pilot studies for in-situ aerobic cometabolism of trichloroethylene using toluene-vapor as the primary substrate. *Water Res.* 38: 4125-4134. <http://dx.doi.org/10.1016/j.watres.2004.08.009>.
- Toma, M; Grosser, M; Herr, A; Aust, D; Meye, A; Hoefling, C; Fuessel, S; Wuttig, D; Wirth, M; Baretton, G. (2008). Loss of heterozygosity and copy number abnormality in clear cell renal cell carcinoma discovered by high-density affymetrix 10K single nucleotide polymorphism mapping array. *Neoplasia.* 10: 634-642.
- Toman, F; Benes, L. (2007). Enthalpies of sorption of linear hydrocarbons (C-2-C-8) and chloroderivatives of methane and ethylene on the surface of hydrotalcite. *J Incl Phenom Macrocycl Chem.* 59: 231-236. <http://dx.doi.org/10.1007/s10847-007-9318-z>.
- Tomasic, V; Jovic, F; Gomzi, Z. (2008). Photocatalytic oxidation of toluene in the gas phase: Modelling an annular photocatalytic reactor. *Catalysis Today.* 137: 350-356. <http://dx.doi.org/10.1016/j.cattod.2008.05.017>.
- Tomisawa, H; Ichihara, S; Fukazawa, H; Ichimoto, N; Tateishi, M; Yamamoto, I. (1986). Purification and characterization of human hepatic cysteine-conjugate beta-lyase. *Biochem J.* 235: 569-575.
- Tomisawa, H; Suzuki, S; Ichihara, S; Fukazawa, H; Tateishi, M. (1984). Purification and characterization of C-S lyase from *Fusobacterium varium*: A C-S cleavage enzyme of cysteine conjugates and some S-containing amino acids. *J Biol Chem.* 259: 2588-2593.
- Tompson, AFB; Knapp, RB; Hanna, ML; Taylor, RT. (1994). SIMULATION OF TCE MIGRATION AND BIODEGRADATION IN A POROUS-MEDIUM UNDER CONDITIONS OF FINITE DEGRADATION CAPACITY. *Advances in Water Resources.* 17: 241-249.
- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta catalyses the oxygenation of the carcinogen dichloroacetic acid to glyoxylic acid. *Biochem J.* 331: 371-374.
- Topudurti, K; Keefe, M; Wooliever, P; Lewis, N. (1994). FIELD-EVALUATION OF PEROX-PURE(TM) CHEMICAL OXIDATION TECHNOLOGY. *Water Sci Technol.* 30: 95-104.
- Toren, K; Sterner, T. (2003). How to promote prevention-economic incentives or legal regulations or both? *Scand J Work Environ Health.* 29: 239-245.
- Torimoto, T; Ito, S; Kuwabata, S; Yoneyama, H. (1996). Effects of adsorbents used as supports for titanium dioxide loading on photocatalytic degradation of propylamide. *Environ Sci Technol.* 30: 1275-1281.
- Torn, MS; Davis, S; Bird, JA; Shaw, MR; Conrad, ME. (2003). Automated analysis of ¹³C/¹²C ratios in CO₂ and dissolved inorganic carbon for ecological and environmental applications. *Rapid Commun Mass Spectrom.* 17: 2675-2682. <http://dx.doi.org/10.1002/rcm.1246>.
- Torres-Dosal, A; Isabel Martinez-Salinas, R; Hernandez-Benavides, D; Javier Perez-Vazquez, F; Ilizaliturri-Hernandez, C; Nelinho Perez-Maldonado, I. (2012). Assessment of the levels of DDT and DDE in soil and blood samples from Tabasco, Mexico. *Environ Monit Assess.* 184: 7551-7559. <http://dx.doi.org/10.1007/s10661-012-2518-z>.
- Toth, B; Hornung, D; Scholz, C; Djalali, S; Friese, K; Jeschke, U. (2007). Peroxisome proliferator-activated receptors: new players in the field of reproduction [Review]. *Am J Reprod Immunol.* 58: 289-310. <http://dx.doi.org/10.1111/j.1600-0897.2007.00514.x>.
- Tracz, A; Jeszka, JK; Sroczynska, A; Ulanski, J; Pakula, T. (1996). Properties and microstructure of crystalline BEDT-TTF polyiodide network in polycarbonate matrix. *6: 335-342.*
- Tratnyek, PG. (2015). Comment on "evaluation of the kinetic oxidation of aqueous volatile organic compounds by permanganate" by M. G. Mahmoodlu, S. M. Hassanizadeh, and N. Hartog, in *Science of the Total Environment* (2014) 485-486: 755-763 [Letter]. *Sci Total Environ.* 502: 722-723. <http://dx.doi.org/10.1016/j.scitotenv.2014.08.065>.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res.* 35: 4435-4443.
- Travis, BJ; Rosenberg, ND. (1997). Modeling in situ bioremediation of TCE at Savannah River: Effects of product toxicity and microbial interactions on TCE degradation. *Environ Sci Technol.* 31: 3093-3102.
- Travis, CC. (2011). On the Definition of Internal Dose Metrics. *Hum Ecol Risk Assess.* 17: 467-477. <http://dx.doi.org/10.1080/10807039.2011.552399>.

Exposure Literature Search Results

Off Topic

- Trejo-Acevedo, A; Rivero-Pérez, NE; Flores-Ramírez, R; Orta-García, ST; Varela-Silva, JA; Pérez-Maldonado, IN. (2012). Assessment of the levels of persistent organic pollutants and 1-hydroxypyrene in blood and urine samples from Mexican children living in an endemic malaria area in Mexico. *Bull Environ Contam Toxicol*. 88: 828-832. <http://dx.doi.org/10.1007/s00128-012-0593-z>.
- Trevisan, A; Giraldo, M; Borella, M; Maso, S. (2001). Historical control data on urinary and renal tissue biomarkers in naive male Wistar rats. *J Appl Toxicol*. 21: 409-413.
- Triebig, G; Bestler, W; Baumeister, P; Valentin, H. (1983). [Neurotoxicity of workplace substances. IV. Determination of motor and sensory nerve conduction velocity in persons exposed to solvent mixtures]. *Int Arch Occup Environ Health*. 52: 139-150. <http://dx.doi.org/10.1007/BF00405417>.
- Triebig, G; Blume, J. (1992). ORGANIC-SOLVENTS AT THE WORKPLACE AND NEPHROTOXICITY - CURRENT KNOWLEDGE AND FUTURE PROSPECT. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 27: 190-&.
- Triebig, G; Schaller, KH. (1991). OCCUPATIONAL MEDICAL INVESTIGATION OF PAINTERS AND LACQUERERS EXPOSED TO HAZARDOUS SUBSTANCES. *Staub, Reinhaltung der Luft*. 51: 1-4.
- Triebig, G; Schaller, KH; Erzigkeit, H; Valentin, LH. (1977). Biochemische untersuchungen und psychologische studien an chronisch trichloräthylen-belasteten personen unter berücksichtigung expositionsfreier intervale. *Int Arch Occup Environ Health*. 38: 149-162. <http://dx.doi.org/10.1007/BF00378353>.
- Triebig, G; Trautner, P; Weltle, D; Saure, E; Valentin, H. (1982). Untersuchungen zur neurotoxizität von arbeitsstoffen. *Int Arch Occup Environ Health*. 51: 25-34. <http://dx.doi.org/10.1007/BF00378407>.
- Troldborg, M; Nowak, W; Tuxen, N; Bjerg, PL; Helmig, R; Binning, PJ. (2010). Uncertainty evaluation of mass discharge estimates from a contaminated site using a fully Bayesian framework. *Water Resour Res*. 46: n/a. <http://dx.doi.org/10.1029/2010WR009227>.
- Truchon, G; Tardif, R; Droz, PO; Charest-Tardif, G; Pierrehumbert, G. (2006). Biological exposure indicators: quantification of biological variability using toxicokinetic modeling. *J Occup Environ Hyg*. 3: 137-143. <http://dx.doi.org/10.1080/15459620500524987>.
- Truex, MJ; Macbeth, TW; Vermeul, VR; Fritz, BG; Mendoza, DP; Mackley, RD; Wietsma, TW; Sandberg, G; Powell, T; Powers, J; Pitre, E; Michalsen, M; Ballock-Dixon, SJ; Zhong, L; Oostrom, M. (2011). Demonstration of combined zero-valent iron and electrical resistance heating for in situ trichloroethene remediation. *Environ Sci Technol*. 45: 5346-5351. <http://dx.doi.org/10.1021/es104266a>.
- Truex, MJ; Vermeul, VR; Mendoza, DP; Fritz, BG; Mackley, RD; Oostrom, M; Wietsma, TW; Macbeth, TW. (2011). Injection of zero-valent iron into an unconfined aquifer using shear-thinning fluids. *Ground Water Monitoring and Remediation*. 31: 50-58. <http://dx.doi.org/10.1111/j.1745-6592.2010.01319.x>.
- Truhaut, R. (1951). [Contribution to the study of toxicology of trichloroethylene; Establishment of a method of determination applicable to atmosphere and biological media]. *Ann Pharm Fr*. 9: 175-187.
- Trung, T; Ha, CS. (2004). One-component solution system to prepare nanometric anatase TiO₂. *Mater Sci Eng C*. 24: 19-22. <http://dx.doi.org/10.1016/j.msec.2003.09.004>.
- Tryndyak, VP; Muskhelishvili, L; Kovalchuk, O; Rodriguez-Juarez, R; Montgomery, B; Churchwell, MI; Ross, SA; Beland, FA; Pogribny, IP. (2006). Effect of long-term tamoxifen exposure on genotoxic and epigenetic changes in rat liver: implications for tamoxifen-induced hepatocarcinogenesis. *Carcinogenesis*. 27: 1713-1720. <http://dx.doi.org/10.1093/carcin/bgl050>.
- Tsai, CJ; Chen, ML; Chang, KF; Chang, FK; Mao, IF. (2009). The pollution characteristics of odor, volatile organochlorinated compounds and polycyclic aromatic hydrocarbons emitted from plastic waste recycling plants. *Chemosphere*. 74: 1104-1110. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.041>.
- Tsai, TT; Kao, CM; Hong, A; Liang, SH; Chien, HY. (2008). Remediation of TCE-contaminated aquifer by an in situ three-stage treatment train system. *Colloid Surface Physicochem Eng Aspect*. 322: 130-137. <http://dx.doi.org/10.1016/j.colsurfa.2008.03.012>.
- Tsai, TT; Kao, CM; Surampalli, R; Weng, CH; Liang, SH. (2010). Treatment of TCE-Contaminated Groundwater Using Fenton-Like Oxidation Activated with Basic Oxygen Furnace Slag. *J Environ Eng*. 136: 288-294. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000137](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000137).
- Tsai, TT; Kao, CM; Wang, JY. (2011). Remediation of TCE-contaminated groundwater using acid/BOF slag enhanced chemical oxidation. *Chemosphere*. 83: 687-692. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.023>.
- Tsai, TT; Kao, CM; Yeh, TY; Liang, SH; Chien, HY. (2009). Application of surfactant enhanced permanganate oxidation and biodegradation of trichloroethylene in groundwater. *J Hazard Mater*. 161: 111-119. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.061>.
- Tsai, TT; Liu, JK; Chang, YM; Chen, KF; Kao, CM. (2014). Application of polycolloid-releasing substrate to remediate trichloroethylene-contaminated groundwater: A pilot-scale study. *J Hazard Mater*. 268: 92-101. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.004>.
- Tsai, TY; Okawa, K; Nakano, Y; Nishijima, W; Okada, M. (2004). Decomposition of trichloroethylene and 2,4-dichlorophenol by ozonation in several organic solvents. *Chemosphere*. 57: 1151-1155. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.081>.
- Tsakiroglou, C; Terzi, K; Sikinioti-Lock, A; Hajdu, K; Aggelopoulos, C. (2016). Assessing the capacity of zero valent iron nanofluids to remediate NAPL-polluted porous media. *Sci Total Environ*. 563-564: 866-878. <http://dx.doi.org/10.1016/j.scitotenv.2016.02.010>.
- Tsang, DC; Graham, NJ; Lo, IM. (2009). Humic acid aggregation in zero-valent iron systems and its effects on trichloroethylene removal. *Chemosphere*. 75: 1338-1343. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.058>.
- Tschantz, MF; Bowman, JP; Donaldson, TL; Bienkowski, PR; Strong-Gundersen, JM; Palumbo, AV; Herbes, SE; Saylor, GS. (1995). Methanotrophic TCE biodegradation in a multi-stage bioreactor. *Environ Sci Technol*. 29: 2073-2082.
- Tschantz, MF; Bowman, JP; Evans, F; Bienkowski, PR; Donaldson, TL; Saylor, GS. (1996). Development of a fully suspended, multi-stage bioreactor system for trichloroethylene degradation based on soluble monooxygenase cometabolism. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 31: 249-266.

Exposure Literature Search Results

Off Topic

- Tsekov, R; Smirniotis, PG. (1997). Radiation field in continuous annular photocatalytic reactors: Role of the lamp finite size. *Chem Eng Sci.* 52: 1667-1671.
- Tseng, H; Su, JG; Liang, C. (2011). Synthesis of granular activated carbon/zero valent iron composites for simultaneous adsorption/dechlorination of trichloroethylene. *J Hazard Mater.* 192: 500-506. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.047>.
- Tseng, TK; Chu, H; Hsu, HH. (2003). The catalytic incineration of trichloroethylene over a gamma-alumina supported manganese oxide catalyst. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 1159-1176. <http://dx.doi.org/10.1081/ESE-120019871>.
- Tseng, TK; Chu, H; Hsu, HH. (2003). Characterization of gamma-alumina-supported manganese oxide as an incineration catalyst for trichloroethylene. *Environ Sci Technol.* 37: 171-176. <http://dx.doi.org/10.1021/es0255960>.
- Tseng, TK, e; Wang, L; Ho, C; Chu, H. (2010). The destruction of dichloroethane over a gamma-alumina supported manganese oxide catalyst. *J Hazard Mater.* 178: 1035-1040. <http://dx.doi.org/10.1016/j.jhazmat.2010.02.044>.
- Tserng, H, uIP; Ho, SP; Chou, J, uIS; Lin, C. (2014). PROACTIVE MEASURES OF GOVERNMENTAL DEBT GUARANTEES TO FACILITATE PUBLIC-PRIVATE PARTNERSHIPS PROJECT. *Journal of Civil Engineering and Management.* 20: 548-560. <http://dx.doi.org/10.3846/13923730.2013.801883>.
- Tsitonaki, A; Petri, B; Crimi, M; Mosbaek, H; Siegrist, RL; Bjerg, PL. (2010). In Situ Chemical Oxidation of Contaminated Soil and Groundwater Using Persulfate: A Review. *Crit Rev Environ Sci Tech.* 40: 55-91. <http://dx.doi.org/10.1080/10643380802039303>.
- Tsitonaki, A; Smets, BF; Bjerg, PL. (2008). Effects of heat-activated persulfate oxidation on soil microorganisms. *Water Res.* 42: 1013-1022. <http://dx.doi.org/10.1016/j.watres.2007.09.018>.
- Tso, CP; Shih, YH. (2015). The reactivity of well-dispersed zerovalent iron nanoparticles toward pentachlorophenol in water. *Water Res.* 72: 372-380. <http://dx.doi.org/10.1016/j.watres.2014.12.038>.
- Tsotsou, GE; Cass, AEG; Gilardi, G. (2002). High throughput assay for cytochrome P450BM3 for screening libraries of substrates and combinatorial mutants. *Biosens Bioelectron.* 17: 119-131.
- Tsuda, S. (1970). TRICHLOROETHYLENE AND PERCHLOROETHYLENE MADE VIA SIMPLE NEW ROUTE. *Chem Eng.* 77: 74-&.
- Tsuji, S; Kawaguchi, H. (2008). Thermosensitive pickering emulsion stabilized by poly(N-isopropylacrylamide)-carrying particles. *Langmuir.* 24: 3300-3305. <http://dx.doi.org/10.1021/la701780g>.
- Tsuru, T; Toyosada, T; Yoshioka, T; Asaeda, M. (2001). Photocatalytic reactions in a filtration system through porous titanium dioxide membranes. *J Chem Eng Jpn.* 34: 844-847.
- Tsuru, T; Toyosada, T; Yoshioka, T; Asaeda, M. (2003). Photocatalytic membrane reactor using porous titanium oxide membranes. *J Chem Eng Jpn.* 36: 1063-1069.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology.* 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tugwood, JD; Aldridge, TC; Lambe, KG; Macdonald, N; Woodyatt, NJ. (1996). Peroxisome proliferator-activated receptors: Structures and function. *Ann N Y Acad Sci.* 804: 252-265. <http://dx.doi.org/10.1111/j.1749-6632.1996.tb18620.x>.
- Turcio-Ortega, D; Fan, D; Tratnyek, PG; Kim, E; Chang, YS. (2012). Reactivity of Fe/FeS Nanoparticles: Electrolyte Composition Effects on Corrosion Electrochemistry. *Environ Sci Technol.* 46: 12484-12492. <http://dx.doi.org/10.1021/es303422w>.
- Turgut, C; Cutright, TJ; Mermer, S; Atatanir, L; Turgut, N; Usluy, M; Erdogan, O. (2013). The source of DDT and its metabolites contamination in Turkish agricultural soils. *Environ Monit Assess.* 185: 1087-1093. <http://dx.doi.org/10.1007/s10661-012-2616-y>.
- Turkall, R; Skowronski, GA; Suh, DH; Abdel-rahman, MS. (2003). Effect of a chemical mixture on dermal penetration of arsenic and nickel in male pig in vitro. *J Toxicol Environ Health A.* 66: 647-655. <http://dx.doi.org/10.1080/15287390309353772>.
- Turner, LH; Chiew, YC; Ahlert, RC; Kosson, DS. (1996). Measuring vapor-liquid equilibrium for aqueous-organic systems: Review and a new technique. *AIChE J.* 42: 1772-1788.
- Tutkun, O. (1993). CONDENSATION OF VAPORS OF BINARY IMMISCIBLE LIQUIDS. *Chemical Engineering and Processing: Process Intensification.* 32: 263-272.
- Twesme, TM; Tompkins, DT; Anderson, MA; Root, TW. (2006). Photocatalytic oxidation of low molecular weight alkanes: Observations with ZrO₂-TiO₂ supported thin films. *Appl Catal B-Environ.* 64: 153-160. <http://dx.doi.org/10.1016/j.apcatb.2005.11.010>.
- U.S. EPA. (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.
- U.S. EPA. (1986). Guidelines for the health risk assessment of chemical mixtures (pp. 1-38). (EPA/630/R-98/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=22567>.
- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=34855>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=23162>.
- U.S. EPA. (1992). A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg^{3/4}/day [EPA Report] (pp. 24152-24161). Washington, DC.
- U.S. EPA. (1992). Dermal exposure assessment: Principles and applications (interim report) [EPA Report]. (EPA/600/8-91/011B). Washington, DC: Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=12188>.

Exposure Literature Search Results

Off Topic

- U.S. EPA. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=186068>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recorddisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA. (1995). The national public water system supervision program: Compliance report, FY 1994 [EPA Report]. (EPA 812-R-95-001). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20001TKR.txt>.
- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA. (1997). Exposure factors handbook [EPA Report] (pp. 1216). (EPA/600/P-95/002Fa-c). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=12464>.
- U.S. EPA. (1998). EPA data file: Office of groundwater and drinking water [EPA Report]. Washington, DC.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.
- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727.
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2002). Health assessment of 1,3-butadiene [EPA Report]. (EPA/600/P-98/001F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=54499>.
- U.S. EPA. (2002). OSWER draft guidance for evaluating the vapor intrusion to indoor air pathway from groundwater and soils (subsurface vapor intrusion guidance) [EPA Report]. (EPA 530-D-02-004). Washington, DC. <http://epa.gov/osw/hazard/correctiveaction/eis/vapor/guidance.pdf>.
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA. (2003). Framework for cumulative risk assessment [EPA Report]. (EPA/630/P-02/001F). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004TJH.txt>.
- U.S. EPA. (2003). Occurrence estimation methodology and occurrence findings report of the six-year review of existing national primary drinking water regulations [EPA Report]. (EPA-815/R-03-006). Washington, DC. http://water.epa.gov/lawsregs/rulesregs/regulatingcontaminants/sixyearreview/first_review/upload/support_6yr_occurrencemethods_final.pdf.
- U.S. EPA. (2003). Toxicological review of dichloroacetic acid (CAS No. 79-43-6) [EPA Report]. (EPA 635/R-03/007). Washington, DC. <http://www.epa.gov/iris/toxreviews/0654tr.pdf>.
- U.S. EPA. (2004). Estimated per capita water ingestion and body weight in the United States: An update [EPA Report]. (EPA-822/R-00-001). Washington, DC: U.S. Environmental Protection Agency, Office of Water. http://water.epa.gov/action/advisories/drinking/upload/2005_05_06_criteria_drinking_percapita_2004.pdf.
- U.S. EPA. (2005). Documentation of environmental indicator determination: RCRA corrective action: Current human exposures under control (IBM-Endicott) [EPA Report]. New York, NY. http://www.epa.gov/Region2/waste/ibm_e725.pdf.
- U.S. EPA. (2005). Guidance on selecting age groups for monitoring and assessing childhood exposures to environmental contaminants (final) [EPA Report]. (EPA/630/P-03/003F). Washington, DC. <http://www.epa.gov/raf/publications/guidance-on-selecting-age-groups.htm>.
- U.S. EPA. (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA. (2005). The HAPeM5 user's guide: Hazardous air pollutant exposure model, version 5 [EPA Report]. Research Triangle Park, NC. <http://www.epa.gov/airtoxics/nata1999/ted/hapem5guide.pdf>.
- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=158363>.
- U.S. EPA. (2006). Peer review handbook (3rd edition) [EPA Report]. (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. <http://www.epa.gov/peerreview/>.
- U.S. EPA. (2006). Technology transfer network 1999 national-scale air toxics assessment [Website]. Retrieved from <http://www.epa.gov/ttn/atw/nata1999/index.html>

Exposure Literature Search Results

Off Topic

- U.S. EPA. (2008). 1,1,2-Trichloro-1,2,2-trifluoroethane [EPA Report]. Washington, D.C. <http://www.epa.gov/IRIS/subst/0123.htm>.
- U.S. EPA. (2008). Child-specific exposure factors handbook [EPA Report]. (EPA/600/R-06/096F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=199243>.
- U.S. EPA. (2008). Factoids: Drinking water and ground water statistics for 2008 [EPA Report]. (EPA-816/K-08-004). Washington, DC. http://www.epa.gov/ogwdw000/databases/pdfs/data_factoids_2008.pdf.
- U.S. EPA. (2010). AirData: Access to air pollution data [Database]. Research Triangle Park, NC: Office of Air Quality Planning and Standards. Retrieved from <http://www.epa.gov/air/data/index.html>
- U.S. EPA. (2011). Recommended use of body weight 3/4 as the default method in derivation of the oral reference dose (pp. 1-50). (EPA/100/R11/0001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum, Office of the Science Advisor. <https://www.epa.gov/risk/recommended-use-body-weight-34-default-method-derivation-oral-reference-dose>.
- Uchiyama, H; Acosta, E; Tran, S; Sabatini, DA; Harwell, JH. (2000). Supersolubilization in chlorinated hydrocarbon microemulsions: Solubilization enhancement by lipophilic and hydrophilic linkers. *Ind Eng Chem Res.* 39: 2704-2708.
- Uchiyama, H; Christian, SD; Tucker, EE; Scamehorn, JF. (1994). SOLUBILIZATION OF TRICHLOROETHYLENE BY POLYELECTROLYTE SURFACTANT COMPLEXES. *AIChE J.* 40: 1969-1975.
- Uchiyama, H; Kato, C; Kokufuta, E; Yagi, O. (1997). Quantitative colorimetric determination of trichloroethylene degradation activity and implications for environmental use. *Environ Technol.* 18: 1123-1131.
- Uchiyama, H; Nakajima, T; Yagi, O; Tabuchi, T. (1989). Aerobic degradation of trichloroethylene at high concentration by a methane-utilizing mixed culture. *Agric Biol Chem.* 53: 1019-1024.
- Uchiyama, H; Nakajima, T; Yagi, O; Tabuchi, T. (1989). AEROBIC DEGRADATION OF TRICHLOROETHYLENE BY A NEW TYPE-II METHANE-UTILIZING BACTERIUM, STRAIN-M. *Agric Biol Chem.* 53: 2903-2907.
- Uchiyama, H; Tucker, EE; Christian, SD; Scamehorn, JF. (1994). SOLUBILIZATION OF TRICHLOROETHYLENE BY N-HEXADECYLPYRIDINIUM CHLORIDE MICELLES. *J Phys Chem.* 98: 1714-1718.
- Uguina, MA; Sotelo, JL; Delgado, JA; Gomez, JM; Celemin, LI. (2005). Adsorption of methyl ethyl ketone and trichloroethene from aqueous solutions onto silicalite fixed-bed adsorbers. *Separation and Purification Technology.* 42: 91-99. <http://dx.doi.org/10.1016/j.seppur.2004.06.007>.
- Ukai, H; Inui, S; Takada, S; Dendo, J; Ogawa, J; Isobe, K; Ashida, T; Tamura, M; Tabuki, K; Ikeda, M. (1997). Types of organic solvents used in small- to medium-scale industries in Japan; a nationwide field survey. *Int Arch Occup Environ Health.* 70: 385-392.
- Ulander, A; Selden, A; Ahlborg, G, Jr. (1992). Assessment of intermittent trichloroethylene exposure in vapor degreasing. *AIHA J.* 53: 742-743. <http://dx.doi.org/10.1080/15298669291360454>.
- Ulrich, RG; Rockett, JC; Gibson, GG; Pettit, SD. (2004). Overview of an interlaboratory collaboration on evaluating the effects of model hepatotoxicants on hepatic gene expression. *Environ Health Perspect.* 112: 423-427.
- Uludag-Demirer, S; Bowers, AR. (2000). Adsorption/reduction reactions of trichloroethylene by elemental iron in the gas phase: The role of water. *Environ Sci Technol.* 34: 4407-4412. <http://dx.doi.org/10.1021/es001017k>.
- Uludag-Demirer, S; Bowers, AR. (2001). Gas phase reduction of chlorinated VOCs by zero valent iron. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 1535-1547.
- Uludag-Demirer, S; Bowers, AR. (2003). Effects of surface oxidation and oxygen on the removal of trichloroethylene from the gas phase using elemental iron. *Water Air Soil Pollut.* 142: 229-242.
- Unger, DR; Lam, TT; Schaefer, CE; Kosson, DS. (1996). Predicting the effect of moisture on vapor-phase sorption of volatile organic compounds to soils. *Environ Sci Technol.* 30: 1081-1091.
- Unsworth, NK; Hancox, I; Dearden, CA; Sullivan, P; Walker, M; Lilley, RS; Sharp, J; Jones, TS. (2014). Comparison of dimethyl sulfoxide treated highly conductive poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) electrodes for use in indium tin oxide-free organic electronic photovoltaic devices. *Organic Electronics.* 15: 2624-2631. <http://dx.doi.org/10.1016/j.orgel.2014.07.015>.
- Upadhyaya, A; Acosta, EJ; Scamehorn, JF; Sabatini, DA. (2006). Microemulsion phase behavior of anionic-cationic surfactant mixtures: Effect of tail branching. *Journal of Surfactants and Detergents.* 9: 169-179.
- Urabe, Y; Nouse, K; Higashi, T; Nakatsukasa, H; Hino, N; Ashida, K; Kinugasa, N; Yoshida, K; Uematsu, S; Tsuji, T. (1996). Telomere length in human liver diseases. *Liver Int.* 16: 293-297. <http://dx.doi.org/10.1111/j.1600-0676.1996.tb00748.x>.
- Urano, K; Yamamoto, E; Tonegawa, M; Fujie, K. (1991). Adsorption of chlorinated organic compounds on activated carbon from water. *Water Res.* 25: 1459-1464.
- Urbanczyk, M; Jakubik, W; Kochowski, S. (1994). INVESTIGATION OF SENSOR PROPERTIES OF COPPER PHTHALOCYANINE WITH THE USE OF SURFACE ACOUSTIC-WAVES. *Sens Actuators B.* 22: 133-137.
- Urkiaga, A; Bolano, N; De Las Fuentes, L. (2002). Removal of micropollutants in aqueous streams by organophilic pervaporation. *Desalination.* 149: 55-60.
- Ursescu, D; Ionel, L. (2010). Gain and ionization dynamics in transient, collisionally excited X-ray lasers. *J Optoelect Adv Mater.* 12: 48-51.
- Urriaga, A; Gorri, D; Ortiz, I. (2002). Mass-transfer modeling in the pervaporation of VOCs from diluted solutions. *AIChE J.* 48: 572-581.
- Uryniewicz, MA. (2007). In situ chemical oxidation with permanganate: Assessing the competitive interactions between target and nontarget compounds. *Soil Sediment Contam.* 17: 53-62. <http://dx.doi.org/10.1080/15320380701741412>.
- Uryniewicz, MA. (2007). Kinetic approach for modeling TCE chemical oxidation by permanganate. *Journal of Advanced Oxidation Technologies.* 10: 196-201.

Exposure Literature Search Results

Off Topic

- Urynowicz, MA; Siegrist, RL. (2005). Interphase mass transfer during chemical oxidation of TCE DNAPL in an aqueous system. *J Contam Hydrol.* 80: 93-106. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.002>.
- Usman, ARA; Ahmad, M; El-Mahrouky, M; Al-Omran, A; Ok, Y; Sallam, AS, h; El-Naggar, AH; Al-Wabel, MI. (2016). Chemically modified biochar produced from conocarpus waste increases NO₃ removal from aqueous solutions. *Environ Geochem Health.* 38: 511-521. <http://dx.doi.org/10.1007/s10653-015-9736-6>.
- Usman, M; Faure, P; Ruby, C; Hanna, K. (2012). Application of magnetite-activated persulfate oxidation for the degradation of PAHs in contaminated soils. *Chemosphere.* 87: 234-240. <http://dx.doi.org/10.1016/j.chemosphere.2012.01.001>.
- Utidjian, HM. (1974). Exerpts from criteria for a recommended standard: OCCUPATIONAL EXPOSURE TO TRICHLOROETHYLENE. *J Occup Environ Med.* 16: 192-194.
- Vähänikkilä, H; Miettunen, J; Tjäderhane, L; Larmas, M; Nieminen, P. (2012). The use of time-to-event methods in dental research: a comparison based on five dental journals over a 11-year period. *Community Dent Oral Epidemiol.* 40 Suppl 1: 36-42. <http://dx.doi.org/10.1111/j.1600-0528.2011.00664.x>.
- Vainio, H; Linnainmaa, K; Kähönen, M; Nickels, J; Hietanen, E; Marniemi, J; Peltonen, P. (1983). Hypolipidemia and peroxisome proliferation induced by phenoxyacetic acid herbicides in rats. *Biochem Pharmacol.* 32: 2775-2779.
- Vainio, H; Nickels, J; Linnainmaa, K. (1982). Phenoxy acid herbicides cause peroxisome proliferation in Chinese hamsters. *Scand J Work Environ Health.* 8: 70-73.
- Valcke, M; Krishnan, K. (2010). An Assessment of the Interindividual Variability of internal Dosimetry during Multi-Route Exposure to Drinking Water Contaminants. *Int J Environ Res Public Health.* 7: 4002-4022. <http://dx.doi.org/10.3390/ijerph7114002>.
- Valentini, F; Compagnone, D; Giraudi, G; Palleschi, G. (2003). Electrochemical ELISA for the screening of DDT related compounds: analysis in waste waters. *Anal Chim Acta.* 487: 83-90. [http://dx.doi.org/10.1016/S0003-2670\(03\)00535-X](http://dx.doi.org/10.1016/S0003-2670(03)00535-X).
- Valic, E; Waldhör, T; Konnaris, C; Michitsch, A; Wolf, C. (1997). Acquired dyschromatopsia in combined exposure to solvents and alcohol. *Int Arch Occup Environ Health.* 70: 403-406.
- Van Acker, MR; Shahar, A; Young, ED; Coleman, ML. (2006). GC/multiple collector-ICPMS method for chlorine stable isotope analysis of chlorinated aliphatic hydrocarbons. *Anal Chem.* 78: 4663-4667. <http://dx.doi.org/10.1021/ac0602120>.
- van Beelen, P; Verbruggen, EMJ; Peijnenburg, WJG, M. (2003). The evaluation of the equilibrium partitioning method using sensitivity distributions of species in water and soil. *Chemosphere.* 52: 1153-1162. [http://dx.doi.org/10.1016/S0045-6535\(03\)00359-X](http://dx.doi.org/10.1016/S0045-6535(03)00359-X).
- van Beilen, JB; Li, Z; Duetz, WA; Smits, THM; Witholt, B. (2003). Diversity of alkane hydroxylase systems in the environment. *Oil & Gas Science & Technology.* 58: 427-440.
- van Bree, L; Commandeur, J; Lamberts, B; Cornelissen, M; van Roon, M; Laterveer, H; de Vries, J. (1990). Induction of drug metabolism enzymes by dihalogenated biphenyls. *J Biochem Toxicol.* 5: 57-63. <http://dx.doi.org/10.1002/jbt.2570050109>.
- van Breukelen, BM; Hunkeler, D; Volkering, F. (2005). Quantification of sequential chlorinated ethene degradation by use of a reactive transport model incorporating isotope fractionation. *Environ Sci Technol.* 39: 4189-4197. <http://dx.doi.org/10.1021/es048973c>.
- Van Craeynest, K; Dewulf, J; Vandeburie, S; Van Langenhove, H. (2003). Removal of trichloroethylene from waste gases via the peroxone process. *Water Sci Technol.* 48: 65-72.
- van Dijk, BA; Schouten, LJ; Oosterwijk, E; Hulsbergen-Van de Kaa, CA; Kiemeney, LA; Goldbohm, RA; Schalken, JA; van Den Brandt, PA. (2008). Carotenoid and vitamin intake, von Hippel-Lindau gene mutations and sporadic renal cell carcinoma. *Cancer Causes Control.* 19: 125-134. <http://dx.doi.org/10.1007/s10552-007-9078-5>.
- Van Durme, J; Dewulf, J; Demeestere, K; Leys, C; Van Langenhove, H. (2009). Post-plasma catalytic technology for the removal of toluene from indoor air: Effect of humidity. *Appl Catal B-Environ.* 87: 78-83. <http://dx.doi.org/10.1016/j.apcatb.2008.08.015>.
- van Eekert, MH; Schröder, TJ; van Rhee, A; Stams, AJ; Schraa, G; Field, JA. (2001). Constitutive dechlorination of chlorinated ethenes by a methanol degrading methanogenic consortium. *Bioresour Technol.* 77: 163-170.
- Van Nooten, T; Springael, D; Bastiaens, L. (2010). Microbial Community Characterization in a Pilot-Scale Permeable Reactive Iron Barrier. *Environ Eng Sci.* 27: 287-292. <http://dx.doi.org/10.1089/ees.2009.0271>.
- Van Nostrand, JD; Khijniak, TJ; Neely, B; Sattar, MA; Sowder, AG; Mills, G; Bertsch, PM; Morris, PJ. (2007). Reduction of nickel and uranium toxicity and enhanced trichloroethylene degradation to *Burkholderia vietnamiensis* PR1301 with hydroxyapatite amendment. *Environ Sci Technol.* 41: 1877-1882. <http://dx.doi.org/10.1021/es0616581>.
- Van Zwieten, L; Ayres, MR; Morris, SG. (2003). Influence of arsenic co-contamination on DDT breakdown and microbial activity. *Environ Pollut.* 124: 331-339. [http://dx.doi.org/10.1016/S0269-7491\(02\)00463-3](http://dx.doi.org/10.1016/S0269-7491(02)00463-3).
- Vanbeelen, P. (1990). DEGRADATION OF ORGANIC POLLUTANTS IN GROUND-WATER. 5: 199-212.
- Vancheeswaran, S; Halden, RU; Williamson, KJ; Ingle J D, J. R.; Semprini, L. (1999). Abiotic and biological transformation of tetraalkoxysilanes and trichloroethene/cis-1,2-dichloroethene cometabolism driven by tetrabutoxysilane-degrading microorganisms. *Environ Sci Technol.* 33: 1077-1085.
- Vancheeswaran, S; Hyman, MR; Semprini, L. (1999). Anaerobic biotransformation of trichlorofluoroethene in groundwater microcosms. *Environ Sci Technol.* 33: 2040-2045.
- Vandenbroucke, AM; Aerts, R; Van Gaens, W; De Geyter, N; Leys, C; Morent, R; Bogaerts, A. (2015). Modeling and Experimental Study of Trichloroethylene Abatement with a Negative Direct Current Corona Discharge. *Plasma Chemistry and Plasma Processing.* 35: 217-230. <http://dx.doi.org/10.1007/s11090-014-9584-7>.

Exposure Literature Search Results

Off Topic

- Vandenbroucke, AM; Dinh, MTN; Giraudon, JM; Morent, R; De Geyter, N; Lamoniér, JF; Leys, C. (2011). Qualitative By-Product Identification of Plasma-Assisted TCE Abatement by Mass Spectrometry and Fourier-Transform Infrared Spectroscopy. *Plasma Chemistry and Plasma Processing*. 31: 707-718. <http://dx.doi.org/10.1007/s11090-011-9310-7>.
- Vandenbroucke, AM; Dinh, MTN; Nuns, N; Giraudon, JM; De Geyter, N; Leys, C; Lamoniér, JF; Morent, R. (2016). Combination of non-thermal plasma and Pd/LaMnO₃ for dilute trichloroethylene abatement. *Chem Eng J*. 283: 668-675. <http://dx.doi.org/10.1016/j.cej.2015.07.089>.
- Vandenbroucke, AM; Mora, M; Jimenez-Sanchidrian, C; Romero-Salguero, FJ; De Geyter, N; Leys, C; Morent, R. (2014). TCE abatement with a plasma-catalytic combined system using MnO₂ as catalyst. *Appl Catal B-Environ*. 156: 94-100. <http://dx.doi.org/10.1016/j.apcatb.2014.03.007>.
- Vandenbroucke, AM; Morent, R; De Geyter, N; Leys, C. (2011). Decomposition of Trichloroethylene with Plasma-catalysis: A review. *Journal of Advanced Oxidation Technologies*. 14: 165-173.
- Vane, LM; Alvarez, FR. (2005). Vibrating pervaporation modules: Effect of module design on performance. *J Memb Sci*. 255: 213-224. <http://dx.doi.org/10.1016/j.memsci.2005.01.047>.
- Vane, LM; Giroux, EL. (2000). Henry's law constants and micellar partitioning of volatile organic compounds in surfactant solutions. *Journal of Chemical and Engineering Data*. 45: 38-47.
- Vannikov, AV; Grishina, AD; Gorbunova, Y, uG; Isakova, AA; Krivenko, TV; Zolotarevskii, VI; Lapkina, LA; Savel'ev, VV; Tsivadze, AY, u. (2014). Nonlinear optical properties of systems based on (tetra-15-crown-5-phthalocyaninato)indium(III). *High Energy Chemistry*. 48: 97-103. <http://dx.doi.org/10.1134/S0018143914020118>.
- Vanstone, NA; Focht, RM; Mabury, SA; Lollar, BS. (2004). Effect of iron type on kinetics and carbon isotopic enrichment of chlorinated ethylenes during abiotic reduction on Fe(0). *Ground Water*. 42: 268-276.
- Vanwarmerdam, EM; Frape, SK; Aravena, R; Drimmie, RJ; Flatt, H; Cherry, JA. (1995). Stable chlorine and carbon isotope measurements of selected chlorinated organic solvents. *Appl Geochem*. 10: 547-552.
- Varshney, M; Chandra, A; Chauhan, LK; Goel, SK. (2013). Micronucleus induction by oxidative metabolites of trichloroethylene in cultured human peripheral blood lymphocytes: a comparative genotoxicity study. *Environ Sci Pollut Res Int*. 20: 8709-8716. <http://dx.doi.org/10.1007/s11356-013-1806-7>.
- Varshney, M; Chandra, A; Chauhan, LK; Goel, SK. (2014). In vitro cytogenetic assessment of trichloroacetic acid in human peripheral blood lymphocytes. *Environ Sci Pollut Res Int*. 21: 843-850. <http://dx.doi.org/10.1007/s11356-013-1949-6>.
- Vaughan, RL; Reed, BE; Viadero, RC; Jamil, M; Berg, M. (1999). Simultaneous removal of organic and heavy metal contaminants by granular activated carbon (GAC) columns. *Adv Environ Res*. 3: 229-242.
- Vaughan-jackson, JD; Dunlop, EMC; Darougar, S; Dwyer, RSC; Jones, BR. (1972). CHLAMYDIAL INFECTION - RESULTS OF TESTS FOR CHLAMYDIA IN PATIENTS SUFFERING FROM ACUTE REITERS DISEASE COMPARED WITH RESULTS OF TESTS OF GENITAL TRACT AND RECTUM IN PATIENTS WITH OCULAR INFECTION DUE TO TRIC AGENT. 48: 445-451.
- Vazquez-Gomez, L; de Battisti, A; Ferro, S; Cerro, M; Reyna, S; Martinez-Huitle, CA; Quiroz, MA. (2012). Anodic Oxidation as Green Alternative for Removing Diethyl Phthalate from Wastewater Using Pb/PbO₂ and Ti/SnO₂ Anodes. *CLEAN - Soil, Air, Water*. 40: 408-415. <http://dx.doi.org/10.1002/clen.201000357>.
- Veazey, MV. (2005). Microbe could be used to clean PCE and TCE contamination. *Mater Perform*. 44: 44-44.
- Vecchia, ED; Coisson, M; Appino, C; Vinai, F; Sethi, R. (2009). Magnetic Characterization and Interaction Modeling of Zerovalent Iron Nanoparticles for the Remediation of Contaminated Aquifers. *J Nanosci Nanotechnol*. 9: 3210-3218. <http://dx.doi.org/10.1166/jnn.2009.047>.
- Vedhi, C; Raj, JA; Gopal, N; Somasudaram, RM; Manisankar, P. (2010). Synthesis of potential capacitive Poly 4, 4'-diaminodiphenyl sulphone-metal nanocomposites and their characterizations. *Synthetic Metals*. 160: 1307-1312. <http://dx.doi.org/10.1016/j.synthmet.2010.04.005>.
- Veenstra, JN; Sanders, DA; Johan, J. (1999). Removal of air-phase 1,2-dichloroethane in a biofilter: A comparison of cometabolism using pre-loaded phenol and concurrent phenol addition. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 34: 1569-1589.
- Veeramachaneni, DNR. (2008). Impact of environmental pollutants on the male: Effects on germ cell differentiation. *Anim Reprod Sci*. 105: 144-157. <http://dx.doi.org/10.1016/j.anireprosci.2007.11.020>.
- Veeramachaneni, DNR; Palmer, JS; Amann, RP. (2001). Long-term effects on male reproduction of early exposure to common chemical contaminants in drinking water. *Hum Reprod*. 16: 979-987. <http://dx.doi.org/10.1093/humrep/16.5.979>.
- Vega, AM; Lancaster, VA; Roulier, MH. (2004). Comparison of two field sampling procedures (En Core and field methanol extraction) for volatile organic compounds. *Environ Sci Technol*. 38: 6790-6794. <http://dx.doi.org/10.1021/es049276n>.
- Velazquez, JC; Leekumjorn, S; Nguyen, QX; Fang, Y, uLun; Heck, KN; Hopkins, GD; Reinhard, M; Wong, MS. (2013). Chloroform Hydrodechlorination Behavior of Alumina-supported Pd and PdAu Catalysts. *AIChE J*. 59: 4474-4482. <http://dx.doi.org/10.1002/aic.14250>.
- Velimirovic, M; Carniato, L; Simons, Q; Schoups, G; Seuntjens, P; Bastiaens, L. (2014). Corrosion rate estimations of microscale zerovalent iron particles via direct hydrogen production measurements. *J Hazard Mater*. 270: 18-26. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.034>.
- Velimirovic, M; Larsson, P; Simons, Q; Bastiaens, L. (2013). Impact of carbon, oxygen and sulfur content of microscale zerovalent iron particles on its reactivity towards chlorinated aliphatic hydrocarbons. *Chemosphere*. 93: 2040-2045. <http://dx.doi.org/10.1016/j.chemosphere.2013.07.034>.

Exposure Literature Search Results

Off Topic

- Velimirovic, M; Larsson, P; Simons, Q; Bastiaens, L. (2013). Reactivity screening of microscale zerovalent irons and iron sulfides towards different CAHs under standardized experimental conditions. *J Hazard Mater.* 252: 204-212. <http://dx.doi.org/10.1016/j.jhazmat.2013.02.047>.
- Velimirovic, M; Schmid, D; Wagner, S; Micić, V; von der Kammer, F; Hofmann, T. (2016). Agar agar-stabilized milled zerovalent iron particles for in situ groundwater remediation. *Sci Total Environ.* 563-564: 713-723. <http://dx.doi.org/10.1016/j.scitotenv.2015.11.007>.
- Velimirovic, M; Simons, Q; Bastiaens, L. (2014). Guar gum coupled microscale ZVI for in situ treatment of CAHs: continuous-flow column study. *J Hazard Mater.* 265: 20-29. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.020>.
- Veljanoska-Sarafiloska, E; Stafilov, T; Jordanoski, M. (2011). DISTRIBUTION OF DDT METABOLITES IN THE SEDIMENT AND MUSCLE FISH TISSUE FROM AGRICULTURALLY IMPACTED LAKE DOJRAN (MACEDONIA/GREECE). *Fresen Environ Bull.* 20: 2027-2035.
- Veljanoska-Sarafiloska, EM; Jordanoski, M; Stafilov, T. (2013). Presence of DDT metabolites in water, sediment and fish muscle tissue from Lake Prespa, Republic of Macedonia. *J Environ Sci Health B.* 48: 548-558. <http://dx.doi.org/10.1080/03601234.2013.774879>.
- Veljanoska-Sarafiloska, EM; Stafilov, T. (2012). Comparison of the Presence of DDT Metabolites in Sediments and Fish from Lakes Ohrid, Prespa and Dojran. *Acta Zoolog Bulg* 215-222.
- Venkatapathy, R; Bessingpas, DG; Canonica, S; Perlinger, JA. (2002). Kinetics models for trichloroethylene transformation by zero-valent iron. *Appl Catal B-Environ.* 37: 139-159.
- Venkataraman, P; Sunkara, B; St Dennis, JE; He, J; John, VT; Bose, A. (2012). Water-in-Trichloroethylene Emulsions Stabilized by Uniform Carbon Microspheres. *Langmuir.* 28: 1058-1063. <http://dx.doi.org/10.1021/la204215x>.
- Venkatesulu, D; Rao, MVP. (1992). EXCESS VOLUMES OF 2-ALKOXYETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data.* 37: 479-481.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1996). Excess volumes and viscosities of tetrachloroethylene with branched alcohols at 303.15 K. *Journal of Chemical and Engineering Data.* 41: 819-820.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Excess enthalpies of ethyl acetate and butyl acetate with 2-alkoxyethanols at 298.15 K. *Fluid Phase Equilibria.* 136: 249-255.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Excess volumes and viscosities of binary mixtures of trichloroethylene with branched alcohols. *Fluid Phase Equilibria.* 128: 241-248.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Speed of sound and isentropic compressibilities of trichloroethylene with branched alcohols at 303.15 K. *Journal of Chemical and Engineering Data.* 42: 1145-1146.
- Veraldi, A; Seniori, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med.* 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Verbruggen, SW; Ribbens, S; Tytgat, T, om; Hauchecorne, B; Smits, M; Meynen, V; Cool, P; Martens, JA; Lenaerts, S. (2011). The benefit of glass bead supports for efficient gas phase photocatalysis: Case study of a commercial and a synthesised photocatalyst. *Chem Eng J.* 174: 318-325. <http://dx.doi.org/10.1016/j.cej.2011.09.038>.
- Verce, MF; Gunsch, CK; Danko, AS; Freedman, DL. (2002). Cometabolism of cis-1,2-dichloroethene by aerobic cultures grown on vinyl chloride as the primary substrate. *Environ Sci Technol.* 36: 2171-2177. <http://dx.doi.org/10.1021/es011220v>.
- Verdini, R; Aulenta, F; de Tora, F; Lai, A; Majone, M. (2015). Relative contribution of set cathode potential and external mass transport on TCE dechlorination in a continuous-flow bioelectrochemical reactor. *Chemosphere.* 136: 72-78. <http://dx.doi.org/10.1016/j.chemosphere.2015.03.092>.
- Verma, Y; Rana, S. (2003). Gender differences in the metabolism of benzene, toluene and trichloroethylene in rat with special reference to certain biochemical parameters. *J Environ Biol.* 24: 135-140.
- Vermeulen, NP; Bladeren, PJ, v. (2001). Trichloroethylene Risk Assessment: Relevance of Interindividual Differences. *Hum Ecol Risk Assess.* 7: 717-726.
- Verner, MA; Ayotte, P; Muckle, G; Charbonneau, M; Haddad, S. (2009). A physiologically based pharmacokinetic model for the assessment of infant exposure to persistent organic pollutants in epidemiologic studies. *Environ Health Perspect.* 117: 481-487. <http://dx.doi.org/10.1289/ehp.0800047>.
- Verplanke, AJ; Leumanns, MH; Herber, RF. (1999). Occupational exposure to tetrachloroethene and its effects on the kidneys. *J Occup Environ Med.* 41: 11-16.
- Vesela, L; Nemecek, J, an; Siglova, M; Kubal, M. (2006). The biofiltration permeable reactive barrier: Practical experience from Synthesia. *Int Biodeterior Biodegradation.* 58: 224-230. <http://dx.doi.org/10.1016/j.ibiod.2006.06.013>.
- Vicente, F; Santos, A; Romero, A; Rodriguez, S. (2011). Kinetic study of diuron oxidation and mineralization by persulphate: Effects of temperature, oxidant concentration and iron dosage method. *Chem Eng J.* 170: 127-135. <http://dx.doi.org/10.1016/j.cej.2011.03.042>.
- Vidal, AJM; Soria, J; Augugliaro, V; Loddo, V. (1997). Oxidation of ethanol in gas phase via heterogeneous photocatalysis. *Chemical and Biochemical Engineering Quarterly.* 11: 89-95.
- Vidal, M; Bassères, A; Narbonne, J. (2001). Potential biomarkers of trichloroethylene and toluene exposure in *Corbicula fluminea*. *Environ Toxicol Pharmacol.* 9: 87-97.
- Vidal, ML; Basseres, A; Narbonne, JF. (2001). Interest of a multibiomarker approach in the assessment of freshwater ecosystem quality: laboratory and field studies. *Water Sci Technol.* 44: 305-312.
- Vidic, RD; Suidan, MT. (1991). Role of dissolved oxygen on the adsorptive capacity of activated carbon for synthetic and natural organic matter. *Environ Sci Technol.* 25: 1612-1618.

Exposure Literature Search Results

Off Topic

- Vieth, A; Müller, J; Strauch, G; Kästner, M; Gehre, M; Meckenstock, RU; Richnow, HH. (2003). In-situ biodegradation of tetrachloroethene and trichloroethene in contaminated aquifers monitored by stable isotope fractionation. *Isotopes Environ Health Stud.* 39: 113-124. <http://dx.doi.org/10.1080/1025601031000108688>.
- Viisimaa, M; Goi, A. (2014). Use of hydrogen peroxide and percarbonate to treat chlorinated aromatic hydrocarbon-contaminated soil. *Journal of Environmental Engineering and Landscape Management.* 22: 30. <http://dx.doi.org/10.3846/16486897.2013.804827>.
- Vijayakumar, NS; Flower, NAL; Brabu, B; Gopalakrishnan, C; Raja, SVK. (2013). Degradation of DCE and TCE by Fe-Ni nanoparticles immobilised polysulphone matrix. *Journal of Experimental Nanoscience.* 8: 890-900. <http://dx.doi.org/10.1080/17458080.2011.620017>.
- Vikesland, PJ; Klausen, J; Zimmermann, H; Roberts, AL; Ball, WP. (2003). Longevity of granular iron in groundwater treatment processes: changes in solute transport properties over time. *J Contam Hydrol.* 64: 3-33. [http://dx.doi.org/10.1016/S0169-7722\(02\)00150-X](http://dx.doi.org/10.1016/S0169-7722(02)00150-X).
- Vilaplana, M; Marco-Urrea, E; Gabarrell, X; Sarra, M; Caminal, G. (2008). Required equilibrium studies for designing a three-phase bioreactor to degrade trichloroethylene (TCE) and tetrachloroethylene (PCE) by *Trametes versicolor*. *Chem Eng J.* 144: 21-27. <http://dx.doi.org/10.1016/j.cej.2008.01.004>.
- Villalobos, SA; Anderson, MJ; Denison, MS; Hinton, DE; Tullis, K; Kennedy, IM; Jones, AD; Chang D, PY; Yang, G; Kelly, P. (1996). Dioxinlike properties of a trichloroethylene combustion-generated aerosol. *Environ Health Perspect.* 104: 734-743.
- Villaluenga, JPG; Cohen, Y. (2005). Numerical model of non-isothermal pervaporation in a rectangular channel. *J Memb Sci.* 260: 119-130. <http://dx.doi.org/10.1016/j.memsci.2005.03.025>.
- Villano, M; Aulenta, F; Ciucci, C; Ferri, T; Giuliano, A; Majone, M. (2010). Bioelectrochemical reduction of CO(2) to CH(4) via direct and indirect extracellular electron transfer by a hydrogenophilic methanogenic culture. *Bioresour Technol.* 101: 3085-3090. <http://dx.doi.org/10.1016/j.biortech.2009.12.077>.
- Villela, A; Weaver, LK; Ritesh, D. (2015). Coronary gas embolism during a dive: a case report. *Undersea Hyperb Med.* 42: 613-617.
- Villeneuve, E; Morozov, I; Lesclaux, R. (2000). Kinetics of the self-reactions of peroxy radicals arising from chlorine-initiated oxidation of chloroethenes. *J Phys Chem A.* 104: 9933-9940. <http://dx.doi.org/10.1021/jp001704y>.
- Vilve, M; Vilhunen, S; Vepsäläinen, M; Kurniawan, TA; Lehtonen, N; Isomäki, H; Sillanpää, M. (2010). Degradation of 1,2-dichloroethane from wash water of ion-exchange resin using Fenton's oxidation. *Environ Sci Pollut Res Int.* 17: 875-884. <http://dx.doi.org/10.1007/s11356-009-0291-5>.
- Vine, MF; Stein, L; Weigle, K; Schroeder, J; Degnan, D; Tse, CK; Backer, L. (2001). Plasma 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) levels and immune response. *Am J Epidemiol.* 153: 53-63. <http://dx.doi.org/10.1093/aje/153.1.53>.
- Vinter, AA; Gorodetskii, IY; Lupanov, PA; Legochkina, LA. (1976). PHASE-EQUILIBRIA IN INDUSTRIAL SYSTEMS AT STAGE OF EXTRACTING CAPROLACTAM WITH TRICHLOROETHYLENE. *J Appl Chem USSR.* 49: 939-941.
- Visscher, F; Gaakeer, WA; Mendoza, PG; de Croon, MHJ, M; van Der Schaaf, J; Schouten, JC. (2011). Liquid-Liquid Extraction Systems of Benzoic Acid in Water and Heptane, Methylbenzene, or Trichloroethylene as Cosolvent. *Journal of Chemical and Engineering Data.* 56: 3630-3636. <http://dx.doi.org/10.1021/jc200478p>.
- Visvanathan, C; Basu, B; Mora, JC. (1995). SEPARATION OF VOLATILE ORGANIC-COMPOUNDS BY PERVAPORATION FOR A BINARY COMPOUND COMBINATION - TRICHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE. *Ind Eng Chem Res.* 34: 3956-3962.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1996). Electron beam generated plasma decomposition of 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing.* 16: 651-668.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1997). The effect of a carbon-carbon double bond on electron beam-generated plasma decomposition of trichloroethylene and 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing.* 17: 59-78.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemietycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med.* 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- Vlaanderen, J; Straif, K; Pukkala, E; Kauppinen, T; Kyyronen, P; Martinsen, J; Kjaerheim, K; Tryggvadottir, L; Hansen, J; Sørensen, P, ar; Weiderpass, E. (2013). Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. *Occup Environ Med.* 70: 393-401. <http://dx.doi.org/10.1136/oemed-2012-101188>.
- Vlaanderen, J; Straif, K; Ruder, A; Blair, A; Hansen, J; Lyng, E; Charbotel, B; Loomis, D; Kauppinen, T; Kyyronen, P; Pukkala, E; Weiderpass, E; Guha, N. (2014). Tetrachloroethylene Exposure and Bladder Cancer Risk: A Meta-Analysis of Dry-Cleaning-Worker Studies [Review]. *Environ Health Perspect.* 122: 661-666. <http://dx.doi.org/10.1289/ehp.1307055>.
- Vn, S; Esclapez Vicente, MD; Bonete, P; González-García, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res.* 43: 8. <http://dx.doi.org/10.1016/j.watres.2009.02.019>.
- Vo, E; Berardinelli, SP; Hall, RC. (1999). Recovery of some common solvents from protective clothing breakthrough indicator pads by microwave-solvent extraction and gas chromatography. *Analyst.* 124: 941-944.
- Vodola, JK; Lenz, SD; Renden, JA; Mcelhenney, WH; Kemppainen, BW. (1997). Drinking water contaminants (arsenic, cadmium, lead, benzene, and trichloroethylene). 2. Effects on reproductive performance, egg quality, and embryo toxicity in broiler breeders. *Poult Sci.* 76: 1493-1500.
- Vodola, JK; Renden, JA; Lenz, SD; Mcelhenney, WH; Kemppainen, BW. (1997). Drinking water contaminants (arsenic, cadmium, lead, benzene, and trichloroethylene). 1. Interaction of contaminants with nutritional status on general performance and immune function in broiler chickens. *Poult Sci.* 76: 1474-1492.
- Vogler, ET; Chrysikopoulos, CV. (2004). An experimental study of acoustically enhanced NAPL dissolution in porous media. *AIChE J.* 50: 3271-3280. <http://dx.doi.org/10.1002/aic.10221>.

Exposure Literature Search Results

Off Topic

- Volcik, V; Hoffmann, J; Ruzicka, J; Sergejevova, M. (2005). Trichloroethylene (TCE) removal in a single pulse suspension bioreactor. *J Environ Manage.* 74: 293-304. <http://dx.doi.org/10.1016/j.jenvman.2004.09.001>.
- Völkel, W; Dekant, W. (1998). Chlorothioacetene, the ultimate reactive intermediate formed by cysteine conjugate beta-lyase-mediated cleavage of the trichloroethene metabolite S-(1,2-Dichlorovinyl)-L-cysteine, forms cytosine adducts in organic solvents, but not in aqueous solution. *Chem Res Toxicol.* 11: 1082-1088. <http://dx.doi.org/10.1021/tx980084d>.
- Volkel, W; Pahler, A; Dekant, W. (1999). Gas chromatography-negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins. *J Chromatogr A.* 847: 35-46. [http://dx.doi.org/10.1016/S0021-9673\(99\)00022-9](http://dx.doi.org/10.1016/S0021-9673(99)00022-9).
- Volpe, A; Lopez, A; Mascolo, G; Detomaso, A. (2004). Chlorinated herbicide (triallate) dehalogenation by iron powder. *Chemosphere.* 57: 579-586. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.040>.
- von Grote, J; Hurlimann, C; Scheringer, M; Hungerbuhler, K. (2002). Occupational exposure to perchloroethylene and trichloroethylene in metal degreasing over the last 30 years - Influences of technology innovation and legislation. *Epidemiology.* 13: S119-S119.
- Von Grote, J; Hurlimann, JC; Scheringer, M; Hungerbuhler, K. (2003). Reduction of Occupational Exposure to Perchloroethylene and Trichloroethylene in Metal Degreasing over the Last 30 years: Influence of Technology Innovation and Legislation. *J Expo Anal Environ Epidemiol.* 13: 325-340. <http://dx.doi.org/10.1038/sj.jea.7500288>.
- Von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere.* 39: 2479-2488.
- von Wandruszka, R; Newell, JD. (2002). Removal of zinc and trichloroethylene from water by column extraction with a crude humic acid. *Environmental Progress.* 21: 209-214.
- Vorkamp, K; Haas, BS; Herrmann, R. (1998). Development of passive samplers for the detection of chlorinated hydrocarbons in sewers. *Water Sci Technol.* 37: 311-318.
- Vorontsov, AV; Savinov, EN; Barannik, GB; Troitsky, VN; Parmon, VN. (1997). Quantitative studies on the heterogeneous gas-phase photooxidation of CO and simple VOCs by air over TiO₂. *Catalysis Today.* 39: 207-218.
- Vose, JM; Swank, WT; Harvey, GJ; Clinton, BD; Sobek, C. (2000). Leaf Water Relations and Sapflow in Eastern Cottonwood (*Populus deltoides* Bartr.) Trees Planted for Phytoremediation of a Groundwater Pollutant. *Int J Phytoremediation.* 2: 53-73. <http://dx.doi.org/10.1080/15226510008500030>.
- Voss, C; Zerban, H; Bannasch, P; Berger, MR. (2005). Lifelong exposure to di-(2-ethylhexyl)-phthalate induces tumors in liver and testes of Sprague-Dawley rats. *Toxicology.* 206: 359-371. <http://dx.doi.org/10.1016/j.tox.2004.07.016>.
- Voss, KA; Riley, R; Dunn, C; Christopher Corton, JC. (2006). The role of tumor necrosis factor alpha and the peroxisome proliferator-activated receptor alpha in modulating the effects of fumonisin in mouse liver. *Toxicology.* 222: 165-174. <http://dx.doi.org/10.1016/j.tox.2006.02.012>.
- Voudrias, EA; Li, CY. (1993). BENZENE VAPOR TRANSPORT IN UNSATURATED SOIL - ADEQUACY OF THE DIFFUSION EQUATION. *J Hazard Mater.* 34: 295-311.
- Vroblecky, DA; Nietch, CT; Morris, JT. (1999). Chlorinated ethenes from groundwater in tree trunks. *Environ Sci Technol.* 33: 510-515.
- Vyskocil, A; Truchon, G; Leroux, T; Lemay, F; Gendron, M; Gagnon, F; Majidi, NE; Boudjerida, A; Lim, S; Emond, C; Viau, C. (2012). A weight of evidence approach for the assessment of the ototoxic potential of industrial chemicals [Review]. *Toxicol Ind Health.* 28: 796-819. <http://dx.doi.org/10.1177/0748233711425067>.
- Wackett, LP. (1995). RECRUITMENT OF CO-METABOLIC ENZYMES FOR ENVIRONMENTAL DETOXIFICATION OF ORGANOHALIDES. *Environ Health Perspect.* 103: 45-48.
- Wackett, LP; Schanke, CA. (1992). MECHANISMS OF REDUCTIVE DEHALOGENATION BY TRANSITION-METAL COFACTORS FOUND IN ANAEROBIC-BACTERIA. *Met Ions Biol Syst.* 28: 329-356.
- Waclawek, S; Nosek, J; Cadrova, L; Antos, V; Cernik, M. (2015). USE OF VARIOUS ZERO VALENT IRONS FOR DEGRADATION OF CHLORINATED ETHENES AND ETHANES. 22: 577-587. <http://dx.doi.org/10.1515/eces-2015-0034>.
- Wada, N; Marsman, DS; Popp, JA. (1992). Dose-related effects of the hepatocarcinogen, Wy-14,643, on peroxisomes and cell replication. *Fundam Appl Toxicol.* 18: 149-154.
- Wadden, RA; Hawkins, JL; Scheff, PA; Franke, JE. (1991). Characterization of Emission Factors Related to Source Activity for Trichloroethylene Degreasing and Chrome Plating Processes. *Am Ind Hyg Assoc J.* 52: 349-356.
- Wadden, RA; Scheff, PA; Franke, JE. (1989). Emission Factors for Trichloroethylene Vapor Degreasers. *Am Ind Hyg Assoc J.* 50: 495-500.
- Wadley, SL; Gillham, RW; Gui, L. (2005). Remediation of DNAPL source zones with granular iron: laboratory and field tests. *Ground Water.* 43: 9-18.
- Waghlikar, SG; Mayadevi, S; Jacob, NE; Sivasanker, S. (2006). Claisen rearrangement of allyl phenyl ether over zeolites beta, mordenite and Y. *Microporous and Mesoporous Materials.* 95: 8-16. <http://dx.doi.org/10.1016/j.micromeso.2006.05.001>.
- Wagner, A; Cooper, M; Ferdi, S; Seifert, J; Adrian, L. (2012). Growth of *Dehalococcoides mccartyi* strain CBDB1 by reductive dehalogenation of brominated benzenes to benzene. *Environ Sci Technol.* 46: 8960-8968. <http://dx.doi.org/10.1021/es3003519>.
- Wahman, DG; Henry, AE; Katz, LE; Speitel, GE, Jr. (2006). Cometabolism of trihalomethanes by mixed culture nitrifiers. *Water Res.* 40: 3349-3358. <http://dx.doi.org/10.1016/j.watres.2006.07.03>.
- Wahman, DG; Katz, LE; Speitel, GE, Jr. (2007). Modeling of trihalomethane cometabolism in nitrifying biofilters. *Water Res.* 41: 449-457. <http://dx.doi.org/10.1016/j.watres.2006.10.01>.
- Wald, S; Glocker, B; Weiss, E; Pokryvailo, A; Labruno, P; Kempenaers, P; Handte, J. (2001). Treating hazardous wastes with pulsed-plasma technology. *J O M.* 53: 28-31.

Exposure Literature Search Results

Off Topic

- Waldemer, RH; Tratnyek, PG. (2006). Kinetics of contaminant degradation by permanganate. *Environ Sci Technol.* 40: 1055-1061. <http://dx.doi.org/10.1021/es051330s>.
- Waldemer, RH; Tratnyek, PG; Johnson, RL; Nurmi, JT. (2007). Oxidation of chlorinated ethenes by heat-activated persulfate: Kinetics and products. *Environ Sci Technol.* 41: 1010-1015. <http://dx.doi.org/10.1021/es062237m>.
- Walivaara, B; Askendal, A; Lundstrom, I; Tengvall, P. (1996). Blood protein interactions with titanium surfaces. *J Biomater Sci Polym Ed.* 8: 41-48.
- Walker, B; Tamayo, A; Duong, D; Dang, XD; Kim, C; Granstrom, J; Nguyen, TQ. (2011). A Systematic Approach to Solvent Selection Based on Cohesive Energy Densities in a Molecular Bulk Heterojunction System. 1: 221-229. <http://dx.doi.org/10.1002/aenm.201000054>.
- Walker, DI; Mallon, CT; Hopke, PK; Uppal, K; Go, YM; Rohrbeck, P; Pennell, KD; Jones, DP. (2016). Deployment-Associated Exposure Surveillance With High-Resolution Metabolomics. *J Occup Environ Med.* 58: S12-S21. <http://dx.doi.org/10.1097/JOM.0000000000000768>.
- Walker, SL. (2005). The role of nutrient presence on the adhesion kinetics of *Burkholderia cepacia* G4g and ENV435g. *Colloids Surf B Biointerfaces.* 45: 181-188. <http://dx.doi.org/10.1016/j.colsurfb.2005.08.007>.
- Wallace, L. (1998). Trichloroethylene [correction of Trichloroethene] levels in human blood and exhaled breath from controlled inhalation exposure [Comment]. *Environ Health Perspect.* 106: 531-533.
- Waller, LA; Turnbull, BW. (1993). The effects of scale on tests for disease clustering. *Stat Med.* 12: 1869-1884.
- Walter, GA; Strand, SE; Herwig, RR; Treat, TP; Stensel, HD. (1997). Trichloroethylene and methane feeding strategies to sustain degradation by methanotrophic enrichments. *Water Environ Res.* 69: 1066-1074.
- Walters, GW; Aitken, MD. (2001). Surfactant-enhanced solubilization and anaerobic biodegradation of 1,1,1-trichloro-2,2-bis(p-chlorophenyl)-ethane (DDT) in contaminated soil. *Water Environ Res.* 73: 15-23.
- Walton, BT; Guthrie, EA; Hoylman, AM. (1994). TOXICANT DEGRADATION IN THE RHIZOSPHERE. *ACS Symp Ser Am Chem Soc.* 563: 11-26.
- Wan, J; Wan, J; Ma, Y; Huang, M; Wang, Y, an; Ren, R. (2013). Reactivity characteristics of SiO₂-coated zero-valent iron nanoparticles for 2,4-dichlorophenol degradation. *Chem Eng J.* 221: 300-307. <http://dx.doi.org/10.1016/j.cej.2013.01.093>.
- Wang, AJ; Cheng, HY; Liang, B; Ren, NQ; Cui, D; Lin, N; Kim, BH; Rabaey, K. (2011). Efficient reduction of nitrobenzene to aniline with a biocatalyzed cathode. *Environ Sci Technol.* 45: 10186-10193. <http://dx.doi.org/10.1021/es202356w>.
- Wang, B; Xue, Y. (1992). BEHAVIOR OF A MOIST KELVIN WAVE PACKET WITH NONLINEAR HEATING. *J Atmos Sci.* 49: 549-559.
- Wang, C, hiWei; Liang, C. (2014). Oxidative degradation of TMAH solution with UV persulfate activation. *Chem Eng J.* 254: 472-478. <http://dx.doi.org/10.1016/j.cej.2014.05.116>.
- Wang, C; Ma, X; Walsh, MP. (2011). Competitive uptake and phytomonitoring of chlorinated contaminant mixtures by *Redosier dogwood* (*Cornus sericea*). *Int J Phytoremediation.* 13: 333-344. <http://dx.doi.org/10.1080/15226514.2010.495146>.
- Wang, CB; Zhang, WX. (1997). Synthesizing nanoscale iron particles for rapid and complete dechlorination of TCE and PCBs. *Environ Sci Technol.* 31: 2154-2156.
- Wang, D; Bolton, J. R.; Hofmann, R, on. (2012). Medium pressure UV combined with chlorine advanced oxidation for trichloroethylene destruction in a model water. *Water Res.* 46: 4677-4686. <http://dx.doi.org/10.1016/j.watres.2012.06.007>.
- Wang, D; McLaughlin, E; Pfeiffer, R; Lin, YS. (2011). Adsorption of Organic Compounds in Vapor, Liquid, and Aqueous Solution Phases on Hydrophobic Aerogels. *Ind Eng Chem Res.* 50: 12177-12185. <http://dx.doi.org/10.1021/ie201301n>.
- Wang, DW; Zhao, XP. (2009). Microencapsulated electric ink using gelatin/gum arabic. *J Microencapsul.* 26: 37-45. <http://dx.doi.org/10.1080/02652040802127806>.
- Wang, F; Annable, MD; Schaefer, CE; Ault, TD; Cho, J; Jawitz, JW. (2014). Enhanced aqueous dissolution of a DNAPL source to characterize the source strength function. *J Contam Hydrol.* 169: 75-89. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.004>.
- Wang, F; Kuo, M; Shun, C; Ma, Y; Wang, J; Ueng, T. (2002). Chronic toxicity of a mixture of chlorinated alkanes and alkenes in ICR mice. *J Toxicol Environ Health A.* 65: 279-291. <http://dx.doi.org/10.1080/15287390252800864>.
- Wang, G; Ansari, GAS; Khan, MF. (2007). Involvement of lipid peroxidation-derived aldehyde-protein adducts in autoimmunity mediated by trichloroethene. *J Toxicol Environ Health A.* 70: 1977-1985. <http://dx.doi.org/10.1080/15287390701550888>.
- Wang, G, en; Feng, C; Kang, C; Zhang, B; Chen, N, an; Zhang, X. (2016). Electrochemical Degradation of Chloroform Using Ti/IrO₂ Anode and Cu/Zn Cathode. *J Environ Eng.* 142. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0001035](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0001035).
- Wang, G; Grathwohl, P. (2009). Activation energies of phenanthrene desorption from carbonaceous materials: Column studies. *J Hydrol.* 369: 234-240. <http://dx.doi.org/10.1016/j.jhydrol.2009.02.018>.
- Wang, GS; Alben, KT. (1998). Effect of preadsorbed background organic matter on granular activated carbon adsorption of atrazine. *Sci Total Environ.* 224: 221-226.
- Wang, H, ao; Chen, J. (2012). Enhanced flushing of polychlorinated biphenyls contaminated sands using surfactant foam: Effect of partition coefficient and sweep efficiency. *J Environ Sci.* 24: 1270-1277. [http://dx.doi.org/10.1016/S1001-0742\(11\)60881-4](http://dx.doi.org/10.1016/S1001-0742(11)60881-4).
- Wang, H, ao; Chen, J. (2013). A study on the permeability and flow behavior of surfactant foam in unconsolidated media. *Environ Earth Sci.* 68: 567-576. <http://dx.doi.org/10.1007/s12665-012-1760-6>.
- Wang, H, ao; Chen, J. (2014). Experimental investigation on influence of foam mobility on polychlorinated biphenyl removal in foam flushing. *Environ Technol.* 35: 993-1002. <http://dx.doi.org/10.1080/09593330.2013.858185>.
- Wang, H; Kim, B; Wunder, SL. (2015). Nanoparticle-Supported Lipid Bilayers as an In Situ Remediation Strategy for Hydrophobic Organic Contaminants in Soils. *Environ Sci Technol.* 49: 529-536. <http://dx.doi.org/10.1021/es504832n>.
- Wang, H; Li, D; Wu, Y, an; Li, J, ie; Li, G. (2009). Removal of four kinds of volatile organic compounds mixture in air using silent discharge reactor driven by bipolar pulsed power. *Journal of Electrostatics.* 67: 547-553. <http://dx.doi.org/10.1016/j.elstat.2008.11.004>.

Exposure Literature Search Results

Off Topic

- Wang, H; Zhao, Y; Li, T; Chen, Z; Wang, Y; Qin, C. (2016). Properties of calcium peroxide for release of hydrogen peroxide and oxygen: A kinetics study. *Chem Eng J.* 303: 450-457. <http://dx.doi.org/10.1016/j.cej.2016.05.123>.
- Wang, HCA; Chang, WJV; Michiels, A; Dickeson, D. (1995). Stripping of TCE from water at low air water ratios. *Environmental Progress.* 14: 111-114.
- Wang, HH; Schlueter, JA; Geiser, U; Williams, JM; Naumann, D; Roy, T. (1995). ESR CHARACTERIZATION OF THE ORGANIC SUPERCONDUCTING SALTS OF THE BEDT-TTF DONOR MOLECULE WITH THE NOVEL ORGANOMETALLIC ANION [CU(CF₃)(4)](-) [BEDT-TTF=BIS(ETHYLENEDITHIO)TETRATHIAFULVALENE]. *Inorg Chem.* 34: 5552-5557.
- Wang, HY; Chen, HY; Hsu, YY; Stimming, U; Chen, HM; Liu, B. (2016). Modulation of Crystal Surface and Lattice by Doping: Achieving Ultrafast Metal-Ion Insertion in Anatase TiO₂. <http://dx.doi.org/10.1021/acsami.6b11185>.
- Wang, J; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environ Sci Technol.* 38: 1576-1581. <http://dx.doi.org/10.1021/es034877k>.
- Wang, J; Cutright, TJ. (2005). Potential waste minimization of trichloroethylene and perchloroethylene via aerobic biodegradation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 40: 1569-1584. <http://dx.doi.org/10.1081/ESE-200060640>.
- Wang, J; Farrell, J. (2003). Investigating the role of atomic hydrogen on chloroethene reactions with iron using tafel analysis and electrochemical impedance spectroscopy. *Environ Sci Technol.* 37: 3891-3896. <http://dx.doi.org/10.1021/es0254605>.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol.* 34: 2243-2248.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2004). Preparation of microcapsules containing two-phase core materials. *Langmuir.* 20: 10845-10850. <http://dx.doi.org/10.1021/la0490902>.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2008). Preparation and response behavior of blue electronic ink microcapsules. *Optical Materials.* 30: 1268-1272. <http://dx.doi.org/10.1016/j.optmat.2007.05.057>.
- Wang, K, e; Wei, Y, iM. (2014). China's regional industrial energy efficiency and carbon emissions abatement costs. *Appl Energ.* 130: 617-631. <http://dx.doi.org/10.1016/j.apenergy.2014.03.010>.
- Wang, KH; Hsieh, YH. (1998). Heterogeneous photocatalytic degradation of trichloroethylene in vapor phase by titanium dioxide. *Environ Int.* 24: 267-274.
- Wang, KH; Hsieh, YH; Lin, CH; Chang, CY. (1999). The study of the photocatalytic degradation kinetics for dichloroethylene in vapor phase. *Chemosphere.* 39: 1371-1384.
- Wang, KH; Jehng, JM; Hsieh, YH; Chang, CY. (2002). The reaction pathway for the heterogeneous photocatalysis of trichloroethylene in gas phase. *J Hazard Mater.* 90: 63-75.
- Wang, KH; Tsai, HH; Hsieh, YH. (1998). The kinetics of photocatalytic degradation of trichloroethylene in gas phase over TiO₂ supported on glass bead. *Appl Catal B-Environ.* 17: 313-320.
- Wang, KH; Tsai, HH; Hsieh, YH. (1998). A study of photocatalytic degradation of trichloroethylene in vapor phase on TiO₂ photocatalyst. *Chemosphere.* 36: 2763-2773.
- Wang, L; Cheng, Y; Liu, Z; Yi, X; Zhu, H; Wang, G. (2016). Hybrid Tunnel Junction-Graphene Transparent Conductive Electrodes for Nitride Lateral Light Emitting Diodes. 8: 1176-1183. <http://dx.doi.org/10.1021/acsami.5b09419>.
- Wang, Q; Ding, JN; Wang, WX. (2005). Fabrication and temperature coefficient compensation technology of low cost high temperature pressure sensor. *Sens Actuators A.* 120: 468-473. <http://dx.doi.org/10.1016/j.sna.2005.01.036>.
- Wang, Q; Goldsmith, RH; Jiang, Y; Bockenauer, SD; Moerner, WE. (2012). Probing single biomolecules in solution using the anti-Brownian electrokinetic (ABEL) trap. *Acc Chem Res.* 45: 1955-1964. <http://dx.doi.org/10.1021/ar200304t>.
- Wang, Q; Jeong, S; Choi, H. (2012). Removal of trichloroethylene DNAPL trapped in porous media using nanoscale zerovalent iron and bimetallic nanoparticles: Direct observation and quantification. *J Hazard Mater.* 213: 299-310. <http://dx.doi.org/10.1016/j.jhazmat.2012.02.002>.
- Wang, Q; Kanel, SR, aj; Park, H; Ryu, A; Choi, H. (2009). Controllable synthesis, characterization, and magnetic properties of nanoscale zerovalent iron with specific high Brunauer-Emmett-Teller surface area. *J Nanopart Res.* 11: 749-755. <http://dx.doi.org/10.1007/s11051-008-9524-7>.
- Wang, Q; Lee, S; Choi, H. (2010). Aging Study on the Structure of Fe-0-Nanoparticles: Stabilization, Characterization, and Reactivity. *J Phys Chem C.* 114: 2027-2033. <http://dx.doi.org/10.1021/jp909137f>.
- Wang, Q; Qian, H; Yang, Y; Zhang, Z; Naman, C; Xu, X. (2010). Reduction of hexavalent chromium by carboxymethyl cellulose-stabilized zero-valent iron nanoparticles. *J Contam Hydrol.* 114: 35-42. <http://dx.doi.org/10.1016/j.jconhyd.2010.02.006>.
- Wang, Q; Shao, Y; Gao, N; Chu, W; Deng, J; Shen, X; Lu, X; Zhu, Y; Wei, X. (2016). Degradation of alachlor with zero-valent iron activating persulfate oxidation. *Taiwan Institute of Chemical Engineers Journal.* 63: 379-385. <http://dx.doi.org/10.1016/j.jtice.2016.03.038>.
- Wang, Q; Snyder, S; Kim, J; Choi, H. (2009). Aqueous Ethanol modified Nanoscale Zerovalent Iron in Bromate Reduction: Synthesis, Characterization, and Reactivity. *Environ Sci Technol.* 43: 3292-3299. <http://dx.doi.org/10.1021/es803540b>.
- Wang, R; Nakajima, T; Honma, T. (1999). Different change patterns of the isozymes of cytochrome P450 and glutathione S-transferases in chemically induced liver damage in rat. *Ind Health.* 37: 440-448.
- Wang, R; Shin, CH, o; Kim, D; Ryu, M; Park, JS. (2016). Adsorption of heavy metals and organic contaminants from aqueous stream with chemically enhanced kapok fibers. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5254-9>.
- Wang, RS; Nakajima, T. (1992). Effects of ethanol and phenobarbital treatments on the pharmacokinetics of toluene in rats. *Occup Environ Med.* 49: 104-112.

Exposure Literature Search Results

Off Topic

- Wang, S; Han, Y; Cao, X, i; Zhao, D, an; Yang, D; Chen, J. (2016). Enhanced degradation of trichloroethylene using bentonite-supported nanoscale Fe/Ni and humic acids. *Environ Chem Lett.* 14: 237-242. <http://dx.doi.org/10.1007/s10311-015-0548-9>.
- Wang, S; He, J. (2013). Dechlorination of commercial PCBs and other multiple halogenated compounds by a sediment-free culture containing *Dehalococcoides* and *Dehalobacter*. *Environ Sci Technol.* 47: 10526-10534. <http://dx.doi.org/10.1021/es4017624>.
- Wang, S; Huang, G; Wei, J; He, L. (2013). Simulation-Based Variance Components Analysis for Characterization of Interaction Effects of Random Factors on Trichloroethylene Vapor Transport in Unsaturated Porous Media. *Ind Eng Chem Res.* 52: 8602-8611. <http://dx.doi.org/10.1021/ie4012003>.
- Wang, S; Yang, Q, i. (2013). ACCLIMATION OF ANAEROBIC SLUDGE-DEGRADING 1,1-DICHLOROETHYLENE (1,1-DCE) UNDER DIFFERENT SUBSTRATE CONDITIONS AND THE BIODEGRADATION KINETICS. *Fresen Environ Bull.* 22: 3016-3023.
- Wang, S; Yang, Q, i. (2013). COMETABOLIC DEGRADATION OF 1,1-DCE WITH BENZENE AS THE PRIMARY SUBSTRATE BY AEROBIC SLUDGE. *Fresen Environ Bull.* 22: 220-227.
- Wang, S; Yang, Q, i; Bai, Z; Wang, S; Wang, Y; Nowak, KM. (2015). Acclimation of aerobic-activated sludge degrading benzene derivatives and cometabolic degradation activities of trichloroethylene by benzene derivative-grown aerobic sludge. *Environ Technol.* 36: 115-123. <http://dx.doi.org/10.1080/09593330.2014.938127>.
- Wang, SJ; Loh, KC. (2000). New cell growth pattern on mixed substrates and substrate utilization in cometabolic transformation of 4-chlorophenol. *Water Res.* 34: 3786-3794.
- Wang, SL; Lee, TC; Ho, TI. (2002). Excited state proton transfer and steric effect on the hydrogen bonding interaction of the styrylquinoline system. *J Photochem Photobiol A.* 151: 21-26.
- Wang, SM; Tseng, SK. (2009). Reductive dechlorination of trichloroethylene by combining autotrophic hydrogen-bacteria and zero-valent iron particles. *Bioresour Technol.* 100: 111-117. <http://dx.doi.org/10.1016/j.biortech.2008.05.033>.
- Wang, SY; Chen, SC; Lin, YC; Kuo, YC; Chen, JY; Kao, CM. (2016). Acidification and sulfide formation control during reductive dechlorination of 1,2-dichloroethane in groundwater: Effectiveness and mechanistic study. *Chemosphere.* 160: 216-229. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.066>.
- Wang, T; Lenahan, R; Kanik, M; Teneyck, J. (1986). THE REMOVAL OF TRICHLOROETHYLENE (TCT) CONTAMINATED GROUNDWATER AND IMPACTS OF CONTAMINANTS DISCHARGED TO THE MAIN CANAL AND INDIAN RIVER ESTUARY, FLORIDA, USA. *Water Sci Technol.* 18: 352-352.
- Wang, W; Chiang, LW; Ku, Y. (2003). Decomposition of benzene in air streams by UV/TiO₂ process. *J Hazard Mater.* 101: 133-146. [http://dx.doi.org/10.1016/S0304-3894\(03\)00169-9](http://dx.doi.org/10.1016/S0304-3894(03)00169-9).
- Wang, W, eiH; Hoag, GE; Collins, JB; Naidu, R. (2013). Evaluation of Surfactant-Enhanced In Situ Chemical Oxidation (S-ISCO) in Contaminated Soil. *Water Air Soil Pollut.* 224. <http://dx.doi.org/10.1007/s11270-013-1713-z>.
- Wang, W; Ku, Y. (2003). Photocatalytic degradation of gaseous benzene in air streams by using an optical fiber photoreactor. *J Photochem Photobiol A.* 159: 47-59. [http://dx.doi.org/10.1016/S1010-6030\(03\)00111-4](http://dx.doi.org/10.1016/S1010-6030(03)00111-4).
- Wang, W; Qu, Y; Yang, B; Liu, X; Su, W. (2012). Lactate oxidation in pyrite suspension: a Fenton-like process in situ generating H₂O₂. *Chemosphere.* 86: 376-382. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.026>.
- Wang, W, ei; Wang, S; Zhang, J; Hu, Z; Zhang, X; Sierra, JM. (2016). Degradation kinetics of pentachlorophenol and changes in anaerobic microbial community with different dosing modes of co-substrate and zero-valent iron. *Int Biodeterior Biodegradation.* 113: 126-133. <http://dx.doi.org/10.1016/j.ibiod.2015.12.006>.
- Wang, W, ei; Zhou, M. (2010). Degradation of trichloroethylene using solvent-responsive polymer coated Fe nanoparticles. *Colloid Surface Physicochem Eng Aspect.* 369: 232-239. <http://dx.doi.org/10.1016/j.colsurfa.2010.08.031>.
- Wang, W; Zhou, M; Jin, Z; Li, T. (2010). Reactivity characteristics of poly(methyl methacrylate) coated nanoscale iron particles for trichloroethylene remediation. *J Hazard Mater.* 173: 724-730. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.145>.
- Wang, X; Brusseau, ML. (1993). Solubilization of some low-polarity organic compounds by hydroxypropyl-beta-cyclodextrin. *Environ Sci Technol.* 27: 2821-2825.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater.* 161: 815-823. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.027>.
- Wang, X; Dossett, MP; Gordon, MP; Strand, SE. (2004). Fate of carbon tetrachloride during phytoremediation with poplar under controlled field conditions. *Environ Sci Technol.* 38: 5744-5749. <http://dx.doi.org/10.1021/es0499187>.
- Wang, X; Li, JR; Fu, ML; Yuan, B; Cui, HJ; Wang, YF. (2014). Fabrication and evaluation of Au-Pd core-shell nanocomposites for dechlorination of diclofenac in water. *Environ Technol.* 36: 1-25. <http://dx.doi.org/10.1080/09593330.2014.994044>.
- Wang, X; Ning, P; Liu, H; Ma, J, un. (2010). Dechlorination of chloroacetic acids by Pd/Fe nanoparticles: Effect of drying method on metallic activity and the parameter optimization. *Appl Catal B-Environ.* 94: 55-63. <http://dx.doi.org/10.1016/j.apcatb.2009.10.020>.
- Wang, X; So, L; Su, R, en; Wendt, S; Hald, P; Mamakhel, A; Yang, C; Huang, Y; Iversen, B, oB; Besenbacher, F. (2014). The influence of crystallite size and crystallinity of anatase nanoparticles on the photo-degradation of phenol. *J Catal.* 310: 100-108. <http://dx.doi.org/10.1016/j.jcat.2013.04.022>.
- Wang, X, in; Tan, X, in; Yu, T, ao. (2014). Kinetic Study of Ozone Photocatalytic Decomposition Using a Thin Film of TiO₂ Coated on a Glass Plate and the CFD Modeling Approach. *Ind Eng Chem Res.* 53: 7902-7909. <http://dx.doi.org/10.1021/ie403144w>.
- Wang, X, u; Wang, Y, unXia; Yuan, B; Cui, H, aoJie; Fu, ML, ai. (2015). Fabrication of resin supported Au-Pd bimetallic nanoparticle composite to efficiently remove chloramphenicol from water. *RSC Advances.* 5: 18806-18812. <http://dx.doi.org/10.1039/c4ra17309k>.

Exposure Literature Search Results

Off Topic

- Wang, X; Yang, J; Zhu, M; Li, F. (2013). Characterization and regeneration of Pd/Fe nanoparticles immobilized in modified PVDF membrane. *Taiwan Institute of Chemical Engineers Journal*. 44: 386-392. <http://dx.doi.org/10.1016/j.jtice.2012.12.007>.
- Wang, X; Yu, H; Hua, D; Zhou, S. (2013). Enhanced Catalytic Hydrogenation Activity and Selectivity of Pt-MxOy/Al₂O₃ (M = Ni, Fe, Co) Heteroaggregate Catalysts by in Situ Transformation of PtM Alloy Nanoparticles. *J Phys Chem C*. 117: 7294-7302. <http://dx.doi.org/10.1021/jp309548v>.
- Wang, X; Zhang, S; Li, J; Xu, J; Wang, X. (2014). Fabrication of Fe/Fe₃C@porous carbon sheets from biomass and their application for simultaneous reduction and adsorption of uranium(VI) from solution. 1: 641-648. <http://dx.doi.org/10.1039/c4qi00071d>.
- Wang, XD; Fang, J; Carey, P; Yee, S. (1993). MIXTURE ANALYSIS OF ORGANIC-SOLVENTS USING NONSELECTIVE AND NONLINEAR TAGUCHI GAS SENSORS WITH ARTIFICIAL NEURAL NETWORKS. *Sens Actuators B*. 13: 455-457.
- Wang, XH; Feng, ZM. (2003). Energy consumption with sustainable development in developing country: a case in Jiangsu, China. *Energy Policy*. 31: 1679-1684.
- Wang, Y; Chen, Y; Yao, M; Qin, H; Kang, S; Li, X, i; Zuo, Y; Zhang, X; Cui, L, iF. (2015). Simple synthesis of mesoporous FeNi/graphitic carbon nanocomposite catalysts and study on their activities in catalytic cracking of toluene. *Mater Chem Phys*. 167: 347-353. <http://dx.doi.org/10.1016/j.matchemphys.2015.10.054>.
- Wang, Y, e; Deng, B; Kim, CN. (2012). Transient Characteristics of VOCs Removal by an Air Cleaner in Association with a Humidifier Combined with Different Ventilation Strategies in an Office. *Indoor Built Environ*. 21: 71-78. <http://dx.doi.org/10.1177/1420326X11419928>.
- Wang, Y; Huang, YS. (2001). Hydrogen isotope fractionation of low molecular weight n-alkanes during progressive vaporization. *Organic Geochemistry*. 32: 991-998.
- Wang, Y; Huang, YS. (2003). Hydrogen isotopic fractionation of petroleum hydrocarbons during vaporization: implications for assessing artificial and natural remediation of petroleum contamination. *Appl Geochem*. 18: 1641-1651. [http://dx.doi.org/10.1016/S0883-2927\(03\)00076-3](http://dx.doi.org/10.1016/S0883-2927(03)00076-3).
- Wang, Y; Li, H; Song, Q; Qi, Y, e. (2017). The consequence of energy policies in China: A case study of the iron and steel sector. *Resour Conservat Recycl*. 117: 66-73. <http://dx.doi.org/10.1016/j.resconrec.2015.07.007>.
- Wang, Y; Li, Y; Zhang, W; Wang, Q; Wang, D. (2014). Photocatalytic degradation and reactor modeling of 17 α -ethynylestradiol employing titanium dioxide-incorporated foam concrete. *Environ Sci Pollut Res Int*. 22: 3508-3517. <http://dx.doi.org/10.1007/s11356-014-3573-5>.
- Wang, YT; Zhao, XP; Wang, DW. (2006). Electrophoretic ink using urea-formaldehyde microspheres. *J Microencapsul*. 23: 762-768. <http://dx.doi.org/10.1080/02652040600788197>.
- Wang, Z; Acosta, E. (2013). Formulation design for target delivery of iron nanoparticles to TCE zones. *J Contam Hydrol*. 155: 9-19. <http://dx.doi.org/10.1016/j.jconhyd.2013.08.005>.
- Wang, Z; Hall, SD; Maya, JF; Li, L; Asghar, A; Gorski, JC. (2003). Diabetes mellitus increases the in vivo activity of cytochrome P450 2E1 in humans. *Br J Clin Pharmacol*. 55: 77-85.
- Wang, Z; Liu, J; Dai, Y; Dong, W; Zhang, S; Chen, J. (2011). Dimethyl Sulfide Photocatalytic Degradation in a Light-Emitting-Diode Continuous Reactor: Kinetic and Mechanistic Study. *Ind Eng Chem Res*. 50: 7977-7984. <http://dx.doi.org/10.1021/ie200297x>.
- Wang, Z; Peng, P; Huang, W. (2009). Dechlorination of gamma-hexachlorocyclohexane by zero-valent metallic iron. *J Hazard Mater*. 166: 992-997. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.10>.
- Wang, Z; Xiu, G; Wu, X; Wang, L; Cai, J; Zhang, D. (2013). Biodegradation of xylene mixture from artificial simulated waste gases by capillary membrane bioreactors. *Chem Eng J*. 229: 508-514. <http://dx.doi.org/10.1016/j.cej.2013.05.001>.
- Wanner, C; Zink, S; Eggenberger, U; Mäder, U. (2012). Assessing the Cr(VI) reduction efficiency of a permeable reactive barrier using Cr isotope measurements and 2D reactive transport modeling. *J Contam Hydrol*. 131: 54-63. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.007>.
- Wanner, P; Hunkeler, D. (2015). Carbon and chlorine isotopologue fractionation of chlorinated hydrocarbons during diffusion in water and low permeability sediments. *Geochim Cosmo Acta*. 157: 198-212. <http://dx.doi.org/10.1016/j.gca.2015.02.034>.
- Wanner, P; Parker, BL; Chapman, SW; Aravena, R; Hunkeler, D. (2016). Quantification of Degradation of Chlorinated Hydrocarbons in Saturated Low Permeability Sediments Using Compound-Specific Isotope Analysis. *Environ Sci Technol*. 50: 5622-5630. <http://dx.doi.org/10.1021/acs.est.5b06330>.
- Wanson, JC; Bernaert, D; Penasse, W; Mosselmans, R; Bannasch, P. (1980). Separation in distinct subpopulations by elutriation of liver cells following exposure of rats to N-nitrosomorpholine. *Cancer Res*. 40: 459-471.
- Ward, EM; Thun, MJ; Hannan, LM; Jemal, A. (2006). Interpreting cancer trends [Review]. *Ann N Y Acad Sci*. 1076: 29-53. <http://dx.doi.org/10.1196/annals.1371.048>.
- Ward, JM; Peters, JM; Perella, CM; Gonzalez, FJ. (1998). Receptor and nonreceptor-mediated organ-specific toxicity of di(2-ethylhexyl)phthalate (DEHP) in peroxisome proliferator-activated receptor alpha-null mice. *Toxicol Pathol*. 26: 240-246.
- Ward, TE; Bulmer, D; Walton, MR; Apel, WA. (1998). Development of genetically engineered bacteria for trichloroethylene degradation (pp. 179-193). (ISSN 1093-4529; EISSN 1532-4117; BIOSIS/98/12311). Ward, TE; Bulmer, D; Walton, MR; Apel, WA.
- Wardencki, W; Michulec, M; Cisowski, W; Glensk, M; Zbikowska, B. (2005). Solvent residue determination in *Uncaria tomentosa* bark by HS-GC technique. *Chemia analityczna*. 50: 575-581.
- Wareham, JD. (2003). Information assets in interorganizational governance: Exploring the property rights perspective. *IEEE Trans Eng Manag*. 50: 337-351. <http://dx.doi.org/10.1109/TEM.2003.817291>.
- Warr, T; Parry, E; Parry, J. (1993). A comparison of two in vitro mammalian cell cytogenetic assays for the detection of mitotic aneuploidy using 10 known or suspected aneugens. *Mutat Res-Fundam Mol Mech Mutagen*. 287: 29-46. [http://dx.doi.org/10.1016/0027-5107\(93\)90143-4](http://dx.doi.org/10.1016/0027-5107(93)90143-4).

Exposure Literature Search Results

Off Topic

- Warren, C; Mackay, D; Whelan, M; Fox, K. (2007). Mass balance modelling of contaminants in river basins: application of the flexible matrix approach. *Chemosphere*. 68: 1232-1244. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.084>.
- Warren, DA; Reigle, TG; Muralidhara, S; Dallas, CE. (1996). Schedule-controlled operant behavior of rats following oral administration of perchloroethylene: Time course and relationship to blood and brain solvent levels. *J Toxicol Environ Health*. 47: 345-362. <http://dx.doi.org/10.1080/009841096161690>.
- Warren, DR; Blain, GT; Shorney, FL; Klein, LJ. (1995). IRP - A CASE-STUDY FROM KANSAS. *J Am Water Works Assoc*. 87: 57-71.
- Warren, KA; Gabr, MA; Quaranta, JD. (2006). Field study to investigate WIDE technology for TCE extraction. *Journal of Geotechnical and Geoenvironmental Engineering*. 132: 1111-1120. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2006\)132:9\(1111\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2006)132:9(1111)).
- Wartenberg; Reyner. (2000). TCE Meta-Analyses: Wartenberg et al.'s Response. *Environ Health Perspect*. 108: A543-A544.
- Wartenberg, D; Reyner, D; Scott, CS. (2000). Trichloroethylene and cancer: Epidemiologic evidence [Review]. *Environ Health Perspect*. 108: 161-176.
- Wartenberg, D; Reyner, D; Scott, CS. (2001). Errors in TCE analysis: response. *Environ Health Perspect*. 109: A108-A109.
- Wartenberg, D; Siegel, SC. (2002). Carcinogenicity of trichloroethylene. *Environ Health Perspect*. 110: A13-A14.
- Washington, JW; Cameron, BA. (2001). Evaluating degradation rates of chlorinated organics in groundwater using analytical models. *Environ Toxicol Chem*. 20: 1909-1915.
- Watanabe, KH; Bois, FY; Daisey, JM; Auslander, DM; Spear, RC. (1994). Benzene toxicokinetics in humans: exposure of bone marrow to metabolites. *Occup Environ Med*. 51: 414-420.
- Watanabe, M; Takano, T; Nakamura, K. (1998). Effect of ethanol on the metabolism of trichloroethylene in the perfused rat liver. *J Toxicol Environ Health A*. 55: 297-305.
- Watanabe, S; Fukui, T. (1997). Inhibitory effect of curcumin on the peroxisome proliferation by trichloroethylene. *JTTHE*. 43: P3-P3.
- Watanabe, S; Kato, Y; Kawauchi, S. (1994). The liver injury and the lipid peroxidation in mice by trichloroacetic acid or trichloroethylene (pp. 440-447). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/95/14466). Watanabe, S; Kato, Y; Kawauchi, S.
- Watanabe, S; Yamamoto, K; Kato, Y; Kawauchi, S. (1994). INHIBITORY EFFECT OF FLAVIN DERIVATIVES ON THE LIPID-PEROXIDATION ATTENDED TO THE IN-VITRO METABOLISM OF TRICHLOROACETIC-ACID. *JTTHE*. 40: 171-177.
- Watanabe, T; Shimada, H; Tanaka, Y. (1978). Human hepatocytes and aging: A cytophotometrical analysis in 35 sudden-death cases. *Virchows Arch B Cell Pathol Incl Mol Pathol*. 27: 307-316.
- Watson, RE; Goodman, JI. (2002). Effects of phenobarbital on DNA methylation in GC-rich regions of hepatic DNA from mice that exhibit different levels of susceptibility to liver tumorigenesis. *Toxicol Sci*. 68: 51-58. <http://dx.doi.org/10.1093/toxsci/68.1.51>.
- Watt, AS; Magrini, KA; Carlson, LE; Wolfrum, EJ; Larson, SA; Roth, C; Glatzmaier, GC. (1999). Pilot-scale demonstration of an innovative treatment for vapor emissions. *J Air Waste Manag Assoc*. 49: 1368-1373.
- Wattanaarun, J; Pavarajarn, V; Supaphol, P. (2005). Titanium (IV) oxide nanofibers by combined sol-gel and electrospinning techniques: preliminary report on effects of preparation conditions and secondary metal dopant. *Science and Technology of Advanced Materials*. 6: 240-245. <http://dx.doi.org/10.1016/j.stam.2005.02.002>.
- Wattanaarun, J; Supaphol, P; Pavarajarn, V. (2007). Photocatalytic activity of neat and silicon-doped titanium(IV) oxide nanofibers prepared by combined sol-gel and electrospinning techniques. *J Nanosci Nanotechnol*. 7: 2443-2450. <http://dx.doi.org/10.1166/jnn.2007.417>.
- Watts, MP; Coker, VS; Parry, SA; Thomas, RA; Kalin, R; Lloyd, JR. (2015). Effective treatment of alkaline Cr(VI) contaminated leachate using a novel Pd-bionanocatalyst: Impact of electron donor and aqueous geochemistry. *Appl Catal B-Environ*. 170-171: 162-172. <http://dx.doi.org/10.1016/j.apcatb.2015.01.017>.
- Watts, RJ; Bottenberg, BC; Hess, TF; Jensen, MD; Teel, AL. (1999). Role of reductants in the enhanced desorption and transformation of chloroaliphatic compounds by modified Fenton's reactions. *Environ Sci Technol*. 33: 3432-3437.
- Watts, RJ; Kong, S; Orr, MP; Miller, GC; Henry, BE. (1995). Photocatalytic inactivation of coliform bacteria and viruses in secondary wastewater effluent. *Water Res*. 29: 95-100.
- Watts, RJ; Stanton, PC. (1999). Mineralization of sorbed and NAPL-phase hexadecane by catalyzed hydrogen peroxide. *Water Res*. 33: 1405-1414.
- Waxman, S; Wurmbach, E. (2007). De-regulation of common housekeeping genes in hepatocellular carcinoma. *BMC Genomics*. 8: 243. <http://dx.doi.org/10.1186/1471-2164-8-243>.
- Weathers, TS; Harding-Marjanovic, K; Higgins, CP; Alvarez-Cohen, L; Sharp, JO. (2016). Perfluoroalkyl Acids Inhibit Reductive Dechlorination of Trichloroethene by Repressing Dehalococcoides. *Environ Sci Technol*. 50: 240-248. <http://dx.doi.org/10.1021/acs.est.5b04854>.
- Weber, A; Ruhl, A; Amos, RT. (2013). Investigating dominant processes in ZVI permeable reactive barriers using reactive transport modeling. *J Contam Hydrol*. 151: 68-82. <http://dx.doi.org/10.1016/j.jconhyd.2013.05.001>.
- Weber, G; Bertrand, O; Fromont, E; Bourg, S; Bouvier, F; Bissinger, D; Simonotgrange, MH. (1996). TCE adsorption on hydrophobic Y and MFI zeolites. Possibilities of using such materials for solvent recovery. *J Chim Phys Phys Chim Biol*. 93: 1412-1425.
- Weber, WI. (2004). Preloading of GAC by natural organic matter in potable water treatment systems: Mechanisms, effects and design considerations. *Journal of Water Supply: Research and Technology-AQUA*. 53: 469-482.
- Weber, WJ; Kim, SH; Johnson, MD. (2002). Distributed reactivity model for sorption by soils and sediments. 15. High-concentration co-contaminant effects on phenanthrene sorption and Desorption. *Environ Sci Technol*. 36: 3625-3634.
- Weber, WJ; Leboeuf, EJ. (1999). Processes for advanced treatment of water. *Water Sci Technol*. 40: 11-19.
- Weber, WJ; Young, TM. (1997). A distributed reactivity model for sorption by soils and sediments .6. Mechanistic implications of desorption under supercritical fluid conditions. *Environ Sci Technol*. 31: 1686-1691.

Exposure Literature Search Results

Off Topic

- Webster, RD; Heath, GA. (2001). Voltammetric, EPR and UV-VIS-NIR spectroscopic studies associated with the one-electron oxidation of C-60 and C-70 in 1,1',2,2'-tetrachloroethane containing trifluoromethanesulfonic acid. *Phys Chem Chem Phys*. 3: 2588-2594.
- Webster, T; Connett, P. (1991). ESTIMATING BIOCONCENTRATION FACTORS AND HALF-LIVES IN HUMANS USING PHYSIOLOGICALLY BASED PHARMACOKINETIC MODELING - 2,3,7,8-TCDD. *Chemosphere*. 23: 1763-1768. [http://dx.doi.org/10.1016/0045-6535\(91\)90023-7](http://dx.doi.org/10.1016/0045-6535(91)90023-7).
- Webster, TS; Condee, C; Hatzinger, PB. (2013). Ex situ treatment of N-nitrosodimethylamine (NDMA) in groundwater using a fluidized bed reactor. *Water Res*. 47: 811-820. <http://dx.doi.org/10.1016/j.watres.2012.11.011>.
- Weed, DL. (2010). Meta-Analysis and Causal Inference: A Case Study of Benzene and Non-Hodgkin Lymphoma. *Ann Epidemiol*. 20: 347-355. <http://dx.doi.org/10.1016/j.annepidem.2010.02.001>.
- Weeks, KR; Bruell, CJ; Mohanty, NR. (2000). Use of Fenton's reagent for the degradation of TCE in aqueous systems and soil slurries. *Int J Phytoremediation*. 9: 331-345.
- Weerasooriya, R; Dharmasena, B. (2001). Pyrite-assisted degradation of trichloroethene (TCE). *Chemosphere*. 42: 389-396.
- Wehland, F; Stancu, A; Rochette, P; Dekkers, MJ; Appel, E. (2005). Experimental evaluation of magnetic interaction in pyrrhotite bearing samples. *Phys Earth Planet In*. 153: 181-190. <http://dx.doi.org/10.1016/j.pepi.2005.05.006>.
- Wei, J; Qian, Y; Liu, W; Wang, L; Ge, Y; Zhang, J; Yu, J; Ma, X. (2014). Effects of particle composition and environmental parameters on catalytic hydrodechlorination of trichloroethylene by nanoscale bimetallic Ni-Fe. *J Environ Sci*. 26: 1162-1170. [http://dx.doi.org/10.1016/S1001-0742\(13\)60506-9](http://dx.doi.org/10.1016/S1001-0742(13)60506-9).
- Wei, J; Qian, Y; Wang, L; Ge, Y; Su, L; Zhai, D; Wang, J; Wang, J; Yu, J. (2016). Enhancement of Degradation and Dechlorination of Trichloroethylene via Supporting Palladium/Iron Bimetallic Nanoparticles onto Mesoporous Silica. 6. <http://dx.doi.org/10.3390/catal6070105>.
- Wei, J; Schaeffer, N; Pileni, MP. (2016). Solvent-Mediated Crystallization of Nanocrystal 3D Assemblies of Silver Nanocrystals: Unexpected Super lattice Ripening. *Chem Mater*. 28: 293-302. <http://dx.doi.org/10.1021/acs.chemmater.5b04120>.
- Wei, J; Xu, X; Liu, Y; Wang, D. (2006). Catalytic hydrodechlorination of 2,4-dichlorophenol over nanoscale Pd/Fe: reaction pathway and some experimental parameters. *Water Res*. 40: 348-354. <http://dx.doi.org/10.1016/j.watres.2005.10.017>.
- Wei, JJ; Xu, XH; Liu, Y. (2004). Kinetics and mechanism of dechlorination of o-chlorophenol by nanoscale Pd/Fe. *Chem Res Chin Univ*. 20: 73-76.
- Wei, JJ; Xu, XH; Wang, DH. (2004). Catalytic dechlorination of o-chlorophenol by nanoscale Pd/Fe. *J Environ Sci*. 16: 621-613.
- Wei, MC, hi; Wang, K, aiS; Lin, IC; Hsiao, TE, n; Lin, Y, anN; Tang, CT; Chen, J, yhC; Chang, SH. (2012). Rapid regeneration of sulfanilic acid-sorbed activated carbon by microwave with persulfate. *Chem Eng J*. 193: 366-371. <http://dx.doi.org/10.1016/j.cej.2012.04.072>.
- Wei, N, a; Finneran, KT. (2011). Influence of Ferric Iron on Complete Dechlorination of Trichloroethylene (TCE) to Ethene: Fe(III) Reduction Does Not Always Inhibit Complete Dechlorination. *Environ Sci Technol*. 45: 7422-7430. <http://dx.doi.org/10.1021/es201501a>.
- Wei, Y, uT; Wu, SC; Chou, CM; Che, CH; Tsai, SM, u; Lien, HL. (2010). Influence of nanoscale zero-valent iron on geochemical properties of groundwater and vinyl chloride degradation: A field case study. *Water Res*. 44: 131-140. <http://dx.doi.org/10.1016/j.watres.2009.09.012>.
- Wei, Z; Seo, Y. (2010). Trichloroethylene (TCE) adsorption using sustainable organic mulch. *J Hazard Mater*. 181: 147-153. <http://dx.doi.org/10.1016/j.jhazmat.2010.04.109>.
- Wei-Bin, L; Hao, G. (2010). Recent Progress in the Removal of Volatile Organic Compounds by Catalytic Combustion. *Acta Phys - Chim Sin*. 26: 885-894. <http://dx.doi.org/10.3866/PKU.WHXB20100436>.
- Weidhaas, J; Dupont, RR. (2013). Aerobic biotransformation of N-nitrosodimethylamine and N-nitrodimethylamine in methane and benzene amended soil columns. *J Contam Hydrol*. 150: 45-53. <http://dx.doi.org/10.1016/j.jconhyd.2013.04.004>.
- Weidhaas, JL; Zigmund, MJ; Dupont, RR. (2012). Aerobic Biotransformation of N-Nitrosodimethylamine and N-Nitrodimethylamine by Benzene-, Butane-, Methane-, Propane-, and Toluene-Fed Cultures. *Bioremediat J*. 16: 74-85. <http://dx.doi.org/10.1080/10889868.2012.665961>.
- Weidman, JR; Dolinoy, DC; Murphy, SK; Jirtle, RL. (2007). Cancer susceptibility: Epigenetic manifestation of environmental exposures [Review]. *Cancer J*. 13: 9-16. <http://dx.doi.org/10.1097/PPO.0b013e31803c71f2>.
- Wei-hua, Z; Xie, Q; Zhuo-yong, Z. (2007). Catalytic reductive dechlorination of p-chlorophenol in water using Ni/Fe nanoscale particles. *J Environ Sci*. 19: 362-366. [http://dx.doi.org/10.1016/S1001-0742\(07\)60060-6](http://dx.doi.org/10.1016/S1001-0742(07)60060-6).
- Weinberg, HS; Krasner, SW; Richardson, SD; Thruston, AD, Jr. (2002). The occurrence of disinfection by-products (DBPs) of health concern in drinking water: Results of a nationwide DBP occurrence study. (EPA/600/R-02/068). Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development, National Exposure Research Laboratory. http://epa.gov/athens/publications/reports/EPA_600_R02_068.pdf.
- Weir, BA; Mclane, CR; Leger, RJ. (1996). Design of a UV oxidation system for treatment of TCE-contaminated groundwater. *Environmental Progress*. 15: 179-186.
- Weir, BA; Sundstrom, DW. (1993). Destruction of trichloroethylene by UV light-catalyzed oxidation with hydrogen peroxide. *Chemosphere*. 27: 1279-1291.
- Weisel, CP; Kim, H; Haltmeier, P; Klotz, JB. (1999). Exposure estimates to disinfection by-products of chlorinated drinking water. *Environ Health Perspect*. 107: 103-110.
- Weisenburger, DD. (1992). Pathological classification of non-Hodgkin's lymphoma for epidemiological studies [Review]. *Cancer Res*. 52: 5456s-5462s.
- Weiss, JR; Moysich, KB; Swede, H. (2005). Epidemiology of male breast cancer [Review]. *Cancer Epidemiol Biomarkers Prev*. 14: 20-26.
- Weiss, N. (1996). Cancer in relation to occupational exposure to trichloroethylene [Review]. *Occup Environ Med*. 53: 1-5.
- Weiss, PA. (1971). A cell is not an island entire of itself. *Perspect Biol Med*. 14: 182-205.

Exposure Literature Search Results

Off Topic

- Weiss, T; Schierbaum, KD; Vanvelzen, UT; Reinhoudt, DN; Gopel, W. (1995). SELF-ASSEMBLED MONOLAYERS OF SUPRAMOLECULAR COMPOUNDS FOR CHEMICAL SENSORS. *Sens Actuators B*. 26: 203-207.
- Weissflog, L; Kruger, G; Elansky, N; Putz, E; Pfennigsdorff, A; Seyfarth, KU; Nuchter, M; Lange, C; Kotte, K. (2003). Input of trichloroacetic acid into the vegetation of various climate zones--measurements on several continents. *Chemosphere*. 52: 443-449. [http://dx.doi.org/10.1016/S0045-6535\(03\)00209-1](http://dx.doi.org/10.1016/S0045-6535(03)00209-1).
- Weissflog, L; Pfennigsdorff, A; Martinez-Pastur, G; Puliafito, E; Figueroa, D; Elansky, N; Nikonov, V; Putz, E; Kruger, G; Kellner, K. (2001). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres--Part I Its formation, uptake and geographical distribution. *Atmos Environ*. 35: 4511-4521.
- Weistenhofer, W; Blaszkewicz, M; Bolt, HM; Golka, K. (2008). N-acetyltransferase-2 and medical history in bladder cancer cases with a suspected occupational disease (BK 1301) in Germany. *J Toxicol Environ Health A*. 71: 906-910. <http://dx.doi.org/10.1080/15287390801988681>.
- Weiyang, H; Fei, L; Anhuai, L; Ximing, L. (2012). Decomposition of hydrogen peroxide in the remediation of trichloroethylene contaminated groundwater by Fenton oxidation technology. *Disaster Advances*. 5: 1179-1182.
- Wejrzanowski, T; Grybczuk, M; Chmielewski, M; Pietrzak, K; Kurzydowski, KJ; Strojny-Nedza, A. (2016). Thermal conductivity of metal-graphene composites. *Materials & Design*. 99: 163-173. <http://dx.doi.org/10.1016/j.matdes.2016.03.069>.
- Welp, G; Brümmer, GW. (1999). Effects of organic pollutants on soil microbial activity: the influence of sorption, solubility, and speciation. *Ecotoxicol Environ Saf*. 43: 83-90. <http://dx.doi.org/10.1006/eesa.1999.1770>.
- Wen, LL; Yang, Q; Zhang, ZX; Yi, YY; Tang, Y; Zhao, HP. (2016). Interaction of perchlorate and trichloroethene bioreductions in mixed anaerobic culture. *Sci Total Environ*. 571: 11-17. <http://dx.doi.org/10.1016/j.scitotenv.2016.07.122>.
- Wen, LL; Zhang, Y; Pan, YW; Wu, WQ; Meng, SH; Zhou, C; Tang, Y; Zheng, P; Zhao, HP. (2015). The roles of methanogens and acetogens in dechlorination of trichloroethene using different electron donors. *Environ Sci Pollut Res Int*. 22: 19039-19047. <http://dx.doi.org/10.1007/s11356-015-5117-z>.
- Wen, Z; Li, H. (2014). Analysis of potential energy conservation and CO2 emissions reduction in China's non-ferrous metals industry from a technology perspective. *Int J Greenhouse Gas Control*. 28: 45-56. <http://dx.doi.org/10.1016/j.ijggc.2014.06.013>.
- Wen, Z; Meng, F; Chen, M, in. (2014). Estimates of the potential for energy conservation and CO2 emissions mitigation based on Asian-Pacific Integrated Model (AIM): the case of the iron and steel industry in China. *J Clean Prod*. 65: 120-130. <http://dx.doi.org/10.1016/j.jclepro.2013.09.008>.
- Wendling, O; Chambon, P; Mark, M. (1999). Retinoid X receptors are essential for early mouse development and placentogenesis. *Proc Natl Acad Sci USA*. 96: 547-551.
- Wen-ying, X; Ting-yao, G. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci*. 19: 792-799.
- Werner, H; Le Roith, D. (2000). New concepts in regulation and function of the insulin-like growth factors: Implications for understanding normal growth and neoplasia [Review]. *Cell Mol Life Sci*. 57: 932-942.
- Werner, JH; Cool, TA. (1998). Flame sampling photoionization mass spectrometry of dichloroethanol. *Chem Phys Lett*. 290: 81-87.
- Werner, JH; Cool, TA. (2000). The kinetics of the combustion of trichloroethylene for low Cl/H ratios. *Combust Flame*. 120: 125-142.
- Werner, M; Birner, G; Dekant, W. (1995). The role of cytochrome P450A1/2 in the sex-specific sulfoxidation of the hexachlorobutadiene metabolite, N-acetyl-S-(pentachlorobutadienyl)-L-cysteine in rats. *Drug Metab Dispos*. 23: 861-868.
- Werner, M; Guo, Z; Birner, G; Dekant, W; Guengerich, FP. (1995). The sulfoxidation of the hexachlorobutadiene metabolite N-acetyl-S-(1,2,3,4,4-pentachlorobutadienyl)-L-cysteine is catalyzed by human cytochrome P450 3A enzymes. *Chem Res Toxicol*. 8: 917-923.
- Werth, CJ; Cunningham, JA; Roberts, PV; Reinhard, M. (1997). Effects of grain-scale mass transfer on the transport of volatile organics through sediments .2. Column results. *Water Resour Res*. 33: 2727-2740.
- Werth, CJ; Hansen, KM. (2002). Modeling the effects of concentration history on the slow desorption of trichloroethene from a soil at 100% relative humidity. *J Contam Hydrol*. 54: 307-327.
- Werth, CJ; Mcmillan, SJ; Castilla, HJ. (2000). Structural evaluation of slow desorbing sites in model and natural solids using temperature stepped desorption profiles. 1. Model development. *Environ Sci Technol*. 34: 2959-2965.
- Werth, CJ; Reinhard, M. (1997). Effects of temperature on trichloroethylene desorption from silica gel and natural sediments .1. Isotherms. *Environ Sci Technol*. 31: 689-696.
- Werth, CJ; Reinhard, M. (1997). Effects of temperature on trichloroethylene desorption from silica gel and natural sediments .2. Kinetics. *Environ Sci Technol*. 31: 697-703.
- Werth, CJ; Reinhard, M. (1999). Counter diffusion of isotopically labeled trichloroethylene in silica gel and geosorbent micropores: Column results. *Environ Sci Technol*. 33: 730-736.
- Werth, CJ; Reinhardt, M. (1997). Effects of temperature on trichloroethylene desorption from silica gel and natural sediments .2. Kinetics (vol 31, pg 697, 1997). *Environ Sci Technol*. 31: 3339-3339.
- West, GB; Woodruff, WH; Brown, JH. (2002). Allometric scaling of metabolic rate from molecules and mitochondria to cells and mammals. *Proc Natl Acad Sci USA*. 99: 2473-2478. <http://dx.doi.org/10.1073/pnas.012579799>.
- West, MR; Grant, GP; Gerhard, JI; Kueper, BH. (2008). The influence of precipitate formation on the chemical oxidation of TCE DNAPL with potassium permanganate. *Advances in Water Resources*. 31: 324-338. <http://dx.doi.org/10.1016/j.advwatres.2007.08.011>.
- West, MR; Kueper, BH. (2012). Numerical simulation of DNAPL source zone remediation with in situ chemical oxidation (ISCO). *Advances in Water Resources*. 44: 126-139. <http://dx.doi.org/10.1016/j.advwatres.2012.05.001>.
- West, OR; Siegrist, RL; Gierke, JS; Schmunk, SW; Lucero, AJ; Jennings, HL. (1995). In situ mixed region vapor stripping in low-permeability media. 1. Process features and laboratory experiments. *Environ Sci Technol*. 29: 2191-2197.

Exposure Literature Search Results

Off Topic

- Weyens, N; Beckers, B; Schellingen, K; Ceulemans, R; van der Lelie, D; Newman, L; Taghavi, S; Carleer, R; Vangronsveld, J. (2015). The Potential of the Ni-Resistant TCE-Degrading *Pseudomonas putida* W619-TCE to Reduce Phytotoxicity and Improve Phytoremediation Efficiency of Poplar Cuttings on A Ni-TCE Co-Contamination. *Int J Phytoremediation*. 17: 40-48. <http://dx.doi.org/10.1080/15226514.2013.828016>.
- Weyens, N; Croes, S; Dupae, J; Newman, L, ee; van Der Lelie, D; Carleer, R; Vangronsveld, J. (2010). Endophytic bacteria improve phytoremediation of Ni and TCE co-contamination. *Environ Pollut*. 158: 2422-2427. <http://dx.doi.org/10.1016/j.envpol.2010.04.004>.
- Weyens, N; Schellingen, K; Beckers, B; Janssen, J; Ceulemans, R; van Der Lelie, D; Taghavi, S; Carleer, R; Vangronsveld, J. (2013). Potential of willow and its genetically engineered associated bacteria to remediate mixed Cd and toluene contamination. *Journal of Soils and Sediments*. 13: 176-188. <http://dx.doi.org/10.1007/s11368-012-0582-1>.
- Weyens, N; Taghavi, S; Barac, T; van der Lelie, D; Boulet, J; Artois, T; Carleer, R; Vangronsveld, J. (2009). Bacteria associated with oak and ash on a TCE-contaminated site: characterization of isolates with potential to avoid evapotranspiration of TCE. *Environ Sci Pollut Res Int*. 16: 830-843. <http://dx.doi.org/10.1007/s11356-009-0154-0>.
- Weyens, N; Truyens, S; Dupae, J; Newman, L, ee; Taghavi, S; van Der Lelie, D; Carleer, R; Vangronsveld, J. (2010). Potential of the TCE-degrading endophyte *Pseudomonas putida* W619-TCE to improve plant growth and reduce TCE phytotoxicity and evapotranspiration in poplar cuttings. *Environ Pollut*. 158: 2915-2919. <http://dx.doi.org/10.1016/j.envpol.2010.06.004>.
- Weyens, N; Truyens, S; Saenen, E; Boulet, J; Dupae, J; Taghavi, S; van der Lelie, D; Carleer, R; Vangronsveld, J. (2011). Endophytes and their potential to deal with co-contamination of organic contaminants (toluene) and toxic metals (nickel) during phytoremediation. *Int J Phytoremediation*. 13: 244-255. <http://dx.doi.org/10.1080/15226511003753920>.
- Weyens, N; Van Der Lelie, D; Artois, T, om; Smeets, K; Taghavi, S; Newman, L, ee; Carleer, R; Vangronsveld, J. (2009). Bioaugmentation with Engineered Endophytic Bacteria Improves Contaminant Fate in Phytoremediation. *Environ Sci Technol*. 43: 9413-9418. <http://dx.doi.org/10.1021/es901997z>.
- Wheeler, CW; Guenther, TM. (1990). Spectroscopic quantitation of cytochrome P-450 in human lung microsomes. *J Biochem Toxicol*. 5: 269-272. <http://dx.doi.org/10.1002/jbt.2570050410>.
- Wheeler, CW; Wrighton, SA; Guenther, TM. (1992). Detection of human lung cytochromes P450 that are immunochemically related to cytochrome P450IIE1 and cytochrome P-450IIIA. *Biochem Pharmacol*. 44: 183-187.
- Whelan, MP; Voudrias, EA; Pearce, A. (1994). DNAPL POOL DISSOLUTION IN SATURATED POROUS-MEDIA - PROCEDURE DEVELOPMENT AND PRELIMINARY-RESULTS. *J Contam Hydrol*. 15: 223-237.
- White, K; David, D; Butterworth, L; Klykken, P. (2000). Assessment of autoimmunity-inducing potential using the brown Norway rat challenge model [Review]. *Toxicol Lett*. 112-113: 443-451.
- White, RF; Robins, TG; Proctor, S; Echeverria, D; Rocskay, AS. (1994). Neuropsychological effects of exposure to naphtha among automotive workers. *Occup Environ Med*. 51: 102-112.
- Whiting, K; Evans, PJ; Lebron, C; Henry, B; Wilson, JT; Becvar, E. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Field Survey. *Ground Water Monitoring and Remediation*. 34: 79-94. <http://dx.doi.org/10.1111/gwmmr.12068>.
- WHO. (1977). Manual of the international statistical classification of diseases, injuries, and causes of death. Geneva, Switzerland.
- Wideroff, L; Gridley, G; Chow, WH; Linet, M; Mellemkjaer, L; Olsen, JH; Keehn, S; Borch-Johnsen, K. (1997). Cancer incidence in a population-based cohort of patients hospitalized with diabetes mellitus in Denmark. *J Natl Cancer Inst*. 89: 1360-1365. <http://dx.doi.org/10.1093/jnci/89.18.1360>.
- Wiegert, C; Aeppli, C; Knowles, T; Holmstrand, H; Evershed, R; Pancost, RD; Macháčkóvá, J; Gustafsson, Ö. (2012). Dual carbon-chlorine stable isotope investigation of sources and fate of chlorinated ethenes in contaminated groundwater. *Environ Sci Technol*. 46: 10918-10925. <http://dx.doi.org/10.1021/es3016843>.
- Wiegert, C; Mandalakis, M; Knowles, T; Polymenakou, PN; Aeppli, C; Macháčkóvá, J; Holmstrand, H; Evershed, RP; Pancost, RD; Gustafsson, O. (2013). Carbon and chlorine isotope fractionation during microbial degradation of tetra- and trichloroethene. *Environ Sci Technol*. 47: 6449-6456. <http://dx.doi.org/10.1021/es305236y>.
- Wiesenhütter, B; Selinski, S; Golka, K; Brüning, T; Bolt, HM. (2007). Re-assessment of the influence of polymorphisms of phase-II metabolic enzymes on renal cell cancer risk of trichloroethylene-exposed workers. *Int Arch Occup Environ Health*. 81: 247-251. <http://dx.doi.org/10.1007/s00420-007-0200-5>.
- Wiesmann, U; Herbst, B. (1999). Biological degradation of chlorinated hydrocarbons. *Chem Ing Tech*. 71: 568-579.
- Wigle, DT; Turner, MC; Gomes, J; Parent, ME. (2008). Role of hormonal and other factors in human prostate cancer [Review]. *J Toxicol Environ Health B Crit Rev*. 11: 242-259. <http://dx.doi.org/10.1080/10937400701873548>.
- Wigton, A; Kilduff, JE. (2004). Modeling trichloroethylene adsorption by activated carbon preloaded with natural dissolved organic matter using a modified IAST approach. *Environ Sci Technol*. 38: 5825-5833. <http://dx.doi.org/10.1021/ees049676a>.
- Wiles, AD; Peters, TM. (2010). Target tracking errors for 5D and 6D spatial measurement systems. *IEEE Trans Med Imaging*. 29: 879-894. <http://dx.doi.org/10.1109/TMI.2009.2039344>.
- Wilkens, L; Flemming, P; Gebel, M; Bleck, J; Terkamp, C; Wingen, L; Kreipe, H; Schlegelberger, B. (2004). Induction of aneuploidy by increasing chromosomal instability during dedifferentiation of hepatocellular carcinoma. *Proc Natl Acad Sci USA*. 101: 1309-1314. <http://dx.doi.org/10.1073/pnas.0305817101>.
- Wilkin, RT; Acree, SD; Ross, RR; Puls, RW; Lee, TR; Woods, LL. (2014). Fifteen-year assessment of a permeable reactive barrier for treatment of chromate and trichloroethylene in groundwater. *Sci Total Environ*. 468-469: 186-194. <http://dx.doi.org/10.1016/j.scitotenv.2013.08.056>.

Exposure Literature Search Results

Off Topic

- Willett, LB; O'Donnell, AF; Durst, HI; Kurz, MM. (1993). Mechanisms of movement of organochlorine pesticides from soils to cows via forages. *J Dairy Sci.* 76: 1635-1644. [http://dx.doi.org/10.3168/jds.S0022-0302\(93\)77497-4](http://dx.doi.org/10.3168/jds.S0022-0302(93)77497-4).
- Willhite, CC. (2001). Trichloroethylene Carcinogenic Potency. *Hum Ecol Risk Assess.* 7: 767-777.
- Williams, D., PR. (2014). Methyl Tertiary Butyl Ether (MTBE) and Other Volatile Organic Compounds (VOCs) in Public Water Systems, Private Wells, and Ambient Groundwater Wells in New Jersey Compared to Regulatory and Human-Health Benchmarks. *Environ Forensics.* 15: 97-119. <http://dx.doi.org/10.1080/15275922.2013.873096>.
- Williams, F; Meenagh, A; Darke, C; Acosta, A; Daar, AS; Gorodezky, C; Hammond, M; Nascimento, E; Middleton, D. (2001). Analysis of the distribution of HLA-B alleles in populations from five continents. *Hum Immunol.* 62: 645-650.
- Williams-Johnson, MW; Ashizawa, AE; Rosa, CTD. (2001). Trichloroethylene in the Environment: Public Health Concerns. *Hum Ecol Risk Assess.* 7: 737-753.
- Willson, CS; Pau, O; Pedit, JA; Miller, CT. (2000). Mass transfer rate limitation effects on partitioning tracer tests. *J Contam Hydrol.* 45: 79-97.
- Wilmanski, K; Van Breemen, AN. (1990). Competitive adsorption of trichloroethylene and humic substances from groundwater on activated carbon. *Water Res.* 24: 773-780.
- Wilson, BH; Wilson, JT; Kampbell, DH; Bledsoe, BE; Armstrong, JM. (1990). BIOTRANSFORMATION OF MONOAROMATIC AND CHLORINATED HYDROCARBONS AT AN AVIATION GASOLINE SPILL SITE. *Geomicrobiology Journal.* 8: 225-240.
- Wilson, DJ; Norris, RD. (1997). Groundwater cleanup by in-situ sparging .11. Engineered bioremediation with aeration curtains. *Separation Science and Technology.* 32: 2569-2589.
- Wilson, DJ; Norris, RD; Mutch, RD. (1997). Groundwater cleanup by in-situ sparging .12. An improved aeration curtain design. *Separation Science and Technology.* 32: 2851-2872.
- Wilson, JG. (1965). Methods for administering agents and detecting malformations in experimental animals. In J Warkany; JG Wilson (Eds.), (pp. 262-267). Chicago, IL: University of Chicago Press.
- Wilson, R; Donahue, M; Gridley, G; Adami, J; El Ghormli, L; Dosemeci, M. (2008). Shared occupational risks for transitional cell cancer of the bladder and renal pelvis among men and women in Sweden. *Am J Ind Med.* 51: 83-99. <http://dx.doi.org/10.1002/ajim.20522>.
- Wilson, RD; Mackay, DM. (1995). DIRECT-DETECTION OF RESIDUAL NONAQUEOUS PHASE LIQUID IN THE SATURATED ZONE USING SF6 AS A PARTITIONING TRACER. *Environ Sci Technol.* 29: 1255-1258.
- Wilson, RD; Mackay, DM. (1995). A method for passive release of solutes from an unpumped well. *Ground Water.* 33: 936-964.
- Wilson, RD; Mackay, DM; Cherry, JA. (1997). Arrays of unpumped wells for plume migration control by semi-passive in situ remediation. *Ground Water Monitoring and Remediation.* 17: 185-193.
- Wiltowski, TS; Howerton, RD; Lalvani, SB; Zamansky, V. (2001). Photocatalytic oxidation of trichloroethylene and carbon tetrachloride using titanium dioxide filter as a catalyst. *Energy Sources.* 23: 845-852.
- Wiltshire, KS; Almond, MJ; Mitchell, PCH. (2004). Reactions of hydroxyl radicals with trichloroethene and tetrachloroethene in argon matrices at 12 K. *Phys Chem Chem Phys.* 6: 58-63. <http://dx.doi.org/10.1039/b310495h>.
- Windemuller, FJB; Ettema, JH. (1978). Effects of combined exposure to trichloroethylene and alcohol on mental capacity. *Int Arch Occup Environ Health.* 41: 77-85. <http://dx.doi.org/10.1007/BF00381792>.
- Winkler, K; Radeke, KH; Stach, H. (1996). Adsorptions/desorption behaviour of organic water pollutants onto an adsorber polymer. *Chem Tech (Leipzig).* 48: 249-257.
- Winneke, G; Kramer, U; Kastka, J. (1976). Zur Beeinflussung psychomotor Leistungen Durch Alkohol und durch verschiedene Lösungsmitteldämpfe. In M Horvath (Ed.), (pp. 99-110). Amsterdam, The Netherlands: Elsevier.
- Wirbisky, SE; Damayanti, N; Mahapatra, CT; Sepulveda, MS; Irudayaraj, J; Freeman, JL. (2016). Mitochondrial Dysfunction, Disruption of F-Actin Polymerization, and Transcriptomic Alterations in Zebrafish Larvae Exposed to Trichloroethylene. *Chem Res Toxicol.* 29: 169-179. <http://dx.doi.org/10.1021/acs.chemrestox.5b00402>.
- Witekowa, S; Ignaczak, W; Filipiak, K; Kaminski, W. (1976). INDICATING PIPES FOR DETECTION OF TRICHLOROETHYLENE IN AIR. *Przemysł Chemiczny.* 55: 214-216.
- Withey, JR; Collins, BT. (1980). Chlorinated aliphatic hydrocarbons used in the foods industry: the comparative pharmacokinetics of methylene chloride, 1,2 dichloroethane, chloroform and trichloroethylene after I.V. administration in the rat. *J Environ Pathol Toxicol.* 3: 313-332.
- Witt, ME; Klecka, GM; Lutz, EJ; Ei, TA; Grosso, NR; Chapelle, FH. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: groundwater biogeochemistry. *J Contam Hydrol.* 57: 61-80.
- Wittlingerova, Z. (2000). Old environmental loads and their impacts on the quality of groundwaters and soils. *Rostl Vyroba.* 46: 119-122.
- Wittmann, G; Demeestere, K; Dombi, A; Dewulf, J; Van Langenhove, H. (2005). Preparation, structural characterization and photocatalytic activity of mesoporous Ti-silicates. *Appl Catal B-Environ.* 61: 47-57. <http://dx.doi.org/10.1016/j.apcatb.2005.04.010>.
- Wittsiepe, J; Selenka, F; Jackwerth, E. (1996). Gas chromatographic determination of trace amounts of vinyl chloride and dichloroethenes in landfill-gas. *Anal Bioanal Chem.* 354: 910-914. <http://dx.doi.org/10.1007/s0021663540910>.
- Wo, JJ; Zhang, Z; Xu, X, inhua. (2009). Dechlorination mechanism of 2,4-dichlorophenol by Ni/Fe nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A.* 10: 121-126. <http://dx.doi.org/10.1631/jzus.A0820277>.
- Woldie, GA; Nuppenau, EA. (2011). A Contribution to Transaction Costs: Evidence From Banana Markets in Ethiopia. 27: 493-508. <http://dx.doi.org/10.1002/agr.20279>.
- Wolf, DC; Goldsworthy, TL; Janszen, DB; Harden, R; Donner, EM; David, CS; Everitt, JI. (2000). Promotion by sodium barbital induces early development but does not increase the multiplicity of hereditary renal tumors in Eker rats. *Carcinogenesis.* 21: 1553-1558.
- Wolf, J. (1996). A method for determining the lift-to-drag ratio of a propelled hang-glider. *The Aeronautical Journal.* 100: 60-64.

Exposure Literature Search Results

Off Topic

- Wolf, RL; Lepore, SJ; Vandergrift, JL; Basch, CE; Yaroch, AL. (2009). Tailored telephone education to promote awareness and adoption of fruit and vegetable recommendations among urban and mostly immigrant black men: a randomized controlled trial. *Prev Med.* 48: 32-38. <http://dx.doi.org/10.1016/j.ypmed.2008.10.015>.
- Wolff, DL; Hinz, G; Just, A; Bergschicker, R. (1990). THE INFLUENCE OF SUBCHRONIC AND CHRONIC EXPOSURE TO TRICHLOROETHYLENE, ETHANOL, AND TRICHLOROETHYLENE PLUS ETHANOL ON BEHAVIORAL PARAMETERS IN RATS. *Zoologische Jahrbücher.* 94: 375-385.
- Wolfgang, G; Gandolfi, A; Stevens, J; Brendel, K. (1989). In vitro and in vivo nephrotoxicity of the L and D isomers of S-(1,2-dichlorovinyl)-cysteine. *Toxicology.* 58: 33-42.
- Wolfgang, GHI; Gandolfi, AJ; Stevens, JL; Brendel, K. (1989). N-acetyl S-(1,2-dichlorovinyl)-L-cysteine produces a similar toxicity to S-(1,2-dichlorovinyl)-L-cysteine in rabbit renal slices: Differential transport and metabolism. *Toxicol Appl Pharmacol.* 101: 205-219. [http://dx.doi.org/10.1016/0041-008X\(89\)90270-6](http://dx.doi.org/10.1016/0041-008X(89)90270-6).
- Wolska, L; Olszewska, C; Turska, M; Zygmunt, B; Namieśnik, J. (1998). Volatile and semivolatile organo-halogen trace analysis in surface water by direct aqueous injection GC-ECD. *Chemosphere.* 37: 2645-2651.
- Won, YS, oo. (2009). Thermal decomposition of trichloroethylene under a reducing atmosphere of hydrogen. *Korean J Chem Eng.* 26: 36-41.
- Won, YS; Han, DH; Stuchinskaya, T; Park, WS; Lee, HS. (2002). Electron beam treatment of chloroethylenes/air mixture in a flow reactor. *Radiat Phys Chem Oxf Engl* 1993. 63: 165-175. [http://dx.doi.org/10.1016/S0969-806X\(01\)00237-7](http://dx.doi.org/10.1016/S0969-806X(01)00237-7).
- Wong, CK; Ooi, VEC; Wong, CK. (2003). Protective effects of N-acetylcysteine against carbon tetrachloride- and trichloroethylene-induced poisoning in rats. *Environ Toxicol Pharmacol.* 14: 109-116. [http://dx.doi.org/10.1016/S1382-6689\(03\)00045-0](http://dx.doi.org/10.1016/S1382-6689(03)00045-0).
- Wong, CP. (1995). RECENT ADVANCES IN HERMETIC EQUIVALENT FLIP-CHIP HYBRID IC PACKAGING OF MICROELECTRONICS. *Mater Chem Phys.* 42: 25-30.
- Wong, CP; Shi, SHH; Jefferson, G. (1998). High performance no-flow underfills for low-cost flip-chip applications: Material characterization. 21: 450-458.
- Wong, CP; Vincent, MB; Shi, S. (1998). Fast-flow underfill encapsulant: Flow rate and coefficient of thermal expansion. 21: 360-364.
- Wong, CP; Wong, MM. (1999). Recent advances in plastic packaging of flip-chip and multichip modules (MCM) of microelectronics. *IEEE Trans Compon Packag Tech.* 22: 21-25.
- Wong, MS; Alvarez, PJJ; Fang, Y, ulun; Akcin, N; Nutt, MO; Miller, JT; Heck, KN. (2009). Cleaner water using bimetallic nanoparticle catalysts. *J Chem Tech Biotechnol.* 84: 158-166. <http://dx.doi.org/10.1002/jctb.2002>.
- Woo, HK; Wang, P; Lau, KC; Xing, X; Chang, C; Ng, CY. (2003). State-selected and state-to-state photoionization study of trichloroethene using the two-color infrared-vacuum ultraviolet scheme. *J Chem Phys.* 119: 9333-9336. <http://dx.doi.org/10.1063/1.1622932>.
- Woo, HK; Wang, P; Lau, KC; Xing, X; Ng, CY. (2004). Vacuum ultraviolet-infrared photo-induced Rydberg ionization spectroscopy: C-H stretching frequencies for trans-2-butene and trichloroethene cations. *J Chem Phys.* 120: 1756-1760. <http://dx.doi.org/10.1063/1.1634561>.
- Woo, K, ieY; Kim, KH; Kim, T, aeG. (2016). Performance of InGaN/AlGaInN Near- UV LEDs With Ni/Ga2O3/Ag/Ga2O3 Electrode. *I E E E Photonics Technology Letters.* 28: 67-70. <http://dx.doi.org/10.1109/LPT.2015.2480744>.
- Woo, NC; Hyun, SG; Park, WW; Lee, ES; Schwartz, FW. (2009). Characteristics of permanganate oxidation of TCE at low reagent concentrations. *Environ Technol.* 30: 1337-1342. <http://dx.doi.org/10.1080/09593330902840342>.
- Wood, LD; Parsons, DW; Jones, S; Lin, J; Sjoblom, T; Leary, RJ; Shen, D; Boca, SM; Barber, T; Ptak, J; Silliman, N; Szabo, S; Dezsó, Z; Ustyansky, V; Nikolskaya, T; Nikolsky, Y; Karchin, R; Wilson, PA; Kaminker, JS; Zhang, Z; Croshaw, R; Willis, J; Dawson, D; Shipitsin, M; Willson, JKV; Sukumar, S; Polyak, K; Park, BH; Pethiyagoda, CL; Pant, PVK; Ballinger, DG; Sparks, AB; Hartigan, J; Smith, DR; Suh, E; Papadopoulos, N; Buckhaults, P; Markowitz, SD; Parmigiani, G; Kinzler, KW; Velculescu, VE; Vogelstein, B. (2007). The genomic landscapes of human breast and colorectal cancers. *Science.* 318: 1108-1113. <http://dx.doi.org/10.1126/science.1145720>.
- Woodfine, D; Macleod, M; Mackay, D. (2002). A regionally segmented national scale multimedia contaminant fate model for Canada with GIS data input and display. *Environ Pollut.* 119: 341-355.
- Woods, CG; Burns, AM; Bradford, BU; Ross, PK; Kosyk, O; Swenberg, JA; Cunningham, ML; Rusyn, I. (2007). WY-14,643-induced cell proliferation and oxidative stress in mouse liver are independent of NADPH oxidase. *Toxicol Sci.* 98: 366-374. <http://dx.doi.org/10.1093/toxsci/kfm104>.
- Woods, CG; Heuvel, JPV; Rusyn, I. (2007). Genomic profiling in nuclear receptor-mediated toxicity [Review]. *Toxicol Pathol.* 35: 474-494. <http://dx.doi.org/10.1080/01926230701311351>.
- Woolf, B. (1955). On estimating the relation between blood group and disease. *Ann Hum Genet.* 19: 251-253. <http://dx.doi.org/10.1111/j.1469-1809.1955.tb01348.x>.
- Wormuth, M; Demou, E; Scheringer, M; Hungerbuehler, K. (2007). Assessments of direct human exposure - the approach of EU risk assessments compared to scenario-based risk assessment. *Risk Anal.* 27: 979-990. <http://dx.doi.org/10.1111/j.1539-6924.2007.00936.x>.
- Wosman, A; Lu, Y; Sun, S; Liu, X; Wan, C; Zhang, Y; Lee, DJ; Tay, J. (2016). Effect of operational strategies on activated sludge's acclimation to phenol, subsequent aerobic granulation, and accumulation of polyhydroxyalkanoates. *J Hazard Mater.* 317: 221-228. <http://dx.doi.org/10.1016/j.jhazmat.2016.05.074>.
- Wright, NP. (2002). CTR or TBR - That is the question. 41: 56-+.
- Wright, RS; Kong, EJ; Bahner, MA; Clayton, CA; Nunez, CM; Ramsey, GH. (1999). Comparison of analytical techniques for measuring hydrocarbon emissions from the manufacture of fiberglass-reinforced plastics. *J Air Waste Manag Assoc.* 49: 1110-1115.
- Wrzyszczyński, J; Zawadzki, M; Trawczynski, J; Grabowska, H; Mista, W. (2001). Some catalytic properties of hydrothermally synthesised zinc aluminate spinel. *Appl Catal A-Gen.* 210: 263-269.

Exposure Literature Search Results

Off Topic

- Wu, B; Li, Y; Li, X; Zhu, J. (2015). Distribution and Identification of Chlorides in Distillates from YS Crude Oil. *Energy Fuels*. 29: 1391-1396. <http://dx.doi.org/10.1021/ef502450w>.
- Wu, CD; Wang, L; Hu, CX; He, MH. (2013). Single-solute and bisolute sorption of phenol and trichloroethylene from aqueous solution onto modified montmorillonite and application of sorption models. *Water Sci Technol*. 67: 152-158. <http://dx.doi.org/10.2166/wst.2012.488>.
- Wu, CY; Wu, P, uWei; Lin, P. (2010). Evaluation on carbon nanocapsules for supercapacitors using a titanium cavity electrode. *J Power Sources*. 195: 5122-5129. <http://dx.doi.org/10.1016/j.jpowsour.2010.02.053>.
- Wu, D; Wang, Z; Wang, HW, u; Fan, J; Ma, L, uM. (2009). EFFECT OF Cu ON THE REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN WATER BY SCRAP-IRON. *Fresen Environ Bull*. 18: 423-428.
- Wu, H; Ramanna, MS; Arens, P; van Tuyl, JM. (2011). Genome constitution of Narcissus variety, 'Tte-A -Tte', analysed through GISH and NBS profiling. *Euphytica*. 181: 285-292. <http://dx.doi.org/10.1007/s10681-011-0438-6>.
- Wu, H, aoY; Saikia, D; Chao, HY, u; Pan, Y, uChi; Fang, J; Tsai, L, iD; Fey, GTK; Kao, HM. (2013). Synthesis and characterization of highly conductive plasticized double core organic-inorganic hybrid electrolytes for lithium polymer batteries. *J Power Sources*. 238: 265-273. <http://dx.doi.org/10.1016/j.jpowsour.2013.03.097>.
- Wu, J; Yi, Y; Li, Y; Fang, Z; Tsang, EP. (2016). Excellently reactive Ni/Fe bimetallic catalyst supported by biochar for the remediation of decabromodiphenyl contaminated soil: Reactivity, mechanism, pathways and reducing secondary risks. *J Hazard Mater*. 320: 341-349. <http://dx.doi.org/10.1016/j.jhazmat.2016.08.049>.
- Wu, JF; Hung, CH; Yuan, CS. (2005). Kinetic modeling of promotion and inhibition of temperature on photocatalytic degradation of benzene vapor. *J Photochem Photobiol A*. 170: 299-306. <http://dx.doi.org/10.1016/j.jphotochem.2004.07.020>.
- Wu, KL; Berger, T. (2008). Reduction in rat oocyte fertilizability mediated by S-(1, 2-dichlorovinyl)-L-cysteine: a trichloroethylene metabolite produced by the glutathione conjugation pathway. *Bull Environ Contam Toxicol*. 81: 490-493. <http://dx.doi.org/10.1007/s00128-008-9509-3>.
- Wu, KL, in; Yu, R, ui; Li, XZ, i; Wei, XW, en. (2012). Dendritic and flowerlike Ni-Co alloy microstructures: a comparison study of their catalytic activities. *Micro and Nano Letters*. 7: 1041-1045. <http://dx.doi.org/10.1049/mnl.2012.0689>.
- Wu, L; Liao, L; Lv, G; Qin, F. (2015). Stability and pH-independence of nano-zero-valent iron intercalated montmorillonite and its application on Cr(VI) removal. *J Contam Hydrol*. 179: 1-9. <http://dx.doi.org/10.1016/j.jconhyd.2015.05.001>.
- Wu, L; Ma, Z; He, A; Wang, J. (2009). Decomposition of silicon tetrachloride by microwave plasma jet at atmospheric pressure. *Inorg Mater*. 45: 1403-1407. <http://dx.doi.org/10.1134/S0020168509120188>.
- Wu, L; Ma, Z; He, A; Wang, J. (2010). Studies on destruction of silicon tetrachloride using microwave plasma jet. *J Hazard Mater*. 173: 305-309. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.095>.
- Wu, L; Ritchie, SM. (2006). Removal of trichloroethylene from water by cellulose acetate supported bimetallic Ni/Fe nanoparticles. *Chemosphere*. 63: 285-292. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.021>.
- Wu, L; Ritchie, SMC. (2008). Enhanced dechlorination of trichloroethylene by membrane-supported Pd-coated iron nanoparticles. *Environmental Progress*. 27: 218-224. <http://dx.doi.org/10.1002/ep.10277>.
- Wu, L; Shamsuzzoha, M; Ritchie, SMC. (2005). Preparation of cellulose acetate supported zero-valent iron nanoparticles for the dechlorination of trichloroethylene in water. *J Nanopart Res*. 7: 469-476. <http://dx.doi.org/10.1007/s11051-005-4271-5>.
- Wu, M; Wang, X; Dai, Q; Gu, Y; Li, D. (2010). Low temperature catalytic combustion of chlorobenzene over Mn-Ce-O/gamma-Al(2)O(3) mixed oxides catalyst. *Catalysis Today*. 158: 336-342. <http://dx.doi.org/10.1016/j.cattod.2010.04.006>.
- Wu, MY; Smits, KM; Goltz, MN; Christ, JA. (2008). A Screening Model for Injection-Extraction Treatment Well Recirculation System Design. *Ground Water Monitoring and Remediation*. 28: 63-71. <http://dx.doi.org/10.1111/j.1745-6592.2008.00212.x>.
- Wu, W; Shi, J; Hickey, RF. (2008). Long-term performance of co-metabolic degradation of trichloroethylene in a fluidized bed reactor fed with benzene, toluene and xylene. *J Chem Tech Biotechnol*. 83: 513-523.
- Wu, WJ; Delshad, M; Oolman, T; Pope, GA. (2000). Remedial options for creosote-contaminated sites. *Ground Water Monitoring and Remediation*. 20: 78-86.
- Wu, WM; Carley, J; Fienen, M; Mehlhorn, T; Lowe, K; Nyman, J; Luo, J; Gentile, ME; Rajan, R; Wagner, D; Hickey, RF; Gu, B; Watson, D; Cirpka, OA; Kitanidis, PK; Jardine, PM; Criddle, CS. (2006). Pilot-scale in situ bioremediation of uranium in a highly contaminated aquifer. 1. Conditioning of a treatment zone. *Environ Sci Technol*. 40: 3978-3985. <http://dx.doi.org/10.1021/es051954y>.
- Wu, WM; Nye, J; Jain, MK; Hickey, RF. (1998). Anaerobic dechlorination of trichloroethylene (TCE) to ethylene using complex organic materials. *Water Res*. 32: 1445-1454.
- Wu, X; Alshawabkeh, AN; Gent, DB; Larson, SL; Davis, JL. (2007). Lactate transport in soil by DC fields. *Journal of Geotechnical and Geoenvironmental Engineering*. 133: 1587-1596. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2007\)133:12\(1587\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2007)133:12(1587)).
- Wu, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Zang, X; Miao, Z; Xu, M. (2015). Strong enhancement of trichloroethylene degradation in ferrous ion activated persulfate system by promoting ferric and ferrous ion cycles with hydroxylamine. *Separation and Purification Technology*. 147: 186-193. <http://dx.doi.org/10.1016/j.seppur.2015.04.031>.
- Wu, X; Gu, X; Lu, S; Xu, M; Zang, X; Miao, Z; Qiu, Z; Sui, Q. (2014). Degradation of trichloroethylene in aqueous solution by persulfate activated with citric acid chelated ferrous ion. *Chem Eng J*. 255: 585-592. <http://dx.doi.org/10.1016/j.cej.2014.06.085>.
- Wu, X; Lu, S; Qiu, Z; Sui, Q; Lin, K; Du, X; Luo, Q. (2014). The reductive degradation of 1,1,1-trichloroethane by Fe(0) in a soil slurry system. *Environ Sci Pollut Res Int*. 21: 1401-1410. <http://dx.doi.org/10.1007/s11356-013-2029-7>.

Exposure Literature Search Results

Off Topic

- Wu, X; Yang, Q, i; Xu, D; Zhong, Y, u; Luo, K, un; Li, X; Chen, H; Zeng, G. (2013). Simultaneous Adsorption/Reduction of Bromate by Nanoscale Zerovalent Iron Supported on Modified Activated Carbon. *Ind Eng Chem Res.* 52: 12574-12581. <http://dx.doi.org/10.1021/ie4009524>.
- Wu, XH; Shan, Z; Lu, XH. (2003). Study on the ultrasonic degradation of black liquor. *Fresen Environ Bull.* 12: 1083-1086.
- Wu, XZ; Chen, D. (2006). Origin of hepatocellular carcinoma: Role of stem cells [Review]. *J Gastroenterol Hepatol.* 21: 1093-1098. <http://dx.doi.org/10.1111/j.1440-1746.2006.04485.x>.
- Wu, Y; Wang, SC; Jin, MR; Yang, XY. (2001). Poly(acrylate-co-acrylic acid)/polysulfone composite membranes for pervaporation of volatile organic compounds from water. *Separation Science and Technology.* 36: 3529-3540.
- Wu, YPG; Lin, YF. (2004). The oxidation of trichloroethene with methane: Experiment and kinetic modeling. *Combust Flame.* 137: 376-402. <http://dx.doi.org/10.1016/j.combustflame.2004.03.002>.
- Wu, Z; Zhang, M; Zhao, Z; Li, W; Tao, K. (2008). Synthesis of a Pd on Ni-B nanoparticle catalyst by the replacement reaction method for hydrodechlorination. *J Catal.* 256: 323-330. <http://dx.doi.org/10.1016/j.jcat.2008.03.026>.
- Wuebbles, DJ; Patten, KO; Wang, D; Youn, D; Martinez-Aviles, M; Francisco, JS. (2011). Three-dimensional model evaluation of the Ozone Depletion Potentials for n-propyl bromide, trichloroethylene and perchloroethylene. *Atmos Chem Phys.* 11: 2371-2380. <http://dx.doi.org/10.5194/acp-11-2371-2011>.
- Wust, WF; Kober, R; Schlicker, O; Dahmke, A. (1999). Combined zero- and first-order kinetic model of the degradation of TCE and cis-DCE with commercial iron. *Environ Sci Technol.* 33: 4304-4309.
- Xiao, G; Xu, W; Wu, R; Ni, M; Du, C; Gao, X; Luo, Z; Cen, K. (2014). Non-Thermal Plasmas for VOCs Abatement. *Plasma Chemistry and Plasma Processing.* 34: 1033-1065. <http://dx.doi.org/10.1007/s11090-014-9562-0>.
- Xiao, H; Chang-Fa, X; Jian, Z; Yan, F; Nai-Ku, X. (2013). Preparation of PLMA/PU Blend Fiber and Its Absorption Properties. *Chem J Chin Univ-Chin.* 34: 1985-1992. <http://dx.doi.org/10.7503/cjcu20130222>.
- Xiao, HK; Levine, SP; D'Arcy, JB; Kinnes, G; Almaguer, D. (1990). Comparison of the Fourier transform infrared (FTIR) spectrophotometer and the Miniature Infrared Analyzer (MIRAN) for the determination of trichloroethylene (TCE) in the presence of Freon-113 in workplace air. *Am Ind Hyg Assoc J.* 51: 395-401. <http://dx.doi.org/10.1080/15298669091369844>.
- Xiao, HK; Levine, SP; Kinnes, G; Almaguer, D. (1990). Evaluation of the Fourier transform infrared (FTIR) spectrophotometer for analysis of trichloroethylene (TCE) in the presence of Freon-113 in carbon disulfide eluates of charcoal air sampling tubes. *Am Ind Hyg Assoc J.* 51: 402-404. <http://dx.doi.org/10.1080/15298669091369853>.
- Xiao, J; Lu, Z; Li, Y. (2015). Carboxymethylcellulose-Supported Palladium Nanoparticles Generated in Situ from Palladium(II) Carboxymethylcellulose: An Efficient and Reusable Catalyst for Suzuki-Miyaura and Mizoroki-Heck Reactions. *Ind Eng Chem Res.* 54: 790-797. <http://dx.doi.org/10.1021/ie503075d>.
- Xiao, J; Yue, Q; Gao, B; Sun, Y; Kong, J; Gao, Y; Li, Q; Wang, Y, an. (2014). Performance of activated carbon/nanoscale zero-valent iron for removal of trihalomethanes (THMs) at infinitesimal concentration in drinking water. *Chem Eng J.* 253: 63-72. <http://dx.doi.org/10.1016/j.cej.2014.05.030>.
- Xiao, S; Moresoli, C; Burczyk, A; Pintauro, P; De Kee, D. (1999). Transport of organic contaminants in geomembranes under stress. *J Environ Eng.* 125: 647-652.
- Xiao, S; Shen, M; Guo, R, ui; Huang, Q; Wang, S; Shi, X. (2010). Fabrication of multiwalled carbon nanotube-reinforced electrospun polymer nanofibers containing zero-valent iron nanoparticles for environmental applications. *J Mater Chem.* 20: 5700-5708. <http://dx.doi.org/10.1039/c0jm00368a>.
- Xiao, S; Shen, M; Guo, R, ui; Wang, S; Shi, X. (2009). Immobilization of Zerovalent Iron Nanoparticles into Electrospun Polymer Nanofibers: Synthesis, Characterization, and Potential Environmental Applications. *J Phys Chem C.* 113: 18062-18068. <http://dx.doi.org/10.1021/jp905542g>.
- Xiao, S; Shen, M; Ma, H, ui; Fang, X, u; Huang, Q; Weber, WJ, Jr; Shi, X. (2011). Manipulation of the Loading and Size of Zero-Valent Iron Nanoparticles Immobilized in Electrospun Polymer Nanofibers. *J Nanosci Nanotechnol.* 11: 5089-5097. <http://dx.doi.org/10.1166/jnn.2011.4162>.
- Xiao, X; Sheng, G; Mu, Y; Yu, H. (2013). A modeling approach to describe ZVI-based anaerobic system. *Water Res.* 47: 6007-6013. <http://dx.doi.org/10.1016/j.watres.2013.07.025>.
- Xiao, Z, hiX; Luo, K, unYu. (2015). Improved delayed detached-eddy simulation of massive separation around triple cylinders. *Acta Mechanica Sinica.* 31: 799-816. <http://dx.doi.org/10.1007/s10409-015-0445-2>.
- Xie, C; Xu, ZL; Yang, QJ; Li, N; Zhao, DF; Wang, DB; Du, YG. (2004). Comparative studies of heterogeneous photocatalytic oxidation of heptane and toluene on pure titania, titania-silica mixed oxides and sulfated titania. *J Mol Catal Chem.* 217: 193-201. <http://dx.doi.org/10.1016/j.molcata.2004.03.033>.
- Xie, C; Xu, ZL; Yang, QJ; Xue, BY; Du, YG; Zhang, JH. (2004). Enhanced photocatalytic activity of titania-silica mixed oxide prepared via basic hydrolyzation. *Mater Sci Eng B.* 112: 34-41. <http://dx.doi.org/10.1016/j.mseb.2004.05.011>.
- Xie, F, ei; Lu, Q; de Toledo, RA; Shim, H. (2016). Enhanced simultaneous removal of MTBE and TCE mixture by *Paracoccus* sp immobilized on waste silica gel. *Int Biodeterior Biodegradation.* 114: 222-227. <http://dx.doi.org/10.1016/j.ibiod.2016.07.003>.
- Xie, H; Jiang, Y; Zhang, C; Feng, S; Qiu, Z. (2015). Steady-state analytical models for performance assessment of landfill composite liners. *Environ Sci Pollut Res Int.* 22: 12198-12214. <http://dx.doi.org/10.1007/s11356-015-4200-9>.
- Xie, J; Hui, F; Rosset, R. (1996). Determination of triethylamine content in trichloroethylene by acid-base titration and open-tubular column gas chromatography. *Analisis.* 24: 214-216.

Exposure Literature Search Results

Off Topic

- Xie, S; Yuan, S; Liao, P; Jia, M; Wang, Y, in. (2015). Pd-catalytic hydrodechlorination of chlorinated hydrocarbons in groundwater using H-2 produced by a dual-anode system. *Water Res.* 86: 74-81. <http://dx.doi.org/10.1016/j.watres.2015.07.026>.
- Xie, SM; Wan, PY; Feitz, AJ; Guan, J; Yang, XB; Liu, XG. (2004). Dechlorination of chlorinated aliphatic compounds by micro-scale Al-Zn-Mg/Fe powders as advanced zero-valent iron. *Chinese Journal of Chemical Engineering.* 12: 716-718.
- Xie, W; Yuan, S; Mao, X; Hu, W, ei; Liao, P; Tong, M, an; Alshaulabkeh, AN. (2013). Electrocatalytic activity of Pd-loaded Ti/TiO₂ nanotubes cathode for TCE reduction in groundwater. *Water Res.* 47: 3573-3582. <http://dx.doi.org/10.1016/j.watres.2013.04.004>.
- Xie, Y; Cwiertny, DM. (2010). Use of dithionite to extend the reactive lifetime of nanoscale zero-valent iron treatment systems. *Environ Sci Technol.* 44: 8649-8655. <http://dx.doi.org/10.1021/es102451t>.
- Xie, Y; Cwiertny, DM. (2012). Influence of anionic cosolutes and pH on nanoscale zerovalent iron longevity: time scales and mechanisms of reactivity loss toward 1,1,1,2-tetrachloroethane and Cr(VI). *Environ Sci Technol.* 46: 8365-8373. <http://dx.doi.org/10.1021/es301753u>.
- Xie, Y; Cwiertny, DM. (2013). Chlorinated Solvent Transformation by Palladized Zerovalent Iron: Mechanistic Insights from Reductant Loading Studies and Solvent Kinetic Isotope Effects. *Environ Sci Technol.* 47: 7940-7948. <http://dx.doi.org/10.1021/es401481a>.
- Xie, Y, i; Li, Y; Zhao, X. (2007). Low-temperature preparation and visible-light-induced catalytic activity of anatase F-N-codoped TiO₂. *J Mol Catal Chem.* 277: 119-126. <http://dx.doi.org/10.1016/j.molcata.2007.07.031>.
- Xie, Z; Chen, L; Sun, F; Ye, Q. (2009). A NOVEL PLASMA REACTOR FOR TOLUENE DECOMPOSITION IN CONTAMINATED AIR FLOW. *Environmental Engineering and Management Journal.* 8: 207-212.
- Xin, G; Zhang, G; Kang, J, unWon; Staley, JT; Doty, SL. (2009). A diazotrophic, indole-3-acetic acid-producing endophyte from wild cottonwood. *Biol Fertil Soils.* 45: 669-674. <http://dx.doi.org/10.1007/s00374-009-0377-8>.
- Xin, J; Han, J; Zheng, X; Shao, H; Kolditz, O. (2015). Mechanism insights into enhanced trichloroethylene removal using xanthan gum-modified microscale zero-valent iron particles. *J Environ Manage.* 150: 420-426. <http://dx.doi.org/10.1016/j.jenvman.2014.12.022>.
- Xin, J; Tang, F; Zheng, X; Shao, H; Kolditz, O; Lu, X. (2016). Distinct kinetics and mechanisms of mZVI particles aging in saline and fresh groundwater: H₂ evolution and surface passivation. *Water Res.* 100: 80-87. <http://dx.doi.org/10.1016/j.watres.2016.04.074>.
- Xin, J, ia; Zheng, X; Han, J, un; Shao, H; Kolditz, O. (2015). Remediation of trichloroethylene by xanthan gum-coated microscale zero valent iron (XG-mZVI) in groundwater: Effects of geochemical constituents. *Chem Eng J.* 271: 164-172. <http://dx.doi.org/10.1016/j.cej.2015.02.092>.
- Xin-De, C; Wen-Ting, D; Jia-Yi, W; Rong-Fei, L; Yang, G; Zi-Jiang, Y. (2012). Effective Treatment of Trichloroethylene-Contaminated Soil by Hydrogen Peroxide in Soil Slurries. *Pedosphere.* 22: 572-579.
- Xing, BS. (2000). Processing environmental samples containing organic chemicals using polymeric microfilters. *J Environ Qual.* 29: 221-224.
- Xing, BS; Pignatello, JJ; Gigliotti, B. (1996). Competitive sorption between atrazine and other organic compounds in soils and model sorbents. *Environ Sci Technol.* 30: 2432-2440.
- Xing, X, inHui; Wu, H, ao; Luo, MF; Wang, BP. (2006). Effects of organic chemicals on growth of *Methylosinus trichosporium* OB3b. *Biochem Eng J.* 31: 113-117. <http://dx.doi.org/10.1016/j.bej.2006.06.001>.
- Xing, YN; Guo, Y; Xie, M; Shen, RL; Zeng, EY. (2009). Detection of DDT and its metabolites in two estuaries of South China using a SPME-based device: first report of p,p'-DDMU in water column. *Environ Pollut.* 157: 1382-1387. <http://dx.doi.org/10.1016/j.envpol.2008.11.034>.
- Xingyi, W; Qian, K; Dao, L. (2009). Catalytic combustion of chlorobenzene over MnO_x-CeO₂ mixed oxide catalysts. *Appl Catal B-Environ.* 86: 166-175. <http://dx.doi.org/10.1016/j.apcatb.2008.08.009>.
- Xingyi, W; Qiguang, D; Yi, Z. (2006). Low-temperature catalytic combustion of trichloroethylene over La, Ce, and Pt catalysts supported on MCM-41. *Chinese journal of catalysis.* 27: 468-470.
- Xiong, H; Zhou, Q. (2012). Cellular and molecular damage of *Phanerochaete chrysosporium* by the oxidation hair dyes. *Environ Sci Pollut Res Int.* 19: 2172-2178. <http://dx.doi.org/10.1007/s11356-011-0717-8>.
- Xiong, J; Lock, H; I-S, C; Keeler, C; Maciel, GE. (1999). Local motions of organic pollutants in soil components, as studied by 2H NMR. *Environ Sci Technol.* 33: 2224-2233.
- Xiong, Z; Zhao, D; Pan, G. (2007). Rapid and complete destruction of perchlorate in water and ion-exchange brine using stabilized zero-valent iron nanoparticles. *Water Res.* 41: 3497-3505. <http://dx.doi.org/10.1016/j.watres.2007.05.049>.
- Xiu, ZM; Gregory, KB; Lowry, GV; Alvarez, PJJ. (2010). Effect of Bare and Coated Nanoscale Zerovalent Iron on tceA and vcrA Gene Expression in *Dehalococcoides* spp. *Environ Sci Technol.* 44: 7647-7651. <http://dx.doi.org/10.1021/es101786y>.
- Xiu, ZM; Jin, Z; Li, T; Mahendra, S; Lowry, GV; Alvarez, PJJ. (2010). Effects of nano-scale zero-valent iron particles on a mixed culture dechlorinating trichloroethylene. *Bioresour Technol.* 101: 1141-1146. <http://dx.doi.org/10.1016/j.biortech.2009.09.057>.
- Xu, F; Deng, S; Xu, J, ie; Zhang, W; Wu, M, in; Wang, B, in; Huang, J, un; Yu, G. (2012). Highly Active and Stable Ni-Fe Bimetal Prepared by Ball Milling for Catalytic Hydrodechlorination of 4-Chlorophenol. *Environ Sci Technol.* 46: 4576-4582. <http://dx.doi.org/10.1021/es203876e>.
- Xu, G; Gao, Y; Shiue, A; Ma, CM; Chang, CT. (2011). Vapor Photocatalytic Degradation Characteristics of Acetone and Dichloromethane Using TiO₂ Nanotube in Indoor Environment. *Nanoscience and Nanotechnology Letters.* 3: 778-783. <http://dx.doi.org/10.1166/nnl.2011.1261>.
- Xu, H; Lu, S; Ren, L. (2016). A novel synthetic route to freely adjust the crystal structures of Ni-P compounds. 3. <http://dx.doi.org/10.1088/2053-1591/3/10/105010>.
- Xu, HW; Bo, YJ; Tong, CM; Yan, Y; Feng, ZG; Fei, YX; Liang, Y; Hu, RX; Yan, HH; Li, Z; Feng, HX; Xiong, ZZ; Jun, LJ. (2013). Trichloroethylene Induces Biphasic Concentration-dependent Changes in Cell Proliferation and the Expression of SET-Associated Proteins in Human Hepatic L-02 Cells [Letter]. *Biomed Environ Sci.* 26: 618-621. <http://dx.doi.org/10.3967/0895-3988.2013.07.016>.

Exposure Literature Search Results

Off Topic

- Xu, J; Bhattacharyya, D. (2005). Membrane-based bimetallic nanoparticles for environmental remediation: Synthesis and reactive properties. *Environmental Progress*. 24: 358-366. <http://dx.doi.org/10.1002/ep.10106>.
- Xu, J; Bhattacharyya, D. (2007). Fe/Pd nanoparticle immobilization in microfiltration membrane pores: Synthesis, characterization, and application in the dechlorination of polychlorinated biphenyls. *Ind Eng Chem Res*. 46: 2348-2359. <http://dx.doi.org/10.1021/ie0611498>.
- Xu, J; Cao, Z; Liu, X; Zhao, H; Xiao, X; Wu, J; Xu, X; Zhou, JL. (2016). Preparation of functionalized Pd/Fe-Fe₃O₄@MWCNTs nanomaterials for aqueous 2,4-dichlorophenol removal: Interactions, influence factors, and kinetics. *J Hazard Mater*. 317: 656-666. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.063>.
- Xu, J; Dozier, A; Bhattacharyya, D. (2005). Synthesis of nanoscale bimetallic particles in polyelectrolyte membrane matrix for reductive transformation of halogenated organic compounds. *J Nanopart Res*. 7: 449-467. <http://dx.doi.org/10.1007/s11051-005-4273-3>.
- Xu, J; Liu, X; Lowry, GV; Cao, Z; Zhao, H; Zhou, JL; Xu, X. (2016). Dechlorination Mechanism of 2,4-Dichlorophenol by Magnetic MWCNTs Supported Pd/Fe Nanohybrids: Rapid Adsorption, Gradual Dechlorination, and Desorption of Phenol. 8: 7333-7342. <http://dx.doi.org/10.1021/acsami.5b11859>.
- Xu, JP; Lai, PT; Wu, HP; Chan, CL. (2005). Effects of chlorine on interfacial properties and reliability of SiO₂ grown on 6H-SiC. *Applied Physics A: Materials Science and Processing*. 81: 173-176. <http://dx.doi.org/10.1007/s00339-004-2882-9>.
- Xu, M; Du, H; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Generation and intensity of active oxygen species in thermally activated persulfate systems for the degradation of trichloroethylene. *RSC Advances*. 4: 40511-40517. <http://dx.doi.org/10.1039/c4ra04942j>.
- Xu, N; Xiao, C. (2010). Swelling and crystallization behaviors of absorptive functional fiber based on butyl methacrylate/hydroxyethyl methacrylate copolymer. *Journal of Materials Science*. 45: 98-105. <http://dx.doi.org/10.1007/s10853-009-3897-6>.
- Xu, Q; Song, T; Cui, W; Liu, Y; Xu, W; Lee, ST; Sun, B. (2015). Solution-processed highly conductive PEDOT:PSS/AgNW/GO transparent film for efficient organic-Si hybrid solar cells. 7: 3272-3279. <http://dx.doi.org/10.1021/am508006q>.
- Xu, W; Adler, I. (1990). Clastogenic effects of known and suspect spindle poisons studied by chromosome analysis in mouse bone marrow cells. *Mutagenesis*. 5: 371-374.
- Xu, W; Guo, C; Rhee, S; hiWoo. (2013). High performance organic field-effect transistors using cyanoethyl pullulan (CEP) high-k polymer cross-linked with trimethylolpropane triglycidyl ether (TTE) at low temperatures. 1: 3955-3960. <http://dx.doi.org/10.1039/c3tc30134f>.
- Xu, WY; Gao, TY; Fan, JH. (2005). Reduction of nitrobenzene by the catalyzed Fe-Cu process. *J Hazard Mater*. 123: 232-241. <http://dx.doi.org/10.1016/j.jhazmat.2005.04.011>.
- Xu, WZ; Raftery, D. (2001). In situ solid-state nuclear magnetic resonance studies of acetone photocatalytic oxidation on titanium oxide surfaces. *J Catal*. 204: 110-117. <http://dx.doi.org/10.1006/jcat.2001.3380>.
- Xu, WZ; Raftery, D. (2001). Photocatalytic oxidation of 2-propanol on TiO₂ powder and TiO₂ monolayer catalysts studied by solid-state NMR. *J Phys Chem B*. 105: 4343-4349. <http://dx.doi.org/10.1021/jp004381e>.
- Xu, X; Thomson, NR. (2009). A long-term bench-scale investigation of permanganate consumption by aquifer materials. *J Contam Hydrol*. 110: 73-86. <http://dx.doi.org/10.1016/j.jconhyd.2009.09.001>.
- Xu, X; Thomson, NR. (2010). Hydrogen Peroxide Persistence in the Presence of Aquifer Materials. *Soil Sediment Contam*. 19: 602-616. <http://dx.doi.org/10.1080/15320383.2010.499924>.
- Xu, X; Wang, Q; Choi, H; Kim, YH, a. (2010). Encapsulation of iron nanoparticles with PVP nanofibrous membranes to maintain their catalytic activity. *J Memb Sci*. 348: 231-237. <http://dx.doi.org/10.1016/j.memsci.2009.11.006>.
- Xu, X; Weisel, CP. (2003). Inhalation exposure to haloacetic acids and haloketones during showering. *Environ Sci Technol*. 37: 569-576. <http://dx.doi.org/10.1021/es025747>.
- Xu, X; Yang, R; Wu, N; Zhong, P; Ke, Y; Zhou, L; Yuan, J; Li, G; Huang, H; Wu, B. (2009). Severe hypersensitivity dermatitis and liver dysfunction induced by occupational exposure to trichloroethylene. *Ind Health*. 47: 107-112.
- Xu, XH; Zhou, HY; Wang, DH. (2005). Structure relationship for catalytic dechlorination rate of dichlorobenzenes in water. *Chemosphere*. 58: 1497-1502. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.071>.
- Xu, Y, an; He, Y, an; Zhang, Q; Xu, J; Crowley, D. (2015). Coupling between Pentachlorophenol Dechlorination and Soil Redox As Revealed by Stable Carbon Isotope, Microbial Community Structure, and Biogeochemical Data. *Environ Sci Technol*. 49: 5425-5433. <http://dx.doi.org/10.1021/es505040c>.
- Xu, Z; Wu, Y; Yu, F, ei. (2012). A Three-Dimensional Flow and Transport Modeling of an Aquifer Contaminated by Perchloroethylene Subject to Multi-PRB Remediation. *Transport in Porous Media*. 91: 319-337. <http://dx.doi.org/10.1007/s11242-011-9847-1>.
- Xue, G; Liu, H; Chen, Q; Hills, C; Tyrer, M; Innocent, F. (2011). Synergy between surface adsorption and photocatalysis during degradation of humic acid on TiO₂/activated carbon composites. *J Hazard Mater*. 186: 765-772. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.063>.
- Xue, Y; Gu, X; Lu, S; Miao, Z; Brusseau, ML; Xu, M; Fu, X; Zhang, X; Qiu, Z; Sui, Q. (2016). The destruction of benzene by calcium peroxide activated with Fe(II) in water. *Chem Eng J*. 302: 187-193. <http://dx.doi.org/10.1016/j.cej.2016.05.016>.
- Yabusaki, S; Cantrell, K; Sass, B; Steefel, C. (2001). Multicomponent reactive transport in an in situ zero-valent iron cell. *Environ Sci Technol*. 35: 1493-1503.
- Yadav, JS; Bethea, C; Reddy, CA. (2000). Mineralization of trichloroethylene (TCE) by the white rot fungus *Phanerochaete chrysosporium*. *Bull Environ Contam Toxicol*. 65: 28-34.
- Yadava, L; Verma, R; Singh, RS. (2012). Detection and sensing mechanism of acetone with modeling using Pd/TiO₂/Si structure. *Thin Solid Films*. 520: 3039-3042. <http://dx.doi.org/10.1016/j.tsf.2011.10.158>.

Exposure Literature Search Results

Off Topic

- Yager, RM; Bilotta, SE; Mann, CL; Madsen, EL. (1997). Metabolic adaptation and in situ attenuation of chlorinated ethenes by naturally occurring microorganisms in a fractured dolomite aquifer near Niagara Falls, New York. *Environ Sci Technol.* 31: 3138-3147.
- Yagi, O; Uchiyama, H; Iwasaki, K. (1992). BIODEGRADATION RATE OF CHLOROETHYLENE IN SOIL ENVIRONMENT. *Water Sci Technol.* 25: 419-424.
- Yamaguchi, SI; Iwaizumi, T; Mitsui, Y; Tsuda, S. (1998). Decomposition of gaseous Trichloroethylene (TCE) by ultraviolet irradiation. *Combust Sci Tech.* 133: 107-115.
- Yamaguchi, T; Suzuki, T; Kai, T; Nakao, S. (2001). Hollow-fiber-type pore-filling membranes made by plasma-graft polymerization for the removal of chlorinated organics from water. *J Memb Sci.* 194: 217-228.
- Yamaguchi, T; Yamahara, S; Nakao, S; Kimura, SJ. (1994). PREPARATION OF PERVAPORATION MEMBRANES FOR REMOVAL OF DISSOLVED ORGANICS FROM WATER BY PLASMA-GRAFT FILLING POLYMERIZATION. *J Memb Sci.* 95: 39-49.
- Yamamoto, H; Heyamoto, N; Yatsushashi, T; Matsui, T; Takami, Y; Shibata, J. (2003). Adsorption removal of organic chlorine and bromine compounds from water using temperature-sensitive polymer hydrogel with temperature swing. *Kagaku Kogaku Ronbunshu.* 29: 395-399.
- Yamamoto, T; Futamura, S. (1998). Nonthermal plasma processing for controlling volatile organic compounds. *Combust Sci Tech.* 133: 117-133.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on molecular sieve 13X. *Environ Sci Technol.* 35: 2122-2127.
- Yamasaki, S; Nomura, N; Nakajima, T; Uchiyama, H. (2012). Cultivation-independent identification of candidate dehalorespiring bacteria in tetrachloroethylene degradation. *Environ Sci Technol.* 46: 7709-7716. <http://dx.doi.org/10.1021/es301288y>.
- Yamasaki, T; Oki, N; Okuno, T. (1992). CYCLE OF HALOCARBONS IN THE AIR-WATER PHASE (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11338). Yamasaki, T; Oki, N; Okuno, T.
- Yamazaki, H; Yamaguchi, T; Yamauchi, A; Kakiuchi, Y. (1992). Effect of halocarbons and styrene on thrombin and calcium ionophore induced activation of rabbit platelets. *Chemosphere.* 25: 665-673. [http://dx.doi.org/10.1016/0045-6535\(92\)90429-U](http://dx.doi.org/10.1016/0045-6535(92)90429-U).
- Yamazaki, S; Abe, H; Tanimura, T; Yamasaki, Y; Kanaori, K; Tajima, K. (2009). Effect of thermal treatment on the photocatalytic degradation of ethylene, trichloroethylene, and chloroform. *Res Chem Intermed.* 35: 91-101. <http://dx.doi.org/10.1007/s11164-008-0001-9>.
- Yamazaki, S; Fujinaga, N; Araki, K. (2001). Effect of sulfate ions for sol-gel synthesis of titania photocatalyst. *Appl Catal A-Gen.* 210: 97-102.
- Yamazaki, S; Ichikawa, K; Saeki, A; Tanimura, T; Adachi, K. (2010). Photocatalytic Degradation of Chlorinated Ethanes in the Gas Phase on the Porous TiO₂ Pellets: Effect of Surface Acidity. *J Phys Chem A.* 114: 5092-5098. <http://dx.doi.org/10.1021/jp911842t>.
- Yamazaki, S; Matsunaga, S; Hori, K. (2001). Photocatalytic degradation of trichloroethylene in water using TiO₂ pellets. *Water Res.* 35: 1022-1028.
- Yamazaki, S; Tanaka, S; Tsukamoto, H. (1999). Kinetic studies of oxidation of ethylene over a TiO₂ photocatalyst. *J Photochem Photobiol A.* 121: 55-61.
- Yamazaki, S; Tanimura, T; Yoshida, A; Hori, K. (2004). Reaction mechanism of photocatalytic degradation of chlorinated ethylenes on porous TiO₂ pellets: Cl radical-initiated mechanism. *J Phys Chem A.* 108: 5183-5188. <http://dx.doi.org/10.1021/jp0311310>.
- Yamazaki, S; Tsukamoto, H; Araki, K; Tanimura, T; Tejedor-Tejedor, I; Anderson, MA. (2001). Photocatalytic degradation of gaseous tetrachloroethylene on porous TiO₂ pellets. *Appl Catal B-Environ.* 33: 109-117.
- Yamazaki, S; Yamabe, N; Nagano, S; Fukuda, A. (2007). Adsorption and photocatalytic degradation of 1,4-dioxane on TiO₂. *J Photochem Photobiol A.* 185: 150-155. <http://dx.doi.org/10.1016/j.jphotochem.2006.05.024>.
- Yamazaki, S; Yoshida, A; Abe, H. (2005). Photocatalytic degradation of chloroform in the gas phase on the porous TiO₂ pellets: effect of Cl accumulated on the catalyst surface. *J Photochem Photobiol A.* 169: 191-196. <http://dx.doi.org/10.1016/j.jphotochem.2004.06.018>.
- Yan, B, in; Zhu, W; Liu, L; Liu, K, ai; Fang, G. (2015). Design of Induction Magnetometer Receiving Sensor for Through-the-Earth Communications. *IEEE Sens J.* 15: 1139-1144. <http://dx.doi.org/10.1109/JSEN.2014.2359228>.
- Yan, J; Gao, W; Dong, M; Han, L, u; Qian, L; Nathanail, CP; Chen, M. (2016). Degradation of trichloroethylene by activated persulfate using a reduced graphene oxide supported magnetite nanoparticle. *Chem Eng J.* 295: 309-316. <http://dx.doi.org/10.1016/j.cej.2016.01.085>.
- Yan, J; Han, L, u; Gao, W; Xue, S; Chen, M. (2015). Biochar supported nanoscale zerovalent iron composite used as persulfate activator for removing trichloroethylene. *Bioresour Technol.* 175: 269-274. <http://dx.doi.org/10.1016/j.biortech.2014.10.103>.
- Yan, J; Lei, M, in; Zhu, L; Anjum, MN; Zou, J; Tang, H. (2011). Degradation of sulfamonomethoxine with Fe₃O₄ magnetic nanoparticles as heterogeneous activator of persulfate. *J Hazard Mater.* 186: 1398-1404. <http://dx.doi.org/10.1016/j.jhazmat.2010.12.017>.
- Yan, J; Zhu, L; Luo, Z; Huang, Y; Tang, H; Chen, M. (2013). Oxidative decomposition of organic pollutants by using persulfate with ferrous hydroxide colloids as efficient heterogeneous activator. *Separation and Purification Technology.* 106: 8-14. <http://dx.doi.org/10.1016/j.seppur.2012.12.012>.
- Yan, L; Deeter, V; Lalley, J; Medellin, O; Kupferle, MJ; Sorial, GA. (2014). Effects of oligomerization phenomenon on dissolved organic matter removal kinetics on novel activated carbons. *J Hazard Mater.* 278: 514-519. <http://dx.doi.org/10.1016/j.jhazmat.2014.06.042>.
- Yan, L; Fitzgerald, M; Khov, C; Schafermeyer, A, my; Kupferle, MJ; Sorial, GA. (2013). Elucidating the role of phenolic compounds in the effectiveness of DOM adsorption on novel tailored activated carbon. *J Hazard Mater.* 262: 100-105. <http://dx.doi.org/10.1016/j.jhazmat.2013.08.022>.
- Yan, L; Waynert, J; Sunderman, C. (2014). Earth Conductivity Estimation from Through-the-Earth Measurements of 94 Coal Mines Using Different Electromagnetic Models. *Applied Computational Electromagnetics Society Journal.* 29: 755-762.
- Yan, L; Waynert, JA; Sunderman, C. (2013). Measurements and Modeling of Through-the-Earth Communications for Coal Mines. *IEEE Transactions on Industry Applications.* 49. <http://dx.doi.org/10.1109/TIA.2013.2260116>.

Exposure Literature Search Results

Off Topic

- Yan, N, i; Liu, F, ei; Chen, Y; Brusseau, ML. (2016). Influence of Groundwater Constituents on 1,4-Dioxane Degradation by a Binary Oxidant System. *Water Air Soil Pollut.* 227: 436-436. <http://dx.doi.org/10.1007/s11270-016-3146-y>.
- Yan, N, i; Liu, F, ei; Huang, W. (2013). Interaction of oxidants in siderite catalyzed hydrogen peroxide and persulfate system using trichloroethylene as a target contaminant. *Chem Eng J.* 219: 149-154. <http://dx.doi.org/10.1016/j.cej.2012.12.072>.
- Yan, N, i; Liu, F, ei; Xue, Q; Brusseau, ML; Liu, Y; Wang, J. (2015). Degradation of trichloroethene by siderite-catalyzed hydrogen peroxide and persulfate: Investigation of reaction mechanisms and degradation products. *Chem Eng J.* 274: 61-68. <http://dx.doi.org/10.1016/j.cej.2015.03.056>.
- Yan, W; Herzing, AA; Li, XQ; Kiely, CJ; Zhang, WX. (2010). Structural evolution of Pd-doped nanoscale zero-valent iron (nZVI) in aqueous media and implications for particle aging and reactivity. *Environ Sci Technol.* 44: 4288-4294. <http://dx.doi.org/10.1021/es100051q>.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol.* 37: 3-4.
- Yan, YE; Schwartz, FW. (2000). Kinetics and mechanisms for TCE oxidation by permanganate. *Environ Sci Technol.* 34: 2535-2541.
- Yan, YL, i; Deng, Q; He, F, ei; Zhang, X, inQ; Liu, Y, inP. (2011). Remediation of DNAPL-contaminated aquifers using density modification method with colloidal liquid aphrons. *Colloid Surface Physicochem Eng Aspect.* 385: 219-228. <http://dx.doi.org/10.1016/j.colsurfa.2011.06.012>.
- Yan, Z; Henderson, G; James, M; Stacpoole, P. (1999). Determination of chloral hydrate metabolites in human plasma by gas chromatography-mass spectrometry. *J Pharm Biomed Anal.* 19: 309-318.
- Yang, BL; Kwok, PCK; Lai, PT. (2006). Influence of TCE concentration in thermal oxidation on reliability of SiC MOS capacitors under Fowler-Nordheim electron injection. *Microelectron Reliab.* 46: 2044-2048. <http://dx.doi.org/10.1016/j.microrel.2005.12.007>.
- Yang, BL; Lin, LM; Lo, HB; Lai, PT. (2005). Effects of TCE concentration on oxide-charge and interface properties of SiO₂ thermally grown on SiC. *Solid-State Electronics.* 49: 1223-1227. <http://dx.doi.org/10.1016/j.sse.2005.05.010>.
- Yang, BL; Lin, LM; Lo, HB; Lai, PT; Chan, CL. (2005). Kinetics of thermal oxidation of 6H silicon carbide in oxygen plus trichloroethylene. *J Electrochem Soc.* 152: G441-G444. <http://dx.doi.org/10.1149/1.1899284>.
- Yang, C; Wacker, JG; Sheu, C. (2012). What makes outsourcing effective? A transaction-cost economics analysis. *Int J Prod Res.* 50: 4462-4476. <http://dx.doi.org/10.1080/00207543.2011.600345>.
- Yang, D; Pennisi, SV; Son, K, iC; Kays, SJ. (2009). Screening Indoor Plants for Volatile Organic Pollutant Removal Efficiency. *HortScience.* 44: 1377-1381.
- Yang, D; Wang, Y, aQ; Liu, W; Tao, S, hu. (2008). A novel pretreatment approach for fast determination of organochlorine pesticides in biotic samples. *J Environ Sci Health B.* 43: 307-313. <http://dx.doi.org/10.1080/03601230801941642>.
- Yang, D; Zhang, L. (2012). Excited-state hydrogen bonding dynamics of pyruvic acid and geminal-diol, 2,2-dihydroxypropanoic acid in aqueous solution: a DFT/TDDFT study. *Journal of Physical Organic Chemistry.* 25: 1391-1394. <http://dx.doi.org/10.1002/poc.3055>.
- Yang, DL; Majumdar, S; Kovenklioglu, S; Sirkar, KK. (1995). HOLLOW-FIBER CONTAINED LIQUID MEMBRANE PERVAPORATION SYSTEM FOR THE REMOVAL OF TOXIC VOLATILE ORGANICS FROM WASTE-WATER. *J Memb Sci.* 103: 195-210.
- Yang, GC; Lee, HL. (2005). Chemical reduction of nitrate by nanosized iron: kinetics and pathways. *Water Res.* 39: 884-894. <http://dx.doi.org/10.1016/j.watres.2004.11.030>.
- Yang, GCC; Chang, YI. (2011). Integration of emulsified nanoiron injection with the electrokinetic process for remediation of trichloroethylene in saturated soil. *Separation and Purification Technology.* 79: 278-284. <http://dx.doi.org/10.1016/j.seppur.2011.03.004>.
- Yang, GCC; Liu, CY. (2001). Remediation of TCE contaminated soils by in situ EK-Fenton process. *J Hazard Mater.* 85: 317-331.
- Yang, GCC; Tu, HC; Hung, CH. (2007). Stability of nanoiron slurries and their transport in the subsurface environment. *Separation and Purification Technology.* 58: 166-172. <http://dx.doi.org/10.1016/j.seppur.2007.07.018>.
- Yang, GCC; Yeh, CF, u. (2011). Enhanced nano-Fe₃O₄/S₂O₈²⁻ oxidation of trichloroethylene in a clayey soil by electrokinetics. *Separation and Purification Technology.* 79: 264-271. <http://dx.doi.org/10.1016/j.seppur.2011.03.003>.
- Yang, GS; Kennedy, IM. (1993). THE EFFECT OF STRAIN ON LAMINAR DIFFUSION FLAMES OF CHLORINATED HYDROCARBONS. *Combust Flame.* 92: 187-196.
- Yang, GS; Kennedy, IM. (1994). THE NONEQUILIBRIUM STRUCTURE OF A TRICHLORO-ETHENE METHANE LAMINAR DIFFUSION FLAME. *Combust Sci Tech.* 101: 349-359.
- Yang, H, eeC; Cho, YJ; Eun, H, eeC; Kim, EH, o. (2007). Destruction of chlorinated organic solvents in a two-stage molten salt oxidation reactor system. *Chem Eng Sci.* 62: 5137-5143. <http://dx.doi.org/10.1016/j.ces.2007.01.055>.
- Yang, H, eeC; Cho, YZ, un; Eun, H, eeC; Kang, Y. (2008). Destruction of Trichloroethylene in a Two Stage Molten Salt Oxidation Reactor System. *J Chem Eng Jpn.* 41: 597-601.
- Yang, H; Hu, Y; Cheng, H. (2016). Sorption of chlorophenols on microporous minerals: mechanism and influence of metal cations, solution pH, and humic acid. *Environ Sci Pollut Res Int.* 23: 19266-19280. <http://dx.doi.org/10.1007/s11356-016-7128-9>.
- Yang, J; Cao, L; Guo, R; Jia, J. (2010). Permeable reactive barrier of surface hydrophobic granular activated carbon coupled with elemental iron for the removal of 2,4-dichlorophenol in water. *J Hazard Mater.* 184: 782-787. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.109>.
- Yang, J, aeHa; Jun, SC; Kwon, HP, yo; Lee, KK, un. (2014). Tracing of residual multiple DNAPL sources in the subsurface using Rn-222 as a natural tracer at an industrial complex in Wonju, Korea. *Environ Earth Sci.* 71: 407-417. <http://dx.doi.org/10.1007/s12665-013-2448-2>.
- Yang, J; Lee, K; Clement, TP. (2012). Impact of seasonal variations in hydrological stresses and spatial variations in geologic conditions on a TCE plume at an industrial complex in Wonju, Korea. *Hydrolog Process.* 26: 317-325. <http://dx.doi.org/10.1002/hyp.8236>.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts.* 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.

Exposure Literature Search Results

Off Topic

- Yang, J; Wang, Y; Xu, W; Dai, Q. (2008). Image coding using dual-tree discrete wavelet transform. *IEEE Trans Image Process.* 17: 1555-1569. <http://dx.doi.org/10.1109/TIP.2008.926159>.
- Yang, JS; Baek, K; Kwon, T, aeS; Yang, J, iWon. (2009). Adsorption of chlorinated solvents in nonionic surfactant solutions with activated carbon in a fixed bed. *J Ind Eng Chem.* 15: 777-779. <http://dx.doi.org/10.1016/j.jiec.2009.09.027>.
- Yang, JS; Baek, K; Kwon, TS; Yang, JW. (2006). Competitive immobilization of multiple component chlorinated solvents by cyclodextrin derivatives. *J Hazard Mater.* 137: 1866-1869. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.020>.
- Yang, L, ei; Lv, L, u; Zhang, S; Pan, B; Zhang, W. (2011). Catalytic dechlorination of monochlorobenzene by Pd/Fe nanoparticles immobilized within a polymeric anion exchanger. *Chem Eng J.* 178: 161-167. <http://dx.doi.org/10.1016/j.cej.2011.10.039>.
- Yang, L; Y-F, C; M-S, C. (1999). Feasibility of bioremediation of trichloroethylene contaminated sites by nitrifying bacteria through cometabolism with ammonia. *J Hazard Mater.* 69: 111-126.
- Yang, MH; Puri, IK. (1993). EXPERIMENTAL INVESTIGATION OF STRETCHED PREMIXED FLAMES BURNING MIXTURES OF METHANE AND METHYL-CHLORIDE IN AIR AND COMPARISON WITH NUMERICAL SIMULATIONS. *Combust Flame.* 94: 25-34.
- Yang, MJ; Harms, S; Luo, YZ; Pawliszyn, J. (1994). MEMBRANE EXTRACTION WITH A SORBENT INTERFACE FOR CAPILLARY GAS-CHROMATOGRAPHY. *Anal Chem.* 66: 1339-1346.
- Yang, MJ; Pawliszyn, J. (1993). Multiplex gas chromatography with a hollow fiber membrane interface for determination of trace volatile organic compounds in aqueous samples. *Anal Chem.* 65: 1758-1763.
- Yang, MJ; Pawliszyn, J. (1996). Headspace membrane extraction combined with multiplex gas chromatography and mass selective detector for monitoring of volatile organic compounds. *J Microcolumn Sep.* 8: 89-98.
- Yang, MX; Kash, PW; Sun, DH; Flynn, GW; Bent, BE; Holbrook, MT; Bare, SR; Fischer, DA; Gland, JL. (1997). Chemistry of chloroethylenes on Cu(100): Bonding and reactions. *Surf Sci.* 380: 151-164.
- Yang, P; Shi, Z; Tao, F, ei; Yang, S; Zhou, R. (2015). Synergistic performance between oxidizability and acidity/texture properties for 1,2-dichloroethane oxidation over (Ce,Cr)(x)O-2/zeolite catalysts. *Chem Eng Sci.* 134: 340-347. <http://dx.doi.org/10.1016/j.ces.2015.05.024>.
- Yang, P; Shi, Z; Yang, S; Zhou, R. (2015). High catalytic performances of CeO₂-CrO_x catalysts for chlorinated VOCs elimination. *Chem Eng Sci.* 126: 361-369. <http://dx.doi.org/10.1016/j.ces.2014.12.051>.
- Yang, P; Xue, X; Meng, Z; Zhou, R. (2013). Enhanced catalytic activity and stability of Ce doping on Cr supported HZSM-5 catalysts for deep oxidation of chlorinated volatile organic compounds. *Chem Eng J.* 234: 203-210. <http://dx.doi.org/10.1016/j.cej.2013.08.107>.
- Yang, P; Yang, S; Shi, Z; Meng, Z; Zhou, R. (2015). Deep oxidation of chlorinated VOCs over CeO₂-based transition metal mixed oxide catalysts. *Appl Catal B-Environ.* 162: 227-235. <http://dx.doi.org/10.1016/j.apcatb.2014.06.048>.
- Yang, P; Yang, S; Shi, Z; Tao, F, ei; Guo, X; Zhou, R. (2016). Accelerating effect of ZrO₂ doping on catalytic performance and thermal stability of CeO₂-CrO_x mixed oxide for 1,2-dichloroethane elimination. *Chem Eng J.* 285: 544-553. <http://dx.doi.org/10.1016/j.cej.2015.10.025>.
- Yang, P; Zuo, S; Shi, Z; Tao, F, ei; Zhou, R. (2016). Elimination of 1,2-dichloroethane over (Ce,Cr)(x)O-2/MO_y catalysts (M =Ti, V, Nb, Mo, W and La). *Appl Catal B-Environ.* 191: 53-61. <http://dx.doi.org/10.1016/j.apcatb.2016.03.017>.
- Yang, Q; Ito, S; Gonzalez, FJ. (2007). Hepatocyte-restricted constitutive activation of PPAR alpha induces hepatoproliferation but not hepatocarcinogenesis. *Carcinogenesis.* 28: 1171-1177. <http://dx.doi.org/10.1093/carcin/bgm046>.
- Yang, Q, i; Shang, H; Wang, J. (2009). Biosorption and biodegradation of trichloroethylene by acclimated activated sludge. *Int J Environ Pollut.* 38: 289-298.
- Yang, Q; Shang, HT; Li, HD; Xi, HB; Wang, JL. (2008). Biodegradation of tetrachloroethylene using methanol as co-metabolic substrate. *Biomed Environ Sci.* 21: 98-102. [http://dx.doi.org/10.1016/S0895-3988\(08\)60013-6](http://dx.doi.org/10.1016/S0895-3988(08)60013-6).
- Yang, RS; Thomas, RS; Gustafson, DL; Campaign, J; Benjamin, SA; Verhaar, HJ; Mumtaz, MM. (1998). Approaches to developing alternative and predictive toxicology based on PBPK/PD and QSAR modeling [Review]. *Environ Health Perspect.* 106 Suppl 6: 1385-1393.
- Yang, RSH. (1998). Some critical issues and concerns related to research advances on the toxicology of chemical mixtures. *Environ Health Perspect.* 106: 1059-1063. <http://dx.doi.org/10.2307/3434152>.
- Yang, S; Oostrom, M; Truex, MJ; Li, G; Zhong, L. (2016). Injectable silica-permanganate gel as a slow-release MnO₄(-) source for groundwater remediation: rheological properties and release dynamics. *Environ Sci Process Impacts.* 18: 256-264. <http://dx.doi.org/10.1039/c5em00559k>.
- Yang, W, onHo; Kim, MH. (2008). Wet oxidation of trichloroethylene over well-characterized CoO(x)/TiO(2) catalysts. *Res Chem Intermed.* 34: 717-725.
- Yang, W; Qiu, Z; Zhao, Z; Lu, S; Sui, Q; Gu, X. (2017). To postpone the precipitation of manganese oxides in the degradation of tetrachloroethylene by controlling the permanganate concentration. *Environ Technol.* 38: 34-41. <http://dx.doi.org/10.1080/09593330.2016.1184320>.
- Yang, WB; Chen, WH; Yuan, CS; Yang, JC; Zhao, QL. (2012). Comparative assessments of VOC emission rates and associated health risks from wastewater treatment processes. *J Environ Monit.* 14: 2464-2474. <http://dx.doi.org/10.1039/c2em30138e>.
- Yang, Y; Mccarty, PL. (1998). Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture. *Environ Sci Technol.* 32: 3591-3597.
- Yang, Y, un; Wu, J; Sun, X; Wu, J; Zheng, C. (2013). Development and application of a master-slave parallel hybrid multi-objective evolutionary algorithm for groundwater remediation design. *Environ Earth Sci.* 70: 2481-2494. <http://dx.doi.org/10.1007/s12665-013-2291-5>.
- Yang, Y; Xu, X; Georgopoulos, PG. (2010). A Bayesian population PBPK model for multiroute chloroform exposure. *J Expo Sci Environ Epidemiol.* 20: 326-341. <http://dx.doi.org/10.1038/jes.2009.29>.

Exposure Literature Search Results

Off Topic

- Yang, YR; Mccarty, PL. (2000). Biologically enhanced dissolution of tetrachloroethene DNAPL. *Environ Sci Technol.* 34: 2979-2984.
- Yang, Z; Qiu, X; Fang, Z; Pokeung, T. (2015). Transport of nano zero-valent iron supported by mesoporous silica microspheres in porous media. *Water Sci Technol.* 71: 1800-1805. <http://dx.doi.org/10.2166/wst.2015.158>.
- Yano, M; Yamamoto, T; Kobayashi, S; Ikeda, Y; Matsuzaki, M. (2008). Defective Ca²⁺ cycling as a key pathogenic mechanism of heart failure [Review]. *Circ J.* 72: A22-A30.
- Yanosky, TM; Hansen, BP; Schening, MR. (2001). Use of tree rings to investigate the onset of contamination of a shallow aquifer by chlorinated hydrocarbons. *J Contam Hydrol.* 50: 159-173.
- Yan-Xia, J; Cen, T; Xiu-Qing, M; Xiao-Xia, W; Guan-Qun, X; Meng-Fei, L; Xiao-Nian, L. (2016). Highly Stable CsNO₃/SiO₂ Catalysts for the Synthesis of Vinylidene Chloride Using a Gaseous Phase Method. *Acta Phys - Chim Sin.* 32: 510-518. <http://dx.doi.org/10.3866/PKU.WHXB201511134>.
- Yao, N, an; Cao, S; Yeung, KL, un. (2009). Mesoporous TiO₂-SiO₂ aerogels with hierarchal pore structures. *Microporous and Mesoporous Materials.* 117: 570-579. <http://dx.doi.org/10.1016/j.micromeso.2008.08.020>.
- Yao, W, ei; Zheng, X; Guo, Y; Zhan, W; Guo, Y, un; Lu, G. (2011). Role of chlorohydrocarbon in increasing selectivity of propylene oxide over Ag-Y₂O₃-K₂O/alpha-Al₂O₃ catalyst for epoxidation of propylene by molecular oxygen. *J Mol Catal Chem.* 342-43: 30-34. <http://dx.doi.org/10.1016/j.molcata.2011.04.006>.
- Yaron-Marcovich, D; Dror, I; Berkowitz, B. (2007). Behavior and stability of organic contaminant droplets in aqueous solutions. *Chemosphere.* 69: 1593-1601. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.056>.
- Yaroshenko, V; Katashinsky, V. (1997). Processing and properties of silicon nitride based laminated composites. 66: 292-296.
- Yasuhara, A. (1993). Thermal decomposition of tetrachloroethylene. *Chemosphere.* 26: 1507-1512.
- Yasunaga, N; Hirotsuji, J. (2008). Efficient decomposition of trichloroethylene (TCE) in groundwater by ozone-hydrogen peroxide treatment. *Ozone: Science and Engineering.* 30: 127-135. <http://dx.doi.org/10.1080/01919510701861284>.
- Yateem, A; Al-Sharrah, T; Bin-Haji, A. (2008). Investigation of microbes in the rhizosphere of selected trees for the rhizoremediation of hydrocarbon-contaminated soils. *Int J Phytoremediation.* 10: 311-324. <http://dx.doi.org/10.1080/15226510802096143>.
- Ye, H; Chen, X; van Zeijl, H; Gielen, AWJ; Zhang, G. (2013). Thermal Transient Effect and Improved Junction Temperature Measurement Method in High-Voltage Light-Emitting Diodes. *I E E E Electron Device Letters.* 34: 1172-1174. <http://dx.doi.org/10.1109/LED.2013.2274473>.
- Ye, M; Beach, J; Martin, JW; Senthilselvan, A. (2015). Association between lung function in adults and plasma DDT and DDE levels: results from the Canadian Health Measures Survey. *Environ Health Perspect.* 123: 422-427. <http://dx.doi.org/10.1289/ehp.1408217>.
- Yeh, CK; Wu, HM; Chen, TC. (2003). Chemical oxidation of chlorinated non-aqueous phase liquid by hydrogen peroxide in natural sand systems. *J Hazard Mater.* 96: 29-51.
- Yeh, KJ; Chen, TC; Young, W. (2013). Competitive Removal of Two Contaminants in a Goethite-Catalyzed Fenton Process at Neutral pH. *Environ Eng Sci.* 30: 47-52. <http://dx.doi.org/10.1089/ees.2012.0001>.
- Yeh, MM; Larson, AM; Campbell, JS; Fausto, N; Rulyak, SJ; Swanson, PE. (2007). The expression of transforming growth factor-alpha in cirrhosis, dysplastic nodules, and hepatocellular carcinoma: An immunohistochemical study of 70 cases. *Am J Surg Pathol.* 31: 681-689. <http://dx.doi.org/10.1097/PAS.0b013e31802ff7aa>.
- Yeldandi, AV; Milano, M; Subbarao, V; Reddy, JK; Rao, MS. (1989). Evaluation of liver cell proliferation during ciprofibrate-induced hepatocarcinogenesis. *Cancer Lett.* 47: 21-27. [http://dx.doi.org/10.1016/0304-3835\(89\)90172-9](http://dx.doi.org/10.1016/0304-3835(89)90172-9).
- Yenchek, MR; Homce, GT; Damiano, NW; Srednicki, JR. (2012). NIOSH-Sponsored Research in Through-the-Earth Communications for Mines: A Status Report. *I E E E Transactions on Industry Applications.* 48: 1700-1707. <http://dx.doi.org/10.1109/TIA.2012.2209853>.
- Yeo, SD; Tuncer, E; Akgerman, A. (1997). Adsorption of volatile organic compounds on soil and prediction of desorption breakthroughs. *Separation Science and Technology.* 32: 2497-2512.
- Yeung, K; Lee, PKC; Yeung, ACL; Cheng, TCE. (2013). Supplier partnership and cost performance: The moderating roles of specific investments and environmental uncertainty. *International Journal of Production Economics.* 144: 546-559. <http://dx.doi.org/10.1016/j.ijpe.2013.04.008>.
- Yeung, KL, un; Leung, W, aiKin; Yao, N, an; Cao, S. (2009). Reactivity and antimicrobial properties of nanostructured titanium dioxide. *Catalysis Today.* 143: 218-224. <http://dx.doi.org/10.1016/j.cattod.2008.09.036>.
- Yeung, KL; Maira, AJ; Stolz, J; Hung, E; Ho, NKC; Wei, AC; Soria, J; Chao, KJ. (2002). Ensemble effects in nanostructured TiO₂ used in the gas-phase photooxidation of trichloroethylene. *J Phys Chem B.* 106: 4608-4616. <http://dx.doi.org/10.1021/jp0131121>.
- Yeung, KL; Yau, ST; Maira, AJ; Coronado, JM; Soria, J; Yue, PL. (2003). The influence of surface properties on the photocatalytic activity of nanostructured TiO₂. *J Catal.* 219: 107-116. [http://dx.doi.org/10.1016/S0021-9517\(03\)00187-8](http://dx.doi.org/10.1016/S0021-9517(03)00187-8).
- Yeung, RS; Xiao, GH; Everitt, JI; Jin, F; Walker, CL. (1995). Allelic loss at the tuberous sclerosis 2 locus in spontaneous tumors in the Eker rat. *Mol Carcinog.* 14: 28-36.
- Yi, HB; Duan, XH; Lee, JY; Lee, HM; Li, XY; Kim, KS. (2003). Theoretical study of photoinduced electron transfer from tetramethylethylene to tetracyanoethylene. *J Chem Phys.* 119: 8854-8863. <http://dx.doi.org/10.1063/1.1613252>.
- Yim, B; Okuno, H; Nagata, Y; Maeda, Y. (2001). Sonochemical degradation of chlorinated hydrocarbons using a batch and continuous flow system. *J Hazard Mater.* 81: 253-263.
- Yim, SD; Chang, KH; Koh, DJ; Nam, IS; Kim, YG. (2000). Catalytic removal of perchloroethylene (PCE) over supported chromium oxide catalysts. *Catalysis Today.* 63: 215-222.
- Yin, L; Dai, Y; Niu, J; Bao, Y; Shen, Z. (2012). Rapid dechlorination of chlorophenols in aqueous solution by [Ni vertical bar Cu] microcell. *J Hazard Mater.* 209: 414-420. <http://dx.doi.org/10.1016/j.jhazmat.2012.01.044>.

Exposure Literature Search Results

Off Topic

- Yin, L; Zhang, K; Luo, H; Cheng, G; Ma, X; Xiong, Z; Xiao, X. (2014). Highly efficient graphene-based Cu(In, Ga)Se₂ solar cells with large active area. *Nanoscale*. 6: 10879-10886. <http://dx.doi.org/10.1039/c4nr02988g>.
- Yin, Y; Sykes, JF; Normani, SD. (2015). Impacts of spatial and temporal recharge on field-scale contaminant transport model calibration. *J Hydrol*. 527: 77-87. <http://dx.doi.org/10.1016/j.jhydrol.2015.04.040>.
- Ying, WC; Bonk, RR; Hannam, SC; Li, QD. (1994). FINAL DISPOSAL OF VOCS FROM INDUSTRIAL WASTEWATERS. *Environmental Progress*. 13: 192-201.
- Yingjian, L; Jiezi, L; Qi, Q; Yafei, X. (2010). Energy auditing and energy conservation potential for glass works. *Appl Energ*. 87: 2438-2446. <http://dx.doi.org/10.1016/j.apenergy.2010.02.029>.
- Yokouchi, Y. (2005). Estimates of ratios of anthropogenic halocarbon emissions from Japan based on aircraft monitoring over Sagami Bay, Japan. *J Geophys Res*. 110: D06301. <http://dx.doi.org/10.1029/2004JD005320>.
- Yoo, H; Bradford, BU; Kosyk, O; Shymonyak, S; Uehara, T; Collins, LB; Bodnar, WM; Ball, LM; Gold, A; Rusyn, I. (2015). Comparative Analysis of the Relationship Between Trichloroethylene Metabolism and Tissue-Specific Toxicity Among Inbred Mouse Strains: Liver Effects. *J Toxicol Environ Health A*. 78: 15-31. <http://dx.doi.org/10.1080/15287394.2015.958417>.
- Yoo, H; Bradford, BU; Kosyk, O; Uehara, T; Shymonyak, S; Collins, LB; Bodnar, WM; Ball, LM; Gold, A; Rusyn, I. (2015). Comparative Analysis of the Relationship Between Trichloroethylene Metabolism and Tissue-Specific Toxicity Among Inbred Mouse Strains: Kidney Effects. *J Toxicol Environ Health A*. 78: 32-49. <http://dx.doi.org/10.1080/15287394.2015.958418>.
- Yoo, K; Shukla, SK; Ahn, J, aeJ; Oh, K; Park, J. (2016). Decision tree-based data mining and rule induction for identifying hydrogeological parameters that influence groundwater pollution sensitivity. *J Clean Prod*. 122: 277-286. <http://dx.doi.org/10.1016/j.jclepro.2016.01.075>.
- Yoon, HS; Monks, TJ; Walker, CL; Lau, SS. (2001). Transformation of kidney epithelial cells by a quinol thioether via inactivation of the tuberous sclerosis-2 tumor suppressor gene. *Mol Carcinog*. 31: 37-45.
- Yoon, IK; Kim, CN; Park, CH. (2002). Optimum operating conditions for the removal of volatile organic compounds in a compost-packed biofilter. *Korean J Chem Eng*. 19: 954-959.
- Yoon, M; Madden, MC; Barton, HA. (2007). Extrahepatic metabolism by CYP2E1 in PBPK modeling of lipophilic volatile organic chemicals: Impacts on metabolic parameter estimation and prediction of dose metrics. *J Toxicol Environ Health A*. 70: 1527-1541. <http://dx.doi.org/10.1080/15287390701384684>.
- Yoon, S; Im, J; Bandow, N; Dispirito, AA; Semrau, JD. (2011). Constitutive expression of pMMO by *Methylocystis* strain SB2 when grown on multi-carbon substrates: implications for biodegradation of chlorinated ethenes. *Environmental Microbiology Reports*. 3: 182-188. <http://dx.doi.org/10.1111/j.1758-2229.2010.00205.x>.
- Yoon, WL; Lee, DK. (2004). Characterization and reaction performance of the Ru-CrOx/Al₂O₃ catalyst for the oxidative decomposition of trichloroethylene. *J Chem Eng Jpn*. 37: 143-151.
- Yoshida, N; Ye, L; Liu, F; Li, Z; Katayama, A. (2013). Evaluation of biodegradable plastics as solid hydrogen donors for the reductive dechlorination of fthalide by *Dehalobacter* species. *Bioresour Technol*. 130: 478-485. <http://dx.doi.org/10.1016/j.biortech.2012.11.139>.
- Yoshida, T; Andoh, K; Fukuhara, M. (1998). Estimation of absorption of environmental contaminants in low-level exposure by pharmacokinetic analysis. *J Toxicol Environ Health A*. 54: 145-158.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut*. 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.
- Yoshioka, T; Krauser, JA; Guengerich, FP. (2002). Tetrachloroethylene oxide: hydrolytic products and reactions with phosphate and lysine. *Chem Res Toxicol*. 15: 1096-1105. <http://dx.doi.org/10.1021/tx020028j>.
- You, K; Zhan, H. (2013). Comparisons of diffusive and advective fluxes of gas phase volatile organic compounds (VOCs) in unsaturated zones under natural conditions. *Advances in Water Resources*. 52: 221-231. <http://dx.doi.org/10.1016/j.advwatres.2012.11.021>.
- You, YW; Zhao, HT; Vance, GF. (2002). Hybrid organic-inorganic derivatives of layered double hydroxides and dodecylbenzenesulfonate: Preparation and adsorption characteristics. *J Mater Chem*. 12: 907-912. <http://dx.doi.org/10.1039/b106811c>.
- Young, C; Lim, TM; Chiang, K; Scott, J; Amal, R. (2008). Photocatalytic oxidation of toluene and trichloroethylene in the gas-phase by metallised (Pt, Ag) titanium dioxide. *Appl Catal B-Environ*. 78: 1-10. <http://dx.doi.org/10.1016/j.apcatb.2007.08.011>.
- Young, CM; Jackson, RE; Jin, M; Londergan, JT; Mariner, PE; Pope, GA; Anderson, FJ; Houk, T. (1999). Characterization of a TCE DNAPL zone in alluvium by partitioning tracers. *Ground Water Monitoring and Remediation*. 19: 84-94.
- Young, KD; Leboeuf, EJ. (2001). Development of a glass ampoule system for evaluation of long-term sorption/desorption behavior of vapor phase volatile organic compounds in geosorbents. *Analyst*. 126: 1816-1819.
- Yu, CP; Roh, H; Chu, KH, ui. (2007). 17 beta-estradiol-degrading bacteria isolated from activated sludge. *Environ Sci Technol*. 41: 486-492. <http://dx.doi.org/10.1021/es060923f>.
- Yu, H; Zhang, K; Rossi, C. (2007). Experimental study of the photocatalytic degradation of formaldehyde in indoor air using a nano-particulate titanium dioxide photocatalyst. *Indoor Built Environ*. 16: 529-537. <http://dx.doi.org/10.1177/1420326X07083513>.
- Yu, HY; Bao, LJ; Liang, Y; Zeng, EY. (2011). Field validation of anaerobic degradation pathways for dichlorodiphenyltrichloroethane (DDT) and 13 metabolites in marine sediment cores from China. *Environ Sci Technol*. 45: 5245-5252. <http://dx.doi.org/10.1021/es2006397>.
- Yu, HY; Li, FB; Yu, WM; Li, YT; Yang, GY; Zhou, SG; Zhang, TB; Gao, YX; Wan, HF. (2013). Assessment of organochlorine pesticide contamination in relation to soil properties in the Pearl River Delta, China. *Sci Total Environ*. 447: 160-168. <http://dx.doi.org/10.1016/j.scitotenv.2012.12.070>.

Exposure Literature Search Results

Off Topic

- Yu, J, ie; Liu, W; Zeng, A; Guan, B; Xu, X. (2013). Effect of SO on 1,1,1-Trichloroethane Degradation by Fe⁰ in Aqueous Solution. *Ground Water*. 51: 286-292. <http://dx.doi.org/10.1111/j.1745-6584.2012.00957.x>.
- Yu, JC; Tang, HY; Yu, JG; Chan, HC; Zhang, LZ; Xie, YD; Wang, H; Wong, SP. (2002). Bactericidal and photocatalytic activities of TiO₂ thin films prepared by sol-gel and reverse micelle methods. *J Photochem Photobiol A*. 153: 211-219.
- Yu, JJ; Chou, SY. (2000). Contaminated site remedial investigation and feasibility removal of chlorinated volatile organic compounds from groundwater by activated carbon fiber adsorption. *Chemosphere*. 41: 371-378. [http://dx.doi.org/10.1016/S0045-6535\(99\)00437-3](http://dx.doi.org/10.1016/S0045-6535(99)00437-3).
- Yu, JS, u; Jo, J; Yoon, SM, an; Kim, D, oJin. (2012). Fabrication of Transparent Conductive Electrode Film Using Thermal Roll-Imprinted Ag Metal Grid and Coated Conductive Polymer. *J Nanosci Nanotechnol*. 12: 1179-1182. <http://dx.doi.org/10.1166/jnn.2012.4675>.
- Yu, MC; Garabrant, DH; Peters, JM; Mack, TM. (1988). Tobacco, alcohol, diet, occupation, and carcinoma of the esophagus. *Cancer Res*. 48: 3843-3848.
- Yu, RF; Chi, FH; Cheng, WP; Wang, MH. (2015). Online monitoring of the nanoscale zero-valent iron process for trichloroethylene wastewater treatment. *Int J Environ Sci Tech*. 12: 1647-1656. <http://dx.doi.org/10.1007/s13762-014-0567-2>.
- Yu, S; Dolan, ME; Semprini, L. (2005). Kinetics and inhibition of reductive dechlorination of chlorinated ethylenes by two different mixed cultures. *Environ Sci Technol*. 39: 195-205. <http://dx.doi.org/10.1021/es0496773>.
- Yu, S; Rao, S; Reddy, JK. (2003). Peroxisome proliferator-activated receptors, fatty acid oxidation, steatohepatitis and hepatocarcinogenesis [Review]. *Curr Mol Med*. 3: 561-572.
- Yu, S; Semprini, L. (2009). Enhanced reductive dechlorination of PCE DNAPL with TBOS as a slow-release electron donor. *J Hazard Mater*. 167: 97-104. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.087>.
- Yu, S; Unger, AJ; Parker, B. (2009). Simulating the fate and transport of TCE from groundwater to indoor air. *J Contam Hydrol*. 107: 140-161. <http://dx.doi.org/10.1016/j.jconhyd.2009.04.009>.
- Yu, S; Wei, Y, iM; Wang, K, e. (2012). A PSO-GA optimal model to estimate primary energy demand of China. *Energy Policy*. 42: 329-340. <http://dx.doi.org/10.1016/j.enpol.2011.11.090>.
- Yu, SH; Semprini, L. (2002). Comparison of trichloroethylene reductive dehalogenation by microbial communities stimulated on silicon-based organic compounds as slow-release anaerobic substrates. *Water Res*. 36: 4985-4996.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ*. 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Yu, X; Wu, T; Yang, XJ; Xu, J; Auzam, J; Semiat, R; Han, YF. (2016). Degradation of trichloroethylene by hydrodechlorination using formic acid as hydrogen source over supported Pd catalysts. *J Hazard Mater*. 305: 178-189. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.025>.
- Yu, Z; Peldszus, S; Huck, PM. (2009). Adsorption of Selected Pharmaceuticals and an Endocrine Disrupting Compound by Granular Activated Carbon. 1. Adsorption Capacity and Kinetics. *Environ Sci Technol*. 43: 1467-1473. <http://dx.doi.org/10.1021/es801961y>.
- Yu, Z; Peldszus, S; Huck, PM. (2009). Adsorption of selected pharmaceuticals and an endocrine disrupting compound by granular activated carbon. 2. Model prediction. *Environ Sci Technol*. 43: 1474-1479. <http://dx.doi.org/10.1021/es7032185>.
- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C-1- and C-2-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem*. 19: 2212-2217.
- Yuan, B; Chen, Y; Fu, M. (2012). Degradation efficiencies and mechanisms of trichloroethylene (TCE) by controlled-release permanganate (CRP) oxidation. *Chem Eng J*. 192: 276-283. <http://dx.doi.org/10.1016/j.cej.2012.03.049>.
- Yuan, B; Li, F, ei; Chen, Y; Fu, M. (2013). Laboratory-scale column study for remediation of TCE-contaminated aquifers using three-section controlled-release potassium permanganate barriers. *J Environ Sci*. 25: 971-977. [http://dx.doi.org/10.1016/S1001-0742\(12\)60134-X](http://dx.doi.org/10.1016/S1001-0742(12)60134-X).
- Yuan, J. (1995). Effects of drinking pattern on the peak/trough blood concentrations in drinking water studies. *Food Chem Toxicol*. 33: 565-571. [http://dx.doi.org/10.1016/0278-6915\(95\)00027-Y](http://dx.doi.org/10.1016/0278-6915(95)00027-Y).
- Yuan, J; Xu, Y, an; Hu, Z; Zhao, C; Xiong, M; Guo, J. (2014). Peak energy consumption and CO₂ emissions in China. *Energy Policy*. 68: 508-523. <http://dx.doi.org/10.1016/j.enpol.2014.01.019>.
- Yuan, JM; Castelao, JE; Gago-Dominguez, M; Yu, MC; Ross, RK. (1998). Tobacco use in relation to renal cell carcinoma. *Cancer Epidemiol Biomarkers Prev*. 7: 429-433.
- Yuan, R; Fan, S; Zhou, H; Ding, Z; Lin, S, en; Li, Z; Zhang, Z; Xu, C; Wu, L; Wang, X; Fu, X. (2013). Chlorine-Radical-Mediated Photocatalytic Activation of C-H Bonds with Visible Light. *Angew Chem Int Ed Engl*. 52: 1035-1039. <http://dx.doi.org/10.1002/anie.201207904>.
- Yuan, R; Zhao, T, ao. (2016). A combined input-output and sensitivity analysis of CO₂ emissions in the high energy-consuming industries: A case study of China. *Atmos Pollut Res*. 7: 315-325. <http://dx.doi.org/10.1016/j.apr.2015.10.003>.
- Yuan, S; Chen, M; Mao, X; Alshawabkeh, AN. (2013). Effects of reduced sulfur compounds on Pd-catalytic hydrodechlorination of trichloroethylene in groundwater by cathodic H₂ under electrochemically induced oxidizing conditions. *Environ Sci Technol*. 47: 10502-10509. <http://dx.doi.org/10.1021/es402169d>.
- Yuan, S; Chen, M; Mao, X; Alshawabkeh, AN. (2013). A three-electrode column for Pd-catalytic oxidation of TCE in groundwater with automatic pH-regulation and resistance to reduced sulfur compound foiling. *Water Res*. 47: 269-278. <http://dx.doi.org/10.1016/j.watres.2012.10.009>.
- Yuan, S; Liao, P; Alshawabkeh, AN. (2014). Electrolytic Manipulation of Persulfate Reactivity by Iron Electrodes for Trichloroethylene Degradation in Groundwater. *Environ Sci Technol*. 48: 656-663. <http://dx.doi.org/10.1021/es404535q>.
- Yuan, S; Mao, X; Alshawabkeh, AN. (2012). Efficient Degradation of TCE in Groundwater Using Pd and Electro-generated H₂ and O₂: A Shift in Pathway from Hydrodechlorination to Oxidation in the Presence of Ferrous Ions. *Environ Sci Technol*. 46: 3398-3405. <http://dx.doi.org/10.1021/es204546u>.

Exposure Literature Search Results

Off Topic

- Yuan, Y; Tao, H; Fan, J; Ma, L. (2015). Degradation of p-chloroaniline by persulfate activated with ferrous sulfide ore particles. *Chem Eng J.* 268: 38-46. <http://dx.doi.org/10.1016/j.cej.2014.12.092>.
- Yue, F; Huang, HL; Huang, JX; Liang, LY; Huang, ZL; Wei, QY; Chen, XM. (2007). HLA-DM polymorphism and risk of trichloroethylene induced medicamentosa-like dermatitis. *Biomed Environ Sci.* 20: 506-511.
- Yue, ZR; Economy, J. (2005). Nanoparticle and nanoporous carbon adsorbents for removal of trace organic contaminants from water. *J Nanopart Res.* 7: 477-487. <http://dx.doi.org/10.1007/s11051-005-4719-7>.
- Yun, DM; Cho, HH; Jang, JW; Park, JW. (2013). Nano zero-valent iron impregnated on titanium dioxide nanotube array film for both oxidation and reduction of methyl orange. *Water Res.* 47: 1858-1866. <http://dx.doi.org/10.1016/j.watres.2013.01.014>.
- Yun, HD, uk; Seo, DM, in; Lee, M, inY; Kwon, SY; Park, L, eeS. (2016). Effective Synthesis and Recovery of Silver Nanowires Prepared by Tapered Continuous Flow Reactor for Flexible and Transparent Conducting Electrode. 6. <http://dx.doi.org/10.3390/met6010014>.
- Yun, JH. (2001). Equilibrium isotherms of dichloromethane, trichloroethylene, and 1,1,1-trichloroethane on activated carbon fiber. *Journal of Chemical and Engineering Data.* 46: 156-159.
- Yun, JH; Choi, DK; Kim, SH. (1998). Adsorption equilibria of chlorinated organic solvents onto activated carbon. *Ind Eng Chem Res.* 37: 1422-1427.
- Yun, L; Huijuan, G; Yang, Y; Huixian, Z; Xing, S; Qiming, X; Shixiang, G. (2006). Stability of 4'-substituted monobenzene-15-crown-5-bentonites and its adsorption properties for tetrachloroethane and naphthalene. *Appl Clay Sci.* 33: 7-12. <http://dx.doi.org/10.1016/j.clay.2006.03.002>.
- Yuvakkumar, R; Elango, V; Rajendran, V; Kannan, N. (2011). PREPARATION AND CHARACTERIZATION OF ZERO VALENT IRON NANOPARTICLES. *Digest Journal of Nanomaterials and Biostructures.* 6: 1771-1776.
- Zaa, CLY; Mclean, JE; Dupont, R; Norton, JM; Sorensen, DL. (2010). Dechlorinating and Iron Reducing Bacteria Distribution in a TCE-Contaminated Aquifer. *Ground Water Monitoring and Remediation.* 30: 46-57. <http://dx.doi.org/10.1111/j1745-6592.2009.001268.x>.
- Zabetakis, KM; Niño de Guzmán, GT; Torrents, A; Yarwood, S. (2015). Toxicity of zero-valent iron nanoparticles to a trichloroethylene-degrading groundwater microbial community. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 794-805. <http://dx.doi.org/10.1080/10934529.2015.1019796>.
- Zacarias, SM; Satuf, ML; Vaccari, MC; Alfano, OM. (2012). Efficiency Evaluation of Different TiO₂ Coatings on the Photocatalytic Inactivation of Airborne Bacterial Spores. *Ind Eng Chem Res.* 51: 13599-13608. <http://dx.doi.org/10.1021/ie3009956>.
- Zacharias, A; Srinivasan, D; Rau, MGS. (1976). ISOBARIC VAPOR-LIQUID-EQUILIBRIA FOR SYSTEMS ACETONE-NORMAL-HEPTANE AND NORMAL-HEXANE-TRICHLOROETHYLENE. 14: 162-164.
- Zack, M; Cannon, S; Loyd, D; Heath, CW, Jr; Falletta, JM; Jones, B; Housworth, J; Crowley, S. (1980). Cancer in children of parents exposed to hydrocarbon-related industries and occupations. *Am J Epidemiol.* 111: 329-336.
- Zahm, SH. (1992). Computerized occupational referent population system (CORPS): Study documentation. Rockville, MD: National Cancer Institute & National Institute for Occupational Safety and Health.
- Zajicek, G; Arber, N; Schwartz-Arad, D. (1991). Streaming liver VIII: Cell production rates following partial hepatectomy. *Liver.* 11: 347-351. <http://dx.doi.org/10.1111/j.1600-0676.1991.tb00541.x>.
- Zajicek, G; Schwartz-Arad, D. (1990). Streaming liver VII: DNA turnover in acinus zone-3. *Liver.* 10: 137-140. <http://dx.doi.org/10.1111/j.1600-0676.1990.tb00448.x>.
- Zajicek, G; Schwartz-Arad, D; Bartfeld, E. (1989). The streaming liver V: Time and age-dependent changes of hepatocyte DNA content, following partial hepatectomy. *Liver.* 9: 164-171. <http://dx.doi.org/10.1111/j.1600-0676.1989.tb00394.x>.
- Zaki, K; Fahmi, LH; Ramadan, MIA. (1972). ADRENOCORTICAL ACTIVITY AND PLASMA-PROTEIN BINDING OF CORTISOL IN RESPONSE TO SURGICAL TRAUMA AND ANESTHESIA (HALOTHANE AND TRILENE) IN BILHARZIAL PATIENTS. 75: 76-8.
- Zalazar, CS; Martin, CA; Cassano, AE. (2005). Photocatalytic intrinsic reaction kinetics. II: Effects of oxygen concentration on the kinetics of the photocatalytic degradation of dichloroacetic acid. *Chem Eng Sci.* 60: 4311-4322. <http://dx.doi.org/10.1016/j.ces.2004.10.050>.
- Zalazar, CS; Romero, RL; Martin, CA; Cassano, AE. (2005). Photocatalytic intrinsic reaction kinetics I: Mineralization of dichloroacetic acid. *Chem Eng Sci.* 60: 5240-5254. <http://dx.doi.org/10.1016/j.cell.2005.04.050>.
- Zalesny, RS; Bauer, EO. (2007). Selecting and utilizing *Populus* and *Salix* for landfill covers: implications for leachate irrigation [Review]. *Int J Phytoremediation.* 9: 497-511. <http://dx.doi.org/10.1080/15226510701709689>.
- Zalikin, AA; Antonov, VN. (1988). TRICHLOROETHYLENE AND METHYLCHLORIDE PRODUCTION JOINT PROCESS. 205-206.
- Zander, AK; Chen, JS; Semmens, MJ. (1992). REMOVAL OF HEXACHLOROCYCLOHEXANE ISOMERS FROM WATER BY MEMBRANE EXTRACTION INTO OIL. *Water Res.* 26: 129-137.
- Zandi-Nejad, K; Eddy, A; Glasscock, R; Brenner, B. (2004). Why is proteinuria an ominous biomarker of progressive kidney disease [Review]. *Kidney Int Suppl* S76-S89. <http://dx.doi.org/10.1111/j.1523-1755.2004.09220.x>.
- Zanetti, MC; Fiore, S. (2005). Evaluation of mutual connections between zero-valent iron reactivity and groundwater composition in trichloroethylene degradation. *Ann Chim.* 95: 779-789.
- Zang, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Lin, K; Du, X. (2014). Trichloroethylene oxidation performance in sodium percarbonate (SPC)/Fe²⁺ system. *Environ Technol.* 35: 791-798. <http://dx.doi.org/10.1080/09593330.2013.852592>.
- Zarei, H; Salami, Z. (2012). Densities, Excess Molar Volumes, Viscosity, and Refractive Indices of Binary Mixtures of Ethanoic Acid and Trichloroethylene with Dimethylbenzenes at Different Temperatures. *Journal of Chemical and Engineering Data.* 57: 620-625. <http://dx.doi.org/10.1021/je201211f>.

Exposure Literature Search Results

Off Topic

- Zazouli, M; Yousefi, Z; Eslami, A; Ardebilian, MB. (2012). Municipal solid waste landfill leachate treatment by fenton, photo-fenton and fenton-like processes: Effect of some variables. *Iranian Journal of Environmental Health Science and Engineering*. 9: 3. <http://dx.doi.org/10.1186/1735-2746-9-3>.
- Zazueta, A; Destailats, H; Puma, GL, i. (2013). Radiation field modeling and optimization of a compact and modular multi-plate photocatalytic reactor (MPPR) for air/water purification by Monte Carlo method. *Chem Eng J*. 217: 475-485. <http://dx.doi.org/10.1016/j.cej.2012.11.085>.
- Zellers, ET; Morishita, M; Cai, QY. (2000). Evaluating porous-layer open-tubular capillaries as vapor preconcentrators in a microanalytical system. *Sens Actuators B*. 67: 244-253.
- Zemo, DA; Delfino, TA; Gallinatti, JD; Baker, VA; Hilpert, LR. (1995). FIELD COMPARISON OF ANALYTICAL RESULTS FROM DISCRETE-DEPTH GROUND-WATER SAMPLERS. *Ground Water Monitoring and Remediation*. 15: 133-141.
- Zeng, Q, ru; Liao, B, ohan; Yang, B, o; Tang, HX; Xue, N, and. (2006). Sorption of methyl-parathion and carbaryl by an organo-bentonite. *Biol Fertil Soils*. 42: 457-463. <http://dx.doi.org/10.1007/s00374-006-0091-8>.
- Zenker, MJ; Borden, RC; Barlaz, MA. (2002). Modeling cometabolism of cyclic ethers. *Environ Eng Sci*. 19: 215-228.
- Zeppa, P; Benincasa, G; Troncone, G; Lucariello, A; Zabatta, A; Cochand-Priollet, B; Fulciniti, F; Vetrani, A; De Rosa, G; Palombini, L. (1998). Retrospective evaluation of DNA ploidy of hepatocarcinoma on cytologic samples. *Diagn Cytopathol*. 19: 323-329. [http://dx.doi.org/10.1002/\(SICI\)1097-0339\(199811\)19:5<323::AID-DC2>3.0.CO;2-Y](http://dx.doi.org/10.1002/(SICI)1097-0339(199811)19:5<323::AID-DC2>3.0.CO;2-Y).
- Zgoła-Grzeškowiak, A. (2010). Dispersive liquid-liquid microextraction applied to isolation and concentration of alkylphenols and their short-chained ethoxylates in water samples. *J Chromatogr A*. 1217: 1761-1766. <http://dx.doi.org/10.1016/j.chroma.2010.01.054>.
- Zhai, X; Hua, I; Rao, PS; Lee, LS. (2006). Cosolvent-enhanced chemical oxidation of perchloroethylene by potassium permanganate. *J Contam Hydrol*. 82: 61-74. <http://dx.doi.org/10.1016/j.jconhyd.2005.08.007>.
- Zhan, J; Kolesnichenko, I; Sunkara, B; He, J; Mcpherson, GL; Piringer, G; John, VT. (2011). Multifunctional iron-carbon nanocomposites through an aerosol-based process for the in situ remediation of chlorinated hydrocarbons. *Environ Sci Technol*. 45: 1949-1954. <http://dx.doi.org/10.1021/es103493e>.
- Zhan, J; Sunkara, B; Le, L; John, VT; He, J; Mcpherson, GL; Piringer, G; Lu, Y. (2009). Multifunctional colloidal particles for in situ remediation of chlorinated hydrocarbons. *Environ Sci Technol*. 43: 8616-8621. <http://dx.doi.org/10.1021/es901968g>.
- Zhan, J; Sunkara, B; Tang, J; Wang, Y; He, J; Mcpherson, GL; John, VT. (2011). Carbothermal Synthesis of Aerosol-Based Adsorptive-Reactive Iron-Carbon Particles for the Remediation of Chlorinated Hydrocarbons. *Ind Eng Chem Res*. 50: 13021-13029. <http://dx.doi.org/10.1021/ie200783z>.
- Zhan, J; Zheng, T; Pininger, G; Day, C; He, J; Mcpherson, GL; Lu, Y; John, VT. (2008). ENVR 197-Reductive dehalogenation of trichloroethylene using aerosol-assisted Fe/Silica particles. *Abstracts of Papers - American Chemical Society*. 235.
- Zhan, J; Zheng, T; Piringer, G; Day, C; Mcpherson, GL; Lu, Y; Papadopoulos, K; John, VT. (2008). Transport Characteristics of Nanoscale Functional Zerovalent Iron/Silica Composites for in Situ Remediation of Trichloroethylene. *Environ Sci Technol*. 42: 8871-8876. <http://dx.doi.org/10.1021/es800387p>.
- Zhang, A; Futamura, S; Yamamoto, T. (1999). Nonthermal plasma chemical processing of bromomethane. *J Air Waste Manag Assoc*. 49: 1442-1448.
- Zhang, B; Pan, X; Cobb, GP; Anderson, TA. (2007). MicroRNAs as oncogenes and tumor suppressors [Review]. *Dev Biol*. 302: 1-12. <http://dx.doi.org/10.1016/j.ydbio.2006.08.028>.
- Zhang, B, o; Qiao, H; Chen, B. (2015). Embodied energy uses by China's four municipalities: A study based on multi-regional input-output model. *Ecol Modell*. 318: 138-149. <http://dx.doi.org/10.1016/j.ecolmodel.2014.10.007>.
- Zhang, C; Wang, C; Gil, S; Boreave, A; Retailleau, L; Guo, Y; Luis Valverde, J; Giroir-Fendler, A. (2017). Catalytic oxidation of 1,2-dichloropropane over supported LaMnOx oxides catalysts. *Appl Catal B-Environ*. 201: 552-560. <http://dx.doi.org/10.1016/j.apcatb.2016.08.038>.
- Zhang, C; Wang, C; Zhan, W; Guo, Y; Guo, Y, un; Lu, G; Baylet, A; Giroir-Fendler, A. (2013). Catalytic oxidation of vinyl chloride emission over LaMnO3 and LaB0.2Mn0.8O3 (B = Co, Ni, Fe) catalysts. *Appl Catal B-Environ*. 129: 509-516. <http://dx.doi.org/10.1016/j.apcatb.2012.09.056>.
- Zhang, CL; Zheng, G; Nichols, CM. (2006). Micellar partitioning and its effects on Henry's law constants of chlorinated solvents in anionic and nonionic surfactant solutions. *Environ Sci Technol*. 40: 208-214. <http://dx.doi.org/10.1021/es051387e>.
- Zhang, D; Zhang, C; Li, Z; Suzuki, D; Komatsu, DD; Tsunogai, U; Katayama, A. (2014). Electrochemical stimulation of microbial reductive dechlorination of pentachlorophenol using solid-state redox mediator (humic) immobilization. *Bioresour Technol*. 164: 232-240. <http://dx.doi.org/10.1016/j.biortech.2014.04.071>.
- Zhang, G; Stevens, JL. (1989). Transport and activation of S-(1,2-dichlorovinyl)-L-cysteine and N-acetyl-S-(1,2-dichlorovinyl)-L-cysteine in rat kidney proximal tubules. *Toxicol Appl Pharmacol*. 100: 51-61. [http://dx.doi.org/10.1016/0041-008X\(89\)90091-4](http://dx.doi.org/10.1016/0041-008X(89)90091-4).
- Zhang, H; Ulrich, AC; Liu, Y. (2015). Retention and transport of an anaerobic trichloroethene dechlorinating microbial culture in anaerobic porous media. *Colloids Surf B Biointerfaces*. 130: 110-118. <http://dx.doi.org/10.1016/j.colsurfb.2015.04.020>.
- Zhang, H; Xie, M. (2015). DSMC Simulation of Non-Premixed Combustion of H-2/O-2 in a Y-shaped Microchannel. *Nanoscale & Microscale Thermophysical Engineering (Print)*. 19: 31-62. <http://dx.doi.org/10.1080/15567265.2014.998399>.
- Zhang, H; Ziv-El, M; Rittmann, BE; Krajmalnik-Brown, R. (2010). Effect of dechlorination and sulfate reduction on the microbial community structure in denitrifying membrane-biofilm reactors. *Environ Sci Technol*. 44: 5159-5164. <http://dx.doi.org/10.1021/es100695n>.
- Zhang, HB; Schwartz, FW. (2000). Simulating the in situ oxidative treatment of chlorinated ethylenes by potassium permanganate. *Water Resour Res*. 36: 3031-3042.

Exposure Literature Search Results

Off Topic

- Zhang, J; Fowler, JE; Liu, G. (2008). Lossy-to-Lossless Compression of Hyperspectral Imagery Using Three-Dimensional TCE and an Integer KLT. *Geosci Rem Sens Lett IEEE*. 5: 814-818. <http://dx.doi.org/10.1109/LGRS.2008.2006571>.
- Zhang, J; Joslyn, AP; Chiu, PC. (2006). 1,1-dichloroethene as a predominant intermediate of microbial trichloroethene reduction. *Environ Sci Technol*. 40: 1830-1836. <http://dx.doi.org/10.1021/es051829m>.
- Zhang, J; Yu, KF. (1998). What's the relative risk? A method of correcting the odds ratio in cohort studies of common outcomes. *JAMA*. 280: 1690-1691.
- Zhang, K; Woodbury, AD. (2002). A Krylov finite element approach for multi-species contaminant transport in discretely fractured porous media. *Advances in Water Resources*. 25: 705-721.
- Zhang, L; Arnold, WA; Hozalski, RM. (2004). Kinetics of haloacetic acid reactions with Fe(0). *Environ Sci Technol*. 38: 6881-6889. <http://dx.doi.org/10.1021/es049267e>.
- Zhang, L; Steinmaus, C; Eastmond, DA; Xin, XK; Smith, MT. (2009). Formaldehyde exposure and leukemia: A new meta-analysis and potential mechanisms [Review]. *Mutat Res Rev Mutat Res*. 681: 150-168. <http://dx.doi.org/10.1016/j.mrrev.2008.07.002>.
- Zhang, LF; Kanki, T; Sano, N; Toyoda, A. (2003). Development of TiO₂ photocatalyst reaction for water purification. *Separation and Purification Technology*. 31: 105-110.
- Zhang, M; Ahmad, M; Al-Wabel, MI; Vithanage, M; Rajapaksha, AU; Kim, HS, oo; Lee, SS, oo; Ok, YS, ik. (2015). Adsorptive Removal of Trichloroethylene in Water by Crop Residue Biochars Pyrolyzed at Contrasting Temperatures: Continuous Fixed-Bed Experiments. *J Chem*. <http://dx.doi.org/10.1155/2015/647072>.
- Zhang, M, an; Bacik, DB; Roberts, CB; Zhao, D. (2013). Catalytic hydrodechlorination of trichloroethylene in water with supported CMC-stabilized palladium nanoparticles. *Water Res*. 47: 3706-3715. <http://dx.doi.org/10.1016/j.watres.2013.04.024>.
- Zhang, M, an; He, F; Zhao, D. (2015). Catalytic activity of noble metal nanoparticles toward hydrodechlorination: influence of catalyst electronic structure and nature of adsorption. 9: 888-896. <http://dx.doi.org/10.1007/s11783-015-0774-1>.
- Zhang, M; He, F; Zhao, D; Hao, X. (2011). Degradation of soil-sorbed trichloroethylene by stabilized zero valent iron nanoparticles: effects of sorption, surfactants, and natural organic matter. *Water Res*. 45: 2401-2414. <http://dx.doi.org/10.1016/j.watres.2011.01.028>.
- Zhang, M, in; Shouakar-Stash, O; Gillham, RW; Frappe, SK; Drimmie, J. (2008). Carbon and chlorine isotope fractionation during degradation of trichloroethene by metals. *Geochim Cosmo Acta*. 72: A1087-A1087.
- Zhang, N; Luo, J; Blowers, P; Farrell, J. (2008). Understanding trichloroethylene chemisorption to iron surfaces using density functional theory. *Environ Sci Technol*. 42: 2015-2020. <http://dx.doi.org/10.1021/es0717663>.
- Zhang, P; Yuan, S; Liao, P. (2016). Mechanisms of hydroxyl radical production from abiotic oxidation of pyrite under acidic conditions. *Geochim Cosmo Acta*. 172: 444-457. <http://dx.doi.org/10.1016/j.gca.2015.10.015>.
- Zhang, PF; Tao, X; Li, ZH; Bowman, RS. (2002). Enhanced perchloroethylene reduction in column systems using surfactant-modified zeolite/zero-valent iron pellets. *Environ Sci Technol*. 36: 3597-3603. <http://dx.doi.org/10.1021/es015816u>.
- Zhang, PY; Liu, J. (2004). Photocatalytic degradation of trace hexane in the gas phase with and without ozone addition: kinetic study. *J Photochem Photobiol A*. 167: 87-94. <http://dx.doi.org/10.1016/j.jphotochem.2004.05.015>.
- Zhang, Q; Guo, Y; Huang, M; Li, H, ui; Gu, C. (2015). Degradation of selected polychlorinated biphenyls by montmorillonite clay-templated Fe-O/Ni-O bimetallic system. *Chem Eng J*. 276: 122-129. <http://dx.doi.org/10.1016/j.cej.2015.04.044>.
- Zhang, Q; Ma, J; Qiu, G; Li, L; Geng, S; Hasi, E; Li, C; Wang, G; Li, X. (2012). Potential energy production from algae on marginal land in China. *Bioresour Technol*. 109: 252-260. <http://dx.doi.org/10.1016/j.biortech.2011.08.084>.
- Zhang, Q; Sun, FY; Dong, WY; Zhang, GM; Han, RB. (2015). Micro-polluted surface water treatment and trace-organics removal pathway in a PAC-MBR system. *Process Biochemistry*. 50: 1422-1428. <http://dx.doi.org/10.1016/j.procbio.2015.05.021>.
- Zhang, R; Li, J; Liu, C; Shen, J; Sun, X; Han, W; Wang, L. (2013). Reduction of nitrobenzene using nanoscale zero-valent iron confined in channels of ordered mesoporous silica. *Colloid Surface Physicochem Eng Aspect*. 425: 108-114. <http://dx.doi.org/10.1016/j.colsurfa.2013.02.040>.
- Zhang, RD; Wood, AL; Enfield, CG; Jeong, SW. (2003). Stochastic analysis of surfactant-enhanced remediation of denser-than-water nonaqueous phase liquid (DNAPL)-contaminated soils. *J Environ Qual*. 32: 957-965.
- Zhang, S; Gedalanga, PB; Mahendra, S. (2016). Biodegradation Kinetics of 1,4-Dioxane in Chlorinated Solvent Mixtures. *Environ Sci Technol*. 50: 9599-9607. <http://dx.doi.org/10.1021/acs.est.6b02797>.
- Zhang, T; Huang, J; Zhang, W; Yu, Y; Deng, S; Wang, B; Yu, G. (2013). Coupling the dechlorination of aqueous 4-CP with the mechanochemical destruction of solid PCNB using Fe-Ni-SiO₂. *J Hazard Mater*. 250-251: 175-180. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.072>.
- Zhang, T; Johansson, JS. (2005). A calorimetric study on the binding of six general anesthetics to the hydrophobic core of a model protein. *Biophys Chem*. 113: 169-174. <http://dx.doi.org/10.1016/j.bpc.2004.08.00>.
- Zhang, TM; Wu, R, eB; Zhang, F, eiHao; Tarn, TJ; Long, G, uiLu. (2015). Minimum-Time Selective Control of Homonuclear Spins. *IEEE Transactions on Control Systems Technology*. 23: 2018-2025. <http://dx.doi.org/10.1109/TCST.2015.2390191>.
- Zhang, W; Gabos, S; Schopflocher, D; Li, XF; Gati, WP; Hrudey, SE. (2009). Validation of urinary trichloroacetic acid as a biomarker of exposure to drinking water disinfection by-products. *J Water Health*. 7: 359-371. <http://dx.doi.org/10.2166/wh.2009.009>.
- Zhang, W; Huang, L; Yang, C; Ying, W. (2013). Experimental Method for Estimating Henry's Law Constant of Volatile Organic Compound. *Asian J Chem*. 25: 2647-2650.
- Zhang, W; Jia, N; Han, X; Qiu, Z; Lv, S; Lin, K; Ying, W. (2016). A comparison of the dechlorination mechanisms and Ni release styles of chloroalkane and chloroalkene removal using nickel/iron nanoparticles. *Environ Technol*. 37: 2088-2098. <http://dx.doi.org/10.1080/09593330.2016.1141998>.

Exposure Literature Search Results

Off Topic

- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng.* 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, W, ei; Li, L, i; Lin, K; Xiong, B; Li, B; Lu, S; Guo, M; Cui, X. (2012). Synergetic degradation of Fe/Cu/C for groundwater polluted by trichloroethylene. *Water Sci Technol.* 65: 2258-2264. <http://dx.doi.org/10.2166/wst.2012.146>.
- Zhang, W; Quan, X; Wang, J; Zhang, Z; Chen, S. (2006). Rapid and complete dechlorination of PCP in aqueous solution using Ni-Fe nanoparticles under assistance of ultrasound. *Chemosphere.* 65: 58-64. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.060>.
- Zhang, W, ei; Xie, Y; Jia, N, an; Lin, K; Lv, S; Ying, W. (2016). EFFECT OF REACTION ENVIRONMENTS ON CHLORINATED ALIPHATIC HYDROCARBONS REMOVAL IN WATER BY Ni/Fe NANOPARTICLES. *Fresen Environ Bull.* 25: 1647-1653.
- Zhang, W; Yu, T; Han, X; Ying, W. (2016). Removal of 2-CIBP from soil-water system using activated carbon supported nanoscale zerovalent iron. *J Environ Sci.* 47: 143-152. <http://dx.doi.org/10.1016/j.jes.2015.12.032>.
- Zhang, WX; Wang, CB; Lien, HL. (1998). Treatment of chlorinated organic contaminants with nanoscale bimetallic particles. *Catalysis Today.* 40: 387-395.
- Zhang, X; Deng, B; Guo, J; Wang, Y; Lan, Y. (2011). Ligand-assisted degradation of carbon tetrachloride by microscale zero-valent iron. *J Environ Manage.* 92: 1328-1333. <http://dx.doi.org/10.1016/j.jenvman.2010.12.020>.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Danish, M; Brusseau, ML; Qiu, Z; Sui, Q. (2016). Enhanced degradation of trichloroethene by calcium peroxide activated with Fe(III) in the presence of citric acid. 10: 502-512. <http://dx.doi.org/10.1007/s11783-016-0838-x>.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Qiu, Z; Sui, Q. (2015). Degradation of trichloroethylene in aqueous solution by calcium peroxide activated with ferrous ion. *J Hazard Mater.* 284: 253-260. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.030>.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Qiu, Z; Sui, Q. (2016). Application of calcium peroxide activated with Fe(II)-EDDS complex in trichloroethylene degradation. *Chemosphere.* 160: 1-6. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.067>.
- Zhang, X; Guo, W; Gao, G; Que, M; Pan, C; Wang, ZL, in. (2016). CuS nanotrough-networks for highly stable transparent conducting electrodes. 4: 4733-4739. <http://dx.doi.org/10.1039/c6tc01010e>.
- Zhang, X, in; Lin, Y, uman; Shan, XQ; Chen, Z, uL. (2010). Degradation of 2,4,6-trinitrotoluene (TNT) from explosive wastewater using nanoscale zero-valent iron. *Chem Eng J.* 158: 566-570. <http://dx.doi.org/10.1016/j.cej.2010.01.054>.
- Zhang, X; Qian, L; Xu, P; He, H; Du, Q. (2008). Study of H-beta-zeolite supported Rh catalyst by inverse gas chromatography. *Chem Eng J.* 137: 579-586. <http://dx.doi.org/10.1016/j.cej.2007.05.020>.
- Zhang, X; Xu, D. (2013). Characterization and Growth Optimization of a Novel Salt Resistant *Pseudomonas putida* Strain Zm Capable of Degrading Trichloroethylene by Cometabolism Under Aerobic Conditions. *Asian J Chem.* 25: 8718-8722.
- Zhang, Y; Cantor, KP; Lynch, CF; Zheng, T. (2004). A population-based case-control study of occupation and renal cell carcinoma risk in Iowa. *J Occup Environ Med.* 46: 235-240. <http://dx.doi.org/10.1097/01.jom.0000116805.62079.d6>.
- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1994). Fixed-bed photocatalysts for solar decontamination of water. *Environ Sci Technol.* 28: 435-442.
- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1996). Destruction of organic compounds in water using supported photocatalysts. *J Sol Energy Eng.* 118: 123-129.
- Zhang, Y; Hu, M; Jiang, Z; Liu, Y. (2011). Effect of anthraquinone-2,6-disulfonate on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 192: 1896-1899. <http://dx.doi.org/10.1016/j.jhazmat.2011.06.087>.
- Zhang, Y, un; Li, Y; Li, J; Hu, L; Zheng, X. (2011). Enhanced removal of nitrate by a novel composite: Nanoscale zero valent iron supported on pillared clay. *Chem Eng J.* 171: 526-531. <http://dx.doi.org/10.1016/j.cej.2011.04.022>.
- Zhang, Y, un; Li, Y; Zheng, X. (2011). Removal of atrazine by nanoscale zero valent iron supported on organobentonite. *Sci Total Environ.* 409: 625-630. <http://dx.doi.org/10.1016/j.scitotenv.2010.10.015>.
- Zhang, Y; Liu, J. (2011). Transgenic alfalfa plants co-expressing glutathione S-transferase (GST) and human CYP2E1 show enhanced resistance to mixed contaminates of heavy metals and organic pollutants. *J Hazard Mater.* 189: 357-362. <http://dx.doi.org/10.1016/j.jhazmat.2011.02.042>.
- Zhang, Y; Liu, J; Zhou, Y; Gong, T; Wang, J; Ge, Y. (2013). Enhanced phytoremediation of mixed heavy metal (mercury)-organic pollutants (trichloroethylene) with transgenic alfalfa co-expressing glutathione S-transferase and human P450 2E1. *J Hazard Mater.* 260: 1100-1107. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.065>.
- Zhang, Y; Liu, Y; Hu, M; Jiang, Z. (2014). Acclimation of the trichloroethylene-degrading anaerobic granular sludge and the degradation characteristics in an upflow anaerobic sludge blanket reactor. *Water Sci Technol.* 69: 120-127. <http://dx.doi.org/10.2166/wst.2013.564>.
- Zhang, Y; Park, M; Kim, H, aK; Ding, B, in; Park, S, ooJin. (2016). In-situ synthesis of nanofibers with various ratios of BiOClx/BiOBry/BiOIz for effective trichloroethylene photocatalytic degradation. *Appl Surf Sci.* 384: 192-199. <http://dx.doi.org/10.1016/j.apsusc.2016.05.039>.
- Zhang, Y; Tay, J. (2015). Toxic and inhibitory effects of trichloroethylene aerobic co-metabolism on phenol-grown aerobic granules. *J Hazard Mater.* 286C: 204-210. <http://dx.doi.org/10.1016/j.jhazmat.2015.01.003>.
- Zhang, Y, i; Tay, J, ooHwa. (2016). Alternated phenol and trichloroethylene biodegradation in an aerobic granular sludge reactor. *Biochem Eng J.* 106: 1-10. <http://dx.doi.org/10.1016/j.bej.2015.10.026>.
- Zhang, Y; Tay, JH. (2016). Physiological and functional diversity of phenol degraders isolated from phenol-grown aerobic granules: Phenol degradation kinetics and trichloroethylene co-metabolic activities. *J Environ Manage.* 169: 34-45. <http://dx.doi.org/10.1016/j.jenvman.2015.12.021>.

Exposure Literature Search Results

Off Topic

- Zhang, Y; Tran, HP; Du, X; Hussain, I; Huang, S; Zhou, S; Wen, W. (2017). Efficient pyrite activating persulfate process for degradation of p-chloroaniline in aqueous systems: A mechanistic study. *Chem Eng J.* 308: 1112-1119. <http://dx.doi.org/10.1016/j.cej.2016.09.104>.
- Zhang, Y; Tran, HP; Hussain, I; Zhong, Y; Huang, S. (2015). Degradation of p-chloroaniline by pyrite in aqueous solutions. *Chem Eng J.* 279: 396-401. <http://dx.doi.org/10.1016/j.cej.2015.03.016>.
- Zhang, Y; Zhang, K, e; Dai, C; Zhou, X. (2014). Performance and mechanism of pyrite for nitrobenzene removal in aqueous solution. *Chem Eng Sci.* 111: 135-141. <http://dx.doi.org/10.1016/j.ces.2014.02.029>.
- Zhang, Y; Zhang, K, e; Dai, C; Zhou, X; Si, H. (2014). An enhanced Fenton reaction catalyzed by natural heterogeneous pyrite for nitrobenzene degradation in an aqueous solution. *Chem Eng J.* 244: 438-445. <http://dx.doi.org/10.1016/j.cej.2014.01.088>.
- Zhang, Y; Zhou, J, un; Zhang, X; Hu, J, un; Gao, H, an. (2014). Solvent polarity effect on quality of n-octadecanethiol self-assembled monolayers on copper and oxidized copper. *Appl Surf Sci.* 320: 200-206. <http://dx.doi.org/10.1016/j.apsusc.2014.09.070>.
- Zhang, YD; Kennedy, IM. (2002). Oxidation of trichloroethene in stagnation flows over inert and catalytic heated ceramic surfaces. *Combust Flame.* 131: 436-451.
- Zhang, YP; Yang, R; Xu, QJ; Mo, JH. (2007). Characteristics of photocatalytic oxidation of toluene, benzene, and their mixture. *Journal of the Air and Waste Management Association.* 57: 94-101.
- Zhang, YS; Gillham, RK. (2005). Effects of gas generation and precipitates on performance of Fe degrees PRBs. *Ground Water.* 43: 113-121.
- Zhang, Z; Brusseau, ML. (1998). Characterizing three-dimensional hydraulic conductivity distributions using qualitative and quantitative geologic borehole data: Application to a field site. *Ground Water.* 36: 671-678.
- Zhang, Z; Chen, Y. (2009). Simulation of fracture propagation subjected to compressive and shear stress field using virtual multidimensional internal bonds. *International Journal of Rock Mechanics and Mining Sciences.* 46: 1010-1022. <http://dx.doi.org/10.1016/j.ijrmms.2009.01.003>.
- Zhang, Z; Cissoko, N; Wo, J; Xu, X. (2009). Factors influencing the dechlorination of 2,4-dichlorophenol by Ni-Fe nanoparticles in the presence of humic acid. *J Hazard Mater.* 165: 78-86. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.08>.
- Zhang, Z; Hao, Z; Yang, Y; Zhang, J; Wang, Q; Xu, X. (2010). Reductive denitrification kinetics of nitrite by zero-valent iron. *Desalination.* 257: 158-162. <http://dx.doi.org/10.1016/j.desal.2010.02.031>.
- Zhang, Z; Huang, K; Yuan, F; Xie, C. (2014). Gas sensing properties and in situ diffuse reflectance infrared Fourier transform spectroscopy study of trichloroethylene adsorption and reactions on SnO₂ films. *Appl Surf Sci.* 300: 98-103. <http://dx.doi.org/10.1016/j.apsusc.2014.02.011>.
- Zhang, Z; Lu, M; Zhang, Z; Xiao, M; Zhang, M, in. (2012). Dechlorination of short chain chlorinated paraffins by nanoscale zero-valent iron. *J Hazard Mater.* 243: 105-111. <http://dx.doi.org/10.1016/j.jhazmat.2012.10.004>.
- Zhang, Z; Wo, JJ; Cissoko, N; Xu, X, inhua. (2008). Kinetics of 2,4-dichlorophenol dechlorination by Pd-Fe bimetallic nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A.* 9: 118-124. <http://dx.doi.org/10.1631/jzus.A071313>.
- Zhang, Z; Yu, G; Cheng, J; Wang, X; Zhang, F; Zhou, J. (2005). Carbon isotopic fractionation during photolysis of hexachlorobenzene. *Progress in Natural Science.* 15: 82-88.
- Zhang, ZH; Brusseau, ML. (1999). Nonideal transport of reactive solutes in heterogeneous porous media 5. Simulating regional-scale behavior of a trichloroethene plume during pump-and-treat remediation. *Water Resour Res.* 35: 2921-2935.
- Zhang, ZL; Hong, HS; Zhou, JL; Dai, MH; Maskaoui, K; Chen, WQ. (2002). Contamination by organochlorine pesticides in the estuaries of southeast China. *Chem Res Chin Univ.* 18: 153-160.
- Zhao, B; Shen, H; Liu, F; Liu, S; Niu, J; Guo, F, ei; Sun, X. (2012). Exposure to organochlorine pesticides is an independent risk factor of hepatocellular carcinoma: A case-control study. *J Expo Sci Environ Epidemiol.* 22: 541-548. <http://dx.doi.org/10.1038/jes.2011.29>.
- Zhao, B; Zhu, L. (2006). Solubilization of DNAPLs by mixed surfactant: synergism and solubilization capacity. *J Hazard Mater.* 136: 513-519. <http://dx.doi.org/10.1016/j.jhazmat.2005.08.03>.
- Zhao, B; Zhu, L; Yang, K. (2006). Solubilization of DNAPLs by mixed surfactant: reduction in partitioning losses of nonionic surfactant. *Chemosphere.* 62: 772-779. <http://dx.doi.org/10.1016/j.chemosphere.2005.04.08>.
- Zhao, C; Mumford, KG; Kueper, BH. (2014). Laboratory study of non-aqueous phase liquid and water co-boiling during thermal treatment. *J Contam Hydrol.* 164: 49-58. <http://dx.doi.org/10.1016/j.jconhyd.2014.05.008>.
- Zhao, D, an; Cheng, J; Chen, J. (2014). One-step synthesis of bentonite-supported nanoscale Fe/Ni bimetal for rapid degradation of methyl orange in water. *Environ Chem Lett.* 12: 461-466. <http://dx.doi.org/10.1007/s10311-014-0473-3>.
- Zhao, D, an; Liao, X; Yan, X; Huling, SG; Chai, T; Tao, H. (2013). Effect and mechanism of persulfate activated by different methods for PAHs removal in soil. *J Hazard Mater.* 254: 228-235. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.056>.
- Zhao, H, eP; Schmidt, KR; Lohner, S; Tiehm, A. (2011). Robustness of an aerobic metabolically vinyl chloride degrading bacterial enrichment culture. *Water Sci Technol.* 64: 1796-1803. <http://dx.doi.org/10.2166/wst.2011.752>.
- Zhao, H; Vance, GF. (1998). Sorption of trichloroethylene by organo-clays in the presence of humic substances. *Water Res.* 32: 3710-3716.
- Zhao, HP; Schmidt, KR; Tiehm, A. (2010). Inhibition of aerobic metabolic cis-1,2-di-chloroethene biodegradation by other chloroethenes. *Water Res.* 44: 2276-2282. <http://dx.doi.org/10.1016/j.watres.2009.12.023>.
- Zhao, J; Yang, XD. (2003). Photocatalytic oxidation for indoor air purification: a literature review. *Build Environ.* 38: 645-654. [http://dx.doi.org/10.1016/S0360-1323\(02\)00212-3](http://dx.doi.org/10.1016/S0360-1323(02)00212-3).
- Zhao, L; Hou, H; Fujii, A; Hosomi, M; Li, F. (2014). Degradation of 1,4-dioxane in water with heat- and Fe²⁺-activated persulfate oxidation. *Environ Sci Pollut Res Int.* 21: 7457-7465. <http://dx.doi.org/10.1007/s11356-014-2668-3>.
- Zhao, LH; Itoh, K; Murabayashi, M. (2004). Reaction mechanism of photocatalytic oxidation of trichloroethylene on TiO₂ film. *Chinese journal of catalysis.* 25: 915-919.

Exposure Literature Search Results

Off Topic

- Zhao, LH; Itoh, K; Murabayashi, M; Kondoh, M; Wen, XZ. (2004). Photocatalytic reaction of volatile organic compounds on TiO₂ film pretreated by trichloroethylene. *Chinese journal of catalysis*. 25: 669-672.
- Zhao, LH; Yamashida, K; Itoh, K; Murabayashi, M. (2005). Effect of ultraviolet pre-irradiation on photocatalytic oxidation of trichloroethylene over TiO₂ in gas phase. *Chinese journal of catalysis*. 26: 307-310.
- Zhao, S; Huang, B; Shu, X. (2015). Investigation on binder homogeneity of RAP/RAS mixtures through staged extraction. *Construction and Building Materials*. 82: 184-191. <http://dx.doi.org/10.1016/j.conbuildmat.2015.02.013>.
- Zhao, S, hiX; Zhang, L, ij; Wang, Y, uXin. (2013). Enhanced performance of a Nafion membrane through ionomer self-organization in the casting solution. *J Power Sources*. 233: 309-312. <http://dx.doi.org/10.1016/j.jpowsour.2013.01.052>.
- Zhao, W, ei; Shi, B. (2009). Removal of Volatile Organic Compounds from Water by Pervaporation Using Polyetherimide-Polyethersulfone Blend Hollow Fiber Membranes. *Separation Science and Technology*. 44: 1737-1752. <http://dx.doi.org/10.1080/01496390902775851>.
- Zhao, Y; Krishnadasan, A; Kennedy, N; Morgenstern, H; Ritz, B. (2005). Estimated effects of solvents and mineral oils on cancer incidence and mortality in a cohort of aerospace workers. *Am J Ind Med*. 48: 249-258. <http://dx.doi.org/10.1002/ajim.20216>.
- Zhao, Y, a; Liu, Z; Liu, F; Li, Z. (2011). Cometabolic degradation of trichloroethylene in a hollow fiber membrane reactor with toluene as a substrate. *J Memb Sci*. 372: 322-330. <http://dx.doi.org/10.1016/j.memsci.2011.02.016>.
- Zhao, Y, an; Zhao, Y; Li, Q, in; Zhou, R, ui; Chen, X, u. (2016). Effect of common inorganic ions on aniline degradation in groundwater by activated persulfate with ferrous iron. *Water Science and Technology: Water Supply*. 16: 667-674. <http://dx.doi.org/10.2166/ws.2015.174>.
- Zhao, Z; Alford, TL. (2016). The optimal TiO₂/Ag/TiO₂ electrode for organic solar cell application with high device-specific Haacke figure of merit. *Solar Energy Materials and Solar Cells*. 157: 599-603. <http://dx.doi.org/10.1016/j.solmat.2016.07.044>.
- Zhao, Z; Dhar, A; Alford, TL. (2015). A Method for Efficient Transmittance Spectrum Prediction of Transparent Composite Electrodes. *J O M*. 67: 1612-1616. <http://dx.doi.org/10.1007/s11837-015-1342-7>.
- Zhao, Z; Fang, Y, uLun; Alvarez, PJJ; Wong, MS. (2013). Degrading perchloroethene at ambient conditions using Pd and Pd-on-Au reduction catalysts. *Appl Catal B-Environ*. 140: 468-477. <http://dx.doi.org/10.1016/j.apcatb.2013.04.032>.
- Zhao, Z; Xia, L; Wang, F; Jiang, X; Gao, Y. (2012). Optimization of extractants, purifying packings, and eluents for analytical extraction of organochlorine pesticides in Hydragric Acrisols. *Environ Monit Assess*. 184: 5159-5171. <http://dx.doi.org/10.1007/s10661-011-2330-1>.
- Zheng, C; Zhu, X; Gao, X; Liu, L, u; Chang, Q; Luo, Z; Cen, K. (2014). Experimental study of acetone removal by packed-bed dielectric barrier discharge reactor. *J Ind Eng Chem*. 20: 2761-2768. <http://dx.doi.org/10.1016/j.jiec.2013.11.004>.
- Zheng, CM; Wang, PP. (2002). A field demonstration of the simulation optimization approach for remediation system design. *Ground Water*. 40: 258-265.
- Zheng, F, ei; Gao, B, in; Sun, Y; Shi, X; Xu, H; Wu, J; Gao, Y. (2016). Removal of tetrachloroethylene from homogeneous and heterogeneous porous media: Combined effects of surfactant solubilization and oxidant degradation. *Chem Eng J*. 283: 595-603. <http://dx.doi.org/10.1016/j.cej.2015.08.004>.
- Zheng, J; Xue, Z; Li, S; Li, S; Rao, Z. (2012). Development of trichloroethylene gaseous sensor utilizing ZnO-Y₂O₃ as nanocatalyst based on thermal desorption/cataluminescence. *Analytical Methods*. 4: 2791-2796. <http://dx.doi.org/10.1039/c2ay25351h>.
- Zheng, M; Bao, J; Liao, P; Wang, K, un; Yuan, S; Tong, M, an; Long, H. (2012). Electrogeneration of H₂ for Pd-catalytic hydrodechlorination of 2,4-dichlorophenol in groundwater. *Chemosphere*. 87: 1097-1104. <http://dx.doi.org/10.1016/j.chemosphere.2012.01.058>.
- Zheng, T; Zhan, J; He, J; Day, C; Lu, Y; Mcpherson, GL; Piringer, G; John, VT. (2008). Reactivity characteristics of nanoscale zerovalent iron-silica composites for trichloroethylene remediation. *Environ Sci Technol*. 42: 4494-4499. <http://dx.doi.org/10.1021/es702214x>.
- Zheng, T; Zhan, J; He, J; Piringer, G; Mcpherson, G; Lu, Y; John, VT. (2007). ENVR 212-Trichloroethylene remediation using nanoscale iron/silica aerosol particles. *Abstracts of Papers - American Chemical Society*. 234.
- Zheng, Y; Li, DZ; Fu, XZ. (2001). Effect of water vapor on microwave-assisted photocatalytic oxidation of organic pollutants over titania. *Chinese journal of catalysis*. 22: 165-167.
- Zhong, H, ua; Brusseau, ML; Wang, Y; Yan, N, i; Quig, L; Johnson, GR. (2015). In-situ activation of persulfate by iron filings and degradation of 1,4-dioxane. *Water Res*. 83: 104-111. <http://dx.doi.org/10.1016/j.watres.2015.06.025>.
- Zhong, H, ua; Tian, Y; Yang, Q, i; Brusseau, ML; Yang, L, ei; Zeng, G. (2017). Degradation of landfill leachate compounds by persulfate for groundwater remediation. *Chem Eng J*. 307: 399-407. <http://dx.doi.org/10.1016/j.cej.2016.08.069>.
- Zhong, L; Kuo, CH. (2000). Reaction kinetics of ozonation of trichloroethylene and benzene in gas and liquid phases. *Chinese Journal of Chemical Engineering*. 8: 272-275.
- Zhong, XH; Bajpai, RK. (2000). A comprehensive model for the cometabolism of chlorinated solvents. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 35: 229-244.
- Zhou, H; Cheong, HG; Park, JW. (2016). Charge Carrier Transport Through the Interface Between Hybrid Electrodes and Organic Materials in Flexible Organic Light Emitting Diodes. *J Nanosci Nanotechnol*. 16: 5179-5185. <http://dx.doi.org/10.1166/jnn.2016.12265>.
- Zhou, H; Han, J; Baig, S; Xu, X. (2011). Dechlorination of 2,4-dichlorophenoxyacetic acid by sodium carboxymethyl cellulose-stabilized Pd/Fe nanoparticles. *J Hazard Mater*. 198: 7-12. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.002>.
- Zhou, H; Park, J, inWoo. (2015). Effect of the crystallinity of indium tin oxide on the charge transfer at the interfaces and the performances of flexible organic light emitting diodes. *Physica Status Solidi A: Applications and Materials Science (Print)*. 212: 414-424. <http://dx.doi.org/10.1002/pssa.201431550>.
- Zhou, H; Randers-Pehrson, G; Geard, CR; Brenner, DJ; Hall, EJ; Hei, TK. (2003). Interaction between radiation-induced adaptive response and bystander mutagenesis in mammalian cells. *Radiat Res*. 160: 512-516.

Exposure Literature Search Results

Off Topic

- Zhou, H, yi; Wang, SC; Sheng, GD. (2010). Catalytic dechlorination and detoxification of 1-(2-chlorophenyl) ethanol by Pd/Fe. *Journal of Zhejiang University- Science A*. 11: 356-362. <http://dx.doi.org/10.1631/jzus.A0900469>.
- Zhou, HY; Xu, XH; Wang, DH. (2004). Catalytic dechlorination and kinetics of o-dichlorobenzene by Pd/Fe. *Chinese Journal of Chemical Engineering*. 12: 505-509.
- Zhou, J; Chen, H; Chen, Q; Huang, Z. (2016). Bimetallic Au-decorated Pd catalyst for the liquid phase hydrodechlorination of 2,4-dichlorophenol. *Appl Surf Sci*. 387: 588-594. <http://dx.doi.org/10.1016/j.apsusc.2016.06.154>.
- Zhou, Q; Bishop, PL. (1997). Determination of oxygen profiles and diffusivity in encapsulated biomass k-carrageenan gel beads. *Water Sci Technol*. 36: 271-277.
- Zhou, T; Li, YZ; Lim, TT. (2010). Catalytic hydrodechlorination of chlorophenols by Pd/Fe nanoparticles: Comparisons with other bimetallic systems, kinetics and mechanism. *Separation and Purification Technology*. 76: 206-214. <http://dx.doi.org/10.1016/j.seppur.2010.10.010>.
- Zhou, W; Zhu, L. (2008). Influence of surfactant sorption on the removal of phenanthrene from contaminated soils. *Environ Pollut*. 152: 99-105. <http://dx.doi.org/10.1016/j.envpol.2007.05.016>.
- Zhou, X, ue; Li, D; Yang, Q, i; Hao, C. (2012). ISOLATION AND CHARACTERIZATION OF A 1,1-DICHLOROETHYLENE-DEGRADING BACTERIAL STRAIN FROM ACTIVATED SLUDGE. *Fresen Environ Bull*. 21: 2051-2055.
- Zhou, X; Yang, D; Frindt, RF. (1996). Study of restacked single molecular layer molybdenum disulfide with organic tetrachloroethylene included. *J Phys Chem Solids*. 57: 1137-1140.
- Zhou, YC; Waxman, DJ. (1998). Activation of peroxisome proliferator-activated receptors by chlorinated hydrocarbons and endogenous steroids. *Environ Health Perspect*. 106 Suppl 4: 983-988.
- Zhou, Z; Ruan, W; Huang, H; Shen, C; Yuan, B; Huang, CH, ua. (2016). Fabrication and characterization of Fe/Ni nanoparticles supported by polystyrene resin for trichloroethylene degradation. *Chem Eng J*. 283: 730-739. <http://dx.doi.org/10.1016/j.cej.2015.07.076>.
- Zhu, HW; Keener, TC; Orton, TL; Bishop, PL; Khang, SJ; Siddiqui, K. (1997). The effectiveness of aeration recirculation in controlling VOC emissions from publicly owned treatment works. *J Air Waste Manag Assoc*. 47: 1259-1267.
- Zhu, J; Newhook, R; Marro, L; Chan, CC. (2005). Selected volatile organic compounds in residential air in the city of Ottawa, Canada. *Environ Sci Technol*. 39: 3964-3971. <http://dx.doi.org/10.1021/es050173u>.
- Zhu, K; Sun, C; Chen, H; Baig, S; Sheng, T; Xu, X. (2013). Enhanced catalytic hydrodechlorination of 2,4-dichlorophenoxyacetic acid by nanoscale zero valent iron with electrochemical technique using a palladium/nickel foam electrode. *Chem Eng J*. 223: 192-199. <http://dx.doi.org/10.1016/j.cej.2013.03.019>.
- Zhu, L; Ai, Z; Ho, W; Zhang, L. (2013). Core-shell Fe-Fe₂O₃ nanostructures as effective persulfate activator for degradation of methyl orange. *Separation and Purification Technology*. 108: 159-165. <http://dx.doi.org/10.1016/j.seppur.2013.02.016>.
- Zhu, L; Gao, K; Jin, J; Lin, H; Xu, X. (2014). Analysis of ZVI corrosion products and their functions in the combined ZVI and anaerobic sludge system. *Environ Sci Pollut Res Int*. 21: 12747-12756. <http://dx.doi.org/10.1007/s11356-014-3215-y>.
- Zhu, L; Jin, J; Lin, H; Gao, K; Xu, X. (2015). Succession of microbial community and enhanced mechanism of a ZVI-based anaerobic granular sludge process treating chloronitrobenzenes wastewater. *J Hazard Mater*. 285: 157-166. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.029>.
- Zhu, L; Lin, HZ; Qi, JQ; Xu, XY; Qi, HY. (2012). Effect of H₂ on reductive transformation of p-CINB in a combined ZVI-anaerobic sludge system. *Water Res*. 46: 6291-6299. <http://dx.doi.org/10.1016/j.watres.2012.08.029>.
- Zhu, MX; Xue, JY, i; Zhang, J, iaN; Li, Y; Deng, J, unBo; Mu, H, aiBao; Zhang, GJ, un; Shao, XJ, un; Liu, XW, ei. (2016). Classification and separation of partial discharge ultra-high-frequency signals in a 252 kV gas insulated substation by using cumulative energy technique. *I E T Science, Measurement and Technology*. 10: 316-326. <http://dx.doi.org/10.1049/iet-smt.2015.0171>.
- Zhu, MX; Zhang, J, iaN; Li, Y; Wei, Y, anHui; Xue, JY, i; Deng, J, unBo; Mu, H, aiBao; Zhang, GJ, un; Shao, XJ, un. (2016). Partial Discharge Signals Separation Using Cumulative Energy Function and Mathematical Morphology Gradient. *I E E Transactions on Dielectrics and Electrical Insulation*. 23: 482-493. <http://dx.doi.org/10.1109/TDEI.2015.005481>.
- Zhu, R; Che, S; Liu, X; Lin, S; Xu, G; Ouyang, F. (2014). A novel fluidized-bed-optical-fibers photocatalytic reactor (FBOFPR) and its performance. *Appl Catal A-Gen*. 471: 136-141. <http://dx.doi.org/10.1016/j.apcata.2013.11.044>.
- Zhu, T; Li, J; Jin, Y; Liang, Y; Ma, G. (2008). Decomposition of benzene by non-thermal plasma processing: Photocatalyst and ozone effect. *Int J Environ Sci Tech*. 5: 375-384.
- Zhu, X; He, J; Su, S; Zhang, X; Wang, F. (2016). Concept model of the formation process of humic acid-kaolin complexes deduced by trichloroethylene sorption experiments and various characterizations. *Chemosphere*. 151: 116-123. <http://dx.doi.org/10.1016/j.chemosphere.2016.02.068>.
- Zhu, Y; Liu, Q; Huang, X. (2013). Applying Time-Temperature Equivalent Principle to the Creep Property of Granite. *Disaster Advances*. 6: 145-151.
- Zhuang, P; Pavlostathis, SG. (1994). EFFECT OF CHLORINATED ALKENES ON THE REDUCTIVE DECHLORINATION AND METHANE PRODUCTION PROCESSES. *Water Sci Technol*. 30: 85-94.
- Zhuang, P; Pavlostathis, SG. (1995). EFFECT OF TEMPERATURE, PH AND ELECTRON-DONOR ON THE MICROBIAL REDUCTIVE DECHLORINATION OF CHLOROALKENES. *Chemosphere*. 31: 3537-3548.
- Zhuang, Y; Ahn, S; Luthy, RG. (2010). Debromination of Polybrominated Diphenyl Ethers by Nanoscale Zerovalent Iron: Pathways, Kinetics, and Reactivity. *Environ Sci Technol*. 44: 8236-8242. <http://dx.doi.org/10.1021/es101601s>.

Exposure Literature Search Results

Off Topic

- Ziagova, MG; Liakopoulou-Kyriakides, M. (2010). Comparative studies on the degradation of three aromatic compounds by *Pseudomonas* sp. and *Staphylococcus xylosus*. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 45: 1017-1025. <http://dx.doi.org/10.1080/10934521003772444>.
- Zielinska-Psuja, B; Orłowski, J; Kowalowska, J; Zieba-Proc, B. (1998). Implikacje metaboliczne benzenu i trichloroetyleny. Cz. 1. Wpływ trichloroetyleny na wydalanie fenolu u szczurów. *Bromatol Chem Toksykol*. 31: 13-20.
- Zielinska-Psuja, B; Orłowski, J; Plewka, A; Kaminski, M; Kowalowska-Zawieja, J. (2001). Metabolic interactions between acetylsalicylic acid, xylene and trichloroethylene in rats. *Pol J Environ Stud*. 10: 43-49.
- Ziener, CE; Braunsdorf, P. (2014). Trace Analysis in End-Exhaled Air Using Direct Solvent Extraction in Gas Sampling Tubes: Tetrachloroethene in Workers as an Example. *International Journal of Analytical Chemistry*. 2014: 904512. <http://dx.doi.org/10.1155/2014/904512>.
- Zilitinkevich, SS; Elperin, T; Kleerorin, N; L'vov, V; Rogachevskii, I. (2009). Energy- and Flux-Budget Turbulence Closure Model for Stably Stratified Flows. Part II: The Role of Internal Gravity Waves. *Boundary Layer Meteorol*. 133: 139-164. <http://dx.doi.org/10.1007/s10546-009-9424-0>.
- Zilitinkevich, SS; Elperin, T; Kleerorin, N; Rogachevskii, I. (2007). Energy- and flux-budget (EFB) turbulence closure model for stably stratified flows. Part I: steady-state, homogeneous regimes. *Boundary Layer Meteorol*. 125: 167-191. <http://dx.doi.org/10.1007/s10546-007-9189-2>.
- Zilitinkevich, SS; Elperin, T; Kleerorin, N; Rogachevskii, I; Esau, I; Mauritsen, T; Miles, MW. (2008). Turbulence energetics in stably stratified geophysical flows: Strong and weak mixing regimes. *Q J Roy Meteorol Soc*. 134: 793-799. <http://dx.doi.org/10.1002/qj.264>.
- Zimmermann, B; Burck, J; Ache, HJ. (1997). Studies on siloxane polymers for NIR-evanescent wave absorbance sensors. *Sens Actuators B*. 41: 45-54.
- Zinder, SH; Gossett, JM. (1995). Reductive dechlorination of tetrachloroethene by a high rate anaerobic microbial consortium [Review]. *Environ Health Perspect*. 103: 5-7.
- Zitomer, DH; Speece, RE. (1995). METHANETHIOL IN NONACCLIMATED SEWAGE-SLUDGE AFTER ADDITION OF CHLOROFORM AND OTHER TOXICANTS. *Environ Sci Technol*. 29: 762-768. <http://dx.doi.org/10.1021/es00003a025>.
- Zogorski, JS; Carter, JM; Ivahnenko, T; Lapham, WW; Moran, MJ; Rowe, BL; Squillace, PJ; Toccalino, PL. (2006). Volatile organic compounds in the nation's ground water and drinking-water supply wells. (Circular 1292). Reston, VA: U.S. Department of the Interior, U.S. Geological Survey. <http://pubs.usgs.gov/circ/circ1292/pdf/circular1292.pdf>.
- Zolla, V; Freyria, FS; Sethi, R; Di Molfetta, A. (2009). Hydrogeochemical and Biological Processes Affecting the Long-term Performance of an Iron-Based Permeable Reactive Barrier. *J Environ Qual*. 38: 897-908. <http://dx.doi.org/10.2134/jeq2007.0622>.
- Zorina, LV; Khasanov, SS; Shibaeva, RP; Gener, M; Rousseau, R; Canadell, E; Kushch, LA; Yagubskii, EB; Drozdova, OO; Yakushi, K. (2000). A new stable organic metal based on the BEDO-TTF donor and the doubly charged nitroprusside anion, (BEDO-TTF)(4)[Fe(CN)(5)NO]. *J Mater Chem*. 10: 2017-2023.
- Zorn, ME; Tompkins, DT; Zeltner, WA; Anderson, MA. (2000). Catalytic and photocatalytic oxidation of ethylene on titania-based thin-films. *Environ Sci Technol*. 34: 5206-5210. <http://dx.doi.org/10.1021/es991250m>.
- Zou, J, in; Liu, Y; Shan, B; Chattopadhyay, A; Dai, LL. (2014). Early damage detection in epoxy matrix using cyclobutane-based polymers. *Smart Materials and Structures*. 23. <http://dx.doi.org/10.1088/0964-1726/23/9/095038>.
- Zou, J; Ma, J, un; Zhang, J. (2014). Comment on Electrolytic Manipulation of Persulfate Reactivity by Iron Electrodes for TCE Degradation in Groundwater [Letter]. *Environ Sci Technol*. 48: 4630-4631. <http://dx.doi.org/10.1021/es501061n>.
- Zou, L; Luo, Y; Hooper, M; Hu, E. (2006). Removal of VOCs by photocatalysis process using adsorption enhanced TiO₂-SiO₂ catalyst. *Chemical Engineering and Processing: Process Intensification*. 45: 959-964. <http://dx.doi.org/10.1016/j.cep.2006.01.014>.
- Zuo, GM; Cheng, ZX; Chen, H; Li, GW; Miao, T. (2006). Study on photocatalytic degradation of several volatile organic compounds. *J Hazard Mater*. 128: 158-163. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.056>.
- Zuo, L; Ai, J; Fu, H; Chen, W; Zheng, S; Xu, Z; Zhu, D. (2016). Enhanced removal of sulfonamide antibiotics by KOH-activated anthracite coal: Batch and fixed-bed studies. *Environ Pollut*. 211: 425-434. <http://dx.doi.org/10.1016/j.envpol.2015.12.064>.
- Zuo, YJ; Xi, HL; Zhang, JH; Li, ZJ; Zhou, F. (2001). Foundation of kinetics model for TiO₂-photocatalyzed degradation of organic compounds in suspending system. *Chinese journal of catalysis*. 22: 198-202.
- Zwank, L; Elsner, M; Aeberhard, A; Schwarzenbach, RP; Haderlein, SB. (2005). Carbon isotope fractionation in the reductive dehalogenation of carbon tetrachloride at iron (hydr)oxide and iron sulfide minerals. *Environ Sci Technol*. 39: 5634-5641. <http://dx.doi.org/10.1021/es0487776>.
- Zytner, RG. (1992). Adsorption-desorption of trichloroethylene in granular media. *Water Air Soil Pollut*. 65: 3-4.
- Zytner, RG; Biswas, N; Bewtra, JK. (1993). Retention capacity of dry soils for NAPLs. *Environ Technol*. 14: 1073-1080.

Environmental Hazard Literature Search Results

On Topic

- Abbas, RF, J. W. (1997). A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol*. 147: 15-30. <http://dx.doi.org/10.1006/taap.1997.8190>.

Environmental Hazard Literature Search Results

On Topic

- Abernethy, SB, A. M. Shiu, W. Y. Wells, P. G. Mackay, D. (1986). ACUTE LETHAL TOXICITY OF HYDROCARBONS AND CHLORINATED HYDROCARBONS TO TWO PLANKTONIC CRUSTACEANS THE KEY ROLE OF ORGANISM-WATER PARTITIONING. *Aquat Toxicol. AMST*: 163-174.
- Alexander, HCM, W. M. Bartlett, E. A. (1978). Toxicity of perchloroethylene, trichloroethylene, 1,1,1-trichloroethane, and methylene chloride to fathead minnows. *Bull Environ Contam Toxicol*. 20: 344-352. <http://dx.doi.org/10.1007/BF01683531>.
- Anand, SM, M. Mehendale, H. (2005). Dose-dependent liver regeneration in chloroform, trichloroethylene and allyl alcohol ternary mixture hepatotoxicity in rats. *Arch Toxicol*. 79: 671-682. <http://dx.doi.org/10.1007/s00204-005-0675-3>.
- Anderson, TA. (1991). Comparative Plant Uptake and Microbial Degradation of Trichloroethylene in the Rhizospheres of Five Plant Species- Implications for Bioremediation of Contaminated Surface Soils. 187 p.
- Anderson, TA. (1991). FATE OF CARBON-14 C TRICHLOROETHYLENE IN WHOLE PLANTS (pp. 25-30). (BIOSIS/92/36923). Anderson, TA.
- Ando, TO, S. Nishiyama, M. Senoo, K. Watanabe, M. M. Matsumoto, S. (2003). Toxic Effects of Dichloromethane and Trichloroethylene on the Growth of Planktonic Green Algae, *Chlorella vulgaris* NIES227, *Selenastrum capricornutum* NIES35, and *Volvox steinii* NIES545. 18: 43-46.
- Ashby, JT, R. W. (1991). Definitive relationships among chemical structure, carcinogenicity and mutagenicity for 301 chemicals tested by the U.S. NTP. *Mutat Res Rev Mutat Res*. 257: 229-306. [http://dx.doi.org/10.1016/0165-1110\(91\)90003-E](http://dx.doi.org/10.1016/0165-1110(91)90003-E).
- Bacocchi, RB, M. R. D'Aprile, L. (2003). Characterization and performance of granular iron as reactive media for TCE degradation by permeable reactive barriers. *Water Air Soil Pollut*. 149: 211-226.
- Bacsi, IG, S. B-Beres, V. Novak, Z. Nagy, S. A. Vasas, G. (2015). Alterations of phytoplankton assemblages treated with chlorinated hydrocarbons: effects of dominant species sensitivity and initial diversity. *Ecotoxicology*. 24: 823-834. <http://dx.doi.org/10.1007/s10646-015-1427-7>.
- Bacsi, IT, T. B-Beres, V. Toeroek, P. Tothmeresz, B. Nagy, A. S. Vasas, G. (2013). Laboratory and microcosm experiments testing the toxicity of chlorinated hydrocarbons on a cyanobacterium strain (*Synechococcus* PCC 6301) and on natural phytoplankton assemblages. *Hydrobiologia*. 710: 189-203. <http://dx.doi.org/10.1007/s10750-012-1364-x>.
- Baird, DJVDB, P. J. (2007). Using Biological Traits to Predict Species Sensitivity to Toxic Substances. 67: 296-301.
- Baker, JM. (1972). The Insecticidal Action of Some Components of Wood Preservatives. 3: 229-239.
- Ballhorn, LF, D. Geyer, H. Quast, I. (1984). Überprüfung der Durchführbarkeit von Prüfungsvorschriften und der Aussagekraft der Stufe I und II des E. Chem. G. (OECDG Data File).
- Barrows, MEP, S.R. Macek, K.J. Carroll, J.J. (1978). Bioconcentration and Elimination of Selected Water Pollutants by Bluegill Sunfish (*Lepomis macrochirus*). In: RHaque (Ed), *DynExposure Hazard Assess Toxic Chem*, (PapSymp1978), Ann Arbor Sci, Ann Arbor, MI:379-392 (1980), AmChemSoc, DivEnvironChem18(2):345-346 (1978) (ABS); *AbstrPapAmChemSoc*. 176: 379-392.
- Batra, CP; Raghavendra, K; Adak, T; Singh, OP; Singh, SP; Mittal, PK; Malhotra, MS; Sharma, RS; Subbarao, SK. (2005). Evaluation of Bifenthrin Treated Mosquito Nets Against Anopheline and Culicine Mosquitoes. 121: 55-62.
- Bazin, CC, P. Bonnefille, M. Larbaigt, G. (1987). Compared Sensitivity of Luminescent Marine Bacteria (*Photobacterium phosphoreum*) and *Daphnia* Bioassays (Comparaison des Sensibilités du Test de Luminescence Bactérienne (*Photobacterium phosphoreum*) et du Test *Daphnie* (*Daphnia magna*) pour 14 Substances à Risque Toxique Elevé). 6: 403-413(FRE) (ENG ABS).
- Beaty, BJB, W. C. Carlson, J. O. Clements WHDuTeau, N. Harrahy, E. Nucklos, J. Olson, K. E. Rayms-Keller, A. (1998). Molecular and genetic ecotoxicologic approaches to aquatic environmental bioreporting. *Environ Health Perspect*. 6: 1395-1407.
- Bell, CH; Hole, BD; Clifton, AL. (1988). The Toxicity of Mixtures of Methyl Bromide and Methyl Chloroform to Stored Product Insects. 24: 115-122.
- Benigni, R. (1990). Rodent tumor profiles, Salmonella mutagenicity and risk assessment. *Mutat Res*. 244: 79-91. [http://dx.doi.org/10.1016/0165-7992\(90\)90112-W](http://dx.doi.org/10.1016/0165-7992(90)90112-W).
- Berdanier, BW. (1995). Biosorption of 1,2,3-Trichloropropane and Trichloroethylene by the Diatom *Thalassiosira pseudonana*. 565-577.
- Berger, TH, C. M. (2003). In vivo exposure of female rats to toxicants may affect oocyte quality. *Reprod Toxicol*. 17: 273-281. [http://dx.doi.org/10.1016/S0890-6238\(03\)00009-1](http://dx.doi.org/10.1016/S0890-6238(03)00009-1).
- Berman, ES, M. Moser, V. C. Macphail, R. C. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health*. 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernard, AMdR, R. Normand, J. C. Lauwerys, R. R. (1989). Evaluation of the subacute nephrotoxicity of cyclohexane and other industrial solvents in the female Sprague-Dawley rat. *Toxicol Lett*. 45: 271-280.
- Bielefeldt, ARS, H. D. Strand, S. E. (1995). COMETABOLIC DEGRADATION OF TCE AND DCE WITHOUT INTERMEDIATE TOXICITY. *J Environ Eng*. 121: 791-797.
- Biernacki, MD, J. L. Doust, L. L. (1995). Effects of trichloroethylene, plant sex and site of origin on modular demography in *Vallisneria americana*. *J Appl Ecol*. 32: 761-777.
- Biernacki, ML-D, J. Lovett-Doust, L. (1995). Sediment Effects on the Uptake of Trichloroethylene by Roots and Leaves in *Vallisneria americana*. 413-426.
- Biggs, DCR, R. G. Wurster, C. F. (1979). EFFECTS OF TRICHLOROETHYLENE, HEXACHLORO BENZENE AND POLYCHLORINATED BIPHENYLS ON THE GROWTH AND CELL-SIZE OF MARINE-PHYTOPLANKTON. *Bull Environ Contam Toxicol*. 21: 196-201.
- Bionomics, EGG. (1978). In-Depth Studies on Health and Environmental Impact of Selected Water Pollutants. 40 p.
- Bionomics, EGG. (1978). In-Depth Studies on Health and Environmental Impacts of Selected Water Pollutants. Monthly Report for February 1978, Contract 68-01-4646, U.S. Environmental Protection Agency, Criteria Branch, Washington, DC (pp. 18 p.). E.G. and G. Bionomics.

Environmental Hazard Literature Search Results

On Topic

- Blain, LL, P. Molotchnikoff, S. (1990). The effect of acute trichloroethylene exposure on electroretinogram components. *Neurotoxicol Teratol.* 12: 633-636.
- Blain, LL, P. Molotchnikoff, S. (1992). Evoked potentials are modified by long term exposure to trichloroethylene. *Neurotoxicology.* 13: 203-206.
- Blondin, GAK, L. M. Read, H. W. Harkin, J. M. (1989). An In Vitro Submitochondrial Bioassay for Predicting Acute Toxicity in Fish. 11: 551-563.
- Blossom, SJC, C. A. Melnyk, S. B. Rau, J. L. Swearingen, C. J. Wessinger, W. D. (2013). Metabolic changes and DNA hypomethylation in cerebellum are associated with behavioral alterations in mice exposed to trichloroethylene postnatally. *Toxicol Appl Pharmacol.* 269: 263-269. <http://dx.doi.org/10.1016/j.taap.2013.03.025>.
- Blossom, SJD, J. C. Gilbert, K. M. (2007). Chronic exposure to a trichloroethylene metabolite in autoimmune-prone MRL+/+ mice promotes immune modulation and alopecia. *Toxicol Sci.* 95: 401-411. <http://dx.doi.org/10.1093/toxsci/kfl149>.
- Blossom, SJD, J. C. Hennings, L. J. Jernigan, S. Melnyk, S. James, S. J. (2008). Developmental exposure to trichloroethylene promotes CD4+ T cell differentiation and hyperactivity in association with oxidative stress and neurobehavioral deficits in MRL+/+ mice. *Toxicol Appl Pharmacol.* 231: 344-353. <http://dx.doi.org/10.1016/j.taap.2008.05.009>.
- Blum, DJS, R. E. (1990). Determining Chemical Toxicity to Aquatic Species. *Environ Sci Technol.* 24: 284-293.
- Bolon, BB, T. J. Warbritton, A. R. Chen, J. J. Mattison, D. R. Heindel, J. J. (1997). Differential follicle counts as a screen for chemically induced ovarian toxicity in mice: Results from continuous breeding bioassays. *Fundam Appl Toxicol.* 39: 1-10.
- Borthwick, PW. (1977). Unpublished Data on 65 Substances. L: 2.
- Botsford, JL. (1998). A simple assay for toxic chemicals using a bacterial indicator. *World J Microbiol Biotechnol.* 14: 369-376.
- Botsford, JLR, J. Navarez, J. Riley, R. Wright, T. Baker, R. (1997). Assay for Toxic Chemicals Using Bacteria. *Bull Environ Contam Toxicol.* 59: 1000-1009.
- Bowes, GW. (1972). Uptake and Metabolism of 2,2-bis-(p-Chlorophenyl)-1,1,1-trichloroethane (DDT) by Marine Phytoplankton and Its Effects on Growth and Chloroplast Electron Transport. *Plant Physiol.* 49: 172-176.
- Boyer, ASF, W. T. Johnson, P. D. Runyan, R. B. (1998). Trichloroethylene perturbs formation of avian embryonic cardiac valvular precursors in vitro. *Teratology.* May: 19-25.
- Boyes, WKB, M. Krantz, T. Evans, M. Benignus, V. Simmons, J. E. (2005). Momentary brain concentration of trichloroethylene predicts the effects on rat visual function. *Toxicol Sci.* 87: 187-196. <http://dx.doi.org/10.1093/toxsci/kfi242>.
- Brack, WF, H. (1998). Chlorophyll a fluorescence: A tool for the investigation of toxic effects in the photosynthetic apparatus. *Ecotoxicol Environ Saf.* 40: 34-41.
- Brack, WR, H. (1994). Toxicity testing of highly volatile chemicals with green algae: A new assay. 1: 223-228.
- Bringmann, G. (1975). Determination of the Biologically Harmful Effect of Water Pollutants by Means of the Retardation of Cell Proliferation of the Blue Algae *Microcystis*. 14 p. (English translation of *Gesund.-Ing.* 96 (1975) 1238-1241 (GER)).
- Bringmann, G. (1978). Bestimmung der biologischen schadwirkung wassergefahrdender stoffe gegen protozoen. *Z f Wasser- und Abwasser-Forschung.* 11: 210-215.
- Bringmann, G. (1978). Determination of the Biological Toxicity of Water Pollutants on Protozoa. 11: 210-215 (ENG ABS) (English Translation:214 p) (*Toxicology* 290: 81700 (81979)).
- Bringmann, GK, R. (1977). Grenzwerte der Schodwirkung Wassergefahrdender Stoffe gegen Bakterien (*Pseudomonas putida*) und Grunalgen (*Scenedesmus quadricauda*) im Zellvermehrungshemmtest (Limiting Values for the Damaging Action of Water Pollutants to Bacteria (*Pseudomonas putida*) and Green Algae (*Scenedesmus quadricauda*) in the Cell Multiplication Inhibition Test). 10: 87-98(GER) (ENG ABS)(Publ As 7453).
- Bringmann, GK, R. (1977). Results of the Damaging Effect of Water Pollutants on *Daphnia magna* (Befunde der Schodwirkung Wassergefahrdender Stoffe Gegen *Daphnia magna*). 26 p. (English translation of *Z. Wasser-Abwasser-Forsch.* 10 (1977) 1161-1166 (GER)).
- Bringmann, GK, R. (1977). Toxicity Threshold for Water Pollutants in the Cell Multiplication Test with Respect to Bacteria (*Pseudomonas putida*) and Green Algae (*Scenedesmus quadricauda*). 32 p. (English translation of *Z. Wasser-Abwasser-Forsch.* 10 (1977) 1987-1998 (GER)).
- Bringmann, GK, R. (1978). Limiting Values for the Noxious Effects of Water Pollutant Material to Blue Algae (*Microcystis aeruginosa*) and Green Algae (*Scenedesmus quadricauda*) in Cell Propagation Inhibition Tests (Grenzwerte der Schodwirkung Wassergefahrdender Stoffe Gegen Blaualgen (*Microcystis aeruginosa*) und Grunalgen (*Scenedesmus quadricauda*) im Zellvermehrungshemmtest). 39 p. (English translation of *Vom Wasser* 50 (1978) 1945-1960 (GER)).
- Bringmann, GK, R. (1978). Testing of Substances for Their Toxicity Threshold: Model Organisms *Microcystis* (*Diplocystis*) *aeruginosa* and *Scenedesmus quadricauda*. 21: 275-284 (Author Communication Used).
- Bringmann, GK, R. (1979). Comparison of Toxic Limiting Concentrations of Water Contaminants Toward Bacteria, Algae and Protozoa in the Cell-Growth Inhibition Test (Vergleich der Toxischen Grenzkonzentrationen Wassergefahrdender Stoffe Gegen Bakterien, Algen und Protozoen im Zellvermehrungshemmtest). 100: 249-252(GER) (OECDG Data File).
- Bringmann, GK, R. (1980). Comparison of the toxicity thresholds of water pollutants to bacteria, algae, and protozoa in the cell multiplication inhibition test. *Water Res.* 14: 231-241.
- Bringmann, GK, R. (1980). Determination of the Biological Effect of Water Pollutants in Protozoa. II. Bacteriovorous Ciliates (Bestimmung der Biologischen Schodwirkung Wassergefahrdender Stoffe Gegen Protozoen. II. Bakterienfressende Ciliaten). 13: 26-31(GER) (ENG ABS).
- Bringmann, GK, R. Winter, A. (1980). Determination of the Biological Effect of Water Pollutants in Protozoa. III. Saprozoic Flagellates (Bestimmung der Biologischen Schodwirkung Wassergefahrdender Stoffe Gegen Protozoen III. Saprozoische Flagellaten). 13: 170-173(GER) (ENG ABS) (OECDG Data File).

Environmental Hazard Literature Search Results

On Topic

- Bringmann, GK, R. (1981). Comparison of the Effect of Toxic Substances on the Flagellate Organisms Such as Ciliates and the Holozoic Bacteria-Devouring Organisms Such as Saprozoic Protozoans (Vergleich der Wirkung von Schadstoffen auf Flagellate Sowie Ciliate bzw. auf Holozoische Bakterienfressende Sowie Saprozoische Protozoen). 122: 308-313(GER) (ENG ABS).
- Bringmann, GK, R. (1982). Results of Toxic Action of Water Pollutants on *Daphnia magna* Straus Tested by an Improved Standardized Procedure. 15: 1-6(GER) (ENG ABS) (OECDG Data File).
- Briving, CJ, I. Hamberger, A. Kjellstrand, P. Haglid, K. G. Rosengren, L. E. (1986). Chronic effects of perchloroethylene and trichloroethylene on the gerbil brain amino acids and glutathione. *Neurotoxicology*. 7: 101-108.
- Broderius, SJK, M. D. Elonen, G. E. Hammermeister, D. E. Hoglund, M. D. (2005). A Comparison of the Lethal and Sublethal Toxicity of Organic Chemical Mixtures to the Fathead Minnow (*Pimphales promelas*). 24: 3117-3127.
- Buccafusco, RJE, S. J. Leblanc, G. A. (1981). Acute toxicity of priority pollutants to bluegill (*Lepomis macrochirus*). *Bull Environ Contam Toxicol*. 26: 446-452. <http://dx.doi.org/10.1007/BF01622118>.
- Burken, JGS, J. L. (1998). Predictive Relationships for Uptake of Organic Contaminants by Hybrid Poplar Trees. *Environ Sci Technol*. 32: 3379-3385. <http://dx.doi.org/10.1021/es9706817>.
- Bysshe, SE. (1990). Bioconcentration Factor in Aquatic Organisms. 5: 5.1 - 5.30.
- Cai, PK, R. Khan, M. F. Kaphalia, B. S. Ansari, G. A. S. (2007). Differential Immune Responses to Albumin Adducts of Reactive Intermediates of Trichloroethylene in MRL+/+ Mice. 220: 278-283.
- Cai, PK, R. Boor, P. J. Kondraganti, S. Kaphalia, B. S. Khan, M. F. Ansari, G. A. S. (2008). Chronic exposure to trichloroethene causes early onset of SLE-like disease in female MRL +/- mice. *Toxicol Appl Pharmacol*. 228: 68-75. <http://dx.doi.org/10.1016/j.taap.2007.11.031>.
- Call, DJB, L. T. Ahmad, N. (1980). Toxicity, Bioconcentration, and Metabolism of Selected Chemicals in Aquatic Organisms. 80 p.
- Call, DJB, L. T. Kent, R. J. (1983). Toxicity, Bioconcentration, and Metabolism of Five Herbicides in Freshwater Fish. 99 p. (Publ As 15275, 10635, 12612) (PB15283-15299 p. (Publ As 15275, 10635, 12612263681).
- Canton, JHA, D. M. (1978). REPRODUCIBILITY OF SHORT-TERM AND REPRODUCTION TOXICITY EXPERIMENTS WITH DAPHNIA MAGNA AND COMPARISON OF THE SENSITIVITY OF DAPHNIA MAGNA WITH DAPHNIA PULEX AND DAPHNIA CUCULLATA IN SHORT-TERM EXPERIMENTS (pp. 135-140). (ISSN 0018-8158 EISSN 1573-5117 ETICBACK/43916). AQUA.
- Carlsen, TM. (1996). Ecological risks to fossorial vertebrates from volatile organic compounds in soil. *Risk Anal*. 16: 211-219.
- Caspers, NH, P. Kanne, R. Knoop, G. (1993). Bund/Lander-Arbeitskreis "Qualitätsziele (BLAK-QZ)" - Problematik des Konzepts bei der Festlegung von Zielvorgaben für Oberflächengewässer am Beispiel von Trichlorethen und Hexachlorbenzol. 5: 265-270 (OECDG Data File).
- Chen, CYW, Y. J. Yang, C. F. (2009). Estimating Low-Toxic-Effect Concentrations in Closed-System Algal Toxicity Tests. 72: 1514-1522.
- Cheng, Xi; Luo, R; Wang, G; Xu, C; Feng, Xi; Yang, R; Ding, E; He, Y; Chuai, M; Lee, K; Yang, X. (2015). Effects of 2,5-hexanedione on angiogenesis and vasculogenesis in chick embryos. *Reprod Toxicol*. 51: 79-89. <http://dx.doi.org/10.1016/j.reprotox.2014.12.006>.
- Chiu, WAC, J. L. Clewell, H. J. Zhou, Y. H. Wright, F. A. Guyton, K. Z. Rusyn, I. (2014). Physiologically based pharmacokinetic (PBPK) modeling of interstrain variability in trichloroethylene metabolism in the mouse. *Environ Health Perspect*. 122: 456-463. <http://dx.doi.org/10.1289/ehp.1307623>.
- Cho, C; Park, S; Sung, K. (2013). Subsurface and Plant Contamination During Natural Attenuation and Phytoremediation of Silt Loam Contaminated with Chlorinated Organic Compounds. *Vadose Zone Journal*. 12: NIL_318-NIL_328. <http://dx.doi.org/10.2136/vzj2012.0081>.
- Cho, CWS, K. Coapcioglu, M. Y. Drew, M. (2005). Influence of water content and plants on the dissipation of chlorinated volatile organic compounds in soil. *Water Air Soil Pollut*. 167: 259-271. <http://dx.doi.org/10.1007/s11270-005-0081-8>.
- Chung, JK-B, R. Rittmann, B. E. (2008). Bioreduction of trichloroethene using a hydrogen-based membrane biofilm reactor. *Environ Sci Technol*. 42: 477-483. <http://dx.doi.org/10.1021/es702422d>.
- Clark, IE; Dobi, KC; Duchow, HK; Vlasak, AN; Gavis, ER. (2002). A Common Translational Control Mechanism Functions in Axial Patterning and Neuroendocrine Signaling in *Drosophila*. 129: 3325-3334.
- Co, DC. (1975). Fish Toxicity Studies. 5 p. (NTIS/OTS0517186).
- Co., DC. (2000). Internal Letters Within Dow Chemical USA Regarding Fish Toxicity Studies. 5 p. (NTIS/OTS0530682).
- Corp., S. R. (1978). Results of Continuous Exposure of Fathead Minnow Embryo to 21 Priority Pollutants. 46 p. (NTIS/OTS0511060)(Publ in Part as 0515175, 0515184, 0515590, 0519607, 0519953, 0510366, 0510427, 0120941).
- Crebelli, RA, C. Carere, A. Conti, L. Crochi, B. Cotta-Ramusino, M. Benigni, R. (1995). Toxicology of halogenated aliphatic hydrocarbons: Structural and molecular determinants for the disturbance of chromosome segregation and the induction of lipid peroxidation. *Chem Biol Interact*. 98: 113-129. [http://dx.doi.org/10.1016/0009-2797\(95\)03639-3](http://dx.doi.org/10.1016/0009-2797(95)03639-3).
- Crebelli, RC, G. Conti, L. Carere, A. (1985). Mutagenicity of trichloroethylene, trichloroethanol and chloral hydrate in *Aspergillus nidulans*. *Mutat Res Genet Toxicol Environ Mutagen*. 155: 105-111. [http://dx.doi.org/10.1016/0165-1218\(85\)90126-0](http://dx.doi.org/10.1016/0165-1218(85)90126-0).
- Crebelli, RC, A. (1987). Chemical and physical agents assayed in tests for mitotic intergenic and intragenic recombination in *Aspergillus nidulans* diploid strains. *Mutagenesis*. 2: 469-475. <http://dx.doi.org/10.1093/mutage/2.6.469>.
- Cruz, SL; Balster, RL; Woodward, JJ. (2000). Effects of volatile solvents on recombinant N-methyl-D-aspartate receptors expressed in *Xenopus* oocytes. *Br J Pharmacol*. 131: 1303-1308. <http://dx.doi.org/10.1038/sj.bjp.0703666>.
- Davies, RPD, A. J. (1984). The Prediction of Bioconcentration in Fish. 18: 1253-1262.
- De Wolf, WC, J. H. Deneer, J. W. Wegman R, C. C. Hermens J, L. M. (1988). QUANTITATIVE STRUCTURE-ACTIVITY RELATIONSHIPS AND MIXTURE-TOXICITY STUDIES OF ALCOHOLS AND CHLOROHYDROCARBONS REPRODUCIBILITY OF EFFECTS ON GROWTH AND REPRODUCTION OF DAPHNIA-MAGNA. *Aquat Toxicol*. AMST: 39-50.

Environmental Hazard Literature Search Results

On Topic

- Deneer, JWS, T. L. Seinen, W. Hermens, J. L. (1988). The Joint Acute Toxicity to *Daphnia-Magna* of Industrial Organic Chemicals at Low Concentrations. *Aquat Toxicol.* 12: 33-38.
- Devillers, JZ, D. Chastrette, M. (1988). A predictive correlation for the acute toxicity of organic pollutants to *Pimephales promelas*. *Chemosphere.* 17: 1531-1537. [http://dx.doi.org/10.1016/0045-6535\(88\)90205-6](http://dx.doi.org/10.1016/0045-6535(88)90205-6).
- Diamond, JMP, M. J. Gruber, D. (1990). Rapid detection of sublethal toxicity using fish ventilatory behavior. *PENSACOLA:* 9-12.
- Dietz, AC. (2000). Phytotoxicity of Chlorinated Aliphatics to Hybrid Poplar Cuttings and Axenic Tissue Cultures. 302 p.
- Dobaradaran, SM, A. H. Nabizadeh, R. Ramavandi, B. Nazmara, S. Zarei, S. (2012). BIOASSAY COMPARISON OF TRICHLOROETHYLENE (TCE) TOXICITY ON *DAPHNIA MAGNA* (D. MAGNA) BEFORE AND AFTER ULTRASOUND AND PHOTOLYSIS PROCESSES. *Fresen Environ Bull.* 21: 1533-1538.
- Doty, SL; Shang, TQ; Wilson, AM; Tangen, J; Westergreen, AD; Newman, LA; Strand, SE; Gordon, MP. (2000). Enhanced metabolism of halogenated hydrocarbons in transgenic plants containing mammalian cytochrome P450 2E1. *Proc Natl Acad Sci USA.* 97: 6287-6291.
- Doty, SLS, T. Q. Wilson, A. M. Moore, A. L. Newman, L. A. Strand, S. E. Gordon, M. P. (2003). Metabolism of the soil and groundwater contaminants, ethylene dibromide and trichloroethylene, by the tropical leguminous tree, *Leuceana leucocephala*. *Water Res.* 37: 441-449.
- Doucette, WJ; Bugbee, BG; Smith, SC; Pajak, CJ; Ginn, JS. (2003). Uptake, metabolism, and phytovolatilization of trichloroethylene by indigenous vegetation: Impact of precipitation. 561-588.
- Dow, JG, T. (2000). Trichloroethylene induced vitamin B(12) and folate deficiency leads to increased formic acid excretion in the rat. *Toxicology.* 146: 123-136. [http://dx.doi.org/10.1016/S0300-483X\(00\)00156-6](http://dx.doi.org/10.1016/S0300-483X(00)00156-6).
- Drake, VJ. (2006). Stage-Dependent Effects of Trichloroethylene and Its Metabolites During Avian Heart Development. 180 p. (UMI# 3234797).
- Drake, VJK, S. L. Hu, N. Smith, S. M. Lough, J. (2006). Cardiogenic effects of trichloroethylene and trichloroacetic acid following exposure during heart specification of avian development. *Toxicol Sci.* 94: 153-162. <http://dx.doi.org/10.1093/toxsci/kfl083>.
- Duteaux, SBB, T. Hess, R. A. Sartini, B. L. Miller, M. G. (2004). Male reproductive toxicity of trichloroethylene: Sperm protein oxidation and decreased fertilizing ability. *Biol Reprod.* 70: 1518-1526. <http://dx.doi.org/10.1095/biolreprod.103.022210>.
- Eckhardt, DAR, J. E. Shaw, S. B. (2009). Groundwater quality in central New York, 2007 (pp. 48 p.). (Open-File Report 2009-1257). Troy, NY: U.S. Department of the Interior, U.S. Geological Survey, New York Water Science Center. <http://pubs.usgs.gov/of/2009/1257/>.
- Elovaara, EH, K. Vainio, H. (1979). Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. *Toxicology.* 12: 111-119. [http://dx.doi.org/10.1016/0300-483X\(79\)90037-4](http://dx.doi.org/10.1016/0300-483X(79)90037-4).
- Emmert, BB, J. Keuch, K. Müller, M. Emmert, S. Hallier, E. Westphal, G. A. (2006). Mutagenicity of cytochrome P450 2E1 substrates in the Ames test with the metabolic competent *S. typhimurium* strain YG7108pin3ERb5. *Toxicology.* 228: 66-76. <http://dx.doi.org/10.1016/j.tox.2006.08.013>.
- Enslin, KT, T. M. Borgstedt, H. H. Blake, B. W. Hart, J. B. (1987). In: K.L.E.Kaiser (Ed.), *QSAR in Environmental Toxicology*, Dordrecht, Holland Prediction of rat oral LD50 from *Daphnia magna* LC50 and chemical structure.
- Epa/Ots. (1987). Assessments of the Feasibility and Evidence of Test Methods of Levels I and II of the Chemicals Act on Thiourea. 213 p. (NTIS/OTS0000551-0000550).
- Erickson, SJF, A. E. (1978). Toxicity Screening of Fifteen Chlorinated and Brominated Compounds Using Four Species of Marine Phytoplankton. 2: 307-310.
- Erickson, SJH, C. E. (1980). Effects of Halogenated Organic Compounds on Photosynthesis in Estuarine Phytoplankton. 24: 910-915.
- Evangelista de Duffard, AD, R. (1996). Behavioral toxicology, risk assessment, and chlorinated hydrocarbons [Review]. *Environ Health Perspect.* 104 Suppl 2: 353-360.
- Fabricant, JDCJJ. (1980). Evidence of the mutagenicity of ethylene dichloride and structurally related compounds. In BAPIR Reitz (Ed.), (pp. 309-329). Cold Spring Harbor, NY: Cold Spring Harbor Laboratory. <http://www.cshlpress.com/default.tpl?cart=128025549521437&action=full&--eqskudatarq=288>.
- Fahrig, R. (1977). The mammalian spot test (Fellflecken test) with mice. *Arch Toxicol.* 38: 87-98. <http://dx.doi.org/10.1007/BF00293666>.
- Faria-Jânior, NB; Loio, LLE; Guerreiro-Tanomaru, JM; Berbert, FL; Tanomaru-Filho, M. (2011). Effectiveness of three solvents and two associations of solvents on gutta-percha and resilon. 22: 41-44.
- Faustman, EM. (1988). Short-term tests for teratogens. *DNA Repair.* 205: 355-384.
- Feldman, RGW, R. F. Currie, J. N. Travers, P. H. Lessell, S. (1985). Long-term follow-up after single toxic exposure to trichloroethylene. *Am J Ind Med.* 8: 119-126.
- Ferrario, JBL, G. C. Deleon, I. R. Laseter, J. L. (1985). Volatile organic pollutants in biota and sediments of Lake Pontchartrain. *Bull Environ Contam Toxicol.* 34: 246-255. <http://dx.doi.org/10.1007/BF01609730>.
- Fishbein, L. (1976). Potential hazards of fumigant residues. *Environ Health Perspect.* 14: 39-45.
- Fisher, DJ; Burton, DT; Paulson, RL. (1990). Acute toxicity of a complex mixture of synthetic hexachloroethane (HC) smoke combustion products: I. Comparative toxicity to freshwater aquatic organisms. *Environ Toxicol Chem.* 9: 745-754.
- Fisher, JC, S. Eggers, J. Johnson, P. Macmahon, K. Goodyear, C. Sudberry, G. Warren, D. Latendresse, J. Graeter, L. (2001). Trichloroethylene, trichloroacetic acid, and dichloroacetic acid: Do they affect fetal rat heart development. *Int J Toxicol.* 20: 257-267.
- Fort, DJS, E. L. Rayburn, J. R. Hull, M. Bantle, J. A. (1993). Evaluation of the developmental toxicity of trichloroethylene and detoxification metabolites using *Xenopus*. *Birth Defects Res B Dev Reprod Toxicol.* 13: 35-45.
- Fort, DR, J. Deyoung, D. Bantle, J. (1991). Assessing the efficacy of an Aroclor 1254-induced exogenous metabolic activation system for FETAX. *Drug Chem Toxicol.* 14: 143-160. <http://dx.doi.org/10.3109/01480549109017873>.

Environmental Hazard Literature Search Results

On Topic

- Fort, DR, R. Stover, E. Finch, R. (2001). Optimization of an exogenous metabolic activation system for FETAX. I. Post-isolation rat liver microsome mixtures. *Drug Chem Toxicol.* 24: 103-115. <http://dx.doi.org/10.1081/DCT-100102604>.
- Fragiadakis, AK, W. Korte, F. Moza, P. N. Scheunert, I. Vockel, D. Weiss, U. (1979). Behavior of Organohalogen Compounds in the Plant-Soil Systems (Verhalten von Organohalogenverbindungen in Systemen Pflanzen - Boden). 144-155(GER) (ENG ABS).
- Fredriksson, AD, B. R. G. Eriksson, P. (1993). Altered Behavior in Adult Mice Orally Exposed to Tri- and Tetrachloroethylene as Neonates. 66: 13-19.
- Freitag, DB, L. Behechti, A. Fischer, K. Thumm, W. (1994). Structural configuration and toxicity of chlorinated alkanes. *Chemosphere.* 28: 253-259. [http://dx.doi.org/10.1016/0045-6535\(94\)90122-8](http://dx.doi.org/10.1016/0045-6535(94)90122-8).
- Fukuda, KT, K. Tsuruta, H. (1983). Inhalation Carcinogenesis of Trichloroethylene in Mice and Rats. 21: 243-254.
- Fuller, MES, K. M. Lau, S. Ferris, H. (1997). Trichloroethylene (TCE) and toluene effects on the structure and function of the soil community. *Soil Biol Biochem.* 29: 75-89.
- Fung, VAH, J. Weisburger, E. K. Hoel, D. G. (1993). Predictive Strategies for Selecting 379 NCI/NTP Chemicals Evaluated for Carcinogenic Potential: Scientific and Public Health Impact. 20: 413-436.
- Gast, RE, J. (1956). Solvents and Emulsifiers Used in Insecticide Formulations. 42-45, 136 - 139.
- Gayatri, R; Chatterjee, S. (1994). Growth and Development of Cellular Slime Mould *Dictyostelium discoideum* Treated with DDT. 86: 135-140.
- Gehring, PJ. (1968). Hepatotoxic potency of various chlorinated hydrocarbon vapours relative to their narcotic and lethal potencies in mice. *Toxicol Appl Pharmacol.* 13: 287-298.
- Geiger, DLN, C. E. Call, D. J. Brooke LT eds. (1985). Acute toxicities of organic chemicals to fathead minnows (*Pimephales promelas*): volume II (pp. 326 p.). AQUA.
- Genoni, GP. (1997). Influence of the energy relationships of organic compounds on their specificity toward aquatic organisms. *Ecotoxicol Environ Saf.* 36: 99-108. <http://dx.doi.org/10.1006/eesa.1996.1490>.
- Gephart, LAS, W. F. Nicolich, M. J. Pelekis, M. (2001). Evaluation of subchronic toxicity data using the benchmark dose approach. *Regul Toxicol Pharmacol.* 33: 37-59. <http://dx.doi.org/10.1006/rtph.2000.1453>.
- Geyer, HS, I. Korte, F. (1985). THE EFFECTS OF ORGANIC ENVIRONMENTAL CHEMICALS ON THE GROWTH OF THE ALGA *SCENEDESMUS-SUBSPICATUS* A CONTRIBUTION TO ENVIRONMENTAL BIOLOGY. *Chemosphere.* 14: 1355-1370.
- Ghanayem, BIH, U. (2007). Investigation of xenobiotics metabolism, genotoxicity, and carcinogenicity using *Cyp2e1(-/-)* mice [Review]. *Curr Drug Metab.* 8: 728-749.
- Gilbert, KMN, A. R. Cooney, C. A. Reisfeld, B. Blossom, S. J. (2012). Epigenetic Alterations May Regulate Temporary Reversal of CD4(+) T Cell Activation Caused by Trichloroethylene Exposure. *Toxicol Sci.* 127: 169-178. <http://dx.doi.org/10.1093/toxsci/kfs093>.
- Gilbert, KMR, B. Gomez-Acevedo, H. Blossom, S. J. (2011). Coexposure to Mercury Increases Immunotoxicity of Trichloroethylene. *Toxicol Sci.* 119: 281-292. <http://dx.doi.org/10.1093/toxsci/kfq345>.
- Gold, LSS, T. H. Backman, G. M. Magaw, R. Da Costa, M. Lopipero, P. Blumethal, M. Ames, B. N. (1987). Second Chronological Supplement to the Carcinogenic Potency Database: Standardized Results of Animal Bioassays Published Through December 1984 and by the National Toxicology Program Through May 1986. 74: 237-329.
- Gold, LSS, T. H. Backman, G. M. Eisenberg, S. Costa, M. D. Wong, M. Manley, N. B. Rohrbach, L. Ames, B. N. (1990). Third Chronological Supplement to the Carcinogenic Potency Database: Standardized Results of Animal Bioassays Published through December 1986 and by the National Toxicology Program through June 1987. *Environ Health Perspect.* 84: 215. <http://dx.doi.org/10.2307/3430724>.
- Gold, LSS, T. H. Stern, B. R. Bernstein, L. (1993). Comparison of target organs of carcinogenicity for mutagenic and non-mutagenic chemicals [Review]. *Mutat Res-Fundam Mol Mech Mutagen.* 286: 75-100. [http://dx.doi.org/10.1016/0027-5107\(93\)90004-Y](http://dx.doi.org/10.1016/0027-5107(93)90004-Y).
- Goldsworthy, TLL, O. Burnett, V. L. Popp, J. A. (1988). Potential Role of alpha-2mu-Globulin, Protein Droplet Accumulation, and Cell Replication in the Renal Carcinogenicity of Rats Exposed to Trichloroethylene, Perchloroethylene, and Pentachloroethane. 96: 367-379.
- Gopalakrishnan, GW, C. J. Negri, M. C. (2009). Mass recovery methods for trichloroethylene in plant tissue. *Environ Toxicol Chem.* 28: 1185-1190. <http://dx.doi.org/10.1897/08-420.1>.
- Gordon, MC, N. Duffy, J. Ekuon, G. Heilman, P. Muiznieks, I. Ruszaj, M. Shurtleff, B. B. Strand, S. Wilmoth, J. Newman, L. A. (1998). Phytoremediation of trichloroethylene with hybrid poplars. *Environ Health Perspect.* 4: 1001-1004.
- Gotoh, M; Hobara, T; Kobayashi, H; Okuda, M. (1998). Pollution due to trichloroacetic acid in clams (*Tapes japonica*) in an estuary adjacent to industrial areas. *Bull Environ Contam Toxicol.* 60: 74-80.
- Grandjean, E. (1960). Trichloroethylene Effects on Animal Behavior. 1: 106-108.
- Green, TM, G. W. Foster, J. R. (1997). Trichloroethylene-induced mouse lung tumors: Studies of the mode of action and comparisons between species. *Fundam Appl Toxicol.* 37: 125-130. <http://dx.doi.org/10.1006/faat.1997.2312>.
- Griffin, JMG, K. M. Lamps, L. W. Pumford, N. R. (2000). CD4+ T-cell activation and induction of autoimmune hepatitis following trichloroethylene treatment in MRL+/+ mice. *Toxicol Sci.* 57: 345-352.
- Grimmer, G; Schmidt, W. (1986). MODEL EXPERIMENTS ON THE PHYTOTOXICITY OF HALOGENATED HYDROCARBONS. *Angew Chem Int Ed Engl.* 25: 808-809.
- Hamada, NP, R. E. (1977). Effect of chlorinated aliphatic hydrocarbons on excretion of protein and electrolytes by rat pancreas. *Toxicol Appl Pharmacol.* 39: 185-194.
- Hamada, TT, H. (1995). Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut.* 87: 313-318. [http://dx.doi.org/10.1016/0269-7491\(94\)P4163-I](http://dx.doi.org/10.1016/0269-7491(94)P4163-I).

Environmental Hazard Literature Search Results

On Topic

- Hanioka, NO, E. Yoda, R. Jinno, H. Nishimura, T. Ando, M. (1997). Effect of trichloroethylene on cytochrome P450 enzymes in the rat liver. *Bull Environ Contam Toxicol.* 58: 628-635.
- Hardin, BDB, G. P. Sikov, M. R. Andrew, F. D. Beliles, R. P. Niemeier, R. W. (1981). Testing of selected workplace chemicals for teratogenic potential. *Scand J Work Environ Health.* 7: 66-75.
- Haseman, JKH, J. E. Zeiger, E. McConnell, E. E. (1987). Comparative Results of 327 Chemical Carcinogenicity Studies. 74: 229-235.
- Hawkins, WEF, J. W. Ishikawa, T. Walker, W. W. (1996). Germ Cell Neoplasms in Japanese Medaka. 8: 120-129.
- Hayashi, MU, T. Uyeno, K. Wada, K. Kinai, N. Saotome, K. Tanaka, N. Takai, A. Sasaki, Y. F. Asano, N. Sofuni, T. Ojima, Y. (1998). Development of genotoxicity assay systems that use aquatic organisms. *Mutat Res.* 399: 125-133.
- Heining, PH, R. W. (1993). Light- and electron microscopical studies on the prolonged toxicity of trichloroethylene on rainbow trout (*Oncorhynchus mykiss*). *Exp Toxicol Pathol.* 45: 2-3.
- Hendriks, AJS, M. D. (1993). Monitoring the response of microcontaminants by dynamic *Daphnia magna* and *Leuciscus idus* assays in the Rhine delta: Biological early warning as a useful supplement. *Ecotoxicol Environ Saf.* 26: 265-279.
- Hendriksen, PJF, A. P. Jonker, D. Thissen, U. Bogaards, J. J. Mumtaz, M. M. Groten, J. P. Stierum, R. H. (2007). Transcriptomics analysis of interactive effects of benzene, trichloroethylene and methyl mercury within binary and ternary mixtures on the liver and kidney following subchronic exposure in the rat. *Toxicol Appl Pharmacol.* 225: 171-188. <http://dx.doi.org/10.1016/j.taap.2007.08.017>.
- Henschler, DE, E. Neudecker, T. Metzler, M. (1977). Carcinogenicity of trichloroethylene: Fact or artifact? *Arch Toxicol.* 37: 233-236. <http://dx.doi.org/10.1007/BF00355492>.
- Henschler, DE, H. Romen, W. Eder, E. (1984). Carcinogenicity study of trichloroethylene, with and without epoxide stabilizers, in mice. *J Cancer Res Clin Oncol.* 107: 149-156. <http://dx.doi.org/10.1007/BF01032599>.
- Hermens, JB, F. Leeuwanch, P. Musch, A. (1985). Quantitative Correlation Studies Between the Acute Lethal Toxicity of 15 Organic Halides to the Guppy (*Poecilia reticulata*) and Chemical Reactivity Towards 4-Nitrobenzylpyridine. 9: 219-236.
- Hermens, JB, E. Canton, H. Wegman, R. (1985). QUANTITATIVE STRUCTURE-ACTIVITY RELATIONSHIPS AND MIXTURE TOXICITY STUDIES OF ALCOHOLS AND CHLOROHYDROCARBONS EFFECTS ON GROWTH OF *DAPHNIA-MAGNA*. *Aquat Toxicol. AMST:* 209-218.
- Hiatt, MH. (1983). Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography-mass spectrometry. *Anal Chem.* 55: 506-516.
- Hibino, Y, ui Wang, H. Naito, H. Zhao, N.,a Wang, D. Jia, X. Li, H. Song, X. Liu, L. Huang, Y. Ito, Y. Huang, H. Kamijima, M. Nakajima, T. (2013). Sex Differences in Metabolism of Trichloroethylene and Trichloroethanol in Guinea Pigs. *J Occup Health.* 55: 443-449.
- Hobara, TK, H. Higashihara, E. Kawamoto, T. Sakai, T. (1984). Acute effects of 1,1,1-trichloroethane, trichloroethylene, and toluene on the hematologic parameters in dogs. *Arch Environ Contam Toxicol.* 13: 589-593. <http://dx.doi.org/10.1007/BF01056337>.
- Hoffmann, P. (1987). CARDIOTOXICITY TESTING OF ORGANIC SOLVENTS BY CORONARY ARTERY LIGATION IN CLOSED-CHEST RATS. *Arch Toxicol.* 61: 79-82.
- Hoffmann, S. (1990). Studies of the Subacute Toxicity of Trichloroethylene on Rainbow Trout (*Oncorhynchus mykiss*). 282 p.(GER) (ENG ABS).
- Holcombe, GP, G. (1980). Acute Testing Series for Chlorinated Aliphatic Hydrocarbons and Pesticides Completed. 5-6.
- Holcombe, GW. (1979). Additional Data for Criteria Documents. 4 p.
- Houde, MD, M. Gagnon, P. Sproull, J. Cloutier, F. (2015). Exposure of *Daphnia magna* to trichloroethylene (TCE) and vinyl chloride (VC): evaluation of gene transcription, cellular activity, and life-history parameters. *Ecotoxicol Environ Saf.* 116: 10-18. <http://dx.doi.org/10.1016/j.ecoenv.2015.02.031>.
- Hrelia, PM, F. Vigagni, F. Fimognari, C. Flori, P. Stanzani, R. Forti, G. C. (1994). Interactive effects between trichloroethylene and pesticides at metabolic and genetic level in mice. *Environ Health Perspect.* 102: 31-34.
- Hrovat, MS, H. Jeram, S. (2009). Variability of In Vivo Fish Acute Toxicity Data. 54: 294-300.
- Inamori, YM, K. Sudo, R. Kikuchi, H. (1989). EFFECT OF ORGANOCHLORINE COMPOUNDS ON EXISTENCE AND GROWTH OF SOIL ORGANISMS (pp. 18-21). (BIOSIS/90/07741). Inamori, Y; Matushige, K; Sudo, R; Kikuchi, H.
- Inderjit Asakawa, CK, H. (2003). Phytotoxicity and fate of 1,1,2-trichloroethylene: A laboratory study. *J Chem Ecol.* 29: 1329-1335.
- Irving, RP, M. E. Elfarra, A. A. (2013). Characterization of the chemical reactivity and nephrotoxicity of N-acetyl-S-(1,2-dichlorovinyl)-L-cysteine sulfoxide, a potential reactive metabolite of trichloroethylene. *Toxicol Appl Pharmacol.* 267: 1-10. <http://dx.doi.org/10.1016/j.taap.2012.12.002>.
- Isaacson, LGS, S. A. Taylor, D. H. (1990). Trichloroethylene affects learning and decreases myelin in the rat hippocampus. *Neurotoxicol Teratol.* 12: 375-381. [http://dx.doi.org/10.1016/0892-0362\(90\)90057-J](http://dx.doi.org/10.1016/0892-0362(90)90057-J).
- Ishikawa, S; Nozaki, Y; Tsunemi, T; Kim, YW; Chikaoka, H; Soga, T; Iwasaki, J; Nakai, Y; Park, IS; Okuyama, K. (1994). Comparison of cardiac teratogenesis of dichloroethylene (DCE) in embryonic chick heart with that of trichloroethylene (TCE). *Teratology.* 50: 14-16.
- Ishikawa, SN, Y. Tsunemi, T. Chikaoka, H. (1990). Effects of trichloroethylene on embryonic chick heart. *Teratology.* 42: 12-13.
- Issacson, LGT, D. H. (1989). Maternal Exposure to 1,1,2-Trichloroethylene Affects Myelin in the Hippocampal Formation of the Developing Rat. 488: 403-407.
- James, CAX, G. Doty, S. L. Strand, S. E. (2008). Degradation of low molecular weight volatile organic compounds by plants genetically modified with mammalian cytochrome P450 2E1. *Environ Sci Technol.* 42: 289-293. <http://dx.doi.org/10.1021/es071197z>.
- Jaspers, RMAM, H. Lammers, J. H. C.,M Kulig, B. M. (1993). Mid-frequency hearing loss and reduction of acoustic startle responding in rats following trichloroethylene exposure. *Neurotoxicol Teratol.* 15: 407-412. [http://dx.doi.org/10.1016/0892-0362\(93\)90058-V](http://dx.doi.org/10.1016/0892-0362(93)90058-V).
- Johnson, OHC, S. Doeltz, M. K. Mccaleb, K. E. Miller, A. M. Papa, P. A. Swett, L. B. Valentini, M. A. Helmes, C. T. (1984). A study of biocides for the selection of candidates for carcinogen bioassay. *J Environ Sci Health, Part A: Environ Sci Eng.* 19: 1-26.

Environmental Hazard Literature Search Results

On Topic

- Johnson, PD. (2014). Erratum to: Threshold of Trichloroethylene Contamination in Maternal Drinking Waters Affecting Fetal Heart Development in the Rat. 122: A94.
- Jones, WE. (1975). Detection of Pollutants by Fish Tests. 24: 132-139.
- Jop, KM; Askew, AM; Terrio, KF; Simoes, AT. (1992). Application of the Short-Term Chronic Test with *Ceriodaphnia-Dubia* in Identifying Sources of Toxicity in Industrial Wastewaters. *Bull Environ Contam Toxicol*. 49: 765-771.
- Juhnke, IL, D. (1978). Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfe Test). 11: 161-164(GER) (ENG TRANSL) (OECDG Data File).
- Kaiser, KLM, M. B. Stendahl, D. H. Pett, W. B. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem*. 14: 2107-2113.
- Kawai, SN, A. (2009). Effects of Organotin on the Drug Metabolizing Enzymes in Fish. 14: 235-249.
- Kelley, SL; Aitchison, EW; Deshpande, M; Schnoor, JL; Alvarez, PJ. (2001). Biodegradation of 1,4-dioxane in planted and unplanted soil: Effect of bioaugmentation with *Amycolata* sp CB1190. *Water Res*. 35: 3791-3800. [http://dx.doi.org/10.1016/S0043-1354\(01\)00129-4](http://dx.doi.org/10.1016/S0043-1354(01)00129-4).
- Kelsey, JW; Colino, A; Koberle, M; White, JC. (2006). Growth conditions impact 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene (p,p'-DDE) accumulation by *Cucurbita pepo*. *Int J Phytoremediation*. 8: 261-271. <http://dx.doi.org/10.1080/15226510600846830>.
- Kelsey, JW; White, JC. (2005). Multi-species interactions impact the accumulation of weathered 2,2-bis (p-chlorophenyl)-1,1-dichloroethylene (p,p'-DDE) from soil. *Environ Pollut*. 137: 222-230. <http://dx.doi.org/10.1016/j.envpol.2005.02.027>.
- Kent, RAM, D. R. Walker, S. L. (1991). Data Gaps in the Aquatic Toxicology of Priority Pesticides and Industrial Toxic Substances in Canada. 1774: 1111-1124.
- Kim, SC, L. B. Boysen, G. Swenberg, J. A. Gold, A. Ball, L. M. Bradford, B. U. Rusyn, I. (2009). Liquid Chromatography Electrospray Ionization Tandem Mass Spectrometry Analysis Method for Simultaneous Detection of Trichloroacetic Acid, Dichloroacetic Acid, S-(1,2-Dichlorovinyl)Glutathione and S-(1,2-Dichlorovinyl)-L-Cysteine. 262: 230-238.
- Kim, SK, D. Pollack, G. M. Collins, L. B. Rusyn, I. (2009). Pharmacokinetic analysis of trichloroethylene metabolism in male B6C3F1 mice: Formation and disposition of trichloroacetic acid, dichloroacetic acid, S-(1,2-dichlorovinyl)glutathione and S-(1,2-dichlorovinyl)-L-cysteine. *Toxicol Appl Pharmacol*. 238: 90-99. <http://dx.doi.org/10.1016/j.taap.2009.04.019>.
- Kjellstrand, PB, M. Mortensen, I. Månsson, L. (1981). Effects of long-term exposure to trichloroethylene on the behavior of Mongolian gerbils (*Meriones unguiculatus*). *J Toxicol Environ Health A*. 8: 787-793. <http://dx.doi.org/10.1080/15287398109530114>.
- Klaassen, CDP, G. L. (1966). Relative effects of various chlorinated hydrocarbons on liver and kidney function in mice. *Toxicol Appl Pharmacol*. 9: 139-151.
- Klaassen, CDP, G. L. (1967). Relative effects of various chlorinated hydrocarbons on liver and kidney function in dogs. *Toxicol Appl Pharmacol*. 10: 119-131.
- Kline, ERM, V. R. Pickering, Q. H. Spehar, D. L. Stephan, C. E. (1987). EFFECTS OF POLLUTION ON FRESHWATER ORGANISMS. *J Water Pollut Control Fed*. 59: 539-572.
- Kluwe, WMA, K. M. Huff, J. (1984). CHRONIC KIDNEY DISEASE AND ORGANIC CHEMICAL EXPOSURES EVALUATIONS OF CAUSAL RELATIONSHIPS IN HUMANS AND EXPERIMENTAL ANIMALS. *Fundam Appl Toxicol*. 4: 899-901.
- Kluwe, WMH, C. L. Hook, J. B. (1979). Effects of dietary polychlorinated biphenyls and polybrominated biphenyls on the renal and hepatic toxicities of several chlorinated hydrocarbon solvents in mice. *J Toxicol Environ Health*. 5: 605-615. <http://dx.doi.org/10.1080/15287397909529773>.
- Kluwe, WMM, K. M. Hook, J. B. (1978). POTENTIATION OF HEPATIC AND RENAL TOXICITY OF VARIOUS COMPOUNDS BY PRIOR EXPOSURE TO POLY BROMINATED BI PHENYLS. *Environ Health Perspect*. 23: 241-246.
- Kobayashi, RI, T. Seo, M. Satoh, M. Inagaki, N. Nagai, H. Nagase, H. (2010). Enhancement of immediate allergic reactions by trichloroethylene ingestion via drinking water in mice. *J Toxicol Sci*. 35: 699-707.
- Koch, R. (1982). Chemical Structure Parameters as Criteria for the Classification of Environmental Pollutants (Strukturchemische Parameter als Kriterien zur Klassifizierung von Umweltschadstoffen). 11: 511-520(GER).
- Kordel, WK-C, D. Fabig, W. Otto, F. (1984). Überprüfung der Durchführbarkeit von Prüfungsvorschriften und der Aussagekraft der Stufen 1 und 2 des Chem. G. (OECDG Data File).
- Krebs, F. (1985). Okotoxikologische Bewertung von Abwassern und Umweltchemikalien. (OECDG Data File).
- Krebs, F. (1991). Bestimmung der Biologischen Schädigung Wassergefährdender Stoffe im Assimilations-Zehrungs-Test (A-Z-Test). 35: 161-170 (OECDG Data File).
- Kuhn, RC, J. H. (1979). Comparative Hydrobiological-Toxicological Results in Micro- and Macroorganisms of Biological Spectra (Vergleichende Hydrobiologisch-Toxikologische Befunde an Mikro- und Makroorganismen Biologischer Spektren). 58-68(GER) (ENG ABS).
- Kulig, BM. (1987). The Effects of Chronic Trichloroethylene Exposure to Neurobehavioral Functioning in the Rat. 9: 171-178.
- Lab, U. (1982). In Vivo Mutagenicity Studies with Trichloroethylene and Other Solvents (Preliminary Results) Prepared by Laboratorio di Genetica dell Università Delgi Studi.
- Labra, MM, F. Bernasconi, M. Bertacchi, D. Grassi, F. Bruni, I. Citterio, S. (2010). The Combined Toxic and Genotoxic Effects of Chromium and Volatile Organic Contaminants to *Pseudokirchneriella subcapitata*. *Water Air Soil Pollut*. 213: 57-70. <http://dx.doi.org/10.1007/s11270-010-0367-3>.
- Lambert, JDH; Campbell, G; Arnason, JT; Majak, W. (1991). Herbicidal Properties of alpha-Terthienyl, a Naturally Occurring Phototoxin. 71: 215-218.

Environmental Hazard Literature Search Results

On Topic

- Lash, LHP, D. A. Parker, J. C. (2006). Metabolism and tissue distribution of orally administered trichloroethylene in male and female rats: Identification of glutathione- and cytochrome P-450-derived metabolites in liver, kidney, blood, and urine. *J Toxicol Environ Health A*. 69: 1285-1309. <http://dx.doi.org/10.1080/15287390500360133>.
- Lash, LHP, D. A. Huang, P. Hueni, S. E. Parker, J. C. (2007). Modulation of hepatic and renal metabolism and toxicity of trichloroethylene and perchloroethylene by alterations in status of cytochrome P450 and glutathione. *Toxicology*. 235: 11-26. <http://dx.doi.org/10.1016/j.tox.2007.03.001>.
- Lau, SSF, M. E. Ferris, H. Venette, R. C. Scow, K. M. (1997). Development and testing of an assay for soil ecosystem health using the bacterial-feeding nematode *Cruzema tripartitum*. *Ecotoxicol Environ Saf*. 36: 133-139.
- Laughter, ARD, C. S. Swanson, C. L. Howroyd, P. Cattley, R. C. Corton, J. C. (2004). Role of the peroxisome proliferator-activated receptor alpha (PPARalpha) in responses to trichloroethylene and metabolites, trichloroacetate and dichloroacetate in mouse liver. *Toxicology*. 203: 83-98. <http://dx.doi.org/10.1016/j.tox.2004.06.014>.
- Lay, JPH, M. E. (1991). Ecotoxicological Effects of Trichloroethene upon Plankton. 31-32: 409-416.
- Lay, JPS, W. Klein, W. (1984). Effects of trichloroethylene on the population dynamics of phyto- and zooplankton in compartments of a natural pond. *Environ Pollut*. 33: 75-91.
- Leblanc, GA. (1980). Acute toxicity of priority pollutants to water flea (*Daphnia magna*). *Bull Environ Contam Toxicol*. 24: 684-691. <http://dx.doi.org/10.1007/BF01608174>.
- Leblanc, GAS, D. C. (1980). The Chronic Toxicity of 8 of the 65 Priority Pollutants to the Water Flea (*Daphnia magna*). 36 p.
- Lee, KMM, S. Schnellmann, R. G. Bruckner, J. V. (2000). Contribution of direct solvent injury to the dose-dependent kinetics of trichloroethylene: Portal vein administration to rats. *Toxicol Appl Pharmacol*. 164: 46-54. <http://dx.doi.org/10.1006/taap.2000.8891>.
- Loeber, CH, M. Diez De Pinos, S. Goldberg, S. (1988). Trichloroethylene: A cardiac teratogen in developing chick embryos. *Pediatr Res*. 24: 740-744. <http://dx.doi.org/10.1203/00006450-198812000-00018>.
- Loeber, CPH, M. C. Diez DE PINOS, S. M. Goldberg, S. J. (1987). TRICHLOROETHYLENE: A TERATOGEN IN DEVELOPING CHICK EMBRYOS (pp. 64A-65A). (ETICBACK/43637). Loeber, CP; Hendrix, MC; Diez DE PINOS, SM; Goldberg, SJ.
- Loekle, DMS, A. J. Christian, J. J. (1983). Effects of Chloroform, Tetrachloroethylene, and Trichloroethylene on Survival, Growth, and Liver of *Poecilia sphenops*. 30: 199-205.
- Lukavsky, JF, S. Ditttr, F. (2011). Toxicity of Trichloroethylene (TCE) on Some Algae and Cyanobacteria. *Bull Environ Contam Toxicol*. 86: 226-231. <http://dx.doi.org/10.1007/s00128-011-0195-1>.
- Lunney, AI; Rutter, A; Zeeb, BA. (2010). Effect of Organic Matter Additions on Uptake of Weathered DDT by *Cucurbita pepo* ssp *pepo* cv. Howden. *Int J Phytoremediation*. 12: 404-417. <http://dx.doi.org/10.1080/15226510903051773>.
- Ma, XB, J. G. (2003). TCE diffusion to the atmosphere in phytoremediation applications. *Environ Sci Technol*. 37: 2534-2539. <http://dx.doi.org/10.1021/es026055d>.
- Ma, XW, C. (2010). Fullerene Nanoparticles Affect the Fate and Uptake of Trichloroethylene in Phytoremediation Systems. *Environ Eng Sci*. 27: 989-992. <http://dx.doi.org/10.1089/ees.2010.0141>.
- Macdonald, JR; Gandolfi, AJ; Sipes, IG. (1982). Acetone Potentiation of 1,1,2-Trichloroethane Hepatotoxicity. 13: 57-69.
- Mackenzie, CL, Jr Shearer, L. W. (1959). Chemical Control of *Polydora websteri* and Other Annelids Inhabiting Oyster Shells. 50: 105-111.
- Magee, PS. (1991). COMPLEX FACTORS IN HYDROCARBON-WATER SOIL-WATER AND FISH-WATER PARTITIONING (pp. AMSTERDAM). (BIOSIS/92/22527). Magee, PS.
- Makwana, OA, L. Lencinas, A. Selmin, O. I. Runyan, R. B. (2013). Low-dose trichloroethylene alters cytochrome P450-2C subfamily expression in the developing chick heart. *Cardiovasc Toxicol*. 13: 77-84. <http://dx.doi.org/10.1007/s12012-012-9180-0>.
- Mally, AW, C. Everitt, J. Dekant, W. Vamvakas, S. (2006). Analysis of renal cell transformation following exposure to trichloroethene in vivo and its metabolite S-(dichlorovinyl)-L-cysteine in vitro. *Toxicology*. 224: 108-118. <http://dx.doi.org/10.1016/j.tox.2006.04.036>.
- Maltoni, CL, G. Cotti, G. Perino, G. (1988). Long-term carcinogenicity bioassays on trichloroethylene administered by inhalation to Sprague-Dawley rats and Swiss and B6C3F1 mice. *Ann N Y Acad Sci*. 534: 316-342. <http://dx.doi.org/10.1111/j.1749-6632.1988.tb30120.x>.
- Marco-Urrea, EP, T. Gabarrell, X. Caminal, G. Vicent, T. Adinarayana Reddy, C. (2008). Mechanistic of trichloroethylene mineralization by the white-rot fungus *Trametes versicolor*. *Chemosphere*. 70: 404-410. <http://dx.doi.org/10.1016/j.chemosphere.2007.06.074>.
- Marinucci, ACC, A. (1985). Effect of Trichloroethylene Concentration on Activity of Soil Microorganisms. (ABS).
- Matthias, UR, S. (1994). Erprobung des Dreissena-Monitors, eines neuen Biotestsystems mit der Zebramuschel (*Dreissena polymorpha*), in der Rhein-Gutemsstation Karlsruhe. 22: 161-165 (OECDG Data File).
- Mcconnell, GF, D. M. Pearson, C. R. (1975). Chlorinated hydrocarbons and the environment. *Endeavour*. 34: 13-18.
- Mccoy, GDR, H. S. Klopman, G. (1990). Non-mutagenic Carcinogens are Primarily Hydrophobic. 11: 1111-1117.
- McDaniel, TV; Ross, N; Martin, PA; Steer, H; Abbey, AM; Lesage, S. (2007). Bioremediation of tetrachloroethylene-contaminated groundwater in a model aquifer: effects on green frogs (*Rana clamitans*) and *Xenopus laevis* as potential wetland receptors. *Arch Environ Contam Toxicol*. 52: 410-417. <http://dx.doi.org/10.1007/s00244-005-8218-8>.
- Mcdaniel, TVM, P. A. Ross, N. Brown, S. Lesage, S. Pauli, B. D. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol*. 47: 101-109. <http://dx.doi.org/10.1007/s00244-004-3015-3>.
- McKim, JM; Lien, GJ; Hoffman, AD; Jenson, CT. (1999). Respiratory-Cardiovascular Physiology and Xenobiotic Gill Flux in the Lake Trout (*Salvelinus namaycush*). 123: 69-81.
- Mendelsohn, MLMD, I. I. Lohman, P. H. M. (1992). A method for comparing and combining short-term genotoxicity test data: results and interpretation. *DNA Repair*. 266: 43-60.

Environmental Hazard Literature Search Results

On Topic

- Mirsalis, JCT, C. K. Steinmetz, K. L. Loh, E. K. Hamilton, C. M. Bakke, J. P. Spalding, J. W. (1989). Measurement of unscheduled DNA synthesis and S-phase synthesis in rodent hepatocytes following in vivo treatment: Testing of 24 compounds. *Environ Mol Mutagen*. 14: 155-164. <http://dx.doi.org/10.1002/em.2850140305>.
- Mishima, NH, S. Hill, E. G. Krug, E. L. (2006). Chick embryos exposed to trichloroethylene in an ex ovo culture model show selective defects in early endocardial cushion tissue formation. *Birth Defects Res A Clin Mol Teratol*. 76: 517-527. <http://dx.doi.org/10.1002/bdra.20283>.
- Miyagawa, MT, H. Sugiyama, A. Inoue, Y. Murata, T. Uno, Y. Yoshikawa, K. (1995). The in vivo-in vitro replicative DNA synthesis (RDS) test with hepatocytes prepared from male B6C3F1 mice as an early prediction assay for putative nongenotoxic (Ames-negative) mouse hepatocarcinogens. *Mutat Res Genet Toxicol*. 343: 157-183.
- Moody, DER, J. K. Lake, B. G. Popp, J. A. Reese, D. H. (1991). Peroxisome proliferation and nongenotoxic carcinogenesis: commentary on a symposium. *Toxicol Sci*. 16: 233-248.
- Moser, VCC, B. M. Macphail, R. C. (1995). A MULTIDISCIPLINARY APPROACH TO TOXICOLOGICAL SCREENING .3. NEUROBEHAVIORAL TOXICITY. *J Toxicol Environ Health*. 45: 173-210.
- Moslen, MTR, E. S. Szabo, S. (1977). Enhancement of the metabolism and hepatotoxicity of trichloroethylene and perchloroethylene. *Biochem Pharmacol*. 26: 369-375. [http://dx.doi.org/10.1016/0006-2952\(77\)90193-9](http://dx.doi.org/10.1016/0006-2952(77)90193-9).
- Nagy, SA; Vasas, G; Yan, Z; Wang, W; Zhou, J; Yi, X; Zhang, J; Wang, X; Liu, Z. (2015). Screening of High Phytotoxicity Priority Pollutants and Their Ecological Risk Assessment in China's Surface Waters. 24: 823-834.
- Nakajima, TW, R. S. Elovaara, E. Park, S. S. Gelboin, H. V. Vainio, H. (1992). A comparative study on the contribution of cytochrome P450 isozymes to metabolism of benzene, toluene and trichloroethylene in rat liver. *Biochem Pharmacol*. 43: 251-257.
- Nalecz-Jawecki, GS, J. (2002). A comparison of sensitivity of Spirotox biotest with standard toxicity tests. *Arch Environ Contam Toxicol*. 42: 389-395.
- Narayanan, MR, N. K. Davis, L. C. Erickson, L. E. (1999). Fate and Transport of Trichloroethylene in a Chamber with Alfalfa Plants. *Int J Phytoremediation*. 1: 387-411. <http://dx.doi.org/10.1080/15226519908500026>.
- Narotsky, MGK, R. J. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health*. 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Narotsky, MGW, E. A. Chinchilli, V. M. Kavlock, R. J. (1995). Nonadditive developmental toxicity in mixtures of trichloroethylene, di(2-ethylhexyl) phthalate, and heptachlor in a 5 x 5 x 5 design. *Fundam Appl Toxicol*. 27: 203-216. <http://dx.doi.org/10.1093/toxsci/27.2.203>.
- Neely, WB. (1984). An Analysis of Aquatic Toxicity Data: Water Solubility and Acute LC50 Fish Data. 13: 813-819.
- Neuhauser, EFL, R. C. Malecki, M. R. Milligan, D. L. Durkin, P. R. (1985). The Toxicity of Selected Organic Chemicals to the Earthworm *Eisenia fetida*. 14: 383-388 (OECDG Data File).
- Neuhauser, EFL, R. C. Malecki, M. R. (1986). Contact and Artificial Soil Tests Using Earthworms to Evaluate the Impact of Wastes in Soil. 886: 192-203.
- Newman, LAS, S. E. Choe, N. Duffy, J. Ekuon, G. Ruzsaj, M. Shurtleff, B. B. Wilmoth, J. Heilman, P. Gordon, M. P. (1997). Uptake and biotransformation of trichloroethylene by hybrid poplars. *Environ Sci Technol*. 31: 1062-1067.
- Newman, LAW, X. Muiznieks, I. A. Ekuon, G. Ruzsaj, M. Cortellucci, R. Domroes, D. Karscig, G. Newman, T. Crampton, R. S. Hashmonay, R. A. Yost, M. G. Heilman, P. E. Duffy, J. Gordon, M. P. Strand, S. E. (1999). Remediation of trichloroethylene in an artificial aquifer with trees: A controlled field study. *Environ Sci Technol*. 33: 2257-2265.
- Niederlehner, BC, J. Smith, E. (1998). Modeling acute and chronic toxicity of nonpolar narcotic chemicals and mixtures to *Ceriodaphnia dubia*. *Ecotoxicol Environ Saf*. 39: 136-146. <http://dx.doi.org/10.1006/eesa.1997.1621>.
- Nietch, CTM, J. T. Vroblesky, D. A. (1999). Biophysical mechanisms of trichloroethene uptake and loss in baldcypress growing in shallow contaminated groundwater. *Environ Sci Technol*. 33: 2899-2904.
- Niklasson, MT, R. Larsby, B. Eriksson, B. (1993). Effects of toluene, styrene, trichloroethylene, and trichloroethane on the vestibulo- and opto-oculo motor system in rats. *Neurotoxicol Teratol*. 15: 327-334.
- Nirmalakhandan, NA, V. Mohsin, M. Sun, B. Cadena, F. (1994). Toxicity of mixtures of organic chemicals to microorganisms. *Water Res*. 28: 543-551.
- Nishiyuchi, Y. (1972). Toxicity of Pesticides to Some Water Organisms. 12: 122-128(JPN) (ENG TRANSL).
- NTP. (1982). Carcinogenesis Bioassay of TCE in F344 Rats and B6C3F1 Mice (CAS No. 79-01-6) No. 81-84. 2.
- NTP. (1983). Carcinogenesis Bioassay of Trichloroethylene (Without Epichlorohydrin) in F344/N Rats and B6C3F1/N Mice (Gavage Studies). 2.
- Nunes, JE, M. Robertson, J. (2001). Toxicosis associated with dual oral exposure of rats to lead and trichloroethylene. *Toxicol Pathol*. 29: 451-457.
- Nystrom, EA. (2010). Open-File Rep. (U. S. Geol. Surv.) Groundwater quality in the Lower Hudson River Basin, New York, 2008: U.S. Geological Survey.
- Odom, LB, J. Newman, L., ee. (2013). Distribution and Accumulation of Trichloroethylene and Trichloroacetic Acid in Hybrid Poplars. *J Environ Eng*. 139: 1162-1167. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000703](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000703).
- Okkerman, PCVDP, E. J. Emans, H. J. B. Canton, J. H. (1993). Validation of some extrapolation methods with toxicity data derived from multiple species experiments. *Ecotoxicol Environ Saf*. 25: 341-359.
- Orchard, BJD, W. J. Chard, J. K. Bugbee, B. (2000). Uptake of trichloroethylene by hybrid poplar trees grown hydroponically in flow-through plant growth chambers. *Environ Toxicol Chem*. 19: 895-903.
- P., NT. (1987). Toxicology and Carcinogenesis Studies of Trichloroethylene (CAS No.79-01-6) in Four Strains of Rats (ACI, August, Marshall, Osborne-Mendel) (Gavage Studies). 299 p.

Environmental Hazard Literature Search Results

On Topic

- P., NT. (1988). Toxicology and Carcinogenesis Studies of Trichloroethylene (CAS No.79-01-6) in Four Strains of Rats (ACI, August, Marshall, Osborne-Mendel) (Gavage Studies).
- Pauli, BDP, J. A. Money, S. L. (2000). RATL: A Database of Reptile and Amphibian Toxicology Literature. 494 p.
- Pearson, CRM, G. (1975). Chlorinated C1 and C2 hydrocarbons in the marine environment. *Proc Biol Sci.* 189: 305-332.
- Pestemer, WA, B. (1989). Suitability of a Test Plant Assortment for the Risk Assessment of Effects of Higher Plants Within the Framework of the Chemicals Law (Eignung eines Testpflanzensortiments zur Risikoabschätzung von Stoffwirkungen auf Höhere Pflanzen im Rahmen des Chemikaliengesetzes). 38: 120-125 (OECDG Data File).
- Phenrat, TL, Y. Tilton, R. D. Lowry, G. V. (2009). Adsorbed Polyelectrolyte Coatings Decrease Fe-0 Nanoparticle Reactivity with TCE in Water: Conceptual Model and Mechanisms. *Environ Sci Technol.* 43: 1507-1514. <http://dx.doi.org/10.1021/es802187d>.
- Powell, CLA, A. (2011). Biodegradation of Trichloroethene by Methane Oxidizers Naturally Associated with Wetland Plant Roots. *Wetlands.* 31: 45-52. <http://dx.doi.org/10.1007/s13157-010-0134-7>.
- Raevskii, OARS, A. N. Tonkopii, V. D. Iofina, I. V. Zagrebin, A. O. (2008). Classificatory and Quantitative Models of the Relationship Between the Structures of Chemical Compounds and Their Toxicity for *Daphnia magna*. 42: 329-334.
- Rajendran, S. (1982). Post-Fumigation Productivity of *Trogoderma granarium* Everts (Coleoptera: Dermestidae). 72: 247-251.
- Rajendran, SM, M. (1981). Post-Fumigation Productivity of *Sitophilus oryzae* (L.) (Coleoptera: Curculionidae) and *Tribolium castaneum* (Herbst) (Coleoptera: Tenebrionidae) Exposed to Acrylonitrile, Adjuvants of Acrylonitrile, Acrylonitrile-Adjuvant Mixtures and Other Modern Fumigants. 71: 163-169.
- Rajendran, SM, M. (1987). Delayed mortality of some stored product insects exposed to candidate fumigants. *Indian J Entomol.* 49: 363-369.
- Ralph, S; Petras, M. (1998). Caged amphibian tadpoles and in situ genotoxicity monitoring of aquatic environments with the alkaline single cell gel electrophoresis (comet) assay. *Mutat Res.* 413: 235-250. [http://dx.doi.org/10.1016/S1383-5718\(98\)00024-2](http://dx.doi.org/10.1016/S1383-5718(98)00024-2).
- Rana, SVSG, S. (1999). Phenobarbital Alters Liver and Kidney Function in Toluene- and Trichloroethylene-Treated Rats. 18: 3-10.
- Rayburn, J. R. Deyoung, D. J. Bantle, J. A. Fort, D. J. Mcnew, R. (1991). Altered developmental toxicity caused by three carrier solvents. *J Appl Toxicol.* 11: 253-260. <http://dx.doi.org/10.1002/jat.2550110405>.
- Rebert, CSD, V. L. Matteucci, M. J. Pryor, G. T. (1991). Sensory-evoked potentials in rats chronically exposed to trichloroethylene: Predominant auditory dysfunction. *Neurotoxicol Teratol.* 13: 83-90.
- Reimschuessel, R; Lipsky, MM; Bennett, RO; May, EB. (1989). Teleost model of toxic nephropathology [Abstract]. *Lab Invest.* 60: 77A.
- Roark, RCC, R. T. (1929). Tests of Various Aliphatic Compounds as Fumigants. 52 p.
- Rodricks, JVS, J. A. Borzelleca, J. F. Maronpot, R. R. Shipp, A. M. (2010). Triclosan: A critical review of the experimental data and development of margins of safety for consumer products. *Crit Rev Toxicol.* 40: 422-484. <http://dx.doi.org/10.3109/10408441003667514>.
- Rodriguez, CEM, D. A. Gearhart, J. M. Mattie, D. R. Lipscomb, J. C. Cook, R. S. Barton, H. A. (2007). Predicting age-appropriate pharmacokinetics of six volatile organic compounds in the rat utilizing physiologically based pharmacokinetic modeling. *Toxicol Sci.* 98: 43-56. <http://dx.doi.org/10.1093/toxsci/kfm082>.
- Rosenkranz, HSK, G. (1990). Structural basis of carcinogenicity in rodents of genotoxicants and non-genotoxicants. *Mutat Res-Fundam Mol Mech Mutagen.* 228: 105-124. [http://dx.doi.org/10.1016/0027-5107\(90\)90067-E](http://dx.doi.org/10.1016/0027-5107(90)90067-E).
- Rosenkranz, HSK, G. (1996). A study of the structural basis of the ability of chlorinated alkanes and alkenes to induce aneuploidy and toxicity in the mold *Aspergillus nidulans*. *Mutat Res.* 354: 183-193.
- Ruddick, JAV, D. C. Chu, I. Valli, V. E. (1983). A teratological assessment of four trihalomethanes in the rat. *J Environ Sci Health B.* 18: 333-349. <http://dx.doi.org/10.1080/03601238309372373>.
- Rufer, ESH, T. A. Flentke, G. R. Drake, V. J. Brody, M. J. Lough, J. Smith, S. M. (2010). Altered cardiac function and ventricular septal defect in avian embryos exposed to low-dose trichloroethylene. *Toxicol Sci.* 113: 444-452. <http://dx.doi.org/10.1093/toxsci/kfp269>.
- Saisho, KH, Y. Saeki, M. Toyoda, M. Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Saito, ST, A. Matsuo, M. (1991). The i/o-characters to describe bioconcentration of organic chemicals in fish. 23: 789-800.
- Sample, BEA, C. A. (1999). Allometric models for interspecies extrapolation of wildlife toxicity data. *Bull Environ Contam Toxicol.* 62: 653-663.
- Sanders, VMT, A. N. White, K. L., Jr Kauffmann, B. M. Hallett, P. Carchman, R. A. Borzelleca, J. F. Munson, A. E. (1982). Humoral and cell-mediated immune status in mice exposed to trichloroethylene in the drinking water. *Toxicol Appl Pharmacol.* 62: 358-368. [http://dx.doi.org/10.1016/0041-008X\(82\)90138-7](http://dx.doi.org/10.1016/0041-008X(82)90138-7).
- Sano, YN, H. Yoshioka, N. Etho, N. Nomiyama, T. Nishiwaki, Y. Takebayashi, T. Oame, K. (2009). Trichloroethylene liver toxicity in mouse and rat: microarray analysis reveals species differences in gene expression. *Arch Toxicol.* 83: 835-849. <http://dx.doi.org/10.1007/s00204-009-0431-1>.
- Savolainen, HP, P. Tengén, M. Vainio, H. (1977). Trichloroethylene and 1,1,1-trichloroethane: Effects on brain and liver after five days intermittent inhalation. *Arch Toxicol.* 38: 229-237. <http://dx.doi.org/10.1007/BF00293657>.
- Scarano, LJ. (1992). Evaluation of Rodent Peroxisome Proliferators in Two Species of Fish (Rainbow Trout; *Salmo gairdneri* and Japanese Medaka; *Oryzias latipes*). 217 p. (UMI# 9219493).
- Schäffner, P; Watzinger, A; Holzknecht, P; Wimmer, B; Reichenauer, TG. (2016). Transpiration and metabolisation of TCE by willow plants “a pot experiment. 18: 686-692.
- Schell, JDJ. (1987). Interactions of Halogenated Hydrocarbon Mixtures in the Embryo of the Japanese Medaka (*Oryzias latipes*). 179 p.

Environmental Hazard Literature Search Results

On Topic

- Scheubel, JB. (2001). Überprüfung der Durchführbarkeit von Prüfvorschriften und der Aussagekraft der Stufe I und II des Chemikaliengesetzes. Abschlussbericht. (GER) (OECDG Data File).
- Schnabel, WED, A. C. Burken, J. G. Schnoor, J. L. Alvarez, P. J. (1997). Uptake and transformation of trichloroethylene by edible garden plants. *Water Res.* 31: 816-824.
- Schöftner, P; Watzinger, A; Holzknicht, P; Wimmer, B; Reichenauer, TG. (2016). Transpiration and metabolisation of TCE by willow plants - a pot experiment. *Int J Phytoremediation.* 18: 686-692. <http://dx.doi.org/10.1080/15226514.2015.1131228>.
- Schroll, RB, B. Cao, G. Dorfler, U. Lahaniati, M. Langenbach, T. Scheunert, I. Winkler, R. (1994). Uptake pathways of organic chemicals from soil by agricultural plants. *Chemosphere.* 28: 297-303.
- Schubert, UW, L. Kull, U. (1995). Determination of Phytotoxicity of Several Volatile Organic Compounds by Investigating the Germination Pattern of Tobacco Pollen. 145: 514-518 (OECDG Data File).
- Schwetz, BAL, B. K. J. Gehring, P. J. (1975). The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol.* 32: 84-96. [http://dx.doi.org/10.1016/0041-008X\(75\)90197-0](http://dx.doi.org/10.1016/0041-008X(75)90197-0).
- Scudmore, KA; Goodship, G. (1992). The effect of fumigation with methyl bromide on the germination of different varieties of wheat, barley and oats. 20: 375-390.
- Seo, MI, K. Okamura, T. Kida, K. Satoh, M. Inagaki, N. Nagai, H. Nagase, H. (2008). Enhancing effect of chlorinated organic solvents on histamine release and inflammatory mediator production. *Toxicology.* 243: 75-83. <http://dx.doi.org/10.1016/j.tox.2007.09.024>.
- Shang, TQN, L. A. Gordon, M. P. (2003). Fate of Trichloroethylene in Terrestrial Plants. 529-560.
- Shelby, MDE, G. L. Hook, G. J. Tice, R. R. (1993). Evaluation of a three-exposure mouse bone marrow micronucleus protocol: results with 49 chemicals. *Environ Mol Mutagen.* 21: 160-179.
- Shelby, MDW, K. L. (1995). Comparison of results from mouse bone marrow chromosome aberration and micronucleus tests. *Environ Mol Mutagen.* 25: 302-313. <http://dx.doi.org/10.1002/em.2850250407>.
- Shen, TZ, Q. X. Yang, S. Wu, C. H. Zhang, H. F. Zhou, C. F. Zhang, X. J. (2008). Trichloroethylene induced cutaneous irritation in BALB/c hairless mice: histopathological changes and oxidative damage. *Toxicology.* 248: 113-120. <http://dx.doi.org/10.1016/j.tox.2008.03.016>.
- Silverman, APW, H. (1975). BEHAVIOR OF RATS EXPOSED TO TRICHLOROETHYLENE VAPOR. *Br J Ind Med.* 32: 308-315.
- Simmons, JEY, R. S. Svendsgaard, D. J. Thompson, M. B. Seely, J. C. McDonald, A. (1994). Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health.* 43: 305-325. <http://dx.doi.org/10.1080/15287399409531923>.
- Slooff, W. (1978). Biological Monitoring Based on Fish Respiration for Continuous Water Quality Control. 501-506.
- Slooff, W. (1979). DETECTION LIMITS OF A BIOLOGICAL MONITORING SYSTEM BASED ON FISH RESPIRATION. *Bull Environ Contam Toxicol.* 23: 4-5.
- Slooff, W. (1982). A Comparative Study on the Short-Term Effects of 15 Chemicals on Fresh Water Organisms of Different Tropic Levels. 25 p.(DUT) (ENG ABS) (NTIS/PB83-200386).
- Slooff, WB, R. (1980). Comparison of the Usefulness of the Mexican Axolotl (*Ambystoma mexicanum*) and the Clawed Toad (*Xenopus laevis*) in Toxicological Bioassays. 24: 439-443.
- Slooff, WDW, D. Marquenie, J. M. (1983). Detection Limits of a Biological Monitoring System for Chemical Water Pollution Based on Mussel Activity. 30: 400-405.
- Slooff, WVO, J. A. M. De Zwart, D. (1986). Margins of Uncertainty in Ecotoxicological Hazard Assessment. 5: 841-852.
- Smets, BFR, B. E. (1990). SORPTION EQUILIBRIA FOR TRICHLOROETHENE ON ALGAE. *Water Res.* 24: 355-360.
- Smith, ADB, A. Mallard, C. Orr, D. Smith, K. Sutton, J. A. Vukmanich, J. McCarty, L. S. Ozburn, G. W. (1991). The acute and chronic toxicity of ten chlorinated organic compounds to the American flagfish (*Jordanella floridae*). *Arch Environ Contam Toxicol.* 20: 94-102. <http://dx.doi.org/10.1007/BF01065334>.
- Smith, DCB, E. N. (1930). Some Effects of Seed Treatment on the Germination and Subsequent Growth of Wheat. 40: 25-36.
- Soimasuo, MRW, I. Villalobos, A. Hinton, D. E. (2001). Cytochrome P450 IA- and Stress Protein-Induction in Early Life Stages of Medaka (*Oryzias latipes*) Exposed to Trichloroethylene (TCE) Soot and Different Fractions. 6: 133-145.
- Soni, MG; Mehendale, HM. (1998). Role of tissue repair in toxicologic interactions among hepatotoxic organics [Review]. *Environ Health Perspect.* 106 Suppl 6: 1307-1317.
- Sorgo, G. (1976). Trichloroethylene-, Carbon Tetrachloride-, and Gasoline-Intoxication in Connection with Arterio- and Coronary Sclerosis (Trichloroethylen-, Tetrachlorkohlenstoff- und Benzinintoxikation als Atiologischer Faktor bei der Entstehung der Arterio- bzw. Koronarsklerose). 35: 295-318(GER) (ENG ABS).
- Spring, SEM, A. K. Anderson, M. J. (2004). Effects of trichloroethylene and perchloroethylene on wild rodents at Edwards Air Force Base, California, USA. *Environ Toxicol Chem.* 23: 2162-2169.
- Stanhope, A; Berry, CJ; Brigmon, RL. (2008). Field note: Phytoremediation of chlorinated ethenes in seepage sediments: Tree selection. 10: 529-546.
- Steiman, RS, F. Guiraud, P. Benoitguyod, J. L. (1995). TESTING OF CHLORINATED SOLVENTS ON MICROFUNGI. *Environ Toxicol Water Qual.* 10: 283-285.
- Storherr, RW. (1977). Report on Carbamate Pesticides, Fumigants, and Miscellaneous. 60: 368.
- Strycharz, SN, L. (2009). USE OF NATIVE PLANTS FOR REMEDIATION OF TRICHLOROETHYLENE: I. DECIDUOUS TREES. *Int J Phytoremediation.* 11: 150-170. <http://dx.doi.org/10.1080/15226510802378442>.

Environmental Hazard Literature Search Results

On Topic

- Strycharz, SN, L. (2009). USE OF NATIVE PLANTS FOR REMEDIATION OF TRICHLOROETHYLENE: II. CONIFEROUS TREES. *Int J Phytoremediation*. 11: 171-186. <http://dx.doi.org/10.1080/15226510802378459>.
- Su, Y, uH Liu, T. Liang, Y. C. (2010). Transport via xylem of trichloroethylene in wheat, corn, and tomato seedlings. *J Hazard Mater*. 182: 472-476. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.055>.
- Su, YL, Y. (2013). The foliar uptake and downward translocation of trichloroethylene and 1,2,3-trichlorobenzene in air-plant-water systems. *J Hazard Mater*. 252: 300-305. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.013>.
- Su, YZ, Y. Liang, Y. (2009). Interactions of mixed organic contaminants in uptake by rice seedlings. *Chemosphere*. 74: 890-895. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.05>.
- Tabrez, SA, M. (2011). Components of antioxidative system in *Allium cepa* as the toxicity monitor of trichloroethylene (TCE). *Toxicol Environ Chem*. 93: 73-84. <http://dx.doi.org/10.1080/02772248.2010.498375>.
- Tabrez, SA, M. (2011). Some Enzymatic/Nonenzymatic Antioxidants as Potential Stress Biomarkers of Trichloroethylene, Heavy Metal Mixture, and Ethyl Alcohol in Rat Tissues. *Environ Toxicol*. 26: 207-216. <http://dx.doi.org/10.1002/tox.20548>.
- Tabrez, SA, M. (2012). Genotoxicity of trichloroethylene in the natural milieu. *Int J Hyg Environ Health*. 215: 333-338. <http://dx.doi.org/10.1016/j.ijheh.2011.08.004>.
- Tadros, MGP, J. Patel, H. Pandiripally, V. (1994). Differential Response of Green Algal Species to Solvents. 52: 333-337.
- Tadros, MGP, J. Patel, H. Pandiripally, V. (1995). Differential response of marine diatoms to solvents. *Bull Environ Contam Toxicol*. 54: 924-929.
- Tang, XQ, B. Song, X. Li, S. Yang, X. Wang, H. Huang, H. Kamijima, M. Nakajima, T. Lin, Y. Li, L. (2008). Characterization of liver injury associated with hypersensitive skin reactions induced by trichloroethylene in the guinea pig maximization test. *J Occup Health*. 50: 114-121.
- Tawatsin, A; Thavara, U; Chompoonsri, J; Phusup, Y; Jonjang, N; Khumsawads, C; Bhakdeenuan, P; Sawanpanyalert, P; Asavadachanukorn, P; Mulla, MS; Siriyasatien, P; Debboun, M. (2011). Insecticide resistance in bedbugs in Thailand and laboratory evaluation of insecticides for the control of *Cimex hemipterus* and *Cimex lectularius* (Hemiptera: Cimicidae). *J Med Entomol*. 48: 1023-1030. <http://dx.doi.org/10.1603/ME11003>.
- Taylor, DHL, K. E. Zaccaro, D. J. Pfohl, R. J. Laurie, R. D. (1985). Effects of Trichloroethylene on the Exploratory and Locomotor Activity of Rats Exposed During Development. 47: 415-420.
- Tham, RB, I. Eriksson, B. Larsby, B. Lindgren, S. Odkvist, L. M. (1984). Vestibulo-ocular disturbances in rats exposed to organic solvents. *Acta Pharmacol Toxicol*. 54: 58-63. <http://dx.doi.org/10.1111/j.1600-0773.1984.tb01895.x>.
- Toraason, MC, J. Dankovic, D. Mathias, P. Skaggs, S. Walker, C. Werren, D. (1999). Oxidative stress and DNA damage in Fischer rats following acute exposure to trichloroethylene or perchloroethylene. *Toxicology*. 138: 43-53. [http://dx.doi.org/10.1016/S0300-483X\(99\)00083-9](http://dx.doi.org/10.1016/S0300-483X(99)00083-9).
- Tsai, KPC, C. Y. (2007). An Algal Toxicity Database of Organic Toxicants Derived by a Closed-System Technique. 26: 1931-1939.
- Tsuji, ST, Y. Ito, Y. Kanoh, S. (1986). The Influence of Rearing Temperatures on the Toxicity of Various Environmental Pollutants for Killifish (*Oryzias latipes*). 32: 46-53(JPN) (ENG ABS).
- U.S. EPA. (1978). In-Depth Studies on Health and Environmental Impacts of Selected Water Pollutants. 9 p. (PUBL IN PART AS 5175, 5184, 5590, 9953, 10366, 20456, 83925, 120941).
- U.S. EPA. (1980). Water Quality Criteria Documents. 45: 79318-79379(ABS).
- U.S. EPA. (1980). Water Quality Criteria Documents; Availability. 45: 79319-79377.
- U.S. EPA. (1995). Final Water Quality Guidance for the Great Lakes System. 60: 15366-15422.
- Umegaki, KI, S. Ichikawa, T. (1993). Hepatic DNA damage in mice given organochlorine chemicals (pp. 68-73). (ISSN 0015-6426 EISSN 1882-1006 BIOSIS/93/19117). Umegaki, K; Ikegami, S; Ichikawa, T.
- Umezu, TY, J. Soma, Y. Miura, T. (1997). Behavioral effects of trichloroethylene and tetrachloroethylene in mice. *Pharmacol Biochem Behav*. 58: 665-671. [http://dx.doi.org/10.1016/S0091-3057\(97\)00046-4](http://dx.doi.org/10.1016/S0091-3057(97)00046-4).
- USEpa. (1980). Ambient Water Quality Criteria for Trichloroethylene. EPA 440/5-80-077.
- Vaal, MVDW, J. T. Hermens, J. Hoekstra, J. (1997). Pattern analysis of the variation in the sensitivity of aquatic species to toxicants. *Chemosphere*. 35: 1291-1309.
- Vainio, HS, H. Pfaffli, P. (1978). Biochemical and toxicological effects of combined exposure to 1,1,1-trichloroethane and trichloroethylene on rat liver and brain. *Xenobiotica*. 8: 191-196.
- Valencia, R; Mason, JM; Woodruff, RC; Zimmering, S. (1985). Chemical mutagenesis testing in *Drosophila*. III. Results of 48 coded compounds tested for the National Toxicology Program. *Environ Mutagen*. 7: 325-348. <http://dx.doi.org/10.1002/em.2860070309>.
- van Beelen, PV, E. M. J. Peijnenburg, W. J. G.,M. (2003). The evaluation of the equilibrium partitioning method using sensitivity distributions of species in water and soil. *Chemosphere*. 52: 1153-1162. [http://dx.doi.org/10.1016/S0045-6535\(03\)00359-X](http://dx.doi.org/10.1016/S0045-6535(03)00359-X).
- Van den Berg, KJvR, J. A. Bragt, P. C. Notten, W. R. (1991). Interactions of halogenated industrial chemicals with transthyretin and effects on thyroid hormone levels in vivo. *Arch Toxicol*. 65: 15-19. <http://dx.doi.org/10.1007/BF01973497>.
- Vanaja, D; Rao, BR. (1992). The Flukicidal Activity of Hexachloroethane Ranide and Vermitan on the Free Amino Acid Content of *Fischoederius-Cobboldi* an Amphistome and Host Buffalo. 19: 285-286.
- Vanderwal, JJ; Lovett Doust, L. (1998). EFFECT OF CADMIUM ON THE MORPHOLOGY OF *VALLISNERIA AMERICANA* AND THE DEVELOPMENT OF A NEW MEASUREMENT TECHNIQUE (pp. ANN ARBOR). (BIOSIS/98/34899). Vanderwal, JJ; Lovett DOUST, L.
- Veith, GDC, D. J. Brooke, L. T. (1983). Structure-toxicity relationships for the fathead minnow, *Pimephales promelas*: Narcotic industrial chemicals. *Can J Fish Aquat Sci*. 40: 743-748.
- Veith, GDM, K. J. Petrocelli, S. R. Carroll, J. (1980). An evaluation of using partition coefficients and water solubility to estimate bioconcentration factors for organic chemicals in fish. pp: 116-129.

Environmental Hazard Literature Search Results

On Topic

- Verma, YR, S. (2003). Gender differences in the metabolism of benzene, toluene and trichloroethylene in rat with special reference to certain biochemical parameters. *J Environ Biol.* 24: 135-140.
- Vernot, EHM, J. D. Haun, C. C. Kinkead, E. R. (1977). Acute toxicity and skin corrosion data for some organic and inorganic compounds and aqueous solutions. *Toxicol Appl Pharmacol.* 42: 417-423. [http://dx.doi.org/10.1016/0041-008X\(77\)90019-9](http://dx.doi.org/10.1016/0041-008X(77)90019-9).
- Verrett, MJS, W. F. Reynaldo, E. F. Alterman, E. K. Thomas, C. A. (1980). Toxicity and teratogenicity of food additive chemicals in the developing chicken embryo. *Toxicol Appl Pharmacol.* 56: 265-273.
- Vidal, MB, A. Narbonne, J. (2001). Potential biomarkers of trichloroethylene and toluene exposure in *Corbicula fluminea*. *Environ Toxicol Pharmacol.* 9: 87-97.
- Vidal, MLB, A. Narbonne, J. F. (2001). Interest of a multibiomarker approach in the assessment of freshwater ecosystem quality: laboratory and field studies. *Water Sci Technol.* 44: 305-312.
- Villalobos, SAA, M. J. Denison, M. S. Hinton, D. E. Tullis, K. Kennedy, I. M. Jones, A. D. Chang D, P. Y. Yang, G. Kelly, P. (1996). Dioxinlike properties of a trichloroethylene combustion-generated aerosol. *Environ Health Perspect.* 104: 734-743.
- Vodela, JKL, S. D. Renden, J. A. Mcelhenney, W. H. Kemppainen, B. W. (1997). Drinking water contaminants (arsenic, cadmium, lead, benzene, and trichloroethylene). 2. Effects on reproductive performance, egg quality, and embryo toxicity in broiler breeders. *Poult Sci.* 76: 1493-1500.
- Vodela, JKR, J. A. Lenz, S. D. Mcelhenney, W. H. Kemppainen, B. W. (1997). Drinking water contaminants (arsenic, cadmium, lead, benzene, and trichloroethylene). 1. Interaction of contaminants with nutritional status on general performance and immune function in broiler chickens. *Poult Sci.* 76: 1474-1492.
- Vogel, EWG, U. Frei, H. J. Nivard, M. M. (1999). The results of assays in *Drosophila* as indicators of exposure to carcinogens [Review]. *IARC Sci Publ.* 146: 427-470.
- Wang, C; Ma, X; Walsh, MP. (2011). Competitive uptake and phytomonitoring of chlorinated contaminant mixtures by Redosier dogwood (*Cornus sericea*). *Int J Phytoremediation.* 13: 333-344. <http://dx.doi.org/10.1080/15226514.2010.495146>.
- Wang, GA, G. A. S. Khan, M. F. (2007). Involvement of lipid peroxidation-derived aldehyde-protein adducts in autoimmunity mediated by trichloroethene. *J Toxicol Environ Health A.* 70: 1977-1985. <http://dx.doi.org/10.1080/15287390701550888>.
- Wang, GDW, J. L. Fan, X. Z. Ansari, G. A. S. Khan, M. F. (2011). Protein Adducts of Malondialdehyde and 4-Hydroxynonenal Contribute to Trichloroethene-Mediated Autoimmunity via Activating th17 Cells: Dose- and Time-Response Studies in Female mrl+/+ Mice. 290: 113-122.
- Wang, GW, J. Ma, H. Khan, M. F. (2009). Increased nitration and carbonylation of proteins in MRL+/+ mice exposed to trichloroethene: potential role of protein oxidation in autoimmunity. *Toxicol Appl Pharmacol.* 237: 188-195. <http://dx.doi.org/10.1016/j.taap.2009.03.010>.
- Ward, GST, A. J. Petrocelli, S. R. (1986). ACUTE TOXICITY OF TRICHLOROETHYLENE TO SALTWATER ORGANISMS. *Bull Environ Contam Toxicol.* 37: 830-836.
- Weisburger, EK. (1977). Carcinogenicity studies on halogenated hydrocarbons. *Environ Health Perspect.* 21: 7-16.
- Weyens, NB, B. Schellingen, K. Ceulemans, R. van der Lelie, D. Newman, L. Taghavi, S. Carleer, R. Vangronsveld, J. (2015). The Potential of the Ni-Resistant TCE-Degrading *Pseudomonas putida* W619-TCE to Reduce Phytotoxicity and Improve Phytoremediation Efficiency of Poplar Cuttings on A Ni-TCE Co-Contamination. *Int J Phytoremediation.* 17: 40-48. <http://dx.doi.org/10.1080/15226514.2013.828016>.
- Weyens, NC, S. Dupae, J. Newman, L., ee van Der Lelie, D. Carleer, R. Vangronsveld, J. (2010). Endophytic bacteria improve phytoremediation of Ni and TCE co-contamination. *Environ Pollut.* 158: 2422-2427. <http://dx.doi.org/10.1016/j.envpol.2010.04.004>.
- Williams, GMP, C. (1996). Mechanism-based risk assessment of peroxisome proliferating rodent hepatocarcinogens. *Ann N Y Acad Sci.* 804: 554-572. <http://dx.doi.org/10.1111/j.1749-6632.1996.tb18645.x>.
- Williams, PLJ, R. C. Roberts, S. M. (2000). Principles of Toxicology: Environmental and Industrial Applications. 603 p.
- Withey, JRC, B. T. Collins, P. G. (1983). Effect of vehicle on the pharmacokinetics and uptake of four halogenated hydrocarbons from the gastrointestinal tract of the rat. *J Appl Toxicol.* 3: 249-253. <http://dx.doi.org/10.1002/jat.2550030506>.
- Wright, PFAT, W. D. Stacey, N. H. (1991). Effects of trichloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicology.* 70: 231-242.
- Wu, KLB, T. (2008). Ovarian gene expression is stable after exposure to trichloroethylene. *Toxicol Lett.* 177: 59-65. <http://dx.doi.org/10.1016/j.toxlet.2007.12.008>.
- Wu, KLB, T. (2008). Reduction in rat oocyte fertilizability mediated by S-(1, 2-dichlorovinyl)-L-cysteine: a trichloroethylene metabolite produced by the glutathione conjugation pathway. *Bull Environ Contam Toxicol.* 81: 490-493. <http://dx.doi.org/10.1007/s00128-008-9509-3>.
- Yadav, JSB, C. Reddy, C. A. (2000). Mineralization of trichloroethylene (TCE) by the white rot fungus *Phanerochaete chrysosporium*. *Bull Environ Contam Toxicol.* 65: 28-34.
- Yan, ZW, W. Zhou, J. Yi, X. Zhang, J. Wang, X. Liu, Z. (2015). Screening of high phytotoxicity priority pollutants and their ecological risk assessment in China's surface waters. *Chemosphere.* 128C: 28-35. <http://dx.doi.org/10.1016/j.chemosphere.2015.01.015>.
- Yang, DP, S. V. Son, K., iC Kays, S. J. (2009). Screening Indoor Plants for Volatile Organic Pollutant Removal Efficiency. *HortScience.* 44: 1377-1381.
- Yaqoob, NE, A. Foster, J. R. Lock, E. A. (2014). Trichloroethylene and trichloroethanol-induced formic aciduria and renal injury in male F-344 rats following 12 weeks exposure. *Toxicology.* 323: 70-77. <http://dx.doi.org/10.1016/j.tox.2014.06.004>.
- Yee, DCM, J. A. Wood, T. K. (1998). Rhizoremediation of trichloroethylene by a recombinant, root-colonizing *Pseudomonas fluorescens* strain expressing toluene ortho-monooxygenase constitutively. *Appl Environ Microbiol.* 64: 112-118.
- Yoshikawa, K. (1996). Anomalous nonidentity between *Salmonella* genotoxicants and rodent carcinogens and genotoxic noncarcinogens [Review]. *Environ Health Perspect.* 104: 40-46. <http://dx.doi.org/10.2307/3432758>.

Environmental Hazard Literature Search Results

On Topic

- Yoshioka, YM, T. Ose, Y. Sato, T. (1986). THE ESTIMATION FOR TOXICITY OF CHEMICALS ON FISH BY PHYSICO-CHEMICAL PROPERTIES. *Chemosphere*. 15: 195-204.
- Yoshioka, YO, Y. Sato, T. (1985). Testing for the toxicity of chemicals with *Tetrahymena pyriformis*. *Sci Total Environ*. 43: 149-157.
- Yoshioka, YO, Y. Sato, T. (1986). Correlation of the Five Test Methods to Assess Chemical Toxicity and Relation to Physical Properties. 12: 15-21.
- Yoshioka, YO, Y. Sato, T. (1986). Testing and Evaluation of Chemical Toxicity on Tubifex. 32: 308-311(JPN) (ENG ABS).
- Young, DRG, R. W. Baird, R. B. Brown, D. A. Taylor, P. A. Miille, M. J. (1983). Wastewater Inputs and Marine Bioaccumulation of Priority Pollutant Organics Off Southern California. 871-884.
- Young, HD. (1929). Effect of Various Fumigants on the Germination of Seeds. 39: 925-927.
- Yu, JL, J. Shen, T. Zhou, C. Xu, H.,ui Jiang, T.,ao Xu, S. Zhu, Q.,ix. (2012). Possible role of complement activation in renal impairment in trichloroethylene-sensitized guinea pigs. *Toxicology*. 302: 172-178. <http://dx.doi.org/10.1016/j.tox.2012.06.008>.

Environmental Hazard Literature Search Results

Off Topic

- AACR. (2016). Carcinogens Report Lists Seven New Substances. *Cancer Discovery*.
- Abbas, R; Fisher, JW. (1997). A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol*. 147: 15-30.
- Abbas, RR; Black, RK; Janicki, TJ; Garrity, BL; McCafferty, JD; Fisher, JW. (1995). DISPOSITION OF TRICHLOROETHYLENE AND ITS METABOLITES IN B6C3F1 MICE AFTER ORAL ADMINISTRATION. Annual Meeting Of The American Association Of Pharmaceutical Scientists, Miami Beach, Florida, Usa, November. 12.
- Abdelghani, A; Chovelon, JM; Jaffrezic-Renault, N; Veilla, C; Gagnaire, H. (1997). Chemical vapour sensing by surface plasmon resonance optical fibre sensor coated with fluoropolymer. *Anal Chim Acta*. 337: 225-232.
- Abdul, AS; Gibson, TL; Rai, DN. (1990). Laboratory studies of the flow of some organic solvents and their aqueous solutions through bentonite and kaolin clays. *Ground Water*. 28: 524-533.
- Abdullah, AZ; Bakar, MZ; Bhatia, S. (2006). Combustion of chlorinated volatile organic compounds (VOCs) using bimetallic chromium-copper supported on modified H-ZSM-5 catalyst. *J Hazard Mater*. 129: 39-49.
- Abe, A. (1999). Distribution of 1,4-dioxane in relation to possible sources in the water environment. *The Science of the total environment*. 227: 41-47.
- Abe, Y; Aravena, R; Zopfi, J; Parker, B; Hunkeler, D. (2009). Evaluating the fate of chlorinated ethenes in streambed sediments by combining stable isotope, geochemical and microbial methods. *J Contam Hydrol*. 107.
- Abo-Elyazeed, E; Lotfy, A; Ismail, S; Eldeen, NM; Sheashaa, H; Sobh, M; Salama, M. (2014). TCE effects on proliferating neural progenitor cells of rat. *Toxicol Lett*. 229, Supplement: S238.
- Abrahamsson, K; Bertilsson, S; Chierici, M; Fransson, A; Froneman, PW; Loren, A; Pakhomov, EA. (2004). Variations of biochemical parameters along a transect in the Southern Ocean, with special emphasis on volatile halogenated organic compounds. *Deep-Sea Research Part II- Topical Studies in Oceanography*. 51: 2745-2756.
- Abrahamsson, K; Choo, KS; Pedersen, M; Johansson, G; Snoeijs, P. (2003). Effects of temperature on the production of hydrogen peroxide and volatile halocarbons by brackish-water algae. *Phytochemistry*. 64: 725-734.
- Abrahamsson, K; Dyrssen, D; Jøgebrant, G; Krysell, M. (1989). HALOCARBON CONCENTRATIONS IN ASKEROFJORDEN SWEDEN RELATED TO THE WATER EXCHANGE AND INPUTS FROM THE PETROCHEMICAL SITE AT STENUNGSUND SWEDEN. *Vatten*. 45: 3-8.
- Abrahamsson, K; Ekdahl, A. (1996). Volatile halogenated compounds and chlorophenols in the Skagerrak. *Journal Of Sea Research*. 35: 73-79.
- Abrahamsson, K; Klick, S. (1989). DISTRIBUTION AND FATE OF HALOGENATED ORGANIC SUBSTANCES IN AN ANOXIC MARINE ENVIRONMENT. *Chemosphere*. 18: 2247-2256.
- Abrahamsson, K; LorÅn, A; Wulff, A; WÅngberg, S-Åk. (2004). Air-Å sea exchange of halocarbons: the influence of diurnal and regional variations and distribution of pigments. *Deep Sea Research Part II: Topical Studies in Oceanography*. 51: 2789-2805.
- Abrahamsson, K; Loren, A; Wulff, A; Wangberg, SA. (2004). Air-sea exchange of halocarbons: the influence of diurnal and regional variations and distribution of pigments. *Deep-Sea Research Part II-Topical Studies in Oceanography*. 51: 2789-2805.
- Abrahamsson, K; Pedersen, M. (2000). Evidence of the natural production of trichloroethylene (Reply to the comment by Marshall et al.). *Limnol Oceanogr*. 45: 520-522.
- Abramovitch, RA; Bangzhou, H; Abramovitch, DA; Jiangao, S. (1999). In situ decomposition of PAHs in soil and desorption of organic solvents using microwave energy. *Chemosphere*. 39: 81-87.
- Abriola, LM; Bradford, SA. (1998). Experimental investigations of the entrapment and persistence of organic liquid contaminants in the subsurface environment. *Environ Health Perspect*. 106: 1083-1095.
- Abriola, LM; Drummond, CD; Hahn, EJ; Hayes, KF; Kibbey, TC; Lemke, LD; Pennell, KD; Petrovskis, EA; Ramsburg, CA; Rathfelder, KM. (2005). Pilot-scale demonstration of surfactant-enhanced PCE solubilization at the Bachman Road site. 1. Site characterization and test design. *Environmental science & technology*. 39: 1778-1790.
- Abu Hamed, T; Bayraktar, E; Mehmetoglu, T; Mehmetoglu, U. (2013). Cometabolic Degradation of Trichloroethylene by Single- and Two-Phase Systems. *Soil & Sediment Contamination*. 22: 85-94.

Environmental Hazard Literature Search Results

Off Topic

- Abu-El-Sha'r, WY. (1993). Experimental assessment of multicomponent gas transport flux mechanisms in subsurface systems. PhD Thesis, University of Michigan 135.
- Acha, V; Meurens, M; Naveau, H; Agathos, SN. (1998). ATR-FTIR sensor for monitoring aliphatic chlorinated hydrocarbons continuously on-line in a fixed bed bioreactor. *Mededelingen Faculteit Landbouwkundige En Toegepaste Biologische Wetenschappen Universiteit Gent*. 63: 1795-1801.
- Acharya, S; Mehta, K; Rodriguez, S; Pereira, J; Krishnan, S; Rao, CV. (1997). A histopathological study of liver and kidney in male Wistar rats treated with subtoxic doses of t-butyl alcohol and trichloroacetic acid. *Exp Toxicol Pathol*. 49: 369-373.
- Ackermann, GE; Brombacher, E; Fent, K. (2002). Development of a fish reporter gene system for the assessment of estrogenic compounds and sewage treatment plant effluents. *Environmental toxicology and chemistry / SETAC*. 21: 1864-1875.
- Acosta, E; Tran, S; Uchiyama, H; Sabatini, DA; Harwell, JH. (2002). Formulating chlorinated hydrocarbon microemulsions using linker molecules. *Environmental Science & Technology*. 36: 4618-4624.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem*. 49: 1309-1314.
- Adachi, A; Kamiyama, T; Tanaka, T; Nakatani, M; Muguruma, R; Okano, T. (2000). Studies on defatted seed removal efficiency for organochlorine compounds. *J Agric Food Chem*. 48: 6158-6162.
- Adachi, A; Kobayashi, T. (1994). VOLATILE CHLORINATED ORGANIC COMPOUND LEVELS IN RAIN WATER FROM KOBE CITY IN JAPAN. *Bull Environ Contam Toxicol*. 52: 9-12.
- Adachi, A; Ozaki, H; Kasuga, I; Okano, T. (2006). Use of beer bran as an adsorbent for the removal of organic compounds from wastewater. *J Agric Food Chem*. 54: 6209-6211.
- Adachi, A; Sakurai, H; Okano, T. (2007). Effect of spherosome on degradation of tetrachloroethylene in soil. *J Agric Food Chem*. 55: 9149-9151.
- Adam, PJ; Regan, CP; Hautmann, MB; Owens, GK. (2000). Positive- and negative-acting Kruppel-like transcription factors bind a transforming growth factor beta control element required for expression of the smooth muscle cell differentiation marker SM22 alpha in vivo. *J Biol Chem*. 275: 37798-37806.
- Adamczyk, P; Dybala-Defratyka, A; Paneth, P. (2011). DFT Study of Trichloroethene Reaction with Permanganate in Aqueous Solution. *Environmental Science & Technology*. 45: 3006-3011.
- Adams, H; Chekmeneva, E; Hunter, CA; Misuraca, MC; Navarro, C; Turega, SM. (2013). Quantification of the Effect of Conformational Restriction on Supramolecular Effective Molarities. *J Am Chem Soc*. 135: 1853-1863.
- Adams, JA. (1999). System effects on the remediation of contaminated saturated soils and groundwater using air sparging. PhD Thesis, University of Illinois at Chicago.
- Adams, JA; Reddy, KR. (1999). Laboratory study of air sparging of TCE-Contaminated saturated soils and ground water. *Ground Water Monitoring and Remediation*. 19: 182-190.
- Adams, JA; Reddy, KR; Tekola, L. (2011). Remediation of Chlorinated Solvent Plumes Using In-Situ Air Sparging-A 2-D Laboratory Study. *Int J Environ Res Public Health*. 8: 2226-2239.
- Adams, JQ; Clark, RM. (1991). Evaluating the costs of packed-tower aeration and GAC for controlling selected organics. *Am Water Works Assoc J*. 83: 49-57.
- Adams, JQ; Clark, RM; Miltner, RJ. (1989). CONTROLLING ORGANICS WITH GAC A COST AND PERFORMANCE ANALYSIS. *Am Water Works Assoc J*. 81: 132-140.
- Adams, MS; Kausch, H; Gaumert, T; Krueger, KE. (1996). THE EFFECT OF THE REUNIFICATION OF GERMANY ON THE WATER CHEMISTRY AND ECOLOGY OF SELECTED RIVERS. *Environ Conserv*. 23: 35-43.
- Adams, SM; Aksenova, MV; Aksenov, MY; Mactutus, CF; Booze, RM. (2012). Soy isoflavones genistein and daidzein exert anti-apoptotic actions via a selective ER-mediated mechanism in neurons following HIV-1 Tat(1-86) exposure. *PLoS ONE*. 7: e37540.
- Adamson, DT; Anderson, RH; Mahendra, S; Newell, CJ. (2015). Evidence of 1,4-Dioxane Attenuation at Groundwater Sites Contaminated with Chlorinated Solvents and 1,4-Dioxane. *Environmental Science & Technology*. 49: 6510-6518.
- Adamson, DT; Lyon, DY; Hughes, JB. (2004). Flux and product distribution during biological treatment of tetrachloroethene dense non-aqueous-phase liquid. *Environmental science & technology*. 38: 2021-2028.
- Adamson, DT; Mahendra, S; Walker, KL; Rauch, SR; Sengupta, S; Newell, CJ. (2014). A Multisite Survey To Identify the Scale of the 1,4-Dioxane Problem at Contaminated Groundwater Sites. *Environ Sci Technol Lett*. 1: 254-258.
- Adamson, DT; McDade, JM; Hughes, JB. (2003). Inoculation of DNAPL source zone to initiate reductive dechlorination of PCE. *Environmental Science & Technology*. 37: 2525-2533.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res*. 33: 1482-1494.
- Adamson, DT; Parkin, GF. (2001). Product distribution during transformation of multiple contaminants by a high-rate, tetrachloroethene-dechlorinating enrichment culture. *Biodegradation*. 12: 337-348.
- Ade, P; Vittozzi, L; Bogen, KT; McKone, TE. (1988). Linking indoor air and pharmacokinetic models to assess tetrachloroethylene risk. *Drug Chem Toxicol*. 11: 387-403.
- Ade, P; Vittozzi, L; Urano, K; Kawamoto, K; Abe, Y; Otake, M. (1988). Chlorinated organic compounds in urban air in Japan. *Drug Chem Toxicol*. 11: 387-403.

Environmental Hazard Literature Search Results

Off Topic

- Adetutu, EM; Gundry, TD; Patil, SS; Golneshin, A; Adigun, J; Bhaskarla, V; Aleer, S; Shahsavari, E; Ross, E; Ball, AS. (2015). Exploiting the intrinsic microbial degradative potential for field-based in situ dechlorination of trichloroethene contaminated groundwater. *J Hazard Mater.* 300: 48-57.
- Admassu, W; Korus, RA. (1996). ENGINEERING OF BIOREMEDIATION PROCESSES NEEDS AND LIMITATIONS. Crawford, R L And D L Crawford Biotechnology Research Series. 0: 13-34.
- Adrian, L; Hansen, SK; Fung, JM; Gorisch, H; Zinder, SH. (2007). Growth of Dehalococcoides strains with chlorophenols as electron acceptors. *Environmental Science & Technology.* 41: 2318-2323.
- Aeppli, C; Berg, M; Cirpka, OA; Holliger, C; Schwarzenbach, RP; Hofstetter, TB. (2009). Influence of Mass-Transfer Limitations on Carbon Isotope Fractionation during Microbial Dechlorination of Trichloroethene. *Environmental Science & Technology.* 43: 8813-8820.
- Aeppli, C; Hofstetter, TB; Amaral, HIF; Kipfer, R; Schwarzenbach, RP; Berg, M. (2010). Quantifying In Situ Transformation Rates of Chlorinated Ethenes by Combining Compound-Specific Stable Isotope Analysis, Groundwater Dating, And Carbon Isotope Mass Balances. *Environmental Science & Technology.* 44: 3705-3711.
- Agerstrand, M; Kuster, A; Bachmann, J; Breitholtz, M; Ebert, I; Rechenberg, B; Ruden, C. (2011). Reporting and evaluation criteria as means towards a transparent use of ecotoxicity data for environmental risk assessment of pharmaceuticals. *Environ Pollut.* 159: 2487-2492.
- Aggarwal, V. (2005). Integrating molecular simulations with experiments to study organic pollutant interactions with clay minerals. PhD Thesis, Michigan State University.
- Aggarwal, V; Li, H; Boyd, SA; Teppen, BJ. (2006). Enhanced sorption of trichloroethene by smectite clay exchanged with Cs(+). *Environmental Science & Technology.* 40: 894-899.
- Agnihotri, NP; Kulshrestha, G; Gajbhiye, VT; Mohapatra, SP; Singh, SB. (1996). Organochlorine insecticide residues in agricultural soils of the Indo-Gangetic plain. *Environ Monit Assess.* 40: 279-288.
- Agrawal, A; Ferguson, WJ; Gardner, BO; Christ, JA; Bandstra, JZ; Tratnyek, PG. (2002). Effects of carbonate species on the kinetics of dechlorination of 1,1,1-trichloroethane by zero-valent iron. *Environmental science & technology.* 36: 4326-4333.
- Ahearn, DG; Crow, SA; Simmons, RB; Price, DL; Noble, JA; Mishra, SK; Pierson, DL. (1996). Fungal colonization of fiberglass insulation in the air distribution system of a multi-story office building: VOC production and possible relationship to a sick building syndrome. *Journal Of Industrial Microbiology.* 16: 280-285.
- Ahearn, DG; Crow, SA; Simmons, RB; Price, DL; Mishra, SK; Pierson, DL. (1997). Fungal colonization of air filters and insulation in a multi-story office building: Production of volatile organics. *Curr Microbiol.* 35: 305-308.
- ahinkaya, E; Kessler, R. (2014). Prevention: Air of danger. *Water Res.* 58: 21-28.
- Ahlert, RC; Enzminger, JD. (1991). ANAEROBIC REDUCTION DECHLORINATION OF TWO-CARBON ALIPHATIC HYDROCARBONS. 201st Acs National Meeting Of The American Chemical Society, Atlanta, Georgia, Usa, April. 201: 9.
- Ahlert, RC; Enzminger, JD. (1992). Anaerobic process for the dechlorination of 1,1,1-trichloroethane. *J Environ Sci Health Part A Environ Sci Eng.* 27: 1675-1699.
- Ahlert, RC; Kosson, DS. (1990). Treatment of hazardous landfill leachates and contaminated groundwater. *J Hazard Mater.* 23: 331-342.
- Ahmad, A; Gu, XG; Li, L; Lu, SG; Xu, YS; Guo, XH. (2015). Effects of pH and Anions on the Generation of Reactive Oxygen Species (ROS) in nZVI-Go-Activated Persulfate System. *Water Air and Soil Pollution.* 226: 369-369.
- Ahmad, A; Gu, XG; Li, L; Lv, SG; Xu, YS; Guo, XH. (2015). Efficient degradation of trichloroethylene in water using persulfate activated by reduced graphene oxide-iron nanocomposite. *Environ Sci Pollut Res Int.* 22: 17876-17885.
- Ahmad, AH; Bahga, HS; Sharma, LD. (1994). Pharmacokinetics of gentamicin following single dose intravenous administration in normal and febrile goats. *Journal of veterinary pharmacology and therapeutics.* 17: 369-373.
- Ahmad, M; Lee, SS; Dou, XM; Mohan, D; Sung, JK; Yang, JE; Ok, YS. (2012). Effects of pyrolysis temperature on soybean stover- and peanut shell-derived biochar properties and TCE adsorption in water. *Bioresour Technol.* 118: 536-544.
- Ahmad, M; Lee, SS; Oh, SE; Mohan, D; Moon, DH; Lee, YH; Ok, YS. (2013). Modeling adsorption kinetics of trichloroethylene onto biochars derived from soybean stover and peanut shell wastes. *Environ Sci Pollut Res Int.* 20: 8364-8373.
- Ahmad, M; Lee, SS; Rajapaksha, AU; Vithanage, M; Zhang, M; Cho, JS; Lee, SE; Ok, YS. (2013). Trichloroethylene adsorption by pine needle biochars produced at various pyrolysis temperatures. *Bioresour Technol.* 143: 615-622.
- Ahmad, M; Ok, YS; Kim, BY; Ahn, JH; Lee, YH; Zhang, M; Moon, DH; Al-Wabel, MI; Lee, SS. (2016). Impact of soybean stover- and pine needle-derived biochars on Pb and As mobility, microbial community, and carbon stability in a contaminated agricultural soil. *J Environ Manage.* 166: 131-139.
- Ahmad, M; Teel, AL; Furman, OS; Reed, JI; Watts, RJ. (2012). Oxidative and Reductive Pathways in Iron-Ethylenediaminetetraacetic Acid-Activated Persulfate Systems. *J Environ Eng.* 138: 411-418.
- Ahmad, M; Teel, AL; Furman, OS; Reed, JI; Watts, RJ. (2012). Oxidative and Reductive Pathways in Iron-Ethylenediaminetetraacetic Acid-Activated Persulfate Systems. *Journal of Environmental Engineering-Asce.* 138: 411-418.
- Ahmad, M; Teel, AL; Watts, RJ. (2010). Persulfate activation by subsurface minerals. *J Contam Hydrol.* 115: 34-45.
- Ahmadnia-Feyzabad, S; Khodadadi, AA; Vesali-Naseh, M; Mortazavi, Y. (2012). Highly sensitive and selective sensors to volatile organic compounds using MWCNTs/SnO₂. *Sensors and actuators.* 166-167: 150-155.
- Ahmadnia-Feyzabad, S; Mortazavi, Y; Khodadadi, AA; Hemmati, S. (2013). Sm²⁺, O₂-doped-SnO₂ nanoparticles, very selective and sensitive to volatile organic compounds. *Sensors & Actuators: B.* 181: 910-918.
- Ahmadzai, H; Hedlund, T. (1990). A PROFILE OF MEASURES TAKEN IN SWEDEN TO PROTECT THE STRATOSPHERIC OZONE LAYER. *Ambio.* 19: 341-343.

Environmental Hazard Literature Search Results

Off Topic

- Ahmed, AA; Chen, DY. (2006). Field scale DNAPLs transport under nonequilibrium sorption conditions. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 41: 273-290.
- Ahmed, AA; Chen, DY. (2010). Desorption kinetics of trichloroethylene and perchloroethylene from aged dense nonaqueous phase liquid-contaminated soil. *Water Environ J*. 24: 159-164.
- Ahmed, S; Javed, MA; Tanvir, S; Hameed, A. (2001). Isolation and characterization of a *Pseudomonas* strain that degrades 4-acetamidophenol and 4-aminophenol. *Biodegradation*. 12: 303-309.
- Ahn, H; Jeong, D; Jeong, H-K; Lee, Y. (2009). Pervaporation characteristics of trichlorinated organic compounds through Silicalite-1 zeolite membrane. *Desalination*. 245: 754-762.
- Ahn, JJ; Kim, YM; Yoo, K; Park, J; Oh, KJ. (2012). Using GA-Ridge regression to select hydro-geological parameters influencing groundwater pollution vulnerability. *Environ Monit Assess*. 184: 6637-6645.
- Ahn, J-Y; Kim, C; Kim, H-S; Hwang, K-Y; Hwang, I. (2016). Effects of oxidants on in situ treatment of a DNAPL source by nanoscale zero-valent iron: A field study. *Water Res*. 107: 57-65.
- Aieta, EM; Reagan, KM; Lang, JS; McReynolds, L; Kang, JW; Glaze, WH. (1988). ADVANCED OXIDATION PROCESSES FOR TREATING GROUNDWATER CONTAMINATED WITH TCE AND PCE PILOT-SCALE EVALUATIONS. *Am Water Works Assoc J*. 80: 64-72.
- Ain, Q; Sharma, S; Garg, SK; Khuller, GK. (2002). Role of poly [DL-lactide-co-glycolide] in development of a sustained oral delivery system for antitubercular drug(s). *Int J Pharm*. 239: 37-46.
- Aitken, MD; Heck, PE; Alvarez-Cohen, L; Grimberg, SJ; Stringfellow, WT. (1994). TREATMENT SYSTEMS ACTIVATED SLUDGE AND OTHER AEROBIC SUSPENDED CULTURE PROCESSES. *Water Environ Res*. 66: 325-336.
- Aitken, MD; Heck, PE; Mines, RO; Sherrard, JH. (1992). ACTIVATED SLUDGE. *Water Environ Res*. 64: 347-359.
- Aizawa, H. (2001). 9 - Halogenated Aliphatics. *Metabolic Maps London*91-98.
- Akgul, Y; Derk, RC; Meighan, T; Rao, KM; Muro, EP. (2008). The methoxychlor metabolite, HPTE, directly inhibits the catalytic activity of cholesterol side-chain cleavage (P450_{scc}) in cultured rat ovarian cells. *The Journal of steroid biochemistry and molecular biology*. 25: 67-75.
- Akgul, Y; Derk, RC; Meighan, T; Rao, KM; Muro, EP. (2011). The methoxychlor metabolite, HPTE, inhibits rat luteal cell progesterone production. *Reproductive toxicology (Elmsford, NY)*. 32: 77-84.
- Akira, H; Hidetaka, Y; Yoshihiro, D; Toshihiro, N; Hiroyuki, O; Hideo, S. (1991). Aldehyde dismutation catalyzed by pulmonary carbonyl reductase: kinetic studies of chloral hydrate metabolism to trichloroacetic acid and trichloroethanol. *Biochimica et Biophysica Acta (BBA) - General Subjects*. 1075: 61-67.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual*. 36: 508-520.
- Akse, JR; Thompson, JO. (1995). Catalytically Active Regenerative Sorbent beds (CARS) for airborne contaminants. *Life support & biosphere science : international journal of earth space*. 1: 159-167.
- Akyol, NH; Lee, AR; Brusseau, ML. (2013). Impact of Enhanced-Flushing Reagents and Organic Liquid Distribution on Mass Removal and Mass Discharge Reduction. *Water Air and Soil Pollution*. 224: 1731-1731.
- Akyol, NH; Yolcubal, I. (2013). Oxidation of Nonaqueous Phase Trichloroethylene with Permanganate in Epikarst. *Water Air and Soil Pollution*. 224: 1573-1573.
- Akyol, NH; Yolcubal, I; Yuksel, DI. (2011). Sorption and transport of trichloroethylene in caliche soil. *Chemosphere*. 82: 809-816.
- Al, TA; Banks, V; Loomer, D; Parker, BL; Mayer, KU. (2006). Metal mobility during in situ chemical oxidation of TCE by KMnO₄. *J Contam Hydrol*. 88: 137-152.
- Ala, NK; Domenico, PA. (1992). Inverse analytical techniques applied to coincident contaminant distributions at Otis Air Force Base, Massachusetts. *Ground Water*. 30: 212-218.
- Al-Abed, SR; Fang, YX. (2006). Influences of pH and current on electrolytic dechlorination of trichloroethylene at a granular-graphite packed electrode. *Chemosphere*. 64: 462-469.
- Al-Abed, SR; Fang, YX. (2007). Use of granular graphite for electrolytic dechlorination of trichloroethylene. *Environ Eng Sci*. 24: 842-851.
- Alam, SMS; Choi, G. (2016). Design and implementation of a novel LT codec architecture on TTA based codesign environment. *leice Electronics Express*. 13: 60298-60298.
- Alawadhi, EM; Amon, CH. (2003). PCM thermal control unit for portable electronic devices: Experimental and numerical studies. *IEEE Trans Compon Packag Tech*. 26: 116-125.
- Alba, JD; Papell, DH. (1998). Exchange rate determination and inflation in Southeast Asian countries. *Journal of Development Economics*. 55: 421-437.
- Albee, RR; Spencer, PJ; Johnson, KA; Bradley, GJ; Marable, BR; Wilmer, JW; Mattsson, JL. (2006). Lack of trigeminal nerve toxicity in rats exposed to trichloroethylene vapor for 13 weeks. *Int J Toxicol*. 25: 531-540.
- Albergaria, JT; Alvim-Ferraz, MDM; Delerue-Matos, C. (2008). Soil vapor extraction in sandy soils: Influence of airflow rate. *Chemosphere*. 73: 1557-1561.
- Albergaria, JT; Alvim-Ferraz, MDM; Delerue-Matos, C. (2012). Remediation of sandy soils contaminated with hydrocarbons and halogenated hydrocarbons by soil vapour extraction. *J Environ Manage*. 104: 195-201.
- Albergaria, JT; Alvim-Ferraz, MDM; Delerue-Matos, MCF. (2010). Estimation of pollutant partition in sandy soils with different water contents. *Environ Monit Assess*. 171: 171-180.

Environmental Hazard Literature Search Results

Off Topic

- Albergaria, JT; Martins, FG; Alvim-Ferraz, MCM; Delerue-Matos, C. (2014). Multiple Linear Regression and Artificial Neural Networks to Predict Time and Efficiency of Soil Vapor Extraction. *Water Air and Soil Pollution*. 225: 2058-2058.
- Albers, CN; Hansen, PE; Jacobsen, OS. (2010). Trichloromethyl compounds " Natural background concentrations and fates within and below coniferous forests. *Sci Total Environ*. 408: 6223-6234.
- Albert, DA; Albert, AN; Vernace, M; Sebastian, JK; Hsia, EC. (2005). Analysis of a cluster of cases of Wegener granulomatosis. *Journal of clinical rheumatology : practical reports on rheumatic & musculoskeletal diseases*. 11: 188-193.
- Alberti, L; Lombi, S; Zanini, A. (2011). Identifying sources of chlorinated aliphatic hydrocarbons in a residential area in Italy using the integral pumping test method. *Hydrogeology Journal*. 19: 1253-1267.
- Albino, JD; Nambi, IM. (2009). Effect of biosurfactants on the aqueous solubility of PCE and TCE. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 44: 1565-1573.
- Albright, RD. (2008). 16 - Sampling Conducted by the Army Corps of Engineers. *Cleanup of Chemical and Explosive Munitions Norwich, NY203-212*.
- Alcntara-tildao, ME; Okuda, T; Nishijima, W; Okada, M. (2008). Ozonation of trichloroethylene in acetic acid solution with soluble and solid humic acid. *J Hazard Mater*. 160: 662-667.
- Aldana, L; Tsutsumi, V; Craigmill, A; Silveira, MI; Gonzalez, dME. (2001). alpha-Tocopherol modulates liver toxicity of the pyrethroid cypermethrin. *Toxicol Lett*. 125: 107-116.
- Alessi, DS; Li, ZH. (2001). Synergistic effect of cationic surfactants on perchloroethylene degradation by zero-valent iron. *Environmental Science & Technology*. 35: 3713-3717.
- Alexeeff, GV; Lewis, DC. (1989). NEW APPROACHES IN RISK ASSESSMENT OF ACUTE NON-CANCER EFFECTS OF AIR POLLUTANTS. 155th National Meeting Of The American Association For The Advancement Of Science, San Francisco, California, Usa, January. 0: 212.
- Alexy, B; Buchan, RM. (1987). TEMPERATURE AS A VARIABLE IN EVALUATING THE PERMEABILITY OF 1 1 1 TRICHLOROETHANE THROUGH FOUR TYPES OF CHEMICAL PROTECTIVE CLOTHING. *Am Ind Hyg Assoc J*. 48: A-109.
- Algermissen, B; Hermes, B; Feldmann-Boeddeker, I; Bauer, F; Henz, BM. (1999). Mast cell chymase and tryptase during tissue turnover: analysis on in vitro mitogenesis of fibroblasts and keratinocytes and alterations in cutaneous scars. *Exp Dermatol*.
- Algreen, M; Trapp, S; Jensen, PR; Broholm, MM. (2015). Tree Coring as a Complement to Soil Gas Screening to Locate PCE and TCE Source Zones and Hot Spots. *Ground Water Monitoring and Remediation*. 35: 57-66.
- Ali, AM; Hill, B; Taylor, SD. (2009). Trichloroethyl Group As a Protecting Group for Sulfonates and Its Application to the Synthesis of a Disulfonate Analog of the Tyrosine Sulfated PSGL-1(43-50) Peptide. *J Org Chem*. 74: 3583-3586.
- Ali, F. (2002). Optimization of TCE degradation in counter-diffusional, membrane-attached, methanotrophic biofilms for remediation of contaminated groundwater. PhD Thesis, The University of Wisconsin - Madison.
- Ali, F; Sultana, S. (2010). emTrigonella foenum graecum/em Prevents Pathological Exacerbation by Toxic Insults Following Chronic Restraint Stress in Mice Skin. *Journal of Complementary & Integrative Medicine*. 7: 1403.
- Ali, F; Sultana, S. (2012). Repeated short-term stress synergizes the ROS signalling through up regulation of NFkB and iNOS expression induced due to combined exposure of trichloroethylene and UVB rays. *Mol Cell Biochem*. 360: 133-145.
- Ali, F; Sultana, S. (2012). Trichloroethylene's Dermal Toxicity Involves Activation of PKC and Intracellular Calcium Ions Burst: Prevention by Natural Flavonoid Naringenin Through Antiapoptotic Strategy. *Free Radic Biol Med*. 53, Supplement 2: S15.
- Aliha, HM; Khodadadi, AA; Mortazavi, Y. (2013). The sensing behaviour of metal oxides (ZnO, CuO and Sm,O,f) doped-SnO,, for detection of low concentrations of chlorinated volatile organic compounds. *Sensors & Actuators: B*. 181: 637-643.
- Alkalay, D; Guerrero, L; Lema, JM; Mendez, R; Chamy, R. (1998). Review: Anaerobic treatment of municipal sanitary landfill leachates: The problem of refractory and toxic components. *World Journal Of Microbiology & Biotechnology*. 14: 309-320.
- Alkorta, I; Garbisu, C. (2001). Phytoremediation of organic contaminants in soils. *Bioresour Technol*. 79: 273-276.
- Allard, AS; Neilson, AH. (1997). Bioremediation of organic waste sites: A critical review of microbiological aspects. *International Biodeterioration & Biodegradation*. 39: 253-285.
- Allemand, H; Pessayre, D; Descatoire, V; DeGott, C; Feldmann, G; Benhamou, JP. (1978). Metabolic activation of trichloroethylene into a chemically reactive metabolite toxic to the liver. *The Journal of pharmacology and experimental therapeutics*. 204: 714-723.
- Allen, JW; Collins, BW; Evansky, PA. (1994). Spermatid micronucleus analyses of trichloroethylene and chloral hydrate effects in mice. *Mutat Res*. 323: 81-88.
- Allen-King, RM; Groenevelt, H; Warren, CJ; Mackay, DM. (1996). Non-linear chlorinated-solvent sorption in four aquitards. *J Contam Hydrol*. 22: 203-221.
- Allen-King, RM; McKay, LD; Trudell, MR. (1997). Organic carbon dominated trichloroethene sorption in a clay-rich glacial deposit. *Ground Water*. 35: 124-130.
- Allred, BB; Swan, KS. (2014). Process Technology Sourcing and the Innovation Context. *Journal of Product Innovation Management*. 31: 1146-1166.
- Aloni, R; Rajbenbach, LA; Horowitz, A. (1979). Free radical dichlorovinylolation of triethylsilane by trichloroethylene. *J Organomet Chem*. 171: 155-166.
- Al-Shamsi, MA; Thomson, NR. (2013). Competition by aquifer materials in a bimetallic nanoparticle/persulfate system for the treatment of trichloroethylene. *Environmental Science-Processes & Impacts*. 15: 1964-1968.
- Al-Shamsi, MA; Thomson, NR. (2013). Treatment of a Trichloroethylene Source Zone using Persulfate Activated by an Emplaced Nano-PdFe Zone. *Water, air and soil pollution*. 224: 1780.

Environmental Hazard Literature Search Results

Off Topic

- Al-Shamsi, MA; Thomson, NR. (2013). Treatment of a Trichloroethylene Source Zone using Persulfate Activated by an Emplaced Nano-Pd-Fe-0 Zone. *Water Air and Soil Pollution*. 224: 1780-1780.
- Al-Shamsi, MA; Thomson, NR. (2013). Treatment of a Trichloroethylene Source Zone using Persulfate Activated by an Emplaced Nano-Pd-Fe super(0) Zone. *Water, Air, & Soil Pollution*. 224: 1-12.
- Al-Shamsi, MA; Thomson, NR; Forsey, SP. (2013). Iron based bimetallic nanoparticles to activate peroxygens. *Chem Eng J*. 232: 555-563.
- Altevogt, AS; Rolston, DE; Venterea, RT. (2003). Density and pressure effects on the transport of gas phase chemicals in unsaturated porous media. *Water Resour Res*. 39: 1061-1061.
- Altissimo, L; Andreoli, E; Giacometti, A; Marcomini, A. (2002). Time trends of 1,1,1-trichloroethane, trichloroethylene, and perchloroethylene in confined and unconfined aquifers of a groundwater system in northern Italy. *Ann Chim*. 92: 61-71.
- Altmann, L; Neuhann, HF; Kraemer, U; Witten, J; Jermann, E. (1995). Neurobehavioral and neurophysiological outcome of chronic low-level tetrachloroethene exposure measured in neighborhoods of dry cleaning shops. *Environ Res*. 69: 83-89.
- Altmeyer, M; Valenti, R; Jeschke, HO. (2015). Role of layer packing for the electronic properties of the organic superconductor (BEDT-TTF)(2)Ag(CF3)(4)(TCE). *Physical Review B*. 91: 5137-5137.
- Alur, HH; Beal, JD; Pather, SI; Mitra, AK; Johnston, TP. (1999). Evaluation of a novel, natural oligosaccharide gum as a sustained-release and mucoadhesive component of calcitonin buccal tablets. *J Pharm Sci*. 88: 1313-1319.
- Alvarez, RJ; Kivimäki, A; Stankiewicz, M; Melero, GaE; Coreno, M; Ali, S; Koperski, J; Rachlew, E; Vall-Llosera, ISG; Feyer, V; Tuckett, R. (2006). VUV photon induced fluorescence study of SF5CF3. *Physical chemistry chemical physics : PCCP*. 8: 5199-5206.
- Alvarez-Cohen, L; McCarty, PL. (1991). Effects of toxicity, aeration, and reductant supply on trichloroethylene transformation by a mixed methanotrophic culture. *Appl Environ Microbiol*. 57: 228-235.
- Alvarez-Cohen, L; McCarty, PL. (1991). Product toxicity and cometabolic competitive inhibition modeling of chloroform and trichloroethylene transformation by methanotrophic resting cells. *Appl Environ Microbiol*. 57: 1031-1037.
- Alvarez-Cohen, L; McCarty, PL. (1991). PRODUCT TOXICITY OF CHLOROFORM AND TRICHLOROETHYLENE TRANSFORMATION BY METHANOTROPHIC RESTING CELLS. 91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May. 91: 285.
- Alvarez-Cohen, L; McCarty, PL; Boulygina, E; Hanson, RS; Brusseau, GA; Tsien, HC. (1992). Characterization of a methane-utilizing bacterium from a bacterial consortium that rapidly degrades trichloroethylene and chloroform. *Appl Environ Microbiol*. 58: 1886-1893.
- Alvarez-Cohen, L; McCarty, PL; Roberts, PV. (1993). Sorption of trichloroethylene onto a Zeolite accompanied by methanotrophic biotransformation. *Environ Sci Technol*. 27: 2141-2148.
- Alvarez-Cohen, L; Speitel, GE. (2001). Kinetics of aerobic cometabolism of chlorinated solvents. *Biodegradation*. 12: 105-126.
- Alvarez-Ortega, C; Harwood, CS. (2007). Identification of a malate chemoreceptor in *Pseudomonas aeruginosa* by screening for chemotaxis defects in an energy taxis-deficient mutant. *Appl Environ Microbiol*. 73: 7793-7795.
- Al-Zahrani, AA; Alhamed, YA. (2000). Oil removal from spent bleaching clay by solvent extraction. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 35: 1577-1590.
- Amali, S; Petersen, LW; Rolston, DE. (1994). Modeling multicomponent volatile organic and water vapor adsorption on soils. *J Hazard Mater*. 36: 89-108.
- Amali, S; Petersen, LW; Rolston, DE; Moldrup, P. (1994). CORRECTION OF PREVIEWS 97148862. MODELING MULTICOMPONENT VOLATILE ORGANIC AND WATER VAPOR ADSORPTION ON SOILS. ADDITION OF AUTHOR NAME ERRATUM PUBLISHED IN JOURNAL OF HAZARDOUS MATERIALS VOL. 37. ISS. 2. 1994. P. 395. *J Hazard Mater*. 36: 89-108.
- Amali, S; Rolston, DE; Yamaguchi, T. (1996). Transient multicomponent gas-phase transport of volatile organic chemicals in porous media. *J Environ Qual*. 25: 1041-1047.
- Amaral, HIF; Aepli, C; Kipfer, R; Berg, M. (2011). Assessing the transformation of chlorinated ethenes in aquifers with limited potential for natural attenuation: Added values of compound-specific carbon isotope analysis and groundwater dating. *Chemosphere*. 85: 774-781.
- Amaral, HIF; Berg, M; Brennwald, MS; Hofer, M; Kipfer, R. (2010). (13)C/(12)C Analysis of Ultra-Trace Amounts of Volatile Organic Contaminants in Groundwater by Vacuum Extraction. *Environmental Science & Technology*. 44: 1023-1029.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res*. 30: 1876-1884.
- Amari, NM; Meruelo, D. (1987). Murine thymomas induced by fractionated-X-irradiation have specific T-cell receptor rearrangements and characteristics associated with day-15 to -16 fetal thymocytes. *Mol Cell Biol*. 7: 4159-4168.
- Ames, BN; Gold, LS. (1990). MISCONCEPTIONS ON POLLUTION AND THE CAUSES OF CANCER. *Angew Chem Int Ed Engl*. 29: 1197-1208.
- Ames, BN; Gold, LS. (1997). Environmental pollution, pesticides, and the prevention of cancer: Misconceptions. *FASEB J*. 11: 1041-1052.
- Aminabhavi, TM; Munnoli, RS. (1994). AN ASSESSMENT OF CHEMICAL COMPATIBILITY OF BROMOBUTYL RUBBER CHLOROSULFONATED POLYETHYLENE AND EPICHLOROHYDRIN MEMBRANES IN THE PRESENCE OF SOME HAZARDOUS ORGANIC LIQUIDS. *J Hazard Mater*. 38: 223-242.
- Aminabhavi, TM; Phayde, HTS; Ortego, JD. (1996). Resistivity and dimensional stability of high-performance engineering thermoplastic blend of ethylene-propylene random copolymer and isotactic polypropylene membrane in the presence of hazardous haloalkanes. *J Hazard Mater*. 46: 71-88.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater*. 235-236: 359-366.
- Amiri, F; Rahman, MM; Bornick, H; Worch, E. (2004). Sorption behaviour of phenols on natural sandy aquifer material during flow-through column experiments: The effect of pH. *Acta Hydrochim Hydrobiol*. 32: 214-224.

Environmental Hazard Literature Search Results

Off Topic

- Amoah, P; Drechsel, P; Abaidoo, RC; Ntow, WJ. (2006). Pesticide and pathogen contamination of vegetables in Ghana's urban markets. *Arch Environ Contam Toxicol.* 50: 1-6.
- Amon, JP; Agrawal, A; Shelley, ML; Opperman, BC; Enright, MP; Clemmer, ND; Slusser, T; Lach, J; Sobolewski, T; Gruner, W; Entingh, AC. (2007). Development of a wetland constructed for the treatment of groundwater contaminated by chlorinated ethenes. *Ecol Eng.* 30: 51-66.
- Amos, BK; Christ, JA; Abriola, LM; Pennell, KD; Loffler, FE. (2007). Experimental evaluation and mathematical modeling of microbially enhanced tetrachloroethene (PCE) dissolution. *Environmental Science & Technology.* 41: 963-970.
- Amos, BK; Daprato, RC; Hughes, JB; Pennell, KD; Loffler, FE. (2007). Effects of the nonionic surfactant tween 80 on microbial reductive dechlorination of chlorinated ethenes. *Environmental Science & Technology.* 41: 1710-1716.
- Amos, BK; Ritalahti, KM; Cruz-Garcia, C; Padilla-Crespo, E; Loffler, FE. (2008). Oxygen effect on Dehalococcoides viability and biomarker quantification. *Environmental Science & Technology.* 42: 5718-5726.
- Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE. (2008). Microbial activity and distribution during enhanced contaminant dissolution from a NAPL source zone. *Water Res.* 42: 2963-2974.
- Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE; Environmental, EGIoTFDAGUSA. (2009). Spatial and temporal distributions of Geobacter lovleyi and Dehalococcoides spp. during bioenhanced PCE-NAPL dissolution. *Environmental science & technology.* 43: 1977-1985.
- Amos, BK; Sung, Y; Fletcher, KE; Gentry, TJ; Wu, WM; Criddle, CS; Zhou, J; Löffler, FE. (2007). Detection and quantification of Geobacter lovleyi strain SZ: implications for bioremediation at tetrachloroethene- and uranium-impacted sites. *Appl Environ Microbiol.* 73: 6898-6904.
- Amy, GL; Narbaitz, RM; Cooper, WJ. (1987). REMOVING VOCS FROM GROUNDWATER CONTAINING HUMIC SUBSTANCES BY MEANS OF COUPLED AIR STRIPPING AND ADSORPTION. *Am Water Works Assoc J.* 79: 49-54.
- An, TC; Zhang, ML; Wang, XM; Sheng, GY; Fu, JM. (2005). Photocatalytic degradation of gaseous trichloroethene using immobilized ZnO/SnO(2) coupled oxide in a flow-through photocatalytic reactor. *J Chem Tech Biotechnol.* 80: 251-258.
- An, W; Hu, J; Wan, Y; An, L; Zhang, Z. (2006). Deriving site-specific 2,2-bis(chlorophenyl)-1,1-dichloroethylene quality criteria of water and sediment for protection of common tern populations in Bohai Bay, North China. *Environmental science & technology.* 40: 2511-2516.
- An, YJ; Kampbell, DH; Weaver, JW; Wilson, JT; Jeong, SW. (2004). Natural attenuation of trichloroethene and its degradation products at a lake-shore site. *Environ Pollut.* 130: 325-335.
- Anand, SS; Mehendale, HM. (2004). Liver regeneration: a critical toxicodynamic response in predictive toxicology. *Environ Toxicol Pharmacol.* 18: 149-160.
- Anbhzahagan, S; Winkins, SS. (2008). A biochemical study on variability of Superoxide dismutase, Catalase and Glutathione peroxidase in dry cleaners. *Indian journal of clinical biochemistry : IJCB.* 23: 198-199.
- Andelman, JB. (1985). Inhalation exposure in the home to volatile organic contaminants of drinking water. *The Science of the total environment.* 47: 443-460.
- Andelman, JB; Couch, A; Thurston, W. (1985). INHALATION EXPOSURES IN INDOOR AIR TO VOLATILE CHEMICALS IN POTABLE WATER. 190th American Chemical Society National Meeting, Chicago, Ill, Usa, Sept. 190.
- Anders, MW. (2004). Glutathione-dependent bioactivation of haloalkanes and haloalkenes. *Drug Metab Rev.* 36: 583-594.
- Anders, MW. (2005). Formation and toxicity of anesthetic degradation products. *Annu Rev Pharmacol Toxicol.* 45: 147-176.
- Anders, MW; Jones, DP. (1988). GLUTATHIONE HOMEOSTASIS AND GLUTATHIONE S-CONJUGATE TOXICITY IN THE KIDNEY AU - LASH LH. Hodgson, E, J R Bend And R M Philpot. 0: 29-68.
- Anders, MW; Lash, L; Dekant, W; Elfarrar, AA; Dohn, DR; Reed, DJ. (1988). BIOSYNTHESIS AND BIOTRANSFORMATION OF GLUTATHIONE S-CONJUGATES TO TOXIC METABOLITES. *Crit Rev Toxicol.* 18: 311-341.
- Andersen, ME; Dennison, JE. (2004). Mechanistic approaches for mixture risk assessments - Present capabilities with simple mixtures and future directions. *Environ Toxicol Pharmacol.* 16: 1-11.
- Andersen, ME; Dennison, JE. (2004). Mechanistic approaches for mixture risk assessments“present capabilities with simple mixtures and future directions. *Environ Toxicol Pharmacol.* 16: 1-11.
- Andersen, ME; Gargas, ML; Clewell iii, HJ; Severyn, KM. (1987). Quantitative evaluation of the metabolic interactions between trichloroethylene and 1,1-dichloroethylene in vivo using gas uptake methods. *Toxicol Appl Pharmacol.* 89: 149-157.
- Andersen, ME; Jenkins, LJ, Jr. (1977). Oral toxicity of 1,1-dichloroethylene in the rat: effects of sex, age, and fasting. *Environ Health Perspect.* 21: 157-163.
- Andersen, ME; Jones, RA; Jenkins, LJ, Jr. (1977). Enhancement of 1,1-dichloroethylene toxicity by pretreatment of fasted male rats with 2,3-epoxypropan-1-ol. *Drug Chem Toxicol.* 1: 63-74.
- Andersen, SO; Morehouse, ETJR; Miller, A. (1994). THE MILITARY'S ROLE IN PROTECTION OF THE OZONE LAYER. *Environmental Science & Technology.* 28: 586A-589A.
- Andersin, J; Honkala, K. (2011). First principles investigations of Pd-on-Au nanostructures for trichloroethene catalytic removal from groundwater. *Physical chemistry chemical physics : PCCP.* 13: 1386-1394.
- Andersin, J; Parkkinen, P; Honkala, K. (2012). Pd-catalyzed hydrodehalogenation of chlorinated olefins: Theoretical insights to the reaction mechanism. *J Catal.* 290: 118-125.
- Anderson, BE; Zeiger, E; Shelby, MD; Resnick, MA; Gulati, DK; Ivett, JL; Loveday, KS. (1990). Chromosome aberration and sister chromatid exchange test results with 42 chemicals. *Environ Mol Mutagen Suppl.* 0: 55-137.
- Anderson, D; Hodge, MC; Purchase, IF. (1977). Dominant lethal studies with the halogenated olefins vinyl chloride and vinylidene dichloride in male CD-1 mice. *Environ Health Perspect.* 21: 71-78.

Environmental Hazard Literature Search Results

Off Topic

- Anderson, JE; McCarty, PL. (1996). Effect of three chlorinated ethenes on growth rates for a methanotrophic mixed culture. *Environmental Science & Technology*. 30: 3517-3524.
- Anderson, JE; McCarty, PL. (1997). Effect of chlorinated ethenes on Smin for a methanotrophic mixed culture. *Environmental Science & Technology*. 31: 2204-2210.
- Anderson, JE; McCarty, PL. (1997). Transformation yields of chlorinated ethenes by a methanotrophic mixed culture expressing particulate methane monooxygenase. *Appl Environ Microbiol*. 63: 687-693.
- Anderson, M; Barrett, C. (1991). INTERNATIONAL CONFERENCE ON CRITICAL TARGET GENES IN CHEMICAL CARCINOGENESIS RESEARCH TRIANGLE PARK NORTH CAROLINA USA SEPTEMBER 10-14 1989. *Environ Health Perspect*. 93: 3-277.
- Anderson, MA. (2000). Removal of MTBE and other organic contaminants from water by sorption to high silica zeolites. *Environmental Science & Technology*. 34: 725-727.
- Anderson, MR; Johnson, RL; Pankow, JF. (1992). Dissolution of dense chlorinated solvents into ground water: 1. Dissolution from a well-defined residual source. *Ground Water*. 30: 250-256.
- Anderson, MR; Johnson, RL; Pankow, JF. (1992). Dissolution of dense chlorinated solvents into groundwater: 3. Modeling contaminant plumes from fingers and pools of solvent. *Environ Sci Technol*. 26: 901-908.
- Anderson, RC; Anderson, JH. (1999). Acute respiratory effects of diaper emissions. *Arch Environ Health*. 54: 353-358.
- Anderson, RH; Anderson, JK; Bower, PA. (2012). Co-occurrence of 1,4-dioxane with trichloroethylene in chlorinated solvent groundwater plumes at US Air Force installations: Fact or fiction. *Integr Environ Assess Manag*. 8: 731-737.
- Anderson, RM; Schad, GA. (1985). Hookworm burdens and faecal egg counts: an analysis of the biological basis of variation. *Trans Roy Soc Trop Med Hyg*. 79: 812-825.
- Anderson, TA; Guthrie, EA; Walton, BT. (1993). BIOREMEDIATION IN THE RHIZOSPHERE. *Environmental Science & Technology*. 27: 2630-2636.
- Anderson, TA; Walton, BT. (1995). Comparative fate of (14C)trichloroethylene in the root zone of plants from a former solvent disposal site. *Environ Toxicol Chem*. 14: 2041-2047.
- Anderson, TA; White, DC; Walton, BT. Degradation of hazardous organic compounds by rhizosphere microbial communities. *Progress in industrial microbiology*. 1995. v. 32: 205-225.
- Andersson, C; Mosialou, E; Weinander, R; Morgenstern, R. (1994). ENZYMOLOGY OF MICROSOMAL GLUTATHIONE S-TRANSFERASE. *Anders, M W And W Dekant*. 0: 19-35.
- Ando, M. (1978). Transfer of 2,4,5,2',4',5'-hexachlorobiphenyl and 2,2-bis-(p-chlorophenyl),1,1,1-trichloroethane (p,p'-DDT) from maternal to newborn and suckling rats. *Arch Toxicol*. 41: 179-186.
- Andr s, C; Hanovcov , I; Ch lkov, aa; Tejral, J; Eminger, S; Proch zkov , J. (1997). Immunological monitoring of dry-cleaning shop workers--exposure to tetrachloroethylene. *Cent Eur J Public Health*. 5: 136-142.
- Andrews, ARJ; Zlatkis, A; Tang, MT; Zhang, W; Shanfield, H. (1993). New purification technique for the removal of organics from aqueous solutions using silicone polymers. *Environ Sci Technol*. 27: 1139-1145.
- Aneja, VP. (1993). Organic compounds in cloud water and their deposition at a remote continental site. *Air Waste*. 43: 1239-1244.
- Angel, SM; Langry, K; Colston, BWJR; Brown, S; Daley, PF; Milanovich, FP; Burgess, LW. (1991). FIBER OPTIC SENSOR FOR THE CONTINUOUS MONITORING OF CHLORINATED HYDROCARBONS. 201st Acs National Meeting Of The American Chemical Society, Atlanta, Georgia, Usa, April. 201: 67.
- Angeles-Wedler, D; MacKenzie, K; Kopinke, FD. (2008). Permanganate oxidation of sulfur compounds to prevent poisoning of Pd catalysts in water treatment processes. *Environmental Science & Technology*. 42: 5734-5739.
- Angus, CW; Van, MKP; Tsai, SC; Adamik, R; Miedel, MC; Pan, YC; Kung, HF; Moss, J; Vaughan, M. (1986). Identification of the probable site of cholera toxin-catalyzed ADP-ribosylation in a Go alpha-like protein based on cDNA sequence. *Proceedings of the National Academy of Sciences of the United States of America*. 83: 5813-5816.
- Anhuai, L; Yanjun, G; Juan, L; Fei, L; Changqiu, W; Ning, L; Qiaorong, L. (2004). Photocatalytic effect of nature and modified V-bearing rutile. *Chinese science bulletin Kexue tongbao*. 49: 2284-2287.
- Anna, CH; Maronpot, RR; Pereira, MA; Foley, JF; Malarkey, DE; Anderson, MW. (1994). ras proto-oncogene activation in dichloroacetic acid-, trichloroethylene- and tetrachloroethylene-induced liver tumors in B6C3F1 mice. *Carcinogenesis*. 15: 2255-2261.
- Annapragada, R; Leet, R; Changrani, R; Raupp, GB. (1997). Vacuum photocatalytic oxidation of trichloroethylene. *Environmental Science & Technology*. 31: 1898-1901.
- Annau, Z. (1978). Electrical self-stimulation of the brain: a model for the behavioral evaluation of toxic agents. *Environ Health Perspect*. 26: 59-67.
- Anon. (1985). ENVIRONMENTAL HEALTH CRITERIA 50. TRICHLOROETHYLENE. *Environ Health Criter*. 0: 1-133.
- Anon. (1989). SOME PRODUCTS RESTRICTED OR BANNED BY EPA USA. *Pesticides*. 23: 16-18.
- Anon. (1991). LASER SPECTROSCOPY APPLIED TO ATMOSPHERIC POLLUTION ANALYSIS. *J Trace Microprobe Tech*. 9: 207-212.
- Anon. (1994). IMPLICATIONS TO WATER SUPPLIERS AND HOUSEHOLDERS OF THE NEW WHO GUIDELINES FOR DRINKING WATER QUALITY. *Aqua*. 43: 315-322.
- Anon. (1998). International Symposium on Biosorption and Bioremediation (Prague, Czech Republic; July 12-17, 1998). *International Biodeterioration & Biodegradation*. 42: 231-266.
- Anonymous. (1999). This meeting contains abstracts of 42 papers, written in English, covering chemical studies of toxic substances and experimental studies in animals and tissue culture, including enzymology. *J Health Sci*. 45: 42.

Environmental Hazard Literature Search Results

Off Topic

- Anotai, J; Bunmahotama, W; Lu, MC. (2011). Oxidation of Aniline with Sulfate Radicals in the Presence of Citric Acid. *Environ Eng Sci.* 28: 207-215.
- Anotai, J; Masomboon, N; Chuang, CL; Lu, MC. (2011). Persulfate oxidation for the aniline degradation in aqueous systems. *Water Science and Technology.* 63: 1434-1440.
- Anselme, C; N'Guyen, K; Bruchet, A; Mallevalle, J. (1985). CAN POLYETHYLENE PIPES IMPART ODORS IN DRINKING WATER. *Environ Technol Lett.* 6: 477-488.
- Anthony Ryan, T; Kavanagh, DMC; Mile, B. (1992). Kinetic isotope effects in the reactions of chloroethenes with hydrogen fluoride or deuterium fluoride and the elucidation of reaction pathways. *J Fluor Chem.* 58: 183.
- Antia, DDJ. (2011). Modification of Aquifer Pore-Water by Static Diffusion Using Nano-Zero-Valent Metals. *Water.* 3: 79-112.
- Antonelli, R; Dal, PRAA. (1990). PROBLEMS OF CONTAMINATION AND PROTECTION OF UNDERGROUND WATERS IN THE VENETO ALLUVIAL PLAIN NORTHERN ITALY. *lawprc.* 24: 63-70.
- Antoniou, MG; Andersen, HR. (2015). Comparison of UVC/S2O8(2-) with UVC/H2O2 in terms of efficiency and cost for the removal of micropollutants from groundwater. *Chemosphere.* 119 Suppl: S81-88.
- Antunes-Madeira, MC; Madeira, VM. (1993). Effects of DDE on the fluidity of model and native membranes: implications for the mechanisms of toxicity. *Biochim Biophys Acta.* 1149: 86-92.
- Aoki, A; Suzaki, H; Kawabata, Y; Nomura, Y. (1994). Effect of perchloroethylene inhalation on nasal mucosa in mice. *European archives of oto-rhino-laryngology : official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS) : affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery.* 251: 361-365.
- Aoyama, H; Chapin, RE. (2014). Reproductive toxicities of methoxychlor based on estrogenic properties of the compound and its estrogenic metabolite, hydroxyphenyltrichloroethane. *Vitamins and hormones.* 94: 193-210.
- Apblett, AW; Reinhardt, LE. (1997). DECHLORINATION OF CHLOROCARBONS BY MOLYBDATES AND VANADATES. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 105.
- Apedaile, AE; Garrett, C; Liu, DY; Clarke, GN; Johnston, SA; Baker, HW. (2004). Flow cytometry and microscopic acridine orange test: relationship with standard semen analysis. *Reproductive biomedicine online.* 8: 398-407.
- Apeti, DA; Lauenstein, GG; Christensen, JD; Kimbrough, K; Johnson, WE; Kennedy, M; Grant, KG. (2010). A historical assessment of coastal contamination in Birch Harbor, Maine based on the analysis of mussels collected in the 1940s and the Mussel Watch Program. *Mar Pollut Bull.* 60: 732-742.
- Apfalter, S; Krska, R; Linsinger, T; Oberhauser, A; Kandler, W; Grasserbauer, M. (1999). Interlaboratory comparison study for the determination of halogenated hydrocarbons in water. *Fresenius J Anal Chem.* 364: 660-665.
- Appel, SB; Wise, L; McDaid, J; Koyama, S; McElvain, MA; Brodie, MS. (2006). The effects of long chain-length n-alcohols on the firing frequency of dopaminergic neurons of the ventral tegmental area. *J Pharmacol Exp Ther.* 318: 1137-1145.
- Applegate, B; Kelly, C; Lackey, L; McPherson, J; Kehrmeier, S; Menn, FM; Bienkowski, P; Sayler, G. (1997). Pseudomonas putida B2: a tod-lux bioluminescent reporter for toluene and trichloroethylene co-metabolism. *Journal of industrial microbiology & biotechnology.* 18: 4-9.
- Applegate, B; Lackey, L; McPherson, J; Menn, F. (1993). A BIOLUMINESCENT REPORTER FOR THE CO-OXIDATION OF TRICHLOROETHYLENE TCE BY THE TOLUENE DIOXYGENASE IN PSEUDOMONAS-PUTIDA F1. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 365.
- Applegate, BM; Shingleton, JT; Bright, NG; Nagel, AC; Ripp, SA. (1999). Induction of the tod operon by trichloroethylene in resting cells of Pseudomonas putida TVA8. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 363.
- Arai, K; Tsubone, T; Takechi, T; Inoue, T. (1999). Bioremediation of trichloroethylene and cis-1,2-dichloroethylene-contaminated groundwater by methane-utilizing bacteria. *Journal of Veterinary Medical Science.* 61: 861-863.
- Arai, K; Tsubone, T; Takechi, T; Inoue, T. (1999). Some characteristics of bacteria found in a bioreactor to treat trichloroethylene contaminated groundwater. *Journal of Veterinary Medical Science.* 61: 295-298.
- Aral, MM; Maslia, ML; Ulirsch, GV; Reyes, JJ. (1996). Estimating exposure to volatile organic compounds from municipal water-supply systems: Use of a better computational model. *Arch Environ Health.* 51: 300-309.
- Arands, R; Lam, T; Massry, I; Berler, DH; Muzzio, FJ; Kosson, DS. Modeling and experimental validation of volatile organic contaminant diffusion through and unsaturated soil. *Water Resour Res.* Apr 1997. v. 33 (4): 599-609.
- Aranyi, C; O'Shea, WJ; Graham, JA; Miller, FJ. (1986). The effects of inhalation of organic chemical air contaminants on murine lung host defenses. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 6: 713-720.
- Aranzabal, A; Romero-Sánchez, M; Elizundia, U; González-Velasco, JR; González-Marcos, JA. (2012). Deactivation of H-zeolites during catalytic oxidation of trichloroethylene. *J Catal.* 296: 165-174.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Gonzalez-Velasco, JR; Gonzalez-Marcos, JA. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol.* 91: 318-326.
- Arbuckle, WB; Osman, MY. (2000). Polyethylene glycol adsorption equilibrium on activated carbon. *Environ Eng Sci.* 17: 147-158.
- Arcangeli, JP; Arvin, E. (1997). Modeling of the cometabolic biodegradation of trichloroethylene by toluene-oxidizing bacteria in a biofilm system. *Environmental Science & Technology.* 31: 3044-3052.
- Arcangeli, JP; Arvin, E. (1999). Modelling the growth of a methanotrophic biofilm: Estimation of parameters and variability. *Biodegradation.* 10: 177-191.

Environmental Hazard Literature Search Results

Off Topic

- Arcangeli, JP; Arvin, E. (2004). Methanotrophic biodegradation of cis-1,2-dichloroethylene in a continuously fed fixed-film bioreactor. *Water Science and Technology*. 49: 231-236.
- Argese, E; Nicolli, A; Bernardi, P. (1992). A simple in vitro test to monitor trace metal toxicity in aqueous samples. *AU - BRAGADIN M. Environ Technol*. 13: 779-784.
- Argo, J. (1998). Retrospective exposure assessment with emission inventories: A new approach to an old problem. *Environmetrics*. 9: 505-518.
- Arguello, JE; Costentin, C; Griveau, S; Saveant, JM. (2005). Role of protonation and of axial ligands in the reductive dechlorination of alkyl chlorides by vitamin B(12) complexes. Reductive cleavage of chloroacetonitrile by Co(I) cobalamins and cobinamides. *J Am Chem Soc*. 127: 5049-5055.
- Argyelan, J; Mathews, AP; Nassar, R; Lee, SM. (1991). A NON-LINEAR STOCHASTIC MODEL FOR ADSORPTION IN BATCH RECEPTORS. Meeting On Watermatex '91 Held At The Second International Conference On Systems Analysis In Water Quality Management, Durham, New Hampshire, Usa, June. 24: 49-56.
- Arito, H; Takahashi, M; Sotoyama, M; Tsuruta, H; Ishikawa, T. (1993). Electroencephalographic and autonomic responses to trichloroethylene inhalation in freely moving rats. *Arch Toxicol*. 67: 193-199.
- Arkininstall, S; Chabert, C; Maundrell, K; Peitsch, M. (1995). Mapping regions of G alpha q interacting with PLC beta 1 using multiple overlapping synthetic peptides. *FEBS Lett*. 364: 45-50.
- Arlett, CF; Cole, J. (1988). THE ROLE OF MAMMALIAN CELL MUTATION ASSAYS IN MUTAGENICITY AND CARCINOGENICITY TESTING. *Mutagenesis*. 3: 455-458.
- Armstrong, JE; Frind, EO; McClellan, RD. Nonequilibrium mass transfer between the vapor, aqueous, and solid phases in unsaturated soils during vapor extraction. *Water Resour Res*. Feb 1994. v. 30 (2): 355-368.
- Arnetz, BB; Berg, M; Arnetz, J. (1997). Mental strain and physical symptoms among employees in modern offices. *Arch Environ Health*. 52: 63-67.
- Arnold, WA; Roberts, AL. (1998). Pathways of chlorinated ethylene and chlorinated acetylene reaction with Zn(0). *Environmental Science & Technology*. 32: 3017-3025.
- Arnold, WA; Roberts, AL. (2000). Pathways and kinetics of chlorinated ethylene and chlorinated acetylene reaction with Fe(O) particles. *Environmental Science & Technology*. 34: 1794-1805.
- Arnold, WA; Winget, P; Cramer, CJ. (2002). Reductive dechlorination of 1,1,2,2-tetrachloroethane. *Environmental science & technology*. 36: 3536-3541.
- Aronian, PF; Scheff, PA; Wadden, RA. (1989). WINTERTIME SOURCE RECONCILIATION OF AMBIENT ORGANICS. *Atmos Environ*. 23: 911-920.
- Arp, DJ. (1995). UNDERSTANDING THE DIVERSITY OF TRICHLOROETHENE CO-OXIDATIONS. *Curr Opin Biotechnol*. 6: 352-358.
- Arp, DJ; Yeager, CM; Hyman, MR. (2001). Molecular and cellular fundamentals of aerobic cometabolism of trichloroethylene. *Biodegradation*. 12: 81-103.
- Arpita, B; Ishimura, K; Nakamura, K; Takamizawa, K. (2013). Microbial dynamics in the process of restoration of groundwater contaminated by chlorinated ethene in the presence of *Escherichia coli*. *Journal of Material Cycles and Waste Management*. 15: 335-341.
- Arshadi, M; Rajaram, H. (2015). A transition in the spatially integrated reaction rate of bimolecular reaction-diffusion systems. *Water Resour Res*. 51: 7798-7810.
- Arshadi, M; Rajaram, H; Detwiler, RL; Jones, T. (2015). High-resolution experiments on chemical oxidation of DNAPL in variable-aperture fractures. *Water Resour Res*. 51: 2317-2335.
- Arulgnanendran, VRJ; Nirmalakhandan, N. (1998). Microbial toxicity in soil medium. *Ecotoxicol Environ Saf*. 39: 48-56.
- Arulmozhiraja, S; Ehara, M; Nakatsujii, H. (2008). Electronic transitions in cis- and trans-dichloroethylenes and tetrachloroethylene. *The Journal of chemical physics*. 129: 174506.
- Arulrajah, A; Disfani, MM; Suthagaran, V; Imteaz, M. (2011). Select chemical and engineering properties of wastewater biosolids. *Malar J*. 31: 2522-2526.
- Arunachalam, R. (2014). Adaptive evolution of a novel avian-origin influenza A/H7N9 virus. *Genomics*. 104: 545-553.
- Arvin, E. (1991). Biodegradation kinetics of chlorinated aliphatic hydrocarbons with methane oxidizing bacteria in an aerobic fixed biofilm reactor. *Water Res*. 25: 873-881.
- Arvin, E; Pedersen, LF. (2015). Hydrogen peroxide decomposition kinetics in aquaculture water. *Aquacultural Engineering*. 64: 1-7.
- Aschengrau, A; Ozonoff, D; Paulu, C; Coogan, P; Vezina, R; Heeren, T; Zhang, Y. (1993). Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. *Arch Environ Health*. 48: 284-292.
- Ashby, J; Lefevre, PA. (2000). The peripubertal male rat assay as an alternative to the Hershberger castrated male rat assay for the detection of anti-androgens, oestrogens and metabolic modulators. *Journal of applied toxicology : JAT*. 20: 35-47.
- Ashby, J; Paton, D. (1995). Chemicals for evaluating the sensitivity and specificity of reduced/transgenic rodent cancer bioassay protocols. *Mutat Res*. 331: 27-38.
- Ashby, J; Tennant, RW. (1991). Definitive relationships among chemical structure, carcinogenicity and mutagenicity for 301 chemicals tested by the U.S. NTP (National Toxicology Program). *Mutat Res*. 257: 229-306.
- Asher, WE; Luo, W; Campo, KW; Bender, DA; Robinson, KW; Zogorski, JS; Pankow, TE. (2007). Application of a source apportionment model in consideration of volatile organic compounds in an urban stream. *Environ Toxicol Chem*. 26: 1606-1613.
- Ashley, DL; Bonin, MA; Cardinali, FL; McCraw, JM; Wooten, JV. (1994). Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clin Chem*. 40: 1401-1404.

Environmental Hazard Literature Search Results

Off Topic

- Askar, M; Flanagan, P; Rybicki, L; Kalaycio, M; Pohlman, B; Andresen, S; Dean, R; Duong, H; Copelan, E; Bolwell, B; Sobecks, R. (2011). The T-Cell Epitope (TCE) Algorithm for Classifying HLA-DPB1 Mismatches Does Not Predict Clinical Outcomes in HSCT. *Biol Blood Marrow Transplant.* 17: S224-S225.
- Assaf-Anid, N; Nies, L; Vogel, TM. (1992). REDUCTIVE DECHLORINATION OF CHLORINATED ALIPHATIC AND AROMATIC COMPOUNDS BY VITAMIN B12. *203rd Acs.* 203.
- Assaf-Anid, N; Vogel, TM. (1991). REDUCTIVE DECHLORINATION OF CHLORINATED ALIPHATIC COMPOUNDS BY METALLO-ORGANIC COMPLEXES. *91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May.* 91: 296.
- Asthana, A; Tuveson, RW. (1992). Effects of UV and phototoxins on selected fungal pathogens of citrus. *Int J Plant Sci.* 153: 442-452.
- Astrand, I; Ovrum, P. (1976). Exposure to trichloroethylene I. Uptake and distribution in man. *Scandinavian journal of work, environment & health.* 2: 199-211.
- Ataie-Ashtiani, B; Hassanizadeh, SM; Celia, MA. (2002). Effects of heterogeneities on capillary pressure-saturation-relative permeability relationships. *J Contam Hydrol.* 56: 175-192.
- Atashgahi, S; Maphosa, F; De Vrieze, J; Haest, PJ; Boon, N; Smidt, H; Springael, D; Dejonghe, W. (2014). Evaluation of solid polymeric organic materials for use in bioreactive sediment capping to stimulate the degradation of chlorinated aliphatic hydrocarbons. *Appl Microbiol Biotechnol.* 98: 2255-2266.
- Atasoy, E; Dâ€ ; I; lu, T; Kara, S. (2004). The estimation of NMVOC emissions from an urban-scale wastewater treatment plant. *Water Res.* 38: 3265-3274.
- Athmer, C. (2004). In-situ remediation of TCE in clayey soils. *Soil & Sediment Contamination.* 13: 479-488.
- Atia, Y; Elias, Y; Mor, T; Weinstein, Y. (2016). Algorithmic cooling in liquid-state nuclear magnetic resonance. *Physical Review A.* 93: 2325-2325.
- Atkinson, A; Meeks, RG; Roy, D. (1993). Increased oxidative stress in the liver of mice treated with trichlorethylene. *Biochem Mol Biol Int.* 31: 297-304.
- Atkinson, R; Aschmann, SM. (1987). KINETICS OF THE GAS-PHASE REACTIONS OF CHLORINE ATOMS WITH CHLOROETHENES AT 298 PLUS OR MINUS 2K AND ATMOSPHERIC PRESSURE. *Int J Chem Kinet.* 19: 1097-1106.
- Atkinson, R; Aschmann, SM; Goodman, MA. (1987). KINETICS OF THE GAS-PHASE REACTIONS OF NITRATE RADICALS WITH A SERIES OF ALKYNES HALOALKENES AND ALPHA BETA-UNSATURATED ALDEHYDES. *Int J Chem Kinet.* 19: 299-308.
- Atteia, O; Franceschi, M; Dupuy, A. (2008). Validation of reactive model assumptions with isotope data: Application to the Dover case. *Environmental Science & Technology.* 42: 3289-3295.
- Atteia, O; Guillot, C. (2007). Factors controlling BTEX and chlorinated solvents plume length under natural attenuation conditions. *J Contam Hydrol.* 90: 81-104.
- Atteia, O; Hohener, P. (2010). Semianalytical Model Predicting Transfer of Volatile Pollutants from Groundwater to the Soil Surface. *Environmental Science & Technology.* 44: 6228-6232.
- Atwater, JW; Jasper, SE; Parkinson, PD; Mavinic, DS. (1990). Organic contaminants in Canadian coal wastewaters and associated sediments. *Wat Pollut Res J Can.* 25: 187-200.
- Aucoin, R; Guillet, G; Murray, C; Philogene, BJR; Arnason, JT. (1995). How do insect herbivores cope with the extreme oxidative stress of phototoxic host plants? *Archives Of Insect Biochemistry And Physiology.* 29: 211-226.
- AudÃ--MirÃ³, C; Cretnik, S; TorrentÃ³, C; Rosell, Mn; Shouakar-Stash, O; Otero, N; Palau, J; Elsner, M; Soler, A. (2015). C, Cl and H compound-specific isotope analysis to assess natural versus Fe(0) barrier-induced degradation of chlorinated ethenes at a contaminated site. *J Hazard Mater.* 299: 747-754.
- Audi-Miro, C; Cretnik, S; Otero, N; Palau, J; Shouakar-Stash, O; Soler, A; Elsner, M. (2013). Cl and C isotope analysis to assess the effectiveness of chlorinated ethene degradation by zero-valent iron: Evidence from dual element and product isotope values. *Appl Geochem.* 32: 175-183.
- Aulenta, F; Bianchi, A; Majone, M; Papini, MP; Potalivo, M; Tandoi, V. (2005). Assessment of natural or enhanced in situ bioremediation at a chlorinated solvent-contaminated aquifer in Italy: a microcosm study. *Environ Int.* 31: 185-190.
- Aulenta, F; Canosa, A; De Roma, L; Reale, P; Panero, S; Rossetti, S; Majone, M. (2009). Influence of mediator immobilization on the electrochemically assisted microbial dechlorination of trichloroethene (TCE) and cis-dichloroethene (cis-DCE). *J Chem Tech Biotechnol.* 84: 864-870.
- Aulenta, F; Canosa, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2008). Trichloroethene dechlorination and H(2) evolution are alternative biological pathways of electric charge utilization by a dechlorinating culture in a bioelectrochemical system. *Environmental Science & Technology.* 42: 6185-6190.
- Aulenta, F; Canosa, A; Reale, P; Rossetti, S; Panero, S; Majone, M. (2009). Microbial Reductive Dechlorination of Trichloroethene to Ethene With Electrodes Serving as Electron Donors Without the External Addition of Redox Mediators. *Biotechnol Bioeng.* 103: 85-91.
- Aulenta, F; Canosa, A; Roma, LD; Reale, P; Panero, S; Rossetti, S; Majone, M. (2009). Influence of mediator immobilization on the electrochemically assisted microbial dechlorination of trichloroethene (TCE) and cis-dichloroethene (cis-DCE). *J Chem Tech Biotechnol.* 84: 864-870.
- Aulenta, F; Catervi, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2007). Electron transfer from a solid-state electrode assisted by methyl viologen sustains efficient microbial reductive dechlorination of TCE. *Environmental Science & Technology.* 41: 2554-2559.
- Aulenta, F; Di Maio, V; Ferri, T; Majone, M. (2010). The humic acid analogue anthraquinone-2,6-disulfonate (AQDS) serves as an electron shuttle in the electricity-driven microbial dechlorination of trichloroethene to cis-dichloroethene. *Bioresour Technol.* 101: 9728-9733.

Environmental Hazard Literature Search Results

Off Topic

- Aulenta, F; Fazi, S; Majone, M; Rossetti, S. (2014). Electrically conductive magnetite particles enhance the kinetics and steer the composition of anaerobic TCE-dechlorinating cultures. *Process Biochemistry*. 49: 2235-2240.
- Aulenta, F; Ferri, T; Nicastro, D; Majone, M; Papini, MP. (2011). Improved electrical wiring of microbes: anthraquinone-modified electrodes for biosensing of chlorinated hydrocarbons. *N Biotechnol*. 29: 126-131.
- Aulenta, F; Fina, A; Potalivo, M; Petrangeli, PM; Rossetti, S; Majone, M. (2005). Anaerobic transformation of tetrachloroethane, perchloroethylene, and their mixtures by mixed-cultures enriched from contaminated soils and sediments. *Water science and technology : a journal of the International Association on Water Pollution Research*. 52: 357-362.
- Aulenta, F; Fuoco, M; Canosa, A; Papini, MP; Majone, M. (2008). Use of poly-beta-hydroxy-butyrate as a slow-release electron donor for the microbial reductive dechlorination of TCE. *Water Science and Technology*. 57: 921-925.
- Aulenta, F; Fuoco, M; Canosa, A; Petrangeli Papini, M; Majone, MM. (2008). Use of poly-b-hydroxy-butyrate as a slow-release electron donor for the microbial reductive dechlorination of TCE. *Water science and technology : a journal of the International Association on Water Pollution Research*. 57: 921-925.
- Aulenta, F; Gossett, JM; Papini, MP; Rossetti, S; Majone, M. (2005). Comparative study of methanol, butyrate, and hydrogen as electron donors for long-term dechlorination of tetrachloroethene in mixed anerobic cultures. *Biotechnol Bioeng*. 91: 743-753.
- Aulenta, F; Majone, M; Verbo, P; Tandoi, V. (2002). Complete dechlorination of tetrachloroethene to ethene in presence of methanogenesis and acetogenesis by an anaerobic sediment microcosm. *Biodegradation*. 13: 411-424.
- Aulenta, F; Potalivo, M; Majone, M; Papini, MP; Tandoi, V. (2006). Anaerobic bioremediation of groundwater containing a mixture of 1,1,2,2-tetrachloroethane and chloroethenes. *Biodegradation*. 17: 193-206.
- Aulenta, F; Reale, P; Canosa, A; Rossetti, S; Panero, S; Majone, M. (2010). Characterization of an electro-active biocathode capable of dechlorinating trichloroethene and cis-dichloroethene to ethene. *Biosensors & Bioelectronics*. 25: 1796-1802.
- Aulenta, F; Rossetti, S; Amalfitano, S; Majone, M; Tandoi, V. (2013). Conductive Magnetite Nanoparticles Accelerate the Microbial Reductive Dechlorination of Trichloroethene by Promoting Interspecies Electron Transfer Processes. *ChemSusChem*. 6: 433-436.
- Aulenta, F; Rossetti, S; Majone, M; Tandoi, V. (2004). Detection and quantitative estimation of Dehalococcoides spp. in a dechlorinating bioreactor by a combination of fluorescent in situ hybridisation (FISH) and kinetic analysis. *Appl Microbiol Biotechnol*. 64: 206-212.
- Aulenta, F; Tocca, L; Reale, P; Rossetti, S; Majone, M. (2010). Bioelectrochemical dechlorination of trichloroethene: From electron transfer mechanisms to process scale-up. *J Biotechnol*. 150, Supplement: 34-35.
- Aulenta, F; Tocca, L; Verdini, R; Reale, P; Majone, M. (2011). Dechlorination of Trichloroethene in a Continuous-Flow Bioelectrochemical Reactor: Effect of Cathode Potential on Rate, Selectivity, and Electron Transfer Mechanisms. *Environmental Science & Technology*. 45: 8444-8451.
- Ault, BH; Herrod, HG. (1982). T- and B-lymphocyte colony formation by cord and adult blood lymphocytes stimulated with Staph protein A. *Cell Immunol*. 74: 192-197.
- Auman, AJ; Lidstrom, ME. (2002). Analysis of sMMO-containing Type I methanotrophs in Lake Washington sediment. *Environ Microbiol*. 4: 517-524.
- Auman, AJ; Speake, CC; Lidstrom, ME. (2001). nifH sequences and nitrogen fixation in type I and type II methanotrophs. *Appl Environ Microbiol*. 67: 4009-+.
- Auman, AJ; Stolyar, S; Costello, AM; Lidstrom, ME. (2000). Molecular characterization of methanotrophic isolates from freshwater lake sediment. *Appl Environ Microbiol*. 66: 5259-5266.
- Austin, EW; Okita, JR; Okita, RT; Larson, JL; Bull, RJ. (1995). Modification of lipoperoxidative effects of dichloroacetate and trichloroacetate is associated with peroxisome proliferation. *Toxicology*. 97: 59-69.
- Austin, J. (2003). Day-of-week patterns in toxic air contaminants in southern California. *Journal of the Air & Waste Management Association (1995)*. 53: 889-896.
- Avila, MAS; Breiter, R. (2009). Modelling the Competitive Sorption Process of Multiple Solutes During their Transport in Porous Media. *Environmental Modeling & Assessment*. 14: 615-629.
- Avon, L; Bredehoeft, JD. (1989). AN ANALYSIS OF TRICHLOROETHYLENE MOVEMENT IN GROUNDWATER AT CASTLE AIR FORCE BASE CALIFORNIA USA. *J Hydrol*. 110: 23-50.
- Avon, L; Bredehoeft, JD. (1989). An analysis of trichloroethylene movement in groundwater at castle Air Force Base, California. *J Hydrol*. 110: 23-50.
- Awasthi, MD; Ahuja, AK. (1995). Organochlorine insecticide residues in bovine milk and commercial baby milk powder. *J Food Sci Tech*. 32: 420-422.
- Ayala-del-Rio, HL. (2002). Long-term effects of phenol and phenol plus trichloroethene application on microbial communities in aerobic sequencing batch reactors. PhD Thesis, Michigan State University.
- Ayala-del-Rio, HL; Callister, SJ; Criddle, CS; Tiedje, JM. (2004). Correspondence between community structure and function during succession in phenol- and phenol-plus-trichloroethene-fed sequencing batch reactors. *Appl Environ Microbiol*. 70: 4950-4960.
- Ayoub, SRA; Uchiyama, H; Iwasaki, K; Doi, T; Inaba, K. (2008). Effects of several surfactants and high-molecular-weight organic compounds on decomposition of trichloroethylene with zerovalent iron powder. *Environ Technol*. 29: 363-373.
- Ayoubi, P; Harker, A. (1996). WHOLE-CELL KINETICS OF CONSTITUTIVE TRICHLOROETHYLENE DEGRADATION BY PHENOL HYDROXYLASE IN AN ALCALIGENES EUTROPHUS JMP134 DERIVATIVE. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 411.

Environmental Hazard Literature Search Results

Off Topic

- Ayoubi, PJ; Harker, AR. (1998). Whole-cell kinetics of trichloroethylene degradation by phenol hydroxylase in a *Ralstonia eutropha* JMP134 derivative. *Appl Environ Microbiol.* 64: 4353-4356.
- Ayral, D; Otero, M; Goltz, MN; Demond, AH. (2014). Impact of DNAPL contact on the structure of smectitic clay materials. *Chemosphere.* 95: 182-187.
- Ayyildiz, O; Anderson, PR; Peters, RW. (2005). Laboratory batch experiments of the combined effects of ultrasound and air stripping in removing CCl₄ and 1,1,1-TCA from water. *J Hazard Mater.* 120: 149-156.
- Azeez, L; Oyedeeji, OA; Abdulsalami, IO; Adewuyi, SO. (2013). Characterization of odorous compounds in air, leachate, stream and well in and around Taju-Bello Dumpsite, Lagos, Nigeria. *Adv Environ Res.* 2: 143-153.
- Aziz, CE; Fitch, MW; Linquist, LK; Pressman, JG; Georgiou, G; Speitel, GEJR. (1995). Methanotrophic biodegradation of trichloroethylene in a hollow fiber membrane bioreactor. *Environmental Science & Technology.* 29: 2574-2583.
- Aziz, CE; Georgiou, G; Speitel, GE. (1999). Cometabolism of chlorinated solvents and binary chlorinated solvent mixtures using *M-trichosporium* OB3b PP358. *Biotechnol Bioeng.* 65: 100-107.
- Azizian, M; Marshall, I; Behrens, S; Spormann, A; Semprini, L. (2010). Evaluation in a continuous-flow column of different fermenting substrates for the reductive dehalogenation of trichloroethene. Seventh International IAHS Groundwater Quality Conference (GQ 10).
- Azizian, MF; Behrens, S; Sabalowsky, A; Dolan, ME; Spormann, AM; Semprini, L. (2008). Continuous-flow column study of reductive dehalogenation of PCE upon bioaugmentation with the Evanite enrichment culture. *J Contam Hydrol.* 100: 11-21.
- Azizian, MF; Istok, JD; Semprini, L. (2005). Push-pull test evaluation of the in situ aerobic cometabolism of chlorinated ethenes by toluene-utilizing microorganisms. *Water Science and Technology.* 52: 35-40.
- Azizian, MF; Istok, JD; Semprini, L. (2007). Evaluation of the in-situ aerobic cometabolism of chlorinated ethenes by toluene-utilizing microorganisms using push-pull tests. *J Contam Hydrol.* 90: 105-124.
- Azizian, MF; Istok, JD; Semprini, L. (2007). Evaluation of the in-situ aerobic cometabolism of chlorinated ethenes by toluene-utilizing microorganisms using push-pull tests. *J Contam Hydrol.* 90: 105-124.
- Azizian, MF; Marshall, IPG; Behrens, S; Spormann, AM; Semprini, L. (2010). Comparison of lactate, formate, and propionate as hydrogen donors for the reductive dehalogenation of trichloroethene in a continuous-flow column. *J Contam Hydrol.* 113: 77-92.
- BÃ©liveau, M; Tardif, R; Krishnan, K. (2003). Quantitative structure-property relationships for physiologically based pharmacokinetic modeling of volatile organic chemicals in rats. *Toxicol Appl Pharmacol.* 189: 221-232.
- Bachir, S; Ambrosio, M; Federici, V; Barnier, H. (1998). Hydrothermal oxidation of organochlorines. *Analisis.* 26: 237-244.
- Bacik, DB. (2011). Incorporating Green Chemistry Principles in Heterogeneous Catalysis Operations. *Dissertation Abstracts International Vol 73, no 01, suppl B, 255 p 2011.*
- Baciacchi, R; Boni, MMR. (2004). Application of H₂O₂ lifetime as an indicator of TCE Fenton-like oxidation in soils. *J Hazard Mater.*
- Baciacchi, R; Boni, MR; D'Aprile, L. (2003). Characterization and performance of granular iron as reactive media for TCE degradation by permeable reactive barriers. *Water Air and Soil Pollution.* 149: 211-226.
- Back, H; Suesser, P. (1990). CONCENTRATIONS OF VOLATILE CHLORINATED HYDROCARBONS AND TRICHLOROACETIC ACID IN EARTHWORMS. 4th International Symposium On Earthworm Ecology, Avignon, France, June. 24: 1745-1748.
- Badin, A; Broholm, MM; Jacobsen, CS; Palau, J; Dennis, P; Hunkeler, D. (2016). Identification of abiotic and biotic reductive dechlorination in a chlorinated ethene plume after thermal source remediation by means of isotopic and molecular biology tools. *J Contam Hydrol.* 192: 1-19.
- Badin, A; Buttet, G; Maillard, J; Holliger, C; Hunkeler, D. (2014). Multiple Dual C-Cl Isotope Patterns Associated with Reductive Dechlorination of Tetrachloroethene. *Environmental Science & Technology.* 48: 9179-9186.
- Badman, RT. Pulmonary damage in sheep caused by a grain fumigant. *Australian advances in veterinary science.* 1979.: 54-55.
- Baduru, KK; Trapp, S; Burken, JG. (2008). Direct measurement of VOC diffusivities in tree tissues: Impacts on tree-based phytoremediation and plant contamination. *Environmental Science & Technology.* 42: 1268-1275.
- Bae, HS; Moe, WM; Yan, J; Tiago, I; da, CMS; Rainey, FA. (2006). *Brooklawnia cerclae* gen. nov., sp. nov., a propionate-forming bacterium isolated from chlorosolvent-contaminated groundwater. *Int J Syst Evol Microbiol.* 56: 1977-1983.
- Bae, HS; Moe, WM; Yan, J; Tiago, I; da, CMS; Rainey, FA. (2006). *Propionicicella superfundia* gen. nov., sp. nov., a chlorosolvent-tolerant propionate-forming, facultative anaerobic bacterium isolated from contaminated groundwater. *Syst Appl Microbiol.* 29: 404-413.
- Bae, JW; Lee, ST. (1999). Layered structure of UASB granules gives microbial populations resistance to toxic chemicals. *Biotechnol Lett.* 21: 159-162.
- Bae, S; Hanna, K. (2015). Reactivity of Nanoscale Zero-Valent Iron in Unbuffered Systems: Effect of pH and Fe(II) Dissolution. *Environmental Science & Technology.* 49: 10536-10543.
- Bae, S; Lee, W. (2014). Influence of Riboflavin on Nanoscale Zero-Valent Iron Reactivity during the Degradation of Carbon Tetrachloride. *Environmental Science & Technology.* 48: 2368-2376.
- Bae, W; Odencrantz, JE; Rittmann, BE; Valocchi, AJ. (1990). Transformation kinetics of trace-level halogenated organic contaminants in a biologically active zone (BAZ) induced by nitrate injection. *J Contam Hydrol.* 6: 53-68.
- Bae, Y; Kim, D; Cho, HH; Singhal, N; Park, JW. (2012). Transformation impacts of dissolved and solid phase Fe(II) on trichloroethylene (TCE) reduction in an iron-reducing bacteria (IRB) mixed column system: A mathematical model. *Water Res.* 46: 6391-6398.
- Baek, NH; Jaffe, PR. (1989). THE DEGRADATION OF TRICHLOROETHYLENE IN MIXED METHANOGENIC CULTURES. *J Environ Qual.* 18: 515-518.
- Baek, NH; Jaffe, PR; Shingal, N. (1990). Simulating the degradation of TCE under methanogenesis. *J Environ Sci Health Part A Environ Sci Eng.* 25: 987-1006.

Environmental Hazard Literature Search Results

Off Topic

- Baek, SO; Suvarapu, LN; Seo, YK. (2015). Occurrence and Concentrations of Toxic VOCs in the Ambient Air of Gumi, an Electronics-Industrial City in Korea. *Sensors* (Basel, Switzerland). 15: 19102-19123.
- Baek, W; Lee, JY. (2011). Source apportionment of trichloroethylene in groundwater of the industrial complex in Wonju, Korea: a 15-year dispute and perspective. *Water Environ J.* 25: 336-344.
- Baelum, J; Chambon, JC; Scheutz, C; Binning, PJ; Laier, T; Bjerg, PL; Jacobsen, CS. (2013). A conceptual model linking functional gene expression and reductive dechlorination rates of chlorinated ethenes in clay rich groundwater sediment. *Water Res.* 47: 2467-2478.
- Baelum, J; Scheutz, C; Broholm, M; Jacobsen, C. (2010). Extraction of Nucleic Acids from Trichloroethylene (TCE) Degrading Bacteria in Clayey Till Samples. 110th General Meeting of the American Society for Microbiology.
- Baelum, J; Scheutz, C; Chambon, JC; Jensen, CM; Brochmann, RP; Dennis, P; Laier, T; Broholm, MM; Bjerg, PL; Binning, PJ; Jacobsen, CS. (2014). The impact of bioaugmentation on dechlorination kinetics and on microbial dechlorinating communities in subsurface clay till. *Environ Pollut.* 186: 149-157.
- Baeseman, JL; Novak, PJ. (2001). Effects of various environmental conditions on the transformation of chlorinated solvents by *Methanosarcina thermophila* cell exudates. *Biotechnol Bioeng.* 75: 634-641.
- Bagley, DM; Gossett, JM. (1990). Tetrachloroethene transformation to trichloroethene and cis-1,2- dichloroethene by sulfate-reducing enrichment cultures. *Appl Environ Microbiol.* 56: 2511-2516.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res.* 34: 171-178.
- Bagnati, M; Perugini, C; Cau, C; Bordone, R; Albano, E; Bellomo, G. (1999). When and why a water-soluble antioxidant becomes pro-oxidant during copper-induced low-density lipoprotein oxidation: a study using uric acid. *The Biochemical journal.* 340: 143-152.
- Bai, CL; Stacey, NH. (1993). Mechanism of trichloroethylene-induced elevation of individual serum bile acids. II. In vitro and in vivo interference by trichloroethylene with bile acid transport in isolated rat hepatocytes. *Toxicol Appl Pharmacol.* 121: 296-302.
- Baird, SJS; Catalano, PJ; Ryan, LM; Evans, JS. (1997). Evaluation of effect profiles: Functional observational battery outcomes. *Fundam Appl Toxicol.* 40: 37-51.
- Bajracharya, K; Barry, DA. (1994). NOTE ON COMMON MIXING CELL MODELS. *J Hydrol.* 153: 189-214.
- Bakale, G; McCreary, RD. (1990). Response of the ke test to NCI-screened chemicals: I. Nongenotoxic carcinogens and genotoxic non-carcinogens. *Carcinogenesis.* 11: 1811-1818.
- Bakale, G; McCreary, RD. (1992). Response of the ke test to NCI-screened chemicals: II. Genotoxic carcinogens and non-genotoxic non-carcinogens. *Carcinogenesis.* 13: 1437-1445.
- Baker, AW; Bonniface, D; Klapáček, TM; Nicol, I; Scott, JD; Scott, WDS; Spence, RR; Watson, MJ; Webb, G; Winfield, JM. (2000). Catalytic fluorination of trichloroethene by anhydrous hydrogen fluoride in the presence of fluorinated chromia under static conditions. Synthesis of [18F]-labelled CF₃CH₂F and [36Cl]-labelled CF₃CH₂Cl. Catalytic dehydrofluorination of CF₃CH₂F and CF₃CH₂Cl. *J Fluor Chem.* 102: 279-284.
- Baker, JA. (1989). CASE STUDIES IN ORGANIC CONTAMINANT HYDROGEOLOGY. *Environ Geol Water Sci.* 14: 17-34.
- Baker, JC; Beddington, RSP; Harland, RM. (1999). Wnt signaling in *Xenopus* embryos inhibits Bmp4 expression and activates neural development. *Genes & Development.* 13: 3149-3159.
- Baker, JR; Mihelcic, JR; Luehrs, DC; Hickey, JP. (1997). Evaluation of estimation methods for organic carbon normalized sorption coefficients. *Water Environ Res.* 69: 136-145.
- Baker, MP. (2014). Alternative forming fluids for triso fuel kernel production. *Dissertation Abstracts International Vol 75, no 08, suppl B, 188 p 2014.*
- Baker, MP; King, JC; Gorman, BP; Braley, JC. (2015). Straight-chain halocarbon forming fluids for TRISO fuel kernel production - Tests with yttria-stabilized zirconia microspheres. *J Nucl Mater.* 458: 77-86.
- Baker, MP; King, JC; Gorman, BP; Marshall, DW. (2013). Selection and properties of alternative forming fluids for TRISO fuel kernel production. *J Nucl Mater.* 432: 395-406.
- Baker, MT; Ronnenberg, WCJR. (1993). Contrasting effects of 1,1,1-trichloroethane on carbon-14 vinyl chloride metabolism and activation in hepatic microsomes from phenobarbital- and isoniazid-treated rats. *Toxicol Appl Pharmacol.* 119: 17-22.
- Baker, P; Futamata, H; Harayama, S; Watanabe, K. (2001). Bacterial populations occurring in a trichloroethylene-contaminated aquifer during methane injection. *Environ Microbiol.* 3: 187-193.
- Baker, PW; Futamata, H; Harayama, S; Watanabe, K. (2001). Molecular diversity of pMMO and sMMO in a TCE-contaminated aquifer during bioremediation. *FEMS Microbiol Ecol.* 38: 161-167.
- Baker, RJ; Fuchs, J; Richards, AJ; Ogilvie, HV. (2011). Perfluorinated phosphine oxide and sulfides as extractants for heavy metals and radionuclides. *J Environ Manage.* 92: 2781-2785.
- Baker, RS; Nielsen, SG; Heron, G; Ploug, N. (2016). How Effective Is Thermal Remediation of DNAPL Source Zones in Reducing Groundwater Concentrations? *Ground Water Monitoring and Remediation.* 36: 38-53.
- Baláčn, M; Bott, CB; Duncan, AJ; Love, NG. (2001). Stress protein expression in domestic activated sludge in response to xenobiotic shock loading. *Spectrochim Acta A Mol Biomol Spectrosc.* 104: 1049-1056.
- Balasubramanian, P; Philip, L; Bhallamudi, SM. (2011). Biodegradation of Chlorinated and Non-chlorinated VOCs from Pharmaceutical Industries. *Appl Biochem Biotechnol.* 163: 497-518.
- Balasubramanian, P; Philip, L; Bhallamudi, SM. (2012). Biotrickling filtration of complex pharmaceutical VOC emissions along with chloroform. *Bioresour Technol.* 114: 149-159.

Environmental Hazard Literature Search Results

Off Topic

- Baldasano, JM; Delgado, R; Calbo, J. (1998). Applying receptor models to analyze urban/suburban VOCs air quality in Martorell (Spain). *Environmental Science & Technology*. 32: 405-412.
- Baldrian, P; Zare, SMJ; Bahrami, AR; Ghiasvand, A; Mahjub, H; Tuduri, L. (2013). SPME-based air sampling method for inhalation exposure assessment studies: case study on perchlorethylene exposure in dry cleaning. *Sci Total Environ Jun*. 455: 517-527.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (1997). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard. *Water Resour Res*. 33: 2741-2757.
- Ball, WP; Roberts, PV. (1991). Long-term sorption of halogenated organic chemicals by aquifer material: 1. Equilibrium. *Environ Sci Technol*. 25: 1223-1237.
- Ball, WP; Roberts, PV. (1991). Long-term sorption of halogenated organic chemicals by aquifer material: 2. Intraparticle diffusion. *Environ Sci Technol*. 25: 1237-1249.
- Ballerstedt, H; Hantke, J; Bunge, M; Werner, B; Gerritse, J; Andreesen, JR; Lechner, U. (2004). Properties of a trichlorodibenzo-p-dioxin-dechlorinating mixed culture with a Dehalococcoides as putative dechlorinating species. *FEMS Microbiol Ecol*. 47: 223-234.
- Ballinger, MY; Larson, TV. (2014). Source apportionment of stack emissions from research and development facilities using positive matrix factorization. *Atmos Environ*. 98: 59-65.
- Ballschmiter, K; Wittlinger, R. (1991). Interhemisphere exchange of hexachlorocyclohexanes, hexachlorobenzene, polychlorobiphenyls, and 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane in the lower troposphere. *Environ Sci Technol*. 25: 1103-1111.
- Balsiger, C; Holliger, C; H&E hener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. *Chemosphere*. 61: 361-373.
- Bamberger, RL; Esposito, GG; Jacobs, BW; Podolak, GE; Mazur, JF. (1978). A new personal sampler for organic vapors. *Am Ind Hyg Assoc J*. 39: 701-708.
- Ban, M; Hettich, D; Bonnet, P. (2003). Effect of inhaled industrial chemicals on systemic and local immune response. *Toxicology*. 184: 41-50.
- Ban, M; Hettich, D; Goutet, M; Binet, S. (1998). Serum-borne factor(s) of 1,1-dichloroethylene and 1,2-dichlorobenzene-treated mice inhibited in vitro antibody forming cell response and natural killer cell activity. *Toxicol Lett*. 94: 93-101.
- Ban, M; Hettich, D; Huguet, N; Cavelier, L. (1995). Nephrotoxicity mechanism of 1,1-dichloroethylene in mice. *Toxicol Lett*. 78: 87-92.
- Banaee, J; Larson, RA. (1993). Effects of additives on the formation of organochlorine compounds during the combustion of a chlorine-containing polymer. *Waste Manage*. 13: 77-82.
- Banerjee, S; Shang, TQ; Wilson, AM; Moore, AL; Strand, SE; Gordon, MP; Doty, SL. (2002). Expression of functional mammalian P450 2E1 in hairy root cultures. *Biotechnol Bioeng*. 77: 462-466.
- Banerjee, S; Sutanto, S; Kleijn, JM; van, RMJ; Witkamp, GJ; Stuart, MA. (2012). Colloidal interactions in liquid CO₂--a dry-cleaning perspective. *Adv Colloid Interface Sci*. 175: 11-24.
- Banisharif, A; Khodadadi, AA; Mortazavi, Y; Firooz, AA; Beheshtian, J; Agah, S; Menbari, S. (2015). Highly active Fe sub(2)O sub(3)-doped TiO sub(2) photocatalyst for degradation of trichloroethylene in air under UV and visible light irradiation: Experimental and computational studies. *Appl Catal B-Environ*. 165: 209-221.
- Banjerjee, S. (1996). Estimating water solubilities of organics as a function of temperature. *Water Res*. 30: 2222-2225.
- Bankston, J; Blodgett, E; Karthikeyan, S; Richard, D. (2013). Chlorinated Solvent Treatment Wetland. *Remediation*. 23: 59-69.
- Bankston, JL; Sola, DL; Komor, AT; Dwyer, DF. (2002). Degradation of trichloroethylene in wetland microcosms containing broad-leaved cattail and eastern cottonwood. *Water Res*. 36: 1539-1546.
- Banville, RR; McNeil, E. (1966). Microbiology of drycleaning. *Applied microbiology*. 14: 1-7.
- Bao, WMJ; Vogler, ET; Chrysikopoulos, CV. (2003). Nonaqueous liquid pool dissolution in three-dimensional heterogeneous subsurface formations. *Environ Geol*. 43: 968-977.
- Barac, T; Weyens, N; Oeyen, L; Taghavi, S; van der Lelie, D; Dubin, D; Splet, M; Vangronsveld, J. (2009). FIELD NOTE: HYDRAULIC CONTAINMENT OF A BTEX PLUME USING POPLAR TREES. *Int J Phytoremediation*. 11: 416-424.
- Baran, JRJR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I Illior with alkyl glucamide surfactants. *Environmental Science & Technology*. 30: 2143-2147.
- Barat, RB; Bozzelli, JW. (1989). REACTION OF CHLOROCARBONS TO HYDROCHLORIC ACID AND HYDROCARBONS IN A HYDROGEN-RICH MICROWAVE-INDUCED PLASMA REACTOR. *Environ Sci Technol*. 23: 666-671.
- Barbaro, JR; Neupane, PP. (2006). Use of plume mapping data to estimate chlorinated solvent mass loss. *Ground Water Monitoring and Remediation*. 26: 115-127.
- Barbash, JE; Reinhard, M. (1992). ABIOTIC REACTIONS OF HALOGENATED ETHANES AND ETHYLENES IN BUFFERED AQUEOUS SOLUTIONS CONTAINING HYDROGEN SULFIDE. *203rd Acs*. 203.
- Barber, LB; Keefe, SH; Leblanc, DR; Bradley, PM; Chapelle, FH; Meyer, MT; Loftin, KA; Kolpin, DW; Rubio, F. (2009). Fate of sulfamethoxazole, 4-nonylphenol, and 17beta-estradiol in groundwater contaminated by wastewater treatment plant effluent. *Environmental science & technology*. 43: 4843-4850.
- Barberis, S; Quiroga, E; Morcelle, S; Priolo, N; Luco, JM. (2006). Study of phytoproteases stability in aqueous-organic biphasic systems using linear free energy relationships. *Journal of Molecular Catalysis B: Enzymatic*. 38: 95-103.
- Barbour, JP; Smith, JA; Chiou, CT. (2005). Sorption of aromatic organic pollutants to grasses from water. *Environmental Science & Technology*. 39: 8369-8373.
- Barclay, M. (2015). CTS CORP. V. WALDBURGER. *Harvard Environmental Law Review*. 39: 567-583.

Environmental Hazard Literature Search Results

Off Topic

- Bardin, VV; Bardina, SG. (2004). Fluorine addition to polychlorinated and polybrominated ethenes and arenes using vanadium pentafluoride. *J Fluor Chem.* 125: 1411-1414.
- Barker, K. (1998). STORAGE AND DISPOSAL. Barker, K *At The Bench: A Laboratory Navigator Xv+460p* Cold Spring Harbor Laboratory Press: Plainview, New York, Usa Isbn. 0: 163-183.
- Barnes, DL; McWhorter, DB. Uncertainty in predicting the rate of mass removal created by soil vapor extraction systems. *Journal of Soil Contamination.* 2000. v. 9 (1): 13-29.
- Barnes, RJ; Riba, O; Gardner, MN; Scott, TB; Jackman, SA; Thompson, IP. (2010). Optimization of nano-scale nickel/iron particles for the reduction of high concentration chlorinated aliphatic hydrocarbon solutions. *Chemosphere.* 79: 448-454.
- Barnes, RJ; Riba, O; Gardner, MN; Singer, AC; Jackman, SA; Thompson, IP. (2010). Inhibition of biological TCE and sulphate reduction in the presence of iron nanoparticles. *Chemosphere.* 80: 554-562.
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere.* 82: 592-596.
- Barnhoorn, IE; van, DJC; Pieterse, GM; Bornman, MS. (2010). Intersex in feral indigenous freshwater *Oreochromis mossambicus*, from various parts in the Luvuvhu River, Limpopo Province, South Africa. *Ecotoxicol Environ Saf.* 73: 1537-1542.
- Barnier, C; Palmier, C; Atteia, O. (2013). Field Evidence of Dissolution and Degradation Rates Enhancement During ISCR and ENA Treatments of Chlorinated Solvents. *Remediation.* 23: 123-137.
- Barnier, C; Palmier, C; Atteia, O. (2013). Validation of a multilevel sampling device to determine the vertical variability of chlorinated solvent in a contaminated aquifer. *Environ Technol.* 34: 1542-1553.
- Barranco, F; Frain, J; Wilkinson, M. (2010). The Sustainability of In Situ Biochemical Reduction of TCE in Groundwater When Influenced by Chemical Oxidation Treatment. Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds.
- Barratt, MD; Brantom, PG; Fentem, JH; Gerner, I; Walker, AP; Worth, AP. (1998). The ECVAM International Validation Study on in vitro tests for skin corrosivity. 1. Selection and distribution of the test chemicals. *Toxicol In Vitro.* 12: 471-482.
- Barret, L; Arsac, P; Vincent, M; Faure, J; Garrel, S; Reymond, F. (1982). Evoked trigeminal nerve potential in chronic trichloroethylene intoxication. *Journal of toxicology Clinical toxicology.* 19: 419-423.
- Barret, L; Torch, S; Usson, Y; Gonthier, B; Saxod, R. (1991). A morphometric evaluation of the effects of trichloroethylene and dichloroacetylene on the rat mental nerve: Preliminary results. *Neurosci Lett.* 131: 141-144.
- Barret, L; Torch, S; Usson, Y; Gonthier, B; Saxod, R. (1991). A morphometric evaluation of the effects of trichloroethylene and dichloroacetylene on the rat mental nerve. Preliminary results. *Neurosci Lett.* 131: 141-144.
- Barrett, L; Torch, S; Leray, C; Sarlieve, L; Saxod, R. (1992). Morphometric and biochemical studies in trigeminal nerve of rat after trichloroethylene or dichloroacetylene oral administration. *Neurotoxicology.* 13: 601-614.
- Barrio-Lage, G; Parsons, FZ; Nassar, RS. (1987). KINETICS OF THE DEPLETION OF TRICHLOROETHENE. *Environ Sci Technol.* 21: 366-370.
- Barrio-Lage, G; Parsons, FZ; Nassar, RS; Lorenzo, PA. (1986). SEQUENTIAL DEHALOGENATION OF CHLORINATED ETHENES. *Environ Sci Technol.* 20: 96-99.
- Barrio-Lage, G; Parsons, FZ; Nassar, RS; Lorenzo, PA; Suarez, JA; Escobar, JD. (1986). DEPENDENCE OF THE TRANSFORMATION OF TRICHLOROETHENE ON THE ENVIRONMENTAL FACTORS OF DIFFERENT SEDIMENTS. 191st American Chemical Society National Meeting, New York, NY, Usa, Apr. 191.
- Barrio-Lage, GA; Parsons, FZ; Lorenzo, PA. (1988). INHIBITION AND STIMULATION OF TRICHLOROETHYLENE BIODEGRADATION IN MICROAEROPHILIC MICROCOSMS. *Environ Toxicol Chem.* 7: 889-896.
- Barrio-Lage, GA; Parsons, FZ; Nassar, RS; Lorenzo, PA. (1987). BIOTRANSFORMATION OF TRICHLOROETHENE IN A VARIETY OF SUBSURFACE MATERIALS. *Environ Toxicol Chem.* 6: 571-578.
- Barshteyn, N; Elfarra, AA. (2007). Formation of three N-acetyl-L-cysteine monoadducts and one diadduct by the reaction of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide with N-acetyl-L-cysteine at physiological conditions: Chemical mechanisms and toxicological implications. *Chem Res Toxicol.* 20: 1563-1569.
- Barshteyn, N; Elfarra, AA. (2009). Cysteine Conjugate beta-Lyase Activity of Rat Erythrocytes and Formation of beta-Lyase-Derived Globin Monoadducts and Cross-Links after in Vitro Exposure of Erythrocytes to S-(1,2-Dichlorovinyl)-L-cysteine. *Chem Res Toxicol.* 22: 1351-1358.
- Barshteyn, N; Elfarra, AA. (2009). Globin Monoadducts and Cross-Links Provide Evidence for the Presence of S-(1,2-Dichlorovinyl)-L-cysteine Sulfoxide, Chlorothioacetone, and 2-Chlorothioacetyl Chloride in the Circulation in Rats Administered S-(1,2-Dichlorovinyl)-L-cysteine. *Chem Res Toxicol.* 22: 1629-1638.
- Bartel, HG; Brueggemann, R. (1998). Application of formal concept analysis to structure-activity relationships. *Fresenius J Anal Chem.* 361: 23-28.
- Bartelt-Hunt, SL; Smith, JA. (2002). Measurement of effective air diffusion coefficients for trichloroethene in undisturbed soil cores. *J Contam Hydrol.* 56: 193-208.
- Barth, JAC; Slater, G; Schuth, C; Bill, M; Downey, A; Larkin, M; Kalin, RM. (2002). Carbon isotope fractionation during aerobic biodegradation of trichloroethene by *Burkholderia cepacia* G4: a tool to map degradation mechanisms. *Appl Environ Microbiol.* 68: 1728-1734.
- Barton, HA; Bull, R; Schultz, I; Andersen, ME. (1999). Dichloroacetate (DCA) dosimetry: interpreting DCA-induced liver cancer dose response and the potential for DCA to contribute to trichloroethylene-induced liver cancer. *Toxicol Lett.* 106: 9-21.
- Barton, HA; Das, S. (1996). Alternatives for a risk assessment on chronic noncancer effects from oral exposure to trichloroethylene. *Regulatory toxicology and pharmacology : RTP.* 24: 269-285.

Environmental Hazard Literature Search Results

Off Topic

- Barton, HA; Deisinger, PJ; English, JC; Gearhart, JM; Faber, WD; Tyler, TR; Banton, MI; Teeguarden, J; Andersen, ME. (2000). Family approach for estimating reference concentrations/doses for series of related organic chemicals. *Toxicol Sci.* 54: 251-261.
- Barton, JW; Klasson, KT; Koran, LJR; Davison, BH. (1997). Microbial removal of alkanes from dilute gaseous waste streams: Kinetics and mass transfer considerations. *Biotechnol Prog.* 13: 814-821.
- Barton, JW; Vodraska, CD; Flanary, SA; Davison, BH. (2008). Solubility of toluene, benzene and TCE in high-microbial concentration systems. *Chemosphere.* 73: 1737-1740.
- Bartosiewicz, M; Penn, S; Buckpitt, A. (2001). Applications of gene arrays in environmental toxicology: Fingerprints of gene regulation associated with cadmium chloride, benzo(a)pyrene, and trichloroethylene. *Environ Health Perspect.* 109: 71-74.
- Barul, C; Fayos, A; Sticker, I; Luce, D. (2015). Exposition professionnelle aux solvants chlorés et risque de cancer des voies aérodigestives supérieures. *Arch Mal Prof Environ.* 76: 394.
- Basheer, IA; Najjar, YM; Hajmeer, MN. (1996). Neuronet modeling of VOC adsorption by GAC. *Environ Technol.* 17: 795-806.
- Basil, B; Jordan, R; Loveless, AH; Maxwell, DR. (1974). A comparison of the experimental anti-arrhythmic properties of acebutolol (M and B 17,803), propranolol and practolol. *Br J Pharmacol.* 50: 323-333.
- Basseres, A; Simonet, F; Lafont, M; Coste, M; Narbonne, JF. (2004). Validation of biomarkers for impact evaluation of aqueous industrial waste in mesocosms. *Water Science and Technology.* 49: 123-130.
- Basu, B; Visvanathan, C. (2000). Membrane permeation of a binary compound for co-current and cross flow modes. *Desalination.* 130: 113-129.
- Basu, D; Asolekar, SR. (2012). Effect of carbon sources on the removal of 1,1,2-trichloroethane and 1,1,2,2-tetrachloroethane in UASB reactor. *Journal of environmental science and health Part A, Toxic/hazardous substances & environmental engineering.* 47: 638-644.
- Basu, D; Asolekar, SR. (2012). Evaluation of substrate removal kinetics for UASB reactors treating chlorinated ethanes. *Environmental science and pollution research international.* 19: 2419-2427.
- Basu, D; Asolekar, SR. (2012). Performance of UASB reactor in the biotreatment of 1,1,2-Trichloroethane. *Journal of environmental science and health Part A, Toxic/hazardous substances & environmental engineering.* 47: 267-273.
- Basu, D; Gupta, SK. (2010). Biodegradation of 1,1,2,2-tetrachloroethane in Upflow anaerobic sludge blanket (UASB) reactor. *Bioresour Technol.* 101: 21-25.
- Basu, NB; Rao, PSC; Poyer, IC; Annable, MD; Hatfield, K. (2006). Flux-based assessment at a manufacturing site contaminated with trichloroethylene. *J Contam Hydrol.* 86: 105-127.
- Basu, NB; Suresh, P; Rao, C; Poyer, IC; Nandy, S; Mallavarapu, M; Naidu, R; Davis, GB; Patterson, BM; Annable, MD; Hatfield, K. (2009). Integration of traditional and innovative characterization techniques for flux-based assessment of Dense Non-aqueous Phase Liquid (DNAPL) sites. *J Contam Hydrol.* 105: 161-172.
- Bates, CJ; Wilcox, MH; Smith, TL; Spencer, RC. (1993). The efficacy of a hospital dry cleaning cycle in disinfecting material contaminated with bacteria and viruses. *The Journal of hospital infection.* 23: 255-262.
- Batterman, S; Kulshrestha, A; Cheng, HY. (1995). Hydrocarbon Vapor Transport in Low Moisture Soils. *Environmental Science & Technology.* 29: 171-180.
- Batterman, S; Padmanabham, I; Milne, P. (1996). Effective gas-phase diffusion coefficients in soils at varying water content measured using a one-flow sorbent-based technique. *Environmental Science & Technology.* 30: 770-778.
- Baudrit, C; Guyonnet, D; Dubois, D. (2007). Joint propagation of variability and imprecision in assessing the risk of groundwater contamination. *J Contam Hydrol.* 93: 72-84.
- Bauer, S; Bayer-Raich, M; Holder, T; Kolesar, C; Muller, B; Ptak, T. (2004). Quantification of groundwater contamination in an urban area using integral pumping tests. *J Contam Hydrol.* 75: 183-213.
- Bauer, S; Werner, N; Wolff, I; Damme, B; Oemus, K; Hoffmann, P. (1992). Toxicological investigations in the semiconductor industry: II. Studies on the subacute inhalation toxicity and genotoxicity of gaseous waste products from the aluminium plasma etching process. *Toxicol Ind Health.* 8: 431-444.
- Bauer, S; Wolff, I; Werner, N; Hoffmann, P; Herzsich, R; Oemus, K; Rath, FW; Voigt, R. (1992). Toxicological investigations in the semiconductor industry: I. Studies on the acute oral toxicity of a complex mixture of waste products from the aluminium plasma etching process. *Toxicol Ind Health.* 8: 141-156.
- Bauer, S; Wolff, I; Werner, N; Schmidt, R; Blume, R; Pelzing, M. (1995). Toxicological investigations in the semiconductor industry: IV: Studies of the subchronic oral toxicity and genotoxicity of vacuum pump oils contaminated by waste products from aluminum plasma etching processes. *Toxicol Ind Health.* 11: 523-541.
- Baukova, TV; Kravtsov, DN; Kuz'mina, LG; Dvortsova, NV; Poray-Koshits, MA; Perevalova, EG. (1989). Synthesis and crystal structure of bis(triphenylphosphine)gold tricyanomethanide, [(PPh₃)₂Au]+ [C(CN)₃]⁻. *J Organomet Chem.* 372: 465-471.
- Baum, G; Oppenlaender, T. (1995). Vacuum-UV: Oxidation of chloroorganic compounds in an excimer flow through photoreactor. *Chemosphere.* 30: 1781-1790.
- Baxter, RM. (1989). REDUCTIVE DEHALOGENATION OF ENVIRONMENTAL CONTAMINANTS A CRITICAL REVIEW. *Wat Pollut Res J Can.* 24: 299-322.
- Bayen, S; Koroleva, E; Lee, HK; Obbard, JP. (2005). Persistent organic pollutants and heavy metals in typical seafoods consumed in Singapore. *Journal of toxicology and environmental health Part A.* 68: 151-166.
- Bayer, P; Finkel, M. (2005). Modelling of sequential groundwater treatment with zero valent iron and granular activated carbon. *J Contam Hydrol.* 78: 129-146.

Environmental Hazard Literature Search Results

Off Topic

- Bayer, P; Schuth, C. (2010). Technico-economic assessment of groundwater treatment by palladium-on-zeolite-catalyst in comparison to GAC fixed bed adsorbers. *Water Science and Technology*. 62: 708-718.
- Bayne, CK; Schmoyer, DD; Jenkins, RA. (1994). Practical reporting times for environmental samples. *Environmental Science & Technology*. 28: 1430-1436.
- Baynes, RE; Yeatts, JL; Brooks, JD; Riviere, JE. (2005). Pre-treatment effects of trichloroethylene on the dermal absorption of the biocide, triazine. *Toxicol Lett*. 159: 252-260.
- Beamer, PI; Luik, CE; Abrell, L; Campos, S; Martinez, ME; Saez, AE. (2012). Concentration of Trichloroethylene in Breast Milk and Household Water from Nogales, Arizona. *Environmental Science & Technology*. 46: 11483-11483.
- Bean, RM; Thomas, BL; Neitzel, DA. (1984). ANALYSIS OF SEDIMENT MATTER FOR HALOGENATED PRODUCTS FROM CHLORINATION OF POWER PLANT COOLING WATER. *Jolley, R L Et Al. 0: 1357-1370*.
- Becker, JG. (2006). A modeling study and implications of competition between Dehalococcoides ethenogenes and other tetrachloroethene-respiring bacteria. *Environmental Science & Technology*. 40: 4473-4480.
- Becker, JG; Berardesco, G; Rittmann, BE; Stahl, DA. (2005). The role of syntrophic associations in sustaining anaerobic mineralization of chlorinated organic compounds. *Environ Health Perspect*. 113: 310-316.
- Becker, JG; Seagren, EA. (2009). Modeling the effects of microbial competition and hydrodynamics on the dissolution and detoxification of dense nonaqueous phase liquid contaminants. *Environmental science & technology*. 43: 870-877.
- Becker, K; Wobus, AM; Conrad, U; Schäffneich, J. (1984). Injection of murine embryonal carcinoma cells and embryo-derived pluripotential cells into mouse blastocysts. *Cell Differentiation*. 15: 195-202.
- Beckstead, MJ; Phelan, R; Mihic, SJ. (2001). Antagonism of inhalant and volatile anesthetic enhancement of glycine receptor function. *The Journal of biological chemistry*. 276: 24959-24964.
- Beckstead, MJ; Phelan, R; Trudell, JR; Bianchini, MJ; Mihic, SJ. (2002). Anesthetic and ethanol effects on spontaneously opening glycine receptor channels. *J Neurochem*. 82: 1343-1351.
- Beckstead, MJ; Weiner, JL; Eger, EI; Gong, DH; Mihic, SJ. (2000). Glycine and gamma-aminobutyric Acid(A) receptor function is enhanced by inhaled drugs of abuse. *Mol Pharmacol*. 57: 1199-1205.
- Beeman, RE; Bleckmann, CA. (2002). Sequential anaerobic-aerobic treatment of an aquifer contaminated by halogenated organics: field results. *J Contam Hydrol*. 57: 147-159.
- Beeman, RE; Bleckmann, CA. (2002). Sequential anaerobic-aerobic treatment of an aquifer contaminated by halogenated organics: field results. *J Contam Hydrol*. 57: 147-159.
- Begerow, J; Jermann, E; Keles, T; Ranft, U; Dunemann, L. (1995). PASSIVE SAMPLING FOR VOLATILE ORGANIC COMPOUNDS VOCs IN AIR AT ENVIRONMENTALLY RELEVANT CONCENTRATION LEVELS. *Fresenius J Anal Chem*. 351: 549-554.
- Begley, JF; Czarnecki, M; Kemen, S; Verardo, A; Robb, AK; Fogel, S; Begley, GS. (2012). Oxygen and Ethene Biostimulation for a Persistent Dilute Vinyl Chloride Plume. *Ground Water Monitoring and Remediation*. 32: 99-105.
- Behrens, S; Azizian, MF; McMurdie, PJ; Sabalowsky, A; Dolan, ME; Semprini, L; Spormann, AM. (2008). Monitoring abundance and expression of "Dehalococcoides" species chloroethene-reductive dehalogenases in a tetrachloroethene-dechlorinating flow column. *Appl Environ Microbiol*. 74: 5695-5703.
- Beier, K; Fahimi, HD. (1990). ENVIRONMENTAL POLLUTION BY COMMON CHEMICALS AND PEROXISOME PROLIFERATION EFFICIENT DETECTION BY CYTOCHEMISTRY AND AUTOMATIC IMAGE ANALYSIS. *Graumann, W. 23: 1-4*.
- Bekanntmachung des, U. (2015). [Health evaluation of indoor air carcinogens: first addendum to the basic scheme. Communication from the German Committee on Indoor Guidelines]. *Bundesgesundheitsblatt, Gesundheitsforschung, Gesundheitsschutz*. 58: 769-773.
- Bekele, DN; Naidu, R; Chadalavada, S. (2016). Influence of soil properties on vapor-phase sorption of trichloroethylene. *J Hazard Mater*. 306: 34-40.
- Beland, FA; Schmitt, TC; Fullerton, NF; Young, JF. (1998). Metabolism of chloral hydrate in mice and rats after single and multiple doses. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 54: 209-226.
- Belay, N; Daniels, L. (1987). Production of ethane, ethylene, and acetylene from halogenated hydrocarbons by methanogenic bacteria. *Appl Environ Microbiol*. 53: 1604-1610.
- Belhateche, D; Prengle, HWJR; Symons, JM. (1990). HYDROGEN PEROXIDE AND VISIBLE UV IRRADIATION FOR THE OXIDATION OF ORGANIC ENVIRONMENTAL CONTAMINANTS. *Gulf Coast Hazardous Substance Research Center Second Annual Symposium: Mechanisms And Applications Of Solidification, Beaumont, Texas, Usa, February*. 24: 306.
- Beliveau, M; Tardif, R; Krishnan, K. (2003). Quantitative structure-property relationships for physiologically based pharmacokinetic modeling of volatile organic chemicals in rats. *Toxicol Appl Pharmacol*. 189: 221-232.
- Bell, J; Melcer, H; Monteith, H; Osinga, I; Steel, P. (1993). Stripping of volatile organic compounds at full-scale municipal wastewater treatment plants. *Water Environ Res*. 65: 708-716.
- Bell, KY; LeBoeuf, EJ. (2012). Mechanistic Investigation of Non-Ideal Sorption Behavior in Natural Organic Matter. 1. Vapor Phase Equilibrium. *Environmental Science & Technology*. 46: 6689-6697.
- Bell, KY; LeBoeuf, EJ. (2013). Influence of temperature and macromolecular mobility on sorption of TCE on humic acid coated mineral surfaces. *Chemosphere*. 90: 176-181.
- Bellucci, LG; Giuliani, S; Mugnai, C; Frignani, M; Paolucci, D; Albertazzi, S; Fernandez, ACR. (2010). Anthropogenic Metal Delivery in Sediments of Porto Marghera and Venice Lagoon (Italy). *Soil & Sediment Contamination*. 19: 42-57.

Environmental Hazard Literature Search Results

Off Topic

- Belter, RK; Bhamare, NK. (2006). Solvent effects in the fluorination of 1,2-dichloro-1,1-difluoroethane (R-132b) to 2-chloro-1,1,1-trifluoroethane (R-133a). *J Fluor Chem.* 127: 1606-1610.
- Beltrın, FJ; Gonzılez, M; Rivas, FJ; Jaramillo, J. (1995). Application of photochemical reactor models to UV irradiation of trichloroethylene in water. *Chemosphere.* 31: 2873-2885.
- Beltran, FJ; Gonzalez, M; Acedo, B; Gomez, C. (1997). Kinetic modelling of aqueous trichloroethylene direct ozonation in a continuous tank. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 32: 2471-2482.
- Beltran, FJ; Gonzalez, M; Acedo, B; Jaramillo, J. (1996). Contribution of free radical oxidation to eliminate volatile organochlorine compounds in water by ultraviolet radiation and hydrogen peroxide. *Chemosphere.* 32: 1949-1961.
- Beltran, FJ; Gonzalez, M; Rivas, J; Acedo, B. (1999). Aqueous degradation of VOCs in the ozone combined with hydrogen peroxide or UV radiation processes - 1. Experimental results. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 34: 649-671.
- Beltran, FJ; Gonzalez, M; Rivas, J; Acedo, B. (1999). Aqueous degradation of VOCs in the ozone combined with hydrogen peroxide or UV radiation processes. 2. Kinetic modeling. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 34: 673-693.
- Ben, RK; TıbouAd; Sakly, M. (2000). Acute hepatotoxicity of DDT: effect on glucocorticoid receptors and serum transcortin. *Indian J Exp Biol.*
- Benali-Abdallah, S; Merad, R; Benali-Abdallah, M; Drif, M. (1986). INTOXICATION BY INDUSTRIAL PRODUCTS LEAD MERCURY AND TRICHLOROETHYLENE. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 65.
- Benane, SG; Blackman, CF; House, DE. (1994). EFFECT OF DICHLOROACETIC ACID TRICHLOROACETIC ACID AND CHLORAL HYDRATE ON INTERCELLULAR COMMUNICATION IN CLONE 9 RAT HEPATOCYTE CELLS. Meeting Of The Tissue Culture Association On Regulation Of Cell And Tissue Differentiation, Research Triangle Park, North Carolina, Usa, June99.
- Benane, SG; Blackman, CF; House, DE. (1996). Effect of perchloroethylene and its metabolites on intercellular communication in clone 9 rat liver cells. *J Toxicol Environ Health.* 48: 427-437.
- Benedek, P; Von, DEREMDEW; Tench, HB. (1988). INTERNATIONAL ASSOCIATION ON WATER POLLUTION RESEARCH AND CONTROL WORKSHOP ON DEVELOPMENTS IN DESIGN AND OPERATION OF LARGE WASTEWATER TREATMENT PLANTS BUDAPEST HUNGARY SEPTEMBER 14-18 1987. *Water Sci Technol.* 20: 1-313.
- Benigni, R. (1989). A BOOTSTRAP ANALYSIS OF FOUR IN-VITRO SHORT-TERM TEST PERFORMANCES. *Mutat Res.* 216: 127-136.
- Benigni, R. (1990). Rodent tumor profiles, Salmonella mutagenicity and risk assessment. *Mutat Res.* 244: 79-92.
- Benigni, R. (1991). The ability of short-term tests to predict carcinogenicity can be summarized in a single index. *J Toxicol Environ Health.* 34: 27-38.
- Benigni, R. (1992). Rational approach to the quantification of genotoxicity. *Environ Mol Mutagen.* 19: 83-89.
- Benigni, R. (1995). Mouse bone marrow micronucleus assay: Relationships with in vitro mutagenicity and rodent carcinogenicity. *J Toxicol Environ Health.* 45: 337-347.
- Benigni, R; Giuliani, A. (1985). CLUSTER ANALYSIS OF SHORT-TERM TESTS A NEW METHODOLOGICAL APPROACH. *Mutat Res.* 147: 139-152.
- Benjamin, SA; Constan, AA; Yang, RSH; Tessari, JD; Baker, DC; Chubb, L. (1995). LACK OF CORRELATION BETWEEN LIVER CELL PROLIFERATION AND PRENEOPLASTIC FOCI IN RATS EXPOSED TO A MIXTURE OF GROUNDWATER CONTAMINANTS. Xiv International Symposium Of The Society Of Toxicologic Pathologists: Toxicologic Pathology Of The Liver, San Diego, California, Usa, June. 23: 756.
- Benjamin, SA; Yang, RSH; Tessari, JD; Chubb, LW; Brown, MD; Dean, CE; Keefe, TJ. (1999). Lack of promotional effects of groundwater contaminant mixtures on the induction of preneoplastic foci in rat liver. *Toxicology.* 137: 137-149.
- Benker, E; Davis, GB; Barry, DA. (1997). Factors controlling the distribution and transport of trichloroethene in a sand aquifer: hydrogeology and results of an in situ transport experiment. *J Hydrol.* 202: 315-340.
- Benker, E; Davis, GB; Barry, DA. (1998). Estimating the retardation coefficient of trichloroethene for a sand aquifer low in sediment organic carbon - a comparison of methods. *J Contam Hydrol.* 30: 157-178.
- Bennett, GF. (1989). IMPACT OF TOXIC CHEMICALS ON LOCAL WASTEWATER TREATMENT PLANT AND THE ENVIRONMENT. *Environ Geol Water Sci.* 13: 201-212.
- Bennett, P; Gandhi, D; Warner, S; Bussey, J. (2007). In situ reductive dechlorination of chlorinated ethenes in high nitrate groundwater. *J Hazard Mater.* 149: 568-573.
- Bennett, TA; Blowes, DW; Puls, RW; Gillham, RW; Hanton-Fong, CJ; Ptacek, CJ; O'Hannesin, SF; Vogan, J. (1997). DESIGN AND INSTALLATION OF AN IN-SITU POROUS REACTIVE WALL FOR TREATMENT OF CR VI AND TRICHLOROETHYLENE IN GROUNDWATER. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 67.
- Benoist, AP; Broseliske, GH. (1994). WATER QUALITY PROGNOSIS AND COST ANALYSIS OF POLLUTION ABATEMENT MEASURES IN THE RHINE BASIN THE RIVER RHINE PROJECT EVER. *Water Science And Technology.* 29: 95-106.
- Benzing, M; Gies, A; Pauli, W; Roesick, E. (1987). YEAST AS AN UNICELLULAR MODEL SYSTEM IN ECOTOXICOLOGY AND XENOBIOCHEMISTRY AU - AHLERS J. International Workshop On Advances In Environmental Hazard And Risk Assessment. 17: 1603-1616.
- Bera, TK; Viner, J; Brinkmann, E; Pastan, I. (1999). Pharmacokinetics and antitumor activity of a bivalent disulfide-stabilized Fv immunotoxin with improved antigen binding to erbB2. *Nucleic Acids Res.* 59: 4018-4022.
- Beranger, SC; Sleep, BE; Lollar, BS; Brown, AJ. (2006). Isotopic fractionation of tetrachloroethene undergoing biodegradation supported by endogenous decay. *Journal of Environmental Engineering-Asce.* 132: 725-735.
- Bereded-Samuel, Y; Petersen, JN; Skeen, RS. (1996). Effect of perchloroethylene (PCE) on methane and acetate production by a methanogenic consortium. *Appl Biochem Biotechnol.* 58: 915-922.

Environmental Hazard Literature Search Results

Off Topic

- Berendes, F; Averhoff, B; Gottschalk, G. (1996). CONSTRUCTION OF STABLE PSEUDOMONAS STRAINS CONSTITUTIVELY DEGRADING TRICHLOROETHENE BY AN IPB 2 3-DIOXYGENASE. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 410.
- Berendes, F; Sabarth, N; Averhoff, B; Gottschalk, G. (1998). Construction and use of an ipb DNA module to generate Pseudomonas strains with constitutive trichloroethene and isopropylbenzene oxidation activity. *Appl Environ Microbiol.* 64: 2454-2462.
- Berens, AR. (1985). PREDICTION OF ORGANIC CHEMICAL PERMEATION THROUGH POLYVINYL CHLORIDE PIPE. *Am Water Works Assoc J.* 77: 57-64.
- Berg, BM; Godbout, JP; Kelley, KW; Johnson, RW. (2004). Alpha-tocopherol attenuates lipopolysaccharide-induced sickness behavior in mice. *Brain, behavior, and immunity.* 18: 149-157.
- Bergamaschi, E; Mutti, A; Bocchi, MC; Alinovi, R; Olivetti, G; Ghiggeri, GM; Franchini, I. (1992). Rat model of perchloroethylene-induced renal dysfunctions. *Environ Res.* 59: 427-439.
- Berge, ND; Ramsburg, CA. (2009). Oil-in-Water Emulsions for Encapsulated Delivery of Reactive Iron Particles. *Environmental Science & Technology.* 43: 5060-5066.
- Berge, ND; Ramsburg, CA. (2010). Iron-mediated trichloroethene reduction within nonaqueous phase liquid. *J Contam Hydrol.* 118: 105-116.
- Berger, T; Horner, CM. (2003). In vivo exposure of female rats to toxicants may affect oocyte quality. *Reprod Toxicol.* 17: 273-281.
- Berggren, DRV; Marshall, IPG; Azizian, MF; Spormann, AM; Semprini, L. (2013). Effects of Sulfate Reduction on the Bacterial Community and Kinetic Parameters of a Dechlorinating Culture under Chemostat Growth Conditions. *Environmental Science & Technology.* 47: 1879-1886.
- Bergman, A; Won, JH; Hong, SH; Shim, WJ; Yim, UH; Kim, GB. (2009). Persistent organochlorine pollutants in Korean offshore waters: squid (*Todarodes pacificus*) as a biomonitor. *Chemosphere.* 76: 805-810.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scandinavian journal of work, environment & health.* 5 Suppl 1: 1-263.
- Bergmann, DJ; Zahn, JA; DiSpirito, AA. (1999). High-molecular-mass multi-c-heme cytochromes from *Methylococcus capsulatus* Bath. *J Bacteriol.* 181: 991-997.
- Bergsten, SE; Gavis, ER. (1999). Role for mRNA localization in translational activation but not spatial restriction of nanos RNA. *Development.* 126: 659-669.
- Berisford, YC; Bush, PB; Blake, JI; Bayer, CL. (2003). Use of mini-sprinklers to strip trichloroethylene and tetrachloroethylene from contaminated ground water. *J Environ Qual.* 32: 801-815.
- Berman, E; Schlicht, M; Moser, VC; MacPhail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health.* 45: 127-143.
- Bernard, AM; De, RUSSIS; Normand, JC; Lauwerys, RR. (1989). EVALUATION OF THE SUBACUTE NEPHROTOXICITY OF CYCLOHEXANE AND OTHER INDUSTRIAL SOLVENTS IN THE FEMALE SPRAGUE-DAWLEY RAT. *Toxicol Lett.* 45: 271-280.
- Bernardini, N; Danesi, R; Bernardini, MC; Del, TM. (1988). Fructose-1,6-diphosphate reduces acute ECG changes due to doxorubicin in isolated rat heart. *Experientia.* 44: 1000-1002.
- Bernasconi, CF; Rappoport, Z. (2009). Recent Advances in Our Mechanistic Understanding of S(N)V Reactions. *Acc Chem Res.* 42: 993-1003.
- Bertelsen, SL; Hoffman, AD; Gallinat, CA; Elonen, CM; Nichols, JW. (1998). Evaluation of the log Kow and tissue lipid content as a predictors of chemical partitioning to fish tissues. *Environ Toxicol Chem.* 17: 1447-1455.
- Bertin, B; Freissmuthismuth, M; Jockers, R; Strosberg, AD; Marullo, S. (1994). Cellular signaling by an agonist-activated receptor/Gs alpha fusion protein. *Proceedings of the National Academy of Sciences of the United States of America.* 91: 8827-8831.
- Berwanger, DJ; Barker, JF. (1988). Aerobic biodegradation of aromatic and chlorinated hydrocarbons commonly detected in landfill leachates. *Wat Pollut Res J Can.* 23: 460-475.
- Besio, W; Chen, T. (2007). Tripolar Laplacian electrocardiogram and moment of activation isochronal mapping. *Physiol Meas.* 28: 515-529.
- Bettinetti, R; Croce, V; NoÅ , F; Ponti, B; Quadroni, S; Galassi, S. (2013). Ecotoxicity of pp'DDE to *Daphnia magna*. *Ecotoxicology (London, England).* 22: 1255-1263.
- Beukes, JA; Klaeboe, P; MÅ ,llendal, H; Nielsen, CJ. (1995). Vibrational and rotational spectra and ab initio calculations of thiocyanatoethene. *J Mol Struct.* 349: 37-40.
- Beurskens, JE; Stams, AJ; Zehnder, AJ; Bachmann, A. (1991). Relative biochemical reactivity of three hexachlorocyclohexane isomers. *Ecotoxicol Environ Saf.* 21: 128-136.
- Beurskens, JEM; Stams, AJM; Zehnder, AJB; Bachmann, A. (1991). Relative biochemical reactivity of three BHC isomers. *Ecotoxicol Environ Saf.* 21: 128-136.
- Bevan, MAJ; Proctor, CJ; Baker-Rogers, J; Warren, ND. (1991). Exposure to carbon monoxide, respirable suspended particulates, and volatile organic compounds while commuting by bicycle. *Environ Sci Technol.* 25: 788-791.
- Beyer, C; Popp, S; Bauer, S. (2016). Simulation of temperature effects on groundwater flow, contaminant dissolution, transport and biodegradation due to shallow geothermal use. *Environ Earth Sci.* 75: 1244-1244.
- Bhakuni, V; Roy, R. (1994). Interaction of trichloroethylene with phosphatidylcholine and its localization in the phosphatidylcholine vesicles: a 1H-NMR study. *Biochem Pharmacol.* 47: 1461-1464.
- Bhat, HK; Ahmed, AE; Ansari, GAS. (1990). Toxicokinetics of monochloroacetic acid: A whole-body autoradiography study. *Toxicology.* 63: 35-44.

Environmental Hazard Literature Search Results

Off Topic

- Bhat, HK; Asimakis, GK; Ansari, GAS. Uncoupling of oxidative phosphorylation in rat liver mitochondria by chloroethanols. *Toxicol Lett.* Dec 1992. v. 59 (1/3): 203-211.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated C1 and C2 volatile organic compounds in dilute aqueous solution. *Environmental Science & Technology.* 28: 1481-1486.
- Bhatnagar, L; Kennes, C; Wu, WM; Zeikus, JG. (1992). DECHLORINATION OF TETRACHLOROETHYLENE PCE BY METHANOGENIC GRANULES. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 380.
- Bhattacharjee, S; Ghoshal, S. (2016). Phase Transfer of Palladized Nanoscale Zerovalent Iron for Environmental Remediation of Trichloroethene. *Environmental Science & Technology.* 50: 8631-8639.
- Bhattacharya, P; Keating, AF. (2012). Impact of environmental exposures on ovarian function and role of xenobiotic metabolism during ovotoxicity. *Toxicol Appl Pharmacol.* 261: 227-235.
- Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RVR; Tabak, H. (1996). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Water Environ Res.* 68: 260-269.
- Bhattacharyya, D; Van, DIERDONCKTF; West, SD; Freshour, AR. (1995). TWO-PHASE OZONATION OF CHLORINATED ORGANICS. *J Hazard Mater.* 41: 73-93.
- Bhattachatjee, S; Basnet, M; Tufenkji, N; Ghoshal, S. (2016). Effects of Rhamnolipid and Carboxymethylcellulose Coatings on Reactivity of Palladium-Doped Nanoscale Zerovalent Iron Particles. *Environmental Science & Technology.* 50: 1812-1820.
- Bhowmick, M; Semmens, MJ. (1994). Batch studies on a closed loop air stripping process. *Water Res.* 28: 2011-2019.
- Bhowmick, M; Semmens, MJ. (1994). LABORATORY-SCALE TESTING OF A CONTINUOUS CLAS PROCESS. *American Water Works Association Journal.* 86: 86-96.
- Bhowmik, A; Asahino, A; Shiraki, T; Nakamura, K; Takamizawa, K. (2009). In situ study of tetrachloroethylene bioremediation with different microbial community shifting. *Environ Technol.* 30: 1607-1614.
- Bhyrappa, P; Karunanithi, K. (2011). Synthesis and crystal structures of five-coordinated $\tilde{\text{I}}^2$ -pyrrole tetra(phenyl/cyano) substituted zinc(II)-tetraphenylporphyrins. *Inorganica Chimica Acta.* 372: 417-424.
- Bi, EP; Devlin, JF; Huang, B. (2009). Effects of Mixing Granular Iron with Sand on the Kinetics of Trichloroethylene Reduction. *Ground Water Monitoring and Remediation.* 29: 56-62.
- Bi, EP; Devlin, JF; Huang, B; Firdous, R. (2010). Transport and Kinetic Studies To Characterize Reactive and Nonreactive Sites on Granular Iron. *Environmental Science & Technology.* 44: 5564-5569.
- Biagioni, JRJR. (1994). DEVELOPMENT OF AN ENVIRONMENTALLY ACCEPTABLE THERMAL TREATMENT ALTERNATIVE FOR ENERGETIC MATERIAL. *Hazardous Waste & Hazardous Materials.* 11: 217-226.
- Bianchi, AP; Varney, MS. (1998). Volatile organic compounds in the surface waters of a British estuary: Part 1. Occurrence, distribution and variation. *Water Res.* 32: 352-370.
- Bianchi, AP; Varney, MS. (1998). Volatile organic compounds in the surface waters of a British estuary: Part 2. Fate processes. *Water Res.* 32: 371-379.
- Bianchi, L; Melli, R; Pizzala, R; Stivala, LA; Rehak, L; Quarta, S; Vannini, V. (1996). Effects of beta-carotene and alpha-tocopherol on photogenotoxicity induced by 8-methoxypsoralen: the role of oxygen. *Mutat Res.*
- Bianchi-Mosquera, GC; Mackay, DM. (1992). COMPARISON OF STAINLESS STEEL VS. PTFE MINIWELLS FOR MONITORING HALOGENATED ORGANIC SOLUTE TRANSPORT. *Ground Water Monit Rev.* 12: 126-131.
- Biard, PF; Bouzaza, A; Wolbert, D. (2007). Photocatalytic degradation of two volatile fatty acids in an annular plug-flow reactor; Kinetic modeling and contribution of mass transfer rate. *Environmental Science & Technology.* 41: 2908-2914.
- Bielefeldt, AR; Stensel, HD. (1999). Biodegradation of aromatic compounds and TCE by a filamentous bacteria-dominated consortium. *Biodegradation.* 10: 1-13.
- Bielefeldt, AR; Strand, SE; Stensel, HD. (1994). A PHENOL DEGRADING CONSORTIA ABLE TO DEGRADE HIGH CONCENTRATIONS OF TCE AND DCE WITHOUT INTERMEDIATE TOXICITY. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 439.
- Bienkowski, L. (2013). Remediation of a Diffuse Trichloroethene Plume in an Urban Setting. *Remediation.* 23: 85-95.
- Biernacki, M; Lovett-Doust, J; Lovett-Doust, L. (1996). *Vallisneria americana* as a biomonitor of aquatic ecosystems: Leaf-to-root surface area ratios and organic contamination in the Huron-Erie corridor. *J Great Lakes Res.* 22: 289-303.
- Bierwagen, BG; Keller, AA. (2001). Measurement of Henry's law constant for methyl tert-butyl ether using solid-phase microextraction. *Environ Toxicol Chem.* 20: 1625-1629.
- Bill, M; Schuth, C; Barth, JAC; Kalin, RM. (2001). Carbon isotope fractionation during abiotic reductive dehalogenation of trichloroethene (TCE). *Chemosphere.* 44: 1281-1286.
- Billionnet, C; Gay, E; Kirchner, S; Leynaert, B; Annesi-Maesano, I. (2011). Quantitative assessments of indoor air pollution and respiratory health in a population-based sample of French dwellings. *Environ Res.* 111: 425-434.
- Billitteri, C; Lo Nigro, G; Perrone, G. (2013). How risk influences the choice of governance mode in biopharmaceutical inter-firm relationships. *International Business Review.* 22: 932-950.
- Bingham, E; Niemeier, R; Dalbey, W. (1976). Metabolism of environmental pollutants by the isolated perfused lung. *Fed Proc.* 35: 81-84.
- Binner, E; Deam, RT. (2009). Plasma abatement of air contaminated with trichloroethene degreasing agent. *Plasma Sources Science & Technology.* 18: 15015-15015.

Environmental Hazard Literature Search Results

Off Topic

- Binnie, J; Cape, JN; Mackie, N; Leith, ID. (2002). Exchange of organic solvents between the atmosphere and grass--the use of open top chambers. *The Science of the total environment*. 285: 53-67.
- Bintein, S; Devillers, J. (1994). QSAR for organic chemical sorption in soils and sediments. *Chemosphere*. 28: 1171-1188.
- Birk, MB. (1998). Trial burn activities for a mixed waste incinerator. *Waste Manag*. 18: 467-471.
- Birke, V; Naidu, R. (2010). Site Investigation, Treatability, and Feasibility Study for Erecting a Permeable Reactive Barrier under Arid, Highly Saline Conditions at a Trichloroethene- Contaminated Site in Australia. *Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds*.
- Birner, G; Bernauer, U; Werner, M; Dekant, W. (1997). Biotransformation, excretion and nephrotoxicity of haloalkene-derived cysteine S-conjugates. *Arch Toxicol*. 72: 1-8.
- Birner, G; Richling, C; Henschler, D; Anders, MW; Dekant, W. (1994). Metabolism of tetrachloroethene in rats: Identification of Nepsilon-(dichloroacetyl)-L-lysine and Nepsilon-(trichloroacetyl)-L-lysine as protein adducts. *Chem Res Toxicol*. 7: 724-732.
- Bishop, PK; Lerner, DN; Jakobsen, R; Gosk, E; Burston, MW; Chen, T. (1993). Investigation of a solvent polluted industrial site on a deep sandstone-mudstone sequence in the UK: Part 2. Contaminant sources, distributions, transport and retardation. *J Hydrol*. 149: 231-256.
- Bisht, S; Pandey, P; Sood, A; Sharma, S; Bisht, NS. (2010). BIODEGRADATION OF NAPHTHALENE AND ANTHRACENE BY CHEMO-TACTICALLY ACTIVE RHIZOBACTERIA OF POPULUS DELTOIDES. *Brazilian Journal of Microbiology*. 41: 922-930.
- Biswas, N; Zytner, RG; Bewtra, JK. (1992). Model for predicting PCE desorption from contaminated soils. *Water Environ Res*. 64: 170-178.
- Biswas, N; Zytner, RG; McCorquodale, JA; Bewtra, JK. (1991). Prediction of the movement of perchloroethylene in soil columns. *Water Air Soil Pollut*. 60: 361-380.
- Bitton, G; Rhodes, K; Koopman, B; Cornejo, M. (1995). Short-term toxicity assay based on daphnid feeding behavior. *Water Environ Res*. 67: 290-293.
- Biyoghe Bi Ndong, L; Ibondou, MP; Gu, X; Xu, M; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficiently Synthetic TiO sub(2) Nano-sheets for PCE, TCE, and TCA Degradations in Aqueous Phase Under VUV Irradiation. *Water, Air, & Soil Pollution*. 225: 1-9.
- Bizzigotti, GO; Reynolds, DA; Kueper, BH. (1997). Enhanced solubilization and destruction of tetrachloroethylene by hydroxypropyl-beta-cyclodextrin and iron. *Environmental Science & Technology*. 31: 472-478.
- Bjerg, PL; Ruge, K; Cortsen, J; Nielsen, PH; Christensen, TH. (1999). Degradation of aromatic and chlorinated aliphatic hydrocarbons in the anaerobic part of the Grindsted Landfill leachate plume: In situ microcosm and laboratory batch experiments. *Ground Water*. 37: 113-121.
- Blagbrough, IS; Bycroft, BW; Elson, LD; Shaw, PN. (1988). MAMMALIAN C-S LYASE ENZYMES PURIFICATION AND CHARACTERIZATION. 125th British Pharmaceutical Conference, Aberdeen, Scotland, Uk, September. 40.
- Blagbrough, IS; Bycroft, BW; Evans, DC; Shaw, PN. (1988). Inhibition of rat renal C-S lyase: assessment using kidney slice methodology. *Drug Metabol Drug Interact*. 6: 303-316.
- Blaha, L; Damborsky, J; Nemecek, M. (1998). QSAR for acute toxicity of saturated and unsaturated halogenated aliphatic compounds. *Chemosphere*. 36: 1345-1365.
- Blain, L; Lachapelle, P; Molotchnikoff, S. (1989). THE EFFECT OF ACUTE TRICHLOROETHYLENE EXPOSURE ON ELECTRORETINOGRAM COMPONENTS. Second Meeting Of The International Neurotoxicology Association, Sitges, Spain, May. 12: 633-636.
- Blain, L; Lachapelle, P; Molotchnikoff, S. (1993). ELECTRORETINAL RESPONSES ARE MODIFIED BY CHRONIC EXPOSURE TO TRICHLOROETHYLENE. Fourth Meeting Of The International Neurotoxicology Association, Helsingor, Denmark, June. 14: 547.
- Blair, DS; Bando, J. (1998). Quantitative monitoring of volatile organic compounds in water using an evanescent fiber optic chemical sensor. *Environmental Science & Technology*. 32: 294-298.
- Blakey, DH; Cimino, MC; Salamone, MF; Heddle, JA. (1990). THE IN-VIVO MICRONUCLEUS ASSAY IN MAMMALIAN BONE MARROW AND PERIPHERAL BLOOD A REPORT OF THE USA ENVIRONMENTAL PROTECTION AGENCY GENE-TOX PROGRAM AU - MAVOURNIN KH. *Mutat Res*. 239: 29-80.
- Blanch, A; Bianchi, AC. (1999). Volatile organic compounds in an urban airborne environment adjacent to a municipal incinerator, waste collection centre and sewage treatment plant. AU - LEACH J. *Atmos Environ*. 33: 4309-4325.
- Blanchard, RD; Hardy, JK. (1985). USE OF A PERMEATION SAMPLER IN THE COLLECTION OF 23 VOLATILE ORGANIC PRIORITY POLLUTANTS. *Anal Chem*. 57: 2349-2351.
- Blanch-Raga, N; Palomares, A; Martinez-Triguero, J; Puche, M; Fetter, G; Bosch, P. (2013). The oxidation of trichloroethylene over different mixed oxides derived from hydrotalcites. *Appl Catal B-Environ*. 140-141: 129-134.
- Blanch-Raga, N; Palomares, AE; Martinez-Triguero, J; Valencia, S. (2016). Cu and Co modified beta zeolite catalysts for the trichloroethylene oxidation. *Appl Catal B-Environ*. 187: 90-97.
- Blanch-Raga, N; Soriano, MD; Palomares, AE; Concepcion, P; Martinez-Triguero, J; Nieto, J. (2013). Catalytic abatement of trichloroethylene over Mo and/or W-based bronzes. *Appl Catal B-Environ*. 130-131: 36-43.
- Blanco, S; Becares, E. (2010). Are biotic indices sensitive to river toxicants? A comparison of metrics based on diatoms and macro-invertebrates. *Chemosphere*. 79: 18-25.
- Bland, WJ; Burgess, J; Kemmitt, RDW. (1969). Kinetics and mechanism of isomerisation of (trichloroethylene)bis(triphenylphosphine)platinum(0) to chloro(dichlorovinyl)bis(triphenylphosphine)platinum(II). *J Organomet Chem*. 18: 199-202.
- Blanford, WJ; Barackman, ML; Boving, TB; Klingel, EJ; Johnson, GR; Brusseau, ML. (2001). Cyclodextrin-enhanced vertical flushing of a trichloroethene contaminated aquifer. *Ground Water Monitoring and Remediation*. 21: 58-66.

Environmental Hazard Literature Search Results

Off Topic

- Blanford, WJ; Gao, H. (2012). Dynamic interactions between cyclodextrin, an organic pollutant, and granular activated carbon in column studies. *J Environ Monit.* 14: 3024-3028.
- Blasiak, J. (1995). Changes in membrane fluidity evoked by organophosphorus insecticide bromfeninfos and its methylated analogue. *Comparative Biochemistry and Physiology Part C: Pharmacology, Toxicology and Endocrinology.* 110: 15-21.
- Blessing, M; Schmidt, TC; Dinkel, R; Haderlein, SB. (2009). Delineation of multiple chlorinated ethene sources in an industrialized area--a forensic field study using compound-specific isotope analysis. *Environmental science & technology.* 43: 2701-2707.
- Blitt, CD; Gandolfi, AJ; Soltis, JJ; Brown, BR, Jr. (1981). Extrahepatic biotransformation of halothane and enflurane. *Anesth Analg.* 60: 129-132.
- Block, AL; Bauer, KD; Williams, TJ; Seidenfeld, J. (1987). Experimental parameters and a biological standard for acridine orange detection of drug-induced alterations in chromatin condensation. *Cytometry.* 8: 163-169.
- Blohm, M; Braun, H; Kaschny, P; Schill, W; Jastorff, B; Diehl, H. (1985). Subacute toxicity of 1,1,1-trichloroethane, noise, and their combination in rats. *Ecotoxicol Environ Saf.* 10: 295-301.
- Blom, A; Harder, W; Matin, A. (1992). Unique and overlapping pollutant stress proteins of *Escherichia coli*. *Appl Environ Microbiol.* 58: 331-334.
- Blomqvist, A; Berg, C; Holm, L; Brandt, I; Ridderström, Y; Brunström, B. (2006). Defective reproductive organ morphology and function in domestic rooster embryonically exposed to o,p'-DDT or ethynylestradiol. *Biol Reprod.* 74: 481-486.
- Bloom, Y; Aravena, R; Hunkeler, D; Edwards, E; Frape, SK. (2000). Carbon isotope fractionation during microbial dechlorination of trichloroethene, cis-1,2-dichloroethene, and vinyl chloride: Implications for assessment of natural attenuation. *Environmental Science & Technology.* 34: 2768-2772.
- Blossom, S; Chandler, G; Li, M; Melnyk, S. (2014). Maternal trichloroethylene exposure enhances CD4+ T cell production of proinflammatory cytokines associated with neural oxidative stress and behavioral alterations in male offspring. *Toxicol Lett.* 229, Supplement: S208.
- Blossom, S; Gilbert, K; Gomez-Acevedo, H; Ashley, N. (2010). Mechanism of T cell programming by trichloroethylene. *Toxicol Lett.* 196, Supplement: S203.
- Blossom, S; Li, M; Chandler, G; Melnyk, SS; Wessinger, WD. (2015). Gestation-only trichloroethylene exposure induced differential brain region-specific neurotoxicity in male offspring. *Neurotoxicol Teratol.* 49: 119.
- Blossom, S; Rau, J; Melnyk, S; Cooney, C; James, S; Wessinger, W. (2013). Postnatal Trichloroethylene Exposure Is Associated with Abnormal Behavior and Alterations Global DNA Methylation Patterns in Mouse Cerebellum. 52nd Annual Meeting of the Society of Toxicology (SOT 2013).
- Bloxam, DL. (1967). Effects of halothane, trichloroethylene, pentobarbitone and thiopentone on amino acid transport in the perfused rat liver. *Biochem Pharmacol.* 16: 1848-1852.
- Blum, DJW; Speece, RE. (1991). A database of chemical toxicity to environmental bacteria and its use in interspecies comparisons and correlations. *Res J Water Pollut Control Fed.* 63: 198-207.
- Blum, JL; James, MO; Stuchal, LD; Denslow, ND. (2008). Stimulation of transactivation of the largemouth bass estrogen receptors alpha, beta-a, and beta-b by methoxychlor and its mono- and bis-demethylated metabolites in HepG2 cells. *Aquatic toxicology (Amsterdam, Netherlands).* 108: 55-63.
- Blunck, DL; Shouse, DT; Neuroth, C; Lynch, A; Erdmann, TJ; Burrus, DL; Zelina, J; Richardson, D; Caswell, A. (2014). Experimental Studies of Cavity and Core Flow Interactions With Application to Ultra-Compact Combustors. *Journal of Engineering for Gas Turbines and Power Transactions of the ASME.* 136: [np].
- Boal, AK; Rhodes, C; Garcia, S. (2015). Pump-and-Treat Groundwater Remediation Using Chlorine/Ultraviolet Advanced Oxidation Processes. *Ground water monitoring & remediation.* 35: 93-100.
- Boal, AK; Rhodes, C; Garcia, S. (2015). Pump-and-Treat Groundwater Remediation Using Chlorine/Ultraviolet Advanced Oxidation Processes. *Ground Water Monitoring and Remediation.* 35: 93-100.
- Boehler, WF; Huttie, RL; Hill, KM. (1990). EVALUATION OF A NONCRYOGENIC AUTOMATED MULTITUBE THERMAL DESORPTION SYSTEM FOR THE ANALYSIS OF AIR TOXICS. US Environmental Protection Agency's Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 699-708.
- Boerman, P; Palumbo, A; White, D. (1991). ISOLATION OF METHANE AND TOLUENE-UTILIZING MIXED CULTURES FOR USE IN TCE DEGRADATION STUDIES. 91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May. 91: 294.
- Boerman, PA; Palumbo, AV. (1992). RECOVERY OF SOLUBLE METHANE MONOOXYGENASE ACTIVITY IN METHYLOSINUS-TRICHOSPORIUM STRAIN OB3B AFTER EXPOSURE TO TCE. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 381.
- Boethling, RS; Gregg, B; Frederick, R; Gabel, NW; Campbell, SE; Sabljic, A. (1989). Expert systems survey on biodegradation of xenobiotic chemicals. *Ecotoxicol Environ Saf.* 18: 252-267.
- Bogdal, C; Nikolic, D; Lã thi, MP; Schenker, U; Scheringer, M; Hungerbühler, Kt. (2010). Release of legacy pollutants from melting glaciers: model evidence and conceptual understanding. *Environmental science & technology.*
- Bogdanffy, MS; Daston, G; Faustman, EM; Kimmel, CA; Kimmel, GL; Seed, J; Vu, V. (2001). Harmonization of cancer and noncancer risk assessment: Proceedings of a consensus-building workshop. *Toxicol Sci.* 61: 18-31.
- Bogen, KT; Colston, BWJR; Machicao, LK. (1992). Dermal absorption of dilute aqueous chloroform, trichlorethylene and tetrachloroethylene in hairless guinea pigs. *Fundam Appl Toxicol.* 18: 30-39.
- Bohlke, JK; Revesz, K; Busenberg, E; Deak, J; Deseo, E; Stute, J. (1997). Groundwater record of halocarbon transport by the Danube River. *Environmental Science & Technology.* 31: 3293-3299.

Environmental Hazard Literature Search Results

Off Topic

- Bohonos, N; Chou, TW; Spanggord, RJ. (1977). Some observations on biodegradation of pollutants in aquatic systems. The Japanese journal of antibiotics. 30 Suppl: 275-285.
- Bohy, M; Dridi, L; Schafer, G; Razakarisoa, O. (2006). Transport of a mixture of chlorinated solvent vapors in the vadose zone of a sandy aquifer: Experimental study and numerical modeling. Vadose Zone Journal. 5: 539-553.
- Boice, JD; McLaughlin, JK. (2001). Errors in TCE analysis. Environ Health Perspect. 109: A108-A108.
- Bois, FY. (1999). Analysis of PBPK models for risk characterization. Ann N Y Acad Sci. 895: 317-337.
- Bokare, AD; Chikate, RC; Rode, CV; Paknikar, KM. (2007). Effect of surface chemistry of Fe-Ni nanoparticles on mechanistic pathways of azo dye degradation. Environmental Science & Technology. 41: 7437-7443.
- Bold, S; Kraft, S; Grathwohl, P; Liedl, R. (2003). Sorption/desorption kinetics of contaminants on mobile particles: Modeling and experimental evidence. Water Resour Res. 39: 1329-1329.
- Bolon, B; Bucci, TJ; Warbritton, AR; Chen, JJ; Mattison, DR; Heindel, JJ. (1997). Differential follicle counts as a screen for chemically induced ovarian toxicity in mice: Results from continuous breeding bioassays. Fundam Appl Toxicol. 39: 1-10.
- Bolt, HM; Borlak, JrT. (1999). Chapter 26 - Halogenated Hydrocarbons A2 - Marquardt, Hans. Toxicology San Diego 645-657.
- Bolt, HM; Filser, JG. (1977). Irreversible binding of chlorinated ethylenes to macromolecules. Environ Health Perspect. 21: 107-112.
- Bommer, M; Kunze, C; Fessler, J; Schubert, T; Diekert, G; Dobbek, H. (2014). Structural basis for organohalide respiration. Science. 346: 455-458.
- Bond, GR. (1996). Hepatitis, rash and eosinophilia following trichloroethylene exposure: a case report and speculation on mechanistic similarity to halothane induced hepatitis. Journal of toxicology Clinical toxicology. 34: 461-466.
- Bonhaus, DW; Gandolfi, AJ. (1981). Conjugation and bioactivation of chlorotrifluoroethylene. Life Sci. 29: 2399-2405.
- Bonnevie, NL; Wenning, RJ. (1995). Sources of pollution and sediment contamination in Newark Bay, New Jersey. AU - CRAWFORD DW. Ecotoxicol Environ Saf. 30: 85-100.
- Bontha, J; Kaplan, DI. (1999). Immobilization or recovery of chlorinated hydrocarbons from contaminated groundwater using clathrate hydrates: A proof-of-concept. Environmental Science & Technology. 33: 1051-1055.
- Booker, RS; Pavlostathis, SG. (2000). Microbial reductive dechlorination of hexachloro-1,3-butadiene in a methanogenic enrichment culture. Water Res. 34: 4437-4445.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. Bioresour Technol. 84: 69-73.
- Boopathy, R; Peters, R. (2001). Enhanced biotransformation of trichloroethylene under mixed electron acceptor conditions. Curr Microbiol. 42: 134-138.
- Borak, J; Russi, M; Puglisi, JP. (2000). Meta-analyses of TCE carcinogenicity. Environ Health Perspect. 108: A542-A543.
- Borch, T; Ambus, P; Laturnus, F; Svensmark, B; Gron, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. Chemosphere. 51: 143-152.
- Bordel, S; Munoz, R; Diaz, LF; Villaverde, S. (2007). Predicting the accumulation of harmful metabolic byproducts during the treatment of VOC emissions in suspended growth bioreactors. Environmental Science & Technology. 41: 5875-5881.
- Borden, RC. (2007). Concurrent bioremediation of perchlorate and 1,1,1-trichloroethane in an emulsified oil barrier. J Contam Hydrol. 94: 13-33.
- Bornancin, F; Franco, M; Bigay, J; Chabre, M. (1992). Functional modifications of transducin induced by cholera or pertussis-toxin-catalyzed ADP-ribosylation. European journal of biochemistry / FEBS. 210: 33-44.
- Borrell, A; Garcia-Solà, A; Aguilar, A; García, NA; Crespo, CEA. (2010). Organochlorine residues in South American sea lions, *Otaria flavescens* (Shaw, 1800): bioaccumulation and time trends. Bull Environ Contam Toxicol. 84: 731-737.
- Borzelleca, JF; O'Hara, TM; Gennings, C; Granger, RH; Sheppard, MA; Condie, LWJR. (1990). Interactions of water contaminants: 1. Plasma enzyme activity and response surface methodology following Gavage administration of carbon tetrachloride and chloroform or trichloroethylene singly and in combination in the rat. Fundam Appl Toxicol. 14: 477-490.
- Bosma, TN; Ballemans, EMW; Hoekstra, NK; Te, WELSCERRAG; Smeenk, JGMM; Schraa, G; Zehnder, AJB. (1996). Biotransformation of organics in soil columns and an infiltration area. Ground Water. 34: 49-56.
- Botsford, JL. (1998). A simple assay for toxic chemicals using a bacterial indicator. World Journal Of Microbiology & Biotechnology. 14: 369-376.
- Botsford, JL; Rivera, J; Navarez, J; Riley, R; Wright, T; Baker, R. (1997). ASSAY FOR TOXIC CHEMICALS USING BACTERIA. Bull Environ Contam Toxicol. 59: 1000-1009.
- Boudet, C; Zmirou, D; Laffond, M; Balducci, F; Benoit-Guyod, JL. (1999). Health risk assessment of a modern municipal waste incinerator. Experimental and clinical psychopharmacology. 19: 1215-1222.
- Bouhamra, WS; Elkilani, AS. (1999). Investigation and modeling of surface sorption-desorption behavior of volatile organic compounds for indoor air quality analysis. Environ Technol. 20: 531-545.
- Bourg, ACM; Degranges, P; Mouvet, C; Sauty, JP. (1993). Migration of chlorinated hydrocarbon solvents through Coventry sandstone rock columns. J Hydrol. 149: 183-207.
- Bourguin, AW. (1993). SUCCESSFUL APPLICATIONS OF BIOLOGICAL TREATMENTS IN THE FIELD. Keystone Symposium On Environmental Bioremediation And Biodegradation, Lake Tahoe, California, Usa, March. 0: 189.
- Boutonnet, JC; De Rooij, C; Garny, V; Lecloux, A; Papp, R; Thompson, RS; Van Wijk, D. (1998). Euro Chlor risk assessment for the marine environment OSPARCOM region: North sea - Trichloroethylene. Environ Monit Assess. 53: 467-487.

Environmental Hazard Literature Search Results

Off Topic

- Bouwer, E; Mercer, J; Kavanaugh, M; Digiano, F. (1988). COPING WITH GROUNDWATER CONTAMINATION. *J Water Pollut Control Fed.* 60: 1415-1427.
- Bouwer, EJ; McCarty, PL. (1983). Transformations of 1- and 2-carbon halogenated aliphatic organic compounds under methanogenic conditions. *Appl Environ Microbiol.* 45: 1286-1294.
- Bouwer, EJ; McCarty, PL. (1983). Transformations of halogenated organic compounds under denitrification conditions. *Appl Environ Microbiol.* 45: 1295-1299.
- Bouwer, EJ; McCarty, PL. (1985). UTILIZATION RATES OF TRACE HALOGENATED ORGANIC COMPOUNDS IN ACETATE-GROWN BIOFILMS. *Biotechnol Bioeng.* 27: 1564-1571.
- Bovard, DS; Baker, KH. (1997). EFFECT OF TCE AND MTBE ON DEGRADATION OF BTEX BY A PSEUDOMONAS ISOLATE. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 496.
- Bove, F; Shim, Y; Zeitz, P. (2002). Drinking water contaminants and adverse pregnancy outcomes: A review. *Environ Health Perspect.* 110: 61-74.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol.* 141: 850-862.
- Boverhof, DR; Krieger, SM; Hotchkiss, JA; Stebbins, KE; Thomas, J; Woolhiser, MR. (2013). Assessment of the immunotoxic potential of trichloroethylene and perchloroethylene in rats following inhalation exposure. *J Immunotoxicol.* 10: 311-320.
- Boving, TB; Brusseau, ML. Solubilization and removal of residual trichloroethene from porous media: comparison of several solubilization agents. [Erratum: May 2001, v. 49 (1/2), p. 171.]. *J Contam Hydrol.* Mar 1, 2000. v. 42 (1): 51-67.
- Boving, TB; Brusseau, ML. (2000). Solubilization and removal of residual trichloroethene from porous media: comparison of several solubilization agents. *J Contam Hydrol.* 42: 51-67.
- Boving, TB; Brusseau, ML. (2001). Erratum to "Solubilization and removal of residual trichloroethene from porous media: comparison of several solubilization agents" [J. Contam. Hydrol. 42 (2000) 51-67]. *J Contam Hydrol.* 49: 171.
- Boving, TB; Wang, XJ; Brusseau, ML. (1999). Cyclodextrin-enhanced solubilization and removal of residual-phase chlorinated solvents from porous media. *Environmental Science & Technology.* 33: 764-770.
- Bowen, JP; Reddy, VV; Patterson, DGJR; Allinger, NL. (1988). MOLECULAR MECHANICS MM2 PARAMETERS FOR DIVINYL ETHERS AND AROMATIC HALIDE DERIVATIVES. *J Org Chem.* 53: 5471-5475.
- Bowen, SE. (2009). Time course of the ethanol-like discriminative stimulus effects of abused inhalants in mice. *Pharmacology, biochemistry, and behavior.* 91: 345-350.
- Bowen, SE; Balster, RL. (1996). Effects of inhaled 1,1,1-trichloroethane on locomotor activity in mice. *Neurotoxicol Teratol.* 18: 77-81.
- Bowen, SE; Balster, RL. (1998). A direct comparison of inhalant effects on locomotor activity and schedule-controlled behavior in mice. *Experimental and clinical psychopharmacology.* 6: 235-247.
- Bowen, SE; Hamilton, J; Balster, RL. (1998). A method for adjusting exposure levels of volatile solvents based on effects on schedule-controlled behavior. *Neurotoxicol Teratol.* 20: 169-180.
- Bowen, SE; McDonald, P. (2009). Abuse pattern of toluene exposure alters mouse behavior in a waiting-for-reward operant task. *Neurotoxicol Teratol.* 31: 18-25.
- Bowen, SE; Wiley, JL; Balster, RL. (1996). The effects of abused inhalants on mouse behavior in an elevated plus-maze. *Eur J Pharmacol.* 312: 131-136.
- Bowen, SE; Wiley, JL; Evans, EB; Tokarz, ME; Balster, RL. (1996). Functional observational battery comparing effects of ethanol, 1,1,1-trichloroethane, ether, and flurothyl. *Neurotoxicol Teratol.* 18: 577-585.
- Bowman, JP; Jimenez, L; Rosario, I; Hazen, TC; Saylor, GS. Characterization of the methanotrophic bacterial community present in a trichloroethylene-contaminated subsurface groundwater site. *Appl Environ Microbiol.* Aug 1993. v. 59 (8): 2380-2387.
- Bowman, JP; Tschantz, MF; Bienkowski, PR; Strong-Gunderson, JM; Palumbo, AV; Saylor, GS. (1994). OPTIMIZATION AND PERFORMANCE OF A FULLY-SUSPENDED MULTI-STAGED BIOREACTOR FOR METHANOTROPH-MEDIATED TRICHLOROETHYLENE REMOVAL. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 440.
- Bowman, KS; Rainey, FA; Moe, WM. (2009). Production of hydrogen by Clostridium species in the presence of chlorinated solvents. *FEMS Microbiol Lett.* 290: 188-194.
- Bowser, P; Distefano, T; Tandoi, V; Gossett, J; Zinder, S. (1993). CHARACTERIZATION OF AN ANAEROBIC ENRICHMENT CULTURE WHICH RAPIDLY CONVERTS TETRACHLOROETHENE TO ETHENE. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 381.
- Boyd, EM; Killham, K; Wright, J; Rumford, S; Hetheridge, M; Cumming, R; Meharg, AA. (1997). Toxicity assessment of xenobiotic contaminated groundwater using Lux modified Pseudomonas fluorescens. *Chemosphere.* 35: 1967-1985.
- Boyd, GR; Li, M; Husserl, J; Ocampo-Gómez, AM. (2006). Dip-angle influence on areal DNAPL recovery by co-solvent flooding with and without pre-flooding. *J Contam Hydrol.* 82: 319-337.
- Boyd, GR; Ocampo-Gómez, AM; Li, M; Husserl, J. (2006). Effects of initial saturation on properties modification and displacement of tetrachloroethene with aqueous isobutanol. *J Contam Hydrol.* 88: 69-91.
- Boyd, SA. (1987). REDUCTIVE DECHLORINATION OF ORGANIC TOXICANTS IN ANAEROBIC SOILS. 193rd American Chemical Society National Meeting, Denver, Colorado, Usa, April. 193.
- Boyd, SA; Mortland, MM; Chiou, CT. Sorption characteristics of organic compounds on Hexadecyltrimethylammonium-smectite. *Soil Sci Soc Am J.* May/June 1988. v. 52 (3): 652-657.

Environmental Hazard Literature Search Results

Off Topic

- Boyden, BH; Banh, DT; Huckabay, HK; Fernandes, JB. (1992). Using inclined cascade aeration to strip chlorinated VOCs from drinking water. *Am Water Works Assoc J.* 84: 62-69.
- Boyer, JD; Ahlert, RC; Kosson, DS. (1988). PILOT PLANT DEMONSTRATION OF IN-SITU BIODEGRADATION OF 1,1,1-TRICHLOROETHANE. *J Water Pollut Control Fed.* 60: 1842-1849.
- Boyes, WK; Bercegeay, M; Ali, JS; Krantz, T; McGee, J; Evans, M; Raymer, JH; Bushnell, PJ; Simmons, JE. (2003). Dose-based duration adjustments for the effects of inhaled trichloroethylene on rat visual function. *Toxicol Sci.* 76: 121-130.
- Boyes, WK; Bushnell, PJ; Crofton, KM; Evans, M; Simmons, JE. (2000). Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario. *Environ Health Perspect.* 108: 317-322.
- Boyes, WK; Griffin, VT. (1995). ACUTE EFFECTS OF INHALED TRICHLOROETHYLENE TCE ON RAT VISUAL FUNCTION DEPEND ON EXPOSURE CONCENTRATION ON EXPOSURE CONCENTRATION AND NOT DURATION. Fifth Meeting Of The International Neurotoxicology Association, Port Ludlow, Washington, Usa, June. 16: 543.
- Boyes, WK; Oshiro, WM; El-Masri, H; Degn, LL; Bercegeay, M; Krantz, QT; Bushnell, PJ. (2010). Acute inhalation of 2,2,4-trimethylpentane alters visual evoked potentials and signal detection behavior in rats. *Neurotoxicol Teratol.* 32: 525-535.
- Boyes, WK; Simmons, JE; Eklund, C; Benignus, VA; Janssen, P; Bushnell, PJ. (2005). Applications of dosimetry modeling to assessment of neurotoxic risk. *Environ Toxicol Pharmacol.* 19: 599-605.
- Bräggemann, R; Trapp, S. (1988). Release and fate modelling of highly volatile solvents in the river Main. *Chemosphere.* 17: 2029-2041.
- Brack, W; Frank, H. (1997). A bioassay-directed method for the separation of volatile compounds from landfill leachates. *Chemosphere.* 34: 849-854.
- Brack, W; Rottler, H; Frank, H. (1998). Volatile fractions of landfill leachates and their effect on *Chlamydomonas reinhardtii*: In vivo chlorophyll a fluorescence. *Environ Toxicol Chem.* 17: 1982-1991.
- Bradford, SA; Rathfelder, KM; Lang, J; Abriola, LM. (2003). Entrapment and dissolution of DNAPLs in heterogeneous porous media. *J Contam Hydrol.* 67: 133-157.
- Bradley, PM. (2011). Reinterpreting the Importance of Oxygen-Based Biodegradation in Chloroethene-Contaminated Groundwater. *Ground Water Monitoring and Remediation.* 31: 50-55.
- Bradley, PM; Chapelle, FH. (1998). Effect of contaminant concentration on aerobic microbial mineralization of DCE and VC in stream-bed sediments. *Environmental Science & Technology.* 32: 553-557.
- Bradley, PM; Chapelle, FH. (1998). Microbial mineralization of VC and DCE under different terminal electron accepting conditions. *Anaerobe.* 4: 81-87.
- Bradley, PM; Chapelle, FH. (1999). Methane as a product of chloroethane biodegradation under methanogenic conditions. *Environmental Science & Technology.* 33: 653-656.
- Bradley, PM; Chapelle, FH. (1999). Methane as a product of chloroethene biodegradation under methanogenic conditions. *Environmental Science & Technology.* 33: 653-656.
- Bradley, PM; Chapelle, FH. (2000). Aerobic microbial mineralization of dichloroethene as sole carbon substrate. *Environmental Science & Technology.* 34: 221-223.
- Bradley, PM; Chapelle, FH; Lovley, DR. (1998). Humic acids as electron acceptors for anaerobic microbial oxidation of vinyl chloride and dichloroethene. *Appl Environ Microbiol.* 64: 3102-3105.
- Bradley, PM; Chapelle, FH; Wilson, JT. (1998). Field and laboratory evidence for intrinsic biodegradation of vinyl chloride contamination in a Fe(III)-reducing aquifer. *J Contam Hydrol.* 31: 111-127.
- Bradley, PM; Richmond, S; Chapelle, FH. (2005). Chloroethene biodegradation in sediments at 4 degrees C. *Appl Environ Microbiol.* 71: 6414-6417.
- Bradley, PM; Richmond, S; Chapelle, FH. (2005). Chloroethene Biodegradation in Sediments at 4°C. *Appl Environ Microbiol.* 71: 6414-6417.
- Braeckvelt, M; Kaestner, M; Kusch, P. (2011). Removal of monochlorobenzene and perchloroethene in wetland rhizosphere model systems. *Engineering in Life Sciences.* 11: 298-308.
- Braeckvelt, M; Reiche, N; Trapp, S; Wiessner, A; Paschke, H; Kusch, P; Kaestner, M. (2011). Chlorobenzene removal efficiencies and removal processes in a pilot-scale constructed wetland treating contaminated groundwater. *Ecol Eng.* 37: 903-913.
- Braeckvelt, M; Seeger, EM; Paschke, H; Kusch, P; Kaestner, M. (2011). ADAPTATION OF A CONSTRUCTED WETLAND TO SIMULTANEOUS TREATMENT OF MONOCHLOROBENZENE AND PERCHLOROETHENE. *Int J Phytoremediation.* 13: 998-1013.
- Bragadin, M; Dell'Antone, P. (1994). A new in vitro toxicity test based on the response to toxic substances in solutions of mitochondria from beef heart. *Arch Environ Contam Toxicol.* 27: 410-414.
- Brahma, PP; Harmon, TC. (2003). The effect of multicomponent diffusion on NAPL dissolution from spherical ternary mixtures. *J Contam Hydrol.* 67: 43-60.
- Braids, OC. (1990). GROUNDWATER CONTAMINATION FROM HAZARDOUS WASTES. Hickey, J E Jr And L A Longmire. 0: 293-301.
- Brandes, D; Farley, KJ. (1993). Importance of phase behavior on the removal of residual DNAPLs from porous media by alcohol flooding. *Water Environ Res.* 65: 869-878.
- Brandt, BW; van Leeuwen, IMM; Kooijman, S. (2003). A general model for multiple substrate biodegradation. Application to co-metabolism of structurally non-analogous compounds. *Water Res.* 37: 4843-4854.
- Brannaka, LK. (1993). Aqueous transport of trichloroethylene in an unsaturated uniform fine sand under transient rainfall conditions. PhD Thesis, The Pennsylvania State University.

Environmental Hazard Literature Search Results

Off Topic

- Bransfield, SJ; Cwiertny, DM; Roberts, AL; Fairbrother, DH. (2006). Influence of copper loading and surface coverage on the reactivity of granular iron toward 1,1,1-trichloroethane. *Environmental Science & Technology*. 40: 1485-1490.
- Brantley, AS; Townsend, TG. (1999). Leaching of pollutants from reclaimed asphalt pavement. *Environ Eng Sci*. 16: 105-116.
- Brar, SK; Gupta, SK. (2000). Biodegradation of trichloroethylene in a rotating biological contactor. *Water Res*. 34: 4207-4214.
- Brattin, WJ; Pencil, SD; Waller, RL; Glende, EA, Jr.; Recknagel, RO. (1984). Assessment of the role of calcium ion in halocarbon hepatotoxicity. *Environ Health Perspect*. 57: 321-323.
- Braun, R; Huettner, E; Merten, H; Raabe, F. (1993). Genotoxicity studies in semiconductor industry: 1. In vitro mutagenicity and genotoxicity studies of waste samples resulting from plasma etching. *J Toxicol Environ Health*. 39: 309-322.
- Braun, RE. (2000). Temporal control of protein synthesis during spermatogenesis. *International Journal of Andrology*. 23: 92-94.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull*. 54: 1742-1753.
- Breen, A; Ward, T; Loper, JC; Govind, R; Haines, J; Bishop, D. (1995). TRICHLOROETHYLENE DEGRADATION BY TOLUENE OXIDIZING BACTERIA COLONIZING A VAPOR PHASE BIOFILTER. *Keystone Symposium On Environmental Biotechnology, Lake Tahoe, California, Usa, March*. 0: 46.
- Breen, A; Ward, T; Loper, JC; Haines, J. (1995). CHARACTERIZATION OF TRICHLOROETHYLENE DEGRADING BACTERIA FROM A VAPOR PHASE BIOFILTER. *95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May*. 95: 402.
- Breitstein, L; Forrest, A; Frew, RL. (1991). Groundwater recovery and treatment for chlorinated organic compounds. *J Hazard Mater*. 29: 1991-1992.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Biodegradation of tetrachloroethene by chitin fermentation products in a continuous flow column system. *Journal of Environmental Engineering-Asce*. 132: 664-673.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Chitin and corncobs as electron donor sources for the reductive dechlorination of tetrachloroethene. *Water Res*. 40: 2125-2134.
- Brennan, RA; Swanson, AR; Loffler, FE; Sanford, RA. (1998). USE OF A SOLID-PHASE SORBENT FOR MANIPULATING PCE CONCENTRATIONS IN GROWING CULTURES OF THE HALORESPIRING BACTERIAL STRAIN BB1. *98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May*. 98: 429.
- Brenner, D. (2010). Results of a Long-Term Study of Vapor Intrusion at Four Large Buildings at the NASA Ames Research Center. *Journal of the Air & Waste Management Association*. 60: 747-758.
- Bricka, RM. (1998). Evaluation of exothermic solidification/stabilization binding agents to enhance the removal of trichloroethylene from combined waste. PhD Thesis, Purdue University.
- Bricka, RM; Cullinane, MJJR; Holmes, TT. (1989). LABORATORY INVESTIGATION OF THE TOXICITY CHARACTERISTIC LEACHING PROCEDURE AND THE EXTRACTION PROCEDURES TEST. *197th American Chemical Society National Meeting, Dallas, Texas, Usa, April*. 197: 72.
- Brickus, LSR; Cardoso, JN; Aquino, NETOFRD. (1998). Distributions of indoor and outdoor air pollutants in Rio de Janeiro, Brazil: Implications to indoor air quality in Bayside offices. *Environmental Science & Technology*. 32: 3485-3490.
- Bridbord, K; Brubaker, PE; Gay, B, Jr.; French, JG. (1975). Exposure to halogenated hydrocarbons in the indoor environment. *Environ Health Perspect*. 11: 215-220.
- Briganti, F; Wild, JR. (1995). PROTEIN ENGINEERING FOR IMPROVED BIODEGRADATION OF RECALCITRANT POLLUTANTS AU - MASON JR. Wild, J R, S D Varfolomeyev And A Scozzafava. 19: 107-118.
- Briggs, GB. (1996). Risk assessment policy for evaluating reproductive system toxicants and the impact of responses on sensitive populations. *Toxicology*. 111: 305-313.
- Brigmon, RL; Anderson, TA; Fliermans, CB. Methanotrophic bacteria in the rhizosphere of trichloroethylene-degrading plants. *Int J Phytoremediation*. Sept 1999. v. 1 (3): 241-253.
- Brigmon, RL; Bell, NC; Freedman, DL; Berry, CJ. (1998). Natural attenuation of trichloroethylene in rhizosphere soils at the Savannah River Site. *Journal of Soil Contamination*. 7: 433-453.
- Brigmon, RL; Franck, MM; Bray, JS; Patel, RB; Berry, CJ; Fliermans, B. (1995). IMMUNOASSAYS FOR BACTERIA THAT BIODEGRADE TCE. *95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May*. 95: 403.
- Brigmon, RL; Franck, MM; Bray, JS; Scott, DF; Lanclos, KD; Fliermans, CB. (1998). Direct immunofluorescence and enzyme-linked immunosorbent assays for evaluating organic contaminant degrading bacteria. *J Microbiol Methods*. 32: 1-10.
- Brigmon, RL; Franck, MM; Brey, J; Scott, D; Lanclos, K; Fliermans, CB. (1996). APPLICATION OF FLUORESCENT ANTIBODY AND ENZYME-LINKED IMMUNOSORBENT ASSAYS FOR TCE AND PAH DEGRADING BACTERIA. *96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May*. 96: 409.
- Bringmann, G; Friedrich, H; Feineis, D. (1992). Trichloroharmanes as potential endogenously formed inducers of Morbus Parkinson: synthesis, analytics, and first in vivo-investigations. *Journal of neural transmission Supplementum*. 38: 15-26.
- Bringmann, G; God, R; Feineis, D; Wesemann, W; Riederer, P; Rausch, WD; Reichmann, H; Sontag, KH. (1995). The TaClo concept: 1-trichloromethyl-1,2,3,4-tetrahydro-beta-carboline (TaClo), a new toxin for dopaminergic neurons. *Journal of neural transmission Supplementum*. 46: 235-244.
- Brinkman, DW; Dickson, JR. (1995). Contaminants in Used Lubricating Oils and Their fate during Distillationydrotreatment Re-Refining. *Environmental Science & Technology*. 29: 81-86.
- Brisson, VL; West, KA; Lee, PKH; Tringe, SG; Brodie, EL; Alvarez-Cohen, L. (2012). Metagenomic analysis of a stable trichloroethene-degrading microbial community. *Isme Journal*. 6: 1702-1714.

Environmental Hazard Literature Search Results

Off Topic

- Brittebo, EB; Darnerud, PO; Eriksson, C; Brandt, I. (1993). Nephrotoxicity and covalent binding of 1,1-dichloroethylene in buthionine sulphoximine-treated mice. *Arch Toxicol.* 67: 605-612.
- Brockman, FJ; Payne, W; Workman, DJ; Soong, A; Manley, S; Hazen, TC. (1995). EFFECT OF GASEOUS NITROGEN AND PHOSPHORUS INJECTION ON IN SITU BIOREMEDIATION OF A TRICHLOROETHYLENE-CONTAMINATED SITE. *J Hazard Mater.* 41: 287-298.
- Brockman, FJ; Payne, W; Workman, DJ; Soong, A; Sun, W; Ogram, A. (1994). MONITORING OF IN SITU TRICHLOROETHYLENE TCE AND PERCHLOROETHYLENE PCE BIOREMEDIATION AT THE SAVANNAH RIVER INTEGRATED DEMONSTRATION. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 329.
- Broderius, S; Kahl, M. (1985). ACUTE TOXICITY OF ORGANIC CHEMICAL MIXTURES TO THE FATHEAD MINNOW PIMEPHALES-PROMELAS. *Aquat Toxicol.* 6: 307-322.
- Broderius, SJ; Kahl, MD; Elonen, GE; Hammermeister, DE; Hoglund, MD. (2005). A comparison of the lethal and sublethal toxicity of organic chemical mixtures to the fathead minnow (*Pimephales promelas*). *Environmental toxicology and chemistry / SETAC.* 24: 3117-3127.
- Brodeur, J; Davidson, IW; Beliles, RP. (1991). Consideration of the target organ toxicity of trichloroethylene in terms of metabolite toxicity and pharmacokinetics. *Can Can J Physiol Pharmacol.* 69: 1-7.
- Brodsky, J; Brodesser, J; Bauer, C; Roembke, J. (1997). The environmental fate of six existing chemicals in laboratory tests. *Chemosphere.* 34: 515-538.
- Broens, L; Koenhen, DM; Smolders, CA. (1977). On the mechanism of formation of asymmetric ultra- and hyper-filtration membranes. *Desalination.* 22: 205-219.
- Broholm, K. (2007). Solvent release into a sandy aquifer 3: Enhanced dissolution by methanol injection. *Environ Technol.* 28: 11-18.
- Broholm, K; Christensen, TH; Jensen, BK. (1992). Modelling TCE degradation by a mixed culture of methane-oxidizing bacteria. *Water Res.* 26: 1177-1185.
- Broholm, K; Christensen, TH; Jensen, BK. (1993). Different abilities of eight mixed cultures of methane-oxidizing bacteria to degrade TCE. *Water Res.* 27: 215-224.
- Broholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem.* 14: 9-15.
- Broholm, K; Feenstra, S; Cherry, JA. (1999). Solvent release into a sandy aquifer. 1. Overview of source distribution and dissolution behavior. *Environmental Science & Technology.* 33: 681-690.
- Broholm, K; Feenstra, S; Cherry, JA. (2005). Solvent release into a sandy aquifer. 2. Estimation of DNAPL mass based on a multiple-component dissolution model. *Environmental Science & Technology.* 39: 317-324.
- Broholm, K; Jensen, BK; Christensen, TH; Olsen, L. (1990). Toxicology of 1,1,1-trichloroethane and trichloroethene on a mixed culture of methane-oxidizing bacteria. *Appl Environ Microbiol.* 56: 2488-2493.
- Broholm, K; Ludvigsen, L; Jensen, TF; Ostergaard, H. (2005). Aerobic biodegradation of vinyl chloride and cis-1,2-dichloroethylene in aquifer sediments. *Chemosphere.* 60: 1555-1564.
- Bromilow, RH; Chamberlain, K. (1995). PRINCIPLES GOVERNING UPTAKE AND TRANSPORT OF CHEMICALS. Trapp, S And J C Mcfarlane. 0: 37-68.
- Bronzetti, G; Bauer, C; Corsi, C; Del, CR; Galli, A; Nieri, R; Paolini, M. (1983). Genetic and biochemical studies on perchloroethylene 'in vitro' and 'in vivo'. *Mutat Res.* 116: 323-331.
- Bronzetti, G; Bauer, C; Corsi, C; Del, CR; Galli, A; Nieri, R; Paolini, M; Cundari, E; Cantelli, FG; Crenshaw, J. (1984). Comparative genetic activity of cis- and trans-1,2-dichloroethylene in yeast. *Teratog Carcinog Mutagen.* 4: 365-375.
- Bronzetti, G; Bauer, C; Corsi, C; Leporini, C; Nieri, R; del, CR. (1981). Genetic activity of vinylidene chloride in yeast. *Mutat Res.* 89: 179-185.
- Bronzetti, G; Bauer, C; Cundari, E; Corsi, C; Del Carratore, R; Nieri, R; Paolini, M. (1984). Genetic and biochemical studies of chloral hydrate, a metabolite of trichloroethylene. *Mutation Research/Environmental Mutagenesis and Related Subjects.* 130: 247.
- Bronzetti, G; Galli, A; Corsi, C; Cundari, E; Del, CR; Nieri, R; Paolini, M. (1984). Genetic and biochemical investigation on chloral hydrate in vitro and in vivo. *Mutat Res.* 141: 19-22.
- Bronzetti, G; Galli, A; Velloso, R; Rossi, F; Morichetti, E; Del, CARRATORER. (1987). GENETIC ACTIVITY OF CHLORINATED ETHANES. Ixth Meeting Of The European Association For Cancer Research, Helsinki, Finland, May. 23: 1737-1738.
- Bronzetti, G; Zeiger, E; Frezza, D. (1978). Genetic activity of trichloroethylene in yeast. *J Environ Pathol Toxicol.* 1: 411-418.
- Brooks, AJ; Lim, HN; Kilduff, JE. (2012). Adsorption uptake of synthetic organic chemicals by carbon nanotubes and activated carbons. *Nanotechnology.* 23: 294008.
- Brooks, MC; Annable, MD; Rao, PS; Hatfield, K; Jawitz, JW; Wise, WR; Wood, AL; Enfield, CG. (2002). Controlled release, blind tests of DNAPL characterization using partitioning tracers. *J Contam Hydrol.* 59: 187-210.
- Brooks, MC; Annable, MD; Rao, PS; Hatfield, K; Jawitz, JW; Wise, WR; Wood, AL; Enfield, CG. (2004). Controlled release, blind test of DNAPL remediation by ethanol flushing. *J Contam Hydrol.* 69: 281-297.
- Brooks, MC; Wise, WR. (2005). Uncertainty in NAPL volume estimates due to random measurement errors during partitioning tracer tests. *Environmental science & technology.* 39: 7170-7175.
- Brooks, MC; Wood, AL; Annable, MD; Hatfield, K; Cho, J; Holbert, C; Rao, RSC; Enfield, CG; Lynch, K; Smith, RE. (2008). Changes in contaminant mass discharge from DNAPL source mass depletion: Evaluation at two field sites. *J Contam Hydrol.* 102: 140-153.
- Bross, G; DiFranceisco, D; Desmond, ME. (1983). The effects of low dosages of trichloroethylene on chick development. *Toxicology.* 28: 283-294.
- Brousseau, J; Heitz, M. (1994). TRACE GAS COMPOUND EMISSIONS FROM MUNICIPAL LANDFILL SANITARY SITES. *Atmos Environ.* 28: 285-293.
- Brower, JL; Mitchell, R. (1995). BIODEGRADATION OF PERCHLOROETHYLENE ON GRANULAR ACTIVATED CARBON AND MONTMORILLONITE. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 414.

Environmental Hazard Literature Search Results

Off Topic

- Brown, AC. (1986). MOLECULAR CONNECTIVITY INDICES OF ORGANIC POLLUTANTS CORRELATION WITH CESSATION OF BURROWING IN THE WHELK *BULLIA-DIGITALIS DILLWYN*. *Trans R Soc S Afr*. 46: 109-114.
- Brown, DJ. (1987). COUNTY LEADERSHIP FOR GROUNDWATER CONCERNS. D'Itri, F M And L G Wolfson Rural Groundwater Contamination Xix+416p Lewis Publishers, Inc: Chelsea, Michigan, Usa Illus Isbn. 0: 339-350.
- Brown, DR; Makris, S; Siegel, SC; Barone, S, Jr. (2010). Early lifestage exposure and potential developmental susceptibility to tetrachloroethylene. *Birth defects research Part B, Developmental and reproductive toxicology*. 89: 50-65.
- Brown, JJ; Erickson, MD; Beskid, NJ. (1993). APPLYING MEMBRANE TECHNOLOGY TO AIR STRIPPING EFFLUENT FOR REMEDIATION OF GROUNDWATER CONTAMINATED WITH VOLATILE ORGANIC COMPOUNDS. *Hazardous Waste & Hazardous Materials*. 10: 335-345.
- Brown, JRM; Thompson, IP; Paton, GI; Singer, AC. (2009). Enhanced biotransformation of TCE using plant terpenoids in contaminated groundwater. *Lett Appl Microbiol*. 49: 769-774.
- Brown, K; Phillips, M; Grulke, C; Yoon, M; Young, B; McDougall, R; Leonard, J; Lu, JT; Lefew, W; Tan, YM. (2015). Reconstructing exposures from biomarkers using exposure-pharmacokinetic modeling - A case study with carbaryl. *Regul Toxicol Pharmacol*. 73: 689-698.
- Brown, KW; Thomas, JC. (1998). A comparison of the convective and diffusive flux of organic contaminants through landfill liner systems. *Waste Management & Research*. 16: 296-301.
- Brown, LM; Springer, J; Bower, M. (1992). Chemical substitution for 1,1,1-trichloroethane and methanol in an industrial cleaning operation. *J Hazard Mater*. 29: 179-188.
- Brown, MJ; Burris, DR. Enhanced organic contaminant sorption on soil treated with cationic surfactants. *Ground Water*. July/Aug 1996. v. 34 (4): 734-744.
- Brown, MS; Hart, A. (1992). REDUCING THE USE OF OZONE DEPLETING CHEMICALS THE IRVINE CALIFORNIA ORDINANCE. *J Air Waste Manage Assoc*. 42: 429-432.
- Brown, RF; Marrs, TC; Rice, P; Masek, LC. (1990). The histopathology of rat lung following exposure to zinc oxide/hexachloroethane smoke or installation with zinc chloride followed by treatment with 70% oxygen. *Environ Health Perspect*. 85: 81-87.
- Brown, RFR; Marrs, TC; Rice, P; Masek, LC. (1988). THE HISTOPATHOLOGY OF RAT LUNG FOLLOWING EXPOSURE TO ZINC OXIDE-HEXACHLOROETHANE SMOKE OR INSTILLATION WITH ZINC CHLORIDE FOLLOWED BY TREATMENT WITH 70 PERCENT OXYGEN. *Symposium On Chemicals And Lung Toxicity: To Study The Agent Or The Disease, Cardiff, Wales, Uk, July*. 85: 81-88.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere*. 36: 1799-1810.
- Brown, SD; Dixon, AM; Bruckner, JV; Bartlett, MG. (2003). A validated GC-MS assay for the quantitation of trichloroethylene (TCE) from drinking water. *Int J Environ Anal Chem*. 83: 427-432.
- Brown, T; Dassonville, C; Derbez, M; Ramalho, O; Crump, D; Mandin, C. (2015). Relationships between socioeconomic and lifestyle factors and indoor air quality in French dwellings. *Environ Res*. 140: 385-396.
- Bruckner, JV; Kyle, GM; Luthra, R; Acosta, D; Mehta, SM; Sethuraman, S; Muralidhara, S. (2001). Acute, short-term, and subchronic oral toxicity of 1,1,1-trichloroethane in rats. *Toxicol Sci*. 60: 363-372.
- Brueggemann, R; Trapp, S. (1988). RELEASE AND FATE MODELLING OF HIGHLY VOLATILE SOLVENTS IN THE RIVER MAIN WEST GERMANY. *Chemosphere*. 17: 2029-2042.
- Bruggemann, R; Schwaiger, J; Negele, RD. Applying Hasse diagram technique for the evaluation of toxicological fish tests. *Chemosphere*. May 1995. v. 30 (9): 1767-1780.
- Brun, TA; Schack, R. (1999). Realizing the quantum baker's map on a NMR quantum computer. *Physical Review A*. 59: 2649-2658.
- Brun-Bellut, J; Teel, AL; Ahmad, M; Watts, RJ. (2012). Persulfate activation by naturally occurring trace minerals. *Ecotoxicol Environ Saf*. 44: 153-159.
- Bruner, MA; Rao, M; Dumont, JN; Hull, M; Jones, T; Bantle, JA. (1998). Ground and surface water developmental toxicity at a municipal landfill: Description and weather-related variation. *Ecotoxicol Environ Saf*. 39: 215-226.
- Bruning, T; Sundberg, AGM; Birner, G; Lammert, M; Bolt, HM; Appelkvist, EL; Nilsson, R; Dallner, G. (1999). Glutathione transferase alpha as a marker for tubular damage after trichloroethylene exposure. *Arch Toxicol*. 73: 246-254.
- Brunke, EG; Allen, RJ. (1988). TROPOSPHERIC BACKGROUND MEASUREMENTS OF TRICHLOROFLUOROMETHANE METHYL CHLOROFORM AND CARBON TETRACHLORIDE AT CAPE POINT SOUTH AFRICA AND THEIR LONG-TERM TRENDS. *S Afr J Sci*. 84: 266-270.
- Bruno, P; de, GG; Solito, M; Tutino, M. (2007). Monitoring of odor compounds produced by solid waste treatment plants with diffusive samplers. *Waste Man7*. 27: 539-544.
- Brusseau, GA; Hanson, RS; Wackett, LP. (1990). OPTIMIZATION OF TRICHLOROETHYLENE OXIDATION BY METHANOTROPHS AND THE USE OF COLORIMETRIC ASSAY FOR SOLUBLE METHANE MONOOXYGENASE. *90th Annual Meeting Of The American Society For Microbiology*. 90: 219.
- Brusseau, ML. (1991). Cooperative sorption of organic chemicals in systems composed of low organic carbon aquifer materials. *Environ Sci Technol*. 25: 1747-1752.
- Brusseau, ML. (1992). Nonequilibrium transport of organic chemicals: The impact of pore-water velocity. *J Contam Hydrol*. 9: 353-368.
- Brusseau, ML. (1993). Using QSAR to evaluate phenomenological models for sorption of organic compounds by soil. *Environ Toxicol Chem*. 12: 1835-1846.
- Brusseau, ML; Carroll, KC; Allen, T; Baker, J; DiGuseppi, W; Hatton, J; Morrison, C; Russo, A; Berkompas, J. (2011). Impact of In Situ Chemical Oxidation on Contaminant Mass Discharge: Linking Source-Zone and Plume-Scale Characterizations of Remediation Performance. *Environmental Science & Technology*. 45: 5352-5358.

Environmental Hazard Literature Search Results

Off Topic

- Brusseau, ML; Hatton, J; DiGuiseppi, W. (2011). Assessing the impact of source-zone remediation efforts at the contaminant-plume scale through analysis of contaminant mass discharge. *J Contam Hydrol.* 126: 130-139.
- Brusseau, ML; Matthieu, DE; Carroll, KC; Mainhagu, J; Morrison, C; McMillan, A; Russo, A; Plaschke, M. (2013). Characterizing long-term contaminant mass discharge and the relationship between reductions in discharge and reductions in mass for DNAPL source areas. *J Contam Hydrol.* 149: 1-12.
- Brusseau, ML; Narter, M. (2013). Assessing the impact of chlorinated-solvent sites on metropolitan groundwater resources. *Ground Water.* 51: 828-832.
- Brusseau, ML; Nelson, NT; Oostrom, M; Zhang, ZH; Johnson, GR; Wietsma, TW. (2000). Influence of heterogeneity and sampling method on aqueous concentrations associated with NAPL dissolution. *Environmental Science & Technology.* 34: 3657-3664.
- Brusseau, ML; Nelson, NT; Zhang, Z; Blue, JE; Rohrer, J; Allen, T. (2007). Source-zone characterization of a chlorinated-solvent contaminated Superfund site in Tucson, AZ. *J Contam Hydrol.* 90: 21-40.
- Brusseau, ML; Popovicova, J; Silva, JAK. (1997). Characterizing gas-water interfacial and bulk-water partitioning for gas-phase transport or organic contaminants in unsaturated porous media. *Environmental Science & Technology.* 31: 1645-1649.
- Brusseau, ML; Russo, AE; Schnaar, G. (2012). Nonideal transport of contaminants in heterogeneous porous media: 9 - Impact of contact time on desorption and elution tailing. *Chemosphere.* 89: 287-292.
- Brusseau, ML; Schnaar, G; Johnson, GR; Russo, AE. (2012). Nonideal transport of contaminants in heterogeneous porous media: 10. Impact of co-solutes on sorption by porous media with low organic-carbon contents. *Chemosphere.* 89: 1302-1306.
- Brusseau, ML; Zhang, ZH; Nelson, NT; Cain, RB; Tick, GR; Oostrom, M. (2002). Dissolution of nonuniformly distributed immiscible liquid: Intermediate-scale experiments and mathematical modeling. *Environmental Science & Technology.* 36: 1033-1041.
- Bruton, TA; Pycke, BFG; Halden, RU. (2015). Effect of Nanoscale Zero-Valent Iron Treatment on Biological Reductive Dechlorination: A Review of Current Understanding and Research Needs. *Crit Rev Environ Sci Tech.* 45: 1148-1175.
- Bryant, D; Moody, W; Turkot, S. (2013). Oxidants and Reductants Join for In-Situ Remediation. *Pollution Engineering.* 45: 20.
- Bryers, JD; Sharp, RR. (1997). Retention and expression of recombinant plasmids in suspended and biofilm-bound bacteria degrading trichloroethene (TCE). *Water Science and Technology.* 36: 1-8.
- Bryers, JD; Sharp, RR. (1997). Retention and expression of recombinant plasmids in suspended and biofilm-bound bacteria degrading trichloroethene (TCE). *Water Science and Technology.* 36: 1-8.
- Buben, JA; O'Flaherty, EJ. (1985). Delineation of the role of metabolism in the hepatotoxicity of trichloroethylene and perchloroethylene: a dose-effect study. *Toxicol Appl Pharmacol.* 78: 105-122.
- Buchanan, RJR; Ellis, DE; Odom, JM; Mazierski, PF; Lee, MD. (1995). INTRINSIC AND ACCELERATED ANAEROBIC BIODEGRADATION OF PERCHLOROETHYLENE IN GROUNDWATER. Hinchee, R E, J T Wilson And D C Downey. 3: 1-57477.
- Buchner, D; Behrens, S; Laskov, C; Haderlein, SB. (2015). Resiliency of Stable Isotope Fractionation ($\delta^{13}C$ and $\delta^{37}Cl$) of Trichloroethene to Bacterial Growth Physiology and Expression of Key Enzymes. *Environmental Science & Technology.* 49: 13230.
- Buchner, D; Behrens, S; Laskov, C; Haderlein, SB. (2015). Resiliency of Stable Isotope Fractionation ($\delta^{13}C$ and $\delta^{37}Cl$) of Trichloroethene to Bacterial Growth Physiology and Expression of Key Enzymes. *Environmental Science & Technology.* 49: 13230-13237.
- Buerck, J; Conzen, JP; Ache, HJ. (1992). A fiber optic evanescent field absorption sensor for monitoring organic contaminants in water. *Fresenius' J Anal Chem.* 342: 394-400.
- Buhamra, SS. (1998). The analysis of VOCs survey data from residences in Kuwait. *Environmetrics.* 9: 245-253.
- Bukowski, J. (2014). Critical review of the epidemiologic literature regarding the association between congenital heart defects and exposure to trichloroethylene. *Crit Rev Toxicol.* 44: 581-589.
- Bukowski, JA; Meyer, LW. (1995). Simulated air levels of volatile organic compounds following different methods of indoor insecticide application. *Environmental Science & Technology.* 29: 673-676.
- Bulger, WH; Muccitelli, RM; Kupfer, D. (1978). Interactions of methoxychlor, methoxychlor base-soluble contaminant, and 2,2-bis(p-hydroxyphenyl)-1,1,1-trichloroethane with rat uterine estrogen receptor. *J Toxicol Environ Health.* 4: 881-893.
- Bull, RJ. (1985). Carcinogenic and mutagenic properties of chemicals in drinking water. *The Science of the total environment.* 47: 385-413.
- Bull, RJ; Sasser, LB; Lei, XC. (2004). Interactions in the tumor-promoting activity of carbon tetrachloride, trichloroacetate, and dichloroacetate in the liver of male B6C3F1 mice. *Toxicology.* 199: 169-183.
- Bull, RJ; Templin, M; Larson, JL; Stevens, DK. (1993). The role of dichloroacetate in the hepatocarcinogenicity of trichloroethylene. *Toxicol Lett.* 68: 203-211.
- Bumpus, JA; Tien, M; Wright, D; Aust, SD. (1985). Oxidation of persistent environmental pollutants by a white rot fungus. *Science (New York, NY).* 228: 1434-1436.
- Bunge, M; Kleikemper, J; Miniaci, C; Duc, L; Muusse, MG; Hause, G; Zeyer, J. (2007). Benzoate-driven dehalogenation of chlorinated ethenes in microbial cultures from a contaminated aquifer. *Appl Microbiol Biotechnol.* 76: 1447-1456.
- Burg, JA; Allred, SL; Sapp, JH, 2nd. (1997). The potential for bias due to attrition in the National Exposure Registry: an examination of reasons for nonresponse, nonrespondent characteristics, and the response rate. *Toxicol Ind Health.* 13: 1-13.
- Burge, S; May, J. (2005). Automated ground water sampling and analysis of trichloroethene using a "universal" sampling/analytical system. *Ground Water Monitoring and Remediation.* 25: 113-122.
- Burghardt, JM; Kueper, BH. (2008). Laboratory Study Evaluating Heating of Tetrachloroethylene Impacted Soil. *Ground Water Monitoring and Remediation.* 28: 95-106.

Environmental Hazard Literature Search Results

Off Topic

- Burke, W; Tick, G. (2012). Dissolution of Trichloroethene (TCE) from a Simple Multi-Component NAPL System. 2012 American Geophysical Union Fall Meeting (AGU 2012).
- Burken, JG; Schnoor, JL. (1996). HYBRID POPLAR TREE PHYTOREMEDIATION OF VOLATILE ORGANIC COMPOUNDS. 212th American Chemical Society National Meeting, Orlando, Florida, Usa, August. 212: 106.
- Burkhard, LP; Sheedy, BR; McCauley, DJ; Degraeve, GM. (1997). Bioaccumulation factors for chlorinated benzenes, chlorinated butadienes and hexachloroethane. *Environ Toxicol Chem.* 16: 1677-1686.
- Burkhart, KK; Britt, A; Petrini, G; O'Donnell, S; Donovan, JW. (1996). Pulmonary toxicity following exposure to an aerosolized leather protector. *Journal of toxicology Clinical toxicology.* 34: 21-24.
- Burnell, DK; Mercer, JW; Sims, LS. (2012). Analytical Models of Steady-State Plumes Undergoing Sequential First-Order Degradation. *Ground Water.* 50: 394-411.
- Burnell, DK; Mercer, JW; Sims, LS. (2012). Analytical Models of Steady-State Plumes Undergoing Sequential First-Order Degradation. *Ground Water.* 50: 394-411.
- Burnett, RD. (1976). Evaluation of charcoal sampling tubes. *Am Ind Hyg Assoc J.* 37: 37-45.
- Burns, JE; Miller, FM. (1975). Hexachlorobenzene contamination: its effects in a Louisiana population. *Arch Environ Health.* 30: 44-48.
- Burns, RA; Crittenden, JC; Hand, DW; Selzer, VH; Sutter, LL; Salman, SR. (1999). Effect of inorganic ions in heterogeneous photocatalysis of TCE. *Journal of Environmental Engineering-Asce.* 125: 77-85.
- Burris, DR; Allen-King, RM; Manoranjan, VS; Campbell, TJ; Loraine, GA; Deng, BL. (1998). Chlorinated ethene reduction by cast iron: Sorption and mass transfer. *Journal of Environmental Engineering-Asce.* 124: 1012-1019.
- Burris, DR; Antworth, CP; Stauffer, TB; Macintyre, WG. (1991). Humic acid-modified silica as a model aquifer material. *Environ Toxicol Chem.* 10: 433-440.
- Burris, DR; Campbell, TJ; Manoranjan, VS. (1995). Sorption of trichloroethylene and tetrachloroethylene in a batch reactive metallic iron-water system. *Environmental Science & Technology.* 29: 2850-2855.
- Burris, DR; Delcomyn, CA; Deng, BL; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene reductive dechlorination catalyzed by vitamin B(12). *Environ Toxicol Chem.* 17: 1681-1688.
- Burris, DR; Delcomyn, CA; Smith, MH; Roberts, AL. (1996). Reductive dechlorination of tetrachloroethylene and trichloroethylene catalyzed by vitamin B12 in homogeneous and heterogeneous systems. *Environmental Science & Technology.* 30: 3047-3052.
- Burston, MW; Nazari, MM; Bishop, PK; Lerner, DN. (1993). Pollution of groundwater in the Coventry region (UK) by chlorinated hydrocarbon solvents. *J Hydrol.* 149: 137-161.
- Burt, TA; Li, ZH; Bowman, RS. (2005). Evaluation of granular surfactant-modified/zeolite zero valent iron pellets as a reactive material for perchloroethylene reduction. *Journal of Environmental Engineering-Asce.* 131: 934-942.
- Burton, DT; DiLorenzo, JL; Shedd, TR; Wrobel, JG. (2002). Aquatic hazard assessment of a contaminated surficial aquifer discharge into the Bush River, Maryland (USA). *Water Air and Soil Pollution.* 139: 159-182.
- Busby, RD; Lenhard, RJ; Rolston, DE. An investigation of saturation-capillary pressure relations in two- and three-fluid systems for several NAPLs in different porous media. *Ground Water.* July/Aug 1995. v. 33 (4): 570-578.
- Bushnell, PJ. (1997). Concentration-Time Relationships for the Effects of Inhaled Trichloroethylene on Signal Detection Behavior in Rats. *Fundam Appl Toxicol.* 36: 30-38.
- Bushnell, PJ. (1997). Concentration-time relationships for the effects of inhaled trichloroethylene on signal detection behavior in rats. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 36: 30-38.
- Bushnell, PJ; Oshiro, WM. (2000). Behavioral components of tolerance to repeated inhalation of trichloroethylene (TCE) in rats. *Neurotoxicol Teratol.* 22: 221-229.
- Bushnell, PJ; Oshiro, WM. (2000). Behavioral components of tolerance to repeated inhalation of trichloroethylene (TCE) in rats. *Neurotoxicol Teratol.* 22: 221-229.
- Bushnell, PJ; Oshiro, WM; Padnos, B. (1995). EFFECTS OF TOLUENE AND TRICHLOROETHYLENE ON VIGILANCE IN RATS CXT RELATIONSHIPS FOR SENSITIVITY AND RESPONSE LATENCY. Fifth Meeting Of The International Neurotoxicology Association, Port Ludlow, Washington, Usa, June. 16: 557.
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Klinger, R. (2007). The role of physical activity and feeding schedule on the kinetics of inhaled and oral toluene in rats. *Journal of Toxicology and Environmental Health-Part a-Current Issues.* 70: 1806-1814.
- Butcher, JB. (1997). Toxics zoning for reservoir source water protection. *Lake And Reservoir Management.* 13: 281-291.
- Butler, EC. (1998). Transformation of halogenated organic compounds by iron sulfide. PhD Thesis, University of Michigan.
- Butler, EC; Chen, L; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground water monitoring & remediation.* 33: 52-60.
- Butler, EC; Chen, LX; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation.* 33: 52-60.
- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environmental Science & Technology.* 32: 1276-1284.
- Butler, EC; Hayes, KF. (1999). Kinetics of the transformation of trichloroethylene and tetrachloroethylene by iron sulfide. *Environmental Science & Technology.* 33: 2021-2027.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environmental Science & Technology.* 35: 3884-3891.

Environmental Hazard Literature Search Results

Off Topic

- Butt, CM; Muir, DC; Mabury, SA. (2010). Elucidating the pathways of poly- and perfluorinated acid formation in rainbow trout. *Environmental science & technology*. 44: 4973-4980.
- Buttet, GF; Holliger, C; Maillard, J. (2013). Functional Genotyping of *Sulfurospirillum* spp. in Mixed Cultures Allowed the Identification of a New Tetrachloroethene Reductive Dehalogenase. *Appl Environ Microbiol*. 79: 6941-6947.
- Butun, S; Ince, FG; Erdugan, H; Sahiner, N. (2011). One-step fabrication of biocompatible carboxymethyl cellulose polymeric particles for drug delivery systems. *Carbohydr Polymer*. 86: 636-643.
- Buyuksonmez, F; Hess, TF; Crawford, RL; Paszczynski, A; Watts, RJ. (1999). Optimization of simultaneous chemical and biological mineralization of perchloroethylene. *Appl Environ Microbiol*. 65: 2784-2788.
- Byczkowski, JZ; Channel, SR; Miller, CR. (1999). A biologically based pharmacodynamic model for lipid peroxidation stimulated by trichloroethylene in vitro. *J Biochem Mol Toxicol*. 13: 205-214.
- Byrnes, JL; Mitchell, R. (1994). THE EFFECT OF GRANULAR ACTIVATED CARBON ON PERCHLOROETHYLENE PCE BIODEGRADATION. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 440.
- Byrnes, ME; Nelson, RW; La, POERG; Lundquist, DE; McNeill, W. (1990). COMPLEMENTARY INVESTIGATIVE TECHNIQUES FOR SITE ASSESSMENT WITH LOW-LEVEL CONTAMINANTS. *Ground Water Monit Rev*. 10: 90-95.
- Cã piro, NL; Wang, Y; Hatt, JK; Lebrãĉn, DDoC; Environmental, ETMMUUS; Pennell, KD; Lã€ ffler, FE. (2014). Distribution of organohalide-respiring bacteria between solid and aqueous phases. *Environmental science & technology*. 48: 10878-10887.
- Cãĩmara, RM; Portela, R; Gutiã©rrez-Martã-n, F; Sãĩnchez, B. (2016). Photocatalytic activity of TiO₂ films prepared by surfactant-mediated sol-gel methods over commercial polymer substrates. *Chem Eng J*. 283: 535-543.
- Cãĩpiro, NL; Lã¶ffler, FE; Pennell, KD. (2015). Spatial and temporal dynamics of organohalide-respiring bacteria in a heterogeneous PCE DNAPL source zone. *J Contam Hydrol*. 182: 78-90.
- Cabbar, C; Dogu, G; Dogu, T; McCoy, BJ; Smith, JM. (1994). Analysis of diffusion and sorption of chlorinated hydrocarbons in soil by single-pellet moment technique. *Environmental Science & Technology*. 28: 1312-1319.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater*. 82: 313-322.
- Cabirol, N; Jacob, F; Perrier, J; Fouillet, B; Chambon, P. (1998). Complete degradation of high concentrations of tetrachloroethylene by a methanogenic consortium in a fixed-bed reactor. *J Biotechnol*. 62: 133-141.
- Cabirol, N; Jacob, F; Perrier, J; Fouillet, B; Chambon, P. (1998). Interaction between methanogenic and sulfate-reducing microorganisms during dechlorination of a high concentration of tetrachloroethylene. *J Gen Appl Microbiol*. 44: 297-301.
- Cabirol, N; Perrier, J; Jacob, F; Foui. (1998). Isolation of a methanogenic bacterium, *Methanosarcina* sp. strain FR, for its ability to degrade high concentration of perchloroethylene. *Can J Microbiol*. 44: 1142-1147.
- Cabirol, N; Perrier, J; Jacob, F; Fouillet, B; Chambon, P. (1996). ROLE OF METHANOGENIC AND SULFATE-REDUCING BACTERIA IN THE REDUCTIVE DECHLORINATION OF TETRACHLOROETHYLENE IN MIXED CULTURE. *Bull Environ Contam Toxicol*. 56: 817-824.
- Cabirol, N; Villemur, R; Perrier, J; Jacob, F; Fouillet, B; Chambon, P. (1998). Isolation of a methanogenic bacterium, *Methanosarcina* sp. strain FR, for its ability to degrade high concentrations of perchloroethylene. *Can J Microbiol*. 44: 1142-1147.
- Cai, P; Boor, PJ; Khan, MF; Kaphalia, BS; Ansari, GA; Konig, R. (2007). Immuno- and hepato-toxicity of dichloroacetic acid in MRL(+/+) and B(6)C(3)F(1) mice. *J Immunotoxicol*. 4: 107-115.
- Cai, P; Koenig, R; Boor, PJ; Kondraganti, S; Kaphalia, BS; Khan, MF; Ansari, GAS. (2008). Chronic exposure to trichloroethene causes early onset of SLE-like disease in female MRL +/+ mice. *Toxicol Appl Pharmacol*. 228: 68-75.
- Cai, P; Konig, R; Khan, MF; Kaphalia, BS; Ansari, GAS. (2007). Differential immune responses to albumin adducts of reactive intermediates of trichloroethene in MRL+/+ mice. *Toxicol Appl Pharmacol*. 220: 278-283.
- Cai, P; Konig, R; Khan, MF; Qiu, SM; Kaphalia, BS; Ansari, GAS. (2006). Autoimmune response in MRL+/+ mice following treatment with dichloroacetyl chloride or dichloroacetic anhydride. *Toxicol Appl Pharmacol*. 216: 248-255.
- Cai, XD; Du, WT; Wu, JY; Li, RF; Guo, Y; Yang, ZJ. (2012). Effective Treatment of Trichloroethylene-Contaminated Soil by Hydrogen Peroxide in Soil Slurries. *Pedosphere*. 22: 572-579.
- Cai, Z; Merly, C; Thomson, NR; Wilson, RD; Lerner, DN. (2007). Channel flow and trichloroethylene treatment in a partly iron-filled fracture: Experimental and model results. *J Contam Hydrol*. 93: 284-303.
- Cai, ZS; Lerner, DN; McLaren, RG; Wilson, RD. (2007). Conceptual analysis of zero-valent iron fracture reactive barriers for remediating a trichloroethylene plume in a chalk aquifer. *Water Resour Res*. 43: 3436-3436.
- Cai, ZS; Wilson, RD; Lerner, DN. (2012). Assessing TCE Source Bioremediation by Geostatistical Analysis of a Flux Fence. *Ground Water*. 50: 908-917.
- Cain, BW. (1985). WINTERING WATERFOWL HABITAT IN TEXAS USA SHRINKING AND CONTAMINATED. *Weller, M W*. 3: 0-8166.
- Cain, D; Helsel, DR; Ragone, SE. (1989). PRELIMINARY EVALUATIONS OF REGIONAL GROUND-WATER QUALITY IN RELATION TO LAND USE. *Ground Water*. 27: 230-244.
- Cairo, PR; Suffet, IH. (1979). DESIGN AND OPERATIONAL EXPERIENCES WITH ACTIVATED CARBON ADSORBERS TREATMENT OF DELAWARE RIVER WATER USA. Meeting On Adsorption Techniques In Drinking Water Treatment Held At The North Atlantic Treaty Organization's Committee On The Challenges Of Modern Society Symposium, Reston, Virginia, Usa, April. 7: 289-318.
- Cakmak, A; Ekici, A; Ekici, M; Arslan, M; Iteginli, A; Kurtipek, E; Kara, T. (2004). Respiratory findings in gun factory workers exposed to solvents. *Respir Med*. 98: 52-56.
- Calabrese, EJ. (2008). U-shaped dose response in behavioral pharmacology: Historical foundations. *Crit Rev Toxicol*. 38: 591-598.

Environmental Hazard Literature Search Results

Off Topic

- Calace, N; Massimiani, A; Petronio, BM; Pietroletti, M. (2001). Municipal landfill leachate-soil interactions: a kinetic approach. *Chemosphere*. 44: 1025-1031.
- Calandra, TD; Caruso, JE; Shahied, SI. (1987). MUTAGENICITY OF VOLATILE ORGANIC COMPOUNDS COMMONLY FOUND AS CONTAMINANTS IN POTABLE WATER SUPPLIES. Eighteenth Annual Meeting Of The Environmental Mutagen Society, San Francisco, California, Usa, April. 9: 22.
- Caldwell, JC; Evans, MV; Marcus, AH; Scott, CS; Chiu, WA; Okino, MS; Preuss, PW. (2006). Comments on article "Applying mode-of-action and pharmacokinetic considerations in contemporary cancer risk assessments: An example with trichloroethylene" by Clewell and Andersen. *Crit Rev Toxicol*. 36: 291-294.
- Caldwell, PT; Manziello, A; Howard, J; Palbykin, B; Runyan, RB; Selmin, O. (2010). Gene Expression Profiling in the Fetal Cardiac Tissue after Folate and Low-Dose Trichloroethylene Exposure. *Birth Defects Research Part a-Clinical and Molecular Teratology*. 88: 111-127.
- Caldwell, PT; Thorne, PA; Johnson, PD; Boitano, S; Runyan, RB; Selmin, O. (2008). Trichloroethylene disrupts cardiac gene expression and calcium homeostasis in rat myocytes. *Toxicol Sci*. 104: 135-143.
- Caliph, SM; Cao, E; Bulitta, JB; Hu, L; Han, S; Porter, CJ; Trevaskis, NL. (2013). The impact of lymphatic transport on the systemic disposition of lipophilic drugs. *J Pharm Sci*. 102: 2395-2408.
- Callahan, CA; Shirazi, MA; Neuhauser, EF. (1994). Comparative toxicity of chemicals to earthworms. *Environ Toxicol Chem*. 13: 291-298.
- Calleja, MC; Persoone, G; Geladi, P. (1994). Comparative acute toxicity of the first 50 multicentre evaluation of in vitro cytotoxicity chemicals to aquatic non-vertebrates. *Arch Environ Contam Toxicol*. 26: 69-78.
- Callen, DF; Wolf, CR; Philpot, RM. (1980). Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutat Res*. 77: 55-63.
- Callister, SJ; Ayala-del-Rio, HL; Hashsham, SA. (2003). Quantification of a single population in a mixed microbial community using a laser integrated microarray scanner. *J Environ Eng Sci*. 2: 247-253.
- Camanzo, J; Rice, CP; Jude, DJ; Rossmann, R. (1987). ORGANIC PRIORITY POLLUTANTS IN NEARSHORE FISH FROM 14 LAKE MICHIGAN USA TRIBUTARIES AND EMBAYMENTS 1983. *J Great Lakes Res*. 13: 296-309.
- Camp, JS; LeBoeuf, EJ; Abkowitz, MD. (2010). Application of an enhanced spill management information system to inland waterways. *J Hazard Mater*. 175: 583-592.
- Campagnolo, JF; Akgerman, A. (1995). Modeling of soil vapor extraction (SVE) systems: Part I. *Waste Manag*. 15: 379-389.
- Campagnolo, JF; Akgerman, A. (1996). A prediction method for gas-phase VOC isotherms onto soils and soil constituents. *J Hazard Mater*. 49: 231-245.
- Campbell, K. (1992). EXPLORATORY DATA ANALYSIS AND MODELING OF A VAPOR PHASE CONTAMINANT PLUME. 204th American Chemical Society National Meeting, Washington, DC, Usa, August. 204: 111.
- Campinas, M; Viegas, RMC; Rosa, MJ. (2013). Modelling and understanding the competitive adsorption of microcystins and tannic acid. *Water Res*. 47: 5690-5699.
- Canada, KA; Iwashita, S; Shim, H; Wood, TK. (2002). Directed evolution of toluene ortho-monoxygenase for enhanced 1-naphthol synthesis and chlorinated ethene degradation. *J Bacteriol*. 184: 344-349.
- Canna-Michaelidou, S. (1993). MICROTOX RESPONSE TO VOLATILE ORGANIC POLLUTANTS-IMPLEMENTATION OF THE TEST IN INVESTIGATING ACCIDENTAL OR DELIBERATE WATER SUPPLY POLLUTION. *Sci Total Environ*. 0: 969-977.
- Cannon, FS; Dusenbury, JS; Paulsen, PD; Singh, J; Mazyck, DW; Maurer, DJ. (1996). Advanced oxidant regeneration of granular activated carbon for controlling air-phase VOCs. *Ozone Science & Engineering*. 18: 417-441.
- CantÃ rk, Z; CantÃ rk, DIUMSDolIT; Ozbilim, G; Yenisey, C. (1999). Experimental cirrhosis of the liver and cytoprotective effects of alpha tocopherol. *East African medical journal*. 76: 223-227.
- Canter, LW; Know, RC; Fairchild, DM. (1987). GROUND WATER QUALITY PROTECTION. Canter, L W, R C Knox And D M Fairchild Ground Water Quality Protection Xxviii+562p Lewis Publishers, Inc: Chelsea, Michigan, Usa Illus Isbn. 0.
- Canter, LW; Knox, RC. (1985). GROUND WATER POLLUTION CONTROL. Canter, L W And R C Knox Ground Water Pollution Control Xxv+526p Lewis Publishers, Inc: Chelsea, Mich, Usa Illus Isbn. 0.
- Capiro, NL; Granbery, EK; Lebron, CA; Major, DW; McMaster, ML; Pound, MJ; Loffler, FE; Pennell, KD. (2011). Liquid-Liquid Mass Transfer of Partitioning Electron Donors in Chlorinated Solvent Source Zones. *Environmental Science & Technology*. 45: 1547-1554.
- Capiro, NL; Loffler, FE; Pennell, KD. (2015). Spatial and temporal dynamics of organohalide-respiring bacteria in a heterogeneous PCE-DNAPL source zone. *J Contam Hydrol*. 182: 78-90.
- Cappaert, NLM; Klis, SFL; Muijser, H; Kulig, BM; Ravensberg, LC; Smoorenburg, GF. (2002). Differential susceptibility of rats and guinea pigs to the ototoxic effects of ethyl benzene. *Neurotoxicol Teratol*. 24: 503-510.
- Carballo-CÃ rde; Tuan, PM; Janssen, M; Wijffels, RH. (2003). Vitamin E (alpha-tocopherol) production by the marine microalgae *Dunaliella tertiolecta* and *Tetraselmis suecica* in batch cultivation. *Biomolecular engineering*. 20: 139-147.
- Carberry, JB; Benzinger, TM. (1990). PEROXIDE PEROXIDATION OF RECALCITRANT TOXIC WASTE TO ENHANCE BIODEGRADATION. Fifteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Part. 23: 367-376.
- Cardenosa, M; Autenrieth, R; Bonner, J. (1989). In situ soil reclamation by air stripping and sludge uptake. *J Hazard Mater*. 22: 256-257.
- Care, S; Crane, R; Calabro, PS; Ghauch, A; Temgoua, E; Noubactep, C. (2013). Modeling the Permeability Loss of Metallic Iron Water Filtration Systems. *Clean-Soil Air Water*. 41: 275-282.
- Carere, A; Crebelli, R; Conti, G; Conti, L; Russo, A; Pacchierotti, F; Metalli, P. (1984). In vitro and in vivo genotoxic effects of trichloroethylene and its metabolites. *Mutation Research/Environmental Mutagenesis and Related Subjects*. 130: 247.

Environmental Hazard Literature Search Results

Off Topic

- Carey, GR; Van Geel, PJ; Wiedemeier, TH; McBean, EA. (2003). A modified radial diagram approach for evaluating natural attenuation trends for chlorinated solvents and inorganic redox indicators. *Ground Water Monitoring and Remediation*. 23: 75-84.
- Carlberg, GE; Drangsholt, H; Gjos, N. (1986). IDENTIFICATION OF CHLORINATED COMPOUNDS IN THE SPENT CHLORINATION LIQUOR FROM DIFFERENTLY TREATED SULFITE PULPS WITH SPECIAL EMPHASIS ON MUTAGENIC COMPOUNDS. *Sci Total Environ*. 48: 157-168.
- Carlsen, TM. Ecological risks to fossorial vertebrates from volatile organic compounds in soil. *Risk analysis : an official publication of the Society for Risk Analysis*. Apr 1996. v. 16 (2): 211-219.
- Carlson, AE; Barnes, DL. (2011). Movement of trichloroethene in a discontinuous permafrost zone. *J Contam Hydrol*. 124: 1-13.
- Carlson, DB; Curtis, LR; Williams, DE. (2000). Salmonid sexual development is not consistently altered by embryonic exposure to endocrine-active chemicals. *Environ Health Perspect*. 108: 249-255.
- Carlson, GP. (1981). Effect of alterations in drug metabolism on epinephrine-induced cardiac arrhythmias in rabbits exposed to methylchloroform. *Toxicol Lett*. 9: 307-313.
- Carlson, GP. (1983). Epinephrine-induced cardiac arrhythmias in rabbits exposed to tetrachloroethylene. *Toxicol Lett*. 19: 113-117.
- Carlson, GP; White, JF. (1983). Cardiac arrhythmogenic action of benzo(a)pyrene in the rabbit. *Toxicol Lett*. 15: 43-48.
- Carmichael, LM; Smith, TG; Pardieck, DL. (1999). Site-specific sorption values for mixtures of volatile and semivolatile organic compounds in sandy soils. *J Environ Qual*. 28: 888-897.
- Carneiro, F; Machado, JC; Habenicht, BF; Paddison, SJ; Tuckerman, ME. (2010). Ab initio molecular dynamics simulations investigating proton transfer in perfluorosulfonic acid functionalized carbon nanotubes. *Laboratory investigation; a journal of technical methods and pathology*. 90: 1132-1139.
- Carney, EW; Thorsrud, BA; Dugard, PH; Zabloutny, CL. (2006). Developmental toxicity studies in Crl : CD (SD) rats following inhalation exposure to trichloroethylene and perchloroethylene. *Birth Defects Research Part B-Developmental and Reproductive Toxicology*. 77: 405-412.
- Carniato, L; Schoups, G; Seuntjens, P; Van Nooten, T; Simons, Q; Bastiaens, L. (2012). Predicting longevity of iron permeable reactive barriers using multiple iron deactivation models. *J Contam Hydrol*. 142: 93-108.
- Carr, CS; Garg, S; Hughes, JB. (2000). Effect of dechlorinating bacteria on the longevity and composition of PCE-containing nonaqueous phase liquids under equilibrium dissolution conditions. *Environmental Science & Technology*. 34: 1088-1094.
- Carr, CS; Hughes, JB. (1998). Enrichment of high-rate PCE dechlorination and comparative study of lactate, methanol, and hydrogen as electron donors to sustain activity. *Environmental Science & Technology*. 32: 1817-1824.
- Carr, R. (1988). AIR STRIPPING TOWER FOULING CONTROL FOR A GROUNDWATER TREATMENT SYSTEM IN FLORIDA USA. *Annual Conference And Exposition Of The American Water Works Association On The Wonderful World Of Water, Orlando, Florida, Usa, June*. 80: 86.
- Carreon-Diazconti, C; Santamaria, J; Berkompas, J; Field, JA; Brusseau, ML. (2009). Assessment of in Situ Reductive Dechlorination Using Compound-Specific Stable Isotopes, Functional Gene PCR, and Geochemical Data. *Environmental Science & Technology*. 43: 4301-4307.
- Carrigan, CR; Nitao, JJ. (2000). Predictive and diagnostic simulation of in situ electrical heating in contaminated, low-permeability soils. *Environmental Science & Technology*. 34: 4835-4841.
- Carroll, AB; Fennell, DE; Gossett, JM; Zinder, SH. (1999). The molecular detection of "Dehalococcoides ethenogenes" in PCE- and TCE-contaminated sites by PCR amplification of 16S rDNA. *99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May*. 99: 539.
- Carroll, KC; McDonald, K; Marble, J; Russo, AE; Brusseau, ML. (2015). The impact of transitions between two-fluid and three-fluid phases on fluid configuration and fluid-fluid interfacial area in porous media. *Water Resour Res*. 51: 7189-7201.
- Carroll, KC; Taylor, R; Gray, E; Brusseau, ML. (2009). The impact of composition on the physical properties and evaporative mass transfer of a PCE-diesel immiscible liquid. *J Hazard Mater*. 164: 1074-1081.
- Carter, KE; Farrell, J. (2009). Electrochemical Oxidation of Trichloroethylene Using Boron-Doped Diamond Film Electrodes. *Environmental Science & Technology*. 43: 8350-8354.
- Carter, MC. (1993). Analysis and modeling of the impacts of background organic matter on TCE adsorption by activated carbon. PhD Thesis, University of Michigan.
- Carter, MC; Weber, WJJR. (1994). Modelling adsorption of TCE by activated carbon preloaded by background organic matter. *Environmental Science & Technology*. 28: 614-623.
- Carter, MC; Weber, WJJR; Olmstead, KP. (1992). Effects of background dissolved organic matter on TCE adsorption by GAC. *Am Water Works Assoc J*. 84: 81-91.
- Carter, R; Hodgson, GM. (2006). The impact of empirical tests of transaction cost economics on the debate on the nature of the firm. *Strategic Management Journal*. 27: 461-476.
- Carter, SR; Jewell, WJ. (1993). Biotransformation of tetrachloroethylene by anaerobic attached-films at low temperatures. *Water Res*. 27: 607-615.
- Carwile, JL; Mahalingaiah, S; Winter, MR; Aschengrau, A. (2014). Prenatal drinking-water exposure to tetrachloroethylene and ischemic placental disease: a retrospective cohort study. *Environmental health : a global access science source*. 13: 72.
- Cary, JW; McBride, JF; Simmons, CS. (1989). TRICHLOROETHYLENE RESIDUALS IN THE CAPILLARY FRINGE AS AFFECTED BY AIR-ENTRY PRESSURES. *J Environ Qual*. 18: 72-77.
- Casavant, NC; Thompson, D; Beattie, GA; Phillips, GJ; Halverson, LJ. (2003). Use of a site-specific recombination-based biosensor for detecting bioavailable toluene and related compounds on roots. *Environ Microbiol*. 5: 238-249.
- Casciola, LA; Ivanetich, KM. (1984). Metabolism of chloroethanes by rat liver nuclear cytochrome P-450. *Carcinogenesis*. 5: 543-548.

Environmental Hazard Literature Search Results

Off Topic

- Casey, FXM; Simunek, J. (2001). Inverse analyses of transport of chlorinated hydrocarbons subject to sequential transformation reactions. *J Environ Qual.* 30: 1354-1360.
- Casey, M; Gennings, C; Carter, WH; Moser, VC; Simmons, JE. (2006). Power and sample size calculations for linear hypotheses associated with mixtures of many components using fixed-ratio ray designs. *Environ Ecol Stat.* 13: 11-23.
- Cassee, FR; Groten, JP; Van, BLADERENPJ; Feron, VJ. (1998). TOXICOLOGICAL EVALUATION AND RISK ASSESSMENT OF CHEMICAL MIXTURES. *Crit Rev Toxicol.* 28: 73-101.
- Castaldi, FJ; Ford, DL. (1991). SLURRY BIOREMEDIATION OF PETROCHEMICAL WASTE SLUDGES. *lawprc.* 25: 207-212.
- Castellanos, T; Ascencio, F; Bashan, Y. (1998). Cell-surface lectins of *Azospirillum* spp. *Curr Microbiol.* 36: 241-244.
- Castilla, HJ; Werth, CJ; McMillan, SA. (2000). Structural evaluation of slow desorbing sites in model and natural solids using temperature stepped desorption profiles. 2. Column results. *Environmental Science & Technology.* 34: 2966-2972.
- Castillo, RM; Nzengung, VA; Mills, GL. (1997). ENHANCED DEGRADATION OF TETRACHLOROETHYLENE BY REDOX MANIPULATED IRON-BEARING CLAYS AND AQUIFER MATERIALS. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 186.
- Castro, CE. (1993). Biodehalogenation: The kinetics and rates of the microbial cleavage of carbon-halogen bonds. *Environ Toxicol Chem.* 12: 1609-1618.
- Castro, CE; Belser, NO. (1990). Biodehalogenation: Oxidative and reductive metabolism of 1,1,2-trichloroethane by *Pseudomonas putida*: Biodegradation of vinyl chloride. *Environ Toxicol Chem.* 9: 707-714.
- Cavalleri, A; Gobba, F; Paltrinieri, M; Fantuzzi, G; Righi, E; Aggazzotti, G. (1994). Perchloroethylene exposure can induce colour vision loss. *Neurosci Lett.* 1: 162-166.
- Cavanagh, JB; Buxton, PH. (1989). Trichloroethylene cranial neuropathy: is it really a toxic neuropathy or does it activate latent herpes virus? *Journal of neurology, neurosurgery, and psychiatry.* 52: 297-303.
- Cave, MC; Clair, HB; Hardesty, JE; Falkner, KC; Feng, W; Clark, BJ; Sidey, J; Shi, H; Aqel, BA; McClain, CJ; Prough, RA. (2016). Nuclear receptors and nonalcoholic fatty liver disease1. *Biochimica et Biophysica Acta (BBA) - Gene Regulatory Mechanisms.* 1859: 1083-1099.
- Cebecauer, L; Radikova, Z; Rovensky, J; Koska, Imrich, R; Ksinantova, L; Susienkova, K; Vigas, M; Klimes, I; Langer, P. (2009). Increased prevalence and coincidence of antinuclear and antithyroid antibodies in the population exposed to high levels of polychlorinated pollutants cocktail. *Endocrine regulations.* 43: 75-81.
- Cederberg, H; Henriksson, J; Binderup, ML. (2010). DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. *Mutagenesis.* 25: 133-138.
- Cemeli, E; Wagner, ED; Anderson, D; Richardson, SD; Plewa, MJ. (2006). Modulation of the cytotoxicity and genotoxicity of the drinking water disinfection byproduct iodoacetic acid by suppressors of oxidative stress. *Environmental Science & Technology.* 40: 1878-1883.
- Cengiz-Callioglu, F; Jirsak, O; Dayik, M. (2013). The influence of non-solvent addition on the independent and dependent parameters in roller electrospinning of polyurethane. *J Nanosci Nanotechnol.* 13: 4727-4735.
- Cernansky, R. (2016). IT CAME FROM BENEATH Detecting And Mitigating Vapor Intrusion. *Environ Health Perspect.* 124: A141-A146.
- Cervantes, FJ; Vu-Thi-Thu, L; Lettinga, G; Field, JA. (2004). Quinone-respiration improves dechlorination of carbon tetrachloride by anaerobic sludge. *Appl Microbiol Biotechnol.* 64: 702-711.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem.* 22: 2298-2305.
- Cervini-Silva, J; Kostka, JE; Larson, RA; Stucki, JW; Wu, J. (2003). Dehydrochlorination of 1,1,1-trichloroethane and pentachloroethane by microbially reduced ferruginous smectite. *Environmental toxicology and chemistry / SETAC.* 22: 1046-1050.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environmental Science & Technology.* 35: 805-809.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2002). Dechlorination of pentachloroethane by commercial Fe and ferruginous smectite. *Chemosphere.* 47: 971-976.
- Cha, DK; Sarr, D; Chiu, PC; Kim, DW. (1998). HAZARDOUS WASTE TREATMENT TECHNOLOGIES. *Water Environ Res.* 70: 705-720.
- Chai, JC; Miura, N. (2004). Field vapor extraction test and long-term monitoring at a PCE contaminated site. *J Hazard Mater.* 110: 85-92.
- Chaimbault, C; Bosc, JJ; Leger, JM; Negrier, P; Capelle, F; Jarry, C. (2000). Physicochemical and crystallographic evidence for polymorphism of the racemic ethyl (2-chloromethyl-2,3-dihydro-5H-oxazol-3,2-a pyrimidin-5-one)-6-carboxylate. *J Pharm Sci.* 89: 1496-1504.
- Chaitawiwat, K; Vangnai, A; McEvoy, JM; Pruess, B; Krajangpan, S; Khan, E. (2016). Impact of nanoscale zero valent iron on bacteria is growth phase dependent. *Chemosphere.* 144: 352-359.
- Chakrabarti, S; Yamaguchi, S. (1985). EFFECTS OF SUBCHRONIC EXPOSURE TO ORGANIC SOLVENTS ON THE ANTICOAGULANT ACTION OF WARFARIN IN RATS. 69th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Anaheim, Calif, Usa, Apr. 44: 519.
- Chakrabarti, SK; Tuchweber, B. (1988). Studies of acute nephrotoxic potential of trichloroethylene in Fischer 344 rats. *J Toxicol Environ Health.* 23: 147-142):147-158.
- Chambers, J; McKevitt, NJ; Scudamore, KA; Bowman, CE. (1989). NON-DESTRUCTIVE DETERMINATION OF THE MOISTURE CONTENT OF INDIVIDUAL WHEAT GRAINS BY NMR. *J Sci Food Agric.* 49: 211-224.
- Chambers, JE; Loke, MH; Ogilvy, RD; Meldrum, PI. (2004). Noninvasive monitoring of DNAPL migration through a saturated porous medium using electrical impedance tomography. *J Contam Hydrol.* 68: 1-22.

Environmental Hazard Literature Search Results

Off Topic

- Chambers, JE; Wilkinson, PB; Wealthall, GP; Loke, MH; Dearden, R; Wilson, R; Allen, D; Ogilvy, RD. (2010). Hydrogeophysical imaging of deposit heterogeneity and groundwater chemistry changes during DNAPL source zone bioremediation. *J Contam Hydrol.* 118: 43-61.
- Chambon, JC; Binning, PJ; J rgensen, PR; Bjerg, PL. (2011). A risk assessment tool for contaminated sites in low-permeability fractured media. *J Contam Hydrol.* 124: 82-98.
- Chambon, JC; Bjerg, PL; Scheutz, C; Baelum, J; Jakobsen, R; Binning, PJ. (2013). Review of reactive kinetic models describing reductive dechlorination of chlorinated ethenes in soil and groundwater. *Biotechnol Bioeng.* 110: 1-23.
- Chambon, JC; Broholm, MM; Binning, PJ; Bjerg, PL. (2010). Modeling multi-component transport and enhanced anaerobic dechlorination processes in a single fracture‐clay matrix system. *J Contam Hydrol.* 112: 77-90.
- Chambon, JC; Broholm, MM; Binning, PJ; Bjerg, PL. (2010). Modeling multi-component transport and enhanced anaerobic dechlorination processes in a single fracture-clay matrix system. *J Contam Hydrol.* 112: 77-90.
- Chan, CC; Mundle, SO; Eckert, T; Liang, X; Tang, S; Lacrampe-Couloume, G; Edwards, EA; Lollar, BS. (2012). Large carbon isotope fractionation during biodegradation of chloroform by *Dehalobacter* cultures. *Environmental science & technology.* 46: 10154-10160.
- Chan, CY; Chan, LY; Wang, XM; Liu, YM; Lee, SC; Zou, SC; Sheng, GY; Fu, JM. (2002). Volatile organic compounds in roadside microenvironments of metropolitan Hong Kong. *Atmos Environ.* 36: 2039-2047.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ.* 40: 7331-7345.
- Chan, WWM; Grostern, A; Loffler, FE; Edwards, EA. (2011). Quantifying the Effects of 1,1,1-Trichloroethane and 1,1-Dichloroethane on Chlorinated Ethene Reductive Dehalogenases. *Environmental Science & Technology.* 45: 9693-9702.
- Chandak, MV; Lin, YS. (1998). Hydrophobic zeolites as adsorbents for removal of volatile organic compounds from air. *Environ Technol.* 19: 941-948.
- Chang, BV; Wu, WB; Yuan, SY. (1997). Biodegradation of benzene, toluene, and other aromatic compounds by *Pseudomonas* sp. D8. *Chemosphere.* 35: 2807-2815.
- Chang, CC; Lo, GG; Tsai, CH; Wang, JL. (2001). Concentration variability of halocarbons over an electronics industrial park and its implication in compliance with the Montreal Protocol. *Environmental Science & Technology.* 35: 3273-3279.
- Chang, DPY; Mournighan, RE; Huffman, GL. (1991). An equilibrium analysis of some chlorinated hydrocarbons in stoichiometric to fuel-rich post-flame combustion environments. *J Air Waste Manage Assoc.* 41: 947-955.
- Chang, EE; Wang, WC; Zeng, LX; Chiang, HL. (2010). Health risk assessment of exposure to selected volatile organic compounds emitted from an integrated iron and steel plant. *Inhal Toxicol.* 22: 117-125.
- Chang, HL; Alvarez-Cohen, L. (1995). MODEL FOR THE COMETABOLIC BIODEGRADATION OF CHLORINATED ORGANICS. *Environmental Science & Technology.* 29: 2357-2367.
- Chang, HL; Alvarez-Cohen, L. (1995). Transformation capacities of chlorinated organics by mixed cultures enriched on methane, propane, toluene, or phenol. *Biotechnol Bioeng.* 45: 440-449.
- Chang, HL; Alvarez-Cohen, L. (1996). Biodegradation of individual and multiple chlorinated aliphatic hydrocarbons by methane-oxidizing cultures. *Appl Environ Microbiol.* 62: 3371-3377.
- Chang, HL; Alvarez-Cohen, L. (1997). Two-stage methanotrophic bioreactor for the treatment of chlorinated organic wastewater. *Water Res.* 31: 2026-2036.
- Chang, JS. (2003). Next generation integrated electrostatic gas cleaning systems. *Journal of Electrostatics.* 57: 273-291.
- Chang, LW; Pereira, MA; Klaunig, JE. (1985). Cytotoxicity of halogenated alkanes in primary cultures of rat hepatocytes from normal, partial hepatectomized, and preneoplastic/neoplastic liver. *Toxicol Appl Pharmacol.* 80: 274-283.
- Chang, MC; Kang, HY. (2009). Remediation of pyrene-contaminated soil by synthesized nanoscale zero-valent iron particles. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 44: 576-582.
- Chang, MC; Shu, HY; Hsieh, WP; Wang, MC. (2005). Using nanoscale zero-valent iron for the remediation of polycyclic aromatic hydrocarbons contaminated soil. *Journal of the Air & Waste Management Association.* 55: 1200-1207.
- Chang, MC; Shu, HY; Yu, HH; Sung, YC. (2006). Reductive decolorization and total organic carbon reduction of the diazo dye CI Acid Black 24 by zero-valent iron powder. *J Chem Tech Biotechnol.* 81: 1259-1266.
- Chang, W; Korenaga, T. (2006). Application of a monolithic silica capillary adsorbent for the preconcentration of airborne trichloroethylene and tetrachloroethylene. *Anal Bioanal Chem.* 385: 1149-1152.
- Chang, WD; Karra, SB; Senkan, SM. (1986). MOLECULAR BEAM MASS SPECTROSCOPIC STUDY OF TRICHLOROETHYLENE FLAMES. *Environ Sci Technol.* 20: 1243-1248.
- Chang, W-k. (1996). Kinetics characterization of cometabolizing communities and adaptation to nongrowth substrate. PhD Thesis, Michigan State University.
- Chang, WK; Criddle, CS. (1997). Experimental evaluation of a model for cometabolism: Prediction of simultaneous degradation of trichloroethylene and methane by a methanotrophic mixed culture. *Biotechnol Bioeng.* 56: 492-501.
- Chang, YC; Hatsu, M; Jung, K; Yoo, YS; Takamizawa, K. (1998). Degradation of a variety of halogenated aliphatic compounds by an anaerobic mixed culture. *Journal of Fermentation and Bioengineering.* 86: 410-412.
- Chang, YC; Hatsu, M; Jung, K; Yoo, YS; Takamizawa, K. (2000). Isolation and characterization of a tetrachloroethylene dechlorinating bacterium, *Clostridium bifermentans* DPH-1. *J Biosci Bioeng.* 89: 489-491.
- Chang, YC; Huang, SC; Chen, KF. (2014). Evaluation of the effects of nanoscale zero-valent iron (nZVI) dispersants on intrinsic biodegradation of trichloroethylene (TCE). *Water Science and Technology.* 69: 2357-2363.

Environmental Hazard Literature Search Results

Off Topic

- Chang, YC; Ikeutsu, K; Toyama, T; Choi, D; Kikuchi, S. (2011). Isolation and characterization of tetrachloroethylene- and cis-1,2-dichloroethylene-dechlorinating propionibacteria. *Journal of Industrial Microbiology & Biotechnology*. 38: 1667-1677.
- Chang, YC; Kikuchi, S; Kawauchi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol*. 29: 381-391.
- Chang, YC; Okeke, BC; Hatsu, M; Takamizawa, K. (2001). In vitro dehalogenation of tetrachloroethylene (PCE) by cell-free extracts of *Clostridium bifermentans* DPH-1. *Bioresour Technol*. 78: 141-147.
- Channel, S; Latendresse, J; Kidney, JK; Grabau, JH; Lane, JW; Steel-Goodwin, L; Gothaus, MC. (1998). A subchronic exposure to trichloroethylene causes lipid peroxidation and hepatocellular proliferation in male B6C3F1 mouse liver. *Toxicol Sci*. 43: 145-154.
- Chao, CY; Chan, GY. (2001). Quantification of indoor VOCs in twenty mechanically ventilated buildings in Hong Kong. *Atmos Environ*. 35: 5895-5913.
- Chapelle, FH; Kauffman, LJ; Widdowson, MA. (2014). Modeling the Effects of Naturally Occurring Organic Carbon on Chlorinated Ethene Transport to a Public Supply Well. *Groundwater*. 52: 76-89.
- Chapin, RE; Phelps, JL; Schwetz, BA; Yang, RSH. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: III. Male reproduction study in B6C3F1 mice. *Fundam Appl Toxicol*. 13: 388-398.
- Chapman, SW; Parker, BL. (2005). Plume persistence due to aquitard back diffusion following dense nonaqueous phase liquid source removal or isolation. *Water Resour Res*. 41: 12411-12411.
- Chapman, SW; Parker, BL; Cherry, JA; Aravena, R; Hunkeler, D. (2007). Groundwater-surface water interaction and its role on TCE groundwater plume attenuation. *J Contam Hydrol*. 91: 203-232.
- Chapman, SW; Parker, BL; Cherry, JA; Aravena, R; Hunkeler, D. (2007). Groundwater-surface water interaction and its role on TCE groundwater plume attenuation. *J Contam Hydrol*. 91: 203-232.
- Charbonneau, M; Greselin, E; Brodeur, J; Plaa, GL. (1991). Influence of acetone on the severity of the liver injury induced by haloalkane mixtures. *Can J Physiol Pharmacol*. 69: 1901-1907.
- Charbonneau, M; Oleskevich, S; Brodeur, J; Plaa, GL. (1986). Acetone potentiation of rat liver injury induced by trichloroethylene-carbon tetrachloride mixtures. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 6: 654-661.
- Charbonneau, M; Perreault, F; Greselin, E; Brodeur, J; Plaa, GL. (1988). ASSESSMENT OF THE MINIMAL EFFECTIVE DOSE OF ACETONE FOR POTENTIATION OF THE HEPATOTOXICITY INDUCED BY TRICHLOROETHYLENE-CARBON TETRACHLORIDE MIXTURES. *Fundam Appl Toxicol*. 10: 431-438.
- Charbotel, B; F  votte, J; Hours, M; Martin, J; Bergeret, A. (2006). Exposition au trichloro  thyl  ne et cancer du rein,   tude cas-t  moins. *Arch Mal Prof Environ*. 67: 309-310.
- Charles, MJ. (1984). THE SORPTION OF VOLATILE ORGANICS ON SEDIMENTS AND THE DESORPTION OF THESE COMPOUNDS BY PURGE-AND-TRAP. PhD Thesis, University of Michigan.
- Charles, MJ; Schell, MJ; Willman, E; Gross, HB; Lin, Y; Sonnenberg, S; Graham, ML. (2001). Organochlorines and 8-hydroxy-2'-deoxyguanosine (8-OHdG) in cancerous and noncancerous breast tissue: do the data support the hypothesis that oxidative DNA damage caused by organochlorines affects breast cancer? *Arch Environ Contam Toxicol*. 41: 386-395.
- Charles, MJ; Simmons, MS. (1987). RECOVERY STUDIES OF VOLATILE ORGANICS IN SEDIMENTS USING PURGE-TRAP METHODS. *Anal Chem*. 59: 1217-1221.
- Charlet, L; Liger, E; Gerasimo, P. (1998). Decontamination of TCE- and U-rich waters by granular iron: Role of sorbed Fe(II). *Journal of Environmental Engineering-Asce*. 124: 25-30.
- Chartrand, MMG; Morrill, PL; Lacrampe-Couloume, G; Lollar, BS. (2005). Stable isotope evidence for biodegradation of chlorinated ethenes at a fractured bedrock site. *Environmental Science & Technology*. 39: 4848-4856.
- Chartrand, MMG; Waller, A; Mattes, TE; Elsner, M; Lacrampe-Couloume, G; Gossett, JM; Edwards, EA; Lollar, BS. (2005). Carbon isotopic fractionation during aerobic vinyl chloride degradation. *Environmental Science & Technology*. 39: 1064-1070.
- Chatterjee, K. (1995). IMPLICATIONS OF MONTREAL PROTOCOL WITH PARTICULAR REFERENCE TO INDIA AND OTHER DEVELOPING COUNTRIES. *Atmos Environ*. 29: 1883-1903.
- Chaudhry, MA; Dovantzis, K; Riesing, RR. (1989). GROUND WATER REMEDIATION USING AN EXTRACTION TREATMENT AND RECHARGE SYSTEM AU - THOMSEN KO. *Ground Water Monit Rev*. 9: 92-99.
- Chauhan, S; Barbieri, P; Wood, TK. (1998). Oxidation of trichloroethylene, 1,1-dichloroethylene, and chloroform by toluene/o-xylene monooxygenase from *Pseudomonas stutzeri* OX1. *Appl Environ Microbiol*. 64: 3023-3024.
- Che, H; Bae, S; Lee, W. (2011). Degradation of trichloroethylene by Fenton reaction in pyrite suspension. *J Hazard Mater*. 185: 1355-1361.
- Che, H; Lee, W. (2011). Selective redox degradation of chlorinated aliphatic compounds by Fenton reaction in pyrite suspension. *Chemosphere*. 82: 1103-1108.
- Che, T; Peng, ZY; Lim, KH; Hua, ZS. (2015). Antecedents of consumers' intention to revisit an online group-buying website: A transaction cost perspective. *Information & Management*. 52: 588-598.
- Cheah, EPS; Reible, DD; Valsaraj, KT; Constant, WD; Walsh, BW; Thibodeaux, LJ. (1998). Simulation of soil washing with surfactants. *J Hazard Mater*. 59: 107-122.
- Chee, G-J. (2011). Biodegradation analyses of trichloroethylene (TCE) by bacteria and its use for biosensing of TCE. *Talanta*. 85: 1778-1782.
- Chee, G-J. (2016). A novel whole-cell biosensor for the determination of trichloroethylene. *Sensors and Actuators B: Chemical*. 237: 836-840.
- Chekmeneva, E; Hunter, CA; Misuraca, MC; Turega, SM. (2012). Steric desolvation enhances the effective molarities of intramolecular H-bonding interactions. *Organic & Biomolecular Chemistry*. 10: 6022-6031.

Environmental Hazard Literature Search Results

Off Topic

- Chen, BY; Chang, JS. (2005). Phenol degradation and toxicity assessment upon biostimulation to an indigenous rhizobium *Ralstonia taiwanensis*. *Biotechnol Prog.* 21: 1085-1092.
- Chen, C; Ballapragada, BS; Puhakka, JA; Strand, SE; Ferguson, JF. (1999). Anaerobic transformation of 1,1,1-trichloroethane by municipal digester sludge. *Biodegradation.* 10: 297-305.
- Chen, C; Wang, XY; Chang, Y; Liu, HL. (2008). Dechlorination of disinfection by-product monochloroacetic acid in drinking water by nanoscale palladized iron bimetallic particle. *J Environ Sci.* 20: 945-951.
- Chen, CS; Zoltek, JJR. (1995). Organic priority pollutants in wetland-treated leachates at a landfill in central Florida. *Chemosphere.* 31: 3455-3464.
- Chen, CT; Graham, JL; Dellinger, B. (1995). PHOTOTHERMAL DESTRUCTION OF THE VAPOR OF ORGANIC COMPOUNDS. *Waste Manag.* 15: 159-170.
- Chen, CW; Li, J; Bi, YH; Yang, LM; Meng, SS; Zhou, YC; Jia, XJ; Meng, SD; Sun, L; Liu, WJ. (2013). Synthetic B- and T-cell epitope peptides of porcine reproductive and respiratory syndrome virus with Gp96 as adjuvant induced humoral and cell-mediated immunity. *Vaccine.* 31: 1838-1847.
- Chen, D; Rolston, DE; Yamaguchi, T. (2000). Calculating partition coefficients of organic vapors in unsaturated soil and clays. *Soil Sci.* 165: 217-225.
- Chen, DW; Carsel, RF; Moeti, L; Vona, B. (1999). Assessment and prediction of contaminant transport and migration at a Florida Superfund site. *Environ Monit Assess.* 57: 291-299.
- Chen, F; Falta, RW; Murdoch, LC. (2015). Numerical Analysis of Thermal Remediation in 3D Field-Scale Fractured Geologic Media. *Ground Water.* 53: 572-587.
- Chen, F; Falta, RW; Murdoch, LC. (2015). Numerical Analysis of Thermal Remediation in 3D Field-Scale Fractured Geologic Media. *Groundwater.* 53: 572-587.
- Chen, F; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere.* 86: 156-165.
- Chen, F; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere.* 86: 156-165.
- Chen, F; Liu, XL; Falta, RW; Murdoch, LC. (2010). Experimental Demonstration of Contaminant Removal from Fractured Rock by Boiling. *Environmental Science & Technology.* 44: 6437-6442.
- Chen, FY; Pehkonen, SO; Ray, MB. (2002). Kinetics and mechanisms of UV-photodegradation of chlorinated organics in the gas phase. *Water Res.* 36: 4203-4214.
- Chen, G. (2004). Reductive dehalogenation of tetrachloroethylene by microorganisms: current knowledge and application strategies. *Appl Microbiol Biotechnol.* 63: 373-377.
- Chen, G; Hoag, GE; Chedda, P; Nadim, F; Woody, BA; Dobbs, GM. (2001). The mechanism and applicability of in situ oxidation of trichloroethylene with Fenton's reagent. *J Hazard Mater.* 87: 171-186.
- Chen, G; Hoag, GE; Chedda, P; Nadim, F; Woody, BA; Dobbs, GM. (2001). The mechanism and applicability of in situ oxidation of trichloroethylene with Fenton's reagent. *J Hazard Mater.* 87: 171-186.
- Chen, HH; Chan, MH; Fu, SH. (2002). Behavioural effects of tetrachloroethylene exposure in rats: acute and subchronic studies. *Toxicology.* 170: 201-209.
- Chen, HH; Chang, LC; Shan, HY; Tsai, JP. (2009). Joint Impact of Scaling and Hysteresis on NAPL Flow Simulation. *Environmental Modeling & Assessment.* 14: 715-728.
- Chen, HH; Lin, YR; Peng, QG; Chan, MH. (2005). Effects of trichloroethylene and perchloroethylene on muscle contractile responses and epithelial prostaglandin release and acetylcholinesterase activity in swine trachea. *Toxicol Sci.* 83: 149-154.
- Chen, J; Bowman, KS; Rainey, FA; Moe, WM. (2014). Reassessment of PCR primers targeting 16S rRNA genes of the organohalide-respiring genus *Dehalogenimonas*. *Biodegradation.* 25: 747-756.
- Chen, J; Ely, RL. (2001). Comparison of artificial neural network, genetic programming, and mechanistic modeling of complex biological processes. *Environ Eng Sci.* 18: 267-278.
- Chen, J; Ollis, DF; Rulkens, WH; Bruning, H. (1999). Photocatalyzed oxidation of alcohols and organochlorides in the presence of native TiO₂ and metallized TiO₂ suspensions. Part (I): Photocatalytic activity and pH influence. *Water Res.* 33: 661-668.
- Chen, J; Ollis, DF; Rulkens, WH; Bruning, H. (1999). Photocatalyzed oxidation of alcohols and organochlorides in the presence of native TiO₂ and metallized TiO₂ suspensions. Part (II): Photocatalytic mechanisms. *Water Res.* 33: 669-676.
- Chen, JF; Xia, XM; Ye, XR; Jin, HY. (2002). Marine organic pollution history in the Changjiang Estuary and Zhejiang coastal area--HCHs and DDTs stratigraphical records. *Mar Pollut Bull.* 45: 391-396.
- Chen, JF; Yu, B. (2008). Effective protection of the N-sulfate of glucosamine derivatives with the 2,2,2-trichloroethyl group. *Tetrahedron Lett.* 49: 1682-1685.
- Chen, JJ; Dimou, I. (2005). Expansion strategy of international hotel firms. *Journal of Business Research.* 58: 1730-1740.
- Chen, JL; Al-Abed, SR; Ryan, JA; Li, Z. (2001). Effects of pH on dechlorination of trichloroethylene by zero-valent iron. *J Hazard Mater.* 83: 243-254.
- Chen, JM; Gillham, RW; Gui, L. (2013). Passivation of bimetallic catalysts used in water treatment: Prevention and reactivation. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 48: 48-56.

Environmental Hazard Literature Search Results

Off Topic

- Chen, JP; Kiaei, D; Hoffman, AS. (1993). Activity of horseradish peroxide adsorbed on radio frequency glow discharge-treated polymers. *Journal of biomaterials science Polymer edition*. 5: 167-181.
- Chen, JS; Liu, CW; Chan, YC; Ni, CF; Kao, KK. (2011). Effect of transverse dispersion on solute transport in a vertical dipole flow test with a tracer. *J Hydrol*. 402: 206-216.
- Chen, JS; Wu, CC; Kao, DY. (2004). New approach to IR study of monomer-dimer self-association: 2,2-dimethyl-3-ethyl-3-pentanol in tetrachloroethylene as an example. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy*. 60: 2287-2293.
- Chen, JW; Xiu, ZM; Lowry, GV; Alvarez, PJJ. (2011). Effect of natural organic matter on toxicity and reactivity of nano-scale zero-valent iron. *Water Res*. 45: 1995-2001.
- Chen, KF; Kao, CM; Wu, LC; Surampalli, RY; Liang, SH. (2009). Methyl Tert-Butyl Ether (MTBE) Degradation by Ferrous Ion-Activated Persulfate Oxidation: Feasibility and Kinetics Studies. *Water Environ Res*. 81: 687-694.
- Chen, L; Jin, S; Fallgren, PH; Liu, F; Colberg, PJS. (2013). Passivation of zero-valent iron by denitrifying bacteria and the impact on trichloroethene reduction in groundwater. *Water Science and Technology*. 67: 1254-1259.
- Chen, L; Jin, S; Fallgren, PH; Swoboda-Colberg, NG; Liu, F; Colberg, PJ. (2012). Electrochemical depassivation of zero-valent iron for trichloroethene reduction. *J Hazard Mater*. 239-240: 265-269.
- Chen, L; Liu, F; Liu, Y; Dong, H; Colberg, PJS. (2011). Benzene and toluene biodegradation down gradient of a zero-valent iron permeable reactive barrier. *J Hazard Mater*. 188: 110-115.
- Chen, L; Liu, Y; Liu, F; Jin, S. (2014). Treatment of co-mingled benzene, toluene and TCE in groundwater. *J Hazard Mater*. 275: 116-120.
- Chen, LP; Cheng, JT; Deng, GF. (2013). Anisotropic diffusion of volatile pollutants at air-water interface. *Water Science and Engineering*. 6: 153-163.
- Chen, M; Abriola, LM; Amos, BK; Suchomel, EJ; Pennell, KD; L&E ffler, FDAE; Energy, DLLNLLUSUSA; Christ, JA. (2013). Microbially enhanced dissolution and reductive dechlorination of PCE by a mixed culture: model validation and sensitivity analysis. *J Contam Hydrol*. 151: 117-130.
- Chen, M; Yang, X. (2015). Situations and challenges of household energy consumption in Chinese small towns. *Energy and Buildings*. 107: 155-162.
- Chen, MH; Liu, CC; Chou, TC. (2004). Thin film trichloroethylene electrochemical sensor. *Biosensors & Bioelectronics*. 20: 25-32.
- Chen, MY; Su, YF; Shih, YH. (2014). Effect of geochemical properties on degradation of trichloroethylene by stabilized zerovalent iron nanoparticle with Na-acrylic copolymer. *J Environ Manage*. 144: 88-92.
- Chen, PS; Li, JH. (2006). Chemopreventive effect of punicalagin, a novel tannin component isolated from *Terminalia catappa*, on H-ras-transformed NIH3T3 cells. *Toxicol Lett*. 163: 44-53.
- Chen, PS; Li, JH; Liu, TY; Lin, TC. (2000). Folk medicine *Terminalia catappa* and its major tannin component, punicalagin, are effective against bleomycin-induced genotoxicity in Chinese hamster ovary cells. *Cancer Lett*. 152: 115-122.
- Chen, RY; Das, SR; Jeong, C; Khan, MR; Janes, DB; Alam, MA. (2013). Co-Percolating Graphene-Wrapped Silver Nanowire Network for High Performance, Highly Stable, Transparent Conducting Electrodes. *Adv Funct Mater*. 23: 5150-5158.
- Chen, SHIFU; Cheng, XUELI. (1998). Photocatalytic degradation of organochlorine compounds using TiO₂ supported on fiberglass cloth. *J Environ Sci*. 10: 433-436.
- Chen, SS; Huang, YC; Kuo, TY. (2010). The Remediation of Perchloroethylene Contaminated Groundwater by Nanoscale Iron Reactive Barrier Integrated with Surfactant and Electrokinetics. *Ground Water Monitoring and Remediation*. 30: 90-98.
- Chen, W; Zhu, D; Zheng, S; Chen, W. (2014). Catalytic effects of functionalized carbon nanotubes on dehydrochlorination of 1,1,2,2-tetrachloroethane. *Environmental science & technology*. 48: 3856-3863.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: The effects of aeration and sludge addition. *Chemosphere*. 103: 92-98.
- Chen, WM; Chang, JS; Wu, CH; Chang, SC. (2004). Characterization of phenol and trichloroethene degradation by the rhizobium *Ralstonia taiwanensis*. *Res Microbiol*. 155: 672-680.
- Chen, XY; Zhuang, ZX; Wang, XH; Zhang, JZ. (2006). Immune responses to trichloroethylene and skin gene expression profiles in Sprague Dawley rats. *Biomedical and environmental sciences : BES*. 19: 346-352.
- Chen, Y; Cai, JY; Anders, MW; Stevens, JL; Jones, DP. (2001). Role of mitochondrial dysfunction in S-(1,2-dichlorovinyl)-L-cysteine-induced apoptosis. *Toxicol Appl Pharmacol*. 170: 172-180.
- Chen, YM; Lin, TF; Huang, C; Lin, JC. (2008). Cometabolic degradation kinetics of TCE and phenol by *Pseudomonas putida*. *Chemosphere*. 72: 1671-1680.
- Chen, YM; Lin, TF; Huang, C; Lin, JC; Hsieh, FM. (2007). Degradation of phenol and TCE using suspended and chitosan-bead immobilized *Pseudomonas putida*. *J Hazard Mater*. 148: 660-670.
- Chen, YT; Lu, CJ. (2014). Effects of tetrachloroethene on the measurement of radon in water with liquid scintillation counting method. *J Environ Radioact*. 127: 26-33.
- Chen, YZ; Pan, WB; Wu, FH. (2013). Emission Fluxes of Volatile Organic Compounds from Three Heavily Polluted Rivers in Guangzhou, South China. *Water Air and Soil Pollution*. 224: 1509-1509.
- Chen, Z; Kuschke, P; Paschke, H; K&Ezstner, M; M&E ller, JA; K&E ser, H. (2014). Treatment of a sulfate-rich groundwater contaminated with perchloroethene in a hydroponic plant root mat filter and a horizontal subsurface flow constructed wetland at pilot-scale. *Chemosphere*. 117: 178-184.

Environmental Hazard Literature Search Results

Off Topic

- Chen, ZB; Wu, SB; Braeckvelt, M; Paschke, H; Kastner, M; Moser, H; Kusch, P. (2012). Effect of vegetation in pilot-scale horizontal subsurface flow constructed wetlands treating sulphate rich groundwater contaminated with a low and high chlorinated hydrocarbon. *Chemosphere*. 89: 724-731.
- Cheng, D; Chow, WL; He, JZ. (2010). A Dehalococcoides-containing co-culture that dechlorinates tetrachloroethene to trans-1,2-dichloroethene. *Isme Journal*. 4: 88-97.
- Cheng, D; He, JZ. (2009). Isolation and Characterization of "Dehalococcoides" sp Strain MB, Which Dechlorinates Tetrachloroethene to trans-1,2-Dichloroethene. *Appl Environ Microbiol*. 75: 5910-5918.
- Cheng, H; Hu, Y; Luo, J; Sabatini, DA. (2009). Multipass membrane air-stripping (MAS) for removing volatile organic compounds (VOCs) from surfactant micellar solutions. *J Hazard Mater*. 170: 1070-1078.
- Cheng, H; Reinhard, M. (2006). Measuring hydrophobic micropore volumes in geosorbents from trichloroethylene desorption data. *Environmental Science & Technology*. 40: 3595-3602.
- Cheng, H; Reinhard, M. (2008). The rate of 2,2-dichloropropane transformation in mineral micropores: Implications of sorptive preservation for fate and transport of organic contaminants in the subsurface. *Environmental Science & Technology*. 42: 2879-2885.
- Cheng, HF; Hu, ED; Hu, YA. (2012). Impact of mineral micropores on transport and fate of organic contaminants: A review. *J Contam Hydrol*. 129: 80-90.
- Cheng, HF; Reinhard, M. (2006). Sorption of trichloroethylene in hydrophobic micropores of dealuminated Y zeolites and natural minerals. *Environmental Science & Technology*. 40: 7694-7701.
- Cheng, HF; Reinhard, M. (2007). Sorption and inhibited dehydrohalogenation of 2,2-dichloropropane in micropores of dealuminated Y zeolites. *Environmental Science & Technology*. 41: 1934-1941.
- Cheng, K; Pan, GX; Smith, P; Luo, T; Li, LQ; Zheng, JW; Zhang, XH; Han, XJ; Yan, M. (2011). Carbon footprint of China's crop production-An estimation using agro-statistics data over 1993-2007. *Agriculture Ecosystems & Environment*. 142: 231-237.
- Cheng, SF; Wu, SC. (2000). The enhancement methods for the degradation of TCE by zero-valent metals. *Chemosphere*. 41: 1263-1270.
- Cheng, SF; Wu, SC. (2001). Feasibility of using metals to remediate water containing TCE. *Chemosphere*. 43: 1023-1028.
- Cheng, W; Compton, RG. (2016). Quantifying the Electrocatalytic Turnover of Vitamin B-12-Mediated Dehalogenation on Single Soft Nanoparticles. *Angewandte Chemie-International Edition*. 55: 2545-2549.
- Cheng, WC; Kuo, MCT. (2010). The Effect of Toluene-Substrate Concentration on Biological Clogging and Sloughing in Porous Media. *Ground Water Monitoring and Remediation*. 30: 73-80.
- Cheng, Y; Lu, M; Jiao, C; Liu, HJ. (2013). Preparation of stabilized nano zero-valent iron particles via a rheological phase reaction method and their use in dye decolorization. *Environ Technol*. 34: 445-451.
- Cheng, YS; Halsey, JL; Fode, KA; Remsen, CC; Collins, MLP. (1999). Detection of methanotrophs in groundwater by PCR. *Appl Environ Microbiol*. 65: 648-651.
- Cherry, JA. (1992). CHLORINATED SOLVENTS IN GROUNDWATER FIELD EXPERIMENTAL STUDIES OF BEHAVIOUR AND REMEDIATION. Fourth Annual Symposium On Ground Water: The Problem And Some Solutions, Beaumont, Texas, Usa, April. 32: 275-278.
- Cherry, JA; Parker, BL; Keller, C. (2007). A new depth-discrete multilevel monitoring approach for fractured rock. *Ground Water Monitoring and Remediation*. 27: 57-70.
- Chessells, M; Hawker, DW; Connell, DW. (1992). Influence of solubility in lipid on bioconcentration of hydrophobic compounds. *Ecotoxicol Environ Saf*. 23: 260-273.
- Cheung, HM; Bhatnagar, A; Jansen, G. (1991). SONOCHEMICAL DESTRUCTION OF CHLORINATED HYDROCARBONS IN DILUTE AQUEOUS SOLUTION. *Environ Sci Technol*. 25: 1510-1512.
- Chevalier, LR; Petersen, J. (1999). Literature review of 2-D laboratory experiments in NAPL flow, transport, and remediation. *Journal of Soil Contamination*. 8: 149-167.
- Chheda, D; Sorial, G. (2015). Evaluation of Trichloroethylene Removal in a Biotrickling Filter under Acidic Conditions. 108th Air and Waste Management Association Annual Conference.
- Chheda, D; Sorial, GA. (2016). Effect of a Ternary Mixture of Volatile Organic Compounds on Degradation of TCE in Biotrickling Filter Systems. *Water Air and Soil Pollution*. 227: 246-246.
- Chhonkar, PK; Rao, DLN. (1993). SOIL BIOLOGY AND BIOCHEMISTRY IN RELATION TO LAND DEGRADATION AND ENVIRONMENTAL POLLUTION. Biswas, T D And G Narayanasamy. 0: 133-147.
- Chiang, HL; Lo, CC; Ma, SY. (2010). Characteristics of exhaust gas, liquid products, and residues of printed circuit boards using the pyrolysis process. *Environmental science and pollution research international*. 17: 624-633.
- Chiang, HM; Bozzelli, JW. (1994). FORMATION OF CHLORINATED ETHYLENE INTERMEDIATES IN PYROLYSIS OF CH-2CL-2 AND CH-2CL-2-CH-4. 208th National Meeting Of The American Chemical Society, Washington, DC, Usa, August. 208: 99.
- Chiang, PC; Chang, P; You, JH. (1992). Innovative technology for controlling VOC emissions. *J Hazard Mater*. 31: 19-28.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Science And Technology*. 38: 287-294.
- Chiang, SYD; Mora, R; Diguseppi, WH; Davis, G; Sublette, K; Gedalanga, P; Mahendra, S. (2012). Characterizing the intrinsic bioremediation potential of 1,4-dioxane and trichloroethene using innovative environmental diagnostic tools. *J Environ Monit*. 14: 2317-2326.
- Chiba, I; Sakakibara, A; Iwata, TH; Ishizuka, M; Tanabe, S; Akahori, F; Kazusaka, A; Fujita, S. (2002). Hepatic microsomal cytochrome p450s and chlorinated hydrocarbons in largha and ribbon seals from Hokkaido, Japan: differential response of seal species to Ah receptor agonist exposure. *Environmental toxicology and chemistry / SETAC*. 21: 794-806.

Environmental Hazard Literature Search Results

Off Topic

- Chieco, P; Moslen, MT; Reynolds, ES. (1982). Histochemical evidence that plasma and mitochondrial membranes are primary foci of hepatocellular injury caused by 1,1-dichloroethylene. *Laboratory investigation; a journal of technical methods and pathology.* 46: 413-421.
- Chiemchaisri, W; Visvanathan, C; Wu, JS. (2001). Effects of trace volatile organic compounds on methane oxidation. *Brazilian Archives of Biology and Technology.* 44: 135-140.
- Chien, Y; Gossett, JM; Zinder, SH. (1997). Reproductive toxicology. Trichloroethylene. *Science (New York, NY).* 276: 1568-1571.
- Chilakapati, A; Williams, M; Yabusaki, S; Cole, C; Szecsody, J. (2000). Optimal design of an in situ Fe(II) barrier: Transport limited reoxidation. *Environmental Science & Technology.* 34: 5215-5221.
- Chilakapati, A; Yabusaki, S; Szecsody, J; MacEvoy, W. (2000). Groundwater flow, multicomponent transport and biogeochemistry: development and application of a coupled process model. *J Contam Hydrol.* 43: 303-325.
- Chilton, J; Chilton, K. (1992). A critique of risk modeling and risk assessment of municipal landfills based on US Environmental Protection Agency techniques. *Waste Manage Res.* 10: 505-516.
- Chin, YP; Weber, WJ. (1989). ESTIMATING THE EFFECTS OF DISPERSED ORGANIC POLYMERS ON THE SORPTION OF CONTAMINANTS BY NATURAL SOLIDS 1. A PREDICTIVE THERMODYNAMIC HUMIC SUBSTANCE-ORGANIC SOLUTE INTERACTION MODEL. *Environ Sci Technol.* 23: 978-984.
- Chiorboli, C; Piazza, R; Carassiti, V; Passerini, L; Tosato, ML. (1993). Application of chemometrics to the screening of hazardous substances: Part II. Advances in the multivariate characterization and reactivity modelling of haloalkanes. *Chemometrics Intelligent Lab Syst.* 19: 331-336.
- Chiou, CT; Kile, DE. (1994). Effects of polar and nonpolar groups on the solubility of organic compounds in soil organic matter. *Environmental Science & Technology.* 28: 1139-1144.
- Chiou, CT; Kile, DE. (1998). Deviations from sorption linearity on soils of polar and nonpolar organic compounds at low relative concentrations. *Environmental Science & Technology.* 32: 338-343.
- Chiou, CT; Kile, DE; Malcolm, RL. (1988). SORPTION OF VAPORS OF SOME ORGANIC LIQUIDS ON SOIL HUMIC ACID AND ITS RELATION TO PARTITIONING OF ORGANIC COMPOUNDS IN SOIL ORGANIC MATTER. *Environ Sci Technol.* 22: 298-303.
- Chiou, CT; Kile, DE; Rutherford, DW. (1991). The neutral oil in commercial linear alkylbenzenesulfonate and its effect on organic solute solubility in water. *Environ Sci Technol.* 25: 660-665.
- Chiriac, R; Carre, J; Perrodin, Y; Fine, L; Letoffe, J-M. (2007). Characterisation of VOCs emitted by open cells receiving municipal solid waste. *J Hazard Mater.* 149: 249-263.
- Chiu, HY; Liu, JK; Chien, HY; Surampalli, RY; Kao, CM. (2013). Evaluation of Enhanced Reductive Dechlorination of Trichloroethylene Using Gene Analysis: Pilot-Scale Study. *Journal of Environmental Engineering-Asce.* 139: 428-437.
- Chiu, PC; Lee, M. (2001). 2-bromoethanesulfonate affects bacteria in a trichloroethene-dechlorinating culture. *Appl Environ Microbiol.* 67: 2371-2374.
- Chiu, WA. (2011). Trichloroacetic acid: Updated estimates of its bioavailability and its contribution to trichloroethylene-induced mouse hepatomegaly. *Toxicology.* 285: 114-125.
- Chiu, WA; Okino, MS; Lipscomb, JC; Evans, MV. (2006). Issues in the pharmacokinetics of trichloroethylene and its metabolites. *Environ Health Perspect.* 114: 1450-1456.
- Cho, C; Corapcioglu, MY; Park, S; Sung, K. (2008). Effects of grasses on the fate of VOCs in contaminated soil and air. *Water Air and Soil Pollution.* 187: 243-250.
- Cho, DW; Chon, CM; Jeon, BH; Kim, Y; Khan, MA; Song, H. (2010). The role of clay minerals in the reduction of nitrate in groundwater by zero-valent iron. *Chemosphere.* 81: 611-616.
- Cho, HH; Park, JW. (2006). Sorption and reduction of tetrachloroethylene with zero valent iron and amphiphilic molecules. *Chemosphere.* 64: 1047-1052.
- Cho, HJ; Jaffee, PR; Smith, JA. Simulating the volatilization of solvents in unsaturated soils during laboratory and field infiltration experiments. *Water Resour Res.* Oct 1993. v. 29 (10): 3329-3342.
- Cho, IH; Park, JH; Kim, YG. (2005). Oxidative degradation and toxicity reduction of trichloroethylene (TCE) in water using TiO₂/solar light: Comparative study of TiO₂ slurry and immobilized systems. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 40: 1033-1044.
- Cho, J; Annable, MD. (2005). Characterization of pore scale NAPL morphology in homogeneous sands as a function of grain size and NAPL dissolution. *Chemosphere.* 61: 899-908.
- Cho, J; Annable, MD; Rao, PS. (2004). Influence of residual surfactants on DNAPL characterization using partitioning tracers. *J Contam Hydrol.* 72: 67-83.
- Cho, J; Annable, MD; Rao, PS. (2005). Measured mass transfer coefficients in porous media using specific interfacial area. *Environmental science & technology.* 39: 7883-7888.
- Cho, KD; Peirce, JJ. (2006). Nitric oxide emissions as a surrogate indicator of toluene contaminated soil. *Environ Eng Sci.* 23: 372-382.
- Cho, Y; Choi, SI. (2010). Degradation of PCE, TCE and 1,1,1-TCA by nanosized FePd bimetallic particles under various experimental conditions. *Chemosphere.* 81: 940-945.
- Chodola, GR; Biswas, N; Bewtra, JK; St, PIERRECC; Zytner, RG. (1989). Fate of selected volatile organic substances in aqueous environment. *Wat Pollut Res J Can.* 24: 119-142.

Environmental Hazard Literature Search Results

Off Topic

- Choe, S; Lee, SH; Chang, YY; Hwang, KY; Khim, J. (2001). Rapid reductive destruction of hazardous organic compounds by nanoscale Fe(0). *Chemosphere*. 42: 367-372.
- Choi, DG; Kreikebaum, F; Thomas, VM; Divan, D. (2013). Coordinated EV Adoption: Double-Digit Reductions in Emissions and Fuel Use for \$40/Vehicle-Year. *Environmental Science & Technology*. 47: 10703-10707.
- Choi, H; Al-Abed, SR; Agarwal, S. (2009). Effects of Aging and Oxidation of Palladized Iron Embedded in Activated Carbon on the Dechlorination of 2-Chlorobiphenyl. *Environmental Science & Technology*. 43: 4137-4142.
- Choi, HA; Lee, SS. (2012). *Sphingobacterium kyonggiense* sp nov., isolated from chloroethene-contaminated soil, and emended descriptions of *Sphingobacterium daejeonense* and *Sphingobacterium mizutaii*. *Int J Syst Evol Microbiol*. 62: 2559-2564.
- Choi, HC; Kim, KS; Kim, IS. (1998). Characteristics of contaminant transport in bank filtration through dunes. *Water Science and Technology*. 38: 97-103.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater*. 162: 1151-1158.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environmental Science & Technology*. 42: 3356-3362.
- Choi, JH; Kim, SM; Jang, JS. (2016). Optimization of p-Bonding Electrodes on ZnO:Ga in GaN-Based Light-Emitting Diodes. *Ieee Transactions on Electron Devices*. 63: 1957-1962.
- Choi, JW; Smith, JA. (2005). Geoenvironmental factors affecting organic vapor advection and diffusion fluxes from the unsaturated zone to the atmosphere under natural conditions. *Environ Eng Sci*. 22: 95-108.
- Choi, JW; Tillman, FD, Jr.; Smith, JA. (2002). Relative importance of gas-phase diffusive and advective trichloroethene (TCE) fluxes in the unsaturated zone under natural conditions. *Environmental science & technology*. 36: 3157-3164.
- Choi, JW; Tillman, FD; Smith, JA. (2002). Relative importance of gas-phase diffusive and advective trichloroethene (TCE) fluxes in the unsaturated zone under natural conditions. *Environmental Science & Technology*. 36: 3157-3164.
- Choi, JY; Batchelor, B; Chung, JW. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air and Soil Pollution*. 212: 407-417.
- Choi, K; Lee, N; Lee, W. (2014). Reductive dechlorination of tetrachloroethylene by bimetallic catalysts on hematite in the presence of hydrogen gas. *Adv Environ Res*. 3: 151-162.
- Choi, K; Lee, W. (2012). Enhanced degradation of trichloroethylene in nano-scale zero-valent iron Fenton system with Cu(II). *J Hazard Mater*. 211-212: 146-153.
- Choi, S; Lee, EH; Cho, KS. (2010). Effects of Trichloroethylene and Perchloroethylene on the Methane Oxidation by Methanotrophs. 110th General Meeting of the American Society for Microbiology.
- Chokejaroenrat, C. (2012). Improving the treatment of aqueous and non-aqueous phase TCE in low permeable zones with permanganate. PhD Thesis, The University of Nebraska - Lincoln.
- Chokejaroenrat, C; Comfort, S; Sakulthaew, C; Dvorak, B. (2014). Improving the treatment of non-aqueous phase TCE in low permeability zones with permanganate. *J Hazard Mater*. 268: 177-184.
- Chokejaroenrat, C; Kananizadeh, N; Sakulthaew, C; Comfort, S; Li, YS. (2013). Improving the Sweeping Efficiency of Permanganate into Low Permeable Zones To Treat TCE: Experimental Results and Model Development. *Environmental Science & Technology*. 47: 13031-13038.
- Chokejaroenrat, C; Sakulthaew, C; Satapanajaru, T; Tikhamram, T; Pho-Ong, A; Mulseesuk, T. (2015). Treating Methyl Orange in a Two-Dimensional Flow Tank by In Situ Chemical Oxidation Using Slow-Release Persulfate Activated with Zero-Valent Iron. *Environ Eng Sci*. 32: 1007-1015.
- Chomsurin, C; Kajortraidej, J; Luangmuang, K. (2008). Bioremediation of trichloroethylene contaminated groundwater using anaerobic process. *Water Science and Technology*. 58: 2127-2132.
- Choo, KH; Chang, DI; Park, KW; Kim, MH. (2008). Use of an integrated photocatalysis/hollow fiber microfiltration system for the removal of trichloroethylene in water. *J Hazard Mater*. 152: 183-190.
- Choo, WH; Lee, JE; Cho, HS; Oh, SM. (2014). Carcinogenic effects of trichloroethene and acrylamide in Balb/c 3T3 A31-1-1 cell. *Toxicol Lett*. 229, Supplement: S147.
- Choori, UN; Scamehorn, JF; O'Haver, JH; Harwell, JH. (1998). Removal of volatile organic compounds from surfactant solutions by flash vacuum stripping in a packed column. *Ground Water Monitoring and Remediation*. 18: 157-165.
- Choulier, L; Nomine, Y; Zeder-Lutz, G; Charbonnier, S; Didier, B; Jung, ML; Altschuh, D. (2013). Chemical Library Screening Using a SPR-Based Inhibition in Solution Assay: Simulations and Experimental Validation. *Anal Chem*. 85: 8787-8795.
- Choung, S; Zimmerman, LR; Allen-King, RM; Ligouis, B; Feenstra, S. (2014). Heterogeneous carbonaceous matter in sedimentary rock lithocomponents causes significant trichloroethylene (TCE) sorption in a low organic carbon content aquifer/aquitard system. *J Contam Hydrol*. 167: 23-31.
- Chow, WL; Cheng, D; Wang, SQ; He, JZ. (2010). Identification and transcriptional analysis of trans-DCE-producing reductive dehalogenases in *Dehalococcoides* species. *Isme Journal*. 4: 1020-1030.
- Chowdhury, AIA; Krol, MM; Kocur, CM; Boparai, HK; Weber, KP; Sleep, BE; O'Carroll, DM. (2015). nZVI injection into variably saturated soils: Field and modeling study. *J Contam Hydrol*. 183: 16-28.
- Chowdhury, AR; Gautam, AK; Venkatakrishna-Bhatt, H. (1990). DDT 2 2 BIS-P-CHLOROPHENYL-1 1 1-TRICHLOROETHANE INDUCED STRUCTURAL CHANGES IN ADRENAL GLANDS OF RATS. *Bull Environ Contam Toxicol*. 45: 193-196.

Environmental Hazard Literature Search Results

Off Topic

- Chown, JC; Kueper, BH; McWhorter, DB. (1997). The use of upward hydraulic gradients to arrest downward DNAPL migration in rock fractures. *Ground Water*. 35: 483-491.
- Choy, WK; Chu, W. (2001). The modelling of trichloroethene photodegradation in Brij 35 surfactant by two-stage reaction. *Chemosphere*. 44: 211-215.
- Choy, WK; Chu, W. (2001). The rate improvement and modeling of trichloroethene photodegradation by acetone sensitizer in surfactant solution. *Chemosphere*. 44: 943-947.
- Choy, WK; Chu, W. (2001). The study of rate improvement of trichloroethene (TCE) decay in UV system with hydrogen source. *Water Science and Technology*. 44: 27-33.
- Christenson, M; Kambhu, A; Reece, J; Comfort, S; Brunner, L. (2016). A five-year performance review of field-scale, slow-release permanganate candles with recommendations for second-generation improvements. *Chemosphere*. 150: 239-247.
- Christenson, MD; Kambhu, A; Comfort, SD. (2012). Using slow-release permanganate candles to remove TCE from a low permeable aquifer at a former landfill. *Chemosphere*. 89: 680-687.
- Christiansen, C; Francisco, J. (2010). Atmospheric oxidation mechanisms of trichloroethylene and tetrachloroethylene: ab initio studies. 41th Middle Atlantic Regional meeting (MARM 2010).
- Christiansen, CJ. (2010). The atmospheric oxidation of short-lived halocarbons: Ab initio studies. PhD Thesis, Purdue University.
- Christiansen, N; Christensen, SR; Arvin, E; Ahring, BK. (1997). Transformation of tetrachloroethene in an upflow anaerobic sludge blanket reactor. *Appl Microbiol Biotechnol*. 47: 91-94.
- Christof, O; Seifert, R; Michaelis, W. (2002). Volatile halogenated organic compounds in European estuaries. *Biogeochemistry*. 59: 143-160.
- Chrysikopoulos, CV; Hildemann, LM; Roberts, PV. (1992). Modeling the emission and dispersion of volatile organics from surface aeration wastewater treatment facilities. *Water Res*. 26: 1045-1052.
- Chrysikopoulos, CV; Lee, KY; Harmon, TC. (2000). Dissolution of a well-defined trichloroethylene pool in saturated porous media: Experimental design and aquifer characterization. *Water Resour Res*. 36: 1687-1696.
- Chrysikopoulos, CV; Vogler, ET. (2004). Acoustically enhanced multicomponent NAPL ganglia dissolution in water saturated packed columns. *Environmental Science & Technology*. 38: 2940-2945.
- Chu, BS; Baharin, BS; Man, YBC; Quek, SY. (2004). Separation of vitamin E from palm fatty acid distillate using silica. III. Batch desorption study. *Journal of Food Engineering*. 64: 1-7.
- Chu, KC; Milman, HA. (1981). Review of experimental carcinogenesis by compounds related to vinyl chloride. *Environ Health Perspect*. 41: 211-220.
- Chu, KH; Alvarez-Cohen, L. (1996). Trichloroethylene degradation by methane-oxidizing cultures grown with various nitrogen sources. *Water Environ Res*. 68: 76-82.
- Chu, KH; Alvarez-Cohen, L. (1998). Effect of nitrogen source on growth and trichloroethylene degradation by methane-oxidizing bacteria. *Appl Environ Microbiol*. 64: 3451-3457.
- Chu, KH; Alvarez-Cohen, L. (1999). Evaluation of toxic effects of aeration and trichloroethylene oxidation on methanotrophic bacteria grown with different nitrogen sources. *Appl Environ Microbiol*. 65: 766-772.
- Chu, KH; Alvarez-Cohen, L. (2000). Treatment of chlorinated solvents by nitrogen-fixing and nitrate-supplied methane oxidizers in columns packed with unsaturated porous media. *Environmental Science & Technology*. 34: 1784-1793.
- Chu, KH; Mahendra, S; Song, DL; Conrad, ME; Alvarez-Cohen, L. (2004). Stable carbon isotope fractionation during aerobic biodegradation of chlorinated ethenes. *Environmental Science & Technology*. 38: 3126-3130.
- Chu, M; Kitanidis, PK; McCarty, PL. (2003). Effects of biomass accumulation on microbially enhanced dissolution of a PCE pool: a numerical simulation. *J Contam Hydrol*. 65: 79-100.
- Chu, M; Kitanidis, PK; McCarty, PL. (2005). Modeling microbial reactions at the plume fringe subject to transverse mixing in porous media: When can the rates of microbial reaction be assumed to be instantaneous? *Water Resour Res*. 41: W06002 (06015 p).
- Chu, S; Hong, CS. (2008). PHOTOCATALYTIC DEGRADATION OF GASEOUS METHYL-TERT-BUTYL ETHER OVER TiO₂. *Fresen Environ Bull*. 17: 2000-2006.
- Chu, W. (2004). Reply to the comment of "the mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources". *Water Res*. 38: 2793-2794.
- Chu, W; Choy, WK. (2000). The study of lag phase and rate improvement of TCE decay in UV/surfactant systems. *Chemosphere*. 41: 1199-1204.
- Chu, W; Choy, WK. (2002). The mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources. *Water Res*. 36: 2525-2532.
- Chu, W; Jia, J. (2009). The Photodegradation and Modeling of a Typical NAPL, Trichloroethene, by Monochromatic UV Irradiations. *Environmental Science & Technology*. 43: 1455-1459.
- Chuang, YH; Hong, GB; Chang, CT. (2014). Study on particulates and volatile organic compounds removal with TiO₂ nonwoven filter prepared by electrospinning. *Journal of the Air & Waste Management Association*. 64: 738-742.
- Chun, HD; Park, JK. (1994). PHOTOCATALYTIC OXIDATION OF CHLORINATED ORGANIC COMPOUNDS OVER TiO₂ MEMBRANE COATED ON GLASS TUBE. *Hazardous Waste & Hazardous Materials*. 11: 501-510.
- Chun, Y; Sheng, GY; Boyd, SA. (2003). Sorptive characteristics of tetraalkylammonium-exchanged smectite clays. *Clays and Clay Minerals*. 51: 415-420.
- Chung, CB; Kwon, JH; Shim, SC; Hoshino, M. (1993). Photochemistry of conjugated polyacetylenes: (2 plus 2) photocycloaddition of 1-phenyl-1,3,5-hexatrienes with some olefins. *Photochem Photobiol*. 58: 159-163.

Environmental Hazard Literature Search Results

Off Topic

- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 1. Description and characterization of exposure chamber system. *Environmental Science & Technology*. 33: 3661-3665.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environmental Science & Technology*. 33: 3666-3671.
- Chung, HH; Choi, SW; Ok, YS; Jung, J. (2004). EPR characterization of the catalytic activity of clays for PCE removal by gamma-radiation induced by acid and thermal treatments. *Chemosphere*. 57: 1383-1387.
- Chung, HH; Jung, J; Yoon, JH; Lee, MJ. (2002). Effect of dissolved metal ions on PCE decomposition by gamma-rays. *Chemosphere*. 47: 977-980.
- Chung, J; Krajalnik-Brown, R; Rittmann, BE. (2008). Bioreduction of trichloroethene using a hydrogen-based membrane biofilm reactor. *Environmental Science & Technology*. 42: 477-483.
- Chung, J; Rittmann, BE. (2007). Bio-reductive dechlorination of 1,1,1-trichloroethane and chloroform using a hydrogen-based membrane biofilm reactor. *Biotechnol Bioeng*. 97: 52-60.
- Chung, J; Rittmann, BE. (2008). Simultaneous bio-reduction of trichloroethene, trichloroethane, and chloroform using a hydrogen-based membrane biofilm reactor. *Water Science and Technology*. 58: 495-501.
- Chung, Y; Shin, D; Park, S; Lim, Y; Choi, Y; Cho, S; Yang, J; Hwang, M; Park, Y; Lee, H. (1997). Risk assessment and management of drinking water pollutants in Korea. *Water Science And Technology*. 36: 309-323.
- Ciavarelli, R; Cappelletti, M; Fedi, S; Pinelli, D; Frascari, D. (2012). Chloroform aerobic cometabolism by butane-growing *Rhodococcus aetherovorans* BCP1 in continuous-flow biofilm reactors. *Bioprocess Biosyst Eng*. 35: 667-681.
- Ciblak, A. (2011). Chemical changes and performance of iron-electrolysis for groundwater remediation. *Masters Abstracts International Vol 50, no 02, 105 p 2011*.
- Ciblak, A; Mao, XH; Padilla, I; Vesper, D; Alshwabkeh, I; Alshwabkeh, AN. (2012). Electrode effects on temporal changes in electrolyte pH and redox potential for water treatment. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 47: 718-726.
- Cichocka, D; Imfeld, G; Richnow, HH; Nijenhuis, I. (2008). Variability in microbial carbon isotope fractionation of tetra- and trichloroethene upon reductive dechlorination. *Chemosphere*. 71: 639-648.
- Cichocka, D; Nikolausz, M; Haest, PJ; Nijenhuis, I. (2010). Tetrachloroethene conversion to ethene by a *Dehalococcoides*-containing enrichment culture from Bitterfeld. *FEMS Microbiol Ecol*. 72: 297-310.
- Cichocka, D; Siegert, M; Imfeld, G; Andert, J; Beck, K; Diekert, G; Richnow, HH; Nijenhuis, I. (2007). Factors controlling the carbon isotope fractionation of tetra- and trichloroethene during reductive dechlorination by *Sulfurospirillum* ssp and *Desulfitobacterium* sp strain PCE-S. *FEMS Microbiol Ecol*. 62: 98-107.
- Cipollone, MG; Wolfe, NL; Anderson, JL. (1997). LONG-TERM KINETIC COLUMN STUDIES ON THE IRON AND IRON-PYRITE FOR REMEDIATING TCE IN WATER. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 172.
- Cipollone, MG; Wolfe, NL; Hassan, S; Burris, DR. (1993). REDUCTION OF HALOGENATED HYDROCARBONS WITH IRON I. KINETIC OBSERVATIONS. 205th Acs. 205: 92.
- Cipollone, MG; Wolfe, NL; Hassan, SM. (1995). KINETIC STUDIES ON THE USE OF METALLIC IRON TO REDUCE ORGANIC COMPOUNDS IN WATER UNDER ENVIRONMENTAL CONDITIONS. 209th American Chemical Society National Meeting, Anaheim, California, Usa, April. 209: 220.
- Ciptadjaya, CGE; Guo, W; Angeli, JM; Obare, SO. (2009). Controlling the Reactivity of Chlorinated Ethylenes with Flavin Mononucleotide Hydroquinone. *Environmental Science & Technology*. 43: 1591-1597.
- Cirpka, O; Reichert, P; Wanner, O; Mueller, SR; Schwarzenbach, RP. (1993). Gas exchange at river cascades: Field experiments and model calculations. *Environ Sci Technol*. 27: 2086-2097.
- Cirpka, OA; Kitanidis, PK. (2001). Travel-time based model of bioremediation using circulation wells. *Ground Water*. 39: 422-432.
- Citarda, F; Tomaselli, G; Capocaccia, R; Barcherini, S; Crespi, M; Italian Multicentre Study, G. (2001). Efficacy in standard clinical practice of colonoscopic polypectomy in reducing colorectal cancer incidence. *Gut*. 48: 812-815.
- Clapp, LW. (1999). Sustained trichloroethylene degradation in counter-diffusional membrane-attached methanotrophic biofilms. PhD Thesis, The University of Wisconsin - Madison.
- Clapp, LW; Regan, JM; Ali, F; Newman, JD; Park, JK; Noguera, DR. (1999). Activity, structure, and stratification of membrane-attached methanotrophic biofilms cometabolically degrading trichloroethylene. *Water Science and Technology*. 39: 153-161.
- Clark, CJ; Chen, XS; Babu, S. (2005). Degradation of toxaphene by zero-valent iron and bimetallic substrates. *Journal of Environmental Engineering-Asce*. 131: 1733-1739.
- Clark, CJ, 2nd; Rao, PS; Annable, MD. (2003). Degradation of perchloroethylene in cosolvent solutions by zero-valent iron. *J Hazard Mater*. 96: 65-78.
- Clark, IE; Wyckoff, D; Gavis, ER. (2000). Synthesis of the posterior determinant Nanos is spatially restricted by a novel cotranslational regulatory mechanism. *Curr Biol*. 10: 1311-1314.
- Clark, RB. (1992). MARINE POLLUTION THIRD EDITION. Clark, R B Marine Pollution, Third Edition Xii+172p Oxford University Press: Oxford, England, Uk. 0.
- Clark, RB; Frid, C; Attrill, M. (1997). MARINE POLLUTION FOURTH EDITION. Clark, R B, C Frid And M Attrill Marine Pollution, Fourth Edition X+161p Clarendon Press: Oxford, England, Uk Isbn. 6.
- Clark, RM; Fronk, CA; Lykins, BWJR. (1988). REMOVING ORGANIC CONTAMINANTS FROM GROUNDWATER. *Environ Sci Technol*. 22: 1126-1129.

Environmental Hazard Literature Search Results

Off Topic

- Clarke, AG. (1992). THE ATMOSPHERE. Harrison, R M. 0: 5-51.
- Class, T; Ballschmiter, K. (1987). GLOBAL BASELINE POLLUTION STUDIES X. ATMOSPHERIC HALOCARBONS GLOBAL BUDGET ESTIMATIONS FOR TETRACHLOROETHENE 1 2 DICHLOROETHANE 1 1 1 2 TETRACHLOROETHANE HEXACHLOROETHANE AND HEXACHLOROBUTADIENE ESTIMATION OF THE HYDROXYL RADICAL CONCENTRATIONS IN THE TROPOSPHERE OF THE NORTHERN AND SOUTHERN HEMISPHERE. *Fresenius Z Anal Chem.* 327: 198-204.
- Class, T; Kohnle, R; Ballschmiter, K. (1986). Chemistry of organic traces in air: VII. Bromo- and bromochloromethanes in air over the Atlantic Ocean. *Chemosphere.* 15: 429-436.
- Clausen, CA; Cooper, CD; Hewett, M; Martinez, A. (1992). Enhancement of organic vapor incineration by using ozone. *J Hazard Mater.* 31: 75-98.
- Clausen, JL; Richards, WL; Korte, NE; Liang, L. (1995). ORNL-MMES RESEARCH INTO REMEDIAL APPLICATIONS OF ZERO-VALENCE METALS 3. REMOVAL OF TCE CIS-1 2-DCE VINYL CHLORIDE AND TECHNETIUM. 209th American Chemical Society National Meeting, Anaheim, California, Usa, April. 209: 229.
- Clay, P. (2008). Assessment of the genotoxicity of trichloroethylene and its metabolite, S-(1,2-dichlorovinyl)-L-cysteine (DCVC), in the comet assay in rat kidney. *Mutagenesis.* 23: 27-33.
- Cleary, RW. (1990). THE USE OF SOIL-GAS SAMPLING IN THE STUDY OF GROUNDWATER POLLUTION BY VOLATILE SOLVENTS VOC THE EXAMPLE OF THE PORTO FELIZ SAO PAULO BRAZIL CASE AU - HIRATA R CA. *lawprc.* 24: 127-138.
- Clemedson, C; Ekwall, B. (1999). Overview of the final MEIC results: I. The in vitro-in vitro evaluation. *Toxicol In Vitro.* 13: 657-663.
- Clement, TP; Johnson, CD; Sun, YW; Klecka, GM; Bartlett, C. (2000). Natural attenuation of chlorinated ethene compounds: model development and field-scale application at the Dover site. *J Contam Hydrol.* 42: 113-140.
- Clement, TP; Kim, YC; Gautam, TR; Lee, KK. (2004). Experimental and numerical investigation of DNAPL dissolution processes in a laboratory aquifer model. *Ground Water Monitoring and Remediation.* 24: 88-96.
- Clewell, HJ; Andersen, ME. (2006). Response to comments by Caldwell et al. on article "Applying mode-of-action and pharmacokinetic considerations in contemporary cancer risk assessments: An example with trichloroethylene". *Crit Rev Toxicol.* 36: 295-298.
- Clewell, HJ; Gentry, PR; Covington, TR; Sarangapani, R; Teeguarden, JG. (2004). Evaluation of the potential impact of age- and gender-specific pharmacokinetic differences on tissue dosimetry. *Toxicological sciences : an official journal of the Society of Toxicology.* 79: 381-393.
- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modelling in noncancer risk assessment. *J Toxicol Environ Health.* 52: 475-515.
- Clifford, JS; Ioannidis, MA; Legge, RL. (2007). Enhanced aqueous solubilization of tetrachloroethylene by a rhamnolipid biosurfactant. *J Colloid Interface Sci.* 305: 361-365.
- Cline, PV; Delfino, JJ. (1987). ABIOTIC FORMATION AND DEGRADATION OF 1 1 DICHLOROETHENE. 194th American Chemical Society National Meeting, New Orleans, Louisiana, Usa, August. 194: 203.
- Cline, SR; Reed, BE; Matsumoto, MR. Efficiencies of soil washing solutions for the remediation of lead and organically contaminated soils. *Proceedings of the Industrial Waste Conference.* 1994. v. 48: 169-177.
- Cline, SR; West, OR; Korte, NE; Siegrist, RL; Baker, JL. (1997). FIELD SCALE APPLICATION OF DEEP SOIL MIXING AND IN SITU CHEMICAL OXIDATION AU - HOLDEN WL. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 63.
- Clingenpeel, S; Keener, WK; Keller, CR; De Jesus, K; Howard, MH; Watwood, ME. (2005). Activity-dependent fluorescent labeling of bacterial cells expressing the TOL pathway. *J Microbiol Methods.* 60: 41-46.
- Clinton, BD; Vose, JM; Vroblesky, DA; Harvey, GJ. (2004). Determination of the relative uptake of ground vs. surface water by *Populus deltoides* during phytoremediation. *Int J Phytoremediation.* 6: 239-252.
- Close, M; Bright, J; Wang, FL; Pang, LP; Manning, M. (2008). Key Features of Artificial Aquifers for Use in Modeling Contaminant Transport. *Ground Water.* 46: 814-828.
- Clowater, LM. (1992). Variables effecting trichloroethylene transformation by methanotrophs. PhD Thesis, Michigan State University.
- Cluet, J-L; Boisset, M; Boudene, C. (1986). Effect of pretreatment with cimetidine or phenobarbital on lipoperoxidation in carbon tetrachloride- and trichloroethylene-dosed rats. *Toxicology.* 38: 91-102.
- Cobb, GD; Bouwer, EJ. (1991). Effects of electron acceptors on halogenated organic compound biotransformations in a biofilm column. *Environ Sci Technol.* 25: 1068-1074.
- Coberly, S; Oudiz, DJ; Overstreet, JW; Wiley, LM. (1992). Effects of maternal exposure to trichloroethylene (TCE) on cell proliferation in the mouse preimplantation embryo. *Reproductive toxicology (Elmsford, NY).* 6: 241-245.
- Cobo, M; Becerra, J; Castelblanco, M; Cifuentes, B; Conesa, JA. (2015). Catalytic hydrodechlorination of trichloroethylene in a novel NaOH/2-propanol/methanol/water system on ceria-supported Pd and Rh catalysts. *J Environ Manage.* 158: 1-10.
- Cobo, M; González, CA; Sánchez, EG; Montes, C. (2011). Catalytic hydrodechlorination of trichloroethylene with 2-propanol over Pd/Al₂O₃. *Catalysis Today.* 172: 78-83.
- Cocco, P; Blair, A; Congia, P; Saba, G; Flore, C; Ecca, MR; Palmas, C. (1997). Proportional mortality of dichloro-diphenyl-trichloroethane (DDT) workers: a preliminary report. *Neoplasma.* 44: 97-99.
- Cocheo, V; Bombi, GG; Silvestri, R. (1987). AN APPARATUS FOR THE THERMAL DESORPTION OF SOLVENTS SAMPLED BY ACTIVATED CHARCOAL. *Am Ind Hyg Assoc J.* 48: 189-197.
- Cohen, EL; Patterson, BM; McKinley, AJ; Prommer, H. (2009). Zero valent iron remediation of a mixed brominated ethene contaminated groundwater. *J Contam Hydrol.* 103: 109-118.
- Cohen, MA; Ryan, PB; Spengler, JD; Ozkaynak, H; Hayes, C. (1991). Source-receptor study of volatile organic compounds and particulate matter in the Kanawha Valley, (West Virginia, USA): I. Methods and descriptive statistics. *Atmos Environ Part B Urban Atmos.* 25: 79-94.

Environmental Hazard Literature Search Results

Off Topic

- Cohen, S; Svrjcek, A; Durborow, T; Barnes, NL. (1999). Water quality impacts by golf courses. *J Environ Qual*. 28: 798-809.
- Cohen, Y. (1986). ORGANIC POLLUTANT TRANSPORT. *Environ Sci Technol*. 20: 538-544.
- Cohen, Y; Tsai, W; Chetty, SL; Mayer, GJ. (1990). Dynamic partitioning of organic chemicals in regional environments: A multimedia screening-level modeling approach. *Environ Sci Technol*. 24: 1549-1558.
- Cohn, P; Klotz, J; Bove, F; Berkowitz, M; Fagliano, J. Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environmental health perspectives : EHP*. June/July 1994. v. 102 (6/7): 556-561.
- Colacci, A; Albini, A; Melchiori, A; Nanni, P; Nicoletti, G; Parodi, S; Bobola, N; Grilli, S. (1991). SIMULTANEOUS INDUCTION OF TRANSFORMED INVASIVE AND METASTATIC PHENOTYPE IN BALB-C 3T3 CELLS BY 1,1,1,2-TETRACHLOROETHANE. Eleventh Biennial Meeting Of The European Association For Cancer Research, Genoa, Italy, November. 27.
- Colacci, A; Bartoli, S; Bonora, B; Buttazzi, C; Lattanzi, G; Mazzullo, M; Niero, A; Turina, MP; Grilli, S. (1989). COVALENT BINDING OF 1,1,1,2-TETRACHLOROETHANE TO NUCLEIC ACIDS AS EVIDENCE OF GENOTOXIC ACTIVITY. *J Toxicol Environ Health*. 26: 485-496.
- Colacci, A; Grilli, S; Lattanzi, G; Prodi, G; Turina, MP; Forti, GC; Mazzullo, M. (1987). THE COVALENT BINDING OF 1,1,1,2-TETRACHLOROETHANE TO MACROMOLECULES OF RAT AND MOUSE ORGANS. *Teratog Carcinog Mutagen*. 7: 465-474.
- Colby, HD; Larson, IW; Kowalski, C; Levitt, M. (1995). Zonal differences in adrenocortical lipid peroxidation: role of alpha-tocopherol. *Free radical biology & medicine*. 18: 373-376.
- Cole, JR; Fathepure, BZ; Tiedje, JM. (1995). Tetrachloroethene and 3-chlorobenzoate dechlorination activities are co-induced in *Desulfomonile tiedjei* DCB-1. *Biodegradation*. 6: 167-172.
- Coleman, CN; Mason, T; Hooker, EP; Robinson, SE. (1999). Developmental effects of intermittent prenatal exposure to 1,1,1-trichloroethane in the rat. *Neurotoxicol Teratol*. 21: 699-708.
- Coleman, NV; Mattes, TE; Gossett, JM; Spain, JC. (2002). Biodegradation of cis-dichloroethene as the sole carbon source by a beta-proteobacterium. *Appl Environ Microbiol*. 68: 2726-2730.
- Coleman, NV; Mattes, TE; Gossett, JM; Spain, JC. (2002). Phylogenetic and kinetic diversity of aerobic vinyl chloride-assimilating bacteria from contaminated sites. *Appl Environ Microbiol*. 68: 6162-6171.
- Collins, J; Ekdahl, A; Abrahamsson, K; Pedersen, M. (1994). The involvement of hydrogen peroxide in the production of volatile halogenated compounds by *Meristiella gelidium*. *Phytochemistry*. 36: 1197-1202.
- Collar, RJ; Mock, PA. Using water-supply wells to investigate vertical ground-water quality. *Ground Water*. Sept/Oct 1997. v. 35 (5): 743-750.
- Colley, DG; Picard, DJ. (1988). HAZARDOUS WASTE INCINERATOR PERFORMANCE EVALUATION USING FOUR POHC'S. Third Chemical Congress Of North America Held At The 195th American Chemical Society Meeting, Toronto, Ontario, Canada, June. 3: 123.
- Collier, JM; Cover, CC; Johnson, PD; Selmin, O; Runyon, RB. (1998). MOLECULAR ANALYSIS OF CARDIO-TERATOGENICITY OF TRICHLOROETHYLENE IN EMBRYONIC RATS. Thirty Eighth Annual Meeting Of The Teratology Society And The 22nd Annual Meeting Of The Neurobehavioral Teratology Society And 11th International Conference Of The Organization Of Teratology Information, San Diego, California, Usa, June. 57: 236.
- Collier, JM; Selmin, O; Johnson, PD; Runyan, RB. (2003). Trichloroethylene effects on gene expression during cardiac development. *Birth Defects Research Part a-Clinical and Molecular Teratology*. 67: 488-495.
- Collins, C; Laturus, F; Nepovim, A. (2002). Remediation of BTEX and trichloroethene - Current knowledge with special emphasis on phytoremediation. *Environ Sci Pollut Res Int*. 9: 86-94.
- Colomb, A; Williams, J; Crowley, J; Gros, V; Hofmann, R; Salisbury, G; Klupfel, T; Kormann, R; Stickler, A; Forster, C; Lelieveld, J. (2006). Airborne measurements of trace organic species in the upper troposphere over Europe: the impact of deep convection. *Environ Chem*. 3: 244-259.
- Comandella, D; Woszidlo, S; Georgi, A; Kopinke, F-D; Mackenzie, K. (2016). Efforts for long-term protection of palladium hydrodechlorination catalysts. *Appl Catal B-Environ*. 186: 204-211.
- Comba, ME; Kaiser, KLE. (1984). TRACKING RIVER PLUMES WITH VOLATILE HALOCARBON CONTAMINANTS THE NIAGARA RIVER-LAKE ONTARIO EXAMPLE CANADA USA. *J Great Lakes Res*. 10: 375-382.
- Comba, ME; Palabrica, VS; Kaiser, KLE. (1994). Volatile halocarbons as tracers of pulp mill effluent plumes. *Environ Toxicol Chem*. 13: 1065-1074.
- Commandeur, JN; Vermeulen, NP. (1990). Identification of N-acetyl(2,2-dichlorovinyl)- and N-acetyl(1,2-dichlorovinyl)-L-cysteine as two regioisomeric mercapturic acids of trichloroethylene in the rat. *Chem Res Toxicol*. 3: 212-218.
- Commandeur, JNM; Vermeulen, NPE. (1990). Identification of N-acetyl(2,2-dichlorovinyl)-L-cysteine and N-acetyl(1,2-dichlorovinyl)-L-cysteine as two regioisomeric mercapturic acids of trichloroethylene in the rat. *Chem Res Toxicol*. 3: 212-218.
- Commandeur, JNM; Vermeulen, NPE. (1990). MOLECULAR AND BIOCHEMICAL MECHANISMS OF CHEMICALLY INDUCED NEPHROTOXICITY A REVIEW. *Chem Res Toxicol*. 3: 171-194.
- Compaan, H. (1988). WASTE INCINERATION AT SEA. *Salomons, W, Et Al*. 0: 257-274.
- Conant, B, Jr.; Cherry, JA; Gillham, RW. (2004). A PCE groundwater plume discharging to a river: influence of the streambed and near-river zone on contaminant distributions. *J Contam Hydrol*. 73: 249-279.
- Conant, BH; Gillham, RW; Mendoza, CA. Vapor transport of trichloroethylene in the unsaturated zone: field and numerical modeling investigations. *Water Resour Res*. Jan 1996. v. 32 (1): 9-22.
- Concibido, NC; Okuda, T; Nakano, Y; Nishijima, W; Okada, M. (2005). Enhancement of the catalytic hydrodechlorination of tetrachloroethylene in methanol at mild conditions by water addition. *Tetrahedron Lett*. 46: 3613-3617.
- Condie, LW. (1985). Target organ toxicology of halocarbons commonly found contaminating drinking water. *The Science of the total environment*. 47: 433-442.

Environmental Hazard Literature Search Results

Off Topic

- Connell, DW; Hawker, DW. (1988). USE OF POLYNOMIAL EXPRESSIONS TO DESCRIBE THE BIOCONCENTRATION OF HYDROPHOBIC CHEMICALS BY FISH. *Ecotoxicol Environ Saf.* 16: 242-257.
- Connell, DW; Schueuermann, G. (1988). EVALUATION OF VARIOUS MOLECULAR PARAMETERS AS PREDICTORS OF BIOCONCENTRATION IN FISH. *Ecotoxicol Environ Saf.* 15: 324-335.
- Conner, JR. (1995). Recent findings on immobilization of organics as measured by total constituent analysis. *Waste Manag.* 15: 359-369.
- Connon, SA; Tovanabootr, A; Dolan, M; Vergin, K; Giovannoni, SJ; Semprini, L. (2005). Bacterial community composition determined by culture-independent and -dependent methods during propane-stimulated bioremediation in trichloroethene-contaminated groundwater. *Environ Microbiol.* 7: 165-178.
- Conrad, ME; Brodie, EL; Radtke, CW; Bill, M; Delwiche, ME; Lee, MH; Swift, DL; Colwell, FS. (2010). Field Evidence for Co-Metabolism of Trichloroethene Stimulated by Addition of Electron Donor to Groundwater. *Environmental Science & Technology.* 44: 4697-4704.
- Conrad, SH; Glass, RJ; Peplinski, WJ. (2002). Bench-scale visualization of DNAPL remediation processes in analog heterogeneous aquifers: surfactant floods and in situ oxidation using permanganate. *J Contam Hydrol.* 58: 13-49.
- Constan, AA; Benjamin, SA; Tessari, JD; Baker, DC; Yang, RS. (1996). 1995 STP Young Investigator Award recipient. Increased rate of apoptosis correlates with hepatocellular proliferation in Fischer-344 rats following long-term exposure to a mixture of groundwater contaminants. *Toxicol Pathol.* 24: 315-322.
- Constan, AA; Benjamin, SA; Tessari, JD; Baker, DC; Yang, RSH. (1996). Increased rate of apoptosis correlates with hepatocellular proliferation in Fischer-344 rats following long-term exposure to a mixture of groundwater contaminants. *Toxicol Pathol.* 24: 315-322.
- Constan, AA; Benjamin, SA; Yang, RSH; Tessari, JD; Baker, DC. (1995). INCREASED RATE OF APOPTOSIS CORRELATES WITH HEPATOCELLULAR PROLIFERATION IN FISCHER-344 RATS FOLLOWING LONG-TERM LOW-LEVEL EXPOSURE TO A MIXTURE OF GROUNDWATER CONTAMINANTS. *Xiv International Symposium Of The Society Of Toxicologic Pathologists: Toxicologic Pathology Of The Liver, San Diego, California, Usa, June.* 23: 755-756.
- Conway, BA; Greenberg, EP. (2002). Quorum-sensing signals and quorum-sensing genes in *Burkholderia vietnamiensis*. *J Bacteriol.* 184: 1187-1191.
- Cook, E. (1990). GLOBAL ENVIRONMENTAL ADVOCACY CITIZEN ACTIVISM IN PROTECTING THE OZONE LAYER. *Ambio.* 19: 334-338.
- Cooper, AJL; Bruschi, SA; Anders, MW. (2002). Toxic, halogenated cysteine S-conjugates and targeting of mitochondrial enzymes of energy metabolism. *Biochem Pharmacol.* 64: 553-564.
- Cooper, AM; Hristovski, KD; Moeller, T; Westerhoff, P; Sylvester, P. (2010). The effect of carbon type on arsenic and trichloroethylene removal capabilities of iron (hydr)oxide nanoparticle-impregnated granulated activated carbons. *J Hazard Mater.* 183: 381-388.
- Cooper, WJ; Joens, JA; Mehran, M; Slifker, RA. (1987). ABIOTIC TRANSFORMATION OF HALOGENATED ORGANIC CHEMICALS DURING WATER TREATMENT. 194th American Chemical Society National Meeting, New Orleans, Louisiana, Usa, August. 194: 204.
- Cooper, WJ; Mehran, M; Riusech, DJ; Joens, JA. (1987). ABIOTIC TRANSFORMATIONS OF HALOGENATED ORGANICS 1. ELIMINATION REACTION OF 1,1,2,2-TETRACHLOROETHANE AND FORMATION OF 1,1,2,2-TRICHLOROETHENE. *Environ Sci Technol.* 21: 1112-1114.
- Cooper, WJ; Nickelsen, MG; Meacham, DE; Cadavid, EM; Waite, TD; Kurucz, CN. (1992). High energy electron beam irradiation: An innovative process for the treatment of aqueous based organic hazardous wastes. *J Environ Sci Health Part A Environ Sci Eng.* 27: 219-244.
- Cope, DB; Benson, CH. (2009). Grey-Iron Foundry Slags As Reactive Media for Removing Trichloroethylene from Groundwater. *Environmental Science & Technology.* 43: 169-175.
- Cope, N; Hughes, JB. (2001). Biologically-enhanced removal of PCE from NAPL source zones. *Environmental Science & Technology.* 35: 2014-2021.
- Copley, SD. (1998). Microbial dehalogenases: enzymes recruited to convert xenobiotic substrates. *Curr Opin Chem Biol.* 2: 613-617.
- Copper, WJ; Meacham, DE; Nickelsen, MG; Lin, K; Ford, DB; Kurucz, CN; Waite, TD. (1993). The removal of tri-(TCE) and tetrachloroethylene (PCE) from aqueous solution using high energy electrons. *Air & Waste.* 43: 1358-1366.
- Corapcioglu, MY; Baehr, A. (1984). IMMISCIBLE CONTAMINANT TRANSPORT IN SOILS AND GROUNDWATER WITH AN EMPHASIS ON PETROLEUM HYDROCARBONS SYSTEM OF DIFFERENTIAL EQUATIONS VS. SINGLE CELL MODEL. *Symposium On Degradation, Retention And Dispersion Of Pollutants In Groundwater Held By The International Association On Water Pollution Research And Control, Copenhagen, Denmark, Sept.* 17: 23-38.
- Corapcioglu, MY; Hossain, MA. (1990). Ground-water contamination by high-density immiscible hydrocarbon slugs in gravity-driven gravel aquifers. *Ground Water.* 28: 403-412.
- Corapcioglu, MY; Hossain, MA. (1990). Theoretical modeling of biodegradation and biotransformation of hydrocarbons in subsurface environments. *J Theor Biol.* 142: 503-516.
- Corapcioglu, MY; Hossain, MA; Hossain, MA. (1990). ANAEROBIC BIOTRANSFORMATION OF PCE AND TCE IN GROUNDWATER A COMPARISON OF EXPERIMENTAL DATA WITH NUMERICAL RESULTS. *Fifteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Part.* 23: 525-534.
- Cord-Ruwisch, R; James, DL; Charles, W. (2009). The use of redox potential to monitor biochemical HCBd dechlorination. *J Biotechnol.* 142: 151-156.
- Corley, RA. (1992). IMPROVEMENTS IN HEALTH RISK ASSESSMENTS BIOLOGICALLY-BASED MODELS FOR TISSUE DOSIMETRY. 204th American Chemical Society National Meeting, Washington, DC, Usa, August. 204: 60.
- Cornelissen, G; Haftka, J; Parsons, J; Gustafsson, O. (2005). Sorption to black carbon of organic compounds with varying polarity and planarity. *Environmental science & technology.* 39: 3688-3694.

Environmental Hazard Literature Search Results

Off Topic

- Cornelissen, G; Rigterink, H; van Noort, PCM; Govers, HAJ. (2000). Slowly and very slowly desorbing organic compounds in sediments exhibit Langmuir-type sorption. *Environ Toxicol Chem.* 19: 1532-1539.
- Cornelissen, G; Sijm, DTHM. (1996). An energy budget model for the biodegradation and cometabolism of organic substances. *Chemosphere.* 33: 817-830.
- Cornish, HH; Barth, ML; Ling, B. (1977). Influence of aliphatic alcohols on the hepatic response to halogenated olefins. *Environ Health Perspect.* 21: 149-152.
- Cornwell, DG; Jones, KH; Jiang, Z; Lantry, LE; Southwell-Keely, P; Kohar, I; Thornton, DE. (1998). Cytotoxicity of tocopherols and their quinones in drug-sensitive and multidrug-resistant leukemia cells. *Lipids.* 33: 295-301.
- Correia, Y; Martens, GJ; Van Mensch, FH; Whim, BP. (1977). The occurrence of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane in Western Europe in air and water. *Atmos Environ* (1967). 11: 1113-1116.
- Corsi, RL; Birkett, S. (1995). A multi-parameter analysis of volatile organic compound emissions from sewers. *Water Environ Res.* 67: 807-815.
- Corsini, AC; Costa, MG. Immunosuppression in mice infected with *Trypanosoma cruzi* (Chagas, 1909). II. Trypomastigote crude extract (TCE) suppress the humoral immune response in mice. *Revista do Instituto de Medicina Tropical de Sao Paulo.* May-June 1981 v. 23 (3): 122-126.
- Corton, JC. (2008). Evaluation of the Role of Peroxisome Proliferator-Activated Receptor (PPAR) in Mouse Liver Tumor Induction by Trichloroethylene and Metabolites. *Crit Rev Toxicol.* 38: 857-875.
- Cory, DG; Price, MD; Maas, W; Knill, E; Laflamme, R; Zurek, WH; Havel, TF; Somaroo, SS. (1998). Experimental quantum error correction. *Physical Review Letters.* 81: 2152-2155.
- Cosby, NC. (1991). Toxicology of oral exposure to trichloroethylene on maternal reproductive function in mice. PhD Thesis, Michigan State University.
- Cosby, NC; Dukelow, WR. (1992). Toxicology of maternally ingested trichloroethylene (TCE) on embryonal and fetal development in mice and of TCE metabolites on in vitro fertilization. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 19: 268-274.
- Coss, PM; Cha, CY. (2000). Microwave regeneration of activated carbon used for removal of solvents from vented air. *Journal of the Air & Waste Management Association.* 50: 529-535.
- Cossec, B; Cavelier, L; Moitessier-Berge, N; Morel, G; De, CEAURRIZJ. (1996). Formation of GSH-derivatives as a pathway for inactive intermediates in vinylidene chloride-treated rats. *Toxicol Lett.* 89: 223-229.
- Costa, AK; Ivanetich, KM. (1982). The 1,2-dichloroethylenes: their metabolism by hepatic cytochrome p-450 in vitro. *Biochem Pharmacol.* 31: 2093-2102.
- Costa, AK; Ivanetich, KM. (1984). Chlorinated ethylenes: their metabolism and effect on DNA repair in rat hepatocytes. *Carcinogenesis.* 5: 1629-1636.
- Costa, AK; Katz, ID; Ivanetich, KM. (1980). Trichloroethylene: Its interaction with hepatic microsomal cytochrome P-450 in vitro. *Biochem Pharmacol.* 29: 433-439.
- Costa, F; Quintelas, C; Tavares, T. (2012). Kinetics of biodegradation of diethylketone by *Arthrobacter viscosus*. *Biodegradation.* 23: 81-92.
- Costanza, J; Davis, EL; Mulholland, JA; Pennell, KD. (2005). Abiotic degradation of trichloroethylene under thermal remediation conditions. *Environmental Science & Technology.* 39: 6825-6830.
- Costanza, J; Fletcher, KE; Loeffler, FE; Pennell, KD. (2009). Fate of TCE in Heated Fort Lewis Soil. *Environmental Science & Technology.* 43: 909-914.
- Costanza, J; Otaño, G; Callaghan, J; Pennell, KD. (2010). PCE oxidation by sodium persulfate in the presence of solids. *Environmental science & technology.* 44: 9445-9450.
- Costanza, J; Pennell, KD. (2007). Distribution and abiotic degradation of chlorinated solvents in heated field samples. *Environmental Science & Technology.* 41: 1729-1734.
- Costanza, J; Pennell, KD. (2008). Comparison of PCE and TCE disappearance in heated volatile organic analysis vials and flame-sealed ampules. *Chemosphere.* 70: 2060-2067.
- Costanza-Robinson, MS; Brusseau, ML. (2002). Gas phase advection and dispersion in unsaturated porous media. *Water Resour Res.* 38: 1036-1036.
- Costanza-Robinson, MS; Carlson, TD; Brusseau, ML. (2013). Vapor-phase transport of trichloroethene in an intermediate-scale vadose-zone system: Retention processes and tracer-based prediction. *J Contam Hydrol.* 145: 82-89.
- Cotel, S; Schafer, G; Barthes, V; Baussand, P. (2011). Effect of Density-Driven Advection on Trichloroethylene Vapor Diffusion in a Porous Medium. *Vadose Zone Journal.* 10: 565-581.
- Cotel, S; Schafer, G; Traverse, S; Marzougui-Jaafar, S; Gay, G; Razakarisoa, O. (2015). Evaluation of VOC fluxes at the soil-air interface using different flux chambers and a quasi-analytical approach. *Water Air and Soil Pollution.* 226: 356-356.
- Cotelle, S; Masfaraud, JF; Ferard, JF. (1999). Assessment of the genotoxicity of contaminated soil with the *Allium-Vicia*-micronucleus and the *Tradescantia*-micronucleus assays. *Mutat Res.* 426: 167-171.
- Cothern, CR. Uncertainties in quantitative risk assessments--two examples: trichloroethylene and radon in drinking water. *Advances in modern environmental toxicology.* 1988. v. 15: 159-180.
- Cothern, CR. (1989). Some scientific judgments in the assessment of the risk of environmental contaminants. *Toxicol Ind Health.* 5: 479-491.
- Cotruvo, JA. (1985). ORGANIC MICROPOLLUTANTS IN DRINKING WATER AN OVERVIEW. *International Symposium On Organic Micropollutants In Drinking Water And Health, Amsterdam, Netherlands, June.* 47: 7-26.

Environmental Hazard Literature Search Results

Off Topic

- Cottalasso, D; Bellocchio, A; Domenicotti, C; Dapino, D; Pronzato, MA; Nanni, G. (1998). 1,1,2,2-Tetrachloroethane-induced early decrease of dolichol levels in rat liver microsomes and Golgi apparatus. *Journal of toxicology and environmental health Part A*. 54: 133-144.
- Cotti, G; Maltoni, C; Lefemine, G. (1988). Long-term carcinogenicity bioassay on vinylidene chloride administered by inhalation to Sprague-Dawley rats. New results. *Ann N Y Acad Sci*. 534: 160-168.
- Couffin, N; Cabassud, C; Lahoussine-Turcaud, V. (1998). A new process to remove halogenated VOCs for drinking water production: vacuum membrane distillation. *Desalination*. 117: 233-245.
- Coulibaly, L; Labib, ME; Hazen, R. (2001). Comparative study between CalTOX and soil screening levels modeling approaches. *Soil & Sediment Contamination*. 10: 285-300.
- Coulibaly, L; Labib, ME; Hazen, R. (2004). A GIS-based multimedia watershed model: development and application. *Chemosphere*. 55: 1067-1080.
- Courbet, C; Riviere, A; Jeannotat, S; Rinaldi, S; Hunkeler, D; Bendjoudi, H; de Marsily, G. (2011). Complementing approaches to demonstrate chlorinated solvent biodegradation in a complex pollution plume: Mass balance, PCR and compound-specific stable isotope analysis. *J Contam Hydrol*. 126: 315-329.
- Cover, CC; Johnson, PD; Selmin, O; Runyan, RB. (1998). EFFECTS OF TRICHLOROETHYLENE ON GENE EXPRESSION DURING CARDIAC DEVELOPMENT AU - COLLIER JM. *Annual Meeting Of The Professional Research Scientists On Experimental Biology*. 12.
- Cowan, RM; Alagappan, G; Ellis, TG; Higgins, MJ; Uberoi, V. (1997). ACTIVATED SLUDGE AND OTHER AEROBIC SUSPENDED CULTURE PROCESSES. *Water Environ Res*. 69: 462-487.
- Cox, CD; Woo, HJ; Robinson, KG. (1998). Cometabolic biodegradation of trichloroethylene (TCE) in the gas phase. *Water Science and Technology*. 37: 97-104.
- Cox, E; Edwards, E; Hare, P. (1995). INTRINSIC DECHLORINATION OF TRICHLOROETHENE TO ETHENE IN A BEDROCK AQUIFER AU - MAJOR D. Hinchee, R E, J T Wilson And D C Downey. 3: 1-57477.
- Cox, E; Edwards, E; Lehmicke, L; Major, D. (1995). INTRINSIC BIODEGRADATION OF TRICHLOROETHENE AND TRICHLOROETHANE IN A SEQUENTIAL ANAEROBIC-AEROBIC AQUIFER. Hinchee, R E, J T Wilson And D C Downey. 3: 1-57477.
- Cox, HHJ; Deshusses, MA. (1998). BIOLOGICAL WASTE AIR TREATMENT IN BIOTRICKLING FILTERS. *Curr Opin Biotechnol*. 9: 256-262.
- Cox, SF; McKinley, JD; Ferguson, AS; O'Sullivan, G; Kalin, RM. (2013). Degradation of carbon disulphide (CS₂) in soils and groundwater from a CS₂-contaminated site. *Environ Earth Sci*. 68: 1935-1944.
- Coyle, CG; Parkin, GF; Gibson, DT. (1993). Aerobic, phenol-induced TCE degradation in completely mixed, continuous-culture reactors. *Biodegradation*. 4: 59-69.
- Coyle, GT; Coyle, JA. (1988). MODULAR PACKED TOWER AERATORS A UTILITY'S RESPONSE TO A REGIONAL GROUNDWATER PROBLEM. *Annual Conference And Exposition Of The American Water Works Association On The Wonderful World Of Water, Orlando, Florida, Usa, June*. 80: 92.
- Coyle, GT; Suffet, IH; Scholze, R. (1989). IMMISCIBLE COSOLVENTS AND SOLVENTING-OUT SOLUBILITY AND PARTITIONING AFFECTS ON RELATIVELY INSOLUBLE HAZARDOUS ORGANIC COMPOUNDS. *198th Acs*. 198: 23.
- Coyne, LB; Warren, JS; Cerbus, CS. (1987). An evaluation of a new desorption technique for air sampling sorbent tubes. *Am Ind Hyg Assoc J*. 48: 668-670.
- Crawford, NC; Ulmer, CS. (1994). HYDROGEOLOGIC INVESTIGATIONS OF CONTAMINANT MOVEMENT IN KARST AQUIFERS IN THE VICINITY OF A TRAIN DERAILMENT NEAR LEWISBURG TENNESSEE. *Environ Geol*. 23: 41-52.
- Crawford, RL. (1991). Bioremediation of groundwater pollution. *Curr Opin Biotechnol*. 2: 436-439.
- CreangĂf, Ă; DascĂfju, DL; Ruginosu, E; BorĂy, I; Ilie, DE; Cean, A. (2013). Demographic Study on the Total Sura de StepĂf Breed Population in Romania. *Cercetari agronomice in Moldova*. 46: 85-97.
- Crebelli, R; Andreoli, C; Carere, A; Conti, L; Crochi, B; Cotta-Ramusino, M; Benigni, R. (1995). Toxicology of halogenated aliphatic hydrocarbons: Structural and molecular determinants for the disturbance of chromosome segregation and the induction of lipid peroxidation. *Chemico Biological Interactions*. 98: 113-129.
- Crebelli, R; Carere, A. (1987). CHEMICAL AND PHYSICAL AGENTS ASSAYED IN TESTS FOR MITOTIC INTERGENIC AND INTRAGENIC RECOMBINATION IN ASPERGILLUS-NIDULANS DIPLOID STRAINS. *Mutagenesis*. 2: 469-476.
- Crebelli, R; Carere, A; Leopardi, P; Conti, L; Fassio, F; Raiteri, F; Barone, D; Ciliutti, P; Cinelli, S; Vericat, JA. (1999). Evaluation of 10 aliphatic halogenated hydrocarbons in the mouse bone marrow micronucleus test. *Mutagenesis*. 14: 207-215.
- Crebelli, R; Conti, G; Conti, L; Carere, A. (1985). Mutagenicity of trichloroethylene, trichloroethanol and chloral hydrate in *Aspergillus nidulans*. *Mutat Res*. 155: 105-111.
- Cretnik, S; Thoreson, KA; Bernstein, A; Ebert, K; Buchner, D; Laskov, C; Haderlein, S; Shouakar-Stash, O; Kliegman, S; McNeill, K; Elsner, M. (2013). Reductive Dechlorination of TCE by Chemical Model Systems in Comparison to Dehalogenating Bacteria: Insights from Dual Element Isotope Analysis (¹³C/ ¹²C, ³⁷Cl/ ³⁵Cl). *Environmental Science & Technology*. 47: 6855.
- Cretnik, S; Thoreson, KA; Bernstein, A; Ebert, K; Buchner, D; Laskov, C; Haderlein, S; Shouakar-Stash, O; Kliegman, S; McNeill, K; Elsner, M. (2013). Reductive Dechlorination of TCE by Chemical Model Systems in Comparison to Dehalogenating Bacteria: Insights from Dual Element Isotope Analysis (C-13/C-12, Cl-37/Cl-35). *Environmental Science & Technology*. 47: 6855-6863.
- Criddle, CS; McCarty, PL. (1991). Electrolytic model system for reductive dehalogenation in aqueous environments. *Environ Sci Technol*. 25: 973-978.
- Crimi, M; Quickel, M; Ko, S. (2009). Enhanced permanganate in situ chemical oxidation through MnO(2) particle stabilization: Evaluation in 1-D transport systems. *J Contam Hydrol*. 105: 69-79.

Environmental Hazard Literature Search Results

Off Topic

- Crimi, M; Quickel, M; Ko, S. (2009). Enhanced permanganate in situ chemical oxidation through MnO₂, particle stabilization: Evaluation in 1-D transport systems. *J Contam Hydrol.* 105: 69-79.
- Crimi, ML; Siegrist, RL. (2004). Association of cadmium with MnO(2) particles generated during permanganate oxidation. *Water Res.* 38: 887-894.
- Crimi, ML; Siegrist, RL. (2004). Impact of reaction conditions on MnO(2) genesis during permanganate oxidation. *Journal of Environmental Engineering-Asce.* 130: 562-572.
- Crimi, ML; Siegrist, RL. (2005). Factors affecting effectiveness and efficiency of DNAPL destruction using potassium permanganate and catalyzed hydrogen peroxide. *Journal of Environmental Engineering-Asce.* 131: 1724-1732.
- Crimi, ML; Taylor, J. (2007). Experimental evaluation of catalyzed hydrogen peroxide and sodium persulfate for destruction of BTEX contaminants. *Soil & Sediment Contamination.* 16: 29-45.
- Crist, HL; Mitchell, WJ. (1986). FIELD AUDIT RESULTS WITH ORGANIC GAS STANDARDS ON VOLATILE ORGANIC AMBIENT AIR SAMPLERS EQUIPPED WITH TENAX GC. *Environ Sci Technol.* 20: 1260-1262.
- Crittenden, JC; Berrigan, JK; Hand, DW. (1986). DESIGN OF RAPID SMALL-SCALE ADSORPTION TESTS FOR A CONSTANT DIFFUSIVITY. *J Water Pollut Control Fed.* 58: 312-319.
- Crittenden, JC; Cortright, RD; Rick, B; Tang, SR; Perram, D. (1988). USING GAC TO REMOVE VOCs FROM AIR STRIPPER OFF-GAS. *Am Water Works Assoc J.* 80: 73-84.
- Crittenden, JC; Hand, DW; Arora, H; Lykins, BWJR. (1987). DESIGN CONSIDERATIONS FOR GAC TREATMENT OF ORGANIC CHEMICALS. *Am Water Works Assoc J.* 79: 74-82.
- Crittenden, JC; Liu, J; Hand, DW; Perram, DL. (1997). Photocatalytic oxidation of chlorinated hydrocarbons in water. *Water Res.* 31: 429-438.
- Crittenden, JC; Luft, P; Hand, DW. (1985). PREDICTION OF MULTICOMPONENT ADSORPTION EQUILIBRIA IN BACKGROUND MIXTURES OF UNKNOWN COMPOSITION. *Water Res.* 19: 1537-1548.
- Crittenden, JC; Luft, P; Hand, DW; Oravitz, JL; Loper, SW; Arl, M. (1985). PREDICTION OF MULTICOMPONENT ADSORPTION EQUILIBRIA USING IDEAL ABSORBED SOLUTION THEORY. *Environ Sci Technol.* 19: 1037-1043.
- Crittenden, JC; Sanongraj, S; Bulloch, JL; Hand, DW; Rogers, TN; Speth, TF; Ulmer, M. (1999). Correlation of aqueous-phase adsorption isotherms. *Environmental Science & Technology.* 33: 2926-2933.
- Crittenden, JC; Suri, RPS; Perram, DL; Hand, DW. (1997). Decontamination of water using adsorption and photocatalysis. *Water Res.* 31: 411-418.
- Crivello, P; Zito, L; Sizzano, F; Zino, E; Maiers, M; Mulder, A; Toffalori, C; Naldini, L; Ciceri, F; Vago, L; Fleischhauer, K. (2015). The Impact of Amino Acid Variability on Alloreactivity Defines a Functional Distance Predictive of Permissive HLA-DPB1 Mismatches in Hematopoietic Stem Cell Transplantation. *Biol Blood Marrow Transplant.* 21: 233-241.
- Crock, CA. (2016). Polymer nanocomposite membranes with hierarchically structured catalysts for high throughput dehalogenation. PhD Thesis, Michigan State University.
- Crock, CA; Tarabara, VV. (2016). Pd and Pd-Au nanocatalysts supported on exfoliated graphite for high throughput dehalogenation by nanocomposite membranes. *Environmental Science-Nano.* 3: 453-461.
- Crockett, AB. (1997). Water and wastewater quality monitoring, McMurdo Station, Antarctica. *Environ Monit Assess.* 47: 39-57.
- Crofton, KM; Lassiter, TL; Rebert, CS. (1994). Solvent-induced ototoxicity in rats: an atypical selective mid-frequency hearing deficit. *Hear Res.* 80: 25-30.
- Crofton, KM; Zhao, X. (1993). Mid-frequency hearing loss in rats following inhalation exposure to trichloroethylene: evidence from reflex modification audiometry. *Neurotoxicol Teratol.* 15: 413-423.
- Crofton, KM; Zhao, X. (1997). The ototoxicity of trichloroethylene: Extrapolation and relevance of high-concentration, short-duration animal exposure data. *Fundam Appl Toxicol.* 38: 101-106.
- Cronin, MTD. (1996). Quantitative structure-activity relationship (QSAR) analysis of the acute sublethal neurotoxicity of solvents. *Toxicol In Vitro.* 10: 103-110.
- Crucs, S; Chatterjee, S; Gavis, ER. (2000). Overlapping but distinct RNA elements control repression and activation of nanos translation. *Mol Cell.* 5: 457-467.
- Cruz, SL; D'Áz-de-Mera, Y; Aranda, A; Bravo, I; RodrÍguez, D. (2008). Atmospheric chemistry of HFE-7000 (CF₃CF₂CF₂OCH₃) and 2,2,3,3,4,4,4-heptafluoro-1-butanol (CF₃CF₂CF₂CH₂OH): kinetic rate coefficients and temperature dependence of reactions with chlorine atoms. *Ann N Y Acad Sci.*
- Cruz, SL; Gauthereau, MY; Camacho-Munoz, C; Lopez-Rubalcava, C; Balster, RL. (2003). Effects of inhaled toluene and 1,1,1-trichloroethane on seizures and death produced by N-methyl-D-aspartic acid in mice. *Behav Brain Res.* 140: 195-202.
- Csanady, G. (1990). PREDICTION OF METABOLIC TRANSFORMATION RATES OF SUBSTITUTED ALKENES. 31st Spring Meeting Of The Deutsche Gesellschaft Fuer Pharmakologie Und Toxikologie. 341.
- Csanady, GA; Laib, RJ; Filser, JG. (1995). Metabolic transformation of halogenated and other alkenes "a theoretical approach. Estimation of metabolic reactivities for in vivo conditions. *Toxicol Lett.* 75: 217-223.
- Cudahy, JJ. (1998). Low waste feed concentrations and destruction removal efficiency. *Waste Manag.* 18: 453-459.
- Cui, J; Zhang, L; Xi, B; Zhang, J; Mao, X. Chemical Oxidation of Benzene and Trichloroethylene by a Combination of Peroxymonosulfate and Permanganate Linked by in-situ Generated Colloidal/Amorphous MnO₂. *Chem Eng J.*
- Cui, Y; Choudhury, SR; Irudayaraj, J. (2016). Epigenetic toxicity of trichloroethylene: a single-molecule perspective. *Toxicology Research.* 5: 641-650.

Environmental Hazard Literature Search Results

Off Topic

- Culver, TB; Brown, RA; Smith, JA. (2000). Rate-limited sorption and desorption of 1,2-dichlorobenzene to a natural sand soil column. *Environmental Science & Technology*. 34: 2446-2452.
- Culver, TB; Hallisey, SP; Sahoo, D; Deitsch, JJ; Smith, JA. (1997). Modeling the desorption of organic contaminants from long-term contaminated soil using distributed mass transfer rates. *Environmental Science & Technology*. 31: 1581-1588.
- Cummings, AM; Metcalf, JL. (1995). Methoxychlor regulates rat uterine estrogen-induced protein. *Toxicol Appl Pharmacol*. 130: 154-160.
- Cummings, BS; Parker, JC; Lash, LH. (2000). Role of cytochrome P450 and glutathione S-transferase alpha in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol*. 59: 531-543.
- Cummings, BS; Parker, JC; Lash, LH. (2000). Role of cytochrome P450 and glutathione S-transferase β in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol*. 59: 531-543.
- Cummings, BS; Parker, JC; Lash, LH. (2001). Cytochrome P450-dependent metabolism of trichloroethylene in rat kidney. *Toxicol Sci*. 60: 11-19.
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos*. 27: 542-548.
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (2000). Cytotoxicity of trichloroethylene and S-(1,2-dichlorovinyl)-L-cysteine in primary cultures of rat renal proximal tubular and distal tubular cells. *Toxicology*. 150: 83-98.
- Cunningham, AJ; Barry, P. (1986). Intraocular pressure--physiology and implications for anaesthetic management. *Canadian Anaesthetists' Society journal*. 33: 195-208.
- Cunningham, JA; Hoelen, TP; Hopkins, GD; Lebron, CA; Reinhard, M. (2004). Hydraulics of recirculating well pairs for ground water remediation. *Ground Water*. 42: 880-889.
- Cunningham, JJ; Kinner, NE; Lewis, M. (2009). Protistan Predation Affects Trichloroethene Biodegradation in a Bedrock Aquifer. *Appl Environ Microbiol*. 75: 7588-7593.
- Cunningham, ML; Jay Gandolfi, A; Brendel, K; Glenn Sipes, I. (1981). Covalent binding of halogenated volatile solvents to subcellular macromolecules in hepatocytes. *Life Sci*. 29: 1207-1212.
- Cupp, AS; Skinner, MK. (2001). Actions of the endocrine disruptor methoxychlor and its estrogenic metabolite on in vitro embryonic rat seminiferous cord formation and perinatal testis growth. *Reproductive toxicology (Elmsford, NY)*. 15: 317-326.
- Cupples, AM. (2008). Real-time PCR quantification of Dehalococcoides populations: methods and applications. *J Microbiol Methods*. 72: 1-11.
- Cupples, AM; Spormann, AM; McCarty, PL. (2004). Comparative evaluation of chloroethene dechlorination to ethene by Dehalococcoides-like microorganisms. *Environmental Science & Technology*. 38: 4768-4774.
- Cupples, AM; Spormann, AM; McCarty, PL. (2004). Vinyl chloride and cis-dichloroethene dechlorination kinetics and microorganism growth under substrate limiting conditions. *Environmental Science & Technology*. 38: 1102-1107.
- Curcio, MS; Oliveira, MP; Waldman, WR; Sanchez, B; Canela, MC. (2015). TiO₂ sol-gel for formaldehyde photodegradation using polymeric support: photocatalysis efficiency versus material stability. *Environ Sci Pollut Res Int*. 22: 800-809.
- Curtis, GP; Reinhard, M. (1989). REDUCTIVE DEHALOGENATION OF HEXACHLOROETHANE BY AQUIFER MATERIALS. 197th American Chemical Society National Meeting, Dallas, Texas, Usa, April. 197: 45.
- Cushey, MA; Rubin, Y. (1997). Field-scale transport of nonpolar organic solutes in 3-D heterogeneous aquifers. *Environmental Science & Technology*. 31: 1259-1268.
- Cutright, TJ; Meza, L. (2007). Evaluation of the aerobic biodegradation of trichloroethylene via response surface methodology. *Environ Int*. 33: 338-345.
- Cwiertny, DM; Bransfield, SJ; Livi, KJT; Fairbrother, DH; Roberts, AL. (2006). Exploring the influence of granular iron additives on 1,1,1-trichloroethane reduction. *Environmental Science & Technology*. 40: 6837-6843.
- Cwiertny, DM; Bransfield, SJ; Roberts, AL. (2007). Influence of the oxidizing species on the reactivity of iron-based bimetallic reductants. *Environmental Science & Technology*. 41: 3734-3740.
- Cyr, PJ; Paraskewich, MR; Suri, RPS. (1999). Sonochemical destruction of trichloroethylene in water. *Water Science and Technology*. 40: 131-136.
- Czuczwa, J; Leuenberger, C; Giger, W. (1988). SEASONAL AND TEMPORAL CHANGES OF ORGANIC COMPOUNDS IN RAIN AND SNOW. *Atmos Environ*. 22: 907-916.
- Da Broi, U; Colatutto, A; Sala, P; Desinan, L. (2015). Medico legal investigations into sudden sniffing deaths linked with trichloroethylene. *Journal of forensic and legal medicine*. 34: 81-87.
- da Silva, CKO; Vianna, M; Foletto, EL; Chiavone, O; do Nascimento, CAO. (2015). Optimizing Phenanthrene and Anthracene Oxidation by Sodium Persulfate and Fe-Modified Diatomite Using the Response Surface Method. *Water Air and Soil Pollution*. 226: 88-88.
- Da Silva, MLB; Alvarez, PJJ. (2008). Exploring the Correlation between Halorespirer Biomarker Concentrations and TCE Dechlorination Rates. *J Environ Eng*. 134: 895-901.
- Da Silva, MLB; Daprato, RC; Gomez, DE; Hughes, JB; Ward, CH; Alvarez, PJJ. (2006). Comparison of bioaugmentation and biostimulation for the enhancement of dense nonaqueous phase liquid source zone bioremediation. *Water Environ Res*. 78: 2456-2465.
- Dahan, FJ. (2002). Modeling of the surfactant adsorption to the water-oil interfaces. PhD Thesis, Purdue University.
- Dahlström-King, L; Couture, J; Lamoureux, C; Vaillancourt, Trs; Plaa, GL. (1990). Dose-dependent cytotoxicity of chlorinated hydrocarbons in isolated rat hepatocytes. *Fundam Appl Toxicol*. 14: 833-841.
- Dahmani, MA; Huang, K; Hoag, GE. (2006). Sodium Persulfate Oxidation for the Remediation of Chlorinated Solvents (USEPA Superfund Innovative Technology Evaluation Program). *Water, air & soil pollution*. 6: 127-141.
- Dahmke, A; Chang, JH; Cheng, SF. (2006). The remediation performance of a specific electrokinetics integrated with zero-valent metals for perchloroethylene contaminated soils. *Environmental science & technology*. 40: 2004-2010.

Environmental Hazard Literature Search Results

Off Topic

- Dahmke, A; Cohn, BA; Cirillo, PM; Wolff, MS; Schwingl, PJ; Cohen, RD; Sholtz, RI; Ferrara, A; Christianson, RE; van, dBBJ; Siiteri, PK. (2003). DDT and DDE exposure in mothers and time to pregnancy in daughters. *J Contam Hydrol.* 65: 3-4.
- Dai, LL; Sharma, R; Wu, CY. (2005). Self-assembled structure of nanoparticles at a liquid-liquid interface. *Langmuir : the ACS journal of surfaces and colloids.* 21: 2641-2643.
- Dai, Q; Bai, S; Wang, J; Li, M; Wang, X; Lu, G. (2013). The effect of TiO₂ doping on catalytic performances of Ru/CeO₂ catalysts during catalytic combustion of chlorobenzene. *Appl Catal B-Environ.* 142-143: 222-233.
- Dalbey, W; Bingham, E. (1978). Metabolism of trichloroethylene by the isolated perfused lung. *Toxicol Appl Pharmacol.* 43: 267-277.
- Dalla Vecchia, E; Luna, M; Sethi, R. (2009). Transport in Porous Media of Highly Concentrated Iron Micro- and Nanoparticles in the Presence of Xanthan Gum. *Environmental Science & Technology.* 43: 8942-8947.
- Dalla Villa, R; Nogueira, RFP. (2006). Oxidation of p,p'-DDT and p,p'-DDE in highly and long-term contaminated soil using Fenton reaction in a slurry system. *Sci Total Environ.* 371: 11-18.
- Dallas, CE; Ramanathan, R; Muralidhara, S; Gallo, JM; Bruckner, JV. (1989). THE UPTAKE AND ELIMINATION OF 1,1,1-TRICHLOROETHANE DURING AND FOLLOWING INHALATION EXPOSURES IN RATS. *Toxicol Appl Pharmacol.* 98: 385-397.
- Damborsky, J. (1999). Tetrachloroethene-dehalogenating bacteria. *Folia Microbiologica.* 44: 247-262.
- Damgaard, I; Bjerg, PL; Baelum, J; Scheutz, C; Hunkeler, D; Jacobsen, CS; Tuxen, N; Broholm, MM. (2013). Identification of chlorinated solvents degradation zones in clay till by high resolution chemical, microbial and compound specific isotope analysis. *J Contam Hydrol.* 146: 37-50.
- Damgaard, I; Bjerg, PL; Jacobsen, CS; Tsitonaki, A; Kernn Jespersen, H; Broholm, MM. (2013). Performance of Full-Scale Enhanced Reductive Dechlorination in Clay Till. *Ground water monitoring & remediation.* 33: 48-61.
- Damgaard, I; Bjerg, PL; Jacobsen, CS; Tsitonaki, A; Kernn-Jespersen, H; Broholm, MM. (2013). Performance of Full-Scale Enhanced Reductive Dechlorination in Clay Till. *Ground Water Monitoring and Remediation.* 33: 48-61.
- Damm, JH; Hardacre, C; Kalin, RM; Walsh, KP. (2002). Kinetics of the oxidation of methyl tert-butyl ether (MTBE) by potassium permanganate. *Water Res.* 36: 3638-3646.
- Damrongsiri, S; Tongcumpou, C; Sabatini, DA. (2013). Partition behavior of surfactants, butanol, and salt during application of density-modified displacement of dense non-aqueous phase liquids. *J Hazard Mater.* 248-249: 261-267.
- D'Andrea, P; Lai, KCK; Kjeldsen, P; Lo, IMC. (2005). Effect of groundwater inorganics on the reductive dechlorination of TCE by zero-valent iron. *Water Air and Soil Pollution.* 162: 401-420.
- Dane, JH; Oostrom, M; Missildine, BC. (1992). An improved method for the determination of capillary pressure-saturation curves involving TCE, water and air. *J Contam Hydrol.* 11: 69-81.
- Danesi, R; del, TM; Bernardini, C; Penco, S. (1987). Exogenous doxorubicin induces cardiotoxic effects in rats. *European journal of cancer & clinical oncology.* 23: 907-913.
- Danesi, R; Del, TM; Soldani, G. (1986). Measurement of the S alpha T segment as the most reliable electrocardiogram parameter for the assessment of adriamycin-induced cardiotoxicity in the rat. *Journal of pharmacological methods.* 16: 251-259.
- Daniel, JW. (1963). The metabolism of 36Cl-labelled trichloroethylene and tetrachloroethylene in the rat. *Biochem Pharmacol.* 12: 795-802.
- Danielsson, BR; Ghantous, H; Dencker, L. (1986). Distribution of chloroform and methyl chloroform and their metabolites in pregnant mice. *Biol Res Pregnancy Perinatol.* 7: 77-83.
- Danish, M; Gu, X; Lu, S; Ahmad, A; Naqvi, M; Farooq, U; Zhang, X; Fu, X; Miao, Z; Xue, Y. (2017). Efficient transformation of trichloroethylene activated through sodium percarbonate using heterogeneous zeolite supported nano zero valent iron-copper bimetallic composite. *Chem Eng J.* 308: 396-407.
- Danish, M; Gu, X; Lu, S; Zhang, X; Fu, X; Xue, Y; Miao, Z; Ahmad, A; Naqvi, M; Qureshi, AS. (2016). The Effect of Chelating Agents on Enhancement of 1,1,1-Trichloroethane and Trichloroethylene Degradation by Z-nZVI-Catalyzed Percarbonate Process. *Water Air Soil Pollut.* 227: 301.
- Danish, M; Gu, XG; Lu, SG; Zhang, X; Fu, XR; Xue, YF; Miao, ZW; Ahmad, A; Naqvi, M; Qureshi, AS. (2016). The Effect of Chelating Agents on Enhancement of 1,1,1-Trichloroethane and Trichloroethylene Degradation by Z-nZVI-Catalyzed Percarbonate Process. *Water Air and Soil Pollution.* 227: 301-301.
- Danko, AS; Leitao, PO; Verce, MF; Freedman, DL. (2012). Efficacy of pentane, toluene, and benzene to support aerobic cometabolism of ethylene dibromide. *N Biotechnol.* 30: 39-43.
- Danko, AS; Luo, MZ; Bagwell, CE; Brigmon, RL; Freedman, DL. (2004). Involvement of linear plasmids in aerobic biodegradation of vinyl chloride. *Appl Environ Microbiol.* 70: 6092-6097.
- Darko-Kagya, K; Khodadoust, AP; Reddy, KR. (2010). Reactivity of Aluminum Lactate-Modified Nanoscale Iron Particles with Pentachlorophenol in Soils. *Environ Eng Sci.* 27: 861-869.
- Darlington, A; Dixon, MA; Pilger, C. (1998). The use of biofilters to improve indoor air quality: the removal of toluene, TCE, and formaldehyde. *Life support & biosphere science : international journal of earth space.* 5: 63-69.
- Darlington, AB; Dixon, MA. (1997). THE USE OF A COMPLEX ECOSYSTEM AS A BIOFILTER TO REMOVE INDOOR AIR CONTAMINANTS. Meeting Of The Botanical Society Of America And The Canadian Botanical Association Botanique Du Canada, Montreal, Quebec, Canada, August. 84: 77.
- Darlington, R; Lehmicke, LG; Andrachek, RG; Freedman, DL. (2013). Anaerobic abiotic transformations of cis-1,2-dichloroethene in fractured sandstone. *Chemosphere.* 90: 2226-2232.

Environmental Hazard Literature Search Results

Off Topic

- Das, C; Chowdhury, R; Bhattacharya, P. (2011). Experiments and three phase modelling of a biofilter for the removal of toluene and trichloroethylene. *Bioprocess Biosyst Eng.* 34: 447-458.
- Das, RM; Scott, JE. (1994). Trichloroethylene-induced pneumotoxicity in fetal and neonatal mice. *Toxicol Lett.* 73: 227-239.
- Datskou, I; North, K. Risks due to groundwater contamination at a plutonium processing facility. *Water Air Soil Pollut.* July 1996. v. 90 (1/2): 133-131.
- David, MM; Cecillon, S; Warne, BM; Prestat, E; Jansson, JK; Vogel, TM. (2015). Microbial ecology of chlorinated solvent biodegradation. *Environ Microbiol.* 17: 4835-4850.
- David, O; Garnero, L. (2002). Time-coherent expansion of MEG/EEG cortical sources. *Neuroimage.* 17: 1277-1289.
- David, RJ; Han, SK. (2004). A systematic assessment of the empirical support for transaction cost economics. *Strategic Management Journal.* 25: 39-58.
- David, RM; Tyler, TR; Ouellette, R; Faber, WD; Banton, MI; Garman, RH; Gill, MW; O'Donoghue, JL. (1998). Evaluation of subchronic neurotoxicity of n-butyl acetate vapor. *Neurotoxicology.* 19: 809-822.
- Davie, MG; Cheng, HF; Hopkins, GD; Lebron, CA; Reinhard, M. (2008). Implementing Heterogeneous Catalytic Dechlorination Technology for Remediating TCE-Contaminated Groundwater. *Environmental Science & Technology.* 42: 8908-8915.
- Davie, MG; Shih, K; Pacheco, FA; Leckie, JO; Reinhard, M. (2008). Palladium-indium catalyzed reduction of N-nitrosodimethylamine: Indium as a promoter metal. *Environmental Science & Technology.* 42: 3040-3046.
- Davies, JKW. (1989). The application of box models in the analysis of toxic hazards by using the probit dose-response relationship. *J Hazard Mater.* 22: 319-330.
- Davis, BM; Istok, JD; Semprini, L. (2002). Push-pull partitioning tracer tests using radon-222 to quantify non-aqueous phase liquid contamination. *J Contam Hydrol.* 58: 129-146.
- Davis, BM; Istok, JD; Semprini, L. (2003). Static and push-pull methods using radon-222 to characterize dense nonaqueous phase liquid saturations. *Ground Water.* 41: 470-481.
- Davis, BM; Istok, JD; Semprini, L. (2005). Numerical simulations of radon as an in situ partitioning tracer for quantifying NAPL contamination using push-pull tests. *J Contam Hydrol.* 78: 87-103.
- Davis, GB; Barry, DA. (1997). Factors controlling the distribution and transport of trichloroethene in a sand aquifer: Hydrogeology and results of an in situ transport experiment. *AU - BENKER E. J Hydrol.* 202: 315-340.
- Davis, LK; Visitacion, N; Riley, LG; Hiramatsu, N; Sullivan, CV; Hirano, T; Grau, EG. (2009). Effects of o,p'-DDE, heptachlor, and 17beta-estradiol on vitellogenin gene expression and the growth hormone/insulin-like growth factor-I axis in the tilapia, *Oreochromis mossambicus*. *Environmental pollution (Barking, Essex : 1987).* 149: 507-514.
- Davis, ME; Berndt, WO. (1989). MONOCHLOROACETATE MCA DOES NOT ENHANCE VINYLIDENE CHLORIDE VDC TOXICITY IN FEMALE RATS. 73rd Annual Meeting Of The Federation Of American Societies For Experimental Biology, New Orleans, Louisiana, Usa, March. 3.
- Davis, WS; Denbow, TJ. (1988). AQUATIC SEDIMENTS. *J Water Pollut Control Fed.* 60: 1077-1088.
- Davydov, L; Pratsinis, SE; Smirniotis, PG. (2000). The intrinsic catalytic activity in photoreactors. *Environmental Science & Technology.* 34: 3435-3442.
- Dawes, VJ; Waldock, MJ. (1994). Measurement of Volatile Organic Compounds at UK National Monitoring Plan Stations. *Mar Pollut Bull.* 28: 291-298.
- Dawood, IK; Dazo, BC. (1966). Field tests on two new molluscicides (Molucid and WL 8008) in the Egypt-49 project area. *Bull World Health Organ.* 35: 913-920.
- Dawsey, WJ; Minsker, BS; VanBlaricum, VL. (2006). Bayesian belief networks to integrate monitoring evidence of water distribution system contamination. *Journal of Water Resources Planning and Management-Asce.* 132: 234-241.
- Dawson, DS; Beyerlein, WL. (1997). GASEOUS EMISSIONS FROM WASTEWATER FACILITIES. *Water Environ Res.* 69: 550-554.
- Dawson, DS; Gokare, MA. (1994). TREATMENT SYSTEMS GASEOUS EMISSIONS FROM WASTEWATER FACILITIES. *Water Environ Res.* 66: 375-378.
- Dawson, HE; McAlary, T. (2009). A Compilation of Statistics for VOCs from Post-1990 Indoor Air Concentration Studies in North American Residences Unaffected by Subsurface Vapor Intrusion. *Ground Water Monitoring and Remediation.* 29: 60-69.
- Dawson, HE; Roberts, PV. (1997). Influence of viscous, gravitational, and capillary forces on DNAPL saturation. *Ground Water.* 35: 261-269.
- Day, M; Magnan, GM; Moeller, MM. (2010). Evaluating the bases of supplier segmentation: A review and taxonomy. *Industrial Marketing Management.* 39: 625-639.
- Day, SR; O'Hannesin, SF; Marsden, L. (1999). Geotechnical techniques for the construction of reactive barriers. *J Hazard Mater.* 67: 285-297.
- Dayal, H; Gupta, S; Trieff, N; Maierson, D; Reich, D. (1995). Symptom clusters in a community with chronic exposure to chemicals in two superfund sites. *Arch Environ Health.* 50: 108-111.
- De, AK; Chaudhuri, B; Bhattacharjee, S. (1999). A kinetic study of the oxidation of phenol, o-chlorophenol and catechol by hydrogen peroxide between 298 K and 333 K: the effect of pH, temperature and ratio of oxidant to substrate. *J Chem Tech Biotechnol.* 74: 162-168.
- De, BESTJH; Hage, A; Doddema, HJ; Janssen, DB; Harder, W. (1999). Complete transformation of 1,1,1-trichloroethane to chloroethane by a methanogenic mixed population. *Appl Microbiol Biotechnol.* 51: 277-283.
- De, BESTJH; Jongema, H; Weijling, A; Doddema, HJ; Janssen, DB; Harder, W. (1997). Transformation of 1,1,1-trichloroethane in an anaerobic packed-bed reactor at various concentrations of 1,1,1-trichloroethane, acetate and sulfate. *Appl Microbiol Biotechnol.* 48: 417-423.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ.* 426: 327-335.

Environmental Hazard Literature Search Results

Off Topic

- De, BORTOLIM; Molhave, L; Ullrich, D. (1986). EUROPEAN INTERLABORATORY COMPARISON OF PASSIVE SAMPLERS FOR ORGANIC VAPOR MONITORING IN INDOOR AIR. Berlin, A, R H Brown And K J Saunders. 0: 238-241.
- De Corte, S; Hennebel, T; Fitts, JP; Sabbe, T; Biznuk, V; Verschuere, S; van der Lelie, D; Verstraete, W; Boon, N. (2011). Biosupported Bimetallic Pd-Au Nanocatalysts for Dechlorination of Environmental Contaminants. *Environmental Science & Technology*. 45: 8506-8513.
- De Corte, S; Sabbe, T; Hennebel, T; Vanhaecke, L; De Gussemme, B; Verstraete, W; Boon, N. (2012). Doping of biogenic Pd catalysts with Au enables dechlorination of diclofenac at environmental conditions. *Water Res*. 46: 2718-2726.
- De Gussemme, B; Du Laing, G; Hennebel, T; Renard, P; Chidambaram, D; Fitts, JP; Bruneel, E; Van Driessche, I; Verbeken, K; Boon, N; Verstraete, W. (2010). Virus Removal by Biogenic Cerium. *Environmental Science & Technology*. 44: 6350-6356.
- De, J; Ramaiah, N; Mesquita, A; Verlekar, XN. (2003). Tolerance to various toxicants by marine bacteria highly resistant to mercury. *Marine biotechnology (New York, NY)*. 5: 185-193.
- de Jonge, H; de Jonge, LW; Mittelmeijer-Hazeleger, MC. (2000). The microporous structure of organic and mineral soil materials. *Soil Sci*. 165: 99-108.
- de la Fuente, J; Garcia-Garcia, JC; Blouin, EF; Kocan, KM. (2003). Characterization of the functional domain of major surface protein 1a involved in adhesion of the rickettsia *Anaplasma marginale* to host cells. *Vet Microbiol*. 91: 265-283.
- De La Rosa, V; Asfaha, J; Loguinov, A; Fasullo, M; Vulpe, C. (2015). Functional Genomics Approach in Yeast Identifies Mechanisms of Trichloroethylene Toxicity. 54rd Annual Meeting of the Society of Toxicology (SOT 2015).
- de Leer, EW; Lexmond, RJ; de Zeeuw, MA. (1989). "De novo" synthesis of chlorinated biphenyls, dibenzofurans and dibenzo-p-dioxins in the fly ash catalyzed reaction of toluene with hydrochloric acid. *Chemosphere*. 19: 1141-1152.
- De, LEEREWB; Lexmond, RJ; De, ZEEUWMA. (1989). "De novo" synthesis of chlorinated biphenyls, dibenzofurans and dibenzo-p-dioxins in the fly ash catalyzed reaction of toluene with hydrochloric acid. *Chemosphere*. 19: 1141-1152.
- de, NN. (1986). A fatal fire with "nonflammable" methyl chloroform. *Arch Environ Health*. 41: 279-281.
- De, PERCINPR. (1991). Demonstration of in situ steam and hot-air stripping technology. *J Air Waste Manage Assoc*. 41: 873-877.
- De, PERCINPR; Sawyer, S. (1991). Long-term monitoring of the HAZCON stabilization process at the Douglassville, Pennsylvania (USA) Superfund site. *J Air Waste Manage Assoc*. 41: 88-91.
- De, RC; Defourny, C; Thompson, RS; Garny, V; Lecloux, A; van, WD. (2004). 1,1,1-trichloroethane marine risk assessment with special reference to the OSPARCOM region: North Sea. *Environ Monit Assess*. 97: 39-56.
- de Rivas, B; Lopez-Fonseca, R; Gutierrez-Ortiz, MA; Gutierrez-Ortiz, JI. (2009). Role of water and other H-rich additives in the catalytic combustion of 1,2-dichloroethane and trichloroethylene. *Chemosphere*. 75: 1356-1362.
- De, ROOIJC; Boutonnet, JC; Defourny, C; Garny, V; Lecloux, A; Papp, R; Thompson, RS; Van, WIJKD. (1998). Euro chlor risk assessment for the marine environment osparcom region: North Sea - 1,1,2-trichloroethane. *Environ Monit Assess*. 53: 447-466.
- De, ROOIJC; Boutonnet, JC; Garny, V; Lecloux, A; Papp, R; Thompson, RS; Van, WIJKD. (1998). Euro chlor risk assessment for the marine environment osparcom region: North Sea - tetrachloroethylene. *Environ Monit Assess*. 53: 489-508.
- De Rosa, CT; Pohl, HR; Williams, M; Ademoyero, AA; Chou, C; Jones, DE. (1998). Public health implications of environmental exposures. *Environ Health Perspect*. 106: 369-378.
- de Seze, G; Valsaraj, KT; Reible, DD; Thibodeaux, LJ. (2000). Sediment-air equilibrium partitioning of semi-volatile hydrophobic organic compounds. Part 1. Method development and water vapor sorption isotherm. *Sci Total Environ*. 253: 15-26.
- De Vita, G; Tekaya, A. (2015). Hotel outsourcing under asset specificity: "The good, the bad and the ugly". *Tourism Management*. 47: 97-106.
- de Weert, JPA; Keijzer, TJS; van Gaans, PFM. (2014). Lowering temperature to increase chemical oxidation efficiency: The effect of temperature on permanganate oxidation rates of five types of well defined organic matter, two natural soils, and three pure phase products. *Chemosphere*. 117: 94-103.
- De Wildeman, S; Diekert, G; Van Langenhove, H; Verstraete, W. (2003). Stereoselective microbial dehalorespiration with vicinal dichlorinated alkanes. *Appl Environ Microbiol*. 69: 5643-5647.
- De Wildeman, S; Verstraete, W. (2003). The quest for microbial reductive dechlorination of C(2) to C(4) chloroalkanes is warranted. *Appl Microbiol Biotechnol*. 61: 94-102.
- De, ZWARTD; Kramer, KJM; Jenner, HA. (1995). Practical experiences with the biological early warning system "Mosselmonitor". *Environ Toxicol Water Qual*. 10: 237-247.
- Dean, SM. (1998). Effects of lake-groundwater interactions on the transport and bioremediation of chlorinated solvents discharging to the Great Lakes. PhD Thesis, University of Michigan.
- Dearden, RA; Noy, DJ; Lelliott, MR; Wilson, R; Wealthall, GP. (2013). Release of contaminants from a heterogeneously fractured low permeability unit underlying a DNAPL source zone. *J Contam Hydrol*. 153: 141-155.
- Dec, J; Bollag, JM. (1997). Determination of covalent and noncovalent binding interactions between xenobiotic chemicals and soil. *Soil Sci*. 162: 858-874.
- Deckard, LA; Willis, JC; Rivers, DB. (1993). ISOLATION AND CHARACTERIZATION OF AN ORGANISM CAPABLE OF AEROBIC TETRACHLOROETHYLENE DEGRADATION. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 379.
- Dees, C; Travis, C. (1993). The mitogenic potential of trichloroethylene in B6C3F1 mice. *Toxicol Lett*. 69: 129-137.
- Deflaun, MF; Condee, CW. (1997). Electrokinetic transport of bacteria. *J Hazard Mater*. 55: 263-277.
- Deflaun, MF; Ensley, BD. (1993). DEVELOPMENT OF ADHESION-DEFICIENT TRICHLOROETHYLENE TCE DEGRADING BACTERIA FOR IN-SITU APPLICATIONS. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 379.

Environmental Hazard Literature Search Results

Off Topic

- Degraffenreid, N; Shreve, GS. (1998). The effect of cadmium on the kinetics of trichloroethylene biodegradation by *Pseudomonas* (Burkholderia) picketti PK01 under denitrifying conditions. *Water Res.* 32: 3398-3402.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environmental Science And Pollution Research International.* 4: 209-216.
- Deitsch, JJ; Smith, JA. (1995). Effect of triton X-100 on the rate of trichloroethene desorption from soil to water. *Environmental Science & Technology.* 29: 1069-1080.
- Deitsch, JJ; Smith, JA. (1999). Sorption and desorption rate comparisons for 1,2-dichlorobenzene to a peat soil. *Environ Toxicol Chem.* 18: 1701-1709.
- Deitsch, JJ; Smith, JA; Culver, TB; Brown, RA; Riddle, SA. (2000). Distributed rate model analysis of 1,2-dichlorobenzene batch sorption and desorption rates for five natural sorbents. *Environmental Science & Technology.* 34: 1469-1476.
- DeJournett, TD. (2006). Removal of cis-1,2-dichloroethylene for groundwater using a restored wetland. PhD Thesis, University of Minnesota.
- DeJournett, TD; Fritsch, JM; McNeill, K; Arnold, WA. (2005). Preparation of (14)C(2)-cis-1,2-dichloroethylene from (14)C(2)-trichloroethylene using a cobalt porphyrin catalyst. *Journal of Labelled Compounds & Radiopharmaceuticals.* 48: 353-357.
- Dekant, W. (1987). ENZYMATIC TRANSFORMATION OF TETRACHLOROETHYLENE TO S-1 2 2 TRICHLOROVINYLGUTATHIONE TCVG. 71st Annual Meeting Of The Federation Of American Societies For Experimental Biology, Washington, DC, Usa, March. 46.
- Dekant, W. (1990). BIOACTIVATION OF HALOGENATED ALKENES BY GLUTATHIONE CONJUGATION A MECHANISTIC EXPLANATION FOR THEIR RENAL CARCINOGENICITY. 15th International Cancer Congress, Hamburg, Germany, August. 116.
- Dekant, W. (2003). Biosynthesis of toxic glutathione conjugates from halogenated alkenes. *Toxicol Lett.* 144: 49-54.
- Dekant, W; Haug, R; Henschler, D. (1985). ABSORPTION ELIMINATION AND METABOLISM OF TETRACHLOROETHYLENE. 26th Spring Meeting Of The Deutsche Pharmakologische Gesellschaft. 329.
- Dekant, W; Henschler, D. New pathways of trichloroethylene metabolism. *Toxicol Lett.* 18, Supplement 1: 121.
- Dekant, W; Henschler, D. (1986). METABOLIC CONVERSION OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE FORMATION AND DEACTIVATION OF GENOTOXIC INTERMEDIATES. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 17.
- Dekant, W; Metzler, M; Henschler, D. (1986). IDENTIFICATION OF S-1 2 2 TRICHLOROVINYL-N-ACETYLCYSTEINE AS A URINARY METABOLITE OF TETRACHLOROETHYLENE BIOACTIVATION THROUGH GLUTATHIONE CONJUGATION AS A POSSIBLE EXPLANATION OF ITS NEPHROCARCINOGENICITY. *J Biochem Toxicol.* 1: 57-72.
- Dekant, W; Metzler, M; Henschler, D. (1986). IDENTIFICATION OF S-1 2 2 DICHLOROVINYL-N-ACETYLCYSTEINE AS A URINARY METABOLITE OF TRICHLOROETHYLENE A POSSIBLE EXPLANATION FOR ITS NEPHROCARCINOGENICITY IN MALE RATS. *Biochem Pharmacol.* 35: 2455-2458.
- Dekant, W; Schulz, A; Metzler, M; Henschler, D. (1986). Absorption, elimination and metabolism of trichloroethylene: a quantitative comparison between rats and mice. *Xenobiotica; the fate of foreign compounds in biological systems.* 16: 143-152.
- Dekant, W; Vamvakas, S. (1996). BIOTRANSFORMATION AND MEMBRANE TRANSPORT IN NEPHROTOXICITY. *Crit Rev Toxicol.* 26: 309-334.
- Dekant, W; Vamvakas, S; Anders, MW. (1989). BIOACTIVATION OF NEPHROTOXIC HALOALKENES BY GLUTATHIONE CONJUGATION FORMATION OF TOXIC AND MUTAGENIC INTERMEDIATES BY CYSTEINE CONJUGATE BETA LYASE. *Drug Metab Rev.* 20: 43-84.
- Dekant, W; Vamvakas, S; Berthold, K; Henschler, D. (1986). CONJUGATION OF TETRACHLOROETHYLENE WITH GLUTATHIONE AND ITS POSSIBLE RELEVANCE FOR NEPHROCARCINOGENICITY. 27th Spring Meeting Of The Deutsche Pharmakologische Gesellschaft. 332.
- Dekant, W; Vamvakas, S; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1986). Bacterial β -lyase mediated cleavage and mutagenicity of cysteine conjugates derived from the nephrocarcinogenic alkenes trichloroethylene, tetrachloroethylene and hexachlorobutadiene. *Chem Biol Interact.* 60: 31-45.
- Dekant, W; Vamvakas, S; Berthold, K; Schmitt, S; Henschler, D. (1986). CYSTEINE CONJUGATE BETA LYASE MEDIATED CLEAVAGE AND MUTAGENICITY OF THE TETRACHLOROETHYLENE METABOLITE S-1 1 2 TRICHLOROVINYLCYSTEINE. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 209.
- Dekant, W; Vamvakas, S; Koob, M; Koechling, A; Kanhai, W; Mueller, D; Henschler, D. (1989). A MECHANISM OF HALOALKENE-INDUCED RENAL CARCINOGENESIS. Symposium On Risk Factors And Mechanisms In Carcinogenesis, Wuerzburg, West Germany, June. 88: 107-110.
- Del, DELUMYEAR; McKay, T; Horowitz, J. (1997). Trends in air quality research in northeast Florida, 1945-1995 and comparison of air quality in Jacksonville, FL with nine other cities in the United States, 1972-1992. *Florida Scientist.* 60: 175-192.
- Dela Barre, BK; Harmon, TC; Chrysikopoulos, CV. (2002). Measuring and modeling the dissolution of nonideally shaped dense nonaqueous phase liquid pools in saturated porous media. *Water Resour Res.* 38: 1133-1133.
- Delfino, JJ; Clines, PV; Miles, CJ. (1989). LABORATORY MODELS FOR ASSESSING THE FATE OF GROUNDWATER CONTAMINANTS. *Fla Sci.* 52: 207-213.
- Delgado, AG; Fajardo-Williams, D; Popat, SC; Torres, CI; Krajmalnik-Brown, R. (2014). Successful operation of continuous reactors at short retention times results in high-density, fast-rate *Dehalococcoides* dechlorinating cultures. *Appl Microbiol Biotechnol.* 98: 2729-2737.
- Delgado, AG; Kang, D-W; Nelson, KG; Fajardo-Williams, D; Miceli, JF; Done, HY; Popat, SC; Krajmalnik-Brown, R. (2014). Selective enrichment yields robust ethene-producing dechlorinating cultures from microcosms stalled at cis-dichloroethene. *PLoS ONE.* 9: 1.
- Delgado, AG; Parameswaran, P; Fajardo-Williams, D; Halden, RU; Krajmalnik-Brown, R. (2012). Role of bicarbonate as a pH buffer and electron sink in microbial dechlorination of chloroethenes. *Microbial Cell Factories.* 11: 128.
- Dellinger, B; Taylor, PH; Lee, CC. (1993). Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking. *Air & Waste.* 43: 203-207.

Environmental Hazard Literature Search Results

Off Topic

- Delorey, DC; Cronn, DR; Farmer, JC. (1988). TROPOSPHERIC LATITUDINAL DISTRIBUTIONS OF DICHLORODIFLUOROMETHANE TRICHLOROFLUOROMETHANE NITROUS OXIDE 1 1 1 TRICHLOROETHANE AND CARBON TETRACHLORIDE OVER THE REMOTE PACIFIC OCEAN. *Atmos Environ.* 22: 1481-1494.
- Delroisse, JM; Dannau, M; Gilsoul, JJ; El Mejdoub, T; Destain, J; Portetelle, D; Thonart, P; Haubruge, E; Vandenbol, M. (2005). Expression of a synthetic gene encoding a *Tribolium castaneum* carboxylesterase in *Pichia pastoris*. *Protein Expr Purif.* 42: 286-294.
- Delzer, GC; Zogorski, JS; Lopes, TJ. (1997). OCCURRENCE OF THE GASOLINE OXYGENATE MTBE AND BTEX COMPOUNDS IN MUNICIPAL STORMWATER IN THE UNITED STATES 1991-95. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 100.
- Demarest, LR. (2014). Soil composition at the aquifer level, groundwater quality and the presence of Dehalococcoides ethenogenes at Dover AFB. *Environ Earth Sci.* 71: 4157-4164.
- Demarini, DM; Inmon, JP; Simmons, JE; Berman, E; Pasley, TC; Warren, SH; Williams, RW. (1987). MUTAGENICITY IN SALMONELLA OF HAZARDOUS WASTES AND URINE FROM RATS FED THESE WASTES. *Mutat Res.* 189: 205-216.
- DeMarini, DM; Perry, E; Shelton, ML. (1994). Dichloroacetic acid and related compounds: induction of prophage in *E. coli* and mutagenicity and mutation spectra in *Salmonella* TA100. *Mutagenesis.* 9: 429-437.
- Demirgjan, JC; Erickson, MD. (1990). The potential of continuous emission monitoring of hazardous waste incinerators using Fourier transform IR spectroscopy. *Waste Manage.* 10: 227-232.
- Demkowicz-Dobrzanski, K; Nalecz-Jawecski, G; Wawer, Z; Bargiel, T; Zak, M; Sawicki, J. (1993). TOXICITY OF NEUTRALIZED WASTES FOLLOWING A SYNTHESIS OF CHLORINATED HYDROCARBONS TO DAPHNIA MAGNA AND CHLORELLA SP. *Sci Total Environ.* 0: 1151-1158.
- Dempsey, BA; Lee, AP; Kim, B. (1993). REMOVAL OF VOLATILE ORGANIC CHEMICALS FROM WATER USING HYDRAULIC JETS. *Hazardous Waste & Hazardous Materials.* 10: 323-333.
- den, EMG; Swart, RJ; Rotmans, J. (1992). Strengthening the Montreal protocol: does it cool down the greenhouse? *The Science of the total environment.* 113: 229-250.
- Den, W; Huang, CP; Li, CH. (2003). Biotrickling filtration for control of volatile organic compounds from microelectronics industry. *Journal of Environmental Engineering-Asce.* 129: 610-619.
- Den, W; Huang, CP; Li, CH. (2004). Effects of cross-substrate interaction on biotrickling filtration for the control of VOC emissions. *Chemosphere.* 57: 697-709.
- Deng, B; Campbell, TJ; Burris, DR. (1997). Hydrocarbon formation in metallic iron/water systems. *Environmental Science & Technology.* 31: 1185-1190.
- Deng, BL; Burris, DR; Campbell, TJ. (1999). Reduction of vinyl chloride in metallic iron-water systems. *Environmental Science & Technology.* 33: 2651-2656.
- Deng, BL; Kim, ES. (2016). Co-adsorption of Trichloroethylene and Arsenate by Iron-Impregnated Granular Activated Carbon. *Water Environ Res.* 88: 394-402.
- Deng, Y; Ezyzke, CM. (2011). Sulfate radical-advanced oxidation process (SR-AOP) for simultaneous removal of refractory organic contaminants and ammonia in landfill leachate. *Water Res.* 45: 6189-6194.
- Dennie, D; Gladu, I; Lepine, F; Villemur, R; Bisailon, JG; Beaudet, R. (1998). Spectrum of the reductive dehalogenation activity of *Desulfitobacterium frappieri* PCP-1. *Appl Environ Microbiol.* 64: 4603-4606.
- Dennis, PC; Sleep, BE; Fulthorpe, RR; Liss, SN. (2003). Phylogenetic analysis of bacterial populations in an anaerobic microbial consortium capable of degrading saturation concentrations of tetrachloroethylene. *Can J Microbiol.* 49: 15-27.
- Dennison, JE; Andersen, ME; Clewell, HJ; Yang, RSH. (2004). Development of a physiologically based pharmacokinetic model for volatile fractions of gasoline using chemical lumping analysis. *Environmental Science & Technology.* 38: 5674-5681.
- Dennison, JE; Andersen, ME; Dobrev, ID; Mumtaz, MM; Yang, RSH. (2004). PBPK modeling of complex hydrocarbon mixtures: gasoline. *Environ Toxicol Pharmacol.* 16: 107-119.
- Denton, GRW; Sian-Denton, CM. (2010). Groundwater Monitoring on Guam: Management Responses to Recent Water Quality Violations. *Ground Water Monitoring and Remediation.* 30: 127-133.
- Derakhshesh, M; Abedi, J; Hassanzadeh, H. (2010). Mechanism of methanol decomposition by non-thermal plasma. *Journal of Electrostatics.* 68: 424-428.
- Derwent, RG; Carslaw, N; Simmonds, PG; Bassford, M; O'Doherty, S; Ryall, DB; Pilling, MJ; Lewis, AC; McQuaid, JB. (1999). Hydroxyl radical concentrations estimated from measurements of trichloroethylene during the EASE/ACSOE campaign at Mace Head, Ireland during July 1996. *J Atmos Chem.* 34: 185-205.
- Derwent, RG; Jenkin, ME; Saunders, SM. (1996). Photochemical ozone creation potentials for a large number of reactive hydrocarbons under European conditions. *Atmos Environ.* 30: 181-199.
- Derwent, RG; Pearson, JK. (1997). Improving air quality in the United Kingdom: The solvents contribution. *Environ Technol.* 18: 1029-1036.
- Derwent, RG; Simmonds, PG; O'Doherty, S; Ryall, DB. (1998). The impact of the Montreal protocol on halocarbon concentrations in northern hemisphere baseline and European air masses at mace head, Ireland over a ten year period from 1987-1996. *Atmos Environ.* 32: 3689-3702.
- Deshusses, MA; Chen, W; Mulchandani, A; Dunn, IJ. (1997). Innovative bioreactors. *Curr Opin Biotechnol.* 8: 165-168.
- DeSimone, JM. (2002). Practical approaches to green solvents. *Science (New York, NY).* 297: 799-803.
- DeSimone, M; Glavich, G; Bohn, A; Threadgill, D. (2011). Co-Exposure of a Novel Mouse Model to Low-Dose Trichloroethylene and Inorganic Arsenic: Interactions, Genetics, and Renal Toxicity. 50th Anniversary Annual Meeting of the Society of Toxicology (SOT 2011).

Environmental Hazard Literature Search Results

Off Topic

- Desoky, AY; Taylor, SD. (2009). Multiple and Regioselective Introduction of Protected Sulfates into Carbohydrates Using Sulfuryl Imidazolium Salts. *J Org Chem.* 74: 9406-9412.
- Destailats, H; Alderson, TW; Hoffmann, MR. (2001). Applications of ultrasound in NAPL remediation: Sonochemical degradation of TCE in aqueous surfactant solutions. *Environmental Science & Technology.* 35: 3019-3024.
- Dethlefsen, V; Tiews, K. (1985). REVIEW ON THE EFFECTS OF POLLUTION ON MARINE FISH LIFE AND FISHERIES IN THE NORTH SEA. *Z Angew Ichthyol.* 1: 97-118.
- Dettenmaier, EM; Doucette, WJ; Bugbee, B. (2009). Chemical Hydrophobicity and Uptake by Plant Roots. *Environmental Science & Technology.* 43: 324-329.
- Detwiler, RL; Rajaram, H; Glass, RJ. (2001). Nonaqueous-phase-liquid dissolution in variable-aperture fractures: Development of a depth-averaged computational model with comparison to a physical experiment. *Water Resour Res.* 37: 3115-3129.
- Dev, H; Condorelli, P. (1986). IN-SITU RADIO FREQUENCY HEATING PROCESS FOR DECONTAMINATION OF SOIL. 191st American Chemical Society National Meeting, New York, NY, Usa, Apr. 191.
- DeVaull, G; Ettinger, R; Gustafson, J. (2002). Chemical vapor intrusion from soil or groundwater to indoor air: Significance of unsaturated zone biodegradation of aromatic hydrocarbons. *Soil & Sediment Contamination.* 11: 625-641.
- Devillers, J; Chambon, P; Zakarya, D; Chastrette, M; Chambon, R. (1987). A PREDICTIVE STRUCTURE-TOXICITY MODEL WITH DAPHNIA-MAGNA. *Chemosphere.* 16: 1149-1164.
- Devillers, J; Thioulouse, J; Karcher, W. (1993). Chemometrical evaluation of multispecies-multichemical data by means of graphical techniques combined with multivariate analyses. *Ecotoxicol Environ Saf.* 26: 333-345.
- Devillers, J; Zakarya, D; Chastrette, M. (1987). A PREDICTIVE CORRELATION FOR THE ACUTE TOXICITY OF ORGANIC POLLUTANTS TO PIMEPHALES-PROMELAS. *International Workshop On Advances In Environmental Hazard And Risk Assessment.* 17: 1531-1538.
- Deviny, JS; Webster, TS; Torres, E; Basrai, S. (1995). Biofiltration for removal of PCE and TCE vapors from contaminated air. *Hazardous Waste & Hazardous Materials.* 12: 283-293.
- Devlin, JF; Barbaro, J. (2001). A method of estimating multicomponent nonaqueous-phase liquid mass in porous media using aqueous concentration ratios. *Environ Toxicol Chem.* 20: 2443-2449.
- Devlin, JF; Katic, D; Barker, JF. (2004). In situ sequenced bioremediation of mixed contaminants in groundwater. *J Contam Hydrol.* 69: 233-261.
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res.* 38: 1002-1002.
- Devlin, JF; Parker, BL. Optimum hydraulic conductivity to limit contaminant flux through cutoff walls. *Ground Water.* July/Aug 1996. v. 34 (4): 719-726.
- DeVoto, E; Kohlmeier, L; Heesch, W. (1998). Some dietary predictors of plasma organochlorine concentrations in an elderly German population. *Arch Environ Health.* 53: 147-155.
- Dews, PB. (1978). Epistemology of screening for behavioral toxicity. *Environ Health Perspect.* 26: 37-42.
- Dewulf, J; Dewettinck, T; De, VISSCHER; Van, LANGENHOVEH. (1996). Sorption of chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons on sea sediment. *Water Res.* 30: 3130-3138.
- Dewulf, J; Van, LANGENHOVEH. (1997). Analytical techniques for the determination and measurement data of 7 chlorinated C1- and C2-hydrocarbons and 6 monocyclic aromatic hydrocarbons in remote air masses: An overview. *Atmos Environ.* 31: 3291-3307.
- Dewulf, J; Van, LANGENHOVEH. (1997). Chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: An overview on fate processes, sampling, analysis and measurements. *Water Res.* 31: 1825-1838.
- Dewulf, J; Van Langenhove, H; De Smedt, E; Geuens, S. (2001). Combination of advanced oxidation processes and gas absorption for the treatment of chlorinated solvents in waste gases. *Water Science and Technology.* 44: 173-180.
- Dewulf, J; Van, LANGENHOVEH; Everaert, M; Vanthournout, H. (1998). Volatile organic compounds in the Scheldt estuary along the trajectory Antwerp-Vlissingen: Concentration profiles, modelling and estimation of emissions into the atmosphere. *Water Res.* 32: 2941-2950.
- Dewulf, J; Van, LANGENHOVEH; Heireman, B. (1998). The air/water exchange of volatile organic compounds from waters in the transient and turbulent regime. *Water Res.* 32: 2106-2112.
- Dewulf, JP; Van, LANGENHOVEH; Der, AUWERALFV. (1998). Air/water exchange dynamics of 13 volatile chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in the southern North Sea and the Scheldt estuary. *Environmental Science & Technology.* 32: 903-911.
- Dey, K; Roy, P. (2009). Degradation of Trichloroethylene by *Bacillus* sp.: Isolation Strategy, Strain Characteristics, and Cell Immobilization. *Curr Microbiol.* 59: 256-260.
- Dey, K; Roy, P. (2011). Degradation of chloroform by immobilized cells of *Bacillus* sp in calcium alginate beads. *Biotechnol Lett.* 33: 1101-1105.
- Dhar, A; Alford, TL. (2012). Optimization of Nb₂O₅/Ag/Nb₂O₅ multilayers as transparent composite electrode on flexible substrate with high figure of merit. *Journal of Applied Physics.* 112: 3113-3113.
- Dhar, A; Alford, TL. (2014). Optimization of TiO₂/Cu/TiO₂ Multilayer as Transparent Composite Electrode (TCE) Deposited on Flexible Substrate at Room Temperature. *Ecs Solid State Letters.* 3: N33-N36.
- Dhar, A; Datta, B. (2009). Global optimal design of ground water monitoring network using embedded kriging. *Ground Water.* 47: 806-815.
- D'Havâ€š, H; Scheirs, J; Covaci, A; van, dBNW; Verhagen, R; De, CW. (2007). Non-destructive pollution exposure assessment in the European hedgehog (*Erinaceus europaeus*): IV. Hair versus soil analysis in exposure and risk assessment of organochlorine compounds. *Environmental pollution (Barking, Essex : 1987).* 145: 861-868.

Environmental Hazard Literature Search Results

Off Topic

- d'Hennezel, O; Ollis, DF. (2001). Surface prechlorination of anatase TiO₂ for enhanced photocatalytic oxidation of toluene and hexane. *Helvetica Chimica Acta*. 84: 3511-3518.
- Di Capua, F; Papirio, S; Lens, PNL; Esposito, G. (2015). Chemolithotrophic denitrification in biofilm reactors. *Chem Eng J*. 280: 643-657.
- Di Lorenzo, T; Borgoni, R; Ambrosini, R; Cifoni, M; Galassi, DMP; Petitta, M. (2015). Occurrence of volatile organic compounds in shallow alluvial aquifers of a Mediterranean region: Baseline scenario and ecological implications. *Sci Total Environ*. 538: 712-723.
- Di, NM; Musmarra, DDCUdNFIIPTNla; Wu, CF; Liu, LJ; Cullen, A; Westberg, H; Williamson, J. (2011). Spatial-temporal and cancer risk assessment of selected hazardous air pollutants in Seattle. *J Environ Manage*. 92Jan; 92: 23-30.
- Diallo, MS; Abriola, LM; Weber, WJJR. (1994). SOLUBILIZATION OF NON-AQUEOUS PHASE LIQUID HYDROCARBONS IN MICELLAR SOLUTIONS OF DODECYL ALCOHOL ETHOXYLATES. 208th National Meeting Of The American Chemical Society, Washington, DC, Usa, August. 208: 155.
- Diamadopoulos, E; Sakellariadis, D; Koukouraki, E. (1998). The effect of humic acid on the transport of volatile chlorinated hydrocarbons in soil. *Water Res*. 32: 3325-3330.
- Diamond, JM; Parson, MJ; Gruber, D. (1987). RAPID DETECTION OF SUBLETHAL TOXICITY USING FISH VENTILATORY BEHAVIOR. Symposium On Behavioral Toxicology Held At The Eighth Annual Meeting Of The Society Of Environmental Toxicology And Chemistry, Pensacola, Florida, Usa, November. 9: 3-12.
- Diamond, ML; Mackay, D; Poulton, DJ; Stride, FA. (1994). Development of a mass balance model of the fate of 17 chemicals in the Bay of Quinte. *J Great Lakes Res*. 20: 643-666.
- Diaz, E; Faba, L; Ordonez, S. (2011). Effect of carbonaceous supports on the Pd-catalyzed aqueous-phase trichloroethylene hydrodechlorination. *Appl Catal B-Environ*. 104: 415-417.
- Diaz, E; McCall, A; Faba, L; Sastre, H; Ordonez, S. (2013). Trichloroethylene Hydrodechlorination in Water Using Formic Acid as Hydrogen Source: Selection of Catalyst and Operation Conditions. *Environmental Progress & Sustainable Energy*. 32: 1217-1222.
- Diaz, E; Ordonez, S; Bueres, RF; Asedegbega-Nieto, E; Sastre, H. (2010). High-surface area graphites as supports for hydrodechlorination catalysts: Tuning support surface chemistry for an optimal performance. *Appl Catal B-Environ*. 99: 181-190.
- Dibbern, J; Winkler, J; Heinzl, A. (2008). Explaining variations in client extra costs between software projects offshored to India. *Mis Quarterly*. 32: 333-366.
- Dibble, L; Raupp, GB. (1992). Fluidized-bed photocatalytic oxidation of trichloroethylene in contaminated airstreams. *Environ Sci Technol*. 26: 492-495.
- DiCintio, D. (2016). The Investigation of Groundwater Contamination in Wicomico County's Morris Mill Community. *J Environ Health*. 78: 16-19.
- Dickens, BF; Tse, SY; Pflug, BR; Kramer, JH; Weglicki, WB. (1990). INTERACTION BETWEEN ORGANIC HYDROPEROXIDES AND CHLORINATED HYDROCARBONS A POSSIBLE MECHANISM FOR FREE RADICAL PRODUCTION. 74th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Part I, Washington, DC, Usa, April. 4.
- Dickens, BF; Tse, SYE; Mak, IT; Weglicki, WB. (1989). PRO-OXIDANT EFFECT OF CHLORINATED HYDROCARBONS ON CULTURED VASCULAR CELLS. 73rd Annual Meeting Of The Federation Of American Societies For Experimental Biology, New Orleans, Louisiana, Usa, March. 3.
- Dickey, CA; Heal, KV; Cape, JN; Stidson, RT; Reeves, NM; Heal, MR. (2005). Addressing analytical uncertainties in the determination of trichloroacetic acid in soil. *J Environ Monit*. 7: 137-144.
- Dickson, J; Stenson, R; Lonergan, D; Koganti, C; Subbarayan, M. (2010). Rebound of TCE Breakdown Products in Groundwater as a Result of Insufficient Source Area Remediation. Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds.
- Dickson, SE; Thomson, NR. (2003). Dissolution of entrapped DNAPLs in variable aperture fractures: Experimental data and empirical model. *Environmental Science & Technology*. 37: 4128-4137.
- Diekert, G; Gugova, D; Limoges, B; Robert, M; Saveant, JM. (2005). Electroenzymatic reactions. Investigation of a reductive dehalogenase by means of electrogenerated redox cosubstrates. *J Am Chem Soc*. 127: 13583-13588.
- Diependaal, M; Scholtens, A; Bosma, T; Holliger, C; Schraa, G; Colberg, P; Zehnder, AJB. (1988). ANAEROBIC DEGRADATION OF TETRACHLOROETHYLENE USING RIVER SEDIMENT IN BATCH CULTURES AND COLUMN STUDIES. Annual Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 88: 305.
- Dierickx, PJ. (1993). Comparison between fish lethality data and the in vitro cytotoxicity of lipophilic solvents to cultured fish cells in a two-compartment model. *Chemosphere*. 27: 1511-1518.
- Dietrich, A; Scheer, A; Illenberger, D; Kloog, Y; Henis, YI; Gierschik, P. (2003). Studies on G-protein alpha.beta.gamma heterotrimer formation reveal a putative S-prenyl-binding site in the alpha subunit. *The Biochemical journal*. 376: 449-456.
- Dietrich, DR; Swenberg, JA. (1993). RENAL CARCINOGENESIS. Hook, J B And R S Goldstein. 0: 495-537.
- Dietz, AC; Schnoor, JL. (2001). Advances in phytoremediation. *Environ Health Perspect*. 109: 163-168.
- Dietz, AC; Schnoor, JL. (2001). Phytotoxicity of chlorinated aliphatics to hybrid poplar (*Populus deltoides* x *nigra* DN34). *Environ Toxicol Chem*. 20: 389-393.
- Digiano, FA; Wang, CK. (1988). ADSORPTION OF SYNTHETIC ORGANIC CHEMICALS IN THE PRESENCE OF OZONATED HUMIC SUBSTANCES. Annual Conference And Exposition Of The American Water Works Association On The Wonderful World Of Water, Orlando, Florida, Usa, June. 80: 68.
- Dijk, JA; Breugelmans, P; Philips, J; Haest, PJ; Smolders, E; Springael, D. (2008). Catalyzed reporter deposition-fluorescent in situ hybridization (CARD-FISH) detection of *Dehalococcoides*. *J Microbiol Methods*. 73: 142-147.
- Dilks, DW; Helfand, JS; Bierman, VJJR; Burkhard, L. (1993). FIELD APPLICATION OF A STEADY-STATE MASS BALANCE MODEL FOR HYDROPHOBIC ORGANIC CHEMICALS IN AN ESTUARINE SYSTEM. *Water Science And Technology*. 28: 263-271.

Environmental Hazard Literature Search Results

Off Topic

- Dillard, LA; Essaid, HI; Blunt, MJ. (2001). A functional relation for field-scale nonaqueous phase liquid dissolution developed using a pore network model. *J Contam Hydrol.* 48: 89-119.
- Dillehay, JL; Bowman, KS; Yan, J; Rainey, FA; Moe, WM. (2014). Substrate interactions in dehalogenation of 1,2-dichloroethane, 1,2-dichloropropane, and 1,1,2-trichloroethane mixtures by *Dehalogenimonas* spp. *Biodegradation.* 25: 301-312.
- Dilling, WL; Boggs, GU; Mendoza, CG. (1985). RELATIVE RATE MEASUREMENTS FOR SOLUTION PHASE REACTIONS OF ORGANIC COMPOUNDS WITH HYDROXYL RADICALS. 190th American Chemical Society National Meeting, Chicago, Ill, Usa, Sept. 190.
- Dilling, WL; Gonsior, SJ; Boggs, GU; Mendoza, CG. (1988). ORGANIC PHOTOCHEMISTRY 20. A METHOD FOR ESTIMATING GAS-PHASE RATE CONSTANTS FOR REACTIONS OF HYDROXYL RADICALS WITH ORGANIC COMPOUNDS FROM THEIR RELATIVE RATES OF REACTION WITH HYDROGEN PEROXIDE UNDER PHOTOLYSIS IN 1,1,2-TRICHLOROTRIFLUOROETHANE. *Environ Sci Technol.* 22: 1447-1453.
- Dimitrov, PL; Kambourova, MS; Mandeva, RD; Emanuilova, EI. (1997). Isolation and characterization of xylan-degrading alkali-tolerant thermophiles. *FEMS Microbiol Lett.* 157: 27-30.
- Dinesh, DS; Das, P; Picado, A; Davies, C; Speybroeck, N; Ostyn, B; Boelaert, M; Coosemans, M. (2008). Long-lasting insecticidal nets fail at household level to reduce abundance of sandfly vector *Phlebotomus argentipes* in treated houses in Bihar (India). *Tropical medicine & international health : TM & IH.* 13: 953-958.
- Ding, C; Chow, WL; He, JZ. (2013). Isolation of *Acetobacterium* sp Strain AG, Which Reductively Debrominates Octa- and Pentabrominated Diphenyl Ether Technical Mixtures. *Appl Environ Microbiol.* 79: 1110-1117.
- Ding, C; Zhao, S; He, J. (2014). A *Desulfitobacterium* sp. strain PR reductively dechlorinates both 1,1,1-trichloroethane and chloroform. *Environ Microbiol.* 16: 3387-3397.
- Ding, C; Zhao, SY; He, JZ. (2014). A *Desulfitobacterium* sp strain PR reductively dechlorinates both 1,1,1-trichloroethane and chloroform. *Environ Microbiol.* 16: 3387-3397.
- Ding, RB; Darland, DC; Parmacek, MS; D'Amore, PA. (2004). Endothelial-mesenchymal interactions in vitro reveal molecular mechanisms of smooth muscle/pericyte differentiation. *Stem Cells and Development.* 13: 509-520.
- Ding, Y; Chen, Q; Zhong, J-C; Munakata, M; Konaka, H; Ning, G-L; Wang, H-Z. (2008). Three-dimensional metal-organic frameworks: Two Ag(I) coordination polymers of TTF derivatives with axially chiral helical motifs. *Polyhedron.* 27: 1393-1400.
- Dinh, MTN; Giraudon, JM; Vandenbroucke, AM; Morent, R; De Geyter, N; Lamonnier, JF. (2015). Post plasma-catalysis for total oxidation of trichloroethylene over Ce-Mn based oxides synthesized by a modified "redox-precipitation route". *Appl Catal B-Environ.* 172-173: 65-72.
- Dinicola, RS; Huffman, RL. (2012). Biodegradation of chloroethene compounds in groundwater at Operable Unit 1, Naval Undersea Warfare Center, Division Keyport, Washington, 1999-2010. Scientific Investigations Report United States Geological Survey-56.
- Dinkla, IJT; Gabor, EM; Janssen, DB. (2001). Effects of iron limitation on the degradation of toluene by *Pseudomonas* strains carrying the TOL (pWWO) plasmid. *Appl Environ Microbiol.* 67: 3406-3412.
- Dion-Fortier, A; Rodriguez, MJ; Serodes, J; Proulx, F. (2009). Impact of water stagnation in residential cold and hot water plumbing on concentrations of trihalomethanes and haloacetic acids. *Water Res.* 43: 3057-3066.
- DiRenzo, AB; Gandolfi, AJ; Sipes, IG; Brendel, K; Byard, JL. (1984). Effect of O₂ tension on the bioactivation and metabolism of aliphatic halides by primary rat-hepatocyte cultures. *Xenobiotica; the fate of foreign compounds in biological systems.* 14: 521-525.
- DiRenzo, AB; Gandolfi, AJ; Sipes, IG; McDougal, JN. (1982). Effect of senescence on the bioactivation of aliphatic halides. *Res Comm Chem Pathol Pharmacol.* 36: 493-502.
- Disdier, J; Pichat, P; Mas, D. (2005). Measuring the effect of photocatalytic purifiers on indoor air hydrocarbons and carbonyl pollutants. *Journal of the Air & Waste Management Association* (1995). 55: 88-96.
- Distefano, TD. (1999). The effect of tetrachloroethene on biological dechlorination of vinyl chloride: Potential implication for natural bioattenuation. *Water Res.* 33: 1688-1694.
- DiStefano, TD; Gossett, JM; Zinder, SH. (1991). Reductive dechlorination of high concentrations of tetrachloroethene to ethene by an anaerobic enrichment culture in the absence of methanogenesis. *Appl Environ Microbiol.* 57: 2287-2292.
- DiStefano, TD; Gossett, JM; Zinder, SH. (1992). Hydrogen as an electron donor for dechlorination of tetrachloroethene by an anaerobic mixed culture. *Appl Environ Microbiol.* 58: 3622-3629.
- Divakar, D; Romero-Sánchez, M; Pereda-Ayo, Ba; Aranzabal, A; González-Jejeles-Marcos, JA; González-Jejeles-Velasco, JR. (2011). Catalytic oxidation of trichloroethylene over Fe-zeolites. *Catalysis Today.* 176: 357-360.
- Dixit, D; Dixit, AK; Lad, H; Gupta, D; Bhatnagar, D. (2013). Radioprotective effect of *Terminalia Chebula* Retzius extract against ¹³⁷I-irradiation-induced oxidative stress. *Biomedicine & Aging Pathology.* 3: 83-88.
- Djebbar, Y; Narbaitz, RM. (1998). Improved Onda correlations for mass transfer in packed towers. *Water Science And Technology.* 38: 295-302.
- Djordjevic, D; Nikolic, J; Stefanovic, V. (1998). Ethanol interactions with other cytochrome P450 substrates including drugs, xenobiotics and carcinogens. *Pathologie Biologie.* 46: 760-770.
- Do, an-Suba; Bastiaens, L; Boon, N; Dejonghe, W. (2013). Microbial dechlorination activity during and after chemical oxidant treatment. *J Hazard Mater.* 262: 598-605.
- Do, SH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ.* 430: 82-87.
- Dobaradaran, S; Mahvi, AH; Nabizadeh, R; Mesdaghinia, A; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S. (2010). Hazardous Organic Compounds in Groundwater Near Tehran Automobile Industry. *Bull Environ Contam Toxicol.* 85: 530-533.

Environmental Hazard Literature Search Results

Off Topic

- Dobaradaran, S; Nabizadeh, R; Mahvi, AH; Noroozi, A; Yunesian, M; Rastkari, N; Nazmara, S; Zarei, S. (2012). Kinetic and degradation efficiency of trichloroethylene (TCE) via photochemical process from contaminated water. *African Journal of Biotechnology*. 11: 2006-2012.
- Dobbins, DC; Peltola, J; Kustritz, JM; Chresand, TJ; Preston, JC. (1995). Pilot-scale demonstration of a two-stage methanotrophic bioreactor for biodegradation of trichloroethylene in groundwater. *Journal of the Air & Waste Management Association* (1995). 45: 12-19.
- Dobbs, RA; Jelus, M; Cheng, KY. (1986). PARTITIONING OF TOXIC ORGANIC COMPOUNDS ON MUNICIPAL WASTEWATER TREATMENT SOLIDS. Scholze, R J Jr, Et Al. 0: 584-600.
- Dobrev, ID; Reddy, MB; Plotzke, KP; Varaprath, S; McNett, DA; Durham, J; Andersen, ME. (2003). Closed-chamber inhalation pharmacokinetic studies with hexamethyldisiloxane in the rat. *Inhal Toxicol*. 15: 589-617.
- Dobson, DJ; Saini, S. (1997). Porphyrin-modified electrodes as biomimetic sensors for the determination of organohalide pollutants in aqueous samples. *Anal Chem*. 69: 3532-3538.
- Dodge, L; Mertz, E; Harwood, R; Saul, M; Greulich, G. (2010). In Situ Aerobic Cometabolism Followed by Reductive Dechlorination of Trichloroethene to Enable Brownfield Redevelopment. Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds.
- Dodson, RE; Houseman, EA; Levy, JI; Spengler, JD; Shine, JP; Bennett, DH. (2007). Measured and modeled personal exposures to and risks from volatile organic compounds. *Environmental Science & Technology*. 41: 8498-8505.
- Dogan-Subasi, E; Bastiaens, L; Leys, N; Boon, N; Dejonghe, W. (2014). Quantitative and functional dynamics of *Dehalococcoides* spp. and its *tceA* and *vcrA* genes under TCE exposure. *Biodegradation*. 25: 493-504.
- Doherty, FG; Evans, DW; Neuhauser, EF. (1993). An assessment of total and leachable contaminants in zebra mussels (*Dreissena polymorpha*) from Lake Erie. *Ecotoxicol Environ Saf*. 25: 328-340.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1 - Historical background; Carbon tetrachloride and tetrachloroethylene. *Environ Forensics*. 1: 69-81.
- Doherty, RE. (2000). A History of the Production and Use of Carbon Tetrachloride, Tetrachloroethylene, Trichloroethylene and 1,1,1-Trichloroethane in the United States: Part 1 "Historical Background; Carbon Tetrachloride and Tetrachloroethylene. *Environ Forensics*. 1: 69-81.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics*. 1: 83-93.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics*. 13: 7-26.
- Dolasa, AR; Ergas, SJ. (2000). Membrane bioreactor for cometabolism of trichloroethene air emissions. *Journal of Environmental Engineering-Asce*. 126: 969-973.
- Dolfing, J; Janssen, DB. (1994). Estimates of Gibbs free energies of formation of chlorinated aliphatic compounds. *Biodegradation*. 5: 21-28.
- Dolfing, J; Van, DENWIJNGAARDAJ; Janssen, DB. (1993). Microbiological aspects of the removal of chlorinated hydrocarbons from air. *Biodegradation*. 4: 1993-1994.
- Dombek, T; Davis, D; Stine, J; Klarup, D. (2004). Degradation of terbutylazine (2-chloro-4-ethylamino-6-terbutylamino-1,3,5-triazine), deisopropyl atrazine (2-amino-4-chloro-6-ethylamino-1,3,5-triazine), and chlorinated dimethoxy triazine (2-chloro-4,6-dimethoxy-1,3,5-triazine) by zero valent iron and electrochemical reduction. *Environ Pollut*. 129: 267-275.
- Dombek, T; Dolan, E; Schultz, J; Klarup, D. (2001). Rapid reductive dechlorination of atrazine by zero-valent iron under acidic conditions. *Environ Pollut*. 111: 21-27.
- Domingo, LR; Perez, P; Saez, JA. (2012). Origin of the synchronicity in bond formation in polar Diels-Alder reactions: an ELF analysis of the reaction between cyclopentadiene and tetracyanoethylene. *Organic & Biomolecular Chemistry*. 10: 3841-3851.
- Domino, EF; Domino, SE; Smith, RE; Domino, LE; Goulet, JR; Domino, KE; Zsigmond, EK. (1984). Ketamine kinetics in unmedicated and diazepam-premedicated subjects. *Clin Pharmacol Ther*. 36: 645-653.
- Dong, L; Gu, F; Fujita, T; Hayashi, Y; Gao, J. (2014). Uncovering opportunity of low-carbon city promotion with industrial system innovation: Case study on industrial symbiosis projects in China. *Energy Policy*. 65: 388-397.
- Dong, SS; Zhang, XY; He, FR; Dong, SS; Zhou, DD; Wang, B. (2015). Visible-light photocatalytic degradation of methyl orange over spherical activated carbon-supported and Er³⁺:YAlO₃-doped TiO₂ in a fluidized bed. *J Chem Tech Biotechnol*. 90: 880-887.
- Dong, Y; Bai, Z; Liu, R; Wang, X; Yan, H; Zhu, T. (2006). Heterogeneous decomposition of indoor ammonia in a photoreactor with TiO₂-finished cotton fabrics. *Environ Technol*. 27: 705-714.
- Dong, YR; Butler, EC; Philp, RP; Krumholz, LR. (2011). Impacts of microbial community composition on isotope fractionation during reductive dechlorination of tetrachloroethylene. *Biodegradation*. 22: 431-444.
- Dong, YR; Liang, XM; Krumholz, LR; Philp, RP; Butler, EC. (2009). The Relative Contributions of Abiotic and Microbial Processes to the Transformation of Tetrachloroethylene and Trichloroethylene in Anaerobic Microcosms. *Environmental Science & Technology*. 43: 690-697.
- Doong, RA; Chang, SM. (2000). Relationship between electron donor and microorganism on the dechlorination of carbon tetrachloride by an anaerobic enrichment culture. *Chemosphere*. 40: 1427-1433.
- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environmental Science & Technology*. 37: 2575-2581.

Environmental Hazard Literature Search Results

Off Topic

- Doong, RA; Chen, TF. (1996). Anaerobic degradation of 1,1,1-trichloroethane with the amendment of different substrate and microbial concentrations. *Chemosphere*. 32: 2003-2014.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environmental Science & Technology*. 39: 7460-7468.
- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res*. 39: 2309-2318.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere*. 64: 371-378.
- Doong, RA; Lee, CC; Chen, KT; Wu, SF. (2004). Coupled reduction of chlorinated hydrocarbons and heavy metals by zerovalent silicon. *Water Science and Technology*. 50: 89-96.
- Doong, RA; Wu, SC. (1992). THE EFFECT OF OXIDATION-REDUCTION POTENTIAL ON THE BIOTRANSFORMATIONS OF CHLORINATED HYDROCARBONS. *Proceedings Of The Sixteenth Biennial Conference Of The International Association On Water Pollution Research And Control*, Washington, DC, Usa, May. 26: 159-168.
- Doong, RA; Wu, SC. (1992). Reductive dechlorination of chlorinated hydrocarbons in aqueous solutions containing ferrous and sulfide ions. *Chemosphere*. 24: 1063-1075.
- Doong, RA; Wu, SC. (1995). Substrate effects on the enhanced biotransformation of polychlorinated hydrocarbons under anaerobic condition. *Chemosphere*. 30: 1499-1511.
- Doong, RA; Wu, SC; Chen, TF. (1998). Modeling transport and fate of chlorinated hydrocarbons governed by biotic transformation in porous media. *Water Res*. 32: 39-46.
- Doong, RA; Wu, YW. (1997). Enhanced biodegradation of 1,1,1-trichloroethane under low biomass conditions. *Chemosphere*. 34: 1653-1662.
- Dorfmueller, MA; Henne, SP; York, RG; Bornschein, RL; Manson, JM. (1979). Evaluation of teratogenicity and behavioral toxicity with inhalation exposure of maternal rats to trichloroethylene. *Toxicology*. 14: 153-166.
- Dorgerloh, U; Becker, R; Lutz, A; Bremser, W; Hilbert, S; Nehls, I. (2012). How to improve reliability in groundwater analysis: over a decade of experience with external quality control in field campaigns on volatile halogenated compounds. *J Environ Monit*. 14: 217-223.
- Dornbusch, K; Olofsson, C; Holm, S. (1999). Postantibiotic effect and postantibiotic sub-mic effect of dirithromycin and erythromycin against respiratory tract pathogenic bacteria. *APMIS*. 107: 505-513.
- Dorussen, HL; Wassenberg, WBA. (1997). Feasibility of treatment of low polluted waste water in municipal waste water treatment plants. *Water Science And Technology*. 35: 73-78.
- Dosdall, LM; Galloway, MM; Arnason, JT; Morand, P. (1991). Field evaluation of the phototoxin, alpha-terthienyl, for reducing larval populations of black flies (Diptera: Simuliidae) and its impact on drift of aquatic invertebrates. *Can Entomol*. 123: 439-449.
- Dotremont, C; Van den Ende, S; Vandommele, H; Vandecasteele, C. (1994). Concentration polarization and other boundary layer effects in the pervaporation of chlorinated hydrocarbons. *Desalination*. 95: 91-113.
- Dou, W; Omran, K; Grimberg, SJ; Denham, M; Powers, SE. (2008). Characterization of DNAPL from the US DOE Savannah River Site. *J Contam Hydrol*. 97: 75-86.
- Doucet, N; Bocquillon, F; Zahraa, O; Bouchy, M. (2006). Kinetics of photocatalytic VOCs abatement in a standardized reactor. *Chemosphere*. 65: 1188-1196.
- Doucette, W; Klein, H; Chard, J. (2010). Removal of trichloroethylene from shallow subsurface environments by volatilization from trees and soil surface. 20th Annual Meeting of the Europe branch of the Society of Environmental Toxicology and Chemistry (SETAC 2010).
- Doucette, W; Klein, H; Chard, J; Dupont, R; Plaehn, W; Bugbee, B. (2013). Volatilization of Trichloroethylene from Trees and Soil: Measurement and Scaling Approaches. *Environmental Science & Technology*. 47: 5813-5820.
- Doucette, WJ; Hall, AJ; Gorder, KA. (2010). Emissions of 1,2-Dichloroethane from Holiday Decorations as a Source of Indoor Air Contamination. *Ground Water Monitoring and Remediation*. 30: 67-73.
- Dougherty, JM; Franck, MM; Fliermans, CB; Hazen, TC. (1992). CHARACTERIZATION OF THE SUBSURFACE MICROBIAL COMMUNITY FROM A TRICHLOROETHYLENE CONTAMINATED SITE. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 296.
- Doughty, DM; Sayavedra-Soto, LA; Arp, DJ; Bottomley, PJ. (2005). Effects of dichloroethene isomers on the induction and activity of butane monooxygenase in the alkane-oxidizing bacterium "Pseudomonas butanovora". *Appl Environ Microbiol*. 71: 6054-6059.
- Douglas, GR; Gingerich, JD; Soper, LM. (1995). NON-MUTAGENICITY OF 1 1-TRICHLOROETHYLENE TCE AND HYDRAZINE SULFATE HS IN LUNG LIVER AND BONE MARROW OF LACZ TRANSGENIC MICE. 26th Annual Meeting Of The Environmental Mutagen Society, St Louis, Missouri, Usa, March. 25: 13.
- Douglas, GR; Gingerich, JD; Soper, LM; Potvin, M; Bjarnason, S. (1999). Evidence for the lack of base-change and small-deletion mutation induction by trichloroethylene in lacZ transgenic mice. *Environ Mol Mutagen*. 34: 190-194.
- Dovantzis, K; Thomsen, KO; Chaudhry, MA; Riesing, RR. Groundwater and soil remediation by treating and recycling groundwater. *Proceedings of the Industrial Waste Conference*, Purdue University. 1991. (45th): 1-12.
- Dow, D; Ferencikova, S. (2010). More than just national cultural distance: Testing new distance scales on FDI in Slovakia. *International Business Review*. 19: 46-58.
- Dow, JL; Green, T. (2000). Trichloroethylene induced vitamin B(12) and folate deficiency leads to increased formic acid excretion in the rat. *Toxicology*. 146: 123-136.

Environmental Hazard Literature Search Results

Off Topic

- Dowideit, K; Scholz-Muramatsu, H; Miethling-Graff, R; Vigelahn, L; Freygang, M; Dohrmann, AB; Tebbe, CC. (2010). Spatial heterogeneity of dechlorinating bacteria and limiting factors for in situ trichloroethene dechlorination revealed by analyses of sediment cores from a polluted field site. *FEMS Microbiol Ecol.* 71: 444-459.
- Dowideit, P; von Sonntag, C. (1998). Reaction of ozone with ethene and its methyl- and chlorine-substituted derivatives in aqueous solution. *Environmental Science & Technology.* 32: 1112-1119.
- Downey, D. (2010). Solar-Powered Bioreactor for Trichloroethene Source Reduction at Travis AFB. Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds.
- Dowsley, TF; Forkert, PG; Benesch, LA; Bolton, JL. (1995). Reaction of glutathione with the electrophilic metabolites of 1,1-dichloroethylene. *Toxicol Lett.* 78: 87-92.
- Dowsley, TF; Ulreich, JB; Bolton, JL; Park, SS; Forkert, PG. (1996). CYP2E1-dependent bioactivation of 1,1-dichloroethylene in murine lung: formation of reactive intermediates and glutathione conjugates. *Toxicol Appl Pharmacol.* 139: 42-48.
- Dragojevic, D. (1997). Trichloroethene and tetrachloroethene in ground waters of Zagreb, Croatia. AU - VEDRINA-DRAGOJEVIC I. *Sci Total Environ.* 203: 253-259.
- Dragun, J. (1991). Geochemistry and soil chemistry reactions occurring during in situ vitrification. *J Hazard Mater.* 26: 343-364.
- Drake, VJ. (2006). Stage-dependent effects of trichloroethylene and its metabolites during avian heart development. PhD Thesis, The University of Wisconsin - Madison.
- Draper, WM; Dhoot, JS; Dhaliwal, JS; Remoy, JW; Perea, SK; Baumann, FJ. (1998). Detection limits of organic contaminants in drinking water. *American Water Works Association Journal.* 90: 82-90.
- Dredge, K; Marriott, JB; Dalgleish, AG. (2002). Immunological effects of thalidomide and its chemical and functional analogs. *Critical reviews in immunology.* 22: 425-437.
- Drevon, C; Kuroki, T. (1979). Mutagenicity of vinyl chloride, vinylidene chloride and chloroprene in V79 Chinese hamster cells. *Mutat Res.* 67: 173-182.
- Dridi, L; Pollet, I; Razakarisoa, O; Schafer, G. (2009). Characterisation of a DNAPL source zone in a porous aquifer using the Partitioning Interwell Tracer Test and an inverse modelling approach. *J Contam Hydrol.* 107: 22-44.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environmental Science & Technology.* 38: 2879-2884.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2005). Combined removal of chlorinated ethenes and heavy metals by zerovalent iron in batch and continuous flow column systems. *Environmental Science & Technology.* 39: 8460-8465.
- Driessen, MD. (1997). Thermal and photochemical reactions of halocarbon adsorbates on oxide-supported metal and metal-oxide surfaces. PhD Thesis, The University of Iowa.
- Drijvers, D; van Langenhove, H; Beckers, M. (1999). Decomposition of phenol and trichloroethylene by the ultrasound/H₂O₂/CuO process. *Water Res.* 33: 1187-1194.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environmental Science & Technology.* 39: 1283-1290.
- Dror, I; Schlautman, MA. (2003). Role of metalloporphyrin core metals in the mediated reductive dechlorination of tetrachloroethylene. *Environmental toxicology and chemistry / SETAC.* 22: 525-533.
- Dror, I; Schlautman, MA. (2004). Cosolvent effect on the catalytic reductive dechlorination of PCE. *Chemosphere.* 57: 1505-1514.
- Dror, I; Schlautman, MA. (2004). Metalloporphyrin solubility: a trigger for catalyzing reductive dechlorination of tetrachloroethylene. *Environmental toxicology and chemistry / SETAC.* 23: 252-257.
- Druschel, SJ; Kinner, NE. (2013). Improvements to TCE Microcosm Protocols for Biostimulation in Bedrock Aquifers. *Remediation.* 23: 73-84.
- Drzyzga, O; El Mamouni, R; Agathos, SN; Gottschal, JC. (2002). Dehalogenation of chlorinated ethenes and immobilization of nickel in anaerobic sediment columns under sulfidogenic conditions. *Environmental Science & Technology.* 36: 2630-2635.
- Drzyzga, O; Gerritse, J; Dijk, JA; Elissen, H; Gottschal, JC. (2001). Coexistence of a sulphate-reducing *Desulfovibrio* species and the dehalorespiring *Desulfitobacterium frappieri* TCE1 in defined chemostat cultures grown with various combinations of sulfate and tetrachloroethene. *Environ Microbiol.* 3: 92-99.
- Drzyzga, O; Gottschal, JC. (2002). Tetrachloroethene dehalorespiration and growth of *Desulfitobacterium frappieri* TCE1 in strict dependence on the activity of *Desulfovibrio fructosivorans*. *Appl Environ Microbiol.* 68: 642-649.
- D'Souza, R; Desai, F; Bruckner, JV; Feldman, S. Pharmacokinetics of trichloroethylene in the rat. *Toxicol Lett.* 18, Supplement 1: 26-27.
- D'Souza, RW; Andersen, ME. (1988). Physiologically based pharmacokinetic model for vinylidene chloride. *Toxicol Appl Pharmacol.* 95: 230-240.
- D'Souza, RW; Bruckner, JV; Feldman, S. (1985). Oral and intravenous trichloroethylene pharmacokinetics in the rat. *J Toxicol Environ Health.* 15: 587-601.
- Du, JK; Bao, JG; Tong, M; Yuan, SH. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci.* 30: 350-356.
- Duan, N; Lin, C; Wang, P; Meng, J; Chen, H; Li, X. (2014). Ecological analysis of a typical farm-scale biogas plant in China. *Frontiers of earth science.* 8: 375-384.
- Duan, XD; Sun, DZ; Zhu, ZB; Chen, XQ; Shi, PF. (2002). Photocatalytic decomposition of toluene by TiO₂ film as photocatalyst. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 37: 679-692.
- Duba, AG; Jackson, KJ; Jovanovich, MC; Knapp, RB; Taylor, RT. (1996). TCE remediation using in situ, resting-state bioaugmentation. *Environmental Science & Technology.* 30: 1982-1989.

Environmental Hazard Literature Search Results

Off Topic

- Duchow, HK; Brechbiel, JL; Chatterjee, S; Gavis, ER. (2005). The nanos translational control element represses translation in somatic cells by a Bearded box-like motif. *Dev Biol.* 282: 207-217.
- Dudkin, VE; Potapov, Y; Akopova, AB; Melkumyan, LV; Benton, EV; Frank, AL. (1990). Differential neutron energy spectra measured on spacecraft in low Earth orbit. *International Journal Of Radiation Applications And Instrumentation Part D, Nuclear Tracks And Radiation Measurements.* 17: 87-91.
- Duerk, H; Klessen, C; Frank, H. (1990). REDUCTIVE METABOLISM OF 1,1,1-TRICHLOROETHANE. 31st Spring Meeting Of The Deutsche Gesellschaft Fuer Pharmakologie Und Toxikologie. 341.
- Duerk, H; Poyer, JL; Klessen, C; Frank, H. (1992). Acetylene, a mammalian metabolite of 1,1,1-trichloroethane. *Biochem J.* 286: 353-356.
- Duesterberg, CK; Waite, TD. (2006). Process optimization of Fenton oxidation using kinetic modeling. *Environmental Science & Technology.* 40: 4189-4195.
- Dugan, PJ; McCray, JE; Thyne, GD. (2003). Influence of a solubility-enhancing agent (cyclodextrin) on NAPL-water partition coefficients, with implications for partitioning tracer tests. *Water Resour Res.* 39: 1123-1123.
- Dugat-Bony, E; Biderre-Petit, C; Jaziri, F; David, MM; Denonfoux, Jrm; Lyon, DY; Richard, J-Y; Curvers, C; Boucher, D; Vogel, TM; Peyretailade, E; Peyret, P. (2012). In situ TCE degradation mediated by complex dehalorespiring communities during biostimulation processes. *Microb Biotechnol.* 5: 642-653.
- Duhamel, M; Edwards, EA. (2006). Microbial composition of chlorinated ethene-degrading cultures dominated by Dehalococcoides. *FEMS Microbiol Ecol.* 58: 538-549.
- Duhamel, M; Edwards, EA. (2007). Growth and yields of dechlorinators, acetogens, and methanogens during reductive dechlorination of chlorinated ethenes and dihaloelimination of 1,2-dichloroethane. *Environmental Science & Technology.* 41: 2303-2310.
- Duhamel, M; Mo, K; Edwards, EA. (2004). Characterization of a highly enriched Dehalococcoides-containing culture that grows on vinyl chloride and trichloroethene. *Appl Environ Microbiol.* 70: 5538-5545.
- Duhamel, M; Wehr, SD; Yu, L; Rizvi, H; Seepersad, D; Dworatzek, S; Cox, EE; Edwards, EA. (2002). Comparison of anaerobic dechlorinating enrichment cultures maintained on tetrachloroethene, trichloroethene, cis-dichloroethene and vinyl chloride. *Water Res.* 36: 4193-4202.
- Duke, LD; Rong, Y; Harmon, TC. (1998). Parameter-induced uncertainty in modeling vadose zone transport of VOCs. *Journal of Environmental Engineering-Asce.* 124: 441-448.
- Dumanoglu, Y; Kara, M; Altiok, H; Odabasi, M; Elbir, T; Bayram, A. (2014). Spatial and seasonal variation and source apportionment of volatile organic compounds (VOCs) in a heavily industrialized region. *Atmos Environ.* 98: 168-178.
- Dunn, WJ, III; Emery, SL; Glen, WG; Scott, DR. (1989). Preprocessing, variable selection, and classification rules in the application of SIMCA pattern recognition to mass spectral data. *Environ Sci Technol.* 23: 1499-1505.
- Dural, NH; Chen, CH. (1997). Analysis of vapor phase adsorption equilibrium of 1,1,1-trichloroethane on dry soils. *J Hazard Mater.* 53: 75-92.
- Durante, C; Perazzolo, V; Perini, L; Favaro, M; Granozzi, G; Gennaro, A. (2014). Electrochemical activation of carbon-halogen bonds: Electrocatalysis at silver/copper nanoparticles. *Appl Catal B-Environ.* 158-159: 286-295.
- Durchin, J. (1985). ON-SITE ANALYSIS AT A TOXIC WASTE DUMP SITE. 190th American Chemical Society National Meeting, Chicago, Ill, Usa, Sept. 190.
- Duret, A; Holliger, C; Maillard, J. (2012). The physiological opportunism of *Desulfitobacterium hafniense* strain TCE1 towards organohalide respiration with tetrachloroethene. *Appl Environ Microbiol.* 78: 6121-6127.
- Durmusoglu, E; Corapcioglu, MY. (2000). Experimental study of horizontal barrier formation by colloidal silica. *Journal of Environmental Engineering-Asce.* 126: 833-841.
- DuTeaux, SB; Berger, T; Hess, RA; Sartini, BL; Miller, MG. (2004). Male reproductive toxicity of trichloroethylene: Sperm protein oxidation and decreased fertilizing ability. *Biol Reprod.* 70: 1518-1526.
- DuTeaux, SB; Hengel, MJ; DeGroot, DE; Jelks, KA; Miller, MG. (2003). Evidence for trichloroethylene bioactivation and adduct formation in the rat epididymis and efferent ducts. *Biol Reprod.* 69: 771-779.
- Dutta, BK; Sikdar, SK. (1999). Separation of volatile organic compounds from aqueous solutions by pervaporation using S-B-S block copolymer membranes. *Environmental Science & Technology.* 33: 1709-1716.
- Dutta, KK; Kumar, P; Alam, MS; Mishra, A. (1994). BIOCHEMICAL AND CYTOLOGICAL ALTERATIONS IN BRONCHOALVEOLAR FLUID TO INHALATION OF TRICHLOROETHYLENE VAPOUR IN ALBINO RATS. *Experimental Biology.* 8.
- Dutta, R; Mondal, AM; Arora, V; Nag, TC; Das, N. (2008). Immunomodulatory effect of DDT (bis[4-chlorophenyl]-1,1,1-trichloroethane) on complement system and macrophages. *Toxicology.* 252: 78-85.
- Dwarakanath, V; Kostarelos, K; Pope, GA; Shotts, D; Wade, WH. (1999). Anionic surfactant remediation of soil columns contaminated by nonaqueous phase liquids. *J Contam Hydrol.* 38: 465-488.
- Dwarakanath, V; Pope, GA. (2000). Surfactant phase behavior with field degreasing solvent. *Environmental Science & Technology.* 34: 4842-4848.
- Dybing, E; Sanner, T; Roelfzema, H; Kroese, D; Tennant, RW. (1997). T25: A simplified carcinogenic potency index: Description of the system and study of correlations between carcinogenic potency and species/site specificity and mutagenicity. *Pharmacology & Toxicology.* 80: 272-279.
- Dyer, M. (1995). THE WATER QUALITY AT LAGO DI VICO DURING 1992-1993. *Sci Total Environ.* 171: 77-83.
- Dyer, RS. (2002). Chemical mixtures and health effects at Superfund sites. *Int J Hyg Environ Health.* 205: 149-153.

Environmental Hazard Literature Search Results

Off Topic

- Dyrssen, D; Fogelqvist, E; Krysell, M; Sturm, R. (1990). Release of halocarbons from an industrial estuary. *Tellus Ser B Chem Phys Meteorol.* 42: 162-169.
- Easterling, MR; Evans, MV; Kenyon, EM. (2000). Comparative analysis of software for physiologically based pharmacokinetic modeling: Simulation, optimization, and sensitivity analysis. *Toxicology Methods.* 10: 203-229.
- Eastin, WCJR. (1989). TOXICOLOGIC AND CARCINOGENIC EFFECTS OF HEXACHLOROETHANE EXPOSURE TO T344-N RATS. Eightieth Annual Meeting Of The American Association For Cancer Research, San Francisco, California, Usa, May. 30: 115.
- Ebeid, F; Farghali, H; Botros, S; Metwally, A. (1990). Praziquantel did not exhibit hepatotoxicity in a study with isolated hepatocytes. *Toxicol Lett.* 52: 279-285.
- Eberle, D; Ball, R; Boving, TB. (2016). Peroxone activated persulfate treatment of 1,4-dioxane in the presence of chlorinated solvent co-contaminants. *Chemosphere.* 144: 728-735.
- Ebert, M; Kober, R; Parbs, A; Plagentz, V; Schafer, D; Dahmke, A. (2006). Assessing degradation rates of chlorinated ethylenes in column experiments with commercial iron materials used in permeable reactive barriers. *Environmental Science & Technology.* 40: 2004-2010.
- Eberts, SM; Jones, SA; Braun, CL; Harvey, GJ. (2005). Long-term changes in ground water chemistry at a phytoremediation demonstration site. *Ground Water.* 43: 178-186.
- Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide. *AU - KUTSUNA S. Atmos Environ Part A Gen Top.* 27: 599-604.
- Ebrahim, AS; Babakrishnan, K; Sakthisekaran, D. (1996). Perchloroethylene-induced alterations in glucose metabolism and their prevention by 2-deoxy-D-glucose and vitamin E in mice. *Journal of applied toxicology : JAT.* 16: 339-348.
- Ebrahim, AS; Babu, E; Thirunavukkarasu, C; Sakthisekaran, D. (2001). Protective role of vitamin E, 2-deoxy-D-glucose, and taurine on perchloroethylene induced alterations in ATPases. *Drug Chem Toxicol.* 24: 429-437.
- Ebrahim, AS; Gopalakrishnan, R; Murugesan, A; Sakthisekaran, D. (1995). In vivo effect of vitamin E on serum and tissue glycoprotein levels in perchloroethylene induced cytotoxicity. *Mol Cell Biochem.* 144: 13-18.
- Eckert, J; Draznieks, CM; Cheetham, AK. (2002). Direct observation of host-guest hydrogen bonding in the zeolite NaY/chloroform system by neutron scattering. *J Am Chem Soc.* 124: 170-171.
- Eckhardt, DAV; Pearsall, KA. (1985). TRICHLOROETHYLENE IN GROUNDWATER AT ROOSEVELT FIELD NASSAU COUNTY LONG ISLAND NEW-YORK USA. Symposium On Groundwater: Geochemical And Environmental Relationships, Troy, NY, Usa, May. 4: 84.
- Edil, TB; Berthouex, PM; Park, JK; Hargett, DL; Sandstrom, L; Zelmanowitz, S. (1991). Effects of volatile organic compounds on clay landfill liner performance. *Waste Manage Res.* 9: 171-188.
- Edney, EO; Kleindienst, TE; Corse, EW. (1986). ROOM TEMPERATURE RATE CONSTANTS FOR THE REACTION OF HYDROXYL RADICALS WITH SELECTED CHLORINATED AND OXYGENATED HYDROCARBONS. *Int J Chem Kinet.* 18: 1355-1372.
- Edstrom, JA; Semmens, MJ; Hozalski, RM; Clapp, LW; Novak, PJ. (2005). Stimulation of dechlorination by membrane-delivered hydrogen: Small field demonstration. *Environ Eng Sci.* 22: 281-293.
- Edwards, BH; Paullin, JN; Coghlan-Jordan, K. (1985). EMERGING TECHNOLOGIES FOR THE CONTROL OF HAZARDOUS WASTES. *J Hazard Mater.* 12: 201-205.
- Edwards, E; Godsy, EM; Henry, S; Mayer, KP; Grbic-Galic, D. (1990). TRANSFORMATION OF AROMATIC HYDROCARBONS AND HALOGENATED SOLVENTS BY SUBSURFACE MICROORGANISMS. 199th Acs. 199: 141.
- Edwards, EA; Sibanda, MM; Focke, WW; Labuschagne, FJ; Moyo, L; Nhlapo, NS; Maity, A; Muiambo, H; Massinga, P, Jr.; Crowther, NA; Coetzee, M; Brindley, GW. (2011). Degradation of insecticides used for indoor spraying in malaria control and possible solutions. *Environmental science & technology.* 45: 9693-9702.
- Edwards, FG; Egemen, E; Brennan, R; Nirmalakhandan, N. (1999). Ranking of Toxics Release Inventory chemicals using a Level III fugacity model and toxicity. *Water Science And Technology.* 39: 83-90.
- Edwards, TA; Butterwick, JA; Zeng, L; Gupta, YK; Wang, X; Wharton, RP; Palmer Iii, AG; Aggarwal, AK. (2006). Solution Structure of the Vts1 SAM Domain in the Presence of RNA. *J Mol Biol.* 356: 1065-1072.
- Eglal, MM; Ramamurthy, AS. (2015). Removal of Pb (II), Cd (II), Cu (II) and trichloroethylene from water by Nanofer ZVI. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 50: 901-912.
- Egle Jr, JL; Long, JE; Simon, GS; Borzelleca, JF. (1976). An evaluation of the cardiac sensitizing potential of a fabric protector in aerosol form, containing 1,1,1-trichloroethane. *Toxicol Appl Pharmacol.* 38: 369-377.
- Eguchi, M; Kitagawa, M; Suzuki, Y; Nakamura, M; Kawai, T; Okamura, K; Sasaki, S; Miyake, Y. (2001). A field evaluation of in situ biodegradation of trichloroethylene through methane injection. *Water Res.* 35: 2145-2152.
- Ehlers, J; Tosch, M; Albaz, I; Lochmann, ER. (1991). Rapid estimation of chromosomal damage in yeast due to the effects of environmental chemicals using pulsed field gel electrophoresis. *Ecotoxicol Environ Saf.* 22: 133-138.
- Ehlke, TA. (1989). MICROBIOLOGICAL TRANSFORMATION OF TRICHLOROETHYLENE IN SOIL AT PICATINNY ARSENAL NEW JERSEY UNDER AEROBIC CONDITIONS. 89th Annual Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 89: 350.
- Ehlke, TA; Imbrigiotta, TE; Dale, JM. (2004). Laboratory comparison of polyethylene and dialysis membrane diffusion samplers. *Ground Water Monitoring and Remediation.* 24: 53-59.
- Ehrenreich, T. (1977). Renal disease from exposure to solvents. *Annals of clinical and laboratory science.* 7: 6-16.
- Eichenlaub-Ritter, U; Betzendahl, I. (1995). Chloral hydrate induced spindle aberrations, metaphase I arrest and aneuploidy in mouse oocytes. *Mutagenesis.* 10: 477-486.

Environmental Hazard Literature Search Results

Off Topic

- Eighmy, TT; Spear, JCM; Case, J; Mills, M; Newman, K; Kinner, NE; Marbet, H; Casas, J; Bothner, W; Coulburn, J; Tisa, LS; Majko, M; Sullivan, ER; Gonsoulin, ME. (2007). Microfracture surface geochemistry and adherent microbial population metabolism in TCE-contaminated competent bedrock. *Geomicrobiology Journal*. 24: 307-330.
- Einaga, H; Ibusuki, T; Futamura, S. (2004). Improvement of catalyst durability by deposition of Rh on TiO₂ in photooxidation of aromatic compounds. *Environmental Science & Technology*. 38: 285-289.
- Eisenbeis, M; Bauer-Kreisel, P; Scholz-Muramatsu, H. (1997). Studies on the dechlorination of tetrachloroethene to cis-1,2-dichloroethene by *Dehalospirillum multivorans* in biofilms. *Water Science And Technology*. 36: 191-198.
- Ejlertsson, J; Johansson, E; Karlsson, A; Meyerson, U; Svensson, BH. (1996). Anaerobic degradation of xenobiotics by organisms from municipal solid waste under landfilling conditions. *Antonie Van Leeuwenhoek*. 69: 67-74.
- Eklund, B; Anderson, EP; Walker, BL; Burrows, DB. (1998). Characterization of landfill gas composition at the fresh Kills municipal solid-waste landfill. *Environmental Science & Technology*. 32: 2233-2237.
- Eklund, BM; Simon, MA. (2007). Concentration of tetrachloroethylene in indoor air at a former dry cleaner facility as a function of subsurface contamination: A case study. *Journal of the Air & Waste Management Association*. 57: 753-760.
- Eklund, C; Evans, M; Simmons, J. (2011). Evaluation of the Potential Impact of Inhibition of Trichloroethylene Metabolism in the Liver on Extrahepatic Toxicity. 50th Anniversary Annual Meeting of the Society of Toxicology (SOT 2011).
- Eklund, G; Pedersen, JR; Stromberg, B. (1987). FORMATION OF CHLORINATED ORGANIC COMPOUNDS DURING COMBUSTION OF PROPANE IN THE PRESENCE OF HYDROCHLORIC ACID. *Chemosphere*. 16: 161-166.
- Eklund, G; Pedersen, JR; Stromberg, B. (1988). METHANE HYDROGEN CHLORIDE AND OXYGEN FORM A WIDE RANGE OF CHLORINATED ORGANIC SPECIES IN THE TEMPERATURE RANGE 400 C-950 C. *Chemosphere*. 17: 575-586.
- El Kasmí, KC; Deroo, S; Theisen, DM; Brons, NHC; Muller, CP. (1999). Crossreactivity of mimotopes and peptide homologues of a sequential epitope with a monoclonal antibody does not predict crossreactive immunogenicity. *Vaccine*. 18: 284-290.
- El Kasmí, KC; Theisen, D; Brons, NHC; Muller, CP. (1998). The molecular basis of virus crossreactivity and neutralisation after immunisation with optimised chimeric peptides mimicking a putative helical epitope of the measles virus hemagglutinin protein. *Molecular Immunology*. 35: 905-918.
- El Mamouni, R; Jacquet, R; Gerin, P; Agathos, SN. (2002). Influence of electron donors and acceptors on the bioremediation of soil contaminated with trichloroethene and nickel: laboratory- and pilot-scale study. *Water Science and Technology*. 45: 49-54.
- Elango, V; Kurtz, HD; Freedman, DL. (2011). Aerobic cometabolism of trichloroethene and cis-dichloroethene with benzene and chlorinated benzenes as growth substrates. *Chemosphere*. 84: 247-253.
- Elberson, MA; Ebersole, RC; Young, RM; Tabinowski, JA; Perry, MP; Fahnestock, S; Hendrickson, ER. (1999). Detection of dechlorinating bacteria in groundwater and soils from waste sites contaminated with PCE and TCE. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 539.
- Elcombe, CR; Rose, MS; Pratt, IS. (1985). Biochemical, histological, and ultrastructural changes in rat and mouse liver following the administration of trichloroethylene: possible relevance to species differences in hepatocarcinogenicity. *Toxicol Appl Pharmacol*. 79: 365-376.
- Elder, JH; Morrissette, DJ; Yunghans, WN. (1979). Calcium uptake by sarcoplasmic reticulum of rat muscle: inhibition by DDT. *Eur J Cell Biol*. 19: 231-238.
- Eleuteri, AM; Lupidi, G; Angeletti, M; Amici, M; Marchini, C; Pucciarelli, S; Fioretti, E. (2001). Structure-function relationships in bovine thymus 20S proteasome: a fluorimetric study. *Int J Biol Macromol*. 28: 321-330.
- El-Farhan, YH; Scow, KM; de Jonge, LW; Rolston, DE; Moldrup, P. (1998). Coupling transport and biodegradation of toluene and trichloroethylene in unsaturated soils. *Water Resour Res*. 34: 437-445.
- El-Farhan, YH; Scow, KM; Fan, SF; Rolston, DE. (2000). Kinetics of trichloroethylene cometabolism and toluene biodegradation: Model application to soil batch experiments. *J Environ Qual*. 29: 778-786.
- Elfarra, AA; Krause, RJ. (2007). S-(1,2,2-trichlorovinyl)-L-cysteine sulfoxide, a reactive metabolite of S-(1,2,2-Trichlorovinyl)-L-cysteine formed in rat liver and kidney microsomes, is a potent nephrotoxicant. *The Journal of pharmacology and experimental therapeutics*. 321: 1095-1101.
- Ellenbecker, MJ. (1996). Engineering controls as an intervention to reduce worker exposure. *Am J Ind Med*. 29: 303-307.
- Ellenson, WD; Mukerjee, S; Stevens, RK; Willis, RD; Shadwick, DS; Somerville, MC; Lewis, RG. (1997). An environmental scoping study in the Lower Rio Grande Valley of Texas: II. Assessment of transboundary pollution transport and other activities by air quality monitoring. *Environ Int*. 23: 643-655.
- Elliott, DW; Zhang, WX. (2001). Field assessment of nanoscale bimetallic particles for groundwater treatment. *Environmental science & technology*. 35: 4922-4926.
- Elliott, DW; Zhang, WX. (2001). Field assessment of nanoscale biometallic particles for groundwater treatment. *Environmental Science & Technology*. 35: 4922-4926.
- Elliott, HA. (1986). LAND APPLICATION OF MUNICIPAL SEWAGE SLUDGE. *J Soil Water Conserv*. 41: 5-10.
- Elliott, JE; Morrissey, CA; Henny, CJ; Inzunza, ER; Shaw, P. (2007). Satellite telemetry and prey sampling reveal contaminant sources to Pacific Northwest Ospreys. *Ecological applications* : a publication of the Ecological Society of America. 17: 1223-1233.
- Ellis, DE; Lutz, EJ; Odom, JM; Buchanan, RJ; Bartlett, CL; Lee, MD; Harkness, MR; Deweerdt, KA. (2000). Bioaugmentation for accelerated in situ anaerobic bioremediation. *Environmental Science & Technology*. 34: 2254-2260.

Environmental Hazard Literature Search Results

Off Topic

- Ellis, PA; Rivett, MO. (2007). Assessing the impact of VOC-contaminated groundwater on surface water at the city scale. *J Contam Hydrol.* 91: 107-127.
- Ellis, RL. (1995). RAPID TEST METHODS FOR REGULATORY PROGRAMS. Beier, R C And L H Stanker. 621: 44-58.
- Elloy, FC. (2014). Activated persulfate and catalyzed hydrogen peroxide propagation system reactivity and stability during in situ chemical oxidation (Groundwater, Hydrogen peroxide, In situ chemical oxidation, Persulfate, Remediation, Total oxidant demand, GROUNDWATER, HYDROGEN PEROXIDE, IN SITU CHEMICAL OXIDATION, PERSULFATE, REMEDIATION, TOTAL OXIDANT DEMAND, ACTIVATED, CATALYZED, HYDROGEN, PEROXIDE, PROPAGATION, SYSTEM, REACTIVITY, STABILITY, SITU, CHEMICAL, OXIDATION). *Dissertation Abstracts International Vol 76, no 07, suppl B, 112 p 2014.*
- Ellram, LM; Tate, WL; Billington, C. (2008). Offshore outsourcing of professional services: A transaction cost economics perspective. *Journal of Operations Management.* 26: 148-163.
- El-Masri, HA; Constan, AA; Ramsdell, HS; Yang, RSH. (1996). Physiologically based pharmacodynamic modeling of an interaction threshold between trichloroethylene and 1,1-dichloroethylene in fischer 344 rats. *Toxicol Appl Pharmacol.* 141: 124-132.
- El-Masri, HA; Dowd, S; Pegram, RA; Harrison, R; Yavanhxay, SJ; Simmons, JE; Evans, M. (2009). Development of an inhalation physiologically based pharmacokinetic (PBPK) model for 2,2, 4-trimethylpentane (TMP) in male Long-Evans rats using gas uptake experiments. *Inhal Toxicol.* 21: 1176-1185.
- Elnabarawy, MT; Welter, AN; Robideau, RR. (1986). RELATIVE SENSITIVITY OF THREE DAPHNID SPECIES TO SELECTED ORGANIC AND INORGANIC CHEMICALS. *Environ Toxicol Chem.* 5: 393-398.
- Elola, A; Diaz, E; Ordonez, S. (2009). A New Procedure for the Treatment of Organochlorinated Off-Gases Combining Adsorption and Catalytic Hydrodechlorination. *Environmental Science & Technology.* 43: 1999-2004.
- El-Shaarawi, AH; Esterby, SR; Warry, ND; Kuntz, KW. (1985). EVIDENCE OF CONTAMINANT LOADING TO LAKE ONTARIO FROM THE NIAGARA RIVER USA CANADA. *Can J Fish Aquat Sci.* 42: 1278-1289.
- Elsner, M; Au, SA; Miao, Z; Gu, X; Lu, S; Brusseau, ML; Yan, N; Qiu, Z; Sui, Q. (2015). Enhancement effects of reducing agents on the degradation of tetrachloroethene in the Fe(II)/Fe(III) catalyzed percarbonate system. *J Hazard Mater.* 299: 747-754.
- Elsner, M; Chartrand, M; Vanstone, N; Couloume, GL; Lollar, BS. (2008). Identifying abiotic chlorinated ethene degradation: Characteristic isotope patterns in reaction products with nanoscale zero-valent iron. *Environmental Science & Technology.* 42: 5963-5970.
- Elsner, M; Couloume, GL; Lollar, BS. (2006). Freezing to preserve groundwater samples and improve headspace quantification limits of water-soluble organic contaminants for carbon isotope analysis. *Anal Chem.* 78: 7528-7534.
- Elsner, M; Couloume, GL; Mancini, S; Burns, L; Lollar, BS. (2010). Carbon Isotope Analysis to Evaluate Nanoscale Fe(O) Treatment at a Chlorohydrocarbon Contaminated Site. *Ground Water Monitoring and Remediation.* 30: 79-95.
- Elsner, M; Cwiertny, DM; Roberts, AL; Lollar, BS. (2007). 1,1,2,2-tetrachloroethane reactions with OH(-), Cr(II), granular iron, and a copper-iron bimetal: Insights from product formation and associated carbon isotope fractionation. *Environmental Science & Technology.* 41: 4111-4117.
- Elsner, M; Hunkeler, D. (2008). Evaluating chlorine isotope effects from isotope ratios and mass spectra of polychlorinated molecules. *Anal Chem.* 80: 4731-4740.
- Elsner, M; Schwarzenbach, RP; Haderlein, SB. (2004). Reactivity of Fe(II)-bearing minerals toward reductive transformation of organic contaminants. *Environmental science & technology.* 38: 799-807.
- Ely, KH; Ahmed, M; Kohlmeier, JE; Roberts, AD; Wittmer, ST; Blackman, MA; Woodland, DL. (2007). Antigen-specific CD8(+) T cell clonal expansions develop from memory T cell pools established by acute respiratory virus infections. *J Immunol.* 179: 3535-3542.
- Ely, R; Hyman, M; Williamson, K; Arp, D. (1994). INHIBITION INACTIVATION AND RECOVERY THE EFFECTS COMETABOLIC TRICHLOROETHYLENE DEGRADATION IN NITROSOMONAS EUROPAEA. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 439.
- Ely, RL; Hyman, MR; Arp, DJ; Guenther, RB; Williamson, KJ. (1995). A cometabolic kinetics model incorporating enzyme inhibition, inactivation, and recovery: II. Trichloroethylene degradation experiments. *Biotechnol Bioeng.* 46: 232-245.
- Ely, RL; Williamson, KJ; Guenther, RB; Hyman, MR; Arp, DJ. (1995). A Cometabolic Kinetics Model Incorporating Enzyme Inhibition, Inactivation, and Recovery: I. Model Development, Analysis, and Testing. *Biotechnol Bioeng.* 46: 218-231.
- Ely, RL; Williamson, KJ; Hyman, MR; Arp, DJ. (1997). Cometabolism of chlorinated solvents by nitrifying bacteria: kinetics, substrate interactions, toxicity effects, and bacterial response. *Biotechnol Bioeng.* 54: 520-534.
- El-Zahab, B; Meza, L; Cutright, T; Wang, P. (2004). Enzymatic degradation of trichloroethylene using enzyme extracts isolated from a bacterial consortium. *Appl Biochem Biotechnol.* 117: 165-174.
- Emans, HJB; V, DPLASSCHEEJ; Canton, JH; Okkerman, PC; Sparenburg, PM. (1993). Validation of some extrapolation methods used for effect assessment. *Environ Toxicol Chem.* 12: 2139-2154.
- Emara, AM; El-Noor, MMA; Hassan, NA; Wagih, AA. (2010). Immunotoxicity and hematotoxicity induced by tetrachloroethylene in egyptian dry cleaning workers. *Inhal Toxicol.* 22: 117-124.
- Emery, SL. (1985). ELECTRON DEFICIENT CLUSTERS: A STUDY OF TETRABORON TETRACHLORIDE AND OCTABORON OCTACHLORIDE CHEMISTRY (PHOTOELECTRON, SPECTRA). PhD Thesis, University of Illinois at Chicago.
- Emmett, AJ. (1993). ORGANOCHLORINE CONTAMINATION OF GROUNDWATER BY PULP AND PAPER MILL EFFLUENT IN SOUTH AUSTRALIA. *Agso Journal Of Australian Geology & Geophysics.* 14: 183-191.
- Endres, AL; Greenhouse, JP. (1996). Detection and monitoring of chlorinated solvent contamination by thermal neutron logging. *Ground Water.* 34: 283-292.

Environmental Hazard Literature Search Results

Off Topic

- Enfield, CG. (1984). CHEMICAL TRANSPORT FACILITATED BY MULTIPHASE FLOW SYSTEMS. Symposium On Degradation, Retention And Dispersion Of Pollutants In Groundwater Held By The International Association On Water Pollution Research And Control, Copenhagen, Denmark, Sept. 17: 1-12.
- Enfield, CG; Yates, SR. (1990). ORGANIC CHEMICAL TRANSPORT TO GROUNDWATER. *Cheng, H H. 0: 271-302.*
- Eng, W; Palumbo, AV; Little, CD. (1988). KINETICS OF TCE DEGRADATION BY A METHANE-UTILIZING BACTERIA UNDER OXYGEN-LIMITING CONDITIONS. Annual Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 88: 293.
- Eng, W; Palumbo, AV; Sriharan, S; Strandberg, GW. (1990). METHANOL SUPPRESSION OF TRICHLOROETHYLENE DEGRADATION BY METHYLOSINUS-TRICHOSPORIUM OB3B AND METHANE-OXIDIZING MIXED CULTURES. Twelfth Symposium On Biotechnology For Fuels And Chemicals, Gatlinburg, Tennessee, Usa, May. 29: 887-900.
- Englehardt, JD. (1993). POLLUTION PREVENTION TECHNOLOGIES A REVIEW AND CLASSIFICATION. *J Hazard Mater. 35: 119-150.*
- English, CW; Loehr, RC. (1990). REMOVAL OF ORGANIC VAPORS IN SOIL. Gulf Coast Hazardous Substance Research Center Second Annual Symposium: Mechanisms And Applications Of Solidification, Beaumont, Texas, Usa, February. 24: 298.
- English, CW; Loehr, RC. (1991). Degradation of organic vapors in unsaturated soils. *J Hazard Mater. 28: 55-64.*
- Ennever, FK; Rosenkranz, HS. (1989). APPLICATION OF THE CARCINOGENICITY PREDICTION AND BATTERY SELECTION METHOD TO RECENT NATIONAL TOXICOLOGY PROGRAM SHORT-TERM TEST DATA. *Environ Mol Mutagen. 13: 332-338.*
- Ennis, E; Reed, R; Dolan, M; Semprini, L; Istok, J; Field, J. (2005). Reductive dechlorination of the vinyl chloride surrogate chlorofluoroethene in TCE-contaminated groundwater. *Environmental Science & Technology. 39: 6777-6785.*
- Ensign, SA. (1996). Aliphatic and chlorinated alkenes and epoxides as inducers of alkene monooxygenase and epoxidase activities in *Xanthobacter* strain Py2. *Appl Environ Microbiol. 62: 61-66.*
- Ensign, SA; Hyman, MR; Arp, DJ. (1992). Cometabolic degradation of chlorinated alkenes by alkene monooxygenase in a propylene-grown *Xanthobacter* strain. *Appl Environ Microbiol. 58: 3038-3046.*
- Enslin, K; Borgstedt, HH; Tomb, ME; Blake, BW; Hart, JB. (1987). A STRUCTURE-ACTIVITY PREDICTION MODEL OF CARCINOGENICITY BASED ON NCI-NTP ASSAYS AND FOOD ADDITIVES. *Toxicol Ind Health. 3: 267-288.*
- Ensley, B. (1990). A RECOMBINANT ESCHERICHIA-COLI WITH ENHANCED PERFORMANCE FOR CHEMICAL SYNTHESIS AND HAZARDOUS WASTE DEGRADATION. *199th Acs. 199: 123.*
- Ensley, BD. (1994). Designing pathways for environmental purposes. *Curr Opin Biotechnol. 5: 249-252.*
- Ensley, BD; Kurisko, PR. (1994). A gas lift bioreactor for removal of contaminants from the vapor phase. *Appl Environ Microbiol. 60: 285-290.*
- Ensminger, MD. (1982). INFRARED FLUORESCENCE STUDIES OF ULTRAVIOLET PHOTOLYSIS PRODUCTS OF THE CHLOROETHYLENES AND OF INTRAMOLECULAR VIBRATIONAL RELAXATION IN METHYL FORMATE. PhD Thesis, University of Illinois at Urbana-Champaign.
- Enzien, MV; Hazen, TC; Fliermans, CB; Franck, MM; McKenzie, P. (1994). MICROBIAL COMMUNITY STRUCTURE IN UNSATURATED SEDIMENTS DURING IN SITU BIOREMEDIATION OF CHLORINATED SOLVENTS. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 329.
- Enzien, MV; Picardal, F; Hazen, TC; Arnold, RG; Fliermans, CB. (1994). Reductive dechlorination of trichloroethylene and tetrachloroethylene under aerobic conditions in a sediment column. *Appl Environ Microbiol. 60: 2200-2204.*
- Enzien, MV; Picardal, FW; Hazen, TC; Arnold, RG. (1992). EFFECTS OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND METHANE EXPOSURE ON MICROBIAL COMMUNITY DYNAMICS IN A SEDIMENT COLUMN. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 296.
- Ercan, MT; Aras, TI; Açensal, IS. (1992). Evaluation of 99mTc-erythromycin and 99mTc-streptomycin sulphate for the visualization of inflammatory lesions. *International Journal of Radiation Applications and Instrumentation Part B Nuclear Medicine and Biology. 19: 803-806.*
- Ergas, SJ; Hinlein, ES; Reyes, PO; Ostendorf, DW; Tehrany, JP. (2000). Near surface soil vapor clusters for monitoring emissions of volatile organic compounds from soils. *Journal of the Air & Waste Management Association. 50: 118-124.*
- Ergas, SJ; Schroeder, ED; Chang, DPY; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. *Water Environ Res. 67: 816-821.*
- Erickson, M; Mayer, A; Horn, J. Multi-objective optimal design of groundwater remediation systems: application of the niched Pareto genetic algorithm (NPGA). *Advances in Water Resources. Jan 2002. v. 25 (1): 51-65.*
- Erickson, MD; Swanson, SE; Sack, TM; Heggem, DT. (1985). PRODUCTS OF THERMAL DEGRADATION OF DIELECTRIC FLUIDS. Fifth International Symposium On Chlorinated Dioxins And Related Compounds, Bayreuth, West Germany, Sept. 15: 1261-1264.
- Eriksson, C; Brittebo, EB. (1991). Epithelial binding of 1,1,2,2-tetrachloroethane in the respiratory and upper alimentary tract. *Arch Toxicol. 65: 10-14.*
- Eriksson, L; Jonsson, J; Berglind, R. (1993). External validation of a QSAR for the acute toxicity of halogenated aliphatic hydrocarbons. *Environ Toxicol Chem. 12: 1185-1191.*
- Eriksson, L; Jonsson, J; Hellberg, S; Lindgren, F; Skagerberg, B; Sjostrom, M; Wold, S; Berglind, R. (1990). A strategy for ranking environmentally occurring chemicals: Part III. Multivariate quantitative structure-activity relationships for halogenated aliphatics. *Environ Toxicol Chem. 9: 1339-1352.*
- Eriksson, L; Jonsson, J; Sjostrom, M; Wold, S. (1989). A strategy for ranking environmentally occurring chemicals: Part II. An illustration with two data sets of chlorinated aliphatics and aliphatic alcohols. *Chemometrics Intelligent Lab Syst. 7: 131-142.*
- Eriksson, L; Jonsson, J; Tysklind, M. (1995). Multivariate QSBR modeling of biodehalogenation half-lives of halogenated aliphatic hydrocarbons. *Environ Toxicol Chem. 14: 209-217.*

Environmental Hazard Literature Search Results

Off Topic

- Eriksson, L; Sjoström, M; Berglund, R; Larsson, R. (1993). Multivariate biological profiling of the subacute effects of halogenated aliphatic hydrocarbons. *J Environ Sci Health Part A Environ Sci Eng.* 28: 1123-1144.
- Eriksson, L; Sjoström, M; Wold, S. (1991). RATIONAL RANKING OF CHEMICALS ACCORDING TO ENVIRONMENTAL RISK AN ILLUSTRATION USING MULTIVARIATE BIOLOGICAL PROFILING OF HALOGENATED ALIPHATIC HYDROCARBONS. 2nd Scandinavian Symposium On Chemometrics. 14: 245-252.
- Eriksson, P; Darnerud, PO. (1985). Distribution and retention of some chlorinated hydrocarbons and a phthalate in the mouse brain during the pre-weaning period. *Toxicology.* 37: 189-203.
- Eriksson, L; Jonsson, J; Hellberg, S; Lindgren, F; Sjöström, M; Wold, S. (1991). A strategy for ranking environmentally occurring chemicals: Part V. The development of two genotoxicity QSARs for halogenated aliphatics. *Environ Toxicol Chem.* 10: 585-596.
- Erning, K; Dahmke, A; Schafer, D. (2013). MODELING THE INFLUENCE OF MULTI-SPEED 'REAL GROUND WATER ON THE MIGRATION OF DNAPL IN the aquifer POROUS multi-layered RHO, ITALY. *Italian Journal of Engineering Geology and Environment.* 2: np.
- Erning, K; Grandel, S; Dahmke, A; Schafer, D. (2012). Simulation of DNAPL infiltration and spreading behaviour in the saturated zone at varying flow velocities and alternating subsurface geometries. *Environ Earth Sci.* 65: 1119-1131.
- Ersan, G; Kaya, Y; Apul, OG; Karanfil, T. (2016). Adsorption of organic contaminants by graphene nanosheets, carbon nanotubes and granular activated carbons under natural organic matter preloading conditions. *Sci Total Environ.* 565: 811-817.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1996). Determination of the ¹³C/¹²C isotope ratio of organic compounds for the biological degradation of tetrachloroethene (PCE) and trichloroethene (TCE). *Acta Hydrochim Hydrobiol.* 24: 16-21.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1998). The (¹³C)/(¹²C) and (2)H/(1)H ratios of trichloroethene, tetrachloroethene and their metabolites. *Isotopes Environ Health Stud.* 34: 245-253.
- Erto, A; Andreozzi, R; Di Natale, F; Lancia, A; Musmarra, D. (2010). Experimental and statistical analysis of trichloroethylene adsorption onto activated carbon. *Chem Eng J.* 156: 353-359.
- Erto, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2014). Permeable Adsorptive Barrier (PAB) for the remediation of groundwater simultaneously contaminated by some chlorinated organic compounds. *J Environ Manage.* 140: 111-119.
- Erto, A; Lancia, A. (2010). Groundwater Pollution by Trichloroethylene: Transport Mechanisms and Environmental Fate. 5th International Symposium on Environment.
- Erto, A; Lancia, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2011). A procedure to design a Permeable Adsorptive Barrier (PAB) for contaminated groundwater remediation. *J Environ Manage.* 92: 23-30.
- Erto, A; Lancia, A; Musmarra, D. (2011). A modelling analysis of PCE/TCE mixture adsorption based on Ideal Adsorbed Solution Theory. *Separation and Purification Technology.* 80: 140-147.
- Ervin, RE; Boroumand, A; Abriola, LM; Ramsburg, CA. (2011). Kinetic limitations on tracer partitioning in ganglia dominated source zones. *J Contam Hydrol.* 126: 195-207.
- Erwin, DP; Erickson, IK; Delwiche, ME; Colwell, FS; Strap, JL; Crawford, RL. (2005). Diversity of oxygenase genes from methane- and ammonia-oxidizing bacteria in the Eastern Snake River Plain aquifer. *Appl Environ Microbiol.* 71: 2016-2025.
- Erwin, DP; Erickson, IK; Delwiche, ME; Colwell, FS; Strap, JL; Crawford, RL. (2005). Diversity of Oxygenase Genes from Methane- and Ammonia-Oxidizing Bacteria in the Eastern Snake River Plain Aquifer. *Appl Environ Microbiol.* 71: 2016-2025.
- Escher, M; Wahli, T; Buttner, S; Meier, W; Burkhardt-Holm, P. (1999). The effect of sewage plant effluent on brown trout (*Salmo trutta fario*): A cage experiment. *Aquatic Sciences.* 61: 93-100.
- Espadaler, I; Caixach, J; Om, J; Ventura, F; Cortina, M; Paune, F; Rivera, J. (1997). Identification of organic pollutants in Ter river and its system of reservoirs supplying water to Barcelona (Catalonia, Spain): A study by GC and FAB/MS./METHODS. *Water Res.* 31: 1996-2004.
- Esposito, P; Hessling, J; Locke, BB; Taylor, M; Szabo, M; Thumau, R; Rogers, C; Traver, R; Barth, E. (1989). RESULTS OF TREATMENT EVALUATIONS OF A CONTAMINATED SYNTHETIC SOIL. *Japca.* 39: 294-304.
- Esposito, SJ; Thomson, NR. (1999). Two-phase flow and transport in a single fracture-porous medium system. *J Contam Hydrol.* 37: 319-341.
- Estes, TJ; Shah, RV; Vilker, VL. (1988). ADSORPTION OF LOW MOLECULAR WEIGHT HALOCARBONS BY MONTMORILLONITE. *Environ Sci Technol.* 22: 377-381.
- Evans, EB; Balster, RL. (1993). Inhaled 1,1,1-trichloroethane-produced physical dependence in mice: effects of drugs and vapors on withdrawal. *The Journal of pharmacology and experimental therapeutics.* 264: 726-733.
- Evans, GM. (1991). U.S. EPA SITE demonstration of AWD technologies' AquaDetox system. *J Air Waste Manage Assoc.* 41: 1519-1523.
- Evans, HE; Kyte, WS. (1991). THE IMPACT OF RECENT LEGISLATION ON THE UK GENERATION INDUSTRY. *Chow, W And K K Connor.* 0: 44-57.
- Evans, J; Kaake, RH; Orr, M; Watwood, M. (1998). A comparison of ultrasonication and Soxhlet methods for DDT extraction from soil. *Journal of Soil Contamination.* 7: 589-597.
- Evans, JR. (1972). The reaction of vitamin D (calciferol) with tetracyanoethylene. The basis of a possible chemical method to estimate vitamin D. *Clin Chim Acta.* 38: 85-89.
- Evans, JS; Thompson, KM; Hattis, D. (2000). Exposure efficiency: concept and application to perchloroethylene exposure from dry cleaners. *Journal of the Air & Waste Management Association (1995).* 50: 1700-1703.
- Evans, M; Simmons, J; Yang, H; Yokley, K; McDonald, A; Sey, Y; Eklund, C. (2011). Physiologically-Based Pharmacokinetic (PBPK) Modeling of Two Binary Mixtures: Metabolic Activation of Carbon Tetrachloride by Trichloroethylene and Metabolic Inhibition of Chloroform by Trichloroethylene. 50th Anniversary Annual Meeting of the Society of Toxicology (SOT 2011).
- Evans, MV; Chiu, WA; Okino, MS; Caldwell, JC. (2009). Development of an updated PBPK model for trichloroethylene and metabolites in mice, and its application to discern the role of oxidative metabolism in TCE-induced hepatomegaly. *Toxicol Appl Pharmacol.* 236: 329-340.

Environmental Hazard Literature Search Results

Off Topic

- Evans, PJ; Nguyen, D; Chappell, RW; Whiting, K; Gillette, J; Bodour, A; Wilson, JT. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Column Study. *Ground Water Monitoring and Remediation*. 34: 65-78.
- Evenson, D; Jost, L; Gandour, D; Rhodes, L; Stanton, B; Clausen, OP; De, AP; Coico, R; Daley, A; Becker, K. (1995). Comparative sperm chromatin structure assay measurements on epillumination and orthogonal axes flow cytometers. *Cytometry*. 19: 295-303.
- Everaert, P; Sarens, G; Rommel, J. (2010). Using Transaction Cost Economics to explain outsourcing of accounting. *Small Business Economics*. 35: 93-112.
- Everhart, JL; Kurtz, DT; McMillan, JM. (1998). Dichloroacetic acid induction of peroxisome proliferation in cultured hepatocytes. *Appl Environ Microbiol*. 12: 351-359.
- Ewald, EM; Wagner, A; Nijenhuis, I; Richnow, HH; Lechner, U. (2007). Microbial dehalogenation of trichlorinated dibenzo-p-dioxins by a Dehalococcoides-containing mixed culture is coupled to carbon isotope Fractionation. *Environmental Science & Technology*. 41: 7744-7751.
- Ewers, J; Freier-Schroeder, D; Knackmuss, HJ. (1990). Selection of trichloroethene (TCE) degrading bacteria that resist inactivation by TCE. *Arch Microbiol*. 154: 410-413.
- Ewing, KJ; Nau, G; Bilodeau, T; Dagenais, DM; Bucholtz, F; Aggarwal, ID. (1997). Monitoring the absorption of organic vapors to a solid phase extraction medium applications to detection of trace volatile organic compounds by integration of solid phase absorbents with fiber optic Raman spectroscopy. *Anal Chim Acta*. 340: 227-232.
- Eyre, RJ; Bull, RJ. (1992). Adduction of hemoglobin and albumin in vivo by metabolites of trichloroethylene, trichloroacetate, and dichloroacetate in rats and mice. *AU - STEVENS DK. Fundam Appl Toxicol*. 19: 336-342.
- Eyre, RJ; Stevens, DK; Parker, JC; Bull, RJ. (1995). Renal activation of trichloroethene and S-(1,2-dichlorovinyl)-L-cysteine and cell proliferative responses in the kidneys of F344 rats and B6C3F1 mice. *J Toxicol Environ Health*. 46: 465-481.
- F Chen, K; Y Yeh, T; M Kao, C; P Sung, W; C Lin, C. (2012). Application of Nanoscale Zero-valent Iron (nZVI) to Enhance Microbial Reductive Dechlorination of TCE: A Feasibility Study. *Current Nanoscience*. 8: 55-59.
- Fagerlund, F; Illangasekare, TH; Phenrat, T; Kim, HJ; Lowry, GV. (2012). PCE dissolution and simultaneous dechlorination by nanoscale zero-valent iron particles in a DNAPL source zone. *J Contam Hydrol*. 131: 9-28.
- Fagius, J; Gråenqvist. (1978). Function of peripheral nerves and signs of polyneuropathy in solvent-exposed workers at a Swedish steelworks. *Acta Neurol Scand*. 57: 305-316.
- Fahrig, R; Madle, S; Baumann, H. (1995). Genetic toxicology of trichloroethylene (TCE). *Mutation Research/Reviews in Genetic Toxicology*. 340: 1-36.
- Fairey, JL; Speitel, GE; Katz, LE. (2006). Impact of natural organic matter on monochloramine reduction by granular activated carbon: The role of porosity and electrostatic surface properties. *Environmental Science & Technology*. 40: 4268-4273.
- Faisal, AAH; Kubba, FA; Madhloom, HM. (2014). Modeling of Trichloroethylene Migration in Three-Dimensional Saturated Sandy Soil. *Arabian Journal for Science and Engineering*. 39: 7763-7769.
- Falcou, A; Boullais, C. (1998). Synthesis of 2,3-(13)C(2)-2,5-cyclohexadienyl ubiquinone 3. *Journal of Labelled Compounds & Radiopharmaceuticals*. 41: 657-668.
- Falkenstein, Z. (1999). Effects of the O(2) concentration on the removal efficiency of volatile organic compounds with dielectric barrier discharges in Ar and N(2). *Journal of Applied Physics*. 85: 525-529.
- Fallahpour, N; Mao, X; Rajic, L; Yuan, S; Alshawabkeh, AN. (2017). Electrochemical dechlorination of trichloroethylene in the presence of natural organic matter, metal ions and nitrates in a simulated karst media. *Journal of Environmental Chemical Engineering*. 5: 240-245.
- Fallahpour, N; Yuan, S; Rajic, L; Alshawabkeh, AN. (2016). Hydrodechlorination of TCE in a circulated electrolytic column at high flow rate. *Chemosphere*. 144: 59-64.
- Falta, RW. (1996). Defining the air sparging radius of influence for groundwater remediation. *AU - MCCRAY JE. J Contam Hydrol*. 24: 25-52.
- Falta, RW. (2000). Numerical modeling of kinetic interphase mass transfer during air sparging using a dual-media approach. *Water Resour Res*. 36: 3391-3400.
- Fan, AM. Trichloroethylene: water contamination and health risk assessment. *Rev Environ Contam Toxicol*. 1988. v. 101: 55-92 maps.
- Fan, C; Tsai, M; Tsui, L. (2014). Structural characterization of bagasse-derived composts with different maturities and their solubility enhancing effect on PCE and toluene. *Chemosphere*. 105: 95-99.
- Fan, C; Wang, GS; Chen, YC; Ko, CH. (2009). Risk assessment of exposure to volatile organic compounds in groundwater in Taiwan. *Sci Total Environ*. 407: 2165-2174.
- Fan, DM; Johnson, GO; Tratnyek, PG; Johnson, RL. (2016). Sulfidation of Nano Zerovalent Iron (nZVI) for Improved Selectivity During In-Situ Chemical Reduction (ISCR). *Environmental Science & Technology*. 50: 9558-9565.
- Fan, GP; Cang, L; Gomes, HI; Zhou, DM. (2016). Electrokinetic delivery of persulfate to remediate PCBs polluted soils: Effect of different activation methods. *Chemosphere*. 144: 138-147.
- Fan, J; Shek, PN; Suntres, ZE; Li, YH; Oreopoulos, GD; Rotstein, OD. (2000). Liposomal antioxidants provide prolonged protection against acute respiratory distress syndrome. *Surgery*. 128: 332-338.
- Fan, SF; Scow, KM. Biodegradation of trichloroethylene and toluene by indigenous microbial populations in soil. *Appl Environ Microbiol*. June 1993. v. 59 (6): 1911-1918.
- Fan, WJ; Cheng, Y; Yu, SZ; Fan, XF; Deng, YQ. (2015). Preparation of wrapped nZVI particles and their application for the degradation of trichloroethylene (TCE) in aqueous solution. *Journal of Water Reuse and Desalination*. 5: 335-343.
- Fan, Y; Xia, Y. (2012). Exploring energy consumption and demand in China. *Energy*. 40: 23-30.

Environmental Hazard Literature Search Results

Off Topic

- Fan, YL; Wang, X; Guo, CY. (2011). Assessment on Inter-laboratory Comparison of Analytical Capacity on Halohydrocarbons in Household Drinking Water. *Huanjing yu Zhiye Yixue* 419-421.
- Fan, ZS; Casey, FXM. (2008). Estimating solute transport parameters using Stochastic ranking evolutionary strategy. *Vadose Zone Journal*. 7: 124-130.
- Fang, NB; Casida, JE. (1999). Cube resin insecticide: Identification and biological activity of 29 rotenoid constituents. *J Agric Food Chem*. 47: 2130-2136.
- Fang, Y; Al-Abed, SR. (2007). Use of carbon stable isotope to investigate chloromethane formation in the electrolytic dechlorination of trichloroethylene. *J Hazard Mater*. 141: 729-735.
- Fang, Y; Al-Abed, SR. (2008). Correlation of 2-chlorobiphenyl dechlorination by Fe/Pd with iron corrosion at different pH. *Environmental Science & Technology*. 42: 6942-6948.
- Fang, Y-L. (2011). Understanding Structure-Property Relationships for Palladium-Gold Nanoparticles as Colloidal Catalysts. *Dissertation Abstracts International Vol 72*, no 10, suppl B, 130 p 2011.
- Fang, Y-L; Miller, JT; Guo, N; Heck, KN; Alvarez, PJJ; Wong, MS. (2011). Structural analysis of palladium-decorated gold nanoparticles as colloidal bimetallic catalysts. *Catalysis Today*. 160: 96-102.
- Fang, YX; Al-Abed, SR. (2007). Modeling the electrolytic dechlorination of trichloroethylene in a granular graphite-packed reactor. *Environ Eng Sci*. 24: 581-594.
- Fantuzzi, G; Aggazzotti, G; Right, E; Cavazzuti, L; Predieri, G; Franceschelli, A. (1996). Indoor air quality in the university libraries of Modena (Italy). *Sci Total Environ*. 193: 49-56.
- Fanucchi, MV; Plopper, CG. (2004). Chapter 25 - Environmental Toxicants and Lung Development in Experimental Models. *The Lung Oxford* 345-351.
- Fares, A; Kindt, BT; Lapuma, P; Perram, GP. (1995). Desorption kinetics of trichloroethylene from powdered soils. *Environmental Science & Technology*. 29: 1564-1568.
- Farhan, S; Budiman, J; Holsen, TM. (2002). Experimental investigation of the interaction of soil air permeability and soil vapor extraction. *Journal of Environmental Engineering-Asce*. 128: 120-130.
- Farhan Ul-Haque, M; Kalidass, B; Vorobev, A; Baral, BS; DiSpirito, AA; Semrau, JD. (2015). Methanobactin from *Methylocystis* sp Strain SB2 Affects Gene Expression and Methane Monooxygenase Activity in *Methylosinus trichosporium* OB3b. *Appl Environ Microbiol*. 81: 2466-2473.
- Fariss, MW; Merson, MH; O'Hara, TM. (1989). Alpha-tocopheryl succinate protects hepatocytes from chemical-induced toxicity under physiological calcium conditions. *Toxicol Lett*. 47: 61-75.
- Farrell, J; Grassian, D; Jones, M. (1999). Investigation of mechanisms contributing to slow desorption of hydrophobic organic compounds from mineral solids. *Environmental Science & Technology*. 33: 1237-1243.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environmental Science & Technology*. 34: 514-521.
- Farrell, J; Melitas, N; Kason, M; Li, T. (2000). Electrochemical and column investigation of iron-mediated reductive dechlorination of trichloroethylene and perchloroethylene. *Environmental Science & Technology*. 34: 2549-2556.
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions: 1. Isotherms. *Environmental Science & Technology*. 28: 53-62.
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions: 2. Kinetics. *Environmental Science & Technology*. 28: 63-72.
- Fathepure, BZ; Boyd, SA. Dependence of tetrachloroethylene dechlorination on methanogenic substrate consumption by *Methanosarcina* sp. strain DCM. *Appl Environ Microbiol*. Dec 1988. v. 54 (12): 2976-2980 ill.
- Fathepure, BZ; Boyd, SA. (1988). Reductive dechlorination of perchloroethylene and the role of methanogens. *FEMS Microbiol Lett*. 49: 149-156.
- Fathepure, BZ; Elango, VK; Singh, H; Bruner, MA. (2005). Bioaugmentation potential of a vinyl chloride-assimilating *Mycobacterium* sp., isolated from a chloroethene-contaminated aquifer. *FEMS Microbiol Lett*. 248: 227-234.
- Fathepure, BZ; Nengu, JP; Boyd, SA. (1987). Anaerobic bacteria that dechlorinate perchloroethene. *Appl Environ Microbiol*. 53: 2671-2674.
- Fathepure, BZ; Tiedje, JM. (1992). REDUCTIVE BIOTRANSFORMATION OF TETRACHLOROETHYLENE BY A DCB-1 BIOFILM REACTOR. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 380.
- Fathepure, BZ; Tiedje, JM. (1994). Reductive dechlorination of tetrachloroethylene by a chlorobenzoate-enriched biofilm reactor. *Environmental Science & Technology*. 28: 746-752.
- Fathepure, BZ; Vogel, TM. (1989). BIOTRANSFORMATION OF CHLORINATED HYDROCARBONS IN A CONTINUOUS-FLOW ANAEROBIC BIOFILM COLUMN. 89th Annual Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 89: 337.
- Fattori, TR; Hildebrand, PE; Wilson, HR. Response of broiler breeder females to feed restriction below recommended levels. 2. Economic analysis. *Poult Sci*. Mar 1991. v. 70 (3): 489-498.
- Faucher, F; Carrier, G; Panisset, JC. (1996). Health risk assessment study for a general population in case of fire of high quantities of 1,1,1-trichloroethane in urban zone. *J Hazard Mater*. 45: 141-147.
- Fawell, JK. (1991). CARCINOGENIC MICROPOLLUTANTS IN DRINKING WATER RISKS AND REGULATION. Meeting On Hazard Assessment And Control Of Environmental Contaminants In Water Held At The 1st lawprc. 25: 473-478.
- Fayed, AE; Zidan, ZH; Abou-Arab, AAK; Magdoub, MNI. (1995). Ultrafiltration membrane permeability of some milk contaminants. *International Dairy Journal*. 5: 569-576.

Environmental Hazard Literature Search Results

Off Topic

- Fazi, S; Aulenta, F; Majone, M; Rossetti, S. (2008). Improved quantification of Dehalococcoides species by fluorescence in situ hybridization and catalyzed reporter deposition. *Syst Appl Microbiol.* 31: 62-67.
- Fears, TR; Douglas, JF. (1978). Suggested procedures for reducing the pathology workload in a carcinogen bioassay program, Part I. *J Environ Pathol Toxicol.* 1: 125-137.
- Fears, TR; Douglas, JF. (1978). Suggested procedures for reducing the pathology workload in a carcinogen bioassay program, Part II: Incorporating blind pathology techniques and analysis for animals with tumors. *J Environ Pathol Toxicol.* 1: 211-222.
- Fechter, LD; Liu, Y; Herr, DW; Crofton, KM. (1998). Trichloroethylene ototoxicity: Evidence for a cochlear origin. *Toxicol Sci.* 42: 28-35.
- Feenstra, S; Mackay, DM; Cherry, JA. (1991). A METHOD FOR ASSESSING RESIDUAL NAPL BASED ON ORGANIC CHEMICAL CONCENTRATIONS IN SOIL SAMPLES. *Ground Water Monit Rev.* 11: 128-136.
- Fehsenfeld, F; Calvert, J; Fall, R; Goldan, P; Guenther, AB; Hewitt, CN; Lamb, B; Liu, S; Trainer, M; al., e. (1992). Emissions of volatile organic compounds from vegetation and the implications for atmospheric chemistry. *Global Biogeochem Cycles.* 6: 389-430.
- Feige, WA; Clark, RM; Lykins, BWJR; Fronk, CA. (1987). TREATMENT OF WATER FROM CONTAMINATED WELLS. D'Itri, F M And L G Wolfson Rural Groundwater Contamination Xix+416p Lewis Publishers, Inc: Chelsea, Michigan, Usa Illus Isbn. 0: 235-252.
- Feldman, RG; Chirico-Post, J; Proctor, SP. (1988). Blink reflex latency after exposure to trichloroethylene in well water. *Arch Environ Health.* 43: 143-148.
- Feliu, JA; de Mas, C; Lpez-Santn, J. (1995). Studies on papain action in the synthesis of Gly-Phe in two-liquid-phase media. *Enzyme Microb Technol.* 17: 882-887.
- Feng, HJ; Zhang, XQ; Liang, YX; Wang, MZ; Shen, DS; Ding, YC; Huang, BC; Shentu, JL. (2014). Enhanced removal of p-fluoronitrobenzene using bioelectrochemical system. *Water Res.* 60: 54-63.
- Feng, J; Lim, TT. (2007). Iron-mediated reduction rates and pathways of halogenated methanes with nanoscale Pd/Fe: Analysis of linear free energy relationship. *Chemosphere.* 66: 1765-1774.
- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: Effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. *Chemosphere.* 73: 1817-1823.
- Feng, L; Han, S; Zhao, Y; Wang, L; Chen, J. (1996). Toxicity of organic chemicals to fathead minnow: A united quantitative structure. Activity relationship model and its application. *Chem Res Toxicol.* 9: 610-613.
- Fennell, DE; Carroll, AB; Gossett, JM; Zinder, SH. (2001). Assessment of indigenous reductive dechlorinating potential at a TCE-contaminated site using microcosms, polymerase chain reaction analysis, and site data. *Environmental Science & Technology.* 35: 1830-1839.
- Fennell, DE; Gossett, JM. (1998). Modeling the production of and competition for hydrogen in a dechlorinating culture. *Environmental Science & Technology.* 32: 2450-2460.
- Fennell, DE; Gossett, JM; Zinder, SH. (1997). Comparison of butyric acid, ethanol, lactic acid, and propionic acid as hydrogen donors for the reductive dechlorination of tetrachloroethene. *Environmental Science & Technology.* 31: 918-926.
- Fennell, DE; Nelson, YM; Underhill, SE; White, TE; Jewell, WJ. (1993). TCE degradation in a methanotrophic attached-film bioreactor. *Biotechnol Bioeng.* 42: 859-872.
- Fennell, DE; Nijenhuis, I; Wilson, SF; Zinder, SH; Hggblom, MM. (2004). Dehalococcoides ethenogenes strain 195 reductively dechlorinates diverse chlorinated aromatic pollutants. *Environmental science & technology.* 38: 2075-2081.
- Fennell, DE; Underhill, SE; Jewell, WJ. (1992). Methanotrophic attached-film reactor development and biofilm characteristics. *Biotechnol Bioeng.* 40: 1218-1232.
- Fennelly, JP; Roberts, AL. (1998). Reaction of 1,1,1-trichloroethane with zero-valent metals and bimetallic reductants. *Environmental Science & Technology.* 32: 1980-1988.
- Fentem, JH; Archer, GEB; Balls, M; Botham, PA; Curren, RD; Earl, LK; Esdaile, DJ; Holzhuetter, HG; Liebsch, M. (1998). The ECVAM International Validation Study on in vitro tests for skin corrosivity. 2. Results and evaluation by the management team. *Toxicol In Vitro.* 12: 483-524.
- Ferguson, CA; Audesirk, G. (1990). Effects of DDT and permethrin on neurite growth in cultured neurons of chick embryo brain and Lymnaea stagnalis. *Toxicology in vitro : an international journal published in association with BIBRA.* 4: 23-30.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. *Environ Pollut.* 107: 209-215.
- Fernandes, VC; Albergaria, JT; Oliva-Teles, T; Delerue-Matos, C; De Marco, P. (2009). Dual augmentation for aerobic bioremediation of MTBE and TCE pollution in heavy metal-contaminated soil. *Biodegradation.* 20: 375-382.
- Feron, VJ; Groten, JP; Jonker, D; Cassee, FR; Van, BLADERENPJ. (1995). Toxicology of chemical mixtures: Challenges for today and the future. *Toxicology.* 105: 415-427.
- Ferrand, LA; Milly, PCD; Pinder, GF. (1989). EXPERIMENTAL DETERMINATION OF THREE-FLUID SATURATION PROFILES IN POROUS MEDIA. *J Contam Hydrol.* 4: 373-395.
- Ferreira, FML; Madeira, VMC; Moreno, AJ. (1997). Interactions of 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene with mitochondrial oxidative phosphorylation. *Biochem Pharmacol.* 53: 299-308.
- Ferrey, ML; Wilkin, RT; Ford, RG; Wilson, JT. (2004). Nonbiological removal of cis-dichloroethylene and 1,1-dichloroethylene in aquifer sediment containing magnetite. *Environmental Science & Technology.* 38: 1746-1752.
- Ferro, AM; Kennedy, J; LaRue, JC. (2013). PHYTOREMEDIATION OF 1,4-DIOXANE-CONTAINING RECOVERED GROUNDWATER. *Int J Phytoremediation.* 15: 911-923.
- Fetzner, S. (1998). Bacterial dehalogenation. *Appl Microbiol Biotechnol.* 50: 633-657.
- Fetzner, S; Lingens, F. (1994). BACTERIAL DEHALOGENASES BIOCHEMISTRY GENETICS AND BIOTECHNOLOGICAL APPLICATIONS. *Microbiological Reviews.* 58: 641-685.

Environmental Hazard Literature Search Results

Off Topic

- Fezoui, Y; Hartley, DM; Walsh, DM; Selkoe, DJ; Osterhout, JJ; Teplow, DB. (2000). A de novo designed helix-turn-helix peptide forms nontoxic amyloid fibrils. *Nature structural biology*. 7: 1095-1099.
- Field, JA; Istok, JD; Schroth, MH; Sawyer, TE; Humphrey, MD. (1999). Laboratory investigation of surfactant-enhanced trichloroethene solubilization using single-well, "push-pull" tests. *Ground Water*. 37: 581-588.
- Field, JA; Reed, RL; Istok, JD; Semprini, L; Bennett, P; Buscheck, TE. (2005). Trichlorofluoroethene: A reactive tracer for evaluating reductive dechlorination in large-diameter permeable columns. *Ground Water Monitoring and Remediation*. 25: 68-77.
- Field, JA; Sawyer, TE; Schroth, MH; Humphrey, MD; Istok, JD. (2000). Effect of cation exchange on surfactant-enhanced solubilization of trichloroethene. *J Contam Hydrol*. 46: 131-149.
- Field, RA; Phillips, JL; Goldstone, ME; Lester, JN; Perry, R. (1992). Indoor/outdoor interactions during an air pollution event in central London. *Environ Technol*. 13: 391-408.
- Fields, MW; Bagwell, CE; Carroll, SL; Yan, T; Liu, X; Watson, DB; Jardine, PM; Criddle, CS; Hazen, TC; Zhou, J. (2006). Phylogenetic and functional biomarkers as indicators of bacterial community responses to mixed-waste contamination. *Environmental science & technology*. 40: 2601-2607.
- Fietzek, C; Ma. (2007). Influence of different transition metals in phthalocyanines on their interaction energies with volatile organic compounds: an experimental and computational study. *J Mol Model*. 13: 11-17.
- Figge, K. (1988). ANALYSIS OF ORGANIC TRACE COMPOUNDS IN THE ATMOSPHERE AND THE CORRELATION BETWEEN METEOROLOGICAL SITUATION AND CONCENTRATION OF REFERENCE SUBSTANCES AU - DOMMROESE A-M. Third International Symposium On Biological Reference Materials, Bayreuth, West Germany, May. 332: 606-611.
- Filippini, M; Amorosi, A; Campo, B; Herrero-Martin, S; Nijenhuis, I; Parker, BL; Gargini, A. (2016). Origin of VC-only plumes from naturally enhanced dechlorination in a peat-rich hydrogeologic setting. *J Contam Hydrol*. 192: 129-139.
- Filipsson, AF; Victorin, K. (2003). Comparison of available benchmark dose softwares and models using trichloroethylene as a model substance. *Regul Toxicol Pharmacol*. 37: 343-355.
- Filser, JG; Bolt, HM. (1980). Characteristics of haloethylene-induced acetonemia in rats. *Arch Toxicol*. 45: 109-116.
- Filser, JG; Jung, P; Bolt, HM. (1982). Increased acetone exhalation induced by metabolites of halogenated C1 and C2 compounds. *Arch Toxicol*. 49: 107-116.
- Findlay, M; Leonard, A; Fogel, S; Mitchell, W. (1995). LABORATORY BIODEGRADATION TO DEFINE IN SITU POTENTIAL FOR PCE TRANSFORMATION. *Hinchee, R E, C M Vogel And F J Brockman*. 3: 1-57477.
- Findlay, M; Smoler, DF; Fogel, S; Mattes, TE. (2016). Aerobic Vinyl Chloride Metabolism in Groundwater Microcosms by Methanotrophic and Etheneotrophic Bacteria. *Environmental Science & Technology*. 50: 3617-3625.
- Finklea, HO; Phillippi, MA; Lompert, E; Grate, JW. (1998). Highly sorbent films derived from Ni(SCN)₂(4-picoline)₄ for the detection of chlorinated and aromatic hydrocarbons with quartz crystal microbalance sensors. *Anal Chem*. 70: 1268-1276.
- Finlayson, J; Siepmann, S; Trumbo, J. (2001). Chemical residues in surface and ground waters following rotenone application to California lakes and streams. *Rotenone in Fisheries: Are the Rewards Worth the Risks?* 37-53.
- Finlayson, JC; Liao, B; Droppo, IG; Leppard, GG; Liss, SN. (1998). The relationship between the structure of activated sludge flocs and sorption of hydrophilic pollutants. *Water Science And Technology*. 37: 353-357.
- Finley, B; Lau, V; Paustenbach, D. (1992). USING AN UNCERTAINTY ANALYSIS OF DIRECT AND INDIRECT EXPOSURE TO CONTAMINATED GROUNDWATER TO EVALUATE EPA'S MCLS AND HEALTH-BASED CLEANUP GOALS. Fourth Annual Symposium On Ground Water: The Problem And Some Solutions, Beaumont, Texas, Usa, April. 32: 263-274.
- Finley, BL; Scott, P; Paustenbach, DJ. (1993). Evaluating the adequacy of maximum contaminant levels as health-protective cleanup goals: An analysis based on Monte Carlo techniques. *Regul Toxicol Pharmacol*. 18: 438-455.
- Finneran, KT; Forbush, HM; VanPraagh, CVG; Lovley, DR. (2002). *Desulfitobacterium metallireducens* sp nov., an anaerobic bacterium that couples growth to the reduction of metals and humic acids as well as chlorinated compounds. *Int J Syst Evol Microbiol*. 52: 1929-1935.
- Finnerty, WR. (1994). BIOSURFACTANTS IN ENVIRONMENTAL BIOTECHNOLOGY. *Curr Opin Biotechnol*. 5: 291-295.
- Finon, D; Perez, Y. (2007). The social efficiency of instruments of promotion of renewable energies: A transaction-cost perspective. *Ecol Econ*. 62: 77-92.
- Fiore, BJ; Anderson, HA; Hanrahan, LP; Olson, LJ; Sonzogni, WC. (1989). Sport fish consumption and body burden levels of chlorinated hydrocarbons: a study of Wisconsin anglers. *Arch Environ Health*. 44: 82-88.
- Fiorucci, L; Monti, A; Testai, E; Ade, P; Vittozzi, L. (1988). IN-VITRO EFFECTS OF POLYHALOGENATED HYDROCARBONS ON LIVER MITOCHONDRIA RESPIRATION AND MICROSOMAL CYTOCHROME P-450. *Drug Chem Toxicol*. 11: 387-404.
- Firdous, R. (2013). Factors Affecting the Reactivity of Granular Iron in contact with Chlorinated Solvents. *Dissertation Abstracts International Vol 75, no 05, suppl B, 251 p 2013*.
- Firdous, R; Devlin, JF. (2014). Consideration of grain packing in granular iron treatability studies. *J Contam Hydrol*. 164: 230-239.
- Fischer, U; Hinz, C; Schulin, R; Stauffer, F. (1998). Assessment of nonequilibrium in gas-water mass transfer during advective gas-phase transport in soils. *J Contam Hydrol*. 33: 133-148.
- Fiserova-Bergerova, V; Pierce, JT; Droz, PO. (1990). Dermal absorption potential of industrial chemicals: Criteria for skin notation. *Am J Ind Med*. 17: 617-636.
- Fishbein, L. (1976). Industrial mutagens and potential mutagens I. Halogenated aliphatic derivatives. *Mutat Res*. 32: 267-307.
- Fishbein, L. (1978). Overview of potential mutagenic problems posed by some pesticides and their trace impurities. *Environ Health Perspect*. 27: 125-131.

Environmental Hazard Literature Search Results

Off Topic

- Fishbein, L. (1979). Potential halogenated industrial carcinogenic and mutagenic chemicals. I. Halogenated unsaturated hydrocarbons. *The Science of the total environment*. 11: 111-161.
- Fishbein, L. (1979). Potential halogenated industrial carcinogenic and mutagenic chemicals. II. Halogenated saturated hydrocarbons. *The Science of the total environment*. 11: 163-195.
- Fisher, JW; Andersen, ME; Clewell Iii, HJ; Taylor, D. (1987). Kinetics of trichloroethylene in pregnant and lactating rats and rat pups. *Toxicology*. 47: 206-207.
- Fisher, JW; Gargas, ML; Allen, BC; Andersen, ME. (1991). Physiologically based pharmacokinetic modeling with trichloroethylene and its metabolite, trichloroacetic acid, in the rat and mouse. *Toxicol Appl Pharmacol*. 109: 183-195.
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, 3rd; Andersen, ME. (1989). Physiologically based pharmacokinetic modeling of the pregnant rat: a multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol*. 99: 395-414.
- Fisher, SW; Chordas, SW, III; Landrum, PF. (1999). Lethal and sublethal body residues for PCB intoxication in the oligochaete, *Lumbriculus variegatus*. *Aquat Toxicol*. 45: 115-126.
- Fishman, A; Tao, Y; Rui, LY; Wood, TK. (2005). Controlling the regiospecific oxidation of aromatics via active site engineering of toluene para-monooxygenase of *Ralstonia pickettii* PKO1. *J Biol Chem*. 280: 506-514.
- Fitch, M; Neeman, J; England, E. (2003). Mass transfer and benzene removal from air using latex rubber tubing and a hollow-fiber membrane module. *Appl Biochem Biotechnol*. 104: 199-214.
- Fitch, MW; Speitel, GEJR; Georgiou, G. (1996). Degradation of trichloroethylene by methanol-grown cultures of *Methylosinus trichosporium* OB3b PP358. *Appl Environ Microbiol*. 62: 1124-1128.
- Fitch, MW; Weissman, D; Phelps, P; Georgiou, G; Speitel, GEJR. (1996). Trichloroethylene degradation by *Methylosinus trichosporium* OB3B mutants in a sequencing biofilm reactor. *Water Res*. 30: 2655-2664.
- Fitzsimmons, PN; Fernandez, JD; Hoffman, AD; Butterworth, BC; Nichols, JW. (2001). Branchial elimination of superhydrophobic organic compounds by rainbow trout (*Oncorhynchus mykiss*). *Aquatic toxicology (Amsterdam, Netherlands)*. 55: 23-34.
- Fjordboge, AS; Riis, C; Christensen, AG; Kjeldsen, P. (2012). ZVI-Clay remediation of a chlorinated solvent source zone, Skuldelev, Denmark: 1. Site description and contaminant source mass reduction. *J Contam Hydrol*. 140: 56-66.
- Fleming, JT; Zhang, DJ. (1994). QUANTITATION OF SOLUBLE METHANE MONOOXYGENASE MESSENGER RNA BY RT-PCR FROM TRICHLOROETHYLENE CONTAMINATED SEDIMENTS. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 416.
- Fletcher, KE; Costanza, J; Cruz-Garcia, C; Ramaswamy, NS; Pennell, KD; Löffler, FE. (2011). Effects of Elevated Temperature on Dehalococoides Dechlorination Performance and DNA and RNA Biomarker Abundance. *Environmental Science & Technology*. 45: 712-718.
- Fletcher, KE; Costanza, J; Pennell, KD; Löffler, FE. (2011). Electron donor availability for microbial reductive processes following thermal treatment. *Water Res*. 45: 6625-6636.
- Fletcher, KE; Löffler, FE; Richnow, HH; Nijenhuis, I. (2009). Stable Carbon Isotope Fractionation of 1,2-Dichloropropane during Dichloroelimination by Dehalococoides Populations. *Environmental Science & Technology*. 43: 6915-6919.
- Fletcher, KE; Nijenhuis, I; Richnow, HH; Löffler, FE. (2011). Stable Carbon Isotope Enrichment Factors for cis-1,2-Dichloroethene and Vinyl Chloride Reductive Dechlorination by Dehalococoides. *Environmental Science & Technology*. 45: 2951-2957.
- Fliermans, CB; Dougherty, JM; Franck, MM; McKinzey, PC; Hazen, TC. (1993). IMMUNOLOGICAL TECHNIQUES AS TOOLS TO CHARACTERIZE THE SUBSURFACE MICROBIAL COMMUNITY AT A TCE CONTAMINATED SITE. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 313.
- Fliermans, CB; Phelps, TJ; Ringelberg, D; Mikell, AT; White, DC. (1988). MINERALIZATION OF TRICHLOROETHYLENE BY HETEROTROPHIC ENRICHMENT CULTURES. *Appl Environ Microbiol*. 54: 1709-1714.
- Fliermans, CB; Wear, JE; Franck, MM; McKinsey, PC; Hazen, TC. (1994). USE OF BIOLOG TECHNOLOGY TO ASSESS REMEDIATION AND GROUNDWATER PERTURBATIONS. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 329.
- Flucher, BE; Morton, ME; Froehner, SC; Daniels, MP. (1990). Localization of the alpha 1 and alpha 2 subunits of the dihydropyridine receptor and ankyrin in skeletal muscle triads. *Neuron*. 5: 339-351.
- Fode-Vaughan, KA; Wimpee, CF; Remsen, CC; Collins, MLP. (2001). Detection of bacteria in environmental samples by direct PCR without DNA extraction. *Biotechniques*. 31: 598-+.
- Fogel, MM; Taddeo, AR; Fogel, S. (1986). Biodegradation of chlorinated ethenes by a methane-utilizing mixed culture. *Appl Environ Microbiol*. 51: 720-724.
- Fogel, S. (1990). SEQUENTIAL ANAEROBIC AEROBIC BIODEGRADATION OF CHLORINATED ETHENES. 199th Acs. 199: 167.
- Fogelqvist, E; Krysell, M. (1986). THE ANTHROPOGENIC AND BIOGENIC ORIGIN OF LOW MOLECULAR WEIGHT HALOCARBONS IN A POLLUTED FJORD THE IDEFJORDEN NORWAY SWEDEN. *Mar Pollut Bull*. 17: 378-382.
- Fokken, B; Kurz, R. (1979). REMOVAL OF PURGEABLE ORGANIC CHLORINE COMPOUNDS BY ACTIVATED CARBON ADSORPTION. Meeting On Adsorption Techniques In Drinking Water Treatment Held At The North Atlantic Treaty Organization'S Committee On The Challenges Of Modern Society Symposium, Reston, Virginia, Usa, April. 7: 351-362.
- FolbergrovÅ , J; Westerberg, E; Siesjâ€ , BKNP. (1984). Cerebral metabolic and circulatory effects of 1,1,1-trichloroethane, a neurotoxic industrial solvent. 2. Tissue concentrations of labile phosphates, glycolytic metabolites, citric acid cycle intermediates, amino acids, and cyclic nucleotides. *Neurochemical pathology*.

Environmental Hazard Literature Search Results

Off Topic

- Follett, AD. (2006). Explorations into the mechanism and kinetics of the reduction of trichloroethylene using model complexes of cobalamin and zero -valent iron. PhD Thesis, University of Minnesota.
- Follett, AD; McNeill, K. (2005). Reduction of trichloroethylene by outer-sphere electron-transfer agents. *J Am Chem Soc.* 127: 844-845.
- Folsom, BR; Chapman, PJ. (1990). DEGRADATION OF TRICHLOROETHYLENE IN A RECIRCULATING BIOREACTOR USING PSEUDOMONAS-CEPACIA STRAIN G4. 90th Annual Meeting Of The American Society For Microbiology. 90: 301.
- Folsom, BR; Chapman, PJ. (1991). Performance characterization of a model bioreactor for the biodegradation of trichlorethylene by *Pseudomonas cepacia* G4. *Appl Environ Microbiol.* 57: 1602-1608.
- Folsom, BR; Chapman, PJ; Pritchard, PH. (1990). Phenol and trichloroethylene degradation by *Pseudomonas cepacia* G4: kinetics and interactions between substrates. *Appl Environ Microbiol.* 56: 1279-1285.
- Foote, GR; Bice, NT; Rowles, LD; Gallinatti, JD. (1998). TCE and flow monitoring methods using an existing water supply well. *Journal of Environmental Engineering-Asce.* 124: 564-571.
- Forczek, ST; Pavlik, M; Holik, J; Reederer, L; Ferencik, M. (2016). The natural chlorine cycle - Formation of the carcinogenic and greenhouse gas compound chloroform in drinking water reservoirs. *Chemosphere.* 157: 190-199.
- Foresman, TW. (1985). MAPPING MONITORING AND MODELLING OF HAZARDOUS WASTE SITES. International Conference On Man'S Role In Changing The Global Environment, Part B, Venice, Italy, October. 56: 255-263.
- Forkert, PG. (1998). Immunohistochemical detection of CYP2E1 and 2-S-glutathionyl acetate in murine lung tumors: diminished formation of reactive intermediates of 1,1-dichloroethylene. *Exp Lung Res.* 24: 455-461.
- Forkert, PG; Birch, DW. (1989). Pulmonary toxicity of trichloroethylene in mice. Covalent binding and morphological manifestations. *Drug metabolism and disposition: the biological fate of chemicals.* 17: 106-113.
- Forkert, PG; Boyd, SM. (2001). Differential metabolism of 1,1-dichloroethylene in livers of A/J, CD-1, and C57BL/6 mice. *Drug metabolism and disposition: the biological fate of chemicals.* 29: 1396-1402.
- Forkert, PG; Boyd, SM; Ulreich, JB. (2001). Pulmonary bioactivation of 1,1-dichloroethylene is associated with CYP2E1 levels in A/J, CD-1, and C57BL/6 mice. *The Journal of pharmacology and experimental therapeutics.* 297: 1193-1200.
- Forkert, PG; Collins, KS; Dowsley, TF; Ross, GM. (1997). Immunochemical assay for recognition of 2-S-glutathionyl acetate, a glutathione conjugate derived from 1,1-dichloroethylene-epoxide. *J Pharmacol Exp Ther.* 281: 1422-1430.
- Forkert, PG; Custer, EM; Alpert, AJ; Ansari, GA; Reynolds, ES. (1982). Lactate dehydrogenase activity in mouse lung following 1,1-dichloroethylene: index of airway injury. *Exp Lung Res.* 4: 67-77.
- Forkert, PG; Dowsley, TF; Lee, RP; Hong, JY; Ulreich, JB. (1996). Differential formation of 1,1-dichloroethylene-metabolites in the lungs of adult and weanling male and female mice: correlation with severities of bronchiolar cytotoxicity. *The Journal of pharmacology and experimental therapeutics.* 279: 1484-1490.
- Forkert, PG; Forkert, L. (1994). Trichloroethylene induces pulmonary fibrosis in mice. *Can J Physiol Pharmacol.* 72: 205-210.
- Forkert, PG; Forkert, L; Farooqui, M; Reynolds, ES. (1985). Lung injury and repair: DNA synthesis following 1,1-dichloroethylene. *Toxicology.* 36: 199-214.
- Forkert, PG; Geddes, BA; Birch, DW; Massey, TE. (1990). Morphologic changes and covalent binding of 1,1-dichloroethylene in Clara and alveolar type II cells isolated from lungs of mice following in vivo administration. *Drug metabolism and disposition: the biological fate of chemicals.* 18: 534-539.
- Forkert, PG; Lee, RP; Dowsley, TF; Hong, JY; Ulreich, JB. (1996). Protection from 1,1-dichloroethylene-induced Clara cell injury by diallyl sulfone, a derivative of garlic. *The Journal of pharmacology and experimental therapeutics.* 277: 1665-1671.
- Forkert, PG; Malkinson, AM; Rice, P; Moussa, M. (1999). Diminished CYP2E1 expression and formation of 2-S-glutathionyl acetate, a glutathione conjugate derived from 1,1-dichloroethylene epoxide, in murine lung tumors. *Drug metabolism and disposition: the biological fate of chemicals.* 27: 68-73.
- Forkert, PG; Millen, B; Lash, LH; Putt, DA; Ghanayem, BI. (2006). Pulmonary bronchiolar cytotoxicity and formation of dichloroacetyl lysine protein adducts in mice treated with trichloroethylene. *J Pharmacol Exp Ther.* 316: 520-529.
- Forkert, PG; Moussa, M. (1993). Temporal effects of 1,1-dichloroethylene on nonprotein sulfhydryl content in murine lung and liver. *Drug metabolism and disposition: the biological fate of chemicals.* 21: 770-776.
- Forkert, PG; Reynolds, ES. (1982). 1,1-Dichloroethylene-induced pulmonary injury. *Exp Lung Res.* 3: 57-68.
- Forkert, PG; Stringer, V; Troughton, KM. (1986). Pulmonary toxicity of 1,1-dichloroethylene: correlation of early changes with covalent binding. *Can J Physiol Pharmacol.* 64: 112-121.
- Forkert, PG; Sylvestre, PL; Poland, JS. (1985). Lung injury induced by trichloroethylene. *Toxicology.* 35: 143-160.
- Forkert, PG; Troughton, KM. (1987). Airway injury by trichloroethylene: a scanning electron microscopic study. *The Journal of pathology.* 152: 119-125.
- Forrest, BJ; Rodham, DK. (1985). An anaesthetic-induced phosphatidylcholine hexagonal phase. *Biochimica et Biophysica Acta (BBA) - Biomembranes.* 814: 281-288.
- Forrester, SB; Han, JI; Dybas, MJ; Semrau, JD; Lastoskie, CM. (2005). Characterization of a mixed methanotrophic culture capable of chloroethylene degradation. *Environ Eng Sci.* 22: 177-186.
- Fort, DJ; Rayburn, JR; DeYoung, DJ; Bantle, JA. (1991). Assessing the efficacy of an Aroclor 1254-induced exogenous metabolic activation system for FETAX. *Drug Chem Toxicol.* 14: 143-160.
- Fort, DJ; Rogers, RL; Stover, EL; Finch, RA. (2001). Optimization of an exogenous metabolic activation system for FETAX. I. Post-isolation rat liver microsome mixtures. *Drug Chem Toxicol.* 24: 103-115.

Environmental Hazard Literature Search Results

Off Topic

- Fossa, AA; Carlson, GP. (1983). Antiarrhythmic effect of disulfiram in various cardiotoxic models. *Pharmacology*. 26: 164-171.
- Fossa, AA; White, JF; Carlson, GP. (1982). Antiarrhythmic effects of disulfiram on epinephrine-induced cardiac arrhythmias in rabbits exposed to trichloroethylene. *Toxicol Appl Pharmacol*. 66: 109-117.
- Fottinger, K; Rupprechter, G. (2014). In Situ Spectroscopy of Complex Surface Reactions on Supported Pd-Zn, Pd-Ga, and Pd(Pt)-Cu Nanoparticles. *Acc Chem Res*. 47: 3071-3079.
- Foureman, P; Mason, JM; Valencia, R; Zimmering, S. (1994). Chemical mutagenesis testing in *Drosophila*: X. Results of 70 coded chemicals tested for the National Toxicology Program. *Environ Mol Mutagen*. 23: 208-227.
- Fournier, D; Hawari, J; Streger, SH; McClay, K; Hatzinger, PB. (2006). Biotransformation of N-nitrosodimethylamine by *Pseudomonas mendocina* KR1. *Appl Environ Microbiol*. 72: 6693-6698.
- Fowler, JS. (1970). Carbon tetrachloride metabolism in sheep and in *Fasciola hepatica*. *Br J Pharmacol*. 39: 599-607.
- Fowles, JR; Alexeeff, GV; Dodge, D. (1999). The use of benchmark dose methodology with acute inhalation lethality data. *Regul Toxicol Pharmacol*. 29: 262-278.
- Fox, BG; Borneman, JG; Wackett, LP; Lipscomb, JD. (1990). Haloalkene oxidation by the soluble methane monooxygenase from *Methylophilus trichosporium* OB3b: Mechanistic and environmental implications. *Biochemistry*. 29: 6419-6427.
- Frank, AL; Benton, EV; Armstrong, TW; Colborn, BL. (1996). Neutron fluences and dose equivalents measured with passive detectors on LDEF. *Radiation measurements*. 26: 833-839.
- Frank, H. (1991). AIRBORNE CHLOROCARBONS PHOTOOXIDANTS AND FOREST DECLINE. *Ambio*. 20: 13-18.
- Frank, H; Frank, W. (1986). PHOTOCHEMICAL ACTIVATION OF CHLOROETHENES LEADING TO DESTRUCTION OF PHOTOSYNTHETIC PIGMENTS. *Experientia*. 42: 1267-1269.
- Frank, H; Frank, W. (1989). UPTAKE OF AIRBORNE TETRACHLOROETHENE BY SPRUCE NEEDLES. *Environ Sci Technol*. 23: 365-367.
- Frank, H; Frank, W; Neves, HJC. (1991). Airborne C1-halocarbons and C2-halocarbons at four representative sites in Europe. *Atmos Environ Part A Gen Top*. 25: 257-262.
- Frank, H; Scholl, H; Renschen, D; Rether, B; Lauedj, A; Norokorpi, Y. (1994). Haloacetic acids, phytotoxic secondary air pollutants. *Environmental Science And Pollution Research International*. 1: 4-14.
- Frank, W; Frank, H. (1990). Concentrations of airborne C1- and C2-halocarbons in forest areas in West Germany: Results of three campaigns in 1986, 1987 and 1988. *Atmos Environ Part A Gen Top*. 24: 1735-1740.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere*. 23: 609-626.
- Fransson-Steen, R; Victorin, K. (1995). Application of the benchmark method to risk assessment of trichloroethene. AU - HAAG-GRONLUND M. *Regul Toxicol Pharmacol*. 21: 261-269.
- Frantz, SW; Watanabe, PG. (1983). Tetrachloroethylene: balance and tissue distribution in male Sprague-Dawley rats by drinking-water administration. *Toxicol Appl Pharmacol*. 69: 66-72.
- Frasconi, D; Bucchi, G; Doria, F; Rosato, A; Tavanaie, N; Salviulo, R; Ciavarelli, R; Pinelli, D; Fraraccio, S; Zanolli, G; Fava, F. (2014). Development of an attached-growth process for the on-site bioremediation of an aquifer polluted by chlorinated solvents. *Biodegradation*. 25: 337-350.
- Frasconi, D; Cappelletti, M; Fedi, S; Zannoni, D; Nocentini, M; Pinelli, D. (2010). 1,1,2,2-Tetrachloroethane aerobic cometabolic biodegradation in slurry and soil-free bioreactors: A kinetic study. *Biochem Eng J*. 52: 55-64.
- Frasconi, D; Fraraccio, S; Nocentini, M; Pinelli, D. (2013). Aerobic/anaerobic/aerobic sequenced biodegradation of a mixture of chlorinated ethenes, ethanes and methanes in batch bioreactors. *Bioresour Technol*. 128: 479-486.
- Frasconi, D; Pinelli, D; Nocentini, M; Baleani, E; Cappelletti, M; Fedi, S. (2008). A kinetic study of chlorinated solvent cometabolic biodegradation by propane-grown *Rhodococcus* sp PB1. *Biochem Eng J*. 42: 139-147.
- Frasconi, D; Pinelli, D; Nocentini, M; Fedi, S; Pii, Y; Zannoni, D. (2006). Chloroform degradation by butane-grown cells of *Rhodococcus aetherovorans* BCP1. *Appl Microbiol Biotechnol*. 73: 421-428.
- Frasconi, D; Pinelli, D; Nocentini, M; Zannoni, A; Fedi, S; Baleani, E; Zannoni, D; Farneti, A; Battistelli, A. (2006). Long-term aerobic cometabolism of a chlorinated solvent mixture by vinyl chloride-, methane- and propane-utilizing biomasses. *J Hazard Mater*. 138: 29-39.
- Frasconi, D; Zanolli, G; Bucchi, G; Rosato, A; Tavanaie, N; Fraraccio, S; Pinelli, D; Fava, F. (2013). Trichloroethylene aerobic cometabolism by suspended and immobilized butane-growing microbial consortia: A kinetic study. *Bioresour Technol*. 144: 529-538.
- Frasconi, D; Zanolli, G; Danko, AS. (2015). In situ aerobic cometabolism of chlorinated solvents: A review. *J Hazard Mater*. 283: 382-399.
- Frasconi, D; Zannoni, A; Fedi, S; Pii, Y; Zannoni, D; Pinelli, D; Nocentini, M. (2005). Aerobic cometabolism of chloroform by butane-grown microorganisms: long-term monitoring of depletion rates and isolation of a high-performing strain. *Biodegradation*. 16: 147-158.
- Frasconi, D; Zannoni, A; Pinelli, D; Nocentini, M. (2007). Chloroform aerobic cometabolism by butane-utilizing bacteria in bioaugmented and non-bioaugmented soil/groundwater microcosms. *Process Biochemistry*. 42: 1218-1228.
- Frazier, DL; Barnhill, MA; Vodinh, T; Legendre, AM; Overholt, BF. (1992). Comparative pharmacokinetics of the photosensitizer tin-etiopurpurin in dogs and rats. *Journal of veterinary pharmacology and therapeutics*. 15: 275-281.
- Fredriksson, A; Danielsson, BRG; Eriksson, P. (1993). Altered behaviour in adult mice orally exposed to tri- and tetrachloroethylene as neonates. *Toxicol Lett*. 66: 13-19.
- Freeborn, RA; West, KA; Bhupathiraju, VK; Chauhan, S; Rahm, BG; Richardson, RE; Alvarez-Cohen, L. (2005). Phylogenetic analysis of TCE-dechlorinating consortia enriched on a variety of electron donors. *Environmental Science & Technology*. 39: 8358-8368.

Environmental Hazard Literature Search Results

Off Topic

- Freedman, DL; Danko, AS; Verce, MF. (2001). Substrate interactions during aerobic biodegradation of methane, ethene, vinyl chloride and 1,2-dichloroethenes. *Water Science and Technology*. 43: 333-340.
- Freedman, DL; Gossett, JM. (1989). Biological reductive dechlorination of tetrachloroethylene and trichloroethylene to ethylene under methanogenic conditions. *Appl Environ Microbiol*. 55: 2144-2151.
- Freeze, RA; McWhorter, DB. (1997). A framework for assessing risk reduction due to DNAPL mass removal from low-permeability soils. *Ground Water*. 35: 111-123.
- Freiburger, EJ; Jacobs, TL; Ball, WP. (1993). PROBABILISTIC EVALUATION OF PACKED-TOWER AERATION DESIGNS FOR VOC REMOVAL. *American Water Works Association Journal*. 85: 73-86.
- Freire, C; Koifman, RJ; Sarcinelli, PN; Rosa, AC; Clapauch, R; Koifman, S. (2014). Association between serum levels of organochlorine pesticides and sex hormones in adults living in a heavily contaminated area in Brazil. *Int J Hyg Environ Health*. 217: 370-378.
- Freitag, D; Ballhorn, L; Geyer, H; Korte, F. (1985). ENVIRONMENTAL HAZARD PROFILE OF ORGANIC CHEMICALS AN EXPERIMENTAL METHOD FOR THE ASSESSMENT OF THE BEHAVIOR OF ORGANIC CHEMICALS IN THE ECOSPHERE BY SIMPLE LABORATORY TESTS WITH CARBON-14-LABELED CHEMICALS. *Chemosphere*. 14: 1589-1616.
- Freitas, JG; Rivett, MO; Roche, RS; Durrant, M; Walker, C; Tellam, JH. (2015). Heterogeneous hyporheic zone dechlorination of a TCE groundwater plume discharging to an urban river reach. *Sci Total Environ*. 505: 236-252.
- French, T; Downer, D; Brown, L. (1997). THE EFFECT OF N-HEXADECANE ON TRICHLOROETHYLENE DEGRADATION BY BURKHOLDERIA CEPACIA. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 473.
- French, WT; Brown, LR; Downer, DN; Fredrickson, HL; Teeter, CL. (2002). Effects of n-hexadecane and PM-100 clay on trichloroethylene degradation by *Burkholderia cepacia*. *J Hazard Mater*. 92: 89-102.
- Frenklach, M; Hsu, JP; Miller, DL; Matula, RA. (1986). Shock-tube pyrolysis of chlorinated hydrocarbons: Formation of soot. *Combust Flame*. 64: 141-156.
- Freshour, AR; Mawhinney, S; Bhattacharyya, D. (1996). Two-phase ozonation of hazardous organics in single and multicomponent systems. *Water Res*. 30: 1949-1958.
- Freundt, KJ; Liebaltd, GP; Lieberwirth, E. (1977). Toxicity studies on trans-1,2-dichloroethylene. *Toxicology*. 7: 141-153.
- Freundt, KJ; Macholz, J. (1978). Inhibition of mixed function oxidases in rat liver by trans- and cis-1,2-dichloroethylene. *Toxicology*. 10: 131-139.
- Friederichs, M; Fraenzle, O; Salski, A. (1996). Fuzzy clustering of existing chemicals according to their ecotoxicological properties. *Ecol Modell*. 85: 27-40.
- Friedman, LC; Schroder, LJ; Brooks, MG. (1986). RECOVERY OF SEVERAL VOLATILE ORGANIC COMPOUNDS FROM SIMULATED WATER SAMPLES EFFECT OF TRANSPORT AND STORAGE. *Environ Sci Technol*. 20: 826-829.
- Fries, MR. (1995). Diversity of mono aromatic hydrocarbon-degrading bacteria and their TCE co-oxidation potential. PhD Thesis, Michigan State University.
- Fries, MR; Forney, LJ; Tiedje, JM. (1997). Phenol- and toluene-degrading microbial populations from an aquifer in which successful trichloroethene cometabolism occurred. *Appl Environ Microbiol*. 63: 1523-1530.
- Fries, MR; Forney, LJ; Tiedje, JM; Hopkins, GD; McCarty, PL. (1994). MICROBIAL POPULATIONS OF PHENOL AND TOLUENE DEGRADERS IN AN AQUIFER WHERE SUCCESSFUL TCE CO-OXIDATION OCCURS. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 417.
- Fries, MR; Hopkins, GD; McCarty, PL; Forney, LJ; Tiedje, JM. (1997). Microbial Succession during a Field Evaluation of Phenol and Toluene as the Primary Substrates for Trichloroethene Cometabolism. *Appl Environ Microbiol*. 63: 1515-1522.
- Friis, AK; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2006). The need for bioaugmentation after thermal treatment of a TCE-contaminated aquifer: Laboratory experiments. *J Contam Hydrol*. 88: 235-248.
- Friis, AK; Albrechtsen, HJ; Heron, G; Bjerg, PL. (2005). Redox processes and release of organic matter after thermal treatment of a TCE-contaminated aquifer. *Environmental Science & Technology*. 39: 5787-5795.
- Friis, AK; Edwards, EA; Albrechtsen, HJ; Udell, KS; Duhamel, M; Bjerg, PL. (2007). Dechlorination after thermal treatment of a TCE-contaminated aquifer: Laboratory experiments. *Chemosphere*. 67: 816-825.
- Friis, AK; Heimann, AC; Jakobsen, R; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2007). Temperature dependence of anaerobic TCE-dechlorination in a highly enriched Dehalococcoides-containing culture. *Water Res*. 41: 355-364.
- Friis, AK; Heron, G; Albrechtsen, HJ; Udell, KS; Bjerg, PL. (2006). Anaerobic dechlorination and redox activities after full-scale Electrical Resistance Heating (ERH) of a TCE-contaminated aquifer. *J Contam Hydrol*. 88: 219-234.
- Friis, AK; Kofoed, JLL; Heron, G; Albrechtsen, HJ; Bjerg, PL. (2007). Microcosm evaluation of bioaugmentation after field-scale thermal treatment of a TCE-contaminated aquifer. *Biodegradation*. 18: 661-674.
- Froese, KL; Hutzinger, O. (1994). The formation of chlorinated benzenes and phenols in flyash catalysed reactions of trichloroethylene. *Chemosphere*. 28: 1977-1987.
- Froese, KL; Hutzinger, O. (1996). Polychlorinated benzene and polychlorinated phenol in heterogeneous combustion reactions of ethylene and ethane. *Environmental Science & Technology*. 30: 1009-1013.
- Fronk, CA; Lykins, BWJR. (1998). Removal of chlorinated and brominated alkanes from drinking water using reverse osmosis. *Aqua*. 47: 183-195.
- Fruchter, JS; Cole, CR; Williams, MD; Vermeul, VR; Amonette, JE; Szecsody, JE; Istok, JD; Humphrey, MD. (2000). Creation of a subsurface permeable treatment zone for aqueous chromate contamination using in situ redox manipulation. *Ground Water Monitoring and Remediation*. 20: 66-77.

Environmental Hazard Literature Search Results

Off Topic

- Fruechtenicht, H. (1988). REMOVAL OF THE GROUNDWATER POLLUTION BELOW AN ABANDONED WASTE OIL REFINERY AU - RIPPER P. Fourteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Held In Brighton, England, Uk, July. 21: 1841-1844.
- Fryar, AE; Wallin, EJ; Brown, DL. (2000). Spatial and temporal variability in seepage between a contaminated aquifer and tributaries to the Ohio River. *Ground Water Monitoring and Remediation*. 20: 129-146.
- Fu, X; Imhoff, PT. (2002). Mobilization of small DNAPL pools formed by capillary entrapment. *J Contam Hydrol*. 56: 137-158.
- Fu, XR; Gu, XG; Lu, SG; Miao, ZW; Xu, MH; Zhang, X; Danish, M; Cui, H; Farooq, U; Qiu, ZF; Sui, Q. (2016). Enhanced degradation of benzene by percarbonate activated with Fe(II)-glutamate complex. *Environ Sci Pollut Res Int*. 23: 6758-6766.
- Fuentes, HR; Polzer, WL; Smith, JL. Laboratory measurements of diffusion coefficients for trichloroethylene and orthoxylyene in undisturbed tuff. *J Environ Qual*. Jan/Mar 1991. v. 20 (1): 215-221.
- Fuerst, RG; Logan, TJ; Midgett, MR; Prohaska, J. (1986). FIELD VALIDATION OF THE VOLATILE ORGANIC SAMPLING TRAIN PROTOCOL. 192nd American Chemical Society National Meeting, Anaheim, Calif, Usa, Sept. 192.
- Fuerst, RG; Logan, TJ; Midgett, MR; Sykes, AL; Buedel, T; Bursley, J; Homolya, JB. (1989). SAMPLING AND ANALYSIS EXPERIMENTS FOR IMPROVED CHARACTERIZATION OF PRODUCTS OF INCOMPLETE COMBUSTION. *Japca*. 39: 969-974.
- Fujita, H; Izumi, J; Sagehashi, M; Fujii, T; Sakoda, A. (2004). Decomposition of trichloroethene on ozone-adsorbed high silica zeolites. *Water Res*. 38: 166-172.
- Fujita, H; Koizumi, A; Yamamoto, M; Kumai, M; Sadamoto, T; Ikeda, M. (1984). Inhibition of delta-aminolevulinic acid dehydratase in trichloroethylene-exposed rats, and the effects on heme regulation. *Biochim Biophys Acta*. 800: 1-10.
- Fujita, H; Koizumi, A; Yamamoto, M; Kumai, M; Sadamoto, T; Ikeda, M. (1984). Inhibition of δ -aminolevulinic acid dehydratase in trichloroethylene-exposed rats, and the effects on heme regulation. *Biochimica et Biophysica Acta (BBA) - General Subjects*. 800: 1-10.
- Fujita, M; Ike, M; Hioki, JI; Kataoka, K; Takeo, M. (1995). Trichloroethylene degradation by genetically engineered bacteria carrying cloned phenol catabolic genes. *Journal Of Fermentation And Bioengineering*. 79: 100-106.
- Fujita, M; Ike, M; Kawagoshi, Y; Miyata, N. (2000). Biotreatment of persistent substances using effective microorganisms. *Water Science and Technology*. 42: 93-106.
- Fujiwara, K; Kodama, K; Suenaga, Y; Kakegawa, H. (2010). Increase in the Lipid Peroxidation by a Water Environmental Pollutant Trichloroethylene. 2010 Pacific Congress on Marine Science and Technology (PACON 2010).
- Fukami, N; Yosida, M; Lee, BD; Taku, K; Hosomi, M. (2001). Photocatalytic degradation of gaseous perchloroethylene: products and pathway. *Chemosphere*. 42: 345-350.
- Fukuzawa, K; Kogure, K; Morita, M; Hama, S; Manabe, S; Tokumura, A. (2004). Enhancement of nitric oxide and superoxide generations by alpha-tocopheryl succinate and its apoptotic and anticancer effects. *Biochemistry Biokhimii︠a︡*. 69: 50-57.
- Fuller, ME; Manning, JF. (1998). Evidence for differential effects of 2,4,6-trinitrotoluene and other munitions compounds on specific subpopulations of soil microbial communities. *Environ Toxicol Chem*. 17: 2185-2195.
- Fuller, ME; Mu, DY; Scow, KM. (1995). Biodegradation of trichloroethylene and toluene by indigenous microbial populations in vadose sediments. *Microb Ecol*. 29: 311-325.
- Fuller, ME; Scow, KM. (1997). Impact of trichloroethylene and toluene on nitrogen cycling in soil. *Appl Environ Microbiol*. 63: 4015-4019.
- Funai, K; Song, H; Yin, L; Lodhi, IJ; Wei, X; Yoshino, J; Coleman, T; Semenkovich, CF. (2013). Muscle lipogenesis balances insulin sensitivity and strength through calcium signaling. *The Journal of clinical investigation*. 123: 1229-1240.
- Fung, JM; Morris, RM; Adrian, L; Zinder, SH. (2007). Expression of reductive dehalogenase genes in *Dehalococcoides ethenogenes* strain 195 growing on tetrachloroethene, trichloroethene, or 2,3-dichlorophenol. *Appl Environ Microbiol*. 73: 4439-4445.
- Fung, VA; Huff, J; Weisburger, EK; Hoel, DG. (1993). Predictive strategies for selecting 379 NCI chemicals evaluated for carcinogenic potential: Scientific and public health impact. *Fundam Appl Toxicol*. 20: 413-436.
- Furman, OS; Teel, AL; Ahmad, M; Merker, MC; Watts, RJ. (2011). Effect of Basicity on Persulfate Reactivity. *Journal of Environmental Engineering-Asce*. 137: 241-247.
- Furukawa, K. (2000). Engineering dioxygenases for efficient degradation of environmental pollutants. *Curr Opin Biotechnol*. 11: 244-249.
- Furukawa, K. (2003). 'Super bugs' for bioremediation. *Trends in Biotechnology*. 21: 187-190.
- Furukawa, K. (2006). Oxygenases and dehalogenases: Molecular approaches to efficient degradation of chlorinated environmental pollutants. *Bioscience Biotechnology and Biochemistry*. 70: 2335-2348.
- Furukawa, K; Hirose, J; Hayashida, S; Nakamura, K. (1994). Efficient degradation of trichloroethylene by a hybrid aromatic ring dioxygenase. *J Bacteriol*. 176: 2121-2123.
- Furukawa, K; Suyama, A; Tsuboi, Y; Futagami, T; Goto, M. (2005). Biochemical and molecular characterization of a tetrachloroethene dechlorinating *Desulfotibacterium* sp strain Y51: a review. *Journal of Industrial Microbiology & Biotechnology*. 32: 534-541.
- Furusawa, T; Asama, R; Okada, M; Aika, K-i; Kojima, R; Kato, M; Suzuki, N. (2010). Destructive Adsorption of Chlorinated Volatile Organic Compounds on Calcium Oxide Powder under Air Flow. *J Chem Eng Jpn*. 43: 537.
- Fuse, H; Ohta, M; Takimura, O; Murakami, K; Inoue, H; Yamaoka, Y; Oclarit, JM; Omori, T. (1998). Oxidation of trichloroethylene and dimethyl sulfide by a marine *Methylomicrobium* strain containing soluble methane monooxygenase. *Bioscience Biotechnology and Biochemistry*. 62: 1925-1931.
- Fusillo, TV; Hochreiter, JJR; Lord, DG. (1985). DISTRIBUTION OF VOLATILE ORGANIC COMPOUNDS IN A NEW-JERSEY USA COASTAL PLAIN AQUIFER SYSTEM. *Ground Water*. 23: 354-360.

Environmental Hazard Literature Search Results

Off Topic

- Futagami, T; Morono, Y; Terada, T; Kaksonen, AH; Inagaki, F. (2009). Dehalogenation Activities and Distribution of Reductive Dehalogenase Homologous Genes in Marine Subsurface Sediments. *Appl Environ Microbiol.* 75: 6905-6909.
- Futagami, T; Okamoto, F; Hashimoto, H; Fukuzawa, K; Higashi, K; Nazir, K; Wada, E; Suyama, A; Takegawa, K; Goto, M; Nakamura, K; Furukawa, K. (2011). Enrichment and Characterization of a Trichloroethene-Dechlorinating Consortium Containing Multiple "Dehalococcoides" Strains. *Bioscience Biotechnology and Biochemistry.* 75: 1268-1274.
- Futagami, T; Tsuboi, Y; Suyama, A; Goto, M; Furukawa, K. (2006). Emergence of two types of nondechlorinating variants in the tetrachloroethene-halorespiring *Desulfitobacterium* sp strain Y51. *Appl Microbiol Biotechnol.* 70: 720-728.
- Futagami, T; Yamaguchi, T; Nakayama, SI; Goto, M; Furukawa, K. (2006). Effects of chloromethanes on growth of and deletion of the pce gene cluster in dehalorespiring *Desulfitobacterium hafniense* strain Y51. *Appl Environ Microbiol.* 72: 5998-6003.
- Futamata, H; Harayama, S; Hiraishi, A; Watanabe, K. (2003). Functional and structural analyses of trichloroethylene-degrading bacterial communities under different phenol-feeding conditions: laboratory experiments. *Appl Microbiol Biotechnol.* 60: 594-600.
- Futamata, H; Harayama, S; Watanabe, K. (2001). Diversity in kinetics of trichloroethylene-degrading activities exhibited by phenol-degrading bacteria. *Appl Microbiol Biotechnol.* 55: 248-253.
- Futamata, H; Harayama, S; Watanabe, K. (2001). Group-specific monitoring of phenol hydroxylase genes for a functional assessment of phenol-stimulated trichloroethylene bioremediation. *Appl Environ Microbiol.* 67: 4671-4677.
- Futamata, H; Nagano, Y; Watanabe, K; Hiraishi, A. (2005). Unique kinetic properties of phenol-degrading *Variovovax* strains responsible for efficient trichloroethylene degradation in a chemostat enrichment culture. *Appl Environ Microbiol.* 71: 904-911.
- Futamata, H; Yoshida, N; Kurogi, T; Kaiya, S; Hiraishi, A. (2007). Reductive dechlorination of chloroethenes by *Dehalococcoides*-containing cultures enriched from a polychlorinated-dioxin-contaminated microcosm. *Isme Journal.* 1: 471-479.
- G, M; A.G, R; Moon, IS. (2016). Gaseous trichloroethylene removal using an electrochemically generated homogeneous low-valent ligand-free Co(I) electrocatalyst by electro-scrubbing. *J Hazard Mater.* 311: 210-217.
- GÃ¶nÃ¼llÃ¼, MT. (1996). Modelling dissolution of an organic mixture in the subsurface. *Water Res.* 30: 649-653.
- Gade, B; Layh, M; Westermann, H; Amsoneit, N. (1996). Determination of organic parameters in waste and leachates from the hazardous waste landfill of raindorf; Germany. *Waste Management & Research.* 14: 553-569.
- Gallastegi-Villa, M; Aranzabal, A; Romero-SÃ¡nchez, M; GonzÃ¡lez-Marcos, JA; GonzÃ¡lez-Velasco, JR. (2014). Catalytic activity of regenerated catalyst after the oxidation of 1,2-dichloroethane and trichloroethylene. *Chem Eng J.* 241: 200-206.
- Galleano, M; Puntarulo, S. (1997). Dietary alpha-tocopherol supplementation on antioxidant defenses after in vivo iron overload in rats. *Toxicology.* 124: 73-81.
- Gallegos, P; Lutz, J; Markwiese, J; Ryti, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem.* 26: 1299-1303.
- Galloway, SM. (1996). The micronucleus test and NTP rodent carcinogens: Not so many false negatives. *Mutat Res.* 352: 185-188.
- Galloway, SM; Armstrong, MJ; Reuben, C; Colman, S; Brown, B; Cannon, C; Bloom, AD; Nakamura, F; Ahmed, M; al., e. (1987). CHROMOSOME ABERRATIONS AND SISTER CHROMATID EXCHANGES IN CHINESE HAMSTER OVARY CELLS EVALUATIONS OF 108 CHEMICALS. *Environ Mol Mutagen.* 10: 1-175.
- Gamberale, F; Annwall, G; Olson, BA. (1976). Exposure to trichloroethylene III. Psychological functions. *Scandinavian journal of work, environment & health.* 2: 220-224.
- Gamberger, D; Horvatic, D; Sekusak, S; Sabljic, A. (1996). Applications of experts' judgement to derive structure-biodegradation relationships. *Environmental Science And Pollution Research International.* 3: 224-228.
- Gan, DR; Dupont, RR. (1989). Multiphase and multicomponent measurements of batch equilibrium distribution coefficients for six volatile organic compounds. *Hazard Waste Hazard Mater.* 6: 363-384.
- Gan, Y; Yu, T; Zhou, A; Liu, Y; Yu, K; Han, L. (2014). Variability in the carbon isotope fractionation of trichloroethene on its reductive dechlorination by vitamin B sub(12). *Environmental Sciences: Processes and Impacts.* 16: 1882-1888.
- Gan, YQ; Yu, TT; Zhou, AG; Liu, YD; Yu, K; Han, L. (2014). Variability in the carbon isotope fractionation of trichloroethene on its reductive dechlorination by vitamin B-12. *Environmental Science-Processes & Impacts.* 16: 1882-1888.
- Gander, B. (1995). Quality improvement of spray-dried, protein-loaded D,L-PLA microspheres by appropriate polymer solvent selection. *J Microencapsul.* 12: 83-97.
- Gander, JW; Parkin, GF; Scherer, MM. (2002). Kinetics of 1,1,1-trichloroethane transformation by iron sulfide and a methanogenic consortium. *Environmental science & technology.* 36: 4540-4546.
- Gandhi, RK; Hopkins, GD; Goltz, MN; Gorelick, SM; McCarty, PL. (2002). Full-scale demonstration of in situ cometabolic biodegradation of trichloroethylene in groundwater - 1. Dynamics of a recirculating well system. *Water Resour Res.* 38: 1039-1039.
- Gandhi, RK; Hopkins, GD; Goltz, MN; Gorelick, SM; McCarty, PL. (2002). Full-scale demonstration of in situ cometabolic biodegradation of trichloroethylene in groundwater - 2. Comprehensive analysis of field data using reactive transport modeling. *Water Resour Res.* 38: 1040-1040.
- Gandhi, S; Oh, BT; Schnoor, JL; Alvarez, PJJ. (2002). Degradation of TCE, Cr(VI), sulfate, and nitrate mixtures by granular iron in flow-through columns under different microbial conditions. *Water Res.* 36: 1973-1982.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environ Sci Technol.* 25: 715-722.
- Gao, B; Liu, WB; Jia, LY; Xu, L; Xie, J. (2011). Isolation and characterization of an *Alcaligenes* sp strain DG-5 capable of degrading DDTs under aerobic conditions. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes.* 46: 257-263.

Environmental Hazard Literature Search Results

Off Topic

- Gao, C-R; Wang, J-T. (2011). Research on Groundwater Organic Contamination Characteristics in 69 Cities of China. *Diqiu Xuebao (Acta Geoscientica Sinica)*. 32: 581-591.
- Gao, H; Blanford, WJ. (2012). Partitioning Behavior of Trichloroethylene in Cyclodextrin-Water-Granular-Activated Carbon Systems. *Environ Eng Sci*. 29: 533-539.
- Gao, H; Blanford, WJ; Birdwell, JE. (2009). The Pseudophase Approach to Assessing Chemical Partitioning in Air-Water-Cyclodextrin Systems. *Environmental Science & Technology*. 43: 2943-2949.
- Gao, J; Skeen, RS; Hooker, BS; Quesenberry, RD. (1997). Effects of several electron donors on tetrachloroethylene dechlorination in anaerobic soil microcosms. *Water Res*. 31: 2479-2486.
- Gao, J; Wang, W; Rondinone, AJ; He, F; Liang, L. (2015). Degradation of Trichloroethene with a Novel Ball Milled Fe-C Nanocomposite. *J Hazard Mater*. 300: 443-450.
- Gao, J; Wang, W; Rondinone, AJ; He, F; Liang, L. (2015). Degradation of Trichloroethene with a Novel Ball Milled Fe-C Nanocomposite. *J Hazard Mater*. 300: 443-450.
- Gao, JW; Skeen, RS. (1999). Glucose-induced biodegradation of cis-dichloroethylene under aerobic conditions. *Water Res*. 33: 2789-2796.
- Gao, WC; Zhang, YX; Zhang, XY; Duan, ZL; Wang, YH; Qin, C; Hu, X; Wang, H; Chang, S. (2015). Permeable reactive barrier of coarse sand-supported zero valent iron for the removal of 2,4-dichlorophenol in groundwater. *Environ Sci Pollut Res Int*. 22: 16889-16896.
- Gao, Y; Liu, R; Zhang, X; Xiao, J. (2016). Removing TCE and PCE of Groundwater with Iron-Carbon Micro-Electrolysis. *Nature, Environment and Pollution Technology*. 15: 1005.
- Garant, H; Lynd, L. (1998). Applicability of competitive and noncompetitive kinetics to the reductive dechlorination of chlorinated ethenes. *Biotechnol Bioeng*. 57: 751-755.
- Garant, H; Lynd, LR. (1996). Perchloroethylene utilization by methanogenic fed-batch cultures: Acclimation and degradation. *Appl Biochem Biotechnol*. 58: 895-904.
- Garbarini, DR; Lion, LW. (1985). EVALUATION OF SORPTIVE PARTITIONING OF NONIONIC POLLUTANTS IN CLOSED SYSTEMS BY HEADSPACE ANALYSIS. *Environ Sci Technol*. 19: 1122-1128.
- Garbarini, DR; Lion, LW. (1986). INFLUENCE OF THE NATURE OF SOIL ORGANICS ON THE SORPTION OF TOLUENE AND TRICHLOROETHYLENE. *Environ Sci Technol*. 20: 1263-1269.
- García-a-Solares, S-M; Ordaz, A; Monroy-Hermosillo, O; Guerrero-Barajas, C. (2013). Trichloroethylene (TCE) biodegradation and its effect on sulfate reducing activity in enriched sulfidogenic cultures prevented from a UASB maintained at 20 °C. *International Biodeterioration & Biodegradation*. 83: 92-96.
- Garcia, JP; Beyne-Masclat, S; Mouvier, G; Masclat, P. (1992). Emissions of volatile organic compounds by coal-fired power stations. *Atmos Environ Part A Gen Top*. 26: 1589-1597.
- Garcia-Pena, EI; Hernandez, S; Favela-Torres, E; Auria, R; Revah, S. (2001). Toluene biofiltration by the fungus *Scenedosporium apiospermum* TB1. *Biotechnol Bioeng*. 76: 61-69.
- Garcia-Solares, SM; Ordaz, A; Monroy-Hermosillo, O; Guerrero-Barajas, C. (2013). Trichloroethylene (TCE) biodegradation and its effect on sulfate reducing activity in enriched sulfidogenic cultures prevented from a UASB maintained at 20 degree C. *International Biodeterioration & Biodegradation*. 83: 92-96.
- Garcia-Solares, SM; Ordaz, A; Monroy-Hermosillo, O; Guerrero-Barajas, C. (2013). Trichloroethylene (TCE) biodegradation and its effect on sulfate reducing activity in enriched sulfidogenic cultures prevented from a UASB maintained at 20 degrees C. *International Biodeterioration & Biodegradation*. 83: 92-96.
- Garcia-Villanova, RJ; Garcia, C; Alfonso, GOMEZJ; Paz, GARCIAM; Ardanuy, R. (1997). Formation, evolution and modeling of trihalomethanes in the drinking water of a town: I. At the municipal treatment utilities. *Water Res*. 31: 1299-1308.
- Garcia-Villanova, RJ; Garcia, C; Gomez, JA; Paz, GARCIAM; Ardanuy, R. (1997). Formation, evolution and modeling of trihalomethanes in the drinking water of a town: II. In the distribution system. *Water Res*. 31: 1405-1413.
- Gardner, M. (1998). Stability of trace organic substances in water: Data obtained from interlaboratory tests. *Analytical Communications*. 35: 373-375.
- Gardner, MJ; Dobson, JE; Griffiths, AH; Jessep, MA; Ravenscroft, JE. (1997). An overview of the UK National Marine Analytical Quality Control (NMAQC) scheme and its links with QUASIMEME. *Mar Pollut Bull*. 35: 125-132.
- Garetano, G; Gochfeld, M. (2000). Factors influencing tetrachloroethylene concentrations in residences above dry-cleaning establishments. *Arch Environ Health*. 55: 59-68.
- Gargas, ML; Andersen, ME. (1989). Determining kinetic constants of chlorinated ethane metabolism in the rat from rates of exhalation. *Toxicol Appl Pharmacol*. 99: 344-353.
- Gargas, ML; Andersen, ME; Clewell, HJ, 3rd. (1986). A physiologically based simulation approach for determining metabolic constants from gas uptake data. *Toxicol Appl Pharmacol*. 86: 341-352.
- Gargas, ML; Seybold, PG; Andersen, ME. (1987). MODELING THE TISSUE SOLUBILITIES AND METABOLIC RATE CONSTANT V-M-A-X OF HALOGENATED METHANES ETHANES AND ETHYLENES. Symposium On Quantitative Toxicology Held At The 17th Conference On Toxicology, Dayton, Ohio, Usa, November. 43: 235-256.
- Garle, MJ; Fry, JR. (1989). DETECTION OF REACTIVE METABOLITES IN-VITRO. *Toxicology*. 54: 101-110.
- Garle, MJ; Fry, JR. (1990). Reactive metabolite formation catalysed by cytochrome P-450j. *Toxicology in vitro : an international journal published in association with BIBRA*. 4: 493-496.

Environmental Hazard Literature Search Results

Off Topic

- Garny, V; Lecloux, A; Papp, R. (1998). Euro Chlor risk assessment for the marine environment OSPARCOM region: North sea - Principles and purposes. *Environ Monit Assess.* 53: 395-399.
- Garric, J; Vollat, B; Nguyen, DK; Bray, M; Migeon, B; Kosmala, A. (1996). ECOTOXICOLOGICAL AND CHEMICAL CHARACTERIZATION OF MUNICIPAL WASTEWATER TREATMENT PLANT EFFLUENTS. *Water Science And Technology.* 33: 83-91.
- Gassner, GT. (1995). Mechanistic studies of the phthalate dioxygenase system. PhD Thesis, University of Michigan.
- Gasyna, Z; Browett, WR; Stillman, MJ. (1984). One-electron photooxidation of porphyrins at low temperature. *Inorganica Chimica Acta.* 92: 37-42.
- Gates-Anderson, DD; Siegrist, RL; Cline, S. (2001). Comparison of potassium permanganate and hydrogen peroxide as chemical oxidants for organically contaminated soils. *Journal of Environmental Engineering-Asce.* 127: 337-347.
- Gathala, MK; Timsina, J; Islam, MS; Krupnik, TJ; Bose, TR; Islam, N; Rahman, MM; Hossain, MI; Harun-Ar-Rashid, M; Ghosh, AK; Hasan, MMK; Khayer, MA; Islam, MZ; Tiwari, TP; McDonald, A. (2016). Productivity, profitability, and energetics: A multi-criteria assessment of farmers' tillage and crop establishment options for maize in intensively cultivated environments of South Asia. *Field Crops Research.* 186: 32-46.
- Gautam, PW. (2013). Spatial Relationship between the Trichloroethylene Degrading Bacteria *Dehalococcoides Sp.*, Sulfate Reducers and Archaea during Reductive Dechlorination. *Masters Abstracts International Vol 52, no 01, 125 p 2013.*
- Gauthier, A; Beaudet, R; Lepine, F; Juteau, P; Villemur, R. (2006). Occurrence and expression of *crdA* and *cprA5* encoding chloroaromatic reductive dehalogenases in *Desulfitobacterium* strains. *Can J Microbiol.* 52: 47-55.
- Gavaskar, AR. (1999). Design and construction techniques for permeable reactive barriers. *J Hazard Mater.* 68: 41-71.
- Gavino, VC; Dillard, CJ; Tappel, AL. (1984). Release of ethane and pentane from rat tissue slices: effect of vitamin E, halogenated hydrocarbons, and iron overload. *Arch Biochem Biophys.* 233: 741-747.
- Gdch-Advis, COMMEXISTINGCHEMENV1. (1989). EXISTING CHEMICALS OF ENVIRONMENTAL RELEVANCE II SELECTION CRITERIA AND SECOND PRIORITY LIST. Gdch Advisory Committee On Existing Chemicals Of Environmental Relevance. 0.
- Geary, L; Hultin, P. (2010). 2-Substituted Benzo[b]furans from Phenols, Trichloroethylene and Boronic Acids: Scope and Mechanistic Investigations into the One-Pot Suzuki Coupling/Direct Arylation. 93rd Canadian Chemistry Conference and Exhibition (CSC 2010).
- Geary, L; Hultin, P. (2010). Trichloroethylene as a Template for the Modular Construction of Polysubstituted Electron-Rich Alkenes, Dienes, Trienes and Enynes. 93rd Canadian Chemistry Conference and Exhibition (CSC 2010).
- Geary, LM; Hultin, PG. (2010). Palladium-Catalyzed Modular Assembly of Electron-Rich Alkenes, Dienes, Trienes, and Enynes from (E)-1,2-Dichlorovinyl Phenyl Ether. *J Org Chem.* 75: 6354-6371.
- Gebe, JA; Delrow, JJ; Heath, PJ; Fujimoto, BS; Stewart, DW; Schurr, JM. (1996). Effects of Na⁺ and Mg²⁺ on the structures of supercoiled DNAs: comparison of simulations with experiments. *J Mol Biol.* 262: 105-128.
- Gebhard, TJ. (1978). A STUDY OF RADIANT ENERGY DISTRIBUTIONS IN PHOTOCHEMICAL REACTORS AND THE PHOTOCHEMICAL DECHLORINATION OF TRICHLOROETHYLENE IN A STIRRED VESSEL. PhD Thesis, Northwestern University.
- Gehring, PJ. (1968). Hepatotoxic potency of various chlorinated hydrocarbon vapours relative to their narcotic and lethal potencies in mice. *Toxicol Appl Pharmacol.* 13: 287-298.
- Gehring, PJ. (1985). ON CHEMICALS AND RISKS. *Chemtech.* 15: 522-525.
- Gehringer, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone-Science & Engineering.* 21: 523-538.
- Gehringer, P; Matschiner, H. (1998). Radiation induced pollutant decomposition in water. *Water Science and Technology.* 37: 195-201.
- Gehringer, P; Proksch, E; Eschweiler, H; Szinovatz, W. (1992). Remediation of groundwater polluted with chlorinated ethylenes by ozone-electron beam irradiation treatment. *International journal of radiation applications and instrumentation Part A, Applied radiation and isotopes.* 43: 1107-1115.
- Gehringer, P; Proksch, E; Szinovatz, W. (1985). Radiation-induced degradation of trichloroethylene and tetrachloroethylene in drinking water. *The International journal of applied radiation and isotopes.* 36: 313-314.
- Gehringer, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1988). DECOMPOSITION OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE IN DRINKING WATER BY A COMBINED RADIATION-OZONE TREATMENT. *Water Res.* 22: 645-646.
- Geiger, CL; Ruiz, NE; Clausen, CA; Reinhart, DR; Quinn, JW. (2002). Ultrasound pretreatment of elemental iron: kinetic studies of dehalogenation reaction enhancement and surface effects. *Water Res.* 36: 1342-1350.
- Geng, QJ; Tang, SK; Wang, LT; Zhang, YC. (2015). Investigation into adsorption and photocatalytic degradation of gaseous benzene in an annular fluidized bed photocatalytic reactor. *Environ Technol.* 36: 605-614.
- Gennings, C; Carter, WH; Carchman, RA; DeVito, MJ; Simmons, JE; Crofton, KA. (2007). The impact of exposure to a mixture of eighteen polyhalogenated aromatic hydrocarbons on thyroid function: Estimation of an interaction threshold. *Journal of Agricultural Biological and Environmental Statistics.* 12: 96-111.
- Genoni, GP. (1997). Influence of the energy relationships of organic compounds on their specificity toward aquatic organisms. *Ecotoxicol Environ Saf.* 36: 99-108.
- Genoni, GP. (1997). Influence of the energy relationships of organic compounds on toxicity to the cladoceran *Daphnia magna* and the fish *Pimephales promelas*. *Ecotoxicol Environ Saf.* 36: 27-37.
- Gent, MP; White, JC; Eitzer, BD; Mattina, MI. (2007). Modeling the difference among *Cucurbita* in uptake and translocation of p,p'-dichlorophenyl-1,1-dichloroethylene. *Environmental toxicology and chemistry / SETAC.* 26: 2476-2485.
- Gentry, SJ; Walsh, PT. (1986). A DIFFUSIVE SAMPLER STAIN TUBE EXPOSURE MONITOR. Berlin, A, R H Brown And K J Saunders. 0: 379-382.

Environmental Hazard Literature Search Results

Off Topic

- George, CE; Azwell, DE; Adams, PA; Rao, GVN; Averett, DE. (1995). Evaluation of steam as a sweep gas in low temperature thermal desorption processes used for contaminated soil clean up. *Waste Manag.* 15: 407-416.
- George, JD; Price, CJ; Marr, MC; Sadler, BM; Schwetz, BA; Birnbaum, LS; Morrissey, RE. (1989). Developmental toxicity of 1,1,1-trichloroethane in CD rats. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 13: 641-651.
- George, MH; Moore, T; Kilburn, S; Olson, GR; DeAngelo, AB. (2000). Carcinogenicity of chloral hydrate administered in drinking water to the male F344/N rat and male B6C3F(1), mouse. *Toxicol Pathol.* 28: 610-618.
- Georgi, A; Schierz, A; Mackenzie, K; Kopinke, FD. (2015). Colloidal activated carbon for in-situ groundwater remediation - Transport characteristics and adsorption of organic compounds in water-saturated sediment columns. *J Contam Hydrol.* 179: 76-88.
- Georgiou, G; Fitch, MW; Weissman, D; Linqvist, LE; Speitel, GEJR; Phelps, P. (1993). EFFICIENT BIODEGRADATION OF CHLORINATED ALIPHATIC SOLVENTS USING METHYLOSINUS-TRICHOSPORIUM OB3B MUTANT CONSTITUTIVE IN THE EXPRESSION OF THE SOLUBLE METHANE MONOOXYGENASE. *Keystone Symposium On Environmental Bioremediation And Biodegradation, Lake Tahoe, California, Usa, March.* 0: 191.
- Gerbl, M; Mclvor, R; Humphreys, P. (2016). Making the business process outsourcing decision: why distance matters. *International Journal of Operations & Production Management.* 36: 1037-1064.
- Gerez, E; Caballero, F; Vazquez, E; Polo, C; Batlle, AM. (1998). Hepatic enzymatic metabolism alterations and oxidative stress during the onset of carcinogenesis: protective role of alpha-tocopherol. *European journal of cancer prevention : the official journal of the European Cancer Prevention Organisation (ECP).* 7: 69-76.
- Gerger, RR; Shields, MS. (1992). EXPANSION OF THE RANGE OF CHLOROAROMATIC COMPOUNDS DEGRADED BY THE TRICHLOROETHYLENE DEGRADING STRAIN PSEUDOMONAS-CEPACIA G4 5223 PHEL. *92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May.* 92: 370.
- Gerhard, JI; Pang, T; Kueper, BH. (2007). Time scales of DNAPL migration in sandy aquifers examined via numerical simulation. *Ground Water.* 45: 147-157.
- Gerkens, RR; Franklin, JA. (1989). The rate of degradation of 1,1,1-trichloroethane in water by hydrolysis and dehydrochlorination. *Chemosphere.* 19: 1929-1938.
- Germolec, DR; Yang, RSH; Ackermann, MF; Rosenthal, GJ; Boorman, GA; Blair, P; Luster, MI. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: II. Immunosuppression in B6C3F1 mice. *Fundam Appl Toxicol.* 13: 377-387.
- Gerritse, J; Drzyzga, O; Kloetstra, G; Keijmel, M; Wiersum, LP; Hutson, R; Collins, MD; Gottschal, JC. (1999). Influence of different electron donors and accepters on dehalorespiration of tetrachloroethene by *Desulfitobacterium frappieri* TCE1. *Appl Environ Microbiol.* 65: 5212-5221.
- Gerritse, J; Kloetstra, G; Borger, A; Dalstra, G; Alphenaar, A; Gottschal, JC. (1997). Complete degradation of tetrachloroethene in coupled anoxic and oxic chemostats. *Appl Microbiol Biotechnol.* 48: 553-562.
- Gerritse, J; Renard, V; Pedro, GTM; Lawson, PA; Collins, MD; Gottschal, JC. (1996). *Desulfitobacterium* sp. strain PCE1, an anaerobic bacterium that can grow by reductive dechlorination of tetrachloroethene or ortho-chlorinated phenols. *Archives of microbiology.* 165: 132-140.
- Gerritse, J; Renard, V; Visser, J; Gottschal, JC. (1995). Complete degradation of tetrachloroethene by combining anaerobic dechlorinating and aerobic methanotrophic enrichment cultures. *Appl Microbiol Biotechnol.* 43: 920-928.
- Ghanayem, BI; Hoffler, U. (2007). Investigation of xenobiotics metabolism, genotoxicity, and carcinogenicity using *Cyp2e1(-/-)* mice. *Curr Drug Metab.* 8: 728-749.
- Ghantous, H; Danielsson, BRG; Dencker, L; Gotczak, J; Vesterberg, O. (1985). TRICHLOROACETIC-ACID ACCUMULATES IN AMNIOTIC FLUID AFTER TRICHLOROETHYLENE AND TETRACHLOROETHYLENE INHALATION BY MICE. *13th Conference Of The European Teratology Society, Rostock Warnemuende, East Germany, Sept.* 33: 18A-19A.
- Gharaibeh, SH; Moore, SV; Buck, A. (1998). Effluent treatment of industrial wastewater using processed solid residue of olive mill products and commercial activated carbon. *J Chem Tech Biotechnol.* 71: 291-298.
- Gharib, OA. (2009). Effects of Kombucha on oxidative stress induced nephrotoxicity in rats. *Chinese Medicine.* 4: 23.
- Ghattas, W; Hess, CR; Iacazio, G; Hardre, R; Klinman, JP; Reglier, M. (2006). Pathway for the stereocontrolled Z and E production of alpha,alpha-difluorine-substituted phenyl butenoates. *J Org Chem.* 71: 8618-8621.
- Ghauch, A; Kaluzny, P; Deveau, PA; Baussand, P. (2005). Effects of chlorinated volatile organic compounds on the degradation of biogenic alkenes in presence of ozone in an atmospheric simulation chamber. *Fresen Environ Bull.* 14: 1058-1065.
- Ghauch, A; Kaluzny, P; Rouviere, A; Deveau, PA; Baussand, P. (2006). Effect of hydroxyl radicals on the interaction between chlorinated volatile organic compounds and beta-pinene under simulated and sunlight irradiation. *Fresen Environ Bull.* 15: 1244-1251.
- Gholson, AR; Javanty, RKM; Storm, JF. (1990). EVALUATION OF ALUMINUM CANISTERS FOR THE COLLECTION AND STORAGE OF AIR TOXICS. *Anal Chem.* 62: 1899-1902.
- Gholson, AR; Storm, JF; Jayanty, RK; Fuerst, RG; Logan, TJ; Midgett, MR. (1989). Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration. *JAPCA.* 39: 1210-1217.
- Ghorpade, P; Ha, M-G; Choi, W-H; Park, J-Y. (2013). Combined calcium sulfoaluminate and ordinary portland cement/Fe(II) system for enhanced dechlorination of trichloroethylene. *Chem Eng J.* 231: 326-333.
- Ghorpade, PA; Ha, M-G; Park, J-Y. (2015). Effect of different types of calcium sulfate on the reactivity of cement/Fe(II) system in dechlorination of trichloroethylene. *Desalination and Water Treatment.* 54: 1426-1435.
- Ghosh, R; Kathuria, V. (2015). Gas based power generation in India: Lessons from a transaction cost analysis. *Energy Strategy Reviews.* 8: 1-7.
- Giardino, NJ; Andelman, JB. (1996). Characterization of the emissions of trichloroethylene, chloroform, and 1,2-dibromo-3-chloropropane in a full-size, experimental shower. *J Expo Anal Environ Epidemiol.* 6: 413-423.

Environmental Hazard Literature Search Results

Off Topic

- Giardino, NJ; Andelman, JB; Borrazzo, JE; Davidson, CI. (1988). SULFUR HEXAFLUORIDE AS A SURROGATE FOR VOLATILIZATION OF ORGANICS FROM INDOOR WATER USES. *Japca*. 38: 278-280.
- Gibson, SA; Roberson, DS; Russell, HH; Sewell, GW. (1994). Effects of three concentrations of mixed fatty acids on dechlorination of tetrachloroethene in aquifer microcosms. *Environ Toxicol Chem*. 13: 453-460.
- Gibson, SA; Sewell, GW. (1991). EFFECTS OF CHLOROETHANE RATIOS AND VARIOUS ELECTRON DONORS ON REDUCTIVE DECHLORINATION IN AQUIFER MICROCOSMS. 91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May. 91: 283.
- Gibson, SA; Sewell, GW. (1992). Stimulation of reductive dechlorination of tetrachloroethene in anaerobic aquifer microcosms by addition of short-chain organic acids or alcohols. *Appl Environ Microbiol*. 58: 1392-1393.
- Gibson, SA; Sewell, GW. (1993). EFFECTS OF INHIBITORS ON REDUCTIVE DECHLORINATION OF TETRACHLOROETHENE USING FORMATE AS THE ELECTRON DONOR. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 379.
- Gibson, SA; Sewell, GW. (1994). ALTERATION OF DICHLOROETHENE DCE ISOMER FORMATION BY INCREASED ELECTRON DONOR CONCENTRATION IN AN ANAEROBIC LIQUID ENRICHMENT MAINTAINED ON TETRACHLOROETHENE PCE AND BUTYRATE. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 440.
- Gibson, TM; Haley, J; Righton, M; Watts, CD. (1986). CHLORINATION OF FATTY-ACIDS DURING WATER TREATMENT DISINFECTION REACTIVITY AND PRODUCT IDENTIFICATION. *Environ Technol Lett*. 7: 365-372.
- Giddings, CGS; Liu, F; Gossett, JM. (2010). Microcosm Assessment of *Polaromonas* sp JS666 as a Bioaugmentation Agent for Degradation of cis-1,2-dichloroethene in Aerobic, Subsurface Environments. *Ground Water Monitoring and Remediation*. 30: 106-113.
- Giddings, GG. (1990). CHEMICAL SAFETY OF IRRADIATED FOODS. *Finley, J W, S F Robinson And D J Armstrong*. 0: 332-345.
- Gierke, JS; Hutzler, NJ; Crittenden, JC. Modeling the movement of volatile organic chemicals in columns of unsaturated soil. *Water Resour Res*. July 1990. v. 26 (7): 1529-1547.
- Giger, W; Schneider, JK; Imboden, DM; Schwarzenbach, RP; Molnar-Kubica, E; Schaffner, C; Stierli, R. (1985). TRANSPORT AND TRANSFORMATION PROCESSES OF ORGANIC POLLUTANTS IN SWISS LAKES. 190th American Chemical Society National Meeting, Chicago, Ill, Usa, Sept. 190.
- Gil, F; Pla, A; Hernandez, AF; Merca, MJM; MÃ©ndez, F. (2008). A fatal case following exposure to zinc chloride and hexachloroethane from a smoke bomb in a fire simulation at a school. *Clinical toxicology (Philadelphia, Pa)*. 46: 563-565.
- Gilbert, B; McDonald, IR; Finch, R; Stafford, GP; Nielsen, AK; Murrell, JC. (2000). Molecular analysis of the pmo (particulate methane monooxygenase) operons from two type II methanotrophs. *Appl Environ Microbiol*. 66: 966-975.
- Gilbert, J. (1994). THE FATE OF ENVIRONMENTAL CONTAMINANTS IN THE FOOD CHAIN. *Sci Total Environ*. 143: 103-111.
- Gilbert, K. (2011). Trichloroethylene-Induced Autoimmunity; Dependence on Metabolism and Genetic Susceptibility. 50th Anniversary Annual Meeting of the Society of Toxicology (SOT 2011).
- Gilbert, K; Cooney, C; Broadfoot, B; Chandler, G; Erickson, S; Blossom, S. (2014). Water pollutant trichloroethylene epigenetically alters CD4+ T cells in mouse model of autoimmune disease. *Toxicol Lett*. 229, Supplement: S209.
- Gilbert, K; Rowley, B; Hennings, L; Blossom, S. (2010). CO-exposure to mercury accelerates autoimmunity induced by trichloroethylene. *Toxicol Lett*. 196, Supplement: S201-S202.
- Gilbert, KM; Blossom, SJ; Pumford, NR. (2009). Comments on "Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL+/+ mice". *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 44: 116-116.
- Gilbert, KM; Griffin, JM; Pumford, NR. (1999). Trichloroethylene activates CD4(+) T cells: Potential role in an autoimmune response. *Drug Metab Rev*. 31: 901-916.
- Gilbertson, AW; Fitch, MW; Burken, JG; Wood, TK. (2007). Transport and survival of GFP-tagged root-colonizing microbes: Implications for rhizodegradation. *European Journal of Soil Biology*. 43: 224-232.
- Gilkeson, GS; Feagin, A. (1998). EFFECT OF TRICHLOROETHYLENE TCE ON DEVELOPMENT OF AUTOIMMUNE DISEASE. 62nd National Scientific Meeting Of The American College Of Rheumatology And The 33rd National Scientific Meeting Of The Association Of Rheumatology Health Professionals, San Diego, California, Usa, November. 41.
- Gillespie, MT; Strong-Gunderson, JM. (1997). Effects of a nutrient-surfactant compound on solubilization rates of TCE. *Appl Biochem Biotechnol*. 65: 835-843.
- Gillham, RW; O'Hannesin, SF. (1994). ENHANCED DEGRADATION OF HALOGENATED ALIPHATICS BY ZERO-VALENT IRON. *Ground Water*. 32: 958-967.
- Gilli, G; Bono, R; Scursatone, E; Guerrini, E. (1992). Geographical and temporal patterns of air-borne and personal 1,1,1-trichloroethane exposure in Piedmont region (Italy). *The Science of the total environment*. 116: 261-268.
- Gimmi, T; Fluhler, H; Studer, B; Rasmussen, A. (1993). Transport of volatile chlorinated hydrocarbons in unsaturated aggregated media. *Water Air Soil Pollut*. 68: 291-305.
- Gioia, F; Andreutti, S; Murena, F. (2003). Oil mobility in a saturated water-wetted bed of glass beads. *J Hazard Mater*.
- Giovanetti, A; Rossi, L; Mancuso, H; Lombardi, CC; Marasco, MR; Manna, F; Altavista, P; Massa, EM. (1998). Analysis of lung damage induced by trichloroethylene inhalation in mice fed diets with low, normal, and high copper content. *Toxicol Pathol*. 26: 628-635.
- Giovannini, L; Guglielmi, G; Casini, T; Bertelli, A; Galmozzi, E; Bertelli, AA. (1992). Effect of ethanol chronic use on hepatotoxicity in rats exposed to tetrachloroethylene. *Int J Tissue React*. 14: 281-285.
- Giuliano, G. (1995). GROUND WATER IN THE PO BASIN SOME PROBLEMS RELATING TO ITS USE AND PROTECTION. *Sci Total Environ*. 171: 17-27.

Environmental Hazard Literature Search Results

Off Topic

- Glandieres, JM; Twist, C; Haouz, A; Zentz, C; Alpert, B. (2000). Resolved fluorescence of the two tryptophan residues in horse apomyoglobin. *Photochem Photobiol.* 71: 382-386.
- Glascott, PA, Jr.; Gilfor, E; Farber, JL. (1992). Effects of vitamin E on the killing of cultured hepatocytes by tert-butyl hydroperoxide. *Mol Pharmacol.* 41: 1155-1162.
- Glascott, PA, Jr.; Gilfor, E; Farber, JL. (1995). Relationship of the metabolism of vitamins C and E in cultured hepatocytes treated with tert-butyl hydroperoxide. *Mol Pharmacol.* 48: 80-88.
- Glass, RJ; Conrad, SH; Peplinski, W. (2000). Gravity-destabilized nonwetting phase invasion in macroheterogeneous porous media: Experimental observations of invasion dynamics and scale analysis. *Water Resour Res.* 36: 3121-3137.
- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ.* 290: 231-237.
- Glaze, WH; Kang, JW. (1988). ADVANCED OXIDATION PROCESSES FOR TREATING GROUNDWATER CONTAMINATED WITH TCE AND PCE LABORATORY STUDIES. *Am Water Works Assoc J.* 80: 57-63.
- Glaze, WH; Kenneke, JF; Ferry, JL. (1993). Chlorinated byproducts from the titanium dioxide-mediated photodegradation of trichloroethylene and tetrachloroethylene in water. *Environ Sci Technol.* 27: 177-184.
- Glaze, WH; Le, LACHEURM; Pullin, JJ; Maddox, DS; Ferry, JL; Kenneke, JF; Loraine, GA; Tracy, TLA. (1995). BY-PRODUCTS OF OXIDATION PROCESSES IN WATER AND WASTEWATER TREATMENT. 210th American Chemical Society National Meeting, Chicago, Illinois, Usa, August. 210: 73.
- Glod, G; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Corrinoid-mediated reduction of tetrachloroethene, trichloroethene, and trichlorofluoroethene in homogeneous aqueous solution: Reaction kinetics and reaction mechanisms. *Environmental Science & Technology.* 31: 253-260.
- Glod, G; Brodmann, U; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Cobalamin-mediated reduction of cis- and trans-dichloroethene, 1,1-dichloroethene, and vinyl chloride in homogeneous aqueous solution: Reaction kinetics and mechanistic considerations. *Environmental Science & Technology.* 31: 3154-3160.
- Glover, KC; Munakata-Marr, J; Illangasekare, TH. (2007). Biologically enhanced mass transfer of tetrachloroethene from DNAPL in source zones: experimental evaluation and influence of pool morphology. *Environmental science & technology.* 41: 1384-1389.
- Gloyna, EF; Li, L. (1993). SUPERCRITICAL WATER OXIDATION AN ENGINEERING UPDATE. Symposium On Emerging Technologies: Metals, Oxidation, And Separation, Belmont, Texas, Usa, February. 13: 379-394.
- Glucksman, AM; Skipper, HD; Brigmon, RL; Fliermans, CB; Bridges, WC. (1998). CHARACTERIZATION OF MICROBIAL COMMUNITIES FROM TRICHLOROETHYLENE-CONTAMINATED GROUNDWATER. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 378.
- Gnanasekharan, V; Floros, JD. (1997). MIGRATION AND SORPTION PHENOMENA IN PACKAGED FOODS. *Critical Reviews In Food Science And Nutrition.* 37: 519-559.
- Goel, SK; Pandya, KP; Seth, PK. (1989). INFLUENCE OF TRICHLOROETHYLENE TREATMENT ON PHOSPHOINOSITIDES IN RAT BRAIN AU - SUBRAMONIAM A. *Toxicol Lett.* 49: 55-60.
- Goel, SK; Rao, GS; Pandya, KP; Shanker, R. (1992). Trichloroethylene toxicity in mice: a biochemical, hematological and pathological assessment. *Indian J Exp Biol.* 30: 402-406.
- Goeptar, AR; Scheerens, H; Vermeulen, NPE. (1995). OXYGEN AND XENOBIOTIC REDUCTASE ACTIVITIES OF CYTOCHROME P 450. *Crit Rev Toxicol.* 25: 25-65.
- Goetz, R; Bauer, OH; Friesel, P; Roch, K. (1998). Organic trace compounds in the water of the River Elbe near Hamburg: Part I. *Chemosphere.* 36: 2085-2101.
- Gold, LS; Backman, GM; Hooper, NK; Peto, R. (1987). RANKING THE POTENTIAL CARCINOGENIC HAZARDS TO WORKERS FROM EXPOSURES TO CHEMICALS THAT ARE TUMORIGENIC IN RODENTS. Symposium On Basic Research In Risk Assessment, Research Triangle Park, North Carolina, Usa, March. 76: 211-220.
- Goldberg, SJ; Dawson, BB; Johnson, P; Ulreich, JB. (1990). CARDIAC TERATOGENESIS IN MAMMALS PRODUCED BY DICHLOROETHYLENE AND TRICHLOROETHYLENE. Meeting Of The Association Of European Paediatric Cardiologists, Oslo, Norway, June. 11: 244-245.
- Goldhaber, SB; Chessin, RL. (1997). COMPARISON OF HAZARDOUS AIR POLLUTANT HEALTH RISK BENCHMARKS. *Environmental Science & Technology.* 31: 568A-572A.
- Goldman, SM. (2012). 2.17.3 TRICHLOROETHYLENE (TCE) EXPOSURE AND PARKINSON'S DISEASE (PD) RISK. *Parkinsonism & Related Disorders.* 18, Supplement 2: S89.
- Goldring, CE; Rice-Evans, CA; Burdon, RH; Rao, R; Haq, I; Diplock, AT. (1993). alpha-Tocopherol uptake and its influence on cell proliferation and lipid peroxidation in transformed and nontransformed baby hamster kidney cells. *Arch Biochem Biophys.* 303: 429-435.
- Goldsby, TJ; Eckert, JA. (2003). Electronic transportation marketplaces: a transaction cost perspective. *Industrial Marketing Management.* 32: 187-198.
- Goldstein, L; Prasher, SO; Ghoshal, S. (2007). Three-dimensional visualization and quantification of non-aqueous phase liquid volumes in natural porous media using a medical X-ray Computed Tomography scanner. *J Contam Hydrol.* 93: 96-110.
- Goldstein, RS; Hewitt, WR; Hook, JB. (1990). TOXIC INTERACTIONS. Goldstein, R S, W R Hewitt And J B Hook. 0.
- Goldsworthy, TL; Lyght, O; Burnett, VL; Popp, JA. (1988). Potential role of β_2 -microglobulin, protein droplet accumulation, and cell replication in the renal carcinogenicity of rats exposed to trichloroethylene, perchloroethylene, and pentachloroethane. *Toxicol Appl Pharmacol.* 96: 367-379.

Environmental Hazard Literature Search Results

Off Topic

- Goldsworthy, TL; Lyght, O; Neptun, DA; Popp, JA. (1986). TRICHLOROETHYLENE AND PERCHLOROETHYLENE INDUCED PEROXISOMAL PROLIFERATION IN RELATION TO SPECIES AND ORGAN SPECIFIC CARCINOGENICITY. Seventy Seventh Annual Meeting Of The American Association For Cancer Research, Los Angeles, Calif, Usa, May. 27: 73.
- Goldsworthy, TL; Lyght, O; Popp, JA. (1987). RELATIONSHIP BETWEEN ALPHA-2 MICROGLOBULIN A2U PROTEIN DROPLET ACCUMULATION AND CELL REPLICATION IN MALE AND FEMALE RATS EXPOSED TO CHLORINATED HYDROCARBONS. Seventy Eighth Annual Meeting Of The American Association For Cancer Research, Atlanta, Georgia, Usa, May. 28: 87.
- Goldsworthy, TL; Popp, JA. (1987). Chlorinated hydrocarbon-induced peroxisomal enzyme activity in relation to species and organ carcinogenicity. *Toxicol Appl Pharmacol.* 88: 225-233.
- Gole, VL; Gogate, PR. (2014). Sonochemical degradation of chlorobenzene in the presence of additives. *Water Science and Technology.* 69: 882-888.
- Goleman, WL; Urquidí, LJ; Anderson, TA; Smith, EE; Kendall, RJ; Carr, JA. (2002). Environmentally relevant concentrations of ammonium perchlorate inhibit development and metamorphosis in *Xenopus laevis*. *Environmental toxicology and chemistry / SETAC.* 21: 424-430.
- Goltz, MN; Bouwer, EJ; Huang, JQ. (2001). Transport issues and bioremediation modeling for the in situ aerobic co-metabolism of chlorinated solvents. *Biodegradation.* 12: 127-140.
- Goltz, MN; Close, ME; Yoon, H; Huang, J; Flintoft, MJ; Kim, S; Enfield, C. (2009). Validation of two innovative methods to measure contaminant mass flux in groundwater. *J Contam Hydrol.* 106: 51-61.
- Goltz, MN; Gandhi, RK; Gorelick, SM; Hopkins, GD; Smith, LH; Timmins, BH; McCarty, PL. (2005). Field evaluation of in situ source reduction of trichloroethylene in groundwater using bioenhanced in-well vapor stripping. *Environmental Science & Technology.* 39: 8963-8970.
- Goltz, MN; Huang, JQ; Close, ME; Flintoft, MJ; Pang, LP. (2008). Use of tandem circulation wells to measure hydraulic conductivity without groundwater extraction. *J Contam Hydrol.* 100: 127-136.
- Gombar, VK; Borgstedt, HH; Enslein, K; Hart, JB; Blake, BW. (1991). A QSAR model of teratogenesis. *Quant Struct Act Relat.* 10: 306-332.
- Gomes, HI; Dias-Ferreira, C; Ribeiro, AB; Pamukcu, S. (2014). Influence of electrolyte and voltage on the direct current enhanced transport of iron nanoparticles in clay. *Chemosphere.* 99: 171-179.
- Gomez, L; Sebastian, V; Arruebo, M; Santamaria, J; Cronin, SB. (2014). Plasmon-enhanced photocatalytic water purification. *Physical chemistry chemical physics : PCCP.* 16: 15111-15116.
- Gomez-Lahoz, C; Garcia, DELGADOR; Rodriguez, MAROTOJM; Wilson, DJ. (1996). Cleanup of fractured rock aquifers. II. Effects of matrix diffusion and nonaqueous phase liquid. *Environ Monit Assess.* 43: 153-179.
- Gonen, O; Gvirtzman, H. (1997). Laboratory-scale analysis of aquifer remediation by in-well vapor stripping - 1. Laboratory results. *J Contam Hydrol.* 29: 23-39.
- Gong, MJ; Wehmeyer, KR; Stalcup, AM; Limbach, PA; Heineman, WR. (2007). Study of injection bias in a simple hydrodynamic injection in microchip CE. *Electrophoresis.* 28: 1564-1571.
- Gong, Y; Hu, Z; Chen, Y; Huang, H; He, T. (2005). Ring-shaped morphology in solution-cast polystyrene-poly(methyl methacrylate) block copolymer thin films. *Langmuir : the ACS journal of surfaces and colloids.* 21: 11870-11877.
- Gong, YY; Tang, JC; Zhao, DY. (2016). Application of iron sulfide particles for groundwater and soil remediation: A review. *Water Res.* 89: 309-320.
- Gonsoulin, ME; Wilson, BH; Wilson, JT. (2004). Biodegradation of PCE and TCE in landfill leachate predicted from concentrations of molecular hydrogen: a case study. *Biodegradation.* 15: 475-485.
- Gonthier, BP; Barret, LG. (1989). IN-VITRO-SPIN-TRAPPING OF FREE RADICALS PRODUCED DURING TRICHLOROETHYLENE AND DIETHYL ETHER METABOLISM. *Toxicol Lett.* 47: 225-234.
- Gonullu, MT; Farquhar, GJ. (1994). EFFECTS OF RESIDUAL CONFIGURATION ON THE RATE OF TRICHLOROETHYLENE TCE DISSOLUTION. *Water Science And Technology.* 30: 19-22.
- González, P; Oacute; n, A; de, TCdIT; oaicólgiltox, CITOXCITEFACONICETBA; Castro, JA. (1996). Depression of liver microsomal glucose 6-phosphatase activity in carbon tetrachloride-poisoned rats. Potential synergistic effects of lipid peroxidation and of covalent binding of haloalkane-derived free radicals to cellular components in the process. *Free Radic Biol Med.* 21.
- Gonzalez, J. (2002). Mulch "biowall" treats TCE-contaminated groundwater. *Biocycle.* 43: 12-12.
- Goody, DC; Bloomfield, JP; Harrold, G; Leharne, SA. (2002). Towards a better understanding of tetrachloroethene entry pressure in the matrix of Permo-Triassic sandstones. *J Contam Hydrol.* 59: 247-265.
- Goode, DJ; Imbrigiotta, TE; Lacombe, PJ. (2014). High-resolution delineation of chlorinated volatile organic compounds in a dipping, fractured mudstone: Depth- and strata-dependent spatial variability from rock-core sampling. *J Contam Hydrol.* 171: 1-11.
- Goodford, PJ; Hudson, AT; Sheppey, GC; Wootton, R; Black, MH; Sutherland, J; Wickham, JC. (1976). Physicochemical-activity relationships in asymmetrical analogues of methoxychlor. *J Med Chem.* 19: 1239-1247.
- Goodin, JD; Webber, MD. (1992). THE PERSISTENCE AND FATE OF INDUSTRIAL ORGANICS IN SLUDGE-TREATED SOIL. Joint Canadian Land Reclamation Association Society Of Soil Science Conference On Environmental Soil Science, Edmonton, Alberta, Canada, August. 72: 310-311.
- Goodman, MA; Tuazon, EC; Atkinson, R; Winer, AM. (1986). A STUDY OF THE ATMOSPHERIC REACTIONS OF CHLOROETHENES WITH HYDROXYL RADICALS. 192nd American Chemical Society National Meeting, Anaheim, Calif, Usa, Sept. 192.
- Goodwin, S; Hickey, RF. (1992). ANAEROBIC PROCESSES. *Water Environ Res.* 64: 371-378.
- Gopalakrishnan, G. (2008). Nature's sensors: Using plants as an alternative monitoring approach for subsurface contamination. PhD Thesis, University of Illinois at Urbana-Champaign.

Environmental Hazard Literature Search Results

Off Topic

- Gopalakrishnan, G; Burken, JG; Werth, CJ. (2009). Lignin and Lipid Impact on Sorption and Diffusion of Trichloroethylene in Tree Branches for Determining Contaminant Fate during Plant Sampling and Phytoremediation. *Environmental Science & Technology*. 43: 5732-5738.
- Gopalakrishnan, G; Minsker, BS; Valocchi, AJ. (2011). Monitoring network design for phytoremediation systems using primary and secondary data sources. *Environmental science & technology*. 45: 4846-4853.
- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation*. 27: 65-74.
- Gopalakrishnan, G; Werth, CJ; Negri, MC. (2009). MASS RECOVERY METHODS FOR TRICHLOROETHYLENE IN PLANT TISSUE. *Environ Toxicol Chem*. 28: 1185-1190.
- Gordon, M; Burken, J; Newman, L. (2003). Clarifying phytoremediation data. *Environmental Science & Technology*. 37: 310A-310A.
- Gordon, MP. (2003). Results misinterpreted. *Environmental Science & Technology*. 37: 342A-342A.
- Gordon, S; Mackay, D; GÅrecD, DADDoESUoWaSGgac; Cherry, CJA; Pawliszyn, J. (2002). A laboratory technique for investigation of diffusion and transformation of volatile organic compounds in low permeability media. *J Contam Hydrol*. 57: 223-240.
- Gordon, SM; Miller, M; Pleil, JD; McClenny, WA. (1990). OPTIMIZATION OF ANALYTICAL PROCEDURE FOR CHARACTERIZING AMBIENT POLAR VOLATILE ORGANIC COMPOUNDS. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 183-188.
- Gorgenyi, M; Dewulf, J; Van Langenhove, H. (2002). Temperature dependence of Henry's law constant in an extended temperature range. *Chemosphere*. 48: 757-762.
- Goryunkov, AA; Kornienko, ES; Magdesieva, TV; Kozlov, AA; Vorobiev, VA; Avdoshenko, SM; Ioffe, IN; Nikitin, OM; Markov, VY; Khavrel, PA; Vorobiev, A; Sidorov, LN. (2008). Electrochemical, ESR and theoretical studies of [6,6]-opened C(60)(CF(2)), cis-2-C(60)(CF(2))(2) and their anions. *Dalton Trans*. 28: 6886-6893.
- Gorzinski, SJ; Nolan, RJ; McCollister, SB; Kociba, RJ; Mattsson, JL. (1985). Subchronic oral toxicity, tissue distribution and clearance of hexachloroethane in the rat. *Drug Chem Toxicol*. 8: 155-169.
- Goss, KU. (1997). Conceptual model for the adsorption of organic compounds from the gas phase to liquid and solid surfaces. *Environmental Science & Technology*. 31: 3600-3605.
- Goss, KU; Buschmann, J; Schwarzenbach, RP. (2003). Determination of the surface sorption properties of talc, different salts, and clay minerals at various relative humidities using adsorption data of a diverse set of organic vapors. *Environ Toxicol Chem*. 22: 2667-2672.
- Goss, KU; Eisenreich, SJ. (1997). Sorption of volatile organic compounds to particles from a combustion source at different temperatures and relative humidities. *Atmos Environ*. 31: 2827-2834.
- Goss, LB; Sabourin, TD. (1984). UTILIZATION OF ALTERNATIVE SPECIES FOR TOXICITY TESTING AN OVERVIEW. 5th Annual Meeting Of The Society Of Environmental Toxicology And Chemistry, Arlington, Va, Usa, Nov. 5: 193-219.
- Gossett, JM. (2010). Sustained Aerobic Oxidation of Vinyl Chloride at Low Oxygen Concentrations. *Environmental Science & Technology*. 44: 1405-1411.
- Gotoh, M; Sekitani, Y; Aramaki, T; Kobayashi, H; Ogino, K; Hobara, T. (1992). POLLUTION DUE TO VOLATILE HALOCARBON COMPOUNDS IN BIOTA. *Bull Environ Contam Toxicol*. 49: 186-191.
- Gotoh, Y; Iwata, G; Choh, K; Kubota, M; Matsuda, H. (2011). Trichloroethylene decomposition and in-situ dry sorption of Cl-products by calcium oxides prepared from hydrated limes. *Chemosphere*. 85: 637-642.
- Gotpagar, JK; Grulke, EA; Bhattacharyya, D. (1998). Reductive dehalogenation of trichloroethylene: Kinetic models and experimental verification. *J Hazard Mater*. 62: 243-264.
- Goudar, CT. (2012). An explicit expression for determining cometabolism kinetics using progress curve analysis. *J Biotechnol*. 159: 56-60.
- Goulas, AE; Riganakos, KA; Ehlermann, DAE; Demertzis, PG; Kontominas, MG. (1998). Effect of high-dose electron beam irradiation on the migration of DOA and ATBC plasticizers from food-grade PVC and PVDC films, respectively, into olive oil. *J Food Prot*. 61: 720-724.
- Gould, AN; Liu, AH; Yu, Y. (2016). Opportunities and opportunism with high-status B2B partners in emerging economies. *Journal of Business & Industrial Marketing*. 31: 684-694.
- Govind, R; Flaherty, PA; Dobbs, RA. (1991). Fate and effects of semivolatile organic pollutants during anaerobic digestion of sludge. *Water Res*. 25: 547-556.
- Govindan, M; Adam Gopal, R; Moon, IS. (2017). Efficient removal of gaseous trichloroethylene by continuous feed electro-scrubbing using a new homogeneous heterobimetallic electro-catalyst. *Chem Eng J*. 308: 1145-1153.
- Gow Iii, AS; Gow Jr, AS. (2004). Microeconomic theory of chemical production processes: application to aqueous VOC air stripping operations. *Adv Environ Res*. 8: 267-285.
- Gowitz, GT; Hanzlick, RL. (1992). Atypical autoerotic deaths. *The American journal of forensic medicine and pathology*. 13: 115-119.
- Graber, ER; Borisover, MD. (1998). Evaluation of the glassy/rubbery model for soil organic matter. *Environmental Science & Technology*. 32: 3286-3292.
- Graber, ER; Laor, Y; Ronen, D. (2008). Aquifer contamination by chlorinated-VOCs: the case of an urban metropolis megasite overlying the Coastal Plain aquifer in Israel. *Hydrogeology Journal*. 16: 1615-1623.
- Graber, ER; Sorek, A; Tschansky, L; Atzmon, N. (2007). Competitive uptake of trichloroethene and 1,1,1-trichloroethane by *Eucalyptus camaldulensis* seedlings and wood. *Environmental Science & Technology*. 41: 6704-6710.
- Grabher, C; Henrich, T; Sasado, T; Arenz, A; Wittbrodt, J; Furutani-Seiki, M. (2003). Transposon-mediated enhancer trapping in medaka. *Gene*. 322: 57-66.

Environmental Hazard Literature Search Results

Off Topic

- Gracy, S; Hort, C; Platel, V; Gidas, MB. (2006). Volatile Organic Compounds (VOCs) biofiltration with two packing materials. *Environ Technol.* 27: 1053-1061.
- Graham, JL; Hall, DL; Dellinger, B. (1986). LABORATORY INVESTIGATION OF THERMAL DEGRADATION OF A MIXTURE OF HAZARDOUS ORGANIC COMPOUNDS 1. *Environ Sci Technol.* 20: 703-710.
- Graham, N; Jiang, CC; Li, XZ; Jiang, JQ; Ma, J. (2004). The influence of pH on the degradation of phenol and chlorophenols by potassium ferrate. *Chemosphere.* 56: 949-956.
- Grajales-Mesa, SJ; Malina, G. (2016). Screening reactive materials for a permeable barrier to treat TCE-contaminated groundwater: laboratory studies. *Environ Earth Sci.* 75: 772-+.
- Gram, TE. (1997). Chemically reactive intermediates and pulmonary xenobiotic toxicity. *Pharmacol Rev.* 49: 297-341.
- Grannemann, N; Smith, DA; O'Neill, D; O'Neill, D; Lietzau, CE; Keech, DK. (1987). FEDERAL AND STATE ASSISTANCE FOR ACTION. D'Itri, F M And L G Wolfson Rural Groundwater Contamination Xix+416p Lewis Publishers, Inc: Chelsea, Michigan, Usa Illus Isbn. 0: 393-398.
- Grant, CL; Jenkins, TF; Mudambi, AR. (1997). Comparison of environmental chemical results for split samples analyzed in different laboratories. *J AOAC Int.* 80: 1129-1138.
- Grant, GP; Kuper, BH. (2004). The influence of high initial concentration aqueous-phase TCE on the performance of iron wall systems. *J Contam Hydrol.* 74: 299-312.
- Grant, WB; Kagann, RH; McClenny, WA. (1992). Optical remote measurement of toxic gases. *J Air Waste Manage Assoc.* 42: 18-30.
- Grasso, P; Hinton, RH. (1991). Evidence for and possible mechanisms of non-genotoxic carcinogenesis in rodent liver. *Mutat Res.* 248: 271-290.
- Grathwohl, P. (1990). Influence of organic matter from soils and sediments from various origins on the sorption of some chlorinated aliphatic hydrocarbons: Implications of KOC correlations. *Environ Sci Technol.* 24: 1687-1693.
- Green, LC; Crouch, EAC. (1995). PROBABILISTIC RISK ASSESSMENT LESSONS FROM FOUR CASE STUDIES. Bingham, E And D P Rall. 3: 1-57331.
- Green, SM; Khan, MF; Kaphalia, BS; Ansari, GAS. (2001). Immunohistochemical localization of trichloroacetylated protein adducts in tetrachloroethene-treated mice. *Journal of Toxicology and Environmental Health-Part a-Current Issues.* 63: 145-157.
- Green, T; Dow, J; Foster, J. (2003). Increased formic acid excretion and the development of kidney toxicity in rats following chronic dosing with trichloroethanol, a major metabolite of trichloroethylene. *Toxicology.* 191: 109-119.
- Green, T; Dow, J; Foster, J; Hext, PM. (1998). Formic acid excretion in rats exposed to trichloroethylene: a possible explanation for renal toxicity in long-term studies. *Toxicology.* 127: 39-47.
- Green, T; Dow, J; Foster, JR; Hext, PM. (1998). P4E103 - Formic acid excretion in rats dosed with trichloroethylene: A possible explanation for long term kidney damage. *Toxicol Lett.* 95, Supplement 1: 228.
- Green, T; Odum, J. (1985). Structure/activity studies of the nephrotoxic and mutagenic action of cysteine conjugates of chloro- and fluoroalkenes. *Chem Biol Interact.* 54: 15-31.
- Green, T; Prout, MS. (1985). Species differences in response to trichloroethylene. II. Biotransformation in rats and mice. *Toxicol Appl Pharmacol.* 79: 401-411.
- Green, T; Toghiani, A; Foster, J. (2001). The role of cytochromes P-450 in styrene induced pulmonary toxicity and carcinogenicity. *Toxicology.* 169: 107-117.
- Greenberg, MS; Burton, GA; Fisher, JW. (1999). Physiologically based pharmacokinetic modeling of inhaled trichloroethylene and its oxidative metabolites in B6C3F(1) mice. *Toxicol Appl Pharmacol.* 154: 264-278.
- Greenlee, LF; Torrey, JD; Amaro, RL; Shaw, JM. (2012). Kinetics of Zero Valent Iron Nanoparticle Oxidation in Oxygenated Water. *Environmental Science & Technology.* 46: 12913-12920.
- Gregory, IR; Jimenez, L; Bowman, JP; Koh, SC; Sayler, GS. (1994). CHANGES IN CATABOLIC GENE FREQUENCY AND DISTRIBUTION IN A TRICHLOROETHYLENE-CONTAMINATED AQUIFER UNDERGOING IN SITU BIOREMEDIATION. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 418.
- Gregus, Z; White, C; Howell, S; Klaassen, CD. (1988). Effect of glutathione depletion on sulfate activation and sulfate ester formation in rats. *Biochem Pharmacol.* 37: 4307-4312.
- Greim, H; Wolff, T; H&Efler, M. (1984). Formation of dichloroacetylene from trichloroethylene in the presence of alkaline material--possible cause of intoxication after abundant use of chloroethylene-containing solvents. *Arch Toxicol.* 56: 74-77.
- Gribble, GW. (1992). Naturally occurring organohalogen compounds: A survey. *J Nat Prod.* 55: 1353-1395.
- Gribble, GW. (1994). THE NATURAL PRODUCTION OF CHLORINATED COMPOUNDS. *Environmental Science & Technology.* 28: 312A-319A.
- Grieger, KD; Fjordboge, A; Hartmann, NB; Eriksson, E; Bjerg, PL; Baun, A. (2010). Environmental benefits and risks of zero-valent iron nanoparticles (nZVI) for in situ remediation: Risk mitigation or trade-off? *J Contam Hydrol.* 118: 165-183.
- Griesbaum, K; Hayes, MP; Werli, V. (1988). PRODUCTS AND REACTION PATHS IN THE LIQUID PHASE OXIDATION OF TRANS-1 2 DICHLOROETHENE WITH OXYGEN. *Can J Chem.* 66: 1366-1370.
- Griffel, ML; Thatcher, AM; Bolz, DD; Jensen, RG; Almeida, FM; Kellogg, ST. (1997). MEASUREMENT OF MICROBIAL POPULATION BIOMASS AND POLLUTANT RESISTANCE IN SOIL VIA ATP ANALYSIS. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 405.
- Griffin, BM; Tiedje, JM; Löffler, FE. (2004). Anaerobic microbial reductive dechlorination of tetrachloroethene to predominately trans-1,2-dichloroethene. *Environmental Science & Technology.* 38: 4300-4303.
- Griffin, JM; Blossom, SJ; Jackson, SK; Gilbert, KM; Pumford, NR. (2000). Trichloroethylene accelerates an autoimmune response by Th(1) T cell activation in MRL+/-mice. *Immunopharmacology.* 46: 123-137.

Environmental Hazard Literature Search Results

Off Topic

- Grifoll, J; Cohen, Y. (1996). Contaminant migration in the unsaturated soil zone: The effect of rainfall and evapotranspiration. *J Contam Hydrol.* 23: 185-211.
- Grilli, S; Colacci, A; Lattanzi, G; Mazzulo, M; Prodi, G; Turina, MP. (1987). IN-VIVO AND IN-VITRO BINDING OF PERCHLOROETHYLENE PCE TO NUCLEIC ACIDS. Ixth Meeting Of The European Association For Cancer Research, Helsinki, Finland, May. 23: 1755-1756.
- Gron, C. (1988). DETERMINATION OF ORGANIC HALOGENS GROUP PARAMETERS IN INVESTIGATIONS OF MARINE POLLUTION. *Vatten.* 44: 205-212.
- Gron, C. (1990). Organic halogen group parameters in ground water investigation: Part III. *Chemosphere.* 21: 135-152.
- Grosjean, D. (1989). INDOOR AIR POLLUTION IN SOUTHERN CALIFORNIA USA MUSEUMS. 198th Acs. 198: 69.
- Grosjean, D. (1990). Atmospheric chemistry of toxic contaminants: 1. Reaction rates and atmospheric persistence. *J Air Waste Manage Assoc.* 40: 1397-1402.
- Grosjean, D. (1991). Atmospheric chemistry of toxic contaminants: 5. Unsaturated halogenated aliphatics: Allyl chloride, chloroprene, hexachlorocyclopentadiene, vinylidene chloride. *J Air Waste Manage Assoc.* 41: 182-189.
- Grosjean, D; Williams, EL, II. (1992). Photochemical pollution at two southern California smog receptor sites. *J Air Waste Manage Assoc.* 42: 805-809.
- Grosjean, E; Rasmussen, RA; Grosjean, D. (1998). Ambient levels of gas phase pollutants in Porto Alegre, Brazil. *Atmos Environ.* 32: 3371-3379.
- Grosjean, E; Rasmussen, RA; Grosjean, D. (1999). Toxic air contaminants in Porto Alegre, Brazil. *Environmental Science & Technology.* 33: 1970-1978.
- Gross, LJ. (2007). Use of geostatistics to evaluate the monitoring well network of a TCE plume. *Int J Environ Pollut.* 29: 370-382.
- Grosse, S; Mueller, C; Rogge, G; Wendlandt, KD; Miguez, CB; Kleber, HP. (2003). Screening for soluble methane monooxygenase in methanotrophic bacteria using combined molecular and biochemical methods for hydroxylase detection. *J Basic Microbiol.* 43: 8-17.
- Grossmann, AS; Magauer, T. (2016). Trihaloethenes as versatile building blocks for organic synthesis. *Organic & Biomolecular Chemistry.* 14: 5377-5389.
- Grosterm, A; Chan, WWM; Edwards, EA. (2009). 1,1,1-Trichloroethane and 1,1-Dichloroethane Reductive Dechlorination Kinetics and Co-Contaminant Effects in a Dehalobacter-Containing Mixed Culture. *Environmental Science & Technology.* 43: 6799-6807.
- Grosterm, A; Duhamel, M; Dworatzek, S; Edwards, EA. (2010). Chloroform respiration to dichloromethane by a Dehalobacter population. *Environ Microbiol.* 12: 1053-1060.
- Grosterm, A; Edwards, EA. (2006). A 1,1,1-trichloroethane-degrading anaerobic mixed microbial culture enhances biotransformation of mixtures of chlorinated ethenes and ethanes. *Appl Environ Microbiol.* 72: 7849-7856.
- Grosterm, A; Edwards, EA. (2006). Growth of Dehalobacter and Dehalococcoides spp. during degradation of chlorinated ethanes. *Appl Environ Microbiol.* 72: 428-436.
- Groves, WA. (1997). The development of a surface-acoustic-wave microsensor array for measuring organic vapors in breath and ambient air. PhD Thesis, University of Michigan.
- Groves, WA; Zellers, ET. (1996). Investigation of organic vapor losses to condensed water vapor in Tedlar bags used for exhaled-breath sampling. *Am Ind Hyg Assoc J.* 57: 257-263.
- Grubb, DG; Sitar, N. (1999). Mobilization of trichloroethene (TCE) during ethanol flooding in uniform and layered sand packs under confined conditions. *Water Resour Res.* 35: 3275-3289.
- Gruss, M; Hempelmann, G; Scholz, A. (2002). Trichloroethanol alters action potentials in a subgroup of primary sensory neurones. *Neuroreport.* 13: 853-856.
- Gryzenia, J; Cassidy, D; Hampton, D. (2009). Production and accumulation of surfactants during the chemical oxidation of PAH in soil. *Chemosphere.* 77: 540-545.
- Grzechulska-Damszel, J; Grzeskowiak, M; Przepiorski, J; Morawski, AW. (2014). Photocatalytic Decomposition of low-concentrated Trichloroethylene and Tetrachloroethylene in Water. *International Journal of Environmental Research.* 8: 347-352.
- Gu, AZ; Hedlund, BP; Staley, JT; Strand, SE; Stensel, HD. (2004). Analysis and comparison of the microbial community structures of two enrichment cultures capable of reductively dechlorinating TCE and cis-DCE. *Environ Microbiol.* 6: 45-54.
- Gu, B; Wang, J; Zhou, X; Wu, X; Liu, F; Li, Y. (1998). Comparison of multivariate calibration methods for quantitative analysis of multicomponent mixture of air toxic organic compounds by FTIR. *Journal Of Environmental Science And Health Part A Toxic Hazardous Substances & Environmental Engineering.* 33: 1419-1436.
- Gu, ZY; Chang, FH. (1994). BIOREMEDIATION FEASIBILITY TEST BY TRICHLOROETHENE AND TETRACHLOROETHENE IN A LANDFILL SITE. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 439.
- Guan, X; Ruch, RJ. (1996). Gap junction endocytosis and lysosomal degradation of connexin43-P2 in WB-F344 rat liver epithelial cells treated with DDT and lindane. *Carcinogenesis.* 17: 1791-1798.
- Guariglia, SR; Jenkins, EC, Jr.; Chadman, KK; Wen, GY. (2011). Chlorination byproducts induce gender specific autistic-like behaviors in CD-1 mice. *Neurotoxicology.* 32: 545-553.
- Gubá€šran, E. (1977). Proposed biological threshold limit values for industrial exposure to trichloroethylene vapor. *Scandinavian journal of work, environment & health.* 3: 80-90.
- Gudbjerg, J; Sonnenborg, TO; Jensen, KH. (2004). Remediation of NAPL below the water table by steam-induced heat conduction. *J Contam Hydrol.* 72: 207-225.
- Gudena, K; Rangaiah, GP; Lakshminarayanan, S. (2012). Optimal Design of a Rotating Packed Bed for VOC Stripping from Contaminated Groundwater. *Industrial & Engineering Chemistry Research.* 51: 835-847-835-847.

Environmental Hazard Literature Search Results

Off Topic

- Guelden, M; Seibert, H. (1996). Cytotoxic and non-cytotoxic effects of the MEIC reference chemicals on spontaneously contracting primary cultured rat skeletal muscle cells. *Toxicol In Vitro*. 10: 395-406.
- Guelden, M; Seibert, H; Voss, JU. (1994). The use of cultured skeletal muscle cells in testing for acute systemic toxicity. *Toxicol In Vitro*. 8: 779-782.
- Guengerich, FP. (2003). Cytochrome P450 oxidations in the generation of reactive electrophiles: epoxidation and related reactions. *Arch Biochem Biophys*. 409: 59-71.
- Guengerich, FP. (2005). Principles of covalent binding of reactive metabolites and examples of activation of bis-electrophiles by conjugation. *Arch Biochem Biophys*. 433: 369-378.
- Guengerich, FP; Liebler, DC; Reed, DL. (1985). ENZYMATIC ACTIVATION OF CHEMICALS TO TOXIC METABOLITES. *Crit Rev Toxicol*. 14: 259-307.
- Guengerich, FP; Munro, AW. (2013). Unusual Cytochrome P450 Enzymes and Reactions. *J Biol Chem*. 288: 17065-17073.
- Guerrero-Barajas, C; Garcia-Pena, EI. (2010). Evaluation of enrichments of sulfate reducing bacteria from pristine hydrothermal vents sediments as potential inoculum for reducing trichloroethylene. *World Journal of Microbiology & Biotechnology*. 26: 21-32.
- Guerrero-Barajas, C; Garibay-Orijel, C; Rosas-Rocha, LE. (2011). Sulfate reduction and trichloroethylene biodegradation by a marine microbial community from hydrothermal vents sediments. *International Biodeterioration & Biodegradation*. 65: 116-123.
- Guerrero-Barajas, C; Ordaz, A; Garibay-Orijel, C; Garcia-Solares, SM; Bastida-Gonzalez, F; Zarate-Segura, PB. (2014). Enhanced sulfate reduction and trichloroethylene (TCE) biodegradation in a UASB reactor operated with a sludge developed from hydrothermal vents sediments: Process and microbial ecology. *International Biodeterioration & Biodegradation*. 94: 182-191.
- Guertler, R; Moeller, U; Sommer, S; Mueller, H; Kleinermanns, K. (1994). Photooxidation of exhaust pollutants: III. Photooxidation of the chloroethenes: Degradation efficiencies, quantum yields and products. *Chemosphere*. 29: 1671-1682.
- Guest, PR; Benson, LA; Rainsberger, TJ. (1995). INFERRING BIODEGRADATION PROCESSES FOR TRICHLOROETHENE FROM GEOCHEMICAL DATA. *Hinchee, R E, J T Wilson And D C Downey*. 3: 1-57477.
- Guha, AK; Shanbhag, PV; Sirkar, KK; Yun, CH; Trivedi, D; Vaccari, D. (1993). NOVEL MEMBRANE-BASED SEPARATION AND OXIDATION TECHNOLOGIES. *Symposium On Emerging Technologies: Metals, Oxidation, And Separation, Belmont, Texas, Usa, February*. 13: 395-401.
- Guigard, SE; Stiver, WH; Zytner, RG. (1996). Retention capacities of immiscible chemicals in unsaturated soils. *Water Air And Soil Pollution*. 89: 277-289.
- Guilbeault, MA; Parker, BL; Cherry, JA. (2005). Mass and flux distributions from DNAPL zones in sandy aquifers. *Ground Water*. 43: 70-86.
- Guilhem, J. (2013). Micropollutants: Aqualter placing on the ozonation/filtration. *L'Eau, l'Industrie, les Nuisances*1.
- Guimaraes, WB; Falls, W; Caldwell, AW; Ratliff, W; Wellborn, JB; Landmeyer, JE. (2011). Assessment of hyporheic zone, flood-plain, soil-gas, soil, and surface-water contamination at the Old Incinerator Area, Fort Gordon, Georgia, 2009-2010. *Open-File Report US Geological Survey*.
- Guiot, SR; Cimpoaia, R; Kuhn, R; Alaplantive, A. (2008). Electrolytic methanogenic - Methanotrophic coupling for tetrachloroethylene bioremediation: Proof of concept. *Environmental Science & Technology*. 42: 3011-3017.
- Guiot, SR; Kuhn, R; Lã€švesque, MJ; Cimpoaia, R. (2007). Ultrastructure of a bio-electrolytic methanogenic/methanotrophic granular biofilm for the complete degradation of tetrachloroethylene in contaminated groundwater. *Water science and technology : a journal of the International Association on Water Pollution Research*. 55: 465-471.
- Guittonneau, S; Glaze, WH; Duguet, JP; Wable, O; Mallevalle, J. (1992). Characterization of natural water for potential to oxidize organic pollutants with ozone. *Ozone Sci Eng*. 14: 185-196.
- Gulbag, A; Temurtas, F; Tasaltin, C; Ozturk, ZZ. (2009). A neural network implemented microcontroller system for quantitative classification of hazardous organic gases in the ambient air. *Int J Environ Pollut*. 36: 151-165.
- Gulgule, UU; Bossert, ID; Growney, MT; Kosson, DS. (1997). THE ROLE OF ACETOGENS AND METHANOGENS IN THE REDUCTIVE DECHLORINATION OF TCE BY A ANAEROBIC MIXED CULTURE. *97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May*. 97: 472.
- Gulgule, UU; Bossert, ID; Kosson, DS. (1996). RATE AND EXTENT OF TCE DECHLORINATION UNDER METHANOGENIC CONDITIONS WITH METHANOL AS A CO-SUBSTRATE. *96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May*. 96: 409.
- Gullick, RW. (1998). Effects of sorbent addition on the transport of inorganic and organic chemicals in soil-bentonite cutoff wall containment barriers. *PhD Thesis, University of Michigan*.
- Gullick, RW; Weber, WJ. (2001). Evaluation of shale and organoclays as sorbent additives for low-permeability soil containment barriers. *Environmental Science & Technology*. 35: 1523-1530.
- Gunasena, GH; Kanz, MF. (1997). Effect of hyperthyroidism on the in vitro metabolism and covalent binding of 1,1-dichloroethylene in rat liver microsomes. *J Toxicol Environ Health*. 52: 169-188.
- Gunatilleka, AD; Poole, CF. (1999). Models for estimating the non-specific aquatic toxicity of organic compounds. *Analytical Communications*. 36: 235-242.
- Guo, GL; Tseng, DH; Huang, SL. (2001). Co-metabolic degradation of trichloroethylene by *Pseudomonas putida* in a fibrous bed bioreactor. *Biotechnol Lett*. 23: 1653-1657.
- Guo, H; Lee, SC; Louie, PKK; Ho, KF. (2004). Characterization of hydrocarbons, halocarbons and carbonyls in the atmosphere of Hong Kong. *Chemosphere*. 57: 1363-1372.
- Guo, HL; Zhao, XP; Wang, JP. (2005). The relation between narrow-dispersed microcapsules and surfactants. *J Microencapsul*. 22: 853-862.

Environmental Hazard Literature Search Results

Off Topic

- Guo, P; Yokoyama, K; Piao, F; Sakai, K; Khalequzzaman, M; Kamijima, M; Nakajima, T; Kitamura, F. (2013). Sick building syndrome by indoor air pollution in Dalian, China. *Int J Environ Res Public Health*. 10: 1489-1504.
- Guo, X; Minakata, D; Crittenden, J. (2015). On-the-Fly Kinetic Monte Carlo Simulation of Aqueous Phase Advanced Oxidation Processes. *Environmental Science & Technology*. 49: 9230-9236.
- Guo, X; Minakata, D; Niu, JF; Crittenden, J. (2014). Computer-Based First-Principles Kinetic Modeling of Degradation Pathways and Byproduct Fates in Aqueous-Phase Advanced Oxidation Processes. *Environmental Science & Technology*. 48: 5718-5725.
- Guo, YP; Yadav, A; Karanfil, T. (2007). Approaches to mitigate the impact of dissolved organic matter on the adsorption of synthetic organic contaminants by porous carbonaceous sorbents. *Environmental Science & Technology*. 41: 7888-7894.
- Gupta, A; Shaiu, B; Harwell, J; Sabatini, D. (1992). USE OF EDIBLE SURFACTANTS FOR ENHANCED SOLUBILIZATION AND MOBILIZATION OF SUBSURFACE DNAPL CONTAMINATION. 203rd Acs. 203.
- Gupta, DK; Mohanty, KK. (2001). A laboratory study of surfactant flushing of DNAPL in the presence of macroemulsion. *Environmental science & technology*. 35: 2836-2843.
- Gupta, H; Tanaka, S. (1995). PHOTOCATALYTIC MINERALISATION OF PERCHLOROETHYLENE USING TITANIUM DIOXIDE. *Water Science And Technology*. 31: 47-54.
- Gupta, K; Hu, Q; Brusseau, ML. (1997). ADVANCED CHARACTERISATION OF A SUPERFUND SITE EFFECT OF CORE-SCALE HETEROGENEITY ON TRICHLOROETHENE TRANSPORT. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 204.
- Gupta, RK; Aberdeen, G; Babus, JK; Albrecht, ED; Flaws, JA. (2007). Methoxychlor and its metabolites inhibit growth and induce atresia of baboon antral follicles. *Toxicol Pathol*. 35: 649-656.
- Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. *Journal of Environmental Engineering-Asce*. 126: 622-628.
- Gupta, VK; Ali, I. (2001). Removal of DDD and DDE from wastewater using bagasse fly ash, a sugar industry waste. *Water Res*. 35: 33-40.
- Guroi, MD; Vatistas, R. (1987). OXIDATION OF PHENOLIC COMPOUNDS BY OZONE AND OZONE PLUS UV RADIATION A COMPARATIVE STUDY. *Water Res*. 21: 895-900.
- Guruge, KS; Tanabe, S. (2001). Contamination by persistent organochlorines and butyltin compounds in the west coast of Sri Lanka. *Mar Pollut Bull*. 42: 179-186.
- Guruge, KS; Watanabe, M; Tanaka, H; Tanabe, S. (2001). Accumulation status of persistent organochlorines in albatrosses from the North Pacific and the Southern Ocean. *Water Sci Technol*. 4: 117-122.
- Gutiérrez, M; Etxebarria, J; de las Fuentes, L. (2002). Evaluation of wastewater toxicity: comparative study between Microtox® and activated sludge oxygen uptake inhibition. *Water Res*. 36: 919-924.
- Gvirtzman, H; Gonen, O. Feasibility study of in-well vapor stripping using airlift pumping. *Ground water monitoring & remediation*. Fall 1995. v. 15 (4): 155-162.
- H.A, G; M, Hf; T, W. Dichloroacetylene formed in a trichloroethylene-infiltrated concrete floor. *Toxicol Lett*. 18, Supplement 1: 157.
- Ha, C; Kim, N; Park, H; Kwon, SY; Lee, HS; Hong, UJ; Park, S; Kim, S; Kim, Y. (2011). Natural Gradient Drift Tests for Assessing the Feasibility of In Situ Aerobic Cometabolism of Trichloroethylene and Evaluating the Microbial Community Change. *Water Air and Soil Pollution*. 219: 353-364.
- Haag, W; Johnson, MD. (1995). DIRECT PHOTOLYSIS OF TCE IN AIR EFFECT OF CO-CONTAMINANTS TOXICITY OF PRODUCTS AND HYDROTHERMAL TREATMENT THEREOF. 210th American Chemical Society National Meeting, Chicago, Illinois, Usa, August. 210: 229.
- Haag, WR; Mill, T. (1988). EFFECT OF A SUBSURFACE SEDIMENT ON HYDROLYSIS OF HALOALKANES AND EPOXIDES. *Environ Sci Technol*. 22: 658-663.
- Haag, WR; Mill, T. (1988). SOME REACTIONS OF NATURALLY OCCURRING NUCLEOPHILES WITH HALOALKANES IN WATER. *Environ Toxicol Chem*. 7: 917-924.
- Haag, WR; Van, DENBERGM; Johnson, MD. (1992). PHOTOOXIDATION OF ORGANIC COMPOUNDS IN WATER AND AIR USING LOW-WAVELENGTH PULSED XENON SOURCES. 203rd Acs. 203.
- Haag, WR; Yao, CCD. (1992). Rate constants for reaction of hydroxyl radicals with several drinking water contaminants. *Environ Sci Technol*. 26: 1005-1013.
- Haag-Gränlund, M; Fransson-Steen, R; Victorin, K. (1995). Application of the benchmark method to risk assessment of trichloroethene. *Regulatory toxicology and pharmacology : RTP*. 21: 261-269.
- Haag-Gränlund, M; Fransson-Steen, R; Victorin, K. (1994). Application of the benchmark method to trichloroethene toxicity data. *Toxicol Lett*. 74, Supplement 1: 33.
- Haarhoff, J; Cleasby, JL. (1990). EVALUATION OF AIR STRIPPING FOR THE REMOVAL OF ORGANIC DRINKING-WATER CONTAMINANTS. *Water S A*. 16: 13-22.
- Haas, BS; Herrmann, R. (1996). Transport of chlorinated hydrocarbons between sewage and sewer atmosphere. *Water Science and Technology*. 34: 557-564.
- Haas, BS; Herrmann, R. (1998). Tracing volatile organic compounds in sewers. *Water Science And Technology*. 37: 295-301.
- Haas, JE; Trego, DA. (2001). A field application of Hydrogen-Releasing Compound (HRC (TM)) for the enhanced bioremediation of Methyl Tertiary Butyl Ether (MTBE). *Soil & Sediment Contamination*. 10: 555-575.
- Habenicht, BF; Paddison, SJ. (2011). Ab initio simulations of the effects of nanoscale confinement on proton transfer in hydrophobic environments. *The journal of physical chemistry B*. 115: 10826-10835.

Environmental Hazard Literature Search Results

Off Topic

- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 61: 209-223.
- Haddad, S; Tardif, R; Charest-Tardif, G; Krishnan, K. (1999). Physiological modeling of the toxicokinetic interactions in a quaternary mixture of aromatic hydrocarbons. *Toxicol Appl Pharmacol*. 161: 249-257.
- Hadden, CT; Benson, SB; Revis, NW. (1987). DEGRADATION OF PERCHLOROETHYLENE AND TRICHLOROETHYLENE BY AN ENVIRONMENTALLY ISOLATED BACILLUS. 87th Annual Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, March. 87: 299.
- Hadidi, K; Cohn, DR; Vitale, S; Bromberg, L. (1999). Economic study of the tunable electron beam plasma reactor for volatile organic compound treatment. *Journal of the Air & Waste Management Association*. 49: 225-228.
- Haest, PJ; Philips, J; Springael, D; Smolders, E. (2011). The reactive transport of trichloroethene is influenced by residence time and microbial numbers. *J Contam Hydrol*. 119: 89-98.
- Haest, PJ; Springael, D; Seuntjens, P; Smolders, E. (2012). Self-inhibition can limit biologically enhanced TCE dissolution from a TCE DNAPL. *Chemosphere*. 89: 1369-1375.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models. *Water Res*. 44: 331-339.
- Haest, PJ; Springael, D; Smolders, E. (2010). Erratum to "Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models" [Water Research 44 (2010) 1]. *Water Res*. 44: 2995.
- Haest, PJ; Springael, D; Smolders, E. (2010). Modelling reactive CAH transport using batch experiment degradation kinetics. *Water Res*. 44: 2981-2989.
- Hage, JC; Kiestra, FDG; Hartmans, S. (2001). Co-metabolic degradation of chlorinated hydrocarbons by *Pseudomonas* sp strain DCA1. *Appl Microbiol Biotechnol*. 57: 548-554.
- Hage, JC; van Houten, RT; Tramper, J; Hartmans, S. (2004). Membrane-aerated biofilm reactor for the removal of 1,2-dichloroethane by *Pseudomonas* sp strain DCA1. *Appl Microbiol Biotechnol*. 64: 718-725.
- Hageman, KJ; Field, JA; Istok, JD; Schroth, MH. (2003). "Forced mass balance" technique for estimating in situ transformation rates of sorbing solutes in groundwater. *Environmental science & technology*. 37: 3920-3925.
- Hageman, KJ; Field, JA; Istok, JD; Semprini, L. (2004). Quantifying the effects of fumarate on in situ reductive dechlorination rates. *J Contam Hydrol*. 75: 281-296.
- Hageman, KJ; Istok, JD; Field, JA; Buscheck, TE; Semprini, L. (2001). In situ anaerobic transformation of trichlorofluoroethene in trichloroethene-contaminated groundwater. *Environmental Science & Technology*. 35: 1729-1735.
- Hager, S; Bauer, R. (1999). Heterogeneous photocatalytic oxidation of organics for air purification by near UV irradiated titanium dioxide. *Chemosphere*. 38: 1549-1559.
- Hager, S; Bauer, R; Kudielka, G. (2000). Photocatalytic oxidation of gaseous chlorinated organics over titanium dioxide. *Chemosphere*. 41: 1219-1225.
- Haggerty, R; Gorelick, SM. Modeling mass transfer processes in soil columns with pore-scale heterogeneity. *Soil Sci Soc Am J*. Jan/Feb 1998. v. 62 (1): 62-74.
- Haglid, KG; Briving, C; Hansson, HA; Rosengren, L; Kjellstrand, P; Stavron, D; Swedin, U; Wronski, A. (1981). Trichloroethylene: long-lasting changes in the brain after rehabilitation. *Neurotoxicology*. 2: 659-673.
- Haglid, KG; Kjellstrand, P; Rosengren, L; Wro; ski, A; Briving, C. (1980). Effects of trichloroethylene inhalation on proteins of the gerbil brain. *Arch Toxicol*. 43: 187-199.
- Haglid, KG; Rosengren, L; Kyrklund, T; Karlsson, JE; Wikgren, A; Avall, E. (1985). ORGANIC SOLVENT NEUROTOXICITY. Tenth Meeting Of The International Society For Neurochemistry, Riva Del Garda, Italy, May. 44.
- Haglid, KG; Rosengren, L; Kyrklund, T; Wikgren, A; Karlsson, JE. (1985). NEUROTOXICITY OF ORGANIC SOLVENTS IRREVERSIBLE CELLULAR CHANGES. 2nd Nordic Neurochemical Symposium, Copenhagen, Denmark, Aug. 72: 237.
- Hahn, T; Diamond, J; Dobson, S; Howe, P; Kielhorn, J; Koennecker, G; Lee-Steere, C; Mangelsdorf, I; Schneider, U; Sugaya, Y; Taylor, K; Van Dam, R; Stauber, JL. (2014). Predicted no effect concentration derivation as a significant source of variability in environmental hazard assessments of chemicals in aquatic systems: An international analysis. *Integr Environ Assess Manag*. 10: 30.
- Haider, M; Kundi, M; Groll-Knapp, E; Koller, M. (1990). Interactions between noise and air pollution. *Environ Int*. 16: 593-602.
- Hakoda, T; Chowdhury, MAZ; Shimada, A; Hirota, K. (2009). Oxidation of Dimethyl Sulfide in Air Using Electron-Beam Irradiation, and Enhancement of its Oxidation Via an MnO(2) Catalyst. *Plasma Chemistry and Plasma Processing*. 29: 549-557.
- Hakoda, T; Shimada, A; Matsumoto, K; Hirota, K. (2009). Determination of the Number of OH Radicals in EB-Irradiated Humid Gases Using Oxidation of CO. *Plasma Chemistry and Plasma Processing*. 29: 69-78.
- Hales, DB; Ho, B; Thompson, JA. (1987). Inter- and intramolecular deuterium isotope effects on the cytochrome P-450-catalyzed oxidative dehalogenation of 1,1,2,2-tetrachloroethane. *Biochem Biophys Res Commun*. 149: 319-325.
- Hales, DB; Ho, B; Thompson, JA. (1987). INTERMOLECULAR AND INTRAMOLECULAR DEUTERIUM ISOTOPE EFFECTS ON THE CYTOCHROME P-450-CATALYZED OXIDATIVE DEHALOGENATION OF 1 1 2 2 TETRACHLOROETHANE. *Biochem Biophys Res Commun*. 149: 319-325.
- Haley, TJ. (1987). ABSORPTION DISTRIBUTION BIOTRANSFORMATION CONJUGATION AND EXCRETION OF XENOBIOTICS. Haley, T J And W O Berndt. 0: 20-43.
- Halfon, E; Poulton, D. (1992). Distribution of chlorobenzenes, pesticides and PCB congeners in Lake Ontario near the Toronto waterfront. *Water Pollut Res J Can*. 27: 751-772.

Environmental Hazard Literature Search Results

Off Topic

- Halfon, E; Simons, TJ; Schertzer, WM. (1990). Modeling the spatial distribution of seven halocarbons in Lake St. Clair in June 1984 using the TOXFATE model. *J Gt Lakes Res.* 16: 90-112.
- Halihan, T; Albano, J; Comfort, SD; Zlotnik, VA. (2012). Electrical Resistivity Imaging of a Permanganate Injection During In Situ Treatment of RDX-Contaminated Groundwater. *Ground water monitoring & remediation.* 32: 43-52.
- Halihan, T; Albano, J; Comfort, SD; Zlotnik, VA. (2012). Electrical Resistivity Imaging of a Permanganate Injection During In Situ Treatment of RDX-Contaminated Groundwater. *Ground Water Monitoring and Remediation.* 32: 43-52.
- Halks-Miller, M; Fedor, V; Tyson, CA. (1991). OVERVIEW OF APPROACHES TO IN-VITRO NEUROTOXICITY TESTING. *J Am Coll Toxicol.* 10: 727-736.
- Hall, DL; Graham, JL; Stamatiades, N; Dellinger, B. (1985). THE THERMAL DECOMPOSITION CHARACTERISTICS OF CHLOROFORM. 190th American Chemical Society National Meeting, Chicago, Ill, Usa, Sept. 190.
- Hall, LWJR; Pinkney, AE; Horseman, LO; Finger, SE. (1985). MORTALITY OF STRIPED BASS MORONE-SAXATILIS LARVAE IN RELATION TO CONTAMINANTS AND WATER QUALITY IN A CHESAPEAKE BAY USA TRIBUTARY. *Trans Am Fish Soc.* 114: 861-868.
- Hall, RJ; Murdoch, LC; Freedman, DL; Looney, BB; Riha, BD. (2015). Bench-scale evaluation of aerosol delivery for biostimulation and bioaugmentation in the vadose zone. *Biodegradation.* 26: 91-103.
- Hallbourg, RR; Delfino, JJ; Miller, WL. (1992). Organic priority pollutants in groundwater and surface water at three landfills in North Central Florida. *Water Air Soil Pollut.* 65: 307-322.
- Halldin, K; Axelsson, J; Brunström, B. (2005). Embryonic co-exposure to methoxychlor and Clophen A50 alters sexual behavior in adult male quail. *The Journal of nutrition.* 79: 237-242.
- Halldin, K; Holm, L; Brunstrom, B. (2003). Reproductive impairment in Japanese quail (*Coturnix japonica*) after in ovo exposure to o,p'-DDT. *Arch Toxicol.* 77: 116-122.
- Hallen, RT; Pyne, JWJR; Molton, PM. (1986). TRANSFORMATION OF CHLORINATED ETHENES AND ETHANES BY ANAEROBIC MICROORGANISMS. 192nd American Chemical Society National Meeting, Anaheim, Calif, Usa, Sept. 192.
- Halmes, NC; Samokyszyn, VM; Hinton, TW; Hinson, JA; Pumford, NR. (1998). The acetaminophen regioisomer 3'-hydroxyacetanilide inhibits and covalently binds to cytochrome P450 2E1. *Toxicol Lett.* 94: 65-71.
- Halmes, NC; Samokyszyn, VM; Pumford, NR. (1997). Covalent binding and inhibition of cytochrome P4502E1 by trichloroethylene. *Xenobiotica; the fate of foreign compounds in biological systems.* 27: 101-110.
- Halonen, I; Tarhanen, J; Ruokojärvi, P; Tuppurainen, K; Ruuskanen, J. (1995). Effect of catalysts and chlorine source on the formation of organic chlorinated compounds. *Chemosphere.* 30: 1261-1273.
- Halpert, J. (1982). Cytochrome P-450-dependent covalent binding of 1,1,2,2-tetrachloroethane in vitro. *Drug metabolism and disposition: the biological fate of chemicals.* 10: 465-468.
- Halpert, JR; Balfour, C; Miller, NE; Kaminsky, LS. (1986). DICHLOROMETHYL COMPOUNDS AS MECHANISM-BASED INACTIVATORS OF RAT LIVER CYTOCHROMES P-450 IN-VITRO. *Mol Pharmacol.* 30: 19-24.
- Halsey, KH; Doughty, DM; Sayavedra-Soto, LA; Bottomley, PJ; Arp, DJ. (2007). Evidence for modified mechanisms of chloroethene oxidation in *Pseudomonas butanovora* mutants containing single amino acid substitutions in the hydroxylase alpha-subunit of butane monooxygenase. *J Bacteriol.* 189: 5068-5074.
- Halsey, KH; Sayavedra-Soto, LA; Bottomley, PJ; Arp, DJ. (2005). Trichloroethylene degradation by butane-oxidizing bacteria causes a spectrum of toxic effects. *Appl Microbiol Biotechnol.* 68: 794-801.
- Ham, AJ; Liebler, DC. (1995). Vitamin E oxidation in rat liver mitochondria. *Biochemistry.* 34: 5754-5761.
- Hamada, N; Peterson, RE. (1977). Effect of chlorinated aliphatic hydrocarbons on excretion of protein and electrolytes by rat pancreas. *Toxicol Appl Pharmacol.* 39: 185-194.
- Hamada, T; Tanaka, H. (1995). Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut.* 87: 313-318.
- Hamby, DM. (1996). Site remediation techniques supporting environmental restoration activities. A review. *Sci Total Environ.* 191: 203-224.
- Hamed, MM; Bedient, PB. (1997). On the performance of computational methods for the assessment of risk from ground-water contamination. *Ground Water.* 35: 638-646.
- Hamelink, JL; Simon, PB; Silberhorn, EM. (1996). Henry's law constant, volatilization rate, and aquatic half-life of octamethylcyclotetrasiloxane. *Environmental Science & Technology.* 30: 1946-1952.
- Hamid, S; Amin, MT; Alazba, AA; Manzoor, U. (2014). Simultaneous Degradation of Trichloroethylene and Toluene by *Burkholderia cepacia* G4 and the Effect of Biotransformation on Bacterial Density. *Clean-Soil Air Water.* 42: 998-1003.
- Hamid, S; Amin, MT; Alazba, AA; Manzoor, U; Amin, MN. (2014). Cometabolic Degradation Kinetics of Trichloroethylene Based on Toluene Enhancement by Encapsulated *Burkholderia cepacia* G4. *Clean-Soil Air Water.* 42: 1642-1649.
- Hamid, S; Bae, W; Kim, S; Amin, MT. (2014). Enhancing co-metabolic degradation of trichloroethylene with toluene using *Burkholderia vietnamiensis* G4 encapsulated in polyethylene glycol polymer. *Environ Technol.* 35: 1470-1477.
- Hamilton, JD; Sutcliffe, R. (1997). ECOLOGICAL ASSESSMENT OF POLYMERS STRATEGIES FOR PRODUCT STEWARDSHIP AND REGULATORY PROGRAMS. Hamilton, J D And R Sutcliffe. 0.
- Hamilton, JL. (1995). Investigations of contaminant source and transport and potential remediation plan, Butz Landfill area Monroe County, Pennsylvania, U.S.A. *Acta Universitatis Carolinae Geologica.* 39: 329-336.
- Hamon, M; Dickinson, N; Devineau, A; Bolien, D; Tranchant, MJ; Taillier, C; Jabin, I; Harrowven, DC; Whitby, RJ; Ganesan, A; Dalla, V. (2014). Intra- and Intermolecular Alkylation of N,O-Acetals and pi-Activated Alcohols Catalyzed by in Situ Generated Acid. *J Org Chem.* 79: 1900-1912.

Environmental Hazard Literature Search Results

Off Topic

- HÃn; Broholm, MM; Bjerg, PL. (2007). Quantification of potassium permanganate consumption and PCE oxidation in subsurface materials. *J Contam Hydrol.* 90: 221-239.
- Han, B; Su, T; Wu, H; Gou, ZX; Xing, XH; Jiang, H; Chen, Y; Li, X; Murrell, JC. (2009). Paraffin oil as a "methane vector" for rapid and high cell density cultivation of *Methylosinus trichosporium* OB3b. *Appl Microbiol Biotechnol.* 83: 669-677.
- Han, J; Xin, J; Zheng, XL; Kolditz, O; Shao, HB. (2016). Remediation of trichloroethylene-contaminated groundwater by three modifier-coated microscale zero-valent iron. *Environ Sci Pollut Res Int.* 23: 14442-14450.
- Han, JI; Lontoh, S; Semrau, JD. (1999). Degradation of chlorinated and brominated hydrocarbons by *Methylobacterium album* BG8. *Archives of Microbiology.* 172: 393-400.
- Han, KE; Catalano, PJ; Senchaudhuri, P; Mehta, C. (2004). Exact analysis of dose response for multiple correlated binary outcomes. *Biometrics.* 60: 216-224.
- Han, SB; Oda, T. (2007). Decomposition mechanism of trichloroethylene based on by-product distribution in the hybrid barrier discharge plasma process. *Plasma Sources Science & Technology.* 16: 413-421.
- Han, T-S; Kim, Y-C; Sasaki, S; Yano, K; Ikebukuro, K; Kitayama, A; Nagamune, T; Karube, I. (2001). Microbial sensor for trichloroethylene determination. *Anal Chim Acta.* 431: 225-230.
- Han, Y; Yan, W. (2014). Bimetallic nickel-iron nanoparticles for groundwater decontamination: Effect of groundwater constituents on surface deactivation. *Water Res.* 66: 149-159.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environmental Science & Technology.* 50: 12992.
- Han, YL; Kuo, MC; Tseng, IC; Lu, CJ. (2007). Semicontinuous microcosm study of aerobic cometabolism of trichloroethylene using toluene. *J Hazard Mater.* 148: 583-591.
- Han, YL; Yan, WL. (2014). Bimetallic nickel-iron nanoparticles for groundwater decontamination: Effect of groundwater constituents on surface deactivation. *Water Res.* 66: 149-159.
- Han, YS; Hyun, SP; Jeong, HY; Hayes, KF. (2012). Kinetic study of cis-dichloroethylene (cis-DCE) and vinyl chloride (VC) dechlorination using green rusts formed under varying conditions. *Water Res.* 46: 6339-6350.
- Hana, Y; Liub, C; Horitab, J; Yana, W. (2016). Trichloroethene hydrodechlorination by Pd-Fe bimetallic nanoparticles: Solute-induced catalyst deactivation analyzed by carbon isotope fractionation. *Appl Catal B-Environ.* 188: 77-86.
- Hanasono, GK; Witschi, H; Plaa, GL. (1975). Potentiation of the hepatotoxic responses to chemicals in alloxan-diabetic rats. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 149: 903-907.
- Hand, DW; Crittenden, JC; Arora, H; Miller, JM; Lykins, BWJR. (1989). DESIGNING FIXED-BED ADSORBERS TO REMOVE MIXTURES OF ORGANICS. *Am Water Works Assoc J.* 81: 67-77.
- Hand, DW; Crittenden, JC; Gehin, JL; Lykins, BWJR. (1986). DESIGN AND EVALUATION OF AN AIR-STRIPPING TOWER FOR REMOVING VOLATILE ORGANIC CHEMICALS FROM GROUNDWATER. *Am Water Works Assoc J.* 78: 87-97.
- Hand, DW; Crittenden, JC; Hokanson, DR; Bulloch, JL. (1997). Predicting the performance of fixed-bed granular activated carbon adsorbers. *Water Science And Technology.* 35: 235-241.
- Hand, DW; Herlevich, JAJR; Perram, DL; Crittenden, JC. (1994). SYNTHETIC ADSORBENT VERSUS GAC FOR TCE REMOVAL. *American Water Works Association Journal.* 86: 64-72.
- Hanioka, N; Jinno, H; Nishimura, T; Ando, M. (1997). Changes in cytochrome P450 enzymes by 1,1-dichloroethylene in rat liver and kidney. *Arch Toxicol.* 72: 9-16.
- Hanioka, N; Jinno, H; Nishimura, T; Ando, M. (1998). Changes in hepatic cytochrome P450 enzymes by cis- and trans-1,2-dichloroethylenes in rat. *Xenobiotica; the fate of foreign compounds in biological systems.* 28: 41-51.
- Hanioka, N; Jinno, H; Takahashi, A; Nakano, K; Yoda, R; Nishimura, T; Ando, M. (1995). Interaction of tetrachloroethylene with rat hepatic microsomal P450-dependent monooxygenases. *Xenobiotica; the fate of foreign compounds in biological systems.* 25: 151-165.
- Hanioka, N; Jinno, H; Toyo'oka, T; Nishimura, T; Ando, M. (1995). Induction of rat liver drug-metabolizing enzymes by tetrachloroethylene. *Arch Environ Contam Toxicol.* 28: 273-280.
- Hanna, ML; Taylor, RT. (1995). ATTACHMENT-DETACHMENT AND TRICHLOROETHYLENE DEGRADATION BY RESTING CELLS OF METHYLOSINUS TRICHOSPORIUM OB3B. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 413.
- Hanna, ML; Taylor, RT. (1996). Attachment/detachment and trichloroethylene degradation-longevity of a resting cell *Methylosinus trichosporium* OB3b filter. *Biotechnol Bioeng.* 51: 659-672.
- Hannah, SA; Austern, BM; Eralp, AE; Dobbs, RA. (1988). REMOVAL OF ORGANIC TOXIC POLLUTANTS BY TRICKLING FILTER AND ACTIVATED SLUDGE. *J Water Pollut Control Fed.* 60: 1281-1283.
- Hannus, I; Kropok, Z; HalÃsz, J. (2007). IR spectroscopic study of Pt-containing zeolites in the hydrodechlorination reaction of C2 chlorinated hydrocarbons. *J Mol Struct.* 834-836: 236-238.
- Hanson, J; Ackerman, CE; Scow, KM. (1999). Biodegradation of methyl tert-butyl ether by a bacterial pure culture. *Appl Environ Microbiol.* 65: 4788-4792.
- Hanson, J; Macalady, JL; Harris, D; Scow, KM. (1999). Linking toluene degradation with specific microbial populations in soil. *Appl Environ Microbiol.* 65: 5403-5408.
- Hanson, RS; Brusseau, GA; Wackett, LP. (1989). DEVELOPMENT OF METHANOTROPHS FOR THE BIODEGRADATION OF TRICHLOROETHYLENE AND OTHER CHLORINATED OLEFINS. *198th Acs.* 198: 172.

Environmental Hazard Literature Search Results

Off Topic

- Hanson, RS; Tsien, HC; Tsuji, K; Brusseau, GA; Wackett, LP. (1990). Biodegradation of low-molecular-weight halogenated hydrocarbons by methanotrophic bacteria. *FEMS Microbiol Rev.* 7: 273-278.
- Hansson, SO; Ruden, C. (2006). Evaluating the risk decision process. *Toxicology.* 218: 100-111.
- Hantson, P; Vandenplas, O; Dive, A; Mahieu, P. (1990). Trichloroethylene and cardiac toxicity: report of two consecutive cases. *Acta Clin Belg.* 45: 34-37.
- Hao, OJ; Kim, MH; Seagren, EA; Kim, H. (2002). Kinetics of phenol and chlorophenol utilization by *Acinetobacter* species. *Chemosphere.* 46: 797-807.
- Har, CH; Keong, CK. (2005). Effects of tocotrienols on cell viability and apoptosis in normal murine liver cells (BNL CL.2) and liver cancer cells (BNL 1ME A.7R.1), in vitro. *Asia Pacific journal of clinical nutrition.* 14: 374-380.
- Hara, J; Ito, H; Suto, K; Inoue, C; Chida, T. (2005). Kinetics of trichloroethene dechlorination with iron powder. *Water Res.* 39: 1165-1173.
- Harada, N; Matsuyama, T; Yamamoto, H. (2007). Decomposition of volatile organic compounds by a novel electrode system integrating ceramic filter and SPCP method. *Journal of Electrostatics.* 65: 43-53.
- Harbec, D; Meunier, JL. (2011). Growth of carbon nanotubes above the peritectic temperature of tungsten metal catalyst. *Carbon.* 49: 2206-2215.
- Hard, GC. (1998). MECHANISMS OF CHEMICALLY INDUCED RENAL CARCINOGENESIS IN THE LABORATORY RODENT. *Xvi International Symposium Of The Society Of Toxicologic Pathologists Toxicologic Pathology.* 26: 104-112.
- Hard, GC; Rodgers, IS; Baetcke, KP; Richards, WL; McGaughy, RE; Valcovic, LR. (1993). HAZARD EVALUATION OF CHEMICALS THAT CAUSE ACCUMULATION OF ALPHA-2 MICROGLOBULIN HYALINE DROPLET NEPHROPATHY AND TUBULE NEOPLASIA IN THE KIDNEYS OF MALE RATS. *Environ Health Perspect.* 99: 313-349.
- Hardin, BD; Bond, GP; Sikov, MR; Andrew, FD; Beliles, RP; Niemeier, RW. (1981). Testing of selected workplace chemicals for teratogenic potential. *Scandinavian journal of work, environment & health.* 7 Suppl 4: 66-75.
- Harding, KC; Lee, PKH; Bill, M; Buscheck, TE; Conrad, ME; Alvarez-Cohen, L. (2013). Effects of Varying Growth Conditions on Stable Carbon Isotope Fractionation of Trichloroethene (TCE) by tceA-containing *Dehalococcoides mccartyi* strains. *Environmental Science & Technology.* 47: 12342-12350.
- Harding-Marjanovic, KC; Yi, S; Weathers, TS; Sharp, JO; Sedlak, DL; Alvarez-Cohen, L. (2016). Effects of Aqueous Film-Forming Foams (AFFFs) on Trichloroethene (TCE) Dechlorination by a *Dehalococcoides mccartyi*-Containing Microbial Community. *Environmental Science & Technology.* 50: 3352-3361.
- Hardman, DJ. (1991). BIOTRANSFORMATION OF HALOGENATED COMPOUNDS. *Crit Rev Biotechnol.* 11: 1-40.
- Harendra, S; Vipulanandan, C. (2013). Sorption and transport studies of cetyl trimethylammonium bromide (CTAB) and Triton X-100 in clayey soil. *Environ Microbiol.* 25: 576-584.
- Harker, AR; Kim, Y. (1990). Trichloroethylene degradation by two independent aromatic-degrading pathways in *Alcaligenes eutrophus* JMP134. *Appl Environ Microbiol.* 56: 1179-1181.
- Harkness, M; Fisher, A. (2013). Use of emulsified vegetable oil to support bioremediation of TCE DNAPL in soil columns. *J Contam Hydrol.* 151: 16-33.
- Harkness, M; Fisher, A; Lee, MD; Mack, EE; Payne, JA; Dworzatsek, S; Roberts, J; Acheson, C; Herrmann, R; Possolo, A. (2012). Use of statistical tools to evaluate the reductive dechlorination of high levels of TCE in microcosm studies. *J Contam Hydrol.* 131: 100-118.
- Harkness, MR; Bracco, AA; Brennan, MJ; Deweerdt, KA; Spivack, JL. (1999). Use of bioaugmentation to stimulate complete reductive dechlorination of trichloroethene in dover soil columns. *Environmental Science & Technology.* 33: 1100-1109.
- Harley, RA; Cass, GR. (1994). Modeling the concentrations of gas-phase toxic organic air pollutants: Direct emissions and atmospheric formation. *Environmental Science & Technology.* 28: 88-98.
- Harmon, TC; Roberts, PV. (1992). DETERMINING AND MODELING MASS-TRANSFER RATE LIMITATIONS IN HETEROGENEOUS AQUIFERS. *Proceedings Of The Sixteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Washington, DC, Usa, May.* 26: 71-77.
- Harms, MS; Peterson, RE; Fujimoto, JM; Erwin, CP. (1976). Increased bile duct-pancreatic fluid flow in chlorinated hydrocarbon-treated rats. *Toxicol Appl Pharmacol.* 35: 41-49.
- Harper, M; Purnell, CJ. (1990). Alkylammonium montmorillonites as adsorbents for organic vapors from air. *Environ Sci Technol.* 24: 55-62.
- Harrell, RM; Means, RE; Caviston, KJ; Mitchell, WJ. (1990). HUMIDIFIED CANISTER STABILITY OF SELECTED VOC'S. *US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants.* 0: 726-730.
- Harrold, G; Goody, DC; Lerner, DN; Leharne, SA. (2001). Wettability changes in trichloroethylene-contaminated sandstone. *Environmental Science & Technology.* 35: 1504-1510.
- Harrold, G; Goody, DC; Reid, S; Lerner, DN; Leharne, SA. (2003). Changes in interfacial tension of chlorinated solvents following flow through UK soils and shallow aquifer material. *Environmental Science & Technology.* 37: 1919-1925.
- Harrold, G; Lerner, DN; Leharne, SA. (2005). The impact of additives found in industrial formulations of TCE on the wettability of sandstone. *J Contam Hydrol.* 80: 1-17.
- Hart, JR. (1994). COMPARISON OF EMISSIONS FROM BURNING HAZARDOUS WASTE IN A DRY-PROCESS CEMENT KILN WITH EMISSION FROM BURNING CONVENTIONAL FOSSIL FUELS. *Hazardous Waste & Hazardous Materials.* 11: 193-199.
- Harte, PT; Konikow, LF; Hornberger, GZ. (2006). Simulation of solute transport across low-permeability barrier walls. *J Contam Hydrol.* 85: 247-270.

Environmental Hazard Literature Search Results

Off Topic

- Harte, PT; Smith, TE; Williams, JH; Degnan, JR. (2012). Time series geophysical monitoring of permanganate injections and in situ chemical oxidation of PCE, OU1 area, Savage Superfund Site, Milford, NH, USA. *J Contam Hydrol.* 132: 58-74.
- Hartenstein, HU. (1994). Fixed bed activated coke filters for the control of toxic metals and organics from waste incinerators- the second generation. *Chemosphere.* 29: 2071-2081.
- Hartog, N; G, MM; Hassanizadeh, SM. (2015). Bias by the inappropriate use of the pseudo-first order approach to estimate second-order reaction rate constants: Reply to the commentary by Tratnyek (this issue). *Sci Total Environ.* 502: 724-725.
- Harvey, CN; Chen, JC; Bagnell, CA; Uzumcu, M. (2015). Methoxychlor and its metabolite HPTe inhibit cAMP production and expression of estrogen receptors α ; and β ; in the rat granulosa cell in vitro. *Reproductive toxicology (Elmsford, NY).* 51: 72-78.
- Harwood, RC. (1993). TECHNOLOGY SELECTION FOR REMEDIATION OF ORGANIC POLLUTANTS. *Agso Journal Of Australian Geology & Geophysics.* 14: 227-234.
- Hasegawa, R; Nakaji, Y; Kurokawa, Y; Tobe, M. (1989). Acute toxicity tests on 113 environmental chemicals. *Sci Rep Res Inst Tohoku Univ Ser C Med.* 36: 10-16.
- Haselmann, KF; Laternus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air and Soil Pollution.* 139: 35-41.
- Haseman, JK. (1988). LACK OF CAGE EFFECTS ON LIVER TUMOR INCIDENCE IN B6C3F1 MICE. *Fundam Appl Toxicol.* 10: 179-187.
- Haseman, JK; Clark, AM. (1990). Carcinogenicity results for 114 laboratory animal studies used to assess the predictivity of four in vitro genetic toxicity assays for rodent carcinogenicity. *Environ Mol Mutagen Suppl.* 0: 15-31.
- Haseman, JK; Lockhart, A. (1994). The relationship between use of the maximum tolerated dose and study sensitivity for detecting rodent carcinogenicity. *Fundam Appl Toxicol.* 22: 382-391.
- Hashimoto, A; Iwasaki, K; Nakasugi, N; Nakajima, M; Yagi, O. (2002). Degradation pathways of trichloro ethylene and 1,1,1-trichloroethane by *Mycobacterium sp TA27*. *Bioscience Biotechnology and Biochemistry.* 66: 385-390.
- Hashisho, Z; Rood, M; Botich, L. (2005). Microwave-swing adsorption to capture and recover vapors from air streams with activated carbon fiber cloth. *Environmental science & technology.* 39: 6851-6859.
- Hashmi, M; Qin, ZH; Yao, XY; Ahmed, Z; Su, XM; Shen, CF; Tang, XJ. (2016). PCBs attenuation and abundance of *Dehalococcoides spp.*, *bphC*, *CheA*, and *flic* genes in typical polychlorinated biphenyl-polluted soil under floody and dry soil conditions. *Environ Sci Pollut Res Int.* 23: 3907-3913.
- Hassan, SM. (2000). Reduction of halogenated hydrocarbons in aqueous media: I. Involvement of sulfur in iron catalysis. *Chemosphere.* 40: 1357-1363.
- Hassan, SM; Wolfe, NL; Cipollone, MG; Burris, DR. (1993). REDUCTION OF HALOGENATED HYDROCARBONS WITH IRON II. MECHANISM OF THE REACTION. *205th Acs.* 205: 93.
- Hassoun, E; Cearfoss, J. (2014). Do antioxidant enzymes and glutathione play roles in the induction of hepatic oxidative stress in mice upon subchronic exposure to mixtures of dichloroacetate and trichloroacetate? *Toxicol Environ Chem.* 96: 482-490.
- Hassoun, E; Mettling, C. (2015). Dichloroacetate and Trichloroacetate Toxicity in AML12 Cells: Role of Oxidative Stress. *J Biochem Mol Toxicol.* 29: 508-512.
- Hassoun, EA; Cearfoss, J; Spildener, J. (2010). Dichloroacetate- and trichloroacetate-induced oxidative stress in the hepatic tissues of mice after long-term exposure. *J Appl Toxicol.* 30: 450-456.
- Hassoun, EA; Ray, S. (2003). The induction of oxidative stress and cellular death by the drinking water disinfection by-products, dichloroacetate and trichloroacetate in J774.A1 cells. *Comparative Biochemistry and Physiology C-Toxicology & Pharmacology.* 135: 119-128.
- Hasspieler, BM; Arnason, JT; Downe, AE. (1988). Toxicity, localization and elimination of the phototoxin, alpha-terthienyl, in mosquito larvae. *J Am Mosq Control Assoc.* 4: 479-484.
- Hasspieler, BM; Arnason, JT; Downe, AER. (1990). Modes of action of the plant-derived phototoxin alpha-terthienyl in mosquito larvae. *Pestic Biochem Physiol.* 38: 41-47.
- Haston, ZC; McCarty, PL. (1999). Chlorinated ethene half-velocity coefficients (K(s)) for reductive dehalogenation. *Environmental Science & Technology.* 33: 223-226.
- Hata, J; Miyata, N; Kim, ES; Takamizawa, K; Iwahori, K. (2004). Anaerobic degradation of cis-1,2-dichloroethylene and vinyl chloride by *Clostridium sp strain DC1* isolated from landfill leachate sediment. *J Biosci Bioeng.* 97: 196-201.
- Hata, J; Takamizawa, K; Miyata, N; Iwahori, K. (2003). Biodegradation of cis-1,2-dichloroethylene and vinyl chloride in anaerobic cultures enriched from landfill leachate sediment under Fe(III)-reducing conditions. *Biodegradation.* 14: 275-283.
- Hatfield, K; Stauffer, TB. (1992). Nonequilibrium modeling of transport in fine sand containing residual decane. *Hazard Waste Hazard Mater.* 9: 369-382.
- Hathway, DE. (1977). Comparative mammalian metabolism of vinyl chloride and vinylidene chloride in relation to oncogenic potential. *Environ Health Perspect.* 21: 55-59.
- Havel, HA; Kauffman, EW; Elzinga, PA. (1988). Fluorescence quenching studies of bovine growth hormone in several conformational states. *Biochimica et Biophysica Acta (BBA) - Protein Structure and Molecular Enzymology.* 955: 154-163.
- Hawker, D. (1990). Description of fish bioconcentration factors in terms of solvatochromic parameters. *Chemosphere.* 20: 467-478.
- Hawker, DW; Connell, DW. (1988). INFLUENCE OF PARTITION COEFFICIENT OF LIPOPHILIC COMPOUNDS ON BIOCONCENTRATION KINETICS WITH FISH. *Water Res.* 22: 701-708.

Environmental Hazard Literature Search Results

Off Topic

- Hawkins, A; Tiffany, J; Dennis, J; Smith, G; Yates, J. (1993). CHARACTERIZATION OF THREE SUBSURFACE BACTERIAL COMMUNITIES FROM A SOUTHEASTERN COASTAL PLAIN. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 314.
- Haws, NW; Ball, WP; Bouwer, EJ. (2006). Modeling and interpreting bioavailability of organic contaminant mixtures in subsurface environments. *J Contam Hydrol.* 82: 255-292.
- Haws, NW; Bouwer, EJ; Ball, WP. (2006). The influence of biogeochemical conditions and level of model complexity when simulating cometabolic biodegradation in sorbent-water systems. *Advances in Water Resources.* 29, issue 4: 571-589.
- Haxo, HEJR; Lahey, TP. (1988). TRANSPORT OF DISSOLVED ORGANICS FROM DILUTE AQUEOUS SOLUTIONS THROUGH FLEXIBLE MEMBRANE LINERS. *Hazard Waste Hazard Mater.* 5: 275-294.
- Hayasaka, S; Inouye, M; Yamamura, H. (1991). Teratogenicity of oral administrations of trichloroethylene in mice. *Environ Med.* 35: 139-142.
- Hayashi, JI; Ikeda, J; Kusakabe, K; Morooka, S. (1993). Decomposition rate of volatile organochlorines by ozone and utilization efficiency of ozone with ultraviolet radiation in a bubble-column contactor. *Water Res.* 27: 1091-1097.
- Hayashi, N; Igarashi, A; Matsuyama, T; Harada, S. (2000). Eosinophilic fasciitis following exposure to trichloroethylene: successful treatment with cyclosporin. *Br J Dermatol.* 142: 830-832.
- Hayashi, N; Suganuma, H; Kamatani, M; Satoh, S; Yamabe, C. (2001). Treatment of volatile organic compound by positive streamer corona using a series gap. *Japanese Journal of Applied Physics Part 1-Regular Papers Brief Communications & Review Papers.* 40: 6104-6108.
- Hayes, JR; Condie, LWJR; Egle, JLR; Borzelleca, JF. (1987). The acute and subchronic toxicity in rats of trans-1,2-dichloroethylene in drinking water. *J Am Coll Toxicol.* 6: 471-478.
- Hayes, TB; Wu, TH; Gill, TN. (1997). DDT-like effects as a result of corticosterone treatment in an anuran amphibian: Is DDT a corticoid mimic or a stressor? *Environ Toxicol Chem.* 16: 1948-1953.
- Hazen, TC; Chakraborty, R; Fleming, J; Gregory, IR; Bowman, JP; Jimenez, L; Zhang, D; Pfiffner, SM; Brockman, FJ; Saylor, GS. (2009). Use of gene probes to assess the impact and effectiveness of aerobic in situ bioremediation of TCE. *Archives of Microbiology.* 191: 221-232.
- Hazen, TC; Dougherty, JM; Looney, BB. (1992). STIMULATION OF MICROBIAL COMMUNITIES IN GROUNDWATER FROM HORIZONTAL WELL IN-SITU AIR STRIPPING AT A CHLORINATED SOLVENT CONTAMINATED SITE. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 296.
- Hazen, TC; Fliermans, CB. (1993). Rapid screening for bacteria capable of degrading toxic organic compounds. *AU - GORDEN RW. J Microbiol Methods.* 18: 339-347.
- Hazen, TC; Lombard, KH; Looney, BB; Enzien, M; Dougherty, JM; Fliermans, CB; Eddy-Dilek, CA. (1995). BIOREMEDIATION VISUALIZATION USING 3D MODELS OF PARAMETERS. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 403.
- Hazen, TC; Looney, BB; Enzien, M; Dougherty, JM; Wear, J; Fliermans, CB; Eddy, CA. (1994). IN SITU BIOREMEDIATION OF CHLORINATED-SOLVENTS VIA HORIZONTAL WELLS. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 329.
- Hazlett, JM; Bailey, RE. (1990). EVALUATION OF A CONTINUOUS SAMPLING AND ANALYSIS SYSTEM FOR VOLATILE ORGANIC COMPOUNDS. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 731-739.
- He, D; Ma, XM; Jones, AM; Ho, L; Waite, TD. (2016). Mechanistic and kinetic insights into the ligand-promoted depassivation of bimetallic zero-valent iron nanoparticles. *Environmental Science-Nano.* 3: 737-744.
- He, F; Zhao, DY. (2005). Preparation and characterization of a new class of starch-stabilized bimetallic nanoparticles for degradation of chlorinated hydrocarbons in water. *Environmental Science & Technology.* 39: 3314-3320.
- He, F; Zhao, DY; Paul, C. (2010). Field assessment of carboxymethyl cellulose stabilized iron nanoparticles for in situ destruction of chlorinated solvents in source zones. *Water Res.* 44: 2360-2370.
- He, J; Holmes, VF; Lee, PKH; Alvarez-Cohen, L. (2007). Influence of Vitamin B₁₂, and Cocultures on the Growth of Dehalococoides Isolates in Defined Medium. *Applied and environmental microbiology AEM.* 73: 2847-2853.
- He, J; Sung, Y; Krajalnik-Brown, R; Ritalahti, KM; Löffler, FE. (2005). Isolation and characterization of Dehalococoides sp strain FL2, a trichloroethene (TCE)- and 1,2-dichloroethene-respiring anaerobe. *Environ Microbiol.* 7: 1442-1450.
- He, JH; Arnold, RG; Saez, AE; Betterton, EA; Ela, WP. (2004). Removal of aqueous phase trichloroethylene using membrane air stripping contactors. *Journal of Environmental Engineering-Asce.* 130: 1232-1241.
- He, JZ; Holmes, VF; Lee, PKH; Alvarez-Cohen, L. (2007). Influence of vitamin B(12) and cocultures on the growth of Dehalococoides isolates in defined medium. *Appl Environ Microbiol.* 73: 2847-2853.
- He, JZ; Ritalahti, KM; Yang, KL; Koenigsberg, SS; Löffler, FE. (2003). Detoxification of vinyl chloride to ethene coupled to growth of an anaerobic bacterium. *Nature.* 424: 62-65.
- He, JZ; Sung, Y; Dollhopf, ME; Fathepure, BZ; Tiedje, JM; Löffler, FE. (2002). Acetate versus hydrogen as direct electron donors to stimulate the microbial reductive dechlorination process at chloroethene-contaminated sites. *Environmental Science & Technology.* 36: 3945-3952.
- He, L; Qiu, ZF; Lue, SG; Lu, ZC; Wang, ZL; Sui, Q; Lin, KF; Liu, YD. (2012). Characteristics and Influencing Factors of Trichloroethylene Adsorption in Different Soil Types. *Environmental Science.* 33: 3976-3982.
- He, R; Su, Y; Kong, J. (2015). Characterization of trichloroethylene adsorption onto waste biocover soil in the presence of landfill gas. *J Hazard Mater.* 295: 185-192.
- He, S; Chang, FH. (1995). MODEL FOR BIOREMEDIATION OF TRICHLOROETHYLENE BY METHANOTROPHS USING COLUMN MICROCOSM. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 417.

Environmental Hazard Literature Search Results

Off Topic

- He, YT; Wilson, JT; Wilkin, RT. (2008). Transformation of reactive iron minerals in a permeable reactive barrier (biowall) used to treat TCE in groundwater. *Environmental Science & Technology*. 42: 6690-6696.
- He, Z; Yang, GP; Lu, XL; Zhang, HH. (2013). Distributions and sea-to-air fluxes of chloroform, trichloroethylene, tetrachloroethylene, chlorodibromomethane and bromoform in the Yellow Sea and the East China Sea during spring. *Environ Pollut*. 177: 28-37.
- Head, IM. (1998). BIOREMEDIATION TOWARDS A CREDIBLE TECHNOLOGY. *Microbiology*. 144: 599-608.
- Heald, S; Jenkins, RO. (1994). Trichloroethylene removal and oxidation toxicity mediated by toluene dioxygenase of *Pseudomonas putida*. *Appl Environ Microbiol*. 60: 4634-4637.
- Heald, SC; Jenkins, RO. (1996). Expression and substrate specificity of the toluene dioxygenase of *Pseudomonas putida* NCIMB 11767. *Appl Microbiol Biotechnol*. 45: 56-62.
- Heavner, GLW; Rowe, AR; Mansfeldt, CB; Pan, JK; Gossett, JM; Richardson, RE. (2013). Molecular Biomarker-Based Biokinetic Modeling of a PCE-Dechlorinating and Methanogenic Mixed Culture. *Environmental Science & Technology*. 47: 3724-3733.
- Heberer, T; Duennbier, U. (1999). DOT metabolite bis(chlorophenyl)acetic acid: The neglected environmental contaminant. *Environmental Science & Technology*. 33: 2346-2351.
- Hecht, V; Brebbermann, B; Bremer, P; Deckwer, WD. (1995). Cometabolic degradation of trichloroethylene in a bubble column bioscrubber. *Biotechnol Bioeng*. 47: 461-469.
- Hecht, V; Langer, O; Deckwer, WD. (2000). Degradation of phenol and benzoic acid in a three-phase fluidized-bed reactor. *Biotechnol Bioeng*. 70: 391-399.
- Heck, KN; Janesko, BG; Scuseria, GE; Halas, NJ; Wong, MS. (2008). Observing Metal-Catalyzed Chemical Reactions in Situ Using Surface-Enhanced Raman Spectroscopy on Pd-Au Nanoshells. *J Am Chem Soc*. 130: 16592-16600.
- Heckman, CJ; Darlow, S; Manne, SL; Kashy, DA; Munshi, T. (2013). Correspondence and Correlates of Couples' Skin Cancer Screening. *Jama Dermatology*. 149: 825-830.
- Hede, AR; Post, C. (1982). Trichloroethylene and halothane inhibit uptake of 5-hydroxytryptamine in the isolated perfused rat lung. *Biochem Pharmacol*. 31: 353-358.
- Hedrick, DB; Phelps, TJ; Ringelberg, DB; Vazquez, P. (1986). EVALUATION OF MICROBIAL BIOMASS ACTIVITIES AND ENRICHMENTS FROM A TRICHLOROETHYLENE CONTAMINATED AQUIFER. 86th Annual Meeting Of The American Society For Microbiology, Washington, DC, Usa, Mar. 86: 295.
- Hegde, MJ. (1998). C-mitotic effects of Trichloroethylene (TCE) on bone marrow cells of mice. *AU - SUJATHA TV. Mutat Res*. 413: 151-158.
- Hegele, PR; Mumford, KG. (2014). Gas production and transport during bench-scale electrical resistance heating of water and trichloroethene. *J Contam Hydrol*. 165: 24-36.
- Heida, H; Van, DENBERGM; Olie, K. (1988). RISK ASSESSMENT AND SELECTION OF REMEDIAL ACTION ALTERNATIVES THE VOLGERMEERPOLDER CASE STUDY. Eighth International Symposium On Chlorinated Dioxins And Related Compounds, Umea, Sweden, August. 19: 615-622.
- Heida, H; Van, DENBERGM; Olie, K. (1995). Risk assessment approach to evaluating potential remedial actions at the Diemerzeedijk Hazardous Waste Site. *Hazardous Waste & Hazardous Materials*. 12: 1-14.
- Heiderscheidt, JL; Siegrist, RL; Illangasekare, H. (2008). Intermediate-scale 2D experimental investigation of in situ chemical oxidation using potassium permanganate for remediation of complex DNAPL source zones. *J Contam Hydrol*. 102: 3-16.
- Heidmann, WA. (1986). Hexachlorobenzene residues in selected species of land and sea birds in northern Germany. *IARC Sci Publ*. 77: 223-229.
- Heikes, DL; Hopper, ML. (1986). PURGE AND TRAP METHOD FOR DETERMINATION OF FUMIGANTS IN WHOLE GRAINS MILLED GRAIN PRODUCTS AND INTERMEDIATE GRAIN-BASED FOODS. *J Assoc Off Anal Chem*. 69: 990-998.
- Heimann, AC; Friis, AK; Jakobsen, R. (2005). Effects of sulfate on anaerobic chloroethene degradation by an enriched culture under transient and steady-state hydrogen supply. *Water Res*. 39: 3579-3586.
- Heimann, AC; Friis, AK; Scheutz, C; Jakobsen, R. (2007). Dynamics of reductive TCE dechlorination in two distinct H₂ supply scenarios and at various temperatures. *Biodegradation*. 18: 167-179.
- Heindel, JJ; Chapin, RE; George, J; Gulati, DK; Fail, PA; Barnes, LH; Yang, RSH. (1995). Assessment of the reproductive toxicity of a complex mixture of 25 groundwater contaminants in mice and rats. *Fundam Appl Toxicol*. 25: 9-19.
- Heindl, A; Hutzinger, O. (1986). SEARCH FOR INDUSTRIAL SOURCES OF PCDD-PCDF III. SHORT-CHAIN CHLORINATED HYDROCARBONS. Meeting On Chlorinated Dioxins And Related Compounds Held At The Sixth International Symposium, Fukuoka, Japan, September. 16: 1949-1958.
- Hejkal, TW; Records, RE; Kubitschek, C; Humphrey, C. (1992). Diffusion of volatile organics through contact lenses. *The CLAO journal : official publication of the Contact Lens Association of Ophthalmologists, Inc*. 18: 41-45.
- Hellerich, LA; Nikolaidis, NP. (2005). Sorption studies of mixed chromium and chlorinated ethenes at the field and laboratory scales. *J Environ Manage*. 75: 77-88.
- Helma, C; Eckl, P; Gottmann, E; Kassie, F; Rodinger, W; Steinkellner, H; Windpassinger, C; Schulte-Hermann, R; Knasmuller, S. (1998). Genotoxic and ecotoxic effects of groundwaters and their relation to routinely measured chemical parameters. *Environmental Science & Technology*. 32: 1799-1805.
- Helmig, D; Arey, J. (1992). Organic chemicals in the air at Whitaker's forest ierra Nevada Mountains, California. *Sci Total Environ*. 112: 233-250.
- Helmig, D; Mueller, J; Klein, W. (1989). Volatile organic substances in a forest atmosphere. *Chemosphere*. 19: 1399-1412.
- Henderson, TH; Mayer, KU; Parker, BL; Al, TA. (2009). Three-dimensional density-dependent flow and multicomponent reactive transport modeling of chlorinated solvent oxidation by potassium permanganate. *J Contam Hydrol*. 106: 195-211.

Environmental Hazard Literature Search Results

Off Topic

- Henderson, WD; Bewtra, JK; Fackrell, H; Biswas, N; St, PIERRECC. (1989). TOXICITY EFFECTS OF SELECTED ORGANICS ON BIOLOGICAL SULFATE REDUCTION PROCESS. 197th American Chemical Society National Meeting, Dallas, Texas, Usa, April. 197: 14.
- Hendricks, JD; Shelton, DW; Loveland, PM; Pereira, CB; Bailey, GS. (1995). Carcinogenicity of dietary dimethylnitrosomorpholine, N-methyl-N'-nitro-N-nitrosoguanidine, and dibromoethane in rainbow trout. *Toxicol Pathol.* 23: 447-457.
- Hendrickson, ER; Payne, JA; Young, RM; Starr, MG; Perry, MP; Fahnestock, S; Ellis, DE; Ebersole, RC. (2002). Molecular analysis of Dehalococcoides 16S ribosomal DNA from chloroethene-contaminated sites throughout north America and Europe. *Appl Environ Microbiol.* 68: 485-495.
- Hendriks, AJ; Stouten, MDA. (1993). Monitoring the response of microcontaminants by dynamic Daphnia magna and Leuciscus idus assays in the Rhine delta: Biological early warning as a useful supplement. *Ecotoxicol Environ Saf.* 26: 265-279.
- Hendriksen, PJM; Freidig, AP; Jonker, D; Thissen, U; Bogaards, JJP; Mumtaz, MM; Groten, JP; Stlerurn, RH. (2007). Transcriptomics analysis of interactive effects of benzene, trichloroethylene and methyl mercury within binary and ternary mixtures on the liver and kidney following subchronic exposure in the rat. *Toxicol Appl Pharmacol.* 225: 171-188.
- Hennebel, T; Benner, J; Clauwaert, P; Vanhaecke, L; Aelterman, P; Callebaut, R; Boon, N; Verstraete, W. (2011). Dehalogenation of environmental pollutants in microbial electrolysis cells with biogenic palladium nanoparticles. *Biotechnol Lett.* 33: 89-95.
- Hennebel, T; De Corte, S; Vanhaecke, L; Vanherck, K; Forrez, I; De Gusseme, B; Verhagen, P; Verbeken, K; Van der Bruggen, B; Vankelecom, I; Boon, N; Verstraete, W. (2010). Removal of diatrizoate with catalytically active membranes incorporating microbially produced palladium nanoparticles. *Water Res.* 44: 1498-1506.
- Hennebel, T; Simoen, H; De Windt, W; Verloo, M; Boon, N; Verstraete, W. (2009). Biocatalytic Dechlorination of Trichloroethylene With Bio-Palladium in a Pilot-Scale Membrane Reactor. *Biotechnol Bioeng.* 102: 995-1002.
- Hennebel, T; Simoen, H; Verhagen, P; De Windt, W; Dick, J; Weise, C; Pietschner, F; Boon, N; Verstraete, W. (2011). Biocatalytic dechlorination of hexachlorocyclohexane by immobilized bio-Pd in a pilot scale fluidized bed reactor. *Environ Chem Lett.* 9: 417-422.
- Hennebel, T; Van Nevel, S; Verschuere, S; De Corte, S; De Gusseme, B; Cuvelier, C; Fitts, JP; Van der Lelie, D; Boon, N; Verstraete, W. (2011). Palladium nanoparticles produced by fermentatively cultivated bacteria as catalyst for diatrizoate removal with biogenic hydrogen. *Appl Microbiol Biotechnol.* 91: 1435-1445.
- Hennebel, T; Verhagen, P; Simoen, H; De Gusseme, B; Vlaeminck, SE; Boon, N; Verstraete, W. (2009). Remediation of trichloroethylene by bio-precipitated and encapsulated palladium nanoparticles in a fixed bed reactor. *Chemosphere.* 76: 1221-1225.
- Henning, KD; Schaefer, M; Bongartz, W; Knoblauch, K. (1987). INVESTIGATIONS OF THE ADSORPTIVE REMOVAL AND RECOVERY OF HALOCARBONS. De Waal, K J A And W J Van Den Brink. 0: 337-342.
- Henny, CJ; Herron, GB. (1989). DDE, selenium, mercury, and white-faced ibis reproduction at Carson Lake, Nevada (USA). *J Wildl Manage.* 53: 1032-1045.
- Henry, SM; Grbic-Galic, D. (1986). AEROBIC DEGRADATION OF TRICHLOROETHYLENE BY METHYLOTROPHS ISOLATED FROM A CONTAMINATED AQUIFER. 86th Annual Meeting Of The American Society For Microbiology, Washington, DC, Usa, Mar. 86: 294.
- Henry, SM; Grbic-Galic, D. (1990). Effect of mineral media on trichloroethylene oxidation by aquifer methanotrophs. *Microb Ecol.* 20: 151-170.
- Henrysson, T; McCarty, PL. Influence of the endogenous storage lipid poly-beta-hydroxybutyrate on the reducing power availability during cometabolism of trichloroethylene and naphthalene by resting methanotrophic mixed cultures. *Appl Environ Microbiol.* May 1993. v. 59 (5): 1602-1606.
- Henschel, DB. (1998). Cost analysis of activated carbon versus photocatalytic oxidation for removing organic compounds from indoor air. *Journal of the Air & Waste Management Association.* 48: 985-994.
- Henschler, D. (1977). Metabolism and mutagenicity of halogenated olefins--a comparison of structure and activity. *Environ Health Perspect.* 21: 61-64.
- Henschler, D. (1977). Metabolism of chlorinated alkenes and alkanes as related to toxicity. *J Environ Pathol Toxicol.* 1: 125-133.
- Henschler, D; Bonse, G. (1977). Metabolic activation of chlorinated ethylenes: dependence of mutagenic effect on electrophilic reactivity of the metabolically formed epoxides. *Arch Toxicol.* 39: 7-12.
- Henschler, D; Bonse, G; Greim, H. (1976). Carcinogenic potential of chlorinated ethylenes tentative molecular rules. *IARC Sci Publ.* 13: 171-175.
- Henschler, D; Bruckner, JV; Davis, BD; Blancato, JN. (1989). Metabolism, toxicity, and carcinogenicity of trichloroethylene. *J Biochem Toxicol.* 4: 21-27.
- Henschler, D; Eder, E; Neudecker, T; Metzler, M. (1977). Carcinogenicity of trichloroethylene: fact or artifact? *Arch Toxicol.* 37: 233-236.
- Henschler, D; Hoos, WR; Fetz, H; Dallmeier, E; Metzler, M. (1979). Reactions of trichloroethylene epoxide in aqueous systems. *Biochem Pharmacol.* 28: 543-548.
- Henschler, D; Romen, W; Elsässer, Au, RRD; Eder, E; Radwan, Z. (1980). Carcinogenicity study of trichloroethylene by longterm inhalation in three animal species. *Arch Toxicol.* 43.
- Henschler, D; Vamvakas, S; Lammert, M; Dekant, W; Kraus, B; Thomas, B; Ulm, K. (1995). Increased incidence of renal cell tumors in a cohort of cardboard workers exposed to trichloroethene. *Arch Toxicol.* 69: 291-299.
- Henshaw, P; Medlar, D; McEwen, J. (1999). Selection of a support medium for a fixed-film green sulphur bacteria reactor. *Water Res.* 33: 3107-3110.
- Henson, JM; Yates, MV; Cochran, JW. (1987). METABOLISM OF CHLORINATED ALIPHATIC HYDROCARBONS BY A MIXED BACTERIAL CULTURE GROWING ON METHANE. 87th Annual Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, March. 87: 298.
- Henson, JM; Yates, MV; Cochran, JW. (1989). METABOLISM OF CHLORINATED METHANES ETHANES AND ETHYLENES BY A MIXED BACTERIAL CULTURE GROWING ON METHANE. *J Ind Microbiol.* 4: 29-36.

Environmental Hazard Literature Search Results

Off Topic

- Henson, JM; Yates, MV; Cochran, JW; Shackelford, DL. (1988). MICROBIAL REMOVAL OF HALOGENATED METHANES ETHANES AND ETHYLENES IN AN AEROBIC SOIL EXPOSED TO METHANE. *Fems*. 53: 193-202.
- Herd, PA; Martin, HF. (1975). Effect of 1,1,1-trichloroethane on mitochondrial metabolism. *Biochem Pharmacol*. 24: 1179-1185.
- Herman, DA. (1993). A study of the antimicrobial properties of impression tray adhesives. *The Journal of prosthetic dentistry*. 69: 102-105.
- Hernández-Alonso, MaD; García-a-Rodríguez, S; Suárez, S; Portela, R; Sánchez, B; Coronado, JM. (2013). Operando DRIFTS study of the role of hydroxyls groups in trichloroethylene photo-oxidation over titanate and TiO₂, nanostructures. *Catalysis Today*. 206: 32-39.
- Hernandez, M; Zhou, H; Zhou, B; Robinette, C; Crissman, K; Hatch, G; Alexis, NE; Peden, D. (2009). Combination treatment with high-dose vitamin C and alpha-tocopherol does not enhance respiratory-tract lining fluid vitamin C levels in asthmatics. *Inhal Toxicol*. 21: 173-181.
- Hernandez, S; Papp, JK; Bhattacharyya, D. (2014). Iron-Based Redox Polymerization of Acrylic Acid for Direct Synthesis of Hydrogel/Membranes and Metal Nanoparticles for Water Treatment. *Industrial & Engineering Chemistry Research*. 53: 1130-1142-1130-1142.
- Hernandez-Alonso, MD; Garcia-Rodriguez, S; Suarez, S; Portela, R; Sanchez, B; Coronado, JM. (2011). Highly selective one-dimensional TiO₂ sub(2)-based nanostructures for air treatment applications). *Appl Catal B-Environ*. 110: 251-259.
- Heron, G; Carroll, S; Nielsen, SG. (2005). Full-scale removal of DNAPL constituents using steam-enhanced extraction and electrical resistance heating. *Ground Water Monitoring and Remediation*. 25: 92-107.
- Heron, G; Christensen, TH; Enfield, CG. (1998). Henry's law constant for trichloroethylene between 10 and 95 degrees C. *Environmental Science & Technology*. 32: 1433-1437.
- Heron, G; Lachance, J; Baker, R. (2013). Removal of PCE DNAPL from Tight Clays Using In Situ Thermal Desorption. *Ground Water Monitoring and Remediation*. 33: 31-43.
- Heron, G; Parker, K; Galligan, J; Holmes, TC. (2009). Thermal Treatment of Eight CVOC Source Zones to Near Nondetect Concentrations. *Ground Water Monitoring and Remediation*. 29: 56-65.
- Heron, G; Van Zutphen, M; Christensen, TH; Enfield, CG. (1998). Soil heating for enhanced remediation of chlorinated solvents: A laboratory study on resistive heating and vapor extraction in a silty, low-permeable soil contaminated with trichloroethylene. *Environmental Science & Technology*. 32: 1474-1481.
- Heron, G; van Zutphen, M; Enfield, CG. (1998). In-line measurement of trichloroethylene vapors using tin dioxide sensors. *Ground Water Monitoring and Remediation*. 18: 111-118.
- Herren-Freund, SL; Pereira, MA; Khoury, MD; Olson, G. (1987). The carcinogenicity of trichloroethylene and its metabolites, trichloroacetic acid and dichloroacetic acid, in mouse liver. *Toxicol Appl Pharmacol*. 90: 183-189.
- Herrera, TA; Lang, R; Tchobanoglous, G. (1988). A STUDY OF THE EMISSIONS OF VOLATILE ORGANIC COMPOUNDS FOUND IN LANDFILL GAS. *Bell, J M. O*: 229-238.
- Herring, G; Ackerman, JT; Eagles-Smith, CA; Adelsbach, TL; Melancon, MJ; Stebbins, KR; Hoffman, DJ. (2010). Organochlorine and PBDE concentrations in relation to cytochrome P450 activity in livers of Forster's terns (*Sterna forsteri*) and Caspian terns (*Hydroprogne caspia*), in San Francisco Bay, California. *Envi Technolechnol*. 44: 2354-2359.
- Herrmann, R. (1996). Transport of chlorinated hydrocarbons between sewage and sewer atmosphere. *AU - HAAS BS. Water Science And Technology*. 34: 557-564.
- HerzD, A-nPECCNTNaann; Gregor, D; Cao, HY; Liang, T; Tao, S; Zhang, CS. (2007). Simulating the temporal changes of OCP pollution in Hangzhou, China. *Environmental pollution (Barking, Essex : 1987)*. 146: 196-205.
- Herzog, BL; Chou, SFJ; Chou, J; Valkenburg, JR; Griffin, RA. (1988). CHANGES IN VOLATILE ORGANIC CHEMICAL CONCENTRATIONS AFTER PURGING SLOWLY RECOVERING WELLS. *Ground Water Monit Rev*. 8: 93-99.
- Hess, EV. (2002). Environmental chemicals and autoimmune disease: cause and effect. *Toxicology*. 181: 65-70.
- Hess, TF; Buyuksonmez, F; Watts, RJ; Teel, AL. (1998). ASSESSMENT MANAGEMENT AND MINIMIZATION. *Water Environ Res*. 70: 699-705.
- Hesselsoe, M; Boysen, S; Iversen, N; Jorgensen, L; Murrell, JC; McDonald, I; Radajewski, S; Thestrup, H; Roslev, P. (2005). Degradation of organic pollutants by methane grown microbial consortia. *Biodegradation*. 16: 435-448.
- Hester, SD; Johnstone, AFM; Boyes, WK; Bushnell, PJ; Shafer, TJ. (2011). Acute toluene exposure alters expression of genes in the central nervous system associated with synaptic structure and function. *Neurotoxicol Teratol*. 33: 521-529.
- Hetric, DM; Pandey, A. (1999). A methodology for establishing cleanup objectives in the unsaturated soil zone using sensitivity and uncertainty analysis for chemical fate and transport. *Journal of Soil Contamination*. 8: 559-576.
- Hewitt, AD. (1994). Comparison of methods for sampling vadose zone soils for determination of trichloroethylene. *J AOAC Int*. 77: 458-463.
- Hewitt, A. (1994). Preparation of spiked soils by vapor fortification for volatile organic compounds analysis. *J AOAC Int*. 77: 735-737.
- Hewitt, AD. (1997). Chemical preservation of volatile organic compounds in soil. *Environmental Science & Technology*. 31: 67-70.
- Hewitt, AD. (1998). Comparison of sample preparation methods for the analysis of volatile organic compounds in soil samples: Solvent extraction vs vapor partitioning. *Environmental Science & Technology*. 32: 143-149.
- Hewitt, AD; Grant, CL. Round-robin study of performance evaluation soils vapor-fortified with volatile organic compounds. *Environmental science & technology*. Mar 1995. v. 29 (3): 769-774.
- Hewitt, WR; Plaa, GL. (1983). Dose-dependent modification of 1,1-dichloroethylene toxicity by acetone. *Toxicol Lett*. 16: 145-152.
- Hibert, C; Gaurand, I; Motret, O; Pouvesle, JM. (1999). OH(X) measurements by resonant absorption spectroscopy in a pulsed dielectric barrier discharge. *Journal of Applied Physics*. 85: 7070-7075.
- Hickey, JP; Batterman, SA; Chernyak, SM. (2006). Trends of chlorinated organic contaminants in great lakes trout and walleye from 1970 to 1998. *Arch Environ Contam Toxicol*. 50: 97-110.

Environmental Hazard Literature Search Results

Off Topic

- Hickey, WJ; Arnold, SM; Moran, BN. (1995). Laboratory methods for volatile organic compounds evolved in mineralization studies. *Environ Toxicol Chem.* 14: 1823-1825.
- Higgins, J; Hohn, C. (2008). Effects of prevalent freshwater chemical contaminants on in vitro growth of *Escherichia coli* and *Klebsiella pneumoniae*. *Environ Pollut.* 152: 259-266.
- Higgins, TE; Romanow, S. (1987). TREATMENT PROCESSES FOR CONTAMINATED GROUNDWATER THREE CASE STUDIES. *Hazard Waste Hazard Mater.* 4: 307-324.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. (1996). EFFECT OF GEOCHEMICAL CONDITIONS ON FATE OF ORGANIC COMPOUNDS IN GROUNDWATER. *Environ Geol.* 27: 335-346.
- Higuti, MH; Grande, SW; Sacco, R; do Nascimento, AJ. (2003). Isolation of alkalophilic CGTase-producing bacteria and characterization of cyclodextrin-glycosyltransferase. *Brazilian Archives of Biology and Technology.* 46: 183-186.
- Hildebrand, H; Mackenzie, K; Kopinke, FD. (2009). Highly Active Pd-on-Magnetite Nanocatalysts for Aqueous Phase Hydrodechlorination Reactions. *Environmental Science & Technology.* 43: 3254-3259.
- Hill, EH; Moutier, M; Alfaro, J; Miller, CT. (2001). Remediation of DNAPL pools using dense brine barrier strategies. *Environmental Science & Technology.* 35: 3031-3039.
- Hills, CD; Sollars, CJ; Koe, LC; Perry, R. (1995). A CALORIMETRIC STUDY OF THE EFFECT OF ORGANIC COMPOUNDS ON THE INITIAL BEHAVIOUR OF CEMENT-BASED SOLIDIFIED WASTES. *Waste Management & Research.* 13: 21-36.
- Hilton, JN; Machacek, RF; Kavanaugh, MC; Roberts, KJ. (1986). DESIGN OF PILOT PROGRAM FOR ORGANICS REMOVAL AT NIAGARA FALLS ONTARIO CANADA. *Huck, P M And P Toft.* 0: 283-298.
- Himeidan, YE; Dukeen, MY; El-Rayah, e-A; Adam, I. (2004). Anopheles arabiensis: abundance and insecticide resistance in an irrigated area of eastern Sudan. *Eastern Mediterranean health journal = La revue de sante Méditerranée orientale = al-Majallah al-ṣiḥḥīyah li-sharq al-mutawassiṭ.* 10: 167-174.
- Himmelheber, DW; Pennell, KD; Hughes, JB. (2007). Natural attenuation processes during in situ capping. *Environmental science & technology.* 41: 5306-5313.
- Himmelheber, DW; Pennell, KD; Hughes, JB. (2011). Evaluation of a laboratory-scale bioreactive in situ sediment cap for the treatment of organic contaminants. *Water Res.* 45: 5365-5374.
- Hinestroza, J; De Kee, D. (2004). Permeation of organics through linear low density polyethylene geomembranes under mechanical deformation. *Journal of Environmental Engineering-Asce.* 130: 1468-1474.
- Hino, S; Watanabe, K; Takahashi, N. (1998). Phenol hydroxylase cloned from *Ralstonia eutropha* strain E2 exhibits novel kinetic properties. *Microbiology-Sgm.* 144: 1765-1772.
- Hiortdahl, KM; Borden, RC. (2014). Enhanced Reductive Dechlorination of Tetrachloroethene Dense Nonaqueous Phase Liquid with EVO and Mg(OH)(2). *Environmental Science & Technology.* 48: 624-631.
- Hippelein, M; McLachlan, MS. (2000). Soil/air partitioning of semivolatile organic compounds. 2. Influence of temperature and relative humidity. *Environmental Science & Technology.* 34: 3521-3526.
- Hirai, H; Takada, H; Ogata, Y; Yamashita, R; Mizukawa, K; Saha, M; Kwan, C; Moore, C; Gray, H; Laursen, D; Zettler, ER; Farrington, JW; Reddy, CM; Peacock, EE; Ward, MW. (2011). Organic micropollutants in marine plastics debris from the open ocean and remote and urban beaches. *Mar Pollut Bull.* 62: 1683-1692.
- Hirata, T; Egusa, N; Nakasugi, O; Ishizaka, S; Murakami, M. (1998). Cost efficiency of subsurface remediation using soil vapor extraction and groundwater extraction. *Water Science and Technology.* 37: 161-168.
- Hirata, T; Muraoka, K. (1988). VERTICAL MIGRATION OF CHLORINATED ORGANIC COMPOUNDS IN POROUS MEDIA. *Water Res.* 22: 481-484.
- Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K. (1991). GROUNDWATER POLLUTION BY VOLATILE ORGANOCHLORINES IN JAPAN AND RELATED PHENOMENA IN THE SUBSURFACE ENVIRONMENT. *Meeting On Hazard Assessment And Control Of Environmental Contaminants In Water Held At The 1st lawprc.* 25: 9-16.
- Hirl, PJ; Irvine, RL. (1997). Reductive dechlorination of perchloroethylene using anaerobic sequencing batch biofilm reactors (AnSBBR). *Water Science And Technology.* 35: 49-56.
- Hirschorn, SK; Grostern, A; Lacrampe-Couloume, G; Elizabeth, AEB; MacKinnon, L; Repta, C; Major, DW; Lollar, BS. (2007). Quantification of biotransformation of chlorinated hydrocarbons in a biostimulation study: Added value via stable carbon isotope analysis. *J Contam Hydrol.* 94: 249-260.
- Hirvonen, A; Tuhkanen, T; Ettala, M; Korhonen, S; Kalliokoski, P. (1998). Evaluation of a field-scale UV2O2-oxidation system for the purification of groundwater contaminated with PCE. *Environ Technol.* 19: 821-828.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. Treatment of TCE- and PCE-contaminated groundwater using UV/H2O2 and O3/H2O2 oxidation processes. *Hazard assessment and control of environmental contaminants in water : selected proceedings of the 2nd IAWQC International Specialized Conference on Hazard Assessment and Control of Environmental Contaminants in Water held in Lyngby, Denmark, 29-30 June 1995 /.* 1996: 67-73.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Formation of chlorinated acetic acids during UV H2O2-oxidation of ground water contaminated with chlorinated ethylenes. *Chemosphere.* 32: 1091-1102.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Removal of chlorinated ethylenes in contaminated ground water by hydrogen peroxide mediated oxidation processes. *Environ Technol.* 17: 263-272.
- Hisham, MWM; Grosjean, D. (1991). Air pollution in southern California (USA) museums: Indoor and outdoor levels of nitrogen dioxide, peroxyacetyl nitrate, nitric acid, and chlorinated hydrocarbons. *Environ Sci Technol.* 25: 857-862.

Environmental Hazard Literature Search Results

Off Topic

- Hjelle, JJ; Gordon, AS; Petersen, DR. (1982). Studies on carbon tetrachloride-ethanol interactions in mice. *Toxicol Lett.* 10: 17-24.
- Hnaïen, M; Lagarde, F; Errachid, A; Jaffrezic-Renault, N. (2010). An original bacterial biosensor for trichloroethylene detection based on a three dimensional carbone-nanotube bioarchitecture. 20th Anniversary World Congress on Biosensors (Biosensors 2010).
- Ho, CK; Lohrstorfer, CF. (2003). In situ monitoring of vapor phase TCE using a chemiresistor microchemical sensor. *Ground Water Monitoring and Remediation.* 23: 85-90.
- Ho, L; Newcombe, G. (2010). Granular Activated Carbon Adsorption of 2-Methylisoborneol (MIB): Pilot- and Laboratory-Scale Evaluations. *Journal of Environmental Engineering-Asce.* 136: 965-974.
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; McKenzie, D; Brodsky, PH; Shapiro, A; Thornton, R; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The lasagna technology for in situ soil remediation. 1. Small field test. *Environmental Science & Technology.* 33: 1086-1091.
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; McKenzie, D; Brodsky, PH; Shapiro, AM; Sivavec, TM; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The Lasagna technology for in situ soil remediation. 2. Large field test. *Environmental Science & Technology.* 33: 1092-1099.
- Ho, SV; Athmer, CJ; Sheridan, PW; Shapiro, AP. (1997). Scale-up aspects of the Lasagna process for in situ soil decontamination. *J Hazard Mater.* 55: 39-60.
- Ho, SV; Athmer, CJ; Sheridan, PW; Shapiro, AP. (1997). Scale-up aspects of the Lasagna process for in situ soil decontamination. *J Hazard Mater.* 55: 39-60.
- Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (1999). Kinetic study of oxidation of trichloroethylene by potassium permanganate. *AU - HUANG K-C. Environ Eng Sci.* 16: 265-274.
- Hobara, T; Kobayashi, H; Kawamoto, T; Iwamoto, S; Hirota, S; Shimazu, W; Sakai, T. (1986). Extrahepatic organs metabolism of inhaled trichloroethylene. *Toxicology.* 41: 289-303.
- Hobara, T; Kobayashi, H; Kawamoto, T; Iwamoto, S; Sakai, T. (1986). THE ABSORPTIONAL FUNCTION OF TRICHLOROETHYLENE AND ITS METABOLITES IN THE URINARY BLADDER. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 227.
- Hobara, T; Kobayashi, H; Kawamoto, T; Iwamoto, S; Sakai, T. (1987). EXTRAHEPATIC METABOLISM OF CHLORAL HYDRATE TRICHLOROETHANOL AND TRICHLOROACETIC ACID IN DOGS. *Pharmacol Toxicol.* 61: 58-62.
- Hobara, T; Kobayashi, H; Kawamoto, T; Iwamoto, S; Sakai, T. (1987). Intestinal absorption of trichloroethylene in dogs. *Toxicol Appl Pharmacol.* 91: 256-265.
- Hobara, T; Kobayashi, H; Kawamoto, T; Iwamoto, S; Sakai, T. (1988). The absorption of trichloroethylene and its metabolites from the urinary bladder of anesthetized dogs. *Toxicology.* 48: 141-153.
- Hobara, T; Kobayashi, H; Kawamoto, T; Sato, T; Iwamoto, S; Hirota, S; Sakai, T. (1986). Biliary excretion of trichloroethylene and its metabolites in dogs. *Toxicol Lett.* 32: 119-122.
- Hobson, ST; Cemalovic, S; Patel, SV. (2012). Preconcentration and detection of chlorinated organic compounds and benzene. *Analyst.* 137: 1284-1289.
- Hoch, LB; Mack, EJ; Hydutsky, BW; Hershman, JM; Skluzacek, IM; Mallouk, TE. (2008). Carbothermal synthesis of carbon-supported nanoscale zero-valent iron particles for the remediation of hexavalent chromium. *Environmental Science & Technology.* 42: 2600-2605.
- Hodgson, AT; Daisey, JM; Grot, RA. (1991). Sources and source strengths of volatile organic compounds in a new office building. *J Air Waste Manage Assoc.* 41: 1461-1468.
- Hodgson, E; Bend, JR; Philpot, RM. (1988). REVIEWS IN BIOCHEMICAL TOXICOLOGY VOL. 9. Hodgson, E, J R Bend And R M Philpot. 0.
- Hoekstra, EJ; De, LEEREWB; Brinkman, UAT. (1999). Mass balance of trichloroacetic acid in the soil top layer. *Chemosphere.* 38: 551-563.
- Hoekstra, EJ; De, LEEREWB; Brinkman, UATH. (1998). Natural formation of chloroform and brominated trihalomethanes in soil. *Environmental Science & Technology.* 32: 3724-3729.
- Hoekstra, JA; Vaal, MA; Notenboom, J; Slooff, W. (1994). VARIATION IN THE SENSITIVITY OF AQUATIC SPECIES TO TOXICANTS. *Bull Environ Contam Toxicol.* 53: 98-105.
- Hoel, DG; Haseman, JK; Hogan, MD; Huff, J; McConnell, EE. (1988). THE IMPACT OF TOXICITY ON CARCINOGENICITY STUDIES IMPLICATIONS FOR RISK ASSESSMENT. *Carcinogenesis.* 9: 2045-2052.
- Hoelen, TP; Reinhard, M. (2004). Complete biological dehalogenation of chlorinated ethylene in sulfate containing groundwater. *Biodegradation.* 15: 395-403.
- Hoff, JT; Mackay, D; Gillham, R; Shiu, WY. (1993). Partitioning of organic chemicals at the air-water interface in environmental systems. *Environ Sci Technol.* 27: 2174-2180.
- Hoffman, AS; Kiaei, D; Safranji, A; Chen, JP; Johnstona, A; Horbett, TA; Zavala, F; Deelder, AM; Castelino, JB; Markovic, V. (1992). Adsorption, retention and biologic activity of proteins adsorbed on gas discharge treated surfaces. *Clinical Materials.* 11: 93-98.
- Hoffman, F; Ronen, D; Rosin, H; Milanovich, F. (1996). Novel use of a fiber-optic-based on-line trichloroethylene sensor in a column retardation experiment. *Talanta.* 43: 681-689.
- Hoffmann, P. (1987). Cardiotoxicity testing of organic solvents by coronary artery ligation in closed-chest rats. *Arch Toxicol.* 61: 79-82.
- Hoffmann, P; Heinroth, K; Richards, D; Plews, P; Torasson, M. (1994). MODULATION OF CALCIUM CYCLING IN CARDIAC MYOCYTES BY HALOGENATED HYDROCARBONS. 35th Spring Meeting Of The German Society For Experimental And Clinical Pharmacology And Toxicology, Mainz, Germany, March. 349.
- Hofstee, C; Oostrom, M; Dane, JH; Walker, RC. (1998). Infiltration and redistribution of perchloroethylene in partially saturated, stratified porous media. *J Contam Hydrol.* 34: 293-313.

Environmental Hazard Literature Search Results

Off Topic

- Hofstee, C; Walker, RC; Dane, JH. (1998). Infiltration and redistribution of perchloroethylene in stratified water-saturated porous media. *Soil Sci Soc Am J.* 62: 13-22.
- Hofstee, C; Ziegler, CG; Trotschler, O; Braun, J. (2003). Removal of DNAPL contamination from the saturated zone by the combined effect of vertical upward flushing and density reduction. *J Contam Hydrol.* 67: 61-78.
- Hofstetter, TB; Reddy, CM; Heraty, LJ; Berg, M; Sturchio, NC. (2007). Carbon and chlorine isotope effects during abiotic reductive dechlorination of polychlorinated ethanes. *Environmental science & technology.* 41: 4662-4668.
- Hoggan, JL; Bae, K; Kibbey, TC. (2007). Non-steady state partitioning of dry cleaning surfactants between tetrachloroethylene (PCE) and water in porous media. *J Contam Hydrol.* 93: 149-160.
- Hohener, P; Elsner, M; Eisenmann, H; Atteia, O. (2015). Improved constraints on in situ rates and on quantification of complete chloroethene degradation from stable carbon isotope mass balances in groundwater plumes. *J Contam Hydrol.* 182: 173-182.
- Hohener, P; Yu, XJ. (2012). Stable carbon and hydrogen isotope fractionation of dissolved organic groundwater pollutants by equilibrium sorption. *J Contam Hydrol.* 129: 54-61.
- Hohnstock-Ashe, AM; Plummer, SM; Yager, RM; Baveye, P; Madsen, EL. (2001). Further biogeochemical characterization of a trichloroethene-contaminated fractured dolomite aquifer: Electron source and microbial communities involved in reductive dechlorination. *Environmental Science & Technology.* 35: 4449-4456.
- Hoier, CK; Sonnenborg, TO; Jensen, KH; Kortegaard, C; Nasser, MM. (2007). Experimental investigation of pneumatic soil vapor extraction. *J Contam Hydrol.* 89: 29-47.
- Holder, M; Brown, KW; Thomas, JC; Zabcik, D; Murray, HE. Capillary-wick unsaturated zone soil pore water sampler. *Soil Sci Soc Am J.* Sept/Oct 1991. v. 55 (5): 1195-1202.
- Hole, BD; Bell, CH; Bowley, CR. (1985). THE TOXICITY OF METHYLCHLOROFORM TO STORED PRODUCT INSECTS. *J Stored Prod Res.* 21: 95-100.
- Holl, RJ; Chambers, RP. (2002). The synthesis of semipermeable membrane microcapsules using in situ cyanoacrylate ester polymerization. *J Microencapsul.* 19: 699-724.
- Hollebone, BR; Brownlee, LJ. (1995). A thermodynamic QSAR analysis of the polysubstrate monooxygenase responses to xenobiotic chemicals. *Toxicol Lett.* 79: 157-168.
- Hollenbeck, KJ; Harvey, CF; Haggerty, R; Werth, CJ. (1999). A method for estimating distributions of mass transfer rate coefficients with application to purging and batch experiments. *J Contam Hydrol.* 37: 367-388.
- Holliger, C. (1995). THE ANAEROBIC MICROBIOLOGY AND BIOTREATMENT OF CHLORINATED ETHENES. *Curr Opin Biotechnol.* 6: 347-351.
- Holliger, C; Gaspard, S; Glod, G; Heijman, C; Schumacher, W; Schwarzenbach, RP; Vazquez, F. (1997). CONTAMINATED ENVIRONMENTS IN THE SUBSURFACE AND BIOREMEDIATION ORGANIC CONTAMINANTS. *FEMS Microbiol Rev.* 20: 517-523.
- Holliger, C; Hahn, D; Harmsen, H; Ludwig, W; Schumacher, W; Tindall, B; Vazquez, F; Weiss, N; Zehnder, AJB. (1998). *Dehalobacter restrictus* gen. nov. and sp. nov., a strictly anaerobic bacterium that reductively dechlorinates tetra- and trichloroethene in an anaerobic respiration. *Archives of Microbiology.* 169: 313-321.
- Holliger, C; Schraa, G. (1994). PHYSIOLOGICAL MEANING AND POTENTIAL FOR APPLICATION OF REDUCTIVE DECHLORINATION BY ANAEROBIC BACTERIA. *FEMS Microbiol Rev.* 15: 297-305.
- Holloway, P; Knoke, KL; Trevors, JT; Lee, H. (1998). Alteration of the substrate range of haloalkane dehalogenase by site-directed mutagenesis. *Biotechnol Bioeng.* 59: 520-523.
- Hollyfield, S; Sharma, VK. (1995). ORGANIC CONTAMINANTS AND CHARACTERISTICS OF SEDIMENTS FROM OSO BAY SOUTH TEXAS USA. *Environ Geol.* 25: 137-140.
- Holmberg, B; Ekstrom, T; Hogberg, J; Lundberg, I; Nilsson, K; Walles, S; Warholm, M. (1986). FIVE INDUSTRIAL CHEMICALS INVESTIGATED FOR TUMOR PROMOTING ACTIVITY IN THE RAT LIVER. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 197.
- Holmberg, B; Jakobson, I; Sigvardsson, K. (1977). A study on the distribution of methylchloroform and n-octane in the mouse during and after inhalation. *Scandinavian journal of work, environment & health.* 3: 43-52.
- Holmberg, B; Sjöström, B. (1980). Toxicological aspects of chemical hazards in the rubber industry. *J Toxicol Environ Health.* 6: 1201-1209.
- Holmes, KJ; Ellis, H. (1997). Simulation of halocarbon production and emissions and effects on ozone depletion. *Environ Manage.* 21: 669-685.
- Holmes, KJ; Ellis, JH. (1996). Potential environmental impacts of future halocarbon emissions. *Environmental Science & Technology.* 30: 348A-355A.
- Holmes, VF; He, JZ; Lee, PKH; Alvarez-Cohen, L. (2006). Discrimination of multiple Dehalococcoides strains in a trichloroethene enrichment by quantification of their reductive dehalogenase genes. *Appl Environ Microbiol.* 72: 5877-5883.
- Holmes, WM; De, PC; Packer, KJ. (2001). Diffusion in thin films on the surface of a porous solid. *Magn Reson Imaging.* 19: 525-526.
- Holscher, T; Krajmalnik-Brown, R; Ritalahti, KM; von Wintzingerode, F; Gorisch, H; Löffler, FE; Adrian, L. (2004). Multiple nonidentical reductive-dehalogenase-homologous genes are common in Dehalococcoides. *Appl Environ Microbiol.* 70: 5290-5297.
- Holsen, TM; Park, JK; Bontoux, L; Jenkins, D; Selleck, RE. (1991). The effect of soils on the permeation of plastic pipes by organic chemicals. *Am Water Works Assoc J.* 83: 85-91.
- Holsen, TM; Taylor, ER; Seo, YC; Anderson, PR. (1991). Removal of sparingly soluble organic chemicals from aqueous solutions with surfactant-coated ferrihydrite. *Environ Sci Technol.* 25: 1585-1589.
- Holser, RA; McCutcheon, SC. (1995). MASS TRANSFER EFFECTS ON THE DEHALOGENATION OF TRICHLOROETHENE BY IRON-PYRITE MIXTURES. 209th American Chemical Society National Meeting, Anaheim, California, Usa, April. 209: 244.

Environmental Hazard Literature Search Results

Off Topic

- Holton, C; Luo, H; Dahlen, P; Gorder, K; Dettenmaier, E; Johnson, PC. (2013). Temporal Variability of Indoor Air Concentrations under Natural Conditions in a House Overlying a Dilute Chlorinated Solvent Groundwater Plume. *Environmental Science & Technology*. 47: 13347-13354.
- Holton, WC. (1999). TCE treatment pastabilities. *Environ Health Perspect*. 107: A462-A464.
- Holubec, M. (1993). BIOREMEDIATION OF GROUND WATER CONTAMINATED WITH OIL AND CHLORINATED ORGANIC COMPOUNDS. *Biologia*. 48: 294.
- Holzinger, M; Abraha, J; Whelan, P; Graupner, R; Ley, L; Hennrich, F; Kappes, M; Hirsch, A. (2003). Functionalization of single-walled carbon nanotubes with (R-)oxycarbonyl nitrenes. *J Am Chem Soc*. 125: 8566-8580.
- Hommel, NG; Russell, SA; Bottomley, PJ; Arp, DJ. (1998). Effects of soil on ammonia, ethylene, chloroethane, and 1,1,1-trichloroethane oxidation by *Nitrosomonas europaea*. *Appl Environ Microbiol*. 64: 1372-1378.
- HonetschlAgerova, L; Janouskocova, P; Kubal, M. (2016). Enhanced transport of Si-coated nanoscale zero-valent iron particles in porous media. *Environ Technol*. 37: 1530-1538.
- Hong, CB; Winston, JM; Thornburg, LP; Lee, CC; Woods, JS. (1981). Follow-up study on the carcinogenicity of vinyl chloride and vinylidene chloride in rats and mice: tumor incidence and mortality subsequent to exposure. *J Toxicol Environ Health*. 7: 909-924.
- Hong, HL; Yang, RSH; Boorman, GA. (1991). Residual damage to hematopoietic system in mice exposed to a mixture of groundwater contaminants. *Toxicol Lett*. 57: 101-112.
- Hong, HL; Yang, RSH; Boorman, GA. (1993). Enhancement of myelotoxicity induced by repeated irradiation in mice exposed to a mixture of groundwater contaminants. *Arch Toxicol*. 67: 358-364.
- Hong, L; Liang, D; Di, W. (2013). Economic and environmental gains of China's fossil energy subsidies reform: A rebound effect case study with EIMO model. *Energy Policy*. 54: 335-342.
- Hong, WX; Yang, L; Chen, MT; Yang, XF; Ren, XH; Fang, SS; Ye, JB; Huang, HY; Peng, CQ; Zhou, L; Huang, XF; Yang, F; Wu, DS; Zhuang, ZX; Liu, JJ. (2012). Proteomic analysis of trichloroethylene-induced alterations in expression, distribution, and interactions of SET/TAF-I alpha and two SET/TAF-I alpha-binding proteins, eEF1A1 and eEF1A2, in hepatic L-02 cells. *Toxicol Appl Pharmacol*. 263: 259-272.
- Hong, YT; He, ZQ; Lennhoff, NS; Banach, DA; Kanicki, J. (2004). Transparent flexible plastic substrates for organic light-emitting devices. *Journal of Electronic Materials*. 33: 312-320.
- Honma, M; Hayashi, M; Shimada, H; Tanaka, N; Wakuri, S; Awogi, T; Yamamoto, KI; Kodani, NU; Nishi, Y; Nakadate, M; Sofuni, T. (1999). Evaluation of the mouse lymphoma tk assay (microwell method) as an alternative to the in vitro chromosomal aberration test. *Mutagenesis*. 14: 5-22.
- Honma, T. (1990). Effects of trichloroethylene, 1,1,1-trichloroethane and carbon tetrachloride on plasma lipoproteins of rats. *Ind Health*. 28: 159-174.
- Honma, T. (1991). CHANGES IN PLASMA LIPOPROTEINS OF RATS INDUCED BY CHLORINATED ORGANIC SOLVENTS. 64th Annual Meeting Of The Japanese Pharmacological Society, Kobe, Japan, March. 55.
- Honma, T; Ohtani, K; Kanada, M. (1995). MODIFICATION OF HEPATOTOXICITY OF CHLORINATED ORGANIC COMPOUNDS BY PREVIOUS ADMINISTRATION OF ETHANOL. 68th Annual Meeting Of The Japanese Pharmacological Society, Nagoya, Japan, March. 67.
- Honning, J; Broholm, MM; Bjerg, PL. (2007). Role of diffusion in chemical oxidation of PCE in a dual permeability system. *Environmental Science & Technology*. 41: 8426-8432.
- Hood, E; Major, D; Driedger, G. (2007). The effect of concentrated electron donors on the solubility of trichloroethene. *Ground Water Monitoring and Remediation*. 27: 93-98.
- Hood, ED; Major, DW; Quinn, JW; Yoon, WS; Gavaskar, A; Edwards, EA. (2008). Demonstration of enhanced bioremediation in a TCE source area at Launch Complex 34, Cape Canaveral Air Force Station. *Ground Water Monitoring and Remediation*. 28: 98-107.
- Hood, ED; Thomson, NR; Grossi, D; Farquhar, GJ. (2000). Experimental determination of the kinetic rate law for the oxidation of perchloroethylene by potassium permanganate. *Chemosphere*. 40: 1383-1388.
- Hoogweg, PHA; Wulffraat, KJ; Van, DEWETERINGBGM. (1990). NORTH SEA STRATEGIES. International Conference On The Environmental Management Of Enclosed Coastal Seas '90, Kobe, Japan, August. 23: 57-62.
- Hopkins, GD; Goltz, MN; Allan, JP; Dolan, ME; McCarty, PL. (1997). FULL-SCALE IN-SITU COMETABOLIC BIODEGRADATION OF TRICHLOROETHENE-CONTAMINATED GROUNDWATER THROUGH TOLUENE INJECTION. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 54.
- Hopkins, GD; McCarty, PL. (1995). Field evaluation of in situ aerobic cometabolism of trichloroethylene and three dichloroethylene isomers using phenol and toluene as the primary substrates. *Environmental Science & Technology*. 29: 1628-1637.
- Hopkins, GD; Munakata, J; Semprini, L; McCarty, PL. (1993). Trichloroethylene concentration effects on pilot field-scale in-situ groundwater bioremediation by phenol-oxidizing microorganisms. *Environmental Science & Technology*. 27: 2542-2547.
- Hopkins, GD; Semprini, L; McCarty, PL. Microcosm and in situ field studies of enhanced biotransformation of trichloroethylene by phenol-utilizing microorganisms. *Appl Environ Microbiol*. July 1993. v. 59 (7): 2277-2285.
- Horber, C; Christensen, N; Arvin, E; Ahring, BK. (1999). Tetrachloroethene dechlorination kinetics by *Dehalospirillum multivorans* immobilized in upflow anaerobic sludge blanket reactors. *Appl Microbiol Biotechnol*. 51: 694-699.
- Horber, C; Christiansen, N; Arvin, E; Ahring, BK. (1998). Improved dechlorinating performance of upflow anaerobic sludge blanket reactors by incorporation of *Dehalospirillum multivorans* into granular sludge. *Appl Environ Microbiol*. 64: 1860-1863.
- Hori, K; Mii, J; Morono, Y; Tanji, Y; Unno, H. (2005). Kinetic analyses of trichloroethylene cometabolism by toluene-degrading bacteria harboring a tod homologous gene. *Biochem Eng J*. 26: 59-64.

Environmental Hazard Literature Search Results

Off Topic

- Horikoshi, S; Muratani, M; Miyabe, K; Ohmura, K; Hirowatari, T; Serpone, N; Abe, M. (2011). Influence of Humidity and of the Electric and Magnetic Microwave Radiation Fields on the Remediation of TCE-contaminated Natural Sandy Soils. *J Oleo Sci.* 60: 375-383.
- Horn, JM; Legler, TC; Happel, AM. (1997). OPTIMIZATION OF TCE DEGRADATION BY METHYLOSINUS STRAINS. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 472.
- Hort, RD. (2015). Enhanced monitoring of hazardous waste site remediation: Electrical conductivity tomography and citizen monitoring of remediation through the EPA's community advisory group program. *Dissertation Abstracts International Vol 76, no 06, suppl B, 192 p* 2015.
- Hort, RD; Revil, A; Munakata-Marr, J. (2014). Analysis of sources of bulk conductivity change in saturated silica sand after unbuffered TCE oxidation by permanganate. *J Contam Hydrol.* 165: 11-23.
- Hort, RD; Revil, A; Munakata-Marr, J; Mao, D. (2015). Evaluating the potential for quantitative monitoring of in situ chemical oxidation of aqueous-phase TCE using in-phase and quadrature electrical conductivity. *Water Resour Res.* 51: 5239-5259.
- Horvath, AL. (1993). Critical evaluation of normal boiling points: Principle and example. *Chemosphere.* 26: 1579-1594.
- Hossain, MA; Corapcioglu, MY. (1988). MODIFYING THE USGS SOLUTE TRANSPORT COMPUTER MODEL TO PREDICT HIGH-DENSITY HYDROCARBON MIGRATION. *Ground Water.* 26: 717-723.
- Hossaini, R; Chipperfield, MP; Saiz-Lopez, A; Harrison, JJ; Glasow, R; Sommariva, R; Atlas, E; Navarro, M; Montzka, SA; Feng, W; Dhomse, S; Harth, C; Muehle, J; Lunder, C; O'Doherty, S; Young, D; Reimann, S; Vollmer, MK; Krummel, PB; Bernath, PF. (2015). Growth in stratospheric chlorine from short-lived chemicals not controlled by the Montreal Protocol. *Geophys Res Lett.* 42: 4573-4580.
- Hosseinkhani, B; Hennebel, T; Boon, N. (2014). Potential of biogenic hydrogen production for hydrogen driven remediation strategies in marine environments. *N Biotechnol.* 31: 445-450.
- Hosseinkhani, B; Hennebel, T; Van Nevel, S; Verschuere, S; Yakimov, MM; Cappello, S; Blaghen, M; Boon, N. (2014). Biogenic Nanopalladium Based Remediation of Chlorinated Hydrocarbons in Marine Environments. *Environmental Science & Technology.* 48: 550-557.
- Hou, N; Chai, J-L; Zhang, J-Q; Song, J-W; Zhang, Y; Lu, J-J. (2016). Application of epsilon - beta fishlike phase diagrams on the microemulsion solubilizations of dense nonaqueous phase liquids. *Fluid Phase Equilibria.* 412: 211-217.
- Hougaard, K; Ingvar, M; Wieloch, T; Siesj   , BK. (1984). Cerebral metabolic and circulatory effects of 1,1,1-trichloroethane, a neurotoxic industrial solvent. 1. Effects on local cerebral glucose consumption and blood flow during acute exposure. *Neurochemical pathology.*
- Houk, VS; Demarini, DM. (1988). Use of the microscreen phage-induction assay to assess the genotoxicity of 14 hazardous industrial wastes. *Environ Mol Mutagen.* 11: 13-30.
- Hourbron, E; Escoffier, S; Capdeville, B. (2000). Trichloroethylene elimination assay by natural consortia of heterotrophic and methanotrophic bacteria. *Water Science and Technology.* 42: 395-402.
- Howard-Reed, C; Corsi, RL; Moya, J. (1999). Mass transfer of volatile organic compounds from drinking water to indoor air: The role of residential dishwashers. *Environmental Science & Technology.* 33: 2266-2272.
- Howell, ET; Marvin, CH; Bilyea, RW; Kauss, PB; Somers, K. (1996). Changes in environmental conditions during *Dreissena* colonization of a monitoring station in Eastern Lake Erie. *J Great Lakes Res.* 22: 744-756.
- Howsawkung, J; Watts, RJ; Washington, DL; Teel, AL; Hess, TF; Crawford, RL. (2001). Evidence for simultaneous abiotic-biotic oxidations in a microbial-Fenton's system. *Environmental science & technology.* 35: 2961-2966.
- Hoyle, Z. T is for Texas--and TCE. *Compass : recent publications of the Southern Research Station.* 2007 Mar., issue 8: 18-19.
- Hozalski, RM; Zhang, L; Arnold, WA. (2001). Reduction of haloacetic acids by Fe(0): Implications for treatment and fate. *Environmental Science & Technology.* 35: 2258-2263.
- Hrapovic, L; Sleep, BE; Major, DJ; Hood, ED. (2005). Laboratory study of treatment of trichloroethene by chemical oxidation followed by bioremediation. *Environmental Science & Technology.* 39: 2888-2897.
- Hrsak, D; Begonja, A. (1998). Growth characteristics and metabolic activities of the methanotrophic-heterotrophic groundwater community. *J Appl Microbiol.* 85: 448-456.
- Hrsak, D; Begonja, A. (2000). Possible interactions within a methanotrophic-heterotrophic groundwater community able to transform linear alkylbenzenesulfonates. *Appl Environ Microbiol.* 66: 4433-4439.
- Hsieh, JM; Tsurulnikov, K; Sawaya, MR; Magilnick, N; Abuladze, N; Kurtz, I; Abramson, J; Pushkin, A. (2010). Structures of aminoacylase 3 in complex with acetylated substrates. *Proceedings of the National Academy of Sciences of the United States of America.* 107: 17962-17967.
- Hsu, CS; Lu, MC; Anotai, J; Huang, YY. (2006). Chemical oxidation of TCE-contaminated groundwater by permanganate. *Fresen Environ Bull.* 15: 125-128.
- Hsu, HL; Demond, AH. (2007). Influence of organic acid and organic base interactions on interfacial properties in NAPL--water systems. *Environmental science & technology.* 41: 897-902.
- Hsu, IY. (1995). The use of gaseous ozone to remediate the organic contaminants in the unsaturated soils. PhD Thesis, Michigan State University.
- Hsu, MI; Davies, SHR; Masten, SJ. The use of ozone for the removal of residual trichloroethylene from unsaturated soils. *Proceedings of the Industrial Waste Conference.* 1994. v. 48: 215-225.
- Hsu, TC; Chiu, CC; Wang, YW; Tzang, BS. (2013). Effects of Cystamine on antioxidant activities and regulatory T cells in lupus-prone mice. *J Cell Mol Med.* 17: 1308-1315.
- Hsueh, KP; Hao, OJ; Wu, YC. (1991). Removal of volatile organic compounds in a rotating disk contactor: Batch and continuous operation. *Res J Water Pollut Control Fed.* 63: 67-74.

Environmental Hazard Literature Search Results

Off Topic

- Hu, B; Wu, Z; Liu, TJ; Ullenbruch, MR; Jin, H; Phan, SH. (2007). Gut-enriched Kruppel-like factor interaction with Smad3 inhibits myofibroblast differentiation. *Am J Respir Cell Mol Biol.* 36: 78-84.
- Hu, JY; Shang, R; Heijman, B; Rietveld, L. (2015). Reuse of spent granular activated carbon for organic micro-pollutant removal from treated wastewater. *J Environ Manage.* 160: 98-104.
- Hu, M; Zhang, Y; Liu, Y; Wang, X; Wong, PK. (2013). Effect of different nutrients on the anaerobic degradation of trichloroethene at optimal temperature. *International Biodeterioration & Biodegradation.* 85: 103-107.
- Hu, M; Zhang, Y; Wang, Z; Jiang, Z; Li, J. (2011). Influence of humic acid on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 190: 1074-1078.
- Hu, Q; Brusseau, ML. Transport of rate-limited sorbing solutes in an aggregated porous medium: a multiprocess non-ideality approach. *J Contam Hydrol.* Oct 1996. v. 24 (1): 53-73.
- Hu, Q; Wang, X; Brusseau, ML. (1995). Quantitative structure-activity relationships for evaluating the influence of sorbate structure on sorption of organic compounds by soil. *Environ Toxicol Chem.* 14: 1133-1140.
- Hu, YS; Kong, WH; Wang, ZX; Huang, XJ; Chen, LQ. (2005). Tetrachloroethylene as new film-forming additive to propylene carbonate-based electrolytes for lithium ion batteries with graphitic anode. *Solid State Ionics.* 176: 53-56.
- Hua, I; Hoffmann, MR. (1996). Kinetics and mechanism of the sonolytic degradation of CCl₄: Intermediates and byproducts. *Environmental Science & Technology.* 30: 864-871.
- Hua, L; Zhang, X; Lee, WB; Chao, MH; Zhang, B; Lin, KC. (2010). Photodissociation of cis-, trans-, and 1,1-dichloroethylene in the ultraviolet range: characterization of Cl((2)P(J)) elimination. *The journal of physical chemistry A.* 114: 37-44.
- Hua, SF; Li, SB; Tan, HD. (2007). Molecular sequencing and analysis of soluble methane monooxygenase gene clusters from methanotroph *Methylomonas* sp. GYJ3. *World Journal of Microbiology & Biotechnology.* 23: 323-330.
- Huang, B. (2011). Separating the Kinetic and Sorption Parameters of Mixed Chlorinated Solvents in Contact with Granular Iron. Dissertation Abstracts International Vol 72, no 11, suppl B, 163 p 2011.
- Huang, CP; Dong, C; Tang, Z. (1993). ADVANCED CHEMICAL OXIDATION ITS PRESENT ROLE AND POTENTIAL FUTURE IN HAZARDOUS WASTE TREATMENT. Symposium On Emerging Technologies: Metals, Oxidation, And Separation, Belmont, Texas, Usa, February. 13: 361-377.
- Huang, D. (1993). Homogeneous nucleation of diamond powder and growth mechanisms. PhD Thesis, The Pennsylvania State University.
- Huang, D; Lai, Y; Becker, JG. (2014). Impact of initial conditions on extant microbial kinetic parameter estimates: application to chlorinated ethene dehalorespiration. *Appl Microbiol Biotechnol.* 98: 2279-2288.
- Huang, DY; Becker, JG. (2009). Determination of Intrinsic Monod Kinetic Parameters for Two Heterotrophic Tetrachloroethene (PCE)-Respiring Strains and Insight into Their Application. *Biotechnol Bioeng.* 104: 301-311.
- Huang, DY; Becker, JG. (2011). Dehalorespiration Model That Incorporates the Self-Inhibition and Biomass Inactivation Effects of High Tetrachloroethene Concentrations. *Environmental Science & Technology.* 45: 1093-1099.
- Huang, H; Key, JB; Salahudeen, AK. (1999). Mechanism of dry cleaning agent perchloroethylene-induced renal toxicity. 32nd Annual Meeting Of The American Society Of Nephrology, Miami Beach, Florida, Usa, November. 10.
- Huang, HC; Lee, JF; Lee, CK; Chen, JC. (2006). The structural and sorptive characteristics of high-surface-area carbonaceous material (HSACM) in soils. *J Hazard Mater.* 138: 485-492.
- Huang, J; Hao, OJ; Al-Ghusain, IA; Chen, JM; Kim, MH; Phull, KK; Davis, AP. (1992). BIOLOGICAL FIXED FILM SYSTEMS. *Water Environ Res.* 64: 359-366.
- Huang, J; Yeung, CS; Ma, J; Gayner, ER; Phillips, DL. (2014). A Computational Chemistry Investigation of the Mechanism of the Water-Assisted Decomposition of Trichloroethylene Oxide. *Journal of Physical Chemistry A: Molecules, Spectroscopy, Kinetics, Environment and General Theory.* 118: 1557-1567-1557-1567.
- Huang, JC; Ganjidoost, H. Predictive models for VOC partitions in soils. *Proceedings of the Industrial Waste Conference, Purdue University.* 1990. (44th): 23-32.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (1999). Kinetic study of oxidation of trichloroethylene by potassium permanganate. *Environ Eng Sci.* 16: 265-274.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2002). Kinetics and mechanism of oxidation of tetrachloroethylene with permanganate. *Chemosphere.* 46: 815-825.
- Huang, KC; Zhao, ZQ; Hoag, GE; Dahmani, A; Block, PA. (2005). Degradation of volatile organic compounds with thermally activated persulfate oxidation. *Chemosphere.* 61: 551-560.
- Huang, K-C; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2001). Oxidation of chlorinated ethenes by potassium permanganate: a kinetics study. *J Hazard Mater.* 87: 155-169.
- Huang, L; Fujita, T; Zhang, X; Matsuda, H. (2006). Influences of H₂ and O₂ and in situ Ca(OH)₂ absorption on nonthermal plasma decomposition of trichloroethylene in N₂. *Chem Eng J.* 124: 81-87.
- Huang, L; Yang, Z; Li, B; Hu, J; Zhang, W; Ying, W-C. (2011). Granular activated carbon adsorption process for removing trichloroethylene from groundwater. *AIChE J.* 57: 542.
- Huang, LP; Chai, XL; Chen, GH; Logan, BE. (2011). Effect of Set Potential on Hexavalent Chromium Reduction and Electricity Generation from Biocathode Microbial Fuel Cells. *Environmental Science & Technology.* 45: 5025-5031.
- Huang, Q; Meng, Z; Zhou, R. (2012). The effect of synergy between Cr₂O₃-CeO₂ and USY zeolite on the catalytic performance and durability of chromium and cerium modified USY catalysts for decomposition of chlorinated volatile organic compounds. *Appl Catal B-Environ.* 115-116: 179-189.

Environmental Hazard Literature Search Results

Off Topic

- Huang, Q; Wang, X; Liao, Y; Kong, L; Han, S; Wang, L. (1995). DISCRIMINANT ANALYSIS OF THE RELATIONSHIP BETWEEN GENOTOXICITY AND MOLECULES STRUCTURE OF ORGANOCHLORINE COMPOUNDS. *Bull Environ Contam Toxicol*. 55: 796-801.
- Huang, QG; Shi, XY; Pinto, RA; Petersen, EJ; Weber, WJ. (2008). Tunable Synthesis and Immobilization of Zero-Valent Iron Nanoparticles for Environmental Applications. *Environmental Science & Technology*. 42: 8884-8889.
- Huang, QG; Song, WL; Wang, LS. (1997). Quantitative relationship between the physicochemical characteristics as well as genotoxicity of organic pollutants and molecular autocorrelation topological descriptors. *Chemosphere*. 35: 2849-2855.
- Huang, QY; Dong, HL; Towne, RM; Fischer, TB; Schaefer, CE. (2014). Permanganate diffusion and reaction in sedimentary rocks. *J Contam Hydrol*. 159: 36-46.
- Huang, SK; Hsieh, LL; Chen, CC; Lee, PH; Hsieh, BT. (2009). A study on radiation technological degradation of organic chloride wastewater-- exemplified by TCE and PCE. *Applied radiation and isotopes : including data, instrumentation and methods for use in agriculture, industry and medicine*. 67: 1493-1498.
- Huang, WY; Liu, F; Yan, N; Lu, AH; Chen, HH; Chen, L; Wang, F. (2013). Removal of trichloroethylene in groundwater with two oxidants: siderite catalyzed hydrogen peroxide and sodium persulfate. *Water Science and Technology-Water Supply*. 13: 36-43.
- Huang, YH; Zhang, TC. (2002). Kinetics of nitrate reduction by iron at near neutral pH. *Journal of Environmental Engineering-Asce*. 128: 604-611.
- Huang, YH; Zhang, TC. (2005). Effects of dissolved oxygen on formation of corrosion products and concomitant oxygen and nitrate reduction in zero-valent iron systems with or without aqueous Fe(2+). *Water Res*. 39: 1751-1760.
- Huang, YH; Zhang, TC. (2005). Modeling of nitrate adsorption and reduction in Fe(0)-packed columns through impulse loading tests. *Journal of Environmental Engineering-Asce*. 131: 1194-1202.
- Huang, YH; Zhang, TC. (2006). Reduction of nitrobenzene and formation of corrosion coatings in zerovalent iron systems. *Water Res*. 40: 3075-3082.
- Huang, YX; Guo, JL; Zhang, CY; Hu, ZQ. (2016). Hydrogen production from the dissolution of nano zero valent iron and its effect on anaerobic digestion. *Water Res*. 88: 475-480.
- Hubert, C; Shen, Y; Voordouw, G. (2005). Changes in soil microbial community composition induced by cometabolism of toluene and trichloroethylene. *Biodegradation*. 16: 11-22.
- Huck, PM; Toft, P. (1986). TREATMENT OF DRINKING WATER FOR ORGANIC CONTAMINANTS SECOND NATIONAL CONFERENCE EDMONTON ALBERTA CANADA APRIL 7-8 1986. Huck, P M And P Toft. O.
- Hudson, C; Hauser, D; Schultz, S; Clendenin, T. (2010). Installation of a Deep Permeable Reactive Barrier to Treat Trichloroethylene Plume at Property Boundary. *Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds*.
- Huff, J. (2002). Chemicals studied and evaluated in long-term carcinogenesis bioassays by both the Ramazzini Foundation and the National Toxicology Program: in tribute to Cesare Maltoni and David Rall. *Ann N Y Acad Sci*. 982: 208-230.
- Huffman, WJ; Nack, H; Palmer, DL; Ashworth, RA. (1989). PERFORMANCE OF A CO-METABOLIC BIOREACTOR FOR TREATING TCE IN GROUNDWATER. *198th Acs*. 198: 173.
- Hug, LA; Salehi, M; Nuin, P; Tillier, ER; Edwards, EA. (2011). Design and Verification of a Pangenome Microarray Oligonucleotide Probe Set for Dehalococcoides spp. *Appl Environ Microbiol*. 77: 5361-5369.
- Hughes, JB; Parkin, GF. (1992). THE EFFECT OF MIXTURES OF XENOBIOTICS AND PRIMARY ELECTRON DONOR ON THE ANAEROBIC BIOTRANSFORMATION OF HIGH CONCENTRATIONS OF CHLORINATED ALIPHATICS. *Proceedings Of The Sixteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Washington, DC, Usa, May*. 26: 117-126.
- Hughes, MK; Hughes, AL. (1995). Natural selection on Plasmodium surface proteins. *Molecular and Biochemical Parasitology*. 71: 99-113.
- Hughes, R; Gui, L; Gillham, RW. (2009). Degradation of chlorinated butenes and butadienes in granular iron columns. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 44: 1209-1218.
- Hughes, TJ; Simmons, DS; Monteith, LG; Myers, LE; Claxton, LD. (1987). MUTAGENICITY OF 31 ORGANIC COMPOUNDS IN A MODIFIED PREINCUBATION AMES ASSAY WITH SALMONELLA-TYPHIMURIUM STRAINS TA100 AND TA102. *Eighteenth Annual Meeting Of The Environmental Mutagen Society, San Francisco, California, Usa, April*. 9: 49.
- Huhe; Nomura, N; Nakajima, T; Uchiyama, H. (2011). Assimilative and co-metabolic degradation of chloral hydrate by bacteria and their bioremediation potential. *J Biosci Bioeng*. 111: 448-453.
- Hui, YL; Chng, ELK; Chua, LPL; Liu, WZ; Webster, RD. (2010). Voltammetric Method for Determining the Trace Moisture Content of Organic Solvents Based on Hydrogen-Bonding Interactions with Quinones. *Anal Chem*. 82: 1928-1934.
- Huling, SG; Jones, PK; Ela, WP; Arnold, RG. (2005). Repeated reductive and oxidative treatments of granular activated carbon. *Journal of Environmental Engineering-Asce*. 131: 287-297.
- Hulzebos, EM; Adema, DMM; Dirven-Van Breemen, EM; Henzen, L; Van, DISWA; Herbold, HA; Hoekstra, JA; Baerselman, R; Van Gestel, CAM. (1993). Phytotoxicity studies with Lactuca sativa in soil and nutrient solution. *Environ Toxicol Chem*. 12: 1079-1094.
- Humayra, AS; Kimura, Y; Takamizawa, K; Sato, T. (2005). Transport of Clostridium bifermentans DPH-1 through the laboratory column can be explained by two-region model for bioremediation. *Environ Technol*. 26: 1151-1159.
- Humphries, JA; Ashe, AMH; Smiley, JA; Johnston, CG. (2005). Microbial community structure and trichloroethylene degradation in groundwater. *Can J Microbiol*. 51: 433-439.
- Hung, CH; Chiang, PC; Yuan, C; Chou, CY. (2001). Photocatalytic degradation of azo dye in TiO(2) suspended solution. *Water Science and Technology*. 43: 313-320.

Environmental Hazard Literature Search Results

Off Topic

- Hung, CH; Marinas, BJ. (1995). IDENTIFICATION AND QUANTIFICATION OF PRODUCTS FORMED FROM THE PHOTOCATALYTIC DEGRADATION OF TRICHLOROETHYLENE VAPOR ON TIO-2 ILLUMINATED WITH NEAR-UV LIGHT. 210th American Chemical Society National Meeting, Chicago, Illinois, Usa, August. 210: 154.
- Hung, CH; Marinas, BJ. (1997). Role of chlorine and oxygen in the photocatalytic degradation of trichloroethylene vapor on TiO₂ films. *Environmental Science & Technology*. 31: 562-568.
- Hung, C-HJ. (1995). Gas-phase photocatalytic degradation of trichloroethylene and formation of reaction products on immobilized titanium dioxide. PhD Thesis, Purdue University.
- Hung, C-P. (1993). Abiotic transformation of halogenated aliphatic compounds by iron powder. PhD Thesis, Michigan State University.
- Hung, WC; Fu, SH; Tseng, JJ; Chu, H; Ko, TH. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO₂ prepared by the sol-gel method. *Chemosphere*. 66: 2142-2151.
- Hung, YT; Wang, LK; Lo, HH. (1998). CHEMICAL AND ALLIED PRODUCTS. *Water Environ Res*. 70: 630-637.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-¹³C-chlorine isotope analysis and quantitative PCR. *J Contam Hydrol*. 119: 69-79.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-chlorine isotope analysis and quantitative PCR. *J Contam Hydrol*. 119: 69-79.
- Hunkeler, D; Aravena, R; Berry-Spark, K; Cox, E. (2005). Assessment of degradation pathways in an aquifer with mixed chlorinated hydrocarbon contamination using stable isotope analysis. *Environmental Science & Technology*. 39: 5975-5981.
- Hunkeler, D; Aravena, R; Butler, BJ. (1999). Monitoring microbial dechlorination of tetrachloroethene (PCE) in groundwater using compound-specific stable carbon isotope ratios: Microcosm and field studies. *Environmental Science & Technology*. 33: 2733-2738.
- Hunkeler, D; Aravena, R; Cox, E. (2002). Carbon isotopes as a tool to evaluate the origin and fate of vinyl chloride: laboratory experiments and modeling of isotope evolution. *Environmental science & technology*. 36: 3378-3384.
- Hunkeler, D; Aravena, R; Parker, BL; Cherry, JA; Diaio, X. (2003). Monitoring oxidation of chlorinated ethenes by permanganate in groundwater using stable isotopes: Laboratory and field studies. *Environmental Science & Technology*. 37: 798-804.
- Hunkeler, D; Aravena, R; Shoukar-Stash, O; Weisbrod, N; Nasser, A; Netzer, L; Ronen, D. (2011). Carbon and Chlorine Isotope Ratios of Chlorinated Ethenes Migrating through a Thick Unsaturated Zone of a Sandy Aquifer. *Environmental Science & Technology*. 45: 8247-8253.
- Hunkeler, D; Chollet, N; Pittet, X; Aravena, R; Cherry, JA; Parker, BL. (2004). Effect of source variability and transport processes on carbon isotope ratios of TCE and PCE in two sandy aquifers. *J Contam Hydrol*. 74: 265-282.
- Hunkeler, D; Van Breukelen, BM; Elsner, M. (2009). Modeling Chlorine Isotope Trends during Sequential Transformation of Chlorinated Ethenes. *Environmental Science & Technology*. 43: 6750-6756.
- Hunter, WJ. (2005). Injection of innocuous oils to create reactive barriers for bioremediation: Laboratory studies. *J Contam Hydrol*. 80: 31-48.
- Huo, YC; Li, WW; Chen, CB; Li, CX; Zeng, R; Lau, TC; Huang, TY. (2016). Biogenic FeS accelerates reductive dechlorination of carbon tetrachloride by *Shewanella putrefaciens* CN32. *Enzyme Microb Technol*. 95: 236-241.
- Hur, HG; Sadowsky, MJ; Wackett, LP. (1994). Metabolism of chlorofluorocarbons and polybrominated compounds by *Pseudomonas putida* G786(pHG-2) via an engineered metabolic pathway. *Appl Environ Microbiol*. 60: 4148-4154.
- Hurttt, ME; Valentine, R; Alvarez, L. (1993). Developmental toxicity of inhaled trans-1,2-dichloroethylene in the rat. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 20: 225-230.
- Hutcheon, DE; Dapson, S; Gilani, SH. (1985). PERSISTENT DUCTUS ARTERIOSUS IN WEANLING RATS MATERNALLY EXPOSED TO METHYLCHLOROFORM. 32nd Annual Meeting Of The American College Of Angiology And The 27th Annual Meeting Of The International College Of Angiology, Hilton Head Island, SC, Usa, Nov. 19: 299.
- Hutchins, SR; Tomson, MB; Bedient, PB; Ward, CH. (1985). FATE OF TRACE ORGANICS DURING LAND APPLICATION OF MUNICIPAL WASTEWATER. *Crit Rev Environ Control*. 15: 355-416.
- Hutson, A; Ko, S; Huling, SG. (2012). Persulfate oxidation regeneration of granular activated carbon: Reversible impacts on sorption behavior. *Chemosphere*. 89: 1218-1223.
- Hutter, GM. (1991). In-soil diffusion coefficient measurements of trichloroethylene and n-butane. PhD Thesis, University of Illinois at Chicago, Health Sciences Center.
- Hutzler, NJ; Crittenden, JC; Gierke, JS; Johnson, AS. Transport of organic compounds with saturated groundwater flow: experimental results. *Water Resour Res*. Mar 1986. v. 22 (3): 285-295 ill.
- Hwang, H; Kim, A; Zhong, Z; Kwon, HC; Jeong, S; Moon, J. (2016). Reducible-Shell-Derived Pure-Copper-Nanowire Network and Its Application to Transparent Conducting Electrodes. *Adv Funct Mater*. 26: 6545-6554.
- Hwang, HM; Loya, JA; Perry, DL; Scholze, R. (1994). INTERACTIONS BETWEEN SUBSURFACE MICROBIAL ASSEMBLAGES AND MIXED ORGANIC AND INORGANIC CONTAINING SYSTEMS. *Bull Environ Contam Toxicol*. 53: 771-778.
- Hwang, HT; Jeon, SW; Sudicky, EA; Illman, WA. (2015). Determination of rate constants and branching ratios for TCE degradation by zero-valent iron using a chain decay multispecies model. *J Contam Hydrol*. 177: 43-53.
- Hwang, I; Batchelor, B. (2001). Reductive dechlorination of tetrachloroethylene in soils by Fe(II)-based degradative solidification/stabilization. *Environmental Science & Technology*. 35: 3792-3797.

Environmental Hazard Literature Search Results

Off Topic

- Hwang, I; Park, HJ; Kang, WH; Park, JY. (2005). Reactivity of Fe(II)/cement systems in dechlorinating chlorinated ethylenes. *J Hazard Mater.* 118: 103-111.
- Hwang, JW; Choi, CY; Park, S; Lee, EY. (2008). Biodegradation of gaseous styrene by *Brevibacillus* sp using a novel agitating biotrickling filter. *Biotechnol Lett.* 30: 1207-1212.
- Hwang, JW; Choi, YB; Park, S; Choi, CY; Lee, EY. (2007). Development and mathematical modeling of a two-stage reactor system for trichloroethylene degradation using *Methylosinus trichosporium* OB3b. *Biodegradation.* 18: 91-101.
- Hwang, SJ; Petucci, C; Raftery, D. (1998). In situ solid-state NMR studies of trichloroethylene photocatalysis: Formation and characterization of surface-bound intermediates. *J Am Chem Soc.* 120: 4388-4397.
- Hwang, YK; Endres, AL; Piggott, SD; Parker, BL. (2008). Long-term ground penetrating radar monitoring of a small volume DNAPL release in a natural groundwater flow field. *J Contam Hydrol.* 97: 1-12.
- Hwu, CS; Lu, CJ. (2006). Enhanced dechlorination of chloroethenes by granular sludge under microaerophilic conditions. *World Journal of Microbiology & Biotechnology.* 22: 841-844.
- Hwu, CS; Lu, CJ. (2008). Continuous dechlorination of tetrachloroethene in an upflow anaerobic sludge blanket reactor. *Biotechnol Lett.* 30: 1589-1593.
- Hydutsky, BW. (2007). The design and transport of zerovalent iron particles for environmental remediation. PhD Thesis, The Pennsylvania State University.
- Hyman, MR; Arp, DJ; Guenter, RB; Williamson, KJ. (1995). A Cometabolic Kinetics Model Incorporating Enzyme Inhibition, Inactivation, and Recovery: II. Trichloroethylene Degradation Experiments. *AU - ELY RL. Biotechnol Bioeng.* 46: 232-245.
- Hyman, MR; Russell, SA; Arp, DJ. (1993). CHARACTERIZATION OF THE RESPONSES OF NITROSOMONAS-EUROPAEA AND XANTHOBACTER PY2 TO THE TOXIC EFFECTS ASSOCIATED WITH THE COMETABOLISM OF TRICHLOROETHYLENE. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 379.
- Hyman, MR; Russell, SA; Ely, RL; Williamson, KJ; Arp, DJ. (1995). Inhibition, Inactivation, and Recovery of Ammonia-Oxidizing Activity in Cometabolism of Trichloroethylene by *Nitrosomonas europaea*. *Appl Environ Microbiol.* 61: 1480-1487.
- Hyun, SP; Hayes, KF. (2009). Feasibility of Using In Situ FeS Precipitation for TCE Degradation. *Journal of Environmental Engineering-Asce.* 135: 1009-1014.
- Hyun, SP; Hayes, KF. (2015). Abiotic reductive dechlorination of cis-DCE by ferrous monosulfide mackinawite. *Environ Sci Pollut Res Int.* 22: 16463-16474.
- Ighere, J; Honjaya, K; Chawla, R. (2014). Trichloroethylene Oxidation and Hexavalent Chromium Reduction Via Redox Reactions Using KMnO₄ and FeSO₄ in Aqueous and Soil Systems. 2014 Annual Meeting of the American Institute for Chemical Engineering (AIChE 2014).
- Ikatsu, H; Nakajima, T. (1992). Hepatotoxic interaction between carbon tetrachloride and chloroform in ethanol treated rats. *Arch Toxicol.* 66: 580-586.
- Ikeda, M. (1988). MULTIPLE EXPOSURE TO CHEMICALS. *Regul Toxicol Pharmacol.* 8: 414-421.
- Ikeda, M; Hirayama, T. (1978). Possible metabolic interaction of styrene with organic solvents. *Scandinavian journal of work, environment & health.* 4 Suppl 2: 41-46.
- Ikeda, M; Koizumi, A; Kasahara, M; Watanabe, T; Nakatsuka, H; Sekita, Y. (1987). A STATISTICAL APPROACH TO THE PREDICTION OF THE POSSIBLE PRESENCE OF POLLUTANT CHEMICALS IN THE ENVIRONMENT. *Regul Toxicol Pharmacol.* 7: 321-336.
- Ikegami, S; Umegaki, K. (1999). Effects of sodium alginate and fish oil to reduce trichloroethylene accumulation in rats. *J Nutr Sci Vitaminol.* 45: 193-201.
- Ikehata, K; Wang-Staley, L; Qu, XY; Li, Y. (2016). Treatment of Groundwater Contaminated with 1,4-Dioxane, Tetrahydrofuran, and Chlorinated Volatile Organic Compounds Using Advanced Oxidation Processes. *Ozone-Science & Engineering.* 38: 413-424.
- Ilinskaja, O; Vamvakas, S. (1996). Alterations of the renal function in the isolated perfused rat kidney system after in vivo and in vitro application of S-(1,2-dichlorovinyl)-L-cysteine and S-(2,2-dichlorovinyl)-L-cysteine. *Arch Toxicol.* 70: 224-229.
- Illangasekare, TH; Ramsey, JLR; Jensen, KH; Butts, MB. (1995). Experimental study of movement and distribution of dense organic contaminants in heterogeneous aquifers. *J Contam Hydrol.* 20: 1-25.
- Illman, WA; Berg, SJ; Liu, X; Massi, A. (2010). Hydraulic/partitioning tracer tomography for DNAPL source zone characterization: small-scale sandbox experiments. *Environmental science & technology.* 44: 8609-8614.
- Im, J; Semrau, JD. (2011). Pollutant degradation by a *Methylocystis* strain SB2 grown on ethanol: bioremediation via facultative methanotrophy. *FEMS Microbiol Lett.* 318: 137-142.
- Im, J; Walshe-Langford, GE; Moon, JW; Loffler, FE. (2014). Environmental Fate of the Next Generation Refrigerant 2,3,3,3-Tetrafluoropropene (HFO-1234yf). *Environmental Science & Technology.* 48: 13181-13187.
- Imagawa, T; Miyazaki, A. (1991). ORIGIN OF CARBON ATOMS OF AROMATIC PRODUCTS FROM THERMAL DECOMPOSITION OF CHLOROFORM HEXANE MIXTURE. Eleventh International Symposium On Chlorinated Dioxins And Related Compounds, Part. 25: 1399-1402.
- Imamura, T; Kozaki, S; Kuriyama, A; Kawaguchi, M; Touge, Y; Yano, T; Sugawa, E; Kawabata, Y. (1997). Bioaugmentation of TCE-contaminated soil with inducer-free microbes. *Biotechnology in the Sustainable Environment.* 54: 97-106.
- Imamura, Y; Ikeda, M; Yoshida, S; Kuraishi, H. (2000). *Janibacter brevis* sp nov., a new trichloroethylene-degrading bacterium isolated from polluted environments. *Int J Syst Evol Microbiol.* 50: 1899-1903.
- Imfeld, G; Nijenhuis, I; Nikolausz, M; Zeiger, S; Paschke, H; Drangmeister, J; Grossmann, J; Richnow, HH; Weber, S. (2008). Assessment of in situ degradation of chlorinated ethenes and bacterial community structure in a complex contaminated groundwater system. *Water Res.* 42: 871-882.

Environmental Hazard Literature Search Results

Off Topic

- Imhoff, PT; Arthur, MH; Miller, CT. (1998). Complete dissolution of trichloroethylene in saturated porous media. *Environmental Science & Technology*. 32: 2417-2424.
- Imhoff, PT; Pirestani, K; Jafarpour, Y; Spivey, KM. (2003). Tracer interaction effects during partitioning tracer tests for NAPL detection. *Environmental Science & Technology*. 37: 1441-1447.
- Imoberdorf, GE; Irazoqui, HA; Cassano, AE; Alfano, OM. (2007). Quantum efficiencies in a multi-annular photocatalytic reactor. *Water science and technology : a journal of the International Association on Water Pollution Research*. 55: 161-166.
- Inaba, K; Hirata, T. (1992). Effects of coexisting linear alkylbenzenesulfonates on migration behavior of trichloroethylene in porous media. *Environ Technol*. 13: 259-265.
- Inadera, H; Tachibana, S; Takasaki, I; Tabuchi, Y; Matsushima, K; Uchida, M; Shimomura, A. (2008). Expression profile of liver genes in response to hepatotoxicants identified using a SAGE-based customized DNA microarray system. *Toxicol Lett*. 177: 20-30.
- Inamori, Y; Matushige, K; Sudo, R; Kikuchi, H. (1988). EFFECT OF ORGANOCHLORINE COMPOUNDS ON EXISTENCE AND GROWTH OF SOIL ORGANISMS. *Water Science and Technology*. 21: 1887-1890.
- Ince, N; Inel, Y. (1989). Volatilization of organic chemicals from water. *Water Air Soil Pollut*. 47: 71-80.
- Ince, N; Inel, Y. (1991). A semi-empirical approach to relate the volatilization rates of organic chemicals to their physical properties. *Water Res*. 25: 903-910.
- Ince, NH. (1998). Light-enhanced chemical oxidation for tertiary treatment of municipal landfill leachate. *Water Environ Res*. 70: 1161-1169.
- Indarto, A; Choi, JW; Lee, H; Song, HK. (2006). Decomposition of CCl₄ and CHCl₃ on gliding arc plasma. *J Environ Sci*. 18: 83-89.
- Inel, Y; Okte, AN. (1998). TiO₂ sensitized photomineralization kinetics of phthalic anhydride. *Chemosphere*. 36: 2969-2975.
- Ingebrigtsen, S; Bonifaci, N; Denat, A; Lesaint, O. (2008). Spectral analysis of the light emitted from streamers in chlorinated alkane and alkene liquids. *Journal of Physics D-Applied Physics*. 41: 35204-35204.
- Inguva, S; Shreve, GS. (1999). Biodegradation kinetics of trichloroethylene and 1,2-dichloroethane by *Burkholderia* (*Pseudomonas*) *cepacia* PR1(31) and *Xanthobacter autotrophicus* GJ10. *International Biodeterioration & Biodegradation*. 43: 57-61.
- Inomata, T; Itoh, S; Kariya, S; Mesaki, K; Nishioka, A; Ogawa, Y; Yoshida, S; Sonobe, H; Ohtsuki, Y. (1999). Late pathologic changes in guinea pig kidneys irradiated with conventional fractionation and hyperfractionation. *International journal of radiation oncology, biology, physics*. 44: 171-177.
- Intrieri, C; Poni, S; Rebutti, B; Magnanini, E. (1998). Row orientation effects on whole-canopy gas exchange of potted and field-grown grapevines. *Vitis*. 37: 147-154.
- Iozza, S; Bucheli, TD; Scheringer, M; Hungerb; uuml, K; Schnitzler, JG. (2008). Effects of persistent organic pollutants on the thyroid function of the European sea bass (*Dicentrarchus labrax*) from the Aegean sea, is it an endocrine disruption? *Environmental science & technology*. 42: 6817-6822.
- Irvin, TR. (1987). DEVELOPMENT OF RAPID TEST SYSTEMS TO IDENTIFY PRENATAL TOXIC CHEMICALS AND CHEMICAL MIXTURES USED IN SEMICONDUCTOR PRODUCTION. *American Conference Of Governmental Industrial Hygienists Industrial Hygiene Science Series: Hazard Assessment And Control Technology In Semiconductor Manufacturing*. 0: 75-84.
- Irving, RM. (2012). Reactive metabolites of trichloroethylene: Covalent modifications and nephrotoxicity. PhD Thesis, The University of Wisconsin - Madison.
- Irving, RM; Elfarra, AA. (2012). Role of reactive metabolites in the circulation in extrahepatic toxicity. *Expert Opinion on Drug Metabolism & Toxicology*. 8: 1157-1172.
- Irving, RM; Elfarra, AA. (2013). Mutagenicity of the cysteine S-conjugate sulfoxides of trichloroethylene and tetrachloroethylene in the Ames test. *Toxicology*. 306: 157-161.
- Isaacs, KK; Evans, MV; Harris, TR. (2004). Visualization-based analysis for a mixed-inhibition binary PBPK model: Determination of inhibition mechanism. *J Pharmacokinet Pharmacodyn*. 31: 215-242.
- Isaacson, LG; Kravetz, T; Taylor, DH; Pfohl, RJ. (1987). EFFECT OF 1 1 2 TRICHLOROETHYLENE ON THE HIPPOCAMPAL FORMATION OF THE DEVELOPING RAT. 17th Annual Meeting Of The Society For Neuroscience, New Orleans, Louisiana, Usa, November. 13: 931.
- Isaacson, LG; Spohler, SA; Taylor, DH. (1990). Trichloroethylene affects learning and decreases myelin in the rat hippocampus. *Neurotoxicol Teratol*. 12: 375-381.
- Isalou, M; Sleep, BE; Liss, SN. (1998). Biodegradation of high concentrations of tetrachloroethene in a continuous flow column system. *Environmental Science & Technology*. 32: 3579-3585.
- Ise, K; Suto, K; Inoue, C. (2010). Population distribution of three types of *Dehalococcoides* sp. at different cultivation condition. *J Biotechnol*. 150, Supplement: 243-244.
- Ise, K; Suto, K; Inoue, C. (2011). Microbial Diversity and Changes in the Distribution of Dehalogenase Genes during Dechlorination with Different Concentrations of cis-DCE. *Environmental Science & Technology*. 45: 5339-5345.
- Ishida, H; Nakamura, K. (2000). Trichloroethylene degradation by *Ralstonia* sp KN1-10A constitutively expressing phenol hydroxylase: Transformation products, NADH limitation, and product toxicity. *J Biosci Bioeng*. 89: 438-445.
- Ishikawa, S; Li, S; Zhang, W; Tanizaki, T; Haraga, H; Higuchi, T. (2014). Photo-decomposition of volatile organic compound using nano-reaction field separation TiO₂ photocatalyst. *Sustainable Environment Research*. 24: 59-64.
- Ishizaka, S; Nishijima, Y; Kitamura, N. (2006). A thermodynamic study on the complexation between riboflavin and a diaminotriazine derivative mediated by triple hydrogen bonds at water/oil interfaces. *Anal Bioanal Chem*. 386: 749-758.
- Ishola, IO; Agbaje, OE; Narender, T; Adeyemi, OO; Shukla, R. (2012). Bioactivity guided isolation of analgesic and anti-inflammatory constituents of *Cnestis ferruginea* Vahl ex DC (Connaraceae) root. *J Ethnopharmacol*. 142: 383-389.

Environmental Hazard Literature Search Results

Off Topic

- Islas-García, A; D-D Bay BaCsnydEdEAdIP; eacco, NoFdMš; Vega-Loyo, L; RodrÁiacutV; aaez-VÂ zquez, RaaDBayBaCdl; oay, dEEAdIPšNDemšJEJESHB. (2015). Evaluation of hydrocarbons and organochlorine pesticides and their tolerant microorganisms from an agricultural soil to define its bioremediation feasibility. *Journal of environmental science and health Part B, Pesticides, food contaminants, and agricultural wastes*.
- Ismail, NBS; Narayana, B. Spectrophotometric and spectroscopic studies on charge transfer complexes of the antifungal drug clotrimazole. *Journal of Taibah University for Science*.
- Ismail, S; Salama, M; Lotfy, A; Elgamal, M; Sheashaa, H; Sobh, M; Mohy, N; El-yazid, E. (2015). The effect of trichloroethylene on neurosphere. *Toxicol Lett*. 238: 1.
- Istok, JD; Field, JA; Schroth, MH; Davis, BM; Dwarakanath, V. (2002). Single-well "push-pull" partitioning tracer test for NAPL detection in the subsurface. *Environmental Science & Technology*. 36: 2708-2716.
- Itakura, T; Airey, DW; Leo, CJ. (2003). The diffusion and sorption of volatile organic compounds through kaolinitic clayey soils. *J Contam Hydrol*. 65: 219-243.
- Ito, H; Suzuki, D; Watanabe, H; Tanaka, H; Kuroda, S; Umemiya, M; Kobayashi, N; Goto, M; Sugiura, K; Miyasaka, H; Takaishi, S; Kajiwara, T; Yamashita, M; Ohmichi, E; Osada, T. (2007). Metal-insulator transition of charge-transfer salts based on unsymmetrical donor DMET and metal halide anions (DMET)(4)(MCl(4))(TCE)(2) (M = Mn, Co, Cu, Zn; TCE=1,1,2-trichloroethane). *J Am Chem Soc*. 129: 8510-8518.
- Ito, T; Meyer, GJ. (2007). Heme-mediated reduction of organohalide pollutants at nanocrystalline TiO(2) thin-film interfaces. *Environ Eng Sci*. 24: 31-44.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A product study of the OH radical initiated oxidation of perchloroethylene and trichloroethylene. *Chemosphere*. 28: 2029-2040.
- Ivanetich, KM; Van, dHLH. (1981). Chloroethanes : their metabolism by hepatic cytochrome P-450 in vitro. *Carcinogenesis*. 2: 697-702.
- Ivanovic, V; Weinstein, IB. (1982). Benzo[a]pyrene and other inducers of cytochrome P1-450 inhibit binding of epidermal growth factor to cell surface receptors. *Carcinogenesis*. 3: 505-510.
- Iwakiri, R; Yoshihira, K; Ngadiman; Futagami, T; Goto, M; Furukawa, K. (2004). Total degradation of pentachloroethane by an engineered *Alcaligenes* strain expressing a modified camphor monooxygenase and a hybrid dioxygenase. *Bioscience Biotechnology and Biochemistry*. 68: 1353-1356.
- Iwamoto, T; Ohkusu, K; Watanabe, M; Hidaka, H; Nakashima, I. (1994). Evidence for posttranscriptional regulation of transgenic protein kinase C-alpha in T cells. *J Cell Biochem*. 55: 264-271.
- Iwamoto, T; Tani, K; Nakamura, K; Suzuki, Y; Kitagawa, M; Eguchi, M; Nasu, M. (2000). Monitoring impact of in situ biostimulation treatment on groundwater bacterial community by DGGE. *FEMS Microbiol Ecol*. 32: 129-141.
- Iwanski, ML; Chu, TJ. (1987). POWER INDUSTRY WASTES. *J Water Pollut Control Fed*. 59: 464-474.
- Iyengar, S; Arnason, JT; Philogene, BJR; Werstiuk, NH; Morand, P. (1990). Comparative metabolism of the phototoxic allelochemical alpha-terthienyl in three species of lepidopterans. *Pestic Biochem Physiol*. 37: 154-164.
- Jabbar, MA; Shimakoshi, H; Hisaeda, Y. (2007). Enhanced reactivity of hydrophobic vitamin B12 towards the dechlorination of DDT in ionic liquid. *Chem Commun*. 28: 1653-1655.
- Jablonski, PE; Ferry, JG. (1992). Reductive dechlorination of trichloroethylene by the carbon monoxide-reduced carbon monoxide dehydrogenase enzyme complex from *Methanosarcina thermophila*. *Fems*. 96: 55-59.
- Jablonski, PE; Ferry, JG. (1992). Reductive dechlorination of trichloroethylene by the CO-reduced CO dehydrogenase enzyme complex from *Methanosarcina thermophila*. *FEMS Microbiol Lett*. 75: 55-59.
- Jackson, RE; Dwarakanath, V. (1999). Chlorinated degreasing solvents: Physical-chemical properties affecting aquifer contamination and remediation. *Ground Water Monitoring and Remediation*. 19: 102-110.
- Jackson, RE; Mariner, PE. Estimating DNAPL composition and VOC dilution from extraction well data. *Ground Water*. May/June 1995. v. 33 (3): 407-414.
- Jackson, RE; Patterson, RJ. (1989). A REMEDIAL INVESTIGATION OF AN ORGANICALLY POLLUTED OUTWASH AQUIFER. *Ground Water Monit Rev*. 9: 119-125.
- Jackson, WA; Martino, L; Hirsh, S; Wrobel, J; Pardue, JH. (2005). Application of a dialysis sampler to monitor phytoremediation processes. *Environ Monit Assess*. 107: 155-171.
- Jacobides, MG; Winter, SG. (2012). Capabilities: Structure, Agency, and Evolution. *Organization Science*. 23: 1365-1381.
- Jacobs, AM; Amin, IE; Fisher, ON. (2007). Persistence of vinyl chloride in ground water at the Woodlawn landfill Superfund site, northeastern Maryland, USA. *Environ Geol*. 52: 1253-1260.
- Jacobs, MM; Massey, RI; Tenney, H; Harriman, E. (2014). Reducing the use of carcinogens: the Massachusetts experience. *Rev Environ Health*. 29: 319-340.
- Jacobsen, BN; Becher, G; Jensen, BK; Monarca, S; Scholz-Muramatsu, H; Struijs, J. (1996). FATE PREDICTION OF SPECIFIC ORGANIC COMPOUNDS IN BIOREACTORS. *Water Science And Technology*. 33: 289-296.
- Jacobson, S; Auerbach, R; Albertini, D. (1985). EFFECTS OF AN ORGANIC SOLVENT ON NERVE CELLS IN-VITRO AND IN-VIVO. 15th Annual Meeting Of The Society For Neuroscience, Part. 11: 264.
- Jacobson-Kram, D. (1986). The reproductive effects assessment group's review of the mutagenicity of vinylidene chloride. *Environ Mutagen*. 8: 161-169.
- Jacoby, WA; Nimlos, MR; Blake, DM; Noble, RD; Koval, CA. (1994). Products, intermediates, mass balances and reaction pathways for the oxidation of trichloroethylene in air via heterogeneous photocatalysis. *Environmental Science & Technology*. 28: 1661-1668.

Environmental Hazard Literature Search Results

Off Topic

- Jacoff, FS; Scarberry, R; Rosa, D. (1986). Source assessment of hexachlorobenzene from the organic chemical manufacturing industry. IARC Sci Publ. 77: 31-37.
- Jadzyn, M; Nogaj, B. (2009). Electronic structure and biological activity of chosen DDT-type insecticides studied by ³⁵Cl-NQR. Magnetic resonance in chemistry : MRC. 47: 97-99.
- Jaeger, RJ; Conolly, RB; Murphy, SD. (1975). Short-term inhalation toxicity of halogenated hydrocarbons: effects on fasting rats. Arch Environ Health. 30: 26-31.
- Jaeger, RJ; Conolly, RB; Reynolds, ES; Murphy, SD. (1975). Biochemical toxicology of unsaturated halogenated monomers. Environ Health Perspect. 11: 121-128.
- Jaeger, RJ; Shoner, LG; Coffman, L. (1977). 1,1-Dichloroethylene hepatotoxicity: proposed mechanism of action and distribution and binding of ¹⁴C radioactivity following inhalation exposure in rats. Environ Health Perspect. 21: 113-119.
- Jafarpour, B; Imhoff, PT; Chiu, PC. (2005). Quantification and modelling of 2,4-dinitrotoluene reduction with high-purity and cast iron. J Contam Hydrol. 76: 87-107.
- Jaffe, DR; Hassall, CD; Brendel, K; Gandolfi, AJ. (1983). In vivo and in vitro nephrotoxicity of the cysteine conjugate of hexachlorobutadiene. J Toxicol Environ Health. 11: 857-867.
- Jafvert, CT; Wolfe, NL. (1987). DEGRADATION OF HALOGENATED ETHANES IN SELECTED MEDIA. 193rd American Chemical Society National Meeting, Denver, Colorado, Usa, April. 193.
- Jafvert, CT; Wolfe, NL. (1987). DEGRADATION OF SELECTED HALOGENATED ETHANES IN ANOXIC SEDIMENT-WATER SYSTEMS. Environ Toxicol Chem. 6: 827-838.
- Jagadevan, S; Semrau, JD. (2013). Priority pollutant degradation by the facultative methanotroph, Methylocystis strain SB2. Appl Microbiol Biotechnol. 97: 5089-5096.
- Jahng, D; Kim, C; Wood, TK. (1995). TRICHLOROETHYLENE DEGRADATION USING RECOMBINANT BACTERIA EXPRESSING THE SOLUBLE METHANE MONOOXYGENASE FROM METHYLOSINUS TRICHOSPORIUM OB3B. 209th American Chemical Society National Meeting, Anaheim, California, Usa, April. 209: 97.
- Jahng, D; Kim, CS; Hanson, RS; Wood, TK. (1996). Optimization of trichloroethylene degradation using soluble methane monooxygenase of Methylosinus trichosporium OB3b expressed in recombinant bacteria. Biotechnol Bioeng. 51: 349-359.
- Jahng, D; Sun, AK; Kim, CS; Wood, TK. (1995). DESIGNING BACTERIA TO DEGRADE TRICHLOROETHYLENE USING SOLUBLE METHANE MONOOXYGENASE FROM METHYLOSINUS TRICHOSPORIUM OB3B. Keystone Symposium On Environmental Biotechnology, Lake Tahoe, California, Usa, March. 0: 44.
- Jahng, D; Wood, TK. (1994). TCE DEGRADATION BY A RECOMBINANT PSEUDOMONAD CONTAINING THE SOLUBLE METHANE MONOOXYGENASE GENE OF M. TRICHOSPORIUM OB3B. 207th National Meeting Of The American Chemical Society, San Diego, California, Usa, March. 207: 96.
- Jahnke, SA; Niemann, J; Kautek, W; Bischoff, R; Pfeiffer, C; Kossmehl, G. (1997). Sensor system for alcohol and chlorinated hydrocarbon vapours on the basis of semiconducting polymers. Int J Environ Anal Chem. 67: 223-236.
- Jain, V; Demond, AH. (2002). Conductivity reduction due to emulsification during surfactant enhanced-aquifer remediation. 1. Emulsion transport. Toxicology. 36: 5426-5433.
- Jain, V; Demond, AH. (2002). Conductivity reduction due to emulsification during surfactant enhanced-aquifer remediation. 2. Formation of emulsion in situ. Environmental science & technology. 36: 5434-5440.
- Jakobson, I; Holmberg, B; Ekner, A. (1986). Venous blood levels of inhaled trichloroethylene in female rats and changes induced by interacting agents. Acta Pharmacol Toxicol. 59: 135-143.
- Jakobson, I; Holmberg, B; Wahlberg, JE. (1977). Variations in the blood concentration of 1,1,2-trichloroethane by percutaneous absorption and other routes of administration in the guinea pig. Acta Pharmacol Toxicol. 41: 497-506.
- Jakobson, I; Wahlberg, JE; Holmberg, B; Johansson, G. (1982). Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anesthetized guinea pigs. Toxicol Appl Pharmacol. 63: 181-187.
- James, CA; Strand, SE. (2009). Phytoremediation of small organic contaminants using transgenic plants. Curr Opin Biotechnol. 20: 237-241.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. Environ Pollut. 157: 2564-2569.
- James, KJ; Stack, MA. (1997). The impact of leachate collection on air quality in landfills. Chemosphere. 34: 1713-1721.
- Jamrah, A; Al-Futaisi, A; Hassan, H; Al-Oraimi, S. (2007). Petroleum contaminated soil in Oman: Evaluation of bioremediation treatment and potential for reuse in hot asphalt mix concrete. Environ Monit Assess. 124: 331-341.
- Janda, V; Vasek, P; Bizova, J; Belohlav, Z. (2004). Kinetic models for volatile chlorinated hydrocarbons removal by zero-valent iron. Chemosphere. 54: 917-925.
- Janetzky, B; Gille, G; Abdel-mohsen, M; God, R; Rausch, WD; Bringmann, G; Reichmann, H. (1999). Effect of highly halogenated beta-carbolines on dopaminergic cells in culture and on mitochondrial respiration. Drug Dev Res. 46: 51-56.
- Janssen, DB; Grobbsen, G; Hoekstra, R; Oldenhuis, R; Witholt, B. (1988). DEGRADATION OF TRANS-1,2-DICHLOROETHENE BY MIXED AND PURE CULTURES OF METHANOTROPHIC BACTERIA. Appl Microbiol Biotechnol. 29: 392-399.
- Janssen, DB; Oldenhuis, R; Van, DENWIJNGAARDAJ. (1989). HYDROLYTIC AND OXIDATIVE DEGRADATION OF CHLORINATED ALIPHATIC COMPOUNDS BY AEROBIC MICROORGANISMS. Kamely, D, A Chakrabarty And G S Omenn. 0: 105-126.

Environmental Hazard Literature Search Results

Off Topic

- Janulewicz, PA; White, RF; Martin, BM; Winter, MR; Weinberg, JM; Vieira, V; Aschengrau, A. (2012). Adult neuropsychological performance following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. *Neurotoxicol Teratol.* 34: 350-359.
- Janz, DM. (2014). Hexachlorobutadiene A2 - Wexler, Philip. *Encyclopedia of Toxicology (Third Edition)* Oxford 872-873.
- Jarkman, S; Skoog, KO; Nilsson, SEG. (1984). THE C-WAVE OF THE ELECTRORETINOGRAM AND THE STANDING POTENTIAL OF THE EYE AS HIGHLY SENSITIVE MEASURES OF EFFECTS OF LOW DOSES OF TRICHLOROETHYLENE METHYLCHLOROFORM AND HALOTHANE. Meeting On Hereditary Retinal Degenerative Diseases Held At The 22nd Symposium Of The International Society For Clinical Electrophysiology Of Vision, Stockholm, Sweden, May. 60: 375-382.
- Jarmohamed, W; Mulder, P. (1994). Oxychlorination and combustion of propene on fly-ash. Formation of chlorinated benzenes, dibenzodioxines and mono- and dibenzofurans. *Chemosphere.* 29: 1911-1917.
- Jarrett, MR; Finklea, HO. (1999). Detection of nonpolar vapors on quartz crystal microbalances with Ni(SCN)₂(4-picoline)₄ coatings. *Anal Chem.* 71: 353-357.
- Jasper, A; Salih, HH; Sorial, GA; Sinha, R; Krishnan, R; Patterson, CL. (2010). Impact of Nanoparticles and Natural Organic Matter on the Removal of Organic Pollutants by Activated Carbon Adsorption. *Environ Eng Sci.* 27: 85-93.
- Jaspers, RMA; Muijsers, H; Lammers, JHCM; Kulig, BM. (1993). Mid-frequency hearing loss and reduction of acoustic startle responding in rats following trichloroethylene exposure. *Neurotoxicol Teratol.* 15: 407-412.
- Jaspers, VL; Covaci, A; Van, dSE; Eens, M. (2007). Is external contamination with organic pollutants important for concentrations measured in bird feathers? *Environ Int.* 33: 766-772.
- Jat, ML; Gathala, MK; Ladha, JK; Saharawat, YS; Jat, AS; Kumar, V; Sharma, SK; Kumar, V; Gupta, R. (2009). Evaluation of precision land leveling and double zero-till systems in the rice-wheat rotation: Water use, productivity, profitability and soil physical properties. *Soil Till Res.* 105: 112-121.
- Jat, ML; Gathala, MK; Ladha, JK; Saharawat, YS; Jat, AS; Kumar, V; Sharma, SK; Kumar, V; Gupta, R. (2009). Evaluation of precision land leveling and double zero-till systems in the rice-wheat rotation: Water use, productivity, profitability and soil physical properties. *Soil & Tillage Research.* 105: 112-121.
- Jaworska, JS; Schultz, TW. (1994). Mechanism-based comparisons of acute toxicities elicited by industrial organic chemicals in prokaryotic and eukaryotic systems. *Ecotoxicol Environ Saf.* 29: 200-213.
- Jay, K; Stieglitz, L. (1995). Identification and quantification of volatile organic components in emissions of waste incineration plants. *Chemosphere.* 30: 1249-1260.
- Jayanti, S; Britton, LN; Dwarakanath, V; Pope, GA. (2002). Laboratory evaluation of custom-designed surfactants to remediate NAPL source zones. *Environmental Science & Technology.* 36: 5491-5497.
- Jayanti, RKM; Cooper, SW; Decker, CE; Von, LEHMDENDJ. (1985). EVALUATION OF PARTS-PER-BILLION ORGANIC CYCLINDER GASES FOR USE AS AUDITS DURING HAZARDOUS WASTE TRIAL BURN TESTS. *J Air Pollut Control Assoc.* 36: 1195-1200.
- Jayanti, RKM; Peterson, MR; Evans, GF. (1992). TEMPORAL STABILITY OF POLAR ORGANIC COMPOUNDS IN STAINLESS STEEL CANISTERS AU - PATE B. *J Air Waste Manage Assoc.* 42: 460-462.
- Jayanti, RKM; Sokash, JA; Gutknecht, WF; Decker, CE; Von, LEHMDENDJ. (1985). QUALITY ASSURANCE FOR PRINCIPAL ORGANIC HAZARDOUS CONSTITUENTS MEASUREMENTS DURING HAZARDOUS WASTE TRIAL BURN TESTS. *J Air Pollut Control Assoc.* 35: 143-147.
- Jayanti, RKM; Sokol, CK; Von, LEHMDENDJ. (1988). PERFORMANCE AUDIT RESULTS FOR VOLATILE POHC MEASUREMENTS DURING RCRA TRIAL BURN TESTS. *Japca.* 38: 823-827.
- Jayanti, RKM; Tompkins, SB; Von, LEHMDENDJ. (1990). Summary of POHC audit results using VOST and bag methods during RCRA trial burns. *J Air Waste Manage Assoc.* 40: 1505-1509.
- Jayaraj, J; Rockne, KJ; Makkar, RS. (2004). Reductive dechlorination of tetrachloroethene by a mixed bacterial culture growing on ethyl lactate. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 39: 1399-1414.
- Jean Cho, H; Jaffar, PR. (1990). The volatilization of organic compounds in unsaturated porous media during infiltration. *J Contam Hydrol.* 6: 387-410.
- Jeannotat, S; Hunkeler, D. (2012). Chlorine and Carbon Isotopes Fractionation during Volatilization and Diffusive Transport of Trichloroethene in the Unsaturated Zone. *Environmental Science & Technology.* 46: 3169-3176.
- Jeannotat, S; Hunkeler, D. (2013). Can soil gas VOCs be related to groundwater plumes based on their isotope signature? *Environmental science & technology.* 47: 12115-12122.
- Jeen, SW; Amos, RT; Blowes, DW. (2012). Modeling Gas Formation and Mineral Precipitation in a Granular Iron Column. *Environmental Science & Technology.* 46: 6742-6749.
- Jeen, SW; Blowes, DW; Gillham, RW. (2008). Performance evaluation of granular iron for removing hexavalent chromium under different geochemical conditions. *J Contam Hydrol.* 95: 76-91.
- Jeen, SW; Gillham, RW; Blowes, DW. (2006). Effects of carbonate precipitates on long-term performance of granular iron for reductive dechlorination of TCE. *Environmental Science & Technology.* 40: 6432-6437.
- Jeen, SW; Gillham, RW; Przepiora, A. (2011). Predictions of long-term performance of granular iron permeable reactive barriers: Field-scale evaluation. *J Contam Hydrol.* 123: 50-64.
- Jeen, SW; Jambor, JL; Blowes, DW; Gillham, RW. (2007). Precipitates on granular iron in solutions containing calcium carbonate with trichloroethene and hexavalent chromium. *Environmental Science & Technology.* 41: 1989-1994.

Environmental Hazard Literature Search Results

Off Topic

- Jeen, SW; Lazar, S; Gui, L; Gillham, RW. (2014). Degradation of chlorofluorocarbons using granular iron and bimetallic irons. *J Contam Hydrol.* 158: 55-64.
- Jeen, SW; Mayer, KU; Gillham, RW; Blowes, DW. (2007). Reactive transport modeling of trichloroethene treatment with declining reactivity of iron. *Environmental Science & Technology.* 41: 1432-1438.
- Jeen, SW; Yang, YQ; Gui, L; Gillham, RW. (2013). Treatment of trichloroethene and hexavalent chromium by granular iron in the presence of dissolved CaCO₃. *J Contam Hydrol.* 144: 108-121.
- Jeen, S-W; Yang, Y; Gui, L; Gillham, RW. (2013). Treatment of trichloroethene and hexavalent chromium by granular iron in the presence of dissolved CaCO₃. *J Contam Hydrol.* 144: 108-121.
- Jeffers, PM; Coty, P; Luczak, S; Wolfe, NL. (1994). Halocarbon hydrolysis rates: A search for ionic strength and heterogenous effects. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering.* 29: 821-831.
- Jeffers, PM; Ward, LM; Woytowitch, LM; Wolfe, NL. (1989). HOMOGENEOUS HYDROLYSIS RATE CONSTANTS FOR SELECTED CHLORINATED METHANES ETHANES ETHENES AND PROPANES. *Environ Sci Technol.* 23: 965-969.
- Jeffers, PM; Wolfe, NL. (1996). Homogeneous hydrolysis rate constants-Part II: Additions, corrections and halogen effects. *Environ Toxicol Chem.* 15: 1066-1070.
- Jellali, S; Benremita, H; Muntzer, P; Razakarisoa, O; Schafer, G. (2003). A large-scale experiment on mass transfer of trichloroethylene from the unsaturated zone of a sandy aquifer to its interfaces. *J Contam Hydrol.* 60: 31-53.
- Jenal-Wanner, U; McCarty, PL. (1997). Development and evaluation of semicontinuous slurry microcosms to simulate in situ biodegradation of trichloroethylene in contaminated aquifers. *Environmental Science & Technology.* 31: 2915-2922.
- Jencen, DA; Hardy, JK. (1989). Effect of glove material thickness on permeation characteristics. *Am Ind Hyg Assoc J.* 50: 623-626.
- Jene, Q; Pearson, JC; Lowe, CR. (1997). Surfactant modified enzymes: Solubility and activity of surfactant-modified catalase in organic solvents. *Enzyme Microb Technol.* 20: 69-74.
- Jenkins, MB; Chen, JH; Kadner, DJ; Lion, LW. Methanotrophic bacteria and facilitated transport of pollutants in aquifer material. *Appl Environ Microbiol.* Oct 1994. v. 60 (10): 3491-3498.
- Jennings, AA. (2008). Analysis of worldwide regulatory guidance for surface soil contamination. *J Environ Eng Sci.* 7: 597-615.
- Jennings, AA. (2011). Worldwide Residential Soil Regulatory Guidance Values for Chlorinated Ethenes. *Journal of Environmental Engineering-Asce.* 137: 651-668.
- Jensen, RA; Acton, EM; Peters, JH. (1984). Doxorubicin cardiotoxicity in the rat: comparison of electrocardiogram, transmembrane potential, and structural effects. *J Cardiovasc Pharmacol.* 6: 186-200.
- Jensen, S; Prieme, A; Bakken, L. (1998). Methanol improves methane uptake in starved methanotrophic microorganisms. *Appl Environ Microbiol.* 64: 1143-1146.
- Jensen, Sr; Rosenberg, R. (1975). Degradability of some chlorinated aliphatic hydrocarbons in sea water and sterilized water. *Water Res.* 9: 659-661.
- Jeon, JH; Kim, SD; Lim, TH; Lee, DH. (2005). Degradation of trichloroethylene by photocatalysis in an internally circulating slurry bubble column reactor. *Chemosphere.* 60: 1162-1168.
- Jeong, HH; Lee, SH; Kim, JM; Kim, HE; Kim, YG; Yoo, JY; Chang, WS; Lee, CS. (2010). Microfluidic monitoring of *Pseudomonas aeruginosa* chemotaxis under the continuous chemical gradient. *Biosensors & Bioelectronics.* 26: 351-356.
- Jeong, HY. (2005). Removal of heavy metals and reductive dechlorination of chlorinated organic pollutants by nanosized iron sulfide. PhD Thesis, University of Michigan.
- Jeong, HY; Anantharaman, K; Han, YS; Hayes, KF. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environmental Science & Technology.* 45: 5186-5194.
- Jeong, HY; Hayes, KF. (2003). Impact of transition metals on reductive dechlorination rate of hexachloroethane by mackinawite. *Environmental science & technology.* 37: 4650-4655.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: Reaction rates. *Environmental Science & Technology.* 41: 6390-6396.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environmental Science & Technology.* 41: 7736-7743.
- Jeong, S; Wander, MM; Kleinedam, S; Grathwohl, P; Ligouis, B; Werth, CJ. (2008). The role of condensed carbonaceous materials on the sorption of hydrophobic organic contaminants in subsurface sediments. *Environmental Science & Technology.* 42: 1458-1464.
- Jeong, S; Werth, CI. (2005). Evaluation of methods to obtain geosorbent fractions enriched in carbonaceous materials that affect hydrophobic organic chemical sorption. *Environmental Science & Technology.* 39: 3279-3288.
- Jeong, SW; Corapcioglu, MY. (2003). A micromodel analysis of factors influencing NAPL removal by surfactant foam flooding. *J Contam Hydrol.* 60: 77-96.
- Jeong, SW; Corapcioglu, MY. (2005). Force analysis and visualization of NAPL removal during surfactant-related floods in a porous medium. *J Hazard Mater.* 126: 8-13.
- Jeong, SW; Corapcioglu, MY; Roosevelt, SE. (2000). Micromodel study of surfactant foam remediation of residual trichloroethylene. *Environmental Science & Technology.* 34: 3456-3461.
- Jeong, SW; Lynn, WA; Lee, TR. (2003). Enhanced removal of DNAPL trapped in porous media using simultaneous injection of cosolvent with air: influencing factors and removal mechanisms. *J Hazard Mater.* 101: 109-122.

Environmental Hazard Literature Search Results

Off Topic

- Jeong, SW; Wood, AL; Lee, TR. (2002). Effects of pure and dyed PCE on physical and interfacial properties of remedial solutions. *J Hazard Mater.* 95: 125-135.
- Jeong, SW; Wood, AL; Lee, TR. (2002). Enhanced contact of cosolvent and DNAPL in porous media by concurrent injection of cosolvent and air. *Environmental science & technology.* 36: 5238-5244.
- Jepson, GW; Hoover, DK; Black, RK; McCafferty, JD; Mahle, DA; Gearhart, JM. (1994). A partition coefficient determination method for nonvolatile chemicals in biological tissues. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 22: 519-524.
- Jernigan, JD; Harbison, RD. (1982). Role of biotransformation in the potentiation of halocarbon hepatotoxicity by 2,5-hexanedione. *J Toxicol Environ Health.* 9: 761-781.
- Jernigan, JD; Pounds, JG; Harbison, RD. (1983). Potentiation of chlorinated hydrocarbon toxicity by 2,5-hexanedione in primary cultures of adult rat hepatocytes. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 3: 22-26.
- Jesus, Jo; Frascari, D; Pozdniakova, T; Danko, AS. (2016). Kinetics of aerobic cometabolic biodegradation of chlorinated and brominated aliphatic hydrocarbons: A review. *J Hazard Mater.* 309: 37-52.
- Jho, EH; Shin, D; Turner, SJ; Singhal, N. (2014). Effect of Fenton reagent shock and recovery periods on anaerobic microbial community structure and degradation of chlorinated aliphatics. *Water Res.* 25: 253-264.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Science and Technology.* 58: 2211-2214.
- Jho, EH; Singhal, N; Turner, S. (2010). Fenton degradation of tetrachloroethene and hexachloroethane in Fe(II) catalyzed systems. *J Hazard Mater.* 184: 234-240.
- Ji, H-F; Zhang, H-Y; Shen, L. (2006). Proton dissociation is important to understanding structure-activity relationships of gallic acid antioxidants. *Bioorganic & Medicinal Chemistry Letters.* 16: 4095-4098.
- Ji, SH; Nicholl, MJ; Glass, RJ; Lee, KK. (2006). Influence of simple fracture intersections with differing aperture on density-driven immiscible flow: Wetting versus nonwetting flows. *Water Resour Res.* 42: 10416-10416.
- Ji, YM; Cao, F; Gao, H; Li, X; Zhao, C; Su, C; Liu, JY; Li, ZS. (2010). On the kinetic mechanism of the hydrogen abstraction reactions of the hydroxyl radical with CH₃CF₂Cl and CH₃CFCl₂: a dual level direct dynamics study. *J Comput Chem.* 31: 510-519.
- Jia, CR; D'Souza, J; Batterman, S. (2008). Distributions of personal VOC exposures: A population-based analysis. *Environ Int.* 34: 922-931.
- Jia, HZ; Gu, C; Boyd, SA; Teppen, BJ; Johnston, CT; Song, CY; Li, H. (2011). Comparison of Reactivity of Nanoscaled Zero-Valent Iron Formed on Clay Surfaces. *Soil Sci Soc Am J.* 75: 357-364.
- Jia, HZ; Gu, C; Li, H; Fan, XY; Li, SZ; Wang, CY. (2012). Effect of groundwater geochemistry on pentachlorophenol remediation by smectite-templated nanosized Pd(0)/Fe(0). *Environ Sci Pollut Res Int.* 19: 3498-3505.
- Jia, J; Chu, W. (2009). The photodegradation of trichloroethylene with or without the NAPL by UV irradiation in surfactant solutions. *J Hazard Mater.* 161: 196-201.
- Jiang, GN; Crimi, M; Fowler, K; Fu, XJ. (2011). Experimental design of diffusion and desorption of contaminant in heterogeneous media. *Water Science and Technology.* 64: 988-998.
- Jiang, SC; Paul, JH. (1996). Occurrence of lysogenic bacteria in marine microbial communities as determined by prophage induction. *Mar Ecol Prog Ser.* 142: 27-38.
- Jiang, Y; Chen, JH; Yue, C; Zhang, H; Chen, T. (2016). Trichloroethylene-Induced DNA Methylation Changes in Male F344 Rat Liver. *Chem Res Toxicol.* 29: 1773-1777.
- Jimenez, L; Bowman, J; Rosario, I; Koh, S. (1993). METHANOTROPHIC BACTERIA FROM TCE CONTAMINATED SITES. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 378.
- Jimenez-Castro, C; Mellink, E; Villaescusa-Celaya, J. (1995). DDT AND ITS METABOLITES IN WESTERN GULL EGGS FROM SOUTHERN CALIFORNIA AND NORTHWESTERN BAJA CALIFORNIA. *Bull Environ Contam Toxicol.* 55: 374-381.
- Jimonet, P; Audiau, F; Barreau, M; Blanchard, JC; Boireau, A; Bour, Y; Colâ€šno, R; Franc, Rœ-cSASARœ-PRdRdV-AqqJGPft-s-SC; Doble, A; Doerflinger, G; Huu, CD; Donat, MH; Duchesne, JM; Ganil, P; Guâ€šrâ€šmy, C; Honor, E; Just, B; Kerphirique, R; Gontier, S; Hubert, P; Laduron, PM; Le, BJ; Meunier, M; Miquet, JM; Nemecek, C; Mignani, S. (1999). Riluzole series. Synthesis and in vivo "antiglutamate" activity of 6-substituted-2-benzothiazolamines and 3-substituted-2-imino-benzothiazolines. *J Med Chem.* 42: 2828-2843.
- Jin, B; Haderlein, SB; Rolle, M. (2013). Integrated carbon and chlorine isotope modeling: applications to chlorinated aliphatic hydrocarbons dechlorination. *Environ Sci Technol.* 3.
- Jin, B; Rolle, M; Li, T; Haderlein, SB. (2014). Diffusive Fractionation of BTEX and Chlorinated Ethenes in Aqueous Solution: Quantification of Spatial Isotope Gradients. *Environmental Science & Technology.* 48: 6141-6150.
- Jin, S; Fallgren, PH. (2010). Electrically induced reduction of trichloroethene in clay. *J Hazard Mater.* 173: 200-204.
- Jin, S; Fallgren, PH; Morris, JM; Edgar, ES. (2008). Degradation of trichloroethene in water by electron supplementation. *Chem Eng J.* 140: 642-645.
- Jin, S; Shiraishi, F. (2004). Photocatalytic activities enhanced for decompositions of organic compounds over metal-photodepositing titanium dioxide. *Chem Eng J.* 97: 203-211.
- Jin, X; Song, L; Li, Z; Newton, IP; Zhao, M; Liu, W. (2016). Dichlorodipenyldichloroethylene exposure reduces r-GCS via suppressed Nrf2 in HepG2 cells. *Environ Toxicol.* 31: 350-359.
- Jinks, MA; Sun, HM; Hunter, CA. (2014). Measurement of supramolecular effective molarities for intramolecular H-bonds in zinc porphyrin-imidazole complexes. *Organic & Biomolecular Chemistry.* 12: 1440-1447.

Environmental Hazard Literature Search Results

Off Topic

- Jitnuyanont, P; Sayavedra-Soto, LA; Semprini, L. (2001). Bioaugmentation of butane-utilizing microorganisms to promote cometabolism of 1,1,1-trichloroethane in groundwater microcosms. *Biodegradation*. 12: 11-22.
- Jo, WK; Kim, JT. (2010). Decomposition of gas-phase aromatic hydrocarbons by applying an annular-type reactor coated with sulfur-doped photocatalyst under visible-light irradiation. *J Chem Tech Biotechnol*. 85: 485-492.
- Jo, WK; Shin, SH. (2010). Photocatalytic decomposition of mobile-source related pollutants using a continuous-flow reactor. *J Environ Sci*. 22: 460-466.
- Jo, WK; Yang, CH. (2009). Feasibility of a tandem photocatalytic oxidation-adsorption system for removal of monoaromatic compounds at concentrations in the sub-ppm-range. *Chemosphere*. 77: 236-241.
- Jo, WK; Yang, SH; Shin, SH; Yang, SB. (2011). Utilization of Fin-Installed Annular Reactors Coated with Visible Light- or Ultraviolet-Driven Photocatalysts for Removal of Gas-Phase Monocyclic Aromatic Compounds. *Environ Eng Sci*. 28: 43-51.
- Jo, W-K; Yang, C-H. (2010). Visible-light-induced photocatalysis of low-level methyl-tertiary butyl ether (MTBE) and trichloroethylene (TCE) using element-doped titanium dioxide. *Build Environ*. 45: 819-824.
- Joens, JA; Slifker, RA; Cadavid, EM; Martinez, RD; Nickelsen, MG; Cooper, WJ. (1995). Ionic strength and buffer effects in the elimination reaction of 1,1,2,2-tetrachloroethane. *Water Res*. 29: 1924-1928.
- Johanson, G; Filser, JG. (1992). Experimental data from closed chamber gas uptake studies in rodents suggest lower uptake rate of chemical than calculated from literature values on alveolar ventilation. *Arch Toxicol*. 66: 291-295.
- Johansson, M; Larsson, C; Bergman, A; Lund, BO. (1998). Structure-activity relationship for inhibition of CYP11B1-dependent glucocorticoid synthesis in Y1 cells by aryl methyl sulfones. *Pharmacology & toxicology*. 83: 225-230.
- John, M; Rubick, R; Schmitz, RPH; Rakoczy, J; Schubert, T; Diekert, G. (2009). Retentive Memory of Bacteria: Long-Term Regulation of Dehalorespiration in *Sulfurospirillum multivorans*. *J Bacteriol*. 191: 1650-1655.
- John, M; Schmitz, RPH; Westermann, M; Richter, W; Diekert, G. (2006). Growth substrate dependent localization of tetrachloroethene reductive dehalogenase in *Sulfurospirillum multivorans*. *Archives of Microbiology*. 186: 99-106.
- Johnson. (2014). Threshold of Trichloroethylene Contamination in Maternal Drinking Waters Affecting Fetal Heart Development in the Rat (vol 113, pg A18, 2005). *Environ Health Perspect*. 122: A94-A94.
- Johnson, DR; Lee, PKH; Holmes, VF; Alvarez-Cohen, L. (2005). An internal reference technique for accurately quantifying specific mRNAs by real-time PCR with a application to the tceA reductive dehalogenase gene. *Appl Environ Microbiol*. 71: 3866-3871.
- Johnson, DR; Lee, PKH; Holmes, VF; Alvarez-Cohen, L. (2005). An Internal Reference Technique for Accurately Quantifying Specific mRNAs by Real-Time PCR with Application to the tceA Reductive Dehalogenase Gene. *Appl Environ Microbiol*. 71: 3866-3871.
- Johnson, DR; Lee, PKH; Holmes, VF; Fortin, AC; Alvarez-Cohen, L. (2005). Transcriptional expression of the tceA gene in a Dehalococcoides-containing microbial enrichment. *Appl Environ Microbiol*. 71: 7145-7151.
- Johnson, DR; Nemir, A; Andersen, GL; Zinder, SH; Alvarez-Cohen, L. (2009). Transcriptomic microarray analysis of corrinoid responsive genes in *Dehalococcoides ethenogenes* strain 195. *FEMS Microbiol Lett*. 294: 198-206.
- Johnson, DR; Park, J; Kukor, JJ; Abriola, LM. (2006). Effect of carbon starvation on toluene degradation activity by toluene monooxygenase-expressing bacteria. *Biodegradation*. 17: 437-445.
- Johnson, EL; Smith, CA; O'Reilly, KT; Hyman, MR. (2004). Induction of methyl Tertiary butyl ether (MTBE)-oxidizing activity in *Mycobacterium vaccae* JOB5 by MTBE. *Appl Environ Microbiol*. 70: 1023-1030.
- Johnson, GR; Gupta, K; Putz, DK; Hu, Q; Brusseau, ML. (2003). The effect of local-scale physical heterogeneity and nonlinear, rate-limited sorption/desorption on contaminant transport in porous media. *J Contam Hydrol*. 64: 35-58.
- Johnson, GR; Norris, DK; Brusseau, ML. (2009). Mass removal and low-concentration tailing of trichloroethene in freshly-amended, synthetically-aged, and field-contaminated aquifer material. *Chemosphere*. 75: 542-548.
- Johnson, GR; Zhang, Z; Brusseau, ML. (2003). Characterizing and quantifying the impact of immiscible-liquid dissolution and nonlinear, rate-limited sorption/desorption on low-concentration elution tailing. *Water Resour Res*. 39: 1120-1120.
- Johnson, PD; Dawson, BV; Goldberg, SJ; Mays, MZ. (2004). Trichloroethylene: Johnson et al.'s response. *Environ Health Perspect*. 112: A608-A609.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2003). Threshold of trichloroethylene contamination in maternal drinking waters affecting fetal heart development in the rat. *Environ Health Perspect*. 111: 289-292.
- Johnson, RH; Poeter, EP. (2007). Insights into the use of time-lapse GPR data as observations for inverse multiphase flow simulations of DNAPL migration. *J Contam Hydrol*. 89: 136-155.
- Johnson, RL; Cherry, JA; Pankow, JF. (1989). DIFFUSIVE CONTAMINANT TRANSPORT IN NATURAL CLAY A FIELD EXAMPLE AND IMPLICATIONS FOR CLAY-LINED WASTE DISPOSAL SITES. *Environ Sci Technol*. 23: 340-349.
- Johnson, RL; Pankow, JF. (1992). Dissolution of dense chlorinated solvents into groundwater: 2. Source functions for pools of solvent. *Environ Sci Technol*. 26: 896-901.
- Johnson, RL; Simon, MA. (2007). Evaluation of groundwater flow patterns around a dual-screened groundwater circulation well. *J Contam Hydrol*. 93: 188-202.
- Johnson, RL; Tratnyek, PG; Johnson, RO. (2008). Persulfate Persistence under Thermal Activation Conditions. *Environmental Science & Technology*. 42: 9350-9356.
- Johnson, RP; Hill, CL. (1999). Polyoxometalate oxidation of chemical warfare agent simulants in fluorinated media. *Journal of applied toxicology : JAT*. 19 Suppl 1: S71-75.

Environmental Hazard Literature Search Results

Off Topic

- Johnson, TL; Scherer, MM; Tratnyek, PG. (1996). Kinetics of halogenated organic compound degradation by iron metal. *Environmental Science & Technology*. 30: 2634-2640.
- Johnson, VM; Tuckfield, RC; Ridley, MN; Anderson, RA. (1996). REDUCING THE SAMPLING FREQUENCY OF GROUNDWATER MONITORING WELLS. *Environmental Science & Technology*. 30: 355-358.
- Johnson, WP; Bao, G; John, WW. (2002). Specific UV absorbance of Aldrich humic acid: changes during transport in aquifer sediment. *Environmental science & technology*. 36: 608-616.
- Johnson, WP; John, WW. (1999). PCE solubilization and mobilization by commercial humic acid. *J Contam Hydrol*. 35: 343-362.
- Johnston, JE; Gibson, JM. (2011). Probabilistic Approach to Estimating Indoor Air Concentrations of Chlorinated Volatile Organic Compounds from Contaminated Groundwater: A Case Study in San Antonio, Texas. *Environmental Science & Technology*. 45: 1007-1013.
- Johnston, JE; Gibson, JM. (2014). Spatiotemporal variability of tetrachloroethylene in residential indoor air due to vapor intrusion: a longitudinal, community-based study. *Journal of exposure science & environmental epidemiology*. 24: 564-571.
- Johnston, JJ; Borden, RC; Barlaz, MA. (1996). Anaerobic biodegradation of alkylbenzenes and trichloroethylene in aquifer sediment down gradient of a sanitary landfill. *J Contam Hydrol*. 23: 263-283.
- Jolivet, LJ; Anders, MW. (2002). Structure-activity relationship for the biotransformation of haloalkenes by rat liver microsomal glutathione transferase 1. *Chem Res Toxicol*. 15: 1036-1041.
- Jolivet, LJ; Anders, MW. (2003). Computational and experimental studies on the distribution of addition and substitution products of the microsomal glutathione transferase 1-catalyzed conjugation of glutathione with fluoroalkenes. *Chem Res Toxicol*. 16: 137-144.
- Jonczyk, A; Gierczak, AH. (1998). Direct dichlorovinylolation of nitriles with trichloroethylene under phase-transfer catalysis conditions. *Synthesis-Stuttgart*962-964.
- Jonczyk, A; Gierczak, AH. (2001). Direct chlorovinylolation and ethynylation of some C-H acids under conditions of phase transfer catalysis. *Synthesis-Stuttgart*93-96.
- Jones, BD; Ingle, JD. (2005). Evaluation of redox indicators for determining sulfate-reducing and dechlorinating conditions. *Water Res*. 39: 4343-4354.
- Jones, BK; Hathway, DE. (1978). The biological fate of vinylidene chloride in rats. *Chem Biol Interact*. 20: 27-41.
- Jones, CJ; McGugan, PJ; Smith, AJ; Wright, SJ. (1977). Adsorption of some toxic substances by waste components. *J Hazard Mater*. 2: 219-225.
- Jones, EH; Reynolds, DA; Wood, AL; Thomas, DG. (2011). Use of Electrophoresis for Transporting Nano-Iron in Porous Media. *Ground Water*. 49: 172-183.
- Jones, GR; Singer, PP. (2008). An unusual trichloroethanol fatality attributed to sniffing trichloroethylene. *J Anal Toxicol*. 32: 183-186.
- Jones, HE; Bowen, SE; Balster, RL. (1996). ASPIRIN'S ABILITY TO ATTENUATE THE DEVELOPMENTAL DELAYS OF PRENATAL EXPOSURE TO 1,1,1-TRICHLOROETHANE. 26th Annual Meeting Of The Society For Neuroscience, Washington, DC, Usa, November. 22: 168.
- Jones, HE; Kunko, PM; Robinson, SE; Balster, RL. (1996). Developmental consequences of intermittent and continuous prenatal exposure to 1,1,1-trichloroethane in mice. *J Toxicol Environ Health*. 55: 635-646.
- Jones, RD; Winter, DP. (1983). Two case reports of deaths on industrial premises attributed to 1,1,1-trichloroethane. *Arch Environ Health*. 38: 59-61.
- Jones, S. (1993). KEY ISSUES IN THE ECOLOGICAL ASSESSMENT OF CHLOROETHANES. Twentieth Annual Aquatic Toxicity Workshop, Quebec City, Quebec, Canada, October. 0: 249.
- Jones, TD; Easterly, CE. (1996). A RASH analysis of national toxicology program data: Predictions for 30 compounds to be tested in rodent carcinogenesis experiments. *Environ Health Perspect*. 104: 1017-1030.
- Jonsson, J; Eriksson, L; Sjostrom, M; Wold, S; Tosato, ML. (1989). A STRATEGY FOR RANKING ENVIRONMENTALLY OCCURRING CHEMICALS. *Chemometrics Intelligent Lab Syst*. 5: 169-186.
- Joo, JC; Ahn, CH; Jang, DG; Yoon, YH; Kim, JK; Campos, L; Ahn, H. (2013). Photocatalytic degradation of trichloroethylene in aqueous phase using nano-ZNO/Laponite composites. *J Hazard Mater*. 263: 569-574.
- Jop, K; Williams, JW; Foster, RB. (1990). TOXICITY EVALUATION OF THE PROPOSED SECONDARY AND THE PRIMARY EFFLUENTS DISCHARGED TO MASSACHUSETTS BAY USA. *Bull Environ Contam Toxicol*. 45: 399-407.
- Jorgensen, PR; Jorgensen, PR; Broholm, K; Sonnenborg, TO; Arvin, E. (1998). DNAPL transport through macroporous, clayey till columns. *Ground Water*. 36: 651-660.
- Joseph, JM; Luke, TL; Aravind, UK; Aravindakumar, CT. (2001). Photochemical production of hydroxyl radical from aqueous iron(III)-hydroxy complex: determination of its reaction rate constants with some substituted benzenes using deoxyribose-thiobarbituric acid assay. *Water environment research : a research publication of the Water Environment Federation*. 73: 243-247.
- Joskow, PL. (2002). Transaction cost economics, antitrust rules, and remedies. *Journal of Law Economics & Organization*. 18: 95-116.
- Jou, CJG; Lee, CL; Tsai, CH; Wang, HP. (2008). Microwave-assisted photocatalytic degradation of trichloroethylene using titanium dioxide. *Environ Eng Sci*. 25: 975-979.
- Joun, WT; Lee, SS; Koh, YE; Lee, KK. (2016). Impact of Water Table Fluctuations on the Concentration of Borehole Gas from NAPL Sources in the Vadose Zone. *Vadose Zone Journal*. 15: NIL_52-NIL_64.
- Ju, XM; Hecht, M; Galhotra, RA; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2006). Destruction of gas-phase trichloroethylene in a modified fuel cell. *Environmental Science & Technology*. 40: 612-617.
- Juettner, F. (1986). ANALYSIS OF ORGANIC COMPOUNDS VOLATILE ORGANIC COMPOUNDS IN THE FOREST AIR OF THE SOUTHERN BLACK FOREST WEST GERMANY. *Chemosphere*. 15: 985-992.

Environmental Hazard Literature Search Results

Off Topic

- Juliastuti, SR; Baeyens, J; Creemers, C. (2003). Inhibition of nitrification by heavy metals and organic compounds: The ISO 9509 test. *Environ Eng Sci.* 20: 79-90.
- Juliastuti, SR; Baeyens, J; Creemers, C; Bixio, D; Lodewyckx, E. (2003). The inhibitory effects of heavy metals and organic compounds on the net maximum specific growth rate of the autotrophic biomass in activated sludge. *J Hazard Mater.* 100: 271-283.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater.* 152: 62-70.
- Jung, B; Batchelor, B. (2008). Dechlorination of trichloroethylene formed from 1,1,2,2-tetrachloroethane by dehydrochlorination in Portland cement slurry including Fe(II). *Chemosphere.* 71: 726-734.
- Jung, B; Farzaneh, H; Khodary, A; Abdel-Wahab, A. (2015). Photochemical degradation of trichloroethylene by sulfite-mediated UV irradiation. *Journal of Environmental Chemical Engineering.* 3: 2194-2202.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ.* 449: 443-450.
- Jung, BM; Batchelor, B; Park, JY; Abdel-Wahab, A. (2014). Linear Free Energy Relationship Analysis of Chlorinated Hydrocarbons in Cement Slurries. *International Journal of Environmental Research.* 8: 819-830.
- Jung, H; Ahn, Y; Choi, H; Kim, IS. (2005). Effects of in-situ ozonation on indigenous microorganisms in diesel contaminated soil: Survival and regrowth. *Chemosphere.* 61: 923-932.
- Jung, IG; Park, OH. (2005). Enhancement of cometabolic biodegradation of trichloroethylene (TCE) gas in biofiltration. *J Biosci Bioeng.* 100: 657-661.
- Jung, J; Lee, MJ. (2002). EPR investigation on the efficiency of hydroxyl radical production of gamma-irradiated anatase and bentonite. *Water Res.* 36: 3359-3363.
- Jung, J; Yoon, JH; Chung, HH; Lee, MJ. (2003). Comparative study of H₂O₂ and O₃ effects on radiation treatment of TCE and PCE. *Chemosphere.* 51: 881-885.
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2015). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol.* 36: 1044-1049.
- Jung, YS; Lim, WT; Park, JY; Kim, YH. (2009). Effect of pH on Fenton and Fenton-like oxidation. *Environ Technol.* 30: 183-190.
- Junoy, B; Maccario, H; Enjalbert, CNdSUMRUMRUUšdlMšš; e, FšdMšeiF; Drouva, SV. (2002). Proteasome implication in phorbol ester- and GnRH-induced selective down-regulation of PKC (alpha, epsilon, zeta) in alpha T(3)-1 and L beta T(2) gonadotrope cell lines. *Endocrin*2002, Apr. 143.
- Jurkiewicz, A; Maciel, GE. (1995). SOLID-STATE ¹³C NMR STUDIES OF THE INTERACTION OF ACETONE CARBON TETRACHLORIDE AND TRICHLOROETHYLENE WITH SOIL COMPONENTS. *Sci Total Environ.* 164: 195-202.
- Just, SR; Stockwell, KJ. Comparison of the effectiveness of emerging in situ technologies and traditional ex situ treatment of solvent-contaminated soils. *ACS Symposium series - American Chemical Society.* 1993. (518): 238-277.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, SQ; Edwards, EA; Loffler, FE. (2014). Bioaugmentation with Distinct Dehalobacter Strains Achieves Chloroform Detoxification in Microcosms. *Environmental Science & Technology.* 48: 1851-1858.
- Juttner, F. (1995). ELIMINATION OF TERPENOID ODOROUS COMPOUNDS BY SLOW SAND AND RIVER BANK FILTRATION OF THE RUHR RIVER GERMANY. *Water Science And Technology.* 31: 211-217.
- Juttner, F. (1999). Efficacy of bank filtration for the removal of fragrance compounds and aromatic hydrocarbons. *Water Science And Technology.* 40: 123-128.
- Juuti, S; Vartiainen, T; Ruuskanen, J. (1996). Formation of organochlorine compounds in kraft pulp bleaching processes. *Chemosphere.* 33: 2431-2440.
- Këssler, F. (1991). Trichloroethylene interactions with muscle cells. *Journal of applied toxicology : JAT.*
- Këřstner, M. (1991). Reductive dechlorination of Tri- and tetrachloroethylenes depends on transition from aerobic to anaerobic conditions. *Appl Environ Microbiol.* 57: 2039-2046.
- Kacaroglu, F. (1999). Review of groundwater pollution and protection in karst areas. *Water Air And Soil Pollution.* 113: 337-356.
- Kadlec, RH; Martin, DC; Tsao, D. (2012). Constructed marshes for control of chlorinated ethenes: An 11-year study. *Ecol Eng.* 46: 11-23.
- Kadry, AM; Farghali, H; Abdel-Rahman, MS. (1989). Toxicity and metabolism of trichloroethylene in rat hepatocytes. *Arch Environ Contam Toxicol.* 18: 888-894.
- Kadry, AM; Turkall, RM; Skowronski, GA; Abdel-Rahman, MS. (1991). Soil adsorption alters kinetics and bioavailability of trichloroethylene in orally exposed female rats. *Toxicol Lett.* 58: 337-346.
- Kageyama, C; Ohta, T; Hiraoka, K; Suzuki, M; Okamoto, T; Ohishi, K. (2005). Chlorinated aliphatic hydrocarbon-induced degradation of trichloroethylene in *Wautersia numadzuensis* sp nov. *Archives of Microbiology.* 183: 56-65.
- Kahl, MD; Russom, CL; Defoe, DL; Hammermeister, DE. (1999). Saturation units for use in aquatic bioassays. *Chemosphere.* 39: 539-551.
- Kahng, HY; Malinverni, JC; Majko, MM; Kukor, JJ. (2001). Genetic and functional analysis of the tbc operons for catabolism of alkyl- and chloroaromatic compounds in *Burkholderia* sp strain JS150. *Appl Environ Microbiol.* 67: 4805-4816.
- Kaifas, D; Malleret, L; Kumar, N; Fetimi, W; Claeys-Bruno, M; Sergent, M; Doumenq, P. (2014). Assessment of potential positive effects of nZVI surface modification and concentration levels on TCE dechlorination in the presence of competing strong oxidants, using an experimental design. *Sci Total Environ.* 481: 335-342.
- Kaiman, B; Kluwe, M; Zu, KOEFKERHM; Lorber, KE. (1991). CORRELATION BETWEEN CARBON MONOXIDE AND PIC-EMISSIONS. Eleventh International Symposium On Chlorinated Dioxins And Related Compounds, Part. 25: 1403-1407.

Environmental Hazard Literature Search Results

Off Topic

- Kainz, A; Cross, H; Freeman, S; Gescher, A; Chipman, JK. (1993). Effects of 1,1-dichloroethene and of some of its metabolites on the functional viability of mouse hepatocytes. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 21: 140-148.
- Kaiser, JP; Bollag, JM. (1990). MICROORGANISMS IN NUCLEAR WASTE DISPOSAL PART I MICROBIAL ACTIVITY IN THE TERRESTRIAL SUBSURFACE. *Experientia*. 46: 797-806.
- Kaiser, KLE; Comba, ME. (1986). TRACKING RIVER PLUMES WITH VOLATILE HALOCARBON CONTAMINANTS THE ST.-CLAIR RIVER-LAKE ST.-CLAIR EXAMPLE CANADA USA. *Environ Toxicol Chem*. 5: 965-976.
- Kaiser, KLE; Oliver, BG; Charlton, MN; Nichol, KD; Comba, ME. (1988). POLYCHLORINATED BIPHENYLS IN ST. LAWRENCE RIVER SEDIMENTS. *International Symposium On Fate And Effects Of Toxic Chemicals In Large Rivers And Their Estuaries, Quebec City, Quebec, Canada, October*. 98: 495-506.
- Kaiser, KLE; Valdmanis, I. (1979). Volatile Chloro- and Chlorofluorocarbons in Lake Erie 1977 and 1978. *J Great Lakes Res*. 5: 160-169.
- Kajiwara, Y; Ajimi, S; Hosokawa, A; Maekawa, K. (1997). Improvement of carcinogen detection in the BALB/3T3 cell transformation assay by using a rich basal medium supplemented with low concentration of serum and some growth factors. *Mutat Res*. 393: 81-90.
- Kakinoki, K; Yamane, K; Teraoka, R; Otsuka, M; Matsuda, Y. (2004). Effect of relative humidity on the photocatalytic activity of titanium dioxide and photostability of famotidine. *J Pharm Sci*. 93: 582-589.
- Kalavrouziotis, IK; Koukoulakis, PH. (2012). Soil pollution under the effect of treated municipal wastewater. *Environ Monit Assess*. 184: 6297-6305.
- Kalifa, Y; Huang, T; Rosen, LN; Chatterjee, S; Gavis, ER. (2006). Glorund, a Drosophila hnRNP F/H homolog, is an ovarian repressor of nanos translation. *Developmental Cell*. 10: 291-301.
- Kalinovich, I; Allen-King, RM; Thomas, K. (2012). Distribution of carbonaceous matter in lithofacies: impacts on HOC sorption nonlinearity. *J Contam Hydrol*. 133: 84-93.
- Kalinowski, T. (2013). Technical, Economical and Social Aspects of Moving Treatability Studies for In Situ Bioremediation of Contaminated Aquifers from the Laboratory to the Field. *Dissertation Abstracts International Vol 74, no 08, suppl B, 200 p 2013*.
- Kalinski, RJ; Kelly, WE; Bogardi, I; Ehrman, RL; Yamamoto, PD. (1994). The modality of the migration and over-wintering of small passerines in a forest in southern France. *Ground Water*. 32: 31-34.
- Kalliomaa, K; Haag-Gronlund, M; Victorin, K. (1998). A new model function for continuous data sets in health risk assessment of chemicals using the benchmark dose concept. *Regul Toxicol Pharmacol*. 27: 98-107.
- Kallman, MJ; Lynch, MR; Landauer, MR. (1983). Taste aversions to several halogenated hydrocarbons. *Neurobehav Toxicol Teratol*. 5: 23-27.
- Kallqvist, T; Carlberg, GE; Kringstad, A. (1989). Ecotoxicological characterization of industrial wastewater: Sulfite pulp mill with bleaching. *Ecotoxicol Environ Saf*. 18: 321-336.
- Kaluzny, P; Chazal, S; Jacob, V; Tripoli, F; Baussand, P; Foster, P. (2001). Characterisation of volatile organic compound emissions during the composting of household wastes. *Fresen Environ Bull*. 10: 520-526.
- Kamens, RM; Fulcher, JN; Ball, LM; Gold, A. (1987). ANALYSIS OF CYCLOPENTAFUSED ISOMERS OF BENZ-A-ANTHRACENE IN WOOD SMOKE. *Biomed Environ Mass Spectrom*. 14: 369-374.
- Kamlet, MJ; Doherty, RM; Taft, RW; Abraham, MH; Veith, GD; Abraham, DJ. (1987). SOLUBILITY PROPERTIES IN POLYMERS AND BIOLOGICAL MEDIA 8. AN ANALYSIS OF THE FACTORS THAT INFLUENCE TOXICITIES OF ORGANIC NONELECTROLYTES TO THE GOLDEN ORFE FISH LEUCISCUS-IDUS-MELANOTUS. *Environ Sci Technol*. 21: 149-154.
- Kamlet, MJ; Doherty, RM; Veith, GD; Taft, RW; Abraham, MH. (1986). SOLUBILITY PROPERTIES OF POLYMERS AND BIOLOGICAL MEDIA 7. AN ANALYSIS OF TOXICANT PROPERTIES THAT INFLUENCE INHIBITION OF BIOLUMINESCENCE IN PHOTOBACTERIUM-PHOSPHOREUM THE MICROTOX TEST. *Environ Sci Technol*. 20: 690-695.
- Kampbell, DH; Wilson, JT; Read, HW; Stocksdale, TT. (1987). REMOVAL OF VOLATILE ALIPHATIC HYDROCARBONS IN A SOIL BIOREACTOR. *Japca*. 37: 1236-1240.
- Kamps, R; Mueller, H; Schmitt, M; Sommer, S; Wang, Z; Kleinermanns, K. (1993). Photooxidation of exhaust pollutants: I. Degradation efficiencies, quantum yields and products of benzene photooxidation. *Chemosphere*. 27: 2127-2142.
- Kan, AT; Tomson, MB. (1996). UNIFAC prediction of aqueous and nonaqueous solubilities of chemicals with environmental interest. *Environmental Science & Technology*. 30: 1369-1376.
- Kan, E; Deshusses, MA. (2009). Modeling of a Foamed Emulsion Bioreactor: II. Model Parametric Sensitivity. *Biotechnol Bioeng*. 102: 708-713.
- Kan, ES; Deshusses, MA. (2006). Cometabolic degradation of TCE vapors in a foamed emulsion bioreactor. *Environmental Science & Technology*. 40: 1022-1028.
- Kan, FWK; Forkert, PG; Wade, MG. (2007). Trichloroethylene exposure elicits damage in epididymal epithelium and spermatozoa in mice. *Histol Histopathol*. 22: 977-988.
- Kananizadeh, N; Chokejaroenrat, C; Li, YS; Comfort, S. (2015). Modeling improved ISCO treatment of low permeable zones via viscosity modification: Assessment of system variables. *J Contam Hydrol*. 173: 25-37.
- Kanazawa, S; Filip, Z. Microorganisms and enzymatic activity in soil as affected by trichloroethylene, tetrachloroethylene and dichloromethane. A short communication. *FEMS symposium - Federation of European Microbiological Societies*. 1986. v. 33: 207-209.
- Kanazawa, S; Filip, Z. (1986). EFFECTS OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND DICHLOROMETHANE ON ENZYMATIC ACTIVITIES IN SOIL. *Appl Microbiol Biotechnol*. 25: 76-81.
- Kandris, K; Antoniou, K; Pantazidou, M; Mamais, D. (2015). Modelling Microbial Dechlorination of Trichloroethene: Investigating the Trade-off Between Quality of Fit and Parameter Reliability. *Bull Environ Contam Toxicol*. 94: 295-301.

Environmental Hazard Literature Search Results

Off Topic

- Kane, S; Horn, J; Legler, T; Happel, A. (1999). Expression of soluble methane monooxygenase (sMMO) in *Methylosinus trichosporium* OB3b and *M. sporium*. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 599.
- Kaneko, T; Saegusa, M; Tasaka, K; Sato, A. (2000). Immunotoxicity of trichloroethylene: a study with MRL-lpr/lpr mice. *J Appl Toxicol.* 20: 471-475.
- Kaneko, T; Wang, PY; Sato, A. (2000). Relationship between blood/air partition coefficients of lipophilic organic solvents and blood triglyceride levels. *Toxicology.* 143: 203-208.
- Kanel, SR; Goswami, RR; Clement, TP; Barnett, MO; Zhao, D. (2008). Two dimensional transport characteristics of surface stabilized zero-valent iron nanoparticles in porous media. *Environmental Science & Technology.* 42: 896-900.
- Kang, CH; Shen, C; Saheed, MSM; Mohamed, NM; Ng, TK; Ooi, BS; Burhanudin, ZA. (2016). Carbon nanotube-graphene composite film as transparent conductive electrode for GaN-based light-emitting diodes. *Appl Phys Lett.* 109: 81902-81902.
- Kang, HY; Xiu, ZM; Chen, JW; Cao, WP; Guo, YF; Li, TL; Jin, ZH. (2012). Reduction of nitrate by bimetallic Fe/Ni nanoparticles. *Environ Technol.* 33: 2185-2192.
- Kang, JM; Lee, EY; Park, S. (2001). Co-metabolic biodegradation of trichloroethylene by *Methylosinus trichosporium* is stimulated by low concentrations methane or methanol. *Biotechnol Lett.* 23: 1877-1882.
- Kang, JW; Doty, SL. (2014). Cometabolic degradation of trichloroethylene by *Burkholderia cepacia* G4 with poplar leaf homogenate. *Can J Microbiol.* 60: 487-490.
- Kang, JW; Glaze, WH. (1988). ADVANCED OXIDATION PROCESSES FOR TREATMENT OF GROUNDWATER CONTAMINATED WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. Annual Conference And Exposition Of The American Water Works Association On The Wonderful World Of Water, Orlando, Florida, Usa, June. 80: 82.
- Kang, JW; Khan, Z; Doty, SL. (2012). Biodegradation of Trichloroethylene by an Endophyte of Hybrid Poplar. *Appl Environ Microbiol.* 78: 3504-3507.
- Kang, JW; Le, KH. (1997). A kinetic model of the hydrogen peroxide UV process for the treatment of hazardous waste chemicals. *Environ Eng Sci.* 14: 183-192.
- Kang, JW; Lee, KH. (1997). A kinetic model of the hydrogen peroxide process for the treatment of hazardous waste chemicals./METHODS. *Environ Eng Sci.* 14: 183-192.
- Kang, KH; Dong, JI. (2010). Hazardous air pollutant (HAP) emission characterization of sewage treatment facilities in Korea. *J Environ Monit.* 12: 898-905.
- Kang, MG; Park, HJ; Ahn, SH; Xu, T; Guo, LJ. (2010). Toward Low-Cost, High-Efficiency, and Scalable Organic Solar Cells with Transparent Metal Electrode and Improved Domain Morphology. *Ieee Journal of Selected Topics in Quantum Electronics.* 16: 1807-1820.
- Kang, N; Hua, I; Rao, PS. (2006). Enhanced Fenton's destruction of non-aqueous phase perchloroethylene in soil systems. *Chemosphere.* 63: 1685-1698.
- Kang, SK; Seo, H; Sun, E; Kim, I; Ron, Y. (2011). Remediation of TCE-Contaminated Groundwater Using Nanocatalyst and Bacteria. *J Nanosci Nanotechnol.* 11: 7172-7175.
- Kang, WH; Hwang, I; Park, JY. (2006). Dechlorination of trichloroethylene by a steel converter slag amended with Fe(II). *Chemosphere.* 62: 285-293.
- Kanitkar, YH; Stedtfeld, RD; Steffan, RJ; Hashsham, SA; Cupples, AM. (2016). Loop-Mediated Isothermal Amplification (LAMP) for Rapid Detection and Quantification of Dehalococoides Biomarker Genes in Commercial Reductive Dechlorinating Cultures KB-1 and SDC-9. *Appl Environ Microbiol.* 82: 1799-1806.
- Kanje, M; Kjellstrand, P; Fex, K; Walldorf, A. (1981). Neurotransmitter metabolizing enzymes and plasma butyrylcholinesterase in mice exposed to trichloroethylene. *Acta Pharmacol Toxicol.* 49: 205-209.
- Kanters, J; Louw, R. (1996). Thermal and catalysed halogenation in combustion reactions. *Chemosphere.* 32: 89-97.
- Kanz, MF; Kaphalia, L; Mohsin, S; Taj, Z; Moslen, MT. (1994). Hyperthyroidism increases covalent binding and biliary excretion of 1,1-dichloroethylene in rats. *J Toxicol Environ Health.* 41: 187-206.
- Kanz, MF; Moslen, MT. (1988). HYPERTHYROIDISM ENHANCES HEPATIC COVALENT BINDING BUT NOT URINARY EXCRETION OF 1,1-DICHLOROETHYLENE DCE METABOLITES. 72nd Annual Meeting Of The Federation Of American Societies For Experimental Biology, Las Vegas, Nevada, Usa, May. 2.
- Kanz, MF; Reynolds, ES. (1985). ALTERATIONS OF BILE CANALICULI AND PLASMA MEMBRANES INDUCED BY 1,1-DICHLOROETHYLENE. 69th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Anaheim, Calif, Usa, Apr. 44: 739.
- Kanz, MF; Reynolds, ES. (1986). Early effects of 1,1-dichloroethylene on canalicular and plasma membranes: ultrastructure and stereology. *Exp Mol Pathol.* 44: 93-110.
- Kao, CM. (2014). Recovery of chlorinated solvent trichloroethylene contaminated groundwater using a hybrid treatment system. *Int J Environ Sci Tech.* 11: 149.
- Kao, CM; Chen, KF; Chen, YL; Chen, TY; Huang, WY. (2004). Biobarrier system for remediation of TCE-contaminated aquifers. *Bull Environ Contam Toxicol.* 72: 87-93.
- Kao, CM; Chen, SC; Liu, JK. (2001). Development of a biobarrier for the remediation of PCE-contaminated aquifer. *Chemosphere.* 43: 1071-1078.
- Kao, CM; Chen, SC; Su, MC. (2001). Laboratory column studies for evaluating a barrier system for providing oxygen and substrate for TCE biodegradation. *Chemosphere.* 44: 925-934.
- Kao, CM; Chen, SC; Wang, JY; Chen, YL; Lee, SZ. (2003). Remediation of PCE-contaminated aquifer by an in situ two-layer biobarrier: laboratory batch and column studies. *Water Res.* 37: 27-38.

Environmental Hazard Literature Search Results

Off Topic

- Kao, CM; Chen, YL; Chen, SC; Yeh, TY; Wu, WS. (2003). Enhanced PCE dechlorination by biobarrier systems under different redox conditions. *Water Res.* 37: 4885-4894.
- Kao, CM; Huang, KD; Wang, JY; Chen, TY; Chien, HY. (2008). Application of potassium permanganate as an oxidant for in situ oxidation of trichloroethylene-contaminated groundwater: a laboratory and kinetics study. *J Hazard Mater.* 153: 919-927.
- Kao, CM; Lei, SE. (2000). Using a peat biobarrier to remediate PCE/TCE contaminated aquifers. *Water Res.* 34: 835-845.
- Kao, CM; Prosser, J. (1999). Intrinsic bioremediation of trichloroethylene and chlorobenzene: field and laboratory studies. *J Hazard Mater.* 69: 67-79.
- Kao, CM; Yang, L. (2000). Enhanced bioremediation of trichloroethene contaminated by a biobarrier system. *Water Science and Technology.* 42: 429-434.
- Kao, C-M; Liao, H-Y; Chien, C-C; Tseng, Y-K; Tang, P; Lin, C-E; Chen, S-C. (2016). The change of microbial community from chlorinated solvent-contaminated groundwater after biostimulation using the metagenome analysis. *J Hazard Mater.* 302: 144-150.
- Kaown, D; Jun, SC; Kim, RH; Woosik, S; Lee, KK. (2016). Characterization of a site contaminated by chlorinated ethenes and ethanes using multi-analysis. *Environ Earth Sci.* 75: 745-+.
- Kaown, D; Koh, D-C; Solomon, D; Yoon, Y-Y; Yang, J; Lee, K-K. (2014). Delineation of recharge patterns and contaminant transport using super(3)H- super(3)He in a shallow aquifer contaminated by chlorinated solvents in South Korea. *Hydrogeology Journal.* 22: 1041-1054.
- Kaown, D; Koh, D-C; Solomon, DK; Yoon, Y-Y; Yang, J; Lee, K-K. (2014). Delineation of recharge patterns and contaminant transport using ^3H and ^3He in a shallow aquifer contaminated by chlorinated solvents in South Korea. *Détermination des modalités de recharge et de transport de contaminants à partir de ^3H et ^3He dans un aquifère de surface contaminé par des solvants chlorés en Corée du Sud*. Delineación de los patrones de recarga y transporte de contaminante usando ^3H y ^3He en un acuífero somero contaminado por solventes clorados en Corea del Sur. Delineação de padrões de recarga e transporte de contaminante usando ^3H e ^3He em um aquífero somero contaminado por solventes clorados na Coreia do Sul. *Hydrogeology Journal.* 22: 1041-1054.
- Kaown, D; Shouakar-Stash, O; Yang, J; Hyun, Y; Lee, KK. (2014). Identification of Multiple Sources of Groundwater Contamination by Dual Isotopes. *Groundwater.* 52: 875-885.
- Kapp, RW. (2014). Trichloroethane A2 - Wexler, Philip. *Encyclopedia of Toxicology (Third Edition)* Oxford 823-826.
- Kappler, A; Haderlein, SB. (2003). Natural organic matter as reductant for chlorinated aliphatic pollutants. *Lancet (London, England).* 37: 2714-2719.
- Karanfil, T. (1995). Oxygen sensitivity of natural and synthetic organic macromolecule sorption by activated carbon. PhD Thesis, University of Michigan.
- Karanfil, T; Dastgheib, SA. (2004). Trichloroethylene adsorption by fibrous and granular activated carbons: Aqueous phase, gas phase, and water vapor adsorption studies. *Environmental Science & Technology.* 38: 5834-5841.
- Karanfil, T; Dastgheib, SA; Mauldin, D. (2006). Exploring molecular sieve capabilities of activated carbon fibers to reduce the impact of NOM preloading on trichloroethylene adsorption. *Environmental Science & Technology.* 40: 1321-1327.
- Karanfil, T; Kilduff, JE. (1999). Role of granular activated carbon surface chemistry on the adsorption of organic compounds. 1. Priority pollutants. *Environmental Science & Technology.* 33: 3217-3224.
- Karapanagioti, HK; Kleinedam, S; Sabatini, DA; Grathwohl, P; Ligouis, B. (2000). Impacts of heterogeneous organic matter on phenanthrene sorption: Equilibrium and kinetic studies with aquifer material. *Environmental Science & Technology.* 34: 406-414.
- Karatas, S; Hasar, H; Taskan, E; Ozkaya, B; Sahinkaya, E. (2014). Bio-reduction of tetrachloroethen using a H-2-based membrane biofilm reactor and community fingerprinting. *Water Res.* 58: 21-28.
- Karimi, AA; Redman, JA; Glaze, WH; Stolarik, GF. (1997). Evaluating an AOP for TCE and PCE removal. *American Water Works Association Journal.* 89: 41-53.
- Karlsson, N; Cassel, G; Fåtzngmark, I; Bergman, F. (1986). A comparative study of the acute inhalation toxicity of smoke from TiO₂-hexachloroethane and Zn-hexachloroethane pyrotechnic mixtures. *Arch Toxicol.* 59: 160-166.
- Karlsson, N; Fangmark, I; Haggqvist, I; Karlsson, B; Rittfeldt, L; Marchner, H. (1991). Mutagenicity testing of condensates of smoke from titanium dioxide-hexachloroethane and zinc-hexachloroethane pyrotechnic mixtures. *Mutat Res.* 260: 39-46.
- Karofsky, PS; Sonzogni, WC; Weir, D. (1988). Is It Safe to Drink Water From Tennis Ball Containers? *The Physician and sportsmedicine.* 16: 97-100.
- Karstensen, KH; Ringstad, O; Rustad, I; Kalevi, K; Jorgensen, K; Nylund, K; Alsberg, T; Olafsdottir, K; Heidenstam, O; Solberg, H. (1998). Methods for chemical analysis of contaminated soil samples-tests of their reproducibility between Nordic laboratories. *Talanta.* 46: 423-437.
- Karu, AE. (1993). MONOCLONAL ANTIBODIES AND THEIR USE IN MEASUREMENT OF ENVIRONMENTAL CONTAMINANTS. *Saxena, J. O.* 205-321.
- Karupiah, S; Subramanian, A; Obbard, JP. (2005). Organochlorine residues in odontocete species from the southeast coast of India. *Chemosphere.* 60: 891-897.

Environmental Hazard Literature Search Results

Off Topic

- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res.* 34: 4161-4168.
- Kashyap, R; Iyer, LR; Singh, MM. (1994). Evaluation of daily dietary intake of dichloro-diphenyl-trichloroethane (DDT) and benzene hexachloride (BHC) in India. *Arch Environ Health.* 49: 63-66.
- Kaslusky, SF; Udell, KS. (2002). A theoretical model of air and steam co-injection to prevent the downward migration of DNAPLs during steam-enhanced extraction. *J Contam Hydrol.* 55: 213-232.
- Kaslusky, SF; Udell, KS. (2005). Co-injection of air and steam for the prevention of the downward migration of DNAPLs during steam enhanced extraction: An experimental evaluation of optimum injection ratio predictions. *J Contam Hydrol.* 77: 325-347.
- Kassenga, GR; Pardue, JH. (2002). Fate of TCE in constructed and natural wetland mesocosms. *Wetlands and Remediation* 12:5-32.
- Kastanek, F; Kuncova, G; Demnerova, K; Pazlarova, J; Burkhard, J; Maletterova, Y. (1995). Laboratory and pilot-scale sorption and biodegradation of polychlorinated biphenyls from ground water. *International Biodeterioration & Biodegradation.* 35: 287-300.
- Kasturi, P; Agthe, DE. (1990). ENVIRONMENTAL EXTERNALITIES IN HAWAII AGRICULTURE POTENTIAL REMEDIES AND TRADE-OFFS. *J Environ Syst.* 20: 1990-1991.
- Katami, T; Nisikawa, H; Yasuhara, A. (1992). Emission of chlorinated compounds by combustion of waste dry-cleaning materials. *Chemosphere.* 24: 343-349.
- Kato, H; Nakazawa, Y. (1986). Carbon tetrachloride and trichloroethylene toxicities to rat hepatocytes in primary monolayer culture: its relationship to the level of cytochrome P-450. *Toxicol Lett.* 34: 55-66.
- Kato, J; Kim, HE; Takiguchi, N; Kuroda, A; Ohtake, H. (2008). *Pseudomonas aeruginosa* as a model microorganism for investigation of chemotactic behaviors in ecosystem. *J Biosci Bioeng.* 106: 1-7.
- Katsenovich, YP; Miralles-Wilheirn, FR. (2009). Evaluation of nanoscale zerovalent iron particles for trichloroethene degradation in clayey soils. *Sci Total Environ.* 407: 4986-4993.
- Katz, Y; Gvirtzman, H. (2000). Capture and cleanup of a migrating VOC plume by the in-well vapor stripping: a sand tank experiment. *J Contam Hydrol.* 43: 25-44.
- Kauffman, ME; Keener, WK; Clingenpeel, S; Watwood, ME; Reed, DW; Fujita, Y; Lehman, RM. (2003). Use of 3-hydroxyphenylacetylene for activity-dependent, fluorescent labeling of bacteria that degrade toluene via 3-methylcatechol. *J Microbiol Methods.* 55: 801-805.
- Kauppinen, TP; Pannett, B; Marlow, DA; Kogevinas, M. (1994). Retrospective assessment of exposure through modeling in a study of cancer risks among workers exposed to phenoxy herbicides, chlorophenols and dioxins. *Scandinavian Journal Of Work Environment & Health.* 20: 262-271.
- Kauss, PB. (1991). BIOTA OF THE ST. MARYS RIVER HABITAT EVALUATION AND ENVIRONMENTAL ASSESSMENT. *Hydrobiologia.* 219: 1-36.
- Kavanagh, DMC; Ryan, TA; Mile, B. (1993). Deuterium isotope studies of the hydrofluorination of chloroethenes over chromia catalysts. *J Fluor Chem.* 64: 167-176.
- Kawai, T; Tsutsumi, K. (2009). Adsorption behavior of organic halides on zeolites. *Colloid & polymer science.* 287: 569-575.
- Kawai, Y; Matsubayashi, K. (1996). A novel redox reaction of ebselen with alcohol in basic solution. *Chemical & Pharmaceutical Bulletin.* 44: 1561-1566.
- Kawakami, T; Takano, T; Araki, R. (1986). ENHANCEMENT OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE EVOKING ARRHYTHMIA BY ETHANOL AND HYPOXIA IN THE RAT PERFUSED HEART. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 123.
- Kawakami, T; Takano, T; Araki, R. (1988). SYNERGISTIC INTERACTION OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE HYPOXIA AND ETHANOL ON THE ATRIOVENTRICULAR CONDUCTION OF THE PERFUSED RAT HEART. *Ind Health.* 26: 25-34.
- Kawala, Z; Atamanczuk, T. (1998). Microwave-enhanced thermal decontamination of soil. *Environmental Science & Technology.* 32: 2602-2607.
- Kawamoto, T; Hobara, T; Aoki, T; Kobayashi, H; Iwamoto, S; Sakai, T; Takano, T; Miyazaki, Y; Imamura, A; Ogino, K. (1988). Metabolism of chloral hydrate in the anoxic perfused liver. *Toxicol Lett.* 40: 225-231.
- Kawamoto, T; Hobara, T; Kobayashi, H; Iwamoto, S; Sakai, T; Imamura, A; Koshiro, A. (1987). The metabolism of trichloroethylene and its metabolites in the perfused liver. *The Journal of toxicological sciences.* 12: 87-96.
- Kawamoto, T; Hobara, T; Kobayashi, H; Iwamoto, S; Sakai, T; Takano, T; Miyazaki, Y. (1986). ALTERATION OF THE RATIO OF METABOLITES OF CHLORAL HYDRATE ACCORDING TO INTRACELLULAR REDOX STATE IN THE RAT PERFUSED LIVER. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 229.
- Kawauchi, T; Nishiyama, K. (1989). Residual tetrachloroethylene in dry-cleaned clothes. *Environ Res.* 48: 296-301.
- Kazbay, K; Gilkeson, G. (1998). TRICHLOROETHYLENE INDUCES CACHEXIA AND FATTY INFILTRATE OF LIVER IN MRL-LPR MICE. *Digestive Diseases Week And The 99th Annual Meeting Of The American Gastroenterological Association, New Orleans, Louisiana, Usa, May.* 114.
- Keane, B; Pelikan, S; Toth, GP; Smith, MK; Rogstad, SH. (1999). Genetic diversity of *Typha latifolia* (Typhaceae) and the impact of pollutants examined with tandem-repetitive DNA probes. *American Journal Of Botany.* 86: 1226-1238.
- Keane, PC; Judge, SJ; Blain, PG; Morris, CM. (2011). An investigation into the mechanism of trichloroethylene neurotoxicity in relation to Parkinsonism. *Toxicology.* 290: 117.
- Keefe, SH; Barber, LB; Runkel, RL; Ryan, JN. (2004). Fate of volatile organic compounds in constructed wastewater treatment wetlands. *Environmental science & technology.* 38: 2209-2216.
- Keener, WK; Arp, DJ. (1993). Kinetic studies of ammonia monooxygenase inhibition in *Nitrosomonas europaea* by hydrocarbons and halogenated hydrocarbons in an optimized whole-cell assay. *Appl Environ Microbiol.* 59: 2501-2510.
- Keener, WK; Watwood, ME; Apel, WA. (1998). Activity-dependent fluorescent labeling of bacteria that degrade toluene via toluene 2,3-dioxygenase. *Appl Microbiol Biotechnol.* 49: 455-462.

Environmental Hazard Literature Search Results

Off Topic

- Keener, WK; Watwood, ME; Schaller, KD; Walton, MR; Partin, JK; Smith, WA; Clingenpeel, S. (2001). Use of selective inhibitors and chromogenic substrates to differentiate bacteria based on toluene oxygenase activity. *J Microbiol Methods*. 46: 171-185.
- Kefalas, V; Stacey, NH. (1989). Potentiation of carbon tetrachloride-induced lipid peroxidation by trichloroethylene in isolated rat hepatocytes: No role in enhanced toxicity. *Toxicol Appl Pharmacol*. 101: 158-169.
- Kefalas, V; Stacey, NH. (1991). Potentiating effects of chlorinated hydrocarbons on carbon tetrachloride toxicity in isolated rat hepatocytes and plasma membranes. *Toxicol Appl Pharmacol*. 109: 171-179.
- Kefalas, V; Stacey, NH. (1993). Use of primary cultures of rat hepatocytes to study interactive toxicity: Carbon tetrachloride and trichloroethylene. *Toxicol In Vitro*. 7: 235-240.
- Kegerreis, K. (2012). Exploring Additional Dehalogenation Abilities of DehaloR arrow up , a Previously Characterized, Trichloroethene-Degrading Microbial Consortium. *Masters Abstracts International Vol 51, no 04, 141 p 2012*.
- Keil, DE; Peden-Adams, MM; Wallace, S; Ruiz, P; Gilkeson, GS. (2009). Assessment of trichloroethylene (TCE) exposure in murine strains genetically-prone and non-prone to develop autoimmune disease. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 44: 443-453.
- Keller, DA; Heck, HD. (1988). Mechanistic studies on chloral toxicity: relationship to trichloroethylene carcinogenesis. *Toxicol Lett*. 42: 183-191.
- Kelly, CJ; Bienkowski, PR; Saylor, GS. Kinetic analysis of tod-lux bacterial reporter for toluene degradation and trichloroethylene cometabolism. *Biotechnol Bioeng*. Aug 5, 2000. v. 69 (3): 256-265.
- Kelly, CJ; Bienkowski, PR; Saylor, GS. (2000). Kinetic analysis of a tod-lux bacterial reporter for toluene degradation and trichloroethylene cometabolism. *Biotechnol Bioeng*. 69: 256-265.
- Kelly, CJ; Woo, HJ; Sanseverino, J; Cox, CD; Bienkowski, PR. (1996). COMPARATIVE TOLUENE AND TRICHLOROETHYLENE TCE DEGRADATION IN A BIOLUMINESCENT REPORT STRAIN FOR TCE CO-METABOLISM. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 408.
- Kelly, TJ; Holdren, MW. (1995). APPLICABILITY OF CANISTERS FOR SAMPLE STORAGE IN THE DETERMINATION OF HAZARDOUS AIR POLLUTANTS. *Atmos Environ*. 29: 2595-2608.
- Kelly, TJ; Mukund, R; Spicer, CW; Pollack, AJ. (1994). CONCENTRATIONS AND TRANSFORMATIONS OF HAZARDOUS AIR POLLUTANTS. *Environmental Science & Technology*. 28: 378A-387A.
- Kelsey, JW; Colino, A; White, JC. (2005). Effect of species differences, pollutant concentration, and residence time in soil on the bioaccumulation of 2,2-bis (p-chlorophenyl)-1,1-dichloroethylene by three earthworm species. *Environmental toxicology and chemistry / SETAC*. 24: 703-708.
- Kelsh, DJ; Parsons, MW. (1997). Department of energy sites suitable for electrokinetic remediation. *J Hazard Mater*. 55: 109-116.
- Kempe, E; Muhs, B; Schafer, M. Gene regulation in Drosophila spermatogenesis: analysis of protein binding at the translational control element TCE. *Developmental genetics*. 1993. v. 14 (6): 449-459.
- Kempton, H; Davis, A; Olsen, R. (1992). Remediation of solvent-contaminated soils by aeration. *J Environ Qual*. 21: 121-128.
- Kende, AS; Benechie, M; Curran, DP; Fludzinski, P; Swenson, W; Clardy, J. (1979). The dichlorovinylolation of enolates. *Tetrahedron Lett*. 20: 4513-4516.
- Kende, AS; Fludzinski, P. (1982). Chloroacetylenes as Michael acceptors. I. mechanism of enolate dichlorovinylolation. *Tetrahedron Lett*. 23: 2369-2372.
- Kengen, SWM; Breidenbach, CG; Felske, A; Stams, AJM; Schraa, G; de Vos, WM. (1999). Reductive dechlorination of tetrachloroethene to cis-1,2-dichloroethene by a thermophilic anaerobic enrichment culture. *Appl Environ Microbiol*. 65: 2312-2316.
- Kennedy, AM; Summers, RS. (2015). Effect of DOM Size on Organic Micropollutant Adsorption by GAC. *Environmental Science & Technology*. 49: 6617-6624.
- Kennedy, CA; Lennox, WC. (1997). A pore-scale investigation of mass transport from dissolving DNAPL droplets. *J Contam Hydrol*. 24: 221-246.
- Kennedy, GLJR; Graepel, GJ. (1991). Acute toxicity in the rat following either oral or inhalation exposure. *Toxicol Lett*. 56: 317-326.
- Kennedy, LG; Everett, JW; Becvar, E; Defeo, D. (2006). Field-scale demonstration of induced biogeochemical reductive dechlorination at Dover Air Force Base, Dover, Delaware. *J Contam Hydrol*. 88: 119-136.
- Kennedy, LG; Everett, JW; Gonzales, J. (2006). Assessment of biogeochemical natural attenuation and treatment of chlorinated solvents, Altus Air Force Base, Altus, Oklahoma. *J Contam Hydrol*. 83: 221-236.
- Kenneke, JF; Ferry, JL; Glaze, WH. (1994). THE ORIGIN OF CHLORINATED BYPRODUCTS FROM THE TIO-2-MEDIATED PHOTODEGRADATION OF CHLOROALKENES IN WATER. 207th National Meeting Of The American Chemical Society, San Diego, California, Usa, March. 207: 66.
- Kenneke, JF; McCutcheon, SC. (2003). Use of pretreatment zones and zero-valent iron for the remediation of chloroalkenes in an oxic aquifer. *Environmental Science & Technology*. 37: 2829-2835.
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc*. 50: 1124-1137.
- Kennes, C; Thalasso, F. (1998). Waste gas biotreatment technology. *J Chem Tech Biotechnol*. 72: 303-319.
- Kennes, C; Veiga, MC; Bhatnagar, L. (1998). Methanogenic and perchloroethylene-dechlorinating activity of anaerobic granular sludge. *Appl Microbiol Biotechnol*. 50: 484-488.
- Kenney, MJ; Blecha, F; Fels, RJ; Morgan, DA. (2002). Altered frequency responses of sympathetic nerve discharge bursts after IL-1beta and mild hypothermia. *Journal of applied physiology (Bethesda, Md : 1985)*. 93: 280-288.
- Kent, B; Mosquera, GCB. (2001). Remediation of NAPL-contaminated aquifers: Is the cure worth the cost? *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 36: 1559-1569.

Environmental Hazard Literature Search Results

Off Topic

- Kent, RA; Moore, DRJ; Walker, SL. (1990). DATA GAPS IN THE AQUATIC TOXICOLOGY OF PRIORITY PESTICIDES AND INDUSTRIAL TOXIC SUBSTANCES IN CANADA. Seventeenth Annual Aquatic Toxicity Workshop, Vancouver, British Columbia, Canada, November 11-14. 1124.
- Kent, SD; Checkoway, H; Kalman, DA. (1991). Quantification of volatile solvents in blood by static headspace analysis. *AU - DILLS RL. Talanta*. 38: 365-374.
- Keppler, F; Borchers, R; Hamilton, JT; Kilian, G; Pracht, J; Schäfer, I. (2006). De novo formation of chloroethyne in soil. *Environmental science & technology*. 40: 130-134.
- Keppler, F; Borchers, R; Pracht, J; Rheinberger, S; Scholer, HF. (2002). Natural formation of vinyl chloride in the terrestrial environment. *Environmental Science & Technology*. 36: 2479-2483.
- Kerger, BD; Suder, DR; Schmidt, CE; Paustenbach, DJ. (2005). Airborne exposure to trihalomethanes from tap water in homes with refrigeration-type and evaporative cooling systems. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 68: 401-429.
- Kerster, HW; Schaeffer, DJ. (1983). Brine shrimp (*Artemia salina*) nauplii as a teratogen test system. *Ecotoxicol Environ Saf*. 7: 342-349.
- Keshava, N; Chiu, WSA; Caldwell, JC. (2007). PPAR alpha and TCE: Keshava et al. respond. *Environ Health Perspect*. 115: A15-A16.
- Keshmiri, M; Troczynski, T; Mohseni, M. (2006). Oxidation of gas phase trichloroethylene and toluene using composite sol-gel TiO₂ photocatalytic coatings. *J Hazard Mater*. 128: 130-137.
- Keum, YS; Li, QX. (2004). Reduction of nitroaromatic pesticides with zero-valent iron. *Chemosphere*. 54: 255-263.
- Khaleel, A; Dellinger, B. (2002). FTIR investigation of adsorption and chemical decomposition of CCl₄ by high surface-area aluminum oxide. *Environmental science & technology*. 36: 1620-1624.
- Khan, E; Wirojanagud, W; Sermsai, N. (2009). Effects of iron type in Fenton reaction on mineralization and biodegradability enhancement of hazardous organic compounds. *J Hazard Mater*. 161: 1024-1034.
- Khan, MAJ; Watts, RJ. (1996). Mineral-catalyzed peroxidation of tetrachloroethylene. *Water Air And Soil Pollution*. 88: 247-260.
- Khan, MF; Wu, XH; Ansari, GAS. (2001). Anti-malondialdehyde antibodies in MRL+/- mice treated with trichloroethene and dichloroacetyl chloride: Possible role of lipid peroxidation in autoimmunity. *Toxicol Appl Pharmacol*. 170: 88-92.
- Khan, Z. (2007). Endophyte assisted phytoremediation of trichloroethanol (TCE) – An environmental contaminant. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*. 146: S273-S274.
- Khandelwal, A; Rabideau, AJ. (1999). Transport of sequentially decaying reaction products influenced by linear nonequilibrium sorption. *Water Resour Res*. 35: 1939-1945.
- Khandelwal, A; Rabideau, AJ. (2000). Enhancement of soil-bentonite barrier performance with the addition of natural humus. *J Contam Hydrol*. 45: 267-282.
- Khandelwal, A; Rabideau, AJ. (2000). Enhancement of soil-bentonite barrier performance with the addition of natural humus. *J Contam Hydrol*. 45: 267-282.
- Khandelwal, A; Rabideau, AJ; Shen, PL. (1998). Analysis of diffusion and sorption of organic solutes in soil-bentonite barrier materials. *Environmental Science & Technology*. 32: 1333-1339.
- Khera, R; Ransom, P; Speth, TF. (2013). Using work breakdown structure models to develop unit treatment costs (PDF). *J Am Water Works Assoc*. 105: 1.
- Khindaria, A; Grover, TA; Aust, SD. (1995). Reductive dehalogenation of aliphatic halocarbons by lignin peroxidase of *Phanerochaete chrysosporium*. *Environmental Science & Technology*. 29: 719-725.
- Kibbey, TCG; Ramsburg, CA; Pennell, KD. (2002). Implications of alcohol partitioning behavior for in situ density modification of entrapped dense nonaqueous phase liquids. *Environmental Science & Technology*. 36: 104-111.
- Kido, K; Magara, Y; Furuichi, T; Ikeda, M. (1989). Statistical approach towards point sources of groundwater pollution with tetrachloroethylene: a field study. *The Tohoku journal of experimental medicine*. 157: 229-239.
- Kiecak, A; Kret, E; Cichostepska, M; Malina, G. (2013). Assessment of Intrinsic Biodegradation Potentials in an Aquifer Contaminated with Chlorinated Ethenes in the Vicinity of Nowa Deba. *Ecological Chemistry and Engineering; S; Chemia i Inżynieria Ekologiczna*. 20: 265-278.
- Kikuchi, T; Iwasaki, K; Nishihara, H; Takamura, Y; Yagi, O. (2001). Quantitative and specific detection of a trichloroethylene-degrading methanotroph, *Methylocystis* sp strain M, by a most probable number-polymerase chain reaction method. *Bioscience Biotechnology and Biochemistry*. 65: 2673-2681.
- Kikuchi, T; Iwasaki, K; Nishihara, H; Takamura, Y; Yagi, O. (2002). Quantitative and rapid detection of the trichloroethylene-degrading bacterium *Methylocystis* sp M in groundwater by real-time PCR. *Appl Microbiol Biotechnol*. 59: 731-736.
- Kilburn, KH. (1999). Neurobehavioral and respiratory findings in jet engine repair workers: A comparison of exposed and unexposed volunteers. *Environ Res*. 80: 244-252.
- Kilburn, KH. (2000). Effects of diesel exhaust on neurobehavioral and pulmonary functions. *Arch Environ Health*. 55: 11-17.
- Kilburn, KH. (2002). Do duration of exposure, proximity to electronic manufacturing plants, and involvement in a lawsuit affect chlorinated solvent toxicity? *Arch Environ Health*. 57: 121-126.
- Kilburn, KH. (2002). Is neurotoxicity associated with environmental trichloroethylene (TCE)? *Arch Environ Health*. 57: 113-120.
- Kilburn, KH; Thornton, JC. (1996). Prediction equations for simple and visual two-choice reaction times in environmental neurotoxicology. *Arch Environ Health*. 51: 439-444.
- Kilduff, JE; Karanfil, T. (2002). Trichloroethylene adsorption by activated carbon preloaded with humic substances: effects of solution chemistry. *Water Res*. 36: 1685-1698.

Environmental Hazard Literature Search Results

Off Topic

- Kilduff, JE; Karanfil, T; Weber, WJJR. (1998). TCE adsorption by GAC preloaded with humic substances. *American Water Works Association Journal*. 90: 76-89.
- Kile, DE; Chiou, CT; Helburn, RS. (1990). Effect of some petroleum sulfonate surfactants on the apparent water solubility of organic compounds. *Environ Sci Technol*. 24: 205-208.
- Kim, BH; Baek, KH; Cho, DH; Sung, Y; Koh, SC; Ahn, CY; Oh, HM; Kim, HS. (2010). Complete reductive dechlorination of tetrachloroethene to ethene by anaerobic microbial enrichment culture developed from sediment. *Biotechnol Lett*. 32: 1829-1835.
- Kim, BR. (1994). INDUSTRIAL WASTES AUTOMOTIVE WASTES. *Water Environ Res*. 66: 394-401.
- Kim, DC; Ihm, SK. (2001). Application of spinel-type cobalt chromite as a novel catalyst for combustion of chlorinated organic pollutants. *Environmental Science & Technology*. 35: 222-226.
- Kim, E; Little, JC; Chiu, N; Chiu, A. (2001). Inhalation exposure to volatile chemicals in drinking water. *Journal of Environmental Science and Health Part C-Environmental Carcinogenesis & Ecotoxicology Reviews*. 19: 387-413.
- Kim, EJ; Kim, JH; Azad, AM; Chang, YS. (2011). Facile Synthesis and Characterization of Fe/FeS Nanoparticles for Environmental Applications. *ACS applied materials & interfaces*. 3: 1457-1462.
- Kim, EJ; Kim, JH; Chang, YS; Turcio-Ortega, D; Tratnyek, PG. (2014). Effects of Metal Ions on the Reactivity and Corrosion Electrochemistry of Fe/FeS Nanoparticles. *Environmental Science & Technology*. 48: 4002-4011.
- Kim, E-J; Murugesan, K; Kim, J-H; Tratnyek, PG; Chang, Y-S. (2013). Remediation of Trichloroethylene by FeS-Coated Iron Nanoparticles in Simulated and Real Groundwater: Effects of Water Chemistry. *Industrial & Engineering Chemistry Research*. 52: 9343-9350-9343-9350.
- Kim, ES; Lee, DH; Yum, BW; Chang, HW. (2005). The effect of ionic strength and hardness of water on the non-ionic surfactant-enhanced remediation of perchloroethylene contamination. *J Hazard Mater*. 119: 195-203.
- Kim, E-S; Nomura, I; Hasegawa, Y; Takamizawa, K. (2006). Characterization of a newly isolated cis-1,2-dichloroethylene and aliphatic compound-degrading bacterium, *Clostridium* sp. strain KYT-1. *Biotechnology and bioengineering*. 11: 553-556.
- Kim, G; Jeong, W; Choe, S. (2007). Impact of pH buffer capacity of sediment on dechlorination of atrazine using zero valent iron. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes*. 42: 287-295.
- Kim, H; Ahn, D; Annable, MD. (2016). Enhanced removal of VOCs from aquifers during air sparging using thickeners and surfactants: Bench-scale experiments. *J Contam Hydrol*. 184: 25-34.
- Kim, H; Annable, MD; Rao, PS; Cho, J. (2009). Laboratory evaluation of surfactant-enhanced air sparging for perchloroethene source mass depletion from sand. *Journal of environmental science and health Part A, Toxic/hazardous substances & environmental engineering*. 44: 406-413.
- Kim, H; Hemond, HF. (1998). Natural discharge of volatile organic compounds from contaminated aquifer to surface waters. *Journal of Environmental Engineering-Asce*. 124: 744-751.
- Kim, H; Hong, H-J; Jung, J; Kim, S-H; Yang, J-W. (2010). Degradation of trichloroethylene (TCE) by nanoscale zero-valent iron (nZVI) immobilized in alginate bead. *J Hazard Mater*. 176: 1038-1043.
- Kim, H; Hong, H-J; Lee, Y-J; Shin, H-J; Yang, J-W. (2008). Degradation of trichloroethylene by zero-valent iron immobilized in cationic exchange membrane. *Desalination*. 223: 212-220.
- Kim, H; Lee, S; Moon, JW; Rao, PSC. (2005). Gas transport of volatile organic compounds in unsaturated soils: Quantitative analysis of retardation processes. *Soil Sci Soc Am J*. 69: 990-995.
- Kim, H; Yang, H; Kim, J. (2014). Standardization of the reducing power of zero-valent iron using iodine. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 49: 514-523.
- Kim, HE; Shitashiro, M; Kuroda, A; Takiguchi, N; Ohtake, H; Kato, J. (2006). Identification and characterization of the chemotactic transducer in *Pseudomonas aeruginosa* PAO1 for positive chemotaxis to trichloroethylene. *J Bacteriol*. 188: 6700-6702.
- Kim, HH; Hakoda, T; Kojima, T. (2003). Decomposition of gas-phase diphenylether at 473 K by electron beam generated plasma. *Journal of Physics D-Applied Physics*. 36: 473-481.
- Kim, HH; Ogata, A; Futamura, S. (2005). Atmospheric plasma-driven catalysis for the low temperature decomposition of dilute aromatic compounds. *Journal of Physics D-Applied Physics*. 38: 1292-1300.
- Kim, HH; Prieto, G; Takashima, K; Katsura, S; Mizuno, A. (2002). Performance evaluation of discharge plasma process for gaseous pollutant removal. *Journal of Electrostatics*. 55: 25-41.
- Kim, HJ; Graham, DW. (2003). Effects of oxygen and nitrogen conditions on the transformation kinetics of 1,2-dichloroethenes by *Methylosinus trichosporium* OB3b and its sMMO(C) mutant. *Biodegradation*. 14: 407-414.
- Kim, HJ; Phenrat, T; Tilton, RD; Lowry, GV. (2009). Fe(0) Nanoparticles Remain Mobile in Porous Media after Aging Due to Slow Desorption of Polymeric Surface Modifiers. *Environmental Science & Technology*. 43: 3824-3830.
- Kim, HM; Hyun, Y; Lee, KK. (2007). Remediation of TCE-contaminated groundwater in a sandy aquifer using pulsed air sparging: Laboratory and numerical studies. *Journal of Environmental Engineering-Asce*. 133: 380-388.
- Kim, HS; Ahn, JY; Hwang, KY; Kim, IK; Hwang, I. (2010). Atmospherically Stable Nanoscale Zero-Valent Iron Particles Formed under Controlled Air Contact: Characteristics and Reactivity. *Environmental Science & Technology*. 44: 1760-1766.
- Kim, HS; Ahn, JY; Kim, C; Lee, S; Hwang, I. (2014). Effect of anions and humic acid on the performance of nanoscale zero-valent iron particles coated with polyacrylic acid. *Chemosphere*. 113: 93-100.
- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere*. 73: 813-819.

Environmental Hazard Literature Search Results

Off Topic

- Kim, H-S; Kim, T; Ahn, J-Y; Hwang, K-Y; Park, J-Y; Lim, T-T; Hwang, I. (2012). Aging characteristics and reactivity of two types of nanoscale zero-valent iron particles (Fe⁰ and Fe²⁺) in nitrate reduction. *Chem Eng J.* 197: 16-23.
- Kim, J; Lee, WB. (2009). The Development of a Prediction Model for the Kinetic Constant of Chlorinated Aliphatic Hydrocarbons. *Environmental Modeling & Assessment.* 14: 93-100.
- Kim, JK; Eun, JW; Bae, HJ; Shen, QY; Park, SJ; Kim, HS; Park, S; Ahn, YM; Park, WS; Lee, JY; Nam, SW. (2013). Characteristic molecular signatures of early exposure to volatile organic compounds in rat liver. *Biomarkers.* 18: 706-715.
- Kim, JO. (1997). Gaseous TCE and PCE removal by an activated carbon biofilter. *Bioprocess Engineering.* 16: 331-337.
- Kim, JO. (1998). Removal of trichloroethylene in presence and absence of surfactant. *Water Air and Soil Pollution.* 108: 189-201.
- Kim, JO; TerKonda, PK; Lee, SD. (1998). Gaseous CAH removal by biofiltration in presence and absence of a nonionic surfactant. *Bioprocess Engineering.* 19: 253-259.
- Kim, JS; Itoh, K; Murabayashi, M; Kim, BA. (1999). Pretreatment of the photocatalyst and the photocatalytic degradation of trichloroethylene in the gas-phase. *Chemosphere.* 38: 2969-2978.
- Kim, JY; Park, JK; Emmons, B; Armstrong, DE. (1995). Survey of volatile organic compounds at a municipal solid waste cocomposting facility. *Water Environ Res.* 67: 1044-1051.
- Kim, K; Gurol, MD. (2005). Reaction of nonaqueous phase TCE with permanganate. *Environmental Science & Technology.* 39: 9303-9308.
- Kim, K; Kim, YS; Gurol, MD. (2013). DNAPL TCE Oxidation with Permanganate: Influence of the Phase Transfer Catalyst Pentyltriphenylphosphonium. *Water Air and Soil Pollution.* 224: 1735-1735.
- Kim, KS; Kim, IS. (1998). Characteristics of contaminant transport in bank filtration through dunes. AU - CHOI HC. *Water Science And Technology.* 38: 97-103.
- Kim, K-S; Kwon, T-S; Yang, J-S; Yang, J-W. (2007). Simultaneous removal of chlorinated contaminants by pervaporation for the reuse of a surfactant. *Desalination.* 205: 87-96.
- Kim, KU; Mercado, BL. Physiological responses of rice to TCE -styrene. *Philippine journal of science.* June 1974 (Pub. 1975), 103 (2): 81-89.
- Kim, MH; Hao, OJ. (1999). Cometabolic degradation of chlorophenols by *Acinetobacter* species. *Water Res.* 33: 562-574.
- Kim, MH; Wang, N; McDonald, T; Chu, KH. (2012). Biodefluorination and biotransformation of fluorotelomer alcohols by two alkane-degrading *Pseudomonas* strains. *Biotechnol Bioeng.* 109: 3041-3048.
- Kim, S; Bae, W; Hwang, J; Park, J. (2010). Aerobic TCE degradation by encapsulated toluene-oxidizing bacteria, *Pseudomonas putida* and *Bacillus* spp. *Water Science and Technology.* 62: 1991-1997.
- Kim, S; Hwang, J; Chung, J; Bae, W. (2014). Enhancing trichloroethylene degradation using non-aromatic compounds as growth substrates. *J Hazard Mater.* 275: 99-106.
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nanosized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage.* 151: 378-385.
- Kim, SB; Hwang, HT; Hong, SC. (2002). Photocatalytic degradation of volatile organic compounds at the gas-solid interface of a TiO₂ photocatalyst. *Chemosphere.* 48: 437-444.
- Kim, SB; Hwang, HT; Hong, SC. (2002). Photocatalytic degradation of volatile organic compounds at the gas-solid interface of a TiO₂ photocatalyst. *Chemosphere.* 48: 437-444.
- Kim, SB; Lee, JY; Kim, GS; Hong, SC. (2009). Degradation of gas-phase trichloroethylene over thin-film TiO₂ photocatalyst in multi-modules reactor. *J Hazard Mater.* 166: 848-852.
- Kim, Y; Arp, DJ; Semprini, L. (2000). Chlorinated solvent cometabolism by butane-grown mixed culture. *Journal of Environmental Engineering-Asce.* 126: 934-942.
- Kim, Y; Arp, DJ; Semprini, L. (2002). A combined method for determining inhibition type, kinetic parameters, and inhibition coefficients for aerobic cometabolism of 1,1,1-trichloroethane by a butane-grown mixed culture. *Biotechnol Bioeng.* 77: 564-576.
- Kim, Y; Arp, DJ; Semprini, L. (2002). Kinetic and inhibition studies for the aerobic cometabolism of 1,1,1-trichloroethane, 1,1-dichloroethylene, and 1,1-dichloroethane by a butane-grown mixed culture. *Biotechnol Bioeng.* 80: 498-508.
- Kim, Y; Ayoubi, P; Harker, AR. (1996). Constitutive expression of the cloned phenol hydroxylase gene(s) from *Alcaligenes eutrophus* JMP134 and concomitant trichloroethylene oxidation. *Appl Environ Microbiol.* 62: 3227-3233.
- Kim, Y; Ayoubi, P; Harker, A. (1994). CONSTITUTIVE DEGRADATION OF TRICHLOROETHYLENE BY *ALCALIGENES EUTROPHUS* JMP134. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 307.
- Kim, Y; Harker, AR. (1992). TRANSPOSON MUTAGENESIS OF *ALCALIGENES-EUTROPHUS* AEO106 AND ISOLATION OF PHENOL HYDROXYLASE DEFICIENT MUTANTS TRICHLOROETHYLENE DEGRADATION BY PHENOL HYDROXYLASE. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 382.
- Kim, Y; Istok, JD; Semprini, L. (2004). Push-pull tests for assessing in situ aerobic cometabolism. *Ground Water.* 42: 329-337.
- Kim, Y; Istok, JD; Semprini, L. (2006). Push-pull tests evaluating in situ aerobic cometabolism of ethylene, propylene, and cis-1,2-dichloroethylene. *J Contam Hydrol.* 82: 165-181.
- Kim, Y; Istok, JD; Semprini, L. (2006). Push-pull tests evaluating in situ aerobic cometabolism of ethylene, propylene, and cis-1,2-dichloroethylene. *J Contam Hydrol.* 82: 165-181.
- Kim, Y; Istok, JD; Semprini, L. (2008). Single-well, gas-sparging tests for evaluating the in situ aerobic cometabolism of cis-1,2-dichloroethene and trichloroethene. *Chemosphere.* 71: 1654-1664.

Environmental Hazard Literature Search Results

Off Topic

- Kim, Y; Semprini, L; Arp, DJ. (1997). AEROBIC COMETABOLISM OF CHLOROFORM 1 1 1-TRICHLOROETHANE 1 1-DICHLOROETHYLENE AND OTHER CHLORINATED ALIPHATIC HYDROCARBONS BY BUTANE-UTILIZING MICROORGANISMS. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 473.
- Kim, Y; Watrud, LS; Matin, A. (1995). A carbon starvation survival gene of *Pseudomonas putida* is regulated by sigma 54. *J Bacteriol.* 177: 1850-1859.
- Kim, YH; Carraway, ER. (2000). Dechlorination of pentachlorophenol by zero valent iron and modified zero valent irons. *Environmental Science & Technology.* 34: 2014-2017.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol.* 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated ethenes and acetylenes by palladized iron. *Environ Technol.* 24: 809-819.
- Kim, YH; Carraway, ER. (2003). Reductive dechlorination of TCE by zero valent bimetals. *Environ Technol.* 24: 69-75.
- Kim, Y-k; Shin, J-y; Lee, K-k; Cho, HS; Jeon, HY; Kim, JY. (2012). Mass transfer of trichloroethylene through the palladized iron coated reactive geomembrane. *J Hazard Mater.* 201-202: 7-15.
- Kim, YS; Eun, H; Katase, T; Fujiwara, H. (2007). Vertical distributions of persistent organic pollutants (POPs) caused from organochlorine pesticides in a sediment core taken from Ariake bay, Japan. *Chemosphere.* 67: 456-463.
- Kima, EJ; Leeb, Y-C; Leec, HU; Huhd, YS; Lee, M. (2016). Environment-friendly industrial cleaning agents incorporating plant-oil-based raw materials as chlorofluorocarbon (CFC) alternatives. *Chem Eng J.* 290: 103-115.
- Kimani, NJOROGEBN; Ball, WP; Cherry, RS. (1998). Sorption of 1,2,4-trichlorobenzene and tetrachloroethene within an authigenic soil profile: Changes in Koc with soil depth. *J Contam Hydrol.* 29: 347-377.
- Kinder, MA; Meyer, L; Margaretha, P. (2001). Photocycloaddition of isocoumarins and isothiocoumarins to alkenes. *Helvetica Chimica Acta.* 84: 2373-2378.
- King, GS; Smialek, JE; Troutman, WG. (1985). Sudden death in adolescents resulting from the inhalation of typewriter correction fluid. *JAMA.* 253: 1604-1606.
- King, KE; Iyemere, VP; Weissberg, PL; Shanahan, CM. (2003). Kruppel-like factor 4 (KLF4/GKLF) is a target of bone morphogenetic proteins and transforming growth factor beta 1 in the regulation of vascular smooth muscle cell phenotype. *J Biol Chem.* 278: 11661-11669.
- Kingsley, M; McCredy, P; Sullivan, S; Seidler, R. (1994). INTRODUCTION OF TOLUENE MONOOXYGENASE TMO AND TOLUENE DIOXYGENASE TDO INTO RHIZOSPHERE-COMPETENT BACTERIA DEVELOPMENT AND SCREENING OF STRAINS FOR USE IN PHYTOREMEDIATION OF TCE. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 336.
- Kinzelbach, WKH. (1984). MODELING OF THE TRANSPORT OF CHLORINATED HYDROCARBON SOLVENTS IN GROUNDWATER A CASE STUDY. Symposium On Degradation, Retention And Dispersion Of Pollutants In Groundwater Held By The International Association On Water Pollution Research And Control, Copenhagen, Denmark, Sept. 17: 13-22.
- Kirby, JD; Jetton, AE; Cooke, PS; Hess, RA; Bunick, D; Ackland, JF; Turek, FW; Schwartz, NB. (1992). Developmental hormonal profiles accompanying the neonatal hypothyroidism-induced increase in adult testicular size and sperm production in the rat. *Endocrinology.* 131: 559-565.
- Kirschling, TL; Gregory, KB; Minkley, EG; Lowry, GV; Tilton, RD. (2010). Impact of Nanoscale Zero Valent Iron on Geochemistry and Microbial Populations in Trichloroethylene Contaminated Aquifer Materials. *Environmental Science & Technology.* 44: 3474-3480.
- Kirschman, JC. (1998). Effective regulatory approval process for food ingredient technologies. *Critical Reviews in Food Science and Nutrition.* 38: 465-510.
- Kishi, R; Harabuchi, I; Ikeda, T; Miyake, H. (1986). EFFECTS OF TRICHLOROETHYLENE VAPOR ON SCHEDULE-CONTROLLED BEHAVIOR IN RELATION TO BLOOD AND BRAIN CONCENTRATION DOSE AND TIME. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 150.
- Kissling, GE; Malarkey, DE; Vallant, MK; Johnson, JD; Hejtmanck, MR; Herbert, RA; Boorman, GA. (2009). Evaluation of Dichloroacetic Acid for Carcinogenicity in Genetically Modified Tg.AC Hemizygous and p53 Haploinsufficient Mice. *Toxicol Sci.* 107: 19-26.
- Kistemann, T; Hundhausen, J; Herbst, S; Classen, T; Farber, H. (2008). Assessment of a groundwater contamination with vinyl chloride (VC) and precursor volatile organic compounds (VOC) by use of a geographical information system (GIS). *Int J Hyg Environ Health.* 211: 308-317.
- Kitchin, KT; Brown, JL; Kulkarni, AP. (1993). Predicting rodent carcinogenicity of halogenated hydrocarbons by in vivo biochemical parameters. *Teratog Carcinog Mutagen.* 13: 167-184.
- Kittelmann, S; Friedrich, MW. (2008). Identification of novel perchloroethene-respiring microorganisms in anoxic river sediment by RNA-based stable isotope probing. *Environ Microbiol.* 10: 31-46.
- Kittelmann, S; Friedrich, MW. (2008). Novel uncultured *Chloroflexi* dechlorinate perchloroethene to trans-dichloroethene in tidal flat sediments. *Environ Microbiol.* 10: 1557-1570.
- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research.* 7: 109-116.
- Kjeldsen, P. (1993). Groundwater pollution source characterization of an old landfill. *J Hydrol.* 142: 349-371.
- Kjeldsen, P; Dalager, A; Broholm, K. (1997). Attenuation of methane and nonmethane organic compounds in landfill gas affected soils. *Journal of the Air & Waste Management Association.* 47: 1268-1275.
- Kjellstrand, P; Edström, A; Bjerkemo, M; Holmquist, B. (1982). Effects of trichloroethylene inhalation on acid phosphatase in rodent brain. *Toxicol Lett.* 10: 1-5.
- Kjellstrand, P; Hag, HKG; Kawamoto, T; Hobara, T; Kobayashi, H; Iwamoto, S; Sakai, T; Imamura, A; Koshiro, A; Ogino, K; Nakamura, K. (1987). Changes in the microsomal mixed function oxidase system with long-term trichloroethylene administration. *Arch Toxicol.* 60: 397-400.

Environmental Hazard Literature Search Results

Off Topic

- Kjellstrand, P; Holmquist, B; Alm, P; Kanje, M; Romare, S; Jonsson, I; Månsson, L; Bjerkemo, M. (1983). Trichloroethylene: further studies of the effects on body and organ weights and plasma butyrylcholinesterase activity in mice. *Acta Pharmacol Toxicol.* 53: 375-384.
- Kjellstrand, P; Holmquist, B; Jonsson, I; Romare, S; Månsson, L. (1985). Effects of organic solvents on motor activity in mice. *Toxicology.* 35: 35-46.
- Kjellstrand, P; Holmquist, B; Kanje, M; Alm, P; Romare, S; Jonsson, I; Månsson, BUBM. (1984). Perchloroethylene: effects on body and organ weights and plasma butyrylcholinesterase activity in mice. *Acta Pharmacol Toxicol.* 54: 414-424.
- Kjellstrand, P; Holmquist, B; Mandahl, N; Bjerkemo, M. (1983). Effects of continuous trichloroethylene inhalation on different strains of mice. *Acta Pharmacol Toxicol.* 53: 369-374.
- Kjellstrand, P; Kanje, M; Bjerkemo, M. (1987). Regeneration of the sciatic nerve in mice and rats exposed to trichloroethylene. *Toxicol Lett.* 38: 187-191.
- Kjellstrand, P; Kanje, M; Månsson, L; Bjerkemo, M; Mortensen, I; Lanke, J; Holmquist, B. (1981). Trichloroethylene: effects on body and organ weights in mice, rats and gerbils. *Toxicology.* 21.
- Kjellstrand, P; Månsson, BUBM; Lanke, J; Holmquist, B; Zetterqvist, L. (1982). Sensitivity of Mongolian gerbils to trichloroethylene exposure during neonatal growth. *Toxicol Lett.* 14: 97-101.
- Kläpf, K; KG; Rippen, G; Poremski, HJ. (1982). A laboratory method for testing the volatility from aqueous solution: first results and comparison with theory. *Ecotoxicol Environ Saf.* 6: 545-5945.
- Kläpffer, W; Haag, F; Kohl, E-G; Frank, R. (1988). Testing of the abiotic degradation of chemicals in the atmosphere: The smog chamber approach. *Ecotoxicol Environ Saf.* 15: 298-319.
- Klaassen, CD; Plaa, GL. (1966). Relative effects of various chlorinated hydrocarbons on liver and kidney function in mice. *Toxicol Appl Pharmacol.* 9: 139-151.
- Klaassen, CD; Plaa, GL. (1967). Relative effects of various chlorinated hydrocarbons on liver and kidney function in dogs. *Toxicol Appl Pharmacol.* 10: 119-131.
- Klag, P; Weltzin, M; Eisentrager, A; Dott, W; Ruden, H. (2001). Dechlorination of tetrachloroethene - Influence of tetrachloroethene and methane in batch cultivation under methanotrophic conditions in the presence of oxygen. *Acta Biotechnologica.* 21: 129-139.
- Klammler, H; Hatfield, K; da Luz, JAG; Annable, MD; Newman, M; Cho, J; Peacock, A; Stucker, V; Ranville, J; Cabaniss, SA; Rao, PSC. (2012). Contaminant discharge and uncertainty estimates from passive flux meter measurements. *Water Resour Res.* 48: 2512-2512.
- Klamt, A. (1993). Estimation of gas-phase hydroxyl radical rate constants of organic compounds from molecular orbital calculations. *Chemosphere.* 26: 1273-1289.
- Klasson, KT; Ledbetter, CA; Wartelle, LH; Lingle, SE. (2010). Feasibility of dibromochloropropane (DBCP) and trichloroethylene (TCE) adsorption onto activated carbons made from nut shells of different almond varieties. *Ind Crop Prod.* 31: 261-265.
- Klasson, KT; Ledbetter, CA; Wartelle, LH; Lingle, SE. (2011). Corrigendum to "Feasibility of dibromochloropropane (DBCP) and trichloroethylene (TCE) adsorption onto activated carbons made from nut shells of different almond varieties" [Ind. Crops Prod. 31 (2) (2010) 261-265]. *Ind Crop Prod.* 33: 783.
- Klasson, KT; Wartelle, LH; Lima, IM; Marshall, WE; Akin, DE. (2009). Activated carbons from flax shive and cotton gin waste as environmental adsorbents for the chlorinated hydrocarbon trichloroethylene. *Bioresour Technol.* 100: 5045-5050.
- Klaunig, JE; Babich, MA; Cook, JC; David, RM; DeLuca, JG; McKee, RH; Peters, JM; Roberts, RA; Fenner-Crisp, PA. (2007). PPAR alpha and effects of TCE. *Environ Health Perspect.* 115: A14-A15.
- Klaunig, JE; Goldblatt, PJ; Hinton, DE; Lipsky, MM; Trump, BF. (1984). Carcinogen induced unscheduled DNA synthesis in mouse hepatocytes. *Toxicol Pathol.* 12: 119-125.
- Klaunig, JE; Ruch, RJ. (1987). Role of cyclic AMP in the inhibition of mouse hepatocyte intercellular communication by liver tumor promoters. *Toxicol Appl Pharmacol.* 91: 159-170.
- Klaunig, JE; Ruch, RJ; Lin, ELC. (1989). Effects of trichloroethylene and its metabolites on rodent hepatocyte intercellular communication. *Toxicol Appl Pharmacol.* 99: 454-465.
- Klaunig, JE; Ruch, RJ; Pereira, MA. (1986). Carcinogenicity of chlorinated methane and ethane compounds administered in drinking water to mice. *Environ Health Perspect.* 69: 89-95.
- Klaunig, JE; Ruch, RJ; Weghorst, CM. (1990). Comparative effects of phenobarbital, DDT, and lindane on mouse hepatocyte gap junctional intercellular communication. *Toxicol Appl Pharmacol.* 102: 553-563.
- Klaunig, JE; Siglin, JC; Schafer, LD; Hartnett, JA; Weghorst, CM; Olson, MJ; Hampton, JA. (1989). CORRELATION BETWEEN SPECIES AND TISSUE SENSITIVITY TO CHEMICAL CARCINOGENESIS IN RODENTS AND THE INDUCTION OF DNA SYNTHESIS. *Butterworth, B E, Et Al.* 0: 185-194.
- Klausen, J; Vikesland, PJ; Kohn, T; Burris, DR; Ball, WP; Roberts, AL. (2003). Longevity of granular iron in groundwater treatment processes: Solution composition effects on reduction of organohalides and nitroaromatic compounds. *Environmental Science & Technology.* 37: 1208-1218.
- Klecka, GM; Gonsior, SJ; Markham, DA. (1990). Biological transformations of 1,1,1-trichloroethane in subsurface soils and ground water. *Environ Toxicol Chem.* 9: 1437-1452.
- Kleijn, R; Van, DERVOETE; Udo, DEHAESHA. (1994). Controlling substance flows: The case of chlorine. *Environ Manage.* 18: 523-542.
- Klein, J; Brueggemann, R; Voigt, K; Steinberg, CEW. (1995). Advances In Comparative Analysis Of Adverse Effects In Aquatic Ecosystems With Emphasis On Studies With Humic Substances And On Progress In Mathematical Analysis Techniques. *Water Res.* 29: 2261-2268.

Environmental Hazard Literature Search Results

Off Topic

- Klein, J; Thomas, H; Post, K; Wærner, W. (1992). Dihydrodiol dehydrogenase activities of rabbit liver are associated with hydroxysteroid dehydrogenases and aldo-keto reductases. *European journal of biochemistry / FEBS*. 205: 1155-1162.
- Kleinaltenkamp, M; Jacob, F. (2002). German approaches to business-to-business marketing theory - Origins and structure. *Journal of Business Research*. 55: 149-155.
- Kleineidam, S; Schuth, C; Grathwohl, P. (2002). Solubility-normalized combined adsorption-partitioning sorption isotherms for organic pollutants. *Environmental Science & Technology*. 36: 4689-4697.
- Kleinknecht, SM; Class, H; Braun, J. (2015). Density-Driven Migration of Heavy NAPL Vapor in the Unsaturated Zone. *Vadose Zone Journal*. 14: NIL_67-NIL_78.
- Kleivane, L; Severinsen, T; Skaare, JU. (2000). Biological transport and mammal to mammal transfer of organochlorines in Arctic fauna. *Mar Environ Res*. 49: 343-357.
- Klenk, ID; Grathwohl, P. (2002). Transverse vertical dispersion in groundwater and the capillary fringe. *J Contam Hydrol*. 58: 111-128.
- Kleopfer, RD; Easley, DM; Haas, BJR; Deihl, TG; Jackson, DE; Wurrey, CJ. (1985). ANAEROBIC DEGRADATION OF TRICHLOROETHYLENE IN SOIL. *Environ Sci Technol*. 19: 277-280.
- Kliegman, S; McNeill, K. (2009). Reconciling Disparate Models of the Involvement of Vinyl Radicals in Cobalamin-Mediated Dechlorination Reactions. *Environmental Science & Technology*. 43: 8961-8967.
- Klier, NJ; West, RJ; Donberg, PA. (1999). Aerobic biodegradation of dichloroethylenes in surface and subsurface soils. *Chemosphere*. 38: 1175-1188.
- Kligerman, AD; Bryant, MF; Doerr, CL; Erexson, GL; Evansky, PA; Kwanyuen, P; McGee, JK. (1994). Inhalation studies of the genotoxicity of trichloroethylene to rodents. *Mutat Res*. 322: 87-96.
- Kligerman, AD; Bryant, MF; Doerr, CL; Kwanyuen, P; Erexson, GL. (1992). CYTOGENETIC ANALYSES IN MICE AND RATS EXPOSED TO TRICHLOROETHYLENE. 23rd Annual Scientific Meeting Of The Environmental Mutagen Society, Reno, Nevada, Usa, March. 0: 30.
- Klimes, I; Sacco, JC; James, MO. (2005). Sulfonation of environmental chemicals and their metabolites in the polar bear (*Ursus maritimus*). *Endocrine regulations*. 39: 13-20.
- Kline, ER; Mattson, VR; Pickering, QH; Spehar, DL; Stephan, CE. (1987). EFFECTS OF POLLUTION ON FRESHWATER ORGANISMS. *J Water Pollut Control Fed*. 59: 539-572.
- Kline, SA; McCoy, EC; Rosenkranz, HS; Van, DBL. (1982). Mutagenicity of chloroalkene epoxides in bacterial systems. *Mutat Res*. 101: 115-125.
- Kling, T; Korkealaakso, J; Saarenmaa, J. (2004). Application of nonisothermal multiphase modeling to in situ soil remediation in Soderkulla. *Vadose Zone Journal*. 3: 901-908.
- Kloepffer, W. (1994). Environmental hazard: Assessment of chemicals and products: Part I. General assessment principles. *Environmental Science And Pollution Research International*. 1: 48-53.
- Kloepffer, W. (1994). Environmental hazard: Assessment of chemicals and products: Part III: The limits to single compound assessment. *Environmental Science And Pollution Research International*. 1: 179-184.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis Metropolitan Area. *Arch Environ Health*. 52: 348-354.
- Klopman, G; Frierson, MR; Rosenkranz, HS. (1990). The structural basis of the mutagenicity of chemicals in *Salmonella typhimurium*: The Gene-Tox data base. *Mutat Res*. 228: 1-50.
- Klotz, DM; Hewitt, SC; Korach, KS; Diaugustine, RP. (2000). Activation of a uterine insulin-like growth factor I signaling pathway by clinical and environmental estrogens: requirement of estrogen receptor-alpha. *Endocrinology*. 141: 3430-3439.
- Klotz, U; Ammon, E. (1998). Clinical and toxicological consequences of the inductive potential of ethanol. *Eur J Clin Pharmacol*. 54: 7-12.
- Kluwe, M; Kaimann, B; Lorber, KE; Meoer, ZUKOECKERH. (1990). FORMATION OF INTERMEDIATES DURING FLAMELESS THERMAL DECOMPOSITION OF 1,2-DICHLOROBENZENE. Tenth International Symposium On Chlorinated Dioxins And Related Compounds. 23: 1465-1472.
- Kluwe, WM; McCormack, KM; Hook, JB. (1978). Potentiation of hepatic and renal toxicity of various compounds by prior exposure to polybrominated biphenyls. *Environ Health Perspect*. 23: 241-246.
- Knackmuss, HJ. (1996). Basic knowledge and perspectives of bioelimination of xenobiotic compounds. *J Biotechnol*. 51: 287-295.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air And Soil Pollution*. 88: 205-226.
- Knox, RC; Sabatini, DA; Harwell, JH; Brown, RE; West, CC; Blaha, F; Griffin, C. (1997). Surfactant remediation field demonstration using a vertical circulation well. *Ground Water*. 35: 948-953.
- Ko, JH; Musson, S; Townsend, T. (2010). Destruction of trichloroethylene during hydration of calcium oxide. *J Hazard Mater*. 174: 876-879.
- Ko, JH; Musson, S; Townsend, T. (2011). Removal of trichloroethylene from soil using the hydration of calcium oxide. *J Environ Manage*. 92: 1767-1773.
- Ko, S; Batchelor, B. (2007). Identification of active agents for tetrachloroethylene degradation in Portland cement slurry containing ferrous iron. *Environmental science & technology*. 41: 5824-5832.
- Ko, S; Crimi, M; Marvin, BK; Holmes, V; Huling, SG. (2012). Comparative study on oxidative treatments of NAPL containing chlorinated ethanes and ethenes using hydrogen peroxide and persulfate in soils. *J Environ Manage*. 108: 42-48.
- Ko, SO; Ji, SH. (2007). In situ push-pull tests for the determination of TCE degradation and permanganate consumption rates. *Environ Geol*. 53: 359-364.
- Ko, SO; Schlautman, MA. (1998). Partitioning of hydrophobic organic compounds to sorbed surfactants. 2. Model development/predictions for surfactant-enhanced remediation applications. *Environmental Science & Technology*. 32: 2776-2781.

Environmental Hazard Literature Search Results

Off Topic

- Kobayashi, H; Hobara, T; Hirota, H; Sakai, T. (1983). Neural control of blood pressure following 1,1,1-trichloroethane inhalation: a role of sympathetic nervous system. *Arch Environ Health*. 38: 93-98.
- Kobayashi, H; Hobara, T; Kawamaoto, T; Tanaka, H; Sakai, T. (1988). INFLUENCE OF HEART RATE ON LEFT VENTRICULAR DP-DT FOLLOWING 1 1 1 TRICHLOROETHANE INHALATION. *Arch Environ Health*. 43: 430-435.
- Kobayashi, H; Hobara, T; Kawamoto, T; Sakai, T. (1984). Peripheral vasodilatation following 1,1,1-trichloroethane inhalation: peripheral vessels as a site of action. *Arch Environ Health*. 39: 294-298.
- Kobayashi, H; Hobara, T; Kawamoto, T; Sakai, T. (1986). RESPONSE OF HEART RATE AND ITS MECHANISM FOLLOWING ACUTE 1 1 1 TRICHLOROETHANE INHALATION IN DOG. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 123.
- Kobayashi, H; Hobara, T; Kawamoto, T; Sakai, T. (1987). Effect of 1,1,1-trichloroethane inhalation on heart rate and its mechanism: a role of autonomic nervous system. *Arch Environ Health*. 42: 140-143.
- Kobayashi, K; Tsurumizu, A; Toyoda, M; Saito, Y. (1989). CONTENTS OF CHLOROPHYLLS BETA CAROTENE AND PESTICIDE RESIDUES IN BUTTER HEAD LETTUCE PRODUCED BY VARIOUS CULTIVATION METHODS. *J Jpn Soc Food Sci Technol*. 36: 678-681.
- Kobayashi, R; Ikemoto, T; Seo, M; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2010). Enhancement of immediate allergic reactions by trichloroethylene ingestion via drinking water in mice. *The Journal of Toxicological Sciences*. 35: 699.
- Kobayashi, R; Nakanishi, T; Nagase, H. (2012). Trichloroethylene enhances TCR-CD3-induced proliferation of CD8+ rather than CD4+ T cells. *The Journal of Toxicological Sciences*. 37: 381.
- Kobayashi, S; Hutcheon, DE; Regan, J. (1982). Cardiopulmonary toxicity of tetrachloroethylene. *J Toxicol Environ Health*. 10: 23-30.
- Kobayashi, T; Shimizu, Y; Urano, K. (2003). Estimation of adsorbed amounts of volatile chlorinated organic compounds to wet soil based on the properties of the compounds and soils. *Sci Total Environ*. 301: 215-223.
- Kober, R; Schlicker, O; Ebert, M; Dahmke, A. (2002). Degradation of chlorinated ethylenes by Fe(0): inhibition processes and mineral precipitation. *Environ Geol*. 41: 644-652.
- Kocamemi, BA; Ceâ€ŕen, F. (2005). Cometabolic degradation of TCE in enriched nitrifying batch systems. *J Am Chem Soc* 2005, Sep05, Sep. 127: 12154-12155.
- Kocamemi, BA; Cecen, F. (2007). Kinetic analysis of the inhibitory effect of trichloroethylene (TCE) on nitrification in cometabolic degradation. *Biodegradation*. 18: 71-81.
- Kocamemi, BA; Cecen, F. (2009). Biodegradation of 1,2-dichloroethane (1,2-DCA) by cometabolism in a nitrifying biofilm reactor. *International Biodeterioration & Biodegradation*. 63: 717-726.
- Kocamemi, BA; Cecen, F. (2010). Biological removal of the xenobiotic trichloroethylene (TCE) through cometabolism in nitrifying systems. *Bioresour Technol*. 101: 430-433.
- Kocamemi, BA; Cecen, F. (2010). Cometabolic degradation and inhibition kinetics of 1,2-dichloroethane (1,2-DCA) in suspended-growth nitrifying systems. *Environ Technol*. 31: 295-305.
- Koch, A; Orjala, J; Mutiso, PC; Soejarto, DD. (2006). An antimalarial abietane diterpene from *Fuerstia africana* TCE fries. *Biochemical Systematics and Ecology*. 34: 270-272.
- Koch, R; Nagel, M. (1988). QUANTITATIVE STRUCTURE ACTIVITY RELATIONSHIPS IN SOIL ECOTOXICOLOGY. *Sci Total Environ*. 77: 269-276.
- Koch, R; Schlegelmilch, R; Wolf, HU. (1988). Genetic effects of chlorinated ethylenes in the yeast *Saccharomyces cerevisiae*. *Mutation Research/Genetic Toxicology*. 206: 209-216.
- Kocur, CM; Chowdhury, AI; Sakulchaicharoen, N; Boparai, HK; Weber, KP; Sharma, P; Krol, MM; Austrins, L; Peace, C; Sleep, BE; O'Carroll, DM. (2014). Characterization of nZVI Mobility in a Field Scale Test. *Environmental Science & Technology*. 48: 2862-2869.
- Kocur, CM; Lomheim, L; Boparai, HK; Chowdhury, AIA; Weber, KP; Austrins, LM; Edwards, EA; Sleep, BE; O'Carroll, DM. (2015). Contributions of Abiotic and Biotic Dechlorination Following Carboxymethyl Cellulose Stabilized Nanoscale Zero Valent Iron Injection. *Environmental Science & Technology*. 49: 8648-8656.
- Koenig, JC; Lee, MJ; Manfield, M. (2012). Successful microcosm demonstration of a strategy for biodegradation of a mixture of carbon tetrachloride and perchloroethene harnessing sulfate reducing and dehalorespiring bacteria. *J Hazard Mater*. 219-220: 169-175.
- Koepke, UC; Coon, JM; Triolo, AJ. (1974). Effect of paraoxon on the hypnotic action of chloral hydrate. *Toxicol Appl Pharmacol*. 30: 36-51.
- Koga, M; Akiyama, T; Glaze, WH. (1991). ANALYSIS OF OZONATION BY-PRODUCTS PRODUCED IN DRINKING WATER TREATMENT. *Ixth Uoeh*. 7: 423-432.
- Kogel-Knabner, I; Totsche, KU; Raber, B. (2000). Desorption of polycyclic aromatic hydrocarbons from soil in the presence of dissolved organic matter: Effect of solution composition and aging. *J Environ Qual*. 29: 906-916.
- Koh, LH; Kuhn, DCS; Mohseni, M; Allen, DG. (2004). Utilizing ultraviolet photooxidation as a pre-treatment of volatile organic compounds upstream of a biological gas cleaning operation. *J Chem Tech Biotechnol*. 79: 619-625.
- Koh, S; Bowman, JP; Saylor, GS. (1993). SOLUBLE METHANE MONOOXYGENASE PRODUCTION AND CHLORINATED ALIPHATIC HYDROCARBON DEGRADATION BY A TYPE I METHANOTROPH METHYLOMONAS-METHANICA 68-1. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 378.
- Koh, SC; Bowman, JP; Saylor, GS. (1993). Soluble methane monooxygenase production and trichloroethylene degradation by a type I methanotroph, *Methylomonas methanica* 68-1. *Appl Environ Microbiol*. 59: 960-967.
- Koh, SC; Saylor, GS. (1994). MOLECULAR ANALYSIS OF SPECIES COMPETITION OF METHANOTROPHIC BACTERIA DURING TRICHLOROETHYLENE TCE DEGRADATION. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 419.
- Kohlmeier, JE; Connor, LM; Roberts, AD; Cookenham, T; Martin, K; Woodland, DL. (2010). Nonmalignant Clonal Expansions of Memory CD8(+) T Cells That Arise with Age Vary in Their Capacity To Mount Recall Responses to Infection. *J Immunol*. 185: 3456-3462.

Environmental Hazard Literature Search Results

Off Topic

- Kohn, T; Kane, SR; Fairbrother, DH; Roberts, AL. (2003). Investigation of the inhibitory effect of silica on the degradation of 1,1,1-trichloroethane by granular iron. *Environmental science & technology*. 37: 5806-5812.
- Kohn, T; Livi, KJT; Roberts, AL; Vikesland, PJ. (2005). Longevity of granular iron in groundwater treatment processes: Corrosion product development. *Environmental Science & Technology*. 39: 2867-2879.
- Kohn, T; Roberts, AL. (2006). The effect of silica on the degradation of organohalides in granular iron columns. *J Contam Hydrol*. 83: 70-88.
- Kohn, T; Roberts, AL. (2006). Interspecies competitive effects in reduction of organohalides in Connelly iron columns. *Environ Eng Sci*. 23: 874-885.
- Kohne, A; Kemnitz, E. (1995). Heterogeneous catalyzed synthesis of 1,1,1,2-tetrafluoroethane from 1,1,1,2-tetrachloroethane " thermodynamics and reaction pathways. *J Fluor Chem*. 75: 103-110.
- Kohno, H; Tamura, M; Honda, S; Shibuya, A; Yamamoto, T; Berezin, AA; Chang, JS. (1995). Generation of aerosol particles during the destruction of xylene, and trichloroethylene from air stream by a pulse corona discharge. *J Aerosol Sci*. 26, Supplement 1: S585-S586.
- Kohno, H; Tamura, M; Honda, S; Shibuya, A; Yamamoto, T; Berezin, AA; Chang, JS. (1997). Generation of aerosol particles in the process of xylene, and TCE decomposition from air stream by a ferroelectric packed-bed barrier discharge reactor. *J Aerosol Sci*. 28, Supplement 1: S413-S414.
- Kohu; scaron; ovÅ , K; Havel, L; VlasÅ k, P; Tonik, TGMWRRIPRIPCRkkgc. (2011). A long-term survey of heavy metals and specific organic compounds in biofilms, sediments, and surface water in a heavily affected river in the Czech Republic. *Environ Monit Assess*. 2011174: 1-4.
- Koizumi, A; Fujita, H; Sadamoto, T; Yamamoto, M; Kumai, M; Ikeda, M. (1984). Inhibition of delta-aminolevulinic acid dehydratase by trichloroethylene. *Toxicology*. 30: 93-102.
- Koizumi, A; Kumai, M; Ikeda, M. (1983). Dose-dependent induction and suppression of liver mixed-function oxidase system in chlorinated hydrocarbon solvent metabolism. *Journal of applied toxicology : JAT*. 3: 208-217.
- Kolb, FR; Wilderer, PA. (1997). Activated carbon sequencing batch biofilm reactor to treat industrial wastewater. *Water Science And Technology*. 35: 169-176.
- Komaromy, L; Tigyí, A. (1988). A UNIQUE CELL TYPE IN THE LUNG THE CLARA CELL THE NON-CILIATED BRONCHIOLAR EPITHELIAL CELL. *Acta Biol Hung*. 39: 17-30.
- Komatsu, T; Momonoi, K; Matsuo, T; Hanaki, K. (1994). BIOTRANSFORMATION OF CIS-1 2-DICHLOROETHYLENE TO ETHYLENE AND ETHANE UNDER ANAEROBIC CONDITIONS. *Water Science And Technology*. 30: 75-84.
- Komatsu, T; Shinmyo, J; Momonoi, K. (1997). Reductive transformation of tetrachloroethylene to ethylene and ethane by an anaerobic filter. *Water Science and Technology*. 36: 125-132.
- Kometani, T; Fitz, T; Watt, DS. (1986). A synthesis of succinimides and glutarimides from cyclic anhydrides. *Tetrahedron Lett*. 27: 919-922.
- Komlos, J; Cunningham, AB; Camper, AK; Sharp, RR. (2005). Interaction of *Klebsiella oxytoca* and *Burkholderia cepacia* in dual-species batch cultures and biofilms as a function of growth rate and substrate concentration. *Microb Ecol*. 49: 114-125.
- Komlos, J; Cunningham, AB; Camper, AK; Sharp, RR. (2006). Effect of substrate concentration on dual-species biofilm population densities of *Klebsiella oxytoca* and *Burkholderia cepacia* in porous media. *Biotechnol Bioeng*. 93: 434-442.
- Kommalapati, RR; Valsaraj, KT; Constant, WD. (2002). Soil-water partitioning and desorption hysteresis of volatile organic compounds from a Louisiana Superfund site soil. *Environ Monit Assess*. 73: 275-290.
- Komnitsas, K; Bartzas, G; Paspaliaris, I. (2006). Inorganic contaminant fate assessment in zero-valent iron treatment walls. *Environ Forensics*. 7: 207-217.
- Komori, K; Miyajima, S; Tsuru, T; Fujii, T; Mohri, S; Ono, Y; Sakai, Y. (2009). A rapid and simple evaluation system for gas toxicity using luminous bacteria entrapped by a polyion complex membrane. *Chemosphere*. 77: 1106-1112.
- Komulainen, H; Bondy, SC. (1987). Modulation of levels of free calcium within synaptosomes by organochlorine insecticides. *The Journal of pharmacology and experimental therapeutics*. 241: 575-581.
- Kondo, T; Jinbo, T; Onishi, M; Omasa, K. (2005). Absorption of atmospheric trichloroethylene and tetrachloroethylene by oleander (*Nerium indicum*). *Phyton-Annales Rei Botanicae*. 45: 477-480.
- Kong, EJ; Digiano, FA. (1986). Competitive adsorption among volatile organic chemicals on activated carbon and carbonaceous resin. *Am Water Works Assoc J*. 78: 181-188.
- Kong, JY; Bai, Y; Su, Y; Yao, YJ; He, R. (2014). Effects of trichloroethylene on community structure and activity of methanotrophs in landfill cover soils. *Soil Biology & Biochemistry*. 78: 118-127.
- Konings, AW. (1986). Mechanisms of ozone toxicity in cultured cells. I. Reduced clonogenic ability of polyunsaturated fatty acid-supplemented fibroblasts. Effect of vitamin E. *J Toxicol Environ Health*. 18: 491-497.
- Konturek, PC; Brzozowski, T; Pajdo, R; Nikiforuk, A; Kwiecien, S; Harsch, I; Drozdowicz, D; Hahn, EG; Konturek, SJ. (2004). Ghrelin-a new gastroprotective factor in gastric mucosa. *Journal of physiology and pharmacology : an official journal of the Polish Physiological Society*. 55: 325-336.
- Koo, JK; Ahn, DW; Yoon, SP; Kim, DH. (1990). Effects of water content and temperature on equilibrium distribution of organic pollutants in unsaturated soil. *Water Air Soil Pollut*. 53: 267-278.
- Koo, JK; Kim, DH. (1988). EFFECTS OF WATER CONTENT AND TEMPERATURE ON THE EQUILIBRIUM DISTRIBUTION OF ORGANIC POLLUTANT IN UNSATURATED SOIL. Third Chemical Congress Of North America Held At The 195th American Chemical Society Meeting, Toronto, Ontario, Canada, June. 3: 201.

Environmental Hazard Literature Search Results

Off Topic

- Koob, M; Dekant, W. (1991). BIOACTIVATION OF XENOBIOTICS BY FORMATION OF TOXIC GLUTATHIONE CONJUGATES. *Chem Biol Interact.* 77: 107-136.
- Kool, HJ; Van Kreyl, CF. (1988). Mutagenic activity in drinking water prepared from groundwater: A survey of ten cities in the Netherlands. *Sci Total Environ.* 77: 51-60.
- Koop, DR; Crump, BL; Nordblom, GD; Coon, MJ. (1985). Immunochemical evidence for induction of the alcohol-oxidizing cytochrome P-450 of rabbit liver microsomes by diverse agents: ethanol, imidazole, trichloroethylene, acetone, pyrazole, and isoniazid. *Proceedings of the National Academy of Sciences of the United States of America.* 82: 4065-4069.
- Kopec, AK; Sullivan, BP; Kassel, KM; Joshi, N; Luyendyk, JP. (2014). Toxicogenomic Analysis Reveals Profibrogenic Effects of Trichloroethylene in Autoimmune-Mediated Cholangitis in Mice. *Toxicol Sci.* 141: 515-523.
- Kopinke, F-D; Angeles-Wedler, D; Fritsch, D; Mackenzie, K. (2010). Pd-catalyzed hydrodechlorination of chlorinated aromatics in contaminated waters - Effects of surfactants, organic matter and catalyst protection by silicone coating. *Appl Catal B-Environ.* 96: 323-328.
- Kopinke, F-D; Speichert, G; Mackenzie, K; Hey-Hawkins, E. (2016). Reductive dechlorination in water: Interplay of sorption and reactivity. *Appl Catal B-Environ.* 181: 747-753.
- Kosegi, JM; Minsker, BS; Dougherty, DE. (2000). Feasibility study of thermal in situ bioremediation. *Journal of Environmental Engineering-Asce.* 126: 601-610.
- Kostarelos, K; Pope, GA; Rouse, BA; Shook, GM. (1998). A new concept: the use of neutrally-buoyant microemulsions for DNAPL remediation. *J Contam Hydrol.* 34: 383-397.
- Kotik, M; Davidova, A; Voriskova, J; Baldrian, P. (2013). Bacterial communities in tetrachloroethene-polluted groundwaters: A case study. *Sci Total Environ.* 454: 517-527.
- Kouchi, A; Okabayashi, K; Okamoto, S; Yoshikado, H; Yamamoto, S; Kobayashi, K; Ono, N; Koizumi, M. (2004). Development of a low-rise industrial source dispersion model (METI-LIS model). *Int J Environ Pollut.* 21: 325-338.
- Koutny, M; Ruzicka, J; Chlachula, J. (2003). Screening for phenol-degrading bacteria in the pristine soils of south Siberia. *Appl Soil Ecol.* 23: 79-83.
- Koutrafouris, V; Leondiadis, L; Avgoustakis, K; Livaniou, E; Czarnecki, J; Ithakissios, DS; Evangelatos, GP. (2001). Effect of thymosin peptides on the chick chorioallantoic membrane angiogenesis model. *Biochim Biophys Acta.* 1568: 60-66.
- Kouznetsova, I; Mao, X; Robinson, C; Barry, DA; Gerhard, JI; McCarty, PL. (2010). Biological reduction of chlorinated solvents: Batch-scale geochemical modeling. *Advances in Water Resources.* 33: 969-986.
- Kovacs, DA; Kampbell, DH. (1999). Improved method for the storage of groundwater samples containing volatile organic analytes. *Arch Environ Contam Toxicol.* 36: 242-247.
- Koyama, T; Nakajima, C; Nishimoto, S; Takami, M; Woo, JT; Yazawa, K. (2012). Suppressive Effects of the Leaf of *Terminalia catappa* L. on Osteoclast Differentiation In Vitro and Bone Weight Loss In Vivo. *J Nutr Sci Vitaminol.* 58: 129-135.
- Kozawa, T; Wueki, T; Kobayashi, H; Matsui, S. (1991). MANAGEMENT OF TOXICS FOR THE FUKASHIBA INDUSTRIAL WASTEWATER TREATMENT PLANT OF THE KASHIMA PETROCHEMICAL COMPLEX. *lawprc.* 25: 247-254.
- Koziolek, P; Bryniok, D; Knackmuss, HJ. (1999). Ethene as an auxiliary substrate for the cooxidation of cis-1,2-dichloroethene and vinyl chloride. *Archives of Microbiology.* 172: 240-246.
- Kraaij, RH; Tolls, J; Sum, D; Cornelissen, G; Heikens, A; Belfroid, A. (2002). Effects of contact time on the sequestration and bioavailability of different classes of hydrophobic organic chemicals to benthic oligochaetes (Tubificidae). *Environmental toxicology and chemistry / SETAC.* 21: 752-759.
- Krajangpan, S; Bermudez, JJE; Bezbaruah, AN; Chisholm, BJ; Khan, E. (2008). Nitrate removal by entrapped zero-valent iron nanoparticles in calcium alginate. *Water Science and Technology.* 58: 2215-2222.
- Krajangpan, S; Kalita, H; Chisholm, BJ; Bezbaruah, AN. (2012). Iron Nanoparticles Coated with Amphiphilic Polysiloxane Graft Copolymers: Dispersibility and Contaminant Treatability. *Environmental Science & Technology.* 46: 10130-10136.
- Krajmalnik-Brown, R; Holscher, T; Thomson, IN; Saunders, FM; Ritalahti, KM; Löffler, FE. (2004). Genetic identification of a putative vinyl chloride reductase in *Dehalococcoides* sp strain BAV1. *Appl Environ Microbiol.* 70: 6347-6351.
- Krajmalnik-Brown, R; Sung, Y; Ritalahti, KM; Saunders, FM; Löffler, FE. (2007). Environmental distribution of the trichloroethene reductive dehalogenase gene (*tceA*) suggests lateral gene transfer among *Dehalococcoides*. *FEMS Microbiol Ecol.* 59: 206-214.
- Krall, K; Douglas, J; Perrin, NA; Austin, D; Lambert, WE; Heumann, M. (2008). The view-master health study focus groups. *J Environ Health.* 71: 16-20.
- Kram, M. (1998). Use of SCAPS petroleum hydrocarbon sensor technology for real-time indirect DNAPL detection. *Journal of Soil Contamination.* 7: 73-86.
- Kram, ML; Hartman, B; Frescura, C. (2016). Vapor Intrusion Monitoring Method Cost Comparisons: Automated Continuous Analytical Versus Discrete Time-Integrated Passive Approaches. *Remediation.* 26: 41-52.
- Kram, ML; Keller, AA. (2004). Complex NAPL site characterization using fluorescence. 2. Analysis of soil matrix effects on the excitation/emission matrix. *Soil & sediment contamination.* 13, issue 2: 119-134.
- Kram, ML; Keller, AA. (2004). Complex NAPL site characterization using fluorescence. 3. Detection capabilities for specific excitation sources. *Soil & sediment contamination.* 13, issue 2: 135-148.
- Kramer, CG; Imbus, HR; Ott, MG; Fulkerson, JE; Hicks, N. (1978). Health of workers exposed to 1, 1, 1-trichloroethane: a matched-pair study. *Arch Environ Health.* 33: 331-342.
- Kramer, MF; Poort, C. (1972). Influence of anaesthetic drugs on amino acid incorporation in the rat pancreas. *Biochem Pharmacol.* 21: 441-447.

Environmental Hazard Literature Search Results

Off Topic

- Krantzberg, G; Boyd, D. (1990). THE BIOLOGICAL SIGNIFICANCE OF CONTAMINANTS IN SEDIMENT FROM HAMILTON HARBOR LAKE ONTARIO CANADA. Seventeenth Annual Aquatic Toxicity Workshop, Vancouver, British Columbia, Canada, November 847-884.
- Kranzioch, I; Ganz, S; Tiehm, A. (2015). Chloroethene degradation and expression of Dehalococcoides dehalogenase genes in cultures originating from Yangtze sediments. *Environ Sci Pollut Res Int.* 22: 3138-3148.
- Kranzioch, I; Stoll, C; Holbach, A; Chen, H; Wang, L; Zheng, B; Norra, S; Bi, Y; Schramm, KW; Tiehm, A. (2013). Dechlorination and organohalide-respiring bacteria dynamics in sediment samples of the Yangtze Three Gorges Reservoir. *Environmental science and pollution research international.* 20: 7046-7056.
- Kret, E; Kiecak, A; Malina, G; Nijenhuis, I; Postawa, A. (2015). Identification of TCE and PCE sorption and biodegradation parameters in a sandy aquifer for fate and transport modelling: batch and column studies. *Environ Sci Pollut Res Int.* 22: 9877-9888.
- Kreuzer, LB; Kenyon, ND; Patel, CK. (1972). Air pollution: sensitive detection of ten pollutant gases by carbon monoxide and carbon dioxide lasers. *Science (New York, NY).* 177: 347-349.
- Krijgsheld, KR; Lowe, MC; Mimnaugh, EG; Trush, MA; Ginsburg, E; Gram, TE. (1983). Lung-selective impairment of cytochrome P-450-dependent monooxygenases and cellular injury by 1,1-dichloroethylene in mice. *Biochem Biophys Res Commun.* 110: 675-681.
- Krijgsheld, KR; Lowe, MC; Mimnaugh, EG; Trush, MA; Ginsburg, E; Gram, TE. (1984). Selective damage to nonciliated bronchiolar epithelial cells in relation to impairment of pulmonary monooxygenase activities by 1,1-dichloroethylene in mice. *Toxicol Appl Pharmacol.* 74: 201-213.
- Krill, RM; Sonzogni, WC. (1986). CHEMICAL MONITORING OF WISCONSIN'S USA GROUNDWATER. *Am Water Works Assoc J.* 78: 70-75.
- Kringsholm, B. (1980). Sniffing-associated deaths in Denmark. *Forensic Sci Int.* 15: 215-225.
- Krishnan, K; Haddad, S; Beliveau, M; Tardif, R. (2002). Physiological modeling and extrapolation of pharmacokinetic interactions from binary to more complex chemical mixtures. *Environ Health Perspect.* 110: 989-994.
- Krishnan, K; Johanson, G. (2005). Physiologically-based pharmacokinetic and toxicokinetic models in cancer risk assessment. *Journal of Environmental Science and Health Part C-Environmental Carcinogenesis & Ecotoxicology Reviews.* 23: 31-53.
- Kristen, U; Lockhausen, J; Petersen, W; Schell, R; Strube, K; Frank, H. (1990). THE INFLUENCE OF ORGANIC POLLUTANTS ON SPRUCE NEEDLES. 2nd International Conference On The Tree, Montpellier, France, September. 0: 624-625.
- Kroes, R. (1987). CONTRIBUTION OF TOXICOLOGY TOWARDS RISK ASSESSMENT OF CARCINOGENS. *Arch Toxicol.* 60: 224-228.
- Kroeze, C; Matthijsen, AJCM. (1998). Fluorocarbons and sulfur hexafluoride (SF6): A methodology for national emission inventories and scenarios applied to the Netherlands. *Water Air And Soil Pollution.* 107: 197-218.
- Krol, MM; Johnson, RL; Sleep, BE. (2014). An analysis of a mixed convection associated with thermal heating in contaminated porous media. *Sci Total Environ.* 499: 7-17.
- Krol, MM; Rowe, RK. (2004). Diffusion of TCE through soil-bentonite slurry walls. *Soil & Sediment Contamination.* 13: 81-101.
- Kromann, A; Ludvigsen, L; Albrechtsen, HJ; Christensen, TH; Ejlerthsson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Management & Research.* 16: 54-62.
- Kroneld, R. (1989). VOLATILE POLLUTANTS IN SUBURBAN AND INDUSTRIAL AIR. *Bull Environ Contam Toxicol.* 42: 868-872.
- Kroneld, R; Reunanen, M. (1988). ELIMINATION OF VOLATILE POLLUTANTS FROM WATER. *Bull Environ Contam Toxicol.* 40: 54-59.
- Kronevi, T; Wahlberg, J; Holmberg, B. (1977). Morphological lesions in guinea pigs during skin exposure to 1,1,2-trichloroethane. *Acta Pharmacol Toxicol.* 41: 298-305.
- Krueger, BC; Fabian, P. (1986). MODEL CALCULATIONS ABOUT THE REDUCTION OF ATMOSPHERIC OZONE BY DIFFERENT HALOGENATED HYDROCARBONS. *Ber Bunsen Ges Phys Chem.* 90: 1062-1066.
- Krumme, ML; Timmis, KN; Dwyer, DF. (1993). Degradation of trichloroethylene by *Pseudomonas cepacia* G4 and the constitutive mutant strain G4 5223 PR1 in aquifer microcosms. *Appl Environ Microbiol.* 59: 2746-2749.
- Kruus, P; Beutel, L; Aranda, R; Penchuk, J; Otson, R. (1998). Formation of complex organochlorine species in water due to cavitation. *Chemosphere.* 36: 1811-1824.
- Krzmarzick, MJ. (2011). A common and previously unknown ecological niche: The halo-respiration of natural organochlorines in terrestrial soil and sediment. PhD Thesis, University of Minnesota.
- Ku, Y; Chen, JS; Chen, HW. (2007). Decomposition of benzene and toluene in air streams in fixed-film photoreactors coated with TiO(2) catalyst. *Journal of the Air & Waste Management Association.* 57: 279-285.
- Ku, Y; Tseng, KY; Wang, WY. (2005). Decomposition of gaseous acetone in an annular photoreactor coated with TiO(2) thin film. *Water Air and Soil Pollution.* 168: 313-323.
- Kubatova, A; Kubatova, A; Lagadec, AJM; Hawthorne, SB. (2002). Dechlorination of lindane, dieldrin, tetrachloroethane, trichloroethene, and PVC in subcritical water. *Environmental Science & Technology.* 36: 1337-1343.
- Kubo, I; Karube, I; Suzuki, S; Nambu, Y; Endo, T; Okawara, M. (1986). Substituted polymethylglutamate membrane for immobilization of urease. *J Biotechnol.* 4: 27-33.
- Kuchovsky, T; Sracek, O. (2007). Natural attenuation of chlorinated solvents: a comparative study. *Environ Geol.* 53: 147-157.
- Kuder, T; Philp, P. (2013). Demonstration of Compound-Specific Isotope Analysis of Hydrogen Isotope Ratios in Chlorinated Ethenes. *Environmental Science & Technology.* 47: 1461-1467.
- Kuder, T; van Breukelen, BM; Vanderford, M; Philp, P. (2013). 3D-CSIA: Carbon, Chlorine, and Hydrogen Isotope Fractionation in Transformation of ICE to Ethene by a Dehalococcoides Culture. *Environmental Science & Technology.* 47: 9668-9677.
- Kuder, T; Wilson, JT; Philp, P; He, YT. (2012). Carbon Isotope Fractionation in Reactions of 1,2-Dibromoethane with FeS and Hydrogen Sulfide. *Environmental Science & Technology.* 46: 7495-7502.

Environmental Hazard Literature Search Results

Off Topic

- Kuehn, R; Pattard, M; Pernak, KD; Winter, A. (1989). Results of the Harmful Effects of Selected Water Pollutants (Anilines, Phenols, Aliphatic Compounds) to *Daphnia magna*. *Water Res.* 23: 495-500.
- Kuennen, RW; Van, DYKEK; Crittenden, JC; Hand, DW. (1989). Predicting the multicomponent removal of surrogate compounds by a fixed-bed absorber. *Am Water Works Assoc J.* 81: 46-58.
- Kueper, BH; Redman, D; Starr, RC; Reitsma, M; Mah, M. (1993). A field experiment to study the behavior of tetrachloroethylene below the water table: Spatial distribution of residual and pooled DNAPL. *Ground Water.* 31: 756-766.
- Kuhn, EP; Colberg, PJ; Schnoor, JL; Wanner, O; Zehnder, AJB; Schwarzenbach, RP. (1985). MICROBIAL TRANSFORMATIONS OF SUBSTITUTED BENZENES DURING INFILTRATION OF RIVER WATER TO GROUNDWATER LABORATORY COLUMN STUDIES. *Environ Sci Technol.* 19: 961-968.
- Kuhn, GO; Dux, TP; Ridlen, RL; Stelting, KM. (1985). ANALYTICAL PROCEDURES FOR MICROENCAPSULATED TRICHLOROETHYLENE IN RODENT FEED. 190th American Chemical Society National Meeting, Chicago, Ill, Usa, Sept. 190.
- Kuiper, I; Bloemberg, GV; Lugtenberg, BJJ. (2001). Selection of a plant-bacterium pair as a novel tool for rhizostimulation of polycyclic aromatic hydrocarbon-degrading bacteria. *Mol Plant Microbe Interact.* 14: 1197-1205.
- Kukongviriyapan, V; Kukongviriyapan, U; Simajareuk, S. (1995). Effects of chlorinated solvent exposure on hepatic transport of anionic dyes in the rat. *Asia Pacific Journal Of Pharmacology.* 10: 97-103.
- Kukongviriyapan, V; Simajareuk, S; Kukongviriyapan, U; Cha-on, U; Airarat, W. (2001). Alteration of drug kinetics in rats following exposure to trichloroethylene. *Pharmacology.* 63: 90-94.
- Kulig, BM. (1987). The effects of chronic trichloroethylene exposure on neurobehavioral functioning in the rat. *Public health reports (Washington, DC : 1974).* 9: 171-178.
- Kulig, BM; Muijser, H; Jaspers, RMA; Lammers, JHCM. (1993). THE RATE OF DEVELOPMENT OF TRICHLOROETHYLENE-INDUCED OTOTOXICITY AS A FUNCTION OF SCHEDULE OF EXPOSURE. Fourth Meeting Of The International Neurotoxicology Association, Helsingor, Denmark, June. 14: 548.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination.* 196: 43-54.
- Kultti, S; Nevalainen, L; Luoto, TP; Sarmaja-Korjonen, K. (2011). Subfossil chydorid (Cladocera, Chydoridae) ephippia as paleoenvironmental proxies: evidence from boreal and subarctic lakes in Finland. *Hydrobiologia.* 676: 23-37.
- Kumagai, S; Matsunaga, I. (1999). Within-shift variability of short-term exposure to organic solvent in indoor workplaces. *Am Ind Hyg Assoc J.* 60: 16-21.
- Kumar, A; Hooda, VS; Rani, V; Mukesh, S; Sheokand, R; Singh, A. (2015). Evaluation of alternative tillage and crop establishment methods in rice (*Oryza sativa*) cultivation. *Indian J Agric Sci.* 85: 1109-1113.
- Kumar, A; Vercruyssen, A; Dewulf, J; Lens, P; Van Langenhove, H. (2012). Removal of gaseous trichloroethylene (TCE) in a composite membrane biofilm reactor. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 47: 1046-1052.
- Kumar, N; Auffan, M; Gattacceca, J; Rose, J; Olivi, L; Borschneck, D; Kvapil, P; Jublot, M; Kaifas, D; Malleret, L; Doumenq, P; Bottero, JY. (2014). Molecular Insights of Oxidation Process of Iron Nanoparticles: Spectroscopic, Magnetic, and Microscopic Evidence. *Environmental Science & Technology.* 48: 13888-13894.
- Kumar, P; Prasad, AK; Maji, BK; Mani, U; Dutta, KK. (2001). Hepatotoxic alterations induced by inhalation of trichloroethylene (TCE) in rats. *Biomedical and environmental sciences : BES.* 14: 325-332.
- Kumar, P; Prasad, AK; Mani, U; Maji, BK; Dutta, KK. (2002). Effect of trichloroethylene (TCE) inhalation on biotransformation enzymes of rat lung and liver. *J Environ Biol.* 23: 1-6.
- Kumar, S; Rana, SVS. (1987). HEMOCHROMATOSIS IN THE LIVER OF RAT AFTER EXPOSURE TO FEW XENOBIOTICS A HISTOCHEMICAL STUDY. *Proc Indian Natl Sci Acad Part B Biol Sci.* 53: 221-226.
- Kumar, S; Rana, SVS. (1988). INFLUENCE OF SEX HORMONES ON SERUM TRANSAMINASES DURING EXPERIMENTAL LIVER INJURY IN RATS. *Curr Sci.* 57: 1259-1261.
- Kumar, Y; Byrtus, G. (1993). Monitoring of methoxychlor residues in the Athabasca River system in northern Alberta after treatment for control of black fly larval populations. *Environ Monit Assess.* 28: 15-32.
- Kume, K; Ohura, T; Amagai, T; Fusaya, M. (2008). Field monitoring of volatile organic compounds using passive air samplers in an industrial city in Japan. *Environmental pollution (Barking, Essex : 1987).* 153: 649-657.
- Kun, Z; Hui, C; Guanghe, L; Zhaochang, L. (1998). In situ remediation of petroleum compounds in groundwater aquifer with chlorine dioxide. *Water Res.* 32: 1471-1480.
- Kuncova, G; Pazlarova, J; Hlavata, A; Ripp, S; Sayler, GS. (2011). Bioluminescent bioreporter *Pseudomonas putida* TVA8 as a detector of water pollution. Operational conditions and selectivity of free cells sensor. *Ecol Indicat.* 11: 882-887.
- Kungskulniti, N; Edgerton, SA. (1990). Ambient volatile organic compounds at selected sites in Bangkok city, Thailand. *Chemosphere.* 20: 673-680.
- Kuntz, RL; Brown, LR; Zappi, ME; French, WT. (2003). Isopropanol and acetone induces vinyl chloride degradation in *Rhodococcus rhodochrous*. *Journal of Industrial Microbiology & Biotechnology.* 30: 651-655.
- Kuo, HW; Chiang, TF; Lo, I; Chan, CC; Lai, JS; Wang, JD. (1997). EXPOSURE ASSESSMENT OF VOLATILE ORGANIC COMPOUNDS FROM WATER IN TAIWAN METROPOLITAN AND PETROCHEMICAL AREAS. *Bull Environ Contam Toxicol.* 59: 708-714.

Environmental Hazard Literature Search Results

Off Topic

- Kuo, HW; Chiang, TF; Lo, II; Lai, JS; Chan, CC; Wang, JD. (1997). VOC concentration in Taiwan's household drinking water. *Sci Total Environ.* 208: 41-47.
- Kuo, HW; Lo, II; Chan, CC; Lai, JS; Wang, JD. (1996). Volatile organic compounds in water near petrochemical factories in Taiwan. *Chemosphere.* 33: 913-920.
- Kuo, JF; Ramirez, CA. (1998). DISINFECTION AND ANTIMICROBIAL PROCESSES. *Water Environ Res.* 70: 551-557.
- Kuo, MCT; Liang, KF; Han, YL; Fan, KC. (2004). Pilot studies for in-situ aerobic cometabolism of trichloroethylene using toluene-vapor as the primary substrate. *Water Res.* 38: 4125-4134.
- Kuo, YC; Cheng, SF; Liu, PWG; Chiou, HY; Kao, CM. (2012). Application of enhanced bioremediation for TCE-contaminated groundwater: a pilot-scale study. *Desalination and Water Treatment.* 41: 364-371.
- Kuo, YC; Wang, SY; Chang, YM; Chen, SH; Kao, CM. (2014). Control of trichloroethylene plume migration using a biobarrier system: a field-scale study. *Water Science and Technology.* 69: 2074-2078.
- Kupferle, MJ; Chen, T; Gallardo, VJ; Lindberg, DE; Bishop, PL; Safferman, SI; Bishop, DF. (1995). Anaerobic pretreatment of hazardous waste leachates in publicly owned treatment works. *Water Environ Res.* 67: 910-920.
- Kurnayeva, VP; Burykina, LN; Zel'Tser, ML; Dasayeva, AD; Kolbeneva, LI; Veselovskaya, KA; Demin, YUM; Loshchilov, YUA. (1986). EXPERIMENTAL STUDY OF COMBINED EFFECT OF SOLVENTS AND NOISE. *J Hyg Epidemiol Microbiol Immunol.* 30: 49-56.
- Kurtz, JP; Wolfe, EM; Woodland, AK; Foster, SJ. (2010). Evidence for Increasing Indoor Sources of 1,2-Dichloroethane Since 2004 at Two Colorado Residential Vapor Intrusion Sites. *Ground Water Monitoring and Remediation.* 30: 107-112.
- Kusakabe, K; Aso, S; Wada, T; Hayashi, JI; Morooka, S; Isomura, K. (1991). Destruction rate of volatile organochlorine compounds in water by ozonation with UV radiation. *Water Res.* 25: 1199-1204.
- Kusakabe, K; Aso, S; Wada, T; Hayashi, J-I; Morooka, S; Isomura, K. (1991). Destruction rate of volatile organochlorine compounds in water by ozonation with ultraviolet radiation. *Water Res.* 25: 1199-1203.
- Kushida, M; Sukata, T; Uwagawa, S; Ozaki, K; Kinoshita, A; Wanibuchi, H; Morimura, K; Okuno, Y; Fukushima, S. (2005). Low dose DDT inhibition of hepatocarcinogenesis initiated by diethylnitrosamine in male rats: possible mechanisms. *Carcinogenesis.* 208: 285-294.
- Kusic, H; Peternel, I; Koprivanac, N; Bozic, AL. (2011). Iron-Activated Persulfate Oxidation of an Azo Dye in Model Wastewater: Influence of Iron Activator Type on Process Optimization. *Journal of Environmental Engineering-Asce.* 137: 454-463.
- Kuster, M; Diaz-Cruz, S; Rosell, M; de Alda, ML; Barcelo, D. (2010). Fate of selected pesticides, estrogens, progestogens and volatile organic compounds during artificial aquifer recharge using surface waters. *Chemosphere.* 79: 880-886.
- Kustov, LM; Finashina, ED; Shuvalova, EV; Tkachenko, OP; Kirichenko, OA. (2011). Pd-Fe nanoparticles stabilized by chitosan derivatives for perchloroethene dechlorination. *Environ Int.* 37: 1044-1052.
- Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide. *Atmospheric Environment Part A General Topics.* 27: 599-604.
- Kutsuna, S; Ibusuki, T; Takeuchi, K. (2000). Heterogeneous photoreaction of tetrachloroethene - Air mixture on halloysite particles. *Environmental Science & Technology.* 34: 2484-2489.
- Kuzyk, MA; Burian, J; Machander, D; Dolhaine, D; Cameron, S; Thornton, JC; Kay, WW. (2001). An efficacious recombinant subunit vaccine against the salmonid rickettsial pathogen *Piscirickettsia salmonis*. *Vaccine.* 19: 2337-2344.
- Kv; tina, J; Grossmann, V; Svoboda, Z; Safã rovã , M. (1997). Preclinical comparison of bis-diketopiperazine-propane (dexrazoxane) and bis-diketopiperazine-ethane (antimet) on the adriamycin-cardiotoxic effect. *The Biochemical journal.* 325: 23-28.
- Kwok, ESC; Atkinson, R. (1995). ESTIMATION OF HYDROXYL RADICAL REACTION RATE CONSTANTS FOR GAS-PHASE ORGANIC COMPOUNDS USING A STRUCTURE-REACTIVITY RELATIONSHIP AN UPDATE. *Atmos Environ.* 29: 1685-1695.
- Kwon, K; Shim, H; Bae, W; Oh, J; Bae, J. (2016). Simultaneous biodegradation of carbon tetrachloride and trichloroethylene in a coupled anaerobic/aerobic biobarrier. *J Hazard Mater.* 313: 60-67.
- Kwon, KD; Jo, WK; Lim, HJ; Jeong, WS. (2008). Volatile pollutants emitted from selected liquid household products. *Environmental science and pollution research international.* 15: 521-526.
- Kwon, TS; Yang, JS; Baek, K; Lee, JY; Yang, JW. (2006). Silicone emulsion-enhanced recovery of chlorinated solvents: batch and column studies. *J Hazard Mater.* 136: 610-617.
- Kyrklund, T; Alling, C; Haglid, K; Kjellstrand, P. (1983). Chronic exposure to trichloroethylene: lipid and acyl group composition in gerbil cerebral cortex and hippocampus. *Neurotoxicology.* 4: 35-42.
- Kyrklund, T; Alling, C; Kjellstrand, P; Haglid, KG. (1984). Chronic effects of perchloroethylene on the composition of lipid and acyl groups in cerebral cortex and hippocampus of the gerbil. *Toxicol Lett.* 22: 343-349.
- Kyrklund, T; Alling, C; Kjellstrand, P; Haglid, KG. (1985). Fatty acid composition of ethanolamine phosphoglycerides in different areas of the gerbil brain after chronic exposure to trichloroethylene. *Neurochemical pathology.* 3: 151-158.
- Kyrklund, T; Goracci, G; Haglid, KG; Rosengren, L; Porcellati, G; Kjellstrand, P. (1984). Chronic effects of trichloroethylene upon S-100 protein content and lipid composition in gerbil cerebellum. *Scandinavian journal of work, environment & health.* 10: 89-93.
- Kyrklund, T; Haglid, KG. (1989). BRAIN LIPID AND FATTY ACID COMPOSITION OF THE CEREBRAL CORTEX OF GUINEA-PIG PUPS AFTER INTRAUTERINE EXPOSURE TO PERCHLOROETHYLENE. Twelfth Meeting Of The International Society For Neurochemistry, Algarve, Portugal, April. 52.
- Kyrklund, T; Kjellestrand, P; Haglid, KG. (1985). THE DEVELOPMENT AND REHABILITATION OF CHANGES AMONG POLYUNSATURATED FATTY-ACIDS IN CEREBRAL CORTEX ETHANOLAMINE PHOSPHOGLYCERIDE FOLLOWING EXPOSURE OF RATS TO TRICHLOROETHYLENE. 2nd Nordic Neurochemical Symposium, Copenhagen, Denmark, Aug. 72: 264.

Environmental Hazard Literature Search Results

Off Topic

- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1986). Fatty acid changes in rat brain ethanolamine phosphoglycerides during and following chronic exposure to trichloroethylene. *Toxicol Appl Pharmacol.* 85: 145-153.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1987). LIPID COMPOSITION AND FATTY ACID PATTERN OF THE GERBIL BRAIN AFTER EXPOSURE TO PERCHLOROETHYLENE. *Arch Toxicol.* 60: 397-400.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1990). Long-term exposure of rats to perchloroethylene, with and without a post-exposure solvent-free recovery period: Effects on brain lipids. *Toxicol Lett.* 52: 279-286.
- López, DDoC; Environmental, EioJuli nC; a, sr; a, snOS; Ord; nt, S; Sastre, H; DÁjez, FV. (2003). Kinetic study of the gas-phase hydrogenation of aromatic and aliphatic organochlorinated compounds using a Pd/Al₂O₃ catalyst. *J Hazard Mater.* 97: 281-294.
- Löffler, FE; Sanford, RA. (1999). Fraction of electrons consumed in electron acceptor reduction and hydrogen thresholds as indicators of halorespiratory physiology. *Appl Environ Microbiol.* 65: 4049-4056.
- Lá, W; Kamiya, I. (2012). The influence of interlayer molecules in luminescence of self-assembled bilayer PbS quantum dot films. *J Nanosci Nanotechnol.* 12: 410-415.
- Labieniec, PA. (1998). COMMENTARY ON FATE AND EXPOSURE MODELS APPLICATION OF SOIL RISK TO A HYPOTHETICAL SITE. *Journal of Soil Contamination.* 7: 311-317.
- Labra, M; De Mattia, F; Bernasconi, M; Bertacchi, D; Grassi, F; Bruni, I; Citterio, S. (2010). The Combined Toxic and Genotoxic Effects of Chromium and Volatile Organic Contaminants to *Pseudokirchneriella subcapitata*. *Water Air and Soil Pollution.* 213: 57-70.
- Labranche, DF; Collins, MR. (1996). Stripping volatile organic compounds and petroleum hydrocarbons from water. *Water Environ Res.* 68: 348-358.
- Lacinova, L; Kvapil, P; Cernik, M. (2012). A field comparison of two reductive dechlorination (zero-valent iron and lactate) methods. *Environ Technol.* 33: 741-749.
- Lackey, LW; Gamble, J; Boles, JL. (2003). Biofiltration of trichloroethylene-contaminated air: A pilot study. *Journal of the Air & Waste Management Association.* 53: 1248-1255.
- Lackey, LW; Gamble, JR; Boles, JL. (2002). Bench-scale evaluation of a biofiltration system used to mitigate trichloroethylene contaminated air streams. *Adv Environ Res.* 7: 97-104.
- Lackey, LW; Phelps, TJ; Korde, V; Nold, S; Ringelberg, D; Bienkowski, PR; White, DC. (1994). Feasibility testing for the on-site bioremediation of organic wastes by native microbial consortia. *International Biodeterioration & Biodegradation.* 33: 41-59.
- Lacombe, PJ; Burton, WC. (2010). Hydrogeologic Framework of Fractured Sedimentary Rock, Newark Basin, New Jersey. *Ground Water Monitoring and Remediation.* 30: 35-45.
- Lacroix, E; Brovelli, A; Barry, DA; Holliger, C. (2014). Use of silicate minerals for pH control during reductive dechlorination of chloroethenes in batch cultures of different microbial consortia. *Appl Environ Microbiol.* 80: 3858-3867.
- Lacroix, E; Brovelli, A; Maillard, J; Rohrbach-Brandt, E; Barry, DA; Holliger, C. (2014). Use of silicate minerals for long-term pH control during reductive dechlorination of high tetrachloroethene concentrations in continuous flow-through columns. *The Science of the total environment.* 481: 335-342.
- Ladaa, TI; Lee, CM; Coates, JT; Falta, RW, Jr. (2001). Cosolvent effects of alcohols on the Henry's law constant and aqueous solubility of tetrachloroethylene (PCE). *Chemosphere.* 44: 1137-1143.
- Ladner, CL; Yang, J; Turner, RJ; Edwards, RA. (2004). Visible fluorescent detection of proteins in polyacrylamide gels without staining. *Anal Biochem.* 326: 13-20.
- Lafuente, A. (2000). Possible estrogenic and/or antiandrogenic effects of methoxychlor on prolactin release in male rats. *Arch Toxicol.*
- Lai, A; Aulenta, F; Mingazzini, M; Palumbo, MT; Papini, MP; Verdini, R; Majone, M. (2017). Bioelectrochemical approach for reductive and oxidative dechlorination of chlorinated aliphatic hydrocarbons (CAHs). *Chemosphere.* 169: 351-360.
- Lai, A; Verdini, R; Aulenta, F; Majone, M. (2015). Influence of nitrate and sulfate reduction in the bioelectrochemically assisted dechlorination of cis-DCE. *Chemosphere.* 125: 147-154.
- Lai, KCK; Lo, IMC. (2007). Effects of seepage velocity and temperature on the dechlorination of chlorinated aliphatic hydrocarbons. *Journal of Environmental Engineering-Asce.* 133: 859-868.
- Lai, KCK; Lo, IMC; Birkelund, V; Kjeldsen, P. (2006). Field monitoring of a permeable reactive barrier for removal of chlorinated organics. *Journal of Environmental Engineering-Asce.* 132: 199-210.
- Lai, PT; Li, GQ; Huang, MQ; Zeng, SH; Cheng, YC. (1999). A study of various oxide/silicon interfaces by Ar⁺ backsurface bombardment. *Journal of Applied Physics.* 85: 2253-2256.
- Lai, WH; Chang, PL. (2010). Corporate motivation and performance in R&D alliances. *Journal of Business Research.* 63: 490-496.
- Lai, YJ; Becker, JG. (2013). Compounded Effects of Chlorinated Ethene Inhibition on Ecological Interactions and Population Abundance in a Dehalococoides - Dehalobacter Coculture. *Environmental Science & Technology.* 47: 1518-1525.
- Laine, PL; Sohn, YS; Nicovich, JM; McKee, ML; Wine, PH. (2012). Kinetics of elementary steps in the reactions of atomic bromine with isoprene and 1,3-butadiene under atmospheric conditions. *The journal of physical chemistry A.* 116: 6341-6357.
- Lakshminathiraj, P; Bhaskar Raju, G; Sakai, Y; Takuma, Y; Yamasaki, A; Kato, S; Kojima, T. (2012). Studies on electrochemical detoxification of trichloroethene (TCE) on Ti/IrO₂-Ta₂O₅ electrode from aqueous solution. *Chem Eng J.* 198-199: 211-218.
- Lakshminathiraj, P; Bhaskar Raju, G; Sakai, Y; Takuma, Y; Yamasaki, A; Kato, S; Kojima, T. (2012). Studies on electrochemical detoxification of trichloroethene (TCE) on Ti/IrO₂, Ta₂O₅ electrode from aqueous solution. *Chem Eng J.* 198-199: 211-218.
- Lal, M; Schoeneich, C; Moenig, J; Asmus, KD. (1988). RATE CONSTANTS FOR THE REACTIONS OF HALOGENATED ORGANIC RADICALS. *Int J Radiat Biol.* 54: 773-786.

Environmental Hazard Literature Search Results

Off Topic

- Lamb, CW; Miller, FM; Roth, A; Dellinger, B; Sidhu, S. (1994). DETAILED DETERMINATION OF ORGANIC EMISSIONS FROM A PREHEATER CEMENT KILN CO-FIRED WITH LIQUID HAZARDOUS WASTES. *Hazardous Waste & Hazardous Materials*. 11: 201-216.
- Lammers, J; van Asperen, J; de Groot, D; Rijcken, WRP. (2005). Behavioural effects and kinetics in brain in response to inhalation of constant or fluctuating toluene concentrations in the rat. *Environ Toxicol Pharmacol*. 19: 625-634.
- Lampron, KJ; Chiu, PC; Cha, DK. (2001). Reductive dehalogenation of chlorinated ethenes with elemental iron: The role of microorganisms. *Water Res*. 35: 3077-3084.
- Lan, Y; Madden, ASE; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environmental Science-Processes & Impacts*. 18: 1266-1273.
- Landmeyer, JE; Miller, S; Campbell, BG; Vroblesky, DA; Gill, AC; Clark, AP. (2011). Investigation of the potential source area, contamination pathway, and probable release history of chlorinated-solvent-contaminated groundwater at the Capital City Plume Site, Montgomery, Alabama, 2008-2010. *Scientific Investigations Report US Geological Survey*.
- Lane, RW; Riddle, BL; Borzelleca, JF. (1982). Effects of 1,2-dichloroethane and 1,1,1-trichloroethane in drinking water on reproduction and development in mice. *Toxicol Appl Pharmacol*. 63: 409-421.
- Lang, MM; Roberts, PV; Semprini, L. (1997). Model simulations in support of field scale design and operation of bioremediation based on cometabolic degradation. *Ground Water*. 35: 565-573.
- Lange, CC; Wackett, LP; Minton, KW; Daly, MJ. (1998). Engineering a recombinant *Deinococcus radiodurans* for organopollutant degradation in radioactive mixed waste environments. *Nature Biotechnology*. 16: 929-933.
- Langen, FHMM; Paul, PG; Booren, RV. (1987). STEAM STRIPPING ORGANIC COMPOUNDS FROM CONTAMINATED WATERS. De Waal, K J A And W J Van Den Brink. 0: 513-519.
- Langer, VW; Novakowski, KS; Woodbury, AD. (1999). Sorption of trichloroethene onto stylolites. *J Contam Hydrol*. 40: 1-23.
- Lanzarone, NA; McCarty, PL. (1990). Column studies on methanotrophic degradation of trichloroethene and 1,2-dichloroethane. *Ground Water*. 28: 910-919.
- Lanzerstorfer, C; Puxbaum, H. (1990). Volatile hydrocarbons in and around Vienna, Austria. *Water Air Soil Pollut*. 51: 345-356.
- Laor, Y; Ronen, D; Graber, ER. (2003). Using a passive multilayer sampler for measuring detailed profiles of gas-phase VOCs in the unsaturated zone. *Environmental Science & Technology*. 37: 352-360.
- Lapat-Polasko, LT; Fisher, GA; Bess, VH; Lazarr, NC. (1994). AEROBIC BIODEGRADATION OF TCE IN GROUNDWATER WITHOUT THE ADDITION OF A COMETABOLIC INDUCER. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 438.
- Larroque, V; Desauziers, V; Mocho, P. (2006). Development of a solid phase microextraction (SPME) method for the sampling of VOC traces in indoor air. *J Environ Monit*. 8: 106-111.
- Larsen, M; Burken, J; Machackova, J; Karlson, UG; Trapp, S. (2008). Using tree core samples to monitor natural attenuation and plume distribution after a PCE spill. *Environmental Science & Technology*. 42: 1711-1717.
- Larsen, T; Kjeldsen, P; Christensen, TH. (1992). Correlation of benzene, 1,1,1-trichloroethane, and naphthalene distribution coefficients to the characteristics of aquifer materials with low organic carbon content. *Chemosphere*. 24: 979-991.
- Larsen, T; Kjeldsen, P; Christensen, TH. (1992). Sorption of hydrophobic hydrocarbons on three aquifer materials in a flow through system. *Chemosphere*. 24: 439-451.
- Larson, JL; Bull, RJ. (1989). Effect of ethanol on the metabolism of trichloroethylene. *J Toxicol Environ Health*. 28: 395-406.
- Larson, JL; Bull, RJ. (1992). Species differences in the metabolism of trichloroethylene to the carcinogenic metabolites trichloroacetate and dichloroacetate. *Toxicol Appl Pharmacol*. 115: 278-285.
- LaSage, DM; Fryar, AE; Mukherjee, A; Sturchio, NC; Heraty, LJ. (2008). Groundwater-derived contaminant fluxes along a channelized Coastal Plain stream. *J Hydrol*. 360: 265-280.
- Lash, LH; Cummings, BS. (2010). 7.04 - Mechanisms of Toxicant-Induced Acute Kidney Injury A2 - McQueen, Charlene A. *Comprehensive Toxicology (Second Edition)* Oxford81-115.
- Lash, LH; Putt, DA; Huang, P; Hueni, SE; Parker, JC. (2007). Modulation of hepatic and renal metabolism and toxicity of trichloroethylene and perchloroethylene by alterations in status of cytochrome P450 and glutathione. *Toxicology*. 235: 11-26.
- Lash, LH; Putt, DA; Parker, JC. (2006). Metabolism and tissue distribution of orally administered trichloroethylene in male and female rats: Identification of glutathione- and cytochrome P-450-derived metabolites in liver, kidney, blood, and urine. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 69: 1285-1309.
- Lash, LH; Qian, W; Putt, DA; Desai, K; Elfarra, AA; Sicuri, AR; Parker, JC. (1998). Glutathione conjugation of perchloroethylene in rats and mice in vitro: Sex-, species-, and tissue-dependent differences. *Toxicol Appl Pharmacol*. 150: 49-57.
- Lash, LH; Qian, W; Putt, DA; Hueni, SE; Elfarra, AA; Krause, RJ; Parker, JC. (2001). Renal and hepatic toxicity of trichloroethylene and its glutathione-derived metabolites in rats and mice: Sex-, species-, and tissue-dependent differences. *J Pharmacol Exp Ther*. 297: 155-164.
- Lash, LH; Qian, W; Putt, DA; Hueni, SE; Elfarra, AA; Sicuri, AR; Parker, JC. (2002). Renal toxicity of perchloroethylene and S-(1,2,2-trichlorovinyl)glutathione in rats and mice: Sex- and species-dependent differences. *Toxicol Appl Pharmacol*. 179: 163-171.
- Lash, LH; Qian, W; Putt, DA; Jacobs, K; Elfarra, AA; Krause, RJ; Parker, JC. (1998). Glutathione conjugation of trichloroethylene in rats and mice: Sex-, species-, and tissue-dependent differences. *Drug Metab Dispos*. 26: 12-19.

Environmental Hazard Literature Search Results

Off Topic

- Lash, LH; Xu, Y; Elfarra, AA; Duescher, RJ; Parker, JC. (1995). Glutathione-dependent metabolism of trichloroethylene in isolated liver and kidney cells of rats and its role in mitochondrial and cellular toxicity. *Drug metabolism and disposition: the biological fate of chemicals*. 23: 846-853.
- Laternus, F; Haselmann, KF; Borch, T; Gron, C. (2002). Terrestrial natural sources of trichloromethane (chloroform, CHCl₃) - An overview. *Biogeochemistry*. 60: 121-139.
- Lau, JH; Chang, C. (1999). Characterization of underfill materials for functional solder bumped flip chips on board applications. *IEEE Trans Compon Packag Tech*. 22: 111-119.
- Lau, JH; Chang, C. (2002). Characteristics and reliability of fast-flow, snap-cure, and reworkable underfills for solder bumped flip chip on low-cost substrates. *Ieee Transactions on Electronics Packaging Manufacturing*. 25: 231-239.
- Lau, PCK; Wang, Y; Labbe, D; Bergeron, H; Brousseau, R. (1993). GENETICS AND APPLICATIONS OF THE TOD SYSTEM. Twentieth Annual Aquatic Toxicity Workshop, Quebec City, Quebec, Canada, October. 0: 251.
- Laughter, AR; Dunn, CS; Swanson, CL; Howroyd, P; Cattley, RC; Christopher Corton, J. (2004). Role of the peroxisome proliferator-activated receptor α (PPAR α) in responses to trichloroethylene and metabolites, trichloroacetate and dichloroacetate in mouse liver. *Toxicology*. 203: 83-98.
- Laughter, AR; Dunn, CS; Swanson, CL; Howroyd, P; Cattley, RC; Corton, JC. (2004). Role of the peroxisome proliferator-activated receptor alpha (PPAR alpha) in responses to trichloroethylene and metabolites, trichloroacetate and dichloroacetate in mouse liver. *Toxicology*. 203: 83-98.
- Law, RJ; Fileman, TW; Matthiessen, P. (1990). PHTHALATE ESTERS AND OTHER INDUSTRIAL ORGANIC CHEMICALS IN THE NORTH AND IRISH SEAS. *lawprc*. 24: 127-134.
- Lawler, DF; Boadway, D; Fair, JR; Dvorak, B. (1990). DECISION ANALYSIS PHYSICAL-CHEMICAL TECHNOLOGIES FOR AQUEOUS ORGANIC HAZARDOUS WASTES. Gulf Coast Hazardous Substance Research Center Second Annual Symposium: Mechanisms And Applications Of Solidification, Beaumont, Texas, Usa, February. 24: 283-284.
- Lawrence, AR; Chilton, PJ; Barron, RJ; Thomas, WM. (1990). A method for determining volatile organic solvents in Chalk pore waters (southern and eastern England (UK) and its relevance to the evaluation of groundwater contamination. *J Contam Hydrol*. 6: 377-386.
- Lawson, RB; Adams, CD. (1999). Enhanced VOC absorption using the ozone/hydrogen peroxide advanced oxidation process. *Journal of the Air & Waste Management Association*. 49: 1315-1323.
- Le, C; Wu, JH; Li, P; Wang, XD; Zhu, NW; Wu, PX; Yang, B. (2011). Decolorization of anthraquinone dye Reactive Blue 19 by the combination of persulfate and zero-valent iron. *Water Science and Technology*. 64: 754-759.
- Le Dantec, C; Winter, N; Gicquel, B; Vincent, V; Picardeau, M. (2001). Genomic sequence and transcriptional analysis of a 23-kilobase mycobacterial linear plasmid: Evidence for horizontal transfer and identification of plasmid maintenance systems. *J Bacteriol*. 183: 2157-2164.
- Le, MSM; Lykke, AW; Stewart, BW. (1980). Reduced yield of pulmonary surfactant: patterns of response following administration of chemicals to rats by inhalation. *Toxicol Lett*. 5: 89-93.
- Le, VH; Yanney, M; McGuire, M; Sygula, A; Lewis, EA. (2014). Thermodynamics of host-guest interactions between fullerenes and a buckycatcher. *The journal of physical chemistry B*. 118: 11956-11964.
- Leahy, JG; Byrne, AM; Olsen, RH. (1996). Comparison of factors influencing trichloroethylene degradation by toluene-oxidizing bacteria. *Appl Environ Microbiol*. 62: 825-833.
- Leahy, JG; Olsen, RH. (1994). COMPARISON OF TRICHLOROETHYLENE DEGRADATION BY TOLUENE-OXIDIZING BACTERIA. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 307.
- Leahy, JG; Shreve, GS. (2000). The effect of organic carbon on the sequential reductive dehalogenation of tetrachloroethylene in landfill leachates. *Water Res*. 34: 2390-2396.
- Leahy, JG; Tracy, KD; Eley, MH. (2003). Degradation of mixtures of aromatic and chloroaliphatic hydrocarbons by aromatic hydrocarbon-degrading bacteria. *FEMS Microbiol Ecol*. 43: 271-276.
- Leahy, JG; Tracy, KD; Eley, MH. (2003). Degradation of volatile hydrocarbons from steam-classified solid waste by a mixture of aromatic hydrocarbon-degrading bacteria. *Biotechnol Lett*. 25: 479-483.
- Leahy, MC; Dooley-Danna, M; Young, M; Fogel, M. (1987). EPOXIDE INTERMEDIATE FORMATION FROM THE BIODEGRADATION OF CIS AND TRANS 1,2-DICHLOROETHENE BY A METHANOTROPHIC CONSORTIUM. 87th Annual Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, March. 87: 232.
- Leakey, JEA; Seng, JE; Latendresse, J; Hussain, N; Allen, LJ; Allaben, WT. (2003). Dietary controlled carcinogenicity study of chloral hydrate in male B6C3F₁ mice. *Toxicol Appl Pharmacol*. 193: 266-280.
- Leb, L; Beatson, P; Fortier, N; Newburger, PE; Snyder, LM. (1985). Modulation of mononuclear phagocyte cytotoxicity by alpha-tocopherol (vitamin E). *J Leukoc Biol*. 37: 449-459.
- Lebedev, AT; Poliakova, OV; Karakhanova, NK; Petrosyan, VS; Renzoni, A. (1998). The contamination of birds with organic pollutants in the Lake Baikal region. *Sci Total Environ*. 212: 153-162.
- Lebrero, R; Lopez, JC; Lehtinen, I; Perez, R; Quijano, G; Munoz, R. (2016). Exploring the potential of fungi for methane abatement: Performance evaluation of a fungal-bacterial biofilter. *Chemosphere*. 144: 97-106.
- Lee, A; Abrams, SH; Moskal, E; Ciambuschini, S; Moss, D. (2013). Chemical and Biological Reduction of PCE by Pneumatic Fracturing and Injection of ZVI in Saprolite. *Remediation*. 23: 7-21.

Environmental Hazard Literature Search Results

Off Topic

- Lee, BD; Walton, MR; Megio, JL. (2005). Biological and chemical interactions with U(VI) during anaerobic enrichment in the presence of iron oxide coated quartz. *Water Res.* 39: 4363-4374.
- Lee, BS; Chiou, CB; Lin, CY. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ.* 99: 112-123.
- Lee, BS; Kim, JH; Lee, KC; Bin Kim, Y; Schwartz, FW; Lee, ES; Woo, NC; Lee, MK. (2009). Efficacy of controlled-release KMnO₄ (CRP) for controlling dissolved TCE plume in groundwater: A large flow-tank study. *Chemosphere.* 74: 745-750.
- Lee, C; Kim, JY; Lee, WI; Nelson, KL; Yoon, J; Sedlak, DL. (2008). Bactericidal effect of zero-valent iron nanoparticles on *Escherichia coli*. *Environmental Science & Technology.* 42: 4927-4933.
- Lee, C; Sedlak, DL. (2008). Enhanced Formation of Oxidants from Bimetallic Nickel-Iron Nanoparticles in the Presence of Oxygen. *Environmental Science & Technology.* 42: 8528-8533.
- Lee, CC; Bhandari, JC; Winston, JM; House, WB; Dixon, RL; Woods, JS. (1978). Carcinogenicity of vinyl chloride and vinylidene chloride. *J Toxicol Environ Health.* 4: 15-30.
- Lee, CC; Bhandari, JC; Winston, JM; House, WB; Peters, PJ; Dixon, RL; Woods, JS. (1977). Inhalation toxicity of vinyl chloride and vinylidene chloride. *Environ Health Perspect.* 21: 25-32.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environmental Science & Technology.* 42: 4752-4757.
- Lee, CC; Doong, RA. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Science and Technology.* 62: 28-35.
- Lee, CC; Doong, RA. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environmental Science & Technology.* 45: 2301-2307.
- Lee, CC; Huffman, GL. (1996). Research on the thermal destruction of wastes. *J Hazard Mater.* 49: 299-310.
- Lee, CL; Jou, CJG. (2011). Reduced Degradation of Chlorobenzene in Cosolvent Solution Using Nanoscale Zerovalent Iron with Microwave Irradiation. *Environ Eng Sci.* 28: 191-195.
- Lee, CL; Jou, CJG. (2012). Degradation of Chlorobenzene with Microwave-Aided Zerovalent Iron Particles. *Environ Eng Sci.* 29: 432-435.
- Lee, CL; Jou, CJG; Huang, HG. (2010). Degradation of Chlorobenzene in Water Using Nanoscale Cu Coupled with Microwave Irradiation. *Journal of Environmental Engineering-Asce.* 136: 412-416.
- Lee, CL; Jou, CJG; Wang, HP. (2010). Enhanced Degradation of Chlorobenzene in Aqueous Solution Using Microwave-Induced Zero-Valent Iron and Copper Particles. *Water Environ Res.* 82: 642-647.
- Lee, CL; Lee, HY; Tseng, KH; Hong, PK; Jou, CJG. (2011). Enhanced dechlorination of chlorobenzene by microwave-induced zero-valent iron: particle effects and activation energy. *Environ Chem Lett.* 9: 355-359.
- Lee, CL; Lin, C; Jou, CJG. (2012). Microwave-induced nanoscale zero-valent iron degradation of perchloroethylene and pentachlorophenol. *Journal of the Air & Waste Management Association.* 62: 1443-1448.
- Lee, CY; Chan, YC; Lin, CL. (2005). The effect of salinity on trichloroethylene co-metabolism by mixed cultures enriched on phenol. *World Journal of Microbiology & Biotechnology.* 21: 359-365.
- Lee, CY; Cheng, SZ. (1998). Toxic effects on respiratory activities of phenol-oxidizing cultures grown from various conditions. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 33: 1675-1691.
- Lee, CY; Cheng, SZ. (1998). Trichloroethylene biodegradation by phenol-oxidizing cultures grown from various conditions. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes.* 33: 705-721.
- Lee, CY; Liu, WD. (2000). The identifiability of kinetic parameters of trichloroethylene biodegradation by phenol-oxidizing cultures grown from various conditions. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 35: 31-48.
- Lee, C-Y; Liu, W-D. (2006). The effect of salinity conditions on kinetics of trichloroethylene biodegradation by toluene-oxidizing cultures. *J Hazard Mater.* 137: 541-549.
- Lee, DG; Chu, KH. (2013). Effects of growth substrate on triclosan biodegradation potential of oxygenase-expressing bacteria. *Chemosphere.* 93: 1904-1911.
- Lee, ES; Olson, PR; Gupta, N; Solpuker, U; Schwartz, FW; Kim, Y. (2014). Permanganate gel (PG) for groundwater remediation: Compatibility, gelation, and release characteristics. *Chemosphere.* 97: 140-145.
- Lee, ES; Schwartz, FW. (2007). Characteristics and applications of controlled-release KMnO₄ for groundwater remediation. *Chemosphere.* 66: 2058-2066.
- Lee, ES; Schwartz, FW. (2007). Characterization and optimization of long-term controlled release system for groundwater remediation: A generalized modeling approach. *Chemosphere.* 69: 247-253.
- Lee, ES; Seol, Y; Fang, YC; Schwartz, FW. (2003). Destruction efficiencies and dynamics of reaction fronts associated with the permanganate oxidation of trichloroethylene. *Environmental Science & Technology.* 37: 2540-2546.
- Lee, ES; Woo, NC; Schwartz, FW; Lee, BS; Lee, KC; Woo, MH; Kim, JH; Kim, HK. (2008). Characterization of controlled-release KMnO₄ (CRP) barrier system for groundwater remediation: A pilot-scale flow-tank study. *Chemosphere.* 71: 902-910.
- Lee, EY. (2003). Continuous treatment of gas-phase trichloroethylene by *Burkholderia cepacia* G4 in a two-stage continuous stirred tank reactor/trickling biofilter system. *J Biosci Bioeng.* 96: 572-574.
- Lee, EY. (2005). Development of a bioreactor for cometabolic biodegradation of gas-phase trichloroethylene. *Environmental Chemistry: Green Chemistry and Pollutants in Ecosystems* 561-567.

Environmental Hazard Literature Search Results

Off Topic

- Lee, EY; Ye, BD; Park, S. (2003). Development and operation of a trickling biofilter system for continuous treatment of gas-phase trichloroethylene. *Biotechnol Lett.* 25: 1757-1761.
- Lee, GT; Ro, HM; Lee, SM. (2007). Effects of triethyl phosphate and nitrate on electrokinetically enhanced biodegradation of diesel in low permeability soils. *Environ Technol.* 28: 853-860.
- Lee, H; Lee, Y; Kim, J; Kim, C. (2014). Field Application of Modified In Situ Soil Flushing in Combination with Air Sparging at a Military Site Polluted by Diesel and Gasoline in Korea. *Int J Environ Res Public Health.* 11: 8806-8824.
- Lee, HB; Kim, BW. (2015). Effect of NAPL exposure on the wettability and two-phase flow in a single rock fracture. *Hydrolog Process.* 29: 4919-4931.
- Lee, HB; Kim, BW. (2015). Effect of NAPL exposure on the wettability and two-phase flow in a single rock fracture. *Hydrolog Process.* 29: 4919-4931.
- Lee, HJ; Chun, BS; Kim, WC; Chung, M; Park, JW. (2006). Zero valent iron and clay mixtures for removal of trichloroethylene, chromium(VI), and nitrate. *Environ Technol.* 27: 299-306.
- Lee, HK; Do, SH; Batchelor, B; Jo, YH; Kong, SH. (2009). PCE DNAPL degradation using ferrous iron solid mixture (ISM). *Chemosphere.* 76: 1082-1087.
- Lee, HS; Halden, RU; Delgado, AG; Rittmann, BE; Torres, CI; Krajmalnik-Brown, R. (2010). Anaerobic Dechlorination of Trichloroethene with Hydrogen Produced from a Microbial Electrolysis Cell. 7th International Water Association Leading-Edge Conference and Exhibition on Water and Wastewater Technologies.
- Lee, IS; Bae, JH; McCarty, PL. (2007). Comparison between acetate and hydrogen as electron donors and implications for the reductive dehalogenation of PCE and TCE. *J Contam Hydrol.* 94: 76-85.
- Lee, IS; Bae, JH; Yang, YR; McCarty, PL. (2004). Simulated and experimental evaluation of factors affecting the rate and extent of reductive dehalogenation of chloroethenes with glucose. *J Contam Hydrol.* 74: 313-331.
- Lee, J; Cao, L; Ow, SY; Barrios-Llerena, ME; Chen, W; Wood, TK; Wright, PC. (2006). Proteome changes after metabolic engineering to enhance aerobic mineralization of cis-1,2-dichloroethylene. *Journal of proteome research.* 5: 1388-1397.
- Lee, J; Hiibel, SR; Reardon, KF; Wood, TK. (2010). Identification of stress-related proteins in *Escherichia coli* using the pollutant cis-dichloroethylene. *J Appl Microbiol.* 108: 2088-2102.
- Lee, J; Lee, TK; Löffler, FE; Park, J. (2011). Characterization of microbial community structure and population dynamics of tetrachloroethene-dechlorinating tidal mudflat communities. *Biodegradation.* 22: 687-698.
- Lee, J; Yang, J-S; Kim, H-J; Baek, K; Yang, J-W. (2005). Simultaneous removal of organic and inorganic contaminants by micellar enhanced ultrafiltration with mixed surfactant. *Desalination.* 184: 395-407.
- Lee, JF; Crum, JR; Boyd, SA. (1989). ENHANCED RETENTION OF ORGANIC CONTAMINANTS BY SOILS EXCHANGED WITH ORGANIC CATIONS. *Environ Sci Technol.* 23: 1365-1372.
- Lee, JH; Dolan, M; Field, J; Istok, J. (2010). Monitoring Bioaugmentation with Single-Well Push-Pull Tests in Sediment Systems Contaminated with Trichloroethene. *Environmental Science & Technology.* 44: 1085-1092.
- Lee, JY. (2011). Environmental issues of groundwater in Korea: implications for sustainable use. *Environ Conserv.* 38: 64-74.
- Lee, JY; Lee, KJ; Youm, SY; Lee, MR; Kamala-Kannan, S; Oh, BT. (2010). Stability of Multi-Permeable Reactive Barriers for Long Term Removal of Mixed Contaminants. *Bull Environ Contam Toxicol.* 84: 250-254.
- Lee, KC; Rittmann, BE; Shi, J; McAvoy, D. (1998). Advanced steady-state model for the fate of hydrophobic and volatile compounds in activated sludge. *Water Environ Res.* 70: 1118-1131.
- Lee, KG; Shibamoto, T. (2002). Determination of antioxidant potential of volatile extracts isolated from various herbs and spices. *J Agric Food Chem.* 50: 4947-4952.
- Lee, KM; Muralidhara, S; Schnellmann, RG; Bruckner, JV. (2000). Contribution of direct solvent injury to the dose-dependent kinetics of trichloroethylene: Portal vein administration to rats. *Toxicol Appl Pharmacol.* 164: 46-54.
- Lee, KY. (2002). Transport of dissolved contaminants originating from a rectangular prism-shaped, multicomponent nonaqueous-phase liquid source in saturated porous media. *Environ Geol.* 43: 132-137.
- Lee, KY. (2004). Modeling long-term transport of contaminants resulting from dissolution of a coal tar pool in saturated porous media. *Journal of Environmental Engineering-Asce.* 130: 1507-1513.
- Lee, KY; Chrysikopoulos, CV. (1995). NUMERICAL MODELING OF THREE-DIMENSIONAL CONTAMINANT MIGRATION FROM DISSOLUTION OF MULTICOMPONENT NAPL POOLS IN SATURATED POROUS MEDIA. *Environ Geol.* 26: 157-165.
- Lee, KY; Chrysikopoulos, CV. (2002). Dissolution of a well-defined trichloroethylene pool in saturated porous media: experimental results and model simulations. *Water Res.* 36: 3911-3918.
- Lee, KY; Chrysikopoulos, CV. (2006). Dissolution of a multicomponent DNAPL pool in an experimental aquifer. *J Hazard Mater.* 128: 218-226.
- Lee, KY; Ha, DT. (2012). Viscosity Variations of Three-Component Mixtures Comprising an Alcohol, Various Common Groundwater Contaminants, and Water. *Environ Eng Sci.* 29: 26-34.
- Lee, KY; Lee, JY. (2005). Photochemical destruction of tetrachloroethylene and trichloroethylene from the exhaust of an air stripper. *Journal of Environmental Engineering-Asce.* 131: 1441-1446.
- Lee, KY; Lee, JY; Mellett, JJ. (2004). Transport of dissolved methoxy-nonafluorobutane through a saturated column. *Environ Geol.* 46: 883-889.
- Lee, L; He, J. (2010). Microbial Reductive Dehalogenation of an Octabromodiphenyl Ether Mixture (octa-BDE) and Trichloroethene (TCE) in an Acetate-amended Medium. 110th General Meeting of the American Society for Microbiology.

Environmental Hazard Literature Search Results

Off Topic

- Lee, LK; Ding, C; Yang, KL; He, JZ. (2011). Complete Debromination of Tetra- and Penta-Brominated Diphenyl Ethers by a Coculture Consisting of Dehalococcoides and Desulfovibrio Species. *Environmental Science & Technology*. 45: 8475-8482.
- Lee, LK; He, J. (2010). Reductive Debromination of Polybrominated Diphenyl Ethers by Anaerobic Bacteria from Soils and Sediments. *Appl Environ Microbiol*. 76: 794-802.
- Lee, LS; Rao, PSC; Brusseau, ML; Ogwada, RA. (1988). NONEQUILIBRIUM SORPTION OF ORGANIC CONTAMINANTS DURING FLOW THROUGH COLUMNS OF AQUIFER MATERIALS. *Environ Toxicol Chem*. 7: 779-794.
- Lee, M. (1998). The remediation of tetrachloroethylene by surfactant flushing in both the saturated and the unsaturated zone. *Environ Technol*. 19: 1073-1083.
- Lee, M; Cord-Ruwisch, R; Manefield, M. (2010). A process for the purification of organochlorine contaminated activated carbon: Sequential solvent purging and reductive dechlorination. *Water Res*. 44: 1580-1590.
- Lee, M; Fountain, JC. (1999). The effectiveness of surfactants for remediation of organic pollutants in the unsaturated zone. *Journal of Soil Contamination*. 8: 39-62.
- Lee, M; Mathews, AP; Nassar, R. (1996). Stochastic modelling of multicomponent adsorption kinetics with non-linear isotherm. *Water Science and Technology*. 33: 135-143.
- Lee, M; Truex, M; Freshley, M; Wellman, D. (2016). Idaho National Laboratory Test Area North: Application of Endpoints to Guide Adaptive Remediation at a Complex Site. *Remediation*. 26: 11-25.
- Lee, MD; Bledsoe, SA; Solek, SM; Anyzek, S; Ellis, DE; Buchanan, RJR. (1998). SOIL COLUMN STUDIES OF ANAEROBIC BIODEGRADATION OF TETRACHLOROETHENE EFFECTS OF SUBSTRATES ELECTRON ACCEPTORS BIOAUGMENTATION AND ACCLIMATION. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 430.
- Lee, MD; Mazierski, PF; Buchanan, RJR; Ellis, DE; Sehayek, LS. (1995). INTRINSIC IN SITU ANAEROBIC BIODEGRADATION OF CHLORINATED SOLVENTS AT AN INDUSTRIAL LANDFILL. Hinchee, R E, J T Wilson And D C Downey. 3: 1-57477.
- Lee, MD; Quinton, GE; Beeman, RE; Biehle, AA; Liddle, RL; Ellis, DE; Buchanan, RJR. (1997). Scale-up issues for in situ anaerobic tetrachloroethene bioremediation. *Journal Of Industrial Microbiology & Biotechnology*. 18: 106-115.
- Lee, MD; Swindoll, CM. (1993). Bioventing for in situ remediation. *Hydrol Sci J*. 38: 273-282.
- Lee, MD; Thomas, JM; Borden, RC; Bedient, PB; Ward, CH; Wilson, JT; Conway, RA. (1988). BIORESTORATION OF AQUIFERS CONTAMINATED WITH ORGANIC COMPOUNDS. *Crit Rev Environ Control*. 18: 29-89.
- Lee, MH; Clingenpeel, SC; Leiser, OP; Wymore, RA; Sorenson, KS; Watwood, ME. (2008). Activity-dependent labeling of oxygenase enzymes in a trichloroethene-contaminated groundwater site. *Environ Pollut*. 153: 238-246.
- Lee, PKH; Cheng, D; Hu, P; West, KA; Dick, GJ; Brodie, EL; Andersen, GL; Zinder, SH; He, JZ; Alvarez-Cohen, L. (2011). Comparative genomics of two newly isolated Dehalococcoides strains and an enrichment using a genus microarray. *Isme Journal*. 5: 1014-1024.
- Lee, PKH; Cheng, D; West, KA; Alvarez-Cohen, L; He, JZ. (2013). Isolation of two new Dehalococcoides mccartyi strains with dissimilar dechlorination functions and their characterization by comparative genomics via microarray analysis. *Environ Microbiol*. 15: 2293-2305.
- Lee, PKH; Conrad, ME; Alvarez-Cohen, L. (2007). Stable carbon isotope fractionation of chloroethenes by dehalorespiring isolates. *Environmental Science & Technology*. 41: 4277-4285.
- Lee, PKH; He, JZ; Zinder, SH; Alvarez-Cohen, L. (2009). Evidence for Nitrogen Fixation by "Dehalococcoides ethenogenes" Strain 195. *Appl Environ Microbiol*. 75: 7551-7555.
- Lee, PKH; Johnson, DR; Holmes, VF; He, JZ; Alvarez-Cohen, L. (2006). Reductive dehalogenase gene expression as a biomarker for physiological activity of Dehalococcoides spp. *Appl Environ Microbiol*. 72: 6161-6168.
- Lee, PKH; Macbeth, TW; Sorenson, KS; Deeb, RA; Alvarez-Cohen, L. (2008). Quantifying genes and transcripts to assess the in situ physiology of "Dehalococcoides" spp. in a trichloroethene-contaminated groundwater site. *Appl Environ Microbiol*. 74: 2728-2739.
- Lee, PKH; Warnecke, F; Brodie, EL; Macbeth, TW; Conrad, ME; Andersen, GL; Alvarez-Cohen, L. (2012). Phylogenetic Microarray Analysis of a Microbial Community Performing Reductive Dechlorination at a TCE-Contaminated Site. *Environmental Science & Technology*. 46: 1044-1054.
- Lee, RP; Forkert, PG. (1994). In vitro biotransformation of 1,1-dichloroethylene by hepatic cytochrome P-450 2E1 in mice. *The Journal of pharmacology and experimental therapeutics*. 270: 371-376.
- Lee, RP; Forkert, PG. (1995). Pulmonary CYP2E1 bioactivates 1,1-dichloroethylene in male and female mice. *The Journal of pharmacology and experimental therapeutics*. 273: 561-567.
- Lee, RW; Jones, SA; Kuniandy, EL; Harvey, G; Lollar, BS; Slater, GF. Phreatophyte influence on reductive dechlorination in a shallow aquifer contaminated with trichloroethene (TCE). *Int J Phytoremediation*. 2000. v. 2 (3): 193-211.
- Lee, S. (2007). Enhanced dissolution of TCE in NAPL by TCE-degrading bacteria in wetland soils. *J Hazard Mater*. 145: 17-22.
- Lee, S; Kommalapati, RR; Valsaraj, KT; Pardue, JH; Constant, WD. (2002). Rate-limited desorption of volatile organic compounds from soils and implications for the remediation of a Louisiana Superfund site. *Environ Monit Assess*. 75: 87-105.
- Lee, S; Moe, WM; Valsaraj, KT; Pardue, JH. (2002). Effect of sorption and desorption resistance on aerobic trichloroethylene biodegradation in soils. *Environ Toxicol Chem*. 21: 1609-1617.
- Lee, SB; Strand, SE; Stensel, HD. (2000). Sustained degradation of trichloroethylene in a suspended growth gas treatment reactor by an actinomycetes enrichment. *Environmental Science & Technology*. 34: 3261-3268.
- Lee, SB; Strand, SE; Stensel, HD; Herwig, RP. (2004). Pseudonocardia chloroethenivorans sp nov., a chloroethene-degrading actinomycete. *Int J Syst Evol Microbiol*. 54: 131-139.

Environmental Hazard Literature Search Results

Off Topic

- Lee, SG; Yoon, BD; Park, YH; Oh, HM. (1998). Isolation of a novel pentachlorophenol-degrading bacterium, *Pseudomonas* sp. Bu34. *J Appl Microbiol.* 85: 1-8.
- Lee, SH; Nishijima, W; Lee, CH; Okada, M. (2003). Calcium accumulation on activated carbon deteriorates synthetic organic chemicals adsorption. *Water Res.* 37: 4631-4636.
- Lee, SS; Kaown, D; Lee, KK. (2015). Evaluation of the fate and transport of chlorinated ethenes in a complex groundwater system discharging to a stream in Wonju, Korea. *J Contam Hydrol.* 182: 231-243.
- Lee, SW; Keeney, DR; Lim, DH; Dispirito, AA; Semrau, JD. (2006). Mixed pollutant degradation by *Methylosinus trichosporium* OB3b expressing either soluble or particulate methane monooxygenase: Can the tortoise beat the hare? *Appl Environ Microbiol.* 72: 7503-7509.
- Lee, T; Benson, CH. (2004). Sorption and degradation of alachlor and metolachlor in ground water using green sands. *J Environ Qual.* 33: 1682-1693.
- Lee, T; Benson, CH. (2006). Leaching behavior of green sands from gray-iron foundries used for reactive barrier applications. *Environ Eng Sci.* 23: 156-170.
- Lee, T; Benson, CH; Eykholt, GR. (2004). Waste green sands as reactive media for groundwater contaminated with trichloroethylene (TCE). *J Hazard Mater.* 109: 25-36.
- Lee, T; Tokunaga, T; Suyama, A; Furukawa, K. (2001). Efficient dechlorination of tetrachloroethylene in soil slurry by combined use of an anaerobic *Desulfitobacterium* sp strain Y-51 and zero-valent iron. *J Biosci Bioeng.* 92: 453-458.
- Lee, TH; Ike, M; Fujita, M. (2002). A reactor system combining reductive dechlorination with cometabolic oxidation for complete degradation of tetrachloroethylene. *J Environ Sci.* 14: 445-450.
- Lee, TH; Yoshimi, M; Ike, M; Fujita, M. (1997). Characterization of an anaerobic soil enrichment capable of dechlorinating high concentrations of tetrachloroethylene. *Water Science and Technology.* 36: 117-124.
- Lee, TR; Wilkin, RT. (2010). Iron hydroxy carbonate formation in zerovalent iron permeable reactive barriers: Characterization and evaluation of phase stability. *J Contam Hydrol.* 116: 47-57.
- Lee, W. (2004). Removal of trichloroethylene in reduced soil columns. *J Hazard Mater.* 113: 175-180.
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environmental Science & Technology.* 36: 5147-5154.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environmental Science & Technology.* 36: 5348-5354.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere.* 55: 705-713.
- Lee, W; Wood, TK; Chen, W. (2006). Engineering TCE-degrading rhizobacteria for heavy metal accumulation and enhanced TCE degradation. *Biotechnol Bioeng.* 95: 399-403.
- Lee, WJ; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environmental Science & Technology.* 37: 535-541.
- Lee, WJ; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere.* 56: 999-1009.
- Lee, Y. (2013). An evaluation of microbial and chemical contamination sources related to the deterioration of tap water quality in the household water supply system. *Int J Environ Res Public Health.* 10: 4143-4160.
- Lee, Y; Lee, W. (2010). Degradation of trichloroethylene by Fe(II) chelated with cross-linked chitosan in a modified Fenton reaction. *J Hazard Mater.* 178: 187-193.
- Lee, YC; Kwon, TS; Yang, JS; Yang, JW. (2007). Remediation of groundwater contaminated with DNAPLs by biodegradable oil emulsion. *J Hazard Mater.* 140: 340-345.
- Lefever, MR; Wackett, LP. (1994). Oxidation of low molecular weight chloroalkanes by cytochrome P450CAM. *Biochem Biophys Res Commun.* 201: 373-378.
- Leggett, DC; Parker, LV. (1994). Modeling the equilibrium partitioning of organic contaminants between PTFE, PVC, and groundwater. *Environmental Science & Technology.* 28: 1229-1233.
- Lehman, RM; O'Connell, SP. Comparison of extracellular enzyme activities and community composition of attached and free-living bacteria in porous medium columns. *Appl Environ Microbiol.* Apr 2002. v. 68 (4): 1569-1575.
- Lehman, RM; O'Connell, SP; Banta, A; Fredrickson, JK; Reysenbach, AL; Kieft, TL; Colwell, FS. (2004). Microbiological comparison of core and groundwater samples collected from a fractured basalt aquifer with that of dialysis chambers incubated in situ. *Geomicrobiology Journal.* 21: 169-182.
- Leibman, KC; Ortiz, E. (1977). Metabolism of halogenated ethylenes. *Environ Health Perspect.* 21: 91-97.
- Leighty, EG; Fentiman, AF, Jr. (1981). In vitro conjugation of the trichloroethylene metabolite trichloroethanol to a fatty acid. *Res Comm Chem Pathol Pharmacol.* 32: 569-572.
- Leisinger, T. (1990). MICROORGANISMS FOR THE INTRODUCTION OF CHLORINATED ALIPHATIC HYDROCARBONS INTO THE CARBON CYCLE. *Mongkolsuk, S, P S Lovett And J E Trempy. O:* 143-147.
- Leitao, P; Rossetti, S; Danko, AS; Nouws, H; Aulenta, F. (2016). Enrichment of *Dehalococcoides mccartyi* spp. from a municipal activated sludge during AQDS-mediated bioelectrochemical dechlorination of 1,2-dichloroethane to ethene. *Bioresour Technol.* 214: 426-431.
- Leitao, P; Rossetti, S; Nouws, HPA; Danko, AS; Majone, M; Aulenta, F. (2015). Bioelectrochemically-assisted reductive dechlorination of 1,2-dichloroethane by a *Dehalococcoides*-enriched microbial culture. *Bioresour Technol.* 195: 78-82.
- Lemaire, J; Croze, V; Maier, J; Simonnot, MO. (2011). Is it possible to remediate a BTEX contaminated chalky aquifer by in situ chemical oxidation? *Chemosphere.* 84: 1181-1187.

Environmental Hazard Literature Search Results

Off Topic

- Lemasters, GK; Zenick, H; Hertzberg, V; Hansen, K; Clark, S. (1991). Fertility of workers chronically exposed to chemically contaminated sewer wastes. *Reprod Toxicol*. 5: 31-38.
- Lemieux, PM; Linak, WP; Debenedictis, C; Ryan, JV; Wendt, JOL; Dunn, JE. (1994). OPERATING PARAMETERS TO MINIMIZE EMISSIONS DURING ROTARY KILN EMERGENCY SAFETY VENT OPENINGS. *Hazardous Waste & Hazardous Materials*. 11: 111-128.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag*. 18: 361-370.
- Lemke, MJ; Brown, BJ; Leff, LG. (1997). The response of three bacterial populations to pollution in a stream. *Microb Ecol*. 34: 224-231.
- Lemming, G; Friis-Hansen, P; Bjerg, PL. (2010). Risk-based economic decision analysis of remediation options at a PCE-contaminated site. *J Environ Manage*. 91: 1169-1182.
- Lemos, SS; Collins, MLP; Eaton, SS; Eaton, GR; Antholine, WE. (2000). Comparison of EPR-visible Cu(2+) sites in pMMO from *Methylococcus capsulatus* (Bath) and *Methylomicrobium album* BG8. *Biophys J*. 79: 1085-1094.
- Lenczewski, M; Jardine, P; McKay, L; Layton, A. (2003). Natural attenuation of trichloroethylene in fractured shale bedrock. *J Contam Hydrol*. 64: 151-168.
- Lenczewski, M; McKay, L; Pitner, A; Driese, S; Vulava, V. (2006). Pure-phase transport and dissolution of TCE in sedimentary rock saprolite. *Ground Water*. 44: 406-414.
- Lenczewski, ME; McKay, LD; Layton, A. (2004). Anaerobic biodegradation of TCE in laboratory columns of fractured saprolite. *Ground Water*. 42: 534-541.
- Lenczewski, ME; McKay, LD; Layton, AC. (1999). Biodegradation of trichloroethylene in fractured weathered shale in east Tennessee. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 537-538.
- Lendvay, JM; Dean, SM; Adriaens, P. (1998). Temporal and spatial trends in biogeochemical conditions at a groundwater-surface water interface: Implications for natural bioattenuation. *Environmental Science & Technology*. 32: 3472-3478.
- Lendvay, JM; Sauck, WA; McCormick, ML; Barcelona, MJ; Kampbell, DH; Wilson, JT; Adriaens, P. (1998). Geophysical characterization, redox zonation, and contaminant distribution at a groundwater surface water interface. *Water Resour Res*. 34: 3545-3559.
- Lenhard, RJ; Oostrom, M; Simmons, CS; White, MD. (1995). INVESTIGATION OF DENSITY-DEPENDENT GAS ADVECTION OF TRICHLOROETHYLENE EXPERIMENT AND A MODEL VALIDATION EXERCISE. *J Contam Hydrol*. 19: 47-67.
- Leonardo, WJ; Bijman, J; Slingerland, MA. (2015). The Windmill Approach Combining transaction cost economics and farming systems theory to analyse farmer participation in value chains. *Outlook on Agriculture*. 44: 207-214.
- Lepage, OM; Piccot-Crezollet, C. (2005). Transarterial coil embolisation in 31 horses (1999-2002) with guttural pouch mycosis: a 2-year follow-up. *Equine Veterinary Journal*. 37: 430-434.
- Lepine, FL; Brochu, F; Milot, S; Mamer, OA; Pepin, Y. (1995). gamma Irradiation-Induced Degradation of Organochlorinated Pollutants in Fatty Acid Esters and in Cod. *J Agric Food Chem*. 43: 491-494.
- Lepri, L; Desideri, P; Cini, R; Masi, F; Van, ERKMS. (1995). Transport of organochlorine pesticides across the air/sea interface during the aerosol process. *Anal Chim Acta*. 317: 149-160.
- Lesage, S; Brown, S. (1994). OBSERVATION OF THE DISSOLUTION OF NAPL MIXTURES. *J Contam Hydrol*. 15: 57-71.
- Lesage, S; Brown, S. (1997). Biochemical degradation of tetrachloroethylene using generator columns containing residual DNAPL. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering & Toxic And Hazardous Substance Control*. 32: 241-257.
- Lesage, S; Brown, S; Millar, K. Vitamin B12-catalyzed dechlorination of perchloroethylene present as residual DNAPL. *Ground water monitoring & remediation*. Fall 1996. v. 16 (4): 76-85.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation*. 23: 102-110.
- Lesage, S; McBride, RA; Cureton, PM; Brown, S. (1993). Fate of organic solvents in landfill leachates under simulated field conditions and in anaerobic microcosms. *Waste Manage Res*. 11: 215-226.
- Leung, HW. (1991). Development and utilization of physiologically based pharmacokinetic models for toxicological applications. *J Toxicol Environ Health*. 32: 247-268.
- Leuschner, J; Beuscher, N. (1998). Studies on the mutagenic and carcinogenic potential of chloral hydrate. *Arzneimittel-Forschung-Drug Research*. 48: 961-968.
- Levin, R; Hansson, SO; Ruden, C. (2004). Indicators of uncertainty in chemical risk assessments. *Regul Toxicol Pharmacol*. 39: 33-43.
- Lewis, DFV; Langley, GR. (1996). A VALIDATION STUDY OF THE COMPACT AND HAZARDEXPERT TECHNIQUES WITH 40 CHEMICALS. *Mutat Res*. 369: 157-174.
- Lewis, GD; Reynolds, RC; Johnson, AR. (1984). Some effects of trichloroethylene on mouse lungs and livers. *General Pharmacology: The Vascular System*. 15: 139-144.
- Lewis, J; Qvarfort, U; Sjostrom, J. (2015). *Betula pendula*: A Promising Candidate for Phytoremediation of TCE in Northern Climates. *Int J Phytoremediation*. 17: 9-15.
- Lewis, N; Topudurti, K; Welshans, G; Foster, R. (1990). A field demonstration of the UV/oxidation technology to treat ground water contaminated with VOCs. *J Air Waste Manage Assoc*. 40: 540-547.
- Lewis, S; Lynch, A; Bachas, L; Hampson, S; Ormsbee, L; Bhattacharyya, D. (2009). Chelate-Modified Fenton Reaction for the Degradation of Trichloroethylene in Aqueous and Two-Phase Systems. *Environ Eng Sci*. 26: 849-859.
- Lewis, TE; Wolfinger, TF; Barta, ML. (2004). The ecological effects of trichloroacetic acid in the environment. *Environ Int*. 30: 1119-1150.

Environmental Hazard Literature Search Results

Off Topic

- Li, AJ; Leung, PT; Bao, VW; Yi, AX; Leung, KM. (2014). Temperature-dependent toxicities of four common chemical pollutants to the marine medaka fish, copepod and rotifer. *Ecotoxicology (London, England)*. 23: 1564-1573.
- Li, B; Li, L; Lin, K; Zhang, W; Lu, S; Luo, Q. (2013). Removal of 1,1,1-trichloroethane from aqueous solution by a sono-activated persulfate process. *Environ Health Perspect*. 121: 263-268.
- Li, B; Tang, B; Xu, MJ. (2015). Influences of CaO on Crystallization, Microstructures, and Properties of BaO-Al₂O₃-B₂O₃-SiO₂ Glass-Ceramics. *Journal of Electronic Materials*. 44: 3849-3854.
- Li, BZ; Lin, KF; Zhang, W; Lu, SG; Liu, YD. (2012). Effectiveness of Air Stripping, Advanced Oxidation, and Activated Carbon Adsorption-Coupled Process in Treating Chlorinated Solvent-Contaminated Groundwater. *Journal of Environmental Engineering-Asce*. 138: 903-914.
- Li, C. (2001). Molecular simulation of competition between water and trichloroethene for adsorption to mineral surfaces. PhD Thesis, Michigan State University.
- Li, D; Haneda, H. (2003). Morphologies of zinc oxide particles and their effects on photocatalysis. *Chemosphere*. 51: 129-137.
- Li, GL; Yin, SN; Watanabe, T; Nakatsuka, H; Kasahara, M; Abe, H; Ikeda, M. (1986). Benzene-specific increase in leukocyte alkaline phosphatase activity in rats exposed to vapors of various organic solvents. *J Toxicol Environ Health*. 19: 581-589.
- Li, H; Arnold, RG; Betterton, EA; Ela, WP; Barbaris, B. (2004). Comment on "the mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources". *Water Res*. 38: 2791-2792.
- Li, H; Arnold, RG; Betterton, EA; Ela, WP; Barbaris, B. (2004). Comment on "the mechanisms of rate enhancing and quenching of trichloroethene photodecay in the presence of sensitizer and hydrogen sources". *Water Res*. 38: 2791-2792.
- Li, H; Lu, G; Dai, Q; Wang, Y; Guo, Y; Guo, Y. (2011). Efficient low-temperature catalytic combustion of trichloroethylene over flower-like mesoporous Mn-doped CeO₂ microspheres. *Appl Catal B-Environ*. 102: 475-483.
- Li, H; Shen, TT; Wang, XL; Lin, KF; Liu, YD; Lu, SG; Gu, JD; Wang, P; Lu, Q; Du, XM. (2013). Biodegradation of perchloroethylene and chlorophenol co-contamination and toxic effect on activated sludge performance. *Bioresour Technol*. 137: 286-293.
- Li, H; Sheng, GY; Chiou, CT; Xu, OY. (2005). Relation of organic contaminant equilibrium sorption and kinetic uptake in plants. *Environmental Science & Technology*. 39: 4864-4870.
- Li, H; Zeng, EY; You, J. (2014). Mitigating pesticide pollution in China requires law enforcement, farmer training, and technological innovation. *Environmental toxicology and chemistry / SETAC*. 33: 963-971.
- Li, H; Zhang, SY; Wang, XL; Yang, J; Gu, JD; Zhu, RL; Wang, P; Lin, KF; Liu, YD. (2015). Aerobic biodegradation of trichloroethylene and phenol co-contaminants in groundwater by a bacterial community using hydrogen peroxide as the sole oxygen source. *Environ Technol*. 36: 667-674.
- Li, HY; Jacob, KI; Wong, CP. (2003). An improvement of thermal conductivity of underfill materials for flip-chip packages. *Ieee Transactions on Advanced Packaging*. 26: 25-32.
- Li, J. (2002). Evaluating competitive sorption mechanisms of volatile organic chemical mixtures in soils and sediments using polymers and zeolites. PhD Thesis, University of Illinois at Urbana-Champaign.
- Li, J; de Toledo, RA; Chung, J; Shim, H. (2014). Removal of mixture of cis-1,2-dichloroethylene/trichloroethylene/benzene, toluene, ethylbenzene, and xylenes from contaminated soil by *Pseudomonas plecoglossicida*. *J Chem Tech Biotechnol*. 89: 1934-1940.
- Li, J; Werth, CJ. (2001). Evaluating competitive sorption mechanisms of volatile organic compounds in soils and sediments using polymers and zeolites. *Environmental Science & Technology*. 35: 568-574.
- Li, J; Werth, CJ. (2002). Modeling sorption isotherms of volatile organic chemical mixtures in model and natural solids. *Environ Toxicol Chem*. 21: 1377-1383.
- Li, J; Werth, CJ. (2004). Slow desorption mechanisms of volatile organic chemical mixtures in soil and sediment micropores. *Environmental Science & Technology*. 38: 440-448.
- Li, JF; Chen, HH; He, JT; Zhang, KF. (2012). Sorption of Trichloroethylene by the Simulated Organo-Mineral Complexes. *Earth Science/Diqiu Kexue*. 37: 327-331.
- Li, JH; de Toledo, RA; Chung, J; Shim, H. (2014). Removal of mixture of cis-1,2-dichloroethylene/trichloroethylene/benzene, toluene, ethylbenzene, and xylenes from contaminated soil by *Pseudomonas plecoglossicida*. *J Chem Tech Biotechnol*. 89: 1934-1940.
- Li, JH; Lu, QH; de Toledo, RA; Lu, Y; Shim, H. (2015). Effect of toluene concentration and hydrogen peroxide on *Pseudomonas plecoglossicida* cometabolizing mixture of cis-DCE and TCE in soil slurry. *Environ Geochem Health*. 37: 985-995.
- Li, K; Crittenden, J. (2009). Computerized Pathway Elucidation for Hydroxyl Radical-Induced Chain Reaction Mechanisms in Aqueous Phase Advanced Oxidation Processes. *Environmental Science & Technology*. 43: 2831-2837.
- Li, K; Stefan, MI; Crittenden, JC. (2004). UV photolysis of trichloroethylene: Product study and kinetic modeling. *Environmental Science & Technology*. 38: 6685-6693.
- Li, K; Stefan, MI; Crittenden, JC. (2007). Trichloroethene degradation by UV/H₂O₂ advanced oxidation process: Product study and kinetic modeling. *Environmental Science & Technology*. 41: 1696-1703.
- Li, KY; Chang, SW; Yu, CC. (1990). TREATMENT OF CHLORO-HYDROCARBON CONTAMINATED GROUND WATER BY AIR STRIPPING. Gulf Coast Hazardous Substance Research Center Second Annual Symposium: Mechanisms And Applications Of Solidification, Beaumont, Texas, Usa, February. 24: 303.
- Li, KY; Liu, PH; Nie, Z. (1993). TREATMENT OF CHLORO-HYDROCARBON CONTAMINATED GROUND WATER BY AN ANAEROBIC EXPANDED-BED REACTOR ANEBR. Symposium On Emerging Technologies: Metals, Oxidation, And Separation, Belmont, Texas, Usa, February. 13: 527.
- Li, L; Benson, CH; Lawson, EM. (2005). Impact of mineral fouling on hydraulic behavior of permeable reactive barriers. *Ground Water*. 43: 582-596.

Environmental Hazard Literature Search Results

Off Topic

- Li, L; Ma, Q; Zhao, T. (2010). Thermodynamic estimation for dehydrochlorination of tetrachloroethane. *Ningxia Engineering Technology*. 9: 343-344, 348.
- Li, L; Quinlivan, PA; Knappe, DRU. (2005). Predicting adsorption isotherms for aqueous organic micropollutants from activated carbon and pollutant properties. *Environmental Science & Technology*. 39: 3393-3400.
- Li, M; Yuan, F-S; Li, Y-L; Zhao, W-H; Liang, R-F. (2014). Effects of joint exposure to formaldehyde and trichloroethylene on brain tissue lipid peroxidation of mice. *Journal of Environment and Health*. 31: 27-30.
- Li, MT; Hao, LL; Sheng, L; Xu, JB. (2008). Identification and degradation characterization of hexachlorobutadiene degrading strain *Serratia marcescens* HL1. *Bioresour Technol*. 99: 6878-6884.
- Li, MY; Fiorenza, S; Chatham, JR; Mahendra, S; Alvarez, PJJ. (2010). 1,4-Dioxane biodegradation at low temperatures in Arctic groundwater samples. *Water Res*. 44: 2894-2900.
- Li, MY; Mathieu, J; Liu, YY; Van Orden, ET; Yang, Y; Fiorenza, S; Alvarez, PJJ. (2014). The Abundance of Tetrahydrofuran/Dioxane Monooxygenase Genes (thmA/dxmA) and 1,4-Dioxane Degradation Activity Are Significantly Correlated at Various Impacted Aquifers. *Environ Sci Technol Lett*. 1: 122-127.
- Li, QL; Marinas, BJ; Snoeyink, VL; Campos, C. (2003). Three-component competitive adsorption model for flow-through PAC systems. 1. Model development and verification with a PAC/membrane system. *Environmental Science & Technology*. 37: 2997-3004.
- Li, QL; Marinas, BJ; Snoeyink, VL; Campos, C. (2004). Pore blockage effects on atrazine adsorption in a powdered activated carbon/membrane system. I: Model development. *Journal of Environmental Engineering-Asce*. 130: 1242-1252.
- Li, QL; Snoeyink, VL; Mariaas, BJ; Campos, C. (2003). Elucidating competitive adsorption mechanisms of atrazine and NOM using model compounds. *Water Res*. 37: 773-784.
- Li, QL; Snoeyink, VL; Marinas, BJ; Campos, C. (2003). Pore blockage effect of NOM on atrazine adsorption kinetics of PAC: the roles of PAC pore size distribution and NOM molecular weight. *Water Res*. 37: 4863-4872.
- Li, S; Fang, Y-L; Romanczuk, CD; Jin, Z; Li, T; Wong, MS. (2012). Establishing the trichloroethene dechlorination rates of palladium-based catalysts and iron-based reductants. *Appl Catal B-Environ*. 125: 95-102.
- Li, S; Wackett, LP. (1992). Trichloroethylene oxidation by toluene dioxygenase. *Biochem Biophys Res Commun*. 185: 443-451.
- Li, S; Wackett, LP. (1993). Reductive dehalogenation by cytochrome P450CAM: Substrate binding and catalysis. *Biochemistry*. 32: 9355-9361.
- Li, SL; Ding, YY; Wang, W; Lei, H. (2016). A facile method for determining the Fe(0) content and reactivity of zero valent iron. *Analytical Methods*. 8: 1239-1248.
- Li, SP; Li, MJ; Luo, XM; Huang, GX; Liu, F; Chen, HH. (2016). Effect of benzoic acid on the removal of 1,2-dichloroethane by a siderite-catalyzed hydrogen peroxide and persulfate system. *Environ Sci Pollut Res Int*. 23: 402-407.
- Li, T; Farrell, J. (2000). Reductive dechlorination of trichloroethene and carbon tetrachloride using iron and palladized-iron cathodes. *Environmental Science & Technology*. 34: 173-179.
- Li, T; Farrell, J. (2001). Electrochemical investigation of the rate-limiting mechanisms for trichloroethylene and carbon tetrachloride reduction at iron surfaces. *Environmental Science & Technology*. 35: 3560-3565.
- Li, W; Roberts, DP; Dery, PD; Meyer, SLF; Lumsden, RD; Hebbard, KP. (2002). Broad spectrum anti-biotic activity and disease suppression by the potential biocontrol agent *Burkholderia ambifaria* BC-F. *Crop Protection*. 21: 129-135.
- Li, WF; Cui, ZJ; Han, F. (2015). Methods for assessing the energy-saving efficiency of industrial symbiosis in industrial parks. *Environ Sci Pollut Res Int*. 22: 275-285.
- Li, WZ; Huang, ZH; Wang, J; Li, MY; Gou, J; Jiang, YD. (2015). Thermal crosstalk simulation and measurement of linear terahertz detector arrays. *Infrared Physics & Technology*. 73: 73-77.
- Li, X; Zhang, S; Safe, S. (2006). Activation of kinase pathways in MCF-7 cells by 17beta-estradiol and structurally diverse estrogenic compounds. *The Journal of steroid biochemistry and molecular biology*. 98: 122-132.
- Li, XD; Schwartz, FW. (2004). DNAPL remediation with in situ chemical oxidation using potassium permanganate. II. Increasing removal efficiency by dissolving Mn oxide precipitates. *J Contam Hydrol*. 68: 269-287.
- Li, XD; Schwartz, FW. (2004). DNAPL remediation with in situ chemical oxidation using potassium permanganate. Part I. Mineralogy of Mn oxide and its dissolution in organic acids. *J Contam Hydrol*. 68: 39-53.
- Li, Y; Abriola, LM; Phelan, TJ; Ramsburg, CA; Pennell, KD. (2007). Experimental and numerical validation of the total trapping number for prediction of DNAPL mobilization. *Environmental science & technology*. 41: 8135-8141.
- Li, Y; Li, B; Wang, C-P; Fan, J-Z; Sun, H-W. (2014). Aerobic Degradation of Trichloroethylene by Co-Metabolism Using Phenol and Gasoline as Growth Substrates. *International Journal of Molecular Sciences*. 15: 9134-9148.
- Li, Y; Liu, S; Shukla, A. (2016). Experimental analysis on use of thermal conductivity enhancers (TCEs) for solar chimney applications with energy storage layer. *Energy and Buildings*. 116: 35-44.
- Li, Y; Pan, T; Liu, F; Li, S; Guo, M. (2012). Co-metabolism Biodegradation of Tetrachloroethylene under Different Groundwater Conditions. *Yankung Ceshi (Rock and Mineral Analysis)*. 31: 682-688.
- Li, YC; Li, TL; Jin, ZH. (2011). Stabilization of Fe-0 nanoparticles with silica fume for enhanced transport and remediation of hexavalent chromium in water and soil. *J Environ Sci*. 23: 1211-1218.
- Li, Y-L; Yuan, F-S; Li, M; Liang, R-F; Zhao, W-H. (2013). Joint genotoxicity of formaldehyde and trichloroethylene inhalation to bone-marrow cells of mice. *Journal of Environment and Health*. 30: 953-956.
- Li, YM; Zhang, Y; Li, JF; Sheng, GD; Zheng, XM. (2013). Enhanced reduction of chlorophenols by nanoscale zerovalent iron supported on organobentonite. *Chemosphere*. 92: 368-374.

Environmental Hazard Literature Search Results

Off Topic

- Li, Z. (2004). Surfactant-enhanced oxidation of trichloroethylene by permanganate—proof of concept. *Chemosphere*. 54: 419-423.
- Li, Z. (2004). Surfactant-enhanced oxidation of trichloroethylene by permanganate—proof of concept. *Chemosphere*. 54: 419-423.
- Li, Z; Bowman, RS. (1998). Sorption of chromate and PCE by surfactant-modified clay minerals. *Environ Eng Sci*. 15: 237-245.
- Li, Z; Bowman, RS. (1998). Sorption of perchloroethylene by surfactant-modified zeolite as controlled by surfactant loading. *Environmental Science & Technology*. 32: 2278-2282.
- Li, Z; Bowman, RS. (2001). Regeneration of surfactant-modified zeolite after saturation with chromate and perchloroethylene. *Water Res*. 35: 322-326.
- Li, Z; Jones, HK; Bowman, RS; Helferich, R. (1999). Enhanced reduction of chromate and PCE by pelletized surfactant-modified zeolite-zerovalent iron. *Environmental Science & Technology*. 33: 4326-4330.
- Li, Z; Willms, C; Alley, J; Zhang, P; Bowman, RS. (2006). A shift in pathway of iron-mediated perchloroethylene reduction in the presence of sorbed surfactant—A column study. *Water Res*. 40: 3811-3819.
- Li, ZH. (2004). Surfactant-enhanced oxidation of trichloroethylene by permanganate - proof concept. *Chemosphere*. 54: 419-423.
- Li, ZH; Hong, HL. (2008). Combination of surfactant solubilization with permanganate oxidation for DNAPL remediation. *Water Res*. 42: 605-614.
- Li, ZH; Willms, C; Alley, J; Zhang, PF; Bowman, RS. (2006). A shift in pathway of iron-mediated perchloroethylene reduction in the presence of sorbed surfactant - A column study. *Water Res*. 40: 3811-3819.
- Li, ZQ; Greden, K; Alvarez, PJJ; Gregory, KB; Lowry, GV. (2010). Adsorbed Polymer and NOM Limits Adhesion and Toxicity of Nano Scale Zerovalent Iron to *E. coli*. *Environmental Science & Technology*. 44: 3462-3467.
- Lian, F; Chang, C; Du, Y; Zhu, LY; Xing, BS; Liu, C. (2012). Adsorptive removal of hydrophobic organic compounds by carbonaceous adsorbents: A comparative study of waste-polymer-based, coal-based activated carbon, and carbon nanotubes. *J Environ Sci*. 24: 1549-1558.
- Liang, C; Bruell, CJ; Marley, MC; Sperry, KL. (2004). Persulfate oxidation for in situ remediation of TCE. I. Activated by ferrous ion with and without a persulfate—thiosulfate redox couple. *Chemosphere*. 55: 1213-1223.
- Liang, C; Huang, CF; Chen, CC. (2010). pH Effect on EDTA/Ferrous Ion- Activated Persulfate Oxidation of Trichloroethylene in Batch Studies. Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds.
- Liang, C; Lee, IL. (2008). In situ iron activated persulfate oxidative fluid sparging treatment of TCE contamination — A proof of concept study. *J Contam Hydrol*. 100: 91-100.
- Liang, C; Lee, IL; Hsu, IY; Liang, CP; Lin, YL. (2008). Persulfate oxidation of trichloroethylene with and without iron activation in porous media. *Chemosphere*. 70: 426-435.
- Liang, C; Lee, P-H. (2012). Granular activated carbon/pyrite composites for environmental application: synthesis and characterization. *J Hazard Mater*. 231-232: 120-126.
- Liang, C; Lin, YT; Shin, WH. (2009). Persulfate regeneration of trichloroethylene spent activated carbon. *J Hazard Mater*. 168: 187-192.
- Liang, C; Wang, Z-S; Mohanty, N. (2006). Influences of carbonate and chloride ions on persulfate oxidation of trichloroethylene at 20 Å °C. *Sci Total Environ*. 370: 271-277.
- Liang, CJ; Bruell, CJ; Marley, MC; Sperry, KL. (2003). Thermally activated persulfate oxidation of trichloroethylene (TCE) and 1,1,1-trichloroethane (TCA) in aqueous systems and soil slurries. *Soil & Sediment Contamination*. 12: 207-228.
- Liang, CJ; Bruell, CJ; Marley, MC; Sperry, KL. (2004). Persulfate oxidation for in situ remediation of TCE. I. Activated by ferrous ion with and without a persulfate-thiosulfate redox couple. *Chemosphere*. 55: 1213-1223.
- Liang, CJ; Bruell, CJ; Marley, MC; Sperry, KL. (2004). Persulfate oxidation for in situ remediation of TCE. II. Activated by chelated ferrous ion. *Chemosphere*. 55: 1225-1233.
- Liang, CJ; Guo, YY. (2010). Mass Transfer and Chemical Oxidation of Naphthalene Particles with Zerovalent Iron Activated Persulfate. *Environmental Science & Technology*. 44: 8203-8208.
- Liang, CJ; Hsieh, CL. (2015). Evaluation of surfactant flushing for remediating EDC-tar contamination. *J Contam Hydrol*. 177: 158-166.
- Liang, CJ; Huang, CF; Chen, YJ. (2008). Potential for activated persulfate degradation of BTEX contamination. *Water Res*. 42: 4091-4100.
- Liang, CJ; Lai, MC. (2008). Trichloroethylene degradation by zero valent iron activated persulfate oxidation. *Environ Eng Sci*. 25: 1071-1077.
- Liang, CJ; Lee, IL. (2008). In situ iron activated persulfate oxidative fluid sparging treatment of TCE contamination - A proof of concept study. *J Contam Hydrol*. 100: 91-100.
- Liang, CJ; Liang, CP; Chen, CC. (2009). pH dependence of persulfate activation by EDTA/Fe(III) for degradation of trichloroethylene. *J Contam Hydrol*. 106: 173-182.
- Liang, CJ; Wang, ZS; Bruell, CJ. (2007). Influence of pH on persulfate oxidation of TCE at ambient temperatures. *Chemosphere*. 66: 106-113.
- Liang, CJ; Wang, ZS; Mohanty, N. (2006). Influences of carbonate and chloride ions on persulfate oxidation of trichloroethylene at 20 degrees C. *Sci Total Environ*. 370: 271-277.
- Liang, H; Falta, RW. (2008). Modeling field-scale cosolvent flooding for DNAPL source zone remediation. *J Contam Hydrol*. 96: 1-16.
- Liang, HL; Falta, RW; Henderson, JK; Shoemaker, S. (2012). Probabilistic Simulation of Remediation at a Site Contaminated by Trichloroethylene. *Ground Water Monitoring and Remediation*. 32: 131-141.
- Liang, J; Liu, J; Yuan, X; Dong, H; Zeng, G; Wu, H; Wang, H; Liu, J; Hua, S; Zhang, S; Yu, Z; He, X; He, Y. (2015). Facile synthesis of alumina-decorated multi-walled carbon nanotubes for simultaneous adsorption of cadmium ion and trichloroethylene. *Chem Eng J*. 273: 101-110.
- Liang, JX; Geng, ZY; Wang, YC. (2012). Density functional study of S(N) 2 substitution reactions for CH(3) Cl + CX(1) X(2) = HH, HF, HCl, HBr, HI, FF, ClCl, BrBr, and I). *J Comput Chem*. 33: 595-606.

Environmental Hazard Literature Search Results

Off Topic

- Liang, LN; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem.* 12: 1377-1393.
- Liang, LY; Moline, GR; Kamolpornwijit, W; West, OR. (2005). Influence of hydrogeochemical processes on zero-valent iron reactive barrier performance: A field investigation. *J Contam Hydrol.* 78: 291-312.
- Liang, LY; Sullivan, AB; West, OR; Moline, GR; Kamolpornwijit, W. (2003). Predicting the precipitation of mineral phases in permeable reactive barriers. *Environ Eng Sci.* 20: 635-653.
- Liang, S; Mann, MA; Guter, GA; Kim, PHS; Hardan, DL. (1999). Nitrate removal from contaminated groundwater: An innovative approach to design of an ion exchange plant used data from bench-scale tests and computer models. *American Water Works Association Journal.* 91: 90-91.
- Liang, SH; Chen, KF; Wu, CS; Lin, YH; Kao, CM. (2014). Development of KMnO₄-releasing composites for in situ chemical oxidation of TCE-contaminated groundwater. *Water Res.* 54: 149-158.
- Liang, SH; Kuo, YC; Chen, SH; Chen, CY; Kao, CM. (2013). Development of a slow polycolloid-releasing substrate (SPRS) biobarrier to remediate TCE-contaminated aquifers. *J Hazard Mater.* 254: 107-115.
- Liang, SH; Liu, JK; Lee, KH; Kuo, YC; Kao, CM. (2011). Use of specific gene analysis to assess the effectiveness of surfactant-enhanced trichloroethylene cometabolism. *J Hazard Mater.* 198: 323-330.
- Liang, X; Dong, Y; Kuder, T; Krumholz, LR; Philp, RP; Butler, EC. (2007). Distinguishing abiotic and biotic transformation of tetrachloroethylene and trichloroethylene by stable carbon isotope fractionation. *Environmental Science & Technology.* 41: 7094-7100.
- Liang, XM; Molenda, O; Tang, SQ; Edwards, EA. (2015). Identity and Substrate Specificity of Reductive Dehalogenases Expressed in Dehalococoides-Containing Enrichment Cultures Maintained on Different Chlorinated Ethenes. *Appl Environ Microbiol.* 81: 4626-4633.
- Liang, XM; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere.* 75: 63-69.
- Liang, YL; Zeng, FH; Qiu, GZ; Lu, XY; Liu, XD; Gao, HC. (2009). Co-metabolic degradation of dimethoate by *Raoultella* sp X1. *Biodegradation.* 20: 363-373.
- Liao, CH; Chen, IM; Chang, YF; Lu, MC. (2003). Removal of trichloromethane and trichloroethylene by suspended zero valent iron and ultraviolet irradiation. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 38: 1717-1729.
- Liao, KH; Dobrew, ID; Dennison, JE; Andersen, ME; Reisfeld, B; Reardon, KF; Campaign, JA; Wei, W; Klein, MT; Quann, RJ; Yang, RSH. (2002). Application of biologically based computer modeling to simple or complex mixtures. *Environ Health Perspect.* 110: 957-963.
- Liao, P; Yuan, SH; Chen, MJ; Tong, M; Xie, WJ; Zhang, P. (2013). Regulation of Electrochemically Generated Ferrous Ions from an Iron Cathode for Pd-Catalytic Transformation of MTBE in Groundwater. *Environmental Science & Technology.* 47: 7918-7926.
- Liao, Y; Ma, T; Cui, YH; Qi, ZC. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology.* 23: 1951-1957.
- Lichtin, NN; Avudaithai, M. (1996). TiO₂-photocatalyzed oxidative degradation of CH₃CN, CH₃OH, C₂HCl₃, and CH₂Cl₂ supplied as vapors and in aqueous solution under similar conditions. *Environmental Science & Technology.* 30: 2014-2020.
- Lidstrom, M; Semrau, J; Udell, E; Smith, K; Nguyen, H; Chan, S. (1993). OXIDATION OF SMALL HALOGENATED SOLVENTS BY METHANOTROPHS. *Keystone Symposium On Environmental Bioremediation And Biodegradation, Lake Tahoe, California, Usa, March.* 0: 184.
- Lieberman, MW; Lykissa, ED; Barrios, R; Ou, CN; Kala, G; Kala, SV. (1999). Cyclosiloxanes produce fatal liver and lung damage in mice. *Environ Health Perspect.* 107: 161-165.
- Liebler, DC; Latwesen, DG; Reeder, TC. (1988). S-2 CHLOROACETYLGUTATHIONE A REACTIVE GLUTATHIONE THIOL ESTER AND A PUTATIVE METABOLITE OF 1,1-DICHLOROETHYLENE. *Biochemistry.* 27: 3652-3657.
- Liekhus, KJ; Connolly, MJ. (1999). Estimation of volatile organic compounds (VOC) concentration within inner void volume of vented waste drums. *Waste Manag.* 19: 199-206.
- Lien, GJ; McKim, JM; Hoffman, AD; Jenson, CT. (2001). A physiologically based toxicokinetic model for lake trout (*Salvelinus namaycush*). *Aquat Toxicol.* 51: 335-350.
- Lien, GJ; Nichols, JW; McKim, JM; Gallinat, CA. (1994). Modeling the accumulation of three waterborne chlorinated ethanes in fathead minnows (*Pimephales promelas*): A physiologically based approach. *Environ Toxicol Chem.* 13: 1195-1205.
- Lien, HL; Zhang, WX. (1998). COMPLETE REDUCTION OF CHLORINATED ETHYLENES BY NANOSCALE BIMETALLIC PARTICLES. *215th American Chemical Society National Meeting, Dallas, Texas, Usa, March.* 215: 1.
- Liena, PJ; Yanga, ZH; Changb, YM; Tua, YT; Koa, CM. (2016). Enhanced bioremediation of TCE-contaminated groundwater with coexistence of fuel oil: Effectiveness and mechanism study. *Chem Eng J.* 289: 525-536.
- Liikala, TL; Olsen, KB; Teel, SS; Lanigan, DC. (1996). Volatile organic compounds: Comparison of two sample collection and preservation methods. *Environmental Science & Technology.* 30: 3441-3447.
- Lilius, H; Hastbacka, T; Isomaa, B. (1995). A comparison of the toxicity of 30 reference chemicals to *Daphnia magna* and *Daphnia pulex*. *Environ Toxicol Chem.* 14: 2085-2088.
- Lilius, H; Hastbacka, T; Isomaa, B. (1996). A combination of fluorescent probes for evaluation of cytotoxicity and toxic mechanisms in isolated rainbow trout hepatocytes. *Toxicol In Vitro.* 10: 341-348.
- Lilius, H; Sandbacka, M; Isomaa, B. (1995). The use of freshly isolated gill epithelial cells in toxicity testing. *Toxicol In Vitro.* 9: 299-305.

Environmental Hazard Literature Search Results

Off Topic

- Lilly, PD; Thornton, M, Jr.; Gargas, ML; Clewell, HJ; Andersen, ME. (1998). Kinetic characterization of CYP2E1 inhibition in vivo and in vitro by the chloroethylenes. *Arch Toxicol.* 72: 609-621.
- Lim, D-H. (2008). Density functional theory studies on the relative reactivity of chloroethenes on zerovalent iron. PhD Thesis, University of Michigan.
- Lim, DH; Lastoskie, CM. (2009). Density Functional Theory Studies on the Relative Reactivity of Chloroethenes on Zerovalent Iron. *Environmental Science & Technology.* 43: 5443-5448.
- Lim, DH; Lastoskie, CM; Soon, A; Becker, U. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environmental Science & Technology.* 43: 1192-1198.
- Lim, SJ; Fox, P. (2014). Effects of halogenated aromatics/aliphatics and nitrogen(N)-heterocyclic aromatics on estimating the persistence of future pharmaceutical compounds using a modified QSAR model. *Sci Total Environ.* 470: 348-355.
- Lim, TH; Kim, SD. (2004). Trichloroethylene degradation by photocatalysis in annular flow and annulus fluidized bed photoreactors. *Chemosphere.* 54: 305-312.
- Lim, TT; Feng, J; Zhu, BW. (2007). Kinetic and mechanistic examinations of reductive transformation pathways of brominated methanes with nano-scale Fe and Ni/Fe particles. *Water Res.* 41: 875-883.
- Lim, TT; Zhu, BW. (2008). Effects of anions on the kinetics and reactivity of nanoscale Pd/Fe in trichlorobenzene dechlorination. *Chemosphere.* 73: 1471-1477.
- Lim, V; Vasekovaasekova, E; Raja, SBN; Mason, NJ; Hoffmann, SSV. (2006). VUV electronic state spectroscopy of 1,1-difluoroethene and difluorochloromethane by high resolution synchrotron radiation. *Physical chemistry chemical physics : PCCP.* 8: 4766-4772.
- Limbirt, ESB; Betts, WB. (1995). Kinetics of bio-oxidation of a medium comprising phenol and a mixture of organic contaminants. *Appl Microbiol Biotechnol.* 43: 165-170.
- Limmer, MA; Burken, JG. (2015). Phytoscreening with SPME: Variability Analysis. *J Hazard Mater.* 17: 1115-1122.
- Limmer, MA; Holmes, AJ; Burken, JG. (2014). Phytomonitoring of Chlorinated Ethenes in Trees: A Four-Year Study of Seasonal Chemodynamics in *Planta*. *Environmental Science & Technology.* 48: 10634-10640.
- Lin, BQ; Xie, X. (2015). Energy conservation potential in China's petroleum refining industry: Evidence and policy implications. *Energy Conversion and Management.* 91: 377-386.
- Lin, CH; Kuo, MCT; Fan, KC; Yang, SC. (2009). Pilot study on contact efficiency of gaseous and misty substrates through in situ sparging. *J Chem Tech Biotechnol.* 84: 1456-1460.
- Lin, CH; Kuo, MCT; Sip, CY; Liang, KF; Han, YL. (2012). A nutrient injection scheme for in situ bio-remediation. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 47: 280-288.
- Lin, CJ; Liou, YH; Lo, SL. (2009). Supported Pd/Sn bimetallic nanoparticles for reductive dechlorination of aqueous trichloroethylene. *Chemosphere.* 74: 314-319.
- Lin, CJ; Lo, SL. (2005). Effects of iron surface pretreatment on sorption and reduction kinetics of trichloroethylene in a closed batch system. *Water Res.* 39: 1037-1046.
- Lin, CJ; Lo, SL; Liou, YH. (2004). Dechlorination of trichloroethylene in aqueous solution by noble metal-modified iron. *J Hazard Mater.* 116: 219-228.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere.* 59: 1299-1307.
- Lin, D. (1998). The development and prospective of bioenergy technology in China. *Biomass & Bioenergy.* 15: 181-186.
- Lin, JH; Zong, G; Du, RB; Xiao, JC; Liu, S. (2012). The asymmetric synthesis of CF₃- or -CF₂-substituted tetrahydroquinolines by employing a chiral phosphoric acid as catalyst. *Chemical communications (Cambridge, England).* 48: 7738-7740.
- Lin, JL; Radajewski, S; Eshinimaev, BT; Trotsenko, YA; McDonald, IR; Murrell, JC. (2004). Molecular diversity of methanotrophs in Transbaikal soda lake sediments and identification of potentially active populations by stable isotope probing. *Environ Microbiol.* 6: 1049-1060.
- Lin, K; Kumar, RS; Cheng, LS; Jin, CS. (2009). Performance Improvement of Carbon-Nanotube-Incorporated Transparent Conducting Anode Film for Organic Device Application. *Ieee Transactions on Electron Devices.* 56: 31-37.
- Lin, Q; Chen, YX; Plagentz, V; Schafer, D; Dahmke, A. (2004). ORC-GAC-Fe-0 system for the remediation of trichloroethylene and monochlorobenzene contaminated aquifer: 1. Adsorption and degradation. *J Environ Sci.* 16: 108-112.
- Lin, TF; Little, JC; Nazaroff, WW. (1994). Transport and sorption of volatile organic compounds and water vapor within dry soil grains. *Environmental Science & Technology.* 28: 322-330.
- Lin, YJ; Tseng, SL; Huang, WJ; Wu, WJ. (2006). Enhanced photocatalysis of pentachlorophenol by metal-modified titanium(IV) oxide. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes.* 41: 1143-1158.
- Lindgaard-Jorgensen, P; Bender, K. (1994). REVIEW OF ENVIRONMENTAL ACCIDENTS AND INCIDENTS. *Water Science And Technology.* 29: 165-172.
- Lindner, AS; Pacheco, A; Aldrich, HC; Staniec, AC; Uz, I; Hodson, DJ. (2007). *Methylocystis hirsuta* sp nov., a novel methanotroph isolated from a groundwater aquifer. *Int J Syst Evol Microbiol.* 57: 1891-1900.
- Lindner, AS; Semrau, JD; Adriaens, P. (2005). Substituent effects on the oxidation of substituted biphenyl congeners by type II methanotroph strain CSC1. *Archives of Microbiology.* 183: 266-276.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull.* Aug 1996. v. 32 (4): 807-816.

Environmental Hazard Literature Search Results

Off Topic

- Line, DE; Wu, J; Arnold, JA; Jennings, GD; Rubin, AR. (1997). Water quality of first flush runoff from 20 industrial sites. *Water Environ Res.* 69: 305-310.
- Linek, V; Sinkule, J; Janda, V. (1998). Design of packed aeration towers to strip volatile organic contaminants from water. *Water Res.* 32: 1264-1270.
- Ling, M; Rifai, HS. (2007). Modeling natural attenuation with source control at a chlorinated solvents dry cleaner site. *Ground Water Monitoring and Remediation.* 27: 108-121.
- Ling, XF; Li, JS; Zhu, W; Zhu, YY; Sun, XY; Shen, JY; Han, WQ; Wang, LJ. (2012). Synthesis of nanoscale zero-valent iron/ordered mesoporous carbon for adsorption and synergistic reduction of nitrobenzene. *Chemosphere.* 87: 655-660.
- Liotier, J; Barbier, M; Plantefeve, G; Duale, C; Deteix, P; Souweine, B; Coudoráčš, F. (2008). A rare cause of abdominal compartment syndrome: acute trichloroethylene overdose. *Clinical toxicology (Philadelphia, Pa).* 46: 905-907.
- Liou, YH; Lo, SL; Kuan, WH; Lin, CJ; Weng, SC. (2006). Effect of precursor concentration on the characteristics of nanoscale zerovalent iron and its reactivity of nitrate. *Water Res.* 40: 2485-2492.
- Liou, YH; Lo, SL; Lin, CJ. (2007). Size effect in reactivity of copper nanoparticles to carbon tetrachloride degradation. *Water Res.* 41: 1705-1712.
- Liou, YH; Lo, SL; Lin, CJ; Hu, CY; Kuan, WH; Weng, SC. (2005). Methods for accelerating nitrate reduction using zerovalent iron at near-neutral pH: Effects of H(2)-reducing pretreatment and copper deposition. *Environmental Science & Technology.* 39: 9643-9648.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Barton, HA. (1995). Dichloroacetic acid: metabolism in cytosol. *Drug metabolism and disposition: the biological fate of chemicals.* 23: 1202-1205.
- Lipson, DS; Kueper, BH; Gefell, MJ. (2005). Matrix diffusion-derived plume attenuation in fractured bedrock. *Ground Water.* 43: 30-39.
- Lipton, JW; Gyawali, S; Borys, ED; Koprach, JB; Ptaszny, M; McGuire, SO. (2003). Prenatal cocaine administration increases glutathione and alpha-tocopherol oxidation in fetal rat brain. *Brain research Developmental brain research.* 147: 77-84.
- Little, CD; Keyhan, M; Fraley, CD; McCann, MP; Matin, A. (1991). USE OF A STRESS-INDUCED PROMOTER TO ENHANCE TRICHLOROETHYLENE BIODEGRADATION IN NUTRIENT-LIMITED RECOMBINANT ESCHERICHIA-COLI. 91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May. 91: 294.
- Little, CD; Palumbo, AV; Herbes, SE; Lidstrom, ME; Tyndall, RL; Gilmer, PJ. (1988). TRICHLOROETHYLENE BIODEGRADATION BY A METHANE-OXIDIZING BACTERIUM. *Appl Environ Microbiol.* 54: 951-956.
- Little, CD; Palumbo, AY; Herbes, SE; Genung, DM. (1987). STIMULATION OF TRICHLOROETHYLENE BIODEGRADATION IN GROUND WATER SAMPLES. 87th Annual Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, March. 87: 299.
- Litz, JA; Garrison, LP; Fieber, LA; Martinez, A; Contillo, JP; Kucklick, JR. (2007). Fine-scale spatial variation of persistent organic pollutants in bottlenose dolphins (*Tursiops truncatus*) in Biscayne Bay, Florida. *Environmental science & technology.* 41: 7222-7228.
- Liu, B; Jia, C. (2015). Effects of exposure to mixed volatile organic compounds on the neurobehavioral test performance in a cross-sectional study of US adults. *Int J Environ Health Res.* 25: 349-363.
- Liu, C; Ball, WP. Back diffusion of chlorinated solvent contaminants from a natural aquitard to a remediated aquifer under well-controlled field conditions: predictions and measurements. [Erratum: May/June 2002, v. 40 (3), p. 220.]. *Ground Water.* Mar/Apr 2002. v. 40 (2): 175-184.
- Liu, CC; Liau, SF; Tseng, DH. (2006). Effects of the electrode arrangements on reductive dechlorination of trichloroethylene in an electro-enhanced iron wall. *Environ Technol.* 27: 683-693.
- Liu, CC; Tseng, DH; Wang, CY. (2006). Effects of ferrous ions on the reductive dechlorination of trichloroethylene by zero-valent iron. *J Hazard Mater.* 136: 706-713.
- Liu, CS; Kuo, MCT; Su, CY; Chen, YC; Cheng, WC; Chou, CY; Liang, KF; Han, YL; Lin, CH. (2013). A bacteria injection scheme for in situ bioaugmentation. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 48: 1079-1085.
- Liu, CX; Ball, WP. (1999). Application of inverse methods to contaminant source identification from aquitard diffusion profiles at Dover AFB, Delaware. *Water Resour Res.* 35: 1975-1985.
- Liu, CX; Ball, WP. (2002). Back diffusion of chlorinated solvent contaminants from a natural aquitard to a remediated aquifer under well-controlled field conditions: Predictions and measurements. *Ground Water.* 40: 175-184.
- Liu, CY; Cade-Menun, BJ; Xu, XH; Fan, JL. (2016). Electron Donor Substances and Iron Oxides Stimulate Anaerobic Dechlorination of DDT in a Slurry System with Hydragric Acrisols. *J Environ Qual.* 45: 331-340.
- Liu, CY; Xu, XH; Fan, JL. (2015). Accelerated anaerobic dechlorination of DDT in slurry with Hydragric Acrisols using citric acid and anthraquinone-2, 6-disulfonate (AQDS). *J Environ Sci.* 38: 87-94.
- Liu, D; Aoyama, I; Okamura, H; Dutka, BJ. (1996). Enhancement of toxicant release from sediment by sonication and sodium ligninsulfonate. *Environ Toxicol Water Qual.* 11: 195-203.
- Liu, D; Lei, LC; Yang, B; Yu, QN; Li, ZJ. (2013). Direct electron transfer from electrode to electrochemically active bacteria in a bioelectrochemical dechlorination system. *Bioresour Technol.* 148: 9-14.
- Liu, F; Cichocka, D; Nijenhuis, I; Richnow, HH; Fennell, DE. (2010). Carbon isotope fractionation during dechlorination of 1,2,3,4-tetrachlorodibenzo-p-dioxin by a Dehalococcoides-containing culture. *Chemosphere.* 80: 1113-1119.
- Liu, F; Fennell, DE. (2008). Dechlorination and detoxification of 1,2,3,4,7,8-hexachlorodibenzofuran by a mixed culture containing Dehalococcoides ethenogenes Strain 195. *Environmental science & technology.* 42: 602-607.
- Liu, FL; Yang, JH; Zuo, JN; Ma, D; Gan, LL; Xie, BM; Wang, P; Yang, B. (2014). Graphene-supported nanoscale zero-valent iron: Removal of phosphorus from aqueous solution and mechanistic study. *J Environ Sci.* 26: 1751-1762.

Environmental Hazard Literature Search Results

Off Topic

- Liu, H; Cheng, SA; Zhang, JQ; Cao, CN; Jiang, WC. (1997). The gas-photocatalytic degradation of trichloroethylene without water. *Chemosphere*. 35: 2881-2889.
- Liu, J; Chen, M; Yang, X; Fang, S; Xing, X; Huang, H; Zhou, L. (2010). Identification of novel interaction proteins of set in trichloroethylene-treated L-02 liver cells. *Toxicol Lett*. 196, Supplement: S72-S73.
- Liu, J; Drane, W; Liu, XF; Wu, TJ. (2009). Examination of the relationships between environmental exposures to volatile organic compounds and biochemical liver tests: Application of canonical correlation analysis. *Environ Res*. 109: 193-199.
- Liu, J; He, F; Durham, E; Zhao, D; Roberts, CB. (2008). Polysugar-stabilized Pd nanoparticles exhibiting high catalytic activities for hydrodechlorination of environmentally deleterious trichloroethylene. *Langmuir : the ACS journal of surfaces and colloids*. 24: 328-336.
- Liu, J; Huang, ZH; Wang, ZS; Kang, FY. (2004). Gas phase trichloroethylene removal at low concentration using activated carbon fiber. *J Environ Sci*. 16: 53-55.
- Liu, J; Wang, N; Szostek, B; Buck, RC; Panciroli, PK; Folsom, PW; Sulecki, LM; Bellin, CA. (2010). 6-2 Fluorotelomer alcohol aerobic biodegradation in soil and mixed bacterial culture. *Chemosphere*. 78: 437-444.
- Liu, J; Xing, X; Zhuang, Z; Xi, R; Huang, H; He, H; Chen, M. (2008). Identification of trichloroethylene intoxication associated liver cell proteins by serological proteome analysis. *Toxicol Lett*. 180, Supplement: S123.
- Liu, JB; Amemiya, T; Chang, Q; Xu, XO; Itoh, K. (2011). Real-time reverse transcription PCR analysis of trichloroethylene-regulated toluene dioxygenase expression in *Pseudomonas putida* F1. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes*. 46: 294-300.
- Liu, JF; Huang, CJ. (1995). Tissue alpha-tocopherol retention in male rats is compromised by feeding diets containing oxidized frying oil. *The Journal of nutrition*. 125: 3071-3080.
- Liu, LL; Wang, ZP; Yao, J; Sun, XJ; Cai, WM. (2005). Investigation on the properties and kinetics of glucose-fed aerobic granular sludge. *Enzyme Microb Technol*. 36: 307-313.
- Liu, M; Choi, DY; Hunter, RL; Pandya, JD; Cass, WA; Sullivan, PG; Kim, HC; Gash, DM; Bing, GY. (2010). Trichloroethylene induces dopaminergic neurodegeneration in Fisher 344 rats. *J Neurochem*. 112: 773-783.
- Liu, P; Long, C; Li, Q; Qian, H; Li, A; Zhang, Q. (2009). Adsorption of trichloroethylene and benzene vapors onto hypercrosslinked polymeric resin. *J Hazard Mater*. 166: 46-51.
- Liu, Q; Hirono, S; Matsushita, Y; Moriguchi, I. (1989). QSARS BASED ON FUZZY ADAPTIVE LEAST-SQUARES ANALYSIS FOR THE AQUATIC TOXICITY OF ORGANIC CHEMICALS. Meeting Of The American Chemical Society, The Chemical Society Of Japan, And The Canadian Society For Chemistry On Structure Activity And Structure Property Relationships In Environmental Chemistry And Toxicology. 11: 953-959.
- Liu, RCM; Hahn, C; Hurtt, ME. (1996). The direct effect of hepatic peroxisome proliferators on rat Leydig cell function in vitro. *Fundam Appl Toxicol*. 30: 102-108.
- Liu, T; Li, X; Waite, TD. (2013). Depassivation of Aged Fe super(0) by Ferrous Ions: Implications to Contaminant Degradation. *Environmental Science & Technology*. 47: 13712.
- Liu, T; Li, X; Waite, TD. (2013). Depassivation of Aged Fe super(0) by Inorganic Salts: Implications to Contaminant Degradation in Seawater. *Environmental Science & Technology*. 47: 7350.
- Liu, TX; Li, XM; Waite, TD. (2013). Depassivation of Aged Fe-0 by Ferrous Ions: Implications to Contaminant Degradation. *Environmental Science & Technology*. 47: 13712-13720.
- Liu, TX; Li, XM; Waite, TD. (2013). Depassivation of Aged Fe-0 by Inorganic Salts: Implications to Contaminant Degradation in Seawater. *Environmental Science & Technology*. 47: 7350-7356.
- Liu, TX; Li, XM; Waite, TD. (2014). Depassivation of Aged Fe-0 by Divalent Cations: Correlation between Contaminant Degradation and Surface Complexation Constants. *Environmental Science & Technology*. 48: 14564-14571.
- Liu, TY; Zhao, L; Tan, X; Liu, SJ; Li, JJ; Qi, Y; Mao, GZ. (2010). Effects of physicochemical factors on Cr(VI) removal from leachate by zero-valent iron and alpha-Fe(2)O(3) nanoparticles. *Water Science and Technology*. 61: 2759-2767.
- Liu, XX; Wood, PL; Parales, JV; Parales, RE. (2009). Chemotaxis to Pyrimidines and Identification of a Cytosine Chemoreceptor in *Pseudomonas putida*. *J Bacteriol*. 191: 2909-2916.
- Liu, Y; Illangasekare, TH; Kitanidis, PK. (2014). Long-term mass transfer and mixing-controlled reactions of a DNAPL plume from persistent residuals. *J Contam Hydrol*. 157: 11-24.
- Liu, Y; Phenrat, T; Lowry, GV. (2007). Effect of TCE concentration and dissolved groundwater solutes on NZVI-Promoted TCE dechlorination and H-2 evolution. *Environmental Science & Technology*. 41: 7881-7887.
- Liu, Y; Sinha, S; Owens, G. (2003). A transforming growth factor-beta control element required for SM alpha-actin expression in vivo also partially mediates GSKF-dependent transcriptional repression. *J Biol Chem*. 278: 48004-48011.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Effects of inorganic anions on carbon isotope fractionation during Fenton-like degradation of trichloroethene. *J Hazard Mater*. 308: 187-191.
- Liu, YD; Gan, YQ; Zhou, AG; Liu, CF; Li, XQ; Yu, TT. (2014). Carbon and chlorine isotope fractionation during Fenton-like degradation of trichloroethene. *Chemosphere*. 107: 94-100.
- Liu, YD; Zhou, AG; Gan, YQ; Li, XQ. (2016). Variability in carbon isotope fractionation of trichloroethene during degradation by persulfate activated with zero-valent iron: Effects of inorganic anions. *Sci Total Environ*. 548: 1-5.
- Liu, YD; Zhou, AG; Gan, YQ; Liu, CF; Yu, TT; Li, XQ. (2013). Stable carbon isotope fractionation during trichloroethene degradation in magnetite-catalyzed Fenton-like reaction. *J Contam Hydrol*. 145: 37-43.

Environmental Hazard Literature Search Results

Off Topic

- Liu, YF; Xiao, BL; Liu, YQ; Li, SQ; Zhan, CL. (1988). The use of isolated rat hepatocyte in prescreening of hepatotoxicants: Observation on toxic effects of 14 compounds. *Biomed Environ Sci.* 1: 308-315.
- Liu, YL; Xia, F; Liu, F; Chen, HH. (2010). Effects of Benzene, Toluene on Reductive Dechlorination of Trichloroethylene and Its Daughter Product cis-1,2-Dichloroethylene by Granular Iron. *Environmental Science.* 31: 1526-1532.
- Liu, YQ; Lowry, GV. (2006). Effect of particle age (Fe(o) content) and solution pH on NZVI reactivity: H(2) evolution and TCE dechlorination. *Environmental Science & Technology.* 40: 6085-6090.
- Liu, YQ; Majetich, SA; Tilton, RD; Sholl, DS; Lowry, GV. (2005). TCE dechlorination rates, pathways, and efficiency of nanoscale iron particles with different properties. *Environmental Science & Technology.* 39: 1338-1345.
- Liu, ZJ; Arnold, RG; Betterton, EA; Smotkin, E. (2001). Reductive dehalogenation of gas-phase chlorinated solvents using a modified fuel cell. *Environmental Science & Technology.* 35: 4320-4326.
- Lo, IMC; Lam, CSC; Lai, KCK. (2005). Competitive effects of trichloroethylene on Cr(VI) removal by zero-valent iron. *Journal of Environmental Engineering-Asce.* 131: 1598-1606.
- Lochmann, ER; Ehrlich, W; Mangir, M. (1984). The effect of trichloroethylene and acrylonitrile on RNA and ribosome synthesis and ribosome content in *Saccharomyces* cells. *Ecotoxicol Environ Saf.* 8: 162-166.
- Lochmann, ER; Young, LY; Hå€žggblom, MM. (1991). Biodegradation of toxic and environmental pollutants. *Ecotoxicol Environ Saf.* 22: 2(2):133-138.
- Lock, E; Yaqoob, N; Evans, A. (2011). Is Trichloroethylene-Induced Formic Aciduria a Biomarker of Exposure Rather than a Sign of Toxicity? 50th Anniversary Annual Meeting of the Society of Toxicology (SOT 2011).
- Lock, EA; Sani, Y; Moore, RB; Finkelstein, MB; Anders, MW; Seawright, AA. (1996). Bone marrow and renal injury associated with haloalkene cysteine conjugates in calves. *Arch Toxicol.* 70: 607-619.
- Lock, EA; Schnellmann, RG. (1990). The effect of haloalkene cysteine conjugates on rat renal glutathione reductase and lipoyl dehydrogenase activities. *Toxicol Appl Pharmacol.* 104: 180-190.
- Lock, T; Cottrell, L; Soames, T; Jacobsen, M; Williams, R. (2004). Formic acid excretion in rats and mice exposed to bromodichloromethane: a possible link to renal tubule cell proliferation in long-term studies. *Arch Toxicol.* 78: 410-417.
- Locke, MA; Reddy, KN; Gaston, LA; Zablotowicz, RM. (2002). Adjuvant modification of herbicide interactions in aqueous soil suspensions. *Soil Sci.* 167: 444-452.
- Loeffler, FE; Li, J; Urbance, JW; Tiedje, JM. (1998). CHARACTERIZATION OF STRAIN BB1 A TETRACHLOROETHENE PCE-DECHLORINATING ORGANISM. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 450.
- Loew, GH; Rebagliati, M; Poulsen, M. (1984). Metabolism and relative carcinogenic potency of chloroethanes: a quantum chemical structure-activity study. *Cancer biochemistry biophysics.* 7: 109-132.
- Loffler, FE; Champine, JE; Ritalahti, KM; Sprague, SJ; Tiedje, JM. (1997). Complete reductive dechlorination of 1,2-dichloropropane by anaerobic bacteria. *Appl Environ Microbiol.* 63: 2870-2875.
- Loffler, FE; Flynn, SJ; Tiedje, JM. (1997). CHARACTERIZATION OF HIGHLY ENRICHED CULTURES THAT DEHALOGENATE CHLORINATED C2 AND C3 COMPOUNDS. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 472.
- Loffler, FE; Flynn, SJ; Tiedje, JM; Fathepure, BZ; Shulz, NA; Adriaens, P. (1998). STIMULATION OF HALORESPIRING ACTIVITY IN A TETRACHLOROETHENE PCE CONTAMINATED AQUIFER AT THE BACHMAN SITE IN OSCODA MICHIGAN A LABORATORY EVALUATION. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 429.
- Loffler, FE; Kern, EA; Champine, JE. (1996). EVALUATION OF RIVER SEDIMENTS AND AQUIFER MATERIALS FOR PERCHLOROETHYLENE PCE-DECHLORINATION ACTIVITY UNDER ANAEROBIC CONDITIONS. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 411.
- Loffler, FE; Ritalahti, KM; Tiedje, JM. (1997). Dechlorination of chloroethenes is inhibited by 2-bromoethanesulfonate in the absence of methanogens. *Appl Environ Microbiol.* 63: 4982-4985.
- Loffler, FE; Sun, Q; Li, J; Tiedje, JM. (2000). 16S rRNA gene-based detection of tetrachloroethene-dechlorinating *Desulfuromonas* and *Dehalococcoides* species. *Appl Environ Microbiol.* 66: 1369-1374.
- Loffler, FE; Yan, J; Ritalahti, KM; Adrian, L; Edwards, EA; Konstantinidis, KT; Muller, JA; Fullerton, H; Zinder, SH; Spormann, AM. (2013). *Dehalococcoides mccartyi* gen. nov., sp nov., obligately organohalide-respiring anaerobic bacteria relevant to halogen cycling and bioremediation, belong to a novel bacterial class, *Dehalococcoidia classis nov.*, order *Dehalococcoidales ord. nov* and family *Dehalococcoidaceae fam. nov.*, within the phylum *Chloroflexi*. *Int J Syst Evol Microbiol.* 63: 625-635.
- Logan, DM; Raj, AS. (1990). RISK ASSESSMENT WITH COMPLEX MIXTURES. Twenty First Annual Meeting Of The Environmental Mutagen Society, Albuquerque, New Mexico, Usa, March. 15: 36.
- Logan, TJ; Midgett, MR; Prohaska, J. (1987). VALIDATION STUDIES OF THE PROTOCOL FOR THE VOLATILE ORGANIC SAMPLING TRAIN AU - FUERST RG. *Japca.* 37: 388-394.
- Logue, JM; Small, MJ; Stern, D; Maranche, J; Robinson, AL. (2010). Spatial Variation in Ambient Air Toxics Concentrations and Health Risks between Industrial-Influenced, Urban, and Rural Sites. *Journal of the Air & Waste Management Association.* 60: 271-286.
- Logue, JN; Stroman, RM; Reid, D; Hayes, CW; Sivarajah, K. (1985). Investigation of potential health effects associated with well water chemical contamination in Londonderry Township, Pennsylvania, U.S.A. *Arch Environ Health.* 40: 155-160.
- Loh, CH; Liou, SH; Chang, YW; Chen, HI; Perng, WC; Ku, HY; Chen, YH. (2008). Hepatic injuries of hexachloroethane smoke inhalation: the first analytical epidemiological study. *Toxicology.* 247: 119-122.

Environmental Hazard Literature Search Results

Off Topic

- Loh, KC; Wang, SJ. (1997). Enhancement of biodegradation of phenol and a nongrowth substrate 4-chlorophenol by medium augmentation with conventional carbon sources. *Biodegradation*. 8: 329-338.
- Lohman, PHM; Mendelsohn, ML; Moore, DH, II; Waters, MD; Brusick, DJ; Ashby, J; Lohman, WJA. (1992). A METHOD FOR COMPARING AND COMBINING SHORT-TERM GENOTOXICITY TEST DATA THE BASIC SYSTEM. *Mutat Res*. 266: 7-25.
- Lohner, ST; Spormann, AM. (2013). Identification of a reductive tetrachloroethene dehalogenase in *Shewanella sediminis*. *Philosophical Transactions of the Royal Society B-Biological Sciences*. 368: NIL_119-NIL_128.
- Lohner, ST; Tiehm, A. (2009). Application of electrolysis to stimulate microbial reductive PCE dechlorination and oxidative VC biodegradation. *Environmental science & technology*. 43: 7098-7104.
- Lojkasek-Lima, P; Aravena, R; Parker, BL; Cherry, JA. (2012). Fingerprinting TCE in a Bedrock Aquifer Using Compound-Specific Isotope Analysis. *Ground Water*. 50: 754-764.
- Lojkasek-Lima, P; Aravena, R; Shouakar-Stash, O; Frappe, SK; Marchesi, M; Fiorenza, S; Vogan, J. (2012). Evaluating TCE Abiotic and Biotic Degradation Pathways in a Permeable Reactive Barrier Using Compound Specific Isotope Analysis. *Ground Water Monitoring and Remediation*. 32: 53-62.
- Lollar, BS; Hirschorn, S; Mundle, SO; Grostern, A; Edwards, EA; Lacrampe-Couloume, G. (2010). Insights into enzyme kinetics of chloroethane biodegradation using compound specific stable isotopes. *Environmental science & technology*. 44: 7498-7503.
- Lollar, BS; Slater, GF; Sleep, B; Witt, M; Klecka, GM; Harkness, M; Spivack, J. (2001). Stable carbon isotope evidence for intrinsic bioremediation of tetrachloroethene and trichloroethene at area 6, Dover Air Force Base. *Environmental Science & Technology*. 35: 261-269.
- Long, C; Liu, P; Li, Y; Li, AM; Zhang, QX. (2011). Characterization of Hydrophobic Hypercrosslinked Polymer as an Adsorbent for Removal of Chlorinated Volatile Organic Compounds. *Environmental Science & Technology*. 45: 4506-4512.
- Long, RM; Moore, L; Schoenberg, DR. (1989). Halocarbon hepatotoxicity is not initiated by Ca²⁺-stimulated endonuclease activation. *Toxicol Appl Pharmacol*. 97: 350-359.
- Long, T; Ramsburg, CA. (2011). Encapsulation of nZVI particles using a Gum Arabic stabilized oil-in-water emulsion. *J Hazard Mater*. 189: 801-808.
- Longino, BL; Kueper, BH. (1999). Effects of capillary pressure and use of polymer solutions on dense, non-aqueous-phase liquid retention and mobilization in a rough-walled fracture. *Environmental Science & Technology*. 33: 2447-2455.
- Longnecker, MP; Klebanoff, MA; Brock, JW; Zhou, H; Gray, KA; Needham, LL; Wilcox, AJ. (2002). Maternal serum level of 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene and risk of cryptorchidism, hypospadias, and polythelia among male offspring. *Am J Epidemiol*. 155: 313-322.
- Lontoh, S; DiSpirito, AA; Krema, CL; Whittaker, MR; Hooper, AB; Semrau, JD. (2000). Differential inhibition in vivo of ammonia monooxygenase, soluble methane monooxygenase and membrane-associated methane monooxygenase by phenylacetylene. *Environ Microbiol*. 2: 485-494.
- Lontoh, S; DiSpirito, AA; Semrau, JD. (1999). Dichloromethane and trichloroethylene inhibition of methane oxidation by the membrane-associated methane monooxygenase of *Methylosinus trichosporium* OB3b. *Archives of Microbiology*. 171: 301-308.
- Lontoh, S; Semrau, JD. (1998). Methane and trichloroethylene degradation by *Methylosinus trichosporium* OB3b expressing particulate methane monooxygenase. *Appl Environ Microbiol*. 64: 1106-1114.
- Lontoh, S; Zahn, JA; DiSpirito, AA; Semrau, JD. (2000). Identification of intermediates of in vivo trichloroethylene oxidation by the membrane-associated methane monooxygenase. *FEMS Microbiol Lett*. 186: 109-113.
- Lontoh, ST. (2000). Substrate oxidation by methanotrophs expressing particulate methane monooxygenase (pMMO): A study of whole -cell oxidation of trichloroethylene and its potential use for environmental remediation. PhD Thesis, University of Michigan.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol*. 74: 133-144.
- Lookman, R; Paulus, D; Marnette, E; Pijls, C; Ryngeart, A; Diels, L; Volkering, F. (2007). Ground water transfer initiates complete reductive dechlorination in a PCE-contaminated aquifer. *Ground Water Monitoring and Remediation*. 27: 65-74.
- Loomer, DB; Al, TA; Banks, VJ; Parker, BL; Mayer, K. (2011). Manganese and trace-metal mobility under reducing conditions following in situ oxidation of TCE by KMnO₄: A laboratory column experiment. *J Contam Hydrol*. 119: 13-24.
- Loomer, DB; Al, TA; Banks, VJ; Parker, BL; Mayer, KU. (2010). Manganese Valence in Oxides Formed from in Situ Chemical Oxidation of TCE by KMnO₄. *Environmental Science & Technology*. 44: 5934-5939.
- Loomer, DB; Al, TA; Banks, VJ; Parker, BL; Mayer, KU. (2011). Manganese and trace-metal mobility under reducing conditions following in situ oxidation of TCE by KMnO₄: A laboratory column experiment. *J Contam Hydrol*. 119: 13-24.
- Loper, GL; Sasaki, GR; Stamps, MA. (1982). Carbon dioxide laser absorption spectra of toxic industrial compounds. *Appl Opt*. 21: 1648-1653.
- Lopes, TJ; Bender, DA. (1998). Nonpoint sources of volatile organic compounds in urban areas - relative importance of land surfaces and air. *Environ Pollut*. 101: 221-230.
- Lopez, DO; Tamarit, JL; de la Fuente, MR; Perez-Jubindo, MA; Salud, J; Barrio, M. (2000). Dielectric spectroscopy on two orientationally disordered crystals: NPA (CH₂OHCH(CH₃)(CH₃)) and TCE (CH₂OHCCl(CH₃)). *Journal of Physics-Condensed Matter*. 12: 3871-3882.
- Lopez, JP; Cooper, WJ; Slifker, RA; Rossell, L; Waite, TD; Kurucz, CN; Nickelsen, MG. (1994). REMOVAL OF 1,1,1-TRICHLOROETHANE FROM AQUEOUS SOLUTIONS USING THE HIGH ENERGY ELECTRON BEAM PROCESS. 207th National Meeting Of The American Chemical Society, San Diego, California, Usa, March. 207: 90.
- Lopez-Avila, V; Dodhiwala, NS; Milanes, J; Beckert, WF. (1989). EVALUATION OF EPA METHOD 8120 FOR DETERMINATION OF CHLORINATED HYDROCARBONS IN ENVIRONMENTAL SAMPLES. *J Assoc Off Anal Chem*. 72: 593-602.

Environmental Hazard Literature Search Results

Off Topic

- Lopez-Avila, V; Young, R; Teplitsky, N. (1996). Microwave-assisted extraction as an alternative to Soxhlet, sonication, and supercritical fluid extraction. *J AOAC Int.* 79: 142-156.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez, V, Jr. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol.* 78: 15-22.
- Lorah, MM; Burris, DR; Dyer, L. (2002). Efficiency of natural attenuation of chlorinated solvents in two freshwater wetlands. *Wetlands and Remediation* 11:9-16.
- Lorah, MM; Olsen, LD. (1999). Degradation of 1,1,2,2-tetrachloroethane in a freshwater tidal wetland: Field and laboratory evidence. *Environmental Science & Technology.* 33: 227-234.
- Lorah, MM; Olsen, LD. (1999). Natural attenuation of chlorinated volatile organic compounds in a freshwater tidal wetland: Field evidence of anaerobic biodegradation. *Water Resour Res.* 35: 3811-3827.
- Lorah, MM; Voytek, MA. (2004). Degradation of 1,1,2,2-tetrachloroethane and accumulation of vinyl chloride in wetland sediment microcosms and in situ porewater: biogeochemical controls and associations with microbial communities. *J Contam Hydrol.* 70: 117-145.
- Lorraine, GA. (2001). Effects of alcohols, anionic and nonionic surfactants on the reduction of PCE and TCE by zero-valent iron. *Water Res.* 35: 1453-1460.
- Lorraine, GA; Glaze, WH. (1995). MODELING OF PHOTOLYSIS AND HYDROXYL RADICAL REACTIONS OF 1,1,1-TRICHLOROETHANE USING MULTI-WAVELENGTH UV SOURCES. 210th American Chemical Society National Meeting, Chicago, Illinois, Usa, August. 210: 228.
- Lord, DL; Demond, AH; Hayes, KF. (2005). Comparison of capillary pressure relationships of organic liquid-water systems containing an organic acid or base. *J Contam Hydrol.* 77: 195-208.
- Lorden, SW; Chen, WL; Lion, LW. (1998). Experiments and modeling of the transport of trichloroethene vapor in unsaturated aquifer material. *Environmental Science & Technology.* 32: 2009-2017.
- Loreto, HD; Czarnowski, J. (1994). The thermal addition of trifluoromethylhypofluorite, CF₃OF, to trichloroethene. *J Fluor Chem.* 66: 1-4.
- Loscutoff, WV; Poore, MV. (1991). AMBIENT AIR TOXICS DATA FROM CALIFORNIA'S TOXIC AIR CONTAMINANT MONITORING PROGRAM. Chow, W And K K Connor. 0: 191-203.
- Lotrario, JB; Stuart, BJ; Lam, T; Arands, RR; O'Connor, OA; Kosson, DS. (1995). EFFECTS OF STERILIZATION METHODS ON THE PHYSICAL CHARACTERISTICS OF SOIL IMPLICATION FOR SORPTION ISOTHERM ANALYSES. *Bull Environ Contam Toxicol.* 54: 668-675.
- Lou, JC; Hung, CM; Yang, BY. (2004). Catalytic destruction of dichloromethane using perovskite-type oxide catalysts. *Journal of the Air & Waste Management Association.* 54: 727-740.
- Louarn, E; Aulenta, F; Levantesi, C; Majone, M; Tandoi, V. (2006). Modeling substrate interactions during aerobic biodegradation of mixtures of vinyl chloride and ethene. *Journal of Environmental Engineering-Asce.* 132: 940-948.
- Loury, DJ; Goldsworthy, TL; Smith-Oliver, T; Popp, JA; Butterworth, BE. (1987). THE RELATIONSHIP BETWEEN CHEMICALLY INDUCED HYPERPLASIA AND THE INDUCTION OF NEOPLASIA IN THE RAT KIDNEY. Eighteenth Annual Meeting Of The Environmental Mutagen Society, San Francisco, California, Usa, April. 9: 62.
- Louw, R; Mulder, P. (1990). Gas-phase and activated carbon mediated thermal hydrogenolysis of halogenated organics. *J Environ Sci Health Part A Environ Sci Eng.* 25: 555-570.
- Lovell, D. (2010). Is tetrachloroethylene genotoxic or not? *J Hazard Mater.* 25: 443-446.
- Lovett-Doust, J; Lovett-Doust, L; Biernacki, M; Mal, TK; Lazar, R. (1997). Organic contaminants in submersed macrophytes drifting in the Detroit River. *Can J Fish Aquat Sci.* 54: 2417-2427.
- Lovley, DR; Fletcher, KE; Ritalahti, KM; Pennell, KD; Takamizawa, K; Löffler, F. (2008). Resolution of culture *Clostridium bifermentans* DPH-1 into two populations, a *Clostridium* sp. and tetrachloroethene-dechlorinating *Desulfitobacterium hafniense* strain JH1. *Appl Environ Microbiol.* 74: 5943-5947.
- Lowe, KS; Gardner, FG; Siegrist, RL. (2002). Field evaluation of in situ chemical oxidation through vertical well-to-well recirculation of NaMnO₄. *Ground Water Monitoring and Remediation.* 22: 106-115.
- Lowe, M; Madsen, EL; Schindler, K; Smith, C; Emrich, S; Robb, F; Halden, RU. (2002). Geochemistry and microbial diversity of a trichloroethene-contaminated Superfund site undergoing intrinsic in situ reductive dechlorination. *FEMS Microbiol Ecol.* 40: 123-134.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1-to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environmental Science & Technology.* 33: 1905-1910.
- Lowry, GV; Reinhard, M. (2000). Pd-catalyzed TCE dechlorination in groundwater: Solute effects, biological control, and oxidative catalyst regeneration. *Environmental Science & Technology.* 34: 3217-3223.
- Lowry, GV; Reinhard, M. (2001). Pd-catalyzed TCE dechlorination in water: Effect of H₂ (aq) and H₂-utilizing competitive solutes on the TCE dechlorination rate and product distribution. *Environmental Science & Technology.* 35: 696-702.
- Lu, C; Bjerg, PL; Zhang, FJ; Broholm, MM. (2011). Sorption of chlorinated solvents and degradation products on natural clayey tills. *Chemosphere.* 83: 1467-1474.
- Lu, C; Chang, K. (2003). Biofiltration of 1,1,1-trichloroethane by a trickle-bed air biofilter. *Appl Biochem Biotechnol.* 110: 125-136.
- Lu, C; Huang, F; Hung, JM; Chen, YT. (2010). Effects of Biosolid on the Biodegradation of Trichloroethylene-Contaminated Soils. Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds.
- Lu, CJ; Lee, CM; Chung, MS. (1998). The comparison of trichloroethylene removal rates by methane- and aromatic-utilizing microorganisms. *Water Science and Technology.* 38: 19-24.
- Lu, H. (2005). Evaluation of activated carbon fibers (ACF) for removal of volatile organic compounds (VOCs) in indoor environments. PhD Thesis, Purdue University.

Environmental Hazard Literature Search Results

Off Topic

- Lu, H-Y; Xin, B-D; Sun, Y; Guo, G-X; Ji, Y-Q. (2014). Temporal and spatial distribution characteristics of organic contamination in groundwater in the Beijing plain. *Hydrogeology and Engineering Geology*. 41: 34-40.
- Lu, Q; de Toledo, RA; Xie, F; Li, JH; Shim, H. (2015). Combined removal of a BTEX, TCE, and cis-DCE mixture using *Pseudomonas* sp immobilized on scrap tyres. *Environ Sci Pollut Res Int*. 22: 14043-14049.
- Lu, Q; Luo, QS; Li, H; Liu, YD; Gu, JD; Fei, LK. (2015). Characterization of Chlorinated Aliphatic Hydrocarbons and Environmental Variables in a Shallow Groundwater in Shanghai Using Kriging Interpolation and Multifactorial Analysis. *PLoS ONE*. 10: e0142241.
- Lu, QB; Sanche, L. (2001). Effects of cosmic rays on atmospheric chlorofluorocarbon dissociation and ozone depletion. *Physical review letters*. 87: 078501.
- Lu, R; Mizaikoff, B; Li, W-W; Qian, C; Katzir, A; Raichlin, Y; Sheng, G-P; Yu, H-Q. (2013). Determination of chlorinated hydrocarbons in water using highly sensitive mid-infrared sensor technology. *Sci Rep*. 3: 2525.
- Lu, X; Tao, S; Cao, J; Dawson, RW. (1999). Prediction of fish bioconcentration factors of nonpolar organic pollutants based on molecular connectivity indices. *Chemosphere*. 39: 987-999.
- Lu, X; Wilson, JT; Kampbell, DH. (2006). Relationship between Dehalococcoides DNA in ground water and rates of reductive dechlorination at field scale. *Water Res*. 40: 3131-3140.
- Lu, XX; Chen, CQ; Zhang, S; Ou, Y; Yin, L; Wu, W. (2012). Microbial Degradation of 2, 2', 4, 4'-Tetrabrominated Diphenyl Ether Under Anaerobic Condition. *Environmental Science*. 33: 1000-1007.
- Lu, XX; Li, GH; Tao, S; Bosma, T; Gerritse, J. (2002). Volatile fatty acids as electron donors for the reductive dechlorination of chloroethenes. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 37: 439-449.
- Lu, XX; Tao, S; Bosma, T; Gerritse, J. (2001). Characteristic hydrogen concentrations for various redox processes in batch study. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 36: 1725-1734.
- Lu, XX; Wilson, JT; Kampbell, DH. (2006). Relationship between geochemical parameters and the occurrence of Dehalococcoides DNA in contaminated aquifers. *Water Resour Res*. 42: 8427-8427.
- Lu, XX; Wilson, JT; Kampbell, DH. (2009). Comparison of an assay for Dehalococcoides DNA and a microcosm study in predicting reductive dechlorination of chlorinated ethenes in the field. *Environ Pollut*. 157: 809-815.
- Lu, XX; Wilson, JT; Shen, H; Henry, BM; Kampbell, DH. (2008). Remediation of TCE-contaminated groundwater by a permeable reactive barrier filled with plant mulch (Biowall). *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 43: 24-35.
- Lu, Y; Wang, Z. (2002). Bioconcentration of trace organochlorine pesticides by the rainbow trout. *Journal of environmental science and health Part A, Toxic/hazardous substances & environmental engineering*. 37: 529-539.
- Lucia, A; Finger, EJ. (2004). Co-solvent selection and recovery. *Adv Environ Res*. 8: 197-211.
- Luciano, A; Viotti, P; Papini, MP. (2012). On Morphometric Properties of DNAPL Sources: Relating Architecture to Mass Reduction. *Water Air and Soil Pollution*. 223: 2849-2864.
- Lui, EMK; Bolter, CJ; Suntutres, ZE. (1990). ALPHA TERTHIENYL ALPHA-T AS A PHOTOOXIDANT. Meeting On Oxidative Damage And Repair Held At The 5th Biennial Meeting Of The International Society For Free Radical Research, Pasadena, California, Usa, November. 9: 78.
- Luijten, M; Roelofs, W; Langenhoff, AAM; Schraa, G; Stams, AJM. (2004). Hydrogen threshold concentrations in pure cultures of halo-respiring bacteria and at a site polluted with chlorinated ethenes. *Environ Microbiol*. 6: 646-650.
- Luijten, ML; de, WJ; Smidt, H; Boschker, HT; de, VWM; Schraa, G; Stams, AJ. (2003). Description of *Sulfurospirillum halorespirans* sp. nov., an anaerobic, tetrachloroethene-respiring bacterium, and transfer of *Dehalospirillum multivorans* to the genus *Sulfurospirillum* as *Sulfurospirillum multivorans* comb. nov. *Int J Syst Evol Microbiol*. 53: 787-793.
- Lund, BO. (1994). In vitro adrenal bioactivation and effects on steroid metabolism of DDT, PCBs and their metabolites in the gray seal (*Halichoerus grypus*). *Environ Toxicol Chem*. 13: 911-917.
- Lund, BO; Lund, J. (1995). Novel involvement of a mitochondrial steroid hydroxylase (P450c11) in xenobiotic metabolism. *The Journal of biological chemistry*. 270: 20895-20897.
- Lund, BO; Orberg, J; Bergman, A; Larsson, C; Bergman, A; Backlin, BM; Hakansson, H; Madej, A; Brouwer, A; Brunstrom, B. (1999). Chronic and reproductive toxicity of a mixture of 15 methylsulfonyl-polychlorinated biphenyls and 3-methylsulfonyl-2,2-bis-(4-chlorophenyl)-1,1-dichloroethene in mink (*Mustela vison*). *Environ Toxicol Chem*. 18: 292-298.
- Lundberg, I; Ekdahl, M; Kronevi, T; Lidums, V; Lundberg, S. (1986). Relative hepatotoxicity of some industrial solvents after intraperitoneal injection or inhalation exposure in rats. *Environ Res*. 40: 411-420.
- Lundberg, I; Håggberg, J; Kronevi, T; Holmberg, B. (1987). Three industrial solvents investigated for tumor promoting activity in the rat liver. *Cancer Lett*. 36: 29-33.
- Lunn, SRD; Kueper, BH. (1999). Manipulation of density and viscosity for the optimization of DNAPL recovery by alcohol flooding. *J Contam Hydrol*. 38: 427-445.
- Lunn, SRD; Kueper, BH. (1999). Risk reduction during chemical flooding: Preconditioning DNAPL density in situ prior to recovery by miscible displacement. *Environmental Science & Technology*. 33: 1703-1708.
- Lunney, AI; Zeeb, BA; Reimer, KJ. (2004). Uptake of weathered DDT in vascular plants: potential for phytoremediation. *Environmental science & technology*. 38: 6147-6154.
- Luo, F; Chen, Z; Megharaj, M; Naidu, R. (2016). Simultaneous removal of trichloroethylene and hexavalent chromium by green synthesized agarose-Fe nanoparticles hydrogel. *Chem Eng J*. 294: 290-297.

Environmental Hazard Literature Search Results

Off Topic

- Luo, J; Farrell, J. (2003). Examination of hydrophobic contaminant adsorption in mineral micropores with grand canonical Monte Carlo simulations. *Environmental Science & Technology*. 37: 1775-1782.
- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech*. 10: 77.
- Luo, M; Dai, LL. (2007). Molecular dynamics simulations of surfactant and nanoparticle self-assembly at liquid-liquid interfaces. *Journal of Physics-Condensed Matter*. 19: 75109-75109.
- Luo, MS; Yuan, SH; Tong, M; Liao, P; Xie, WJ; Xu, XF. (2014). An integrated catalyst of Pd supported on magnetic Fe₃O₄ nanoparticles: Simultaneous production of H₂O₂ and Fe²⁺ for efficient electro-Fenton degradation of organic contaminants. *Water Res*. 48: 190-199.
- Luo, S; Yang, SG; Wang, XD; Sun, C. (2010). Reductive degradation of tetrabromobisphenol A over iron-silver bimetallic nanoparticles under ultrasound radiation. *Chemosphere*. 79: 672-678.
- Luo, Y; Zou, L; Hu, E. (2006). Enhanced degradation efficiency of toluene using titania/silica photocatalysis as a regeneration process. *Environ Technol*. 27: 359-366.
- Luo, YZ; Adams, M; Pawliszyn, J. (1997). Aqueous sample direct extraction and analysis by membrane extraction with a sorbent interface. *Analyst*. 122: 1461-1469.
- Luo, YZ; Adams, M; Pawliszyn, J. (1998). Kinetic study of membrane extraction with a sorbent interface for air analysis. *Anal Chem*. 70: 248-254.
- Luo, YZ; Gao, Q; Yang, MS. (2007). Dynamic modeling of chemical fate and transport in multimedia environments at watershed scale - II: Trichloroethylene test case. *J Environ Manage*. 83: 56-65.
- Luo, YZ; Pawliszyn, J. (2000). Membrane extraction with a sorbent interface for headspace monitoring of aqueous samples using a cap sampling device. *Anal Chem*. 72: 1058-1063.
- Luque-Romero, FL; Pueyo, C; Matsuda, H; Ose, Y; Nagase, H; Sato, T; Kito, H; Sumida, K. (1991). Mutagenicity of ozonation and chlorination products from p-hydroxybenzaldehyde. *Mutagenesis*. 6: 199-205.
- Luttik, R; Aldenberg, T. (1997). Extrapolation factors for small samples of pesticide toxicity data: Special focus on LD50 values for birds and mammals. *Environ Toxicol Chem*. 16: 1785-1788.
- Lutz, A; Bremser, W; Hilbert, S; Nehls, I; Akta. (2012). Effect of chloroethene concentrations and granular activated carbon on reductive dechlorination rates and growth of *Dehalococcoides* spp. *Journal of environmental monitoring : JEM*. 14: 217-223.
- Lutz, WK; Schlatter, J. (1992). Chemical carcinogens and overnutrition in diet-related cancer. *Carcinogenesis*. 13: 2211-2216.
- Luzzini, D; Caniato, F; Ronchi, S; Spina, G. (2012). A transaction costs approach to purchasing portfolio management. *International Journal of Operations & Production Management*. 32: 1015-1042.
- Lv, XR; Zheng, B; Li, SY; Han, AL; Wang, C; Shi, JH; Zhang, XH; Liu, Y; Li, YH; Wen, JK. (2013). Synthetic retinoid Am80 up-regulates apelin expression by promoting interaction of RAR alpha with KLF5 and Sp1 in vascular smooth muscle cells. *Biochem J*. 456: 35-46.
- Lyw, D; Guiot, S. (2003). Effects of aeration and organic loading rates on degradation of trichloroethylene in a methanogenic-methanotrophic coupled reactor. *Appl Microbiol Biotechnol*. 61: 206-213.
- Lyw, D; Tartakovsky, B; Manuel, MF; Guiot, SR. (2002). A microcosm test for potential mineralization of chlorinated compounds under coupled aerobic/anaerobic conditions. *Chemosphere*. 47: 695-699.
- Lykins, BWJR; Koffsky, W. (1985). PRODUCTS IDENTIFIED AT AN ALTERNATIVE DISINFECTION PILOT PLANT. Second International Symposium On Health Effects Of Drinking Water Disinfectants And Disinfection By Products, Cincinnati, Ohio, Usa, August. 69: 119-128.
- Lynch, CJ; Blackmore, PF; Johnson, EH; Wange, RL; Krone, PK; Exton, JH. (1989). Guanine nucleotide binding regulatory proteins and adenylate cyclase in livers of streptozotocin- and BB/Wor-diabetic rats. Immunodetection of Gs and Gi with antisera prepared against synthetic peptides. *The Journal of clinical investigation*. 83: 2050-2062.
- Lyon, WG; West, CC; Osborn, ML; Sewell, GW. (1995). Microbial utilization of vadose zone organic carbon for reductive dechlorination of tetrachloroethene. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering & Toxic And Hazardous Substance Control*. 30: 1627-1639.
- Ma, CM; Lee, YW; Hong, GB; Su, TL; Shie, JL; Chang, CT. (2011). Effect of platinum on the photocatalytic degradation of chlorinated organic compound. *J Environ Sci*. 23: 687-692.
- Ma, CW; Wu, YQ. (2008). Dechlorination of perchloroethylene using zero-valent metal and microbial community. *Environ Geol*. 55: 47-54.
- Ma, CW; Wu, YQ; Sun, CX; Lee, L. (2007). Adsorption characteristics of perchloroethylene in natural sandy materials with low organic carbon content. *Environ Geol*. 52: 1511-1519.
- Ma, H; Huang, Y; Shen, M; Guo, R; Cao, X; Shi, X. (2012). Enhanced dechlorination of trichloroethylene using electrospun polymer nanofibrous mats immobilized with iron/palladium bimetallic nanoparticles. *J Hazard Mater*. 211-212: 349-356.
- Ma, HA; O'Loughlin, EJ; Burris, DR. (2001). Factors affecting humic-nickel complex mediated reduction of trichloroethene in homogeneous aqueous solution. *Environmental science & technology*. 35: 717-724.
- Ma, HW. (2002). Stochastic multimedia risk assessment for a site with contaminated groundwater. *Stoch Environ Res Risk Assess*. 16: 464-478.
- Ma, HW; Crawford-Brown, DJ. (1997). Comparison of systems and single-medium approaches in environmental risk-based decision making: A case study of a sludge management problem. *Journal Of Environmental Systems*. 26: 1997-1998.
- Ma, HZ; O'Loughlin, EJ; Burris, DR. (2001). Factors affecting humic-nickel complex mediated reduction of trichloroethene in homogeneous aqueous solution. *Environmental Science & Technology*. 35: 717-724.
- Ma, J; Li, YF; Harner, T; Cao, Z. (2007). Assessing the relationship between extensive use of organochlorine pesticides and cooling trend during the mid-20th century in the southeastern United States. *Environmental science & technology*. 41: 7209-7214.

Environmental Hazard Literature Search Results

Off Topic

- Ma, JJ; Liu, LQ; Su, B; Xie, BC. (2015). Exploring the critical factors and appropriate polices for reducing energy consumption of China's urban civil building sector. *J Clean Prod.* 103: 446-454.
- Ma, TA; Peng, Y; Chen, TD; Sandhu, SS; Ruiz, EF. (1990). TRADESCANTIA MICRONUCLEUS TRAD-MCN AND STAMEN HAIR MUTATION TRAD-SHM ASSAYS OF THE CLASTOGENICITY OF CHEMICAL MIXTURES AND IN SITU MONITORING OF AIR AND WATER POLLUTION. Twenty First Annual Meeting Of The Environmental Mutagen Society, Albuquerque, New Mexico, Usa, March. 15: 37.
- Ma, TH; Sandhu, SS; Chen, TD; Kim, TW. (1991). SYNERGISM AND ANTAGONISM OF GENOTOXIC EFFECTS AMONG THE CHEMICALS COMMONLY FOUND IN THE HAZARDOUS WASTE SITES. Twenty Second Annual Scientific Meeting Of The Environmental Mutagen Society, Kissimmee, Florida, Usa, April. 0: 45-46.
- Ma, TH; Sandhu, SS; Peng, Y; Chen, TD; Kim, TW. (1992). Synergistic and antagonistic effects on genotoxicity of chemicals commonly found in hazardous waste sites. *Mutat Res.* 270: 71-77.
- Ma, TH; Xu, C; Liao, S; McConnell, H; Jeong, BS; Won, CD. (1996). In situ monitoring with the Tradescantia bioassays on the genotoxicity of gaseous emissions from a closed landfill site and an incinerator. *Mutat Res.* 359: 39-52.
- Ma, X; Burken, J. (2004). Modeling of TCE diffusion to the atmosphere and distribution in plant stems. *Environmental science & technology.* 38: 4580-4586.
- Ma, X; He, D; Jones, AM; Collins, RN; Waite, T. (2016). Reductive reactivity of borohydride- and dithionite-synthesized iron-based nanoparticles: A comparative study. *J Hazard Mater.* 303: 101-110.
- Ma, X; Novak, PJ; Clapp, LW; Semmens, MJ; Hozalski, RM. (2003). Evaluation of polyethylene hollow-fiber membranes for hydrogen delivery to support reductive dechlorination in a soil column. *Water Res.* 37: 2905-2918.
- Ma, X; Novak, PJ; Semmens, MJ; Clapp, LW; Hozalski, RM. (2006). Comparison of pulsed and continuous addition of H(2) gas via membranes for stimulating PCE biodegradation in soil columns. *Water Res.* 40: 1155-1166.
- Ma, XM; Burken, J. (2004). Modeling of RE diffusion to the atmosphere and distribution in plant stems. *Environmental Science & Technology.* 38: 4580-4586.
- Ma, XM; Burken, JG. (2002). VOCs fate and partitioning in vegetation: Use of tree cores in groundwater analysis. *Environmental Science & Technology.* 36: 4663-4668.
- Ma, XM; Burken, JG. (2003). TCE diffusion to the atmosphere in phytoremediation applications. *Environmental Science & Technology.* 37: 2534-2539.
- Ma, XM; Wang, C. (2009). Impacts of the physiochemical properties of chlorinated solvents on the sorption of trichloroethylene to the roots of *Typha latifolia*. *Environ Pollut.* 157: 1019-1023.
- Mé s; Stetkiewicz, J; Zieli, ski, K; Stetkiewicz, I; Koktysz, R. (1989). Computer image analysis of toxic fatty degeneration in rat liver. *Journal of hygiene, epidemiology, microbiology, and immunology.* 33: 514-520.
- MÄ ller, G; Henschler, D. (1975). Metabolism of trichloroethylene in man. III. Interaction of trichloroethylene and ethanol. *Arch Toxicol.* 33: 173-189.
- MÄ ller, WF; Coulston, F; Korte, F. (1982). Comparative metabolism of [14C] trichloroethylene in chimpanzees, baboons, and rhesus monkeys. *Chemosphere.* 11: 215-218.
- Maalekuu, BK; Harisu, I; Kaledzi, P. (2015). Effects of Sources of Irrigation Water and Pesticides on Postharvest Quality of three Vegetables in the Wa Municipality of the Upper West Region of Ghana. *Acta horticulturae*239-244.
- Mabrouk, M; Marchand, M; Baronnet, JM; Lemont, F. (2016). Trichloroethylene Combustion in a Submerged Thermal Plasma: Results and Chemical Kinetics Model. *Plasma Chemistry and Plasma Processing.* 36: 1085-1110.
- Macalady, DL; Tratnyek, PG; Grundl, TJ. (1986). ABIOTIC REDUCTION REACTIONS OF ANTHROPOGENIC ORGANIC CHEMICALS IN ANAEROBIC SYSTEMS A CRITICAL REVIEW. *J Contam Hydrol.* 1: 1-28.
- Macbeth, TW; Cummings, DE; Spring, S; Petzke, LM; Sorenson, KS. (2004). Molecular characterization of a dechlorinating community resulting from in situ biostimulation in a trichloroethene-contaminated deep, fractured basalt aquifer and comparison to a derivative laboratory culture. *Appl Environ Microbiol.* 70: 7329-7341.
- Macdonald, AG. (1978). A dilatometric investigation of the effects of general anaesthetics, alcohols and hydrostatic pressure on the phase transition in smectic mesophases of dipalmitoyl phosphatidylcholine. *Biochimica et Biophysica Acta (BBA) - Biomembranes.* 507: 26-37.
- Macdonald, JA; Kavanaugh, MC. (1994). RESTORING CONTAMINATED GROUNDWATER AN ACHIEVABLE GOAL? *Environmental Science & Technology.* 28: 362A-368A.
- MacDonald, JR; Gandolfi, AJ; Sipes, IG. (1982). Covalent binding of 14C-1,1,2-trichloroethane to hepatic proteins following acetone pretreatment. *Drug Chem Toxicol.* 5: 233-247.
- MacDonald, TR; Kitanidis, PK; McCarty, PL; Roberts, PV. Effects of shear detachment on biomass growth and in situ bioremediation. *Ground Water.* July/Aug 1999. v. 37 (4): 555-563.
- MacFarlane, S; Mackay, D. (1998). A fugacity-based screening model to assess contamination and remediation of the subsurface containing non-aqueous phase liquids. *Journal of Soil Contamination.* 7: 17-46.
- Machado, S; Stawinski, W; Slonina, P; Pinto, AR; Grosso, JP; Nouws, HPA; Albergaria, JT; Delerue-Matos, C. (2013). Application of green zero-valent iron nanoparticles to the remediation of soils contaminated with ibuprofen. *Sci Total Environ.* 461: 323-329.
- Mackay, CJ; Campbell, L; Samuel, AM; Alderman, KJ; Idzikowski, C; Wilson, HK; Gompertz, D. (1987). Behavioral changes during exposure to 1,1,1-trichloroethane: time-course and relationship to blood solvent levels. *Am J Ind Med.* 11: 223-239.

Environmental Hazard Literature Search Results

Off Topic

- Mackay, D; Puig, H; McCarty, LS. (1989). AN EQUATION DESCRIBING THE TIME COURSE AND VARIABILITY IN UPTAKE AND TOXICITY OF NARCOTIC CHEMICALS TO FISH. Meeting Of The American Chemical Society, The Chemical Society Of Japan, And The Canadian Society For Chemistry On Structure Activity And Structure Property Relationships In Environmental Chemistry And Toxicology. 11: 941-951.
- Mackay, DM; Cherry, JA. (1989). GROUNDWATER CONTAMINATION PUMP-AND-TREAT REMEDIATION. Environ Sci Technol. 23: 630-636.
- Mackay, DM; Wilson, RD; Brown, MJ; Ball, WP; Xia, G; Durfee, DP. (2000). A controlled field evaluation of continuous vs. pulsed pump-and-treat remediation of a VOC-contaminated aquifer: site characterization, experimental setup, and overview of results. J Contam Hydrol. 41: 81-131.
- MacKinnon, LK; Thomson, NR. (2002). Laboratory-scale in situ chemical oxidation of a perchloroethylene pool using permanganate. J Contam Hydrol. 56: 49-74.
- Maddalena, RL; McKone, TE; Layton, DW; Hsieh, DP. (1995). Comparison of multi-media transport and transformation models: regional fugacity model vs. CalTOX. Chemosphere. 30: 869-889.
- Madsen, EL. (1998). THEORETICAL AND APPLIED ASPECTS OF BIOREMEDIATION THE INFLUENCE OF MICROBIOLOGICAL PROCESSES ON ORGANIC CONTAMINANT COMPOUNDS IN FIELD SITES. Burlage, R S, Et Al. 0: 354-407.
- Madsen, EL; Mann, CL; Bilotta, SE; Wilson, MS; Yager, RM. (1997). IN SITU ATTENUATION OF CHLORINATED ETHENES BY NATURALLY-OCCURRING MICROORGANISMS IN A FRACTURED DOLOMITE AQUIFER NEAR NIAGARA FALLS NY. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 473.
- Maeda, T; Takahashi, Y; Suenaga, H; Suyama, A; Goto, M; Furukawa, K. (2001). Functional analyses of Bph-Tod hybrid dioxygenase, which exhibits high degradation activity toward trichloroethylene. J Biol Chem. 276: 29833-29838.
- Magara, Y; Aizawa, T; Kunikane, S; Itoh, M; Kohki, M; Kawasaki, M; Takeuti, H. (1996). The behavior of inorganic constituents and disinfection by products in reverse osmosis water desalination process. Water Science And Technology. 34: 141-148.
- Magara, Y; Furuichi, T. (1986). ENVIRONMENTAL POLLUTION BY TRICHLOROETHYLENE AND TETRACHLOROETHYLENE A NATIONWIDE SURVEY IN JAPAN. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 18.
- Maghsoodi, S; Towfighi, J; Khodadadi, A; Mortazavi, Y. (2013). The effects of excess manganese in nano-size lanthanum manganite perovskite on enhancement of trichloroethylene oxidation activity. Chem Eng J. 215-216: 827-837.
- Magnuson, JK; Romine, MF; Burris, DR; Kingsley, MT. (2000). Trichloroethene reductive dehalogenase from Dehalococcoides ethenogenes: Sequence of tceA and substrate range characterization. Appl Environ Microbiol. 66: 5141-5147.
- Magnuson, JK; Stern, RV; Burris, DR. (1997). REDUCTIVE DECHLORINATION OF TETRACHLOROETHYLENE TO ETHENE BY A TWO-COMPONENT DEHALOGENASE SYSTEM. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 187.
- Magnuson, JK; Stern, RV; Gossett, JM; Zinder, SH; Burris, DR. (1998). Reductive dechlorination of tetrachloroethene to ethene by two-component enzyme pathway. Appl Environ Microbiol. 64: 1270-1275.
- Magrini, KA; Goggin, RM; Watt, AS; Taylor, M. (1992). WATER COMPOSITION EFFECTS ON THE PHOTOCATALYTIC DECOMPOSITION OF AQUEOUS TRICHLOROETHYLENE. 203rd Acs. 203.
- Maguire, RJ; Tkacz, RJ. (1988). Chlorinated hydrocarbons in the surface microlayer and subsurface water of the Niagara River (Ontario, Canada), 1985-86. Wat Pollut Res J Can. 23: 292-300.
- Maguire, RJ; Tkacz, RJ. (1989). Potential underestimation of chlorinated hydrocarbon concentrations in fresh water. Chemosphere. 19: 1277-1288.
- Magureanu, M; Mandache, NB; Parvulescu, VI. (2007). Chlorinated organic compounds decomposition in a dielectric barrier discharge. Plasma Chemistry and Plasma Processing. 27: 679-690.
- Mahal, MK; Murao, A; Johnson, GR; Russo, AE; Brusseau, ML. (2010). Non-ideal Behavior During Complete Dissolution of Organic Immiscible Liquid: 2. Ideal Porous Media. Water Air and Soil Pollution. 213: 191-197.
- Mahler, B; Massei, N. (2007). Anthropogenic contaminants as tracers in an urbanizing karst aquifer. J Contam Hydrol. 91: 81-106.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N. (2014). Evaluation of the kinetic oxidation of aqueous volatile organic compounds by permanganate. Sci Total Environ. 485: 755-763.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N; Raoof, A. (2014). Oxidation of trichloroethylene, toluene, and ethanol vapors by a partially saturated permeable reactive barrier. J Contam Hydrol. 164: 193-208.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N; Raoof, A; van Genuchten, MT. (2015). Evaluation of a horizontal permeable reactive barrier for preventing upward diffusion of volatile organic compounds through the unsaturated zone. J Environ Manage. 163: 204-213.
- Mahmoodlu, MG; Pontedeiro, EM; PÃ©rez Guerrero, JsS; Raoof, A; Majid Hassanizadeh, S; van Genuchten, MT. Dissolution kinetics of volatile organic compound vapors in water: An integrated experimental and computational study. J Contam Hydrol.
- Mahyar, A; Behnajady, MA; Modirshahla, N. (2011). Enhanced Photocatalytic Degradation of CI Basic Violet 2 Using TiO₂-SiO₂ Composite Nanoparticles. Photochem Photobiol. 87: 795-801.
- Maia, JL; Cerra, AL; Alves, AG. (2010). Exploring variables of transaction costs in Brazilian automotive supply chains. Industrial Management & Data Systems. 110: 567-590.
- Maillard, J; Charnay, MP; Regeard, C; Rohrbach-Brandt, E; Rouzeau-Szynalski, K; Rossi, P; Holliger, C. (2011). Reductive dechlorination of tetrachloroethene by a stepwise catalysis of different organohalide respiring bacteria and reductive dehalogenases. Biodegradation. 22: 949-960.
- Mainhagu, J; Morrison, C; Brusseau, ML. (2015). Using vapor phase tomography to measure the spatial distribution of vapor concentrations and flux for vadose-zone VOC sources. J Contam Hydrol. 177: 54-63.

Environmental Hazard Literature Search Results

Off Topic

- Maithreepala, RA; Doong, RA. (2004). Synergistic effect of copper ion on the reductive dechlorination of carbon tetrachloride by surface-bound Fe(II) associated with goethite. *Environmental Science & Technology*. 38: 260-268.
- Maithreepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environmental Science & Technology*. 39: 4082-4090.
- Maji, R; Sudicky, EA; Panday, S; Teutsch, G. (2006). Transition probability/Markov chain analyses of DNAPL source zones and plumes. *Ground Water*. 44: 853-863.
- Majid, A; Sparks, BD; Khan, AA; Xu, JG. (1999). Treatment of used diesel invert drilling mud to remove hydrocarbons, fix lead, and leach brine. *Journal of Soil Contamination*. 8: 255-283.
- Major, D; Edwards, E; McCarty, P; Gossett, J; Hendrickson, E; Loeffler, F; Zinder, S; Ellis, D; Vidumsky, J; Harkness, M; Klecka, G; Cox, E. (2003). Discussion of environment vs. bacteria or let's play, 'name that bacteria'. *Ground Water Monitoring and Remediation*. 23: 32-+.
- Major, DW; McMaster, ML; Cox, EE; Edwards, EA; Dworatzek, SM; Hendrickson, ER; Starr, MG; Payne, JA; Buonamici, LW. (2002). Field demonstration of successful bioaugmentation to achieve dechlorination of tetrachloroethene to ethene. *Environmental Science & Technology*. 36: 5106-5116.
- Majumdar, S; Ramachandran, S; Cerione, RA. (2004). Perturbing the linker regions of the alpha-subunit of transducin: a new class of constitutively active GTP-binding proteins. *The Journal of biological chemistry*. 279: 40137-40145.
- Majumdar, S; Ramachandran, S; Cerione, RA. (2006). New insights into the role of conserved, essential residues in the GTP binding/GTP hydrolytic cycle of large G proteins. *The Journal of biological chemistry*. 281: 9219-9226.
- Makhijani, A; Gurney, KR. (1995). MENDING THE OZONE HOLE SCIENCE TECHNOLOGY AND POLICY. Makhijani, A And K R Gurney Mending The Ozone Hole: Science, Technology, And Policy Xii+355p Mit Press: Cambridge, Massachusetts, Usa. 0.
- Malachowsky, K; Phelps, TJ; White, DC. (1992). AEROBIC DEGRADATION OF TRICHLOROETHYLENE TCE VINYL CHLORIDE VC AND AROMATIC COMPOUNDS BY TYPE IV ACTINOMYCETES. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 382.
- Malachowsky, KJ; Phelps, TJ; Teboli, AB; Minnikin, DE; White, DC. (1994). Aerobic mineralization of trichloroethylene, vinyl chloride, and aromatic compounds by *Rhodococcus* species. *Appl Environ Microbiol*. 60: 542-548.
- Malaguerra, F; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ. (2011). Development and Sensitivity Analysis of a Fully Kinetic Model of Sequential Reductive Dechlorination in Groundwater. *Environmental Science & Technology*. 45: 8395-8402.
- Malaveille, C; Planche, G; Bartsch, H. (1977). Factors for efficiency of the Salmonella/microsome mutagenicity assay. *Chem Biol Interact*. 17: 129-136.
- Malinverni, JC; Kukor, JJ. (1999). Effect of promoter architecture on regulation of gene expression by a toluene- and TCE-responsive transcriptional activator. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 580.
- Mallakpour, S; Khadem, E. (2016). Carbon nanotube-metal oxide nanocomposites: Fabrication, properties and applications. *Chem Eng J*. 302: 344-367.
- Malley, LA; Hansen, JF; Everds, N; Warheit, DB. (2002). 4-week inhalation toxicity study with a mixture of dichloroethylene and perfluorobutylethylene in rats. *Inhal Toxicol*. 14: 773-787.
- Malone, R; Warner, RC; Evangelou, VP; Wong, JL. (1994). TRANSPORT OF BENZENE AND TRICHLOROETHYLENE THROUGH A LANDFILL SOIL LINER MIXED WITH COAL SLURRY. *Waste Management & Research*. 12: 417-428.
- Malonov, H; Bardod, J, Z. (1983). Urinary excretion of mercapturates as a biological indicator of exposure to electrophilic agents. *J Hyg Epidemiol Microbiol Immunol*.
- Maltoni, C. (1977). Recent findings on the carcinogenicity of chlorinated olefins. *Environ Health Perspect*. 21: 1-5.
- Maltoni, C; Minardi, F; Soffritti, M; Lefemine, G. (1991). LONG-TERM CARCINOGENICITY BIOASSAYS ON INDUSTRIAL CHEMICALS AND MAN-MADE MINERAL FIBERS AT THE BENTIVOGLIO BT LABORATORIES OF THE BOLOGNA INSTITUTE OF ONCOLOGY PREMISES PROGRAMS AND RESULTS. *Ixth Uoeh*. 7: 63-94.
- Malvoisin, E; Roberfroid, M; Mercier, M. (1979). Microsomal vinyl oxide synthetase: modification of its kinetic parameters by chemical carcinogens. *Arch Toxicol Suppl*. 2: 465-469.
- Manamsa, K; Lapworth, DJ; Stuart, ME. (2016). Temporal variability of micro-organic contaminants in lowland chalk catchments: New insights into contaminant sources and hydrological processes. *Sci Total Environ*. 568: 566-577.
- Manchester, JI; Ornstein, RL. (1995). Enzyme-catalyzed dehalogenation of pentachloroethane: Why F87W-cytochrome P450cam is faster than wild type. *Protein Engineering*. 8: 801-807.
- Manchester, JI; Ornstein, RL. (1995). Molecular dynamics simulations indicate that F87W,T185F-cytochrome P450cam may reductively dehalogenate 1,1,1-trichloroethane. *J Biomol Struct Dyn*. 13: 413-422.
- Manchester, MJ; Hug, LA; Zarek, M; Zila, A; Edwards, EA. (2012). Discovery of a trans-Dichloroethene-Respiring Dehalogenimonas Species in the 1,1,2,2-Tetrachloroethane-Dechlorinating WBC-2 Consortium. *Appl Environ Microbiol*. 78: 5280-5287.
- Mangir, M; Al-Baz, I; Lochmann, ER; Ehrlich, W. (1991). A test system for the rapid detection of nuclear and cytoplasmic damage in Chinese hamster ovary cells. *Chemosphere*. 23: 777-784.
- Manoli, G; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ; Broholm, MM. (2012). A remediation performance model for enhanced metabolic reductive dechlorination of chloroethenes in fractured clay till. *J Contam Hydrol*. 131: 64-78.
- Mansfeldt, CB; Logsdon, BA; Debs, GE; Richardson, RE. (2015). SPINE: SParse elgengene NETwork linking gene expression clusters in *Dehalococcoides mccartyi* to perturbations in experimental conditions. *PLoS ONE*. 10: 1.

Environmental Hazard Literature Search Results

Off Topic

- Mantha, R; Taylor, KE; Biswas, N; Bewtra, JK. (2001). A continuous system for Fe(0) reduction of nitrobenzene in synthetic wastewater. *Environmental Science & Technology*. 35: 3231-3236.
- Manuel, J. (1998). CLEANER WATER IT'S ELEMENTARY. *Environ Health Perspect*. 106: A332-A334.
- Mao, D; Revil, A; Hort, RD; Munakata-Marr, J; Atekwana, EA; Kulesa, B. (2015). Resistivity and self-potential tomography applied to groundwater remediation and contaminant plumes: Sandbox and field experiments. *J Hydrol*. 530: 1-14.
- Mao, F; Gaunt, JA; Cheng, CL; Ong, SK. (2011). Microscopic Visualization Technique to Predict the Permeation of Organic Solvents through PVC Pipes in Water Distribution Systems. *Journal of Environmental Engineering-Asce*. 137: 137-145.
- Mao, R; Zhao, X; Lan, HC; Liu, HJ; Qu, JH. (2015). Graphene-modified Pd/C cathode and Pd/GAC particles for enhanced electrocatalytic removal of bromate in a continuous three-dimensional electrochemical reactor. *Water Res*. 77: 1-12.
- Mao, XH; Ciblak, A; Amiri, M; Alshawabkeh, AN. (2011). Redox Control for Electrochemical Dechlorination of Trichloroethylene in Bicarbonate Aqueous Media. *Environmental Science & Technology*. 45: 6517-6523.
- Mao, XH; Ciblak, A; Baek, K; Amiri, M; Loch-Caruso, R; Alshawabkeh, AN. (2012). Optimization of electrochemical dechlorination of trichloroethylene in reducing electrolytes. *Water Res*. 46: 1847-1857.
- Mao, XH; Yuan, SH; Fallahpour, N; Ciblak, A; Howard, J; Padilla, I; Loch-Caruso, R; Alshawabkeh, AN. (2012). Electrochemically Induced Dual Reactive Barriers for Transformation of TCE and Mixture of Contaminants in Groundwater. *Environmental Science & Technology*. 46: 12003-12011.
- Mao, XW; Stenuit, B; Polasko, A; Alvarez-Cohen, L. (2015). Efficient Metabolic Exchange and Electron Transfer within a Syntrophic Trichloroethene-Degrading Coculture of *Dehalococcoides mccartyi* 195 and *Syntrophomonas wolfei*. *Appl Environ Microbiol*. 81: 2015-2024.
- Maphosa, F; Smidt, H; De Vos, WM; Roling, WFM. (2010). Microbial Community- And Metabolite Dynamics of an Anoxic Dechlorinating Bioreactor. *Environmental Science & Technology*. 44: 4884-4890.
- Marble, JC; Carroll, KC; Janousek, H; Brusseau, ML. (2010). In situ oxidation and associated mass-flux-reduction/mass-removal behavior for systems with organic liquid located in lower-permeability sediments. *J Contam Hydrol*. 117: 82-93.
- Marchand, M; Caprais, JC; Pignet, P. (1988). HYDROCARBONS AND HALOGENATED HYDROCARBONS IN COASTAL WATERS OF THE WESTERN MEDITERRANEAN FRANCE. *Mar Environ Res*. 25: 131-159.
- Marchand-Brynaert, J; Laub, R; De Meester, F; Frère, J-M. (1988). Synthesis and biological evaluation of new C (4) heterofunctionalized monocyclic β -lactams derived from penicillin G. *Eur J Med Chem*. 23: 561-571.
- Marchesi, M; Aravena, R; Sra, KS; Thomson, NR; Otero, N; Soler, A; Mancini, S. (2012). Carbon isotope fractionation of chlorinated ethenes during oxidation by Fe(2+) activated persulfate. *Sci Total Environ*. 433: 318-322.
- Marchesi, M; Thomson, NR; Aravena, R; Sra, KS; Otero, N; Soler, A. (2013). Carbon isotope fractionation of 1,1,1-trichloroethane during base-catalyzed persulfate treatment. *J Hazard Mater*. 260: 61-66.
- Marco-Urrea, E; Aranda, E; Caminal, G; Guillen, F. (2009). Induction of hydroxyl radical production in *Trametes versicolor* to degrade recalcitrant chlorinated hydrocarbons. *Bioresour Technol*. 100: 5757-5762.
- Marco-Urrea, E; Gabarrell, X; Caminal, G; Vicent, T; Reddy, CA. (2008). Aerobic degradation by white-rot fungi of trichloroethylene (TCE) and mixtures of TCE and perchloroethylene (PCE). *J Chem Tech Biotechnol*. 83: 1190-1196.
- Marco-Urrea, E; Gabarrell, X; Sarrà, M; Caminal, G; Vicent, T; Reddy, CA. (2006). Novel aerobic perchloroethylene degradation by the white-rot fungus *Trametes versicolor*. *Environ Sci Technol*. 15.
- Marco-Urrea, E; Nijenhuis, I; Adrian, L. (2011). Transformation and Carbon Isotope Fractionation of Tetra- and Trichloroethene to Trans-Dichloroethene by *Dehalococcoides* sp Strain CBDB1. *Environmental Science & Technology*. 45: 1555-1562.
- Marco-Urrea, E; Parella, T; Gabarrell, X; Caminal, G; Vicent, T; Reddy, CA. (2008). Mechanistics of trichloroethylene mineralization by the white-rot fungus *Trametes versicolor*. *Chemosphere*. 70: 404-410.
- Marcy, M. (1986). Two short-term toxicity tests for the calanoid copepod *Eurytemora herdmani* using a complex effluent. *Arch Environ Contam Toxicol*. 15: 199-206.
- Mariño, EL; Dominguez-Gil, AA; Cepeda, M; Otero, MJ; Dominguez-Gil, A. (1981). Effect of experimentally induced renal impairment on the pharmacokinetics of cefadroxil in rabbits. *Arzneimittelforschung*. 31981; 31: 478-481.
- Mariner, PE; Jin, MQ; Studer, JE; Pope, GA. (1999). The first vadose zone partitioning interwell tracer test for nonaqueous phase liquid and water residual. *Environmental Science & Technology*. 33: 2825-2828.
- Marinucci, AC; Cardoni, W. (1986). TRICHLOROETHYLENE TOXICITY TO SOIL ORGANISMS EFFECT OF ORGANIC MATTER. 86th Annual Meeting Of The American Society For Microbiology, Washington, DC, Usa, Mar. 86: 294.
- Marinucci, AC; Chervu, A. (1985). EFFECT OF TRICHLOROETHYLENE CONCENTRATION ON THE ACTIVITY OF SOIL MICROORGANISMS. 85th Annual Meeting Of The American Society For Microbiology, Las Vegas, Nev, Usa, Mar. 85: 280.
- Maroni, M; Bulgheroni, C; Cassitto, MG; Merluzzi, F; Gilioli, R; Foa, V. (1977). A clinical, neurophysiological and behavioral study of female workers exposed to 1,1,1-trichloroethane. *Scandinavian journal of work, environment & health*. 3: 16-22.
- Maronpot, RR; Anna, CH; Devereux, TR; Lucier, GW; Butterworth, BE; Anderson, MW. (1995). Considerations concerning the murine hepatocarcinogenicity of selected chlorinated hydrocarbons. *Prog Clin Biol Res*. 391: 305-323.
- Marotti, I; Marotti, M; Piccaglia, R; Nistri, A; Grandi, S; Dinelli, G. (2010). Thiophene occurrence in different *Tagetes* species: agricultural biomasses as sources of biocidal substances. *J Sci Food Agric*. 90: 1210-1217.
- Marr, LC; Booth, EC; Andersen, RG; Widdowson, MA; Novak, JT. (2006). Direct volatilization of naphthalene to the atmosphere at a phytoremediation site. *Environmental Science & Technology*. 40: 5560-5566.

Environmental Hazard Literature Search Results

Off Topic

- Marriott, JB; Muller, G; Stirling, D; Dalglish, AG. (2001). Immunotherapeutic and antitumour potential of thalidomide analogues. Expert opinion on biological therapy. 1: 675-682.
- Marrs, TC; Clifford, WE; Colgrave, HF. (1983). Pathological changes produced by exposure of rabbits and rats to smokes from mixtures of hexachloroethane and zinc oxide. Toxicol Lett. 19: 247-252.
- Mars, AE; Houwing, J; Dolfin, J; Janssen, DB. (1996). Degradation of toluene and trichloroethylene by Burkholderia cepacia G4 in growth-limited fed-batch culture. Appl Environ Microbiol. 62: 886-891.
- Mars, AE; Prins, GT; Wietzes, P; de Koning, W; Janssen, DB. (1998). Effect of trichloroethylene on the competitive behavior of toluene-degrading bacteria. Appl Environ Microbiol. 64: 208-215.
- Marshall, IPG; Azizian, MF; Semprini, L; Spormann, AM. (2014). Inferring community dynamics of organohalide-respiring bacteria in chemostats by covariance of rdhA gene abundance. FEMS Microbiol Ecol. 87: 428-440.
- Marshall, IPG; Azizian, MF; Semprini, L; Spormann, AM. (2014). Inferring community dynamics of organohalide-respiring bacteria in chemostats by covariance of rdhA gene abundance. FEMS Microbiol Ecol. 87: 428-440.
- Marshall, JP. (2011). Hands-on assistance improves already successful pollution prevention services of the toxics use reduction institute's laboratory. J Clean Prod. 19: 424-428.
- Marshall, JP. (2011). Hands-on assistance improves already successful pollution prevention services of the toxics use reduction institute's laboratory. J Clean Prod. 19: 424-428.
- Marshall, RA; Hamilton, JTG; Dring, MJ; Harper, DB. (2000). The red alga Asparagopsis taxiformis/Falkenbergia hillebrandii - a possible source of trichloroethylene and perchloroethylene? Limnol Oceanogr. 45: 516-519.
- Mart, CJ; Henke, CB. (1992). Emissions from the incineration of nerve agent rockets containing low-level PCBs. J Environ Sci Health Part A Environ Sci Eng. 27: 1549-1575.
- Martel, R; Gelin, PJ; Desnoyers, JE. (1998). Aquifer washing by micellar solutions: 1 Optimization of alcohol-surfactant-solvent solutions. J Contam Hydrol. 29: 319-346.
- Martel, R; Gelin, PJ; Saumure, L. (1998). Aquifer washing by micellar solutions: 3 Field test at the Thouin Sand Pit (L'Assomption, Quebec, Canada). J Contam Hydrol. 30: 33-48.
- Martel, R; Hebert, A; Lefebvre, R; Gelin, P; Gabriel, U. (2004). Displacement and sweep efficiencies in a DNAPL recovery test using micellar and polymer solutions injected in a five-spot pattern. J Contam Hydrol. 75: 1-29.
- Marth, E. (1987). Metabolic changes following oral exposure to tetrachloroethylene in subtoxic concentrations. Arch Toxicol. 60: 293-299.
- Marth, E; Stuenkel, D; Kock, M; Moese, JR. (1989). Toxicokinetics of chlorinated hydrocarbons. J Hyg Epidemiol Microbiol Immunol. 33: 514-520.
- Marth, E; Stuenkel, D; Moese, JR. (1986). PERCHLORETHYLENE REVERSIBLE PATHOLOGICAL CHANGES. Workshop On The Hygiene Of Drinking Water, Sewage And Bathing Water Held By The Deutsche Gesellschaft Fuer Hygiene Und Mikrobiologie, Section Hygiene And Public Health. 184: 447-448.
- Martin, EJ; Forkert, PG. (2004). Evidence that 1,1-dichloroethylene induces apoptotic cell death in murine liver. The Journal of pharmacology and experimental therapeutics. 310: 33-42.
- Martin, EJ; Forkert, PG. (2005). 1,1-Dichloroethylene-induced mitochondrial damage precedes apoptotic cell death of bronchiolar epithelial cells in murine lung. The Journal of pharmacology and experimental therapeutics. 313: 95-103.
- Martin, EJ; Kueper, BH. (2011). Observation of trapped gas during electrical resistance heating of trichloroethylene under passive venting conditions. J Contam Hydrol. 126: 291-300.
- Martin, KE; Ozsvar, J; Coleman, NV. (2014). SmoXYB1C1Z of Mycobacterium sp Strain NBB4: a Soluble Methane Monooxygenase (sMMO)-Like Enzyme, Active on C-2 to C-4 Alkanes and Alkenes. Appl Environ Microbiol. 80: 5801-5806.
- Martinez, XXM; De la Rosa, JR; Lucio-Ortiz, CJ; Hernandez-Ramirez, A; Flores-Escamilla, G; Garcia, CD. (2015). Photocatalytic degradation of trichloroethylene in a continuous annular reactor using Cu-doped TiO₂ catalysts by sol-gel synthesis. Appl Catal B-Environ. 179: 249-261.
- Marzougui, S; Schafer, G; Cotel, S; Razakarisoa, O. (2011). Experimental study of the influence of vapor density and pressure gradient on the vapor flux of Trichloroethylene in the unsaturated zone. 2011 European Geosciences Union General Assembly (EGU 2011).
- Marzougui, S; Schafer, G; Dridi, L. (2012). Prediction of Vertical DNAPL Vapour Fluxes in Soils Using Quasi-Analytical Approaches: Bias Related to Density-Driven and Pressure-Gradient-Induced Advection. Water Air and Soil Pollution. 223: 5817-5840.
- Masaki, H; Umaba, Y; Hoshi, S; Korenaga, T. (2007). Development of microchip for rapid pretreatment of trichloroethylene and tetrachloroethylene volatilized from polluted soil. Environmental sciences : an international journal of environmental physiology and toxicology. 14: 1-8.
- Mascarenhas, OA; Kesavan, R; Bernacchi, M. (2006). Lasting customer loyalty: a total customer experience approach. Journal of Consumer Marketing. 23: 397-405.
- Mascolo, G; Spinosa, L; Lotito, V; Mininni, G; Bagnuolo, G. (1997). Lab-scale evaluations on formation of products of incomplete combustion in hazardous waste incineration: Influence of process variables. Water Science And Technology. 36: 219-226.
- Maslia, ML; Aral, MM; Williams, RC; Williams-Fleetwood, S; Hayes, LC; Wilder, LC. (1996). Use of computational models to reconstruct and predict trichloroethylene exposure. Toxicol Ind Health. 12: 139-152.
- Mason, AR; Kueper, BH. (1996). Numerical simulation of surfactant-enhanced solubilization of pooled DNAPL. Environmental Science & Technology. 30: 3205-3215.

Environmental Hazard Literature Search Results

Off Topic

- Mason, CF. (1993). CORRECTION OF PREVIEWS 97230465. PCB AND ORGANOCHLORINE PESTICIDE RESIDUES IN A SAMPLE OF OTTER LUTRA LUTRA SPRANTS FROM NORTHERN IRELAND. CORRECTION OF JOURNAL TITLE FROM BIOLOGY AND ENVIRONMENT. *Biology And Environment*. 2: 111-112.
- Massardier-Pilonchery, A; Fort, E; Dananche, B; Confavreux-Romestaing, C; Charbotel, B. (2012). Exposition professionnelle au trichloroéthylène et pathologies cancéreuses du col utérin, une étude cas-témoins. *Arch Mal Prof Environ*. 73: 552-553.
- Massey, RJ; Tenney, H; Harriman, E. (2011). Higher Hazard Substances Under the Massachusetts Toxics Use Reduction Act: Lessons From the First Four Years. *New Solutions*. 21: 457-476.
- Masten, SJ; Davies, SHR. (1997). Efficacy of in-situ ozonation for the remediation of PAH contaminated soils. *J Contam Hydrol*. 28: 327-335.
- Masten, SJ; Hoigne, J. (1992). Comparison of ozone and hydroxyl radical-induced oxidation of chlorinated hydrocarbons in water. *Ozone Sci Eng*. 14: 197-214.
- Masten, SJ; Tian, M; Upham, BL; Trosko, JE. (2001). Effect of selected pesticides and their ozonation by-products on gap junctional intercellular communication using rat liver epithelial cell lines. *Chemosphere*. 44: 457-465.
- Masuda, H; McClay, K; Steffan, RJ; Zylstra, GJ. (2012). Characterization of three propane-inducible oxygenases in *Mycobacterium* sp strain ENV421. *Lett Appl Microbiol*. 55: 175-181.
- Masuda, Y; Nakayama, N. (1982). Protective effect of diethyldithiocarbamate and carbon disulfide against liver injury induced by various hepatotoxic agents. *Biochem Pharmacol*. 31: 2713-2725.
- Masuda, Y; Nakayama, N. (1983). Protective action of diethyldithiocarbamate and carbon disulfide against acute toxicities induced by 1,1-dichloroethylene in mice. *Toxicol Appl Pharmacol*. 71: 42-53.
- Masuda, Y; Nakayama, N; Yamaguchi, A; Murohashi, M. (1984). The effects of diethyldithiocarbamate and carbon disulfide on acute nephrotoxicity induced by furan, bromobenzene and cephaloridine in mice. *Jpn J Pharmacol*. 34: 221-229.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environmental Science & Technology*. 28: 2045-2053.
- Matheson, VG; Munakata-Marr, J; Hopkins, GD; McCarthy, PL; Tiedje, JM; Forney, LJ. A novel means to develop strains-specific DNA probes for detecting bacteria in the environment. *Appl Environ Microbiol*. July 1997. v. 63 (7): 2863-2869.
- Matheson, VG; Munakata-Marr, J; McCarty, PL; Fiedje, JM; Forney, LJ. (1996). USE OF STRAIN-SPECIFIC NUCLEIC ACID PROBES TO ASSESS REMEDIATION OF AN AQUIFER CONTAMINATED WITH TRICHLOROETHYLENE BY BIOAUGMENTATION WITH BURKHOLDERIA CEPACIA G4. Tenth Forum For Applied Biotechnology, Gent, Belgium, September. 61: 1823-1830.
- Mathews, JM; Black, SR; Burka, LT. (1998). Disposition of butanal oxime in rat following oral, intravenous and dermal administration. *Xenobiotica; the fate of foreign compounds in biological systems*. 28: 767-777.
- Mathews, JM; Raymer, JH; Etheridge, AS; Velez, GR; Bucher, JR. (1997). Do endogenous volatile organic chemicals measured in breath reflect and maintain CYP2E1 levels in vivo? *Toxicol Appl Pharmacol*. 146: 255-260.
- Matin, A; Little, CD; Fraley, CD; Keyhan, M. (1995). Correction of PREVIEWS 98466830. Use of starvation promoters to limit growth and selectively enrich expression of trichloroethylene- and phenol-transforming activity in recombinant *Escherichia coli*. Correction of title from Use of starvation promoters to limit growth and select for trichloroethylene and phenol transformation activity in recombinant *Escherichia coli*. Erratum published in APPLIED AND ENVIRONMENTAL MICROBIOLOGY Vol. 61. Iss. 11. 1995. p. 4140. *Appl Environ Microbiol*. 61: 3323-3328.
- Matin, A; Little, CD; Fraley, CD; Keyhan, M. (1995). Use of starvation promoters to limit growth and select for trichloroethylene and phenol transformation activity in recombinant *Escherichia coli*. *Appl Environ Microbiol*. 61: 3323-3328.
- Matin, A; Little, CD; Fraley, CD; Keyhan, M. (1995). Use of starvation promoters to limit growth and selectively enrich expression of trichloroethylene- and phenol-transforming activity in recombinant *Escherichia coli* [corrected]. *Appl Environ Microbiol*. 61: 3323-3328.
- Matlochova, A; Placha, D; Rapantova, N. (2013). The Application of Nanoscale Materials in Groundwater Remediation. *Pol J Environ Stud*. 22: 1401-1410.
- Matsuda, H; Ose, Y; Sato, T; Nagase, H; Kito, H; Sumida, K. (1990). MUTAGENICITY FROM OZONATION OF HUMIC SUBSTANCES. Symposium On Advances In Humic Substances Research Held At The Fifth International Meeting Of The International Humic Substances Society, Nagoya, Japan, August. 118: 521-529.
- Matsui, Y; Fukuda, Y; Inoue, T; Matsushita, T. (2003). Effect of natural organic matter on powdered activated carbon adsorption of trace contaminants: characteristics and mechanism of competitive adsorption. *Water Res*. 37: 4413-4424.
- Matsui, Y; Knappe, DRU; Iwaki, K; Ohira, H. (2002). Pesticide adsorption by granular activated carbon adsorbents. 2. Effects of pesticide and natural organic matter characteristics on pesticide breakthrough curves. *Environmental Science & Technology*. 36: 3432-3438.
- Matsui, Y; Knappe, DRU; Takagi, R. (2002). Pesticide adsorption by granular activated carbon adsorbents. 1. Effect of natural organic matter preloading on removal rates and model simplification. *Environmental Science & Technology*. 36: 3426-3431.
- Matsumoto, MR; Jensen, JN; McGinley, P; Reed, BE. (1994). TREATMENT SYSTEMS PHYSICO-CHEMICAL PROCESSES. *Water Environ Res*. 66: 309-324.
- Matsuoka, A; Yamakage, K; Kusakabe, H; Wakuri, S; Asakura, M; Noguchi, T; Sugiyama, T; Shimada, H; Nakayama, S; Kasahara, Y; Takahashi, Y; Miura, KF; Hatanaka, M; Ishidate, M, Jr.; Morita, T; Watanabe, K; Hara, M; Odawara, K; Tanaka, N; Hayashi, M; Sofuni, T. (1996). Re-evaluation of chromosomal aberration induction on nine mouse lymphoma assay "unique positive" NTP carcinogens. *Mutat Res*. 369: 243-252.

Environmental Hazard Literature Search Results

Off Topic

- Matsushima, T; Nagano, K; Nishizawa, T; Yamamoto, S. (1997). Long term inhalation toxicity studies of five chlorinated hydrocarbons in F344 rats and BDF1 mice. *Proceedings Of The 1st International Conference Of Asian Society Of Toxicology, Yokohama, Japan, June.* 23: 296.
- Matsushita, K; Nakata, T; Tamura, J. (2015). The application of 2,2,2-trichloroethyl sulfate to the synthesis of chondroitin sulfate C and D. *Carbohydr Res.* 406: 76-85.
- Matsushita, K; Sato, Y; Funamoto, S; Tamura, J-i. (2014). Side reactions with 2,2,2-trichloroethoxysulfates during the synthesis of glycans. *Carbohydr Res.* 396: 14-24.
- Mattes, TE; Jin, YO; Livermore, J; Pearl, M; Liu, XK. (2015). Abundance and activity of vinyl chloride (VC)-oxidizing bacteria in a dilute groundwater VC plume biostimulated with oxygen and ethene. *Appl Microbiol Biotechnol.* 99: 9267-9276.
- Matthews, DW; Massmann, J; Strand, SE. (2003). Influence of aquifer properties on phytoremediation effectiveness. *Ground Water.* 41: 41-47.
- Matthews, JL; Gademann, K; Jaun, B; Seebach, D. (1998). Linear and cyclic beta(3)-oligopeptides with functionalised side-chains (-CH(2)OBn, -CO(2)Bn, -CH(2)CH(2)CO2Bn) derived from serine and from aspartic and glutamic acid. *Journal of the Chemical Society-Perkin Transactions* 13331-3340.
- Matthies, M; Brueggemann, R; Muenzer, B; Schernewski, G; Trapp, S. (1989). EXPOSURE AND ECOTOXICITY ESTIMATION FOR ENVIRONMENTAL CHEMICALS E4CHEM APPLICATION OF FATE MODELS FOR SURFACE WATER AND SOIL. *Ecol Modell.* 47: 115-130.
- Matthiessen, P; Thain, JE; Law, RJ; Fileman, TW. (1993). Attempts to assess the environmental hazard posed by complex mixtures of organic chemicals in UK estuaries. *Mar Pollut Bull.* 26: 90-95.
- Matthieu, DE, III; Brusseau, ML; Guo, Z; Plaschke, M; Carroll, KC; Brinker, F. (2014). Persistence of a Groundwater Contaminant Plume after Hydraulic Source Containment at a Chlorinated Solvent Contaminated Site. *Ground water monitoring & remediation.* 34: 23-32.
- Matthieu, DE; Brusseau, ML; Guo, Z; Plaschke, M; Carroll, KC; Brinker, F. (2014). Persistence of a Groundwater Contaminant Plume after Hydraulic Source Containment at a Chlorinated-Solvent Contaminated Site. *Ground Water Monitoring and Remediation.* 34: 23-32.
- Matthieu, DE; Brusseau, ML; Johnson, GR; Artiola, JL; Bowden, ML; Curry, JE. (2013). Intercalation of trichloroethene by sediment-associated clay minerals. *Chemosphere.* 90: 459-463.
- Mattie, DR. (1997). An overview of the risk assessment of hazardous materials and the role of toxicology. *Annals Of Clinical And Laboratory Science.* 27: 173-178.
- Mattie, DR; Bates Jr, GD; Jepson, GW; Fisher, JW; McDougal, JN. (1994). Determination of Skin:Air Partition Coefficients for Volatile Chemicals: Experimental Method and Applications. *Fundam Appl Toxicol.* 22: 51-57.
- Mattsson, JL; Albee, RR; Lomax, LG; Beekman, MJ; Spencer, PJ. (1993). Neurotoxicologic examination of rats exposed to 1,1,1-trichloroethane vapor for 13 weeks. *Neurotoxicol Teratol.* 15: 313-326.
- Matturro, B; Aulenta, F; Majone, M; Papini, MP; Tandoi, V; Rossetti, S. (2012). Field distribution and activity of chlorinated solvents degrading bacteria by combining CARD-FISH and real time PCR. *N Biotechnol.* 30: 23-32.
- Matturro, B; Presta, E; Rossetti, S. (2016). Reductive dechlorination of tetrachloroethene in marine sediments: Biodiversity and dehalorespiring capabilities of the indigenous microbes. *Sci Total Environ.* 545: 445-452.
- Matturro, B; Rossetti, S. (2015). GeneCARD-FISH: detection of tceA and vcrA reductive dehalogenase genes in Dehalococcoides mccartyi by fluorescence in situ hybridization. *J Microbiol Methods.* 110: 27-32.
- Matturro, B; Tandoi, V; Rossetti, S. (2013). Different activity levels of Dehalococcoides mccartyi revealed by FISH and CARD-FISH under non-steady and pseudo-steady state conditions. *N Biotechnol.* 30: 756-762.
- Matyska, M; Soczewinski, E. (1990). Computer-aided optimization of liquid-solid systems in TLC: 4. Retention versus eluent composition relationships of some drugs and poisons. *J Planar Chromatogr Mod Tlc.* 3: 417-421.
- Mau, M; Windfuhr, C; Granzow, S; Scholz-Muramatsu, H; Diekert, G. (1998). PHYLOGENETIC ANALYSIS OF AN ENRICHMENT CULTURE WITH ABILITY FOR REDUCTIVE DECHLORINATION OF CIS-1 2-DICHLOROETHENE. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 475.
- May, HD; Cutter, LA; Miller, GS; Milliken, CE; Watts, JEM; Sowers, KR. (2006). Stimulatory and inhibitory effects of organohalides on the dehalogenating activities of PCB-dechlorinating bacterium o-17. *Environmental Science & Technology.* 40: 5704-5709.
- Maya, K; Singh, RS; Upadhyay, SN; Dubey, SK. (2011). Kinetic analysis reveals bacterial efficacy for biodegradation of chlorpyrifos and its hydrolyzing metabolite TCP. *Process Biochemistry.* 46: 2130-2136.
- Mayeno, AN; Yang, RSH; Reisfeld, B. (2005). Biochemical reaction network modeling: Predicting metabolism of organic chemical mixtures. *Environmental Science & Technology.* 39: 5363-5371.
- Mayer, AS; Imhoff, PT; Mitchell, RJ; Rabideau, AJ; McBride, JF; Miller, CT. (1994). FATE AND EFFECTS OF POLLUTANTS GROUNDWATER QUALITY. *Water Environ Res.* 66: 532-585.
- Mayer, AS; Zhong, LR; Pope, GA. (1999). Measurement of mass-transfer rates for surfactant-enhanced solubilization of nonaqueous phase liquids. *Environmental Science & Technology.* 33: 2965-2972.
- Mayer, KP; Grbic-Galic, D; Semprini, L; McCarty, PL. (1988). DEGRADATION OF TRICHLOROETHYLENE BY METHANOTROPHIC BACTERIA IN A LABORATORY COLUMN OF SATURATED AQUIFER MATERIAL. Meeting On Water And Wastewater Microbiology Held At The International Association For Water Pollution Research And Control Conference, Newport Beach, California, Usa, February. 20: 175-178.
- Mayer, KU; Benner, SG; Blowes, DW. (2006). Process-based reactive transport modeling of a permeable reactive barrier for the treatment of mine drainage. *J Contam Hydrol.* 85: 195-211.
- Mayer, KU; Blowes, DW; Frind, EO. (2001). Reactive transport modeling of an in situ reactive barrier for the treatment of hexavalent chromium and trichloroethylene in groundwater. *Water Resour Res.* 37: 3091-3103.

Environmental Hazard Literature Search Results

Off Topic

- Mayer-Blackwell, K; Azizian, MF; Machak, C; Vitale, E; Carpani, G; de Ferra, F; Semprini, L; Spormann, AM. (2014). Nanoliter qPCR Platform for Highly Parallel, Quantitative Assessment of Reductive Dehalogenase Genes and Populations of Dehalogenating Microorganisms in Complex Environments. *Environmental Science & Technology*. 48: 9659-9667.
- Maym-Gatell, X; Gossett, J; Zinder, SH. (1997). COMPLETE REDUCTIVE DEHALOGENATION OF PCE AND OTHER ALIPHATICS BY A PURE CULTURE OF DEHALOCOCCOIDES ETHENOGENS STRAIN 195. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 472.
- Maymo-Gatell, X; Anguish, T; Zinder, SH. (1999). Reductive dechlorination of chlorinated ethenes and 1,2-dichloroethane by "Dehalococcoides ethenogenes" 195. *Appl Environ Microbiol*. 65: 3108-3113.
- Maymo-Gatell, X; Chien, YT; Anguish, T; Gossett, J; Zinder, S. (1996). ISOLATION AND CHARACTERIZATION OF AN ANAEROBIC EUBACTERIUM WHICH REDUCTIVELY DECHLORINATES TETRACHLOROETHENE PCE TO ETHENE ETH. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 408.
- Maymogatell, X; Gossett, J; Zinder, S. (1995). NUTRITIONAL CHARACTERIZATION OF A PURIFIED ENRICHMENT CULTURE WHICH REDUCTIVELY DECHLORINATES TETRACHLOROETHENE PCE TO ETHENE ETH WITH HYDROGEN AS THE ELECTRON DONOR. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 415.
- Maymo-Gatell, X; Gossett, J; Zinder, S. (1994). CHARACTERIZATION OF A PURIFIED ANAEROBIC ENRICHMENT CULTURE WHICH REDUCTIVELY DEHALOGENATES TETRACHLOROETHENE PCE TO ETHENE ETH AT HIGH RATES. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 439.
- Mayotte, TJ. (2003). Redox gradients, TCE reductive dechlorination, and chromium(VI) detoxification in bioaugmented model aquifer systems. PhD Thesis, Michigan State University.
- Maziasz, TJ; Liu, J; Madhu, C; Klaassen, CD. (1991). The differential effects of hepatotoxicants on the sulfation pathway in rats. *Toxicol Appl Pharmacol*. 110: 365-373.
- Mazidji, CN; Koopman, B; Bitton, G; Neita, D. (1992). Distinction between heavy metal and organic toxicity using EDTA chelation and microbial assays. *Environ Toxicol Water Qual*. 7: 339-353.
- Mazur, CS; Jones, WJ. (2001). Hydrogen concentrations in sulfate-reducing estuarine sediments during PCE dehalogenation. *Environmental Science & Technology*. 35: 4783-4788.
- Mazur, CS; Jones, WJ; Tebes-Stevens, C. (2003). H₂ consumption during the microbial reductive dehalogenation of chlorinated phenols and tetrachloroethene. *Biodegradation*. 14: 285-295.
- Mazzullo, M; Bartoli, S; Bonora, B; Colacci, A; Lattanzi, G; Niero, A; Silingardi, P; Grilli, S. (1992). In vivo and in vitro interaction of trichloroethylene with macromolecules from various organs of rat and mouse. *Res Commun Chem Pathol Pharmacol*. 76: 192-208.
- Mazzullo, M; Grilli, S; Lattanzi, G; Prodi, G; Turina, MP; Colacci, A. (1987). Evidence of DNA binding activity of perchloroethylene. *Res Commun Chem Pathol Pharmacol*. 58: 215-235.
- McAlary, TA; Barker, JF. (1987). VOLATILIZATION LOSSES OF ORGANICS DURING GROUND WATER SAMPLING FROM LOW PERMEABILITY MATERIALS. *Ground Water Monit Rev*. 7: 63-68.
- McAndrews, B; Heinze, K; DiGuseppi, W. (2003). Defining TCE plume source areas using the Membrane Interface Probe (MIP). *Soil & Sediment Contamination*. 12: 799-813.
- McBain, DC; Chenier, R; Fortin, C; Moore, DRJ. (1993). THE CEPA PRIORITY SUBSTANCES ASSESSMENT PROGRAM. Twentieth Annual Aquatic Toxicity Workshop, Quebec City, Quebec, Canada, October. 0: 258.
- McCall, SN; Jurgens, P; Ivanetich, KM. (1983). Hepatic microsomal metabolism of the dichloroethanes. *Biochem Pharmacol*. 32: 207-213.
- McCarthy, CM; Murray, L. (1996). Viability and metabolic features of bacteria indigenous to a contaminated deep aquifer. *Microb Ecol*. 32: 305-321.
- McCarthy, KA; Johnson, RL. (1995). Measurement of trichloroethylene diffusion as a function of moisture content in sections of gravity-drained soil columns. *J Environ Qual*. 24: 49-55.
- McCarthy, MC; O'Brien, TE; Charrier, JG; Hafner, HR. (2009). Characterization of the chronic risk and hazard of hazardous air pollutants in the United States using ambient monitoring data. *Environ Health Perspect*. 117: 790-796.
- McCarty, LS; Mackay, D; Smith, AD; Ozburn, GW; Dixon, DG. (1989). RESIDUE-BASED INTERPRETATION OF TOXICITY AND BIOCONCENTRATION QSARS FROM AQUATIC BIOASSAYS NEUTRAL NARCOTIC ORGANICS. Meeting Of The American Chemical Society, The Chemical Society Of Japan, And The Canadian Society For Chemistry On Structure Activity And Structure Property Relationships In Environmental Chemistry And Toxicology. 11: 917-930.
- McCarty, PL. (1991). Engineering concepts for in situ bioremediation. *J Hazard Mater*. 28: 1-12.
- McCarty, PL. (1993). In situ bioremediation of chlorinated solvents. *Curr Opin Biotechnol*. 4: 323-330.
- McCarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Science and Technology*. 42: 49-60.
- McCarty, PL; Argo, D; Reinhard, M. (1979). OPERATIONAL EXPERIENCES WITH ACTIVATED CARBON ADSORBERS AT WATER FACTORY 21 ORANGE COUNTY CALIFORNIA USA. Meeting On Adsorption Techniques In Drinking Water Treatment Held At The North Atlantic Treaty Organization'S Committee On The Challenges Of Modern Society Symposium, Reston, Virginia, Usa, April. 7: 319-338.
- McCarty, PL; Chu, MY; Kitanidis, PK. (2007). Electron donor and pH relationships for biologically enhanced dissolution of chlorinated solvent DNAPL in groundwater. *European Journal of Soil Biology*. 43: 276-282.
- McCarty, PL; Goltz, MN; Hopkins, GD; Dolan, ME; Allan, JP; Kawakami, BT; Carrothers, TJ. (1998). Full scale evaluation of in situ cometabolic degradation of trichloroethylene in groundwater through toluene injection. *Environmental Science & Technology*. 32: 88-100.

Environmental Hazard Literature Search Results

Off Topic

- McCarty, PL; Roberts, PV. (1987). IN-SITU BIOTRANSFORMATION OF CHLORINATED SOLVENTS IN GROUNDWATER. 194th American Chemical Society National Meeting, New Orleans, Louisiana, Usa, August. 194: 47.
- McCauley, KM; Pratt, DA; Wilson, S; Shey, J; Burkey, TJ; van der Donk, WA. (2005). Properties and reactivity of chlorovinylcobalamin and vinylcobalamin and their implications for vitamin B(12)-catalyzed reductive dechlorination of chlorinated alkenes. *J Am Chem Soc.* 127: 1126-1136.
- McCauley, KM; Wilson, S; van der Donk, WA. (2003). Characterization of chlorovinylcobalamin, a putative intermediate in reductive degradation of chlorinated ethylenes. *J Am Chem Soc.* 125: 4410-4411.
- McCauley, KM; Wilson, SR; van, dDWA. (2002). Dichloroacetylene is not the precursor to dichlorinated vinylcobaloxime and vinylcobalamin in cobalt catalyzed dechlorination of perchloro- and trichloroethylene. *Inorg Chem.* 41: 5844-5848.
- McCauley, KM; Wilson, SR; van, dDWA. (2002). Synthesis and characterization of chlorinated alkenylcobaloximes to probe the mechanism of vitamin B(12)-catalyzed dechlorination of priority pollutants. *Inorg Chem.* 41: 393-404.
- McCauley, PT; Robinson, M; Daniel, FB; Olson, GR. (1995). The effects of subacute and subchronic oral exposure to cis-1,2-dichloroethylene in Sprague-Dawley rats. *Drug Chem Toxicol.* 18: 171-184.
- McCaulou, DR; Huling, SG. (1999). Compatibility of bentonite and DNAPLs. *Ground Water Monitoring and Remediation.* 19: 78-86.
- McClay, K; Fox, BG; Steffan, RJ. Chloroform mineralization by toluene-oxidizing bacteria. *Appl Environ Microbiol.* Aug 1996. v. 62 (8): 2716-2722.
- McClay, K; Fox, BG; Steffan, RJ. (2000). Toluene monooxygenase-catalyzed epoxidation of alkenes. *Appl Environ Microbiol.* 66: 1877-1882.
- McClay, K; Steffan, RJ. (1997). BIOSENSORS FOR TCE BASED ON TCE-INDUCED EXPRESSION OF TOLUENE 4-MONOOXYGENASE FROM P. MENDOCINA KR1. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 348.
- McClay, K; Steffan, RJ. (1999). Site directed mutagenesis analysis of toluene-4-monooxygenase (T4MO). 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 413.
- McClay, K; Streger, S; Steffan, RJ. (1995). INDUCTION OF TOLUENE DEGRADATION GENES BY TRICHLOROETHYLENE TCE IN P. MENDOCINA KR1 AND PSEUDOMONAS SP. ENVPC5. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 548.
- McClay, K; Streger, SH; Steffan, RJ. Induction of toluene oxidation activity in *Pseudomonas mendocina* KR1 and *Pseudomonas* sp. strain ENVPC5 by chlorinated solvents and alkanes. *Appl Environ Microbiol.* Sept 1995. v. 61 (9): 3479-3481.
- McClellan, KL; Buras, N; Bales, RC. Biodegradation of trichloroethylene by bacteria indigenous to a contaminated site. *Journal of environmental science and health : Part A : Environmental science and engineering.* Aug 1989. v. 24 (6): 561-570.
- McClenny, WA; Jacumin, HH, Jr.; Oliver, KD; Daughtrey, EH, Jr.; Whitaker, DA. (2006). Comparison of 24 h averaged VOC monitoring results for residential indoor and outdoor air using Carbopack X-filled diffusive samplers and active sampling--a pilot study. *Journal of environmental monitoring : JEM.* 8: 263-269.
- McClenny, WA; Pleil, JD; Oliver, KD; Holdren, MW. (1985). COMPARISONS OF VOLATILE ORGANIC COMPOUND MONITORS EQUIPPED WITH CRYOGENIC PRECONCENTRATORS. *J Air Pollut Control Assoc.* 35: 1053-1056.
- McClure, NC; Weightman, AJ. (1992). PROSPECTS FOR THE USE OF SELECTED XENOBIOTIC-DEGRADING AND GENETICALLY ENGINEERED MICROORGANISMS IN THE TREATMENT OF CHEMICAL WASTES. *Fry, J C And M J Day. O:* 24-39.
- McCorkle, DL; Ding, WX; Ma, CY; Pinnaduwa, LA. (1999). Dissociation of benzene and methylene chloride based on enhanced dissociative electron attachment to highly excited molecules. *Journal of Physics D-Applied Physics.* 32: 46-54.
- McCormick, K; Abdel-Rahman, MS. (1991). The role of testosterone in trichloroethylene penetration in vitro. *Environ Res.* 54: 82-92.
- McCormick, ML; Adriaens, P. (1998). TETRACHLOROETHYLENE TRANSFORMATION IN AN IRON REDUCING ENRICHMENT CULTURE. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 453.
- McCray, JE; Brusseau, ML. (1998). Cyclodextrin-enhanced in situ flushing of multiple-component immiscible organic liquid contamination at the field scale: Analysis of dissolution behavior. *Environmental Science & Technology.* 33: 89-95.
- McCray, JE; Dugan, PJ. (2002). Nonideal equilibrium dissolution of trichloroethene from a decane-based nonaqueous phase liquid mixture: Experimental and modeling investigation. *Water Resour Res.* 38: 1097-1097.
- McCray, JE; Falta, RW. (1997). Numerical simulation of air sparging for remediation of NAPL contamination. *Ground Water.* 35: 99-110.
- McCue, T; Hoxworth, S; Randall, AA. (2003). Degradation of halogenated aliphatic compounds utilizing sequential anaerobic/aerobic treatments. *Water Science and Technology.* 47: 79-84.
- McCulloch, A. (2002). Trichloroacetic acid in the environment. *Chemosphere.* 47: 667-686.
- McCulloch, A; Midgley, PM. (1996). The production and global distribution of emissions of trichloroethene, tetrachloroethene and dichloromethane over the period 1988-1992. *Atmos Environ.* 30: 601-608.
- McDade, JM; Kulkarni, PR; Seyedabbasi, M; Newell, CJ; Gandhi, D; Gallinatti, JD; Cocianni, V; Ferguson, DBJ. (2013). Matrix Diffusion Modeling Applied to Long-Term Pump-and-Treat Data: 1. Method Development. *Remediation.* 23: 71-91.
- McDermott, C; Heffron, JJA. (2013). Toxicity of Industrially Relevant Chlorinated Organic Solvents In Vitro. *Int J Toxicol.* 32: 136-145.
- McDermott, MJ; Mazor, KA; Shost, SJ; Narang, RS; Aldous, KM; Storm, JE. (2005). Tetrachloroethylene (PCE, Perc) levels in residential dry cleaner buildings in diverse communities in New York City. *Environ Health Perspect.* 113: 1336-1343.
- McDonald, GJ; Wertz, WE. (2007). PCE, TCE, and TCA vapors in subslab soil gas and indoor air: A case study in upstate New York. *Ground Water Monitoring and Remediation.* 27: 86-92.
- McDonald, IR; Miguez, CB; Rogge, G; Bourque, D; Wendlandt, KD; Groleau, D; Murrell, JC. (2006). Diversity of soluble methane monooxygenase-containing methanotrophs isolated from polluted environments. *FEMS Microbiol Lett.* 255: 225-232.

Environmental Hazard Literature Search Results

Off Topic

- McDonald, TJ; Kennicutt, MC, II; Brooks, JM. (1988). VOLATILE ORGANIC COMPOUNDS AT A COASTAL GULF OF MEXICO SITE. *Chemosphere*. 17: 123-136.
- McElhoe, JA; Brennan, RA. (2012). Effects of Chitin Purity and Proppant Loading on the Bioremediation of Chloroethenes. *Journal of Environmental Engineering-Asce*. 138: 862-872.
- McElhoe, JA. (2011). Spatial and temporal evaluation of dechlorinating populations during crab shell enhanced bioremediation. PhD Thesis, The Pennsylvania State University.
- McFarland, MJ; Vogel, CM; Spain, JC. (1992). Methanotrophic cometabolism of trichloroethylene (TCE) in a two stage bioreactor system. *Water Res*. 26: 259-265.
- McFee, JN; Rasmussen, GP; Young, CM. (1985). THE DESIGN AND DEMONSTRATION OF A FLUIDIZED BED INCINERATOR FOR THE DESTRUCTION OF HAZARDOUS ORGANIC MATERIALS IN SOILS. *J Hazard Mater*. 12: 129-142.
- McGeorge, LJ; Krietzman, SJ; Dupuy, CJ; Mintz, B. (1992). NATIONAL SURVEY OF DRINKING WATER STANDARDS AND GUIDELINES FOR CHEMICAL CONTAMINANTS. *Am Water Works Assoc J*. 84: 72-76.
- McGeough, KL; Kalin, RM; Myles, P. (2007). Carbon disulfide removal by zero valent iron. *Environmental Science & Technology*. 41: 4607-4612.
- McGill, JP. (2007). Technological knowledge and governance in alliances among competitors. *International journal of technology management = Journal international de la gestion technologique*. 38: 69-89.
- McGowan, JC; Mellors, A. (1986). MOLECULAR VOLUMES AND THE TOXICITIES OF CHEMICALS TO FISH. *Bull Environ Contam Toxicol*. 36: 881-887.
- McGregor, DB; Brown, A; Cattanaach, P; Edwards, I; McBride, D; Riach, C; Caspary, WJ. (1988). RESPONSES OF THE L5178Y TK-POSITIVE-TK-NEGATIVE MOUSE LYMPHOMA CELL FORWARD MUTATION ASSAY III. 72 CODED CHEMICALS. *Environ Mol Mutagen*. 12: 85-154.
- McGregor, DB; Reynolds, DM; Zeiger, E. (1989). Conditions affecting the mutagenicity of trichloroethylene in Salmonella. *Environ Mol Mutagen*. 13: 197-202.
- McGuire, T; Hughes, JB. (2003). Effects of surfactants on the dechlorination of chlorinated ethenes. *Environmental toxicology and chemistry / SETAC*. 22: 2630-2638.
- McHugh, T; Kuder, T; Fiorenza, S; Gorder, K; Dettenmaier, E; Philp, P. (2011). Application of CSIA to Distinguish Between Vapor Intrusion and Indoor Sources of VOCs. *Environmental Science & Technology*. 45: 5952-5958.
- McIvor, R. (2009). How the transaction cost and resource-based theories of the firm inform outsourcing evaluation. *Journal of Operations Management*. 27: 45-63.
- McKay, DJ; Morse, JS. (1995). Performance characterization of a laboratory-scale bioreactor with liquid suspensions of *Alcaligenes eutrophus* JMP134. *Hazardous Waste & Hazardous Materials*. 12: 195-206.
- McKay, DJ; Morse, JS; Hazen, TC. (1994). BIODEGRADATION OF TRICHLOROETHYLENE BY *ALCALIGENES EUTROPHUS* JMP134 IN A LABORATORY SCALE BIOREACTOR. *Hazardous Waste & Hazardous Materials*. 11: 491-499.
- McKelvie, JR; Hirschorn, SK; Lacrampe-Couloume, G; Lindstrom, J; Braddock, J; Finneran, K; Trego, D; Lollar, BS. (2007). Evaluation of TCE and MTBE in situ biodegradation: Integrating stable isotope, metabolic intermediate and microbial lines of evidence. *Ground Water Monitoring and Remediation*. 27: 63-73.
- McKenna, MJ; Watanabe, PG; Gehring, PJ. (1977). Pharmacokinetics of vinylidene chloride in the rat. *Environ Health Perspect*. 21: 99-105.
- McKenzie, ER; Siegrist, RL; McCray, JE; Higgins, CP. (2016). The influence of a non-aqueous phase liquid (NAPL) and chemical oxidant application on perfluoroalkyl acid (PFAA) fate and transport. *Water Res*. 92: 199-207.
- McKillop, IG; Ginella, SGV; Wilson, CJ; Hanlon, AJ; Pugh, BD. (1993). The effects of power failure on the behaviour of European wild rabbits at electric fences. *Appl Anim Behav Sci*. 35: 277-290.
- McKim, JM; Nichols, JW; Lien, GJ; Bertelsen, SL. (1994). Respiratory-cardiovascular physiology and chloroethane gill flux in the channel catfish, *Ictalurus punctatus*. *J Fish Biol*. 44: 527-547.
- McKim, JM; Nichols, JW; Lien, GJ; Hoffman, AD; Gallinat, CA; Stokes, GN. (1996). Dermal absorption of three waterborne chloroethanes in rainbow trout (*Oncorhynchus mykiss*) and channel catfish (*Ictalurus punctatus*). *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 31: 218-228.
- McKnight, US; Rasmussen, JJ; Kronvang, B; Bjerg, PL; Binning, PJ. (2012). Integrated assessment of the impact of chemical stressors on surface water ecosystems. *Sci Total Environ*. 427: 319-331.
- McKone, TE; Bogen, KT. (1991). PREDICTING THE UNCERTAINTIES IN RISK ASSESSMENT. *Environ Sci Technol*. 25: 1674-1681.
- McKone, TE; Knezovich, JP. (1991). The transfer of trichloroethylene (TCE) from a shower to indoor air: experimental measurements and their implications. *Journal of the Air & Waste Management Association*. 41: 832-837.
- McLaren, J; Boulikas, T; Vamvakas, S. (1994). Induction of poly(ADP-ribosyl)ation in the kidney after in vivo application of renal carcinogens. *Toxicology*. 88: 101-112.
- McLaren, RG; Sudicky, EA; Park, YJ; Illman, WA. (2012). Numerical simulation of DNAPL emissions and remediation in a fractured dolomitic aquifer. *J Contam Hydrol*. 136: 56-71.
- McLaughlin, PA. (2011). Something in the Water? Testing for Groundwater Quality Information in the Housing Market. *J Agr Resource Econ*. 36: 375-394.
- McLean, JE; Dupont, RR; Sorensen, DL. (2006). Iron and arsenic release from aquifer solids in response to biostimulation. *J Environ Qual*. 35: 1193-1203.
- McLean, JE; Ervin, J; Zhou, J; Sorensen, DL; Dupont, RR. (2015). Biostimulation and Bioaugmentation to Enhance Reductive Dechlorination of TCE in a Long-Term Flow Through Column Study. *Ground Water Monitoring and Remediation*. 35: 76-88.

Environmental Hazard Literature Search Results

Off Topic

- McLoughlin, PW; Peacock, AD; Pirkle, RJ; Wilson, JT; McCracken, RW. (2014). CSIA of TCE and Daughter Products With Multiple Sources, Multiple Attenuation Mechanisms, and Low Ethene. *Remediation*. 25: 11-21.
- McMillan, SA; Werth, CJ. (1999). Counter-diffusion of isotopically labeled trichloroethylene in silica gel and geosorbent micropores: Model development. *Environmental Science & Technology*. 33: 2178-2185.
- McMurdie, PJ; Behrens, SF; Holmes, S; Spormann, AM. (2007). Unusual codon bias in vinyl chloride reductase genes of *Dehalococcoides* species. *Appl Environ Microbiol*. 73: 2744-2747.
- McNab, WW; Ruiz, R. (1998). Palladium-catalyzed reductive dehalogenation of dissolved chlorinated aliphatics using electrolytically-generated hydrogen. *Chemosphere*. 37: 925-936.
- McNab, WW; Ruiz, R; Reinhard, M. (2000). In-situ destruction of chlorinated hydrocarbons in groundwater using catalytic reductive dehalogenation in a reactive well: Testing and operational experiences. *Environmental Science & Technology*. 34: 149-153.
- McNab, WWJR; Narasimhan, TN. (1994). Degradation of chlorinated hydrocarbons and groundwater geochemistry: A field study. *Environmental Science & Technology*. 28: 769-775.
- McNab, WWJR; Ruiz, R. (1998). Palladium-catalyzed reductive dehalogenation of dissolved chlorinated aliphatics using electrolytically-generated hydrogen. *Chemosphere*. 37: 925-936.
- McNeil, C. (2013). TCE, Designated a Known Carcinogen, Now the Focus of Ongoing Research. *Jnci-Journal of the National Cancer Institute*. 105: 1518-1519.
- McNutt, NS; Amster, RL; McConnell, EE; Morris, F. (1975). Hepatic lesions in mice after continuous inhalation exposure to 1,1,1-trichloroethane. Laboratory investigation; a journal of technical methods and pathology. 32: 642-654.
- Mecozzi, R; Di Palma, L; De Filippis, P. (2008). Effect of modified Fenton treatment on the thermal behavior of contaminated harbor sediments. *Chemosphere*. 71: 843-852.
- Mede, A; Szakmary, E; Ungvary, G. (1989). POSTNATAL SIGNIFICANCE AND REEVALUATION OF MINOR AND MAJOR ANOMALIES FOUND AT DAY 21 OF GESTATION. 17th Conference Of The European Teratology Society, Budapest, Hungary, September. 40: 290-291.
- Meeks, ND. (2012). Functionalized silica materials and mixed-matrix membranes for environmental applications. *Dissertation Abstracts International* Vol 75, no 05, suppl B, 154 p 2012.
- Meharg, AA. (1994). Industrial accidents involving release of chemicals into the environment: Ecotoxicology. *Environ Technol*. 15: 1041-1050.
- Mehendale, HM. (2005). Tissue repair: An important determinant of final outcome of toxicant-induced injury. *Toxicol Pathol*. 33: 41-51.
- Mehran, M; Olsen, RL; Rector, BM. Distribution coefficient of trichloroethylene in soil-water systems. *Ground Water*. May/June 1987. v. 25 (3): 275-282.
- Meinardus, HW; Dwarakanath, V; Ewing, J; Hirasaki, GJ; Jackson, RE; Jin, M; Ginn, JS; Londergan, JT; Miller, CA; Pope, GA. (2002). Performance assessment of NAPL remediation in heterogeneous alluvium. *J Contam Hydrol*. 54: 173-193.
- Meininghaus, R; Salthammer, T; Knoeppel, H. (1999). Interaction of volatile organic compounds with indoor materials A small-scale screening method. *Atmos Environ*. 33: 2395-2401.
- Meiri, D; Ghiasi, M; Patterson, RJ; Ramanujam, N; Tyson, MP. (1990). Extraction of TCE-contaminated ground water by subsurface drains and a pumping well. *Ground Water*. 28: 17-24.
- Melancon, MJ; Alscher, R; Benson, W; Kruzynski, G; Lee, RF; Sikka, HC; Spies, RB. (1989). METABOLIC PRODUCTS AS BIOMARKERS. *Huggett, R J, Et Al*. 0: 87-123.
- Melcer, H; Monteith, H; Nutt, SG. (1987). VARIABILITY OF TOXIC TRACE CONTAMINANTS IN MUNICIPAL SEWAGE TREATMENT PLANTS. International Association On Water Pollution Research And Control Workshop On Developments In Design And Operation Of Large Wastewater Treatment Plants, Budapest, Hungary, September. 20: 275-284.
- Melcer, H; Monteith, H; Nutt, SG. (1991). ACTIVATED SLUDGE PROCESS RESPONSE TO VARIABLE INPUTS OF HEAVY METALS. Meeting On Hazard Assessment And Control Of Environmental Contaminants In Water Held At The 1st IAWPRC. 25: 387-394.
- Melcer, H; Nutt, SG; Monteith, H. (1990). ACTIVATED SLUDGE PROCESS RESPONSE TO VARIABLE INPUTS OF VOLATILE ORGANIC CONTAMINANTS. Fifteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Part. 23: 357-366.
- Melcer, H; Parker, WJ; Rittmann, BE. (1995). MODELING OF VOLATILE ORGANIC CONTAMINANTS IN TRICKLING FILTER SYSTEMS. *Water Science And Technology*. 31: 95-104.
- Melin, ES; Puhakka, JA; Strand, SE; Rockne, KJ; Ferguson, JF. (1996). Fluidized-bed enrichment of marine ammonia-to-nitrite oxidizers and their ability to degrade chloroaliphatics. *International Biodeterioration & Biodegradation*. 38: 9-18.
- Mellot, CF; Cheetham, AK; Harms, S; Savitz, S; Gorte, RJ; Myers, AL. (1998). Calorimetric and computational studies of chlorocarbon adsorption in zeolites. *J Am Chem Soc*. 120: 5788-5792.
- Melnick, RL; Jameson, CW; Goehl, TJ; Kuhn, GO. (1987). Application of microencapsulation for toxicology studies. I. Principles and stabilization of trichloroethylene in gelatin-sorbitol microcapsules. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 8: 425-431.
- Melnick, RL; Jameson, CW; Goehl, TJ; Maronpot, RR; Collins, BJ; Greenwell, A; Harrington, FW; Wilson, RE; Tomaszewski, KE; Agarwal, DK. (1987). Application of microencapsulation for toxicology studies. II. Toxicity of microencapsulated trichloroethylene in Fischer 344 rats. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 8: 432-442.
- Men, YJ; Lee, PKH; Harding, KC; Alvarez-Cohen, L. (2013). Characterization of four TCE-dechlorinating microbial enrichments grown with different cobalamin stress and methanogenic conditions. *Appl Microbiol Biotechnol*. 97: 6439-6450.

Environmental Hazard Literature Search Results

Off Topic

- Men, YJ; Seth, EC; Yi, S; Allen, RH; Taga, ME; Alvarez-Cohen, L. (2014). Sustainable Growth of *Dehalococcoides mccartyi* 195 by Corrinoid Salvaging and Remodeling in Defined Lactate-Fermenting Consortia. *Appl Environ Microbiol.* 80: 2133-2141.
- Mendelsohn, ML; Moore, DH, II; Lohman, PHM. (1992). A METHOD FOR COMPARING AND COMBINING SHORT-TERM GENOTOXICITY TEST DATA RESULTS AND INTERPRETATION. *Mutat Res.* 266: 43-60.
- Mendoza, CA; McAlary, TA. (1990). Modeling of ground-water contamination caused by organic solvent vapors. *Ground Water.* 28: 199-206.
- Mendoza-Sanchez, I; Autenrieth, RL; McDonald, TJ; Cunningham, JA. (2010). Effect of pore velocity on biodegradation of cis-dichloroethene (DCE) in column experiments. *Biodegradation.* 21: 365-377.
- Menezes, RM; Oliveira, RV; de Oliveira, DM; Lemos, VA. (2016). A Method Using Liquid-Liquid Microextraction in a Dynamic System for Preconcentration and Determination of Lead in Food Samples. *Water Air and Soil Pollution.* 227: 138-138.
- Meng, FY; Liu, R; Kobayashi, T; Wan, M; Yu, SL; Chen, LJ. (2012). Study on Equilibrium Adsorption of Volatile Chlorinated Hydrocarbons on Humid Soils. *Environmental Science.* 33: 1361-1368.
- Meng, X; Wen, Z; Qian, Y; Yu, H. Evaluation of cleaner production technology integration for the Chinese herbal medicine industry using carbon flow analysis. *J Clean Prod.* 2015.
- Mennear, JH. (1986). CHRONIC TOXICOLOGIC AND CARCINOGENIC EFFECTS OF TETRACHLOROETHYLENE AND TRICHLOROETHYLENE IN RATS AND MICE. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 16.
- Mensing, T; Welge, P; Voss, B; Fels, LM; Fricke, HH; Bruning, T; Wilhelm, M. (2002). Renal toxicity after chronic inhalation exposure of rats to trichloroethylene. *Toxicol Lett.* 128: 243-247.
- Mera, N; Iwasaki, K. (2007). Use of plate-wash samples to monitor the fates of culturable bacteria in mercury- and trichloroethylene-contaminated soils. *Appl Microbiol Biotechnol.* 77: 437-445.
- Merdink, JL; Bull, RJ; Schultz, IR. (2000). Trapping and identification of the dichloroacetate radical from the reductive dehalogenation of trichloroacetate by mouse and rat liver microsomes. *Free Radic Biol Med.* 29: 125-130.
- Merdink, JL; Bull, RJ; Schultz, IR. (2001). Toxicokinetics of bromodichloroacetate in B6C3F1 mice. *J Appl Toxicol.* 21: 53-57.
- Merdink, JL; Gonzalez-Leon, A; Bull, RJ; Schultz, IR. (1998). The extent of dichloroacetate formation from trichloroethylene, chloral hydrate, trichloroacetate, and trichloroethanol in B6C3F1 mice. *Toxicol Sci.* 45: 33-41.
- Merdink, JL; Stenner, RD; Stevens, DK; Parker, JC; Bull, RJ. (1999). Effect of enterohepatic circulation on the pharmacokinetics of chloral hydrate and its metabolites in F344 rats. *Journal of Toxicology and Environmental Health-Part a-Current Issues.* 57: 357-368.
- Merlini, M; Clerici, L; Brazzelli, A. (1985). THE CULTURED MOUSE EMBRYO AS A MODEL FOR THE EVALUATION OF PHYSICAL AND CHEMICAL TOXICITY. *Comm Eur Communities Eur Rep.* 0: 1-29.
- Merrer, DC; Moss, RA; Liu, MTH; Banks, JT; Ingold, KU. (1998). Benzylchlorocarbene: Origins of Arrhenius curvature in the kinetics of the 1,2-H shift rearrangement. *J Org Chem.* 63: 3010-3016.
- Merriam, K. (2011). Treatment of TCE-DNAPL Source Zones using Nanoscale Iron: Treatability Studies with Z-Loy(TM). *Masters Abstracts International Vol 50, no 02, 86 p 2011.*
- Merrick, BA; Robinson, M; Condie, LW. Differing hepatotoxicity and lethality after subacute trichloroethylene exposure in aqueous or corn oil gavage vehicles in B6C3F1 mice. *Journal of applied toxicology : JAT.* Feb 1989. v. 9 (1): 15-21.
- Meshesha, BT; Barrabes, N; Fottinger, K; Chimentao, RJ; Llorca, J; Medina, F; Ruppel, G; Sueiras, JE. (2012). Gas-phase hydrodechlorination of trichloroethylene over Pd/NiMgAl mixed oxide catalysts. *Appl Catal B-Environ.* 117-118: 236-245.
- Messaoudi, I; Warner, J; Nikolich-Zugich, D; Fischer, M; Nikolich-Zugich, J. (2006). Molecular, cellular, and antigen requirements for development of age-associated T cell clonal expansions in vivo. *J Immunol.* 176: 301-308.
- Messaoudi, I; Warner, J; Nikolich-Zugich, J. (2006). Age-related CD8(+) T cell clonal expansions express elevated levels of CD122 and CD127 and display defects in perceiving homeostatic signals. *J Immunol.* 177: 2784-2792.
- Messier, KP; Akita, Y; Serre, ML. (2012). Integrating address geocoding, land use regression, and spatiotemporal geostatistical estimation for groundwater tetrachloroethylene. *Environmental science & technology.* 46: 2772-2780.
- Meszaros, E; Imfeld, G; Nikolausz, M; Nijenhuis, I. (2013). Occurrence of *Dehalococcoides* and Reductive Dehalogenase Genes in Microcosms, a Constructed Wetland and Groundwater from a Chlorinated Ethene Contaminated Field Site as Indicators for In Situ Reductive Dehalogenation. *Water Air and Soil Pollution.* 224: 1768-1768.
- Meyer, CI; Borgna, A; Monzon, A; Garetto, TF. (2011). Kinetic study of trichloroethylene combustion on exchanged zeolites catalysts. *J Hazard Mater.* 190: 903-908.
- Meyer, DE; Bhattacharyya, D. (2007). Impact of membrane immobilization on particle formation and trichloroethylene dechlorination for bimetallic Fe/Ni nanoparticles in cellulose acetate membranes. *The journal of physical chemistry B.* 111: 7142-7154.
- Meylan, WM; Howard, PH. (1991). Bond contribution method for estimating Henry's law constants. *Environ Toxicol Chem.* 10: 1283-1294.
- Meza, L; Cutright, TJ; El-Zahab, B; Wang, P. (2003). Aerobic biodegradation of trichloroethylene using a consortium of five bacterial strains. *Biotechnol Lett.* 25: 1925-1932.
- Mhiri, C; Choyakh, F; Ben, HM; Feki, I; Ben, MM; Zouari, N. (2004). Trigeminal somatosensory evoked potentials in trichloroethylene-exposed workers. *Neurosciences (Riyadh, Saudi Arabia).* 9: 102-107.
- Miao, W; Yu, T; Orias, E; Wan, M; Fu, C. (2006). Identification of differentially expressed genes in *Tetrahymena thermophila* in response to dichlorodiphenyltrichloroethane (DDT) by suppression subtractive hybridization. *Environ Microbiol.* 8: 1122-1129.
- Miao, ZW; Gu, XG; Lu, SG; Zang, XK; Wu, XL; Xu, MH; Ndong, LBB; Qiu, ZF; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe²⁺-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere.* 119: 1120-1125.

Environmental Hazard Literature Search Results

Off Topic

- Michalak, AM; Kitanidis, PK. (2003). A method for enforcing parameter nonnegativity in Bayesian inverse problems with an application to contaminant source identification. *Water Resour Res.* 39: 1033-1033.
- Michalik-Zym, A; Dula, R; Duraczynska, D; Krysiak-Czerwenka, J; Machej, T; Socha, RP; Wlodarczyk, W; Gawel, A; Matusik, J; Bahranowski, K; Wisla-Walsh, E; Litynska-Dobrzynska, L; Serwicka, EM. (2015). Active, selective and robust Pd and/or Cr catalysts supported on Ti-, Zr- or [Ti,Zr]-pillared montmorillonites for destruction of chlorinated volatile organic compounds. *Appl Catal B-Environ.* 174-175: 293-307.
- Michaud, JP; Gandolfi, AJ; Brendel, K. (1996). Investigation of hepatotoxic interaction using precision-cut rat liver slice culture: Step toward validation, and comparisons to in vivo findings. *In Vitro Toxicol.* 9: 43-52.
- Mico, BA; Pohl, LR. (1983). Reductive oxygenation of carbon tetrachloride: trichloromethylperoxyl radical as a possible intermediate in the conversion of carbon tetrachloride to electrophilic chlorine. *Arch Biochem Biophys.* 225: 596-609.
- Middeldorp, PJM; van Aalst, MA; Rijnaarts, HHM; Stams, FJM; de Kreuk, HF; Schraa, G; Bosma, TNP. (1998). Stimulation of reductive dechlorination for in situ bioremediation of a soil contaminated with chlorinated ethenes. *Water Science and Technology.* 37: 105-110.
- Middleton, P; Stockwell, WR; Carter, WPL. (1990). Aggregation and analysis of volatile organic compound emissions for regional modeling. *Atmos Environ Part A Gen Top.* 24: 1107-1134.
- Midgley, PM. (1989). The production and release to the atmosphere of 1,1,1-trichloroethane (methyl chloroform). *Atmos Environ.* 23: 2663-2666.
- Midgley, PM; McCulloch, A. (1995). THE PRODUCTION AND GLOBAL DISTRIBUTION OF EMISSION TO THE ATMOSPHERE OF 1 1 1-TRICHLOROETHANE METHYL CHLOROFORM. *Atmos Environ.* 29: 1601-1608.
- Midgley, P. (1997). HCFCs AND HFCS HALOCARBON REPLACEMENTS FOR CFCS. *Atmos Environ.* 31: 1095-1096.
- Miehr, R; Tratnyek, PG; Bandstra, JZ; Scherer, MM; Alowitz, MJ; Bylaska, EJ. (2004). Diversity of contaminant reduction reactions by zerovalent iron: Role of the reductate. *Environmental Science & Technology.* 38: 139-147.
- Mieles, J; Zhan, H. (2012). Analytical solutions of one-dimensional multispecies reactive transport in a permeable reactive barrier-aquifer system. *J Contam Hydrol.* 134-135: 54-68.
- Miguez, CB; Bourque, D; Greer, CW; Groleau, D. (1996). GENETIC DIFFERENTIATION OF METHYLOTROPHIC BACTERIA BY THE RANDOM AMPLIFIED POLYMORPHIC DNA-PCR RAPD-PCR TECHNIQUE. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 340.
- Miguez, CB; Bourque, D; Sealy, JA; Greer, CW; Groleau, D. (1997). Detection and isolation of methanotrophic bacteria possessing soluble methane monooxygenase (sMMO) genes using the polymerase chain reaction (PCR). *Microb Ecol.* 33: 21-31.
- Miguez, CB; Shen, CF; Bourque, D; Guiot, S; Grouleau, D. (1999). Monitoring methanotrophic bacteria in hybrid anaerobic-aerobic reactors with PCR and a catabolic gene probe. *Appl Environ Microbiol.* 65: 381-388.
- Mihopoulos, PG; Sayles, GD; Suidan, MT; Shah, J; Bishop, DF. (2000). Vapor phase treatment of PCE in a soil column by lab-scale anaerobic bioventing. *Water Res.* 34: 3231-3237.
- Mihopoulos, PG; Suidan, MT; Sayles, GD. (2001). Complete remediation of PCE contaminated unsaturated soils by sequential anaerobic-aerobic bioventing. *Water Science and Technology.* 43: 365-372.
- Mijaylova-Nacheva, P; Canul-Chuil, A. (2006). Anaerobic biodegradation of chlorinated aliphatic compounds using packed bed reactors. *Water Science and Technology.* 54: 193-200.
- Mikesell, MD; Boyd, SA. (1990). Dechlorination of chloroform by Methanosarcina strains. *Appl Environ Microbiol.* 56: 1198-1201.
- Mikkola, H; Schmale, JY; Wesner, W; Petkovska, S. (2008). Laboratory pre-assays for soil remediation by electro synthesis of oxidants and their electrokinetic distribution. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 43: 907-912.
- Milanovich, FP; Brown, SB; Colston, BWJR; Daley, PF; Langry, KC. (1994). A FIBER-OPTIC SENSOR SYSTEM FOR MONITORING CHLORINATED HYDROCARBON POLLUTANTS. *Talanta.* 41: 2189-2194.
- Miliczky, ER; Horton, DR; LaGasa, E. (2014). Arthropod fauna of rolled alder leaves in Washington State, United States of America (Insecta, Arachnida). *Canadian entomologist.* 146: 415-428.
- Milks, MM. (1982). SHORT-TERM IN VIVO INVESTIGATION OF INITIATING AND PROMOTING ACTIVITIES OF ENVIRONMENTAL CHEMICALS ON HEPATOCARCINOGENESIS. PhD Thesis, The Ohio State University.
- Milks, MM; Couri, D. (1984). Trichloroethylene effects on the formation of enzyme-altered foci in rat liver. *Arch Toxicol.* 56: 69-73.
- Mill, T. (1999). Predicting photoreaction rates in surface waters. *Chemosphere.* 38: 1379-1390.
- Mill, T; Su, M. (1997). ZERO-VALENT METAL PROMOTED OXIDATION OF ORGANIC COMPOUNDS. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 8.
- Millano, EF. (1998). HAZARDOUS WASTE STORAGE DISPOSAL REMEDIATION AND CLOSURE. *Water Environ Res.* 70: 721-745.
- Millano, EF; Ball, RO. (1990). STORAGE DISPOSAL REMEDIATION AND CLOSURE. *Res J Water Pollut Control Fed.* 62: 524-537.
- Miller, AR; Keener, WK; Watwood, ME; Roberto, EF. (2002). A rapid fluorescence-based assay for detecting soluble methane monooxygenase. *Appl Microbiol Biotechnol.* 58: 183-188.
- Miller, CT; Hill, EH; Moutier, M. (2000). Remediation of DNAPL-contaminated subsurface systems using density-motivated mobilization. *Environmental Science & Technology.* 34: 719-724.
- Miller, CT; Mayer, AS. (1989). FATE AND EFFECTS OF POLLUTANTS GROUNDWATER. *J Water Pollut Control Fed.* 61: 954-984.
- Miller, E; WohlfartAd, ifrMoUžSAADSG; Diekert, G. (1996). Studies on tetrachloroethene respiration in Dehalospirillum multivorans. *Arch Microbiol.*

Environmental Hazard Literature Search Results

Off Topic

- Miller, E; Wohlfarth, G; Diekert, G. (1997). Comparative studies on tetrachloroethene reductive dechlorination mediated by *Desulfitobacterium* sp. strain PCE-S. *Archives of Microbiology*. 168: 513-519.
- Miller, E; Wohlfarth, G; Diekert, G. (1998). Purification and characterization of the tetrachloroethene reductive dehalogenase of strain PCE-S. *Archives of Microbiology*. 169: 497-502.
- Miller, GS; Milliken, CE; Sowers, KR; May, HD. (2005). Reductive dechlorination of tetrachloroethene to trans-dichloroethene and cis-dichloroethene by PCB-dechlorinating bacterium DF-1. *Environmental Science & Technology*. 39: 2631-2635.
- Miller, JA; Surh, YJ. (1994). HISTORICAL PERSPECTIVES ON CONJUGATION-DEPENDENT BIOACTIVATION OF FOREIGN COMPOUNDS. *Anders, M W And W Dekant*. 0: 1-16.
- Miller, KP; Gupta, RK; Flaws, JA. (2006). Methoxychlor metabolites may cause ovarian toxicity through estrogen-regulated pathways. *Toxicological sciences : an official journal of the Society of Toxicology*. 93: 180-188.
- Miller, ML; Borisch, J; Raftery, D; Francisco, JS. (1998). Changing the product state distribution and kinetics in photocatalytic surface reactions using pulsed laser irradiation. *J Am Chem Soc*. 120: 8265-8266.
- Miller, PL; Vasudevan, D; Gschwend, PM; Roberts, AL. (1998). Transformation of hexachloroethane in a sulfidic natural water. *Environmental Science & Technology*. 32: 1269-1275.
- Miller, RE; Guengerich, FP. (1982). Oxidation of trichloroethylene by liver microsomal cytochrome P-450: evidence for chlorine migration in a transition state not involving trichloroethylene oxide. *Biochemistry*. 21: 1090-1097.
- Miller, SB; Denyszyn, RB; Sirinides, MS; Sassaman, TE; Tyson, RJ. (1990). TOXIC ORGANIC GAS STANDARDS IN HIGH PRESSURE CYLINDERS. *US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants*. 0: 718-725.
- Miller, TR; Franklin, MP; Halden, RU. (2007). Bacterial community analysis of shallow groundwater undergoing sequential anaerobic and aerobic chloroethene biotransformation. *FEMS Microbiol Ecol*. 60: 299-311.
- Miller, WR; Rhoderick, GC. (1995). STABILITY OF COMPRESSED GAS MIXTURES CONTAINING LOW LEVEL VOLATILE ORGANIC COMPOUNDS IN ALUMINUM CYLINDERS. *Fresenius J Anal Chem*. 351: 221-229.
- Millet, DB; Atlas, EL; Blake, DR; Blake, NJ; Diskin, GS; Holloway, JS; Hudman, RC; Meinardi, S; Ryerson, TB; Sachse, GW. (2009). Halocarbon emissions from the United States and Mexico and their global warming potential. *Psychopharmacology*. 43: 1055-1060.
- Millet, M; Wortham, H; Sanusi, A; Mirabel, P. (1997). Atmospheric contamination by pesticides: Determination in the liquid, gaseous and particulate phases. *Environmental Science And Pollution Research International*. 4: 172-180.
- Mills, WB; Liu, S; Rigby, MC; Brenner, D. (2007). Time-variable simulation of soil vapor intrusion into a building with a combined crawl space and basement. *Environmental Science & Technology*. 41: 4993-5001.
- Milman, HA; Mitoma, C; Tyson, C; Riccio, ES; Sivak, A; Tu, AS; Tong, C; Williams, GM; Elmore, E. (1986). CARCINOGENICITY STUDIES WITH CHLORINATED ALIPHATICS. *Uicc*. 0: 963-905.
- Milne, P. (1996). The measurement of the diffusion rates of volatile organic compounds through laboratory-prepared and intact soils. PhD Thesis, University of Michigan.
- Milner, DJ. (1984). Reaction of ethyl diazoacetate with halogenoethylenes in the presence of rhodium(II) pivalate. *J Organomet Chem*. 262: 85-88.
- Milston, RH; Fitzpatrick, MS; Vella, AT; Clements, S; Gundersen, D; Feist, G; Crippen, TL; Leong, J; Schreck, CB. (2003). Short-term exposure of Chinook salmon (*Oncorhynchus tshawytscha*) to o,p-DDE or DMSO during early life-history stages causes long-term humoral immunosuppression. *Environ Health Perspect*. 111: 1601-1607.
- Milton, M; Ambrose, K; Abraham, C; Charles, N; Kiriamiti, K. (2011). Dichlorodiphenyl trichloroethane (DDT) and its observed effects on body functions in vertebrates. *Antonie Van Leeuwenhoek*. 8: 271-274.
- Min, JE; Kim, M; Pardue, JH; Park, JW. (2008). Reduction of trichloroethylene and nitrate by zero-valent iron with peat. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 43: 144-153.
- Min, JE; Lee, T; Choi, J; Park, JW. (2005). Black shale as a sorbent for trichloroethylene and Cr(VI). *Environ Technol*. 26: 643-652.
- Min, JE; Park, IS; Ko, S; Shin, WS; Park, JW. (2009). Effect of phosphate and sediment bacteria on trichloroethylene dechlorination with zero valent iron. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 44: 362-369.
- Minami, W; Kim, HJ. (2006). The decomposition property of trichloroethylene and ethylene using ultra-violet and TiO₂ catalyst. *Environ Technol*. 27: 477-482.
- Mingxue, Y; Yunda, L; Yugu, L. (1992). Potential use of luminol-dependent chemiluminescence for estimation of free radicals produced in hepatic microsomes and reconstituted cytochrome P450 systems. *Biomed Environ Sci*. 5: 336-348.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1996). Extraction methods for recovery of volatile organic compounds from fortified dry soils. *J AOAC Int*. 79: 1198-1204.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1997). Long-term study of volatile organic compound recovery from ampullated, dry, fortified soils. *J Environ Qual*. 26: 108-114.
- Minsley, BJ; Sogade, J; Morgan, FD. (2007). Three-dimensional self-potential inversion for subsurface DNAPL contaminant detection at the Savannah River Site, South Carolina. *Water Resour Res*. 43: 4429-4429.
- Miranda, B; Diaz, E; Ordonez, S; Vega, A; Diez, FV. (2007). Oxidation of trichloroethene over metal oxide catalysts: Kinetic studies and correlation with adsorption properties. *Chemosphere*. 66: 1706-1715.

Environmental Hazard Literature Search Results

Off Topic

- Miranowicz-Dzierzawska, K; Skowron, J; Puchalska, H; Patelska, B; Zapor, L. (1997). EVALUATION BY BEHAVIOURAL TESTS OF TETRACHLOROETHYLENE ETHYLBENZENE AND N-HEXANE DEPRESSIVE ACTION ON CNS IN RATS AFTER ACUTE INTRAPERITONEAL EXPOSURE. Sixth Meeting Of The International Neurotoxicology Association, Szeged, Hungary, June. 18: 908-909.
- Mirsalis, J; Tyson, K; Loh, E; Bakke, J; Hamilton, C; Spak, D; Steinmetz, K; Spalding, J. (1985). INDUCTION OF UNSCHEDULED DNA SYNTHESIS AND CELL PROLIFERATION IN MOUSE AND RAT HEPATOCYTES FOLLOWING IN-VIVO TREATMENT. 16th Annual Meeting Of The Environmental Mutagen Society, Las Vegas, Nev, Usa, Feb. 7: 73.
- Mirza, BS; Sorensen, DL; Dupont, RR; McLean, JE. (2016). Dehalococcoides abundance and alternate electron acceptor effects on large, flow-through trichloroethene dechlorinating columns. Appl Microbiol Biotechnol. 100: 2367-2379.
- Mishra, D; Liao, ZH; Farrell, J. (2008). Understanding Reductive Dechlorination of Trichloroethene on Boron-Doped Diamond Film Electrodes. Environmental Science & Technology. 42: 9344-9349.
- Mishra, VK; Upadhyay, AR; Tripathi, BD. (2009). Bioaccumulation of heavy metals and two organochlorine pesticides (DDT and BHC) in crops irrigated with secondary treated waste water. Environ Monit Assess. 156: 99-107.
- Misra, C; Gupta, SK. (2001). Hybrid reactor for priority pollutant-trichloroethylene removal. Water Res. 35: 160-166.
- Mitchell, AD. (1993). DOES THE IN-SITU APPROACH YIELD A MORE ACCURATE ASSESSMENT OF INDUCED MUTATION FREQUENCIES THAN THE STANDARD L5178Y TK+/-TK-MOUSE LYMPHOMA ASSAY? 24th Annual Scientific Meeting Of The Environmental Mutagen Society, Norfolk, Virginia, Usa, April. 21: 49.
- Mitoma, C; Steeger, T; Jackson, SE; Wheeler, KP; Rogers, JH; Milman, HA. (1985). Metabolic disposition study of chlorinated hydrocarbons in rats and mice. Drug Chem Toxicol. 8: 183-194.
- Mitra, S; Guo, X. (1998). Development of membrane purge and trap for measurement of volatile organics in water. Anal Lett. 31: 367-379.
- Mitra, S; Gupta, SK. (2013). Biodegradation of trichloroethylene in anaerobic hybrid reactor. Environmental Progress & Sustainable Energy. 32: 1055-1060.
- Mitra, S; Gupta, SK. (2014). Pilot-scale treatment of a trichloroethylene rich synthetic wastewater in anaerobic hybrid reactor, with morphological study of the sludge granules. Clean Tech Environ Pol. 16: 947-956.
- Mitra, S; Roy, P. (2010). Molecular Identification by 16S rDNA Sequence of a Novel Bacterium Capable of Degrading Trichloroethylene. Journal of Biological Sciences. 10: 637-642.
- Miyabe, K; Taniguchi, N; Imura, A; Tezuka, Y. (2003). Kinetic study of the hydrodechlorination of trichloroethene in water using a platinum catalyst and hydrazine. Water Environ Res. 75: 472-477.
- Miyagawa, M; Takasawa, H; Sugiyama, A; Inoue, Y; Murata, T; Uno, Y; Yoshikawa, K. (1995). The in vivo-in vitro replicative DNA synthesis (RDS) test with hepatocytes prepared from male B6C3F1 mice as an early prediction assay for putative nongenotoxic (Ames-negative) mouse hepatocarcinogens. Mutat Res. 343: 157-183.
- Miyahara, M; Toyoda, M; Ushijima, K; Nose, N; Saito, Y. (1995). Volatile Halogenated Hydrocarbons in Foods. J Agric Food Chem. 43: 320-326.
- Miyake, Y; Sakoda, A; Yamanashi, H; Kaneda, H; Suzuki, M. (2003). Activated carbon adsorption of trichloroethylene (TCE) vapor stripped from TCE-contaminated water. Water Res. 37: 1852-1858.
- Miyamoto, K; Urano, K. (1996). Reaction rates and intermediates of chlorinated organic compounds in water and soil. Chemosphere. 32: 2399-2408.
- Miyata, R; Adachi, K; Tani, H; Kurata, S; Nakamura, K; Tsuneda, S; Sekiguchi, Y; Noda, N. (2010). Quantitative detection of chloroethene-reductive bacteria Dehalococcoides spp. using alternately binding probe competitive polymerase chain reaction. Mol Cell Probes. 24: 131-137.
- Miyazaki, Y; Takano, T. (1983). Impairment of mitochondrial electron transport by tetrachloroethylene. Toxicol Lett. 18: 163-166.
- Mizumoto, Y; Nakae, D; Yoshiji, H; Andoh, N; Horiguchi, K; Endoh, T; Kobayashi, E; Tsujiuchi, T; Shimoji, N; Denda, A. (1994). Inhibitory effects of 2-O-octadecylascorbic acid and other vitamin C and E derivatives on the induction of enzyme-altered putative preneoplastic lesions in the livers of rats fed a choline-deficient, L-amino acid-defined diet. Carcinogenesis. 15: 241-246.
- Mlambo, SS; van, VJH; Barnhoorn, IE; Bornman, MS. (2009). Histopathological changes in the reproductive system (ovaries and testes) of Oreochromis mossambicus following exposure to DDT. Environ Toxicol Pharmacol. 28: 133-139.
- Mlusu, JR. (2011). Laboratory Investigation of Kinetics of Redox Reactions of Hexavalent Chromium and Trichloroethylene in Aqueous and Soil Systems. Masters Abstracts International Vol 50, no 04, 133 p 2011.
- Modiano, SH; McNesby, KL; Marsh, PE; Bolt, W; Herud, C. (1996). Quantitative measurements by Fourier-transform infrared spectroscopy of toxic gas production during inhibition of JP-8 fires by CF(3)Br and C(3)F(7)H. Appl Opt. 35: 4004-4008.
- Moe, WM; Yan, J; Nobre, MF; da, CMS; Rainey, FA. (2009). Dehalogenimonas lykanthroporepellens gen. nov., sp. nov., a reductively dehalogenating bacterium isolated from chlorinated solvent-contaminated groundwater. Int J Syst Evol Microbiol. 59: 2692-2697.
- Moeck, C; Radny, D; Borer, P; Rothardt, J; Auckenthaler, A; Berg, M; Schirmer, M. (2016). Multicomponent statistical analysis to identify flow and transport processes in a highly-complex environment. J Hydrol. 542: 437-449.
- Moghaddam, AP; Abbas, R; Fisher, JW; Stavrou, S; Lipscomb, JC. (1996). Formation of dichloroacetic acid by rat and mouse gut microflora, an in vitro study. Biochem Biophys Res Commun. 228: 639-645.
- Mohamed, AMO; Said, RA. (2004). TDR detection of nonaqueous phase liquids in sandy soils using the eigendecomposition method. Environ Geol. 47: 30-37.
- Mohammad, OI; Kibbey, TCG. (2005). Dissolution-induced contact angle modification in dense nonaqueous phase liquid/water systems. Environmental Science & Technology. 39: 1698-1706.

Environmental Hazard Literature Search Results

Off Topic

- Mohammed, N; Allayla, RI; Nakhla, GF; Farooq, S; Husain, T. (1996). State-of-the-art review of bioremediation studies. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering & Toxic And Hazardous Substance Control*. 31: 1547-1574.
- Mohan, KS; Gibson, T; Abdul, AS; Walia, SK. (1994). DETECTION OF SOLUBLE METHANE MONOOXYGENASE GENE IN TRICHLOROETHYLENE CONTAMINATED GROUNDWATER USING POLYMERASE CHAIN REACTION. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 418.
- Mohan, KS; Walia, SK. (1994). Detection of soluble methane monooxygenase producing *Methylosinus trichosporium* OB3b by polymerase chain reaction. *Can J Microbiol*. 40: 969-973.
- Mohapatra, SP; Kumar, M; Gajbhiye, VT; Agnihotri, NP. (1995). Ground water contamination by organochlorine insecticide residues in a rural area in the Indo-Gangetic Plain. *Environ Monit Assess*. 35: 155-164.
- Mohseni, M. (2005). Gas phase trichloroethylene (TCE) photooxidation and byproduct formation: photolysis vs. titania/silica based photocatalysis. *Chemosphere*. 59: 335-342.
- Mok, YS; Lee, SB; Oh, JH; Ra, KS; Sung, BH. (2008). Abatement of Trichloromethane by Using Nonthermal Plasma Reactors. *Plasma Chemistry and Plasma Processing*. 28: 663-676.
- Molin, J; Mueller, J; Hanson, D; Fowler, T; Skrotzki, T. (2010). In situ remediation of PCE at a site with clayey lithology and a significant smear zone. *Remediation*. 20: 51-62.
- Molnar, IL; O'Carroll, DM; Gerhard, JI. (2011). Impact of surfactant-induced wettability alterations on DNAPL invasion in quartz and iron oxide-coated sand systems. *J Contam Hydrol*. 119: 1-12.
- Mondal, PK; Lima, G; Zhang, D; Lomheim, L; Tossell, RW; Patel, P; Sleep, BE. (2016). Evaluation of peat and sawdust as permeable reactive barrier materials for stimulating in situ biodegradation of trichloroethene. *J Hazard Mater*. 313: 37-48.
- Monks, TJ; Ghersi-Egea, JF; Philbert, M; Cooper, AJL; Lock, EA. (1999). Symposium overview: The role of glutathione in neuroprotection and neurotoxicity (symposium presented at the 37th Annual Meeting of the Society of Toxicology) (Seattle, Washington. USA; March 1-5, 1998). *Toxicol Sci*. 51: 161-177.
- Montgomery, L; Assaf-Anid, N; Nies, L; Anid, PJ; Vogel, TM. (1994). ANAEROBIC BIODEGRADATION OF CHLORINATED ORGANIC COMPOUNDS. Chaudhry, G R. 0: 256-276.
- Monwuba, CK. (2013). Geoenvironmental influences on Raman spectroscopic monitoring of chlorinated solvents natural attenuation. PhD Thesis, Purdue University.
- Moon, HS; Chang, SW; Nam, K; Choe, J; Kim, JY. (2006). Effect of reactive media composition and co-contaminants on sulfur-based autotrophic denitrification. *Environ Pollut*. 144: 802-807.
- Moon, JW; Moon, HS; Kim, H; Roh, Y. (2005). Remediation of TCE-contaminated groundwater using zero valent iron and direct current: experimental results and electron competition model. *Environ Geol*. 48: 805-817.
- Moon, S; Adamski, JM; Hansen, MJ; Lichtman, A. (1990). BROMINATED ORGANIC POLLUTANTS IN NASSAU COUNTY DRINKING WATER. Hickey, J E Jr And L A Longmire. 0: 303-320.
- Moore, AT; Vira, A; Fogel, S. (1989). BIODEGRADATION OF TRANS-1 2 DICHLOROETHYLENE BY METHANE-UTILIZING BACTERIA IN AN AQUIFER SIMULATOR. *Environ Sci Technol*. 23: 403-406.
- Moore, FP; Barac, T; Borrernans, B; Oeyen, L; Vangronsveld, J; van der Lelie, D; Campbell, CD; Moore, ERB. (2006). Endophytic bacterial diversity in poplar trees growing on a BTEX-contaminated site: The characterisation of isolates with potential to enhance phytoremediation. *Syst Appl Microbiol*. 29: 539-556.
- Moore, K; Forsberg, B; Baer, DR; Arnold, WA; Penns, RL. (2011). Zero-Valent Iron: Impact of Anions Present during Synthesis on Subsequent Nanoparticle Reactivity. *Journal of Environmental Engineering-Asce*. 137: 889-896.
- Moore, L. (1982). 1,1-Dichloroethylene inhibition of liver endoplasmic reticulum calcium pump function. *Biochem Pharmacol*. 31: 1463-1465.
- Moore, L; Schoenberg, DR; Long, RM. (1988). IMPACT OF HALOGENATED COMPOUNDS ON CALCIUM HOMEOSTASIS IN HEPATOCYTES. Conference On The Calcium Messenger System: Implications For Toxicological Research, Research Triangle Park, North Carolina, Usa, March. 84: 149-154.
- Moore, MM; Harrington-Brock, K; Cole, J. (1999). Issues for conducting the microtiter version of the mouse lymphoma thymidine kinase (tk) assay and a critical review of data generated in a collaborative trial using the microtiter method. *Mutagenesis*. 14: 271-281.
- Moore, RM. (2000). The solubility of a suite of low molecular weight organochlorine compounds in seawater and implications for estimating the marine source of methyl chloride to the atmosphere. *Chemosphere - Global Change Science*. 2: 95-99.
- Mora, VC; Madueno, L; Peluffo, M; Rosso, JA; Del Panno, MT; Morelli, IS. (2014). Remediation of phenanthrene-contaminated soil by simultaneous persulfate chemical oxidation and biodegradation processes. *Environ Sci Pollut Res Int*. 21: 7548-7556.
- Mora, VC; Rossoa, JA; Le Roux, GC; Martire, DO; Gonzalez, MC. (2009). Thermally activated peroxydisulfate in the presence of additives: A clean method for the degradation of pollutants. *Chemosphere*. 75: 1405-1409.
- Moran, BN; Hickey, WJ. (1997). Trichloroethylene biodegradation by mesophilic and psychrophilic ammonia oxidizers and methanotrophs in groundwater microcosms. *Appl Environ Microbiol*. 63: 3866-3871.
- Moran, MJ; Zogorski, JS; Squillace, PJ. (2007). Chlorinated solvents in groundwater of the United States. *Environmental Science & Technology*. 41: 74-81.
- Morel, G; Ban, M; Hettich, D; Huguet, N. (1999). Role of SAM-dependent thiol methylation in the renal toxicity of several solvents in mice. *J Appl Toxicol*. 19: 47-54.
- Moreno, B; Nogales, R; Macci, C; Masciandaro, G; Benitez, E. (2011). Microbial eco-physiological profiles to estimate the biological restoration of a trichloroethylene-contaminated soil. *Ecol Indic*. 11: 1563-1571.

Environmental Hazard Literature Search Results

Off Topic

- Moreno, B; Vivas, A; Nogales, R; Benitez, E. (2009). Solvent tolerance acquired by *Brevibacillus brevis* during an olive-waste vermicomposting process. *Ecotoxicol Environ Saf.* 72: 2109-2114.
- Moreno, B; Vivas, A; Nogales, R; Macci, C; Masciandaro, G; Benitez, E. (2009). Restoring biochemical activity and bacterial diversity in a trichloroethylene-contaminated soil: the reclamation effect of vermicomposted olive wastes. *Environ Sci Pollut Res Int.* 16: 253-264.
- Morgan, E; Knacker, T. (1994). The role of laboratory terrestrial model ecosystems in the testing of potentially harmful substances. *Ecotoxicology.* 3: 213-233.
- Mori, H; Kamiya, M; Haemori, N; Suzuki, H; Tanaka, S; Nishio, Y; Kajita, K; Moriyama, H. (2002). First systematic band-filling control in organic conductors. *J Am Chem Soc.* 124: 1251-1260.
- Morio, M; Finkel, M; Martac, E. (2010). Flow guided interpolation - A GIS-based method to represent contaminant concentration distributions in groundwater. *Environmental Modelling & Software.* 25: 1769-1780.
- Morita, M; Yoshinaga, J; Mukai, H; Ambe, Y; Tanaka, A; Shibata, Y. (1997). Specimen banking at National Institute for Environmental Studies, Japan. *Chemosphere.* 34: 1907-1919.
- Morita, Y; Futagami, T; Goto, M; Furukawa, K. (2009). Functional characterization of the trigger factor protein PceT of tetrachloroethene-dechlorinating *Desulfotobacterium hafniense* Y51. *Appl Microbiol Biotechnol.* 83: 775-781.
- Moriwaki, C; Costa, GL; Pazzetto, R; Zanin, GM; Moraes, FF; Portilho, M; Matioli, G. (2007). Production and characterization of a new cyclodextrin glycosyltransferase from *Bacillus firmus* isolated from Brazilian soil. *Process Biochemistry.* 42: 1384-1390.
- Mork, AK; Jonsson, F; Johanson, G. (2009). Bayesian population analysis of a washin-washout physiologically based pharmacokinetic model for acetone. *Toxicol Appl Pharmacol.* 240: 423-432.
- Morkin, M; Devlin, JF; Barker, JF; Butler, BJ. (2000). In situ sequential treatment of a mixed contaminant plume. *J Contam Hydrol.* 45: 283-302.
- Morono, Y; Unno, H; Hori, K. (2006). Correlation of TCE cometabolism with growth characteristics on aromatic substrates in toluene-degrading bacteria. *Biochem Eng J.* 31: 173-179.
- Morono, Y; Unno, H; Tanji, Y; Hori, K. (2004). Addition of aromatic substrates restores trichloroethylene degradation activity in *Pseudomonas putida* F1. *Appl Environ Microbiol.* 70: 2830-2835.
- Morrill, PL; Lacrampe-Couloume, G; Slater, GF; Sleep, BE; Edwards, EA; McMaster, ML; Major, DW; Lollar, BS. (2005). Quantifying chlorinated ethene degradation during reductive dechlorination at Kelly AFB using stable carbon isotopes. *J Contam Hydrol.* 76: 279-293.
- Morrill, PL; Sleep, BE; Seepersad, DJ; McMaster, ML; Hood, ED; LeBron, C; Major, DW; Edwards, EA; Lollar, BS. (2009). Variations in expression of carbon isotope fractionation of chlorinated ethenes during biologically enhanced PCE dissolution close to a source zone. *J Contam Hydrol.* 110: 60-71.
- Morrill, PL; Sleep, BE; Slater, GF; Edwards, EA; Lollar, BS. (2006). Evaluation of isotopic enrichment factors for the biodegradation of chlorinated ethenes using a parameter estimation model: Toward an improved quantification of biodegradation. *Environmental Science & Technology.* 40: 3886-3892.
- Morris, K. (2010). Full-Scale Biostimulation Source and Barrier Remediation for TCE in Groundwater. Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds.
- Morris, RM; Fung, JM; Rahm, BG; Zhang, S; Freedman, DL; Zinder, SH; Richardson, RE. (2007). Comparative proteomics of *Dehalococcoides* spp. reveals strain-specific peptides associated with activity. *Appl Environ Microbiol.* 73: 320-326.
- Morrison, CN. (2014). Innovative methods for characterizing chlorinated volatile organic compounds in the vadose. *Dissertation Abstracts International Vol 76, no 01, suppl B, 181 p 2014.*
- Morrison, RD. (2000). Critical review of environmental forensic techniques: Part I. *Environ Forensics.* 1: 157-173.
- Morrissey, FA; Grismer, ME. (1999). Kinetics of volatile organic compound sorption/desorption on clay minerals. *J Contam Hydrol.* 36: 291-312.
- Morshed, J; Kaluarachchi, JJ. Application of artificial neural network and genetic algorithm in flow and transport simulations. *Advances in Water Resources.* Oct 22, 1998. v. 22 (2): 145-158.
- Mortazavi, SB; Ramavandi, B; Moussavi, G. (2011). Chemical reduction kinetics of nitrate in aqueous solution by Mg/Cu bimetallic particles. *Environ Technol.* 32: 251-260.
- Mortelmans, K; Haworth, S; Lawlor, T; Speck, W; Tainer, B; Zeiger, E. (1986). SALMONELLA MUTAGENICITY TESTS II. RESULTS FROM THE TESTING OF 270 CHEMICALS. *Environ Mutagen.* 8: 1-119.
- Mortland, MM; Boyd, SA. (1989). POLYMERIZATION AND DECHLORINATION AND CHLOROETHENES ON COPPER-II SMECTITE VIA RADICAL-CATION INTERMEDIATES. *Environ Sci Technol.* 23: 223-227.
- Morton, JD; Hayes, KF; Semrau, JD. (1998). METAL BIOAVAILABILITY A MODEL SYSTEM USING METHANOTROPHS. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 472.
- Morton, JD; Hayes, KF; Semrau, JD. (2000). Bioavailability of chelated and soil-adsorbed copper to *Methylosinus trichosporium* OB3b. *Environmental Science & Technology.* 34: 4917-4922.
- Morton, JD; Hayes, KF; Semrau, JD. (2000). Effect of copper speciation on whole-cell soluble methane monooxygenase activity in *Methylosinus trichosporium* OB3b. *Appl Environ Microbiol.* 66: 1730-1733.
- Morton, M; Pollak, JK. (1987). DETERMINATION BY COMBUSTION OF THE TOTAL ORGANOCHLORINE CONTENT OF TISSUES SOIL WATER WASTE STREAMS AND OIL SLUDGES. *Bull Environ Contam Toxicol.* 38: 109-116.
- Moser, GJ; Smart, RC. (1989). Hepatic tumor-promoting chlorinated hydrocarbons stimulate protein kinase C activity. *Carcinogenesis.* 10: 851-856.
- Moser, VC; Balster, RL. (1985). Acute motor and lethal effects of inhaled toluene, 1,1,1-trichloroethane, halothane, and ethanol in mice: effects of exposure duration. *Toxicol Appl Pharmacol.* 77: 285-291.

Environmental Hazard Literature Search Results

Off Topic

- Moser, VC; Cheek, BM; MacPhail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health*. 45: 173-210.
- Moser, VC; MacPhail, RC; Gennings, C. (2003). Neurobehavioral evaluations of mixtures of trichloroethylene, heptachlor, and di(2-ethylhexyl)phthalate in a full-factorial design. *Toxicology*. 188: 125-137.
- Moslen, MT; Dunsford, HA; Karnasata, C; Chieco, P; Kanz, MF. (1987). IMMUNOCYTOCHEMICAL AND HISTOCHEMICAL EVIDENCE OF EARLIER AND MORE SEVERE BILE CANALICULI ALTERATIONS AFTER 1 1 DICHLOROETHYLENE DCE IN FASTED THAN IN FED RATS. 71st Annual Meeting Of The Federation Of American Societies For Experimental Biology, Washington, DC, Usa, March. 46: 408.
- Moslen, MT; Kanz, MF. (1988). SELECTIVE ALTERATIONS IN BILIARY CLEARANCE OF MARKER SOLUTES IN-VIVO BY FED RATS GIVEN 1 1 DICHLOROETHYLENE. 72nd Annual Meeting Of The Federation Of American Societies For Experimental Biology, Las Vegas, Nevada, Usa, May. 2.
- Moslen, MT; Kanz, MF. (1989). BILE CONTENTS OF THE CANALICULAR MEMBRANE ENZYME LEUCINE AMINOPEPTIDASE ARE INCREASED IN RATS WITH TOXIN-INDUCED CANALICULI INJURY. 40th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, October. 10: 733.
- Moslen, MT; Kanz, MF. (1993). Biliary excretion of marker solutes by rats with 1,1-dichloroethylene-induced bile canalicular injury. *Toxicol Appl Pharmacol*. 122: 117-130.
- Moslen, MT; Kanz, MF; Ferguson, AE. (1988). A STABLE COLORIMETRIC ASSAY TO MEASURE TOXIN ELEVATION OF INORGANIC PHOSPHATE IN BILE. *Anal Biochem*. 168: 405-410.
- Moslen, MT; Poisson, LR; Reynolds, ES. (1985). Cholestasis and increased biliary excretion of inulin in rats given 1,1-dichloroethylene. *Toxicology*. 34: 201-209.
- Moslen, MT; Reynolds, ES. (1985). Rapid, substrate-specific, and dose-dependent deactivation of liver cytosolic glutathione S-transferases in vivo by 1,1-dichloroethylene. *Res Comm Chem Pathol Pharmacol*. 47: 59-72.
- Moslen, MT; Reynolds, ES; Boor, PJ; Bailey, K; Szabo, S. (1977). Trichloroethylene-induced deactivation of cytochrome P-450 and loss of liver glutathione in vivo. *Res Comm Chem Pathol Pharmacol*. 16: 109-120.
- Moslen, MT; Reynolds, ES; Szabo, S. (1977). Enhancement of the metabolism and hepatotoxicity of trichloroethylene and perchloroethylene. *Biochem Pharmacol*. 26: 369-375.
- Moslen, MT; Shenoy, M; Kaphalia, L; Kanz, MF; Goldblum, RM. (1995). BILIARY SECRETION OF IGA IS DIMINISHED BY THE CANALICULAR TOXICANT 1 1-DICHLOROETHYLENE DCE. *Experimental Biology*. 9.
- Moss, MG. (1981). INFRARED CHEMILUMINESCENCE INVESTIGATION OF THE REACTIONS OF METHYL RADICALS, REACTIONS OF DEUTERATED OLEFINS AND AROMATICS, AND ULTRAVIOLET DISSOCIATION OF THE CHLOROETHYLENES. PhD Thesis, University of Illinois at Urbana-Champaign.
- Mosteller, DC; Bourquin, AW; Reardon, KF. (1996). BIODEGRADATION OF TCE BY BURKHOLDERIA CEPACIA PR1301 IN LABORATORY AND FIELD TRIALS. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 356.
- Motohashi, Y; Kawakami, T; Miyazaki, Y; Takano, T; Ekataksin, W. (1990). Circadian variations in trichloroethylene toxicity under a 12:12 hr light-dark cycle and their alterations under constant darkness in rats. *Toxicol Appl Pharmacol*. 104: 139-148.
- Motohashi, Y; Miyazaki, Y. (1990). Time-dependent effects of trichloroethylene on motor activity in rats. *Chronobiol Int*. 7: 193-201.
- Motohashi, Y; Miyazaki, Y; Takano, T. (1993). Assessment of behavioral effects of tetrachloroethylene using a set of time-series analyses. *Neurotoxicol Teratol*. 15: 3-10.
- Motohashi, Y; Takano, T. (1984). Effect of ethanol on uptake of trichloroethylene in isolated perfused rat liver. *The Journal of toxicological sciences*. 9: 101-107.
- Mott, HV. (1989). Diffusive transport of low molecular weight organic solutes through soil-bentonite containment barriers. PhD Thesis, University of Michigan.
- Mott, JG; Romanow, S. (1991). Sludge characterization, removal, and dewatering. *J Hazard Mater*. 29: 1991-1992.
- Mourand, JT; Crittenden, JC; Hand, DW; Perram, DL; Notthakun, S. (1995). Regeneration of spent adsorbents using homogeneous advanced oxidation. *Water Environ Res*. 67: 355-363.
- Mourvaki, E; Cardinali, R; Dal, BA; Castellini, C. (2010). In vitro antioxidant activity of the prostatic secretory granules in rabbit semen after exposure to organic peroxides. *Reproductive biology and endocrinology* : RB&E. 8: 16.
- Mousa, IE. (2016). Total petroleum hydrocarbon degradation by hybrid electrobiochemical reactor in oilfield produced water. *Mar Pollut Bull*. 109: 356-360.
- Moussa, M; Forkert, PG. (1992). 1,1-Dichloroethylene-induced alterations in glutathione and covalent binding in murine lung: morphological, histochemical, and biochemical studies. *The Journal of pathology*. 166: 199-207.
- Mouvet, C; Barberis, D; Bourg, ACM. (1993). Adsorption isotherms of tri- and tetrachloroethylene by various natural solids. *J Hydrol*. 149: 163-182.
- Mravik, SC; Sillan, RK; Wood, AL; Sewell, GW. (2003). Field evaluation of the solvent extraction residual biotreatment technology. *Environmental science & technology*. 37: 5040-5049.
- Mrozik, H; Bochis, RJ; Eskola, P; Matzuk, A; Waksmunski, S; Olen, LE; Schwartzkopf, G, Jr.; Grodski, A; Linn, BO; Lusi, A; Wu, MT; Shunk, CH; Peterson, LH; Milkowski, JD; Hoff, DR; Kula, P; Ostlind, DA; Campbell, WC; Riek, RF; Harmon, RE. (1977). 4-amino-6-(trichloroethenyl)-1,3-benzenedisulfonamide, a new, potent fasciolicide. *J Med Chem*. 20: 1225-1227.
- Mrsny, RJ; Barles, RW; Chin, D; Enevold, KC; Thomas, BR; Wheelis, ML. (1978). Use of an internal standard in monitoring the bacterial degradation of crude oil. *Appl Environ Microbiol*. 36: 776-779.

Environmental Hazard Literature Search Results

Off Topic

- Mu, DY; Scow, KM. Effect of trichloroethylene (TCE) and toluene concentrations on TCE and toluene biodegradation and the population density of TCE and toluene degraders in soil. *Appl Environ Microbiol.* July 1994. v. 60 (7): 2661-2665.
- Muchitsch, N; Van Nooten, T; Bastiaens, L; Kjeldsen, P. (2011). Integrated evaluation of the performance of a more than seven year old permeable reactive barrier at a site contaminated with chlorinated aliphatic hydrocarbons (CAHs). *J Contam Hydrol.* 126: 258-270.
- Mucka, V; Bunata, M; Cuba, V; Silber, R; Juha, L. (2015). Radiation induced dechlorination of some chlorinated hydrocarbons in aqueous suspensions of various solid particles. *Radiat Phys Chem Oxf Engl* 1993. 112: 108-116.
- Mueller, J. (1989). CHLORINATED HYDROCARBONS IN THE TROPOSPHERE. World Meteorological Organization Technical Conference On The Monitoring And Assessment Of Changing Composition Of The Troposphere, Sofia, Bulgaria, October. 0: 126.
- Mueller, JA; Ditoro, DM. (1993). Multicomponent adsorption of volatile organic chemicals from air stripper offgas. *Water Environ Res.* 65: 15-25.
- Mueller, M; Birner, G; Sander, M; Dekant, W. (1998). Reactivity of haloketenes and halothioketenes with nucleobases: Reactions in vitro with DNA. *Chem Res Toxicol.* 11: 464-470.
- Mueller, M; Klein, W. (1992). Comparative evaluation of methods predicting water solubility for organic compounds. *Chemosphere.* 25: 769-782.
- Mueller, R; Lingens, F. (1986). MICROBIAL DEGRADATION OF HALOGENATED HYDROCARBONS A BIOLOGICAL SOLUTION TO POLLUTION PROBLEMS? *Angew Chem Int Ed Engl.* 25: 779-789.
- Mueller-Herold, U; Caderas, D; Funck, P. (1997). Validity of global lifetime estimates by a simple general limiting law for the decay of organic compounds with long-range pollution potential. *Environmental Science & Technology.* 31: 3511-3515.
- Muff, J; Jepsen, H; Sogaard, E. (2012). Bench-Scale Study of Electrochemical Oxidation for On-Site Treatment of Polluted Groundwater. *Journal of Environmental Engineering-Asce.* 138: 915-922.
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res.* 29: 2434-2439.
- Muftikian, R; Nebesny, K; Fernando, Q; Korte, N. (1996). X-ray photoelectron spectra of the palladium-iron bimetallic surface used for the rapid dechlorination of chlorinated organic environmental contaminants. *Environmental Science & Technology.* 30: 3593-3596.
- Mukerjee, S; Ellenson, WD; Lewis, RG; Stevens, RK; Somerville, MC; Shadwick, DS. (1997). An environmental scoping study in the Lower Rio Grande Valley of Texas: I. Comparative assessment of air sampling methods. *Environ Int.* 23: 611-628.
- Mukerjee, S; Ellenson, WD; Lewis, RG; Stevens, RK; Somerville, MC; Shadwick, DS; Willis, RD. (1997). An environmental scoping study in the Lower Rio Grande Valley of Texas: III. Residential microenvironmental monitoring for air, house dust, and soil. *Environ Int.* 23: 657-673.
- Mukherjee, D; Gaur, AS; Gaur, SS; Schmid, F. (2013). External and internal influences on R&D alliance formation: Evidence from German SMEs. *Journal of Business Research.* 66: 2178-2185.
- Mukherjee, P; Roy, P. (2012). Identification and Characterisation of a Bacterial Isolate Capable of Growth on Trichloroethylene as the Sole Carbon Source. *Advances in Microbiology.* 2: 284-294.
- Mukherjee, P; Roy, P. (2013). Cloning, Sequencing and Expression of Novel Trichloroethylene Degradation Genes from *Stenotrophomonas maltophilia* PM102: A Case of Gene Duplication. *Journal of Bioremediation & Biodegradation.* 4: 1.
- Mukherjee, P; Roy, P. (2013). Copper Enhanced Monooxygenase Activity and FT-IR Spectroscopic Characterisation of Biotransformation Products in Trichloroethylene Degrading Bacterium: *Stenotrophomonas maltophilia* PM102. *BioMed Res Int.* 2013.
- Mukherjee, R; Kumar, R; Sinha, A; Lama, Y; Saha, AK. (2016). A review on synthesis, characterization, and applications of nano zero valent iron (nZVI) for environmental remediation. *Crit Rev Environ Sci Tech.* 46: 443-466.
- Mukund, R; Kelly, TJ; Spicer, CW. (1996). Source attribution of ambient air toxic and other VOCs In Columbus, Ohio. *Atmos Environ.* 30: 3457-3470.
- Mulholland, JA; Sarofim, AF; Longwell, JP; Lafleur, AL; Thilly, WG. (1994). Bacterial mutagenicity of pyrolysis tars produced from chloro-organic fuels. *Environ Health Perspect.* 102 Suppl 1: 283-289.
- Mull, B; Horn, W; Jann, O. (2015). Investigations on the emissions of biocides and PCBs under low volume conditions. *Chemosphere.* 118: 65-71.
- Muller, JA; Rosner, BM; von Abendroth, G; Meshulam-Simon, G; McCarty, PL; Spormann, AM. (2004). Molecular identification of the catabolic vinyl chloride reductase from *Dehalococcoides* sp strain VS and its environmental distribution. *Appl Environ Microbiol.* 70: 4880-4888.
- Muller, JF; Hawker, DW; Connell, DW. (1994). Calculation of bioconcentration factors of persistent hydrophobic compounds in the air/vegetation system. *Chemosphere.* 29: 623-640.
- Muller, M; Aust, H. (2011). Transaction costs detailed: single-industry studies and operationalization. *Industrial Management & Data Systems.* 111: 1287-1331.
- Mumby, SM; Heukeroth, RO; Gordon, JI; Gilman, AG. (1990). G-protein alpha-subunit expression, myristoylation, and membrane association in COS cells. *Proceedings of the National Academy of Sciences of the United States of America.* 87: 728-732.
- Mumford, KG; Smith, JE; Dickson, SE. (2008). Mass flux from a non-aqueous phase liquid pool considering spontaneous expansion of a discontinuous gas phase. *J Contam Hydrol.* 98: 85-96.
- Mumford, KG; Smith, JE; Dickson, SE. (2010). The effect of spontaneous gas expansion and mobilization on the aqueous-phase concentrations above a dense non-aqueous phase liquid pool. *Advances in Water Resources.* 33, issue 4: 504-513.
- Mumtaz, MM; De Rosa, CT; Groten, J; Feron, VJ; Hansen, H; Durkin, PR. (1998). Estimation of toxicity of chemical mixtures through modeling of chemical interactions. *Environ Health Perspect.* 106: 1353-1360.
- Mumtaz, MM; Hertzberg, RC. (1993). THE STATUS OF INTERACTIONS DATA IN RISK ASSESSMENT OF CHEMICAL MIXTURES. Saxena, J. 0: 47-79.
- Mumtaz, MM; Ruiz, P; De Rosa, CT. (2007). Toxicity assessment of unintentional exposure to multiple chemicals. *Toxicol Appl Pharmacol.* 223: 104-113.

Environmental Hazard Literature Search Results

Off Topic

- Mun, TK; Kirienko, OA. (2011). Biodegradation of Tri- and Perchloroethylene in Sewage Waters and Soils by a Microbial Consortium of Compost and Phototrophic Bacteria. *Biology Bulletin*. 38: 538-541.
- Munakata, N; McNab, W; Haag, W; Roberts, PV; Reinhard, M. (1997). EFFECTS OF WATER MATRIX ON PD-CATALYZED HYDRODEHALOGENATION. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 181.
- Munakata-Marr, J; Matheson, VG; Forney, LJ; Tiedje, JM; McCarty, PL. Long-term biodegradation of trichloroethylene influenced by bioaugmentation and dissolved oxygen in aquifer microcosms. *Environmental science & technology*. Mar 1997. v. 31 (3): 786-791.
- Munakata-Marr, J; Matheson, WG; Forney, LJ; Tiedje, JM; McCarty, PL. (1997). Long-term biodegradation of trichloroethylene influenced by bioaugmentation and dissolved oxygen in aquifer microcosms. *Environmental Science & Technology*. 31: 786-791.
- Munakata-Marr, J; McCarty, PL; Shields, MS; Reagin, M; Francesconi, SC. (1996). Enhancement of trichloroethylene degradation in aquifer microcosms bioaugmented with wild type and genetically altered *Burkholderia* (*Pseudomonas*) *cepacia* G4 and PR1. *Environmental Science & Technology*. 30: 2045-2052.
- Mundle, K; Reynolds, DA; West, MR; Kueper, BH. (2007). Concentration rebound following in situ chemical oxidation in fractured clay. *Ground Water*. 45: 692-702.
- Mundle, SOC; Johnson, T; Lacrampe-Couloume, G; Perez-de-Mora, A; Duhamel, M; Edwards, EA; McMaster, ML; Cox, E; Revesz, K; Lollar, BS. (2012). Monitoring Biodegradation of Ethene and Bioremediation of Chlorinated Ethenes at a Contaminated Site Using Compound-Specific Isotope Analysis (CSIA). *Environmental Science & Technology*. 46: 1731-1738.
- Munger, ZW. (2012). Modeling nonlinear sorption of trichloroethene in natural sorbents with kerogen. *Masters Abstracts International Vol 51*, no 03, 101 p 2012.
- Munholland, JL; Mumford, KG; Kueper, BH. (2016). Factors affecting gas migration and contaminant redistribution in heterogeneous porous media subject to electrical resistance heating. *J Contam Hydrol*. 184: 14-24.
- Munson, AE; Sanders, VM; Douglas, KA; Sain, LE; Kauffmann, BM; White, KL, Jr. (1982). In vivo assessment of immunotoxicity. *Environ Health Perspect*. 43: 41-52.
- Munz, C; Roberts, PV. (1986). EFFECTS OF SOLUTE CONCENTRATION AND COSOLVENTS ON THE AQUEOUS ACTIVITY COEFFICIENT OF HALOGENATED HYDROCARBONS. *Environ Sci Technol*. 20: 830-836.
- Munz, C; Roberts, PV. (1989). GAS AND LIQUID-PHASE MASS TRANSFER RESISTANCES OF ORGANIC COMPOUNDS DURING MECHANICAL SURFACE AERATION. *Water Res*. 23: 589-602.
- Murakami, K; Horikawa, K. (1995). The induction of micronuclei in mice hepatocytes and reticulocytes by tetrachloroethylene. *Chemosphere*. 31: 3733-3739.
- Murakami-Nitta, T; Kirimura, K; Kino, K. (2003). Degradation of dimethyl sulfoxide by the immobilized cells of *Hyphomicrobium denitrificans* WU-K217. *Biochem Eng J*. 15: 199-204.
- Muralidhara, S; Bruckner, JV. (1998). DETERMINATION OF TRICHLOROETHYLENE TCE METABOLITES IN BLOOD AND TISSUES. *Annual Meeting Of The Professional Research Scientists On Experimental Biology*. 12.
- Muralidhara, S; Ramanathan, R; Mehta, SM; Lash, LH; Acosta, D; Bruckner, JV. (2001). Acute, subacute, and subchronic oral toxicity studies of 1,1-dichloroethane in rats: Application to risk evaluation. *Toxicol Sci*. 64: 135-145.
- Muraoka, K; Hirata, T. (1988). Hydraulic behaviour of chlorinated organic compounds in water. *Water Res*. 22: 485-489.
- Muraoka, K; Hirata, T. (1989). BASIC STUDY ON TCES BEHAVIOR IN SUBSURFACE ENVIRONMENT. *International Symposium On Processes Governing The Movement And Fate Of Contaminants In The Subsurface Environment*, Stanford, California, Usa, July. 22: 79-86.
- Murena, F. (2009). Solvent extraction of chlorinated compounds from soils and hydrodechlorination of the extract phase. *J Hazard Mater*. 162: 661-667.
- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics*. 17: 282-293.
- Murphy, E; London, RE. (1988). IN-VIVO NMR SPECTROSCOPY AND CELL INJURY. *Hodgson, E, J R Bend And R M Philpot*. 0: 131-184.
- Murphy, S; Ouelton, T; Ballard, J-M; Lefebvre, R; Clark, ID. (2011). Tritium-helium groundwater age used to constrain a groundwater flow model of a valley-fill aquifer contaminated with trichloroethylene (Quebec, Canada). *Hydrogeology Journal*. 19: 195-207.
- Murray, WA; Dooley, M; Smallbeck, DR. (1999). Natural attenuation of chlorinated solvents: When indicators are positive, does this really mean its working? *Journal of Soil Contamination*. 8: 23-27.
- Murray, WD; Richardson, M. (1993). PROGRESS TOWARD THE BIOLOGICAL TREATMENT OF C-1 AND C-2 HALOGENATED HYDROCARBONS. *Crit Rev Environ Sci Technol*. 23: 195-217.
- Murrell, JC. (1992). Genetics and molecular biology of methanotrophs. *FEMS Microbiol Lett*. 88: 233-248.
- Murrell, JC. (2002). Expression of soluble methane monooxygenase genes. *Microbiology-Sgm*. 148: 3329-3330.
- Murrell, JC; Gilbert, B; McDonald, IR. (2000). Molecular biology and regulation of methane monooxygenase. *Archives of Microbiology*. 173: 325-332.
- Murrell, JC; McDonald, IR; Bourne, DG. (1998). Molecular methods for the study of methanotroph ecology. *FEMS Microbiol Ecol*. 27: 103-114.
- Musieliak, M; Marcoux, M; Quintard, M. (2010). Indoor Air Pollution: Study of Trichloroethylene Transport through Soil and Basement. *Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds*.
- Mustacich, DJ; Shields, J; Horton, RA; Brown, MK; Reed, DJ. (1998). Biliary secretion of alpha-tocopherol and the role of the *mdr2* P-glycoprotein in rats and mice. *Arch Biochem Biophys*. 350: 183-192.
- Muszkat, L; Lahav, D; Ronen, D; Magaritz, M. (1993). Penetration of pesticides and industrial organics deep into soil and into groundwater. *Arch Insect Biochem Physiol*. 22: 487-499.

Environmental Hazard Literature Search Results

Off Topic

- Muto, H; Ikeda, K; Fuse, S; Fukukawa, T; Takizawa, Y. (1996). Filtering effects to bacteria and improvement of water quality by granite porphyry materials. *Water Res.* 30: 400-404.
- Myers, AL; Crozier, PW; Helm, PA; Brimacombe, C; Furdui, VI; Reiner, EJ; Burniston, D; Marvin, CH. (2012). Fate, distribution, and contrasting temporal trends of perfluoroalkyl substances (PFASs) in Lake Ontario, Canada. *Environ Int.* 44: 92-99.
- Myers, J; Adams, S. (2010). A Case Study Where In Situ TCE Groundwater Treatment Could Have Mobilized Radiological Contaminants. Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds.
- Myrand, D; Gillham, RW; Sudicky, EA; O'Hannesin, SF; Johnson, RL. (1992). Diffusion of volatile organic compounds in natural clay deposits: Laboratory tests. *J Contam Hydrol.* 10: 159-177.
- Nachbar, A; Biewald, GA. (1997). Sex dependent electrocardiogram (ECG) changes in anthracycline-treated mice. Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie. 49: 75-77.
- Nadim, F; Nadim, A; Hoag, GE; Dahmani, AM. (1997). Desorption rate limitation in the extraction of organic molecules from unsaturated soils during soil venting operations. *J Contam Hydrol.* 25: 21-37.
- Naft, BN. (1992). NEW IMPROVED GROUNDWATER CLEANUP TECHNOLOGY. *Environ Sci Technol.* 26: 871-872.
- Nagano, K; Sasaki, T; Umeda, Y; Nishizawa, T; Ikawa, N; Ohbayashi, H; Arito, H; Yamamoto, S; Fukushima, S. (2007). Inhalation carcinogenicity and chronic toxicity of carbon tetrachloride in rats and mice. *Inhal Toxicol.* 19: 1089-1103.
- Nagasawa, Y; Ukai, H; Okamoto, S; Samoto, H; Itoh, K; Moriguchi, J; Sakuragi, S; Ohashi, F; Takada, S; Kawakami, T; Ikeda, M. (2011). Organic Solvent Use in Enterprises in Japan. *Ind Health.* 49: 534-541.
- Nagel, CJ; Chanenchuk, CA; Wong, EW; Bach, RD. (1996). Catalytic extraction processing: An elemental recycling technology. *Environmental Science & Technology.* 30: 2155-2167.
- Nagelkerke, JF; Boogaard, PJ. (1991). Nephrotoxicity of halogenated alkenyl cysteine-S-conjugates. *Life Sci.* 49: 1769-1776.
- Naghizadeh, A; Nasser, S; Nazmara, S. (2011). REMOVAL OF TRICHLOROETHYLENE FROM WATER BY ADSORPTION ON TO MULTIWALL CARBON NANOTUBES. *Iranian Journal of Environmental Health Science & Engineering.* 8: 317.
- Najm, IN. (1990). Evaluation of the use of powdered activated carbon for the control of organic compounds during drinking water treatment. PhD Thesis, University of Illinois at Urbana-Champaign.
- Najm, IN; Snoeyink, VL; Lykins, BWJR; Adams, JQ. (1991). Using powdered activated carbon: A critical review. *Am Water Works Assoc J.* 83: 65-76.
- Nakagawa, F; Takahashi, Y; Gotoh, T; Fujieda, M; Hosokawa, M; Kiuchi, H; Imae, M. (2007). Development of time comparison equipment for ETS-VIII satellite. *Electrical Engineering in Japan.* 158: 61-71.
- Nakahama, T; Sarutani, S; Inouye, Y. (1999). Comparative study on the effect of trichloroethylene on the expression of P450 isoforms in rat lung and liver. *Japanese Journal of Toxicology and Environmental Health.* 45: 8-14.
- Nakajima, T; Kamijo, Y; Usuda, N; Liang, Y; Fukushima, Y; Kametani, K; Gonzalez, FJ; Aoyama, T. (2000). Sex-dependent regulation of hepatic peroxisome proliferation in mice by trichloroethylene via peroxisome proliferator-activated receptor alpha (PPAR alpha). *Carcinogenesis.* 21: 677-682.
- Nakajima, T; Koyama, Y; Sato, A. (1982). Dietary modification of metabolism and toxicity of chemical substances--with special reference to carbohydrate. *Biochem Pharmacol.* 31: 1005-1011.
- Nakajima, T; Okino, T; Okuyama, S; Kaneko, T; Yonekura, I; Sato, A. (1988). Ethanol-induced enhancement of trichloroethylene metabolism and hepatotoxicity: Difference from the effect of phenobarbital. *Toxicol Appl Pharmacol.* 94: 227-237.
- Nakajima, T; Okuyama, S; Yonekura, I; Sato, A. (1985). Effects of ethanol and phenobarbital administration on the metabolism and toxicity of benzene. *Chem Biol Interact.* 55: 23-38.
- Nakajima, T; Sato, A. (1979). Enhanced activity of liver drug-metabolizing enzymes for aromatic and chlorinated hydrocarbons following food deprivation. *Toxicol Appl Pharmacol.* 50: 549-556.
- Nakajima, T; Wang, RS; Elovaara, E; Park, SS; Gelboin, HV; Vainio, H. (1992). A comparative study on the contribution of cytochrome P450 isozymes to metabolism of benzene, toluene and trichloroethylene in rat liver. *Biochem Pharmacol.* 43: 251-258.
- Nakajima, T; Wang, RS; Katakura, Y; Kishi, R; Elovaara, E; Park, SS; Gelboin, HV; Vainio, H. (1992). Sex-, age- and pregnancy-induced changes in the metabolism of toluene and trichloroethylene in rat liver in relation to the regulation of cytochrome P450IIE1 and P450IIC11 content. *J Pharmacol Exp Ther.* 261: 869-874.
- Nakajima, T; Wang, RS; Murayama, N; Sato, A. (1990). Three forms of trichloroethylene-metabolizing enzymes in rat liver induced by ethanol, phenobarbital, and 3-methylcholanthrene. *Toxicol Appl Pharmacol.* 102: 546-552.
- Nakamiya, K; Nakayama, T; Ito, H; Shibata, Y; Morita, M. (2009). Isolation and properties of a 2-chlorovinylarsonic acid-degrading microorganism. *J Hazard Mater.* 165: 388-393.
- Nakamura, K; Ishida, H; Iizumi, T. (2000). Constitutive trichloroethylene degradation led by tac promoter chromosomally integrated upstream of phenol hydroxylase genes of *Ralstonia* sp KN1 and its nucleotide sequence analysis. *J Biosci Bioeng.* 89: 47-54.
- Nakamura, K; Kamagata, Y; Tanaka, K; Matsuda, K; Tasaki, M; Mikami, E. (1990). ANAEROBIC BACTERIA DEGRADING LOW MOLECULAR CHLORINATED FATTY ACIDS AND RELATED COMPOUNDS. Fifteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Part. 23: 1211-1218.
- Nakamura, SI; Oda, Y; Shimada, T; Oki, I; Sugimoto, K. (1987). SOS-INDUCING ACTIVITY OF CHEMICAL CARCINOGENS AND MUTAGENS IN *SALMONELLA-TYPHIMURIUM* TA1535-PSK-1002 EXAMINATION WITH 151 CHEMICALS. *Mutat Res.* 192: 239-246.
- Nakamura, T; Hoaki, T; Hanada, S; Maruyama, A; Kamagata, Y; Fuse, H. (2007). Soluble and particulate methane monooxygenase gene clusters in the marine methanotroph *Methylomicrobium* sp strain NI. *FEMS Microbiol Lett.* 277: 157-164.

Environmental Hazard Literature Search Results

Off Topic

- Nakamura, T; Senior, CL; Burns, EG; Bell, MD. (2000). Solar-powered soil vapor extraction for removal of dense nonaqueous phase organics from soil. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 35: 795-816.
- Nakanishi, S; Shiohara, E; Tsukada, M; Yamazaki, H; Okumura, K. (1978). Acetaldehyde level in the blood and liver aldehyde dehydrogenase activities in trichloroethylene-treated rats. *Arch Toxicol*. 41: 207-214.
- Nakano, N; Sugata, K; Nagashima, K. (1995). Development of a monitoring tape for ammonia gas in air by fluorescence detection. *Anal Chim Acta*. 302: 201-205.
- Nakano, Y; Hua, LQ; Nishijima, W; Shoto, E; Okada, M. (2000). Biodegradation of trichloroethylene (TCE) adsorbed on granular activated carbon (GAC). *Water Res*. 34: 4139-4142.
- Nakano, Y; Nishijima, W; Soto, E; Okada, M. (1999). Relationship between growth rate of phenol utilizing bacteria and the toxic effect of metabolic intermediates of trichloroethylene (TCE). *Water Res*. 33: 1085-1089.
- Nakano, Y; Okawa, K; Nishijima, W; Okada, M. (2003). Ozone decomposition of hazardous chemical substance in organic solvents. *Water Res*. 37: 2595-2598.
- Nakayama, Y; Kishida, F; Nakatsuka, I; Matsuo, M. (2005). Simulation of the toxicokinetics of trichloroethylene, methylene chloride, styrene and n-hexane by a toxicokinetics/toxicodynamics model using experimental data. *Environmental sciences : an international journal of environmental physiology and toxicology*. 12: 21-32.
- Nalaskowski, J; Hupka, J. (2004). Emulsion cleaning of metal surfaces contaminated with fresh and oxidized printing ink. *Fresen Environ Bull*. 13: 211-215.
- Nalewajko, C; Dunstall, TG. (1994). MISCELLANEOUS POLLUTANTS THERMAL EFFLUENTS HALOGENS ORGANOCHLORINES RADIONUCLIDES. *Ergebnisse Der Limnologie*. 0: 235-265.
- Nam, J-H; Kim, I-K; Kwon, J; Kim, YD. (2016). Applications of electrochemical ferrate(VI) for degradation of trichloroethylene in the aqueous phase. *Desalination and Water Treatment*. 57: 5138-5145.
- Nambi, IM; Werth, CJ; Sanford, RA; Valocchi, AJ. (2003). Pore-scale analysis of anaerobic halorespiring bacterial growth along the transverse mixing zone of an etched silicon pore network. *Environmental science & technology*. 37: 5617-5624.
- Nanzyo, M; Takeda, A; Tsukada, H. (2009). Selective Dissolution Analysis of Major and Trace Elements in an Allophanic Andisol Acidified by Long-Term Fertilizer Application. *Commun Soil Sci Plant Anal*. 40: 2743-2755.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res*. 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res*. 67: 46-56.
- Narayanan, M; Davis, LC; Erickson, LE. (1995). Fate of volatile chlorinated organic compounds in a laboratory chamber with alfalfa plants. *Environmental Science & Technology*. 29: 2437-2444.
- Narayanan, S; Narasimhan, R; Schoenherr, T. (2015). Assessing the contingent effects of collaboration on agility performance in buyer-supplier relationships. *Journal of Operations Management*. 33-34: 140-154.
- Narbaiz, RM; Benedek, A. (1987). THE REMOVAL OF 1,1,2 TRICHLOROETHANE FROM HIGHLY COLORED RIVER WATER BY ACTIVATED CARBON. 193rd American Chemical Society National Meeting, Denver, Colorado, Usa, April. 193.
- Naresh, RK; Rathore, RS; Dhaliwal, SS; Yadav, RB; Kumar, D; Singh, SP; Nawaz, A; Kumar, N; Gupta, RK. (2016). Crop establishment methods: foliar and basal nourishment of rice (*Oryza sativa*) cultivation affecting growth parameters, water saving, productivity and soil physical properties. *Paddy and Water Environment*. 14: 373-386.
- Narotsky, MG; Hamby, BT; Best, DS; Guidici, DL. (1998). CRITICAL PERIOD OF DI(2-ETHYLHEXYL)PHthalate POTENTIATION OF TRICHLOROETHYLENE-INDUCED PREGNANCY LOSS IN F-344 RATS. Thirty First Annual Meeting Of The Society For The Study Of Reproduction, College Station, Texas, Usa, August. 58: 90.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health*. 45: 145-171.
- Narotsky, MG; Weller, EA; Chinchilli, VM; Kavlock, RJ. (1995). Nonadditive Developmental Toxicity in Mixtures of Trichloroethylene, Di(2-ethylhexyl) Phthalate, and Heptachlor in a 5 × 5 × 5 Design. *Fundam Appl Toxicol*. 27: 203-216.
- Narotsky, MG; Weller, EA; Chinchilli, VM; Kavlock, RJ. (1995). Nonadditive developmental toxicity in mixtures of trichloroethylene, Di(2-ethylhexyl) phthalate, and heptachlor in a 5 × 5 × 5 design. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 27: 203-216.
- Narotsky, NG; Schlicht, M; Berman, E; Elder, JA; Macphail, RC; Kavlock, RJ. (1990). EFFECTS OF TRICHLOROETHYLENE IN AN IN-VIVO DEVELOPMENTAL TOXICITY SCREEN. Thirtieth Annual Meeting Of The Teratology Society, Victoria, British Columbia, Canada, June. 41: 580.
- Nascimbeni, B; Phillips, MD; Croom, DK; Andrews, PW; Tice, RR; Nauman, CH. (1991). EVALUATION OF DNA DAMAGE IN GOLDEN MICE OCHROTOMYS-NUTTALLI INHABITING A HAZARDOUS WASTE SITE. Twenty Second Annual Scientific Meeting Of The Environmental Mutagen Society, Kissimmee, Florida, Usa, April. 0: 55.
- Nash, DL; Rogers, GW; Cooper, JB; Hargrove, GL; Keown, JF; Hansen, LB. (2000). Heritability of Clinical Mastitis Incidence and Relationships with Sire Transmitting Abilities for Somatic Cell Score, Udder Type Traits, Productive Life, and Protein Yield. *J Dairy Sci*. 83: 2350-2360.
- Nasr, AT; Alexander, K; Schreiner, LJ; McAuley, KB. (2015). Leuco-crystal-violet micelle gel dosimeters: I. Influence of recipe components and potential sensitizers. *Phys Med Biol*. 60: 4665-4683.

Environmental Hazard Literature Search Results

Off Topic

- Nasr, AT; Alexander, KM; Olding, T; Schreiner, LJ; McAuley, KB. (2015). Leuco-crystal-violet micelle gel dosimeters: II. Recipe optimization and testing. *Phys Med Biol.* 60: 4685-4704.
- Nastainczyk, W; Ahr, HJ; Ullrich, V. (1982). The reductive metabolism of halogenated alkanes by liver microsomal cytochrome P450. *Biochem Pharmacol.* 31: 391-396.
- Navai, N; Wood, CG. (2012). Environmental and modifiable risk factors in renal cell carcinoma. *Urol Oncol.* 30: 220-224.
- Navarrete, M; Rodrigues, N; Amils, R; Sanz, JL. (1999). Effect of 1,1,2-tetrachloroethane on the performance of upflow anaerobic sludge bed (UASB) reactors. *Water Science and Technology.* 40: 153-159.
- Navon, D; Loehr, RC; Liljestrand, HM; Daniel, DE. (1998). Impact of biodegradable trenching slurry on iron treatment wall performance. *Water Science and Technology.* 38: 49-53.
- Navon, SE; Fung, BK. (1984). Characterization of transducin from bovine retinal rod outer segments. Mechanism and effects of cholera toxin-catalyzed ADP-ribosylation. *The Journal of biological chemistry.* 259: 6686-6693.
- Nay, M; Snozzi, AJB; Zehnder, AJB. (1999). Fate and behavior of organic compounds in an artificial saturated subsoil under controlled redox conditions: The sequential soil column system. *Biodegradation.* 10: 75-82.
- Nay, M; Snozzi, M; Zehnder, JB. (1999). Behavior of chemical contaminants under controlled redox conditions in an artificial sequential soil column system and in batch cultures. *Biodegradation.* 10: 405-414.
- Nazari, MM; Burston, MW; Bishop, PK; Lerner, DN. (1993). Urban ground-water pollution: A case study from Coventry, United Kingdom. *Ground Water.* 31: 417-424.
- Ndjou'ou, AC. (2006). Effect of Fenton reagent dose on coexisting chemical and microbial oxidation in soil. *Environmental science & technology.*
- Ndon, UJ; Randall, AA. (1999). Periodic aerated treatment and in-situ bioremediation strategies for polyhalogenated compounds. *Water Res.* 33: 2715-2720.
- Ndon, UJ; Randall, AA; Khouri, TZ. (2000). Reductive dechlorination of tetrachloroethylene by soil sulfate-reducing microbes under various electron donor conditions. *Environ Monit Assess.* 60: 329-336.
- Ndong, LBB; Ibondou, MP; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Enhanced Photocatalytic Activity of TiO₂ sub(2) Nanosheets by Doping with Cu for Chlorinated Solvent Pollutants Degradation. *Industrial & Engineering Chemistry Research.* 53: 1368-1376-1368-1376.
- Ndong, LBB; Ibondou, MP; Gu, XG; Xu, MH; Lu, SG; Qiu, ZF; Sui, Q; Mbadinga, SM. (2014). Efficiently Synthetic TiO₂ Nano-sheets for PCE, TCE, and TCA Degradations in Aqueous Phase Under VUV Irradiation. *Water Air and Soil Pollution.* 225: 1951-1951.
- Ndong, LBB; Ibondou, MP; Miao, Z; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficient dechlorination of chlorinated solvent pollutants under UV irradiation by using the synthesized TiO₂ sub(2) nano-sheets in aqueous phase. *Journal of Environmental Sciences (China).* 26: 1188-1194.
- Ndong, LBB; Ibondou, MP; Miao, ZW; Gu, XG; Lu, SG; Qiu, ZF; Sui, Q; Mbadinga, SM. (2014). Efficient dechlorination of chlorinated solvent pollutants under UV irradiation by using the synthesized TiO₂ nano-sheets in aqueous phase. *J Environ Sci.* 26: 1188-1194.
- Neafsey, P; Ginsberg, G; Hattis, D; Johns, DO; Guyton, KZ; Sonawane, B. (2009). GENETIC POLYMORPHISM IN CYP2E1: POPULATION DISTRIBUTION OF CYP2E1 ACTIVITY. *Journal of Toxicology and Environmental Health-Part B-Critical Reviews.* 12: 362-388.
- Neamtu, M; Ciumasu, IM; Costica, N; Costica, M; Bobu, M; Nicoara, MN; Catrinescu, C; van, SKB; De, ALF. (2009). Chemical, biological, and ecotoxicological assessment of pesticides and persistent organic pollutants in the Bahlui River, Romania. *Environmental science and pollution research international.* 16 Suppl 1: S76-85.
- Neckers, L; Ricketts, CJ; Linehan, WM. (2013). New Insights into von Hippel-Lindau Function Highlighted by Investigation of the Trichloroethylene-Induced p.P81S Hotspot Mutation. *Jnci-Journal of the National Cancer Institute.* 105: 1339-1340.
- Neft, RE; Tesfaigzi, J. (1998). TRICHLOROETHYLENE INDUCES INCREASED EXPRESSION OF THE SMALL PROLINE RICH PROTEIN SPR1. 89th Annual Meeting Of The American Association For Cancer Research, New Orleans, Louisiana, Usa, March. 39: 487-488.
- Neilson, AH. (1996). An environment perspective on the biodegradation of organochlorine xenobiotics. *International Biodeterioration & Biodegradation.* 37: 3-21.
- Nelson, DK; Novak, PJ. (2009). Enhanced Dissolution of Trichloroethene: Effect of Carbohydrate Addition and Fermentation Processes. *Journal of Environmental Engineering-Asce.* 135: 861-868.
- Nelson, JL; Jiang, J; Zinder, SH. (2014). Dehalogenation of chlorobenzenes, dichlorotoluenes, and tetrachloroethene by three Dehalobacter spp. *Environmental science & technology.* 48: 3776-3782.
- Nelson, JL; Zenick, H. (1986). The effect of trichloroethylene on male sexual behavior: possible opioid role. *Neurobehav Toxicol Teratol.* 8: 441-445.
- Nelson, MD; Parker, BL; Al, TA; Cherry, JA; Loomer, D. (2001). Geochemical reactions resulting from in situ oxidation of PCE-DNAPL by KMnO₄ in a sandy aquifer. *Environmental science & technology.* 35: 1266-1275.
- Nelson, MJ; Montgomery, SO; Pritchard, PH. (1988). Trichloroethylene metabolism by microorganisms that degrade aromatic compounds. *Appl Environ Microbiol.* 54: 604-606.
- Nelson, MJK; Bourquin, AW. (1989). DEVELOPMENT OF BIOLOGICAL PROCESSES TO REMEDIATE VOLATILE CHLORINATED HYDROCARBONS. *198th Acs.* 198: 174.
- Nelson, MJK; Kinsella, JV. (1991). DEVELOPMENT OF A BIOLOGICAL SYSTEM FOR IN-SITU BIOREMEDIATION OF GROUNDWATER CONTAMINATED WITH TRICHLOROETHYLENE. 91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May. 91: 295.

Environmental Hazard Literature Search Results

Off Topic

- Nelson, MJK; Montgomery, SO; O'Neill, EJ; Pritchard, PH. (1986). AEROBIC METABOLISM OF TRICHLOROETHYLENE BY A BACTERIAL ISOLATE. *Appl Environ Microbiol.* 52: 383-384.
- Nelson, MJK; Montgomery, SO; Pritchard, PH. (1987). AEROBIC BIODEGRADATION OF TRICHLOROETHYLENE BY PURE CULTURES AND NATURAL MICROBIAL COMMUNITIES. 194th American Chemical Society National Meeting, New Orleans, Louisiana, Usa, August. 194: 219.
- Nelson, MJK; Montgomery, SO; Pritchard, PH. (1987). CHARACTERIZATION OF TRICHLOROETHYLENE BIODEGRADATION BY STRAIN G4. 87th Annual Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, March. 87: 282.
- Nelson, MJK; O'Neill, EJ; Pritchard, PH. (1986). ISOLATION OF A PURE CULTURE THAT METABOLIZES TRICHLOROETHYLENE. 86th Annual Meeting Of The American Society For Microbiology, Washington, DC, Usa, Mar. 86: 202.
- Nelson, N; Brusseau, ML. (1997). ADVANCED CHARACTERIZATION OF A SUPERFUND SITE TRACER TESTS AND CONTAMINANT MONITORING. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 203.
- Nelson, NT; Brusseau, ML. (1996). FIELD STUDY OF THE PARTITIONING TRACER METHOD FOR DETECTION OF DENSE NONAQUEOUS PHASE LIQUID IN A TRICHLOROETHENE-CONTAMINATED AQUIFER. *Environmental Science & Technology.* 30: 2859-2863.
- Nelson, NT; Oostrom, M; Wietsma, TW; Brusseau, ML. (1999). Partitioning tracer method for the in situ measurement of DNAPL saturation: Influence of heterogeneity and sampling method. *Environmental Science & Technology.* 33: 4046-4053.
- Nemecek, J; Pokorny, P; Lhotsky, O; Knytl, V; Najmanova, P; Steinova, J; Cernik, M; Filipova, A; Filip, J; Cajthaml, T. (2016). Combined nano-biotechnology for in-situ remediation of mixed contamination of groundwater by hexavalent chromium and chlorinated solvents. *Sci Total Environ.* 563: 822-834.
- Nemery, B; Dinsdale, D; Verschoyle, RD. (1987). DETECTING AND EVALUATING CHEMICAL-INDUCED LUNG DAMAGE IN EXPERIMENTAL ANIMALS. *Clin Respir Physiol.* 23: 501-528.
- Nemir, A; David, MM; Perrussel, R; Sapkota, A; Simonet, P; Monier, JM; Vogel, TM. (2010). Comparative phylogenetic microarray analysis of microbial communities in TCE-contaminated soils. *Chemosphere.* 80: 600-607.
- Nendza, M; Russom, CL. (1991). QSAR modelling of the ERL-D fathead minnow acute toxicity database. *Xenobiotica.* 21: 147-170.
- Nendza, M; Seydel, J. (1987). QUANTITATIVE STRUCTURE-TOXICITY RELATIONSHIPS FOR ECOTOXICOLOGICALLY RELEVANT BIOTEST SYSTEMS AND CHEMICALS. International Workshop On Advances In Environmental Hazard And Risk Assessment. 17: 1585-1602.
- Nendza, M; Seydel, JK. (1988). MULTIVARIATE DATA ANALYSIS OF VARIOUS BIOLOGICAL TEST SYSTEMS USED FOR THE QUANTIFICATION OF ECOTOXIC COMPOUNDS. *Quant Struct Act Relat.* 7: 165-174.
- Nerger, M; Mergler, R. (1987). BIOLOGICAL DEGRADATION OF VOLATILE CHLORINATED HYDROCARBONS IN GROUNDWATER AU - MILDE G. Meeting On Groundwater Microbiology: Problems And Biological Treatment Held At The International Association On Water Pollution Research And Control Symposium, Kuopio, Finland, August. 20: 67-74.
- Nestmann, ER; Lee, EG; Matula, TI; Douglas, GR; Mueller, JC. (1980). Mutagenicity of constituents identified in pulp and paper mill effluents using the Salmonella/mammalian-microsome assay. *Mutat Res.* 79: 203-212.
- Netzer, L; Weisbrod, N; Kurtzman, D; Nasser, A; Graber, ER; Ronen, D. (2011). Observations on Vertical Variability in Groundwater Quality: Implications for Aquifer Management. *Water Resources Management.* 25: 1315-1324.
- Neuhauser, KR. (1992). Results of a magnetometer geophysical survey for buried DDT 55-gallon steel drums, Riley County, Kansas. *Trans Kans Acad Sci.* 95: 153-159.
- Neumann, A; Hofstetter, TB; Skarpeli-Liati, M; Schwarzenbach, RP. (2009). Reduction of polychlorinated ethanes and carbon tetrachloride by structural Fe(II) in smectites. *Environmental science & technology.* 43: 4082-4089.
- Neumann, A; Scholz-Muramatsu, H; Diekert, G. Tetrachloroethene metabolism of *Dehalospirillum multivorans*. *Archives of microbiology.* 1994. v. 162 (4): 295-301.
- Neumann, A; Seibert, A; Trescher, T; Reinhardt, S; Wohlfarth, G; Diekert, G. (2002). Tetrachloroethene reductive dehalogenase of *Dehalospirillum multivorans*: substrate specificity of the native enzyme and its corrinoid cofactor. *Archives of Microbiology.* 177: 420-426.
- Neumann, A; Wohlfarth, G; Diekert, G. Properties of tetrachloroethene and trichloroethene dehalogenase of *Dehalospirillum multivorans*. *Archives of microbiology.* Apr 1995. v. 163 (4): 276-281.
- Neumann, A; Wohlfarth, G; Diekert, G. (1996). Purification and characterization of tetrachloroethene reductive dehalogenase from *Dehalospirillum multivorans*. *The Journal of biological chemistry.* 271: 16515-16519.
- Neupauer, RM; Lin, RH; O'Shea, H. (2007). Conditioned backward probability modeling to identify sources of groundwater contaminants subject to sorption and decay. *Water Resour Res.* 43: 11403-11403.
- Neupauer, RM; Wilson, JL. (2004). Forward and backward location probabilities for sorbing solutes in groundwater. *Advances in Water Resources.* 27, issue 7: 689-705.
- Neupauer, RM; Wilson, JL. (2005). Backward probability model using multiple observations of contamination to identify groundwater contamination sources at the Massachusetts Military Reservation. *Water Resour Res.* 41: 2015-2015.
- Nevin, JP. (1998). COMMENTARY ON FATE AND EXPOSURE MODELS TIER 2 RBCA TOOLKIT. *Journal of Soil Contamination.* 7: 319-324.
- Newby, DT; Reed, DW; Petzke, LM; Igoe, AL; Delwiche, ME; Roberto, FF; McKinley, JP; Whitaric, MJ; Colwell, FS. (2004). Diversity of methanotroph communities in a basalt aquifer. *FEMS Microbiol Ecol.* 48: 333-344.
- Newell, CJ; Aziz, CE. (2004). Long-term sustainability of reductive dechlorination reactions at chlorinated solvents sites. *Biodegradation.* 15: 387-394.
- Newell, CJ; Cowie, I; McGuire, TM; McNab, WW. (2006). Multiyear temporal changes in chlorinated solvent concentrations at 23 monitored natural attenuation sites. *Journal of Environmental Engineering-Asce.* 132: 653-663.

Environmental Hazard Literature Search Results

Off Topic

- Newman, D; Abuladze, N; Scholz, K; Dekant, W; Tsuprun, V; Ryazantsev, S; Bondar, G; Sassani, P; Kurtz, I; Pushkin, A. (2007). Specificity of aminoacylase III-mediated deacetylation of mercapturic acids. *Drug metabolism and disposition: the biological fate of chemicals*. 35: 43-50.
- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination*. 7: 531-542.
- Newman, LM. (1995). Trichloroethylene oxidation and product formation by bacterial enzymes. PhD Thesis, University of Minnesota.
- Newman, LM; Wackett, LP. (1991). Fate of 2,2,2-trichloroacetaldehyde (chloral hydrate) produced during trichloroethylene oxidation by methanotrophs. *Appl Environ Microbiol*. 57: 2399-2402.
- Newman, LM; Wackett, LP. (1997). Trichloroethylene oxidation by purified toluene 2-monoxygenase: products, kinetics, and turnover-dependent inactivation. *J Bacteriol*. 179: 90-96.
- Newman, MA; Hatfield, K; Hayworth, J; Rao, PS; Stauffer, T. (2006). Inverse characterization of NAPL source zones. *Environmental science & technology*. 40: 6044-6050.
- Nguyen Dinh, MT; Giraudon, JM; Vandenbroucke, AM; Morent, R; De Geyter, N; Lamonnier, JF. (2016). Manganese oxide octahedral molecular sieve K-OMS-2 as catalyst in post plasma-catalysis for trichloroethylene degradation in humid air. *J Hazard Mater*. 314: 88-94.
- Nguyen, MT; Giraudon, JM; Lamonnier, JF; Vandenbroucke, A; Geyter, ND; Leys, C; Morent, R. (2014). Plasma-catalysis of low TCE concentration in air using LaMnO sub(3+[delta]) as catalyst. *Appl Catal B-Environ*. 147: 904-911.
- Nguyen, VK; Park, Y; Yang, H; Yu, J; Lee, T. (2016). Effect of the cathode potential and sulfate ions on nitrate reduction in a microbial electrochemical denitrification system. *Journal of Industrial Microbiology & Biotechnology*. 43: 783-793.
- Nguyen, VK; Park, Y; Yu, J; Lee, T. (2016). Microbial selenite reduction with organic carbon and electrode as sole electron donor by a bacterium isolated from domestic wastewater. *Bioresour Technol*. 212: 182-189.
- Ni, ZB; Smit, M; Grotenhuis, T; van Gaans, P; Rijnaarts, H. (2014). Effectiveness of stimulating PCE reductive dechlorination: A step-wise approach. *J Contam Hydrol*. 164: 209-218.
- Nichols, J; Rheingans, P; Lothenbach, D; McGeachie, R; Skow, L; McKim, J. (1994). Three-dimensional visualization of physiologically based kinetic model outputs. *Environ Health Perspect*. 102: 952-956.
- Nichols, JW; McKim, JM; Lien, GJ; Hoffman, AD; Bertelsen, SL. (1991). Physiologically based toxicokinetic modeling of three waterborne chloroethanes in rainbow trout (*Oncorhynchus mykiss*). *Toxicol Appl Pharmacol*. 110: 374-389.
- Nichols, JW; McKim, JM; Lien, GJ; Hoffman, AD; Bertelsen, SL; Elonen, CM. (1996). A physiologically based toxicokinetic model for dermal absorption of organic chemicals by fish. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 31: 229-242.
- Nichols, JW; McKim, JM; Lien, GJ; Hoffman, AD; Bertelsen, SL; Gallinat, CA. (1993). Physiologically-based toxicokinetic and modeling of three waterborne chloroethanes in channel catfish, *Ictalurus punctatus*. *Aquat Toxicol*. 27: 83-112.
- Nichols, NN; Lunde, TA; Graden, KC; Hallock, KA; Kowalchuk, CK; Southern, RM; Soskin, EJ; Ditty, JL. (2012). Chemotaxis to Furan Compounds by Furan-Degrading *Pseudomonas* Strains. *Appl Environ Microbiol*. 78: 6365-6368.
- Nichols, WK; Covington, MO; Seiders, CD; Safiullah, S; Yost, GS. (1992). Bioactivation of halogenated hydrocarbons by rabbit pulmonary cells. *Pharmacol Toxicol*. 71: 335-339.
- Nickerson, JA; Hamilton, BH; Wada, T. (2001). Market position, resource profile, and governance: Linking Porter and Williamson in the context of international courier and small package services in Japan. *Strategic Management Journal*. 22: 251-273.
- Nie, XQ; Liu, JG; Yue, DB; Zeng, XW; Nie, YF. (2013). Dechlorination of hexachlorobenzene using lead-iron bimetallic particles. *Chemosphere*. 90: 2403-2407.
- Nie, XQ; Liu, JG; Zeng, XW; Yue, DB. (2013). Rapid degradation of hexachlorobenzene by micron Ag/Fe bimetal particles. *J Environ Sci*. 25: 473-478.
- Nielsen, MA; Knill, E; Laflamme, R. (1998). Complete quantum teleportation using nuclear magnetic resonance. *Nature*. 396: 52-55.
- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. (1995). In situ and laboratory studies on the rate of specific organic compounds in an anaerobic landfill leachate plume, 2. Fate of aromatic and chlorinated aliphatic compounds. *J Contam Hydrol*. 20: 51-66.
- Nielsen, PH; Bjerg, PL; Nielsen, P; Smith, P; Christensen, TH. (1996). In situ and laboratory determined first-order degradation rate constants of specific organic compounds in an aerobic aquifer. *Environmental Science & Technology*. 30: 31-37.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere*. 25: 449-462.
- Nielsen, RB; Keasling, JD. (1997). ANAEROBIC BIODEGRADATION OF CHLORINATED HYDROCARBONS BY GROUNDWATER MICRO-ORGANISMS. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 82.
- Nielsen, RB; Keasling, JD. (1999). Reductive dechlorination of chlorinated ethene DNAPLs by a culture enriched from contaminated groundwater. *Biotechnol Bioeng*. 62: 160-165.
- Nietch, CT; Morris, JT; Vroblesky, DA. (1999). Biophysical mechanisms of trichloroethane uptake and loss in baldcypress growing in shallow contaminated groundwater. *Environmental Science & Technology*. 33: 2899-2904.
- Niimi, AJ. (1991). Solubility of organic chemicals in octanol, triolein and cod liver oil and relationships between solubility and partition coefficients. *Water Res*. 25: 1515-1522.
- Nijenhuis, I; Adrian, L. (2011). Transformation and Carbon Isotope Fractionation of Tetra- and Trichloroethene to Trans-Dichloroethene by *Dehalococcoides* sp. Strain CBDB1 (vol 45, pg 1555, 2011). *Environmental Science & Technology*. 45: 6216-6216.

Environmental Hazard Literature Search Results

Off Topic

- Nijenhuis, I; Andert, J; Beck, K; Këztner, M; Diekert, G; Richnow, HH. (2005). Stable isotope fractionation of tetrachloroethene during reductive dechlorination by *Sulfurospirillum multivorans* and *Desulfotobacterium* sp. strain PCE-S and abiotic reactions with cyanocobalamin. *Appl Environ Microbiol.* 71: 3413-3419.
- Nijenhuis, I; Nikolausz, M; Koth, A; Felfoldi, T; Weiss, H; Drangmeister, J; Grossmann, J; Kastner, M; Richnow, HH. (2007). Assessment of the natural attenuation of chlorinated ethenes in an anaerobic contaminated aquifer in the Bitterfeld/Wolfen area using stable isotope techniques, microcosm studies and molecular biomarkers. *Chemosphere.* 67: 300-311.
- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol.* 153: 92-105.
- Nijenhuis, I; Zinder, SH. (2005). Characterization of hydrogenase and reductive dehalogenase activities of *Dehalococcoides ethenogenes* strain 195. *Appl Environ Microbiol.* 71: 1664-1667.
- Niklasson, M; Tham, R; Larsby, B; Eriksson, B. (1993). Effects of toluene, styrene, trichloroethylene, and trichloroethane on the vestibulo- and opto-oculo motor system in rats. *Neurotoxicol Teratol.* 15: 327-334.
- Nikolausz, M; Chatzinotas, A; Palatinszky, M; Imfeld, G; Martinez, P; Kastner, M. (2008). Single-nucleotide primer extension assay for detection and sequence typing of "*Dehalococcoides*" spp. *Appl Environ Microbiol.* 74: 300-304.
- Nikolausz, M; Nijenhuis, I; Ziller, K; Richnow, HH; Kastner, M. (2006). Stable carbon isotope fractionation during degradation of dichloromethane by methylophilic bacteria. *Environ Microbiol.* 8: 156-164.
- Nikolic, NC; Stankovic, MZ. (2003). Solanidine Hydrolytic Extraction and Separation from the Potato (*Solanum tuberosum* L.) Vines by Using Solid-Liquid-Liquid Systems. *J Agric Food Chem.* 51: 1845-1849.
- Nikolic, NC; Stankovic, MZ. (2003). Solanidine hydrolytic extraction and separation from the potato (*Solanum tuberosum* L.) vines by using solid-liquid-liquid systems. *J Agric Food Chem.* 51: 1845-1849.
- Nikroo, R; Alemzadeh, I; Vossoughi, M; Haddadian, K. (2016). Evaluation of trichloroethylene degradation by starch supported Fe/Ni nanoparticles via response surface methodology. *Water Science and Technology.* 73: 935-946.
- Nilsson, KB. (1986). Actions of 1,1,1-trichloroethane on the cAMP metabolism in mouse brain. *Acta Pharmacol Toxicol.* 59: 362-369.
- Nilsson, KB. (1986). Effects of 1,1,1-trichloroethane on the cGMP metabolism in mouse brain. *Acta Pharmacol Toxicol.* 58: 318-326.
- Nilsson, SE; Andersson, L. (1982). The use of contact lenses in environments with organic solvents, acids or alkalies. *Acta Ophthalmol.* 60: 599-608.
- Nilsson, T; Montanarella, L; Baglio, D; Tilio, R; Bidoglio, G; Facchetti, S. (1998). Analysis of volatile organic compounds in environmental water samples and soil gas by solid-phase microextraction. *Int J Environ Anal Chem.* 69: 217-226.
- Nimitz, JS; Skaggs, SR. (1992). Estimating tropospheric lifetimes and ozone-depletion potentials of one- and two-carbon hydrofluorocarbons and hydrochlorofluorocarbons. *Environ Sci Technol.* 26: 739-744.
- Ninomiya, K; Sakai, M; Ohba, E; Kashiwagi, N. (1994). KINETIC MODEL FOR THE BIOTRANSFORMATION OF TETRACHLOROETHYLENE IN GROUNDWATER. *Water Science And Technology.* 30: 13-18.
- Nirmalakhandan, N; Arulgnanendran, V; Mohsin, M; Sun, B; Cadena, F. (1994). Toxicity of mixtures of organic chemicals to microorganisms. *Water Res.* 28: 543-551.
- Nirmalakhandan, N; Egemem, E; Trevizo, C; Xu, S. (1998). Structure- and property- activity relationship models for prediction of microbial toxicity of organic chemicals to activated sludge. *Ecotoxicol Environ Saf.* 39: 112-119.
- Nirmalakhandan, N; Lee, YH; Speece, RE. (1987). DESIGNING A COST-EFFICIENT AIR-STRIPPING PROCESS. *Am Water Works Assoc J.* 79: 56-63.
- Nirmalakhandan, N; Peace, GL; Shanbhag, AR; Speece, RE. (1992). CASCADE AIR STRIPPING TECHNO-ECONOMIC EVALUATION OF A NEW GROUND WATER TREATMENT PROCESS. *Ground Water Monit Rev.* 12: 100-104.
- Nirmalakhandan, N; Sun, B; Arulgnanendran, VI; Mohsin, M; Wang, XH; Prakash, J; Hall, N. (1994). ANALYZING AND MODELING TOXICITY OF MIXTURES OF ORGANIC CHEMICALS TO MICROORGANISMS. *Water Science And Technology.* 30: 87-96.
- Nirmalakhandan, N; Xu, S; Trevizo, C; Brennan, R; Peace, J. (1997). Additivity in microbial toxicity of nonuniform mixtures of organic chemicals. *Ecotoxicol Environ Saf.* 37: 97-102.
- Nirmalakhandan, NN; Speece, RE. (1988). PREDICTION OF AQUEOUS SOLUBILITY OF ORGANIC CHEMICALS BASED ON MOLECULAR STRUCTURE. *Environ Sci Technol.* 22: 328-338.
- Nishanth, RP; Prasad, T; Jyotsna, RG; Reddy, PK; Reddanna, P. (2014). Hepatoprotective Effects of Terminalia chebula Fruit Extract against 2-AAFëInduced Hepatic Damage in Albino Mice: Role of MDR1 and COX-2. *Journal of herbs, spices & medicinal plants.* 20: 402-420.
- Nishikawa, H; Katami, T; Takahara, Y; Sumida, H; Yasuhara, A. (1992). Emission of organic compounds by combustion of waste plastics involving vinyl chloride polymer. *Chemosphere.* 25: 1953-1960.
- Nishikawa, H; Katami, T; Yasuhara, A. (1993). Contribution of an industrial waste incinerator to the atmospheric concentrations of volatile chlorinated organic compounds. *Chemosphere.* 27: 1425-1432.
- Nishikiori, H; Furukawa, M; Fujii, T. (2011). Degradation of trichloroethylene using highly adsorptive allophane-TiO sub(2) nanocomposite. *Appl Catal B-Environ.* 102: 470-474.
- Nishimura, M; Ebisawa, M; Sakihara, S; Kobayashi, A; Nakama, T; Okochi, M; Yohda, M. (2008). Detection and identification of *Dehalococcoides* species responsible for in situ dechlorination of trichloroethene to ethene enhanced by hydrogen-releasing compounds. *Biotechnology and Applied Biochemistry.* 51: 1-7.
- Nisse, P; Garat, A; Allorge, D; Mathieu-Nolf, M; Gaulier, J-m. (2015). Une colle pour revëtement de sol ramenëe la maison ou quand le dëtournement dëun produit professionnel devient fatal pour un enfant. *Toxicologie Analytique et Clinique.* 27: 8-13.

Environmental Hazard Literature Search Results

Off Topic

- Niu, CG; Wang, Y; Zhang, XG; Zeng, GM; Huang, DW; Ruan, M; Li, XW. (2012). Decolorization of an azo dye Orange G in microbial fuel cells using Fe(II)-EDTA catalyzed persulfate. *Bioresour Technol.* 126: 101-106.
- Nobels, I; Dardenne, F; De, CW; Blust, R. (2010). Application of a multiple endpoint bacterial reporter assay to evaluate toxicological relevant endpoints of perfluorinated compounds with different functional groups and varying chain length. *Toxicology in vitro : an international journal published in association with BIBRA.* 24: 1768-1774.
- Noftsker, C; Watwood, ME. (1997). Removal of tetrachloroethylene in an anaerobic column bioreactor. *Appl Microbiol Biotechnol.* 48: 424-430.
- Nogueira, RF; Xiao, X; Zeng, Z; Xiao, S. (2008). Behavior and products of mechano-chemical dechlorination of polyvinyl chloride and poly(vinylidene chloride). *Chemosphere.* 71: 43-50.
- Nogueira, RFP; Alberici, RM; Jardim, WF. (1997). Heterogeneous photocatalysis: An emerging technology for remediation of VOC contaminated environments. *Ciencia E Cultura.* 49: 14-24.
- Noguera, DR; Pizarro, G; Clapp, LW. (2000). Mathematical modeling of trichloroethylene (TCE) degradation in membrane-attached biofilms. *Water Science and Technology.* 41: 239-244.
- Noland-Gerbec, EA; Pfohl, RJ; Taylor, DH; Bull, RJ. (1985). GLUCOSE UPTAKE IN THE DEVELOPING RAT BRAIN UPON PRENATAL AND POSTNATAL EXPOSURE TO TRICHLOROETHYLENE. 15th Annual Meeting Of The Society For Neuroscience, Part. 11.
- Noland-Gerbec, EA; Pfohl, RJ; Taylor, DH; Bull, RJ. (1986). 2-Deoxyglucose uptake in the developing rat brain upon pre- and postnatal exposure to trichloroethylene. *Neurotoxicology.* 7: 157-164.
- Nold, S; Lackey, L; Ringelberg, D; White, D. (1992). CHANGES IN COMMUNITY STRUCTURE AND PHYSIOLOGICAL STATUS OF A BACTERIAL CONSORTIA DURING DEGRADATION OF TRICHLOROETHYLENE TCE. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 382.
- Noll, KE; Sarlis, JN. (1988). ADSORPTION CHARACTERISTICS OF ACTIVATED CARBON AND XAD4 RESIN FOR THE REMOVAL OF HAZARDOUS ORGANIC SOLVENTS. *Japca.* 38: 1512-1517.
- Nomiyama, K; Matsui, K; Nomiyama, H. (1980). Environmental temperature, a factor modifying the acute toxicity of organic solvents, heavy metals, and agricultural chemicals. *Toxicol Lett.* 6: 67-70.
- Nomiyama, K; Nomiyama, H; Arai, H. (1986). RE-EVALUATION OF SUBCHRONIC TOXICITY OF TRICHLOROETHYLENE. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 225.
- Nomiyama, K; Nomiyama, H; Arai, H. (1986). TETRACHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE ARE SUITABLE SUBSTITUTES FOR TRICHLOROETHYLENE AS INDUSTRIAL SOLVENT FROM THE VIEWPOINT OF SUBCHRONIC TOXICITY. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 226.
- Nomura, T; Hayashi, E; Kawakami, S; Ogita, S; Kato, Y. (2015). Environmentally benign process for the preparation of antimicrobial alpha-methylene-beta-hydroxy-gamma-butyrolactone (tulipalin B) from tulip biomass. *Bioscience Biotechnology and Biochemistry.* 79: 25-35.
- Nomura, T; Ogita, S; Kato, Y. (2012). A Novel Lactone-Forming Carboxylesterase: Molecular Identification of a Tuliposide A-Converting Enzyme in Tulip. *Plant Physiol.* 159: 565-+.
- Nori, M; Iwata, S; Munakata, Y; Kobayashi, H; Kobayashi, S; Umezawa, Y; Hosono, O; Kawasaki, H; Dang, NH; Tanaka, H; Shiohara, T; Morimoto, C. (2003). Ebastine inhibits T cell migration, production of Th2-type cytokines and proinflammatory cytokines. *Clinical and experimental allergy : journal of the British Society for Allergy and Clinical Immunology.* 33: 1544-1554.
- Norman, PM. (2004). Knowledge acquisition, knowledge loss, and satisfaction in high technology alliances. *Journal of Business Research.* 57: 610-619.
- Norman, WC. (2005). Letter to the Editor. *Toxicology.* 208: 171-172.
- North, DW. (1988). ANALYSIS OF UNCERTAINTY AND REACHING BROAD CONCLUSIONS. *J Am Coll Toxicol.* 7: 583-590.
- North, K. (1996). Risks due to groundwater contamination at a plutonium processing facility. AU - DATSKOU I. *Water Air And Soil Pollution.* 90: 133-141.
- Noubactep, C; Meinrath, G; Dietrich, P; Sauter, M; Merkel, BJ. (2005). Testing the suitability of zerovalent iron materials for reactive walls. *Environ Chem.* 2: 71-76.
- Novack, GD. (1995). Ocular toxicology. *Current opinion in ophthalmology.* 6: 108-112.
- Novak, D; Plomb, D; Allen, W. (2002). Treating landfill-contaminated groundwater using surface-flow wetlands. *Wetlands and Remediation* 11:161-168.
- Nozawa-Inoue, M; Jien, M; Yang, K; Rolston, DE; Hristova, KR; Scow, KM. (2011). Effect of nitrate, acetate, and hydrogen on native perchlorate-reducing microbial communities and their activity in vadose soil. *FEMS Microbiol Ecol.* 76: 278-288.
- Nubbe, ME; Adams, VD; Watts, RJ; Clark, YR. (1989). CHEMICAL ANALYSIS OF WATER AND WASTEWATER ORGANICS. *J Water Pollut Control Fed.* 61: 755-779.
- Nubbe, ME; Adams, VD; Watts, RJ; Clark, YR. (1992). CHEMICAL ANALYSIS. *Water Environ Res.* 64: 303-333.
- Numata, M; Nakamura, N; Koshikawa, H; Terashima, Y. (2002). Chlorine isotope fractionation during reductive dechlorination of chlorinated ethenes by anaerobic bacteria. *Environmental Science & Technology.* 36: 4389-4394.
- Nunes, J; Ehrich, M; Robertson, J. (2001). Toxicosis associated with dual oral exposure of rats to lead and trichloroethylene. *Toxicol Pathol.* 29: 451-457.
- Nunes, LM; Zhu, YG; Stigter, TY; Monteiro, JP; Teixeira, MR. (2011). Environmental impacts on soil and groundwater at airports: origin, contaminants of concern and environmental risks. *J Environ Monit.* 13: 3026-3039.

Environmental Hazard Literature Search Results

Off Topic

- Nunes-Halldorson, VD; Steiner, RL; Smith, GB. (2004). Residual toxicity after biodegradation: interactions among benzene, toluene, and chloroform. *Ecotoxicol Environ Saf.* 57: 162-167.
- Nunez, C; McMinn, B; Vitas, J. (1996). Barriers to the use of radiation-curable adhesives in the coated and laminated substrate manufacturing industry. *J Hazard Mater.* 45: 59-78.
- Nutt, MO; Hughes, JB; Wong, MS. (2005). Designing Pd-on-Au bimetallic nanoparticle catalysts for trichloroethene hydrodechlorination. *Environmental Science & Technology.* 39: 1346-1353.
- Nyeland, BA. (1992). PROBLEMS ASSOCIATED WITH INTERLABORATORY COMPARISONS OF HALOGENATED HYDROCARBONS IN DRINKING WATER THE USE OF COMMERCIAL CONTROL MATERIALS. 5th International Symposium On Biological And Environmental Reference Materials, Aachen, Germany, May. 345: 265-269.
- Nyer, EK; Morello, B. (1993). TRICHLOROETHYLENE TREATMENT AND REMEDIATION. *Ground Water Monit Remediation.* 13: 98-103.
- Nyska, A; Haseman, JK; Hailey, JR; Smetana, S; Maronpot, RR. (1999). The association between severe nephropathy and pheochromocytoma in the male F344 rat The national toxicology program experience. *Toxicol Pathol.* 27: 456-462.
- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environmental Science & Technology.* 35: 2244-2251.
- Obiri-Nyarko, F; Grajales-Mesa, SJ; Malina, G. (2014). An overview of permeable reactive barriers for in situ sustainable groundwater remediation. *Chemosphere.* 111: 243-259.
- Obiri-Nyarko, F; Kwiatkowska-Malina, J; Malina, G; Kasela, T. (2015). Geochemical modelling for predicting the long-term performance of zeolite-PRB to treat lead contaminated groundwater. *J Contam Hydrol.* 177: 76-84.
- O'Brien, JP; David, P; Yoshikawa, T; Delios, A. (2014). HOW CAPITAL STRUCTURE INFLUENCES DIVERSIFICATION PERFORMANCE: A TRANSACTION COST PERSPECTIVE. *Strategic Management Journal.* 35: 1013-1031.
- O'Carroll, DM; Abriola, LM; Polityka, CA; Bradford, SA; Demond, AH. (2005). Prediction of two-phase capillary pressure-saturation relationships in fractional wettability systems. *J Contam Hydrol.* 77: 247-270.
- O'Connor, GA. (1996). Organic compounds in sludge-amended soils and their potential for uptake by crop plants. *Sci Total Environ.* 185: 71-81.
- O'Connor, GA; Chaney, RL; Ryan, JA. (1991). BIOAVAILABILITY TO PLANTS OF SLUDGE-BORNE TOXIC ORGANICS. *Ware, G W. 0:* 129-156.
- O'Connor, TP; Mueller, JA; Mahony, JD; Di, TORODM. (1996). A correction factor for predicting the multicomponent adsorption of air stripper offgas. *Water Environ Res.* 68: 66-69.
- Oda, T. (2003). Non-thermal plasma processing for environmental protection: decomposition of dilute VOCs in air. *Journal of Electrostatics.* 57: 293-311.
- Odkvist, LM; Larsby, B; Tham, R; Aschan, G. (1979). On the mechanism of vestibular disturbances caused by industrial solvents. *Advances in otorhino-laryngology.* 25: 167-172.
- Odum, J; Foster, JR; Green, T. (1992). A mechanism for the development of Clara cell lesions in the mouse lung after exposure to trichloroethylene. *Chem Biol Interact.* 83: 135-153.
- Odum, J; Green, T; Foster, JR; Hext, PM. (1988). The role of trichloroacetic acid and peroxisome proliferation in the differences in carcinogenicity of perchloroethylene in the mouse and rat. *Toxicol Appl Pharmacol.* 92: 103-112.
- Odum, J; Green, T; Foster, JR; Hext, PM. (1988). THE ROLE OF TRICHLOROACETIC ACID AND PEROXISOME PROLIFERATION IN THE DIFFERENCES IN CARCINOGENICITY OF PERCHLOROETHYLENE IN THE MOUSE AND RAT. *Toxicol Appl Pharmacol.* 92: 103-112.
- Oehme, FW; Barrett, DS. (1986). VETERINARY GASTROINTESTINAL TOXICOLOGY. *Rozman, K And O Hanninen*0-444.
- Oesterreich, RC; Siegrist, RL. (2009). Quantifying Volatile Organic Compounds in Porous Media: Effects of Sampling Method Attributes, Contaminant Characteristics and Environmental Conditions. *Environmental Science & Technology.* 43: 2891-2898.
- Ofstad, EB; Drangsholt, H; Carlberg, GE. (1981). Analysis of volatile halogenated organic compounds in fish. *The Science of the total environment.* 20: 205-215.
- Ogata, A; Miyamae, K; Mizuno, K; Kushiya, S; Tezuka, M. (2002). Decomposition of benzene in air in a plasma reactor: Effect of reactor type and operating conditions. *Plasma Chemistry and Plasma Processing.* 22: 537-552.
- Ogata, A; Shintani, N; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (2000). Effect of water vapor on benzene decomposition using a nonthermal-discharge plasma reactor. *Plasma Chemistry and Plasma Processing.* 20: 453-467.
- Ogata, M; Numano, T; Hosokawa, M; Michitsuji, H. (1997). Large-scale biological monitoring in Japan. *Sci Total Environ.* 199: 197-204.
- Ogino, K; Hobara, T; Kobayashi, H; Iwamoto, S. (1990). COMPARATIVE STUDY OF THE TISSUE DISTRIBUTION OF NADH AND NADPH DEPENDENT CHLORAL HYDRATE REDUCING ENZYMES IN THE RAT. *Bull Environ Contam Toxicol.* 44: 377-379.
- Ogunseitan, OA. (1996). Protein profile variation in cultivated and native freshwater microorganisms exposed to chemical environmental pollutants. *Microb Ecol.* 31: 291-304.
- Oh, BT; Lee, JY; Yoon, J. (2007). Removal of contaminants in leachate from landfill by waste steel scrap and converter slag. *Environ Geochem Health.* 29: 331-336.
- Oh, DI; Nam, K; Park, JW; Khim, JH; Kim, YK; Kim, JY. (2008). Impacts of environmental conditions on the sorption of volatile organic compounds onto tire powder. *J Hazard Mater.* 153: 157-163.
- Oh, KC; Zylstra, GJ; Strom, PF. (1995). BIOREMEDIATION OF TRICHLOROETHYLENE IN SOILS BY FIELD APPLICATION VECTORS CONTAINING TOLUENE DIOXYGENASE FROM PSEUDOMONAS PUTIDA F1. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 402.
- Oh, SY; Kang, SG; Chiu, PC. (2010). Degradation of 2,4-dinitrotoluene by persulfate activated with zero-valent iron. *Sci Total Environ.* 408: 3464-3468.

Environmental Hazard Literature Search Results

Off Topic

- Oh, SY; Shin, DS. (2013). Degradation of spent caustic by Fenton and persulfate oxidation with zero-valent iron. *J Chem Tech Biotechnol.* 88: 145-152.
- Oh, SY; Shin, DS. (2014). Treatment of Diesel-Contaminated Soil by Fenton and Persulfate Oxidation with Zero-Valent Iron. *Soil & Sediment Contamination.* 23: 180-193.
- Ohandja, DG; Stuckey, DC. (2007). Biodegradation of PCE in a hybrid membrane aerated biofilm reactor. *Journal of Environmental Engineering-Asce.* 133: 20-27.
- O'Hannesin, SF; Gillham, RW. (1998). Long-term performance of an in situ "iron wall" for remediation of VOCs. *Ground Water.* 36: 164-170.
- O'Hara, SK; Parker, BL; Jorgensen, PR; Cherry, JA. (2000). Trichloroethene DNAPL flow and mass distribution in naturally fractured clay: Evidence of aperture variability. *Water Resour Res.* 36: 135-147.
- Ohlen, K; Chang, YK; Hegemann, W; Yin, CR; Lee, ST. (2005). Enhanced degradation of chlorinated ethylenes in groundwater from a paint contaminated site by two-stage fluidized-bed reactor. *Chemosphere.* 58: 373-377.
- Ohnishi, M; Umeda, Y; Katagiri, T; Kasai, T; Ikawa, N; Nishizawa, T; Fukushima, S. (2013). Inhalation carcinogenicity of 1,1,1-trichloroethane in rats and mice. *Inhal Toxicol.* 25: 298-306.
- Ohta, M; Oshima, S; Iwasa, T; Osawa, N; Kumatoriya, K; Yamazaki, A; Takasuga, T; Matsushita, M; Umedzu, N. (2001). Formation of PCDDs and PCDFs during the combustion of polyvinylidene chloride. *Water Sci Technol.* 4: 117-122.
- Ohta, T; Morita, M; Mizoguchi, I. (1976). Local distribution of chlorinated hydrocarbons in the ambient air in Tokyo. *Atmos Environ* (1967). 10: 557-560.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ.* 366: 485-499.
- Okada, Y; Nakagoshi, A; Tsurukawa, M; Matsumura, C; Eiho, J; Nakano, T. (2012). Environmental risk assessment and concentration trend of atmospheric volatile organic compounds in Hyogo Prefecture, Japan. *Environmental science and pollution research international.* 19: 201-213.
- Okamoto, T; Shiwaku, K. (1994). Fatty acid composition in liver, serum and brain of rat inhaled with trichloroethylene. *Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie.* 46: 133-141.
- Okawa, K; Suzuki, K; Takeshita, T; Nakano, K. (2007). Regeneration of granular activated carbon with adsorbed trichloroethylene using wet peroxide oxidation. *Water Res.* 41: 1045-1051.
- Okawa, K; Tsai, TY; Nakano, Y; Nishijima, W; Okada, M. (2005). Effect of metal ions on decomposition of chlorinated organic substances by ozonation in acetic acid. *Chemosphere.* 58: 523-527.
- Oki, N; Nakano, T; Okuno, T; Tsuji, M; Yasuhara, A. (1990). Emission of volatile chlorinated organic compounds by combustion of waste organochlorine material. *Chemosphere.* 21: 761-770.
- Okine, LK; Gram, TE. (1986). In vitro studies on the metabolism and covalent binding of [14C]1,1-dichloroethylene by mouse liver, kidney and lung. *Biochem Pharmacol.* 35: 2789-2795.
- Okino, T; Nakajima, T; Nakano, M. (1991). Morphological and biochemical analyses of trichloroethylene hepatotoxicity: differences in ethanol- and phenobarbital-pretreated rats. *Toxicol Appl Pharmacol.* 108: 379-389.
- Okkerman, PC; Van, DERPLASSCHEEJ; Emans, HJB; Canton, JH. (1993). Validation of some extrapolation methods with toxicity data derived from multiple species experiments. *Ecotoxicol Environ Saf.* 25: 341-359.
- Okochi, H; Kataniwa, M; Sugimoto, D; Igawa, M. (2005). Enhanced dissolution of volatile organic compounds into urban dew water collected in Yokohama, Japan. *Atmos Environ.* 39: 6027-6036.
- Okouchi, S. (1985). VOLATILIZATION COEFFICIENT FOR STRIPPING TRICHLOROETHYLENE 1 1 1 TRICHLOROETHANE AND TETRACHLOROETHYLENE FROM WATER. Meeting On Industrial Water Technology: Treatment, Reuse And Recycling, Singapore, May. 18: 137-138.
- Oku, S; Hayashida, M; Tajima, T; Nakashimada, Y; Kato, J. (2010). Negative chemotaxis to trichloroethylene and its chemosensory protein in *Pseudomonas putida* F1. *J Biotechnol.* 150, Supplement: 218.
- Okuda, I; McBride, JF; Gleyzer, SN; Miller, CT. (1996). Physicochemical transport processes affecting the removal of residual DNAPL by nonionic surfactant solutions. *Environmental Science & Technology.* 30: 1852-1860.
- Okuda, M; Kunitsugu, I; Kobayakawa, S; Hobara, T. (2001). Inhibitory effect of 1,1,1-trichloroethane on calcium channels of neurons. *The Journal of toxicological sciences.* 26: 169-176.
- Okuda, T; Nam, SY; Lim, JL; Shin, HS. (2003). Improvement of thermal hydrolysis rate of dichloroacetic acid using alcohol. *Chemosphere.* 53: 97-100.
- Okutsu, N; Tamura, W; Mizumoto, M; Ueno, T; Ishida, H; Iizumi, T. (2012). Field demonstration of bioaugmentation in trichloroethene-contaminated groundwater. *Water Practice and Technology.* 7.
- Okwi, GJ; Thomson, NR; Gillham, RW. (2005). The impact of permanganate on the ability of granular iron to degrade trichloroethene. *Ground Water Monitoring and Remediation.* 25: 123-128.
- Olafsdottir, K; Petersen, AE; Thordardottir, S; Johannesson, T. (1995). ORGANOCHLORINE RESIDUES IN GYRFALCONS FALCO RUSTICOLUS IN ICELAND. *Bull Environ Contam Toxicol.* 55: 382-389.
- Olague, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int.* 9: 175-182.
- Olajire, AA; Azeez, L. (2014). Source apportionment and ozone formation potential of volatile organic compounds in Lagos (Nigeria). *Chem Ecol.* 30: 156-168.

Environmental Hazard Literature Search Results

Off Topic

- Olaniran, AO; Babalola, GO; Okoh, AI. Aerobic dehalogenation potentials of four bacterial species isolated from soil and sewage sludge. *Chemosphere*. Oct 2001. v. 45 (1): 45-50.
- Olaniran, AO; Pillay, D; Pillay, B. (2006). Biostimulation and bioaugmentation enhances aerobic biodegradation of dichloroethenes. *Chemosphere*. 63: 600-608.
- Olapade, OA; Leff, LG. (2003). The effect of toluene on the microbial community of a river in northeastern Ohio, USA. *J Freshw Ecol*. 18: 465-477.
- Oldaker, GB, III; Taylor, WD; Parrish, KB. (1995). Investigations of ventilation rate, smoking activity and indoor air quality at four large office buildings. *Environ Technol*. 16: 173-180.
- Oldenhuis, R; Janssen, DB. (1992). DEGRADATION OF TRICHLOROETHYLENE BY METHANOTROPHIC BACTERIA. Murrell, J C And D P Kelly. 0: 121-133.
- Olesen, T; Gamst, J; Moldrup, P; Komatsu, T; Rolston, DE. (2001). Diffusion of sorbing organic chemicals in the liquid and gaseous phases of repacked soil. *Soil Sci Soc Am J*. 65: 1585-1593.
- Olexsey, RA; Blaney, BL; Turner, RJ; Brown, LM. (1988). TECHNOLOGIES FOR THE RECOVERY OF SOLVENTS FROM HAZARDOUS WASTES. *Hazard Waste Hazard Mater*. 5: 365-377.
- Oliver, BG; Pugsley, CW; Charlton, MN. (1986). PRELIMINARY ASSESSMENT OF THE SOURCES AND PATHWAYS OF CHLORINATED HYDROCARBONS IN THE ST.-CLAIR RIVER-LAKE ST.-CLAIR-DETROIT RIVER SYSTEM USA CANADA. 191st American Chemical Society National Meeting, New York, NY, Usa, Apr. 191.
- Oliver, KD; Pleil, JD; McClenny, WA. (1986). SAMPLE INTEGRITY OF TRACE LEVEL VOLATILE ORGANIC COMPOUNDS IN AMBIENT AIR STORED IN SUMMA POLISHED CANISTERS. *Atmos Environ*. 20: 1403-1412.
- Olmstead, KP. (1989). Microbial interference with the adsorption of target organic contaminants by granular activated carbon. PhD Thesis, University of Michigan.
- O'Loughlin, EJ; Burris, DR. (1998). TRANSFORMATION OF TRICHLOROETHENE MEDIATED BY HUMIC COMPLEXES. 216th National Meeting Of The American Chemical Society, Boston, Massachusetts, Usa, August. 216: 70.
- O'Loughlin, EJ; Burris, DR. (2004). Reduction of halogenated ethanes by green rust. *Environmental toxicology and chemistry / SETAC*. 23: 41-48.
- O'Loughlin, EJ; Burris, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environmental Science & Technology*. 33: 1145-1147.
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environmental science & technology*. 37: 2905-2912.
- Olson, MR; Sale, TC. (2015). Implications of soil mixing for NAPL source zone remediation: Column studies and modeling of field-scale systems. *J Contam Hydrol*. 177: 206-219.
- Olson, MR; Sale, TC; Shackelford, CD; Bozzini, C; Skeeane, J. (2012). Chlorinated Solvent Source- Zone Remediation via ZVI- Clay Soil Mixing: 1- Year Results. *Ground water monitoring & remediation*. 32: 63-74.
- Olson, MR; Sale, TC; Shackelford, CD; Bozzini, C; Skeeane, J. (2012). Chlorinated Solvent Source-Zone Remediation via ZVI-Clay Soil Mixing: 1-Year Results. *Ground Water Monitoring and Remediation*. 32: 63-74.
- Olson, MS; Ford, RM; Smith, JA; Fernandez, EJ. (2004). Quantification of bacterial chemotaxis in porous media using magnetic resonance imaging. *Environmental Science & Technology*. 38: 3864-3870.
- Olson, MS; Ford, RM; Smith, JA; Fernandez, EJ. (2004). Quantification of bacterial chemotaxis in porous media using magnetic resonance imaging. *Environmental science & technology*. 38: 3864-3870.
- Olson, MS; Tillman, FD; Choi, JW; Smith, JA. (2001). Comparison of three techniques to measure unsaturated-zone air permeability at Picatinny Arsenal, NJ. *J Contam Hydrol*. 53: 1-19.
- Oman, C; Spannar, C. (1999). Sorption of organic compounds to solid waste. *Waste Management & Research*. 17: 275-287.
- Omasa, K; Endo, R; Tobe, K; Kondo, T. (2002). Gas diffusion model analysis of foliar absorption of organic and inorganic air pollutants. *Phyton-Annales Rei Botanicae*. 42: 135-148.
- Omenn, GS. (1992). Environmental biotechnology: biotechnology solutions for a global environmental problem, hazardous chemical wastes. *Asia-Pacific journal of public health / Asia-Pacific Academic Consortium for Public Health*. 6: 40-45.
- Ondarts, M; Hort, C; Sochard, S; Platel, V; Moynault, L; Seby, F. (2012). Evaluation of compost and activated carbon as biofilter media for the treatment of indoor air pollution. *Environ Technol*. 33: 273-284.
- Ong, SK; Culver, TB; Lion, LW; Shoemaker, CA. (1992). Effects of soil moisture and physical-chemical properties of organic pollutants on vapor-phase transport in the vadose zone. *J Contam Hydrol*. 11: 273-290.
- Ong, SK; Lion, LW. (1991). Effects of soil properties and moisture on the sorption of trichloroethylene vapor. *Water Res*. 25: 29-36.
- Ong, SK; Lion, LW. (1991). Effects of soil properties and moisture on the sorption of trichloroethylene vapor. *Water Res*. 25: 29-36.
- Ong, SK; Lion, LW. (1991). Mechanisms for trichloroethylene vapor sorption onto soil minerals. *J Environ Qual*. 20: 180-188.
- Ong, SK; Lion, LW. (1991). Trichloroethylene vapor sorption onto soil minerals. *Soil Sci Soc Am J*. 55: 1559-1568.
- Ongerth, JE; Wacker, R; Strand, SE; Dewalle, FB. (1995). Concentration and Biototoxicity Assay of Dilute Aqueous Solutions of Volatile Chlorinated Organics Using Supercritical Fluid Extraction. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering & Toxic And Hazardous Substance Control*. 30: 1867-1890.
- Onofri, M; Thomas, A; Paci, C; Rotilio, D. (1998). Optic neuritis with residual tunnel vision in perchloroethylene toxicity. *Journal of Toxicology-Clinical Toxicology*. 36: 603-607.
- Ontiveros-Valencia, A; Tang, YN; Krajmalnik-Brown, R; Rittmann, BE. (2013). Perchlorate Reduction From a Highly Contaminated Groundwater in the Presence of Sulfate-Reducing Bacteria in a Hydrogen-Fed Biofilm. *Biotechnol Bioeng*. 110: 3139-3147.

Environmental Hazard Literature Search Results

Off Topic

- Oolman, T; Godard, ST; Pope, GA; Jin, M; Kirchner, K. DNAPL flow behavior in a contaminated aquifer: evaluation of field data. *Ground water monitoring & remediation*. Fall 1995. v. 15 (4): 125-137.
- Oommen, S; Vasu, VT; Leonard, SW; Traber, MG; Cross, CE; Gohil, K. (2007). Genome wide responses of murine lungs to dietary alpha-tocopherol. *Free Radic Res*. 41: 98-109.
- Oostrom, M; Dane, JH; Wietsma, TW. (2005). Removal of carbon tetrachloride from a layered porous medium by means of soil vapor extraction enhanced by desiccation and water table reduction. *Vadose Zone Journal*. 4: 1170-1182.
- Oostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated heterogeneous porous medium 1. Spill behavior and initial dissolution. *J Contam Hydrol*. 37: 159-178.
- Oostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated, heterogeneous porous medium 2. Pump-and-treat and surfactant flushing. *J Contam Hydrol*. 37: 179-197.
- Oostrom, M; White, MD; Brusseau, ML. Theoretical estimation of free and entrapped nonwetting-wetting fluid interfacial areas in porous media. *Advances in Water Resources*. Aug 2001. v. 24 (8): 887-898.
- Oppelt, ET. (1987). INCINERATION OF HAZARDOUS WASTE A CRITICAL REVIEW. *Japca*. 37: 558-586.
- Oppert, B; Gonzalez, K; Hurt, D; Cunnick, J; Takemoto, D. (1991). Retinal cyclic-GMP phosphodiesterase gamma-subunit: use of mutant synthetic peptides to define function. *Biochem Biophys Res Commun*. 181: 306-309.
- Oraumbo, IF; Van, DUURENBL. (1989). EVIDENCE FOR THE COVALENT INTERACTION OF CARBON TETRACHLORIDE WITH MOUSE LIVER CHROMATIN DNA IN-VITRO. *J Environ Pathol Toxicol Oncol*. 9: 13-18.
- Orchard, BJ; Doucette, WJ; Chard, JK; Bugbee, B. (2000). A novel laboratory system for determining fate of volatile organic compounds in planted systems. *Environ Toxicol Chem*. 19: 888-894.
- OrdÃ; nt, S; Sastre, H; DÃjez, FV. (2001). Catalytic hydrodechlorination of tetrachloroethylene over red mud. *J Hazard Mater*. 81.
- Ordonez, S; Vivas, BP; Diez, FV. (2010). Minimization of the deactivation of palladium catalysts in the hydrodechlorination of trichloroethylene in wastewaters. *Appl Catal B-Environ*. 95: 288-296.
- Ornella, IS; Patricia, AT; Caldwell, PT; Taylor, MR. (2008). Trichloroethylene and trichloroacetic acid regulate calcium signaling pathways in murine embryonal carcinoma cells P19. *Cardiovasc Toxicol*. 8: 47-56.
- Ornstein, RL. (1993). ON USING RATIONAL ENZYME REDESIGN TO IMPROVE ENZYME-MEDIATED MICROBIAL DEHALOGENATION OF RECALCITRANT SUBSTANCES IN DEEP-SUBSURFACE ENVIRONMENTS. *Sarma, R H And M H Sarma*. 8: 0-940030.
- Ortego, JD; Aminabhavi, TM; Harlapur, SF; Balundgi, RH. (1995). A REVIEW OF POLYMERIC GEOSYNTHETICS USED IN HAZARDOUS WASTE FACILITIES. *J Hazard Mater*. 42: 115-156.
- Ortego, JD; Kowalska, M; Cocke, DL. (1991). INTERACTIONS OF MONTMORILLONITE WITH ORGANIC COMPOUNDS ADSORPTIVE AND CATALYTIC PROPERTIES. *Chemosphere*. 22: 769-798.
- Orth, WS; Gillham, RW. (1996). Dechlorination of trichloroethene in aqueous solution using Fe⁰. *Environmental Science & Technology*. 30: 66-71.
- Ortiz, I; Velasco, A; Le Borgne, S; Revah, S. (2013). Biodegradation of DDT by stimulation of indigenous microbial populations in soil with cosubstrates. *Biodegradation*. 24: 215-225.
- Osawa, S; Weiss, ER. (1995). The effect of carboxyl-terminal mutagenesis of Gt alpha on rhodopsin and guanine nucleotide binding. *The Journal of biological chemistry*. 270: 31052-31058.
- Osborn, RN; Hagedoorn, J; Denekamp, JG; Duysters, G; Baughn, CC. (1998). Embedded patterns of international alliance formation. *Organization Studies*. 19: 617-638.
- Oshiro, WM; Kenyon, EM; Gordon, CJ; Bishop, B; Krantz, QT; Ford, J; Bushnell, PJ. (2011). Extrapolating the Acute Behavioral Effects of Toluene from 1- to 24-h Exposures in Rats: Roles of Dose Metric and Metabolic and Behavioral Tolerance. *Toxicol Sci*. 123: 180-192.
- Oshiro, WM; Krantz, QT; Bushnell, PJ. (2001). Characterizing tolerance to trichloroethylene (TCE): effects of repeated inhalation of TCE on performance of a signal detection task in rats. *Neurotoxicol Teratol*. 23: 617-628.
- Oshiro, WM; Krantz, QT; Bushnell, PJ. (2004). A search for residual behavioral effects of trichloroethylene in rats exposed as young adults. *Neurotoxicol Teratol*. 26: 239-251.
- Oshiro, WM; Krantz, QT; Bushnell, PJ. (2007). Repeated inhalation of toluene by rats performing a signal detection task leads to behavioral tolerance on some performance measures. *Neurotoxicol Teratol*. 29: 247-254.
- Osipov, VY; Buznikov, AA. (2008). Calculating the three-dimensional structure of the near-focus diffraction field in the caustic zone of a convergent aberrational laser beam. *Journal of Optical Technology*. 75: 495-499.
- Osipov, VY; Buznikov, AA. (2009). Multi-component and composite optical vortices in the neighborhood of diffraction catastrophe and nonuniformly polarized caustic cusps. *Journal of Optics a-Pure and Applied Optics*. 11: 94019-94019.
- Ostendorf, DW; Hinlein, ES; Lutenegeger, AJ; Kelley, SP. (2000). Soil gas transport above a jet fuel/solvent spill at Plattsburgh Air Force Base. *Water Resour Res*. 36: 2531-2547.
- O'Sullivan, LA; Mahenthiralingam, E. (2005). Biotechnological potential within the genus *Burkholderia*. *Lett Appl Microbiol*. 41: 8-11.
- O'Sullivan, LA; Weightman, AJ; Jones, TH; Marchbank, AM; Tiedje, JM; Mahenthiralingam, E. (2007). Identifying the genetic basis of ecologically and biotechnologically useful functions of the bacterium *Burkholderia vietnamiensis*. *Environ Microbiol*. 9: 1017-1034.
- Otson, R; Polley, GL; Robertson, JL. (1986). CHLORINATED ORGANICS FROM CHLORINE USED IN WATER TREATMENT. *Water Res*. 20: 775-780.
- Otson, R; Williams, DT. (1984). Fabric protectors. Part I - Evaluation of a grab sampling technique for determination of organic vapors. *Am Ind Hyg Assoc J*. 45: 24-27.

Environmental Hazard Literature Search Results

Off Topic

- Otson, R; Williams, DT; Bothwell, PD. (1984). Fabric protectors. Part II - Propane, 1,1,1-trichloroethane, and petroleum distillates levels in air after application of fabric protectors. *Am Ind Hyg Assoc J.* 45: 28-33.
- Otsuki, N; Homma, T; Fujiwara, H; Kaneko, K; Hozumi, Y; Shichiri, M; Takashima, M; Ito, J; Konno, T; Kurahashi, T; Yoshida, Y; Goto, K; Fujii, S; Fujii, J. (2016). Trichloroethylene exposure aggravates behavioral abnormalities in mice that are deficient in superoxide dismutase. *Regul Toxicol Pharmacol.* 79: 83-90.
- Ott, WR; Roberts, JW. (1998). EVERYDAY EXPOSURE TO TOXIC POLLUTANTS. *Scientific American.* 278: 86-91.
- Otto, DME; Sen, CK; Hidioglou, N; Madere, R; Moon, TW. (1997). Role of exogenous glutathione in teleost fish and its effects on antioxidant defense responses in rainbow trout exposed to 3,3',4,4'-tetrachlorobiphenyl. *Fish Physiol Biochem.* 16: 449-457.
- Ou, HH; Lo, SL. (2007). Photocatalysis of gaseous trichloroethylene (TCE) over TiO₂: the effect of oxygen and relative humidity on the generation of dichloroacetyl chloride (DCAC) and phosgene. *J Hazard Mater.* 146: 302-308.
- Ou, JS; Ou, ZJ; McCarver, DG; Hines, RN; Oldham, KT; Ackerman, AW; Pritchard, KA. (2003). Trichloroethylene decreases heat shock protein 90 interactions with endothelial nitric oxide synthase: Implications for endothelial cell proliferation. *Toxicol Sci.* 73: 90-97.
- Oudijk, G. (2003). Estimating the minimum age of a chlorinated solvent plume in groundwater with chlorofluorocarbon (CFC) and tritium methodologies: A case study. *Environ Forensics.* 4: 81-88.
- Ouellon, T; Lefebvre, R; Marcotte, D; Boutin, A; Blais, V; Parent, M. (2008). Hydraulic conductivity heterogeneity of a local deltaic aquifer system from the kriged 3D distribution of hydrofacies from borehole logs, Valcartier, Canada. *J Hydrol.* 351: 71-86.
- Ouyang, Y; Cho, JS; Mansell, RS. (2002). Simulated formation and flow of microemulsions during surfactant flushing of contaminated soil. *Water Res.* 36: 33-40.
- Ovdat, H; Berkowitz, B. (2006). Pore-scale study of drainage displacement under combined capillary and gravity effects in index-matched porous media. *Water Resour Res.* 42: 6411-6411.
- Owsianiak, Ma; Lemming, G; Hauschild, MZ; Bjerg, PL. (2013). Assessing environmental sustainability of remediation technologies in a life cycle perspective is not so easy. *Environmental science & technology.* 47: 1182-1183.
- Oxenford, JL; McGeorge, LJ; Jenniss, SW. (1989). DETERMINATION OF PRACTICAL QUANTITATION LEVELS FOR ORGANIC COMPOUNDS IN DRINKING WATER. *Am Water Works Assoc J.* 81: 149-154.
- Oyetayo, VO. (2009). FREE RADICAL SCAVENGING AND ANTIMICROBIAL PROPERTIES OF EXTRACTS OF WILD MUSHROOMS. *Brazilian Journal of Microbiology.* 40: 380-386.
- Ozturk, Z; Katsenovich, Y; Tansel, B; Laha, S; Moos, L; Allen, M. (2009). Enhancement of TCE Attenuation in Soils by Natural Amendments. *Soil & Sediment Contamination.* 18: 1-13.
- Ozturk, Z; Tansel, B; Katsenovich, Y; Sukop, M; Laha, S. (2012). Highly organic natural media as permeable reactive barriers: TCE partitioning and anaerobic degradation profile in eucalyptus mulch and compost. *Chemosphere.* 89: 665-671.
- Pätzelt, M; Goris, T; Wubet, T; Tarkka, MT; Buscot, F; Nijenhuis, I; Lechner, U; Adrian, L. (2013). Genome sequences of two dehalogenation specialists – Dehalococcoides mccartyi strains BTF08 and DCMB5 enriched from the highly polluted Bitterfeld region. *FEMS Microbiol Lett.* 343: 101-104.
- Paar, H; Ruhl, AS; Jekel, M. (2015). Influences of nanoscale zero valent iron loadings and bicarbonate and calcium concentrations on hydrogen evolution in anaerobic column experiments. *Water Res.* 68: 731-739.
- Pacheco, A; Lindner, AS. (2005). Effects of Alpha-pinene and trichloroethylene on oxidation potentials of methanotrophic bacteria. *Bull Environ Contam Toxicol.* 74: 133-140.
- Pachhunga, K; Carroll, PJ; Rao, KM. (2008). Reactivity study of cyclopentadienyl osmium(II) bisphosphine azido complexes with activated alkynes and nitriles: Isolation of osmium triazolato and tetrazolato complexes by 1,3-dipolar addition. *Inorganica Chimica Acta.* 361: 2025-2031.
- Paez-Martinez, N; Cruz, SL; Lopez-Rubalcava, C. (2003). Comparative study of the effects of toluene, benzene, 1,1,1-trichloroethane, diethyl ether, and flurothyl on anxiety and nociception in mice. *Toxicol Appl Pharmacol.* 193: 9-16.
- Page, JW; Soga, K; Illangasekare, T. (2007). The significance of heterogeneity on mass flux from DNAPL source zones: an experimental investigation. *J Contam Hydrol.* 94: 215-234.
- Page, NP; Singh, DV; Farland, W; Goodman, JI; Conolly, RB; Andersen, ME; Clewell, HJ; Frederick, CB; Yamasaki, H; Lucier, G. (1997). Implementation of EPA Revised Cancer Assessment Guidelines: Incorporation of Mechanistic and Pharmacokinetic Data. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 37: 16-36.
- Pahler, A; Birner, G; Parker, J; Dekant, W. (1998). Generation of antibodies to di- and trichloroacetylated proteins and immunochemical detection of protein adducts in rats treated with perchloroethene. *Chem Res Toxicol.* 11: 995-1004.
- Pakrouh, R; Hosseini, MJ; Ranjbar, AA; Bahrapoury, R. (2015). A numerical method for PCM-based pin fin heat sinks optimization. *Energy Conversion and Management.* 103: 542-552.
- Palakodeti, RC; LeBoeuf, EJ; Clarke, JH. (2009). Tool for assessment of process importance at the groundwater/surface water interface. *J Environ Manage.* 91: 87-101.
- Palau, J; Jamin, P; Badin, A; Vanhecke, N; Haerens, B; Brouyère, S; Hunkeler, D. (2016). Use of dual carbon-chlorine isotope analysis to assess the degradation pathways of 1,1,1-trichloroethane in groundwater. *Water Res.* 92: 235-243.
- Palau, J; Jamin, P; Badin, A; Vanhecke, N; Haerens, B; Brouyere, S; Hunkeler, D. (2016). Use of dual carbon-chlorine isotope analysis to assess the degradation pathways of 1,1,1-trichloroethane in groundwater. *Water Res.* 92: 235-243.

Environmental Hazard Literature Search Results

Off Topic

- Palau, J; Marchesi, M; Chambon, JCC; Aravena, R; Canals, A; Binning, PJ; Bjerg, PL; Otero, N; Soler, A. (2014). Multi-isotope (carbon and chlorine) analysis for fingerprinting and site characterization at a fractured bedrock aquifer contaminated by chlorinated ethenes. *Sci Total Environ.* 475: 61-70.
- Palau, J; Shouakar-Stash, CfH; Geothermicsermics, UoNtNtSS; Hunkeler, D. (2014). Carbon and chlorine isotope analysis to identify abiotic degradation pathways of 1,1,1-trichloroethane. *Environ Sci Technol* 48, Dec. 48: 14400-14408.
- Palma, LD; De Filippis, P; Lausdei, D; Petrucci, E. (2015). KINETIC TESTS OF ANAEROBIC DECHLORINATION OF A POLLUTED GROUNDWATER IN ITALY. *Environmental Engineering and Management Journal.* 14: 2713-2718.
- Palomero, T; Barros, F; del, CD; Vilorio, CG; de, lPaP. (1998). A G protein beta gamma dimer-mediated pathway contributes to mitogen-activated protein kinase activation by thyrotropin-releasing hormone receptors in transfected COS-7 cells. *Endocrinology.* 53.
- Palumbo, AV; Eng, W; Strandberg, GW. (1990). THE EFFECTS OF GROUNDWATER CHEMISTRY ON CO-METABOLISM OF CHLORINATED SOLVENTS BY METHANOTROPHIC BACTERIA. *199th Acs.* 199: 140.
- Palumbo, AV; Little, CD; Tyndall, RL; Tripathi, V; Wilson, DG; Genung, DM. (1987). GROWTH OF A METHANOTROPHIC BACTERIA EFFECTS OF COPPER AND TCE. *87th Annual Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, March.* 87: 200.
- Palumbo, AV; Scarborough, SP; Pfiffner, SM; Phelps, TJ. Influence of nitrogen and phosphorus on the in situ bioremediation of trichloroethylene. *Appl Biochem Biotechnol.* Spring 1995. v. 51/52: 635-647.
- Palumbo, AV; Scarborough, SP; Pfiffner, SM; Phelps, TJ. (1995). Influence of nitrogen and phosphorus on the in situ bioremediation of trichloroethylene. *Appl Biochem Biotechnol.* 52: 635-647.
- Palumbo, AV; Strandberg, GW; Eng, W. (1990). BIODEGRADATION KINETICS OF MIXED CHLORINATED ETHENES BY METHYLOSINUS-TRICHOSPORIUM. *90th Annual Meeting Of The American Society For Microbiology.* 90: 300.
- Palumbo, AV; Strong-Gunderson, JM; Carroll, S. (1997). Retaining and recovering enzyme activity during degradation of TCE by methanotrophs. *Appl Biochem Biotechnol.* 65: 789-796.
- Pan, LW; Siegrist, RL; Crimi, M. (2012). Effects of In Situ Remediation Using Oxidants or Surfactants on Subsurface Organic Matter and Sorption of Trichloroethene. *Ground Water Monitoring and Remediation.* 32: 96-105.
- Panagiotakis, I; Antoniou, K; Mamais, D; Pantazidou, M. (2015). Effects of Different Electron Donor Feeding Patterns on TCE Reductive Dechlorination Performance. *Bull Environ Contam Toxicol.* 94: 289-294.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Rossetti, S; Aulenta, F; Tandoi, V. (2014). Predominance of Dehalococoides in the presence of different sulfate concentrations. *Water Air and Soil Pollution.* 225: 1785-1785.
- Pankow, JF. (1986). MAGNITUDE OF ARTIFACTS CAUSED BY BUBBLES AND HEADSPACE IN THE DETERMINATION OF VOLATILE COMPOUNDS IN WATER. *Anal Chem.* 58: 1822-1826.
- Pankow, JF; Asher, WE; Zogorski, JS. (2006). Source apportionment modeling of volatile organic compounds in streams. *Environmental toxicology and chemistry / SETAC.* 25: 921-932.
- Pankow, JF; Johnson, RL; Cherry, JA. (1993). Air sparging in gate wells in cutoff walls and trenches for control of plumes of volatile organic compounds (VOCs). *Ground Water.* 31: 654-663.
- Pankow, JF; Thomson, NR; Johnson, RL; Baehr, AL; Zogorski, JS. (1997). The urban atmosphere as a non-point source for the transport of MTBE and other volatile organic compounds (VOCs) to shallow groundwater. *Environmental Science & Technology.* 31: 2821-2828.
- Pant, P; Allen, M; Cai, Y; Jayachandran, K. (2008). Design and performance of a mesocosm chamber for trichloroethylene evaporation study. *Water Air and Soil Pollution.* 193: 3-13.
- Pant, P; Allen, M; Cai, Y; Jayachandran, K; Chen, Y. (2007). Influence of physical factors on trichloroethylene evaporation from surface water. *Water Air and Soil Pollution.* 183: 153-163.
- Pant, P; Pant, S. (2010). A review: Advances in microbial remediation of trichloroethylene (TCE). *J Environ Sci.* 22: 116-126.
- Pantazidou, M; Panagiotakis, I; Mamais, D; Zikidi, V. (2012). Chloroethene Biotransformation in the Presence of Different Sulfate Concentrations. *Ground Water Monitoring and Remediation.* 32: 106-119.
- Paola, V; Antonella, B; Giancarlo, N; Gino, LA. (1993). Detection of mutagenic pollutants of inland and coastal waters by means of the Salmonella microsome assay. *Environ Technol.* 14: 543-553.
- Paolini, M; Mesirca, R; Pozzetti, L; Biagi, GL; Cantelli-Forti, G. Selective induction of murine liver cytochrome P450 IIB1 by halogenated hydrocarbons. *Toxicol Environ Chem.* 1992. v. 36 (3/4): 235-249.
- Papoulias, DM; Villalobos, SA; Meadows, J; Noltie, DB; Giesy, JP; Tillitt, DE. (2003). In ovo exposure to o,p-DDE affects sexual development but not sexual differentiation in Japanese medaka (*Oryzias latipes*). *Environ Health Perspect.* 111: 29-32.
- Papp, SJ; Highsmith, S. (1993). The ATP-induced myosin subfragment-1 fluorescence intensity increase is due to one tryptophan. *Biochimica et Biophysica Acta (BBA) - Protein Structure and Molecular Enzymology.* 1202: 169-172.
- Parajo, JC; Dominguez, H; Dominguez, JM. (1997). Xylitol production from Eucalyptus wood hydrolysates extracted with organic solvents. *Process Biochemistry.* 32: 599-604.
- Parales, RE; Ditty, JL; Harwood, CS. (2000). Toluene-degrading bacteria are chemotactic towards the environmental pollutants benzene, toluene, and trichloroethylene. *Appl Environ Microbiol.* 66: 4098-4104.
- Parales, RE; Harwood, CS. (2002). Bacterial chemotaxis to pollutants and plant-derived aromatic molecules. *Current Opinion in Microbiology.* 5: 266-273.
- Parbs, A; Ebert, M; Dahmke, A. (2007). Long-term effects of dissolved carbonate species on the degradation of trichloroethylene by zerovalent iron. *Environmental Science & Technology.* 41: 291-296.

Environmental Hazard Literature Search Results

Off Topic

- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2014). Remediation of a biodiesel blend-contaminated soil by using a modified Fenton process. *Environ Sci Pollut Res Int.* 21: 12198-12207.
- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2015). Remediation of a Biodiesel Blend-Contaminated Soil with Activated Persulfate by Different Sources of Iron. *Water Air and Soil Pollution.* 226: 17-17.
- Pardo, F; Rosas, JM; Santos, A; Romero, A. (2015). Remediation of soil contaminated by NAPLs using modified Fenton reagent: application to gasoline type compounds. *J Chem Tech Biotechnol.* 90: 754-764.
- Parelkar, NK; Silswal, N; Jansen, K; Vaughn, J; Bryan, RM; Andresen, J. (2010). 2,2,2-Trichloroethanol Activates a Nonclassical Potassium Channel in Cerebrovascular Smooth Muscle and Dilates the Middle Cerebral Artery. *J Pharmacol Exp Ther.* 332: 803-810.
- Parent, RA. (2005). Trichloroethylene* A2 - Wexler, Philip. *Encyclopedia of Toxicology (Second Edition)* New York 382-385.
- Park, D; Weinman, CJ; Finlay, JA; Fletcher, BR; Paik, MY; Sundaram, HS; Dimitriou, MD; Sohn, KE; Callow, ME; Callow, JA; Handlin, DL; Willis, CL; Fischer, DA; Kramer, EJ; Ober, CK. (2010). Amphiphilic surface active triblock copolymers with mixed hydrophobic and hydrophilic side chains for tuned marine fouling-release properties. *Langmuir : the ACS journal of surfaces and colloids.* 26: 9772-9781.
- Park, GT; Son, HJ; Kim, JG; Lee, SJ. (1998). Biodegradation of phenol by a trichloroethylene-cometabolizing bacterium. *J Microbiol Biotechnol.* 8: 61-66.
- Park, J. (2002). Influence of substrate exposure history on biodegradation in porous media by *Ralstonia pickettii* PKO1. PhD Thesis, University of Michigan.
- Park, J; Chen, YM; Kukor, JJ; Abriola, LM. (2001). Influence of substrate exposure history on biodegradation in a porous medium. *J Contam Hydrol.* 51: 233-256.
- Park, J; Choi, E; Cho, IH; Kim, YG. (2003). Solar light induced degradation of trichloroethylene (TCE) using TiO₂: Effects of solar light intensity and seasonal variations. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 38: 1915-1926.
- Park, J; Kukor, JJ; Abriola, LM. (2002). Characterization of the adaptive response to trichloroethylene-mediated stresses in *Ralstonia pickettii* PKO1. *Appl Environ Microbiol.* 68: 5231-5240.
- Park, J; Lang, J; Thamaraiselvi, K; Kukor, JJ; Abriola, LM. (2008). Induction kinetics of aerobic toluene degradation as a function of carbon starvation history. *Process Biochemistry.* 43: 1345-1351.
- Park, J; Malinverni, J; Adriaens, P; Kukor, JJ. (2003). Quantitative structure-activity relationship (QSAR) analysis of aromatic effector specificity in NtrC-like transcriptional activators from aromatic oxidizing bacteria. *FEMS Microbiol Lett.* 224: 45-52.
- Park, J; Malinverni, J; Adriaens, P; Kukor, JJ. (2003). Quantitative structure-activity relationship (QSAR) analysis of aromatic effector specificity in NtrC-like transcriptional activators from aromatic oxidizing bacteria. *FEMS Microbiol Lett.* 224: 45-52.
- Park, JH; Joo, HS; Yoo, KY; Shin, BN; Kim, IH; Lee, CH; Choi, JH; Byun, K; Lee, B; Lim, SS; Kim, MJ; Won, MH. (2011). Extract from *Terminalia chebula* Seeds Protect Against Experimental Ischemic Neuronal Damage Via Maintaining SODs and BDNF Levels. *Neurochem Res.* 36: 2043-2050.
- Park, JH; Spengler, JD; Yoon, DW; Dumyahn, T; Lee, K; Ozkaynak, H. (1998). Measurement of air exchange rate of stationary vehicles and estimation of in-vehicle exposure. *J Expo Anal Environ Epidemiol.* 8: 65-78.
- Park, JK; Bontoux, L; Holsen, TM; Jenkins, D; Selleck, RE. (1991). Permeation of polybutylene pipe and gasket material by organic chemicals. *Am Water Works Assoc J.* 83: 71-78.
- Park, JK; Kim, JY; Edil, TB. (1996). Mitigation of organic compound movement in landfills by shredded tires. *Water Environ Res.* 68: 4-10.
- Park, JK; Kim, JY; Madsen, CD; Edil, TB. (1997). Retardation of volatile organic compound movement by a soil-bentonite slurry cutoff wall amended with ground tires. *Water Environ Res.* 69: 1022-1031.
- Park, JK; Nibras, M. (1993). Mass flux of organic chemicals through polyethylene geomembranes. *Water Environ Res.* 65: 227-237.
- Park, K-M; Lee, H-K; Do, S-H; Kong, S-H. (2010). Degradation of TCE using Persulfate (PS) and Peroxymonosulfate (PMS): Effect of Inorganic Ions in Groundwater. *World Congress on Engineering 2012 July 4-6, 2012 London, UK.* 2187: 671-673.
- Park, KS; Sorensen, DL; Sims, JL; Adams, VD. (1988). VOLATILIZATION OF WASTEWATER TRACE ORGANICS IN SLOW RATE LAND TREATMENT SYSTEMS. *Hazard Waste Hazard Mater.* 5: 219-230.
- Park, MK; Ryu, SG; Park, HB; Lee, HW; Hwang, KC; Lee, CH. (2004). Decomposition of cyanogen chloride by using a Packed Bed Plasma Reactor at dry and wet air in atmospheric pressure. *Plasma Chemistry and Plasma Processing.* 24: 117-136.
- Park, S; Ely, RL. (2008). Genome-wide transcriptional responses of *Nitrosomonas europaea* to zinc. *Archives of Microbiology.* 189: 541-548.
- Park, S; Kang, J. (1998). TRANSFORMATION CAPACITY OF METHYLOSINUS TRICHOSPORIUM OB3B IN DEGRADATION OF ETHYLENE CHLORIDES. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 450-451.
- Park, SB; Kang, YC. (1997). Photocatalytic activity of nanometer size ZnO particles prepared by spray pyrolysis. *J Aerosol Sci.* 28, Supplement 1: S473-S474.
- Park, SS; Kim, SO; Yun, ST; Chae, GT; Yu, SY; Kim, S; Kim, Y. (2005). Effects of land use on the spatial distribution of trace metals and volatile organic compounds in urban groundwater, Seoul, Korea. *Environ Geol.* 48: 1116-1131.
- Park, SY; Jeong, H; Yu, H; Park, SY; Jang, DJ. (2010). Excited-state Intramolecular Proton-transfer-induced Charge Transfer of Polyquinoline. *Photochem Photobiol.* 86: 1197-1201.
- Park, W; Kim, J; Lee, JH; Lee, SS. (2011). Biodegradation of Trichloroethylene by Mixed Culture Using H₂ as Electron Donor in Anaerobic Condition. 111th General Meeting of the American Society for Microbiology (ASM 2011).

Environmental Hazard Literature Search Results

Off Topic

- Parker, BL; Chapman, SW; Guilbeault, MA. (2008). Plume persistence caused by back diffusion from thin clay layers in a sand aquifer following TCE source-zone hydraulic isolation. *J Contam Hydrol.* 102: 86-104.
- Parker, BL; Cherry, JA; Chapman, SW. (2004). Field study of TCE diffusion profiles below DNAPL to assess aquitard integrity. *J Contam Hydrol.* 74: 197-230.
- Parker, BL; Cherry, JA; Chapman, SW; Guilbeault, MA. (2003). Review and analysis of chlorinated solvent dense nonaqueous phase liquid distributions in five sandy aquifers. *Vadose zone journal VZJ.* 2.
- Parker, BL; McWhorter, DB; Cherry, JA. (1997). Diffusive loss of non-aqueous phase organic solvents from idealized fracture networks in geologic media. *Ground Water.* 35: 1077-1088.
- Parker, JC; Kim, U; Widdowson, M; Kitanidis, P; Gentry, R. (2010). Effects of model formulation and calibration data on uncertainty in dense nonaqueous phase liquids source dissolution predictions. *Water Resour Res.* 46: 12517-12517.
- Parker, JC; Park, E. (2004). Modeling field-scale dense nonaqueous phase liquid dissolution kinetics in heterogeneous aquifers. *Water Resour Res.* 40: 5109-5109.
- Parker, LV; Clark, CH. (2004). Study of five discrete-interval-type ground water sampling devices. *Ground Water Monitoring and Remediation.* 24: 111-123.
- Parker, W; Monteith, H; Melcer, H. (1995). Preliminary assessment of the removal of volatile organic compounds in a biological selector process. *Water Environ Res.* 67: 798-801.
- Parker, WJ; Thompson, DJ; Bell, JP; Melcer, H. (1993). Fate of volatile organic compounds in municipal activated sludge plants. *Water Environ Res.* 65: 58-65.
- Parkes, DG; Eling, TE. (1975). The influence of environmental agents on prostaglandin biosynthesis and metabolism in the lung. Inhibition of lung 15-hydroxyprostaglandin dehydrogenase by exposure of guinea pigs to 100 per cent oxygen at atmospheric pressure. *The Biochemical journal.* 146: 549-556.
- Parodi, S; Malacarne, D; Romano, P; Taningher, M. (1991). ARE GENOTOXIC CARCINOGENS MORE POTENT THAN NONGENOTOXIC CARCINOGENS? *Environ Health Perspect.* 95: 199-204.
- Parrett, JWJR; Sumner, JP; Devore, TC. (1999). Reaction between chlorocarbon vapors and sodium carbonate. *Environmental Science & Technology.* 33: 1691-1696.
- Parrotta, MJ. (1991). Radioactivity in water treatment wastes: A USEPA perspective. *Am Water Works Assoc J.* 83: 134-140.
- Parshetti, GK; Doong, R-A. (2010). Dechlorination and photodegradation of trichloroethylene by Fe/TiO₂ nanocomposites in the presence of nickel ions under anoxic conditions. *Appl Catal B-Environ.* 100: 116-123.
- Parshetti, GK; Doong, R-a. (2011). Synergistic effect of nickel ions on the coupled dechlorination of trichloroethylene and 2,4-dichlorophenol by Fe/TiO₂ nanocomposites in the presence of UV light under anoxic conditions. *Water Res.* 45: 4198-4210.
- Parshetti, GK; Doong, RA. (2008). Immobilization of bimetallic nanoparticles on microfiltration membranes for trichloroethylene dechlorination. *Water Science and Technology.* 58: 1629-1636.
- Parshetti, GK; Doong, RA. (2009). Dechlorination of trichloroethylene by Ni/Fe nanoparticles immobilized in PEG/PVDF and PEG/nylon 66 membranes. *Water Res.* 43: 3086-3094.
- Parshetti, GK; Doong, RA. (2011). Synergistic effect of nickel ions on the coupled dechlorination of trichloroethylene and 2,4-dichlorophenol by Fe/TiO₂ nanocomposites in the presence of UV light under anoxic conditions. *Water Res.* 45: 4198-4210.
- Parshetti, GK; Doong, RA. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere.* 86: 392-399.
- Parsons, F; Lage, GB. (1985). CHANGES IN INORGANIC IONS AND EVOLUTION OF GASES DURING THE BIOTRANSFORMATION OF TRICHLOROETHENE IN AQUIFER MICROCOSMS. 85th Annual Meeting Of The American Society For Microbiology, Las Vegas, Nev, Usa, Mar. 85: 233.
- Pasquini, DA. (1978). Evaluation of glass sampling tubes for industrial breath analysis. *Am Ind Hyg Assoc J.* 39: 55-62.
- Passant, NR; Richardson, SJ; Swannell, RPJ; Gibson, N; Woodfield, MJ; Van, DERLUGTJP; Wolsink, JH; Hesselink, PGM. (1993). EMISSIONS OF VOLATILE ORGANIC COMPOUNDS VOCs FROM THE FOOD AND DRINK INDUSTRIES OF THE EUROPEAN COMMUNITY. *Atmospheric Environment Part A General Topics.* 27: 2555-2566.
- Passuello, F; Boccaletti, S; Soregaroli, C. (2015). Governance implications of non-GM private standards on poultry meat value chains. *British Food Journal.* 117: 2564-2581.
- Pastore, P; Favaro, G; Badocco, D; Lavagnini, I. (2005). Headspace solid phase micro extraction GC-ECD determination of volatile organic chlorinated hydrocarbons in soils. *Ann Chim.* 95: 741-756.
- Patel, R; Zhou, RN; Zinszer, K; Josse, F; Cernosek, R. (2000). Real-time detection of organic compounds in liquid environments using polymer-coated thickness shear mode quartz resonators. *Anal Chem.* 72: 4888-4898.
- Patil, SS; Adetutu, EM; Aburto-Medina, A; Menz, IR; Ball, AS. (2014). Biostimulation of indigenous communities for the successful dechlorination of tetrachloroethene (perchloroethylene)-contaminated groundwater. *Biotechnol Lett.* 36: 75-83.
- Patil, SS; Adetutu, EM; Rochow, J; Mitchell, JG; Ball, AS. (2014). Sustainable remediation: electrochemically assisted microbial dechlorination of tetrachloroethene-contaminated groundwater. *Microb Biotechnol.* 7: 54-63.
- Patterson, BM; Aravena, R; Davis, GB; Furness, AJ; Bastow, TP; Bouchard, D. (2013). Multiple lines of evidence to demonstrate vinyl chloride aerobic biodegradation in the vadose zone, and factors controlling rates. *J Contam Hydrol.* 153: 69-77.
- Patterson, BM; Cohen, E; Prommer, H; Thomas, DG; Rhodes, S; McKinley, AJ. (2007). Origin of a mixed brominated ethene groundwater plume: Contaminant degradation pathways and reactions. *Environmental Science & Technology.* 41: 1352-1358.

Environmental Hazard Literature Search Results

Off Topic

- Patterson, BM; Pribac, F; Barber, C; Davis, GB; Gibbs, R. (1993). The role of the chemosensory systems in the inhibitory regulation of cholinergic transmission in the small intestine. *J Contam Hydrol.* 14: 261-278.
- Patterson, EV; Cramer, CJ; Truhlar, DG. (2001). Reductive dechlorination of hexachloroethane in the environment: mechanistic studies via computational electrochemistry. *J Am Chem Soc.* 123: 2025-2031.
- Paul, L; Herrmann, S; Bender Koch, C; Philips, J; Smolders, E. (2014). Corrigendum to "Inhibition of microbial trichloroethylene dechlorination by Fe (III) reduction depends on Fe mineralogy: A batch study using the bioaugmentation culture KB-1" [Water Res. 47 (7) (2013) 2543-2554]. *Water Res.* 63: 325.
- Paul, L; Herrmann, S; Koch, CB; Philips, J; Smolders, E. (2013). Inhibition of microbial trichloroethylene dechlorination [corrected] by Fe (III) reduction depends on Fe mineralogy: a batch study using the bioaugmentation culture KB-1. *Water Res.* 47: 2543-2554.
- Paul, L; Herrmann, S; Koch, CB; Philips, J; Smolders, E. (2013). Inhibition of microbial trichloroethylene dechlorination by Fe (III) reduction depends on Fe mineralogy: A batch study using the bioaugmentation culture KB-1. *Water Res.* 47: 2543-2554.
- Paul, L; Jakobsen, R; Smolders, E; Albrechtsen, HJ; Bjerg, PL. (2016). Reductive Dechlorination of Trichloroethylene (TCE) in Competition with Fe and Mn Oxides-Observed Dynamics in H-2-dependent Terminal Electron Accepting Processes. *Geomicrobiology Journal.* 33: 357-366.
- Paul, L; Smolders, E. (2014). Inhibition of iron (III) minerals and acidification on the reductive dechlorination of trichloroethylene. *Chemosphere.* 111: 471-477.
- Paul, L; Smolders, E. (2015). Bioenhanced dissolution of dense non-aqueous phase of trichloroethylene as affected by iron reducing conditions: Model systems and environmental samples. *Chemosphere.* 119: 1113-1119.
- Paulose, T; Hernandez-Ochoa, I; Basavarajappa, MS; Peretz, J; Flaws, JA. (2011). Increased sensitivity of estrogen receptor alpha overexpressing antral follicles to methoxychlor and its metabolites. *Toxicological sciences : an official journal of the Society of Toxicology.* 120: 447-459.
- Paulsen, MD; Ornstein, RL. (1994). Active-site mobility inhibits reductive dehalogenation of 1,1,1-trichloroethane by cytochrome P450cam. *Journal of computer-aided molecular design.* 8: 389-404.
- Paulu, C; Aschengrau, A; Ozonoff, D. (1999). Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. *Environ Health Perspect.* 107: 265-271.
- Pavelka, C; Loehr, RC; Haikola, B. (1993). HAZARDOUS WASTE LANDFILL LEACHATE CHARACTERISTICS. *Waste Manag.* 13: 573-580.
- Pavlostathis, SG; Mathavan, GN. (1992). Desorption kinetics of selected volatile organic compounds from field contaminated soils. *Environ Sci Technol.* 26: 532-538.
- Pavlostathis, SG; Jaglal, K. (1991). Desorptive behavior of trichloroethylene in contaminated soil. *Environ Sci Technol.* 25: 274-279.
- Pavlostathis, SG; Mathavan, GN. (1992). Application of headspace analysis for the determination of volatile organic compounds in contaminated soils. *Environ Technol.* 13: 23-33.
- Pavlostathis, SG; Zhuang, P. Transformation of trichloroethylene by sulfate-reducing cultures enriched from a contaminated subsurface soil. *Appl Microbiol Biotechnol.* Dec 1991. v. 36 (3): 416-420.
- Pavlostathis, SG; Zhuang, P. (1993). Reductive dechlorination of chloroalkenes in microcosms developed with a field contaminated soil. *Chemosphere.* 27: 585-595.
- Pavoni, B; Marriott, JB; Dredge, K; Dalgleish, AG. (2003). Thalidomide derived immunomodulatory drugs (IMiDs) as potential therapeutic agents. *Chemosphere.* 52: 1781-1795.
- Pawlisz, AV; Peters, RH. (1993). A radioactive tracer technique for the study of lethal body burdens of narcotic organic chemicals in *Daphnia magna*. *Environmental Science & Technology.* 27: 2795-2800.
- Pawlisz, AV; Peters, RH. (1995). Effects of sublethal exposure on lethal body burdens of narcotic organic chemicals in *Daphnia magna*. *Environmental Science & Technology.* 29: 613-621.
- Paxeus, N; Robinson, P; Balmer, P. (1991). STUDY OF ORGANIC POLLUTANTS IN MUNICIPAL WASTEWATER IN GOTEBOG SWEDEN. Meeting On Hazard Assessment And Control Of Environmental Contaminants In Water Held At The 1st lawprc. 25: 249-256.
- Pe; ech, R; Milchert, E; WrÄbel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *Environmental science & technology.* 137: 1479-1487.
- Peale, JGD; Mueller, J; Molin, J. (2010). Successful ISCR-enhanced bioremediation of a TCE DNAPL source utilizing EHC registered and KB-1 registered. *Remediation.* 20: 63-81.
- Pearsall, KA; Eckhardt, DAV. (1987). EFFECTS OF SELECTED SAMPLING EQUIPMENT AND PROCEDURES ON THE CONCENTRATIONS OF TRICHLOROETHYLENE AND RELATED COMPOUNDS IN GROUND WATER SAMPLES. *Ground Water Monit Rev.* 7: 64-73.
- Pearson, E; Jones, A; erlin, C; Escobar, M; Rowe, D. (2010). Prevalence and Persistence of Hexavalent Chromium during ISCO of Trichloroethylene with Permanganate. Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds.
- Peden-Adams, MM; EuDaly, JG; Heesemann, LM; Smythe, J; Miller, J; Gilkeson, GS; Keil, DE. (2006). Developmental immunotoxicity of trichloroethylene (TCE): Studies in B6C3F1 mice. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 41: 249-271.
- Peden-Adams, MM; Eudaly, JG; Lee, AM; Miller, J; Keil, DE; Gilkeson, GS. (2008). Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL+/+ mice. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 43: 1402-1409.
- Peden-Adams, MM; Keil, DE; Gilkeson, GS. (2009). Response to "Comments on 'Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL+/+ mice'". *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 44: 117-122.

Environmental Hazard Literature Search Results

Off Topic

- Peden-Adams, MM; Stuckey, JE; Gaworecki, KM; Berger-Ritchie, J; Bryant, K; Jodice, PG; Scott, TR; Ferrario, JB; Guan, B; Vigo, C; Boone, JS; McGuinn, WD; DeWitt, JC; Keil, DE. (2009). Developmental toxicity in white leghorn chickens following in ovo exposure to perfluorooctane sulfonate (PFOS). *Reprod Toxicol*. 27: 307-318.
- Pederson, BM; Thibodeaux, LJ; Valsaraj, KT; Reible, DD. (2001). Testing a multimedia compartmental model with monitoring data. *Environ Toxicol Chem*. 20: 2114-2121.
- Pedit, JA; Iwamasa, KJ; Miller, CT; Glaze, WH. (1997). Development and application of a gas-liquid contactor model for simulating advanced oxidation processes. *Environmental Science & Technology*. 31: 2791-2796.
- Peebles, TL; Lebron, J; Costello, AY; Lidstrom, ME. (1995). GENETICS OF PARTICULATE METHANE MONOOXYGENASE IN METHANOTROPHS. 209th American Chemical Society National Meeting, Anaheim, California, Usa, April. 209: 96.
- Peijnenburg, W; Eriksson, L; De, GROOTA; Sjoström, M; Verboom, H. (1998). The kinetics of reductive dehalogenation of a set of halogenated aliphatic hydrocarbons in anaerobic sediment slurries. *Environmental Science And Pollution Research International*. 5: 12-16.
- Pekelney, D. (1990). Hazardous waste generation, transportation, reclamation, and disposal: California's manifest system and the case of halogenated solvents. *J Hazard Mater*. 23: 293-316.
- Pelekis, M; Krishnan, K. (2004). Magnitude and mechanistic determinants of the interspecies toxicokinetic uncertainty factor for organic chemicals. *Regul Toxicol Pharmacol*. 40: 264-271.
- Peng, C; Yan, D; Guo, S; Hu, S; Jiang, Y. (2015). Building energy use in China: Ceiling and scenario. *Energy and Buildings*. 102: 307-316.
- Peng, J; Bewtra, JK; Biswas, N. (1995). Effect of turbulence on volatilization of selected organic compounds from waters. *Water Environ Res*. 67: 101-107.
- Peng, S; Wang, N; Chen, JJ. (2013). Steam and air co-injection in removing residual TCE in unsaturated layered sandy porous media. *J Contam Hydrol*. 153: 24-36.
- Peng, X; Yamamoto, S; Vertes, AA; Keresztes, G; Inatomi, K; Inui, M; Yukawa, H. (2012). Global transcriptome analysis of the tetrachloroethene-dechlorinating bacterium *Desulfotobacterium hafniense* Y51 in the presence of various electron donors and terminal electron acceptors. *Journal of Industrial Microbiology & Biotechnology*. 39: 255-268.
- Pennell, KD; Adinolfi, AM; Abriola, LM; Diallo, MS. (1997). Solubilization of dodecane, tetrachloroethylene, and 1,2-dichlorobenzene in micellar solutions of ethoxylated nonionic surfactants. *Environmental Science & Technology*. 31: 1382-1389.
- Pennell, KD; Jin, M; Abiola, LM; Pope, GA. (1994). SURFACTANT ENHANCED REMEDIATION OF SOIL COLUMNS CONTAMINATED BY RESIDUAL TETRACHLOROETHYLENE. *J Contam Hydrol*. 16: 35-53.
- Pennell, KD; Pope, GA; Abriola, LM. (1996). Influence of viscous and buoyancy forces on the mobilization of residual tetrachloroethylene during surfactant flushing. *Environmental Science & Technology*. 30: 1328-1335.
- Penning, H; Cramer, CJ; Elsner, M. (2008). Rate-Dependent Carbon and Nitrogen Kinetic Isotope Fractionation in Hydrolysis of Isoproturon. *Environmental Science & Technology*. 42: 7764-7771.
- Pepelko, WE; Withey, JR. (1985). METHODS FOR ROUTE-TO-ROUTE EXTRAPOLATION OF DOSE. An International Symposium On Advances In Health Risk Assessment For Systemic Toxicants And Chemical Mixtures *Toxicol Ind Health*. 1: 153-170.
- Perbellini, L; Brugnone, F; Gaffuri, E. (1981). Neurotoxic metabolites of "commercial hexane" in the urine of shoe factory workers. *Clin Toxicol*. 18: 1377-1385.
- Perbellini, L; Brugnone, F; Pavan, I. (1980). Identification of the metabolites of n-hexane, cyclohexane, and their isomers in men's urine. *Toxicol Appl Pharmacol*. 53: 220-229.
- Perdek, JM; Freestone, FJ; Gupta, GD; King, G; Sawyer, RH; Stumbar, JP. (1988). TRIAL BURN RESULTS AND FUTURE ACTIVITIES OF THE EPA MOBILE INCINERATOR. Eighth International Symposium On Chlorinated Dioxins And Related Compounds, Umea, Sweden, August. 19: 561-564.
- Pereira, MA. (1996). Carcinogenic activity of dichloroacetic acid and trichloroacetic acid in the liver of female B6C3F1 mice. *Fundam Appl Toxicol*. 31: 192-199.
- Pereira, MA; Kramer, PM; Ge, R; Tao, L. (1998). P4E108 - Effect of chloroform, haloacetic acids and trichloroethylene on DNA methylation in liver and tumors of female B6C3F1 mice. *Toxicol Lett*. 95, Supplement 1: 229.
- Pereira, MA; Wang, W; Kramer, PM; Tao, L. (2004). Prevention by methionine of dichloroacetic acid-induced liver cancer and DNA hypomethylation in mice. *Toxicol Sci*. 77: 243-248.
- Perez, BALLESTAP; Gonzalez, FERRADASE; Minana, AZNARA. (1995). Desorption isotherms of volatile organic compounds adsorbed on activated charcoal. *Am Ind Hyg Assoc J*. 56: 171-177.
- Perez, JB; Pla-Barber, J. (2005). When are international managers a cost effective solution? The rationale of transaction cost economics applied to staffing decisions in MNCs. *Journal of Business Research*. 58: 1320-1329.
- Perez-de-Mora, A; Zila, A; McMaster, ML; Edwards, EA. (2014). Bioremediation of Chlorinated Ethenes in Fractured Bedrock and Associated Changes in Dechlorinating and Nondechlorinating Microbial Populations. *Environmental Science & Technology*. 48: 5770-5779.
- Perkins, DW; Hodgman, TP; Owen, RB; Dimond, JB. (1998). Long-term persistence of DDT in Shrews, Soricidae, from Maine. *Canadian Field Naturalist*. 112: 393-399.
- Perlinger, JA; Angst, W; Schwarzenbach, RP. (1996). Kinetics of the reduction of hexachloroethane by juglone in solutions containing hydrogen sulfide. *Environmental Science & Technology*. 30: 3408-3417.
- Perlinger, JA; Buschmann, J; Angst, W; Schwarzenbach, RP. (1998). Iron porphyrin and mercaptojuglone mediated reduction of polyhalogenated methanes and ethanes in homogenous aqueous solution. *Environmental Science & Technology*. 32: 2431-2437.
- Perona, MJ. (1992). The solubility of hydrophobic compounds in aqueous droplets. *Atmos Environ Part A Gen Top*. 26: 2549-2553.

Environmental Hazard Literature Search Results

Off Topic

- Perriello, FA; Simkins, S. (1999). Biotransformation of trichloroethylene using butane-oxidizing bacteria. *Journal of Soil Contamination*. 8: 117-129.
- Perticoni, GF; Bondi, L. (1988). Acute neurotoxicity after trichloroethylene ingestion. Case report. *Italian journal of neurological sciences*. 9: 165-166.
- Pessayre, D; Allemand, H; Wandscheer, JC; Descatoire, V; Artigou, J-Y; Benhamou, J-P. (1979). Inhibition, activation, destruction, and induction of drug-metabolizing enzymes by trichloroethylene. *Toxicol Appl Pharmacol*. 49: 355-363.
- Pessayre, D; Wandscheer, J-C; Descatoire, V; Dolder, A; Degott, C; Benhamou, J-P. (1980). Cumulative effects of repeated doses of compounds transformed into reactive metabolites. *Biochem Pharmacol*. 29: 1041-1047.
- Peter, J; Buchinger, V; Karner, F; Hampel, W. (1997). Characteristics of a microbial assay for the detection of halogenated hydrocarbons using cells of an actinomycete-like organism as a biological component. *Acta Biotechnologica*. 17: 123-130.
- Peterkin, V; Loch-Carus, R. (1994). 1,1,2,2-TETRACHLOROETHANE INHIBITS OSCILLATORY CONTRACTION IN ISOLATED MID-GESTATION RAT UTERI. Twenty Seventh Annual Meeting Of The Society For The Study Of Reproduction, Ann Arbor, Michigan, Usa, July. 50: 76.
- Peters, RJ. (2003). Chloroacetic acids in European soils and vegetation. *Journal of environmental monitoring : JEM*. 5: 275-280.
- Peters, RW. (1999). Chelant extraction of heavy metals from contaminated soils. *J Hazard Mater*. 66: 151-210.
- Petersen, EJ; Pinto, RA; Shi, X; Huang, Q. (2012). Impact of size and sorption on degradation of trichloroethylene and polychlorinated biphenyls by nano-scale zerovalent iron. *J Hazard Mater*. 243: 73-79.
- Petersen, LW; El-Farhan, YH; Moldrup, P; Rolston, DE; Yamaguchi, T. (1996). Transient diffusion, adsorption, and emission of volatile organic vapors in soils with fluctuating low water contents. *J Environ Qual*. 25: 1054-1063.
- Petersen, LW; Moldrup, P; El-Farhan, YH; Jacobsen, OH; Yamaguchi, T; Rolston, DE. (1995). The effect of moisture and soil texture on the adsorption of organic vapors. *J Environ Qual*. 24: 752-759.
- Petersen, LW; Rolston, DE; Moldrup, P; Yamaguchi, T. (1994). Volatile organic vapor diffusion and adsorption in soils. *J Environ Qual*. 23: 799-805.
- Petersen, MA; Sale, TC; Reardon, KF. (2007). Electrolytic trichloroethene degradation using mixed metal oxide coated titanium mesh electrodes. *Chemosphere*. 67: 1573-1581.
- Peterson, MS; Lion, LW; Shoemaker, CA. (1988). INFLUENCE OF VAPOR-PHASE SORPTION AND DIFFUSION ON THE FATE OF TRICHLOROETHYLENE IN AN UNSATURATED AQUIFER SYSTEM. *Environ Sci Technol*. 22: 571-578.
- Petri, BG; Fucik, R; Illangasekare, TH; Smits, KM; Christ, JA; Sakaki, T; Sauck, CC. (2015). Effect of NAPL Source Morphology on Mass Transfer in the Vadose Zone. *Groundwater*. 53: 685-698.
- Petri, BG; Siegrist, RL; Crimi, ML. (2008). Effects of groundwater velocity and permanganate concentration on DNAPL mass depletion rates during in situ oxidation. *Journal of Environmental Engineering-Asce*. 134: 1-13.
- Petrucci, E; Scarsella, M; De Filippis, P; Di Palma, L. (2015). Tetrachloroethene recovery and hazard reduction of spent powders from dry cleaning process. *Waste Management & Research*. 33: 339-344.
- Peuthert, A; Pflugmacher, S. (2010). Influence of the cyanotoxin microcystin-LR on tocopherol in Alfalfa seedlings (*Medicago sativa*). *Toxicon : official journal of the International Society on Toxinology*. 56: 411-417.
- Pfeiffer, P; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Partitioning of dissolved chlorinated ethenes into vegetable oil. *Water Res*. 39: 4521-4527.
- Pfeiffer, PR; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Physical properties of vegetable oil and chlorinated ethene mixtures. *Journal of Environmental Engineering-Asce*. 131: 1447-1452.
- Pferdeort, VA; Wood, TK; Reardon, KF. (2003). Proteomic changes in *Escherichia coli* TG1 after metabolic engineering for enhanced trichloroethene biodegradation. *Proteomics*. 3: 1066-1069.
- Pfiffner, SM; Mackowski, R; White, DC; Phelps, TJ. (1993). MONITORING OF MICROBIAL POPULATIONS AND ACTIVITIES FROM GROUNDWATER FOR IN-SITU TRICHLOROETHYLENE BIOREMEDIATION. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 378.
- Pfiffner, SM; Palumbo, AV; Phelps, TJ; Hazen, TC. (1997). Effects of nutrient dosing on subsurface methanotrophic populations and trichloroethylene degradation. *Journal of industrial microbiology & biotechnology*. 18: 204-212.
- Pfiffner, SM; Palumbo, AV; Sayles, GD; Gannon, D. (2004). Microbial population and degradation activity changes monitored during a chlorinated solvent biovent demonstration. *Ground Water Monitoring and Remediation*. 24: 102-110.
- Pflugger, AR; Wu, WM; Pieja, AJ; Wan, J; Rostkowski, KH; Criddle, CS. (2011). Selection of Type I and Type II methanotrophic proteobacteria in a fluidized bed reactor under non-sterile conditions. *Bioresour Technol*. 102: 9919-9926.
- Pflugmacher, U; Averhoff, B; Gottschalk, G. (1995). GENETIC ORGANIZATION AND FUNCTIONAL ANALYSIS OF AN ISOPROPYLBENZENE DEGRADATIVE PATHWAY SPECIFYING TRICHLOROETHENE OXIDATION IN *PSEUDOMONAS SPEC. JR1*. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 570.
- Pflugmacher, U; Averhoff, B; Gottschalk, G. (1996). Cloning, sequencing, and expression of isopropylbenzene degradation genes from *Pseudomonas* sp. Strain JR1: Identification of isopropylbenzene dioxygenase that mediates trichloroethene oxidation. *Appl Environ Microbiol*. 62: 3967-3977.
- Pham, HT; Kitsunoduka, M; Hara, J; Suto, K; Inoue, C. (2008). Trichloroethylene transformation by natural mineral pyrite: The deciding role of oxygen. *Environmental Science & Technology*. 42: 7470-7475.
- Pham, HT; Suto, K; Inoue, C. (2009). Trichloroethylene Transformation in Aerobic Pyrite Suspension: Pathways and Kinetic Modeling. *Environmental Science & Technology*. 43: 6744-6749.

Environmental Hazard Literature Search Results

Off Topic

- Phayde, HTS; Ortego, JD; Rudzinski, WE. (1996). Molecular migration of hazardous liquids into thermoplastic ethylene-propylene random copolymer and isotactic polypropylene membranes. *AU - AMINABHAVI TM. J Hazard Mater.* 49: 125-141.
- Phelan, TJ. (2004). Subsurface compositional simulation incorporating solute-chemistry dependent interfacial properties. PhD Thesis, University of Michigan.
- Phelps, P; Agarwal, S; Speitel, GEJR; Georgiou, G. (1992). COPPER-RESISTANT MUTANTS OF TRICHLOROETHYLENE-DEGRADING BACTERIUM. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 382.
- Phelps, PA; Agarwal, SK; Speitel, GEJR; Georgiou, G. (1992). Methylosinus trichosporium OB3b mutants having constitutive expression of soluble methane monooxygenase in the presence of high levels of copper. *Appl Environ Microbiol.* 58: 3701-3708.
- Phelps, TJ; Malachowsky, K; Schram, RM; White, DC. (1991). Aerobic mineralization of vinyl chloride by a bacterium of the order Actinomycetales. *Appl Environ Microbiol.* 57: 1252-1254.
- Phelps, TJ; Ringelberg, D; Hedrick, D; Davis, J; Fliermans, CB; White, DC. (1989). MICROBIAL BIOMASS AND ACTIVITIES ASSOCIATED WITH SUBSURFACE ENVIRONMENTS CONTAMINATED WITH CHLORINATED HYDROCARBONS. *Geomicrobiol J.* 6: 157-170.
- Phenrat, T; Fagerlund, F; Illangasekare, T; Lowry, GV; Tilton, RD. (2011). Polymer-Modified Fe(0) Nanoparticles Target Entrapped NAPL in Two Dimensional Porous Media: Effect of Particle Concentration, NAPL Saturation, and Injection Strategy. *Environmental Science & Technology.* 45: 6102-6109.
- Phenrat, T; Kim, HJ; Fagerlund, F; Illangasekare, T; Lowry, GV. (2010). Empirical correlations to estimate agglomerate size and deposition during injection of a polyelectrolyte-modified Fe(0) nanoparticle at high particle concentration in saturated sand. *J Contam Hydrol.* 118: 152-164.
- Phenrat, T; Kumloet, I. (2016). Electromagnetic induction of nanoscale zerovalent iron particles accelerates the degradation of chlorinated dense non-aqueous phase liquid: Proof of concept. *Water Res.* 107: 19-28.
- Phenrat, T; Liu, YQ; Tilton, RD; Lowry, GV. (2009). Adsorbed Polyelectrolyte Coatings Decrease Fe(0) Nanoparticle Reactivity with TCE in Water: Conceptual Model and Mechanisms. *Environmental Science & Technology.* 43: 1507-1514.
- Phenrat, T; Long, TC; Lowry, GV; Veronesi, B. (2009). Partial Oxidation ("Aging") and Surface Modification Decrease the Toxicity of Nanosized Zerovalent Iron. *Environmental Science & Technology.* 43: 195-200.
- Phenrat, T; Thongboot, T; Lowry, GV. (2016). Electromagnetic Induction of Zerovalent Iron (ZVI) Powder and Nanoscale Zerovalent Iron (NZVI) Particles Enhances Dechlorination of Trichloroethylene in Contaminated Groundwater and Soil: Proof of Concept. *Environmental Science & Technology.* 50: 872-880.
- Philip, BK; Mumtaz, MM; Latendresse, JR; Mehendale, HM. (2007). Impact of repeated exposure on toxicity of perchloroethylene in Swiss Webster mice. *Toxicology.* 232: 1-14.
- Philips, J; Haest, PJ; Springael, D; Smolders, E. (2013). Inhibition of Geobacter Dechlorinators at Elevated Trichloroethene Concentrations Is Explained by a Reduced Activity Rather than by an Enhanced Cell Decay. *Environmental Science & Technology.* 47: 1510-1517.
- Philips, J; Hamels, F; Smolders, E; Springael, D. (2012). Distribution of a dechlorinating community in relation to the distance from a trichloroethene dense nonaqueous phase liquid in a model aquifer. *FEMS Microbiol Ecol.* 81: 636-647.
- Philips, J; Maes, N; Springael, D; Smolders, E. (2013). Acidification due to microbial dechlorination near a trichloroethene DNAPL is overcome with pH buffer or formate as electron donor: Experimental demonstration in diffusion-cells. *J Contam Hydrol.* 147: 25-33.
- Philips, J; Miroshnikov, A; Haest, PJ; Springael, D; Smolders, E. (2014). Motile Geobacter dechlorinators migrate into a model source zone of trichloroethene dense non-aqueous phase liquid: Experimental evaluation and modeling. *J Contam Hydrol.* 170: 28-38.
- Philips, J; Springael, D; Smolders, E. (2011). A three-layer diffusion-cell to examine bio-enhanced dissolution of chloroethene dense non-aqueous phase liquid. *Chemosphere.* 83: 991-996.
- Philips, J; Van Muylder, R; Springael, D; Smolders, E. (2013). Electron donor limitations reduce microbial enhanced trichloroethene DNAPL dissolution: A flux-based analysis using diffusion-cells. *Chemosphere.* 91: 7-13.
- Phillips, DH; Thomas, AO; Forde, K; Dickson, K; Plant, S; Norris, G; Bone, B; Kalin, RM. (2007). Fate and transport of volatile organic compounds in glacial till and groundwater at an industrial site in Northern Ireland. *Environ Geol.* 52: 1117-1131.
- Phillips, DH; Van Nooten, T; Bastiaens, L; Russell, MI; Dickson, K; Plant, S; Ahad, JME; Newton, T; Elliot, T; Kalin, RM. (2010). Ten Year Performance Evaluation of a Field-Scale Zero-Valent Iron Permeable Reactive Barrier Installed to Remediate Trichloroethene Contaminated Groundwater. *Environmental Science & Technology.* 44: 3861-3869.
- Phillips, DJH. (1995). The chemistries and environmental fates of trace metals and organochlorines in aquatic ecosystems. *Mar Pollut Bull.* 31: 193-200.
- Phillips, LJ; Birchard, GF. (1991). Use of STORET data to evaluate variations in environmental contamination by census division. *Chemosphere.* 22: 835-848.
- Philo, MR; Jickells, SM; Damant, AP; Castle, L. (1994). Stability of plastics monomers of food-simulating liquids under European Union migration test conditions. *J Agric Food Chem.* 42: 1497-1501.
- Phipps, GL; Holcombe, GW. (1985). A METHOD FOR AQUATIC MULTIPLE SPECIES TOXICANT TESTING ACUTE TOXICITY OF 10 CHEMICALS TO 5 VERTEBRATES AND 2 INVERTEBRATES. *Environ Pollut Ser A Ecol Biol.* 38: 141-158.
- Piatt, JJ; Brusseau, ML. (1998). Rate-limited sorption of hydrophobic organic compounds by soils with well-characterized organic matter. *Environmental Science & Technology.* 32: 1604-1608.
- Piegorsch, WW; Hoel, DG. (1988). EXPLORING RELATIONSHIPS BETWEEN MUTAGENIC AND CARCINOGENIC POTENCIES. *Mutat Res.* 196: 161-176.

Environmental Hazard Literature Search Results

Off Topic

- Pieja, AJ; Sundstrom, ER; Criddle, CS. (2012). Cyclic, alternating methane and nitrogen limitation increases PHB production in a methanotrophic community. *Bioresour Technol.* 107: 385-392.
- Pierre, S; Lafontaine, C; Karamanev, D; Samson, R; Ramsay, B. (1997). MINERALIZATION OF TCE-CONTAMINATED WATER BY AN IMMOBILIZED SOIL BIOREACTOR COMBINED WITH EXIT GAS BIOLOGICAL TREATMENT. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 474.
- Pietari, JMH; Herwig, RP; McLarnan, JL; Ferguson, JF. (1999). Characterization of an anaerobic PCE or TCE to cis-1,2-DCE dechlorinating psychrotrophic enrichment. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 600.
- Pieters, JG; Sanseverino, J; Wright, CL; Robinson, KG; Cheng, CL; Liu, K; Cox, CD; Kehrmeyer, SR; Applegate, BM; Saylor, GS. Bioluminescence and cometabolic degradation of toluene and trichloroethylene by *Pseudomonas putida* TVA8. *Proceedings of the Industrial Waste Conference.* 1998. (52nd): 77-86.
- Pignatello, JJ. (1991). Desorption of tetrachloroethene and 1,2-dibromo-3-chloropropane from aquifer sediments. *Environ Toxicol Chem.* 10: 1399-1404.
- Pignatello, JJ; Liu, D; Huston, P. (1999). Evidence for an additional oxidant in the photoassisted Fenton reaction. *Environmental Science & Technology.* 33: 1832-1839.
- Pill, KG; Kupillas, GE; Picardal, FW; Arnold, RG. (1991). Estimating the toxicity of chlorinated organic compounds using a multiparameter bacterial bioassay. *Environ Toxicol Water Qual.* 6: 271-292.
- Pilorget, C; Houot, M; Delabre, L; Ducamp, S; Garras, Lc; Jezewski-Serra, D; Pelletan, J-B; Luce, D. (2016). Exposition professionnelle Ã certains cancÃ©rogÃ©nes chimiques selon le genre (donnÃ©es du programme MatgÃ©nÃ©). *Arch Mal Prof Environ.* 77: 496.
- Pinal, R; Rao, PSC; Lee, LS; Cline, PV; Yalkowsky, SH. (1990). Cosolvency of partially miscible organic solvents on the solubility of hydrophobic organic chemicals. *Environ Sci Technol.* 24: 639-647.
- Pinkart, HC; Ringelberg, D; Pfiffner, S; White, DC. (1993). THE USE OF PHOSPHOLIPID FATTY ACID ANALYSIS IN DETERMINING BIOMASS COMMUNITY STRUCTURE AND NUTRITIONAL STATUS OF MICROBIAL CONSORTIA OBTAINED FROM TRICHLOROETHYLENE CONTAMINATED GROUNDWATER. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 392.
- Pinto, MJ; Gvirtzman, H; Gorelick, SM. (1997). Laboratory-scale analysis of aquifer remediation by in-well vapor stripping: 2. Modeling results. *J Contam Hydrol.* 29: 41-58.
- Pipatti, R. (1998). Emission estimates for some acidifying and greenhouse gases and options for their control in Finland. *Vtt Publications.* 0: 3-86.
- Pirbazari, M; Badriyha, BN; Ravindran, V. (1992). MF-PAC for treating waters contaminated with natural and synthetic organics. *Am Water Works Assoc J.* 84: 95-103.
- Pirog, TP; Shulyakova, MO; Shevchuk, TA; Sofylkanich, AP. (2012). BIOTECHNOLOGICAL POTENCIAL OF BACTERIA OF RHODOCOCCLUS STRAIN AND THEIR METABOLITES. *Biotechnologia Acta.* 5: 51.
- Piscopo, AN; Neupauer, RM; Kasprzyk, JR. (2016). Optimal design of active spreading systems to remediate sorbing groundwater contaminants in situ. *J Contam Hydrol.* 190: 29-43.
- Pise, VM; Reigle, TG; Muralidihara, S; Dallas, CE. (1998). Effects of acute inhalation exposure to 1,1,1-trichloroethane on the hypothalamo-pituitary-adrenal axis in male Sprague-Dawley rats. *Journal Of Toxicology And Environmental Health Part A.* 54: 193-208.
- Pise, VM; Reigle, TG; Muralidihara, S; Dallas, CE. (1995). EFFECTS OF 1 1 1-TRICHLOROETHANE TRI ON THE HYPOTHALAMO-PITUITARY-ADRENAL HPA AXIS. *Experimental Biology.* 9.
- Pitkin, SE; Cherry, JA; Ingleton, RA; Broholm, M. (1999). Field demonstrations using the Waterloo ground water profiler. *Ground Water Monitoring and Remediation.* 19: 122-131.
- Pitlik, Jn. (1995). Cycloaddition and related reactions of cephalosporin antibiotics. *Bioorganic & Medicinal Chemistry.* 3: 1157-1181.
- Pitterle, MT; Andersen, RG; Novak, JT; Widdowson, MA. (2005). Push-pull tests to quantik in situ degradation rates at a phytoremediation site. *Environmental Science & Technology.* 39: 9317-9323.
- Pittman, CU, Jr.; He, J. (2002). Dechlorination of PCBs, CAHs, herbicides and pesticides neat and in soils at 25 degrees C using Na/NH3. *J Hazard Mater.* 92: 51-62.
- Piwoni, MD; Banerjee, P. (1989). Sorption of volatile organic solvents from aqueous solution onto subsurface solids. *J Contam Hydrol.* 4: 163-179.
- Plaa, GL. (1976). Quantitative aspects in the assessment of liver injury. *Environ Health Perspect.* 15: 39-46.
- Plaa, GL. (1988). EXPERIMENTAL EVALUATION OF HALOALKANES AND LIVER INJURY. *Fundam Appl Toxicol.* 10: 563-570.
- Plaa, GL; Larson, RE. (1965). Relative nephrotoxic properties of chlorinated methane, ethane, and ethylene derivatives in mice. *Toxicol Appl Pharmacol.* 7: 37-44.
- Plagentz, V; Ebert, M; Dahmke, A. (2006). Remediation of ground water containing chlorinated and brominated hydrocarbons, benzene and chromate by sequential treatment using ZVI and GAC. *Environ Geol.* 49: 684-695.
- Planche, G; Croisy, A; Malaveille, C; Tomatis, L; Bartsch, H. (1979). Metabolic and mutagenicity studies on DDT and 15 derivatives. Detection of 1,1-bis(p-chlorophenyl)-2,2-dichloroethane and 1,1-bis(p-chlorophenyl)-2,2,2-trichloroethyl acetate (kelthane acetate) as mutagens in *Salmonella typhimurium* and of 1,1-bis(p-chlorophenyl) ethylene oxide, a likely metabolite, as an alkylating agent. *Chem Biol Interact.* 25: 157-175.
- Plasencia, A; Gich, F; Fillol, M; Borrego, CM. (2013). Phylogenetic characterization and quantification of ammonia-oxidizing archaea and bacteria from Lake Kivu in a long-term microcosm incubation. *International Microbiology.* 16: 177-189.

Environmental Hazard Literature Search Results

Off Topic

- Platteborze-Stienlet, K; Zeegers-Huyskens, Trs. (1996). IR characteristics of complexes involving 1,8-bis(dimethylamino)naphthalene and phenols-OH or phenols-OD in solution. *J Mol Struct.* 378: 29-34.
- Plaza, G; Ulfing, K; Rzychon, D; Wypych, J; Worsztynowicz, A; Brigmon, RL. (2004). TCE biodegradation in "interspecies hydrogen transfer" bioremediation model. *Fresen Environ Bull.* 13: 1151-1157.
- Plaziac, C; Lachapelle, P; Casanova, C. (2003). Effects of methanol on the retinal function of juvenile rats. *Neurotoxicology.* 24: 255-260.
- Pleil, JD; McClenny, WA; Holdren, MW; Pollack, AJ; Oliver, KD. (1990). SECTOR SAMPLING FOR VOLATILE ORGANICS CONTRIBUTIONS TO AMBIENT AIR FROM INDUSTRIAL SOURCES. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 227-243.
- Pleil, JD; McClenny, WA; Holdren, MW; Pollack, AJ; Oliver, KD. (1993). Spatially resolved monitoring for volatile organic compounds using remote sector sampling. *Atmos Environ Part A Gen Top.* 27: 739-747.
- Pleil, JD; Oliver, KD; McClenny, WA. (1988). AMBIENT AIR ANALYSES USING NONSPECIFIC FLAME IONIZATION AND ELECTRON CAPTURE DETECTION COMPARED TO SPECIFIC DETECTION BY MASS SPECTROSCOPY. *Japca.* 38: 1006-1010.
- Plesha, PD; Stein, JE; Schiewe, MH; McCain, BB; Varanasi, U. (1988). TOXICITY OF MARINE SEDIMENTS SUPPLEMENTED WITH MIXTURES OF SELECTED CHLORINATED AND AROMATIC HYDROCARBONS TO THE INFAUNAL AMPHIPOD RHEPOXYNIUS-ABRONIUS. *Mar Environ Res.* 25: 85-98.
- Plewka, A; Nowaczyk, G; Plewka, D; Zielińska-Psuja, B; Kowalówka-Zawieja, J; Kamiński, M; Orłowski, J. (2003). 367 Hepatic P450-dependent monooxygenases and glutathione levels in paracetamol and N-acetylcysteine treated rats after chronic of trichloroethylene exposition. *Toxicol Lett.* 144, Supplement 1: s99-s100.
- Plewka, A; Zielinska-Psuja, B; Kawaloka-Zawieja, J; Nowaczyk-Dura, G; Plewka, D; Wiaderkiewicz, A; Kaminski, M; Orłowski, J. (2000). Influence of acetaminophen and trichloroethylene on liver cytochrome P450-dependent monooxygenase system. *Acta Biochim Pol.* 47: 1129-1136.
- Plumacher, J; Schroeder, P. (1994). Accumulation and fate of C12-chlorocarbons and trichloroacetic acid in spruce needles from an Austrian mountain site. *Chemosphere.* 29: 2467-2476.
- Plumb, RHJR. (1991). THE OCCURRENCE OF APPENDIX IX ORGANIC CONSTITUENTS IN DISPOSAL SITE GROUND WATER. *Ground Water Monit Rev.* 11: 157-164.
- Pohl, HR; Smith-Simon, C; Hicks, H. (1998). Health effects classification and its role in the derivation of minimal risk levels: Developmental effects. *Regul Toxicol Pharmacol.* 28: 55-60.
- Pohland, FG; Rachdawong, P. (1996). Use of post-consumer carpet products during landfill management of solid wastes. *Water Science And Technology.* 34: 429-436.
- Pointer, J. (1982). Typewriter correction fluid inhalation: a new substance of abuse. *Journal of toxicology Clinical toxicology.* 19: 493-499.
- Poirier, MA; Kowalchuk, E; Colin, JM; Voin, G. (1987). Rapid microprecipitation method for determining insolubles in asphalts, pitches and petroleum residua. *Fuel.* 66: 706-708.
- Politis, I; Voudouri, A; Bizelis, I; Zervas, G. (2003). The effect of various vitamin E derivatives on the urokinase-plasminogen activator system of ovine macrophages and neutrophils. *The British journal of nutrition.* 89: 259-265.
- Polo, CF; Vázquez, ES; Gerez, EN; Caballero, FA; Batlle, AM. (1995). STZ-induced diabetes in mice and heme pathway enzymes. Effect of allylisopropylacetamide and alpha-tocopherol. *Chem Biol Interact.* 95: 327-334.
- Pols, HB; Hieltjes, AHM; Kouwe, FA. (1990). THE OCCURRENCE AND THE SOURCES OF BLACK LIST SUBSTANCES IN TWO RIVER BASINS IN THE NETHERLANDS. *lawprc.* 24: 55-68.
- Pon, G; Hyman, MR; Semprini, L. (2003). Acetylene inhibition of trichloroethene and vinyl chloride reductive dechlorination. *Environmental Science & Technology.* 37: 3181-3188.
- Pon, G; Semprini, L. (2004). Anaerobic reductive dechlorination of 1-chloro-1-fluoroethene to track the transformation of vinyl chloride. *Environmental Science & Technology.* 38: 6803-6808.
- Ponder, SM; Darab, JG; Mallouk, TE. (2000). Remediation of Cr(VI) and Pb(II) aqueous solutions using supported, nanoscale zero-valent iron. *Environmental Science & Technology.* 34: 2564-2569.
- Pontius, FW. (1997). Future directions in water quality regulations. *American Water Works Association Journal.* 89: 40-54.
- Pontius, FW. (1998). New horizons in federal regulation. *American Water Works Association Journal.* 90: 38-50.
- Pontius, FW. (1999). Complying with future water regulations: With regulatory activity picking up momentum into 2000, utilities must anticipate and strategically plan for compliance. *American Water Works Association Journal.* 91: 46-58.
- Ponza, S; Parkpian, P; Polprasert, C; Shrestha, RP; Jugsujinda, A. (2010). Removal of trichloroethylene (TCE) contaminated soil using a two-stage anaerobic-aerobic composting technique. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 45: 549-559.
- Pooley, KE; Blessing, M; Schmidt, TC; Haderlein, SB; Macquarrie, KTB; Prommer, H. (2009). Aerobic Biodegradation of Chlorinated Ethenes in a Fractured Bedrock Aquifer: Quantitative Assessment by Compound-Specific Isotope Analysis (CSIA) and Reactive Transport Modeling. *Environmental Science & Technology.* 43: 7458-7464.
- Poon, R; Nadeau, B; Chu, I. (2000). Biochemical effects of chloral hydrate on male rats following 7-day drinking water exposure. *J Appl Toxicol.* 20: 455-461.
- Poon, R; Nakai, J; Yagminas, A; Benoit, F; Moir, D; Chu, I; Valli, VE. (2002). Subchronic toxicity of chloral hydrate on rats: a drinking water study. *J Appl Toxicol.* 22: 227-236.
- Popat, SC; Deshusses, MA. (2009). Reductive Dehalogenation of Trichloroethene Vapors in an Anaerobic Biotrickling Filter. *Environmental Science & Technology.* 43: 7856-7861.

Environmental Hazard Literature Search Results

Off Topic

- Popat, SC; Deshusses, MA. (2010). Analysis of the rate-limiting step of an anaerobic biotrickling filter removing TCE vapors. *Process Biochemistry*. 45: 549-555.
- Popat, SC; Deshusses, MA. (2010). Erratum to "Analysis of the rate-limiting step of an anaerobic biotrickling filter removing TCE vapors" [Process Biochem. 45 (2010) 549-555]. *Process Biochemistry*. 45: 1201.
- Popat, SC; Deshusses, MA. (2011). Kinetics and Inhibition of Reductive Dechlorination of Trichloroethene, cis-1,2-Dichloroethene and Vinyl Chloride in a Continuously Fed Anaerobic Biofilm Reactor. *Environmental Science & Technology*. 45: 1569-1578.
- Popat, SC; Zhao, K; Deshusses, MA. (2012). Bioaugmentation of an anaerobic biotrickling filter for enhanced conversion of trichloroethene to ethene. *Chem Eng J*. 183: 98-103.
- Popovicova, J; Brusseau, ML. (1994). TRANSPORT OF GAS-PHASE CONTAMINANTS IN THE UNSATURATED ZONE. 207th National Meeting Of The American Chemical Society, San Diego, California, Usa, March. 207: 219.
- Popovicova, J; Brusseau, ML. (1997). Dispersion and transport of gas-phase contaminants in dry porous media: effect of heterogeneity and gas velocity. *J Contam Hydrol*. 28: 157-169.
- Popovicova, J; Brusseau, ML. (1998). Contaminant mass transfer during gas-phase transport in unsaturated porous media. *Water Resour Res*. 34: 83-92.
- Popp, S; Beyer, C; Dahmke, A; Koproch, N; Kober, R; Bauer, S. (2016). Temperature-dependent dissolution of residual non-aqueous phase liquids: model development and verification. *Environ Earth Sci*. 75: 953-953.
- Popp, W; Mueller, G; Balthes-Schmitz, B; Wehner, B; Vahrenholz, C; Schmieding, W; Benninghoff, M; Norpoth, K. (1992). Concentrations of tetrachloroethene in blood and trichloroacetic acid in urine in workers and neighbours of dry-cleaning shops. *Int Arch Occup Environ Health*. 63: 393-395.
- Popp, W; Norpoth, K; Vahrenholz, C; Hamm, S; Balfanz, E; Theisen, J. (1997). Polychlorinated naphthalene exposures and liver function changes. *Am J Ind Med*. 32: 413-416.
- Poritz, M; Goris, T; Wubet, T; Tarkka, MT; Buscot, F; Nijenhuis, I; Lechner, U; Adrian, L. (2013). Genome sequences of two dehalogenation specialists - *Dehalococcoides mccartyi* strains BTF08 and DCMB5 enriched from the highly polluted Bitterfeld region. *FEMS Microbiol Lett*. 343: 101-104.
- Poritz, M; Schiffmann, CL; Hause, G; Heinemann, U; Seifert, J; Jehmlich, N; von Bergen, M; Nijenhuis, I; Lechner, U. (2015). *Dehalococcoides mccartyi* Strain DCMB5 Respires a Broad Spectrum of Chlorinated Aromatic Compounds. *Appl Environ Microbiol*. 81: 587-596.
- Porteous Moore, F; Barac, T; Borremans, B; Oeyen, L; Vangronsveld, J; Lelie, Dvd; Campbell, CD; Moore, ERB. (2006). Endophytic bacterial diversity in poplar trees growing on a BTEX-contaminated site: The characterisation of isolates with potential to enhance phytoremediation. *Syst Appl Microbiol*. 29, issue 7: 539-556.
- Portier, R; Miller, G; Hoover, D; Simar, R. (1992). FIELD APPLICATIONS OF BIOLOGICAL REACTORS REMOVING ETHYLENE DICHLORIDE TRICHLOROETHYLENE AND VINYL CHLORIDE FROM CONTAMINATED GROUNDWATERS. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 382.
- Post, C; Coffin, RR; Witherell, LE; Novick, LF; Stone, KM. (1987). Establishment of an exposure level to tetrachloroethylene in ambient air in Vermont. *Pharmacology & toxicology*. 61: 191-194.
- Post, C; Landrigan, PJ; Kominsky, JR; Stein, GF; Ruhe, RL; Watanabe, AS. (1987). Common-source community and industrial exposure to trichloroethylene. *Pharm Pharmacol Toxicol*. 61: 271-277.
- Pota, AA; Mathews, AP. (1999). Effects of particle stratification on fixed bed absorber performance. *Journal of Environmental Engineering-Asce*. 125: 705-711.
- Potra, AF; Bungardean, MC; Babut, CS; Micle, V. (2013). SELECTING THE OPTIMUM CERAMIC SUPPORT IN THE FORMING OF BIOFILM USED IN THE REMEDIATION OF GROUNDWATER CONTAMINATED WITH CHLORINATED SOLVENTS. *Scientific bulletin series D : mining, mineral processing, non-ferrous metallurgy, geology and environmental engineering*. 27: 125.
- Pott, WA; Benjamin, SA; Yang, RSH. (1998). Antagonistic interactions of an arsenic-containing mixture in a multiple organ carcinogenicity bioassay. *Cancer Lett*. 133: 185-190.
- Potter, K; Lovett-Doust, L. (2001). Biomonitoring site quality in stressed aquatic ecosystems using *Vallisneria americana*. *Ecol Appl*. 11: 215-225.
- Potter, ST; Moreno-Barbero, E; Divine, CE. (2008). MODALL: a practical tool for designing and optimizing capture systems. *Ground Water*. 46: 335-340.
- Potyrailo, RA; Sivavec, TM. (2004). Boosting sensitivity of organic vapor detection with silicone block polyimide polymers. *Anal Chem*. 76: 7023-7027.
- Poulsen, MM; Kueper, BH. (1992). A field experiment to study the behavior of tetrachloroethylene in unsaturated porous media. *Environ Sci Technol*. 26: 889-895.
- Poulsen, TG; Moldrup, P; Schjonning, P; Massmann, JW; Hansen, JA. (1998). Gas permeability and diffusivity in undisturbed soil: SVE implications. *Journal of Environmental Engineering-Asce*. 124: 979-986.
- Poulsen, TG; Moldrup, P; Yamaguchi, T; Massmann, JW; Hansen, JA. (1998). VOC vapor sorption in soil: Soil type dependent model and implications for vapor extraction. *Journal of Environmental Engineering-Asce*. 124: 146-155.
- Poulson, S; Drever, JI. (1999). Stable isotope (C, Cl, and H) fractionation during vaporization of trichloroethylene. *Environmental Science & Technology*. 33: 3689-3694.
- Poulson, S; Naraoka, H. (2002). Carbon isotope fractionation during permanganate oxidation of chlorinated ethylenes (cDCE, TCE, PCE). *Environmental Science & Technology*. 36: 3270-3274.
- Pouyatos, B; Fechter, LD; Linda, L. (2010). 13.14 - Auditory Toxicology* A2 - McQueen, Charlene A. *Comprehensive Toxicology (Second Edition)*

Environmental Hazard Literature Search Results

Off Topic

Oxford239-262.

- Powell, CL; Agrawal, A. (2011). Biodegradation of Trichloroethene by Methane Oxidizers Naturally Associated with Wetland Plant Roots. *Wetlands*. 31: 45-52.
- Powell, CL; Goltz, MN; Agrawal, A. (2014). Degradation kinetics of chlorinated aliphatic hydrocarbons by methane oxidizers naturally-associated with wetland plant roots. *J Contam Hydrol*. 170: 68-75.
- Powell, CL; Nogaro, G; Agrawal, A. (2011). Aerobic cometabolic degradation of trichloroethene by methane and ammonia oxidizing microorganisms naturally associated with *Carex comosa* roots. *Biodegradation*. 22: 527-538.
- Poyer, JL; Downs, P; Massion, W. (1987). FREE RADICAL FORMATION DURING IN-VIVO METABOLISM OF FREON 11 AND 1 1 1 TRICHLOROETHANE. 78th Annual Meeting Of The American Society Of Biological Chemists, Philadelphia, Pennsylvania, Usa, June. 46.
- Pradhan, AR; Macnaughtan, MA; Raftery, D. (2000). Zeolite-coated optical microfibers for intrazeolite photocatalysis studied by in situ solid-state NMR. *J Am Chem Soc*. 122: 404-405.
- Prakash, J; Nirmalakhandan, N; Sun, B; Peace, J. (1996). Toxicity of binary mixtures of organic chemicals to microorganisms. *Water Res*. 30: 1459-1463.
- Prakash, SM; Gupta, SK. (2000). Biodegradation of tetrachloroethylene in upflow anaerobic sludge blanket reactor. *Bioresour Technol*. 72: 47-54.
- Prasad, TV; Brown, KW. (1995). PERMACHOR METHOD TO PREDICT DIFFUSIVITY COEFFICIENTS OF ORGANICS IN AQUEOUS SOLUTIONS IN FLEXIBLE MEMBRANE LINERS. *Waste Management & Research*. 13: 47-53.
- Pratt, DA; van der Donk, WA. (2005). Theoretical investigations into the intermediacy of chlorinated vinylcobalamins in the reductive dehalogenation of chlorinated ethylenes. *J Am Chem Soc*. 127: 384-396.
- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. *Environmental Science & Technology*. 39: 3261-3268.
- Pratt, JR; McCormick, PV; Pontasch, KW; Cairns, JJR. (1988). EVALUATING SOLUBLE TOXICANTS IN CONTAMINATED SOILS. *Water Air Soil Pollut*. 37: 293-308.
- Prenafeta-Boldu, FX; Kuhn, A; Luykx, D; Anke, H; van Groenestijn, JW; de Bont, JAM. (2001). Isolation and characterisation of fungi growing on volatile aromatic hydrocarbons as their sole carbon and energy source. *Mycological Research*. 105: 477-484.
- Prendergast, JA; Jones, RA; Jenkins Jr, LJ; Siegel, J. (1967). Effects on experimental animals of long-term inhalation of trichloroethylene, carbon tetrachloride, 1,1,1-trichloroethane, dichlorodifluoromethane, and 1,1-dichloroethylene. *Toxicol Appl Pharmacol*. 10: 270-289.
- Prengle, HWJR; Symons, JM; Belhatche, D. (1996). H₂O₂/UV process for photo-oxidation of waterborne hazardous substances. C1-C6 chlorinated hydrocarbons. *Waste Manag*. 16: 327-333.
- Pressman, JG; Georgiou, G; Speitel, GE. (1999). Demonstration of efficient trichloroethylene biodegradation in a hollow-fiber membrane bioreactor. *Biotechnol Bioeng*. 62: 681-692.
- Pressman, JG; Georgiou, G; Speitel, GE. (2000). A hollow-fiber membrane bioreactor for the removal of trichloroethylene from the vapor phase. *Biotechnol Bioeng*. 68: 548-556.
- Pressman, JG; Georgiou, G; Speitel, GE. (2005). Scale-up considerations for a hollow-fiber-membrane bioreactor treating trichloroethylene-contaminated water. *Water Environ Res*. 77: 533-542.
- Pretzer, LA; Song, HJ; Fang, Y-L; Zhao, Z; Guo, N; Wu, T; Arslan, I; Miller, JT; Wong, MS. (2013). Hydrodechlorination catalysis of Pd-on-Au nanoparticles varies with particle size. *J Catal*. 298: 206-217.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research*. 22: 107-128.
- Price, NR. (1985). THE MODE OF ACTION OF FUMIGANTS. *J Stored Prod Res*. 21: 157-164.
- Price, PJ; Hassett, CM; Mansfield, JI. (1978). Transforming activities of trichloroethylene and proposed industrial alternatives. *In Vitro*. 14: 290-293.
- Priddle, MW; Jackson, RE. (1991). Laboratory column measurement of VOC (volatile organic compounds) retardation factors and comparison with field values. *Ground Water*. 29: 260-266.
- Prince, RC; Haitmanek, C; Lee, CC. (2008). The primary aerobic biodegradation of biodiesel B20. *Chemosphere*. 71: 1446-1451.
- Pritchard, PH. (1988). FATE OF POLLUTANTS. *J Water Pollut Control Fed*. 60: 983-994.
- Pritchard, WR. (1953). TRICHLOROETHYLENE-EXTRACTED SOYBEAN OIL MEAL (TCESOM) POISONING IN ANIMALS. PhD Thesis, University of Minnesota.
- Priya, VS; Philip, L. (2013). Biodegradation of Dichloromethane Along with Other VOCs from Pharmaceutical Wastewater. *Appl Biochem Biotechnol*. 169: 1197-1218.
- Proksch, E; Gehringer, P; Szinovatz, W; Eschweiler, H. (1989). Radiation-induced decomposition of small amounts of trichloroethylene in drinking water. *International journal of radiation applications and instrumentation Part A, Applied radiation and isotopes*. 40: 133-138.
- Prommer, H; Aziz, LH; Bolano, N; Taubald, H; Schuth, C. (2008). Modelling of geochemical and isotopic changes in a column experiment for degradation of TCE by zero-valent iron. *J Contam Hydrol*. 97: 13-26.
- Propper, R; Wong, P; Bui, S; Austin, J; Vance, W; Alvarado, A; Croes, B; Luo, D. (2015). Ambient and Emission Trends of Toxic Air Contaminants in California. *Environmental science & technology*. 49: 11329-11339.
- Protic, M; Sabljic, A. (1989). QUANTITATIVE STRUCTURE-ACTIVITY RELATIONSHIPS OF ACUTE TOXICITY OF COMMERCIAL CHEMICALS ON FATHEAD MINNOWS EFFECT OF MOLECULAR SIZE. *Aquat Toxicol*. 14: 47-64.

Environmental Hazard Literature Search Results

Off Topic

- Prout, MS; Provan, WM; Green, T. (1985). Species differences in response to trichloroethylene. I. Pharmacokinetics in rats and mice. *Toxicol Appl Pharmacol.* 79: 389-400.
- Providenti, MA; Lee, H; Trevors, JT. (1993). Selected factors limiting the microbial degradation of recalcitrant compounds. *Journal Of Industrial Microbiology.* 12: 379-395.
- Provoost, J; Reijnders, L; Bronders, J; Van Keer, I; Govaerts, S. (2014). Probabilistic Risk Assessment for Six Vapour Intrusion Algorithms. *Environment and Pollution.* 3: 1.
- Pryor, SC; Davies, TD; Hoffer, TE; Richman, MB. (1995). THE INFLUENCE OF SYNOPTIC SCALE METEOROLOGY ON TRANSPORT OR URBAN AIR TO REMOTE LOCATIONS IN THE SOUTHWESTERN UNITED STATES OF AMERICA. *Atmos Environ.* 29: 1609-1618.
- Ptacek, CJ; Gillham, RW. (1992). Laboratory and field measurements of non-equilibrium transport in the Borden aquifer, Ontario, Canada. *J Contam Hydrol.* 10: 119-158.
- Pu, H; Shackelford, CD; Fox, PJ. (2016). Assessment of Consolidation-Induced VOC Transport for a GML/GCL Composite Liner System. *Journal of Geotechnical and Geoenvironmental Engineering.* 142.
- Pu, M; Dupont, RR; Doucette, WJ. (2008). Impact of Vegetable Oil on Distribution of Trichloroethylene in Groundwater During Enhanced Bioremediation. *Environ Forensics.* 9: 340-349.
- Pueyo, C; Evans, EB; Balster, RL. (1991). CNS depressant effects of volatile organic solvents. *Mutagenesis.* 3: 199-205.
- Puigserver, D; Cort, eacortâ€šs, A; Viladevall, M; Nogueras, X; Carmona, JM. (2014). Processes controlling the fate of chloroethenes emanating from DNAPL aged sources in river-aquifer contexts. *J Contam.* 168: 25-40.
- Puigserver, D; Herrero, J; Torres, M; Cortes, A; Nijenhuis, I; Kuntze, K; Parker, BL; Carmona, JM. (2016). Reductive dechlorination in recalcitrant sources of chloroethenes in the transition zone between aquifers and aquitards. *Environ Sci Pollut Res Int.* 23: 18724-18741.
- Pulkrová, J; Suchanová, MDDoFC; Analysis, IoTPTPCR; Tomaniová, M; Kocourek, V; Hajslová, J. (2008). Organic pollutants in areas impacted by flooding in 2002: a 4-year survey. *Bull Environ Contam Toxicol.* 81: 299-304.
- Puls, RW; Blowes, DW; Gillham, RW. (1999). Long-term performance monitoring for a permeable reactive barrier at the U.S. Coast Guard Support Center, Elizabeth City, North Carolina. *J Hazard Mater.* 68: 109-124.
- Purdue, MP. (2013). Trichloroethylene and Cancer. *Jnci-Journal of the National Cancer Institute.* 105: 844-846.
- Puskar, MA; Levine, SP; Lowry, SR. (1986). Computerized IR spectral identification of compounds frequently found at hazardous waste sites. *Anal Chem.* 58: 1156-1162.
- Putchá, L; Bruckner, JV; D'Souza, R; Desai, F; Feldman, S. (1986). TOXICOKINETICS AND BIOAVAILABILITY OF ORAL AND INTRAVENOUS 1,1-DICHLOROETHYLENE. *Fundam Appl Toxicol.* 6: 240-250.
- Putthividhya, A. (2004). Roles of extracellular polymeric substances (EPS) in the transport, retention, detachment, and deposition of trichloroethylene (TCE) degrading toluene oxidizing bacteria in porous media. PhD Thesis, University of Michigan.
- Putthividhya, A; Kukor, JJ; Abriola, LM. (2016). The effects of substrate exposure history and carbon starvation-induced stress on the EPS synthesis of TCE degrading toluene oxidizing soil bacteria. *Environ Earth Sci.* 75: 775-+.
- Putz, DK; Brusseau, ML. (1997). ADVANCED CHARACTERIZATION OF A SUPERFUND SITE EFFECT OF CONTACT TIME ON TRANSPORT AND REMOVAL OF TRICHLOROETHENE. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 205.
- Putzlocher, R; Kueper, BH; Reynolds, DA. (2006). Relative velocities of DNAPL and aqueous phase plume migration. *J Contam Hydrol.* 88: 321-336.
- Putzrath, RM; Ginevan, ME. (1991). Meta-analysis: methods for combining data to improve quantitative risk assessment. *Regulatory toxicology and pharmacology : RTP.* 14: 178-188.
- Pye, JE; Roth, CB. (2015). Above, below, and in between the two glass transitions of ultrathin free-standing polystyrene films: Thermal expansion coefficient and physical aging. *Journal of polymer science.* 53: 64-75.
- Qi, H; Sun, DZ; Chi, GQ. (2007). Formaldehyde degradation by UV/TiO₂/O₃ process using continuous flow mode. *J Environ Sci.* 19: 1136-1140.
- Qi, S. (1992). Evaluation of activated carbon adsorption for removal of SOCs from natural water. PhD Thesis, University of Illinois at Urbana-Champaign.
- Qi, SY. (2004). Use of Dubinin-Astakhov equation to describe preloading effect of natural organic matter. *Journal of Environmental Engineering-Asce.* 130: 472-477.
- Qian, A; Liao, P; Yuan, SH; Luo, MS. (2014). Efficient reduction of Cr(VI) in groundwater by a hybrid electro-Pd process. *Water Res.* 48: 326-334.
- Qian, HF; Pretzer, LA; Velazquez, JC; Zhao, Z; Wong, MS. (2013). Gold nanoparticles for cleaning contaminated water. *J Chem Tech Biotechnol.* 88: 735-741.
- Qian, QK; Chan, EHW; Choy, LHT. (2013). How transaction costs affect real estate developers entering into the building energy efficiency (BEE) market? *Habitat international.* 37: 138-147.
- Qian, Y; Wang, Q; Yue, F. (2016). Remediation of TCE-contaminated water by enhanced chemical oxidation using Na₂S₂O₈/H₂O₂/red mud. *Desalination and Water Treatment.* 57: 4154-4161.
- Qiang, ZM; Chang, JH; Huang, CP. (2002). Electrochemical generation of hydrogen peroxide from dissolved oxygen in acidic solutions. *Water Res.* 36: 85-94.
- Qiao, W; Ye, S; Wu, J. (2015). A study of the two-phase flow in heterogeneous porous media with the light transmission method. *Hydrogeology and Engineering Geology.* 42: 112-119.
- Qin, DH; Byun, HS; Bittman, R. (1999). Synthesis of plasmalogen via 2,3-bis-O-(4'-methoxybenzyl)-sn-glycerol. *J Am Chem Soc.* 121: 662-668.

Environmental Hazard Literature Search Results

Off Topic

- Qin, K; Struckhoff, GC; Agrawal, A; Shelley, ML; Dong, H. (2015). Natural attenuation potential of trichloroethene in wetland plant roots: Role of native ammonium-oxidizing microorganisms. *Chemosphere*. 119: 971-977.
- Qin, XS; Huang, GH; Chakma, A; Chen, B; Zeng, GM. (2007). Simulation-based process optimization for surfactant-enhanced aquifer remediation at heterogeneous DNAPL-contaminated sites. *Sci Total Environ*. 381: 17-37.
- Qu, ZH; Zhao, YS; Zhou, R; Yin, XD; Zhu, YH; Wang, B; Jiao, LN. (2013). Laboratory-scale analysis of transportation and natural attenuation of diesel fuel in aquifer. *Environ Earth Sci*. 68: 1555-1561.
- Quadri, G; Chen, X; Jawitz, JW; Tambone, F; Genevini, P; Faoro, F; Adani, F. (2008). Biobased surfactant-like molecules from organic wastes: the effect of waste composition and composting process on surfactant properties and on the ability to solubilize Tetrachloroethene (PCE). *Environmental science & technology*. 42: 2618-2623.
- Quan, XC; Zhang, X; Xu, HD. (2015). In-situ formation and immobilization of biogenic nanopalladium into anaerobic granular sludge enhances azo dyes degradation. *Water Res*. 78: 74-83.
- Quan, Z; Khan, S; O'Brien, PJ. (1992). Role of cytochrome P-450IIE1 in N-nitroso-N-methylaniline induced hepatocyte cytotoxicity. *Chem Biol Interact*. 83: 221-233.
- Quast, JF; Humiston, CG; Wade, CE; Ballard, J; Beyer, JE; Schwetz, RW; Norris, JM. (1983). A chronic toxicity and oncogenicity study in rats and subchronic toxicity study in dogs on ingested vinylidene chloride. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 3: 55-62.
- Quast, JF; McKenna, MJ; Rumpy, LW; Norris, JM. (1986). Chronic toxicity and oncogenicity study on inhaled vinylidene chloride in rats. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 6: 105-144.
- Queirã, RB; Guedes, A; Marques, PVS; Noronha, JP; Sales, MGF. (2013). Recycling old screen-printed electrodes with newly designed plastic antibodies on the wall of carbon nanotubes as sensory element for in situ detection of bacterial toxins in water. *Sensors & Actuators: B*. 189: 21-29.
- Quillardet, P; De, BELLECOMBEC; Hofnung, M. (1985). THE SOS CHROMOTEST A COLORIMETRIC BACTERIAL ASSAY FOR GENOTOXINS VALIDATION STUDY WITH 83 COMPOUNDS. *Mutat Res*. 147: 79-96.
- Quinlivan, PA; Li, L; Knappe, DRU. (2005). Effects of activated carbon characteristics on the simultaneous adsorption of aqueous organic micropollutants and natural organic matter. *Water Res*. 39: 1663-1673.
- Quinn, J; Geiger, C; Clausen, C; Brooks, K; Coon, C; O'Hara, S; Krug, T; Major, D; Yoon, WS; Gavaskar, A; Holdsworth, T. (2005). Field demonstration of DNAPL dehalogenation using emulsified zero-valent iron. *Environmental Science & Technology*. 39: 1309-1318.
- Quintana, A; Lopez-Garriga, J. (1995). DETERMINATION OF VOLATILE HALOGENATED ORGANIC COMPOUNDS IN THE TROPICAL TERRESTRIAL ECOSYSTEM. 209th American Chemical Society National Meeting, Anaheim, California, Usa, April. 209: 184.
- Qurollo, BA; Dalton, DD; Enfinger, CS; Shields, MS. (1996). DEVELOPMENT AND SOIL TESTING OF FIELD APPLICATION VECTORS FOR TCE DEGRADATION BY TWO CONSTRUCTED DEGRADATIVE PLASMIDS TOM-31C AND TOM-301C. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 409.
- Rãčšv; eacuM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and O_2 tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol*. 156: 62-77.
- Rãčvš; eacuM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and H_2O tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol*. 156: 62-77.
- Rabideau, AJ; Blayden, JM; Ganguly, C. (1999). Field performance of air sparging system for removing TCE from groundwater. *Environmental Science & Technology*. 33: 157-162.
- Rabideau, AJ; Suribhatla, R; Craig, JR. (2005). Analytical models for the design of iron-based permeable reactive barriers. *J Environ Eng*. 131: 1589-1597.
- Rabovsky, J; Marion, KJ; Resnick, H. (1985). Hydrocarbon solvents: effect on calcium mediated events in liposomes. *Chem Phys Lipids*. 37: 13-18.
- Radak, BB; Petkovska, MT; Trtica, MS; Miljanic, SS; Petkovska, LT. (2004). Photoacoustic study of CO_2 -laser coincidences with absorption of some organic solvent vapours. *Anal Chim Acta*. 505: 67-71.
- Radway, JC; Santo, DOMINGOJW; Hermann, P; Berry, C; Wilde, EW. (1996). IMMOBILIZATION OF TCE-DEGRADING BACTERIA IN HYDROPHILIC POLYURETHANE FOAM. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 408.
- Radway, JC; Santo Domingo, JW; Hazen, TC; Wilde, EW. (1998). Evaluation of biodegradation potential of foam embedded *Burkholderia cepacia* G4. *Biotechnol Lett*. 20: 663-666.
- Ragatz, D; Graham, LS; Milcamps, A; Phillips, DA; De, BRUIJNFJ. (1994). CHARACTERIZATION AND ENVIRONMENTAL IMPACT OF RHIZOBIUM MELILOTI GENES INDUCED BY DEPLETION OF NITROGEN CARBON AND OXYGEN AND BY FLAVONOIDS. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 335.
- Ragnar, HEDEA; Berglund, BG; Post, C. (1987). TRICHLOROETHYLENE AND HALOTHANE INHIBIT UPTAKE AND METABOLISM OF 5-HYDROXYTRYPTAMINE IN RAT LUNG SLICES. *Pharmacol Toxicol*. 61: 191-194.
- Rahm, BG; Chauhan, S; Holmes, VF; Macbeth, TW; Sorenson, KSJ; Alvarez-Cohen, L. (2006). Molecular characterization of microbial populations at two sites with differing reductive dechlorination abilities. *Biodegradation*. 17: 523-534.
- Rahm, BG; Morris, RM; Richardson, RE. (2006). Temporal expression of respiratory genes in an enrichment culture containing *Dehalococcoides ethenogenes*. *Appl Environ Microbiol*. 72: 5486-5491.

Environmental Hazard Literature Search Results

Off Topic

- Rahm, BG; Richardson, RE. (2008). Dehalococoides' gene transcripts as quantitative bioindicators of tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene dehalorespiration rates. *Environmental Science & Technology*. 42: 5099-5105.
- Rahman, AA; Brookes, NJ; Bennett, DJ. (2009). The Precursors and Impacts of BSR on AMT Acquisition and Implementation. *IEEE Trans Eng Manag*. 56: 285-297.
- Rahman, MM; Liedl, R; Grathwohl, P. (2004). Sorption kinetics during macropore transport of organic contaminants in soils: Laboratory experiments and analytical modeling. *Water Resour Res*. 40: 1503-1503.
- Raimond, CS, III; Stricker, JR; Silverstone, SE. (1997). IN SITU ENUMERATION OF ANAEROBIC BACTERIA THAT DEGRADE ETHYLBENZENE TOLUENE AND PCE. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 404.
- Raisbeck, MF; Brown, EM; Kanchanapangka, S; Hewitt, WR. (1990). KETONIC POTENTIATION OF HALOALKANE-INDUCED NEPHROTOXICITY. Goldstein, R S, W R Hewitt And J B Hook. 0: 321-366.
- Raison-Peyron, N. (2013). "Cutaneous adverse drug reactions" are not always drug-induced. *Eur J Dermatol*. 23: 439-442.
- Raja, N; Arora, PK; Chatha, JPS. (1986). RATE CONSTANTS OF SINGLET OXYGEN. *Int J Chem Kinet*. 18: 505-512.
- Rajagopal, R; Li, PC. (1991). Comparison of two screening methods for the detection of volatile organic compounds in ground water. *J Chemometrics*. 5: 321-331.
- Rajagopal, VK; Burris, DR. (1999). Reduction of 1,2-dibromoethane in the presence of zero-valent iron. *Environ Toxicol Chem*. 18: 1779-1782.
- Rajajayavel, SRC; Ghoshal, S. (2015). Enhanced reductive dechlorination of trichloroethylene by sulfidated nanoscale zerovalent iron. *Water Res*. 78: 144-153.
- Rajamanikandan, S; Sindhu, T; Durgapriya, D; Sophia, D; Ragavendran, P; Gopalakrishnan, VK. (2012). Protective effect of *Mollugo nudicaulis* Lam. on acute liver injury induced by perchloroethylene in experimental rats. *Asian Pacific Journal of Tropical Medicine*. 5: 862-867.
- Rajayya, M. (1992). Parallel pathways in the electrolytic reduction of halogenated aliphatic compounds. PhD Thesis, Michigan State University.
- Rajendran, S. (1990). The toxicity of phosphine, methyl bromide, 1,1,1-trichloroethane and carbon dioxide alone and as mixtures to the pupae of red flour beetle, *Tribolium castaneum* Herbst. *Pestic Sci*. 29: 75-84.
- Rajic, L; Fallahpour, N; Alshawabkeh, AN. (2015). Impact of electrode sequence on electrochemical removal of trichloroethylene from aqueous solution. *Appl Catal B-Environ*. 174-175: 427-434.
- Rajic, L; Fallahpour, N; Podlaha, E; Alshawabkeh, A. (2016). The influence of cathode material on electrochemical degradation of trichloroethylene in aqueous solution. *Chemosphere*. 147: 98-104.
- Rajic, L; Fallahpour, N; Yuan, SH; Alshawabkeh, AN. (2014). Electrochemical transformation of trichloroethylene in aqueous solution by electrode polarity reversal. *Water Res*. 67: 267-275.
- Rajic, L; Nazari, R; Fallahpour, N; Alshawabkeh, AN. (2016). Electrochemical degradation of trichloroethylene in aqueous solution by bipolar graphite electrodes. *Journal of Environmental Chemical Engineering*. 4: 197-202.
- Ramaiah, KP; Satyasri, D; Sridhar, S; Krishnaiah, A. (2013). Removal of hazardous chlorinated VOCs from aqueous solutions using novel ZSM-5 loaded PDMS/PVDF composite membrane consisting of three hydrophobic layers. *J Hazard Mater*. 261: 362-371.
- Ramakrishnan, V; Ogram, AV; Lindner, AS. (2005). Impacts of co-solvent flushing on microbial populations capable of degrading trichloroethylene. *Environ Health Perspect*. 113: 55-61.
- Ramanathan, V. (1998). Trace-gas greenhouse effect and global warming: Underlying principles and outstanding issues: Volvo Environmental Prize Lecture 1997. *Ambio*. 27: 187-197.
- Ramavandi, B; Mortazavi, SB; Moussavi, G; Ranjbar, B; Mamisaheby, S. (2011). EXPERIMENTAL INVESTIGATION OF THE CHEMICAL REDUCTION OF NITRATE IN WATER BY Mg(o) AND Cu/Mg BIMETALLIC PARTICLES IN THE ABSENCE OF ANY PH- CONTROL MECHANISM. *Fresen Environ Bull*. 20: 2475-2484.
- Ramirez-Toro, GI; Minnigh, HA; Rosenzweig, WD; Pipes, WO. (1992). PRODUCTION OF TRIHALOMETHANES AND OTHER DISINFECTION BY-PRODUCTS UPON THE CHLORINATION OF PURE CULTURES OF FUNGI AND BACTERIA. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 298.
- Rampy, LW; Quast, JF; Humiston, CG; Balmer, MF; Schwetz, BA. (1977). Interim results of two-year toxicological studies in rats of vinylidene chloride incorporated in the drinking water or administered by repeated inhalation. *Environ Health Perspect*. 21: 33-43.
- Ramsburg, CA; Abriola, LM; Pennell, KD; Loffler, FE; Gamache, M; Amos, BK; Petrovskis, EA. (2004). Stimulated microbial reductive dechlorination following surfactant treatment at the Bachman Road site. *Environmental Science & Technology*. 38: 5902-5914.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for dense nonaqueous-phase liquid source-zone remediation: density conversion using a partitioning alcohol. *Environmental science & technology*. 36: 2082-2087.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for DNAPL source zone remediation: Density conversion and recovery in heterogeneous aquifer cells. *Environmental Science & Technology*. 36: 3176-3187.
- Ramsburg, CA; Pennell, KD; Abriola, LM; Daniels, G; Drummond, CD; Gamache, M; Hsu, HL; Petrovskis, EA; Rathfelder, KM; Ryder, JL; Yavaraski, TP. (2005). Pilot-scale demonstration of surfactant-enhanced PCE solubilization at the Bachman Road site. 2. System operation and evaluation. *Environmental science & technology*. 39: 1791-1801.
- Ramsburg, CA; Pennell, KD; Kibbey, TCG; Hayes, KF. (2003). Use of a surfactant-stabilized emulsion to deliver 1-butanol for density-modified displacement of trichloroethene. *Environmental Science & Technology*. 37: 4246-4253.
- Ramsburg, CA; Pennell, KD; Kibbey, TCG; Hayes, KF. (2004). Refinement of the density-modified displacement method for efficient treatment of tetrachloroethene source zones. *J Contam Hydrol*. 74: 105-131.
- Ramsburg, CA; Thornton, CE; Christ, JA. (2010). Degradation Product Partitioning in Source Zones Containing Chlorinated Ethene Dense Non-Aqueous-Phase Liquid. *Environmental Science & Technology*. 44: 9105-9111.

Environmental Hazard Literature Search Results

Off Topic

- Ran, Y; Xing, B; Rao, PS; Sheng, G; Fu, J. (2005). Sorption kinetics of organic contaminants by sandy aquifer and its kerogen isolate. *Environmental science & technology*. 39: 1649-1657.
- Rana, SVS; Gupta, S. (1999). Phenobarbital alters liver and kidney function in toluene- and trichloroethylene-treated rats. *Toxic Substance Mechanisms*. 18: 3-10.
- Rana, SVS; Gupta, S. (2000). Metabolism of toluene and trichloroethylene in laboratory rats, pretreated with phenobarbital. *J Environ Biol*. 21: 105-109.
- Rank, J; Nielsen, MH. (1994). Evaluation of the Allium anaphase-telophase test in relation to genotoxicity screening of industrial wastewater. *Mutat Res*. 312: 17-24.
- Rao, MS; Reddy, JK. (1991). An overview of peroxisome proliferator-induced hepatocarcinogenesis. *Environ Health Perspect*. 93: 205-209.
- Rao, PG; Kelly, PM; Hulme, M. (1996). Recent climatic change, greenhouse gas emissions and future climate: The implications for India. *Theor Appl Climatol*. 55: 41-64.
- Rao, PH; Liu, TZ; Liang, XH; Ding, GY. (2016). Dual Effects of Humic Acid in Trichloroethylene Removal from Groundwater by Zero-Valent Iron: Hydrophobic Partition and Surface Adsorption. *Water Air and Soil Pollution*. 227: 137-137.
- Rao, PSC; Hornsby, AG; Jessup, RE. (1984). INDICES FOR RANKING THE POTENTIAL FOR PESTICIDE CONTAMINATION OF GROUNDWATER. 44th Annual Meeting Of The Soil And Crop Science Society Of Florida, Jacksonville Beach, Fla, Usa, Oct. 44: 1-8.
- Rao, PSC; Ogwada, RA; Rhue, RD. (1989). ADSORPTION OF VOLATILE ORGANIC COMPOUNDS ON ANHYDROUS AND HYDRATED SORBENTS EQUILIBRIUM ADSORPTION AND ENERGETICS. *Chemosphere*. 18: 2177-2192.
- Rao, SK; Rao, PS; Rao, BN. (2008). Preliminary Investigation of the Radiosensitizing Activity of Guduchi (*Tinospora Cordifolia*) in Tumor-bearing Mice. *Phytother Res*. 22: 1482-1489.
- Rappe, C; Marklund, S; Kjeller, LO; Tysklind, M. (1985). PCDDS AND PCDFS IN EMISSIONS FROM VARIOUS INCINERATORS. Fifth International Symposium On Chlorinated Dioxins And Related Compounds, Bayreuth, West Germany, Sept. 15: 1213-1218.
- Rasche, ME; Hyman, MR; Arp, DJ. (1991). Factors Limiting Aliphatic Chlorocarbon Degradation by *Nitrosomonas europaea*: Cometabolic Inactivation of Ammonia Monooxygenase and Substrate Specificity. *Appl Environ Microbiol*. 57: 2986-2994.
- Rashid, MM; Sato, C. (2011). Photolysis, Sonolysis, and Photosonolysis of Trichloroethane (TCA), Trichloroethylene (TCE), and Tetrachloroethylene (PCE) Without Catalyst. *Water Air and Soil Pollution*. 216: 429-440.
- Rashid, MM; Sato, C. (2012). Degradation of Trichloroethylene and Tetrachloroethylene in Simulated Groundwater in a Flow-Through Photosono Reactor. *Journal of Environmental Engineering-Asce*. 138: 1179-1185.
- Rasmussen, IM; Schou, HS; Hermansen, K. (1989). Cardiotoxic effects and the influence on the beta-adrenoceptor function of doxorubicin (Adriamycin) in the rat. *Pharmacology & toxicology*. 65: 69-72.
- Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993). Psychometric tests for assessment of brain function after solvent exposure. *Am J Ind Med*. 24: 553-565.
- Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993). Solvent-induced chronic toxic encephalopathy. *Am J Ind Med*. 23: 779-792.
- Rasmussen, K; Lunde-Jensen, P; Svane, O. (1991). Biological monitoring and medical screening at the workplace in the EC countries. *Int Arch Occup Environ Health*. 63: 347-352.
- Rasmussen, RA; Khalil, MAK. (1983). Natural and anthropogenic trace gases in the lower troposphere of the Arctic. *Chemosphere*. 12: 371-375.
- Rassabi, J; Riha, BD; Haas, JW; Eddy-Dilek, CA; Kreeger, AGL; Carrabba, M; Hyde, WK; Bello, J. (2000). Field tests of a DNAPL characterization system using cone penetrometer-based Raman spectroscopy. *Ground Water Monitoring and Remediation*. 20: 72-81.
- Rathfelder, KM; Abriola, LM; Singletary, MA; Pennell, KD. (2003). Influence of surfactant-facilitated interfacial tension reduction on chlorinated solvent migration in porous media: observations and numerical simulation. *J Contam Hydrol*. 64: 227-252.
- Rathfelder, KM; Abriola, LM; Taylor, TP; Pennell, KD. (2001). Surfactant enhanced recovery of tetrachloroethylene from a porous medium containing low permeability lenses. 2. Numerical simulation. *J Contam Hydrol*. 48: 351-374.
- Ratnoff, WD; Gress, RE. (1980). The familial occurrence of polycythemia vera: report of a father and son, with consideration of the possible etiologic role of exposure to organic solvents, including tetrachloroethylene. *Blood*. 56: 233-236.
- Ratovelomanana, V; Linstrumelle, G; Normant, J-F. (1985). Palladium and nickel-catalyzed reaction of grignard reagents with trichloroethylene. A simple synthesis of 1,1-dichloroalkenes. *Tetrahedron Lett*. 26: 2575-2576.
- Rautio, A; Korkka-Niemi, K. (2011). Characterization of groundwater-lake water interactions at Pyhajarvi, a lake in SW Finland. *Boreal Environment Research*. 16: 363-380.
- Rav-Acha, C; Shuval, HI; Avisar, E; Ben-Zakin, S; Alkaslasi, D; Zelicovitz, Y. (1990). MUTAGENICITY OF CHLORINATED SEAWATER FROM COOLING SYSTEMS OF POWER PLANTS. *Grandjean, E*. 0: 33-54.
- Ravel, G; Christ, M; Perron-Lepage, MF; Condevaux, F; Descotes, J. (2005). Trichloroethylene Does Not Accelerate Autoimmune Diabetes in NOD Mice. *J Immunotoxicol*. 1: 141-148.
- Ravikumar, JX; Gurol, MD. Chemical oxidation of chlorinated organics by hydrogen peroxide in the presence of sand. *Environmental science & technology*. Mar 1994. v. 28 (3): 394-400.
- Raychoudhury, T; Scheytt, T. (2013). Potential of zerovalent iron nanoparticles for remediation of environmental organic contaminants in water: a review. *Water Science and Technology*. 68: 1425-1439.
- Razafindratsima, S; GuÃ©rin, R; Bendjoudi, H; de Marsily, G. (2014). Hydrogeological modeling constraints provided by geophysical and geochemical mapping of a chlorinated ethenes plume in northern France Hydrogeological modeling constraints provided by geophysical and geochemical mapping of a chlorinated ethenes plume in northern France. *Hydrogeology Journal*. 22: 1433-1446.

Environmental Hazard Literature Search Results

Off Topic

- Razafindratsima, S; Guerin, R; Bendjoudi, H; Marsily, G. (2014). Hydrogeological modeling constraints provided by geophysical and geochemical mapping of a chlorinated ethenes plume in northern France. *Hydrogeology Journal*. 22: 1433-1446.
- Re, RH; Hoffmannmann, N; Miethchen, R; Sonne, C; Leifsson, PS; Dietz, R; Born, EW; Letcher, RJ; Hyldstrup, L; Riget, FF; Kirkegaard, M; Muir, DC. (2006). Xenoendocrine pollutants may reduce size of sexual organs in East Greenland polar bears (*Ursus maritimus*). *Carbohydr Res*. 341: 2641-2652.
- Read, HW; Fu, X; Clark, LA; Anderson, MA; Jarosch, T. (1996). Field trials of a TiO₂ pellet-based photocatalytic reactor for off-gas treatment at a soil vapor extraction well. *Journal of Soil Contamination*. 5: 187-202.
- Reardon, EJ. (2014). Capture and storage of hydrogen gas by zero-valent iron. *J Contam Hydrol*. 157: 117-124.
- Reardon, EJ; Fagan, R; Vogan, JL; Przepiora, A. (2008). Anaerobic corrosion reaction kinetics of nanosized iron. *Environmental Science & Technology*. 42: 2420-2425.
- Rebert, CS; Boyes, WK; Pryor, GT; Svendsgaard, DJ; Kassay, KM; Gordon, GR; Shinsky, N. (1993). Combined effects of solvents on the rat's auditory system: styrene and trichloroethylene. *International journal of psychophysiology : official journal of the International Organization of Psychophysiology*. 14: 49-59.
- Rebert, CS; Day, VL; Matteucci, MJ; Pryor, GT. (1991). Sensory-evoked potentials in rats chronically exposed to trichloroethylene: predominant auditory dysfunction. *Neurotoxicol Teratol*. 13: 83-90.
- Rebert, CS; Schwartz, RW; Svendsgaard, DJ; Pryor, GT; Boyes, WK. (1995). Combined effects of paired solvents on the rat's auditory system. *Toxicology*. 105: 345-354.
- Reddy, AM; Min, KR; Lee, K; Lim, JY; Kim, CK; Kim, Y. (2004). Kinetic property and phylogenetic relationship of 2-hydroxy-muconic sernialdehyde dehydrogenase encoded in tomC gene of *Burkholderia cepacia* G4. *Arch Pharm Res*. 27: 570-575.
- Reddy, CM; Drenzek, NJ; Eglinton, TI; Heraty, LJ; Sturchio, NC; Shiner, VJ. (2002). Stable chlorine intramolecular kinetic isotope effects from the abiotic dehydrochlorination of DDT. *Environmental science and pollution research international*. 9: 183-186.
- Reddy, KR; Kosgi, S; Zhou, J. (1995). A review of in-situ air sparging for the remediation of VOC-contaminated saturated soils and groundwater. *Hazardous Waste & Hazardous Materials*. 12: 97-118.
- Reddy, T; Meeravali, NN; Reddy, AVR. (2013). Novel reverse mixed micelle mediated transport of platinum and palladium through a bulk liquid membrane from real samples. *Separation and Purification Technology*. 103: 71-77.
- Redmond, CK. (1991). SEVENTH SYMPOSIUM ON ENVIRONMENTAL EPIDEMIOLOGY METHODS FOR ENVIRONMENTAL QUANTITATIVE RISK ASSESSMENT PITTSBURGH PENNSYLVANIA USA APRIL 3-5 1989. *Environ Health Perspect*. 90: 155-296.
- Redmond, MS; Crocker, PA; McKenna, KM; Petrocelli, EA; Scott, KJ; Demas, CR. (1996). Sediment toxicity testing with the amphipod *Ampelisca abdita* in Calcasieu Estuary, Louisiana. *Arch Environ Contam Toxicol*. 30: 53-61.
- Reed, BE; Matsumoto, MR; Jensen, JN; Viadero, RJR; Lin, W. (1998). PHYSICOCHEMICAL PROCESSES. *Water Environ Res*. 70: 449-473.
- Reed, PM; Ellsworth, TR; Minsker, BS. (2004). Spatial interpolation methods for nonstationary plume data. *Ground Water*. 42: 190-202.
- Rees, DC; Knisely, J; Coggeshell, E; Balster, RL. (1985). INHALED SOLVENTS PRODUCE PENTOBARBITAL-LIKE EFFECTS IN MICE. Fourth Meeting Of The Behavioral Toxicology Society, Wilmington, Del, Usa, June. 7: 530.
- Rees, DC; Knisely, JS; Breen, TJ; Balster, RL. (1987). Toluene, halothane, 1,1,1-trichloroethane and oxazepam produce ethanol-like discriminative stimulus effects in mice. *The Journal of pharmacology and experimental therapeutics*. 243: 931-937.
- Reeves, HW; Abriola, LM. (1994). AN ITERATIVE COMPOSITIONAL MODEL FOR SUBSURFACE MULTIPHASE FLOW. *J Contam Hydrol*. 15: 249-276.
- Regeard, C; Maillard, J; Holliger, C. (2004). Development of degenerate and specific PCR primers for the detection and isolation of known and putative chloroethene reductive dehalogenase genes. *J Microbiol Methods*. 56: 107-118.
- Reh fuss, M; Urban, J. (2005). *Alcaligenes faecalis* subsp *phenolicus* subsp nov a phenol-degrading, denitrifying bacterium isolated from a graywater bioprocessor. *Syst Appl Microbiol*. 28: 421-429.
- Rehman, MU; Tahir, M; Khan, AQ; Khan, R; Lateef, A; Hamiza, OO; Ali, F; Sultana, S. (2013). Diosmin protects against trichloroethylene-induced renal injury in Wistar rats: plausible role of p53, Bax and caspases. *Br J Nutr*. 110: 699-710.
- Rehman, MU; Tahir, M; Khan, AQ; Khan, R; Lateef, A; Oday, OH; Ali, F; Sultana, S. (2013). Diosmin protects against TCE (trichloroethylene) induced renal injury in Wistar rats: Plausible role of p53, Bax and caspases. *Toxicol Lett*. 221, Supplement: S250.
- Reiche, N; Lorenz, W; Borsdorf, H. (2010). Development and application of dynamic air chambers for measurement of volatilization fluxes of benzene and MTBE from constructed wetlands planted with common reed. *Chemosphere*. 79: 162-168.
- Reichert, D; Spengler, U; Romen, W; Henschler, D. (1984). Carcinogenicity of dichloroacetylene: an inhalation study. *Carcinogenesis*. 5: 1411-1420.
- Reichert, D; Werner, HW; Henschler, D. (1978). Role of liver glutathione in 1,1-dichloroethylene metabolism and hepatotoxicity in intact rats and isolated perfused rat liver. *Arch Toxicol*. 41: 169-178.
- Reichman, R; Rolston, DE; Yates, SR; Skaggs, TH. (2011). Diurnal Variation of Diazinon Volatilization: Soil Moisture Effects. *Environmental Science & Technology*. 45: 2144-2149.
- Reif, JS; Burch, JB; Nuckols, J; Metzger, L; Ellington, D; Anger, WK. (2003). Neurobehavioral effects of exposure to trichloroethylene through a municipal water supply. *Environ Res*. 93: 248-258.
- Reij, MW; Keurentjes, JTF; Hartmans, S. (1998). Membrane bioreactors for waste gas treatment. *J Biotechnol*. 59: 155-167.
- Reij, MW; Kieboom, J; Bont, JAMd; Hartmans, S. Continuous degradation of trichloroethylene by *Xanthobacter* sp. strain Py2 during growth on propene. *Appl Environ Microbiol*. Aug 1995. v. 61 (8): 2936-2942.

Environmental Hazard Literature Search Results

Off Topic

- Reimann, S; Manning, AJ; Simmonds, PG; Cunnold, DM; Wang, RH; Li, J; McCulloch, A; Prinn, RG; Huang, J; Weiss, RF; Fraser, PJ; O'Doherty, S; Grealley, BR; Stemmler, K; Hill, M; Folini, D. (2005). Low European methyl chloroform emissions inferred from long-term atmospheric measurements. *Nature*. 433: 506-508.
- Rein, A; Holm, O; Trapp, S; Popp-Hofmann, S; Bittens, M; Leven, C; Dietrich, P. (2015). Comparison of Phytoscreening and Direct-Push-Based Site Investigation at a Rural Megasite Contaminated with Chlorinated Ethenes. *Ground Water Monitoring and Remediation*. 35: 1-NIL_108.
- Reinart, DR; Gould, JP; Cross, WH; Pohland, FG. (1989). SORPTIVE BEHAVIOR OF SELECTED ORGANIC POLLUTANTS CODISPOSED IN A MUNICIPAL LANDFILL. Tedder, D W And F G Pohland. 0: 292-310.
- Reinhard, M; Curtis, GP; Kriegman, MM. (1990). TRANSFORMATIONS OF CARBON TETRACHLORIDE AND HEXACHLOROETHANE INDUCED BY NATURAL SEDIMENTS AND MINERALS UNDER ANAEROBIC AND AEROBIC CONDITIONS. 199th Acs. 199: 96.
- Reinhard, M; Goodman, NL; McCarty, PL; Argo, DG. (1986). Removing trace organics by reverse osmosis using cellulose acetate and polyamide membranes. *Am Water Works Assoc J*. 78: 163-174.
- Reinhart, DR. (1993). A REVIEW OF RECENT STUDIES ON THE SOURCES OF HAZARDOUS COMPOUNDS EMITTED FROM SOLID WASTE LANDFILLS A U.S EXPERIENCE. *Waste Manage Res*. 11: 257-268.
- Reinhart, DR; Pohland, FG. (1991). The assimilation of organic hazardous wastes by municipal solid waste landfills. *J Ind Microbiol*. 8: 193-200.
- Reinhart, DR; Pohland, FG; Gould, JP; Cross, WH. (1991). The fate of selected organic pollutants codisposed with municipal refuse. *Res J Water Pollut Control Fed*. 63: 780-788.
- Reinhold, A; Westermann, M; Seifert, J; von, BM; Schubert, T; Diekert, G. (2012). Impact of vitamin B12 on formation of the tetrachloroethene reductive dehalogenase in *Desulfitobacterium hafniense* strain Y51. *Appl Environ Microbiol*. 78: 8025-8032.
- Reinsch, BC; Forsberg, B; Penn, RL; Kim, CS; Lowry, GV. (2010). Chemical Transformations during Aging of Zerovalent Iron Nanoparticles in the Presence of Common Groundwater Dissolved Constituents. *Environmental Science & Technology*. 44: 3455-3461.
- Reish, DJ; Oshida, PS; Mearns, AJ; Ginn, TC. (1987). EFFECTS ON SALTWATER ORGANISMS. *J Water Pollut Control Fed*. 59: 572-586.
- Reish, DJ; Oshida, PS; Mearns, AJ; Ginn, TC; Buchman, M. (1998). EFFECTS OF POLLUTION ON SALTWATER ORGANISMS. *Water Environ Res*. 70: 931-949.
- Remya, N; Lin, J-G. (2011). Current status of microwave application in wastewater treatment—A review. *Chem Eng J*. 166: 797-813.
- Ren, P; Mehta, PP; Ruch, RJ. (1998). Inhibition of gap junctional intercellular communication by tumor promoters in connexin43 and connexin32-expressing liver cells: cell specificity and role of protein kinase C. *Carcinogenesis*. 19: 169-175.
- Ren, W; Zhou, ZW; Irudayaraj, JMK. (2015). Trichloroethylene sensing in water based on SERS with multifunctional Au/TiO₂ core-shell nanocomposites. *Analyst*. 140: 6625-6630.
- Renard, P; Bouillon, C; Naveau, H; Nyns, EJ. (1993). Toxicity of a mixture of polychlorinated organic compounds towards an unacclimated methanogenic consortium. *Biotechnol Lett*. 15: 195-200.
- Renner, R. (1998). INTRINSIC REMEDIATION UNDER THE MICROSCOPE CONCERNS ABOUT THE USE OF NATURAL ATTENUATION HAVE LED TO A MAJOR REVIEW OF THE METHOD'S EFFECTIVENESS. *Environmental Science & Technology*. 32: 180A-183A.
- Renpenning, J; Keller, S; Cretnik, S; Shouakar-Stash, O; Elsner, M; Schubert, T; Nijenhuis, I. (2014). Combined C and Cl Isotope Effects Indicate Differences between Corrinoids and Enzyme (Sulfurospirillum multivorans PceA) in Reductive Dehalogenation of Tetrachloroethene, But Not Trichloroethene. *Environmental Science & Technology*. 48: 11837-11845.
- Renpenning, J; Rapp, I; Nijenhuis, I. (2015). Substrate Hydrophobicity and Cell Composition Influence the Extent of Rate Limitation and Masking of Isotope Fractionation during Microbial Reductive Dehalogenation of Chlorinated Ethenes. *Environmental Science & Technology*. 49: 4293-4301.
- Rese, M; Roemer, E. (2004). Managing commitments and flexibility by real options. *Industrial Marketing Management*. 33: 501-512.
- Resnick, MA; Mayer, VW; Zimmermann, FK. (1986). THE DETECTION OF CHEMICALLY INDUCED ANEUPLOIDY IN SACCHAROMYCES-CEREVISIAE AN ASSESSMENT OF MITOTIC AND MEIOTIC SYSTEMS. *Mutat Res*. 167: 47-60.
- Ress, NB. (2002). NTP Technical Report on the toxicity studies of trans-1,2-dichloroethylene (CAS no. 156-60-5) administered in microcapsules in feed to F344/N rats and B6C3F(1) mice. *Toxic Rep Ser*. 55.
- Revesz, KM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and H-2(H₂O) tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol*. 156: 62-77.
- Revesz, KM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and super(2)HH sub(2)O tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol*. 156: 62-77.
- Revesz, S; Sipos, R; Kende, A; Rikker, T; Romsics, C; Meszaros, E; Mohr, A; Tancsics, A; Marialigeti, K. (2006). Bacterial community changes in TCE biodegradation detected in microcosm experiments. *International Biodeterioration & Biodegradation*. 58: 239-247.
- Reyes, EA. (2007). Multinuclear SSNMR, EPR, and XPS studies of anion-doped titanium dioxide photocatalysts. PhD Thesis, Purdue University.
- Reyes, JL; Terrazas, CsA; Vera-Arias, L; Terrazas, LI. (2009). Differential response of antigen presenting cells from susceptible and resistant strains of mice to *Taenia crassiceps* infection. *Infection, Genetics and Evolution*. 9: 1115-1127.
- Reynolds, DA; Kueper, BH. (2001). Multiphase flow and transport in fractured clay/sand sequences. *J Contam Hydrol*. 51: 41-62.
- Reynolds, DA; Kueper, BH. (2002). Numerical examination of the factors controlling DNAPL migration through a single fracture. *Ground Water*. 40: 368-377.
- Reynolds, ES; Kanz, MF; Chieco, P; Moslen, MT. (1984). 1,1-Dichloroethylene: an apoptotic hepatotoxin? *Environ Health Perspect*. 57: 313-320.

Environmental Hazard Literature Search Results

Off Topic

- Reynolds, ES; Moslen, MT. (1977). Damage to hepatic cellular membranes by chlorinated olefins with emphasis on synergism and antagonism. *Environ Health Perspect.* 21: 137-147.
- Reynolds, GW; Hoff, JT; Gillham, RW. (1990). Sampling bias caused by materials used to monitor halocarbons in groundwater. *Environ Sci Technol.* 24: 135-142.
- Rhee, E; Speece, RE. (1991). MAXIMAL BIODEGRADATION RATES OF CHLOROFORM AND TRICHLOROETHYLENE IN ANAEROBIC TREATMENT. *lawprc.* 25: 121-130.
- Rhoderick, GC; Zielinski, WLJR. (1988). PREPARATION OF ACCURATE MULTICOMPONENT GAS STANDARDS OF VOLATILE TOXIC ORGANIC COMPOUNDS IN THE LOW-PARTS-PER-BILLION RANGE. *Anal Chem.* 60: 2454-2460.
- Rhodes, WJ. (1991). Stratospheric ozone protection: An EPA engineering perspective. *J Air Waste Manage Assoc.* 41: 1579-1584.
- Rhomberg, L. (2002). The a posteriori probability of a kidney cancer cluster attributed to trichloroethylene exposure. *Environ Health Perspect.* 110: A232-A232.
- Rice, CV. (2000). I. NMR studies of environmental photocatalysis. II. High-field optical pumping. PhD Thesis, Purdue University.
- Rice, G; Teuschler, LK; Speth, TF; Richardson, SD; Miltner, RJ; Schenck, KM; Gennings, C; Hunter, ES; Narotsky, MG; Simmons, JE. (2008). Integrated disinfection by-products research: Assessing reproductive and developmental risks posed by complex disinfection by-product mixtures. *Journal of Toxicology and Environmental Health-Part a-Current Issues.* 71: 1222-1234.
- Rice, RG. (1997). Applications of ozone for industrial wastewater treatment: A review. *Ozone Science & Engineering.* 18: 477-515.
- Rice, SF; Steeper, RR. (1998). Oxidation rates of common organic compounds in supercritical water. *J Hazard Mater.* 59: 261-278.
- Richard, DE; Connell, D; Berns, JJ; Hirl, PJ. (2002). Assessment of a reconstructed wetland for remediation of chlorinated solvents. *Wetlands and Remediation* 11:117-124.
- Richardson, RE; Bhupathiraju, VK; Song, DL; Goulet, TA; Alvarez-Cohen, L. (2002). Phylogenetic characterization of microbial communities that reductively dechlorinate TCE based upon a combination of molecular techniques. *Environmental Science & Technology.* 36: 2652-2662.
- Richardson, TL; Sahle-Demessie, E. (1998). Sprinkler irrigation for the removal of VOCs from groundwater. *Environ Technol.* 19: 1049-1054.
- Richmond, SA; Braddock, JF. (1999). Evidence of simultaneous aerobic and anaerobic transformation of trichloroethene in ground water treated with air sparging and soil vapor extraction. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 538.
- Richmond, SA; Lindstrom, JE; Braddock, JF. (2001). Assessment of natural attenuation of chlorinated aliphatics and BTEX in subarctic groundwater. *Environmental Science & Technology.* 35: 4038-4045.
- Richnow, HH; Annweiler, E; Michaelis, W; Meckenstock, RU. (2003). Microbial in situ degradation of aromatic hydrocarbons in a contaminated aquifer monitored by carbon isotope fractionation. *J Contam Hydrol.* 65: 101-120.
- Ridgway, RM. (2001). Anaerobic reductive dehalogenation of trichloroethylene in unacclimated freshwater sediments. PhD Thesis, Purdue University.
- Riederer, M. (1995). PARTITIONING AND TRANSPORT OF ORGANIC CHEMICALS BETWEEN THE ATMOSPHERIC ENVIRONMENT AND LEAVES. Trapp, S And J C Mcfarlane. 0: 153-190.
- Rifai, HS; Borden, RC; Wilson, JT; Ward, CH. (1995). INTRINSIC BIOATTENUATION FOR SUBSURFACE RESTORATION. Hinchee, R E, J T Wilson And D C Downey. 3: 1-57477.
- Rigotti, A; Hanaoka, T; Takahashi, Y; Kobayashi, M; Sasaki, S; Usuda, M; Okubo, S; Hayashi, M; Tsugane, S. (2002). Residuals of beta-hexachlorocyclohexane, dichlorodiphenyltrichloroethane, and hexachlorobenzene in serum, and relations with consumption of dietary components in rural residents in Japan. *The Journal of nutrition.* 132: 443-449.
- Riihimäki, V; Laine, A; Savolainen, K; Sippel, H. (1982). Acute solvent-ethanol interactions with special reference to xylene. *Scandinavian journal of work, environment & health.* 8: 77-79.
- Riley, RG; Szecsody, JE; Sklarew, DS; Mitroshkov, AV; Gent, PM; Brown, CF; Thompson, CJ. (2010). Desorption behavior of carbon tetrachloride and chloroform in contaminated low organic carbon aquifer sediments. *Chemosphere.* 79: 807-813.
- Ring, J; Weisel, CP; Jo, WK. (1996). Ingestion, inhalation, and dermal exposures to chloroform and trichloroethene from tap water. *Contact Derm.* 34: 430-431.
- Rio, RD. (1988). HOW TO SELECT AN INCINERATOR TO DESTROY HEAVY CHLORINATED HYDROCARBONS. Third Chemical Congress Of North America Held At The 195th American Chemical Society Meeting, Toronto, Ontario, Canada, June. 3: 203.
- Rios, J. (1984). RESULTS OF ANALYZING SIMULATED COOLING TOWER BLOWDOWN FOR ORGANIC PRIORITY POLLUTANTS. Jolley, R L Et Al. 0: 1381-1398.
- Ripp, S; Nivens, DE; Ahn, Y; Werner, C; Jarrell, J; Easter, JP; Cox, CD; Burlage, RS; Saylor, GS. (2000). Controlled field release of a bioluminescent genetically engineered microorganism for bioremediation process monitoring and control. *Environmental Science & Technology.* 34: 846-853.
- Rippen, G; Kläpffe, Au, FFR; Gätano. (1984). The Environmental Model Segment Approach for estimating potential environmental concentrations. II. Application of the model to p-dichlorobenzene and trichloroethene. *O Ecotoxicol Environ Saf.* 8: 363-377.
- Ripple, SR. (1992). LOOKING BACK AT NUCLEAR WEAPONS FACILITIES. *Environ Sci Technol.* 26: 1270-1277.
- Risen, AJ; Reddy, JE. (2011). Groundwater quality in the Chemung River Basin, New York, 2008. Open-File Report US Geological Survey.
- Rishell, S; Casey, E; Glennon, B; Hamer, G. (2004). Characteristics of a methanotrophic culture in a membrane-aerated biofilm reactor. *Biotechnol Prog.* 20: 1082-1090.
- Rishell, S; Casey, E; Glennon, B; Hamer, G. (2004). Mass transfer analysis of a membrane aerated reactor. *Biochem Eng J.* 18: 159-167.

Environmental Hazard Literature Search Results

Off Topic

- Ritalahti, KM; Amos, BK; Sung, Y; Wu, QZ; Koenigsberg, SS; Loffler, FE. (2006). Quantitative PCR targeting 16S rRNA and reductive dehalogenase genes simultaneously monitors multiple Dehalococcoides strains. *Appl Environ Microbiol.* 72: 2765-2774.
- Ritter, K; Odziemkowski, MS; Gillham, RW. (2002). An in situ study of the role of surface films on granular iron in the permeable iron wall technology. *J Contam Hydrol.* 55: 87-111.
- Ritter, K; Odziemkowski, MS; Simpraga, R; Gillham, RW; Irish, DE. (2003). An in situ study of the effect of nitrate on the reduction of trichloroethylene by granular iron. *J Contam Hydrol.* 65: 121-136.
- Rittmann, BE. (1991). MICROBIOLOGICAL DETOXIFICATION OF HAZARDOUS ORGANIC CONTAMINANTS THE CRUCIAL ROLE OF SUBSTRATE INTERACTIONS. Meeting On Hazard Assessment And Control Of Environmental Contaminants In Water Held At The 1st lawprc. 25: 403-410.
- Rittmann, BE. (2006). The membrane biofilm reactor: the natural partnership of membranes and biofilm. *Water Science and Technology.* 53: 219-225.
- Rittmann, BE; Valocchi, AJ; Odencrantz, JE; Bae, W. (1988). IN SITU BIORECLAMATION OF CONTAMINATED GROUNDWATER. Univ Ill Urbana Champaign Water Resour Cent Res Rep. 0: 1-121.
- Rivas, IM; Arvin, E. (2000). Biodegradation of thiophene by cometabolism in a biofilm system. *Water Science and Technology.* 41: 461-468.
- Rivas, S; Rougon-Cardoso, A; Smoker, M; Schauser, L; Yoshioka, H; Jones, JD. (2004). CITRX thioredoxin interacts with the tomato Cf-9 resistance protein and negatively regulates defence. *The EMBO journal.* 23: 2156-2165.
- Rivera-Santos, M; Rufin, C. (2010). Odd Couples: Understanding the Governance of Firm-NGO Alliances. *Journal of Business Ethics.* 94: 55-70.
- Rivett. (2007). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene (vol 7, pg 313, 2006). *Environ Forensics.* 8: 193-193.
- Rivett, MO. Soil-gas signatures from volatile chlorinated solvents: borden field experiments. *Ground Water.* Jan/Feb 1995. v. 33 (1): 84-98.
- Rivett, MO; Allen-King, RM. (2003). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: dissolved-plume retardation. *J Contam Hydrol.* 66: 117-146.
- Rivett, MO; Dearden, RA; Wealthall, GP. (2014). Architecture, persistence and dissolution of a 20 to 45 year old trichloroethene DNAPL source zone. *J Contam Hydrol.* 170: 95-115.
- Rivett, MO; Feenstra, S. (2005). Dissolution of an emplaced source of DNAPL in a natural aquifer setting. *Environmental Science & Technology.* 39: 447-455.
- Rivett, MO; Feenstra, S; Cherry, JA. (2001). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: creation of the emplaced-source and overview of dissolved plume development. *J Contam Hydrol.* 49: 111-149.
- Rivett, MO; Feenstra, S; Clark, L. (2006). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene. *Environ Forensics.* 7: 313-323.
- Rivett, MO; Lerner, DN; Lloyd, JW; Clark, L. (1990). Organic contamination of the Birmingham aquifer, UK. *J Hydrol.* 113: 307-324.
- Rivett, MO; Turner, RJ; Glibbery, P; Cuthbert, MO. (2012). The legacy of chlorinated solvents in the Birmingham aquifer, UK: Observations spanning three decades and the challenge of future urban groundwater development. *J Contam Hydrol.* 140: 107-123.
- Rivett, MO; Wealthall, GP; Dearden, RA; McAlary, TA. (2011). Review of unsaturated-zone transport and attenuation of volatile organic compound (VOC) plumes leached from shallow source zones. *J Contam Hydrol.* 123: 130-156.
- Robbiano, L; Mereto, E; Morando, AM; Pastore, P; Brambilla, G. (1998). Increased frequency of micronucleated kidney cells in rats exposed to halogenated anaesthetics. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis.* 413: 1-6.
- Robert, T; Martel, R; Conrad, SH; Lefebvre, R; Gabriel, U. (2006). Visualization of TCE recovery mechanisms using surfactant-polymer solutions in a two-dimensional heterogeneous sand model. *J Contam Hydrol.* 86: 3-31.
- Robert, T; Martel, R; Conrad, SH; Lefebvre, R; Gabriel, U. (2006). Visualization of TCE recovery mechanisms using surfactant-polymer solutions in a two-dimensional heterogeneous sand model. *J Contam Hydrol.* 86: 3-31.
- Roberts, AL; Gschwend, PM. (1994). INTERACTION OF ABIOTIC AND MICROBIAL PROCESSES IN HEXACHLOROETHANE REDUCTION IN GROUNDWATER. *J Contam Hydrol.* 16: 157-174.
- Roberts, AL; Totten, LA; Arnold, WA; Burris, DR; Campbell, TJ. (1996). REDUCTIVE ELIMINATION OF CHLORINATED ETHYLENES BY ZERO-VALENT METALS. *Environmental Science & Technology.* 30: 2654-2659.
- Roberts, JG; Foote, P; Bennett, MJ; Saner, CA. (1976). Haemodynamic interactions of high-dose propranolol pretreatment and anaesthesia in the dog. III: The effects of haemorrhage during halothane and trichloroethylene anaesthesia. *Br J Anaesth.* 48: 411-418.
- Roberts, PV; Hopkins, GD; Mackay, DM; Semprini, L. (1990). A field evaluation of in-situ biodegradation of chlorinated ethenes: Part I, methodology and field site characterization. *Ground Water.* 28: 591-604.
- Robinson, C; Barry, DA. (2009). Design tool for estimation of buffer requirement for enhanced reductive dechlorination of chlorinated solvents in groundwater. *Environmental Modelling & Software.* 24: 1332-1338.
- Robinson, C; Barry, DA; McCarty, PL; Gerhard, JI; Kouznetsova, I. (2009). pH control for enhanced reductive bioremediation of chlorinated solvent source zones. *Sci Total Environ.* 407: 4560-4573.
- Robinson, J; Slater, L; Johnson, T; Shapiro, A; Tiedeman, C; Ntarlagiannis, D; Johnson, C; Day-Lewis, F; Lacombe, P; Imbrigiotta, T; Lane, J. (2016). Imaging Pathways in Fractured Rock Using Three-Dimensional Electrical Resistivity Tomography. *Ground Water.* 54: 186-201.
- Robinson, J; Slater, L; Johnson, T; Shapiro, A; Tiedeman, C; Ntarlagiannis, D; Johnson, C; Day-Lewis, F; Lacombe, P; Imbrigiotta, T; Lane, J. (2016). Imaging Pathways in Fractured Rock Using Three-Dimensional Electrical Resistivity Tomography. *Groundwater.* 54: 186-201.

Environmental Hazard Literature Search Results

Off Topic

- Robinson, JA; Allen, GK; Green, EM; Garner, HE; Loch, WE; Walsh, DM. (1993). Serum interleukin-6 concentrations in endotoxin-infused neonatal foals. *Am J Vet Res.* 54: 1411-1414.
- Robinson, JP; Lawler, G; Schneider, D; Roth, RA; Updyke, L; Pfeifer, R. (1990). IN-VITRO ANALYSIS OF TOXIC CHEMICALS FUNCTIONAL ASSAYS USING FLOW CYTOMETRY. Xivth International Meeting Of The Society For Analytical Cytology, Asheville, North Carolina, Usa, March. 0: 36.
- Robinson, KG; Pieters, JG; Sanseverino, J; Cox, CD; Wright, CL; Cheng, CL; Saylor, GS. (1998). Microbial oxidation and bioluminescence response for toluene and trichloroethylene. *Water Science and Technology.* 38: 1-8.
- Rocha, ACS; Reis-Henriques, MA; Galhano, V; Ferreira, M; Guimaraes, L. (2016). Toxicity of seven priority hazardous and noxious substances (HNSs) to marine organisms: Current status, knowledge gaps and recommendations for future research. *Sci Total Environ.* 542: 728-749.
- Rochetto, UL; Tomaz, E. (2015). Degradation of volatile organic compounds in the gas phase by heterogeneous photocatalysis with titanium dioxide/ultraviolet light. *Journal of the Air & Waste Management Association.* 65: 810-817.
- Rockne, KJ; Strand, SE. (2003). Amplification of marine methanotrophic enrichment DNA with 16S rDNA PCR primers for Type II alpha proteobacteria methanotrophs. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 38: 1877-1887.
- Rodríguez, A; Moreno, E; Hosseini, SV; Behrooz, RD; Esmaili-Sari, A; Bahramifar, N; Hosseini, SM; Tahergerabi, R; Hosseini, SF; FeÂ s, D-DoFFoNR; Marine, STMUPOBNMIHsgc. (2008). Contamination by organochlorine compounds in the edible tissue of four sturgeon species from the Caspian Sea (Iran). *Environmental science and pollution research international.* 15: 584-591.
- Rodriguez, CE; Mahle, DA; Gearhart, JM; Mattie, DR; Lipscomb, JC; Cook, RS; Barton, HA. (2007). Predicting age-appropriate pharmacokinetics of six volatile organic compounds in the rat utilizing physiologically based pharmacokinetic modeling. *Toxicol Sci.* 98: 43-56.
- Rodriguez, E; McGuinness, KA; Ophori, DU. (2004). A field evaluation of enhanced reductive dechlorination of chlorinated solvents in groundwater, New York Metropolitan Area. *Environ Geol.* 45: 623-632.
- Rodriguez, N; Sanz, JL. (1998). Response of an anaerobic granular sludge to chlorinated aliphatic hydrocarbons in different conditions. *Journal Of Fermentation And Bioengineering.* 86: 226-232.
- Rodriguez, S; Vasquez, L; Costa, D; Romero, A; Santos, A. (2014). Oxidation of Orange G by persulfate activated by Fe(II), Fe(III) and zero valent iron (ZVI). *Chemosphere.* 101: 86-92.
- Roede, JR; Stewart, BJ; Petersen, DR. (2010). 9.26 - Hepatotoxicity of Reactive Aldehydes A2 - McQueen, Charlene A. *Comprehensive Toxicology (Second Edition)* Oxford581-594.
- Roembke, J; Bauer, C; Marschner, A. (1996). Hazard assessment of chemicals in soil: Proposed ecotoxicological test strategy. *Environmental Science And Pollution Research International.* 3: 78-82.
- Rogers, HR. (1996). Sources, behaviour and fate of organic contaminants during sewage treatment and in sewage sludges. *Sci Total Environ.* 185: 3-26.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary: Volatile organohalogen compounds. *Mar Pollut Bull.* 24: 82-91.
- Rogers, L. (1992). History matching to determine the retardation of PCE in ground water. *Ground Water.* 30: 50-60.
- Rogers, RD; McFarlane, JC. Sorption of carbon tetrachloride, ethylene dibromide, and trichloroethylene on soil and clay. *Environ Monit Assess.* 1981. v. 1 (2): 155-162 ill.
- Roggy, DK; Novak, PJ; Hozalski, RM; Clapp, LW; Semmens, MJ. (2002). Membrane gas transfer for groundwater remediation: Chemical and biological fouling. *Environ Eng Sci.* 19: 563-574.
- Roh, Y; Cho, KS; Lee, S. (2001). Electrochemical remediation of trichloroethene-contaminated groundwater using palladized iron oxides. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 36: 923-933.
- Roh, Y; Lee, SY; Elless, MP. (2000). Characterization of corrosion products in the permeable reactive barriers. *Environ Geol.* 40: 184-194.
- Roh, Y; Lee, SY; Elless, MP; Moon, HS. (2000). Electro-enhanced remediation of trichloroethene-contaminated groundwater using zero-valent iron. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 35: 1061-1076.
- Roig, LC; Bergs, MA. (1997). MIXING AND TRANSPORT. *Water Environ Res.* 69: 727-736.
- Rojanapo, W; Kupradinun, P; Tepsuwan, A; Tanyakaset, M. (1993). Effect of varying the onset of exposure to DDT on its modulation of AFB1-induced hepatocarcinogenesis in the rat. *Carcinogenesis.* 14: 663-667.
- Roling, WFM; van Breukelen, BM; Bruggeman, FJ; Westerhoff, HV. (2007). Ecological control analysis: being(s) in control of mass flux and metabolite concentrations in anaerobic degradation processes. *Environ Microbiol.* 9: 500-511.
- Romagnoli, C; Mares, D; Sacchetti, G; Bruni, A. (1998). The photodynamic effect of 5-(4-hydroxyl-1-butynyl)-2,2'-bithienyl on dermatophytes. *Mycological Research.* 102: 1519-1524.
- Romero-Saez, M; Divakar, D; Aranzabal, A; Gonzalez-Velasco, JR; Gonzalez-Marcos, JA. (2016). Catalytic oxidation of trichloroethylene over Fe-ZSM-5: Influence of the preparation method on the iron species and the catalytic behavior. *Appl Catal B-Environ.* 180: 210-218.
- Romine, MF; Brockman, FJ. (1996). Recruitment and expression of toluene/trichloroethylene biodegradation genes in bacteria native to deep-subsurface sediments. *Appl Environ Microbiol.* 62: 2647-2650.
- Ronen, D; Graber, ER; Laor, Y. (2005). Volatile organic compounds in the saturated-unsaturated interface region of a contaminated phreatic aquifer. *Vadose Zone Journal.* 4: 337-344.

Environmental Hazard Literature Search Results

Off Topic

- Ronen, D; Lev-Wiener, H; Graber, ER; Dahan, O; Weisbrod, N. (2010). Simultaneous counter-flow of chlorinated volatile organic compounds across the saturated-unsaturated interface region of an aquifer. *Water Res.* 44: 2107-2112.
- Ronen, D; Magaritz, M; Levy, I. (1987). AN IN-SITU MULTILEVEL SAMPLER FOR PREVENTIVE MONITORING AND STUDY OF HYDROCHEMICAL PROFILES IN AQUIFERS. *Ground Water Monit Rev.* 7: 69-74.
- Roney, N. (1999). Assessing the accuracy of the weight-of-evidence methodology in determining interactions of a three-component mixture. *Environmental Epidemiology And Toxicology.* 1: 183-192.
- Rong, L; Yasuda, K; Bando, Y; Nakamura, M. (2002). Ultrasonic decomposition of a mixture of phenol and p-chlorophenol in aqueous solution. *Japanese Journal of Applied Physics Part 1-Regular Papers Brief Communications & Review Papers.* 41: 3272-3276.
- Rong, Y. (1999). A study of vadose zone transport model VLEACH. *Journal of Soil Contamination.* 8: 217-229.
- Rong, Y; Wang, RF; Chou, R. (1998). Monte Carlo simulation for a groundwater mixing model in soil remediation of tetrachloroethylene. *Journal of Soil Contamination.* 7: 87-102.
- Ronis, MJJ; Walker, CH. (1985). SPECIES VARIATIONS IN THE METABOLISM OF LIPOSOLUBLE ORGANOCHLORINE COMPOUNDS BY HEPATIC MICROSOMAL MONOOXYGENASE COMPARATIVE KINETICS IN FOUR VERTEBRATE SPECIES. *Comp Biochem Physiol C Comp Pharmacol Toxicol.* 82: 445-450.
- Ronnenberg Jr, WC; Wang, Y; Baker, MT. (1995). Isoflurane and cytochrome b5 stimulation of 2-chloro-1,1-difluoroethene metabolism by reconstituted rat CYP2B1 and CYP2C6. *Biochem Pharmacol.* 50: 521-528.
- Roose, P; Van, TG; Belpaire, C; Raemaekers, M; Brinkman, UA. (2003). Determination of VOCs in yellow eel from various inland water bodies in Flanders (Belgium). *Journal of environmental monitoring : JEM.* 5: 876-884.
- Roots, O; Roose, A; Kull, A; Holoubek, I; Cupr, P; Klanova, J. (2010). Distribution pattern of PCBs, HCB and PeCB using passive air and soil sampling in Estonia. *Environmental science and pollution research international.* 17: 740-749.
- Rose, K; Fetzner, S. (2006). Identification of linear plasmid pAM1 in the flavonoid degrading strain *Actinoplanes missouriensis*(T) (DSM 43046). *Plasmid.* 55: 249-254.
- Rosen, G; Lundstrom, S. (1987). CONCURRENT VIDEO FILMING AND MEASURING FOR VISUALIZATION OF EXPOSURE. *Am Ind Hyg Assoc J.* 48: 688-692.
- Rosen, ME; Pankow, JF; Gibs, J; Imbrigiotta, TE. (1992). COMPARISON OF DOWNHOLE AND SURFACE SAMPLING FOR THE DETERMINATION OF VOLATILE ORGANIC COMPOUNDS VOCs IN GROUND WATER. *Ground Water Monit Rev.* 12: 126-133.
- Rosenblum, AH. (1935). TRICHLOROETHYLENE. PhD Thesis, The University of Chicago.
- Rosenfeld, JK; Plumb, RHJR. (1991). GROUND WATER CONTAMINATION AT WOOD TREATMENT FACILITIES. *Ground Water Monit Rev.* 11: 133-140.
- Rosengren, LE; Kjellestrand, P; Vikgren, A; Karlsson, JE; Haglid, KG. (1985). THE GLIAL FIBRILLARY ACIDIC PROTEIN AND ORGANIC SOLVENT TOXICITY. 2nd Nordic Neurochemical Symposium, Copenhagen, Denmark, Aug. 72: 264.
- Rosengren, LE; Kjellstrand, P; Haglid, KG. (1986). Tetrachloroethylene: levels of DNA and S-100 in the gerbil CNS after chronic exposure. *Neurobehav Toxicol Teratol.* 8: 201-206.
- Rosenkranz, HS. (1977). Mutagenicity of halogenated alkanes and their derivatives. *Environ Health Perspect.* 21: 79-84.
- Rosenkranz, HS; Klopman, G. (1990). Structural basis of carcinogenicity in rodents of genotoxicants and non-genotoxicants. *Mutat Res.* 228: 105-124.
- Rosenkranz, HS; Klopman, G. (1990). The structural basis of the mutagenicity of chemicals in *Salmonella typhimurium*: The National Toxicology Program data base. *Mutat Res.* 228: 51-80.
- Rosenkranz, HS; Klopman, G. (1993). Structural relationships between mutagenicity, maximum tolerated dose, and carcinogenicity in rodents. *Environ Mol Mutagen.* 21: 193-206.
- Rosenthal, H; Adrian, L; Steiof, M. (2004). Dechlorination of PCE in the presence of Fe(0) enhanced by a mixed culture containing two Dehalococcoides strains. *Chemosphere.* 55: 661-669.
- Rosner, BM; McCarthy, PL; Spormann, AM. (1997). In vitro studies on reductive vinyl chloride dehalogenation by an anaerobic mixed culture. *Appl Environ Microbiol.* 63: 4139-4144.
- Rosocha, LA; Secker, DA; Smith, JD. Kinetic modeling of trichloroethylene and carbon tetrachloride removal from water by electron-beam irradiation. *ACS Symp Ser Am Chem Soc.* 1994. (554): 184-196.
- Ross, B. (2007). Boundary layer analysis of unsaturated seepage into cylindrical cavities. *Water Resour Res.* 43: W03501 (03506 p).
- Ross, C; Murdoch, LC; Freedman, DL; Siegrist, RL. (2005). Characteristics of potassium permanganate encapsulated in polymer. *Journal of Environmental Engineering-Asce.* 131: 1203-1211.
- Rossetti, S; Aulenta, F; Majone, M; Crocetti, G; Tandoi, V. (2008). Structure analysis and performance of a microbial community from a contaminated aquifer involved in the complete reductive dechlorination of 1,1,2,2-tetrachloroethane to ethene. *Biotechnol Bioeng.* 100: 240-249.
- Rossetti, S; Blackall, LL; Majone, M; Hugenholtz, P; Plumb, JJ; Tandoi, V. (2003). Kinetic and phylogenetic characterization of an anaerobic dechlorinating microbial community. *Microbiology-Sgm.* 149: 459-469.
- Rossi, AM; Migliore, L; Barale, R; Loprieno, N. (1983). In vivo and in vitro mutagenicity studies of a possible carcinogen, trichloroethylene, and its two stabilizers, epichlorohydrin and 1,2-epoxybutane. *Teratog Carcinog Mutagen.* 3: 75-87.
- Rossi, AM; Migliore, L; Barale, R; Loprieno, N; Fumero, S; Meriggi, G; Mondino, A; Silvestri, L. (1980). Mutagenicity in vitro and in vivo studies on industrial chemicals with possible carcinogenic activity: trichloroethylene, epichlorohydrine and 1,2-epoxybutane. *Mutation Research/Environmental Mutagenesis and Related Subjects.* 74: 249.

Environmental Hazard Literature Search Results

Off Topic

- Rossi, F; Cucciniello, R; Intiso, A; Proto, A; Motta, O; Marchettini, N. (2015). Determination of the trichloroethylene diffusion coefficient in water. *AIChE J.* 61: 3511-3515.
- Rostock, RA; Stryker, JA; Abt, AB. (1980). Evaluation of high-dose vitamin E as a radioprotective agent. *Radiology.* 136: 763-766.
- Rothmel, RK; De, FLAUNMF; St, MARINE; Peters, RW. (1997). IN SITU REMEDIATION OF TCE-DNAPLS USING SURFACTANT FOAMS AND BIOAUGMENTATION. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 474.
- Rothmel, RK; Deflaun, MF; St, MARTINE; Peters, RW. (1999). Remediation of TCE-DNAPLS using a two stage surfactant foam-bioaugmentation treatment technology. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 538.
- Rothmel, RK; Peters, RW; St Martin, E; Deflaun, MF. (1998). Surfactant foam bioaugmentation technology for in situ treatment of TCE-DNAPLS. *Environmental Science & Technology.* 32: 1667-1675.
- Rotter, H; Landau, MV; Herskowitz, M. (2005). Combustion of chlorinated VOC on nanostructured chromia aerogel as catalyst and catalyst support. *Environmental Science & Technology.* 39: 6845-6850.
- Rouisse, L; Chakrabarti, SK. (1986). Dose-dependent metabolism of trichloroethylene and its relevance to hepatotoxicity in rats. *Environ Res.* 40: 450-458.
- Roush, WR; Sciotti, RJ. (1998). Enantioselective total synthesis of (-)-chlorothricolide via the tandem inter- and intramolecular Diels-Alder reaction of a hexaenoate intermediate. *J Am Chem Soc.* 120: 7411-7419.
- Rouzeau-Szynalski, K; Maillard, J; Holli, HC. (2011). Frequent concomitant presence of *Desulfitobacterium* spp. and "Dehalococcoides" spp. in chloroethene-dechlorinating microbial communities. *Appl Microbiol Biotechnol.* 90: 361-368.
- Rowat, SC. (1998). Integrated defense system overlaps as a disease model: With examples for multiple chemical sensitivity. *Environ Health Perspect.* 106: 85-109.
- Rowe, AR; Lazar, BJ; Morris, RM; Richardson, RE. (2008). Characterization of the community structure of a dechlorinating mixed culture and comparisons of gene expression in planktonic and biofloc-associated "Dehalococcoides" and *Methanospirillum* species. *Appl Environ Microbiol.* 74: 6709-6719.
- Rowe, AR; Mansfeldt, CB; Heavner, GL; Richardson, RE. (2015). Relating mRNA and protein biomarker levels in a *Dehalococcoides* and *Methanospirillum*-containing community. *Appl Microbiol Biotechnol.* 99: 2313-2327.
- Rowe, BL; Price, CV; Zogorski, JS; Moran, MJ. (2010). Vulnerability of drinking water supply wells to VOCs. *J Am Water Works Assoc.* 102.
- Rowland, FS. (1985). METHANE AND CHLOROCARBONS IN THE EARTH'S ATMOSPHERE. Selected Papers From The College Park Colloquium Vii On Global Habitability And Chemical Evolution, College Park, Md, Usa *Origins Life.* 15: 279-298.
- Rowland, FS. (1988). CHLOROFLUOROCARBONS STRATOSPHERIC OZONE AND THE ANTARCTIC OZONE HOLE. *Environ Conserv.* 15: 101-115.
- Rowland, FS. (1990). STRATOSPHERIC OZONE DEPLETION BY CHLOROFLUOROCARBONS. *Ambio.* 19: 281-292.
- Rowland, SJ; Thompson, RC; Galloway, TS; Yamashita, R; Ochi, D; Watanuki, Y; Moore, C; Viet, PH; Tana, TS; Prudente, M; Boonyatumanond, R; Zakaria, MP; Akkhavong, K; Ogata, Y; Hirai, H; Iwasa, S; Mizukawa, K; Hagino, Y; Imamura, A; Saha, M; Takada, H; Harvey, CN; Esmail, M; Wang, Q; Brooks, AI; Zachow, R; Uzun, M. (2009). Effect of the methoxychlor metabolite HPTe on the rat ovarian granulosa cell transcriptome in vitro. *Philosophical transactions of the Royal Society of London Series B, Biological sciences.* 364: 2027-2045.
- Rowlatt, C; Defries, EA; Sheriff, MU. (1981). Carcinoma of the perianal gland and associated structures in 1,2-dimethylhydrazine treated mice. *Toxicol Lett.* 8: 125-132.
- Roy, D; Angelini, NL; Belsham, DD. (1999). Estrogen directly respresses gonadotropin-releasing hormone (GnRH) gene expression in estrogen receptor-alpha (ERalpha)- and ERbeta-expressing GT1-7 GnRH neurons. *Endocrinology.* 140: 5045-5053.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol.* 59: 163-186.
- Roy, JW; Smith, JE; Gillham, RW. (2004). Laboratory evidence of natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol.* 74: 145-161.
- Roy, WR. Adsorption-desorption methodologies and selected estimation techniques for transport-modeling parameters. *NATO ASI series : Series G : Ecological sciences.* 1993. v. 32: 169-188.
- Roy, WR; Griffin, RA. (1990). Vapor-phase interactions and diffusion of organic solvents in the unsaturated zone. *Environ Geol Water Sci.* 15: 101-110.
- Roy, WR; Griffin, RA. (1991). An analytical model for in situ extraction of organic vapors. *J Hazard Mater.* 26: 301-318.
- Roy, WR; Griffin, RA; Mitchell, JK; Mitchell, RA. (1989). LIMITATIONS AND FEASIBILITY OF THE LAND DISPOSAL OR ORGANIC SOLVENT-CONTAMINATED WASTES. *Environ Geol Water Sci.* 13: 225-232.
- Royal, CL; Preston, DR; Sekelsky, AM; Shreve, GS. (2003). Reductive dechlorination of polychlorinated biphenyls in landfill leachate. *International Biodeterioration & Biodegradation.* 51: 61-66.
- Rozen, S; Brand, M; Zamir, D; Hebel, D. (1987). A NOVEL TRANSFORMATION OF A CARBONYL TO A CF-2 GROUP. *J Am Chem Soc.* 109: 896-897.
- Rozman, K; Hanninen, O. (1986). GASTROINTESTINAL TOXICOLOGY. *Rozman, K And O Hanninen* 0-444.
- Ruan, XX; Gu, XG; Lu, SG; Qiu, ZF; Sui, Q. (2015). Trichloroethylene degradation by persulphate with magnetite as a heterogeneous activator in aqueous solution. *Environ Technol.* 36: 1389-1397.
- Rubin, EG; Ramaswami, A. (2007). Evidence for phytodegradation of MTBE from coupled bench-scale and intermediate-scale tests. *Journal of Environmental Engineering-Asce.* 133: 389-396.
- Ruch, RJ; Bonney, WJ; Sigler, K; Guan, X; Matesic, D; Schafer, LD; Dupont, E; Trosko, JE. (1994). Loss of gap junctions from DDT-treated rat liver epithelial cells. *Carcinogenesis.* 15: 301-306.

Environmental Hazard Literature Search Results

Off Topic

- Ruch, RJ; Klaunig, JE. (1986). Effects of tumor promoters, genotoxic carcinogens and hepatocytotoxins on mouse hepatocyte intercellular communication. *Cell Biol Toxicol.* 2: 469-483.
- Rud  n, C. (2002). Scrutinizing three trichloroethylene carcinogenicity classifications in the European Union--implications for the risk assessment process. *Int J Toxicol.* 21: 441-450.
- Rud  n, C. (2003). 700 Transparency and reliability of carcinogen risk assessments - the cases of trichloroethylene and acrylamide. *Toxicol Lett.* 144, Supplement 1: s188.
- Ruden, C. (2001). Interpretations of primary carcinogenicity data in 29 trichloroethylene risk assessments. *Toxicology.* 169: 209-225.
- Ruden, C. (2001). The use and evaluation of primary data in 29 trichloroethylene carcinogen risk assessments. *Regul Toxicol Pharmacol.* 34: 3-16.
- Ruden, C. (2003). Science and transscience in carcinogen risk assessment - The European Union regulatory process for trichloroethylene. *Journal of Toxicology and Environmental Health-Part B-Critical Reviews.* 6: 257-277.
- Ruden, C. (2006). Principles and practices of health risk assessment under current EU regulations. *Regul Toxicol Pharmacol.* 44: 14-23.
- Ruden, C. (2006). What influences a health risk assessment? *Toxicol Lett.* 167: 201-204.
- Rudling, J; Bjorkholm, E. (1986). EFFECT OF ADSORBED WATER ON SOLVENT DESORPTION OF ORGANIC VAPORS COLLECTED ON ACTIVATED CARBON. *Am Ind Hyg Assoc J.* 47: 615-620.
- Rudling, J; Bjorkholm, E; Lundmark, BO. (1986). STORAGE STABILITY OF ORGANIC SOLVENTS ADSORBED ON ACTIVATED CARBON. *Ann Occup Hyg.* 30: 319-328.
- Rudolph, J; Khedim, A; Clarkson, T; Wagenbach, D. (1991). LONG-TERM MEASUREMENTS OF LIGHT ALKANES AND ACETYLENE IN THE ANTARCTIC TROPOSPHERE. *International Symposium On The Tropospheric Chemistry Of The Antarctic Region, Boulder, Colorado, Usa, June.* 44: 252-261.
- Ruert, W; Wolf, M; Weise, SM; Andres, G; Egger, R. (1993). ISOTOPE-HYDROGEOLOGICAL CASE STUDY ON THE PENETRATION OF POLLUTION INTO THE DEEP TERTIARY AQUIFER IN THE AREA OF MUNICH GERMANY. *J Contam Hydrol.* 14: 15-38.
- Rugge, CD; Ahlert, RC; Zukowski, JM. (1992). Lenticular drops: A key to immiscible-liquid transport in aquifers? *Speculations Sci Technol.* 15: 30-39.
- Rugge, K; Bjerg, PL; Mosbaek, H; Christensen, TH. (1995). NATURAL ATTENUATION OF XENOBIOTIC COMPOUNDS ANAEROBIC FIELD INJECTION EXPERIMENT. *Hinchee, R E, J T Wilson And D C Downey.* 3: 1-57477.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res.* 35: 1231-1246.
- Ruhl, AS; A  nal, Nf; Jekel, M. (2013). Combination of Fe(0) with additional reactive materials in fixed bed reactors for TCE removal. *Chem Eng J.* 222: 180-185.
- Ruhl, AS; Jekel, M. (2012). Impacts of Fe(0) grain sizes and grain size distributions in permeable reactive barriers. *Chem Eng J.* 213: 245-250.
- Ruhl, AS; Uenal, N; Jekel, M. (2012). Evaluation of two-component Fe(0) fixed bed filters with porous materials for reductive dechlorination. *Chem Eng J.* 209: 401-406.
- Ruhl, S; Schwabe, M; Pluznik, DH. (1992). Interleukin 1 augments the expression of the interleukin 2 receptor alpha-chain in interleukin 6-stimulated myeloid cells by a transcriptional and posttranscriptional mechanism. *Experimental hematology.* 20: 1208-1215.
- Rui, LY; Cao, L; Chen, W; Reardon, KF; Wood, TK. (2004). Active site engineering of the epoxide hydrolase from *Agrobacterium radiobacter* AD1 to enhance aerobic mineralization of cis-1,2-dichloroethylene in cells expressing an evolved toluene ortho-monooxygenase. *J Biol Chem.* 279: 46810-46817.
- Rui, LY; Kwon, YM; Reardon, KF; Wood, TK. (2004). Metabolic pathway engineering to enhance aerobic degradation of chlorinated ethenes and to reduce their toxicity by cloning a novel glutathione S-transferase, an evolved toluene o-monooxygenase, and gamma-glutamylcysteine synthetase. *Environ Microbiol.* 6: 491-500.
- Ruiz, J; Bilbao, R; Murillo, MB. (1998). Adsorption of different VOC onto soil minerals from gas phase: Influence of mineral, type of VOC, and air humidity. *Environmental Science & Technology.* 32: 1079-1084.
- Ruiz, N; Seal, S; Reinhart, D. (2000). Surface chemical reactivity in selected zero-valent iron samples used in groundwater remediation. *J Hazard Mater.* 80: 107-117.
- Ruiz-Haas, P; Ingle, J. (2009). Monitoring of redox state in a dechlorinating culture with immobilized redox indicators. *J Environ Monit.* 11: 1028-1036.
- Rule, KL; Comber, SDW; Ross, D; Thornton, A; Makropoulos, CK; Rautiu, R. (2006). Sources of priority substances entering an urban wastewater catchment - trace organic chemicals. *Chemosphere.* 63: 581-591.
- Rule, R; Moreno, L; Serrano, JM; Roman, AG; Moyano, CndIC; iacunt  ficas, dIPdBAA; Garcia, J. (2001). Pharmacokinetics and residues in milk of oxytetracyclines administered parenterally to dairy goats. *Aust Vet J.* 79: 492(497):492-496.
- Rupakula, A; Kruse, T; Boeren, S; Holliger, C; Smidt, H; Maillard, J. (2013). The restricted metabolism of the obligate organohalide respiring bacterium *Dehalobacter restrictus*: lessons from tiered functional genomics. *Philosophical Transactions of the Royal Society B-Biological Sciences.* 368: 20325-20325.
- Ruppe, S; Neumann, A; Diekert, G; Vetter, W. (2004). Abiotic transformation of toxaphene by superreduced vitamin B12 and dicyanocobinamide. *Environmental science & technology.* 38: 3063-3067.
- Russo, A; Johnson, GR; Schnaar, G; Brusseau, ML. (2010). Nonideal transport of contaminants in heterogeneous porous media: 8. Characterizing and modeling asymptotic contaminant-elution tailing for several soils and aquifer sediments. *Chemosphere.* 81: 366-371.

Environmental Hazard Literature Search Results

Off Topic

- Russo, A; Pacchierotti, F; Metalli, P. (1984). Nondisjunction induced in mouse spermatogenesis by chloral hydrate, a metabolite of trichloroethylene. *Environ Mutagen.* 6: 695-703.
- Russo, AE; Mahal, MK; Brusseau, ML. (2009). Nonideal behavior during complete dissolution of organic immiscible liquid: 1. Natural porous media. *J Hazard Mater.* 172: 208-213.
- Russo, AE; Narter, M; Brusseau, ML. (2009). Characterizing Pore-Scale Dissolution of Organic Immiscible Liquid in a Poorly-Sorted Natural Porous Medium. *Environmental Science & Technology.* 43: 5671-5678.
- Russo, RS; Zhou, Y; White, ML; Mao, H; Talbot, R; Sive, BC. (2010). Multi-year (2004-2008) record of nonmethane hydrocarbons and halocarbons in New England: seasonal variations and regional sources. *Atmos Chem Phys.* 10: 4909-4929.
- Rutherford, DW; Chiou, CT. (1992). Effect of water saturation in soil organic matter on the partition of organic compounds. *Environ Sci Technol.* 26: 965-970.
- Ruzicka, J; Muller, J; Vit, D; Hutecka, V; Hoffmann, J; Datkova, H; Nemecek, M. (2002). Biotransformation of trichloroethene by pure bacterial cultures. *Folia Microbiologica.* 47: 467-472.
- Ryall, DB; Maryon, RH. (1998). Validation of the UK Met. Office's NAME model against the ETEX dataset. *Atmos Environ.* 32: 4265-4276.
- Ryan, JC; Znoiko, S; Xu, L; Crouch, RK; Ma, JX. (2000). Salamander rods and cones contain distinct transducin alpha subunits. *Vis Neurosci.* 17: 847-854.
- Ryan, KW; Dwight, DM; Hlousek, DA. (2000). Recirculating wells: Ground water remediation and protection of surface water resources. *J Am Water Resour Assoc.* 36: 191-201.
- Ryan, MP; Pembroke, JT; Adley, CC. (2007). *Ralstonia pickettii* in environmental biotechnology: potential and applications. *J Appl Microbiol.* 103: 754-764.
- Ryan, PA. (1985). MULTIMEDIA MODELING OF ENVIRONMENTAL TRANSPORT TRICHLOROETHYLENE TEST CASE AU - COHEN Y. *Environ Sci Technol.* 19: 412-417.
- Ryan, RP; Ryan, D; Dowling, DN. (2007). Plant protection by the recombinant, root-colonizing *Pseudomonas fluorescens* F113rifPCB strain expressing arsenic resistance: improving rhizoremediation. *Lett Appl Microbiol.* 45: 668-674.
- Rydberg, T. (1994). Pollution prevention through product substitution: Experiences from the halocarbon phase-out in Sweden. *J Clean Prod.* 2: 3-11.
- Ryllott, EL; Johnston, EJ; Bruce, NC. (2015). Harnessing microbial gene pools to remediate persistent organic pollutants using genetically modified plants-a viable technology? *J Exp Bot.* 66: 6519-6533.
- Ryoo, D; Shim, H; Canada, K; Barbieri, P; Wood, TK. (2000). Aerobic degradation of tetrachloroethylene by toluene-o-xylene monooxygenase of *Pseudomonas stutzeri* OX1. *Nature Biotechnology.* 18: 775-778.
- Ryu, JY. (2008). Formation of chlorinated phenols, dibenzo-p-dioxins, dibenzofurans, benzenes, benzoquinones and perchloroethylenes from phenols in oxidative and copper (II) chloride-catalyzed thermal process. *Chemosphere.* 71: 1100-1109.
- Saad, R; Thiboutot, S; Ampleman, G; Dashan, W; Hawari, J. (2010). Degradation of trinitroglycerin (TNG) using zero-valent iron nanoparticles/nanosilica SBA-15 composite (ZVINS/SBA-15). *Chemosphere.* 81: 853-858.
- Sabalowsky, AR; Semprini, L. (2010). Trichloroethene and cis-1,2-Dichloroethene Concentration-Dependent Toxicity Model Simulates Anaerobic Dechlorination at High Concentrations. II: Continuous Flow and Attached Growth Reactors. *Biotechnol Bioeng.* 107: 540-549.
- Sabalowsky, AR; Semprini, L. (2010). Trichloroethene and cis-1,2-dichloroethene Concentration-Dependent Toxicity Model Simulates Anaerobic Dechlorination at High Concentrations: I. Batch-Fed Reactors. *Biotechnol Bioeng.* 107: 529-539.
- Sabarth, N; Averhoff, B; Gottschalk, G. (1998). Construction and use of an ipb DNA module to generate *Pseudomonas* strains with constitutive trichloroethene and isopropylbenzene oxidation activity. *AU - BERENDES F. Appl Environ Microbiol.* 64: 2454-2462.
- Sabin, F; Tuerk, T; Vogler, A. (1992). Decontamination of industrial waste water by photocatalytic oxidation of organic components: A model study. *Z Wasser Abwasser Forsch.* 25: 163-167.
- Sabljić, A. (1987). ON THE PREDICTION OF SOIL SORPTION COEFFICIENTS OF ORGANIC POLLUTANTS FROM MOLECULAR STRUCTURE APPLICATION OF MOLECULAR TOPOLOGY MODEL. *Environ Sci Technol.* 21: 358-366.
- Sabljić, A. (1989). QUANTITATIVE MODELING OF SOIL SORPTION FOR XENOBIOTIC CHEMICALS. *Environ Health Perspect.* 83: 179-190.
- Sabljić, A; Guesten, H. (1990). Predicting the night-time nitrate radical reactivity in the troposphere. *Atmos Environ Part A Gen Top.* 24: 73-78.
- Saccani, G; Bernasconi, M; Antonelli, M. (2014). Optimization of low energy sonication treatment for granular activated carbon colonizing biomass assessment. *Environ Technol.* 35: 851-858.
- Sadrzadeh, SM; Meydani, M; Khettry, U; Nanji, AA. (1995). High-dose vitamin E supplementation has no effect on ethanol-induced pathological liver injury. *The Journal of pharmacology and experimental therapeutics.* 273: 455-460.
- Saeki, H; Akira, M; Furuhashi, K; Averhoff, B; Gottschalk, G. (1999). Degradation of trichloroethene by a linear-plasmid-encoded alkene monooxygenase in *Rhodococcus corallinus* (*Nocardia corallina*) B-276. *Microbiology-Sgm.* 145: 1721-1730.
- Saeki, S; Mukaia, S; Iwasaki, K; Yagi, O. (1999). Production of trichloroacetic acid, trichloroethanol and dichloroacetic acid from trichloroethylene degradation by *Methylocystis* sp strain M. *Biocatalysis and Biotransformation.* 17: 347-357.
- Saez, V; Esclapez, MD; Tudela, I; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2010). 20kHz sonoelectrochemical degradation of perchloroethylene in sodium sulfate aqueous media: Influence of the operational variables in batch mode. *J Hazard Mater.* 183: 648-654.
- Saez, V; Vicente, MDE; Frias-Ferrer, AJ; Bonete, P; Gonzalez-Garcia, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res.* 43: 2169-2178.

Environmental Hazard Literature Search Results

Off Topic

- Sagan, JJ; Simmons, RB. (1995). ENUMERATION AND IDENTIFICATION OF FUNGI ISOLATED FROM TRICHLOROETHYLENE TEC CONTAMINATED SOIL AND CHARACTERIZATION OF RESISTANCE TO TOXIC EFFECTS OF TCE. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 356.
- Sahl, JW; Munakata-Marr, J; Crimi, ML; Siegrist, RL. (2007). Coupling permanganate oxidation with microbial dechlorination of tetrachloroethene. *Water environment research : a research publication of the Water Environment Federation*. 79: 5-12.
- Sahoo, D; Smith, JA. (1997). Enhanced trichloroethene desorption from long-term contaminated soil using triton X-100 and pH increases. *Environmental Science & Technology*. 31: 1910-1915.
- Sahoo, D; Smith, JA; Imbrigiotta, TE; McLellan, HM. (1998). Surfactant-enhanced remediation of a trichloroethene-contaminated aquifer. 2. Transport of TCE. *Environmental Science & Technology*. 32: 1686-1693.
- Saiki, Y; Habe, H; Yuuki, T; Ikeda, M; Yoshida, T; Nojiri, H; Omori, T. (2003). Rhizoremediation of dioxin-like compounds by a recombinant *Rhizobium tropici* strain expressing carbazole 1,9a-dioxygenase constitutively. *Bioscience Biotechnology and Biochemistry*. 67: 1144-1148.
- Saini, HS; Kahlon, RS. (1998). Characterization of a degradative plasmid coding for metabolism of 3-chlorobenzoate by *Pseudomonas putida* and its expression in *Escherichia coli*. *World Journal of Microbiology & Biotechnology*. 14: 271-276.
- Saint-Fort, R. (1991). Ground water contamination by anthropogenic organic compounds from waste disposal sites; Transformations and behavior. *J Environ Sci Health Part A Environ Sci Eng*. 26: 13-62.
- Saito, H; Tanaka, S; Fukuda, K; Takuma, Y; Kato, S; Satokawa, S; Yamasaki, A; Kojima, T. (2012). Influence of pH and Dissolved Fe Ion Concentration on Decomposition of Trichloroethylene with Fenton's Reaction Using Iron Powder. *Kagaku Kogaku Ronbunshu*. 38: 312-317.
- Saito, S; Tanoue, A; Matsuo, M. (1992). Applicability of the i/o-characters to a quantitative description of bioconcentration of organic chemicals in fish. *Chemosphere*. 24: 81-88.
- Saiyood, S; Inthorn, D; Vangnai, A; Thiravetyan, P. (2016). 1,2-dichloroethane removal by *Bruguiera gymnorrhiza* (L.) Lamk and *Pseudomonas putida* BCC 23535. *Water Science and Technology-Water Supply*. 16: 1313-1319.
- Saiz, G; Wynn, JG; Wurster, CM; Goodrick, I; Nelson, PN; Bird, MI. (2015). Pyrogenic carbon from tropical savanna burning: production and stable isotope composition. *Biogeosciences*. 12: 1849-1863.
- Sakai, T; Sonehara, T; Goda, C; Kohara, Y; Anazawa, T. (2004). High-speed DNA sequencing by tube-based capillary electrophoresis. *Electrophoresis*. 25: 3378-3386.
- Sakoda, A; Kawazoe, K; Suzuki, M. (1987). Adsorption of tri- and tetra-chloroethylene from aqueous solutions on activated carbon fibers. *Water Res*. 21: 717-722.
- Sakoda, A; Kawazoe, K; Suzuki, M. (1987). ADSORPTION OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE FROM AQUEOUS SOLUTIONS ON ACTIVATED CARBON FIBERS. *Water Res*. 21: 717-722.
- Sakti, JP. (1993). Transport of organic chemicals in dilute aqueous solutions through intact geomembranes. PhD Thesis, The University of Wisconsin - Madison.
- Sakulchaicharoen, N; O'Carroll, DM; Herrera, JE. (2010). Enhanced stability and dechlorination activity of pre-synthesis stabilized nanoscale FePd particles. *J Contam Hydrol*. 118: 117-127.
- Salas, LA; Gracia-Lavedan, E; Goni, F; Moreno, V; Villanueva, CM. (2014). Use of urinary trichloroacetic acid as an exposure biomarker of disinfection by-products in cancer studies. *Environ Res*. 135: 276-284.
- Saleh, N; Sirk, K; Liu, YQ; Phenrat, T; Dufour, B; Matyjaszewski, K; Tilton, RD; Lowry, GV. (2007). Surface modifications enhance nanoiron transport and NAPL targeting in saturated porous media. *Environ Eng Sci*. 24: 45-57.
- Saleh, N-aA. (2011). Evaluation of hydrogenotrophic reductive dechlorination and ethenotrophic oxidative cometabolism as complementary mechanisms for in situ chloroethene biodegradation. *Dissertation Abstracts International Vol 73*, 192 p 2011.
- Salih, H; Patterson, C; Sorial, G. (2011). A Comparative Study on the Implication of Three Nanomaterials on the Removal of Trichloroethylene by Adsorption. 130th Annual Conference and Exposition of the American Water Works Association (ACE 11).
- Salih, HH; Patterson, CL; Sorial, GA. (2013). Comparative Study on the Implication of Three Nanoparticles on the Removal of Trichloroethylene by Adsorption—Pilot and Rapid Small-Scale Column Tests. *Water, air and soil pollution*. 224: 1402.
- Salih, HH; Patterson, CL; Sorial, GA. (2013). Comparative Study on the Implication of Three Nanoparticles on the Removal of Trichloroethylene by Adsorption-Pilot and Rapid Small-Scale Column Tests. *Water Air and Soil Pollution*. 224: 1402-1402.
- Salih, HH; Patterson, CL; Sorial, GA; Sinha, R; Krishnan, R. (2011). The fate and transport of the SiO₂ nanoparticles in a granular activated carbon bed and their impact on the removal of VOCs. *J Hazard Mater*. 193: 95-101.
- Salih, HH; Patterson, CL; Sorial, GA; Sinha, R; Krishnan, R. (2012). The implication of iron oxide nanoparticles on the removal of trichloroethylene by adsorption. *Chem Eng J*. 193-194: 422-428.
- Salih, HH; Sorial, GA; Patterson, CL; Sinha, R; Krishnan, E. (2012). Removal of Trichloroethylene by Activated Carbon in the Presence and Absence of TiO₂ Nanoparticles. *Water, Air, & Soil Pollution*. 223: 2837-2847.
- Salih, HH; Sorial, GA; Patterson, CL; Sinha, R; Krishnan, ER. (2012). Removal of Trichloroethylene by Activated Carbon in the Presence and Absence of TiO₂ Nanoparticles. *Water Air and Soil Pollution*. 223: 2837-2847.
- Salih, HH; Sorial, GA; Patterson, CL; Speth, TF. (2015). The Implications of Fe₂O₃ and TiO₂ Nanoparticles on the Removal of Trichloroethylene by Activated Carbon in the Presence and Absence of Humic Acid. *Water Air and Soil Pollution*. 226: 4-4.
- Salih, HH; Sorial, GA; Patterson, CL; Speth, TF. (2015). The Implications of Fe sub(2)O sub(3) and TiO sub(2) Nanoparticles on the Removal of Trichloroethylene by Activated Carbon in the Presence and Absence of Humic Acid. *Water, Air, & Soil Pollution*. 226: 1-10.

Environmental Hazard Literature Search Results

Off Topic

- Salipira, KL; Mamba, BB; Krause, RW; Malefetse, TJ; Durbach, SH. (2007). Carbon nanotubes and cyclodextrin polymers for removing organic pollutants from water. *Environ Chem Lett.* 5: 13-17.
- Saller, KR. (2014). Management Of Contaminants In Low Permeability Media. Dissertation Abstracts International Vol 76, no 01, suppl B, 199 p 2014.
- Salman, M; Gerhard, JI; Major, DW; Pironi, P; Hadden, R. (2015). Remediation of trichloroethylene-contaminated soils by star technology using vegetable oil smoldering. *J Hazard Mater.* 285: 346-355.
- Salmana, M; Gerhard, J; Major, D. (2012). Self-Sustaining Treatment for Active Remediation (STAR) for Trichloroethylene-Contaminated Soils via Vegetable Oil Smouldering. 2012 International Association of Hydrologists Congress (IAH 2012).
- Salmon, AG; Jones, RB; Mackrodt, WC. (1981). Microsomal dechlorination of chloroethanes: structure-reactivity relationships. *Xenobiotica; the fate of foreign compounds in biological systems.* 11: 723-734.
- Salvado-Estivill, I; Hargreaves, DM; Puma, GL. (2007). Evaluation of the intrinsic photocatalytic oxidation kinetics of indoor air pollutants. *Environmental Science & Technology.* 41: 2028-2035.
- Sampaolo, A; Binetti, R. (1986). ELABORATION OF A PRACTICAL METHOD FOR PRIORITY SELECTIONS AND RISK ASSESSMENT AMONG EXISTING CHEMICALS. *Regul Toxicol Pharmacol.* 6: 129-154.
- Sample, BE; Arenal, CA. (1999). Allometric models for interspecies extrapolation of wildlife toxicity data. *Bull Environ Contam Toxicol.* 62: 653-663.
- Sanchez, IM; Bull, RJ. (1990). Early induction of reparative hyperplasia in the liver of B6C3F1 mice treated with dichloroacetate and trichloroacetate. *Toxicology.* 64: 33-46.
- Sanchez-Fortun, S; Sanz, F; Santa-Maria, A; Ros, JM; De, VICENTEML; Encinas, MT; Vinagre, E; Barahona, MV. (1997). ACUTE SENSITIVITY OF THREE AGE CLASSES OF ARTEMIA SALINA LARVAE TO SEVEN CHLORINATED SOLVENTS. *Bull Environ Contam Toxicol.* 59: 445-451.
- Sanchez-Ramos, J; Facca, A; Basit, A; Song, S. (1998). Toxicity of dieldrin for dopaminergic neurons in mesencephalic cultures. *Exp Neurol.* 150: 263-271.
- Sandbacka, M; Part, P; Isomaa, B. (1999). Gill epithelial cells as tools for toxicity screening Comparison between primary cultures, cells in suspension and epithelia on filters. *Aquat Toxicol.* 46: 23-32.
- Sander, C; Sylvester, DM. (1990). DISTRIBUTION AND BINDING OF TRICHLOROETHYLENE TO BONE MARROW CELLS IN THE RAT. 74th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Part I, Washington, DC, Usa, April. 4.
- Sanders, PF. (1995). Calculation of soil cleanup criteria for volatile organic compounds as controlled by the soil-to-groundwater pathway: Comparison of four unsaturated soil zone leaching models. *Journal of Soil Contamination.* 4: 1-24.
- Sanders, VM; Tucker, AN; White Jr, KL; Kauffmann, BM; Hallett, P; Carchman, RA; Borzelleca, JF; Munson, AE. (1982). Humoral and cell-mediated immune status in mice exposed to trichloroethylene in the drinking water. *Toxicol Appl Pharmacol.* 62: 358-368.
- Sanjurjo SÃ¡nchez, J; Alves, CAS; Vidal RomanÃ¡, JR; FernÃ¡ndez Mosquera, D. (2009). Origin of Gypsum-rich Coatings on Historic Buildings. *Water Air Soil Pollut.* 204: 53-68.
- Sanongraj, W; Chen, YS; Crittenden, JC; Destailats, H; Hand, DW; Perrarn, DL; Taylor, R. (2007). Mathematical model for photocatalytic destruction of organic contaminants in air. *Journal of the Air & Waste Management Association.* 57: 1112-1122.
- Santhosh, C; Velmurugan, V; Jacob, G; Jeong, SK; Grace, AN; Bhatnagar, A. (2016). Role of nanomaterials in water treatment applications: A review. *Chem Eng J.* 306: 1116-1137.
- Santo, DOMINGOJW; Radway, JC; Hazen, TC; Wilde, EW. (1997). Use of microrespirometry to determine viability of immobilized Burkholderia cepacia G4. *Biotechnology Techniques.* 11: 571-575.
- Santoro, MD; McGill, JP. (2005). The effect of uncertainty and asset co-specialization on governance in biotechnology alliances. *Strategic Management Journal.* 26: 1261-1269.
- Santos, AP; Lemos, VA. (2015). Determination of Vanadium Levels in Seafood Using Dispersive Liquid-Liquid Microextraction and Optical Sensors. *Water Air and Soil Pollution.* 226: 60-60.
- Sanz, J; Garcia, A; Miro, J; Miguel, C. (2013). Drinking water supply by reverse osmosis plants: three years of experience at El Prat de Llobregat Municipality. *Desalination and Water Treatment.* 51: 124-131.
- Sanz, JL; Rodriguez, N; Amils, R. (1994). ACETOCLASTIC METHANOGENIC TOXICITY PRODUCED BY ALIPHATIC ORGANOCHLORIDE SOLVENTS. *Water Science And Technology.* 30: 121-123.
- Sanz, JL; Rodriguez, N; Amils, R. (1997). Effect of chlorinated aliphatic hydrocarbons on the acetoclastic methanogenic activity of granular sludge. *Appl Microbiol Biotechnol.* 47: 324-328.
- Sapigni, E; Paolini, M; Mesirca, R; Hrelia, P; Roncada, P; Cantelli-Forti, G. (1991). SHORT-CHAIN ALIPHATIC HALOCOMPOUNDS IN-VIVO EFFECTS ON MICROSOMAL MONOOXYGENASE P450-DEPENDENT SYSTEM. Vi Meeting Of The Inter Regional Group Emilia Romagna, Friuli Venezia Giulia, Trentino Alto Adige, Veneto Of The Italian Society Of Pharmacology, Ancona, Italy, April. 25: 77-78.
- Saquing, JM; Mitchell, LA; Wu, B; Wagner, TB; Knappe, DR; Barlaz, MA. (2010). Factors controlling alkylbenzene and tetrachloroethene desorption from municipal solid waste components. *Environmental science & technology.* 44: 1123-1129.
- Saravanane, N; Nandakumar, K; Durairaj, G; Nair, KVK. (2000). Plankton as indicators of coastal water bodies during south-west to north-east monsoon transition at Kalpakkam. *Current Science.* 78: 173-176.
- Sariaslani, FS. (1989). MICROBIAL ENZYMES FOR OXIDATION OF ORGANIC MOLECULES. *Crit Rev Biotechnol.* 9: 171-257.
- Sasaki, K; Takahashi, M; Hirata, Y. (2015). Temperature-Insensitive Sagnac-Type Optical Current Transformer. *Journal of Lightwave Technology.* 33: 2463-2467.

Environmental Hazard Literature Search Results

Off Topic

- Sato, A; Nakajima, T. (1985). Enhanced metabolism of volatile hydrocarbons in rat liver following food deprivation, restricted carbohydrate intake, and administration of ethanol, phenobarbital, polychlorinated biphenyl and 3-methylcholanthrene: a comparative study. *Xenobiotica; the fate of foreign compounds in biological systems.* 15: 67-75.
- Sato, A; Nakajima, T; Koyama, Y. (1981). Dose-related effects of a single dose of ethanol on the metabolism in rat liver of some aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol.* 60: 8-15.
- Sato, A; Nakajima, T; Koyama, Y. (1983). Interaction between ethanol and carbohydrate on the metabolism in rat liver of aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol.* 68: 242-249.
- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photolysis reactor. *Journal of Environmental Engineering-Asce.* 129: 136-146.
- Sato, C; Yao, J. (2006). Simultaneous and sequential photolysis of TCE and PCE. *Journal of Environmental Engineering-Asce.* 132: 32-41.
- Sato, CK; Hartenstein, SD; Motes, W. (2001). Photolysis of TCA, TCE, and PCE in flow-through reactor system. *Journal of Environmental Engineering-Asce.* 127: 620-629.
- Satola, B; Wubbeler, JH; Steinbuchel, A. (2013). Metabolic characteristics of the species *Variovorax paradoxus*. *Appl Microbiol Biotechnol.* 97: 541-560.
- Saud, QJ. (2014). Effects of selected contaminants on the physical, chemical, and geotechnical properties of aquifer solid. *Dissertation Abstracts International Vol 76, no 06, suppl B, 222 p 2014.*
- Sauer, PA; Tyler, EJ. (1996). Heavy metal and volatile organic chemical removal and treatment in on-site wastewater infiltration systems: I. Catch basins and septic tanks. *Water Air And Soil Pollution.* 89: 221-232.
- Sauer, PA; Tyler, EJ. (1996). Heavy metal and volatile organic chemical removal and treatment in on-site wastewater systems: II. Drainfields in loamy sand and silt loam soils. *Water Air And Soil Pollution.* 89: 337-350.
- Sauerbeck, A; Pandya, J; Singh, I; Bittman, K; Readnower, R; Bing, GY; Sullivan, P. (2011). Analysis of regional brain mitochondrial bioenergetics and susceptibility to mitochondrial inhibition utilizing a microplate based system. *J Neurosci Methods.* 198: 36-43.
- Saunders, JE; Sanders, C; Chen, H; Loock, HP. (2016). Refractive indices of common solvents and solutions at 1550 nm. *Appl Opt.* 55: 947-953.
- Savino, A; Pasquini, R; Conti, R; Melchiorri, C; Di, CAROA; Sebastiani, L; Grella, A; Bonacci, S. (1987). INFLUENCE OF WASTE WATER DISINFECTION TREATMENTS ON SOME GENOTOXIC CHEMICAL MICROPOLLUTANTS. *Angeletti, G And A Bjorseth.* 0: 357-370.
- Savolainen, H. (1981). Pharmacokinetics, pharmacodynamics and aspects of neurotoxic effects of four inhaled aliphatic chlorohydrocarbon solvents as relevant in man. *European Journal of Drug Metabolism and Pharmacokinetics.* 6: 85-90.
- Savolainen, H; Pfäffli, P. (1977). Biochemical and behavioural effects of inhalation exposure to tetrachloroethylene and dichloromethane. *J Neuropathol Exp Ne.* 36: 941-949.
- Savolainen, H; Pfäffli, P; Tengn, M. (1977). Trichloroethylene and 1,1,1-trichloroethane: effects on brain and liver after five days intermittent inhalation. *Arch Toxicol.* 38: 229-237
- Sawant, SY; Somani, RS; Bajaj, HC; Sharma, SS. (2012). A dechlorination pathway for synthesis of horn shaped carbon nanotubes and its adsorption properties for CO₂, CH₄, CO and N₂. *J Hazard Mater.* 227-228: 317-326.
- Sax, NI; Lewis, RJSR. (1986). RAPID GUIDE TO HAZARDOUS CHEMICALS IN THE WORKPLACE. Sax, N I And R J Lewis, Sr. 0.
- Saylor, GS; Layton, A; Lajoie, C; Bowman, J; Tschantz, M; Fleming, JT. (1995). Molecular site assessment and process monitoring in bioremediation and natural attenuation. *Appl Biochem Biotechnol.* 54: 277-290.
- Sayles, GD; You, G; Wang, M; Kupferle, MJ. (1997). DDT, DDD, and DDE dechlorination by zero-valent iron. *Environmental Science & Technology.* 31: 3448-3454.
- Scamehorn, JF; Christian, SD. (1994). SURFACTANT RECOVERY FROM REMEDIATION OF SUBSURFACE CONTAMINATION. 207th National Meeting Of The American Chemical Society, San Diego, California, Usa, March. 207: 260.
- Scarpelli, A; Miligi, L; Costantini, AS; Maltoni, SA. (1993). Exposure to solvents in the shoe and leather goods industries. *Int J Epidemiol.* 22: S46-S50.
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr.* 44: 703-707.
- Schäfer, D; Kähler, R; Dahmke, A. (2003). Competing TCE and cis-DCE degradation kinetics by zero-valent iron—experimental results and numerical simulation. *J Contam Hydrol.* 65: 183-202.
- Schäzler, S; Morio, MIFGUoyoTbGssu-td; Bartke, S; Finkel, M. (2012). Integrated planning and spatial evaluation of megasite remediation and reuse options. *J Contam Hydrol.* 1: 18-100.
- Schaefer, CE. (2016). Naturally occurring dechlorination reactions in rock matrices: Impacts on TCE fate and flux. *Environmental Technology & Innovation.* 6: 115-122.
- Schaefer, CE; Callaghan, AV; King, JD; McCray, JE. (2009). Dense nonaqueous phase liquid architecture and dissolution in discretely fractured sandstone blocks. *Environmental science & technology.* 43: 1877-1883.
- Schaefer, CE; Condee, CW; Vainberg, S; Steffan, RJ. (2009). Bioaugmentation for chlorinated ethenes using *Dehalococcoides* sp.: Comparison between batch and column experiments. *Chemosphere.* 75: 141-148.
- Schaefer, CE; Schuth, C; Werth, CR; Reinhard, M. (2000). Binary desorption isotherms of TCE and PCE from silica gel and natural solids. *Environmental Science & Technology.* 34: 4341-4347.
- Schaefer, CE; Topoleski, C; Fuller, ME. (2007). Effectiveness of zerovalent iron and nickel catalysts for degrading chlorinated solvents and n-nitrosodimethylamine in natural groundwater. *Water Environ Res.* 79: 57-62.

Environmental Hazard Literature Search Results

Off Topic

- Schaefer, CE; Towne, RM; Lippincott, DR; Lacombe, PJ; Bishop, ME; Dong, HL. (2015). Abiotic dechlorination in rock matrices impacted by long-term exposure to TCE. *Chemosphere*. 119: 744-749.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lazouskaya, V; Fischer, TB; Bishop, ME; Dong, HL. (2013). Coupled Diffusion and Abiotic Reaction of Trichloroethene in Minimally Disturbed Rock Matrices. *Environmental Science & Technology*. 47: 4291-4298.
- Schaefer, CE; Towne, RM; Root, D; McCray, JE. (2012). Assessment of Chemical Oxidation for Treatment of DNAPL in Fractured Sandstone Blocks. *Journal of Environmental Engineering-Asce*. 138: 1-7.
- Schaefer, CE; Towne, RM; Vainberg, S; McCray, JE; Steffan, RJ. (2010). Bioaugmentation for treatment of dense non-aqueous phase liquid in fractured sandstone blocks. *Environmental science & technology*. 44: 4958-4964.
- Schaefer, E; Staubmann, K; Urban, W; Loiskandl, W; Rassinger, M; Schachner, H. (1997). New approaches to the simulation and optimisation of adsorption processes. *AU - WEINGARTNER A. Water Science And Technology*. 35: 269-278.
- Schaeffer, DJ; Kapila, S; Meadows, JE; Hinderberger, E; Wentzel, R. (1988). CHEMICAL CHARACTERIZATION OF RESIDUES FROM MILITARY HC SMOKEPOTS. *J Hazard Mater*. 17: 315-328.
- Schaeffer, DJ; Kerster, HW. (1987). Estimating mutagen mass in indeterminate mixtures: micronuclei in *Tradescantia*. *Ecotoxicol Environ Saf*. 14: 30-37.
- Schaeffer, DJ; Novak, EW; Lower, WR; Yanders, A; Kapila, S; Wang, R. (1987). Effects of chemical smokes on flora and fauna under field and laboratory exposures. *Ecotoxicol Environ Saf*. 13: 301-315.
- Schaerlaekens, J; Feyen, J. (2004). Effect of scale and dimensionality on the surfactant-enhanced solubilization of a residual DNAPL contamination. *J Contam Hydrol*. 71: 283-306.
- Schaerlaekens, J; Mallants, D; Simunek, J; van Genuchten, MT; Feyen, J. (1999). Numerical simulation of transport and sequential biodegradation of chlorinated aliphatic hydrocarbons using CHAIN_2D. *Hydrolog Process*. 13: 2847-2859.
- Schaerlaekens, J; Mertens, J; Van Linden, J; Vermeiren, G; Carmeliet, J; Feyen, J. (2006). A multi-objective optimization framework for surfactant-enhanced remediation of DNAPL contaminations. *J Contam Hydrol*. 86: 176-194.
- Schaerlaekens, J; Vanderborght, J; Mercckx, R; Feyen, J. (2000). Surfactant enhanced solubilization of residual trichloroethene: an experimental and numerical analysis. *J Contam Hydrol*. 46: 1-16.
- Schafer, A; Bouwer, EJ. (2000). Toluene induced cometabolism of cis-1,2-dichloroethylene and vinyl chloride under conditions expected downgradient of a permeable Fe(0) barrier. *Water Res*. 34: 3391-3399.
- Schafer, D; Kober, R; Dahmke, A. (2003). Competing TCE and cis-DCE degradation kinetics by zero-valent iron - experimental results and numerical simulation. *J Contam Hydrol*. 65: 183-202.
- Schaffner, I; Lindhult, EC; Lamb, SR; Armstrong, KC. (2011). Destruction of DNAPL through a Green Technology-TCE Source Area Bioremediation. Reston, VA: ASCE Proceedings of the 2011 World Environmental and Water Resources Congress; May 2226, 2011 Palm Springs, California, d 201100003990-3999.
- Schalla, R; Myers, DA; Simmons, MA; Thomas, JM; Toste, AP. (1988). THE SENSITIVITY OF FOUR MONITORING WELL SAMPLING SYSTEMS TO LOW CONCENTRATIONS OF THREE VOLATILE ORGANICS. *Ground Water Monit Rev*. 8: 90-96.
- Schanke, CA; Wackett, LP. (1992). ENVIRONMENTAL REDUCTIVE ELIMINATION REACTIONS OF POLYCHLORINATED ETHANES MIMICKED BY TRANSITION-METAL COENZYMES. *Environ Sci Technol*. 26: 830-833.
- Schaumburg, FD. (1990). BANNING TRICHLOROETHYLENE RESPONSIBLE REACTION OR OVERKILL. *Environ Sci Technol*. 24: 17-22.
- Scheele, JS. (1998). A comparison of the concentrations of certain pesticides and polychlorinated hydrocarbons in bone marrow and fat tissue. *Journal of environmental pathology, toxicology and oncology : official organ of the International Society for Environmental Toxicology and Cancer*. 17: 65-68.
- Scherer, MM; Balko, BA; Gallagher, DA; Tratnyek, PG. (1998). Correlation analysis of rate constants for dechlorination by zero-valent iron. *Environmental Science & Technology*. 32: 3026-3033.
- Scherer, MM; Westall, JC; Ziomek-Moroz, M; Tratnyek, PG. (1997). Kinetics of carbon tetrachloride reduction at an oxide-free iron electrode. *Environmental Science & Technology*. 31: 2385-2391.
- Scheringer, M. (1997). Characterization of the environmental distribution behavior of organic chemicals by means of persistence and spatial range. *Environmental Science & Technology*. 31: 2891-2897.
- Scheutz, C; Durant, ND; Broholm, MM. (2014). Effects of bioaugmentation on enhanced reductive dechlorination of 1,1,1-trichloroethane in groundwater: a comparison of three sites. *Biodegradation*. 25: 459-478.
- Scheutz, C; Durant, ND; Dennis, P; Hansen, MH; Jorgensen, T; Jakobsen, R; Cox, EE; Bjerg, PL. (2008). Concurrent Ethene Generation and Growth of Dehalococoides Containing Vinyl Chloride Reductive Dehalogenase Genes During an Enhanced Reductive Dechlorination Field Demonstration. *Environmental Science & Technology*. 42: 9302-9309.
- Scheutz, C; Durant, ND; Hansen, MH; Bjerg, PL. (2011). Natural and enhanced anaerobic degradation of 1,1,1-trichloroethane and its degradation products in the subsurface--a critical review. *Water Res*. 45: 2701-2723.
- Scheutz, C; Hunkeler, D; Jacobsen, CS; Tuxen, N; Broholm, MM; He, L; Xia, G; Sun, J; Zhao, Q; Song, R; Ma, Z. (2013). Unzipped multiwalled carbon nanotubes-incorporated poly(vinylidene fluoride) nanocomposites with enhanced interface and piezoelectric β phase. *J Contam Hydrol*. 146: 37-50.
- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *Journal of the Air & Waste Management Association*. 55: 878-885.
- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual*. 33: 61-71.

Environmental Hazard Literature Search Results

Off Topic

- Schiavone, A; Corsolini, S; Borghesi, N; Focardi, S. (2009). Contamination profiles of selected PCB congeners, chlorinated pesticides, PCDD/Fs in Antarctic fur seal pups and penguin eggs. *Chemosphere*. 76: 264-269.
- Schiestl, RH; Aubrecht, J; Khogali, F; Carls, N. (1997). Carcinogens induce reversion of the mouse pink-eyed unstable mutation. *Proceedings of the National Academy of Sciences of the United States of America*. 94: 4576-4581.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere*. 147: 239-247.
- Schilling, KE. (1999). Demonstrating localized intrinsic biodegradation of chlorinated aliphatic hydrocarbons using time series sampling. *Ground Water Monitoring and Remediation*. 19: 115-124.
- Schipper, O. (2003). Phytoremediation releases TCE to the atmosphere. *Environmental Science & Technology*. 37: 206A-206A.
- Schlicker, O; Ebert, M; Fruth, M; Weidner, M; Wust, W; Dahmke, A. (2000). Degradation of TCE with iron: The role of competing chromate and nitrate reduction. *Ground Water*. 38: 403-409.
- Schmajuk, NA; Bushnell, PJ. (2009). A computational model reveals classical conditioning mechanisms underlying visual signal detection in rats. *Behav Processes*. 82: 340-351.
- Schmal, D; Van, ERKELJ; De, JONGAMCP; Van, DUINPJ. (1987). ELECTROCHEMICAL TREATMENT OF ORGANOHALOGENS IN PROCESS WASTE WATERS. De Waal, K J A And W J Van Den Brink. 0: 284-293.
- Schmid, D; Micic, V; Laumann, S; Hofmann, T. (2015). Measuring the reactivity of commercially available zero-valent iron nanoparticles used for environmental remediation with iopromide. *J Contam Hydrol*. 181: 36-45.
- Schmid, P; Bogdal, C; Bl athgen, NEESFLfMT; Research, U; berlandstras, CHD; bendorf, Spsec; Anselmetti, FS; Zwysig, A; Hungerb ahlerD, EESFLfMTU; berlandstrasse, CHHD; bendorf, Spsec. (2011). The missing piece: sediment records in remote Mountain lakes confirm glaciers being secondary sources of persistent organic pollutants. *Environmental science & technology*. 45: 203-208.
- Schmidt, B; Ehlert, DK; Braun, HA. (2004). E-1,2-dichlorovinyl ethers as irreversible protease inhibitors. *Tetrahedron Lett*. 45: 1751-1753.
- Schmidt, KR; Augenstein, T; Heidinger, M; Ertl, S; Tiehm, A. (2010). Aerobic biodegradation of cis-1,2-dichloroethene as sole carbon source: Stable carbon isotope fractionation and growth characteristics. *Chemosphere*. 78: 527-532.
- Schmidt, KR; Gaza, S; Voropaev, A; Ertl, S; Tiehm, A. (2014). Aerobic biodegradation of trichloroethene without auxiliary substrates. *Water Res*. 59: 112-118.
- Schmidt, KR; Mungenast, S; Stoll, C; Tiehm, A; Rodriguez, C; Linge, K; Blair, P; Busetti, F; Devine, B; Van, BP; Weinstein, P; Cook, A. (2012). Recycled water: potential health risks from volatile organic compounds and use of 1,4-dichlorobenzene as treatment performance indicator. *Bioresour Technol*. 103: 286-292.
- Schmidt, KR; Stoll, C; Tiehm, A; Kroiss, H. (2010). Evaluation of 16S-PCR detection of Dehalococcoides at two chloroethene-contaminated sites. *Water Science & Technology: Water Supply*.
- Schmidt, KR; Tiehm, A. (2008). Natural attenuation of chloroethenes: identification of sequential reductive/oxidative biodegradation by microcosm studies. *Water Science and Technology*. 58: 1137-1145.
- Schmidt, M; Lege, S; Nijenhuis, I. (2014). Comparison of 1,2-dichloroethane, dichloroethene and vinyl chloride carbon stable isotope fractionation during dechlorination by two Dehalococcoides strains. *Water Res*. 52: 146-154.
- Schmidt, MM; Rohwedder, A; Dringen, R. (2011). Effects of chlorinated acetates on the glutathione metabolism and on glycolysis of cultured astrocytes. *Neurotox Res*. 19: 628-637.
- Schmidt, P; Gohlke, R; Just, A; Rothe, R; Burck, D; J  tzer, H. (1980). Combined action of hepatotoxic substances and increased environmental temperature on the liver of rats. *J Hyg Epidemiol Microbiol Immunol*. 24: 271-276.
- Schnaar, G; Brusseau, ML. (2005). Pore-scale characterization of organic immiscible-liquid morphology in natural porous media using synchrotron X-ray microtomography. *Environmental science & technology*. 39: 8403-8410.
- Schnaar, G; Brusseau, ML. (2006). Characterizing pore-scale dissolution of organic immiscible liquid in natural porous media using synchrotron X-ray microtomography. *Environmental Science & Technology*. 40: 6622-6629.
- Schnaar, G; Brusseau, ML. (2013). Measuring equilibrium sorption coefficients with the miscible-displacement method. *Journal of environmental science and health Part A, Toxic/hazardous substances & environmental engineering*. 48: 355-359.
- Schnarr, M; Truax, C; Farquhar, G; Hood, E; Gonullu, T; Stickney, B. (1998). Laboratory and controlled field experiments using potassium permanganate to remediate trichloroethylene and perchloroethylene DNAPLs in porous media. *J Contam Hydrol*. 29: 205-224.
- Schneider, M; Deissler, A; Ballschmiter, K. (1998). LEVELS AND PATTERNS OF C1-C15 ALKYL NITRATES PERCHLOROETHYLENE AND BROMOFORM IN CALIFORNIAN AIR. 216th National Meeting Of The American Chemical Society, Boston, Massachusetts, Usa, August. 216: 138.
- Schneider, UA; Kent, RA; Phillips, R. (1994). CONTAMINATED GROUNDWATER THE NEGLECTED CHAPTER IN ENVIRONMENTAL ASSESSMENTS. Twenty First Annual Aquatic Toxicity Workshop, Sarnia, Ontario, Canada, October. 0: 45.
- Schneidewind, U; Haest, PJ; Atashgahi, S; Maphosa, F; Hamonts, K; Maesen, M; Calderer, M; Seuntjens, P; Smidt, H; Springael, D; Dejonghe, W. (2014). Kinetics of dechlorination by Dehalococcoides mccartyi using different carbon sources. *J Contam Hydrol*. 157: 25-36.
- Schoen, ME; Small, MJ; VanBriesen, JM. (2010). Bayesian model for flow-class dependent distributions of fecal-indicator bacterial concentration in surface waters. *Water Res*. 44: 1006-1016.
- Schoenborn, EM. (1942). THE EFFECT OF SIMPLIFYING ASSUMPTIONS IN THE MATHEMATICAL TREATMENT OF DISTILLATION AND THE EFFECT OF STEAM AS A THIRD COMPONENT IN THE DISTILLATION OF TRICHLOROETHYLENE-TOLUENE. PhD Thesis, The Ohio State University.
- Schoene, K; Steinhanses, J; Koenig, A. (1990). The sorptive efficiency of Tenax for binary vapor mixtures. *Fresenius' J Anal Chem*. 336: 114-119.

Environmental Hazard Literature Search Results

Off Topic

- Schoeneich, C; Mao, Y; Asmus, KD. (1988). ACTIVATION OF HALOGENATED COMPOUNDS BY ONE AND TWO-ELECTRON-TRANSFER GENERATION OF HIGHLY TOXIC PRODUCTS. The Association For Radiation Research Winter Meeting, Leeds, England, Uk, January. 53: 995.
- Schoftner, P; Waldner, G; Lottermoser, W; Stoger-Pollach, M; Freitag, P; Reichenauer, TG. (2015). Electron efficiency of nZVI does not change with variation of environmental parameters. *Sci Total Environ.* 535: 69-78.
- Schollhorn, A; Savary, C; Stucki, G; Hanselmann, KW. (1997). Comparison of different substrates for the fast reductive dechlorination of trichloroethene under groundwater conditions. *Water Res.* 31: 1275-1282.
- Scholz-Muramatsu, H; Neumann, A; Messmer, M; Moore, E; Diekert, G. (1995). Isolation and characterization of *Dehalospirillum multivorans* gen. nov., sp. nov., a tetrachloroethene-utilizing, strictly anaerobic bacterium. *Archives Of Microbiology.* 163: 48-56.
- Schomers, S; Sattler, C; Matzdorf, B. (2015). An analytical framework for assessing the potential of intermediaries to improve the performance of payments for ecosystem services. *Land Use Pol.* 42: 58-70.
- Schraa, G; Van, DERMEERJR; Van, NEERVENARW; Colberg, PJ; Zehnder, AJB. (1985). MICROBIAL TRANSFORMATION OF MICROPOLLUTANTS IN SOIL SYSTEMS. *Jensen*4-8.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere.* 29: 1743-1753.
- Schreier, CG; Reinhard, M. (1994). TRANSFORMATION OF TETRACHLOROETHYLENE BY IRON POWDER. 207th National Meeting Of The American Chemical Society, San Diego, California, Usa, March. 207: 197.
- Schreier, CG; Reinhard, M. (1995). Catalytic hydrodehalogenation of chlorinated ethylenes using palladium and hydrogen for the treatment of contaminated water. *Chemosphere.* 31: 3475-3487.
- Schrack, B. (2002). Supported metal nanoparticles for the remediation of chlorinated hydrocarbons. PhD Thesis, The Pennsylvania State University.
- Schroeder, HF. (1986). CHLORINATED HYDROCARBONS IN BIOLOGICAL SEWAGE PURIFICATION FATE AND DIFFICULTIES IN BALANCING. Thirteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Part. 19: 429-438.
- Schroth, MH; Oostrom, M; Wietsma, TW; Istok, JD. (2001). In-situ oxidation of trichloroethene by permanganate: effects on porous medium hydraulic properties. *J Contam Hydrol.* 50: 79-98.
- Schulenberg, JW; Reeves, HW. (2002). Axi-symmetric simulation of soil vapor extraction influenced by soil fracturing. *J Contam Hydrol.* 57: 189-222.
- Schultz, IR; Merdink, JL; Gonzalez-Leon, A; Bull, RJ. (1999). Comparative toxicokinetics of chlorinated and brominated haloacetates in F344 rats. *Toxicol Appl Pharmacol.* 158: 103-114.
- Schultz, MG; Sapp, JH; Cusack, CD; Fink, JM. (2010). The National Exposure Registry: History and Lessons Learned. *J Environ Health.* 72: 20-25.
- Schultz, NE; Klaunig, JE. (1986). COMPARATIVE HEPATOTOXICITY OF HALOGENATED HYDROCARBONS IN RAT MOUSE DOG AND PRIMATE PRIMARY HEPATOCYTES. 95th Annual Meeting Of The Ohio Academy Of Science, Toledo, Ohio, Apr. 86: 13.
- Schulz, H; Popp, P; Huhn, G; Staerk, HJ; Schueuermann, G. (1999). Biomonitoring of airborne inorganic and organic pollutants by means of pine tree barks. I. Temporal and spatial variations. *Sci Total Environ.* 232: 49-58.
- Schumacher, BA; Ward, SE. (1997). Quantitation reference compounds and VOC recoveries from soils by purge-and-trap GC./METHODS. *Environmental Science & Technology.* 31: 2287-2291.
- Schumacher, BA; Zimmerman, JH; Elliot, RJ; Swanson, GR. (2016). The Effect of Equilibration Time and Tubing Material on Soil Gas Measurements. *Soil & Sediment Contamination.* 25: 151-163.
- Schumacher, W; Holliger, C. (1996). The proton/electron ration of the menaquinone-dependent electron transport from dihydrogen to tetrachloroethene in "*Dehalobacter restrictus*". *J Bacteriol.* 178: 2328-2333.
- Schuth, C; Bill, M; Barth, JAC; Slater, GF; Kalin, RA. (2003). Carbon isotope fractionation during reductive dechlorination of TCE in batch experiments with iron samples from reactive barriers. *J Contam Hydrol.* 66: 25-37.
- Schuth, C; Taubald, H; Bolano, N; Maciejczyk, K. (2003). Carbon and hydrogen isotope effects during sorption of organic contaminants on carbonaceous materials. *J Contam Hydrol.* 64: 269-281.
- Schwack, W. (1988). PHOTOINDUCED ADDITIONS OF PESTICIDES TO BIOMOLECULES 2. MODEL REACTIONS OF DDT AND METHOXYCHLOR WITH METHYL OLEATE. *J Agric Food Chem.* 36: 645-648.
- Schwartz, BS; Ford, DP; Bolla, KI; Agnew, J; Rothman, N; Bleecker, ML. (1990). Solvent-associated decrements in olfactory function in paint manufacturing workers. *Am J Ind Med.* 18: 697-706.
- Schwarzbach, SE; Shull, L; Grau, CR. (1988). Eggshell thinning in ring doves exposed to p,p'-dicofol. *Arch Environ Contam Toxicol.* 17: 219-228.
- Schwarzenbach, RP; Muller, SR; Ulrich, MM. (1994). ASSESSING THE DYNAMIC BEHAVIOR OF ORGANIC POLLUTANTS IN LAKES BY COMBINED COMPUTER SIMULATIONS AND FIELD MEASUREMENTS. 207th National Meeting Of The American Chemical Society, San Diego, California, Usa, March. 207: 122.
- Schwarzenbach, RP; Westall, J. (1984). SORPTION OF HYDROPHOBIC TRACE ORGANIC COMPOUNDS IN GROUNDWATER SYSTEMS. Symposium On Degradation, Retention And Dispersion Of Pollutants In Groundwater Held By The International Association On Water Pollution Research And Control, Copenhagen, Denmark, Sept. 17: 39-56.
- Scialli, AR; Gibb, H. (2005). Trichloroethylene exposure and congenital heart defects. *Birth Defects Research Part a-Clinical and Molecular Teratology.* 73: 255-255.
- Scott, CS; Chiu, WA. (2006). Trichloroethylene cancer epidemiology: A consideration of select issues. *Environ Health Perspect.* 114: 1471-1478.
- Scott, CS; Cogliano, VJ. (2000). Trichloroethylene health risks - State of the science. *Environ Health Perspect.* 108: 159-160.

Environmental Hazard Literature Search Results

Off Topic

- Scott, CS; Jinot, J. (2011). Trichloroethylene and Cancer: Systematic and Quantitative Review of Epidemiologic Evidence for Identifying Hazards. *Int J Environ Res Public Health*. 8: 4238-NII_4163.
- Scott, D; Applett, A; Materer, NF. (2011). Follow-up study on the effects on well chemistry from biological and chemical remediation of chlorinated solvents. *J Environ Monit*. 13: 2521-2526.
- Scott, DR. (1994). PATTERN RECOGNITION-EXPERT SYSTEM FOR IDENTIFICATION OF TOXIC COMPOUNDS FROM LOW RESOLUTION MASS SPECTRA. *Chemometrics And Intelligent Laboratory Systems*. 23: 351-364.
- Scott, JE; Forkert, PG; Oulton, M; Rasmusson, MG; Temple, S; Fraser, MO; Whitefield, S. (1988). Pulmonary toxicity of trichloroethylene: Induction of changes in surfactant phospholipids and phospholipase A2 activity in the mouse lung. *Exp Mol Pathol*. 49: 141-150.
- Scott, S; Mackay, D; Webster, E. (1998). Estimation of spatially variable atmospheric concentrations deduced from regional mass balance models. *Chemosphere*. 36: 2507-2522.
- Scow, KM; Fan, S. (1991). BIODEGRADATION OF TRICHLOROETHYLENE AND TOLUENE BY INDIGENOUS MICROBIAL POPULATIONS IN SOIL AND THE VADOSE ZONE. 91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May. 91: 294.
- Scriba, P; KrÄ¶iger, H; Holzer, H. (1961). Wirkung carcinostatischer Ä¶thylenin-verbindungen auf den DPN-gehalt therapieresistenter tumoren. *Biochem Pharmacol*. 7: 1-6.
- Scudamore, KA. (1987). EFFECTIVENESS OF COLD SOLVENT EXTRACTION SYSTEMS FOR THE DETERMINATION OF FUMIGANT RESIDUES IN CEREAL GRAINS. *Pestic Sci*. 18: 33-54.
- Scudamore, KA. (1987). FUMIGANT RESIDUES IN WHEAT AND OTHER CEREAL GRAINS RESULTING FROM THE USE OF 1,1,1-TRICHLOROETHANE AND BROMOMETHANE AS A LIQUID FUMIGANT MIXTURE. *Pestic Sci*. 20: 1-18.
- Seagren, EA; Rittmann, BE; Valocchi, AJ. (1999). A critical evaluation of the local-equilibrium assumption in modeling NAPL-pool dissolution. *J Contam Hydrol*. 39: 109-135.
- Seaman, JC; Looney, BB; Harris, MK. (2007). Research in support of remediation activities at the Savannah River Site. *Vadose Zone Journal*. 6: 316-326.
- SedÄ-CabezÄn, D-DdCiÄn; ogriolÄÄgiques, IUdBLsnLHdLCCS; Llorens, J; Lind, L; Penell, J; Luttrupp, K; Nordfors, L; SyvÄÄn. (2013). Global DNA hypermethylation is associated with high serum levels of persistent organic pollutants in an elderly population. *Journal of the Association for Research in Otolaryngology : JARO*. 14: 661-671.
- Sedatole, KL; Vrettos, D; Widener, SK. (2012). The Use of Management Control Mechanisms to Mitigate Moral Hazard in the Decision to Outsource. *Journal of Accounting Research*. 50: 553-592.
- Segar, RL; Dewys, SL; Speitel, GE. (1995). SUSTAINED TRICHLOROETHYLENE COMETABOLISM BY PHENOL-DEGRADING BACTERIA IN SEQUENCING BIOFILM REACTORS. *Water Environ Res*. 67: 764-774.
- Seiber, JN. (1996). Toxic air contaminants in urban atmospheres: Experience in California. *Atmos Environ*. 30: 751-756.
- Seidenberg, JM; Becker, RA. (1987). A SUMMARY OF THE RESULTS OF 55 CHEMICALS SCREENED FOR DEVELOPMENTAL TOXICITY IN MICE. *Teratog Carcinog Mutagen*. 7: 17-28.
- Seip, HM; Alstad, J; Carlberg, GE; Martinsen, K; Skaane, R. (1986). MEASUREMENT OF MOBILITY OF ORGANIC COMPOUNDS IN SOILS. *Sci Total Environ*. 50: 87-102.
- Seitz, WR. (1994). IN SITU DETECTION OF CONTAMINANT PLUMES IN GROUNDWATER BY REMOTE SPECTROSCOPY. Adriano, D C, A K Iskandar And I P Murarka. 0: 279-299.
- Sekar, R; Taillefert, M; DiChristinaa, TJ. (2016). Simultaneous Transformation of Commingled Trichloroethylene, Tetrachloroethylene, and 1,4-Dioxane by a Microbially Driven Fenton Reaction in Batch Liquid Cultures. *Appl Environ Microbiol*. 82: 6335-6343.
- Selgrade, MK; Gilmour, MI. (2010). Suppression of pulmonary host defenses and enhanced susceptibility to respiratory bacterial infection in mice following inhalation exposure to trichloroethylene and chloroform. *J Immunotoxicol*. 7: 350-356.
- Selifonova, OV; Eaton, RW. (1996). Use of an ipb-lux fusion to study regulation of the isopropylbenzene catabolism operon of *Pseudomonas putida* RE204 and to detect hydrophobic pollutants in the environment. *Appl Environ Microbiol*. 62: 778-783.
- Selifonova, OV; Selifonov, SA; Eaton, RW. (1995). LUCIFERASE EXPRESSION IN BACTERIA CARRYING IPB-LUX FUSIONS INDUCED BY CHLORINATED SOLVENTS. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 413.
- Selli, E; Baglio, D; Montanarella, L; Bidoglio, G. (1999). Role of humic acids in the TiO(2)-photocatalyzed degradation of tetrachloroethene in water. *Water Res*. 33: 1827-1836.
- Selmin, O; Thorne, PA; Caldwell, PT; Johnson, PD; Runyan, RB. (2005). Effects of trichloroethylene and its metabolite trichloroacetic acid on the expression of vimentin in the rat H9c2 cell line. *Cell Biol Toxicol*. 21: 83-95.
- Semadeni, M; Chiu, PC; Reinhard, M. (1998). Reductive transformation of trichloroethene by cobalamin: Reactivities of the intermediates acetylene, chloroacetylene, and the DCE isomers. *Environmental Science & Technology*. 32: 1207-1213.
- Semer, R; Reddy, KR. (1996). Evaluation of soil washing process to remove mixed contaminants from a sandy loam. *J Hazard Mater*. 45: 45-57.
- Semkiw, ES; Barcelona, MJ. (2011). Field Study of Enhanced TCE Reductive Dechlorination by a Full-Scale Whey PRB. *Ground Water Monitoring and Remediation*. 31: 68-78.
- Semprini, L. (1997). STRATEGIES FOR THE AEROBIC CO-METABOLISM OF CHLORINATED SOLVENTS. *Curr Opin Biotechnol*. 8: 296-308.
- Semprini, L; Dolan, ME; Hopkins, GD; McCarty, PL. (2009). Bioaugmentation with butane-utilizing microorganisms to promote in situ cometabolic treatment of 1,1,1-trichloroethane and 1,1-dichloroethene. *J Contam Hydrol*. 103: 157-167.
- Semprini, L; Dolan, ME; Mathias, MA; Hopkins, GD; McCarty, PL. (2007). Bioaugmentation of butane-utilizing microorganisms for the in situ cometabolic treatment of 1,1-dichloroethene, 1,1-dichloroethane, and 1,1,1-trichloroethane. *European Journal of Soil Biology*. 43: 322-327.

Environmental Hazard Literature Search Results

Off Topic

- Semprini, L; Hopkins, GD; McCarty, PL; Roberts, PV. (1992). In situ transformation of carbon tetrachloride and other halogenated compounds resulting from biostimulation under anoxic conditions. *Environ Sci Technol.* 26: 2454-2461.
- Semprini, L; Hopkins, GD; Roberts, PV; Grbic-Galic, D; McCarty, PL. (1991). A field evaluation of in-situ biodegradation of chlorinated ethenes: Part 3. Studies of competitive inhibition. *Ground Water.* 29: 239-250.
- Semprini, L; Hopkins, GD; Roberts, PV; McCarty, PL. (1992). PILOT SCALE FIELD STUDIES OF IN-SITU BIOREMEDIATION OF CHLORINATED SOLVENTS. Fourth Annual Symposium On Ground Water: The Problem And Some Solutions, Beaumont, Texas, Usa, April. 32: 145-162.
- Semprini, L; Roberts, PV; Hopkins, GD; McCarty, PL. (1990). A field evaluation of in situ biodegradation of chlorinated ethenes: Part 2. Results of biostimulation and biotransformation experiments. *Ground Water.* 28: 715-727.
- Semrau, JD; Smith, KS; Lidstrom, ME. (1993). PARAMETERS AFFECTING THE ABILITY OF METHANOTROPHS TO OXIDIZE METHANE AND TRICHLOROETHYLENE. *Keystone Symposium On Environmental Bioremediation And Biodegradation, Lake Tahoe, California, Usa, March.* 0: 198.
- Senewiratne, B; Hettiarachchi, J; Senewiratne, K. (1975). A comparative study of the relative efficacy of pyrantel pamoate, bephenium hydroxynaphthoate and tetrachlorethylene in the treatment of *Necator americanus* infection in Ceylon. *Annals of tropical medicine and parasitology.* 69: 233-239.
- Sengul, F; Gurel, O. (1993). POLLUTION PROFILE OF LEATHER INDUSTRIES WASTE CHARACTERIZATION AND PRETREATMENT OF POLLUTANTS. *Water Science And Technology.* 28: 87-96.
- Senior, LA; Goode, DJ. (2013). Investigations of groundwater system and simulation of regional groundwater flow for North Penn Area 7 Superfund site, Montgomery County, Pennsylvania. *Scientific Investigations Report United States Geological Survey.*
- Seo, HS; McCray, JE. (2002). Interfacial tension of chlorinated aliphatic DNAPL mixtures as a function of organic phase composition. *Environmental Science & Technology.* 36: 1292-1298.
- Seo, M; Ikeda, K; Okamura, T; Kida, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). Enhancing effect of chlorinated organic solvents on histamine release and inflammatory mediator production. *Toxicology.* 243: 75-83.
- Seo, M; Kobayashi, R; Okamura, T; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2012). Enhancing effects of trichloroethylene and tetrachloroethylene on type I allergic responses in mice. *The Journal of Toxicological Sciences.* 37: 439.
- Seo, M; Yamagiwa, T; Kobayashi, R; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). Augmentation of antigen-stimulated allergic responses by a small amount of trichloroethylene ingestion from drinking water. *Regul Toxicol Pharmacol.* 52: 140-146.
- Seo, M; Yamagiwa, T; Kobayashi, R; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). A small amount of tetrachloroethylene ingestion from drinking water accelerates antigen-stimulated allergic responses. *Immunobiology.* 213: 663-669.
- Seo, Y; Lee, H. (2001). A new hydrate-based recovery process for removing chlorinated hydrocarbons from aqueous solutions. *Environmental science & technology.* 35: 3386-3390.
- Seo, YC; Paode, RD; Holsen, TM. (2000). Partitioning of SSOCs into straight-chained surfactants. *Journal of Environmental Engineering-Asce.* 126: 467-470.
- Seol, Y; Javandel, I. (2008). Citric acid-modified Fenton's reaction for the oxidation of chlorinated ethylenes in soil solution systems. *Chemosphere.* 72: 537-542.
- Seol, Y; Schwartz, FW. (2000). Phase-transfer catalysis applied to the oxidation of nonaqueous phase trichloroethylene by potassium permanganate. *J Contam Hydrol.* 44: 185-201.
- Seol, Y; Schwartz, FW; Lee, S. (2001). Oxidation of binary DNAPL mixtures using potassium permanganate with a phase transfer catalyst. *Ground Water Monitoring and Remediation.* 21: 124-132.
- Sercu, B; Jones, ADG; Wu, CH; Escobar, MH; Serlin, CL; Knapp, TA; Andersen, GL; Holden, PA. (2013). The Influence of In Situ Chemical Oxidation on Microbial Community Composition in Groundwater Contaminated with Chlorinated Solvents. *Microb Ecol.* 65: 39-49.
- Serrano-Trespacios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City Metropolitan Area. *J Expo Anal Environ Epidemiol.* 14: S118-S132.
- Seshadri, R; Adrian, L; Fouts, DE; Eisen, JA; Phillippy, AM; Methe, BA; Ward, NL; Nelson, WC; Deboy, RT; Khouri, HM; Kolonay, JF; Dodson, RJ; Daugherty, SC; Brinkac, LM; Sullivan, SA; Madupu, R; Nelson, KT; Kang, KH; Impraim, M; Tran, K; Robinson, JM; Forberger, HA; Fraser, CM; Zinder, SH; Heidelberg, JF. (2005). Genome sequence of the PCE-dechlorinating bacterium *Dehalococcoides ethenogenes*. *Science.* 307: 105-108.
- Seth, R; Tai, LH; Falls, T; de Souza, CT; Bell, JC; Carrier, M; Atkins, H; Boushey, R; Auer, RA. (2013). Surgical Stress Promotes the Development of Cancer Metastases by a Coagulation-Dependent Mechanism Involving Natural Killer Cells in a Murine Model. *Ann Surg.* 258: 158-168.
- Severcan, F; Kazanci, N; Baykal, U; SÄ zer, S. (1995). IR and turbidity studies of vitamin E-cholesterol-phospholipid membrane interactions. *Bioscience reports.*
- Severinsen, M; Andersen, MB; Chen, F; Nyholm, N. (1996). A regional chemical fate and exposure model suitable for Denmark and its coastal sea. *Chemosphere.* 32: 2159-2175.
- Severinsen, M; Jager, T. (1998). Modelling the influence of terrestrial vegetation on the environmental fate of xenobiotics. *Chemosphere.* 37: 41-62.
- Severs, LW; Skory, LK. (1975). Monitoring personnel exposure to vinyl chloride, vinylidene chloride and methyl chloride in an industrial work environment. *Am Ind Hyg Assoc J.* 36: 669-676.
- Sewell, GW; Gibson, SA. (1990). REDUCTIVE DECHLORINATION OF TETRACHLOROETHENE AND TRICHLOROETHENE LINKED TO ANAEROBIC DEGRADATION OF TOLUENE IN FUEL AND SOLVENT CONTAMINATED AQUIFER MATERIAL. 90th Annual Meeting Of The American Society For Microbiology. 90: 294.

Environmental Hazard Literature Search Results

Off Topic

- Sewell, GW; Gibson, SA; Russell, HH. (1994). NATURAL ATTENUATION OF ORGANIC GROUND WATER CONTAMINANTS BY SUBSURFACE MICROBIAL POPULATIONS. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 455.
- Sexton, K; Mongin, SJ; Adgate, JL; Pratt, GC; Ramachandran, G; Stock, TH; Morandi, MT. (2007). Estimating volatile organic compound concentrations in selected microenvironments using time-activity and personal exposure data. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 70: 465-476.
- Seyama, T; Adachi, K; Yamazaki, S. (2012). Kinetics of photocatalytic degradation of trichloroethylene in aqueous colloidal solutions of TiO₂, and WO₃ nanoparticles. *Journal of Photochemistry & Photobiology, A: Chemistry*. 249: 15-20.
- Seybold, PG; May, MA; Gargas, ML. (1986). ON THE PHYSICAL PROPERTIES OF HALOGENATED HYDROCARBONS. *Acta Pharm Jugosl*. 36: 253-266.
- Seydoux, G. (1996). Mechanisms of translational control in early development. *Current Opinion in Genetics & Development*. 6: 555-561.
- Seyedabbasi, MA; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol*. 134: 69-81.
- Shabbir, A; DiStasio, S; Zhao, J; Cardozo, CP; Wolff, MS; Caplan, AJ. (2005). Differential effects of the organochlorine pesticide DDT and its metabolite p,p'-DDE on p-glycoprotein activity and expression. *Toxicol Appl Pharmacol*. 203: 91-98.
- Shafer, TJ; Bushnell, PJ; Benignus, VA; Woodward, JJ. (2005). Perturbation of voltage-sensitive Ca(2+) channel function by volatile organic solvents. *J Pharmacol Exp Ther*. 315: 1109-1118.
- Shafi, S; Sweetman, A; Hough, RL; Smith, R; Rosevear, A; Pollard, SJT. (2006). Evaluating fugacity models for trace components in landfill gas. *Environ Pollut*. 144: 1013-1023.
- Shah, JJ; Singh, HB. (1988). DISTRIBUTION OF VOLATILE ORGANIC CHEMICALS IN OUTDOOR AND INDOOR AIR. *Environ Sci Technol*. 22: 1381-1388.
- Shah, MM; Hooker, BS; Skeen, RS. (1996). DECHLORINATION OF PCE UNDER ANAEROBIC CONDITIONS USING SPINACH AS A NUTRIENT SOURCE AND EFFECTS OF SUPPLEMENTAL SPINACH FERREDOXIN. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 410.
- Shah, NN; Hanna, ML; Jackson, KJ; Taylor, RT. (1995). Batch cultivation of *Methylosinus trichosporium* OB3b: IV. Production of hydrogen-driven soluble or particulate methane monooxygenase activity. *Biotechnol Bioeng*. 45: 229-238.
- Shah, S; Hess-Wilson, JK; Webb, S; Daly, H; Godoy-Tundidor, S; Kim, J; Boldison, J; Daaka, Y; Knudsen, KE. (2008). 2,2-bis(4-chlorophenyl)-1,1-dichloroethylene stimulates androgen independence in prostate cancer cells through combinatorial activation of mutant androgen receptor and mitogen-activated protein kinase pathways. *Molecular cancer research : MCR*. 6: 1507-1520.
- Shahin, MM; Von Borstel, RC. (1977). Mutagenic and lethal effects of β -benzene hexachloride, dibutyl phthalate and trichloroethylene in *Saccharomyces cerevisiae*. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*. 48: 173-180.
- Shahin, MM; von Borstel, RC. (1978). Genetic and toxicological effects of β -benzene hexachloride, dibutyl phthalate and trichloroethylene on *Saccharomyces cerevisiae* strain XV185-14C for reversion studies. *Mutation Research/Environmental Mutagenesis and Related Subjects*. 53: 84.
- Shahin, MM; Von, BRC. (1977). Mutagenic and lethal effects of alpha-benzene hexachloride, dibutyl phthalate and trichloroethylene in *Saccharomyces cerevisiae*. *Mutat Res*. 48: 173-180.
- Shan, H; Kurtz, HD, Jr.; Freedman, DL. (2010). Evaluation of strategies for anaerobic bioremediation of high concentrations of halomethanes. *Water Res*. 44: 1317-1328.
- Shan, HC; Lal, H. (1976). Effects of 1,1,1-trichloroethane administered by different routes and in different solvents on barbiturate hypnosis and metabolism in mice. *J Toxicol Environ Health*. 1: 807-816.
- Shan, M; Wang, P; Li, J; Yue, G; Yang, X. (2015). Energy and environment in Chinese rural buildings: Situations, challenges, and intervention strategies. *Build Environ*. 91: 271-282.
- Shanbhag, PV; Guha, AK; Sirkar, KK. (1996). Membrane-based integrated absorption-oxidation reactor for destroying VOCs in air. *Environmental Science & Technology*. 30: 3435-3440.
- Shanbhogue, SS. (2012). Alginate encapsulated nanoparticle-microorganism system for trichloroethylene remediation. *Masters Abstracts International Vol 51, no 02, 97 p 2012*.
- Shanbhogue, SS; Bezbaruah, A; Khan, E; Simsek, S. (2011). Encapsulation of Iron Nanoparticles and Trichloroethylene Degrading Bacteria for Groundwater Clean-Up. Reston, VA: ASCE Proceedings of the 2011 World Environmental and Water Resources Congress; May 2226, 2011 Palm Springs, California, d 201100001075-1082.
- Shang, J; Du, YG; Xu, ZL. (2002). Photocatalytic oxidation of heptane in the gas-phase over TiO₂. *Chemosphere*. 46: 93-99.
- Shang, TQ; Gordon, MP. (2002). Transformation of (14)C trichloroethylene by poplar suspension cells. *Chemosphere*. 47: 957-962.
- Shani, N; Rossi, P; Holliger, C. (2013). Correlations between environmental variables and bacterial community structures suggest Fe(III) and vinyl chloride reduction as antagonistic terminal electron-accepting processes. *Environmental science & technology*.
- Shanker, R; Atkins, WM. Luciferase-dependent, cytochrome P-450-catalyzed dehalogenation in genetically engineered *Pseudomonas*. *Biotechnol Prog*. July/Aug 1996. v. 12 (4): 474-479.
- Shanthi, M; Mathew, CM; Ulaganathan, M; Rajendran, S. (2013). FT-IR and DSC studies of poly(vinylidene chloride-co-acrylonitrile) complexed with LiBF₄. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy*. 109: 105-109.
- Shao, M; Huang, DK; Gu, DS; Lu, SH; Chang, CC; Wang, JL. (2011). Estimates of anthropogenic halocarbon emissions based on its measured ratios relative to CO in the Pearl River Delta. *Atmospheric Chemistry and Physics Discussions*. 11: 2949-2989.

Environmental Hazard Literature Search Results

Off Topic

- Shariatpanahi, M; Anderson, AC. (1984). Distribution and toxicity of monosodium methanearsonate following oral administration of the herbicide to dairy sheep and goats. *Journal of environmental science and health Part B, Pesticides, food contaminants, and agricultural wastes.* 19: 427-439.
- Sharma, A; Goel, HC. (1994). Some naturally occurring phytophototoxins for mosquito control. *Indian J Exp Biol.* 32: 745-751.
- Sharma, N; Deepa, M; Agnihotry, SA. (2002). Impedance studies of Li inserted sol-gel-derived WO(3) films. *Solid State Ionics.* 152: 873-875.
- Sharma, PK; McCarty, PL. (1996). Isolation and characterization of a facultatively aerobic bacterium that reductively dehalogenates tetrachloroethene to cis-1,2-dichloroethene. *Appl Environ Microbiol.* 62: 761-765.
- Sharma, PK; McCarty, PL. (1996). REDUCTIVE DEHALOGENATION OF TETRACHLOROETHENE TO DICHLOROETHENE BY FACULTATIVE BACTERIA. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 407.
- Sharma, RP; Reddy, RV. (1987). TOXIC EFFECTS OF CHEMICALS ON THE IMMUNE SYSTEM. Haley, T J And W O Berndt. 0: 555-591.
- Sharmin, R; Ioannidis, MA; Legge, RL. (2006). Effect of nonionic surfactant partitioning on the dissolution kinetics of residual perchloroethylene in a model porous medium. *J Contam Hydrol.* 82: 145-164.
- Sharp, RR; Bryers, J. (1999). Loss of plasmid-borne TCE-degradative degradative phenotype due to continuous TCE exposure. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 408.
- Sharp, RR; Bryers, JD; Jones, WG. (1998). Activity and stability of a recombinant plasmid-borne TCE degradative pathway in biofilm cultures. *Biotechnol Bioeng.* 59: 318-327.
- Sharp, RR; Bryers, JD; Jones, WG; Shields, MS. (1998). Activity and stability of a recombinant plasmid-borne TCE degradative pathway in suspended cultures. *Biotechnol Bioeng.* 57: 287-296.
- She, Y; Sleep, B; Mackay, D. (1995). A fugacity model for soil vapor extraction. *Journal of Soil Contamination.* 4: 227-242.
- Shea, D. (1988). DEVELOPING NATIONAL SEDIMENT QUALITY CRITERIA. *Environ Sci Technol.* 22: 1256-1261.
- Shear, NM; Schmidt, CW; Huntley, SL; Crawford, DW; Finley, BL. (1996). Evaluation of the factors relating combined sewer overflows with sediment contamination of the lower passaic river. *Mar Pollut Bull.* 32: 288-304.
- Sheil, JM; Gallimore, PH; Zimmer, SG; Sopori, ML. (1984). Susceptibility of Adenovirus 2-transformed rat cell lines to natural killer (NK) cells: direct correlation between NK resistance and in vivo tumorigenesis. *Journal of immunology (Baltimore, Md : 1950).* 132: 1578-1582.
- Shelby, MD; Erexson, GL; Hook, GJ; Tice, RR. (1993). Evaluation of a three-exposure mouse bone marrow micronucleus protocol: Results with 49 chemicals. *Environ Mol Mutagen.* 21: 160-179.
- Shelby, MD; Tice, RR; Demarini, DM; Yang, RSH. (1989). TOXICITY AND MUTAGENICITY OF A MIXTURE OF 25 CHEMICALS FOUND IN CONTAMINATED GROUNDWATER. Vainio, H, M Sorsa And A J Mcmichael. 0: 314-332.
- Shelby, MD; Witt, KL. (1995). Comparison of results from mouse bone marrow chromosome aberration and micronucleus tests. *Environ Mol Mutagen.* 25: 302-313.
- Shelton, JL; Fram, MS; Belitz, K; Jurgens, BC. (2013). Status and understanding of groundwater quality in the Madera, Chowchilla Study Unit, 2008: California GAMA Priority Basin Project. Scientific Investigations Report United States Geological Survey.
- Shelton, KL. (2010). Pharmacological Characterization of the Discriminative Stimulus of Inhaled 1,1,1-Trichloroethane. *J Pharmacol Exp Ther.* 333: 612-620.
- Shelton, KL. (2016). Discriminative Stimulus Effects of Abused Inhalants. *Curr Top Behav Neurosci.*
- Shelton, KL; Balster, RL. (2004). Effects of abused inhalants and GABA-positive modulators in dizocilpine discriminating inbred mice. *Pharmacology Biochemistry and Behavior.* 79: 219-228.
- Shemer, H; Narkis, N. (2005). Effects of aqueous solutions composition and acoustic intensity on THM compounds sonolysis. *Environ Eng Sci.* 22: 138-144.
- Shen, H; Sewell, GW. (2005). Reductive biotransformation of tetrachloroethene to ethene during anaerobic degradation of toluene: experimental evidence and kinetics. *Environmental science & technology.* 39: 9286-9294.
- Shen, H; Wilson, JT. (2007). Trichloroethylene removal from groundwater in flow-through columns simulating a permeable reactive barrier constructed with plant mulch. *Environmental Science & Technology.* 41: 4077-4083.
- Shen, H; Wilson, JT; Lu, XX. (2012). A Tracer Test to Characterize Treatment of TCE in a Permeable Reactive Barrier. *Ground Water Monitoring and Remediation.* 32: 32-41.
- Shen, L; Liu, LT; Yao, ZJ; Liu, G; Lucas, M. (2010). Development Potentials and Policy Options of Biomass in China. *Environ Manage.* 46: 539-554.
- Shen, YS. (1999). Decomposition of gas-phase trichloroethene by the UV-TiO2 and UV-O3 processes. 218th National Meeting Of The American Chemical Society, Parts. 218: 91.
- Shen, YS; Ku, Y. (1997). Treatment of gas-phase trichloroethene in air by the UV3 process. *J Hazard Mater.* 54: 189-200.
- Shen, YS; Ku, Y. (1998). Decomposition of gas-phase chloroethenes by UV/O(3) process. *Water Res.* 32: 2669-2679.
- Shen, YS; Ku, Y. (1999). Treatment of gas-phase volatile organic compounds (VOCs) by the UV3 process. *Chemosphere.* 38: 1855-1866.
- Shen, YS; Ku, Y. (2002). Decomposition of gas-phase trichloroethene by the UV/TiO(2) process in the presence of ozone. *Chemosphere.* 46: 101-107.
- Shen, YS; Ku, Y; Ma, CM. (2012). Reflection effect on the decomposition of gas-phase trichloroethene by 254 nm UV photolysis and advanced oxidation processes (AOPs). *Sustainable Environment Research.* 22: 401-411.
- Shen, Y-S; Ku, Y. (1997). Treatment of gas-phase trichloroethene in air by the UV/O3 process. *J Hazard Mater.* 54: 189-200.
- Sheng, G; Xu, S; Boyd, SA. (1996). Cosorption of organic contaminants from water by hexadecyltrimethylammonium-exchanged clays. *Water Res.* 30: 1483-1489.

Environmental Hazard Literature Search Results

Off Topic

- Sheng, GY; Wang, XR; Wu, SN; Boyd, SA. (1998). Enhanced sorption of organic contaminants by smectitic soils modified with a cationic surfactant. *J Environ Qual.* 27: 806-814.
- Sheng, J. (1991). Separation of dichloroethane-trichloroethylene mixtures by means of a membrane pervaporation process. *Desalination.* 80: 85-95.
- Shenl, H; Adair, C; Wilson, JT. (2010). Long-Term Capacity of Plant Mulch to Remediate Trichloroethylene in Groundwater. *Journal of Environmental Engineering-Asce.* 136: 1054-1062.
- Shepson, PB; Kleindienst, TE; McElhoe, HB. (1987). A CRYOGENIC TRAP-POROUS POLYMER SAMPLING TECHNIQUE FOR THE QUANTITATIVE DETERMINATION OF AMBIENT VOLATILE ORGANIC COMPOUND CONCENTRATIONS. *Atmos Environ.* 21: 579-588.
- Sheremata, TW; Halasz, A; Paquet, L; Thiboutot, S; Ampleman, G; Hawari, J. (2001). The fate of the cyclic nitramine explosive RDX in natural soil. *Environmental Science & Technology.* 35: 1037-1040.
- Sheremata, TW; Yong, RN; Ghoshal, S; Guiot, S. (2000). Anaerobic biodegradation of trichloroethylene sorbed by a surrogate soil organic matter. *J Environ Qual.* 29: 1033-1040.
- Sheremata, TW; Yong, RN; Guiot, SR. (1997). Simulation and sterilization of a surrogate soil organic matter for the study of the fate of trichloroethylene in soil. *Commun Soil Sci Plant Anal.* 28: 1177-1190.
- Sherman, J; Chin, B; Huibers, PDT; Garcia-Valls, R; Hatton, TA. (1998). Solvent replacement for green processing. *Environ Health Perspect.* 106: 253-271.
- Sherry, J; Scott, B; Dutka, B. (1997). Use of various acute, sublethal and early life-stage tests to evaluate the toxicity of refinery effluents. *Environ Toxicol Chem.* 16: 2249-2257.
- Shervani, TA; Frazier, G; Challagalla, G. (2007). The moderating influence of firm market power on the transaction cost economics model: An empirical test in a forward channel integration context. *Strategic Management Journal.* 28: 635-652.
- Sherwood, JL; Petersen, JN; Skeen, RS. (1998). Biodegradation of 1,1,1-trichloroethane by a carbon tetrachloride-degrading denitrifying consortium. *Biotechnol Bioeng.* 59: 393-399.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere.* 104: 149-154.
- Sheu, YT; Chen, SC; Chien, CC; Chen, CC; Kao, CM. (2015). Application of a long-lasting colloidal substrate with pH and hydrogen sulfide control capabilities to remediate TCE-contaminated groundwater. *J Hazard Mater.* 284: 222-232.
- Shey, J. (2002). Mechanistic studies of vitamin B(12)-catalyzed dechlorination and carbon-carbon bond-forming reactions. PhD Thesis, University of Illinois at Urbana-Champaign.
- Shiau, BJ; Rouse, JD; Sabatini, DA; Harwell, JH. Surfactant selection for optimizing surfactant-enhanced subsurface remediation. *ACS Symp Ser Am Chem Soc.* 1995. (594): 65-79.
- Shiau, BJ; Sabatini, DA; Harwell, JH. (1994). SOLUBILIZATION AND MICROEMULSIFICATION OF CHLORINATED SOLVENTS USING DIRECT FOOD ADDITIVE EDIBLE SURFACTANTS. *Ground Water.* 32: 561-575.
- Shiau, BJ; Sabatini, DA; Harwell, JH; Vu, DQ. (1996). Microemulsion of mixed chlorinated solvents using food grade (edible) surfactants. *Environmental Science & Technology.* 30: 97-103.
- Shibayama, H; Kitoh, J; Marui, Y; Kobayashi, H; Iwase, S; Kayukawa, Y. (1983). An unusual case of Pick's disease. *Acta neuropathologica.* 59: 79-87.
- Shields, MS. (1991). TREATMENT OF TCE AND DEGRADATION PRODUCTS USING A TOLUENE MONOOXYGENASE CONSTITUTIVE PSEUDOMONAS-CEPACIA. Fourth Chemical Congress Of North America, New York, New York, Usa, August. 202: 119.
- Shields, MS; Francesconi, SC. (1996). MOLECULAR TECHNIQUES IN BIOREMEDIATION. Crawford, R L And D L Crawford Biotechnology Research Series. 0: 341-390.
- Shields, MS; Montgomery, SO; Cuskey, SM; Chapman, PJ; Pritchard, H. (1989). TOLUENE DEGRADATION AND TRICHLOROETHYLENE MINERALIZATION BY AN ENVIRONMENTAL ISOLATE. 197th American Chemical Society National Meeting, Dallas, Texas, Usa, April. 197: 19.
- Shields, MS; Montgomery, SO; Cuskey, SM; Chapman, PJ; Pritchard, PH. (1991). Mutants of *Pseudomonas cepacia* G4 defective in catabolism of aromatic compounds and trichloroethylene. *Appl Environ Microbiol.* 57: 1935-1941.
- Shields, MS; Qurollo, BA; Clark, DW. (1995). FIELD APPLICATION VECTORS FOR THE ENVIRONMENTAL EXPRESSION OF THE CONSTITUTIVE TCE DEGRADATIVE PLASMID TOM-31C. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 416.
- Shields, MS; Reagin, MJ; Gerger, RR; Campbell, R; Somerville, C. (1995). TOM, a new aromatic degradative plasmid from *Burkholderia* (*Pseudomonas*) *cepacia* G4. *Appl Environ Microbiol.* 61: 1352-1356.
- Shih, C-c. (1995). Experimental and numerical evaluation of cometabolism in sequencing batch reactors. PhD Thesis, Michigan State University.
- Shih, CC; Davey, ME; Zhou, J; Tiedje, JM; Criddle, CS. Effects of phenol feeding pattern on microbial community structure and cometabolism of trichloroethylene. *Appl Environ Microbiol.* Aug 1996. v. 62 (8): 2953-2960.
- Shih, CL; Chen, HH; Chiu, TH. (2001). Acute exposure to trichloroethylene differentially alters the susceptibility to chemoconvulsants in mice. *Toxicology.* 162: 35-42.
- Shih, YH. (2007). Sorption of trichloroethylene in humic acid studied by experimental investigations and molecular dynamics simulations. *Soil Sci Soc Am J.* 71: 1813-1821.
- Shih, YH; Li, MS. (2008). Adsorption of selected volatile organic vapors on multiwall carbon nanotubes. *J Hazard Mater.* 154: 21-28.

Environmental Hazard Literature Search Results

Off Topic

- Shim, H; Chauhan, S; Ryoo, D; Bowers, K; Thomas, SM; Canada, KA; Burken, JG; Wood, TK. (2000). Rhizosphere competitiveness of trichloroethylene-degrading, poplar-colonizing recombinant bacteria. *Appl Environ Microbiol.* 66: 4673-4678.
- Shim, H; Ryoo, D; Barbieri, P; Wood, TK. (2001). Aerobic degradation of mixtures of tetrachloroethylene, trichloroethylene, dichloroethylenes, and vinyl chloride by toluene-o-xylene monooxygenase of *Pseudomonas stutzeri* OX1. *Appl Microbiol Biotechnol.* 56: 265-269.
- Shim, HJ; Ma, W; Lin, AJ; Chan, KC. (2009). Bio-removal of mixture of benzene, toluene, ethylbenzene, and xylenes/total petroleum hydrocarbons/trichloroethylene from contaminated water. *J Environ Sci.* 21: 758-763.
- Shim, HJ; Wood, TK. (2000). Aerobic degradation of mixtures of chlorinated aliphatics by cloned toluene-o-xylene monooxygenase and toluene o-monooxygenase in resting cells. *Biotechnol Bioeng.* 70: 693-698.
- Shim, JY; Boone, PF; Richard, AM. (1999). Theoretical study of the S(N)V reaction of trichloroethylene (TCE) and CH(3)S(-) as a model for glutathione conjugation of TCE. *Chem Res Toxicol.* 12: 308-316.
- Shim, JY; Richard, AM. (1995). COMPUTATIONAL STUDY ON BETA-LYASE MEDIATED ACTIVATION OF GLUTATHIONE CONJUGATES OF HALOGENATED HYDROCARBONS. 210th American Chemical Society National Meeting, Chicago, Illinois, Usa, August. 210: 193.
- Shim, JY; Richard, AM. (1996). Conformational aspects of glutathione conjugates of chlorinated alkenes: a computational study. *Chem Res Toxicol.* 9: 667-675.
- Shimada, T; Swanson, AF; Leber, P; Williams, GM. (1985). Activities of chlorinated ethane and ethylene compounds in the Salmonella/rat microsome mutagenesis and rat hepatocyte/DNA repair assays under vapor phase exposure conditions. *Cell Biol Toxicol.* 1: 159-179.
- Shimakoshi, H; Tokunaga, M; Baba, T; Hisaeda, Y. (2004). Photochemical dechlorination of DDT catalyzed by a hydrophobic vitamin B12 and a photosensitizer under irradiation with visible light. *Chem Commun.* 21: 1806-1807.
- Shimakoshi, H; Tokunaga, M; Hisaeda, Y. (2004). Hydrophobic vitamin B12. Part 19: electroorganic reaction of DDT mediated by hydrophobic vitamin B12. *Dalton Trans.* 21: 878-882.
- Shimizu, Y; Takei, N; Terashima, Y. (1992). SORPTION OF ORGANIC POLLUTANTS FROM VAPOR PHASE THE EFFECTS OF NATURAL SOLID CHARACTERISTICS AND MOISTURE CONTENT. Proceedings Of The Sixteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Washington, DC, Usa, May. 26: 79-87.
- Shimizu, Y; Takei, N; Terashima, Y. (1994). ROLES OF SOLID COMPONENTS ON THE SORPTION OF TRICHLOROETHYLENE TCE ONTO NATURAL SOLIDS FROM THE VAPOR PHASE. *Water Science And Technology.* 30: 1-11.
- Shimoda, S; Prengle, HWJR; Symons, JM. (1993). H2O2-VIS-UV PROCESS FOR TREATMENT OF LEACHATES AND CONTAMINATED GROUNDWATER. Symposium On Emerging Technologies: Metals, Oxidation, And Separation, Belmont, Texas, Usa, February. 13: 536.
- Shimoda, S; Prengle, HWJR; Symons, JM. (1998). H2O2isUV photo-oxidation process for treatment of waterborne hazardous substances-reaction mechanism, rate model, and data for tubular flow and flow stirred tank reactors. *Waste Manag.* 17: 507-515.
- Shimomura, T; Sanford, RA. (2005). Reductive dechlorination of tetrachloroethene in a sand reactor using a potentiostat. *J Environ Qual.* 34: 1435-1438.
- Shimomura, T; Suda, F; Uchiyama, H; Yagi, O. (1997). Biodegradation of trichloroethylene by *Methylocystis* sp. strain M immobilized in gel beads in a fluidized-bed bioreactor. *Water Res.* 31: 2383-2386.
- Shimotori, T; Cussler, EL; Arnold, WA. (2006). High-density polyethylene membrane containing Fe(0) as a contaminant barrier. *Journal of Environmental Engineering-Asce.* 132: 803-809.
- Shimotori, T; Nuxoll, EE; Cussler, EL; Arnold, WA. (2004). A polymer membrane containing Fe(0) as a contaminant barrier. *Environmental Science & Technology.* 38: 2264-2270.
- Shin, HJ; Lee, MY; Yang, JW. (1998). Biodegradation of trichloroethylene by phenol-degrading *Pseudomonas putida*. *J Microbiol Biotechnol.* 8: 185-187.
- Shin, HJ; Yang, JW. (1991). TCE TRICHLOROETHYLENE DECOMPOSITION MECHANISM BY PSEUDOMONAS. 201st Acs National Meeting Of The American Chemical Society, Atlanta, Georgia, Usa, April. 201: 55.
- Shin, HS; Lim, JL. (1996). Performance of packed-bed bioreactors for the cometabolic degradation of trichloroethylene by phenol-oxidizing microorganisms. *Environ Technol.* 17: 1351-1358.
- Shin, HY; Singhal, N; Park, JW. (2007). Regeneration of iron for trichloroethylene reduction by *Shewanella* alga BrY. *Chemosphere.* 68: 1129-1134.
- Shin, KH; Cha, DK. (2008). Microbial reduction of nitrate in the presence of nanoscale zero-valent iron. *Chemosphere.* 72: 257-262.
- Shin, M-C; Choi, H-D; Kim, D-H; Baek, K. (2008). Effect of surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Desalination.* 223: 299-307.
- Shin, S; Kim, J; Kim, Y-H; Kim, S-I. (2013). Enhanced performance of organic light-emitting diodes by using hybrid anodes composed of graphene and conducting polymer. *Curr Appl Phys.* 13S2: S144-S147.
- Shingleton, JT; Applegate, BA; Baker, AJ; Saylor, GS; Bienkowski, PR. (2001). Quantification of toluene dioxygenase induction and kinetic modeling of TCE cometabolism by *Pseudomonas putida* TVA8. *Biotechnol Bioeng.* 76: 341-350.
- Shingleton, JT; Applegate, BM; Nagel, AC; Bienkowski, PR; Saylor, GS. (1998). Induction of the tod operon by trichloroethylene in *Pseudomonas putida* TVA8. *Appl Environ Microbiol.* 64: 5049-5052.
- Shinohara, H; Tanaka, A; Kitai, T; Yanabu, N; Inomoto, T; Satoh, S; Hatano, E; Yamaoka, Y; Hirao, K. (1996). Direct measurement of hepatic indocyanine green clearance with near-infrared spectroscopy: separate evaluation of uptake and removal. *Hepatology (Baltimore, Md).* 23: 137-144.
- Shinohara, Y; Tomioka, N; Kusakabe, I. (1999). Induction and enhancement of stress proteins in a trichloroethylene-degrading methanotrophic bacterium, *Methylocystis* sp. M. AU - UCHIYAMA H. *FEMS Microbiol Lett.* 170: 125-130.

Environmental Hazard Literature Search Results

Off Topic

- Shinohara, Y; Uchiyama, H; Kusakabe, I. (1998). Oxidation of some alkanes and trichloroethylene by H₂O₂/hydroxylase system of soluble methane monooxygenase from *Methylocystis* sp. M. *Journal of Fermentation and Bioengineering*. 85: 266-270.
- Shinohara, Y; Uchiyama, H; Yagi, O; Kusakabe, I. (1998). Purification and characterization of component B of a soluble methane monooxygenase from *Methylocystis* sp. M. *Journal of Fermentation and Bioengineering*. 85: 37-42.
- Shirai, N; Ohtsuji, M; Hagiwara, K; Tomisawa, H; Ohtsuji, N; Hirose, S; Hagiwara, H. (2012). Nephrotoxic effect of subchronic exposure to S-(1,2-dichlorovinyl)-L-cysteine in mice. *The Journal of Toxicological Sciences*. 37: 871.
- Shiraishi, H; Pilkington, NH; Otsuki, A; Fuwa, K. (1985). OCCURRENCE OF CHLORINATED POLYNUCLEAR AROMATIC HYDROCARBONS IN TAP WATER. *Environ Sci Technol*. 19: 585-590.
- Shirayama, H; Tohezo, Y; Taguchi, S. (2001). Photodegradation of chlorinated hydrocarbons in the presence and absence of dissolved oxygen in water. *Water Res*. 35: 1941-1950.
- Shirazi, MA; Linder, G. (1991). A model of additive effects of mixtures of narcotic chemicals. *Arch Environ Contam Toxicol*. 21: 183-189.
- Shirin, S; Buncel, E; vanLoon, GW. (2005). Enhanced solubilization of organic pollutants through complexation by cyclodextrins. *Environmental Chemistry: Green Chemistry and Pollutants in Ecosystems* 569-583.
- Shitashiro, M; Kato, J; Fukumura, T; Kuroda, A; Ikeda, T; Takiguchi, N; Ohtake, H. (2003). Evaluation of bacterial aerotaxis for its potential use in detecting the toxicity of chemicals to microorganisms. *J Biotechnol*. 101: 11-18.
- Shitashiro, M; Tanaka, H; Hong, CS; Kuroda, A; Takiguchi, N; Ohtake, H; Kato, J. (2005). Identification of chemosensory proteins for trichloroethylene in *Pseudomonas aeruginosa*. *J Biosci Bioeng*. 99: 396-402.
- Shivapurkar, N; Hoover, KL; Poirier, LA. (1986). Effect of methionine and choline on liver tumor promotion by phenobarbital and DDT in diethylnitrosamine-initiated rats. *Carcinogenesis*. 7: 547-550.
- Shivapurkar, N; Poirier, LA. (1982). Decreased levels of S-adenosylmethionine in the livers of rats fed phenobarbital and DDT. *Carcinogenesis*. 3: 589-591.
- Shook, GM; Pope, GP; Kostarelos, K. (1998). Prediction and minimization of vertical migration of DNAPLS using surfactant enhanced aquifer remediation at neutral buoyancy. *J Contam Hydrol*. 34: 363-382.
- Short, BG; Swenberg, JA. (1989). CHEMICALLY INDUCED CELL PROLIFERATION IN CARCINOGENESIS IN THE MALE RAT KIDNEY. *Butterworth, B E, Et Al*. 0: 357-368.
- Short, RD; Minor, JL; Winston, JM; Lee, CC. (1977). A dominant lethal study in male rats after repeated exposures to vinyl chloride or vinylidene chloride. *J Toxicol Environ Health*. 3: 965-968.
- Short, RD; Winston, JM; Minor, JL; Hong, CB; Seifter, J; Lee, CC. (1977). Toxicity of vinylidene chloride in mice and rats and its alterations by various treatments. *J Toxicol Environ Health*. 3: 913-921.
- Short, RD; Winston, JM; Minor, JL; Seifter, J; Lee, CC. (1977). Effect of various treatments on toxicity of inhaled vinylidene chloride. *Environ Health Perspect*. 21: 125-129.
- Shouakar-Stash, O; Aravena, R; Hunkeler, D; Bjorklund, B. (2011). Application of Compound-Specific Carbon and Chlorine Stable Isotope for Fingerprinting Sources of Chlorinated Compounds in Groundwater. *Journal of King Abdulaziz University Meteorology, Environment and Arid Land Agriculture Sciences*. 22: 221.
- Shouakar-Stash, O; Frappe, SK; Drimmie, RJ. (2003). Stable hydrogen, carbon and chlorine isotope measurements of selected chlorinated organic solvents. *J Contam Hydrol*. 60: 211-228.
- Shouno, O; Kokame, K; Araki, M; Takao, T; Shimonishi, Y; Murata, M; Yoshizawa, T; Fukada, Y. (1996). Preparation and characterization of monoclonal antibodies specific for lauroylated isoform of bovine transducin alpha-subunit: immunohistochemical analysis of bovine retinas. *J Neurochem*. 66: 2188-2196.
- Shrivastava, A; Rayalu, S. (1992). An empirical quantitative structure activity relationship for chlorinated ethylenes. *Indian J Environ Health*. 34: 214-218.
- Shrivastava, R; Delomenie, C; Chevalier, A; John, G; Ekwall, B; Walum, E; Massingham, R. (1992). Comparison of in vivo acute lethal potency and in vitro cytotoxicity of 48 chemicals. *Cell Biol Toxicol*. 8: 157-170.
- Shuai, D; Chaplin, BP; Shapley, JR; Menendez, NP; McCalman, DC; Schneider, WF; Werth, CJ. (2010). Enhancement of Oxyanion and Diatrizoate Reduction Kinetics Using Selected Azo Dyes on Pd-Based Catalysts. *Environmental Science & Technology*. 44: 1773-1779.
- Shukla, AK; Singh, RS; Upadhyay, SN; Dubey, SK. (2010). Kinetics of bio-filtration of trichloroethylene by methanotrophs in presence of methanol. *Bioresour Technol*. 101: 8119-8126.
- Shukla, AK; Singh, RS; Upadhyay, SN; Dubey, SK. (2011). Substrate inhibition during bio-filtration of TCE using diazotrophic bacterial community. *Bioresour Technol*. 102: 3561-3563.
- Shukla, AK; Upadhyay, SN; Dubey, SK. (2014). Current trends in trichloroethylene biodegradation: a review. *Crit Rev Biotechnol*. 34: 101-114.
- Shukla, AK; Vishwakarma, P; Singh, RS; Upadhyay, SN; Dubey, SK. (2010). Bio-filtration of trichloroethylene using diazotrophic bacterial community. *Bioresour Technol*. 101: 2126-2133.
- Shukla, AK; Vishwakarma, P; Upadhyay, SN; Tripathi, AK; Prasana, HC; Dubey, SK. (2009). Biodegradation of trichloroethylene (TCE) by methanotrophic community. *Bioresour Technol*. 100: 2469-2474.
- Shukla, OP. (1994). Biotechnology for environmental pollution control. *Biological Memoirs*. 20: 1-9.
- Si, YB; Fang, GD; Zhou, J; Zhou, DM. (2010). Reductive transformation of 2,4-dichlorophenoxyacetic acid by nanoscale and microscale Fe₃O₄ particles. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes*. 45: 233-241.
- Siddiqi, A; Nafees, S; Rashid, S; Sultana, S; Saidullah, B. (2015). Hesperidin ameliorates trichloroethylene-induced nephrotoxicity by abrogation of oxidative stress and apoptosis in wistar rats. *Mol Cell Biochem*. 406: 9-20.

Environmental Hazard Literature Search Results

Off Topic

- Sidhu, KS. (1992). REGULATION OF ENVIRONMENTAL CONTAMINANTS IN DRINKING WATER STATE METHODS AND PROBLEMS. *J Am Coll Toxicol.* 11: 331-340.
- Sidorenko, GI; Tsulaya, VR; Bonashevskaya, TI; Sha; pak, VM. (1979). Study of the combined action of a group of chlorine derivatives of hydrocarbons entering the organism by inhalation. *Environ Health Perspect.* 30: 13-18.
- Sidorenko, GI; Tsulaya, VR; Korenevskaya, EI; Bonashevskaya, TI. (1976). Methodological approaches to the study of the combined effect of atmospheric pollutants as illustrated by chlorinated hydrocarbons. *Environ Health Perspect.* 13: 111-116.
- Siebe, C; Cifuentes, E. (1995). Environmental impact of wastewater irrigation in central Mexico: An overview. *Int J Environ Health Res.* 5: 161-173.
- Siebert, U; Thomä, JP; Das, K; Guo, L; Wu, JZ; Han, T; Cao, T; Rahman, K; Qin, LP. (2008). Chemical composition, antifungal and antitumor properties of ether extracts of *Scapania verrucosa* Heeg. and its endophytic fungus *Chaetomium fusiforme*. *Mar Pollut Bull.* 56: 1755-1764.
- Siegel, J; Jones, RA; Coon, RA; Lyon, JP. (1971). Effects on experimental animals of acute, repeated and continuous inhalation exposures to dichloroacetylene mixtures. *Toxicol Appl Pharmacol.* 18: 168-174.
- Siegers, CP; Heger, B; Baretton, G; Younes, M. (1988). INHIBITION OF HALOTHANE-INDUCED LIPID PEROXIDATION BY MISOPROSTOL WITHOUT HEPATOPROTECTION. *Toxicology.* 53: 213-218.
- Siegers, CP; Heide, K. (1983). Influence of alcohol, dithiocarb and (+)-catechin on the hepatotoxicity and metabolism of vinylidene chloride in rats. *J Appl Toxicol.* 3: 90-95.
- Siegers, CP; Horn, W; Younes, M. (1985). Effect of hypoxia on the metabolism and hepatotoxicity of carbon tetrachloride and vinylidene chloride in rats. *Acta Pharmacol Toxicol.* 56: 81-86.
- Siegers, CP; Horn, W; Younes, M. (1985). Effect of phorone-induced glutathione depletion on the metabolism and hepatotoxicity of carbon tetrachloride and vinylidene chloride in rats. *Journal of applied toxicology : JAT.* 5: 352-356.
- Siegers, CP; Younes, M; Schmitt, G. (1979). Effects of dithiocarb and (+)-cyanidanol-3 on the hepatotoxicity and metabolism of vinylidene chloride in rats. *Toxicology.* 15: 55-64.
- Siegrist, RL. (1991). Volatile organic compounds in contaminated soils: The nature and validity of the measurement process. *J Hazard Mater.* 29: 1991-1992.
- Siegrist, RL; Jenssen, PD. (1990). Evaluation of sampling method effects of volatile organic compound measurements in contaminated soils. *Environ Sci Technol.* 24: 1387-1392.
- Siegrist, RL; Lowe, KS; Crimi, ML; Urynowicz, MA. (2006). Quantifying PCE and TCE in DNAPL source zones: Effects of sampling methods used for intact cores at varied contaminant levels and media temperatures. *Ground Water Monitoring and Remediation.* 26: 114-124.
- Siegrist, RL; Urynowicz, MA; Crimi, ML; Lowe, KS. (2002). Genesis and effects of particles produced during in situ chemical oxidation using permanganate. *Journal of Environmental Engineering-Asce.* 128: 1068-1079.
- Siegrist, RL; West, OR; Morris, MI; Pickering, DA; Greene, DW; Muhr, CA; Davenport, DD; Gierke, JS. (1995). In situ mixed region vapor stripping in low-permeability media. 2. Full-scale field experiments. *Environmental Science & Technology.* 29: 2198-2207.
- Siggins, A; Enright, AM; Abram, F; Botting, C; O'Flaherty, V. (2012). Impact of trichloroethylene exposure on the microbial diversity and protein expression in anaerobic granular biomass at 37°C and 15°C. *Archaea (Vancouver, BC).* 2012: 940159.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Low-temperature (7 degrees C) anaerobic treatment of a trichloroethylene-contaminated wastewater: Microbial community development. *Water Res.* 45: 4035-4046.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Methanogenic community development in anaerobic granular bioreactors treating trichloroethylene (TCE)-contaminated wastewater at 37 degrees C and 15 degrees C. *Water Res.* 45: 2452-2462.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Temperature dependent (37-15 degrees C) anaerobic digestion of a trichloroethylene-contaminated wastewater. *Bioresour Technol.* 102: 7645-7656.
- Siggins, A; Enright, A-M; O'Flaherty, V. (2011). Methanogenic community development in anaerobic granular bioreactors treating trichloroethylene (TCE)-contaminated wastewater at 37°C and 15°C. *Water Res.* 45: 2452-2462.
- Siggins, A; Enright, A-M; O'Flaherty, V. (2011). Low-temperature (7°C) anaerobic treatment of a trichloroethylene-contaminated wastewater: microbial community development. *Water Res.* 45: 4035-4046.
- Siggins, A; Enright, A-M; O'Flaherty, V. (2011). Methanogenic community development in anaerobic granular bioreactors treating trichloroethylene (TCE)-contaminated wastewater at 37 degree C and 15 degree C. *Water Res.* 45.
- Siggins, A; Enright, A-M; O'Flaherty, V. (2011). Temperature dependent (37-15°C) anaerobic digestion of a trichloroethylene-contaminated wastewater. *Bioresour Technol.* 102: 7645-7656.
- Sihler, A; Bidlingmaier, W. (1992). BIOLOGICAL TREATMENT OF CHLORINATED HYDROCARBON-POLLUTED MATERIALS THE BIOLOGICAL ELIMINATION AND BIODEGRADATION OF CHLORINATED HYDROCARBONS FROM AN OLD DEPOSIT. *Sixth Forum For Applied Biotechnology, Bruges, Belgium, September.* 57: 1671-1682.
- Silingardi, P; Manzini, E; Horn, W; Grilli, S; House, RA; Liss, GM; Wills, MC; Holness, DL. (1996). Paresthesias and sensory neuropathy due to 1,1,1-trichloroethane. *Carcinogenesis.* 17: 225-231.
- Silva, JAK; Bruant, RG; Conklin, MH; Corley, TL. (2002). Equilibrium partitioning of chlorinated solvents in the vadose zone: Low f(oc) geomeia. *Environmental Science & Technology.* 36: 1613-1619.
- Silva, MPD; Hicke, K; Thiemann, W. (1991). Organophosphorous and volatile organochlorine compounds in the waters of the Nilwala River of southern Sri Lanka. *Aqua.* 40: 217-221.
- Simmon, VF; Baden, JM. (1980). Mutagenic activity of vinyl compounds and derived epoxides. *Mutat Res.* 78: 227-231.

Environmental Hazard Literature Search Results

Off Topic

- Simmonds, AC; Ghanayem, BI; Sharma, A; Reilly, CA; Millen, B; Yost, GS; Forkert, PG. (2004). Bioactivation of 1,1-dichloroethylene by CYP2E1 and CYP2F2 in murine lung. *The Journal of pharmacology and experimental therapeutics*. 310: 855-864.
- Simmonds, PG; Cunnold, DM; Dollard, GJ; Davies, TJ; McCulloch, A; Derwent, RG. (1993). Evidence of the phase-out of CFC use in Europe over the period 1987-1990. *Atmos Environ Part A Gen Top*. 27: 1397-1407.
- Simmonds, PG; Derwent, RG. (1989). MEASUREMENTS OF OZONE AND OTHER RADIATIVELY ACTIVE GASES AT MACE HEAD IN THE REPUBLIC OF IRELAND. *International Conference On The Generation Of Oxidants On Regional And Global Scales, Norwich, England, Uk, July*. 25: 1795-1808.
- Simmonds, PG; Derwent, RG; McCulloch, A; O'Doherty, S; Gaudry, A. (1996). Long-term trends in concentrations of halocarbons and radiatively active trace gases in Atlantic and European air masses monitored at Mace Head, Ireland from 1987-1994. *Atmos Environ*. 30: 4041-4063.
- Simmons, DM; Monteith, LG; Hughes, TJ; Claxton, LD. (1986). EFFECT OF PREINCUBATION TIME ON MUTAGENIC ACTIVITY IN THE AMES SALMONELLA ASSAY. *Seventeenth Annual Meeting Of The Environmental Mutagen Society, Baltimore, Md, Usa, Apr*. 8: 78.
- Simmons, JE. (1997). THE HEPATIC INTERACTION OF ALIPHATIC ALCOHOLS WITH HALOGENATED HYDROCARBONS. *Drug Metab Rev*. 29: 123-136.
- Simmons, JE; Berman, E. (1989). TOXICITY OF COMPLEX WASTE MIXTURES A COMPARISON OF OBSERVED AND PREDICTED LETHALITY. *J Toxicol Environ Health*. 27: 275-286.
- Simmons, JE; Boyes, WK; Bushnell, PJ; Raymer, JH; Limsakun, T; McDonald, A; Sey, YM; Evans, MV. (2002). A physiologically based pharmacokinetic model for trichloroethylene in the male Long-Evans rat. *Toxicol Sci*. 69: 3-15.
- Simmons, JE; DeMarini, DM; Berman, E. (1988). Lethality and hepatotoxicity of complex waste mixtures. *Environ Res*. 46: 74-85.
- Simmons, JE; Yang, RSH; Svendsgaard, DJ; Thompson, MB; Seely, JC; McDonald, A. (1994). Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health*. 43: 305-325.
- Simon, MA; Brusseau, ML. (2006). Method for measuring air-immiscible liquid partition coefficients. *Journal of Environmental Engineering-Asce*. 132: 140-144.
- Simpson, D. (1992). Long-period modelling of photochemical oxidants in Europe: Model calculations for July 1985. *Atmos Environ Part A Gen Top*. 26: 1609-1634.
- Sinfield, JV; Monwuba, CK. (2014). Assessment and Correction of Turbidity Effects on Raman Observations of Chemicals in Aqueous Solutions. *Appl Spectrosc*. 68: 1381-1392.
- Singh, H. (1992). FOOD IRRADIATION VOLATILES IN FLAVORS AND OFF-FLAVORS. *Charalambous, G*. 28: 0-444.
- Singh, H; Loffler, FE; Fathepure, BZ. (2004). Aerobic biodegradation of vinyl chloride by a highly enriched mixed culture. *Biodegradation*. 15: 197-204.
- Singh, R. (1996). Removal of volatile organic compounds by ultrafiltration. *Desalination*. 104: 203-213.
- Singh, R. (2006). Neuroembryopathic effect of trichloroacetic acid in rats exposed during organogenesis. *Birth Defects Research Part B- Developmental and Reproductive Toxicology*. 77: 47-52.
- Singh, R. (2012). Bacterial Enhancement of Contaminant Bioavailability: Effects of Random Motility and Chemotaxis. *Dissertation Abstracts International Vol 73, no 02, suppl B, 158 p 2012*.
- Singh, R; Olson, MS. (2010). KINETICS OF TRICHLOROETHYLENE AND TOLUENE TOXICITY TO PSEUDOMONAS PUTIDA F1. *Environ Toxicol Chem*. 29: 56-63.
- Singh, R; Olson, MS. (2012). Transverse Chemotactic Migration of Bacteria from High to Low Permeability Regions in a Dual Permeability Microfluidic Device. *Environmental Science & Technology*. 46: 3188-3195.
- Singh, SK; Singh, AK; Aranishi, K; Xu, Q. (2011). Noble-Metal-Free Bimetallic Nanoparticle-Catalyzed Selective Hydrogen Generation from Hydrous Hydrazine for Chemical Hydrogen Storage. *J Am Chem Soc*. 133: 19638-19641.
- Singh, VK; Yadvinder, S; Dwivedi, BS; Singh, SK; Majumdar, K; Jat, ML; Mishra, RP; Rani, M. (2016). Soil physical properties, yield trends and economics after five years of conservation agriculture based rice-maize system in north-western India. *Soil & Tillage Research*. 155: 133-148.
- Singhal, N; Jaffe, P; Maier, W; Jho, EH. (2007). The opposing effects of bacterial activity and gas production on anaerobic TCE degradation in soil columns. *Chemosphere*. 69: 1790-1797.
- Singleton, I. (1994). MICROBIAL METABOLISM OF XENOBIOTICS FUNDAMENTAL AND APPLIED RESEARCH. *J Chem Tech Biotechnol*. 59: 9-23.
- Sinha, A; Bose, P. (2006). Dehalogenation of 2-chloronaphthalene by cast iron. *Water Air and Soil Pollution*. 172: 375-390.
- Sinkkonen, S; Welling, L; Vattulainen, A; Lahti, L; Lahtipera, M; Paasivirta, J. (1996). Short chain aliphatic halocarbons and polychlorinated biphenyls in pine needles: Effects of metal scrap plant emissions. *Chemosphere*. 32: 1971-1982.
- Sinsheimer, P; Grout, C; Namkoong, A; Gottlieb, R. (2007). The viability of professional wet cleaning as a pollution prevention alternative to perchloroethylene dry cleaning. *Journal of the Air & Waste Management Association (1995)*. 57: 172-178.
- Sipkema, EM; de Koning, W; Ganzeveld, KJ; Janssen, DB; Beenackers, A. (1998). Experimental pulse technique for the study of microbial kinetics in continuous culture. *J Biotechnol*. 64: 159-176.
- Sipkema, EM; de Koning, W; Ganzeveld, KJ; Janssen, DB; Beenackers, A. (2000). NADH-regulated metabolic model for growth of *Methylophilus trichosporium* OB3b. Cometabolic degradation of trichloroethene and optimization of bioreactor system performance. *Biotechnol Prog*. 16: 189-198.

Environmental Hazard Literature Search Results

Off Topic

- Sipkema, EM; de Koning, W; Ganzeveld, KJ; Janssen, DB; Beenackers, A. (2000). NADH-regulated metabolic model for growth of *Methylosinus trichosporium* OB3b. Model presentation, parameter estimation, and model validation. *Biotechnol Prog.* 16: 176-188.
- Sipkema, EM; de Koning, W; Vlieg, J; Ganzeveld, KJ; Janssen, DB; Beenackers, A. (1999). Trichloroethene degradation in a two-step system by *Methylosinus trichosporium* OB3b. Optimization of system performance: Use of formate and methane. *Biotechnol Bioeng.* 63: 56-68.
- Sirk, KM; Saleh, NB; Phenrat, T; Kim, HJ; Dufour, B; Ok, J; Golas, PL; Matyjaszewski, K; Lowry, GV; Tilton, RD. (2009). Effect of Adsorbed Polyelectrolytes on Nanoscale Zero Valent Iron Particle Attachment to Soil Surface Models. *Environmental Science & Technology.* 43: 3803-3808.
- Sirois, G; Chakrabarti, S; Cote, MG; Nagaya, T; Ishikawa, N; Hata, H. (1989). Sister-chromatid exchanges in lymphocytes of workers exposed to trichloroethylene. *J Appl Toxicol.* 9: 75-81.
- Sixt, S; Altschuh, J; Brueggemann, R. (1995). Quantitative structure-toxicity relationships for 80 chlorinated compounds using quantum chemical descriptors. *Chemosphere.* 30: 2397-2414.
- Skadberg, B; Geoly-Horn, SL; Sangamalli, V; Flora, JRV. (1999). Influence of pH, current and copper on the biological dechlorination of 2,6-dichlorophenol in an electrochemical cell. *Water Res.* 33: 1997-2010.
- Skeen, RS; Gao, J; Hooker, BS. (1995). Kinetics of chlorinated ethylene dehalogenation under methanogenic conditions. *Biotechnol Bioeng.* 48: 659-666.
- Skiba, NP; Artemyev, NO; Hamm, HE. (1995). The carboxyl terminus of the gamma-subunit of rod cGMP phosphodiesterase contains distinct sites of interaction with the enzyme catalytic subunits and the alpha-subunit of transducin. *The Journal of biological chemistry.* 270: 13210-13215.
- Skold, ME; Thyne, GD; Drexler, JW; Macalady, DL; McCray, JE. (2008). Enhanced solubilization of a metal-organic contaminant mixture (Pb, Sr, Zn, and perchloroethylene) by cyclodextrin. *Environmental science & technology.* 42: 8930-8934.
- Skramstad, JD; Hurst, CJ; Novak, PJ. (2003). Survival of indicator organisms during enrichment on tetrachloroethene. *Water environment research : a research publication of the Water Environment Federation.* 75: 368-376.
- Skubal, KL. (1999). Natural and enhanced bioattenuation potential of an aquifer contaminated by mixed wastes. PhD Thesis, University of Michigan.
- Skubal, KL; Adriaens, P. (1999). Microbiological and geochemical parameters affecting natural attenuation of trichloroethylene at a fire training-impacted aquifer. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 540.
- Skubal, KL; Barcelona, MJ; Adriaens, P. (2001). An assessment of natural biotransformation of petroleum hydrocarbons and chlorinated solvents at an aquifer plume transect. *J Contam Hydrol.* 49: 151-169.
- Slacik-Erben, R; Roll, R; Franke, G; Uehleke, H. (1980). Trichloroethylene vapours do not produce dominant lethal mutations in male mice. *Arch Toxicol.* 45: 37-44.
- Slater, GF; Ahad, JME; Lollar, BS; Allen-King, R; Sleep, B. (2000). Carbon isotope effects resulting from equilibrium sorption of dissolved VOCs. *Anal Chem.* 72: 5669-5672.
- Slater, GF; Dempster, HS; Lollar, BS; Ahad, J. (1999). Headspace analysis: A new application for isotopic characterization of dissolved organic contaminants. *Environmental Science & Technology.* 33: 190-194.
- Slater, GF; Lollar, BS; King, RA; O'Hannesin, S. (2002). Isotopic fractionation during reductive dechlorination of trichloroethene by zero-valent iron: influence of surface treatment. *Chemosphere.* 49: 587-596.
- Slater, GF; Lollar, BS; Lesage, S; Brown, S. (2003). Carbon isotope fractionation of PCE and TCE during dechlorination by vitamin B12. *Ground Water Monitoring and Remediation.* 23: 59-67.
- Slater, GF; Lollar, BS; Sleep, BE; Edwards, EA. (2001). Variability in carbon isotopic fractionation during biodegradation of chlorinated ethenes: Implications for field applications. *Environmental Science & Technology.* 35: 901-907.
- Sleep, BE. (1995). A METHOD OF CHARACTERISTICS MODEL FOR EQUATION OF STATE COMPOSITIONAL SIMULATION OF ORGANIC COMPOUNDS IN GROUNDWATER. *J Contam Hydrol.* 17: 189-212.
- Sleep, BE; Seepersad, DJ; Kaiguo, MO; Heidorn, CM; Hrapovic, L; Morrill, PL; McMaster, ML; Hood, ED; Lebron, C; Lollar, BS; Major, DW; Edwards, EA. (2006). Biological enhancement of tetrachloroethene dissolution and associated microbial community changes. *Environmental science & technology.* 40: 3623-3633.
- Slikker, W, Jr.; Andersen, ME; Bogdanffy, MS; Bus, JS; Cohen, SD; Conolly, RB; David, RM; Doerrer, NG; Dorman, DC; Gaylor, DW; Hattis, D; Rogers, JM; Setzer, RW; Swenberg, JA; Wallace, K. (2004). Dose-dependent transitions in mechanisms of toxicity: case studies. *Toxicol Appl Pharmacol.* 201: 226-294.
- Slivka, SR; Zeigler, F. (1993). Use of an in vitro skin model for determining epidermal and dermal contributions to irritant responses. *J Toxicol Cutaneous Ocul Toxicol.* 12: 49-57.
- Slough, KJ; Sudicky, EA; Forsyth, PA. (1999). Numerical simulation of multiphase flow and phase partitioning in discretely fractured geologic media. *J Contam Hydrol.* 40: 107-136.
- Smart, DJ; Ahmedi, KP; Harvey, JS; Lynch, AM. (2011). Genotoxicity screening via the γ -H2AX by flow assay. *Mutat Res.* 715: 25-31.
- Smatlak, CR; Gossett, JM; Zinder, SH. (1996). Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture. *Environmental Science & Technology.* 30: 2850-2858.
- Smith, BA; Teel, AL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H₂O₂ Propagations. *Journal of Environmental Engineering-Asce.* 135: 535-543.

Environmental Hazard Literature Search Results

Off Topic

- Smith, CN; Payne, WR, Jr.; Mulkey, LA; Benner, JE; Parrish, RS; Smith, MC. (1981). The persistence and disappearance by washoff and dryfall of methoxychlor from soybean foliage--a preliminary study. *Journal of environmental science and health Part B, Pesticides, food contaminants, and agricultural wastes.* 16: 777-794.
- Smith, GC; Alnasser, G; Bromenshenk, JJ. (1998). HONEY BEE MONITORING OF BIOAVAILABLE CONTAMINANTS BEFORE AND AFTER CAPPING A HAZARDOUS WASTE LANDFILL. 215th American Chemical Society National Meeting, Dallas, Texas, Usa, March. 215: 50.
- Smith, IR; Johnson, AF; Maclellan, D; Manson, H. (1992). Chemical contaminants, lymphocystis, and dermal sarcoma in walleyes spawning in the Thames River, Ontario. *Trans Am Fish Soc.* 121: 608-616.
- Smith, JA. (1988). VAPOR DISTRIBUTION OF TRICHLOROETHENE AND RELATED COMPOUNDS IN SOIL GAS ABOVE CONTAMINATED GROUND WATER AT PICATINNY ARSENAL NEW JERSEY USA. 196th American Chemical Society National Meeting, Los Angeles, California, Usa, September. 196: 154.
- Smith, JA. (1992). TRICHLOROETHENE DISEQUILIBRIUM IN THE UNSATURATED ZONE AT PICATINNY ARSENAL NEW JERSEY. 203rd Acs. 203.
- Smith, JA; Chiou, CT; Kammer, JA; Kile, DE. (1990). Effect of soil moisture on the sorption of trichloroethene vapor to vadose-zone soil at Picatinny Arsenal, New Jersey (USA). *Environ Sci Technol.* 24: 676-683.
- Smith, JA; Cho, HJ; Jaffe, PR; Macleod, CL; Koehnlein, SA. (1992). Sampling unsaturated-zone water for trichloroethene at Picatinny Arsenal, New Jersey. *J Environ Qual.* 21: 264-271.
- Smith, JA; Galan, A. (1995). Sorption of nonionic organic contaminants to single and dual organic cation bentonites from water. *Environmental Science & Technology.* 29: 685-692.
- Smith, JA; Jaffe, PR. (1994). Adsorptive selectivity of organic-cation-modified bentonite for nonionic organic contaminants. *Water Air And Soil Pollution.* 72: 205-211.
- Smith, JA; Jaffe, PR; Chiou, CT. (1990). Effect of ten quaternary ammonium cations on tetrachloromethane sorption to clay from water. *Environ Sci Technol.* 24: 1167-1172.
- Smith, JA; Sahoo, D; McLellan, HM; Imbrigiotta, TE. (1997). Surfactant-enhanced remediation of a trichloroethene-contaminated aquifer .1. Transport of triton X-100. *Environmental Science & Technology.* 31: 3565-3572.
- Smith, JA; Sheets, W; Tisdale, AK. (1997). GROUND-WATER REMEDIATION BY DIFFUSION AND BAROMETRIC PUMPING. 214th American Chemical Society National Meeting, Las Vegas, Nevada, Usa, September. 214: 10.
- Smith, JA; Tisdale, AK; Cho, HJ. (1996). ORGANIC VAPOR FLUXES THROUGH THE VADOSE ZONE. 211th American Chemical Society National Meeting, New Orleans, Louisiana, Usa, March. 211: 105.
- Smith, JA; Tisdale, AK; Cho, HJ. (1996). Quantification of natural vapor fluxes of trichloroethene in the unsaturated zone at Picatinny Arsenal, New Jersey. *Environmental Science & Technology.* 30: 2243-2250.
- Smith, JE; Zhang, ZF. (2001). Determining effective interfacial tension and predicting finger spacing for DNAPL penetration into water-saturated porous media. *J Contam Hydrol.* 48: 167-183.
- Smith, KS; Costello, AM; Lidstrom, ME. (1997). Methane and trichloroethylene oxidation by an estuarine methanotroph, *Methylobacter* sp. strain BB5.1. *Appl Environ Microbiol.* 63: 4617-4620.
- Smith, KS; Lidstrom, ME. (1995). THE KINETICS OF METHANE OXIDATION BY A MARINE METHANOTROPHIC POPULATION AND THE USE OF GENE PROBING TO ASSESS POPULATIONS OF MARINE METHANOTROPHS FOR IN-SITU BIOREMEDIATION OF TCE. *Keystone Symposium On Environmental Biotechnology, Lake Tahoe, California, Usa, March.* 0: 52.
- Smith, KS; Lidstrom, ME. (1996). METHANE AND TCE OXIDATION KINETICS AND POPULATION DYNAMICS OF A MARINE METHANOTROPHIC POPULATION. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 411.
- Smith, LH; Kitanidis, PK; McCarty, PL. (1997). Numerical modeling and uncertainties in rate coefficients for methane utilization and TCE cometabolism by a methane-oxidizing mixed culture. *Biotechnol Bioeng.* 53: 320-331.
- Smith, LH; McCarty, PL. (1991). RATES OF SIMULTANEOUS METHANE UTILIZATION AND TCE COMETABOLISM BY A METHANOTROPHIC MIXED CULTURE. 91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May. 91: 295.
- Smith, LH; McCarty, PL. (1997). Laboratory evaluation of a two-stage treatment system for TCE cometabolism by a methane-oxidizing mixed culture. *Biotechnol Bioeng.* 55: 650-659.
- Smith, LH; McCarty, PL; Kitanidis, PK. (1998). Spreadsheet method for evaluation of biochemical reaction rate coefficients and their uncertainties by weighted nonlinear least-squares analysis of the integrated monod equation. *Appl Environ Microbiol.* 64: 2044-2050.
- Smith, MM; Silva, JAK; Munakata-Marr, J; McCray, JE. (2008). Compatibility of Polymers and Chemical Oxidants for Enhanced Groundwater Remediation. *Environmental Science & Technology.* 42: 9296-9301.
- Smith, SM. (2010). 6.23 - Environmentally Induced Heart Malformations A2 - McQueen, Charlene A. *Comprehensive Toxicology (Second Edition)* Oxford429-446.
- Smith-Tembe, SL. (2006). Abiotic reduction of nitrite, uranium(VI), and chlorinated ethenes by iron(II) species. PhD Thesis, The University of Iowa.
- Smorag, Z; Pilch, J; Culubret, EN; Luz, M; Amils, R. (2001). Biodegradation of 1,1,1,2-tetrachloroethane under methanogenic conditions. *Therigenology.* 56: 557-567.
- Smuleac, V; Varma, R; Sikdar, S; Bhattacharyya, D. (2011). Green synthesis of Fe and Fe/Pd bimetallic nanoparticles in membranes for reductive degradation of chlorinated organics. *J Memb Sci.* 379: 131-137.
- Snyder, RA; Millward, JD; Steffensen, WS. (2000). Aquifer protist response and the potential for TCE bioremediation with *Burkholderia cepacia* G4 PR1. *Microb Ecol.* 40: 189-199.

Environmental Hazard Literature Search Results

Off Topic

- Sobol, E; Bialer, M. (2004). The relationships between half-life ($t_{1/2}$) and mean residence time (MRT) in the two-compartment open body model. *Biopharmaceutics & drug disposition*. 25: 157-162.
- Soda, S; Uesugi, K; Ike, M; Fujita, M. (1999). Application of a floc-forming genetically engineered microorganism to a sequencing batch reactor for phenolic wastewater treatment. *J Biosci Bioeng*. 88: 85-91.
- Sodergren, A; Larsson, P; Knulst, J; Bergqvist, C. (1990). Transport of incinerated organochlorine compounds to air, water, microlayer, and organisms. *Mar Pollut Bull*. 21: 18-24.
- Sofuni, T; Honma, M; Hayashi, M; Shimada, H; Tanaka, N; Wakuri, S; Awogi, T; Yamamoto, KI; Nishi, Y; Nakadate, M. (1996). Detection of in vitro clastogens and spindle poisons by the mouse lymphoma assay using the microwell method: interim report of an international collaborative study. *Mutagenesis*. 11: 349-355.
- Sohn, K; Kang, SW; Ahn, S; Woo, M; Yang, SK. (2006). Fe(0) nanoparticles for nitrate reduction: Stability, reactivity, and transformation. *Environmental Science & Technology*. 40: 5514-5519.
- Sohn, MD; McKone, TE; Blancato, JN. (2004). Reconstructing population exposures from dose biomarkers: inhalation of trichloroethylene (TCE) as a case study. *J Expo Anal Environ Epidemiol*. 14: 204-213.
- Solak, RA, Jr. (1998). Computer modeling and evaluation of a cometabolic sequencing batch reactor. PhD Thesis, Michigan State University.
- Solari, P; Dierickx, PJ. (1994). Correlation between fish lethality data and the cytotoxicity to cultured fish cells of lipophilic solvents emulsified by ultrasonication. *Chemosphere*. 28: 1495-1501.
- Solleveld, HA; Boorman, GA. (1985). SPONTANEOUS AND TRICHLOROETHYLENE-INDUCED RENAL LESIONS IN FIVE RAT STRAINS. 4th International Symposium Of The Society Of Toxicologic Pathologists On Renal Pathology And Toxicity, Washington, DC, Usa, June. 13: 245.
- Solpuker, U; Cotter, Z; Kim, Y; Schwartz, FW. (2014). Potassium Permanganate Doped Geopolymers for Remedial Applications. *Ground Water Monitoring and Remediation*. 34: 93-101.
- Sommer, R; Pribil, W; Pflieger, S; Haider, T; Werderitsch, M; Gehringer, P. (2004). Microbicidal efficacy of an advanced oxidation process using ozone/hydrogen peroxide in water treatment. *Water science and technology : a journal of the International Association on Water Pollution Research*. 50: 159-164.
- Son, B; Breyse, P; Yang, W. (2003). Volatile organic compounds concentrations in residential indoor and outdoor and its personal exposure in Korea. *Environ Int*. 29: 79-85.
- Sone, H; Fugetsu, B; Tsukada, T; Endo, M. (2008). Affinity-based elimination of aromatic VOCs by highly crystalline multi-walled carbon nanotubes. *Talanta*. 74: 1265-1270.
- Song, B; Haggblom, MM; Zhou, JZ; Tiedje, JM; Palleroni, NJ. (1999). Taxonomic characterization of denitrifying bacteria that degrade aromatic compounds and description of *Azoarcus toluovorans* sp nov and *Azoarcus toluclasticus* sp nov. *International Journal of Systematic Bacteriology*. 49: 1129-1140.
- Song, C; Chen, P; Wang, C; Zhu, L. (2012). Photodegradation of perfluorooctanoic acid by synthesized TiO₂-MWCNT composites under 365nm UV irradiation. *Chemosphere*. 86: 853-859.
- Song, DL; Conrad, ME; Sorenson, KS; Alvarez-Cohen, L. (2002). Stable carbon isotope fractionation during enhanced in situ bioremediation of trichloroethene. *Environmental Science & Technology*. 36: 2262-2268.
- Song, H; Carraway, ER. (2005). Reduction of chlorinated ethanes by nanosized zero-valent iron: kinetics, pathways, and effects of reaction conditions. *Environmental science & technology*. 39: 6237-6245.
- Song, H; Carraway, ER; Kim, YH; Batchelor, B; Jeon, BH; Kim, JG. (2008). Amendment of hydroxyapatite in reduction of tetrachloroethylene by zero-valent zinc: Its rate enhancing effect and removal of Zn(II). *Chemosphere*. 73: 1420-1427.
- Song, H; Jeon, BH; Chon, CM; Kim, Y; Nam, IH; Schwartz, FW; Cho, DW. (2013). The effect of granular ferric hydroxide amendment on the reduction of nitrate in groundwater by zero-valent iron. *Chemosphere*. 93: 2767-2773.
- Song, J; Son, YG; Kim, J. (2007). Performance of a membrane diffuser bioreactor for the removal of gaseous toluene. *Environ Eng Sci*. 24: 927-935.
- Song, T-h; Gao, Y-j. (2014). Removal of trichloroethylene (TCE) from groundwater by GAC and ZVI. *Desalination and Water Treatment*. 52: 5990-5994.
- Song, YH; Kim, SJ; Choi, KI; Yamamoto, T. (2002). Effects of adsorption and temperature on a nonthermal plasma process for removing VOCs. *Journal of Electrostatics*. 55: 189-201.
- Song, YJ; Song, SF. (2015). Preparation, characterization, and kinetics of nanoscale iron in nitrate nitrogen removal from polluted water. *Toxicol Environ Chem*. 97: 379-387.
- Song, Z; Yang, W; Wang, W; Zhang, J; Chen, G. (2014). RESEARCH ON RESTORING GROUNDWATER CONTAMINATED BY TCE VIA BUBBLELESS AERATION SUPPLYING HYDROGEN TECHNOLOGY. *Technology of Water Treatment*. 40: 70-73.
- Soni, BK; Lee, J; Kelley, RL; Srivastava, VJ; Hayes, T. (1994). ENHANCED BIODEGRADATION OF TETRACHLOROETHYLENE BY METHYLOSINUS TRICHOSPORIUM OB3B. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 440.
- Soni, M; Nomiya, H; Nomiya, K. (1990). Chronic inhalation effects of tetrachloroethylene on hepatic and renal microsomal electron transport components and delta-aminolevulinic acid dehydratase in rats. *Neurotoxicol Teratol*. 12: 633-636.
- Soni, MG; Mangipudy, RS; Mumtaz, MM; Mehendale, HM. (1998). Tissue repair response as a function of dose during trichloroethylene hepatotoxicity. *Toxicol Sci*. 42: 158-165.
- Sonne, C; Dietz, R; Born, EW; Riget, FF; Kirkegaard, M; Hyldstrup, L; Letcher, RJ; Muir, DC. (2004). Is bone mineral composition disrupted by organochlorines in east Greenland polar bears (*Ursus maritimus*)? *Environ Health Perspect*. 112: 1711-1716.

Environmental Hazard Literature Search Results

Off Topic

- Sonnenfeld, G; Hudgens, RW; Streips, UN. (1983). Effect of environmental carcinogens and other chemicals on murine alpha/beta interferon production. *Environ Res.* 31: 355-361.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B(12) and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation.* 21: 140-148.
- Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF. (1994). Competitive adsorption of VOCs and BOM-oxic and anoxic environments. *Water Res.* 28: 1907-1919.
- Sorrell, RK; Daly, E; Boyer, L; Brass, HJ. (1984). MONITORING FOR VOLATILE ORGANOHALIDES USING PURGEABLE AND TOTAL ORGANIC HALIDE AS SURROGATES. *Jolley, R L Et Al. O: 1123-1134.*
- Soto, AM; Sonnenschein, C; Chung, KL; Fernandez, MF; Olea, N; Serrano, FO. (1995). The E-SCREEN assay as a tool to identify estrogens: An update on estrogenic environmental pollutants. *Environ Health Perspect.* 103: 113-122.
- Soukupova, J; Zboril, R; Medrik, I; Filip, J; Safarova, K; Ledl, R; Mashlan, M; Nosek, J; Cernik, M. (2015). Highly concentrated, reactive and stable dispersion of zero-valent iron nanoparticles: Direct surface modification and site application. *Chem Eng J.* 262: 813-822.
- Soutter, D; McBean, E. (2007). Potential for sample bias due to NAPL partitioning. *Ground Water Monitoring and Remediation.* 27: 129-132.
- Spain, JC; Nishino, SF; Witholt, B; Tan, LS; Duetz, WA. (2003). Production of 6-phenylacetylene picolinic acid from diphenylacetylene by a toluene-degrading *Acinetobacter* strain. *Appl Environ Microbiol.* 69: 4037-4042.
- Spain, MA; Middleditch, BS; Bafus, DA; Galen, T. (1985). Dehydrohalogenation of atmospheric contaminants in the space cabin. *Aviat Space Environ Med.* 56: 262-264.
- Sparks, TA; Kemp, DT; Wooley, RE; Gibbs, PS. (1994). Antimicrobial effect of combinations of EDTA-Tris and amikacin or neomycin on the microorganisms associated with otitis externa in dogs. *Veterinary research communications.* 18: 241-249.
- Spartz, ML; Witkowski, MR; Fateley, JH; Hammaker, RM; Fateley, WG; Carter, RE; Thomas, M; Lane, DD; Marotz, GA; al., e. (1990). COMPARISON OF LONG PATH FT-IR DATA TO WHOLE AIR CANISTER DATA FROM A CONTROLLED UPWIND POINT SOURCE. *US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants.* 0: 685-692.
- Spasic, P; Skaro-Milic, A; Joksovic, D; Kusic, R; Randjelovic, S; Bojanic, N. (1985). ULTRASTRUCTURAL CHANGES OF THE LIVER IN WORKERS EXPOSED TO THE EFFECT OF TRICHLOROETHYLENE. *10th European Congress Of Pathology, Athens, Greece, Sept.* 180: 313.
- Spee, T. (1986). Evaluation of an ISO draft proposal for sampling and analysis of chlorinated hydrocarbon solvent vapors in workplace atmospheres. *Am Ind Hyg Assoc J.* 47: 27-36.
- Speitel, GE; Segar, RL. (1995). COMETABOLISM IN BIOFILM REACTORS. *Water Science and Technology.* 31: 215-225.
- Speitel, GE; Thompson, RC; Weissman, D. (1993). Biodegradation kinetics of *Methylosinus trichosporium* OB3b at low concentrations of chloroform in the presence and absence of enzyme competition by methane. *Water Res.* 27: 15-24.
- Speitel, GEJR; Alley, ERJR. (1991). Bioremediation of unsaturated soils contaminated with chlorinated solvents. *J Hazard Mater.* 28: 81-90.
- Speitel, GEJR; Lu, CJ; Turakhia, MH. (1988). BIODEGRADATION OF SYNTHETIC ORGANIC CHEMICALS IN GAC BEDS. *Meeting On Water And Wastewater Microbiology Held At The International Association For Water Pollution Research And Control Conference, Newport Beach, California, Usa, February.* 20: 463-466.
- Speitel, GEJR; Lu, CJ; Zhu, XJ; Turakhia, MH. (1989). BIODEGRADATION AND ADSORPTION OF A BISOLUTE MIXTURE IN GAC COLUMNS. *J Water Pollut Control Fed.* 61: 221-229.
- Spence, LA; Aschengrau, A; Gallagher, LE; Webster, TF; Heeren, TC; Ozonoff, DM. (2008). Evaluation of the Webber-Brown model for estimating tetrachloroethylene exposure from vinyl-lined asbestos-cement pipes. *Environmental health : a global access science source.* 7: 24.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2002). Effects of tetrachloroethylene on the viability and development of embryos of the Japanese medaka, *Oryzias latipes*. *Arch Environ Contam Toxicol.* 42: 463-469.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2006). Growth inhibition in Japanese medaka (*Oryzias latipes*) fish exposed to tetrachloroethylene. *J Environ Biol.* 27: 1-5.
- Spencer, TJ; Chen, YC; Saha, R; Kohl, PA. (2011). Stabilization of the Thermal Decomposition of Poly(Propylene Carbonate) Through Copper Ion Incorporation and Use in Self-Patterning. *Journal of Electronic Materials.* 40: 1350-1363.
- Spencer, TJ; Kohl, PA. (2011). Decomposition of poly(propylene carbonate) with UV sensitive iodonium salts. *Polymer degradation and stability.* 96: 686-702.
- Sperelakis, N. (1992). CHEMICAL AGENT ACTIONS ON ION CHANNELS AND ELECTROPHYSIOLOGY OF THE HEART. *Acosta, D Jr. O: 283-338.*
- Spetz, AL; Brenden, N; Pilström, B; Båth, J. (1995). No evidence for TCR V beta repertoire changes influencing disease protection in E-transgenic NOD mice. *Scandinavian journal of immunology.* 42: 135-139.
- Spielmann, H; Krueger, C; Vogel, R. (1984). EMBRYOTOXICITY TESTING DURING THE PREIMPLANTATION PERIOD. *Homburger, F And A M Goldberg. O: 22-28.*
- Spigarelli, JL; Going, JE; Li, R. (1986). Hexachlorobenzene levels in multimedia environmental samples from selected chemical production plants. *IARC Sci Publ.* 77: 155-160.
- Sponza, DT. (2001). Anaerobic granule formation and tetrachloroethylene (TCE) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Enzyme Microb Technol.* 29: 417-427.
- Sponza, DT. (2001). Rapid granulation and sludge retention for tetrachloroethylene removal in an upflow anaerobic sludge blanket reactor. *Biotechnol Lett.* 23: 1209-1216.
- Sponza, DT. (2002). Tetrachloroethylene (TCE) removal during anaerobic granulation in an upflow anaerobic sludge blanket (UASB) reactor. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 37: 213-236.

Environmental Hazard Literature Search Results

Off Topic

- Sponza, DT. (2003). Enhancement of granule formation and sludge retention for tetrachloroethylene (TCE) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Adv Environ Res.* 7: 453-462.
- Sponza, DT. (2003). Toxicity and treatability of carbontetrachloride and tetrachloroethylene in anaerobic batch cultures. *International Biodeterioration & Biodegradation.* 51: 119-127.
- Sponza, DT; Atalay, H. (2005). Treatment of trichlorotoluene in an anaerobic/aerobic sequential reactor system. *Process Biochemistry.* 40: 69-82.
- Spoor, W. (2001). Industrial chemicals and the horse. *The Veterinary clinics of North America Equine practice.* 17: 501-515.
- Spring, SE; Miles, AK; Anderson, MJ. (2004). Effects of trichloroethylene and perchloroethylene on wild rodents at Edwards Air Force Base, California, USA. *Environ Toxicol Chem.* 23: 2162-2169.
- Sra, KS. (2010). Mobility Enhancement of Mn Oxide during Permanganate Oxidation of TCE. *Ground Water Monitoring and Remediation.* 30: 99-106.
- Srebowataa, A; Tarachb, K; Girmanc, V; Gora-Marekb, K. (2016). Catalytic removal of trichloroethylene from water over palladium loaded microporous and hierarchical zeolites. *Appl Catal B-Environ.* 181: 550-560.
- Srinivasan, R; Brush, TH. (2006). Supplier performance in vertical alliances: The effects of self-enforcing agreements and enforceable contracts. *Organization Science.* 17: 436-452.
- Srivastava, M; Abhilash, PC; Singh, N. (2011). Remediation of lindane using engineered nanoparticles. *Journal of Biomedical Nanotechnology.* 7: 172-174.
- Srivastava, MG. (1987). BIOTECHNOLOGY AN INDIAN PERSPECTIVE. *Pesticides.* 21: 11-19.
- Srivastava, SP; Seth, PK; Das, M; Mukhtar, H. (1985). Effects of mixed-function oxidase modifiers on neurotoxicity of acrylamide in rats. *Biochem Pharmacol.* 34: 1099-1102.
- Srivatsan, V; Muralidhara, S; Bruckner, J; White, C. (2011). Effects of Oral Dosage Regimen on First-Pass Elimination and Toxicokinetics (TK) of 1, 1, 1-Trichloroethane (TEI) and Trichloroethylene (TCE). 50th Anniversary Annual Meeting of the Society of Toxicology (SOT 2011).
- Staats, DA; Fisher, JW; Connolly, RB. (1991). Gastrointestinal absorption of xenobiotics in physiologically based pharmacokinetic models. A two-compartment description. *Drug metabolism and disposition: the biological fate of chemicals.* 19: 144-148.
- Stacey, NH. (1989). TOXICITY OF COMBINATIONS OF CHLORINATED ALIPHATIC HYDROCARBONS IN-VITRO AND IN-VIVO. *Toxicol In Vitro.* 3: 137-144.
- Stacey, NH. (1989). TOXICITY OF MIXTURES OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND 1 1 1 TRICHLOROETHANE SIMILARITY OF IN-VITRO TO IN-VIVO RESPONSES. *Toxicol Ind Health.* 5: 441-450.
- Stager, MP; Perram, GP. (1999). Long-term desorption of trichloroethylene from flint clay using multiplexed optical detection. *Environ Pollut.* 104: 397-400.
- Staley, LJ; Richards, MK; Huffman, GL; Olexsey, RA; Dellinger, B. (1989). TURBULENT FLAME REACTOR STUDIES OF CHLORINATED HYDROCARBON DESTRUCTION EFFICIENCY. *Waste Manage.* 9: 109-114.
- Stalter, D; Dutt, M; Escher, BI. (2013). Headspace-free setup of in vitro bioassays for the evaluation of volatile disinfection by-products. *Chem Res Toxicol.* 26: 1605-1614.
- Stangroom, SJ; Collins, CD; Lester, JN. (1998). Sources of organic micropollutants to lowland rivers. *Environ Technol.* 19: 643-666.
- Stanhope, A; Berry, CJ; Brigmon, RL. (2008). Phytoremediation of chlorinated ethenes in seepage sediments: tree selection. *Int J Phytoremediation.* 10: 529-546.
- Stara, JF; Erdreich, LS. (1985). AN INTERNATIONAL SYMPOSIUM ON ADVANCES IN HEALTH RISK ASSESSMENT FOR SYSTEMIC TOXICANTS AND CHEMICAL MIXTURES. *Toxicol Ind Health.* 1: 1-333.
- Stara, JF; Hertzberg, RC; Bruins, RJF; Dourson, ML; Durkin, PR; Erdreich, LS; Pepelko, WE. (1983). APPROACHES TO RISK ASSESSMENT OF CHEMICAL MIXTURES. *Homburger, F And J K Marquis.* 0: 71-83.
- Staudinger, J; Knocke, WR; Randall, CW. (1990). Evaluating the Onda mass transfer correlation for the design of packed-column air stripping. *Am Water Works Assoc J.* 82: 73-79.
- Staudinger, J; Roberts, PV. (1996). A CRITICAL REVIEW OF HENRY'S LAW CONSTANTS FOR ENVIRONMENTAL APPLICATIONS. *Crit Rev Environ Sci Tech.* 26: 205-297.
- Stauffer, PH; Birdsell, KH; Witkowski, MS; Hopkins, JK. (2005). Vadose zone transport of 1,1,1-trichloroethane: Conceptual model validation through numerical simulation. *Vadose Zone Journal.* 4: 760-773.
- Stauffer, TB; Macintyre, WG. (1986). SORPTION OF LOW-POLARITY ORGANIC COMPOUNDS ON OXIDE MINERALS AND AQUIFER MATERIAL. *Environ Toxicol Chem.* 5: 949-956.
- Stedtfeld, RD; Stedtfeld, TM; Kronlein, M; Seyrig, G; Steffan, RJ; Cupples, AM; Hashsham, SA. (2014). DNA Extraction-Free Quantification of *Dehalococcoides* spp. in Groundwater Using a Hand-Held Device. *Environmental Science & Technology.* 48: 13855-13863.
- Steffan, RJ; Sperry, K; Condee, CW; Walsh, M; Guarini, W; Thomas, A. (1998). BIOAUGMENTATION FOR IN SITU TREATMENT OF CHLORINATED SOLVENT-CONTAMINATED GROUNDWATER. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 427.
- Steffan, RJ; Sperry, KL; Walsh, MT; Vainberg, S; Condee, CW. (1999). Field-scale evaluation of in situ bioaugmentation for remediation of chlorinated solvents in groundwater. *Environmental Science & Technology.* 33: 2771-2781.
- Steichen, J; Koelliker, J; Grosh, D; Heiman, A; Yearout, R; Robbins, V. (1988). CONTAMINATION OF FARMSTEAD WELLS BY PESTICIDES VOLATILE ORGANICS AND INORGANIC CHEMICALS IN KANSAS USA. *Ground Water Monit Rev.* 8: 153-160.

Environmental Hazard Literature Search Results

Off Topic

- Stein, LY; Yoon, S; Semrau, JD; DiSpirito, AA; Crombie, A; Murrell, JC; Vuilleumier, S; Kalyuzhnaya, MG; den Camp, H; Bringel, FO; Bruce, D; Cheng, JF; Copeland, A; Goodwin, L; Han, SS; Hauser, L; Jetten, MSM; Lajus, A; Land, ML; Lapidus, A; Lucas, S; Medigue, C; Pitluck, S; Woyke, T; Zeytun, A; Klotz, MG. (2010). Genome Sequence of the Obligate Methanotroph *Methylosinus trichosporium* Strain OB3b. *J Bacteriol.* 192: 6497-6498.
- Stein, VB; Narang, RS. (1990). A simplified method for the determination of volatiles in eggs using headspace analysis with a photoionization detector. *Arch Environ Contam Toxicol.* 19: 593-596.
- Steinberg, SM. (1992). Persistence of several volatile aromatic and halogenated hydrocarbons in a low organic carbon calcareous soil. *Chemosphere.* 24: 1301-1315.
- Steinberg, SM; Schmeltzer, JS; Kreamer, DK. Sorption of Benzene and trichloroethylene (TCE) on a desert soil: effects of moisture and organic matter. *Chemosphere.* Sept 1996. v. 33 (5): 961-980.
- Stenzel, MH; Sen, GUPTAU. (1985). TREATMENT OF CONTAMINATED GROUNDWATERS WITH GRANULAR ACTIVATED CARBON AND AIR STRIPPING. *J Air Pollut Control Assoc.* 35: 1304-1309.
- Stephenson, JHM; Allen, F; Slagle, T. (1990). ANALYSIS OF VOLATILE ORGANICS IN AIR VIA WATER METHODS. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 194-199.
- Sterling, SN; Parker, BL; Cherry, JA; Williams, JH; Lane, JW; Haeni, FP. (2005). Vertical cross contamination of trichloroethylene in a borehole in fractured sandstone. *Ground Water.* 43: 557-573.
- Stetter, JR; Cao, Z. (1990). Gas sensor and permeation apparatus for the determination of chlorinated hydrocarbons in water. *Anal Chem.* 62: 182-185.
- Stetter, JR; Cao, Z. (1990). A REAL-TIME MONITOR FOR CHLORINATED ORGANICS IN WATER. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 836-848.
- Stetter, JR; Jurs, PC; Rose, SL. (1986). Detection of hazardous gases and vapors: Pattern recognition analysis of data from an electrochemical sensor array. *Anal Chem.* 58: 860-866.
- Steup, DR; Hall, P; McMillan, DA; Sipes, IG. (1993). Time course of hepatic injury and recovery following coadministration of carbon tetrachloride and trichloroethylene in Fischer-344 rats. *Toxicol Pathol.* 21: 327-334.
- Steup, DR; Wiersma, D; McMillan, DA; Sipes, IG. (1991). Pretreatment with drinking water solutions containing trichloroethylene or chloroform enhances the hepatotoxicity of carbon tetrachloride in Fischer 344 rats. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 16: 798-809.
- Stevens, AA; Seeger, DR; Demarco, J; Moore, L. (1979). REMOVAL OF HIGHER MOLECULAR WEIGHT ORGANIC COMPOUNDS BY THE GRANULAR ACTIVATED CARBON ADSORPTION UNIT PROCESS. Meeting On Adsorption Techniques In Drinking Water Treatment Held At The North Atlantic Treaty Organization'S Committee On The Challenges Of Modern Society Symposium, Reston, Virginia, Usa, April. 7: 363-372.
- Stevens, DK; Eyre, RJ; Bull, RJ. (1992). Adduction of hemoglobin and albumin in vivo by metabolites of trichloroethylene, trichloroacetate, and dichloroacetate in rats and mice. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 19: 336-342.
- Stevens, L; Lanning, JA; Anderson, LG; Jacoby, WA; Chornet, N. (1998). Investigation of the photocatalytic oxidation of low-level carbonyl compounds. *Journal of the Air & Waste Management Association.* 48: 979-984.
- Stewart, BW; Le, MSM; Lykke, AW. (1979). Correlation of biochemical and morphological changes induced by chemical injury to the lung. *Chem Biol Interact.* 26: 321-338.
- Stiber, NA; Pantazidou, M; Small, MJ. (1999). Expert system methodology for evaluating reductive dechlorination at TCE sites. *Environmental Science & Technology.* 33: 3012-3020.
- Stiber, NA; Pantazidou, M; Small, MJ. (2004). Embedding expert knowledge in a decision model: evaluating natural attenuation at TCE sites. *J Hazard Mater.* 110: 151-160.
- Stiegler, L; Stallard, M; Lang, R; Tchobanoglous, G. (1988). A METHODOLOGY FOR ASSESSING THE SORPTION PHENOMENA OF TRACE ORGANIC COMPOUNDS FOUND IN LANDFILL GAS. *Bell, J M.* 0: 213-220.
- Stiner, L; Halverson, LJ. (2002). Development and characterization of a green fluorescent protein-based bacterial biosensor for bioavailable toluene and related compounds. *Appl Environ Microbiol.* 68: 1962-1971.
- Stinson, MK. (1989). EPA SITE DEMONSTRATION OF THE TERRA VAC IN SITU VACUUM EXTRACTION PROCESS IN GROVELAND MASSACHUSETTS USA. *Japca.* 39: 1054-1062.
- Stiver, WH; Zytner, RG. (1996). The infiltration and movement of immiscible chemicals in unsaturated soil. *AU - GUIGARD S. Environ Technol.* 17: 1123-1130.
- Stoermann, R; Jastorff, B. (1993). ECOLOGICAL RISK ASSESSMENT AND THE REGULATION OF CHEMICALS. I. EXPOSURE AND HAZARD IDENTIFICATION OF METABOLITES. *Sci Total Environ.* 0: 1655-1667.
- Stoner, GD. (1990). LUNG TUMORS IN STRAIN A MICE AS A BIOASSAY FOR CARCINOGENICITY OF ENVIRONMENTAL CHEMICALS. Symposium On Mouse Pulmonary Carcinogenesis, Research Triangle Park, North Carolina, Usa, March. 17: 405-424.
- Stoppel, CM; Goltz, MN. (2003). Modeling Pd-catalyzed destruction of chlorinated ethenes in groundwater. *Journal of Environmental Engineering-Asce.* 129: 147-154.
- Stordal, F; Isaksen, ISA. (1987). OZONE PERTURBATIONS DUE TO INCREASES IN NITROUS OXIDE METHANE AND CHLOROCARBONS TWO-DIMENSIONAL TIME-DEPENDENT CALCULATIONS. *Tellus Ser B Chem Phys Meteorol.* 39: 333-353.

Environmental Hazard Literature Search Results

Off Topic

- Story, DL; Meierhenry, EF; Tyson, CA; Milman, HA. (1986). Differences in rat liver enzyme-altered foci produced by chlorinated aliphatics and phenobarbital. *Toxicol Ind Health*. 2: 351-362.
- Stott, WT; Quast, JF; Watanabe, PG. (1982). The pharmacokinetics and macromolecular interactions of trichloroethylene in mice and rats. *Toxicol Appl Pharmacol*. 62: 137-151.
- Stout, SA; Uhler, RM; Philp, RP; Allen, J; Uhler, AD. (1998). SOURCE DIFFERENTIATION OF INDIVIDUAL CHLORINATED SOLVENTS DISSOLVED IN GROUNDWATER USING COMPOUND SPECIFIC CARBON ISOTOPIC ANALYSIS. 216th National Meeting Of The American Chemical Society, Boston, Massachusetts, Usa, August. 216: 125.
- St-Pierre, C; Martel, R; Gabriel, U; Lefebvre, R; Robert, T; Hawari, J. (2004). TCE recovery mechanisms using micellar and alcohol solutions: phase diagrams and sand column experiments. *J Contam Hydrol*. 71: 155-192.
- Strand, SE; Bjelland, MD; Stensel, HD. (1990). Kinetics of chlorinated hydrocarbon degradation by suspended cultures of methane-oxidizing bacteria. *Res J Water Pollut Control Fed*. 62: 124-129.
- Strand, SE; Gray, JP; Herwig, RP; Hirata, JA; Bielefeldt, AR; Stensel, HD. (1995). CHARACTERIZATION OF A PHENOL-DEGRADING FILAMENTOUS BACTERIUM ABLE TO DEGRADE TRICHLOROETHYLENE. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 401.
- Strand, SE; Newman, L; Shurtleff, B; Wilmoth, J; Heilman, P; Duffy, J; Gordon, M. (1996). MASS BALANCE CHAMBER ALLOWS DETERMINATION OF TRANSFORMATIONS OF CHLORINATED HYDROCARBONS IN PLANTS. 212th American Chemical Society National Meeting, Orlando, Florida, Usa, August. 212: 55.
- Strand, SE; Seamons, RM; Bjelland, MD; Stensel, HD. (1988). KINETICS OF METHANE-OXIDIZING BIOFILMS FOR DEGRADATION OF TOXIC ORGANICS. Meeting On Water And Wastewater Microbiology Held At The International Association For Water Pollution Research And Control Conference, Newport Beach, California, Usa, February. 20: 167-174.
- Strand, SE; Wodrich, JV; Stensel, HD. (1991). Biodegradation of chlorinated solvents in a sparged, methanotrophic biofilm reactor. *Res J Water Pollut Control Fed*. 63: 859-867.
- Strandberg, GW; Donaldson, TL; Farr, LL. Degradation of trichloroethylene and trans-1,2-dichloroethylene by a methanotrophic consortium in a fixed-film, packed-bed bioreactor. *Environmental science & technology*. Nov 1989. v. 23 (11): 1422-1425 ill.
- Strati, F; Tallents, GJ. (2001). Analytical modeling of group-velocity effects in saturated soft-x-ray lasers pumped with a picosecond traveling-wave excitation. *Physical Review A*. 6401: 3807-3807.
- Streit, B. (1994). BIOACCUMULATION PROCESSES OF ORGANIC POLLUTANTS BY ANIMALS OF THE RIVER RHINE. *Water Science And Technology*. 29: 145-147.
- Streit, B; Sire, EO. (1993). On the role of blood proteins for uptake, distribution, and clearance of waterborne lipophilic xenobiotics by fish: A linear system analysis. *Chemosphere*. 26: 1031-1039.
- Stromberg, B. (1990). LOW TEMPERATURE FORMATION AND MINIMIZATION OF CHLORINATED HYDROCARBONS. Tenth International Symposium On Chlorinated Dioxins And Related Compounds. 23: 1515-1526.
- Stromberg, JR; Wnuk, JD; Pinlac, RA; Meyer, GJ. (2006). Multielectron transfer at heme-functionalized nanocrystalline TiO₂: reductive dechlorination of DDT and CCl₄ forms stable carbene compounds. *Nano Lett*. 6: 1284-1286.
- Strong, L; Wall, R. (1990). THE CHEMICAL CONTROL OF LIVESTOCK PARASITES PROBLEMS AND ALTERNATIVES. *Parasitol Today*. 6: 291-296.
- Strong-Gunderson, JM; Palumbo, AV. (1994). TCE DEGRADATION ENHANCED BY THE PRESENCE OF AN INDUCER COMPONENT OF NONCONTAMINATED SOILS. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 419.
- Strong-Gunderson, JM; Palumbo, AV; Herbes, SE; Bergman, S. (1993). THE EFFECT OF FORMATE AND METHANE ON THE RECOVERY OF SOLUBLE METHANE MONOOXYGENASE ENZYME SMMO IN METHYLOSINUS-TRICHOSPORIUM OB3B. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 379.
- Stroo, HF. (1994). BIODEGRADATION AND BIOREMEDIATION OF CONTAMINATED SITES THE ROLE OF SOIL SCIENCE. *Wagenet, R J And J Bouma*. 0: 37-55.
- Struckhoff, GC; Burken, JG; Schumacher, JG. (2005). Vapor-phase exchange of perchloroethene between soil and plants. *Environmental science & technology*. 39: 1563-1568.
- Struse, AM; Siegrist, RL; Dawson, HE; Urynowicz, MA. (2002). Diffusive transport of permanganate during in situ oxidation. *Journal of Environmental Engineering-Asce*. 128: 327-334.
- Strycharz, SM; Gannon, SM; Boles, AR; Franks, AE; Nevin, KP; Lovley, DR. (2010). Reductive dechlorination of 2-chlorophenol by *Anaeromyxobacter dehalogenans* with an electrode serving as the electron donor. *Environmental Microbiology Reports*. 2: 289-294.
- Stuart, ME; Lapworth, DJ; Thomas, J; Edwards, L. (2014). Fingerprinting groundwater pollution in catchments with contrasting contaminant sources using microorganic compounds. *Sci Total Environ*. 468: 564-577.
- Stubin, AI; Brosnan, TM; Porter, KD; Jimenez, L; Lochan, H. (1996). Organic priority pollutants in New York City municipal wastewaters: 1989-1993. *Water Environ Res*. 68: 1037-1044.
- Stuchal, LD; Kleinow, KM; Stegeman, JJ; James, MO. (2006). Demethylation of the pesticide methoxychlor in liver and intestine from untreated, methoxychlor-treated, and 3-methylcholanthrene-treated channel catfish (*Ictalurus punctatus*): evidence for roles of CYP1 and CYP3A family isozymes. *Drug metabolism and disposition: the biological fate of chemicals*. 34: 932-938.
- Studdert, VP. (1985). INCIDENCE OF POISONING IN DOGS AND CATS IN MELBOURNE AUSTRALIA. *Aust Vet J*. 62: 133-135.
- Stuer-Lauridsen, F; Pedersen, F. (1997). On the influence of the polarity index of organic matter in predicting environmental sorption of chemicals. *Chemosphere*. 35: 761-773.

Environmental Hazard Literature Search Results

Off Topic

- Stull, JO; Herring, B. (1990). Selection and testing of a glove combination for use with the USA coast Guard's chemical response suit. *Am Ind Hyg Assoc J.* 51: 378-383.
- Stumm, W. (1986). WATER AN ENDANGERED ECOSYSTEM. *Ambio.* 15: 201-207.
- Sturchio, NC; Bohlke, JK; Beloso, AD; Streger, SH; Heraty, LJ; Hattinger, PB. (2007). Oxygen and chlorine isotopic fractionation during perchlorate biodegradation: Laboratory results and implications for forensics and natural attenuation studies. *Environmental Science & Technology.* 41: 2796-2802.
- Sturchio, NC; Clausen, JL; Heraty, LJ; Huang, L; Holt, BD; Abrajano, TA. (1998). Chlorine isotope investigation of natural attenuation of trichloroethene in an aerobic aquifer. *Environmental Science & Technology.* 32: 3037-3042.
- Sturchio, NC; Hattinger, PB; Arkins, MD; Suh, C; Heraty, LJ. (2003). Chlorine isotope fractionation during microbial reduction of perchlorate. *Environmental Science & Technology.* 37: 3859-3863.
- Styles, JA; Penman, MG. (1985). THE MOUSE SPOT TEST EVALUATION OF ITS PERFORMANCE IN IDENTIFYING CHEMICAL MUTAGENS AND CARCINOGENS. *Mutat Res.* 154: 183-204.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2013). Travel distance and transformation of injected emulsified zerovalent iron nanoparticles in the subsurface during two and half years. *Water Res.* 47: 4095-4106.
- Su, CM; Puls, RW. (1999). Kinetics of trichloroethene reduction by zerovalent iron and tin: Pretreatment effect, apparent activation energy, and intermediate products. *Environmental Science & Technology.* 33: 163-168.
- Su, CM; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2012). A two and half-year-performance evaluation of a field test on treatment of source zone tetrachloroethene and its chlorinated daughter products using emulsified zero valent iron nanoparticles. *Water Res.* 46: 5071-5084.
- Su, CY; Kuo, MCT; Liang, KF; Lin, CY. (2010). Model simulations for in situ aerobic cometabolism of trichloroethylene. *J Chem Tech Biotechnol.* 85: 1604-1615.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203.
- Su, GCC. (1998). A comparison of statistical and empirical detection limits. *J AOAC Int.* 81: 105-110.
- Su, Y; Liang, Y. (2013). The foliar uptake and downward translocation of trichloroethylene and 1,2,3-trichlorobenzene in air-plant-water systems. *J Hazard Mater.* 252-253: 300-305.
- Su, YF; Cheng, YL; Shih, YH. (2013). Removal of trichloroethylene by zerovalent iron/activated carbon derived from agricultural wastes. *J Environ Manage.* 129: 361-366.
- Su, YF; Hsu, CY; Shih, YH. (2012). Effects of various ions on the dechlorination kinetics of hexachlorobenzene by nanoscale zero-valent iron. *Chemosphere.* 88: 1346-1352.
- Su, YH; Liu, T; Liang, Y. (2010). Transport via xylem of trichloroethylene in wheat, corn, and tomato seedlings. *J Hazard Mater.* 182: 472-476.
- Suarez, S; Arconada, N; Castro, Y; Coronado, JM; Portela, R; Duran, A; Sanchez, B. (2011). Photocatalytic degradation of TCE in dry and wet air conditions with TiO sub(2 porous thin films). *Appl Catal B-Environ.* 108-109: 14-21.
- Suarez, S; Coronado, JM; Portela, R; Martin, JC; Yates, M; Avila, P; Sanchez, B. (2008). On the preparation of TiO(2) - Sepiolite hybrid materials for the photocatalytic degradation of TCE: Influence of TiO(2) distribution in the mineralization. *Environmental Science & Technology.* 42: 5892-5896.
- Suarez, S; Hower, TLR; Portela, R; Hernandez-Alonso, MD; Freire, RS; Sanchez, B. (2011). Behaviour of TiO sub(2)-SiMgO sub(x) hybrid composites on the solar photocatalytic degradation of polluted air. *Appl Catal B-Environ.* 101: 176-182.
- Subrahmanyam, C; Renken, A; Kiwi-Minsker, L. (2007). Novel catalytic non-thermal plasma reactor for the abatement of VOCs. *Chem Eng J.* 134: 78-83.
- Subramoniam, A; Goel, SK; Pandya, KP; Seth, PK. (1989). Influence of trichloroethylene treatment on phosphoinositides in rat brain. *Toxicol Lett.* 49: 55-60.
- Suchomel, EJ; Pennell, KD. (2006). Reductions in contaminant mass discharge following partial mass removal from DNAPL source zones. *Environmental science & technology.* 40: 6110-6116.
- Suchomel, EJ; Ramsburg, CA; Pennell, KD. (2007). Evaluation of trichloroethene recovery processes in heterogeneous aquifer cells flushed with biodegradable surfactants. *J Contam Hydrol.* 94: 195-214.
- Suffet, IH; Baker, RJ; Yohe, TL. (1988). PRETREATMENT OF DRINKING WATER TO CONTROL ORGANIC CONTAMINANTS AND TASTE AND ODOR. *Hahn, H H And R Klute.* 0: 15-40.
- Suflita, JM; Gibson, SA; Beeman, RE. (1988). ANAEROBIC BIOTRANSFORMATIONS OF POLLUTANT CHEMICALS IN AQUIFERS. *J Ind Microbiol.* 3: 179-194.
- Suflita, JM; Townsend, GT. (1995). THE MICROBIAL ECOLOGY AND PHYSIOLOGY OF ARYL DEHALOGENATION REACTIONS AND IMPLICATIONS FOR BIOREMEDIATION. *Young, L Y And C E Cerniglia.* 0: 243-268.
- Suhua, W; Rongzhu, L; Wenrong, X; Guangwei, X; Xiaowu, Z; Shizhong, W; Ye, Z; Fangan, H; Aschner, M. (2010). Induction or inhibition of cytochrome P450 2E1 modifies the acute toxicity of acrylonitrile in rats: biochemical evidence. *Arch Toxicol.* 84: 461-469.
- Sui, H; Li, XG; Huang, GQ; Jiang, B. (2006). A study on cometabolic bioventing for the in situ remediation of trichloroethylene. *Environ Geochem Health.* 28: 147-152.
- Sui, H; Li, XG; Xu, SM. (2004). Cometabolic microbial degradation of trichloroethylene in the presence of toluene. *J Environ Sci.* 16: 487-489.

Environmental Hazard Literature Search Results

Off Topic

- Suidan, MT; Wuellner, AM; Boyer, TK. (1990). ANAEROBIC TREATMENT OF A HIGH-STRENGTH INDUSTRIAL WASTE BEARING INHIBITORY CONCENTRATIONS OF 1,1,1 TRICHLOROETHANE. Fifteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Part. 23: 1385-1394.
- Sujatha, TV; Hegde, MJ. (1998). C-mitotic effects of Trichloroethylene (TCE) on bone marrow cells of mice. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis*. 413: 151-158.
- Sukesan, S; Watwood, ME. (1995). COMPOST AS A BIOFILTRATION MATRIX MICROBIAL TRICHLOROETHYLENE TCE BIODEGRADATION IN END-PROCESS COMPOSTS. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 413.
- Sukesan, S; Watwood, ME. (1996). BIODEGRADATION OF VAPOR BASE TRICHLOROETHYLENE TCE IN COMPOST PACKED BIOFILTERS. 211th American Chemical Society National Meeting, New Orleans, Louisiana, Usa, March. 211: 59.
- Sukesan, S; Watwood, ME. (1997). Continuous vapor-phase trichloroethylene biofiltration using hydrocarbon-enriched compost as filtration matrix. *Appl Microbiol Biotechnol*. 48: 671-676.
- Sukesan, S; Watwood, ME. (1998). Effects of hydrocarbon enrichment on trichloroethylene biodegradation and microbial populations in finished compost. *J Appl Microbiol*. 85: 635-642.
- Sullivan, B; Kassel, K; Luyendyk, J. (2012). Effect of trichloroethylene exposure on autoimmune-mediated cholangitis in NOD.c3c4 mice. *Experimental Biology 2012 (EB 2012)*.
- Sullivan, JP; Dickinson, D; Chase, HA. (1998). Methanotrophs, *Methylosinus trichosporium* OB3b, sMMO, and their application to bioremediation. *Critical Reviews in Microbiology*. 24: 335-373.
- Summerhays, J. (1991). Evaluation of risks from urban air pollutants in the southeast Chicago (Chicago, Illinois, USA) area. *J Air Waste Manage Assoc*. 41: 844-850.
- Sun, AK; Hong, J; Wood, TK. (1998). Modeling trichloroethylene degradation by a recombinant pseudomonad expressing toluene ortho-monooxygenase in a fixed-film bioreactor. *Biotechnol Bioeng*. 59: 40-51.
- Sun, AK; Wood, TK. (1996). TCE MINERALIZATION IN A BIOFILTER WITH A PURE CULTURE WHICH CONSTITUTIVELY EXPRESSES TOLUENE ORTHO-MONOOXYGENASE. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 411.
- Sun, AK; Wood, TK. (1996). Trichloroethylene degradation and mineralization by pseudomonads and *Methylosinus trichosporium* OB3b. *Appl Microbiol Biotechnol*. 45: 248-256.
- Sun, AK; Wood, TK. (1997). Trichloroethylene mineralization in a fixed-film bioreactor using a pure culture expressing constitutively toluene ortho-monooxygenase. *Biotechnol Bioeng*. 55: 674-685.
- Sun, B; Griffin, BM; Ayala-del-Raño, HL; Hashsham, SA; Tiedje, JM. (2002). Microbial dehalorespiration with 1,1,1-trichloroethane. *Science (New York, NY)*. 298: 1023-1025.
- Sun, D; Tham, FS; Reed, CA; Boyd, PDW. (2002). Extending supramolecular fullerene-porphyrin chemistry to pillared metal-organic frameworks. *Proceedings of the National Academy of Sciences of the United States of America*. 99: 5088-5092.
- Sun, DX; Chen, S; Jong, SC; Duan, XD; Zhu, ZB. (2005). Photocatalytic degradation of toluene using a novel flow reactor with Fe-doped TiO₂ catalyst on porous nickel sheets. *Photochem Photobiol*. 81: 352-357.
- Sun, JQ; Xu, L; Tang, YQ; Chen, FM; Zhao, JJ; Wu, XL. (2014). Bacterial pyridine hydroxylation is ubiquitous in environment. *Appl Microbiol Biotechnol*. 98: 455-464.
- Sun, Q; Zhu, L; Dong, M. (2006). Risk assessment of organic pesticides pollution in surface water of Hangzhou. *Environ Monit Assess*. 117: 377-385.
- Sun, W; Ogram, A; Payne, W; Brockman, F. (1993). ASSESSMENT OF TCE DEGRADATIVE POTENTIAL IN A CONTAMINATED AQUIFER BY GENE PROBE ANALYSIS. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 378.
- Sun, Y; Brown, GM; Moyer, BA. (1994). PHOTODEGRADATION OF TRICHLOROETHYLENE USING TIO₂ SUSPENDED IN FLUOROCARBON SOLVENTS. 207th National Meeting Of The American Chemical Society, San Diego, California, Usa, March. 207: 188.
- Sun, Y; Brown, GM; Moyer, BA. (1995). TIO₂ mediated photooxidation of trichloroethylene and toluene dissolved in fluorocarbon solvents. *Chemosphere*. 31: 3575-3584.
- Sunder, M; Hempel, DC. (1997). Oxidation of tri- and perchloroethene in aqueous solution with ozone and hydrogen peroxide in a tube reactor. *Water Res*. 31: 33-40.
- Sundstrom, DW; Weir, BA; Barber, TA; Klei, HE. (1990). DESTRUCTION OF POLLUTANTS AND MICROORGANISMS IN WATER BY UV LIGHT AND HYDROGEN PEROXIDE. Symposium On Advanced Oxidation Processes, June. 27: 57-68.
- Sung, Y; Fletcher, KF; Ritalaliti, KM; Apkarian, RP; Ramos-Hernandez, N; Sanford, RA; Mesbah, NM; Löffler, FE. (2006). *Geobacter lovleyi* sp nov strain SZ, a novel metal-reducing and tetrachloroethene-dechlorinating bacterium. *Appl Environ Microbiol*. 72: 2775-2782.
- Sung, Y; Ritalahti, KM; Apkarian, RP; Löffler, FE. (2006). Quantitative PCR confirms purity of strain GT, a novel trichloroethene-to-ethene-respiring *Dehalococcoides* isolate. *Appl Environ Microbiol*. 72: 1980-1987.
- Sung, Y; Ritalahti, KM; Sanford, RA; Urbance, JW; Flynn, SJ; Tiedje, JM; Löffler, FE. (2003). Characterization of two tetrachloroethene-reducing, acetate-oxidizing anaerobic bacteria and their description as *Desulfuromonas michiganensis* sp nov. *Appl Environ Microbiol*. 69: 2964-2974.
- Sung-In, Y; Youn-Kyoo, C; Byung-Chan, L. (2003). Effective bead preparation of coimmobilized methanogenic and methanotrophic bacteria for tetrachloroethene degradation. *Biodegradation*. 14: 347-355.
- Sunkara, B; Su, Y; Zhan, J; He, J; McPherson, GL; John, VT. (2015). Iron-carbon composite microspheres prepared through a facile aerosol-based process for the simultaneous adsorption and reduction of chlorinated hydrocarbons. *Frontiers of environmental science & engineering*. 9: 939-947.

Environmental Hazard Literature Search Results

Off Topic

- Sunkara, B; Zhan, J; Kolesnichenko, I; Wang, Y; He, J; Holland, JE; McPherson, GL; John, VT. (2011). Modifying metal nanoparticle placement on carbon supports using an aerosol-based process, with application to the environmental remediation of chlorinated hydrocarbons. *Langmuir : the ACS journal of surfaces and colloids*. 27: 7854-7859.
- Suntio, LR; Shiu, WY; Mackay, D. (1988). A REVIEW OF THE NATURE AND PROPERTIES OF CHEMICALS PRESENT IN PULP MILL EFFLUENTS. *Chemosphere*. 17: 1249-1290.
- Supradist, S; Notarianni, LJ; Bennett, PN. (1984). Lignocaine kinetics in the rat. *The Journal of pharmacy and pharmacology*. 36: 240-243.
- Surdo, EM. (2009). Active membranes for containing and treating environmental contamination. PhD Thesis, University of Minnesota.
- Surdo, EM; Cussler, EL; Arnold, WA. (2009). Sorptive and Reactive Scavenger-Containing Sandwich Membranes as Contaminant Barriers. *Journal of Environmental Engineering-Asce*. 135: 69-76.
- Suri, RP; Paraskewich, MR; Zhang, QB. (1999). Effect of process variables on sonochemical destruction of aqueous trichloroethylene. *Environ Eng Sci*. 16: 345-352.
- Suri, RPS; Liu, J; Hand, DW; Crittenden, JC; Perram, DL; Mullins, ME. (1993). Heterogeneous photocatalytic oxidation of hazardous organic contaminants in water. *Water Environ Res*. 65: 665-673.
- Suri, RPS; Liu, JB; Crittenden, JC; Hand, DW. (1999). Removal and destruction of organic contaminants in water using adsorption, steam regeneration, and photocatalytic oxidation: A pilot-scale study. *Journal of the Air & Waste Management Association*. 49: 951-958.
- Susarla, S; Medina, VF; McCutcheon, SC. (2002). Phytoremediation: An ecological solution to organic chemical contamination. *Ecol Eng*. 18: 647-658.
- Suter, GW, II. (1996). Toxicological benchmarks for screening contaminants of potential concern for effects on freshwater biota. *Environ Toxicol Chem*. 15: 1232-1241.
- Suthersan, S; Nelson, D; Schnobrich, M. (2011). Hybridized Design Concepts and Their Application to ERD Systems. *Ground Water Monitoring and Remediation*. 31: 45-49.
- Suttinun, O; Luepromchai, E; Muller, R. (2013). Cometabolism of trichloroethylene: concepts, limitations and available strategies for sustained biodegradation. *Reviews in Environmental Science and Bio-Technology*. 12: 99-114.
- Suttinun, O; Muller, R; Luepromchai, E. (2010). Cometabolic Degradation of Trichloroethene by *Rhodococcus* sp Strain L4 Immobilized on Plant Materials Rich in Essential Oils. *Appl Environ Microbiol*. 76: 4684-4690.
- Sutton, NB; Atashgahi, S; van der Wal, J; Wijn, G; Grotenhuis, T; Smidt, H; Rijnaarts, HHM. (2015). Microbial Dynamics During and After In Situ Chemical Oxidation of Chlorinated Solvents. *Groundwater*. 53: 261-270.
- Sutton, PT; Ginn, TR. (2014). Sustainable in-well vapor stripping: A design, analytical model, and pilot study for groundwater remediation. *J Contam Hydrol*. 171: 32-41.
- Suty, H; De Traversay, C; Cost, M. (2004). Applications of advanced oxidation processes: present and future. *Water Science and Technology*. 49: 227-233.
- Suwanmanee, U; Varabuntoonvit, V; Chaiwutthinan, P; Tajan, M; Mungcharoen, T; Leejarkpai, T. (2013). Life cycle assessment of single use thermoform boxes made from polystyrene (PS), polylactic acid, (PLA), and PLA/starch: cradle to consumer gate. *Int J Life Cycle Assess*. 18: 401-417.
- Suyama, A; Iwakiri, R; Kai, K; Tokunaga, T; Sera, N; Furukawa, K. (2001). Isolation and characterization of *Desulfitobacterium* sp strain Y51 capable of efficient dehalogenation of tetrachloroethene and polychloroethanes. *Bioscience Biotechnology and Biochemistry*. 65: 1474-1481.
- Suyama, A; Iwakiri, R; Kimura, N; Nishi, A; Nakamura, K; Furukawa, K. (1996). Engineering hybrid pseudomonads capable of utilizing a wide range of aromatic hydrocarbons and of efficient degradation of trichloroethylene. *J Bacteriol*. 178: 4039-4046.
- Suyama, A; Yamashita, M; Yoshino, S; Furukawa, K. (2002). Molecular characterization of the PceA reductive dehalogenase of *Desulfitobacterium* sp strain Y51. *J Bacteriol*. 184: 3419-3425.
- Suzaki, H; Aoki, A; Nomura, Y. (1997). Regeneration of olfactory mucosa in mice after inhalation exposure to perchloroethylene. *ORL; journal for oto-rhino-laryngology and its related specialties*. 59: 91-96.
- Suzuki, M. (1990). APPLICATION OF FIBER ADSORBENTS IN WATER TREATMENT. Fifteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Part. 23: 1649-1658.
- Suzuki, M. (1997). Role of adsorption in water environment processes. *Water Science And Technology*. 35: 1-11.
- Suzuki, T; Nezu, K; Sasaki, H; Miyazawa, T; Isono, H. (1994). Cytotoxicity of chlorinated hydrocarbons and lipid peroxidation in isolated rat hepatocytes. *Biological & pharmaceutical bulletin*. 17: 82-86.
- Swami, K; Narang, AS; Narang, RS; Eadon, GA. (1992). Thermally induced formation of PCDD and PCDF from tri- and tetrachlorobenzene in dielectric fluids. *Chemosphere*. 24: 1845-1853.
- Swan, SH; Shaw, G; Harris, JA; Neutra, RR. (1989). Congenital cardiac anomalies in relation to water contamination, Santa Clara County, California, 1981-1983. *Am J Epidemiol*. 129: 885-893.
- Swanson, AR; Brennan, RA; Loffler, FE; Sanford, RA. (1999). H2 generation, 14C-acetate assimilation, and the role of the tricarboxylic acid (TCA) cycle by succinate-fed, tetrachloroethene-respiring *Desulfuromonas* sp. strain BB1. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 599-600.
- Swartz, WJ. (1984). Effects of 1,1-bis(p-chlorophenyl)-2,2,2-trichloroethane (DDT) on gonadal development in the chick embryo: a histological and histochemical study. *Environ Res*. 35: 333-345.
- Sweeney, C; Farrow, DC; Schwartz, SM; Eaton, DL; Checkoway, H; Vaughan, TL. (2000). Glutathione S-transferase M1, T1, and P1 polymorphisms as risk factors for renal cell carcinoma: A case-control study. *Cancer Epidemiology Biomarkers & Prevention*. 9: 449-454.

Environmental Hazard Literature Search Results

Off Topic

- Sweeney, LM; Kirman, CR; Gargas, ML; Dugard, PH. (2009). Contribution of trichloroacetic acid to liver tumors observed in perchloroethylene (perc)-exposed mice. *Toxicology*. 260: 77-83.
- Sweeney, LM; Saghir, SA; Gargas, ML. (2008). Physiologically based pharmacokinetic model development and simulations for ethylene dichloride (1,2-dichloroethane) in rats. *Regul Toxicol Pharmacol*. 51: 311-323.
- Swift, D; Rothermel, J; Starr, B; Orr, B; Bures, G. (2012). Remediation of a TCE Groundwater Plume Using Hydraulic Fracturing to Emplace ZVI/Carbon Amendment. 2012 Annual Meeting of the Geological Society of America.
- Swindlehurst, RJ; Johnston, PA; Trondle, S; Stringer, RL; Stephenson, AD; Stone, IM. (1995). REGULATION OF TOXIC CHEMICALS IN THE MEDITERRANEAN THE NEED FOR AN ADEQUATE STRATEGY. *Sci Total Environ*. 171: 243-264.
- Switzer, C; Kosson, DS. (2007). Soil vapor extraction performance in layered vadose zone materials. *Vadose Zone Journal*. 6: 397-405.
- Switzer, C; Pironi, P; Gerhard, JI; Rein, G; Torero, JL. (2009). Self-Sustaining Smoldering Combustion: A Novel Remediation Process for Non-Aqueous-Phase Liquids in Porous Media. *Environmental Science & Technology*. 43: 5871-5877.
- Switzer, C; Slagle, T; Hunter, D; Kosson, DS. (2004). Use of rebound testing for evaluation of soil vapor extraction performance at the Savannah River Site. *Ground Water Monitoring and Remediation*. 24: 106-117.
- Syal, S. (1992). Reductive dechlorination in a continuous flow electrolysis cell. PhD Thesis, Michigan State University.
- Sykes, RG; Doty, RN. (1988). THE NEW REGULATIONS A CHALLENGE FOR SMALL SYSTEMS. *Am Water Works Assoc J*. 80: 62-64.
- Sylvestre, M; Bertrand, JL; Viel, G. (1997). FEASIBILITY STUDY FOR THE POTENTIAL USE OF BIOCATALYTIC SYSTEMS TO DESTROY CHLOROFLUOROCARBONS CFCS. *Crit Rev Environ Sci Tech*. 27: 87-111.
- Symonds, DA; Tomic, D; Miller, KP; Flaws, JA. (2005). Methoxychlor induces proliferation of the mouse ovarian surface epithelium. *Toxicological sciences : an official journal of the Society of Toxicology*. 83: 355-362.
- Symons, J; Prengle, JW; Belhateche, D. (1989). Use of ultraviolet irradiation and hydrogen peroxide for the control of solvent contamination in small water utilities. *J Hazard Mater*. 22: 265-266.
- Symons, JM; Worley, KL. (1995). An advanced oxidation process for DBP control. *Journal - American Water Works Association*. 87: 66-75.
- Sytsma, L; Mulder, J; Schneider, J; Negri, C; Hinchman, R; Gatliff, E. (1997). UPTAKE AND FATE OF ORGANOHALOGENS FROM CONTAMINATED GROUNDWATER IN WOODY PLANTS. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 29.
- Szecsody, JE; Fruchter, JS; Williams, MD; Vermeul, VR; Sklarew, D. (2004). In situ chemical reduction of aquifer sediments: Enhancement of reactive iron phases and TCE dechlorination. *Environmental Science & Technology*. 38: 4656-4663.
- Tabatabaei, AR; Abbott, FS. (1999). LC/MS analysis of hydroxylation products of salicylate as an indicator of in vivo oxidative stress. *Free Radic Biol Med*. 26: 1054-1058.
- Tabernacka, A; Zborowska, E. (2012). Trichloroethylene and tetrachloroethylene elimination from the air by means of a hybrid bioreactor with immobilized biomass. *J Biosci Bioeng*. 114: 318-324.
- Tabernacka, A; Zborowska, E; Lebkowska, M. (2006). Trichloroethene elimination from air by means of biofiltration. *Pol J Environ Stud*. 15: 335-340.
- Tabernacka, A; Zborowska, E; Lebkowska, M; Borawski, M. (2014). Air purification from TCE and PCE contamination in a hybrid bioreactors and biofilter integrated system. *J Hazard Mater*. 264: 363-369.
- Tabrez, S; Ahmad, M. (2011). Some Enzymatic/Nonenzymatic Antioxidants as Potential Stress Biomarkers of Trichloroethylene, Heavy Metal Mixture, and Ethyl Alcohol in Rat Tissues. *Environ Toxicol*. 26: 207-216.
- Tabrez, S; Ahmad, M. (2012). Genotoxicity of trichloroethylene in the natural milieu. *Int J Hyg Environ Health*. 215: 333-338.
- Tabrez, S; Ahmad, M. (2013). Cytochrome P450 system as potential biomarkers of certain toxicants: comparison between plant and animal models. *Environ Monit Assess*. 185: 2977-2987.
- Tagawa, Y; Kiyota, Y; Yoshimura, Y; Motohashi, M; Tanayama, S. (1998). Disposition of the new antirheumatic agent ethyl 4-(3,4-dimethoxyphenyl)-6,7-dimethoxy-2-(1,2,4-triazol-1-ylmethyl)quinoline-3-carboxylate (TAK-603) in rats and dogs. *Arzneimittelforschung*. 48: 750-757.
- Tagaya, Y; Burton, JD; Miyamoto, Y; Waldmann, TA. (1996). Identification of a novel receptor/signal transduction pathway for IL-15/T in mast cells. *The EMBO journal*. 15: 4928-4939.
- Taghavy, A; Costanza, J; Pennell, KD; Abriola, LM. (2010). Effectiveness of nanoscale zero-valent iron for treatment of a PCE-DNAPL source zone. *J Contam Hydrol*. 118: 128-142.
- Taghizadeh, M; Kebria, DY; Darvishi, G; Kootenaei, FG. (2013). The Use of Nano Zero Valent Iron in Remediation of Contaminated Soil and Groundwater. *International Journal of Scientific Research in Environmental Sciences*. 1: 152.
- Taguchi, O; Takahashi, T. (1996). Administration of anti-interleukin-2 receptor alpha antibody in vivo induces localized autoimmune disease. *Eur J Immunol*. 26: 1608-1612.
- Tai, KK; Truong, DD. (2010). (-)-Epigallocatechin-3-gallate (EGCG), a green tea polyphenol, reduces dichlorodiphenyl-trichloroethane (DDT)-induced cell death in dopaminergic SHSY-5Y cells. *Neurosci Lett*. 482: 183-187.
- Takami, W; Horinouchi, M; Nojiri, H; Yamane, H; Omori, T. (1999). Evaluation of trichloroethylene degradation by E-coli transformed with dimethyl sulfide monooxygenase genes and/or cumene dioxygenase genes. *Biotechnol Lett*. 21: 259-264.
- Takami, W; Nojiri, H; Yamane, H; Omori, T. (2000). Degradation of trichloroethylene by recombinant E-coli in continuous culture. *Biotechnol Lett*. 22: 211-216.
- Takami, W; Yoshida, T; Nojiri, H; Yamane, H; Omori, T. (1999). Oxidation of chlorinated olefins by Escherichia coli transformed with dimethyl sulfide monooxygenase genes or cumene dioxygenase genes. *J Gen Appl Microbiol*. 45: 69-75.

Environmental Hazard Literature Search Results

Off Topic

- Takano, T; Miyazaki, Y; Motohashi, Y. (1985). Interaction of trichloroethane isomers with cytochrome P-450 in the perfused rat liver. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 5: 353-360.
- Takase, Z. (1984). Transfer of piperacillin to various uterine tissues. *Piperacillin study group for application in the field of obstetrics and gynecology. Biol Res Pregnancy Perinatol*. 5: 48-56.
- Takemoto, D; Hayashi, M; Doke, N; Mishimura, M; Kawakita, K. (2000). Isolation of the gene for EILP, an elicitor-inducible LRR receptor-like protein, from tobacco by differential display. *Plant & cell physiology*. 41: 458-464.
- Takemoto, DJ; Hurt, D; Oppert, B; Cunnick, J. (1992). Domain mapping of the retinal cyclic GMP phosphodiesterase gamma-subunit. Function of the domains encoded by the three exons of the gamma-subunit gene. *The Biochemical journal*. 281: 637-643.
- Takemura, Y; Seno-O, K; Mukai, T; Suzuki, M. (1994). DECOMPOSING ORGANIC CHLORINE COMPOUNDS IN DRY CLEANING WASTEWATER BY FENTON'S REACTION ON RETICULATED IRON. *Water Science And Technology*. 30: 128-137.
- Takeuchi, F; Negishi, A; Maeda, T; Kamimura, K; Sugio, T. (2003). Volatilization and recovery of mercury from mercury wastewater produced in the course of laboratory work using *Acidithiobacillus ferrooxidans* SUG 2-2 cells. *J Biosci Bioeng*. 95: 239-244.
- Takeuchi, M; Kamagata, Y; Oshima, K; Hanada, S; Tamaki, H; Marumo, K; Maeda, H; Nedachi, M; Hattori, M; Iwasaki, W; Sakata, S. (2014). *Methylocaldum marinum* sp. nov., a thermotolerant, methane-oxidizing bacterium isolated from marine sediments, and emended description of the genus *Methylocaldum*. *Int J Syst Evol Microbiol*. 64: 3240-3246.
- Takeuchi, M; Kawabe, Y; Watanabe, E; Oiwa, T; Takahashi, M; Nanba, K; Kamagata, Y; Hanada, S; Ohko, Y; Komai, T. (2011). Comparative study of microbial dechlorination of chlorinated ethenes in an aquifer and a clayey aquitard. *J Contam Hydrol*. 124: 14-24.
- Takeuchi, M; Nanba, K; Furuya, K; Nirei, H; Yoshida, M. (2004). Natural groundwater of a gas field utilizable for a bioremediation of trichloroethylene-contamination. *Environ Geol*. 45: 891-898.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kazaoka, O; Furuya, K. (2000). Distribution and seasonal variation of methanotrophs in trichloroethylene contaminated groundwater. *Water Res*. 34: 3717-3724.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kusuda, T; Kazaoka, O; Furuya, K. (2001). Distribution of methanotrophs in trichloroethylene-contaminated aquifers in a natural gas field. *Geomicrobiology Journal*. 18: 387-399.
- Takeuchi, M; Nanba, K; Iwamoto, H; Nirei, H; Kusuda, T; Kazaoka, O; Owaki, M; Furuya, K. (2005). In situ bioremediation of a cis-dichloroethylene-contaminated aquifer utilizing methane-rich groundwater from an uncontaminated aquifer. *Water Res*. 39: 2438-2444.
- Takizawa, S; Win, T; Hagemeyer, G; Schippers, JC; Gimbel, R. (2010). Removal of trichloroethylene and trichloroethane using a novel hollow-fibre gas-permeable membrane. *Water Science & Technology: Water Supply*.
- Takizawa, Y; Muto, H. (1988). DETERMINATION OF FLUOROCARBONS OBTAINED BY THE PHOTOCHEMICAL REACTION. *Fluoride*. 21: 201-209.
- Takken, FL; Schipper, D; Nijkamp, HJ; Hille, J. (1998). Identification and Ds-tagged isolation of a new gene at the Cf-4 locus of tomato involved in disease resistance to *Cladosporium fulvum* race 5. *The Plant journal : for cell and molecular biology*. 14: 401-411.
- Takuma, Y; Kojima, T. (2014). Synergistic Effects of Fenton's Reaction and the Sonochemical Reaction on the Decomposition of Trichloroethylene in Water. *J Chem Eng Jpn*. 47: 309.
- Talawat, J; Sabatini, DA; Tongcumpou, C. (2013). Behavior of DNAPL mixture of organometallic and chlorinated solvent in the presence of surfactants and alcohols as density modifying agents. *Journal of environmental science and health Part A, Toxic/hazardous substances & environmental engineering*. 48: 1619-1627.
- Tamirisa, A. (1997). THE EVALUATION OF MURINE HEPATIC PEROXISOME PROLIFERATION INDUCED BY EXPOSURE TO CHLORINATED CONTAMINATES OF DRINKING WATER. 163rd National Meeting Of The American Association For The Advancement Of Science: Engaging Science, Sustaining Society, Seattle, Washington, Usa, February. 163.
- Tan, KJ; Phoon, WH. (1980). An episode of trichloroethylene poisoning. *Annals of the Academy of Medicine, Singapore*. 9: 532-535.
- Tanada, S; Shinoda, S; Nakamura, T; Harada, T; Ohtsu, J. (1992). Studies on the adsorption characteristics of trichloroethylene onto activated carbon fiber in gaseous phase. *Jpn J Toxicol Environ Health*. 38: 93-98.
- Tandlich, R. (2011). PLANT BIO-MONITORING OF ORGANIC SOLVENTS IN GROUNDWATER. *International Multidisciplinary Scientific GeoConference : SGEM : Surveying Geology & mining Ecology Management*. 2: 947.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environmental Science & Technology*. 28: 973-979.
- Tang, H; Zhu, DQ; Li, TL; Kong, HN; Chen, W. (2011). Reductive Dechlorination of Activated Carbon-Adsorbed Trichloroethylene by Zero-Valent Iron: Carbon as Electron Shuttle. *J Environ Qual*. 40: 1878-1885.
- Tang, HJ; Daido, H; Kishimoto, M; Sukegawa, K; Tai, RZ; Mosesson, S; Tanaka, M; Lu, PX; Kawachi, T; Nagashima, K; Nagai, K; Norimatsu, T; Murai, K; Takenaka, H; Kato, Y; Mima, K; Nishihara, K. (2003). Spatial coherence measurement of 13.9 nm Ni-like Ag soft X-ray laser pumped by a 1.5 ps, 20 J laser. *Japanese Journal of Applied Physics Part 1-Regular Papers Brief Communications & Review Papers*. 42: 443-448.
- Tang, J; Fan, C; Lin, Q; Zhou, X. (2014). Smooth, stable and optically transparent microcapsules prepared by one-step method using sodium carboxymethyl cellulose as protective colloid. *Colloid Surface Physicochem Eng Aspect*. 459: 65-73.
- Tang, WZ; Huang, CP. (1996). An oxidation kinetic model of unsaturated chlorinated aliphatic compounds by Fenton's reagent. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 31: 2755-2775.
- Tang, WZ; Huang, CP. (1997). Stoichiometry of Fenton's reagent in the oxidation of chlorinated aliphatic organic pollutants. *Environ Technol*. 18: 13-23.
- Tang, Y. (2012). *Biofilm Reduction of Oxidized Contaminants*. *Dissertation Abstracts International Vol 73, no 06, suppl B, 286 p 2012*.

Environmental Hazard Literature Search Results

Off Topic

- Tang, YJ; Yi, S; Zhuang, WQ; Zinder, SH; Keasling, JD; Alvarez-Cohen, L. (2009). Investigation of Carbon Metabolism in "Dehalococcoides ethenogenes" Strain 195 by Use of Isotopomer and Transcriptomic Analyses. *J Bacteriol.* 191: 5224-5231.
- Tang, YN; Krajmalnik-Brown, R; Rittmann, BE. (2013). Modeling trichloroethene reduction in a hydrogen-based biofilm. *Water Science and Technology.* 68: 1158-1163.
- Tanhua, T; Fogelqvist, E; Basturk, O. (1996). Reduction of volatile halocarbons in anoxic seawater, results from a study in the Black Sea. *Marine Chemistry.* 54: 159-170.
- Tani, K; Muneta, M; Nakamura, K; Shibuya, K; Nasu, M. (2002). Monitoring of *Ralstonia eutropha* KT1 in groundwater in an experimental bioaugmentation field by in situ PCR. *Appl Environ Microbiol.* 68: 412-416.
- Tansel, B; Eyma, RR. (1999). Volatile organic contaminant emissions from wastewater treatment plants during secondary treatment. *Water Air And Soil Pollution.* 112: 315-325.
- Tao, L; Ge, R; Xie, M; Kramer, PM; Pereira, MA. (1999). Effect of trichloroethylene on DNA methylation and expression of early-intermediate protooncogenes in the liver of B6C3F1 mice. *J Biochem Mol Toxicol.* 13: 231-237.
- Tao, L; Li, K; Kramer, PM; Pereira, MA. (1996). Loss of heterozygosity on chromosome 6 in dichloroacetic acid and trichloroacetic acid-induced liver tumors in female B6C3F1 mice. *Cancer Lett.* 108: 257-261.
- Tao, LH; Kramer, PM; Ge, RG; Pereira, MA. (1998). Effect of dichloroacetic acid and trichloroacetic acid on DNA methylation in liver and tumors of female B6C3F1 mice. *Toxicol Sci.* 43: 139-144.
- Tao, LH; Li, YZ; Kramer, PM; Wang, W; Pereira, MA. (2004). Hypomethylation of DNA and the insulin-like growth factor-II gene in dichloroacetic acid and trichloroacetic acid-promoted mouse liver tumors. *Toxicology.* 196: 127-136.
- Tao, LH; Yang, SM; Xie, M; Kramer, PM; Pereira, MA. (2000). Effect of trichloroethylene and its metabolites, dichloroacetic acid and trichloroacetic acid, on the methylation and expression of c-jun and c-myc protooncogenes in mouse liver: Prevention by methionine. *Toxicol Sci.* 54: 399-407.
- Tao, T; Yang, JJ; Maciel, GE. (1999). Photoinduced decomposition of trichloroethylene on soil components. *Environmental Science & Technology.* 33: 74-80.
- Tao, Y; Fishman, A; Bentley, WE; Wood, TK. (2004). Altering toluene 4-monooxygenase by active-site engineering for the synthesis of 3-methoxycatechol, methoxyhydroquinone, and methylhydroquinone. *J Bacteriol.* 186: 4705-4713.
- Tarhanen, J; Ollikainen, S; Ruokojarvi, P; Tuppurainen, K; Ruuskanen, J. (1994). The effect of inorganic and organic chlorine on formation of highly chlorinated organic compounds during incineration: Laboratory pilot study. *AU - HALONEN I. Chemosphere.* 28: 2129-2137.
- Tarnawski, S-E; Rossi, P; Brennerova, MV; Stavelova, M; Holliger, C. (2016). Validation of an Integrative Methodology to Assess and Monitor Reductive Dechlorination of Chlorinated Ethenes in Contaminated Aquifers. *Frontiers in Environmental Science.* 4.
- Tartakovsky, B; Manuel, ME; Guiot, S. (2005). Degradation of trichloroethylene in a coupled anaerobic-aerobic bioreactor: Modeling and experiment. *Biochem Eng J.* 26: 72-81.
- Tartakovsky, B; Manuel, MF; Guiot, S. (2003). Trichloroethylene degradation in a coupled anaerobic/aerobic reactor oxygenated using hydrogen peroxide. *Environmental Science & Technology.* 37: 5823-5828.
- Tartakovsky, B; Mehta, P; Bourque, JS; Guiot, SR. (2011). Electrolysis-enhanced anaerobic digestion of wastewater. *Bioresour Technol.* 102: 5685-5691.
- Tartakovsky, B; Miguez, CB; Petti, L; Bourque, D; Groleau, D; Guiot, S. (1998). Tetrachloroethylene dechlorination using a consortium of coimmobilized methanogenic and methanotrophic bacteria. *Enzyme Microb Technol.* 22: 255-260.
- Tatsuya, H; Haruo, K; Toshihiro, K; Susumu, I; Tsunemi, S. (1987). The cholecystohepatic circulation of trichloroethylene and its metabolites in dogs. *Toxicology.* 44: 283-295.
- Tawney, I; Becker, JG; Baldwin, AH. (2008). A novel dual-compartment, continuous-flow wetland microcosm to assess cis-dichloroethene removal from the rhizosphere. *Int J Phytoremediation.* 10: 455-471.
- Taylor, DH; Lagory, KE; Zaccaro, DJ; Pfohl, RJ; Laurie, RD. (1985). Effect of trichloroethylene on the exploratory and locomotor activity of rats exposed during development. *The Science of the total environment.* 47: 415-420.
- Taylor, DM; Fernie, K; McConnell, I; Ferguson, CE; Steele, PJ. (1998). Solvent extraction as an adjunct to rendering: the effect on BSE and scrapie agents of hot solvents followed by dry heat and steam. *The Veterinary record.* 143: 6-9.
- Taylor, PH; Dellinger, B; Lee, CC. (1990). Development of a thermal stability based ranking of hazardous organic compound incinerability. *Environ Sci Technol.* 24: 316-328.
- Taylor, RT; Hanna, ML; Shah, NN; Shonnard, DR; Duba, AG; Durham, WB; Jackson, KJ; Knapp, RB; Wijesinghe, AM; et al. (1993). In situ bioremediation of trichloroethylene-contaminated water by a resting-cell methanotrophic microbial filter. *Hydrol Sci J.* 38: 323-342.
- Taylor, TP; Rathfelder, KM; Pennell, KD; Abriola, LM. (2004). Effects of ethanol addition on micellar solubilization and plume migration during surfactant enhanced recovery of tetrachloroethene. *J Contam Hydrol.* 69: 73-99.
- Teal, JM; Peterson, SB. (1991). The next generation of septage treatment. *Res J Water Pollut Control Fed.* 63: 84-89.
- Teel, AL; Cutler, LM; Watts, RJ. (2009). Effect of sorption on contaminant oxidation in activated persulfate systems. *Journal of environmental science and health Part A, Toxic/hazardous substances & environmental engineering.* 44: 1098-1103.
- Teel, AL; Elloy, FC; Watts, RJ. (2016). Persulfate activation during exertion of total oxidant demand. *Chemosphere.* 158: 184-192.
- Teel, AL; Warberg, CR; Atkinson, DA; Watts, RJ. (2001). Comparison of mineral and soluble iron Fenton's catalysts for the treatment of trichloroethylene. *Water Res.* 35: 977-984.
- Teel, AL; Watts, RJ. (2002). Degradation of carbon tetrachloride by modified Fenton's reagent. *J Hazard Mater.* 94: 179-189.

Environmental Hazard Literature Search Results

Off Topic

- Teerakun, M; Reungsang, A; Lin, CJ; Liao, CH. (2011). Coupling of zero valent iron and biobarriers for remediation of trichloroethylene in groundwater. *J Environ Sci.* 23: 560-567.
- Teerakun, M; Reungsang, A; Srisuk, K; Lin, CJ; Liao, CH. (2010). Performance of Oxygen-Carbon-Inducer Releasing Material for Biodegradation of Trichloroethylene, cis-Dichloroethylene and Vinyl chloride. *Biotechnology.* 9: 294-303.
- Tekrony, MC; Ahlert, RC. (1998). Residual saturation of packed columns with chlorinated solvents. *J Hazard Mater.* 60: 127-142.
- Templin, MV; Parker, JC; Bull, RJ. (1993). Relative formation of dichloroacetate and trichloroacetate from trichloroethylene in male B6C3F1 mice. *Toxicol Appl Pharmacol.* 123: 1-8.
- Ten, BERGEWF; Zwart, A; Appelman, LM. (1986). CONCENTRATION-TIME MORTALITY RESPONSE RELATIONSHIP OF IRRITANT AND SYSTEMICALLY ACTING VAPORS AND GASES. *J Hazard Mater.* 13: 301-310.
- Tennant, RW. (1993). A PERSPECTIVE ON NONMUTAGENIC MECHANISMS IN CARCINOGENESIS. *Environ Health Perspect.* 101: 231-236.
- Tennant, RW; Ashby, J. (1991). Classification according to chemical structure, mutagenicity to Salmonella and level of carcinogenicity of a further 39 chemicals tested for carcinogenicity by the U.S. National Toxicology Program. *Mutat Res.* 257: 209-228.
- Tennant, RW; Elwell, MR; Spalding, JW; Griesemer, RA. (1991). Evidence that toxic injury is not always associated with induction of chemical carcinogenesis. *Mol Carcinog.* 4: 420-440.
- Teramoto, Y; Kim, HH; Ogata, A; Negishi, N. (2014). Measurement of OH (X-2 Sigma) in immediate vicinity of dielectric surface under pulsed dielectric barrier discharge at atmospheric pressure using two geometries of laser-induced fluorescence. *Journal of Applied Physics.* 115: 33302-33302.
- Terlesky, KC; Love, NG. (1998). DETECTION OF HSP60 IN ACTIVATED SLUDGE FOLLOWING EXPOSURE TO XENOBIOTIC COMPOUNDS. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 444.
- Terrazas, CsA; GÃmez-GarcÃa, L; Terrazas, LI. (2010). Impaired pro-inflammatory cytokine production and increased Th2-biasing ability of dendritic cells exposed to Taenia excreted/secreted antigens: A critical role for carbohydrates but not for STAT6 signaling. *International Journal for Parasitology.* 40: 1051-1062.
- Terzenbach, DP; Blaut, M. (1994). Transformation of tetrachloroethylene to trichloroethylene by homoacetogenic bacteria. *Ficrobiol Lett.* 123: 213-8213.
- Teuschler, LK; Gennings, C; Hartley, WR; Carter, H; Thiyagarajah, A; Schoeny, R; Cubbison, C. (2005). The interaction effects of binary mixtures of benzene and toluene on the developing heart of medaka (*Oryzias latipes*). *Chemosphere.* 58: 1283-1291.
- Tezel, U; Demirer, GN; Uludag-Demirer, S. (2005). Control of trichloroethylene emissions from sparging systems by horizontal bio- and chemo-barriers. *Environ Technol.* 26: 171-177.
- Thakur, S; Schenewerk, P; Wolcott, J; Groves, FJR. (1995). Flow characteristics of DNAPLs in sand packs: Water-influx displacement. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering & Toxic And Hazardous Substance Control.* 30: 1105-1118.
- Thalhammer, T; Kaschnitz, R; Mittermayer, K; Haddad, P; Graf, J. (1993). Organic solvents increase membrane fluidity and affect bile flow and K⁺ transport in rat liver. *Biochem Pharmacol.* 46: 1207-1215.
- Tham, R; Bunnfors, I; Eriksson, B; Larsby, B; Lindgren, S; Odqvist, LM. (1984). Vestibulo-ocular disturbances in rats exposed to organic solvents. *Acta Pharmacol Toxicol.* 54: 58-63.
- Thangavadivel, K; Wang, WH; Birke, V; Naidu, R. (2013). A Comparative Study of Trichloroethylene (TCE) Degradation in Contaminated Groundwater (GW) and TCE-Spiked Deionised Water Using Zero Valent Iron (ZVI) Under Various Mass Transport Conditions. *Water Air and Soil Pollution.* 224: 1718-1718.
- Theisen, DM; Bouche, FB; Kasmi, KCE; von der Ahe, I; Ammerlaan, W; Demotz, S; Muller, CP. (2000). Differential antigenicity of recombinant polypeptide-antigens based on loop- and helix-forming B and T cell epitopes. *Journal of Immunological Methods.* 242: 145-157.
- Thiel, A; Schleyer, C; Hinkel, J; Schluter, M; Hagedorn, K; Bisaro, S; Bobojonov, I; Hamidov, A. (2016). Transferring Williamson's discriminating alignment to the analysis of environmental governance of social-ecological interdependence. *Ecol Econ.* 128: 159-168.
- Thijs, S; Sillen, W; Weyens, N; Vangronsveld, J. (2017). Phytoremediation: State-of-the-art and a key role for the plant microbiome in future trends and research prospects. *Int J Phytoremediation.* 19: 23-38.
- Thijssen, TR; Roemer, MGM; Van, OSSRF. (1999). Trends in large-scale VOC concentrations in the Southern Netherlands between 1991 and 1997. *Atmos Environ.* 33: 3803-3812.
- Thomas, A; Paci, C; D'Andreamatteo, G; Onofri, M. (1997). BILATERAL OPTIC NEURITIS DUE TO PERCHLOROETHYLENE INTOXICATION. *Xvi World Congress Of Neurology*, Buenos Aires, Argentina, September. 150.
- Thomas, B. (1990). REGULATORY PRESSURES ON PESTICIDE FORMULATIONS. *Pestic Sci.* 29: 475-480.
- Thomas, FX. (2006). Solvants : mÃ©thodologie de substitution application au trichloroÃ©thylÃ©ne. *Arch Mal Prof Environ.* 67: 458-459.
- Thomas, JJ; Kim, JH; Mauro, DM. (1992). 4-(4-Nitrobenzyl)pyridine tests for alkylating agents following chemical oxidative activation. *Arch Environ Contam Toxicol.* 22: 219-227.
- Thomas, JM; Ward, CH. (1989). IN SITU BIORESTORATION OF ORGANIC CONTAMINANTS IN THE SUBSURFACE. *Environ Sci Technol.* 23: 760-766.
- Thomas, LE. (1989). WATER WELL TRICHLOROETHYLENE CONTAMINATION LOCATING THE SOURCE. *American Water Works Association Annual Conference And Exposition*, Los Angeles, California, Usa, June. 81: 72.
- Thomas, LK; Widdowson, MA; Chapelle, FH; Novak, JT; Boncal, JE; Lebron, CA. (2013). Distribution of Potentially Bioavailable Natural Organic Carbon in Aquifer Sediments at a Chloroethene-Contaminated Site. *Journal of Environmental Engineering-Asce.* 139: 54-60.
- Thompson, JA; Ho, B; Mastovich, SL. (1984). Reductive metabolism of 1,1,1,2-tetrachloroethane and related chloroethanes by rat liver microsomes. *Chem Biol Interact.* 51: 321-333.

Environmental Hazard Literature Search Results

Off Topic

- Thompson, JM; Stephen, WI; Sithamparanadarajah, R. (1986). Comparison of recoveries of trichloroethylene from charcoal tubes and thermally-desorbable personal monitors. *Anal Chim Acta*. 182: 299-302.
- Thompson, PA; Couture, P; Thellen, C; Auclair, JC. (1987). STRUCTURE-FUNCTION RELATIONSHIPS FOR MONITORING CELLULAR STRESS AND RECOVERY RESPONSES WITH SELENASTRUM-CAPRICORNUTUM. *Aquat Toxicol*. 10: 291-306.
- Thoms, SR; Lion, LW. (1992). Vapor-phase partitioning of volatile organic compounds: A regression approach. *Environ Toxicol Chem*. 11: 1377-1388.
- Thomsen, NI; Binning, PJ; McKnight, US; Tuxen, N; Bjerg, PL; Troldborg, M. (2016). A Bayesian belief network approach for assessing uncertainty in conceptual site models at contaminated sites. *J Contam Hydrol*. 188: 12-28.
- Thomson, M; Lucas, D; Koshland, CP; Sawyer, RF. (1996). Reducing hazardous waste incinerator emissions through blending: A study of 1,1,1-trichloroethane injection. *Hazardous Waste & Hazardous Materials*. 13: 387-398.
- Thomson, NR; Hood, ED; Farquhar, GJ. (2007). Permanganate treatment of an emplaced DNAPL source. *Ground Water Monitoring and Remediation*. 27: 74-85.
- Thomson, NR; Sykes, JF; Van Vliet, D. (1997). A numerical investigation into factors affecting gas and aqueous phase plumes in the subsurface. *J Contam Hydrol*. 28: 39-70.
- Thorbjarnarson, KW; Mackay, DM. (1997). A field test of tracer transport and organic contaminant elution in a stratified aquifer at the Rocky Mountain Arsenal (Denver, Colorado, U.S.A.). *J Contam Hydrol*. 24: 287-312.
- Thouin, MF; Hoffman, JJ; Ford, EW. (2009). IT outsourcing and firm-level performance: A transaction cost perspective. *Information & Management*. 46: 463-469.
- Thrall, KD; Poet, TS. (2000). Determination of biokinetic interactions in chemical mixtures using real-time breath analysis and physiologically based pharmacokinetic modeling. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 59: 653-670.
- Threadgill, D. (2013). Modeling Genetic Heterogeneity to Understand Susceptibility to Chemical Combinations: A Mouse Population-Based Study Using Trichloroethylene (TCE) and Inorganic Arsenic (iAS). 52nd Annual Meeting of the Society of Toxicology (SOT 2013).
- Thurnau, RC. (1990). Incinerability index: A measure of incinerator performance. *Waste Manage*. 10: 185-196.
- Thursby, GB; Steele, RL; Kane, ME. (1985). EFFECT OF ORGANIC CHEMICALS ON GROWTH ON REPRODUCTION IN THE MARINE RED ALGA CHAMPIA-PARVULA. *Environ Toxicol Chem*. 4: 797-806.
- Thurston, RV; Gilfoil, TA; Meyn, EL; Zajdel, RK; Aoki, TI; Veith, GD. (1985). COMPARATIVE TOXICITY OF 10 ORGANIC CHEMICALS TO 10 COMMON AQUATIC SPECIES. *Water Res*. 19: 1145-1156.
- Tian, H; Li, J; Shen, Q; Wang, H; Hao, Z; Zou, L; Hu, Q. (2009). Using shell-tunable mesoporous Fe₃O₄@HMS and magnetic separation to remove DDT from aqueous media. *J Hazard Mater*. 171: 459-464.
- Tichenor, LAB; El-Sinawi, A; Yamada, T; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2001). Kinetic studies of the reaction of hydroxyl radicals with trichloroethylene and tetrachloroethylene. *Chemosphere*. 42: 571-577.
- Tichy, M. (1991). QSAR APPROACH TO ESTIMATION OF THE DISTRIBUTION OF XENOBIOTICS AND THE TARGET ORGAN IN THE BODY. Selected Papers From The 17th Symposium On Xenobiochemistry, Hradec Kralove, Czechoslovakia, June. 9: 191-200.
- Tick, GR; Harvell, JR; Murgulet, D. (2015). Intermediate-Scale Investigation of Enhanced-Solubilization Agents on the Dissolution and Removal of a Multicomponent Dense Nonaqueous Phase Liquid (DNAPL) Source. *Water Air and Soil Pollution*. 226: 371-371.
- Tick, GR; Lourenso, F; Wood, AL; Brusseau, ML. (2003). Pilot-scale demonstration of cyclodextrin as a solubility-enhancement agent for remediation of a tetrachloroethene-contaminated aquifer. *Environmental science & technology*. 37: 5829-5834.
- Tick, GR; Rincon, EA. (2009). Effect of Enhanced-Solubilization Agents on Dissolution and Mass Flux from Uniformly Distributed Immiscible Liquid Trichloroethene (TCE) in Homogeneous Porous Media. *Water Air and Soil Pollution*. 204: 315-332.
- Tiedeman, CR; Lacombe, PJ; Goode, DJ. (2010). Multiple Well-Shutdown Tests and Site-Scale Flow Simulation in Fractured Rocks. *Ground Water*. 48: 401-415.
- Tiedje, J. (1995). Environmental biotechnology. *Curr Opin Biotechnol*. 6: 273-274.
- Tiedje, JM; Thiem, SM; Massol-Deya, A; Ka, JO; Fries, MR. (1995). TRACKING MICROBIAL POPULATIONS EFFECTIVE IN REDUCING EXPOSURE. *Environ Health Perspect*. 103: 117-120.
- Tiehm, A; Krassnitzer, S; Koltypin, Y; Gedanken, A. (2009). Chloroethene dehalogenation with ultrasonically produced air-stable nano iron. *Water Res*. 16: 617-621.
- Tiehm, A; Schmidt, KR; Pfeifer, B; Heidinger, M; Ertl, S. (2008). Growth kinetics and stable carbon isotope fractionation during aerobic degradation of cis-1,2-dichloroethene and vinyl chloride. *Water Res*. 42: 2431-2438.
- Tillman, FD; Choi, JW; Smith, JA. (2003). A comparison of direct measurement and model simulation of total flux of volatile organic compounds from the subsurface to the atmosphere under natural field conditions. *Water Resour Res*. 39: 1284-1284.
- Tillman, FD; Smith, JA. (2004). Design and laboratory testing of a chamber device to measure total flux of volatile organic compounds from the unsaturated zone under natural conditions. *J Contam Hydrol*. 75: 71-90.
- Tillman, FD; Smith, JA. (2005). Site characteristics controlling airflow in the 4-shallow unsaturated zone in response to atmospheric pressure changes. *Environ Eng Sci*. 22: 25-37.
- Tillman, FD; Weaver, JW. (2007). Temporal moisture content variability beneath and external to a building and the potential effects on vapor intrusion risk assessment. *Sci Total Environ*. 379: 1-15.
- Timmis, KN; Pieper, DH. (1999). Bacteria designed for bioremediation. *Trends In Biotechnology*. 17: 201-204.

Environmental Hazard Literature Search Results

Off Topic

- Tirmenstein, MA; Ge, X; Elkins, CR; Fariss, MW. (1999). Administration of the tris salt of alpha-tocopheryl hemisuccinate inactivates CYP2E1, enhances microsomal alpha-tocopherol levels and protects against carbon tetrachloride-induced hepatotoxicity. *Free radical biology & medicine*. 26: 825-835.
- Tirmenstein, MA; Leraas, TL; Fariss, MW. (1997). alpha-Tocopheryl hemisuccinate administration increases rat liver subcellular alpha-tocopherol levels and protects against carbon tetrachloride-induced hepatotoxicity. *Toxicol Lett*. 92: 67-77.
- Tittlebaum, ME. (1987). SOLID AND HAZARDOUS WASTES AND WATER QUALITY. *J Water Pollut Control Fed*. 59: 482-486.
- Tkachenko, IS; Tkachenko, SN; Lokteva, ES; Likhobolov, VA. (2016). Ozone-adsorption Method of TRIC and PERC Elimination from Underground Water Corresponding to the Russian Maximum Permissible Concentration Standards. *Ozone-Science & Engineering*. 38: 302-311.
- Tm; Grimalt, JO; de, CR; PÁ ez-MartÁinez, DDdFaCINVESTAVIPNDFM; Ambrosio, E; acute; a-Lute; a-Lecumberri, C. (2008). Toluene and TCE decrease binding to mu-opioid receptors, but not to benzodiazepine and NMDA receptors in mouse brain. *Environ Health Perspect*. 116: 1581-1585.
- To, PC; Marinas, BJ; Snoeyink, VL; Ng, WJ. (2008). Effect of pore-blocking background compounds on the kinetics of trace organic contaminant desorption from activated carbon. *Environmental Science & Technology*. 42: 4825-4830.
- Tobiszewski, M; Namiesnik, J. (2012). Abiotic degradation of chlorinated ethanes and ethenes in water. *Environ Sci Pollut Res Int*. 19: 1994-2006.
- Todd, DF; Loscutoff, WV. (1991). AN OVERVIEW OF CARB-ADOPTED SOURCE TEST METHODS FOR TOXIC COMPOUNDS AND RESULTS OF TESTING NATURAL GAS-FIRED UTILITY BOILERS. *Chow, W And K K Connor*. 0: 66-72.
- Toftgård, R; Halpert, J; Gustafsson, JA. (1983). Xylene induces a cytochrome P-450 isozyme in rat liver similar to the major isozyme induced by phenobarbital. *Mol Pharmacol*. 23: 265-271.
- Toftgård, R; Nilsen, OG; Gustafsson, JA. (1981). Changes in rat liver microsomal cytochrome P-450 and enzymatic activities after the inhalation of n-hexane, xylene, methyl ethyl ketone and methylchloroform for four weeks. *Scandinavian journal of work, environment & health*. 7: 31-37.
- Tokunaga, T; Hanashima, M; Matsufuji, Y; Kitamori, S; Sera, N. (1998). Biodechlorination of tetrachloroethylene by anaerobic bacteria cell cultures isolated from contaminated and uncontaminated soils. *Bull Environ Contam Toxicol*. 60: 88-95.
- Toledo, LC; Augusti, R; Lago, RM. (2003). Application of Fenton's reagent to regenerate activated carbon saturated with organochloro compounds. *Chemosphere*. 50: 1049-1054.
- Tomenius, L; Holma, B; Ehrner-Samuel, H; Kylin, B; Tebrock, O; Thomason, M. (1979). Effect of trichloroethylene on cilia activity in rabbit trachea. *Acta Pharmacol Toxicol*. 44: 65-70.
- Tominaga, M; Ishikawa, T; Michiue, T; Oritani, S; Koide, I; Kuramoto, Y; Ogawa, M; Maeda, H. (2013). Postmortem Analyses of Gaseous and Volatile Substances in Pericardial Fluid and Bone Marrow Aspirate. *J Anal Toxicol*. 37: 147-151.
- Tommasini, R; Fill, E. (2000). Excitation-velocity and group-velocity mismatch in amplified spontaneous emission lasers: A discussion on the transient gain x-ray lasers. *Physical Review A*. 6203: 4701-4701.
- Tompson, AFB; Knapp, RB; Hanna, ML; Taylor, RT. Simulation of TCE migration and biodegradation in a porous medium under conditions of finite degradation capacity. *Advances in Water Resources*. 1994. v. 17 (4): 241-249.
- Topudurti, K. (1991). A UV-OXIDATION TECHNOLOGY DEMONSTRATION TO TREAT GROUNDWATER CONTAMINATED WITH VOCs. Meeting On Hazard Assessment And Control Of Environmental Contaminants In Water Held At The 1st lawprc. 25: 347-354.
- Topudurti, K; Wojciechowski, M; Anagnostopoulos, S; Eilers, R. (1998). Field evaluation of a photocatalytic oxidation technology. *Water Science And Technology*. 38: 117-125.
- Toraason, M; Krueger, JA; Breitenstein, MJ; Swearengin, TF. (1989). DEPRESSION OF CONTRACTILITY IN CULTURED CARDIAC MYOCYTES FROM NEONATAL RAT BY CARBON TETRACHLORIDE AND 1 1 1 TRICHLOROETHANE. Second International Conference On Practical In Vitro Toxicology, Nottingham, England, Uk, July. 4: 363-368.
- Toraldo, G; Roggia, C; Qian, WP; Pacifici, R; Weitzmann, MN. (2003). IL-7 induces bone loss in vivo by induction of receptor activator of nuclear factor kappa B ligand and tumor necrosis factor alpha from T cells. *Bioorganic & medicinal chemistry*. 11: 335-345.
- Torres, HN; Flawia, FMM; Ong, CN; Koh, D; Foo, SC; Kok, PW; Ong, HY; Aw, TC. (1993). Volatile organic solvents in correction fluids: identification and potential hazards. *The Biochemical journal*. 291: 383-388.
- Torslov, J. (1993). Comparison of Bacterial Toxicity Tests Based on Growth, Dehydrogenase Activity, and Esterase Activity of *Pseudomonas fluorescens*. *Ecotoxicol Environ Saf*. 25: 33-40.
- Tosato, ML; Chiorboli, C; Eriksson, L; Jonsson, J. (1990). MULTIVARIATE MODELLING OF THE RATE CONSTANT OF THE GAS-PHASE REACTION OF HALOALKANES WITH THE HYDROXYL RADICAL. *Hermens, J L M And A Opperhuizen*0-444.
- Tosato, ML; Piazza, R; Chiorboli, C; Passerini, L; Pino, A; Cruciani, G; Clementi, S. (1992). Application of chemometrics to the screening of hazardous chemicals: A case study. *Chemometrics Intelligent Lab Syst*. 16: 155-167.
- Toshihiro, K; Tatsuya, H; Haruo, K; Susumu, I; Tsunemi, S; Keiki, O. (1987). Alteration of chloral hydrate metabolism in rats with carbon tetrachloride-induced liver damage. *Toxicol Lett*. 37: 263-268.
- Toshihiro, K; Tatsya, H; Kazuyuki, N; Akihisa, I; Keiki, O; Haruo, K; Susumu, I; Tsunemi, S. (1988). Induction of cytochrome P-450, cytochrome b-5, nadph-cytochrome c reductase and change of cytochrome P-450 isozymes with long-term trichloroethylene treatment. *Toxicology*. 53: 239-249.
- Totten, CT; Annable, MD; Jawitz, JW; Delfinot, JJ. (2007). Fluid and porous media property effects on dense nonaqueous phase liquid migration and contaminant mass flux. *Environmental science & technology*. 41: 1622-1627.
- Touze-Foltz, N; Rosin-Paumier, S; Mazeas, L; Guenne, A. (2011). Diffusion of Volatile Organic Compounds through an HDPE Geomembrane. Reston, VA: ASCE Proceedings of the Geo-Frontiers 2011 conference, March 13-16, 2011, Dallas, Texas, d 201100001121-1130.

Environmental Hazard Literature Search Results

Off Topic

- Townsend, GT. (1996). CHARACTERIZATION OF CHLOROETHYLENE DEHALOGENATION BY CELL-FREE EXTRACTS OF DESULFOMONILE TIEDJEI. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 410.
- Townsend, GT; Sufliita, JM. Characterization of chloroethylene dehalogenation by cell extracts of Desulfomonile tiedjei and its relationship to chlorobenzoate dehalogenation. *Appl Environ Microbiol.* Aug 1996. v. 62 (8): 2850-2853.
- Townsend, GT; Sufliita, JM. (1995). REDUCTIVE DEHALOGENATION OF PERCHLOROETHYLENE BY CELL-FREE EXTRACTS OF DESULFOMONILE TIEDJEI. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 403.
- Townsend, GT; Sufliita, JM. (1997). Influence of sulfur oxyanions on reductive dehalogenation activities in Desulfomonile tiedjei. *Appl Environ Microbiol.* 63: 3594-3599.
- Toxopeus, C; Frazier, JM. (2002). Simulation of trichloroacetic acid kinetics in the isolated perfused rat liver using a biologically based kinetic model. *Toxicol Sci.* 70: 27-39.
- Trainer, VL; Moreau, E; Guedin, D; Baden, DG; Catterall, WA. (1993). Neurotoxin binding and allosteric modulation at receptor sites 2 and 5 on purified and reconstituted rat brain sodium channels. *The Journal of biological chemistry.* 268: 17114-17119.
- Tratnyek, PG. (2015). Comment on "Evaluation of the kinetic oxidation of aqueous volatile organic compounds by permanganate" by M. G. Mahmoodlu, S. M. Hassanizadeh, and N. Hartog, in *Science of the Total Environment* (2014) 485-486: 755-763. *Sci Total Environ.* 502: 722-723.
- Tratnyek, PG. (2015). Comment on "Evaluation of the kinetic oxidation of aqueous volatile organic compounds by permanganate" by M. G. Mahmoodlu, S. M. Hassanizadeh, and N. Hartog, in *Science of the Total Environment* (2014) 485-486: 755-763. *Sci Total Environ.* 502: 722-723.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res.* 35: 4435-4443.
- Travis, BJ; Rosenberg, ND. (1997). Modeling in situ bioremediation of TCE at Savannah River: Effects of product toxicity and microbial interactions on TCE degradation. *Environmental Science & Technology.* 31: 3093-3102.
- Travis, CC; Macinnis, JM. (1992). VAPOR EXTRACTION OF ORGANICS FROM SUBSURFACE SOILS IS IT EFFECTIVE? *Environ Sci Technol.* 26: 1885-1887.
- Travis, CC; Wang, LA; Waehner, MJ. (1991). Quantitative correlation of carcinogenic potency with four different classes of short-term test data. *Mutagenesis.* 6: 353-360.
- Trenholm, A. (1998). Identification of PICs in hazardous waste combustion emissions. *Waste Manag.* 18: 485-492.
- Tresse, O; Mounien, F; Levesque, MJ; Guiot, S. (2005). Comparison of the microbial population dynamics and phylogenetic characterization of a CANOXIS reactor and a UASB reactor degrading trichloroethene. *J Appl Microbiol.* 98: 440-449.
- Trevisan, A; Macca, I; Rui, F; Carrieri, M; Bartolucci, GB; Manno, M. (2000). Kidney and liver biomarkers in female dry-cleaning workers exposed to perchloroethylene. *Biomarkers.* 5: 399-409.
- Trevizo, C; Nirmalakhandan, N. (1999). Prediction of microbial toxicity of industrial organic chemicals. *Water Science And Technology.* 39: 63-69.
- Triambulo, RE; Cheong, HG; Zhou, H; Lee, GH; Park, JW. (2014). Hybrid-structured indium tin oxide with Ag nanoparticles as crystalline seeds for transparent electrode with enhanced flexibility and its application to organic light emitting diodes. *Japanese Journal of Applied Physics.* 53: FB513-FB513.
- Tribedi, LC; Richard, P; Wang, YD; Lin, CD; Gulyas, L; Rudd, ME. (1998). Ionization dynamics in fast ion-atom collisions. I. Energy and angular distributions of low-energy electrons emitted in ionization of He by bare carbon ions. *Physical Review A.* 58: 3619-3625.
- Trick, LC; Kuehl, MA; Uschan, RM. (1988). USE OF A BATCH ASPHALT PLANT FOR REMEDIATION OF SOILS CONTAMINATED BY VOLATILE ORGANIC COMPOUNDS. *Bell, J M. O:* 61-66.
- Troldborg, M; Nowak, W; Tuxen, N; Bjerg, PL; Helmig, R; Binning, PJ. (2010). Uncertainty evaluation of mass discharge estimates from a contaminated site using a fully Bayesian framework. *Water Resour Res.* 46: 12552-12552.
- Trotsenko, YA; Khmelenina, VN. (2002). Biology of extremophilic and extremotolerant methanotrophs. *Archives of Microbiology.* 177: 123-131.
- Truex, M; Powell, T; Lynch, K. (2007). In situ dechlorination of TCE during aquifer heating. *Ground Water Monitoring and Remediation.* 27: 96-105.
- Truex, MJ; Macbeth, TW; Vermeul, VR; Fritz, BG; Mendoza, DP; Mackley, RD; Wietsma, TW; Sandberg, G; Powell, T; Powers, J; Pitre, E; Michalsen, M; Ballock-Dixon, SJ; Zhong, L; Oostrom, M. (2011). Demonstration of Combined Zero-Valent Iron and Electrical Resistance Heating for In Situ Trichloroethene Remediation. *Environmental Science & Technology.* 45: 5346-5351.
- Truex, MJ; Vermeul, VR; Mendoza, DP; Fritz, BG; Mackley, RD; Oostrom, M; Wietsma, TW; Macbeth, TW. (2011). Injection of Zero-Valent Iron into an Unconfined Aquifer Using Shear-Thinning Fluids. *Ground Water Monitoring and Remediation.* 31: 50-58.
- Trussell, S; Spence, RD. (1994). A REVIEW OF SOLIDIFICATION-STABILIZATION INTERFERENCES. *Waste Manag.* 14: 507-519.
- Truu, J; Karme, L; Talpsep, E; Heinaru, E; Vedler, E; Heinaru, A. (2003). Phytoremediation of solid oil shale waste from the chemical industry. *Acta Biotechnologica.* 23: 301-307.
- Tsai, JH; Lin, KH; Chen, CY; Lai, N; Ma, SY; Chiang, HL. (2008). Volatile organic compound constituents from an integrated iron and steel facility. *J Hazard Mater.* 157: 569-578.
- Tsai, TT; Kao, CM; Hong, A. (2009). Treatment of tetrachloroethylene-contaminated groundwater by surfactant-enhanced persulfate/BOF slag oxidation--a laboratory feasibility study. *Ecotoxicol Environ Saf.* 14: 109-114.
- Tsai, TT; Kao, CM; Surampalli, RY; Weng, CH; Liang, SH. (2010). Treatment of TCE-Contaminated Groundwater Using Fenton-Like Oxidation Activated with Basic Oxygen Furnace Slag. *Journal of Environmental Engineering-Asce.* 136: 288-294.

Environmental Hazard Literature Search Results

Off Topic

- Tsai, TT; Kao, CM; Wang, JY. (2011). Remediation of TCE-contaminated groundwater using acid/BOF slag enhanced chemical oxidation. *Chemosphere*. 83: 687-692.
- Tsai, TT; Kao, CM; Yeh, TY; Liang, SH; Chien, HY. (2009). Application of surfactant enhanced permanganate oxidation and biodegradation of trichloroethylene in groundwater. *J Hazard Mater*. 161: 111-119.
- Tsai, TT; Liu, JK; Chang, YM; Chen, KF; Kao, CM. (2014). Application of polycolloid-releasing substrate to remediate trichloroethylene-contaminated groundwater: a pilot-scale study. *J Hazard Mater*. 268: 92-101.
- Tsai, TY; Okawa, K; Nakano, Y; Nishijima, W; Okada, M. (2004). Decomposition of trichloroethylene and 2,4-dichlorophenol by ozonation in several organic solvents. *Chemosphere*. 57: 1151-1155.
- Tsai, WT; Chang, CY. (1994). Surface chemistry of activated carbons and its relevance for effects of relative humidity on adsorption of chlorinated organic vapors. *Chemosphere*. 29: 2507-2515.
- Tsakiroglou, C; Terzi, K; Sikinioti-Lock, A; Hajdu, K; Aggelopoulos, C. (2016). Assessing the capacity of zero valent iron nanofluids to remediate NAPL-polluted porous media. *Sci Total Environ*. 563: 866-878.
- Tschantz, MF; Bowman, JP; Donaldson, TL; Bienkowski, PR; Strong-Gunderson, JM; Palumbo, AV; Herbes, SE; Saylor, GS. (1995). Methanotrophic TCE biodegradation in a multi-stage bioreactor. *Environmental Science & Technology*. 29: 2073-2082.
- Tse, SYH; Mak, IT; Weglicki, WB; Dickens, BF. (1988). CHLORINATED HYDROCARBONS ENHANCE LIPID PEROXIDATION IN CULTURED ENDOTHELIAL CELLS AND SMOOTH MUSCLE CELLS. Xth Annual Meeting Of The International Society For Heart Research, Williamsburg, Virginia, Usa, June. 20.
- Tseng, H-H; Su, J-G; Liang, C. (2011). Synthesis of granular activated carbon/zero valent iron composites for simultaneous adsorption/dechlorination of trichloroethylene. *J Hazard Mater*. 192: 500-506.
- Tseng, TK; Chu, H; Hsu, HH. (2003). The catalytic incineration of trichloroethylene over a gamma-alumina supported manganese oxide catalyst. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 38: 1159-1176.
- Tseng, TK; Chu, H; Hsu, HH. (2003). Characterization of gamma-alumina-supported manganese oxide as an incineration catalyst for trichloroethylene. *Environmental Science & Technology*. 37: 171-176.
- Tsezos, M; Seto, W. (1986). THE ADSORPTION OF CHLOROETHANES BY MICROBIAL BIOMASS. *Water Res*. 20: 851-858.
- Tsien, HC; Alvarez-Cohen, L; McCarty, PL; Hanson, RS. (1991). USE OF SOLUBLE METHANE MONOOXYGENASE COMPONENT B GENE PROBE FOR THE DETECTION OF TRICHLOROETHYLENE DEGRADING METHANOTROPHS. 91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May. 91: 285.
- Tsien, HC; Hanson, RS. (1992). Soluble methane monooxygenase component B gene probe for identification of methanotrophs that rapidly degrade trichloroethylene. *Appl Environ Microbiol*. 58: 953-960.
- Tsilivannis, CA. (1999). Report: Comparison of environmental impacts from solid waste treatment and disposal facilities. *Waste Management & Research*. 17: 231-241.
- Tsirulnikov, K; Abuladze, N; Newman, D; Ryazantsev, S; Wolak, T; Magilnick, N; Koag, MC; Kurtz, I; Pushkin, A. (2009). Mouse aminoacylase 3: A metalloenzyme activated by cobalt and nickel. *Biochimica Et Biophysica Acta-Proteins and Proteomics*. 1794: 1049-1057.
- Tsitonaki, A; Petri, B; Crimi, M; Mosbaek, H; Siegrist, RL; Bjerg, PL. (2010). In Situ Chemical Oxidation of Contaminated Soil and Groundwater Using Persulfate: A Review. *Crit Rev Environ Sci Tech*. 40: 55-91.
- Tsitonaki, A; Smets, BF; Bjerg, PL. (2008). Effects of heat-activated persulfate oxidation on soil microorganisms. *Water Res*. 42: 1013-1022.
- Tso, CP; Shih, YH. (2015). The reactivity of well-dispersed zerovalent iron nanoparticles toward pentachlorophenol in water. *Water Res*. 72: 372-380.
- Tsotsou, GE; Cass, AEG; Gilardi, G. (2002). High throughput assay for cytochrome P450BM3 for screening libraries of substrates and combinatorial mutants. *Biosensors & Bioelectronics*. 17: 119-131.
- Tsui, L; Fan, C; Chung, Y; Lin, S. (2011). Reductive dechlorination of tetrachloroethene by two compost samples with different maturity. *Bioresour Technol*. 102: 10498-10504.
- Tsukagoshi, N; Ezaki, S; Uenaka, T; Suzuki, N; Kurane, R. (2006). Isolation and transcriptional analysis of novel tetrachloroethene reductive dehalogenase gene from *Desulfotobacterium* sp strain KBC1. *Appl Microbiol Biotechnol*. 69: 543-553.
- Tsuno, H; Kawamura, M; Oya, T. (2006). Application of biological activated carbon anaerobic reactor for treatment of hazardous chemicals. *Water science and technology : a journal of the International Association on Water Pollution Research*. 53: 251-260.
- Tsuruta, H. (1986). SKIN ABSORPTION OF VAPORS OF ORGANIC SOLVENTS IN NUDE MOUSE IN-VIVO. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 222.
- Tu, AS; Murray, TA; Hatch, KM; Sivak, A; Milman, HA. (1985). In vitro transformation of BALBc-3T3 cells by chlorinated ethanes and ethylenes. *Cancer Lett*. 28: 85-92.
- Tuazon, EC; Atkinson, R; Aschmann, SM; Goodman, MA; Winer, AM. (1988). ATMOSPHERIC REACTIONS OF CHLOROETHANES WITH THE HYDROXY RADICAL. *Int J Chem Kinet*. 20: 241-266.
- Tuck, DM; Bierck, BR; Jaffe, PR. (1998). Synchrotron radiation measurement of multiphase fluid saturations in porous media: Experimental technique and error analysis. *J Contam Hydrol*. 31: 231-256.
- Tuck, DM; Jaffe, PR. (1994). ENHANCED DISPLACEMENT OF TETRACHLOROETHYLENE FROM UNSATURATED SEDIMENTS BY SURFACTANT SOLUTIONS. 207th National Meeting Of The American Chemical Society, San Diego, California, Usa, March. 207: 142.
- Tuck, DM; Jaffe, PR; Crear, DA; Mueller, RT. (1990). MOBILIZING RESIDUAL SATURATIONS OF SEPARATE PHASE ORGANIC LIQUIDS IN UNSATURATED SEDIMENTS WITH SURFACTANT SOLUTIONS. 199th Acs. 199: 150.

Environmental Hazard Literature Search Results

Off Topic

- Tucker, AN; Sanders, VM; Barnes, DW; Bradshaw, TJ; White Jr, KL; Sain, LE; Borzelleca, JF; Munson, AE. (1982). Toxicology of trichloroethylene in the mouse. *Toxicol Appl Pharmacol.* 62: 351-357.
- Tucker, JD; Sorensen, KJ; Ruder, AM; McKernan, LT; Forrester, CL; Butler, MA. (2011). Cytogenetic analysis of an exposed-referent study: perchloroethylene-exposed dry cleaners compared to unexposed laundry workers. *Environmental health : a global access science source.* 10: 16.
- Tuormaa, TE. (1995). Adverse effects of agrochemicals on reproduction and health: A brief review from the literature. *Journal Of Nutritional & Environmental Medicine.* 5: 353-366.
- Turcio-Ortega, D; Fan, DM; Tratnyek, PG; Kim, EJ; Chang, YS. (2012). Reactivity of Fe/FeS Nanoparticles: Electrolyte Composition Effects on Corrosion Electrochemistry. *Environmental Science & Technology.* 46: 12484-12492.
- Turina, MP; Colacci, A; Grilli, S; Mazzullo, M; Prodi, G; Lattanzi, G; Bonora, B; Bartoli, S; Guidotti, L. (1989). Metabolic activation and covalent binding to nucleic acids of pentachloroethane as short-term test of genotoxicity. *Res Commun Chem Pathol Pharmacol.*
- Turkall, RM; Skowronski, GA; Suh, DH; Abdel-Rahman, MS. (2003). Effect of a chemical mixture on dermal penetration of arsenic and nickel in male pig in vitro. *Journal of Toxicology and Environmental Health-Part a-Current Issues.* 66: 647-655.
- Tursman, JF; Cork, DJ. (1992). Subsurface contaminant bioremediation engineering. *Crit Rev Environ Control.* 22: 1-26.
- Twerdok, LE; Burton, DT; Gardner, HS; Shedd, TR; Wolfe, MJ. (1997). The use of nontraditional assays in an integrated environmental assessment of contaminated ground water. *Environ Toxicol Chem.* 16: 1816-1820.
- Twining, BV; Bartholomay, RC; Hodges, MKV. (2016). Completion summary for boreholes TAN-2271 and TAN-2272 at Test Area North, Idaho National Laboratory, Idaho. *Scientific Investigations Report United States Geological Survey*1-37.
- Tyndall, RL; Ironside, KS; Little, CD; Katz, DS; Kennedy, JR. (1990). FREE-LIVING AMOEBAE USED TO ISOLATE CONSORTIA CAPABLE OF DEGRADING TRICHLOROETHYLENE. Twelfth Symposium On Biotechnology For Fuels And Chemicals, Gatlinburg, Tennessee, Usa, May. 29: 917-925.
- Tyson, CA. (1987). CORRESPONDENCE OF RESULTS FROM HEPATOCYTE STUDIES WITH IN-VIVO RESPONSE. *Toxicol Ind Health.* 3: 459-478.
- Tyson, CA; Gee, SJ; Hawk-Prather, K; Story, DL; Milman, HA. (1989). Correlation between in vivo and in vitro toxicity of some chlorinated aliphatics. *Toxicol In Vitro.* 3: 145-150.
- Tyson, CA; Hawk-Prather, K; Story, DL; Gould, DH. (1983). Correlations of in vitro and in vivo hepatotoxicity for five haloalkanes. *Toxicol Appl Pharmacol.* 70: 289-302.
- Tytler, NB; Tully, SJ. (1993). THE WHO WHAT WHY AND HOW OF WASTE ANALYSIS. *Anal Proc.* 30: 69-71.
- U, HD; Wadden, RA; Hawkins, JL; Scheff, PA; Franke, JE. (1991). Characterization of emission factors related to source activity for trichloroethylene degreasing and chrome plating processes. *Xenobiotica.* 21: 905-916.
- Uchigasaki, S; Takahashi, H; Suzuki, T. (1998). A-1065 the course of respiration and circulation in 1,1,1-trichloroethane inhalation. *Research And Practice In Forensic Medicine.* 41: 149-154.
- Uchiyama, H; Kato, C; Kokufuta, E; Yagi, O. (1997). Quantitative colorimetric determination of trichloroethylene degradation activity and implications for environmental use. *Environ Technol.* 18: 1123-1131.
- Uchiyama, H; Nakajima, T; Yagi, O; Nakahara, T. (1992). Role of heterotrophic bacteria in complete mineralization of trichloroethylene by *Methylocystis* sp. strain M. *Appl Environ Microbiol.* 58: 3067-3071.
- Uchiyama, H; Nakajima, T; Yagi, O; Tabuchi, T. (1989). AEROBIC DEGRADATION OF TRICHLOROETHYLENE AT HIGH CONCENTRATION BY A METHANE-UTILIZING MIXED CULTURE. *Agric Biol Chem.* 53: 1019-1024.
- Uchiyama, H; Oguri, K; Nishibayashi, M; Kokufuta, E; Yagi, O. (1995). Trichloroethylene degradation by cells of a methane-utilizing bacterium, *Methylocystis* sp. M, immobilized in calcium alginate. *Journal Of Fermentation And Bioengineering.* 79: 608-613.
- Uchiyama, H; Oguri, K; Yagi, O; Kokufuta, E. (1992). Trichloroethylene degradation by immobilized resting-cells of *Methylocystis* sp. M in gas-solid bioreactor. *Biotechnol Lett.* 14: 619-622.
- Uchiyama, H; Shinohara, Y; Tomioka, N; Kusakabe, I. (1999). Induction and enhancement of stress proteins in a trichloroethylene-degrading methanotrophic bacterium, *Methylocystis* sp. M. *FEMS Microbiol Lett.* 170: 125-130.
- Uchiyama, H; Yagi, O; Oguri, K; Kokufuta, E. (1994). Immobilization of trichloroethylene-degrading bacterium, *Methylocystis* sp. strain M in different matrices. *Journal Of Fermentation And Bioengineering.* 77: 173-177.
- Uchrin, CG. (1996). Laboratory simulation of VOC entry into residence basements from soil gas. AU - FISCHER D. *Environmental Science & Technology.* 30: 2598-2603.
- Udell, EC; Lidstrom, ME. (1993). COUPLING TRANSPORT AND BIODEGRADATION OF TRICHLOROETHYLENE BY METHANOTROPHS. *Keystone Symposium On Environmental Bioremediation And Biodegradation, Lake Tahoe, California, Usa, March.* 0: 196.
- Uehara, N; Iwahori, Y; Asamoto, M; Baba-Toriyama, H; Iigo, M; Ochiai, M; Nagao, M; Nakayama, M; Degawa, M; Matsumoto, K; Hirono, I; Beppu, H; Fujita, K; Tsuda, H. (1996). Decreased levels of 2-amino-3-methylimidazo[4,5-f]quinoline-DNA adducts in rats treated with beta-carotene, alpha-tocopherol and freeze-dried aloe. *Japanese journal of cancer research : Gann.* 87: 342-348.
- Uehleke, H; Poplawski-Tabarelli, S. (1977). Irreversible binding of 14C-labelled trichloroethylene to mice liver constituents in vivo and in vitro. *Arch Toxicol.* 37: 289-294.
- Uehleke, H; Tabarelli-Poplawski, S; Bonse, G; Henschler, D. (1977). Spectral evidence for 2,2,3-trichloro-oxirane formation during microsomal trichloroethylene oxidation. *Arch Toxicol.* 37: 95-105.
- Ueno, D; Takahashi, S; Tanaka, H; Subramanian, AN; Fillmann, G; Nakata, H; Lam, PK; Zheng, J; Muchtar, M; Prudente, M; Chung, KH; Tanabe, S. (2003). Global pollution monitoring of PCBs and organochlorine pesticides using skipjack tuna as a bioindicator. *Arch Environ Contam Toxicol.* 45: 378-389.

Environmental Hazard Literature Search Results

Off Topic

- Uhler, AD; Diachenko, GW. (1987). VOLATILE HALOCARBON COMPOUNDS IN PROCESS WATER AND PROCESSED FOODS. *Bull Environ Contam Toxicol.* 39: 601-607.
- Ukropec, J; Radikova, Z; Huckova, M; Koska, J; Kocan, A; Sebkova, E; Drobna, B; Trnovec, T; Susienkova, K; Labudova, V; Gasperikova, D; Langer, P; Klimes, I. (2010). High prevalence of prediabetes and diabetes in a population exposed to high levels of an organochlorine cocktail. *Diabetologia.* 53: 899-906.
- Ulanova, IP; Khalepo, AI; Avilova, GG. (1984). Intermittent exposure to toxic compounds in the working-zone atmosphere viewed from the aspect of hygienic standardization. *Journal of hygiene, epidemiology, microbiology, and immunology.* 29: 243-251.
- Ulrich, MM; Muller, SR; Singer, HP; Imboden, DM; Schwarzenbach, RP. (1994). Input and dynamic behavior of the organic pollutants tetrachloroethene, atrazine, and NTA in a lake: A study combining mathematical modeling and field measurements. *Environmental Science & Technology.* 28: 1674-1685.
- Uludag-Demirer, S; Bowers, AR. (2000). Adsorption/reduction reactions of trichloroethylene by elemental iron in the gas phase: The role of water. *Environmental Science & Technology.* 34: 4407-4412.
- Uludag-Demirer, S; Bowers, AR. (2001). Gas phase reduction of chlorinated VOCs by zero valent iron. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 36: 1535-1547.
- Uludag-Demirer, S; Bowers, AR. (2003). Effects of surface oxidation and oxygen on the removal of trichloroethylene from the gas phase using elemental iron. *Water Air and Soil Pollution.* 142: 229-242.
- Umezu, T; Shibata, Y. (2014). Different behavioral effect dose-response profiles in mice exposed to two-carbon chlorinated hydrocarbons: Influence of structural and physical properties. *Toxicol Appl Pharmacol.* 279: 103-112.
- Umezu, T; Shibata, Y. (2014). Different behavioral effect dose-response profiles in mice exposed to two-carbon chlorinated hydrocarbons: Influence of structural and physical properties. *Toxicol Appl Pharmacol.* 279: 103-112.
- Umezu, T; Yonemoto, J; Soma, Y; Miura, T. (1997). Behavioral Effects of Trichloroethylene and Tetrachloroethylene in Mice. *Pharmacology Biochemistry and Behavior.* 58: 665-671.
- Unger, DR; Lam, TT; Schaefer, CE; Kosson, DS. (1996). Predicting the effect of moisture on vapor-phase sorption of volatile organic compounds to soils. *Environmental Science & Technology.* 30: 1081-1091.
- Unsworth, NK; Hancox, I; Dearden, CA; Howells, T; Sullivan, P; Lilley, RS; Sharp, J; Jones, TS. (2013). Highly conductive spray deposited poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) electrodes for indium tin oxide-free small molecule organic photovoltaic devices. *Appl Phys Lett.* 103: 73304-73304.
- Unterman, R. (1993). BIOLOGICAL BIOTREATMENT OF CHLORINATED ORGANICS LABORATORY AND FIELD STUDIES. *Keystone Symposium On Environmental Bioremediation And Biodegradation, Lake Tahoe, California, Usa, March.* 0: 187.
- Uny, G; Mathien, C; Tardif, JP; Van Danh, T. (1971). Dosage du zinc, du fer et du plomb dans un cobalt de tres haute purete. *Anal Chim Acta.* 53: 109-116.
- Urano, K; Murata, C. (1985). ADSORPTION OF PRINCIPAL CHLORINATED ORGANIC COMPOUNDS ON SOIL. *Chemosphere.* 14: 293-300.
- Urano, K; Yamamoto, E; Tonegawa, M; Fujie, K. (1991). Adsorption of chlorinated organic compounds on activated carbon from water. *Water Res.* 25: 1459-1464.
- Urkiaga, A; Bolaño, N; De Las Fuentes, L. (2002). Removal of micropollutants in aqueous streams by organophilic pervaporation. *Desalination.* 149: 55-60.
- Ursescu, D; Zielbauer, B; Kuehl, T; Neumayer, P. (2007). Optimal main pulse angle for different preplasma conditions in transient collisionally pumped x-ray lasers. *Physical Review E.* 75: 5401-5401.
- Urynowicz, MA. (2007). In situ chemical oxidation with permanganate: Assessing the competitive interactions between target and nontarget compounds. *Soil & Sediment Contamination.* 17: 53-62.
- Urynowicz, MA; Siegrist, RL. (2005). Interphase mass transfer during chemical oxidation of TCE DNAPL in an aqueous system. *J Contam Hydrol.* 80: 93-106.
- Usman, ARA; Ahmad, M; El-Mahrouky, M; Al-Omran, A; Ok, YS; Sallam, AS; El-Naggar, AH; Al-Wabel, MI. (2016). Chemically modified biochar produced from conocarpus waste increases NO3 removal from aqueous solutions. *Environ Geochem Health.* 38: 511-521.
- Usman, M; Faure, P; Ruby, C; Hanna, K. (2012). Application of magnetite-activated persulfate oxidation for the degradation of PAHs in contaminated soils. *Chemosphere.* 87: 234-240.
- Utesch, RC; Weir, FW; Bruckner, JV. (1981). Development of an animal model of solvent abuse for use in evaluation of extreme trichloroethylene inhalation. *Toxicology.* 19: 169-182.
- Utesch, RC; Weir, FW; Bruckner, JV. (1981). Development of an animal model of solvent abuse for use in evaluation of extreme trichloroethylene inhalation. *Toxicology.* 19: 169-182.
- Utsumi, H; Hakoda, M; Kiyoshige, K; Manabe, H; Mitade, C; Murayama, J; Han, SK; Hamada, A. (1991). CYTOTOXICITY AND MUTAGENICITY OF MICROPOLLUTANTS IN DRINKING WATER. *Meeting On Hazard Assessment And Control Of Environmental Contaminants In Water Held At The 1st lawprc.* 25: 325-332.
- Uttamsingh, V; Anders, MW. (1999). Acylase-catalyzed deacetylation of haloalkene-derived mercapturates. *Chem Res Toxicol.* 12: 937-942.
- Uzumcu, M; Kuhn, PE; Marano, JE; Armenti, AE; Passantino, L. (2006). Early postnatal methoxychlor exposure inhibits folliculogenesis and stimulates anti-Mullerian hormone production in the rat ovary. *The Journal of endocrinology.* 191: 549-558.
- Vaal, M; Van, DERWALJT; Hermens, J; Hoekstra, J. (1997). Pattern analysis of the variation in the sensitivity of aquatic species to toxicants. *Chemosphere.* 35: 1291-1309.

Environmental Hazard Literature Search Results

Off Topic

- Vaal, M; Van, DERWALJT; Hoekstra, J; Hermens, J. (1997). Variation in the sensitivity of aquatic species in relation to the classification of environmental pollutants. *Chemosphere*. 35: 1311-1327.
- Vahdat, N. (1987). Permeation of protective clothing materials by methylene chloride and perchloroethylene. *Am Ind Hyg Assoc J*. 48: 646-651.
- Vaidya, VS; Mehendale, HM. (2014). S-(1,2-Dichlorovinyl)-L-Cysteine A2 - Wexler, Philip. *Encyclopedia of Toxicology (Third Edition)* Oxford 189-192.
- Vaidya, VS; Shankar, K; Lock, EA; Bucci, TJ; Mehendale, HM. (2003). Renal injury and repair following S-1, 2 dichlorovinyl-L-cysteine administration to mice. *Toxicol Appl Pharmacol*. 188: 110-121.
- Vaidya, VS; Shankar, K; Lock, EA; Bucci, TJ; Mehendale, HM. (2003). Renal injury and repair following S-1, 2 dichlorovinyl-L-cysteine administration to mice. *Toxicol Appl Pharmacol*. 188: 110-121.
- Vainberg, S; Condee, CW; Steffan, RJ. (2009). Large-scale production of bacterial consortia for remediation of chlorinated solvent-contaminated groundwater. *Journal of Industrial Microbiology & Biotechnology*. 36: 1189-1197.
- Vainio, H; Parkki, MG; Marniemi, J. (1976). Effects of aliphatic chlorohydrocarbons on drug-metabolizing enzymes in rat liver in vivo. *Xenobiotica; the fate of foreign compounds in biological systems*. 6: 599-604.
- Vainio, H; Savolainen, H; Pfäffli, P. (1978). Biochemical and toxicological effects of combined exposure to 1,1,1-trichloroethane and trichloroethylene on rat liver and brain. *Xenobiotica; the fate of foreign compounds in biological systems*. 8: 191-196.
- Vainio, H; Waters, MD; Norppa, H. (1985). Mutagenicity of selected organic solvents. *Scandinavian journal of work, environment & health*. 11 Suppl 1: 75-82.
- Valhondo, C; Carrera, J; Ayora, C; Barbieri, M; Nelder, K; Licha, T; Huerta, M. (2014). Behavior of nine selected emerging trace organic contaminants in an artificial recharge system supplemented with a reactive barrier. *Environmental science and pollution research international*. 21: 11832-11843.
- Valkenburg, CA; Munslow, WD; Butler, LC. (1989). EVALUATION OF MODIFICATIONS TO EXTRACTION PROCEDURES USED IN ANALYSIS OF ENVIRONMENTAL SAMPLES FROM SUPERFUND SITES. *J Assoc Off Anal Chem*. 72: 602-608.
- Valsaraj, KT; Kommalapati, RR; Robertson, ED; Constant, WD. (1999). Partition constants and adsorption-desorption hysteresis for volatile organic compounds on soil from a Louisiana Superfund site. *Environ Monit Assess*. 58: 225-241.
- Vamvakas, S; Anders, MW. (1990). FORMATION OF REACTIVE INTERMEDIATES BY PHASE II ENZYMES GLUTATHIONE-DEPENDENT BIOACTIVATION REACTIONS. *Witmer, C M, Et Al*. 0: 13-24.
- Vamvakas, S; Bittner, D; Dekant, W; Anders, MW. (1992). Events that precede and that follow S-(1,2-dichlorovinyl)-L-cysteine-induced release of mitochondrial calcium and their association with cytotoxicity to renal cells. *Biochem Pharmacol*. 44: 1131-1138.
- Vamvakas, S; Dekant, W; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1987). ENZYMATIC TRANSFORMATION OF MERCAPTURIC ACIDS DERIVED FROM HALOGENATED ALKENES TO REACTIVE AND MUTAGENIC INTERMEDIATES. *Biochem Pharmacol*. 36: 2741-2748.
- Vamvakas, S; Dekant, W; Berthold, K; Schrenk, D; Anders, MW; Henschler, D. (1987). ORGAN SPECIFIC NEPHROCARCINOGENICITY OF TRICHLOROETHYLENE TRI CLEAVAGE AND MUTAGENICITY OF THE METABOLITES S-1 2 DICHLOROVINYLGUTATHIONE DCVG AND S-1 2 DICHLOROVINYLCYSTEINE DCVC. *Fourth Symposium Of The Deutschen Krebsgesellschaft, Section Experimentelle Krebsforschung*. 113.
- Vamvakas, S; Dekant, W; Schiffmann, D; Henschler, D. (1988). INDUCTION OF UNSCHEDULED DNA SYNTHESIS AND MICRONUCLEUS FORMATION IN SYRIAN HAMSTER EMBRYO FIBROBLASTS TREATED WITH CYSTEINE S-CONJUGATES OF CHLORINATED HYDROCARBONS. *Cell Biol Toxicol*. 4: 393-404.
- Vamvakas, S; Elfarra, AA; Dekant, W; Henschler, D; Anders, MW. (1988). MUTAGENICITY OF AMINO ACID AND GLUTATHIONE S-CONJUGATES IN THE AMES TEST. *Mutat Res*. 206: 83-90.
- Vamvakas, S; Herkenhoff, M; Dekant, W; Henschler, D. (1989). MUTAGENICITY OF TETRACHLOROETHENE IN THE AMES TEST METABOLIC ACTIVATION BY CONJUGATION WITH GLUTATHIONE. *J Biochem Toxicol*. 4: 21-28.
- Vamvakas, S; Richter, H; Bittner, D. (1996). Induction of dedifferentiated clones of LLC-PK1 cells upon long-term exposure to dichlorovinylcysteine. *Toxicology*. 106: 65-Toxicology].
- Van Aken, B. (2008). Transgenic plants for phytoremediation: helping nature to clean up environmental pollution. *Trends in Biotechnology*. 26: 225-227.
- van Beelen, P; Verbruggen, EMJ; Peijnenburg, W. (2003). The evaluation of the equilibrium partitioning method using sensitivity distributions of species in water and soil. *Chemosphere*. 52: 1153-1162.
- Van, BLADERENPJ; Bruggeman, IM; Jongen, WMF; Scheffer, AG; Temmink, JHM. (1986). THE ROLE OF CONJUGATING ENZYMES IN TOXIC METABOLITE FORMATION. *Benford, D J, J W Bridges And G G Gibson*. 0: 151-170.
- van Breukelen, BM; Hunkeler, D; Volkering, F. (2005). Quantification of sequential chlorinated ethene degradation by use of a reactive transport model incorporating isotope fractionation. *Environmental Science & Technology*. 39: 4189-4197.
- Van Craeynest, K; Dewulf, J; Vandeburie, S; Van Langenhove, H. (2003). Removal of trichloroethylene from waste gases via the peroxide process. *Water Science and Technology*. 48: 65-72.
- Van, DBL. (1977). Chemical structure, reactivity, and carcinogenicity of halohydrocarbons. *Environ Health Perspect*. 21: 17-23.
- van de Pas, BA; Gerritse, J; de Vos, WM; Schraa, G; Stams, AJM. (2001). Two distinct enzyme systems are responsible for tetrachloroethene and chlorophenol reductive dehalogenation in *Desulfitobacterium* strain PCE1. *Archives of Microbiology*. 176: 165-169.
- Van, DEMEENTD; De, BRUIJN JHM. (1995). A modeling procedure to evaluate the coherence of independently derived environmental quality objectives for air, water and soil. *Environ Toxicol Chem*. 14: 177-186.
- Van, DEMEENTD; Den, HOLLANDERHA; Pool, WG; Vredenburg, MJ; Van, OERSHAM; De, GREEFE; Luijten, JA. (1985). ORGANIC MICROPOLLUTANTS IN DUTCH COASTAL WATERS. *International Association On Water Pollution Research And Control Environment*

Environmental Hazard Literature Search Results

Off Topic

- Research Council Specialized Conference On Estuarine And Coastal Pollution: Detection, Research And Control, Plymouth, England, July. 18: 73-81.
- Van, DENBRINKNW; Van, FRANEKERJA; De, RUITERDIJKMANEM. (1998). Fluctuating concentration of organochlorine pollutants during a breeding season in two Antarctic seabirds: Adelle penguin and southern fulmar. *Environ Toxicol Chem.* 17: 702-709.
- Van der Avert, P; Weckhuysen, BM. (2002). Low-temperature destruction of chlorinated hydrocarbons over lanthanide oxide based catalysts. *Angewandte Chemie-International Edition.* 41: 4730-4732.
- van der Zaan, B; Hannes, F; Hoekstra, N; Rijnaarts, H; de Vos, WM; Smidt, H; Gerritse, J. (2010). Correlation of Dehalococcoides 16S rRNA and Chloroethene-Reductive Dehalogenase Genes with Geochemical Conditions in Chloroethene-Contaminated Groundwater. *Appl Environ Microbiol.* 76: 843-850.
- Van, DERMEERJR; Bosma, TNP; De, BRUINWP; Harms, H; Holliger, C; Rijnaarts, HHM; Tros, ME; Schraa, G; Zehnder, AJB. (1992). VERSATILITY OF SOIL COLUMN EXPERIMENTS TO STUDY BIODEGRADATION OF HALOGENATED COMPOUNDS UNDER ENVIRONMENTAL CONDITIONS. *International Workshop On The Use Of Microorganisms To Combat Pollution, Israel, May.* 3: 265-284.
- Van, DERVAARTD; Marchand, EG; Bagely-Pride, A. (1994). THERMAL AND CATALYTIC INCINERATION OF VOLATILE ORGANIC COMPOUNDS. *Crit Rev Environ Sci Tech.* 24: 203-236.
- Van, DERVAARTDR; Vatvuk, WM; Wehe, AH. (1991). Thermal and catalytic incinerators for the control of VOCs. *J Air Waste Manage Assoc.* 41: 92-98.
- van Dijk, BAC; Schouten, LJ; Oosterwijk, E; Hulsbergen-van de Kaa, CA; Kiemeneij, L; Goldbohm, RA; Schalken, JA; van den Brandt, PA. (2006). Cigarette smoking, von Hippel-Lindau gene mutations and sporadic renal cell carcinoma. *Br J Cancer.* 95: 374-377.
- Van Duuren, BL. (1989). IARC carcinogenicity evaluations of vinylidene chloride, methylene dichloride and trichloroethylene. *Environ Res.* 49: 333-334.
- Van, dZB; Smidt, H; De, VWM; Rijnaarts, H; Gerritse, J. (2010). Stability of the total and functional microbial communities in river sediment mesocosms exposed to anthropogenic disturbances. *FEMS Microbiol Ecol.* 74: 72-82.
- van Eekert, MHA; Schroder, TJ; van Rhee, A; Sams, AJM; Schraa, G; Field, JA. (2001). Constitutive dechlorination of chlorinated ethenes by a methanol degrading methanogenic consortium. *Bioresour Technol.* 77: 163-170.
- Van, EEKERTMHA; Sams, AJM; Field, JA. (1999). Gratuitous dechlorination of chloroethanes by methanogenic granular sludge. *Appl Microbiol Biotechnol.* 51: 46-52.
- Van, HYLCKAMAVLIEGJET; De, KONINGW; Janssen, DB. (1997). Effect of chlorinated ethene conversion of viability and activity of *Methylosinus trichosporium* OB3b. *Appl Environ Microbiol.* 63: 4961-4964.
- Van, LEEUWENCI; Van, DERZANDTPTJ; Aldenberg, T; Verhaar, HJM; Hermens, JLM. (1992). Application of QSARs, extrapolation and equilibrium partitioning in aquatic effects assessment: I. Narcotic industrial pollutants. *Environ Toxicol Chem.* 11: 267-282.
- Van Nooten, T; Springael, D; Bastiaens, L. (2010). Microbial Community Characterization in a Pilot-Scale Permeable Reactive Iron Barrier. *Environ Eng Sci.* 27: 287-292.
- Van Nostrand, JD; Khijniak, TJ; Neely, B; Sattar, MA; Sowder, AG; Mills, G; Bertsch, PM; Morris, PJ. (2007). Reduction of nickel and uranium toxicity and enhanced trichloroethylene degradation to *Burkholderia vietnamiensis* PR1(301) with hydroxyapatite amendment. *Environmental Science & Technology.* 41: 1877-1882.
- Van, PULWAJ; De, LEEUWFAAM; Van, JAARSVELDJA; Van, DERGAAGMA; Sliggers, GJ. (1998). The potential for long-range transboundary atmospheric transport. *Chemosphere.* 37: 113-141.
- van Schie, PM; Fletcher, M. (1999). Adhesion of biodegradative anaerobic bacteria to solid surfaces. *Appl Environ Microbiol.* 65: 5082-5088.
- Van, STEENDERENRA; Theron, SJ; Hassett, AJ. (1987). THE OCCURRENCE OF ORGANIC MICRO-POLLUTANTS IN THE VAAL RIVER BETWEEN GROOTDRAAI DAM AND PARYS SOUTH AFRICA. *Water S A.* 13: 209-214.
- Van, VME; Annable, MD. (2002). Mobilization and entry of DNAPL pools into finer sand media by cosolvents: two-dimensional chamber studies. *J Contam Hydrol.* 59: 211-230.
- van Waasbergen, LG; Kidambi, SP; Miller, RV. (1998). Construction of a recA mutant of *Burkholderia* (formerly *Pseudomonas*), cepacia. *Appl Microbiol Biotechnol.* 49: 59-65.
- Van, WAMBEKEE. (1988). BEHAVIOR OF FUMIGANTS AND THEIR DEGRADATION PRODUCTS IN SOIL CONSEQUENCES AND SOLUTIONS. *Third International Symposium On Soil Disinfestation, Leuven, Belgium, September.* 0: 347-360.
- Van, WAMBEKEE; Van, CAUWENBERGHM; Vanachter, A; Van, ASSCHEC. (1986). DIFFUSION OF CANDIDATE METHYL BROMIDE CO-FUMIGANTS THROUGH SOIL AND PLASTIC FOILS. *International Symposium On Crop Protection Meded Fac Landbouwwet Rijksuniv Gent.* 51: 185-190.
- Van, WEZELAP; De, VRIESDAM; Kostense, S; Sijm, DTHM; Opperhuizen, A. (1995). Intraspecies variation in lethal body burdens of narcotic compounds. *Aquat Toxicol.* 33: 325-342.
- Van, WEZELAP; Opperhuizen, A. (1995). NARCOSIS DUE TO ENVIRONMENTAL POLLUTANTS IN AQUATIC ORGANISMS RESIDUE-BASED TOXICITY MECHANISMS AND MEMBRANE BURDENS. *Crit Rev Toxicol.* 25: 255-279.
- Van, ZOESTR; Van, ECKGTM. (1991). Occurrence and behavior of several groups of organic micropollutants in the Scheldt estuary (Netherlands and Belgium). *Sci Total Environ.* 103: 57-72.
- van, ZR; Huijbregts, MA; van, dMD. (2010). Transformation products in the life cycle impact assessment of chemicals. *Environmental science & technology.* 44: 1004-1009.

Environmental Hazard Literature Search Results

Off Topic

- Vancheeswaran, S; Halden, RU; Williamson, KJ; Ingle, JD; Semprini, L. (1999). Abiotic and biological transformation of tetraalkoxysilanes and trichloroethene/cis-1,2-dichloroethene cometabolism driven by tetrabutoxysilane-degrading microorganisms. *Environmental Science & Technology*. 33: 1077-1085.
- Vancheeswaran, S; Hyman, MR; Semprini, L. (1999). Anaerobic biotransformation of trichlorofluoroethene in groundwater microcosms. *Environmental Science & Technology*. 33: 2040-2045.
- Vandenbroucke, A; Aerts, R; Van Gaens, W; De Geyter, N; Leys, C; Morent, R; Bogaerts, A. (2015). Modeling and Experimental Study of Trichloroethylene Abatement with a Negative Direct Current Corona Discharge. *Plasma Chemistry and Plasma Processing*. 35: 217-230.
- Vandenbroucke, AM; Mora, M; Jimenez-Sanchidrian, C; Romero-Salguero, FJ; De Geyter, N; Leys, C; Morent, R. (2014). TCE abatement with a plasma-catalytic combined system using MnO sub(2) as catalyst. *Appl Catal B-Environ*. 156-157: 94-100.
- Vandenbroucke, AM; Nguyen Dinh, MT; Nuns, N; Giraudon, JM; De Geyter, N; Leys, C; Lamonier, JF; Morent, R. (2016). Combination of non-thermal plasma and Pd/LaMnO3 for dilute trichloroethylene abatement. *Chem Eng J*. 283: 668-675.
- Vandenhove, T; Soler, M; Birnbaum, J; Charpin, D; Vervloet, D. (1993). Effect of dry cleaning on mite allergen levels in blankets. *Allergy*. 48: 264-266.
- Vanderberg, LA; Burbach, BL; Fairlee, JR; Unkefer, PJ; Perry, JJ. (1994). CATABOLISM OF RECALCITRANT COMPOUNDS BY COMBINED CULTURES OF SOIL MYCOBACTERIA. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 407.
- Vanderberg, LA; Burbach, BL; Perry, JJ. (1995). Biodegradation of trichloroethylene by *Mycobacterium vaccae*. *Can J Microbiol*. 41: 298-301.
- Vanderberg, LA; Perry, JJ. (1994). Dehalogenation by *Mycobacterium vaccae* JOB-5: role of the propane monooxygenase. *Can J Microbiol*. 40: 169-172.
- Vane, LM; Alvarez, FR; Mullins, B. (2001). Removal of methyl tert-butyl ether from water by pervaporation: bench- and pilot-scale evaluations. *Environmental science & technology*. 35: 391-397.
- Vane, LM; Hitchens, L; Alvarez, FR; Giroux, EL. (2001). Field demonstration of pervaporation for the separation of volatile organic compounds from a surfactant-based soil remediation fluid. *J Hazard Mater*. 81: 141-166.
- Vangnai, AS; Takeuchi, K; Oku, S; Kataoka, N; Nitisakulkan, T; Tajima, T; Kato, J. (2013). Identification of CtpL as a Chromosomally Encoded Chemoreceptor for 4-Chloroaniline and Catechol in *Pseudomonas aeruginosa* PAO1. *Appl Environ Microbiol*. 79: 7241-7248.
- VanStone, N; Przepiora, A; Vogan, J; Lacrampe-Couloume, G; Powers, B; Perez, E; Mabury, S; Lollar, BS. (2005). Monitoring trichloroethene remediation at an iron permeable reactive barrier using stable carbon isotopic analysis. *J Contam Hydrol*. 78: 313-325.
- VanStone, NA; Focht, RM; Mabury, SA; Lollar, BS. (2004). Effect of iron type on kinetics and carbon isotopic enrichment of chlorinated ethylenes during abiotic reduction on Fe(0). *Ground Water*. 42: 268-276.
- Varadwaj, PR; Bangal, PR; Jaman, AI. (2006). Millimeter-wave spectrum of ClCN observed in a DC glow discharge and ab initio calculations. *J Mol Struct*. 780: 17-21.
- Vardar, G; Barbieri, P; Wood, TK. (2005). Chemotaxis of *Pseudomonas stutzeri* OX1 and *Burkholderia cepacia* G4 toward chlorinated ethenes. *Appl Microbiol Biotechnol*. 66: 696-701.
- Vargas, C; Ahlert, RC. (1987). ANAEROBIC DEGRADATION OF CHLORINATED SOLVENTS. *J Water Pollut Control Fed*. 59: 964-968.
- Vartiainen, T; Pukkala, E; Rienoja, T; Strandman, T; Kaksonen, K. (1993). Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water pollution. *Chemosphere*. 27: 1171-1181.
- Vazquez-Gomez, L; de Battisti, A; Ferro, S; Cerro, M; Reyna, S; Martinez-Huitle, CA; Quiroz, MA. (2012). Anodic Oxidation as Green Alternative for Removing Diethyl Phthalate from Wastewater Using Pb/PbO2 and Ti/SnO2 Anodes. *Clean-Soil Air Water*. 40: 408-415.
- Vedler, E; Heinaru, E; Jutkina, J; Viggor, S; Koressaar, T; Remm, M; Heinaru, A. (2013). *Limnobacter* spp. as newly detected phenol-degraders among Baltic Sea surface water bacteria characterised by comparative analysis of catabolic genes. *Syst Appl Microbiol*. 36: 525-532.
- Vedrinaro, D; Dragojevi, D. (1997). Trichloroethene and tetrachloroethene in ground waters of Zagreb, Croatia. *The Science of the total environment*. 203: 253-259.
- Veenstra, JN; Sanders, DA; Johan, J. (1999). Removal of air-phase 1,2-dichloroethane in a biofilter: A comparison of cometabolism using pre-loaded phenol and concurrent phenol addition. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 34: 1569-1589.
- Vega, AM; Lancaster, VA; Roullet, MH. (2004). Comparison of two field sampling procedures (en core and field methanol extraction) for volatile organic compounds. *Environmental Science & Technology*. 38: 6790-6794.
- Vega, DC; Keenan, RJ. (2016). Transaction costs and the organization of CFEs: Experiences from ejidos in Quintana Roo, Mexico. *Forest Policy and Economics*. 70: 1-8.
- Velapoldi, RA; Dorko, WD. (1990). STANDARDS FOR ATMOSPHERIC MEASUREMENTS. Fourth International Symposium On Biological And Environmental Reference Materials, Orlando, Florida, Usa, February. 338: 479-485.
- Velarde, G; Ait-Aissa, S; Gillet, C; Rogerieux, F; Lambre, C; Vindimian, E; Porcher, JM. (1999). Use of the CaCo-2 model in the screening of polluting substance toxicity. *Toxicol In Vitro*. 13: 719-722.
- Velasquez-Pereira, J; McDowell, LR; Risco, CA; Prichard, D; Martin, FG; Calhoun, MC; Williams, SN; Wilkinson, NS; Ogebe, P. (1998). Effects on performance, tissue integrity, and metabolism of vitamin E supplementation for beef heifers fed a diet that contains gossypol. *J Anim Sci*. 76: 2871-2884.
- Velimirovic, M; Carniato, L; Simons, Q; Schoups, G; Seuntjens, P; Bastiaens, L. (2014). Corrosion rate estimations of microscale zerovalent iron particles via direct hydrogen production measurements. *J Hazard Mater*. 270: 18-26.
- Velimirovic, M; Larsson, PO; Simons, Q; Bastiaens, L. (2013). Impact of carbon, oxygen and sulfur content of microscale zerovalent iron particles on its reactivity towards chlorinated aliphatic hydrocarbons. *Chemosphere*. 93: 2040-2045.

Environmental Hazard Literature Search Results

Off Topic

- Velimirovic, M; Schmid, D; Wagner, S; Micic, V; von der Kammer, F; Hofmann, T. (2016). Agar agar-stabilized milled zerovalent iron particles for in situ groundwater remediation. *Sci Total Environ.* 563: 713-723.
- Velimirovic, M; Simons, Q; Bastiaens, L. (2014). Guar gum coupled microscale ZVI for in situ treatment of CAHs: continuous-flow column study. *J Hazard Mater.* 265: 20-29.
- Velimirovic, M; Tosco, T; Uyttebroek, M; Luna, M; Gastone, F; De, BC; Klaas, N; Sapion, H; Eisenmann, H; Larsson, PO; U, BJ; Sethi, R; Bastiaens, L. (2014). Field assessment of guar gum stabilized microscale zerovalent iron particles for in-situ remediation of 1,1,1-trichloroethane. *Toxicol Appl Pharmacol.* 164: 88-99.
- Venhuis, M; Lesage, S; Millar, KR; Crowe, AS. (1999). Evaluation of polyalkastylene absorbent beads for the remediation of PCE in groundwater. *Water Qual Res J Can.* 34: 455-468.
- Venkatadri, R; Peters, RW. (1993). CHEMICAL OXIDATION TECHNOLOGIES ULTRAVIOLET LIGHT-HYDROGEN PEROXIDE FENTON'S REAGENT AND TITANIUM DIOXIDE-ASSISTED PHOTOCATALYSIS. *Hazard Waste Hazard Mater.* 10: 107-149.
- Ventura, F; Matia, L; Romero, J; Boleda, MR; Marti, I; Martin, J. (1995). TASTE AND ODOR EVENTS IN BARCELONA'S WATER SUPPLY. *Water Science And Technology.* 31: 63-68.
- Ventura, F; Romero, J; Pares, J. (1997). Determination of dicyclopentadiene and its derivatives as compounds causing odors in groundwater supplies. *Environmental Science & Technology.* 31: 2368-2374.
- Verce, MF; Danko, AS; Freedman, DL. (1999). Isolation and characterization of a Rhizobium sp. that grows aerobically on vinyl chloride and cometabolizes cis- and trans-1,2-dichloroethylene. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 541.
- Verce, MF; Gunsch, CK; Danko, AS; Freedman, DL. (2002). Cometabolism of cis-1,2-dichloroethene by aerobic cultures grown on vinyl chloride as the primary substrate. *Environmental Science & Technology.* 36: 2171-2177.
- Verce, MF; Madrid, VM; Gregory, SD; Demir, Z; Singleton, MJ; Salazar, EP; Jackson, PJ; Halden, RU; Verce, A. (2015). A Long-Term Field Study of In Situ Bioremediation in a Fractured Conglomerate Trichloroethene Source Zone. *Bioremediat J.* 19: 18-31.
- Verdini, R; Aulenta, F; de Tora, F; Lai, A; Majone, M. (2015). Relative contribution of set cathode potential and external mass transport on TCE dechlorination in a continuous-flow bioelectrochemical reactor. *Chemosphere.* 136: 72-78.
- Verhaar, HJM; Van, LEEUWENCJ; Hermens, JLM. (1992). Classifying environmental pollutants: Structure-activity relationships for prediction of aquatic toxicity. *Chemosphere.* 25: 471-491.
- Verma, SP; Goldin, BR. (1998). Effect of soy-derived isoflavonoids on the induced growth of MCF-7 cells by estrogenic environmental chemicals. *Nutr Cancer.* 30: 232-239.
- Verma, Y; Rana, SVS. (2003). Gender differences in the metabolism of benzene, toluene and trichloroethylene in rat with special reference to certain biochemical parameters. *J Environ Biol.* 24: 135-140.
- Vermeire, T; van, dHK. (1990). Health assessment of hazardous air pollutants The Netherlands. *Toxicol Ind Health.* 6: 235-243.
- Vernon, RJ. (1968). AN EXPLORATORY STUDY OF PROBABLE SYNERGISTIC/ANTAGONISTIC EFFECTS OF TRICHLOROETHYLENE VAPORS AND THONZYLAMINE ON SAFE WORK PERFORMANCE. PhD Thesis, The University of Iowa.
- Verreydt, G; Annable, MD; Kaskassian, S; Van, KI; Bronders, J; Diels, L; Vanderauwera, P. (2013). Field demonstration and evaluation of the Passive Flux Meter on a CAH groundwater plume. *Environmental science and pollution research international.* 20: 4621-4634.
- Versteeg, DJ; Stalmans, M; Dyer, SD; Janssen, C. (1997). Ceriodaphnia and Daphnia: A comparison of their sensitivity to xenobiotics and utility as a test species. *Chemosphere.* 34: 869-892.
- Verstraete, W; Devliegher, W. (1996). Formation of non-bioavailable organic residues in soil: Perspectives for site remediation. *Biodegradation.* 7: 1996-1997.
- Vertriest, R; Morent, R; Dewulf, J; Leys, C; Van Langenhove, H. (2003). Multi-pin-to-plate atmospheric glow discharge for the removal of volatile organic compounds in waste air. *Plasma Sources Science & Technology.* 12: 412-416.
- Vesela, L; Nemecek, J; Siglova, M; Kubal, M. (2006). The biofiltration permeable reactive barrier: Practical experience from Synthesia. *International Biodeterioration & Biodegradation.* 58: 224-230.
- Vesper, DJ. (2002). Transport and storage of trace metals in a karst aquifer: An example from Fort Campbell, Kentucky. PhD Thesis, The Pennsylvania State University.
- Vesper, SJ; Al-Abed, SR; Catabas, KH; Davis-Hoover, WJ. (1997). BIODEGRADATION OF TCE IN AN ELECTROKINETIC ENVIRONMENT. 97th General Meeting Of The American Society For Microbiology, Miami Beach, Florida, Usa, May. 97: 474.
- Vesper, SJ; Al-Abed, SR; Davis-Hoover, WJ. (1998). BIODEGRADATION OF TCE USING LASAGNA. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 428.
- Vesterberg, O; Gorczak, J; Krasts, M. (1976). Exposure to trichloroethylene II. Metabolites in blood and urine. *Scandinavian journal of work, environment & health.* 2: 212-219.
- Victoria, K. (1993). Health effects of urban air pollutants: Guideline values and conditions in Sweden. *Chemosphere.* 27: 1691-1706.
- Victorin, K; Ståhlberg, ADIEMKISS. (1991). Mutagenic activity of photoreaction products formed from chlorinated ethenes and nitrogen dioxide. *Environ Res.* 55: 178-187.
- Vidal, ML; Basseres, A; Narbonne, JF. (2001). Interest of a multibiomarker approach in the assessment of freshwater ecosystem quality: laboratory and field studies. *Water Science and Technology.* 44: 305-312.
- Vidic, RD; Suidan, MT. (1991). Role of dissolved oxygen on the adsorptive capacity of activated carbon for synthetic and natural organic matter. *Environ Sci Technol.* 25: 1612-1618.

Environmental Hazard Literature Search Results

Off Topic

- Vieira, V; Aschengrau, A; Ozonoff, D. (2005). Impact of tetrachloroethylene-contaminated drinking water on the risk of breast cancer: using a dose model to assess exposure in a case-control study. *Environmental health : a global access science source*. 4: 3.
- Vieth, A; Muller, J; Strauch, G; Kastner, M; Gehre, M; Meckenstock, RU; Richnow, HH. (2003). In-situ biodegradation of tetrachloroethene and trichloroethene in contaminated aquifers monitored by stable isotope fractionation. *Isotopes Environ Health Stud*. 39: 113-124.
- Vigo, C; Lewis, GP; Piper, PJ. (1980). Mechanisms of inhibition of phospholipase A2. *Biochem Pharmacol*. 29: 623-627.
- Vikesland, PJ; Klausen, J; Zimmermann, H; Roberts, AL; Ball, WP. (2003). Longevity of granular iron in groundwater treatment processes: changes in solute transport properties over time. *J Contam Hydrol*. 64: 3-33.
- Vilaplana, M; Garcia, AB; Caminal, G; Guillen, F; Sarra, M. (2012). Optimisation of the operational conditions of trichloroethylene degradation using *Trametes versicolor* under quinone redox cycling conditions using central composite design methodology. *Biodegradation*. 23: 333-341.
- Vilaplana, M; Marco-Urrea, E; Gabarrell, X; Sarrá, M; Caminal, G. (2008). Required equilibrium studies for designing a three-phase bioreactor to degrade trichloroethylene (TCE) and tetrachloroethylene (PCE) by *Trametes versicolor*. *Chem Eng J*. 144: 21-27.
- Villacieros, M; Whelan, C; Mackova, M; Molgaard, J; Sanchez-Contreras, M; Lloret, J; de Carcer, DA; Oruezabal, RI; Bolanos, L; Macek, T; Karlson, U; Dowling, DN; Martin, M; Rivilla, R. (2005). Polychlorinated biphenyl rhizoremediation by *Pseudomonas fluorescens* F113 derivatives, using a *Sinorhizobium meliloti* nod system to drive bph gene expression. *Appl Environ Microbiol*. 71: 2687-2694.
- Villalobos, SA; Anderson, MJ; Denison, MS; Hinton, DE; Tullis, K; Kennedy, IM; Jones, AD; Chang, DPY; Yang, GS; Kelly, P. (1996). Dioxinlike properties of a trichloroethylene combustion-generated aerosol. *Environ Health Perspect*. 104: 734-743.
- Villalobos, SA; Papoulias, DM; Pastva, SD; Blankenship, AL; Meadows, J; Tillitt, DE; Giesy, JP. (2003). Toxicity of o,p'-DDE to medaka d-rR strain after a one-time embryonic exposure by in ovo nanoinjection: an early through juvenile life cycle assessment. *Chemosphere*. 53: 819-826.
- Villano, M; Aulenta, F; Ciucci, C; Ferri, T; Giuliano, A; Majone, M. (2010). Bioelectrochemical reduction of CO(2) to CH(4) via direct and indirect extracellular electron transfer by a hydrogenophilic methanogenic culture. *Bioresour Technol*. 101: 3085-3090.
- Villarante, NR; Armenante, PM; Quibuyen, TA; Fava, F; Kafkewitz, D. (2001). Dehalogenation of dichloroethene in a contaminated soil: fatty acids and alcohols as electron donors and an apparent requirement for tetrachloroethene. *Appl Microbiol Biotechnol*. 55: 239-247.
- Villarejos, VM; Arguedas, JA; Vargas, G; Chavarría, AP. (1975). Evaluation of the skin test for hookworm as an epidemiological tool. *The American journal of tropical medicine and hygiene*.
- Villaschi, S; Giovanetti, A; Lombardi, CC; Nicolai, G; Garbati, M; Andreozzi, U. (1991). Damage and repair of mouse bronchial epithelium following acute inhalation of trichloroethylene. *Exp Lung Res*. 17: 601-614.
- Villemur, R. (2013). The pentachlorophenol-dehalogenating *Desulfitobacterium hafniense* strain PCP-1. *Philosophical Transactions of the Royal Society B-Biological Sciences*. 368: 20319-20319.
- Villeneuve, S; GuÃ©nel, P. (2015). Cancer du sein, professions et expositions professionnelles aux solvants organiques. *Arch Mal Prof Environ*. 76: 46.
- Vilve, M; Vilhunen, S; Vepsäläinen, M; Kurniawan, TA; Lehtonen, N; Isomaki, H; Sillanpää, M. (2010). Degradation of 1,2-dichloroethane from wash water of ion-exchange resin using Fenton's oxidation. *Environ Sci Pollut Res Int*. 17: 875-884.
- Vinegar, A; Auten, K; Conolly, RB. (1989). PHYSIOLOGICALLY-BASED COMPUTER SIMULATION OF AN ISOLATED VENTILATED PERFUSED LUNG METABOLISM OF TRICHLOROETHYLENE. 73rd Annual Meeting Of The Federation Of American Societies For Experimental Biology, New Orleans, Louisiana, Usa, March. 3.
- Viola, PL; Caputo, A. (1977). Carcinogenicity studies on vinylidene chloride. *Environ Health Perspect*. 21: 45-47.
- Viraraghavan, T; Hashem, S. (1986). Trace organics in the septic tank effluent. *Water Air Soil Pollut*. 28: 299-308.
- Visalli, JR. (1989). The similarity of environmental impacts from all methods of managing solid wastes. *J Environ Syst*. 19: 155-170.
- Visez, N; Sawersyn, JP. (2007). Thermal degradation of 2-chlorophenol promoted by CuCl₂ or CuCl: formation and destruction of PCDD/Fs. *Chemosphere*. 67: S144-149.
- Viswanathan, S; Gnyp, AW; Machina, D; Blunt, PJ. (1990). Vertical and horizontal purging of contaminated groundwater in confined spaces. *J Hazard Mater*. 23: 43-56.
- Vivek, SD; Banwet, DK; Shankar, R. (2008). Analysis of interactions among core, transaction and relationship-specific investments: The case of offshoring. *Journal of Operations Management*. 26: 180-197.
- Vlieg, J; deKoning, W; Janssen, DB. (1997). Effect of chlorinated ethene conversion on viability and activity of *Methylosinus trichosporium* OB3b. *Appl Environ Microbiol*. 63: 4961-4964.
- Vlieg, J; Kingma, J; van den Wijngaard, AJ; Janssen, DB. (1998). A glutathione S-transferase with activity towards cis-1,2-dichloroepoxyethane is involved in isoprene utilization by *Rhodococcus* sp. strain AD45. *Appl Environ Microbiol*. 64: 2800-2805.
- Vodela, JK; Renden, JA; Lenz, SD; McElhenney, WH; Kemppainen, BW. (1997). Drinking water contaminants (arsenic, cadmium, lead, benzene, and trichloroethylene). 1. Interaction of contaminants with nutritional status on general performance and immune function in broiler chickens. *Poult Sci*. 76: 1474-1492.
- Vogan, JL; Gillham, RW; O'Hannesin, SF; Matulewicz, WH; Rhodes, JE. (1995). SITE SPECIFIC DEGRADATION OF VOCs IN GROUNDWATER USING ZERO VALENT IRON. 209th American Chemical Society National Meeting, Anaheim, California, Usa, April. 209: 250.
- Vogel, EW; Nivard, MJM. (1993). Performance of 181 chemicals in a *Drosophila* assay predominantly monitoring interchromosomal mitotic recombination. *Mutagenesis*. 8: 57-81.
- Vogel, TM; McCarty, PL. (1985). BIOTRANSFORMATION AND TETRACHLOROETHYLENE TO TRICHLOROETHYLENE DICHLOROETHYLENE VINYL CHLORIDE AND CARBON DIOXIDE UNDER METHANOGENIC CONDITIONS. *Appl Environ Microbiol*. 49: 1080-1083.

Environmental Hazard Literature Search Results

Off Topic

- Vogel, TM; McCarty, PL. (1985). Biotransformation of tetrachloroethylene to trichloroethylene, dichloroethylene, vinyl chloride, and carbon dioxide under methanogenic conditions. *Appl Environ Microbiol.* 49: 1080-1083.
- Vogel, TM; McCarty, PL. (1987). ABIOTIC AND BIOTIC TRANSFORMATIONS OF 1,1,1-TRICHLOROETHANE UNDER METHANOGENIC CONDITIONS. *Environ Sci Technol.* 21: 1208-1213.
- Vogt, C; Cotruvo, J. (1987). DRINKING WATER STANDARDS THEIR DERIVATION AND MEANING. D'Itri, F M And L G Wolfson Rural Groundwater Contamination Xix+416p Lewis Publishers, Inc: Chelsea, Michigan, Usa Illus Isbn. 0: 213-224.
- Voice, TC; Kolb, B. (1993). Static and dynamic headspace analysis of volatile organic compounds in soils. *Environ Sci Technol.* 27: 709-713.
- Volcik, V; Hoffmann, J; Ruzicka, J; Sergejevova, M. (2005). Trichloroethylene (TCE) removal in a single pulse suspension bioreactor. *J Environ Manage.* 74: 293-304.
- Volpe, A; Lopez, A; Mascolo, G; Detomaso, A. (2004). Chlorinated herbicide (trallate) dehalogenation by iron powder. *Chemosphere.* 57: 579-586.
- Volskay, VTJR; Grady, CPLJR. (1988). TOXICITY OF SELECTED RCRA COMPOUNDS TO ACTIVATED SLUDGE MICROORGANISMS. *J Water Pollut Control Fed.* 60: 1850-1856.
- von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere.* 39: 2479-2488.
- Vonder, HAARSP; Ferry, R; Wade, M; Bryn, S; Hill, H; Lamarre, A; Carlsen, T; Taffet, M; Landgraf, R; Webster-Scholten, P. (1992). ENVIRONMENTAL CONTAMINATION AT LAWRENCE LIVERMORE NATIONAL LABORATORY LLNL SITE 300 A SUPERFUND SITE POTENTIALLY CAUSED BY ADDITIVES AND IMPURITIES IN TRICHLOROETHYLENE. 203rd Acs. 203.
- Vorkamp, K; Haas, BS; Herrmann, R. (1998). Development of passive samplers for the detection of chlorinated hydrocarbons in sewers. *Water Science and Technology.* 37: 311-318.
- Vrana, B; Popp, P; Paschke, A; SchÄ rG. (2001). Membrane-enclosed sorptive coating. an integrative passive sampler for monitoring organic contaminants in water. *Anal Chem.* 73: 5191-5200.
- Vroblesky, DA; Clinton, BD; Vose, JM; Casey, CC; Harvey, G; Bradley, PM. (2004). Ground water chlorinated ethenes in tree trunks: Case studies, influence of recharge, and potential degradation mechanism. *Ground Water Monitoring and Remediation.* 24: 124-138.
- Vroblesky, DA; Lorah, MM. (1991). Prospecting for zones of contaminated ground-water discharge to streams using bottom-sediment gas bubbles. *Ground Water.* 29: 333-340.
- Vroblesky, DA; Lorah, MM; Trimble, SP. (1991). Mapping zones of contaminated ground-water discharge using creek-bottom-sediment vapor samplers, Aberdeen Proving Ground, Maryland (USA). *Ground Water.* 29: 7-12.
- Vroblesky, DA; Rhodes, LC; Robertson, JF; Harrigan, JA. (1996). Locating VOC contamination in a fractured-rock aquifer at the ground-water/surface-water interface using passive vapor collectors. *Ground Water.* 34: 223-230.
- W, HO. (1992). ENVIRONMENTAL HEALTH CRITERIA NO. 136. 1,1,1-TRICHLOROETHANE. *Who Environmental Health Criteria, No. 0.*
- WÄćjtowicz, AK; Gregoraszcuk, EL; Ptak, A; Falandysz, J. (2004). Effect of single and repeated in vitro exposure of ovarian follicles to o,p'-DDT and p,p'-DDT and their metabolites. *Pol J Pharmacol.* 56: 465-472.
- WÄćjtowicz, AK; Kajta, M; Gregoraszcuk, E. (2007). DDT- and DDE-induced disruption of ovarian steroidogenesis in prepubertal porcine ovarian follicles: a possible interaction with the main steroidogenic enzymes and estrogen receptor beta. *Journal of physiology and pharmacology : an official journal of the Polish Physiological Society.* 58: 873-885.
- Wacker, JG; Yang, CL; Sheu, CW. (2016). A transaction cost economics model for estimating performance effectiveness of relational and contractual governance Theory and statistical results. *International Journal of Operations & Production Management.* 36: 1551-1575.
- Wackett, LP. (1995). Recruitment of co-metabolic enzymes for environmental detoxification of organohalides. *Environ Health Perspect.* 103 Suppl 5: 45-48.
- Wackett, LP. (1996). CO-METABOLISM IS THE EMPEROR WEARING ANY CLOTHES? *Curr Opin Biotechnol.* 7: 321-325.
- Wackett, LP; Brusseau, GA; Householder, SR; Hanson, RS. (1989). Survey of microbial oxygenases: trichloroethylene degradation by propane-oxidizing bacteria. *Appl Environ Microbiol.* 55: 2960-2964.
- Wackett, LP; Householder, SR. (1989). TOXICITY OF TRICHLOROETHYLENE TO PSEUDOMONAS-PUTIDA F1 IS MEDIATED BY TOLUENE DIOXYGENASE. *Appl Environ Microbiol.* 55: 2723-2725.
- Wackett, LP; Sadowsky, M; Newman, LM; Hor-Gil, H; Li, S. (1993). RECRUITMENT OF COMETABOLIC ENZYME REACTIONS TO CONSTRUCT NOVEL DEHALOGENATION PATHWAYS. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 380.
- Wackett, LP; Sadowsky, MJ; Newman, LM; Hur, HG; Li, S. (1994). Metabolism of polyhalogenated compounds by a genetically engineered bacterium. *Nature.* 368: 627-629.
- Wadden, RA; Scheff, PA; Franke, JE. (1989). Emission factors for trichloroethylene vapor degreasers. *Am Ind Hyg Assoc J.* 50: 496-500.
- Wadley, SLS; Gillham, RW; Gui, L. (2005). Remediation of DNAPL source zones with granular iron: Laboratory and field tests. *Ground Water.* 43: 9-18.
- Wagner, A; Adrian, L; Kleinstüber, S; Andreesen, JR; Lechner, U. (2009). Transcription Analysis of Genes Encoding Homologues of Reductive Dehalogenases in "Dehalococcoides" sp Strain CBDB1 by Using Terminal Restriction Fragment Length Polymorphism and Quantitative PCR. *Appl Environ Microbiol.* 75: 1876-1884.
- Wagner, DD; Hug, LA; Hatt, JK; Spitzmiller, MR; Padilla-Crespo, E; Ritalahti, KM; Edwards, EA; Konstantinidis, KT; Lâ€ ffler, FE. (2012). Genomic determinants of organohalide-respiration in *Geobacter lovleyi*, an unusual member of the Geobacteraceae. *BMC Genomics.* 13: 200.
- Wahlberg, JE. (1986). SOME FACTORS INFLUENCING THE PERCUTANEOUS ABSORPTION OF ORGANIC SOLVENTS. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 14.

Environmental Hazard Literature Search Results

Off Topic

- Wahlberg, JE; Boman, A. (1979). Comparative percutaneous toxicity of ten industrial solvents in the guinea pig. *Scandinavian journal of work, environment & health*. 5: 345-351.
- Wahman, DG; Henry, AE; Katz, LE; Speitel, GE. (2006). Cometabolism of trihalomethanes by mixed culture nitrifiers. *Water Res*. 40: 3349-3358.
- Wahman, DG; Katz, LE; Speitel, GE. (2005). Cometabolism of Trihalomethanes by *Nitrosomonas europaea*. *Appl Environ Microbiol*. 71: 7980-7986.
- Wahman, DG; Katz, LE; Speitel, GE. (2007). Modeling of trihalomethane cometabolism in nitrifying biofilters. *Water Res*. 41: 449-457.
- Waldemer, RH; Tratnyek, PG; Johnson, RL; Nurmi, JT. (2007). Oxidation of chlorinated ethenes by heat-activated persulfate: Kinetics and products. *Environmental Science & Technology*. 41: 1010-1015.
- Waldon, MG. (1998). Time-of-travel in the lower Mississippi River: Model development, calibration, and application. *Water Environ Res*. 70: 1132-1141.
- Waldthausen, K; Sedillo, MA; Buelow, SJ. (1996). Hydrothermal processing of chlorinated hydrocarbons in a titanium reactor. AU - FOY BR. *Environmental Science & Technology*. 30: 2790-2799.
- Walecka-Hutchison, C; Walworth, JL. (2005). Quantification of in-situ trichloroethene dilution versus biodegradation using a novel chloride concentration technique. *Environmental Chemistry: Green Chemistry and Pollutants in Ecosystems* 317-328.
- Walgren, JL; Jollow, DJ; McMillan, JA. (2004). Induction of peroxisome proliferation in cultured hepatocytes by a series of halogenated acetates. *Toxicology*. 197: 189-197.
- Walgren, JL; Kurtz, DT; McMillan, JM. (2005). Lack of direct mitogenic activity of dichloroacetate and trichloroacetate in cultured rat hepatocytes. *Toxicology*. 211: 220-230.
- Walker, BL; Cooper, CD. (1992). Air pollution emission factors for medical waste incinerators. *J Air Waste Manage Assoc*. 42: 784-791.
- Walker, CB; Gu, AZ; Stensel, HD; Strand, SE. (2004). A biological method for synthesizing (14)C-vinyl chloride. *Journal of Labelled Compounds & Radiopharmaceuticals*. 47: 903-910.
- Walker, RC; Hofstee, C; Dane, JH; Hill, WE. (1998). Surfactant enhanced removal of PCE in a nominally two-dimensional, saturated, stratified porous medium. *J Contam Hydrol*. 34: 17-30.
- Walker, RC; Hofstee, C; Dane, JH; Hill, WE. (1998). Surfactant enhanced removal of PCE in a partially saturated, stratified porous medium. *J Contam Hydrol*. 34: 31-46.
- Walker, SL. (2005). The role of nutrient presence on the adhesion kinetics of *Burkholderia cepacia* G4g and ENV435g. *Colloids and Surfaces B-Biointerfaces*. 45: 181-188.
- Walker, TJ. (1984). FATE AND DISPOSITION OF TRICHLOROETHYLENE IN SURFACE SOILS (ADSORPTION, ISOTHERMS, COLUMN STUDIES). PhD Thesis, Purdue University.
- Wallace, L; Buckley, T; Pellizzari, E; Gordon, S. (1996). Breath measurements as volatile organic compound biomarkers. *Environ Health Perspect*. 104: 861-869.
- Waller, AS; Krajmalnik-Brown, R; Löffler, FE; Edwards, EA. (2005). Multiple reductive-dehalogenase-homologous genes are simultaneously transcribed during dechlorination by Dehalococcoides-containing cultures. *Appl Environ Microbiol*. 71: 8257-8264.
- Waller, LA; Turnbull, BW. (1993). The effects of scale on tests for disease clustering. *Stat Med*. 12: 1869-1884.
- Walles, SAS. (1986). Induction of single-strand breaks in dna of mice by trichloroethylene and tetrachloroethylene. *Toxicol Lett*. 31: 31-35.
- Walpole, D. (1993). RECYCLING PAINT AND SOLVENTS AND REDUCING USE OF 1 1 1 TRICHLOROETHANE. *Waste Manage*. 13: 195-197.
- Walsh, ME; Kyritsis, P; Eady, NA; Hill, HA; Wong, LL. (2000). Catalytic reductive dehalogenation of hexachloroethane by molecular variants of cytochrome P450cam (CYP101). *European journal of biochemistry / FEBS*. 267: 5815-5820.
- Walter, GA; Stensel, HD; Strand, SE. (1994). EFFECTS OF STARVATION AND TCE DEGRADATION ON SOLUBLE METHANE MONOOXYGENASE ACTIVITY AND NADH LEVEL IN A METHANOTROPHIC CULTURE. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 442.
- Walter, GA; Strand, SE; Herwig, RR; Treat, TP; Stensel, HD. (1997). Trichloroethylene and methane feeding strategies to sustain degradation by methanotrophic enrichments. *Water Environ Res*. 69: 1066-1074.
- Walters, MJ; Robinson, GK. (1997). ENVIRONMENTAL BIOTECHNOLOGY MONITORING MOBILIZING AND MINERALIZING POLLUTION OSTEND BELGIUM APRIL 21-23 1997. *Trends In Biotechnology*. 15: 280-282.
- Walton, BT; Anderson, TA. (1990). Microbial degradation of trichloroethylene in the rhizosphere: potential application to biological remediation of waste sites. *Appl Environ Microbiol*. 56: 1012-1016.
- Walton, BT; Anderson, TA. (1992). Plant-microbe treatment systems for toxic waste. *Curr Opin Biotechnol*. 3: 267-270.
- Walum, E. (1998). Acute oral toxicity. *Environ Health Perspect*. 106: 497-503.
- Wan, Y; Hu, J; Liu, J; An, W; Tao, S; Jia, Z. (2005). Fate of DDT-related compounds in Bohai Bay and its adjacent Haihe Basin, North China. *Mar Pollut Bull*. 50: 439-445.
- Wan, YJ; Wang, L; Wu, TC. (1995). Different response to retinoic acid of two teratocarcinoma cell lines. *Exp Cell Res*. 219: 392-398.
- Wang, AJ; Cheng, HY; Liang, B; Ren, NQ; Cui, D; Lin, N; Kim, BH; Rabaey, K. (2011). Efficient Reduction of Nitrobenzene to Aniline with a Biocatalyzed Cathode. *Environmental Science & Technology*. 45: 10186-10193.
- Wang, B; Yu, G; Huang, J; Wang, T; Hu, H. (2011). Probabilistic ecological risk assessment of DDTs in the Bohai Bay based on a food web bioaccumulation model. *The Science of the total environment*. 409: 495-502.
- Wang, B; Yu, G; Huang, J; Yu, Y; Hu, H; Wang, L. (2009). Tiered aquatic ecological risk assessment of organochlorine pesticides and their mixture in Jiangsu reach of Huaihe River, China. *Environ Monit Assess*. 157: 29-42.

Environmental Hazard Literature Search Results

Off Topic

- Wang, C; Wang, Y; Zhang, Y; Zhao, Q; Wang, R. (2010). Reclamation of elemental sulfur from flue gas biodesulfurization waste sludge. *Journal of the Air & Waste Management Association* (1995). 60: 603-610.
- Wang, CB; Zhang, WX. (1997). Synthesizing nanoscale iron particles for rapid and complete dechlorination of TCE and PCBs. *Environmental Science & Technology*. 31: 2154-2156.
- Wang, CK; Lee, SE. (1997). Evaluation of granular activated carbon adsorber design criteria for removal of organics based on pilot and small-scale studies. *Water Science And Technology*. 35: 227-234.
- Wang, D; Bolton, JR; Hofmann, R. (2012). Medium pressure UV combined with chlorine advanced oxidation for trichloroethylene destruction in a model water. *Water Res*. 46: 4677-4686.
- Wang, DW; Zhao, XP. (2009). Microencapsulated electric ink using gelatin/gum arabic. *J Microencapsul*. 26: 37-45.
- Wang, F; Annable, MD; Jawitz, JW. (2013). Field-scale prediction of enhanced DNAPL dissolution based on partitioning tracers. *J Contam Hydrol*. 152: 147-158.
- Wang, F; Annable, MD; Schaefer, CE; Ault, TD; Cho, J; Jawitz, JW. (2014). Enhanced aqueous dissolution of a DNAPL source to characterize the source strength function. *J Contam Hydrol*. 169: 75-89.
- Wang, G; Feng, CP; Kang, C; Zhang, BG; Chen, N; Zhang, XW. (2016). Electrochemical Degradation of Chloroform Using Ti/IrO₂ Anode and Cu/Zn Cathode. *J Environ Eng*. 142: 15066-15066.
- Wang, G; Ma, H; Fan, X; Wang, J; Ansari, GAS; Khan, MF. (2010). Oxidative Stress and Trichloroethene-Mediated Autoimmunity. *Free Radic Biol Med*. 49, Supplement: S144.
- Wang, G; Wakamiya, M; Wang, J; Ansari, GAS; Firoze Khan, M. (2015). iNOS null MRL+/+ mice show attenuation of trichloroethene-mediated autoimmunity: contribution of reactive nitrogen species and lipid-derived reactive aldehydes. *Free Radic Biol Med*. 89: 770-776.
- Wang, G; Wang, J; Ansari, G; Khan, M. (2011). Protein adducts of 4-hydroxynonenal and malondialdehyde contribute to trichloroethene-mediated autoimmunity by activating TH17 cells. 18th Annual Meeting of the Society for Free Radical Biology and Medicine (SFRBM 2011).
- Wang, G; Wang, J; Fan, X; Khan, M. (2011). Involvement of Oxidative Stress in Trichloroethene-Mediated Autoimmunity: Dose- and Time-Response Study. 50th Anniversary Annual Meeting of the Society of Toxicology (SOT 2011).
- Wang, GD; Ansari, GAS; Khan, MF. (2007). Involvement of lipid peroxidation-derived aldehyde-protein adducts in autoimmunity mediated by trichloroethene. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 70: 1977-1985.
- Wang, GD; Cai, P; Ansari, GAS; Khan, MF. (2007). Oxidative and nitrosative stress in trichloroethene-mediated autoimmune response. *Toxicology*. 229: 186-193.
- Wang, GD; Koenig, R; Ansari, GAS; Khan, MF. (2008). Lipid peroxidation-derived aldehyde-protein adducts contribute to trichloroethene-mediated autoimmunity via activation of CD4(+) T cells. *Free Radic Biol Med*. 44: 1475-1482.
- Wang, GD; Wakamiya, M; Wang, JL; Ansari, GAS; Khan, MF. (2015). iNOS null MRL plus / plus mice show attenuation of trichloroethene-mediated autoimmunity: contribution of reactive nitrogen species and lipid-derived reactive aldehydes. *Free Radic Biol Med*. 89: 770-776.
- Wang, GD; Wang, JL; Ma, HX; Khan, MF. (2009). Increased nitration and carbonylation of proteins in MRL+/+ mice exposed to trichloroethene: Potential role of protein oxidation in autoimmunity. *Toxicol Appl Pharmacol*. 237: 188-195.
- Wang, GH; Grathwohl, P. (2009). Activation energies of phenanthrene desorption from carbonaceous materials: Column studies. *J Hydrol*. 369: 234-240.
- Wang, GS; Alben, KT. (1998). Effect of preadsorbed background organic matter on granular activated carbon adsorption of atrazine. *Sci Total Environ*. 224: 221-226.
- Wang, H; Chen, JJ. (2012). Enhanced flushing of polychlorinated biphenyls contaminated sands using surfactant foam: Effect of partition coefficient and sweep efficiency. *J Environ Sci*. 24: 1270-1277.
- Wang, H; Chen, JJ. (2013). A study on the permeability and flow behavior of surfactant foam in unconsolidated media. *Environ Earth Sci*. 68: 567-576.
- Wang, H; Chen, JJ. (2014). Experimental investigation on influence of foam mobility on polychlorinated biphenyl removal in foam flushing. *Environ Technol*. 35: 993-1002.
- Wang, H; Yan, H; Qiu, M; Qiao, J; Yang, G. (2011). Determination of dicofol in aquatic products using molecularly imprinted solid-phase extraction coupled with GC-ECD detection. *J Hazard Mater*. 192: 2100-2105.
- Wang, H; Zhang, A; Wang, W; Zhang, M; Liu, H; Wang, X. (2013). Separation and determination of triclosan and bisphenol A in water, beverage, and urine samples by dispersive liquid-liquid microextraction combined with capillary zone electrophoresis-UV detection. *Environmental science & technology*. 96: 459-465.
- Wang, HC; Li, D; Wu, Y; Li, J; Li, GF. (2009). Removal of four kinds of volatile organic compounds mixture in air using silent discharge reactor driven by bipolar pulsed power. *Journal of Electrostatics*. 67: 547-553.
- Wang, HR; Kim, B; Wunder, SL. (2015). Nanoparticle-Supported Lipid Bilayers as an In Situ Remediation Strategy for Hydrophobic Organic Contaminants in Soils. *Environmental Science & Technology*. 49: 529-536.
- Wang, J; Cutright, TJ. (2005). Potential waste minimization of trichloroethylene and perchloroethylene via aerobic biodegradation. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 40: 1569-1584.
- Wang, J; Farrell, J. (2003). Investigating the role of atomic hydrogen on chloroethene reactions with iron using tafel analysis and electrochemical impedance spectroscopy. *Environmental Science & Technology*. 37: 3891-3896.

Environmental Hazard Literature Search Results

Off Topic

- Wang, J; Guo, L; Li, J; Zhang, G; Lee, CS; Li, X; Jones, KC; Xiang, Y; Zhong, L. (2007). Passive air sampling of DDT, chlordane and HCB in the Pearl River Delta, South China: implications to regional sources. *Journal of environmental monitoring* : JEM. 9: 582-588.
- Wang, JK; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environmental Science & Technology*. 38: 1576-1581.
- Wang, JL; Chen, WL; Tsai, SY; Sung, PY; Huang, RN. (2001). An in vitro model for evaluation of vaporous toxicity of trichloroethylene and tetrachloroethylene to CHO-K1 cells. *Chem Biol Interact*. 137: 139-154.
- Wang, JL; Chew, C; Chen, SW; Kuo, S. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environmental Science & Technology*. 34: 2243-2248.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2004). Preparation of microcapsules containing two-phase core materials. *Langmuir : the ACS journal of surfaces and colloids*. 20: 10845-10850.
- Wang, K. (1994). Gas phase photocatalytic treatment of trichloroethylene using titanium dioxide irradiated with near ultraviolet light. PhD Thesis, Purdue University.
- Wang, KH; Hsieh, YH. (1998). Heterogeneous photocatalytic degradation of trichloroethylene in vapor phase by titanium dioxide. *Environ Int*. 24: 267-274.
- Wang, KH; Hsieh, YH; Chao, PW; Cgang, CY. (2002). The photocatalytic degradation of trichloroethane by chemical vapor deposition method prepared titanium dioxide catalyst. *J Hazard Mater*. 95: 161-174.
- Wang, KH; Hsieh, YH; Lin, CH; Chang, CY. (1999). The study of the photocatalytic degradation kinetics for dichloroethylene in vapor phase. *Chemosphere*. 39: 1371-1384.
- Wang, KH; Jehng, JM; Hsieh, YH; Chang, CY. (2002). The reaction pathway for the heterogeneous photocatalysis of trichloroethylene in gas phase. *J Hazard Mater*. 90: 63-75.
- Wang, KH; Tsai, HH; Hsieh, YH. (1998). A study of photocatalytic degradation of trichloroethylene in vapor phase on TiO₂ photocatalyst. *Chemosphere*. 36: 2763-2773.
- Wang, KS; Chiang, KY; Lin, SM; Tsai, CC; Sun, CJ. (1999). Effects of chlorides on emissions of hydrogen chloride formation in waste incineration. *Chemosphere*. 38: 1571-1582.
- Wang, KS; Chiang, KY; Lin, SM; Tsai, CC; Sun, CJ. (1999). Effects of chlorides on emissions to toxic compounds in waste incineration: Study on partitioning characteristics of heavy metal. *Chemosphere*. 38: 1833-1849.
- Wang, N; Peng, S; Chen, J-j. (2014). Steam and Air Co-injection in Removing TCE in 2D-Sand Box. *Environmental Science*. 35: 2785-2790.
- Wang, N; Szostek, B; Buck, RC; Folsom, PW; Sulecki, LM; Gannon, JT. (2009). 8-2 fluorotelomer alcohol aerobic soil biodegradation: pathways, metabolites, and metabolite yields. *Chemosphere*. 75: 1089-1096.
- Wang, Q; Jeong, SW; Choi, H. (2012). Removal of trichloroethylene DNAPL trapped in porous media using nanoscale zerovalent iron and bimetallic nanoparticles: direct observation and quantification. *J Hazard Mater*. 213-214: 299-310.
- Wang, Q; Snyder, S; Kim, J; Choi, H. (2009). Aqueous Ethanol modified Nanoscale Zerovalent Iron in Bromate Reduction: Synthesis, Characterization, and Reactivity. *Environmental Science & Technology*. 43: 3292-3299.
- Wang, QA; Qian, HJ; Yang, YP; Zhang, Z; Naman, C; Xu, XH. (2010). Reduction of hexavalent chromium by carboxymethyl cellulose-stabilized zero-valent iron nanoparticles. *J Contam Hydrol*. 114: 35-42.
- Wang, R; Zhang, L; Zhang, X; Moreno, J; Luo, X; Tondravi, M; Shi, Y. (2001). Differential regulation of the expression of CD95 ligand, receptor activator of nuclear factor-kappa B ligand (RANKL), TNF-related apoptosis-inducing ligand (TRAIL), and TNF-alpha during T cell activation. *Journal of immunology* (Baltimore, Md : 1950). 166: 1983-1990.
- Wang, RK; Shin, CH; Kim, D; Ryu, M; Park, JS. (2016). Adsorption of heavy metals and organic contaminants from aqueous stream with chemically enhanced kapok fibers. *Environ Earth Sci*. 75: 338-338.
- Wang, RS; Nakajima, T; Honma, T. (1999). Trichloroethylene inhibits aldehyde dehydrogenase only for aliphatic aldehydes of short chains in rats. *Toxicology*. 132: 9-18.
- Wang, R-S; Nakajima, T; Tsuruta, H; Honma, T. (1996). Effect of exposure to four organic solvents on hepatic cytochrome P450 isozymes in rat. *Chem Biol Interact*. 99: 239-252.
- Wang, S; Karlsson, JE; Kyrklund, T; Haglid, K. (1993). Perchloroethylene-induced reduction in glial and neuronal cell marker proteins in rat brain. *Pharmacol Toxicol*. 72: 273-278.
- Wang, SF; Wang, LY; Wang, XH; Lin, P; Liu, JR; Xin, BD; He, GP. (2012). Solute Transport Modeling Application in Groundwater Organic Contaminant Source Identification. *Environmental Science*. 33: 760-770.
- Wang, SH; Han, YT; Cao, X; Zhao, D; Yang, DZ; Chen, JW. (2016). Enhanced degradation of trichloroethylene using bentonite-supported nanoscale Fe/Ni and humic acids. *Environ Chem Lett*. 14: 237-242.
- Wang, SJ; Loh, KC. (1999). Facilitation of cometabolic degradation of 4-chlorophenol using glucose as an added growth substrate. *Biodegradation*. 10: 261-269.
- Wang, SJ; Loh, KC. (2000). New cell growth pattern on mixed substrates and substrate utilization in cometabolic transformation of 4-chlorophenol. *Water Res*. 34: 3786-3794.
- Wang, SJ; Loh, KC. (2001). Biotransformation kinetics of *Pseudomonas putida* for cometabolism of phenol and 4-chlorophenol in the presence of sodium glutamate. *Biodegradation*. 12: 189-199.
- Wang, SJ; Loh, KC; Chua, SS. (2003). Prediction of critical cell growth behavior of *Pseudomonas putida* to maximize the cometabolism of 4-chlorophenol with phenol and sodium glutamate as carbon sources. *Enzyme Microb Technol*. 32: 422-430.

Environmental Hazard Literature Search Results

Off Topic

- Wang, SK; Tsai, WC; Chou, LC; Hsieh, YC; Chen, KH; He, TM; Feng, KS; Wen, CR. (2011). Monochromatic soft-x-ray-induced reactions of CF₂Cl₂ adsorbed on Si(111)-7 × 7 studied by continuous-time photon-stimulated desorption spectroscopy near the F(1s) edge. *Journal of physics Condensed matter : an Institute of Physics journal*. 23: 435011.
- Wang, SM; Tseng, SK. (2009). Dechlorination of trichloroethylene by immobilized autotrophic hydrogen-bacteria and zero-valent iron. *J Biosci Bioeng*. 107: 287-292.
- Wang, SM; Tseng, SK. (2009). Reductive dechlorination of trichloroethylene by combining autotrophic hydrogen-bacteria and zero-valent iron particles. *Bioresour Technol*. 100: 111-117.
- Wang, SQ; He, JZ. (2013). Dechlorination of Commercial PCBs and Other Multiple Halogenated Compounds by a Sediment-Free Culture Containing Dehalococcoides and Dehalobacter. *Environmental Science & Technology*. 47: 10526-10534.
- Wang, SQ; Zhang, WJ; Yang, KL; He, JZ. (2014). Isolation and characterization of a novel Dehalobacter species strain TCP1 that reductively dechlorinates 2,4,6-trichlorophenol. *Biodegradation*. 25: 313-323.
- Wang, SY; Chen, SC; Lin, YC; Kuo, YC; Chen, JY; Kao, CM. (2016). Acidification and sulfide formation control during reductive dechlorination of 1,2-dichloroethane in groundwater: Effectiveness and mechanistic study. *Chemosphere*. 160: 216-229.
- Wang, SZ; Yang, Q. (2013). ACCLIMATION OF ANAEROBIC SLUDGE-DEGRADING 1,1-DICHLOROETHYLENE (1,1-DCE) UNDER DIFFERENT SUBSTRATE CONDITIONS AND THE BIODEGRADATION KINETICS. *Fresen Environ Bull*. 22: 3016-3023.
- Wang, SZ; Yang, Q. (2013). COMETABOLIC DEGRADATION OF 1,1-DCE WITH BENZENE AS THE PRIMARY SUBSTRATE BY AEROBIC SLUDGE. *Fresen Environ Bull*. 22: 220-227.
- Wang, SZ; Yang, Q; Bai, ZY; Wang, SD; Wang, YY; Nowak, KM. (2015). Acclimation of aerobic-activated sludge degrading benzene derivatives and co-metabolic degradation activities of trichloroethylene by benzene derivative-grown aerobic sludge. *Environ Technol*. 36: 115-123.
- Wang, T; Lenahan, R; Kanik, M. Impact of trichloroethylene contaminated groundwater discharged to the main canal and Indian River Lagoon, Vero Beach, Florida. *Bull Environ Contam Toxicol*. Apr 1985. v. 34 (4): 578-586 maps.
- Wang, T; Lenahan, R; Kanik, M; Teneyck, J. (1985). THE REMOVAL OF TRICHLOROETHYLENE CONTAMINATED GROUNDWATER AND IMPACTS OF CONTAMINANTS DISCHARGED TO THE MAIN CANAL AND INDIAN RIVER ESTUARY FLORIDA USA. International Association On Water Pollution Research And Control Environment Research Council Specialized Conference On Estuarine And Coastal Pollution: Detection, Research And Control, Plymouth, England, July. 18: 352.
- Wang, T; Moreno-Vinasco, L; Huang, Y; Lang, GD; Linares, JD; Goonewardena, SN; Grabavoy, A; Samet, JM; Geyh, AS; Breyse, PN; Lussier, YA; Natarajan, V; Garcia, JG. (2008). Murine lung responses to ambient particulate matter: genomic analysis and influence on airway hyperresponsiveness. *Environ Health Perspect*. 116: 1500-1508.
- Wang, TC; Hoffman, M; Tan, CK. (1989). DEHALOGENATION OF SELECTED HALOGENATED AQUEOUS POLLUTANTS USING NOBLE METAL CATALYSTS. 197th American Chemical Society National Meeting, Dallas, Texas, Usa, April. 197: 86.
- Wang, TC; Hoffman, ME. (1991). REMOVAL OF CONTAMINATED GROUNDWATER AND ITS IMPACT TO A RUNOFF CANAL. 201st Acs National Meeting Of The American Chemical Society, Atlanta, Georgia, Usa, April. 201: 118.
- Wang, TC; Lenahan, R; Kanik, M; Teneyck, J. (1985). THE REMOVAL OF TRICHLOROETHYLENE CONTAMINATED GROUNDWATER AT VERO-BEACH FLORIDA USA. *Arch Environ Contam Toxicol*. 14: 719-724.
- Wang, TC; Tan, CK. (1987). DEGRADATION OF HALOGENATED HYDROCARBONS WITH NATURAL SUNLIGHT IN A WATER-PHOTOLYSIS SYSTEM. 193rd American Chemical Society National Meeting, Denver, Colorado, Usa, April. 193.
- Wang, TC; Tan, CK. (1987). Photodegradation of trichloroethylene in microheterogeneous aqueous systems. *Environ Int*. 13: 359-362.
- Wang, TC; Tan, CK. (1988). ENHANCED DEGRADATION OF HALOGENATED HYDROCARBONS IN A WATER-PHOTOLYSIS SYSTEM. *Bull Environ Contam Toxicol*. 40: 60-65.
- Wang, TC; Tan, CK. (1988). REDUCTION OF CHLORINATED HYDROCARBONS WITH NATURAL SUNLIGHT IN PLATINUM-CATALYZED WATER PHOTOLYSIS SYSTEM. *Environ Sci Technol*. 22: 916-919.
- Wang, TC; Tan, CK. (1990). REDUCTION OF HALOGENATED HYDROCARBONS WITH MAGNESIUM HYDROLYSIS PROCESS. *Bull Environ Contam Toxicol*. 45: 149-156.
- Wang, W; Liszewski, M; Buchmiller, R; Cherryholmes, K. (1995). Occurrence of active and inactive herbicide ingredients at selected sites in Iowa. *Water Air And Soil Pollution*. 83: 21-35.
- Wang, W; Qu, YP; Yang, B; Liu, XY; Su, WH. (2012). Lactate oxidation in pyrite suspension: A Fenton-like process in situ generating H₂O₂. *Chemosphere*. 86: 376-382.
- Wang, W; Wang, S; Zhang, J; Hu, ZH; Zhang, XD; Sierra, JM. (2016). Degradation kinetics of pentachlorophenol and changes in anaerobic microbial community with different dosing modes of co-substrate and zero-valent iron. *International Biodeterioration & Biodegradation*. 113: 126-133.
- Wang, W; Zhou, M; Jin, Z; Li, T. (2010). Reactivity characteristics of poly(methyl methacrylate) coated nanoscale iron particles for trichloroethylene remediation. *J Hazard Mater*. 173: 724-730.
- Wang, WC. (1990). CLIMATIC EFFECTS DUE TO INCREASING ATMOSPHERIC TRACE GASES AND THEIR INDUCED OZONE CHANGES. Ilyas, M. 0: 292-301.
- Wang, WC; Shigeto, S. (2011). Infrared electroabsorption spectroscopy of N,N-dimethyl-p-nitroaniline in acetonitrile/C₂Cl₄: solvation of the solute and self-association of acetonitrile. *The journal of physical chemistry A*. 115: 4448-4456.
- Wang, WH; Hoag, GE; Collins, JB; Naidu, R. (2013). Evaluation of Surfactant-Enhanced In Situ Chemical Oxidation (S-ISCO) in Contaminated Soil. *Water Air and Soil Pollution*. 224: 1713-1713.

Environmental Hazard Literature Search Results

Off Topic

- Wang, X; Brusseau, ML. (1993). Solubilization of some low-polarity organic compounds by hydroxypropyl-beta-cyclodextrin. *Environmental Science & Technology*. 27: 2821-2825.
- Wang, X; Brusseau, ML. (1998). Effect of pyrophosphate on the dechlorination of tetrachloroethene by the fenton reaction. *Environ Toxicol Chem*. 17: 1689-1694.
- Wang, X; Harada, S; Watanabe, M; Koshikawa, H; Sato, K; Kimura, T. (1996). Determination of bioconcentration potential of tetrachloroethylene in marine algae by ¹³C. *Chemosphere*. 33: 865-877.
- Wang, X; Li, JR; Fu, ML; Yuan, BL; Cui, HJ; Wang, YF. (2015). Fabrication and evaluation of Au-Pd core-shell nanocomposites for dechlorination of diclofenac in water. *Environ Technol*. 36: 1510-1518.
- Wang, X; Quinn, PJ. (1999). Vitamin E and its function in membranes. *Progress in lipid research*. 38: 309-336.
- Wang, XM; Unger, AJA; Parker, BL. (2012). Simulating an exclusion zone for vapour intrusion of TCE from groundwater into indoor air. *J Contam Hydrol*. 140: 124-138.
- Wang, XP; Dossett, MP; Gordon, MP; Strand, SE. (2004). Fate of carbon tetrachloride during phytoremediation with poplar under controlled field conditions. *Environmental Science & Technology*. 38: 5744-5749.
- Wang, XP; Gordon, MP; Strand, SE. (2002). Mechanism of aerobic transformation of carbon tetrachloride by poplar cells. *Biodegradation*. 13: 297-305.
- Wang, Y; Fu, YX; Gu, JH; Yuan, Y; Liu, XZ; Bian, JC; Liu, ZP. (2014). Cadmium induces the differentiation of duck embryonic bone marrow cells into osteoclasts in vitro. *Vet J*. 200: 181-185.
- Wang, Y; Li, H; Song, Q; Qi, Y. The consequence of energy policies in China: A case study of the iron and steel sector. *Resources, Conservation & Recycling*. 2015.
- Wang, YJ; Xiao, M; Geng, XL; Liu, JY; Chen, J. (2007). Horizontal transfer of genetic determinants for degradation of phenol between the bacteria living in plant and its rhizosphere. *Appl Microbiol Biotechnol*. 77: 733-739.
- Wang, YM; Li, Y; Zhang, WL; Wang, Q; Wang, DW. (2015). Photocatalytic degradation and reactor modeling of 17 alpha-ethynylestradiol employing titanium dioxide-incorporated foam concrete. *Environ Sci Pollut Res Int*. 22: 3508-3517.
- Wang, YT; Zhao, XP; Wang, DW. (2006). Electrophoretic ink using urea-formaldehyde microspheres. *J Microencapsul*. 23: 762-768.
- Wang, YX; Merkel, BJ; Li, YL; Ye, H; Fu, SR; Ihm, D. (2007). Vulnerability of groundwater in Quaternary aquifers to organic contaminants: a case study in Wuhan City, China. *Environ Geol*. 53: 479-484.
- Wang, ZH; Acosta, E. (2013). Formulation design for target delivery of iron nanoparticles to TCE zones. *J Contam Hydrol*. 155: 9-19.
- Wanner, C; Zink, S; Eggenberger, U; Mader, U. (2012). Assessing the Cr(VI) reduction efficiency of a permeable reactive barrier using Cr isotope measurements and 2D reactive transport modeling. *J Contam Hydrol*. 131: 54-63.
- Wanner, P; Parker, BL; Chapman, SW; Aravena, R; Hunkeler, D. (2016). Quantification of Degradation of Chlorinated Hydrocarbons in Saturated Low Permeability Sediments Using Compound-Specific Isotope Analysis. *Environmental Science & Technology*. 50: 5622-5630.
- Ward, RS; Williams, GM; Hills, CC. (1996). Changes in major and trace components of landfill gas during subsurface migration. *Waste Management & Research*. 14: 243-261.
- Ward, S; Arthington, AH; Pusey, BJ. (1995). The effects of a chronic application of chlorpyrifos on the macroinvertebrate fauna in an outdoor artificial stream system: species responses. *Ecotoxicol Environ Saf*. 30: 2-23.
- Ward, TE; Bulmer, D; Walton, MR; Apel, WA. (1998). Development of genetically engineered bacteria for trichloroethylene degradation. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 33: 179-193.
- Ware, GW. (1991). *REVIEWS OF ENVIRONMENTAL CONTAMINATION AND TOXICOLOGY VOL. 121*. Ware, G W. 0.
- Wareham, JD. (2003). Information assets in interorganizational governance: Exploring the property rights perspective. *IEEE Trans Eng Manag*. 50: 337-351.
- Warneck, P. (2007). A review of Henry's law coefficients for chlorine-containing C1 and C2 hydrocarbons. *Chemosphere*. 69: 347-361.
- Warner, J; Bjorklund, B; Brown, D; Leahy, M; Galvin, P. (2010). Natural and Enhanced Degradation of Perchlorate and TCE in Groundwater. *Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds*.
- Warren, C; Mackay, D; Whelan, M; Fox, K. (2007). Mass balance modelling of contaminants in river basins: Application of the flexible matrix approach. *Chemosphere*. 68: 1232-1244.
- Warren, DA; Bowen, SE; Jennings, WB; Dallas, CE; Balster, RL. (2000). Biphasic effects of 1,1,1-trichloroethane on the locomotor activity of mice: relationship to blood and brain solvent concentrations. *Toxicological sciences : an official journal of the Society of Toxicology*. 56: 365-373.
- Warren, DA; Reigle, TG; Dallas, CE. (1997). Effect of single versus repeated exposure to 1,1,1-trichloroethane on rat operant behavior. *Int J Toxicol*. 16: 585-598.
- Wartenberg, D; Uchrin, C; Coogan, P. (1991). Estimating exposure using kriging: a simulation study. *Environ Health Perspect*. 94: 75-82.
- Waseem, M; Ali, M; Dogra, S; Dutta, KK; Kaw, JL. (2001). Toxicity of trichloroethylene following inhalation and drinking contaminated water. *J Appl Toxicol*. 21: 441-444.
- Washington, JW. (1996). Gas partitioning of dissolved volatile organic compounds in the vadose zone: Principles, temperature effects and literature review. *Ground Water*. 34: 709-718.
- Washington, JW; Cameron, BA. (2001). Evaluating degradation rates of chlorinated organics in groundwater using analytical models. *Environ Toxicol Chem*. 20: 1909-1915.
- Waskell, L. (1978). A study of the mutagenicity of anesthetics and their metabolites. *Mutat Res*. 57: 141-153.
- Watanabe, K. (2001). Microorganisms relevant to bioremediation. *Curr Opin Biotechnol*. 12: 237-241.

Environmental Hazard Literature Search Results

Off Topic

- Watanabe, K. (2002). Linking genetics, physiology and ecology: An interdisciplinary approach for advancing bioremediation. *J Biosci Bioeng.* 94: 557-562.
- Watanabe, K; Futamata, H; Harayama, S. (2002). Understanding the diversity in catabolic potential of microorganisms for the development of bioremediation strategies. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology.* 81: 655-663.
- Watanabe, K; Sakamoto, K; Sasaki, T. (1998). Comparisons on chemically-induced mutation among four bacterial strains, *Salmonella typhimurium* TA102 and TA2638, and *Escherichia coli* WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study II. *Mutat Res.* 412: 17-31.
- Watanabe, K; Sasaki, T; Kawakami, K. (1998). Comparisons of chemically-induced mutation among four bacterial strains, *Salmonella typhimurium* TA102 and TA2638, and *Escherichia coli* WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study III and evaluation of the usefulness of these strains. *Mutat Res.* 416: 169-181.
- Watanabe, S; Fukui, T. (1998). Effect of antioxidant on trichloroethylene-induced liver cell injury and peroxisome proliferation. *Japanese Journal of Toxicology and Environmental Health.* 44: P4-P4.
- Watanabe, S; Fukui, T. (2000). Suppressive effect of curcumin on trichloroethylene-induced oxidative stress. *J Nutr Sci Vitaminol.* 46: 230-234.
- Waters, KM; Safe, S; Gaido, KW. (2001). Differential gene expression in response to methoxychlor and estradiol through ERalpha, ERbeta, and AR in reproductive tissues of female mice. *Toxicological sciences : an official journal of the Society of Toxicology.* 63: 47-56.
- Waters, MD; Claxton, LD; Stack, HF; Brady, AL; Graedel, TE. (1990). Genetic activity profiles in the testing and evaluation of chemical mixtures. *Teratog Carcinog Mutagen.* 10: 147-164.
- Waters, RD; Crutcher, MR; Parker, FL. (1993). HAZARD RANKING SYSTEMS FOR CHEMICAL WASTES AND CHEMICAL WASTE SITES. *Saxena, J. O:* 115-170.
- Watkins, JB; Klaassen, CD. (1983). Chemically-induced alteration of UDP-glucuronic acid concentration in rat liver. *Drug metabolism and disposition: the biological fate of chemicals.* 11: 37-40.
- Watrous, WM; Plaa, GL. (1972). Effect of halogenated hydrocarbons on organic ion accumulation by renal cortical slices of rats and mice. *Toxicol Appl Pharmacol.* 22: 528-543.
- Watrous, WM; Plaa, GL. (1972). The nephrotoxicity of single and multiple doses of aliphatic chlorinated hydrocarbon solvents in male mice. *Toxicol Appl Pharmacol.* 23: 640-649.
- Watson, DB; Doll, WE; Gamey, TJ; Sheehan, JR; Jardine, PM. (2005). Plume and lithologic profiling with surface resistivity and seismic tomography. *Ground Water.* 43: 169-177.
- Watts, RJ; Bottenberg, BC; Hess, TF; Jensen, MD; Teel, AL. (1999). Role of reductants in the enhanced desorption and transformation of chloroaliphatic compounds by modified Fenton's reactions. *Environmental Science & Technology.* 33: 3432-3437.
- Watts, RJ; Stanton, PC. (1999). Mineralization of sorbed and NAPL-phase hexadecane by catalyzed hydrogen peroxide. *Water Res.* 33: 1405-1414.
- Watwood, M; Morse, M. (1994). BIOLOGICAL FATE OF CARBON DERIVED FROM MICROBIAL DEGRADATION OF TRICHLOROETHYLENE. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 441.
- Watwood, ME; Apel, WA; Lee, BD; Sukesan, S; Espinosa, AM; Walton, MR. (1995). REMOVAL OF TRICHLOROETHYLENE VAPORS IN A COMPOST PACKED BIOREACTOR. Annual Meeting Of The Ecological Society Of America On The Transdisciplinary Nature Of Ecology, Snowbird, Utah, Usa, July. 76: 279.
- Watwood, ME; Sukesan, S. (1995). Biodegradation of trichloroethylene in finished compost materials. *Compost Science & Utilization.* 3: 6-19.
- Wear, JE; Hazen, TC. (1990). DISTRIBUTION AND ABUNDANCE OF BACTERIA FROM PRISTINE AND TRICHLOROETHYLENE CONTAMINATED GROUNDWATER. 90th Annual Meeting Of The American Society For Microbiology. 90: 262.
- Wear, JE; McKinsey, PC; Franck, MM; Findley, HG; Enzien, MV; Fliermans, CB; Hazen, TC. (1993). A MOST PROBABLE NUMBER ASSAY USING BIOLOG-GN MICROTITER PLATES FOR THE STUDY OF GROUND WATER MICROBIAL COMMUNITIES. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 314.
- Wearne, SJ; Gem, MGDM; Harrison, N; Collier, PP; Fairweather, F; Fielding, M; Franklin, A; Startin, JR; Tregunno, RJ; Walton, H. (1996). Contaminants of food: Prioritisation scheme to identify manufactured organic chemicals as potential contaminants of food. *Environmental Science And Pollution Research International.* 3: 83-88.
- Weatherill, J; Krause, S; Voyce, K; Cassidy, N; Ullah, S. (2012). Evaluating the natural attenuation potential of a TCE plume at the groundwater/surface water interface of a nitrate-impacted aquifer. 2012 International Association of Hydrologists Congress (IAH 2012).
- Weatherill, J; Krause, S; Voyce, K; Drijfhout, F; Levy, A; Cassidy, N. (2014). Nested monitoring approaches to delineate groundwater trichloroethene discharge to a UK lowland stream at multiple spatial scales. *J Contam Hydrol.* 158: 38-54.
- Weathers, TS; Harding-Marjanovic, K; Higgins, CP; Alvarez-Cohen, L; Sharp, JO. (2016). Perfluoroalkyl Acids Inhibit Reductive Dechlorination of Trichloroethene by Repressing Dehalococcoides. *Environmental Science & Technology.* 50: 240-248.
- Webber, MD; Goodin, JD. (1992). THE PERSISTENCE OF VOCs PAHS PCBs AND PHTHALATES IN SLUDGE-TREATED SOIL. Joint Canadian Land Reclamation Association Society Of Soil Science Conference On Environmental Soil Science, Edmonton, Alberta, Canada, August. 72: 348.
- Webber, MD; Goodin, JD; Fowlie, PJA; Hong-You, RL; Legault, J. (1997). Persistence of volatile organic compounds in sludge treated soils. *Water Qual Res J Can.* 32: 579-597.
- Webber, MD; Pietz, RI; Granato, TC; Svoboda, ML. (1994). Plant uptake of PCBs and other organic contaminants from sludge-treated coal refuse. *J Environ Qual.* 23: 1019-1026.

Environmental Hazard Literature Search Results

Off Topic

- Weber, A; Ruhl, AS; Amos, RT. (2013). Investigating dominant processes in ZVI permeable reactive barriers using reactive transport modeling. *J Contam Hydrol.* 151: 68-82.
- Weber, E; Kleine, U; Wachter, H. (1965). Unterscheidung und Verhalten von Glykogenfraktionen in Blutplättchen. *Biochem Pharmacol.* 14: 1265-1275.
- Weber, WJ; Kim, SH; Johnson, MD. (2002). Distributed reactivity model for sorption by soils and sediments. 15. High-concentration co-contaminant effects on phenanthrene sorption and desorption. *Environmental Science & Technology.* 36: 3625-3634.
- Weber, WJ; LeBoeuf, EJ. (1999). Processes for advanced treatment of water. *Water Science and Technology.* 40: 11-19.
- Weber, WJJR; McGinley, PM; Katz, LE. (1992). DISTRIBUTED REACTIVITY IN THE SORPTION OF HYDROPHOBIC ORGANIC CONTAMINANTS IN NATURAL AQUATIC SYSTEMS. Huang, C P, C R O'Melia And J J Morgan. 0: 363-382.
- Weber, T; Brown, HS. (1993). Exposure to tetrachloroethylene via contaminated drinking water pipes in Massachusetts: a predictive model. *Arch Environ Health.* 48: 293-297.
- Webster, DM. (1986). ENCLOSED THERMAL SOIL AERATION FOR REMOVAL OF VOLATILE ORGANIC CONTAMINATION AT THE MCKIN SUPERFUND SITE GRAY MAINE USA. *J Air Pollut Control Assoc.* 36: 1156-1163.
- Webster, E; Mackay, D; Di, GA; Kane, D; Woodfine, D. (2004). Regional differences in chemical fate model outcome. *Chemosphere.* 55: 1361-1376.
- Weekers, F; Jacques, P; Springael, D; Mergeay, M; Diels, L; Thonart, P. (1999). Improving the catabolic functions of desiccation-tolerant soil bacteria. *Appl Biochem Biotechnol.* 77-9: 251-266.
- Weekers, F; Rodriguez, C; Jacques, P; Mergeay, M; Thonart, P. (2001). Dissemination of catabolic plasmids among desiccation-tolerant bacteria in soil microcosms. *Appl Biochem Biotechnol.* 91-3: 219-232.
- Weekers, F; Rodriguez, C; Jacques, P; Mergeay, M; Thonart, P. (2001). Dissemination of catabolic plasmids among desiccation-tolerant bacteria in soil microcosms. *Appl Biochem Biotechnol.* 91-93: 219-232.
- Weeks, KR; Bruell, CJ; Mohanty, NR. (2000). Use of Fenton's reagent for the degradation of TCE in aqueous systems and soil slurries. *Soil & Sediment Contamination.* 9: 331-345.
- Weeks, MH; Angerhofer, RA; Bishop, R; Thomasino, J; Pope, CR. (1979). The toxicity of hexachloroethane in laboratory animals. *Am Ind Hyg Assoc J.* 40: 187-199.
- Weerasooriya, R; Dharmasena, B. (2001). Pyrite-assisted degradation of trichloroethene (TCE). *Chemosphere.* 42: 389-396.
- Wehrmeier, A; Lenoir, D; Sidhu, SS; Taylor, PH; Rubey, WA; Kettrup, A; Dellinger, B. (1998). Role of copper species in chlorination and condensation reactions of acetylene. *Environmental Science & Technology.* 32: 2741-2748.
- Wei, JJ; Qian, YJ; Liu, WJ; Wang, LT; Ge, YJ; Zhang, JH; Yu, J; Ma, XM. (2014). Effects of particle composition and environmental parameters on catalytic hydrodechlorination of trichloroethylene by nanoscale bimetallic Ni-Fe. *J Environ Sci.* 26: 1162-1170.
- Wei, JJ; Xu, XH; Liu, Y; Wang, DH. (2006). Catalytic hydrodechlorination of 2,4-dichlorophenol over nanoscale Pd/Fe: Reaction pathway and some experimental parameters. *Water Res.* 40: 348-354.
- Wei, JJ; Xu, XH; Wang, DH. (2004). Catalytic dechlorination of o-chlorophenol by nanoscale Pd/Fe. *J Environ Sci.* 16: 621-623.
- Wei, N; Finneran, KT. (2011). Influence of Ferric Iron on Complete Dechlorination of Trichloroethylene (TCE) to Ethene: Fe(III) Reduction Does Not Always Inhibit Complete Dechlorination. *Environmental Science & Technology.* 45: 7422-7430.
- Wei, N; Finneran, KT. (2013). Low and high acetate amendments are equally as effective at promoting complete dechlorination of trichloroethylene (TCE). *Biodegradation.* 24: 413-425.
- Wei, YT; Wu, SC; Chou, CM; Che, CH; Tsai, SM; Lien, HL. (2010). Influence of nanoscale zero-valent iron on geochemical properties of groundwater and vinyl chloride degradation: A field case study. *Water Res.* 44: 131-140.
- Wei, Z; Seo, Y. (2010). Trichloroethylene (TCE) adsorption using sustainable organic mulch. *J Hazard Mater.* 181: 147-153.
- Weidhaas, J; Dupont, RR. (2013). Aerobic biotransformation of N-nitrosodimethylamine and N-nitrodimethylamine in methane and benzene amended soil columns. *J Contam Hydrol.* 150: 45-53.
- Weimann, BJ; Weiser, H. (1991). Functions of vitamin E in reproduction and in prostacyclin and immunoglobulin synthesis in rats. *The American journal of clinical nutrition.* 53: 1056S-1060S.
- Weinhold, B. (2009). A Clearer View of TCE. *Environ Health Perspect.* 117: A210-A210.
- Weir, BA; Sundstrom, DW. (1993). Destruction of trichloroethylene by UV light-catalyzed oxidation with hydrogen peroxide. *Chemosphere.* 27: 1279-1291.
- Weisburger, EK. (1977). Carcinogenicity studies on halogenated hydrocarbons. *Environ Health Perspect.* 21: 7-16.
- Weiss, A. (1996). Sources of airborne CCl₄: Critical remarks. *Environmental Science And Pollution Research International.* 3: 112-114.
- Weiss, M; Koedel, W; Kuhnen-Clausen, D; Lange, AW; Klein, W. (1987). PRIORITY SETTING OF EXISTING CHEMICALS. *International Workshop On Advances In Environmental Hazard And Risk Assessment.* 17: 1419-1444.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ.* 38: 4197-4204.
- Weissflog, L; Krueger, G; Elansky, N; Putz, E; Pfennigsdorff, A; Seyfarth, K-U; Nuchter, M; Lange, C; Kotte, K. (2003). Input of trichloroacetic acid into the vegetation of various climate zones - measurements on several continents. *Chemosphere.* 52: 443-449.
- Weissflog, L; Krueger, G; Elansky, N; Putz, E; Lange, CA; Lisitzina, L; Pfennigsdorff, A; Kotte, K. (2006). The phytotoxic effect of C(1)/C(2)-halocarbons and trichloroacetic acid on the steppe plant *Artemisia lerchiana*. *Chemosphere.* 65: 975-980.
- Weissflog, L; Krueger, G; Elansky, N; Putz, E; Pfennigsdorff, A; Seyfarth, KU; Nuchter, M; Lange, C; Kotte, K. (2003). Input of trichloroacetic acid into the vegetation of various climate zones - measurements on several continents. *Chemosphere.* 52: 443-449.

Environmental Hazard Literature Search Results

Off Topic

- Weissflog, L; Pfennigsdorff, A; Martinez-Pastur, G; Puliafito, E; Figueroa, D; Elansky, N; Nikonov, V; Putz, E; Krüger, G; Kellner, K. (2001). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres—Part I. Its formation, uptake and geographical distribution. *Atmos Environ.* 35: 4511-4521.
- Weissflog, L; Pfennigsdorff, A; Martinez-Pastur, G; Puliafito, E; Figueroa, D; Elansky, N; Nikonov, V; Putz, E; Kruger, G; Kellner, K. (2001). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part I. Its formation, uptake and geographical distribution. *Atmos Environ.* 35: 4511-4521.
- Wellert, S; Altmann, HJ; Richardt, A; Lapp, A; Falus, P; Farago, B; Hellweg, T. (2010). Dynamics of the interfacial film in bicontinuous microemulsions based on a partly ionic surfactant mixture: A neutron spin-echo study. *The European physical journal E, Soft matter.* 33: 243-250.
- Welp, G; Brummer, GW. (1999). Effects of organic pollutants on soil microbial activity: The influence of sorption, solubility, and speciation. *Ecotoxicol Environ Saf.* 43: 83-90.
- Wen, LL; Yang, Q; Zhang, ZX; Yi, YY; Tang, YN; Zhao, HP. (2016). Interaction of perchlorate and trichloroethene bioreductions in mixed anaerobic culture. *Sci Total Environ.* 571: 11-17.
- Wen, LL; Zhang, Y; Pan, YW; Wu, WQ; Meng, SH; Zhou, C; Tang, YN; Zheng, P; Zhao, HP. (2015). The roles of methanogens and acetogens in dechlorination of trichloroethene using different electron donors. *Environ Sci Pollut Res Int.* 22: 19039-19047.
- Wen, L-L; Zhang, Y; Chen, J-X; Zhang, Z-X; Yi, Y-Y; Tang, Y; Rittmann, BE; Zhao, H-P. The dechlorination of TCE by a perchlorate reducing consortium. *Chem Eng J.*
- Wen, Z; Li, H. (2014). Analysis of potential energy conservation and CO2 emissions reduction in China's non-ferrous metals industry from a technology perspective. *Int J Greenhouse Gas Control.* 28: 45-56.
- Wen, ZG; Meng, FX; Chen, M. (2014). Estimates of the potential for energy conservation and CO2 emissions mitigation based on Asian-Pacific Integrated Model (AIM): the case of the iron and steel industry in China. *J Clean Prod.* 65: 120-130.
- Wenger, JC; Le, CŠDoC; Environmental, RIUCCrijwui; Sidebottom, HW; Wirtz, K; Reviejo, MM; Franklin, JA. (2004). Photolysis of chloral under atmospheric conditions. *Environmental science & technology.* 38: 831-837.
- Wershaw, RL; Aiken, GR; Imbrigiotta, TE; Goldberg, MC. (1994). Displacement of soil pore water by trichloroethylene. *J Environ Qual.* 23: 792-798.
- Werth, C; Farrell, J; Reinhard, M. (1994). DESORPTION ISOTHERMS AND KINETICS OF TRICHLOROETHYLENE FROM LIVERMORE SEDIMENTS. 207th National Meeting Of The American Chemical Society, San Diego, California, Usa, March. 207: 86.
- Werth, CJ; Cunningham, JA; Roberts, PV; Reinhard, M. (1997). Effects of grain-scale mass transfer on the transport of volatile organics through sediments. 2. Column results. *Water Resour Res.* 33: 2727-2740.
- Werth, CJ; Hansen, KM. (2002). Modeling the effects of concentration history on the slow desorption of trichloroethene from a soil at 100% relative humidity. *J Contam Hydrol.* 54: 307-327.
- Werth, CJ; McMillan, SJ; Castilla, HJ. (2000). Structural evaluation of slow desorbing sites in model and natural solids using temperature stepped desorption profiles. 1. Model development. *Environmental Science & Technology.* 34: 2959-2965.
- Werth, CJ; Reinhard, M. Effects of temperature on trichloroethylene desorption from silica gel and natural sediments. 1. Isotherms. *Environmental science & technology.* Mar 1997. v. 31 (3): 689-696.
- Werth, CJ; Reinhard, M. Effects of temperature on trichloroethylene desorption from silica gel and natural sediments. 2. Kinetics. [Erratum: Nov 1997, v. 31 (11), p. 3339.]. *Environmental science & technology.* Mar 1997. v. 31 (3): 697-703.
- Werth, CJ; Reinhard, M. (1999). Counter diffusion of isotopically labeled trichloroethylene in silica gel and geosorbent micropores: Column results. *Environmental Science & Technology.* 33: 730-736.
- Wesseldyke, ES. (2013). Development of a 2-dimensional finite volume model to assess hydrodynamic and microbial controls on DNAPL dissolution and detoxification. *Masters Abstracts International Vol 52, no 05, 115 p 2013.*
- West, KA; Johnson, DR; Hu, P; DeSantis, TZ; Brodie, EL; Lee, PKH; Feil, H; Andersen, GL; Zinder, SH; Alvarez-Cohen, L. (2008). Comparative genomics of "Dehalococcoides ethenogenes" 195 and an enrichment culture containing unsequenced "Dehalococcoides" strains. *Appl Environ Microbiol.* 74: 3533-3540.
- West, KA; Lee, PKH; Johnson, DR; Zinder, SH; Alvarez-Cohen, L. (2013). Global gene expression of Dehalococcoides within a robust dynamic TCE-dechlorinating community under conditions of periodic substrate supply. *Biotechnol Bioeng.* 110: 1333-1341.
- West, MR; Grant, GP; Gerhard, JI; Kueper, BH. (2008). The influence of precipitate formation on the chemical oxidation of TCE DNAPL with potassium permanganate. *Advances in Water Resources.* 31, issue 2: 324-338.
- West, MR; Kueper, BH. (2012). Numerical simulation of DNAPL source zone remediation with in situ chemical oxidation (ISCO). *Advances in Water Resources.* 44: 126-139.
- West, OR; Siegrist, RL; Gierke, JS; Schmunk, SW; Lucero, AJ; Jennings, HL. (1995). In situ mixed region vapor stripping in low-permeability media. 1. Process features and laboratory experiments. *Environmental Science & Technology.* 29: 2191-2197.
- West, R; Quass, LC. (1969). Preparation of ethynylsilanes from polychloroethylenes. *J Organomet Chem.* 18: 55-67.
- Wester, PW; van der Heijden, CA; Bisschop, A; van Esch, GJ; Wegman, RCC; de Vries, T. (1985). Carcinogenicity study in rats with a mixture of eleven volatile halogenated hydrocarbon drinking water contaminants. *Sci Total Environ.* 47: 427-432.
- Westergren, I; Kjellstrand, P; Linder, LE; Johansson, BB. (1984). Reduction of brain specific gravity in mice prenatally exposed to trichloroethylene. *Toxicol Lett.* 23: 223-226.
- Westgate, AJ; Tolley, KA. (1999). Geographical differences in organochlorine contaminants in harbour porpoises *Phocoena phocoena* from the western North Atlantic. *Mar Ecol Prog Ser.* 177: 255-268.

Environmental Hazard Literature Search Results

Off Topic

- Weston, DP; You, J; Harwood, AD; Lydy, MJ. (2009). Whole sediment toxicity identification evaluation tools for pyrethroid insecticides: III. Temperature manipulation. *Environmental toxicology and chemistry / SETAC*. 28: 173-180.
- Wetterauer, B; Ricking, M; Otte, JC; Hallare, AV; Rastall, A; Erdinger, L; Schwarzbauer, J; Braunbeck, T; Hollert, H. (2012). Toxicity, dioxin-like activities, and endocrine effects of DDT metabolites--DDA, DDMU, DDMS, and DDCN. *Environmental science and pollution research international*. 19: 403-415.
- Weyens, N; Beckers, B; Schellingen, K; Ceulemans, R; Van der Lelie, D; Newman, L; Taghavi, S; Carleer, R; Vangronsveld, J. (2015). The Potential of the Ni-Resistant TCE-Degrading *Pseudomonas putida* W619-TCE to Reduce Phytotoxicity and Improve Phytoremediation Efficiency of Poplar Cuttings on a Ni-TCE Co-Contamination. *Int J Phytoremediation*. 17: 40-48.
- Weyens, N; Croes, S; Dupae, J; Newman, L; van der Lelie, D; Carleer, R; Vangronsveld, J. (2010). Endophytic bacteria improve phytoremediation of Ni and TCE co-contamination. *Environ Pollut*. 158: 2422-2427.
- Weyens, N; Dupae, J; van der Lelie, D; Newman, L; Taghavi, S; Vangronsveld, J. (2010). Endophytic bacteria strongly reduce TCE evapotranspiration during phytoremediation in the field. *J Biotechnol*. 150, Supplement: 51.
- Weyens, N; Schellingen, K; Beckers, B; Janssen, J; Ceulemans, R; van der Lelie, D; Taghavi, S; Carleer, R; Vangronsveld, J. (2013). Potential of willow and its genetically engineered associated bacteria to remediate mixed Cd and toluene contamination. *Journal of Soils and Sediments*. 13: 176-188.
- Weyens, N; Taghavi, S; Barac, T; van der Lelie, D; Boulet, J; Artois, T; Carleer, R; Vangronsveld, J. (2009). Bacteria associated with oak and ash on a TCE-contaminated site: characterization of isolates with potential to avoid evapotranspiration of TCE. *Environ Sci Pollut Res Int*. 16: 830-843.
- Weyens, N; Truyens, S; Dupae, J; Newman, L; Taghavi, S; van der Lelie, D; Carleer, R; Vangronsveld, J. (2010). Potential of the TCE-degrading endophyte *Pseudomonas putida* W619-TCE to improve plant growth and reduce TCE phytotoxicity and evapotranspiration in poplar cuttings. *Environ Pollut*. 158: 2915-2919.
- Weyens, N; Truyens, S; Saenen, E; Boulet, J; Dupae, J; Taghavi, S; van der Lelie, D; Carleer, R; Vangronsveld, J. (2011). Endophytes and Their Potential to Deal with Co-Contamination of Organic Contaminants (Toluene) and Toxic Metals (Nickel) During Phytoremediation. *Int J Phytoremediation*. 13: 244-255.
- Weyens, N; Van Der Lelie, D; Artois, T; Smeets, K; Taghavi, S; Newman, L; Carleer, R; Vangronsveld, J. (2009). Bioaugmentation with Engineered Endophytic Bacteria Improves Contaminant Fate in Phytoremediation. *Environmental Science & Technology*. 43: 9413-9418.
- Whelan, MP; Voudrias, EA; Pearce, A. (1994). DNAPL pool dissolution in saturated porous media: procedure development and preliminary results. *J Contam Hydrol*. 15: 223-237.
- Whitaker, DA; Fortmann, RC; Lindstrom, AB. (1995). Development and testing of a whole-air sampler for measurement of personal exposure to volatile organic compounds. *J Expo Anal Environ Epidemiol*. 5: 89-100.
- White, B; Wong, R; Pound, M; Block, P. (2010). In Situ Pilot-Scale Groundwater Treatment of TCE by Activated Persulfate. *Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds*.
- White, DC; Geyer, R; Peacock, AD; Hedrick, DB; Koenigsberg, SS; Sung, Y; He, J; Löffler, DDCfBATUoTKTNUSAeue. (2005). Phospholipid furan fatty acids and ubiquinone-8: lipid biomarkers that may protect dehalococoides strains from free radicals. *Appl Environ Microbiol*. 71: 8426-8433.
- White, DM; Irvine, RL. (1996). The bituminous material in Arctic peat: Implications for analyses of petroleum contamination. *J Hazard Mater*. 49: 181-196.
- White, JC. (2001). Plant-facilitated mobilization and translocation of weathered 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene (p,p'-DDE) from an agricultural soil. *Environmental toxicology and chemistry / SETAC*. 20: 2047-2052.
- White, JC; Parrish, ZD; Isleyen, M; Gent, MP; Iannucci-Berger, W; Eitzer, BD; Mattina, MI. (2005). Influence of nutrient amendments on the phytoextraction of weathered 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene by cucurbits. *Environmental toxicology and chemistry / SETAC*. 24: 987-994.
- White, JF. (1979). *ROLE OF DRUG METABOLISM IN THE CARDIOTOXICITY OF TRICHLOROETHYLENE AND HALOTHANE*. PhD Thesis, Purdue University.
- White, JF; Carlson, GP. (1981). Epinephrine-induced cardiac arrhythmias in rabbits exposed to trichloroethylene: Potentiation by ethanol. *Toxicol Appl Pharmacol*. 60: 466-471.
- White, JF; Carlson, GP. (1981). Epinephrine-induced cardiac arrhythmias in rabbits exposed to trichloroethylene: Role of trichloroethylene metabolites. *Toxicol Appl Pharmacol*. 60: 458-465.
- White, JF; Carlson, GP. (1982). Epinephrine-induced cardiac arrhythmias in rabbits exposed to trichloroethylene: potentiation by caffeine. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 2: 125-129.
- White, PA; Rasmussen, JB; Blaise, C. (1996). Sorption of organic genotoxins to particulate matter in industrial effluents. *Environ Mol Mutagen*. 27: 140-151.
- Whiting, K; Evans, PJ; Lebron, C; Henry, B; Wilson, JT; Becvar, E. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Field Survey. *Ground Water Monitoring and Remediation*. 34: 79-94.
- Whittaker, SG; Taylor, J; Van Hooser, LM. (2015). Characterization of "Hydrocarbon" Dry Cleaning in King County, Washington. *J Environ Health*. 78: 8-13.
- Whittaker, SG; Zimmermann, FK; Dicus, B; Piegorsch, WW; Resnick, MA; Fogel, S. (1990). Detection of induced mitotic chromosome loss in *Saccharomyces cerevisiae*: An interlaboratory assessment of 12 chemicals. *Mutat Res*. 241: 225-242.

Environmental Hazard Literature Search Results

Off Topic

- Whitworth, CG; Babko-Malyi, S; Battleson, DM; Olstad, SJ. (1998). Organic compound destruction and removal efficiency (DRE) for plasma incinerator off-gases using an electrically heated secondary combustion chamber. *Waste Manag.* 18: 493-502.
- Wibe, AE; Fjeld, E; Rosenqvist, G; Jenssen, BM. (2004). Postexposure effects of DDE and butylbenzylphthalate on feeding behavior in threespine stickleback. *Ecotoxicol Environ Saf.* 57: 213-219.
- Widdowson, MA. (2004). Modeling natural attenuation of chlorinated ethenes under spatially varying redox conditions. *Biodegradation.* 15: 435-451.
- Widner, TE; Ripple, SR; Buddenbaum, JE. (1996). Identification and screening evaluation of key historical materials and emission sources at the Oak Ridge Reservation. *Health Phys.* 71: 457-469.
- Wieczorek, J; Pietrzak, M; Osowski, A; Wieczorek, Z. (2010). Determination of lead, cadmium, and persistent organic pollutants in wild and orchard-farm-grown fruit in northeastern Poland. *Journal of toxicology and environmental health Part A.* 73: 1236-1243.
- Wiederkehr, P. (1991). CONTROL OF HAZARDOUS AIR POLLUTANTS IN OECD COUNTRIES A COMPARATIVE POLICY ANALYSIS. Chow, W And K K Connor. 0: 29-43.
- Wiegert, C; Mandalakis, M; Knowles, T; Polymenakou, PN; Aeppli, C; Machackova, J; Holmstrand, H; Evershed, RP; Pancost, RD; Gustafsson, O. (2013). Carbon and Chlorine Isotope Fractionation During Microbial Degradation of Tetra- and Trichloroethene. *Environmental Science & Technology.* 47: 6449-6456.
- Wikberg, JE; Hede, AR; Lindahl, M. (1985). Effect of general anaesthetics and organic solvents on alpha 1-adrenoceptors in the myometrium. *Acta Pharmacol Toxicol.* 57: 53-59.
- Wilcox, DW; Autenrieth, RL; Bonner, JS. (1991). AEROBIC BIODEGRADATION OF TRICHLOROETHYLENE BY A MIXED CULTURE. Third Annual Symposium Of The Gulf Coast Hazardous Substance Research: Bioremediation, Fundamentals And Effective Applications, Beaumont, Texas, Usa, February. 28: 187.
- Wilcox, DW; Autenrieth, RL; Bonner, JS. (1995). Propane-induced biodegradation of vapor phase trichloroethylene. *Biotechnol Bioeng.* 46: 333-342.
- Wilcox, JD; Johnson, KM. (2016). Trichloroethylene (TCE) in tree cores to complement a subsurface investigation on residential property near a former electroplating facility. *Environ Monit Assess.* 188: 587-587.
- Wild, A; Hermann, R; Leisinger, T. (1996). Isolation of an anaerobic bacterium which reductively dechlorinates tetrachloroethene and trichloroethene. *Biodegradation.* 7: 1996-1997.
- Wild, SR; Jones, KC. (1992). Organic chemicals entering agricultural soils in sewage sludges: Screening for their potential to transfer to crop plants and livestock. *Sci Total Environ.* 119: 85-119.
- Wiley, JL; Bale, AS; Balster, RL. (2003). Evaluation of toluene dependence and cross-sensitization to diazepam. *Life Sci.* 72: 3023-3033.
- Wiley, JL; Fagalde, RE; Buhler, KG; LaVecchia, KL; Balster, RL. (2002). Evaluation of 1,1,1-trichloroethane and flurothyl locomotor effects following diazepam treatment in mice. *Pharmacology Biochemistry and Behavior.* 71: 163-169.
- Wilhelm, M; Brennan, RA; Sanford, RA. (2002). Continuous steady-state method using tenax for delivering tetrachloroethene to chloro-respiring bacteria. *Toxicol Lett.* 128: 243-247.
- Wilkin, RT; Acree, SD; Ross, RR; Puls, RW; Lee, TR; Woods, LL. (2014). Fifteen-year assessment of a permeable reactive barrier for treatment of chromate and trichloroethylene in groundwater. *Sci Total Environ.* 468: 186-194.
- Williams, DT; Coburn, JA; Bancsi, JJ. (1984). Study of total organic halogen as a means to detect groundwater contamination. *Environ Int.* 10: 39-43.
- Williams, GM. (1989). THE SIGNIFICANCE OF CHEMICALLY-INDUCED HEPATOCELLULAR ALTERED FOCI IN RAT LIVER AND APPLICATION TO CARCINOGEN DETECTION. Symposium On Significance Of Foci Of Cellular Alteration In The Rat Liver, Research Triangle Park, North Carolina, Usa, May. 17: 663-674.
- Williams, GM; Mori, H; McQueen, CA. (1989). Structure-activity relationships in the rat hepatocyte DNA-repair test for 300 chemicals. *Mutat Res.* 221: 263-286.
- Williams, JB. (2002). Phytoremediation in wetland ecosystems: Progress, problems, and potential. *Critical Reviews in Plant Sciences.* 21: 607-635.
- Williams, T; Maull, R; Ellis, B. (2002). Demand chain management theory: constraints and development from global aerospace supply webs. *Journal of Operations Management.* 20: 691-706.
- Willinger, M; Rupp, E; Barbaris, B; Gao, S; Arnold, R; Betterton, E; SÅ ez, AE. (2009). Thermocatalytic destruction of gas-phase perchloroethylene using propane as a hydrogen source. *J Hazard Mater.* 167: 770-776.
- Willis, CE; Sacheti, S. (1996). Statistical evidence on the effectiveness of sewerage to protect groundwater from VOC contamination. *Environ Manage.* 20: 257-262.
- Willson, CS; Hall, JL; Miller, CT; Imhoff, PT. (1999). Factors affecting bank formation during surfactant-enhanced mobilization of residual NAPL. *Environmental Science & Technology.* 33: 2440-2446.
- Willson, CS; Pau, O; Pedit, JA; Miller, CT. (2000). Mass transfer rate limitation effects on partitioning tracer tests. *J Contam Hydrol.* 45: 79-97.
- Wilmanski, K; Van, BREEMENAN. (1990). Competitive adsorption of trichloroethylene and humic substances from groundwater on activated carbon. *Water Res.* 24: 773-780.
- Wilmer, JW; Reitz, RH; Gilbert, JR; Mattsson, JL. (1993). 1 1 1-TRICHLOROETHANE DETERMINATION OF SOLVENT CONCENTRATIONS IN RAT BRAIN FOLLOWING INHALATION EXPOSURE. Fourth Meeting Of The International Neurotoxicology Association, Helsingor, Denmark, June. 14: 547.

Environmental Hazard Literature Search Results

Off Topic

- Wilmer, JW; Spencer, PJ; Ball, N; Bus, JS. (2014). Assessment of the genotoxicity of trichloroethylene in the in vivo micronucleus assay by inhalation exposure. *Mutagenesis*. 29: 209-214.
- Wilmouth, DM; Hanisco, TF; Stimpfle, RM; Anderson, JG. (2009). Chlorine-catalyzed ozone destruction: Cl atom production from ClOOCl photolysis. *The journal of physical chemistry A*. 113: 14099-14108.
- Wilson, BH; Pogue, DW. (1987). BIOLOGICAL REMOVAL OF TRICHLOROETHYLENE FROM CONTAMINATED GROUND WATER. 194th American Chemical Society National Meeting, New Orleans, Louisiana, Usa, August. 194: 220.
- Wilson, BH; Smith, GB; Rees, JF. (1986). BIOTRANSFORMATIONS OF SELECTED ALKYL BENZENES AND HALOGENATED ALIPHATIC HYDROCARBONS IN METHANOGENIC AQUIFER MATERIAL A MICROCOSM STUDY. *Environ Sci Technol*. 20: 997-1002.
- Wilson, BH; Wilson, JT; Kampbell, DH; Sewell, GW. (1989). REDUCTIVE DECHLORINATION OF TETRACHLOROETHENE AND TRICHLOROETHENE IN FUEL SPILL PLUMES. 198th Acs. 198: 187.
- Wilson, DJ. (1997). Soil gas volatile organic compound concentration contours for locating vadose zone nonaqueous phase liquid contamination. *Environ Monit Assess*. 48: 73-100.
- Wilson, H; Zappia, C; Cestele, S; Tyler, MI; Martin-Eauclaire, MF; Gordon, D; Nicholson, GM. (1998). delta-Atracotoxins from Australian funnel-web spiders compete with scorpion alpha-toxin binding on both rat brain and insect sodium channels. *AU - LITTLE MJ. FEBS Lett*. 439: 246-252.
- Wilson, JT. (1988). DEGRADATION OF HALOGENATED HYDROCARBONS. Hollenberg, C P And H Sahn. 0: 75-78.
- Wilson, JT; Wilson, BH. (1985). Biotransformation of trichloroethylene in soil. *Appl Environ Microbiol*. 49: 242-243.
- Wilson, RD; Mackay, DM. (1995). A method for passive release of solutes from an unpumped well. *Ground Water*. 33: 936-964.
- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environmental Science & Technology*. 28: 259-266.
- Winder, B; Juhlin, R; McGee, B. (2010). Thermal Remediation of Deep TCE Contamination at a Site with High Groundwater Flow. Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds.
- Winder, C; Gonzalez-Calderon, D. (1998). USE OF EC CRITERIA FOR DETERMINING HEALTH AND ENVIRONMENTAL HAZARDS FOR CLASSIFICATION OF CHEMICALS FOR ENVIRONMENTAL RISK. *Regul Toxicol Pharmacol*. 27: 38-46.
- Winek, CL; Wahba, WW; Huston, R; Rozin, L. (1997). Fatal inhalation of 1,1,1-trichloroethane. *Forensic Sci Int*. 87: 161-165.
- Wing, MR. (1997). Apparent first-order kinetics in the transformation of 1,1,1-trichloroethane in groundwater following a transient release. *Chemosphere*. 34: 771-781.
- Winkler, J; Timmis, KN; Snyder, RA. (1995). Tracking the Response of *Burkholderia cepacia* G4 5223-PR1 in Aquifer Microcosms. *Appl Environ Microbiol*. 61: 448-455.
- Winter, M; Eberhardt, W; Scholz, C; Reichenbach, A. (2000). Failure of potassium siphoning by Muller cells: A new hypothesis of perfluorocarbon liquid-induced retinopathy. *Investigative Ophthalmology & Visual Science*. 41: 256-261.
- Winter, RB; Yen, KM; Ensley, BD. (1989). EFFICIENT DEGRADATION OF TRICHLOROETHYLENE BY A RECOMBINANT *ESCHERICHIA-COLI*. *Bio Technology*. 7: 282-285.
- Wise, MG; McArthur, JV; Shimkets, LJ. (1999). Methanotroph diversity in landfill soil: Isolation of novel type I and type II methanotrophs whose presence was suggested by culture-independent 16S ribosomal DNA analysis. *Appl Environ Microbiol*. 65: 4887-4897.
- Wise, MG; McArthur, JV; Shimkets, LJ. (2001). *Methylosarcina fibrata* gen. nov., sp nov and *Methylosarcina quisquiliarum* sp nov., novel type I methanotrophs. *Int J Syst Evol Microbiol*. 51: 611-621.
- Withey, JR; Collins, BT. (1980). Chlorinated aliphatic hydrocarbons used in the foods industry: the comparative pharmacokinetics of methylene chloride, 1,2 dichloroethane, chloroform and trichloroethylene after I.V. administration in the rat. *J Environ Pathol Toxicol*. 3: 313-332.
- Withey, JR; Collins, BT; Collins, PG. (1983). Effect of vehicle on the pharmacokinetics and uptake of four halogenated hydrocarbons from the gastrointestinal tract of the rat. *Journal of applied toxicology : JAT*. 3: 249-253.
- Withey, JR; Karpinski, K. (1985). The fetal distribution of some aliphatic chlorinated hydrocarbons in the rat after vapor phase exposure. *Biol Res Pregnancy Perinatol*. 6: 79-88.
- Withey, RJ; Hall, JW. (1975). The joint toxic action of perchloroethylene with benzene or toluene in rats. *Toxicology*. 4: 5-15.
- Witschi, H. (1999). Some notes on the history of Haber's law. *Toxicol Sci*. 50: 164-168.
- Witt, ME; Klecka, GM; Lutz, EJ; Ei, TA; Grosso, NR; Chapelle, FH. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: groundwater biogeochemistry. *J Contam Hydrol*. 57: 61-80.
- Witten, J; Jermann, E; Karaci, Skender, L; Kruslin, E. (1995). Biomarkers of exposure to organic solvents from glues used in table tennis bats. *Environ Res*. 46: 83-89.
- Wittlingerova, Z. (2000). Old environmental loads and their impacts on the quality of groundwaters and soils. *Rostl Vyroba*. 46: 119-122.
- Wittlingerova, Z; Machackova, J; Petruzalkova, A; Trapp, S; Vlk, K; Zima, J. (2013). One-year measurements of chloroethenes in tree cores and groundwater at the SAP Mimon Site, Northern Bohemia. *Environ Sci Pollut Res Int*. 20: 834-847.
- Wohlfarth, G; Diekert, G. (1997). ANAEROBIC DEHALOGENASES. *Curr Opin Biotechnol*. 8: 290-295.
- Wojnarowska, Z; Grzybowska, K; Grzybowski, A; Paluch, M; Kaminski, K; Wlodarczyk, P; Adrjanowicz, K; Pionteck, J. (2010). Study of molecular dynamics of the pharmaceutically important protic ionic liquid verapamil hydrochloride. II. Test of entropic models. *The Journal of chemical physics*. 132: 094506.
- Woldie, GA; Nuppenau, EA. (2011). A Contribution to Transaction Costs: Evidence From Banana Markets in Ethiopia. *Agribusiness*. 27: 493-508.
- Wolf, HU; Nelson, MJ; Pritchard, PH; Bourquin, AW. (1988). Preliminary development of a bench-scale treatment system for aerobic degradation of trichloroethylene. *Mutat Res*. 206: 209-216.

Environmental Hazard Literature Search Results

Off Topic

- Wolf, K. (1985). HAZARDOUS SUBSTANCES AND CANCER INCIDENCE INTRODUCTION TO THE SPECIAL ISSUE ON RISK ASSESSMENT AND RISK MANAGEMENT. *J Hazard Mater.* 10: 167-178.
- Wolf, K; Chesnutt, TW. (1987). Chlorinated solvents: Market interactions and regulation. *J Hazard Mater.* 15: 137-161.
- Wolfe, NL. (1987). ABIOTIC TRANSFORMATIONS OF TOXIC ORGANIC CHEMICALS IN THE LIQUID PHASE AND SEDIMENTS. Gerstl, Z, Et Al. 0: 136-148.
- Wolfe, NL; Macalady, DL. (1989). NEW PERSPECTIVES IN AQUATIC REDOX CHEMISTRY ABIOTIC TRANSFORMATIONS OF POLLUTANTS IN GROUNDWATER AND SEDIMENTS. Symposium At Pacifichem '89 On Chemical Mediation Of Pollutant Transport In Aqueous Systems, Honolulu, Hawaii, Usa, December. 9: 17-34.
- Wolska, L; Olszewska, C; Turska, M; Zygmunt, B; Namiesnik, J. (1998). Volatile and semivolatile organo-halogen trace analysis in surface water by direct aqueous injection GC-ECD. *Chemosphere.* 37: 2645-2651.
- Wolska, L; Zygmunt, B; Namie; nik, J. (2003). Organic pollutants in the Odra river ecosystem. *Chemosphere.* 53: 561-569.
- Wong, CK; Ooi, VEC; Wong, CK. (2003). Protective effects of N-acetylcysteine against carbon tetrachloride- and trichloroethylene-induced poisoning in rats. *Environ Toxicol Pharmacol.* 14: 109-116.
- Wong, CP; Shi, SHH; Jefferson, G. (1998). High performance no-flow underfills for low-cost flip-chip applications: Material characterization. *Ieee Transactions on Components Packaging and Manufacturing Technology Part A.* 21: 450-458.
- Wong, CP; Vincent, MB; Shi, S. (1998). Fast-flow underfill encapsulant: Flow rate and coefficient of thermal expansion. *Ieee Transactions on Components Packaging and Manufacturing Technology Part A.* 21: 360-364.
- Wong, CP; Wong, MM. (1999). Recent advances in plastic packaging of flip-chip and multichip modules (MCM) of microelectronics. *IEEE Trans Compon Packag Tech.* 22: 21-25.
- Wong, MS; Alvarez, PJJ; Fang, YI; Akcin, N; Nutt, MO; Miller, JT; Heck, KN. (2009). Cleaner water using bimetallic nanoparticle catalysts. *J Chem Tech Biotechnol.* 84: 158-166.
- Wong, YK; Holland, SI; Ertan, H; Manefield, M; Lee, M. (2016). Isolation and characterization of *Dehalobacter* sp. strain UNSWDHB capable of chloroform and chlorinated ethane respiration. *Environ Microbiol.* 18: 3092-3105.
- Woo, H; Sanseverino, J; Cox, CD; Robinson, KG. (1998). THE MEASURE OF TOLUENE DIOXYGENASE ACTIVITY OF WHOLE-CELL IN SUSPENDED AND IMMOBILIZED CELLS. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 456.
- Woo, HJ; Sanseverino, J; Cox, CD; Robinson, KG; Saylor, GS. (2000). The measurement of toluene dioxygenase activity in biofilm culture of *Pseudomonas putida* F1. *J Microbiol Methods.* 40: 181-191.
- Woo, KY; Kim, KH; Kim, TG. (2016). Performance of InGaN/AlGaN Near-UV LEDs With Ni/Ga₂O₃/Ag/Ga₂O₃ Electrode. *Ieee Photonics Technology Letters.* 28: 67-70.
- Woo, NC; Hyun, SG; Park, WW; Lee, ES; Schwartz, FW. (2009). Characteristics of permanganate oxidation of TCE at low reagent concentrations. *Environ Technol.* 30: 1337-1342.
- Woo, OF; Healey, KM; Sheppard, D; Tong, TG. (1983). Chest pain and hypoxemia from inhalation of a trichloroethane aerosol product. *Journal of toxicology Clinical toxicology.* 20: 333-341.
- Wood, PR; Demarco, J. (1979). TREATMENT OF GROUND WATER WITH GRANULAR ACTIVATED CARBON. Meeting On Adsorption Techniques In Drinking Water Treatment Held At The North Atlantic Treaty Organization'S Committee On The Challenges Of Modern Society Symposium, Reston, Virginia, Usa, April. 7: 241-258.
- Wood, TK. (2002). Active expression of soluble methane monooxygenase from *Methylosinus trichosporium* OB3b in heterologous hosts. *Microbiology-Sgm.* 148: 3328-3329.
- Wood, TK; Barbieri, P; Chauhan, S. (1998). OXIDATION OF TCE 1 1-DCE AND CHLOROFORM BY TOLUENE-O-XYLENE-MONOOXYGENASE FROM *PSEUDOMONAS STUTZERI* OX1. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 450.
- Woodard, SH; Moslen, MT. (1998). Decreased biliary secretion of proteins and phospholipids by rats with 1,1-dichloroethylene-induced bile canalicular injury. *Toxicol Appl Pharmacol.* 152: 295-301.
- Woodfine, D; MacLeod, M; Mackay, D. (2002). A regionally segmented national scale multimedia contaminant fate model for Canada with GIS data input and display. *Environ Pollut.* 119: 341-355.
- Woodward, CJ; Trayhurn, P; James, WP. (1976). The rapid determination of carcass fat by the Foss-Let specific gravity technique. *The British journal of nutrition.* 36: 567-570.
- Wooley, RE; Jones, MS. (1983). Action of EDTA-Tris and antimicrobial agent combinations on selected pathogenic bacteria. *Vet Microbiol.* 8: 271-280.
- Work, PARTYCHEMCONTAMINANT. (1984). GREAT BRITAIN MINISTRY OF AGRICULTURE FISHERIES AND FOOD FOOD SURVEILLANCE PAPER NO. 26. MIGRATION OF SUBSTANCES FROM FOOD CONTACT MATERIALS INTO FOOD THE TWENTY-SIXTH REPORT OF THE STEERING GROUP ON FOOD SURVEILLANCE PROGRESS REPORT OF THE WORKING PARTY ON CHEMICAL CONTAMINANTS FROM FOOD CONTACT MATERIALS FOR 1984 TO 1988. Working Party On Chemical Contaminants From Food Contact Materials Great Britain Ministry Of Agriculture, Fisheries And Food Food Surveillance Paper, No. 0.
- Wright, CL; Sanseverino, J; Robinson, KG; Cox, CD; Saylor, GS. (1998). COMETABOLIC BIOFILTRATION OF GAS PHASE TRICHLOROETHYLENE IN A PACKED BED REACTOR BY *PSEUDOMONAS PUTIDA* TVA8. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 451.
- Wright, DA; Sandler, SI; Devoll, D. (1992). Infinite dilution activity coefficients and solubilities of halogenated hydrocarbons in water at ambient temperatures. *Environ Sci Technol.* 26: 1828-1831.
- Wright, PB; Moore, L. (1991). Potentiation of the toxicity of model hepatotoxicants by acetaminophen. *Toxicol Appl Pharmacol.* 109: 327-335.

Environmental Hazard Literature Search Results

Off Topic

- Wright, PFA; Thomas, WD; Stacey, NH. (1991). Effects of trichloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicology*. 70: 231-242.
- Wu, AM; Wu, JH; Liu, JH; Chen, YY; Singha, B; Chow, LP; Lin, JY. (2009). Roles of mammalian structural units, ligand cluster and polyvalency in the *Abrus precatorius* agglutinin and glycoprotein recognition process. *Molecular immunology*. 46: 3427-3437.
- Wu, CD; Wang, L; Hu, CX; He, MH. (2013). Single-solute and bisolute sorption of phenol and trichloroethylene from aqueous solution onto modified montmorillonite and application of sorption models. *Water Science and Technology*. 67: 152-158.
- Wu, CH; Hwang, YC; Lee, W; Mulchandani, A; Wood, TK; Yates, MV; Chen, W. (2008). Detection of recombinant *Pseudomonas putida* in the wheat rhizosphere by fluorescence in situ hybridization targeting mRNA and rRNA. *Appl Microbiol Biotechnol*. 79: 511-518.
- Wu, CH; Wood, TK; Mulchandani, A; Chen, W. (2006). Engineering plant-microbe symbiosis for rhizoremediation of heavy metals. *Appl Environ Microbiol*. 72: 1129-1134.
- Wu, DL; Wang, Z; Wang, HW; Fan, JH; Ma, LM. (2009). EFFECT OF Cu ON THE REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN WATER BY SCRAP-IRON. *Fresen Environ Bull*. 18: 423-428.
- Wu, F; Khan, S; Wu, Q; Barhoumi, R; Burghardt, R; Safe, S. (2008). Ligand structure-dependent activation of estrogen receptor alpha/Sp by estrogens and xenoestrogens. *The Journal of steroid biochemistry and molecular biology*. 110: 104-115.
- Wu, KL; Berger, T. (2007). Trichloroethylene metabolism in the rat ovary reduces oocyte fertilizability. *Chem Biol Interact*. 170: 20-30.
- Wu, KL; Berger, T. (2008). Reduction in rat oocyte fertilizability mediated by S-(1, 2-dichlorovinyl)-L-cysteine: A trichloroethylene metabolite produced by the glutathione conjugation pathway. *Bull Environ Contam Toxicol*. 81: 490-493.
- Wu, LF; Ritchie, SMC. (2006). Removal of trichloroethylene from water by cellulose acetate supported bimetallic Ni/Fe nanoparticles. *Chemosphere*. 63: 285-292.
- Wu, LM; Liao, LB; Lv, GC; Qin, FX. (2015). Stability and pH-independence of nano-zero-valent iron intercalated montmorillonite and its application on Cr(VI) removal. *J Contam Hydrol*. 179: 1-9.
- Wu, MY; Smits, KM; Goltz, MN; Christ, JA. (2008). A Screening Model for Injection-Extraction Treatment Well Recirculation System Design. *Ground Water Monitoring and Remediation*. 28: 63-71.
- Wu, MZ; Reynolds, DA; Fourie, A; Prommer, H; Thomas, DG. (2012). Electrokinetic in situ oxidation remediation: assessment of parameter sensitivities and the influence of aquifer heterogeneity on remediation efficiency. *J Contam Hydrol*. 136-137: 72-85.
- Wu, SJ; Hu, ZH; Zhang, LL; Yu, X; Chen, JM. (2009). A novel dichloromethane-degrading *Lysinibacillus sphaericus* strain wh22 and its degradative plasmid. *Appl Microbiol Biotechnol*. 82: 731-740.
- Wu, SJ; Yu, X; Hu, ZH; Zhang, LL; Chen, JM. (2009). Optimizing aerobic biodegradation of dichloromethane using response surface methodology. *J Environ Sci*. 21: 1276-1283.
- Wu, WJ; Delshad, M; Oolman, T; Pope, GA. (2000). Remedial options for creosote-contaminated sites. *Ground Water Monitoring and Remediation*. 20: 78-86.
- Wu, WM; Carley, J; Fienen, M; Mehlhorn, T; Lowe, K; Nyman, J; Luo, J; Gentile, ME; Rajan, R; Wagner, D; Hickey, RF; Gu, BH; Watson, D; Cirpka, OA; Kitanidis, PK; Jardine, PM; Criddle, CS. (2006). Pilot-scale in situ bioremediation of uranium in a highly contaminated aquifer. 1. Conditioning of a treatment zone. *Environmental Science & Technology*. 40: 3978-3985.
- Wu, WM; Kitagawa, M; Taniguchi, S; Jain, MK. (1998). Anaerobic dechlorination of perchloroethylene (PCE) in soil by a dechlorinating microbial consortium. *Journal of Fermentation and Bioengineering*. 86: 588-594.
- Wu, WM; Krzewinski, J; Wagner, D; Hickey, RF. (1993). FACTORS INFLUENCING DEVELOPMENT OF METHANOTROPHIC BIOFILMS FOR DEGRADATION OF TRICHLOROETHYLENE TCE. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 378.
- Wu, WM; Nye, J; Bhatnagar, L; Hickey, RF. (1994). REDUCTIVE DECHLORINATION OF CHLORINATED ALKENES TO ETHYLENE BY ANAEROBIC GRANULAR MICROBIAL CONSORTIA. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 440.
- Wu, WM; Nye, J; Jain, MK. (1995). COMPETITION BETWEEN METHANOGENESIS AND DECHLORINATION OF TRICHLOROETHYLENE TCE TO ETHYLENE BY AN ANAEROBIC MICROBIAL CONSORTIUM. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 414.
- Wu, WM; Nye, J; Jain, MK; Hickey, RF. (1998). Anaerobic dechlorination of trichloroethylene (TCE) to ethylene using complex organic materials. *Water Res*. 32: 1445-1454.
- Wu, WM; Shi, J; Hickey, RF. (2008). Long-term performance of co-metabolic degradation of trichloroethylene in a fluidized bed reactor fed with benzene, toluene and xylene. *J Chem Tech Biotechnol*. 83: 513-523.
- Wu, WM; Shi, J; Wagner, D; Hickey, RF. (1996). BIODEGRADATION OF TCE DCES AND VINYL CHLORIDE USING BTX-DEGRADING BIOFILM OF FLUIDIZED BED REACTOR. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 410.
- Wu, X; Gent, DB; Davis, JL; Alshawabkeh, AN. (2012). Lactate injection by electric currents for bioremediation of tetrachloroethylene in clay. *Electrochim Acta*. 86: 157-163.
- Wu, X; Gu, X; Lu, S; Xu, M; Zang, X; Miao, Z; Qiu, Z; Sui, Q. (2014). Degradation of trichloroethylene in aqueous solution by persulfate activated with citric acid chelated ferrous ion. *Chem Eng J*. 255: 585-592.
- Wu, XF; Fan, JJ; Ouyang, ZJ; Ning, R; Guo, WJ; Shen, Y; Wu, XD; Sun, Y; Xu, Q. (2014). *Tupistra chinensis* extract attenuates murine fulminant hepatitis with multiple targets against activated T lymphocytes. *J Pharm Pharmacol*. 66: 453-465.
- Wu, XH; Shan, Z; Lu, XH. (2003). Study on the ultrasonic degradation of black liquor. *Fresen Environ Bull*. 12: 1083-1086.

Environmental Hazard Literature Search Results

Off Topic

- Wu, XL; Lu, SG; Qiu, ZF; Sui, Q; Lin, KF; Du, XM; Luo, QS. (2014). The reductive degradation of 1,1,1-trichloroethane by Fe(0) in a soil slurry system. *Environ Sci Pollut Res Int.* 21: 1401-1410.
- Wu, Y; Lin, YF. (2002). High temperature oxidation of C₂Cl₄/CH₄ mixtures. *J Hazard Mater.* 91: 239-256.
- Wu, Y; Shi, J; Zheng, GJ; Li, P; Liang, B; Chen, T; Wu, Y; Liu, W. (2013). Evaluation of organochlorine contamination in Indo-Pacific humpback dolphins (*Sousa chinensis*) from the Pearl River Estuary, China. *The Science of the total environment.* 444: 423-429.
- Wu, YN; Wu, PC; Yang, LX; Ratinac, KR; Thordarson, P; Jahn, KA; Chen, DH; Shieh, DB; Braet, F. (2013). The anticancer properties of iron core-gold shell nanoparticles in colorectal cancer cells. *Int J Nanomedicine.* 8: 3321-3331.
- Wu, YPG; Bozzelli, JW. (1993). PYROLYSIS AND OXIDATION OF 1 1 1-TRICHLOROETHANE IN METHANE-OXYGEN-ARGON. *Hazardous Waste & Hazardous Materials.* 10: 381-395.
- Wu, Z; Xu, J. (2013). Predicting and optimization of energy consumption using system dynamics-fuzzy multiple objective programming in world heritage areas. *Energy.* 49: 19-31.
- Wuebbles, DJ. (1993). GLOBAL CLIMATE CHANGE DUE TO RADIATIVELY ACTIVE GASES. Hewitt, C N And W T Sturges. 0: 53-92.
- Wust, WF; Kober, R; Schlicker, O; Dahmke, A. (1999). Combined zero- and first-order kinetic model of the degradation of TCE and cis-DCE with commercial iron. *Environmental Science & Technology.* 33: 4304-4309.
- Wycisk, P; Neumann, C; Gossel, W. (2005). Flooding induced effects from the mining Lake Goitzsche on groundwater and land-use in the Bitterfeld area. *Acta Hydrochim Hydrobiol.* 33: 507-518.
- Xia, L; Yu, T. (1992). Study of the relationship between the hepatotoxicity and free radical induced by 1,1,2-trichloroethane and 1,1,1-trichloroethane in rat. *Biomedical and environmental sciences : BES.* 5: 303-313.
- Xiang, H; Shi, J; Zhang, Q; Lu, F. (2011). Removal of Trichloroethylene and Tetrachloroethylene in Water by Aeration Stripping Process. *Water Purification Technology.* 30: 151-154.
- Xiao, G; Xu, WP; Wu, RB; Ni, MJ; Du, CM; Gao, X; Luo, ZY; Cen, KF. (2014). Non-Thermal Plasmas for VOCs Abatement. *Plasma Chemistry and Plasma Processing.* 34: 1033-1065.
- Xiao, H; Wei, Q; Wang, H. (2014). Marginal abatement cost and carbon reduction potential outlook of key energy efficiency technologies in China's building sector to 2030. *Energy Policy.* 69: 92-105.
- Xiao, R. (2014). Development and evaluation of an enrichment culture for reductive dechlorination of tetrachloroethene under low pH conditions (Perchloroethene, pH, Reductive dechlorination, PERCHLOROETHENE, PH, REDUCTIVE DECHLORINATION, DEVELOPMENT, EVALUATION, ENRICHMENT, CULTURE, REDUCTIVE, DECHLORINATION, TETRACHLOROETHENE, UNDER, LOW, CONDITIONS). *Masters Abstracts International Vol 53, no 06, 126 p 2014.*
- Xiao, S; Moresoli, C; Burczyk, A; Pintauro, P; De Kee, D. (1999). Transport of organic contaminants in geomembranes under stress. *Journal of Environmental Engineering-Asce.* 125: 647-652.
- Xiao, X; Sheng, GP; Mu, Y; Yu, HQ. (2013). A modeling approach to describe ZVI-based anaerobic system. *Water Res.* 47: 6007-6013.
- Xie, F; Lu, QH; de Toledo, RA; Shim, HJ. (2016). Enhanced simultaneous removal of MTBE and TCE mixture by *Paracoccus* sp immobilized on waste silica gel. *International Biodeterioration & Biodegradation.* 114: 222-227.
- Xie, HJ; Jiang, YS; Zhang, CH; Feng, SJ; Qiu, ZH. (2015). Steady-state analytical models for performance assessment of landfill composite liners. *Environ Sci Pollut Res Int.* 22: 12198-12214.
- Xie, M; Simpson, DG; Carroll, RJ. (2000). Random effects in censored ordinal regression: latent structure and Bayesian approach. *Biometrics.* 56: 376-383.
- Xie, SW; Yuan, SH; Liao, P; Jia, MQ; Wang, Y. (2015). Pd-catalytic hydrodechlorination of chlorinated hydrocarbons in groundwater using H-2 produced by a dual-anode system. *Water Res.* 86: 74-81.
- Xie, W; Yuan, S; Mao, X; Hu, W; Liao, P; Tong, M; Alshawabkeh, AN. (2013). Electrocatalytic activity of Pd-loaded Ti/TiO₂, nanotubes cathode for TCE reduction in groundwater. *Water Res.* 47: 3573-3582.
- Xie, WJ; Yuan, SH; Mao, XH; Hu, W; Liao, P; Tong, M; Alshaulabkeh, AN. (2013). Electrocatalytic activity of Pd-loaded Ti/TiO₂ nanotubes cathode for TCE reduction in groundwater. *Water Res.* 47: 3573-3582.
- Xie, Y; Cwiertny, DM. (2010). Use of Dithionite to Extend the Reactive Lifetime of Nanoscale Zero-Valent Iron Treatment Systems. *Environmental Science & Technology.* 44: 8649-8655.
- Xie, Y; Cwiertny, DM. (2012). Influence of Anionic Cosolutes and pH on Nanoscale Zerovalent Iron Longevity: Time Scales and Mechanisms of Reactivity Loss toward 1,1,1,2-Tetrachloroethane and Cr(VI). *Environmental Science & Technology.* 46: 8365-8373.
- Xie, Y; Cwiertny, DM. (2013). Chlorinated Solvent Transformation by Palladized Zerovalent Iron: Mechanistic Insights from Reductant Loading Studies and Solvent Kinetic Isotope Effects. *Environmental Science & Technology.* 47: 7940-7948.
- Xin, G; Zhang, GY; Kang, JW; Staley, JT; Doty, SL. (2009). A diazotrophic, indole-3-acetic acid-producing endophyte from wild cottonwood. *Biol Fertil Soils.* 45: 669-674.
- Xin, J; Han, J; Zheng, XL; Shao, HB; Kolditz, O. (2015). Mechanism insights into enhanced trichloroethylene removal using xanthan gum-modified microscale zero-valent iron particles. *J Environ Manage.* 150: 420-426.
- Xin, J; Tang, FL; Zheng, XL; Shao, H; Kolditz, O; Lu, X. (2016). Distinct kinetics and mechanisms of mZVI particles aging in saline and fresh groundwater: H-2 evolution and surface passivation. *Water Res.* 100: 80-87.
- Xin, J; Zheng, X; Han, J; Shao, H; Kolditz, O. (2015). Remediation of trichloroethylene by xanthan gum-coated microscale zero valent iron (XG-mZVI) in groundwater: Effects of geochemical constituents. *Chem Eng J.* 271: 164-172.
- Xin, JY; Zhang, YX; Zhang, S; Xia, CG; Li, SB. (2007). Methanol production from CO(2) by resting cells of the methanotrophic bacterium *Methylosinus trichosporium* IMV 3011. *J Basic Microbiol.* 47: 426-435.

Environmental Hazard Literature Search Results

Off Topic

- Xing, B; Pignatello, JJ; Gigliotti, B. (1996). Competitive sorption between atrazine and other organic compounds in soils and model sorbents. *Environmental Science & Technology*. 30: 2432-2440.
- Xing, BS. (2000). Processing environmental samples containing organic chemicals using polymeric microfilters. *J Environ Qual*. 29: 221-224.
- Xing, XH; Wu, H; Luo, MF; Wang, BP. (2006). Effects of organic chemicals on growth of *Methylosinus trichosporium* OB3b. *Biochem Eng J*. 31: 113-117.
- Xiong, HX; Zhou, QX. (2012). Cellular and molecular damage of *Phanerochaete chrysosporium* by the oxidation hair dyes. *Environ Sci Pollut Res Int*. 19: 2172-2178.
- Xiong, JC; Lock, H; Chuang, IS; Keeler, C; Maciel, GE. (1999). Local motions of organic pollutants in soil components, as studied by ²H NMR. *Environmental Science & Technology*. 33: 2224-2233.
- Xiong, X; Wang, A; Liu, G; Liu, H; Wang, C; Xia, T; Chen, X; Yang, K. (2006). Effects of p,p'-dichlorodiphenyldichloroethylene on the expressions of transferrin and androgen-binding protein in rat Sertoli cells. *Environ Res*. 101: 334-339.
- Xiong, Z; Zhao, DY; Pan, G. (2007). Rapid and complete destruction of perchlorate in water and ion-exchange brine using stabilized zero-valent iron nanoparticles. *Water Res*. 41: 3497-3505.
- Xiu, ZM; Gregory, KB; Lowry, GV; Alvarez, PJJ. (2010). Effect of Bare and Coated Nanoscale Zerovalent Iron on tceA and vcrA Gene Expression in *Dehalococcoides* spp. *Environmental Science & Technology*. 44: 7647-7651.
- Xiu, ZM; Jin, ZH; Li, TL; Mahendra, S; Lowry, GV; Alvarez, PJJ. (2010). Effects of nano-scale zero-valent iron particles on a mixed culture dechlorinating trichloroethylene. *Bioresour Technol*. 101: 1141-1146.
- Xu, J. (2010). Monitoring Made Simple. *Water Quality Products*. 15: 14-15.
- Xu, JP; Lai, PT; Wu, HP; Chan, CL. (2005). Effects of chlorine on interfacial properties and reliability of SiO₂ grown on 6H-SiC. *Applied Physics a-Materials Science & Processing*. 81: 173-176.
- Xu, N; Sewell, GW. (1996). MICROBIAL DECHLORINATION OF TETRACHLOROETHENE UNDER ANAEROBIC ENVIRONMENT. 212th American Chemical Society National Meeting, Orlando, Florida, Usa, August. 212: 48.
- Xu, S; Nirmalakhandan, N. (1998). Use of QSAR models in predicting joint effects in multi-component mixtures of organic chemicals. *Water Res*. 32: 2391-2399.
- Xu, WY; Gao, TY. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci*. 19: 792-799.
- Xu, XDP; Kushner, MJ. (1998). Ion composition of expanding microdischarges in dielectric barrier discharges. *Journal of Applied Physics*. 83: 7522-7532.
- Xu, XH; Zhou, HY; Wang, DH. (2005). Structure relationship for catalytic dechlorination rate of dichlorobenzenes in water. *Chemosphere*. 58: 1497-1502.
- Xu, XR; Li, HB; Wang, WH; Gu, JD. (2005). Decolorization of dyes and textile wastewater by potassium permanganate. *Chemosphere*. 59: 893-898.
- Xu, XY; Thomson, NR. (2009). A long-term bench-scale investigation of permanganate consumption by aquifer materials. *J Contam Hydrol*. 110: 73-86.
- Xu, XY; Thomson, NR. (2010). Hydrogen Peroxide Persistence in the Presence of Aquifer Materials. *Soil & Sediment Contamination*. 19: 602-616.
- Xu, Y; Ge, J; Tian, S; Li, S; Nguy-Robertson, AL; Zhan, M; Cao, C. (2015). Effects of water-saving irrigation practices and drought resistant rice variety on greenhouse gas emissions from a no-till paddy in the central lowlands of China. *The Science of the total environment*. 505: 1043-1052.
- Xu, Y; He, Y; Zhang, Q; Xu, JM; Crowley, D. (2015). Coupling between Pentachlorophenol Dechlorination and Soil Redox As Revealed by Stable Carbon Isotope, Microbial Community Structure, and Biogeochemical Data. *Environmental Science & Technology*. 49: 5425-5433.
- Xue, F; Li, H; Delker, SL; Fang, J; MartÅ sek, DDoC; Biochemistry, CfMI; Drug, DoLPINUSREIUSA; Roman, LJ; Poulos, TL; Silverman, RB. (2010). Potent, highly selective, and orally bioavailable gem-difluorinated monocationic inhibitors of neuronal nitric oxide synthase. *J Am Chem Soc*. 132: 14229-14238.
- Yabusaki, S; Cantrell, K; Sass, B; Steefel, C. (2001). Multicomponent reactive transport in an in situ zero-valent iron cell. *Environmental Science & Technology*. 35: 1493-1503.
- Yager, RM; Bilotta, SE; Mann, CL; Madsen, EL. (1997). Metabolic adaptation and in situ attenuation of chlorinated ethenes by naturally occurring microorganisms in a fractured dolomite aquifer near Niagara Falls, New York. *Environmental Science & Technology*. 31: 3138-3147.
- Yagi, O; Hashimoto, A; Iwasaki, K; Nakajima, M. (1999). Aerobic degradation of 1,1,1-trichloroethane by *Mycobacterium* spp. isolated from soil. *Appl Environ Microbiol*. 65: 4693-4696.
- Yagi, O; Uchiyama, H; Iwasaki, K. Biodegradation rate of chloroethylene in soil environment. *Water science and technology : a journal of the International Association on Water Pollution Research*. 1992. v. 25 (11): 419-424.
- Yaguchi, K; Suzuki, T; Hirata, I; Itoh, T; Hamada, A. (1994). Tetrachloroethylene degradation by culture supernatant of the anaerobic bacterium, strain T. *Japanese Journal Of Toxicology And Environmental Health*. 40: 252-258.
- Yale, M; Keen, C; Bell, NA; Drew, PKP; Cooke, M. (1995). THE HYDRODECHLORINATION OF CHLOROAROMATIC AND UNSATURATED CHLOROALIPHATIC COMPOUNDS USING A NICKEL BORIDE REAGENT. *Applied Organometallic Chemistry*. 9: 297-303.
- Yalkowsky, SH; Mishra, DS. (1990). VAPOR PRESSURE ESTIMATION FOR ORGANIC COMPOUNDS. Fourth International Workshop On Qsar. 110: 243-250.
- Yamada, T; Kunimatsu, T; Miyata, K; Yabushita, S; Sukata, T; Kawamura, S; Seki, T; Okuno, Y; Mikami, N. (2004). Enhanced rat Hershberger assay appears reliable for detection of not only (anti-)androgenic chemicals but also thyroid hormone modulators. *Toxicological sciences : an official journal of the Society of Toxicology*. 79: 64-74.

Environmental Hazard Literature Search Results

Off Topic

- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut.* 95: 135-143.
- Yamamoto, K; Fukushima, M; Kakutani, N; Tsuruho, K. (2001). Contamination of vinyl chloride in shallow urban rivers in Osaka, Japan. *Water Res.* 35: 561-566.
- Yamamoto, K; Fukushima, M; Kuroda, K. (1991). TOTAL ORGANIC HALOGEN CHEMICAL POLLUTION PARAMETER IN URBAN RIVER WATERS. Meeting On Hazard Assessment And Control Of Environmental Contaminants In Water Held At The 1st lawprc. 25: 25-32.
- Yamamoto, S; Morita, M; Izumiya, H; Watanabe, H. (2010). Chitin disaccharide (GlcNAc)(2) induces natural competence in *Vibrio cholerae* through transcriptional and translational activation of a positive regulatory gene *tfxX(VC)*. *Gene.* 457: 42-49.
- Yamamoto, T. (1999). Optimization of nonthermal plasma for the treatment of gas streams. *J Hazard Mater.* 67: 165-181.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on a molecular sieve 13X. *Environmental Science & Technology.* 35: 2122-2127.
- Yamasaki, S; Nomura, N; Nakajima, T; Uchiyama, H. (2012). Cultivation-Independent Identification of Candidate Dehalorespiring Bacteria in Tetrachloroethylene Degradation. *Environmental Science & Technology.* 46: 7709-7716.
- Yamasaki, T; Oki, N; Okuno, T. (1991). CYCLE OF HALOCARBONS IN THE AIR-WATER PHASE. Meeting On Hazard Assessment And Control Of Environmental Contaminants In Water Held At The 1st lawprc. 25: 33-39.
- Yamazaki, H; Yamaguchi, T; Yamauchi, A; Kakiuchi, Y. (1992). Effect of halocarbons and styrene on thrombin and calcium ionophore induced activation of rabbit platelets. *Chemosphere.* 25: 665-673.
- Yamazaki, S; Matsunaga, S; Hori, K. (2001). Photocatalytic degradation of trichloroethylene in water using TiO₂(2) pellets. *Water Res.* 35: 1022-1028.
- Yamazoe, Y; Shimada, M; Murayama, N; Yamauchi, K; Kato, R. (1988). Alteration of hepatic drug metabolizing activities and contents of cytochrome P-450 isozymes by neonatal monosodium glutamate treatment. *Biochem Pharmacol.* 37: 1687-1691.
- Yan, J; Im, J; Yang, Y; Loffler, FE. (2013). Guided cobalamin biosynthesis supports *Dehalococcoides mccartyi* reductive dechlorination activity. *Philosophical Transactions of the Royal Society B-Biological Sciences.* 368: 20320-20320.
- Yan, J; Rash, BA; Rainey, FA; Moe, WM. (2009). Detection and Quantification of *Dehalogenimonas* and "*Dehalococcoides*" Populations via PCR-Based Protocols Targeting 16S rRNA Genes. *Appl Environ Microbiol.* 75: 7560-7564.
- Yan, J; Rash, BA; Rainey, FA; Moe, WM. (2009). Isolation of novel bacteria within the *Chloroflexi* capable of reductive dechlorination of 1,2,3-trichloropropane. *Environ Microbiol.* 11: 833-843.
- Yan, J; Ritalahti, KM; Wagner, DD; Loffler, FE. (2012). Unexpected Specificity of Interspecies Cobamide Transfer from *Geobacter* spp. to *Organohalide-Respiring Dehalococcoides mccartyi* Strains. *Appl Environ Microbiol.* 78: 6630-6636.
- Yan, JC; Han, L; Gao, WG; Xue, S; Chen, MF. (2015). Biochar supported nanoscale zerovalent iron composite used as persulfate activator for removing trichloroethylene. *Bioresour Technol.* 175: 269-274.
- Yan, N; Liu, F; Huang, W. (2013). Interaction of oxidants in siderite catalyzed hydrogen peroxide and persulfate system using trichloroethylene as a target contaminant. *Chem Eng J.* 219: 149-154.
- Yan, WL; Herzing, AA; Li, XQ; Kiely, CJ; Zhang, WX. (2010). Structural Evolution of Pd-Doped Nanoscale Zero-Valent Iron (nZVI) in Aqueous Media and Implications for Particle Aging and Reactivity. *Environmental Science & Technology.* 44: 4288-4294.
- Yan, Y. (1998). Abiotic remediation of groundwater contaminated by chlorinated solvents. PhD Thesis, The Ohio State University.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol.* 37: 343-365.
- Yan, YE; Schwartz, FW. (2000). Kinetics and mechanisms for TCE oxidation by permanganate. *Environmental Science & Technology.* 34: 2535-2541.
- Yan, Y-L; Deng, Q; He, F; Zhang, X-Q; Liu, Y-P. (2011). Remediation of DNAPL-contaminated aquifers using density modification method with colloidal liquid aphrons. *Coll Surf.* 385: 219-228.
- Yana, J; Gao, W; Dongc, M; Hana, L; Qiana, L; Nathanaid, C; Chena, M. (2016). Degradation of trichloroethylene by activated persulfate using a reduced graphene oxide supported magnetite nanoparticle. *Chem Eng J.* 295: 309-316.
- Yanagita, K; Sagami, I; Daff, S; Shimizu, T. (1998). Marked enhancement in the reductive dehalogenation of hexachloroethane by a Thr319Ala mutation of cytochrome P450 1A2. *Biochem Biophys Res Commun.* 249: 678-682.
- Yanagita, K; Sagami, I; Shimizu, T. (1997). Distal site and surface mutations of cytochrome P450 1A2 markedly enhance dehalogenation of chlorinated hydrocarbons. *Arch Biochem Biophys.* 346: 269-276.
- Yanders, AF; Novak, EW; Lower, WR; Underbrink, AG; Wang, R. (1985). MUTAGENIC TESTING OF OBSCURANT SMOKES. 16th Annual Meeting Of The Environmental Mutagen Society, Las Vegas, Nev, Usa, Feb. 7: 60.
- Yanev, S; Janku, I; Stoytchev, T; Havlik, I; Krebs, V. (1982). Effects of potassium ethylxanthogenate and 2,3-dimercaptopropane sulphonate sodium on the pentobarbital pharmacokinetics and metabolism in male mice. *European Journal of Drug Metabolism and Pharmacokinetics.* 7: 21-29.
- Yang, B; Yang, G-P; Lu, X-L; Li, L; He, Z. (2015). Distributions and sources of volatile chlorocarbons and bromocarbons in the Yellow Sea and East China Sea. *Mar Pollut Bull.* 95: 491-502.
- Yang, BL; Lin, LM; Lo, HB; Lai, PT. (2005). Effects of TCE concentration on oxide-charge and interface properties of SiO₂ thermally grown on SiC. *Solid-State Electronics.* 49: 1223-1227.
- Yang, G; Li, L; Lu, X; Zhang, L. (2015). Distributions and sea-to-air fluxes of volatile halocarbons in the southern Yellow Sea and the East China Sea. *Acta Oceanologica Sinica/Haiyang Xuebao.* 34: 9-20.

Environmental Hazard Literature Search Results

Off Topic

- Yang, GC; Liu, CY. (2001). Remediation of TCE contaminated soils by in situ EK-Fenton process. *J Hazard Mater.* 85: 317-331.
- Yang, GCC; Chang, Y-I. (2011). Integration of emulsified nanoiron injection with the electrokinetic process for remediation of trichloroethylene in saturated soil. *Separation and Purification Technology.* 79: 278-284.
- Yang, GCC; Lee, HL. (2005). Chemical reduction of nitrate by nanosized iron: Kinetics and pathways. *Water Res.* 39: 884-894.
- Yang, GCC; Yeh, C-F. (2011). Enhanced nano-Fe⁰/S₂O₈²⁻ oxidation of trichloroethylene in a clayey soil by electrokinetics. *Separation and Purification Technology.* 79: 264-271.
- Yang, GP; Yang, B; Lu, XL; Ding, HB; He, Z. (2014). Spatio-temporal variations of sea surface halocarbon concentrations and fluxes from southern Yellow Sea. *Biogeochemistry.* 121: 369-388.
- Yang, H; Hu, YA; Cheng, HF. (2016). Sorption of chlorophenols on microporous minerals: mechanism and influence of metal cations, solution pH, and humic acid. *Environ Sci Pollut Res Int.* 23: 19266-19280.
- Yang, JC; Wang, K; Zhao, QL; Huang, LK; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environmental Science-Processes & Impacts.* 16: 271-279.
- Yang, JH; Jun, SC; Kwon, HP; Lee, KK. (2014). Tracing of residual multiple DNAPL sources in the subsurface using Rn-222 as a natural tracer at an industrial complex in Wonju, Korea. *Environ Earth Sci.* 71: 407-417.
- Yang, JH; Lee, KK; Clement, TP. (2012). Impact of seasonal variations in hydrological stresses and spatial variations in geologic conditions on a TCE plume at an industrial complex in Wonju, Korea. *Hydrolog Process.* 26: 317-325.
- Yang, J-H; Jun, S-C; Kwon, H-P; Lee, K-K. (2014). Tracing of residual multiple DNAPL sources in the subsurface using ²²²Rn as a natural tracer at an industrial complex in Wonju, Korea. *Environ Earth Sci.* 71: 407-417.
- Yang, J-H; Lee, K-K. (2012). Locating plume sources of multiple chlorinated contaminants in groundwater by analyzing seasonal hydrological responses in an industrial complex, Wonju, Korea. *Geosciences Journal.* 16: 301-311.
- Yang, JS; Baek, K; Kwon, TS; Yang, JW. (2006). Competitive immobilization of multiple component chlorinated solvents by cyclodextrin derivatives. *J Hazard Mater.* 137: 1866-1869.
- Yang, L. Metabolism dechlorination of trichloroethylene by nitrifying bacteria in an enriched batch culture. *Proceedings of the Industrial Waste Conference.* 1998. (52nd): 105-114.
- Yang, L; Chang, Y-F; Chou, M-S. (1999). Feasibility of bioremediation of trichloroethylene contaminated sites by nitrifying bacteria through cometabolism with ammonia. *J Hazard Mater.* 69: 111-126.
- Yang, P; Xue, X; Meng, Z; Zhou, R. (2013). Enhanced catalytic activity and stability of Ce doping on Cr supported HZSM-5 catalysts for deep oxidation of chlorinated volatile organic compounds. *Chem Eng J.* 234: 203-210.
- Yang, Q; Shang, HT; Wang, JL. (2009). Biosorption and biodegradation of trichloroethylene by acclimated activated sludge. *Int J Environ Pollut.* 38: 289-298.
- Yang, Q; Shang, HT; Wang, XL; Li, HD; Wang, JL. (2006). Anaerobic degradation of tetrachloroethylene using different co-substrates as electron donors. *Biomedical and environmental sciences : BES.* 19: 73-76.
- Yang, RSH. (1998). Some critical issues and concerns related to research advances on the toxicology of chemical mixtures. *Environ Health Perspect.* 106: 1059-1063.
- Yang, RSH; Goehl, TJ; Brown, RD; Chatham, AT; Arenson, DW; Buchanan, RC; Harris, RK. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: I. Chemistry development. *Fundam Appl Toxicol.* 13: 366-376.
- Yang, RSH; Hong, HL; Boorman, GA. (1988). TOXICOLOGY OF CHEMICAL MIXTURES EXPERIMENTAL APPROACHES UNDERLYING CONCEPTS AND SOME RESULTS. Meeting On Contemporary Initiatives In Quantitative Toxicology, Held At The 18th Conference On Toxicology, Dayton, Ohio, Usa, November. 49: 183-198.
- Yang, RSH; Rauckman, EJ. (1987). TOXICOLOGICAL STUDIES OF CHEMICAL MIXTURES OF ENVIRONMENTAL CONCERN AT THE NATIONAL TOXICOLOGY PROGRAM HEALTH EFFECTS OF GROUNDWATER CONTAMINANTS. Symposium On Predictive Toxicology Held At The 16th Conference On Environmental Toxicology. 47: 15-34.
- Yang, S; Oostrom, M; Truex, MJ; Li, G; Zhong, L. (2016). Injectable silica-permanganate gel as a slow-release MnO₄⁻ source for groundwater remediation: rheological properties and release dynamics. *Environmental Science-Processes & Impacts.* 18: 256-264.
- Yang, S; Oostrom, M; Truex, MJ; Li, G; Zhong, L. (2016). Injectable silica-permanganate gel as a slow-release MnO₂ super(-) source for groundwater remediation: rheological properties and release dynamics. *Environmental Sciences: Processes and Impacts.* 18: 256-264.
- Yang, SY; Wang, P; Yang, X; Wei, G; Zhang, WY; Shan, L. (2009). A novel advanced oxidation process to degrade organic pollutants in wastewater: Microwave-activated persulfate oxidation. *J Environ Sci.* 21: 1175-1180.
- Yang, WB; Chen, WH; Yuan, CS; Yang, JC; Zhao, QL. (2012). Comparative assessments of VOC emission rates and associated health risks from wastewater treatment processes. *J Environ Monit.* 14: 2464-2474.
- Yang, WW; Qiu, ZF; Zhao, ZX; Lu, SG; Sui, Q; Gu, XG. (2017). To postpone the precipitation of manganese oxides in the degradation of tetrachloroethylene by controlling the permanganate concentration. *Environ Technol.* 38: 34-41.
- Yang, Y; McCarty, PL. (2002). Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution. *Environmental science & technology.* 36: 3400-3404.
- Yang, Y; Pesaro, M; Sigler, W; Zeyer, J. (2005). Identification of microorganisms involved in reductive dehalogenation of chlorinated ethenes in an anaerobic microbial community. *Water Res.* 39: 3954-3966.
- Yang, Y; Wu, JF; Sun, XM; Wu, JC; Zheng, CM. (2013). Development and application of a master-slave parallel hybrid multi-objective evolutionary algorithm for groundwater remediation design. *Environ Earth Sci.* 70: 2481-2494.

Environmental Hazard Literature Search Results

Off Topic

- Yang, Y; Zeyer, J. (2003). Specific detection of Dehalococcoides species by fluorescence in situ hybridization with 16S rRNA-targeted oligonucleotide probes. *Appl Environ Microbiol.* 69: 2879-2883.
- Yang, YC; Xu, X; Georgopoulos, PG. (2010). A Bayesian population PBPK model for multiroute chloroform exposure. *J Expo Sci Environ Epidemiol.* 20: 326-341.
- Yang, YR; McCarty, PL. (1998). Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture. *Environmental Science & Technology.* 32: 3591-3597.
- Yang, YR; McCarty, PL. (2000). Biologically enhanced dissolution of tetrachloroethene DNAPL. *Environmental Science & Technology.* 34: 2979-2984.
- Yang, ZM; Qiu, XH; Fang, ZQ; Pokeung, T. (2015). Transport of nano zero-valent iron supported by mesoporous silica microspheres in porous media. *Water Science and Technology.* 71: 1800-1805.
- Yanik-Yildirim, KC; Vardar-Schara, G. (2014). Saturation mutagenesis of Bradyrhizobium sp BTai1 toluene 4-monoxygenase at alpha-subunit residues proline 101, proline 103, and histidine 214 for regiospecific oxidation of aromatics. *Appl Microbiol Biotechnol.* 98: 8975-8986.
- Yanosky, TM; Hansen, BP; Schening, MR. (2001). Use of tree rings to investigate the onset of contamination of a shallow aquifer by chlorinated hydrocarbons. *J Contam Hydrol.* 50: 159-173.
- Yao, CCD; Haag, WR. (1991). Rate constants for direct reactions of ozone with several drinking water contaminants. *Water Res.* 25: 761-774.
- Yao, W; Zheng, X; Guo, Y; Zhan, W; Guo, Y; Lu, G. (2011). Role of chlorohydrocarbon in increasing selectivity of propylene oxide over Ag₂O catalyst for epoxidation of propylene by molecular oxygen. *Journal of Molecular Catalysis.* 342-343: 30-34.
- Yaqoob, N; Dempster, N; Reed, CJ; Lock, EA. (2009). Sex differences in formic aciduria in Fischer 344 (F-344) rats and dose response in male F-344 rats exposed orally to trichloroethylene. *Toxicology.* 262: 24-25.
- Yaqoob, N; Evans, A; Foster, JR; Lock, EA. (2014). Trichloroethylene and trichloroethanol-induced formic aciduria and renal injury in male F-344 rats following 12 weeks exposure. *Toxicology.* 323: 70-77.
- Yaqoob, N; Evans, AR; Lock, EA. (2013). Trichloroethylene-induced formic aciduria: Effect of dose, sex and strain of rat. *Toxicology.* 304: 49-56.
- Yaron-Marcovich, D; Dror, I; Berkowitz, B. (2007). Behavior and stability of organic contaminant droplets in aqueous solutions. *Chemosphere.* 69: 1593-1601.
- Yasuhara, A. (1993). Thermal decomposition of tetrachloroethylene. *Chemosphere.* 26: 1507-1512.
- Yasuhara, A; Morita, M. (1988). FORMATION OF CHLORINATED AROMATIC HYDROCARBONS BY THERMAL DECOMPOSITION OF VINYLIDENE CHLORIDE POLYMER. *Environ Sci Technol.* 22: 646-650.
- Yasuhara, A; Morita, M. (1989). FORMATION OF CHLORODIBENZOFURANS BY THERMAL DECOMPOSITION OF VINYLIDENE CHLORIDE POLYMER. *Chemosphere.* 18: 1737-1740.
- Yasuhara, A; Morita, M. (1990). Formation of chlorinated compounds in pyrolysis of trichloroethylene. *Chemosphere.* 21: 479-486.
- Yasunaga, G; Fujise, Y; Zenitani, R; Tanabe, S; Kato, H. (2015). Spatial and temporal variation of PCBs and organochlorine pesticides in the Antarctic minke whales, Balaenoptera bonaerensis, in the period 1987-2005. *Chemosphere.* 126: 11-17.
- Yasunaga, N; Hirotsuji, J. (2008). Efficient decomposition of trichloroethylene (TCE) in groundwater by ozone-hydrogen peroxide treatment. *Ozone-Science & Engineering.* 30: 127-135.
- Yateem, A; Al-Sharrah, T; Bin-Haji, A. (2008). Investigation of microbes in the rhizosphere of selected trees for the rhizoremediation of hydrocarbon-contaminated soils. *Int J Phytoremediation.* 10: 311-324.
- Yauck, JS; McCarver, DG. (2005). Trichloroethylene exposure and congenital heart defects: Reply to Drs. Scialli and Gibb. *Birth Defects Research Part a-Clinical and Molecular Teratology.* 73: 256-257.
- Ye, LD; Schilhabel, A; Bartram, S; Boland, W; Diekert, G. (2010). Reductive dehalogenation of brominated ethenes by *Sulfurospirillum multivorans* and *Desulfitobacterium hafniense* PCE-S. *Environ Microbiol.* 12: 501-509.
- Yeager, CM; Arthur, KM; Bottomley, PJ; Arp, DJ. (2004). Trichloroethylene degradation by toluene-oxidizing bacteria grown on non-aromatic substrates. *Biodegradation.* 15: 19-28.
- Yeager, CM; Bottomley, PJ; Arp, DJ. (2001). Cytotoxicity associated with trichloroethylene oxidation in *Burkholderia cepacia* G4. *Appl Environ Microbiol.* 67: 2107-2115.
- Yeager, CM; Bottomley, PJ; Arp, DJ. (2001). Requirement of DNA repair mechanisms for survival of *Burkholderia cepacia* G4 upon degradation of trichloroethylene. *Appl Environ Microbiol.* 67: 5384-5391.
- Yeager, CM; Bottomley, PJ; Arp, DJ; Hyman, MR. (1999). Inactivation of toluene 2-monoxygenase in *Burkholderia cepacia* G4 by alkynes. *Appl Environ Microbiol.* 65: 632-639.
- Yee, DC; Maynard, JA; Wood, TK. (1998). Rhizoremediation of trichloroethylene by a recombinant, root-colonizing *Pseudomonas fluorescens* strain expressing toluene ortho-monoxygenase constitutively. *Appl Environ Microbiol.* 64: 112-118.
- Yeh, CK; Peng, SL; Hsu, IY. (2002). Co-surfactant of ethoxylated sorbitan ester and sorbitan monooleate for enhanced flushing of tetrachloroethylene. *Chemosphere.* 49: 421-430.
- Yeh, CK; Wu, HM; Chen, TC. (2003). Chemical oxidation of chlorinated non-aqueous phase liquid by hydrogen peroxide in natural sand systems. *J Hazard Mater.* 96: 29-51.
- Yeh, HC; Kastenber, WE. (1991). Health risk assessment of biodegradable volatile organic chemicals: A case study of PCE, TCE, DCE and VC. *J Hazard Mater.* 27: 111-126.
- Yeh, KJ; Chen, TC; Young, WL. (2013). Competitive Removal of Two Contaminants in a Goethite-Catalyzed Fenton Process at Neutral pH. *Environ Eng Sci.* 30: 47-52.

Environmental Hazard Literature Search Results

Off Topic

- Yen, KM; Karl, MR; Blatt, LM; Simon, MJ; Winter, RB; Fausset, PR; Lu, HS; Harcourt, AA; Chen, KK. (1991). Cloning and characterization of a *Pseudomonas mendocina* KR1 gene cluster encoding toluene-4-monooxygenase. *J Bacteriol.* 173: 5315-5327.
- Yeung, AT; Hsu, CN; Menon, RM. (1997). Physicochemical soil-contaminant interactions during electrokinetic extraction. *J Hazard Mater.* 55: 221-237.
- Yi, S; Seth, EC; Men, YJ; Stabler, SP; Allen, RH; Alvarez-Cohen, L; Taga, ME. (2012). Versatility in Corrinoid Salvaging and Remodeling Pathways Supports Corrinoid-Dependent Metabolism in *Dehalococcoides mccartyi*. *Appl Environ Microbiol.* 78: 7745-7752.
- Yim, B; Okuno, H; Nagata, Y; Maeda, Y. (2001). Sonochemical degradation of chlorinated hydrocarbons using a batch and continuous flow system. *J Hazard Mater.* 81: 253-263.
- Yimti, Q; Nakazawa, H; Hareyama, W; Obara, Y. (2011). Biodegradation of Dichloromethane in the Groundwater at Illegal Waste Dump Site. *Resources Processing.* 58: 47-51.
- Yin, H; Jones, JP; Anders, MW. (1995). Metabolism of 1-fluoro-1,1,2-trichloroethane, 1,2-dichloro-1,1-difluoroethane, and 1,1,1-trifluoro-2-chloroethane. *Chem Res Toxicol.* 8: 262-268.
- Yin, Y; Sykes, JF; Normani, SD. (2015). Impacts of spatial and temporal recharge on field-scale contaminant transport model calibration. *J Hydrol.* 527: 77-87.
- Yogesh, K; Ali, J. (2014). Antioxidant potential of thuja (*Thuja occidentalis*) cones and peach (*Prunus persia*) seeds in raw chicken ground meat during refrigerated (4 +/- 1 A degrees C) storage. *Journal of Food Science and Technology-Mysore.* 51: 1547-1553.
- Yohda, M; Kobayashi, A; Ohishi, S; Ebisawa, M; Sakihara, S; Kakahara, F; Tojo, Y; Tajima, H; Nishimura, M. (2008). Quantitative discrimination of 16 S rRNA genes of *Dehalococcoides* species by MagSNiPer, a quantitative single-nucleotide-polymorphism genotyping method. *Biotechnology and Applied Biochemistry.* 51: 111-117.
- Yohda, M; Yagi, O; Takechi, A; Kitajima, M; Matsuda, H; Miyamura, N; Aizawa, T; Nakajima, M; Sunairi, M; Daiba, A; Miyajima, T; Teruya, M; Teruya, K; Shiroma, A; Shimoji, M; Tamotsu, H; Juan, A; Nakano, K; Aoyama, M; Terabayashi, Y; Satou, K; Hirano, T. (2015). Genome sequence determination and metagenomic characterization of a *Dehalococcoides* mixed culture grown on cis-1,2-dichloroethene. *J Biosci Bioeng.* 120: 69-77.
- Yokogoshi, H. (1989). EFFECTS OF SOME XENOBIOTICS ON THE DISPOSITION OF BRAIN SEROTONIN AND CATECHOLAMINE IN RATS. *Agric Biol Chem.* 53: 1609-1616.
- Yokouchi, Y; Barrie, LA; Toom, D; Akimoto, H. (1996). The seasonal variation of selected natural and anthropogenic halocarbons in the arctic troposphere. *Atmos Environ.* 30: 1723-1727.
- Yonezuka, K; Araki, N; Shimodaira, J; Ohji, S; Hosoyama, A; Numata, M; Yamazoe, A; Kasai, D; Masai, E; Fujita, N; Ezaki, T; Fukuda, M. (2016). Isolation and characterization of a bacterial strain that degrades cis-dichloroethene in the absence of aromatic inducers. *J Gen Appl Microbiol.* 62: 118-125.
- Yoo, BI; Ahan, KB; Kang, MH; Moon, DC; Kwon, OS; Lee, HS; Ryu, JS; Kim, TY; Song, S; Chung, YB. (2005). HPLC analysis and pharmacokinetic characteristics of 11-hydroxyacclacinomycin X (ID-6105), a novel anthracycline, in rats and beagle dogs. *Biological & pharmaceutical bulletin.* 28: 688-693.
- Yoo, K; Shukla, SK; Ahn, JJ; Oh, K; Park, J. (2016). Decision tree-based data mining and rule induction for identifying hydrogeological parameters that influence groundwater pollution sensitivity. *J Clean Prod.* 122: 277-286.
- Yoon, H; Valocchi, AJ; Werth, CJ. (2003). Modeling the influence of water content on soil vapor extraction. *Vadose zone journal VZJ.* 2.
- Yoon, IK; Park, CH. (2002). Effects of gas flow rate, inlet concentration and temperature on biofiltration of volatile organic compounds in a peat-packed biofilter. *J Biosci Bioeng.* 93: 165-169.
- Yoon, S; Im, J; Bandow, N; DiSpirito, AA; Semrau, JD. (2011). Constitutive expression of pMMO by *Methylocystis* strain SB2 when grown on multi-carbon substrates: implications for biodegradation of chlorinated ethenes. *Environmental Microbiology Reports.* 3: 182-188.
- Yoon, S; Semrau, JD. (2008). Measurement and modeling of multiple substrate oxidation by methanotrophs at 20 °C. *FEMS Microbiol Lett.* 287: 156-162.
- Yoon, S; Semrau, JD. (2008). Measurement and modeling of multiple substrate oxidation by methanotrophs at 20 degrees C. *FEMS Microbiol Lett.* 287: 156-162.
- Yoon, Y; Koh, D; Lee, K; Cho, S; Yang, J; Lee, K. (2013). Using 222Rn as a naturally occurring tracer to estimate NAPL contamination in an aquifer. *Applied Radiation and Isotopes.* 81: 233-237.
- Yoon, YH; Nelson, JH. (1990). Contaminant breakthrough: a theoretical study of charcoal sampling tubes. *Am Ind Hyg Assoc J.* 51: 319-325.
- Yoon, YH; Nelson, JH. (1990). Effects of humidity and contaminant concentration on respirator cartridge breakthrough. *Am Ind Hyg Assoc J.* 51: 202-209.
- Yoshida, N; Asahi, K; Sakakibara, Y; Miyake, K; Katayama, A. (2007). Isolation and quantitative detection of tetrachloroethene (PCE)-dechlorinating bacteria in unsaturated subsurface soils contaminated with chloroethenes. *J Biosci Bioeng.* 104: 91-97.
- Yoshida, N; Ye, L; Baba, D; Katayama, A. (2009). A Novel *Dehalobacter* Species Is Involved in Extensive 4,5,6,7-Tetrachlorophthalide Dechlorination. *Appl Environ Microbiol.* 75: 2400-2405.
- Yoshida, N; Ye, LZ; Liu, FM; Li, ZL; Katayama, A. (2013). Evaluation of biodegradable plastics as solid hydrogen donors for the reductive dechlorination of fthalide by *Dehalobacter* species. *Bioresour Technol.* 130: 478-485.
- Yoshida, T; Andoh, K; Fukuhara, M. (1998). Estimation of absorption of environmental contaminants in low-level exposure by pharmacokinetic analysis. *Journal of Toxicology and Environmental Health-Part a-Current Issues.* 54: 145-158.
- Yoshikawa, K. (1996). Anomalous nonidentity between *Salmonella* genotoxigants and rodent carcinogens and genotoxic noncarcinogens. *Environ Health Perspect.* 104: 40-46.

Environmental Hazard Literature Search Results

Off Topic

- Yoshioka, T; Krauser, JA; Guengerich, FP. (2002). Tetrachloroethylene oxide: Hydrolytic products and reactions with phosphate and lysine. *Chem Res Toxicol.* 15: 1096-1105.
- Yosie, TF. (1996). THE CHANGING LANDSCAPE OF THE CHLORINE DEBATE GROWING HEALTH CONCERNS AND EMERGING MARKET FORCES HAVE RESHAPED THE TERMS OF THE CHLORINE DEBATE. *Environmental Science & Technology.* 30: 498A-501A.
- Younes, M; Siegers, CP. (1980). Lipid peroxidation as a consequence of glutathione depletion in rat and mouse liver. *Res Comm Chem Pathol Pharmacol.* 27: 119-128.
- Young, CM; Jackson, RE; Jin, M; Londergan, JT; Mariner, PE; Pope, GA; Anderson, FJ; Houk, T. (1999). Characterization of a TCE DNAPL zone in alluvium by partitioning tracers. *Ground Water Monitoring and Remediation.* 19: 84-94.
- Young, CM; Voorhees, KJ. (1990). PIC FORMATION MECHANISMS IN THE THERMAL DECOMPOSITION OF 1,2-DICHLOROBENZENE. Tenth International Symposium On Chlorinated Dioxins And Related Compounds. 23: 1265-1278.
- Young, DF; Ball, WP. (1998). Estimating diffusion coefficients in low-permeability porous media using a macropore column. *Environmental Science & Technology.* 32: 2578-2584.
- Young, KD; LeBoeuf, EJ. (2001). Development of a glass ampoule system for evaluation of long-term sorption/desorption behavior of vapor phase volatile organic compounds in geosorbents. *Analyst.* 126: 1816-1819.
- Younis, HM; Abo-El-Saad, MM; Abdel-Razik, RK; Abo-Seda, SA. (2002). Resolving the DDT target protein in insects as a subunit of the ATP synthase. *Biotechnology and applied biochemistry.* 35: 9-17.
- Yu, CP; Roh, H; Chu, KH. (2007). 17 beta-estradiol-degrading bacteria isolated from activated sludge. *Environmental Science & Technology.* 41: 486-492.
- Yu, F; Bienkowski, PR; Sanseverino, J; Saylor, GS. (1998). DEVELOPMENT OF A PACKED BED BIOREACTOR SYSTEM FOR THE COMETABOLISM OF TRICHLOROETHYLENE BY PSEUDOMONAS PUTIDA F1. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 452.
- Yu, J; Liu, WX; Zeng, AB; Guan, BH; Xu, XH. (2013). Effect of SO₂ on 1,1,1-Trichloroethane Degradation by Fe₀ in Aqueous Solution. *Ground Water.* 51: 286-292.
- Yu, J; Park, Y; Nguyen, VK; Lee, T. (2016). PCE dechlorination by non-Dehalococcoides in a microbial electrochemical system. *Journal of Industrial Microbiology & Biotechnology.* 43: 1095-1103.
- Yu, KY; Su, YH; Liu, T; Liang, YC. (2010). Transport Processes of Trichloroethylene and Trichlorobenzene Across the Water-corn-air Interface. *Journal of Agro-Environment Science.* 29: 1702-1705.
- Yu, L; Luo, X; Zheng, X; Zeng, Y; Chen, D; Wu, J; Mai, B. (2013). Occurrence and biomagnification of organohalogen pollutants in two terrestrial predatory food chains. *Chemosphere.* 93: 506-511.
- Yu, LH; Luo, XJ; Liu, HY; Zeng, YH; Zheng, XB; Wu, JP; Yu, YJ; Mai, BX. (2014). Organohalogen contamination in passerine birds from three metropolises in China: geographical variation and its implication for anthropogenic effects on urban environments. *Environmental pollution (Barking, Essex : 1987).* 188: 118-123.
- Yu, R; Koran, A; Raptis, CN; Craig, RG. (1983). Cigarette staining and cleaning of a maxillofacial silicone. *Journal of dental research.* 62: 853-855.
- Yu, S; Semprini, L. (2004). Kinetics and modeling of reductive dechlorination at high PCE and TCE concentrations. *Biotechnol Bioeng.* 88: 451-464.
- Yu, S; Semprini, L. (2009). Enhanced reductive dechlorination of PCE DNAPL with TBOS as a slow-release electron donor. *J Hazard Mater.* 167: 97-104.
- Yu, S; Unger, AJA; Parker, B. (2009). Simulating the fate and transport of TCE from groundwater to indoor air. *J Contam Hydrol.* 107: 140-161.
- Yu, S; Wei, Y-M; Wang, K. (2012). A PSO-GA optimal model to estimate primary energy demand of China. *Energy Policy.* 42: 329-340.
- Yu, S; Zhu, K; Zhang, X. (2012). Energy demand projection of China using a path-coefficient analysis and PSO-GA approach. *Energy conversion and management.* 53: 142-153.
- Yu, SCT. (1995). Transport and fate of chlorinated hydrocarbons in the vadose zone-A literature review with discussions on regulatory implications. *Journal of Soil Contamination.* 4: 25-56.
- Yu, SH; Dolan, ME; Semprini, L. (2005). Kinetics and inhibition of reductive dechlorination of chlorinated ethylenes by two different mixed cultures. *Environmental Science & Technology.* 39: 195-205.
- Yu, SH; Semprini, L. (2002). Comparison of trichloroethylene reductive dehalogenation by microbial communities stimulated on silicon-based organic compounds as slow-release anaerobic substrates. *Water Res.* 36: 4985-4996.
- Yu, SW; Zhu, KJ; Zhang, X. (2012). Energy demand projection of China using a path-coefficient analysis and PSO-GA approach. *Energy Conversion and Management.* 53: 142-153.
- Yu, SY; Chae, GT; Jeon, KH; Jeong, JS; Park, JG. (2006). Trichloroethylene contamination in fractured bedrock aquifer in Wonju, South Korea. *Bull Environ Contam Toxicol.* 76: 341-348.
- Yu, SY; Lee, PK; Hwang, SI. (2015). Groundwater contamination with volatile organic compounds in urban and industrial areas: analysis of co-occurrence and land use effects. *Environ Earth Sci.* 74: 3661-3677.
- Yu, T; Gan, Y; Zhou, A; Yu, K; Liu, Y. (2014). Investigation of Stable C and Cl isotope effects of trichloroethene and tetrachloroethylene during evaporation at different temperatures. *Journal of Earth Science.* 25: 735-740.
- Yu, X; Ghasemizadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2015). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ.* 511: 1-10.
- Yu, X; Wu, T; Yang, X-J; Xu, J; Auzam, J; Semiat, R; Han, Y-F. (2016). Degradation of trichloroethylene by hydrodechlorination using formic acid as hydrogen source over supported Pd catalysts. *J Hazard Mater.* 305: 178-189.

Environmental Hazard Literature Search Results

Off Topic

- Yu, YH; Ramsay, JA; Ramsay, BA. (2006). On-line estimation of dissolved methane concentration during methanotrophic fermentations. *Biotechnol Bioeng.* 95: 788-793.
- Yu, YH; Ramsay, JA; Ramsay, BA. (2009). Production of soluble methane monooxygenase during growth of *Methylosinus trichosporium* on methanol. *J Biotechnol.* 139: 78-83.
- Yu, Z; Peldszus, S; Huck, PM. (2009). Adsorption of Selected Pharmaceuticals and an Endocrine Disrupting Compound by Granular Activated Carbon. 1. Adsorption Capacity and Kinetics. *Environmental Science & Technology.* 43: 1467-1473.
- Yu, Z; Peldszus, S; Huck, PM. (2009). Adsorption of Selected Pharmaceuticals and an Endocrine Disrupting Compound by Granular Activated Carbon. 2. Model Prediction. *Environmental Science & Technology.* 43: 1474-1479.
- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C(1)- and C(2)-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem.* 19: 2212-2217.
- Yuan, B; Chen, Y; Fu, M-L. (2012). Degradation efficiencies and mechanisms of trichloroethylene (TCE) by controlled-release permanganate (CRP) oxidation. *Chem Eng J.* 192: 276-283.
- Yuan, BL; Li, F; Chen, YM; Fu, ML. (2013). Laboratory-scale column study for remediation of TCE-contaminated aquifers using three-section controlled-release potassium permanganate barriers. *J Environ Sci.* 25: 971-977.
- Yuan, C. (2006). The effect of Fe(0) on electrokinetic remediation of clay contaminated with perchloroethylene. *Water science and technology : a journal of the International Association on Water Pollution Research.* 53: 91-98.
- Yuan, R; Zhao, T. (2016). A combined input-output and sensitivity analysis of CO₂ emissions in the high energy-consuming industries: A case study of China. *Atmos Pollut Res.* 7: 315-325.
- Yuan, RS; Fan, SL; Zhou, HX; Ding, ZX; Lin, S; Li, ZH; Zhang, ZZ; Xu, C; Wu, L; Wang, XX; Fu, XZ. (2013). Chlorine-Radical-Mediated Photocatalytic Activation of C-H Bonds with Visible Light. *Angewandte Chemie-International Edition.* 52: 1035-1039.
- Yuan, SH; Chen, MJ; Mao, XH; Alshawabkeh, AN. (2013). Effects of Reduced Sulfur Compounds on Pd-Catalytic Hydrodechlorination of Trichloroethylene in Groundwater by Cathodic H₂ under Electrochemically Induced Oxidizing Conditions. *Environmental Science & Technology.* 47: 10502-10509.
- Yuan, SH; Chen, MJ; Mao, XH; Alshawabkeh, AN. (2013). A three-electrode column for Pd-catalytic oxidation of TCE in groundwater with automatic pH-regulation and resistance to reduced sulfur compound foiling. *Water Res.* 47: 269-278.
- Yuan, SH; Liao, P; Alshawabkeh, AN. (2014). Electrolytic Manipulation of Persulfate Reactivity by Iron Electrodes for Trichloroethylene Degradation in Groundwater. *Environmental Science & Technology.* 48: 656-663.
- Yuan, SH; Mao, XH; Alshawabkeh, AN. (2012). Efficient Degradation of TCE in Groundwater Using Pd and Electro-generated H₂ and O₂: A Shift in Pathway from Hydrodechlorination to Oxidation in the Presence of Ferrous Ions. *Environmental Science & Technology.* 46: 3398-3405.
- Yue, F; Huang, HL; Huang, JX; Liang, LY; Huang, ZL; Wei, QY; Chen, XM. (2007). HLA-DM polymorphism and risk of trichloroethylene induced medicamentosa-like dermatitis. *Biomedical and environmental sciences : BES.* 20: 506-511.
- Yue, PL; Legrini, O. (1990). PHOTOCHEMICAL DEGRADATION OF ORGANICS IN WATER. *Symposium On Advanced Oxidation Processes, June.* 27: 123-137.
- Yue-hua, Z; Chun-Mei, X; Chang-Hong, G. (2011). Application Sodium Percarbonate to Oxidative Degradation Trichloroethylene Contamination in Groundwater. *Procedia Environ Sci.* 10, Part B: 1668-1673.
- Yun, DM; Cho, HH; Jang, JW; Park, JW. (2013). Nano zero-valent iron impregnated on titanium dioxide nanotube array film for both oxidation and reduction of methyl orange. *Water Res.* 47: 1858-1866.
- Yun, L; Huijuan, G; Yang, Y; Huixian, Z; Xing, S; Qiming, X; Shixiang, G. (2006). Stability of 4-²-substituted monobenzo-15-crown-5-bentonites and its adsorption properties for tetrachloroethane and naphthalene. *Appl Clay Sci.* 33: 7-12.
- Yung, CW; Sun, AK; Wood, TK. (1995). Monitoring trichloroethylene mineralization by *Pseudomonas cepacia* G4 PR1. *AU - LUU PP. Appl Microbiol Biotechnol.* 44: 259-264.
- Yurteri, C; Ryan, DF; Callow, JJ; Gurol, MD. (1987). THE EFFECT OF CHEMICAL COMPOSITION OF WATER ON HENRY'S LAW CONSTANT. *J Water Pollut Control Fed.* 59: 950-956.
- Zhang, N; C; Tutkun, E; Yilmaz, H; Uysal, S. (2013). Assessment of serum S100B and neuron specific enolase levels to evaluate the neurotoxic effects of organ solvent exposure. *Clinical toxicology (Philadelphia, Pa).* 51: 748-751.
- Zhang, N; C; Yilmaz, FM; Tutkun, En; Yilmaz, H; Uysal, S. (2013). Assessment of serum S100B and neuron specific enolase levels to evaluate the neurotoxic effects of organ solvent exposure. *Clinical toxicology (Philadelphia, Pa).* 51: 748-751.
- Zaa, CLY; McLean, JE; Dupont, RR; Norton, JM; Sorensen, DL. (2010). Dechlorinating and Iron Reducing Bacteria Distribution in a TCE-Contaminated Aquifer. *Ground Water Monitoring and Remediation.* 30: 46-57.
- Zaatari, M; Nirlo, E; Jareemit, D; Crain, N; Srebric, J; Siegel, J. (2014). Ventilation and indoor air quality in retail stores: A critical review (RP-1596). *HVAC & R Research.* 20: 276.
- Zabetakis, KM; de Guzman, GTN; Torrents, A; Yarwood, S. (2015). Toxicity of zero-valent iron nanoparticles to a trichloroethylene-degrading groundwater microbial community. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 50: 794-805.
- Zabrodskii, PF; Mandych, VG; Germanchuk, VG. (2006). Inhibition of cytochrome P-450 with 2-diethylamino-ethyl-2,2-diphenylpropylacetate (SKF-525A) reduces immunotoxicity of chlorinated carbohydrates. *Bull Exp Biol Med.* 142: 324-326.
- Zachow, R; Uzumcu, M. (2006). The methoxychlor metabolite, 2,2-bis-(p-hydroxyphenyl)-1,1,1-trichloroethane, inhibits steroidogenesis in rat ovarian granulosa cells in vitro. *Reproductive toxicology (Elmsford, NY).* 22: 659-665.

Environmental Hazard Literature Search Results

Off Topic

- Zaheer, F; Slevin, JT. (2011). Trichloroethylene and Parkinson disease. *Neurol Clin.* 29: 657-665.
- Zahniser, KA. (2015). Why Litigation-Driven History Matters: Lessons Learned from the Secret History of TCE. *The Public historian.* 37: 46-53.
- Zahra, SA; Garvis, DM. (2000). International corporate entrepreneurship and firm performance: The moderating effect of international environmental hostility. *Journal of Business Venturing.* 15: 469-492.
- Zakarya, D; Boulaamail, A; Larfaoui, F; SdSeeTBPMM; Lakhlifi, T. (1997). QSARs for toxicity of DDT-type analogs using neural network. *SAR QSAR Environ Res.* 6: 183-203.
- Zalesny, RS; Bauer, EO. (2007). Selecting and utilizing *Populus* and *Salix* for landfill covers: Implications for leachate irrigation. *Int J Phytoremediation.* 9: 497-511.
- Zambotti, G; Falasconi, M; Ponzoni, A; Zappa, D; Sberveglieri, V. (2015). Detection of chlorinated compounds in ground water by a novel electronic nose. *The Institute of Electrical and Electronics Engineers, Inc (IEEE) Conference Proceedings* 1-4.
- Zander, AK; Chen, JS; Semmens, MJ. (1992). Removal of hexachlorocyclohexane isomers from water by membrane extraction into oil. *Water Res.* 26: 129-137.
- Zander, AK; Pingert, P. (1997). Membrane-based extraction for detection of tastes and odors in water. *Water Res.* 31: 301-309.
- Zanetti, MC; Fiore, S. (2005). Evaluation of mutual connections between zero-valent iron reactivity and groundwater composition in trichloroethylene degradation. *Ann Chim.* 95: 779-789.
- Zang, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Lin, K; Du, X. (2014). Trichloroethylene oxidation performance in sodium percarbonate (SPC)/Fe super(2+) system. *Environmental Technology (Cranfield, UK).* 35: 791-798.
- Zang, XK; Gu, XG; Lu, SG; Qiu, ZF; Sui, Q; Lin, KF; Du, XM. (2014). Trichloroethylene oxidation performance in sodium percarbonate (SPC)/Fe²⁺ system. *Environ Technol.* 35: 791-798.
- Zapol'skii, VA; Namyslo, JC; Sergeev, G; Bronstrup, M; Gjickaj, M; Kaufmann, DE. (2015). Reinvestigation of the Nitration of Tri-chloroethene - Subsequent Reactions of the Products and Evaluation of Their Anti-microbial and Antifungal Activity. *European Journal of Organic Chemistry.* 2015: 7763-7774.
- Zarda, B; Mattison, G; Hess, A; Hahn, D; Hohener, P; Zeyer, J. (1998). Analysis of bacterial and protozoan communities in an aquifer contaminated with monoaromatic hydrocarbons. *FEMS Microbiol Ecol.* 27: 141-152.
- Zarogian, G; Heltshe, JF; Johnson, M. (1985). ESTIMATION OF TOXICITY TO MARINE SPECIES WITH STRUCTURE-ACTIVITY MODELS DEVELOPED TO ESTIMATE TOXICITY TO FRESHWATER FISH. *Aquat Toxicol.* 6: 251-270.
- Zechner, E; Noack, T; Troesch, J; Wuelsel, R; Hauber, L. (1995). Model validation by simulating transport of natural tracer and organic pollutant: A case study of Langen Erlen, Switzerland. *Acta Universitatis Carolinae Geologica.* 39: 265-273.
- Zeff, JD; Barich, JT. (1990). UV-OXIDATION OF ORGANIC CONTAMINANTS IN GROUND WASTE AND LEACHATE WATERS. *Symposium On Advanced Oxidation Processes,* June. 27: 139-150.
- Zeiger, E. (1990). Mutagenicity of 42 chemicals in *Salmonella*. *Environ Mol Mutagen Suppl.* 0: 32-54.
- Zelano, V; Rizzi, S; Gastaldi, D; Ginepro, M; Ostacoli, G. (1998). Volatile organic compounds in drinking water. *Ann Chim.* 88: 449-460.
- Zellers, ET; Zhang, GZ. (1993). Influence of substituent and ligand electronic factors on the measurement of gas phase olefins using a surface acoustic wave oscillator coated with trans-PtCl₂ (olefin) (amine) complexes. *Anal Chim Acta.* 280: 1-13.
- Zeng, QR; Liao, BH; Yang, B; Tang, HX; Xue, ND. (2006). Sorption of methyl-parathion and carbaryl by an organo-bentonite. *Biol Fertil Soils.* 42: 457-463.
- Zenick, H; Blackburn, K; Hope, E; Richdale, N; Smith, MK. (1984). Effects of trichloroethylene exposure on male reproductive function in rats. *Toxicology.* 31: 237-250.
- Zenker, MJ; Borden, RC; Barlaz, MA. (2002). Modeling cometabolism of cyclic ethers. *Environ Eng Sci.* 19: 215-228.
- Zepp, RG; Ritmiller, LF. (1992). PHOTOREACTIONS PROVIDING SINKS AND SOURCES OF HALOCARBONS IN AQUATIC ENVIRONMENTS. *Huang, C P, C R O'Melia And J J Morgan.* 0: 253-278.
- Zhai, X. (2005). Use of cosolvent for DNAPL mass depletion in source zones and its impact on the plumes. PhD Thesis, Purdue University.
- Zhai, XH; Hua, I; Rao, PSC; Lee, LS. (2006). Cosolvent-enhanced chemical oxidation of perchloroethylene by potassium permanganate. *J Contam Hydrol.* 82: 61-74.
- Zhan, J; Sunkara, B; Tang, J; Wang, Y; He, J; McPherson, GL; John, VT. (2011). Carbothermal Synthesis of Aerosol-Based Adsorptive-Reactive Iron-Carbon Particles for the Remediation of Chlorinated Hydrocarbons. *Industrial & Engineering Chemistry Research.* 50: 13021-13029-13021-13029.
- Zhan, JJ; Kolesnichenko, I; Sunkara, B; He, JB; McPherson, GL; Piringer, G; John, VT. (2011). Multifunctional Iron-Carbon Nanocomposites through an Aerosol-Based Process for the In Situ Remediation of Chlorinated Hydrocarbons. *Environmental Science & Technology.* 45: 1949-1954.
- Zhan, JJ; Sunkara, B; Le, L; John, VT; He, JB; McPherson, GL; Piringer, G; Lu, YF. (2009). Multifunctional Colloidal Particles for in Situ Remediation of Chlorinated Hydrocarbons. *Environmental Science & Technology.* 43: 8616-8621.
- Zhan, JJ; Zheng, TH; Piringer, G; Day, C; McPherson, GL; Lu, YF; Papadopoulos, K; John, VT. (2008). Transport Characteristics of Nanoscale Functional Zerovalent Iron/Silica Composites for in Situ Remediation of Trichloroethylene. *Environmental Science & Technology.* 42: 8871-8876.
- Zhan, Y; van de Water, B; Wang, YP; Stevens, JL. (1999). The roles of caspase-3 and bcl-2 in chemically-induced apoptosis but not necrosis of renal epithelial cells. *Oncogene.* 18: 6505-6512.
- Zhang, A; Futamura, S; Yamamoto, T. (1999). Nonthermal plasma chemical processing of bromomethane. *Journal of the Air & Waste Management Association.* 49: 1442-1448.

Environmental Hazard Literature Search Results

Off Topic

- Zhang, B; Qiao, H; Chen, B. (2015). Embodied energy uses by China's four municipalities: A study based on multi-regional input-output model. *Ecol Modell.* 318: 138-149.
- Zhang, C; Bennett, GN. (2005). Biodegradation of xenobiotics by anaerobic bacteria. *Appl Microbiol Biotechnol.* 67: 600-618.
- Zhang, C; Valsaraj, KT; Constant, WD; Roy, D. (1998). Nutrient and surfactant enhancement for the biodegradation of chlorinated hydrocarbons in the wastewater from a Louisiana Superfund site. *J Hazard Mater.* 62: 41-58.
- Zhang, CL; Zheng, G; Nichols, CM. (2006). Micellar partitioning and its effects on Henry's law constants of chlorinated solvents in anionic and nonionic surfactant solutions. *Environmental Science & Technology.* 40: 208-214.
- Zhang, DD; Zhang, CF; Li, ZL; Suzuki, D; Komatsu, DD; Tsunogai, U; Katayama, A. (2014). Electrochemical stimulation of microbial reductive dechlorination of pentachlorophenol using solid-state redox mediator (humin) immobilization. *Bioresour Technol.* 164: 232-240.
- Zhang, F; Wang, S; Ma, H; Lv, C; Wang, Y. (2012). Contaminations and Remediation Technologies of Trichloroethylene and Perchloroethylene in the Soil and Groundwater: A Review. *Keji Daobao / Science & Technology Review.* 30: 65-72.
- Zhang, HB; Schwartz, FW. (2000). Simulating the in situ oxidative treatment of chlorinated ethylenes by potassium permanganate. *Water Resour Res.* 36: 3031-3042.
- Zhang, HS; Ziv-El, M; Rittmann, BE; Krajmalnik-Brown, R. (2010). Effect of Dechlorination and Sulfate Reduction on the Microbial Community Structure in Denitrifying Membrane-Biofilm Reactors. *Environmental Science & Technology.* 44: 5159-5164.
- Zhang, HX; Ulrich, AC; Liu, Y. (2015). Retention and transport of an anaerobic trichloroethene dechlorinating microbial culture in anaerobic porous media. *Colloids and Surfaces B-Biointerfaces.* 130: 110-118.
- Zhang, J; Fu, J; Si, W; Wang, X; Wang, Z; Tang, J. (2011). A highly efficient deprotection of the 2,2,2-trichloroethyl group at the anomeric oxygen of carbohydrates. *Carbohydr Res.* 346: 2290-2293.
- Zhang, JJ; Joslyn, AP; Chiu, PC. (2006). 1,1-dichloroethene as a predominant intermediate of microbial trichloroethene reduction. *Environmental Science & Technology.* 40: 1830-1836.
- Zhang, K; Woodbury, AD. A Krylov finite element approach for multi-species contaminant transport in discretely fractured porous media. *Advances in Water Resources.* July 2002. v. 25 (7): 705-721.
- Zhang, L; Arnold, WA; Hozalski, RM. (2004). Kinetics of haloacetic acid reactions with Fe(0). *Environmental Science & Technology.* 38: 6881-6889.
- Zhang, M. (2014). Rates of trichloroethylene reduction in passivated zero-valent iron upon application of low-level direct current (RATES, TRICHLOROETHYLENE, REDUCTION, PASSIVATED, ZERO, VALENT, IRON, APPLICATION, LOW, LEVEL, DIRECT, CURRENT). *Masters Abstracts International Vol 53, no 06, 86 p 2014.*
- Zhang, M; Bacik, DB; Roberts, CB; Zhao, DY. (2013). Catalytic hydrodechlorination of trichloroethylene in water with supported CMC-stabilized palladium nanoparticles. *Water Res.* 47: 3706-3715.
- Zhang, M; He, F; Zhao, D. (2015). Catalytic activity of noble metal nanoparticles toward hydrodechlorination: influence of catalyst electronic structure and nature of adsorption. *Frontiers of environmental science & engineering.* 9: 888-896.
- Zhang, M; He, F; Zhao, DY; Hao, XD. (2011). Degradation of soil-sorbed trichloroethylene by stabilized zero valent iron nanoparticles: Effects of sorption, surfactants, and natural organic matter. *Water Res.* 45: 2401-2414.
- Zhang, M; Wang, H; Jin, S; Fallgren, PH; Colberg, PJS. (2016). Electrochemically enhanced reduction of trichloroethene by passivated zero-valent iron. *Journal of Environmental Chemical Engineering.* 4: 599-604.
- Zhang, NL; Luo, J; Blowers, P; Farrell, J. (2008). Understanding trichloroethylene chemisorption to iron surfaces using density functional theory. *Environmental Science & Technology.* 42: 2015-2020.
- Zhang, PF; Tao, X; Li, ZH; Bowman, RS. (2002). Enhanced perchloroethylene reduction in column systems using surfactant-modified zeolite/zero-valent iron pellets. *Environmental Science & Technology.* 36: 3597-3603.
- Zhang, Q; Chen, Z; Li, Y; Wang, P; Zhu, C; Gao, G; Xiao, K; Sun, H; Zheng, S; Liang, Y; Jiang, G. (2015). Occurrence of organochlorine pesticides in the environmental matrices from King George Island, west Antarctica. *Environ Int.* 206: 142-149.
- Zhang, Q; Sun, FY; Dong, WY; Zhang, GM; Han, RB. (2015). Micro-polluted surface water treatment and trace-organics removal pathway in a PAC-MBR system. *Process Biochemistry.* 50: 1422-1428.
- Zhang, QT; Ma, J; Qiu, GY; Li, L; Geng, S; Hasi, E; Li, C; Wang, GY; Li, XY. (2012). Potential energy production from algae on marginal land in China. *Bioresour Technol.* 109: 252-260.
- Zhang, RD; Wood, AL; Enfield, CG; Jeong, SW. (2003). Stochastic analysis of surfactant-enhanced remediation of denser-than-water nonaqueous phase liquid (DNAPL)-contaminated soils. *J Environ Qual.* 32: 957-965.
- Zhang, S; Gedalanga, PB; Mahendra, S. (2016). Biodegradation Kinetics of 1,4-Dioxane in Chlorinated Solvent Mixtures. *Environmental Science & Technology.* 50: 9599-9607.
- Zhang, SF; Splendiani, A; dos Santos, LMF; Livingston, AG. (1998). Determination of pollutant diffusion coefficients in naturally formed biofilms using a single tube extractive membrane bioreactor. *Biotechnol Bioeng.* 59: 80-89.
- Zhang, S-y; Zhu, R-l; Li, H; Liu, Y-d. (2015). Mechanism of Trichloroethylene-Phenol co-Metabolism by Burkholderia cepacia Using H sub(2)O sub(2) as Oxygen Source. *Journal of East China University of Science and Technology.* 41: 48-53.
- Zhang, W; Jia, N; Han, XL; Qiu, ZF; Lv, SG; Lin, KF; Ying, WC. (2016). A comparison of the dechlorination mechanisms and Ni release styles of chloroalkane and chloroalkene removal using nickel/iron nanoparticles. *Environ Technol.* 37: 2088-2098.
- Zhang, W; Li, L; Li, BZ; Lin, KF; Lu, SG; Fu, RB; Zhu, J; Cui, XH. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *Journal of Environmental Engineering-Asce.* 139: 803-809.
- Zhang, W; Li, L; Lin, KF; Xiong, B; Li, BZ; Lu, SG; Guo, MJ; Cui, XH. (2012). Synergetic degradation of Fe/Cu/C for groundwater polluted by trichloroethylene. *Water Science and Technology.* 65: 2258-2264.

Environmental Hazard Literature Search Results

Off Topic

- Zhang, W; Wang, CB. (1997). RAPID AND COMPLETE DECHLORINATION OF TCE AND PCBS BY NANOSCALE FE AND PD-FE PARTICLES. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 2.
- Zhang, W; Xie, YL; Jia, N; Lin, KF; Lv, SG; Ying, WC. (2016). EFFECT OF REACTION ENVIRONMENTS ON CHLORINATED ALIPHATIC HYDROCARBONS REMOVAL IN WATER BY Ni/Fe NANOPARTICLES. *Fresen Environ Bull.* 25: 1647-1653.
- Zhang, W; Yu, T; Han, XL; Ying, WC. (2016). Removal of 2-CIBP from soil-water system using activated carbon supported nanoscale zerovalent iron. *J Environ Sci.* 47: 143-152.
- Zhang, W; Zuo, J; Han, X; Qiu, Z; Lu, S; Ying, W. (2013). Removal of Trichloroethylene (TCE) in Water by GAC/ZVI/Pd Processes. *Water Purification Technology.* 32: 67-73.
- Zhang, WH; Quan, X; Wang, JX; Zhang, ZY; Chen, S. (2006). Rapid and complete dechlorination of PCP in aqueous solution using Ni-Fe nanoparticles under assistance of ultrasound. *Chemosphere.* 65: 58-64.
- Zhang, WH; Quan, X; Zhang, ZY. (2007). Catalytic reductive dechlorination of p-chlorophenol in water using Ni/Fe nanoscale particles. *J Environ Sci.* 19: 362-366.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Danish, M; Brusseau, ML; Qiu, Z; Sui, Q. (2016). Enhanced degradation of trichloroethene by calcium peroxide activated with Fe(III) in the presence of citric acid. *Frontiers of environmental science & engineering.* 10: 502-512.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Qiu, Z; Sui, Q. (2015). Degradation of trichloroethylene in aqueous solution by calcium peroxide activated with ferrous ion. *J Hazard Mater.* 284: 253-260.
- Zhang, X; Gu, XG; Lu, SG; Miao, ZW; Xu, MH; Fu, XR; Qiu, ZF; Sui, Q. (2016). Application of calcium peroxide activated with Fe(II)-EDDS complex in trichloroethylene degradation. *Chemosphere.* 160: 1-6.
- Zhang, XH; Sewell, GW; Cui, SY. (2001). An improved method of hydrogen production as electron donor for anaerobic bioremediation. *Journal of environmental science and health Part A, Toxic/hazardous substances & environmental engineering.* 36: 1661-1670.
- Zhang, XL; Deng, BL; Guo, J; Wang, Y; Lan, YQ. (2011). Ligand-assisted degradation of carbon tetrachloride by microscale zero-valent iron. *J Environ Manage.* 92: 1328-1333.
- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1994). Fixed-bed photocatalysts for solar decontamination of water. *Environmental Science & Technology.* 28: 435-442.
- Zhang, Y; Gillham, RW. (2005). Effects of gas generation and precipitates on performance of Fe0 PRBs. *Ground Water.* 43: 113-121.
- Zhang, Y; Hu, M; Jiang, Z; Liu, Y. (2011). Effect of anthraquinone-2,6-disulfonate on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 192: 1896-1899.
- Zhang, Y; Hu, M; Li, PF; Wang, X; Meng, QJ. (2015). Analysis of trichloroethylene removal and bacterial community function based on pH-adjusted in an upflow anaerobic sludge blanket reactor. *Appl Microbiol Biotechnol.* 99: 9289-9297.
- Zhang, Y; Hu, M; Li, PF; Wang, X; Meng, QJ. (2015). Trichloroethylene removal and bacterial variations in the up-flow anaerobic sludge blanket reactor in response to temperature shifts. *Appl Microbiol Biotechnol.* 99: 6091-6102.
- Zhang, Y; Li, YM; Zheng, XM. (2011). Removal of atrazine by nanoscale zero valent iron supported on organobentonite. *Sci Total Environ.* 409: 625-630.
- Zhang, Y; Liu, Y; Hu, M; Jiang, Z. (2014). Acclimation of the trichloroethylene-degrading anaerobic granular sludge and the degradation characteristics in an upflow anaerobic sludge blanket reactor. *Water Science and Technology.* 69: 120-127.
- Zhang, Y; Luo, XJ; Wu, JP; Liu, J; Wang, J; Chen, SJ; Mai, BX. (2010). Contaminant pattern and bioaccumulation of legacy and emerging organohalogen pollutants in the aquatic biota from an e-waste recycling region in South China. *Environmental toxicology and chemistry / SETAC.* 29: 852-859.
- Zhang, Y; Tay, J. (2015). Toxic and inhibitory effects of trichloroethylene aerobic co-metabolism on phenol-grown aerobic granules. *J Hazard Mater.* 286: 204-210.
- Zhang, Y; Tay, JH. (2012). Co-metabolic degradation activities of trichloroethylene by phenol-grown aerobic granules. *J Biotechnol.* 162: 274-282.
- Zhang, Y; Tay, JH. (2014). Rate limiting factors in trichloroethylene co-metabolic degradation by phenol-grown aerobic granules. *Biodegradation.* 25: 227-237.
- Zhang, Y; Tay, JH. (2016). Alternated phenol and trichloroethylene biodegradation in an aerobic granular sludge reactor. *Biochem Eng J.* 106: 1-10.
- Zhang, Y; Tay, JH. (2016). Physiological and functional diversity of phenol degraders isolated from phenol-grown aerobic granules: Phenol degradation kinetics and trichloroethylene co-metabolic activities. *J Environ Manage.* 169: 34-45.
- Zhang, Y; Wang, X; Blake, DR; Li, L; Zhang, Z; Wang, S; Guo, H; Lee, FSC; Gao, B; Chan, L. (2012). Aromatic hydrocarbons as ozone precursors before and after outbreak of the 2008 financial crisis in the Pearl River Delta region, south China. *Journal of Geophysical Research Atmospheres.* 117.
- Zhang, Y; Wang, X; Hu, M; Li, PF. (2015). Effect of hydraulic retention time (HRT) on the biodegradation of trichloroethylene wastewater and anaerobic bacterial community in the UASB reactor. *Appl Microbiol Biotechnol.* 99: 1977-1987.
- Zhang, YD; Kelly, PB; Kennedy, IM. (2002). Resonant Raman-scattering measurements of trichloroethene in a thermal boundary layer. *Appl Opt.* 41: 2962-2972.
- Zhang, YP; Yang, R; Xu, QJ; Mo, JH. (2007). Characteristics of photocatalytic oxidation of toluene, benzene, and their mixture. *Journal of the Air & Waste Management Association.* 57: 94-101.
- Zhang, YS; Gillham, RK. (2005). Effects of gas generation and precipitates on performance of Fe degrees PRBs. *Ground Water.* 43: 113-121.
- Zhang, YX; Xin, JY; Chen, LL; Xia, CG. (2009). The Methane Monooxygenase Intrinsic Activity of Kinds of Methanotrophs. *Appl Biochem Biotechnol.* 157: 431-441.

Environmental Hazard Literature Search Results

Off Topic

- Zhang, ZF; Smith, JE. (2001). The velocity of DNAPL fingering in water-saturated porous media: laboratory experiments and a mobile-immobile-zone model. *J Contam Hydrol.* 49: 335-353.
- Zhang, ZH; Brusseau, ML. (1998). Characterizing three-dimensional hydraulic conductivity distributions using qualitative and quantitative geologic borehole data: Application to a field site. *Ground Water.* 36: 671-678.
- Zhang, ZH; Brusseau, ML. (1999). Nonideal transport of reactive solutes in heterogeneous porous media 5. Simulating regional-scale behavior of a trichloroethene plume during pump-and-treat remediation. *Water Resour Res.* 35: 2921-2935.
- Zhao, B; Zhu, L. (2006). Solubilization of DNAPLs by mixed surfactant: synergism and solubilization capacity. *J Hazard Mater.* 136: 513-519.
- Zhao, BW; Zhu, LZ; Yang, K. (2006). Solubilization of DNAPLs by mixed surfactant: Reduction in partitioning losses of nonionic surfactant. *Chemosphere.* 62: 772-779.
- Zhao, C; Mumford, KG; Kueper, BH. (2014). Laboratory study of non-aqueous phase liquid and water co-boiling during thermal treatment. *J Contam Hydrol.* 164: 49-58.
- Zhao, D; Cheng, J; Chen, JW. (2014). One-step synthesis of bentonite-supported nanoscale Fe/Ni bimetal for rapid degradation of methyl orange in water. *Environ Chem Lett.* 12: 461-466.
- Zhao, H; Nagy, KL. (2004). Dodecyl sulfate-hydroxalate nanocomposites for trapping chlorinated organic pollutants in water. *J Colloid Interface Sci.* 274: 613-624.
- Zhao, HP; Schmidt, KR; Lohner, S; Tiehm, A. (2011). Robustness of an aerobic metabolically vinyl chloride degrading bacterial enrichment culture. *Water Science and Technology.* 64: 1796-1803.
- Zhao, HP; Schmidt, KR; Tiehm, A. (2010). Inhibition of aerobic metabolic cis-1,2-dichloroethene biodegradation by other chloroethenes. *Water Res.* 44: 2276-2282.
- Zhao, HT; Vance, GF. (1998). Sorption of trichloroethylene by organo-clays in the presence of humic substances. *Water Res.* 32: 3710-3716.
- Zhao, L; Folsom, PW; Wolstenholme, BW; Sun, H; Wang, N; Buck, RC. (2013). 6:2 fluorotelomer alcohol biotransformation in an aerobic river sediment system. *Chemosphere.* 90: 203-209.
- Zhao, L; Hou, H; Fujii, A; Hosomi, M; Li, FS. (2014). Degradation of 1,4-dioxane in water with heat- and Fe²⁺-activated persulfate oxidation. *Environ Sci Pollut Res Int.* 21: 7457-7465.
- Zhao, S; Ding, C; He, J. (2015). Detoxification of 1,1,2-trichloroethane to ethene by desulfitobacterium and identification of its functional reductase gene. *PLoS ONE.* 10: e0119507.
- Zhao, S; Ding, C; He, J. (2015). Detoxification of 1,1,2-Trichloroethane to Ethene by Desulfitobacterium and Identification of Its Functional Reductase Gene: e0119507. *PLoS ONE.* 10.
- Zhao, X; Wallace, RB; Hyndman, DW; Dybas, MJ; Voice, TC. (2005). Heterogeneity of chlorinated hydrocarbon sorption properties in a sandy aquifer. *J Contam Hydrol.* 78: 327-342.
- Zhao, Y; Krishnadasan, A; Kennedy, N; Morgenstern, H; Ritz, B. (2005). Estimated effects of solvents and mineral oils on cancer incidence and mortality in a cohort of aerospace workers. *Am J Ind Med.* 48: 249-258.
- Zhao, Y; Liu, Z; Liu, F; Li, Z. (2011). Cometabolic degradation of trichloroethylene in a hollow fiber membrane reactor with toluene as a substrate. *J Memb Sci.* 372: 322-330.
- Zhao, Y; Schuer, T; Catterall, WA. (2004). Reversed voltage-dependent gating of a bacterial sodium channel with proline substitutions in the S6 transmembrane segment. *Proceedings of the National Academy of Sciences of the United States of America.* 101: 17873-17878.
- Zhao, Y; Zhao, YS; Li, Q; Zhou, R; Chen, X. (2016). Effect of common inorganic ions on aniline degradation in groundwater by activated persulfate with ferrous iron. *Water Science and Technology-Water Supply.* 16: 667-674.
- Zhao, YH; Lang, PZ. (1996). Evaluation of the partitioning of hydrophobic pollutants between aquatic and solid phases in natural systems. *Sci Total Environ.* 177: 1-7.
- Zhao, YH; Wang, LS; Gao, H; Zhang, Z. (1993). Quantitative structure-activity relationships: Relationship between toxicity of organic chemicals to fish and to photobacterium phosphoreum. *Chemosphere.* 26: 1971-1979.
- Zhao, Z; Fang, Y-L; Alvarez Pedro, JJ; Wong Michael, S. (2013). Degrading perchloroethene at ambient conditions using Pd and Pd-on-Au reduction catalysts. *Appl Catal B-Environ.* 140-141: 468-477.
- Zhao, Z; Khorasani, AE; Theodore, ND; Dhar, A; Alford, TL. (2015). Prediction of transmittance spectra for transparent composite electrodes with ultra-thin metal layers. *Journal of Applied Physics.* 118: 5304-5304.
- Zhekova, B; Dobrev, G; Stanchev, V; Pishtiyski, I. (2009). Approaches for yield increase of beta-cyclodextrin formed by cyclodextrin glucanotransferase from *Bacillus megaterium*. *World Journal of Microbiology & Biotechnology.* 25: 1043-1049.
- Zhekova, B; Dobrev, G; Stanchev, V; Pishtiyski, I. (2009). Approaches for yield increase of β -cyclodextrin formed by cyclodextrin glucanotransferase from *Bacillus megaterium*. *World journal of microbiology & biotechnology.* 25: 1043-1049.
- Zheng, CM; Wang, PP. (2002). A field demonstration of the simulation optimization approach for remediation system design. *Ground Water.* 40: 258-265.
- Zheng, JZ; Xue, ZJ; Li, SF; Li, SX; Rao, ZM. (2012). Development of trichloroethylene gaseous sensor utilizing ZnO-Y₂O₃ as nanocatalyst based on thermal desorption/cataluminescence. *Analytical Methods.* 4: 2791-2796.
- Zheng, L; Chang, FH. (1993). MODELING OF COMETABOLIC BIODEGRADATION OF TRICHLOROETHYLENE TCE BY METHANOTROPHS. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 312.
- Zheng, MM; Bao, JG; Liao, P; Wang, K; Yuan, SH; Tong, M; Long, HY. (2012). Electrogeneration of H₂ for Pd-catalytic hydrodechlorination of 2,4-dichlorophenol in groundwater. *Chemosphere.* 87: 1097-1104.

Environmental Hazard Literature Search Results

Off Topic

- Zheng, TH; Zhan, JJ; He, JB; Day, C; Lu, YF; McPherson, GL; Piringer, G; John, VT. (2008). Reactivity characteristics of nanoscale zerovalent iron-silica composites for trichloroethylene remediation. *Environmental Science & Technology*. 42: 4494-4499.
- Zhong, H; Brusseau, ML; Wang, YK; Yan, N; Quig, L; Johnson, GR. (2015). In-situ activation of persulfate by iron filings and degradation of 1,4-dioxane. *Water Res*. 83: 104-111.
- Zhong, J; Ding, Y; Wang, H. (2014). Synthesis, crystal structures and properties of silver(I) complexes assembled with dmit and TTF derivatives. *Inorganica Chimica Acta*. 419: 36-44.
- Zhong, XH; Bajpai, RK. (2000). A comprehensive model for the cometabolism of chlorinated solvents. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 35: 229-244.
- Zhou, J; Tiedje, JM. (1995). DEVELOPMENT OF PHYLOGENETIC PROBES SPECIFIC TO BURKHOLDERIA CEPACIA G4. Hinchee, R E, G S Douglas And S K Ong. 3: 1-57477.
- Zhou, JZ; Huang, H; Tiedje, JM; Zhou, JZ; Huang, H. (1998). MOLECULAR DIVERSITY OF TOLUENE ORTHO-MONOOXYGENASE GENES. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 452.
- Zhou, P; Zhao, Y; Li, J; Wu, G; Zhang, L; Liu, Q; Fan, S; Yang, X; Li, X; Wu, Y. (2012). Dietary exposure to persistent organochlorine pesticides in 2007 Chinese total diet study. *Environ Int*. 42: 152-159.
- Zhou, Q; Birkholzer, JT; Javandel, I; Jordan, PD. (2004). Modeling three-dimensional groundwater flow and advective contaminant transport at a heterogeneous mountainous site in support of remediation. *Vadose zone journal VZJ*. 3.
- Zhou, Q; Bishop, PL. (1997). Determination of oxygen profiles and diffusivity in encapsulated biomass k-carrageenan gel beads. *Water Science and Technology*. 36: 271-277.
- Zhou, SY; Wallace, KB. (1999). The effect of peroxisome proliferators on mitochondrial bioenergetics. *Toxicol Sci*. 48: 82-89.
- Zhou, WJ; Zhu, LZ. (2008). Influence of surfactant sorption on the removal of phenanthrene from contaminated soils. *Environ Pollut*. 152: 99-105.
- Zhou, X; Li, DM; Yang, Q; Hao, CB. (2012). ISOLATION AND CHARACTERIZATION OF A 1,1-DICHLOROETHYLENE-DEGRADING BACTERIAL STRAIN FROM ACTIVATED SLUDGE. *Fresen Environ Bull*. 21: 2051-2055.
- Zhou, YC; Waxman, DJ. (1998). Activation of peroxisome proliferator-activated receptors by chlorinated hydrocarbons and endogenous steroids. *Environ Health Perspect*. 106: 983-988.
- Zhou, YZ; Yang, J; Wang, XL; Pan, YQ; Li, H; Zhou, D; Liu, YD; Wang, P; Gu, JD; Lu, Q; Qiu, YF; Lin, KF. (2014). Bio-beads with immobilized anaerobic bacteria, zero-valent iron, and active carbon for the removal of trichloroethane from groundwater. *Environmental science and pollution research international*. 21: 11500-11509.
- Zhou, Z; Ruan, W; Huang, H; Shen, C; Yuan, B; Huang, C-H. (2016). Fabrication and characterization of Fe/Ni nanoparticles supported by polystyrene resin for trichloroethylene degradation. *Chem Eng J*. 283: 730-739.
- Zhu, B; Peng, RH; Xiong, AS; Fu, XY; Zhao, W; Tian, YS; Jin, XF; Xue, Y; Xu, J; Han, HJ; Chen, C; Gao, JJ; Yao, QH. (2012). Analysis of gene expression profile of Arabidopsis genes under trichloroethylene stresses with the use of a full-length cDNA microarray. *Mol Biol Rep*. 39: 3799-3806.
- Zhu, CG; Zhang, LY; Zhao, LP. (2008). Molecular cloning, genetic organization of gene cluster encoding phenol hydroxylase and catechol 2,3-dioxygenase in *Alcaligenes faecalis* IS-46. *World Journal of Microbiology & Biotechnology*. 24: 1687-1695.
- Zhu, HW; Keener, TC; Orton, TL; Bishop, PL; Khang, SJ; Siddiqui, K. (1997). The effectiveness of aeration recirculation in controlling VOC emissions from publicly owned treatment works. *Journal of the Air & Waste Management Association*. 47: 1259-1267.
- Zhu, L; Gao, KT; Jin, J; Lin, HZ; Xu, XY. (2014). Analysis of ZVI corrosion products and their functions in the combined ZVI and anaerobic sludge system. *Environ Sci Pollut Res Int*. 21: 12747-12756.
- Zhu, L; Jin, J; Lin, H; Gao, K; Xu, X. (2015). Succession of microbial community and enhanced mechanism of a ZVI-based anaerobic granular sludge process treating chloronitrobenzenes wastewater. *J Hazard Mater*. 285: 157-166.
- Zhu, L; Lin, HZ; Qi, JQ; Xu, XY; Qi, HY. (2012). Effect of H₂ on reductive transformation of p-cINB in a combined ZVI-anaerobic sludge system. *Water Res*. 46: 6291-6299.
- Zhu, X; Liu, X; He, F; Wang, D. (1991). Preliminary study on organic contaminants in the water of northwest part of the Lake Chao. *J Environ Sci*. 3: 49-60.
- Zhu, XJ; He, JT; Su, SH; Zhang, XL; Wang, F. (2016). Concept model of the formation process of humic acid-kaolin complexes deduced by trichloroethylene sorption experiments and various characterizations. *Chemosphere*. 151: 116-123.
- Zhu, X-j; He, J-t; Su, S-h. (2015). Forming Mechanism of Humic Acid-Kaolin Complexes and the Adsorption of Trichloroethylene. *Environmental Science*. 36: 227-236.
- Zhu, ZZ; Mankowski, T; Balakrishnan, K; Shikoh, AS; Touati, F; Benammar, MA; Mansuripur, M; Falco, CM. (2016). Hybrid transparent conductive electrodes with copper nanowires embedded in a zinc oxide matrix and protected by reduced graphene oxide platelets. *Journal of Applied Physics*. 119: 85303-85303.
- Zhuang, P; Pavlostathis, SG. (1994). EFFECT OF CHLORINATED ALKENES ON THE REDUCTIVE DECHLORINATION AND METHANE PRODUCTION PROCESSES. *Water Science And Technology*. 30: 85-94.
- Zhuang, P; Pavlostathis, SG. (1995). Effect of temperature, pH and electron donor on the microbial reductive dechlorination of chloroalkenes. *Chemosphere*. 31: 3537-3548.
- Zhuang, WQ; Yi, S; Feng, XY; Zinder, SH; Tang, YJJ; Alvarez-Cohen, L. (2011). Selective Utilization of Exogenous Amino Acids by Dehalococcoides ethenogenes Strain 195 and Its Effects on Growth and Dechlorination Activity. *Appl Environ Microbiol*. 77: 7797-7803.

Environmental Hazard Literature Search Results

Off Topic

- Zhuang, YA; Ahn, S; Luthy, RG. (2010). Debromination of Polybrominated Diphenyl Ethers by Nanoscale Zerovalent Iron: Pathways, Kinetics, and Reactivity. *Environmental Science & Technology*. 44: 8236-8242.
- Ziagova, MG; Liakopoulou-Kyriakides, M. (2010). Comparative studies on the degradation of three aromatic compounds by *Pseudomonas* sp and *Staphylococcus xylosus*. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 45: 1017-1025.
- Zielinska-Psuja, B; Orłowski, J; Plewka, A; Kaminski, M; Kowalowka-Zawieja, J. (2001). Metabolic interactions between acetylsalicylic acid, xylene and trichloroethylene in rats. *Pol J Environ Stud*. 10: 43-49.
- Ziglio, G; Beltramelli, G; Pregliasco, F; Ferrari, G. (1985). Metabolites of chlorinated solvents in blood and urine of subjects exposed at environmental level. *The Science of the total environment*. 47: 473-477.
- Zimmerman, JB; Kibbey, TCG; Cowell, MA; Hayes, KF. (1998). Partitioning of ethoxylated nonionic surfactants into nonaqueous-phase organic liquids: Influence on solubilization behavior. *Environmental Science & Technology*. 33: 169-176.
- Zimmerman, LK. (2011). New opportunities for groundwater hydrochemistry and degradation investigations provided by the Snap SamplerRTM. *Masters Abstracts International Vol 49, no 04, 188 p 2011*.
- Zinder, S; Distefano, T; Gossett, J; Juang, YL; Vazoller, R; Anguish, T. (1991). PRELIMINARY MICROBIOLOGICAL CHARACTERIZATION OF ANAEROBIC ENRICHMENT CULTURE WHICH CONVERTS TETRACHLOROETHYLENE TO ETHYLENE. 91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May. 91: 295.
- Zinder, SH; Gossett, JM. (1995). Reductive dechlorination of tetrachloroethene by a high rate anaerobic microbial consortium. *Environ Health Perspect*. 103 Suppl 5: 5-7.
- Zira, A; Kostidis, S; Theocharis, S; Sigala, F; Engelsen, SB; Andreadou, I; Mikros, E. (2013). 1H NMR-based metabolomics approach in a rat model of acute liver injury and regeneration induced by CCl₄ administration. *Toxicology*. 303: 115-124.
- Zirschky, J. (1989). HAZARDOUS AND SOLID WASTES. *J Water Pollut Control Fed*. 61: 905-910.
- Zitomer, DH; Speece, RE. (1995). Methanethiol in nonacclimated sewage sludge after addition of chloroform and other toxicants. *Environmental Science & Technology*. 29: 762-768.
- Ziv-El, M; Delgado, AG; Yao, Y; Kang, DW; Nelson, KG; Halden, RU; Krajmalnik-Brown, R. (2011). Development and characterization of DehaloR2, a novel anaerobic microbial consortium performing rapid dechlorination of TCE to ethene. *Appl Microbiol Biotechnol*. 92: 1063-1071.
- Ziv-El, M; Delgado, AG; Yao, Y; Kang, DW; Nelson, KG; Halden, RU; Krajmalnik-Brown, R. (2012). Development and characterization of DehaloR boolean AND 2, a novel anaerobic microbial consortium performing rapid dechlorination of TCE to ethene (vol 92, pg 1063, 2011). *Appl Microbiol Biotechnol*. 95: 273-274.
- Ziv-El, M; Delgado, AG; Yao, Y; Kang, D-W; Nelson, KG; Halden, RU; Krajmalnik-Brown, R. (2011). Development and characterization of DehaloR arrow up, a novel anaerobic microbial consortium performing rapid dechlorination of TCE to ethene. *Appl Microbiol Biotechnol*. 92: 1063-1071.
- Ziv-El, M; Popat, SC; Cai, K; Halden, RU; Krajmalnik-Brown, R; Rittmann, BE. (2012). Managing methanogens and homoacetogens to promote reductive dechlorination of trichloroethene with direct delivery of H₂ in a membrane biofilm reactor. *Biotechnol Bioeng*. 109: 2200-2210.
- Ziv-El, M; Popat, SC; Parameswaran, P; Kang, DW; Polasko, A; Halden, RU; Rittmann, BE; Krajmalnik-Brown, R. (2012). Using electron balances and molecular techniques to assess trichloroethene-induced shifts to a dechlorinating microbial community. *Biotechnol Bioeng*. 109: 2230-2239.
- Zmirou, D; Deloraine, A; Saviuc, P; Tillier, C; Boucharlat, A; Maury, N. (1994). Short-term health effects of an industrial toxic waste landfill: A retrospective follow-up study in Montchanin, France. *Arch Environ Health*. 49: 228-238.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem*. 84: 513-522.
- Zolla, V; Freyria, FS; Sethi, R; Di Molfetta, A. (2009). Hydrogeochemical and Biological Processes Affecting the Long-term Performance of an Iron-Based Permeable Reactive Barrier. *J Environ Qual*. 38: 897-908.
- Zoltek, JJR; Delfino, JJ. (1986). BENCH SCALE TREATABILITY OF LEACHATE FROM AN ABANDONED PHENOLIC WASTE SITE AU - DRINKWATER LA. *J Water Pollut Control Fed*. 58: 1057-1065.
- Zorn, ME; Tompkins, DT; Zeltner, WA; Anderson, MA. (2000). Catalytic and photocatalytic oxidation of ethylene on titania-based thin-films. *Environmental Science & Technology*. 34: 5206-5210.
- Zou, J; Ma, J; Zhang, JQ. (2014). Comment on Electrolytic Manipulation of Persulfate Reactivity by Iron Electrodes for TCE Degradation in Groundwater. *Environmental Science & Technology*. 48: 4630-4631.
- Zuo, GM; Cheng, ZX; Chen, H; Li, GW; Miao, T. (2006). Study on photocatalytic degradation of several volatile organic compounds. *J Hazard Mater*. 128: 158-163.
- Zuurbier, KG; Hartog, N; Valstar, J; Post, VE; van, BBM. (2013). The impact of low-temperature seasonal aquifer thermal energy storage (SATES) systems on chlorinated solvent contaminated groundwater: modeling of spreading and degradation. *J Contam Hydrol*. 147: 1-13.
- Zwank, L; Elsner, M; Aeberhard, A; Schwarzenbach, RP; Haderlein, SB. (2005). Carbon isotope fractionation in the reductive dehalogenation of carbon tetrachloride at iron (hydr)oxide and iron sulfide minerals. *Environmental Science & Technology*. 39: 5634-5641.
- Zylstra, GJ; Wackett, LP; Gibson, DT. (1989). Trichloroethylene degradation by *Escherichia coli* containing the cloned *Pseudomonas putida* F1 toluene dioxygenase genes. *Appl Environ Microbiol*. 55: 3162-3166.
- Zytner, RG. (1992). Adsorption-desorption of trichloroethylene in granular media. *Water Air Soil Pollut*. 65: 245-255.
- Zytner, RG; Biswas, N; Bewtra, JK. (1993). Retention capacity of dry soils for NAPLs. *Environ Technol*. 14: 1073-1080.

Environmental Hazard Literature Search Results

Off Topic

Zytner, RG; Madani-Isfahani, M; Corsi, RL. (1997). Oxygen uptake and VOC emissions at enclosed sewer drop structures. *Water Environ Res.* 69: 286-294.

Human Health Hazard Literature Search Results

On Topic

- Abbas, R; Fisher, JW. (1997). A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol.* 147: 15-30. <http://dx.doi.org/10.1006/taap.1997.8190>.
- Abbas, RR; Seckel, CS; Kidney, JK; Fisher, JW. (1996). Pharmacokinetic analysis of chloral hydrate and its metabolism in B6C3F1 mice. *Drug Metab Dispos.* 24: 1340-1346.
- Abo-Elyazeed, E; Lotfy, A; Ismail, S; Eldeen, NM; Sheashaa, H; Sobh, M; Salama, M. (2014). TCE effects on proliferating neural progenitor cells of rat. *Toxicol Lett.* 229: S238-S238. <http://dx.doi.org/10.1016/j.toxlet.2014.06.796>.
- Abusoglu, S; Celik, HT; Tutkun, E; Yilmaz, H; Serdar, MA; Bal, CD; Yildirimkaya, M; Avcikucuk, M. (2014). 8-hydroxydeoxyguanosine as a useful marker for determining the severity of trichloroethylene exposure. *Arch Environ Occup Health.* 69: 180-186. <http://dx.doi.org/10.1080/19338244.2013.763761>.
- Adams, C; Keil, D; Meyers, K; Eudaly, A; Smythe, J; Eudaly, J; Gilkeson, G; Peden-Adams, MM. (2003). Lifetime exposure to trichloroethylene (TCE) modulates immune function. *Toxicologist.* 72: 375.
- ADHS. (1990). Incidence study of childhood cancer in Maricopa County: 1965-1986. Phoenix, AZ.
- ADHS. (1995). Update of the incidence of childhood cancers and testicular cancer in southwest Tucson: 1987-1991. Phoenix, AZ.
- Ahn, YS; Kim, M. (2010). Occupational Skin Diseases in Korea [Review]. *J Korean Med Sci.* 25: S46-S52. <http://dx.doi.org/10.3346/jkms.2010.25.S.46>.
- Alanee, S; Clemons, J; Zahnd, W; Sadowski, D; Dynda, D. (2015). Trichloroethylene Is Associated with Kidney Cancer Mortality: A Population-based Analysis. *Anticancer Res.* 35: 4009-4013.
- Albanese, R; Banks, H; Evans, M; Potter, L. (2002). Physiologically based pharmacokinetic models for the transport of trichloroethylene in adipose tissue. *Bull Math Biol.* 64: 97-131. <http://dx.doi.org/10.1006/bulm.2001.0268>.
- Albee, R; Nitschke, K; Mattsson, J; Stebbins, K. (1997). Dichloroacetylene: Effects on the rat trigeminal nerve somatosensory evoked potential. *Neurotoxicol Teratol.* 19: 27-37.
- Albee, R; Spencer, P; Johnson, K; Bradley, G; Marable, B; Wilmer, J; Mattsson, J. (2006). Lack of trigeminal nerve toxicity in rats exposed to trichloroethylene vapor for 13 weeks. *Int J Toxicol.* 25: 531-540. <http://dx.doi.org/10.1080/10915810600972678>.
- Albers, JW; Wald, JJ; Werner, RA; Franzblau, A; Berent, S. (1999). Absence of polyneuropathy among workers previously diagnosed with solvent-induced toxic encephalopathy. *J Occup Environ Med.* 41: 500-509.
- Albert, D; Albert, A; Vernace, M; Sebastian, J; Hsia, E. (2005). Analysis of a cluster of cases of Wegener granulomatosis. *J Clin Rheumatol.* 11: 188-193. <http://dx.doi.org/10.1097/01.rhu.0000173234.33984.4a>.
- Aldrich, TE; Seidu, D; Bahr, D; Freitas, S; Brion, GM; Tollerud, D. (2010). Time-period mortality patterns in a gaseous diffusion plant workforce. *Int J Occup Med Environ Health.* 23: 145-151. <http://dx.doi.org/10.2478/v10001-010-0022-7>.
- Alexander, DD; Kelsh, MA; Mink, PJ; Mandel, JH; Basu, R; Weingart, M. (2007). A meta-analysis of occupational trichloroethylene exposure and liver cancer [Review]. *Int Arch Occup Environ Health.* 81: 127-143. <http://dx.doi.org/10.1007/s00420-007-0201-4>.
- Alexander, DD; Mink, PJ; Adami, HO; Chang, ET; Cole, P; Mandel, JS; Trichopoulos, D. (2007). The non-Hodgkin lymphomas: A review of the epidemiologic literature [Review]. *Int J Cancer.* 120: 1-39. <http://dx.doi.org/10.1002/ijc.22719>.
- Alexander, DD; Mink, PJ; Mandel, JH; Kelsh, MA. (2006). A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukaemia. *Occup Med (Lond).* 56: 485-493. <http://dx.doi.org/10.1093/occmed/kql083>.
- Al-Griw, MA; Alghazeer, RO; Al-Azreg, SA; Bennour, EM. (2016). Cellular and molecular etiology of hepatocyte injury in a murine model of environmentally induced liver abnormality. 6: 150-157. <http://dx.doi.org/10.4314/ovj.v6i3.1>.
- Ali, F; Khan, AQ; Khan, R; Sultana, S. (2016). Trichloroethylene-mediated cytotoxicity in human epidermal keratinocytes is mediated by the rapid accumulation of intracellular calcium: Interception by naringenin. *Hum Exp Toxicol.* 35: 147-161. <http://dx.doi.org/10.1177/0960327115578865>.
- Ali, F; Sultana, S. (2012). Repeated short-term stress synergizes the ROS signalling through up regulation of NFkB and iNOS expression induced due to combined exposure of trichloroethylene and UVB rays. *Mol Cell Biochem.* 360: 133-145. <http://dx.doi.org/10.1007/s11010-011-1051-7>.
- Ali, F; Sultana, S. (2012). Trichloroethylene's Dermal Toxicity Involves Activation of PKC and Intracellular Calcium Ions Burst: Prevention by Natural Flavonoid Naringenin Through Antiapoptotic Strategy. *Free Radic Biol Med.* 53: S15-S15. <http://dx.doi.org/10.1016/j.freeradbiomed.2012.10.028>.
- Allen, BC; Fisher, JW. (1993). Pharmacokinetic modeling of trichloroethylene and trichloroacetic acid in humans. *Risk Anal.* 13: 71-86.
- Allen, JW; Collins, BW; Evansky, PA. (1994). Spermatid micronucleus analyses of trichloroethylene and chloral hydrate effects in mice. *Mutat Res Lett.* 323: 81-88. [http://dx.doi.org/10.1016/0165-7992\(94\)90049-3](http://dx.doi.org/10.1016/0165-7992(94)90049-3).
- Altmann, L; Welge, P; Mensing, T; Lilienthal, H; Voss, B; Wilhelm, M. (2002). Chronic exposure to trichloroethylene affects neuronal plasticity in rat hippocampal slices. *Environ Toxicol Pharmacol.* 12: 157-167. [http://dx.doi.org/10.1016/S1382-6689\(02\)00032-7](http://dx.doi.org/10.1016/S1382-6689(02)00032-7).

Human Health Hazard Literature Search Results

On Topic

- Alwis, KU; Blount, BC; Britt, AS; Patel, D; Ashley, DL. (2012). Simultaneous analysis of 28 urinary VOC metabolites using ultra high performance liquid chromatography coupled with electrospray ionization tandem mass spectrometry (UPLC-ESI/MSMS). *Anal Chim Acta*. 750: 152-160. <http://dx.doi.org/10.1016/j.aca.2012.04.009>.
- Amacher, DE; Zelljadt, I. (1983). The morphological transformation of Syrian hamster embryo cells by chemicals reportedly nonmutagenic to *Salmonella typhimurium*. *Carcinogenesis*. 4: 291-296. <http://dx.doi.org/10.1093/carcin/4.3.291>.
- Anders, MW; Jakobson, I. (1985). Biotransformation of halogenated solvents [Review]. *Scand J Work Environ Health*. 11: 23-32.
- Andersen, ME; Gargas, ML; Clewell, HJ, III; Severyn, KM. (1987). Quantitative evaluation of the metabolic interactions between trichloroethylene and 1,1-dichloroethylene in vivo using gas uptake methods. *Toxicol Appl Pharmacol*. 89: 149-157.
- Anna, CH; Maronpot, RR; Pereira, MA; Foley, JF; Malarkey, DE; Anderson, MW. (1994). Ras proto-oncogene activation in dichloroacetic acid-, trichloroethylene- and tetrachloroethylene-induced liver tumors in B6C3F1 mice. *Carcinogenesis*. 15: 2255-2261. <http://dx.doi.org/10.1093/carcin/15.10.2255>.
- Anon. (2011). Health Consultation: Report of the Feasibility of a Multi-Site Analytic Follow-Up Study. Endicott Area Investigation Health Statistics Review Follow-Up, Endicott Area, Town of Union, Broome County, New York. 10.
- Anon. (2011). Toxicological Review of Trichloroethylene (CAS No. 79-01-6) in Support of Summary Information on the Integrated Risk Information System (IRIS). 1200.
- Anon. (2011). Toxicological Review of Trichloroethylene (CAS No. 79-01-6) in Support of Summary Information on the Integrated Risk Information System (IRIS). Appendices. 1269.
- Anttila, A; Pukkala, E; Sallmen, M; Hernberg, S; Hemminki, K. (1995). Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med*. 37: 797-806.
- Antti-Poika, M. (1982). Overall prognosis of patients with diagnosed chronic organic solvent intoxication. *Int Arch Occup Environ Health*. 51: 127-138. <http://dx.doi.org/10.1007/BF00378157>.
- Aranyi, C; O'Shea, WJ; Graham, JA; Miller, FJ. (1986). The effects of inhalation of organic chemical air contaminants on murine lung host defenses. *Fundam Appl Toxicol*. 6: 713-720. [http://dx.doi.org/10.1016/0272-0590\(86\)90184-3](http://dx.doi.org/10.1016/0272-0590(86)90184-3).
- Aratani, J; Suzuki, H; Hashimoto, K. (1993). Measurement of vibratory perception threshold (VPT) in workers exposed to organic solvents. *Environ Res*. 61: 357-361. <http://dx.doi.org/10.1006/enrs.1993.1080>.
- Archer, NP; Bradford, CM; Villanacci, JF; Crain, NE; Corsi, RL; Chambers, DM; Burk, T; Blount, BC. (2015). Relationship between vapor intrusion and human exposure to trichloroethylene. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 50: 1360-1368. <http://dx.doi.org/10.1080/10934529.2015.1064275>.
- Arif, AA; Shah, SM. (2007). Association between personal exposure to volatile organic compounds and asthma among US adult population. *Int Arch Occup Environ Health*. 80: 711-719. <http://dx.doi.org/10.1007/s00420-007-0183-2>.
- Arito, H; Takahashi, M; Ishikawa, T. (1994). Effect of subchronic inhalation exposure to low-level trichloroethylene on heart rate and wakefulness-sleep in freely moving rats. *Sangyo Igaku*. 36: 1-8.
- Aronson, K; Siemiatycki, J; Dewar, R; Gérin, M. (1996). Occupational risk factors for prostate cancer: Results from a case-control study in Montréal, Québec, Canada. *Am J Epidemiol*. 143: 363-373.
- Arp, EW; Wolf, PH; Checkoway, H. (1983). Lymphocytic leukemia and exposures to benzene and other solvents in the rubber industry. *J Occup Med*. 25: 598-602.
- Aryal, BK; Khuder, SA; Schaub, EA. (2001). Meta-analysis of systemic sclerosis and exposure to solvents. *Am J Ind Med*. 40: 271-274. <http://dx.doi.org/10.1002/ajim.1098>.
- Astrand, I. (1975). Uptake of solvents in the blood and tissues of man. A review [Review]. *Scand J Work Environ Health*. 1: 199-218.
- Astrand, I; Ovrum, P. (1976). Exposure to trichloroethylene I. Uptake and distribution in man. *Scand J Work Environ Health*. 2: 199-211.
- ATSDR. (1997). Toxicological profile for trichloroethylene (update) [ATSDR Tox Profile]. (PB98-101165). Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/toxprofiles/tp19-p.pdf>.
- ATSDR. (1998). Volatile organic compounds in drinking water and adverse pregnancy outcomes. United States Marine Corps Base, Camp Lejeune, NC. (PB98-156540; ATSDRHS9897). Atlanta, GA. <http://www.atsdr.cdc.gov/hs/lejeune/>.
- ATSDR. (2001). Final Report: Evaluation of priority health conditions in a community with historical contamination by trichloroethylene. Atlanta, GA: U.S. Department of Health and Human Services.
- ATSDR. (2002). Impact of trichloroethylene exposure on oral motor, speech, and hearing in children. Atlanta, GA: U.S. Department of Health and Human Services. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2004100016>.
- ATSDR. (2003). Progress report: Survey of specific childhood cancers and birth defects among children whose mothers were pregnant while living at U.S. Marine Corps Base Camp Lejeune, North Carolina, 1968-1985. Atlanta, GA: Agency for Toxic Substances & Disease Registry. <http://www.atsdr.cdc.gov/sites/lejeune/lejeunehealthsurvey.pdf>.
- ATSDR. (2004). Feasibility investigation of worker exposure to trichloroethylene at the View-Master factory in Beaverton, Oregon. Atlanta, GA: U.S. Department of Health and Human Services. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2005102173>.
- ATSDR. (2004). Interaction profile: 1,1,1-trichloroethane, 1,1-dichloroethane, trichloroethylene, and tetrachloroethylene. Atlanta, GA. <http://www.atsdr.cdc.gov/interactionprofiles/ip02.html>.
- ATSDR. (2006). Health consultation: Endicott area investigation: Health statistics review: Cancer and birth outcome analysis, Endicott area, town of Union, Broome County, New York. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/HAC/pha/EndicottAreaInvestigation/EndicottHealthStatsReviewHC052606.pdf>.

Human Health Hazard Literature Search Results

On Topic

- ATSDR. (2006). Toxicological profile for 1,1,1-trichloroethane [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/ToxProfiles/tp.asp?id=432&tid=76>.
- ATSDR. (2008). Health consultation: Health statistics review follow-up: Cancer and birth outcome analysis: Endicott area investigation, Endicott area, Town of Union, Broome County, New York. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/hac/pha//EndicottAreaInvestigationFollowUp/EndicottAreaHC051508.pdf>.
- ATSDR. (2009). Study on birth defects and childhood cancers. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Services. <http://www.atsdr.cdc.gov/sites/lejeune/update.html>.
- Axelsson, O; Seldén, A; Andersson, K; Hogstedt, C. (1994). Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. *J Occup Med.* 36: 556-562.
- Baden, JM; Kelley, M; Mazze, RI; Simmon, VF. (1979). Mutagenicity of inhalation anaesthetics: trichloroethylene, divinyl ether, nitrous oxide and cyclopropane. *Br J Anaesth.* 51: 417-421.
- Bahr, DE; Aldrich, TE; Seidu, D; Brion, GM; Tollerud, DJ; Plant, PGD. (2011). OCCUPATIONAL EXPOSURE TO TRICHLOROETHYLENE AND CANCER RISK FOR WORKERS AT THE PADUCAH GASEOUS DIFFUSION PLANT. *Int J Occup Med Environ Health.* 24: 67-77. <http://dx.doi.org/10.2478/s13382-011-0007-1>.
- Bai, CL; Stacey, NH. (1993). Mechanism of trichloroethylene-induced elevation of individual serum bile acids: II. In vitro and in vivo interference by trichloroethylene with bile acid transport in isolated rat hepatocytes. *Toxicol Appl Pharmacol.* 121: 296-302. <http://dx.doi.org/10.1006/taap.1993.1157>.
- Bal, C; Büyükkercer, M; Koca, C; Ağış, ER; Erdoğan, S; Baran, P; Gündüzöz, M; Yılmaz, Ö. (2016). The compromise of dynamic disulfide/thiol homeostasis as a biomarker of oxidative stress in trichloroethylene exposure. *Hum Exp Toxicol.* 35: 915-920. <http://dx.doi.org/10.1177/0960327115608928>.
- Bale, AS; Barone, S; Scott, CS; Cooper, GS. (2011). A review of potential neurotoxic mechanisms among three chlorinated organic solvents [Review]. *Toxicol Appl Pharmacol.* 255: 113-126. <http://dx.doi.org/10.1016/j.taap.2011.05.008>.
- Banerjee, S; Van Duuren, B. (1978). Covalent binding of the carcinogen trichloroethylene to hepatic microsomal proteins and to exogenous DNA in vitro. *Cancer Res.* 38: 776-780.
- Bardodej, Z; Vyskocil, J. (1956). The problem of trichloroethylene in occupational medicine: trichloroethylene metabolism and its effect on the nervous system evaluated as a means of hygienic control. *Arch Environ Occup Health.* 13: 581-592.
- Barret, L; Arsac, P; Vincent, M; Faure, J; Garrel, S; Reymond, F. (1982). Evoked trigeminal nerve potential in chronic trichloroethylene intoxication. *J Toxicol Clin Toxicol.* 19: 419-423. <http://dx.doi.org/10.3109/15563658208992496>.
- Barret, L; Faure, J; Guiland, B; Chomat, D; Didier, B; Debru, J. (1984). Trichloroethylene occupational exposure: Elements for better prevention. *Int Arch Occup Environ Health.* 53: 283-289. <http://dx.doi.org/10.1007/BF00380666>.
- Barret, L; Garrel, S; Danel, V; Debru, JL. (1987). Chronic trichloroethylene intoxication: A new approach by trigeminal-evoked potentials? *Arch Environ Occup Health.* 42: 297-302. <http://dx.doi.org/10.1080/00039896.1987.9935824>.
- Barret, L; Torch, S; Leray, C; Sarliève, L; Saxod, R. (1992). Morphometric and biochemical studies in trigeminal nerve of rat after trichloroethylene or dichloroacetylene oral administration. *Neurotoxicology.* 13: 601-614.
- Barret, L; Torch, S; Usson, Y; Gonthier, B; Saxod, R. (1991). A morphometric evaluation of the effects of trichloroethylene and dichloroacetylene on the rat mental nerve. Preliminary results. *Neurosci Lett.* 131: 141-144. [http://dx.doi.org/10.1016/0304-3940\(91\)90598-N](http://dx.doi.org/10.1016/0304-3940(91)90598-N).
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol.* 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Barton, H; Bull, R; Schultz, I; Andersen, M. (1999). Dichloroacetate (DCA) dosimetry: Interpreting DCA-induced liver cancer dose response and the potential for DCA to contribute to trichloroethylene-induced liver cancer. *Toxicol Lett.* 106: 9-21.
- Barton, HA; Clewell, HJ, III. (2000). Evaluating noncancer effects of trichloroethylene: Dosimetry, mode of action, and risk assessment [Review]. *Environ Health Perspect.* 108: 323-334.
- Barton, HA; Creech, JR; Godin, CS; Randall, GM; Seckel, CS. (1995). Chloroethylene mixtures: Pharmacokinetic modeling and in vitro metabolism of vinyl chloride, trichloroethylene, and trans-1,2-dichloroethylene in rat. *Toxicol Appl Pharmacol.* 130: 237-247. <http://dx.doi.org/10.1006/taap.1995.1029>.
- Barton, HA; Das, S. (1996). Alternatives for a risk assessment on chronic noncancer effects from oral exposure to trichloroethylene. *Regul Toxicol Pharmacol.* 24: 269-285. <http://dx.doi.org/10.1006/rtph.1996.0140>.
- Barton, HA; Flemming, CD; Lipscomb, JC. (1996). Evaluating human variability in chemical risk assessment: hazard identification and dose-response assessment for noncancer oral toxicity of trichloroethylene [Review]. *Toxicology.* 111: 271-287. [http://dx.doi.org/10.1016/0300-483X\(96\)03382-3](http://dx.doi.org/10.1016/0300-483X(96)03382-3).
- Bartonicek, V. (1962). Metabolism and excretion of trichloroethylene after inhalation by human subjects. *Br J Ind Med.* 19: 134-141. <http://dx.doi.org/10.1136/oem.19.2.134>.
- Bartonicek, V; Teisinger, J. (1962). Effect of tetraethyl thiuram disulphide (disulfiram) on metabolism of trichloroethylene in man. *Br J Ind Med.* 19: 216-221. <http://dx.doi.org/10.1136/oem.19.3.216>.
- Bartosiewicz, M; Penn, S; Buckpitt, A. (2001). Applications of gene arrays in environmental toxicology: Fingerprints of gene regulation associated with cadmium chloride, benzo(a)pyrene, and trichloroethylene. *Environ Health Perspect.* 109: 71-74.

Human Health Hazard Literature Search Results

On Topic

- Bassig, BA; Zhang, L; Tang, X; Vermeulen, R; Shen, M, in; Smith, MT; Qiu, C; Ge, Y; Ji, Z; Reiss, B; Hosgood, HD, III; Liu, S; Bagni, R; Guo, W; Purdue, M; Hu, W, ei; Yue, F, ei; Li, L; Huang, H; Rothman, N; Lan, Q. (2013). Occupational exposure to trichloroethylene and serum concentrations of IL-6, IL-10, and TNF-alpha. *Environ Mol Mutagen*. 54: 450-454. <http://dx.doi.org/10.1002/em.21789>.
- Bassig, BA; Zhang, L; Vermeulen, R; Tang, X; Li, G; Hu, W, ei; Guo, W; Purdue, MP; Yin, S; Rappaport, SM; Shen, M, in; Ji, Z; Qiu, C; Ge, Y; Hosgood, HD; Reiss, B; Wu, B; Xie, Y; Li, L; Yue, F, ei; Freeman, LEB; Blair, A; Hayes, RB; Huang, H; Smith, MT; Rothman, N; Lan, Q. (2016). Comparison of hematological alterations and markers of B-cell activation in workers exposed to benzene, formaldehyde and trichloroethylene. *Carcinogenesis*. 37: 692-700. <http://dx.doi.org/10.1093/carcin/bgw053>.
- Beamer, PI; Luik, CE; Abrell, L; Campos, S; Martinez, ME; Saez, AE. (2012). Correction to concentration of trichloroethylene in breast milk and household water from Nogales, Arizona [Erratum]. *Environ Sci Technol*. 46: 11483-11483. <http://dx.doi.org/10.1021/es303836r>.
- Beckstead, MJ; Weiner, JL; Eger, EI; Gong, DH; Mihic, SJ. (2000). Glycine and [gamma]-aminobutyric acid(A) receptor function is enhanced by inhaled drugs of abuse. *Mol Pharmacol*. 57: 1199-1205.
- Bekanntmachung des Umweltbundesamtes. (2015). [Health evaluation of trichloroethylene in indoor air : communication from the German ad-hoc working group on indoor guidelines of the Indoor Air Hygiene Committee and of the states' supreme health authorities]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 58: 762-768. <http://dx.doi.org/10.1007/s00103-015-2173-y>.
- Beppu, K. (1968). Transmission of the anesthetic agents through the placenta in painless delivery and their effects on newborn infants. *Keio J Med*. 17: 81-107.
- Berger, T; Horner, CM. (2003). In vivo exposure of female rats to toxicants may affect oocyte quality. *Reprod Toxicol*. 17: 273-281. [http://dx.doi.org/10.1016/S0890-6238\(03\)00009-1](http://dx.doi.org/10.1016/S0890-6238(03)00009-1).
- Bergman, K. (1983). Interactions of trichloroethylene with DNA in vitro and with RNA and DNA of various mouse tissues in vivo. *Arch Toxicol*. 54: 181-193.
- Bernauer, U; Birner, G; Dekant, W; Henschler, D. (1996). Biotransformation of trichloroethene: Dose-dependent excretion of 2,2,2-trichloro-metabolites and mercapturic acids in rats and humans after inhalation. *Arch Toxicol*. 70: 338-346. <http://dx.doi.org/10.1007/s002040050283>.
- Bevan, R; Young, C; Holmes, P; Fortunato, L, ea; Slack, R; Rushton, L; Burden, BOC. (2012). Occupational cancer in Britain Gastrointestinal cancers: liver, oesophagus, pancreas and stomach [Review]. *Br J Cancer*. 107: S33-S40. <http://dx.doi.org/10.1038/bjc.2012.116>.
- Bhattacharya, P; Keating, AF. (2011). Ovarian metabolism of xenobiotics [Review]. *Exp Biol Med*. 236: 765-771. <http://dx.doi.org/10.1258/ebm.2011.011051>.
- Bhattacharya, P; Keating, AF. (2012). Impact of environmental exposures on ovarian function and role of xenobiotic metabolism during ovotoxicity [Review]. *Toxicol Appl Pharmacol*. 261: 227-235. <http://dx.doi.org/10.1016/j.taap.2012.04.009>.
- Bhunya, SP; Behera, BC. (1987). Relative genotoxicity of trichloroacetic acid (TCA) as revealed by different cytogenetic assays: Bone marrow chromosome aberration, micronucleus and sperm-head abnormality in the mouse. *Mutat Res Genet Toxicol Environ Mutagen*. 188: 215-221. [http://dx.doi.org/10.1016/0165-1218\(87\)90092-9](http://dx.doi.org/10.1016/0165-1218(87)90092-9).
- Billionnet, C; Gay, E; Kirchner, S; Leynaert, B; Annesi-Maesano, I. (2011). Quantitative assessments of indoor air pollution and respiratory health in a population-based sample of French dwellings. *Environ Res*. 111: 425-434. <http://dx.doi.org/10.1016/j.envres.2011.02.008>.
- Binaschi, S; Cantu, L. (1983). Vestibular function in solvent exposure: Clinical criteria. In R Gilioli; MGFV Cassitto (Eds.), (pp. 205-210). Oxford: Pergamon Press.
- Birner, G; Vamvakas, S; Dekant, W; Henschler, D. (1993). Nephrotoxic and genotoxic N-acetyl-S-dichlorovinyl-L-cysteine is a urinary metabolite after occupational 1,1,2-trichloroethene exposure in humans: Implications for the risk of trichloroethene exposure. *Environ Health Perspect*. 99: 281-284.
- Blain, L; Lachapelle, P; Molotchnikoff, S. (1994). Electroretinal responses are modified by chronic exposure to trichloroethylene. *Neurotoxicology*. 15: 627-631.
- Blair, A; Haas, T; Prosser, R; Morrissette, M; Blackman, K; Grauman, D; Dusen, PV; Moran, F. (1989). Mortality among United States Coast Guard marine inspectors. *Arch Environ Health*. 44: 150-156. <http://dx.doi.org/10.1080/00039896.1989.9935879>.
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med*. 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>.
- Blair, A; Linos, A; Stewart, PA; Burmeister, LF; Gibson, R; Everett, G; Schuman, L; Cantor, KP. (1993). Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. *Am J Ind Med*. 23: 301-312. <http://dx.doi.org/10.1002/ajim.4700230207>.
- Bloemen, L; Monster, A; Kezic, S; Commandeur, J; Veulemans, H; Vermeulen, N; Wilmer, J. (2001). Study on the cytochrome P-450- and glutathione-dependent biotransformation of trichloroethylene in humans. *Int Arch Occup Environ Health*. 74: 102-108. <http://dx.doi.org/10.1007/s004200000198>.
- Blossom, S; Chandler, G; Li, M; Melnyk, S. (2014). Maternal trichloroethylene exposure enhances CD4+T cell production of proinflammatory cytokines associated with neural oxidative stress and behavioral alterations in male offspring. *Toxicol Lett*. 229: S208-S208. <http://dx.doi.org/10.1016/j.toxlet.2014.06.700>.
- Blossom, S; Gilbert, K; Gomez-Acevedo, H; Ashley, N. (2010). Mechanism of T cell programming by trichloroethylene. *Toxicol Lett*. 196: S203-S203. <http://dx.doi.org/10.1016/j.toxlet.2010.03.685>.
- Blossom, S; Li, M; Chandler, G; Melnyk, SS; Wessinger, WD. (2015). Gestation-only trichloroethylene exposure induced differential brain region-specific neurotoxicity in male offspring. *Neurotoxicol Teratol*. 49: 119-119. <http://dx.doi.org/10.1016/j.ntt.2015.04.066>.

Human Health Hazard Literature Search Results

On Topic

- Blossom, SJ. (2010). Neuroimmune dysregulation with developmental exposure to trichloroethylene.
- Blossom, SJ. (2011). Neuroimmune dysregulation with developmental exposure to trichloroethylene.
- Blossom, SJ. (2014). CD4+ T cell-mediated neurotoxicity with continuous trichloroethylene exposure.
- Blossom, SJ. (2015). CD4+ T cell-mediated neurotoxicity with continuous trichloroethylene exposure.
- Blossom, SJ; Cooney, CA; Melnyk, SB; Rau, JL; Swearingen, CJ; Wessinger, WD. (2013). Metabolic changes and DNA hypomethylation in cerebellum are associated with behavioral alterations in mice exposed to trichloroethylene postnatally. *Toxicol Appl Pharmacol.* 269: 263-269. <http://dx.doi.org/10.1016/j.taap.2013.03.025>.
- Blossom, SJ; Doss, JC. (2007). Trichloroethylene alters central and peripheral immune function in autoimmune-prone MRL(+/-) mice following continuous developmental and early life exposure. *J Immunotoxicol.* 4: 129-141. <http://dx.doi.org/10.1080/15476910701337035>.
- Blossom, SJ; Doss, JC; Gilbert, KM. (2007). Chronic exposure to a trichloroethylene metabolite in autoimmune-prone MRL(+/-) mice promotes immune modulation and alopecia. *Toxicol Sci.* 95: 401-411. <http://dx.doi.org/10.1093/toxsci/kfl149>.
- Blossom, SJ; Doss, JC; Hennings, LJ; Jernigan, S; Melnyk, S; James, SJ. (2008). Developmental exposure to trichloroethylene promotes CD4+ T cell differentiation and hyperactivity in association with oxidative stress and neurobehavioral deficits in MRL(+/-) mice. *Toxicol Appl Pharmacol.* 231: 344-353. <http://dx.doi.org/10.1016/j.taap.2008.05.009>.
- Blossom, SJ; Gilbert, KM. (2006). Exposure to a metabolite of the environmental toxicant, trichloroethylene, attenuates CD4+ T cell activation-induced cell death by metalloproteinase-dependent FasL shedding. *Toxicol Sci.* 92: 103-114. <http://dx.doi.org/10.1093/toxsci/kfj212>.
- Blossom, SJ; Gilbert, KM. (2015). Developmental programming of TCE induced autoimmune disease.
- Blossom, SJ; Melnyk, S; Cooney, CA; Gilbert, KM; James, SJ. (2012). Postnatal exposure to trichloroethylene alters glutathione redox homeostasis, methylation potential, and neurotrophin expression in the mouse hippocampus. *Neurotoxicology.* 33: 1518-1527. <http://dx.doi.org/10.1016/j.neuro.2012.02.017>.
- Blossom, SJ; Melnyk, SB; Li, M; Wessinger, WD; Cooney, CA. (2016). Inflammatory and oxidative stress-related effects associated with neurotoxicity are maintained after exclusively prenatal trichloroethylene exposure. *Neurotoxicology.* <http://dx.doi.org/10.1016/j.neuro.2016.01.002>.
- Blossom, SJ; Pumford, NR; Gilbert, KM. (2004). Activation and attenuation of apoptosis of CD4+ T cells following in vivo exposure to two common environmental toxicants, trichloroacetaldehyde hydrate and trichloroacetic acid. *J Autoimmun.* 23: 211-220. <http://dx.doi.org/10.1016/j.jaut.2004.06.007>.
- Blossom, SJK, M. (2013). Developmental programming of TCE induced autoimmune disease.
- Blossom, SJK, M. (2014). Developmental programming of TCE induced autoimmune disease.
- Bogen, KT; Colston, BW, Jr; Machicao, LK. (1992). Dermal absorption of dilute aqueous chloroform, trichloroethylene, and tetrachloroethylene in hairless guinea pigs. *Fundam Appl Toxicol.* 18: 30-39. [http://dx.doi.org/10.1016/0272-0590\(92\)90192-K](http://dx.doi.org/10.1016/0272-0590(92)90192-K).
- Boice, JD, Jr; Marano, D; Fryzek, J; Sadler, C; Mclaughlin, JK. (1999). Mortality among aircraft manufacturing workers. *Occup Environ Med.* 56: 581-597. <http://dx.doi.org/10.1136/oem.56.9.581>.
- Boice, JD; Marano, DE; Cohen, SS; Mumma, MT; Blot, WJ; Brill, AB; Fryzek, JP; Henderson, BE; Mclaughlin, JK. (2006). Mortality among Rocketdyne workers who tested rocket engines, 1948-1999. *J Occup Environ Med.* 48: 1070-1092. <http://dx.doi.org/10.1097/01.jom.0000240661.33413.b5>.
- Bois, F. (2000). Statistical analysis of Fisher et al. PBPK model of trichloroethylene kinetics. *Environ Health Perspect.* 108: 275-282.
- Bois, FY. (2000). Statistical analysis of Clewell et al. PBPK model of trichloroethylene kinetics. *Environ Health Perspect.* 108: 307-316.
- Boldenow, E; Hassan, I; Chames, MC; Xi, C; Loch-Carusio, R. (2015). The trichloroethylene metabolite S-(1,2-dichlorovinyl)-l-cysteine but not trichloroacetate inhibits pathogen-stimulated TNF- in human extraplacental membranes in vitro. *Reprod Toxicol.* 52: 1-6. <http://dx.doi.org/10.1016/j.reprotox.2015.01.007>.
- Bolt, H; Lammert, M; Selinski, S; Brüning, T. (2004). Urinary alpha1-microglobulin excretion as biomarker of renal toxicity in trichloroethylene-exposed persons. *Int Arch Occup Environ Health.* 77: 186-190. <http://dx.doi.org/10.1007/s00420-003-0500-3>.
- Bolt, HM; Filser, JG. (1977). Irreversible binding of chlorinated ethylenes to macromolecules. *Environ Health Perspect.* 21: 107-112.
- Bombail, V; Moggs, JG; Orphanides, G. (2004). Perturbation of epigenetic status by toxicants [Review]. *Toxicol Lett.* 149: 51-58. <http://dx.doi.org/10.1016/j.toxlet.2004.01.003>.
- Bove, FJ. (1996). Public drinking water contamination and birthweight, prematurity, fetal deaths, and birth defects. *Toxicol Ind Health.* 12: 255-266.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol.* 141: 850-862.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health.* 13: 10. <http://dx.doi.org/10.1186/1476-069X-13-10>.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health.* 13: 68. <http://dx.doi.org/10.1186/1476-069X-13-68>.
- Bovenzi, M; Barbone, F; Pisa, F; Betta, A; Romeo, L; Tonello, A; Biasi, D; Caramaschi, P. (2004). A case-control study of occupational exposures and systemic sclerosis. *Int Arch Occup Environ Health.* 77: 10-16. <http://dx.doi.org/10.1007/s00420-003-0462-5>.
- Boverhof, DR; Krieger, SM; Hotchkiss, J; Stebbins, KE; Thomas, J; Woolhiser, MR. (2013). Assessment of the immunotoxic potential of trichloroethylene and perchloroethylene in rats following inhalation exposure. *J Immunotoxicol.* 10: 311-320. <http://dx.doi.org/10.3109/1547691X.2012.735275>.

Human Health Hazard Literature Search Results

On Topic

- Bowler, RM; Mergler, D; Huel, G; Harrison, R; Cone, J. (1991). Neuropsychological impairment among former microelectronics workers. *Neurotoxicology*. 12: 87-103.
- Boyer, A; Finch, W; Runyan, R. (2000). Trichloroethylene inhibits development of embryonic heart valve precursors in vitro. *Toxicol Sci*. 53: 109-117.
- Boyes, W; Bercegeay, M; Ali, J; Krantz, T; McGee, J; Evans, M; Raymer, J; Bushnell, P; Simmons, J. (2003). Dose-based duration adjustments for the effects of inhaled trichloroethylene on rat visual function. *Toxicol Sci*. 76: 121-130. <http://dx.doi.org/10.1093/toxsci/kfg213>.
- Boyes, WK; Bercegeay, M; Krantz, T; Evans, M; Benignus, V; Simmons, JE. (2005). Momentary brain concentration of trichloroethylene predicts the effects on rat visual function. *Toxicol Sci*. 87: 187-196. <http://dx.doi.org/10.1093/toxsci/kfi242>.
- Boyes, WK; Bushnell, PJ; Crofton, KM; Evans, M; Simmons, JE. (2000). Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario [Review]. *Environ Health Perspect*. 108: 317-322.
- Boyes, WK; Simmons, JE; Eklund, C; Benignus, VA; Janssen, P; Bushnell, PJ. (2005). Applications of dosimetry modeling to assessment of neurotoxic risk. *Environ Toxicol Pharmacol*. 19: 599 - 605. <http://dx.doi.org/10.1016/j.etap.2004.12.025>.
- Bradford, BU; Lock, EF; Kosyk, O; Kim, S; Uehara, T; Harbourt, D; Desimone, M; Threadgill, DW; Tryndyak, V; Pogribny, IP; Bleyle, L; Koop, DR; Rusyn, I. (2011). Interstrain differences in the liver effects of trichloroethylene in a multistrain panel of inbred mice. *Toxicol Sci*. 120: 206-217. <http://dx.doi.org/10.1093/toxsci/kfq362>.
- Brauch, H; Weirich, G; Hornauer, M; Störkel, S; Wöhl, T; Brüning, T. (1999). Trichloroethylene exposure and specific somatic mutations in patients with renal cell carcinoma. *J Natl Cancer Inst*. 91: 854-861.
- Brauch, H; Weirich, G; Klein, B; Rabstein, S; Bolt, H; Brüning, T. (2004). VHL mutations in renal cell cancer: does occupational exposure to trichloroethylene make a difference. *Toxicol Lett*. 151: 301-310. <http://dx.doi.org/10.1016/j.toxlet.2003.12.074>.
- Brautbar, N; Williams, J. (2002). Industrial solvents and liver toxicity: Risk assessment, risk factors and mechanisms [Review]. *Int J Hyg Environ Health*. 205: 479-491. <http://dx.doi.org/10.1078/1438-4639-00175>.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health*. 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.
- Briving, C; Jacobson, I; Hamberger, A; Kjellstrand, P; Haglid, KG; Rosengren, LE. (1986). Chronic effects of perchloroethylene and trichloroethylene on the gerbil brain amino acids and glutathione. *Neurotoxicology*. 7: 101-108.
- Bronzetti, G; Corsi, C; Nieri, R. (1980). [Use of the D7 strain of *S. cerevisiae* in the determination of environmental risk. 1. Genetic effects of trichloroethylene]. *Boll Soc Ital Biol Sper*. 56: 1315-1321.
- Bronzetti, G; Galli, A; Corsi, C; Cundari, E; Del Carratore, R; Nieri, R; Paolini, M. (1984). Genetic and biochemical investigation on chloral hydrate in vitro and in vivo. *Mutat Res*. 141: 19-22. [http://dx.doi.org/10.1016/0165-7992\(84\)90031-9](http://dx.doi.org/10.1016/0165-7992(84)90031-9).
- Bross, G; Difrancesco, D; Desmond, ME. (1983). The effects of low dosages of trichloroethylene on chick development. *Toxicology*. 28: 283-294. [http://dx.doi.org/10.1016/0300-483X\(83\)90002-1](http://dx.doi.org/10.1016/0300-483X(83)90002-1).
- Brown, HS; Bishop, DR; Rowan, CA. (1984). The role of skin absorption as a route of exposure for volatile organic compounds (VOCs) in drinking water. *Am J Public Health*. 74: 479-484.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhombert, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health*. 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Brownson, RC. (1988). A case-control study of renal cell carcinoma in relation to occupation, smoking, and alcohol consumption. *Arch Environ Health*. 43: 238-241. <http://dx.doi.org/10.1080/00039896.1988.9934940>.
- Brüning, T; Lammert, M; Kempkes, M; Thier, R; Golka, K; Bolt, H. (1997). Influence of polymorphisms of GSTM1 and GSTT1 for risk of renal cell cancer in workers with long-term high occupational exposure to trichloroethene. *Arch Toxicol*. 71: 596-599.
- Brüning, T; Mann, H; Melzer, H; Sundberg, A; Bolt, H. (1999). Pathological excretion patterns of urinary proteins in renal cell cancer patients exposed to trichloroethylene. *Occup Med (Lond)*. 49: 299-305.
- Brüning, T; Pesch, B; Wiesenhütter, B; Rabstein, S; Lammert, M; Baumüller, A; Bolt, H. (2003). Renal cell cancer risk and occupational exposure to trichloroethylene: Results of a consecutive case-control study in Arnsherg, Germany. *Am J Ind Med*. 43: 274-285. <http://dx.doi.org/10.1002/ajim.10185>.
- Brüning, T; Sundberg, A; Birner, G; Lammert, M; Bolt, H; Appelkvist, E; Nilsson, R; Dallner, G. (1999). Glutathione transferase alpha as a marker for tubular damage after trichloroethylene exposure. *Arch Toxicol*. 73: 246-254.
- Brüning, T; Vamvakas, S; Makropoulos, V; Birner, G. (1998). Acute intoxication with trichloroethene: Clinical symptoms, toxicokinetics, metabolism, and development of biochemical parameters for renal damage. *Toxicol Sci*. 41: 157-165. <http://dx.doi.org/10.1006/toxs.1997.2401>.
- Brüning, T; Weirich, G; Hornauer, M; Höfler, H; Brauch, H. (1997). Renal cell carcinomas in trichloroethene (TRI) exposed persons are associated with somatic mutations in the von Hippel-Lindau (VHL) tumour suppressor gene. *Arch Toxicol*. 71: 332-335. <http://dx.doi.org/10.1007/s002040050394>.
- Buben, JA; O'Flaherty, EJ. (1985). Delineation of the role of metabolism in the hepatotoxicity of trichloroethylene and perchloroethylene: A dose-effect study. *Toxicol Appl Pharmacol*. 78: 105-122.
- Buhagen, M; Grønsgaard, A; Ragde, SF; Hilt, B. (2016). Association Between Kidney Cancer and Occupational Exposure to Trichloroethylene. *J Occup Environ Med*. 58: 957-959. <http://dx.doi.org/10.1097/JOM.0000000000000838>.
- Bukowski, J. (2014). Critical review of the epidemiologic literature regarding the association between congenital heart defects and exposure to trichloroethylene [Review]. *Crit Rev Toxicol*. 44: 581-589. <http://dx.doi.org/10.3109/10408444.2014.910755>.

Human Health Hazard Literature Search Results

On Topic

- Bulka, C; Nastoupil, LJ; Koff, JL; Bernal-Mizrachi, L; Ward, KC; Williams, JN; Bayakly, AR; Switchenko, JM; Waller, LA; Flowers, CR. (2016). Relations Between Residential Proximity to EPA-Designated Toxic Release Sites and Diffuse Large B-Cell Lymphoma Incidence. *South Med J.* 109: 606-614. <http://dx.doi.org/10.14423/SMJ.0000000000000545>.
- Bull, RJ. (2000). Mode of action of liver tumor induction by trichloroethylene and its metabolites, trichloroacetate and dichloroacetate [Review]. *Environ Health Perspect.* 108: 241-259.
- Bull, RJ. (2004). Proceedings of New Scientific Research Related to the Health Effects of Trichloroethylene Trichloroethylene and liver tumors in mice: U.S. Environmental Protection Agency. http://oaspub.epa.gov/eims/eimscmm.getfile?p_download_id=432706.
- Bull, RJ. (2004). Trichloroethylene and liver tumors in mice. Presentation at the U.S. EPA [Paper]. Symposium on New Scientific Research Related to Health Effects of TCE. http://oaspub.epa.gov/eims/eimscmm.getfile?p_download_id=432706.
- Bull, RJ; Orner, GA; Cheng, RS; Stillwell, L; Stauber, AJ; Sasser, LB; Lingohr, MK; Thrall, BD. (2002). Contribution of dichloroacetate and trichloroacetate to liver tumor induction in mice by trichloroethylene. *Toxicol Appl Pharmacol.* 182: 55-65. <http://dx.doi.org/10.1006/taap.2002.9427>.
- Bull, RJ; Sasser, LB; Lei, XC. (2004). Interactions in the tumor-promoting activity of carbon tetrachloride, trichloroacetate, and dichloroacetate in the liver of male B6C3F1 mice. *Toxicology.* 199: 169-183. <http://dx.doi.org/10.1016/j.tox.2004.02.018>.
- Burg, J; Gist, G. (1997). The potential impact on women from environmental exposures. *J Womens Health.* 6: 159-161. <http://dx.doi.org/10.1089/jwh.1997.6.159>.
- Burg, J; Gist, G. (1999). Health effects of environmental contaminant exposure: An intrafile comparison of the Trichloroethylene Subregistry. *Arch Environ Health.* 54: 231-241. <http://dx.doi.org/10.1080/00039899909602480>.
- Burg, JR; Gist, G; Allred, SL; Rudtke, TM; Pallos, LL; Cusack, CD. (1995). The national exposure registry - morbidity analyses of noncancer outcomes from the trichloroethylene subregistry baseline data. *Int J Occup Med Toxicol.* 4: 237 - 257.
- Bushnell, P. (1997). Concentration-time relationships for the effects of inhaled trichloroethylene on signal detection behavior in rats. *Fundam Appl Toxicol.* 36: 30-38. <http://dx.doi.org/10.1093/toxsci/36.1.30>.
- Bushnell, P; Oshiro, W. (2000). Behavioral components of tolerance to repeated inhalation of trichloroethylene (TCE) in rats. *Neurotoxicol Teratol.* 22: 221-229. [http://dx.doi.org/10.1016/S0892-0362\(99\)00078-1](http://dx.doi.org/10.1016/S0892-0362(99)00078-1).
- Butler, TC. (1949). Metabolic transformations of trichloroethylene. *J Pharmacol Exp Ther.* 97: 84-92.
- Buxton, P; Hayward, M. (1967). Polyneuritis cranialis associated with industrial trichloroethylene poisoning. *J Neurol Neurosurg Psychiatry.* 30: 511-518.
- Byers, VS; Levin, AS; Ozonoff, DM; Baldwin, RW. (1988). Association between clinical symptoms and lymphocyte abnormalities in a population with chronic domestic exposure to industrial solvent-contaminated domestic water supply and a high incidence of leukaemia. *Cancer Immunol Immunother.* 27: 77-81.
- Cai, H; Guengerich, F. (2001). Reaction of trichloroethylene oxide with proteins and DNA: Instability of adducts and modulation of functions. *Chem Res Toxicol.* 14: 54-61. <http://dx.doi.org/10.1021/tx000185n>.
- Cai, H; Guengerich, FP. (2001). Reaction of trichloroethylene and trichloroethylene oxide with cytochrome P450 enzymes: Inactivation and sites of modification. *Chem Res Toxicol.* 14: 451-458. <http://dx.doi.org/10.1021/tx0002280>.
- Cai, P; König, R; Boor, PJ; Kondraganti, S; Kaphalia, BS; Khan, MF; Ansari, GAS. (2008). Chronic exposure to trichloroethene causes early onset of SLE-like disease in female MRL +/+ mice. *Toxicol Appl Pharmacol.* 228: 68-75. <http://dx.doi.org/10.1016/j.taap.2007.11.031>.
- Cai, P; König, R; Khan, MF; Kaphalia, BS; Ansari, GA. (2007). Differential immune responses to albumin adducts of reactive intermediates of trichloroethene in MRL+/+ mice. *Toxicol Appl Pharmacol.* 220: 278-283. <http://dx.doi.org/10.1016/j.taap.2007.01.020>.
- Cakmak, A; Ekici, A; Ekici, M; Arslan, M; Iteginli, A; Kurtipek, E; Kara, T. (2004). Respiratory findings in gun factory workers exposed to solvents. *Respir Med.* 98: 52-56. <http://dx.doi.org/10.1016/j.rmed.2003.08.006>.
- Caldwell, JC; Keshava, N. (2006). Key issues in the modes of action and effects of trichloroethylene metabolites for liver and kidney tumorigenesis [Review]. *Environ Health Perspect.* 114: 1457-1463. <http://dx.doi.org/10.1289/ehp.8692>.
- Caldwell, JC; Keshava, N; Evans, MV. (2008). Difficulty of mode of action determination for trichloroethylene: An example of complex interactions of metabolites and other chemical exposures [Review]. *Environ Mol Mutagen.* 49: 142-154. <http://dx.doi.org/10.1002/em.20350>.
- Caldwell, PT; Manziello, A; Howard, J; Palbykin, B; Runyan, RB; Selmin, O. (2010). Gene expression profiling in the fetal cardiac tissue after folate and low-dose trichloroethylene exposure. *Birth Defects Res A Clin Mol Teratol.* 88: 111-127. <http://dx.doi.org/10.1002/bdra.20631>.
- Caldwell, PT; Thorne, PA; Johnson, PD; Boitano, S; Runyan, RB; Selmin, O. (2008). Trichloroethylene disrupts cardiac gene expression and calcium homeostasis in rat myocytes. *Toxicol Sci.* 104: 135-143. <http://dx.doi.org/10.1093/toxsci/kfn078>.
- Callen, DF; Wolf, CR; Philpot, RM. (1980). Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutat Res.* 77: 55-63. [http://dx.doi.org/10.1016/0165-1218\(80\)90120-2](http://dx.doi.org/10.1016/0165-1218(80)90120-2).
- Campo, P; Maguin, K; Lataye, R. (2007). Effects of aromatic solvents on acoustic reflexes mediated by central auditory pathways. *Toxicol Sci.* 99: 582-590. <http://dx.doi.org/10.1093/toxsci/kfm180>.
- Carney, EW; Thorsrud, BA; Dugard, PH; Zabloutny, CL. (2006). Developmental toxicity studies in CrI:CD (SD) rats following inhalation exposure to trichloroethylene and perchloroethylene. *Birth Defects Res B Dev Reprod Toxicol.* 77: 405-412. <http://dx.doi.org/10.1002/bdrb.20091>.
- Carrieri, M; Magosso, D; Piccoli, P; Zanetti, E; Trevisan, A; Bartolucci, GB. (2007). Acute, nonfatal intoxication with trichloroethylene. *Arch Toxicol.* 81: 529-532. <http://dx.doi.org/10.1007/s00204-007-0180-y>.

Human Health Hazard Literature Search Results

On Topic

- Carton, M; Barul, C; Menvielle, G; Cyr, D; Sanchez, M; Pilorget, C; Trétarre, B; Stücker, I; Luce, D; Group, IS. (2017). Occupational exposure to solvents and risk of head and neck cancer in women: a population-based case-control study in France. *BMJ Open*. 7: e012833. <http://dx.doi.org/10.1136/bmjopen-2016-012833>.
- Chakrabarti, SK; Tuchweber, B. (1988). Studies of acute nephrotoxic potential of trichloroethylene in Fischer 344 rats. *J Toxicol Environ Health*. 23: 147-158. <http://dx.doi.org/10.1080/15287398809531102>.
- Chalupa, B; Synková, J; Ševčík, M. (1960). The assessment of electroencephalographic changes and memory disturbances in acute intoxications with industrial poisons. *Br J Ind Med*. 17: 238-241. <http://dx.doi.org/10.1136/oem.17.3.238>.
- Chang, EE; Wei-Chi, W; Li-Xuan, Z; Hung-Lung, C. (2010). Health risk assessment of exposure to selected volatile organic compounds emitted from an integrated iron and steel plant. *Inhal Toxicol*. 22 Suppl 2: 117-125. <http://dx.doi.org/10.3109/08958378.2010.507636>.
- Chang, LW; Daniel, FB; Deangelo, AB. (1992). Analysis of DNA strand breaks induced in rodent liver in vivo, hepatocytes in primary culture, and a human cell line by chlorinated acetic acids and chlorinated acetaldehydes. *Environ Mol Mutagen*. 20: 277-288. <http://dx.doi.org/10.1002/em.2850200406>.
- Chang, WJ; Joe, KT; Park, HY; Jeong, JD; Lee, DH. (2013). The relationship of liver function tests to mixed exposure to lead and organic solvents. 25: 5. <http://dx.doi.org/10.1186/2052-4374-25-5>.
- Chang, YM; Tai, CF; Yang, SC; Chen, CJ; Shih, TS; Lin, R; Liou, SH. (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. *Ann Epidemiol*. 13: 652-660. [http://dx.doi.org/10.1016/S1047-2797\(03\)00038-3](http://dx.doi.org/10.1016/S1047-2797(03)00038-3).
- Chang, YM; Tai, CF; Yang, SC; Lin, RS; Sung, FC; Shih, TS; Liou, SH. (2005). Cancer incidence among workers potentially exposed to chlorinated solvents in an electronics factory. *J Occup Health*. 47: 171-180. <http://dx.doi.org/10.1539/joh.47.171>.
- Channel, SR; Latendresse, JR; Kidney, JK; Grabau, JH; Lane, JW; Steel-Goodwin, L; Gothaus, MC. (1998). A subchronic exposure to trichloroethylene causes lipid peroxidation and hepatocellular proliferation in male B6C3F1 mouse liver. *Toxicol Sci*. 43: 145-154. <http://dx.doi.org/10.1093/toxsci/43.2.145>.
- Chapin, RE; Sloane, RA. (1997). Reproductive assessment by continuous breeding: Evolving study design and summaries of ninety studies. *Environ Health Perspect*. 105: 199-205. <http://dx.doi.org/10.1289/ehp.97105s1199>.
- Charbotel, B; Fevotte, J; Hours, M; Martin, JL; Bergeret, A. (2005). Case-control study on renal cell cancer and occupational trichloroethylene exposure, in the Arve Valley (France). Lyon, France: Institut Universitaire de Médecine du Travail, UMRESTTE, Université Claude Bernard. http://hal.archives-ouvertes.fr/docs/00/54/59/80/PDF/charbotel_octobre_05.pdf.
- Charbotel, B; Fevotte, J; Hours, M; Martin, JL; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part II: Epidemiological aspects. *Ann Occup Hyg*. 50: 777-787. <http://dx.doi.org/10.1093/annhyg/mel039>.
- Charbotel, B; Fevotte, J; Martin, JL; Bergeret, A. (2009). Cancer du rein et expositions au trichloroéthylène : les valeurs limites d'exposition professionnelle françaises en vigueur sont-elles adaptées? *Rev Epidemiol Sante Publique*. 57: 41-47. <http://dx.doi.org/10.1016/j.respe.2008.09.008>.
- Charbotel, B; Fevotte, J; Martin, JL; Bergeret, A. (2009). Kidney cancer and exposure to trichloroethylene: are French occupational exposure limits appropriate? [Cancer du rein et expositions au trichloroéthylène : les valeurs limites d'exposition professionnelle françaises en vigueur sont-elles adaptées?]. *Rev Epidemiol Sante Publique*. 57: 41-47.
- Charbotel, B; Gad, S; Caïola, D; Bérourd, C; Fevotte, J; Bergeret, A; Ferlicot, S; Richard, S. (2007). Trichloroethylene exposure and somatic mutations of the VHL gene in patients with Renal Cell Carcinoma. *J Occup Med Toxicol*. 2: 13. <http://dx.doi.org/10.1186/1745-6673-2-13>.
- Charbotel, B; Massardier-Pilonchery, A; Fort, E; Dananché, B; Févotte, J; Confavreux-Romestaing, C; Bergeret, A. (2013). Occupational trichloroethylene exposure and cervical pathology: a case-control study. *Ann Occup Hyg*. 57: 407-416. <http://dx.doi.org/10.1093/annhyg/mes075>.
- Cheikh Rouhou, M; Haddad, S. (2014). Modulation of trichloroethylene in vitro metabolism by different drugs in human. *Toxicol In Vitro*. 28: 732-741. <http://dx.doi.org/10.1016/j.tiv.2014.03.004>.
- Chen, CW. (2000). Biologically based dose-response model for liver tumors induced by trichloroethylene. *Environ Health Perspect*. 108: 335-342. <http://dx.doi.org/10.1289/ehp.00108s2335>.
- Chen, Y; Cai, J; Anders, M; Stevens, J; Jones, D. (2001). Role of mitochondrial dysfunction in S-(1,2-dichlorovinyl)-l-cysteine-induced apoptosis. *Toxicol Appl Pharmacol*. 170: 172-180. <http://dx.doi.org/10.1006/taap.2000.9107>.
- Cheng, J; Shi, J; Liu, Q; Niu, Y; Wang, Y; Liu, N; Wang, Y; Wu, Z; Cui, T; Meng, H. (2012). [Association between trichloroethylene exposure and chromosomal damage in peripheral lymphocytes among occupational exposed workers]. *Wei Sheng Yan Jiu*. 41: 551-554.
- Chia, SE; Goh, VH; Ong, CN. (1997). Endocrine profiles of male workers with exposure to trichloroethylene. *Am J Ind Med*. 32: 217-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<217::AID-AJIM6>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<217::AID-AJIM6>3.0.CO;2-U).
- Chia, SE; Ong, CN; Tsakok, MF; Ho, A. (1996). Semen parameters in workers exposed to trichloroethylene. *Reprod Toxicol*. 10: 295-299. [http://dx.doi.org/10.1016/0890-6238\(96\)00058-5](http://dx.doi.org/10.1016/0890-6238(96)00058-5).
- Chiang, HL; Lin, WH; Lai, JS; Wang, WC. (2010). Inhalation risk assessment of exposure to the selected volatile organic compounds (VOCs) emitted from the facilities of a steel plant. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 45: 1397-1405. <http://dx.doi.org/10.1080/10934529.2010.500932>.
- Chin, JY; Godwin, C; Parker, E; Robins, T; Lewis, T; Harbin, P; Batterman, S. (2014). Levels and sources of volatile organic compounds in homes of children with asthma. *Indoor Air*. 24: 403-415. <http://dx.doi.org/10.1111/ina.12086>.
- Chiu, W; Caldwell, J; Keshava, N; Scott, C. (2006). Key scientific issues in the health risk assessment of trichloroethylene [Review]. *Environ Health Perspect*. 114: 1445-1449. <http://dx.doi.org/10.1289/ehp.8690>.

Human Health Hazard Literature Search Results

On Topic

- Chiu, WA. (2011). Trichloroacetic acid: Updated estimates of its bioavailability and its contribution to trichloroethylene-induced mouse hepatomegaly. *Toxicology*. 285: 114-125. <http://dx.doi.org/10.1016/j.tox.2011.04.009>.
- Chiu, WA; Campbell, JL; Clewell, HJ; Zhou, YH; Wright, FA; Guyton, KZ; Rusyn, I. (2014). Physiologically based pharmacokinetic (PBPK) modeling of interstrain variability in trichloroethylene metabolism in the mouse. *Environ Health Perspect*. 122: 456-463. <http://dx.doi.org/10.1289/ehp.1307623>.
- Chiu, WA; Jinot, J; Scott, CS; Makris, SL; Cooper, GS; Dzubow, RC; Bale, AS; Evans, MV; Guyton, KZ; Keshava, N; Lipscomb, JC; Barone, S, Jr; Fox, JF; Gwinn, MR; Schaum, J; Caldwell, JC. (2013). Human Health Effects of Trichloroethylene: Key Findings and Scientific Issues [Review]. *Environ Health Perspect*. 121: 303-311. <http://dx.doi.org/10.1289/ehp.1205879>.
- Chiu, WA; Micallef, S; Monster, AC; Bois, FY. (2007). Toxicokinetics of inhaled trichloroethylene and tetrachloroethylene in humans at 1 ppm: Empirical results and comparisons with previous studies. *Toxicol Sci*. 95: 23-36. <http://dx.doi.org/10.1093/toxsci/kfl129>.
- Chiu, WA; Okino, MS; Evans, MV. (2009). Characterizing uncertainty and population variability in the toxicokinetics of trichloroethylene and metabolites in mice, rats, and humans using an updated database, physiologically based pharmacokinetic (PBPK) model, and Bayesian approach. *Toxicol Appl Pharmacol*. 241: 36-60. <http://dx.doi.org/10.1016/j.taap.2009.07.032>.
- Chiu, WA; Okino, MS; Lipscomb, JC; Evans, MV. (2006). Issues in the pharmacokinetics of trichloroethylene and its metabolites [Review]. *Environ Health Perspect*. 114: 1450-1456. <http://dx.doi.org/10.1289/ehp.8691>.
- Choi, H, anS; Song, M, iK; Kim, YJ; Lee, E, unll; Ryu, J, aeC. (2010). Development of exposure biomarkers for Trichloroethylene (TCE) using DNA microarray. *Mol Cell Toxicol*. 6: 35-35.
- Choo, W, unHak; Lee, JE, un; Cho, H, anSoo; Oh, SM, in. (2014). Carcinogenic effects of trichloroethene and acrylamide in Balb/c 3T3 A31-1-1 cell. *Toxicol Lett*. 229: S147-S147. <http://dx.doi.org/10.1016/j.toxlet.2014.06.516>.
- Chow, WH; Devesa, SS. (2008). Contemporary epidemiology of renal cell cancer. *Cancer J*. 14: 288-301. <http://dx.doi.org/10.1097/PPO.0b013e3181867628>.
- Chow, WH; Dong, LM; Devesa, SS. (2010). Epidemiology and risk factors for kidney cancer [Review]. *Nat Clin Pract Urol*. 7: 245-257. <http://dx.doi.org/10.1038/nrurol.2010.46>.
- Chow, WL; Cheng, D; Wang, S; He, J. (2010). Identification and transcriptional analysis of trans-DCE-producing reductive dehalogenases in Dehalococcoides species. *ISME J*. 4: 1020-1030. <http://dx.doi.org/10.1038/ismej.2010.27>.
- Christensen, KY; Vizcaya, D; Richardson, H; Lavoue, J; Aronson, K; Siemiatycki, J. (2013). Risk of Selected Cancers due to Occupational Exposure to Chlorinated Solvents in a Case-Control Study in Montreal. *J Occup Environ Med*. 55: 198-208. <http://dx.doi.org/10.1097/JOM.0b013e3182728eab>.
- Cichocki, JA; Guyton, KZ; Guha, N; Chiu, WA; Rusyn, I; Lash, LH. (2016). Target Organ Metabolism, Toxicity, and Mechanisms of Trichloroethylene and Perchloroethylene: Key Similarities, Differences, and Data Gaps. *J Pharmacol Exp Ther*. 359: 110-123. <http://dx.doi.org/10.1124/jpet.116.232629>.
- Clapp, RW; Hoffman, K. (2008). Cancer mortality in IBM Endicott plant workers, 1969-2001: An update on a NY production plant. *Environ Health*. 7: 13. <http://dx.doi.org/10.1186/1476-069X-7-13>.
- Clay, P. (2008). Assessment of the genotoxicity of trichloroethylene and its metabolite, S-(1,2-dichlorovinyl)-L-cysteine (DCVC), in the comet assay in rat kidney. *Mutagenesis*. 23: 27-33. <http://dx.doi.org/10.1093/mutage/gem034>.
- Clewell, HJ; Andersen, ME. (2004). Applying mode-of-action and pharmacokinetic considerations in contemporary cancer risk assessments: An example with trichloroethylene [Review]. *Crit Rev Toxicol*. 34: 385-445. <http://dx.doi.org/10.1080/10408440490500795>.
- Clewell, HJ, III; Gentry, PR; Covington, TR; Gearhart, JM. (2000). Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment [Review]. *Environ Health Perspect*. 108: 283-305. <http://dx.doi.org/10.1289/ehp.00108s2283>.
- Clewell, HJ, III; Gentry, PR; Gearhart, JM; Allen, BC; Covington, TR; Andersen, ME. (1995). Applying mechanistic information, pharmacokinetic modeling, and margin of exposure evaluations in a novel risk assessment for trichloroethylene and its active carcinogenic metabolites: chloral hydrate, trichloroacetic acid, dichloroacetic acid, and dichlorovinylcysteine. *Clewell, HJ, III; Gentry, PR; Gearhart, JM; Allen, BC; Covington, TR; Andersen, ME.*
- CMR. (1997). *Chemical Profile: Trichloroethylene*. New York, NY: Schnell Pub Co.
- Coberly, S; Oudiz, DJ; Overstreet, JW; Wiley, LM. (1992). Effects of maternal exposure to trichloroethylene (TCE) on cell proliferation in the mouse preimplantation embryo. *Reprod Toxicol*. 6: 241-245. [http://dx.doi.org/10.1016/0890-6238\(92\)90179-W](http://dx.doi.org/10.1016/0890-6238(92)90179-W).
- Cocco, P; T'Mannetje, A; Fadda, D; Melis, M; Becker, N; de Sanjosé, S; Foretova, L; Mareckova, J; Staines, A; Kleefeld, S; Maynadié, M; Nieters, A; Brennan, P; Boffetta, P. (2010). Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. *Occup Environ Med*. 67: 341-347. <http://dx.doi.org/10.1136/oem.2009.046839>.
- Cocco, P; Vermeulen, R; Flore, V; Nonne, T; Campagna, M; Purdue, M; Blair, A; Monnereau, A; Orsi, L; Clavel, J; Becker, N; de Sanjosé, S; Foretova, L; Staines, A; Maynadié, M; Nieters, A; Miligi, L; T Mannetje, A; Kricker, A; Brennan, P; Boffetta, P; Lan, Q; Rothman, N. (2013). Occupational exposure to trichloroethylene and risk of non-Hodgkin lymphoma and its major subtypes: a pooled linterLymph analysis. *Occup Environ Med*. 70: 795-802. <http://dx.doi.org/10.1136/oemed-2013-101551>.
- Cohn, P; Fagliano, J; Klotz, J. (1994). Assessing human health effects from chemical contaminants in drinking water [Review]. *J Med Soc New J*. 91: 719-722.
- Cohn, P; Klotz, J; Bove, F; Berkowitz, M; Fagliano, J. (1994). Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environ Health Perspect*. 102: 556-561.

Human Health Hazard Literature Search Results

On Topic

- Cojocel, C; Beuter, W; Müller, W; Mayer, D. (1989). Lipid peroxidation: A possible mechanism of trichloroethylene-induced nephrotoxicity. *Toxicology*. 55: 131-141. [http://dx.doi.org/10.1016/0300-483X\(89\)90180-7](http://dx.doi.org/10.1016/0300-483X(89)90180-7).
- Coleridge, HM; Coleridge, JCG; Luck, JC; Norman, J. (1968). The effect of four volatile anaesthetic agents on the impulse activity of two types of pulmonary receptor. *Br J Anaesth*. 40: 484-492. <http://dx.doi.org/10.1093/bja/40.7.484>.
- Colli-Dula, RC; Mehinto, AC; Kroll, KJ; Barber, DS; Vulpe, CD; Denslow, ND. (2014). Molecular Signature and DNA Damage Pathways Altered in Male Largemouth Bass (*Micropterus salmoides*) By a Single Dose of Benzene and Trichloroethylene. *Environ Mol Mutagen*. 55: S55-S55.
- Collier, JM; Selmin, O; Johnson, PD; Runyan, RB. (2003). Trichloroethylene effects on gene expression during cardiac development. *Birth Defects Res A Clin Mol Teratol*. 67: 488-495. <http://dx.doi.org/10.1002/bdra.10073>.
- Colt, J; Blair, A. (1998). Parental occupational exposures and risk of childhood cancer [Review]. *Environ Health Perspect*. 106 Suppl 3: 909-925. <http://dx.doi.org/10.1289/ehp.98106909>.
- Colvin, M; Myers, J; Nell, V; Rees, D; Cronje, R. (1993). A cross-sectional survey of neurobehavioral effects of chronic solvent exposure on workers in a paint manufacturing plant [Review]. *Environ Res*. 63: 122-132. <http://dx.doi.org/10.1006/enrs.1993.1134>.
- Commandeur, JNM; Vermeulen, NPE. (1990). Identification of N-acetyl(2,2-dichlorovinyl)- and N-acetyl(1,2-dichlorovinyl)-L-cysteine as two regioisomeric mercapturic acids of trichloroethylene in the rat. *Chem Res Toxicol*. 3: 212-218. <http://dx.doi.org/10.1021/tx00015a005>.
- Cook, JC; Klinefelter, GR; Hardisty, JF; Sharpe, RM; Foster, PM. (1999). Rodent leydig cell tumorigenesis: A review of the physiology, pathology, mechanisms and relevance to humans [Review]. *Crit Rev Toxicol*. 29: 169-261. <http://dx.doi.org/10.1080/10408449991349203>.
- Cooper, GS; Makris, SL; Nietert, PJ; Jinot, J. (2009). Evidence of autoimmune-related effects of trichloroethylene exposure from studies in mice and humans [Review]. *Environ Health Perspect*. 117: 696-702. <http://dx.doi.org/10.1289/ehp.11782>.
- Coopman, VAE; Cordonnier, JAC, M; De Letter, EA; Piette, MHA. (2003). Tissue distribution of trichloroethylene in a case of accidental acute intoxication by inhalation. *Forensic Sci Int*. 134: 115-119. [http://dx.doi.org/10.1016/S0379-0738\(03\)00131-2](http://dx.doi.org/10.1016/S0379-0738(03)00131-2).
- Cordier, S; Garlantézec, R; Labat, L; Rouget, F; Monfort, C; Bonvallot, N; Roig, B; Pulkkinen, J; Chevrier, C; Multigner, L, uc. (2012). Exposure during pregnancy to glycol ethers and chlorinated solvents and the risk of congenital malformations. *Epidemiology*. 23: 806-812. <http://dx.doi.org/10.1097/EDE.0b013e31826c2bd8>.
- Cornett, R; James, M; Henderson, G; Cheung, J; Shroads, A; Stacpoole, P. (1999). Inhibition of glutathione S-transferase zeta and tyrosine metabolism by dichloroacetate: A potential unifying mechanism for its altered biotransformation and toxicity. *Biochem Biophys Res Commun*. 262: 752-756. <http://dx.doi.org/10.1006/bbrc.1999.1287>.
- Corton, JC. (2008). Evaluation of the role of peroxisome proliferator-activated receptor alpha (PPARalpha) in mouse liver tumor induction by trichloroethylene and metabolites [Review]. *Crit Rev Toxicol*. 38: 857-875. <http://dx.doi.org/10.1080/10408440802209796>.
- Cosby, NC; Dukelow, WR. (1992). Toxicology of maternally ingested trichloroethylene (TCE) on embryonal and fetal development in mice and of TCE metabolites on in vitro fertilization. *Fundam Appl Toxicol*. 19: 268-274.
- Costantini, AS; Benvenuti, A; Vineis, P; Kriebel, D; Tumino, R; Ramazzotti, V; Rodella, S; Stagnaro, E; Crosignani, P; Amadori, D; Mirabelli, D; Sommani, L; Belletti, I; Troschel, L; Romeo, L; Miceli, G; Tozzi, G; Mendico, I; Maltoni, S; Miligi, L. (2008). Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: Evidence from the Italian Multicenter Case-control study. *Am J Ind Med*. 51: 803-811. <http://dx.doi.org/10.1002/ajim.20592>.
- Costas, K; Knorr, RS; Condon, SK. (2002). A case-control study of childhood leukemia in Woburn, Massachusetts: The relationship between leukemia incidence and exposure to public drinking water. *Sci Total Environ*. 300: 23-35. [http://dx.doi.org/10.1016/S0048-9697\(02\)00169-9](http://dx.doi.org/10.1016/S0048-9697(02)00169-9).
- Coyle, YM; Hynan, LS; Euhus, DM; Minhajuddin, AT. (2005). An ecological study of the association of environmental chemicals on breast cancer incidence in Texas. *Breast Cancer Res Treat*. 92: 107-114. <http://dx.doi.org/10.1007/s10549-004-8268-z>.
- Crebelli, R; Bignami, M; Conti, L; Carere, A. (1982). Mutagenicity of trichloroethylene in *Salmonella typhimurium* TA100. *Ann Ist Super Sanita*. 18: 117-121.
- Crebelli, R; Carere, A. (1989). Genetic toxicology of 1,1,2-trichloroethylene [Review]. *Mutat Res*. 221: 11-37. [http://dx.doi.org/10.1016/0165-1110\(89\)90043-2](http://dx.doi.org/10.1016/0165-1110(89)90043-2).
- Crebelli, R; Conti, G; Conti, L; Carere, A. (1985). Mutagenicity of trichloroethylene, trichloroethanol and chloral hydrate in *Aspergillus nidulans*. *Mutat Res Genet Toxicol Environ Mutagen*. 155: 105-111. [http://dx.doi.org/10.1016/0165-1218\(85\)90126-0](http://dx.doi.org/10.1016/0165-1218(85)90126-0).
- Crebelli, R; Conti, G; Conti, L; Carere, A. (1991). In vitro studies with nine known or suspected spindle poisons: results in tests for chromosome malsegregation in *Aspergillus nidulans*. *Mutagenesis*. 6: 131-136. <http://dx.doi.org/10.1093/mutage/6.2.131>.
- Cristofori, P; Sauer, AV; Trevisan, A. (2015). Three common pathways of nephrotoxicity induced by halogenated alkenes [Review]. *Cell Biol Toxicol*. 31: 1-13. <http://dx.doi.org/10.1007/s10565-015-9293-x>.
- Crofton, K; Zhao, X. (1997). The ototoxicity of trichloroethylene: Extrapolation and relevance of high-concentration, short-duration animal exposure data. *Fundam Appl Toxicol*. 38: 101-106. <http://dx.doi.org/10.1006/faat.1997.2327>.
- Crofton, KM; Lassiter, TL; Rebert, CS. (1994). Solvent-induced ototoxicity in rats: An atypical selective mid-frequency hearing deficit. *Hear Res*. 80: 25-30. [http://dx.doi.org/10.1016/0378-5955\(94\)90005-1](http://dx.doi.org/10.1016/0378-5955(94)90005-1).
- Crofton, KM; Zhao, X. (1993). Mid-frequency hearing loss in rats following inhalation exposure to trichloroethylene: Evidence from reflex modification audiometry. *Neurotoxicol Teratol*. 15: 413-423. [http://dx.doi.org/10.1016/0892-0362\(93\)90059-W](http://dx.doi.org/10.1016/0892-0362(93)90059-W).
- Crump, K; Allen, B; Shipp, A. (1989). Choice of dose measure for extrapolating carcinogenic risk from animals to humans: An empirical investigation of 23 chemicals. *Health Phys*. 57: 387-393.

Human Health Hazard Literature Search Results

On Topic

- Cui, Y, i; Choudhury, SR, oy; Irudayaraj, J. (2016). Epigenetic toxicity of trichloroethylene: a single-molecule perspective. *Toxicology Research*. 5: 641-650. <http://dx.doi.org/10.1039/c5tx00454c>.
- Cummings, B; Zangar, R; Novak, R; Lash, L. (2000). Cytotoxicity of trichloroethylene and S-(1, 2-dichlorovinyl)-L-cysteine in primary cultures of rat renal proximal tubular and distal tubular cells. *Toxicology*. 150: 83-98. [http://dx.doi.org/10.1016/S0300-483X\(00\)00252-3](http://dx.doi.org/10.1016/S0300-483X(00)00252-3).
- Cummings, BS; Lash, LH. (2000). Metabolism and toxicity of trichloroethylene and S-(1,2-dichlorovinyl)-L-cysteine in freshly isolated human proximal tubular cells. *Toxicol Sci*. 53: 458-466. <http://dx.doi.org/10.1093/toxsci/53.2.458>.
- Cummings, BS; Parker, JC; Lash, LH. (2000). Role of cytochrome P450 and glutathione S-transferase alpha in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol*. 59: 531-543. [http://dx.doi.org/10.1016/S0006-2952\(99\)00374-3](http://dx.doi.org/10.1016/S0006-2952(99)00374-3).
- Cummings, BS; Parker, JC; Lash, LH. (2001). Cytochrome p450-dependent metabolism of trichloroethylene in rat kidney. *Toxicol Sci*. 60: 11-19. <http://dx.doi.org/10.1093/toxsci/60.1.11>.
- Cutler, J; Parker, G; Rosen, S; Prenney, B; Healey, R; Caldwell, G. (1986). Childhood leukemia in Woburn, Massachusetts. *Public Health Rep*. 101: 201-205.
- Dai, Y; Chen, Y; Huang, H; Zhou, W; Niu, Y; Zhang, M; Bin, P; Dong, H; Jia, Q; Huang, J; Yi, J; Liao, Q; Li, H; Teng, Y; Zang, D; Zhai, Q; Duan, H; Shen, J; He, J; Meng, T; Sha, Y; Shen, M; Ye, M; Jia, X; Xiang, Y; Huang, H; Wu, Q; Shi, M; Huang, X; Yang, H; Luo, L; Li, S; Li, L; Zhao, J; Li, L; Wang, J; Zheng, Y. (2015). Performance of genetic risk factors in prediction of trichloroethylene induced hypersensitivity syndrome. *Sci Rep*. 5: 12169. <http://dx.doi.org/10.1038/srep12169>.
- Dai, Y; Leng, S; Li, L; Niu, Y; Huang, H; Cheng, J; Zheng, Y. (2004). Genetic polymorphisms of cytokine genes and risk for trichloroethylene-induced severe generalized dermatitis: a case-control study. *Biomarkers*. 9: 470-478. <http://dx.doi.org/10.1080/13547500400026920>.
- Dalbey, W; Bingham, E. (1978). Metabolism of trichloroethylene by the isolated perfused lung. *Toxicol Appl Pharmacol*. 43: 267-277.
- Dallas, C; Gallo, J; Ramanathan, R; Muralidhara, S; Bruckner, J. (1991). Physiological pharmacokinetic modeling of inhaled trichloroethylene in rats. *Toxicol Appl Pharmacol*. 110: 303-314.
- Dallas, CE. (1991). Validation and application of pharmacokinetic models for interspecies extrapolations in toxicity risk assessments of volatile organics. (NTIS/O2978922_a). Washington, DC: Air Force Office of Scientific Research. <http://www.biomedsearch.com/sci/Validation-Application-Pharmacokinetic-Models-Interspecies/0033755846.html>.
- Daniel, FB; Deangelo, AB; Stober, JA; Olson, GR; Page, NP. (1992). Hepatocarcinogenicity of chloral hydrate, 2-chloroacetaldehyde, and dichloroacetic acid in the male B6C3F1 mouse. *Fundam Appl Toxicol*. 19: 159-168. [http://dx.doi.org/10.1016/0272-0590\(92\)90147-A](http://dx.doi.org/10.1016/0272-0590(92)90147-A).
- Daniell, WE; Claypoole, KH; Checkoway, H; Smith-Weller, T; Dager, SR; Townes, BD; Rosenstock, L. (1999). Neuropsychological function in retired workers with previous long-term occupational exposure to solvents. *Occup Environ Med*. 56: 93-105.
- Das, RM; Scott, JE. (1994). Trichloroethylene-induced pneumotoxicity in fetal and neonatal mice. *Toxicol Lett*. 73: 227-239.
- Davidson, IWF; Beliles, RP. (1991). Consideration of the target organ toxicity of trichloroethylene in terms of metabolite toxicity and pharmacokinetics [Review]. *Drug Metab Rev*. 23: 493-599. <http://dx.doi.org/10.3109/03602539109029772>.
- Davis, S; Laszlo Pallos, L; Wu, J; Sapp, J; Cusack, C. (2005). ATSDR's trichloroethylene subregistry methods and results: 1989-2000. *Arch Environ Occup Health*. 60: 130-139. <http://dx.doi.org/10.3200/AEOH.60.3.130-139>.
- Dawson, B; Johnson, P; Goldberg, S; Ulreich, J. (1990). Cardiac teratogenesis of trichloroethylene and dichloroethylene in a mammalian model. *J Am Coll Cardiol*. 16: 1304-1309.
- Dawson, B; Johnson, P; Goldberg, S; Ulreich, J. (1993). Cardiac teratogenesis of halogenated hydrocarbon-contaminated drinking water. *J Am Coll Cardiol*. 21: 1466-1472. [http://dx.doi.org/10.1016/0735-1097\(93\)90325-U](http://dx.doi.org/10.1016/0735-1097(93)90325-U).
- De Baere, S; Meyer, E; Dirinck, I; Lambert, W; Piette, M; Van Peteghem, C; De Leenheer, A. (1997). Tissue distribution of trichloroethylene and its metabolites in a forensic case. *J Anal Toxicol*. 21: 223-227.
- De La Rosa, V; Asfaha, J; Vulpe, C. (2012). A Functional Genomics Approach in Yeast: The Role of DNA Repair in Trichloroethylene Toxicity. *Environ Mol Mutagen*. 53: S49-S49.
- De La Rosa, VY; Vulpe, CD. (2011). Functional Genomics Approach to Elucidating Mechanisms of Trichloroethylene Toxicity. *Environ Mol Mutagen*. 52: S68-S68.
- De Roos, AJ. (2013). Multiple Myeloma Consortium Study of Occupational Exposures and Family History.
- De Roos, AJ. (2014). Multiple Myeloma Consortium Study of Occupational Exposures and Family History.
- Deangelo, AB; Daniel, FB; Mcmillan, L; Wernsing, P; Savage, RE, Jr. (1989). Species and strain sensitivity to the induction of peroxisome proliferation by chloroacetic acids. *Toxicol Appl Pharmacol*. 101: 285-298. [http://dx.doi.org/10.1016/0041-008X\(89\)90277-9](http://dx.doi.org/10.1016/0041-008X(89)90277-9).
- Deangelo, AB; Daniel, FB; Most, BM; Olson, GR. (1996). The carcinogenicity of dichloroacetic acid in the male fischer 344 rat. *Toxicology*. 114: 207-221. [http://dx.doi.org/10.1016/S0300-483X\(96\)03510-X](http://dx.doi.org/10.1016/S0300-483X(96)03510-X).
- Deangelo, AB; Daniel, FB; Most, BM; Olson, GR. (1997). Failure of monochloroacetic acid and trichloroacetic acid administered in the drinking water to produce liver cancer in male F344/N rats. *J Toxicol Environ Health*. 52: 425-445. <http://dx.doi.org/10.1080/00984109708984074>.
- DeAngelo, AB; Daniel, FB; Wong, DM; George, MH. (2008). The induction of hepatocellular neoplasia by trichloroacetic acid administered in the drinking water of the male B6C3F1 mouse. *J Toxicol Environ Health A*. 71: 1056-1068. <http://dx.doi.org/10.1080/15287390802111952>.
- DeAngelo, AB; George, MH; House, DE. (1999). Hepatocarcinogenicity in the male B6C3F1 mouse following a lifetime exposure to dichloroacetic acid in the drinking water: Dose-response determination and modes of action. *J Toxicol Environ Health A*. 58: 485-507.
- Dees, C; Travis, C. (1993). The mitogenic potential of trichloroethylene in B6C3F1 mice. *Toxicol Lett*. 69: 129-137.
- Dees, C; Travis, C. (1994). Trichloroacetate stimulation of liver DNA synthesis in male and female mice. *Toxicol Lett*. 70: 343-355. [http://dx.doi.org/10.1016/0378-4274\(94\)90129-5](http://dx.doi.org/10.1016/0378-4274(94)90129-5).

Human Health Hazard Literature Search Results

On Topic

- Deferme, L; Wolters, J; Claessen, S; Briedé, J; Kleinjans, J. (2015). Oxidative Stress Mechanisms Do Not Discriminate between Genotoxic and Nongenotoxic Liver Carcinogens. *Chem Res Toxicol.* 28: 1636-1646. <http://dx.doi.org/10.1021/acs.chemrestox.5b00222>.
- Dehon, B; Humbert, L; Devisme, L; Stievenart, M; Mathieu, D; Houdret, N; Lhermitte, M. (2000). Tetrachloroethylene and trichloroethylene fatality: Case report and simple headspace SPME-capillary gas chromatographic determination in tissues. *J Anal Toxicol.* 24: 22-26.
- Dekant, W. (1990). Bioactivation of halogenated alkenes by glutathione conjugation a mechanistic explanation for their renal carcinogenicity. *J Cancer Res Clin Oncol.* 116: 1063.
- Dekant, W; Berthold, K; Vamvakas, S; Henschler, D; Anders, MW. (1988). Thioacylating intermediates as metabolites of S-(1,2-dichlorovinyl)-L-cysteine and S-(1,2,2-trichlorovinyl)-L-cysteine formed by cysteine conjugate beta-lyase. *Chem Res Toxicol.* 1: 175-178. <http://dx.doi.org/10.1021/tx00003a008>.
- Dekant, W; Metzler, M; Henschler, D. (1984). Novel metabolites of trichloroethylene through dechlorination reactions in rats, mice and humans. *Biochem Pharmacol.* 33: 2021-2027.
- Dekant, W; Metzler, M; Henschler, D. (1986). Identification of S-1,2-dichlorovinyl-N-acetyl-cysteine as a urinary metabolite of trichloroethylene: A possible explanation for its nephrocarcinogenicity in male rats. *Biochem Pharmacol.* 35: 2455-2458. [http://dx.doi.org/10.1016/0006-2952\(86\)90039-0](http://dx.doi.org/10.1016/0006-2952(86)90039-0).
- Dekant, W; Schulz, A; Metzler, M; Henschler, D. (1986). Absorption, elimination, and metabolism of trichloroethylene: A quantitative comparison between rats and mice. *Xenobiotica.* 16: 143-152. <http://dx.doi.org/10.3109/00498258609043517>.
- Delinsky, AD; Delinsky, DC; Muralidhara, S; Fisher, JW; Bruckner, JV; Bartlett, MG. (2005). Analysis of dichloroacetic acid in rat blood and tissues by hydrophilic interaction liquid chromatography with tandem mass spectrometry. *Rapid Commun Mass Spectrom.* 19: 1075-1083. <http://dx.doi.org/10.1002/rcm.189>.
- Demarini, DM; Perry, E; Shelton, ML. (1994). Dichloroacetic acid and related compounds: Induction of prophage in *E. coli* and mutagenicity and mutation spectra in *Salmonella* TA100. *Mutagenesis.* 9: 429-437. <http://dx.doi.org/10.1093/mutage/9.5.429>.
- Desimone, MC; Rathmell, WK; Threadgill, DW. (2013). Pleiotropic Effects of the Trichloroethylene-Associated P81S VHL Mutation on Metabolism, Apoptosis, and ATM-Mediated DNA Damage Response. *J Natl Cancer Inst.* 105: 1355-1364. <http://dx.doi.org/10.1093/jnci/djt226>.
- Desrosiers, TA; Lawson, CC; Meyer, RE; Stewart, PA; Waters, MA; Correa, A; Olshan, AF; Study, NBDP. (2015). Assessed occupational exposure to chlorinated, aromatic and Stoddard solvents during pregnancy and risk of fetal growth restriction. *Occup Environ Med.* 72: 587-593. <http://dx.doi.org/10.1136/oemed-2015-102835>.
- Ding, R; Shen, T; Zhu, QX. (2006). [Effects of TCE and PCE on cultured human keratinocyte lipid peroxidation and protective effect of vitamin E on it]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 24: 662-665.
- Diot, E; Lesire, V; Guilmet, J; Metzger, M; Pilore, R; Rogier, S; Stadler, M; Diot, P; Lemarie, E; Lasfargues, G. (2002). Systemic sclerosis and occupational risk factors: a case-control study. *Occup Environ Med.* 59: 545-549.
- Direnzo, AB; Gandolfi, AJ; Sipes, IG. (1982). Microsomal bioactivation and covalent binding of aliphatic halides to DNA. *Toxicol Lett.* 11: 243-252.
- Dobbs, MR. (2011). Toxic encephalopathy [Review]. *Semin Neurol.* 31: 184-193. <http://dx.doi.org/10.1055/s-0031-1277989>.
- Dolinoy, DC; Weidman, JR; Jirtle, RL. (2007). Epigenetic gene regulation: Linking early developmental environment to adult disease [Review]. *Reprod Toxicol.* 23: 297-307. <http://dx.doi.org/10.1016/j.reprotox.2006.08.012>.
- Donoghue, AM; Dryson, EW; Wynn-Williams, G. (1995). Contrast sensitivity in organic-solvent-induced chronic toxic encephalopathy. *J Occup Environ Med.* 37: 1357-1363.
- Dorfmueller, MA; Henne, SP; York, RG; Bornschein, RL; Manson, JM. (1979). Evaluation of teratogenicity and behavioral toxicity with inhalation exposure of maternal rats to trichloroethylene. *Toxicology.* 14: 153-166.
- Dorne, JL; Walton, K; Renwick, AG. (2005). Human variability in xenobiotic metabolism and pathway-related uncertainty factors for chemical risk assessment: a review [Review]. *Food Chem Toxicol.* 43: 203-216. <http://dx.doi.org/10.1016/j.fct.2004.05.011>.
- Dosemeci, M; Cocco, P; Chow, WH. (1999). Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. *Am J Ind Med.* 36: 54-59. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<54::AID-AJIM8>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<54::AID-AJIM8>3.0.CO;2-0).
- Døssing, M; Petersen, KT; Vyberg, M; Olsen, JH. (1997). Liver cancer among employees in Denmark. *Am J Ind Med.* 32: 248-254.
- Douglas, G; Gingerich, J; Soper, L; Potvin, M; Bjarnason, S. (1999). Evidence for the lack of base-change and small-deletion mutation induction by trichloroethylene in lacZ transgenic mice. *Environ Mol Mutagen.* 34: 190-194.
- Dow, J; Green, T. (2000). Trichloroethylene induced vitamin B(12) and folate deficiency leads to increased formic acid excretion in the rat. *Toxicology.* 146: 123-136. [http://dx.doi.org/10.1016/S0300-483X\(00\)00156-6](http://dx.doi.org/10.1016/S0300-483X(00)00156-6).
- Dowsley, T; Ulreich, J; Bolton, J; Park, S; Forkert, P. (1996). CYP2E1-dependent bioactivation of 1,1-dichloroethylene in murine lung: Formation of reactive intermediates and glutathione conjugates. *Toxicol Appl Pharmacol.* 139: 42-48. <http://dx.doi.org/10.1006/taap.1996.0141>.
- Drake, V; Koprowski, S; Lough, J; Hu, N; Smith, S. (2006). Trichloroethylene exposure during cardiac valvuloseptal morphogenesis alters cushion formation and cardiac hemodynamics in the avian embryo. *Environ Health Perspect.* 114: 842-847. <http://dx.doi.org/10.1289/ehp.8781>.
- Drake, VJ; Koprowski, SL; Hu, N; Smith, SM; Lough, J. (2006). Cardiogenic effects of trichloroethylene and trichloroacetic acid following exposure during heart specification of avian development. *Toxicol Sci.* 94: 153-162. <http://dx.doi.org/10.1093/toxsci/kfl083>.
- Driscoll, T; Hamdan, H; Wang, G; Wright, P; Stacey, N. (1992). Concentrations of individual serum or plasma bile acids in workers exposed to chlorinated aliphatic hydrocarbons. *Br J Ind Med.* 49: 700-705.
- Dryver, E; Brandt, L; Kauppinen, T; Olsson, H. (2004). Occupational exposures and non-Hodgkin's lymphoma in Southern Sweden. *Int J Occup Environ Health.* 10: 13-21.

Human Health Hazard Literature Search Results

On Topic

- D'Souza, R; Bruckner, J; Feldman, S. (1985). Oral and intravenous trichloroethylene pharmacokinetics in the rat. *J Toxicol Environ Health*. 15: 587-601. <http://dx.doi.org/10.1080/15287398509530688>.
- Dugard, P. (2000). Effects of trichloroethylene (TCE) on an in vitro chick atrioventricular canal culture [Letter]. *Toxicol Sci*. 56: 437-438.
- Dumas, S; Parent, ME; Siemiatycki, J; Brisson, J. (2000). Rectal cancer and occupational risk factors: A hypothesis-generating, exposure-based case-control study. *Int J Cancer*. 87: 874-879. [http://dx.doi.org/10.1002/1097-0215\(20000915\)87:6<874::AID-IJC18>3.0.CO;2-L](http://dx.doi.org/10.1002/1097-0215(20000915)87:6<874::AID-IJC18>3.0.CO;2-L).
- DuTeaux, S; Hengel, M; DeGroot, D; Jelks, K; Miller, M. (2003). Evidence for trichloroethylene bioactivation and adduct formation in the rat epididymis and efferent ducts. *Biol Reprod*. 69: 771-779. <http://dx.doi.org/10.1095/biolreprod.102.014845>.
- Duteaux, SB; Berger, T; Hess, RA; Sartini, BL; Miller, MG. (2004). Male reproductive toxicity of trichloroethylene: Sperm protein oxidation and decreased fertilizing ability. *Biol Reprod*. 70: 1518-1526. <http://dx.doi.org/10.1095/biolreprod.103.022210>.
- Eastin, WC; Mennear, JH; Tennant, RW; Stoll, RE; Branstetter, DG; Bucher, J. R.; Mccullough, B; Binder, RL; Spalding, JW; Mahler, JF. (2001). Tg.AC genetically altered mouse: assay working group overview of available data. *Toxicol Pathol*. 29 Suppl: 60-80. <http://dx.doi.org/10.1080/019262301753178483>.
- Effio, DG; Kroner, O; Maier, A; Hayes, W; Willis, A; Strawson, J. (2013). A Look at State-Level Risk Assessment in the United States: Making Decisions in the Absence of Federal Risk Values. *Risk Anal*. 33: 54-67. <http://dx.doi.org/10.1111/j.1539-6924.2012.01842.x>.
- EHS. (1997). Final Report. Correspondence from Paul A. Cammer, Ph.D., Trichloroethylene Issues Group, to Cheryl Siegel Scott, US Environmental Protection Agency. December 22, 1997. Menlo Park, CA.
- El Ghawabi, SM; Mansoor, MB; El Gamel, MS; El Saharti, AA; El Enany, FF. (1973). Chronic trichloroethylene exposure. *J Egypt Med Assoc*. 56: 715-724.
- Elcombe, CR. (1985). Species differences in carcinogenicity and peroxisome proliferation due to trichloroethylene: A biochemical human hazard assessment. *Arch Toxicol Suppl*. 8: 6-17.
- Elcombe, CR; Rose, MS; Pratt, IS. (1985). Biochemical, histological, and ultrastructural changes in rat and mouse liver following the administration of trichloroethylene: Possible relevance to species differences in hepatocarcinogenicity. *Toxicol Appl Pharmacol*. 79: 365-376. [http://dx.doi.org/10.1016/0041-008X\(85\)90135-8](http://dx.doi.org/10.1016/0041-008X(85)90135-8).
- Elfarra, A; Krause, R; Last, A; Lash, L; Parker, J. (1998). Species- and sex-related differences in metabolism of trichloroethylene to yield chloral and trichloroethanol in mouse, rat, and human liver microsomes. *Drug Metab Dispos*. 26: 779-785.
- Elfarra, AA; Anders, MW. (1984). Renal processing of glutathione conjugates role in nephrotoxicity. *Biochem Pharmacol*. 33: 3729-3732.
- Ellsworth, EMG; Palma, JF; Spence, WC; Bleicher, JM; Smith, DM, Jr; Finkelstein, SD. (2012). Mutational profiling of sporadic versus toxin-associated brain cancer formation: Initial findings using loss of heterozygosity profiling. *Int J Hyg Environ Health*. 215: 427-433. <http://dx.doi.org/10.1016/j.ijheh.2011.08.018>.
- Elofsson, SA; Gamberale, F; Hindmarsh, T; Iregren, A; Isaksson, A.; Johnsson, I; Knave, B; Lydahl, E; Mindus, P; Persson, HE; Philipson, B; Steby, M; Struwe, G; Soderman, E; Wennberg, A; Widén, L. (1980). Exposure to organic solvents: A cross-sectional epidemiologic investigation on occupationally exposed car and industrial spray painters with special reference to the nervous system. *Scand J Work Environ Health*. 6: 239-273.
- Elovaara, E; Hemminki, K; Vainio, H. (1979). Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. *Toxicology*. 12: 111-119. [http://dx.doi.org/10.1016/0300-483X\(79\)90037-4](http://dx.doi.org/10.1016/0300-483X(79)90037-4).
- Emara, AM; Abo El-Noor, MM; Hassan, NA; Wagih, AA. (2010). Immunotoxicity and hematotoxicity induced by tetrachloroethylene in egyptian dry cleaning workers. *Inhal Toxicol*. 22: 117-124. <http://dx.doi.org/10.3109/08958370902934894>.
- Emmert, B; Bünger, J; Keuch, K; Müller, M; Emmert, S; Hallier, E; Westphal, GA. (2006). Mutagenicity of cytochrome P450 2E1 substrates in the Ames test with the metabolic competent *S. typhimurium* strain YG7108pin3ERb5. *Toxicology*. 228: 66-76. <http://dx.doi.org/10.1016/j.tox.2006.08.013>.
- Engel, LS; Vaughan, TL; Gammon, MD; Chow, WH; Risch, HA; Dubrow, R; Mayne, ST; Rotterdam, H; Schoenberg, JB; Stanford, JL; West, AB; Blot, WJ; Fraumeni, JF. (2002). Occupation and risk of esophageal and gastric cardia adenocarcinoma. *Am J Ind Med*. 42: 11-22. <http://dx.doi.org/10.1002/ajim.10077>.
- Englund, A; Ringen, K; Mehlman, MA. (1982). Occupational health hazards of solvents Work load and uptake of solvents in tissues of man. In *Advances in modern environmental toxicology*. Princeton: Princeton Scientific Publishers.
- Epstein, DL; Nolen, GA; Randall, JL; Christ, SA; Read, EJ; Stober, JA; Smith, MK. (1992). Cardiopathic effects of dichloroacetate in the fetal Long-Evans rat. *Teratology*. 46: 225-235. <http://dx.doi.org/10.1002/tera.1420460306>.
- Ertle, T; Henschler, D; Müller, G; Spassowski, M. (1972). Metabolism of trichloroethylene in man. I. The significance of trichloroethanol in long-term exposure conditions. *Arch Toxicol*. 29: 171-188. <http://dx.doi.org/10.1007/BF00315598>.
- Evans, MV; Chiu, WA; Okino, MS; Caldwell, JC. (2009). Development of an updated PBPK model for trichloroethylene and metabolites in mice, and its application to discern the role of oxidative metabolism in TCE-induced hepatomegaly. *Toxicol Appl Pharmacol*. 236: 329-340. <http://dx.doi.org/10.1016/j.taap.2009.02.013>.
- Eyre, R; Stevens, D; Parker, J; Bull, R. (1995). Acid-labile adducts to protein can be used as indicators of the cysteine S-conjugate pathway of trichloroethene metabolism. *J Toxicol Environ Health*. 46: 443-464. <http://dx.doi.org/10.1080/15287399509532048>.
- Eyre, R; Stevens, D; Parker, J; Bull, R. (1995). Renal activation of trichloroethene and S-(1,2-dichlorovinyl)-L-cysteine and cell proliferative responses in the kidneys of F344 rats and B6C3F1 mice. *J Toxicol Environ Health*. 46: 465-481. <http://dx.doi.org/10.1080/15287399509532049>.
- Fagliano, J; Berry, M; Bove, F; Burke, T. (1990). Drinking water contamination and the incidence of leukemia: An ecologic study. *Am J Public Health*. 80: 1209-1212.

Human Health Hazard Literature Search Results

On Topic

- Fahrig, R; Madle, S; Baumann, H. (1995). Genetic toxicology of trichloroethylene (TCE) [Review]. *Mutat Res: Rev Genet Toxicol.* 340: 1-36. [http://dx.doi.org/10.1016/0165-1110\(95\)90002-0](http://dx.doi.org/10.1016/0165-1110(95)90002-0).
- Fan, A. (1988). Trichloroethylene: Water contamination and health risk assessment [Review]. *Rev Environ Contam Toxicol.* 101: 55-92.
- Fan, X; Wang, G; English, RD; Firoze Khan, M. (2014). Proteomic identification of carbonylated proteins in the kidney of trichloroethene-exposed MRL+/- mice. *Toxicol Mech Meth.* 24: 21-30. <http://dx.doi.org/10.3109/15376516.2013.843112>.
- Fang, HL; Strom, SC; Cai, H; Falany, CN; Kocarek, TA; Runge-Morris, M. (2005). Regulation of human hepatic hydroxysteroid sulfotransferase gene expression by the peroxisome proliferator-activated receptor alpha transcription factor. *Mol Pharmacol.* 67: 1257-1267. <http://dx.doi.org/10.1124/mol.104.005389>.
- Fang, ZZ, e; Krausz, KW; Tanaka, N; Li, F, ei; Qu, A; Idle, J. R.; Gonzalez, FJ. (2013). Metabolomics reveals trichloroacetate as a major contributor to trichloroethylene-induced metabolic alterations in mouse urine and serum. *Arch Toxicol.* 87: 1975-1987. <http://dx.doi.org/10.1007/s00204-013-1053-1>.
- Farazi, PA; Depinho, RA. (2006). Hepatocellular carcinoma pathogenesis: From genes to environment [Review]. *Nat Rev Cancer.* 6: 674-687. <http://dx.doi.org/10.1038/nrc1934>.
- Fattovich, G; Stroffolini, T; Zagni, I; Donato, F. (2004). Hepatocellular carcinoma in cirrhosis: Incidence and risk factors [Review]. *Gastroenterology.* 127: S35-S50. <http://dx.doi.org/10.1053/j.gastro.2004.09.014>.
- Fechter, LD; Liu, Y; Herr, DW; Crofton, KM. (1998). Trichloroethylene ototoxicity: Evidence for a cochlear origin. *Toxicol Sci.* 42: 28-35. <http://dx.doi.org/10.1093/toxsci/42.1.28>.
- Feldman, R; Niles, C; Proctor, S; Jabre, J. (1992). Blink reflex measurement of effects of trichloroethylene exposure on the trigeminal nerve. *Muscle Nerve.* 15: 490-495. <http://dx.doi.org/10.1002/mus.880150413>.
- Feldman, RG; Chirico-Post, J; Proctor, SP. (1988). Blink reflex latency after exposure to trichloroethylene in well water. *Arch Environ Health.* 43: 143-148. <http://dx.doi.org/10.1080/00039896.1988.9935843>.
- Fernandez, JG; Droz, PO; Humbert, BE; Caperos, JR. (1977). Trichloroethylene exposure: Simulation of uptake, excretion, and metabolism using a mathematical model. *Br J Ind Med.* 34: 43-55.
- Ferreira-Gonzalez, A; DeAngelo, AB; Nasim, S; Garrett, CT. (1995). Ras oncogene activation during hepatocarcinogenesis in B6C3F1 male mice by dichloroacetic and trichloroacetic acids. *Carcinogenesis.* 16: 495-500. <http://dx.doi.org/10.1093/carcin/16.3.495>.
- Figgs, L; Dosemeci, M; Blair, A. (1995). United States non-Hodgkin's lymphoma surveillance by occupation 1984-1989: A twenty-four state death certificate study. *Am J Ind Med.* 27: 817-835. <http://dx.doi.org/10.1002/ajim.4700270606>.
- Filser, JG; Bolt, HM. (1979). Pharmacokinetics of halogenated ethylenes in rats. *Arch Toxicol.* 42: 123-136. <http://dx.doi.org/10.1007/BF00316492>.
- Fiserova-Bergerova, V; Tichy, M; Di Carlo, FJ. (1984). Effects of biosolubility on pulmonary uptake and disposition of gases and vapors of lipophilic chemicals [Review]. *Drug Metab Rev.* 15: 1033-1070. <http://dx.doi.org/10.3109/03602538409033557>.
- Fisher, J. (2000). Physiologically based pharmacokinetic models for trichloroethylene and its oxidative metabolites [Review]. *Environ Health Perspect.* 108: 265-273.
- Fisher, J; Channel, S; Eggers, J; Johnson, P; Macmahon, K; Goodyear, C; Sudberry, G; Warren, D; Latendresse, J; Graeter, L. (2001). Trichloroethylene, trichloroacetic acid, and dichloroacetic acid: Do they affect fetal rat heart development. *Int J Toxicol.* 20: 257-267.
- Fisher, J; Mahle, D; Bankston, L; Greene, R; Gearhart, J. (1997). Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J.* 58: 425-431. <http://dx.doi.org/10.1080/15428119791012667>.
- Fisher, JW; Allen, BC. (1993). Evaluating the risk of liver cancer in humans exposed to trichloroethylene using physiological models. *Risk Anal.* 13: 87-95.
- Fisher, JW; Gargas, ML; Allen, BC; Andersen, ME. (1991). Physiologically based pharmacokinetic modeling with trichloroethylene and its metabolite, trichloroacetic acid, in the rat and mouse. *Toxicol Appl Pharmacol.* 109: 183-195.
- Fisher, JW; Mahle, D; Abbas, R. (1998). A human physiologically based pharmacokinetic model for trichloroethylene and its metabolites, trichloroacetic acid and free trichloroethanol. *Toxicol Appl Pharmacol.* 152: 339-359. <http://dx.doi.org/10.1006/taap.1998.8486>.
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1989). Physiologically based pharmacokinetic modeling of the pregnant rat: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol.* 99: 395-414. [http://dx.doi.org/10.1016/0041-008X\(89\)90149-X](http://dx.doi.org/10.1016/0041-008X(89)90149-X).
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1990). Physiologically based pharmacokinetic modeling of the lactating rat and nursing pup: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol.* 102: 497-513.
- Flood, TJ; Chapin, CA. (1988). Report on mortality in Maricopa County 1966-1986. Phoenix, AZ: Arizona Department of Health Services, Division of Disease Prevention.
- Flood, TJ; Meaney, FJ; Vertz, PD; Laubham, KA; Porter, RS; Aickinm, M. (1997). Case-referent study of childhood leukemia in Maricopa County, Arizona, 1965-1990. Phoenix, AZ: Arizona Department of Health Services, Bureau of Epidemiology and Disease Control Services. www.azdhs.gov/phs/phstats/acr/pdf/LRWEBSUM.pdf.
- Forand, SP. (2004). Leukaemia incidence among workers in the shoe and boot manufacturing industry: A case-control study. *Environ Health.* 3: 7. <http://dx.doi.org/10.1186/1476-069X-3-7>.
- Forand, SP; Lewis-Michl, EL; Gomez, MI. (2012). Adverse birth outcomes and maternal exposure to trichloroethylene and tetrachloroethylene through soil vapor intrusion in New York State. *Environ Health Perspect.* 120: 616-621. <http://dx.doi.org/10.1289/ehp.1103884>.

Human Health Hazard Literature Search Results

On Topic

- Ford, E; Rhodes, S; Mcdiarmid, M; Schwartz, S; Brown, J. (1995). Deaths from acute exposure to trichloroethylene [Review]. *J Occup Environ Med.* 37: 749-754.
- Forkert, P; Lash, L; Nadeau, V; Tardif, R; Simmonds, A. (2002). Metabolism and toxicity of trichloroethylene in epididymis and testis. *Toxicol Appl Pharmacol.* 182: 244-254.
- Forkert, P; Lash, L; Tardif, R; Tanphaichitr, N; Vandervoort, C; Moussa, M. (2003). Identification of trichloroethylene and its metabolites in human seminal fluid of workers exposed to trichloroethylene. *Drug Metab Dispos.* 31: 306-311.
- Forkert, PG; Baldwin, R; Millen, B; Lash, L; Putt, D; Shultz, M; Collins, K. (2005). Pulmonary bioactivation of trichloroethylene to chloral hydrate: Relative contributions of CYP2E1, CYP2F, and CYP2B1. *Drug Metab Dispos.* 33: 1429-1437. <http://dx.doi.org/10.1124/dmd.105.005074>.
- Forkert, PG; Birch, DW. (1989). Pulmonary toxicity of trichloroethylene in mice: covalent binding and morphological manifestations. *Drug Metab Dispos.* 17: 106-113.
- Forkert, PG; Forkert, L. (1994). Trichloroethylene induces pulmonary fibrosis in mice. *Can J Physiol Pharmacol.* 72: 205-210. <http://dx.doi.org/10.1139/y94-032>.
- Forkert, PG; Millen, B; Lash, L; Putt, D; Ghanayem, B. (2006). Pulmonary bronchiolar cytotoxicity and formation of dichloroacetyl lysine protein adducts in mice treated with trichloroethylene. *J Pharmacol Exp Ther.* 316: 520-529. <http://dx.doi.org/10.1124/jpet.105.093062>.
- Forkert, PG; Sylvestre, PL; Poland, JS. (1985). Lung injury induced by trichloroethylene. *Toxicology.* 35: 143-160.
- Forouzanfar, MH; Alexander, L; Anderson, HR; Bachman, VF; Biryukov, S. (2015). Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: A systematic analysis for the Global Burden of Disease Study 2013. *Lancet.* 386: 2287-2323. [http://dx.doi.org/10.1016/S0140-6736\(15\)00128-2](http://dx.doi.org/10.1016/S0140-6736(15)00128-2).
- Fort, D; Rayburn, J; Deyoung, D; Bantle, J. (1991). Assessing the efficacy of an Aroclor 1254-induced exogenous metabolic activation system for FETAX. *Drug Chem Toxicol.* 14: 143-160. <http://dx.doi.org/10.3109/01480549109017873>.
- Fort, DJ; Stover, EL; Rayburn, JR; Hull, M; Bantle, JA. (1993). Evaluation of the developmental toxicity of trichloroethylene and detoxification metabolites using Xenopus. *Birth Defects Res B Dev Reprod Toxicol.* 13: 35-45.
- Fox, AW; Yang, X; Murli, H; Lawlor, TE; Cifone, MA; Reno, FE. (1996). Absence of mutagenic effects of sodium dichloroacetate. *Fundam Appl Toxicol.* 32: 87-95. <http://dx.doi.org/10.1006/faat.1996.0110>.
- Fox, DA. (2015). Retinal and visual system: occupational and environmental toxicology [Review]. *Handb Clin Neurol.* 131: 325-340. <http://dx.doi.org/10.1016/B978-0-444-62627-1.00017-2>.
- Franchi, F; Falciani, E; Donadello, K; Zacà, V; Silvestri, R; Taccone, FS; Cubattoli, L; Mongelli, P; Giomarelli, P; Scolletta, S. (2013). Echocardiography and pulse contour analysis to assess cardiac output in trauma patients. *Minerva Anesthesiol.* 79: 137-146.
- Francis, JW; Newman, LE; Cunningham, LA; Kahn, RA. (2017). A Trimer Consisting of the Tubulin-specific Chaperone TBCD, Regulatory GTPase ARL2, and β -tubulin is Required for Maintaining the Microtubule Network. *J Biol Chem.* <http://dx.doi.org/10.1074/jbc.M116.770909>.
- Fredriksson, A; Danielsson, BRG; Eriksson, P. (1993). Altered behaviour in adult mice orally exposed to tri- and tetrachloroethylene as neonates. *Toxicol Lett.* 66: 13-19. [http://dx.doi.org/10.1016/0378-4274\(93\)90074-8](http://dx.doi.org/10.1016/0378-4274(93)90074-8).
- Fredriksson, M; Bengtsson, NO; Hardell, L; Axelson, O. (1989). Colon cancer, physical activity, and occupational exposures: A case-control study. *Cancer.* 63: 1838-1842.
- Friesen, M. (2010). Occupational Exposure Assessment.
- Friesen, M. (2011). Occupational Exposure Assessment.
- Friesen, M. (2012). Occupational Exposure Assessment.
- Friesen, M. (2013). Occupational Exposure Assessment.
- Friesen, M. (2014). Occupational Exposure Assessment.
- Friesen, M. (2015). Occupational Exposure Assessment.
- Friesen, MC; Locke, SJ; Tornow, C; Chen, YC; Koh, DH; Stewart, PA; Purdue, M; Colt, JS. (2014). Systematically extracting metal- and solvent-related occupational information from free-text responses to lifetime occupational history questionnaires. *Ann Occup Hyg.* 58: 612-624. <http://dx.doi.org/10.1093/annhyg/meu012>.
- Fritschi, L; Siemiatycki, J. (1996). Lymphoma, myeloma and occupation: Results of a case-control study. *Int J Cancer.* 67: 498-503. [http://dx.doi.org/10.1002/\(SICI\)1097-0215\(19960807\)67:4<498::AID-IJC6>3.0.CO;2-N](http://dx.doi.org/10.1002/(SICI)1097-0215(19960807)67:4<498::AID-IJC6>3.0.CO;2-N).
- Fritschi, L; Siemiatycki, J. (1996). Melanoma and occupation: Results of a case-control study. *Occup Environ Med.* 53: 168-173.
- Fukuda, K; Takemoto, K; Tsuruta, H. (1983). Inhalation carcinogenicity of trichloroethylene in mice and rats. *Ind Health.* 21: 243-254.
- Furihata, C; Watanabe, T; Suzuki, T; Hamada, S; Nakajima, M. (2016). Collaborative studies in toxicogenomics in rodent liver in JEMS-MMS; a useful application of principal component analysis on toxicogenomics [Review]. 38: 15. <http://dx.doi.org/10.1186/s41021-016-0041-0>.
- Furnus, CC; Ulrich, MA; Terreros, MC; Dulout, FN. (1990). The induction of aneuploidy in cultured Chinese hamster cells by propionaldehyde and chloral hydrate. *Mutagenesis.* 5: 323-326.
- Fusco, JC; Afshari, AJ; George, MH; Deangelo, AB; Tice, RR; Salman, T; Allen, JW. (1996). In vivo genotoxicity of dichloroacetic acid: Evaluation with the mouse peripheral blood micronucleus assay and the single cell gel assay. *Environ Mol Mutagen.* 27: 1-9. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)27:1<1::AID-EM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)27:1<1::AID-EM1>3.0.CO;2-L).
- Galloway, SM; Armstrong, MJ; Reuben, C; Colman, S; Brown, B; Cannon, C; Bloom, AD; Nakamura, F; Ahmed, M; Duk, S; Rimpo, J; Margolin, BH; Resnick, MA; Anderson, B; Zeiger, E. (1987). Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals [Review]. *Environ Mol Mutagen.* 10: 1-175. <http://dx.doi.org/10.1002/em.2850100502>.
- Gamberale, G; Annwall, G; Olson, BA. (1976). Exposure to trichloroethylene III. Psychological functions. *Scand J Work Environ Health.* 4: 220-224.

Human Health Hazard Literature Search Results

On Topic

- Garabrant, D; Held, J; Langholz, B; Bernstein, L. (1988). Mortality of aircraft manufacturing workers in southern California. *Am J Ind Med.* 13: 683-693. <http://dx.doi.org/10.1002/ajim.4700130607>.
- Garabrant, DH; Lacey, JV, Jr; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (2003). Scleroderma and solvent exposure among women. *Am J Epidemiol.* 157: 493-500. <http://dx.doi.org/10.1093/aje/kwf223>.
- Gargas, ML; Burgess, RJ; Voisard, DE; Cason, GH; Andersen, ME. (1989). Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharmacol.* 98: 87-99.
- Gargas, ML; Seybold, PG; Andersen, ME. (1988). Modeling the tissue solubilities and metabolic rate constant (V_{max}) of halogenated methanes, ethanes, and ethylenes. *Toxicol Lett.* 43: 235-256. [http://dx.doi.org/10.1016/0378-4274\(88\)90031-8](http://dx.doi.org/10.1016/0378-4274(88)90031-8).
- Gash, D; Rutland, K; Hudson, N; Sullivan, P; Bing, G; Cass, W; Pandya, J; Liu, M; Choi, D; Hunter, R; Gerhardt, G; Smith, C; Slevin, J; Prince, T. (2008). Trichloroethylene: Parkinsonism and complex 1 mitochondrial neurotoxicity. *Ann Neurol.* 63: 184-192. <http://dx.doi.org/10.1002/ana.21288>.
- Ge, R; Tao, L; Kramer, PM; Cunningham, ML; Pereira, MA. (2002). Effect of peroxisome proliferators on the methylation and protein level of the c-myc protooncogene in B6C3F1 mice liver. *J Biochem Mol Toxicol.* 16: 41-47. <http://dx.doi.org/10.1002/jbt.10019>.
- Ge, R; Yang, S; Kramer, PM; Tao, L; Pereira, MA. (2001). The effect of dichloroacetic acid and trichloroacetic acid on DNA methylation and cell proliferation in B6C3F1 mice. *J Biochem Mol Toxicol.* 15: 100-106. <http://dx.doi.org/10.1002/jbt.5>.
- George, JD; Reel, J. R.; Myers, CB; Lawton, AD; Lamb, JC. (1986). Trichloroethylene: Reproduction and fertility assessment in F344 rats when administered in the feed (pp. 312 PP). (NTP-86-085). Research Triangle Park, NC: National Institute of Environmental Health Sciences, National Toxicology Program.
- George, JD; Reel, JR; Myers, CB; Lawton, AD. (1985). Trichloroethylene: Reproduction and fertility assessment in CD-1 mice when administered in the feed (pp. 240 PP). (NTP-86-068). Research Triangle Park, NC: NIEHS.
- Germolec, D; Kono, DH; Pfau, JC; Pollard, KM. (2012). Animal models used to examine the role of the environment in the development of autoimmune disease: findings from an NIEHS Expert Panel Workshop [Review]. *J Autoimmun.* 39: 285-293. <http://dx.doi.org/10.1016/j.jaut.2012.05.020>.
- Ghantous, H; Danielsson, BRG; Dencker, L; Gorczak, J; Vesterberg, O. (1986). Trichloroacetic acid accumulates in murine amniotic fluid after trichloroethylene inhalation. *Acta Pharmacol Toxicol.* 58: 105-114. <http://dx.doi.org/10.1111/j.1600-0773.1986.tb00078.x>.
- Gilbert, K; Griffin, J; Pumford, N. (1999). Trichloroethylene activates CD4+ T cells: potential role in an autoimmune response. *Drug Metab Rev.* 31: 901-916. <http://dx.doi.org/10.1081/DMR-100101945>.
- Gilbert, K; Pumford, N; Blossom, S. (2006). Environmental contaminant trichloroethylene promotes autoimmune disease and inhibits T-cell apoptosis in MRL(+/+) mice. *J Immunotoxicol.* 3: 263-267. <http://dx.doi.org/10.1080/15476910601023578>.
- Gilbert, KM. (2010). Determining how trichloroethylene alters CD4+ T cell function. *Hepatitis Research and Treatment.* 2010: 248157. <http://dx.doi.org/10.1155/2010/248157>.
- Gilbert, KM. (2011). Determining how trichloroethylene alters CD4+ T cell function.
- Gilbert, KM. (2012). Determining how trichloroethylene alters CD4+ T cell function.
- Gilbert, KM; Blossom, SJ; Erickson, SW; Broadfoot, B; West, K; Bai, S; Li, J; Cooney, CA. (2016). Chronic exposure to trichloroethylene increases DNA methylation of the Irfng promoter in CD4(+) T cells. *Toxicol Lett.* 260: 1-7. <http://dx.doi.org/10.1016/j.toxlet.2016.08.017>.
- Gilbert, KM; Blossom, SJ; Erickson, SW; Reisfeld, B; Zurlinden, TJ; Broadfoot, B; West, K; Bai, S; Cooney, CA. (2016). Chronic exposure to water pollutant trichloroethylene increased epigenetic drift in CD4(+) T cells. *Epigenomics.* 8: 633-649. <http://dx.doi.org/10.2217/epi-2015-0018>.
- Gilbert, KM; Nelson, AR; Cooney, CA; Reisfeld, B; Blossom, SJ. (2012). Epigenetic Alterations May Regulate Temporary Reversal of CD4(+) T Cell Activation Caused by Trichloroethylene Exposure. *Toxicol Sci.* 127: 169-178. <http://dx.doi.org/10.1093/toxsci/kfs093>.
- Gilbert, KM; Reisfeld, B; Zurlinden, TJ; Kreps, MN; Erickson, SW; Blossom, SJ. (2014). Modeling toxicodynamic effects of trichloroethylene on liver in mouse model of autoimmune hepatitis. *Toxicol Appl Pharmacol.* 279: 284-293. <http://dx.doi.org/10.1016/j.taap.2014.07.003>.
- Gilbert, KM; Rowley, B; Gomez-Acevedo, H; Blossom, SJ. (2011). Coexposure to Mercury Increases Immunotoxicity of Trichloroethylene. *Toxicol Sci.* 119: 281-292. <http://dx.doi.org/10.1093/toxsci/kfq345>.
- Gilbert, KM; Whitlow, AB; Pumford, NR. (2004). Environmental contaminant and disinfection by-product trichloroacetaldehyde stimulates T cells in vitro. *Int Immunopharmacol.* 4: 25-36. <http://dx.doi.org/10.1016/j.intimp.2003.10.001>.
- Gilbert, KM; Woodruff, W; Blossom, SJ. (2014). Differential immunotoxicity induced by two different windows of developmental trichloroethylene exposure. 2014: 982073. <http://dx.doi.org/10.1155/2014/982073>.
- Gilboa, SM; Desrosiers, TA; Lawson, C; Lupo, PJ; Riehle-Colarusso, TJ; Stewart, PA; van Wijngaarden, E; Waters, MA; Correa, A; Stud, NBDP. (2012). Association between maternal occupational exposure to organic solvents and congenital heart defects, National Birth Defects Prevention Study, 1997-2002. *Occup Environ Med.* 69: 628-635. <http://dx.doi.org/10.1136/oemed-2011-100536>.
- Gilkeson, GS; Keil, D; Peden-Adams, MM. (2004). Immune effects of trichloroethylene on autoimmune disease in mice. In LC Mohr; DG Hoel; D Jollow (Eds.), (pp. 87-98). Charleston, SC: The Medical University of South Carolina Press.
- Godderis, L; Thomas, R; Hubbard, AE; Tabish, AM; Hoet, P; Zhang, L; Smith, MT; Veulemans, H; Mchale, CM. (2012). Effect of chemical mutagens and carcinogens on gene expression profiles in human TK6 cells. *PLoS ONE.* 7: e39205. <http://dx.doi.org/10.1371/journal.pone.0039205>.
- Goel, S; Rao, G; Pandya, K; Shanker, R. (1992). Trichloroethylene toxicity in mice: A biochemical, hematological and pathological assessment. *Indian J Exp Biol.* 30: 402-406.

Human Health Hazard Literature Search Results

On Topic

- Goeptar, AR; Commandeur, JN; van Ommen, B; van Bladeren, PJ; Vermeulen, NP. (1995). Metabolism and kinetics of trichloroethylene in relation to toxicity and carcinogenicity: Relevance of the mercapturic acid pathway [Review]. *Chem Res Toxicol.* 8: 3-21.
- Goh, VH; Chia, SE; Ong, CN. (1998). Effects of chronic exposure to low doses of trichloroethylene on steroid hormone and insulin levels in normal men. *Environ Health Perspect.* 106: 41-44.
- Gold, LS; Manley, NB; Slone, TH; Rohrbach, L; Garfinkel, GB. (2005). Supplement to the Carcinogenic Potency Database (CPDB): results of animal bioassays published in the general literature through 1997 and by the National Toxicology Program in 1997-1998. *Toxicol Sci.* 85: 747-808. <http://dx.doi.org/10.1093/toxsci/kfi161>.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med.* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Goldberg, M; Parent, M; Siemiatycki, J; Désy, M; Nadon, L; Richardson, L; Lakhani, R; Latreille, B; Valois, M. (2001). A case-control study of the relationship between the risk of colon cancer in men and exposures to occupational agents. *Am J Ind Med.* 39: 531-546.
- Goldberg, SJ; Lebowitz, MD; Graver, EJ; Hicks, S. (1990). An association of human congenital cardiac malformations and drinking water contaminants. *J Am Coll Cardiol.* 16: 155-164.
- Goldman, SM. (2010). Trichloroethylene and Parkinson's disease: dissolving the puzzle [Editorial]. *Expert Rev Neurother.* 10: 835-837. <http://dx.doi.org/10.1586/ERN.10.61>.
- Goldman, SM; Quinlan, PJ; Ross, GW; Marras, C; Meng, C; Bhudhikanok, GS; Comyns, K; Korell, M; Chade, AR; Kasten, M; Priestley, B; Chou, KL; Fernandez, HH; Cambi, F; Langston, JW; Tanner, CM. (2012). Solvent exposures and parkinson disease risk in twins. *Ann Neurol.* 71: 776-784. <http://dx.doi.org/10.1002/ana.22629>.
- Goldsworthy, TL; Lyght, O; Burnett, VL; Popp, JA. (1988). Potential role of [alpha]-2[μ]-globulin, protein droplet accumulation, and cell replication in the renal carcinogenicity of rats exposed to trichloroethylene, perchloroethylene, and pentachloroethane. *Toxicol Appl Pharmacol.* 96: 367-379. [http://dx.doi.org/10.1016/0041-008X\(88\)90095-6](http://dx.doi.org/10.1016/0041-008X(88)90095-6).
- Goldsworthy, TL; Popp, JA. (1987). Chlorinated hydrocarbon-induced peroxisomal enzyme activity in relation to species and organ carcinogenicity. *Toxicol Appl Pharmacol.* 88: 225-233. [http://dx.doi.org/10.1016/0041-008X\(87\)90008-1](http://dx.doi.org/10.1016/0041-008X(87)90008-1).
- Gonzalez, FJ. (2014). Xenobiotic-Metabolizing Enzymes.
- Grandjean, E; Munchinger, R; Turrian, V; Haas, PA; Knoepfel, HK; Rosenmund, H. (1955). Investigations into the effects of exposure to trichloroethylene in mechanical engineering. *Br J Ind Med.* 12: 131-142.
- Green, T. (2000). Pulmonary toxicity and carcinogenicity of trichloroethylene: Species differences and modes of action [Review]. *Environ Health Perspect.* 108: 261-264.
- Green, T; Dow, J; Ellis, MK; Foster, JR; Odum, J. (1997). The role of glutathione conjugation in the development of kidney tumours in rats exposed to trichloroethylene. *Chem Biol Interact.* 105: 99-117.
- Green, T; Dow, J; Foster, J. (2003). Increased formic acid excretion and the development of kidney toxicity in rats following chronic dosing with trichloroethanol, a major metabolite of trichloroethylene. *Toxicology.* 191: 109-119. [http://dx.doi.org/10.1016/S0300-483X\(03\)00206-3](http://dx.doi.org/10.1016/S0300-483X(03)00206-3).
- Green, T; Dow, J; Foster, J; Hext, P. (1998). Formic acid excretion in rats exposed to trichloroethylene: A possible explanation for renal toxicity in long-term studies. *Toxicology.* 127: 39-47. [http://dx.doi.org/10.1016/S0300-483X\(98\)00020-1](http://dx.doi.org/10.1016/S0300-483X(98)00020-1).
- Green, T; Dow, J; Ong, C; Ng, V; Ong, H; Zhuang, Z; Yang, X; Bloemen, L. (2004). Biological monitoring of kidney function among workers occupationally exposed to trichloroethylene. *Occup Environ Med.* 61: 312-317. <http://dx.doi.org/10.1136/oem.2003.007153>.
- Green, T; Mainwaring, GW; Foster, JR. (1997). Trichloroethylene-induced mouse lung tumors: Studies of the mode of action and comparisons between species. *Fundam Appl Toxicol.* 37: 125-130. <http://dx.doi.org/10.1006/faat.1997.2312>.
- Green, T; Prout, MS. (1985). Species differences in response to trichloroethylene: II. Biotransformation in rats and mice. *Toxicol Appl Pharmacol.* 79: 401-411. [http://dx.doi.org/10.1016/0041-008X\(85\)90138-3](http://dx.doi.org/10.1016/0041-008X(85)90138-3).
- Greenamyre, JT. (2014). MtDNA damage as a biomarker for environmental mitochondrial toxicity.
- Greenberg, M; Burton, G; Fisher, J. (1999). Physiologically based pharmacokinetic modeling of inhaled trichloroethylene and its oxidative metabolites in B6C3F1 mice. *Toxicol Appl Pharmacol.* 154: 264-278. <http://dx.doi.org/10.1006/taap.1998.8594>.
- Greenland, S; Salvan, A; Wegman, DH; Hallock, MF; Smith, TJ. (1994). A case-control study of cancer mortality at a transformer-assembly facility. *Int Arch Occup Environ Health.* 66: 49-54. <http://dx.doi.org/10.1007/BF00386579>.
- Gregersen, P. (1988). Neurotoxic effects of organic solvents in exposed workers: Two controlled follow-up studies after 5.5 and 10.6 years. *Am J Ind Med.* 14: 681-701.
- Greim, H; Bonse, G; Radwan, Z; Reichert, D; Henschler, D. (2013). Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol.* 24: 2013-2017.
- Griffin, JM; Blossom, SJ; Jackson, SK; Gilbert, KM; Pumford, NR. (2000). Trichloroethylene accelerates an autoimmune response by Th1 T cell activation in MRL +/- mice. *Immunopharmacology.* 46: 123-137. [http://dx.doi.org/10.1016/S0162-3109\(99\)00164-2](http://dx.doi.org/10.1016/S0162-3109(99)00164-2).
- Griffin, JM; Gilbert, KM; Lamps, LW; Pumford, NR. (2000). CD4+ T-cell activation and induction of autoimmune hepatitis following trichloroethylene treatment in MRL +/- mice. *Toxicol Sci.* 57: 345-352.
- Griffin, JM; Gilbert, KM; Pumford, NR. (2000). Inhibition of CYP2E1 reverses CD4+ T-cell alterations in trichloroethylene-treated MRL +/- mice. *Toxicol Sci.* 54: 384-389.

Human Health Hazard Literature Search Results

On Topic

- Grosse, Y; Baan, R; Secretan-Lauby, B; El Ghissassi, F; Bouvard, V; Benbrahim-Tallaa, L; Guha, N; Islami, F; Galichet, L; Straif, K. (2011). Carcinogenicity of chemicals in industrial and consumer products, food contaminants and flavourings, and water chlorination byproducts. *Lancet Oncol.* 12: 328-329. [http://dx.doi.org/10.1016/S1470-2045\(11\)70088-2](http://dx.doi.org/10.1016/S1470-2045(11)70088-2).
- Gu, ZW; Sele, B; Chmara, D; Jalbert, P; Vincent, M; Vincent, F; Marka, C; Faure, J. (1981). Effets du trichloroéthylène et de ses métabolites sur le taux d'échanges de chromatides-sœurs. étude in vivo et in vitro sur les lymphocytes humains. *Ann Genet.* 24: 105-106.
- Gu, ZW; Sele, B; Jalbert, P; Vincent, M; Vincent, F; Marka, C; Chmara, D; Faure, J. (1981). Induction d'échanges entre les chromatides sœurs (SCE) par le trichloroéthylène et ses métabolites. *Toxicol Eur Res.* 3: 63-67.
- Guehl, D; Bezdard, E; Dovero, S; Boraud, T; Bioulac, B; Gross, C. (1999). Trichloroéthylène et parkinsonisme: A human and experimental observation. *Eur J Neurol.* 6: 609-611. <http://dx.doi.org/10.1046/j.1468-1331.1999.650609.x>.
- Guengerich, FP. (2004). Metabolism of trichloroéthylène and covalent binding of reaction products [Paper]. Proceedings of symposium on new scientific research related to the health effects of trichloroéthylène. http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=432711.
- Guengerich, FP; Kim, DH; Iwasaki, M. (1991). Role of human cytochrome P-450 IIE1 in the oxidation of many low molecular weight cancer suspects. *Chem Res Toxicol.* 4: 168-179. <http://dx.doi.org/10.1021/tx00020a008>.
- Guengerich, FP; Shimada, T. (1991). Oxidation of toxic and carcinogenic chemicals by human cytochrome P-450 enzymes [Review]. *Chem Res Toxicol.* 4: 391-407. <http://dx.doi.org/10.1021/tx00022a001>.
- Guha, N; Loomis, D; Grosse, Y; Lauby-Secretan, B; El Ghissassi, F; Bouvard, V; Benbrahim-Tallaa, L; Baan, R; Mattock, H; Straif, K; Monograph, IARC. (2012). Carcinogenicity of trichloroéthylène, tetrachloroéthylène, some other chlorinated solvents, and their métabolites. *Lancet Oncol.* 13: 1192-1193. [http://dx.doi.org/10.1016/S1470-2045\(12\)70485-0](http://dx.doi.org/10.1016/S1470-2045(12)70485-0).
- Gun, RT; Grygorcewicz, C; Nettelbeck, TJ. (1978). Choice reaction time in workers using trichloroéthylène. *Med J Aust.* 1: 535-536.
- Guo, H; Lee, SC; Chan, LY; Li, WM. (2004). Risk assessment of exposure to volatile organic compounds in different indoor environments. *Environ Res.* 94: 57-66. [http://dx.doi.org/10.1016/S0013-9351\(03\)00035-5](http://dx.doi.org/10.1016/S0013-9351(03)00035-5).
- Gurbuz, N; Coskun, ZK; Omeroglu, S; Bayraktar, AC; Ciraci, Z. (2013). Antioxidative and therapeutic effects of spirulina on trichloroéthylène induced cutaneous irritation balb/c mice. *Bratisl Lek Listy.* 114: 192-198. http://dx.doi.org/10.4149/BLL_2013_041.
- Gustavsson, P; Jakobsson, R; Johansson, H; Lewin, F; Norell, S; Rutkvist, LE. (1998). Occupational exposures and squamous cell carcinoma of the oral cavity, pharynx, larynx, and oesophagus: A case-control study in Sweden. *Occup Environ Med.* 55: 393-400.
- Guyton, KZ; Chiu, WA; Bateson, TF; Jinot, J; Scott, CS; Brown, RC; Caldwell, JC. (2009). A reexamination of the PPAR-alpha activation mode of action as a basis for assessing human cancer risks of environmental contaminants [Review]. *Environ Health Perspect.* 117: 1664-1672. <http://dx.doi.org/10.1289/ehp.0900758>.
- Hack, CE; Chiu, WA; Jay Zhao, Q; Clewell, HJ. (2006). Bayesian population analysis of a harmonized physiologically based pharmacokinetic model of trichloroéthylène and its métabolites. *Regul Toxicol Pharmacol.* 46: 63-83. <http://dx.doi.org/10.1016/j.yrtph.2006.05.012>.
- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *J Toxicol Environ Health A.* 61: 209-223. <http://dx.doi.org/10.1080/00984100050131350>.
- Hadkhale, K; Martinsen, JI; Weiderpass, E; Kjaerheim, K; Sparen, P; Tryggvadottir, L; Lynge, E; Pukkala, E. (2016). Occupational exposure to solvents and bladder cancer: A population-based case control study in Nordic countries. *Int J Cancer.* <http://dx.doi.org/10.1002/ijc.30593>.
- Haglid, KG; Briving, C; Hansson, HA; Rosengren, L; Kjellstrand, P; Stavron, D; Swedin, U; Wronski, A. (1981). Trichloroéthylène: Long-lasting changes in the brain after rehabilitation. *Neurotoxicology.* 2: 659-673.
- Hahn, T; Diamond, J; Dobson, S; Howe, P; Kielhorn, J; Koennecker, G; Lee-Steere, C; Mangelsdorf, I; Schneider, U; Sugaya, Y; Taylor, K; Van Dam, R; Stauber, JL. (2014). Predicted no effect concentration (PNEC) derivation as a significant source of variability in environmental hazard assessments of chemicals in aquatic systems: An international analysis. *Integr Environ Assess Manag.* 10: 30-36. <http://dx.doi.org/10.1002/ieam.1473>.
- Halmes, N; Perkins, E; Mcmillan, D; Pumford, N. (1997). Detection of trichloroéthylène-protein adducts in rat liver and plasma. *Toxicol Lett.* 92: 187-194.
- Hamada, T; Tanaka, H. (1995). Transfer of methyl chloroform, trichloroéthylène and tetrachloroéthylène to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut.* 87: 313-318. [http://dx.doi.org/10.1016/0269-7491\(94\)P4163-I](http://dx.doi.org/10.1016/0269-7491(94)P4163-I).
- Hamdan, H; Stacey, NH. (1993). Mechanism of trichloroéthylène-induced elevation of individual serum bile acids: I. Correlation of trichloroéthylène concentrations to bile acids in rat serum. *Toxicol Appl Pharmacol.* 121: 291-295. <http://dx.doi.org/10.1006/taap.1993.1156>.
- Hansen, J; Raaschou-Nielsen, O; Christensen, JM; Johansen, I; Mclaughlin, JK; Lipworth, L; Blot, WJ; Olsen, JH. (2001). Cancer incidence among Danish workers exposed to trichloroéthylène. *J Occup Environ Med.* 43: 133-139.
- Hansen, J; Sallmen, M; Selden, AI; Anttila, A; Pukkala, E; Andersson, K; Bryngelsson, I; Raaschou-Nielsen, O; Olsen, JH; Mclaughlin, JK. (2013). Risk of Cancer Among Workers Exposed to Trichloroéthylène: Analysis of Three Nordic Cohort Studies. *J Natl Cancer Inst.* 105: 869-877. <http://dx.doi.org/10.1093/jnci/djt107>.
- Hardell, L; Bengtsson, NO; Jonsson, U; Eriksson, S; Larsson, LG. (1984). Aetiological aspects on primary liver cancer with special regard to alcohol, organic solvents and acute intermittent porphyria: An epidemiological investigation. *Br J Cancer.* 50: 389-397.

Human Health Hazard Literature Search Results

On Topic

- Hardell, L; Eriksson, M; Lenner, P; Lundgren, E. (1981). Malignant lymphoma and exposure to chemicals, especially organic solvents, chlorophenols and phenoxy acids: A case-control study. *Br J Cancer*. 43: 169-176.
- Hardin, B; Kelman, B; Brent, R. (2005). Trichloroethylene and dichloroethylene: A critical review of teratogenicity [Review]. *Birth Defects Res A Clin Mol Teratol*. 73: 931-955. <http://dx.doi.org/10.1002/bdra.20192>.
- Hardin, BD; Bond, GP; Sikov, MR; Andrew, FD; Beliles, RP; Niemeier, RW. (1981). Testing of selected workplace chemicals for teratogenic potential. *Scand J Work Environ Health*. 7: 66-75.
- Harrington, JM; Whitby, H; Gray, CN; Reid, FJ; Aw, TC; Waterhouse, JA. (1989). Renal disease and occupational exposure to organic solvents: A case referent approach. *Br J Ind Med*. 46: 643-650. <http://dx.doi.org/10.1136/oem.46.9.643>.
- Harrington-Brock, K; Doerr, CL; Moore, MM. (1998). Mutagenicity of three disinfection by-products: Di- and trichloroacetic acid and chloral hydrate in L5178Y(+/-) --3.7.2C mouse lymphoma cells. *Mutat Res Genet Toxicol Environ Mutagen*. 413: 265-276.
- Hassan, I. (2013). The effect of trichloroethylene exposure on adverse pregnancy outcomes.
- Hassan, I. (2014). The effect of trichloroethylene exposure on adverse pregnancy outcomes.
- Hassan, I; Kumar, AM; Park, HR; Lash, LH; Loch-Carusio, R. (2016). Reactive Oxygen Stimulation of Interleukin-6 Release in the Human Trophoblast Cell Line HTR-8/SVneo by the Trichloroethylene Metabolite S-(1,2-Dichloro)-l-Cysteine. *Biol Reprod*. 95: 66. <http://dx.doi.org/10.1095/biolreprod.116.139261>.
- Healy, TEJ; Poole, TR; Hopper, A. (1982). Rat fetal development and maternal exposure to trichloroethylene 100 ppm. *Br J Anaesth*. 54: 337-341.
- Heinemann, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med*. 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.
- Heinemann, K; Willich, S; Heinemann, L; DoMinh, T; Möhner, M; Heuchert, G. (2000). Occupational exposure and liver cancer in women: results of the Multicentre International Liver Tumour Study (MILTS). *Occup Med (Lond)*. 50: 422-429.
- Hendriksen, PJ; Freidig, AP; Jonker, D; Thissen, U; Bogaards, JJ; Mumtaz, MM; Groten, JP; Stierum, RH. (2007). Transcriptomics analysis of interactive effects of benzene, trichloroethylene and methyl mercury within binary and ternary mixtures on the liver and kidney following subchronic exposure in the rat. *Toxicol Appl Pharmacol*. 225: 171-188. <http://dx.doi.org/10.1016/j.taap.2007.08.017>.
- Henschler, D; Elsässer, H; Romen, W; Eder, E. (1984). Carcinogenicity study of trichloroethylene, with and without epoxide stabilizers, in mice. *J Cancer Res Clin Oncol*. 107: 149-156. <http://dx.doi.org/10.1007/BF01032599>.
- Henschler, D; Romen, W; Elsaesser, HM; Reichert, D; Eder, E; Radwan, Z. (1980). Carcinogenicity study of trichloroethylene by longterm inhalation in three animal species. *Arch Toxicol*. 43: 237-248. <http://dx.doi.org/10.1007/BF00366179>.
- Henschler, D; Vamvakas, S; Lammert, M; Dekant, W; Kraus, B; Thomas, B; Ulm, K. (1995). Increased incidence of renal cell tumors in a cohort of cardboard workers exposed to trichloroethene. *Arch Toxicol*. 69: 291-299. <http://dx.doi.org/10.1007/s002040050173>.
- Hernberg, S; Kauppinen, T; Riala, R; Korkala, ML; Asikainen, U. (1988). Increased risk for primary liver cancer among women exposed to solvents. *Scand J Work Environ Health*. 14: 356-365.
- Hernberg, S; Korkala, ML; Asikainen, U; Riala, R. (1984). Primary liver cancer and exposure to solvents. *Int Arch Occup Environ Health*. 54: 147-153. <http://dx.doi.org/10.1007/BF00378517>.
- Herren-Freund, SL; Pereira, MA; Houry, MD; Olson, G. (1987). The carcinogenicity of trichloroethylene and its metabolites, trichloroacetic acid and dichloroacetic acid, in mouse liver. *Toxicol Appl Pharmacol*. 90: 183-189. [http://dx.doi.org/10.1016/0041-008X\(87\)90325-5](http://dx.doi.org/10.1016/0041-008X(87)90325-5).
- Hibino, Y, ui; Wang, H; Naito, H; Zhao, N, a; Wang, D; Jia, X; Li, H; Song, X; Liu, L; Huang, Y; Ito, Y; Huang, H; Kamijima, M; Nakajima, T. (2013). Sex Differences in Metabolism of Trichloroethylene and Trichloroethanol in Guinea Pigs. *J Occup Health*. 55: 443-449.
- Hirsch, AR; Rankin, KM; Panelli, PP. (1996). Trichloroethylene exposure and headache. *Headache Q*. 7: 126-138.
- Hissink, EM; Bogaards, JJP; Freidig, AP; Commandeur, JNM; Vermeulen, NPE; van Bladeren, PJ. (2002). The use of in vitro metabolic parameters and physiologically based pharmacokinetic (PBPK) modeling to explore the risk assessment of trichloroethylene. *Environ Toxicol Pharmacol*. 11: 259-271. [http://dx.doi.org/10.1016/S1382-6689\(02\)00019-4](http://dx.doi.org/10.1016/S1382-6689(02)00019-4).
- Hobara, T; Kobayashi, H; Higashihara, E; Kawamoto, T; Sakai, T. (1984). Acute effects of 1,1,1-trichloroethane, trichloroethylene, and toluene on the hematologic parameters in dogs. *Arch Environ Contam Toxicol*. 13: 589-593. <http://dx.doi.org/10.1007/BF01056337>.
- Hoffman, S; Mishima, N; Krug, EL. (2004). An improved model for evaluating trichloroethylene and its metabolites as cardiac specific teratogens. In LC Mohr; DG Hoel; D Jollow (Eds.), (pp. 69-79). Charleston, SC: The Medical University of South Carolina Press.
- Hong, W; Huang, A; Xu, H; Zhang, H; Wang, H; Zhao, Q; Ye, J; Liu, J. (2015). [Effect of SET deficiency on the trichloroethylene-induced alteration of DNA methylation in human hepatic L-02 cells]. *Zhonghua Yufang Yixue Zazhi*. 49: 206-211.
- Hong, W; Yang, L; Chen, M; Yang, X; Ren, X; Fang, S; Ye, J; Huang, H; Peng, C; Zhou, L, i; Huang, X; Yang, F, an; Wu, D; Zhuang, Z; Liu, J. (2012). Proteomic analysis of trichloroethylene-induced alterations in expression, distribution, and interactions of SET/TAF-I alpha and two SET/TAF-I alpha-binding proteins, eEF1A1 and eEF1A2, in hepatic L-02 cells. *Toxicol Appl Pharmacol*. 263: 259-272. <http://dx.doi.org/10.1016/j.taap.2012.06.018>.
- Hong, WX; Huang, A; Lin, S; Yang, X; Yang, L; Zhou, L; Huang, H; Wu, D; Huang, X; Xu, H; Liu, J. (2016). Differential expression profile of membrane proteins in L-02 cells exposed to trichloroethylene. *Toxicol Ind Health*. 32: 1774-1783. <http://dx.doi.org/10.1177/0748233715588438>.
- Hong, WX; Liu, W; Zhang, Y; Huang, P; Yang, X; Ren, X; Ye, J; Huang, H; Tang, H; Zhou, G; Huang, X; Zhuang, Z; Liu, J. (2013). Identification of serum biomarkers for occupational medicamentosa-like dermatitis induced by trichloroethylene using mass spectrometry. *Toxicol Appl Pharmacol*. 273: 121-129. <http://dx.doi.org/10.1016/j.taap.2013.08.014>.

Human Health Hazard Literature Search Results

On Topic

- Hosgood, HD; Zhang, L; Tang, X; Vermeulen, R; Qiu, C; Shen, M; Smith, MT; Ge, Y; Ji, Z; Xiong, J; He, J; Reiss, B; Liu, S; Xie, Y; Guo, W; Galvan, N; Li, L; Hao, Z; Rothman, N; Huang, H; Lan, Q. (2011). Decreased Numbers of CD4(+) Naive and Effector Memory T Cells, and CD8(+) Naive T Cells, are Associated with Trichloroethylene Exposure. 1: 53. <http://dx.doi.org/10.3389/fonc.2011.00053>.
- Hosgood, HD; Zhang, L; Tang, X; Vermeulen, R; Shen, M, in; Smith, M; Qiu, C; Ge, Y; Ji, Z; Xiong, J, un; Reiss, B; Hao, Z; Liu, S; Xie, Y; Guo, W; Galvan, N, oe; Li, L; Rothman, N, at; Huang, H; Lan, Q. (2011). Decreased CD4-naive and effector memory T cell counts, and CD8-naive T cell counts, are associated with trichloroethylene exposure. *Cancer Res.* 71. <http://dx.doi.org/10.1158/1538-7445.AM2011-4645>.
- Houde, M; Douville, M; Gagnon, P; Sproull, J; Cloutier, F. (2015). Exposure of *Daphnia magna* to trichloroethylene (TCE) and vinyl chloride (VC): evaluation of gene transcription, cellular activity, and life-history parameters. *Ecotoxicol Environ Saf.* 116: 10-18. <http://dx.doi.org/10.1016/j.ecoenv.2015.02.031>.
- Hrelia, P; Maffei, F; Vigagni, F; Fimognari, C; Flori, P; Stanzani, R; Forti, GC. (1994). Interactive effects between trichloroethylene and pesticides at metabolic and genetic level in mice. *Environ Health Perspect.* 102: 31-34.
- Hu, C; Jiang, L; Geng, C; Zhang, X; Cao, J; Zhong, L. (2008). Possible involvement of oxidative stress in trichloroethylene-induced genotoxicity in human HepG2 cells. *Mutat Res Genet Toxicol Environ Mutagen.* 652: 88-94. <http://dx.doi.org/10.1016/j.mrgentox.2008.01.002>.
- Hu, W, ei; Zhang, L; Kim, C; Tang, X; Kim, S; Bassig, B; Seow, W, eiJie; Shen, M, in; Qiu, C; Ge, Y; Reiss, B; Purdue, M; Moore, L, ee; Li, L; Yue, F, ei; Huang, H; Smith, MT; Vermeulen, R; Rothman, N; Lan, Q. (2015). Occupational exposure to trichloroethylene and LINE-1 methylation. *Cancer Res.* 75. <http://dx.doi.org/10.1158/1538-7445.AM2015-840>.
- Hua, M; Zhu, GH; Xia, LH. (2010). [Analysis of reasons of death in trichloroethylene-induced medicamentosa-like dermatitis]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 28: 54-55.
- Huang, A; Xu, H; Hong, W; Zhuang, Z; Liu, J. (2015). [Investigation of trichloroethylene-induced effects on subcellular proteomes in L-02 hepatic cells]. *Zhonghua Yufang Yixue Zazhi.* 49: 212-217.
- Huang, H; Zhuang, Z; Liu, J; Xi, R; Xing, X. (2010). [Expression changes of glutathione transferase omega 1 induced by low dose trichloroethylene]. *Wei Sheng Yan Jiu.* 39: 764-766.
- Huang, HL; Li, LY; Chen, BJ; Huang, JX; Kuang, SR. (2002). New problems caused by occupational trichloroethylene exposure. *Int J Immunopathol Pharmacol.* 15: 30-32.
- Huang, P; Li, X; Liu, W; Liu, J. (2015). [Advances in non-carcinogenic toxicity of trichloroethylene] [Review]. *Zhonghua Yufang Yixue Zazhi.* 49: 844-848.
- Huang, P; Li, X; Ren, X; Liu, J. (2015). [Research progress in carcinogenicity of trichloroethylene and its metabolites] [Review]. *Zhonghua Yufang Yixue Zazhi.* 49: 284-288.
- Huang, P; Ren, X; Huang, Z; Yang, X; Hong, W; Zhang, Y; Zhang, H; Liu, W; Huang, H; Huang, X; Wu, D; Yang, L; Tang, H; Zhou, L; Li, X; Liu, J. (2014). Serum proteomic analysis reveals potential serum biomarkers for occupational medicamentosa-like dermatitis caused by trichloroethylene. *Toxicol Lett.* 229: 101-110. <http://dx.doi.org/10.1016/j.toxlet.2014.05.024>.
- Huang, Y; Xia, L; Wu, Q; Zeng, Z; Huang, Z; Zhou, S; Jin, J; Huang, H. (2015). Trichloroethylene Hypersensitivity Syndrome Is Potentially Mediated through Its Metabolite Chloral Hydrate. *PLoS ONE.* 10: e0127101. <http://dx.doi.org/10.1371/journal.pone.0127101>.
- Huang, YS; Huang, HL; Wu, QF; Xia, LH; Huang, M; Qiu, XX; Zhou, SY. (2016). Follow-up assessment of two cases of trichloroethylene hypersensitivity syndrome: A case report. *Exp Ther Med.* 12: 895-900. <http://dx.doi.org/10.3892/etm.2016.3357>.
- Huang, Z; Yue, F, ei; Yang, X; Xia, L; Chen, C; Qiu, X; Huang, J; Li, L; Kamijima, M; Nakajima, T; Huang, H. (2012). Upregulation of Calprotectin and Downregulation of Retinol Binding Protein in the Serum of Workers with Trichloroethylene-induced Hypersensitivity Dermatitis. *J Occup Health.* 54: 299-309.
- IARC. (1995). Dry cleaning, some chlorinated solvents and other industrial chemicals. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans* (pp. 373-391). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol63/index.php>.
- IARC. (1995). Dry cleaning, some chlorinated solvents and other industrial chemicals: Summary of data reported and evaluation. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*. Lyon, France.
- IARC. (2004). Some drinking-water disinfectants and contaminants, including arsenic. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans* (pp. 1-477). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol84/index.php>.
- IARC. (2014). TRICHLOROETHYLENE, TETRACHLOROETHYLENE, AND SOME OTHER CHLORINATED AGENTS. 106: 1-512.
- Iavicoli, I; Marinaccio, A; Carelli, G. (2005). Effects of occupational trichloroethylene exposure on cytokine levels in workers. *J Occup Environ Med.* 47: 453-457. <http://dx.doi.org/10.1097/01.jom.0000161728.23285.66>.
- Ikbal, M; Tastekin, A; Dogan, H; Pirim, I; Ors, R. (2004). The assessment of genotoxic effects in lymphocyte cultures of infants treated with chloral hydrate. *Mutat Res.* 564: 159-164. <http://dx.doi.org/10.1016/j.mrgentox.2004.08.007>.
- Ikeda, M. (1977). Metabolism of trichloroethylene and tetrachloroethylene in human subjects. *Environ Health Perspect.* 21: 239-245. <http://dx.doi.org/10.1289/ehp.7721239>.
- Ikeda, M; Imamura, T. (1973). Biological half-life of trichloroethylene and tetrachloroethylene in human subjects [Review]. *Int Arch Occup Environ Health.* 31: 209-224. <http://dx.doi.org/10.1007/BF00539241>.
- Ikeda, M; Ohtsujii, H; Imamura, T; Komoike, Y. (1972). Urinary excretion of total trichloro-compounds, trichloroethanol, and trichloroacetic acid as a measure of exposure to trichloroethylene and tetrachloroethylene. *Br J Ind Med.* 29: 328-333. <http://dx.doi.org/10.1136/oem.29.3.328>.
- Ikeda, M; Otsuji, H; Kawai, H; Kuniyoshi, M. (1971). Excretion kinetics of urinary metabolites in a patient addicted to trichloroethylene. *Br J Ind Med.* 28: 203-206.

Human Health Hazard Literature Search Results

On Topic

- Inoue, O; Seiji, K; Kawai, T; Jin, C; Liu, YT; Chen, Z; Cai, SX; Yin, SN; Li, GL; Nakasutka, H; Watanabe, T; Ikeda, M. (1989). Relationship between vapor exposure and urinary metabolite excretion among workers exposed to trichloroethylene. *Am J Ind Med.* 15: 103-110.
- Irving, R; Elfarra, AA. (2012). Role of reactive metabolites in the circulation in extrahepatic toxicity [Review]. *Expert Opin Drug Metab Toxicol.* 8: 1157-1172. <http://dx.doi.org/10.1517/17425255.2012.695347>.
- Irving, R; Elfarra, AA. (2013). Mutagenicity of the cysteine S-conjugate sulfoxides of trichloroethylene and tetrachloroethylene in the Ames test. *Toxicology.* 306: 157-161. <http://dx.doi.org/10.1016/j.tox.2013.02.003>.
- Irving, R; Pinkerton, ME; Elfarra, AA. (2013). Characterization of the chemical reactivity and nephrotoxicity of N-acetyl-S-(1,2-dichlorovinyl)-L-cysteine sulfoxide, a potential reactive metabolite of trichloroethylene. *Toxicol Appl Pharmacol.* 267: 1-10. <http://dx.doi.org/10.1016/j.taap.2012.12.002>.
- Isaacson, LG; Spohler, SA; Taylor, DH. (1990). Trichloroethylene affects learning and decreases myelin in the rat hippocampus. *Neurotoxicol Teratol.* 12: 375-381. [http://dx.doi.org/10.1016/0892-0362\(90\)90057-J](http://dx.doi.org/10.1016/0892-0362(90)90057-J).
- Isaacson, LG; Taylor, DH. (1989). Maternal exposure to 1,1,2-trichloroethylene affects myelin in the hippocampal formation of the developing rat. *Brain Res.* 488: 403-407. [http://dx.doi.org/10.1016/0006-8993\(89\)90739-7](http://dx.doi.org/10.1016/0006-8993(89)90739-7).
- Isacson, P; Bean, JA; Splinter, R; Olson, DB; Kohler, J. (1985). Drinking water and cancer incidence in Iowa. III. Association of cancer with indices of contamination. *Am J Epidemiol.* 121: 856-869.
- Jacob, S; Hery, M; Protois, JC; Rossert, J; Stengel, B. (2007). New insight into solvent-related end-stage renal disease: Occupations, products and types of solvents at risk. *Occup Environ Med.* 64: 843-848. <http://dx.doi.org/10.1136/oem.2007.032482>.
- Jakobson, I; Holmberg, B; Ekner, A. (1986). Venous blood levels of inhaled trichloroethylene in female rats and changes induced by interacting agents. *Acta Pharmacol Toxicol.* 59: 135-143. <http://dx.doi.org/10.1111/j.1600-0773.1986.tb00145.x>.
- Jakobson, I; Wahlberg, JE; Holmberg, B; Johansson, G. (1982). Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anesthetized guinea pigs. *Toxicol Appl Pharmacol.* 63: 181-187. [http://dx.doi.org/10.1016/0041-008X\(82\)90039-4](http://dx.doi.org/10.1016/0041-008X(82)90039-4).
- Jakubowski, M; Wieczorek, H. (1988). The effects of physical effort on pulmonary uptake of selected organic compound vapours. *Pol J Occup Med.* 1: 62-71.
- Jansson, C; Johansson, AL; Bergdahl, IA; Dickman, PW; Plato, N; Adami, J; Boffetta, P; Lagergren, J. (2005). Occupational exposures and risk of esophageal and gastric cardia cancers among male Swedish construction workers. *Cancer Causes Control.* 16: 755-764. <http://dx.doi.org/10.1007/s10552-005-1723-2>.
- Jansson, C; Plato, N; Johansson, AL; Nyren, O; Lagergren, J. (2006). Airborne occupational exposures and risk of oesophageal and cardia adenocarcinoma. *Occup Environ Med.* 63: 107-112. <http://dx.doi.org/10.1136/oem.2005.022467>.
- Janulewicz, PA; White, RF; Martin, BM; Winter, MR; Weinberg, JM; Vieira, V; Aschengrau, A, nn. (2012). Adult neuropsychological performance following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. *Neurotoxicol Teratol.* 34: 350-359. <http://dx.doi.org/10.1016/j.ntt.2012.04.001>.
- Jaspers, RMA; Muijsers, H; Lammers, JHC, M; Kulig, BM. (1993). Mid-frequency hearing loss and reduction of acoustic startle responding in rats following trichloroethylene exposure. *Neurotoxicol Teratol.* 15: 407-412. [http://dx.doi.org/10.1016/0892-0362\(93\)90058-V](http://dx.doi.org/10.1016/0892-0362(93)90058-V).
- Jia, Q; Zang, D, an; Yi, J; Dong, H; Niu, Y; Zhai, Q; Teng, Y; Bin, P; Zhou, W, ei; Huang, X; Li, H; Zheng, Y; Dai, Y. (2012). Cytokine expression in trichloroethylene-induced hypersensitivity dermatitis: An in vivo and in vitro study. *Toxicol Lett.* 215: 31-39. <http://dx.doi.org/10.1016/j.toxlet.2012.09.018>.
- Jiang, Y; Chen, J; Tong, J; Chen, T. (2014). Trichloroethylene-Induced Gene Expression and DNA Methylation Changes in B6C3F1 Mouse Liver. *PLoS ONE.* 9: e116179. <http://dx.doi.org/10.1371/journal.pone.0116179>.
- Jiang, Y; Chen, J; Tong, J; Chen, T. (2015). Transcriptomic profiling of trichloroethylene exposure in male mouse liver. 3: 140-142. <http://dx.doi.org/10.1016/j.gdata.2015.01.002>.
- Jiang, Y; Chen, J; Yue, C; Zhang, H; Chen, T. (2016). Trichloroethylene-Induced DNA Methylation Changes in Male F344 Rat Liver. *Chem Res Toxicol.* 29: 1773-1777. <http://dx.doi.org/10.1021/acs.chemrestox.6b00257>.
- Jiang, Y; Chen, J; Yue, C; Zhang, H; Tong, J; Li, J; Chen, T. (2016). The role of miR-182-5p in hepatocarcinogenesis of trichloroethylene in mice. *Toxicol Sci.* <http://dx.doi.org/10.1093/toxsci/kfw246>.
- Jiang, Y; Wang, D; Zhang, G; Wang, G; Tong, J; Chen, T. (2015). Disruption of cardiogenesis in human embryonic stem cells exposed to trichloroethylene. *Environ Toxicol.* 31: 1372-1380. <http://dx.doi.org/10.1002/tox.22142>.
- Johnson, P; Dawson, B; Goldberg, S. (1998). A review: Trichloroethylene metabolites: Potential cardiac teratogens [Review]. *Environ Health Perspect.* 106: 995-999.
- Johnson, PD; Dawson, BV; Goldberg, SJ. (1998). Cardiac teratogenicity of trichloroethylene metabolites. *J Am Coll Cardiol.* 32: 540-545. [http://dx.doi.org/10.1016/S0735-1097\(98\)00232-0](http://dx.doi.org/10.1016/S0735-1097(98)00232-0).
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2003). Threshold of trichloroethylene contamination in maternal drinking waters affecting fetal heart development in the rat. *Environ Health Perspect.* 111: 289-292.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2005). Erratum: Threshold of trichloroethylene contamination in maternal drinking waters affecting fetal heart development in the rat [Erratum]. *Environ Health Perspect.* 113: A18.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2014). Erratum: Erratum for Johnson et al. [*Environ Health Perspect* 113:A18 (2005)]. *Environ Health Perspect.* 122: A94. <http://dx.doi.org/10.1289/ehp.122-A94>.
- Jung, H; Kim, H; Song, B; Kim, E. (2012). Trichloroethylene Hypersensitivity Syndrome: A Disease of Fatal Outcome. *Yonsei Med J.* 53: 231-235. <http://dx.doi.org/10.3349/ymj.2012.53.1.231>.

Human Health Hazard Literature Search Results

On Topic

- Juntunen, J; Hupli, V; Hernberg, S; Luisto, M. (1980). Neurological picture of organic solvent poisoning in industry: A retrospective clinical study of 37 patients. *Int Arch Occup Environ Health*. 46: 219-231.
- Kadry, AM; Turkall, RM; Skowronski, GA; Abdel-Rahman, MS. (1991). Soil adsorption alters kinetics and bioavailability of trichloroethylene in orally exposed female rats. *Toxicol Lett*. 58: 337-346. [http://dx.doi.org/10.1016/0378-4274\(91\)90046-9](http://dx.doi.org/10.1016/0378-4274(91)90046-9).
- Kalkbrenner, AE; Schmidt, RJ; Penlesky, AC. (2014). Environmental chemical exposures and autism spectrum disorders: A review of the epidemiological evidence [Review]. *Curr Probl Pediatr Adolesc Health Care*. 44: 277-318. <http://dx.doi.org/10.1016/j.cppeds.2014.06.001>.
- Kamijima, M; Hisanaga, N; Wang, H; Nakajima, T. (2007). Occupational trichloroethylene exposure as a cause of idiosyncratic generalized skin disorders and accompanying hepatitis similar to drug hypersensitivities [Review]. *Int Arch Occup Environ Health*. 80: 357-370. <http://dx.doi.org/10.1007/s00420-006-0147-y>.
- Kamijima, M; Wang, H; Huang, H; Li, L; Shibata, E; Lin, B; Sakai, K; Liu, H; Tsuchiyama, F; Chen, J; Okamura, A; Huang, X; Hisanaga, N; Huang, Z; Ito, Y; Takeuchi, Y; Nakajima, T. (2008). Trichloroethylene causes generalized hypersensitivity skin disorders complicated by hepatitis. *J Occup Health*. 50: 328-338.
- Kamijima, M; Wang, H; Yamanoshita, O; Ito, Y; Xia, L; Yanagiba, Y; Chen, C; Okamura, A; Huang, Z; Qiu, X; Song, X; Cai, T; Liu, L; Ge, Y; Deng, Y; Naito, H; Yoshikawa, T; Tohyama, M; Li, L; Huang, H; Nakajima, T. (2013). Occupational trichloroethylene hypersensitivity syndrome: Human herpesvirus 6 reactivation and rash phenotypes. *J Dermatol Sci*. 72: 218-224. <http://dx.doi.org/10.1016/j.jdermsci.2013.07.003>.
- Kan, FW; Forkert, PG; Wade, MG. (2007). Trichloroethylene exposure elicits damage in epididymal epithelium and spermatozoa in mice. *Histol Histopathol*. 22: 977-988. <http://dx.doi.org/10.14670/HH-22.977>.
- Kaneko, T; Saegusa, M; Tasaka, K; Sato, A. (2000). Immunotoxicity of trichloroethylene: A study with MRL-lpr/lpr mice. *J Appl Toxicol*. 20: 471-475. [http://dx.doi.org/10.1002/1099-1263\(200011/12\)20:6<471::AID-JAT716>3.0.CO;2-E](http://dx.doi.org/10.1002/1099-1263(200011/12)20:6<471::AID-JAT716>3.0.CO;2-E).
- Kaneko, T; Wang, PY; Sato, A. (1994). Enzymes induced by ethanol differently affect the pharmacokinetics of trichloroethylene and 1,1,1-trichloroethane. *Occup Environ Med*. 51: 113-119.
- Kang, J; Wilkerson, H; Farin, FM; Bammler, TK; Beyer, RP; Strand, SE; Doty, SL. (2010). Mammalian cytochrome CYP2E1 triggered differential gene regulation in response to trichloroethylene (TCE) in a transgenic poplar. *Funct Integr Genomics*. 10: 417-424. <http://dx.doi.org/10.1007/s10142-010-0165-4>.
- Karami, S; Bassig, B; Stewart, PA; Lee, KM, u; Rothman, N; Moore, L; Lan, Q. (2013). Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis. *Occup Environ Med*. 70: 591-599. <http://dx.doi.org/10.1136/oemed-2012-101212>.
- Karami, S; Lan, Q; Rothman, N; Stewart, PA; Lee, KM, u; Vermeulen, R; Moore, L. (2012). Occupational trichloroethylene exposure and kidney cancer risk: a meta-analysis. *Occup Environ Med*. 69: 858-867. <http://dx.doi.org/10.1136/oemed-2012-100932>.
- Kautiainen, A; Vogel, J; Turteltaub, K. (1997). Dose-dependent binding of trichloroethylene to hepatic DNA and protein at low doses in mice. *Chem Biol Interact*. 106: 109-121.
- Kawamoto, T; Hobara, T; Nakamura, K; Imamura, A; Ogino, K; Kobayashi, H; Iwamoto, S; Sakai, T. (1988). Induction of cytochrome P-450, cytochrome b-5, NADPH-cytochrome c reductase and change of cytochrome P-450 isozymes with long-term trichloroethylene treatment. *Toxicology*. 53: 239-249. [http://dx.doi.org/10.1016/0300-483X\(88\)90217-X](http://dx.doi.org/10.1016/0300-483X(88)90217-X).
- Keane, PC; Judge, SJ; Blain, PG; Morris, CM. (2011). An investigation into the mechanism of trichloroethylene neurotoxicity in relation to Parkinsonism. *Toxicology*. 290: 117-117. <http://dx.doi.org/10.1016/j.tox.2011.09.032>.
- Keil, DE; Peden-Adams, MM; Wallace, S; Ruiz, P; Gilkeson, GS. (2009). Assessment of trichloroethylene (TCE) exposure in murine strains genetically-prone and non-prone to develop autoimmune disease. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 44: 443-453. <http://dx.doi.org/10.1080/10934520902719738>.
- Keller, DA; Heck, H. (1988). Mechanistic studies on chloral toxicity: Relationship to trichloroethylene carcinogenesis. *Toxicol Lett*. 42: 183-191. [http://dx.doi.org/10.1016/0378-4274\(88\)90076-8](http://dx.doi.org/10.1016/0378-4274(88)90076-8).
- Kelner, MJ. (2010). Halogenated Alkenes and Microsomal GSH-transferases.
- Kelsh, M; Weingart, M; Mandel, J; Mink, P; Alexander, D; Basu, R; Goodman, M. (2005). A meta-analysis of occupational trichloroethylene exposure and selected cancers. *Ann Epidemiol*. 15: 632-632. <http://dx.doi.org/10.1016/j.annepidem.2005.06.008>.
- Kelsh, MA; Alexander, DD; Mink, PJ; Mandel, JH. (2010). Occupational trichloroethylene exposure and kidney cancer: a meta-analysis. *Epidemiology*. 21: 95-102. <http://dx.doi.org/10.1097/EDE.0b013e3181c30e92>.
- Keshava, N; Caldwell, J. (2006). Key issues in the role of peroxisome proliferator-activated receptor agonism and cell signaling in trichloroethylene toxicity [Review]. *Environ Health Perspect*. 114: 1464-1470. <http://dx.doi.org/10.1289/chp.8693>.
- Ketcha, MM; Stevens, DK; Warren, DA; Bishop, CT; Brashear, WT. (1996). Conversion of trichloroacetic acid to dichloroacetic acid in biological samples. *J Anal Toxicol*. 20: 236-241.
- Keys, D; Bruckner, J; Muralidhara, S; Fisher, J. (2003). Tissue dosimetry expansion and cross-validation of rat and mouse physiologically based pharmacokinetic models for trichloroethylene. *Toxicol Sci*. 76: 35-50. <http://dx.doi.org/10.1093/toxsci/kfg212>.
- Keys, DA; Schultz, IR; Mahle, DA; Fisher, JW. (2004). A quantitative description of suicide inhibition of dichloroacetic acid in rats and mice. *Toxicol Sci*. 82: 381-393. <http://dx.doi.org/10.1093/toxsci/kfh276>.
- Kezic, S; Monster, AC; Krüse, J; Verberk, MM. (2000). Skin absorption of some vaporous solvents in volunteers. *Int Arch Occup Environ Health*. 73: 415-422. <http://dx.doi.org/10.1007/s004200000161>.

Human Health Hazard Literature Search Results

On Topic

- Kezic, S; Monster, AC; van de Gevel, I; Krüse, J; Opdam, JG; Verberk, MM. (2001). Dermal absorption of neat liquid solvents on brief exposures in volunteers. *Am Ind Hyg Assoc J.* 62: 12-18. <http://dx.doi.org/10.1080/15298660108984604>.
- Khan, M; Kaphalia, B; Prabhakar, B; Kanz, M; Ansari, G. (1995). Trichloroethene-induced autoimmune response in female MRL +/- mice. *Toxicol Appl Pharmacol.* 134: 155-160. <http://dx.doi.org/10.1006/taap.1995.1179>.
- Khan, M; Wu, X; Ansari, G. (2001). Anti-malondialdehyde antibodies in MRL+/+ mice treated with trichloroethene and dichloroacetyl chloride: possible role of lipid peroxidation in autoimmunity. *Toxicol Appl Pharmacol.* 170: 88-92. <http://dx.doi.org/10.1006/taap.2000.9086>.
- Khan, MF. (2010). Oxidative Stress and Autoimmunity.
- Khan, MF. (2011). Oxidative Stress and Autoimmunity.
- Khan, MF. (2012). Oxidative Stress and Autoimmunity.
- Khan, MF. (2013). Oxidative Stress and Autoimmunity.
- Kilburn, K. (2002). Do duration of exposure, proximity to electronic manufacturing plants, and involvement in a lawsuit affect chlorinated solvent toxicity. *Arch Environ Health.* 57: 121-126. <http://dx.doi.org/10.1080/00039890209602926>.
- Kilburn, K. (2002). Is neurotoxicity associated with environmental trichloroethylene (TCE)? *Arch Environ Health.* 57: 113-120. <http://dx.doi.org/10.1080/00039890209602925>.
- Kilburn, KH; Thornton, JC. (1996). Prediction equations for simple and visual two-choice reactions times in environmental neurotoxicology. *Arch Environ Health.* 51: 439-444. <http://dx.doi.org/10.1080/00039896.1996.9936043>.
- Kilburn, KH; Warshaw, RH. (1992). Neurobehavioral effects of formaldehyde and solvents on histology technicians: Repeated testing across time. *Environ Res.* 58: 134-146. [http://dx.doi.org/10.1016/S0013-9351\(05\)80210-5](http://dx.doi.org/10.1016/S0013-9351(05)80210-5).
- Kilburn, KH; Warshaw, RH. (1992). Prevalence of symptoms of systemic lupus erythematosus (SLE) and of fluorescent antinuclear antibodies associated with chronic exposure to trichloroethylene and other chemicals in well water. *Environ Res.* 57: 1-9.
- Kilburn, KH; Warshaw, RH. (1993). Effects on neurobehavioral performance of chronic exposure to chemically contaminated well water. *Toxicol Ind Health.* 9: 391-404.
- Kilburn, KH; Warshaw, RH. (1993). Neurobehavioral testing of subjects exposed residentially to groundwater contaminated from an aluminum die-casting plant and local referents. *J Toxicol Environ Health.* 39: 483-496. <http://dx.doi.org/10.1080/15287399309531766>.
- Kim, D; Ghanayem, BI. (2006). Comparative metabolism and disposition of trichloroethylene in Cyp2e1-/- and wild-type mice. *Drug Metab Dispos.* 34: 2020-2027. <http://dx.doi.org/10.1124/dmd.106.010538>.
- Kim, EY; Lee, MY; Hwang, SY; Kang, I, nC. (2010). Biomarker analysis of rat livers exposed to different toxic pollutants (VOCs and PAHs) using an antibody array. *BioChip Journal.* 4: 173-178. <http://dx.doi.org/10.1007/s13206-010-4302-x>.
- Kim, HJ; Bruckner, JV; Dallas, CE; Gallo, JM. (1990). Effect of dosing vehicles on the pharmacokinetics of orally administered carbon tetrachloride in rats. *Toxicol Appl Pharmacol.* 102: 50-60. [http://dx.doi.org/10.1016/0041-008X\(90\)90082-6](http://dx.doi.org/10.1016/0041-008X(90)90082-6).
- Kim, HJ; Odend'hal, S; Bruckner, JV. (1990). Effect of oral dosing vehicles on the acute hepatotoxicity of carbon tetrachloride in rats. *Toxicol Appl Pharmacol.* 102: 34-49. [http://dx.doi.org/10.1016/0041-008X\(90\)90081-5](http://dx.doi.org/10.1016/0041-008X(90)90081-5).
- Kim, HR; Kim, T. (2010). Occupational Hepatic Disorders in Korea [Review]. *J Korean Med Sci.* 25: S36-S40. <http://dx.doi.org/10.3346/jkms.2010.25.S36>.
- Kim, I; Ha, J; Lee, JH; Yoo, KM; Rho, J. (2014). The Relationship between the Occupational Exposure of Trichloroethylene and Kidney Cancer [Review]. 26: 12. <http://dx.doi.org/10.1186/2052-4374-26-12>.
- Kim, JK; Eun, JW; Bae, HJ; Shen, Q; Park, SJ; Kim, HS; Park, S; Ahn, YM; Park, WS; Lee, JY; Nam, SW. (2013). Characteristic molecular signatures of early exposure to volatile organic compounds in rat liver. *Biomarkers.* 18: 706-715. <http://dx.doi.org/10.3109/1354750X.2013.847121>.
- Kim, JK; Jung, KH; Noh, JH; Eun, JW; Bae, HJ; Xie, HJ; Jang, JJ; Ryu, JC; Park, WS; Lee, JY; Nam, SW. (2011). Identification of characteristic molecular signature for volatile organic compounds in peripheral blood of rat. *Toxicol Appl Pharmacol.* 250: 162-169. <http://dx.doi.org/10.1016/j.taap.2010.10.009>.
- Kim, S; Kim, D; Pollack, GM; Collins, LB; Rusyn, I. (2009). Pharmacokinetic analysis of trichloroethylene metabolism in male B6C3F1 mice: Formation and disposition of trichloroacetic acid, dichloroacetic acid, S-(1,2-dichlorovinyl)glutathione and S-(1,2-dichlorovinyl)-L-cysteine. *Toxicol Appl Pharmacol.* 238: 90-99. <http://dx.doi.org/10.1016/j.taap.2009.04.019>.
- Kim, YJ; Hwang, ED; Leem, AY; Kang, BD; Chang, SY; Kim, HK; Park, IK; Kim, SY; Kim, EY; Jung, JY; Kang, YA; Park, MS; Kim, YS; Kim, SK; Chang, J; Chung, KS. (2014). A case of occupational hypersensitivity pneumonitis associated with trichloroethylene. *Tuberculosis and Respiratory Diseases.* 76: 75-79. <http://dx.doi.org/10.4046/trd.2014.76.2.75>.
- Kimmerle, G; Eben, A. (1973). Metabolism, excretion and toxicology of trichloroethylene after inhalation: 1. Experimental exposure on rats. *Arch Toxicol.* 30: 115-126. <http://dx.doi.org/10.1007/BF02425929>.
- Kimmerle, G; Eben, A. (1973). Metabolism, excretion and toxicology of trichloroethylene after inhalation: 2. Experimental human exposure. *Arch Toxicol.* 30: 127-138. <http://dx.doi.org/10.1007/BF02425930>.
- King, GS; Smialek, JE; Troutman, WG. (1985). Sudden death in adolescents resulting from the inhalation of typewriter correction fluid. *JAMA.* 253: 1604-1606.
- Kinney, DK; Barch, DH; Chayka, B; Napoleon, S; Munir, KM. (2010). Environmental risk factors for autism: Do they help cause de novo genetic mutations that contribute to the disorder? *Med Hypotheses.* 74: 102-106. <http://dx.doi.org/10.1016/j.mehy.2009.07.052>.
- Kioski, C; Petersen, N; Heubach, H; Chapin, C. (1990). Cancer incidence and mortality in an East Phoenix area overlaying groundwater contaminated with volatile organic compounds. Phoenix, AZ: Arizona Department of Health Services.
- Kishi, R; Harabuchi, I; Ikeda, T; Katakura, Y; Miyake, H. (1993). Acute effects of trichloroethylene on blood concentrations and performance decrements in rats and their relevance to humans. *Br J Ind Med.* 50: 470-480.

Human Health Hazard Literature Search Results

On Topic

- Kjellstrand, P; Bjerkemo, M; Mortensen, I; Månsson, L. (1981). Effects of long-term exposure to trichloroethylene on the behavior of Mongolian gerbils (*Meriones unguiculatus*). *J Toxicol Environ Health A*. 8: 787-793. <http://dx.doi.org/10.1080/15287398109530114>.
- Kjellstrand, P; Holmquist, B; Alm, P; Kanje, M; Romare, S; Jonsson, I; Månsson, L; Bjerkemo, M. (1983). Trichloroethylene: Further studies of the effects on body and organ weights and plasma butyrylcholinesterase activity in mice. *Acta Pharmacol Toxicol*. 53: 375-384. <http://dx.doi.org/10.1111/j.1600-0773.1983.tb03438.x>.
- Kjellstrand, P; Holmquist, B; Mandahl, N; Bjerkemo, M. (1983). Effects of continuous trichloroethylene inhalation on different strains of mice. *Acta Pharmacol Toxicol*. 53: 369-374. <http://dx.doi.org/10.1111/j.1600-0773.1983.tb03437.x>.
- Kjellstrand, P; Kanje, M; Bjerkemo, M. (1987). Regeneration of the sciatic nerve in mice and rats exposed to trichloroethylene. *Toxicol Lett*. 38: 187-191. [http://dx.doi.org/10.1016/0378-4274\(87\)90127-5](http://dx.doi.org/10.1016/0378-4274(87)90127-5).
- Kjellstrand, P; Kanje, M; Månsson, L; Bjerkemo, M; Mortensen, I; Lanke, J; Holmquist, B. (1981). Trichloroethylene: Effects on body and organ weights in mice, rats and gerbils. *Toxicology*. 21: 105-115. [http://dx.doi.org/10.1016/0300-483X\(81\)90121-9](http://dx.doi.org/10.1016/0300-483X(81)90121-9).
- Kjellstrand, P; Lanke, J; Bjerkemo, M; Zetterqvist, L; Månsson, L. (1980). Irreversible effects of trichloroethylene exposure on the central nervous system. *Scand J Work Environ Health*. 6: 40-47.
- Klaunig, JE; Babich, MA; Baetcke, KP; Cook, JC; Corton, JC; David, RM; Deluca, JG; Lai, DY; Mckee, RH; Peters, JM; Roberts, RA; Fenner-Crisp, PA. (2003). PPARalpha agonist-induced rodent tumors: Modes of action and human relevance [Review]. *Crit Rev Toxicol*. 33: 655-780. <http://dx.doi.org/10.1080/713608372>.
- Kligerman, AD; Bryant, MF; Doerr, CL; Erexson, GL; Evansky, PA; Kwanyuen, P; Mcgee, JK. (1994). Inhalation studies of the genotoxicity of trichloroethylene to rodents. *Mutat Res*. 322: 87-96. [http://dx.doi.org/10.1016/0165-1218\(94\)00013-1](http://dx.doi.org/10.1016/0165-1218(94)00013-1).
- Kobayashi, R; Ikemoto, T; Seo, M; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2010). Enhancement of immediate allergic reactions by trichloroethylene ingestion via drinking water in mice. *J Toxicol Sci*. 35: 699-707.
- Kobayashi, R; Nakanishi, T; Nagase, H. (2012). Trichloroethylene enhances TCR-CD3-induced proliferation of CD8(+) rather than CD4(+) T cells. *J Toxicol Sci*. 37: 381-387. <http://dx.doi.org/10.2131/jts.37.381>.
- Koch, R; Schlegelmilch, R; Wolf, HU. (1988). Genetic effects of chlorinated ethylenes in the yeast *Saccharomyces cerevisiae*. *Mutat Res*. 206: 209-216. [http://dx.doi.org/10.1016/0165-1218\(88\)90162-0](http://dx.doi.org/10.1016/0165-1218(88)90162-0).
- Kochen, W; Kohlmüller, D; De Biasi, P; Ramsay, R. (2003). The endogeneous formation of highly chlorinated tetrahydro-beta-carbolines as a possible causative mechanism in idiopathic Parkinson's disease. *Adv Exp Med Biol*. 527: 253-263.
- Koizumi, A. (1989). Potential of physiologically based pharmacokinetics to amalgamate kinetic data of trichloroethylene and tetrachloroethylene obtained in rats and man. *Br J Ind Med*. 46: 239-249.
- Konietzko, H; Elster, I; Sayer, H; Weichardt, H. (1975). Zentralnervöse schaden durch trichlorathylen. *Staub, Reinhaltung der Luft*. 35: 240-241.
- Kopec, AK; Sullivan, BP; Kassel, KM; Joshi, N; Luyendyk, JP. (2014). Toxicogenomic analysis reveals profibrogenic effects of trichloroethylene in autoimmune-mediated cholangitis in mice. *Toxicol Sci*. 141: 515-523. <http://dx.doi.org/10.1093/toxsci/kfu148>.
- Krasowski, M; Harrison, N. (2000). The actions of ether, alcohol and alkane general anaesthetics on GABAA and glycine receptors and the effects of TM2 and TM3 mutations. *Br J Pharmacol*. 129: 731-743. <http://dx.doi.org/10.1038/sj.bjp.0703087>.
- Krishnadasan, A; Kennedy, N; Zhao, Y; Morgenstern, H; Ritz, B. (2007). Nested case-control study of occupational chemical exposures and prostate cancer in aerospace and radiation workers. *Am J Ind Med*. 50: 383-390. <http://dx.doi.org/10.1002/ajim.20458>.
- Krishnadasan, A; Kennedy, N; Zhao, Y; Morgenstern, H; Ritz, B. (2008). Nested case-control study of occupational physical activity and prostate cancer among workers using a job exposure matrix. *Cancer Causes Control*. 19: 107-114. <http://dx.doi.org/10.1007/s10552-007-9076-7>.
- Kubo, S; Matsuzaki, K; Seki, T; Ohsawa, M; Kumagai, S; Endo, G. (2014). Severe acute hepatitis in a printing company worker: a case study. *J Occup Health*. 57: 87-90. <http://dx.doi.org/10.1539/joh.14-0122-CS>.
- Kulig, BM. (1987). The effects of chronic trichloroethylene exposure on neurobehavioral functioning in the rat. *Neurotoxicol Teratol*. 9: 171-178. [http://dx.doi.org/10.1016/0892-0362\(87\)90095-X](http://dx.doi.org/10.1016/0892-0362(87)90095-X).
- Kumagai, S. (2015). [Epidemiological characteristic of occupational pneumatosis cystoides intestinalis]. *Sangyo Eiseigaku Zasshi*. 57: 40-44. <http://dx.doi.org/10.1539/sangyoeisei.A14002>.
- Kumagai, S; Ota, H. (2015). [A degreasing worker with pneumatosis cystoides intestinalis caused by trichloroethylene exposure]. *Sangyo Eiseigaku Zasshi*. 57: 33-36. <http://dx.doi.org/10.1539/sangyoeisei.D14004>.
- Kumar, M; Tewari, S; Sharma, P; Verma, VK; Chauhan, LK; Agarwal, SK; Dwivedi, UN; Goel, SK. (2009). Study of genetic polymorphism in solvent exposed population and its correlation to in vitro effect of trichloroethylene on lymphocytes. *J Environ Biol*. 30: 685-691.
- Kumar, P; Prasad, A; Maji, B; Mani, U; Dutta, K. (2001). Hepatotoxic alterations induced by inhalation of trichlorethylene (TCE) in rats. *Biomed Environ Sci*. 14: 325-332.
- Kumar, P; Prasad, A; Mani, U; Maji, B; Dutta, K. (2001). Trichloroethylene induced testicular toxicity in rats exposed by inhalation. *Hum Exp Toxicol*. 20: 585-589. <http://dx.doi.org/10.1191/096032701718620882>.
- Kumar, P; Prasad, AK; Dutta, KK. (2000). Steroidogenic alterations in testes and sera of rats exposed to trichloroethylene (TCE) by inhalation. *Hum Exp Toxicol*. 19: 117-121.
- Kumar, P; Prasad, AK; Saxena, DK; Manu, U; Maji, BK; Dutta, KK. (2000). Fertility and general reproduction studies in trichloroethylene exposed rats. *Indian Journal of Occupational Health*. 43: 117-126.
- Kuppusamy, SP; Kaiser, JP; Wesselkamper, SC. (2015). Epigenetic Regulation in Environmental Chemical Carcinogenesis and its Applicability in Human Health Risk Assessment. *Int J Toxicol*. 34: 384-392. <http://dx.doi.org/10.1177/1091581815599350>.

Human Health Hazard Literature Search Results

On Topic

- Kurasawa, K. (1988). Selective damage of pulmonary nonciliated bronchiolar epithelial (Clara) cells by trichloroethylene in rats. *Sangyo Eiseigaku Zasshi*. 30: 121-133.
- Kylin, B; Axell, K; Samuel, HE; Lindborg, A. (1967). Effect of inhaled trichloroethylene on the CNS: As measured by optokinetic nystagmus. *Arch Environ Health*. 15: 48-52.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1986). Fatty acid changes in rat brain ethanolamine phosphoglycerides during and following chronic exposure to trichloroethylene. *Toxicol Appl Pharmacol*. 85: 145-153. [http://dx.doi.org/10.1016/0041-008X\(86\)90108-0](http://dx.doi.org/10.1016/0041-008X(86)90108-0).
- Lacey, JV, Jr; Garabrant, DH; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (1999). Petroleum distillate solvents as risk factors for undifferentiated connective tissue disease (UCTD). *Am J Epidemiol*. 149: 761-770.
- Laham, S. (1970). Studies on placental transfer: Trichloroethylene. *Ind Med Surg*. 39: 46-49.
- Lamb, JC; Hentz, KL. (2006). Toxicological review of male reproductive effects and trichloroethylene exposure: assessing the relevance to human male reproductive health [Review]. *Reprod Toxicol*. 22: 557-563. <http://dx.doi.org/10.1016/j.reprotox.2006.07.001>.
- Lan, Q. (2011). Studies of Occupational Cancer.
- Lan, Q. (2012). Studies of Occupational Cancer.
- Lan, Q. (2013). Studies of Occupational Cancer.
- Lan, Q. (2014). Studies of Occupational Cancer.
- Lan, Q. (2015). Studies of Occupational Cancer.
- Lan, Q; Zhang, L; Tang, X; Shen, M; Smith, MT; Qiu, C; Ge, Y; Ji, Z; Xiong, J; He, J; Reiss, B; Hao, Z; Liu, S; Xie, Y; Guo, W; Purdue, MP; Galvan, N; Xin, KX; Hu, W; Beane Freeman, LE; Blair, AE; Li, L; Rothman, N; Vermeulen, R; Huang, H. (2010). Occupational exposure to trichloroethylene is associated with a decline in lymphocyte subsets and soluble CD27 and CD30 markers. *Carcinogenesis*. 31: 1592-1596. <http://dx.doi.org/10.1093/carcin/bgq121>.
- Land, PC; Owen, EL; Linde, HW. (1981). Morphologic changes in mouse spermatozoa after exposure to inhalational anesthetics during early spermatogenesis. *Anesthesiology*. 54: 53-56.
- Landrigan, PJ; Stein, GF; Kominsky, JR; Ruhe, RL; Watanabe, AS. (1987). Common-source community and industrial exposure to trichloroethylene. *Arch Environ Health*. 42: 327-332. <http://dx.doi.org/10.1080/00039896.1987.9934354>.
- Laparé, S; Tardif, R; Brodeur, J. (1995). Effect of various exposure scenarios on the biological monitoring of organic solvents in alveolar air. II. 1,1,1-Trichloroethane and trichloroethylene. *Int Arch Occup Environ Health*. 67: 375-394. <http://dx.doi.org/10.1007/BF00381051>.
- Larson, JL; Bull, RJ. (1989). Effect of ethanol on the metabolism of trichloroethylene. *J Toxicol Environ Health A*. 28: 395-406. <http://dx.doi.org/10.1080/15287398909531359>.
- Larson, JL; Bull, RJ. (1992). Species differences in the metabolism of trichloroethylene to the carcinogenic metabolites trichloroacetate and dichloroacetate. *Toxicol Appl Pharmacol*. 115: 278-285. [http://dx.doi.org/10.1016/0041-008X\(92\)90333-N](http://dx.doi.org/10.1016/0041-008X(92)90333-N).
- Lash, L; Hueni, S; Putt, D. (2001). Apoptosis, necrosis, and cell proliferation induced by S-(1,2-dichlorovinyl)-L-cysteine in primary cultures of human proximal tubular cells. *Toxicol Appl Pharmacol*. 177: 1-16. <http://dx.doi.org/10.1006/taap.2001.9295>.
- Lash, LH; Chiu, WA; Guyton, KZ; Rusyn, I. (2014). Trichloroethylene biotransformation and its role in mutagenicity, carcinogenicity and target organ toxicity [Review]. *Mutat Res Rev Mutat Res*. 762: 22-36. <http://dx.doi.org/10.1016/j.mrrev.2014.04.003>.
- Lash, LH; Fisher, JW; Lipscomb, JC; Parker, JC. (2000). Metabolism of trichloroethylene [Review]. *Environ Health Perspect*. 108: 177-200.
- Lash, LH; Jones, DP; Anders, MW. (1988). Glutathione homeostasis and glutathione S- conjugate toxicity in kidney. In E Hodgson; JR Band; RM Philpot (Eds.), (pp. 29-67). New York, NY: Elsevier.
- Lash, LH; Lipscomb, JC; Putt, DA; Parker, JC. (1999). Glutathione conjugation of trichloroethylene in human liver and kidney: Kinetics and individual variation. *Drug Metab Dispos*. 27: 351-359.
- Lash, LH; Parker, JC; Scott, CS. (2000). Modes of action of trichloroethylene for kidney tumorigenesis [Review]. *Environ Health Perspect*. 108: 225-240.
- Lash, LH; Putt, DA; Brashear, WT; Abbas, R; Parker, JC; Fisher, JW. (1999). Identification of S-(1,2-dichlorovinyl)glutathione in the blood of human volunteers exposed to trichloroethylene. *J Toxicol Environ Health A*. 56: 1-21. <http://dx.doi.org/10.1080/009841099158204>.
- Lash, LH; Putt, DA; Huang, P; Hueni, SE; Parker, JC. (2007). Modulation of hepatic and renal metabolism and toxicity of trichloroethylene and perchloroethylene by alterations in status of cytochrome P450 and glutathione. *Toxicology*. 235: 11-26. <http://dx.doi.org/10.1016/j.tox.2007.03.001>.
- Lash, LH; Putt, DA; Hueni, SE; Krause, RJ; Elfarra, AA. (2003). Roles of necrosis, apoptosis, and mitochondrial dysfunction in S-(1,2-dichlorovinyl)-L-cysteine sulfoxide-induced cytotoxicity in primary cultures of human renal proximal tubular cells. *J Pharmacol Exp Ther*. 305: 1163-1172. <http://dx.doi.org/10.1124/jpet.102.046185>.
- Lash, LH; Putt, DA; Parker, JC. (2006). Metabolism and tissue distribution of orally administered trichloroethylene in male and female rats: Identification of glutathione- and cytochrome P-450-derived metabolites in liver, kidney, blood, and urine. *J Toxicol Environ Health A*. 69: 1285-1309. <http://dx.doi.org/10.1080/15287390500360133>.
- Lash, LH; Qian, W; Putt, DA; Hueni, SE; Elfarra, AA; Krause, RJ; Parker, JC. (2001). Renal and hepatic toxicity of trichloroethylene and its glutathione-derived metabolites in rats and mice: Sex-, species-, and tissue-dependent differences. *J Pharmacol Exp Ther*. 297: 155-164.
- Lash, LH; Qian, W; Putt, DA; Jacobs, K; Elfarra, AA; Krause, RJ; Parker, JC. (1998). Glutathione conjugation of trichloroethylene in rats and mice: Sex-, species-, and tissue-dependent differences. *Drug Metab Dispos*. 26: 12-19.
- Lash, LH; Xu, Y; Elfarra, AA; Duescher, RJ; Parker, JC. (1995). Glutathione-dependent metabolism of trichloroethylene in isolated liver and kidney cells of rats and its role in mitochondrial and cellular toxicity. *Drug Metab Dispos*. 23: 846-853.

Human Health Hazard Literature Search Results

On Topic

- Lash, TL; Green, LC. (1993). Blink reflex measurement of effects of trichloroethylene exposure on the trigeminal nerve [Letter]. *Muscle Nerve*. 16: 217-220. <http://dx.doi.org/10.1002/mus.880160217>.
- Laslo-Baker, D; Barrera, M; Knittel-Keren, D; Kozer, E; Wolpin, J; Khattak, S; Hackman, R; Rovet, J; Koren, G. (2004). Child neurodevelopmental outcome and maternal occupational exposure to solvents. *Arch Pediatr Adolesc Med*. 158: 956-961. <http://dx.doi.org/10.1001/archpedi.158.10.956>.
- Latendresse, JR; Pereira, MA. (1997). Dissimilar characteristics of n-methyl-n-nitrosourea-initiated foci and tumors promoted by dichloroacetic acid or trichloroacetic acid in the liver of female B6C3F1 mice. *Toxicol Pathol*. 25: 433-440. <http://dx.doi.org/10.1177/019262339702500501>.
- Laughter, AR; Dunn, CS; Swanson, CL; Howroyd, P; Cattley, RC; Corton, JC. (2004). Role of the peroxisome proliferator-activated receptor alpha (PPARalpha) in responses to trichloroethylene and metabolites, trichloroacetate and dichloroacetate in mouse liver. *Toxicology*. 203: 83-98. <http://dx.doi.org/10.1016/j.tox.2004.06.014>.
- Laureno, R. (1988). Trichloroethylene neurology [Letter]. *Can J Neurol Sci*. 15: 354.
- Le Mesurier, SM; Lykke, AWJ; Stewart, BW. (1980). Reduced yield of pulmonary surfactant: Patterns of response following administration of chemicals to rats by inhalation. *Toxicol Lett*. 5: 89-93. [http://dx.doi.org/10.1016/0378-4274\(80\)90153-8](http://dx.doi.org/10.1016/0378-4274(80)90153-8).
- Le, MH; Buddenbaum, JE; Burns, RE; Shonka, JJ; Gaffney, SH; Donovan, EP; Flack, SM; Widner, TE. (2011). An independent review and prioritization of past radionuclide and chemical releases from the Los Alamos National Laboratory - implications for future dose reconstruction studies [Review]. *J Environ Monit*. 13: 2735-2747. <http://dx.doi.org/10.1039/c1em10374a>.
- Leandri, M; Schizzi, R; Scielzo, C; Favale, E. (1995). Electrophysiological evidence of trigeminal root damage after trichloroethylene exposure. *Muscle Nerve*. 18: 467-468. <http://dx.doi.org/10.1002/mus.880180416>.
- Lee, JH; Kim, I; Seok, H; Park, I; Hwang, J; Park, JO; Won, JU; Roh, J. (2015). Case report of renal cell carcinoma in automobile manufacturing factory worker due to trichloroethylene exposure in Korea. 27: 19. <http://dx.doi.org/10.1186/s40557-015-0068-x>.
- Lee, KM; Bruckner, JV; Muralidhara, S; Gallo, JM. (1996). Characterization of presystemic elimination of trichloroethylene and its nonlinear kinetics in rats. *Toxicol Appl Pharmacol*. 139: 262-271. <http://dx.doi.org/10.1006/taap.1996.0165>.
- Lee, KM; Muralidhara, S; Schnellmann, RG; Bruckner, JV. (2000). Contribution of direct solvent injury to the dose-dependent kinetics of trichloroethylene: Portal vein administration to rats. *Toxicol Appl Pharmacol*. 164: 46-54. <http://dx.doi.org/10.1006/taap.2000.8891>.
- Lee, KM; Muralidhara, S; White, CA; Bruckner, JV. (2000). Mechanisms of the dose-dependent kinetics of trichloroethylene: Oral bolus dosing of rats. *Toxicol Appl Pharmacol*. 164: 55-64. <http://dx.doi.org/10.1006/taap.2000.8892>.
- Lee, LJ; Chen, CH; Chang, YY; Liou, SH; Wang, JD. (2010). An estimation of the health impact of groundwater pollution caused by dumping of chlorinated solvents. *Sci Total Environ*. 408: 1271-1275. <http://dx.doi.org/10.1016/j.scitotenv.2009.12.036>.
- Lee, LJ, -H; Chung, CW; Ma, YC; Wang, GS; Chen, PC; Hwang, YH; Wang, JD. (2003). Increased mortality odds ratio of male liver cancer in a community contaminated by chlorinated hydrocarbons in groundwater. *Occup Environ Med*. 60: 364-369. <http://dx.doi.org/10.1136/oem.60.5.364>.
- Legislation, CotRoCGftCoHClbtCL; Populations, BotHoS; Medicine, Io. (2015). Review of VA Clinical Guidance for the Health Conditions Identified by the Camp Lejeune Legislation. Washington (DC): National Academies Press (US). <http://dx.doi.org/10.17226/18991>.
- Lehmann, I; Rehwagen, M; Diez, U; Seiffart, A; Rolle-Kampczyk, U; Richter, M; Wetzig, H; Borte, M; Herbarth, O. (2001). Enhanced in vivo IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: Results of the LARS study. *Int J Hyg Environ Health*. 204: 211-221. <http://dx.doi.org/10.1078/1438-4639-00100>.
- Lehmann, I; Thielke, A; Rehwagen, M; Rolle-Kampczyk, U; Schlink, U; Schulz, R; Borte, M; Diez, U; Herbarth, O. (2002). The influence of maternal exposure to volatile organic compounds on the cytokine secretion profile of neonatal T cells. *Environ Toxicol*. 17: 203-210. <http://dx.doi.org/10.1002/tox.10055>.
- Leigh, JP; Jiang, WY. (1993). Liver cirrhosis deaths within occupations and industries in the California occupational mortality study. *Addiction*. 88: 767-779. <http://dx.doi.org/10.1111/j.1360-0443.1993.tb02091.x>.
- Leopardi, P; Zijno, A; Bassani, B; Pacchierotti, F. (1993). In vivo studies on chemically induced aneuploidy in mouse somatic and germinal cells. *Mutat Res*. 287: 119-130. [http://dx.doi.org/10.1016/0027-5107\(93\)90151-5](http://dx.doi.org/10.1016/0027-5107(93)90151-5).
- Leuschner, J; Beuscher, N. (1998). Studies on the mutagenic and carcinogenic potential of chloral hydrate. *Arzneimittelforschung*. 48: 961-968.
- Leuschner, J; Leuschner, F. (1991). Evaluation of the mutagenicity of chloral hydrate in vitro and in vivo. *Arzneimittelforschung*. 41: 1101-1103.
- Levallois, P; Gingras, S; Marcoux, S; Legay, C; Catto, C; Rodriguez, M; Tardif, R. (2012). Maternal Exposure to Drinking-water Chlorination By-products and Small-for-gestational-age Neonates. *Epidemiology*. 23: 267-276. <http://dx.doi.org/10.1097/EDE.0b013e3182468569>.
- Levy, D; Lipton, R; Holzman, P. (1981). Smooth pursuit eye movements: Effects of alcohol and chloral hydrate. *J Psychiatr Res*. 16: 1-11.
- Lewis, GD; Reynolds, RC; Johnson, AR. (1984). Some effects of trichloroethylene on mouse lungs and livers. *Vascul Pharmacol*. 15: 139-144.
- Li, T; Schultz, I; Keys, DA; Campbell, JL; Fisher, JW. (2008). Quantitative evaluation of dichloroacetic acid kinetics in human: A physiologically based pharmacokinetic modeling investigation. *Toxicology*. 245: 35-48. <http://dx.doi.org/10.1016/j.tox.2007.12.010>.
- Liao, RY; Liu, S. (2016). [Toxic effect of trichloroethylene on liver cells with CYP3A4 gene defect]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 34: 421-425.
- Lindbohm, ML; Taskinen, H; Sallmen, M; Hemminki, K. (1990). Spontaneous abortions among women exposed to organic solvents. *Am J Ind Med*. 17: 449-463. <http://dx.doi.org/10.1002/ajim.4700170404>.
- Lindstrom, K. (1973). Psychological performances of workers exposed to various solvents. *Work Environ Health*. 10: 151-155.
- Lindstrom, K. (1980). Changes in psychological performances of solvent-poisoned and solvent exposed workers. *Am J Ind Med*. 1: 69-84.

Human Health Hazard Literature Search Results

On Topic

- Lindström, K; Antti-Poika, M; Tola, S; Hyytiäinen, A. (1982). Psychological prognosis of diagnosed chronic organic solvent intoxication. *Neurobehav Toxicol Teratol.* 4: 581-588.
- Lipscomb, JC; Confer, PD; Miller, MR; Stamm, SC; Snawder, JE; Bandiera, SM. (1998). Metabolism of trichloroethylene and chloral hydrate by the Japanese medaka (*Oryzias latipes*) in vitro. *Environ Toxicol Chem.* 17: 325-332. <http://dx.doi.org/10.1002/etc.5620170225>.
- Lipscomb, JC; Fisher, JW; Confer, PD; Byczkowski, JZ. (1998). In vitro to in vivo extrapolation for trichloroethylene metabolism in humans. *Toxicol Appl Pharmacol.* 152: 376-387. <http://dx.doi.org/10.1006/taap.1998.8485>.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1997). Cytochrome P450-dependent metabolism of trichloroethylene: Interindividual differences in humans. *Toxicol Appl Pharmacol.* 142: 311-318. <http://dx.doi.org/10.1006/taap.1996.8040>.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1998). Use of kinetic and mechanistic data in species extrapolation of bioactivation: Cytochrome P-450 dependent trichloroethylene metabolism at occupationally relevant concentrations. *J Occup Health.* 40: 110-117.
- Lipscomb, JC; Teuschler, LK; Swartout, J; Popken, D; Cox, T; Kedderis, GL. (2003). The impact of cytochrome P450 2E1-dependent metabolic variance on a risk-relevant pharmacokinetic outcome in humans. *Risk Anal.* 23: 1221-1238. <http://dx.doi.org/10.1111/j.0272-4332.2003.00397.x>.
- Lipworth, L; Sonderman, JS; Mumma, MT; Tarone, RE; Marano, DE; Boice, JD; Mclaughlin, JK. (2011). Cancer mortality among aircraft manufacturing workers: an extended follow-up. *J Occup Environ Med.* 53: 992-1007. <http://dx.doi.org/10.1097/JOM.0b013e31822e0940>.
- Liu, J. (2015). [Strengthen the prevention of occupational trichloroethylene health hazards]. *Zhonghua Yufang Yixue Zazhi.* 49: 193-195.
- Liu, J; Chen, M; Yang, X; Fang, S; Xing, X; Huang, H; Zhou, L. (2010). Identification of novel interaction proteins of set in trichloroethylene-treated L-02 liver cells. *Toxicol Lett.* 196: S72-S73. <http://dx.doi.org/10.1016/j.toxlet.2010.03.274>.
- Liu, JJ; Xing, XM; Huang, HY; Yuan, JH; Xu, XY; Zhou, L; Yang, XF; Fang, DK. (2010). [Screening and identification of differential serum proteins related to dermatitis medicamentosa-like of trichloroethylene]. *Zhonghua Yufang Yixue Zazhi.* 44: 485-489.
- Liu, M, ei; Choi, DY; Hunter, RL; Pandya, JD; Cass, WA; Sullivan, PG; Kim, HC; Gash, D; Bing, G. (2010). Trichloroethylene induces dopaminergic neurodegeneration in Fisher 344 rats. *J Neurochem.* 112: 773-783. <http://dx.doi.org/10.1111/j.1471-4159.2009.06497.x>.
- Liu, M; Zhang, C; Yang, P; Huang, J; Zang, DD; Zhang, JX; Zhu, QX. (2016). [Role of kallikrein kinin system activation in kidney injury induced by trichloroethylene sensitized mice]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 34: 184-188.
- Liu, W; Hong, WX; Zhang, Y; Huang, P; Yang, X; Ren, X; Huang, H; Liu, J. (2014). Proteomic profiling of occupational medicamentosa-like dermatitis induced by trichloroethylene in serum based on MALDI-TOF MS. *Clin Exp Med.* 15: 519-526. <http://dx.doi.org/10.1007/s10238-014-0326-1>.
- Liu, W; Zhang, YF; Zhang, ZM; Li, PM; Jiang, XD; Zhou, GF; Liu, JJ. (2011). [Dynamic change study of dermatitis medicamentosa-like of trichloroethylene patients with liver damage]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 29: 790-793.
- Liu, Y; Bartlett, MG; White, CA; Muralidhara, S; Bruckner, JV. (2009). Presystemic elimination of trichloroethylene in rats following environmentally relevant oral exposures. *Drug Metab Dispos.* 37: 1994-1998. <http://dx.doi.org/10.1124/dmd.109.028100>.
- Liu, YT; Jin, C; Chen, Z; Cai, SX; Yin, SN; Li, GL; Watanabe, T; Nakatsuka, H; Seiji, K; Inoue, O; Kawai, T; Ukai, H; Ikeda, M. (1988). Increased subjective symptom prevalence among workers exposed to trichloroethylene at sub-OEL levels. *Tohoku J Exp Med.* 155: 183-195.
- Liu, Z; Chen, G; Kang, X; Han, M; Chen, R; Chen, C; Wang, H. (2016). A multiplex allele-specific real-time polymerase chain reaction assay for HLA-B*13:01 genotyping in four Chinese populations. 88: 164-171. <http://dx.doi.org/10.1111/tan.12863>.
- Lock, E; Reed, C; Mcmillan, J; Oatis, J; Schnellmann, R. (2007). Lack of formic acid production in rat hepatocytes and human renal proximal tubule cells exposed to chloral hydrate or trichloroacetic acid. *Toxicology.* 230: 234-243. <http://dx.doi.org/10.1016/j.tox.2006.11.055>.
- Lock, EA; Barth, JL; Argraves, SW; Schnellmann, RG. (2006). Changes in gene expression in human renal proximal tubule cells exposed to low concentrations of S-(1,2-dichlorovinyl)-l-cysteine, a metabolite of trichloroethylene. *Toxicol Appl Pharmacol.* 216: 319-330. <http://dx.doi.org/10.1016/j.taap.2006.06.002>.
- Lock, EA; Keane, P; Rowe, PH; Foster, JR; Antoine, D; Morris, CM. (2017). Trichloroethylene-induced formic aciduria in the male C57 Bl/6 mouse. *Toxicology.* 378: 76-85. <http://dx.doi.org/10.1016/j.tox.2017.01.004>.
- Lock, EA; Zhang, J; Checkoway, H. (2013). Solvents and Parkinson disease: A systematic review of toxicological and epidemiological evidence [Review]. *Toxicol Appl Pharmacol.* 266: 345-355. <http://dx.doi.org/10.1016/j.taap.2012.11.016>.
- Lockey, J; Kelly, C; Cannon, G; Colby, T; Aldrich, V; Livingston, G. (1987). Progressive systemic sclerosis associated with exposure to trichloroethylene. *J Occup Med.* 29: 493-496.
- Logue, JM; Small, MJ; Stern, D; Maranche, J; Robinson, AL. (2010). Spatial variation in ambient air toxics concentrations and health risks between industrial-influenced, urban, and rural sites. *Journal of the Air and Waste Management Association.* 60: 271-286. <http://dx.doi.org/10.3155/1047-3289.60.3.271>.
- Lopreato, GF; Phelan, R; Borghese, CM; Beckstead, MJ; Mihic, SJ. (2003). Inhaled drugs of abuse enhance serotonin-3 receptor function. *Drug Alcohol Depend.* 70: 11-15. [http://dx.doi.org/10.1016/S0376-8716\(02\)00330-7](http://dx.doi.org/10.1016/S0376-8716(02)00330-7).
- Lorente, C; Cordier, S; Bergeret, A; De Walle, HEK; Goujard, J; Ayme, S; Knill-Jones, R; Calzolari, E; Bianchi, F. (2000). Maternal occupational risk factors for oral clefts. *Scand J Work Environ Health.* 26: 137-145.
- Lowengart, RA; Peters, JM; Cicioni, C; Buckley, J; Bernstein, L; Preston-Martin, S; Rappaport, E. (1987). Childhood leukemia and parents' occupational and home exposures. *J Natl Cancer Inst.* 79: 39-46. <http://dx.doi.org/10.1093/jnci/79.1.39>.
- Lupo, PJ; Lee, LJ; Okcu, MF; Bondy, ML; Scheurer, ME. (2012). An exploratory case-only analysis of gene-hazardous air pollutant interactions and the risk of childhood medulloblastoma. *Pediatr Blood Cancer.* 59: 605-610. <http://dx.doi.org/10.1002/pbc.24105>.
- Luyendyk, JP. (2014). Mechanisms of fibrosis exacerbation by trichloroethylene in hepatic autoimmunity.

Human Health Hazard Literature Search Results

On Topic

- Luyendyk, JP. (2015). Mechanisms of fibrosis exacerbation by trichloroethylene in hepatic autoimmunity.
- Lyngé, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control*. 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Maki, S; Nawata, H; Ogawa, Y. (2011). [Analysis of organic solvent poisonings occurring in Japan from 1995 to 2006]. *Sangyo Eiseigaku Zasshi*. 53: 87-100.
- Makris, SL; Scott, CS; Fox, J; Knudsen, TB; Hotchkiss, AK; Arzuaga, X; Euling, SY; Powers, CM; Jinot, J; Hogan, KA; Abbott, BD; Hunter, ES; Narotsky, MG. (2016). A systematic evaluation of the potential effects of trichloroethylene exposure on cardiac development [Review]. *Reprod Toxicol*. 65: 321-358. <http://dx.doi.org/10.1016/j.reprotox.2016.08.014>.
- Makwana, O; Ahles, L; Lencinas, A; Selmin, OI; Runyan, RB. (2013). Low-dose trichloroethylene alters cytochrome P450-2C subfamily expression in the developing chick heart. *Cardiovasc Toxicol*. 13: 77-84. <http://dx.doi.org/10.1007/s12012-012-9180-0>.
- Makwana, O; King, NM; Ahles, L; Selmin, O; Granzier, HL; Runyan, RB. (2010). Exposure to low-dose trichloroethylene alters shear stress gene expression and function in the developing chick heart. *Cardiovasc Toxicol*. 10: 100-107. <http://dx.doi.org/10.1007/s12012-010-9066-y>.
- Malerba, M; Radaeli, A; Ragnoli, B. (2010). Acute respiratory distress following intravenous injection of trichloroethylene. *Clinical Respiratory Journal*. 4: e4-e5. <http://dx.doi.org/10.1111/j.1752-699X.2009.00175.x>.
- Mallin, K. (1990). Investigation of a bladder cancer cluster in northwestern Illinois. *Am J Epidemiol*. 132: S96-S106.
- Mally, A; Walker, C; Everitt, J; Dekant, W; Vamvakas, S. (2006). Analysis of renal cell transformation following exposure to trichloroethene in vivo and its metabolite S-(dichlorovinyl)-L-cysteine in vitro. *Toxicology*. 224: 108-118. <http://dx.doi.org/10.1016/j.tox.2006.04.036>.
- Maloney, EK; Waxman, DJ. (1999). trans-Activation of PPARalpha and PPARgamma by structurally diverse environmental chemicals. *Toxicol Appl Pharmacol*. 161: 209-218. <http://dx.doi.org/10.1006/taap.1999.8809>.
- Maltoni, C; Lefemine, G; Cotti, G. (1986). Experimental research on trichloroethylene carcinogenesis. In *Archives of Research on Industrial Carcinogenesis*. Princeton, NJ: Princeton Scientific Publishing.
- Maltoni, C; Lefemine, G; Cotti, G; Perino, G. (1988). Long-term carcinogenicity bioassays on trichloroethylene administered by inhalation to Sprague-Dawley rats and Swiss and B6C3F1 mice. *Ann N Y Acad Sci*. 534: 316-342. <http://dx.doi.org/10.1111/j.1749-6632.1988.tb30120.x>.
- Mandel, JH; Kelsh, MA; Mink, PJ; Alexander, DD; Kalmes, RM; Weingart, M; Yost, L; Goodman, M. (2006). Occupational trichloroethylene exposure and non-Hodgkin's lymphoma: A meta-analysis and review [Review]. *Occup Environ Med*. 63: 597-607. <http://dx.doi.org/10.1136/oem.2005.022418>.
- Manson, JM; Murphy, M; Richdale, N; Smith, MK. (1984). Effects of oral exposure to trichloroethylene on female reproductive function. *Toxicology*. 32: 229-242. [http://dx.doi.org/10.1016/0300-483X\(84\)90076-3](http://dx.doi.org/10.1016/0300-483X(84)90076-3).
- Marie, I. (2014). [Systemic sclerosis and occupational exposure: towards an extension of legal recognition as occupational disorder in 2014?] [Editorial]. *Rev Med Interne*. 35: 631-635. <http://dx.doi.org/10.1016/j.revmed.2014.04.002>.
- Marie, I; Gehanno, JF. (2015). Environmental risk factors of systemic sclerosis [Review]. *Seminars in Immunopathology*. 37: 463-473. <http://dx.doi.org/10.1007/s00281-015-0507-3>.
- Marie, I; Gehanno, JF; Bubenheim, M; Duval-Modeste, AB; Joly, P; Dominique, S; Bravard, P; Noël, D; Cailleux, AF; Weber, J; Lagoutte, P; Benichou, J; Levesque, H. (2014). Prospective study to evaluate the association between systemic sclerosis and occupational exposure and review of the literature [Review]. *Autoimmun Rev*. 13: 151-156. <http://dx.doi.org/10.1016/j.autrev.2013.10.002>.
- Martinez, TN; Greenamyre, JT. (2012). Toxin Models of Mitochondrial Dysfunction in Parkinson's Disease [Review]. *Antioxid Redox Signal*. 16: 920-934. <http://dx.doi.org/10.1089/ars.2011.4033>.
- Matsushita, K; Nakata, T; Tamura, J. (2015). The application of 2,2,2-trichloroethyl sulfate to the synthesis of chondroitin sulfate C and D. *Carbohydr Res*. 406: 76-85. <http://dx.doi.org/10.1016/j.carres.2015.01.007>.
- Mattei, F; Guida, F; Matrat, M; Céné, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med*. 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Mazzullo, M; Bartoli, S; Bonora, B; Colacci, A; Lattanzi, G; Niero, A; Silingardi, P; Grilli, S. (1992). In vivo and in vitro interaction of trichloroethylene with macromolecules from various organs of rat and mouse. *Res Comm Chem Pathol Pharmacol*. 76: 192-208.
- Mccarthy, TB; Jones, RD. (1983). Industrial gassing poisonings due to trichlorethylene, perchlorethylene, and 1,1,1-trichloroethane, 1961-80. *Br J Ind Med*. 40: 450-455.
- Mccunney, RJ. (1988). Diverse manifestations of trichloroethylene. *Br J Ind Med*. 45: 122-126. <http://dx.doi.org/10.1136/oem.45.2.122>.
- Mcdermott, C; Heffron, JJA. (2013). Toxicity of Industrially Relevant Chlorinated Organic Solvents In Vitro. *Int J Toxicol*. 32: 136-145. <http://dx.doi.org/10.1177/1091581813482006>.
- Mcgregor, DB; Reynolds, DM; Zeiger, E. (1989). Conditions affecting the mutagenicity of trichloroethylene in Salmonella. *Environ Mol Mutagen*. 13: 197-202. <http://dx.doi.org/10.1002/em.2850130302>.
- Mckinney, PA; Alexander, FE; Cartwright, RA; Parker, L. (1991). Parental occupations of children with leukaemia in west Cumbria, north Humberside, and Gateshead. *Br Med J*. 302: 681-687. <http://dx.doi.org/10.1136/bmj.302.6778.681>.
- Mclaughlin, JK; Blot, WJ. (1997). A critical review of epidemiology studies of trichloroethylene and perchloroethylene and risk of renal-cell cancer [Review]. *Int Arch Occup Environ Health*. 70: 222-231. <http://dx.doi.org/10.1007/s004200050211>.
- Mclean, D; Fleming, S; Turner, MC; Kincl, L; Richardson, L; Benke, G; Schlehofer, B; Schlaefer, K; Parent, ME; Hours, M; Krewski, D; van Tongeren, M; Sadetzki, S; Siemiatacki, J; Cardis, E. (2014). Occupational solvent exposure and risk of meningioma: results from the INTEROCC multicentre case-control study. *Occup Environ Med*. 71: 253-258. <http://dx.doi.org/10.1136/oemed-2013-101780>.

Human Health Hazard Literature Search Results

On Topic

- Mcneil, C. (2013). TCE, designated a known carcinogen, now the focus of ongoing research. *J Natl Cancer Inst.* 105: 1518-1519. <http://dx.doi.org/10.1093/jnci/djt296>.
- Mellemgaard, A; Engholm, G; Mclaughlin, JK; Olsen, JH. (1994). Occupational risk factors for renal-cell carcinoma in Denmark. *Scand J Work Environ Health.* 20: 160-165.
- Melnick, RL; Jameson, CW; Goehl, TJ; Maronpot, RR; Collins, BJ; Greenwell, A; Harrington, FW; Wilson, RE; Tomaszewski, KE; Agarwal, DK. (1987). Application of microencapsulation for toxicology studies: II. Toxicity of microencapsulated trichloroethylene in Fischer 344 rats. *Fundam Appl Toxicol.* 8: 432-442. [http://dx.doi.org/10.1016/0272-0590\(87\)90129-1](http://dx.doi.org/10.1016/0272-0590(87)90129-1).
- Melnick, RL; Kohn, MC; Portier, CJ. (1996). Implications for risk assessment of suggested nongenotoxic mechanisms of chemical carcinogenesis [Review]. *Environ Health Perspect.* 104: 123-134.
- Mensing, T; Welge, P; Voss, B; Fels, LM; Fricke, HH; Brüning, T; Wilhelm, M. (2002). Renal toxicity after chronic inhalation exposure of rats to trichloroethylene. *Toxicol Lett.* 128: 243-247. [http://dx.doi.org/10.1016/S0378-4274\(01\)00545-8](http://dx.doi.org/10.1016/S0378-4274(01)00545-8).
- Merck. (1996). *The Merck Index: An Encyclopedia of Chemicals, Drugs, and Biologicals.* In S Budavari (Ed.), (12th ed.). Rahway, NJ: Merck & Co., Inc.
- Merdink, JL; Bull, RJ; Schultz, IR. (2000). Trapping and identification of the dichloroacetate radical from the reductive dehalogenation of trichloroacetate by mouse and rat liver microsomes. *Free Radic Biol Med.* 29: 125-130. [http://dx.doi.org/10.1016/S0891-5849\(00\)00330-0](http://dx.doi.org/10.1016/S0891-5849(00)00330-0).
- Merdink, JL; Gonzalez-Leon, A; Bull, RJ; Schultz, IR. (1998). The extent of dichloroacetate formation from trichloroethylene, chloral hydrate, trichloroacetate, and trichloroethanol in B6C3F1 mice. *Toxicol Sci.* 45: 33-41. <http://dx.doi.org/10.1006/toxs.1998.2500>.
- Merdink, JL; Robison, LM; Stevens, DK; Hu, M; Parker, JC; Bull, RJ. (2008). Kinetics of chloral hydrate and its metabolites in male human volunteers. *Toxicology.* 245: 130-140. <http://dx.doi.org/10.1016/j.tox.2007.12.018>.
- Merdink, JL; Stenner, RD; Stevens, DK; Parker, JC; Bull, RJ. (1999). Effect of enterohepatic circulation on the pharmacokinetics of chloral hydrate and its metabolites in F344 rats. *J Toxicol Environ Health A.* 57: 357-368. <http://dx.doi.org/10.1080/009841099157665>.
- Merrick, BA; Robinson, M; Condie, LW. (1989). Differing hepatotoxicity and lethality after subacute trichloroethylene exposure in aqueous or corn oil gavage vehicles in B6C3F1 mice. *J Appl Toxicol.* 9: 15-21. <http://dx.doi.org/10.1002/jat.2550090105>.
- Mester, B; Nieters, A; Deeg, E; Elsner, G; Becker, N; Seidler, A. (2006). Occupation and malignant lymphoma: A population based case control study in Germany. *Occup Environ Med.* 63: 17-26. <http://dx.doi.org/10.1136/oem.2005.020453>.
- Meyer-Monath, M; Beaumont, J; Morel, I; Rouget, F; Tack, K; Lestremou, F. (2014). Analysis of BTEX and chlorinated solvents in meconium by headspace-solid-phase microextraction gas chromatography coupled with mass spectrometry. *Anal Bioanal Chem.* 406: 4481-4490. <http://dx.doi.org/10.1007/s00216-014-7836-2>.
- Mhiri, C; Choyakh, F; Ben Hmida, M; Feki, I; Ben Messaoud, M; Zouari, N. (2004). Trigeminal somatosensory evoked potentials in trichloroethylene-exposed workers. *Neurosciences.* 9: 102-107.
- Miligi, L; Costantini, AS; Benvenuti, A; Kriebel, D; Bolejack, V; Tumino, R; Ramazzotti, V; Rodella, S; Stagnaro, E; Crosignani, P; Amadori, D; Mirabelli, D; Sommani, L; Belletti, I; Troschel, L; Romeo, L; Miceli, G; Tozzi, GA; Mendico, I; Vineis, P. (2006). Occupational exposure to solvents and the risk of lymphomas. *Epidemiology.* 17: 552-561. <http://dx.doi.org/10.1097/01.ede.0000231279.30988.4d>.
- Miller, RE; Guengerich, FP. (1982). Oxidation of trichloroethylene by liver microsomal cytochrome P-450: Evidence for chlorine migration in a transition state not involving trichloroethylene oxide. *Biochemistry.* 21: 1090-1097. <http://dx.doi.org/10.1021/bi00534a041>.
- Miller, RE; Guengerich, FP. (1983). Metabolism of trichloroethylene in isolated hepatocytes, microsomes, and reconstituted enzyme systems containing cytochrome P-450. *Cancer Res.* 43: 1145-1152.
- Mirer, FE. (2010). New evidence on the health hazards and control of metalworking fluids since completion of the OSHA advisory committee report. *Am J Ind Med.* 53: 792-801. <http://dx.doi.org/10.1002/ajim.20853>.
- Mirsalis, JC; Tyson, CK; Steinmetz, KL; Loh, EK; Hamilton, CM; Bakke, JP; Spalding, JW. (1989). Measurement of unscheduled DNA synthesis and S-phase synthesis in rodent hepatocytes following in vivo treatment: Testing of 24 compounds. *Environ Mol Mutagen.* 14: 155-164. <http://dx.doi.org/10.1002/em.2850140305>.
- Mishima, N; Hoffman, S; Hill, EG; Krug, EL. (2006). Chick embryos exposed to trichloroethylene in an ex ovo culture model show selective defects in early endocardial cushion tissue formation. *Birth Defects Res A Clin Mol Teratol.* 76: 517-527. <http://dx.doi.org/10.1002/bdra.20283>.
- Mitchell, ABS; Parsons-Smith, BG. (1969). Trichloroethylene neuropathy. *Br Med J.* 1: 422-423. <http://dx.doi.org/10.1136/bmj.1.5641.422>.
- Moghaddam, AP; Abbas, R; Fisher, JW; Lipscomb, JC. (1997). The role of mouse intestinal microflora in the metabolism of trichloroethylene, an in vivo study. *Hum Exp Toxicol.* 16: 629-635. <http://dx.doi.org/10.1177/096032719701601101>.
- Moghaddam, AP; Abbas, R; Fisher, JW; Stavrou, S; Lipscomb, JC. (1996). Formation of dichloroacetic acid by rat and mouse gut microflora, an in vitro study. *Biochem Biophys Res Commun.* 228: 639-645. <http://dx.doi.org/10.1006/bbrc.1996.1709>.
- Monster, AC. (1979). Difference in uptake, elimination, and metabolism in exposure to trichloroethylene, 1,1,1-trichloroethane, and tetrachloroethylene. *Int Arch Occup Environ Health.* 42: 311-317. <http://dx.doi.org/10.1007/BF00377785>.
- Monster, AC; Boersma, G; Duba, WC. (1976). Pharmacokinetics of trichloroethylene in volunteers, influence of workload and exposure concentration. *Int Arch Occup Environ Health.* 38: 87-102. <http://dx.doi.org/10.1007/BF00378619>.
- Monster, AC; Boersma, G; Duba, WC. (1979). Kinetics of trichloroethylene in repeated exposure of volunteers. *Int Arch Occup Environ Health.* 42: 283-292. <http://dx.doi.org/10.1007/BF00377782>.
- Monster, AC; Boersma, G; Steenweg, H. (1979). Kinetics of tetrachloroethylene in volunteers; influence of exposure concentration and work load. *Int Arch Occup Environ Health.* 42: 303-309.

Human Health Hazard Literature Search Results

On Topic

- Monster, AC; Houtkooper, JM. (1979). Estimation of individual uptake of trichloroethylene, 1,1,1-trichloroethane and tetrachloroethylene from biological parameters. *Int Arch Occup Environ Health*. 42: 319-323. <http://dx.doi.org/10.1007/BF00377786>.
- Montani, D; Lau, EM; Descatha, A; Jaïs, X; Savale, L; Andujar, P; Bensefa-Colas, L; Girerd, B; Zendah, I; Le Pavec, J; Seferian, A; Perros, F; Dorfmueller, P; Fadel, E; Soubrier, F; Sitbon, O; Simonneau, G; Humbert, M. (2015). Occupational exposure to organic solvents: a risk factor for pulmonary veno-occlusive disease. *Eur Respir J*. 46: 1721-1731. <http://dx.doi.org/10.1183/13993003.00814-2015>.
- Moore, L; Nickerson, ML; Brennan, P; Toro, J. R.; Jaeger, E; Rinsky, J; Han, SS; Zaridze, D; Matveev, V; Janout, V; Kollarova, H; Bencko, V; Navratilova, M; Szeszenia-Dabrowska, N; Mates, D; Schmidt, LS; Lenz, P; Karami, S; Linehan, WM; Merino, M; Chanock, S; Boffetta, P; Chow, WH, o; Waldman, FM; Rothman, N. (2011). Von Hippel-Lindau (VHL) Inactivation in Sporadic Clear Cell Renal Cancer: Associations with Germline VHL Polymorphisms and Etiologic Risk Factors. *PLoS Genet*. 7: e1002312. <http://dx.doi.org/10.1371/journal.pgen.1002312>.
- Moore, LE; Boffetta, P; Karami, S; Brennan, P; Stewart, PS; Hung, R; Zaridze, D; Matveev, V; Janout, V; Kollarova, H; Bencko, V; Navratilova, M; Szeszenia-Dabrowska, N; Mates, D; Gromiec, J; Holcatova, I; Merino, M; Chanock, S; Chow, WH; Rothman, N. (2010). Occupational trichloroethylene exposure and renal carcinoma risk: Evidence of genetic susceptibility by reductive metabolism gene variants. *Cancer Res*. 70: 6527-6536. <http://dx.doi.org/10.1158/0008-5472.CAN-09-4167>.
- Moore, LE; Wilson, RT; Campleman, SL. (2005). Lifestyle factors, exposures, genetic susceptibility, and renal cell cancer risk: A review [Review]. *Cancer Invest*. 23: 240-255. <http://dx.doi.org/10.1081/cnv-200055962>.
- Moore, MM; Harrington-Brock, K. (2000). Mutagenicity of trichloroethylene and its metabolites: Implications for the risk assessment of trichloroethylene [Review]. *Environ Health Perspect*. 108: 215-223.
- Morales-Suarez-Varela, MM; Olsen, J; Villeneuve, S; Johansen, P; Kaerlev, L; Llopis-Gonzalez, A; Wingren, G; Hardell, L; Ahrens, W; Stang, A; Merletti, F; Gorini, G; Aurrekoetxea, JJ; Fevotte, J. (2013). Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. *J Occup Environ Med*. 55: 924-931. <http://dx.doi.org/10.1097/JOM.0b013e3182941a1c>.
- Morgan, JW; Cassady, RE. (2002). Community cancer assessment in response to long-time exposure to perchlorate and trichloroethylene in drinking water. *J Occup Environ Med*. 44: 616-621.
- Morgan, RW; Kelsh, MA; Zhao, K; Heringer, S. (1998). Mortality of aerospace workers exposed to trichloroethylene. *Epidemiology*. 9: 424-431.
- Morgan, RW; Kelsh, MA; Zhao, K; Heringer, S. (2000). Erratum: Mortality of aerospace workers exposed to trichloroethylene [Erratum]. *Epidemiology*. 11: 360.
- Moriya, M; Ohta, T; Watanabe, K; Miyazawa, T; Kato, K; Shirasu, Y. (1983). Further mutagenicity studies on pesticides in bacterial reversion assay systems. *Mutat Res*. 116: 185-216.
- Morrow, L; Ryan, C; Goldstein, G; Hodgson, M. (1989). A distinct pattern of personality disturbance following exposure to mixtures of organic solvents. *J Occup Med*. 31: 743-746.
- Mortelmans, K; Haworth, S; Lawlor, T; Speck, W; Tainer, B; Zeiger, E. (1986). Salmonella mutagenicity tests: II. Results from the testing of 270 chemicals. *Environ Mutagen*. 8: 1-119. <http://dx.doi.org/10.1002/em.2860080702>.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health A*. 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Moser, VC; Macphail, RC; Gennings, C. (2003). Neurobehavioral evaluations of mixtures of trichloroethylene, heptachlor, and di(2-ethylhexyl)phthalate in a full-factorial design. *Toxicology*. 188: 125-137. [http://dx.doi.org/10.1016/S0300-483X\(03\)00083-0](http://dx.doi.org/10.1016/S0300-483X(03)00083-0).
- Moslen, MT; Reynolds, ES; Boor, PJ; Bailey, K; Szabo, S. (1977). Trichloroethylene-induced deactivation of cytochrome P-450 and loss of liver glutathione in vivo. *Res Comm Chem Pathol Pharmacol*. 16: 109-120.
- Motohashi, Y; Miyazaki, Y. (1990). Time-dependent effects of trichloroethylene on motor activity in rats. *Chronobiol Int*. 7: 193-201. <http://dx.doi.org/10.3109/07420529009056975>.
- Muijsers, H; Lammers, J; Kullig, B. (2000). Effects of exposure to trichloroethylene and noise on hearing in rats. *Noise Health*. 2: 57-66.
- Muller, G; Spassovski, M; Henschler, D. (1972). Trichloroethylene exposure and trichloroethylene metabolites in urine and blood. *Arch Toxicol*. 29: 335-340. <http://dx.doi.org/10.1007/BF00326650>.
- Muller, G; Spassovski, M; Henschler, D. (1974). Metabolism of trichloroethylene in man: II. Pharmacokinetics of metabolites. *Arch Toxicol*. 32: 283-295. <http://dx.doi.org/10.1007/BF00330110>.
- Muller, G; Spassowski, M; Henschler, D. (1975). Metabolism of trichloroethylene in man: III. Interaction of trichloroethylene and ethanol. *Arch Toxicol*. 33: 173-189. <http://dx.doi.org/10.1007/BF00311271>.
- Müller, WF; Coulston, F; Korte, F. (1982). Comparative metabolism of ¹⁴C-trichloroethylene in chimpanzees, baboons, and rhesus monkeys. *Chemosphere*. 11: 215-218. [http://dx.doi.org/10.1016/0045-6535\(82\)90169-2](http://dx.doi.org/10.1016/0045-6535(82)90169-2).
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A*. 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Murata, K; Inoue, O; Akutsu, M; Iwata, T. (2010). Neuromotor Effects of Short-Term and Long-Term Exposures to Trichloroethylene in Workers. *Am J Ind Med*. 53: 915-921. <http://dx.doi.org/10.1002/ajim.20850>.
- Nagaya, T; Ishikawa, N; Hata, H. (1989). Sister-chromatid exchanges in lymphocytes of workers exposed to trichloroethylene. *Mutat Res*. 222: 279-282. [http://dx.doi.org/10.1016/0165-1218\(89\)90144-4](http://dx.doi.org/10.1016/0165-1218(89)90144-4).
- Nagaya, T; Ishikawa, N; Hata, H. (1989). Urinary total protein and "beta"-2-microglobulin in workers exposed to trichloroethylene. *Environ Res*. 50: 86-92. [http://dx.doi.org/10.1016/S0013-9351\(89\)80050-7](http://dx.doi.org/10.1016/S0013-9351(89)80050-7).
- Nagaya, T; Ishikawa, N; Hata, H. (1990). No change in serum dopamine-beta-hydroxylase activity in workers exposed to trichloroethylene. *Toxicol Lett*. 54: 221-227. [http://dx.doi.org/10.1016/0378-4274\(90\)90187-Q](http://dx.doi.org/10.1016/0378-4274(90)90187-Q).

Human Health Hazard Literature Search Results

On Topic

- Nagaya, T; Ishikawa, N; Hata, H; Otohe, T. (1993). Subclinical and reversible hepatic effects of occupational exposure to trichloroethylene. *Int Arch Occup Environ Health*. 64: 561-563. <http://dx.doi.org/10.1007/BF00517701>.
- Nakai, JS; Stathopoulos, PB; Campbell, GL; Chu, I; Li-Muller, A; Aucoin, R. (1999). Penetration of chloroform, trichloroethylene, and tetrachloroethylene through human skin. *J Toxicol Environ Health A*. 58: 157-170. <http://dx.doi.org/10.1080/009841099157368>.
- Nakajima, T; Aoyama, T. (2000). Polymorphism of drug-metabolizing enzymes in relation to individual susceptibility to industrial chemicals [Review]. *Ind Health*. 38: 143-152. <http://dx.doi.org/10.2486/indhealth.38.143>.
- Nakajima, T; Kamijo, Y; Usuda, N; Liang, Y; Fukushima, Y; Kametani, K; Gonzalez, FJ; Aoyama, T. (2000). Sex-dependent regulation of hepatic peroxisome proliferation in mice by trichloroethylene via peroxisome proliferator-activated receptor alpha (PPARalpha). *Carcinogenesis*. 21: 677-682.
- Nakajima, T; Koyama, Y; Sato, A. (1982). Dietary modification of metabolism and toxicity of chemical substances - with special reference to carbohydrate. *Biochem Pharmacol*. 31: 1005-1011.
- Nakajima, T; Okino, T; Okuyama, S; Kaneko, T; Yonekura, I; Sato, A. (1988). Ethanol-induced enhancement of trichloroethylene metabolism and hepatotoxicity: Difference from the effect of phenobarbital. *Toxicol Appl Pharmacol*. 94: 227-237. [http://dx.doi.org/10.1016/0041-008X\(88\)90264-5](http://dx.doi.org/10.1016/0041-008X(88)90264-5).
- Nakajima, T; Wang, RS; Elovaara, E; Park, SS; Gelboin, HV; Vainio, H. (1992). A comparative study on the contribution of cytochrome P450 isozymes to metabolism of benzene, toluene and trichloroethylene in rat liver. *Biochem Pharmacol*. 43: 251-257.
- Nakajima, T; Wang, RS; Elovaara, E; Park, SS; Gelboin, HV; Vainio, H. (1993). Cytochrome P450-related differences between rats and mice in the metabolism of benzene, toluene and trichloroethylene in liver microsomes. *Biochem Pharmacol*. 45: 1079-1085. [http://dx.doi.org/10.1016/0006-2952\(93\)90252-R](http://dx.doi.org/10.1016/0006-2952(93)90252-R).
- Nakajima, T; Wang, RS; Katakura, Y; Kishi, R; Elovaara, E; Park, SS; Gelboin, HV; Vainio, H. (1992). Sex-, age- and pregnancy-induced changes in the metabolism of toluene and trichloroethylene in rat liver in relation to the regulation of cytochrome P450IIE1 and P450IIC11 content. *J Pharmacol Exp Ther*. 261: 869-874.
- Nakajima, T; Wang, RS; Murayama, N; Sato, A. (1990). Three forms of trichloroethylene-metabolizing enzymes in rat liver induced by ethanol, phenobarbital, and 3-methylcholanthrene. *Toxicol Appl Pharmacol*. 102: 546-552. [http://dx.doi.org/10.1016/0041-008X\(90\)90049-Z](http://dx.doi.org/10.1016/0041-008X(90)90049-Z).
- Nakajima, T; Yamanoshita, O; Kamijima, M; Kishi, R; Ichihara, G. (2003). Generalized skin reactions in relation to trichloroethylene exposure: a review from the viewpoint of drug-metabolizing enzymes [Review]. *J Occup Health*. 45: 8-14.
- Nakanishi, S; Shiohara, E; Tsukada, M; Yamazaki, Y; Okumura, K. (1978). Acetaldehyde level in the blood and liver aldehyde dehydrogenase activities in trichloroethylene-treated rats. *Arch Toxicol*. 41: 207-214. <http://dx.doi.org/10.1007/BF00354092>.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health*. 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Narotsky, MG; Weller, EA; Chinchilli, VM; Kavlock, RJ. (1995). Nonadditive developmental toxicity in mixtures of trichloroethylene, di(2-ethylhexyl) phthalate, and heptachlor in a 5 x 5 x 5 design. *Fundam Appl Toxicol*. 27: 203-216. <http://dx.doi.org/10.1093/toxsci/27.2.203>.
- Navai, N; Wood, CG. (2012). Environmental and modifiable risk factors in renal cell carcinoma [Review]. *Urol Oncol*. 30: 220-224. <http://dx.doi.org/10.1016/j.urolonc.2011.10.001>.
- NCI. (1976). Carcinogenesis bioassay of trichloroethylene. (NCI-CG-TR-2). Bethesda, MD: U.S. Department of Health, Education, and Welfare, Public Health Service, National Institutes of Health. http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr002.pdf.
- Neghab, M; Qu, S; Bai, CL; Caples, J; Stacey, NH. (1997). Raised concentration of serum bile acids following occupational exposure to halogenated solvents, 1,1,2-trichloro-1,2,2-trifluoroethane and trichloroethylene. *Int Arch Occup Environ Health*. 70: 187-194. <http://dx.doi.org/10.1007/s004200050205>.
- Nelson, GM; Swank, AE; Brooks, LR; Bailey, KC; George, SE. (2001). Metabolism, microflora effects, and genotoxicity in haloacetic acid-treated cultures of rat cecal microbiota. *Toxicol Sci*. 60: 232-241. <http://dx.doi.org/10.1093/toxsci/60.2.232>.
- Nelson, J; Zenick, H. (1986). The effect of trichloroethylene on male sexual behavior: Possible opioid role. *Neurobehav Toxicol Teratol*. 8: 441-445.
- Nelson, MA; Bull, RJ. (1988). Induction of strand breaks in DNA by trichloroethylene and metabolites in rat and mouse liver in vivo. *Toxicol Appl Pharmacol*. 94: 45-54. [http://dx.doi.org/10.1016/0041-008X\(88\)90335-3](http://dx.doi.org/10.1016/0041-008X(88)90335-3).
- Nelson, MA; Lansing, AJ; Sanchez, IM; Bull, RJ; Springer, DL. (1989). Dichloroacetic acid and trichloroacetic acid-induced DNA strand breaks are independent of peroxisome proliferation. *Toxicology*. 58: 239-248. [http://dx.doi.org/10.1016/0300-483X\(89\)90139-X](http://dx.doi.org/10.1016/0300-483X(89)90139-X).
- Nelson, MA; Sanchez, IM; Bull, RJ; Sylvester, SR. (1990). Increased expression of c-myc and c-H-ras in dichloroacetate and trichloroacetate-induced liver tumors in B6C3F1 mice. *Toxicology*. 64: 47-57. [http://dx.doi.org/10.1016/0300-483X\(90\)90098-2](http://dx.doi.org/10.1016/0300-483X(90)90098-2).
- Nesslany, F; Marzin, D. (1999). A micromethod for the in vitro micronucleus assay. *Mutagenesis*. 14: 403-410. <http://dx.doi.org/10.1093/mutage/14.4.403>.
- Nestmann, ER; Chu, I; Kowbel, DJ; Matula, TI. (1980). Short-lived mutagen in Salmonella produced by reaction of trichloroacetic acid and dimethyl sulphoxide. *Can J Genet Cytol*. 22: 35-40. <http://dx.doi.org/10.1139/g80-006>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med*. 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Ni, Y; Wong, T; Kadlubar, F; Fu, P. (1994). Hepatic metabolism of chloral hydrate to free radical(s) and induction of lipid peroxidation. *Biochem Biophys Res Commun*. 204: 937-943. <http://dx.doi.org/10.1006/bbrc.1994.2550>.

Human Health Hazard Literature Search Results

On Topic

- Ni, YC; Kadlubar, FF; Fu, PP. (1995). Formation of malondialdehyde-modified 2'-deoxyguanosyl adduct from metabolism of chloral hydrate by mouse liver microsomes. *Biochem Biophys Res Commun.* 216: 1110-1117. <http://dx.doi.org/10.1006/bbrc.1995.2735>.
- Ni, YC; Wong, TY; Lloyd, RV; Heinze, TM; Shelton, S; Casciano, D; Kadlubar, FF; Fu, PP. (1996). Mouse liver microsomal metabolism of chloral hydrate, trichloroacetic acid, and trichloroethanol leading to induction of lipid peroxidation via a free radical mechanism. *Drug Metab Dispos.* 24: 81-90.
- Nickoloff, BJ; Ben-Neriah, Y; Pikarsky, E. (2005). Inflammation and cancer: Is the link as simple as we think? [Review]. *J Invest Dermatol.* 124: x-xiv. <http://dx.doi.org/10.1111/j.0022-202X.2005.23724.x>.
- NIEHS. (1998). Tumor incidence in control animals by route and vehicle of administration, B6C3F1 mice. Research Triangle Park, NC: National Institutes of Health, National Institute for Environmental Health Sciences.
- Nies, E. (2012). Ototoxic substances at the workplace: a brief update [Review]. *Arh Hig Rada Toksikol.* 63: 147-152. <http://dx.doi.org/10.2478/10004-1254-63-2012-2199>.
- Nietert, PJ; Sutherland, SE; Silver, RM; Pandey, JP; Knapp, RG; Hoel, DG; Dosemeci, M. (1998). Is occupational organic solvent exposure a risk factor for scleroderma? *Arthritis Rheum.* 41: 1111-1118. [http://dx.doi.org/10.1002/1529-0131\(199806\)41:6<1111::AID-ART19>3.0.CO;2-J](http://dx.doi.org/10.1002/1529-0131(199806)41:6<1111::AID-ART19>3.0.CO;2-J).
- Niklasson, M; Tham, R; Larsby, B; Eriksson, B. (1993). Effects of toluene, styrene, trichloroethylene, and trichloroethane on the vestibulo- and opto-oculo motor system in rats. *Neurotoxicol Teratol.* 15: 327-334.
- NIOSH. (1992). Health hazard evaluation report, HETA 86-469-2189, James River Corporation, Newnan, Georgia. (HETA 86-469-2189). Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0469-2189.pdf>.
- Noland-Gerbec, EA; Pfohl, RJ; Taylor, DH; Bull, RJ. (1986). 2-Deoxyglucose uptake in the developing rat brain upon pre- and postnatal exposure to trichloroethylene. *Neurotoxicology.* 7: 157-164.
- Nomiyama, H; Nomiyama, K. (1979). Pathway and rate of metabolism of trichloroethylene in rats and rabbits. *Ind Health.* 17: 29-37.
- Nomiyama, K; Nomiyama, H. (1971). Metabolism of trichloroethylene in human: Sex difference in urinary excretion of trichloroacetic acid and trichloroethanol. *Int Arch Occup Environ Health.* 28: 37-48. <http://dx.doi.org/10.1007/BF00539728>.
- Nordström, M; Hardell, L; Magnuson, A; Hagberg, H; Rask-Andersen, A. (1998). Occupational exposures, animal exposure and smoking as risk factors for hairy cell leukaemia evaluated in a case-control study. *Br J Cancer.* 77: 2048-2052.
- NRC. (2006). Assessing the human health risks of trichloroethylene: Key scientific issues. Washington, DC: The National Academies Press. http://www.nap.edu/catalog.php?record_id=11707.
- NRC. (2009). Contaminated water supplies at Camp Lejeune: Assessing potential health effects. Washington, DC: National Academies Press. http://www.nap.edu/catalog.php?record_id=12618.
- NTP. (1988). Toxicology and carcinogenesis studies of trichloroethylene (CAS No. 79-01-6) in four strains of rats (ACI, August, Marshall, Osborne-Mendel) (gavage studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr273.pdf.
- NTP. (1990). Carcinogenesis studies of trichloroethylene (without epichlorohydrin) (CAS No. 79-01-6) in F344/N rats and B6C3F1 mice (gavage studies). In Technical Report Series. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr243.pdf.
- NTP. (2011). Trichloroethylene. 12: 420-424.
- Nunes, J; Ehrich, M; Robertson, J. (2001). Toxicosis associated with dual oral exposure of rats to lead and trichloroethylene. *Toxicol Pathol.* 29: 451-457.
- Nutley, E; Tcheong, A; Allen, J; Collins, B; Ma, M; Lowe, X; Bishop, J; Moore, D; Wyrobek, A. (1996). Micronuclei induced in round spermatids of mice after stem-cell treatment with chloral hydrate: evaluations with centromeric DNA probes and kinetochore antibodies. *Environ Mol Mutagen.* 28: 80-89. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)28:2<80::AID-EM3>3.0.CO;2-I](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)28:2<80::AID-EM3>3.0.CO;2-I).
- NYSDOH. (2005). Trichloroethene air criteria document. Draft report. Troy, NY: New York State Department of Health, Center for Environmental Health.
- NYSDOH. (2006). Trichloroethene air criteria document: Final report. Troy, NY: New York State Department of Health, Center for Environmental Health, Bureau of Toxic Substance Assessment. http://www.health.ny.gov/environmental/chemicals/trichloroethene/docs/cd_tce.pdf.
- Odum, J; Foster, JR; Green, T. (1992). A mechanism for the development of Clara cell lesions in the mouse lung after exposure to trichloroethylene. *Chem Biol Interact.* 83: 135-153. [http://dx.doi.org/10.1016/0009-2797\(92\)90042-J](http://dx.doi.org/10.1016/0009-2797(92)90042-J).
- Ogata, M; Takatsuka, Y; Tomokuni, K. (1971). Excretion of organic chlorine compounds in the urine of persons exposed to vapours of trichloroethylene and tetrachloroethylene. *Occup Environ Med.* 28: 386-391. <http://dx.doi.org/10.1136/oem.28.4.386>.
- Ohta, M; Saito, T; Saito, K; Kurasaki, M; Hosokawa, T. (2001). Effect of trichloroethylene on spatiotemporal pattern of LTP in mouse hippocampal slices. *Int J Neurosci.* 111: 257-271. <http://dx.doi.org/10.3109/00207450108994236?journalCode=nes>.
- Okino, MS; Chiu, WA; Evans, MV; Power, FW; Lipscomb, JC; Tornero-Velez, R; Dary, CC; Blancato, JN; Chen, C. (2005). Suitability of using in vitro and computationally estimated parameters in simplified pharmacokinetic models. *Drug Metab Rev.* 37: 162.
- Okino, T; Nakajima, T; Nakano, M. (1991). Morphological and biochemical analyses of trichloroethylene hepatotoxicity: Differences in ethanol- and phenobarbital-pretreated rats. *Toxicol Appl Pharmacol.* 108: 379-389. [http://dx.doi.org/10.1016/0041-008X\(91\)90084-R](http://dx.doi.org/10.1016/0041-008X(91)90084-R).
- Olie, JD; Bessems, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere.* 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.

Human Health Hazard Literature Search Results

On Topic

- Olie, JDN; Boerleider, RZ; Devries, I; Meulenbelt, J; Hunault, CC. (2013). Assessing the inter-individual variability of toxicokinetic processes of trichloroethylene (TCE) in humans. *Toxicol Lett.* 221: S79-S79. <http://dx.doi.org/10.1016/j.toxlet.2013.05.079>.
- Olshan, AF; De Roos, AJ; Teschke, K; Neglia, JP; Stram, DO; Pollock, BH; Castleberry, RP. (1999). Neuroblastoma and parental occupation. *Cancer Causes Control.* 10: 539-549. <http://dx.doi.org/10.1023/A:1008998925889>.
- Olsson, A; Skogh, T; Axelson, O; Wingren, G. (2004). Occupations and exposures in the work environment as determinants for rheumatoid arthritis. *Occup Environ Med.* 61: 233-238. <http://dx.doi.org/10.1136/oem.2003.007971>.
- Olsson, A; Skogh, T; Wingren, G. (2000). Occupational determinants for rheumatoid arthritis. *Scand J Work Environ Health.* 26: 243-249.
- Ono, Y; Somiya, I; Kawamura, M. (1991). The evaluation of genotoxicity using DNA repairing test for chemicals produced in chlorination and ozonation processes. *Water Sci Technol.* 23: 329-338.
- Opdam, JJ. (1989). Intra and interindividual variability in the kinetics of a poorly and highly metabolising solvent. *Br J Ind Med.* 46: 831-845. <http://dx.doi.org/10.1136/oem.46.12.831>.
- Orsi, L; Monnereau, A; Dananche, B; Berthou, C; Fenaux, P; Marit, G; Soubeyran, P; Huguet, F; Milpied, N; Leporrier, M; Hemon, D; Troussard, X; Clavel, J. (2010). Occupational exposure to organic solvents and lymphoid neoplasms in men: Results of a French case-control study. *Occup Environ Med.* 67: 664-672. <http://dx.doi.org/10.1136/oem.2009.049460>.
- Oshiro, W; Krantz, Q; Bushnell, P. (2004). A search for residual behavioral effects of trichloroethylene in rats exposed as young adults. *Neurotoxicol Teratol.* 26: 239-251. <http://dx.doi.org/10.1016/j.ntt.2003.12.005>.
- Otsuki, N; Homma, T; Fujiwara, H; Kaneko, K; Hozumi, Y; Shichiri, M; Takashima, M; Ito, J; Konno, T; Kurahashi, T; Yoshida, Y; Goto, K; Fujii, S; Fujii, J. (2016). Trichloroethylene exposure aggravates behavioral abnormalities in mice that are deficient in superoxide dismutase. *Regul Toxicol Pharmacol.* 79: 83-90. <http://dx.doi.org/10.1016/j.yrtph.2016.05.007>.
- Ou, J; Ou, Z; Mccarver, D; Hines, R; Oldham, K; Ackerman, A; Pritchard, K. (2003). Trichloroethylene decreases heat shock protein 90 interactions with endothelial nitric oxide synthase: implications for endothelial cell proliferation. *Toxicol Sci.* 73: 90-97. <http://dx.doi.org/10.1093/toxsci/kfg062>.
- Owens, AH, Jr; Marshall, EK, Jr. (1955). Further studies on the metabolic rate of chloral hydrate and trichloroethanol. *Bull Johns Hopkins Hosp.* 97: 320-326.
- Palbykin, B; Borg, J; Caldwell, PT; Rowles, J; Papoutsis, AJ; Romagnolo, DF; Selmin, OI. (2011). Trichloroethylene Induces Methylation of the Serca2 Promoter in H9c2 Cells and Embryonic Heart. *Cardiovasc Toxicol.* 11: 204-214. <http://dx.doi.org/10.1007/s12012-011-9113-3>.
- Palin, O; Herd, C; Morrison, KE; Jagielski, AC; Wheatley, K; Thomas, GN; Clarke, CE. (2015). Systematic review and meta-analysis of hydrocarbon exposure and the risk of Parkinson's disease [Review]. 21: 243-248. <http://dx.doi.org/10.1016/j.parkreldis.2014.12.017>.
- Pan, Y; Wei, X; Hao, W. (2015). Trichloroethylene and Its Oxidative Metabolites Enhance the Activated State and Th1 Cytokine Gene Expression in Jurkat Cells. *Int J Environ Res Public Health.* 12: 10575-10586. <http://dx.doi.org/10.3390/ijerph120910575>.
- Pannett, B; Coggon, D; Acheson, E. (1985). A job-exposure matrix for use in population based studies in England and Wales. *Br J Ind Med.* 42: 777-783.
- Parent, ME; Hua, Y; Siemiatycki, J. (2000). Occupational risk factors for renal cell carcinoma in Montreal. *Am J Ind Med.* 38: 609-618.
- Parent, ME; Siemiatycki, J; Fritschi, L. (2000). Workplace exposures and oesophageal cancer. *Occup Environ Med.* 57: 325-334.
- Park, PA; Gilmore, MI; Selgrade, MK. (1993). Pulmonary defenses to streptococcal infection following acute exposure to trichloroethylene (TCE) or chloroform (CHCl₃). *Toxicologist.* 13: 107.
- Park, SK, i; Nam, S, ukWoo; Ryu, J, aeC; Ham, J, ooH; Lee, M, iy. (2010). Proteomic analysis of rat liver proteins differentially induced by trichloroethylene. *BioChip Journal.* 4: 57-62. <http://dx.doi.org/10.1007/s13206-010-4109-9>.
- Parkin, DM; Whelan, SL; Ferlay, J; Teppo, L; Thomas, DB. (2002). Cancer incidence in five continents: Volume VIII. In DM Parkin; SL Whelan; J Ferlay; L Teppo; DB Thomas (Eds.), IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=155>.
- Parks, CG; De Roos, AJ. (2014). Pesticides, chemical and industrial exposures in relation to systemic lupus erythematosus [Review]. *Lupus.* 23: 527-536. <http://dx.doi.org/10.1177/0961203313511680>.
- Parnell, MJ; Koller, LD; Exon, JH; Arnzen, JM. (1986). Trichloroacetic acid effects on rat liver peroxisomes and enzyme-altered foci. *Environ Health Perspect.* 69: 73-79.
- Parrish, JM; Austin, EW; Stevens, DK; Kinder, DH; Bull, RJ. (1996). Haloacetate-induced oxidative damage to DNA in the liver of male B6C3F1 mice. *Toxicology.* 110: 103-111. [http://dx.doi.org/10.1016/0300-483X\(96\)03342-2](http://dx.doi.org/10.1016/0300-483X(96)03342-2).
- Parry, JM; Parry, EM; Bournier, R; Doherty, A; Ellard, S; O'Donovan, J; Hoebee, B; de Stoppelaar, JM; Mohn, GR; Onfelt, A; Renglin, A; Schultz, N; Soderpalm-Berndes, C; Jensen, KG; Kirsch-Volders, M; Elhajouji, A; Van Hummelen, P; Degraasi, F; Antoccia, A; Cimini, D; Izzo, M; Tanzarella, C; Adler, ID; Kliesch, U; Schriever-Schwemmer, G; Gasser, P; Crebelli, R; Carere, A; Andreoli, C; Benigni, R; Leopardi, P; Marcon, F; Zinjo, Z; Natarajan, AT; Boei, J; Kappas, A; Voutsinas, G; Zarani, FE; Patrinely, A; Pachierotti, F; Tiveron, C; Hess, P. (1996). The detection and evaluation of aneugenic chemicals [Review]. *Mutat Res.* 353: 11-46. [http://dx.doi.org/10.1016/0027-5107\(95\)00242-1](http://dx.doi.org/10.1016/0027-5107(95)00242-1).
- Partanen, T; Heikkila, P; Hernberg, S; Kauppinen, T; Moneta, G; Ojarjarvi, A. (1991). Renal cell cancer and occupational exposure to chemical agents. *Scand J Work Environ Health.* 17: 231-239.
- Pastino, GM; Yap, WY; Carroquino, M. (2000). Human variability and susceptibility to trichloroethylene [Review]. *Environ Health Perspect.* 108: 201-214.
- Paykoc, ZV; Powell, JF. (1945). The excretion of sodium trichloroacetate. *J Pharmacol Exp Ther.* 85: 289-293.

Human Health Hazard Literature Search Results

On Topic

- Peden-Adams, MM; Eudaly, JG; Heesemann, LM; Smythe, J; Miller, J; Gilkeson, GS; Keil, DE. (2006). Developmental immunotoxicity of trichloroethylene (TCE): Studies in B6C3F1 mice. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 41: 249-271. <http://dx.doi.org/10.1080/10934520500455289>.
- Peden-Adams, MM; Eudaly, JG; Lee, AM; Miller, J; Keil, DE; Gilkeson, GS. (2008). Lifetime exposure to trichloroethylene (TCE) does not accelerate autoimmune disease in MRL +/+ mice. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 43: 1402-1409. <http://dx.doi.org/10.1080/10934520802232063>.
- Pelekis, M; Gephart, LA; Lerman, SE. (2001). Physiological-model-based derivation of the adult and child pharmacokinetic intraspecies uncertainty factors for volatile organic compounds. *Regul Toxicol Pharmacol.* 33: 12-20. <http://dx.doi.org/10.1006/rtph.2000.1436>.
- Perbellini, L; Olivato, D; Zedde, A; Miglioranza, R. (1991). Acute trichloroethylene poisoning by ingestion: Clinical and pharmacokinetic aspects. *Intensive Care Med.* 17: 234-235. <http://dx.doi.org/10.1007/BF01709883>.
- Pereira, MA. (1996). Carcinogenic activity of dichloroacetic acid and trichloroacetic acid in the liver of female B6C3F1 mice. *Fundam Appl Toxicol.* 31: 192-199. <http://dx.doi.org/10.1006/faat.1996.0091>.
- Pereira, MA; Kramer, PM; Conran, PB; Tao, L. (2001). Effect of chloroform on dichloroacetic acid and trichloroacetic acid-induced hypomethylation and expression of the c-myc gene and on their promotion of liver and kidney tumors in mice. *Carcinogenesis.* 22: 1511-1519. <http://dx.doi.org/10.1093/carcin/22.9.1511>.
- Pereira, MA; Li, K; Kramer, PM. (1997). Promotion by mixtures of dichloroacetic acid and trichloroacetic acid of N-methyl-N-nitrosourea-initiated cancer in the liver of female B6C3F1 mice. *Cancer Lett.* 115: 15-23. [http://dx.doi.org/10.1016/S0304-3835\(97\)04699-5](http://dx.doi.org/10.1016/S0304-3835(97)04699-5).
- Pereira, MA; Phelps, JB. (1996). Promotion by dichloroacetic acid and trichloroacetic acid of N-methyl-N-nitrosourea-initiated cancer in the liver of female B6C3F1 mice. *Cancer Lett.* 102: 133-141. [http://dx.doi.org/10.1016/0304-3835\(96\)04156-0](http://dx.doi.org/10.1016/0304-3835(96)04156-0).
- Pereira, MA; Wang, W; Kramer, PM; Tao, L. (2004). Prevention by methionine of dichloroacetic acid-induced liver cancer and DNA hypomethylation in mice. *Toxicol Sci.* 77: 243-248. <http://dx.doi.org/10.1093/toxsci/kfh031>.
- Perocco, P; Prodi, G. (1981). DNA damage by haloalkanes in human lymphocytes cultured in vitro. *Cancer Lett.* 13: 213-218. [http://dx.doi.org/10.1016/0304-3835\(81\)90020-3](http://dx.doi.org/10.1016/0304-3835(81)90020-3).
- Persson, B; Dahlander, AM; Fredriksson, M; Brage, HN; Ohlson, CG; Axelson, O. (1989). Malignant lymphomas and occupational exposures. *Br J Ind Med.* 46: 516-520.
- Persson, B; Fredrikson, M. (1999). Some risk factors for non-Hodgkin's lymphoma. *Int J Occup Med Environ Health.* 12: 135-142.
- Persson, B; Fredriksson, M; Olsen, K; Boeryd, B; Axelson, O. (1993). Some occupational exposures as risk factors for malignant lymphomas. *Cancer.* 72: 1773-1778.
- Pesch, B; Haerting, J; Ranft, U; Klimpel, A; Oelschlägel, B; Schill, W. (2000). Occupational risk factors for renal cell carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol.* 29: 1014-1024. <http://dx.doi.org/10.1093/ije/29.6.1014>.
- Pesch, B; Haerting, J; Ranft, U; Klimpel, A; Oelschlägel, B; Schill, W. (2000). Occupational risk factors for urothelial carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol.* 29: 238-247. <http://dx.doi.org/10.1093/ije/29.2.238>.
- Peters, JM; Preston-Martin, S; Yu, MC. (1981). Brain tumors of children and occupational exposures of parents. *Science.* 213: 235-237. <http://dx.doi.org/10.1126/science.7244631>.
- Pfaffenberger, CD; Peoples, AJ; Enos, HF. (1980). Distribution of volatile halogenated organic compounds between rat blood serum and adipose tissue. *Int J Environ Anal Chem.* 8: 55-65. <http://dx.doi.org/10.1080/03067318008071879>.
- Phillips, T; Macdonald, R. (1971). Comparative effect of pethidine, trichloroethylene, and Entonox on fetal and neonatal acid-base and PO₂. *Br Med J.* 3: 558-560.
- Pirro, V; Guffey, SC; Sepúlveda, MS; Mahapatra, CT; Ferreira, CR; Jarmusch, AK; Cooks, RG. (2016). Lipid dynamics in zebrafish embryonic development observed by DESI-MS imaging and nano-electrospray-MS. *Mol Biosyst.* 12: 2069-2079. <http://dx.doi.org/10.1039/c6mb00168h>.
- Plewa, MJ; Kargalioglu, Y; Vankerk, D; Minear, RA; Wagner, ED. (2002). Mammalian cell cytotoxicity and genotoxicity analysis of drinking water disinfection by-products. *Environ Mol Mutagen.* 40: 134-142. <http://dx.doi.org/10.1002/em.10092>.
- Poet, TS; Corley, RA; Thrall, KD; Edwards, JA; Tanojo, H; Weitz, KK; Hui, X; Maibach, HI; Wester, RC. (2000). Assessment of the percutaneous absorption of trichloroethylene in rats and humans using MS/MS real-time breath analysis and physiologically based pharmacokinetic modeling. *Toxicol Sci.* 56: 61-72.
- Pogribny, IP; Tryndyak, VP; Woods, CG; Witt, SE; Rusyn, I. (2007). Epigenetic effects of the continuous exposure to peroxisome proliferator WY-14,643 in mouse liver are dependent upon peroxisome proliferator activated receptor alpha. *Mutat Res-Fundam Mol Mech Mutagen.* 625: 62-71. <http://dx.doi.org/10.1016/j.mrfmmm.2007.05.004>.
- Porru, S; Placidi, D; Carta, A; Gelatti, U; Ribero, ML; Tagger, A; Boffetta, P; Donato, F. (2001). Primary liver cancer and occupation in men: A case-control study in a high-incidence area in northern Italy. *Int J Cancer.* 94: 878-883. <http://dx.doi.org/10.1002/ijc.1538>.
- Porter, R. (1993). Follow-up of childhood leukemia incidence rate in Maricopa County standardized incidence ratio of area F to area R for 1987. Phoenix, AZ: Arizona Department of Health Services.
- Povey, A; Guppy, M; Wood, M; Knight, C; Black, C; Silman, A. (2001). Cytochrome P2 polymorphisms and susceptibility to scleroderma following exposure to organic solvents. *Arthritis Rheum.* 44: 662-665. [http://dx.doi.org/10.1002/1529-0131\(200103\)44:3<662::AID-ANR115>3.0.CO;2-P](http://dx.doi.org/10.1002/1529-0131(200103)44:3<662::AID-ANR115>3.0.CO;2-P).
- Powell, JF. (1945). Trichloroethylene: Absorption, elimination and metabolism. *Br J Ind Med.* 2: 142-145.
- Pravecek, TL; Channel, SR; Schmidt, WJ; Kidney, JK. (1996). Cytotoxicity and metabolism of dichloroacetic acid and trichloroacetic acid in B6C3F1 mouse liver tissue. *In Vitro Toxicol.* 9: 261-269.

Human Health Hazard Literature Search Results

On Topic

- Prendergast, JA; Jones, RA; Jenkins, LJ, Jr; Siegel, J. (1967). Effects on experimental animals of long-term inhalation of trichloroethylene, carbon tetrachloride, 1,1,1-trichloroethane, dichlorodifluoromethane, and 1,1-dichloroethylene. *Toxicol Appl Pharmacol.* 10: 270-289.
- Press, DJ; Mckinley, M; Deapen, D; Clarke, CA; Gomez, SL. (2016). Residential cancer cluster investigation nearby a Superfund Study Area with trichloroethylene contamination. *Cancer Causes Control.* 27: 607-613. <http://dx.doi.org/10.1007/s10552-016-0734-5>.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research.* 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Price, PJ; Hassett, CM; Mansfield, JI. (1978). Transforming activities of trichloroethylene and proposed industrial alternatives. *In Vitro.* 14: 290-293.
- Price, RG; Taylor, SA; Chivers, I; Arce-Tomas, M; Crutcher, E; Franchini, I; Slinovi, R; Cavazzini, S; Bergamaschi, E; Mutti, A; Vettori, MV; Lauwerys, R; Bernard, A; Kabanda, A; Roels, H; Thielemans, N; Hotz, P; De Broe, ME; Elseviers, MM; Nuyts, GD; Gelpi, E; Hotter, G; Rosello, J; Ramis, I; Stolte, H; Fels, LM; Eisenberger, U. (1996). Development and validation of new screening tests for nephrotoxic effects [Review]. *Hum Exp Toxicol.* 15: S10-S19.
- Prout, MS; Provan, WM; Green, T. (1985). Species differences in response to trichloroethylene: I. Pharmacokinetics in rats and mice. *Toxicol Appl Pharmacol.* 79: 389-400.
- Purdue, MP. (2013). Trichloroethylene and Cancer [Editorial]. *J Natl Cancer Inst.* 105: 844-846. <http://dx.doi.org/10.1093/jnci/djt131>.
- Purdue, MP; Bakke, B; Stewart, P; De Roos, AJ; Schenk, M; Lynch, CF; Bernstein, L; Morton, LM; Cerhan, JR; Severson, RK; Cozen, W; Davis, S; Rothman, N; Hartge, P; Colt, JS. (2011). A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect.* 119: 232-238. <http://dx.doi.org/10.1289/ehp.1002106>.
- Purdue, MP; Severson, RK; Colt, JS; Stewart, P; De Roos, AJ; Cerhan, JR; Cozen, W; Davis, S; Hartge, P; Schenk, M; Blair, A. (2009). Degreasing and risk of non-Hodgkin lymphoma. *Occup Environ Med.* 66: 557-560. <http://dx.doi.org/10.1136/oem.2008.040386>.
- Purdue, MP; Stewart, PA; Friesen, MC; Colt, JS; Locke, SJ; Hein, MJ; Waters, MA; Graubard, BI; Davis, F; Ruterbusch, J; Schwartz, K; Chow, WH; Rothman, N; Hofmann, JN. (2016). Occupational exposure to chlorinated solvents and kidney cancer: a case-control study. *Occup Environ Med.* <http://dx.doi.org/10.1136/oemed-2016-103849>.
- Qin, H; Xu, Q. (2010). [Two cases of sudden death from trichloroethylene poisoning]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 28: 799.
- Raaschou-Nielsen, O; Hansen, J; Christensen, JM; Blot, WJ; Mclaughlin, JK; Olsen, JH. (2001). Urinary concentrations of trichloroacetic acid in Danish workers exposed to trichloroethylene, 1947-1985. *Am J Ind Med.* 39: 320-327.
- Raaschou-Nielsen, O; Hansen, J; Mclaughlin, JK; Kolstad, H; Christensen, JM; Tarone, RE; Olsen, JH. (2003). Cancer risk among workers at Danish companies using trichloroethylene: A cohort study. *Am J Epidemiol.* 158: 1182-1192. <http://dx.doi.org/10.1093/aje/kwg282>.
- Racette, BA. (2014). Risk of Parkinson Disease Associated with Solvent Exposures in Finland.
- Racette, BA. (2015). Risk of Parkinson Disease Associated with Solvent Exposures in Finland.
- Radican, L; Blair, A; Stewart, P; Wartenberg, D. (2008). Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: Extended follow-up. *J Occup Environ Med.* 50: 1306-1319. <http://dx.doi.org/10.1097/JOM.0b013e3181845f7f>.
- Radican, L; Wartenberg, D; Rhoads, G; Schneider, D; Wedeen, R; Stewart, P; Blair, A. (2006). A retrospective occupational cohort study of end-stage renal disease in aircraft workers exposed to trichloroethylene and other hydrocarbons. *J Occup Environ Med.* 48: 1-12. <http://dx.doi.org/10.1097/01.jom.0000190300.51629.e0>.
- Ramanakumar, AV; Nadon, L; Siemiatycki, J. (2008). Exposures in painting related occupations and risk of selected cancers: Results from a case-control study in Montreal. *Am J Ind Med.* 51: 419-427. <http://dx.doi.org/10.1002/ajim.20564>.
- Ramdhan, DH; Kamijima, M; Wang, D; Ito, Y; Naito, H; Yanagiba, Y; Hayashi, Y; Tanaka, N; Aoyama, T; Gonzalez, FJ; Nakajima, T. (2010). Differential response to trichloroethylene-induced hepatosteatosis in wild-type and PPAR α -humanized mice. *Environ Health Perspect.* 118: 1557-1563. <http://dx.doi.org/10.1289/ehp.1001928>.
- Ramdhan, DH; Kamijima, M; Yamada, N; Ito, Y; Yanagiba, Y; Nakamura, D; Okamura, A; Ichihara, G; Aoyama, T; Gonzalez, FJ; Nakajima, T. (2008). Molecular mechanism of trichloroethylene-induced hepatotoxicity mediated by CYP2E1. *Toxicol Appl Pharmacol.* 231: 300-307. <http://dx.doi.org/10.1016/j.taap.2008.04.020>.
- Rapson, WH; Nazar, MA; Butsky, VV. (1980). Mutagenicity produced by aqueous chlorination of organic compounds. *Bull Environ Contam Toxicol.* 24: 590-596. <http://dx.doi.org/10.1007/BF01608160>.
- Rasmussen, K; Arlien-Søborg, P; Sabroe, S. (1993). Clinical neurological findings among metal degreasers exposed to chlorinated solvents. *Acta Neurol Scand.* 87: 200-204. <http://dx.doi.org/10.1111/j.1600-0404.1993.tb04101.x>.
- Rasmussen, K; Brogren, CH; Sabroe, S. (1993). Subclinical affection of liver and kidney function and solvent exposure. *Int Arch Occup Environ Health.* 64: 445-448. <http://dx.doi.org/10.1007/BF00517951>.
- Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993). Psychometric tests for assessment of brain function after solvent exposure. *Am J Ind Med.* 24: 553-565. <http://dx.doi.org/10.1002/ajim.4700240506>.
- Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993). Solvent-induced chronic toxic encephalopathy. *Am J Ind Med.* 23: 779-792. <http://dx.doi.org/10.1002/ajim.4700230511>.
- Rasmussen, K; Sabroe, S. (1986). Neuropsychological symptoms among metal workers exposed to halogenated hydrocarbons. *Scand J Soc Med.* 14: 161-168.
- Rasmussen, K; Sabroe, S; Wohlert, M; Ingerslev, HJ; Kappel, B; Nielsen, J. (1988). A genotoxic study of metal workers exposed to trichloroethylene Sperm parameters and chromosome aberrations in lymphocytes. *Int Arch Occup Environ Health.* 60: 419-423.

Human Health Hazard Literature Search Results

On Topic

- Rastkari, N; Yunesian, M; Ahmadkhaniha, R. (2011). Exposure Assessment to Trichloroethylene and Perchloroethylene for Workers in the Dry Cleaning Industry. *Bull Environ Contam Toxicol.* 86: 363-367. <http://dx.doi.org/10.1007/s00128-011-0244-9>.
- Ray, JL; Kopec, AK; Joshi, N; Cline-Fedewa, H; Lash, LH; Williams, KJ; Leung, PS; Gershwin, ME; Luyendyk, JP. (2017). Trichloroethylene exposure reduces liver injury in a mouse model of primary biliary cholangitis. *Toxicol Sci.* <http://dx.doi.org/10.1093/toxsci/kfw264>.
- Rebert, CS; Boyes, WK; Pryor, GT; Svendsgaard, DJ; Kassay, KM; Gordon, GR; Shinsky, N. (1993). Combined effects of solvents on the rat's auditory system: Styrene and trichloroethylene. *Int J Psychophysiol.* 14: 49-59.
- Rebert, CS; Day, VL; Matteucci, MJ; Pryor, GT. (1991). Sensory-evoked potentials in rats chronically exposed to trichloroethylene: Predominant auditory dysfunction. *Neurotoxicol Teratol.* 13: 83-90.
- Rebert, CS; Schwartz, RW; Svendsgaard, DJ; Pryor, GT; Boyes, WK. (1995). Combined effects of paired solvents on the rat's auditory system. *Toxicology.* 105: 345-354. [http://dx.doi.org/10.1016/0300-483X\(95\)03232-5](http://dx.doi.org/10.1016/0300-483X(95)03232-5).
- Rehman, MU; Tahir, M, ir; Khan, AQ; Khan, R; Lateef, A; Hamiza, OO; Ali, F; Sultana, S. (2013). Diosmin protects against trichloroethylene-induced renal injury in Wistar rats: plausible role of p53, Bax and caspases. *Br J Nutr.* 110: 699-710. <http://dx.doi.org/10.1017/S0007114512005752>.
- Reif, JS; Burch, JB; Nuckols, JR; Metzger, L; Ellington, D; Anger, WK. (2003). Neurobehavioral effects of exposure to trichloroethylene through a municipal water supply. *Environ Res.* 93: 248-258. [http://dx.doi.org/10.1016/S0013-9351\(03\)00131-2](http://dx.doi.org/10.1016/S0013-9351(03)00131-2).
- Reis, J; Benbrick, E; Bonnetterre, V; Spencer, PS. (2016). Parkinson's disease and solvents: Is there a causal link? *Rev Neurol (Paris).* 172: 761-765. <http://dx.doi.org/10.1016/j.neurol.2016.09.012>.
- Ren, X; Li, J; Xia, B; Liu, W; Yang, X; Hong, WX; Huang, P; Wang, Y; Li, S; Zou, F; Liu, J. (2015). Phosphoproteomic analyses of L-02 liver cells exposed to trichloroethylene. *Toxicol Mech Meth.* 25: 459-466. <http://dx.doi.org/10.3109/15376516.2015.1045655>.
- Ren, X; Yang, X; Hong, WX; Huang, P; Wang, Y; Liu, W; Ye, J; Huang, H; Huang, X; Shen, L; Yang, L; Zhuang, Z; Liu, J. (2014). Identification of the proteins related to SET-mediated hepatic cytotoxicity of trichloroethylene by proteomic analysis. *Toxicol Lett.* 227: 12-19. <http://dx.doi.org/10.1016/j.toxlet.2014.02.028>.
- Rennix, CP; Quinn, MM; Amoroso, PJ; Eisen, EA; Wegman, DH. (2005). Risk of breast cancer among enlisted Army women occupationally exposed to volatile organic compounds. *Am J Ind Med.* 48: 157-167. <http://dx.doi.org/10.1002/ajim.20201>.
- Rhomberg, LR. (2000). Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals [Review]. *Environ Health Perspect.* 108: 343-358.
- Rice, D; Barone, S, Jr. (2000). Critical periods of vulnerability for the developing nervous system: Evidence from humans and animal models [Review]. *Environ Health Perspect.* 108: 511-533. <http://dx.doi.org/10.2307/3454543>.
- Richard, A; Hunter, E. (1996). Quantitative structure-activity relationships for the developmental toxicity of haloacetic acids in mammalian whole embryo culture. *Teratology.* 53: 352-360. [http://dx.doi.org/10.1002/\(SICI\)1096-9926\(199606\)53:6<352::AID-TERA6>3.0.CO;2-1](http://dx.doi.org/10.1002/(SICI)1096-9926(199606)53:6<352::AID-TERA6>3.0.CO;2-1).
- Richardson, DB; Terschüren, C; Hoffmann, W. (2008). Occupational risk factors for non-Hodgkin's lymphoma: a population-based case-control study in Northern Germany. *Am J Ind Med.* 51: 258-268. <http://dx.doi.org/10.1002/ajim.20552>.
- Richmond, RE; Carter, JH; Carter, HW; Daniel, FB; DeAngelo, AB. (1995). Immunohistochemical analysis of dichloroacetic acid (DCA)-induced hepatocarcinogenesis in male Fischer (F344) rats. *Cancer Lett.* 92: 67-76. [http://dx.doi.org/10.1016/0304-3835\(94\)03756-9](http://dx.doi.org/10.1016/0304-3835(94)03756-9).
- Rieutort, D; Moyne, O; Cocco, P; de Gaudemaris, R; Bicoût, DJ. (2016). Ranking occupational contexts associated with risk of non-Hodgkin lymphoma. *Am J Ind Med.* 59: 561-574. <http://dx.doi.org/10.1002/ajim.22604>.
- Ritz, B. (1999). Cancer mortality among workers exposed to chemicals during uranium processing. *J Occup Environ Med.* 41: 556-566.
- Robbiano, L; Baroni, D; Carrozzino, R; Mereto, E; Brambilla, G. (2004). DNA damage and micronuclei induced in rat and human kidney cells by six chemicals carcinogenic to the rat kidney. *Toxicology.* 204: 187-195. <http://dx.doi.org/10.1016/j.tox.2004.06.057>.
- Robbiano, L; Mereto, E; Migliazzi Morando, A; Pastore, P; Brambilla, G. (1998). Increased frequency of micronucleated kidney cells in rats exposed to halogenated anaesthetics. *Mutat Res.* 413: 1-6. [http://dx.doi.org/10.1016/S1383-5718\(97\)00187-3](http://dx.doi.org/10.1016/S1383-5718(97)00187-3).
- Rodenbeck, S; Sanderson, L; Rene, A. (2000). Maternal exposure to trichloroethylene in drinking water and birth-weight outcomes. *Arch Environ Health.* 55: 188-194. <http://dx.doi.org/10.1080/00039890009603405>.
- Rodriguez, CE; Mahle, DA; Gearhart, JM; Mattie, DR; Lipscomb, JC; Cook, RS; Barton, HA. (2007). Predicting age-appropriate pharmacokinetics of six volatile organic compounds in the rat utilizing physiologically based pharmacokinetic modeling. *Toxicol Sci.* 98: 43-56. <http://dx.doi.org/10.1093/toxsci/kfm082>.
- Rossi, AM; Migliore, L; Barale, R; Loprieno, N. (1983). In vivo and in vitro mutagenicity studies of a possible carcinogen, trichloroethylene, and its two stabilizers, epichlorohydrin and 1,2-epoxybutane. *Teratog Carcinog Mutagen.* 3: 75-87.
- Rouhou, MC; Charest-Tardif, G; Haddad, S. (2015). In vivo effects of naproxen, salicylic acid, and valproic acid on the pharmacokinetics of trichloroethylene and metabolites in rats. *J Toxicol Environ Health A.* 78: 671-684. <http://dx.doi.org/10.1080/15287394.2015.1020977>.
- Rouhou, MC; Rheault, I; Haddad, S. (2013). Modulation of trichloroethylene in vitro metabolism by different drugs in rats. *Toxicol In Vitro.* 27: 34-43. <http://dx.doi.org/10.1016/j.tiv.2012.10.005>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2013). Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case-control study. *Environ Health.* 12: 104. <http://dx.doi.org/10.1186/1476-069X-12-104>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2014). Evaluation of contaminated drinking water and preterm birth, small for gestational age, and birth weight at Marine Corps Base Camp Lejeune, North Carolina: a cross-sectional study. *Environ Health.* 13: 99. <http://dx.doi.org/10.1186/1476-069X-13-99>.

Human Health Hazard Literature Search Results

On Topic

- Ruckart, PZ; Bove, FJ; Shanley, E; Maslia, M. (2015). Evaluation of contaminated drinking water and male breast cancer at Marine Corps Base Camp Lejeune, North Carolina: a case control study. *Environ Health*. 14: 74. <http://dx.doi.org/10.1186/s12940-015-0061-4>.
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med*. 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rufer, ES; Hacker, TA; Flentke, GR; Drake, VJ; Brody, MJ; Lough, J; Smith, SM. (2010). Altered cardiac function and ventricular septal defect in avian embryos exposed to low-dose trichloroethylene. *Toxicol Sci*. 113: 444-452. <http://dx.doi.org/10.1093/toxsci/kfp269>.
- Ruijten, MW; Verberk, MM; Sallé, HJ. (1991). Nerve function in workers with long term exposure to trichloroethene. *Br J Ind Med*. 48: 87-92.
- Russo, A; Levis, AG. (1992). Detection of aneuploidy in male germ cells of mice by means of a meiotic micronucleus assay. *Mutat Res*. 281: 187-191. [http://dx.doi.org/10.1016/0165-7992\(92\)90007-5](http://dx.doi.org/10.1016/0165-7992(92)90007-5).
- Russo, A; Levis, AG. (1992). Further evidence for the aneuploidogenic properties of chelating agents: Induction of micronuclei in mouse male germ cells by EDTA. *Environ Mol Mutagen*. 19: 125-131.
- Russo, A; Pacchierotti, F; Metalli, P. (1984). Nondisjunction induced in mouse spermatogenesis by chloral hydrate, a metabolite of trichloroethylene. *Environ Mutagen*. 6: 695-703. <http://dx.doi.org/10.1002/em.2860060507>.
- Russo, A; Stocco, A; Majone, F. (1992). Identification of kinetochore-containing (CREST+) micronuclei in mouse bone marrow erythrocytes. *Mutagenesis*. 7: 195-197. <http://dx.doi.org/10.1093/mutage/7.3.195>.
- Rusyn, I; Chiu, WA; Lash, LH; Kromhout, H; Hansen, J; Guyton, KZ. (2014). Trichloroethylene: Mechanistic, epidemiologic and other supporting evidence of carcinogenic hazard [Review]. *Pharmacol Ther*. 141: 55-68. <http://dx.doi.org/10.1016/j.pharmthera.2013.08.004>.
- SAB. (2010). [Summary minutes of the SAB quality review teleconference of an SAB panel draft report reviewing EPA's IRIS assessment for trichloroethylene]. Washington, DC: U.S. Environmental Protection Agency, Science Advisory Board. <http://yosemite.epa.gov/sab/sabproduct.nsf/a84bfee16cc358ad85256ccd006b0b4b/a60f87e98e51f46f852577b300518230!OpenDocument&Date=2010-12-151>.
- SAB. (2010). Summary minutes of the U.S. Environmental Protection Agency Trichloroethylene Review Panel public teleconference. Washington, DC: U.S. Environmental Protection Agency, Science Advisory Board. <http://yosemite.epa.gov/sab/sabproduct.nsf/a84bfee16cc358ad85256ccd006b0b4b/6cdc83d5129a174f8525772d004d77c0!OpenDocument&Date=2010-06-24>.
- SAB. (2011). Review of EPA's draft assessment entitled "Toxicological review of trichloroethylene (October 2009)". (EPA-SAB-11-002). Washington, DC: U.S. Environmental Protection Agency, Science Advisory Board. [http://yosemite.epa.gov/sab/sabproduct.nsf/B73D5D39A8F184BD85257817004A1988/\\$File/EPA-SAB-11-002-unsigned.pdf](http://yosemite.epa.gov/sab/sabproduct.nsf/B73D5D39A8F184BD85257817004A1988/$File/EPA-SAB-11-002-unsigned.pdf).
- Sagawa, K; Nishitani, H; Kawai, H; Kuge, Y; Ikeda, M. (1973). Transverse lesion of spinal cord after accidental exposure to trichloroethylene. *Int Arch Arbeitsmed*. 31: 257-264.
- Saghir, SA; Schultz, IR. (2002). Low-dose pharmacokinetics and oral bioavailability of dichloroacetate in naive and GST-zeta-depleted rats. *Environ Health Perspect*. 110: 757-763.
- Saihan, E; Burton, J; Heaton, K. (1978). A new syndrome with pigmentation, scleroderma, gynaecomastia, Raynaud's phenomenon and peripheral neuropathy. *Br J Dermatol*. 99: 437-440. <http://dx.doi.org/10.1111/j.1365-2133.1978.tb06184.x>.
- Saillenfait, AM; Langonne, I; Sabate, JP. (1995). Developmental toxicity of trichloroethylene, tetrachloroethylene and four of their metabolites in rat whole embryo culture. *Arch Toxicol*. 70: 71-82. <http://dx.doi.org/10.1007/BF02733666>.
- Sallmen, M; Lindbohm, ML; Anttila, A; Kyyronen, P; Taskinen, H; Nykyri, E; Hemminki, K. (1998). Time to pregnancy among the wives of men exposed to organic solvents. *Occup Environ Med*. 55: 24-30.
- Sallmen, M; Lindbohm, ML; Kyyronen, P; Nykyri, E; Anttila, A; Taskinen, H; Hemminki, K. (1995). Reduced fertility among women exposed to organic solvents. *Am J Ind Med*. 27: 699-713. <http://dx.doi.org/10.1002/ajim.4700270506>.
- Salvan, A. (1990) Occupational exposure and cancer mortality at an electrical manufacturing plant: A case-control study. (Doctoral Dissertation). University of California, Los Angeles, CA.
- Salvini, M; Binaschi, S; Riva, M. (1971). Evaluation of the psychophysiological functions in humans exposed to trichloroethylene. *Br J Ind Med*. 28: 293-295.
- Sanders, V; Kauffmann, B; White, K; Douglas, K; Barnes, D; Sain, L; Bradshaw, T; Borzelleca, J; Munson, A. (1982). Toxicology of chloral hydrate in the mouse. *Environ Health Perspect*. 44: 137-146.
- Sanders, VM; Tucker, AN; White, KL, Jr; Kauffmann, BM; Hallett, P; Carchman, RA; Borzelleca, JF; Munson, AE. (1982). Humoral and cell-mediated immune status in mice exposed to trichloroethylene in the drinking water. *Toxicol Appl Pharmacol*. 62: 358-368. [http://dx.doi.org/10.1016/0041-008X\(82\)90138-7](http://dx.doi.org/10.1016/0041-008X(82)90138-7).
- Santibanez, M; Vioque, J; Alguacil, J; Barber, X; de la Hera, G; Kauppinen, T. (2008). Occupational exposures and risk of oesophageal cancer by histological type: a case-control study in eastern Spain. *Occup Environ Med*. 65: 774-781. <http://dx.doi.org/10.1136/oem.2007.037929>.
- Sarma, SN; Kim, YJ; Ryu, J. (2010). Gene expression profiles of human promyelocytic leukemia cell lines exposed to volatile organic compounds. *Toxicology*. 271: 122-130. <http://dx.doi.org/10.1016/j.tox.2010.03.014>.
- Sarma, SN; Song, M, ee; Kim, YJ; Ryu, J. (2011). Genome-wide identification of ethylbenzene and trichloroethylene-regulated genes in human promyelocytic leukemia HL-60 cells. *BioChip Journal*. 5: 19-26. <http://dx.doi.org/10.1007/s13206-011-5104-5>.
- Sato, A. (1993). Confounding factors in biological monitoring of exposure to organic solvents. *Int Arch Occup Environ Health*. 65: S61-S67.

Human Health Hazard Literature Search Results

On Topic

- Sato, A; Endoh, K; Johanson, G. (1991). The use of models to investigate the toxicokinetic behavior of organic solvents. In SM Rappaport; TJ Smith (Eds.), (pp. 131-152). Chelsea, Michigan: Lewis Publishers.
- Sato, A; Endoh, K; Kaneko, T; Johanson, G. (1991). A simulation study of physiological factors affecting pharmacokinetic behaviour of organic solvent vapours. *Br J Ind Med*. 48: 342-347.
- Sato, A; Nakajima, T. (1978). Differences following skin or inhalation exposure in the absorption and excretion kinetics of trichloroethylene and toluene. *Br J Ind Med*. 35: 43-49.
- Sato, A; Nakajima, T. (1985). Enhanced metabolism of volatile hydrocarbons in rat liver following food deprivation, restricted carbohydrate intake and administration of ethanol, phenobarbital, polychlorinated biphenyl and 3-methylcholanthrene: A comparative study. *Xenobiotica*. 15: 67-75. <http://dx.doi.org/10.3109/00498258509045336>.
- Sato, A; Nakajima, T; Fujiwara, Y; Murayama, N. (1977). A pharmacokinetic model to study the excretion of trichloroethylene and its metabolites after an inhalation exposure. *Br J Ind Med*. 34: 56-63.
- Sato, A; Nakajima, T; Koyama, Y. (1980). Effects of chronic ethanol consumption on hepatic metabolism of aromatic and chlorinated hydrocarbons in rats. *Br J Ind Med*. 37: 382-386. <http://dx.doi.org/10.1136/oem.37.4.382>.
- Sato, A; Nakajima, T; Koyama, Y. (1981). Dose-related effects of a single dose of ethanol on the metabolism in rat liver of some aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol*. 60: 8-15. [http://dx.doi.org/10.1016/0041-008X\(81\)90129-0](http://dx.doi.org/10.1016/0041-008X(81)90129-0).
- Sato, A; Nakajima, T; Koyama, Y. (1983). Interaction between ethanol and carbohydrate on the metabolism in rat liver of aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol*. 68: 242-249. [http://dx.doi.org/10.1016/0041-008X\(83\)90008-X](http://dx.doi.org/10.1016/0041-008X(83)90008-X).
- Sauerbeck, A; Hunter, R; Bing, G; Sullivan, PG. (2012). Traumatic brain injury and trichloroethylene exposure interact and produce functional, histological, and mitochondrial deficits. *Exp Neurol*. 234: 85-94. <http://dx.doi.org/10.1016/j.expneurol.2011.12.012>.
- Savolainen, H; Pfäffli, P; Tengén, M; Vainio, H. (1977). Trichloroethylene and 1,1,1-trichloroethane: Effects on brain and liver after five days intermittent inhalation. *Arch Toxicol*. 38: 229-237. <http://dx.doi.org/10.1007/BF00293657>.
- Saygun, M; Cakmak, A; Ekici, A; Pinar, T; Bulcun, E; Ulu, N; Ekici, M. (2007). Five annual observations of respiratory findings in gun factory workers exposed to solvents. *J Occup Environ Med*. 49: 909-912. <http://dx.doi.org/10.1097/JOM.0b013e318124a8f3>.
- Scelsi, R; Candura, SM. (2012). [Occupational toxic neuropathies: morphology in peripheral nerve biopsies]. *G Ital Med Lav Ergon*. 34: 410-419.
- Schenk, M; Purdue, MP; Colt, JS; Hartge, P; Blair, A; Stewart, P; Cerhan, JR; De Roos, AJ; Cozen, W; Severson, RK. (2009). Occupation/industry and risk of non-Hodgkin's lymphoma in the United States. *Occup Environ Med*. 66: 23-31. <http://dx.doi.org/10.1136/oem.2007.036723>.
- Schmidt, MM; Rohwedder, A; Dringen, R. (2011). Effects of Chlorinated Acetates on the Glutathione Metabolism and on Glycolysis of Cultured Astrocytes. *Neurotox Res*. 19: 628-637. <http://dx.doi.org/10.1007/s12640-010-9209-8>.
- Schoutteten, L; Jean, M; Dinh, A; de Truchis, P; Breton, C; Descatha, A. (2011). Tetrachloroethylene exposure and trigeminal neuropathy: A case report with a possible indirect link. *Arch Mal Prof Environ*. 72: 346-349. <http://dx.doi.org/10.1016/j.admp.2011.07.010>.
- Schraml, P; Zhaou, M; Richter, J; Brüning, T; Pommer, M; Sauter, G; Mihatsch, M; Moch, H. (1999). [Analysis of kidney tumors in trichloroethylene exposed workers by comparative genomic hybridization and DNA sequence analysis]. *Verh Dtsch Ges Pathol*. 83: 218-224.
- Schultz, IR; Merdink, JL; Gonzalez-Leon, A; Bull, RJ. (1999). Comparative toxicokinetics of chlorinated and brominated haloacetates in F344 rats. *Toxicol Appl Pharmacol*. 158: 103-114. <http://dx.doi.org/10.1006/taap.1999.8698>.
- Schultz, IR; Merdink, JL; Gonzalez-Leon, A; Bull, RJ. (2002). Dichloroacetate toxicokinetics and disruption of tyrosine catabolism in B6C3F1 mice: Dose-response relationships and age as a modifying factor. *Toxicology*. 173: 229-247. [http://dx.doi.org/10.1016/S0300-483X\(02\)00034-3](http://dx.doi.org/10.1016/S0300-483X(02)00034-3).
- Schwetz, BA; Leong, BKJ; Gehring, PJ. (1975). The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol*. 32: 84-96. [http://dx.doi.org/10.1016/0041-008X\(75\)90197-0](http://dx.doi.org/10.1016/0041-008X(75)90197-0).
- Scott, CS; Chiu, WA. (2006). Trichloroethylene cancer epidemiology: A consideration of select issues [Review]. *Environ Health Perspect*. 114: 1471-1478. <http://dx.doi.org/10.1289/ehp.8949>.
- Scott, CS; Jinot, J. (2011). Trichloroethylene and Cancer: Systematic and Quantitative Review of Epidemiologic Evidence for Identifying Hazards [Review]. *Int J Environ Res Public Health*. 8: 4238-NII_4163. <http://dx.doi.org/10.3390/ijerph8114238>.
- Scott, JE; Forkert, PG; Oulton, M; Rasmusson, MG; Temple, S; Fraser, MO; Whitefield, S. (1988). Pulmonary toxicity of trichloroethylene: Induction of changes in surfactant phospholipids and phospholipase A2 activity in the mouse lung. *Exp Mol Pathol*. 49: 141-150. [http://dx.doi.org/10.1016/0014-4800\(88\)90028-7](http://dx.doi.org/10.1016/0014-4800(88)90028-7).
- Seidler, A; Möhner, M; Berger, J; Mester, B; Deeg, E; Elsner, G; Nieters, A; Becker, N. (2007). Solvent exposure and malignant lymphoma: A population-based case-control study in Germany. *J Occup Med Toxicol*. 2: 2. <http://dx.doi.org/10.1186/1745-6673-2-2>.
- Seldén, A; Ahlborg, G. (1991). Mortality and cancer morbidity after exposure to military aircraft fuel. *Aviat Space Environ Med*. 62: 789-794.
- Selden, A; Hultberg, B; Ulander, A; Ahlborg, G, Jr. (1993). Trichloroethylene exposure in vapour degreasing and the urinary excretion of N-acetyl-"beta"-D-glucosaminidase. *Arch Toxicol*. 67: 224-226. <http://dx.doi.org/10.1007/BF01973312>.
- Selgrade, MK; Gilmour, MI. (2010). Suppression of pulmonary host defenses and enhanced susceptibility to respiratory bacterial infection in mice following inhalation exposure to trichloroethylene and chloroform. *J Immunotoxicol*. 7: 350-356. <http://dx.doi.org/10.3109/1547691X.2010.520139>.
- Selmin, OI; Thorne, PA; Caldwell, PT; Taylor, MR. (2008). Trichloroethylene and trichloroacetic acid regulate calcium signaling pathways in murine embryonal carcinoma cells p19. *Cardiovasc Toxicol*. 8: 47-56. <http://dx.doi.org/10.1007/s12012-008-9014-2>.

Human Health Hazard Literature Search Results

On Topic

- Seo, M; Ikeda, K; Okamura, T; Kida, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). Enhancing effect of chlorinated organic solvents on histamine release and inflammatory mediator production. *Toxicology*. 243: 75-83. <http://dx.doi.org/10.1016/j.tox.2007.09.024>.
- Seo, M; Kobayashi, R, yo; Nagase, H. (2011). Immunotoxic Effects of Trichloroethylene and Tetrachloroethylene. *J Health Sci*. 57: 488-496.
- Seo, M; Kobayashi, R, yo; Okamura, T; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2012). Enhancing effects of trichloroethylene and tetrachloroethylene on type I allergic responses in mice [Letter]. *J Toxicol Sci*. 37: 439-445.
- Seppäläinen, AM; Antti-Poika, M. (1983). Time course of electrophysiological findings for patients with solvent poisoning. A descriptive study. *Scand J Work Environ Health*. 9: 15-24.
- Sergentanis, TN; Zagouri, F; Tsilimidos, G; Tsagianni, A; Tseliou, M; Dimopoulos, MA; Psaltopoulou, T. (2015). Risk Factors for Multiple Myeloma: A Systematic Review of Meta-Analyses [Review]. 15: 563-577.e561-563. <http://dx.doi.org/10.1016/j.cml.2015.06.003>.
- Shafer, TJ; Bushnell, PJ; Benignus, VA; Woodward, JJ. (2005). Perturbation of voltage-sensitive Ca²⁺ channel function by volatile organic solvents. *J Pharmacol Exp Ther*. 315: 1109-1118. <http://dx.doi.org/10.1124/jpet.105.090027>.
- Shannon, HS; Haines, T; Bernholz, C; Julian, JA; Verma, DK; Jamieson, E; Walsh, C. (1988). Cancer morbidity in lamp manufacturing workers. *Am J Ind Med*. 14: 281-290.
- Shelton, KL. (2010). Pharmacological characterization of the discriminative stimulus of inhaled 1,1,1-trichloroethane. *J Pharmacol Exp Ther*. 333: 612-620. <http://dx.doi.org/10.1124/jpet.109.158949>.
- Shelton, KL. (2016). Discriminative Stimulus Effects of Abused Inhalants. *Curr Top Behav Neurosci*. http://dx.doi.org/10.1007/7854_2016_22.
- Shelton, KL; Nicholson, KL. (2012). GABA_A-positive modulator selective discriminative stimulus effects of 1,1,1-trichloroethane vapor. *Drug Alcohol Depend*. 121: 103-109. <http://dx.doi.org/10.1016/j.drugalcdep.2011.08.016>.
- Shelton, KL; Nicholson, KL. (2014). Pharmacological classification of the abuse-related discriminative stimulus effects of trichloroethylene vapor. 3: 235839. <http://dx.doi.org/10.4303/jdar/235839>.
- Shen, C; Zhao, C; Liu, F; Wang, Y, aD; Wang, W, ei. (2011). Acute Liver Failure Associated with Occupational Exposure to Tetrachloroethylene. *J Korean Med Sci*. 26: 138-142. <http://dx.doi.org/10.3346/jkms.2011.26.1.138>.
- Shen, T; Wang, J; Xu, H; Xu, SH; Jiang, T; Zhu, QX. (2012). [Effect of trichloroethylene intake via drinking water on Th17 cells in BALB/c mice]. *Zhonghua Yufang Yixue Zazhi*. 46: 152-157.
- Shi, J. (2015). [Three cases of acute trichloroethylene poisoning associated with skin damage]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 33: 546.
- Shih, CL; Chen, HH; Chiu, TH. (2001). Acute exposure to trichloroethylene differentially alters the susceptibility to chemoconvulsants in mice. *Toxicology*. 162: 35-42. [http://dx.doi.org/10.1016/S0300-483X\(01\)00358-4](http://dx.doi.org/10.1016/S0300-483X(01)00358-4).
- Shim, WG; Lee, SG; Hwang, MJ; Park, KH; Kim, SC; Moon, H. (2011). Adsorption and Thermo Desorption Characteristics of Hydrocarbons on Single Walled Carbon Nanotubes. *J Nanosci Nanotechnol*. 11: 1518-1521. <http://dx.doi.org/10.1166/jnn.2011.3308>.
- Shimada, T; Swanson, AF; Leber, P; Williams, GM. (1985). Activities of chlorinated ethane and ethylene compounds in the Salmonella/rat microsome mutagenesis and rat hepatocyte/DNA repair assays under vapor phase exposure conditions. *Cell Biol Toxicol*. 1: 159-179. <http://dx.doi.org/10.1007/BF00120162>.
- Shindell, S; Ulrich, S. (1985). A cohort study of employees of a manufacturing plant using trichloroethylene. *J Occup Med*. 27: 577-579.
- Shirai, N; Ohtsuji, M; Hagiwara, K; Tomisawa, H; Ohtsuji, N; Hirose, S; Hagiwara, H. (2012). Nephrotoxic effect of subchronic exposure to S-(1,2-dichlorovinyl)-L-cysteine in mice. *J Toxicol Sci*. 37: 871-878.
- Shlomo, M; Frenkel, A; Hager, M; Skulsky, M; Sulkis, J; Himelfarbe, M. (2002). Effects of occupational exposure to mercury or chlorinated hydrocarbons on the auditory pathway. *Noise Health*. 4: 71-77.
- Shrestha, D; Liu, S; Hammond, SK; Lavalley, MP; Weiner, DE; Eisen, EA; Applebaum, KM. (2016). Risk of renal cell carcinoma following exposure to metalworking fluids among autoworkers. *Occup Environ Med*. 73: 656-662. <http://dx.doi.org/10.1136/oemed-2016-103769>.
- Siddiqi, A; Nafees, S; Rashid, S; Sultana, S; Saidullah, B. (2015). Hesperidin ameliorates trichloroethylene-induced nephrotoxicity by abrogation of oxidative stress and apoptosis in wistar rats. *Mol Cell Biochem*. 406: 9-20. <http://dx.doi.org/10.1007/s11010-015-2400-8>.
- Siemiatycki, J, . (1991). Risk factors for cancer in the workplace. In J Siemiatycki (Ed.). Boca Raton, FL: CRC Press.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med*. 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Silver, SR; Pinkerton, LE; Rocheleau, CM; Deddens, JA; Michalski, AM; Van Zutphen, AR. (2016). Birth defects in infants born to employees of a microelectronics and business machine manufacturing facility. *Birth Defects Res A Clin Mol Teratol*. 106: 696-707. <http://dx.doi.org/10.1002/bdra.23520>.
- Simmon, VF; Kauhanen, K; Tardiff, RG. (1977). Mutagenic activity of chemicals identified in drinking water. Second International Conference on Environmental Mutagens, Edinburgh, Scotland July 11-15, 1977. 2: 249-258.
- Simmons, JE; Boyes, WK; Bushnell, PJ; Raymer, JH; Limsakun, T; Mcdonald, A; Sey, YM; Evans, MV. (2002). A physiologically based pharmacokinetic model for trichloroethylene in the male Long-Evans rat. *Toxicol Sci*. 69: 3-15. <http://dx.doi.org/10.1093/toxsci/69.1.3>.
- Sin, S; Byeon, SH. (2012). Human health risk assessment of trichloroethylene from industrial complex a. *Toxicological Research*. 28: 173-178. <http://dx.doi.org/10.5487/TR.2012.28.3.173>.
- Sinfield, JV; Monwuba, CK. (2014). Assessment and correction of turbidity effects on Raman observations of chemicals in aqueous solutions. *Appl Spectrosc*. 68: 1381-1392. <http://dx.doi.org/10.1366/13-07292>.
- Singthong, S; Pakkong, P; Choosang, K; Wongsanit, S. (2015). Occupational health risks among trichloroethylene-exposed workers in a clock manufacturing factory. *Global Journal of Health Science*. 7: 38234. <http://dx.doi.org/10.5539/gjhs.v7n1p161>.

Human Health Hazard Literature Search Results

On Topic

- Sinks, T; Lushniak, B; Haussler, BJ; Sniezek, J; Deng, JF; Roper, P; Dill, P; Coates, R. (1992). Renal cell cancer among paperboard printing workers. *Epidemiology*. 3: 483-489.
- Situ, J; Yang, X; Lin, C; Wei, S; Shi, L; Zhang, N; Luo, L; Zhang, J. (2015). [The significance of monitoring procalcitonin when applying antibiotics to trichloroethylene dermatitis]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 33: 218-220.
- Skender, LJ; Karacic, V; Prpic-Majic, D. (1991). A comparative study of human levels of trichloroethylene and tetrachloroethylene after occupational exposure [Review]. *Arch Environ Health*. 46: 174-178. <http://dx.doi.org/10.1080/15459620802510866>.
- Slikker, W, Jr; Andersen, ME; Bogdanffy, MS; Bus, JS; Cohen, SD; Conolly, RB; David, RM; Doerrler, NG; Dorman, DC; Gaylor, DW; Hattis, D; Rogers, JM; Setzer, RW; Swenberg, JA; Wallace, K. (2004). Dose-dependent transitions in mechanisms of toxicity [Review]. *Toxicol Appl Pharmacol*. 201: 203-225. <http://dx.doi.org/10.1016/j.taap.2004.06.019>.
- Slikker, W, Jr; Andersen, ME; Bogdanffy, MS; Bus, JS; Cohen, SD; Conolly, RB; David, RM; Doerrler, NG; Dorman, DC; Gaylor, DW; Hattis, D; Rogers, JM; Setzer, RW; Swenberg, JA; Wallace, K. (2004). Dose-dependent transitions in mechanisms of toxicity: Case studies [Review]. *Toxicol Appl Pharmacol*. 201: 226-294. <http://dx.doi.org/10.1016/j.taap.2004.06.027>.
- Smith, GF. (1970). The investigation of the mental effects of trichloroethylene. *Ergonomics*. 13: 580-586. <http://dx.doi.org/10.1080/00140137008931181>.
- Smith, MK; Randall, JL; Read, EJ; Stober, JA. (1989). Teratogenic activity of trichloroacetic acid in the rat. *Teratology*. 40: 445-451. <http://dx.doi.org/10.1002/tera.1420400506>.
- Smith, MK; Randall, JL; Read, EJ; Stober, JA. (1992). Developmental toxicity of dichloroacetate in the rat. *Teratology*. 46: 217-223. <http://dx.doi.org/10.1002/tera.1420460305>.
- Smith, MT. (2012). Project 2: Genetic Susceptibility to Superfund Chemicals.
- Smith, MT. (2013). Project 2: Genetic Susceptibility to Superfund Chemicals.
- Smith, MT. (2014). Project 2: Genetic Susceptibility to Superfund Chemicals.
- Smith, MT. (2015). Project 2: Genetic Susceptibility to Superfund Chemicals.
- Snyder, RD; Pullman, J; Carter, JH; Carter, HW; DeAngelo, AB. (1995). In vivo administration of dichloroacetic acid suppresses spontaneous apoptosis in murine hepatocytes. *Cancer Res*. 55: 3702-3705.
- Song, M, iK; Song, M, ee; Choi, H; Park, YK; Ryu, J. (2013). Discovery of a characteristic molecular signature by microarray analysis of whole-blood gene expression in workers exposed to volatile organic compounds. *BioChip Journal*. 7: 112-135. <http://dx.doi.org/10.1007/s13206-013-7205-9>.
- Soni, MG; Mangipudy, RS; Mumtaz, MM; Mehendale, HM. (1998). Tissue repair response as a function of dose during trichloroethylene hepatotoxicity. *Toxicol Sci*. 42: 158-165. <http://dx.doi.org/10.1006/toxs.1998.2427>.
- Soni, MG; Ramaiah, SK; Mumtaz, MM; Clewell, H; Mehendale, HM. (1999). Toxicant-inflicted injury and stimulated tissue repair are opposing toxicodynamic forces in predictive toxicology. *Regul Toxicol Pharmacol*. 29: 165-174. <http://dx.doi.org/10.1006/rtph.1998.1280>.
- Sora, S; Agostini Carbone, ML. (1987). Chloral hydrate, methylmercury hydroxide and ethidium bromide affect chromosomal segregation during meiosis of *Saccharomyces cerevisiae*. *Mutat Res Lett*. 190: 13-17. [http://dx.doi.org/10.1016/0165-7992\(87\)90075-3](http://dx.doi.org/10.1016/0165-7992(87)90075-3).
- Soucek, B; Vlachova, D. (1960). Excretion of trichloroethylene metabolites in human urine. *Br J Ind Med*. 17: 60-64.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med*. 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Staats, DA; Fisher, JW; Connolly, RB. (1991). Gastrointestinal absorption of xenobiotics in physiologically based pharmacokinetic models: A two-compartment description. *Drug Metab Dispos*. 19: 144-148.
- Stacpoole, PW. (2010). Pharmacotoxicology of Trichloroethylene Metabolites.
- Stadler, JC; Kennedy, GL, Jr. (1996). Evaluation of the sensory irritation potential of volatile organic chemicals from carpets: Alone and in combination. *Food Chem Toxicol*. 34: 1125-1130.
- Stauber, AJ; Bull, RJ. (1997). Differences in phenotype and cell replicative behavior of hepatic tumors induced by dichloroacetate (DCA) and trichloroacetate (TCA). *Toxicol Appl Pharmacol*. 144: 235-246. <http://dx.doi.org/10.1006/taap.1997.8159>.
- Stauber, AJ; Bull, RJ; Thrall, BD. (1998). Dichloroacetate and trichloroacetate promote clonal expansion of anchorage-independent hepatocytes in vivo and in vitro. *Toxicol Appl Pharmacol*. 150: 287-294. <http://dx.doi.org/10.1006/taap.1998.8417>.
- Steinberg, A. (1993). Should chloral hydrate be banned [Review]. *Pediatrics*. 92: 442-446.
- Stemhagen, A; Slade, J; Altman, R; Bill, J. (1983). Occupational risk factors and liver cancer: A retrospective case-control study of primary liver cancer in New Jersey. *Am J Epidemiol*. 117: 443-454.
- Stenner, RD; Merdink, JL; Stevens, DK; Springer, DL; Bull, RJ. (1997). Enterohepatic recirculation of trichloroethanol glucuronide as a significant source of trichloroacetic acid. *Metabolites of trichloroethylene*. *Drug Metab Dispos*. 25: 529-535.
- Steup, DR; Hall, P; Mcmillan, DA; Sipes, IG. (1993). Time course of hepatic injury and recovery following coadministration of carbon tetrachloride and trichloroethylene in Fischer-344 rats. *Toxicol Pathol*. 21: 327-334. <http://dx.doi.org/10.1177/019262339302100309>.
- Steup, DR; Wiersma, D; Mcmillan, DA; Sipes, IG. (1991). Pretreatment with drinking water solutions containing trichloroethylene or chloroform enhances the hepatotoxicity of carbon tetrachloride in Fischer 344 rats. *Toxicol Sci*. 16: 798-809. <http://dx.doi.org/10.1093/toxsci/16.4.798>.
- Stewart, BW; Le Mesurier, SM; Lykke, AWJ. (1979). Correlation of biochemical and morphological changes induced by chemical injury to the lung. *Chem Biol Interact*. 26: 321-338.
- Stewart, RD; Dodd, HC; Gay, HH; Erley, DS. (1970). Experimental human exposure to trichloroethylene. *Arch Environ Health*. 20: 64-71.

Human Health Hazard Literature Search Results

On Topic

- Stewart, RD; Hake, CL; Peterson, JE. (1974). Degreasers' flush: Dermal response to trichloroethylene and ethanol. *Arch Environ Occup Health*. 29: 1-5.
- Stopp, GJ; Mclaughlin, M. (1967). Psychophysiological testing of human subjects exposed to solvent vapors. *Am Ind Hyg Assoc J*. 28: 43-50. <http://dx.doi.org/10.1080/00028896709342484>.
- Stott, WT; Quast, JF; Watanabe, PG. (1982). The pharmacokinetics and macromolecular interactions of trichloroethylene in mice and rats. *Toxicol Appl Pharmacol*. 62: 137-151.
- Strelec, F. (2012). Trichloroethylene Overexposure in an Automotive Stamping Facility. *J Occup Environ Hyg*. 9: D114-D116. <http://dx.doi.org/10.1080/15459624.2012.683761>.
- Styles, JA; Wyatt, I; Coutts, C. (1991). Trichloroacetic acid: Studies on uptake and effects on hepatic DNA and liver growth in mouse. *Carcinogenesis*. 12: 1715-1719. <http://dx.doi.org/10.1093/carcin/12.9.1715>.
- Subramoniam, A; Goel, SK; Pandya, KP; Seth, PK. (1989). Influence of trichloroethylene treatment on phosphoinositides in rat brain. *Toxicol Lett*. 49: 55-60. [http://dx.doi.org/10.1016/0378-4274\(89\)90101-X](http://dx.doi.org/10.1016/0378-4274(89)90101-X).
- Sud, P; Nelson, LS; Fleming, E; Fennell, SL. (2013). Assessment of serum S100B and neuron specific enolase levels to evaluate the neurotoxic effects of organic solvent exposure [Letter]. *Clin Toxicol*. 51: 1244. <http://dx.doi.org/10.3109/15563650.2013.851388>.
- Sullivan, BP; Kassel, KM; Luyendyk, JP. (2012). Effect of trichloroethylene exposure on autoimmune-mediated cholangitis in NOD.c3c4 mice. *FASEB J*. 26.
- Sung, TI; Chen, PC; Lee, LJH; Lin, YP; Hsieh, GY; Wang, JD. (2007). Increased standardized incidence ratio of breast cancer in female electronics workers. *BMC Public Health*. 7: 102. <http://dx.doi.org/10.1186/1471-2458-7-102>.
- Sung, TI; Wang, JD; Chen, PC. (2008). Increased risk of cancer in the offspring of female electronics workers. *Reprod Toxicol*. 25: 115-119. <http://dx.doi.org/10.1016/j.reprotox.2007.08.004>.
- Swaen, GMH. (1995). Increased incidence of renal cell tumours in a cohort of cardboard workers exposed to trichloroethylene [Letter]. *Arch Toxicol*. 70: 127-128. <http://dx.doi.org/10.1007/BF02733674>.
- Swan, S; Shaw, G; Harris, J; Neutra, R. (1989). Congenital cardiac anomalies in relation to water contamination, Santa Clara County, California, 1981-1983. *Am J Epidemiol*. 129: 885-893.
- Swartz, MD; Cai, Y; Chan, W; Symanski, E; Mitchell, LE; Danysh, HE; Langlois, PH; Lupo, PJ. (2015). Air toxics and birth defects: a Bayesian hierarchical approach to evaluate multiple pollutants and spina bifida. *Environ Health*. 14: 16. <http://dx.doi.org/10.1186/1476-069X-14-16>.
- Sweeney, C; Farrow, D; Schwartz, S; Eaton, D; Checkoway, H; Vaughan, T. (2000). Glutathione S-transferase M1, T1, and P1 polymorphisms as risk factors for renal cell carcinoma: A case-control study. *Cancer Epidemiol Biomarkers Prev*. 9: 449-454.
- Swenberg, J. (2015). Project 1: Biomarkers Of Exposure Versus Effect: Improving The Scientific Basis F. (NIH_RePORTER2015/P42ES005948-22). Swenberg, J.
- Swenberg, JA. (2013). Project 1: Biomarkers Of Exposure Versus Effect: Improving The Scientific Basis F.
- Swenberg, JA. (2013). Project 2: Genomic And Genetic Analysis Of Liver And Kidney Toxicity Of Trichloro.
- Swenberg, JA. (2014). Project 1: Biomarkers Of Exposure Versus Effect: Improving The Scientific Basis F.
- Swenberg, JA. (2014). Project 2: Genomic And Genetic Analysis Of Liver And Kidney Toxicity Of Trichloro.
- Swenberg, JA. (2015). Project 2: Genomic And Genetic Analysis Of Liver And Kidney Toxicity Of Trichloro.
- 't Mannelte, A; Dryson, E; Walls, C; McLean, D; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2008). High risk occupations for non-Hodgkin's lymphoma in New Zealand: Case-control study. *Occup Environ Med*. 65: 354-363. <http://dx.doi.org/10.1136/oem.2007.035014>.
- Tabish, AM; Poels, K; Hoet, P; Godderis, L. (2012). Epigenetic factors in cancer risk: effect of chemical carcinogens on global DNA methylation pattern in human TK6 cells. *PLoS ONE*. 7: e34674. <http://dx.doi.org/10.1371/journal.pone.0034674>.
- Tabrez, S; Ahmad, M. (2011). Some Enzymatic/Nonenzymatic Antioxidants as Potential Stress Biomarkers of Trichloroethylene, Heavy Metal Mixture, and Ethyl Alcohol in Rat Tissues. *Environ Toxicol*. 26: 207-216. <http://dx.doi.org/10.1002/tox.20548>.
- Tabrez, S; Ahmad, M. (2013). Cytochrome P450 system as potential biomarkers of certain toxicants: comparison between plant and animal models. *Environ Monit Assess*. 185: 2977-2987. <http://dx.doi.org/10.1007/s10661-012-2765-z>.
- Talibov, M; Lehtinen-Jacks, S; Martinsen, JI; Kjærheim, K; Lynge, E; Sparén, P; Tryggvadottir, L; Weiderpass, E; Kauppinen, T; Kyrrönen, P; Pukkala, E. (2014). Occupational exposure to solvents and acute myeloid leukemia: a population-based, case-control study in four Nordic countries. *Scand J Work Environ Health*. 40: 511-517. <http://dx.doi.org/10.5271/sjweh.3436>.
- Tang, X; Li, L; Huang, J; Deng, Y. (2002). Guinea pig maximization test for trichloroethylene and its metabolites. *Biomed Environ Sci*. 15: 113-118.
- Tang, X; Que, B; Song, X; Li, S; Yang, X; Wang, H; Huang, H; Kamijima, M; Nakajima, T; Lin, Y; Li, L. (2008). Characterization of liver injury associated with hypersensitive skin reactions induced by trichloroethylene in the guinea pig maximization test. *J Occup Health*. 50: 114-121.
- Tao, L; Kramer, PM; Ge, R; Pereira, MA. (1998). Effect of dichloroacetic acid and trichloroacetic acid on DNA methylation in liver and tumors of female B6C3F1 mice. *Toxicol Sci*. 43: 139-144. <http://dx.doi.org/10.1093/toxsci/43.2.139>.
- Tao, L; Li, Y; Kramer, PM; Wang, W; Pereira, MA. (2004). Hypomethylation of DNA and the insulin-like growth factor-II gene in dichloroacetic and trichloroacetic acid-promoted mouse liver tumors. *Toxicology*. 196: 127-136. <http://dx.doi.org/10.1016/j.tox.2003.11.011>.
- Tao, L; Yang, S; Xie, M; Kramer, PM; Pereira, MA. (2000). Effect of trichloroethylene and its metabolites, dichloroacetic acid and trichloroacetic acid, on the methylation and expression of c-jun and c-myc protooncogenes in mouse liver: Prevention by methionine. *Toxicol Sci*. 54: 399-407. <http://dx.doi.org/10.1093/toxsci/54.2.399>.

Human Health Hazard Literature Search Results

On Topic

- Taskinen, H; Anttila, A; Lindbohm, ML; Sallmén, M; Hemminki, K. (1989). Spontaneous abortions and congenital malformations among the wives of men occupationally exposed to organic solvents. *Scand J Work Environ Health*. 15: 345-352.
- Taskinen, H; Kyyronen, P; Hemminki, K. (1994). Laboratory work and pregnancy outcome. *J Occup Med*. 36: 311-319. <http://dx.doi.org/10.1097/00043764-199403000-00008>.
- Tatham, L; Tolbert, P; Kjeldsberg, C. (1997). Occupational risk factors for subgroups of non-Hodgkin's lymphoma. *Epidemiology*. 8: 551-558.
- Taylor, DH; Lagory, KE; Zaccaro, DJ; Pfohl, RJ; Laurie, RD. (1985). Effect of trichloroethylene on the exploratory and locomotor activity of rats exposed during development. *Sci Total Environ*. 47: 415-420. [http://dx.doi.org/10.1016/0048-9697\(85\)90345-6](http://dx.doi.org/10.1016/0048-9697(85)90345-6).
- Templin, MV; Parker, JC; Bull, RJ. (1993). Relative formation of dichloroacetate and trichloroacetate from trichloroethylene in male B6C3F1 mice. *Toxicol Appl Pharmacol*. 123: 1-8. <http://dx.doi.org/10.1006/taap.1993.1214>.
- Templin, MV; Parker, JC; Bull, RJ. (1995). Erratum for the article "Relative formation of dichloroacetate and trichloroacetate from trichloroethylene in male B6C3F1 mice [Erratum]". *Toxicol Appl Pharmacol*. 133: 177. <http://dx.doi.org/10.1006/taap.1995.1139>.
- Templin, MV; Stevens, DK; Stenner, RD; Bonate, PL; Tuman, D; Bull, RJ. (1995). Factors affecting species differences in the kinetics of metabolites of trichloroethylene. *J Toxicol Environ Health*. 44: 435-447. <http://dx.doi.org/10.1080/15287399509531972>.
- Tennant, RW; Elwell, MR; Spalding, JW; Griesemer, RA. (1991). Evidence that toxic injury is not always associated with induction of chemical carcinogenesis [Review]. *Mol Carcinog*. 4: 420-440. <http://dx.doi.org/10.1002/mc.2940040604>.
- Testud, F. (2015). B-cell lymphoma in a maintenance technician. *Arch Mal Prof Environ*. 76: 409-410. <http://dx.doi.org/10.1016/j.admp.2015.06.003>.
- Thai, SF; Allen, JW; DeAngelo, AB; George, MH; Fuscoe, JC. (2001). Detection of early gene expression changes by differential display in the livers of mice exposed to dichloroacetic acid. *Carcinogenesis*. 22: 1317-1322. <http://dx.doi.org/10.1093/carcin/22.8.1317>.
- Thai, SF; Allen, JW; DeAngelo, AB; George, MH; Fuscoe, JC. (2003). Altered gene expression in mouse livers after dichloroacetic acid exposure. *Mutat Res Rev Mutat Res*. 543: 167-180. [http://dx.doi.org/10.1016/S1383-5742\(03\)00014-0](http://dx.doi.org/10.1016/S1383-5742(03)00014-0).
- Tham, R; Bunnfors, I; Eriksson, B; Larsby, B; Lindgren, S; Odkvist, LM. (1984). Vestibulo-ocular disturbances in rats exposed to organic solvents. *Acta Pharmacol Toxicol*. 54: 58-63. <http://dx.doi.org/10.1111/j.1600-0773.1984.tb01895.x>.
- Tham, R; Larsby, B; Ödkvist, LM; Norlander, B; Hydén, D; Aschan, G; Bertler, Å. (1979). The influence of trichloroethylene and related drugs on the vestibular system. *Acta Pharmacol Toxicol*. 44: 336-342. <http://dx.doi.org/10.1111/j.1600-0773.1979.tb02340.x>.
- Thiele, DL; Eigenbrodt, EH; Ware, AJ. (1982). Cirrhosis after repeated trichloroethylene and 1,1,1-trichloroethane exposure. *Gastroenterology*. 83: 926-929.
- Thrall, KD; Poet, TS. (2000). Determination of biokinetic interactions in chemical mixtures using real-time breath analysis and physiologically based pharmacokinetic modeling. *J Toxicol Environ Health A*. 59: 653-670. <http://dx.doi.org/10.1080/009841000156646>.
- Till, C; Koren, G; Rovet, JF. (2001). Prenatal exposure to organic solvents and child neurobehavioral performance. *Neurotoxicol Teratol*. 23: 235-245. [http://dx.doi.org/10.1016/S0892-0362\(01\)00141-6](http://dx.doi.org/10.1016/S0892-0362(01)00141-6).
- Till, C; Westall, CA; Koren, G; Nulman, I; Rovet, JF. (2005). Vision abnormalities in young children exposed prenatally to organic solvents. *Neurotoxicology*. 26: 599-613. <http://dx.doi.org/10.1016/j.neuro.2005.05.011>.
- Till, C; Westall, CA; Rovet, JF; Koren, G. (2001). Effects of maternal occupational exposure to organic solvents on offspring visual functioning: A prospective controlled study. *Teratology*. 64: 134-141. <http://dx.doi.org/10.1002/tera.1056>.
- Tola, S; Vilhunen, R; Jarvinen, E; Korkala, ML. (1980). A cohort study on workers exposed to trichloroethylene. *J Occup Environ Med*. 22: 737-740.
- Tominaga, M; Ishikawa, T; Michiue, T; Oritani, S; Koide, I; Kuramoto, Y; Ogawa, M; Maeda, H. (2013). Postmortem Analyses of Gaseous and Volatile Substances in Pericardial Fluid and Bone Marrow Aspirate. *J Anal Toxicol*. 37: 147-151. <http://dx.doi.org/10.1093/jat/bkt004>.
- Toraason, M; Clark, J; Dankovic, D; Mathias, P; Skaggs, S; Walker, C; Werren, D. (1999). Oxidative stress and DNA damage in Fischer rats following acute exposure to trichloroethylene or perchloroethylene. *Toxicology*. 138: 43-53. [http://dx.doi.org/10.1016/S0300-483X\(99\)00083-9](http://dx.doi.org/10.1016/S0300-483X(99)00083-9).
- Triebig, G; Essing, HG; Schaller, KH; Valentin, H. (1976). Biochemische und psychologische Untersuchungen an Trichloräthylen-exponierten Probanden. *Zentralbl Bakteriol, Parasitenkd, Infektionskrankh Hyg, Abt 1: Orig, Reihe B*. 163: 383-416.
- Triebig, G; Lehl, S; Kinzel, W; Erzigkeit, H; Galster, JV; Schaller, KH. (1977). [Psychopathometrical results of follow-up studies of trichloroethylene-exposed persons (author's transl)]. *Zentralbl Bakteriol, Parasitenkd, Infektionskrankh Hyg, Abt 1: Orig, Reihe B*. 164: 314-377.
- Triebig, G; Schaller, KH; Erzigkeit, H; Valentin, LH. (1977). Biochemische untersuchungen und psychologische studien an chronisch trichloräthylen-belasteten personen unter berücksichtigung expositionsfreier intervalle. *Int Arch Occup Environ Health*. 38: 149-162. <http://dx.doi.org/10.1007/BF00378353>.
- Triebig, G; Trautner, P; Weltle, D; Saure, E; Valentin, H. (1982). Untersuchungen zur neurotoxizität von arbeitsstoffen. *Int Arch Occup Environ Health*. 51: 25-34. <http://dx.doi.org/10.1007/BF00378407>.
- Tröster, AI; Ruff, RM. (1990). Neuropsychological sequelae of exposure to the chlorinated hydrocarbon solvents trichloroethylene and trichloroethane. *Arch Clin Neuropsychol*. 5: 31-47. <http://dx.doi.org/10.1093/arclin/5.1.31>.
- Tsirulnikov, K; Abuladze, N; Koag, MC; Newman, D; Scholz, K; Bondar, G; Zhu, Q; Avliyakov, NK; Dekant, W; Faull, K, ym; Kurtz, I, ra; Pushkin, A. (2010). Transport of N-acetyl-S-(1,2-dichlorovinyl)-L-cysteine, a metabolite of trichloroethylene, by mouse multidrug resistance associated protein 2 (Mrp2). *Toxicol Appl Pharmacol*. 244: 218-225. <http://dx.doi.org/10.1016/j.taap.2009.12.035>.
- Tu, AS; Murray, TA; Hatch, KM; Sivak, A; Milman, HA. (1985). In vitro transformation of BALB/c-3T3 cells by chlorinated ethanes and ethylenes. *Cancer Lett*. 28: 85-92. [http://dx.doi.org/10.1016/0304-3835\(85\)90096-5](http://dx.doi.org/10.1016/0304-3835(85)90096-5).

Human Health Hazard Literature Search Results

On Topic

- Tucker, AN; Sanders, VM; Barnes, DW; Bradshaw, TJ; White, KL, Jr; Sain, LE; Borzelleca, JF; Munson, AE. (1982). Toxicology of trichloroethylene in the mouse. *Toxicol Appl Pharmacol.* 62: 351-357. [http://dx.doi.org/10.1016/0041-008X\(82\)90137-5](http://dx.doi.org/10.1016/0041-008X(82)90137-5).
- Tutkun, E; Yilmaz, H; Yilmaz, FM; Züngün, C. (2013). Response to letter to the editor regarding "Assessment of serum S100B and neuron specific enolase levels to evaluate the neurotoxic effects of organic solvent exposure" in *Clinical Toxicology* 2013; (doi:10.3109/15563650.2013.820831) [Letter]. *Clin Toxicol.* 51: 1245. <http://dx.doi.org/10.3109/15563650.2013.851389>.
- Tyson, MD; Humphreys, MR; Parker, AS; Thiel, DD; Joseph, RW; Andrews, PE; Castle, EP. (2013). Age-period-cohort Analysis of Renal Cell Carcinoma in United States Adults. *Urology.* 82: 43-47. <http://dx.doi.org/10.1016/j.urology.2013.02.065>.
- Tzeng, HF; Blackburn, AC; Board, PG; Anders, MW. (2000). Polymorphism- and species-dependent inactivation of glutathione transferase zeta by dichloroacetate. *Chem Res Toxicol.* 13: 231-236. <http://dx.doi.org/10.1021/tx990175q>.
- U.S. EPA. (1980). Ambient water quality criteria for trichloroethylene [EPA Report]. (EPA/440/5-80/077). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000M4KP.txt>.
- U.S. EPA. (1985). Health assessment document for trichloroethylene: Final report [EPA Report]. (EPA/600/8-82/006F). Research Triangle Park, NC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000BFCV.txt>.
- U.S. EPA. (1987). Addendum to the health assessment document for trichloroethylene: Updated carcinogenicity assessment for trichloroethylene: External review draft [EPA Report]. (EPA/600/8-82/006FA). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=300016WQ.txt>.
- U.S. EPA. (2011). ADAF sample calculator [Database]. Washington, DC.
- U.S. EPA. (2011). Supplementary data for TCE assessment: Cancer rodents input data [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Cancer rodents model selections [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Cancer rodents plots [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Cancer rodents results [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Cancer rodents uncertainty analysis [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Cancer rodents uncertainty CSF-inhalation histograms, inhalation bioassays [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Cancer rodents uncertainty CSF-inhalation histograms, oral bioassays [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Cancer rodents uncertainty CSF-oral histograms, inhalation bioassay [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Cancer rodents uncertainty CSF-oral histograms, oral bioassays [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Hack mouse population calibration evaluation [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Hack mouse subject calibration [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Human population example [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Human posteriors by subject [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Mouse population example [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer HECs altPOD plots from rodent inhalation studies [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer HECs altPOD plots from rodent oral studies [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer HECs plots from human inhalation studies [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer HECs plots from rodent inhalation studies [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer HEDs altPOD plots from rodent oral studies [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer HEDs plots from human inhalation studies [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer HEDs plots from rodent inhalation studies [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer input data contin [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer input data dichot [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer plots contin [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer plots dichot [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer results contin [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Non-cancer results dichot [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Rat population example [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Rat posterior by subject [Database].
- U.S. EPA. (2011). Supplementary data for TCE assessment: Rodents time to tumor results [Database].
- U.S. GAO. (2007). Report to congressional committees: Defense health care: Activities related to past drinking water contamination at marine corps base Camp Lejeune. (GAO-07-276). Washington, DC.
- U.S. GAO. (2007). Testimony before the subcommittee on oversight and investigations, committee on energy and commerce, house of representatives: Defense health care: Issues related to past drinking water contamination at marine corps base Camp Lejeune. Washington, DC.
- Ulrich, RG. (2003). The toxicogenomics of nuclear receptor agonists [Review]. *Curr Opin Chem Biol.* 7: 505-510. [http://dx.doi.org/10.1016/S1367-5931\(03\)00080-2](http://dx.doi.org/10.1016/S1367-5931(03)00080-2).
- Umezū, T; Shibata, Y. (2014). Different behavioral effect dose-response profiles in mice exposed to two-carbon chlorinated hydrocarbons: influence of structural and physical properties. *Toxicol Appl Pharmacol.* 279: 103-112. <http://dx.doi.org/10.1016/j.taap.2014.05.012>.
- Umezū, T; Yonemoto, J; Soma, Y; Miura, T. (1997). Behavioral effects of trichloroethylene and tetrachloroethylene in mice. *Pharmacol Biochem Behav.* 58: 665-671. [http://dx.doi.org/10.1016/S0091-3057\(97\)00046-4](http://dx.doi.org/10.1016/S0091-3057(97)00046-4).

Human Health Hazard Literature Search Results

On Topic

- USAF. (2004). Determination of partition coefficients for a mixture of volatile organic compounds in rats and humans at different life stages. (AFRL-HE-WP-TR-2005-0012). Wright-Patterson Air Force Base, OH: U.S. Air Force Research Laboratory, Human Effectiveness Directorate, Applied Biotechnology Branch. <http://dodreports.com/pdf/ada436299.pdf>.
- Vagnarelli, P; De Sario, A; De Carli, L. (1990). Aneuploidy induced by chloral hydrate detected in human lymphocytes with the Y97 probe. *Mutagenesis*. 5: 591-592. <http://dx.doi.org/10.1093/mutage/5.6.591>.
- Vaidya, V; Shankar, K; Lock, E; Buccu, T; Mehendale, H. (2003). Renal injury and repair following S-1, 2 dichlorovinyl-L-cysteine administration to mice. *Toxicol Appl Pharmacol*. 188: 110-121. [http://dx.doi.org/10.1016/S0041-008X\(02\)00080-7](http://dx.doi.org/10.1016/S0041-008X(02)00080-7).
- Vaidya, V; Shankar, K; Lock, E; Buccu, T; Mehendale, H. (2003). Role of tissue repair in survival from s-(1,2-dichlorovinyl)-L-cysteine-induced acute renal tubular necrosis in the mouse. *Toxicol Sci*. 74: 215-227. <http://dx.doi.org/10.1093/toxsci/kfg111>.
- Vaidya, V; Shankar, K; Lock, E; Dixon, D; Mehendale, H. (2003). Molecular mechanisms of renal tissue repair in survival from acute renal tubule necrosis: role of ERK1/2 pathway. *Toxicol Pathol*. 31: 604-618.
- Valcke, M; Krishnan, K. (2010). An Assessment of the Interindividual Variability of internal Dosimetry during Multi-Route Exposure to Drinking Water Contaminants. *Int J Environ Res Public Health*. 7: 4002-4022. <http://dx.doi.org/10.3390/ijerph7114002>.
- Valcke, M; Krishnan, K. (2011). Evaluation of the impact of the exposure route on the human kinetic adjustment factor. *Regul Toxicol Pharmacol*. 59: 258-269. <http://dx.doi.org/10.1016/j.yrtph.2010.10.008>.
- Valic, E; Waldhör, T; Konnaris, C; Michitsch, A; Wolf, C. (1997). Acquired dyschromatopsia in combined exposure to solvents and alcohol. *Int Arch Occup Environ Health*. 70: 403-406.
- Vamvakas, S; Bittner, D; Köster, U. (1993). Enhanced expression of the protooncogenes c-myc and c-fos in normal and malignant renal growth [Review]. *Toxicol Lett*. 67: 161-172.
- Vamvakas, S; Brüning, T; Thomasson, B; Lammert, M; Baumüller, A; Bolt, HM; Dekant, W; Birner, G; Henschler, D; Ulm, K. (1998). Renal cell cancer correlated with occupational exposure to trichloroethene. *J Cancer Res Clin Oncol*. 124: 374-382. <http://dx.doi.org/10.1007/s004320050186>.
- Vamvakas, S; Dekant, W; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1987). Enzymatic transformation of mercapturic acids derived from halogenated alkenes to reactive and mutagenic intermediates. *Biochem Pharmacol*. 36: 2741-2748. [http://dx.doi.org/10.1016/0006-2952\(87\)90258-9](http://dx.doi.org/10.1016/0006-2952(87)90258-9).
- Vamvakas, S; Dekant, W; Henschler, D. (1989). Assessment of unscheduled DNA synthesis in a cultured line of renal epithelial cells exposed to cysteine S-conjugates of haloalkenes and haloalkanes. *Mutat Res*. 222: 329-335. [http://dx.doi.org/10.1016/0165-1218\(89\)90108-0](http://dx.doi.org/10.1016/0165-1218(89)90108-0).
- Vamvakas, S; Dekant, W; Schiffmann, D; Henschler, D. (1988). Induction of unscheduled DNA synthesis and micronucleus formation in Syrian hamster embryo fibroblasts treated with cysteine S-conjugates of chlorinated hydrocarbons. *Cell Biol Toxicol*. 4: 393-403. <http://dx.doi.org/10.1007/BF00117768>.
- Vamvakas, S; Elfarra, A; Dekant, W; Henschler, D; Anders, M. (1988). Mutagenicity of amino acid and glutathione S-conjugates in the Ames test. *Mutat Res*. 206: 83-90.
- Vamvakas, S; Richter, H; Bittner, D. (1996). Induction of dedifferentiated clones of LLC-PK1 cells upon long-term exposure to dichlorovinylcysteine. *Toxicology*. 106: 65-74.
- Van Duuren, BL; Goldschmidt, BM; Loewengart, G; Smith, AC; Melchionne, S; Seidman, I; Roth, D. (1979). Carcinogenicity of halogenated olefinic and aliphatic hydrocarbons in mice. *J Natl Cancer Inst*. 63: 1433-1439.
- Van Hummelen, P; Kirsch-Volders, M. (1992). Analysis of eight known or suspected aneugens by the in vitro human lymphocyte micronucleus test. *Mutagenesis*. 7: 447-455. <http://dx.doi.org/10.1093/mutage/7.6.447>.
- van Lieshout, E; Knapen, M; Lange, W; Steegers, E; Peters, W. (1998). Localization of glutathione S-transferases alpha and pi in human embryonic tissues at 8 weeks gestational age. *Hum Reprod*. 13: 1380-1386. <http://dx.doi.org/10.1093/humrep/13.5.1380>.
- van Lieshout, EM; Peters, WH. (1998). Age and gender dependent levels of glutathione and glutathione S-transferases in human lymphocytes. *Carcinogenesis*. 19: 1873-1875.
- Varshney, M; Chandra, A; Chauhan, LK; Goel, SK. (2013). Micronucleus induction by oxidative metabolites of trichloroethylene in cultured human peripheral blood lymphocytes: a comparative genotoxicity study. *Environ Sci Pollut Res Int*. 20: 8709-8716. <http://dx.doi.org/10.1007/s11356-013-1806-7>.
- Varshney, M; Chandra, A; Chauhan, LK; Goel, SK. (2014). In vitro cytogenetic assessment of trichloroacetic acid in human peripheral blood lymphocytes. *Environ Sci Pollut Res Int*. 21: 843-850. <http://dx.doi.org/10.1007/s11356-013-1949-6>.
- Vartiainen, T; Pukkala, E; Rienoja, T; Strandman, T; Kaksonen, K. (1993). Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water pollution. *Chemosphere*. 27: 1171-1181. [http://dx.doi.org/10.1016/0045-6535\(93\)90165-2](http://dx.doi.org/10.1016/0045-6535(93)90165-2).
- Verma, Y; Rana, S. (2003). Gender differences in the metabolism of benzene, toluene and trichloroethylene in rat with special reference to certain biochemical parameters. *J Environ Biol*. 24: 135-140.
- Vermeulen, R; Zhang, L; Spierenburg, A; Tang, X; Bonventre, JV; Reiss, B; Shen, M, in; Smith, MT; Qiu, C; Ge, Y; Ji, Z; Xiong, J, un; He, J; Hao, Z; Liu, S; Xie, Y; Yue, F, ei; Guo, W; Purdue, M; Freeman, LEB; Sabbisetti, V; Li, L; Huang, H; Rothman, N; Lan, Q. (2012). Elevated urinary levels of kidney injury molecule-1 among Chinese factory workers exposed to trichloroethylene. *Carcinogenesis*. 33: 1538-1541. <http://dx.doi.org/10.1093/carcin/bgs191>.
- Vernon, RJ; Ferguson, RK. (1969). Effects of trichloroethylene on visual-motor performance. *Arch Environ Health*. 18: 894-900.
- Vesterberg, O; Astrand, I. (1976). Exposure to trichloroethylene monitored by analysis of metabolites in blood and urine. *J Occup Med*. 18: 224-226.

Human Health Hazard Literature Search Results

On Topic

- Vesterberg, O; Gorczak, J; Krasts, M. (1976). Exposure to trichloroethylene II: Metabolites in blood and urine. *Scand J Work Environ Health*. 2: 212-219.
- Vickers, AE; Lucier, GW. (1996). Estrogen receptor levels and occupancy in hepatic sinusoidal endothelial and Kupffer cells are enhanced by initiation with diethylnitrosamine and promotion with 17alpha-ethinylestradiol in rats. *Carcinogenesis*. 17: 1235-1242.
- Vieira, I; Sonnier, M; Cresteil, T. (1996). Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem*. 238: 476-483. <http://dx.doi.org/10.1111/j.1432-1033.1996.0476z.x>.
- Vielhauer, V; Sarafoff, M; Gais, P; Rabes, HM. (2001). Cell type-specific induction of O6-alkylguanine-DNA alkyltransferase mRNA expression in rat liver during regeneration, inflammation and preneoplasia. *J Cancer Res Clin Oncol*. 127: 591-602.
- Vig, P; Russo, FP; Edwards, RJ; Tadrous, PJ; Wright, NA; Thomas, HC; Alison, MR; Forbes, SJ. (2006). The sources of parenchymal regeneration after chronic hepatocellular liver injury in mice. *Hepatology*. 43: 316-324. <http://dx.doi.org/10.1002/hep.21018>.
- Villaschi, S; Giovanetti, A; Lombardi, CC; Nicolai, G; Garbati, M; Andreozzi, U. (1991). Damage and repair of mouse bronchial epithelium following acute inhalation of trichloroethylene. *Exp Lung Res*. 17: 601-614.
- Vineis, P; Miligi, L; Costantini, A. (2007). Exposure to solvents and risk of non-Hodgkin lymphoma: clues on putative mechanisms. *Cancer Epidemiol Biomarkers Prev*. 16: 381-384. <http://dx.doi.org/10.1158/1055-9965.EPI-07-0124>.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemiatycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med*. 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- Vlaanderen, J; Lan, Q; Kromhout, H; Rothman, N; Vermeulen, R. (2011). Occupational benzene exposure and the risk of lymphoma subtypes: a meta-analysis of cohort studies incorporating three study quality dimensions [Review]. *Environ Health Perspect*. 119: 159-167. <http://dx.doi.org/10.1289/ehp.1002318>.
- Vlaanderen, J; Straif, K; Pukkala, E; Kauppinen, T; Kyyronen, P; Martinsen, J; Kjaerheim, K; Tryggvadottir, L; Hansen, J; Sparen, P, ar; Weiderpass, E. (2013). Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. *Occup Environ Med*. 70: 393-401. <http://dx.doi.org/10.1136/oemed-2012-101188>.
- Vogelstein, B; Kinzler, KW. (2004). Cancer genes and the pathways they control [Review]. *Nat Med*. 10: 789-799. <http://dx.doi.org/10.1038/nm1087>.
- Vollmar, B; Pradarutti, S; Richter, S; Menger, MD. (2002). In vivo quantification of ageing changes in the rat liver from early juvenile to senescent life. *Liver Int*. 22: 330-341. <http://dx.doi.org/10.1034/j.1600-0676.2001.01631.x>.
- Von Tungeln, LS; Yi, P; Bucci, TJ; Samokyszyn, VM; Chou, MW; Kadlubar, FF; Fu, PP. (2002). Tumorigenicity of chloral hydrate, trichloroacetic acid, trichloroethanol, malondialdehyde, 4-hydroxy-2-nonenal, crotonaldehyde, and acrolein in the B6C3F1 neonatal mouse. *Cancer Lett*. 185: 13-19. [http://dx.doi.org/10.1016/S0304-3835\(02\)00231-8](http://dx.doi.org/10.1016/S0304-3835(02)00231-8).
- Wainfan, E; Poirier, LA. (1992). Methyl groups in carcinogenesis: effects on DNA methylation and gene expression. *Cancer Res*. 52: 2071s-2077s.
- Walgren, JE; Kurtz, DT; McMillan, JM. (2000). The effect of the trichloroethylene metabolites trichloroacetate and dichloroacetate on peroxisome proliferation and DNA synthesis in cultured human hepatocytes. *Cell Biol Toxicol*. 16: 257-273. <http://dx.doi.org/10.1023/A:1007638227821>.
- Walgren, JE; Kurtz, DT; McMillan, JM. (2000). Expression of PPAR(alpha) in human hepatocytes and activation by trichloroacetate and dichloroacetate. *Res Commun Mol Pathol Pharmacol*. 108: 116-132.
- Walker, DI; Uppal, K; Zhang, L; Vermeulen, R; Smith, M; Hu, W; Purdue, MP; Tang, X; Reiss, B; Kim, S; Li, L; Huang, H; Pennell, KD; Jones, DP; Rothman, N; Lan, Q. (2016). High-resolution metabolomics of occupational exposure to trichloroethylene. *Int J Epidemiol*. 45: 1517-1527. <http://dx.doi.org/10.1093/ije/dyw218>.
- Wallis, SAS. (1986). Induction of single-strand breaks in dna of mice by trichloroethylene and tetrachloroethylene. *Toxicol Lett*. 31: 31-35. [http://dx.doi.org/10.1016/0378-4274\(86\)90191-8](http://dx.doi.org/10.1016/0378-4274(86)90191-8).
- Wang, D; Chen, T; Wang, GQ; Jang, Y. (2015). [The effects of trichloroethylene on cardiac differentiation in human embryonic stem cells and its mechanisms]. *Zhongguo Ying Yong Sheng Li Xue Za Zhi*. 31: 216-219, 224.
- Wang, F; Leng, J; Zha, W; Li, S; Wang, H; Shen, T; Zhu, Q. (2015). [Expression of C3aR and C5aR in trichloroethylene-sensitized mouse liver]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 33: 171-174.
- Wang, F; Zha, WS; Zhang, JX; Li, SL; Wang, H; Ye, LP; Shen, T; Wu, CH; Zhu, QX. (2014). Complement C3a binding to its receptor as a negative modulator of Th2 response in liver injury in trichloroethylene-sensitized mice. *Toxicol Lett*. 229: 229-239. <http://dx.doi.org/10.1016/j.toxlet.2014.06.841>.
- Wang, G; Ansari, GAS; Khan, MF. (2007). Involvement of lipid peroxidation-derived aldehyde-protein adducts in autoimmunity mediated by trichloroethene. *J Toxicol Environ Health A*. 70: 1977-1985. <http://dx.doi.org/10.1080/15287390701550888>.
- Wang, G; Cai, P; Ansari, GAS; Khan, MF. (2007). Oxidative and nitrosative stress in trichloroethene-mediated autoimmune response. *Toxicology*. 229: 186-193. <http://dx.doi.org/10.1016/j.tox.2006.10.014>.
- Wang, G; König, R; Ansari, GAS; Khan, MF. (2008). Lipid peroxidation-derived aldehyde-protein adducts contribute to trichloroethene-mediated autoimmunity via activation of CD4+ T cells. *Free Radic Biol Med*. 44: 1475-1482. <http://dx.doi.org/10.1016/j.freeradbiomed.2008.01.012>.
- Wang, G; Li, H; Firoze Khan, M. (2012). Differential oxidative modification of proteins in MRL+/+ and MRL/lpr mice: Increased formation of lipid peroxidation-derived aldehyde-protein adducts may contribute to accelerated onset of autoimmune response. *Free Radic Res*. 46: 1472-1481. <http://dx.doi.org/10.3109/10715762.2012.727209>.
- Wang, G; Ma, H; Fan, X; Wang, J; Ansari, GAS; Khan, MF. (2010). Oxidative Stress and Trichloroethene-Mediated Autoimmunity. *Free Radic Biol Med*. 49: S144-S144. <http://dx.doi.org/10.1016/j.freeradbiomed.2010.10.403>.

Human Health Hazard Literature Search Results

On Topic

- Wang, G; Stacey, NH. (1990). Elevation of individual serum bile acids on exposure to trichloroethylene or alpha-naphthylisothiocyanate. *Toxicol Appl Pharmacol.* 105: 209-215. [http://dx.doi.org/10.1016/0041-008X\(90\)90182-T](http://dx.doi.org/10.1016/0041-008X(90)90182-T).
- Wang, G; Wakamiya, M; Wang, J; Ansari, GAS; Khan, MF. (2015). iNOS null MRL plus / plus mice show attenuation of trichloroethene-mediated autoimmunity: contribution of reactive nitrogen species and lipid-derived reactive aldehydes. *Free Radic Biol Med.* 89: 770-776. <http://dx.doi.org/10.1016/j.freeradbiomed.2015.10.402>.
- Wang, G; Wang, J; Ansari, GAS; Khan, MF. (2011). Protein Adducts of 4-Hydroxynonenal and Malondialdehyde Contribute To Trichloroethene-Mediated Autoimmunity by Activating TH17 Cells. *Free Radic Biol Med.* 51: S145-S146. <http://dx.doi.org/10.1016/j.freeradbiomed.2011.10.247>.
- Wang, G; Wang, J; Fan, X; Ansari, GAS; Khan, MF. (2012). Protein adducts of malondialdehyde and 4-hydroxynonenal contribute to trichloroethene-mediated autoimmunity via activating Th17 cells: dose- and time-response studies in female MRL+/+ mice. *Toxicology.* 292: 113-122. <http://dx.doi.org/10.1016/j.tox.2011.12.001>.
- Wang, G; Wang, J; Luo, X; Ansari, GAS; Khan, MF. (2014). Nitrosative Stress and Nitrated Proteins in Trichloroethene-Mediated Autoimmunity. *PLoS ONE.* 9: e98660. <http://dx.doi.org/10.1371/journal.pone.0098660>.
- Wang, G; Wang, J; Ma, H; Ansari, GA; Khan, MF. (2013). N-Acetylcysteine protects against trichloroethene-mediated autoimmunity by attenuating oxidative stress. *Toxicol Appl Pharmacol.* 273: 189-195. <http://dx.doi.org/10.1016/j.taap.2013.08.020>.
- Wang, GZ; Takano, T; Tomita, K; Nakata, K; Nakamura, K. (1993). [Interaction of trichloroethylene and isopropyl alcohol in the perfused rat liver]. *Nippon Eiseigaku Zasshi.* 48: 1000-1005.
- Wang, H; Zhang, J; Li, S; Zha, W; Wang, F; Zhu, Q. (2015). [Study on the expression of bradykinin and its receptors B1R and B2R in the kidney immune injury in trichloroethylene-sensitized mouse]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 33: 486-491.
- Wang, H; Zhang, JX; Li, SL; Wang, F; Zha, WS; Shen, T; Wu, C; Zhu, QX. (2015). An Animal Model of Trichloroethylene-Induced Skin Sensitization in BALB/c Mice. *Int J Toxicol.* 34: 442-453. <http://dx.doi.org/10.1177/1091581815591222>.
- Wang, H; Zhang, JX; Ye, LP; Li, SL; Wang, F; Zha, WS; Shen, T; Wu, C; Zhu, QX. (2016). Plasma Kallikrein-Kinin system mediates immune-mediated renal injury in trichloroethylene-sensitized mice. *J Immunotoxicol.* 13: 567-579. <http://dx.doi.org/10.3109/1547691X.2016.1142019>.
- Wang, JC; Feng, ZM; Chen, QS. (2010). [Occupational hygiene control over trichloroethylene occupational disease hazards in primary care organizations]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 28: 409.
- Wang, JD. (2004). Increased mortality odds ratio of male liver cancer in a community contaminated by chlorinated hydrocarbons in groundwater [Paper]. Symposium on New Scientific Research Related to the Health Effects of Trichloroethylene. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=75934>.
- Wang, JL; Chen, WL; Tsai, SY; Sung, PY; Huang, RN. (2001). An in vitro model for evaluation of vaporous toxicity of trichloroethylene and tetrachloroethylene to CHO-K1 cells. *Chem Biol Interact.* 137: 139-154. [http://dx.doi.org/10.1016/S0009-2797\(01\)00226-5](http://dx.doi.org/10.1016/S0009-2797(01)00226-5).
- Wang, LJ; Guo, RJ; Shen, T; Zhu, QX. (2010). [Beta-arrestin and NF-kappaB, AP-1 activity in peripheral blood mononuclear cells of guinea pigs sensitized by trichloroethylene]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 28: 494-497.
- Wang, R; Zhang, Y; Lan, Q; Holford, TR; Leaderer, B; Zahm, SH; Boyle, P; Dosemeci, M; Rothman, N; Zhu, Y; Qin, Q; Zheng, T. (2009). Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol.* 169: 176-185. <http://dx.doi.org/10.1093/aje/kwn300>.
- Wang, RS; Nakajima, T; Honma, T. (1999). Trichloroethylene inhibits aldehyde dehydrogenase only for aliphatic aldehydes of short chains in rats. *Toxicology.* 132: 9-18. [http://dx.doi.org/10.1016/S0300-483X\(98\)00132-2](http://dx.doi.org/10.1016/S0300-483X(98)00132-2).
- Warren, DA; Graeter, LJ; Channel, SR; Eggers, JS; Goodyear, CD; Macmahon, KL; Sudberry, GL; Latendresse, JR; Fisher, JW; Baker, WH. (2006). Trichloroethylene, trichloroacetic acid, and dichloroacetic acid: do they affect eye development in the Sprague-Dawley rat. *Int J Toxicol.* 25: 279-284. <http://dx.doi.org/10.1080/10915810600745975>.
- Wartenberg, D; Reyner, D; Scott, CS. (2000). Trichloroethylene and cancer: Epidemiologic evidence [Review]. *Environ Health Perspect.* 108: 161-176.
- Waseem, M; Ali, M; Dogra, S; Dutta, KK; Kaw, JL. (2001). Toxicity of trichloroethylene following inhalation and drinking contaminated water. *J Appl Toxicol.* 21: 441-444.
- Waskell, L. (1978). A study of the mutagenicity of anesthetics and their metabolites. *Mutat Res-Fundam Mol Mech Mutagen.* 57: 141-153. [http://dx.doi.org/10.1016/0027-5107\(78\)90261-0](http://dx.doi.org/10.1016/0027-5107(78)90261-0).
- Watanabe, H. (2011). Hypersensitivity syndrome due to trichloroethylene exposure: A severe generalized skin reaction resembling drug-induced hypersensitivity syndrome [Review]. *J Dermatol.* 38: 229-235. <http://dx.doi.org/10.1111/j.1346-8138.2010.01155.x>.
- Watanabe, H; Tohyama, M; Kamijima, M; Nakajima, T; Yoshida, T; Hashimoto, K; Iijima, M. (2010). Occupational Trichloroethylene Hypersensitivity Syndrome with Human Herpesvirus-6 and Cytomegalovirus Reactivation [Review]. *Dermatology.* 221: 17-22. <http://dx.doi.org/10.1159/000290775>.
- Watanabe, S; Fukui, T. (2000). Suppressive effect of curcumin on trichloroethylene-induced oxidative stress. *J Nutr Sci Vitaminol.* 46: 230-234.
- Watson, RE; Jacobson, CF; Williams, AL; Howard, WB; DeSesso, JM. (2006). Trichloroethylene-contaminated drinking water and congenital heart defects: a critical analysis of the literature [Review]. *Reprod Toxicol.* 21: 117-147. <http://dx.doi.org/10.1016/j.reprotox.2005.07.013>.
- Weiderpass, E; Pukkala, E; Kauppinen, T; Mutanen, P; Paakkulainen, H; Vasama-Neuvonen, K; Boffetta, P; Partanen, T. (1999). Breast cancer and occupational exposures in women in Finland. *Am J Ind Med.* 36: 48-53. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<48::AID-AJIM7>3.0.CO;2-2](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<48::AID-AJIM7>3.0.CO;2-2).
- Weiderpass, E; Vainio, H; Kauppinen, T; Vasama-Neuvonen, K; Partanen, T; Pukkala, E. (2003). Occupational exposures and gastrointestinal cancers among Finnish women. *J Occup Environ Med.* 45: 305-315.

Human Health Hazard Literature Search Results

On Topic

- Wells, GM; Schroth, W; Brauch, H; Ross, EA. (2009). Bilateral renal-cell carcinoma associated with an acquired VHL mutation and long-term trichloroethylene exposure. *Clin Nephrol.* 71: 708-713.
- Werner, M; Birner, G; Dekant, W. (1996). Sulfoxidation of mercapturic acids derived from tri- and tetrachloroethene by cytochromes P450 3A: A bioactivation reaction in addition to deacetylation and cysteine conjugate beta-lyase mediated cleavage. *Chem Res Toxicol.* 9: 41-49. <http://dx.doi.org/10.1021/tx950075u>.
- Westergren, I; Kjellstrand, P; Linder, L; Johansson, B. (1984). Reduction of brain specific gravity in mice prenatally exposed to trichloroethylene. *Toxicol Lett.* 23: 223-226. [http://dx.doi.org/10.1016/0378-4274\(84\)90130-9](http://dx.doi.org/10.1016/0378-4274(84)90130-9).
- White, AE; Takehisa, S; Eger, EI; Wolff, S; Stevens, WC. (1979). Sister chromatid exchanges induced by inhaled anesthetics. *Anesthesiology.* 50: 426-430.
- White, JF; Carlson, GP. (1981). Epinephrine-induced cardiac arrhythmias in rabbits exposed to trichloroethylene: potentiation by ethanol. *Toxicol Appl Pharmacol.* 60: 466-471.
- White, JF; Carlson, GP. (1981). Epinephrine-induced cardiac arrhythmias in rabbits exposed to trichloroethylene: role of trichloroethylene metabolites. *Toxicol Appl Pharmacol.* 60: 458-465.
- White, RF; Feldman, RG; Eviator, II; Jabre, JF; Niles, CA. (1997). Hazardous waste and neurobehavioral effects: A developmental perspective. *Environ Res.* 73: 113-124. <http://dx.doi.org/10.1006/enrs.1997.3699>.
- WHO. (1985). Environmental health criteria: Trichloroethylene. Geneva, Switzerland.
- Wiesenhütter, B; Selinski, S; Golka, K; Brüning, T; Bolt, HM. (2007). Re-assessment of the influence of polymorphisms of phase-II metabolic enzymes on renal cell cancer risk of trichloroethylene-exposed workers. *Int Arch Occup Environ Health.* 81: 247-251. <http://dx.doi.org/10.1007/s00420-007-0200-5>.
- Wilcosky, TC; Checkoway, H; Marshall, EG; Tyroler, HA. (1984). Cancer mortality and solvent exposures in the rubber industry. *Am Ind Hyg Assoc J.* 45: 809-811. <http://dx.doi.org/10.1080/15298668491400683>.
- Williams, AL; DeSesso, JM. (2008). Trichloroethylene and ocular malformations: analysis of extant literature [Review]. *Int J Toxicol.* 27: 81-95. <http://dx.doi.org/10.1080/10915810701876760>.
- Wilmer, JW; Spencer, PJ; Ball, N; Bus, JS. (2014). Assessment of the genotoxicity of trichloroethylene in the in vivo micronucleus assay by inhalation exposure. *Mutagenesis.* 29: 209-214. <http://dx.doi.org/10.1093/mutage/geu006>.
- Windemuller, FJB; Ettema, JH. (1978). Effects of combined exposure to trichloroethylene and alcohol on mental capacity. *Int Arch Occup Environ Health.* 41: 77-85. <http://dx.doi.org/10.1007/BF00381792>.
- Windham, GC; Shusterman, D; Swan, SH; Fenster, L; Eskenazi, B. (1991). Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med.* 20: 241-259. <http://dx.doi.org/10.1002/ajim.4700200210>.
- Windham, GC; Zhang, L; Gunier, R; Croen, LA; Grether, JK. (2006). Autism spectrum disorders in relation to distribution of hazardous air pollutants in the San Francisco Bay area. *Environ Health Perspect.* 114: 1438-1444. <http://dx.doi.org/10.1289/ehp.9120>.
- Winneke, G. (1982). Acute behavioral effects of exposure to some organic solvents - psychophysiological aspects. *Acta Neurol Scand Suppl.* 66: 117-129.
- Winneke, G; Fodor, G; Schlipkoter, H. (1978). Carbon monoxide, trichloroethylene, and alcohol: Reliability and validity of neurobehavioral effects [EPA Report] (pp. 463-469). (EPA-600/9-77-043). Washington, DC; Hendersonville, NC: U.S. Environmental Protection Agency. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=9101KFDJ.txt>.
- Wirbisky, SE; Damayanti, N; Mahapatra, CT; Sepulveda, MS; Irudayaraj, J; Freeman, JL. (2016). Mitochondrial Dysfunction, Disruption of F-Actin Polymerization, and Transcriptomic Alterations in Zebrafish Larvae Exposed to Trichloroethylene. *Chem Res Toxicol.* 29: 169-179. <http://dx.doi.org/10.1021/acs.chemrestox.5b00402>.
- Withey, JR; Collins, BT; Collins, PG. (1983). Effect of vehicle on the pharmacokinetics and uptake of four halogenated hydrocarbons from the gastrointestinal tract of the rat. *J Appl Toxicol.* 3: 249-253. <http://dx.doi.org/10.1002/jat.2550030506>.
- Withey, JR; Karpinski, K. (1985). The fetal distribution of some aliphatic chlorinated hydrocarbons in the rat after vapor phase exposure. *Biol Res Pregnancy Perinatol.* 6: 79-88.
- Wolff, DL; Siegmund, R. (1978). [The circadian dependent effect of trichloroethylene on spontaneous locomotor activity and of tetrachloroethane on mortality in mice]. *Biologisches Zentralblatt.* 97: 345-351.
- Woolhiser, MR; Krieger, SM; Thomas, J; Hotchkiss, JA. (2006). Trichloroethylene (TCE): Immunotoxicity potential in CD rats following a 4-week vapor inhalation exposure. (031020). Midland, MI: Dow Chemical Company.
- Wright, PFA; Thomas, WD; Stacey, NH. (1991). Effects of trichloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicology.* 70: 231-242.
- Wu, DS; Yang, LQ; Huang, S; Liu, JJ; Xu, XY; Huang, HY; Gong, CM; Hu, GH; Liu, QC; Yang, XF; Hong, WX; Zhou, L; Huang, XF; Yuan, JH; Zhuang, ZX. (2013). [Study on sperm damage caused by trichloroethylene in male rats]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 31: 811-814.
- Wu, KL; Berger, T. (2007). Trichloroethylene metabolism in the rat ovary reduces oocyte fertilizability. *Chem Biol Interact.* 170: 20-30. <http://dx.doi.org/10.1016/j.cbi.2007.06.038>.
- Wu, KL; Berger, T. (2008). Ovarian gene expression is stable after exposure to trichloroethylene. *Toxicol Lett.* 177: 59-65. <http://dx.doi.org/10.1016/j.toxlet.2007.12.008>.
- Xie, GS; Liu, JJ; Hong, WX; Zhang, H; Sun, Y; Zhu, WG. (2016). [Effect of SET deficiency on the trichloroethylene-induced alteration of cell proliferation and cell apoptosis and DNA methylation in human hepatic L-02 cells]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 34: 161-165.

Human Health Hazard Literature Search Results

On Topic

- Xu, H; Tanphaichitr, N; Forkert, PG; Anupriwan, A; Weerachatanukul, W; Vincent, R; Leader, A; Wade, MG. (2004). Exposure to trichloroethylene and its metabolites causes impairment of sperm fertilizing ability in mice. *Toxicol Sci.* 82: 590-597. <http://dx.doi.org/10.1093/toxsci/kfh277>.
- Xu, HW; Bo, YJ; Tong, CM; Yan, Y; Feng, ZG; Fei, YX; Liang, Y; Hu, RX; Yan, HH; Li, Z; Feng, HX; Xiong, ZZ; Jun, LJ. (2013). Trichloroethylene Induces Biphasic Concentration-dependent Changes in Cell Proliferation and the Expression of SET-Associated Proteins in Human Hepatic L-02 Cells [Letter]. *Biomed Environ Sci.* 26: 618-621. <http://dx.doi.org/10.3967/0895-3988.2013.07.016>.
- Xu, X; Ke, Y; Yuan, J; Liu, Y; Li, X; Wu, D; Qin, X; Mao, J; Mao, K. (2016). Trichloroethylene-induced hypersensitivity dermatitis was associated with hepatic metabolic enzyme genes and immune-related genes. *Toxicology Research.* 5: 633-640. <http://dx.doi.org/10.1039/c5tx00400d>.
- Xu, X; Li, X; Liu, Y. (2014). [Involvement of cellular immunity and humoral immunity in mixed allergy induced by trichloroethylene]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 32: 881-886.
- Xu, X; Mao, K; Yuan, J; Wu, D; Huang, H; Qin, X; Tan, Q. (2014). [Effects of trichloroethylene toxicity on normal human liver cells and hepatocytes with CYP2E1 gene overexpression]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 32: 723-727.
- Xu, X; Yang, R; Wu, N; Zhong, P; Ke, Y; Zhou, L; Yuan, J; Li, G; Huang, H; Wu, B. (2009). Severe hypersensitivity dermatitis and liver dysfunction induced by occupational exposure to trichloroethylene. *Ind Health.* 47: 107-112.
- Xu, XY; Li, XY; Liu, YF; Zhou, L; Ke, YB; Fang, DK; Yang, LQ; Shi, CF. (2010). [Study on skin sensitization as well as liver and kidney impairment in guinea pigs treated with trichloroethylene]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 28: 81-83.
- Xu, XY; Liu, YF; Lu, LW; Ke, YB; Mao, JY; Mao, KL. (2012). Altered expression of hepatic metabolic enzyme and apoptosis-related gene transcripts in human hepatocytes treated with trichloroethylene. *Hum Exp Toxicol.* 31: 861-867. <http://dx.doi.org/10.1177/0960327112444935>.
- Xu, XY; Liu, YF; Yi, J; Ke, YB; Yuan, JH; Huang, HY; Mao, JY; Mao, KL. (2011). [Study on mRNA expression of immune-related genes in patients with allergic dermatitis induced by trichloroethylene]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 29: 816-819.
- Xu, XY; Mao, JY; Mao, KL; Liu, GH; Ci, JY; Yang, XF; Wu, DS; Huang, HY; Zhang, R; Huang, XF. (2013). [Effects of trichloroethylene on hepatotoxicity in cytochrome 2E1-silenced hepatocytes]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 31: 172-177.
- Yamamura, K; Ikeda, T; Sadmoto, T; Maehara, N; Harabuchi, I; Takashima, H; Kiyosawa, H. (1983). Effects of trichloroethylene exposure on hearing: An investigation of cochlear microphonics and action potential of the guinea pig. *Eur J Appl Physiol.* 52: 47-50. <http://dx.doi.org/10.1007/BF00429024>.
- Yang, H; Dai, Y; Dong, H; Zang, D, an; Liu, Q; Duan, H; Niu, Y; Bin, P; Zheng, Y. (2011). Trichloroethanol up-regulates matrix metalloproteinase-9 and tissue inhibitor of metalloproteinase-1 in HaCaT cells. *Toxicol In Vitro.* 25: 1638-1643. <http://dx.doi.org/10.1016/j.tiv.2011.06.015>.
- Yang, X; Jiang, Y; Li, J, ie; Hong, W; Wu, D; Huang, X; Huang, H; Zhou, L, i; Yang, L; Yuan, J; Zhuang, Z; Liu, J. (2012). Lentivirus-mediated silencing of I2PP2A through RNA interference attenuates trichloroethylene-induced cytotoxicity in human hepatic L-02 cells. *Toxicol Lett.* 209: 232-238. <http://dx.doi.org/10.1016/j.toxlet.2011.12.019>.
- Yao, P; Hongqian, C; Qinghe, M; Lanqin, S; Jianjun, J; Xiaohua, Y; Xuetao, W; Weidong, H. (2016). Lack of TAK1 in dendritic cells inhibits the contact hypersensitivity response induced by trichloroethylene in local lymph node assay. *Toxicol Appl Pharmacol.* 307: 72-80. <http://dx.doi.org/10.1016/j.taap.2016.07.019>.
- Yaqoob, N; Evans, A; Foster, JR; Lock, EA. (2014). Trichloroethylene and trichloroethanol-induced formic aciduria and renal injury in male F-344 rats following 12 weeks exposure. *Toxicology.* 323: 70-77. <http://dx.doi.org/10.1016/j.tox.2014.06.004>.
- Yaqoob, N; Evans, AR; Lock, EA. (2013). Trichloroethylene-induced formic aciduria: effect of dose, sex and strain of rat. *Toxicology.* 304: 49-56. <http://dx.doi.org/10.1016/j.tox.2012.11.014>.
- Yauck, JS; Malloy, ME; Blair, K; Simpson, PM; Mccarver, DG. (2004). Proximity of residence to trichloroethylene-emitting sites and increased risk of offspring congenital heart defects among older women. *Birth Defects Res A Clin Mol Teratol.* 70: 808-814. <http://dx.doi.org/10.1002/bdra.20060>.
- Yi, J; Teng, YX; Zang, D; Zhou, W; Dong, HY; Niu, Y; Bin, P; Huang, XQ; Zheng, YX; Dai, YF. (2011). [Analysis of subgroups of lymphocyte in peripheral blood among dermatitis medicamentosa-like of trichloroethylene patients and healthy exposed workers]. *Zhonghua Yufang Yixue Zazhi.* 45: 1017-1021.
- Yoo, H; Bradford, BU; Kosyk, O; Shymonyak, S; Uehara, T; Collins, LB; Bodnar, WM; Ball, LM; Gold, A; Rusyn, I. (2015). Comparative Analysis of the Relationship Between Trichloroethylene Metabolism and Tissue-Specific Toxicity Among Inbred Mouse Strains: Liver Effects. *J Toxicol Environ Health A.* 78: 15-31. <http://dx.doi.org/10.1080/15287394.2015.958417>.
- Yoo, H; Bradford, BU; Kosyk, O; Uehara, T; Shymonyak, S; Collins, LB; Bodnar, WM; Ball, LM; Gold, A; Rusyn, I. (2015). Comparative Analysis of the Relationship Between Trichloroethylene Metabolism and Tissue-Specific Toxicity Among Inbred Mouse Strains: Kidney Effects. *J Toxicol Environ Health A.* 78: 32-49. <http://dx.doi.org/10.1080/15287394.2015.958418>.
- Yoo, HS; Cichocki, JA; Kim, S; Venkatratnam, A; Iwata, Y; Kosyk, O; Bodnar, W; Sweet, S; Knap, A; Wade, T; Campbell, J; Clewell, HJ; Melnyk, SB; Chiu, WA; Rusyn, I. (2015). The Contribution of Peroxisome Proliferator-Activated Receptor Alpha to the Relationship Between Toxicokinetics and Toxicodynamics of Trichloroethylene. *Toxicol Sci.* 147: 339-349. <http://dx.doi.org/10.1093/toxsci/kfv134>.
- Yoon, JS; Mason, JM; Valencia, R; Woodruff, RC; Zimmering, S. (1985). Chemical mutagenesis testing in *Drosophila*. IV. Results of 45 coded compounds tested for the National Toxicology Program. *Environ Mutagen.* 7: 349-367. <http://dx.doi.org/10.1002/em.2860070310>.
- Yoshida, M; Fukabori, S; Hara, K; Yuasa, H; Nakaaki, K; Yamamura, Y; Yoshida, K. (1996). Concentrations of trichloroethylene and its metabolites in blood and urine after acute poisoning by ingestion. *Hum Exp Toxicol.* 15: 254-258. <http://dx.doi.org/10.1177/096032719601500312>.
- Yoshioka, T; Krauser, JA; Guengerich, FP. (2002). Microsomal oxidation of tribromoethylene and reactions of tribromoethylene oxide. *Chem Res Toxicol.* 15: 1414-1420.

Human Health Hazard Literature Search Results

On Topic

- Yu, J; Leng, J; Shen, T; Zhou, C; Xu, H, ui; Jiang, T, ao; Xu, S; Zhu, Q, iX. (2012). Possible role of complement activation in renal impairment in trichloroethylene-sensitized guinea pigs. *Toxicology*. 302: 172-178. <http://dx.doi.org/10.1016/j.tox.2012.06.008>.
- Yu, KO; Barton, HA; Mahle, DA; Frazier, JM. (2000). In vivo kinetics of trichloroacetate in male Fischer 344 rats. *Toxicol Sci*. 54: 302-311.
- Yu, X; Chen, W; Zhu, Z; Qiu, X; Bian, H; Zhang, S. (2014). [Prevention and control of occupational hazards of trichloroethylene]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 32: 131-132.
- Yue, F; Huang, HL; Huang, JX; Liang, LY; Huang, ZL; Wei, QY; Chen, XM. (2007). HLA-DM polymorphism and risk of trichloroethylene induced medicamentosa-like dermatitis. *Biomed Environ Sci*. 20: 506-511.
- Zaheer, F; Slevin, JT. (2011). Trichloroethylene and Parkinson Disease [Review]. *Neurol Clin*. 29: 657-+. <http://dx.doi.org/10.1016/j.ncl.2011.05.001>.
- Zanelli, U; Puccini, P; Acerbi, D; Ventura, P; Gervasi, PG. (1996). Induction of peroxisomal beta-oxidation and P-450 4A-dependent activities by pivalic and trichloroacetic acid in rat liver and kidney. *Arch Toxicol*. 70: 145-149. <http://dx.doi.org/10.1007/s002040050253>.
- Zang, D; Yi, J; Dong, HY; Zhou, W; Huang, XQ; Duan, HW; Bin, P; Niu, Y; Zheng, YX; Dai, YF. (2012). [Association between cytokines and trichloroethylene-induced hypersensitivity dermatitis]. *Zhonghua Yufang Yixue Zazhi*. 46: 836-839.
- Zeise, L; Wilson, R; Crouch, EA. (1987). Dose-response relationships for carcinogens: A review [Review]. *Environ Health Perspect*. 73: 259-306.
- Zenick, H; Blackburn, K; Hope, E; Richdale, N; Smith, MK. (1984). Effects of trichloroethylene exposure on male reproductive function in rats. *Toxicology*. 31: 237-250. [http://dx.doi.org/10.1016/0300-483X\(84\)90105-7](http://dx.doi.org/10.1016/0300-483X(84)90105-7).
- Zha, W; Leng, J; Wang, F; Zhang, J; Li, S; Wang, H; Shen, T; Zhu, Q. (2014). [Levels of complement components C3a and C5a in renal injury among trichloroethylene-sensitized BALB/c mice]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 32: 335-339.
- Zhang, H; Hong, W; Ye, J; Yang, X; Ren, X; Huang, A; Yang, L; Zhou, L, i; Huang, H; Wu, D; Huang, X; Zhuang, Z; Liu, J. (2014). Analysis of trichloroethylene-induced global DNA hypomethylation in hepatic L-02 cells by liquid chromatography-electrospray ionization tandem mass spectrometry. *Biochem Biophys Res Commun*. 446: 590-595. <http://dx.doi.org/10.1016/j.bbrc.2014.03.015>.
- Zhang, J; Zha, W; Wang, F; Jiang, T; Xu, S; Yu, J; Zhou, C; Shen, T; Wu, C; Zhu, Q. (2013). Complement Activation and Liver Impairment in Trichloroethylene-Sensitized BALB/c Mice. *Int J Toxicol*. 32: 431-441. <http://dx.doi.org/10.1177/1091581813511337>.
- Zhang, JX; Zha, WS; Ye, LP; Wang, F; Wang, H; Shen, T; Wu, CH; Zhu, QX. (2016). Complement C5a-C5aR interaction enhances MAPK signaling pathway activities to mediate renal injury in trichloroethylene sensitized BALB/c mice. *J Appl Toxicol*. 36: 271-284. <http://dx.doi.org/10.1002/jat.3179>.
- Zhang, L; Bassig, BA; Mora, JL; Vermeulen, R; Ge, Y; Curry, JD; Hu, W; Shen, M; Qiu, C; Ji, Z; Reiss, B; Mchale, CM; Liu, S; Guo, W; Purdue, MP; Yue, F; Li, L; Smith, MT; Huang, H; Tang, X; Rothman, N; Lan, Q. (In Press) Alterations in serum immunoglobulin levels in workers occupationally exposed to trichloroethylene. *Carcinogenesis*. <http://dx.doi.org/10.1093/carcin/bgs403>.
- Zhang, SH; Miao, DY; Liu, AL; Zhang, L; Wei, W; Xie, H; Lu, WQ. (2010). Assessment of the cytotoxicity and genotoxicity of haloacetic acids using microplate-based cytotoxicity test and CHO/HGPRT gene mutation assay. *Mutat Res Genet Toxicol Environ Mutagen*. 703: 174-179. <http://dx.doi.org/10.1016/j.mrgentox.2010.08.014>.
- Zhao, JH; Duan, Y; Wang, YJ; Huang, XL; Yang, GJ; Wang, J. (2016). The Influence of Different Solvents on Systemic Sclerosis: An Updated Meta-analysis of 14 Case-Control Studies. 22: 253-259. <http://dx.doi.org/10.1097/RHU.0000000000000354>.
- Zhao, N; Wang, HL; Yue, F; Zeng, ZM; Li, HL; Huang, YS; Chen, RT. (2012). [Studying the changes of the related serum complement immune indexes in patients with occupational medicamentosa-like dermatitis induced by trichloroethylene and workers occupationally exposed to trichloroethylene]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 30: 284-288.
- Zhao, Y; Krishnadasan, A; Kennedy, N; Morgenstern, H; Ritz, B. (2005). Estimated effects of solvents and mineral oils on cancer incidence and mortality in a cohort of aerospace workers. *Am J Ind Med*. 48: 249-258. <http://dx.doi.org/10.1002/ajim.20216>.
- Zhao, ZM; Guo, LX; Xu, XX. (2012). [Misdiagnosis of occupational medicamenose-loke dermatitis due to trichloroethylene: one cases report]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 30: 870-871.
- Zhong, YF; Yang, W; Zhong, JY; Li, GH. (2011). [Analysis on the occupational poisoning case of trichloroethylene reported in Dongguan during 2002 to 2009]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 29: 770-772.
- Zhou, YC; Waxman, DJ. (1998). Activation of peroxisome proliferator-activated receptors by chlorinated hydrocarbons and endogenous steroids. *Environ Health Perspect*. 106 Suppl 4: 983-988.
- Zhu, QX; Xu, H; Leng, J; Shen, T. (2012). [Changes in humoral immunity in sensitized guinea pigs exposed to trichloroethylene]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 30: 641-644.
- Zhu, YB; Chang, H; Yang, ZQ; Zhang, GP; Wu, DL; Li, SH. (2010). [Cytotoxicity of dichloroacetic acid in lymphocyte and expression of chemokine receptor CXCR2 and chemokine receptor CXCR3 mRNA]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 28: 3-7.
- Zhu, ZL; Ye, WG; Wang, MZ; Zhang, H; Wu, JH. (2010). [A survey report on dermatitis patients in hospital in Baoan district of shenzhen city from 1992 to 2006]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 28: 84-86.
- Zielinski, A. (1973). General health state of women professionally exposed to trichloroethylene vapours. *Med Pr*. 24: 263-271.
- Zordan, M; Osti, M; Pesce, M; Costa, R. (1994). Chloral hydrate is recombinogenic in the wing spot test in *Drosophila melanogaster*. *Mutat Res*. 322: 111-116. [http://dx.doi.org/10.1016/0165-1218\(94\)00017-4](http://dx.doi.org/10.1016/0165-1218(94)00017-4).
- Zungun, C; Yilmaz, FM; Tutkun, E; Yilmaz, H; Uysal, S. (2013). Assessment of serum S100B and neuron specific enolase levels to evaluate the neurotoxic effects of organic solvent exposure. *Clin Toxicol*. 51: 748-751. <http://dx.doi.org/10.3109/15563650.2013.820831>.

Human Health Hazard Literature Search Results

Off Topic

- AACR. (2017). Carcinogens Report Adds Seven Agents. *Cancer Discovery*. 7: 5. <http://dx.doi.org/10.1158/2159-8290.CD-NB2016-150>.
- Aadland, E; Solbraa, AK; Resaland, GK; Steene-Johannessen, J; Edvardsen, E; Hansen, BH; Anderssen, SA. (2016). Reference values for and cross-validation of time to exhaustion on a modified Balke protocol in Norwegian men and women. *Scand J Med Sci Sports*. <http://dx.doi.org/10.1111/sms.12750>.
- Abbas, AE; Franey, LM; Lester, S; Raff, G; Gallagher, MJ; Hanzel, G; Safian, RD; Pibarot, P. (2015). The role of jet eccentricity in generating disproportionately elevated transaortic pressure gradients in patients with aortic stenosis. *Echocardiography*. 32: 372-382. <http://dx.doi.org/10.1111/echo.12712>.
- Abbas, R; Seckel, CS; MacMahon, KL; Fisher, JW. (1997). Determination of kinetic rate constants for chloral hydrate, trichloroethanol, trichloroacetic acid and dichloroacetic acid: A physiologically based modeling approach [Abstract]. *Toxicologist*. 36: 32-33.
- Abbasi, S; Fazel, K; Esfahani, MA; Kashefi, P; Harandi, SA. (2014). Assess the clinical applicability of transthoracic echocardiography in laparotomy patients in a general intensive care unit. *Journal of Research in Medical Sciences*. 19: 398-403.
- Abbate, C; Giorgianni, C; Munao, F; Brecciaroli, R. (1993). Neurotoxicity induced by exposure to toluene: An electrophysiologic study. *Int Arch Occup Environ Health*. 64: 389-392. <http://dx.doi.org/10.1007/BF00517943>.
- Abboud, D; Daubeuf, F; Do, QT; Utard, V; Villa, P; Haiech, J; Bonnet, D; Hibert, M; Bernard, P; Galzi, JL; Frossard, N. (2015). A strategy to discover decoy chemokine ligands with an anti-inflammatory activity. *Sci Rep*. 5: 14746. <http://dx.doi.org/10.1038/srep14746>.
- Abdelghani, M; Ren, B; Spitzer, E; Tateishi, H; Jonker, H; Geleijnse, ML; Tijssen, JG; de Winter, RJ; Serruys, PW; Soliman, OI. (2016). A granular approach to improve reproducibility of the echocardiographic assessment of paravalvular regurgitation after TAVI. *Int J Cardiovasc Imaging*. 32: 1519-1527. <http://dx.doi.org/10.1007/s10554-016-0947-4>.
- Abdelghani, M; Tateishi, H; Spitzer, E; Tijssen, JG; de Winter, RJ; Soliman, OI; Hahn, RT; Serruys, PW. (2016). Echocardiographic and angiographic assessment of paravalvular regurgitation after TAVI: optimizing inter-technique reproducibility. 17: 852-860. <http://dx.doi.org/10.1093/ehjci/jew083>.
- Abdul Nasir, NA; Agarwal, R; Vasudevan, S; Tripathy, M; Alyautdin, R; Ismail, NM. (2014). Effects of topically applied tocotrienol on cataractogenesis and lens redox status in galactosemic rats. *Mol Vis*. 20: 822-835.
- Abedi, K; Ghorbani-Shahna, F; Jaleh, B; Bahrami, A; Yarahmadi, R. (2014). Enhanced performance of non-thermal plasma coupled with TiO₂/GAC for decomposition of chlorinated organic compounds: influence of a hydrogen-rich substance. *J Environ Health Sci Eng*. 12: 119. <http://dx.doi.org/10.1186/s40201-014-0119-1>.
- Abid, D; Rekik, N; Mallek, S; Abid, L; Akrouf, M; Smaoui, M; Abdennadher, M; Kolsi, K; Frikha, I; Kammoun, S. (2013). Percutaneous closure of Ostium secundum atrial septal defect using amplatzer occlusion device. *Tunis Med*. 91: 453-457.
- Aboyans, V; Bataille, V; Bliscaux, P; Ederhy, S; Filliol, D; Honton, B; Kurtz, B; Messas, E; Mohty, D; Brochet, E; Kownator, S; study, iotETA. (2014). Effectiveness of screening for abdominal aortic aneurysm during echocardiography. *Am J Cardiol*. 114: 1100-1104. <http://dx.doi.org/10.1016/j.amjcard.2014.07.024>.
- Aboyans, V; Kownator, S; Lafitte, M; Brochet, E; Emmerich, J; Tribouilloy, C; Lafitte, S; Ferrini, M; Working Group for Vascular Diseases/Thrombosis, F; Council of Echocardiography, F. (2010). Screening abdominal aorta aneurysm during echocardiography: literature review and proposal for a French nationwide study [Review]. *Arch Cardiovasc Dis*. 103: 552-558. <http://dx.doi.org/10.1016/j.acvd.2010.06.003>.
- Abraham, D; Patel, P; Cooper, A. (1995). Isolation from rat kidney of a cytosolic high molecular weight cysteine-S-conjugate beta-lyase with activity toward leukotriene E₄. *J Biol Chem*. 270: 180-188. <http://dx.doi.org/10.1074/jbc.270.1.180>.
- Abraham, D; Thomas, R; Cooper, A. (1995). Glutamine transaminase K is not a major cysteine S-conjugate beta-lyase of rat kidney mitochondria: Evidence that a high-molecular weight enzyme fulfills this role. *Mol Pharmacol*. 48: 855-860.
- Abudiab, MM; Pandit, A; Chaliki, HP. (2017). Role of Transesophageal Echocardiography in the Diagnosis of Paradoxical Low Flow, Low Gradient Severe Aortic Stenosis. *Korean Circulation Journal*. 47: 82-88. <http://dx.doi.org/10.4070/kcj.2016.0126>.
- Adachi, H; Kubota, I; Okamura, N; Iwata, H; Tsujimoto, M; Nakazato, H; Nishihara, T; Noguchi, T. (1989). Purification and characterization of human microsomal dipeptidase. *J Biochem*. 105: 957-961.
- Adamczyk, P; Dybala-Defratyka, A; Paneth, P. (2011). DFT study of trichloroethene reaction with permanganate in aqueous solution. *Environ Sci Technol*. 45: 3006-3011. <http://dx.doi.org/10.1021/es103251u>.
- Adami, HO; Chow, WH; Nyrén, O; Berne, C; Linet, MS; Ekbo, A; Wolk, A; McLaughlin, JK; Fraumeni, JF. (1996). Excess risk of primary liver cancer in patients with diabetes mellitus. *J Natl Cancer Inst*. 88: 1472-1477.
- Adams, JA; Reddy, KR; Tekola, L. (2011). Remediation of chlorinated solvent plumes using in-situ air sparging--a 2-D laboratory study. *Int J Environ Res Public Health*. 8: 2226-2239. <http://dx.doi.org/10.3390/ijerph8062226>.
- Adams, LA; Lindor, KD. (2007). Nonalcoholic fatty liver disease [Review]. *Ann Epidemiol*. 17: 863-869. <http://dx.doi.org/10.1016/j.annepidem.2007.05.013>.
- Adamson, DT; Anderson, RH; Mahendra, S; Newell, CJ. (2015). Evidence of 1,4-dioxane attenuation at groundwater sites contaminated with chlorinated solvents and 1,4-dioxane. *Environ Sci Technol*. 49: 6510-6518. <http://dx.doi.org/10.1021/acs.est.5b00964>.
- Adarkwah, CC; Jegan, N; Heinzl-Gutenbrunner, M; Kühne, F; Siebert, U; Popert, U; Donner-Banzhoff, N; Kürwitz, S. (2016). Time-to-event versus ten-year-absolute-risk in cardiovascular risk prevention - does it make a difference? Results from the Optimizing-Risk-Communication (OptRisk) randomized-controlled trial. *BMC Med Inform Decis Mak*. 16: 152. <http://dx.doi.org/10.1186/s12911-016-0393-1>.

Human Health Hazard Literature Search Results

Off Topic

- Addetia, K; Bhave, NM; Tabit, CE; Gomberg-Maitland, M; Freed, BH; Dill, KE; Lang, RM; Mor-Avi, V; Patel, AR. (2014). Sample size and cost analysis for pulmonary arterial hypertension drug trials using various imaging modalities to assess right ventricular size and function end points. *Circulation: Cardiovascular Imaging*. 7: 115-124. <http://dx.doi.org/10.1161/CIRCIMAGING.113.000932>.
- Adetutu, EM; Gundry, TD; Patil, SS; Golneshin, A; Adigun, J, oy; Bhaskarla, V; Aleer, S; Shahsavari, E; Ross, E; Ball, AS. (2015). Exploiting the intrinsic microbial degradative potential for field-based in situ dechlorination of trichloroethene contaminated groundwater. *J Hazard Mater*. 300: 48-57. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.055>.
- Adgate, J; Eberly, L; Stroebel, C; Pellizzari, E; Sexton, K. (2004). Personal, indoor, and outdoor VOC exposures in a probability sample of children. *J Expo Anal Environ Epidemiol*. 14: S4-S13. <http://dx.doi.org/10.1038/sj.jea.7500353>.
- Adgate, JL; Church, TR; Ryan, AD; Ramachandran, G; Fredrickson, AL; Stock, TH; Morandi, MT; Sexton, K. (2004). Outdoor, indoor, and personal exposure to VOCs in children. *Environ Health Perspect*. 112: 1386-1392. <http://dx.doi.org/10.1289/ehp.7107>.
- Adler, A; Lee, HL; Mcculloh, DH; Hodes-Wertz, B; Grifo, J. (2014). TWICE THAWED EUPLOID (TTE) FROZEN EMBRYO TRANSFER (FET) REDUCES SPONTANEOUS ABORTION WITH SIMILAR PREGNANCY AND ON-GOING/DELIVERY RATES WITH FEWER EMBRYOS TRANSFERRED. *Fertil Steril*. 102: E171-E171.
- Adler, ID. (1993). Synopsis of the in vivo results obtained with the 10 known or suspected aneugens tested in the CEC collaborative study [Review]. *Mutat Res-Fundam Mol Mech Mutagen*. 287: 131-137. [http://dx.doi.org/10.1016/0027-5107\(93\)90152-6](http://dx.doi.org/10.1016/0027-5107(93)90152-6).
- Adli, M; Baldwin, AS. (2006). IKK-i/IKKepsilon controls constitutive, cancer cell-associated NF-kappaB activity via regulation of Ser-536 p65/RelA phosphorylation. *J Biol Chem*. 281: 26976-26984. <http://dx.doi.org/10.1074/jbc.M603133200>.
- Agarwal, V; Nalluri, N; Shariff, MA; Akhtar, MS; Olkovsky, Y; Kitsis, PE; Nabagiez, JP. (2014). Large embolus in transit - an unresolved therapeutic dilemma (case report and review of literature) [Review]. *Heart Lung*. 43: 152-154. <http://dx.doi.org/10.1016/j.hrtlng.2013.08.005>.
- Aggarwal, NR; Wuthiwaropas, P; Karon, BL; Miller, FA; Pellikka, PA; Foundation, ACoC. (2010). Application of the appropriateness criteria for echocardiography in an academic medical center. *J Am Soc Echocardiogr*. 23: 267-274. <http://dx.doi.org/10.1016/j.echo.2009.11.005>.
- Agner, BF; Kühl, JT; Linde, JJ; Kofoed, KF; Åkeson, P; Rasmussen, BV; Jensen, GB; Dixen, U. (2014). Assessment of left atrial volume and function in patients with permanent atrial fibrillation: comparison of cardiac magnetic resonance imaging, 320-slice multi-detector computed tomography, and transthoracic echocardiography. 15: 532-540. <http://dx.doi.org/10.1093/ehjci/jet239>.
- Ahmad, A; Gu, X; Li, L, i; Lv, S; Xu, Y; Guo, X. (2015). Efficient degradation of trichloroethylene in water using persulfate activated by reduced graphene oxide-iron nanocomposite. *Environ Sci Pollut Res Int*. 22: 17876-17885. <http://dx.doi.org/10.1007/s11356-015-5034-1>.
- Ahmad, M; Lee, S; Dou, X; Mohan, D; Sung, J; Yang, J; Ok, Y. (2012). Effects of pyrolysis temperature on soybean stover- and peanut shell-derived biochar properties and TCE adsorption in water. *Bioresour Technol*. 118: 536-544. <http://dx.doi.org/10.1016/j.biortech.2012.05.042>.
- Ahmad, M; Lee, S; Rajapaksha, AU; Vithanage, M; Zhang, M; Cho, J; Lee, S; Ok, Y. (2013). Trichloroethylene adsorption by pine needle biochars produced at various pyrolysis temperatures. *Bioresour Technol*. 143: 615-622. <http://dx.doi.org/10.1016/j.biortech.2013.06.033>.
- Ahmad, M; Lee, SS; Oh, SE; Mohan, D; Moon, DH; Lee, YH; Ok, YS. (2013). Modeling adsorption kinetics of trichloroethylene onto biochars derived from soybean stover and peanut shell wastes. *Environ Sci Pollut Res Int*. 20: 8364-8373. <http://dx.doi.org/10.1007/s11356-013-1676-z>.
- Ahmad, O; Ahmad, KE; Dear, KB; Harvey, I; Hughes, A; Lueck, CJ. (2010). Echocardiography in the detection of cardioembolism in a stroke population. 17: 561-565. <http://dx.doi.org/10.1016/j.jocn.2009.09.016>.
- Ahmad, W; Jantan, I; Kumolosasi, E; Bukhari, SN. (2016). Standardized extract of *Tinospora crispa* stimulates innate and adaptive immune responses in Balb/c mice. 7: 1380-1389. <http://dx.doi.org/10.1039/c5fo01531f>.
- Ahmadi, N; Nabavi, V; Hajsadeghi, F; Flores, F; Azmoon, S; Ismaeel, H; Shavelle, D; Mao, SS; Ebrahimi, R; Budoff, MJ. (2011). Impaired aortic distensibility measured by computed tomography is associated with the severity of coronary artery disease. *Int J Cardiovasc Imaging*. 27: 459-469. <http://dx.doi.org/10.1007/s10554-010-9680-6>.
- Ahmari, SA; Amro, A; Otabi, MA; Abdullah, MA; Kasab, SA; Amri, HA. (2012). Initial experience of using intracardiac echocardiography (ICE) for guiding balloon mitral valvuloplasty (BMV). 24: 23-27. <http://dx.doi.org/10.1016/j.jsha.2011.08.002>.
- Ahn, JJ; Kim, YM; Yoo, K; Park, J; Oh, KJ. (2012). Using GA-Ridge regression to select hydro-geological parameters influencing groundwater pollution vulnerability. *Environ Monit Assess*. 184: 6637-6645. <http://dx.doi.org/10.1007/s10661-011-2448-1>.
- Ahn, JY; Kim, C; Kim, HS; Hwang, KY; Hwang, I. (2016). Effects of oxidants on in situ treatment of a DNAPL source by nanoscale zero-valent iron: A field study. *Water Res*. 107: 57-65. <http://dx.doi.org/10.1016/j.watres.2016.10.037>.
- Ahn, Y; Jeong, Y; Lee, D; Lee, Y. (2015). Copper nanowire-graphene core-shell nanostructure for highly stable transparent conducting electrodes. *ACS Nano*. 9: 3125-3133. <http://dx.doi.org/10.1021/acs.nano.5b00053>.
- Ahsanul Islam, M; Edwards, EA; Mahadevan, R. (2010). Characterizing the metabolism of *Dehalococcoides* with a constraint-based model. *PLoS Comput Biol*. 6. <http://dx.doi.org/10.1371/journal.pcbi.1000887>.
- Ai, D; Lasala, J; Mehran, JR; Xu, G; Banchs, J; Cata, JP. (2015). Preoperative Echocardiographic Parameters of Diastolic Dysfunction Did Not Provide a Predictive Value for Postoperative Atrial Fibrillation in Lung and Esophageal Cancer Surgery. *J Cardiothorac Vasc Anesth*. 29: 1127-1130. <http://dx.doi.org/10.1053/j.jvca.2015.01.012>.
- Aickin, M. (2004). Bayes without priors [Review]. *J Clin Epidemiol*. 57: 4-13. [http://dx.doi.org/10.1016/S0895-4356\(03\)00251-8](http://dx.doi.org/10.1016/S0895-4356(03)00251-8).
- Aickin, M; Chapin, CA; Flood, TJ; Englender, SJ; Caldwell, GG. (1992). Assessment of the spatial occurrence of childhood leukaemia mortality using standardized rate ratios with a simple linear Poisson model. *Int J Epidemiol*. 21: 649-655. <http://dx.doi.org/10.1093/ije/21.4.649>.
- Aikata, H; Takaishi, H; Kawakami, Y; Takahashi, S; Kitamoto, M; Nakanishi, T; Nakamura, Y; Shimamoto, F; Kajiyama, G; Ide, T. (2000). Telomere reduction in human liver tissues with age and chronic inflammation. *Exp Cell Res*. 256: 578-582. <http://dx.doi.org/10.1006/excr.2000.4862>.

Human Health Hazard Literature Search Results

Off Topic

- Ait-Ali, L; De Marchi, D; Lombardi, M; Scebbia, L; Picano, E; Murzi, B; Festa, P. (2011). The role of cardiovascular magnetic resonance in candidates for Fontan operation: proposal of a new algorithm. *J Cardiovasc Magn Reson.* 13: 69. <http://dx.doi.org/10.1186/1532-429X-13-69>.
- Akhter, N; Zhao, Q; Andrei, AC; Kane, B; Mccarthy, P; Rigolin, VH. (2015). Identification of prolapsing mitral valve scallops by a three-dimensional multiplanar reconstruction method. *Echocardiography.* 32: 106-113. <http://dx.doi.org/10.1111/echo.12608>.
- Akinosoglou, K; Apostolakis, E; Marangos, M; Pasvol, G. (2013). Native valve right sided infective endocarditis [Review]. *Eur J Intern Med.* 24: 510-519. <http://dx.doi.org/10.1016/j.ejim.2013.01.010>.
- Akira, S; Takeda, K. (2004). Toll-like receptor signalling [Review]. *Nat Rev Immunol.* 4: 499-511. <http://dx.doi.org/10.1038/nri1391>.
- Akiyama, TE; Nicol, CJ; Fievet, C; Staels, B; Ward, JM; Auwerx, J; Lee, SS; Gonzalez, FJ; Peters, JM. (2001). Peroxisome proliferator-activated receptor-alpha regulates lipid homeostasis, but is not associated with obesity: Studies with congenic mouse lines. *J Biol Chem.* 276: 39088-39093. <http://dx.doi.org/10.1074/jbc.M107073200>.
- Aksakal, E; Kaya, A; Bakırcı, EM; Kurt, M; Tanboğa, IH; Sevimli, S; Açikel, M. (2012). Assessment of agreement between transthoracic and transesophageal echocardiography techniques for left ventricular longitudinal deformation imaging and conventional Doppler parameters estimation: a cross-sectional study. 12: 472-479. <http://dx.doi.org/10.5152/akd.2012.153>.
- Akula, VS; Durgaprasad, R; Velam, V; Kasala, L; Rodda, M; Erathi, HV. (2016). Right Ventricle before and after Atrial Septal Defect Device Closure. *Echocardiography.* 33: 1381-1388. <http://dx.doi.org/10.1111/echo.13250>.
- Akyol, NH; Lee, AR; Brusseau, ML. (2013). Impact of enhanced-flushing reagents and organic-liquid distribution on mass removal and mass-discharge reduction. *Water Air Soil Pollut.* 224. <http://dx.doi.org/10.1007/s11270-013-1731-x>.
- Alamsahebpour, A; Blachman-Braun, R; Gupta, A; Castellan, M; Campos S, J; Gosalbez, R. (2015). Laparoscopy and transseptal orchiopexy in the management of transverse testicular ectopia. *Curr Urol Rep.* 16: 48. <http://dx.doi.org/10.1007/s11934-015-0515-9>.
- Alberati-Giani, D; Malherbe, P; Kohler, C; Lang, G; Kiefer, V; Lahm, HW; Cesura, AM. (1995). Cloning and characterization of a soluble kynurenine aminotransferase from rat brain: Identity with kidney cysteine conjugate [beta]-lyase. *J Neurochem.* 64: 1448-1455. <http://dx.doi.org/10.1046/j.1471-4159.1995.64041448.x>.
- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, MCF. (2010). Estimation of pollutant partition in sandy soils with different water contents. *Environ Monit Assess.* 171: 171-180. <http://dx.doi.org/10.1007/s10661-009-1269-y>.
- Albertini, S. (1990). Analysis of nine known or suspected spindle poisons for mitotic chromosome malsegregation using *Saccharomyces cerevisiae* D61.M. *Mutagenesis.* 5: 453-459.
- Albeyoglu, S; Aldag, M; Ciloglu, U; Kutlu, H; Dagsali, S. (2016). Biventricular transient systolic dysfunction after mitral valve replacement: Pericardial decompression syndrome. 28: 145-148. <http://dx.doi.org/10.1016/j.ijscr.2016.09.045>.
- Albright, KC; Alexandrov, A; Howard, G; Martin-Schild, S. (2010). Is there a role for echocardiography in intracerebral haemorrhage? *Int J Stroke.* 5: 383-384. <http://dx.doi.org/10.1111/j.1747-4949.2010.00463.x>.
- Aldwaik, M; Williams, AP; Le Feuvre, S; Cowell, R. (2014). Use of transthoracic echocardiography in the evaluation of chest pain: illustrative cases and review of recent guidelines. *B M J Case Reports.* 2014. <http://dx.doi.org/10.1136/bcr-2014-205438>.
- Alessandri, N; Petrassi, M; Tufano, F; Dei Giudici, A; De Angelis, S; Urciuoli, F; Alessandri, C; De Angelis, C; Tomao, E. (2012). Functional changes cardiovascular: normobaric activity and microgravity in young healthy human subjects. *Eur Rev Med Pharmacol Sci.* 16: 310-315.
- Alexis, JA; Costello, B; Iles, LM; Ellims, AH; Hare, JL; Taylor, AJ. (2016). Assessment of the accuracy of common clinical thresholds for cardiac morphology and function by transthoracic echocardiography. <http://dx.doi.org/10.1007/s12574-016-0322-4>.
- Al-Fakhouri, A; Hwang, I; Alsafwah, SF. (2015). Giant right atrial mass obliterating the right atrium. 5: 29607.
- Al-Faleh, HF; Al-Qadi, AO; Hersi, AS. (2010). Diagnostic yield and therapeutic impact of transthoracic echocardiography in patients with potential cardiac sources of cerebral embolism. *Saudi Med J.* 31: 658-662.
- Alghamdi, MH; Ismail, MI; Yelbuz, TM; Alhabshan, F. (2016). Do We Need More Than a Transthoracic Echocardiography When Evaluating Children with Congenital Heart Disease before Cardiac Surgery? *Congenit Heart Dis.* 11: 262-269. <http://dx.doi.org/10.1111/chd.12312>.
- Alghannam, AF; Jedrzejewski, D; Tweddle, M; Gribble, H; Bilzon, JL; Betts, JA. (2016). Reliability of Time to Exhaustion Treadmill Running as a Measure of Human Endurance Capacity. *Int J Sports Med.* 37: 219-223. <http://dx.doi.org/10.1055/s-0035-1555928>.
- Alikhani, B; Büermann, L. (2016). Non-invasive experimental determination of a CT source model. 32: 59-66. <http://dx.doi.org/10.1016/j.ejmp.2015.09.006>.
- Alimov, A; Kost-Alimova, M; Liu, J; Li, C; Bergerheim, U; Imreh, S; Klein, G; Zabarovsky, ER. (2000). Combined LOH/CGH analysis proves the existence of interstitial 3p deletions in renal cell carcinoma. *Oncogene.* 19: 1392-1399. <http://dx.doi.org/10.1038/sj.onc.1203449>.
- Aliter, H; Youssef, A; Al-Murayeh, M; Gallo, R. (2012). Cor triatriatum with persistent levoatrial cardinal vein late presented as severe mitral stenosis. 24: 257-259. <http://dx.doi.org/10.1016/j.jsha.2012.07.003>.
- Al-Kaisey, A; Jones, E; Nadurata, V; Farouque, O; De Silva, D; Ramchand, J. (2015). Appropriate use of echocardiography in an Australian regional centre. *Internal Medicine Journal (Online).* 45: 1128-1133. <http://dx.doi.org/10.1111/imj.12824>.
- Allen, BC; Shipp, AM; Crump, KS; Kilian, B; Hogg, ML; Tudor, J; Keller, B. (1987). Investigation of cancer risk assessment methods (3 volumes plus summary report). Washington, D.C.: U.S. Environmental Protection Agency.
- Allen, D; Pearce, G; Haseman, J; Maronpot, R. (2004). Prediction of rodent carcinogenesis: An evaluation of prechronic liver lesions as forecasters of liver tumors in NTP carcinogenicity studies. *Toxicol Pathol.* 32: 393-401. <http://dx.doi.org/10.1080/01926230490440934>.

Human Health Hazard Literature Search Results

Off Topic

- Allyn, J; Allou, N; Dib, M; Tashk, P; Desmard, M; Dufour, G; Daoud, O; Mentec, H; Montravers, P. (2013). Echocardiography to predict tolerance to negative fluid balance in acute respiratory distress syndrome/acute lung injury. *J Crit Care*. 28: 1006-1010. <http://dx.doi.org/10.1016/j.jcrc.2013.07.044>.
- Almehmadi, F; Davis, M; Singh, SM. (2015). Mobile Intracardiac Mass after Inguinal Hernia Repair: An Unresolved Treatment Dilemma. 2015: 375089. <http://dx.doi.org/10.1155/2015/375089>.
- Alonso-Castro, AJ; Zapata-Bustos, R; Romo-Yañez, J; Camarillo-Ledesma, P; Gómez-Sánchez, M; Salazar-Olivo, LA. (2010). The antidiabetic plants *Tecoma stans* (L.) Juss. ex Kunth (Bignoniaceae) and *Teucrium cubense* Jacq (Lamiaceae) induce the incorporation of glucose in insulin-sensitive and insulin-resistant murine and human adipocytes. *J Ethnopharmacol*. 127: 1-6. <http://dx.doi.org/10.1016/j.jep.2009.09.060>.
- Alosi, D; Bisgaard, ML; Hemmingsen, SN; Krogh, LN; Mikkelsen, HB; Binderup, MLM. (2017). Management of Gene Variants of Unknown Significance: Analysis Method and Risk Assessment of the VHL Mutation p.P81S (c.241C>T). *Current Genomics*. 18: 93-103. <http://dx.doi.org/10.2174/1389202917666160805153221>.
- Alp, BF; Demirer, Z; Güragaç, A; Babacan, O; Sari, E; Sari, S; Yavan, I. (2014). Persistent Mullerian duct syndrome with transverse testicular ectopia and seminoma. *Int Urol Nephrol*. 46: 1557-1562. <http://dx.doi.org/10.1007/s11255-014-0667-4>.
- Alqarqaz, M; Koneru, J; Mahan, M; Ananthasubramaniam, K. (2012). Applicability, limitations and downstream impact of echocardiography utilization based on the Appropriateness Use Criteria for transthoracic and transesophageal echocardiography. *Int J Cardiovasc Imaging*. 28: 1951-1958. <http://dx.doi.org/10.1007/s10554-012-0008-6>.
- Alreja, G; Lotfi, A. (2011). Eustachian valve endocarditis: Rare case reports and review of literature. 2: 181-185. <http://dx.doi.org/10.4103/0975-3583.85266>.
- Al-Saleh, I; Al-Doush, I; Alsabbaheen, A; Mohamed, G; Rabbah, A. (2012). Levels of DDT and its metabolites in placenta, maternal and cord blood and their potential influence on neonatal anthropometric measures. *Sci Total Environ*. 416: 62-74. <http://dx.doi.org/10.1016/j.scitotenv.2011.11.020>.
- Al-Shamsi, MA; Thomson, NR. (2013). Competition by aquifer materials in a bimetallic nanoparticle/persulfate system for the treatment of trichloroethylene. *J Environ Monit*. 15: 1964-1968. <http://dx.doi.org/10.1039/c3em00285c>.
- Alshwabkeh, AN. (2010). Project 5: Green Remediation by Solar Energy Conversion Into Electrolysis.
- Alshwabkeh, AN. (2011). Project 5: Green Remediation by Solar Energy Conversion Into Electrolysis.
- Alshwabkeh, AN. (2012). Project 5: Green Remediation by Solar Energy Conversion Into Electrolysis.
- Alshwabkeh, AN. (2013). Project 5: Green Remediation by Solar Energy Conversion Into Electrolysis.
- Alshwabkeh, AN. (2014). Project 5: Remediation of Contaminated Groundwater by Solar-Powered Electrolysis.
- Alshwabkeh, AN. (2015). Project 5: Remediation of Contaminated Groundwater by Solar-Powered Electrolysis.
- Altamirano-Diaz, L; Welisch, E; Rauch, R; Miller, M; Park, TS; Norozi, K. (2017). Does obesity affect the non-invasive measurement of cardiac output performed by electrical cardiometry in children and adolescents? *J Clin Monit Comput*. <http://dx.doi.org/10.1007/s10877-017-9994-1>.
- Altin, C; Sade, LE; Demirtas, S; Karacaglar, E; Kanyilmaz, S; Simsek, V; Ayhan, A; Muderrisoglu, H. (2015). Effects of Paclitaxel and Carboplatin combination on mechanical myocardial and microvascular functions: a transthoracic Doppler echocardiography and two-dimensional strain imaging study. *Echocardiography*. 32: 238-247. <http://dx.doi.org/10.1111/echo.12621>.
- Altintas, O; Niftaliyev, E; Tasal, A; Asil, T. (2015). Paf-Related Ischemic Stroke: Clinical, Radiological and Echocardiographic Findings. *Journal of Neurological Sciences (Print)*. 32: 617-627.
- Altiok, E; Frick, M; Meyer, CG; Al Ateah, G; Napp, A; Kirschfink, A; Almalla, M; Lotfi, S; Becker, M; Herich, L; Lehmacher, W; Hoffmann, R. (2014). Comparison of two- and three-dimensional transthoracic echocardiography to cardiac magnetic resonance imaging for assessment of paravalvular regurgitation after transcatheter aortic valve implantation. *Am J Cardiol*. 113: 1859-1866. <http://dx.doi.org/10.1016/j.amjcard.2014.02.038>.
- Altiok, E; Koos, R; Schröder, J; Brehmer, K; Hamada, S; Becker, M; Mahnken, AH; Almalla, M; Dohmen, G; Autschbach, R; Marx, N; Hoffmann, R. (2011). Comparison of two-dimensional and three-dimensional imaging techniques for measurement of aortic annulus diameters before transcatheter aortic valve implantation. *Heart*. 97: 1578-1584. <http://dx.doi.org/10.1136/hrt.2011.223974>.
- Altuntas, T; Park, S; Kharasch, E. (2004). Sulfoxidation of cysteine and mercapturic acid conjugates of the sevoflurane degradation product fluoromethyl-2,2-difluoro-1-(trifluoromethyl)vinyl ether (compound A). *Chem Res Toxicol*. 17: 435-445. <http://dx.doi.org/10.1021/tx034254k>.
- Alvarez-Cohen, L. (2010). Project 4: Application of Comparative Genomics, Transcriptomics, & Proteomics Opt.
- Alvarez-Cohen, L. (2014). Metabolic Interactions Supporting Effective TCE Bioremediation under Various Biog.
- Alvarez-Cohen, L. (2015). Metabolic Interactions Supporting Effective TCE Bioremediation under Various Biog.
- Alves, A; Vanermen, G; Covaci, A; Voorspoels, S. (2016). Ultrasound assisted extraction combined with dispersive liquid-liquid microextraction (US-DLLME)-a fast new approach to measure phthalate metabolites in nails. *Anal Bioanal Chem*. 408: 6169-6180. <http://dx.doi.org/10.1007/s00216-016-9727-1>.
- Amat, F; Le Bret, E; Sigal-Cinqualbre, A; Coblenca, M; Lambert, V; Rohnean, A; Paul, JF. (2011). Diagnostic accuracy of multidetector spiral computed tomography for preoperative assessment of sinus venosus atrial septal defects in children. *Interact Cardiovasc Thorac Surg*. 12: 179-182. <http://dx.doi.org/10.1510/icvts.2010.251298>.

Human Health Hazard Literature Search Results

Off Topic

- Ameh, N; Abdul, MA; Adesiyun, GA; Avidime, S. (2014). Objective structured clinical examination vs traditional clinical examination: An evaluation of students' perception and preference in a Nigerian medical school. 55: 310-313. <http://dx.doi.org/10.4103/0300-1652.137191>.
- American Cancer Society. (2008). What are the risk factors for cervical cancer? (pp. 3-7). Atlanta, GA. http://www.cancer.org/docroot/CRI/content/CRI_2_4_2X_What_are_the_risk_factors_for_cervical_cancer_8.asp.
- Amet, Y; Berthou, F; Fournier, G; Dreano, Y; Bardou, L; Cledes, J; Menez, JF. (1997). Cytochrome P450 4A and 2E1 expression in human kidney microsomes. *Biochem Pharmacol*. 53: 765-771. [http://dx.doi.org/10.1016/S0006-2952\(96\)00821-0](http://dx.doi.org/10.1016/S0006-2952(96)00821-0).
- Ameta, D; Kharwar, RB; Aga, P; Sethi, R; Chandra, S; Dwivedi, SK; Narain, VS; Saran, RK. (2016). Bicuspid aortic valve with severe stenosis and ruptured sinus of Valsalva aneurysm to left ventricle. *Indian Heart J*. 68 Suppl 2: S114-S117. <http://dx.doi.org/10.1016/j.ihj.2015.07.045>.
- Amiel, JB; Grümann, A; Lhéritier, G; Clavel, M; François, B; Pichon, N; Dugard, A; Marin, B; Vignon, P. (2012). Assessment of left ventricular ejection fraction using an ultrasonic stethoscope in critically ill patients. *Critical Care (Online)*. 16: R29. <http://dx.doi.org/10.1186/cc11198>.
- Amir, N; Cohen, D; Wolfson, HJ. (2015). DockStar: a novel ILP-based integrative method for structural modeling of multimolecular protein complexes. 31: 2801-2807. <http://dx.doi.org/10.1093/bioinformatics/btv270>.
- Amit, M; Weisberg, SJ; Nadler-Holly, M; McCormack, EA; Feldmesser, E; Kaganovich, D; Willison, KR; Horovitz, A. (2010). Equivalent mutations in the eight subunits of the chaperonin CCT produce dramatically different cellular and gene expression phenotypes. *J Mol Biol*. 401: 532-543. <http://dx.doi.org/10.1016/j.jmb.2010.06.037>.
- Ammar, AS; Elsherbiny, I; El-Dosouky, II; Abd El Salam, K; Abd El Hamid, M; Khalil, W; Ammar, M. (2015). Left atrial and left atrial appendage functional recovery after cardioversion in patients with recent atrial fibrillation: Serial echocardiographic study. *Cardiol J*. 22: 699-707. <http://dx.doi.org/10.5603/CJ.a2015.0052>.
- Ammar, RI; Hegazy, RA. (2013). Transcatheter closure of secundum ASD using Occlutech Figulla-N device in symptomatic children younger than 2 years of age. *J Invasive Cardiol*. 25: 76-79.
- Ammi, C; Fernandez-Canon, J; Shroads, A; Cornett, R; Cheung, J; James, M; Henderson, G; Grompe, M; Stacpoole, P. (2003). Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents. *Biochem Pharmacol*. 66: 2029-2038. <http://dx.doi.org/10.1016/j.bcp.2003.07.002>.
- Amsallem, M; Ou, P; Milleron, O; Henry-Feugeas, MC; Detaint, D; Arnoult, F; Vahanian, A; Jondeau, G. (2015). Comparative assessment of ascending aortic aneurysms in Marfan patients using ECG-gated computerized tomographic angiography versus trans-thoracic echocardiography. *Int J Cardiol*. 184: 22-27. <http://dx.doi.org/10.1016/j.ijcard.2015.01.086>.
- Anaissie, J; Monlezun, D; Seelochan, A; Siegler, JE; Chavez-Keatts, M; Tiu, J; Pineda, D; George, A; Shaban, A; Abi Rafef, N; Schluter, L; Martin-Schild, S; El Khoury, R. (2016). Left Atrial Enlargement on Transthoracic Echocardiography Predicts Left Atrial Thrombus on Transesophageal Echocardiography in Ischemic Stroke Patients. *BioMed Res Int*. 2016: 7194676. <http://dx.doi.org/10.1155/2016/7194676>.
- Andelman, JB. (1985). Human exposures to volatile halogenated organic chemicals in indoor and outdoor air. *Environ Health Perspect*. 62: 313-318.
- Andersen, ME; Clewell, HJ, III; Gargas, ML; Smith, FA; Reitz, RH. (1987). Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol*. 87: 185-205. [http://dx.doi.org/10.1016/0041-008X\(87\)90281-X](http://dx.doi.org/10.1016/0041-008X(87)90281-X).
- Andersin, J; Honkala, K. (2011). First principles investigations of Pd-on-Au nanostructures for trichloroethene catalytic removal from groundwater. *Phys Chem Chem Phys*. 13: 1386-1394. <http://dx.doi.org/10.1039/c0cp00524j>.
- Anderson, BJ; McKee, AD; Holford, NH. (1997). Size, myths and the clinical pharmacokinetics of analgesia in paediatric patients [Review]. *Clin Pharmacokinet*. 33: 313-327.
- Anderson, K; Prylutska, H; Ducharme, A; Finnerty, V; Grégoire, J; Marcotte, F; Harel, F. (2014). Evaluation of the right ventricle: comparison of gated blood-pool single photon electron computed tomography and echocardiography with cardiac magnetic resonance. *Int J Cardiol*. 171: 1-8. <http://dx.doi.org/10.1016/j.ijcard.2013.11.031>.
- Anderson, MJ; Arruda-Olson, A; Gersh, B; Geske, J. (2015). Subaortic membrane mimicking hypertrophic cardiomyopathy. *B M J Case Reports*. 2015. <http://dx.doi.org/10.1136/bcr-2015-212321>.
- Anderson, SP; Howroyd, P; Liu, J; Qian, X; Bahnemann, R; Swanson, C; Kwak, MK; Kensler, TW; Corton, JC. (2004). The transcriptional response to a peroxisome proliferator-activated receptor alpha agonist includes increased expression of proteome maintenance genes. *J Biol Chem*. 279: 52390-52398. <http://dx.doi.org/10.1074/jbc.M409347200>.
- Andersson, L; Haraldsson, B; Johansson, C; Barregard, L. (2008). Methodological issues on the use of urinary alpha-1-microglobuline in epidemiological studies. *Nephrol Dial Transplant*. 23: 1252-1256. <http://dx.doi.org/10.1093/ndt/gfm729>.
- Ando, T; Kaur, R; Holmes, AA; Brusati, A; Fujikura, K; Taub, CC. (2015). Physiological adaptation of the left ventricle during the second and third trimesters of a healthy pregnancy: a speckle tracking echocardiography study. 5: 119-126.
- Anger, T; Bauer, V; Plachtzik, C; Geisler, T; Gawaz, MP; Oberhoff, M; Höher, M. (2014). Non-invasive and invasive evaluation of aortic valve area in 100 patients with severe aortic valve stenosis: comparison of cardiac computed tomography with ECHO (transesophageal/trans thoracic) and catheter examination. *J Cardiol*. 63: 189-197. <http://dx.doi.org/10.1016/j.jccc.2013.08.002>.
- Angius, L; Hopker, JG; Marcora, SM; Mauger, AR. (2015). The effect of transcranial direct current stimulation of the motor cortex on exercise-induced pain. *Eur J Appl Physiol*. 115: 2311-2319. <http://dx.doi.org/10.1007/s00421-015-3212-y>.

Human Health Hazard Literature Search Results

Off Topic

- Angius, L; Pageaux, B; Hopker, J; Marcora, SM; Mauger, AR. (2016). Transcranial direct current stimulation improves isometric time to exhaustion of the knee extensors. *Neuroscience*. 339: 363-375. <http://dx.doi.org/10.1016/j.neuroscience.2016.10.028>.
- Anis Munirah, MK; Lim, WK; Sharifah Ainon, IM. (2016). Arrhythmogenic Right Ventricular Dysplasia. *Med J Malaysia*. 71: 357-359.
- Anon. (2010). Enhancing Natural Attenuation Through Bioaugmentation with Aerobic Bacteria that Degrade cDCE. 68.
- Anon. (2010). Health Consultation: Evaluation of Potential Soil Exposures of Future Residents, Hamilton-Sundstrand RCRA Site, Denver, Adams County, Colorado. 38.
- Anon. (2010). Health Consultation: Exposure Investigation, Indoor Air Testing, Sherwood Medical Site, Deland, Volusia County, Florida. EPA Facility ID: FLD043861392. 25.
- Anon. (2010). Health Consultation: Former Siemens-Stromberg Site Lake Mary, Seminole County, Florida. EPA Facility ID: FLD061989448. 44.
- Anon. (2010). Health Consultation: Private Well Waters from the Mills Gap Road Area, Skyland, North Carolina. EPA Facility ID: NCSFN0406988, July 8, 2010. 69.
- Anon. (2010). Public Health Assessment: Aberdeen Contaminated Ground Water Site Aberdeen, Moore County, North Carolina. EPA Facility ID: NCN000407447. 95.
- Anon. (2011). Core C: Chemistry And Analytical Core.
- Anon. (2011). Metal and Nonmetal Mine Safety and Health Report of Investigation: Surface Metal Mine (Gold Ore) Fatal Other Accident, October 28, 2011, Purcell Tire and Rubber Co., Contractor ID No. (LMD) at South Area, Newmont USA Limited, Carlin, Eureka County, Nevada. ID No. 26-00500. 16.
- Anon. (2011). Project 1: Biomarkers Of Exposure Versus Effect: Improving The Scientific Basis F.
- Anon. (2011). Project 2: Genetic Susceptibility to Superfund Chemicals.
- Anon. (2011). Project 2: Genomic And Genetic Analysis Of Liver And Kidney Toxicity Of Trichloro.
- Anon. (2011). Project 4: Meta-Omics of Microbial Communities Involved in Bioremediation.
- Anon. (2011). Public Health Assessment: CTS/Mills Gap Road Site Asheville, Buncombe County, North Carolina. EPA Facility ID: NCSFN0406988. 146.
- Anon. (2012). First to Quantify TCE in Breast Milk.
- Anon. (2012). Health Consultation: Review of Indoor Air Data from January 2012 through April of 2012, at the Navy Yard Mills Site, Dracut, Massachusetts, July 26, 2012. 31.
- Anon. (2012). Letter Health Consultation: Cabo Rojo Ground Water Contamination Site, Cabo Rojo, Puerto Rico. EPA Facility ID: PRN000206319, February 24, 2012. 8.
- Anon. (2012). Letter Health Consultation: Evaluation of Indoor Air and Soil Gas Data, Former Circle Tri Cleaners (CTC), Plymouth, New Hampshire, December 7, 2012. 7.
- Anon. (2012). Public Health Assessment Final Release: Evaluation of Exposure to Contamination at the BF Goodrich Site Rialto, San Bernardino County. EPA Facility ID: CAN000905945, November 5, 2012. 153.
- Anon. (2013). Health Consultation: CTS of Asheville, Inc. Site, Skyland, North Carolina. EPA Facility ID: NCD003149556, July 24, 2013. 58.
- Anon. (2013). Health Consultation: Millsboro TCE, Millsboro, Delaware, February 13, 2013. 47.
- Anon. (2013). Letter Health Consultation: Arrowhead Manufacturing Building, Montross, Virginia, January 30, 2013. 5.
- Anon. (2013). Letter Health Consultation: Evaluation of Indoor Air Sampling Results for Vapor Intrusion, Ordnance Products, Inc., North East, Cecil County, Maryland. EPA Facility ID: MDD982364341, July 8, 2013. 6.
- Anon. (2013). Letter Health Consultation: Evaluation of Indoor Air TCE Concentration after Activation of Mitigation System for Businesses located at the Chem Fab Site, Doylestown, Bucks County, Pennsylvania, August 30, 2013. 17.
- Anon. (2013). Letter Health Consultation: Public Health Implications of Exposures to Trichloroethylene at the Albea Americas, Inc. Facility, Pohatcong Valloey Groundwater Contamination Superfund Site, Warren County, New Jersey. EPA Facility ID: NJD981179047, August 1, 2013. 20.
- Anon. (2013). Public Health Assessment Final Release: Public Health Implication of Site-Related Exposures to Tetrachloroethylene and Trichloroethylene, Pohatcong Valley Groundwater Contamination Superfund Site, Warren County, New Jersey. EPA Facility ID: NJD981179047, May 8, 2013. 103.
- Anon. (2013). Public Health Assessment Final Release: Public Health Implication of Site-Related Exposures to Trichloroethylene, Mansfield Trail Dump Superfund Site, Sussex County, New Jersey. EPA Facility ID: NJN000206345, September 4, 2013. 68.
- Anon. (2014). Health Consultation: Fridley Commons Well Field National Priorities List (Superfund) Site, and Fridley Well 13, Trichloroethene Drinking Water Concentrations 1988-2012, City of Fridley, Anoka County, Minnesota. EPA Facility ID: MND985701309, October 14, 2014. 54.
- Anon. (2014). Health Consultation: Outboard Marine Corporation/Waukegan Harbor: OMC Plant 2 and Polychlorinated Biphenyl-Containment Cells, Waukegan, Lake County, Illinois. CERCLIS No. ILD000802827, January 7, 2014. 21.
- Anon. (2014). Letter Health Consultation: Public Health Implications of Exposures to Trichloroethylene at the Albea Americas, Inc. Facility. Follow-Up Evaluation, Pohatcong Valley Groundwater Contamination Superfund Site, Warren County, New Jersey. EPA Facility ID: NJD981179047, July 11, 2014. 21.
- Anon. (2015). Health Assessment for Commerce Street Plume, Williston, Chittenden County, Vermont, July 29, 2015. EPA Facility ID: VTD098352545.
- Anon. (2015). Health Consultation: Evaluation of 2013 Indoor Air TCE Concentrations after Installation of Temporary Air Filtration System at the Chem Fab Site, Doylestown, Bucks County, Pennsylvania, February 12, 2015.

Human Health Hazard Literature Search Results

Off Topic

- Anon. (2015). Health Consultation: Evaluation of 2014-2015 Indoor Air TCE Concentrations after Installation of Air Filtration Systems at the Chem Fab Site, Doylestown, Bucks County, Pennsylvania, July 28, 2015.
- Anon. (2015). Health Consultation: Evaluation of Indoor Air Sampling Events, Former Walker Machine Products, Collierville, Shelby County, Tennessee, July 28, 2015.
- Anon. (2015). Health Consultation: Sandston PCE Site, Sandston, Henrico County, Virginia, September 30, 2015.
- Anon. (2015). pment of a Sustainable Remediation System to Remove TCE from Groundwater.
- Anon. (2015). zed Metals for Organic Detoxification.
- Anon. (2016). Consultation: Public Health Implications of Site-Related Exposures to Trichloroethylene in Indoor Air, Mansfield Trail Dump Superfund Site, Sussex County, New Jersey. EPA Facility ID: NJN000206345, December 30, 2016.
- Anon. (2016). Health Assessment Final Release: Public Health Implications of Exposures to Chlorinated Volatile Organic Compounds in Public Supply Wells, Orange Valley Regional Ground Water Contamination Site, Orange and West Orange, Essex County, New Jersey. EPA Facility ID: NJD002148799.
- Anon. (2016). Health Consultation: Evaluation of Indoor Air Sampling Events, Former Walker Machine Products, Collierville, Shelby County, Tennessee, July 11, 2016.
- Anon. (2016). of Corrinoid Co-factors on Bioremediation of Chlorinated Compounds.
- Anti, M; Marra, G; Rapaccini, GL; Rumi, C; Bussa, S; Fadda, G; Vecchio, FM; Valenti, A; Percesepe, A; Pompili, M. (1994). DNA ploidy pattern in human chronic liver diseases and hepatic nodular lesions. Flow cytometric analysis on echo-guided needle liver biopsy. *Cancer*. 73: 281-288.
- Antonio Perdomo, D; Josefina Castellanos, K; Gonzalez-Estopinan, M; Perea-Ganchou, F. (2013). Effects of the Feeding Strategy on Productive Performance in Rainbow Trout (*Oncorhynchus mykiss*). *Universidad del Zulia Facultad de Ciencias Veterinarias Revista Cientifica*. 23: 341-349.
- Anwar, AM; Nosir, YF; Galal, AN; Al-Barakati, M; Chamsi-Pasha, H. (2012). Incremental utility of real time three-dimensional transthoracic echocardiography in the assessment of congenitally malformed aortic valve. *Echocardiography*. 29: 978-983. <http://dx.doi.org/10.1111/j.1540-8175.2012.01711.x>.
- Anwar, AM; Nosir, YF; Zainal-Abidin, SK; Ajam, A; Chamsi-Pasha, H. (2012). Real-time three-dimensional transthoracic echocardiography in daily practice: initial experience. *Cardiovasc Ultrasound*. 10: 14. <http://dx.doi.org/10.1186/1476-7120-10-14>.
- Anway, MD; Cupp, AS; Uzunucu, M; Skinner, MK. (2005). Epigenetic transgenerational actions of endocrine disruptors and male fertility. *Science*. 308: 1466-1469. <http://dx.doi.org/10.1126/science.1108190>.
- Anway, MD; Cupp, AS; Uzunucu, M; Skinner, MK. (2005). Epigenetic transgenerational actions of endocrine disruptors and male fertility - Supplemental material [Supplemental Data]. *Science*. 308: 1466-1469.
- Anzouan-Kacou, JB; Siransy, E; Nchoh-Mottoh, MP; Ekou, A; Bamba-Kamagaté, D; Kadio, EM. (2014). [Transthoracic echocardiography in a heart institute in Abidjan (Ivory Coast): Indications and evaluation of the request appropriateness]. *Ann Cardiol Angeiol (Paris)*. 63: 1-6. <http://dx.doi.org/10.1016/j.ancard.2013.04.015>.
- Aoki, K; Kuwada, M; Fujimoto, K; Hirao, Y. (2012). Transverse testicular ectopia with disorders of sex development. *Indian J Urol*. 28: 92-93. <http://dx.doi.org/10.4103/0970-1591.94965>.
- Aoyagi-Ikeda, K; Maeno, T; Matsui, H; Ueno, M; Hara, K; Aoki, Y; Aoki, F; Shimizu, T; Doi, H; Kawai-Kowase, K; Iso, T; Suga, T; Arai, M; Kurabayashi, M. (2011). Notch induces myofibroblast differentiation of alveolar epithelial cells via transforming growth factor- β -Smad3 pathway. *Am J Respir Cell Mol Biol*. 45: 136-144. <http://dx.doi.org/10.1165/rcmb.2009-01400C>.
- Aparcero López, R; Campo, JA; Romero-Gómez, M. (2010). [Hepatitis C and metabolic syndrome]. *Gastroenterol Hepatol*. 33: 530-540. <http://dx.doi.org/10.1016/j.gastrohep.2009.12.008>.
- Aragona, P; Colosi, P; Rania, L; Colosi, F; Pisani, A; Puzzolo, D; Micali, A. (2014). Protective effects of trehalose on the corneal epithelial cells. *ScientificWorldJournal*. 2014: 717835. <http://dx.doi.org/10.1155/2014/717835>.
- Araki, K; Suenaga, A; Kusano, H; Tanaka, R; Hatta, T; Natsume, T; Fukui, K. (2016). Functional profiling of asymmetrically-organized human CCT/TRiC chaperonin. *Biochem Biophys Res Commun*. 481: 232-238. <http://dx.doi.org/10.1016/j.bbrc.2016.10.120>.
- Araki, S. (1978). The effects of water restriction and water loading on urinary excretion of lead, delta-aminolevulinic acid and coproporphyrin. *Br J Ind Med*. 35: 312-317.
- Aral, M; Mullen, M. (2015). The Flatstent versus the conventional umbrella devices in the percutaneous closure of patent foramen ovale. 85: 1058-1065. <http://dx.doi.org/10.1002/ccd.25750>.
- Aranda-Rodriguez, R; Cabecinha, A; Harvie, J; Jin, Z; Marchand, A; Tardif, R; Nong, A; Haddad, S. (2015). A method for quantification of volatile organic compounds in blood by SPME-GC-MS/MS with broader application: From non-occupational exposure population to exposure studies. *J Chromatogr B Analyt Technol Biomed Life Sci*. 992: 76-85. <http://dx.doi.org/10.1016/j.jchromb.2015.04.020>.
- Archer, N; Bradford, C; Villanacci, J; Crane, N; Corsi, R; Chambers, D; Blount, B. (2013). ASSOCIATION BETWEEN VAPOR INTRUSION AND HUMAN EXPOSURE TO TRICHLOROETHYLENE. *Am J Epidemiol*. 177: S42-S42.
- Arellano, R; Nurmohamed, A; Rumman, A; Day, AG; Milne, B; Phelan, R; Tanzola, R. (2014). The utility of transthoracic echocardiography to confirm central line placement: an observational study. *Can J Anaesth*. 61: 340-346. <http://dx.doi.org/10.1007/s12630-014-0111-3>.
- Armstrong, EJ; Rogers, JH; Swan, CH; Upadhyaya, D; Vilorio, E; McCulloch, C; Slater, J; Qureshi, M; Williams, J; Whisenant, B; Feldman, T; Foster, E. (2013). Echocardiographic predictors of single versus dual MitraClip device implantation and long-term reduction of mitral regurgitation after percutaneous repair. 82: 673-679. <http://dx.doi.org/10.1002/ccd.24645>.

Human Health Hazard Literature Search Results

Off Topic

- Arntfield, R; Pace, J; Hewak, M; Thompson, D. (2016). Focused Transesophageal Echocardiography by Emergency Physicians is Feasible and Clinically Influential: Observational Results from a Novel Ultrasound Program. *J Emerg Med.* 50: 286-294. <http://dx.doi.org/10.1016/j.jemermed.2015.09.018>.
- Arntfield, R; Pace, J; Mcleod, S; Granton, J; Hegazy, A; Lingard, L. (2015). Focused transesophageal echocardiography for emergency physicians- description and results from simulation training of a structured four-view examination. *Critical Ultrasound Journal.* 7: 27. <http://dx.doi.org/10.1186/s13089-015-0027-3>.
- Arodola, OA; Soliman, ME. (2016). Molecular Dynamics Simulations of Ligand-Induced Flap Conformational Changes in Cathepsin-D-A Comparative Study. *J Cell Biochem.* 117: 2643-2657. <http://dx.doi.org/10.1002/jcb.25564>.
- Aroldi, A; Cecchetti, C; Colombo, A; Cattaneo, L; Pioltelli, PE; Pogliani, EM; Elli, EM. (2016). Neurological symptoms in essential thrombocythemia: impact of JAK2V617F mutation and response to therapy. *Eur J Haematol.* 96: 593-601. <http://dx.doi.org/10.1111/ejh.12638>.
- Arora, S; Atreya, AR; Penumetsa, SC; Hiser, WL. (2013). Cardio-embolic stroke following remote blunt chest trauma. 4: 61-64. <http://dx.doi.org/10.1016/j.jcdr.2013.02.007>.
- Arunachalam, R. (2014). Adaptive evolution of a novel avian-origin influenza A/H7N9 virus. *Genomics.* 104: 545-553. <http://dx.doi.org/10.1016/j.ygeno.2014.10.012>.
- Arunamata, A; Axelrod, DM; Kipps, AK; Mcelhinney, DB; Shin, AY; Hanley, FL; Olson, IL; Roth, SJ; Selamet Tierney, ES. (2016). Practice Patterns in Postoperative Echocardiographic Surveillance after Congenital Heart Surgery in Children: A Single Center Experience. *J Pediatr.* <http://dx.doi.org/10.1016/j.jpeds.2016.09.061>.
- Asal, NR; Geyer, JR; Risser, DR; Lee, ET; Kadamani, S; Cherng, N. (1988). Risk factors in renal cell carcinoma. II. Medical history, occupation, multivariate analysis, and conclusions. *Cancer Detect Prev.* 13: 263-279.
- Asal, NR; Risser, DR; Kadamani, S; Geyer, JR; Lee, ET; Cherng, N. (1988). Risk factors in renal cell carcinoma: I. Methodology, demographics, tobacco, beverage use, and obesity. *Cancer Detect Prev.* 11: 359-377.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2011). Affinity for risky behaviors following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 10: 102. <http://dx.doi.org/10.1186/1476-069X-10-102>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2012). Occurrence of mental illness following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 11: 2. <http://dx.doi.org/10.1186/1476-069X-11-2>.
- Aschengrau, AA. (2012). Project 1: Prenatal Exposure to Tetrachloroethylene-Contaminated Drinking Water.
- Aschengrau, AA. (2013). Project 1: Prenatal Exposure to Tetrachloroethylene-Contaminated Drinking Water.
- Aschengrau, AA. (2014). Project 1: Prenatal Exposure to Tetrachloroethylene-Contaminated Drinking Water.
- Aschengrau, AA. (2015). Project 1: Prenatal Exposure to Tetrachloroethylene-Contaminated Drinking Water.
- Asena, A; Kairn, T; Crowe, SB; Trapp, JV. (2015). Establishing the impact of temporary tissue expanders on electron and photon beam dose distributions. 31: 281-285. <http://dx.doi.org/10.1016/j.ejmp.2015.01.015>.
- Asferg, C; Usinger, L; Kristensen, TS; Abdulla, J. (2012). Accuracy of multi-slice computed tomography for measurement of left ventricular ejection fraction compared with cardiac magnetic resonance imaging and two-dimensional transthoracic echocardiography: a systematic review and meta-analysis [Review]. *Eur J Radiol.* 81: e757-e762. <http://dx.doi.org/10.1016/j.ejrad.2012.02.002>.
- Ashby, J; Brady, A; Elcombe, CR; Elliott, BM; Ishmael, J; Odum, J; Tugwood, JD; Kettle, S; Purchase, IF. (1994). Mechanistically-based human hazard assessment of peroxisome proliferator-induced hepatocarcinogenesis [Review]. *Hum Exp Toxicol.* 13: S1-S117. <http://dx.doi.org/10.1177/096032719401300201>.
- Ashley, DL; Bonin, MA; Cardinali, FL; Mccraw, JM; Wooten, JV. (1994). Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clin Chem.* 40: 1401-1404.
- Askar, M; Flanagan, P; Rybicki, L; Kalaycio, M; Pohlman, B; Andresen, S; Dean, R; Duong, H; Copelan, E; Bolwell, B; Sobecks, R. (2011). THE T-CELL EPITOPE (TCE) ALGORITHM FOR CLASSIFYING HLA-DPB1 MISMATCHES DOES NOT PREDICT CLINICAL OUTCOMES IN HSCT. *Biol Blood Marrow Transplant.* 17: S224-S225.
- Askari, G; Ghiasvand, R; Karimian, J; Feizi, A; Paknahad, Z; Sharifirad, G; Hajjshafiei, M. (2012). Does quercetin and vitamin C improve exercise performance, muscle damage, and body composition in male athletes? *Journal of Research in Medical Sciences.* 17: 328-331.
- ATSDR. (1990). Toxicological profile for cis-, trans-1,2-dichloroethene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.
- ATSDR. (1996). Biennial report to congress (1991 and 1992). Atlanta, GA: U.S. Department of Health and Human Services.
- ATSDR. (1996). Toxicological profile for 1,2-dichloroethene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/ToxProfiles/tp.asp?id=464&tid=82>.
- ATSDR. (1997). Toxicological profile for tetrachloroethylene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/toxprofiles/tp.asp?id=265&tid=48>.
- ATSDR. (1998). Health consultation: Evaluation of health impacts from potential past exposure to tetrachloroethylene in the Natick public water supply. Atlanta, GA: Agency for Toxic Substances & Disease Registry. <http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1270&pg=0>.
- ATSDR. (2000). Public Health Assessment for Tucson International Airport Area (a/k/a El Vado Residential Properties) Tucson, Pima County, Arizona, Region 9. CERCLIS No. AZD980737530. Office of Environmental Health, Environmental Health Consultation Services: U.S. Department of Health and Humans Services. http://www.azdhs.gov/phs/oeh/pdf/tuc_brn.pdf.

Human Health Hazard Literature Search Results

Off Topic

- ATSDR. (2003). Health consultation: View-Master factory supply well (a.k.a. Mattel Portland Operations) Beaverton, Washington County, Oregon. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=293&pg=0>.
- ATSDR. (2006). Health consultation: Public health implications of exposures to low-level volatile organic compounds in public drinking water: Endicott area investigation, Broome County, New York. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/HAC/pha/EndicottAreaInvestigation113006/EndicottAreaInvestigationHC113006.pdf>.
- ATSDR. (2007). Analyses of groundwater flow, contaminant fate and transport and distribution of drinking water at Tarawa Terrace and vicinity, U.S. Marine Corps Base Camp Lejeune, North Carolina: Historical reconstruction and present-day conditions. Atlanta, GA: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/sites/lejeune/tarawaterrace.html>.
- ATSDR. (2007). The verbatim transcript of the Meeting of the Camp Lejeune Community Assistance Panel held at the ATSDR, 1825 Century Boulevard, Atlanta, Georgia, on December 6, 2007. Atlanta, GA. http://www.atsdr.cdc.gov/sites/lejeune/docs/CAPtranscript12_07.pdf.
- ATSDR. (2010). The verbatim transcript of the Meeting of the Camp Lejeune Community Assistance Panel held at the Chamblee Building 106, Conference Room B, Atlanta, Georgia, on Dec. 9, 2010. Atlanta, GA. http://www.atsdr.cdc.gov/sites/lejeune/docs/CAPtranscript_12_10.pdf.
- Attallah, AM; Tabll, AA; Salem, SF; El-Sadany, M; Ibrahim, TA; Osman, S; El-Dosoky, IM. (1999). DNA ploidy of liver biopsies from patients with liver cirrhosis and hepatocellular carcinoma: A flow cytometric analysis. *Cancer Lett.* 142: 65-69.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attea, O; Höhener, P. (2010). Semianalytical model predicting transfer of volatile pollutants from groundwater to the soil surface. *Environ Sci Technol.* 44: 6228-6232. <http://dx.doi.org/10.1021/es903477f>.
- Aulenta, F; Fazi, S; Majone, M; Rossetti, S. (2014). Electrically conductive magnetite particles enhance the kinetics and steer the composition of anaerobic TCE-dechlorinating cultures. *Process Biochemistry.* 49: 2235-2240. <http://dx.doi.org/10.1016/j.procbio.2014.09.015>.
- Aulenta, F; Ferri, T; Nicastro, D; Majone, M; Papini, MP. (2011). Improved electrical wiring of microbes: anthraquinone-modified electrodes for biosensing of chlorinated hydrocarbons. *N Biotechnol.* 29: 126-131. <http://dx.doi.org/10.1016/j.nbt.2011.04.001>.
- Aulenta, F; Maio, VD; Ferri, T; Majone, M. (2010). The humic acid analogue antraquinone-2,6-disulfonate (AQDS) serves as an electron shuttle in the electricity-driven microbial dechlorination of trichloroethene to cis-dichloroethene. *Bioresour Technol.* 101: 9728-9733. <http://dx.doi.org/10.1016/j.biortech.2010.07.090>.
- Aulenta, F; Reale, P; Canosa, A; Rossetti, S; Panero, S; Majone, M. (2010). Characterization of an electro-active biocathode capable of dechlorinating trichloroethene and cis-dichloroethene to ethene. 25: 1796-1802. <http://dx.doi.org/10.1016/j.bios.2009.12.033>.
- Aulenta, F; Rossetti, S; Amalfitano, S; Majone, M; Tandoi, V. (2013). Conductive magnetite nanoparticles accelerate the microbial reductive dechlorination of trichloroethene by promoting interspecies electron transfer processes. *ChemSusChem.* 6: 433-436. <http://dx.doi.org/10.1002/cssc.201200748>.
- Aulenta, F; Tocca, L; Verdini, R; Reale, P; Majone, M. (2011). Dechlorination of trichloroethene in a continuous-flow bioelectrochemical reactor: effect of cathode potential on rate, selectivity, and electron transfer mechanisms. *Environ Sci Technol.* 45: 8444-8451. <http://dx.doi.org/10.1021/es202262y>.
- Auperin, A; Benhamou, S; Ory-Paoletti, C; Flamant, R. (1994). Occupational risk factors for renal cell carcinoma: A case-control study. *Occup Environ Med.* 51: 426-428. <http://dx.doi.org/10.1136/oem.51.6.426>.
- Auriti, A; Loiaconi, V; Pristipino, C; Leonardi Cattolica, FS; Cini, R; Guido, V; Cianfrocca, C; Greco, S; Agostini, F; Staibano, M; Santini, M. (2010). Recovery of distal coronary flow reserve in LAD and LCx after Y-Graft intervention assessed by transthoracic echocardiography. *Cardiovasc Ultrasound.* 8: 34. <http://dx.doi.org/10.1186/1476-7120-8-34>.
- Austin, BA; Popovic, ZB; Kwon, DH; Thamilarasan, M; Boonyasirinant, T; Flamm, SD; Lever, HM; Desai, MY. (2010). Aortic stiffness independently predicts exercise capacity in hypertrophic cardiomyopathy: a multimodality imaging study. *Heart.* 96: 1303-1310. <http://dx.doi.org/10.1136/hrt.2009.191478>.
- Austin, EW; Parrish, JM; Kinder, DH; Bull, RJ. (1996). Lipid peroxidation and formation of 8-hydroxydeoxyguanosine from acute doses of halogenated acetic acids. *Fundam Appl Toxicol.* 31: 77-82. <http://dx.doi.org/10.1006/faat.1996.0078>.
- Austin, H; Delzell, E; Grufferman, S; Levine, R; Morrison, AS; Stolley, PD; Cole, P. (1987). Case-control study of hepatocellular carcinoma, occupation, and chemical exposures. *J Occup Med.* 29: 665-669.
- Auwerx, J; Schoonjans, K; Fruchart, JC; Staels, B. (1996). Transcriptional control of triglyceride metabolism: Fibrates and fatty acids change the expression of the LPL and apo C-III genes by activating the nuclear receptor PPAR [Review]. *Atherosclerosis.* 124: S29-S37. [http://dx.doi.org/10.1016/0021-9150\(96\)05854-6](http://dx.doi.org/10.1016/0021-9150(96)05854-6).
- Avegliano, G; Corneli, M; Conde, D; Ronderos, R. (2014). Traumatic rupture of the tricuspid valve and multi-modality imaging. 4: 401-405. <http://dx.doi.org/10.3978/j.issn.2223-3652.2014.08.06>.
- Avitabile, CM; Whitehead, K; Fogel, M; Mercer-Rosa, L. (2014). Tricuspid annular plane systolic excursion does not correlate with right ventricular ejection fraction in patients with hypoplastic left heart syndrome after Fontan palliation. *Pediatric Cardiology.* 35: 1253-1258. <http://dx.doi.org/10.1007/s00246-014-0924-4>.
- Awad, SM; Masood, SA; Gonzalez, I; Cao, QL; Abdulla, RI; Heitschmidt, MG; Hijazi, ZM. (2015). The use of intracardiac echocardiography during percutaneous pulmonary valve replacement. *Pediatric Cardiology.* 36: 76-83. <http://dx.doi.org/10.1007/s00246-014-0967-6>.

Human Health Hazard Literature Search Results

Off Topic

- Ayyildiz, P; Güzeltaş, A; Tanidir, İC; Kasar, T; Öztürk, E; Ergül, Y. (2016). Transesophageal echocardiography experience in the pediatric age group in a tertiary cardiac center. *Turkish Journal of Medical Sciences*. 46: 1155-1161. <http://dx.doi.org/10.3906/sag-1507-81>.
- Azarisman, SM; Carbone, A; Shirazi, M; Bradley, J; Teo, KS; Worthley, MI; Worthley, SG. (2016). Characterisation of Myocardial Injury via T1 Mapping in Early Reperfused Myocardial Infarction and its Relationship with Global and Regional Diastolic Dysfunction. *Heart, Lung & Circulation (Online)*. 25: 1094-1106. <http://dx.doi.org/10.1016/j.hlc.2016.03.011>.
- Azarisman, SM; Shirazi, M; Bradley, J; Teo, KS; Worthley, MI; Worthley, SG. (2016). Assessment of diastolic dysfunction in patients with acute coronary syndrome and preserved systolic function: comparison between Doppler transthoracic echocardiography and velocity-encoded cardiac magnetic resonance. *Acta Cardiol*. 71: 425-434. <http://dx.doi.org/10.2143/AC.71.4.3159695>.
- Azhar, AS. (2016). Safety and efficacy of transthoracic versus transesophageal echocardiography in transcatheter closure of atrial septal defects. Reporting a single center experience from Saudi Arabia. *Saudi Med J*. 37: 1196-1205. <http://dx.doi.org/10.15537/smj.2016.11.15617>.
- Azizian, MF; Marshall, I; Behrens, S; Spormann, AM; Semprini, L. (2010). Comparison of lactate, formate, and propionate as hydrogen donors for the reductive dehalogenation of trichloroethene in a continuous-flow column. *J Contam Hydrol*. 113: 77-92. <http://dx.doi.org/10.1016/j.jconhyd.2010.02.004>.
- Azumaguchi, R; Edanaga, M; Mimura, M; Yamakage, M. (2013). [A case report of coronary artery fistula in which perioperative transthoracic and transesophageal echocardiography was useful for surgical decision]. *Masui*. 62: 318-321.
- B, K; S, H; J, AF; J, P; Y, W; E, G; B, BV; V, S; R, C. (2012). sical Imaging for Investigating the Delivery and Distribution of Amendments in the Heterogeneous Subsurface of the F.E. Warren AFB.
- Bach, CW; Brown, AF; Kinsey, AW; Ormsbee, MJ. (2015). Anthropometric Characteristics and Performance Capabilities of Highly Trained Motocross Athletes Compared With Physically Active Men. *J Strength Cond Res*. 29: 3392-3398. <http://dx.doi.org/10.1519/JSC.0000000000000988>.
- Bacik, DB; Zhang, M; Zhao, D; Roberts, CB; Seehra, MS; Singh, V; Shah, N. (2012). Synthesis and characterization of supported polysugar-stabilized palladium nanoparticle catalysts for enhanced hydrodechlorination of trichloroethylene. *Nanotechnology*. 23: 294004. <http://dx.doi.org/10.1088/0957-4484/23/29/294004>.
- Bacsi, I; Gonda, S; B-Beres, V; Novak, Z; Nagy, SA; Vasas, G. (2015). Alterations of phytoplankton assemblages treated with chlorinated hydrocarbons: effects of dominant species sensitivity and initial diversity. *Ecotoxicology*. 24: 823-834. <http://dx.doi.org/10.1007/s10646-015-1427-7>.
- Badger, TM; Ronis, MJ; Seitz, HK; Albano, E; Ingelman-Sundberg, M; Lieber, CS. (2003). Alcohol metabolism: Role in toxicity and carcinogenesis. *Alcohol Clin Exp Res*. 27: 336-347. <http://dx.doi.org/10.1097/01.ALC.0000052583.87673.37>.
- Badheka, AO; Rathod, A; Bharadwaj, AS; Manickam, P; Kizilbash, MA; Veeranna, V; Jacob, S; Afonso, L. (2011). Preserved or slightly depressed ejection fraction and outcomes after myocardial infarction. *Postgrad Med J*. 87: 400-404. <http://dx.doi.org/10.1136/pgmj.2010.109900>.
- Badie, SM; Rasoulinejad, M; Salehi, M; Kochak, HE; Seyedalinaghi, S; Manshadi, SA; Abad, FJ; Badie, BM. (2016). Evaluation of Echocardiographic Abnormalities in HIV Positive Patients Treated with Antiretroviral Medications. *Infect Disord Drug Targets*.
- Badin, A; Broholm, MM; Jacobsen, CS; Palau, J; Dennis, P; Hunkeler, D. (2016). Identification of abiotic and biotic reductive dechlorination in a chlorinated ethene plume after thermal source remediation by means of isotopic and molecular biology tools. *J Contam Hydrol*. 192: 1-19. <http://dx.doi.org/10.1016/j.jconhyd.2016.05.003>.
- Badkoubeh, RS; Tavoosi, A; Jabbari, M; Parsa, AF; Geraeli, B; Saadat, M; Larti, F; Meysamie, AP; Salehi, M. (2016). Acceleration rate of mitral inflow E wave: a novel transmitral doppler index for assessing diastolic function. *Cardiovasc Ultrasound*. 14: 24. <http://dx.doi.org/10.1186/s12947-016-0067-2>.
- Bae, Y; Kim, D; Cho, H; Singhal, N; Park, J. (2012). Transformation impacts of dissolved and solid phase Fe(II) on trichloroethylene (TCE) reduction in an iron-reducing bacteria (IRB) mixed column system: A mathematical model. *Water Res*. 46: 6391-6398. <http://dx.doi.org/10.1016/j.watres.2012.09.019>.
- Baehr, T; Drenck, T; Koch, J; Huenges, K; Pokorny, S; Metzner, A; Cremer, J; Lutter, G. (2014). Tissue engineered pulmonary valved stent implantation in sheep: transthoracic echocardiographic evaluation (TTE). *Eur Heart J*. 35: 1130-1130.
- Baek, SO; Suvarapu, LN; Seo, YK. (2015). Occurrence and Concentrations of Toxic VOCs in the Ambient Air of Gumi, an Electronics-Industrial City in Korea. *Sensors*. 15: 19102-19123. <http://dx.doi.org/10.3390/s150819102>.
- Baek, YS; Shin, SH; Yi, HG; Kim, DH; Woo, SI; Park, KS; Kwan, J. (2014). Cardiac involvement in CD56 negative primary pancreatic extranodal NK/T-cell lymphoma, nasal type, presenting with ventricular tachycardia during the early stages of chemotherapy. *Intern Med*. 53: 2333-2336. <http://dx.doi.org/10.2169/internalmedicine.53.2764>.
- Bækkerud, FH; Solberg, F; Leinan, IM; Wisløff, U; Karlsen, T; Rognmo, Ø. (2016). Comparison of Three Popular Exercise Modalities on V'O2max in Overweight and Obese. *Med Sci Sports Exerc*. 48: 491-498. <http://dx.doi.org/10.1249/MSS.0000000000000777>.
- Bælum, J; Chambon, JC; Scheutz, C; Binning, PJ; Laier, T; Bjerg, PL; Jacobsen, CS. (2013). A conceptual model linking functional gene expression and reductive dechlorination rates of chlorinated ethenes in clay rich groundwater sediment. *Water Res*. 47: 2467-2478. <http://dx.doi.org/10.1016/j.watres.2013.02.016>.
- Baggish, AL; Hutter, AM; Wang, F; Yared, K; Weiner, RB; Kupperman, E; Picard, MH; Wood, MJ. (2010). Cardiovascular screening in college athletes with and without electrocardiography: A cross-sectional study. *Ann Intern Med*. 152: 269-275. <http://dx.doi.org/10.7326/0003-4819-152-5-201003020-00004>.
- Bahar, AM; Nouri, M; Alizadeh, L; Namvar, F; Asadi, M. (2014). Estimated incidence of cardiac contusion using transthoracic echocardiography in patients suffering from severe blunt trauma to the chest. *Acta Chir Belg*. 114: 105-109.

Human Health Hazard Literature Search Results

Off Topic

- Baher, A; Mowla, A; Kodali, S; Polsani, VR; Nabi, F; Nagueh, SF; Volpi, JJ; Shah, DJ. (2014). Cardiac MRI improves identification of etiology of acute ischemic stroke. *Cerebrovasc Dis.* 37: 277-284. <http://dx.doi.org/10.1159/000360073>.
- Bai, C; Canfield, PJ; Stacey, NH. (1992). Individual serum bile acids as early indicators of carbon tetrachloride- and chloroform-induced liver injury. *Toxicology.* 75: 221-234. [http://dx.doi.org/10.1016/0300-483X\(92\)90004-X](http://dx.doi.org/10.1016/0300-483X(92)90004-X).
- Bai, C; Guo, P; Zhao, Q; Lv, Z; Zhang, S; Gao, F; Gao, L; Wang, Y; Tian, Z; Wang, J; Yang, F; Liu, C. (2015). Protomer Roles in Chloroplast Chaperonin Assembly and Function. *Molecular Plant.* 8: 1478-1492. <http://dx.doi.org/10.1016/j.molp.2015.06.002>.
- Bai, CL; Canfield, PJ; Stacey, NH. (1992). Effects of hexachloro-1,3-butadiene and 1,1,2,2-tetrachloroethylene on individual serum bile acids. *Toxicol Ind Health.* 8: 191-203.
- Bailer, AJ; Piegorsch, WW. (1997). *Statistics for environmental biology and toxicology.* London, England: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412047312>.
- Bailly, M; Bain, C; Favrot, MC; Ozturk, M. (1995). Somatic mutations of von Hippel-Lindau (VHL) tumor-suppressor gene in European kidney cancers. *Int J Cancer.* 63: 660-664.
- Bak, SH; Ko, SM; Jeon, HJ; Yang, HS; Hwang, HK; Song, MG. (2012). Assessment of global left ventricular function with dual-source computed tomography in patients with valvular heart disease. *Acta Radiol.* 53: 270-277. <http://dx.doi.org/10.1258/ar.2011.110247>.
- Bakala, WP. (2010). Aneurysm of the anterior mitral leaflet - echocardiographic description. *Kardiol Pol.* 68: 963-964.
- Baker, VA; Harries, HM; Waring, JF; Duggan, CM; Ni, HA; Jolly, RA; Yoon, LW; De Souza, AT; Schmid, JE; Brown, RH; Ulrich, RG; Rockett, JC. (2004). Clofibrate-induced gene expression changes in rat liver: A cross-laboratory analysis using membrane cDNA arrays. *Environ Health Perspect.* 112: 428-438. <http://dx.doi.org/10.1289/ehp.6677>.
- Bakke, B; Stewart, P; Waters, M. (2007). Uses of and exposure to trichloroethylene in U.S. industry: A systematic literature review [Review]. *J Occup Environ Hyg.* 4: 375-390. <http://dx.doi.org/10.1080/15459620701301763>.
- Balasubramanian, P; Philip, L; Bhallamudi, SM. (2011). Biodegradation of chlorinated and non-chlorinated VOCs from pharmaceutical industries. *Appl Biochem Biotechnol.* 163: 497-518. <http://dx.doi.org/10.1007/s12010-010-9057-2>.
- Balghith, M; Omran, A; Saileek, A; Alghamdi, A; Najm, H. (2012). Transcatheter Aortic Valve Implantation (core valve) prosthesis complicated by mitral stenosis. 24: 149-150. <http://dx.doi.org/10.1016/j.jsha.2012.02.007>.
- Balkwill, F; Charles, KA; Mantovani, A. (2005). Smoldering and polarized inflammation in the initiation and promotion of malignant disease [Review]. *Cancer Cell.* 7: 211-217. <http://dx.doi.org/10.1016/j.ccr.2005.02.013>.
- Balkwill, F; Coussens, LM. (2004). Cancer: An inflammatory link [Comment]. *Nature.* 431: 405-406. <http://dx.doi.org/10.1038/431405a>.
- Ballestar, E; Esteller, M. (2002). The impact of chromatin in human cancer: Linking DNA methylation to gene silencing [Review]. *Carcinogenesis.* 23: 1103-1109. <http://dx.doi.org/10.1093/carcin/23.7.1103>.
- Ballo, P; Bandini, F; Capecci, I; Chiodi, L; Ferro, G; Fortini, A; Giuliani, G; Landini, G; Laureano, R; Milli, M; Nenci, G; Pizzarelli, F; Santoro, GM; Vannelli, P; Cappelletti, C; Zuppiroli, A; Foundation, ACoC; Echocardiography, ASo. (2012). Application of 2011 American College of Cardiology Foundation/American Society of Echocardiography appropriateness use criteria in hospitalized patients referred for transthoracic echocardiography in a community setting. *J Am Soc Echocardiogr.* 25: 589-598. <http://dx.doi.org/10.1016/j.echo.2012.03.006>.
- Balluz, L; Philen, R; Ortega, L; Rosales, C; Brock, J; Barr, D; Kieszak, S. (2001). Investigation of systemic lupus erythematosus in Nogales, Arizona. *Am J Epidemiol.* 154: 1029-1036.
- Baltrus, DA; Nishimura, MT; Romanchuk, A; Chang, JH; Mukhtar, MS; Cherkis, K; Roach, J; Grant, SR; Jones, CD; Dangl, JL. (2011). Dynamic evolution of pathogenicity revealed by sequencing and comparative genomics of 19 *Pseudomonas syringae* isolates. *PLoS Pathog.* 7: e1002132. <http://dx.doi.org/10.1371/journal.ppat.1002132>.
- Band, PR; Le, ND; Fang, R; Deschamps, M; Gallagher, RP; Yang, P. (2000). Identification of occupational cancer risks in British Columbia: A population-based case-control study of 995 incident breast cancer cases by menopausal status, controlling for confounding factors. *J Occup Environ Med.* 42: 284-310. <http://dx.doi.org/10.1097/00043764-200003000-00010>.
- Banihashemi, B; Maftoon, K; Chow, BJ; Bernick, J; Wells, GA; Burwash, IG. (2015). Limitations of free-form-text diagnostic requisitions as a tool for evaluating adherence to appropriate use criteria for transthoracic echocardiography. *Cardiovasc Ultrasound.* 13: 4. <http://dx.doi.org/10.1186/1476-7120-13-4>.
- Banka, P; Schaetzle, B; Gauvreau, K; Geva, T. (2015). Determinants of Resource Utilization in a Tertiary Pediatric and Congenital Echocardiographic Laboratory. *Am J Cardiol.* 116: 1139-1143. <http://dx.doi.org/10.1016/j.amjcard.2015.07.013>.
- Banks, PM. (1992). Changes in diagnosis of non-Hodgkin's lymphomas over time [Review]. *Cancer Res.* 52: 5453s-5455s.
- Bannasch, P. (1996). Pathogenesis of hepatocellular carcinoma: Sequential cellular, molecular, and metabolic changes [Review]. *Prog Liver Dis.* 14: 161-197.
- Bannasch, P. (2001). Hormonal and hormone-like effects eliciting hepatocarcinogenesis [Review]. *Folia Histochem Cytobiol.* 39: 28-29.
- Bannasch, P; Haertel, T; Su, Q. (2003). Significance of hepatic preneoplasia in risk identification and early detection of neoplasia [Review]. *Toxicol Pathol.* 31: 134-139. <http://dx.doi.org/10.1080/01926230390173923>.
- Bannasch, P; Nehrbass, D; Kopp-Schneider, A. (2001). Significance of hepatic preneoplasia for cancer chemoprevention [Review]. In AB Miller; H Bartsch; P Bofetta; L Dragsted; H Vainio (Eds.), *IARC Scientific Publication* (pp. 223-240). Lyon, France: International Agency for Research on Cancer.
- Barachi, LB; Barbosa, FC; Moscovitch, SD; Pilon, BC; Pissinati, GV; Mesquita, ET; Mesquita, CT; Santos, MV. (2012). Inadequate request of transthoracic echocardiography according to the guidelines of the Brazilian Society of Cardiology. *Arq Bras Cardiol.* 99: 952-954.

Human Health Hazard Literature Search Results

Off Topic

- Barak, Y; Sadovsky, Y; Shalom-Barak, T. (2008). PPAR Signaling in Placental Development and Function. *PPAR Research*. 2008: 142082. <http://dx.doi.org/10.1155/2008/142082>.
- Baraona, E; Shoichet, L; Navder, K; Lieber, C. (2002). Mediation by nitric oxide of the stimulatory effects of ethanol on blood flow. *Life Sci*. 70: 2987-2995. [http://dx.doi.org/10.1016/S0024-3205\(02\)01572-2](http://dx.doi.org/10.1016/S0024-3205(02)01572-2).
- Baraona, E; Zeballos, G; Shoichet, L; Mak, K; Lieber, C. (2002). Ethanol consumption increases nitric oxide production in rats, and its peroxynitrite-mediated toxicity is attenuated by polyenylphosphatidylcholine. *Alcohol Clin Exp Res*. 26: 883-889. <http://dx.doi.org/10.1111/j.1530-0277.2002.tb02618.x>.
- Barbin, CM; Grayburn, PA; Choi, JW. (2016). Successful MitraClip® implantation after angioplasty of a chronic inferior vena cava filter thrombosis. 87: 1333-1337. <http://dx.doi.org/10.1002/ccd.25995>.
- Barbosa, FC; Mesquita, ET; Barachi, LB; Salgado, A; Kazuo, R; Rosa, ML; Mesquita, CT. (2011). Comparison of echocardiography request appropriateness between public and private hospitals. *Arq Bras Cardiol*. 97: 281-288.
- Barnes, RJ; Riba, O; Gardner, MN; Scott, TB; Jackman, SA; Thompson, I. (2010). Optimization of nano-scale nickel/iron particles for the reduction of high concentration chlorinated aliphatic hydrocarbon solutions. *Chemosphere*. 79: 448-454. <http://dx.doi.org/10.1016/j.chemosphere.2010.01.044>.
- Barnes, RJ; Riba, O; Gardner, MN; Singer, AC; Jackman, SA; Thompson, IP. (2010). Inhibition of biological TCE and sulphate reduction in the presence of iron nanoparticles. *Chemosphere*. 80: 554-562. <http://dx.doi.org/10.1016/j.chemosphere.2010.04.033>.
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere*. 82: 592-596. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.015>.
- Barnier, C; Palmier, C; Atteia, O. (2013). Validation of a multilevel sampling device to determine the vertical variability of chlorinated solvent in a contaminated aquifer. *Environ Technol*. 34: 1543-1553. <http://dx.doi.org/10.1080/09593330.2012.758665>.
- Barrass, NC; Price, RJ; Lake, BG; Orton, TC. (1993). Comparison of the acute and chronic mitogenic effects of the peroxisome proliferators methylclofenapate and clofibric acid in rat liver. *Carcinogenesis*. 14: 1451-1456. <http://dx.doi.org/10.1093/carcin/14.7.1451>.
- Bartakian, S; El-Said, HG; Printz, B; Moore, JW. (2013). Prospective randomized trial of transthoracic echocardiography versus transesophageal echocardiography for assessment and guidance of transcatheter closure of atrial septal defects in children using the Amplatzer septal occluder. *JACC: Cardiovascular Interventions*. 6: 974-980. <http://dx.doi.org/10.1016/j.jcin.2013.05.007>.
- Barten, DG; Delsing, CE; Keijmel, SP; Sprong, T; Timmermans, J; Oyen, WJ; Nabuurs-Franssen, MH; Bleeker-Rovers, CP. (2013). Localizing chronic Q fever: a challenging query. *BMC Infect Dis*. 13: 413. <http://dx.doi.org/10.1186/1471-2334-13-413>.
- Barter, ZE; Bayliss, MK; Beaune, PH; Boobis, AR; Carlile, DJ; Edwards, RJ; Houston, JB; Lake, BG; Lipscomb, JC; Pelkonen, OR; Tucker, GT; Rostami-Hodjegan, A. (2007). Scaling factors for the extrapolation of in vivo metabolic drug clearance from in vitro data: Reaching a consensus on values of human microsomal protein and hepatocellularity per gram of liver [Review]. *Curr Drug Metab*. 8: 33-45.
- Barton, HA; Chiu, WA; Setzer, RW; Andersen, ME; Bailer, AJ; Bois, FY; DeWoskin, RS; Hays, S; Johanson, G; Jones, N; Loizou, G; Macphail, RC; Portier, CJ; Spendiff, M; Tan, YM. (2007). Characterizing uncertainty and variability in physiologically-based pharmacokinetic (PBPK) models: State of the science and needs for research and implementation. *Toxicol Sci*. 99: 395-402. <http://dx.doi.org/10.1093/toxsci/kfm100>.
- Barton, TL; Mottram, PM; Stuart, RL; Cameron, JD; Moir, S. (2014). Transthoracic echocardiography is still useful in the initial evaluation of patients with suspected infective endocarditis: evaluation of a large cohort at a tertiary referral center. *Mayo Clin Proc*. 89: 799-805. <http://dx.doi.org/10.1016/j.mayocp.2014.02.013>.
- Bartsch, H; Malaveille, C; Barbin, A; Planche, G. (1979). Mutagenic and alkylating metabolites of halo-ethylenes, chlorobutadienes and dichlorobutenes produced by rodent or human liver tissues: Evidence for oxirane formation by P450-linked microsomal mono-oxygenases. *Arch Toxicol*. 41: 249-277. <http://dx.doi.org/10.1007/BF00296896>.
- Barutcu, A; Aksu, F; Ozcelik, F; Barutcu, CA; Umit, GE; Pamuk, ON; Altun, A. (2015). Evaluation of early cardiac dysfunction in patients with systemic lupus erythematosus with or without anticardiolipin antibodies. *Lupus*. 24: 1019-1028. <http://dx.doi.org/10.1177/0961203315570164>.
- Barwood, MJ; Butterworth, J; Goodall, S; House, JR; Laws, R; Nowicky, A; Corbett, J. (2016). The Effects of Direct Current Stimulation on Exercise Performance, Pacing and Perception in Temperate and Hot Environments. *Brain Stimulation*. 9: 842-849. <http://dx.doi.org/10.1016/j.brs.2016.07.006>.
- Bataille, B; Bertuit, M; Mora, M; Mazerolles, M; Cocquet, P; Masson, B; Moussot, PE; Ginot, J; Silva, S; Larché, J. (2012). Comparison of esCCO and transthoracic echocardiography for non-invasive measurement of cardiac output intensive care. *Br J Anaesth*. 109: 879-886. <http://dx.doi.org/10.1093/bja/aes298>.
- Batal, O; Dardari, Z; Costabile, C; Gorcsan, J; Arena, VC; Mathier, MA. (2015). Prognostic Value of Pericardial Effusion on Serial Echocardiograms in Pulmonary Arterial Hypertension. *Echocardiography*. 32: 1471-1476. <http://dx.doi.org/10.1111/echo.12909>.
- Batterman, S; Su, FC; Li, S; Mukherjee, B; Jia, C; Committee, HHR. (2014). Personal exposure to mixtures of volatile organic compounds: modeling and further analysis of the RIOPA data. *Res Rep Health Eff Inst3-63*.
- Batz, G; Dinkel, M. (2016). [Hemodynamic monitoring - imaging procedures / cardiac ultrasound] [Review]. 51: 626-634. <http://dx.doi.org/10.1055/s-0041-110009>.
- Baykan, A; Pamukcu, O; Ozyurt, A; Argun, M; Onan, SH; Sezer, S; Uzum, K; Narin, N. (2015). Is it safe to close ASD with the guidance of transthoracic echocardiography in pediatric population "ten years' experience of a single center". *J Interv Cardiol*. 28: 172-179. <http://dx.doi.org/10.1111/joic.12197>.

Human Health Hazard Literature Search Results

Off Topic

- Baykan, AO; Kalkan, GY; Sahin, DY; Elbasan, Z; Gur, M; Seker, T; Turkoglu, C; Cayli, M. (2015). Coronary flow velocity reserve in donor artery and myocardial performance index after successful recanalization of chronic total coronary occlusions. *J Invasive Cardiol.* 27: E75-E81.
- Bazeed, MF; Rezk, AI; Moselhy, MS. (2013). Value of cardiac CT in comprehensive aortic valve and root evaluation before percutaneous aortic valve replacement. *Acta Radiol.* 54: 498-504. <http://dx.doi.org/10.1177/0284185113477391>.
- Beach, JM; Mihaljevic, T; Rajeswaran, J; Marwick, T; Edwards, ST; Nowicki, ER; Thomas, J; Svensson, LG; Griffin, B; Gillinov, AM; Blackstone, EH. (2014). Ventricular hypertrophy and left atrial dilatation persist and are associated with reduced survival after valve replacement for aortic stenosis. *J Thorac Cardiovasc Surg.* 147: 362-369.e368. <http://dx.doi.org/10.1016/j.jtcvs.2012.12.016>.
- Beaudreuil, S; Lasfargues, G; Laueriere, L; El Ghoul, Z; Fourquet, F; Longuet, C; Halimi, JM; Nivet, H; Buchler, M. (2005). Occupational exposure in ANCA-positive patients: A case-control study. *Kidney Int.* 67: 1961-1966. <http://dx.doi.org/10.1111/j.1523-1755.2005.00295.x>.
- Beaumont, JJ; Breslow, NE. (1981). Power considerations in epidemiologic studies of vinyl chloride workers [Review]. *Am J Epidemiol.* 114: 725-734.
- Becker, N; Deeg, E; Nieters, A. (2004). Population-based study of lymphoma in Germany: Rationale, study design and first results. *Leuk Res.* 28: 713-724. <http://dx.doi.org/10.1016/j.leukres.2003.11.010>.
- Bedel, J; Vallée, F; Mari, A; Riu, B; Planquette, B; Geeraerts, T; Génestal, M; Minville, V; Fourcade, O. (2013). Guidewire localization by transthoracic echocardiography during central venous catheter insertion: a periprocedural method to evaluate catheter placement. *Intensive Care Med.* 39: 1932-1937. <http://dx.doi.org/10.1007/s00134-013-3097-3>.
- Beekman, JM; Boess, F; Hildebrand, H; Kalkuhl, A; Suter, L. (2006). Gene expression analysis of the hepatotoxicant methapyrilene in primary rat hepatocytes: An interlaboratory study. *Environ Health Perspect.* 114: 92-99.
- Beesoon, S; Webster, GM; Shoeib, M; Harner, T, om; Benskin, JP; Martin, JW. (2011). Isomer Profiles of Perfluorochemicals in Matched Maternal, Cord, and House Dust Samples: Manufacturing Sources and Transplacental Transfer. *Environ Health Perspect.* 119: 1659-1664. <http://dx.doi.org/10.1289/ehp.1003265>.
- Begg, CB; Mazumdar, M. (1994). Operating characteristics of a rank correlation test for publication bias. *Biometrics.* 50: 1088-1101. <http://dx.doi.org/10.2307/2533446>.
- Behaghel, A; Brunet-Bernard, A; Oger, E; Martins, R; Donal, E; Fournet, M; Feneon, D; Leclercq, C; Mabo, P; Daubert, C. (2015). Electrocardiographic correlates of mechanical dyssynchrony in recipients of cardiac resynchronization therapy devices. *Arch Cardiovasc Dis.* 108: 617-625. <http://dx.doi.org/10.1016/j.acvd.2015.06.007>.
- Behjati-Ardakani, M; Rafiei, M; Behjati-Ardakani, MA; Vafaenasab, M; Sarebanhassanabadi, M. (2015). Long-term Results of Transcatheter Closure of Patent Ductus Arteriosus in Adolescents and Adults with Amplatzer Duct Occluder. 7: 208-211. <http://dx.doi.org/10.4103/1947-2714.157478>.
- BEIR. (1988). Health risks of radon and other internally deposited alpha-emitters: BEIR IV. Washington, DC: National Academy Press. <http://www.nap.edu/openbook.php?isbn=0309037972>.
- Beitnes, JO; Klæboe, LG; Karlsen, JS; Urheim, S. (2015). Mitral valve analysis using a novel 3D holographic display: a feasibility study of 3D ultrasound data converted to a holographic screen. *Int J Cardiovasc Imaging.* 31: 323-328. <http://dx.doi.org/10.1007/s10554-014-0564-z>.
- Beland, F. (1999). NTP technical report on the toxicity and metabolism studies of chloral hydrate (CAS No. 302-17-0). Administered by gavage to F344/N rats and B6C3F1 mice. In *Toxicity Report Series* (pp. 1-66, A61-E67). U.S. Dept. of Health and Human Services, National Institutes of Health: Rockville, MD.
- Belkebir, E; Rousselle, C; Duboudin, C; Bodin, L; Bonvallot, N. (2011). Haber's rule duration adjustments should not be used systematically for risk assessment in public health decision-making. *Toxicol Lett.* 204: 148-155. <http://dx.doi.org/10.1016/j.toxlet.2011.04.026>.
- Bell, KY; Leboeuf, EJ. (2012). Mechanistic Investigation of Non-Ideal Sorption Behavior in Natural Organic Matter. 1. Vapor Phase Equilibrium. *Environ Sci Technol.* 46: 6689-6697. <http://dx.doi.org/10.1021/es204726p>.
- Bellera, CA; Penel, N; Ouali, M; Bonvalot, S; Casali, PG; Nielsen, OS; Delannes, M; Litière, S; Bonnetain, F; Dabakuyo, TS; Benjamin, RS; Blay, JY; Bui, BN; Collin, F; Delaney, TF; Duffaud, F; Filleron, T; Fiore, M; Gelderblom, H; George, S; Grimer, R; Grosclaude, P; Gronchi, A; Haas, R; Hohenberger, P; Issels, R; Italiano, A; Jooste, V; Krarup-Hansen, A; Le Péchoux, C; Mussi, C; Oberlin, O; Patel, S; Piperno-Neumann, S; Raut, C; Ray-Coquard, I; Rutkowski, P; Schuetze, S; Sleijfer, S; Stoeckle, E; Van Glabbeke, M; Woll, P; Gourgou-Bourgade, S; Mathoulin-Pélessier, S; Initiative, DftAoT-t-eEiCT. (2015). Guidelines for time-to-event end point definitions in sarcomas and gastrointestinal stromal tumors (GIST) trials: results of the DATECAN initiative (Definition for the Assessment of Time-to-event Endpoints in CANcer trials)† [Review]. *Ann Oncol.* 26: 865-872. <http://dx.doi.org/10.1093/annonc/mdu360>.
- Bellinger, PM; Minahan, CL. (2016). The effect of β-alanine supplementation on cycling time trials of different length. *European Journal of Sport Science.* 16: 829-836. <http://dx.doi.org/10.1080/17461391.2015.1120782>.
- Belov, YV; Nechaenko, MA; Kuznetsova, LM; Khovrin, VV; Fedorov, DN; Kiprensky, AY; Dombrovskaya, AV. (2016). [Solid lesions of heart valves]. *Khirurgiia (Mosk)*11-18.
- Ben Ayed, I; Wang, M; Miles, B; Garvin, GJ. (2014). TRIC: trust region for invariant compactness and its application to abdominal aorta segmentation. 17: 381-388.
- Ben Zekry, S; Nagueh, SF; Little, SH; Quinones, MA; Mcculloch, ML; Karanbir, S; Herrera, EL; Lawrie, GM; Zoghbi, WA. (2011). Comparative accuracy of two- and three-dimensional transthoracic and transesophageal echocardiography in identifying mitral valve pathology in patients undergoing mitral valve repair: initial observations. *J Am Soc Echocardiogr.* 24: 1079-1085. <http://dx.doi.org/10.1016/j.echo.2011.06.011>.

Human Health Hazard Literature Search Results

Off Topic

- Bender, BC; Schindler, E; Friberg, LE. (2015). Population pharmacokinetic-pharmacodynamic modelling in oncology: a tool for predicting clinical response [Review]. *Br J Clin Pharmacol*. 79: 56-71. <http://dx.doi.org/10.1111/bcp.12258>.
- Benedetti, MS; Whomsley, R; Canning, M. (2007). Drug metabolism in the paediatric population and in the elderly [Review]. *Drug Discov Today*. 12: 599-610. <http://dx.doi.org/10.1016/j.drudis.2007.06.011>.
- Benichou, J; Chow, WH; McLaughlin, JK; Mandel, JS; Fraumeni, JF. (1998). Population attributable risk of renal cell cancer in Minnesota. *Am J Epidemiol*. 148: 424-430.
- Bennis, K; Tamdy, A; Charif D'ouazzane, M; Assaidi, A; Doghmi, N; Allouch, M; Noureddine, M; Cherti, M; Bennis, A. (2014). [Isolated left ventricular congenital diverticulum in adult: Report of cardiac imaging]. *Ann Cardiol Angeiol (Paris)*. 63: 58-61. <http://dx.doi.org/10.1016/j.ancard.2011.07.012>.
- Bensaid, A; Krapf, L; Malanca, M; Brochet, E; Lung, B; Vahanian, A; Messika-Zeitoun, D. (2011). Echocardiographic right ventricular function assessment before and after successful percutaneous mitral commissurotomy. *J Heart Valve Dis*. 20: 627-632.
- Benson, R. (2004). Correspondence from Robert Benson (U. S. EPA) to Dr. P. D. Johnson (University of Arizona) [Personal Communication].
- Benyounes, N; Lang, S; Soulat-Dufour, L; Obadia, M; Gout, O; Chevalier, G; Cohen, A. (2015). Can global longitudinal strain predict reduced left ventricular ejection fraction in daily echocardiographic practice? *Arch Cardiovasc Dis*. 108: 50-56. <http://dx.doi.org/10.1016/j.acvd.2014.08.003>.
- Benzarouel, D; Hasni, K; Ashab, H; El Hattou, M. (2014). [A reversible cause of dilated cardiomyopathy: hypocalcemia]. *Ann Cardiol Angeiol (Paris)*. 63: 102-106. <http://dx.doi.org/10.1016/j.ancard.2012.04.003>.
- Beraud, AS; Guillamet, CV; Hammes, JL; Meng, L; Nicolls, MR; Hsu, JL. (2014). Efficacy of transthoracic echocardiography for diagnosing heart failure in septic shock. *Am J Med Sci*. 347: 295-298. <http://dx.doi.org/10.1097/MAJ.0b013e318297d616>.
- Berge, ND; Ramsburg, CA. (2010). Iron-mediated trichloroethene reduction within nonaqueous phase liquid. *J Contam Hydrol*. 118: 105-116. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.006>.
- Bergenzaun, L; Gudmundsson, P; Öhlin, H; Düring, J; Ersson, A; Ihrman, L; Willenheimer, R; Chew, MS. (2011). Assessing left ventricular systolic function in shock: evaluation of echocardiographic parameters in intensive care. *Critical Care (Online)*. 15: R200. <http://dx.doi.org/10.1186/cc10368>.
- Bergenzaun, L; Ohlin, H; Gudmundsson, P; Düring, J; Willenheimer, R; Chew, MS. (2012). High-sensitive cardiac Troponin T is superior to echocardiography in predicting 1-year mortality in patients with SIRS and shock in intensive care. *B M C Anesthesiology*. 12: 25. <http://dx.doi.org/10.1186/1471-2253-12-25>.
- Bergenzaun, L; Ohlin, H; Gudmundsson, P; Willenheimer, R; Chew, MS. (2013). Mitral annular plane systolic excursion (MAPSE) in shock: a valuable echocardiographic parameter in intensive care patients. *Cardiovasc Ultrasound*. 11: 16. <http://dx.doi.org/10.1186/1476-7120-11-16>.
- Berger, J; Daxenbichler, G. (2002). DNA methylation of nuclear receptor genes - Possible role in malignancy [Review]. *J Steroid Biochem Mol Biol*. 80: 1-11. [http://dx.doi.org/10.1016/S0960-0760\(01\)00179-0](http://dx.doi.org/10.1016/S0960-0760(01)00179-0).
- Bergeron, A; Jorquera, R; Tanguay, R. (2003). La tyrosinémie héréditaire: Une maladie du stress du réticulum endoplasmique? [Review]. *Med Sci (Paris)*. 19: 976-980. <http://dx.doi.org/10.1051/medsci/20031910976>.
- Berisha, I; Berisha, B; Krasniqi, X. (2010). Cardiac and pulmonary alterations in patients with rheumatoid arthritis. *Med Arh*. 64: 101-102.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health*. 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernad, PG; Newell, S; Spyker, DA. (1987). Neurotoxicity and behavior abnormalities in a cohort chronically exposed to trichloroethylene [Abstract]. *Vet Hum Toxicol*. 29: 475.
- Bernillon, P; Bois, FY. (2000). Statistical issues in toxicokinetic modeling: A bayesian perspective. *Environ Health Perspect*. 108: 883-893.
- Béroud, C; Joly, D; Gallou, C; Staroz, F; Orfanelli, MT; Junien, C. (1998). Software and database for the analysis of mutations in the VHL gene. *Nucleic Acids Res*. 26: 256-258.
- Berruezo, A; Bisbal, F; Fernández-Armenta, J; Calvo, N; Cabrera, JÁ; Sanchez-Quintana, D; Andreu, D; de Caralt, TM; Brugada, J; Mont, L. (2014). Transthoracic epicardial ablation of mitral isthmus for treatment of recurrent perimitral flutter. *Heart Rhythm*. 11: 26-33. <http://dx.doi.org/10.1016/j.hrthm.2013.10.030>.
- Bertram, KL; Madan, A; Frayne, J. (2016). Isolated asymptomatic pulmonary arteriovenous malformation presenting with ischaemic stroke. 29: 189-191. <http://dx.doi.org/10.1016/j.jocn.2016.01.006>.
- Besserer, J; Schneider, U. (2015). A track-event theory of cell survival. 25: 168-175. <http://dx.doi.org/10.1016/j.zemedi.2014.10.001>.
- Besson, H; Brennan, P; Becker, N; Nieters, A; De Sanjosé, S; Font, R; Maynadié, M; Foretova, L; Cocco, PL; Staines, A; Vornanen, M; Boffetta, P. (2006). Tobacco smoking, alcohol drinking and non-Hodgkin's lymphoma: A European multicenter case-control study (EpiLymph). *Int J Cancer*. 119: 901-908. <http://dx.doi.org/10.1002/ijc.21913>.
- Best, DH; Coleman, WB. (2007). Treatment with 2-AAF blocks the small hepatocyte-like progenitor cell response in retrorsine-exposed rats. *J Hepatol*. 46: 1055-1063. <http://dx.doi.org/10.1016/j.jhep.2007.01.040>.
- Betancur-Corredor, B; Pino, NJ; Cardona, S; Peñuela, GA. (2015). Evaluation of biostimulation and Tween 80 addition for the bioremediation of long-term DDT-contaminated soil. *J Environ Sci*. 28: 101-109. <http://dx.doi.org/10.1016/j.jes.2014.06.044>.
- Beyer, RP; Fry, RC; Lasarev, MR; Mcconnachie, LA; Meira, LB; Palmer, VS; Powell, CL; Ross, PK; Bammler, TK; Bradford, BU; Cranson, AB; Cunningham, ML; Fannin, RD; Higgins, GM; Hurban, P; Kayton, RJ; Kerr, KF; Kosyk, O; Lobenhofer, EK; Sieber, SO; Vliet, PA; Weis, BK; Wolfinger, R; Woods, CG; Freedman, JH; Linney, E; Kaufmann, WK; Kavanagh, TJ; Paules, RS; Rusyn, I; Samson, LD; Spencer, PS; Suk, W;

Human Health Hazard Literature Search Results

Off Topic

- Tennant, RJ; Zarbl, H; Consortium, MotTR. (2007). Multicenter study of acetaminophen hepatotoxicity reveals the importance of biological endpoints in genomic analyses. *Toxicol Sci.* 99: 326-337. <http://dx.doi.org/10.1093/toxsci/kfm150>.
- Bhadra, AK; Roy, I. (2016). Gpd1 Regulates the Activity of Tcp-1 and Heat Shock Response in Yeast Cells: Effect on Aggregation of Mutant Huntingtin. *Mol Neurobiol.* 53: 3900-3913. <http://dx.doi.org/10.1007/s12035-015-9329-5>.
- Bhatia, N; Abushora, MY; Donneyong, MM; Stoddard, MF. (2014). Determination of the optimum number of cardiac cycles to differentiate intrapulmonary shunt and patent foramen ovale by saline contrast two- and three-dimensional echocardiography. *Echocardiography.* 31: 293-301. <http://dx.doi.org/10.1111/echo.12360>.
- Bhatia, RS; Carne, DM; Picard, MH; Weiner, RB. (2012). Comparison of the 2007 and 2011 appropriate use criteria for transthoracic echocardiography in various clinical settings. *J Am Soc Echocardiogr.* 25: 1162-1169. <http://dx.doi.org/10.1016/j.echo.2012.07.018>.
- Bhatia, RS; Dudzinski, DM; Malhotra, R; Milford, CE; Yoerger Sanborn, DM; Picard, MH; Weiner, RB. (2014). Educational intervention to reduce outpatient inappropriate echocardiograms: a randomized control trial [Comment]. *JACC: Cardiovascular Imaging.* 7: 857-866. <http://dx.doi.org/10.1016/j.jcmg.2014.04.014>.
- Bhatia, RS; Dudzinski, DM; Milford, CE; Picard, MH; Weiner, RB. (2014). Educational intervention to reduce inappropriate transthoracic echocardiograms: the need for sustained intervention. *Echocardiography.* 31: 916-923. <http://dx.doi.org/10.1111/echo.12505>.
- Bhatia, RS; Ivers, N; Yin, CX; Myers, D; Nesbitt, G; Edwards, J; Yared, K; Wadhwa, R; Wu, JC; Wong, B; Hansen, M; Weinerman, A; Shadowitz, S; Johri, A; Farkouh, M; Thavendiranathan, P; Udell, JA; Rambihar, S; Chow, CM; Hall, J; Thorpe, KE; Rakowski, H; Weiner, RB. (2015). Design and methods of the Echo WISELY (Will Inappropriate Scenarios for Echocardiography Lessen Significantly) study: An investigator-blinded randomized controlled trial of education and feedback intervention to reduce inappropriate echocardiograms. *Am Heart J.* 170: 202-209. <http://dx.doi.org/10.1016/j.ahj.2015.04.022>.
- Bhatia, RS; Milford, CE; Picard, MH; Weiner, RB. (2013). An educational intervention reduces the rate of inappropriate echocardiograms on an inpatient medical service. *JACC: Cardiovascular Imaging.* 6: 545-555. <http://dx.doi.org/10.1016/j.jcmg.2013.01.010>.
- Bhatt, H; Rad, BS; Apergis, G; Fernaine, G. (2013). Does the Presence of Cardiovascular Risk Factors Affect Tte-Derived Rvsp? *Crit Care Med.* 41. <http://dx.doi.org/10.1097/01.ccm.0000439409.67397.e2>.
- Bhatt, H; Rad, BS; Apergis, G; Fernaine, G. (2013). The Utility of Tte-Derived Rvsp to Evaluate for Pulmonary Hypertension. *Crit Care Med.* 41. <http://dx.doi.org/10.1097/01.ccm.0000439413.20762.11>.
- Bhattacharjee, S; Basnet, M; Tufenkji, N; Ghoshal, S. (2016). Effects of Rhamnolipid and Carboxymethylcellulose Coatings on Reactivity of Palladium-Doped Nanoscale Zerovalent Iron Particles. *Environ Sci Technol.* 50: 1812-1820. <http://dx.doi.org/10.1021/acs.est.5b05074>.
- Bhattacharyya, D. (2010). Project 7: Chloro-Organic Degradation by Nanosized Metallic Systems and by Chelat.
- Bhattacharyya, D. (2011). Project 7: Chloro-Organic Degradation by Nanosized Metallic Systems and by Chelat.
- Bhattacharyya, D. (2012). Project 7: Chloro-Organic Degradation by Nanosized Metallic Systems and by Chelat.
- Bhattacharyya, D. (2014). Chloro-Organic Degradation by Polymer Membrane Immobilized Iron-Based Particle Sy.
- Bhattacharyya, D. (2015). Chloro-Organic Degradation by Polymer Membrane Immobilized Iron-Based Particle Sy.
- Bhave, NM; Mansour, IN; Veronesi, F; Razi, RR; Lang, RM; Ward, RP. (2011). Use of a web-based application of the American College of Cardiology Foundation/American Society of Echocardiography Appropriateness Use Criteria for Transthoracic Echocardiography: a pilot study. *J Am Soc Echocardiogr.* 24: 271-276. <http://dx.doi.org/10.1016/j.echo.2010.12.027>.
- Bhave, NM; Patel, AR; Weinert, L; Yamat, M; Freed, BH; Mor-Avi, V; Gomberg-Maitland, M; Lang, RM. (2013). Three-dimensional modeling of the right ventricle from two-dimensional transthoracic echocardiographic images: utility of knowledge-based reconstruction in pulmonary arterial hypertension. *J Am Soc Echocardiogr.* 26: 860-867. <http://dx.doi.org/10.1016/j.echo.2013.05.007>.
- Bhave, NM; Visovatti, SH; Kulick, B; Koliass, TJ; McLaughlin, VV. (2017). Right atrial strain is predictive of clinical outcomes and invasive hemodynamic data in group 1 pulmonary arterial hypertension. *Int J Cardiovasc Imaging.* <http://dx.doi.org/10.1007/s10554-017-1081-7>.
- Bhunya, SP; Jena, GB. (1996). The evaluation of clastogenic potential of trichloroacetic acid (TCA) in chick in vivo test system. *Mutat Res Genet Toxicol Environ Mutagen.* 367: 253-259. [http://dx.doi.org/10.1016/S0165-1218\(96\)90085-3](http://dx.doi.org/10.1016/S0165-1218(96)90085-3).
- Biais, M; Berthezène, R; Petit, L; Cottencaeu, V; Sztark, F. (2015). Ability of esCCO to track changes in cardiac output. *Br J Anaesth.* 115: 403-410. <http://dx.doi.org/10.1093/bja/aev219>.
- Biais, M; Carrié, C; Delaunay, F; Morel, N; Revel, P; Janvier, G. (2012). Evaluation of a new pocket echoscopic device for focused cardiac ultrasonography in an emergency setting. *Critical Care (Online).* 16: R82. <http://dx.doi.org/10.1186/cc11340>.
- Biesbroek, PS; Heslinga, SC; Konings, TC; van der Horst-Bruinsma, IE; Hofman, MB; van de Ven, PM; Kamp, O; van Halm, VP; Peters, MJ; Smulders, YM; van Rossum, AC; Nurmohamed, MT; Nijveldt, R. (2016). Insights into cardiac involvement in ankylosing spondylitis from cardiovascular magnetic resonance. *Heart.* <http://dx.doi.org/10.1136/heartjnl-2016-310667>.
- Bignami, M; Conti, G; Conti, L; Crebelli, R; Misuraca, F; Puglia, AM; Randazzo, R; Sciandrello, G; Carere, A. (1980). Mutagenicity of halogenated aliphatic hydrocarbons in *Salmonella typhimurium*, *Streptomyces coelicolor* and *Aspergillus nidulans*. *Chem Biol Interact.* 30: 9-23. [http://dx.doi.org/10.1016/0009-2797\(80\)90110-6](http://dx.doi.org/10.1016/0009-2797(80)90110-6).
- Binder, RK; Webb, JG; Willson, AB; Urena, M; Hansson, NC; Norgaard, BL; Pibarot, P; Barbanti, M; Larose, E; Freeman, M; Dumont, E; Thompson, C; Wheeler, M; Moss, RR; Yang, TH; Pasian, S; Hague, CJ; Nguyen, G; Raju, R; Toggweiler, S; Min, JK; Wood, DA; Rodés-Cabau, J; Leipsic, J. (2013). The impact of integration of a multidetector computed tomography annulus area sizing algorithm on outcomes of transcatheter aortic valve replacement: a prospective, multicenter, controlled trial. *J Am Coll Cardiol.* 62: 431-438. <http://dx.doi.org/10.1016/j.jacc.2013.04.036>.

Human Health Hazard Literature Search Results

Off Topic

- Bing, R; Chow, V; Lau, JK; Thomas, L; Kritharides, L; Ng, AC. (2016). Prevalence of Echocardiography Use in Patients Hospitalized with Confirmed Acute Pulmonary Embolism: A Real-World Observational Multicenter Study. *PLoS ONE*. 11: e0168554. <http://dx.doi.org/10.1371/journal.pone.0168554>.
- Bingham, E; Cohrssen, B; Powell, CH. (2001). Patty's toxicology. In E Bingham; B Cohrssen; CH Powell (Eds.), (5 ed.). Hoboken, NJ: John Wiley & Sons. <http://dx.doi.org/10.1002/0471125474>.
- Birner, G; Bernauer, U; Werner, M; Dekant, W. (1997). Biotransformation, excretion and nephrotoxicity of haloalkene-derived cysteine S-conjugates. *Arch Toxicol*. 72: 1-8. <http://dx.doi.org/10.1007/s002040050461>.
- Birner, G; Richling, C; Henschler, D; Anders, MW; Dekant, W. (1994). Metabolism of tetrachloroethene in rats: Identification of N[epsilon]-(dichloroacetyl)-L-lysine and N[epsilon]-(trichloroacetyl)-L-lysine as protein adducts. *Chem Res Toxicol*. 7: 724-732. <http://dx.doi.org/10.1021/tx00042a003>.
- Birner, G; Werner, M; Rosner, E; Mehler, C; Dekant, W. (1998). Biotransformation, excretion, and nephrotoxicity of the hexachlorobutadiene metabolite (E)-N-acetyl-S-(1,2,3,4, 4-pentachlorobutadienyl)-L-cysteine sulfoxide. *Chem Res Toxicol*. 11: 750-757. <http://dx.doi.org/10.1021/tx970216n>.
- Bishop, DJ; Thomas, C; Moore-Morris, T; Tonkonogi, M; Sahlin, K; Mercier, J. (2010). Sodium bicarbonate ingestion prior to training improves mitochondrial adaptations in rats. *Am J Physiol Endocrinol Metab*. 299: E225-E233. <http://dx.doi.org/10.1152/ajpendo.00738.2009>.
- Bisoc, A; Radoi, M; Pascu, AM. (2015). N-TERMINAL PRO-BRAIN NATRIURETIC PEPTIDE IN THE EARLY DIAGNOSIS OF ANTHRACYCLINE-INDUCED CARDIOMYOPATHY. *Acta Endocrinol*. 11: 39-45. <http://dx.doi.org/10.4183/aeb.2015.39>.
- Bjornsson, HT; Sigurdsson, MI; Fallin, MD; Irizarry, RA; Aspelund, T; Cui, H; Yu, W; Rongione, MA; Ekström, TJ; Harris, TB; Launer, LJ; Eiriksdottir, G; Leppert, MF; Sapienza, C; Gudnason, V; Feinberg, AP. (2008). Intra-individual change over time in DNA methylation with familial clustering. *JAMA*. 299: 2877-2883. <http://dx.doi.org/10.1001/jama.299.24.2877>.
- Blackburn, A; Coggan, M; Tzeng, H; Lantum, H; Polekhina, G; Parker, M; Anders, M; Board, P. (2001). GSTZ1d: A new allele of glutathione transferase zeta and maleylacetoacetate isomerase. *Pharmacogenetics*. 11: 671-678.
- Blackburn, A; Tzeng, H; Anders, M; Board, P. (2000). Discovery of a functional polymorphism in human glutathione transferase zeta by expressed sequence tag database analysis. *Pharmacogenetics*. 10: 49-57.
- Blackshaw, AW. (1970). Histochemical localization of testicular enzyme. In AD Johnson; WR Gomes; NL VanDemark (Eds.), (pp. 73-173). New York, NY: Academic Press.
- Blake, JE; Compton, KV; Schmidt, W; Orrego, H. (1988). Accuracy of death certificates in the diagnosis of alcoholic liver cirrhosis. *Alcohol Clin Exp Res*. 12: 168-172. <http://dx.doi.org/10.1111/j.1530-0277.1988.tb00154.x>.
- Blake, MJ; Castro, L; Leeder, JS; Kearns, GL. (2005). Ontogeny of drug metabolizing enzymes in the neonate [Review]. *Semin Fetal Neonatal Med*. 10: 123-138. <http://dx.doi.org/10.1016/j.siny.2004.11.001>.
- Blanchfield, A; Hardy, J; Marcora, S. (2014). Non-conscious visual cues related to affect and action alter perception of effort and endurance performance. *Frontiers in Human Neuroscience*. 8: 967. <http://dx.doi.org/10.3389/fnhum.2014.00967>.
- Blanchfield, AW; Hardy, J; De Morree, HM; Staiano, W; Marcora, SM. (2014). Talking yourself out of exhaustion: the effects of self-talk on endurance performance. *Med Sci Sports Exerc*. 46: 998-1007. <http://dx.doi.org/10.1249/MSS.000000000000184>.
- Blanco, S; Bécares, E. (2010). Are biotic indices sensitive to river toxicants? A comparison of metrics based on diatoms and macro-invertebrates. *Chemosphere*. 79: 18-25. <http://dx.doi.org/10.1016/j.chemosphere.2010.01.059>.
- Blanford, WJ; Gao, H. (2012). Dynamic interactions between cyclodextrin, an organic pollutant, and granular activated carbon in column studies. *J Environ Monit*. 14: 3024-3028. <http://dx.doi.org/10.1039/c2em30313b>.
- Blatter, BM; Roeleveld, N; Zielhuis, GA; Verbeek, AL. (1997). Assessment of occupational exposure in a population based case-control study: Comparing postal questionnaires with personal interviews. *Occup Environ Med*. 54: 54-59.
- Blauwet, LA; Miller, FA. (2014). Echocardiographic assessment of prosthetic heart valves [Review]. *Prog Cardiovasc Dis*. 57: 100-110. <http://dx.doi.org/10.1016/j.pcad.2014.05.001>.
- Blaylock, JM; Byers, DK; Gibbs, BT; Nayak, G; Ferguson, M; Tribble, DR; Porter, C; Decker, CF. (2012). Longitudinal assessment of cardiac diastolic function in HIV-infected patients. 23: 105-110. <http://dx.doi.org/10.1258/ijjsa.2011.011099>.
- Blaylock, MJ. (2012). Enhanced endophyte:poplar system for remediation of organic contaminants.
- Blaylock, MJ. (2013). Enhanced endophyte:poplar system for remediation of organic contaminants.
- Blechacz, BR; Gores, GJ. (2008). Cholangiocarcinoma [Review]. *Clin Liver Dis*. 12: 131-150, ix. <http://dx.doi.org/10.1016/j.cld.2007.11.003>.
- Bledsoe, J; Hamilton, D; Bess, E; Holly, J; Sturges, Z; Madsen, T. (2010). Treatment of low-risk pulmonary embolism patients in a chest pain unit. *Crit Pathw Cardiol*. 9: 212-215. <http://dx.doi.org/10.1097/HPC.0b013e3181f8b787>.
- Bleich, S; Nanda, NC; Hage, FG. (2013). The incremental value of three-dimensional transthoracic echocardiography in adult congenital heart disease [Review]. *Echocardiography*. 30: 483-494. <http://dx.doi.org/10.1111/echo.12130>.
- Bloemen, LJ; Tomenson, J. (1995). Increased incidence of renal cell tumours in a cohort of cardboard workers exposed to trichloroethylene [Letter]. *Arch Toxicol*. 70: 129-130. <http://dx.doi.org/10.1007/BF02733675>.
- Blohm, ME; Hartwich, J; Obrecht, D; Kersten, JF; Singer, D. (2016). Effect of patent ductus arteriosus and patent foramen ovale on left ventricular stroke volume measurement by electrical velocimetry in comparison to transthoracic echocardiography in neonates. *J Clin Monit Comput*. <http://dx.doi.org/10.1007/s10877-016-9878-9>.
- Blohm, ME; Obrecht, D; Hartwich, J; Mueller, GC; Kersten, JF; Weil, J; Singer, D. (2014). Impedance cardiography (electrical velocimetry) and transthoracic echocardiography for non-invasive cardiac output monitoring in pediatric intensive care patients: a prospective single-center observational study. *Critical Care (Online)*. 18: 603. <http://dx.doi.org/10.1186/s13054-014-0603-0>.

Human Health Hazard Literature Search Results

Off Topic

- Board, P; Chelvanayagam, G; Jermiin, L; Tetlow, N; Tzeng, H; Anders, M; Blackburn, A. (2001). Identification of novel glutathione transferases and polymorphic variants by expressed sequence tag database analysis. *Drug Metab Dispos.* 29: 544-547.
- Bocchini, CE; Nahmod, K; Katsonis, P; Kim, S; Kasembeli, MM; Freeman, A; Lichtarge, O; Makedonas, G; Tweardy, DJ. (2016). Protein stabilization improves STAT3 function in autosomal dominant hyper-IgE syndrome. *Blood.* 128: 3061-3072. <http://dx.doi.org/10.1182/blood-2016-02-702373>.
- Bocksch, W; Grossmann, B; Geisler, T; Steeg, M; Droppa, M; Jorbenadze, R; Haap, M; Gawaz, M; Fateh-Moghadam, S. (2016). Clinical outcome and paravalvular leakage of the new balloon-expandable Edwards Sapien 3 valve in comparison to its predecessor model (Edwards Sapien XT) in patients undergoing transfemoral aortic valve replacement. 88: 466-475. <http://dx.doi.org/10.1002/ccd.26562>.
- Boddy, KN; Sleeper, MM; Sammarco, CD; Weisse, C; Ghods, S; Litt, HI. (2011). Cardiac magnetic resonance in the differentiation of neoplastic and nonneoplastic pericardial effusion. *J Vet Intern Med.* 25: 1003-1009. <http://dx.doi.org/10.1111/j.1939-1676.2011.0762.x>.
- Bodini, B; Battaglini, M; De Stefano, N; Khaleeli, Z; Barkhof, F; Chard, D; Filippi, M; Montalban, X; Polman, C; Rovaris, M; Rovira, A; Samson, R; Miller, D; Thompson, A; Ciccarelli, O. (2011). T2 lesion location really matters: a 10 year follow-up study in primary progressive multiple sclerosis. *J Neurol Neurosurg Psychiatry.* 82: 72-77. <http://dx.doi.org/10.1136/jnnp.2009.201574>.
- Boekelheide, KIM. (2015). Molecular Biomarkers for Assessing Testicular Toxicity.
- Boekelheide, KIM; Hurt, RH. (2015). Toxicant Exposures in Rhode Island: Past, Present, and Future.
- Boerlage-Van Dijk, K; van Riel, AC; de Bruin-Bon, RH; Wiegerinck, EM; Koch, KT; Vis, MM; Meregalli, PG; Bindraban, NR; Mulder, BJ; Piek, JJ; Bouma, BJ; Baan, J. (2014). Mitral inflow patterns after MitraClip implantation at rest and during exercise. *J Am Soc Echocardiogr.* 27: 24-31.e21. <http://dx.doi.org/10.1016/j.echo.2013.09.007>.
- Boerrigter, ME. (2004). Mutagenicity of the peroxisome proliferators clofibrate, Wyeth 14,643 and di-2-ethylhexyl phthalate in the lacZ plasmid-based transgenic mouse mutation assay. *Journal of Carcinogenesis.* 3: 7. <http://dx.doi.org/10.1186/1477-3163-3-7>.
- Boffetta, P; de Vocht, F. (2007). Occupation and the risk of non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev.* 16: 369-372. <http://dx.doi.org/10.1158/1055-9965.EPI-06-1055>.
- Bogen, KT. (1990). Uncertainty in environmental health risk assessment. New York, NY: Garland Publishing.
- Boggan, JC; Schulteis, RD; Donahue, M; Simel, DL. (2016). Guideline-based decision support has a small, non-sustained effect on transthoracic echocardiography ordering frequency [Review]. *BMJ Qual Saf.* 25: 57-62. <http://dx.doi.org/10.1136/bmjqs-2015-004284>.
- Boice, JD; Cohen, SS; Mumma, MT; Dupree Ellis, E; Eckerman, KF; Leggett, RW; Boecker, BB; Brill, AB; Henderson, BE. (2006). Mortality among radiation workers at Rocketdyne (Atomics International), 1948-1999. *Radiat Res.* 166: 98-115. <http://dx.doi.org/10.1667/RR3582.1>.
- Bois, JP; Geske, JB; Foley, TA; Ommen, SR; Pelikka, PA. (2017). Comparison of Maximal Wall Thickness in Hypertrophic Cardiomyopathy Differs Between Magnetic Resonance Imaging and Transthoracic Echocardiography. *Am J Cardiol.* 119: 643-650. <http://dx.doi.org/10.1016/j.amjcard.2016.11.010>.
- Bolliger, D; Seeberger, MD; Kasper, J; Skarvan, K; Seeberger, E; Lurati Buse, G; Buser, P; Filipovic, M. (2011). Remifentanyl does not impair left ventricular systolic and diastolic function in young healthy patients. *Br J Anaesth.* 106: 573-579. <http://dx.doi.org/10.1093/bja/aeq414>.
- Bolm-Audorff, U; Ahrens, W; Jockel, KH; Molik, B; Greiser, E; Timm, J. (1988). Experience with supplementary questionnaires in a lung cancer case-referent study. In D Henon; M Goldberg (Eds.), (pp. 117-168). Luxembourg: Commission of the European Communities.
- Bolnick, AD; Bolnick, J, ayM; Singh, M; Fritz, R; Kilburn, BA; Simmerman, N; Drewlo, S; Diamond, MP; Armant, DR. (2015). Trophoblast Retrieval and Isolation from the Cervix (TRIC) for Non-Invasive First Trimester Fetal Gender Determination in a Carrier of Congenital Adrenal Hyperplasia. *Fertil Steril.* 103: E13-E13.
- Bolnick, AD; Fritz, R; Jain, C; Kadam, L; Bolnick, JM; Kilburn, BA; Singh, M; Diamond, MP; Drewlo, S; Armant, DR. (2016). Trophoblast Retrieval and Isolation From the Cervix for Noninvasive, First Trimester, Fetal Gender Determination in a Carrier of Congenital Adrenal Hyperplasia. *Reproductive Sciences.* 23: 717-722. <http://dx.doi.org/10.1177/1933719116632922>.
- Bolnick, JM; Kilburn, BA; Bajpayee, S; Reddy, N; Jeelani, R; Crone, B; Simmerman, N; Singh, M; Diamond, MP; Armant, DR. (2014). Trophoblast retrieval and isolation from the cervix (TRIC) for noninvasive prenatal screening at 5 to 20 weeks of gestation. *Fertil Steril.* 102: 135-142.e136. <http://dx.doi.org/10.1016/j.fertnstert.2014.04.008>.
- Bolnick, JM; Kohan-Ghadr, HR; Fritz, R; Bolnick, AD; Kilburn, BA; Diamond, MP; Armant, DR; Drewlo, S. (2016). Altered Biomarkers in Trophoblast Cells Obtained Noninvasively Prior to Clinical Manifestation of Perinatal Disease. *Sci Rep.* 6: 32382. <http://dx.doi.org/10.1038/srep32382>.
- Bommer, M; Kunze, C; Fesseler, J; Schubert, T; Diekert, G; Dobbek, H. (2014). Structural basis for organohalide respiration. *Science.* 346: 455-458. <http://dx.doi.org/10.1126/science.1258118>.
- Bonatti, S; Cavalieri, Z; Viaggi, S; Abbondandolo, A. (1992). The analysis of 10 potential spindle poisons for their ability to induce CREST-positive micronuclei in human diploid fibroblasts. *Mutagenesis.* 7: 111-114. <http://dx.doi.org/10.1093/mutage/7.2.111>.
- Boorman, GA. (1999). Drinking water disinfection byproducts: Review and approach to toxicity evaluation [Review]. *Environ Health Perspect.* 107: 207-217.
- Borbely, XI; Krishnamoorthy, V; Modi, S; Rowhani-Rahbar, A; Gibbons, E; Souter, MJ; Vavilala, MS. (2015). Temporal Changes in Left Ventricular Systolic Function and Use of Echocardiography in Adult Heart Donors. *Neurocrit Care.* 23: 66-71. <http://dx.doi.org/10.1007/s12028-014-0101-x>.
- Borde, DP; George, A; Joshi, S; Nair, S; Koshy, T; Gandhe, U; Chakravarthy, M. (2016). Variations of transesophageal echocardiography practices in India: A survey by Indian College of Cardiac Anaesthesia. *Ann Card Anaesth.* 19: 646-652. <http://dx.doi.org/10.4103/0971-9784.191580>.

Human Health Hazard Literature Search Results

Off Topic

- Borges, GJ; Ruiz, LF; de Alencar, AH; Porto, OC; Estrela, C. (2015). Cone-beam computed tomography as a diagnostic method for determination of gingival thickness and distance between gingival margin and bone crest. *ScientificWorldJournal*. 2015: 142108. <http://dx.doi.org/10.1155/2015/142108>.
- Bornman, R; de Jager, C; Worku, Z; Farias, P; Reif, S. (2010). DDT and urogenital malformations in newborn boys in a malarial area. *BJU Int*. 106: 405-411. <http://dx.doi.org/10.1111/j.1464-410X.2009.09003.x>.
- Borzio, M; Fargion, S; Borzio, F; Fracanzani, AL; Croce, AM; Stroffolini, T; Oldani, S; Cotichini, R; Roncalli, M. (2003). Impact of large regenerative, low grade and high grade dysplastic nodules in hepatocellular carcinoma development. *J Hepatol*. 39: 208-214. [http://dx.doi.org/10.1016/S0168-8278\(03\)00190-9](http://dx.doi.org/10.1016/S0168-8278(03)00190-9).
- Boshchenko, AA; Vrublevsky, AV; Karpov, RS. (2016). Serial Assessment of Transthoracic Coronary Flow Reserve as Method of Assessing Efficacy of Intracoronary Intervention in the Left Anterior and Posterior Descending Arteries. *Kardiologija*. 56: 18-25. <http://dx.doi.org/10.18565/cardio.2016.6.18-25>.
- Boublík, T; Fried, V; Hála, E. (1984). The vapour pressures of pure substances: Selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. In *Physical Sciences Data*, vol 17 (2nd Revised ed.). Amsterdam, The Netherlands: Elsevier Science Publishers. <https://www.elsevier.com/books/the-vapour-pressures-of-pure-substances/boubl-k/978-0-444-42266-8>.
- Bouchard, D; Hunkeler, D. (2014). Solvent-based dissolution method to sample gas-phase volatile organic compounds for compound-specific isotope analysis. *J Chromatogr A*. 1325: 16-22. <http://dx.doi.org/10.1016/j.chroma.2013.11.055>.
- Boudiaf-Benmammam, C; Cresteil, T; Melki, R. (2013). The cytosolic chaperonin CCT/TRiC and cancer cell proliferation. *PLoS ONE*. 8: e60895. <http://dx.doi.org/10.1371/journal.pone.0060895>.
- Boufahja, F; Hedfi, A; Essid, N; Aïssa, P; Mahmoudi, E; Beyrem, H. (2012). An observational study on changes in biometry and generation time of *Odontophora villoti* (Nematoda, Axonolaimidae) related to petroleum pollution in Bizerte bay, Tunisia. *Environ Sci Pollut Res Int*. 19: 646-655. <http://dx.doi.org/10.1007/s11356-011-0609-y>.
- Bourré-Tessier, J; Huynh, T; Clarke, AE; Bernatsky, S; Joseph, L; Belisle, P; Pineau, CA. (2011). Features associated with cardiac abnormalities in systemic lupus erythematosus. *Lupus*. 20: 1518-1525. <http://dx.doi.org/10.1177/0961203311420318>.
- Boussel, L; Cakmak, S; Wintermark, M; Nighoghossian, N; Loffroy, R; Coulon, P; Derex, L; Cho, TH; Douek, PC. (2011). Ischemic stroke: etiologic work-up with multidetector CT of heart and extra- and intracranial arteries. *Radiology*. 258: 206-212. <http://dx.doi.org/10.1148/radiol.10100804>.
- Bovo, R; Aimoni, C; Martini, A. (2006). Immune-mediated inner ear disease [Review]. *Acta Otolaryngol*. 126: 1012-1021. <http://dx.doi.org/10.1080/00016480600606723>.
- Box, GEP; Hunter, WG; Hunter, JS. (1978). *Statistics for experimenters: an introduction to design, data analysis, and model building*. New York, NY: Wiley.
- Boyault, S; Rickman, DS; de Reyniés, A; Balabaud, C; Rebouissou, S; Jeannot, E; Herault, A; Saric, J; Belghiti, J; Franco, D; Bioulac-Sage, P; Laurent-Puig, P; Zucman-Rossi, J. (2007). Transcriptome classification of HCC is related to gene alterations and to new therapeutic targets. *Hepatology*. 45: 42-52. <http://dx.doi.org/10.1002/hep.21467>.
- Boyd, AC; Mckay, T; Nasibi, S; Richards, DA; Thomas, L. (2013). Left ventricular mass predicts left atrial appendage thrombus in persistent atrial fibrillation. 14: 269-275. <http://dx.doi.org/10.1093/ehjci/jes153>.
- Boyes, WK; Oshiro, WM; El-Masri, H; Degn, LL; Bercegeay, M; Krantz, QT; Bushnell, PJ. (2010). Acute inhalation of 2,2,4-trimethylpentane alters visual evoked potentials and signal detection behavior in rats. *Neurotoxicol Teratol*. 32: 525-535. <http://dx.doi.org/10.1016/j.ntt.2010.04.055>.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol*. 136: 712-721.
- Boyle, EB; Viet, SM; Wright, DJ; Merrill, LS; Alwis, KU; Blount, BC; Mortensen, ME; Moye, J; Dellarco, M. (2016). Assessment of Exposure to VOCs among Pregnant Women in the National Children's Study. *Int J Environ Res Public Health*. 13: 376. <http://dx.doi.org/10.3390/ijerph13040376>.
- Bradford, BU; Kono, H; Isayama, F; Kosyk, O; Wheeler, MD; Akiyama, TE; Bleye, L; Krausz, KW; Gonzalez, FJ; Koop, DR; Rusyn, I. (2005). Cytochrome P450 CYP2E1, but not nicotinamide adenine dinucleotide phosphate oxidase, is required for ethanol-induced oxidative DNA damage in rodent liver. *Hepatology*. 41: 336-344. <http://dx.doi.org/10.1002/hep.20532>.
- Bradley, WJ; Hannon, MP; Benford, V; Morehen, JC; Twist, C; Shepherd, S; Cocks, M; Impey, SG; Cooper, RG; Morton, JP; Close, GL. (2017). Metabolic demands and replenishment of muscle glycogen after a rugby league match simulation protocol. *J Sci Med Sport*. <http://dx.doi.org/10.1016/j.jsams.2017.02.005>.
- Braissant, O; Wahli, W. (1998). Differential expression of peroxisome proliferator-activated receptor- α , - β , and - γ during rat embryonic development. *Endocrinology*. 139: 2748-2754.
- Branda, M; Wands, JR. (2006). Signal transduction cascades and hepatitis B and C related hepatocellular carcinoma [Review]. *Hepatology*. 43: 891-902. <http://dx.doi.org/10.1002/hep.21196>.
- Breitenbach, I; Harringer, W; Tsui, S; Amorim, MJ; Herregods, MC; Bogaert, J; Goiti, JJ; Gerosa, G. (2012). Magnetic resonance imaging versus echocardiography to ascertain the regression of left ventricular hypertrophy after bioprosthetic aortic valve replacement: results of the REST study. *J Thorac Cardiovasc Surg*. 144: 640-645.e641. <http://dx.doi.org/10.1016/j.jtcvs.2011.11.017>.
- Brenner, H; Gefeller, O. (1993). Use of the positive predictive value to correct for disease misclassification in epidemiologic studies. *Am J Epidemiol*. 138: 1007-1015.

Human Health Hazard Literature Search Results

Off Topic

- Breslow, N, . E.; Day, N, . E. (1987). Statistical methods in cancer research. Volume 2 - The design and analysis of cohort studies. In NE Breslow; NE Day (Eds.), IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Breslow, NE; Day, NE. (1980). Statistical methods in cancer research: Volume 1 - the analysis of case-control studies. In IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp32/index.php>.
- Breuckmann, F; Hochadel, M; Voigtländer, T; Haude, M; Schmitt, C; Münzel, T; Giannitsis, E; Mudra, H; Heusch, G; Schumacher, B; Barth, S; Schuler, G; Hailer, B; Walther, D; Senges, J. (2016). The Use of Echocardiography in Certified Chest Pain Units: Results from the German Chest Pain Unit Registry. *Cardiology*. 134: 75-83. <http://dx.doi.org/10.1159/000443475>.
- Bringmann, G; Friedrich, H; Feineis, D. (1992). Trichloroarmanes as potential endogenously formed inducers of Morbus Parkinson: synthesis, analytics, and first in vivo-investigations [Review]. *J Neural Transm Suppl*. 38: 15-26.
- Bringmann, G; God, R; Feineis, D; Wesemann, W; Riederer, P; Rausch, W; Reichmann, H; Sontag, K. (1995). The TaClo concept: 1-trichloromethyl-1,2,3,4-tetrahydro-beta-carboline (TaClo), a new toxin for dopaminergic neurons [Review]. *J Neural Transm Suppl*. 46: 235-244.
- Brisson, VL; West, KA; Lee, PK; Tringe, SG; Brodie, EL; Alvarez-Cohen, L. (2012). Metagenomic analysis of a stable trichloroethene-degrading microbial community. *ISME J*. 6: 1702-1714. <http://dx.doi.org/10.1038/ismej.2012.15>.
- Brodsky, WY; Uryvaeva, IV. (1977). Cell polyploidy: Its relation to tissue growth and function [Review]. *Int Rev Cytol*. 50: 275-332. [http://dx.doi.org/10.1016/S0074-7696\(08\)60100-X](http://dx.doi.org/10.1016/S0074-7696(08)60100-X).
- Bronley-Delancey, A; Mcmillan, D; Mcmillan, J; Jollow, D; Mohr, L; Hoel, D. (2006). Application of cryopreserved human hepatocytes in trichloroethylene risk assessment: Relative disposition of chloral hydrate to trichloroacetate and trichloroethanol. *Environ Health Perspect*. 114: 1237-1242. <http://dx.doi.org/10.1289/ehp.9047>.
- Brooks, AJ; Lim, HN; Kilduff, JE. (2012). Adsorption uptake of synthetic organic chemicals by carbon nanotubes and activated carbons. *Nanotechnology*. 23: 294008. <http://dx.doi.org/10.1088/0957-4484/23/29/294008>.
- Brown, K; Phillips, M; Grulke, C; Yoon, M; Young, B; Mcdougall, R; Leonard, J; Lu, J; Lefew, W; Tan, Y. (2015). Reconstructing exposures from biomarkers using exposure-pharmacokinetic modeling - A case study with carbaryl. *Regul Toxicol Pharmacol*. 73: 689-698. <http://dx.doi.org/10.1016/j.yrtph.2015.10.031>.
- Brown, SM; Pittman, JE; Hirshberg, EL; Jones, JP; Lanspa, MJ; Kuttler, KG; Litwin, SE; Grissom, CK. (2012). Diastolic dysfunction and mortality in early severe sepsis and septic shock: a prospective, observational echocardiography study. *Critical Ultrasound Journal*. 4: 8. <http://dx.doi.org/10.1186/2036-7902-4-8>.
- Brown, TC. (2013). Farewell! Some halogenated inhalation anesthetics: chloroform, trichloroethylene, halothane and methoxyflurane. *Pediatric Anesthesia*. 23: 1097-1100. <http://dx.doi.org/10.1111/pan.12085>.
- Bruckner, JV; White, CA; Muralidhara, S; Hines, C; Dallas, CE. (2010). Influence of exposure route and oral dosage regimen on 1, 1-dichloroethylene toxicokinetics and target organ toxicity. *J Pharmacol Exp Ther*. 333: 519-527. <http://dx.doi.org/10.1124/jpet.109.162479>.
- Brugger, N; Wustmann, K; Hürzeler, M; Wahl, A; de Marchi, SF; Steck, H; Zürcher, F; Seiler, C. (2015). Comparison of three-dimensional proximal isovelocity surface area to cardiac magnetic resonance imaging for quantifying mitral regurgitation. *Am J Cardiol*. 115: 1130-1136. <http://dx.doi.org/10.1016/j.amjcard.2015.01.550>.
- Brusseau, M. (2010). Project 6: Mass-Transfer and Mass-Flux Dynamics of Chlorinated Solvents.
- Brusseau, M. (2011). Project 6: Mass-Transfer and Mass-Flux Dynamics of Chlorinated Solvents.
- Brusseau, M. (2012). Project 6: Mass-Transfer and Mass-Flux Dynamics of Chlorinated Solvents.
- Brusseau, M. (2013). Project 6: Mass-Transfer and Mass-Flux Dynamics of Chlorinated Solvents.
- Brusseau, M. (2014). Project 6: Mass-Transfer and Mass-Flux Dynamics of Chlorinated Solvents.
- Brusseau, ML; Carroll, KC; Allen, T; Baker, J; Diguseppi, W; Hatton, J; Morrison, C; Russo, A; Berkompas, J. (2011). Impact of in situ chemical oxidation on contaminant mass discharge: linking source-zone and plume-scale characterizations of remediation performance. *Environ Sci Technol*. 45: 5352-5358. <http://dx.doi.org/10.1021/es200716s>.
- Brusseau, ML; Hatton, J; Diguseppi, W. (2011). Assessing the impact of source-zone remediation efforts at the contaminant-plume scale through analysis of contaminant mass discharge. *J Contam Hydrol*. 126: 130-139. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.003>.
- Brusseau, ML; Matthieu, DE; Carroll, KC; Mainhagu, J; Morrison, C; Mcmillan, A; Russo, A; Plaschke, M. (2013). Characterizing long-term contaminant mass discharge and the relationship between reductions in discharge and reductions in mass for DNAPL source areas. *J Contam Hydrol*. 149 (June 2013): 1-12. <http://dx.doi.org/10.1016/j.jconhyd.2013.02.011>.
- Brusseau, ML; Russo, AE; Schnaar, G. (2012). Nonideal transport of contaminants in heterogeneous porous media: 9 - impact of contact time on desorption and elution tailing. *Chemosphere*. 89: 287-292. <http://dx.doi.org/10.1016/j.chemosphere.2012.04.038>.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther*. 289: 1648-1653.
- Bu, FY; Wen, XG; Wan, M; Liu, R; Cai, Q; Chen, LJ; Zhang, YM. (2011). [Applicability of an electronic nose for detection of volatile chlorinated hydrocarbons in soil]. *Huanjing Kexue*. 32: 3641-3646.
- Bu, G; Miao, Y; Bin, J; Deng, S; Liu, T; Jiang, H; Chen, W. (2016). Comparison of 128-Slice Low-Dose Prospective ECG-Gated CT Scanning and Trans-Thoracic Echocardiography for the Diagnosis of Complex Congenital Heart Disease. *PLoS ONE*. 11: e0165617. <http://dx.doi.org/10.1371/journal.pone.0165617>.

Human Health Hazard Literature Search Results

Off Topic

- Buchacz, K; Baker, R; Ward, DJ; Palella, FJ; Chmiel, JS; Young, B; Yangco, BG; Novak, RM; Brooks, JT. (2012). Trends in Decline of Antiretroviral Resistance among ARV-Experienced Patients in the HIV Outpatient Study: 1999-2008. *AIDS Research and Treatment*. 2012: 230290. <http://dx.doi.org/10.1155/2012/230290>.
- Buchler, RD; Ribeiro, EE; Mansur, A; Smanio, P; Meneghelo, RS; Chalela, WA; Buchpiguel, CA; Buchler, J. R.; Bates, ER; Martinez, EE. (2010). Noninvasive assessment of patients undergoing percutaneous intervention in myocardial infarction. *Arq Bras Cardiol*. 95: 555-562.
- Buchner, D; Behrens, S; Laskov, C; Haderlein, SB. (2015). Resiliency of Stable Isotope Fractionation ($\delta(13)C$ and $\delta(37)Cl$) of Trichloroethene to Bacterial Growth Physiology and Expression of Key Enzymes. *Environ Sci Technol*. 49: 13230-13237. <http://dx.doi.org/10.1021/acs.est.5b02918>.
- Buchner, S; Debl, K; Schmid, FX; Luchner, A; Djavidani, B. (2015). Cardiovascular magnetic resonance assessment of the aortic valve stenosis: an in vivo and ex vivo study. *BMC Med Imaging*. 15: 34. <http://dx.doi.org/10.1186/s12880-015-0076-x>.
- Buckpitt, A; Chang, AM; Weir, A; Van Winkle, L; Duan, X; Philpot, R; Plopper, C. (1995). Relationship of cytochrome P450 activity to Clara cell cytotoxicity IV Metabolism of naphthalene and naphthalene oxide in microdissected airways from mice, rats, and hamsters. *Mol Pharmacol*. 47: 74-81.
- Buffler, PA. (2010). Project 1: Biomarkers of Chemical Exposure and Leukemia Risk.
- Buitron de la Vega, P; Tandon, P; Qureshi, W; Nasr, Y; Jayaprakash, R; Arshad, S; Moreno, D; Jacobsen, G; Ananthasubramaniam, K; Ramesh, M; Zervos, M. (2016). Simplified risk stratification criteria for identification of patients with MRSA bacteremia at low risk of infective endocarditis: implications for avoiding routine transesophageal echocardiography in MRSA bacteremia. *European Journal of Clinical Microbiology and Infectious Diseases*. 35: 261-268. <http://dx.doi.org/10.1007/s10096-015-2539-y>.
- Bull, RJ; Sanchez, IM; Nelson, MA; Larson, JL; Lansing, AJ. (1990). Liver tumor induction in B6C3F1 mice by dichloroacetate and trichloroacetate. *Toxicology*. 63: 341-359. [http://dx.doi.org/10.1016/0300-483X\(90\)90195-M](http://dx.doi.org/10.1016/0300-483X(90)90195-M).
- Bunce, NJ; Schneider, UA. (1994). Chemical lifetimes of chlorinated aliphatic priority pollutants in the Canadian troposphere. *J Photochem Photobiol A*. 81: 93 - 101. [http://dx.doi.org/10.1016/1010-6030\(94\)03781-7](http://dx.doi.org/10.1016/1010-6030(94)03781-7).
- Burdon, CA; Spronk, I; Cheng, HL; O'Connor, HT. (2016). Effect of Glycemic Index of a Pre-exercise Meal on Endurance Exercise Performance: A Systematic Review and Meta-analysis [Review]. <http://dx.doi.org/10.1007/s40279-016-0632-8>.
- Burmester, DE. (1982). The new pollution: Groundwater contamination. *Environment*. 24: 6-13;33-36.
- Burnell, DK; Mercer, JW; Sims, LS; Anonymous. (2012). Analytical models of steady-state plumes undergoing sequential first-order degradation. *Ground Water*. 50: 394-411. <http://dx.doi.org/10.1111/j.1745-6584.2011.00858.x>.
- Buszkiewicz, KS; Bugajski, P; Kašinowski, R; Furmaniuk, J; Rzeźniczak, J; Poprawka, T; Jedliński, I; Greberski, K; Kalawski, R. (2014). Gigantic aneurysm of a venous bypass graft causing superior vena cava syndrome. *Kardiologia i Torakochirurgia Polska*. 11: 71-75. <http://dx.doi.org/10.5114/kitp.2014.41936>.
- Buyel, JF. (2015). Controlling the interplay between *Agrobacterium tumefaciens* and plants during the transient expression of proteins [Review]. 6: 242-244. <http://dx.doi.org/10.1080/21655979.2015.1052920>.
- Cabanas-Valdés, R; Cuchi, GU; Bagur-Calafat, C. (2013). Trunk training exercises approaches for improving trunk performance and functional sitting balance in patients with stroke: a systematic review [Review]. *NeuroRehabilitation*. 33: 575-592. <http://dx.doi.org/10.3233/NRE-130996>.
- Cabral, WA; Ishikawa, M; Garten, M; Makareeva, EN; Sargent, BM; Weis, M; Barnes, AM; Webb, EA; Shaw, NJ; Ala-Kokko, L; Lacbawan, FL; Högler, W; Leikin, S; Blank, PS; Zimmerberg, J; Eyre, DR; Yamada, Y; Marini, JC. (2016). Absence of the ER Cation Channel TMEM38B/TRIC-B Disrupts Intracellular Calcium Homeostasis and Dysregulates Collagen Synthesis in Recessive Osteogenesis Imperfecta. *PLoS Genet*. 12: e1006156. <http://dx.doi.org/10.1371/journal.pgen.1006156>.
- Cai, H; Guengerich, FP. (1999). Mechanisms of aqueous decomposition of trichloroethylene oxide. *J Am Chem Soc*. 121: 11656-11663. <http://dx.doi.org/10.1021/ja9914240>.
- Cai, P; König, R; Khan, MF; Qiu, S; Kaphalia, BS; Ansari, GA. (2006). Autoimmune response in MRL+/+ mice following treatment with dichloroacetyl chloride or dichloroacetic anhydride. *Toxicol Appl Pharmacol*. 216: 248-255. <http://dx.doi.org/10.1016/j.taap.2006.05.010>.
- Cai, Z; Wilson, RD; Lerner, DN. (2012). Assessing TCE source bioremediation by geostatistical analysis of a flux fence. *Ground Water*. 50: 908-917. <http://dx.doi.org/10.1111/j.1745-6584.2012.00916.x>.
- Caiani, EG; Fusini, L; Veronesi, F; Tamborini, G; Maffessanti, F; Gripari, P; Corsi, C; Naliato, M; Zanobini, M; Alamanni, F; Pepi, M. (2011). Quantification of mitral annulus dynamic morphology in patients with mitral valve prolapse undergoing repair and annuloplasty during a 6-month follow-up. *Eur J Echocardiogr*. 12: 375-383. <http://dx.doi.org/10.1093/ejechocard/jeu016>.
- Caille, V; Amiel, JB; Charron, C; Belliard, G; Vieillard-Baron, A; Vignon, P. (2010). Echocardiography: a help in the weaning process. *Critical Care (Online)*. 14: R120. <http://dx.doi.org/10.1186/cc9076>.
- Caivano, D; Biretoni, F; Fruganti, A; Rishniw, M; Knafelz, P; Moïse, NS; Porciello, F. (2012). Transthoracic echocardiographically-guided interventional cardiac procedures in the dog. 14: 431-444. <http://dx.doi.org/10.1016/j.jvc.2012.02.010>.
- Caldwell, J; Jinot, J; Devoney, D; Gift, JS. (2008). Evaluation of evidence for infection as a mode of action for induction of rat lymphoma [Review]. *Environ Mol Mutagen*. 49: 155-164. <http://dx.doi.org/10.1002/em.20356>.
- Calik, AN; Velibey, Y; Çağdaş, M; Nurkalem, Z. (2011). An unusual microorganism, *Aerococcus viridans*, causing endocarditis and aortic valvular obstruction due to a huge vegetation. *Turk Kardiyol Dern Ars*. 39: 317-319. <http://dx.doi.org/10.5543/tkda.2011.01352>.

Human Health Hazard Literature Search Results

Off Topic

- Calò, L; Sperandii, F; Martino, A; Guerra, E; Cavarretta, E; Quaranta, F; Ruvo, E, d; Sciarra, L; Parisi, A; Nigro, A; Spataro, A; Pigozzi, F. (2015). Echocardiographic findings in 2261 peri-pubertal athletes with or without inverted T waves at electrocardiogram. *Heart*. 101: 193-200. <http://dx.doi.org/10.1136/heartjnl-2014-306110>.
- Calvert, GM; Ruder, AM; Petersen, MR. (2011). Mortality and end-stage renal disease incidence among dry cleaning workers. *Occup Environ Med*. 68: 709-716. <http://dx.doi.org/10.1136/oem.2010.060665>.
- Calvisi, DF; Factor, VM; Ladu, S; Conner, EA; Thorgeirsson, SS. (2004). Disruption of beta-catenin pathway or genomic instability define two distinct categories of liver cancer in transgenic mice. *Gastroenterology*. 126: 1374-1386. <http://dx.doi.org/10.1053/j.gastro.2004.02.014>.
- Calvisi, DF; Ladu, S; Conner, EA; Factor, VM; Thorgeirsson, SS. (2004). Disregulation of E-cadherin in transgenic mouse models of liver cancer. *Lab Invest*. 84: 1137-1147. <http://dx.doi.org/10.1038/labinvest.3700147>.
- Calvisi, DF; Ladu, S; Gorden, A; Farina, M; Conner, EA; Lee, JS; Factor, VM; Thorgeirsson, SS. (2006). Ubiquitous activation of Ras and Jak/Stat pathways in human HCC. *Gastroenterology*. 130: 1117-1128. <http://dx.doi.org/10.1053/j.gastro.2006.01.006>.
- Calvisi, DF; Ladu, S; Gorden, A; Farina, M; Lee, JS; Conner, EA; Schroeder, I; Factor, VM; Thorgeirsson, SS. (2007). Mechanistic and prognostic significance of aberrant methylation in the molecular pathogenesis of human hepatocellular carcinoma. *J Clin Invest*. 117: 2713-2722. <http://dx.doi.org/10.1172/JCI31457>.
- Cameli, M; Righini, FM; Sparla, S; Tacchini, D; Dokollari, A; Sassi, CG; Di Tommaso, C; Curci, V; Censini, S; Incampo, E; Cassano, F; Droandi, G; Bernazzali, S; Focardi, M; Ietta, F; Sartiani, L; Romagnoli, R; Marotta, G; Mugelli, A; Paulesu, L; Sani, G; Tanganelli, P; Maccherini, M; Mondillo, S. (2016). First Evidence of Cardiac Stem Cells From the Left Ventricular Apical Tip in Patients With Left Ventricular Assist Device Implantation. *Transplant Proc*. 48: 395-398. <http://dx.doi.org/10.1016/j.transproceed.2015.12.045>.
- Campbell, KA; Lynne, BY; Handley, KM; Jordan, S; Farmer, JD; Guido, DM; Foucher, F; Turner, S; Perry, RS. (2015). Tracing Biosignature Preservation of Geothermally Silicified Microbial Textures into the Geological Record. *Astrobiology*. 15: 858-882. <http://dx.doi.org/10.1089/ast.2015.1307>.
- Campo, P; Blachère, V; Payan, JP; Cossec, B; Ducos, P. (2006). Toluene toxicokinetics and metabolism parameters in the rat and guinea pig. *Environ Toxicol Pharmacol*. 21: 276-282. <http://dx.doi.org/10.1016/j.etap.2005.09.004>.
- Campo, P; Loquet, G; Blachère, V; Roure, M. (1999). Toluene and styrene intoxication route in the rat cochlea. *Neurotoxicol Teratol*. 21: 427-434. [http://dx.doi.org/10.1016/S0892-0362\(99\)00010-0](http://dx.doi.org/10.1016/S0892-0362(99)00010-0).
- Campos-Vazquez, MA; Mendez-Villanueva, A; Gonzalez-Jurado, JA; León-Prados, JA; Santalla, A; Suarez-Arrones, L. (2015). Relationships between rating-of-perceived-exertion- and heart-rate-derived internal training load in professional soccer players: a comparison of on-field integrated training sessions. *Int J Sports Physiol Perform*. 10: 587-592. <http://dx.doi.org/10.1123/ijspp.2014-0294>.
- Canciani, E; Spotti, D; Bonetti, L. (2016). [Translation and validation in italian of the Moral Distress Scale for psychiatric nurses (MDS-P)]. *Prof Inferm*. 69: 68-75.
- Cannon, JR. (2011). New Approaches to Gene-environment Interaction Modeling in Parkinson's Disease.
- Cannon, JR. (2012). New Approaches to Gene-environment Interaction Modeling in Parkinson's Disease.
- Cannon, JR. (2013). New Approaches to Gene-environment Interaction Modeling in Parkinson's Disease.
- Cannon, JR. (2014). New Approaches to Gene-environment Interaction Modeling in Parkinson's Disease.
- Cantinotti, M; Lorenzoni, V; Storti, S; Moschetti, R; Murzi, B; Marotta, M; Crocetti, M; Molinaro, S; Clerico, A; Portman, M; Iervasi, G. (2013). Thyroid and brain natriuretic Peptide response in children undergoing cardiac surgery for congenital heart disease- age-related variations and prognostic value. *Circ J*. 77: 188-197.
- Cantrell, GS; Schilling, BK; Paquette, MR; Murlasits, Z. (2014). Maximal strength, power, and aerobic endurance adaptations to concurrent strength and sprint interval training. *Eur J Appl Physiol*. 114: 763-771. <http://dx.doi.org/10.1007/s00421-013-2811-8>.
- Cao, F; Liu, TX; Wu, CY; Li, FB; Li, XM; Yu, HY; Tong, H; Chen, MJ. (2012). Enhanced biotransformation of DDTs by an iron- and humic-reducing bacteria *Aeromonas hydrophila* HS01 upon addition of goethite and anthraquinone-2,6-disulphonic disodium salt (AQDS). *J Agric Food Chem*. 60: 11238-11244. <http://dx.doi.org/10.1021/jf303610w>.
- Cao, H; Chen, Q; Zhang, GC; Chen, LW; Li, QZ; Qiu, ZH. (2011). Intraoperative device closure of perimembranous ventricular septal defects in the young children under transthoracic echocardiographic guidance; initial experience. *J Cardiothorac Surg*. 6: 166. <http://dx.doi.org/10.1186/1749-8090-6-166>.
- Cao, K; Hollenbach, J; Shi, X; Shi, W; Chopek, M; Fernández-Viña, MA. (2001). Analysis of the frequencies of HLA-A, B, and C alleles and haplotypes in the five major ethnic groups of the United States reveals high levels of diversity in these loci and contrasting distribution patterns in these populations. *Hum Immunol*. 62: 1009-1030. [http://dx.doi.org/10.1016/S0198-8859\(01\)00298-1](http://dx.doi.org/10.1016/S0198-8859(01)00298-1).
- Cao, XL; Sparling, M; Dabeka, R. (2016). Occurrence of 13 volatile organic compounds in foods from the Canadian total diet study. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*. 33: 373-382. <http://dx.doi.org/10.1080/19440049.2015.1129072>.
- Cápiro, NL; Granbery, EK; Lebrón, CA; Major, DW; McMaster, ML; Pound, MJ; Löffler, FE; Pennell, KD. (2011). Liquid-Liquid Mass Transfer of Partitioning Electron Donors in Chlorinated Solvent Source Zones. *Environ Sci Technol*. 45: 1547-1554. <http://dx.doi.org/10.1021/es102249x>.
- Capodanno, D; Gargiulo, G; Buccheri, S; Chieffo, A; Meliga, E; Latib, A; Park, SJ; Onuma, Y; Capranzano, P; Valgimigli, M; Narbutė, I; Makkar, RR; Palacios, IF; Kim, YH; Buszman, PE; Chakravarty, T; Sheiban, I; Mehran, R; Naber, C; Margey, R; Agnihotri, A; Marra, S; Leon, MB; Moses, JW; Fajadet, J; Lefèvre, T; Morice, MC; Erglis, A; Alfieri, O; Serruys, PW; Colombo, A; Tamburino, C; Investigators, D. (2016). Computing Methods for Composite Clinical Endpoints in Unprotected Left Main Coronary Artery Revascularization: A Post Hoc Analysis of the DELTA Registry. *JACC: Cardiovascular Interventions*. 9: 2280-2288. <http://dx.doi.org/10.1016/j.jcin.2016.08.025>.

Human Health Hazard Literature Search Results

Off Topic

- Capoulade, R; Pibarot, P. (2015). Assessment of Aortic Valve Disease: Role of Imaging Modalities. Current Treatment Options in Cardiovascular Medicine. 17: 49. <http://dx.doi.org/10.1007/s11936-015-0409-7>.
- Cappaert, NLM; Klis, SFL; Baretta, AB; Muijser, H; Smoorenburg, GF. (2000). Ethyl benzene-induced ototoxicity in rats: A dose-dependent mid-frequency hearing loss. J Assoc Res Otolaryngol. 1: 292-299. <http://dx.doi.org/10.1007/s101620010050>.
- Cappaert, NLM; Klis, SFL; Muijser, H; de Groot, JCM, J; Kulig, BM; Smoorenburg, GF. (1999). The ototoxic effects of ethyl benzene in rats. Hear Res. 137: 91-102. [http://dx.doi.org/10.1016/S0378-5955\(99\)00141-0](http://dx.doi.org/10.1016/S0378-5955(99)00141-0).
- Carbonelli, C; Zedde, M; Cavazza, A; Facciolongo, N; Menzella, F; Spaggiari, L; Zucchi, L. (2012). "Neurologist's contribution to the diagnosis of sine materia respiratory insufficiency: case report" BMC Pulm Med. 12: 42. <http://dx.doi.org/10.1186/1471-2466-12-42>.
- Cardador, MJ; Gallego, M. (2010). Determination of haloacetic acids in human urine by headspace gas chromatography-mass spectrometry. Journal of Chromatography B. 878: 1824-1830. <http://dx.doi.org/10.1016/j.jchromb.2010.05.022>.
- Carità, P; Verdecchia, M; Ferro, G; Buccheri, D; Corrado, E; Novo, S; Pontone, G. (2016). Multimodality imaging in cardiac echinococcosis for diagnosis and follow-up of an untreatable cyst. Int J Cardiol. 221: 468-470. <http://dx.doi.org/10.1016/j.ijcard.2016.06.317>.
- Carlson, AE; Barnes, DL. (2011). Movement of trichloroethene in a discontinuous permafrost zone. J Contam Hydrol. 124: 1-13. <http://dx.doi.org/10.1016/j.jconhyd.2010.11.002>.
- Carluccio, E; Dini, FL; Biagioli, P; Lauciello, R; Simioniu, A; Zuchi, C; Alunni, G; Reboldi, G; Marzilli, M; Ambrosio, G. (2013). The 'Echo Heart Failure Score': an echocardiographic risk prediction score of mortality in systolic heart failure. Eur J Heart Fail. 15: 868-876. <http://dx.doi.org/10.1093/eurjhf/hft038>.
- Carminatti, LJ; Possamai, CA; de Moraes, M; da Silva, JF; de Lucas, RD; Dittrich, N; Guglielmo, LG. (2013). Intermittent versus Continuous Incremental Field Tests: Are Maximal Variables Interchangeable? 12: 165-170.
- Carniato, L; Schoups, G; Seuntjens, P; Van Nooten, T; Simons, Q; Bastiaens, L. (2012). Predicting longevity of iron permeable reactive barriers using multiple iron deactivation models. J Contam Hydrol. 142-143: 93-108. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.012>.
- Carpenter, SP; Lasker, JM; Raucy, JL. (1996). Expression, induction, and catalytic activity of the ethanol-inducible cytochrome P450 (CYP2E1) in human fetal liver and hepatocytes. Mol Pharmacol. 49: 260-268.
- Carpinteiro, I; Abuín, B; Rodríguez, I; Ramil, M; Cela, R. (2012). Mixed-mode solid-phase extraction followed by dispersive liquid-liquid microextraction for the sensitive determination of ethylphenols in red wines. J Chromatogr A. 1229: 79-85. <http://dx.doi.org/10.1016/j.chroma.2012.01.044>.
- Carranza-Lira, S; de Jesús Cabrera-López, T; Estrada-Moscote, I; Aguado-Pérez, RA. (2012). [Changes in maturation index and vaginal dryness after treatment with topical conjugated estrogens in low and conventional dose]. Rev Med Inst Mex Seguro Soc. 50: 315-318.
- Carrasco, L; Sañudo, B; de Hoyo, M; Pradas, F; Da Silva, ME. (2011). Effectiveness of low-frequency vibration recovery method on blood lactate removal, muscle contractile properties and on time to exhaustion during cycling at VO₂max power output. Eur J Appl Physiol. 111: 2271-2279. <http://dx.doi.org/10.1007/s00421-011-1848-9>.
- Carroll, KC; McDonald, K; Marble, J; Russo, AE; Brusseau, ML. (2015). The impact of transitions between two-fluid and three-fluid phases on fluid configuration and fluid-fluid interfacial area in porous media. Water Resour Res. 51: 7189-7201. <http://dx.doi.org/10.1002/2015WR017490>.
- Carter, JH; Carter, HW; DeAngelo, AB. (1995). Biochemical, pathologic and morphometric alterations induced in male B6C3F1 mouse liver by short-term exposure to dichloroacetic acid. Toxicol Lett. 81: 55-71. [http://dx.doi.org/10.1016/0378-4274\(95\)03409-9](http://dx.doi.org/10.1016/0378-4274(95)03409-9).
- Carter, JH; Carter, HW; Deddens, JA; Hurst, BM; George, MH; DeAngelo, AB. (2003). A 2-year dose-response study of lesion sequences during hepatocellular carcinogenesis in the male B6C3F(1) mouse given the drinking water chemical dichloroacetic acid. Environ Health Perspect. 111: 53-64. <http://dx.doi.org/10.1289/ehp.5442>.
- Cartier, C; Muckle, G; Jacobson, SW; Jacobson, JL; Dewailly, E; Ayotte, P; Chevrier, C; Saint-Amour, D. (2014). Prenatal and 5-year p,p'-DDE exposures are associated with altered sensory processing in school-aged children in Nunavik: A visual evoked potential study. Neurotoxicology. 44: 8-16. <http://dx.doi.org/10.1016/j.neuro.2014.04.009>.
- Castilla-Guerra, L; Fernández-Moreno, M; Alvarez-Suero, J; Gonzalez, A. (2012). Echocardiographic assessment of hypertensive left ventricular hypertrophy in patients with acute ischemic stroke or transient ischemic attack. 21: 745-748. <http://dx.doi.org/10.1016/j.jstrokecerebrovasdis.2011.03.012>.
- Castorina, R; Bradman, A; Fenster, L; Barr, DB; Bravo, R; Vedar, MG; Harnly, ME; Mckone, TE; Eisen, EA; Eskenazi, B. (2010). Comparison of current-use pesticide and other toxicant urinary metabolite levels among pregnant women in the CHAMACOS cohort and NHANES. Environ Health Perspect. 118: 856-863. <http://dx.doi.org/10.1289/ehp.0901568>.
- Cavarocchi, NC; Pitcher, HT; Yang, Q; Karbowski, P; Miessau, J; Hastings, HM; Hirose, H. (2013). Weaning of extracorporeal membrane oxygenation using continuous hemodynamic transesophageal echocardiography. J Thorac Cardiovasc Surg. 146: 1474-1479. <http://dx.doi.org/10.1016/j.jtcvs.2013.06.055>.
- Cawley, PJ; Hamilton-Craig, C; Owens, DS; Krieger, EV; Strugnell, WE; Mitsumori, L; D'Jang, CL; Schwaegler, RG; Nguyen, KQ; Nguyen, B; Maki, JH; Otto, CM. (2013). Prospective comparison of valve regurgitation quantitation by cardiac magnetic resonance imaging and transthoracic echocardiography. Circulation: Cardiovascular Imaging. 6: 48-57. <http://dx.doi.org/10.1161/CIRCIMAGING.112.975623>.
- CDC. (2007). National Vital Statistics Reports: Deaths: Final data for 2004. Hyattsville, MD. <http://www.cdc.gov/nchs/products/nvsr.htm>.
- CDHS. (1986). Organic chemical contamination of large public water systems in California. (86870001977). Sacramento, CA.
- Cecchi, E; Chirillo, F; Faggiano, P; Imazio, M; Cecconi, M; Moreo, A; Cialfi, A; Rinaldi, M; Del Ponte, S; Squeri, A; Gaddi, O; Enia, F; Ferro, S; Costanzo, P; Zuppiroli, A; Bergandi, G; Bologna, F; Ciampiani, N; De Rosa, F; Belli, R; Investigators, IRoIE. (2013). The diagnostic utility of

Human Health Hazard Literature Search Results

Off Topic

- transthoracic echocardiography for the diagnosis of infective endocarditis in the real world of the Italian Registry on Infective Endocarditis. *Echocardiography*. 30: 871-879. <http://dx.doi.org/10.1111/echo.12173>.
- Cecconi, M; Chirillo, F; Costantini, C; Iacobone, G; Lopez, E; Zanolì, R; Gili, A; Moretti, S; Manfrin, M; Münch, C; Torracca, L; Perna, GP. (2012). The role of transthoracic echocardiography in the diagnosis and management of acute type A aortic syndrome. *Am Heart J*. 163: 112-118. <http://dx.doi.org/10.1016/j.ahj.2011.09.022>.
- Celeng, C; Kolossváry, M; Kovács, A; Molnár, AÁ; Szilveszter, B; Horváth, T; Károlyi, M; Jermendy, ÁL; Tárnoki, ÁD; Tárnoki, DL; Karády, J; Voros, S; Jermendy, G; Merkely, B; Maurovich-Horvat, P. (2016). Aortic root dimensions are predominantly determined by genetic factors: a classical twin study. *Eur Radiol*. <http://dx.doi.org/10.1007/s00330-016-4590-1>.
- Cernansky, R. (2016). IT CAME FROM BENEATH Detecting And Mitigating Vapor Intrusion. *Environ Health Perspect*. 124: A141-A146. <http://dx.doi.org/10.1289/ehp.124-A141>.
- Cervera, MI; Beltran, J; Lopez, FJ; Hernandez, F. (2011). Determination of volatile organic compounds in water by head space-solid-phase microextraction gas chromatography coupled to tandem mass spectrometry with triple quadrupole analyzer. *Anal Chim Acta*. 704: 87-97. <http://dx.doi.org/10.1016/j.aca.2011.08.012>.
- Cetin, MS; Ozcan Cetin, EH; Aras, D; Topaloglu, S; Aydogdu, S. (2015). Coronary slow flow phenomenon: Not only low in flow rate but also in myocardial energy expenditure. 25: 931-936. <http://dx.doi.org/10.1016/j.numecd.2015.06.004>.
- Cevik, A; Kula, S; Olgunturk, R; Tunaoglu, FS; Oguz, AD; Saylan, B; Cilsal, E; Sanli, C. (2013). Assessment of pulmonary arterial hypertension and vascular resistance by measurements of the pulmonary arterial flow velocity curve in the absence of a measurable tricuspid regurgitant velocity in childhood congenital heart disease. *Pediatric Cardiology*. 34: 646-655. <http://dx.doi.org/10.1007/s00246-012-0520-4>.
- Cha, YS; Kim, H; Hwang, SO; Kim, JY; Kim, YK; Choi, EH; Kim, OH; Kim, HI; Cha, KC; Lee, KH. (2016). Incidence and patterns of cardiomyopathy in carbon monoxide-poisoned patients with myocardial injury. *Clin Toxicol*. 54: 481-487. <http://dx.doi.org/10.3109/15563650.2016.1162310>.
- Chagoyen, M; Carrascosa, JL; Pazos, F; Valpuesta, JM. (2014). Molecular determinants of the ATP hydrolysis asymmetry of the CCT chaperonin complex. *Protein Struct Funct Genet*. 82: 703-707. <http://dx.doi.org/10.1002/prot.24510>.
- Chambers, JE; Wilkinson, PB; Wealthall, GP; Loke, MH; Dearden, R; Wilson, R; Allen, D; Ogilvy, RD. (2010). Hydrogeophysical imaging of deposit heterogeneity and groundwater chemistry changes during DNAPL source zone bioremediation. *J Contam Hydrol*. 118: 43-61. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.001>.
- Chambon, JC; Bjerg, PL; Scheutz, C; Baelum, J; Jakobsen, R; Binning, PJ. (2013). Review of reactive kinetic models describing reductive dechlorination of chlorinated ethenes in soil and groundwater [Review]. *Biotechnol Bioeng*. 110: 1-+. <http://dx.doi.org/10.1002/bit.24714>.
- Chambon, JC; Broholm, MM; Binning, PJ; Bjerg, PL. (2010). Modeling multi-component transport and enhanced anaerobic dechlorination processes in a single fracture-clay matrix system. *J Contam Hydrol*. 112: 77-90. <http://dx.doi.org/10.1016/j.jconhyd.2009.10.008>.
- Chamié, F; Maia, J; Giuliano, LC. (2016). Device-in-device: A transcatheter alternative to surgical explanation of a failing atrial septal defect intracardiac prosthesis. 88: 239-243. <http://dx.doi.org/10.1002/ccd.26456>.
- Chan, NY; Choy, CC; Cheung, KC; Lau, CL; Lo, YK; Chu, PS; Yuen, HC; Lau, ST; Choi, YC. (2010). Echocardiographic mapping of left ventricular resynchronization during cardiac resynchronization therapy procedures. *Chin Med J*. 123: 1645-1651.
- Chan, RH; Shaw, JL; Hauser, TH; Markson, LJ; Manning, WJ. (2015). Guideline Adherence for Echocardiographic Follow-Up in Outpatients with at Least Moderate Valvular Disease. *J Am Soc Echocardiogr*. 28: 795-801. <http://dx.doi.org/10.1016/j.echo.2015.03.001>.
- Chan, WW; Grostern, A; Löffler, FE; Edwards, EA. (2011). Quantifying the effects of 1,1,1-trichloroethane and 1,1-dichloroethane on chlorinated ethene reductive dehalogenases. *Environ Sci Technol*. 45: 9693-9702. <http://dx.doi.org/10.1021/es201260n>.
- Chang, J, iaF; Lin, CM; Huang, C, hiH; Lin, CL; Huang, SH; Chin, CH, ui. (2010). Preoperative Alcohol Septal Ablation for Hypertrophic Obstructive Cardiomyopathy before Surgical Resection of Pheochromocytoma: The First Medical Report. *Zhonghua Minguo Xinzang Xuehui Zazhi*. 26: 189-192.
- Chang, JH; Yoon, SJ; Han, SH; Shin, SK; Jeon, DW; Yang, JY; Kang, EW. (2010). The impact of dialysis modality on arterial stiffness in patients with end-stage renal disease. *Ren Fail*. 32: 947-953. <http://dx.doi.org/10.3109/0886022X.2010.502607>.
- Chang, K; Yokose, C; Tenner, C; Oh, C; Donnino, R; Choy-Shan, A; Pike, VC; Shah, BD; Lorin, JD; Krasnokutsky, S; Sedlis, SP; Pillinger, MH. (2017). Association Between Gout and Aortic Stenosis. *Am J Med*. 130: 230.e231-230.e238. <http://dx.doi.org/10.1016/j.amjmed.2016.09.005>.
- Chang, YC; Huang, SC; Chen, KF. (2014). Evaluation of the effects of nanoscale zero-valent iron (nZVI) dispersants on intrinsic biodegradation of trichloroethylene (TCE). *Water Sci Technol*. 69: 2357-2363. <http://dx.doi.org/10.2166/wst.2014.169>.
- Chang, YC; Ikeutsu, K; Toyama, T; Choi, D; Kikuchi, S. (In Press) Isolation and characterization of tetrachloroethylene- and cis-1,2-dichloroethylene-dechlorinating propionibacteria. *J Ind Microbiol Biotechnol*. <http://dx.doi.org/10.1007/s10295-011-0956-1>.
- Chao, TF; Hung, CL; Tsao, HM; Lin, YJ; Yun, CH; Lai, YH; Chang, SL; Lo, LW; Hu, YF; Tuan, TC; Chang, HY; Kuo, JY; Yeh, HI; Wu, TJ; Hsieh, MH; Yu, WC; Chen, SA. (2013). Epicardial adipose tissue thickness and ablation outcome of atrial fibrillation. *PLoS ONE*. 8: e74926. <http://dx.doi.org/10.1371/journal.pone.0074926>.
- Chaoul, MM; Braz, JR; Lucio, LM; Golim, MA; Braz, LG; Braz, MG. (2015). Does occupational exposure to anesthetic gases lead to increase of pro-inflammatory cytokines? *Inflamm Res*. 64: 939-942. <http://dx.doi.org/10.1007/s00011-015-0881-2>.
- Chapelle, FH; Kauffman, LJ; Widdowson, MA. (2014). Modeling the Effects of Naturally Occurring Organic Carbon on Chlorinated Ethene Transport to a Public Supply Well. *Ground Water*. 52 Suppl 1: 76-89. <http://dx.doi.org/10.1111/gwat.12152>.

Human Health Hazard Literature Search Results

Off Topic

- Chapin, RE; Norton, RM; Popp, JA; Bus, JS. (1982). The effects of 2,5-hexanedione on reproductive hormones and testicular enzyme activities in the F-344 rat. *Toxicol Appl Pharmacol.* 62: 262-272. [http://dx.doi.org/10.1016/0041-008X\(82\)90124-7](http://dx.doi.org/10.1016/0041-008X(82)90124-7).
- Charbonneau, M; Couture, J; Plaa, GL. (1991). Inhalation versus oral administration of acetone: effect of the vehicle on the potentiation of CCl₄-induced liver injury. *Toxicol Lett.* 57: 47-54. [http://dx.doi.org/10.1016/0378-4274\(91\)90118-P](http://dx.doi.org/10.1016/0378-4274(91)90118-P).
- Charbotel, B. (2008). E mail from Barbara Charbotel, University of Lyon, to Cheryl Scott, U.S. EPA [Personal Communication].
- Charles, JM; Leeming, NM. (1998). Chronic dietary toxicity/oncogenicity studies on 2,4-dichlorophenoxybutyric acid in rodents. *Toxicol Sci.* 46: 21-30. <http://dx.doi.org/10.1006/toxs.1998.2502>.
- Che, H; Bae, S; Lee, W. (2011). Degradation of trichloroethylene by Fenton reaction in pyrite suspension. *J Hazard Mater.* 185: 1355-1361. <http://dx.doi.org/10.1016/j.jhazmat.2010.10.055>.
- Che, H; Lee, W. (2011). Selective redox degradation of chlorinated aliphatic compounds by Fenton reaction in pyrite suspension. *Chemosphere.* 82: 1103-1108. <http://dx.doi.org/10.1016/j.chemosphere.2010.12.002>.
- Checkoway, H; Pearce, N; Crawford-Brown, DJ. (1989). Research methods in occupational epidemiology. In *Monographs in epidemiology and biostatistics*. New York, NY: Oxford University Press.
- Chee, G-J. (2011). Biodegradation analyses of trichloroethylene (TCE) by bacteria and its use for biosensing of TCE. *Talanta.* 85: 1778-1782. <http://dx.doi.org/10.1016/j.talanta.2011.07.002>.
- Chekmeneva, E; Hunter, CA; Misuraca, MC; Turega, SM. (2012). Steric desolation enhances the effective molarities of intramolecular H-bonding interactions. *Org Biomol Chem.* 10: 6022-6031. <http://dx.doi.org/10.1039/c2ob25372k>.
- Chemali, M; Hibbert, EJ; Sheen, A. (2015). General practitioner understanding of abbreviations used in hospital discharge letters. *Med J Aust.* 203: 147, 147e.141-144.
- Chen, C; Hennig, G; Whiteley, H; Manautou, J. (2002). Protection against acetaminophen hepatotoxicity by clofibrate pretreatment: role of catalase induction. *J Biochem Mol Toxicol.* 16: 227-234. <http://dx.doi.org/10.1002/jbt.10043>.
- Chen, C; Li, J; Bi, Y; Yang, L; Meng, S; Zhou, Y; Jia, X; Meng, S; Sun, L; Liu, W. (2013). Synthetic B- and T-cell epitope peptides of porcine reproductive and respiratory syndrome virus with Gp96 as adjuvant induced humoral and cell-mediated immunity. *Vaccine.* 31: 1838-1847. <http://dx.doi.org/10.1016/j.vaccine.2013.01.049>.
- Chen, D; Wei, H; Tang, J; Liu, L; Wu, S; Lin, C; Zhang, Q; Liang, Y; Chen, S. (2016). A randomized comparison of fluoroscopic techniques for implanting pacemaker lead on the right ventricular outflow tract septum. *Int J Cardiovasc Imaging.* 32: 721-728. <http://dx.doi.org/10.1007/s10554-016-0840-1>.
- Chen, F; Falta, RW; Murdoch, LC. (2014). Numerical Analysis of Thermal Remediation in 3D Field-Scale Fractured Geologic Media. *Ground Water.* 53: 572-587. <http://dx.doi.org/10.1111/gwat.12241>.
- Chen, J; Gao, N; Li, L; Zhu, M; Yang, J; Lu, X; Zhang, Y. (2017). Disinfection by-product formation during chlor(am)ination of algal organic matters (AOM) extracted from *Microcystis aeruginosa*: effect of growth phases, AOM and bromide concentration. *Environ Sci Pollut Res Int.* <http://dx.doi.org/10.1007/s11356-017-8515-6>.
- Chen, J; Xiu, Z; Lowry, GV; Alvarez, PJJ. (2011). Effect of natural organic matter on toxicity and reactivity of nano-scale zero-valent iron. *Water Res.* 45: 1995-2001. <http://dx.doi.org/10.1016/j.watres.2010.11.036>.
- Chen, JM; Ding, Y; Lu, SY; Pan, S; Abudupataer, M; Hong, T; Wang, CS. (2016). Noninferiority of Shanghai Cingular biotech's bovine pericardial valve preclinical study in juvenile ovine model. *J Thorac Dis.* 8: 1179-1187. <http://dx.doi.org/10.21037/jtd.2016.04.51>.
- Chen, L; Dumelie, JG; Li, X; Cheng, MH; Yang, Z; Laver, JD; Siddiqui, NU; Westwood, JT; Morris, Q; Lipshitz, HD; Smibert, CA. (2014). Global regulation of mRNA translation and stability in the early *Drosophila* embryo by the Smaug RNA-binding protein. *Genome Biology (Online).* 15: R4. <http://dx.doi.org/10.1186/gb-2014-15-1-r4>.
- Chen, L; Jin, S; Fallgren, PH; Liu, F; Colberg, PJ. (2013). Passivation of zero-valent iron by denitrifying bacteria and the impact on trichloroethene reduction in groundwater. *Water Sci Technol.* 67: 1254-1259. <http://dx.doi.org/10.2166/wst.2013.689>.
- Chen, L; Jin, S; Fallgren, PH; Swoboda-Colberg, NG; Liu, F; Colberg, PJ. (2012). Electrochemical depassivation of zero-valent iron for trichloroethene reduction. *J Hazard Mater.* 239-240: 265-269. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.074>.
- Chen, L; Liu, F; Liu, Y; Dong, H; Colberg, PJ. (2011). Benzene and toluene biodegradation down gradient of a zero-valent iron permeable reactive barrier. *J Hazard Mater.* 188: 110-115. <http://dx.doi.org/10.1016/j.jhazmat.2011.01.076>.
- Chen, L; Liu, Y; Liu, F; Jin, S. (2014). Treatment of co-mingled benzene, toluene and TCE in groundwater. *J Hazard Mater.* 275: 116-120. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.057>.
- Chen, MY; Su, YF; Shih, YH. (2014). Effect of geochemical properties on degradation of trichloroethylene by stabilized zerovalent iron nanoparticle with Na-acrylic copolymer. *J Environ Manage.* 144: 88-92. <http://dx.doi.org/10.1016/j.jenvman.2014.04.024>.
- Chen, Q; Cao, H; Zhang, GC; Chen, LW; Chen, DZ; Li, QZ; Qiu, ZH. (2012). Atrioventricular block subsequent to intraoperative device closure atrial septal defect with transthoracic minimal invasion; a rare and serious complication. *PLoS ONE.* 7: e52726. <http://dx.doi.org/10.1371/journal.pone.0052726>.
- Chen, SA; Ogunleye, T; Dhabbaan, A; Huang, EH; Losken, A; Gabram, S; Davis, L; Torres, MA. (2013). Impact of Internal Metallic Ports in Temporary Tissue Expanders on Postmastectomy Radiation Dose Distribution. *Int J Radiat Oncol Biol Phys.* 85: 630-635. <http://dx.doi.org/10.1016/j.ijrobp.2012.06.046>.
- Chen, SC; Ueng, KC; Lee, SH; Sun, KT; Lee, MC. (2010). Effect of t'ai chi exercise on biochemical profiles and oxidative stress indicators in obese patients with type 2 diabetes. *PLoS ONE.* 5: e11533. <http://dx.doi.org/10.1089/acm.2009.0560>.

Human Health Hazard Literature Search Results

Off Topic

- Chen, W; Yan, X; Huang, Y; Sun, X; Zhong, L; Li, J; Chen, H; Zhong, H; Chen, L. (2015). Transthoracic echocardiography as an alternative major guidance to angiography during transcatheter closure of patent ductus arteriosus: technical feasibility and clinical relevance. *Pediatric Cardiology*. 36: 14-19. <http://dx.doi.org/10.1007/s00246-014-0956-9>.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere*. 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.
- Chen, X; Cheung, ST; So, S; Fan, ST; Barry, C; Higgins, J; Lai, KM; Ji, J; Dudoit, S; Ng, IO; Van De Rijn, M; Botstein, D; Brown, PO. (2002). Gene expression patterns in human liver cancers. *Mol Biol Cell*. 13: 1929-1939. <http://dx.doi.org/10.1091/mbc.02-02-0023>.
- Chen, X; Qu, YJ; Peng, ZY; Lu, JG; Ma, XJ. (2013). Diagnosis of congenital aortic arch anomalies in chinese children by multi-detector computed tomography angiography. *J Huazhong Univ Sci Technol Med Sci*. 33: 447-451. <http://dx.doi.org/10.1007/s11596-013-1140-9>.
- Chen, Y; Tsao, TM; Liu, CC; Lin, K; Wang, MK. (2011). Aluminium and nutrients induce changes in the profiles of phenolic substances in tea plants (*Camellia sinensis* CV TTES, No. 12 (TTE)). *J Sci Food Agric*. 91: 1111-1117. <http://dx.doi.org/10.1002/jsfa.4291>.
- Chen, Z; Wei, X; Li, F; He, P; Huang, X; Zhang, F; Qi, K; Liu, X; Shen, H; Hou, T; Riew, KD. (2012). Tracheal traction exercise reduces the occurrence of postoperative dysphagia after anterior cervical spine surgery. *Spine*. 37: 1292-1296. <http://dx.doi.org/10.1097/BRS.0b013e3182477f26>.
- Chen, ZY; White, CC; He, CY; Liu, YF; Eaton, DL. (1995). Zonal differences in DNA synthesis activity and cytochrome P450 gene expression in livers of male F344 rats treated with five nongenotoxic carcinogens. *J Environ Pathol Toxicol Oncol*. 14: 83-99.
- Cheng, D; Chow, WL; He, J. (2010). A Dehalococcoides-containing co-culture that dechlorinates tetrachloroethene to trans-1,2-dichloroethene. *ISME J*. 4: 88-97. <http://dx.doi.org/10.1038/ismej.2009.90>.
- Cheng, HW; Fisch, S; Cheng, S; Bauer, M; Ngoy, S; Qiu, Y; Guan, J; Mishra, S; Mbah, C; Liao, R. (2014). Assessment of right ventricular structure and function in mouse model of pulmonary artery constriction by transthoracic echocardiography. *J Vis Expe*51041. <http://dx.doi.org/10.3791/51041>.
- Cheng, X, in; Luo, R; Wang, G; Xu, C; Feng, X, in; Yang, R; Ding, E; He, Y; Chuai, M; Lee, K; Yang, X. (2015). Effects of 2,5-hexanedione on angiogenesis and vasculogenesis in chick embryos. *Reprod Toxicol*. 51: 79-89. <http://dx.doi.org/10.1016/j.reprotox.2014.12.006>.
- Cheng, Z; Wang, X; Duan, Y; Wu, L; Wu, D; Chao, B; Liu, C; Xu, Z; Li, H; Liang, F; Xu, J; Chen, J. (2010). Low-dose prospective ECG-triggering dual-source CT angiography in infants and children with complex congenital heart disease: first experience. *Eur Radiol*. 20: 2503-2511. <http://dx.doi.org/10.1007/s00330-010-1822-7>.
- Chenot, F; Montant, P; Goffinet, C; Pasquet, A; Vancraeynest, D; Coche, E; Vanoverschelde, JL; Gerber, BL. (2010). Evaluation of anatomic valve opening and leaflet morphology in aortic valve bioprosthesis by using multidetector CT: comparison with transthoracic echocardiography. *Radiology*. 255: 377-385. <http://dx.doi.org/10.1148/radiol.0000082294>.
- Cherrie, J; Kromhout, H; Semple, S. (2001). The importance of reliable exposure estimates in deciding whether trichloroethylene can cause kidney cancer [Letter]. *J Cancer Res Clin Oncol*. 127: 400-404. <http://dx.doi.org/10.1007/s004320000206>.
- Cheung, C; Akiyama, TE; Ward, JM; Nicol, CJ; Feigenbaum, L; Vinson, C; Gonzalez, FJ. (2004). Diminished hepatocellular proliferation in mice humanized for the nuclear receptor peroxisome proliferator-activated receptor alpha. *Cancer Res*. 64: 3849-3854. <http://dx.doi.org/10.1158/0008-5472.CAN-04-0322>.
- Cheung, G; Vejstrup, N; Ihlemann, N; Arnous, S; Franzen, O; Bundgaard, H; Søndergaard, L. (2013). Infective endocarditis following percutaneous pulmonary valve replacement: diagnostic challenges and application of intra-cardiac echocardiography. *Int J Cardiol*. 169: 425-429. <http://dx.doi.org/10.1016/j.ijcard.2013.10.016>.
- Chew, M. (2013). TTE for fluid responsiveness? [Comment]. *Acta Anaesthesiol Scand*. 57: 1331. <http://dx.doi.org/10.1111/aas.12174>.
- Chieco, P; Moslen, MT; Reynolds, ES. (1981). Effect of administrative vehicle on oral 1,1-dichloroethylene toxicity. *Toxicol Appl Pharmacol*. 57: 146-155. [http://dx.doi.org/10.1016/0041-008X\(81\)90274-X](http://dx.doi.org/10.1016/0041-008X(81)90274-X).
- Chiesa, R; Donato, F; Tagger, A; Favret, M; Ribero, ML; Nardi, G; Gelatti, U; Bucella, E; Tomasi, E; Portolani, N; Bonetti, M; Bettini, L; Pelizzari, G; Salmi, A; Savio, A; Garatti, M; Callea, F. (2000). Etiology of hepatocellular carcinoma in Italian patients with and without cirrhosis. *Cancer Epidemiol Biomarkers Prev*. 9: 213-216.
- Chimot, L; Marqué, S; Gros, A; Gacouin, A; Lavoué, S; Camus, C; Le Tulzo, Y. (2013). Avalon© bicaval dual-lumen cannula for venovenous extracorporeal membrane oxygenation: survey of cannula use in France. 59: 157-161. <http://dx.doi.org/10.1097/MAT.0b013e31827db6f3>.
- Chiriac, A; Kadkhodayan, A; Pislaru, SV; Dailey, EJ; Scott, CG; Buechler, TE; Newman, JS; Pellikka, PA. (2016). Clinical Importance of Transthoracic Echocardiography with Direct Input from Treating Physicians. *J Am Soc Echocardiogr*. 29: 195-204. <http://dx.doi.org/10.1016/j.echo.2015.11.009>.
- Chisholm, CB; Dodge, WR; Balise, RR; Williams, SR; Gharahbaghian, L; Beraud, AS. (2013). Focused cardiac ultrasound training: how much is enough? *J Emerg Med*. 44: 818-822. <http://dx.doi.org/10.1016/j.jemermed.2012.07.092>.
- Chiu, BC; Weisenburger, DD. (2003). An update of the epidemiology of non-Hodgkin's lymphoma [Review]. *Clin Lymphoma Myeloma*. 4: 161-168.
- Chiu, H; Kuo, CC; Kuo, H; Lee, IM; Yang, C. (2014). Parity, age at first birth and risk of death from kidney cancer: a population-based cohort study in Taiwan. *Eur J Public Health*. 24: 249-252. <http://dx.doi.org/10.1093/eurpub/ckt057>.
- Chiu, WA. (2006). Statistical issues in physiologically based pharmacokinetic modeling. In *JC Lipscomb; EV Ohanian (Eds.), (pp. 269)*. New York: Informa Healthcare.

Human Health Hazard Literature Search Results

Off Topic

- Chiu, WA; Bois, FY. (2007). An approximate method for population toxicokinetic analysis with aggregated data. *Journal of Agricultural, Biological, and Environmental Statistics*. 12: 346-363. <http://dx.doi.org/10.1198/108571107X229340>.
- Chiu, WA; Ginsberg, GL. (2011). Development and evaluation of a harmonized physiologically based pharmacokinetic (PBPK) model for perchloroethylene toxicokinetics in mice, rats, and humans. *Toxicol Appl Pharmacol*. 253: 203-234. <http://dx.doi.org/10.1016/j.taap.2011.03.020>.
- Chiu, WA; White, P. (2004). PBPK model-based route extrapolation: Exact and approximate solutions for use in risk assessment.
- Chiu, WA; White, P. (2006). Steady-state solutions to PBPK models and their applications to risk assessment I: Route-to-route extrapolation of volatile chemicals. *Risk Anal*. 26: 769-780. <http://dx.doi.org/10.1111/j.1539-6924.2006.00762.x>.
- Cho, DH; Park, SM; Kim, MN; Kim, SA; Lim, H; Shim, WJ. (2014). Presence of preoperative diastolic dysfunction predicts postoperative pulmonary edema and cardiovascular complications in patients undergoing noncardiac surgery. *Echocardiography*. 31: 42-49. <http://dx.doi.org/10.1111/echo.12285>.
- Cho, WC. (2007). OncomiRs: The discovery and progress of microRNAs in cancers [Review]. *Mol Cancer*. 6: 60. <http://dx.doi.org/10.1186/1476-4598-6-60>.
- Cho, Y; Choi, SI. (2010). Degradation of PCE, TCE and 1,1,1-TCA by nanosized FePd bimetallic particles under various experimental conditions. *Chemosphere*. 81: 940-945. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.054>.
- Choi, HA; Lee, SS. (2012). *Sphingobacterium kyonggiense* sp. nov., isolated from chloroethene-contaminated soil, and emended descriptions of *Sphingobacterium daejeonense* and *Sphingobacterium mizutaii*. *Int J Syst Evol Microbiol*. 62: 2559-2564. <http://dx.doi.org/10.1099/ijs.0.024737-0>.
- Choi, I; Hyun, SJ; Kang, JK; Rhim, SC. (2014). Combined muscle motor and somatosensory evoked potentials for intramedullary spinal cord tumour surgery. *Yonsei Med J*. 55: 1063-1071. <http://dx.doi.org/10.3349/ymj.2014.55.4.1063>.
- Choi, JS; Choi, H; Kim, KC; Jeong, HY; Yu, YJ; Kim, JT; Kim, JS; Shin, JW; Cho, H; Choi, CG. (2016). Facile fabrication of properties-controllable graphene sheet. *Sci Rep*. 6: 24525. <http://dx.doi.org/10.1038/srep24525>.
- Choi, S; Lee, E; Cho, K. (2013). Effect of trichloroethylene and tetrachloroethylene on methane oxidation and community structure of methanotrophic consortium. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 48: 1723-1731. <http://dx.doi.org/10.1080/10934529.2013.815559>.
- Choi, S; Shin, JH; Park, WC; Kim, SG; Shin, J; Lim, YH; Lee, Y. (2016). Two Distinct Responses of Left Ventricular End-Diastolic Pressure to Leg-Raise Exercise in Euvolemic Patients with Exertional Dyspnea. *Korean Circulation Journal*. 46: 350-364. <http://dx.doi.org/10.4070/kcj.2016.46.3.350>.
- Chokejaroenrat, C; Comfort, S; Sakulthaew, C; Dvorak, B. (2014). Improving the treatment of non-aqueous phase TCE in low permeability zones with permanganate. *J Hazard Mater*. 268: 177-184. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.007>.
- Chokejaroenrat, C; Kananizadeh, N; Sakulthaew, C; Comfort, S; Li, Y. (2013). Improving the sweeping efficiency of permanganate into low permeable zones to treat TCE: experimental results and model development. *Environ Sci Technol*. 47: 13031-13038. <http://dx.doi.org/10.1021/es403150x>.
- Chopard, R; Meneveau, N; Plastaras, P; Janin, S; Seronde, MF; Ecarnot, F; Schiele, F. (2013). Invasive assessment of doubtful aortic stenosis by measuring simultaneous transaortic gradient with a pressure wire. *Am J Cardiol*. 111: 1772-1777. <http://dx.doi.org/10.1016/j.amjcard.2013.02.033>.
- Chow, V; Ng, AC; Chung, T; Thomas, L; Kritharides, L. (2013). Right atrial to left atrial area ratio on early echocardiography predicts long-term survival after acute pulmonary embolism. *Cardiovasc Ultrasound*. 11: 17. <http://dx.doi.org/10.1186/1476-7120-11-17>.
- Chow, V; Ng, AC; Seccombe, L; Chung, T; Thomas, L; Celermajer, DS; Peters, M; Kritharides, L. (2014). Impaired 6-min walk test, heart rate recovery and cardiac function post pulmonary embolism in long-term survivors. *Respir Med*. 108: 1556-1565. <http://dx.doi.org/10.1016/j.rmed.2014.08.002>.
- Chow, W; Gridley, G; McLaughlin, J; Mandel, J; Wacholder, S; Blot, W; Niwa, S; Fraumeni, J. (1994). Protein intake and risk of renal cell cancer. *J Natl Cancer Inst*. 86: 1131-1139. <http://dx.doi.org/10.1093/jnci/86.15.1131>.
- Chowdhury, AI; Gerhard, JI; Reynolds, D; Sleep, BE; O'Carroll, DM. (2017). Electrokinetic-enhanced permanganate delivery and remediation of contaminated low permeability porous media. *Water Res*. 113: 215-222. <http://dx.doi.org/10.1016/j.watres.2017.02.005>.
- Christenson, MD; Kambhu, A; Comfort, SD. (2012). Using slow-release permanganate candles to remove TCE from a low permeable aquifer at a former landfill. *Chemosphere*. 89: 680-687. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.009>.
- Christensson, A; Grubb, A; Molvin, J; Holm, H; Gransbo, K; Tasevska-Dinevska, G; Bachus, E; Jujic, A; Magnusson, M. (2016). The shrunken pore syndrome is associated with declined right ventricular systolic function in a heart failure population - the HARVEST study. *Scand J Clin Lab Invest*. 76: 568-574. <http://dx.doi.org/10.1080/00365513.2016.1223338>.
- Christiansen, CJ; Francisco, JS. (2010). Atmospheric Oxidation of Trichloroethylene: An Ab Initio Study. *J Phys Chem A*. 114: 9163-9176. <http://dx.doi.org/10.1021/jp103769z>.
- Chu, JW; Picard, MH; Agnihotri, AK; Fitzsimons, MG. (2010). Diagnosis of congenital unicuspid aortic valve in adult population: the value and limitation of transesophageal echocardiography. *Echocardiography*. 27: 1107-1112. <http://dx.doi.org/10.1111/j.1540-8175.2010.01209.x>.
- Chun-yan, G; Ying-xing, T; Chuan-ru, Y; Lu-hua, S; Fu-sheng, G; Hong-wei, L. (2011). A rare case of tricuspid valve thrombus with acute pulmonary embolism. *Chin Med J*. 124: 4378-4379. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.2011.24.047>.
- Cialoni, D; Pieri, M; Balestra, C; Marroni, A. (2015). Flying after diving: should recommendations be reviewed? In-flight echocardiographic study in bubble-prone and bubble-resistant divers. *Diving and Hyperbaric Medicine*. 45: 10-15.

Human Health Hazard Literature Search Results

Off Topic

- Ciccione, MM; Dentamaro, I; Masi, F; Carbonara, S; Ricci, G. (2016). Advances in the diagnosis of acute aortic syndromes: Role of imaging techniques [Review]. 21: 239-250. <http://dx.doi.org/10.1177/1358863X16631419>.
- Cicmanec, J; Condie, L; Olson, G; Wang, S. (1991). 90-Day toxicity study of dichloroacetate in dogs. *Fundam Appl Toxicol.* 17: 376-389. <http://dx.doi.org/10.1093/toxsci/17.2.376>.
- Cifarelli, A; Musto, C; Parma, A; Pandolfi, C; Pucci, E; Fiorilli, R; De Felice, F; Nazzaro, MS; Violini, R. (2010). Long-term outcome of transcatheter patent foramen ovale closure in patients with paradoxical embolism. *Int J Cardiol.* 141: 304-310. <http://dx.doi.org/10.1016/j.ijcard.2008.12.051>.
- Cinotti, R; Piriou, N; Launey, Y; Le Tourneau, T; Lamer, M; Delater, A; Trochu, JN; Brisard, L; Lakhali, K; Bourcier, R; Desal, H; Seguin, P; Mallédant, Y; Blanloeil, Y; Feuillet, F; Asehnoune, K; Rozec, B. (2016). Speckle tracking analysis allows sensitive detection of stress cardiomyopathy in severe aneurysmal subarachnoid hemorrhage patients. *Intensive Care Med.* 42: 173-182. <http://dx.doi.org/10.1007/s00134-015-4106-5>.
- Citro, R; Pontone, G; Pace, L; Zito, C; Silverio, A; Bossone, E; Piscione, F. (2016). Contemporary Imaging in Takotsubo Syndrome [Review]. *Heart Fail Clin.* 12: 559-575. <http://dx.doi.org/10.1016/j.hfc.2016.06.005>.
- Clark, CC; Barnes, CM; Holton, M; Summers, HD; Stratton, G. (2016). Profiling movement quality and gait characteristics according to body-mass index in children (9-11 y). *Hum Mov Sci.* 49: 291-300. <http://dx.doi.org/10.1016/j.humov.2016.08.003>.
- Clegg, ED; Cook, JC; Chapin, RE; Foster, PMD; Daston, GP. (1997). Leydig cell hyperplasia and adenoma formation: Mechanisms and relevance to humans [Review]. *Reprod Toxicol.* 11: 107-121. [http://dx.doi.org/10.1016/S0890-6238\(96\)00203-1](http://dx.doi.org/10.1016/S0890-6238(96)00203-1).
- Clement International Corporation. (1994). Final draft for the drinking water criteria document on chlorinated acids/aldehydes/ketones/alcohols. Washington, D.C.: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB94179918>.
- Cmilansky, P; Mrozova, L. (2014). Hypocalcemia - the most common complication after total thyroidectomy. *Bratisl Lek Listy.* 115: 175-178. http://dx.doi.org/10.4149/BLL_2014_037.
- Cobo, M; Becerra, J; Castelblanco, M; Cifuentes, B; Conesa, JA. (2015). Catalytic hydrodechlorination of trichloroethylene in a novel NaOH/2-propanol/methanol/water system on ceria-supported Pd and Rh catalysts. *J Environ Manage.* 158: 1-10. <http://dx.doi.org/10.1016/j.jenvman.2015.04.035>.
- Cocco, P. . (2010). Sezione di Medicina del Lavoro, Università di Cagliari to Cheryl Siegel Scott, U. S. EPA, December 12, 2010 [Personal Communication].
- Cocho, D; Monell, J; Planells, G; Ricciardi, AC; Pons, J; Boltes, A; Espinosa, J; Ayats, M; Garcia, N; Otermin, P. (2016). Rapid diagnosis and treatment of TIA results in low rates of stroke, myocardial infarction and vascular death. 31: 18-23. <http://dx.doi.org/10.1016/j.nrl.2014.05.005>.
- Coffey, JO; Sager, SJ; Gangireddy, S; Levine, A; Viles-Gonzalez, JF; Fischer, A. (2014). The impact of transvenous lead extraction on tricuspid valve function. *Pacing Clin Electrophysiol.* 37: 19-24. <http://dx.doi.org/10.1111/pace.12236>.
- Cogger, VC; Warren, A; Fraser, R; Ngu, M; McLean, AJ; Le Couteur, DG. (2003). Hepatic sinusoidal pseudocapillarization with aging in the non-human primate. *Exp Gerontol.* 38: 1101-1107. <http://dx.doi.org/10.1016/j.exger.2003.07.002>.
- Cohen, PE; Nishimura, K; Zhu, L; Pollard, JW. (1999). Macrophages: Important accessory cells for reproductive function [Review]. *J Leukoc Biol.* 66: 765-772.
- Cohn, BA; Cirillo, PM; Christianson, RE. (2010). Prenatal DDT exposure and testicular cancer: A nested case-control study. *Arch Environ Occup Health.* 65: 127-134. <http://dx.doi.org/10.1080/19338241003730887>.
- Coisne, A; Pilato, R; Brigadeau, F; Klug, D; Marquie, C; Souissi, Z; Richardson, M; Mouton, S; Polge, AS; Lancellotti, P; Lacroix, D; Moutagne, D. (2017). Percutaneous left atrial appendage closure improves left atrial mechanical function through Frank-Starling mechanism. *Heart Rhythm.* <http://dx.doi.org/10.1016/j.hrthm.2017.01.042>.
- Colaco, RJ; Martin, P; Kluger, HM; Yu, JB; Chiang, VL. (2016). Does immunotherapy increase the rate of radiation necrosis after radiosurgical treatment of brain metastases? *J Neurosurg.* 125: 17-23. <http://dx.doi.org/10.3171/2015.6.JNS142763>.
- Coles, A; Haveman-Gould, B; Farooq, MU; Selke, KJ; Gorelick, PB. (2016). A Case of Complex PFO Leading to Ischemic Stroke: A Practical Clinical Pearl for Neurohospitalists. 6: 114-117. <http://dx.doi.org/10.1177/1941874415588750>.
- Colish, J; Walker, JR; Elmayergi, N; Almutairi, S; Alharbi, F; Lytwyn, M; Francis, A; Bohonis, S; Zeglinski, M; Kirkpatrick, ID; Sharma, S; Jassal, DS. (2012). Obstructive sleep apnea: effects of continuous positive airway pressure on cardiac remodeling as assessed by cardiac biomarkers, echocardiography, and cardiac MRI. *Chest.* 141: 674-681. <http://dx.doi.org/10.1378/chest.11-0615>.
- Coller, J; Campbell, D; Krum, H; Prior, D. (2012). Transthoracic echocardiography findings - implications for clinical management. *Aust Fam Physician.* 41: 954-958.
- Columbano, A; Ledda-Columbano, GM. (2003). Mitogenesis by ligands of nuclear receptors: an attractive model for the study of the molecular mechanisms implicated in liver growth [Review]. *Cell Death Differ.* 10: S19-S21. <http://dx.doi.org/10.1038/sj.cdd.4401113>.
- Columbano, A; Ledda-Columbano, GM; Coni, PP; Faa, G; Liguori, C; Santa Cruz, G; Pani, P. (1985). Occurrence of cell death (apoptosis) during the involution of liver hyperplasia. *Lab Invest.* 52: 670-675.
- Columbano, A; Ledda-Columbano, GM; Ennas, MG; Curto, M; Chelo, A; Pani, P. (1990). Cell proliferation and promotion of rat liver carcinogenesis: Different effect of hepatic regeneration and mitogen induced hyperplasia on the development of enzyme-altered foci. *Carcinogenesis.* 11: 771-776. <http://dx.doi.org/10.1093/carcin/11.5.771>.
- Columbano, A; Ledda-Columbano, GM; Lee, G; Rajalakshmi, S; Sarma, DS. (1987). Inability of mitogen-induced liver hyperplasia to support the induction of enzyme-altered islands induced by liver carcinogens. *Cancer Res.* 47: 5557-5559.

Human Health Hazard Literature Search Results

Off Topic

- Colvin, H; Dunning, J; Khan, OA. (2011). Transthoracic versus transhiatal esophagectomy for distal esophageal cancer: which is superior? [Review]. *Interact Cardiovasc Thorac Surg.* 12: 265-269. <http://dx.doi.org/10.1510/icvts.2010.252148>.
- Cong, Y; Baker, ML; Jakana, J; Woolford, D; Miller, EJ; Reissmann, S; Kumar, RN; Redding-Johanson, AM; Batth, TS; Mukhopadhyay, A; Ludtke, SJ; Frydman, J; Chiu, W. (2010). 4.0-Å resolution cryo-EM structure of the mammalian chaperonin TRiC/CCT reveals its unique subunit arrangement. *Proc Natl Acad Sci USA.* 107: 4967-4972. <http://dx.doi.org/10.1073/pnas.0913774107>.
- Cong, Y; Schröder, GF; Meyer, AS; Jakana, J; Ma, B; Dougherty, MT; Schmid, MF; Reissmann, S; Levitt, M; Ludtke, SL; Frydman, J; Chiu, W. (2012). Symmetry-free cryo-EM structures of the chaperonin TRiC along its ATPase-driven conformational cycle. *EMBO J.* 31: 720-730. <http://dx.doi.org/10.1038/emboj.2011.366>.
- Coni, P; Simbula, G; De Prati, AC; Menegazzi, M; Suzuki, H; Sarma, DSR; Ledda-Columbano, GM; Columbano, A. (1993). Differences in the steady-state levels of c-fos, c-jun and c-myc messenger RNA during mitogen-induced liver growth and compensatory regeneration. *Hepatology.* 17: 1109-1116. <http://dx.doi.org/10.1002/hep.1840170626>.
- Conka, K; Chovancová, J; Stachová Sejkáková, Z; Dömötörövá, M; Fabišiková, A; Drobná, B; Kočan, A. (2014). PCDDs, PCDFs, PCBs and OCPs in sediments from selected areas in the Slovak Republic. *Chemosphere.* 98: 37-43. <http://dx.doi.org/10.1016/j.chemosphere.2013.09.068>.
- Conner, EA; Lemmer, ER; Omori, M; Wirth, PJ; Factor, VM; Thorgeirsson, SS. (2000). Dual functions of E2F-1 in a transgenic mouse model of liver carcinogenesis. *Oncogene.* 19: 5054-5062. <http://dx.doi.org/10.1038/sj.onc.1203885>.
- Conner, EA; Lemmer, ER; Sánchez, A; Factor, VM; Thorgeirsson, SS. (2003). E2F1 blocks and c-Myc accelerates hepatic ploidy in transgenic mouse models. *Biochem Biophys Res Commun.* 302: 114-120. [http://dx.doi.org/10.1016/S0006-291X\(03\)00125-6](http://dx.doi.org/10.1016/S0006-291X(03)00125-6).
- Conrad, ME; Brodie, EL; Radtke, CW; Bill, M; Delwiche, ME; Lee, MH; Swift, DL; Colwell, FS. (2010). Field evidence for co-metabolism of trichloroethene stimulated by addition of electron donor to groundwater. *Environ Sci Technol.* 44: 4697-4704. <http://dx.doi.org/10.1021/es903535j>.
- Conradi, L; Schaefer, A; Mueller, GC; Seiffert, M; Gulbins, H; Blankenberg, S; Reichensperner, H; Treede, H; Diemert, P. (2015). Carcinoid Heart Valve Disease: Transcatheter Pulmonary Valve-In-Valve Implantation in Failing Biological Xenografts. *J Heart Valve Dis.* 24: 110-114.
- Consales, C; Toft, G; Leter, G; Bonde, JP; Uccelli, R; Pacchierotti, F; Eleuteri, P; Jönsson, BA; Giwercman, A; Pedersen, HS; Struciński, P; Góralczyk, K; Zvezdai, V; Spanò, M. (2016). Exposure to persistent organic pollutants and sperm DNA methylation changes in Arctic and European populations. *Environ Mol Mutagen.* 57: 200-209. <http://dx.doi.org/10.1002/em.21994>.
- Contaldi, C; Losi, MA; Rapacciuolo, A; Prastaro, M; Lombardi, R; Parisi, V; Parrella, LS; Di Nardo, C; Giamundo, A; Puglia, R; Esposito, G; Piscione, F; Betocchi, S. (2012). Percutaneous treatment of patients with heart diseases: selection, guidance and follow-up. A review [Review]. *Cardiovasc Ultrasound.* 10: 16. <http://dx.doi.org/10.1186/1476-7120-10-16>.
- Contrera, JF; Jacobs, AC; DeGeorge, JJ. (1997). Carcinogenicity testing and the evaluation of regulatory requirements for pharmaceuticals. *Regul Toxicol Pharmacol.* 25: 130-145. <http://dx.doi.org/10.1006/rtph.1997.1085>.
- Cooper, A. (2004). The role of glutamine transaminase K (GTK) in sulfur and alpha-keto acid metabolism in the brain, and in the possible bioactivation of neurotoxicants [Review]. *Neurochem Int.* 44: 557-577. <http://dx.doi.org/10.1016/j.neuint.2003.12.002>.
- Cooper, AM; Hristovski, KD; Möller, T; Westerhoff, P; Sylvester, P. (2010). The effect of carbon type on arsenic and trichloroethylene removal capabilities of iron (hydr)oxide nanoparticle-impregnated granulated activated carbons. *J Hazard Mater.* 183: 381-388. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.036>.
- Cooper, G; Miller, F; Pandey, J. (1999). The role of genetic factors in autoimmune disease: implications for environmental research [Review]. *Environ Health Perspect.* 107: 693-700. <http://dx.doi.org/10.1289/ehp.99107s5693>.
- Cooper, G; Stroehla, B. (2003). The epidemiology of autoimmune diseases [Review]. *Autoimmun Rev.* 2: 119-125. [http://dx.doi.org/10.1016/S1568-9972\(03\)00006-5](http://dx.doi.org/10.1016/S1568-9972(03)00006-5).
- Cooper, GS; Parks, CG; Treadwell, EL; St Clair, EW; Gilkeson, GS; Dooley, MA. (2004). Occupational risk factors for the development of systemic lupus erythematosus. *J Rheumatol.* 31: 1928-1933.
- Cooper, R; Shahzad, A; Newton, J; Vejstrup, N; Sharma, V; Axelsson, A; Ormerod, O; Stables, R. (2015). INTRA-CARDIAC ECHOCARDIOGRAPHY (ICE) TO GUIDE ALCOHOL SEPTAL ABLATION (ASA) IN HYPERTROPHIC OBSTRUCTIVE CARDIOMYOPATHY (HOCM): A PROSPECTIVE COMPARISON STUDY AGAINST TRANSTHORACIC ECHOCARDIOGRAPHY (TTE). *Heart.* 101: A51-A52. <http://dx.doi.org/10.1136/heartjnl-2015-308066.91>.
- Cooper, RM; Shahzad, A; Newton, J; Vejstrup, N; Axelsson, A; Sharma, V; Ormerod, O; Stables, RH. (2015). Intra-cardiac echocardiography in alcohol septal ablation: a prospective comparative study against trans-thoracic echocardiography. 2: 9-17. <http://dx.doi.org/10.1530/ERP-15-0002>.
- Copeland, KT; Checkoway, H; McMichael, AJ; Holbrook, RH. (1977). Bias due to misclassification in the estimation of relative risk. *Am J Epidemiol.* 105: 488-495.
- Corciu, AI; Siciliano, V; Poggianti, E; Petersen, C; Venneri, L; Picano, E. (2010). Cardiac calcification by transthoracic echocardiography in patients with known or suspected coronary artery disease. *Int J Cardiol.* 142: 288-295. <http://dx.doi.org/10.1016/j.ijcard.2009.01.021>.
- Coric, V; Pljesa-Ercegovic, M; Matic, M; Krivic, B; Suvakov, S; Tulic, C; Mimic-Oka, J; Simic, T. (2010). THE ROLE OF GSTM1 AND GSTT1 POLYMORPHISM IN PATIENTS WITH RENAL CELL CARCINOMA. *Journal of Medical Biochemistry.* 29: 204-210. <http://dx.doi.org/10.2478/v10011-010-0025-8>.
- Cornette, J; Laker, S; Jeffery, B; Lombaard, H; Alberts, A; Rizopoulos, D; Roos-Hesselink, JW; Pattinson, RC. (2017). Validation of maternal cardiac output assessed by transthoracic echocardiography against pulmonary artery catheterization in severely ill pregnant women:

Human Health Hazard Literature Search Results

Off Topic

- prospective comparative study and systematic review [Review]. *Ultrasound Obstet Gynecol.* 49: 25-31. <http://dx.doi.org/10.1002/uog.16015>.
- Correia, AS; Gonçalves, A; Paiva, M; Sousa, A; Oliveira, SM; Lebreiro, A; Cruz, C; Maciel, MJ. (2013). Long-term follow-up after aortic coarctation repair: the unsolved issue of exercise-induced hypertension. 32: 879-883. <http://dx.doi.org/10.1016/j.repc.2013.02.018>.
- Côrte-Real, H; França, C. (2011). [The transoesophageal echocardiography in the general intensive care: its utility in the ventilated critically ill patient] [Review]. *Acta Med Port.* 24 Suppl 4: 747-754.
- Corton, JC; Lapinskas, PJ. (2005). Peroxisome proliferator-activated receptors: Mediators of phthalate ester-induced effects in the male reproductive tract? [Review]. *Toxicol Sci.* 83: 4-17. <http://dx.doi.org/10.1093/toxsci/kfi011>.
- Costa, AK; Ivanetich, KM. (1984). Chlorinated ethylenes: their metabolism and effect on DNA repair in rat hepatocytes. *Carcinogenesis.* 5: 1629-1636. <http://dx.doi.org/10.1093/carcin/5.12.1629>.
- Costa, C; González-Alujas, T; Valente, F; Aranda, C; Rodríguez-Palomares, J; Gutierrez, L; Maldonado, G; Galian, L; Teixidó, G; Evangelista, A. (2016). Left atrial strain: a new predictor of thrombotic risk and successful electrical cardioversion. 3: 45-52. <http://dx.doi.org/10.1530/ERP-16-0009>.
- Costa, G; Merletti, F; Segnan, N. (1989). A mortality cohort study in a north Italian aircraft factory. *Br J Ind Med.* 46: 738-743. <http://dx.doi.org/10.1136/oem.46.10.738>.
- Costantino, MF; Dores, E; Innelli, P; Matera, A; Santillo, V; Violini, R; Fiorilli, R; Cappabianca, G; Marraudino, N; Picano, E; Tarsia, G. (2015). The beneficial effects of TAVI in mitral insufficiency. *Cardiovasc Ultrasound.* 13: 49. <http://dx.doi.org/10.1186/s12947-015-0040-5>.
- Costanza-Robinson, MS; Carlson, TD; Brusseau, ML. (2013). Vapor-phase transport of trichloroethene in an intermediate-scale vadose-zone system: retention processes and tracer-based prediction. *J Contam Hydrol.* 145: 82-89. <http://dx.doi.org/10.1016/j.jconhyd.2012.12.004>.
- Costet, N; Garlandezec, R; Monfort, C; Rouget, F; Gagniere, B; Chevrier, C; Cordier, S. (2012). Environmental and Urinary Markers of Prenatal Exposure to Drinking Water Disinfection By-Products, Fetal Growth, and Duration of Gestation in the PELAGIE Birth Cohort (Brittany, France, 2002-2006). *Am J Epidemiol.* 175: 263-275. <http://dx.doi.org/10.1093/aje/kwr419>.
- Costet, P; Legendre, C; Moré, J; Edgar, A; Galtier, P; Pineau, T. (1998). Peroxisome proliferator-activated receptor alpha-isoform deficiency leads to progressive dyslipidemia with sexually dimorphic obesity and steatosis. *J Biol Chem.* 273: 29577-29585. <http://dx.doi.org/10.1074/jbc.273.45.29577>.
- Counts, J; Sarmiento, J; Harbison, M; Downing, J; McClain, R; Goodman, J. (1996). Cell proliferation and global methylation status changes in mouse liver after phenobarbital and/or choline-devoid, methionine-deficient diet administration. *Carcinogenesis.* 17: 1251-1257. <http://dx.doi.org/10.1093/carcin/17.6.1251>.
- Coups, EJ; Stapleton, JL; Hudson, SV; Medina-Forrester, A; Rosenberg, SA; Gordon, M; Natale-Pereira, A; Goydos, JS. (2013). Skin cancer surveillance behaviors among US Hispanic adults. *J Am Acad Dermatol.* 68: 576-584. <http://dx.doi.org/10.1016/j.jaad.2012.09.032>.
- Courand, PY; Gaudebout, N; Mouly-Bertin, C; Thomson, V; Fauvel, JP; Bricca, G; Lantelme, P. (2014). Biological, electrical and echocardiographic indices versus cardiac magnetic resonance imaging in diagnosing left ventricular hypertrophy. 37: 444-451. <http://dx.doi.org/10.1038/hr.2013.147>.
- Courbet, C; Riviere, A; Jeannotat, S; Rinaldi, S; Hunkeler, D; Bendjoudi, H; de Marsily, G. (2011). Complementing approaches to demonstrate chlorinated solvent biodegradation in a complex pollution plume: Mass balance, PCR and compound-specific stable isotope analysis. *J Contam Hydrol.* 126: 315-329. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.009>.
- Cowie, B; Kluger, R; Kalpokas, M. (2013). Left ventricular volume and ejection fraction assessment with transoesophageal echocardiography: 2D vs 3D imaging. *Br J Anaesth.* 110: 201-206. <http://dx.doi.org/10.1093/bja/aes350>.
- Cowie, BS; Kluger, R. (2015). Measurement of peak aortic jet velocity in the perioperative period-machine variability: implications for assessment of aortic stenosis severity. *Anaesth Intensive Care.* 43: 641-645.
- Cowman, PF; Bellwood, DR. (2013). Vicariance across major marine biogeographic barriers: temporal concordance and the relative intensity of hard versus soft barriers. *Proceedings of the Royal Society of London B: Biological Sciences.* 280: 20131541. <http://dx.doi.org/10.1098/rspb.2013.1541>.
- Cozzi-Lepri, A; Prosperi, MC; Kjær, J; Dunn, D; Paredes, R; Sabin, CA; Lundgren, JD; Phillips, AN; Pillay, D; Study, E; Study, UKCUKH. (2011). Can linear regression modeling help clinicians in the interpretation of genotypic resistance data? An application to derive a lopinavir-score. *PLoS ONE.* 6: e25665. <http://dx.doi.org/10.1371/journal.pone.0025665>.
- Crabb, D; Pinaire, J; Chou, W; Sissom, S; Peters, J; Harris, R; Stewart, M. (2001). Peroxisome proliferator-activated receptors (PPAR) and the mitochondrial aldehyde dehydrogenase (ALDH2) promoter in vitro and in vivo. *Alcohol Clin Exp Res.* 25: 945-952. <http://dx.doi.org/10.1111/j.1530-0277.2001.tb02301.x>.
- Cramer, JT; Housh, TJ; Johnson, GO; Coburn, JW; Stout, JR. (2012). Effects of a carbohydrate-, protein-, and ribose-containing repletion drink during 8 weeks of endurance training on aerobic capacity, endurance performance, and body composition. *J Strength Cond Res.* 26: 2234-2242. <http://dx.doi.org/10.1519/JSC.0b013e3182606cec>.
- Cretnik, S; Bernstein, A; Shouakar-Stash, O; Löffler, F; Elsner, M. (2014). Chlorine isotope effects from isotope ratio mass spectrometry suggest intramolecular C-Cl bond competition in trichloroethene (TCE) reductive dehalogenation. *Molecules.* 19: 6450-6473. <http://dx.doi.org/10.3390/molecules19056450>.
- Cretnik, S; Thoreson, KA; Bernstein, A; Ebert, K; Buchner, D; Laskov, C; Haderlein, S; Shouakar-Stash, O; Kliegman, S; Mcneill, K; Elsner, M. (2013). Reductive dechlorination of TCE by chemical model systems in comparison to dehalogenating bacteria: insights from dual element isotope analysis (¹³C/¹²C, ³⁷Cl/³⁵Cl). *Environ Sci Technol.* 47: 6855-6863. <http://dx.doi.org/10.1021/es400107n>.

Human Health Hazard Literature Search Results

Off Topic

- Crivello, P; Heinold, A; Rebmann, V; Ottinger, HD; Horn, PA; Beelen, DW; Fleischhauer, K. (2016). Functional distance between recipient and donor HLA-DPB1 determines nonpermissive mismatches in unrelated HCT. *Blood*. 128: 120-129. <http://dx.doi.org/10.1182/blood-2015-12-686238>.
- Crivello, P; Lauterbach, N; Zito, L; Sizzano, F; Toffalori, C; Marcon, J; Curci, L; Mulder, A; Wieten, L; Zino, E; Voorter, CE; Tilanus, MG; Fleischhauer, K. (2013). Effects of transmembrane region variability on cell surface expression and allorecognition of HLA-DP3. *Hum Immunol*. 74: 970-977. <http://dx.doi.org/10.1016/j.humimm.2013.04.014>.
- Crivello, P; Zito, L; Sizzano, F; Zino, E; Maiers, M; Mulder, A; Toffalori, C; Naldini, L; Ciceri, F; Vago, L; Fleischhauer, K. (2015). The impact of amino acid variability on alloreactivity defines a functional distance predictive of permissive HLA-DPB1 mismatches in hematopoietic stem cell transplantation. *Biol Blood Marrow Transplant*. 21: 233-241. <http://dx.doi.org/10.1016/j.bbmt.2014.10.017>.
- Crouch, G; Tully, PJ; Bennetts, J; Sinhal, A; Bradbrook, C; Penhall, AL; De Pasquale, CG; Baker, RA; Selvanayagam, JB. (2015). Quantitative assessment of paravalvular regurgitation following transcatheter aortic valve replacement. *J Cardiovasc Magn Reson*. 17: 32. <http://dx.doi.org/10.1186/s12968-015-0134-0>.
- Cruzan, G; Bus, J; Banton, M; Gingell, R; Carlson, G. (2009). Mouse specific lung tumors from CYP2F2-mediated cytotoxic metabolism: An endpoint/toxic response where data from multiple chemicals converge to support a mode of action [Review]. *Regul Toxicol Pharmacol*. 55: 205-218. <http://dx.doi.org/10.1016/j.yrtph.2009.07.002>.
- Csanády, GA; Göen, T; Klein, D; Drexler, H; Filser, JG. (2010). Trichloroacetic acid in urine as biological exposure equivalent for low exposure concentrations of trichloroethene. *Arch Toxicol*. 84: 897-902. <http://dx.doi.org/10.1007/s00204-010-0540-x>.
- Cueff, C; Keenan, NG; Krapf, L; Steg, PG; Cimadevilla, C; Ducrocq, G; Michel, JB; Vahanian, A; Messika-Zeitoun, D. (2012). Screening for abdominal aortic aneurysm in coronary care unit patients with acute myocardial infarction using portable transthoracic echocardiography. 13: 574-578. <http://dx.doi.org/10.1093/ejehocardi/jer260>.
- Cueff, C; Serfaty, JM; Cimadevilla, C; Laissy, JP; Himbert, D; Tubach, F; Duval, X; Lung, B; Enriquez-Sarano, M; Vahanian, A; Messika-Zeitoun, D. (2011). Measurement of aortic valve calcification using multislice computed tomography: correlation with haemodynamic severity of aortic stenosis and clinical implication for patients with low ejection fraction. *Heart*. 97: 721-726. <http://dx.doi.org/10.1136/hrt.2010.198853>.
- Cuellar, J; Yébenes, H; Parker, SK; Carranza, G; Serna, M; Valpuesta, JM; Zabala, JC; Detrich, HW. (2014). Assisted protein folding at low temperature: evolutionary adaptation of the Antarctic fish chaperonin CCT and its client proteins. 3: 261-270. <http://dx.doi.org/10.1242/bio.20147427>.
- Cullen, MW; Blauwet, LA; Vatury, OM; Mulvagh, SL; Behrenbeck, TR; Scott, CG; Pellikka, PA. (2014). Diagnostic capability of comprehensive handheld vs transthoracic echocardiography. *Mayo Clin Proc*. 89: 790-798. <http://dx.doi.org/10.1016/j.mayocp.2013.12.016>.
- Culp, BC; Mock, JD; Chiles, CD; Culp, WC. (2010). The pocket echocardiograph: validation and feasibility. *Echocardiography*. 27: 759-764. <http://dx.doi.org/10.1111/j.1540-8175.2009.01125.x>.
- Culpepper, MA. (2011). Elucidating the mechanism of particulate methane monooxygenase.
- Culpepper, MA. (2012). Elucidating the mechanism of particulate methane monooxygenase.
- Culpepper, MA. (2013). Elucidating the mechanism of particulate methane monooxygenase.
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther*. 293: 677-685.
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos*. 27: 542-548.
- Cunniffe, B; Papageorgiou, M; O'Brien, B; Davies, NA; Grimble, GK; Cardinale, M. (2016). Acute Citrulline-Malate Supplementation and High-Intensity Cycling Performance. *J Strength Cond Res*. 30: 2638-2647. <http://dx.doi.org/10.1519/JSC.0000000000001338>.
- Cunningham, G; Chenik, D; Zellweger, R. (2012). Factors influencing motorcycle crash victim outcomes: a prospective study. *ANZ J Surg*. 82: 551-554. <http://dx.doi.org/10.1111/j.1445-2197.2012.06127.x>.
- Czech, K; Slomkiewicz, PM. (2013). Determination of adsorption isotherms of chlorinated hydrocarbons on halloysite adsorbent by inverse gas chromatography. *J Chromatogr A*. 1288: 96-100. <http://dx.doi.org/10.1016/j.chroma.2013.02.045>.
- Da Broi, U; Colatutto, A; Sala, P; Desinan, L. (2015). Medico legal investigations into sudden sniffing deaths linked with trichloroethylene [Review]. 34: 81-87. <http://dx.doi.org/10.1016/j.jflm.2015.05.016>.
- da Silva, C; Sahlen, A; Winter, R; Bäck, M; Rück, A; Settergren, M; Manouras, A; Shahgaldi, K. (2014). Prosthesis-patient mismatch after transcatheter aortic valve implantation: impact of 2D-transthoracic echocardiography versus 3D-transesophageal echocardiography. *Int J Cardiovasc Imaging*. 30: 1549-1557. <http://dx.doi.org/10.1007/s10554-014-0510-0>.
- da Silveira, JS; Scansen, BA; Wassenaar, PA; Raterman, B; Eleswarpu, C; Jin, N; Mo, X; White, RD; Bonagura, JD; Kolipaka, A. (2016). Quantification of myocardial stiffness using magnetic resonance elastography in right ventricular hypertrophy: initial feasibility in dogs. *Magn Reson Imaging*. 34: 26-34. <http://dx.doi.org/10.1016/j.mri.2015.10.001>.
- Dąbrowski, M; Chojnowska, L; Małek, L; Spiewak, M; Kuśmierczyk, B; Koziarek, J; Klisiewicz, A; Miśko, J; Witkowski, A. (2012). An assessment of regression of left ventricular hypertrophy following alcohol ablation of the interventricular septum in patients with hypertrophic cardiomyopathy with left ventricular outflow tract obstruction. *Kardiol Pol*. 70: 782-788.
- Dabrowski, S; Brillowska-Dabrowska, A; Ahring, BK. (2013). Recombinant thermostable AP exonuclease from *Thermoanaerobacter tengcongensis*: cloning, expression, purification, properties and PCR application. *Pol J Microbiol*. 62: 121-129.
- Dabur, R; Mittal, A. (2016). Detection and qualitative analysis of fatty acid amides in the urine of alcoholics using HPLC-QTOF-MS. 52: 71-78. <http://dx.doi.org/10.1016/j.alcohol.2016.03.004>.

Human Health Hazard Literature Search Results

Off Topic

- Dahal, P; Koirala, R; Subedi, N. (2014). Transverse testicular ectopia: a rare association with inguinal hernia. 2014. <http://dx.doi.org/10.1093/jscr/rju097>.
- Daher, IN; Kim, C; Saleh, RR; Plana, JC; Yusuf, SW; Banchs, J. (2011). Prevalence of abnormal echocardiographic findings in cancer patients: a retrospective evaluation of echocardiography for identifying cardiac abnormalities in cancer patients. *Echocardiography*. 28: 1061-1067. <http://dx.doi.org/10.1111/j.1540-8175.2011.01490.x>.
- Dahl, JS; Eleid, MF; Pislaru, SV; Scott, CG; Connolly, HM; Pellikka, PA. (2015). Development of paradoxical low-flow, low-gradient severe aortic stenosis. *Heart*. 101: 1015-1023. <http://dx.doi.org/10.1136/heartjnl-2014-306838>.
- Dahlgren, J; Takhar, H; Anderson-Mahoney, P; Kotlerman, J; Tarr, J; Warshaw, R. (2007). Cluster of systemic lupus erythematosus (SLE) associated with an oil field waste site: a cross sectional study. *Environ Health*. 6: 8. <http://dx.doi.org/10.1186/1476-069X-6-8>.
- Dai, X; De Souza, AT; Dai, H; Lewis, DL; Lee, CK; Spencer, AG; Herweijer, H; Hagstrom, JE; Linsley, PS; Bassett, DE; Ulrich, RG; He, YD. (2007). PPARalpha siRNA-treated expression profiles uncover the causal sufficiency network for compound-induced liver hypertrophy. *PLoS Comput Biol*. 3: 389-401. <http://dx.doi.org/10.1371/journal.pcbi.0030030>.
- Daiko, H; Nishimura, M. (2012). A pilot study of the technical and oncologic feasibility of thoracoscopic esophagectomy with extended lymph node dissection in the prone position for clinical stage I thoracic esophageal carcinoma. *Surgical Endoscopy*. 26: 673-680. <http://dx.doi.org/10.1007/s00464-011-1934-4>.
- Dajee, M; Lazarov, M; Zhang, JY; Cai, T; Green, CL; Russell, AJ; Marinkovich, MP; Tao, S; Lin, Q; Kubo, Y; Khavari, PA. (2003). NF-kappaB blockade and oncogenic Ras trigger invasive human epidermal neoplasia. *Nature*. 421: 639-643. <http://dx.doi.org/10.1038/nature01283>.
- Damgaard, I; Bjerg, PL; Bælum, J; Scheutz, C; Hunkeler, D; Jacobsen, CS; Tuxen, N; Broholm, MM. (2013). Identification of chlorinated solvents degradation zones in clay till by high resolution chemical, microbial and compound specific isotope analysis. *J Contam Hydrol*. 146: 37-50. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.010>.
- D'Andrea, A; Naeije, R; Grünig, E; Caso, P; D'Alto, M; Di Palma, E; Nunziata, L; Riegler, L; Scarafilo, R; Cocchia, R; Vriza, O; Citro, R; Calabrò, R; Russo, MG; Bossone, E. (2014). Echocardiography of the pulmonary circulation and right ventricular function: exploring the physiologic spectrum in 1,480 normal subjects. *Chest*. 145: 1071-1078. <http://dx.doi.org/10.1378/chest.12-3079>.
- Daneault, B; Koss, E; Hahn, RT; Kodali, S; Williams, MR; Généreux, P; Paradis, JM; George, I; Reiss, GR; Moses, JW; Smith, CR; Leon, MB. (2013). Efficacy and safety of postdilatation to reduce paravalvular regurgitation during balloon-expandable transcatheter aortic valve replacement. *Circulation Cardiovascular Interventions*. 6: 85-91. <http://dx.doi.org/10.1161/CIRCINTERVENTIONS.112.971614>.
- Daneshvar, P; Hariri, M; Ghiasvand, R; Askari, G; Darvishi, L; Mashhadi, NS; Khosravi-Boroujeni, H. (2013). Effect of eight weeks of quercetin supplementation on exercise performance, muscle damage and body muscle in male badminton players. *IJPM*. 4: S53-S57.
- Danhof, M; de Jongh, J; De Lange, EC; Della Pasqua, O; Ploeger, BA; Voskuyl, RA. (2007). Mechanism-based pharmacokinetic-pharmacodynamic modeling: biophase distribution, receptor theory, and dynamical systems analysis [Review]. *Annu Rev Pharmacol Toxicol*. 47: 357-400. <http://dx.doi.org/10.1146/annurev.pharmtox.47.120505.105154>.
- Danish, M; Gu, X; Lu, S; Naqvi, M. (2016). Degradation of chlorinated organic solvents in aqueous percarbonate system using zeolite supported nano zero valent iron (Z-nZVI) composite. *Environ Sci Pollut Res Int*. 23: 13298-13307. <http://dx.doi.org/10.1007/s11356-016-6488-5>.
- Darabant, S; Oberton, SB; Roldan, LP; Roldan, CA. (2016). Ventricular Septal Defect from Aortic Regurgitation Jet Lesion in Aortic Valve Infective Endocarditis. *J Heart Valve Dis*. 25: 150-152.
- Daralammouri, Y; Ayoub, K; Badrieh, N; Lauer, B. (2016). A hybrid approach for quantifying aortic valve stenosis using impedance cardiography and echocardiography. *BMC Cardiovasc Disord*. 16: 19. <http://dx.doi.org/10.1186/s12872-015-0155-5>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2013). Anaerobic abiotic transformations of cis-1,2-dichloroethene in fractured sandstone. *Chemosphere*. 90: 2226-2232. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.084>.
- Darnerud, P; Brandt, I; Feil, V; Bakke, J. (1989). Dichlorovinyl cysteine (DCVC) in the mouse kidney: tissue-binding and toxicity after glutathione depletion and probenecid treatment. *Arch Toxicol*. 63: 345-350.
- Darrow, MC; Sergeeva, OA; Isas, JM; Galaz-Montoya, JG; King, JA; Langen, R; Schmid, MF; Chiu, W. (2015). Structural Mechanisms of Mutant Huntingtin Aggregation Suppression by the Synthetic Chaperonin-like CCT5 Complex Explained by Cryoelectron Tomography. *J Biol Chem*. 290: 17451-17461. <http://dx.doi.org/10.1074/jbc.M115.655373>.
- Darvishi, L; Ghiasvand, R; Hariri, M; Askari, G; Rezai, P; Aghaie, M; Iraj, B; Khosravi-Boroujeni, H; Mashhadi, NS. (2013). Quercetin supplementation does not attenuate exercise performance and body composition in young female swimmers. *IJPM*. 4: S43-S47.
- Das, A; Molla, MR; Maity, B; Koley, D; Ghosh, S. (2012). Hydrogen-bonding induced alternate stacking of donor (D) and acceptor (A) chromophores and their supramolecular switching to segregated states. *Chemistry*. 18: 9849-9859. <http://dx.doi.org/10.1002/chem.201201140>.
- Das, C; Chowdhury, R; Bhattacharya, P. (2011). Experiments and three phase modelling of a biofilter for the removal of toluene and trichloroethylene. *Bioprocess Biosyst Eng*. 34: 447-458. <http://dx.doi.org/10.1007/s00449-010-0487-6>.
- Das, D; Datta, M; Dey, S; Parida, J; Kumar, R; Pande, A. (2014). An Unusual Cause of Cardiac Tamponade during Cardiac Catheterization Study. 2014: 652592. <http://dx.doi.org/10.1155/2014/652592>.
- Dascombe, BJ; Hoare, TK; Sear, JA; Reaburn, PR; Scanlan, AT. (2011). The effects of wearing undersized lower-body compression garments on endurance running performance. *Int J Sports Physiol Perform*. 6: 160-173.
- Datt, V; Diwakar, A; Malik, I; Geelani, MA; Tomar, AS; Virmani, S. (2014). Healed perivalvular abscess: Incidental finding on transesophageal echocardiography [corrected]. *Ann Card Anaesth*. 17: 141-144. <http://dx.doi.org/10.4103/0971-9784.129862>.

Human Health Hazard Literature Search Results

Off Topic

- Davey, NG; Bell, RJ; Krogh, ET; Gill, CG. (2015). A membrane introduction mass spectrometer utilizing ion-molecule reactions for the on-line speciation and quantitation of volatile organic molecules. *Rapid Commun Mass Spectrom.* 29: 2187-2194. <http://dx.doi.org/10.1002/rcm.7380>.
- David, MM; Cecillon, S; Warne, BM; Prestat, E; Jansson, JK; Vogel, TM. (2015). Microbial ecology of chlorinated solvent biodegradation. *Environ Microbiol.* 17: 4835-4850. <http://dx.doi.org/10.1111/1462-2920.12413>.
- David, RM; Clewell, HJ; Gentry, PR; Covington, TR; Morgott, DA; Marino, DJ. (2006). Revised assessment of cancer risk to dichloromethane II. Application of probabilistic methods to cancer risk determinations. *Regul Toxicol Pharmacol.* 45: 55-65. <http://dx.doi.org/10.1016/j.yrtph.2005.12.003>.
- David, RM; Moore, MR; Cifone, MA; Finney, DC; Guest, D. (1999). Chronic peroxisome proliferation and hepatomegaly associated with the hepatocellular tumorigenesis of di(2-ethylhexyl)phthalate and the effects of recovery. *Toxicol Sci.* 50: 195-205.
- Davis, RR; Murphy, WJ; Snawder, JE; Striley, CA; Henderson, D; Khan, A; Krieg, EF. (2002). Susceptibility to the ototoxic properties of toluene is species specific. *Hear Res.* 166: 24-32. [http://dx.doi.org/10.1016/S0378-5955\(02\)00280-0](http://dx.doi.org/10.1016/S0378-5955(02)00280-0).
- de Agustin, JA; Viliani, D; Vieira, C; Islas, F; Marcos-Alberca, P; Gomez de Diego, JJ; Nuñez-Gil, JJ; Almeria, C; Rodrigo, JL; Luaces, M; Garcia-Fernandez, MA; Macaya, C; Perez de Isla, L. (2013). Proximal isovelocity surface area by single-beat three-dimensional color Doppler echocardiography applied for tricuspid regurgitation quantification. *J Am Soc Echocardiogr.* 26: 1063-1072. <http://dx.doi.org/10.1016/j.echo.2013.06.006>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ.* 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- de Cillis, E; Acquaviva, T; Basile, DP; Cipriani, F; Bortone, AS. (2010). Recurrence of cryptogenic stroke or TIA in patients with patent foramen ovale successfully treated by using different kind of percutaneous occluder devices: five-year follow-up. *Minerva Cardioangiol.* 58: 425-431.
- De Corte, S; Hennebel, T; Benner, J; De Gussem, B; Verstraete, W; Boon, N. (2011). Dehalogenation of trichloroethylene in microbial electrolysis cells with biogenic palladium nanoparticles. *Commun Agric Appl Biol Sci.* 76: 167-170.
- De Corte, S; Hennebel, T; Fitts, JP; Sabbe, T; Bliznuk, V; Verschuere, S; van der Lelie, D; Verstraete, W; Boon, N. (2011). Biosupported bimetallic Pd-Au nanocatalysts for dechlorination of environmental contaminants. *Environ Sci Technol.* 45: 8506-8513. <http://dx.doi.org/10.1021/es2019324>.
- de Groot-De Laat, LE; Ren, B; Mcghee, J; Oei, FB; Strachinaru, M; Kirschbaum, SW; Akin, S; Kievit, CM; Bogers, AJ; Geleijnse, ML. (2016). The role of experience in echocardiographic identification of location and extent of mitral valve prolapse with 2D and 3D echocardiography. *Int J Cardiovasc Imaging.* 32: 1171-1177. <http://dx.doi.org/10.1007/s10554-016-0895-z>.
- de Havenon, A; Moore, A; Sultan-Qurraie, A; Majersik, JJ; Stoddard, G; Tirschwell, D. (2015). Ischemic stroke patients with active malignancy or extracardiac shunts are more likely to have a right-to-left shunt found by TCD than echocardiogram. *Translational Stroke Research.* 6: 361-364. <http://dx.doi.org/10.1007/s12975-015-0414-x>.
- de Jong, P; Brenner, B. (2004). From secondary to primary prevention of progressive renal disease: the case for screening for albuminuria [Review]. *Kidney Int.* 66: 2109-2118. <http://dx.doi.org/10.1111/j.1523-1755.2004.66001.x>.
- de la Morena, G; Saura, D; Oliva, MJ; Soria, F; González, J; García, M; Moreno, V; Bonaque, JC; Valdés, M. (2010). Real-time three-dimensional transoesophageal echocardiography in the assessment of aortic valve stenosis. *Eur J Echocardiogr.* 11: 9-13. <http://dx.doi.org/10.1093/ejechocard/jep154>.
- De Marchis, E; Di Legge, S; Sallustio, F; Stanzione, P; Borzi, M; Romeo, F. (2011). Cryptogenic cerebral ischemia: clinical usefulness of a flexible ultrasound diagnostic algorithm for detection of patent foramen ovale. *J Cardiovasc Med (Hagerstown).* 12: 530-537. <http://dx.doi.org/10.2459/JCM.0b013e328344e4ed>.
- de Roij van Zuijdewijn, CL; Hansildaar, R; Bots, ML; Blankestijn, PJ; van Den Dorpel, MA; Grooteman, MP; Kamp, O; ter Wee, PM; Nubé, MJ. (2015). Eccentric Left Ventricular Hypertrophy and Sudden Death in Patients with End-Stage Kidney Disease. *Am J Nephrol.* 42: 126-133. <http://dx.doi.org/10.1159/000439447>.
- De Roos, A; Olshan, A; Teschke, K; Poole, C; Savitz, D; Blatt, J; Bondy, M; Pollock, B. (2001). Parental occupational exposures to chemicals and incidence of neuroblastoma in offspring. *Am J Epidemiol.* 154: 106-114. <http://dx.doi.org/10.1093/aje/154.2.106>.
- de Souza, MV; de Fátima Dos Santos Teixeira, P; Vaisman, M; Xavier, SS. (2017). Is CHA2DS2-VASc appropriate for hyperthyroid patients with atrial fibrillation? Implications of adding a transesophageal echocardiography evaluation. *Int J Cardiol.* 228: 919-925. <http://dx.doi.org/10.1016/j.ijcard.2016.11.053>.
- De Vecchi, C; Caudron, J; Dubourg, B; Pirot, N; Lefebvre, V; Bauer, F; Eltchaninoff, H; Dacher, JN. (2014). Effect of the ellipsoid shape of the left ventricular outflow tract on the echocardiographic assessment of aortic valve area in aortic stenosis. *J Cardiovasc Comput Tomogr.* 8: 52-57. <http://dx.doi.org/10.1016/j.jcct.2013.12.006>.
- de Weert, JP; Keijzer, TJ; van Gaans, PF. (2014). Lowering temperature to increase chemical oxidation efficiency: the effect of temperature on permanganate oxidation rates of five types of well defined organic matter, two natural soils, and three pure phase products. *Chemosphere.* 117: 94-103. <http://dx.doi.org/10.1016/j.chemosphere.2014.05.082>.
- Deane, M; Swan, S; Harris, J; Epstein, D; Neutra, R. (1989). Adverse pregnancy outcomes in relation to water contamination, Santa Clara County, California, 1980-1981. *Am J Epidemiol.* 129: 894-904.
- Dearden, RA; Noy, DJ; Lelliott, MR; Wilson, R; Wealthall, GP. (2013). Release of contaminants from a heterogeneously fractured low permeability unit underlying a DNAPL source zone. *J Contam Hydrol.* 153: 141-155. <http://dx.doi.org/10.1016/j.jconhyd.2011.05.006>.

Human Health Hazard Literature Search Results

Off Topic

- Deerberg, F; Müller-Peddinghaus, R. (1970). [Comparative studies on the occurrence of spontaneous diseases and spontaneous deaths in conventional and specific germ-free female NMRI-HAN mice]. *Z Versuchstierkd.* 12: 341-347.
- Deerberg, F; Pittermann, W; Rapp, K. (1974). [Lung tumor in the mouse: a progressive tumor]. *Vet Pathol.* 11: 430-441.
- Defrance, C; Bollache, E; Kachenoura, N; Perdrix, L; Hrynchyshyn, N; Bruguère, E; Redheuil, A; Diebold, B; Mousseaux, E. (2012). Evaluation of aortic valve stenosis using cardiovascular magnetic resonance: comparison of an original semiautomated analysis of phase-contrast cardiovascular magnetic resonance with Doppler echocardiography. *Circulation: Cardiovascular Imaging.* 5: 604-612. <http://dx.doi.org/10.1161/CIRCIMAGING.111.971218>.
- Degauque, N; Boeffard, F; Foucher, Y; Ballet, C; Brouard, S; Soullilou, JP. (2011). The blood of healthy individuals exhibits CD8 T cells with a highly altered TCR Vb repertoire but with an unmodified phenotype. *PLoS ONE.* 6: e21240. <http://dx.doi.org/10.1371/journal.pone.0021240>.
- Degrassi, F; Tanzarella, C. (1988). Immunofluorescent staining of kinetochores on micronuclei: A new assay for the detection of aneuploidy. *Mutat Res.* 203: 339-345. [http://dx.doi.org/10.1016/0165-1161\(88\)90030-1](http://dx.doi.org/10.1016/0165-1161(88)90030-1).
- Dekant, W; Vamvakas, S; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1986). Bacterial beta-lyase mediated cleavage and mutagenicity of cysteine conjugates derived from the nephrocarcinogenic alkenes trichloroethylene, tetrachloroethylene and hexachlorobutadiene. *Chem Biol Interact.* 60: 31-45. [http://dx.doi.org/10.1016/0009-2797\(86\)90015-3](http://dx.doi.org/10.1016/0009-2797(86)90015-3).
- Dekerle, J; Brickley, G; Alberty, M; Pelayo, P. (2010). Characterising the slope of the distance-time relationship in swimming. *J Sci Med Sport.* 13: 365-370. <http://dx.doi.org/10.1016/j.jsams.2009.05.007>.
- del Campo, JA; López, RA; Romero-Gómez, M. (2010). Insulin resistance and response to antiviral therapy in chronic hepatitis C: mechanisms and management [Review]. *Dig Dis.* 28: 285-293. <http://dx.doi.org/10.1159/000282104>.
- Delahunt, B; Bethwaite, PB; Nacey, JN. (1995). Occupational risk for renal cell carcinoma. A case-control study based on the New Zealand Cancer Registry. *Br J Urol.* 75: 578-582. <http://dx.doi.org/10.1111/j.1464-410X.1995.tb07410.x>.
- Delewi, R; Nijveldt, R; Hirsch, A; Marcu, CB; Robbers, L; Hassell, ME; de Bruin, RH; Vleugels, J; van der Laan, AM; Bouma, BJ; Tio, RA; Tijssen, JG; van Rossum, AC; Zijlstra, F; Piek, JJ. (2012). Left ventricular thrombus formation after acute myocardial infarction as assessed by cardiovascular magnetic resonance imaging. *Eur J Radiol.* 81: 3900-3904. <http://dx.doi.org/10.1016/j.ejrad.2012.06.029>.
- Delgado, AG; Fajardo-Williams, D; Kegerreis, KL; Parameswaran, P; Krajmalnik-Brown, R. (2016). Impact of Ammonium on Syntrophic Organohalide-Respiring and Fermenting Microbial Communities. 1. <http://dx.doi.org/10.1128/mSphere.00053-16>.
- Delgado, AG; Fajardo-Williams, D; Popat, SC; Torres, CI; Krajmalnik-Brown, R. (2014). Successful operation of continuous reactors at short retention times results in high-density, fast-rate Dehalococcoides dechlorinating cultures. *Appl Microbiol Biotechnol.* 98: 2729-2737. <http://dx.doi.org/10.1007/s00253-013-5263-5>.
- Delgado, AG; Kang, DW; Nelson, KG; Fajardo-Williams, D; Miceli, JF; Done, HY; Popat, SC; Krajmalnik-Brown, R. (2014). Selective enrichment yields robust ethene-producing dechlorinating cultures from microcosms stalled at cis-dichloroethene. *PLoS ONE.* 9: e100654. <http://dx.doi.org/10.1371/journal.pone.0100654>.
- Delgado, AG; Parameswaran, P; Fajardo-Williams, D; Halden, RU; Krajmalnik-Brown, R. (2012). Role of bicarbonate as a pH buffer and electron sink in microbial dechlorination of chloroethenes. *Microbial Cell Factories.* 11: 128. <http://dx.doi.org/10.1186/1475-2859-11-128>.
- Dell'Aquila, AM; Mastrobuoni, S; Bastarrika, G; Prashker, BL; Agüero, PA; Castaño, S; Herreros, J; Rabago, G. (2012). Bicaaval versus standard technique in orthotopic heart transplant: assessment of atrial performance at magnetic resonance and transthoracic echocardiography. *Interact Cardiovasc Thorac Surg.* 14: 457-462. <http://dx.doi.org/10.1093/icvts/ivr084>.
- Delosreyes, IF. (2012). Impacts of Sampling and Handling Procedures on DNA- and RNA-based Microbial Characterization and Quantification of Groundwater and Saturated Soil (pp. 60). (NTIS/11820016). Delosreyes, IF.
- Delsart, P; Koussa, M; Beregi, JP; Haulon, S; Deklunder, G; Mounier-Vehier, C. (2010). [Ankle brachial index measurement at the first visit for hypertension: a safe and very useful tool for aortic coarctation screening. A case report]. *J Mal Vasc.* 35: 175-178. <http://dx.doi.org/10.1016/j.jmv.2009.12.001>.
- Demir, B; Çağlar, IM; Oktay Türeli, H; Ozde, C; Açıksarı, G; Ciftçi, S; Ungan, I; Demir, E; Karakaya, O; Ozyazgan, S. (2014). Elevated serum gamma-glutamyltransferase levels in patients with dilated ascending aorta. 14: 106-114. <http://dx.doi.org/10.5152/akd.2014.4646>.
- Demirozu, ZT; Arat, N; Kucukaksu, DS. (2016). Fine-tuning management of the Heart Assist 5 left ventricular assist device with two- and three-dimensional echocardiography. *Cardiovasc J Afr.* 27: 208-212. <http://dx.doi.org/10.5830/CVJA-2015-083>.
- Deng, B; Kim, ES. (2016). Co-adsorption of Trichloroethylene and Arsenate by Iron-Impregnated Granular Activated Carbon. *Water Environ Res.* 88: 394-402. <http://dx.doi.org/10.2175/106143016X14504669768372>.
- Dennis, AT. (2011). Transthoracic echocardiography in obstetric anaesthesia and obstetric critical illness [Review]. *Int J Obstet Anesth.* 20: 160-168. <http://dx.doi.org/10.1016/j.jjoa.2010.11.007>.
- Dentamaro, I; Vestito, D; Michelotto, E; De Santis, D; Ostuni, V; Cadeddu, C; Colonna, P. (2016). Evaluation of left atrial appendage function and thrombi in patients with atrial fibrillation: from transthoracic to real time 3D transesophageal echocardiography. *Int J Cardiovasc Imaging.* <http://dx.doi.org/10.1007/s10554-016-1026-6>.
- Dersimonian, R; Laird, N. (1986). Meta-analysis in clinical trials. *Contr Clin Trials.* 7: 177-188. [http://dx.doi.org/10.1016/0197-2456\(86\)90046-2](http://dx.doi.org/10.1016/0197-2456(86)90046-2).
- Desai, RR; Vargas Abello, LM; Klein, AL; Marwick, TH; Krasuski, RA; Ye, Y; Nowicki, ER; Rajeswaran, J; Blackstone, EH; Pettersson, GB. (2013). Tricuspid regurgitation and right ventricular function after mitral valve surgery with or without concomitant tricuspid valve procedure. *J Thorac Cardiovasc Surg.* 146: 1126-1132.e1110. <http://dx.doi.org/10.1016/j.jtcvs.2012.08.061>.
- Desouza, KA; Desouza, NA; Pinto, RM; Mathias, LM; Rao, S; Fernandes, NV; Caldito, G; Reddy, PC. (2011). Transthoracic echocardiogram is a useful tool in the hemodynamic assessment of patients with chest trauma. *Am J Med Sci.* 341: 340-343. <http://dx.doi.org/10.1097/MAJ.0b013e318206fd6f>.

Human Health Hazard Literature Search Results

Off Topic

- Deswarte, G; Richardson, M; Polge, AS; Pouwels, S; Ennezat, PV; Trochu, JN; Wallaert, B; Deklunder, G; Le Tourneau, T. (2010). Longitudinal right ventricular function as a predictor of functional capacity in patients with mitral stenosis: an exercise echocardiographic study. *J Am Soc Echocardiogr.* 23: 667-672. <http://dx.doi.org/10.1016/j.echo.2010.03.033>.
- Deubner, N; Greiss, H; Akkaya, E; Berkowitsch, A; Zaltsberg, S; Hamm, CW; Kuniss, M; Neumann, T. (2016). Clinical experience with contact-force and flexible-tip ablation catheter designs. *J Interv Card Electrophysiol.* 47: 75-82. <http://dx.doi.org/10.1007/s10840-016-0128-3>.
- Dewar, R; Siemiatyckia, J; Geacuterin, M. (1991). Loss of statistical power associated with the use of a job-exposure matrix in occupational case-control studies. *Appl Occup Environ Hyg.* 6: 508-515.
- Dewitt, A; Patel, C; Kuapati, R; Reddy, K. (2015). A CLEAR CASE OF MRSA SEPSIS, OF AN UNEXPECTED ORIGIN. *J La State Med Soc.* 167: 156.
- Dhaliwal, S; Ducas, R; Shuangbo, L; Horne, D; Lee, J; Hussain, F; Kirkpatrick, ID; Jassal, DS. (2012). Multimodality cardiac imaging of a ventricular septal rupture post myocardial infarction: a case report. *BMC Research Notes.* 5: 583. <http://dx.doi.org/10.1186/1756-0500-5-583>.
- Dhua, AK; Varshney, A; Bhatnagar, V. (2016). Transverse testicular ectopia with a blind ending vas deferens. *Indian J Urol.* 32: 317-319. <http://dx.doi.org/10.4103/0970-1591.189717>.
- Di Battista, A; Verdini, R; Rossetti, S; Pietrangeli, B; Majone, M; Aulenta, F. (2012). CARD-FISH analysis of a TCE-dechlorinating biocathode operated at different set potentials. *N Biotechnol.* 30: 33-38. <http://dx.doi.org/10.1016/j.nbt.2012.06.002>.
- Di Bella, G; Minutoli, F; Pingitore, A; Zito, C; Mazzeo, A; Aquaro, GD; Di Leo, R; Recupero, A; Stancanelli, C; Baldari, S; Vita, G; Carerj, S. (2011). Endocardial and epicardial deformations in cardiac amyloidosis and hypertrophic cardiomyopathy. *Circ J.* 75: 1200-1208.
- Di Bella, G; Zito, C; Gaeta, M; Cusmà Piccione, M; Minutoli, F; Donato, R; Recupero, A; Madaffari, A; Coglitore, S; Carerj, S. (2010). Semiautomatic quantification of left ventricular function by two-dimensional feature tracking imaging echocardiography. A comparison study with cardiac magnetic resonance imaging. *Echocardiography.* 27: 791-797. <http://dx.doi.org/10.1111/j.1540-8175.2009.01136.x>.
- Di Gioia, G; Creta, A; Campanale, CM; Fittipaldi, M; Giorgino, R; Quintarelli, F; Satriano, U; Cruciani, A; Antinolfi, V; Di Bernardino, S; Costanzo, D; Bettini, R; Mangiameli, G; Caricato, M; Mottini, G. (2016). ECG is an inefficient screening-tool for left ventricular hypertrophy in normotensive African children population. *Peer J.* 4: e2439. <http://dx.doi.org/10.7717/peerj.2439>.
- Di Lorenzo, T; Borgoni, R; Ambrosini, R; Cifoni, M; Galassi, DM; Petitta, M. (2015). Occurrence of volatile organic compounds in shallow alluvial aquifers of a Mediterranean region: Baseline scenario and ecological implications. *Sci Total Environ.* 538: 712-723. <http://dx.doi.org/10.1016/j.scitotenv.2015.08.077>.
- Di Mauro, M; Bezante, GP; Di Baldassarre, A; Clemente, D; Cardinali, A; Acitelli, A; Salerni, S; Penco, M; Calafiore, AM; Gallina, S; Cardiology, ISGoVHDIso. (2013). Functional tricuspid regurgitation: an underestimated issue [Review]. *Int J Cardiol.* 168: 707-715. <http://dx.doi.org/10.1016/j.ijcard.2013.04.043>.
- Di Michele, S; Mirabelli, F; Galzerano, D; Mankad, S. (2014). An unusual myocardial infarction. 1: K9-K12. <http://dx.doi.org/10.1530/ERP-14-0017>.
- Dicintio, D. (2016). The Investigation of Groundwater Contamination in Wicomico County's Morris Mill Community. *J Environ Health.* 78: 16-19.
- Dietl, P; Haller, T; Frick, M. (2012). Spatio-temporal aspects, pathways and actions of Ca(2+) in surfactant secreting pulmonary alveolar type II pneumocytes [Review]. *Cell Calcium.* 52: 296-302. <http://dx.doi.org/10.1016/j.ceca.2012.04.010>.
- Dilg, D; Saleh, RN; Phelps, SE; Rose, Y; Dupays, L; Murphy, C; Mohun, T; Anderson, RH; Scambler, PJ; Chappier, AL. (2016). HIRA Is Required for Heart Development and Directly Regulates Tnni2 and Tnnt3. *PLoS ONE.* 11: e0161096. <http://dx.doi.org/10.1371/journal.pone.0161096>.
- Dimitriou, P; Kähäri, A; Emilsson, K; Thunberg, P. (2012). Cardiovascular magnetic resonance imaging and transthoracic echocardiography in the assessment of stenotic aortic valve area: a comparative study. *Acta Radiol.* 53: 995-1003. <http://dx.doi.org/10.1258/ar.2012.120261>.
- Ding, C; Chang, JK; Lin, CC; Wu, YJ; Hsieh, KS. (2016). Efficacy and Safety of Transthoracic Echocardiography Alone in Transcatheter Closure of Secundum-Type Atrial Septal Defects in Adults. *Echocardiography.* 33: 579-585. <http://dx.doi.org/10.1111/echo.13106>.
- Ding, C; Chow, WL; He, J. (2013). Isolation of *Acetobacterium* sp. strain AG, which reductively debrominates octa- and pentabrominated diphenyl ether technical mixtures. *Appl Environ Microbiol.* 79: 1110-1117. <http://dx.doi.org/10.1128/AEM.02919-12>.
- Ding, C; Zhao, S; He, J. (2014). A *Desulfitobacterium* sp. strain PR reductively dechlorinates both 1,1,1-trichloroethane and chloroform. *Environ Microbiol.* 16: 3387-3397. <http://dx.doi.org/10.1111/1462-2920.12387>.
- Ding, K; Xu, W. (2016). Black Carbon Facilitated Dechlorination of DDT and its Metabolites by Sulfide. *Environ Sci Technol.* 50: 12976-12983. <http://dx.doi.org/10.1021/acs.est.6b03154>.
- Ding, XS; Feng, Y; Xu, JJ; Chen, YC; Zeng, Z; Rao, L. (2010). [Percutaneous transcatheter closure of atrial septal defect guided by transthoracic echocardiography and transesophageal echocardiography]. *Sichuan Da Xue Xue Bao Yi Xue Ban.* 41: 644-647.
- Dittrich, S; Tuerk, M; Haaker, G; Greim, V; Buchholz, A; Burkhardt, B; Fujak, A; Trollmann, R; Schmid, A; Schroeder, R. (2015). Cardiomyopathy in Duchenne Muscular Dystrophy: Current Value of Clinical, Electrophysiological and Imaging Findings in Children and Teenagers. *Klinische Paediatric.* 227: 225-231. <http://dx.doi.org/10.1055/s-0034-1398689>.
- Ditty, JL; Williams, KM; Keller, MM; Chen, GY; Liu, X; Parales, RE. (2013). Integrating Grant-funded Research into the Undergraduate Biology Curriculum Using IMG-ACT. *Biochemistry and Molecular Biology Education.* 41: 16-23. <http://dx.doi.org/10.1002/bmb.20662>.
- Dix, KJ; Kedderis, GL; Borghoff, SJ. (1997). Vehicle-dependent oral absorption and target tissue dosimetry of chloroform in male rats and female mice. *Toxicol Lett.* 91: 197-209.
- Djouadi, F; Weinheimer, CJ; Saffitz, JE; Pitchford, C; Bastin, J; Gonzalez, FJ; Kelly, DP. (1998). A gender-related defect in lipid metabolism and glucose homeostasis in peroxisome proliferator-activated receptor alpha-deficient mice. *J Clin Invest.* 102: 1083-1091. <http://dx.doi.org/10.1172/JCI3949>.

Human Health Hazard Literature Search Results

Off Topic

- Do, S, iH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ.* 430: 82-87. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.070>.
- Dobaradran, S; Nabizadeh, R; Mahvi, AH; Mesdaghinia, AR; Naddafi, K; Yunesian, M; Rastkari, N; Nazmara, S, h. (2010). SURVEY ON DEGRADATION RATES OF TRICHLOROETHYLENE IN AQUEOUS SOLUTIONS BY ULTRASOUND. *Iranian Journal of Environmental Health Science and Engineering.* 7: 307-312.
- Dobrev, ID; Andersen, ME; Yang, RS. (2001). Assessing interaction thresholds for trichloroethylene in combination with tetrachloroethylene and 1,1,1-trichloroethane using gas uptake studies and PBPK modeling. *Arch Toxicol.* 75: 134-144. <http://dx.doi.org/10.1007/s002040100216>.
- Dogan, Y; Soyulu, A; Kilickesmez, O; Demirtas, T; Kilickesmez, KO; Dogan, SN; Eren, G; Sevindir, I; Yasar, N; Poturoglu, S; Sonmez, K. (2010). The value of hepatic diffusion-weighted MR imaging in demonstrating hepatic congestion secondary to pulmonary hypertension. *Cardiovasc Ultrasound.* 8: 28. <http://dx.doi.org/10.1186/1476-7120-8-28>.
- Dogan-Duyar, S; Willemse, JL; Van Hee, P; Duval, EL; Neels, H. (2010). Chloral hydrate intoxication in a 3-month-old child: avoidance of hemodialysis by an immediate determination of trichloroethanol. *Clin Biochem.* 43: 328-330. <http://dx.doi.org/10.1016/j.clinbiochem.2009.08.025>.
- Dogan-Subasi, E; Bastiaens, L; Boon, N; Dejonghe, W. (2013). Microbial dechlorination activity during and after chemical oxidant treatment. *J Hazard Mater.* 262: 598-605. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.003>.
- Doğan-Subaşı, E; Bastiaens, L; Leys, N; Boon, N; Dejonghe, W. (2014). Quantitative and functional dynamics of *Dehalococcoides* spp. and its *tceA* and *vcrA* genes under TCE exposure. *Biodegradation.* 25: 493-504.
- Dogra, N; Puri, GD; Kumar, B. (2013). Isolated pericardial echinococcosis: Perioperative transesophageal echocardiographic evaluation. 4: 149-151. <http://dx.doi.org/10.1016/j.jcdr.2012.11.004>.
- Dohi, M; Doi, K; Okawa, K; Yamanami, M; Yaku, H. (2013). Delayed-onset systolic anterior motion of the mitral valve after aortic valve replacement for severe aortic stenosis. *Int Heart J.* 54: 292-296.
- Dohn, DR; Anders, MW. (1982). Assay of cysteine conjugate beta-lyase activity with S-(2-benzothiazolyl)cysteine as the substrate. *Anal Biochem.* 120: 379-386. [http://dx.doi.org/10.1016/0003-2697\(82\)90361-X](http://dx.doi.org/10.1016/0003-2697(82)90361-X).
- Doma, K; Deakin, G. (2015). The Acute Effect of Concurrent Training on Running Performance Over 6 Days. *Res Q Exerc Sport.* 86: 387-396. <http://dx.doi.org/10.1080/02701367.2015.1053104>.
- Doma, K; Deakin, GB. (2013). The effects of strength training and endurance training order on running economy and performance. *Appl Physiol Nutr Metab.* 38: 651-656. <http://dx.doi.org/10.1139/apnm-2012-0362>.
- Doma, K; Deakin, GB. (2014). The acute effects intensity and volume of strength training on running performance. *European Journal of Sport Science.* 14: 107-115. <http://dx.doi.org/10.1080/17461391.2012.726653>.
- Domingo, LR; Pérez, P; Sáez, JA. (2012). Origin of the synchronicity in bond formation in polar Diels-Alder reactions: an ELF analysis of the reaction between cyclopentadiene and tetracyanoethylene. *Org Biomol Chem.* 10: 3841-3851. <http://dx.doi.org/10.1039/c2ob25152c>.
- Dominik, J; Moravek, P; Zacek, P; Vojacek, J; Brtko, M; Podhola, M; Pacovsky, J; Harrer, J. (2013). Long-term survival after radical surgery for renal cell carcinoma with tumour thrombus extension into the right atrium. *BJU Int.* 111: E59-E64. <http://dx.doi.org/10.1111/j.1464-410X.2012.11515.x>.
- Donato, R. (2010). Extending transaction cost economics: towards a synthesised approach for analysing contracting in health care markets with experience from the Australian private sector. 71: 1989-1996. <http://dx.doi.org/10.1016/j.socscimed.2010.09.016>.
- Doncaster, GG; Twist, C. (2012). Exercise-induced muscle damage from bench press exercise impairs arm cranking endurance performance. *Eur J Appl Physiol.* 112: 4135-4142. <http://dx.doi.org/10.1007/s00421-012-2404-y>.
- Dong, X; Zhang, YJ; Zhang, Z. (2013). Using weakly conserved motifs hidden in secretion signals to identify type-III effectors from bacterial pathogen genomes. *PLoS ONE.* 8: e56632. <http://dx.doi.org/10.1371/journal.pone.0056632>.
- Donohoe, CL; O'Farrell, NJ; Ravi, N; Reynolds, JV. (2012). Evidence-based selective application of transhiatal esophagectomy in a high-volume esophageal center. *World J Surg.* 36: 98-103. <http://dx.doi.org/10.1007/s00268-011-1307-0>.
- Donovan, MS; Kassop, D; Liotta, RA; Hulten, EA. (2015). Sinus venosus atrial septal defect as a cause of palpitations and dyspnea in an adult: a diagnostic imaging challenge. *Case Reports in Medicine.* 2015: 128462. <http://dx.doi.org/10.1155/2015/128462>.
- Dorgerloh, U, te; Becker, R; Lutz, A; Bremser, W; Hilbert, S; Nehls, I. (2012). How to improve reliability in groundwater analysis: over a decade of experience with external quality control in field campaigns on volatile halogenated compounds. *J Environ Monit.* 14: 217-223. <http://dx.doi.org/10.1039/c1em10460h>.
- Dorobantu, LF; Stiru, O; Prodea, A; Cioranu, R; Georgescu, A; Filipescu, D; Iliescu, VA. (2011). Unique case of primary malignant fibrous histiocytoma of the right ventricle with moderator band involvement. *Heart Surg Forum.* 14: E245-E248. <http://dx.doi.org/10.1532/HSF98.20101154>.
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology.* 5: 124-127.
- Dosemeci, M; Wacholder, S; Lubin, JH. (1990). Does nondifferential misclassification of exposure always bias a true effect toward the null value? *Am J Epidemiol.* 132: 746-748.
- Doucette, W; Klein, H; Chard, J; Dupont, R; Plaehn, W; Bugbee, B. (2013). Volatilization of Trichloroethylene from Trees and Soil: Measurement and Scaling Approaches. *Environ Sci Technol.* 47: 5813-5820. <http://dx.doi.org/10.1021/es304115c>.
- Douglas, NR; Reissmann, S; Zhang, J; Chen, B; Jakana, J; Kumar, R; Chiu, W; Frydman, J. (2011). Dual action of ATP hydrolysis couples lid closure to substrate release into the group II chaperonin chamber. *Cell.* 144: 240-252. <http://dx.doi.org/10.1016/j.cell.2010.12.017>.

Human Health Hazard Literature Search Results

Off Topic

- Doukky, R; Khandelwal, A; Garcia-Sayan, E; Gage, H. (2013). External validation of a novel transthoracic echocardiographic tool in predicting left atrial appendage thrombus formation in patients with nonvalvular atrial fibrillation. 14: 876-881. <http://dx.doi.org/10.1093/ehjci/jes313>.
- Dourson, ML; Gadagbui, BK; Thompson, RB; Pfau, EJ; Lowe, J. (2016). Managing risks of noncancer health effects at hazardous waste sites: A case study using the Reference Concentration (RfC) of trichloroethylene (TCE). *Regul Toxicol Pharmacol.* 80: 125-133. <http://dx.doi.org/10.1016/j.yrtph.2016.06.013>.
- Dowideit, K; Scholz-Muramatsu, H; Miethling-Graff, R; Vigelahn, L; Freygang, M; Dohrmann, AB; Tebbe, CC. (2010). Spatial heterogeneity of dechlorinating bacteria and limiting factors for in situ trichloroethene dechlorination revealed by analyses of sediment cores from a polluted field site. *FEMS Microbiol Ecol.* 71: 444-459. <http://dx.doi.org/10.1111/j.1574-6941.2009.00820.x>.
- Dowling, MM; Lee, N; Quinn, CT; Rogers, ZR; Boger, D; Ahmad, N; Ramaciotti, C; Buchanan, GR. (2010). Prevalence of intracardiac shunting in children with sickle cell disease and stroke. *J Pediatr.* 156: 645-650. <http://dx.doi.org/10.1016/j.jpeds.2009.10.012>.
- Doyen, D; Castellani, M; Mocerri, P; Chiche, O; Lazdunski, R; Bertora, D; Cerboni, P; Chaussade, C; Ferrari, E. (2014). Patent foramen ovale and stroke in intermediate-risk pulmonary embolism. *Chest.* 146: 967-973. <http://dx.doi.org/10.1378/chest.14-0100>.
- Dreyfus, J; Brochet, E; Lepage, L; Attias, D; Cuffe, C; Detaint, D; Himbert, D; lung, B; Vahanian, A; Messika-Zeitoun, D. (2011). Real-time 3D transoesophageal measurement of the mitral valve area in patients with mitral stenosis. *Eur J Echocardiogr.* 12: 750-755. <http://dx.doi.org/10.1093/ejehocardi/jer118>.
- Dreyfus, J; Durand-Viel, G; Raffoul, R; Alkholder, S; Hvass, U; Radu, C; Al-Attar, N; Ghodbhane, W; Attias, D; Nataf, P; Vahanian, A; Messika-Zeitoun, D. (2015). Comparison of 2-Dimensional, 3-Dimensional, and Surgical Measurements of the Tricuspid Annulus Size: Clinical Implications. *Circulation: Cardiovascular Imaging.* 8: e003241. <http://dx.doi.org/10.1161/CIRCIMAGING.114.003241>.
- Driussi, C; Lus, A; Bizzarini, E; Antonini-Canterin, F; D'Andrea, A; Bossone, E; Vriz, O. (2014). Structural and functional left ventricular impairment in subjects with chronic spinal cord injury and no overt cardiovascular disease. *J Spinal Cord Med.* 37: 85-92. <http://dx.doi.org/10.1179/2045772313Y.0000000161>.
- Dror, I; Jacov, OM; Cortis, A; Berkowitz, B. (2012). Catalytic transformation of persistent contaminants using a new composite material based on nanosized zero-valent iron. 4: 3416-3423. <http://dx.doi.org/10.1021/am300402q>.
- Du, CL; Wang, JD. (1998). Increased morbidity odds ratio of primary liver cancer and cirrhosis of the liver among vinyl chloride monomer workers. *Occup Environ Med.* 55: 528-532.
- du Plessis, A; Strydom, C; Botha, L. (2010). Comparative study of the dissociative ionization of 1,1,1-trichloroethane using nanosecond and femtosecond laser pulses. *International Journal of Molecular Sciences.* 11: 1114-1140. <http://dx.doi.org/10.3390/ijms11031114>.
- Du, W; Xiong, X; Yang, W; Wang, X; Li, T. (2012). Dobutamine stress echocardiography assessment of myocardial contusion due to blunt impact in dogs. *Cell Biochem Biophys.* 62: 169-175. <http://dx.doi.org/10.1007/s12013-011-9278-1>.
- Duan, Y; Wang, X; Cheng, Z; Wu, D; Wu, L. (2012). Application of prospective ECG-triggered dual-source CT coronary angiography for infants and children with coronary artery aneurysms due to Kawasaki disease. *Br J Radiol.* 85: e1190-e1197. <http://dx.doi.org/10.1259/bjr/18174517>.
- Duan, YH; Wang, XM; Cheng, ZP; Wu, DW; Wu, LB. (2012). [Application of prospective ECG-triggering dual-source CT angiography in infants and children with congenital heart disease]. *Chung Hua Hsueh Tsa Chih.* 92: 179-183.
- Ducas, RA; Elliott, JE; Melnyk, SF; Premecz, S; Dasilva, M; Cleverley, K; Wtorek, P; Mackenzie, GS; Helewa, ME; Jassal, DS. (2014). Cardiovascular magnetic resonance in pregnancy: insights from the cardiac hemodynamic imaging and remodeling in pregnancy (CHIRP) study. *J Cardiovasc Magn Reson.* 16: 1. <http://dx.doi.org/10.1186/1532-429X-16-1>.
- Dudzinski, DM; Bhatia, RS; Mi, MY; Isselbacher, EM; Picard, MH; Weiner, RB. (2016). Effect of Educational Intervention on the Rate of Rarely Appropriate Outpatient Echocardiograms Ordered by Attending Academic Cardiologists: A Randomized Clinical Trial. 1: 805-812. <http://dx.doi.org/10.1001/jamacardio.2016.2232>.
- Dudzinski, DM; Hariharan, P; Parry, BA; Chang, Y; Kabrhel, C. (2016). Assessment of Right Ventricular Strain by Computed Tomography versus Echocardiography in Acute Pulmonary Embolism. *Acad Emerg Med.* <http://dx.doi.org/10.1111/acem.13108>.
- Duffel, MW; Jakoby, WB. (1982). Cysteine S-conjugate N-acetyltransferase from rat kidney microsomes. *Mol Pharmacol.* 21: 444-448.
- Dugan, A; Majmudar, CY; Pricer, R; Niessen, S; Lancia, JK; Fung, HY; Cravatt, BF; Mapp, AK. (2016). Discovery of Enzymatic Targets of Transcriptional Activators via in Vivo Covalent Chemical Capture. *J Am Chem Soc.* 138: 12629-12635. <http://dx.doi.org/10.1021/jacs.6b07680>.
- Dugan, A; Pricer, R; Katz, M; Mapp, AK. (2016). TRIC: Capturing the direct cellular targets of promoter-bound transcriptional activators. *Genes Dev.* 25: 1371-1377. <http://dx.doi.org/10.1002/pro.2951>.
- Dugat-Bony, E; Biderre-Petit, C; Jaziri, F; David, MM; Denonfoux, J; Lyon, DY; Richard, JY; Curvers, C; Boucher, D; Vogel, TM; Peyretailade, E; Peyret, P. (2012). In situ TCE degradation mediated by complex dehalorespiring communities during biostimulation processes. *Microb Biotechnol.* 5: 642-653. <http://dx.doi.org/10.1111/j.1751-7915.2012.00339.x>.
- Duino, V; Fiocca, L; Musumeci, G; Cerchierini, E; Gori, M; D'Elia, E; Ferrero, P; Iacovoni, A; Valsecchi, O; Maisano, F; Senni, M; Feldman, T; Smart, S; Bozdog-Turan, I; Kische, S; Paranskaya, L; Ortak, J; Ince, H. (2014). How should I treat a challenging case of MitraClip implantation? 10: 887-890. <http://dx.doi.org/10.4244/EIJV10I7A151>.
- Duke, J; Greaves, K; Dettrick, A. (2015). Use of microbubble contrast in the diagnosis of a left ventricular papillary fibroelastoma. 2: K43-K45. <http://dx.doi.org/10.1530/ERP-15-0033>.
- Duma, CM; Kim, BS; Chen, PV; Plunkett, ME; Mackintosh, R; Mathews, MS; Casserly, RM; Mendez, GA; Furman, DJ; Smith, G; Oh, N; Caraway, CA; Sanathara, AR; Dillman, RO; Riley, AS; Weiland, D; Stemler, L; Cannell, R; Abrams, DA; Smith, A; Owen, CM; Eisenberg, B; Brant-

Human Health Hazard Literature Search Results

Off Topic

- Zawadzki, M. (2016). Upfront boost Gamma Knife "leading-edge" radiosurgery to FLAIR MRI-defined tumor migration pathways in 174 patients with glioblastoma multiforme: a 15-year assessment of a novel therapy. *J Neurosurg.* 125: 40-49. <http://dx.doi.org/10.3171/2016.7.GKS161460>.
- Dumont, KA; Karlsen, JS; Helle-Valle, T; Fiane, AE; Lundblad, R; Urheim, S. (2015). Mitral valve analysis adding a virtual semi-transparent annulus plane for detection of prolapsing segments. *Cardiovasc Ultrasound.* 13: 25. <http://dx.doi.org/10.1186/s12947-015-0019-2>.
- Dun, MD; Aitken, JR; Nixon, B. (2011). The CCT/TRiC Complex Is Involved in Mediating Sperm-Oocyte Interaction. *Biol Reprod.* 85.
- Dun, MD; Smith, ND; Baker, MA; Lin, M; Aitken, RJ; Nixon, B. (2011). The chaperonin containing TCP1 complex (CCT/TRiC) is involved in mediating sperm-oocyte interaction. *J Biol Chem.* 286: 36875-36887. <http://dx.doi.org/10.1074/jbc.M110.188888>.
- Dursunođlu, N; Dursunođlu, D; Yildiz, Ai; Rota, S. (2016). Evaluation of cardiac biomarkers and right ventricular dysfunction in patients with acute pulmonary embolism. 16: 276-282. <http://dx.doi.org/10.5152/akd.2014.5828>.
- Dusch, MN; Thadani, SR; Dhillon, GS; Hope, MD. (2014). Diastolic function assessed by cardiac MRI using longitudinal left ventricular fractional shortening. *Clin Imaging.* 38: 666-668. <http://dx.doi.org/10.1016/j.clinimag.2014.06.002>.
- DuTeaux, S; Newman, J; Morisseau, C; Fairbairn, E; Jelks, K; Hammock, B; Miller, M. (2004). Epoxide hydrolases in the rat epididymis: possible roles in xenobiotic and endogenous fatty acid metabolism. *Toxicol Sci.* 78: 187-195. <http://dx.doi.org/10.1093/toxsci/kfh066>.
- Duval, S; Tweedie, R. (2000). A nonparametric "trim and fill" method of accounting for publication bias in meta-analysis. *J Am Stat Assoc.* 95: 89-98.
- Duwat, A; Zogheib, E; Guinot, P; Levy, F; Trojette, F; Diouf, M; Slama, M; Dupont, H. (2014). The gray zone of the qualitative assessment of respiratory changes in inferior vena cava diameter in ICU patients. *Critical Care (Online).* 18: R14. <http://dx.doi.org/10.1186/cc13693>.
- Dwivedi, S; Siddiqui, F; Patel, M; Cardozo, S. (2016). Guide Wire Induced Cardiac Tamponade: The Soft J Tip Is Not So Benign. 2016: 1436924. <http://dx.doi.org/10.1155/2016/1436924>.
- Dydynski, PB; Kiper, C; Kozik, D; Keller, BB; Austin, E; Holland, B. (2016). Three-Dimensional Reconstruction of Intracardiac Anatomy Using CTA and Surgical Planning for Double Outlet Right Ventricle: Early Experience at a Tertiary Care Congenital Heart Center. 7: 467-474. <http://dx.doi.org/10.1177/2150135116651399>.
- Eacho, PI; Lanier, TL; Brodhecker, CA. (1991). Hepatocellular DNA synthesis in rats given peroxisome proliferating agents: Comparison of WY-14,643 to clofibric acid, nafenopin and LY171883. *Carcinogenesis.* 12: 1557-1561.
- Earnest, CP; Johannsen, NM; Swift, DL; Gillison, FB; Mikus, CR; Lucia, A; Kramer, K; Lavie, CJ; Church, TS. (2014). Aerobic and strength training in concomitant metabolic syndrome and type 2 diabetes. *Med Sci Sports Exerc.* 46: 1293-1301. <http://dx.doi.org/10.1249/MSS.0000000000000242>.
- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis.* 24: 341-349. <http://dx.doi.org/10.1093/mutage/geb014>.
- Eastmond, DA; Tucker, JD. (1989). Identification of aneuploidy-inducing agents using cytokinesis-blocked human lymphocytes and an antikinetochore antibody. *Environ Mol Mutagen.* 13: 34-43. <http://dx.doi.org/10.1002/em.2850130104>.
- Eberle, D; Ball, R; Boving, TB. (2016). Peroxone activated persulfate treatment of 1,4-dioxane in the presence of chlorinated solvent co-contaminants. *Chemosphere.* 144: 728-735. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.063>.
- Ebert, KA; Laskov, C; Elsner, M; Haderlein, SB. (2017). Calibration bias of experimentally determined chlorine isotope enrichment factors: the need for a two-point calibration in compound-specific chlorine isotope analysis. *Rapid Commun Mass Spectrom.* 31: 68-74. <http://dx.doi.org/10.1002/rcm.7752>.
- Edrich, T; Seethala, RR; Olenchock, BA; Mizuguchi, AK; Rivero, JM; Beutler, SS; Fox, JA; Liu, X; Frendl, G. (2014). Providing initial transthoracic echocardiography training for anesthesiologists: simulator training is not inferior to live training. *J Cardiothorac Vasc Anesth.* 28: 49-53. <http://dx.doi.org/10.1053/j.jvca.2013.07.011>.
- Edwards, EA. (2014). Microbiology. Breathing the unbreathable [Comment]. *Science.* 346: 424-425. <http://dx.doi.org/10.1126/science.1261194>.
- EFSA. (2006). Opinion of the scientific panel on food additives, flavourings, processing aids and materials in contact with food (AFC) on a request from the commission related to a new long-term carcinogenicity study on aspartame. *EFSA J.* 4: 1-44. <http://dx.doi.org/10.2903/j.efsa.2006.356>.
- Egger, M; Smith, GD; Schneider, M; Minder, C. (1997). Bias in meta-analysis detected by a simple, graphical test. *Br Med J.* 315: 629-634.
- Eichenlaub-Ritter, U; Baart, E; Yin, H; Betzendahl, I. (1996). Mechanisms of spontaneous and chemically-induced aneuploidy in mammalian oogenesis: basis of sex-specific differences in response to aneugens and the necessity for further tests. *Mutat Res.* 372: 279-294.
- Ejim, EC; Anisiuba, BC; Ike, SO; Oguanobi, NI; Ubani-Ukoma, C; Essien, I; Nwaneli, U; Onwubere, B; Njoku, P. (2013). Intra-cardiac masses in adults: a review of echocardiogram records at two echocardiographic laboratories in Enugu, South-East Nigeria. *Niger J Clin Pract.* 16: 468-472. <http://dx.doi.org/10.4103/1119-3077.116891>.
- Ejim, EC; Ubani-Ukoma, CB; Nwaneli, UC; Onwubere, BJ. (2013). Common echocardiographic abnormalities in Nigerians of different age groups. *Niger J Clin Pract.* 16: 360-364. <http://dx.doi.org/10.4103/1119-3077.113464>.
- Elango, V; Kurtz, HD; Freedman, DL. (2011). Aerobic cometabolism of trichloroethene and cis-dichloroethene with benzene and chlorinated benzenes as growth substrates. *Chemosphere.* 84: 247-253. <http://dx.doi.org/10.1016/j.chemosphere.2011.04.007>.
- Elasfar, A; Khalifa, A; Alghamdi, A; Khalid, R; Ibrahim, M; Kashour, T. (2013). Asymptomatic metastatic osteosarcoma to the right ventricle: Case report and review of the literature. 25: 39-42. <http://dx.doi.org/10.1016/j.jsha.2012.05.003>.
- Elenga, N; Cuadro, E; Martin, E; Cohen-Addad, N; Basset, T. (2014). Associated factors of acute chest syndrome in children with sickle cell disease in French Guiana. *Int J Pediatr.* 2014: 213681. <http://dx.doi.org/10.1155/2014/213681>.

Human Health Hazard Literature Search Results

Off Topic

- Elfarra, A; Hwang, I. (1990). In vivo metabolites of S-(2-benzothiazolyl)-L-cysteine as markers of in vivo cysteine conjugate beta-lyase and thiol glucuronosyl transferase activities. *Drug Metab Dispos.* 18: 917-922.
- Elfarra, A; Lash, L; Anders, M. (1987). Alpha-ketoacids stimulate rat renal cysteine conjugate beta-lyase activity and potentiate the cytotoxicity of S-(1,2-dichlorovinyl)-L-cysteine. *Mol Pharmacol.* 31: 208-212.
- Elfarra, AA; Jakobson, I; Anders, MW. (1986). Mechanism of S-(1,2-dichlorovinyl)glutathione-induced nephrotoxicity. *Biochem Pharmacol.* 35: 283-288.
- Elias, ST; Diniz, J; Almeida, RS; Alvarenga, N; Simeoni, LA; Silveira, D; Ferro, E; Guerra, EN; Motoyama, AB. (2010). Cytotoxic effect of tobacco extracts on human oral squamous cell carcinoma cell-line. *Oral Oncol.* 46: 869-873. <http://dx.doi.org/10.1016/j.oraloncology.2010.09.008>.
- Elizur, A; Adair-Kirk, TL; Kelley, DG; Griffin, GL; Demello, DE; Senior, RM. (2008). Tumor necrosis factor-alpha from macrophages enhances LPS-induced clara cell expression of keratinocyte-derived chemokine. *Am J Respir Cell Mol Biol.* 38: 8-15. <http://dx.doi.org/10.1165/rcmb.2007-0203OC>.
- Elless, MP. (2011). Enhanced endophyte:poplar system for remediation of organic contaminants.
- El-Serag, HB. (2004). Hepatocellular carcinoma: Recent trends in the United States [Review]. *Gastroenterology.* 127: S27-S34. <http://dx.doi.org/10.1053/j.gastro.2004.09.013>.
- El-Serag, HB. (2007). Epidemiology of hepatocellular carcinoma in USA. *Hepatology Research.* 37: S88-S94. <http://dx.doi.org/10.1111/j.1872-034X.2007.00168.x>.
- El-Serag, HB; Rudolph, KL. (2007). Hepatocellular carcinoma: epidemiology and molecular carcinogenesis [Review]. *Gastroenterology.* 132: 2557-2576. <http://dx.doi.org/10.1053/j.gastro.2007.04.061>.
- El-Sisi, A; Sobhy, R; Jaccoub, V; Hamza, H. (2017). Perimembranous Ventricular Septal Defect Closure: Choosing Between Amplatzer Duct Occluder I and II. *Pediatric Cardiology.* <http://dx.doi.org/10.1007/s00246-016-1553-x>.
- Emet, M; Akoz, A; Aslan, S; Saritas, A; Cakir, Z; Acemoglu, H. (2010). Assessment of cardiac injury in patients with blunt chest trauma. *European Journal of Trauma and Emergency Surgery.* 36: 441-447. <http://dx.doi.org/10.1007/s00068-010-0005-1>.
- Eng, MH; Salcedo, EE; Kim, M; Quaife, RA; Carroll, JD. (2013). Implementation of real-time three-dimensional transesophageal echocardiography for mitral balloon valvuloplasty. 82: 994-998. <http://dx.doi.org/10.1002/ccd.25052>.
- Erb, J; Mukherjee, C; Knebel, F; Ender, J. (2014). [Introduction to transthoracic, transesophageal and real time 3Dimensional transesophageal echocardiography] [Review]. 49: 684-693; quiz 694. <http://dx.doi.org/10.1055/s-0040-100110>.
- Erdei, T; Erdei, T; Dénes, M; Kardos, A; Földesi, C; Földesi, A; Temesvári, A; Temesvári, M; Lengyel, M. (2011). Left atrial and left atrial appendage function in paroxysmal atrial fibrillation. *Acta Physiol Hung.* 98: 137-146. <http://dx.doi.org/10.1556/APhysiol.98.2011.2.5>.
- Erdem, A; Saritas, T; Zeybek, C; Yuçel, IK; Erol, N; Demir, H; Odemis, E; Yalcin, Y; Celebi, A. (2013). Transthoracic echocardiographic guidance during transcatheter closure of atrial septal defects in children and adults. *Int J Cardiovasc Imaging.* 29: 53-61. <http://dx.doi.org/10.1007/s10554-011-9933-z>.
- Erdoes, G; Reineke, D; Basciani, R; Carrel, T; Eberle, B. (2010). Left atrial myxoma attached to the anterior mitral leaflet with symptoms suggestive of infective endocarditis. *Eur J Echocardiogr.* 11: E8. <http://dx.doi.org/10.1093/ejechocard/jep192>.
- Ermacor, D; Muraru, D; Pontarollo, S; Casablanca, S; Livi, U; Iliceto, S; Badano, LP. (2014). Role of three-dimensional echocardiography in structural complications after acute myocardial infarction. *Echocardiography.* 31: E169-E173. <http://dx.doi.org/10.1111/echo.12585>.
- Ersan, G; Kaya, Y; Apul, OG; Karanfil, T. (2016). Adsorption of organic contaminants by graphene nanosheets, carbon nanotubes and granular activated carbons under natural organic matter preloading conditions. *Sci Total Environ.* 565: 811-817. <http://dx.doi.org/10.1016/j.scitotenv.2016.03.224>.
- Erto, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2014). Permeable Adsorptive Barrier (PAB) for the remediation of groundwater simultaneously contaminated by some chlorinated organic compounds. *J Environ Manage.* 140: 111-119. <http://dx.doi.org/10.1016/j.jenvman.2014.03.012>.
- Ervin, RE; Boroumand, A; Abriola, LM; Ramsburg, CA. (2011). Kinetic limitations on tracer partitioning in ganglia dominated source zones. *J Contam Hydrol.* 126: 195-207. <http://dx.doi.org/10.1016/j.jconhyd.2011.07.006>.
- Esmaili-Mahani, S; Falahi, F; Yaghoobi, MM. (2014). Proapoptotic and Antiproliferative Effects of Thymus caramanicus on Human Breast Cancer Cell Line (MCF-7) and Its Interaction with Anticancer Drug Vincristine. *eCAM.* 2014: 893247. <http://dx.doi.org/10.1155/2014/893247>.
- Esmailzadeh, P; Sadeghi, MT; Bahrmanian, A; Fakhroueian, Z; Zarbakhsh, A. (2016). Superamphiphobic Surfaces Prepared by Coating Multifunctional Nanofluids. 8: 32011-32020. <http://dx.doi.org/10.1021/acsami.6b10913>.
- Esteves, CA; Solarewicz, LA; Cassar, R; Neves, JR; Esteves, V; Arrieta, R. (2012). Occlusion of the perimembranous ventricular septal defect using CERA® devices. 80: 182-187. <http://dx.doi.org/10.1002/ccd.24371>.
- Evangelista, A; Avegliano, G; Aguilar, R; Cuellar, H; Igual, A; González-Alujas, T; Rodríguez-Palomares, J; Mahia, P; García-Dorado, D. (2010). Impact of contrast-enhanced echocardiography on the diagnostic algorithm of acute aortic dissection. *Eur Heart J.* 31: 472-479. <http://dx.doi.org/10.1093/eurheartj/ehp505>.
- Evangelista, A; Carro, A; Moral, S; Teixido-Tura, G; Rodríguez-Palomares, JF; Cuellar, H; García-Dorado, D. (2013). Imaging modalities for the early diagnosis of acute aortic syndrome [Review]. *Nature Reviews Cardiology.* 10: 477-486. <http://dx.doi.org/10.1038/nrcardio.2013.92>.
- Evangelista, A; Flachskampf, FA; Erbel, R; Antonini-Canterin, F; Vlachopoulos, C; Rocchi, G; Sicari, R; Nihoyannopoulos, P; Zamorano, J; Echocardiography, EAo; Reviewers:, D; Pepi, M; Breithardt, OA; Plonska-Gosciniak, E. (2010). Echocardiography in aortic diseases: EAE recommendations for clinical practice. *Eur J Echocardiogr.* 11: 645-658. <http://dx.doi.org/10.1093/ejechocard/jeq056>.

Human Health Hazard Literature Search Results

Off Topic

- Evelo, CTA; Oostendorp, JGM; Tenberge, WF; Borm, PJA. (1993). PHYSIOLOGICALLY-BASED TOXICOKINETIC MODELING OF 1,3-BUTADIENE LUNG METABOLISM IN MICE BECOMES MORE IMPORTANT AT LOW-DOSES. *Environ Health Perspect.* 101: 496-502. <http://dx.doi.org/10.2307/3431586>.
- Evert, M; Schneider-Stock, R; Dombrowski, F. (2003). Apolipoprotein A-IV mRNA overexpression in early preneoplastic hepatic foci induced by low-number pancreatic islet transplants in streptozotocin-diabetic rats. *Pathol Res Pract.* 199: 373-379. <http://dx.doi.org/10.1078/0344-0338-00433>.
- Evola, S; Trovato, RL; Kauroo, BAW; Alioto, L; Sucato, V; Quagliana, A; Magro, S; Tona, RS; Novo, G; Andolina, G; Assennato, P; Novo, S. (2013). The percutaneous treatment of Patent Foramen Ovale, an effective and safe therapeutic choice. *Central European Journal of Medicine.* 8: 638-643. <http://dx.doi.org/10.2478/s11536-013-0209-y>.
- Ewe, SH; Delgado, V; van der Geest, R; Westenberg, JJ; Haeck, ML; Witkowski, TG; Auger, D; Marsan, NA; Holman, ER; de Roos, A; Schalij, MJ; Bax, JJ; Sieders, A; Siebelink, HM. (2013). Accuracy of three-dimensional versus two-dimensional echocardiography for quantification of aortic regurgitation and validation by three-dimensional three-directional velocity-encoded magnetic resonance imaging. *Am J Cardiol.* 112: 560-566. <http://dx.doi.org/10.1016/j.amjcard.2013.04.025>.
- Fairman, MJ; Scott, BB; Toothill, C; Losowsky, MS. (1977). Jejunal mucosal gamma glutamyl transferase activity in coeliac disease. *Gut.* 18: 484-487.
- Falcini, R; Gaspari, M; Polveroni, G. (2011). Transthoracic echocardiographic guidance of patent ductus arteriosus occlusion with an Amplatz® canine duct occluder. *Res Vet Sci.* 90: 359-362. <http://dx.doi.org/10.1016/j.rvsc.2010.05.032>.
- Falk Filipsson, A, . F.; Victorin, K, . (2003). Comparison of available benchmark dose softwares and models using trichloroethylene as a model substance. *Regul Toxicol Pharmacol.* 37: 343-355.
- Fallah, A; Weil, AG; Sur, S; Miller, I; Jayakar, P; Morrison, G; Bhatia, S; Ragheb, J. (2015). Epilepsy surgery related to pediatric brain tumors: Miami Children's Hospital experience. *J Neurosurg Pediatrics.* 16: 675-680. <http://dx.doi.org/10.3171/2015.4.PEDS14476>.
- Fallahpour, N; Yuan, S; Rajic, L; Alshawabkeh, AN. (2016). Hydrodechlorination of TCE in a circulated electrolytic column at high flow rate. *Chemosphere.* 144: 59-64. <http://dx.doi.org/10.1016/j.chemosphere.2015.08.037>.
- Fanari, Z; Choudhry, UI; Reddy, VK; Eze-Nliam, C; Hammami, S; Kolm, P; Weintraub, WS; Marshall, ES. (2015). The Value of Quality Improvement Process in the Detection and Correction of Common Errors in Echocardiographic Hemodynamic Parameters in a Busy Echocardiography Laboratory. *Echocardiography.* 32: 1778-1789. <http://dx.doi.org/10.1111/echo.12976>.
- Fang, H, ua; Chu, X; Wang, X; Pang, G; Yu, Y. (2010). Using Matrix Solid-Phase Microextraction (Matrix-SPME) to Estimate Bioavailability of DDTs in Soil to Both Earthworm and Vegetables. *Arch Environ Contam Toxicol.* 58: 62-70. <http://dx.doi.org/10.1007/s00244-009-9329-4>.
- Fang, L; He, N; Lin, H. (2017). CP tensor-based compression of hyperspectral images. *J Opt Soc Am A Opt Image Sci Vis.* 34: 252-258.
- Fang, ZZ; Gonzalez, FJ. (2014). LC-MS-based metabolomics: an update [Review]. *Arch Toxicol.* 88: 1491-1502. <http://dx.doi.org/10.1007/s00204-014-1234-6>.
- Farhadi, K; Maleki, R; Tahmasebi, R. (2011). Preparation of Al₂O₃/TiO₂ composite sol-gel fiber for headspace solid-phase microextraction of chlorinated organic solvents from urine. *J Sep Sci.* 34: 1669-1674. <http://dx.doi.org/10.1002/jssc.201000924>.
- Farman, MT; Sial, JA; Khan, N; Rahu, QA; Tasneem, H; Ishaq, M. (2010). Severe mitral stenosis with atrial fibrillation--a harbinger of thromboembolism. *J Pak Med Assoc.* 60: 439-443.
- Fayers, S; Moodley, J; Naidoo, DP. (2013). Cardiovascular haemodynamics in pre-eclampsia using brain natriuretic peptide and tissue Doppler studies. *Cardiovasc J Afr.* 24: 130-136. <http://dx.doi.org/10.5830/CVJA-2013-023>.
- Fazlinezhad, A; Vakilian, F; Mirzaei, A; Rastegar, AF. (2011). Incidental Finding of Cor Triatriatum Sinistrum in a Middle-Aged Man Candidated for Coronary Bypass Grafting (with three-D imaging). *Journal of Tehran Heart Center.* 6: 85-88.
- Fechter, LD; Gearhart, C; Fulton, S; Campbell, J; Fisher, J; Na, K; Cocker, D; Nelson-Miller, A; Moon, P; Pouyatos, B. (2007). Promotion of noise-induced cochlear injury by toluene and ethylbenzene in the rat. *Toxicol Sci.* 98: 542-551. <http://dx.doi.org/10.1093/toxsci/kfm109>.
- Feinberg, AP; Ohlsson, R; Henikoff, S. (2006). The epigenetic progenitor origin of human cancer [Review]. *Nat Rev Genet.* 7: 21-33. <http://dx.doi.org/10.1038/nrg1748>.
- Feissel, M; Aho, LS; Georgiev, S; Taponnier, R; Badie, J; Bruyère, R; Quenot, JP. (2015). Pulse Wave Transit Time Measurements of Cardiac Output in Septic Shock Patients: A Comparison of the Estimated Continuous Cardiac Output System with Transthoracic Echocardiography. *PLoS ONE.* 10: e0130489. <http://dx.doi.org/10.1371/journal.pone.0130489>.
- Feitelson, MA; Sun, B; Satiroglu Tufan, NL; Liu, J; Pan, J; Lian, Z. (2002). Genetic mechanisms of hepatocarcinogenesis [Review]. *Oncogene.* 21: 2593-2604. <http://dx.doi.org/10.1038/sj.onc.1205434>.
- Felices, M; Lenvik, TR; Davis, ZB; Miller, JS; Vallera, DA. (2016). Generation of BiKEs and TriKEs to Improve NK Cell-Mediated Targeting of Tumor Cells. *Methods Mol Biol.* 1441: 333-346. http://dx.doi.org/10.1007/978-1-4939-3684-7_28.
- Feng, J; Wang, XM; Ji, XP; Li, HO; Li, Q; Guo, WB; Wang, ZL. (2013). Comparison of low-dose sequences of dual-source CT and echocardiography for preoperative evaluation of aortic valve disease. *Chin Med J.* 126: 4423-4429.
- Ferguson-Stegall, L; Mcclleave, EL; Ding, Z; Kammer, LM; Wang, B; Doerner, PG; Liu, Y; Ivy, JL. (2010). The effect of a low carbohydrate beverage with added protein on cycling endurance performance in trained athletes. *J Strength Cond Res.* 24: 2577-2586. <http://dx.doi.org/10.1519/JSC.0b013e3181ecccaca>.
- Ferlay, J; Bray, F; Pisani, P; Parkin, DM. (2004). GLOBOCAN 2002: Cancer incidence, mortality and prevalence worldwide. Lyon, France: International Agency for Research on Cancer.
- Ferlay, J; Shin, HR; Bray, F; Mathers, C; Parkin, DM. (2008). GLOBOCAN 2008, cancer incidence and mortality worldwide: IARC CancerBase no. 10. Lyon, France: International Agency for Research on Cancer. <http://globocan.iarc.fr>.

Human Health Hazard Literature Search Results

Off Topic

- Fernández-Cruz, A; Cruz Menárguez, M; Muñoz, P; Pedromingo, M; Peláez, T; Solís, J; Rodríguez-Créixems, M; Bouza, E; Group, GS. (2015). The search for endocarditis in patients with candidemia: a systematic recommendation for echocardiography? A prospective cohort. *European Journal of Clinical Microbiology and Infectious Diseases*. 34: 1543-1549. <http://dx.doi.org/10.1007/s10096-015-2384-z>.
- Ferrada, P; Anand, RJ; Whelan, J; Aboutanos, MA; Duane, T; Malhotra, A; Ivatury, R. (2011). Limited transthoracic echocardiogram: so easy any trauma attending can do it. *J Trauma*. 71: 1327-1331; discussion 1331-1322. <http://dx.doi.org/10.1097/TA.0b013e3182318574>.
- Ferrada, P; Wolfe, L; Anand, RJ; Whelan, J; Vanguri, P; Malhotra, A; Goldberg, S; Duane, T; Aboutanos, M. (2014). Use of limited transthoracic echocardiography in patients with traumatic cardiac arrest decreases the rate of nontherapeutic thoracotomy and hospital costs. *J Ultrasound Med*. 33: 1829-1832. <http://dx.doi.org/10.7863/ultra.33.10.1829>.
- Ferrara, F; Rudski, LG; Vriz, O; Gargani, L; Afilalo, J; D'Andrea, A; D'Alto, M; Marra, AM; Aciri, E; Stanziola, AA; Ghio, S; Cittadini, A; Naeije, R; Bossone, E. (2016). Physiologic correlates of tricuspid annular plane systolic excursion in 1168 healthy subjects. *Int J Cardiol*. 223: 736-743. <http://dx.doi.org/10.1016/j.ijcard.2016.08.275>.
- Ferraro, G; Marini, D; Agnoletti, G. (2017). Off-label use of the amplatzer ductal occluder II additional size for percutaneous treatment of acute aortic occlusion in a baby. 89: E26-E29. <http://dx.doi.org/10.1002/ccd.26619>.
- Feuchtner, GM; Alkadhi, H; Karlo, C; Sarwar, A; Meier, A; Dichtl, W; Leschka, S; Blankstein, R; Gruenenfelder, J; Stolzmann, P; Cury, RC. (2010). Cardiac CT angiography for the diagnosis of mitral valve prolapse: comparison with echocardiography. *Radiology*. 254: 374-383. <http://dx.doi.org/10.1148/radiol.2541090393>.
- Feuchtner, GM; Spoeck, A; Lessick, J; Dichtl, W; Plass, A; Leschka, S; Mueller, S; Klausner, A; Scheffel, H; Wolf, F; Jaschke, W; Alkadhi, H. (2011). Quantification of aortic regurgitant fraction and volume with multi-detector computed tomography comparison with echocardiography. *Acad Radiol*. 18: 334-342. <http://dx.doi.org/10.1016/j.acra.2010.11.006>.
- Fevotte, J; Charbotel, B; Muller-Beauté, P; Martin, JL; Hours, M; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part I: Exposure assessment. *Ann Occup Hyg*. 50: 765-775. <http://dx.doi.org/10.1093/annhyg/mel040>.
- Fichet, J; Moreau, L; Genée, O; Legras, A; Mercier, E; Garot, D; Dequin, PF; Perrotin, D. (2012). Feasibility of right ventricular longitudinal systolic function evaluation with transthoracic echocardiographic indices derived from tricuspid annular motion: a preliminary study in acute respiratory distress syndrome. *Echocardiography*. 29: 513-521. <http://dx.doi.org/10.1111/j.1540-8175.2011.01650.x>.
- Fiddler, RE; Smith, DB; Jacobson, BH; Klein, CD; Warren, AJ; O'Brien, MS; Thompson, BJ; Everett, KL. (2011). The Effect of Energy Patches on Substrate Utilization in Collegiate Cross-Country Runners. 4: 113-121.
- Filippini, M; Amorosi, A; Campo, B; Herrero-Martin, S; Nijenhuis, I; Parker, BL; Gargini, A. (2016). Origin of VC-only plumes from naturally enhanced dechlorination in a peat-rich hydrogeologic setting. *J Contam Hydrol*. 192: 129-139. <http://dx.doi.org/10.1016/j.jconhyd.2016.07.003>.
- Finckh, A; Cooper, GS; Chibnik, LB; Costenbader, KH; Watts, J; Pankey, H; Fraser, PA; Karlson, EW. (2006). Occupational silica and solvent exposures and risk of systemic lupus erythematosus in urban women. *Arthritis Rheum*. 54: 3648-3654. <http://dx.doi.org/10.1002/art.22210>.
- Finsterer, J; Stöllberger, C. (2014). Juvenile 'cryptogenic' stroke from noncompaction in a neuromuscular disease. *Cardiology*. 127: 223-226. <http://dx.doi.org/10.1159/000356555>.
- Fiorentino, M; Sapone, A; Senger, S; Camhi, SS; Kadzielski, SM; Buie, TM; Kelly, DL; Cascella, N; Fasano, A. (2016). Blood-brain barrier and intestinal epithelial barrier alterations in autism spectrum disorders. 7: 49. <http://dx.doi.org/10.1186/s13229-016-0110-z>.
- Firdous, N; Nasa, P; Bansal, A; Juneja, D; Kanwar, MS; Bera, ML. (2013). Comparison of non-invasive diagnostic tests to multi-detector CT pulmonary angiography for the diagnosis of pulmonary embolism. 4: 40-43. <http://dx.doi.org/10.1016/j.jcdr.2013.02.004>.
- Fitzgerald, JE; Sanyer, JL; Schardein, JL; Lake, RS; McGuire, EJ; de la Iglesia, FA. (1981). Carcinogen bioassay and mutagenicity studies with the hypolipidemic agent gemfibrozil. *J Natl Cancer Inst*. 67: 1105-1116.
- Fitzpatrick, JM. (2010). The role of registration in accurate surgical guidance. *Proc Inst Mech Eng H*. 224: 607-622. <http://dx.doi.org/10.1243/09544119JHEIM589>.
- Flam, B; Broomé, M; Frenckner, B; Bränström, R; Bell, M. (2015). Pheochromocytoma-Induced Inverted Takotsubo-Like Cardiomyopathy Leading to Cardiogenic Shock Successfully Treated With Extracorporeal Membrane Oxygenation. *J Intensive Care Med*. 30: 365-372. <http://dx.doi.org/10.1177/0885066614552992>.
- Flato, UA; Paiva, EF; Carballo, MT; Buehler, AM; Marco, R; Timerman, A. (2015). Echocardiography for prognostication during the resuscitation of intensive care unit patients with non-shockable rhythm cardiac arrest. *Resuscitation*. 92: 1-6. <http://dx.doi.org/10.1016/j.resuscitation.2015.03.024>.
- Fleischhauer, K; Fernandez-Viña, MA; Wang, T; Haagenson, M; Battiwalla, M; Baxter-Lowe, LA; Ciceri, F; Dehn, J; Gajewski, J; Hale, GA; Heemskerk, MB; Marino, S. R.; McCarthy, PL; Miklos, D; Oudshoorn, M; Pollack, MS; Reddy, V; Senitzer, D; Shaw, BE; Waller, EK; Lee, SJ; Spellman, S. R. (2014). Risk associations between HLA-DPB1 T-cell epitope matching and outcome of unrelated hematopoietic cell transplantation are independent of HLA-DPA1. *Bone Marrow Transplant*. 49: 1176-1183. <http://dx.doi.org/10.1038/bmt.2014.122>.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg*. 11: 292-305. <http://dx.doi.org/10.1080/15459624.2013.862591>.
- Fleming-Jones, ME; Smith, RE. (2003). Volatile organic compounds in foods: A five year study. *J Agric Food Chem*. 51: 8120-8127. <http://dx.doi.org/10.1021/jf0303159>.
- Flentje, M; Krüger, M; Ruschulte, H. (2015). [Pneumopericardium due to thorax compression : Overlooked resuscitation injury]. *Anaesthesist*. <http://dx.doi.org/10.1007/s00101-015-0104-9>.

Human Health Hazard Literature Search Results

Off Topic

- Fletcher, KE; Costanza, J; Cruz-Garcia, C; Ramaswamy, NS; Pennell, KD; Löffler, FE. (2011). Effects of elevated temperature on Dehalococcoides dechlorination performance and DNA and RNA biomarker abundance. *Environ Sci Technol.* 45: 712-718. <http://dx.doi.org/10.1021/es1023477>.
- Fletcher, KE; Costanza, J, ed; Pennell, KD; Löffler, FE. (2011). Electron donor availability for microbial reductive processes following thermal treatment. *Water Res.* 45: 6625-6636. <http://dx.doi.org/10.1016/j.watres.2011.09.033>.
- Flodin, U; Fredriksson, M; Persson, B. (1987). Multiple myeloma and engine exhausts, fresh wood, and creosote: A case-referent study. *Am J Ind Med.* 12: 519-529.
- Flood, SP; Ayah, O; Furukawa, S; Norris, RB. (2017). A rare cause of constrictive pericarditis. *B M J Case Reports.* 2017. <http://dx.doi.org/10.1136/bcr-2016-216813>.
- Fonseca, R; Marwick, TH. (2014). How I do it: judging appropriateness for TTE and TEE. *Cardiovasc Ultrasound.* 12: 22. <http://dx.doi.org/10.1186/1476-7120-12-22>.
- Fonseca, R; Negishi, K; Otahal, P; Marwick, TH. (2015). Temporal changes in appropriateness of cardiac imaging [Editorial]. *J Am Coll Cardiol.* 65: 763-773. <http://dx.doi.org/10.1016/j.jacc.2014.11.057>.
- Fonseca, R; Otahal, P; Galligan, J; Neilson, S; Huynh, Q; Saito, M; Negishi, K; Marwick, TH. (2017). Association of survival time with transthoracic echocardiography in stable patients with heart failure: Is routine follow-up ever appropriate? *Int J Cardiol.* 230: 619-624. <http://dx.doi.org/10.1016/j.ijcard.2016.12.043>.
- Fonseca, R; Otahal, P; Wiggins, N; Marwick, TH. (2015). Growth and geographical variation in the use of cardiac imaging in Australia. *Internal Medicine Journal (Online).* 45: 1115-1127. <http://dx.doi.org/10.1111/imj.12867>.
- Fonseca, R; Pathan, F; Marwick, TH. (2016). Development and validation of a screening tool for the identification of inappropriate transthoracic echocardiograms. *BMJ Open.* 6: e012702. <http://dx.doi.org/10.1136/bmjopen-2016-012702>.
- Foo, AS; Tan, ZK; Lee, E; Koh, NY. (2012). Recurrent episodic hypoxaemic respiratory failure following a stroke. *B M J Case Reports.* 2012. <http://dx.doi.org/10.1136/bcr-2012-006371>.
- Forkert, P. (1999). 1,1-Dichloroethylene-induced Clara cell damage is associated with in situ formation of the reactive epoxide. Immunohistochemical detection of its glutathione conjugate. *Am J Respir Cell Mol Biol.* 20: 1310-1318. <http://dx.doi.org/10.1165/ajrcmb.20.6.3525>.
- Forkert, P; Malkinson, A; Rice, P; Moussa, M. (1999). Diminished CYP2E1 expression and formation of 2-S-glutathionyl acetate, a glutathione conjugate derived from 1,1-dichloroethylene epoxide, in murine lung tumors. *Drug Metab Dispos.* 27: 68-73.
- Forkert, PG. (1999). In vivo formation and localization of 1,1-dichloroethylene epoxide in murine liver: Identification of its glutathione conjugate 2-S-glutathionyl acetate. *J Pharmacol Exp Ther.* 290: 1299-1306.
- Fortanelli-Rodríguez, RE; Gómez-Delgado, A; Vera-Canelo, JM; Alvarado-Diez, MÁ; Miranda-Novales, MG; Furuya, ME; Solórzano-Santos, F; Vázquez-Rosales, JG. (2015). [Risk factors related to nosocomial pneumonia in pediatric patients undergoing heart surgery]. *Rev Med Inst Mex Seguro Soc.* 53 Suppl 3: S316-S323.
- Fosser, C; Hutmacher, MM; Gupta, P; Krishnaswami, S; Tortorici, MA. (2014). AN ASSESSMENT OF THE OPERATING CHARACTERISTICS (OCS) OF TIME-TO-EVENT (TTE) EXPOSURE-RESPONSE (ER) ANALYSES OF ADVERSE EVENTS (AES). *Clin Pharmacol Ther.* 95: S58-S59.
- Fotino, AD; Sherma, A. (2015). Patient with Eating Disorder, Carnitine Deficiency and Dilated Cardiomyopathy. *J La State Med Soc.* 167: 162-164.
- Föttinger, K; Ruppel, G. (2014). In situ spectroscopy of complex surface reactions on supported Pd-Zn, Pd-Ga, and Pd(Pt)-Cu nanoparticles. *Acc Chem Res.* 47: 3071-3079. <http://dx.doi.org/10.1021/ar500220v>.
- Fouda, R; Ammar, H; Sobhy, E; Amin, AM. (2012). Unusual cause of pericardial effusion. *B M J Case Reports.* 2012. <http://dx.doi.org/10.1136/bcr-2012-006578>.
- Fournet, M; Behaghel, A; Pavy, C; Flecher, E; Thebault, C. (2014). Spontaneous bacterial coronary sinus septic thrombophlebitis treated successfully medically. *Echocardiography.* 31: E92-E93.
- Fox, A; Sullivan, B; Buffini, J; Neichin, M; Nicora, R; Hoehler, F; O'Rourke, R; Stoltz, R. (1996). Reduction of serum lactate by sodium dichloroacetate, and human pharmacokinetic-pharmacodynamic relationships. *J Pharmacol Exp Ther.* 279: 686-693.
- Fox, TR; Schumann, AM; Watanabe, PG; Yano, BL; Maher, VM; McCormick, JJ. (1990). Mutational analysis of the H-ras oncogene in spontaneous C57BL/6 x C3H/He mouse liver tumors and tumors induced with genotoxic and nongenotoxic hepatocarcinogens. *Cancer Res.* 50: 4014-4019.
- Fraga, MF; Ballestar, E; Villar-Garea, A; Boix-Chornet, M; Espada, J; Schotta, G; Bonaldi, T; Haydon, C; Ropero, S; Petrie, K; Iyer, NG; Pérez-Rosado, A; Calvo, E; Lopez, JA; Cano, A; Calasanz, MJ; Colomer, D; Piris, MA; Ahn, N; Imhof, A; Caldas, C; Jenuwein, T; Esteller, M. (2005). Loss of acetylation at Lys16 and trimethylation at Lys20 of histone H4 is a common hallmark of human cancer. *Nat Genet.* 37: 391-400. <http://dx.doi.org/10.1038/ng1531>.
- Fraga, MF; Herranz, M; Espada, J; Ballestar, E; Paz, MF; Ropero, S; Erkek, E; Bozdogan, O; Peinado, H; Niveleau, A; Mao, JH; Balmain, A; Cano, A; Esteller, M. (2004). A mouse skin multistage carcinogenesis model reflects the aberrant DNA methylation patterns of human tumors. *Cancer Res.* 64: 5527-5534. <http://dx.doi.org/10.1158/0008-5472.CAN-03-4061>.
- Franco, A; Costoya, MA; Roca, E. (2007). Estimating risk during showering exposure to VOCs of workers in a metal-degreasing facility. *J Toxicol Environ Health A.* 70: 627-637. <http://dx.doi.org/10.1080/15287390600974551>.
- Franco, JL; Teixeira, A; Meotti, FC; Ribas, CM; Stringari, J; Garcia Pomblum, SC; Moro, AM; Bohrer, D; Bairros, AV; Dafre, AL; Santos, AR; Farina, M. (2006). Cerebellar thiol status and motor deficit after lactational exposure to methylmercury. *Environ Res.* 102: 22-28. <http://dx.doi.org/10.1016/j.envres.2006.02.003>.

Human Health Hazard Literature Search Results

Off Topic

- Frascardi, D; Bucchi, G; Doria, F; Rosato, A; Tavanaie, N; Salviulo, R; Ciavarelli, R; Pinelli, D; Fraraccio, S; Zanolli, G; Fava, F. (2014). Development of an attached-growth process for the on-site bioremediation of an aquifer polluted by chlorinated solvents. *Biodegradation*. 25: 337-350. <http://dx.doi.org/10.1007/s10532-013-9664-z>.
- Frascardi, D; Fraraccio, S; Nocentini, M; Pinelli, D. (2013). Aerobic/anaerobic/aerobic sequenced biodegradation of a mixture of chlorinated ethenes, ethanes and methanes in batch bioreactors. *Bioresour Technol*. 128: 479-486. <http://dx.doi.org/10.1016/j.biortech.2012.10.026>.
- Frascardi, D; Zanolli, G; Bucchi, G; Rosato, A; Tavanaie, N; Fraraccio, S; Pinelli, D; Fava, F. (2013). Trichloroethylene aerobic cometabolism by suspended and immobilized butane-growing microbial consortia: A kinetic study. *Bioresour Technol*. 144: 529-538. <http://dx.doi.org/10.1016/j.biortech.2013.07.006>.
- Freiermuth, D; Skarvan, K; Filipovic, M; Seeberger, MD; Bolliger, D. (2014). Volatile anaesthetics and positive pressure ventilation reduce left atrial performance: a transthoracic echocardiographic study in young healthy adults. *Br J Anaesth*. 112: 1032-1041. <http://dx.doi.org/10.1093/bja/aet583>.
- Freitas, JG; Rivett, MO; Roche, RS; Durrant, M; Walker, C; Tellam, JH. (2015). Heterogeneous hyporheic zone dechlorination of a TCE groundwater plume discharging to an urban river reach. *Sci Total Environ*. 505: 236-252. <http://dx.doi.org/10.1016/j.scitotenv.2014.09.083>.
- Freixa, X; Ibrahim, R; Chan, J; Garceau, P; Dore, A; Marcotte, F; Mercier, LA; Mongeon, FP; Basmadjian, A; Khairy, P; Asgar, AW. (2013). Initial clinical experience with the GORE septal occluder for the treatment of atrial septal defects and patent foramen ovale. 9: 629-635. <http://dx.doi.org/10.4244/EIJV9I5A100>.
- Freund, A; Zhong, FL; Venteicher, AS; Meng, Z; Veenstra, TD; Frydman, J; Artandi, SE. (2014). Proteostatic control of telomerase function through TRiC-mediated folding of TCAB1. *Cell*. 159: 1389-1403. <http://dx.doi.org/10.1016/j.cell.2014.10.059>.
- Friesen, MC; Locke, SJ; Chen, YC; Coble, JB; Stewart, PA; Ji, BT; Bassig, B; Lu, W; Xue, S; Chow, WH; Lan, Q; Purdue, MP; Rothman, N; Vermeulen, R. (2015). Historical occupational trichloroethylene air concentrations based on inspection measurements from shanghai, china. *Ann Occup Hyg*. 59: 62-78. <http://dx.doi.org/10.1093/annhyg/meu066>.
- Friesen, T; Jassal, DS; Zhu, M; Eng, F; Rigatto, C; Tangri, N; Sood, MM; Karlstedt, E; Premecz, S; Komenda, P. (2015). Cardiovascular remodeling during long-term nocturnal home hemodialysis. *Clin Exp Nephrol*. 19: 514-520. <http://dx.doi.org/10.1007/s10157-014-0992-z>.
- Fritschi, L; Nadon, L; Benke, G; Lakhani, R; Latreille, B; Parent, ME; Siemiatycki, J. (2003). Validation of expert assessment of occupational exposures. *Am J Ind Med*. 43: 519-522. <http://dx.doi.org/10.1002/ajim.10208>.
- Fritschi, L; Siemiatycki, J; Richardson, L. (1996). Self-assessed versus expert-assessed occupational exposures. *Am J Epidemiol*. 144: 521-527.
- Fritz, R; Bolnick, A; Bolnick, J, ay; Schloff, D; Kilburn, B; Drewlo, S; Armant, DR. (2015). FISH Analysis After Trophoblast Retrieval and Isolation Form the Cervix (TRIC) Reveals Low Levels of Mosaicism in Extravillous Trophoblast Cells. *Reproductive Sciences*. 22: 172A-172A.
- Fritz, R; Kohan-Ghadr, HR; Bolnick, JM; Bolnick, AD; Kilburn, BA; Diamond, MP; Drewlo, S; Armant, DR. (2015). Noninvasive detection of trophoblast protein signatures linked to early pregnancy loss using trophoblast retrieval and isolation from the cervix (TRIC). *Fertil Steril*. 104: 339-346.e334. <http://dx.doi.org/10.1016/j.fertnstert.2015.05.010>.
- Fritz, R; Kohan-Ghadr, HR; Sacher, A; Bolnick, AD; Kilburn, BA; Bolnick, JM; Diamond, MP; Drewlo, S; Armant, DR. (2015). Trophoblast retrieval and isolation from the cervix (TRIC) is unaffected by early gestational age or maternal obesity. *Prenat Diagn*. 35: 1218-1222. <http://dx.doi.org/10.1002/pd.4681>.
- Frøyland, L; Madsen, L; Vaagenes, H; Totland, GK; Auwerx, J; Kryvi, H; Staels, B; Berge, RK. (1997). Mitochondrion is the principal target for nutritional and pharmacological control of triglyceride metabolism. *J Lipid Res*. 38: 1851-1858.
- Fryearson, J; Edwards, NC; Doshi, SN; Steeds, RP. (2016). The role of TTE in assessment of the patient before and following TAVI for AS [Review]. 3: R19-R34. <http://dx.doi.org/10.1530/ERP-16-0004>.
- Fucci, C; Faggiano, P; Nardi, M; D'Aloia, A; Coletti, G; De Cicco, G; Latini, L; Vizzardi, E; Lorusso, R. (2013). Triple-orifice valve repair in severe Barlow disease with multiple-jet mitral regurgitation: report of mid-term experience. *Int J Cardiol*. 167: 2623-2629. <http://dx.doi.org/10.1016/j.ijcard.2012.06.101>.
- Fuchs, KH; Breithaupt, W; Kühl, HJ; Schulz, T; Dignass, A. (2010). Experience with a training program for transgastric procedures in NOTES. *Surgical Endoscopy*. 24: 601-609. <http://dx.doi.org/10.1007/s00464-009-0587-z>.
- Fujita, J; Marino, MW; Wada, H; Jungbluth, AA; Mackrell, PJ; Rivadeneira, DE; Stapleton, PP; Daly, JM. (2001). Effect of TNF gene depletion on liver regeneration after partial hepatectomy in mice. *Surgery*. 129: 48-54.
- Fujita, K; Nakashima, K; Kumakura, H; Minami, K. (2014). A surgical experience of symptomatic sigmoid septum: drastic exacerbation of mitral regurgitation after sufficient ventricular septal myectomy. 20 Suppl: 871-877. <http://dx.doi.org/10.5761/atcs.cr.13-00092>.
- Fujiwara, Y; Manabe, H; Izumi, B; Tanaka, H; Kawai, K; Tanaka, N. (2016). The Efficacy of Intraoperative Neurophysiological Monitoring Using Transcranial Electrically Stimulated Muscle-evoked Potentials (TcE-MsEPs) for Predicting Postoperative Segmental Upper Extremity Motor Paresis After Cervical Laminoplasty. 29: E188-E195. <http://dx.doi.org/10.1097/BSD.0000000000000311>.
- Fukuda, DH; Smith, AE; Kendall, KL; Stout, JR. (2010). The possible combinatory effects of acute consumption of caffeine, creatine, and amino acids on the improvement of anaerobic running performance in humans. 30: 607-614. <http://dx.doi.org/10.1016/j.nutres.2010.09.004>.
- Fukuda, S; Watanabe, H; Shimada, K; Aikawa, M; Kono, Y; Jissho, S; Taguchi, H; Umemura, J; Yoshiyama, M; Shiota, T; Sumiyoshi, T; Yoshikawa, J. (2011). Left atrial thrombus and prognosis after anticoagulation therapy in patients with atrial fibrillation. *J Cardiol*. 58: 266-277. <http://dx.doi.org/10.1016/j.jjcc.2011.06.009>.
- Funabashi, N; Takaoka, H; Horie, S; Ozawa, K; Daimon, M; Takahashi, M; Yajima, R; Saito, M; Fujiwara, K; Tani, A; Kamata, T; Uehara, M; Kataoka, A; Kobayashi, Y. (2013). Regional peak longitudinal-strain by 2D speckle-tracking TTE provides useful information to distinguish fibrotic

Human Health Hazard Literature Search Results

Off Topic

- from non-fibrotic lesions in LV myocardium on cardiac MR in hypertrophic cardiomyopathy [Letter]. *Int J Cardiol.* 168: 4520-4523. <http://dx.doi.org/10.1016/j.ijcard.2013.06.105>.
- Furge, KA; Dykema, K; Petillo, D; Westphal, M; Zhang, ZF; Kort, EJ; Teh, BT. (2007). Combining differential expression, chromosomal and pathway analyses for the molecular characterization of renal cell carcinoma. *Canadian Urological Association Journal.* 1: S21-S27.
- Furiak, NM; Klein, RW; Kahle-Wroblewski, K; Siemers, ER; Sarpong, E; Klein, TM. (2010). Modeling screening, prevention, and delaying of Alzheimer's disease: an early-stage decision analytic model. *BMC Med Inform Decis Mak.* 10: 24. <http://dx.doi.org/10.1186/1472-6947-10-24>.
- Fürstenberger, G; Senn, HJ. (2002). Insulin-like growth factors and cancer [Review]. *Lancet Oncol.* 3: 298-302. [http://dx.doi.org/10.1016/S1470-2045\(02\)00731-3](http://dx.doi.org/10.1016/S1470-2045(02)00731-3).
- Futagami, T; Okamoto, F; Hashimoto, H; Fukuzawa, K; Higashi, K; Nazir, KH; Wada, E; Suyama, A; Takegawa, K; Goto, M; Nakamura, K; Furukawa, K. (2011). Enrichment and characterization of a trichloroethene-dechlorinating consortium containing multiple "dehalococoides" strains. *Biosci Biotechnol Biochem.* 75: 1268-1274. <http://dx.doi.org/10.1271/bbb.110028>.
- G, M; A G, R; Moon, IS. (2016). Gaseous trichloroethylene removal using an electrochemically generated homogeneous low-valent ligand-free Co(I) electrocatalyst by electro-scrubbing. *J Hazard Mater.* 311: 210-217. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.011>.
- Gabrijelcic, T. (2012). Blockage of a mechanical aortic valve leaflet with Bioglu: a case report. *Heart Surg Forum.* 15: E310-E312. <http://dx.doi.org/10.1532/HSF98.20121067>.
- Gadde, S; Omar, B. (2015). Chest Pain With Apical Diverticulum in the Absence of Coronary Disease: Case Report and Review of the Literature. 6: 352-356. <http://dx.doi.org/10.14740/cr442e>.
- Gaglio, PJ; Liu, H; Dash, S; Cheng, S; Dunne, B; Ratterree, M; Baskin, G; Blanchard, J; Bohm, R; Theise, ND; LaBrecque, D. (2002). Liver regeneration investigated in a non-human primate model (*Macaca mulatta*). *J Hepatol.* 37: 625-632. [http://dx.doi.org/10.1016/S0168-8278\(02\)00262-3](http://dx.doi.org/10.1016/S0168-8278(02)00262-3).
- Gagnaire, F; Marignac, B; Langlais, C; Bonnet, P. (2001). Ototoxicity in rats exposed to ortho-, meta- and para-xylene vapours for 13 weeks. *Pharmacol Toxicol.* 89: 6-14. <http://dx.doi.org/10.1111/j.1600-0773.2001.890102.x>.
- Gajjar, A; Atherton, J. (2011). Isolated right atrial tear following blunt trauma. 2011: 8. <http://dx.doi.org/10.1093/jscr/2011.8.8>.
- Galano, A; Narciso-Lopez, M; Francisco-Marquez, M. (2010). Water complexes of important air pollutants: geometries, complexation energies, concentrations, infrared spectra, and intrinsic reactivity. *J Phys Chem A.* 114: 5796-5809. <http://dx.doi.org/10.1021/jp101157b>.
- Galbraith, A; Hopker, J; Passfield, L. (2015). Modeling Intermittent Running from a Single-visit Field Test. *Int J Sports Med.* 36: 365-370. <http://dx.doi.org/10.1055/s-0034-1394465>.
- Gallego, E; Roca, FJ; Perales, JF; Guardino, X. (2010). Comparative study of the adsorption performance of a multi-sorbent bed (Carbotrap, Carboxen 569) and a Tenax TA adsorbent tube for the analysis of volatile organic compounds (VOCs). *Talanta.* 81: 916-924. <http://dx.doi.org/10.1016/j.talanta.2010.01.037>.
- Gallou, C; Longuemaux, S; Deloménie, C; Méjean, A; Martin, N; Martinet, S; Palais, G; Bouvier, R; Droz, D; Krishnamoorthy, R; Junien, C; Bérout, C; Dupret, J. (2001). Association of GSTT1 non-null and NAT1 slow/rapid genotypes with von Hippel-Lindau tumour suppressor gene transversions in sporadic renal cell carcinoma. *Pharmacogenetics.* 11: 521-535.
- Galougahi, KK; Stewart, T; Choong, CY; Storey, CE; Yates, M; Tofler, GH. (2010). The utility of transoesophageal echocardiography to determine management in suspected embolic stroke. *Internal Medicine Journal (Online).* 40: 813-818. <http://dx.doi.org/10.1111/j.1445-5994.2009.02103.x>.
- Galyaltdinov, SF; Ziganshin, MA; Drapailo, AB; Gorbachuk, VV. (2012). Unusually High Selectivity of Guest Exchange in tert-Butylthiacalix[4]arene Clathrate Producing More Thermostable Inclusion and Memory of Guest. *J Phys Chem B.* 116: 11379-11385. <http://dx.doi.org/10.1021/jp3065739>.
- Gama, C; Meira, JB. (1978). Occupational acro-osteolysis. *J Bone Joint Surg Am.* 60: 86-90.
- Gan, BQ; Tang, BL. (2010). Sirt1's beneficial roles in neurodegenerative diseases - a chaperonin containing TCP-1 (CCT) connection? [Review]. *Aging Cell.* 9: 924-929. <http://dx.doi.org/10.1111/j.1474-9726.2010.00597.x>.
- Gan, Y; Yu, T; Zhou, A; Liu, Y; Yu, K; Han, L. (2014). Variability in the carbon isotope fractionation of trichloroethene on its reductive dechlorination by vitamin B12. *Environ Sci Process Impacts.* 16: 1882-1888. <http://dx.doi.org/10.1039/c4em00040d>.
- Ganapathi, AM; Englum, BR; Schechter, MA; Vavalle, JP; Harrison, JK; Mccann, RL; Hughes, GC. (2014). Role of cardiac evaluation before thoracic endovascular aortic repair. *J Vasc Surg.* 60: 1196-1203. <http://dx.doi.org/10.1016/j.jvs.2014.05.029>.
- Ganda, A; Weiner, SD; Chudasama, NL; Valeri, AM; Jadoon, A; Shimbo, D; Radhakrishnan, J. (2012). Echocardiographic changes following hemodialysis initiation in patients with advanced chronic kidney disease and symptomatic heart failure with reduced ejection fraction. *Clin Nephrol.* 77: 366-375.
- Gandhi, M; Aweeka, F; Greenblatt, RM; Blaschke, TF. (2004). Sex differences in pharmacokinetics and pharmacodynamics. *Annu Rev Pharmacol Toxicol.* 44: 499-523. <http://dx.doi.org/10.1146/annurev.pharmtox.44.101802.121453>.
- Gandillet, A; Alexandre, E; Royer, C; Cinqualbre, J; Jaeck, D; Richert, L. (2003). Hepatocyte ploidy in regenerating livers after partial hepatectomy, drug-induced necrosis, and cirrhosis. *Eur Surg Res.* 35: 148-160. <http://dx.doi.org/10.1159/000070044>.
- Gandini, R; Chiocchi, M; Loreni, G; Del Giudice, C; Morosetti, D; Chiaravalloti, A; Simonetti, G. (2014). Treatment of type II endoleak after endovascular aneurysm repair: the role of selective vs. nonselective transcaval embolization. *J Endovasc Ther.* 21: 714-722. <http://dx.doi.org/10.1583/14-4571MR.1>.

Human Health Hazard Literature Search Results

Off Topic

- Ganesamoni, S; Krishnamurthy, A. (2014). Three-field transthoracic versus transhiatal esophagectomy in the management of carcinoma esophagus-a single-center experience with a review of literature [Review]. *J Gastrointest Cancer*. 45: 66-73. <http://dx.doi.org/10.1007/s12029-013-9562-y>.
- Gansäuer, A; Dahmen, T. (2012). Reductive cleavage of 2,2,2-trichloroethyl esters by titanocene catalysis [Review]. *Chimia*. 66: 433-434. <http://dx.doi.org/10.2533/chimia.2012.433>.
- Gao, B; Liu, WB; Jia, LY; Xu, L; Xie, J. (2011). Isolation and characterization of an *Alcaligenes* sp. strain DG-5 capable of degrading DDTs under aerobic conditions. *J Environ Sci Health B*. 46: 257-263. <http://dx.doi.org/10.1080/03601234.2011.540534>.
- Gao, C; Ren, C; Xiao, C; Wu, Y; Wang, G; Liu, G; Wang, Y. (2012). Extended myectomy for hypertrophic obstructive cardiomyopathy. *Heart Surg Forum*. 15: E251-E256. <http://dx.doi.org/10.1532/HSF98.20111185>.
- Gao, CQ; Ren, CL; Xiao, C; Wu, Y; Wang, G; Liu, GP; Wang, Y. (2012). [Surgical treatment with modified Morrow procedure in hypertrophic obstructive cardiomyopathy]. *Zhonghua Wai Ke Za Zhi*. 50: 434-437.
- Gao, H; Blanford, WJ; Gao, A. (2013). Solubility Enhancement Effect of Cyclodextrin on Groundwater Pollutants. *Ground Water*. 51: 268-275. <http://dx.doi.org/10.1111/j.1745-6584.2012.00963.x>.
- Gao, J; Wang, W; Rondinone, AJ; He, F; Liang, L. (2015). Degradation of Trichloroethene with a Novel Ball Milled Fe-C Nanocomposite. *J Hazard Mater*. 300: 443-450. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.038>.
- Gao, J; Yang, C; Ding, H; Zhang, Y; Xue, J; Cai, Y. (2015). 2,2,2-Trichloroethanol lengthens the circadian period of Bmal1-driven circadian bioluminescence rhythms in U2OS cells. *Biochem Biophys Res Commun*. 462: 239-244. <http://dx.doi.org/10.1016/j.bbrc.2015.04.123>.
- Gao, L; Yang, YF; Wu, Q; Tang, H; Xu, XH. (2011). [Echocardiography guided coated stent-graft implantation for patients with Stanford B aortic dissection]. *Zhonghua Xin Xue Guan Bing Za Zhi*. 39: 984-988.
- Gao, P; Tang, Q; An, X; Yan, X; Liang, D. (2011). Structure of HsdS subunit from *Thermoanaerobacter tengcongensis* sheds lights on mechanism of dynamic opening and closing of type I methyltransferase. *PLoS ONE*. 6: e17346. <http://dx.doi.org/10.1371/journal.pone.0017346>.
- Gao, XJ; Riabinina, O; Li, J; Potter, CJ; Clandinin, TR; Luo, L. (2015). A transcriptional reporter of intracellular Ca(2+) in *Drosophila*. *Nat Neurosci*. 18: 917-925. <http://dx.doi.org/10.1038/nn.4016>.
- Garazzino, S; Galli, L; Chiappini, E; Pinon, M; Bergamini, BM; Cazzato, S; Dal Monte, P; Dodi, I; Lancellata, L; Esposito, S; Iughetti, L; Montagnani, C; De Martino, M; Tovo, PA; Group, SIS. (2014). Performance of interferon- γ release assay for the diagnosis of active or latent tuberculosis in children in the first 2 years of age: a multicenter study of the Italian Society of Pediatric Infectious Diseases. *Pediatr Infect Dis J*. 33: e226-e231. <http://dx.doi.org/10.1097/INF.0000000000000353>.
- Garcia, J; Capoulade, R; Le Ven, F; Gaillard, E; Kadem, L; Pibarot, P; Larose, É. (2013). Discrepancies between cardiovascular magnetic resonance and Doppler echocardiography in the measurement of transvalvular gradient in aortic stenosis: the effect of flow vorticity. *J Cardiovasc Magn Reson*. 15: 84. <http://dx.doi.org/10.1186/1532-429X-15-84>.
- Garcia, J; Kadem, L; Larose, E; Clavel, MA; Pibarot, P. (2011). Comparison between cardiovascular magnetic resonance and transthoracic Doppler echocardiography for the estimation of effective orifice area in aortic stenosis. *J Cardiovasc Magn Reson*. 13: 25. <http://dx.doi.org/10.1186/1532-429X-13-25>.
- Garcia, J; Marrufo, OR; Rodriguez, AO; Larose, E; Pibarot, P; Kadem, L. (2012). Cardiovascular magnetic resonance evaluation of aortic stenosis severity using single plane measurement of effective orifice area. *J Cardiovasc Magn Reson*. 14: 23. <http://dx.doi.org/10.1186/1532-429X-14-23>.
- Garcia, J; Pibarot, P; Capoulade, R; Le Ven, F; Kadem, L; Larose, E. (2013). Usefulness of cardiovascular magnetic resonance imaging for the evaluation of valve opening and closing kinetics in aortic stenosis. 14: 819-826. <http://dx.doi.org/10.1093/ehjci/jes314>.
- Garcia-Sayan, E; Patel, M; Wassouf, M; Pant, R; D'Silva, O; Kehoe, RF; Doukky, R. (2016). Derivation and validation of E/e' ratio as a parameter in the evaluation of left atrial appendage thrombus formation in patients with nonvalvular atrial fibrillation. *Int J Cardiovasc Imaging*. 32: 1349-1356. <http://dx.doi.org/10.1007/s10554-016-0916-y>.
- Garfinkel, L; Stellman, SD. (1988). Smoking and lung cancer in women: Findings in a prospective study. *Cancer Res*. 48: 6951-6955.
- Garg, J; Palaniswamy, C; Pinnamaneni, S; Sarungbam, J; Jain, D. (2016). Prosthetic Valve Thrombosis: Diagnosis and Management. *Am J Ther*. 23: e252-e255. <http://dx.doi.org/10.1097/MJT.0000000000000117>.
- Garg, N; Kapur, KK; Ganjoo, A; Kaul, S. (2016). Case report: a rare case of pedunculated LV hemangioma evaluated by 3D echocardiography and compared with myxoma. *Echocardiography*. 33: 1608-1610. <http://dx.doi.org/10.1111/echo.13322>.
- Garg, P; Kamaruddin, H; Orme, R; Watt, V. (2014). Type F Congenital Quadricuspid Aortic Valve: A Very Rare Case Diagnosed by 3-dimensional Transoesophageal Echocardiography. *The Open Cardiovascular Medicine Journal*. 8: 23-25. <http://dx.doi.org/10.2174/1874192401408010023>.
- Garg, P; Musa, TA; Ripley, DP. (2015). Imaging Tuberous Sclerosis: The Incremental Benefit of Three-Dimensional and Speckle Tracking Echocardiography. *Echocardiography*. 32: 1432-1434. <http://dx.doi.org/10.1111/echo.12921>.
- Gargouri, I; Khadhraoui, M; Nisse, C; Leroyer, A; Larbi Masmoudi, M; Elleuch, B; Zmirou-Navier, D. (2012). Occupational assessment of exposure to organic solvents in an adhesive producing company in Sfax, Tunisia. *J Occup Environ Hyg*. 9: D71-D76. <http://dx.doi.org/10.1080/15459624.2012.666494>.
- Garlantezec, R; Multigner, L; Labat, L; Bonvallot, N; Pulkkinen, J; Dananche, B; Monfort, C; Rouget, F; Cordier, S. (2012). Urinary biomarkers of exposure to glycol ethers and chlorinated solvents during pregnancy: determinants of exposure and comparison with indirect methods of exposure assessment. *Occup Environ Med*. 69: 62-70. <http://dx.doi.org/10.1136/oem.2010.062315>.
- Gart, JJ; Chu, KC; Tarone, RE. (1979). Statistical issues in interpretation of chronic bioassay tests for carcinogenicity. *J Natl Cancer Inst*. 62: 957-974.

Human Health Hazard Literature Search Results

Off Topic

- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev.* 10: 1239-1248.
- Gaspar, T; Adawi, S; Sachner, R; Asmer, I; Ganaeem, M; Rubinshtein, R; Shiran, A. (2012). Three-dimensional imaging of the left ventricular outflow tract: impact on aortic valve area estimation by the continuity equation. *J Am Soc Echocardiogr.* 25: 749-757. <http://dx.doi.org/10.1016/j.echo.2012.05.001>.
- Gaudron, M; Bonnaud, I; Ros, A; Patat, F; de Toffol, B; Giraudeau, B; Debais, S. (2014). Diagnostic and therapeutic value of echocardiography during the acute phase of ischemic stroke. 23: 2105-2109. <http://dx.doi.org/10.1016/j.jstrokecerebrovasdis.2014.03.018>.
- Gautam, MK; Goel, S; Ghatule, RR; Singh, A; Nath, G; Goel, RK. (2013). Curative effect of Terminalia chebula extract on acetic acid-induced experimental colitis: role of antioxidants, free radicals and acute inflammatory marker. *Inflammopharmacology.* 21: 377-383. <http://dx.doi.org/10.1007/s10787-012-0147-3>.
- Gaw, S; Northcott, G; Kim, N; Wilkins, A; Jensen, J. (2012). Comparison of earthworm and chemical assays of the bioavailability of aged 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene, 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane, and heavy metals in orchard soils. *Environ Toxicol Chem.* 31: 1306-1316. <http://dx.doi.org/10.1002/etc.1817>.
- Gawthrope, IC; Playford, DA; King, B; Brown, K; Wilson, C; Mckeown, B. (2014). The cardiac effects of hyperbaric oxygen at 243 kPa using in-chamber echocardiography. *Diving and Hyperbaric Medicine.* 44: 141-145.
- Ge, R; Wang, W; Kramer, PM; Yang, S; Tao, L; Pereira, MA. (2001). Wy-14,643-induced hypomethylation of the c-myc gene in mouse liver. *Toxicol Sci.* 62: 28-35.
- Ge, W, ei; Cao, D, eD; Wang, H, uimin; Jie, FF; Zheng, Y, fa; Chen, Y, u. (2011). Endostar Combined with Chemotherapy versus Chemotherapy alone for Advanced NSCLCs: A Meta-analysis. *Asian Pac J Cancer Prev.* 12: 2901-2907.
- Gelderblom, WC; Galendo, D; Abel, S; Swanevelter, S; Marasas, WF; Wild, CP. (2001). Cancer initiation by fumonisin B(1) in rat liver: Role of cell proliferation. *Cancer Lett.* 169: 127-137.
- Gelfand, AE; Smith, AFM. (1990). Sampling based approaches to calculating marginal densities. *J Am Stat Assoc.* 85: 398 - 409.
- Gelman, A; Bois, F; Jiang, J. (1996). Physiological pharmacokinetic analysis using population modeling and informative prior distributions. *J Am Stat Assoc.* 91: 1400-1412.
- Gelman, A; Carlin, JB; Stern, HS; Rubin, DB. (2003). Bayesian data analysis. In Chapman & Hall/CRC Texts in Statistical Science (2nd ed.). Boca Raton, FL: Chapman and Hall/CRC Press. <http://www.crcpress.com/product/isbn/9781584883883>.
- Génier, S; Degrandmaison, J; Moreau, P; Labrecque, P; Hébert, TE; Parent, JL. (2016). Regulation of GPCR expression through an interaction with CCT7, a subunit of the CCT/TRiC complex. *Mol Biol Cell.* 27: 3800-3812. <http://dx.doi.org/10.1091/mbc.E16-04-0224>.
- Gentile-Lorente, DI; Salvadó-Usach, T. (2011). [Screening for abdominal aortic aneurysm by means of transthoracic echocardiography]. *Reviews Esp Cardiol.* 64: 395-400. <http://dx.doi.org/10.1016/j.recesp.2010.11.009>.
- Gentner, DR; Miller, AM; Goldstein, AH. (2010). Seasonal variability in anthropogenic halocarbon emissions. *Environ Sci Technol.* 44: 5377-5382. <http://dx.doi.org/10.1021/es1005362>.
- George, E; Kumamaru, KK; Ghosh, N; Gonzalez Quesada, C; Wake, N; Bedayat, A; Dunne, RM; Saboo, SS; Khandelwal, A; Hunsaker, AR; Rybicki, FJ; Gerhard-Herman, M. (2014). Computed tomography and echocardiography in patients with acute pulmonary embolism: part 2: prognostic value. *J Thorac Imaging.* 29: W7-12. <http://dx.doi.org/10.1097/RTI.0000000000000048>.
- George, J; Byth, K; Farrell, GC. (1995). Age but not gender selectively affects expression of individual cytochrome P450 proteins in human liver. *Biochem Pharmacol.* 50: 727-730. [http://dx.doi.org/10.1016/0006-2952\(95\)00192-3](http://dx.doi.org/10.1016/0006-2952(95)00192-3).
- George, JD; Price, CJ; Navarro, HA; Marr, MC; Myers, CB; Hunter ES Schwetz, BA; Shelby, MD. (1995). Developmental toxicity of thiophenol (THIO) in rats and rabbits [Abstract]. *Toxicologist.* 15: 160.
- George, LE; Locasto, LW; Pyo, KA; W Cline, T. (2017). Effect of the dedicated education unit on nursing student self-efficacy: A quasi-experimental research study. *Nurse Educ Pract.* 23: 48-53. <http://dx.doi.org/10.1016/j.nepr.2017.02.007>.
- George, MH; Moore, T; Kilburn, S; Olson, GR; Deangelo, AB. (2000). Carcinogenicity of chloral hydrate administered in drinking water to the male F344/N rat and male B6C3F1 mouse. *Toxicol Pathol.* 28: 610-618.
- Georgeon-Chartier, C; Menguy, C; Prévot, A; Morel, JL. (2013). Effect of aging on calcium signaling in C57Bl6J mouse cerebral arteries. *Pflugers Arch.* 465: 829-838. <http://dx.doi.org/10.1007/s00424-012-1195-7>.
- Gergely, M; Ablonczy, L; Kramer, S; Székely, EA; Sápi, E; Gál, J; Szatmári, A; Székely, A. (2012). Comparison of transpulmonary thermodilution, transthoracic echocardiography and conventional hemodynamic monitoring in neonates and infants after open heart surgery: a preliminary study. *Minerva Anesthesiol.* 78: 1101-1108.
- Gerlach, RM; Saha, TK; Allard, RV; Tanzola, RC. (2013). Unrecognized tamponade diagnosed pre-induction by focused echocardiography. *Can J Anaesth.* 60: 803-807. <http://dx.doi.org/10.1007/s12630-013-9968-9>.
- German Committee on Indoor Guidelines. (2015). [Health evaluation of indoor air carcinogens: first addendum to the basic scheme. Communication from the German Committee on Indoor Guidelines]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz.* 58: 769-773. <http://dx.doi.org/10.1007/s00103-015-2175-9>.

Human Health Hazard Literature Search Results

Off Topic

- Gevorgyan, R; Perlowski, A; Shenoda, M; Mojadidi, MK; Agrawal, H; Tobis, JM. (2014). Sensitivity of brachial versus femoral vein injection of agitated saline to detect right-to-left shunts with Transcranial Doppler. 84: 992-996. <http://dx.doi.org/10.1002/ccd.25391>.
- Ghani, S; Papadakis, M; Kemp, S; Zaidi, A; Sheikh, N; Gati, S; Raju, H; Smith, A; Palmer, C; Somauroo, J; Sharma, S. (2016). Results of a nationally implemented de novo cardiac screening programme in elite rugby players in England. *Br J Sports Med*. <http://dx.doi.org/10.1136/bjsports-2015-095902>.
- Gharacholou, SM; Tashiro, T; Cha, SS; Scott, CG; Takahashi, PY; Pellikka, PA. (2015). Echocardiographic indices associated with frailty in adults ≥ 65 years. *Am J Cardiol*. 116: 1591-1595. <http://dx.doi.org/10.1016/j.amjcard.2015.08.023>.
- Ghiasvand, R; Askari, G; Malekzadeh, J; Hajishafiee, M; Daneshvar, P; Akbari, F; Bahreynian, M. (2012). Effects of Six Weeks of β -alanine Administration on VO(2) max, Time to Exhaustion and Lactate Concentrations in Physical Education Students. *IJPM*. 3: 559-563.
- Ghiglione, Y; Falivene, J; Ruiz, MJ; Laufer, N; Sociás, ME; Cahn, P; Giavedoni, L; Sued, O; Gherardi, MM; Salomón, H; Turk, G. (2014). Early skewed distribution of total and HIV-specific CD8+ T-cell memory phenotypes during primary HIV infection is related to reduced antiviral activity and faster disease progression. *PLoS ONE*. 9: e104235. <http://dx.doi.org/10.1371/journal.pone.0104235>.
- Ghorpade, PA; Kim, JH; Choi, WH; Park, JY. (2014). New and effective multi-element alpha-hematite systems for reduction of trichloroethylene. *Environ Technol*. 35: 27-35. <http://dx.doi.org/10.1080/09593330.2013.805819>.
- Ghosh, SK; Corkill, MM; Hart, HH; Ng, KP. (2014). Screening for pulmonary arterial hypertension in patients with scleroderma--a New Zealand perspective. *N Z Med J*. 127: 30-38.
- Ghoshal, AK; Farber, E. (1984). The induction of liver cancer by dietary deficiency of choline and methionine without added carcinogens. *Carcinogenesis*. 5: 1367-1370. <http://dx.doi.org/10.1093/carcin/5.10.1367>.
- Ghulam Ali, S; Fusini, L; Tamborini, G; Muratori, M; Gripari, P; Mapelli, M; Zanobini, M; Alamanni, F; Pepi, M. (2016). Detailed Transthoracic and Transesophageal Echocardiographic Analysis of Mitral Leaflets in Patients Undergoing Mitral Valve Repair. *Am J Cardiol*. 118: 113-120. <http://dx.doi.org/10.1016/j.amjcard.2016.04.020>.
- Gianstefani, S; Catibog, N; Whittaker, AR; Ioannidis, AG; Vecchio, F; Wathen, PT; Douiri, A; Reiken, J; Monaghan, MJ. (2013). Pocket-size imaging device: effectiveness for ward-based transthoracic studies. 14: 1132-1139. <http://dx.doi.org/10.1093/ehjci/jet091>.
- Giardino, NJ; Andelman, JB. (1996). Characterization of the emissions of trichloroethylene, chloroform, and 1,2-dibromo-3-chloropropane in a full-size, experimental shower. *J Expo Anal Environ Epidemiol*. 6: 413-423.
- Gibson, D; Aardema, M; Kerckaert, G; Carr, G; Brauning, R; LeBoeuf, R. (1995). Detection of aneuploidy-inducing carcinogens in the Syrian hamster embryo (SHE) cell transformation assay. *Mutat Res*. 343: 7-24. [http://dx.doi.org/10.1016/0165-1218\(95\)90058-6](http://dx.doi.org/10.1016/0165-1218(95)90058-6).
- Gilbert, K; Cooney, C; Broadfoot, B; Chandler, G; Erickson, S; Blossom, S. (2014). Water pollutant trichloroethylene epigenetically alters CD4+T cells in mouse model of autoimmune disease. *Toxicol Lett*. 229: S209-S209. <http://dx.doi.org/10.1016/j.toxlet.2014.06.896>.
- Gilbert, K; Rowley, B; Hennings, L; Blossom, S. (2010). CO-exposure to mercury accelerates autoimmunity induced by trichloroethylene. *Toxicol Lett*. 196: S201-S202. <http://dx.doi.org/10.1016/j.toxlet.2010.03.681>.
- Gilks, WR; Richardson, S; Spiegelhalter, DJ. (1995). Markov chain Monte Carlo in practice. Boca Raton, FL: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412055515>.
- Gill, S; Le, HD; Melkani, GC; Panda, S. (2015). Time-restricted feeding attenuates age-related cardiac decline in *Drosophila*. *Science*. 347: 1265-1269. <http://dx.doi.org/10.1126/science.1256682>.
- Giller, S; Le Curieux, F; Erb, F; Marzin, D. (1997). Comparative genotoxicity of halogenated acetic acids found in drinking water. *Mutagenesis*. 12: 321-328.
- Giller, S; Le Curieux, F; Gauthier, L; Erb, F; Marzin, D. (1995). Genotoxicity assay of chloral hydrate and chloropicrine. *Mutat Res*. 348: 147-152. [http://dx.doi.org/10.1016/0165-7992\(95\)90002-0](http://dx.doi.org/10.1016/0165-7992(95)90002-0).
- Gilmour, J; Kafka, H; Ropchan, G; Johri, AM. (2011). Anomalous right coronary artery: a multimodality hunt for the origin. 2011: 286598. <http://dx.doi.org/10.1155/2011/286598>.
- Ginsberg, G; Hattis, D; Miller, R; Sonawane, B. (2004). Pediatric pharmacokinetic data: Implications for environmental risk assessment for children. *Pediatrics*. 113: 973-983.
- Ginsberg, G; Hattis, D; Russ, A; Sonawane, B. (2005). Pharmacokinetic and pharmacodynamic factors that can affect sensitivity to neurotoxic sequelae in elderly individuals. *Environ Health Perspect*. 113: 1243-1249. <http://dx.doi.org/10.1289/ehp.7568>.
- Ginsberg, G; Hattis, D; Sonawane, B. (2004). Incorporating pharmacokinetic differences between children and adults in assessing children's risks to environmental toxicants [Review]. *Toxicol Appl Pharmacol*. 198: 164-183. <http://dx.doi.org/10.1016/j.taap.2003.10.010>.
- Ginsberg, G; Hattis, D; Sonawane, B; Russ, A; Banati, P; Kozlak, M; Smolenski, S; Goble, R. (2002). Evaluation of child/adult pharmacokinetic differences from a database derived from the therapeutic drug literature. *Toxicol Sci*. 66: 185-200.
- Giunio, L; Boric, T; Bulat, C; Dragicevic, D; Lozo, M. (2016). Cardiac Tamponade after Right Ventricular Perforation Caused by Screw-in Lead. *Int J Angiol*. 25: e177-e179. <http://dx.doi.org/10.1055/s-0036-1580700>.
- Gladue, H; Altork, N; Townsend, W; McLaughlin, V; Khanna, D. (2014). Screening and diagnostic modalities for connective tissue disease-associated pulmonary arterial hypertension: a systematic review [Review]. *Semin Arthritis Rheum*. 43: 536-541. <http://dx.doi.org/10.1016/j.semarthrit.2013.08.002>.
- Gladue, H; Steen, V; Allanore, Y; Saggari, R; Saggari, R; Maranian, P; Berrocal, VJ; Avouac, J; Meune, C; Trivedi, M; Khanna, D. (2013). Combination of echocardiographic and pulmonary function test measures improves sensitivity for diagnosis of systemic sclerosis-associated pulmonary arterial hypertension: analysis of 2 cohorts. *J Rheumatol*. 40: 1706-1711. <http://dx.doi.org/10.3899/jrheum.130400>.
- Glaser, J; Cardarelli, C; Galvagno, S; Scalea, T; Murthi, S. (2016). Bridging the gap: hybrid cardiac echo in the critically ill. 81: S157-S161. <http://dx.doi.org/10.1097/TA.0000000000001020>.

Human Health Hazard Literature Search Results

Off Topic

- Gleason, MK; Verneris, MR; Todhunter, DA; Zhang, B; Mccullar, V; Zhou, SX; Panoskaltis-Mortari, A; Weiner, LM; Vallera, DA; Miller, JS. (2012). Bispecific and trispecific killer cell engagers directly activate human NK cells through CD16 signaling and induce cytotoxicity and cytokine production. *Mol Cancer Ther.* 11: 2674-2684. <http://dx.doi.org/10.1158/1535-7163.MCT-12-0692>.
- Glenn, JM; Gray, M; Stewart, R; Moyen, NE; Kavouras, SA; Dibrezzo, R; Turner, R; Baum, J. (2015). Incremental effects of 28 days of beta-alanine supplementation on high-intensity cycling performance and blood lactate in masters female cyclists. *Amino Acids.* 47: 2593-2600. <http://dx.doi.org/10.1007/s00726-015-2050-x>.
- Gochfeld, M. (2007). Framework for gender differences in human and animal toxicology. *Environ Res.* 104: 4-21. <http://dx.doi.org/10.1016/j.envres.2005.12.005>.
- Goffinet, C; Kersten, V; Pouleur, AC; le Polain de Waroux, JB; Vancraeynest, D; Pasquet, A; Vanoverschelde, JL; Gerber, BL. (2010). Comprehensive assessment of the severity and mechanism of aortic regurgitation using multidetector CT and MR. *Eur Radiol.* 20: 326-336. <http://dx.doi.org/10.1007/s00330-009-1544-x>.
- Gogia, R; Kumar, B; Jayant, A. (2014). A proposed method to visualize the ductus arteriosus on transesophageal echocardiography. *Ann Card Anaesth.* 17: 296-298. <http://dx.doi.org/10.4103/0971-9784.142068>.
- Goh, SS; Laursen, PB; Dascombe, B; Nosaka, K. (2011). Effect of lower body compression garments on submaximal and maximal running performance in cold (10°C) and hot (32°C) environments. *Eur J Appl Physiol.* 111: 819-826. <http://dx.doi.org/10.1007/s00421-010-1705-2>.
- Goitein, O; Salem, Y; Jacobson, J; Goitein, D; Mishali, D; Hamdan, A; Kuperstein, R; Di Segni, E; Konen, E. (2014). The role of cardiac computed tomography in infants with congenital heart disease. *Isr Med Assoc J.* 16: 147-152.
- Gold, L. S.; Zeiger, E. (1997). Handbook of carcinogenic potency and genotoxicity databases. In LS Gold; E Zeiger (Eds.). Boca Raton, FL: CRC Press.
- Goldberg, YH; Ginelli, P; Siegel, R; Ostfeld, RJ; Schaefer, M; Spevack, DM. (2012). Administration of perflutren contrast agents during transthoracic echocardiography is not associated with a significant increase in acute mortality risk. *Cardiology.* 122: 119-125. <http://dx.doi.org/10.1159/000338731>.
- Gollin, SM. (2005). Mechanisms leading to chromosomal instability. *Semin Cancer Biol.* 15: 33-42. <http://dx.doi.org/10.1016/j.semcancer.2004.09.004>.
- Gomes, L; Pereira, T; Martins, L. (2014). Cardiovascular profile in myotonic dystrophy type 1: Analysis of a case series in a specialized center. 33: 765-772. <http://dx.doi.org/10.1016/j.repc.2014.06.003>.
- Gomez De Arco, L; Zhang, Y; Schlenker, CW; Ryu, K; Thompson, ME; Zhou, C. (2010). Continuous, highly flexible, and transparent graphene films by chemical vapor deposition for organic photovoltaics. *ACS Nano.* 4: 2865-2873. <http://dx.doi.org/10.1021/nn901587x>.
- Gomez, L; Sebastian, V; Arruebo, M; Santamaria, J; Cronin, SB. (2014). Plasmon-enhanced photocatalytic water purification. *Phys Chem Chem Phys.* 16: 15111-15116. <http://dx.doi.org/10.1039/c4cp00229f>.
- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med.* 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Gonçalves, A; Almeria, C; Marcos-Alberca, P; Feltes, G; Hernández-Antolín, R; Rodríguez, E; Cardoso, JC; Macaya, C; Zamorano, JL. (2012). Three-dimensional echocardiography in paravalvular aortic regurgitation assessment after transcatheter aortic valve implantation. *J Am Soc Echocardiogr.* 25: 47-55. <http://dx.doi.org/10.1016/j.echo.2011.08.019>.
- Goncalves, A; Nyman, C; Okada, DR; Singh, A; Swanson, J; Cheezum, M; Steigner, M; Di Carli, M; Solomon, S; Shah, PB; Bhatt, DL; Shook, D; Blankstein, R. (2016). Transthoracic Echocardiography to Assess Aortic Regurgitation after TAVR: A Comparison with Periprocedural Transesophageal Echocardiography. *Cardiology.* 137: 1-8. <http://dx.doi.org/10.1159/000452617>.
- Gonçalves, AI; Rodrigues, MT; Carvalho, PP; Bañobre-López, M; Paz, E; Freitas, P; Gomes, ME. (2016). Exploring the Potential of Starch/Polycaprolactone Aligned Magnetic Responsive Scaffolds for Tendon Regeneration. 5: 213-222. <http://dx.doi.org/10.1002/adhm.201500623>.
- Goncalves Junior, LP; Pereira, SL; Matielo, MD; Mendonca, PP. (2013). The effect of storage density in the early development of angelfish (*Pterophyllum scalare*). *Arquivo Brasileiro de Medicina Veterinária e Zootecnia.* 65: 1176-1182.
- Gong, Z; Zhao, Y; Chen, C; Xiao, Y. (2012). Computational study of unfolding and regulation mechanism of preQ1 riboswitches. *PLoS ONE.* 7: e45239. <http://dx.doi.org/10.1371/journal.pone.0045239>.
- González-Alujas, T; Evangelista, A; Santamarina, E; Rubiera, M; Gómez-Bosch, Z; Rodríguez-Palomares, JF; Avegliano, G; Molina, C; Alvarez-Sabín, J; García-Dorado, D. (2011). Diagnosis and quantification of patent foramen ovale. Which is the reference technique? Simultaneous study with transcranial Doppler, transthoracic and transesophageal echocardiography. *Reviews Esp Cardiol.* 64: 133-139. <http://dx.doi.org/10.1016/j.recesp.2010.10.009>.
- Gonzalez-Leon, A; Merdink, J; Bull, R; Schultz, I. (1999). Effect of pre-treatment with dichloroacetic or trichloroacetic acid in drinking water on the pharmacokinetics of a subsequent challenge dose in B6C3F1 mice. *Chem Biol Interact.* 123: 239-253.
- Goode, DJ; Imbrigiotta, TE; Lacombe, PJ. (2014). High-resolution delineation of chlorinated volatile organic compounds in a dipping, fractured mudstone: Depth- and strata-dependent spatial variability from rock-core sampling. *J Contam Hydrol.* 171C: 1-11. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.005>.
- Gopalakrishnan, G; Minsker, BS; Valocchi, AJ. (2011). Monitoring network design for phytoremediation systems using primary and secondary data sources. *Environ Sci Technol.* 45: 4846-4853. <http://dx.doi.org/10.1021/es1042657>.
- Göpfert, M; Groesdonk, HV. (2014). [Echocardiography - hemodynamically focused echocardiography] [Review]. 49: 696-705; quiz 706. <http://dx.doi.org/10.1055/s-0040-100127>.

Human Health Hazard Literature Search Results

Off Topic

- Gora, MJ; Simmons, LH; Quénéhervé, L; Grant, CN; Carruth, RW; Lu, W; Tiernan, A; Dong, J; Walker-Corkery, B; Soomro, A; Rosenberg, M; Metlay, JP; Tearney, GJ. (2016). Tethered capsule endomicroscopy: from bench to bedside at a primary care practice. *J of Applied Remote Sensing*. 21: 104001. <http://dx.doi.org/10.1117/1.JBO.21.10.104001>.
- Gorani, D; Dilic, M; Kulic, M; Gojak, R; Zvizdic, F; Gorani, N; Mekic, M; Miseljic, S. (2013). Comparison of two and three dimensional transthoracic versus transesophageal echocardiography in evaluation of anatomy and pathology of left atrial apendage. *Med Arh*. 67: 318-321.
- Gorla, GR; Malhi, H; Gupta, S. (2001). Polyploidy associated with oxidative injury attenuates proliferative potential of cells. *J Cell Sci*. 114: 2943-2951.
- Gotoh, Y; Iwata, G; Choh, K; Kubota, M; Matsuda, H. (2011). Trichloroethylene decomposition and in-situ dry sorption of Cl-products by calcium oxides prepared from hydrated limes. *Chemosphere*. 85: 637-642. <http://dx.doi.org/10.1016/j.chemosphere.2011.07.010>.
- Gough, V; Stephens, N; Ahmed, Z; Nassar, AH. (2012). Intrahepatic choledochoscopy during trans-cystic common bile duct exploration; technique, feasibility and value. *Surgical Endoscopy*. 26: 3190-3194. <http://dx.doi.org/10.1007/s00464-012-2315-3>.
- Gourgou-Bourgade, S; Cameron, D; Poortmans, P; Asselain, B; Azria, D; Cardoso, F; A'Hern, R; Bliss, J; Bogaerts, J; Bonnefoi, H; Brain, E; Cardoso, MJ; Chibaudel, B; Coleman, R; Cufer, T; Dal Lago, L; Dalenc, F; De Azambuja, E; Debled, M; Delalogue, S; Filleron, T; Gligorov, J; Gutowski, M; Jacot, W; Kirkove, C; Macgrogan, G; Michiels, S; Negreiros, I; Offersen, BV; Penault Llorca, F; Pruneri, G; Roche, H; Russell, NS; Schmitt, F; Servent, V; Thürlimann, B; Untch, M; van Der Hage, JA; van Tienhoven, G; Wildiers, H; Yarnold, J; Bonnetain, F; Mathoulin-Pélissier, S; Bellera, C; Dabakuyo-Yonli, TS; Initiative, DftAoT-t-eEiCT. (2015). Guidelines for time-to-event end point definitions in breast cancer trials: results of the DATECAN initiative (Definition for the Assessment of Time-to-event Endpoints in CANcer trials)† [Review]. *Ann Oncol*. 26: 873-879. <http://dx.doi.org/10.1093/annonc/mdv106>.
- Goyal, V; Bews, H; Shaikh, N; Hussain, F; Jassal, DS. (2015). Multimodality cardiac imaging of a left ventricular thrombus: a case report. *BMC Research Notes*. 8: 59. <http://dx.doi.org/10.1186/s13104-015-1024-0>.
- Grabysa, R; Wańkiewicz, Z. (2015). Can Echocardiography, Especially Tricuspid Annular Plane Systolic Excursion Measurement, Predict Pulmonary Hypertension and Improve Prognosis in Patients on Long-Term Dialysis? [Review]. *Med Sci Monit*. 21: 4015-4022.
- Graham, DJ; Staffa, JA; Shatin, D; Andrade, SE; Schech, SD; La Grenade, L; Gurwitz, JH; Chan, KA; Goodman, MJ; Platt, R. (2004). Incidence of hospitalized rhabdomyolysis in patients treated with lipid-lowering drugs. *JAMA*. 292: 2585-2590. <http://dx.doi.org/10.1001/jama.292.21.2585>.
- Gramantieri, L; Melchiorri, C; Chieco, P; Gaiani, S; Stecca, B; Casali, A; Bolondi, L. (1996). Alteration of DNA ploidy and cell nuclearity in human hepatocellular carcinoma associated with HBV infection. *J Hepatol*. 25: 848-853. [http://dx.doi.org/10.1016/S0168-8278\(96\)80288-1](http://dx.doi.org/10.1016/S0168-8278(96)80288-1).
- Granér, M; Harjola, VP; Selander, T; Laiho, MK; Piilonen, A; Raade, M; Mustonen, P. (2016). N-terminal Pro-brain Natriuretic Peptide, High-sensitivity Troponin and Pulmonary Artery Clot Score as Predictors of Right Ventricular Dysfunction in Echocardiography. *Heart, Lung & Circulation (Online)*. 25: 592-599. <http://dx.doi.org/10.1016/j.hlc.2015.12.004>.
- Grasl-Kraupp, B; Waldhör, T; Huber, W; Schulte-Hermann, R. (1993). Glutathione S-transferase isoenzyme patterns in different subtypes of enzyme-altered rat liver foci treated with the peroxisome proliferator nafenopin or with phenobarbital. *Carcinogenesis*. 14: 2407-2412. <http://dx.doi.org/10.1093/carcin/14.11.2407>.
- Grawé, J; Nüsse, M; Adler, ID. (1997). Quantitative and qualitative studies of micronucleus induction in mouse erythrocytes using flow cytometry: I: Measurement of micronucleus induction in peripheral blood polychromatic erythrocytes by chemicals with known and suspected genotoxicity. *Mutagenesis*. 12: 1-8. <http://dx.doi.org/10.1093/mutage/12.1.1>.
- Grayburn, PA; She, L; Roberts, BJ; Golba, KS; Mokrzycki, K; Drozd, J; Cherniavsky, A; Przybylski, R; Wrobel, K; Asch, FM; Holly, TA; Haddad, H; Yii, M; Maurer, G; Kron, I; Schaff, H; Velazquez, EJ; Oh, JK. (2015). Comparison of Transesophageal and Transthoracic Echocardiographic Measurements of Mechanism and Severity of Mitral Regurgitation in Ischemic Cardiomyopathy (from the Surgical Treatment of Ischemic Heart Failure Trial). *Am J Cardiol*. 116: 913-918. <http://dx.doi.org/10.1016/j.amjcard.2015.06.015>.
- Green, L; Lash, T. (1999). Re: "Renal cell cancer correlated with occupational exposure to trichloroethylene" [Letter]. *J Cancer Res Clin Oncol*. 125: 430-432. <http://dx.doi.org/10.1007/s004320050298>.
- Green, T. (2003). The concentrations of trichloroacetic acid in blood following administration of trichloroacetic acid in drinking water. Cheshire, UK: Central Toxicology Laboratory.
- Green, T. (2003). Trichloroacetic acid: Drinking water study in male and female B6C3F1, male PPARalpha knockout and male 129/sv wild type mice. (CTL/024741). Cheshire, UK: Central Toxicology Laboratory.
- Green, T; Odum, J; Nash, JA; Foster, JR. (1990). Perchloroethylene-induced rat kidney tumors: An investigation of the mechanisms involved and their relevance to humans. *Toxicol Appl Pharmacol*. 103: 77-89. [http://dx.doi.org/10.1016/0041-008X\(90\)90264-U](http://dx.doi.org/10.1016/0041-008X(90)90264-U).
- Greene, AK; Wiener, S; Puder, M; Yoshida, A; Shi, B; Perez-Atayde, AR; Efstathiou, JA; Holmgren, L; Adamis, AP; Rupnick, M; Folkman, J; O'Reilly, MS. (2003). Endothelial-directed hepatic regeneration after partial hepatectomy. *Ann Surg*. 237: 530-535. <http://dx.doi.org/10.1097/01.SLA.0000059986.96051.EA>.
- Greene, ER. (2010). Noninvasive transthoracic and transesophageal Doppler echocardiographic measurements of human coronary blood flow velocity: In vitro flow phantom validation. *Conf Proc IEEE Eng Med Biol Soc*. 2010: 3784-3787. <http://dx.doi.org/10.1109/IEMBS.2010.5627566>.
- Greenland, S. (1992). A semi-Bayes approach to the analysis of correlated multiple associations, with an application to an occupational cancer-mortality study. *Stat Med*. 11: 219-230. <http://dx.doi.org/10.1002/sim.4780110208>.
- Greenland, S. (2004). Model-based estimation of relative risks and other epidemiologic measures in studies of common outcomes and in case-control studies [Review]. *Am J Epidemiol*. 160: 301-305. <http://dx.doi.org/10.1093/aje/kwh221>.

Human Health Hazard Literature Search Results

Off Topic

- Greim, H; Bonse, G; Radwan, Z; Reichert, D; Henschler, D. (1975). Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol.* 24: 2013-2017. [http://dx.doi.org/10.1016/0006-2952\(75\)90396-2](http://dx.doi.org/10.1016/0006-2952(75)90396-2).
- Greim, H; Wolff, T; Höfler, M; Lahaniatis, E. (1984). Formation of dichloroacetylene from trichloroethylene in the presence of alkaline material--possible cause of intoxication after abundant use of chloroethylene-containing solvents. *Arch Toxicol.* 56: 74-77.
- Greten, FR; Eckmann, L; Greten, TF; Park, JM; Li, ZW; Egan, LJ; Kagnoff, MF; Karin, M. (2004). IKKbeta links inflammation and tumorigenesis in a mouse model of colitis-associated cancer. *Cell.* 118: 285-296. <http://dx.doi.org/10.1016/j.cell.2004.07.013>.
- Grewal, J; Bhattacharya, A; Kumar, S; Singh, DK; Khare, SK. (2016). Biodegradation of 1,1,1-trichloro-2,2-bis(4-chlorophenyl) ethane (DDT) by using *Serratia marcescens* NCIM 2919. *J Environ Sci Health B.* 51: 809-816. <http://dx.doi.org/10.1080/03601234.2016.1208455>.
- Grinstein, J; Kruse, E; Collins, K; Sayer, G; Fedson, S; Kim, GH; Sarswat, N; Adatya, S; Ota, T; Jeevanandam, V; Mor-Avi, V; Uriel, N; Lang, RM. (2016). Screening for Outflow Cannula Malfunction of Left Ventricular Assist Devices (LVADs) With the Use of Doppler Echocardiography: New LVAD-Specific Reference Values for Contemporary Devices. *J Card Fail.* 22: 808-814. <http://dx.doi.org/10.1016/j.cardfail.2016.06.002>.
- Grinstein, J; Kruse, E; Sayer, G; Fedson, S; Kim, GH; Jorde, UP; Juricek, C; Ota, T; Jeevanandam, V; Lang, RM; Uriel, N. (2016). Accurate Quantification Methods for Aortic Insufficiency Severity in Patients With LVAD: Role of Diastolic Flow Acceleration and Systolic-to-Diastolic Peak Velocity Ratio of Outflow Cannula. *JACC: Cardiovascular Imaging.* 9: 641-651. <http://dx.doi.org/10.1016/j.jcmg.2015.06.020>.
- Grinstein, J; Kruse, E; Sayer, G; Fedson, S; Kim, GH; Sarswat, N; Adatya, S; Ota, T; Jeevanandam, V; Mor-Avi, V; Lang, RM; Uriel, N. (2016). Novel echocardiographic parameters of aortic insufficiency in continuous-flow left ventricular assist devices and clinical outcome. *J Heart Lung Transplant.* 35: 976-985. <http://dx.doi.org/10.1016/j.healun.2016.05.009>.
- Gripari, P; Tamborini, G; Bottari, V; Maffessanti, F; Carminati, MC; Muraletti, M; Vignati, C; Bartorelli, AL; Alamanni, F; Pepi, M. (2016). Three-Dimensional Transthoracic Echocardiography in the Comprehensive Evaluation of Right and Left Heart Chamber Remodeling Following Percutaneous Mitral Valve Repair. *J Am Soc Echocardiogr.* 29: 946-954. <http://dx.doi.org/10.1016/j.echo.2016.06.009>.
- Grollmuss, O; Demontoux, S; Capderou, A; Serraf, A; Belli, E. (2012). Electrical velocimetry as a tool for measuring cardiac output in small infants after heart surgery. *Intensive Care Med.* 38: 1032-1039. <http://dx.doi.org/10.1007/s00134-012-2530-3>.
- Grollmuss, O; Gonzalez, P. (2014). Non-invasive cardiac output measurement in low and very low birth weight infants: a method comparison. *Front Pediatr.* 2: 16. <http://dx.doi.org/10.3389/fped.2014.00016>.
- Grønlykke, L; Ravn, HB; Gustafsson, F; Hassager, C; Kjaergaard, J; Nilsson, JC. (2016). Right ventricular dysfunction after cardiac surgery - diagnostic options. 1-8. <http://dx.doi.org/10.1080/14017431.2016.1264621>.
- Grossl, T; de Lucas, RD; de Souza, KM; Guglielmo, LG. (2012). Time to exhaustion at intermittent maximal lactate steady state is longer than continuous cycling exercise. *Appl Physiol Nutr Metab.* 37: 1047-1053. <http://dx.doi.org/10.1139/h2012-088>.
- Grossmann, AS; Magauer, T. (2016). Trihaloethenes as versatile building blocks for organic synthesis [Review]. *Org Biomol Chem.* 14: 5377-5389. <http://dx.doi.org/10.1039/c6ob00091f>.
- Grotenhuis, BA; van Heijl, M; Zehetner, J; Moons, J; Wijnhoven, BP; van Berge Henegouwen, MI; Tilanus, HW; Demeester, TR; Lerut, T; van Lanschot, JJ. (2010). Surgical management of submucosal esophageal cancer: extended or regional lymphadenectomy? *Ann Surg.* 252: 823-830. <http://dx.doi.org/10.1097/SLA.0b013e3181fcd730>.
- Groves, C; Hayden, P; Lock, E; Schnellmann, R. (1993). Differential cellular effects in the toxicity of haloalkene and haloalkane cysteine conjugates to rabbit renal proximal tubules. *J Biochem Toxicol.* 8: 49-56. <http://dx.doi.org/10.1002/jbt.2570080108>.
- Gruber, R; Horowitz, A. (2016). Allosteric Mechanisms in Chaperonin Machines. *Chem Rev.* 116: 6588-6606. <http://dx.doi.org/10.1021/acs.chemrev.5b00556>.
- Grumann, A; Baretto, L; Dugard, A; Morera, P; Cornu, E; Amiel, JB; Vignon, PP. (2012). Localized cardiac tamponade after open-heart surgery. 18: 524-529.
- Gu, H; Akhtar, M; Shah, A; Mallick, A; Ostermann, M; Chambers, J. (2014). Echocardiography predicts major adverse cardiovascular events after renal transplantation. *Nephron Clinical Practice.* 126: 75-80. <http://dx.doi.org/10.1159/000358885>.
- Gualandi, G. (1987). Use of alpha- and beta-tubulin mutants for the study of spontaneous and induced chromosomal mis-distribution in *Aspergillus nidulans*. *Mutat Res-Fundam Mol Mech Mutagen.* 178: 33-41. [http://dx.doi.org/10.1016/0027-5107\(87\)90083-2](http://dx.doi.org/10.1016/0027-5107(87)90083-2).
- Guan, X; Liu, F; ei, Xie, Y; Zhu, L; Han, B, in. (2013). Microbiota associated with the migration and transformation of chlorinated aliphatic hydrocarbons in groundwater. *Environ Geochem Health.* 35: 535-549. <http://dx.doi.org/10.1007/s10653-013-9513-3>.
- Guengerich, FP; Crawford, WM, Jr; Watanabe, PG. (1979). Activation of vinyl chloride to covalently bound metabolites: roles of 2-chloroethylene oxide and 2-chloroacetaldehyde. *Biochemistry.* 18: 5177-5182. <http://dx.doi.org/10.1021/bi00590a023>.
- Guengerich, FP; Munro, AW. (2013). Unusual Cytochrome P450 Enzymes and Reactions [Review]. *J Biol Chem.* 288: 17065-17073. <http://dx.doi.org/10.1074/jbc.R113.462275>.
- Guerrero-Barajas, C; Ordaz, A; García-Solares, SM; Garibay-Orijel, C; Bastida-González, F; Zárate-Segura, PB. (2015). Development of Sulfidogenic Sludge from Marine Sediments and Trichloroethylene Reduction in an Upflow Anaerobic Sludge Blanket Reactor. *J Vis Expe*52956. <http://dx.doi.org/10.3791/52956>.
- Guerrero-Bosagna, CM; Skinner, MK. (2009). Epigenetic transgenerational effects of endocrine disruptors on male reproduction [Review]. *Seminars in Reproductive Medicine.* 27: 403-408. <http://dx.doi.org/10.1055/s-0029-1237428>.
- Guest, S; Irish, J, on; Kratche, Z; Garrett-Mayer, E; Wilson, R; Ethier, S. (2014). The TRiC chaperonin in breast cancer cell growth, survival and response to taxane therapy. *Cancer Res.* 74. <http://dx.doi.org/10.1158/1538-7445.AM2014-440>.

Human Health Hazard Literature Search Results

Off Topic

- Guest, ST; Kratche, ZR; Bollig-Fischer, A; Haddad, R; Ethier, SP. (2015). Two members of the TRiC chaperonin complex, CCT2 and TCP1 are essential for survival of breast cancer cells and are linked to driving oncogenes. *Exp Cell Res.* 332: 223-235. <http://dx.doi.org/10.1016/j.yexcr.2015.02.005>.
- Guinot, PG; Abou-Arab, O; Longrois, D; Dupont, H. (2015). Right ventricular systolic dysfunction and vena cava dilatation precede alteration of renal function in adult patients undergoing cardiac surgery: An observational study. *Eur J Anaesthesiol.* 32: 535-542. <http://dx.doi.org/10.1097/EJA.000000000000149>.
- Guisbert, E; Czyz, DM; Richter, K; McMullen, PD; Morimoto, RI. (2013). Identification of a tissue-selective heat shock response regulatory network. *PLoS Genet.* 9: e1003466. <http://dx.doi.org/10.1371/journal.pgen.1003466>.
- Gul Satar, NY; Cangul, IT; Topal, A; Kurt, H; Ipek, V; Onel, GI. (2017). The effects of Tarantula cubensis venom on open wound healing in rats. *J Wound Care.* 26: 66-71. <http://dx.doi.org/10.12968/jowc.2017.26.2.66>.
- Guldbrand Nielsen, D; Jensen, SL; O'Neill, L. (2015). Clinical assessment of transthoracic echocardiography skills: a generalizability study. *BMC Med Educ.* 15: 9. <http://dx.doi.org/10.1186/s12909-015-0294-5>.
- Guller, AE; Grebenyuk, PN; Shekhter, AB; Zvyagin, AV; Deyev, SM. (2016). Bioreactor-Based Tumor Tissue Engineering. 8: 44-58.
- Gülmez, Ö; Aydın, M. (2017). Complicated left-sided infective endocarditis in chronic hemodialysis patients: a case report. 45: 73-76.
- Gultiken, N; Guvenc, T; Kaya, D; Agaoglu, AR; Ay, SS; Kucukaslan, I; Emre, B; Findik, M; Schäfer-Somi, S; Aslan, S. (2015). Tarantula cubensis extract alters the degree of apoptosis and mitosis in canine mammary adenocarcinomas. *J Vet Sci.* 16: 213-219.
- Gundlach, JP; Madjidyar, J; Marczynski-Bühlow, M; Pokorný, S; Bähr, TM; Cremer, J; Lutter, G. (2014). Off-pump tricuspid valved stent implantation: the next step. 45: e46-e53. <http://dx.doi.org/10.1093/ejcts/ezt612>.
- Gungor, H; Fatih Ayik, M; Engin, C; Yagdi, T; Atay, Y; Ozbaran, M; Nalbantgil, S. (2014). Transthoracic echocardiographic and cardiopulmonary exercise testing parameters in Eisenmenger's syndrome. Association with six-minute walk test distance. *Herz.* 39: 633-637. <http://dx.doi.org/10.1007/s00059-013-3880-5>.
- Guo, CY; Teng, YX; Yang, CR; Shen, LH; Gu, FS; Li, HW. (2011). A rare case of tricuspid valve thrombus with acute pulmonary embolism. *Chin Med J.* 124: 4378-4379.
- Guo, L; Li, G; Wang, Y; Liang, H; Shan, X; Zhang, N; Wang, M; Lin, D; Zhu, L. (2014). Diagnostic utility of N-terminal-proBNP in differentiating acute pulmonary embolism from heart failure in patients with acute dyspnea. *Chin Med J.* 127: 2888-2893.
- Guo, T; Nani, A; Shonts, S; Perryman, M; Chen, H; Shannon, T; Gillespie, D; Fill, M. (2013). Sarcoplasmic reticulum K(+) (TRIC) channel does not carry essential countercurrent during Ca(2+) release. *Biophys J.* 105: 1151-1160. <http://dx.doi.org/10.1016/j.bpj.2013.07.042>.
- Guo, W; Zhang, W; Huang, X; Liang, Y; Gan, H; Chen, D; Liu, S; Ma, H. (2014). [Clinical characteristics of 9 patients with pulmonary artery sarcoma]. *Zhonghua Xin Xue Guan Bing Za Zhi.* 42: 38-42.
- Guo, X; Minakata, D; Crittenden, J. (2015). On-the-Fly Kinetic Monte Carlo Simulation of Aqueous Phase Advanced Oxidation Processes. *Environ Sci Technol.* 49: 9230-9236. <http://dx.doi.org/10.1021/acs.est.5b02034>.
- Guo, X; Minakata, D; Niu, J; Crittenden, J. (2014). Computer-based first-principles kinetic modeling of degradation pathways and byproduct fates in aqueous-phase advanced oxidation processes. *Environ Sci Technol.* 48: 5718-5725. <http://dx.doi.org/10.1021/es500359g>.
- Guo, Z; He, W; Hou, J; Li, T; Zhou, H; Xu, Y; Xi, X. (2014). [The assessment of ultrasonic measurement of superior vena cava blood flow for the volume responsiveness of patients with mechanical ventilation]. 26: 624-628. <http://dx.doi.org/10.3760/cma.j.issn.2095-4352.2014.09.004>.
- Gupta, A; Duque, M; Saif, MW. (2013). Treatment of poorly differentiated neuroendocrine carcinoma of the pancreas [Review]. *JOP.* 14: 381-383.
- Gupta, A; Raj, H; Karchuli, MS; Upmanyu, N. (2013). Comparative evaluation of ethanolic extracts of Bacopa monnieri, Evolvulus alsinoides, Tinospora cordifolia and their combinations on cognitive functions in rats. *Current Aging Science.* 6: 239-243.
- Gupta, PK; Marzook, RA; Sulaibeekh, L. (2013). Multiple intracranial abscesses: Heraldng asymptomatic venous ASD. 8: 202-205. <http://dx.doi.org/10.4103/1793-5482.125677>.
- Gupta, R; Rao, KD; Kiruthika, S; Kulkarni, GU. (2016). Visibly Transparent Heaters. 8: 12559-12575. <http://dx.doi.org/10.1021/acsami.5b11026>.
- Gupta, S. (2000). Hepatic polyploidy and liver growth control [Review]. *Semin Cancer Biol.* 10: 161-171. <http://dx.doi.org/10.1006/scbi.2000.0317>.
- Gürsoy, OM; Astarcioglu, MA; Gökdeniz, T; Aykan, AC; Bayram, Z; Cakal, B; Karakoyun, S; Kahveci, G; Ekşi Duran, N; Yıldız, M; Ozkan, M. (2013). Severe mitral paravalvular leakage: echo-morphologic description of 47 patients from real-time three-dimensional transesophageal echocardiography perspective. 13: 633-640. <http://dx.doi.org/10.5152/akd.2013.185>.
- Gürsoy, OM; Karakoyun, S; Kalçık, M; Özkan, M. (2013). The incremental value of RT three-dimensional TEE in the evaluation of prosthetic mitral valve ring thrombosis complicated with thromboembolism. *Echocardiography.* 30: E198-E201. <http://dx.doi.org/10.1111/echo.12246>.
- Guurzun, MM; Ionescu, A. (2014). Appropriateness of use criteria for transthoracic echocardiography: are they relevant outside the USA? 15: 450-455. <http://dx.doi.org/10.1093/ehjci/jet186>.
- Guseva Canu, I; Faust, S; Knieczak, E; Carles, M; Samson, E; Laurier, D. (2013). Estimating historic exposures at the European Gaseous Diffusion plants. *Int J Hyg Environ Health.* 216: 499-507. <http://dx.doi.org/10.1016/j.ijheh.2012.07.002>.
- Gutmark-Little, I; Hor, KN; Cnota, J; Gottliebson, WM; Backeljauw, PF. (2012). Partial anomalous pulmonary venous return is common in Turner syndrome. *J Pediatr Endocrinol Metab.* 25: 435-440.
- Guyton, KZ; Barone, S; Brown, RC; Euling, SY; Jinot, J; Makris, S. (2008). Mode of action frameworks: a critical analysis. *J Toxicol Environ Health B Crit Rev.* 11: 16-31. <http://dx.doi.org/10.1080/10937400701600321>.

Human Health Hazard Literature Search Results

Off Topic

- Guzelian, PS; Henry, CJ; Olin, SS. (1992). Similarities and differences between children and adults: Implications for risk assessment. In PS Guzelian; CJ Henry; SS Olin (Eds.). Washington, DC: ILSI Press.
- Gyorke, S; Terentyev, D. (2008). Modulation of ryanodine receptor by luminal calcium and accessory proteins in health and cardiac disease. *Cardiovasc Res.* 77: 245-255. <http://dx.doi.org/10.1093/cvr/cvm038>.
- Habets, J; Tanis, W; Reitsma, JB; van den Brink, RB; Mali, WP; Chamuleau, SA; Budde, RP. (2015). Are novel non-invasive imaging techniques needed in patients with suspected prosthetic heart valve endocarditis? A systematic review and meta-analysis [Review]. *Eur Radiol.* 25: 2125-2133. <http://dx.doi.org/10.1007/s00330-015-3605-7>.
- Habets, J; Tanis, W; van Herwerden, LA; van den Brink, RB; Mali, WP; de Mol, BA; Chamuleau, SA; Budde, RP. (2014). Cardiac computed tomography angiography results in diagnostic and therapeutic change in prosthetic heart valve endocarditis. *Int J Cardiovasc Imaging.* 30: 377-387. <http://dx.doi.org/10.1007/s10554-013-0335-2>.
- Habib, G. (2010). [Infective endocarditis: what's new? European Society of Cardiology (ESC) Guidelines 2009 on the prevention, diagnosis and treatment of infective endocarditis]. 39: 704-709. <http://dx.doi.org/10.1016/j.lpm.2010.03.003>.
- Habib, GM; Barrios, R; Shi, ZZ; Lieberman, MW. (1996). Four distinct membrane-bound dipeptidase RNAs are differentially expressed and show discordant regulation with gamma-glutamyl transpeptidase. *J Biol Chem.* 271: 16273-16280.
- Hack, CE; Haber, LT; Maier, A; Shulte, P; Fowler, B; Lotz, WG; Savage, RE, Jr. (2010). A Bayesian Network Model for Biomarker-Based Dose Response. *Risk Anal.* 30: 1037-1051. <http://dx.doi.org/10.1111/j.1539-6924.2010.01413.x>.
- Hadeed, K; Hascoët, S; Amadiou, R; Dulac, Y; Breinig, S; Cazavet, A; Cuttone, F; Léobon, B; Acar, P. (2016). 3D transthoracic echocardiography to assess pulmonary valve morphology and annulus size in patients with Tetralogy of Fallot. *Arch Cardiovasc Dis.* 109: 87-95. <http://dx.doi.org/10.1016/j.acvd.2015.12.001>.
- Hadeed, K; Hascoet, S; Amadiou, R; Karsenty, C; Cuttone, F; Leobon, B; Dulac, Y; Acar, P. (2016). Assessment of Ventricular Septal Defect Size and Morphology by Three-Dimensional Transthoracic Echocardiography. *J Am Soc Echocardiogr.* 29: 777-785. <http://dx.doi.org/10.1016/j.jecho.2016.04.012>.
- Haest, PJ; Springael, D; Seuntjens, P; Smolders, E. (2012). Self-inhibition can limit biologically enhanced TCE dissolution from a TCE DNAPL. *Chemosphere.* 89: 1369-1375. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.097>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models. *Water Res.* 44: 331-339. <http://dx.doi.org/10.1016/j.watres.2009.09.033>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Modelling reactive CAH transport using batch experiment degradation kinetics. *Water Res.* 44: 2981-2989. <http://dx.doi.org/10.1016/j.watres.2010.02.031>.
- Haffajee, JA; Finley, JJ; Brooks, EL; Kuvin, JT; Patel, AR. (2011). Echocardiographic characterization of left ventricular apical hypoplasia accompanied by a patent ductus arteriosus. *Eur J Echocardiogr.* 12: E17. <http://dx.doi.org/10.1093/ejehocardiography/jeq170>.
- Hagendorff, A; Stoebe, S; Jurisch, D; Neef, M; Metzke, M; Pfeiffer, D. (2017). [New and established aspects of cardiological diagnostics using TEE : Do we need 3D technology in clinical routine?]. *Herz.* <http://dx.doi.org/10.1007/s00059-017-4534-9>.
- Haghofer, A; Sonström, P; Fenske, D; Föttinger, K; Schwarz, S; Bernardi, J; Al-Shamery, K; Bäumer, M; Ruppel, G. (2010). Colloidally prepared Pt nanowires versus impregnated Pt nanoparticles: comparison of adsorption and reaction properties. *Langmuir.* 26: 16330-16338. <http://dx.doi.org/10.1021/la1015912>.
- Hahn, RT; Abraham, T; Adams, MS; Bruce, CJ; Glas, KE; Lang, RM; Reeves, ST; Shanewise, JS; Siu, SC; Stewart, W; Picard, MH. (2013). Guidelines for performing a comprehensive transesophageal echocardiographic examination: recommendations from the American Society of Echocardiography and the Society of Cardiovascular Anesthesiologists. *J Am Soc Echocardiogr.* 26: 921-964. <http://dx.doi.org/10.1016/j.jecho.2013.07.009>.
- Hahn, RT; Gillam, LD; Little, SH. (2015). Echocardiographic imaging of procedural complications during self-expandable transcatheter aortic valve replacement [Review]. *JACC: Cardiovascular Imaging.* 8: 319-336. <http://dx.doi.org/10.1016/j.jcmg.2015.01.001>.
- HaiTao, S; Qi, Y; Yang, Z. (2011). Kinetic Models of Dichloroethylene Biodegradation by Two Strains of Aerobic Bacteria. *Biomed Environ Sci.* 24: 261-267. <http://dx.doi.org/10.3967/0895-3988.2011.03.009>.
- Haji, DL; Ali, MM; Royse, A; Canty, DJ; Clarke, S; Royse, CF. (2014). Interatrial septum motion but not Doppler assessment predicts elevated pulmonary capillary wedge pressure in patients undergoing cardiac surgery. *Anesthesiology.* 121: 719-729. <http://dx.doi.org/10.1097/ALN.0000000000000392>.
- Haji, DL; Royse, A; Royse, CF. (2013). Review article: Clinical impact of non-cardiologist-performed transthoracic echocardiography in emergency medicine, intensive care medicine and anaesthesia [Review]. *Emergency Medicine Australasia (Online).* 25: 4-12. <http://dx.doi.org/10.1111/1742-6723.12033>.
- Hajizeinali, A; Sadeghian, H; Rezvanfard, M; Alidoosti, M; Kassaian, SE; Nematipour, E. (2010). Transcatheter closure of patent ductus arteriosus: initial study on echocardiographic estimation of device size. *Journal of Tehran Heart Center.* 5: 199-201.
- Hajsadeghi, S; Samiee, N; Hosseini, SS; Hassanzadeh, M; Kerman, SR. (2015). Novel Echocardiographic Indices as Predictors of Immediate Recurrence after Undersized Ring Annuloplasty for Ischemic Mitral Regurgitation. *Echocardiography.* 32: 1339-1346. <http://dx.doi.org/10.1111/echo.12879>.
- Hakkola, J; Pasanen, M; Hukkanen, J; Pelkonen, O; Maenpää, J; Edwards, RJ; Boobis, AR; Raunio, H. (1996). Expression of xenobiotic-metabolizing cytochrome P450 forms in human full-term placenta. *Biochem Pharmacol.* 51: 403-411. [http://dx.doi.org/10.1016/0006-2952\(95\)02184-1](http://dx.doi.org/10.1016/0006-2952(95)02184-1).
- Hakkola, J; Pelkonen, O; Pasanen, M; Raunio, H. (1998). Xenobiotic-metabolizing cytochrome P450 enzymes in the human fetoplacental unit: Role in intrauterine toxicity [Review]. *Crit Rev Toxicol.* 28: 35-72. <http://dx.doi.org/10.1080/10408449891344173>.

Human Health Hazard Literature Search Results

Off Topic

- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol.* 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Hakkola, J; Tanaka, E; Pelkonen, O. (1998). Developmental expression of cytochrome P450 enzymes in human liver [Review]. *Pharmacol Toxicol.* 82: 209-217. <http://dx.doi.org/10.1111/j.1600-0773.1998.tb01427.x>.
- Halden, RU. (2015). Epistemology of contaminants of emerging concern and literature meta-analysis. *J Hazard Mater.* 282: 2-9. <http://dx.doi.org/10.1016/j.jhazmat.2014.08.074>.
- Hall, JA; Brown, R. (2013). Developing translational research infrastructure and capabilities associated with cancer clinical trials [Review]. *Expert Rev Mol Med.* 15: e11. <http://dx.doi.org/10.1017/erm.2013.12>.
- Hall, RJ; Murdoch, LC; Freedman, DL; Looney, BB; Riha, BD. (2015). Bench-scale evaluation of aerosol delivery for biostimulation and bioaugmentation in the vadose zone. *Biodegradation.* 26: 91-103. <http://dx.doi.org/10.1007/s10532-015-9718-5>.
- Hamid, S; Bae, W; Kim, S; Amin, MT. (2014). Enhancing co-metabolic degradation of trichloroethylene with toluene using *Burkholderia vietnamiensis* G4 encapsulated in polyethylene glycol polymer. *Environ Technol.* 35: 1470-1477. <http://dx.doi.org/10.1080/09593330.2013.871045>.
- Hamilton-Craig, C; Strugnelli, W; Gaikwad, N; Ischenko, M; Speranza, V; Chan, J; Neill, J; Platts, D; Scalia, GM; Burstow, DJ; Walters, DL. (2015). Quantitation of mitral regurgitation after percutaneous MitraClip repair: comparison of Doppler echocardiography and cardiac magnetic resonance imaging. 4: 341-351. <http://dx.doi.org/10.3978/j.issn.2225-319X.2015.05.03>.
- Hammerness, P; Zusman, R; Systrom, D; Surman, C; Baggish, A; Schillinger, M; Shelley-Abrahamson, R; Wilens, TE. (2013). A cardiopulmonary study of lisdexamfetamine in adults with attention-deficit/hyperactivity disorder. 14: 299-306. <http://dx.doi.org/10.3109/15622975.2012.678884>.
- Hammerstingl, C; Schueler, R; Bors, L; Momcilovic, D; Pabst, S; Nickenig, G; Skowasch, D. (2012). Diagnostic value of echocardiography in the diagnosis of pulmonary hypertension. *PLoS ONE.* 7: e38519. <http://dx.doi.org/10.1371/journal.pone.0038519>.
- Hammerstingl, C; Schueler, R; Wiesen, M; Momcilovic, D; Pabst, S; Nickenig, G; Skowasch, D. (2013). Impact of untreated obstructive sleep apnea on left and right ventricular myocardial function and effects of CPAP therapy. *PLoS ONE.* 8: e76352. <http://dx.doi.org/10.1371/journal.pone.0076352>.
- Hammoudi, N; Duprey, M; Régnier, P; Achkar, M; Boubrit, L; Preud'homme, G; Healy-Brucker, A; Vignalou, JB; Pousset, F; Komajda, M; Isnard, R. (2014). Pretest probability of a normal echocardiography: validation of a simple and practical algorithm for routine use. *Arch Cardiovasc Dis.* 107: 105-111. <http://dx.doi.org/10.1016/j.acvd.2014.01.004>.
- Hamon, M; Dickinson, N; Devineau, A; Boliën, D; Tranchant, MJ; Taillier, C; Jabin, I; Harrowven, DC; Whitby, RJ; Ganesan, A; Dalla, V. (2014). Intra- and intermolecular alkylation of N,O-acetals and π -activated alcohols catalyzed by in situ generated acid. *J Org Chem.* 79: 1900-1912. <http://dx.doi.org/10.1021/jo4015886>.
- Han, JS; Jang, JS; Ryu, HC; Kim, MC; Kim, KH; Kim, DK. (2015). Risk factors associated with multiple and missed gastric neoplastic lesions after endoscopic resection: prospective study at a single institution in south Korea. *Hepatogastroenterology.* 62: 512-517.
- Han, L; Qian, L; Yan, J; Chen, M. (2016). Effects of the biochar aromaticity and molecular structures of the chlorinated organic compounds on the adsorption characteristics. *Environ Sci Pollut Res Int.* <http://dx.doi.org/10.1007/s11356-016-8303-8>.
- Han, S; Yang, J; Tang, L; Chen, X; Ma, CY. (2011). Anomalous left superior pulmonary venous connection with intact interatrial septum. *Echocardiography.* 28: E94-E96. <http://dx.doi.org/10.1111/j.1540-8175.2010.01341.x>.
- Han, SK; Yeom, SR; Lee, SH; Park, SC; Kim, HB; Cho, YM; Park, SW. (2016). Transthoracic echocardiogram in syncope patients with normal initial evaluation. *Am J Emerg Med.* <http://dx.doi.org/10.1016/j.ajem.2016.10.078>.
- Han, Y; Yan, W. (2014). Bimetallic nickel-iron nanoparticles for groundwater decontamination: effect of groundwater constituents on surface deactivation. *Water Res.* 66: 149-159. <http://dx.doi.org/10.1016/j.watres.2014.08.001>.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environ Sci Technol.* 50: 12992-13001. <http://dx.doi.org/10.1021/acs.est.6b03997>.
- Hanahan, D; Weinberg, RA. (2000). The hallmarks of cancer [Review]. *Cell.* 100: 57-70. [http://dx.doi.org/10.1016/S0092-8674\(00\)81683-9](http://dx.doi.org/10.1016/S0092-8674(00)81683-9).
- Hand, S; Wang, B; Chu, KH. (2015). Biodegradation of 1,4-dioxane: effects of enzyme inducers and trichloroethylene. *Sci Total Environ.* 520: 154-159. <http://dx.doi.org/10.1016/j.scitotenv.2015.03.031>.
- Handal, AJ; Hund, L; Páez, M; Bear, S; Greenberg, C; Fenske, RA; Barr, DB. (2016). Characterization of Pesticide Exposure in a Sample of Pregnant Women in Ecuador. *Arch Environ Contam Toxicol.* 70: 627-639. <http://dx.doi.org/10.1007/s00244-015-0217-9>.
- Handzlik, MK; Gleeson, M. (2013). Likely additive ergogenic effects of combined preexercise dietary nitrate and caffeine ingestion in trained cyclists. 2013: 396581. <http://dx.doi.org/10.5402/2013/396581>.
- Hanif, F; Ahmed, Z; Samie, MA; Nassar, AH. (2010). Laparoscopic transcystic bile duct exploration: the treatment of first choice for common bile duct stones. *Surgical Endoscopy.* 24: 1552-1556. <http://dx.doi.org/10.1007/s00464-009-0809-4>.
- Hannuksela, M; Stattin, EL; Klar, J; Ameer, A; Johansson, B; Sörensen, K; Carlberg, B. (2016). A novel variant in MYLK causes thoracic aortic dissections: genotypic and phenotypic description. *BMC Med Genet.* 17: 61. <http://dx.doi.org/10.1186/s12881-016-0326-y>.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, Electronic, and Steric Constants. In *ACS Professional Reference Book*. Washington, DC: American Chemical Society.
- Hara, M; Nishino, M; Taniike, M; Makino, N; Kato, H; Egami, Y; Shutta, R; Tanouchi, J; Hunatsu, T; Taniguchi, K; Yamada, Y. (2011). Impact of 64 multi-detector computed tomography for the evaluation of aortic paraprosthetic regurgitation. *J Cardiol.* 58: 294-299. <http://dx.doi.org/10.1016/j.jcc.2011.08.002>.

Human Health Hazard Literature Search Results

Off Topic

- Harasymczuk, J; Kaminiarczyk-Pyzalka, D; Krawczynski, M; Niedziela, M; Wasko, R; Czarnywojtek, A; Jankowski, A. (2011). Transverse testicular ectopia with abnormal karyotype - a case report. *Neuro Endocrinol Lett.* 32: 408-410.
- Hardell, L; Eriksson, M; Degerman, A. (1994). Exposure to phenoxyacetic acids, chlorophenols, or organic solvents in relation to histopathology, stage, and anatomical localization of non-Hodgkin's lymphoma. *Cancer Res.* 54: 2386-2389.
- Hardin, BD; Kelman, BJ; Brent, RL. (2004). Trichloroethylene and cardiac malformations [Letter]. *Environ Health Perspect.* 112: A607-A608.
- Harding, KC; Lee, PK; Bill, M; Buscheck, TE; Conrad, ME; Alvarez-Cohen, L. (2013). Effects of varying growth conditions on stable carbon isotope fractionation of trichloroethene (TCE) by tceA-containing *Dehalococcoides mccartyi* strains. *Environ Sci Technol.* 47: 12342-12350. <http://dx.doi.org/10.1021/es402617q>.
- Harding-Marjanovic, KC; Yi, S; Weathers, TS; Sharp, JO; Sedlak, DL; Alvarez-Cohen, L. (2016). Effects of Aqueous Film-Forming Foams (AFFFs) on Trichloroethene (TCE) Dechlorination by a Dehalococcoides mccartyi-Containing Microbial Community. *Environ Sci Technol.* 50: 3352-3361. <http://dx.doi.org/10.1021/acs.est.5b04773>.
- Harkness, M; Fisher, A. (2013). Use of emulsified vegetable oil to support bioremediation of TCE DNAPL in soil columns. *J Contam Hydrol.* 151: 16-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.04.002>.
- Harkness, M; Fisher, A; Lee, MD; Mack, EE; Payne, JA; Dworatzek, S; Roberts, J; Acheson, C; Herrmann, R; Possolo, A. (2012). Use of statistical tools to evaluate the reductive dechlorination of high levels of TCE in microcosm studies. *J Contam Hydrol.* 131: 100-118. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.011>.
- Harling, L; Ashrafian, H; Casula, RP; Athanasiou, T. (2014). Late surgical repair of a traumatic ventricular septal defect. *J Cardiothorac Surg.* 9: 145. <http://dx.doi.org/10.1186/s13019-014-0145-1>.
- Harris, AW; Krieger, EV; Kim, M; Cawley, PJ; Owens, DS; Hamilton-Craig, C; Maki, J; Otto, CM. (2017). Cardiac Magnetic Resonance Imaging Versus Transthoracic Echocardiography for Prediction of Outcomes in Chronic Aortic or Mitral Regurgitation. *Am J Cardiol.* <http://dx.doi.org/10.1016/j.amjcard.2016.12.017>.
- Harris, NL; Jaffe, ES; Diebold, J; Flandrin, G; Muller-Hermelink, HK; Vardiman, J. (2000). Lymphoma classification - from controversy to consensus: The R.E.A.L. and WHO Classification of lymphoid neoplasms [Review]. *Ann Oncol.* 11: 3-10. http://dx.doi.org/10.1093/annonc/11.suppl_1.S3.
- Hartmann, A; Hartmann, K. (2010). Treatment and management of *Chlamydomytila felis* infections in cats. *Tieraerztliche Praxis Ausgabe K: Kleintiere - Heimtiere.* 38: 217-+.
- Hasan, SK; Sultana, S. (2015). Geraniol attenuates 2-acetylaminofluorene induced oxidative stress, inflammation and apoptosis in the liver of wistar rats. *Toxicol Mech Meth.* 25: 559-573. <http://dx.doi.org/10.3109/15376516.2015.1070225>.
- Hascoet, S; Hadeed, K; Marchal, P; Dulac, Y; Alacoque, X; Heitz, F; Acar, P. (2015). The relation between atrial septal defect shape, diameter, and area using three-dimensional transoesophageal echocardiography and balloon sizing during percutaneous closure in children. *16: 747-755.* <http://dx.doi.org/10.1093/ehjci/jeu316>.
- Hasegawa, Y; Kanemitsu, I; Ueoka, K. (2011). Transverse testicular ectopia with splenogonadal fusion: a case report. *Int J Urol.* 18: 466-468. <http://dx.doi.org/10.1111/j.1442-2042.2011.02746.x>.
- Haseman, JK; Huff, J; Boorman, GA. (1984). Use of historical control data in carcinogenicity studies in rodents. *Toxicol Pathol.* 12: 126-135. <http://dx.doi.org/10.1177/019262338401200203>.
- Hasmall, SC; Roberts, RA. (2000). The nongenotoxic hepatocarcinogens diethylhexylphthalate and methylclofenapate induce DNA synthesis preferentially in octoploid rat hepatocytes. *Toxicol Pathol.* 28: 503-509. <http://dx.doi.org/10.1177/019262330002800401>.
- Hassall, C; Brendel, K; Gandolfi, A. (1983). Regulation of a S(trans-1,2-dichlorovinyl)-L-cysteine-induced renal tubular toxicity by glutathione. *J Appl Toxicol.* 3: 321-325.
- Hassan, MM; Frome, A; Patt, YZ; El-Serag, HB. (2002). Rising prevalence of hepatitis C virus infection among patients recently diagnosed with hepatocellular carcinoma in the United States. *J Clin Gastroenterol.* 35: 266-269.
- Hassoun, E; Cearfoss, J. (2014). Do antioxidant enzymes and glutathione play roles in the induction of hepatic oxidative stress in mice upon subchronic exposure to mixtures of dichloroacetate and trichloroacetate? *Toxicol Environ Chem.* 96: 482-490. <http://dx.doi.org/10.1080/02772248.2014.947988>.
- Hassoun, E; Mettling, C. (2015). Dichloroacetate and Trichloroacetate Toxicity in AML12 Cells: Role of Oxidative Stress. *J Biochem Mol Toxicol.* 29: 508-512. <http://dx.doi.org/10.1002/jbt.21720>.
- Hassoun, EA; Cearfoss, J; Spildener, J. (2010). Dichloroacetate- and trichloroacetate-induced oxidative stress in the hepatic tissues of mice after long-term exposure. *J Appl Toxicol.* 30: 450-456. <http://dx.doi.org/10.1002/jat.1516>.
- Hatemi, AC; Omay, O; Baskurt, M; Küçükoglu, S; Öz, B; Süzer, K. (2012). Mobile atheromatous plaque of the aortic arch diagnosed by transthoracic echocardiography prior to coronary artery bypass surgery. Which one would you choose: scepticism or wishful thinking? *Cardiovasc J Afr.* 23: e3-e5. <http://dx.doi.org/10.5830/CVJA-2011-027>.
- Hattis, D; Ginsberg, G; Sonawane, B; Smolenski, S; Russ, A; Kozlak, M; Goble, R. (2003). Differences in pharmacokinetics between children and adults: II. Children's variability in drug elimination half-lives and in some parameters needed for physiologically-based pharmacokinetic modeling. *Risk Anal.* 23: 117-142. <http://dx.doi.org/10.1111/1539-6924.00295>.
- Hatzinger, PB; Condee, C; McClay, KR; Paul Togna, A. (2011). Aerobic treatment of N-nitrosodimethylamine in a propane-fed membrane bioreactor. *Water Res.* 45: 254-262. <http://dx.doi.org/10.1016/j.watres.2010.07.056>.
- Hawley, GG; Lewis, RJ, Sr. (2001). *Hawley's condensed chemical dictionary.* In GG Hawley; RJ Lewis, Sr. (Eds.), (14 ed.). New York, NY: John Wiley & Sons.

Human Health Hazard Literature Search Results

Off Topic

- Haworth, S; Lawlor, T; Mortelmans, K; Speck, W; Zeiger, E. (1983). Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen.* 5: 3-142. <http://dx.doi.org/10.1002/em.2860050703>.
- Hayase, M; Nagashima, K; Kato, M; Fukamachi, D; Iso, K; Arai, M; Nakamura, Y; Iwasawa, Y; Nishimaki, H; Kusumi, Y; Okumura, Y; Kunimoto, S; Hirayama, A. (2015). Spontaneous Remission in a Case of Giant Cell Myocarditis with Preserved Left Ventricular Ejection Fraction. *The American Journal of Case Reports.* 16: 823-826.
- Hayden, MS; Ghosh, S. (2004). Signaling to NF-kappaB [Review]. *Genes Dev.* 18: 2195-2224. <http://dx.doi.org/10.1101/gad.1228704>.
- Hayes, D; Daniels, CJ; Mansour, HM; Kopp, BT; Yates, AR; McCoy, KS; Patel, AV; Kirkby, S. (2013). Right heart catheterization measuring central hemodynamics in cystic fibrosis during exercise. *Respir Med.* 107: 1365-1369. <http://dx.doi.org/10.1016/j.rmed.2013.02.020>.
- Hayes, D; Yates, AR; Duffy, VL; Tobias, JD; Mansour, HM; Olshove, VF; Preston, TJ. (2014). Rapid placement of bicaval dual-lumen catheter in a swine model of venovenous ECMO. 27: 27-31. <http://dx.doi.org/10.3109/08941939.2013.826311>.
- Hays, T; Rusyn, I; Burns, AM; Kennett, MJ; Ward, JM; Gonzalez, FJ; Peters, JM. (2005). Role of peroxisome proliferator-activated receptor-alpha (PPARalpha) in bezafibrate-induced hepatocarcinogenesis and cholestasis. *Carcinogenesis.* 26: 219-227. <http://dx.doi.org/10.1093/carcin/bgh285>.
- He, F; Zhao, D; Paul, C. (2010). Field assessment of carboxymethyl cellulose stabilized iron nanoparticles for in situ destruction of chlorinated solvents in source zones. *Water Res.* 44: 2360-2370. <http://dx.doi.org/10.1016/j.watres.2009.12.041>.
- He, L; Qiu, ZF; Lü, SG; Lu, ZC; Wang, ZL; Sui, Q; Lin, KF; Liu, YD. (2012). [Characteristics and influencing factors of trichloroethylene adsorption in different soil types]. *Huanjing Kexue.* 33: 3976-3982.
- He, YQ; Zhao, YN; Zhu, JM; Zhang, MC; Liu, L; Zeng, H; Yang, P. (2014). Imaging diagnosis for left ventricular thrombosis in idiopathic hypereosinophilic syndrome: two case reports. *Medicine (Baltimore).* 93: e82. <http://dx.doi.org/10.1097/MD.0000000000000082>.
- Head, S; Associates. (2003). Groupwater vapor project: Summary of findings, working draft. Endicott, New York: Health Statistics Reviews, Cancer and Birth Outcome Analysis.
- Heath, CW; Lally, CA; Calle, EE; McLaughlin, JK; Thun, MJ. (1997). Hypertension, diuretics, and antihypertensive medications as possible risk factors for renal cell cancer. *Am J Epidemiol.* 145: 607-613.
- Heavner, GL; Rowe, AR; Mansfeldt, CB; Pan, JK; Gossett, JM; Richardson, RE. (2013). Molecular biomarker-based biokinetic modeling of a PCE-dechlorinating and methanogenic mixed culture. *Environ Sci Technol.* 47: 3724-3733. <http://dx.doi.org/10.1021/es303517s>.
- Heckman, CJ; Darlow, S; Manne, SL; Kashy, DA; Munshi, T. (2013). Correspondence and correlates of couples' skin cancer screening. 149: 825-830. <http://dx.doi.org/10.1001/jamadermatol.2013.515>.
- Heeger, CH; Wissner, E; Mathew, S; Hayashi, K; Sohns, C; Reißmann, B; Lemes, C; Maurer, T; Fink, T; Saguner, AM; Santoro, F; Riedl, J; Ouyang, F; Kuck, KH; Metzner, A. (2016). Short tip-big difference? First-in-man experience and procedural efficacy of pulmonary vein isolation using the third-generation cryoballoon. *Clin Res Cardiol.* 105: 482-488. <http://dx.doi.org/10.1007/s00392-015-0944-y>.
- Hegele, PR; Mumford, KG. (2014). Gas production and transport during bench-scale electrical resistance heating of water and trichloroethene. *J Contam Hydrol.* 165: 24-36. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.002>.
- Hegi, ME; Fox, TR; Belinsky, SA; Devereux, TR; Anderson, MW. (1993). Analysis of activated protooncogenes in B6C3F1 mouse liver tumors induced by ciprofibrate, a potent peroxisome proliferator. *Carcinogenesis.* 14: 145-149. <http://dx.doi.org/10.1093/carcin/14.1.145>.
- Hein, MJ; Waters, MA; Ruder, AM; Stenzel, MR; Blair, A; Stewart, PA. (2010). Statistical modeling of occupational chlorinated solvent exposures for case-control studies using a literature-based database. *Ann Occup Hyg.* 54: 459-472. <http://dx.doi.org/10.1093/annhyg/meq027>.
- Hejtmancik, MR; Trela, BA; Kurtz, PJ; Persing, RL; Ryan, MJ; Yarrington, JT; Chhabra, RS. (2002). Comparative gavage subchronic toxicity studies of o-chloroaniline and m-chloroaniline in F344 rats and B6C3F1 mice. *Toxicol Sci.* 69: 234-243.
- Helliwell, PJ; Hutton, AM. (1950). Trichlorethylene anesthesia. *Anaesthesia.* 5: 4-13. <http://dx.doi.org/10.1111/j.1365-2044.1950.tb13680.x>.
- Helvacioglu, F; Yildirimturk, O; Duran, C; Yurdakul, S; Tayyareci, Y; Ulusoy, OL; Aytekin, S. (2014). The evaluation of mitral valve stenosis: comparison of transthoracic echocardiography and cardiac magnetic resonance. 15: 164-169. <http://dx.doi.org/10.1093/ehjci/jet087>.
- Henderson, G; Yan, Z; James, M; Davydova, N; Stacpoole, P. (1997). Kinetics and metabolism of chloral hydrate in children: Identification of dichloroacetate as a metabolite. *Biochem Biophys Res Commun.* 235: 695-698. <http://dx.doi.org/10.1006/bbrc.1997.6868>.
- Henderson, T; Cannon, F. (2011). Tailored Granular Activated Carbon Treatment of Perchlorate in Drinking Water. ESTCP Cost and Performance Report. 50.
- Hendler, AH; Crow, WL. (1992). Proceedings of 85th annual meeting and exhibition of the Air & Waste Management Association; June; Kansas City, MO Preliminary results of the Chemical Manufacturers Association urban baseline VOC measurement program. Pittsburgh, PA: Air & Waste Management Association. <http://trove.nla.gov.au/work/34485343>.
- Hendrix, CR; Housh, TJ; Mielke, M; Zuniga, JM; Camic, CL; Johnson, GO; Schmidt, RJ; Housh, DJ. (2010). Acute effects of a caffeine-containing supplement on bench press and leg extension strength and time to exhaustion during cycle ergometry. *J Strength Cond Res.* 24: 859-865. <http://dx.doi.org/10.1519/JSC.0b013e3181ae7976>.
- Hennebel, T, om; Benner, J; Clauwaert, P; Vanhaecke, L; Aelterman, P; Callebaut, R; Boon, N; Verstraete, W. (2011). Dehalogenation of environmental pollutants in microbial electrolysis cells with biogenic palladium nanoparticles. *Biotechnol Lett.* 33: 89-95. <http://dx.doi.org/10.1007/s10529-010-0393-7>.
- Hennebel, T; De Gussemme, B; Soetaert, M; De Corte, S; De Sloover, J; Verstraete, W; Boon, N. (2011). Dehalogenation of trichloroethylene in microbial electrolysis cells with biogenic palladium nanoparticles. *Commun Agric Appl Biol Sci.* 76: 59-61.
- Hennebel, T, om; Van Nevel, S, am; Verschuere, S; De Corte, S; De Gussemme, B; Cuvelier, C; Fitts, JP; Van Der Liele, D; Boon, N; Verstraete, W. (2011). Palladium nanoparticles produced by fermentatively cultivated bacteria as catalyst for diatrizoate removal with biogenic hydrogen. *Appl Microbiol Biotechnol.* 91: 1435-1445. <http://dx.doi.org/10.1007/s00253-011-3329-9>.

Human Health Hazard Literature Search Results

Off Topic

- Hennenberg, M; Schott, M; Kan, A; Keller, P; Tamalunas, A; Ciotkowska, A; Rutz, B; Wang, Y; Strittmatter, F; Herlemann, A; Yu, Q; Stief, CG; Gratzke, C. (2016). Inhibition of Adrenergic and Non-Adrenergic Smooth Muscle Contraction in the Human Prostate by the Phosphodiesterase 10-Selective Inhibitor TC-E 5005. *Prostate*. 76: 1364-1374. <http://dx.doi.org/10.1002/pros.23208>.
- Hennig, B. (2014). Nutrition and Superfund Chemical Toxicity.
- Hennig, B. (2015). Nutrition and Superfund Chemical Toxicity.
- Hennig, UG; Rudd, NL; Hoar, DI. (1988). Kinetochore immunofluorescence in micronuclei: A rapid method for the in situ detection of aneuploidy and chromosome breakage in human fibroblasts. *Mutat Res*. 203: 405-414.
- Henning, SM; Swendseid, ME. (1996). The role of folate, choline, and methionine in carcinogenesis induced by methyl-deficient diets [Review]. In D Heber; D Kritchevsky (Eds.), *Adv Exp Med Biol* (pp. 143-155). New York, NY: Plenum Press.
- Henschler, D; Eder, E; Neudecker, T; Metzler, M. (1977). Carcinogenicity of trichloroethylene: Fact or artifact? *Arch Toxicol*. 37: 233-236. <http://dx.doi.org/10.1007/BF00355492>.
- Herbert, V; Gardner, A; Colman, N. (1980). Mutagenicity of dichloroacetate, an ingredient of some formulations of pangamic acid (trade-named "vitamin B15"). *Am J Clin Nutr*. 33: 1179-1182.
- Heriot, G; Yeoh, J; Street, A; Ratnam, I. (2015). Echocardiography has minimal yield and may not be warranted in *Staphylococcus aureus* bacteremia without clinical risk factors for endocarditis. *European Journal of Clinical Microbiology and Infectious Diseases*. 34: 1231-1236. <http://dx.doi.org/10.1007/s10096-015-2352-7>.
- Herman, J; Umar, A; Polyak, K; Graff, J; Ahuja, N; Issa, J; Markowitz, S; Willson, J; Hamilton, S; Kinzler, K; Kane, M; Kolodner, R; Vogelstein, B; Kunkel, T; Baylin, S. (1998). Incidence and functional consequences of hMLH1 promoter hypermethylation in colorectal carcinoma. *Proc Natl Acad Sci USA*. 95: 6870-6875.
- Hernández, P; Heimann, M; Riera, C; Solano, M; Santalla, J; Luquetti, AO; Beck, E. (2010). Highly effective serodiagnosis for Chagas' disease. *Clinical and Vaccine Immunology (Online)*. 17: 1598-1604. <http://dx.doi.org/10.1128/CVI.00489-08>.
- Herrera, E; Samper, E; Martín-Caballero, J; Flores, JM; Lee, HW; Blasco, MA. (1999). Disease states associated with telomerase deficiency appear earlier in mice with short telomeres. *EMBO J*. 18: 2950-2960. <http://dx.doi.org/10.1093/emboj/18.11.2950>.
- Hers, I; Zapf-Gilje, R; Li, L; Atwater, J. (2001). The use of indoor air measurements to evaluate intrusion of subsurface VOC vapors into buildings. *Journal of the Air and Waste Management Association*. 51: 1318-1331.
- Herzog, F; Kahraman, A; Boehringer, D; Mak, R; Bracher, A; Walzthoeni, T; Leitner, A; Beck, M; Hartl, FU; Ban, N; Malmström, L; Aebersold, R. (2012). Structural probing of a protein phosphatase 2A network by chemical cross-linking and mass spectrometry. *Science*. 337: 1348-1352. <http://dx.doi.org/10.1126/science.1221483>.
- Hessulf, F; Ljungberg, J; Johansson, PA; Lindgren, M; Engdahl, J. (2016). *Campylobacter jejuni*-associated perimyocarditis: two case reports and review of the literature. *BMC Infect Dis*. 16: 289. <http://dx.doi.org/10.1186/s12879-016-1635-7>.
- Hester, SD; Johnstone, AFM; Boyes, WK; Bushnell, PJ; Shafer, TJ. (2011). Acute toluene exposure alters expression of genes in the central nervous system associated with synaptic structure and function. *Neurotoxicol Teratol*. 33: 521-529. <http://dx.doi.org/10.1016/j.ntt.2011.07.008>.
- Hichiri, K, ei; Shirai, O; Kano, K. (2012). Influence of Inhalation Anesthetics on Ion Transport across a Planar Bilayer Lipid Membrane. *Anal Sci*. 28: 45-49.
- Higashi, T; Katsuno, T; Kitajiri, S; Furuse, M. (2015). Deficiency of angulin-2/ILDR1, a tricellular tight junction-associated membrane protein, causes deafness with cochlear hair cell degeneration in mice. *PLoS ONE*. 10: e0120674. <http://dx.doi.org/10.1371/journal.pone.0120674>.
- Higashi, T; Lenz, DR; Furuse, M; Avraham, KB. (2013). "Tric" to tighten cell-cell junctions in the cochlea for hearing [Comment]. *J Clin Invest*. 123: 3712-3715. <http://dx.doi.org/10.1172/JCI69651>.
- Higgins, JP; Thompson, SG; Deeks, JJ; Altman, DG. (2003). Measuring inconsistency in meta-analyses [Review]. *Br Med J*. 327: 557-560. <http://dx.doi.org/10.1136/bmj.327.7414.557>.
- Hill, AB. (1965). The environment and disease: Association or causation? *Proc R Soc Med*. 58: 295-300.
- Hinchman, CA; Ballatori, N. (1990). Glutathione-degrading capacities of liver and kidney in different species. *Biochem Pharmacol*. 40: 1131-1135. [http://dx.doi.org/10.1016/0006-2952\(90\)90503-D](http://dx.doi.org/10.1016/0006-2952(90)90503-D).
- Hines, RN; McCarver, DG. (2002). The ontogeny of human drug-metabolizing enzymes: Phase I oxidative enzymes [Review]. *J Pharmacol Exp Ther*. 300: 355-360. <http://dx.doi.org/10.1124/jpet.300.2.355>.
- Hirayama, Y; Hotta, D; Saito, T; Masuda, K; Shiraga, K; Tsukamoto, M; Yokoyama, H; Sato, N; Kawamura, Y; Hasebe, N; Kikuchi, K; Ohori, K. (2010). An Evaluation of Acute Phase Cardiac Wall Motion by means of Speckle Tracking Echocardiography among Right Ventricular Apical Pacing, Mid-Septal and Outflow Tract of Right Ventricular Pacing in an Individual Patient. *International Medical Journal*. 17: 63-66.
- Hirsch, KR; Smith-Ryan, AE; Roelofs, EJ; Trexler, ET; Mock, MG. (2016). *Cordyceps militaris* Improves Tolerance to High-Intensity Exercise After Acute and Chronic Supplementation. *Journal of Dietary Supplements* 1-13. <http://dx.doi.org/10.1080/19390211.2016.1203386>.
- Hisamatsu, E; Takagi, S; Nakagawa, Y; Sugita, Y. (2011). Familial transverse testicular ectopia unrelated to persistent Müllerian duct syndrome. *Indian J Urol*. 27: 397-398. <http://dx.doi.org/10.4103/0970-1591.85446>.
- Hnaïen, M; Lagarde, F; Bausells, J; Errachid, A; Jaffrezic-Renault, N. (2011). A new bacterial biosensor for trichloroethylene detection based on a three-dimensional carbon nanotubes bioarchitecture. *Anal Bioanal Chem*. 400: 1083-1092. <http://dx.doi.org/10.1007/s00216-010-4336-x>.

Human Health Hazard Literature Search Results

Off Topic

- Hodgen, GD; Sherins, RJ. (1973). Enzymes as markers of testicular growth and development in the rat. *Endocrinology*. 93: 985-989. <http://dx.doi.org/10.1210/endo-93-4-985>.
- Hoel, DG; Walburg, HE, Jr. (1972). Statistical analysis of survival experiments. *J Natl Cancer Inst*. 49: 361-372.
- Hoey, ET; Pakala, V; Kassamali, RH; Ganeshan, A. (2014). A comparative analysis of ECG-gated steady state free precession magnetic resonance imaging versus transthoracic echocardiography for evaluation of aortic root dimensions. 4: 300-306. <http://dx.doi.org/10.3978/j.issn.2223-4292.2014.10.06>.
- Hoey, ET; Shahid, M; Watkin, RW. (2016). Computed tomography and magnetic resonance imaging evaluation of pericardial disease [Review]. 6: 274-284. <http://dx.doi.org/10.21037/qims.2016.01.03>.
- Hofmann, E; Limacher, A; Méan, M; Kucher, N; Righini, M; Frauchiger, B; Beer, JH; Osterwalder, J; Aschwanden, M; Matter, CM; Banyai, M; Egloff, M; Hugli, O; Staub, D; Bounameaux, H; Rodondi, N; Aujesky, D. (2016). Echocardiography does not predict mortality in hemodynamically stable elderly patients with acute pulmonary embolism. *Thromb Res Suppl*. 145: 67-71. <http://dx.doi.org/10.1016/j.thromres.2016.07.014>.
- Höhener, P; Elsner, M; Eisenmann, H; Atteia, O. (2015). Improved constraints on in situ rates and on quantification of complete chloroethene degradation from stable carbon isotope mass balances in groundwater plumes. *J Contam Hydrol*. 182: 173-182. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.006>.
- Höhener, P; Yu, X. (2012). Stable carbon and hydrogen isotope fractionation of dissolved organic groundwater pollutants by equilibrium sorption. *J Contam Hydrol*. 129-130: 54-61. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.006>.
- Hoivik, DJ; Qualls, CW, Jr; Mirabile, RC; Cariello, NF; Kimbrough, CL; Colton, HM; Anderson, SP; Santostefano, MJ; Morgan, RJO; Dahl, RR; Brown, AR; Zhao, Z; Mudd, PN, Jr; Oliver, WB, Jr; Brown, HR; Miller, RT. (2004). Fibrates induce hepatic peroxisome and mitochondrial proliferation without overt evidence of cellular proliferation and oxidative stress in cynomolgus monkeys. *Carcinogenesis*. 25: 1757-1769. <http://dx.doi.org/10.1093/carcin/bgh182>.
- Holleboom, AG; Jakulj, L; Franssen, R; Decaris, J; Vergeer, M; Koetsveld, J; Luchoomun, J; Glass, A; Hellerstein, MK; Kastelein, JJ; Hovingh, GK; Kuivenhoven, JA; Groen, AK; Turner, SM; Stroes, ES. (2013). In vivo tissue cholesterol efflux is reduced in carriers of a mutation in APOA1. *J Lipid Res*. 54: 1964-1971. <http://dx.doi.org/10.1194/jlr.P028449>.
- Holmes, M; Rathbone, J; Littlewood, C; Rawdin, A; Stevenson, M; Stevens, J; Archer, R; Evans, P; Wang, J. (2014). Routine echocardiography in the management of stroke and transient ischaemic attack: a systematic review and economic evaluation [Review]. 18: 1-176. <http://dx.doi.org/10.3310/hta18160>.
- Holte, E; Vegsundvåg, J; Hegbom, K; Hole, T; Wiseth, R. (2015). Transthoracic Doppler for detection of stenoses in the three main coronary arteries by use of stenotic to prestenotic velocity ratio and aliased coronary flow. 16: 1323-1330. <http://dx.doi.org/10.1093/ehjci/jev158>.
- Holton, C; Luo, H; Dahlen, P; Gorder, K; Dettenmaier, E; Johnson, PC. (2013). Temporal variability of indoor air concentrations under natural conditions in a house overlying a dilute chlorinated solvent groundwater plume. *Environ Sci Technol*. 47: 13347-13354. <http://dx.doi.org/10.1021/es4024767>.
- Honda, T; Yoshizawa, H; Sundararajan, C; David, E; Lajoie, MJ; Favaloro, FG; Janosik, T; Su, X; Honda, Y; Roebuck, BD; Gribble, GW. (2011). Tricyclic compounds containing nonenolizable cyano enones. A novel class of highly potent anti-inflammatory and cytoprotective agents. *J Med Chem*. 54: 1762-1778. <http://dx.doi.org/10.1021/jm101445p>.
- Honěk, J; Honěk, T; Januška, J; Sebesta, P; Novotný, S; Sefc, L; Fiedler, J; Srámek, M; Horváth, M; Parobková, M. (2012). [Patent foramen ovale and the risk of paradoxical embolization of venous bubbles in divers - cave for foam sclerotization of varicose veins]. *Rozhl Chir*. 91: 378-380.
- Honma, H; Ohno, T; Fujimoto, H; Matsuzaki, T; Murata, H; Mizuno, K. (2010). Evaluation of the elastic properties of the thoracic descending aorta with strain-rate measurement with transesophageal echocardiography: its correlation with the left ventricular diastolic function assessed with transthoracic echocardiography. *J Nippon Med Sch*. 77: 145-154.
- Hooper, NM; Hesp, RJ; Tiek, S. (1994). Metabolism of aspartame by human and pig intestinal microvillar peptidases. *Biochem J*. 298: 635-639.
- Hoover, RN; Strasser, PH. (1980). Artificial sweeteners and human bladder cancer: Preliminary results. *Lancet*. 315: 837-840. [http://dx.doi.org/10.1016/S0140-6736\(80\)91350-1](http://dx.doi.org/10.1016/S0140-6736(80)91350-1).
- Horesovsky, G; Ginsler, J; Everitt, J; Walker, C. (1994). Increased susceptibility to in vitro transformation of cells carrying the Eker tumor susceptibility mutation. *Carcinogenesis*. 15: 2183-2187. <http://dx.doi.org/10.1093/carcin/15.10.2183>.
- Hori, K; Matsuura, T; Mori, T; Nishikawa, K. (2015). Usefulness and growing need for intraoperative transthoracic echocardiography: a case series. *B M C Anesthesiology*. 15: 90. <http://dx.doi.org/10.1186/s12871-015-0066-0>.
- Horikoshi, S; Muratani, M; Miyabe, K; Ohmura, K; Hirowatari, T; Serpone, N; Abe, M. (2011). Influence of Humidity and of the Electric and Magnetic Microwave Radiation Fields on the Remediation of TCE-contaminated Natural Sandy Soils. *J Oleo Sci*. 60: 375-383.
- Hornung, RW; Pinney, SM; Lodwick, J; Killough, GG; Brewer, DE; Nasuta, J. (2008). Estimation of radon exposures to workers at the Fernald Feed Materials Production Center 1952-1988. *J Expo Sci Environ Epidemiol*. 18: 512-523. <http://dx.doi.org/10.1038/sj.jes.7500645>.
- Horst, A; Lacrampe-Couloume, G; Sherwood Lollar, B. (2016). Vapor Pressure Isotope Effects in Halogenated Organic Compounds and Alcohols Dissolved in Water. *Anal Chem*. 88: 12066-12071. <http://dx.doi.org/10.1021/acs.analchem.6b02597>.
- Horstkotte, D; Piper, C. (2015). [Infective endocarditis]. *Herz*. 40: 265-278; quiz 279-280. <http://dx.doi.org/10.1007/s00059-015-4217-3>.
- Horstkotte, J; Kloeser, C; Beucher, H; Schwarzlaender, E; von Bardeleben, RS; Boekstegers, P. (2016). Intraprocedural assessment of mitral regurgitation during the mitraclip procedure: Impact of continuous left atrial pressure monitoring. 88: 1134-1143. <http://dx.doi.org/10.1002/ccd.26504>.

Human Health Hazard Literature Search Results

Off Topic

- Hortelano, S; Dewez, B; Genaro, AM; Díaz-Guerra, MJM; Bosca, L. (1995). Nitric oxide is released in regenerating liver after partial hepatectomy. *Hepatology*. 21: 776-786. <http://dx.doi.org/10.1002/hep.1840210327>.
- Horvath, AL; Getzen, FW; Maczynska, Z. (1999). IUPAC-NIST Solubility data series 67: Halogenated ethanes and ethenes with water. *J Phys Chem Ref Data*. 28: 395-627. <http://dx.doi.org/10.1063/1.556039>.
- Hosoda, A; Takahashi, T; Numano, K; Nakajou, K; Higashimoto, A; Toda, M; Arai, H; Hotta, Y; Tamura, H. (2012). Rapid Reductive Dechlorination of Trichloroethene in Contaminated Ground Water Using Biostimulation Agent, BD-1, Formulated from Canola Oil. *J Oleo Sci*. 61: 155-161. <http://dx.doi.org/10.5650/jos.61.155>.
- Hosokawa, Y; Kodani, E; Kusama, Y; Kamiya, M; Yoshikawa, M; Hirasawa, Y; Nakagomi, A; Atarashi, H; Maeda, S; Mizuno, K. (2010). Cardiac angiosarcoma diagnosed by transvenous endomyocardial biopsy with the aid of transesophageal echocardiography and intra-procedural consultation. *Int Heart J*. 51: 367-369.
- Hossaini, R; Chipperfield, MP; Saiz-Lopez, A; Harrison, JJ; von Glasow, R; Sommariva, R; Atlas, E; Navarro, M; Montzka, SA; Feng, W; Dhomse, S; Harth, C; Muehle, J; Lunder, C; O'Doherty, S; Young, D; Reimann, S; Vollmer, MK; Krummel, PB; Bernath, PF. (2015). Growth in stratospheric chlorine from short-lived chemicals not controlled by the Montreal Protocol. *Geophys Res Lett*. 42: 4573-4580. <http://dx.doi.org/10.1002/2015GL063783>.
- Hosseini, SM; Bakhshian, R; Moshkani Farahani, M; Abdar Esfahani, M; Bahrami, A; Sate, A. (2014). An observational study on infective endocarditis: a single center experience. 3: e18423. <http://dx.doi.org/10.5812/cardiovascmed.18423>.
- Hosseinkhani, B; Hennebel, T; Boon, N. (2014). Potential of biogenic hydrogen production for hydrogen driven remediation strategies in marine environments. *N Biotechnol*. 31: 445-450. <http://dx.doi.org/10.1016/j.nbt.2014.04.005>.
- Hosseinkhani, B; Hennebel, T; Van Nevel, S; Verschuere, S; Yakimov, MM; Cappello, S; Blaghen, M; Boon, N. (2014). Biogenic nanopalladium based remediation of chlorinated hydrocarbons in marine environments. *Environ Sci Technol*. 48: 550-557. <http://dx.doi.org/10.1021/es403047u>.
- Howard, PH; Boethling, RS; Jarvis, WF; Meylan, WM; Michalenko, EM. (1991). Handbook of environmental degradation rates. Boca Raton, FL: Lewis Publishers/CRC Press. <http://www.crcpress.com/product/isbn/9780873713580>.
- Howroyd, P; Swanson, C; Dunn, C; Cattley, RC; Corton, JC. (2004). Decreased longevity and enhancement of age-dependent lesions in mice lacking the nuclear receptor peroxisome proliferator-activated receptor alpha (PPARalpha). *Toxicol Pathol*. 32: 591-599.
- Hoyt, WJ; Dean, PN; Schneider, DS; Conaway, MR; Kramer, CM; Battle, RW. (2016). Coronary Artery Evaluation by Screening Echocardiogram in Intercollegiate Athletes. *Med Sci Sports Exerc*. <http://dx.doi.org/10.1249/MSS.0000000000001182>.
- HSDB. (1996). Trichloroethylene [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>
- HSDB. (2002). Trichloroethylene [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>
- Hsia, CY; Huo, TI; Chiang, SY; Lu, MF; Sun, CL; Wu, JC; Lee, PC; Chi, CW; Lui, WY; Lee, SD. (2007). Evaluation of interleukin-6, interleukin-10 and human hepatocyte growth factor as tumor markers for hepatocellular carcinoma. *Eur J Surg Oncol*. 33: 208-212. <http://dx.doi.org/10.1016/j.ejso.2006.10.036>.
- Hsieh, JM; Tsurulnikov, K; Sawaya, MR; Magilnick, N; Abuladze, N; Kurtz, I, ra; Abramson, J; Pushkin, A. (2010). Structures of aminoacylase 3 in complex with acetylated substrates. *Proc Natl Acad Sci USA*. 107: 17962-17967. <http://dx.doi.org/10.1073/pnas.1006687107>.
- Hsu, TC; Chiu, CC; Wang, YW; Tzang, BS. (2013). Effects of cystamine on antioxidant activities and regulatory T cells in lupus-prone mice. *J Cell Mol Med*. 17: 1308-1315. <http://dx.doi.org/10.1111/jcmm.12107>.
- Hu, G; Song, F; Zhu, X; Yang, B; Liu, Y; Liu, Y. (2015). Coexistence of Primary Sarcomatoid Carcinoma of the Right Ventricle and Absence of Right Pulmonary Artery. *Echocardiography*. 32: 1728-1731. <http://dx.doi.org/10.1111/echo.13011>.
- Hu, M; Zhang, Y; Wang, Z; Jiang, Z; Li, J. (2011). Influence of humic acid on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater*. 190: 1074-1078. <http://dx.doi.org/10.1016/j.jhazmat.2011.03.088>.
- Hu, Y; Hakkola, J; Oscarson, M; Ingelman-Sundberg, M. (1999). Structural and functional characterization of the 5'-flanking region of the rat and human cytochrome P450 2E1 genes: Identification of a polymorphic repeat in the human gene. *Biochem Biophys Res Commun*. 263: 286-293. <http://dx.doi.org/10.1006/bbrc.1999.1362>.
- Huang, D; Becker, JG. (2011). Dehalorespiration model that incorporates the self-inhibition and biomass inactivation effects of high tetrachloroethene concentrations. *Environ Sci Technol*. 45: 1093-1099. <http://dx.doi.org/10.1021/es102729v>.
- Huang, G; Schaff, HV; Sundt, TM; Rahimtoola, SH. (2013). Treatment of obstructive thrombosed prosthetic heart valve [Review]. *J Am Coll Cardiol*. 62: 1731-1736. <http://dx.doi.org/10.1016/j.jacc.2013.07.075>.
- Huang, H, anL; Hung, CY; Chin, CH, ui; Hou, SM, in; Mo, YH; Lu, Y, enYu. (2011). Primary Cardiac Lymphoma with Complete Atrioventricular Block. *Zhonghua Minguo Xinzang Xuehui Zazhi*. 27: 56-59.
- Huang, J; Yeung, CS; Ma, J; Gayner, ER; Phillips, DL. (2014). A computational chemistry investigation of the mechanism of the water-assisted decomposition of trichloroethylene oxide. *J Phys Chem A*. 118: 1557-1567. <http://dx.doi.org/10.1021/jp501310z>.
- Huang, SJ; Mclean, AS. (2012). Appreciating the strengths and weaknesses of transthoracic echocardiography in hemodynamic assessments. 2012: 894308. <http://dx.doi.org/10.1155/2012/894308>.
- Huang, T; Cheng, X. (2013). The Observation of the Change of TCE Caused by Different Acupuncture Stimulation. *eCAM*. 2013: 856905. <http://dx.doi.org/10.1155/2013/856905>.

Human Health Hazard Literature Search Results

Off Topic

- Huang, X; Shen, J; Huang, Y; Zheng, Z; Fei, H; Hou, Y; Xu, Y; Huang, T; Huang, W; Zhang, C. (2010). En face view of atrial septal defect by two-dimensional transthoracic echocardiography: comparison to real-time three-dimensional transesophageal echocardiography. *J Am Soc Echocardiogr.* 23: 714-721. <http://dx.doi.org/10.1016/j.echo.2010.04.016>.
- Huang, Y; Wang, J. (2013). Degradation and mineralization of DDT by the ectomycorrhizal fungi, *Xerocomus chrysenteron*. *Chemosphere.* 92: 760-764. <http://dx.doi.org/10.1016/j.chemosphere.2013.04.002>.
- Hubail, Z; Lemler, M; Ramaciotti, C; Moore, J; Ikemba, C. (2011). Diagnosing a patent foramen ovale in children: is transesophageal echocardiography necessary? *Stroke.* 42: 98-101. <http://dx.doi.org/10.1161/STROKEAHA.110.595876>.
- Huertas-Hoyas, E; Pedrero-Perez, EJ; Aguila-Maturana, AM; Gonzalez-Altred, C. (2013). [Evaluation of the community integration of persons with lateralised post-acute acquired brain injury]. *Rev Neurol.* 57: 150-156.
- Huertas-Hoyas, E; Pedrero-Pérez, EJ; Águila-Maturana, AM; González-Altred, C. (2014). [Study of the pre- and post-treatment functionality of unilateral acquired brain injuries]. *Rev Neurol.* 58: 345-352.
- Humberstone-Gough, CE; Saunders, PU; Bonetti, DL; Stephens, S; Bullock, N; Anson, JM; Gore, CJ. (2013). Comparison of live high: train low altitude and intermittent hypoxic exposure. 12: 394-401.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-chlorine isotope analysis and quantitative PCR. *J Contam Hydrol.* 119: 69-79. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.009>.
- Hunter, E; Rogers, E; Schmid, J; Richard, A. (1996). Comparative effects of haloacetic acids in whole embryo culture. *Teratology.* 54: 57-64. [http://dx.doi.org/10.1002/\(SICI\)1096-9926\(199606\)54:2<57::AID-TERA1>3.0.CO;2-1](http://dx.doi.org/10.1002/(SICI)1096-9926(199606)54:2<57::AID-TERA1>3.0.CO;2-1).
- Hurmuzlu, M; Øvrebø, K; Wentzel-Larsen, T; Muren, LP; Viste, A; Smaaland, R. (2010). High-dose preoperative chemoradiotherapy in esophageal cancer patients does not increase postoperative pulmonary complications: correlation with dose-volume histogram parameters. 97: 60-64. <http://dx.doi.org/10.1016/j.radonc.2010.06.008>.
- Hurt, RH. (2015). *Nanomaterial Design for Environmental Health and Safety*.
- Husser, O; Holzamer, A; Resch, M; Endemann, DH; Nunez, J; Bodi, V; Schmid, C; Riegger, GA; Gössmann, H; Hamer, O; Stroszczynski, C; Luchner, A; Hilker, M; Hengstenberg, C. (2013). Prosthesis sizing for transcatheter aortic valve implantation--comparison of three dimensional transesophageal echocardiography with multislice computed tomography. *Int J Cardiol.* 168: 3431-3438. <http://dx.doi.org/10.1016/j.ijcard.2013.04.182>.
- Hutter, A; Opitz, A; Bleiziffer, S; Ruge, H; Hettich, I; Mazzitelli, D; Will, A; Tassani, P; Bauernschmitt, R; Lange, R. (2010). Aortic annulus evaluation in transcatheter aortic valve implantation. 76: 1009-1019. <http://dx.doi.org/10.1002/ccd.22654>.
- Huttin, O; Petit, MA; Bozec, E; Eschaliere, R; Juillière, Y; Moulin, F; Lemoine, S; Selton-Suty, C; Sadoul, N; Mandry, D; Beaumont, M; Felblinger, J; Girerd, N; Marie, PY. (2015). Assessment of Left Ventricular Ejection Fraction Calculation on Long-axis Views From Cardiac Magnetic Resonance Imaging in Patients With Acute Myocardial Infarction. *Medicine (Baltimore).* 94: e1856. <http://dx.doi.org/10.1097/MD.0000000000001856>.
- Hwan-Cheol, P; Soon-Gil, K, im; Kyoung, K, imMi; Bo, YC; Jinho, S. (2013). Prevalence of Atrial Fibrillation in Asymptomatic Healthy Population in Korean Rural Area. *J Clin Hypertens (Greenwich).* 15.
- Hwang, HJ; Chung, WB; Park, JH; Oh, SS; Chung, JW; Choi, YS; Youn, HJ. (2010). Estimation of coronary flow velocity reserve using transthoracic Doppler echocardiography and cold pressor test might be useful for detecting of patients with variant angina. *Echocardiography.* 27: 435-441. <http://dx.doi.org/10.1111/j.1540-8175.2009.01038.x>.
- Hwang, HJ; Youn, HJ; Lee, MY; Park, CS; Choi, YS; Chung, WB; Lee, JB; Shim, B. (2012). Change of coronary flow velocity during the cold pressor test is related to endothelial markers in subjects with chest pain and a normal coronary angiogram. *Clin Cardiol.* 35: 119-124. <http://dx.doi.org/10.1002/clc.20980>.
- Hwang, HT; Jeon, SW; Sudicky, EA; Illman, WA. (2015). Determination of rate constants and branching ratios for TCE degradation by zero-valent iron using a chain decay multispecies model. *J Contam Hydrol.* 177-178: 43-53. <http://dx.doi.org/10.1016/j.jconhyd.2015.03.001>.
- Hwang, J; Pallas, DC. (2014). STRIPAK complexes: Structure, biological function, and involvement in human diseases [Review]. *Int J Biochem Cell Biol.* 47: 118-148. <http://dx.doi.org/10.1016/j.biocel.2013.11.021>.
- Hyun, S; Hayes, K. (2015). Abiotic reductive dechlorination of cis-DCE by ferrous monosulfide mackinawite. *Environ Sci Pollut Res Int.* 22: 16463-16474. <http://dx.doi.org/10.1007/s11356-015-5033-2>.
- IARC. (1995). Tetrachloroethylene. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans* (pp. 159-221). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol63/index.php>.
- IARC. (2001). Pathology and genetics of tumours of haematopoietic and lymphoid tissues. In *IARC WHO classification of tumours*. Lyon, France. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=70&codcch=3>.
- IARC. (2004). Tobacco smoke and involuntary smoking [IARC Monograph] (pp. 1-1438). (RISKLIN/2004080004). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol83/mono83.pdf>.
- Ibrahim, KS; Waqfi, NR; Jarrah, MI. (2013). Sinus of valsalva aneurysm with fistula to the right atrium presented as acute heart failure in a young man. *The American Journal of Case Reports.* 14: 398-400. <http://dx.doi.org/10.12659/AJCR.889142>.
- Ichimura, A; Takeshima, H. (2016). TRIC-B Mutations Causing Osteogenesis Imperfecta [Review]. *Biol Pharm Bull.* 39: 1743-1747. <http://dx.doi.org/10.1248/bpb.b16-00612>.
- ICRP. (2002). Basic anatomical and physiological data for use in radiological protection: Reference values. In *Annals of the ICRP* (pp. 1-277). (ICRP Publication 89). New York, NY: Pergamon Press. [http://dx.doi.org/10.1016/S0146-6453\(03\)00002-2](http://dx.doi.org/10.1016/S0146-6453(03)00002-2).

Human Health Hazard Literature Search Results

Off Topic

- IEI. (2005). Rocketdyne worker health study: Final report: Executive summary & appendices. Rockville, MD. http://www.boeing.com/aboutus/environment/santa_susana/factsheets/Rocketdyne_Worker_Health_Study_Final_Report_July_2005.pdf.
- Ikeda, O; Nakasone, Y; Yokoyama, K; Inoue, S; Tamura, Y; Yamashita, Y. (2013). Simultaneous coil embolization and angioplasty using a self-expanding nitinol stent to treat pancreaticoduodenal artery aneurysms associated with celiac artery stenosis. *Acta Radiol.* 54: 949-953. <http://dx.doi.org/10.1177/0284185113488577>.
- Ilkay, E; Kaçmaz, F; Ozeke, O; Turan, RS; Firat, S; Pampal, K; Ozer, E; Bilgin, S. (2010). The efficiency and safety of percutaneous closure of secundum atrial septal defects with the Occlutech Figulla device: initial clinical experience. *Turk Kardiyol Dern Ars.* 38: 189-193.
- Illman, WA; Berg, SJ; Liu, X; Massi, A. (2010). Hydraulic/partitioning tracer tomography for DNAPL source zone characterization: small-scale sandbox experiments. *Environ Sci Technol.* 44: 8609-8614. <http://dx.doi.org/10.1021/es101654j>.
- Im, J; Semrau, JD. (2011). Pollutant degradation by a *Methylocystis* strain SB2 grown on ethanol: bioremediation via facultative methanotrophy. *FEMS Microbiol Lett.* 318: 137-142. <http://dx.doi.org/10.1111/j.1574-6968.2011.02249.x>.
- Im, J; Walshe-Langford, GE; Moon, J; Loeffler, FE. (2014). Environmental Fate of the Next Generation Refrigerant 2,3,3,3-Tetrafluoropropene (HFO-1234yf). *Environ Sci Technol.* 48: 13181-13187. <http://dx.doi.org/10.1021/es5032147>.
- Imbalzano, E; Zito, C; Carerj, S; Oreto, G; Mandraffino, G; Cusmà-Piccione, M; Di Bella, G; Saitta, C; Saitta, A. (2011). Left ventricular function in hypertension: new insight by speckle tracking echocardiography. *Echocardiography.* 28: 649-657. <http://dx.doi.org/10.1111/j.1540-8175.2011.01410.x>.
- Innasimuthu, AL; Katz, WE. (2011). Effect of bisphosphonates on the progression of degenerative aortic stenosis. *Echocardiography.* 28: 1-7. <http://dx.doi.org/10.1111/j.1540-8175.2010.01256.x>.
- Inokuchi, T; Sasaki, O; Nishioka, T; Ito, H; Yoshimoto, N; Yamabi, H; Imanaka, K; Sasaki, H. (2015). Momentary and wide aortic regurgitation as an indicator of aortic dissection. *Gen Thorac Cardiovasc Surg.* <http://dx.doi.org/10.1007/s11748-015-0595-y>.
- Inoue, Y; Aizaki, H; Hara, H; Matsuda, M; Ando, T; Shimoji, T; Murakami, K; Masaki, T; Shoji, I; Homma, S; Matsuura, Y; Miyamura, T; Wakita, T; Suzuki, T. (2011). Chaperonin TRiC/CCT participates in replication of hepatitis C virus genome via interaction with the viral NS5B protein. *Virology.* 410: 38-47. <http://dx.doi.org/10.1016/j.virol.2010.10.026>.
- IOM. (2003). Gulf war and health: Volume 2. Insecticides and solvents. Washington, DC: National Academies Press. http://www.nap.edu/catalog.php?record_id=10628.
- Ionac, A; Mornoş, C; Feier, H; Cozma, D; Petrescu, L; Popescu, I; Ionescu, G; Cocora, M; Gaspar, M; Drăgulescu, SI. (2011). Pre-operative transthoracic real-time three-dimensional echocardiography for a better surgical strategy. *Chirurgia (Bucur).* 106: 211-217.
- Irvine, R; Brownfield, MS; Elfarra, AA. (2011). N-Biotinyl-S-(1,2-dichlorovinyl)-L-cysteine Sulfoxide as a Potential Model for S-(1,2-Dichlorovinyl)-L-cysteine Sulfoxide: Characterization of Stability and Reactivity with Glutathione and Kidney Proteins in Vitro. *Chem Res Toxicol.* 24: 1915-1923. <http://dx.doi.org/10.1021/tx200263n>.
- Isaacs, KK; Evans, MV; Harris, TR. (2004). Visualization-based analysis for a mixed-inhibition binary PBPK model: Determination of inhibition mechanism. *J Pharmacokinetic Pharmacodyn.* 31: 215-242.
- Ise, K; Suto, K; Inoue, C. (2011). Microbial diversity and changes in the distribution of dehalogenase genes during dechlorination with different concentrations of cis-DCE. *Environ Sci Technol.* 45: 5339-5345. <http://dx.doi.org/10.1021/es104199y>.
- Islam, MA; Waller, AS; Hug, LA; Provard, NJ; Edwards, EA; Mahadevan, R. (2014). New insights into Dehalococcoides mccartyi metabolism from a reconstructed metabolic network-based systems-level analysis of D. mccartyi transcriptomes. *PLoS ONE.* 9: e94808. <http://dx.doi.org/10.1371/journal.pone.0094808>.
- Itabashi, Y; Shibayama, K; Mihara, H; Utsunomiya, H; Berdejo, J; Arsanjani, R; Siegel, R; Chakravarty, T; Jilaihawi, H; Makkar, RR; Shiota, T. (2015). Significant Reduction in Mitral Regurgitation Volume Is the Main Contributor for Increase in Systolic Forward Flow in Patients with Functional Mitral Regurgitation after Transcatheter Aortic Valve Replacement: Hemodynamic Analysis Using Echocardiography. *Echocardiography.* 32: 1621-1627. <http://dx.doi.org/10.1111/echo.12936>.
- Ito, D; Tanaka, T; Akamatsu, N; Ito, K; Hasegawa, K; Sakamoto, Y; Nakagawa, H; Fujinaga, H; Kokudo, N. (2016). Recurrent Acute Liver Failure Because of Acute Hepatitis Induced by Organic Solvents: A Case Report. *Medicine (Baltimore).* 95: e2445. <http://dx.doi.org/10.1097/MD.0000000000002445>.
- Ito, Y; Yamanoshita, O; Asaeda, N; Tagawa, Y; Lee, CH; Aoyama, T; Ichihara, G; Furuhashi, K; Kamijima, M; Gonzalez, FJ; Nakajima, T. (2007). Di(2-ethylhexyl)phthalate induces hepatic tumorigenesis through a peroxisome proliferator-activated receptor alpha-independent pathway. *J Occup Health.* 49: 172-182.
- Ito, Y; Yokota, H; Wang, R; Yamanoshita, O; Ichihara, G; Wang, H; Kurata, Y; Takagi, K; Nakajima, T. (2005). Species differences in the metabolism of di(2-ethylhexyl) phthalate (DEHP) in several organs of mice, rats, and marmosets. *Arch Toxicol.* 79: 147-154. <http://dx.doi.org/10.1007/s00204-004-0615-7>.
- Ivanova, V; Anreddy, S; Bailey, S; Schuett, A; Hughes-Doichev, R. (2012). A case of severe mitral regurgitation due to an unusually long aberrant chorda tendinea straddling the anterior mitral leaflet. *Echocardiography.* 29: E156-E158. <http://dx.doi.org/10.1111/j.1540-8175.2012.01691.x>.
- Iwatsubo, Y; Benezet, L; Boutou-Kempf, O; Fevotte, J; Garras, L; Goldberg, M; Luce, D; Pilorget, C; Imbernon, E. (2014). An extensive epidemiological investigation of a kidney cancer cluster in a chemical plant: what have we learned? *Occup Environ Med.* 71: 4-11. <http://dx.doi.org/10.1136/oemed-2013-101477>.

Human Health Hazard Literature Search Results

Off Topic

- Iyer, RA; Frink, EJ, Jr; Ebert, TJ; Anders, MW. (1998). Cysteine conjugate beta-lyase-dependent metabolism of compound A (2-[fluoromethoxy]-1,1,3,3,3-pentafluoro-1-propene) in human subjects anesthetized with sevoflurane and in rats given compound A. *Anesthesiology*. 88: 611-618.
- J. G, R. (2014). emediation Technology Collaboration Development Task, Overview and Project Summaries.
- Jabbour, A; Ismail, TF; Moat, N; Gulati, A; Roussin, I; Alpendurada, F; Park, B; Okoroafor, F; Asgar, A; Barker, S; Davies, S; Prasad, SK; Rubens, M; Mohiaddin, RH. (2011). Multimodality imaging in transcatheter aortic valve implantation and post-procedural aortic regurgitation: comparison among cardiovascular magnetic resonance, cardiac computed tomography, and echocardiography. *J Am Coll Cardiol*. 58: 2165-2173. <http://dx.doi.org/10.1016/j.jacc.2011.09.010>.
- Jackson, AG; Leu, SY; Ford, NB; Hicks, JW. (2015). Patterns of oxygen consumption during simultaneously occurring elevated metabolic states in the viviparous snake *Thamnophis marci*. *J Exp Biol*. 218: 3570-3579. <http://dx.doi.org/10.1242/jeb.115477>.
- Jackson, CM; Ellis, HE; Dodd, MC; O'Toole, L. (2015). Large, mobile, transmittal metastatic osteosarcoma presenting as cardiac arrest. 2: K29-K32. <http://dx.doi.org/10.1530/ERP-14-0106>.
- Jacobs, MM; Massey, RI; Tenney, H; Harriman, E. (2014). Reducing the use of carcinogens: the Massachusetts experience [Review]. *Rev Environ Health*. 29: 319-340. <http://dx.doi.org/10.1515/reveh-2014-0048>.
- Jaffe, D; Gandolfi, A; Nagle, R. (1984). Chronic toxicity of S-(trans-1,2-dichlorovinyl)-L-cysteine in mice. *J Appl Toxicol*. 4: 315-319. <http://dx.doi.org/10.1002/jat.2550040607>.
- Jaffe, D; Hassall, C; Gandolfi, A; Brendel, K. (1985). Production of DNA single strand breaks in rabbit renal tissue after exposure to 1,2-dichlorovinylcysteine. *Toxicology*. 35: 25-33. [http://dx.doi.org/10.1016/0300-483X\(85\)90129-5](http://dx.doi.org/10.1016/0300-483X(85)90129-5).
- Jagathjothi, N; Amanullah, MM; Muthukrishnan, P. (2013). Effect of treated tannery effluent with domestic wastewater and amendments on growth and yield of cotton. *Pak J Biol Sci*. 16: 1584-1588.
- Jain, D; Basniwal, PK. (2013). Forced degradation and impurity profiling: Recent trends in analytical perspectives [Review]. *J Pharm Biomed Anal*. 86: 11-35. <http://dx.doi.org/10.1016/j.jpba.2013.07.013>.
- Jainandunsing, JS; Mahmood, F; Matyal, R; Shakil, O; Hess, PE; Lee, J; Panzica, PJ; Khabbaz, KR. (2013). Impact of three-dimensional echocardiography on classification of the severity of aortic stenosis. *Ann Thorac Surg*. 96: 1343-1348. <http://dx.doi.org/10.1016/j.athoracsur.2013.05.018>.
- Jaiswal, A; Goldbarg, SH; Kerwin, TC. (2012). Benefit of TEE in Patients Over 50 with Unexplained Stroke and Normal TTE Study. *Circulation*. 126.
- Jalalian, R; Moghadamnia, AA; Tamaddoni, A; Khafri, S; Iranian, M. (2016). Comparing the Efficacy of Tadalafil Versus Placebo on Pulmonary Artery Systolic Pressure and Right Ventricular Function in Patients with Beta-Thalassaemia Intermedia. *Heart, Lung & Circulation* (Online). <http://dx.doi.org/10.1016/j.hlc.2016.11.003>.
- Jalalian, R; Naghshvar, F; Habibi, V; Hakakian, V; Namazi, M. (2015). Primary Cardiac Angiosarcoma in a Middle Aged Woman. 17: e23067. <http://dx.doi.org/10.5812/ircmj.23067v2>.
- James, MO; Cornett, R; Yan, Z; Henderson, GN; Stacpoole, PW. (1997). Glutathione-dependent conversion to glyoxylate, a major pathway of dichloroacetate biotransformation in hepatic cytosol from humans and rats, is reduced in dichloroacetate-treated rats. *Drug Metab Dispos*. 25: 1223-1227.
- James, RC; Britt, J; Halmes, NC; Guzelian, PS. (2014). Comments on recent discussions providing differing causation methodologies [Letter]. *Hum Exp Toxicol*. 33: 109-112. <http://dx.doi.org/10.1177/0960327113491511>.
- James, RC; Britt, JK; Halmes, NC; Guzelian, PS. (2015). Evidence-based causation in toxicology: A 10-year retrospective [Review]. *Hum Exp Toxicol*. 34: 1245-1252. <http://dx.doi.org/10.1177/0960327115601767>.
- Jamiel, A; Ahmed, AM; Farah, I; Al-Mallah, MH. (2016). Correlation Between Diastolic Dysfunction and Coronary Artery Disease on Coronary Computed Tomography Angiography. 17: 13-18. <http://dx.doi.org/10.4103/1995-705X.182649>.
- Janardhanan, R; Pasha, AK. (2016). Acute Severe Aortic Regurgitation: Imaging with Pathological Correlation. 8: 167-168. <http://dx.doi.org/10.4103/1947-2714.179137>.
- János, RA; Buck, T; Erbel, R; Eggebrecht, H. (2010). Role of echocardiography in the diagnosis of acute aortic syndrome [Review]. *Minerva Cardioangiol*. 58: 409-420.
- János, RA; Erbel, R; Konorza, TF. (2012). Recent advances in the diagnosis of acute aortic syndromes. *Expert Opinion on Medical Diagnostics*. 6: 529-540. <http://dx.doi.org/10.1517/17530059.2012.704362>.
- János, RA; Kahlert, P; Plicht, B; Wendt, D; Eggebrecht, H; Erbel, R; Buck, T. (2011). Measurement of the aortic annulus size by real-time three-dimensional transesophageal echocardiography. 20: 85-94. <http://dx.doi.org/10.3109/13645706.2011.557385>.
- Jarocho, J; Kamińska-Kegel, A; Brzezińska, B; Kruszyńska, E; Bociąga, Z; Dudek, K; Łoboz-Grudzień, K. (2016). Predictors of left atrial appendage thrombogenic milieu in patients subjected to transesophageal echocardiography prior to cardioversion of persistent atrial fibrillation. *Pol Arch Med Wewn*. 126: 25-31.
- Jasińska, M. (1965). [General anesthesia with trichloroethylene in children with congenital developmental defects of the jaw and face]. *Czas Stomatol*. 18: 935-940.
- Jasudavisius, A; Arellano, R; Martin, J; Mcconnell, B; Bainbridge, D. (2016). A systematic review of transthoracic and transesophageal echocardiography in non-cardiac surgery: implications for point-of-care ultrasound education in the operating room [Review]. *Can J Anaesth*. 63: 480-487. <http://dx.doi.org/10.1007/s12630-015-0524-7>.
- Jeannotat, S; Hunkeler, D. (2012). Chlorine and carbon isotopes fractionation during volatilization and diffusive transport of trichloroethene in the unsaturated zone. *Environ Sci Technol*. 46: 3169-3176. <http://dx.doi.org/10.1021/es203547p>.

Human Health Hazard Literature Search Results

Off Topic

- Jeen, SW; Yang, Y; Gui, L; Gillham, RW. (2013). Treatment of trichloroethene and hexavalent chromium by granular iron in the presence of dissolved CaCO₃. *J Contam Hydrol.* 144: 108-121. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.004>.
- Jemal, A; Siegel, R; Ward, E; Hao, Y; Xu, J; Murray, T; Thun, MJ. (2008). Cancer statistics, 2008. *CA Cancer J Clin.* 58: 71-96. <http://dx.doi.org/10.3322/CA.2007.0010>.
- Jensen, OM; Knudsen, JB; McLaughlin, JK; Sorensen, BL. (1988). The Copenhagen case-control study of renal pelvis and ureter cancer: Role of smoking and occupational exposures. *Int J Cancer.* 41: 557-561. <http://dx.doi.org/10.1002/ijc.2910410414>.
- Jeong, HH, o; Lee, SH, o; Kim, J; Kim, H; Kim, Y; Yoo, J; Chang, W; Lee, C. (2010). Microfluidic monitoring of *Pseudomonas aeruginosa* chemotaxis under the continuous chemical gradient. *Biosens Bioelectron.* 26: 351-356. <http://dx.doi.org/10.1016/j.bios.2010.08.006>.
- Jerzykowska, O; Kalmucki, P; Woloszyn, M; Smuszkiewicz, P; Firek, L; Siminiak, T. (2010). Echocardiographic evaluation of percutaneous valve repair in patients with mitral regurgitation using the CARILLON system. *Kardiol Pol.* 68: 57-63.
- Jha, KC; Liu, Z; Vijwani, H; Nadagouda, M; Mukhopadhyay, SM; Tsige, M. (2016). Carbon Nanotube Based Groundwater Remediation: The Case of Trichloroethylene [Letter]. *Molecules.* 21. <http://dx.doi.org/10.3390/molecules21070953>.
- Ji, BT; Blair, A; Shu, XO; Chow, WH; Hauptmann, M; Dosemeci, M; Yang, G; Lubin, J; Gao, YT; Rothman, N; Zheng, W. (2008). Occupation and breast cancer risk among Shanghai women in a population-based cohort study. *Am J Ind Med.* 51: 100-110. <http://dx.doi.org/10.1002/ajim.20507>.
- Ji, J; Hemminki, K. (2005). Variation in the risk for liver and gallbladder cancers in socioeconomic and occupational groups in Sweden with etiological implications. *Int Arch Occup Environ Health.* 78: 641-649. <http://dx.doi.org/10.1007/s00420-005-0015-1>.
- Jia, H, - L; Ye, QH; Qin, LX; Budhu, A; Forges, M; Chen, Y; Liu, YK; Sun, HC; Wang, L; Lu, HZ; Shen, F; Tang, ZY; Wang, XW. (2007). Gene expression profiling reveals potential biomarkers of human hepatocellular carcinoma. *Clin Cancer Res.* 13: 1133-1139. <http://dx.doi.org/10.1158/1078-0432.CCR-06-1025>.
- Jia, M; Coats, B; Chadha, M; Frentzen, B; Perez-Rodriguez, J; Chadik, P; Yost, R; Henderson, G; Stacpoole, P. (2006). Human kinetics of orally and intravenously administered low-dose 1,2-(13)C-dichloroacetate. *J Clin Pharmacol.* 46: 1449-1459. <http://dx.doi.org/10.1177/0091270006292627>.
- Jiang, DM; Sunc, ZW; Han, J. (2015). Tako-tsubo cardiomyopathy after a quarrel. *Afr Health Sci.* 15: 1349-1353. <http://dx.doi.org/10.4314/ahs.v15i4.39>.
- Jiang, G; Crimi, M; Fowler, K; Fu, X. (2011). Experimental design of diffusion and desorption of contaminant in heterogeneous media. *Water Sci Technol.* 64: 988-998. <http://dx.doi.org/10.2166/wst.2011.065>.
- Jiang, J; Zhang, H; Li, Z; Zhang, X; Su, X; Li, Y; Qiao, B; Yuan, Y. (2013). HPLC-MS and GC-MS analyses combined with orthogonal partial least squares to identify cytotoxic constituents from turmeric (*Curcuma longa* L.). *Natural Product Communications.* 8: 1129-1134.
- Jiang, Y; Douglas, NR; Conley, NR; Miller, EJ; Frydman, J; Moerner, WE. (2011). Sensing cooperativity in ATP hydrolysis for single multisubunit enzymes in solution. *Proc Natl Acad Sci USA.* 108: 16962-16967. <http://dx.doi.org/10.1073/pnas.1112244108>.
- Jiang, Z; Ma, N; Tang, M; Liu, H; Ding, F; Yin, H; Mei, J. (2015). Effect of novel modified bipolar radiofrequency ablation for preoperative atrial fibrillation combined with off-pump coronary artery bypass grafting surgery. *Heart Vessels.* 30: 818-823. <http://dx.doi.org/10.1007/s00380-014-0519-2>.
- Jiménez, D; Aujesky, D; Moores, L; Gómez, V; Martí, D; Briongos, S; Monreal, M; Barrios, V; Konstantinides, S; Yusen, RD. (2011). Combinations of prognostic tools for identification of high-risk normotensive patients with acute symptomatic pulmonary embolism. *Thorax.* 66: 75-81. <http://dx.doi.org/10.1136/thx.2010.150656>.
- Jin, B; Haderlein, SB; Rolle, M. (2013). Integrated carbon and chlorine isotope modeling: applications to chlorinated aliphatic hydrocarbons dechlorination. *Environ Sci Technol.* 47: 1443-1451. <http://dx.doi.org/10.1021/es304053h>.
- Jin, S; Fallgren, PH. (2010). Electrically induced reduction of trichloroethene in clay. *J Hazard Mater.* 173: 200-204. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.069>.
- Jin, WY; Ginting, RT; Ko, KJ; Kang, JW. (2016). Ultra-Smooth, Fully Solution-Processed Large-Area Transparent Conducting Electrodes for Organic Devices. *Sci Rep.* 6: 36475. <http://dx.doi.org/10.1038/srep36475>.
- Jinks, MA; Sun, H; Hunter, CA. (2014). Measurement of supramolecular effective molarities for intramolecular H-bonds in zinc porphyrin-imidazole complexes. *Org Biomol Chem.* 12: 1440-1447. <http://dx.doi.org/10.1039/c3ob42246a>.
- Jirtle, RL; Meyer, SA; Brockenbrough, JS. (1991). Liver tumor promoter phenobarbital: A biphasic modulator of hepatocyte proliferation [Review]. *Prog Clin Biol Res.* 369: 209-216.
- Jo, W; Shin, SH, o. (2010). Photocatalytic decomposition of mobile-source related pollutants using a continuous-flow reactor. *J Environ Sci.* 22: 460-466. [http://dx.doi.org/10.1016/S1001-0742\(09\)60130-3](http://dx.doi.org/10.1016/S1001-0742(09)60130-3).
- Jo, YY; Chang, HJ; Na, S; Sim, J; Choi, YS. (2013). Predictors of mortality in patients with stress-induced cardiomyopathy developed during critical care. *J Crit Care.* 28: 618-624. <http://dx.doi.org/10.1016/j.jcrc.2013.03.014>.
- Joachimiak, LA; Walzthoeni, T; Liu, CW; Aebersold, R; Frydman, J. (2014). The structural basis of substrate recognition by the eukaryotic chaperonin TRiC/CCT. *Cell.* 159: 1042-1055. <http://dx.doi.org/10.1016/j.cell.2014.10.042>.
- Johannissen, LO; Leys, D; Hay, S. (2017). A common mechanism for coenzyme cobalamin-dependent reductive dehalogenases. *Phys Chem Chem Phys.* 19: 6090-6094. <http://dx.doi.org/10.1039/c6cp08659d>.
- John, S; Hajj-Ali, RA; Min, D; Calabrese, LH; Cerejo, R; Uchino, K. (2015). Reversible cerebral vasoconstriction syndrome: Is it more than just cerebral vasoconstriction? *Cephalalgia.* 35: 631-634. <http://dx.doi.org/10.1177/0333102414547139>.
- Johnson, AD; VanDemark, WL; Gomes, WR. (1967). The effect of antispermatic and hormone treatments on testicular cholesterol. *Fed Proc.* 26: 645.

Human Health Hazard Literature Search Results

Off Topic

- Johnson, PD; Dawson, BV; Goldberg, SJ; Mays, MZ. (2004). Trichloroethylene: Johnson et al.'s response [Letter]. *Environ Health Perspect.* 112: A608-A609. <http://dx.doi.org/10.1289/ehp.112-a608>.
- Johnsrud, EK; Koukouritaki, SB; Divakaran, K; Brunengraber, LL; Hines, RN; Mccarver, DG. (2003). Human hepatic CYP2E1 expression during development. *J Pharmacol Exp Ther.* 307: 402-407. <http://dx.doi.org/10.1124/jpet.102.053124>.
- Johri, AM; Armstrong, DWJ; Jurt, U; Brouillard, D; Matangi, MF. (2014). ICEBERG: Intimal Carotid Evaluation Before Echocardiography Reveals Global Vascular Risk. *Can J Cardiol.* 30: 1183-1189. <http://dx.doi.org/10.1016/j.cjca.2014.04.025>.
- Jones, RM; Dell, L; Torres, C; Simmons, CE; Poole, J; Boelter, FW; Harper, P. (2015). Exposure Reconstruction and Risk Analysis for Six Semiconductor Workers With Lymphohematopoietic Cancers. *J Occup Environ Med.* 57: 649-658. <http://dx.doi.org/10.1097/JOM.0000000000000413>.
- Jones, TW; Qin, C; Schaeffer, VH; Stevens, JL. (1988). Immunohistochemical localization of glutamine transaminase K, a rat kidney cysteine conjugate beta-lyase, and the relationship to the segment specificity of cysteine conjugate nephrotoxicity. *Mol Pharmacol.* 34: 621-627.
- Joo, JC; Ahn, CH; Jang, DG; Yoon, YH; Kim, JK; Campos, L; Ahn, H. (2013). Photocatalytic degradation of trichloroethylene in aqueous phase using nano-ZNO/Laponite composites. *J Hazard Mater.* 263 Pt 2: 569-574. <http://dx.doi.org/10.1016/j.jhazmat.2013.10.017>.
- Jørgensen, MR; Juhl-Olsen, P; Frederiksen, CA; Sloth, E. (2016). Transthoracic echocardiography in the perioperative setting [Review]. *Curr Opin Anaesthesiol.* 29: 46-54. <http://dx.doi.org/10.1097/ACO.0000000000000271>.
- Jorquera, R; Tanguay, R. (2001). Fumarylacetoacetate, the metabolite accumulating in hereditary tyrosinemia, activates the ERK pathway and induces mitotic abnormalities and genomic instability. *Hum Mol Genet.* 10: 1741-1752.
- Jorstig, S; Waldenborg, M; Lidén, M; Wodecki, M; Thunberg, P. (2016). Determination of Right Ventricular Volume by Combining Echocardiographic Distance Measurements. *Echocardiography.* 33: 844-853. <http://dx.doi.org/10.1111/echo.13173>.
- Joshi, K; Anjum, F; Gowda, S; Damania, D; Graham-Hill, S; Gillette, P; Zein, J; Jamaledine, G; Demetis, S; Wadgaonkar, R. (2011). Uric Acid as a potential biomarker of pulmonary arterial hypertension in patients with sickle cell disease. *Indian Journal of Hematology and Blood Transfusion.* 27: 96-100. <http://dx.doi.org/10.1007/s12288-011-0072-4>.
- Ju, X; Li, Z; Zhang, C; Qin, C; Shao, P; Li, J; Li, P; Cao, Q; Zhang, W; Wang, Z; Yin, C. (2013). Clinical aspects and molecular genetics of persistent müllerian duct syndrome associated with transverse testicular ectopia: report of three cases. *Urol Int.* 90: 83-86. <http://dx.doi.org/10.1159/000339599>.
- Juan, F; Xi-ming, W; Xiao-peng, J; Hai-ou, L; Qiao, L; Wen-bin, G; Zheng-jun, W. (2013). Comparison of low-dose sequences of dual-source CT and echocardiography for preoperative evaluation of aortic valve disease. *Chin Med J.* 126: 4423-4429. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.20122458>.
- Julien, M; Parinet, J; Nun, P; Bayle, K; Höhener, P; Robins, RJ; Remaud, GS. (2015). Fractionation in position-specific isotope composition during vaporization of environmental pollutants measured with isotope ratio monitoring by ¹³C nuclear magnetic resonance spectrometry. *Environ Pollut.* 205: 299-306. <http://dx.doi.org/10.1016/j.envpol.2015.05.047>.
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol.* 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.
- Juntunen, J; Antti-Poika, M; Tola, S; Partanen, T. (1982). Clinical prognosis of patients with diagnosed chronic solvent intoxication. *Acta Neurol Scand.* 65: 488-503. <http://dx.doi.org/10.1111/j.1600-0404.1982.tb03105.x>.
- Juran, BD; Lazaridis, KN. (2006). Genomics and complex liver disease: Challenges and opportunities [Review]. *Hepatology.* 44: 1380-1390. <http://dx.doi.org/10.1002/hep.21453>.
- Jyothilakshmi, M; Jyothis, M; Narayanan, GN; Latha, MS. (2017). Antidermatophytic and Protease-inhibiting Activities of Zerumbone: A Natural Sesquiterpene from the Rhizome of Zingiber zerumbet (L.) Roscoe ex J.E; Smith. *Pharmacognosy Magazine.* 13: 2-6. <http://dx.doi.org/10.4103/0973-1296.197649>.
- Kabasawa, M; Kohno, H; Ishizaka, T; Ishida, K; Funabashi, N; Kataoka, A; Matsumiya, G. (2014). Assessment of functional tricuspid regurgitation using 320-detector-row multislice computed tomography: risk factor analysis for recurrent regurgitation after tricuspid annuloplasty. *J Thorac Cardiovasc Surg.* 147: 312-320. <http://dx.doi.org/10.1016/j.jtcvs.2012.11.017>.
- Kabir, MA; Uddin, W; Narayanan, A; Reddy, PK; Jairajpuri, MA; Sherman, F; Ahmad, Z. (2011). Functional Subunits of Eukaryotic Chaperonin CCT/TRiC in Protein Folding. *Journal of Amino Acids.* 2011: 843206. <http://dx.doi.org/10.4061/2011/843206>.
- Kabirdas, D; Scridon, C; Brenes, JC; Hernandez, AV; Novaro, GM; Asher, CR. (2010). Accuracy of transthoracic echocardiography for the measurement of the ascending aorta: comparison with transesophageal echocardiography. *Clin Cardiol.* 33: 502-507. <http://dx.doi.org/10.1002/clc.20807>.
- Kabir-ud-Din; Rub, MA; Naqvi, AZ. (2010). Mixed micelle formation between amphiphilic drug amitriptyline hydrochloride and surfactants (conventional and gemini) at 293.15-308.15 K. *J Phys Chem B.* 114: 6354-6364. <http://dx.doi.org/10.1021/jp100123r>.
- Kachalia, A; Sideras, P; Javid, M; Muralidharan, S; Stevens-Cohen, P. (2013). Extreme clinical presentations of venous stasis: coronary sinus thrombosis. *J Assoc Physicians India.* 61: 841-843.
- Käfer, E. (1986). Tests which distinguish induced crossing-over and aneuploidy from secondary segregation in *Aspergillus* treated with chloral hydrate or gamma-rays. *Mutat Res.* 164: 145-166. [http://dx.doi.org/10.1016/0165-1161\(86\)90006-3](http://dx.doi.org/10.1016/0165-1161(86)90006-3).
- Kaifas, D; Malleret, L; Kumar, N; Fétimi, W; Claeys-Bruno, M; Sergent, M; Doumenq, P. (2014). Assessment of potential positive effects of nZVI surface modification and concentration levels on TCE dechlorination in the presence of competing strong oxidants, using an experimental design. *Sci Total Environ.* 481: 335-342. <http://dx.doi.org/10.1016/j.scitotenv.2014.02.043>.

Human Health Hazard Literature Search Results

Off Topic

- Kaisari, S; Sitry-Shevah, D; Miniowitz-Shemtov, S; Teichner, A; Hershko, A. (2017). Role of CCT chaperonin in the disassembly of mitotic checkpoint complexes. *Proc Natl Acad Sci USA*. 114: 956-961. <http://dx.doi.org/10.1073/pnas.1620451114>.
- Kalisman, N; Adams, CM; Levitt, M. (2012). Subunit order of eukaryotic TRiC/CCT chaperonin by cross-linking, mass spectrometry, and combinatorial homology modeling. *Proc Natl Acad Sci USA*. 109: 2884-2889. <http://dx.doi.org/10.1073/pnas.1119472109>.
- Kalisman, N; Levitt, M. (2010). Insights into the intra-ring subunit order of TRiC/CCT: a structural and evolutionary analysis. 252-259.
- Kalla, M; Rajappan, K; Kalra, S; Thomas, G; Redpath, C; Earley, MJ; Sporton, SC; Schilling, RJ. (2011). Routine transthoracic echocardiography to assess pericardial collections in patients after extensive left atrial catheter ablation: a prospective study. *J Cardiovasc Electrophysiol*. 22: 756-760. <http://dx.doi.org/10.1111/j.1540-8167.2010.02008.x>.
- Kamberi, LS; Gorani, DR; Citaku, HR; Selmani, HH; Beqiri, AI; Mustafai, AI. (2011). Multiplane transesophageal echocardiography for multiclinical dilemmas. *Acta Informatica Medica*. 19: 138-141. <http://dx.doi.org/10.5455/aim.2011.19.138-141>.
- Kambhu, A; Gren, M; Tang, W; Comfort, S; Harris, CE. (2017). Remediating 1,4-dioxane-contaminated water with slow-release persulfate and zerovalent iron. *Chemosphere*. 175: 170-177. <http://dx.doi.org/10.1016/j.chemosphere.2017.02.044>.
- Kamble, RS; Gupta, RK; Gupta, AR; Kothari, PR; Dikshit, KV; Kesan, KK. (2015). Laparoscopic management of transverse testicular ectopia with persistent mullerian duct syndrome. *Journal of Minimal Access Surgery*. 11: 213-215. <http://dx.doi.org/10.4103/0972-9941.152093>.
- Kamijo, Y; Hora, K; Nakajima, T; Kono, K; Takahashi, K; Ito, Y; Higuchi, M; Kiyosawa, K; Shigematsu, H; Gonzalez, FJ; Aoyama, T. (2007). Peroxisome proliferator-activated receptor alpha protects against glomerulonephritis induced by long-term exposure to the plasticizer di-(2-ethylhexyl)phthalate. *J Am Soc Nephrol*. 18: 176-188. <http://dx.doi.org/10.1681/asn.2006060597>.
- Kamitani, T; Sakaguchi, H; Tamura, A; Miyashita, T; Yamazaki, Y; Tokumasu, R; Inamoto, R; Matsubara, A; Mori, N; Hisa, Y; Tsukita, S. (2015). Deletion of Tricellulin Causes Progressive Hearing Loss Associated with Degeneration of Cochlear Hair Cells. *Sci Rep*. 5: 18402. <http://dx.doi.org/10.1038/srep18402>.
- Kamiya, K; Sakakibara, M; Yamada, S; Tan, M; Furihata, T; Kubota, K; Tsutsui, H. (2012). Diffuse large B-cell lymphoma diagnosed by intracardiac echocardiography-guided cardiac tumor biopsy. *Intern Med*. 51: 1043-1047. <http://dx.doi.org/10.2169/internalmedicine.51.6752>.
- Kananizadeh, N; Chokeyaroenrat, C; Li, Y; Comfort, S. (2015). Modeling improved ISCO treatment of low permeable zones via viscosity modification: assessment of system variables. *J Contam Hydrol*. 173: 25-37. <http://dx.doi.org/10.1016/j.jconhyd.2014.11.009>.
- Kandris, K; Antoniou, K; Pantazidou, M; Mamais, D. (2015). Modelling microbial dechlorination of trichloroethene: investigating the trade-off between quality of fit and parameter reliability. *Bull Environ Contam Toxicol*. 94: 295-301. <http://dx.doi.org/10.1007/s00128-014-1436-x>.
- Kaneko, K; Otaki, Y; Kadowaki, S; Narumi, T; Saito, H; Kiribayashi, N; Omi, K; Sasaki, T; Niizeki, T; Sugawara, S; Kubota, I. (2014). Left atrial appendage dysfunction in acute cerebral embolism patients with sinus rhythm: correlation with pulse wave tissue Doppler imaging. *Int J Cardiovasc Imaging*. 30: 1245-1254. <http://dx.doi.org/10.1007/s10554-014-0455-3>.
- Kang, DM; Kim, I. (2014). Compensation for occupational neurological and mental disorders. *J Korean Med Sci*. 29: S59-S65. <http://dx.doi.org/10.3346/jkms.2014.29.S.S59>.
- Kang, J; Khan, Z; Doty, SL. (2012). Biodegradation of Trichloroethylene by an Endophyte of Hybrid Poplar. *Appl Environ Microbiol*. 78: 3504-3507. <http://dx.doi.org/10.1128/AEM.06852-11>.
- Kang, JW; Doty, SL. (2014). Cometabolic degradation of trichloroethylene by Burkholderia cepacia G4 with poplar leaf homogenate. *Can J Microbiol*. 60: 487-490. <http://dx.doi.org/10.1139/cjm-2014-0095>.
- Kang, KH; Dong, JI. (2010). Hazardous air pollutant (HAP) emission characterization of sewage treatment facilities in Korea. *J Environ Monit*. 12: 898-905. <http://dx.doi.org/10.1039/b906771j>.
- Kang, MK; Chang, HJ; Cho, IJ; Shin, S; Shim, CY; Hong, GR; Yu, KJ; Chang, BC; Chung, N. (2014). Echocardiographic investigation of the mechanism underlying abnormal interventricular septal motion after open heart surgery. 22: 8-13. <http://dx.doi.org/10.4250/jcu.2014.22.1.8>.
- Kang, SK; Seo, H; Sun, E; Kim, I; Roh, Y. (2011). Remediation of TCE-contaminated groundwater using nanocatalyst and bacteria. *J Nanosci Nanotechnol*. 11: 7172-7175. <http://dx.doi.org/10.1166/jnn.2011.4872>.
- Kang, WS; Choi, JW; Kang, JE; Chung, JW; Kim, SH. (2013). Determination of mitral valve area with echocardiography, using intra-operative 3-dimensional versus intra- & post-operative pressure half-time technique in mitral valve repair surgery. *J Cardiothorac Surg*. 8: 98. <http://dx.doi.org/10.1186/1749-8090-8-98>.
- Kanisawa, M; Suzuki, S. (1978). Induction of renal and hepatic tumors in mice by ochratoxin A, a mycotoxin. *Gann*. 69: 599-600.
- Kanitkar, YH; Stedtfeld, RD; Steffan, RJ; Hashsham, SA; Cupples, AM. (2016). Loop-Mediated Isothermal Amplification (LAMP) for Rapid Detection and Quantification of Dehalococoides Biomarker Genes in Commercial Reductive Dechlorinating Cultures KB-1 and SDC-9. *Appl Environ Microbiol*. 82: 1799-1806. <http://dx.doi.org/10.1128/AEM.03660-15>.
- Kanki, H; Shimamura, Y; Kageyama, T; Nagatomo, Y; Akima, T; Ishikawa, S; Maisawa, K; Murayama, A. (2013). Acute aortic regurgitation due to aortic dissection confined to the sinus of Valsalva. 11: 72-74. <http://dx.doi.org/10.1007/s12574-013-0169-x>.
- Kao, CM; Liao, HY; Chien, CC; Tseng, YK; Tang, P; Lin, CE; Chen, SC. (2016). The change of microbial community from chlorinated solvent-contaminated groundwater after biostimulation using the metagenome analysis. *J Hazard Mater*. 302: 144-150. <http://dx.doi.org/10.1016/j.jhazmat.2015.09.047>.
- Kaown, D; Shouakar-Stash, O; Yang, J; Hyun, Y; Lee, KK. (2014). Identification of multiple sources of groundwater contamination by dual isotopes. *Ground Water*. 52: 875-885. <http://dx.doi.org/10.1111/gwat.12130>.
- Kapa, S; Elias, R; Connolly, HJ; Syed, IS; Asirvatham, SJ. (2012). Utility of transthoracic echocardiography to estimate severity of right ventricular dysfunction: an MRI comparison study. *Int J Cardiovasc Imaging*. 28: 251-261. <http://dx.doi.org/10.1007/s10554-011-9810-9>.

Human Health Hazard Literature Search Results

Off Topic

- Kappas, A. (1989). On the mechanisms of induced aneuploidy in *Aspergillus nidulans* and validation of tests for genomic mutations. In MA Resnick; BK Vig (Eds.), *Prog Clin Biol Res* (pp. 377-384). New York, NY: Wiley.
- Kara, K; Sivrioğlu, AK; Öztürk, E; İncedayı, M; Sağlam, M; Arıbal, S; Işılak, Z; Mutlu, H. (2016). The role of coronary CT angiography in diagnosis of patent foramen ovale. *22: 341-346*. <http://dx.doi.org/10.5152/dir.2016.15570>.
- Karagodin, I; Aba-Omer, O; Sparapani, R; Strande, JL. (2017). Aortic stiffening precedes onset of heart failure with preserved ejection fraction in patients with asymptomatic diastolic dysfunction. *BMC Cardiovasc Disord. 17: 62*. <http://dx.doi.org/10.1186/s12872-017-0490-9>.
- Karakus, G; Zencirci, E; Degirmencioglu, A; Güvenc, TS; Unal Aksu, H; Yildirim, A. (2017). Easily measurable, noninvasive, and novel finding for pulmonary hypertension: Hypertrophy of the basal segment of septomarginal trabeculation of right ventricle. *Echocardiography. 34: 290-295*. <http://dx.doi.org/10.1111/echo.13461>.
- Karami, S; Boffetta, P; Brennan, P; Stewart, PA; Zaridze, D; Matveev, V; Janout, V; Kollarova, H; Bencko, V; Navratilova, M; Szeszenia-Dabrowska, N; Mates, D; Gromiec, JP; Sobotka, R; Chow, WH; Rothman, N; Moore, LE. (2011). Renal cancer risk and occupational exposure to polycyclic aromatic hydrocarbons and plastics. *J Occup Environ Med. 53: 218-223*. <http://dx.doi.org/10.1097/JOM.0b013e31820a40a3>.
- Karami, S; Colt, JS; Schwartz, K; Davis, FG; Ruterbusch, JJ; Munuo, SS; Wacholder, S; Stewart, PA; Graubard, BI; Rothman, N; Chow, WH, o; Purdue, MP. (2012). A case-control study of occupation/industry and renal cell carcinoma risk. *BMC Cancer. 12: 344*. <http://dx.doi.org/10.1186/1471-2407-12-344>.
- Karataş, S; Hasar, H; Taşkan, E; Özkaya, B; Şahinkaya, E. (2014). Bio-reduction of tetrachloroethen using a H₂-based membrane biofilm reactor and community fingerprinting. *Water Res. 58: 21-28*. <http://dx.doi.org/10.1016/j.watres.2014.03.053>.
- Kargalioglu, Y; Mcmillan, BJ; Minear, RA; Plewa, MJ. (2002). Analysis of the cytotoxicity and mutagenicity of drinking water disinfection by-products in *Salmonella typhimurium*. *Teratog Carcinog Mutagen. 22: 113-128*. <http://dx.doi.org/10.1002/tcm.10010>.
- Kargar, M; Nabizadeh, R; Naddafi, K; Nasserı, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Pahlevanzadeh, B. (2012). Modeling perchloroethylene degradation under ultrasonic irradiation and photochemical oxidation in aqueous solution. *Iranian Journal of Environmental Health Science and Engineering. 9: 32*. <http://dx.doi.org/10.1186/1735-2746-9-32>.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasserı, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol. 90: 155-159*. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Karlstedt, E; Chelvanathan, A; Da Silva, M; Cleverley, K; Kumar, K; Bhullar, N; Lytwyn, M; Bohonis, S; Oomah, S; Nepomuceno, R; Du, X; Melnyk, S; Zeglinski, M; Ducas, R; Sefidgar, M; Mackenzie, S; Sharma, S; Kirkpatrick, ID; Jassal, DS. (2012). The impact of repeated marathon running on cardiovascular function in the aging population. *J Cardiovasc Magn Reson. 14: 58*. <http://dx.doi.org/10.1186/1532-429X-14-58>.
- Karpınets, TV; Foy, BD. (2005). Tumorigenesis: The adaptation of mammalian cells to sustained stress environment by epigenetic alterations and succeeding matched mutations [Review]. *Carcinogenesis. 26: 1323-1334*. <http://dx.doi.org/10.1093/carcin/bgi079>.
- Karubiu, W; Bhakat, S; Mcgillewie, L; Soliman, ME. (2015). Flap dynamics of plasmepsin proteases: insight into proposed parameters and molecular dynamics. *Mol Biosyst. 11: 1061-1066*. <http://dx.doi.org/10.1039/c4mb00631c>.
- Karunanayake, CP; McDuffie, HH; Dosman, JA; Spinelli, JJ; Pahwa, P. (2008). Occupational exposures and non-Hodgkin's lymphoma: Canadian case-control study. *Environ Health. 7: 44*. <http://dx.doi.org/10.1186/1476-069X-7-44>.
- Kasembeli, M; Lau, WC; Roh, SH; Eckols, TK; Frydman, J; Chiu, W; Tweardy, DJ. (2014). Modulation of STAT3 folding and function by TRiC/CCT chaperonin. *PLoS Biol. 12: e1001844*. <http://dx.doi.org/10.1371/journal.pbio.1001844>.
- Kassir, R; Blanc, P; Varlet, F; Breton, C; Lointier, P. (2013). Gastric bypass with unknown intestinal malrotation: Required attitude. *4: 1134-1137*. <http://dx.doi.org/10.1016/j.ijscr.2013.09.012>.
- Kassis, H; Cherukuri, K; Agarwal, R; Kanwar, M; Elapavaluru, S; Sokos, GG; Moraca, RJ; Bailey, SH; Murali, S; Benza, RL; Raina, A. (2017). Significance of Residual Mitral Regurgitation After Continuous Flow Left Ventricular Assist Device Implantation. *JACC: Heart Failure. 5: 81-88*. <http://dx.doi.org/10.1016/j.jchf.2016.09.014>.
- Kasuya, G; Hiraizumi, M; Maturana, AD; Kumazaki, K; Fujiwara, Y; Liu, K; Nakada-Nakura, Y; Iwata, S; Tsukada, K; Komori, T; Uemura, S; Goto, Y; Nakane, T; Takemoto, M; Kato, HE; Yamashita, K; Wada, M; Ito, K; Ishitani, R; Hattori, M; Nureki, O. (2016). Crystal structures of the TRiC trimeric intracellular cation channel orthologues. *Cell Res. 26: 1288-1301*. <http://dx.doi.org/10.1038/cr.2016.140>.
- Kataoka, A; Funabashi, N; Takahashi, A; Yajima, R; Takahashi, M; Uehara, M; Takaoka, H; Saito, M; Yamaguchi, C; Lee, K; Nomura, F; Komuro, I. (2011). Quantitative evaluation of left atrial volumes and ejection fraction by 320-slice computed-tomography in comparison with three- and two-dimensional echocardiography: a single-center retrospective-study in 22 subjects. *Int J Cardiol. 153: 47-54*. <http://dx.doi.org/10.1016/j.ijcard.2010.08.036>.
- Kataoka, A; Funabashi, N; Yajima, R; Takahashi, M; Takahashi, A; Saito, M; Yamaguchi, C; Imaeda, T; Lee, K; Komuro, I. (2011). Differentiation of pseudodyskinesia of inferior left ventricular wall from inferior myocardial infarction by assessment of regional myocardial strain using two-dimensional speckle tracking echocardiography. *Int J Cardiol. 152: 362-368*. <http://dx.doi.org/10.1016/j.ijcard.2010.08.006>.
- Kato, T; Ishida, S; Miyamoto, S; Iura, T; Ban, Y; Fujikawa, J; Nakane, E; Izumi, T; Haruna, T; Ueyama, K; Nohara, R; Inoko, M. (2015). A propensity score-matching analysis of transthoracic echocardiography and abdominal ultrasonography for the detection of abdominal aortic aneurysms. *9: 11-15*. <http://dx.doi.org/10.4137/CMC.S23166>.
- Kato-Weinstein, J; Lingohr, MK; Orner, GA; Thrall, BD; Bull, RJ. (1998). Effects of dichloroacetate on glycogen metabolism in B6C3F1 mice. *Toxicology. 130: 141-154*. [http://dx.doi.org/10.1016/S0300-483X\(98\)00106-1](http://dx.doi.org/10.1016/S0300-483X(98)00106-1).
- Kato-Weinstein, J; Stauber, AJ; Orner, GA; Thrall, BD; Bull, RJ. (2001). Differential effects of dihalogenated and trihalogenated acetates in the liver of B6C3F1 mice. *J Appl Toxicol. 21: 81-89*. <http://dx.doi.org/10.1002/jat.717>.

Human Health Hazard Literature Search Results

Off Topic

- Katsanos, AH; Psaltopoulou, T; Sergentanis, TN; Frogoudaki, A; Vrettou, AR; Ikonomidis, I; Paraskevaidis, I; Parissis, J; Bogiatzi, C; Zompola, C; Ellul, J; Triantafyllou, N; Voumvourakis, K; Kyritsis, AP; Giannopoulos, S; Alexandrov, AW; Alexandrov, AV; Tsvigoulis, G. (2016). Transcranial Doppler versus transthoracic echocardiography for the detection of patent foramen ovale in patients with cryptogenic cerebral ischemia: A systematic review and diagnostic test accuracy meta-analysis [Review]. *Ann Neurol.* 79: 625-635. <http://dx.doi.org/10.1002/ana.24609>.
- Katsanos, S; van Rosendaal, P; Kamperidis, V; van der Kley, F; Regeer, M; Al-Amri, I; Karalis, I; Palmen, M; de Weger, A; Marsan, NA; Bax, JJ; Delgado, V. (2015). Pericardial effusion following transcatheter aortic valve implantation: echocardiography and multi-detector row computed tomography evaluation. *Int J Cardiovasc Imaging.* 31: 37-43. <http://dx.doi.org/10.1007/s10554-014-0520-y>.
- Katzenberger, RJ; Rach, EA; Anderson, AK; Ohler, U; Wassarman, DA. (2012). The Drosophila Translational Control Element (TCE) is required for high-level transcription of many genes that are specifically expressed in testes. *PLoS ONE.* 7: e45009. <http://dx.doi.org/10.1371/journal.pone.0045009>.
- Kauffmann, B; White, K; Sanders, V; Douglas, K; Sain, L; Borzelleca, J; Munson, A. (1982). Humoral and cell-mediated immune status in mice exposed to chloral hydrate. *Environ Health Perspect.* 44: 147-151.
- Kaul, A; Srivastava, KN; Rehman, SM; Goel, V; Yadav, V. (2011). Persistent Müllerian duct syndrome with transverse testicular ectopia presenting as an incarcerated inguinal hernia. *Hernia.* 15: 701-704. <http://dx.doi.org/10.1007/s10029-010-0707-7>.
- Kaviraj, B; Bai, SC; Su, L; Zheng, XO; Huang, R; Li, TP; Xu, DL. (2011). Effect of obstructive sleep apnea syndrome on serum C-reactive protein level, left atrial size and premature atrial contraction. *Nan Fang Yi Ke Da Xue Xue Bao.* 31: 197-200.
- Kawamoto, T; Hobara, T; Aoki, T; Kobayashi, H; Iwamoto, S; Sakai, T; Takano, T; Miyazaki, Y; Imamura, A; Ogino, K. (1988). Metabolism of chloral hydrate in the anoxic perfused liver. *Toxicol Lett.* 40: 225-231. [http://dx.doi.org/10.1016/0378-4274\(88\)90045-8](http://dx.doi.org/10.1016/0378-4274(88)90045-8).
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health.* <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.
- Kaya, A; Aydin, BA; Oz, A; Bozbeyoglu, E; Eren, M. (2016). A patient presenting with acute heart failure: A dilemma of diagnosis. 3: 64-66. <http://dx.doi.org/10.14744/nci.2015.10337>.
- Kaya, MG; Baykan, A; Dogan, A; Inanc, T; Gunebakmaz, O; Dogdu, O; Uzum, K; Eryol, NK; Narin, N. (2010). Intermediate-term effects of transcatheter secundum atrial septal defect closure on cardiac remodeling in children and adults. *Pediatric Cardiology.* 31: 474-482. <http://dx.doi.org/10.1007/s00246-009-9623-y>.
- Kaya, S; Eskazan, AE; Elaldi, N. (2013). Brucellar pericarditis: a report of four cases and review of the literature [Review]. *Int J Infect Dis.* 17: e428-e432. <http://dx.doi.org/10.1016/j.ijid.2013.01.001>.
- Kaya, Y; Bulut, MO; Yurtdaş, M; Karakurt, A; Güvenç, TS; Söylemez, N; Güler, A; Gönüllü, E; Ceylan, Y; Akdemir, R. (2013). [Percutaneous closure of patent ductus arteriosus: short term results]. *Turk Kardiyol Dern Ars.* 41: 310-318.
- Kaya, Y; Yurtdaş, M; Ceylan, Y; Bulut, MO; Söylemez, N; Güvenç, TS; Karakurt, A; Akdemir, R; Oztürk, H; Güneş, Y; Balcı, B; Ozkan, M. (2013). [Percutaneous closure of secundum atrial septal defects in pediatric and adult patients: short- and mid-term follow-up results]. *Turk Kardiyol Dern Ars.* 41: 705-713.
- Kayaalp, I; Varol, Y; Çimen, P; Demirci Uçsular, F; Katgi, N; Unlü, M; Kiraklı, C; Güçlü, SZ; Ergene, O. (2014). The incidence of chronic thromboembolic pulmonary hypertension secondary to acute pulmonary thromboembolism. *Tuberk Toraks.* 62: 199-206.
- Keech, A; Simes, J; Barter, P; Best, J; Scott, R; Taskinen, MR. (2006). Correction to the FIELD study report [Erratum]. *Lancet.* 368: 1415. [http://dx.doi.org/10.1016/S0140-6736\(06\)69594-9](http://dx.doi.org/10.1016/S0140-6736(06)69594-9).
- Keech, A; Simes, RJ; Barter, P; Best, J; Scott, R; Taskinen, MR; Forster, P; Pillai, A; Davis, T; Glasziou, P; Drury, P; Kesäniemi, YA; Sullivan, D; Hunt, D; Colman, P; d'Emden, M; Whiting, M; Ehnholm, C; Laakso, M. (2005). Effects of long-term fenofibrate therapy on cardiovascular events in 9795 people with type 2 diabetes mellitus (the FIELD study): Randomised controlled trial. *Lancet.* 366: 1849-1861. [http://dx.doi.org/10.1016/S0140-6736\(05\)67667-2](http://dx.doi.org/10.1016/S0140-6736(05)67667-2).
- Kefalianakis, F. (2012). [Transthoracic echocardiography in anesthesia - case studies]. 47: 158-161. <http://dx.doi.org/10.1055/s-0032-1307463>.
- Kellawan, JM; Tschakovsky, ME. (2014). The single-bout forearm critical force test: a new method to establish forearm aerobic metabolic exercise intensity and capacity. *PLoS ONE.* 9: e93481. <http://dx.doi.org/10.1371/journal.pone.0093481>.
- Kelly, NF; Platts, DG; Burstow, DJ. (2010). Feasibility of pulmonary valve imaging using three-dimensional transthoracic echocardiography. *J Am Soc Echocardiogr.* 23: 1076-1080. <http://dx.doi.org/10.1016/j.echo.2010.06.015>.
- Kempfert, J; Van Linden, A; Lehmkühl, L; Rastan, AJ; Holzhey, D; Blumenstein, J; Mohr, FW; Walther, T. (2012). Aortic annulus sizing: echocardiographic versus computed tomography derived measurements in comparison with direct surgical sizing. 42: 627-633. <http://dx.doi.org/10.1093/ejcts/ezs064>.
- Kempny, A; Piórkowski, A. (2010). CT2TEE--a novel, internet-based simulator of transoesophageal echocardiography in congenital heart disease [Letter]. *Kardiol Pol.* 68: 374-379.
- Kenck, C; Wilhelm, M; Bugert, P; Staehler, G; Kovacs, G. (1996). Mutation of the VHL gene is associated exclusively with the development of non-papillary renal cell carcinomas. *J Pathol.* 179: 157-161. [http://dx.doi.org/10.1002/\(SICI\)1096-9896\(199606\)179:2<157::AID-PATH557>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1096-9896(199606)179:2<157::AID-PATH557>3.0.CO;2-S).
- Kendale, JC; Valentín, EM; Woerpel, KA. (2014). Solvent effects in the nucleophilic substitutions of tetrahydropyran acetals promoted by trimethylsilyl trifluoromethanesulfonate: trichloroethylene as solvent for stereoselective C- and O-glycosylations. *Org Lett.* 16: 3684-3687. <http://dx.doi.org/10.1021/ol501471c>.

Human Health Hazard Literature Search Results

Off Topic

- Kennedy, RM; Luhmann, JD. (1999). The 'Ouchless Emergency Department' getting closer: Advances in decreasing distress during painful procedures in the emergency department. *46/6* (1215-1247).
- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med.* 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Keshava, N; Chiu, WA; Caldwell, JC. (2007). PPARalpha and TCE: Keshava et al. respond [Letter]. *Environ Health Perspect.* 115: A15-A16. <http://dx.doi.org/10.1289/ehp.115-a15>.
- Keshavarz-Motamed, Z; Garcia, J; Gaillard, E; Capoulade, R; Le Ven, F; Cloutier, G; Kadem, L; Pibarot, P. (2014). Non-invasive determination of left ventricular workload in patients with aortic stenosis using magnetic resonance imaging and Doppler echocardiography. *PLoS ONE.* 9: e86793. <http://dx.doi.org/10.1371/journal.pone.0086793>.
- Keskin, M; Kemaoglu Öz, T; Mahir Atasoy, M; Atasoy, I; Ösken, A; Kemal Tuygun, A. (2016). Multiple Imaging Modalities Including Three-Dimensional Echocardiography in Left Ventricular Pseudoaneurysm After Mitral Valve Replacement. *J Heart Valve Dis.* 25: 459-462.
- Kessler, W; Numtip, W; Grote, K; Csanady, GA; Chahoud, I; Filser, JG. (2004). Blood burden of di(2-ethylhexyl) phthalate and its primary metabolite mono(2-ethylhexyl) phthalate in pregnant and nonpregnant rats and marmosets. *Toxicol Appl Pharmacol.* 195: 142-153. <http://dx.doi.org/10.1016/j.taap.2003.11.014>.
- Kezios, KL; Liu, X; Cirillo, PM; Cohn, BA; Kalantzi, OI; Wang, Y; Petreas, MX; Park, JS; Factor-Litvak, P. (2013). Dichlorodiphenyltrichloroethane (DDT), DDT metabolites and pregnancy outcomes. *Reprod Toxicol.* 35: 156-164. <http://dx.doi.org/10.1016/j.reprotox.2012.10.013>.
- Khabirova, E; Moloney, A; Marciniak, SJ; Williams, J; Lomas, DA; Oliver, SG; Favrin, G; Sattelle, DB; Crowther, DC. (2014). The TRiC/CCT chaperone is implicated in Alzheimer's disease based on patient GWAS and an RNAi screen in β -expressing *Caenorhabditis elegans*. *PLoS ONE.* 9: e102985. <http://dx.doi.org/10.1371/journal.pone.0102985>.
- Khair, T; Mazidi, P; Laos, LF. (2010). Cardiac Papillary Fibroelastoma: case report and review of the literature [Review]. *Int J Cardiol.* 139: 102-104. <http://dx.doi.org/10.1016/j.ijcard.2008.06.092>.
- Khan, TA; Chowdhury, AW; Khan, HI; Amin, MG; Sabah, KM; Hossain, M. (2015). Echocardiographic comparison of regional wall motion abnormality between patients with acute anteroapical and acute extensive anterior ST segment elevation myocardial infarction. *Bangladesh Med Res Counc Bull.* 41: 35-40.
- Khandwala, HM; McCutcheon, IE; Flyvbjerg, A; Friend, KE. (2000). The effects of insulin-like growth factors on tumorigenesis and neoplastic growth [Review]. *Endocr Rev.* 21: 215-244. <http://dx.doi.org/10.1210/er.21.3.215>.
- Kharwar, RB; Narain, VS; Sethi, R. (2013). Real time three-dimensional transthoracic echocardiography of ruptured left sinus of Valsalva aneurysm to left ventricle. *Echocardiography.* 30: E331-E335. <http://dx.doi.org/10.1111/echo.12316>.
- Khasawneh, FA; Smalligan, RD. (2010). Focused transthoracic echocardiography. *Postgrad Med.* 122: 230-237. <http://dx.doi.org/10.3810/pgm.2010.05.2162>.
- Khatib, R; Sharma, M. (2013). Echocardiography is dispensable in uncomplicated *Staphylococcus aureus* bacteremia. *Medicine (Baltimore).* 92: 182-188. <http://dx.doi.org/10.1097/MD.0b013e318294a710>.
- Khosa, F; Warraich, H; Khan, A; Mahmood, F; Markson, L; Clouse, ME; Manning, WJ. (2012). Prevalence of non-cardiac pathology on clinical transthoracic echocardiography. *J Am Soc Echocardiogr.* 25: 553-557. <http://dx.doi.org/10.1016/j.echo.2012.01.022>.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg.* 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Kikuchi, S; Ninomiya, T; Tatsumi, H; Sawada, N; Kojima, T. (2010). Tricellulin is expressed in autotypic tight junctions of peripheral myelinating Schwann cells. *J Histochem Cytochem.* 58: 1067-1073. <http://dx.doi.org/10.1369/jhc.2010.956326>.
- Kilburn, KH; Warshaw, R; Thornton, JC. (1987). Formaldehyde impairs memory, equilibrium, and dexterity in histology technicians: Effects which persist for days after exposure. *Arch Environ Occup Health.* 42: 117-120. <http://dx.doi.org/10.1080/00039896.1987.9935806>.
- Kilinc, G; Dogan, OT; Berk, S; Epozturk, K; Ozsahin, SL; Akkurt, I. (2012). Significance of serum cardiac troponin I levels in pulmonary embolism. *J Thorac Dis.* 4: 588-593. <http://dx.doi.org/10.3978/j.issn.2072-1439.2012.10.13>.
- Killeen, RP; Arnous, S; Martos, R; Abbara, S; Quinn, M; Dodd, JD. (2010). Chronic mitral regurgitation detected on cardiac MDCT: differentiation between functional and valvular aetiologies. *Eur Radiol.* 20: 1886-1895. <http://dx.doi.org/10.1007/s00330-010-1760-4>.
- Kim, CF; Jackson, EL; Woolfenden, AE; Lawrence, S; Babar, I; Vogel, S; Crowley, D; Bronson, RT; Jacks, T. (2005). Identification of bronchioalveolar stem cells in normal lung and lung cancer. *Cell.* 121: 823-835. <http://dx.doi.org/10.1016/j.cell.2005.03.032>.
- Kim, D; Lee, SY; Seo, KD. (2016). FLAIR Hyperintense Vessel Sign of Both MCAs with Severe Heart Failure. 2016: 5169056. <http://dx.doi.org/10.1155/2016/5169056>.
- Kim, D; Shim, CY; Hong, GR; Cho, IJ; Chang, HJ; Ha, JW; Chung, N. (2016). OS 37-08 ASSOCIATION OF CENTRAL HEMODYNAMICS AND NEUROHORMONAL FACTORS TO MECHANICAL ADAPTATION OF LEFT VENTRICLE IN HYPERTENSION: A STUDY WITH TWO DIMENSIONAL LAYER SPECIFIC SPECKLE TRACKING STRAIN IMAGING. *J Hypertens.* 34 Suppl 1 - ISH 2016 Abstract Book: e407. <http://dx.doi.org/10.1097/01.hjh.0000501045.69859.38>.
- Kim, D; Shim, CY; Hong, GR; Kim, MH; Seo, J; Cho, IJ; Kim, YD; Chang, HJ; Ha, JW; Heo, JH; Chung, N. (2016). Clinical Implications and Determinants of Left Atrial Mechanical Dysfunction in Patients With Stroke. *Stroke.* 47: 1444-1451. <http://dx.doi.org/10.1161/STROKEAHA.115.011656>.
- Kim, E; Kim, J; Azad, AM; Chang, YS. (2011). Facile Synthesis and Characterization of Fe/FeS Nanoparticles for Environmental Applications. *ACS Applied Materials & Interfaces.* 3: 1457-1462. <http://dx.doi.org/10.1021/am200016v>.

Human Health Hazard Literature Search Results

Off Topic

- Kim, EJ; Kim, JH; Chang, YS; Turcio-Ortega, D; Tratnyek, PG. (2014). Effects of metal ions on the reactivity and corrosion electrochemistry of Fe/FeS nanoparticles. *Environ Sci Technol.* 48: 4002-4011. <http://dx.doi.org/10.1021/es405622d>.
- Kim, H; Yang, H; Kim, J. (2014). Standardization of the reducing power of zero-valent iron using iodine. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 49: 514-523. <http://dx.doi.org/10.1080/10934529.2014.859029>.
- Kim, HL; Seo, JB; Chung, WY; Kim, SH; Kim, MA; Zo, JH. (2015). Association between invasively measured central aortic pressure and left ventricular diastolic function in patients undergoing coronary angiography. *Am J Hypertens.* 28: 393-400. <http://dx.doi.org/10.1093/ajh/hpu146>.
- Kim, HS; Ahn, JY; Hwang, KY; Kim, IK; Hwang, I. (2010). Atmospherically stable nanoscale zero-valent iron particles formed under controlled air contact: characteristics and reactivity. *Environ Sci Technol.* 44: 1760-1766. <http://dx.doi.org/10.1021/es902772r>.
- Kim, HS; Ahn, JY; Kim, C; Lee, S; Hwang, I. (2014). Effect of anions and humic acid on the performance of nanoscale zero-valent iron particles coated with polyacrylic acid. *Chemosphere.* 113: 93-100. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.047>.
- Kim, JW; Kang, DM. (2014). Compensation for work-related hematologic, liver, and infectious diseases. *J Korean Med Sci.* 29 Suppl: S66-S71. <http://dx.doi.org/10.3346/jkms.2014.29.S.S66>.
- Kim, KP; Bae, H; Kim, IH; Kwon, ST. (2011). Cloning, expression, and PCR application of DNA polymerase from the hyperthermophilic archaeon, *Thermococcus celer*. *Biotechnol Lett.* 33: 339-346. <http://dx.doi.org/10.1007/s10529-010-0434-2>.
- Kim, S; Bae, W; Hwang, J; Park, J. (2010). Aerobic TCE degradation by encapsulated toluene-oxidizing bacteria, *Pseudomonas putida* and *Bacillus* spp. *Water Sci Technol.* 62: 1991-1997. <http://dx.doi.org/10.2166/wst.2010.471>.
- Kim, S; Hwang, J; Chung, J; Bae, W. (2014). Enhancing trichloroethylene degradation using non-aromatic compounds as growth substrates. *J Hazard Mater.* 275: 99-106. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.052>.
- Kim, S; Kupke, K; Ierardi-Curto, L; Holme, E; Greter, J; Tanguay, R; Poudrier, J; D'Astous, M; Lettre, F; Hahn, S; Levy, H. (2000). Hepatocellular carcinoma despite long-term survival in chronic tyrosinaemia I. *J Inher Metab Dis.* 23: 791-804. <http://dx.doi.org/10.1023/A:1026756501669>.
- Kim, S; Lee, D; Lee, J; Song, H; Kim, HJ; Kim, KT. (2015). Vaccinia-Related Kinase 2 Controls the Stability of the Eukaryotic Chaperonin TRiC/CCT by Inhibiting the Deubiquitinating Enzyme USP25. *Mol Cell Biol.* 35: 1754-1762. <http://dx.doi.org/10.1128/MCB.01325-14>.
- Kim, S; Park, DY; Lee, D; Kim, W; Jeong, YH; Lee, J; Chung, SK; Ha, H; Choi, BH; Kim, KT. (2014). Vaccinia-related kinase 2 mediates accumulation of polyglutamine aggregates via negative regulation of the chaperonin TRiC. *Mol Cell Biol.* 34: 643-652. <http://dx.doi.org/10.1128/MCB.00756-13>.
- Kim, SC; Heinze, I; Schmiedel, A; Baumgarten, G; Knuefermann, P; Hoefft, A; Weber, S. (2015). Ultrasound confirmation of central venous catheter position via a right supraclavicular fossa view using a microconvex probe: an observational pilot study. *Eur J Anaesthesiol.* 32: 29-36. <http://dx.doi.org/10.1097/EJA.0000000000000042>.
- Kim, SH; Kim, KH; Lim, YM; Moon, JY; Yang, WI; Kim, IJ; Lim, SW. (2014). Delayed embolisation of amplatzer ASD closure device caused partial obstruction of left ventricular outflow tract. *Cardiovasc J Afr.* 25: e1-e3. <http://dx.doi.org/10.5830/CVJA-2014-019>.
- Kim, SJ; Choe, YH; Park, SJ; Kim, GM; Chung, CS; Lee, KH; Bang, OY. (2012). Routine cardiac evaluation in patients with ischaemic stroke and absence of known atrial fibrillation or coronary heart disease: transthoracic echocardiography vs. multidetector cardiac computed tomography. *Eur J Neurol.* 19: 317-323. <http://dx.doi.org/10.1111/j.1468-1331.2011.03505.x>.
- Kim, SJ; Kim, HD; Kim, KH; Shin, HW; Han, IK; Kim, TG. (2014). Fabrication of wide-bandgap transparent electrodes by using conductive filaments: performance breakthrough in vertical-type GaN LED. *Sci Rep.* 4: 5827. <http://dx.doi.org/10.1038/srep05827>.
- Kim, SJ; Park, SA; Song, J; Shim, WS; Choi, EY; Lee, SY. (2013). The role of transesophageal echocardiography during surgery for patients with tetralogy of Fallot. *Pediatric Cardiology.* 34: 240-244. <http://dx.doi.org/10.1007/s00246-012-0423-4>.
- Kim, SJ; Ryoo, S; Kwon, S; Park, YK; Kim, JP; Lee, GY; Bang, OY. (2013). Is atrial fibrillation always a culprit of stroke in patients with atrial fibrillation plus stroke? *Cerebrovasc Dis.* 36: 373-382. <http://dx.doi.org/10.1159/000355571>.
- Kim, SS; Jeon, HK; Cho, GM; Lee, JH; Kim, SJ; Park, MY; Lee, SJ; Shim, BJ; Lee, DH; Shin, WS; Lee, JM; Youn, HJ. (2010). Evaluation of Cardiac Function by Transthoracic Echocardiography in Subjects with ST-Segment Elevation Myocardial Infarction Following Primary Percutaneous Coronary Intervention according to Valsartan Dose: The Valsartan One Center Trial. *18: 77-83.* <http://dx.doi.org/10.4250/jcu.2010.18.3.77>.
- Kim, SS; Ko, SM; Song, MG; Chee, HK; Kim, JS; Hwang, HK; Lee, JH. (2015). Quantification of stenotic mitral valve area and diagnostic accuracy of mitral stenosis by dual-source computed tomography in patients with atrial fibrillation: comparison with cardiovascular magnetic resonance and transthoracic echocardiography. *Int J Cardiovasc Imaging.* 31 Suppl 1: 103-114. <http://dx.doi.org/10.1007/s10554-014-0488-7>.
- Kim, SS; Ko, SM; Song, MG; Kim, JS. (2010). Assessment of global function of left ventricle with dual-source CT in patients with severe arrhythmia: a comparison with the use of two-dimensional transthoracic echocardiography. *Int J Cardiovasc Imaging.* 26: 213-221. <http://dx.doi.org/10.1007/s10554-010-9692-2>.
- Kim, Y; Kim, TJ; Park, JB; Lee, S; Kim, YJ; Lee, JS; Lee, SH. (2016). Novel echocardiographic indicator for potential cardioembolic stroke. *Eur J Neurol.* 23: 613-620. <http://dx.doi.org/10.1111/ene.12909>.
- Kim, YK; Shin, J, iY; Lee, KK; Cho, HS; Jeon, H; Kim, J. (2012). Mass transfer of trichloroethylene through the palladized iron coated reactive geomembrane. *J Hazard Mater.* 201: 7-15. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.091>.
- Kingrey, JF; Panos, RJ; Ying, J; Meganathan, K; Vandivier, R; Elwing, JM. (2013). Provider recognition and response to echocardiographic findings indicating pulmonary hypertension in the Veterans affairs medical center population. *3: 389-395.* <http://dx.doi.org/10.4103/2045-8932.113184>.

Human Health Hazard Literature Search Results

Off Topic

- Kini, V; Logani, S; Ky, B; Chirinos, JA; Ferrari, VA; St John Sutton, MG; Wieggers, SE; Kirkpatrick, JN. (2010). Transthoracic and transesophageal echocardiography for the indication of suspected infective endocarditis: vegetations, blood cultures and imaging. *J Am Soc Echocardiogr.* 23: 396-402. <http://dx.doi.org/10.1016/j.echo.2009.12.017>.
- Kini, V; Mccarthy, FH; Rajaei, S; Epstein, AJ; Heidenreich, PA; Groeneveld, PW. (2015). Variation in use of echocardiography among veterans who use the Veterans Health Administration vs Medicare. *Am Heart J.* 170: 805-811. <http://dx.doi.org/10.1016/j.ahj.2015.07.016>.
- Kini, V; Mehta, N; Mazurek, JA; Ferrari, VA; Epstein, AJ; Groeneveld, PW; Kirkpatrick, JN. (2015). Focused Cardiac Ultrasound in Place of Repeat Echocardiography: Reliability and Cost Implications. *J Am Soc Echocardiogr.* 28: 1053-1059. <http://dx.doi.org/10.1016/j.echo.2015.06.002>.
- Kinnevy, SC; Macmaster, SA. (2010). Introduction. Findings from selected Targeted Capacity Expansion (TCE)-HIV/AIDS grant programs. *J Evid Based Soc Work.* 7: 1-2. <http://dx.doi.org/10.1080/15433710903175817>.
- Kinnevy, SC; Sununu, TJ. (2010). The relationship between program implementation and evaluation on the TCE/HIV projects. *J Evid Based Soc Work.* 7: 162-172. <http://dx.doi.org/10.1080/15433710903176054>.
- Kioski, C; Heubach, S; Petersen, N. (1990). The incidence of childhood leukemia and testicular cancer in Pima County: 1970-1986. Phoenix, AZ: Arizona Department of Health Services.
- Kiramijyan, S; Magalhaes, MA; Koifman, E; Didier, R; Escarcega, RO; Minha, S; Baker, NC; Negi, SI; Torguson, R; Gai, J; Okubagzi, P; Asch, FM; Gaglia, MA; Ben-Dor, I; Satler, LF; Pichard, AD; Waksman, R. (2016). Impact of baseline mitral regurgitation on short- and long-term outcomes following transcatheter aortic valve replacement. *Am Heart J.* 178: 19-27. <http://dx.doi.org/10.1016/j.ahj.2016.03.020>.
- Kiran, S; Cocco, P; Mannetje, A; Satta, G; D'Andrea, I; Becker, N; de Sanjosé, S; Foretova, L; Staines, A; Kleefeld, S; Maynadié, M; Nieters, A; Brennan, P; Boffetta, P. (2010). Occupational exposure to ethylene oxide and risk of lymphoma. *Epidemiology.* 21: 905-910. <http://dx.doi.org/10.1097/EDE.0b013e3181f4cc0f>.
- Kirkpatrick, JN; Lang, RM. (2010). Surgical echocardiography of heart valves: a primer for the cardiovascular surgeon [Review]. *Semin Thorac Cardiovasc Surg.* 22: 200.e201-222. <http://dx.doi.org/10.1053/j.semctvs.2010.10.009>.
- Kirschling, TL; Gregory, KB; Minkley, EG, Jr; Lowry, GV; Tilton, RD. (2010). Impact of Nanoscale Zero Valent Iron on Geochemistry and Microbial Populations in Trichloroethylene Contaminated Aquifer Materials. *Environ Sci Technol.* 44: 3474-3480. <http://dx.doi.org/10.1021/es903744f>.
- Kiselev, GG; Naletova, IN; Sheval, EV; Stroylova, YY; Schmalhausen, EV; Haertlé, T; Muronetz, VI. (2011). Chaperonins induce an amyloid-like transformation of ovine prion protein: the fundamental difference in action between eukaryotic TRiC and bacterial GroEL. *Biochim Biophys Acta.* 1814: 1730-1738. <http://dx.doi.org/10.1016/j.bbapap.2011.08.006>.
- Kitada, R; Fukuda, S; Watanabe, H; Oe, H; Abe, Y; Yoshiyama, M; Song, JM; Sitges, M; Shiota, T; Ito, H; Yoshikawa, J. (2013). Diagnostic accuracy and cost-effectiveness of a pocket-sized transthoracic echocardiographic imaging device. *Clin Cardiol.* 36: 603-610. <http://dx.doi.org/10.1002/clc.22171>.
- Kitada, T; Seki, S; Kawakita, N; Kuroki, T; Monna, T. (1995). Telomere shortening in chronic liver diseases. *Biochem Biophys Res Commun.* 211: 33-39. <http://dx.doi.org/10.1006/bbrc.1995.1774>.
- Klatt, C; Purtskhvanidze, K; Hasselbach, H; Treumer, F; Hillenkamp, J; Roeder, J. (2010). [Retrospective case analysis of ophthalmological and systemic risk factors in patients with retinal vascular occlusion]. 107: 446-451. <http://dx.doi.org/10.1007/s00347-009-2018-x>.
- Klein, AL; Abbara, S; Agler, DA; Appleton, CP; Asher, CR; Hoit, B; Hung, J; Garcia, MJ; Kronzon, I; Oh, JK; Rodriguez, ER; Schaff, HV; Schoenhagen, P; Tan, CD; White, RD. (2013). American Society of Echocardiography clinical recommendations for multimodality cardiovascular imaging of patients with pericardial disease: endorsed by the Society for Cardiovascular Magnetic Resonance and Society of Cardiovascular Computed Tomography. *J Am Soc Echocardiogr.* 26: 965-1012.e1015. <http://dx.doi.org/10.1016/j.echo.2013.06.023>.
- Klok, FA; Tesche, C; Rappold, L; Dellas, C; Hasenfuß, G; Huisman, MV; Konstantinides, S; Lankeit, M. (2015). External validation of a simple non-invasive algorithm to rule out chronic thromboembolic pulmonary hypertension after acute pulmonary embolism. *Thromb Res Suppl.* 135: 796-801. <http://dx.doi.org/10.1016/j.thromres.2014.12.009>.
- Knee, KM; Goulet, DR; Zhang, J; Chen, B; Chiu, W; King, JA. (2011). The group II chaperonin Mm-Cpn binds and refolds human γ D crystallin. *Genes Dev.* 20: 30-41. <http://dx.doi.org/10.1002/pro.531>.
- Knee, KM; Sergeeva, OA; King, JA. (2013). Human TRiC complex purified from HeLa cells contains all eight CCT subunits and is active in vitro. *Cell Stress Chaperones.* 18: 137-144. <http://dx.doi.org/10.1007/s12192-012-0357-z>.
- Ko, JH; Musson, S; Townsend, T. (2011). Removal of trichloroethylene from soil using the hydration of calcium oxide. *J Environ Manage.* 92: 1767-1773. <http://dx.doi.org/10.1016/j.jenvman.2011.02.004>.
- Ko, S; Crimi, M; Marvin, BK; Holmes, V; Huling, SG. (2012). Comparative study on oxidative treatments of NAPL containing chlorinated ethanes and ethenes using hydrogen peroxide and persulfate in soils. *J Environ Manage.* 108: 42-48. <http://dx.doi.org/10.1016/j.jenvman.2012.04.034>.
- Ko, SM; Kim, YJ; Park, JH; Choi, NM. (2010). Assessment of left ventricular ejection fraction and regional wall motion with 64-slice multidetector CT: a comparison with two-dimensional transthoracic echocardiography. *Br J Radiol.* 83: 28-34. <http://dx.doi.org/10.1259/bjr/38829806>.
- Ko, YJ; Kim, SS; Park, WJ; Jeong, JO; Ko, SM. (2012). Comparison of global left ventricular function using 20 phases with 10-phase reconstructions in multidetector-row computed tomography. *Int J Cardiovasc Imaging.* 28: 603-611. <http://dx.doi.org/10.1007/s10554-011-9828-z>.
- Kobayashi, M; Ikeda, K; Hosaka, T; Sezaki, H; Someya, T; Akuta, N; Suzuki, F; Suzuki, Y; Saitoh, S; Arase, Y; Kumada, H. (2006). Dysplastic nodules frequently develop into hepatocellular carcinoma in patients with chronic viral hepatitis and cirrhosis. *Cancer.* 106: 636-647. <http://dx.doi.org/10.1002/cncr.21607>.

Human Health Hazard Literature Search Results

Off Topic

- Kobylecka, M; Budnik, M; Kochanowski, J; Piatkowski, R; Chojnowski, M; Fronczewska-Wieniawska, K; Mazurek, T; Maczewska, J; Peller, M; Opolski, G; Krolicki, L. (2017). Takotsubo cardiomyopathy: FDG myocardial uptake pattern in fasting patients. Comparison of PET/CT, SPECT, and ECHO results. <http://dx.doi.org/10.1007/s12350-016-0775-x>.
- Kocabas, U; Kaya, E; Soydas Cinar, C. (2016). A complicated trilogy: persistent left superior vena cava with hypertrophic cardiomyopathy and atrial septal defect. <http://dx.doi.org/10.1530/ERP-16-0017>.
- Kocamemi, BA; Cecen, F. (2010). Biological removal of the xenobiotic trichloroethylene (TCE) through cometabolism in nitrifying systems. *Bioresour Technol.* 101: 430-433. <http://dx.doi.org/10.1016/j.biortech.2009.07.079>.
- Koestenberger, M. (2012). Transthoracic echocardiography in children and young adults with congenital heart disease. 2012: 753481. <http://dx.doi.org/10.5402/2012/753481>.
- Koestenberger, M; Apitz, C; Abdul-Khaliq, H; Hansmann, G. (2016). Transthoracic echocardiography for the evaluation of children and adolescents with suspected or confirmed pulmonary hypertension. Expert consensus statement on the diagnosis and treatment of paediatric pulmonary hypertension. The European Paediatric Pulmonary Vascular Disease Network, endorsed by ISHLT and D6PK. *Heart.* 102 Suppl 2: ii14-ii22. <http://dx.doi.org/10.1136/heartjnl-2014-307200>.
- Koestenberger, M; Friedberg, MK; Nestaas, E; Michel-Behnke, I; Hansmann, G. (2016). Transthoracic echocardiography in the evaluation of pediatric pulmonary hypertension and ventricular dysfunction [Review]. 6: 15-29. <http://dx.doi.org/10.1086/685051>.
- Koestenberger, M; Friedberg, MK; Ravekes, W; Nestaas, E; Hansmann, G. (2012). Non-Invasive Imaging for Congenital Heart Disease: Recent Innovations in Transthoracic Echocardiography. *Suppl* 8: 2. <http://dx.doi.org/10.4172/2155-9880.S8-002>.
- Koestenberger, M; Hansmann, G; Apitz, C; Latus, H; Lammers, A. (2016). Diagnostics in Children and Adolescents with Suspected or Confirmed Pulmonary Hypertension [Review]. *Paediatr Respir Rev.* <http://dx.doi.org/10.1016/j.prrv.2016.10.006>.
- Koffuor, GA; Woode, E; Amoateng, P. (2011). Hypoglycaemic Activity of *Tragia tennifolia* (Euphorbiaceae) Extract in Rats. *International Journal of Pharmacology.* 7: 704-709. <http://dx.doi.org/10.3923/ijp.2011.704.709>.
- Kohári, M; Zado, E; Marchlinski, FE; Callans, DJ; Han, Y. (2014). Left atrial volume best predicts recurrence after catheter ablation in patients with persistent and longstanding persistent atrial fibrillation. *Pacing Clin Electrophysiol.* 37: 422-429. <http://dx.doi.org/10.1111/pace.12279>.
- Kohlmeier, JE; Connor, LM; Roberts, AD; Cookenham, T; Martin, K; Woodland, DL. (2010). Nonmalignant clonal expansions of memory CD8+ T cells that arise with age vary in their capacity to mount recall responses to infection. *J Immunol.* 185: 3456-3462. <http://dx.doi.org/10.4049/jimmunol.1001745>.
- Kojima, T; Fuchimoto, J; Yamaguchi, H; Ito, T; Takasawa, A; Ninomiya, T; Kikuchi, S; Ogasawara, N; Ohkuni, T; Masaki, T; Hirata, K; Himi, T; Sawada, N. (2010). c-Jun N-terminal kinase is largely involved in the regulation of tricellular tight junctions via tricellulin in human pancreatic duct epithelial cells. *J Cell Physiol.* 225: 720-733. <http://dx.doi.org/10.1002/jcp.22273>.
- Koka, AR; Gould, SD; Owen, AN; Halpern, EJ. (2012). Left atrial volume: comparison of 2D and 3D transthoracic echocardiography with ECG-gated CT angiography. *Acad Radiol.* 19: 62-68. <http://dx.doi.org/10.1016/j.acra.2011.08.017>.
- Koka, AR; Yau, J; Van Why, C; Cohen, IS; Halpern, EJ. (2010). Underestimation of left atrial size measured with transthoracic echocardiography compared with 3D MDCT. *AJR Am J Roentgenol.* 194: W375-W381. <http://dx.doi.org/10.2214/AJR.09.3183>.
- Kolekar, S; Munjewar, C; Sharma, S. (2015). Dabigatran for left ventricular thrombus. *Indian Heart J.* 67: 495-496. <http://dx.doi.org/10.1016/j.ihj.2015.06.010>.
- Kolosov, D; Kelly, SP. (2013). A role for tricellulin in the regulation of gill epithelium permeability. *Am J Physiol Regul Integr Comp Physiol.* 304: R1139-R1148. <http://dx.doi.org/10.1152/ajpregu.00086.2013>.
- Komatsubara, M; Kameda, T; Morita, T. (2015). Panoramic laparoscopic view of transverse testicular ectopia. *Urology.* 85: e11-e12. <http://dx.doi.org/10.1016/j.urology.2014.11.015>.
- Konerman, MA; Price, JC; Campbell, CY; Eluri, S; Gurakar, A; Hamilton, J; Li, Z. (2016). Pre-Liver Transplant Transthoracic Echocardiogram Findings and 6-Month Post-Transplant Outcomes: A Case-Control Analysis. *Ann Transplant.* 21: 416-427.
- Kong, LQ; Ren, B; Kang, Y; Wei, X; Song, HB; Wei, X; Tang, H. (2013). [Correlation between 2D and 3D echocardiography in measuring aortic annular diameter]. *Sichuan Da Xue Xue Bao Yi Xue Ban.* 44: 84-88.
- Konings, MK; Jansen, R; Bosman, LP; Rienks, R; Chamuleau, SA; Rademakers, FE; Cramer, MJ. (2017). Non-invasive measurement of volume-time curves in patients with mitral regurgitation and in healthy volunteers, using a new operator-independent screening tool. *Physiol Meas.* 38: 241-258. <http://dx.doi.org/10.1088/1361-6579/38/2/241>.
- Konishi, T; Funayama, N; Yamamoto, T; Hotta, D; Kikuchi, K; Ohori, K; Nishihara, H; Tanaka, S. (2016). Severe mitral regurgitation due to mitral leaflet aneurysm diagnosed by three-dimensional transesophageal echocardiography: a case report. *BMC Cardiovasc Disord.* 16: 234. <http://dx.doi.org/10.1186/s12872-016-0413-1>.
- Konomi, I; Tasoulis, A; Kaltsi, I; Karatzanos, E; Vasileiadis, I; Temperikidis, P; Nanas, S; Routsis, CI. (2016). Left ventricular diastolic dysfunction--an independent risk factor for weaning failure from mechanical ventilation. *Anaesth Intensive Care.* 44: 466-473.
- Kopylev, L; Chen, C; White, P. (2007). Towards quantitative uncertainty assessment for cancer risks: Central estimates and probability distributions of risk in dose-response modeling [Review]. *Regul Toxicol Pharmacol.* 49: 203-207. <http://dx.doi.org/10.1016/j.yrtph.2007.08.002>.
- Kordybach-Prokopiuk, M; Kowalski, M; Śpiewak, M; Piotrowicz, E; Hoffman, P. (2015). What can pulmonary regurgitation indices reflect in patients after tetralogy of Fallot repair? *Kardiol Pol.* 73: 31-39. <http://dx.doi.org/10.5603/KP.a2014.0151>.
- Kornek, B; Bernert, G; Rostasy, K; Mlczoch, E; Feucht, M; Prayer, D; Vass, K; Seidl, R. (2011). Long-term follow-up of pediatric patients treated with mitoxantrone for multiple sclerosis. *Neuropediatrics.* 42: 7-12. <http://dx.doi.org/10.1055/s-0031-1275345>.

Human Health Hazard Literature Search Results

Off Topic

- Korobko, I; Nadler-Holly, M; Horovitz, A. (2016). Transient Kinetic Analysis of ATP Hydrolysis by the CCT/TRIC Chaperonin. *J Mol Biol.* 428: 4520-4527. <http://dx.doi.org/10.1016/j.jmb.2016.09.017>.
- Korrapati, M; Lock, E; Mehendale, H. (2005). Molecular mechanisms of enhanced renal cell division in protection against S-1,2-dichlorovinyl-L-cysteine-induced acute renal failure and death. *Am J Physiol Renal Physiol.* 289: F175-F185. <http://dx.doi.org/10.1152/ajprenal.00418.2004>.
- Koshy, TP; Rohatgi, A; Das, S. R.; Price, AL; Deluna, A; Reimold, N; Willett, K; Reimold, SC; Matulevicius, SA. (2015). The association of abnormal findings on transthoracic echocardiography with 2011 Appropriate Use Criteria and clinical impact. *Int J Cardiovasc Imaging.* 31: 521-528. <http://dx.doi.org/10.1007/s10554-014-0582-x>.
- Kośmider, A; Jaszewski, R; Marcinkiewicz, A; Bartczak, K; Knopik, J; Ostrowski, S. (2013). 23-year experience on diagnosis and surgical treatment of benign and malignant cardiac tumors. *Archives of Medical Science.* 9: 826-830. <http://dx.doi.org/10.5114/aoms.2013.38677>.
- Kothari, M; Svensson, P; Jensen, J; Kjærsgaard, A; Jeonghee, K; Nielsen, JF; Ghovanloo, M; Baad-Hansen, L. (2013). Training-induced cortical plasticity compared between three tongue-training paradigms. *Neuroscience.* 246: 1-12. <http://dx.doi.org/10.1016/j.neuroscience.2013.04.040>.
- Kotik, M; Davidova, A; Voriskova, J; Baldrian, P. (2013). Bacterial communities in tetrachloroethene-polluted groundwaters: A case study. *Sci Total Environ.* 454: 517-527. <http://dx.doi.org/10.1016/j.scitotenv.2013.02.082>.
- Kotte, EM; De Groot, JF; Bongers, BC; Winkler, AM; Takken, T. (2015). Validity and Reproducibility of a New Treadmill Protocol: The Fitkids Treadmill Test. *Med Sci Sports Exerc.* 47: 2241-2247. <http://dx.doi.org/10.1249/MSS.0000000000000657>.
- Kotte, EM; de Groot, JF; Bongers, BC; Winkler, AM; Takken, T. (2016). Fitkids Treadmill Test: Age- and Sex-Related Normative Values in Dutch Children and Adolescents. *Phys Ther.* 96: 1764-1772. <http://dx.doi.org/10.2522/ptj.20150399>.
- Kowalska, J; Szewczyńska, M; Pośniak, M. (2014). Measurements of chlorinated volatile organic compounds emitted from office printers and photocopiers. *Environ Sci Pollut Res Int.* 22: 5241-5252. <http://dx.doi.org/10.1007/s11356-014-3672-3>.
- Koyama, T; Nakajima, C; Nishimoto, S; Takami, M; Woo, JT; Yazawa, K. (2012). Suppressive effects of the leaf of Terminalia catappa L. on osteoclast differentiation in vitro and bone weight loss in vivo. *J Nutr Sci Vitaminol.* 58: 129-135.
- Kozak, EM; Tate, SS. (1982). Glutathione-degrading enzymes of microvillus membranes. *J Biol Chem.* 257: 6322-6327.
- Krajangpan, S; Kalita, H; Chisholm, BJ; Bezbaruah, AN. (2012). Iron Nanoparticles Coated with Amphiphilic Polysiloxane Graft Copolymers: Dispersibility and Contaminant Treatability. *Environ Sci Technol.* 46: 10130-10136. <http://dx.doi.org/10.1021/es3000239>.
- Kral, F; Difrancio, M; Puschban, J; Hoermann, R; Riechelmann, H; Freysinger, W. (2014). A new nasopharyngeal dynamic reference frame improves accuracy in navigated skull base targets. *Surgical Innovation.* 21: 283-289. <http://dx.doi.org/10.1177/1553350613503738>.
- Kranzioch, I; Ganz, S; Tiehm, A. (2015). Chloroethene degradation and expression of Dehalococcoides dehalogenase genes in cultures originating from Yangtze sediments. *Environ Sci Pollut Res Int.* 22: 3138-3148. <http://dx.doi.org/10.1007/s11356-014-3574-4>.
- Kratz, T; Campo Dell'Orto, M; Exner, M; Timmesfeld, N; Zoremba, M; Wulf, H; Steinfeldt, T. (2015). Focused intraoperative transthoracic echocardiography by anesthesiologists: a feasibility study. *Minerva Anesthesiol.* 81: 490-496.
- Kratz, T; Exner, M; Campo dell'Orto, M; Timmesfeld, N; Schüttler, KF; Efe, T; Zoremba, M; Wulf, H; Steinfeldt, T. (2016). A pocket-sized hand held ultrasound system for intraoperative transthoracic echocardiography by anaesthesiologists: A feasibility study. *Technol Health Care.* 24: 309-315. <http://dx.doi.org/10.3233/THC-161131>.
- Kratz, T; Steinfeldt, T; Exner, M; Dell'Orto, MC; Timmesfeld, N; Kratz, C; Skrodzki, M; Wulf, H; Zoremba, M. (2016). Impact of Focused Intraoperative Transthoracic Echocardiography by Anesthesiologists on Management in Hemodynamically Unstable High-Risk Noncardiac Surgery Patients. *J Cardiothorac Vasc Anesth.* <http://dx.doi.org/10.1053/j.jvca.2016.11.002>.
- Kraupp-Grasl, B; Huber, W; Putz, B; Gerbracht, U; Schulte-Hermann, R. (1990). Tumor promotion by the peroxisome proliferator nafenopin involving a specific subtype of altered foci in rat liver. *Cancer Res.* 50: 3701-3708.
- Krause, RJ; Lash, LH; Elfarra, AA. (2003). Human kidney flavin-containing monooxygenases and their potential roles in cysteine s-conjugate metabolism and nephrotoxicity. *J Pharmacol Exp Ther.* 304: 185-191. <http://dx.doi.org/10.1124/jpet.102.042911>.
- Krejci, M; Ridgewell, R; Koehler, D. (1991). Acute effects of the D-isomer of S-(1,2-dichlorovinyl)cysteine on renal function and ultrastructure in the pentobarbital-anesthetized dog: site-specific toxicity involving the S1 and S2 cells of the proximal tubule. *Toxicology.* 69: 151-164.
- Kroneld, R. (1989). Volatile pollutants in the environment and human tissues. *Bull Environ Contam Toxicol.* 42: 873-877. <http://dx.doi.org/10.1007/BF01701629>.
- Kruse, T; Maillard, J; Goodwin, L; Woyke, T; Teshima, H; Bruce, D; Detter, C; Tapia, R; Han, C; Huntemann, M; Wei, CL; Han, J; Chen, A; Kypides, N; Szeto, E; Markowitz, V; Ivanova, N; Pagani, I; Pati, A; Pitluck, S; Nolan, M; Holliger, C; Smidt, H. (2013). Complete genome sequence of Dehalobacter restrictus PER-K23(T.). 8: 375-388. <http://dx.doi.org/10.4056/signs.3787426>.
- Krynski, T; Stec, S; Szmít, S; Zaborska, B; Balsam, P; Kulakowski, P; Opolski, G. (2014). Impact of radiofrequency catheter ablation on echocardiographic and cardiopulmonary performance in patients with ventricular extrasystolic beats and suspected arrhythmia-induced cardiomyopathy. *Heart Vessels.* 29: 808-816. <http://dx.doi.org/10.1007/s00380-013-0417-z>.
- Krzemień-Ojak, Ł; Góral, A; Joachimiak, E; Filipiek, A; Fabczak, H. (2017). Interaction of a Novel Chaperone PhLP2A With the Heat Shock Protein Hsp90. *J Cell Biochem.* 118: 420-429. <http://dx.doi.org/10.1002/jcb.25669>.
- Kubo, Y; Mitani, H; Hino, O. (1994). Allelic loss at the predisposing gene locus in spontaneous and chemically induced renal cell carcinomas in the Eker rat. *Cancer Res.* 54: 2633-2635.
- Kuder, T; Philp, P. (2013). Demonstration of compound-specific isotope analysis of hydrogen isotope ratios in chlorinated ethenes. *Environ Sci Technol.* 47: 1461-1467. <http://dx.doi.org/10.1021/es303476v>.

Human Health Hazard Literature Search Results

Off Topic

- Kuder, T; van Breukelen, BM; Vanderford, M; Philp, P. (2013). 3D-CSIA: carbon, chlorine, and hydrogen isotope fractionation in transformation of TCE to ethene by a Dehalococcoides culture. *Environ Sci Technol*. 47: 9668-9677. <http://dx.doi.org/10.1021/es400463p>.
- Kudryavtsev, BN; Kudryavtseva, MV; Sakuta, GA; Stein, GI. (1993). Human hepatocyte polyploidization kinetics in the course of life cycle. *Virchows Arch B Cell Pathol Incl Mol Pathol*. 64: 387-393. <http://dx.doi.org/10.1007/BF02915139>.
- Kühl, JT; Lønborg, J; Fuchs, A; Andersen, MJ; Vejlsstrup, N; Kelbæk, H; Engstrøm, T; Møller, JE; Kofoed, KF. (2012). Assessment of left atrial volume and function: a comparative study between echocardiography, magnetic resonance imaging and multi slice computed tomography. *Int J Cardiovasc Imaging*. 28: 1061-1071. <http://dx.doi.org/10.1007/s10554-011-9930-2>.
- Kulkarni, K; Barcak, E; El-Serag, H; Goodgame, R. (2004). The impact of immigration on the increasing incidence of hepatocellular carcinoma in the United States. *Aliment Pharmacol Ther*. 20: 445-450. <http://dx.doi.org/10.1111/j.1365-2036.2004.02090.x>.
- Kuller, LH; Ockene, JK; Meilahn, E; Wentworth, DN; Svendsen, KH; Neaton, JD. (1991). Cigarette smoking and mortality. MRFIT Research Group. *Prev Med*. 20: 638-654. [http://dx.doi.org/10.1016/0091-7435\(91\)90060-H](http://dx.doi.org/10.1016/0091-7435(91)90060-H).
- Kumagai, S. (2014). Two offset printing workers with cholangiocarcinoma. *J Occup Health*. 56: 164-168.
- Kumalo, HM; Bhakat, S; Soliman, ME. (2016). Investigation of flap flexibility of β -secretase using molecular dynamic simulations. 34: 1008-1019. <http://dx.doi.org/10.1080/07391102.2015.1064831>.
- Kumar, A; Vercruyssen, A; Dewulf, J; Lens, P; Van Langenhove, H. (2012). Removal of gaseous trichloroethylene (TCE) in a composite membrane biofilm reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 47: 1046-1052. <http://dx.doi.org/10.1080/10934529.2012.667326>.
- Kumar, A; Zhou, C. (2010). The race to replace tin-doped indium oxide: which material will win? [Comment]. *ACS Nano*. 4: 11-14. <http://dx.doi.org/10.1021/nn901903b>.
- Kumar, L; Garg, P; Rao, A; Kumar, A. (2014). Transverse testicular ectopia with bilateral pycocele: case report and brief review of literature. 6: 55-57. <http://dx.doi.org/10.4103/2006-8808.147260>.
- Kumar, M; Kumar, R; Hissar, SS; Saraswat, MK; Sharma, BC; Sakhuja, P; Sarin, SK. (2007). Risk factors analysis for hepatocellular carcinoma in patients with and without cirrhosis: A case-control study of 213 hepatocellular carcinoma patients from India. *J Gastroenterol Hepatol*. 22: 1104-1111. <http://dx.doi.org/10.1111/j.1440-1746.2007.04908.x>.
- Kumar, N; Auffan, M; Gattacceca, J; Rose, J; Olivi, L; Borschneck, D; Kvapil, P; Jublot, M; Kaifas, D; Malleret, L; Doumenq, P; Bottero, JY. (2014). Molecular insights of oxidation process of iron nanoparticles: spectroscopic, magnetic, and microscopic evidence. *Environ Sci Technol*. 48: 13888-13894. <http://dx.doi.org/10.1021/es503154q>.
- Kumar, N; Labille, J; Bossa, N; Auffan, M; Doumenq, P; Rose, J; Bottero, JY. (2017). Enhanced transportability of zero valent iron nanoparticles in aquifer sediments: surface modifications, reactivity, and particle traveling distances. *Environ Sci Pollut Res Int*. <http://dx.doi.org/10.1007/s11356-017-8597-1>.
- Kumar, P; Sinha, SK; Pandey, U; Thakur, R; Varma, CM; Sachan, M; Goel, A. (2016). Patent Ductus Arteriosus With Eisenmenger Syndrome: Difficult Diagnosis Made Easily With Saline Contrast Echocardiography. 7: 117-118. <http://dx.doi.org/10.14740/cr447w>.
- Kumar, PN; Venugopala, K. (2015). Persistent Mullerian Duct Syndrome with Transverse Testicular Ectopia. 7: 4-6. <http://dx.doi.org/10.4103/2006-8808.184940>.
- Kumar, S; Mohan, A. (2012). Persistent Mullerian duct syndrome with transverse testicular ectopia. 2012: 9. <http://dx.doi.org/10.1093/jsr/2012.5.9>.
- Kumar, V; Nanda, NC. (2012). Is it time to move on from two-dimensional transthoracic to three-dimensional transthoracic echocardiography for assessment of left atrial appendage? Review of existing literature [Review]. *Echocardiography*. 29: 112-116. <http://dx.doi.org/10.1111/j.1540-8175.2011.01535.x>.
- Kung, HC; Hoyert, DL; Xu, J; Murphy, SL. (2008). Deaths: Final data for 2005. *National Vital Statistics Reports*. 56.
- Kuo, YC; Wang, SY; Chang, YM; Chen, SH; Kao, CM. (2014). Control of trichloroethylene plume migration using a biobarrier system: a field-scale study. *Water Sci Technol*. 69: 2074-2078. <http://dx.doi.org/10.2166/wst.2014.126>.
- Kupczyńska, K; Kasprzak, JD; Michalski, B; Lipiec, P. (2013). Prognostic significance of spontaneous echocardiographic contrast detected by transthoracic and transesophageal echocardiography in the era of harmonic imaging. *Archives of Medical Science*. 9: 808-814. <http://dx.doi.org/10.5114/aoms.2013.38674>.
- Kupiec, TC; Kemp, P; Raj, V; Kemp, J. (2011). A fatality due to an accidental methadone substitution in a dental cocktail. *J Anal Toxicol*. 35: 512-515.
- Kupsky, DF; Newman, DB; Kumar, G; Maleszewski, JJ; Edwards, WD; Klarich, KW. (2016). Echocardiographic Features of Cardiac Angiosarcomas: The Mayo Clinic Experience (1976-2013). *Echocardiography*. 33: 186-192. <http://dx.doi.org/10.1111/echo.13060>.
- Kurokawa, S; Honma, T; Taneoka, M; Imai, H; Baba, H; Nomura, M. (2010). Can intraoperative TEE correctly measure residual shunt after surgical repair of ventricular septal defects? *J Anesth*. 24: 343-350. <http://dx.doi.org/10.1007/s00540-010-0896-3>.
- Kurt, M; Tanboga, IH; Isik, T; Kaya, A; Ekinci, M; Bilen, E; Can, MM; Karakas, MF; Bayram, E; Aksakal, E; Sevimli, S. (2012). Comparison of transthoracic and transesophageal 2-dimensional speckle tracking echocardiography. *J Cardiothorac Vasc Anesth*. 26: 26-31. <http://dx.doi.org/10.1053/j.jvca.2011.05.014>.
- Kurtoglu, E; Korkmaz, H; Akturk, E; Yilmaz, M; Altas, Y; Uckan, A. (2012). Association of Mitral Annulus Calcification with High-Sensitivity C-Reactive Protein, Which Is a Marker of Inflammation. *Mediators Inflamm*. 2012: 606207. <http://dx.doi.org/10.1155/2012/606207>.
- Kuster, M; Díaz-Cruz, S; Rosell, M; López de Alda, M; Barceló, D. (2010). Fate of selected pesticides, estrogens, progestogens and volatile organic compounds during artificial aquifer recharge using surface waters. *Chemosphere*. 79: 880-886. <http://dx.doi.org/10.1016/j.chemosphere.2010.02.026>.

Human Health Hazard Literature Search Results

Off Topic

- Kutty, S; Delaney, JW; Latson, LA; Danford, DA. (2013). Can we talk? Reflections on effective communication between imager and interventionalist in congenital heart disease [Review]. *J Am Soc Echocardiogr.* 26: 813-827. <http://dx.doi.org/10.1016/j.echo.2013.05.006>.
- Kutup, A; Nentwich, MF; Bollschweiler, E; Bogoevski, D; Izbicki, JR; Hölscher, AH. (2014). What should be the gold standard for the surgical component in the treatment of locally advanced esophageal cancer: transthoracic versus transhiatal esophagectomy. *Ann Surg.* 260: 1016-1022. <http://dx.doi.org/10.1097/SLA.0000000000000335>.
- Kutzman, RS; Gimon, DM; Hinz, JP. (2010). Identification of chemicals of interest to the department of defense and u.s. air force among the u.s. environmental protection agency's integrated risk information system chemicals that are due for reassessment of their toxicity values. 564.
- Kvam, BM; Romundstad, PR; Boffetta, P; Andersen, A. (2005). Cancer in the Norwegian printing industry. *Scand J Work Environ Health.* 31: 36-43.
- Kwon, BJ; Lee, SH; Park, CS; Kim, DB; Park, HJ; Jang, SW; Ihm, SH; Youn, HJ; Seung, KB; Kim, HY. (2015). Left ventricular diastolic dyssynchrony in patients with treatment-naïve hypertension and the effects of antihypertensive therapy. *J Hypertens.* 33: 354-365. <http://dx.doi.org/10.1097/HJH.0000000000000390>.
- Kwon, J; Lee, D. (2016). The effectiveness of extracorporeal membrane oxygenation in a patient with post myocardial infarct ventricular septal defect. *J Cardiothorac Surg.* 11: 143. <http://dx.doi.org/10.1186/s13019-016-0537-5>.
- Kypri, E; Christodoulou, A; Maimaris, G; Lethan, M; Markaki, M; Lysandrou, C; Lederer, CW; Tavernarakis, N; Geimer, S; Pedersen, LB; Santama, N. (2014). The nucleotide-binding proteins Nubp1 and Nubp2 are negative regulators of ciliogenesis. *Cell Mol Life Sci.* 71: 517-538. <http://dx.doi.org/10.1007/s00018-013-1401-6>.
- Kyrklund, T; Haglid, K. (1991). Brain lipid composition in guinea pigs after intrauterine exposure to perchloroethylene. *Pharmacol Toxicol.* 68: 146-148. <http://dx.doi.org/10.1111/j.1600-0773.1991.tb02054.x>.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1988). Effects of exposure to Freon 11, 1,1,1-trichloroethane or perchloroethylene on the lipid and fatty acid composition of rat cerebral cortex. *Scand J Work Environ Health.* 14: 91-94.
- La Canna, G; Arendar, I; Maisano, F; Monaco, F; Collu, E; Benussi, S; De Bonis, M; Castiglioni, A; Alfieri, O. (2011). Real-time three-dimensional transesophageal echocardiography for assessment of mitral valve functional anatomy in patients with prolapse-related regurgitation. *Am J Cardiol.* 107: 1365-1374. <http://dx.doi.org/10.1016/j.amjcard.2010.12.048>.
- La Manna, A; Sanfilippo, A; Capodanno, D; Salemi, A; Polizzi, G; Deste, W; Cincotta, G; Cadoni, A; Marchese, A; Figuera, M; Ussia, GP; Pittalà, R; Privitera, C; Tamburino, C. (2011). Cardiovascular magnetic resonance for the assessment of patients undergoing transcatheter aortic valve implantation: a pilot study. *J Cardiovasc Magn Reson.* 13: 82. <http://dx.doi.org/10.1186/1532-429X-13-82>.
- La Monica, MB; Fukuda, DH; Beyer, KS; Hoffman, MW; Miramonti, AA; Fragala, MS; Stout, J. R.; Hoffman, J. R. (2016). Evaluation of critical rest interval determined from repeated sprint ability testing. *J Sports Med Phys Fitness.* 56: 1093-1102.
- La Vecchia, C; Negri, E; Franceschi, S; D'Avanzo, B; Boyle, P. (1994). A case-control study of diabetes mellitus and cancer risk. *Br J Cancer.* 70: 950-953.
- L'Abbée, JB; Tu, Y; Barriault, D; Sylvestre, M. (2011). Insight into the metabolism of 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane (DDT) by biphenyl dioxygenases. *Arch Biochem Biophys.* 516: 35-44. <http://dx.doi.org/10.1016/j.abb.2011.09.016>.
- Labib, DO; Heshmat, H; Gaafar, AH; Salah, M; Mahdy, SG. (2014). Real-time three-dimensional transthoracic echocardiography for predicting mitral annuloplasty ring size. *J Heart Valve Dis.* 23: 583-590.
- Labombarda, F; Castelnuovo, S; Goularas, D; Sirtori, CR. (2016). Status and potential clinical value of a transthoracic evaluation of the coronary arteries [Review]. *Cardiovasc Ultrasound.* 14: 5. <http://dx.doi.org/10.1186/s12947-016-0048-5>.
- Labombarda, F; Coutance, G; Pellissier, A; Mery-Alexandre, C; Roule, V; Maragnes, P; Milliez, P; Saloux, E. (2014). Major congenital coronary artery anomalies in a paediatric and adult population: a prospective echocardiographic study. 15: 761-768. <http://dx.doi.org/10.1093/ehjci/jet287>.
- Lacalzada, J; de la Rosa, A; Jiménez, JJ; Juárez, R; Barragán, A; Blanco, G; Iribarren, JL; Bonilla, JA; Laynez, I. (2012). Prognostic value of echocardiographic-derived calcium index in coronary artery disease diagnosed by 64-multidetector computed tomography. *Echocardiography.* 29: 1120-1127. <http://dx.doi.org/10.1111/j.1540-8175.2012.01755.x>.
- Lacalzada, J; Enjuanes, C; Izquierdo, MM; Barragán Acea, A; De La Rosa, A; Laynez, I. (2010). Pulmonary valve infective endocarditis in an adult patient with severe congenital pulmonary stenosis and ostium secundum atrial septal defect. 2010: 798956. <http://dx.doi.org/10.4061/2010/798956>.
- Lacalzada, J; Jiménez, JJ; Iribarren, JL; de la Rosa, A; Martín-Cabeza, M; Izquierdo, MM; Marí-López, B; García-González, MJ; Jorge-Pérez, P; Barragán, A; Laynez, I. (2016). Early Transthoracic Echocardiography after Cardiac Surgery Predicts Postoperative Atrial Fibrillation. *Echocardiography.* 33: 1300-1308. <http://dx.doi.org/10.1111/echo.13254>.
- Lacinova, L; Kvapil, P; Cernik, M. (2012). A field comparison of two reductive dechlorination (zero-valent iron and lactate) methods. *Environ Technol.* 33: 741-749. <http://dx.doi.org/10.1080/09593330.2011.592225>.
- Lafata, D; Carlson-Phillips, A; Sims, ST; Russell, EM. (2012). The effect of a cold beverage during an exercise session combining both strength and energy systems development training on core temperature and markers of performance. *JISSN.* 9: 44. <http://dx.doi.org/10.1186/1550-2783-9-44>.
- Lagakos, SW; Wessen, BJ; Zelen, M. (1986). An analysis of contaminated well water and health effects in Woburn, Massachusetts. *J Am Stat Assoc.* 81: 583-596.

Human Health Hazard Literature Search Results

Off Topic

- Lai, A; Aulenta, F; Mingazzini, M; Palumbo, MT; Papini, MP; Verdini, R; Majone, M. (2017). Bioelectrochemical approach for reductive and oxidative dechlorination of chlorinated aliphatic hydrocarbons (CAHs). *Chemosphere*. 169: 351-360. <http://dx.doi.org/10.1016/j.chemosphere.2016.11.072>.
- Lai, W; Chakravarty, S; Zou, Y, i; Chen, R. (2013). Multiplexed detection of xylene and trichloroethylene in water by photonic crystal absorption spectroscopy. *Opt Lett*. 38: 3799-3802. <http://dx.doi.org/10.1364/OL.38.003799>.
- Lai, WW; Srivastava, S; Cohen, MS; Frommelt, PC; Allada, V. (2013). Pediatric echocardiography laboratory organization and clinical productivity. *J Am Soc Echocardiogr*. 26: 1180-1186. <http://dx.doi.org/10.1016/j.echo.2013.06.019>.
- Lai, X; Zee, BC. (2015). Mixed response and time-to-event endpoints for multistage single-arm phase II design. *Trials*. 16: 250. <http://dx.doi.org/10.1186/s13063-015-0743-9>.
- Lai, Y; Becker, JG. (2013). Compounded effects of chlorinated ethene inhibition on ecological interactions and population abundance in a *Dehalococcoides* - *Dehalobacter* coculture. *Environ Sci Technol*. 47: 1518-1525. <http://dx.doi.org/10.1021/es3034582>.
- Lai, Y; Song, M; Hakala, K; Weintraub, ST; Shio, Y. (2012). The interaction of the von Hippel-Lindau tumor suppressor and heterochromatin protein 1. *Arch Biochem Biophys*. 518: 103-110. <http://dx.doi.org/10.1016/j.abb.2011.12.023>.
- Laiho, MK; Harjola, VP; Graner, M; Piilonen, A; Raade, M; Mustonen, P. (2012). Helical computerized tomography and NT-proBNP for screening of right ventricular overload on admission and at long term follow-up of acute pulmonary embolism. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 20: 33. <http://dx.doi.org/10.1186/1757-7241-20-33>.
- Lairakdomrong, K; Srimahachota, S; Lertsapcharoen, P; Chaipromprasit, J; Boonyaratavej, S; Kaewsukkho, P. (2013). Clinical results of large secundum atrial septal defect closure in adult using percutaneous transcatheter Cocoon atrial septal occluder. *J Med Assoc Thai*. 96: 1127-1134.
- Lairez, O; Delmas, C; Fournier, P; Cassol, E; Méjean, S; Pascal, P; Petermann, A; Dambrin, C; Minville, V; Carrié, D; Rousseau, H; Galinier, M; Roncalli, J; Marcheix, B; Berry, I. (2016). Feasibility and accuracy of gated blood pool SPECT equilibrium radionuclide ventriculography for the assessment of left and right ventricular volumes and function in patients with left ventricular assist devices. <http://dx.doi.org/10.1007/s12350-016-0670-5>.
- Lairez, O; Ferré, F; Portet, N; Marty, P; Delmas, C; Cognet, T; Kurrek, M; Carrié, D; Fourcade, O; Minville, V. (2015). Cardiovascular effects of low-dose spinal anaesthesia as a function of age: An observational study using echocardiography. 34: 271-276. <http://dx.doi.org/10.1016/j.accpm.2015.02.007>.
- Lake, BG; Evans, JG; Cunninghame, ME; Price, RJ. (1993). Comparison of the hepatic effects of nafenopin and WY-14,643 on peroxisome proliferation and cell replication in the rat and Syrian hamster. *Environ Health Perspect*. 101: 241-247.
- Lakind, JS; Naiman, DQ; Hays, SM; Aylward, LL; Blount, BC. (2010). Public health interpretation of trihalomethane blood levels in the United States: NHANES 1999-2004. *J Expo Sci Environ Epidemiol*. 20: 255-262. <http://dx.doi.org/10.1038/jes.2009.35>.
- Lalwani, ND; Dethloff, LA; Haskins, JR; Robertson, DG; de la Iglesia, FA. (1997). Increased nuclear ploidy, not cell proliferation, is sustained in the peroxisome proliferator-treated rat liver. *Toxicol Pathol*. 25: 165-176. <http://dx.doi.org/10.1177/019262339702500206>.
- Lam, YY; Fang, F; Yip, GW; Li, ZA; Yang, Y; Yu, CM. (2012). New pulmonary vein Doppler echocardiographic index predicts significant interatrial shunting in secundum atrial septal defect. *Int J Cardiol*. 160: 59-65. <http://dx.doi.org/10.1016/j.ijcard.2011.03.031>.
- Lam, YY; Yan, BP; Doshi, SK; Li, A; Zhang, D; Kaya, MG; Park, JW. (2013). Preclinical evaluation of a new left atrial appendage occluder (Lifetech LAmbré™ device) in a canine model. *Int J Cardiol*. 168: 3996-4001. <http://dx.doi.org/10.1016/j.ijcard.2013.06.083>.
- Lan, Y; Elwood Madden, AS; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environ Sci Process Impacts*. 18: 1266-1273. <http://dx.doi.org/10.1039/c6em00461j>.
- Lander, SL; Brits, D; Hosie, M. (2014). The effects of freezing, boiling and degreasing on the microstructure of bone. 65: 131-142. <http://dx.doi.org/10.1016/j.jchb.2013.09.006>.
- Landmeyer, JE; Miller, S; Campbell, BG; Vroblesky, D; Gill, A; Clark, AP. (2011). Investigation of the potential source area, contamination pathway, and probable release history of chlorinated-solvent-contaminated groundwater at the Capital City Plume Site, Montgomery, Alabama, 2008-2010. United States (USA): U.S. Geological Survey.
- Lane, SE; Watts, RA; Bentham, G; Innes, NJ; Scott, DGI. (2003). Are environmental factors important in primary systemic vasculitis? A case-control study. *Arthritis Rheum*. 48: 814-823. <http://dx.doi.org/10.1002/art.10830>.
- Lange, DC; Glidden, D; Secemsky, EA; Ordovas, K; Deeks, SG; Martin, JN; Bolger, AF; Hsue, PY. (2015). Mitral Annular and Coronary Artery Calcification Are Associated with Mortality in HIV-Infected Individuals. *PLoS ONE*. 10: e0130592. <http://dx.doi.org/10.1371/journal.pone.0130592>.
- Langholz, B; Goldstein, L. (1996). Risk set sampling in epidemiologic cohort studies. *Stat Sci*. 11: 35-53. <http://dx.doi.org/10.1214/ss/1032209663>.
- Lapis, K; Zalatnai, A; Timár, F; Thorgeirsson, UP. (1995). Quantitative evaluation of lysozyme- and CD68-positive Kupffer cells in diethylnitrosamine-induced hepatocellular carcinomas in monkeys. *Carcinogenesis*. 16: 3083-3085. <http://dx.doi.org/10.1093/carcin/16.12.3083>.
- Larkey, L; Huberty, J; Pedersen, M; Weihs, K. (2016). Qigong/Tai Chi Easy for fatigue in breast cancer survivors: Rationale and design of a randomized clinical trial. *Contemp Clin Trials*. 50: 222-228. <http://dx.doi.org/10.1016/j.cct.2016.08.002>.
- Larkey, L; Szalacha, L; Rogers, C; Jahnke, R; Ainsworth, B. (2012). Measurement pilot study of the Meditative Movement Inventory (MMI). *J Nurs Meas*. 20: 230-243.
- Larkey, LK; Roe, DJ; Smith, L; Millstine, D. (2016). Exploratory outcome assessment of Qigong/Tai Chi Easy on breast cancer survivors. *Complement Ther Med*. 29: 196-203. <http://dx.doi.org/10.1016/j.ctim.2016.10.006>.

Human Health Hazard Literature Search Results

Off Topic

- Larkey, LK; Roe, DJ; Weihs, KL; Jahnke, R; Lopez, AM; Rogers, CE; Oh, B; Guillen-Rodriguez, J. (2015). Randomized controlled trial of Qigong/Tai Chi Easy on cancer-related fatigue in breast cancer survivors. *Ann Behav Med.* 49: 165-176. <http://dx.doi.org/10.1007/s12160-014-9645-4>.
- Larsen, GL; Stevens, JL. (1986). Cysteine conjugate beta-lyase in the gastrointestinal bacterium *Eubacterium limosum*. *Mol Pharmacol.* 29: 97-103.
- Larsen, LH; Kofoed, KF; Carstensen, HG; Dalsgaard, M; Ersbøll, MK; Køber, L; Hassager, C. (2016). Prognostic value of multi-detector computed tomography in asymptomatic aortic valve stenosis. *Int J Cardiol.* 203: 331-337. <http://dx.doi.org/10.1016/j.ijcard.2015.10.088>.
- Larsen, LH; Kofoed, KF; Carstensen, HG; Mejdahl, MR; Andersen, MJ; Kjaergaard, J; Nielsen, OW; Køber, L; Møgelvang, R; Hassager, C. (2014). Aortic valve area assessed with 320-detector computed tomography: comparison with transthoracic echocardiography. *Int J Cardiovasc Imaging.* 30: 165-173. <http://dx.doi.org/10.1007/s10554-013-0295-6>.
- Larson, JL; Bull, RJ. (1992). Metabolism and lipoperoxidative activity of trichloroacetate and dichloroacetate in rats and mice. *Toxicol Appl Pharmacol.* 115: 268-277. [http://dx.doi.org/10.1016/0041-008X\(92\)90332-M](http://dx.doi.org/10.1016/0041-008X(92)90332-M).
- Lash, LH; Elfarra, AA; Anders, MW. (1986). Renal cysteine conjugate beta-lyase. Bioactivation of nephrotoxic cysteine S-conjugates in mitochondrial outer membrane. *J Biol Chem.* 261: 5930-5935.
- Lash, LH; Elfarra, AA; Rakiewicz-Nemeth, D; Anders, MW. (1990). Bioactivation mechanism of cytotoxic homocysteine S-conjugates. *Arch Biochem Biophys.* 276: 322-330. [http://dx.doi.org/10.1016/0003-9861\(90\)90727-G](http://dx.doi.org/10.1016/0003-9861(90)90727-G).
- Lash, LH; Putt, DA; Benipal, B. (2014). Multigenerational Study of Chemically Induced Cytotoxicity and Proliferation in Cultures of Human Proximal Tubular Cells. *International Journal of Molecular Sciences.* 15: 21348-21365. <http://dx.doi.org/10.3390/ijms151121348>.
- Lash, LH; Sausen, PJ; Duescher, RJ; Cooley, AJ; Elfarra, AA. (1994). Roles of cysteine conjugate beta-lyase and S-oxidase in nephrotoxicity: Studies with S-(1,2-dichlorovinyl)-L-cysteine and S-(1,2-dichlorovinyl)-L-cysteine sulfoxide. *J Pharmacol Exp Ther.* 269: 374-383.
- Lash, LH; Visarius, TM; Sall, JM; Qian, W; Tokarz, JJ. (1998). Cellular and subcellular heterogeneity of glutathione metabolism and transport in rat kidney cells. *Toxicology.* 130: 1-15. [http://dx.doi.org/10.1016/S0300-483X\(98\)00093-6](http://dx.doi.org/10.1016/S0300-483X(98)00093-6).
- Lau, SS; Kleiner, HE; Monks, TJ. (1995). Metabolism as a determinant of species susceptibility to 2,3,5-(triglutathion-S-yl)hydroquinone-mediated nephrotoxicity. The role of N-acetylation and N-deacetylation. *Drug Metab Dispos.* 23: 1136-1142.
- Laul, A; Patel, G; Kurbegovic-Skaljic, I, na; Piggott, S; Kanangat, S. (2016). EVALUATION OF HLA-DP T-CELL EPITOPE (TCE) MATCHING ALGORITHM FOR SELECTING DONORS BMT/HSCT. *Hum Immunol.* 77: 83-83.
- Laureno, R. (1993). Trichloroethylene does not cause trigeminal neuropathy [Letter]. *Muscle Nerve.* 16: 217. <http://dx.doi.org/10.1002/mus.880160217>.
- Laver, RD; Wiersema, UF; Bersten, AD. (2014). Echocardiographic estimation of mean pulmonary artery pressure in critically ill patients. *Critical Ultrasound Journal.* 6: 9. <http://dx.doi.org/10.1186/2036-7902-6-9>.
- Lawrence, T; Hagemann, T; Balkwill, F. (2007). Cancer. Sex, cytokines, and cancer [Comment]. *Science.* 317: 51-52. <http://dx.doi.org/10.1126/science.1146052>.
- Le Tourneau, T; Betto, M; Richardson, M; Juthier, F; Ennezat, PV; Polge, AS; Bauters, C; Vincentelli, A; Deklunder, G. (2010). Prospective assessment of multiple cardiac papillary fibroelastomas: an echocardiographic and surgical study [Letter]. *Int J Cardiol.* 145: 319-320. <http://dx.doi.org/10.1016/j.ijcard.2009.11.043>.
- Leakey, JE; Seng, JE; Allaben, WT. (2003). Body weight considerations in the B6C3F1 mouse and the use of dietary control to standardize background tumor incidence in chronic bioassays. *Toxicol Appl Pharmacol.* 193: 237-265. <http://dx.doi.org/10.1016/j.taap.2003.07.006>.
- Leakey, JEA; Seng, JE; Latendresse, JR; Hussain, N; Allen, LJ; Allaben, WT. (2003). Dietary controlled carcinogenicity study of chloral hydrate in male B6C3F1 mice. *Toxicol Appl Pharmacol.* 193: 266-280. <http://dx.doi.org/10.1016/j.taap.2003.07.007>.
- Leavitt, SA; DeAngelo, AB; George, MH; Ross, JA. (1997). Assessment of the mutagenicity of dichloroacetic acid in lacI transgenic B6C3F1 mouse liver. *Carcinogenesis.* 18: 2101-2106. <http://dx.doi.org/10.1093/carcin/18.11.2101>.
- Lebouf, RF; Coffey, CC. (2015). Effect of interferents on the performance of direct-reading organic vapor monitors. *Journal of the Air and Waste Management Association.* 65: 261-269. <http://dx.doi.org/10.1080/10962247.2014.986308>.
- Leclair, E; Mucci, P; Borel, B; Baquet, G; Carter, H; Berthoin, S. (2011). Time to exhaustion and time spent at a high percentage of VO2max in severe intensity domain in children and adults. *J Strength Cond Res.* 25: 1151-1158. <http://dx.doi.org/10.1519/JSC.0b013e3181d32224>.
- Ledda-Columbano, GM; Columbano, A; Curto, M; Ennas, MG; Coni, P; Sarma, DS; Pani, P. (1989). Further evidence that mitogen-induced cell proliferation does not support the formation of enzyme-altered islands in rat liver by carcinogens. *Carcinogenesis.* 10: 847-850. <http://dx.doi.org/10.1093/carcin/10.5.847>.
- Ledda-Columbano, GM; Coni, P; Simbula, G; Zedda, I; Columbano, A. (1993). Compensatory regeneration, mitogen-induced liver growth, and multistage chemical carcinogenesis [Review]. *Environ Health Perspect.* 101: 163-168.
- Ledda-Columbano, GM; Curto, M; Piga, R; Zedda, AI; Menegazzi, M; Sartori, C; Shinozuka, H; Bluethmann, H; Poli, V; Ciliberto, G; Columbano, A. (1998). In vivo hepatocyte proliferation is inducible through a TNF and IL-6-independent pathway. *Oncogene.* 17: 1039-1044. <http://dx.doi.org/10.1038/sj.onc.1202018>.
- Ledda-Columbano, GM; Perra, A; Concas, D; Cossu, C; Molotzu, F; Sartori, C; Shinozuka, H; Columbano, A. (2003). Different effects of the liver mitogens triiodo-thyronine and ciprofibrate on the development of rat hepatocellular carcinoma. *Toxicol Pathol.* 31: 113-120. <http://dx.doi.org/10.1080/01926230390173851>.
- Lee, A. (2014). Ultrasound in obstetric anesthesia. *Semin Perinatol.* 38: 349-358. <http://dx.doi.org/10.1053/j.semperi.2014.07.006>.

Human Health Hazard Literature Search Results

Off Topic

- Lee, D; Kim, S; Lee, J; Song, H; Kim, HJ; Kim, KT. (2015). Vaccinia-related kinase 2 controls eukaryotic chaperonin TRiC/CCT stability by inhibiting Ubiquitine-specific protease 25. *FEBS J.* 282: 297-297.
- Lee, D; Lee, H; Ahn, Y; Jeong, Y; Lee, DY; Lee, Y. (2013). Highly stable and flexible silver nanowire-graphene hybrid transparent conducting electrodes for emerging optoelectronic devices. *Nanoscale.* 5: 7750-7755. <http://dx.doi.org/10.1039/c3nr02320f>.
- Lee, DH; Oh, YS; Shin, WS; Kim, JH; Choi, YS; Jang, SW; Park, CS; Youn, HJ; Lee, MY; Chung, WS; Seung, KB; Rho, TH; Kim, JH; Choi, KB. (2010). A transthoracic echocardiographic follow-up study after catheter ablation of atrial fibrillation: can we detect pulmonary vein stenosis by transthoracic echocardiography? *Korean Circulation Journal.* 40: 442-447. <http://dx.doi.org/10.4070/kcj.2010.40.9.442>.
- Lee, DH; Park, IG; Kim, JH; Lee, YH; Kim, D; Kang, SK. (1998). Neurobehavioral changes in shoe manufacturing workers. *Neurotoxicol Teratol.* 20: 259-263. [http://dx.doi.org/10.1016/S0892-0362\(97\)00130-X](http://dx.doi.org/10.1016/S0892-0362(97)00130-X).
- Lee, DH; Youn, HJ; Choi, YS; Park, CS; Park, JH; Jeon, HK; Kim, JH. (2010). Coronary flow reserve is a comprehensive indicator of cardiovascular risk factors in subjects with chest pain and normal coronary angiogram. *Circ J.* 74: 1405-1414.
- Lee, DK; Cho, NH; Kim, OH; Go, J; Kim, TH; Cha, KC; Kim, H; Lee, KH; Hwang, SO; Cha, YS. (2015). Evaluation of cardiac function using transthoracic echocardiography in patients with myocardial injury secondary to methomyl poisoning. *Cardiovasc Toxicol.* 15: 269-275. <http://dx.doi.org/10.1007/s12012-014-9295-6>.
- Lee, E; Ryu, HG; Kim, S; Lee, D; Jeong, YH; Kim, KT. (2016). Glycogen synthase kinase 3 β suppresses polyglutamine aggregation by inhibiting Vaccinia-related kinase 2 activity. *Sci Rep.* 6: 29097. <http://dx.doi.org/10.1038/srep29097>.
- Lee, EH; Kim, J; Cho, KS; Ahn, YG; Hwang, GS. (2010). Degradation of hexane and other recalcitrant hydrocarbons by a novel isolate, *Rhodococcus* sp. EH831. *Environ Sci Pollut Res Int.* 17: 64-77. <http://dx.doi.org/10.1007/s11356-009-0238-x>.
- Lee, H; Lee, Y; Kim, J; Kim, C. (2014). Field application of modified in situ soil flushing in combination with air sparging at a military site polluted by diesel and gasoline in Korea. *Int J Environ Res Public Health.* 11: 8806-8824. <http://dx.doi.org/10.3390/ijerph110908806>.
- Lee, HJ; Kim, IS; Sung, JH; Lee, SW; Hong, JT. (2016). Significance of multimodal intraoperative monitoring for the posterior cervical spine surgery. *Clin Neurol Neurosurg.* 143: 9-14. <http://dx.doi.org/10.1016/j.clineuro.2016.02.007>.
- Lee, HS; Cho, HY; Park, KW; Kim, IH; Kim, JT; Nam, MH; Lee, KW. (2011). Inhibitory effects of Terminalia chebula extract on glycation and endothelial cell adhesion. *Planta Med.* 77: 1060-1067. <http://dx.doi.org/10.1055/s-0030-1270748>.
- Lee, HY; Martanto, W; Thirumoorthy, T. (2013). Epidemiology of Stevens-Johnson syndrome and toxic epidermal necrolysis in Southeast Asia. *Zhonghua Pifuke Yixue Zazhi.* 31: 217-220. <http://dx.doi.org/10.1016/j.dsi.2013.09.007>.
- Lee, J; Lee, TK. (2016). Development and Characterization of PCE-to-Ethene Dechlorinating Microcosms with Contaminated River Sediment. *J Microbiol Biotechnol.* 26: 120-129. <http://dx.doi.org/10.4014/jmb.1510.10026>.
- Lee, J; Lee, TK; Löffler, FE; Park, J. (2011). Characterization of microbial community structure and population dynamics of tetrachloroethene-dechlorinating tidal mudflat communities. *Biodegradation.* 22: 687-698. <http://dx.doi.org/10.1007/s10532-010-9429-x>.
- Lee, J, oeKT; Tsui, KL. (2015). Double-chambered right ventricle: a commonly overlooked diagnosis. *Hong Kong Med J.* 21: 84-84.
- Lee, JC; Platts, DG; Huang, YT; Slaughter, RE. (2010). Positron emission tomography combined with computed tomography as an integral component in evaluation of primary cardiac lymphoma. *Clin Cardiol.* 33: E106-E108. <http://dx.doi.org/10.1002/clc.20725>.
- Lee, JH; Dolan, M; Field, J; Istok, J. (2010). Monitoring bioaugmentation with single-well push-pull tests in sediment systems contaminated with trichloroethene. *Environ Sci Technol.* 44: 1085-1092. <http://dx.doi.org/10.1021/es9019645>.
- Lee, JS; Chu, IS; Heo, J; Calvisi, DF; Sun, Z; Roskams, T; Durnez, A; Demetris, AJ; Thorgeirsson, SS. (2004). Classification and prediction of survival in hepatocellular carcinoma by gene expression profiling. *Hepatology.* 40: 667-676. <http://dx.doi.org/10.1002/hep.20375>.
- Lee, JS; Chu, IS; Mikaelyan, A; Calvisi, DF; Heo, J; Reddy, JK; Thorgeirsson, SS. (2004). Application of comparative functional genomics to identify best-fit mouse models to study human cancer. *Nat Genet.* 36: 1306-1311. <http://dx.doi.org/10.1038/ng1481>.
- Lee, JY; Lee, KJ; Youm, SY; Lee, MR; Kamala-Kannan, S; Oh, BT. (2010). Stability of multi-permeable reactive barriers for long term removal of mixed contaminants. *Bull Environ Contam Toxicol.* 84: 250-254. <http://dx.doi.org/10.1007/s00128-009-9918-y>.
- Lee, LJH; Chan, CC; Chung, CW; Ma, YC; Wang, GS; Wang, JD. (2002). Health risk assessment on residents exposed to chlorinated hydrocarbons contaminated in groundwater of a hazardous waste site. *J Toxicol Environ Health A.* 65: 219-235. <http://dx.doi.org/10.1080/15287390252800828>.
- Lee, LK; He, J. (2010). Reductive debromination of polybrominated diphenyl ethers by anaerobic bacteria from soils and sediments. *Appl Environ Microbiol.* 76: 794-802. <http://dx.doi.org/10.1128/AEM.01872-09>.
- Lee, M; Chang, SA; Cho, EJ; Park, SJ; Choi, JO; Lee, SC; Oh, JK; Park, SW. (2015). Role of strain values using automated function imaging on transthoracic echocardiography for the assessment of acute chest pain in emergency department. *Int J Cardiovasc Imaging.* 31: 547-556. <http://dx.doi.org/10.1007/s10554-015-0588-z>.
- Lee, M; Oh, J. (2010). Sonolysis of trichloroethylene and carbon tetrachloride in aqueous solution. *Ultrason Sonochem.* 17: 207-212. <http://dx.doi.org/10.1016/j.ultsonch.2009.06.018>.
- Lee, PK; Cheng, D; West, KA; Alvarez-Cohen, L; He, J. (2013). Isolation of two new Dehalococcoides mccartyi strains with dissimilar dechlorination functions and their characterization by comparative genomics via microarray analysis. *Environ Microbiol.* 15: 2293-2305. <http://dx.doi.org/10.1111/1462-2920.12099>.
- Lee, PK; Warnecke, F; Brodie, EL; Macbeth, TW; Conrad, ME; Andersen, GL; Alvarez-Cohen, L. (2012). Phylogenetic microarray analysis of a microbial community performing reductive dechlorination at a TCE-contaminated site. *Environ Sci Technol.* 46: 1044-1054. <http://dx.doi.org/10.1021/es203005k>.

Human Health Hazard Literature Search Results

Off Topic

- Lee, PKH; Cheng, D, an; Hu, P; West, KA; Dick, GJ; Brodie, EL; Andersen, GL; Zinder, SH; He, J; Alvarez-Cohen, L. (2011). Comparative genomics of two newly isolated Dehalococcoides strains and an enrichment using a genus microarray. *ISME J.* 5: 1014-1024. <http://dx.doi.org/10.1038/ismej.2010.202>.
- Lee, SC; Ko, SM; Song, MG; Shin, JK; Chee, HK; Hwang, HK. (2012). Morphological assessment of the aortic valve using coronary computed tomography angiography, cardiovascular magnetic resonance, and transthoracic echocardiography: comparison with intraoperative findings. *Int J Cardiovasc Imaging.* 28 Suppl 1: 33-44. <http://dx.doi.org/10.1007/s10554-012-0066-9>.
- Lee, SH; Chang, SA; Jang, SY; Lee, SC; Song, YB; Park, SW; Choi, SH; Gwon, HC; Oh, JK; Kim, DK. (2015). Screening for abdominal aortic aneurysm during transthoracic echocardiography in patients with significant coronary artery disease. *Yonsei Med J.* 56: 38-44. <http://dx.doi.org/10.3349/ymj.2015.56.1.38>.
- Lee, SS; Kaown, D; Lee, KK. (2015). Evaluation of the fate and transport of chlorinated ethenes in a complex groundwater system discharging to a stream in Wonju, Korea. *J Contam Hydrol.* 182: 231-243. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.005>.
- Lee, TH; Kim, KH; Lee, BR; Park, JH; Schubert, EF; Kim, TG. (2016). Glass-Based Transparent Conductive Electrode: Its Application to Visible-to-Ultraviolet Light-Emitting Diodes. 8: 35668-35677. <http://dx.doi.org/10.1021/acsami.6b12767>.
- Lee, Y; Lee, W. (2010). Degradation of trichloroethylene by Fe(II) chelated with cross-linked chitosan in a modified Fenton reaction. *J Hazard Mater.* 178: 187-193. <http://dx.doi.org/10.1016/j.jhazmat.2010.01.062>.
- Leen, JB. (2012). Laser-based spectrometer for real-time monitoring of VOCs at Superfund sites.
- Lehmler, HJ; He, X; Li, X; Duffel, MW; Parkin, S. (2013). Effective synthesis of sulfate metabolites of chlorinated phenols. *Chemosphere.* 93: 1965-1971. <http://dx.doi.org/10.1016/j.chemosphere.2013.06.087>.
- Lehnart, SE; Mongillo, M; Bellingier, A; Lindegger, N; Bi-Xing, C; Hsueh, W; Reiken, S; Wronska, A; Drew, LJ; Ward, CW; Lederer, WJ; Kass, RS; Morley, G; Marks, AR. (2008). Leaky Ca²⁺ release channel/ryanodine receptor 2 causes seizures and sudden cardiac death in mice. *J Clin Invest.* 118: 2230-2245. <http://dx.doi.org/10.1172/JCI35346>.
- Leibowitz, D; Benshalom, N; Kaganov, Y; Rott, D; Hurwitz, A; Hamani, Y. (2010). The incidence and haemodynamic significance of gas emboli during operative hysteroscopy: a prospective echocardiographic study. *Eur J Echocardiogr.* 11: 429-431. <http://dx.doi.org/10.1093/ejehocardi/jep232>.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data.* 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>.
- Leirdal, S; Sandbakk, O; Ettema, G. (2013). Effects of frequency on gross efficiency and performance in roller ski skating. *Scand J Med Sci Sports.* 23: 295-302. <http://dx.doi.org/10.1111/j.1600-0838.2011.01379.x>.
- Leitman, M; Peleg, E, li; Shmueli, R; Vered, Z, vi. (2016). Role of Negative Trans-Thoracic Echocardiography in The Diagnosis of infective Endocarditis. *Isr Med Assoc J.* 18: 407-410.
- Leitman, M; Tyomkin, V; Peleg, E; Shmueli, R; Krakover, R; Vered, Z. (2014). Clinical significance and prevalence of valvular strands during routine echo examinations. 15: 1226-1230. <http://dx.doi.org/10.1093/ehjci/jeu110>.
- Leitner, A; Faini, M; Stengel, F; Aebersold, R. (2016). Crosslinking and Mass Spectrometry: An Integrated Technology to Understand the Structure and Function of Molecular Machines [Review]. *Trends Biochem Sci.* 41: 20-32. <http://dx.doi.org/10.1016/j.tibs.2015.10.008>.
- Leitner, A; Joachimiak, LA; Bracher, A; Mönkemeyer, L; Walzthoeni, T; Chen, B; Pechmann, S; Holmes, S; Cong, Y; Ma, B; Ludtke, S; Chiu, W; Hartl, FU; Aebersold, R; Frydman, J. (2012). The molecular architecture of the eukaryotic chaperonin TRiC/CCT. 20: 814-825. <http://dx.doi.org/10.1016/j.str.2012.03.007>.
- Leitner, A; Joachimiak, LA; Unverdorben, P; Walzthoeni, T; Frydman, J; Förster, F; Aebersold, R. (2014). Chemical cross-linking/mass spectrometry targeting acidic residues in proteins and protein complexes. *Proc Natl Acad Sci USA.* 111: 9455-9460. <http://dx.doi.org/10.1073/pnas.1320298111>.
- Lelakowska-Pieła, M; Pudło, J; Engel, A; Lelakowski, J. (2013). [Analysis of P wave duration and dispersion in paroxysmal atrial fibrillation]. *Pol Merkur Lekarski.* 35: 259-262.
- Lelakowski, J; Domagała, TB; Rydlewska, A; Januszek, R; Kotula-Horowitz, K; Majewski, J; Ząbek, A; Matecka, B. (2012). Relationship between changes in selected thrombotic and inflammatory factors, echocardiographic parameters and the incidence of venous thrombosis after pacemaker implantation based on our own observations. *Archives of Medical Science.* 8: 1027-1034. <http://dx.doi.org/10.5114/aoms.2012.28600>.
- Lelakowski, J; Rydlewska, A; Domagała, TB; Piekarz, J; Karkowski, G; Januszek, R; Kotula-Horowitz, K; Musiał, J. (2011). [Venous thrombosis as a complication of pacemaker implantation—own observations]. *Pol Merkur Lekarski.* 30: 102-110.
- Lembcke, A; Durmus, T; Westermann, Y; Geigenmueller, A; Claus, B; Butler, C; Thiele, H. (2011). Assessment of mitral valve stenosis by helical MDCT: comparison with transthoracic doppler echocardiography and cardiac catheterization. *AJR Am J Roentgenol.* 197: 614-622. <http://dx.doi.org/10.2214/AJR.10.5132>.
- Lemke, LE; Mcqueen, CA. (1995). Acetylation and its role in the mutagenicity of the antihypertensive agent hydralazine. *Drug Metab Dispos.* 23: 559-565.
- Lemming, G; Chambon, JC; Binning, PJ; Bjerg, PL. (2012). Is there an environmental benefit from remediation of a contaminated site? Combined assessments of the risk reduction and life cycle impact of remediation. *J Environ Manage.* 112: 392-403. <http://dx.doi.org/10.1016/j.jenvman.2012.08.002>.
- Lemming, G; Hauschild, MZ; Chambon, J; Binning, PJ; Bulle, C; Margni, M; Bjerg, PL. (2010). Environmental impacts of remediation of a trichloroethene-contaminated site: life cycle assessment of remediation alternatives. *Environ Sci Technol.* 44: 9163-9169. <http://dx.doi.org/10.1021/es102007s>.

Human Health Hazard Literature Search Results

Off Topic

- Leng, J; Chen, MH; Zhou, ZH; Lu, YW; Wen, XD; Yang, J. (2017). Triterpenoids-Enriched Extract from the Aerial Parts of *Salvia miltiorrhiza* Regulates Macrophage Polarization and Ameliorates Insulin Resistance in High-Fat Fed Mice. 31: 100-107. <http://dx.doi.org/10.1002/ptr.5736>.
- Leoz-Abaurrea, I; Santos-Concejero, J; Grobler, L; Engelbrecht, L; Aguado-Jiménez, R. (2016). Running Performance While Wearing a Heat Dissipating Compression Garment in Male Recreational Runners. *J Strength Cond Res.* 30: 3367-3372. <http://dx.doi.org/10.1519/JSC.0000000000001467>.
- Lépori, AJ; Mishima, RS; Rodriguez, G; Moreyra, EA; Serra, JL; Tibaldi, MA; Martellotto, A; Moreyra, E. (2015). Relationship between electrocardiographic characteristics of left bundle branch block and echocardiographic findings. *Cardiol J.* 22: 397-403. <http://dx.doi.org/10.5603/CJ.a2015.0005>.
- Lerche, CJ; Haugan, KJ; Reimers, JI; Ihlemann, N. (2013). A misinterpreted case of aorta prosthesis endocarditis: remember the phenomenon of microbubbles. *Echocardiography.* 30: E188-E191. <http://dx.doi.org/10.1111/echo.12224>.
- Leśniak-Sobelga, A; Wicher-Muniak, E; Kostkiewicz, M; Olszowska, M; Musiałek, P; Klimeczek, P; Banyś, P; Pasowicz, M; Tracz, W; Podolec, P. (2012). Relationship between mitral leaflets angles, left ventricular geometry and mitral deformation indices in patients with ischemic mitral regurgitation: imaging by echocardiography and cardiac magnetic resonance. *Int J Cardiovasc Imaging.* 28: 59-67. <http://dx.doi.org/10.1007/s10554-010-9783-0>.
- Leucker, TM; Agrawal, V; Rahim, H; Price, J; Jones, SR. (2015). Idiopathic 'True' Left Ventricular Aneurysm. 12: 202-204. <http://dx.doi.org/10.1016/j.jccase.2015.08.013>.
- Levine, YC; Matos, J; Rosenberg, MA; Manning, WJ; Josephson, ME; Buxton, AE. (2016). Left ventricular sphericity independently predicts appropriate implantable cardioverter-defibrillator therapy. *Heart Rhythm.* 13: 490-497. <http://dx.doi.org/10.1016/j.hrthm.2015.09.022>.
- Levit, RD; Landázuri, N; Phelps, EA; Brown, ME; García, AJ; Davis, ME; Joseph, G; Long, R; Safley, SA; Suever, JD; Lyle, AN; Weber, CJ; Taylor, WR. (2013). Cellular encapsulation enhances cardiac repair. *J Am Heart Assoc.* 2: e000367. <http://dx.doi.org/10.1161/JAHA.113.000367>.
- Levy, F; Iacuzio, L; Civaia, F; Rusek, S; Dommerc, C; Hugues, N; Alexandrescu, C; Dor, V; Tribouilloy, C; Dreyfus, G. (2016). Usefulness of 3-Tesla cardiac magnetic resonance imaging in the assessment of aortic stenosis severity in routine clinical practice. *Arch Cardiovasc Dis.* 109: 618-625. <http://dx.doi.org/10.1016/j.acvd.2016.04.006>.
- Lewis, G; Maxwell, AP. (2012). Early diagnosis improves survival in kidney cancer. *Practitioner.* 256: 13-16, 12.
- Lewis, J; Qvarfort, U; Sjöström, J. (2015). *Betula pendula*: A Promising Candidate for Phytoremediation of TCE in Northern Climates. *Int J Phytoremediation.* 17: 9-15. <http://dx.doi.org/10.1080/15226514.2013.828012>.
- Lewitt, MS; Brismar, K; Wang, J; Wivall-Helleryd, IL; Sindelar, P; Gonzalez, FJ; Bergman, T; Bobek, GA. (2001). Responses of insulin-like growth factor (IGF)-I and IGF-binding proteins to nutritional status in peroxisome proliferator-activated receptor-alpha knockout mice. *Growth Horm IGF Res.* 11: 303-313. <http://dx.doi.org/10.1054/ghir.2001.0247>.
- Lhéritier, G; Legras, A; Caille, A; Lherm, T; Mathonnet, A; Frat, JP; Courte, A; Martin-Lefèvre, L; Gouëlle, JP; Amiel, JB; Garot, D; Vignon, P. (2013). Prevalence and prognostic value of acute cor pulmonale and patent foramen ovale in ventilated patients with early acute respiratory distress syndrome: a multicenter study. *Intensive Care Med.* 39: 1734-1742. <http://dx.doi.org/10.1007/s00134-013-3017-6>.
- Li, GS; Li, HD; Yang, J; Zhang, WQ; Hou, ZS; Li, QC; Zhang, Y. (2012). Feasibility and safety of transthoracic echocardiography-guided transcatheter closure of atrial septal defects with deficient superior-anterior rims. *PLoS ONE.* 7: e51117. <http://dx.doi.org/10.1371/journal.pone.0051117>.
- Li, H; Lu, G; Dai, Q; Wang, Y; Guo, Y, un; Guo, Y. (2010). Hierarchical Organization and Catalytic Activity of High-Surface-Area Mesoporous Ceria Microspheres Prepared Via Hydrothermal Routes. *ACS Applied Materials & Interfaces.* 2: 838-846. <http://dx.doi.org/10.1021/am900829y>.
- Li, H; Zhang, SY; Wang, XL; Yang, J; Gu, JD; Zhu, RL; Wang, P; Lin, KF; Liu, YD. (2014). Aerobic biodegradation of trichloroethylene and phenol co-contaminants in groundwater by a bacterial community using hydrogen peroxide as the sole oxygen source. *Environ Technol.* 36: 1-8. <http://dx.doi.org/10.1080/09593330.2014.957730>.
- Li, HO; Wang, XM; Nie, P; Ji, XP; Cheng, ZP; Chen, JH; Xu, ZD. (2015). Diagnostic Value of Prospective Electrocardiogram-triggered Dual-source Computed Tomography Angiography for Infants and Children with Interrupted Aortic Arch. *Chin Med J.* 128: 1184-1189. <http://dx.doi.org/10.4103/0366-6999.156109>.
- Li, J; Lu, Q; de Toledo, RA; Lu, Y; Shim, H. (2015). Effect of toluene concentration and hydrogen peroxide on *Pseudomonas plecoglossicida* cometabolizing mixture of cis-DCE and TCE in soil slurry. *Environ Geochem Health.* 37: 985-995. <http://dx.doi.org/10.1007/s10653-015-9707-y>.
- Li, J, ie; Yang, X; Ren, X, hu; Meng, XJ; Huang, H; Zhao, Q; Yuan, J; Hong, W; Xia, B, o; Huang, X; Zhou, L, i; Liu, J; Zou, F, ei. (2014). Stable SET knockdown in breast cell carcinoma inhibits cell migration and invasion. *Biochem Biophys Res Commun.* 453: 7-12. <http://dx.doi.org/10.1016/j.bbrc.2014.09.013>.
- Li, JW; Yang, XY; Hu, AY; Yu, CP. (2015). [Reductive Dechlorination of Trichloroethylene by Benzoate-Enriched Anaerobic Cultures]. *Huanjing Kexue.* 36: 3756-3763.
- Li, JY; Jiang, JB; He, Y; Luo, JC; Zhong, GQ. (2017). Ventricular Tachycardia Originating from Moderator Band: New Perspective on Catheter Ablation. 2017: 3414360. <http://dx.doi.org/10.1155/2017/3414360>.
- Li, L; Zhu, W; Fang, L; Zeng, Z; Miao, Q; Zhang, C; Fang, Q. (2012). Transthoracic echocardiographic features of cardiac pheochromocytoma: a single-institution experience. *Echocardiography.* 29: 153-157. <http://dx.doi.org/10.1111/j.1540-8175.2011.01556.x>.

Human Health Hazard Literature Search Results

Off Topic

- Li, N; Zhou, L; Mao, X; Zhang, J; Wei, J; Lin, H; Li, J; Tian, F; Zhang, Y; Qian, X. (2013). [A novel method for absolute protein quantification using ¹⁸O isotope labeled concatamers of Q peptides combined with isotope dilution-multiple reaction monitoring mass spectrometry]. *Sepu*. 31: 522-530.
- Li, P; Zhao, XX; Zheng, X; Qin, YW. (2012). Arrhythmias after transcatheter closure of perimembranous ventricular septal defects with a modified double-disk occluder: early and long-term results. *Heart Vessels*. 27: 405-410. <http://dx.doi.org/10.1007/s00380-011-0155-z>.
- Li, RJ; Sun, Z; Yang, J; Yang, Y; Li, YJ; Leng, ZT; Liu, GW; Pu, LH. (2016). Diagnostic Value of Transthoracic Echocardiography in Patients With Anomalous Origin of the Left Coronary Artery From the Pulmonary Artery. *Medicine (Baltimore)*. 95: e3401. <http://dx.doi.org/10.1097/MD.0000000000003401>.
- Li, X; Teske, S; Conroy-Ben, O. (2015). Estrogen mimics induce genes encoding chemical efflux proteins in gram-negative bacteria. *Chemosphere*. 128: 327-331. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.020>.
- Li, Y; Huang, H; He, T; Gong, Y. (2010). The effect of the preferential affinity of the solvent on the microstructure of solution-cast block copolymer thin films. *J Phys Chem B*. 114: 1264-1270. <http://dx.doi.org/10.1021/jp908852u>.
- Li, Y; Li, B; Wang, CP; Fan, JZ; Sun, HW. (2014). Aerobic degradation of trichloroethylene by co-metabolism using phenol and gasoline as growth substrates. *International Journal of Molecular Sciences*. 15: 9134-9148. <http://dx.doi.org/10.3390/ijms15059134>.
- Li, Y; Wang, GY; Wang, ZF; Guo, L. (2011). Preliminary experience using transthoracic echocardiography guiding percutaneous closure of ruptured right sinus of Valsalva aneurysm. *Chin Med J*. 124: 1477-1482.
- Li, YY; Zhou, C; Yang, DX; Wang, J; Liu, ZJ; Wang, XY; Li, K. (2015). Paclitaxel-etoposide-carboplatin/cisplatin versus etoposide-carboplatin/cisplatin as first-line treatment for combined small-cell lung cancer: a retrospective analysis of 62 cases. 12: 117-125. <http://dx.doi.org/10.7497/j.issn.2095-3941.2015.0012>.
- Lian, F, ei; Chang, C; Du, Y; Zhu, L; Xing, B; Liu, C. (2012). Adsorptive removal of hydrophobic organic compounds by carbonaceous adsorbents: A comparative study of waste-polymer-based, coal-based activated carbon, and carbon nanotubes. *J Environ Sci*. 24: 1549-1558. [http://dx.doi.org/10.1016/S1001-0742\(11\)60984-4](http://dx.doi.org/10.1016/S1001-0742(11)60984-4).
- Liang, C; Lee, PH. (2012). Granular activated carbon/pyrite composites for environmental application: synthesis and characterization. *J Hazard Mater*. 231-232: 120-126. <http://dx.doi.org/10.1016/j.jhazmat.2012.06.048>.
- Liang, JC; Brinkley, BR. (1985). Chemical probes and possible targets for the induction of aneuploidy. *Basic Life Sci*. 36: 491-505.
- Liang, JC; Pacchierotti, F. (1988). Cytogenetic investigation of chemically-induced aneuploidy in mouse spermatocytes. *Mutat Res-Fundam Mol Mech Mutagen*. 201: 325-335. [http://dx.doi.org/10.1016/0027-5107\(88\)90021-8](http://dx.doi.org/10.1016/0027-5107(88)90021-8).
- Liang, SH; Chen, KF; Wu, CS; Lin, YH; Kao, CM. (2014). Development of KMnO₄-releasing composites for in situ chemical oxidation of TCE-contaminated groundwater. *Water Res*. 54: 149-158. <http://dx.doi.org/10.1016/j.watres.2014.01.068>.
- Liang, SH; Kuo, YC; Chen, SH; Chen, CY; Kao, CM. (2013). Development of a slow polycolloid-releasing substrate (SPRS) biobarrier to remediate TCE-contaminated aquifers. *J Hazard Mater*. 254: 107-115. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.047>.
- Liang, SH; Liu, JK; Lee, KH; Kuo, YC; Kao, CM. (2011). Use of specific gene analysis to assess the effectiveness of surfactant-enhanced trichloroethylene cometabolism. *J Hazard Mater*. 198: 323-330. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.050>.
- Liang, X; Molenda, O; Tang, S; Edwards, EA. (2015). Identity and Substrate Specificity of Reductive Dehalogenases Expressed in Dehalococoides-Containing Enrichment Cultures Maintained on Different Chlorinated Ethenes. *Appl Environ Microbiol*. 81: 4626-4633. <http://dx.doi.org/10.1128/AEM.00536-15>.
- Liangpunsakul, S; Kolwankar, D; Pinto, A; Gorski, JC; Hall, SD; Chalasani, N. (2005). Activity of CYP2E1 and CYP3A enzymes in adults with moderate alcohol consumption: A comparison with nonalcoholics. *Hepatology*. 41: 1144-1150. <http://dx.doi.org/10.1002/hep.20673>.
- Liao, RZ; Chen, SL; Siegbahn, PE. (2016). Unraveling the Mechanism and Regioselectivity of the B12-Dependent Reductive Dehalogenase PceA. *Chemistry*. 22: 12391-12399. <http://dx.doi.org/10.1002/chem.201601575>.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology*. 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Libbrecht, L. (2006). Hepatic progenitor cells in human liver tumor development [Review]. *World J Gastroenterol*. 12: 6261-6265.
- Liberal, R; Grant, CR; Baptista, R; Macedo, G. (2015). "Porto-pulmonary hypertension: a comprehensive review" [Review]. *Clinics and Research in Hepatology and Gastroenterology*. 39: 157-167. <http://dx.doi.org/10.1016/j.clinre.2014.12.011>.
- Lichtenberg, M; Hansen, I; Mukhopadhyay, SM. (2012). Total Control of Epidemic (TCE) program of Humana People to People: a community driven response to the fight against AIDS. *International AIDS Society Journal*. 15: 163-163.
- Lide, DR. (1998). Handbook of chemistry and physics. In DR Lide (Ed.), (79th ed.). Boca Raton, FL: CRC Press.
- Lieber, C. (2004). The discovery of the microsomal ethanol oxidizing system and its physiologic and pathologic role [Review]. *Drug Metab Rev*. 36: 511-529. <http://dx.doi.org/10.1081/DMR-200033441>.
- Liebo, MJ; Israel, RL; Lillie, EO; Smith, MR; Rubenson, DS; Topol, EJ. (2011). Is pocket mobile echocardiography the next-generation stethoscope? A cross-sectional comparison of rapidly acquired images with standard transthoracic echocardiography. *Ann Intern Med*. 155: 33-38. <http://dx.doi.org/10.7326/0003-4819-155-1-201107050-00005>.
- Ligocki, MP; Leuenberger, C; Pankow, JF. (1985). Trace organic-compounds in rain: 2. Gas scavenging of neutral organic-compounds. *Atmos Environ*. 19: 1609-1617. [http://dx.doi.org/10.1016/0004-6981\(85\)90213-6](http://dx.doi.org/10.1016/0004-6981(85)90213-6).
- Lilly, PD; Simmons, JE; Pegram, RA. (1994). Dose-dependent vehicle differences in the acute toxicity of bromodichloromethane. *Fundam Appl Toxicol*. 23: 132-140.

Human Health Hazard Literature Search Results

Off Topic

- Lim, HE; Na, JO; Im, SI; Choi, CU; Kim, SH; Kim, JW; Kim, EJ; Han, SW; Rha, SW; Park, CG; Seo, HS; Oh, DJ; Hwang, C. (2015). Interatrial septal thickness as a marker of structural and functional remodeling of the left atrium in patients with atrial fibrillation. 30: 808-820. <http://dx.doi.org/10.3904/kjim.2015.30.6.808>.
- Limmer, MA; Balouet, JC; Karg, F; Vroblecky, DA; Burken, JG. (2011). Phytoscreening for chlorinated solvents using rapid in vitro SPME sampling: application to urban plume in Verl, Germany. *Environ Sci Technol*. 45: 8276-8282. <http://dx.doi.org/10.1021/es201704v>.
- Lin, CC; Liu, LZ; Addison, JB; Wonderlin, WF; Ivanov, AV; Ruppert, JM. (2011). A KLF4-miRNA-206 autoregulatory feedback loop can promote or inhibit protein translation depending upon cell context. *Mol Cell Biol*. 31: 2513-2527. <http://dx.doi.org/10.1128/MCB.01189-10>.
- Lin, LW; Lin, XY; He, YM; Gao, SD; Lin, XD. (2003). Biological characteristics of HCC by ultrasound-guided aspiration biopsy and its clinical application. *World J Gastroenterol*. 9: 941-945.
- Lin, X; Jiang, X; Cheng, Q; Liu, C; Zhang, X. (2014). [Changes of left ventricular systolic and diastolic function and the diagnostic value of B-type natriuretic peptide in patients with sepsis]. *Chung Hua Hsueh Tsa Chih*. 94: 816-820.
- Lin, YZ; Brunt, EM; Bowling, W; Hafenrichter, DG; Kennedy, SC; Flye, MW; Ponder, KP. (1995). Ras-transduced diethylnitrosamine-treated hepatocytes develop into cancers of mixed phenotype in vivo. *Cancer Res*. 55: 5242-5250.
- Lin, Z; Li, XM; Li, YT; Huang, DY; Dong, J; Li, FB. (2012). Enhancement effect of two ecological earthworm species (*Eisenia foetida* and *Amyntas robustus* E. Perrier) on removal and degradation processes of soil DDT. *J Environ Monit*. 14: 1551-1558. <http://dx.doi.org/10.1039/c2em30160a>.
- Lindbohm, ML; Sallmén, M; Kyyrönen, P; Kauppinen, T; Pukkala, E. (2009). Risk of liver cancer and exposure to organic solvents and gasoline vapors among Finnish workers. *Int J Cancer*. 124: 2954-2959. <http://dx.doi.org/10.1002/ijc.24309>.
- Linderholm, L; Biague, A; Månsson, F; Norrgren, H; Bergman, A; Jakobsson, K. (2010). Human exposure to persistent organic pollutants in West Africa--A temporal trend study from Guinea-Bissau. *Environ Int*. 36: 675-682. <http://dx.doi.org/10.1016/j.envint.2010.04.020>.
- Lindsey, MA. (2012). Community Outreach and Education Core.
- Lindsey, MA. (2013). Community Outreach and Education Core.
- Lindsey, MA. (2014). Community Outreach and Education Core.
- Lindsey, MA. (2015). Community Outreach and Education Core.
- Ling, G; Guanzhen, L; Yi, W; Hao, L; Xiaoxi, S; Nannan, Z; Maofen, W; Dianjie, L; Ling, Z. (2014). Diagnostic utility of N-terminal-proBNP in differentiating acute pulmonary embolism from heart failure in patients with acute dyspnea. *Chin Med J*. 127: 2888-2893. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.20140079>.
- Linga, KR; Khor, A; Phelan, JA; Mira-Avendano, I. (2015). Pulmonary Vein Stenosis Mimicking Nonspecific Interstitial Pneumonia. 2015: 290391. <http://dx.doi.org/10.1155/2015/290391>.
- Lingohr, MK; Bull, RJ; Kato-Weinstein, J; Thrall, BD. (2002). Dichloroacetate stimulates glycogen accumulation in primary hepatocytes through an insulin-independent mechanism. *Toxicol Sci*. 68: 508-515.
- Lingohr, MK; Thrall, BD; Bull, RJ. (2001). Effects of dichloroacetate (DCA) on serum insulin levels and insulin-controlled signaling proteins in livers of male B6C3F1 mice. *Toxicol Sci*. 59: 178-184.
- Lionte, C; Sorodoc, V; Bologna, C; Tuchilus, C; Jaba, E. (2016). Usefulness of Transthoracic Echocardiography Parameters and Brain Natriuretic Peptide as Mortality Predictors in Hospitalized Acutely Poisoned Patients: A Prospective Observational Study. *Basic & Clinical Pharmacology & Toxicology Online Pharmacology Online*. <http://dx.doi.org/10.1111/bcpt.12711>.
- Liou, JSC; Szostek, B; Derito, CM; Madsen, EL. (2010). Investigating the biodegradability of perfluorooctanoic acid. *Chemosphere*. 80: 176-183. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.009>.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Barton, HA. (1995). Dichloroacetic acid: Metabolism in cytosol. *Drug Metab Dispos*. 23: 1202-1205.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Garrett, CM. (1996). A species comparison of chloral hydrate metabolism in blood and liver. *Biochem Biophys Res Commun*. 227: 340-350. <http://dx.doi.org/10.1006/bbrc.1996.1511>.
- Little, JC; Daisey, JM; Nazaroff, WW. (1992). Transport of subsurface contaminants into buildings: An exposure pathway for volatile organics. *Environ Sci Technol*. 26: 2058-2066. <http://dx.doi.org/10.1021/es00035a001>.
- Liu, E; Jelinek, J; Pastore, YD; Guan, Y; Prchal, JF; Prchal, JT. (2003). Discrimination of polycythemia and thrombocytoses by novel, simple, accurate clonality assays and comparison with PRV-1 expression and BFU-E response to erythropoietin. *Blood*. 101: 3294-3301. <http://dx.doi.org/10.1182/blood-2002-07-2287>.
- Liu, FZ; Xue, YM; Liao, HT; Zhan, XZ; Guo, HM; Huang, HL; Fang, XH; Wei, W; Rao, F; Deng, H; Liu, Y; Lin, WD; Wu, SL. (2014). Five-year epidemiological survey of valvular heart disease: changes in morbidity, etiological spectrum and management in a cardiovascular center of Southern China. *J Thorac Dis*. 6: 1724-1730. <http://dx.doi.org/10.3978/j.issn.2072-1439.2014.11.21>.
- Liu, H; Juan, YH; Chen, J; Xie, Z; Wang, Q; Zhang, X; Liang, C; Huang, H; Kwong, RY; Saboo, SS. (2015). Anomalous Origin of One Pulmonary Artery Branch From the Aorta: Role of MDCT Angiography. *AJR Am J Roentgenol*. 204: 979-987. <http://dx.doi.org/10.2214/AJR.14.12730>.
- Liu, J; Amemiya, T; Chang, Q; Qian, Y, i; Itoh, K. (2012). Toluene dioxygenase expression correlates with trichloroethylene degradation capacity in *Pseudomonas putida* F1 cultures. *Biodegradation*. 23: 683-691. <http://dx.doi.org/10.1007/s10532-012-9544-y>.
- Liu, J; Gong, X; Song, S; Zhang, F; Lu, C. (2014). Heat-Activated Persulfate Oxidation of Chlorinated Solvents in Sandy Soil. <http://dx.doi.org/10.1155/2014/578638>.
- Liu, J; Li, H; Liu, Z; Wu, Q; Xu, Y. (2016). Complete Preoperative Evaluation of Pulmonary Atresia with Ventricular Septal Defect with Multi-Detector Computed Tomography. *PLoS ONE*. 11: e0146380. <http://dx.doi.org/10.1371/journal.pone.0146380>.
- Liu, J; Wu, Q; Xu, Y; Bai, Y; Liu, Z; Li, H; Zhu, J. (2012). Role of MDCT angiography in the preoperative evaluation of anomalous pulmonary venous connection associated with complex cardiac abnormality. *Eur J Radiol*. 81: 1050-1056. <http://dx.doi.org/10.1016/j.ejrad.2011.01.096>.

Human Health Hazard Literature Search Results

Off Topic

- Liu, J; You, XH; Zhao, XX; Hu, JQ; Cao, J; Xu, RL; Wu, H; Chen, SP; Zhang, JL; Zheng, X; Qin, YW. (2010). [Outcome of transcatheter closure of perimembranous ventricular septal defect with modified double-disk occluder device]. *Zhonghua Xin Xue Guan Bing Za Zhi*. 38: 321-325.
- Liu, JB; Amemiya, T; Chang, Q; Xu, X; Itoh, K. (2011). Real-time reverse transcription PCR analysis of trichloroethylene-regulated toluene dioxygenase expression in *Pseudomonas putida* F1. *J Environ Sci Health B*. 46: 294-300. <http://dx.doi.org/10.1080/03601234.2011.559877>.
- Liu, S; Moussa, M; Wassef, AW; Hiebert, BM; Hussain, F; Jassal, DS. (2016). The Utility of Systolic and Diastolic Echocardiographic Parameters for Predicting Coronary Artery Disease Burden as Defined by the SYNTAX Score. *Echocardiography*. 33: 14-22. <http://dx.doi.org/10.1111/echo.12995>.
- Liu, S; Xie, J; Chen, Y; Yang, J; Zhang, J; Meng, X; Liu, Y. (2014). Presenting features and clinical course of 34 patients with septic pulmonary embolism caused by right-sided infective endocarditis. *Chin Med J*. 127: 2735-2739.
- Liu, T; Li, X; Waite, TD. (2013). Depassivation of Aged Fe-0 by Inorganic Salts: Implications to Contaminant Degradation in Seawater. *Environ Sci Technol*. 47: 7350-7356. <http://dx.doi.org/10.1021/es400362w>.
- Liu, T; Li, X; Waite, TD. (2013). Depassivation of Aged Fe(0) by Ferrous Ions: Implications to Contaminant Degradation. *Environ Sci Technol*. 47: 13712-13720. <http://dx.doi.org/10.1021/es403709v>.
- Liu, T; Li, X; Waite, TD. (2014). Depassivation of aged Fe 0 by divalent cations: correlation between contaminant degradation and surface complexation constants. *Environ Sci Technol*. 48: 14564-14571. <http://dx.doi.org/10.1021/es503777a>.
- Liu, T, ao; Xu, Q; Zhang, C; Zhang, P. (2013). Occupational exposure to methylene chloride and risk of cancer: a meta-analysis [Review]. *Cancer Causes Control*. 24: 2037-2049. <http://dx.doi.org/10.1007/s10552-013-0283-0>.
- Liu, X; Li, M; Xu, D; Hou, Y; Wang, Q; Tian, Z; Sun, Q; Zeng, X. (2012). Prevalence and clinical importance of gastroesophageal reflux in Chinese patients with systemic sclerosis. *Clin Exp Rheumatol*. 30: S60-S66.
- Liu, X; Yuan, S; Tong, M; Liu, D. (2017). Oxidation of trichloroethylene by the hydroxyl radicals produced from oxygenation of reduced nontronite. *Water Res*. 113: 72-79. <http://dx.doi.org/10.1016/j.watres.2017.02.012>.
- Liu, Y; Illangasekare, TH; Kitanidis, PK. (2014). Long-term mass transfer and mixing-controlled reactions of a DNAPL plume from persistent residuals. *J Contam Hydrol*. 157: 11-24. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.008>.
- Liu, Y; Shen, S; Hu, J; Chen, L. (2016). Embedded Ag mesh electrodes for polymer dispersed liquid crystal devices on flexible substrate. *Optics Express*. 24: 25774-25784.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Effects of inorganic anions on carbon isotope fractionation during Fenton-like degradation of trichloroethene. *J Hazard Mater*. 308: 187-191. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.044>.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Variability in carbon isotope fractionation of trichloroethene during degradation by persulfate activated with zero-valent iron: Effects of inorganic anions. *Sci Total Environ*. 548-549: 1-5. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.011>.
- Liu, Y; Zhou, A; Gan, Y; Liu, C; Yu, T; Li, X. (2013). Stable carbon isotope fractionation during trichloroethene degradation in magnetite-catalyzed Fenton-like reaction. *J Contam Hydrol*. 145: 37-43. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.007>.
- Liu, YL; Xia, F; Liu, F; Chen, HH. (2010). [Effects of benzene, toluene on reductive dechlorination of trichloroethylene and its daughter product cis-1,2-dichloroethylene by granular iron]. *Huanjing Kexue*. 31: 1526-1532.
- Liyasova, MS; Schopfer, LM; Kodani, S; Lantz, SR; Casida, JE; Lockridge, O. (2013). Newly observed spontaneous activation of ethephon as a butyrylcholinesterase inhibitor. *Chem Res Toxicol*. 26: 422-431. <http://dx.doi.org/10.1021/tx300501n>.
- Ljungberg, B; Campbell, SC; Cho, H; Jacqmin, D; Lee, J; Weikert, S; Kiemeny, LA. (2011). The Epidemiology of Renal Cell Carcinoma [Review]. *Eur Urol*. 60: 615-621. <http://dx.doi.org/10.1016/j.eururo.2011.06.049>.
- Llop, S; Ballester, F; Vizcaino, E; Murcia, M; Lopez-Espinosa, MJ; Rebagliato, M; Vioque, J; Marco, A; Grimalt, JO. (2010). Concentrations and determinants of organochlorine levels among pregnant women in Eastern Spain. *Sci Total Environ*. 408: 5758-5767. <http://dx.doi.org/10.1016/j.scitotenv.2010.07.085>.
- Lloyd, A; Raccuglia, M; Hodder, S; Havenith, G. (2016). Interaction between environmental temperature and hypoxia on central and peripheral fatigue during high-intensity dynamic knee extension. *J Appl Physiol*. 120: 567-579. <http://dx.doi.org/10.1152/jappphysiol.00876.2015>.
- Loch-Carusio, RK. (2010). Project 2: Pollutant Activation of Cell Pathways in Gestational Tissues.
- Loch-Carusio, RK. (2011). Project 2: Pollutant Activation of Cell Pathways in Gestational Tissues.
- Loch-Carusio, RK. (2012). Project 2: Pollutant Activation of Cell Pathways in Gestational Tissues.
- Loch-Carusio, RK. (2013). Project 2: Pollutant Activation of Cell Pathways in Gestational Tissues.
- Loch-Carusio, RK. (2014). Project 2: Toxicant Activation of Pathways of Preterm Birth in Gestational Tissue.
- Loch-Carusio, RK. (2015). Project 2: Toxicant Activation of Pathways of Preterm Birth in Gestational Tissue.
- Loeber, C; Hendrix, M; Diez De Pinos, S; Goldberg, S. (1988). Trichloroethylene: A cardiac teratogen in developing chick embryos. *Pediatr Res*. 24: 740-744. <http://dx.doi.org/10.1203/00006450-198812000-00018>.
- Loeber, C; Runyan, R. (1990). A comparison of fibronectin, laminin, and galactosyltransferase adhesion mechanisms during embryonic cardiac mesenchymal cell migration in vitro. *Dev Biol*. 140: 401-412. [http://dx.doi.org/10.1016/0012-1606\(90\)90089-2](http://dx.doi.org/10.1016/0012-1606(90)90089-2).
- Loeffler, FE. (2014). Biogeochemical Controls over Corrinoid Bioavailability to Organohalide-Respiring.
- Loeffler, FE. (2015). Biogeochemical Controls over Corrinoid Bioavailability to Organohalide-Respiring.

Human Health Hazard Literature Search Results

Off Topic

- Loganathan, G; Dawra, RK; Pugazhenth, S; Wiseman, AC; Sanders, MA; Saluja, AK; Sutherland, DE; Hering, BJ; Balamurugan, AN. (2010). Culture of impure human islet fractions in the presence of alpha-1 antitrypsin prevents insulin cleavage and improves islet recovery. *Transplant Proc.* 42: 2055-2057. <http://dx.doi.org/10.1016/j.transproceed.2010.05.119>.
- Løgstrup, BB; Deibjerg, LK; Hedemann-Andersen, A; Ellingsen, T. (2014). Left ventricular function in treatment-naive early rheumatoid arthritis. 4: 79-86.
- Løgstrup, BB; Høfsten, DE; Christophersen, TB; Møller, JE; Bøtker, HE; Pellikka, PA; Egstrup, K. (2012). Correlation between left ventricular global and regional longitudinal systolic strain and impaired microcirculation in patients with acute myocardial infarction. *Echocardiography.* 29: 1181-1190. <http://dx.doi.org/10.1111/j.1540-8175.2012.01784.x>.
- Lohner, ST; Spormann, AM. (2013). Identification of a reductive tetrachloroethene dehalogenase in *Shewanella sediminis*. *Philos Trans R Soc Lond B Biol Sci.* 368: 20120326. <http://dx.doi.org/10.1098/rstb.2012.0326>.
- Lok, A; Bockting, CL; Koeter, MW; Snieder, H; Assies, J; Mocking, RJ; Vinkers, CH; Kahn, RS; Boks, MP; Schene, AH. (2013). Interaction between the MTHFR C677T polymorphism and traumatic childhood events predicts depression. 3: e288. <http://dx.doi.org/10.1038/tp.2013.60>.
- Long, T; Lopez, BM; Berberian, C; Cunningham, MJ; Starnes, VA; Cohen, RG. (2014). Exercise Hemodynamics and Quality of Life after Aortic Valve Replacement for Aortic Stenosis in the Elderly Using the Hancock II Bioprosthesis. 2014: 151282. <http://dx.doi.org/10.1155/2014/151282>.
- Lonni, AA; Munhoz, VM; Lopes, GC; Longhini, R; Borghi-Pangoni, FB; Dos Santos, RS; Junqueira, MV; Natali, MR; Leite-Mello, E; Guimaraes, FB; Baesso, ML; Scarminio, IS; Bruschi, ML; Mello, JC. (2016). Development and characterization of multiple emulsions for controlled release of *Trichilia catigua* (Catuaba) extract. 21: 933-942. <http://dx.doi.org/10.3109/10837450.2015.1081611>.
- Loomer, DB; Al, T; Banks, VJ; Parker, BL; Mayer, KU. (2010). Manganese Valence in Oxides Formed from in Situ Chemical Oxidation of TCE by KMnO₄. *Environ Sci Technol.* 44: 5934-5939. <http://dx.doi.org/10.1021/es100879w>.
- Loomer, DB; Al, T; Banks, VJ; Parker, BL; Mayer, KU. (2011). Manganese and trace-metal mobility under reducing conditions following in situ oxidation of TCE by KMnO₄: A laboratory column experiment. *J Contam Hydrol.* 119: 13-24. <http://dx.doi.org/10.1016/j.jconhyd.2010.08.005>.
- Loonen, AJ; Bos, MP; van Meerbergen, B; Neerken, S; Catsburg, A; Dobbelaer, I; Penterman, R; Maertens, G; van de Wiel, P; Savelkoul, P; van den Brule, AJ. (2013). Comparison of pathogen DNA isolation methods from large volumes of whole blood to improve molecular diagnosis of bloodstream infections. *PLoS ONE.* 8: e72349. <http://dx.doi.org/10.1371/journal.pone.0072349>.
- Lopez, T; Dalton, K; Frydman, J. (2015). The Mechanism and Function of Group II Chaperonins [Review]. *J Mol Biol.* 427: 2919-2930. <http://dx.doi.org/10.1016/j.jmb.2015.04.013>.
- Lopez-Espinosa, MJ; Vizzaino, E; Murcia, M; Fuentes, V; Garcia, AM; Rebagliato, M; Grimalt, JO; Ballester, F. (2010). Prenatal exposure to organochlorine compounds and neonatal thyroid stimulating hormone levels. *J Expo Sci Environ Epidemiol.* 20: 579-588. <http://dx.doi.org/10.1038/jes.2009.47>.
- Lopez-Mattei, JC; Ibrahim, H; Shaikh, KA; Little, SH; Shah, DJ; Maragiannis, D; Zoghbi, WA. (2016). Comparative Assessment of Mitral Regurgitation Severity by Transthoracic Echocardiography and Cardiac Magnetic Resonance Using an Integrative and Quantitative Approach. *Am J Cardiol.* 117: 264-270. <http://dx.doi.org/10.1016/j.amjcard.2015.10.045>.
- Lorimore, SA; Coates, PJ; Wright, EG. (2003). Radiation-induced genomic instability and bystander effects: Inter-related nontargeted effects of exposure to ionizing radiation [Review]. *Oncogene.* 22: 7058-7069. <http://dx.doi.org/10.1038/sj.onc.1207044>.
- Low, A; Shen, Z; Cheng, D; Rogers, MJ; Lee, PK; He, J. (2015). A comparative genomics and reductive dehalogenase gene transcription study of two chloroethene-respiring bacteria, *Dehalococcoides mccartyi* strains MB and 11a. *Sci Rep.* 5: 15204. <http://dx.doi.org/10.1038/srep15204>.
- Lu, C; Holbrook, CM; Andres, L. (2010). The Implications of Using a Physiologically Based Pharmacokinetic (PBPK) Model for Pesticide Risk Assessment. *Environ Health Perspect.* 118: 125-130. <http://dx.doi.org/10.1289/ehp.0901144>.
- Lu, H; Chen, L; Zhang, G; Liao, D; Wang, Q. (2015). [Clinical evaluation of percutaneous atrial septal defect closer guided by transthoracic echocardiography and/or transesophageal echocardiography]. *Zhong Nan Da Xue Xue Bao Yi Xue Ban.* 40: 646-650. <http://dx.doi.org/DOI:10.11817/j.issn.1672-7347.2015.06.012>.
- Lu, HX; Wang, YX; Chen, Y; Luo, YJ. (2015). Association between endothelial nitric oxide synthase (eNOS) G894T polymorphism and high altitude (HA) adaptation: a meta-analysis. *Zhongguo Ying Yong Sheng Li Xue Za Zhi.* 31: 517-523.
- Lu, J; Chiang, J; Iyer, RR; Thompson, E; Kaneski, CR; Xu, DS; Yang, C; Chen, M; Hodes, RJ; Lonser, RR; Brady, RO; Zhuang, Z. (2010). Decreased glucocerebrosidase activity in Gaucher disease parallels quantitative enzyme loss due to abnormal interaction with TCP1 and c-Cbl. *Proc Natl Acad Sci USA.* 107: 21665-21670. <http://dx.doi.org/10.1073/pnas.1014376107>.
- Lu, J; Trnka, MJ; Roh, SH; Robinson, PJ; Shiau, C; Fujimori, DG; Chiu, W; Burlingame, AL; Guan, S. (2015). Improved Peak Detection and Deconvolution of Native Electrospray Mass Spectra from Large Protein Complexes. 26: 2141-2151. <http://dx.doi.org/10.1007/s13361-015-1235-6>.
- Lu, Q; de Toledo, RA; Xie, F; Li, J; Shim, H. (2015). Combined removal of a BTEX, TCE, and cis-DCE mixture using *Pseudomonas* sp. immobilized on scrap tyres. *Environ Sci Pollut Res Int.* 22: 14043-14049. <http://dx.doi.org/10.1007/s11356-015-4644-y>.
- Lu, Q; Jeen, SW; Gui, L; Gillham, RW. (2017). Nitrate reduction and its effects on trichloroethylene degradation by granular iron. *Water Res.* 112: 48-57. <http://dx.doi.org/10.1016/j.watres.2017.01.031>.
- Lu, R, ui; Mizaikoff, B; Li, W; Qian, C; Katzir, A; Raichlin, Y; Sheng, G; Yu, H. (2013). Determination of Chlorinated Hydrocarbons in Water Using Highly Sensitive Mid-Infrared Sensor Technology. *Sci Rep.* 3: 2525. <http://dx.doi.org/10.1038/srep02525>.

Human Health Hazard Literature Search Results

Off Topic

- Lu, XX; Chen, CQ; Zhang, S; Ou, Y; Yin, L; Wu, W. (2012). [Microbial degradation of 2, 2', 4, 4'-tetrabrominated diphenyl ether under anaerobic condition]. *Huanjing Kexue*. 33: 1000-1007.
- Lu, Y; Lu, J; Liu, Q; Niu, J; Zhang, SM; Wu, QY; Qi, XF. (2013). A c.464T>a mutation in VHL gene in a Chinese family with VHL syndrome. *J Neurooncol*. 111: 313-318. <http://dx.doi.org/10.1007/s11060-012-1015-0>.
- Lu, Y; Yadav, P; Clements, JD; Forte, S; Srivastava, A; Thompson, CM; Seid, R; Look, J, ee; Alderson, M; Tate, A; Maisonneuve, JF; Robertson, G; Anderson, PW; Malley, R. (2010). Options for Inactivation, Adjuvant, and Route of Topical Administration of a Killed, Unencapsulated Pneumococcal Whole-Cell Vaccine. *Clin Vaccine Immunol*. 17: 1005-1012. <http://dx.doi.org/10.1128/CVI.00036-10>.
- Lu, Z; Filonov, GS; Noto, JJ; Schmidt, CA; Hatkevich, TL; Wen, Y; Jaffrey, SR; Matera, AG. (2015). Metazoan tRNA introns generate stable circular RNAs in vivo. 21: 1554-1565. <http://dx.doi.org/10.1261/rna.052944.115>.
- Ludtke, SJ. (2016). Single-Particle Refinement and Variability Analysis in EMAN2.1. *Methods Enzymol*. 579: 159-189. <http://dx.doi.org/10.1016/bs.mie.2016.05.001>.
- Luebke, RW; Chen, DH; Dietert, R; Yang, Y; King, M; Luster, MI. (2006). The comparative immunotoxicity of five selected compounds following developmental or adult exposure [Review]. *J Toxicol Environ Health B Crit Rev*. 9: 1-26. <http://dx.doi.org/10.1080/15287390500194326>.
- Luedde, T; Beraza, N; Kotsikoris, V; van Loo, G; Nenci, A; De Vos, R; Roskams, T; Trautwein, C; Pasparakis, M. (2007). Deletion of NEMO/IKKgamma in liver parenchymal cells causes steatohepatitis and hepatocellular carcinoma. *Cancer Cell*. 11: 119-132. <http://dx.doi.org/10.1016/j.ccr.2006.12.016>.
- Lukavsky, J; Furnadzhieva, S; Ditttr, F. (2011). Toxicity of Trichloroethylene (TCE) on Some Algae and Cyanobacteria. *Bull Environ Contam Toxicol*. 86: 226-231. <http://dx.doi.org/10.1007/s00128-011-0195-1>.
- Lumpkin, MH; Bruckner, JV; Campbell, JL; Dallas, CE; White, CA; Fisher, JW. (2003). Plasma binding of trichloroacetic acid in mice, rats, and humans under cancer bioassay and environmental exposure conditions. *Drug Metab Dispos*. 31: 1203-1207. <http://dx.doi.org/10.1124/dmd.31.10.1203>.
- Lundberg, I; Alfredsson, L; Plato, N; Sverdrup, B; Klareskog, L; Kleinau, S. (1994). Occupation, occupational exposure to chemicals and rheumatological disease: A register based cohort study. *Scand J Rheumatol*. 23: 305-310. <http://dx.doi.org/10.3109/03009749409099278>.
- Lundgren, B; DePierre, JW. (1989). Proliferation of peroxisomes and induction of cytosolic and microsomal epoxide hydrolases in different strains of mice and rats after dietary treatment with clofibrate. *Xenobiotica*. 19: 867-881.
- Lundgren, B; Meijer, J; DePierre, JW. (1987). Induction of cytosolic and microsomal epoxide hydrolases and proliferation of peroxisomes and mitochondria in mouse liver after dietary exposure to p-chlorophenoxyacetic acid, 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid. *Biochem Pharmacol*. 36: 815-821. [http://dx.doi.org/10.1016/0006-2952\(87\)90169-9](http://dx.doi.org/10.1016/0006-2952(87)90169-9).
- Luo, X; Nerlick, S; An, W; King, ML. (2011). *Xenopus* germline nanos1 is translationally repressed by a novel structure-based mechanism. *Development*. 138: 589-598. <http://dx.doi.org/10.1242/dev.056705>.
- Luttrell, K; Nana, A. (2015). Effect of Preoperative Transthoracic Echocardiogram on Mortality and Surgical Timing in Elderly Adults with Hip Fracture. *J Am Geriatr Soc*. 63: 2505-2509. <http://dx.doi.org/10.1111/jgs.13840>.
- Lutz, WK; Gaylor, DW; Conolly, RB; Lutz, RW. (2005). Nonlinearity and thresholds in dose-response relationships for carcinogenicity due to sampling variation, logarithmic dose scaling, or small differences in individual susceptibility [Review]. *Toxicol Appl Pharmacol*. 207: S565-S569. <http://dx.doi.org/10.1016/j.taap.2005.01.038>.
- Lv, F; Xu, XJ; Wang, JY; Liu, Y; Asan; Wang, JW; Song, LJ; Song, YW; Jiang, Y; Wang, O; Xia, WB; Xing, XP; Li, M. (2016). Two novel mutations in TMEM38B result in rare autosomal recessive osteogenesis imperfecta. *J Hum Genet*. 61: 539-545. <http://dx.doi.org/10.1038/jhg.2016.11>.
- Lv, XR; Zheng, B; Li, SY; Han, AL; Wang, C; Shi, JH; Zhang, XH; Liu, Y; Li, YH; Wen, JK. (2013). Synthetic retinoid Am80 up-regulates apelin expression by promoting interaction of RARα with KLF5 and Sp1 in vascular smooth muscle cells. *Biochem J*. 456: 35-46. <http://dx.doi.org/10.1042/BJ20130418>.
- Lybarger, JA; Lichtveld, MY; Amler, RW. (1999). Biomedical testing of the kidney for persons exposed to hazardous substances in the environment. *Ren Fail*. 21: 263-274. <http://dx.doi.org/10.3109/08860229909085088>.
- Lynch, A; Parry, J. (1993). The cytochalasin-B micronucleus/kinetochore assay in vitro: studies with 10 suspected aneugens. *Mutat Res*. 287: 71-86. [http://dx.doi.org/10.1016/0027-5107\(93\)90146-7](http://dx.doi.org/10.1016/0027-5107(93)90146-7).
- Lynn, SK; Padilla, RA; Tsang, KK. (2012). Differences in static- and dynamic-balance task performance after 4 weeks of intrinsic-foot-muscle training: the short-foot exercise versus the towel-curl exercise. *J Sport Rehabil*. 21: 327-333.
- Ma, H, ui; Huang, Y; Shen, M; Guo, R, ui; Cao, X; Shi, X. (2012). Enhanced dechlorination of trichloroethylene using electrospun polymer nanofibrous mats immobilized with iron/palladium bimetallic nanoparticles. *J Hazard Mater*. 211: 349-356. <http://dx.doi.org/10.1016/j.jhazmat.2011.11.038>.
- Ma, J; Grant, CE; Plagens, RN; Barrett, LN; Kim Guisbert, KS; Guisbert, E. (2017). Cellular Proteomes Drive Tissue-Specific Regulation of the Heat Shock Response. <http://dx.doi.org/10.1534/g3.116.038232>.
- Ma, Y; Dong, B; He, X; Shi, Y; Xu, M; He, X; Du, X; Li, F. (2017). Quicklime-induced changes of soil properties: Implications for enhanced remediation of volatile chlorinated hydrocarbon contaminated soils via mechanical soil aeration. *Chemosphere*. 173: 435-443. <http://dx.doi.org/10.1016/j.chemosphere.2017.01.067>.
- Mac Nelly, A; Kai, M; Svatoš, A; Diekert, G; Schubert, T. (2014). Functional heterologous production of reductive dehalogenases from *Desulfotobacterium hafniense* strains. *Appl Environ Microbiol*. 80: 4313-4322. <http://dx.doi.org/10.1128/AEM.00881-14>.

Human Health Hazard Literature Search Results

Off Topic

- Macca, I; Carrieri, M; Scapellato, ML; Scopa, P; Trevisan, A; Bartolucci, GB. (2012). Biological monitoring of exposure to perchloroethylene in dry cleaning workers. *Med Lav.* 103: 382-393.
- Macchiarini, P. (2006). Primary tracheal tumours [Review]. *Lancet Oncol.* 7: 83-91. [http://dx.doi.org/10.1016/S1470-2045\(05\)70541-6](http://dx.doi.org/10.1016/S1470-2045(05)70541-6).
- Macdonald, N; Holden, PR; Roberts, RA. (1999). Addition of peroxisome proliferator-activated receptor alpha to guinea pig hepatocytes confers increased responsiveness to peroxisome proliferators. *Cancer Res.* 59: 4776-4780.
- Mackay, JM; Fox, V; Griffiths, K; Fox, DA; Howard, CA; Coutts, C; Wyatt, I; Styles, JA. (1995). Trichloroacetic acid: Investigation into the mechanism of chromosomal damage in the in vitro human lymphocyte cytogenetic assay and the mouse bone marrow micronucleus test. *Carcinogenesis.* 16: 1127-1133. <http://dx.doi.org/10.1093/carcin/16.5.1127>.
- Maçõas, EM; Mustalahti, S; Myllyperkiö, P; Kunttu, H; Pettersson, M. (2015). Role of vibrational dynamics in electronic relaxation of Cr(acac)₃. *J Phys Chem A.* 119: 2727-2734. <http://dx.doi.org/10.1021/jp509905q>.
- Macunluoglu, B; Atakan, A; Ari, E; Kaya, Y; Kaspar, C; Demir, H; Alp, HH. (2014). Epicardial fat tissue thickness is correlated with diminished levels of co-enzyme Q10, a major antioxidant molecule among hemodialysis patients. *Clin Biochem.* 47: 1231-1234. <http://dx.doi.org/10.1016/j.clinbiochem.2014.05.057>.
- Madan, N; Yau, JL; Srivastava, S; Nielsen, JC. (2013). Comparison between proximal thoracic vascular measurements obtained by contrast-enhanced magnetic resonance angiography and by transthoracic echocardiography in infants and children with congenital heart disease. *Pediatric Cardiology.* 34: 492-497. <http://dx.doi.org/10.1007/s00246-012-0480-8>.
- Maeda, S; Kamata, H; Luo, JL; Leffert, H; Karin, M. (2005). IKKbeta couples hepatocyte death to cytokine-driven compensatory proliferation that promotes chemical hepatocarcinogenesis. *Cell.* 121: 977-990. <http://dx.doi.org/10.1016/j.cell.2005.04.014>.
- Maeda, T; Tanoue, Y; Nakashima, A; Tominaga, R. (2010). Atypical presentation of an apical pseudoaneurysm in a patient on prolonged left ventricular mechanical support. *Interact Cardiovasc Thorac Surg.* 10: 350-351. <http://dx.doi.org/10.1510/icvts.2009.220582>.
- Maffè, S; Dellavesa, P; Zenone, F; Paino, AM; Paffoni, P; Perucca, A; Kozel, D; Signorotti, F; Bielli, M; Parravicini, U; Pardo, NF; Cucchi, L; Aymele, AG; Zanetta, M. (2010). Transthoracic second harmonic two- and three-dimensional echocardiography for detection of patent foramen ovale. *Eur J Echocardiogr.* 11: 57-63. <http://dx.doi.org/10.1093/ejehocardi/jep165>.
- Magnusson, B; Kligman, AM. (1969). The identification of contact allergens by animal assay. The guinea pig maximization test. *J Invest Dermatol.* 52: 268-276. <http://dx.doi.org/10.1038/jid.1969.42>.
- Maguin, K; Campo, P; Parietti-Winkler, C. (2009). Toluene can perturb the neuronal voltage-dependent Ca²⁺ channels involved in the middle-ear reflex. *Toxicol Sci.* 107: 473-481. <http://dx.doi.org/10.1093/toxsci/kfn242>.
- Mahfood Haddad, T; Nawaz, MS; Abuzaid, AS; Upadhyay, S; Bellamkonda, P; Mooss, AN. (2015). Probable hydrochlorothiazide-induced myopericarditis: first case reported. *Case Reports in Medicine.* 2015: 319086. <http://dx.doi.org/10.1155/2015/319086>.
- Mahle, DA; Gearhart, JM; Grigsby, CC; Mattie, DR; Barton, HA; Lipscomb, JC; Cook, RS. (2007). Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Environ Health A.* 70: 1745-1751. <http://dx.doi.org/10.1080/15287390701458991>.
- Mahle, DA; Godfrey, RJ; Buttler, GW; Narayanan, L; Fisher, JW; Taylor, A. (1999). Pharmacokinetics and metabolism of dichloroacetic acid and trichloroacetic acid administered in drinking water in rats and mice. *Wright-Patterson AFB, OH: Human Effectiveness Directorate.* <http://dodreports.com/pdf/ada453207.pdf>.
- Mahmoodlu, MG; Hartog, N; Hassanizadeh, SM; Raoof, A. (2013). Oxidation of volatile organic vapours in air by solid potassium permanganate. *Chemosphere.* 91: 1534-1538. <http://dx.doi.org/10.1016/j.chemosphere.2012.12.035>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N. (2014). Evaluation of the kinetic oxidation of aqueous volatile organic compounds by permanganate. *Sci Total Environ.* 485-486: 755-763. <http://dx.doi.org/10.1016/j.scitotenv.2013.11.066>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N; Raoof, A. (2014). Oxidation of trichloroethylene, toluene, and ethanol vapors by a partially saturated permeable reactive barrier. *J Contam Hydrol.* 164: 193-208. <http://dx.doi.org/10.1016/j.jconhyd.2014.05.013>.
- Mahmoodlu, MG; Hassanizadeh, SM; Hartog, N; Raoof, A; van Genuchten, MT. (2015). Evaluation of a horizontal permeable reactive barrier for preventing upward diffusion of volatile organic compounds through the unsaturated zone. *J Environ Manage.* 163: 204-213. <http://dx.doi.org/10.1016/j.jenvman.2015.08.025>.
- Mahmoud, AN; Elgendy, AY; Mansoor, H; Elgendy, IY. (2016). Cardiovascular Abnormalities and in-Hospital All-Cause Mortality in Patients with Spontaneous Sub-Arachnoid Hemorrhage: An Observational Study. <http://dx.doi.org/10.1007/s40119-016-0076-0>.
- Mahr, AD; Neogi, T; Merkel, PA. (2006). Epidemiology of Wegener's granulomatosis: Lessons from descriptive studies and analyses of genetic and environmental risk determinants [Review]. *Clin Exp Rheumatol.* 24: S82-S91.
- Mahran, Y; Schueler, R; Weber, M; Pizarro, C; Nickenig, G; Skowasch, D; Hammerstingl, C. (2016). Noninvasive model including right ventricular speckle tracking for the evaluation of pulmonary hypertension. *World Journal of Cardiology.* 8: 472-480. <http://dx.doi.org/10.4330/wjc.v8.i8.472>.
- Mailhes, J; Aardema, M; Marchetti, F. (1993). Investigation of aneuploidy induction in mouse oocytes following exposure to vinblastine-sulfate, pyrimethamine, diethylstilbestrol diphosphate, or chloral hydrate. *Environ Mol Mutagen.* 22: 107-114. <http://dx.doi.org/10.1002/em.2850220209>.
- Maillard, J; Charnay, MP; Regeard, C; Rohrbach-Brandt, E; Rouzeau-Szynalski, K; Rossi, P; Holliger, C. (2011). Reductive dechlorination of tetrachloroethene by a stepwise catalysis of different organohalide respiring bacteria and reductive dehalogenases. *Biodegradation.* 22: 949-960. <http://dx.doi.org/10.1007/s10532-011-9454-4>.
- Main, ML; Hibberd, MG; Ryan, A; Lowe, TJ; Miller, P; Bhat, G. (2014). Acute mortality in critically ill patients undergoing echocardiography with or without an ultrasound contrast agent. *JACC: Cardiovascular Imaging.* 7: 40-48. <http://dx.doi.org/10.1016/j.jcmg.2013.08.012>.

Human Health Hazard Literature Search Results

Off Topic

- Mainhagu, J; Morrison, C; Brusseau, ML. (2015). Using vapor phase tomography to measure the spatial distribution of vapor concentrations and flux for vadose-zone VOC sources. *J Contam Hydrol.* 177-178: 54-63. <http://dx.doi.org/10.1016/j.jconhyd.2015.03.002>.
- Maini, R; Dadu, RT; Addison, D; Cunningham, L; Hamzeh, I; Wall, M; Lakkis, N; Tabbaa, R. (2015). Isolated perforation of left coronary cusp after blunt chest trauma. 2015: 235629. <http://dx.doi.org/10.1155/2015/235629>.
- Maitre, A; Hours, M; Bonnetterre, V; Arnaud, J; Arslan, MT; Carpentier, P; Bergeret, A; de Gaudemaris, R. (2004). Systemic sclerosis and occupational risk factors: role of solvents and cleaning products. *J Rheumatol.* 31: 2395-2401.
- Maizel, J; Salhi, A; Tribouilloy, C; Massy, ZA; Choukroun, G; Slama, M. (2013). The subxiphoid view cannot replace the apical view for transthoracic echocardiographic assessment of hemodynamic status. *Critical Care (Online).* 17: R186. <http://dx.doi.org/10.1186/cc12869>.
- Malaguerra, F; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ. (2011). Development and Sensitivity Analysis of a Fully Kinetic Model of Sequential Reductive Dechlorination in Groundwater. *Environ Sci Technol.* 45: 8395-8402. <http://dx.doi.org/10.1021/es201270z>.
- Malarkey, DE; Johnson, K; Ryan, L; Boorman, G; Maronpot, RR. (2005). New insights into functional aspects of liver morphology. *Toxicol Pathol.* 33: 27-34. <http://dx.doi.org/10.1080/01926230590881826>.
- Malherbe, P; Alberati-Giani, D; Kohler, C; Cesura, AM. (1995). Identification of a mitochondrial form of kynurenine aminotransferase/glutamine transaminase K from rat brain. *FEBS Lett.* 367: 141-144. [http://dx.doi.org/10.1016/0014-5793\(95\)00546-L](http://dx.doi.org/10.1016/0014-5793(95)00546-L).
- Malik, SB; Chen, N; Parker, RA; Hsu, JY. (2017). Transthoracic Echocardiography: Pitfalls and Limitations as Delineated at Cardiac CT and MR Imaging. 160105. <http://dx.doi.org/10.1148/rg.2017160105>.
- Maltoni, C; Cotti, G. (1986). Results of long-term carcinogenicity bioassays of tetrachloroethylene on Sprague-Dawley rats administered by ingestion. *Acta Oncologica (Italy).* 7: 11-26.
- Manamsa, K; Lapworth, DJ; Stuart, ME. (2016). Temporal variability of micro-organic contaminants in lowland chalk catchments: New insights into contaminant sources and hydrological processes. *Sci Total Environ.* 568: 566-577. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.146>.
- Mandel, JS. (2001). Renal cell cancer correlated with occupational exposure to trichloroethylene [Letter]. *J Cancer Res Clin Oncol.* 127: 265-266. <http://dx.doi.org/10.1007/s004320000231>.
- Mandel, JS; Mclaughlin, JK; Schlehofer, B; Mellemgaard, A; Helmert, U; Lindblad, P; Mccredie, M; Adami, HO. (1995). International renal-cell cancer study. IV. Occupation. *Int J Cancer.* 61: 601-605. <http://dx.doi.org/10.1002/ijc.2910610503>.
- Mandeville, JC; Colebourn, CL. (2012). Can transthoracic echocardiography be used to predict fluid responsiveness in the critically ill patient? A systematic review. *Critical Care Research and Practice.* 2012: 513480. <http://dx.doi.org/10.1155/2012/513480>.
- Mangat, P; Conron, M; Gabbay, E; Proudman, SM; Taskforce, PIVO. (2010). Scleroderma lung disease, variation in screening, diagnosis and treatment practices between rheumatologists and respiratory physicians. *Internal Medicine Journal (Online).* 40: 494-502. <http://dx.doi.org/10.1111/j.1445-5994.2009.01990.x>.
- Manjunath, CN; Srinivasa, KH; Panneerselvam, A; Prabhavathi, B; Ravindranath, KS; Rangan, K; Dhanalakshmi, C. (2011). Incidence and predictors of left atrial thrombus in patients with rheumatic mitral stenosis and sinus rhythm: a transesophageal echocardiographic study. *Echocardiography.* 28: 457-460. <http://dx.doi.org/10.1111/j.1540-8175.2010.01361.x>.
- Manne, S; Jacobsen, PB; Ming, ME; Winkel, G; Dessureault, S; Lessin, SR. (2010). Tailored versus generic interventions for skin cancer risk reduction for family members of melanoma patients. 29: 583-593. <http://dx.doi.org/10.1037/a0021387>.
- Manoli, G; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ; Broholm, MM. (2012). A remediation performance model for enhanced metabolic reductive dechlorination of chloroethenes in fractured clay till. *J Contam Hydrol.* 131: 64-78. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.004>.
- Manselin, TA; Södergård, O; Larsen, FJ; Lindholm, P. (2017). Aerobic efficiency is associated with the improvement in maximal power output during acute hyperoxia. 5. <http://dx.doi.org/10.14814/phy2.13119>.
- Mansfeldt, CB; Logsdon, BA; Debs, GE; Richardson, RE. (2015). SPINE: SParse elgengene NETwork linking gene expression clusters in *Dehalococcoides mccartyi* to perturbations in experimental conditions. *PLoS ONE.* 10: e0118404. <http://dx.doi.org/10.1371/journal.pone.0118404>.
- Mansour, IN; Razi, RR; Bhave, NM; Ward, RP. (2012). Comparison of the updated 2011 appropriate use criteria for echocardiography to the original criteria for transthoracic, transesophageal, and stress echocardiography. *J Am Soc Echocardiogr.* 25: 1153-1161. <http://dx.doi.org/10.1016/j.echo.2012.08.008>.
- Mao, X; Ciblak, A, li; Amiri, M; Alshawabkeh, AN. (2011). Redox Control for Electrochemical Dechlorination of Trichloroethylene in Bicarbonate Aqueous Media. *Environ Sci Technol.* 45: 6517-6523. <http://dx.doi.org/10.1021/es200943z>.
- Mao, X; Ciblak, A, li; Baek, K; Amiri, M; Loch-Carusio, R; Alshawabkeh, AN. (2012). Optimization of electrochemical dechlorination of trichloroethylene in reducing electrolytes. *Water Res.* 46: 1847-1857. <http://dx.doi.org/10.1016/j.watres.2012.01.002>.
- Mao, X; Oremland, RS; Liu, T; Gushgari, S; Landers, AA; Baesman, SM; Alvarez-Cohen, L. (2017). Acetylene Fuels TCE Reductive Dechlorination by Defined *Dehalococcoides/Pelobacter* Consortia. *Environ Sci Technol.* <http://dx.doi.org/10.1021/acs.est.6b05770>.
- Mao, X; Polasko, A; Alvarez-Cohen, L. (2017). The Effects of sulfate reduction on TCE dechlorination by *Dehalococcoides*-containing microbial communities. *Appl Environ Microbiol.* <http://dx.doi.org/10.1128/AEM.03384-16>.
- Mao, X; Stenuit, B; Polasko, A; Alvarez-Cohen, L. (2015). Efficient metabolic exchange and electron transfer within a syntrophic trichloroethene-degrading coculture of *Dehalococcoides mccartyi* 195 and *Syntrophomonas wolfei*. *Appl Environ Microbiol.* 81: 2015-2024. <http://dx.doi.org/10.1128/AEM.03464-14>.

Human Health Hazard Literature Search Results

Off Topic

- Mao, X; Yuan, S; Fallahpour, N; Ciblak, A; Howard, J; Padilla, I; Loch-Caruso, R; Alshwabkeh, AN. (2012). Electrochemically Induced Dual Reactive Barriers for Transformation of TCE and Mixture of Contaminants in Groundwater. *Environ Sci Technol.* 46: 12003-12011. <http://dx.doi.org/10.1021/es301711a>.
- Marano, DE; Boice, JD, Jr; Fryzek, JP; Morrison, JA; Sadler, CJ; McLaughlin, JK. (2000). Exposure assessment for a large epidemiological study of aircraft manufacturing workers. *Appl Occup Environ Hyg.* 15: 644-656. <http://dx.doi.org/10.1080/10473220050075653>.
- Marble, JC; Carroll, KC; Janousek, H; Brusseau, ML. (2010). In situ oxidation and associated mass-flux-reduction/mass-removal behavior for systems with organic liquid located in lower-permeability sediments. *J Contam Hydrol.* 117: 82-93. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.002>.
- Marçalo, J; Menezes Falcão, L. (2017). Arrhythmogenic right ventricular dysplasia: Atypical clinical presentation. <http://dx.doi.org/10.1016/j.jrepc.2016.05.009>.
- Marcantonio, A; Steen, B; Kain, M; Bramlett, KJ; Tilzey, JF; Iorio, R. (2015). The Clinical and Economic Impact of Preoperative Transthoracic Echocardiography in Elderly Patients with Hip Fractures. 73: 239-242.
- Marchesi, M; Aravena, R; Sra, KS; Thomson, NR; Otero, N; Soler, A; Mancini, S. (2012). Carbon isotope fractionation of chlorinated ethenes during oxidation by Fe²⁺ activated persulfate. *Sci Total Environ.* 433: 318-322. <http://dx.doi.org/10.1016/j.scitotenv.2012.06.051>.
- Marciniak-Emmons, MB; Sterliński, M; Syska, P; Maciąg, A; Farkowski, MM; Firek, B; Dziuk, M; Zając, D; Pytkowski, M; Szwed, H. (2016). New diagnostic pathways urgently needed. Protocol of PET Guidance I pilot study: positron emission tomography in suspected cardiac implantable electronic device-related infection. *Kardiol Pol.* 74: 47-52. <http://dx.doi.org/10.5603/KP.a2015.0113>.
- Marcinkiewicz, A; Ostrowski, S; Pawłowski, W; Palczak, A; Adamek-Kośmider, A; Jaszewski, R. (2014). Urgent splenectomy in the course of prosthetic valve endocarditis. *Kardiologia i Torakochirurgia Polska.* 11: 205-209. <http://dx.doi.org/10.5114/kitp.2014.43852>.
- Marco-Urrea, E; Nijenhuis, I; Adrian, L. (2011). Transformation and carbon isotope fractionation of tetra- and trichloroethene to trans-dichloroethene by *Dehalococcoides* sp. strain CBDB1. *Environ Sci Technol.* 45: 1555-1562. <http://dx.doi.org/10.1021/es1023459>.
- Marcucci, CE; Samad, Z; Rivera, J; Adams, DB; Philips-Bute, BG; Mahajan, A; Douglas, PS; Aronson, S; Mackensen, GB; Podgoreanu, MV; Mathew, JP; Swaminathan, M. (2012). A comparative evaluation of transesophageal and transthoracic echocardiography for measurement of left ventricular systolic strain using speckle tracking. *J Cardiothorac Vasc Anesth.* 26: 17-25. <http://dx.doi.org/10.1053/j.jvca.2011.06.002>.
- Margale, S; Marudhachalam, K; Natani, S. (2017). Clinical application of point of care transthoracic echocardiography in perioperative period [Review]. *Indian Journal of Anaesthesia.* 61: 7-16. <http://dx.doi.org/10.4103/0019-5049.198407>.
- Mărgulescu, AD; Suran, BM; Rimbaş, RC; Dulgheru, RE; Siliște, C; Vinereanu, D. (2012). Accuracy of fluoroscopic and electrocardiographic criteria for pacemaker lead implantation by comparison with three-dimensional echocardiography. *J Am Soc Echocardiogr.* 25: 796-803. <http://dx.doi.org/10.1016/j.echo.2012.04.010>.
- Mariani, MB; Giannetti, V; Testani, E; D'Aiuto, V. (2012). Development of a Headspace-Solid Phase Microextraction-Gas Chromatography Method to Determine Organohalogen Contamination in Drinking Water. *J AOAC Int.* 95: 222-226. <http://dx.doi.org/10.5740/jaoacint.10-417>.
- Mariano, C; Sasaki, H; Brites, D; Brito, MA. (2011). A look at tricellulin and its role in tight junction formation and maintenance [Review]. *Eur J Cell Biol.* 90: 787-796. <http://dx.doi.org/10.1016/j.ejcb.2011.06.005>.
- Marini, D; Ou, P; Boudjemline, Y; Kenny, D; Bonnet, D; Agnoletti, G. (2012). Midterm results of percutaneous closure of very large atrial septal defects in children: role of multislice computed tomography. 7: 1428-1434. <http://dx.doi.org/10.4244/EIJV7I12A223>.
- Marini, JC; Reich, A; Smith, SM. (2014). Osteogenesis imperfecta due to mutations in non-collagenous genes: lessons in the biology of bone formation [Review]. *Curr Opin Pediatr.* 26: 500-507. <http://dx.doi.org/10.1097/MOP.000000000000117>.
- Marino, B; Jaiswal, A; Goldbarg, S; Bernardini, GL; Kerwin, T. (2016). Impact of transesophageal echocardiography on clinical management of patients over age 50 with cryptogenic stroke and normal transthoracic echocardiogram. *J Hosp Med.* 11: 95-98. <http://dx.doi.org/10.1002/jhm.2484>.
- Mariucci, EM; Lovato, L; Rosati, M; Palena, LM; Bonvicini, M; Fattori, R. (2013). Dilation of peripheral vessels in Marfan syndrome: importance of thoracoabdominal MR angiography. *Int J Cardiol.* 167: 2928-2931. <http://dx.doi.org/10.1016/j.ijcard.2012.08.001>.
- Markin, NW; Chamsi-Pasha, M; Luo, J; Thomas, WR; Brakke, TR; Porter, TR; Shillcutt, SK. (2017). Transesophageal Speckle-Tracking Echocardiography Improves Right Ventricular Systolic Function Assessment in the Perioperative Setting. *J Am Soc Echocardiogr.* 30: 180-188. <http://dx.doi.org/10.1016/j.echo.2016.10.002>.
- Markovic, ZZ; Mladenovic, A; Banovic, M; Ivanovic, B. (2012). Correlation of different imaging modalities in pre-surgical evaluation of pericardial metastasis of liposarcoma. *Chin Med J.* 125: 3752-3754. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.2012.20.030>.
- Markwald, R; Eisenberg, C; Eisenberg, L; Trusk, T; Sugi, Y. (1996). Epithelial-mesenchymal transformations in early avian heart development [Review]. *Acta Anat.* 156: 173-186. <http://dx.doi.org/10.1159/000147845>.
- Markwald, RR; Runyan, RB; Kitten, GT; Funderburg, FM; Bernanke, DH; Brayer, PR. (1984). Use of collagen gel cultures to study heart development: Preteoglycan and glycoprotein interactions during formation of endocardial cushion tissue. In RL Trelstad (Ed.), (pp. 323-350). New York, NY: Alan R. Liss.
- Maronpot, R; Anna, C; Devereux, T; Lucier, G; Butterworth, B; Anderson, M. (1995). Growth factors and tumor promotion: Implications for risk assessment: Proceedings of the Seventh International Conference on Carcinogenesis and Risk Assessment, held in Austin, Texas, on December 1-4, 1993 Considerations concerning the murine hepatocarcinogenicity of selected chlorinated hydrocarbons [Review]. *In Prog Clin Biol Res.* New York, NY: Wiley-Liss.

Human Health Hazard Literature Search Results

Off Topic

- Maronpot, RR. (2007). Biological basis of differential susceptibility to hepatocarcinogenesis among mouse strains. 3rd Workshop of the Standing Committee on Risk Analysis Issues and Reviews: Mouse liver tumors: Benefits and constraints on use in human health risk assessment, qualitative and quantitative aspects. http://dels-old.nas.edu/best/risk_analysis/Documents/background%20paper.pdf.
- Maronpot, RR; Flake, G; Huff, J. (2004). Relevance of animal carcinogenesis findings to human cancer predictions and prevention [Review]. *Toxicol Pathol.* 32: 40-48. <http://dx.doi.org/10.1080/01926230490425003>.
- Maronpot, RR; Fox, T; Malarkey, DE; Goldsworthy, TL. (1995). Mutations in the ras proto-oncogene: Clues to etiology and molecular pathogenesis of mouse liver tumors. *Toxicology.* 101: 125-156. [http://dx.doi.org/10.1016/0300-483X\(95\)03112-S](http://dx.doi.org/10.1016/0300-483X(95)03112-S).
- Marrazzini, A; Betti, C; Bernacchi, F; Barrai, I; Barale, R. (1994). Micronucleus test and metaphase analyses in mice exposed to known and suspected spindle poisons. *Mutagenesis.* 9: 505-515. <http://dx.doi.org/10.1093/mutage/9.6.505>.
- Marriott, K; Manins, V; Forshaw, A; Wright, J; Pascoe, R. (2013). Detection of right-to-left atrial communication using agitated saline contrast imaging: experience with 1162 patients and recommendations for echocardiography. *J Am Soc Echocardiogr.* 26: 96-102. <http://dx.doi.org/10.1016/j.echo.2012.09.007>.
- Marshall, EG; Gensburg, LJ; Deres, DA; Geary, NS; Cayo, MR. (1997). Maternal residential exposure to hazardous wastes and risk of central nervous system and musculoskeletal birth defects. *Arch Environ Health.* 52: 416-425. <http://dx.doi.org/10.1080/00039899709602220>.
- Marshall, I; Azizian, MF; Semprini, L; Spormann, AM. (2014). Inferring community dynamics of organohalide-respiring bacteria in chemostats by covariance of rdhA gene abundance. *FEMS Microbiol Ecol.* 87: 428-440. <http://dx.doi.org/10.1111/1574-6941.12235>.
- Marsman, DS; Cattley, RC; Conway, JG; Popp, JA. (1988). Relationship of hepatic peroxisome proliferation and replicative DNA synthesis to the hepatocarcinogenicity of the peroxisome proliferators di(2-ethylhexyl)phthalate and [4-chloro-6-(2,3-xylyldino)-2-pyrimidinylthio]acetic acid (Wy-14,643) in rats. *Cancer Res.* 48: 6739-6744.
- Marsman, DS; Goldsworthy, TL; Popp, JA. (1992). Contrasting hepatocytic peroxisome proliferation, lipofuscin accumulation and cell turnover for the hepatocarcinogens Wy-14,643 and clofibrac acid. *Carcinogenesis.* 13: 1011-1017. <http://dx.doi.org/10.1093/carcin/13.6.1011>.
- Martí, D; Gómez, V; Escobar, C; Wagner, C; Zamarro, C; Sánchez, D; Sam, A; Briongos, S; Gaudó, J; Sueiro, A; Jiménez, D. (2010). [Incidence of symptomatic and asymptomatic chronic thromboembolic pulmonary hypertension]. *Arch Bronconeumol.* 46: 628-633. <http://dx.doi.org/10.1016/j.arbres.2010.07.012>.
- Marti, PB. (2010). Shelton laundry and cleaners groundwater monitoring results. october 2008 and june 2009. 30.
- Martin, E; Anyikam, A; Ballas, J; Buono, K; Mantell, K; Huynh-Covey, T; Archer, T. (2016). A validation study of electrical cardiometry in pregnant patients using transthoracic echocardiography as the reference standard. *J Clin Monit Comput.* 30: 679-686. <http://dx.doi.org/10.1007/s10877-015-9771-y>.
- Martin, R; Hascoët, S; Dulac, Y; Peyre, M; Mejean, S; Hadeed, K; Cazavet, A; Leobon, B; Acar, P. (2013). Comparison of two- and three-dimensional transthoracic echocardiography for measurement of aortic annulus diameter in children. *Arch Cardiovasc Dis.* 106: 492-500. <http://dx.doi.org/10.1016/j.acvd.2013.06.049>.
- Martinez-Larrañaga, MR; Anadón, A; Díaz, MJ; Fernandez, R; Sevil, B; Fernandez-Cruz, ML; Fernandez, MC; Martinez, MA; Anton, R. (1996). Induction of cytochrome P4501A1 and P4504A1 activities and peroxisomal proliferation by fumonisin B1. *Toxicol Appl Pharmacol.* 141: 185-194. <http://dx.doi.org/10.1006/taap.1996.0275>.
- Martínez-Sánchez, P; Medina-Báez, J; Lara-Lara, M; Oliva-Navarro, J; Cazorla-García, R; Ruiz-Ares, G; Martínez-Martínez, M; Fuentes, B; Díez-Tejedor, E. (2012). [Low sensitivity of the echocardiograph compared with contrast transcranial Doppler in right-to-left shunt]. 27: 61-67. <http://dx.doi.org/10.1016/j.nrl.2011.05.010>.
- Martiniello, AR; Pedrizzetti, G; Bianchi, V; Tonti, G; D'Onofrio, A; Caso, P. (2016). Left ventricular pacing vector selection by novel echo-particle imaging velocimetry analysis for optimization of quadripolar cardiac resynchronization device: a case report. *J Med Case Rep.* 10: 191. <http://dx.doi.org/10.1186/s13256-016-0965-9>.
- Mas, S; Gassó, P; Parellada, E; Bernardo, M; Lafuente, A. (2015). Network analysis of gene expression in peripheral blood identifies mTOR and NF-κB pathways involved in antipsychotic-induced extrapyramidal symptoms. *Pharmacogenomics J.* 15: 452-460. <http://dx.doi.org/10.1038/tpj.2014.84>.
- Masse, WB; Birdsell, KH; English, CJ; Strobbridge, DM. (2012). Vapor Plume at Material Disposal Are C in Relation to Pajarito Corridor Facilities. 15.
- Massey, RI; Tenney, H; Harriman, E. (2011). Higher hazard substances under The Massachusetts Toxics Use Reduction Act: lessons from the first four years. *New Solutions: A Journal of Environmental and Occupational Health Policy.* 21: 457-476. <http://dx.doi.org/10.2190/NS.21.3.k>.
- Masuda, M; Iwakura, K; Inoue, K; Okamura, A; Koyama, Y; Toyoshima, Y; Tanaka, N; Nakanishi, H; Sotomi, Y; Komuro, I; Fujii, K. (2013). Estimation of left atrial blood stasis using diastolic late mitral annular velocity. 14: 752-757. <http://dx.doi.org/10.1093/ehjci/jes241>.
- Mateus, J; Lasso, P; Pavia, P; Rosas, F; Roa, N; Valencia-Hernández, CA; González, JM; Puerta, CJ; Cuéllar, A. (2015). Low frequency of circulating CD8+ T stem cell memory cells in chronic chagasic patients with severe forms of the disease. *P L o S Neglected Tropical Diseases.* 9: e3432. <http://dx.doi.org/10.1371/journal.pntd.0003432>.
- Mather, GG; Exon, JH; Koller, LD. (1990). Subchronic 90 day toxicity of dichloroacetic and trichloroacetic acid in rats. *Toxicology.* 64: 71-80. [http://dx.doi.org/10.1016/0300-483X\(90\)90100-U](http://dx.doi.org/10.1016/0300-483X(90)90100-U).
- Mathias, TL; Albright, KC; Boehme, AK; Monlezun, D; George, AJ; Jones, E; Beasley, TM; Martin-Schild, S. (2014). The Impact of Myocardial Infarction vs. Pneumonia on Outcome in Acute Ischemic Stroke. 2: 1-3.
- Mathur, M; Al Maluli, H; Patil, P. (2015). Assessment of Cardiac Function by Echocardiography. *Current Treatment Options in Cardiovascular Medicine.* 17: 397. <http://dx.doi.org/10.1007/s11936-015-0397-7>.

Human Health Hazard Literature Search Results

Off Topic

- Matsuda, S; Hara, M; Miura, M; Matsuda, T; Ueda, M; Satoh, Y; Hashimoto, KY. (2011). Correlation between temperature coefficient of elasticity and fourier transform infrared spectra of silicon dioxide films for surface acoustic wave devices [Letter]. *IEEE Trans Ultrason Ferroelectr Freq Control*. 58: 1684-1687. <http://dx.doi.org/10.1109/TUFFC.2011.1996>.
- Matsuda, S; Takeuchi, H; Kawakubo, H; Ando, N; Kitagawa, Y. (2016). Current Advancement in Multidisciplinary Treatment for Resectable cStage II/III Esophageal Squamous Cell Carcinoma in Japan [Review]. 22: 275-283. <http://dx.doi.org/10.5761/atcs.ra.16-00111>.
- Matsuda, S; Takeuchi, H; Kawakubo, H; Shimada, A; Fukuda, K; Nakamura, R; Takahashi, T; Wada, N; Kameyama, K; Kitagawa, Y. (2016). Clinical outcome of transthoracic esophagectomy with thoracic duct resection: Number of dissected lymph node and distribution of lymph node metastasis around the thoracic duct. *Medicine (Baltimore)*. 95: e3839. <http://dx.doi.org/10.1097/MD.0000000000003839>.
- Matsuda, S; Tsubosa, Y; Niihara, M; Sato, H; Takebayashi, K; Kawamorita, K; Mori, K; Tsushima, T; Yokota, T; Ogawa, H; Onozawa, Y; Yasui, H; Takeuchi, H; Kitagawa, Y. (2015). Comparison of transthoracic esophagectomy with definitive chemoradiotherapy as initial treatment for patients with esophageal squamous cell carcinoma who could tolerate transthoracic esophagectomy. *Ann Surg Oncol*. 22: 1866-1873. <http://dx.doi.org/10.1245/s10434-014-4337-7>.
- Matsumoto, F; Matsui, F; Yazawa, K; Shimada, K. (2016). A Case of Chromosomal Disorders of Sex Development with Transverse Testicular Ectopia Mimicking Mixed Gonadal Dysgenesis. *Urology*. <http://dx.doi.org/10.1016/j.urology.2016.10.005>.
- Matsumura, Y; Wada, M; Hirakawa, D; Yasuoka, Y; Morimoto, N; Takeuchi, H; Kitaoka, H; Orihashi, K; Sugiura, T. (2016). Clinical utility of transthoracic echocardiography for screening abdominal aortic aneurysm: a prospective study in a Japanese population. *Cardiovasc Ultrasound*. 14: 8. <http://dx.doi.org/10.1186/s12947-016-0051-x>.
- Mattes, TE; Alexander, AK; Coleman, NV. (2010). Aerobic biodegradation of the chloroethenes: pathways, enzymes, ecology, and evolution [Review]. *FEMS Microbiol Rev*. 34: 445-475. <http://dx.doi.org/10.1111/j.1574-6976.2010.00210.x>.
- Matteucci, F; Ercole, C; Del Gallo, M. (2015). A study of chlorinated solvent contamination of the aquifers of an industrial area in central Italy: a possibility of bioremediation. *FMICB*. 6: 924. <http://dx.doi.org/10.3389/fmicb.2015.00924>.
- Matthew Allen Bullock, J; Schwab, J; Thalassinos, K; Topf, M. (2016). The Importance of Non-accessible Crosslinks and Solvent Accessible Surface Distance in Modeling Proteins with Restraints From Crosslinking Mass Spectrometry. *Mol Cell Proteomics*. 15: 2491-2500. <http://dx.doi.org/10.1074/mcp.M116.058560>.
- Mattioli, S; Truffelli, D; Baldasseroni, A; Risi, A; Marchesini, B; Giacomini, C; Bacchini, P; Violante, FS; Buiatti, E. (2002). Occupational risk factors for renal cell cancer: A case-control study in northern Italy. *J Occup Environ Med*. 44: 1028-1036. <http://dx.doi.org/10.1097/01.jom.0000038320.36316.cb>.
- Mattioni Maturana, F; Keir, DA; Mclay, KM; Murias, JM. (2016). Can measures of critical power precisely estimate the maximal metabolic steady-state? *Appl Physiol Nutr Metab*. 41: 1197-1203. <http://dx.doi.org/10.1139/apnm-2016-0248>.
- Matturro, B; Aulenta, F; Majone, M; Papini, MP; Tandoi, V; Rossetti, S. (2012). Field distribution and activity of chlorinated solvents degrading bacteria by combining CARD-FISH and real time PCR. *N Biotechnol*. 30: 23-32. <http://dx.doi.org/10.1016/j.nbt.2012.07.006>.
- Matturro, B; Rossetti, S. (2015). GeneCARD-FISH: detection of tceA and vcrA reductive dehalogenase genes in Dehalococcoides mccartyi by fluorescence in situ hybridization. *J Microbiol Methods*. 110: 27-32. <http://dx.doi.org/10.1016/j.mimet.2015.01.005>.
- Matulevicius, SA; Rohatgi, A; Das, S. R.; Price, AL; Deluna, A; Reimold, SC. (2013). Appropriate use and clinical impact of transthoracic echocardiography. *JAMA Intern Med*. 173: 1600-1607. <http://dx.doi.org/10.1001/jamainternmed.2013.8972>.
- Matyjaszkiewicz, A; Venturi, E; O'Brien, F; Iida, T; Nishi, M; Takeshima, H; Tsaneva-Atanasova, K; Sitsapesan, R. (2015). Subconductance gating and voltage sensitivity of sarcoplasmic reticulum K(+) channels: a modeling approach. *Biophys J*. 109: 265-276. <http://dx.doi.org/10.1016/j.bpj.2015.06.020>.
- Maya, K; Singh, RS; Upadhyay, SN; Dubey, SK. (2011). Kinetic analysis reveals bacterial efficacy for biodegradation of chlorpyrifos and its hydrolyzing metabolite TCP. *Process Biochemistry*. 46: 2130-2136. <http://dx.doi.org/10.1016/j.procbio.2011.08.012>.
- Mayer, F; Stahrenberg, R; Gröschel, K; Mostardt, S; Biermann, J; Edelmann, F; Liman, J; Wasem, J; Goehler, A; Wachter, R; Neumann, A. (2013). Cost-effectiveness of 7-day-Holter monitoring alone or in combination with transthoracic echocardiography in patients with cerebral ischemia. *Clin Res Cardiol*. 102: 875-884. <http://dx.doi.org/10.1007/s00392-013-0601-2>.
- Mayer-Blackwell, K; Azizian, MF; Green, JK; Spormann, AM; Semprini, L. (2017). Survival of Vinyl Chloride Respiring Dehalococcoides mccartyi under Long-Term Electron Donor Limitation. *Environ Sci Technol*. 51: 1635-1642. <http://dx.doi.org/10.1021/acs.est.6b05050>.
- Mayer-Blackwell, K; Azizian, MF; Machak, C; Vitale, E; Carpani, G; de Ferra, F; Semprini, L; Spormann, AM. (2014). Nanoliter qPCR platform for highly parallel, quantitative assessment of reductive dehalogenase genes and populations of dehalogenating microorganisms in complex environments. *Environ Sci Technol*. 48: 9659-9667. <http://dx.doi.org/10.1021/es500918w>.
- Mayer-Blackwell, K; Fincker, M; Molenda, O; Callahan, B; Sewell, H; Holmes, S; Edwards, EA; Spormann, AM. (2016). 1,2-Dichloroethane Exposure Alters the Population Structure, Metabolism, and Kinetics of a Trichloroethene-Dechlorinating Dehalococcoides mccartyi Consortium. *Environ Sci Technol*. 50: 12187-12196. <http://dx.doi.org/10.1021/acs.est.6b02957>.
- Mayo, PH; Narasimhan, M; Koenig, S. (2015). Critical Care Transesophageal Echocardiography [Review]. *Chest*. 148: 1323-1332. <http://dx.doi.org/10.1378/chest.15-0260>.
- Mbengue, A; Vialla, E; Berry, L; Fall, G; Audiger, N; Demetere-Verceil, E; Boteller, D; Braun-Breton, C. (2015). New Export Pathway in Plasmodium falciparum-Infected Erythrocytes: Role of the Parasite Group II Chaperonin, PfTRiC. 16: 461-475. <http://dx.doi.org/10.1111/tra.12266>.
- Mccartney, SL; Cooter, M; Samad, Z; Sivak, J; Castleberry, A; Gregory, S; Haney, J; Hartwig, M; Swaminathan, M. (2016). Mitral Regurgitation After Orthotopic Lung Transplantation: Natural History and Impact on Outcomes. *J Cardiothorac Vasc Anesth*. <http://dx.doi.org/10.1053/j.jvca.2016.10.025>.

Human Health Hazard Literature Search Results

Off Topic

- McCarver, DG; Byun, R; Hines, RN; Hichme, M; Wegenek, W. (1998). A genetic polymorphism in the regulatory sequences of human CYP2E1: Association with increased chlorzoxazone hydroxylation in the presence of obesity and ethanol intake. *Toxicol Appl Pharmacol.* 152: 276-281. <http://dx.doi.org/10.1006/taap.1998.8532>.
- Mccarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. *J Pharmacol Exp Ther.* 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- McClave, SA; Leblanc, M; Hawkins, SA. (2011). Sustainability of critical power determined by a 3-minute all-out test in elite cyclists. *J Strength Cond Res.* 25: 3093-3098. <http://dx.doi.org/10.1519/JSC.0b013e318212dafc>.
- Mccleave, EL; Ferguson-Stegall, L; Ding, Z; Doerner, PG; Wang, B; Kammer, LM; Ivy, JL. (2011). A low carbohydrate-protein supplement improves endurance performance in female athletes. *J Strength Cond Res.* 25: 879-888. <http://dx.doi.org/10.1519/JSC.0b013e318207e98c>.
- Mcconnell, G; Ferguson, DM; Pearson, CR. (1975). Chlorinated hydrocarbons and the environment. *Endeavour.* 34: 13-18.
- McCredie, M; Stewart, JH. (1993). Risk factors for kidney cancer in New South Wales. IV. Occupation. *Br J Ind Med.* 50: 349-354.
- McDaniel, T; Martin, P; Ross, N; Brown, S; Lesage, S; Pauli, B. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol.* 47: 101-109.
- Mcdermott, BP; Cunha, BA; Choi, D; Cohen, J; Hage, J. (2011). Transthoracic echocardiography (TTE): sufficiently sensitive screening test for native valve infective endocarditis (IE). *Heart Lung.* 40: 358-360. <http://dx.doi.org/10.1016/j.hrtlng.2010.07.007>.
- McEntee, GP; Batts, KA; Katzmann, JA; Ilstrup, DM; Nagorney, DM. (1992). Relationship of nuclear DNA content to clinical and pathologic findings in patients with primary hepatic malignancy. *Surgery.* 111: 376-379.
- Mcghie, JS; de Groot-De Laat, L; Ren, B; Vletter, W; Frowijn, R; Oei, F; Geleijnse, ML. (2015). Transthoracic two-dimensional xPlane and three-dimensional echocardiographic analysis of the site of mitral valve prolapse. *Int J Cardiovasc Imaging.* 31: 1553-1560. <http://dx.doi.org/10.1007/s10554-015-0734-7>.
- Mcgillewie, L; Soliman, ME. (2015). Flap flexibility amongst plasmepsins I, II, III, IV, and V: Sequence, structural, and molecular dynamics analyses. *Protein Struct Funct Genet.* 83: 1693-1705. <http://dx.doi.org/10.1002/prot.24855>.
- McGuire, V; Nelson, LM; Koepsell, TD; Checkoway, H; Longstreth, WT, Jr. (1998). Assessment of occupational exposures in community-based case-control studies [Review]. *Annu Rev Public Health.* 19: 35-53. <http://dx.doi.org/10.1146/annurev.publhealth.19.1.35>.
- Mcintosh, GJ; Russell, DK. (2013). Molecular Mechanisms in the Pyrolysis of Unsaturated Chlorinated Hydrocarbons: Formation of Benzene Rings. 2. Experimental and Kinetic Modeling Studies. *J Phys Chem A.* 117: 4198-4213. <http://dx.doi.org/10.1021/jp3120385>.
- Mcintosh, GJ; Russell, DK. (2014). Experimental and theoretical studies into the formation of C4-C6 products in partially chlorinated hydrocarbon pyrolysis systems: a probabilistic approach to congener-specific yield predictions. *J Phys Chem A.* 118: 8644-8663. <http://dx.doi.org/10.1021/jp5015516>.
- Mcintosh, GJ; Russell, DK. (2014). Role of Hydrogen Abstraction Acetylene Addition Mechanisms in the Formation of Chlorinated Naphthalenes. 2. Kinetic Modeling and the Detailed Mechanism of Ring Closure. *J Phys Chem A.* 118: 12205-12220. <http://dx.doi.org/10.1021/jp5089806>.
- Mcintosh, GJ; Russell, DK. (2015). High Temperature Chemistry of Chlorinated Acenaphthylene. 3C Bay Acetylene Additions and Annealing by Five-Membered Ring Shifts. *J Phys Chem A.* 119: 12767-12780. <http://dx.doi.org/10.1021/acs.jpca.5b08391>.
- Mckaigney, CJ; Krantz, MJ; La Rocque, CL; Hurst, ND; Buchanan, MS; Kendall, JL. (2014). E-point septal separation: a bedside tool for emergency physician assessment of left ventricular ejection fraction. *Am J Emerg Med.* 32: 493-497. <http://dx.doi.org/10.1016/j.ajem.2014.01.045>.
- Mckenzie, ER; Siegrist, RL; Mccray, JE; Higgins, CP. (2016). The influence of a non-aqueous phase liquid (NAPL) and chemical oxidant application on perfluoroalkyl acid (PFAA) fate and transport. *Water Res.* 92: 199-207. <http://dx.doi.org/10.1016/j.watres.2016.01.025>.
- Mcknight, US; Rasmussen, J; Kronvang, B; Bjerg, PL; Binning, PJ. (2012). Integrated assessment of the impact of chemical stressors on surface water ecosystems. *Sci Total Environ.* 427: 319-331. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.011>.
- Mclaren, RG; Sudicky, EA; Park, YJ; Illman, WA. (2012). Numerical simulation of DNAPL emissions and remediation in a fractured dolomitic aquifer. *J Contam Hydrol.* 136-137: 56-71. <http://dx.doi.org/10.1016/j.jconhyd.2012.05.002>.
- McLaughlin, JK; Hrubec, Z; Blot, WJ; Fraumeni, JF, Jr. (1995). Smoking and cancer mortality among U.S. veterans: A 26-year follow-up. *Int J Cancer.* 60: 190-193. <http://dx.doi.org/10.1002/ijc.2910600210>.
- McLaughlin, JK; Lipworth, L; Tarone, RE. (2006). Epidemiologic aspects of renal cell carcinoma [Review]. *Semin Oncol.* 33: 527-533. <http://dx.doi.org/10.1053/j.seminoncol.2006.06.010>.
- McLean, AJ; Cogger, VC; Chong, GC; Warren, A; Markus, AM; Dahlstrom, JE; Le Couteur, DG. (2003). Age-related pseudocapillarization of the human liver. *J Pathol.* 200: 112-117. <http://dx.doi.org/10.1002/path.1328>.
- Mcmahon, NF; Leveritt, MD; Pavey, TG. (2016). The Effect of Dietary Nitrate Supplementation on Endurance Exercise Performance in Healthy Adults: A Systematic Review and Meta-Analysis [Review]. <http://dx.doi.org/10.1007/s40279-016-0617-7>.
- McMichael, AJ; Spirtas, R; Gamble, JF; Tousey, PM. (1976). Mortality among rubber workers: Relationship to specific jobs. *J Occup Med.* 18: 178-185.
- Mcnamara, H; Barclay, P; Sharma, V. (2014). Accuracy and precision of the ultrasound cardiac output monitor (USCOM 1A) in pregnancy: comparison with three-dimensional transthoracic echocardiography. *Br J Anaesth.* 113: 669-676. <http://dx.doi.org/10.1093/bja/aeu162>.
- McNutt, LA; Wu, C; Xue, X; Hafner, JP. (2003). Estimating the relative risk in cohort studies and clinical trials of common outcomes. *Am J Epidemiol.* 157: 940-943. <http://dx.doi.org/10.1093/aje/kwg074>.

Human Health Hazard Literature Search Results

Off Topic

- MDCH. (2012). Health consultation: Public health implications of soil gas and air sampling data: Grand Traverse Overall Supply NPL site, Greilickville, Leelanau County, Michigan: EPA facility id: MID017418559. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/HAC/pha/GrandTraverse/GrandTraverseHC11192012.pdf>.
- MDPH. (1997). Woburn childhood leukemia follow-up study: Information booklet [Pamphlet]. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. Retrieved from http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_childhood_leukemia_follow.pdf
- MDPH. (1997). Woburn childhood leukemia follow-up study: Volume I: Analyses. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_cancer_leukemia_follow_up_study_1997.pdf.
- MDPH. (1997). Woburn childhood leukemia follow-up study: Volume II: Appendix. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment.
- Medford, BA; Taggart, NW; Cabalka, AK; Cetta, F; Reeder, GS; Hagler, DJ; Johnson, JN. (2014). Intracardiac echocardiography during atrial septal defect and patent foramen ovale device closure in pediatric and adolescent patients. *J Am Soc Echocardiogr.* 27: 984-990. <http://dx.doi.org/10.1016/j.echo.2014.05.017>.
- Mediratta, A; Addetia, K; Yamat, M; Moss, JD; Nayak, HM; Burke, MC; Weinert, L; Maffessanti, F; Jeevanandam, V; Mor-Avi, V; Lang, RM. (2014). 3D echocardiographic location of implantable device leads and mechanism of associated tricuspid regurgitation. *JACC: Cardiovascular Imaging.* 7: 337-347. <http://dx.doi.org/10.1016/j.jcmg.2013.11.007>.
- Meeks, ND; Smuleac, V; Stevens, C; Bhattacharyya, D. (2012). Iron-Based Nanoparticles for Toxic Organic Degradation: Silica Platform and Green Synthesis. *Ind Eng Chem Res.* 51: 9581-9590. <http://dx.doi.org/10.1021/ie301031u>.
- Meenakshi, K; Swaminathan, S; Manickam, R. (2013). Role of transthoracic echocardiography in the estimation of coronary sinus blood flow in coronary artery disease. *5: 168-171.* <http://dx.doi.org/10.1136/heartasia-2013-010346>.
- Meera, SJ; Ando, T; Pu, D; Manjappa, S; Taub, CC. (2017). Dynamic left ventricular changes in patients with gestational diabetes: A speckle tracking echocardiography study. *45: 20-27.* <http://dx.doi.org/10.1002/jcu.22399>.
- Mehendale, HM. (2000). PPAR-alpha: A key to the mechanism of hepatoprotection by clofibrate [Review]. *Toxicol Sci.* 57: 187-190. <http://dx.doi.org/10.1093/toxsci/57.2.187>.
- Mehrotra, AK; Cork, DP; Weiss, SA; Shah, AP. (2012). Dramatic improvement in hypoxemic respiratory failure after patent foramen ovale closure in a patient with obesity hypoventilation syndrome. *13: 295-297.* <http://dx.doi.org/10.1016/j.carrev.2012.05.002>.
- Meřgal, Al, u; Zarpinova, I, uR. (2013). [Influence of post-conceptual age on the electromyographic characteristics in the newborns]. *Fiziol Cheloveka.* 39: 61-67.
- Melchiorri, C; Bolondi, L; Chieco, P; Pagnoni, M; Gramantieri, L; Barbara, L. (1994). Diagnostic and prognostic value of DNA ploidy and cell nuclearity in ultrasound-guided liver biopsies. *Cancer.* 74: 1713-1719. [http://dx.doi.org/10.1002/1097-0142\(19940915\)74:6<1713::AID-CNCR2820740612>3.0.CO;2-O](http://dx.doi.org/10.1002/1097-0142(19940915)74:6<1713::AID-CNCR2820740612>3.0.CO;2-O).
- Melchiorri, C; Chieco, P; Zedda, Al; Coni, P; Ledda-Columbano, GM; Columbano, A. (1993). Ploidy and nuclearity of rat hepatocytes after compensatory regeneration or mitogen-induced liver growth. *Carcinogenesis.* 14: 1825-1830. <http://dx.doi.org/10.1093/carcin/14.9.1825>.
- Melgar Valdes, CE; Barba Macías, E; Alvarez-González, CA; Tovilla Hernández, C; Sánchez, AJ. (2013). [Microorganisms effect with probiotic potential in water quality and growth of the shrimp *Litopenaeus vannamei* (Decapoda: Penaeidae) in intensive culture]. *Rev Biol Trop.* 61: 1215-1228.
- Melnick, RL; Huff, J; Barrett, JC; Maronpot, RR; Lucier, G; Portier, CJ. (1993). Cell proliferation and chemical carcinogenesis: Symposium overview [Review]. *Environ Health Perspect.* 101: 3-7.
- Melnick, RL; Thayer, KA; Bucher, JR. (2008). Conflicting views on chemical carcinogenesis arising from the design and evaluation of rodent carcinogenicity studies. *Environ Health Perspect.* 116: 130-135. <http://dx.doi.org/10.1289/ehp.9989>.
- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health.* 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.
- Men, Y; Lee, PKH; Harding, KC; Alvarez-Cohen, L. (2013). Characterization of four TCE-dechlorinating microbial enrichments grown with different cobalamin stress and methanogenic conditions. *Appl Microbiol Biotechnol.* 97: 6439-6450. <http://dx.doi.org/10.1007/s00253-013-4896-8>.
- Men, Y; Seth, EC; Yi, S; Allen, RH; Taga, ME; Alvarez-Cohen, L. (2014). Sustainable growth of *Dehalococcoides mccartyi* 195 by corrinoid salvaging and remodeling in defined lactate-fermenting consortia. *Appl Environ Microbiol.* 80: 2133-2141. <http://dx.doi.org/10.1128/AEM.03477-13>.
- Men, Y; Seth, EC; Yi, S; Crofts, TS; Allen, RH; Taga, ME; Alvarez-Cohen, L. (2015). Identification of specific corrinoids reveals corrinoid modification in dechlorinating microbial communities. *Environ Microbiol.* 17: 4873-4884. <http://dx.doi.org/10.1111/1462-2920.12500>.
- Men, Y; Yu, K; Bælum, J; Gao, Y; Tremblay, J; Prestat, E; Stenuit, B; Tringe, SG; Jansson, J; Zhang, T; Alvarez-Cohen, L. (2017). Metagenomic and metatranscriptomic analyses reveal structure and dynamics of a dechlorinating community containing *Dehalococcoides mccartyi* and corrinoid-providing microorganisms under cobalamin-limited condition. *Appl Environ Microbiol.* <http://dx.doi.org/10.1128/AEM.03508-16>.
- Menegazzi, M; Carcereri-De Prati, A; Suzuki, H; Shinozuka, H; Pibiri, M; Piga, R; Columbano, A; Ledda-Columbano, GM. (1997). Liver cell proliferation induced by nafenopin and cyproterone acetate is not associated with increases in activation of transcription factors NF-

Human Health Hazard Literature Search Results

Off Topic

- kappaB and AP-1 or with expression of tumor necrosis factor alpha. *Hepatology*. 25: 585-592. <http://dx.doi.org/10.1002/hep.510250316>.
- Meng, FY; Liu, R; Kobayashi, T; Wan, M; Yu, SL; Chen, LJ. (2012). Study on Equilibrium Adsorption of Volatile Chlorinated Hydrocarbons on Humid Soils. *Huanjing Kexue*. 33: 1361-1368.
- Meng, H; Li, JR; Sun, X. (2013). Left ventricular apical hypoplasia: a case series and review of the literature [Review]. *Acta Cardiol*. 68: 339-342. <http://dx.doi.org/10.2143/AC.68.3.2983433>.
- Meng, XC; Cai, HB; Li, ZC; Wang, T; Zhang, Q; Zhang, ZW. (2010). [A modified management of the transcatheter occlusion of patent ductus arteriosus: using angiography combined with transthoracic echocardiography]. *Zhongguo Dang Dai Er Ke Za Zhi*. 12: 103-105.
- Menon, BK; Coulter, JJ; Bal, S; Godzwon, C; Weeks, S; Hutchison, S; Hill, MD; Coutts, SB. (2014). Acute ischaemic stroke or transient ischaemic attack and the need for inpatient echocardiography. *Postgrad Med J*. 90: 434-438. <http://dx.doi.org/10.1136/postgradmedj-2013-132220>.
- Mergler, D; Huel, G; Bowler, R; Frenette, B; Cone, J. (1991). Visual dysfunction among former microelectronics assembly workers. *Arch Environ Health*. 46: 326-334. <http://dx.doi.org/10.1080/00039896.1991.9934398>.
- Merkler, AE; Navi, BB; Singer, S; Cheng, NT; Stone, JB; Kamel, H; Iadecola, C; Elkind, MS; Deangelis, LM. (2015). Diagnostic yield of echocardiography in cancer patients with ischemic stroke. *J Neurooncol*. 123: 115-121. <http://dx.doi.org/10.1007/s11060-015-1768-3>.
- Merry, KL; Glaister, M; Howatson, G; Van Someren, K. (2015). The influence of evaluation protocol on time spent exercising at a high level of oxygen uptake during continuous cycling. *J Sports Med Phys Fitness*. 55: 1091-1098.
- Mesa Rubio, D; Suárez de Lezo Cruz Conde, J; Alvarez-Osorio, MP; Ruiz Ortiz, M; Delgado Ortega, M; León del Pino, M; Toledano Delgado, F; Segura Saint-Gerons, J; Ojeda Pineda, S; Garcia Fuertes, D; Crespín Crespín, M; Espejo, S; Ysamat, R. (2011). Measurement of aortic valve annulus using different cardiac imaging techniques in transcatheter aortic valve implantation: agreement with finally implanted prosthesis size. *Echocardiography*. 28: 388-396. <http://dx.doi.org/10.1111/j.1540-8175.2010.01353.x>.
- Mesihović-Dinarević, S; Begić, Z; Halimić, M; Kadić, A; Gojak, R. (2012). The reliability of transthoracic and transesophageal echocardiography in predicting the size of atrial septal defect. *Acta Medica Academica*. 41: 145-153. <http://dx.doi.org/10.5644/ama2006-124.47>.
- Messeha, SS; Zarmouh, NO; Taka, E; Gendy, SG; Shokry, GR; Kolta, MG; Soliman, KF. (2016). The Role of Monocarboxylate Transporters and Their Chaperone CD147 in Lactate Efflux Inhibition and the Anticancer Effects of Terminalia chebula in Neuroblastoma Cell Line N2-A. *Eur J Med Plants*. 12. <http://dx.doi.org/10.9734/EJMP/2016/23992>.
- Messika-Zeitoun, D; Serfaty, JM; Brochet, E; Ducrocq, G; Lepage, L; Detaint, D; Hyafil, F; Himbert, D; Pasi, N; Laissy, JP; Lung, B; Vahanian, A. (2010). Multimodal assessment of the aortic annulus diameter: implications for transcatheter aortic valve implantation. *J Am Coll Cardiol*. 55: 186-194. <http://dx.doi.org/10.1016/j.jacc.2009.06.063>.
- Messing, K; Punnett, L; Bond, M; Alexanderson, K; Pyle, J; Zahm, S; Wegman, D; Stock, SR; de Grosbois, S. (2003). Be the fairest of them all: Challenges and recommendations for the treatment of gender in occupational health research [Review]. *Am J Ind Med*. 43: 618-629. <http://dx.doi.org/10.1002/ajim.10225>.
- Metayer, C; Scelo, G; Kang, AY; Gunier, RB; Reinier, K; Lea, S; Chang, JS; Selvin, S; Kirsch, J; Crouse, V; Does, M; Quinlan, P; Hammond, SK. (2016). A task-based assessment of parental occupational exposure to organic solvents and other compounds and the risk of childhood leukemia in California. *Environ Res*. 151: 174-183. <http://dx.doi.org/10.1016/j.envres.2016.06.047>.
- Meurin, P; Brandao Carreira, V; Dumaine, R; Shqueir, A; Milleron, O; Safar, B; Perna, S; Smadja, C; Genest, M; Garot, J; Carette, B; Payot, L; Tabet, JY; Français, CNdC; Collège National des Cardiologues des Hôpitaux Français, P. (2015). Incidence, diagnostic methods, and evolution of left ventricular thrombus in patients with anterior myocardial infarction and low left ventricular ejection fraction: a prospective multicenter study. *Am Heart J*. 170: 256-262. <http://dx.doi.org/10.1016/j.ahj.2015.04.029>.
- Meyer, K; Lee, JS; Dyck, PA; Cao, WQ; Rao, MS; Thorgeirsson, SS; Reddy, JK. (2003). Molecular profiling of hepatocellular carcinomas developing spontaneously in acyl-CoA oxidase deficient mice: Comparison with liver tumors induced in wild-type mice by a peroxisome proliferator and a genotoxic carcinogen. *Carcinogenesis*. 24: 975-984. <http://dx.doi.org/10.1093/carcin/bgg040>.
- Michalik, L; Desvergne, B; Dreyer, C; Gavillet, M; Laurini, RN; Wahli, W. (2002). PPAR expression and function during vertebrate development [Review]. *Int J Dev Biol*. 46: 105-114.
- Michalski, B; Kasprzak, JD; Lipiec, P. (2011). Usefulness of three-dimensional echocardiography for evaluation of pathological mass in the right atrium. *Echocardiography*. 28: E79-E81. <http://dx.doi.org/10.1111/j.1540-8175.2010.01331.x>.
- Michalski, B; Kasprzak, JD; Szymczyk, E; Lipiec, P. (2012). Diagnostic utility and clinical usefulness of the pocket echocardiographic device. *Echocardiography*. 29: 1-6. <http://dx.doi.org/10.1111/j.1540-8175.2011.01553.x>.
- Michalsky, MP; Raman, SV; Teich, S; Schuster, DP; Bauer, JA. (2013). Cardiovascular recovery following bariatric surgery in extremely obese adolescents: preliminary results using Cardiac Magnetic Resonance (CMR) Imaging. *J Pediatr Surg*. 48: 170-177. <http://dx.doi.org/10.1016/j.jpedsurg.2012.10.032>.
- Michel, C; Desdouets, C; Slaoui, M; Isaacs, KR; Roberts, RA; Boitier, E. (2007). Diethylnitrosamine initiation does not alter clofibrilic acid-induced hepatocarcinogenesis in the rat. *Toxicol Sci*. 99: 58-69. <http://dx.doi.org/10.1093/toxsci/kfm168>.
- Mick, SS; Shay, PD. (2016). Accountable Care Organizations and Transaction Cost Economics. 73: 649-659. <http://dx.doi.org/10.1177/1077558716640411>.
- Midulla, M; Perini, P; Sundareyan, R; Lazguet, Y; Dehaene, A; Goyault, G; Martinelli, T; Haulon, S. (2012). Transcatheter transcaval embolization of a type II endoleak after EVAR using a transeptal needle-sheath system. *Vascular and Endovascular Surgery*. 46: 410-413. <http://dx.doi.org/10.1177/1538574412448683>.

Human Health Hazard Literature Search Results

Off Topic

- Mielnicki, W; Dyla, A; Zawada, T. (2016). Utility of transthoracic echocardiography (TTE) in assessing fluid responsiveness in critically ill patients - a challenge for the bedside sonographer. 18: 508-514.
- Mihăilă, S; Muraru, D; Piasentini, E; Miglioranza, MH; Peluso, D; Cucchini, U; Iliceto, S; Vinereanu, D; Badano, LP. (2014). Quantitative analysis of mitral annular geometry and function in healthy volunteers using transthoracic three-dimensional echocardiography. *J Am Soc Echocardiogr.* 27: 846-857. <http://dx.doi.org/10.1016/j.echo.2014.04.017>.
- Mikol, YB; Hoover, KL; Creasia, D; Poirier, LA. (1983). Hepatocarcinogenesis in rats fed methyl-deficient, amino acid-defined diets. *Carcinogenesis.* 4: 1619-1629. <http://dx.doi.org/10.1093/carcin/4.12.1619>.
- Mildenberger, P; Brüggemann, K; Rösner, F; Koch, K; Ahlers, C. (2011). PACS infrastructure supporting e-learning. *Eur J Radiol.* 78: 234-238. <http://dx.doi.org/10.1016/j.ejrad.2010.05.006>.
- Milioni, F; Malta, E; Rocha, LG; Mesquita, CA; de Freitas, EC; Zagatto, AM. (2016). Acute administration of high doses of taurine does not substantially improve high-intensity running performance and the effect on maximal accumulated oxygen deficit is unclear. *Appl Physiol Nutr Metab.* 41: 498-503. <http://dx.doi.org/10.1139/apnm-2015-0435>.
- Miller, BM; Adler, ID. (1992). Aneuploidy induction in mouse spermatocytes. *Mutagenesis.* 7: 69-76. <http://dx.doi.org/10.1093/mutage/7.1.69>.
- Miller, GA; Ahmed, YM; Tarant, NS. (2017). Recurrence of Postoperative Stress-Induced Cardiomyopathy Resulting from Status Epilepticus. 2017: 8063837. <http://dx.doi.org/10.1155/2017/8063837>.
- Miller, J; Xue, B; Hossain, M; Zhang, MZ; Loepke, A; Kurth, D. (2016). Comparison of dexmedetomidine and chloral hydrate sedation for transthoracic echocardiography in infants and toddlers: a randomized clinical trial. *Pediatric Anesthesia.* 26: 266-272. <http://dx.doi.org/10.1111/pan.12819>.
- Miller, JS; Felice, M; Mcelmurry, R, on; Mccullar, V; Zhou, X; Tolar, J; Schmohl, JU, we; Panoskaltis-Mortari, A; Zhang, B, in; Taras, E; Verneris, MR; Cooley, S; Weisdorf, DJ; Blazar, BR; Vallera, D, an. (2015). Trispesific Killer Engagers (TriKEs) that contain IL-15 to make NK cells antigen specific and to sustain their persistence and expansion. *Blood.* 126.
- Miller, JW; Divanovic, AA; Hossain, MM; Mahmoud, MA; Loepke, AW. (2016). Dosing and efficacy of intranasal dexmedetomidine sedation for pediatric transthoracic echocardiography: a retrospective study. *Can J Anaesth.* 63: 834-841. <http://dx.doi.org/10.1007/s12630-016-0617-y>.
- Miller, RT; Shah, RS; Cattley, RC; Popp, JA. (1996). The peroxisome proliferations WY-14,643 and methylclofenapate induce hepatocyte ploidy alterations and ploidy-specific DNA synthesis in F344 rats. *Toxicol Appl Pharmacol.* 138: 317-323. <http://dx.doi.org/10.1006/taap.1996.0130>.
- Million, M; Walter, G; Thuny, F; Habib, G; Raoult, D. (2013). Evolution from acute Q fever to endocarditis is associated with underlying valvulopathy and age and can be prevented by prolonged antibiotic treatment. *Clin Infect Dis.* 57: 836-844. <http://dx.doi.org/10.1093/cid/cit419>.
- Mills, NC; Means, AR. (1972). Sorbitol dehydrogenase of rat testis: Changes of activity during development, after hypophysectomy and following gonadotrophic hormone administration. *Endocrinology.* 91: 147-156. <http://dx.doi.org/10.1210/endo-91-1-147>.
- Minai, OA; Nathan, SD; Hill, NS; Badesch, DB; Stoller, JK. (2010). Pulmonary hypertension in lung diseases: survey of beliefs and practice patterns. *Respir Med.* 104: 741-748. <http://dx.doi.org/10.1016/j.rmed.2009.12.015>.
- Minami, T; Kawano, H; Yamachika, S; Tsuneto, A; Kaneko, M; Kawano, Y; Minami, S; Eishi, K; Maemura, K. (2012). Comparison of the diagnostic power of transthoracic and transesophageal echocardiography to detect ruptured chordae tendineae. *Int Heart J.* 53: 225-229.
- Minamishima, YA; Nakayama, K; Nakayama, KI. (2002). Recovery of liver mass without proliferation of hepatocytes after partial hepatectomy in Skp2-deficient mice. *Cancer Res.* 62: 995-999.
- Minardi, G; Pino, PG; Manzara, CC; Pulignano, G; Stefanini, GG; Viceconte, GN; Leonetti, S; Madeo, A; Gaudio, C; Musumeci, F. (2010). Preoperative scallop-by-scallop assessment of mitral prolapse using 2D-transthoracic echocardiography. *Cardiovasc Ultrasound.* 8: 1. <http://dx.doi.org/10.1186/1476-7120-8-1>.
- Mindermann, T; Schlegel, I. (2014). How to distinguish tumor growth from transient expansion of vestibular schwannomas following Gamma Knife radiosurgery. *Acta Neurochir (Wien).* 156: 1121-1123. <http://dx.doi.org/10.1007/s00701-014-2063-3>.
- Miranda, WR; Connolly, HM; Bonnicksen, CR; Desimone, DC; Dearani, JA; Maleszewski, JJ; Greason, KL; Wilson, WR; Baddour, LM. (2016). Prosthetic pulmonary valve and pulmonary conduit endocarditis: clinical, microbiological and echocardiographic features in adults. 17: 936-943. <http://dx.doi.org/10.1093/ehjci/jew086>.
- Miranda, WR; Connolly, HM; Desimone, DC; Phillips, SD; Wilson, WR; Sohail, MR; Steckelberg, JM; Baddour, LM. (2015). Infective Endocarditis Involving the Pulmonary Valve. *Am J Cardiol.* 116: 1928-1931. <http://dx.doi.org/10.1016/j.amjcard.2015.09.038>.
- Mirdamadi, A; Mirmohammadsadeghi, M; Marashinia, F; Nourbakhsh, M. (2012). Sinus of Valsalva aneurysm: An uncommon presentation. *ARYA Atherosclerosis.* 8: 164-166.
- Miró, M; Sanfilippo, F; Pérez, F; García Del Valle, S; Gómez-Arnau, JI. (2017). Influence of the thoracic epidural anesthesia on the left ventricular function: an echocardiographic study. *Minerva Anesthesiol.* <http://dx.doi.org/10.23736/S0375-9393.16.11582-2>.
- Mirza, BS; Sorensen, DL; Dupont, RR; Mclean, JE. (2016). Dehalococoides abundance and alternate electron acceptor effects on large, flow-through trichloroethene dechlorinating columns. *Appl Microbiol Biotechnol.* 100: 2367-2379. <http://dx.doi.org/10.1007/s00253-015-7112-1>.
- Mishra, R; Kaur, G. (2013). Aqueous ethanolic extract of *Tinospora cordifolia* as a potential candidate for differentiation based therapy of glioblastomas. *PLoS ONE.* 8: e78764. <http://dx.doi.org/10.1371/journal.pone.0078764>.
- Mishra, R; Kaur, G. (2015). *Tinospora cordifolia* Induces Differentiation and Senescence Pathways in Neuroblastoma Cells. *Mol Neurobiol.* 52: 719-733. <http://dx.doi.org/10.1007/s12035-014-8892-5>.

Human Health Hazard Literature Search Results

Off Topic

- Mishra, R; Manchanda, S; Gupta, M; Kaur, T; Saini, V; Sharma, A; Kaur, G. (2016). *Tinospora cordifolia* ameliorates anxiety-like behavior and improves cognitive functions in acute sleep deprived rats. *Sci Rep.* 6: 25564. <http://dx.doi.org/10.1038/srep25564>.
- Misra, P; Toppo, DD; Mishra, MK; Saema, S; Singh, G. (2012). *Agrobacterium tumefaciens*-mediated transformation protocol of *Jatropha curcas* L. using leaf and hypocotyl segments. *Journal of Plant Biochemistry and Biotechnology.* 21: 128-133. <http://dx.doi.org/10.1007/s13562-011-0072-3>.
- Missov, E. (2013). Left ventricular assist device inflow cannula thrombus: characterization with two-dimensional transthoracic echocardiography. 59: 662-663. <http://dx.doi.org/10.1097/MAT.0000436712.27011.f4>.
- Misuraca, L; Farah, B; Tchetché, D. (2013). Concomitant transapical treatment of aortic stenosis and degenerated mitral bioprosthesis with two 29 mm Edwards Sapien XT prostheses. *J Invasive Cardiol.* 25: 680-682.
- Miszalski-Jamka, T; Szczeklik, W; Karwat, K; Sokołowska, B; Gąsior, J; Rucińska, M; Mazur, W; Skotnicki, A; Kereiakes, DJ; Urbańczyk, M; Jaźwiec, P; Musiał, J. (2015). MRI-based evidence for myocardial involvement in women with hypereosinophilic syndrome. 14: 107-114. <http://dx.doi.org/10.2463/mrms.2013-0133>.
- Miszalski-Jamka, T; Szczeklik, W; Sokołowska, B; Karwat, K; Belzak, K; Mazur, W; Kereiakes, DJ; Musiał, J. (2013). Standard and feature tracking magnetic resonance evidence of myocardial involvement in Churg-Strauss syndrome and granulomatosis with polyangiitis (Wegener's) in patients with normal electrocardiograms and transthoracic echocardiography. *Int J Cardiovasc Imaging.* 29: 843-853. <http://dx.doi.org/10.1007/s10554-012-0158-6>.
- Miszalski-Jamka, T; Szczeklik, W; Sokołowska, B; Miszalski-Jamka, K; Karwat, K; Grządziel, G; Mazur, W; Kereiakes, DJ; Musiał, J. (2011). Cardiac involvement in Wegener's granulomatosis resistant to induction therapy. *Eur Radiol.* 21: 2297-2304. <http://dx.doi.org/10.1007/s00330-011-2203-6>.
- Mitchell, JB; Rogers, MM; Basset, JT; Hubing, KA. (2014). Fatigue during high-intensity endurance exercise: the interaction between metabolic factors and thermal stress. *J Strength Cond Res.* 28: 1906-1914. <http://dx.doi.org/10.1519/JSC.0000000000000319>.
- Mithani, AA; Polimenakos, AC; Santucci, BA. (2013). Ruptured sinus of Valsalva found incidentally in a patient with tetralogy of Fallot. *Pediatric Cardiology.* 34: 1914-1917. <http://dx.doi.org/10.1007/s00246-012-0457-7>.
- Mitropoulos, F; Samanidis, G; Kalogris, P; Michalis, A. (2011). Tortuous right coronary artery to coronary sinus fistula. *Interact Cardiovasc Thorac Surg.* 13: 672-674. <http://dx.doi.org/10.1510/icvts.2011.283689>.
- Mittal, A; Dabur, R. (2015). Detection of New Human Metabolic Urinary Markers in Chronic Alcoholism and Their Reversal by Aqueous Extract of *Tinospora cordifolia* Stem. *Alcohol Alcohol.* 50: 271-281. <http://dx.doi.org/10.1093/alcalc/agn012>.
- Mittal, K; Agrawal, R; Dey, AK; Gadewar, R; Dadhania, D; Hira, P. (2015). Pseudoaneurysm Arising from Mitral Aortic Intervalvular Fibrosa (P-MAIVF) Communicating with Left Atrium (LA): Multiple Detector Computed Tomography (MDCT) Evaluation. *Polish Journal of Radiology.* 80: 85-88. <http://dx.doi.org/10.12659/PJR.892987>.
- Miura, Y; Anzai, K; Takahashi, S; Ozawa, T. (1997). A novel lipophilic spin probe for the measurement of radiation damage in mouse brain using in vivo electron spin resonance (ESR). *FEBS Lett.* 419: 99-102. [http://dx.doi.org/10.1016/S0014-5793\(97\)01443-9](http://dx.doi.org/10.1016/S0014-5793(97)01443-9).
- Miyamoto, A; Yuda, S; Higashidate, Y; Takagi, S; Miura, T. (2014). Utility of three-dimensional transthoracic echocardiography in diagnosis of intermediate atrioventricular septal defect: report of an adult case. *Journal of Medical Ultrasonics.* 41: 197-201. <http://dx.doi.org/10.1007/s10396-013-0479-7>.
- Miyata, R; Adachi, K; Tani, H; Kurata, S; Nakamura, K; Tsuneda, S; Sekiguchi, Y; Noda, N. (2010). Quantitative detection of chloroethene-reductive bacteria *Dehalococcoides* spp. using alternately binding probe competitive Polymerase Chain Reaction. *Mol Cell Probes.* 24: 131-137. <http://dx.doi.org/10.1016/j.mcp.2009.11.005>.
- Miyata, Y; Shibata, T; Aoshima, M; Tsubata, T; Nishida, E. (2014). The molecular chaperone TRiC/CCT binds to the Trp-Asp 40 (WD40) repeat protein WDR68 and promotes its folding, protein kinase DYRK1A binding, and nuclear accumulation. *J Biol Chem.* 289: 33320-33332. <http://dx.doi.org/10.1074/jbc.M114.586115>.
- Miyazawa, M; Tashiro, E; Kitaura, H; Maita, H; Suto, H; Iguchi-Ariga, SM; Ariga, H. (2011). Prefoldin subunits are protected from ubiquitin-proteasome system-mediated degradation by forming complex with other constituent subunits. *J Biol Chem.* 286: 19191-19203. <http://dx.doi.org/10.1074/jbc.M110.216259>.
- Mizia-Stec, K; Pysz, P; Jasiński, M; Adamczyk, T; Drzewiecka-Gerber, A; Chmiel, A; Krejca, M; Bochenek, A; Woś, S; Sosnowski, M; Gąsior, Z; Trusz-Gluza, M; Tendera, M. (2012). Preoperative quantification of aortic valve stenosis: comparison of 64-slice computed tomography with transesophageal and transthoracic echocardiography and size of implanted prosthesis. *Int J Cardiovasc Imaging.* 28: 343-352. <http://dx.doi.org/10.1007/s10554-010-9784-z>.
- Mizuno, R; Yamagami, ST; Higashi, T; Nakada, Y; Takeda, Y; Okayama, S; Fujimoto, S; Saito, Y. (2015). Major Non-Cardiac Surgery Is a Risk Factor for Rapid Hemodynamic Progression of Non-Rheumatic Aortic Stenosis. *Circ J.* 79: 867-872. <http://dx.doi.org/10.1253/circj.CJ-14-1111>.
- Mjaatvedt, CH; Krug, EL; Markwald, RR. (1991). An antiserum (E51) against a particulate form of extracellular matrix blocks the transition of cardiac endothelium into mesenchyme in culture. *Dev Biol.* 145: 219-230. [http://dx.doi.org/10.1016/0012-1606\(91\)90121-I](http://dx.doi.org/10.1016/0012-1606(91)90121-I).
- Mjaatvedt, CH; Lepera, RC; Markwald, RR. (1987). Myocardial specificity for initiating endothelial-mesenchymal cell transition in embryonic chick heart correlates with a particulate distribution of fibronectin. *Dev Biol.* 119: 59-67. [http://dx.doi.org/10.1016/0012-1606\(87\)90206-5](http://dx.doi.org/10.1016/0012-1606(87)90206-5).
- Moccia, E; Intiso, A; Cicatelli, A; Proto, A; Guarino, F; Iannece, P; Castiglione, S; Rossi, F. (2016). Use of *Zea mays* L. in phytoremediation of trichloroethylene. *Environ Sci Pollut Res Int.* <http://dx.doi.org/10.1007/s11356-016-7570-8>.
- Moffatt, CR; Moloi, SB; Kennedy, KJ. (2017). First case report of myopericarditis linked to *Campylobacter coli* enterocolitis. *BMC Infect Dis.* 17: 8. <http://dx.doi.org/10.1186/s12879-016-2115-9>.

Human Health Hazard Literature Search Results

Off Topic

- Mohammed, AG; Alghamdi, AA; Aljahlan, MA; Al-Homood, IA. (2016). Echocardiographic findings in asymptomatic systemic lupus erythematosus patients. *Clin Rheumatol*. <http://dx.doi.org/10.1007/s10067-016-3486-4>.
- Mohty, D; Damy, T; Cosnay, P; Echahidi, N; Casset-Senon, D; Viro, P; Jaccard, A. (2013). Cardiac amyloidosis: updates in diagnosis and management [Review]. *Arch Cardiovasc Dis*. 106: 528-540. <http://dx.doi.org/10.1016/j.acvd.2013.06.051>.
- Moynzadeh, P; Breuhahn, K; Stützer, H; Schirmacher, P. (2005). Chromosome alterations in human hepatocellular carcinomas correlate with aetiology and histological grade: Results of an explorative CGH meta-analysis. *Br J Cancer*. 92: 935-941. <http://dx.doi.org/10.1038/sj.bjc.6602448>.
- Mojadidi, MK; Bogush, N; Caceres, JD; Msaouel, P; Tobis, JM. (2014). Diagnostic accuracy of transesophageal echocardiogram for the detection of patent foramen ovale: a meta-analysis [Review]. *Echocardiography*. 31: 752-758. <http://dx.doi.org/10.1111/echo.12462>.
- Mojadidi, MK; Winoker, JS; Roberts, SC; Msaouel, P; Gevorgyan, R; Zolty, R. (2014). Two-dimensional echocardiography using second harmonic imaging for the diagnosis of intracardiac right-to-left shunt: a meta-analysis of prospective studies. *Int J Cardiovasc Imaging*. 30: 911-923. <http://dx.doi.org/10.1007/s10554-014-0426-8>.
- Mojadidi, MK; Winoker, JS; Roberts, SC; Msaouel, P; Zaman, MO; Gevorgyan, R; Tobis, JM. (2014). Accuracy of conventional transthoracic echocardiography for the diagnosis of intracardiac right-to-left shunt: a meta-analysis of prospective studies. *Echocardiography*. 31: 1036-1048. <http://dx.doi.org/10.1111/echo.12583>.
- Mok, S; Ashley, EA; Ferreira, PE; Zhu, L; Lin, Z; Yeo, T; Chotivanich, K; Imwong, M; Pukrittayakamee, S; Dhorda, M; Nguon, C; Lim, P; Amaratunga, C; Suon, S; Hien, TT; Htut, Y; Faiz, MA; Onyamboko, MA; Mayxay, M; Newton, PN; Tripura, R; Woodrow, CJ; Miotto, O; Kwiatkowski, DP; Nosten, F; Day, NP; Preiser, PR; White, NJ; Dondorp, AM; Fairhurst, RM; Bozdech, Z. (2015). Drug resistance. Population transcriptomics of human malaria parasites reveals the mechanism of artemisinin resistance. *Science*. 347: 431-435. <http://dx.doi.org/10.1126/science.1260403>.
- Moldovan, MS; Bedeleanu, D; Kovacs, E; Ciomârnean, L; Molnar, A. (2016). Pannus-related prosthetic valve dysfunction. *Case report*. 89: 169-175. <http://dx.doi.org/10.15386/cjmed-510>.
- Mondal, PK; Lima, G; Zhang, D; Lomheim, L; Tossell, RW; Patel, P; Sleep, BE. (2016). Evaluation of peat and sawdust as permeable reactive barrier materials for stimulating in situ biodegradation of trichloroethene. *J Hazard Mater*. 313: 37-48. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.049>.
- Monte, I; Grasso, S; Licciardi, S; Badano, LP. (2010). Head-to-head comparison of real-time three-dimensional transthoracic echocardiography with transthoracic and transesophageal two-dimensional contrast echocardiography for the detection of patent foramen ovale. *Eur J Echocardiogr*. 11: 245-249. <http://dx.doi.org/10.1093/ejehocardiography/jep195>.
- Montealegre-Gallegos, M; Mahmood, F; Kim, H; Bergman, R; Mitchell, JD; Bose, R; Hawthorne, KM; O'Halloran, TD; Wong, V; Hess, PE; Matyal, R. (2016). Imaging skills for transthoracic echocardiography in cardiology fellows: The value of motion metrics. *Ann Card Anaesth*. 19: 245-250. <http://dx.doi.org/10.4103/0971-9784.179595>.
- Monteith, J; McMahon, SB. (2013). p53: the TRiC is knowing when to fold 'em [Comment]. *Mol Cell*. 50: 781-782. <http://dx.doi.org/10.1016/j.molcel.2013.06.009>.
- Moore, P; Coucher, J; Ngai, S; Stanton, T; Wahi, S; Gould, P; Booth, C; Pratap, J; Kaye, G. (2016). Imaging and Right Ventricular Pacing Lead Position: A Comparison of CT, MRI, and Echocardiography. *Pacing Clin Electrophysiol*. 39: 382-392. <http://dx.doi.org/10.1111/pace.12817>.
- Moparathi, SB; Carlsson, U; Vincentelli, R; Jonsson, BH; Hammarström, P; Wenger, J. (2016). Differential conformational modulations of MreB folding upon interactions with GroEL/ES and TRiC chaperonin components. *Sci Rep*. 6: 28386. <http://dx.doi.org/10.1038/srep28386>.
- Mora, MA; Durgin, B; Hudson, LB; Jones, E. (2016). Temporal and latitudinal trends of p,p'-DDE in eggs and carcasses of North American birds from 1980 to 2005 [Review]. *Environ Toxicol Chem*. 35: 1340-1348. <http://dx.doi.org/10.1002/etc.3360>.
- Moradi, M; Nazari, M; Khajouei, AS; Esfahani, MA. (2015). Comparison of the accuracy of cardiac computed tomography angiography and transthoracic echocardiography in the diagnosis of mitral valve prolapse. 4: 221. <http://dx.doi.org/10.4103/2277-9175.166644>.
- Morata, TC; Fiorini, AC; Fischer, FM; Colacioppo, S; Wallingford, KM; Krieg, EF; Dunn, DE; Gozzoli, L; Padrão, MA; Cesar, CL. (1997). Toluene-induced hearing loss among rotogravure printing workers. *Scand J Work Environ Health*. 23: 289-298.
- Morata, TC; Johnson, AC; Nysten, P; Svensson, EB; Cheng, J; Krieg, EF; Lindblad, AC; Ernstgård, L; Franks, J. (2002). Audiometric findings in workers exposed to low levels of styrene and noise. *J Occup Environ Med*. 44: 806-814.
- Morbach, C; Lin, BA; Sugeng, L. (2014). Clinical application of three-dimensional echocardiography [Review]. *Prog Cardiovasc Dis*. 57: 19-31. <http://dx.doi.org/10.1016/j.pcad.2014.05.005>.
- Morgenstern, H. (1998). Ecologic studies. In KJ Rothman; S Greenland (Eds.), (2nd ed., pp. 459-480). Philadelphia, PA: Lippincott Williams & Wilkins.
- Morgenstern, H; Froines, J; Ritz, B; Young, B. (1997). Epidemiologic study to determine possible adverse effects to Rocketdyne/Atomics International workers from exposure to ionizing radiation. Berkeley, CA: Public Health Institute. <http://www.mapcruzin.com/rocketdyne-cancer/radiation.pdf>.
- Morgenstern, H; Froines, J; Ritz, B; Young, B. (1999). Epidemiologic study to determine possible adverse effects to Rocketdyne/Atomics International workers from exposure to selected chemicals. Berkeley, CA: Public Health Institute. http://www.ssfpanel.org/files/UCLA_chem.pdf.
- Mori, K; Yamagata, Y; Aikou, S; Nishida, M; Kiyokawa, T; Yagi, K; Yamashita, H; Nomura, S; Seto, Y. (2016). Short-term outcomes of robotic radical esophagectomy for esophageal cancer by a nontransthoracic approach compared with conventional transthoracic surgery. *Dis Esophagus*. 29: 429-434. <http://dx.doi.org/10.1111/dote.12345>.

Human Health Hazard Literature Search Results

Off Topic

- Morimura, K; Cheung, C; Ward, JM; Reddy, JK; Gonzalez, FJ. (2006). Differential susceptibility of mice humanized for peroxisome proliferator-activated receptor alpha to Wy-14,643-induced liver tumorigenesis. *Carcinogenesis*. 27: 1074-1080. <http://dx.doi.org/10.1093/carcin/bgi329>.
- Morioka, I; Miyai, N; Yamamoto, H; Miyashita, K. (2000). Evaluation of combined effect of organic solvents and noise by the upper limit of hearing. *Ind Health*. 38: 252-257. <http://dx.doi.org/10.2486/indhealth.38.252>.
- Moro, K; Koyama, Y; Kosugi, SI; Ishikawa, T; Ichikawa, H; Hanyu, T; Miura, K; Nagahashi, M; Nakajima, M; Tatsuda, K; Tsuchida, J; Toshikawa, C; Ikarashi, M; Shimada, Y; Sakata, J; Kobayashi, T; Kameyama, H; Wakai, T. (2016). Low fat-containing elemental formula is effective for postoperative recovery and potentially useful for preventing chyle leak during postoperative early enteral nutrition after esophagectomy. *Clin Nutr*. 35: 1423-1428. <http://dx.doi.org/10.1016/j.clnu.2016.03.018>.
- Morozko, EL; Nishio, A; Ingham, NJ; Chandra, R; Fitzgerald, T; Martelletti, E; Borck, G; Wilson, E; Riordan, GP; Wangemann, P; Forge, A; Steel, KP; Liddle, RA; Friedman, TB; Belyantseva, IA. (2015). ILDR1 null mice, a model of human deafness DFNB42, show structural aberrations of tricellular tight junctions and degeneration of auditory hair cells. *Hum Mol Genet*. 24: 609-624. <http://dx.doi.org/10.1093/hmg/ddu474>.
- Morrell, ED; Katz, WE; Tulskey, AA. (2013). Morbid obesity: obscuring the diagnosis of aortic stenosis in a patient with cardiogenic wheezing [Review]. *J Gen Intern Med*. 28: 155-159. <http://dx.doi.org/10.1007/s11606-012-2155-9>.
- Morris, DM; Shafer, RS; Fairbrother, KR; Woodall, MW. (2011). Effects of lactate consumption on blood bicarbonate levels and performance during high-intensity exercise. *Int J Sport Nutr Exerc Metab*. 21: 311-317.
- Morrow, LA; Steinhauer, SR; Hodgson, MJ. (1992). Delay in P300 latency in patients with organic solvent exposure. *Arch Neurol*. 49: 315-320.
- Morton, LD; Youssef, AF; Lloyd, E; Kiorpes, AL; Goldsworthy, TL; Fort, FL. (2002). Evaluation of carcinogenic responses in the Eker rat following short-term exposure to selected nephrotoxins and carcinogens. *Toxicol Pathol*. 30: 559-564. <http://dx.doi.org/10.1080/01926230290105794>.
- Morton, LM; Hartge, P; Holford, TR; Holly, EA; Chiu, BC; Vineis, P; Stagnaro, E; Willett, EV; Franceschi, S; La Vecchia, C; Hughes, AM; Cozen, W; Davis, S; Severson, RK; Bernstein, L; Mayne, ST; Dee, FR; Cerhan, JR; Zheng, T. (2005). Cigarette smoking and risk of non-Hodgkin lymphoma: A pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph) [Review]. *Cancer Epidemiol Biomarkers Prev*. 14: 925-933. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0693>.
- Morton, LM; Holford, TR; Leaderer, B; Zhang, Y; Zahm, SH; Boyle, P; Flynn, S; Tallini, G; Owens, PH; Zhang, B; Zheng, T. (2003). Alcohol use and risk of non-Hodgkin's lymphoma among Connecticut women (United States). *Cancer Causes Control*. 14: 687-694. <http://dx.doi.org/10.1023/A:1025626208861>.
- Morton, LM; Turner, JJ; Cerhan, JR; Linet, MS; Treseler, PA; Clarke, CA; Jack, A; Cozen, W; Maynadie, M; Spinelli, JJ; Costantini, AS; Rudiger, T; Scarpa, A; Zheng, T; Weisenburger, DD. (2007). Proposed classification of lymphoid neoplasms for epidemiologic research from the Pathology Working Group of the International Lymphoma Epidemiology Consortium (InterLymph). *Blood*. 110: 695-708. <http://dx.doi.org/10.1182/blood-2006-11-051672>.
- Moschietto, S; Doyen, D; Grech, L; Dellamonica, J; Hyvernath, H; Bernardin, G. (2012). Transthoracic Echocardiography with Doppler Tissue Imaging predicts weaning failure from mechanical ventilation: evolution of the left ventricle relaxation rate during a spontaneous breathing trial is the key factor in weaning outcome. *Critical Care (Online)*. 16: R81. <http://dx.doi.org/10.1186/cc11339>.
- Moser, VC; Phillips, PM; McDaniel, KL; MacPhail, RC. (1999). Behavioral evaluation of the neurotoxicity produced by dichloroacetic acid in rats. *Neurotoxicol Teratol*. 21: 719-731. [http://dx.doi.org/10.1016/S0892-0362\(99\)00029-X](http://dx.doi.org/10.1016/S0892-0362(99)00029-X).
- Moslemi, MK; Ebadzadeh, MR; Al-Mousawi, S. (2011). Transverse testicular ectopia, a case report and review of literature [Review]. *German Medical Science*. 9: Doc15. <http://dx.doi.org/10.3205/000138>.
- Motwani, M; Banypersad, S; Woolfson, P; Waldek, S. (2012). Enzyme replacement therapy improves cardiac features and severity of Fabry disease. *Mol Genet Metab*. 107: 197-202. <http://dx.doi.org/10.1016/j.ymgme.2012.05.011>.
- Mouhamad, R; Ghanem, I; Alorfi, M; Ibrahim, K; Ali, N; Al-Daoude, A. (2012). PHYTOREMEDIATION OF TRICHLOROETHYLENE AND DICHLORODIPHENYLTRICHLOROETHANE-POLLUTED WATER USING TRANSGENIC SESBANIA GRANDIFLORA AND ARABIDOPSIS THALIANA PLANTS HARBORING RABBIT CYTOCHROME P450 2E1. *Int J Phytoremediation*. 14: 656-668. <http://dx.doi.org/10.1080/15226514.2011.619232>.
- Mousa, TM; Akinseye, OA; Kerwin, TC; Akinboboye, OO. (2015). A Rare Association of Sinus Venosus-Type Atrial Septal Defect and Persistent Left Superior Vena Cava Detected by Transthoracic Echocardiography and Cardiac Magnetic Resonance Imaging. *The American Journal of Case Reports*. 16: 528-531. <http://dx.doi.org/10.12659/AJCR.894394>.
- Mousavi, N; Czarnecki, A; Ahmadie, R; Tielan Fang, R; Kumar, K; Lytwyn, M; Kumar, A; Jassal, DS. (2010). The utility of tissue Doppler imaging for the noninvasive determination of left ventricular filling pressures in patients with septic shock. *J Intensive Care Med*. 25: 163-167. <http://dx.doi.org/10.1177/0885066609359903>.
- Moussouttas, M; Lai, EW; Dombrowski, K; Huynh, TT; Khoury, J; Carmona, G; Decaro, M; Pacak, K. (2011). CSF catecholamine profile in subarachnoid hemorrhage patients with neurogenic cardiomyopathy. *Neurocrit Care*. 14: 401-406. <http://dx.doi.org/10.1007/s12028-011-9527-6>.
- Moyers, BS; Secemsky, EA; Vittinghoff, E; Wong, JK; Havlir, DV; Hsue, PY; Tseng, ZH. (2014). Effect of left ventricular dysfunction and viral load on risk of sudden cardiac death in patients with human immunodeficiency virus. *Am J Cardiol*. 113: 1260-1265. <http://dx.doi.org/10.1016/j.amjcard.2013.12.036>.

Human Health Hazard Literature Search Results

Off Topic

- Mrema, EJ; Rubino, FM; Mandic-Rajcevic, S; Sturchio, E; Turci, R; Osculati, A; Brambilla, G; Minoia, C; Colosio, C. (2013). Exposure to priority organochlorine contaminants in the Italian general population. Part 1. Eight priority organochlorinated pesticides in blood serum. *Hum Exp Toxicol.* 32: 1323-1339. <http://dx.doi.org/10.1177/0960327113485255>.
- Muchitsch, N; Van Nooten, T; Bastiaens, L; Kjeldsen, P. (2011). Integrated evaluation of the performance of a more than seven year old permeable reactive barrier at a site contaminated with chlorinated aliphatic hydrocarbons (CAHs). *J Contam Hydrol.* 126: 258-270. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.007>.
- Mudiam, MKR; Jain, R; Varshney, M; Ch, R; Chauhan, A; Goyal, SK; Khan, HA; Murthy, RC. (2013). In matrix derivatization of trichloroethylene metabolites in human plasma with methyl chloroformate and their determination by solid-phase microextraction-gas chromatography-electron capture detector. *Journal of Chromatography B.* 925: 63-69. <http://dx.doi.org/10.1016/j.jchromb.2013.02.029>.
- Mudiam, MKR; Ratnasekhar, C, h. (2013). Ultra sound assisted one step rapid derivatization and dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometric determination of amino acids in complex matrices. *J Chromatogr A.* 1291: 10-18. <http://dx.doi.org/10.1016/j.chroma.2013.03.061>.
- Mukherjee, P; Roy, P. (2013). Copper Enhanced Monooxygenase Activity and FT-IR Spectroscopic Characterisation of Biotransformation Products in Trichloroethylene Degrading Bacterium: *Stenotrophomonas maltophilia* PM102. *BioMed Res Int.* 2013: 723680. <http://dx.doi.org/10.1155/2013/723680>.
- Mukherjee, P; Roy, P. (2013). Persistent Organic Pollutants Induced Protein Expression and Immunocrossreactivity by *Stenotrophomonas maltophilia* PM102: A Prospective Bioremediating Candidate. *BioMed Res Int.* 2013: 714232. <http://dx.doi.org/10.1155/2013/714232>.
- Mukherjee, P; Roy, P. (2013). Purification and identification of trichloroethylene induced proteins from *Stenotrophomonas maltophilia* PM102 by immuno-affinity-chromatography and MALDI-TOF Mass spectrometry. 2: 207. <http://dx.doi.org/10.1186/2193-1801-2-207>.
- Muller, L; Brière, M; Bastide, S; Roger, C; Zoric, L; Seni, G; de La Coussaye, JE; Ripart, J; Lefrant, JY. (2014). Preoperative fasting does not affect haemodynamic status: a prospective, non-inferiority, echocardiography study. *Br J Anaesth.* 112: 835-841. <http://dx.doi.org/10.1093/bja/aet478>.
- Müllerová, D; Matějková, D; Dvořáková, J; Müller, L; Rosmus, J; Kovářová, K. (2015). PERSISTENT ORGANOCHLORINE POLLUTANTS IN OBESE WOMEN AFTER DIET INDUCED WEIGHT LOSS: FIVE YEARS FOLLOW UP STUDY. *Cent Eur J Public Health.* 23: 214-217. <http://dx.doi.org/10.21101/cejph.a4100>.
- Mun, TK; Kirienko, OA. (2011). [Biodegradation of tri- and perchloroethylene in sewage waters and soils by a microbial consortium of compost and phototrophic bacteria]. *Izv Akad Nauk Ser Biol*625-629.
- Munholland, JL; Mumford, KG; Kueper, BH. (2016). Factors affecting gas migration and contaminant redistribution in heterogeneous porous media subject to electrical resistance heating. *J Contam Hydrol.* 184: 14-24. <http://dx.doi.org/10.1016/j.jconhyd.2015.10.011>.
- Muñoz, IG; Yébenes, H; Zhou, M; Mesa, P; Serna, M; Park, AY; Bragado-Nilsson, E; Beloso, A; de Cárcer, G; Malumbres, M; Robinson, CV; Valpuesta, JM; Montoya, G. (2011). Crystal structure of the open conformation of the mammalian chaperonin CCT in complex with tubulin. 18: 14-19. <http://dx.doi.org/10.1038/nsmb.1971>.
- Murari, A; Angelone, M; Bonheure, G; Cecil, E; Craciunescu, T; Darrow, D; Edlington, T; Ericsson, G; Gatu-Johnson, M; Gorini, G; Hellesen, C; Kiptily, V; Mlynar, J; Perez von Thun, C; Pillon, M; Popovichev, S; Syme, B; Tardocchi, M; Zoita, VL; Contributors, E-J. (2010). New developments in the diagnostics for the fusion products on JET in preparation for ITER (invited). *Rev Sci Instrum.* 81: 10E136.
- Muratori, M; Montorsi, P; Maffessanti, F; Teruzzi, G; Zoghbi, WA; Gripari, P; Tamborini, G; Ghulam Ali, S; Fusini, L; Fiorentini, C; Pepi, M. (2013). Dysfunction of bileaflet aortic prosthesis: accuracy of echocardiography versus fluoroscopy. *JACC: Cardiovascular Imaging.* 6: 196-205. <http://dx.doi.org/10.1016/j.jcmg.2012.09.011>.
- Murcha, MW; Kubiszewski-Jakubiak, S; Teixeira, PF; Gügel, IL; Kmiec, B; Narsai, R; Ivanova, A; Megel, C; Schock, A; Kraus, S; Berkowitz, O; Glaser, E; Philippar, K; Maréchal-Drouard, L; Soll, J; Whelan, J. (2016). Plant-Specific Preprotein and Amino Acid Transporter Proteins Are Required for tRNA Import into Mitochondria. *Plant Physiol.* 172: 2471-2490. <http://dx.doi.org/10.1104/pp.16.01519>.
- Murphy, JP. (1990). Exposure to Wells G and H in Woburn, Massachusetts. Boston, MA: Massachusetts Health Research Institute, Inc. and Massachusetts Department of Public Health. http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_exposure_wells.pdf.
- Murtagh, G; Laffin, LJ; Patel, KV; Patel, AV; Bonham, CA; Yu, Z; Addetia, K; El-Hangouche, N; Maffessanti, F; Mor-Avi, V; Hogarth, DK; Sweiss, NJ; Beshai, JF; Lang, RM; Patel, AR. (2016). Improved detection of myocardial damage in sarcoidosis using longitudinal strain in patients with preserved left ventricular ejection fraction. *Echocardiography.* 33: 1344-1352. <http://dx.doi.org/10.1111/echo.13281>.
- Music, L; Knezevic, B; Jovovic, L; Bulatovic, N. (2016). Double orifice mitral valve - A case report. *Vojnosanit Pregl.* 73: 496-499. <http://dx.doi.org/10.2298/VSP141223036M>.
- Musić, L; Knežević, B; Jovović, L; Bulatović, N. (2016). Double orifice mitral valve--A case report. *Vojnosanit Pregl.* 73: 496-499.
- Mutlu, E; Jeong, Y, oC; Collins, LB; Ham, A; Upton, PB; Hatch, G; Winsett, D; Evansky, P; Swenberg, JA. (2012). A New LC-MS/MS Method for the Quantification of Endogenous and Vinyl Chloride-Induced 7-(2-Oxoethyl)Guanine in Sprague-Dawley Rats. *Chem Res Toxicol.* 25: 391-399. <http://dx.doi.org/10.1021/tx200447w>.
- Na, JU; Choi, PC; Lee, HJ; Shin, DH; Han, SK; Cho, JH. (2015). A vertical two-thumb technique is superior to the two-thumb encircling technique for infant cardiopulmonary resuscitation. *Acta Paediatr.* 104: e70-e75. <http://dx.doi.org/10.1111/apa.12857>.
- Nacar, AB; Topcu, S; Kurt, M; Tanboga, IH; Karakaş, MF; Buyukkaya, E; Aksakal, E; Sen, N; Akcay, AB; Bilen, E. (2015). Effect of remote ischemic postconditioning on left ventricular mechanics. *Echocardiography.* 32: 448-453. <http://dx.doi.org/10.1111/echo.12677>.

Human Health Hazard Literature Search Results

Off Topic

- Nadler-Holly, M; Breker, M; Gruber, R; Azia, A; Gymrek, M; Eisenstein, M; Willison, KR; Schuldiner, M; Horovitz, A. (2012). Interactions of subunit CCT3 in the yeast chaperonin CCT/TRiC with Q/N-rich proteins revealed by high-throughput microscopy analysis. *Proc Natl Acad Sci USA*. 109: 18833-18838. <http://dx.doi.org/10.1073/pnas.1209277109>.
- Nadziakiewicz, P; Niklewski, T; Szyguła-Jurkiewicz, B; Pacholewicz, J; Zakliczyński, M; Borkowski, J; Hrapkowicz, T; Zembala, M. (2016). Preoperative Echocardiography Examination of Right Ventricle Function in Patients Scheduled for LVAD Implantation Correlates with Postoperative Hemodynamic Examinations. *Ann Transplant*. 21: 500-507.
- Nagasawa, Y; Ukai, H; Okamoto, S; Samoto, H; Itoh, K; Moriguchi, J; Sakuragi, S; Ohashi, F; Takada, S; Kawakami, T; Ikeda, M. (2011). Organic solvent use in enterprises in Japan. *Ind Health*. 49: 534-541.
- Naghizadeh, A; Nasser, S; Nazmara, S, h. (2011). REMOVAL OF TRICHLOROETHYLENE FROM WATER BY ADSORPTION ON TO MULTIWALL CARBON NANOTUBES. *Iranian Journal of Environmental Health Science and Engineering*. 8: 375-382.
- Nagiub, M; Stravitz, RT; Grinnan, D; Moskowitz, W. (2015). Evaluation of Arteriovenous Shunting in Patients With End-Stage Liver Disease: Potential Role of Early Right Heart Catheterization. *Transplant Proc*. 47: 2892-2896. <http://dx.doi.org/10.1016/j.transproceed.2015.10.033>.
- Naito, D; Ueyama, T; Kobara, M; Amano, K; Ogata, T; Taniguchi, T; Nakanishi, N; Miyagawa, K; Matsubara, H. (2012). MURC/cavin-4 Functions as a Negative Regulator of Caveolin-3 in The Development of Heart Failure. *Circulation*. 126.
- Naji, H; Peristeris, A; Stenman, J; Svensson, JF; Wester, T. (2012). Transverse testicular ectopia: three additional cases and a review of the literature [Review]. *Pediatric Surgery International*. 28: 703-706. <http://dx.doi.org/10.1007/s00383-012-3105-7>.
- Najib, MQ; Ng, D; Vinales, KL; Chaliki, HP. (2012). Aorto-right ventricular fistula: a complication of aortic valve replacement. 18: 64-67.
- Nakajima, T; Moriguchi, M; Mitsumoto, Y; Sekoguchi, S; Nishikawa, T; Takashima, H; Watanabe, T; Katagishi, T; Kimura, H; Okanou, T; Kagawa, K. (2004). Centrosome aberration accompanied with p53 mutation can induce genetic instability in hepatocellular carcinoma. *Mod Pathol*. 17: 722-727. <http://dx.doi.org/10.1038/modpathol.3800115>.
- Nakajima, Y; Mironov, V; Yamagishi, T; Nakamura, H; Markwald, R. (1997). Expression of smooth muscle alpha-actin in mesenchymal cells during formation of avian endocardial cushion tissue: a role for transforming growth factor beta3. *Dev Dyn*. 209: 296-309. [http://dx.doi.org/10.1002/\(SICI\)1097-0177\(199707\)209:3<296::AID-AJA5>3.0.CO;2-D](http://dx.doi.org/10.1002/(SICI)1097-0177(199707)209:3<296::AID-AJA5>3.0.CO;2-D).
- Nakano, N; Itoh, S; Watanabe, Y; Maeyama, K; Itoh, F; Kato, M. (2010). Requirement of TCF7L2 for TGF-beta-dependent transcriptional activation of the TMEPAI gene. *J Biol Chem*. 285: 38023-38033. <http://dx.doi.org/10.1074/jbc.M110.132209>.
- Nakazato, R; Tamarappoo, BK; Smith, TW; Cheng, VY; Dey, D; Shmilovich, H; Gutstein, A; Gurudevan, S; Hayes, SW; Thomson, LE; Friedman, JD; Berman, DS. (2011). Assessment of left ventricular regional wall motion and ejection fraction with low-radiation dose helical dual-source CT: comparison to two-dimensional echocardiography. *J Cardiovasc Comput Tomogr*. 5: 149-157. <http://dx.doi.org/10.1016/j.jcct.2011.01.011>.
- Nakibuuka, J; Nyakoojo, WB; Namale, A; Ddumba, E; Leontsini, E; Nuwaha, F. (2013). Utility of Transthoracic Echocardiography and Carotid Doppler Ultrasound in Differential Diagnosis and Management of Ischemic Stroke in a Developing Country. 1: 1012-1016.
- Nalawadi, SS; Siegel, RJ; Wolin, E; Yu, R; Trento, A; Shiota, T; Tolstrup, K; Luthringer, D; Gurudevan, S. (2010). Morphologic features of carcinoid heart disease as assessed by three-dimensional transesophageal echocardiography. *Echocardiography*. 27: 1098-1105. <http://dx.doi.org/10.1111/j.1540-8175.2010.01207.x>.
- Naletova, IN; Popova, KM; Eldarov, MA; Kuravsky, ML; Schmalhausen, EV; Sevostyanova, IA; Muronetz, VI. (2011). Chaperonin TRiC assists the refolding of sperm-specific glyceraldehyde-3-phosphate dehydrogenase. *Arch Biochem Biophys*. 516: 75-83. <http://dx.doi.org/10.1016/j.abb.2011.09.010>.
- Nanda, NC; Kapur, KK; Kapoor, PM. (2016). Simulation for transthoracic echocardiography of aortic valve [Review]. *Ann Card Anaesth*. 19: 498-504. <http://dx.doi.org/10.4103/0971-9784.185541>.
- Nanjappa, MC; Ananthakrishna, R; Hemanna Setty, SK; Bhat, P; Shankarappa, RK; Panneerselvam, A; Kamalapurkar, G; Bhat, SP; Rao, VR. (2013). Acute severe mitral regurgitation following balloon mitral valvotomy: echocardiographic features, operative findings, and outcome in 50 surgical cases. 81: 603-608. <http://dx.doi.org/10.1002/ccd.24417>.
- Narayanan, A; Pullepu, D; Kabir, MA. (2016). The interactome of CCT complex - A computational analysis. *Comput Biol Chem*. 64: 396-402. <http://dx.doi.org/10.1016/j.compbiolchem.2016.09.002>.
- Narayanan, A; Pullepu, D; Reddy, PK; Uddin, W; Kabir, MA. (2016). Defects in Protein Folding Machinery Affect Cell Wall Integrity and Reduce Ethanol Tolerance in *S. cerevisiae*. *Curr Microbiol*. 73: 38-45. <http://dx.doi.org/10.1007/s00284-016-1024-x>.
- Narin, B; Arman, A; Arslan, D; Simşek, M; Narin, A. (2010). Assessment of cardiac masses: magnetic resonance imaging versus transthoracic echocardiography. 10: 69-74.
- Naser, N; Dzubur, A; Kusljagic, Z; Kovacevic, K; Kulic, M; Sokolovic, S; Terzic, I; Haxhibeqiri-Karabdic, I; Hondo, Z; Brdzanovic, S; Miseljic, S. (2016). Echocardiographic Assessment of Ischaemic Mitral Regurgitation, Mechanism, Severity, Impact on Treatment Strategy and Long Term Outcome. *Acta Informatica Medica*. 24: 172-177. <http://dx.doi.org/10.5455/aim.2016.24.172-177>.
- Nasr, AT; Alexander, K; Schreiner, LJ; Mcauley, KB. (2015). Leuco-crystal-violet micelle gel dosimeters: I. Influence of recipe components and potential sensitizers. *Phys Med Biol*. 60: 4665-4683. <http://dx.doi.org/10.1088/0031-9155/60/12/4665>.
- Nasr, AT; Alexander, KM; Olding, T; Schreiner, LJ; Mcauley, KB. (2015). Leuco-crystal-violet micelle gel dosimeters: II. Recipe optimization and testing. *Phys Med Biol*. 60: 4685-4704. <http://dx.doi.org/10.1088/0031-9155/60/12/4685>.
- Nassos, JT; Elatrache, NS; Angel, MJ; Tibone, JE; Limpisvasti, O; Lee, TQ. (2012). A watertight construct in arthroscopic rotator cuff repair. *J Shoulder Elbow Surg*. 21: 589-596. <http://dx.doi.org/10.1016/j.jse.2011.04.008>.

Human Health Hazard Literature Search Results

Off Topic

- Natarajan, A; Duivenvoorden, W; Meijers, M; Zwanenburg, T. (1993). Induction of mitotic aneuploidy using Chinese hamster primary embryonic cells. Test results of 10 chemicals. *Mutat Res.* 287: 47-56. [http://dx.doi.org/10.1016/0027-5107\(93\)90144-5](http://dx.doi.org/10.1016/0027-5107(93)90144-5).
- Nath, SK; Sheridan, AD; Rauch, PJ; Contessa, JN; Yu, JB; Knisely, JP; Minja, FJ; Chiang, VL; Vortmeyer, AO. (2012). TRIC or Tumor: Regrowing Lesions Following Radiosurgery for Brain Metastases - Proposal for a Histopathologic Scale Based on Correlation With Survival. *Int J Radiat Oncol Biol Phys.* 84: S297-S297.
- Nath, SK; Sheridan, AD; Rauch, PJ; Yu, JB; Minja, FJ; Vortmeyer, AO; Chiang, VL. (2014). Significance of histology in determining management of lesions regrowing after radiosurgery. *J Neurooncol.* 117: 303-310. <http://dx.doi.org/10.1007/s11060-014-1389-2>.
- Naugler, WE; Sakurai, T; Kim, S; Maeda, S; Kim, K; Elsharkawy, AM; Karin, M. (2007). Gender disparity in liver cancer due to sex differences in MyD88-dependent IL-6 production. *Science.* 317: 121-124. <http://dx.doi.org/10.1126/science.1140485>.
- Navalón, I; Pradelli, D; Bussadori, CM. (2015). Transesophageal echocardiography to diagnose anomalous right coronary artery type R2A in dogs. 17: 262-270. <http://dx.doi.org/10.1016/j.jvc.2015.08.007>.
- Navas, EV; Mccalla-Lewis, A; Fernandez, BB; Pinski, SL; Novaro, GM; Asher, CR. (2012). Abdominal aortic aneurysm screening during transthoracic echocardiography: Cardiologist and vascular medicine specialist interpretation. *World Journal of Cardiology.* 4: 31-35. <http://dx.doi.org/10.4330/wjc.v4.i2.31>.
- Nayak, G; Lee, SI; Yousaf, R; Edelman, SE; Trincot, C; Van Itallie, CM; Sinha, GP; Rafeeq, M; Jones, SM; Belyantseva, IA; Anderson, JM; Forge, A; Frolenkov, GI; Riazuddin, S. (2013). Tricellulin deficiency affects tight junction architecture and cochlear hair cells. *J Clin Invest.* 123: 4036-4049. <http://dx.doi.org/10.1172/JCI69031>.
- Neagoe, RM; Sala, D; Voidazan, S; Bancu, S; Kiss, L; Suci, H. (2013). Transthoracic versus Transhiatal esophagectomy: a permanent dilemma. our 15-year experience. *Chirurgia (Bucur).* 108: 780-787.
- Neckers, L, en; Ricketts, CJ; Linehan, WM. (2013). New Insights into von Hippel-Lindau Function Highlighted by Investigation of the Trichloroethylene-Induced p.P81S Hotspot Mutation [Editorial]. *J Natl Cancer Inst.* 105: 1339-1340. <http://dx.doi.org/10.1093/jnci/djt240>.
- Neef, DW; Jaeger, AM; Gomez-Pastor, R; Willmund, F; Frydman, J; Thiele, DJ. (2014). A direct regulatory interaction between chaperonin TRiC and stress-responsive transcription factor HSF1. 9: 955-966. <http://dx.doi.org/10.1016/j.celrep.2014.09.056>.
- Neef, DW; Turski, ML; Thiele, DJ. (2010). Modulation of heat shock transcription factor 1 as a therapeutic target for small molecule intervention in neurodegenerative disease. *PLoS Biol.* 8: e1000291. <http://dx.doi.org/10.1371/journal.pbio.1000291>.
- Neelankavil, J; Howard-Quijano, K; Hsieh, TC; Ramsingh, D; Scovotti, JC; Chua, JH; Ho, JK; Mahajan, A. (2012). Transthoracic echocardiography simulation is an efficient method to train anesthesiologists in basic transthoracic echocardiography skills. *Anesth Analg.* 115: 1042-1051. <http://dx.doi.org/10.1213/ANE.0b013e318265408f>.
- Neghab, M; Stacey, N. (1997). Toluene-induced elevation of serum bile acids: Relationship to bile acid transport. *J Toxicol Environ Health.* 52: 249-268. <http://dx.doi.org/10.1080/00984109708984063>.
- Nejatian, A; Yu, J; Geva, T; White, MT; Prakash, A. (2015). Aortic Measurements in Patients with Aortopathy are Larger and More Reproducible by Cardiac Magnetic Resonance Compared with Echocardiography. *Pediatric Cardiology.* 36: 1761-1773. <http://dx.doi.org/10.1007/s00246-015-1231-4>.
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis.* 16: 1243-1245.
- Nelson, L; Longstreth, W; Koepsell, T; Checkoway, H; van Belle, G. (1994). Completeness and accuracy of interview data from proxy respondents: Demographic, medical, and life-style factors. *Epidemiology.* 5: 204-217.
- Nemir, A; David, MM; Perrussel, R; Sapkota, A, my; Simonet, P; Monier, JM; Vogel, TM. (2010). Comparative phylogenetic microarray analysis of microbial communities in TCE-contaminated soils. *Chemosphere.* 80: 600-607. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.036>.
- Nepomuceno, R; Zeglinski, M; Lerner, J; Czarnecki, W; Kirkpatrick, ID; Strzelczyk, J; Jassal, DS. (2011). Multimodality imaging of anomalous pulmonary veins. *Cardiovasc Ultrasound.* 9: 3. <http://dx.doi.org/10.1186/1476-7120-9-3>.
- Ness, TL; Robinson, RL; Mojadedi, W; Peavy, L; Weiland, MH. (2015). A streamlined Western blot exercise: An efficient and greener approach in the laboratory classroom. 43: 358-365. <http://dx.doi.org/10.1002/bmb.20876>.
- Neumüller, RA; Richter, C; Fischer, A; Novatchkova, M; Neumüller, KG; Knoblich, JA. (2011). Genome-wide analysis of self-renewal in Drosophila neural stem cells by transgenic RNAi. *Cell Stem Cell.* 8: 580-593. <http://dx.doi.org/10.1016/j.stem.2011.02.022>.
- Nezafati, MH; Javan, H; Maleki, MH; Hamedanchi, A. (2011). Lipomatosis of interventricular septum and both ventricles: an extremely rare pattern. *Interact Cardiovasc Thorac Surg.* 12: 511-512. <http://dx.doi.org/10.1510/icvts.2010.258020>.
- Ng, AC; Hanzek, D; Kritharides, L; Yiannikas, J. (2013). A novel parasternal transthoracic echocardiographic window for detecting coronary ostial dilation after modified Bentall surgery. *Cardiovasc Ultrasound.* 11: 14. <http://dx.doi.org/10.1186/1476-7120-11-14>.
- Ngai-yin, C; Chi-chung, C; Kar-chun, C; Chun-leung, L; Ying-keung, L; Pui-shan, C; Ho-chuen, Y; Suet-ting, L; Yuen-choi, C. (2010). Echocardiographic mapping of left ventricular resynchronization during cardiac resynchronization therapy procedures. *Chin Med J.* 123: 1645-1651. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.2010.13.006>.
- Nguyen Dinh, MT; Giraudon, JM; Vandenbroucke, AM; Morent, R; De Geyter, N; Lamonier, JF. (2016). Manganese oxide octahedral molecular sieve K-OMS-2 as catalyst in post plasma-catalysis for trichloroethylene degradation in humid air. *J Hazard Mater.* 314: 88-94. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.027>.
- Nguyen, HB; Banta, DP; Stewart, G; Kim, T; Bansal, R; Anholm, J; Wittlake, WA; Corbett, SW. (2010). Cardiac index measurements by transcutaneous Doppler ultrasound and transthoracic echocardiography in adult and pediatric emergency patients. *J Clin Monit Comput.* 24: 237-247. <http://dx.doi.org/10.1007/s10877-010-9240-6>.

Human Health Hazard Literature Search Results

Off Topic

- Nickerson, ML; Jaeger, E; Shi, Y; Durocher, JA; Mahurkar, S; Zaridze, D; Matveev, V; Janout, V; Kollarova, H; Bencko, V; Navratilova, M; Szeszenia-Dabrowska, N; Mates, D; Mukeria, A; Holcatova, I; Schmidt, LS; Toro, JR; Karami, S; Hung, R; Gerard, GF; Linehan, WM; Merino, M; Zbar, B; Boffetta, P; Brennan, P; Rothman, N; Chow, WH; Waldman, FM; Moore, LE. (2008). Improved identification of von Hippel-Lindau gene alterations in clear cell renal tumors. *Clin Cancer Res.* 14: 4726-4734. <http://dx.doi.org/10.1158/1078-0432.CCR-07-4921>.
- Nickl, W; Fueth, R; Smettan, J, an; Koehler, T; Lankisch, M; Kramer, F; Krahn, T; Barroso, MC; Klein, RM; Dinh, W. (2012). Assessment of Aortic Valve Area Combining Echocardiography and Magnetic Resonance Imaging. *Arq Bras Cardiol.* 98: 234-241.
- Nicolas, R; Sibon, I; Hiba, B. (2015). Accuracies and Contrasts of Models of the Diffusion-Weighted-Dependent Attenuation of the MRI Signal at Intermediate b-values. *Magnetic Resonance Insights.* 8: 11-21. <http://dx.doi.org/10.4137/MRI.S25301>.
- Nicolle-Mir, L. (2013). Trichloroethylene toxicity: advanced knowledge. *E R S.* 12: 391-392.
- Nie, P; Wang, X; Cheng, Z; Duan, Y; Ji, X; Chen, J; Zhang, H. (2012). The value of low-dose prospective ECG-gated dual-source CT angiography in the diagnosis of coarctation of the aorta in infants and children. *Clin Radiol.* 67: 738-745. <http://dx.doi.org/10.1016/j.crad.2011.12.007>.
- Nie, P; Yang, G; Wang, X; Duan, Y; Xu, W; Li, H; Cao, T; Liu, X; Ji, X; Cheng, Z; Wang, A. (2014). Application of prospective ECG-gated high-pitch 128-slice dual-source CT angiography in the diagnosis of congenital extracardiac vascular anomalies in infants and children. *PLoS ONE.* 9: e115793. <http://dx.doi.org/10.1371/journal.pone.0115793>.
- Niederlehner, B; Cairns, J; Smith, E. (1998). Modeling acute and chronic toxicity of nonpolar narcotic chemicals and mixtures to *Ceriodaphnia dubia*. *Ecotoxicol Environ Saf.* 39: 136-146. <http://dx.doi.org/10.1006/eesa.1997.1621>.
- Nielsen, DG; Gotzsche, O; Eika, B. (2013). Objective structured assessment of technical competence in transthoracic echocardiography: a validity study in a standardised setting. *BMC Med Educ.* 13: 47. <http://dx.doi.org/10.1186/1472-6920-13-47>.
- Nielsen, DG; Gotzsche, O; Sonne, O; Eika, B. (2012). The relationship between immediate relevant basic science knowledge and clinical knowledge: physiology knowledge and transthoracic echocardiography image interpretation. *17: 501-513.* <http://dx.doi.org/10.1007/s10459-011-9327-y>.
- Nielsen, DG; Mortensen, UM; Gill, S. (2015). [Consensus on national criteria for transthoracic echocardiography competence]. *Ugeskr Laeger.* 177: 971-973.
- Nijenhuis, VJ; Huitema, MP; Vorselaars, VM; Swaans, MJ; de Kroon, T; van der Heyden, JA; Rensing, BJ; Heijmen, R; Ten Berg, JM; Post, MC. (2016). Echocardiographic pulmonary hypertension probability is associated with clinical outcomes after transcatheter aortic valve implantation. *Int J Cardiol.* 225: 218-225. <http://dx.doi.org/10.1016/j.ijcard.2016.10.010>.
- Nijmeh, G; Frazin, LJ; Zelinger, A. (2011). When an unidentified foreign object appears in the inferior vena cava: recognizing the presence of TIPS stent on transthoracic echocardiographic imaging. *Echocardiography.* 28: E70-E71. <http://dx.doi.org/10.1111/j.1540-8175.2010.01342.x>.
- Nikroo, R; Alemzadeh, I; Vossoughi, M; Haddadian, K. (2016). Evaluation of trichloroethylene degradation by starch supported Fe/Ni nanoparticles via response surface methodology. *Water Sci Technol.* 73: 935-946. <http://dx.doi.org/10.2166/wst.2015.566>.
- NIOSH. (1998). Criteria for a recommended standard: Occupational exposure to metalworking fluids. (98-102). Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/98-102.html>.
- Nishi, T; Funabashi, N; Ozawa, K; Takahara, M; Fujimoto, Y; Kamata, T; Kobayashi, Y. (2016). Resting multilayer 2D speckle-tracking transthoracic echocardiography for the detection of clinically stable myocardial ischemic segments confirmed by invasive fractional flow reserve. Part 1: Vessel-by-vessel analysis. *Int J Cardiol.* 218: 324-332. <http://dx.doi.org/10.1016/j.ijcard.2016.05.016>.
- Nishiyama, T; Tanosaki, S; Tanaka, M; Yanagisawa, R; Yashima, F; Kimura, T; Arai, T; Tsuruta, H; Murata, M; Aizawa, Y; Kohno, T; Maekawa, Y; Hayashida, K; Takatsuki, S; Fukuda, K. (2017). Predictive factor and clinical consequence of left bundle-branch block after a transcatheter aortic valve implantation. *Int J Cardiol.* 227: 25-29. <http://dx.doi.org/10.1016/j.ijcard.2016.11.063>.
- Nissen, SE; Nicholls, SJ; Wolski, K; Howey, DC; Mcerlean, E; Wang, MD; Gomez, EV; Russo, JM. (2007). Effects of a potent and selective PPAR-alpha agonist in patients with atherogenic dyslipidemia or hypercholesterolemia: Two randomized controlled trials. *JAMA.* 297: 1362-1373. <http://dx.doi.org/10.1001/jama.297.12.1362>.
- Nitcheva, DK; Piegorsch, WW; West, RW. (2007). On use of the multistage dose-response model for assessing laboratory animal carcinogenicity. *Regul Toxicol Pharmacol.* 48: 135-147. <http://dx.doi.org/10.1016/j.yrtph.2007.03.002>.
- Niyyar, VD; Work, J. (2011). Avoiding a shutdown--use of the transcatheter extractor in removal of tunneled dialysis catheters. *Semin Dial.* 24: 115-117. <http://dx.doi.org/10.1111/j.1525-139X.2011.00847.x>.
- Noble, S; Vilarino, R; Muller, H; Sunthorn, H; Roffi, M. (2011). Fatal coronary sinus and aortic erosions following percutaneous transvenous mitral annuloplasty device. *EuroIntervention.* 7: 148-150. <http://dx.doi.org/10.4244/EIJV711A24>.
- Noda, Y; Matsutera, R; Yasuoka, Y; Abe, H; Adachi, H; Hattori, S; Araki, R; Imanaka, T; Kosugi, M; Sasaki, T. (2010). Noninvasive demonstration of dual coronary artery fistulas to main pulmonary artery with 64-slice multidetector-computed tomography: a case report. 2010. <http://dx.doi.org/10.4061/2010/861068>.
- Nöhammer, C; Brunner, F; Wölkart, G; Staber, PB; Steyrer, E; Gonzalez, FJ; Zechner, R; Hoefler, G. (2003). Myocardial dysfunction and male mortality in peroxisome proliferator-activated receptor alpha knockout mice overexpressing lipoprotein lipase in muscle. *Lab Invest.* 83: 259-269. <http://dx.doi.org/10.1097/01.LAB.0000053916.61772.CA>.
- Nomura, T. (2017). Function and application of a non-ester-hydrolyzing carboxylesterase discovered in tulip [Review]. *Biosci Biotechnol Biochem.* 81: 81-94. <http://dx.doi.org/10.1080/09168451.2016.1240608>.

Human Health Hazard Literature Search Results

Off Topic

- Nomura, T; Hayashi, E; Kawakami, S; Ogita, S; Kato, Y. (2015). Environmentally benign process for the preparation of antimicrobial α -methylene- β -hydroxy- γ -butyrolactone (tulipalin B) from tulip biomass. *Biosci Biotechnol Biochem*. 79: 25-35. <http://dx.doi.org/10.1080/09168451.2014.946395>.
- Nomura, T; Matsutani, T; Hagiwara, N; Fujita, I; Nakamura, Y; Makino, H; Miyashita, M; Uchida, E. (2016). Mediastinoscopy-assisted Transhiatal Esophagectomy for Esophageal Cancer: A Single-Institutional Cohort Study. *Surg Laparosc Endosc Percutan Tech*. 26: e153-e156. <http://dx.doi.org/10.1097/SLE.0000000000000348>.
- Nomura, T; Ogita, S; Kato, Y. (2012). A novel lactone-forming carboxylesterase: molecular identification of a tuliposide A-converting enzyme in tulip. *Plant Physiol*. 159: 565-578. <http://dx.doi.org/10.1104/pp.112.195388>.
- Noor, A; Kretschmer, WP; Glatz, G; Kempe, R. (2011). Highly active titanium-based olefin polymerization catalysts bearing bulky aminopyridinato ligands. *Inorg Chem*. 50: 4598-4606. <http://dx.doi.org/10.1021/ic200318h>.
- Noordman, BJ; Wijnhoven, BP; van Lanschot, JJ. (2016). Optimal surgical approach for esophageal cancer in the era of minimally invasive esophagectomy and neoadjuvant therapy [Review]. *Dis Esophagus*. 29: 773-779. <http://dx.doi.org/10.1111/dote.12407>.
- Noordzij, W; van Beek, AP; Tio, RA; van der Horst-Schrivers, AN; de Vries, EG; van Ginkel, B; Walenkamp, AM; Glaudemans, AW; Slart, RH; Dierckx, RA. (2014). Myocardial metastases on 6-[¹⁸F] fluoro-L-DOPA PET/CT: a retrospective analysis of 116 serotonin producing neuroendocrine tumour patients. *PLoS ONE*. 9: e112278. <http://dx.doi.org/10.1371/journal.pone.0112278>.
- Noormohammadi, A; Khodakarami, A; Gutierrez-Garcia, R; Lee, HJ; Koyuncu, S; König, T; Schindler, C; Saez, I; Fatima, A; Dieterich, C; Vilchez, D. (2016). Somatic increase of CCT8 mimics proteostasis of human pluripotent stem cells and extends *C. elegans* lifespan. *Nature Communications*. 7: 13649. <http://dx.doi.org/10.1038/ncomms13649>.
- Nordlund, LA; Carstensen, JM; Pershagen, G. (1997). Cancer incidence in female smokers: A 26-year follow-up. *Int J Cancer*. 73: 625-628. [http://dx.doi.org/10.1002/\(SICI\)1097-0215\(19971127\)73:5<625::AID-IJC2>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0215(19971127)73:5<625::AID-IJC2>3.0.CO;2-Z).
- Nordlund, LA; Carstensen, JM; Pershagen, G. (1999). Are male and female smokers at equal risk of smoking-related cancer: Evidence from a Swedish prospective study. *Scand J Public Health*. 27: 56-62.
- Nowak, T; Stachurski, A; Rachwalik, M; Kustrzycki, W; Szelemej, R. (2010). [Big myxoma of the left atrium suggesting pulmonary embolism]. *Kardiol Pol*. 68: 695-696, discussion 697.
- NRC. (1983). *Risk Assessment in the Federal Government: Managing the Process*. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC. (1993). *Pesticides in the diets of infants and children*. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2126>.
- NRC. (1994). *Science and judgment in risk assessment* (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NRC. (1997). *Environmental epidemiology, volume 2: Use of the gray literature and other data in environmental epidemiology*. Washington, DC: National Academies Press. http://www.nap.edu/catalog.php?record_id=5804.
- Ntreh, AT; Weeks, JW; Nickels, LM; Zgurskaya, HI. (2016). Opening the Channel: the Two Functional Interfaces of *Pseudomonas aeruginosa* OpmH with the Triclosan Efflux Pump TriABC. *J Bacteriol*. 198: 3176-3185. <http://dx.doi.org/10.1128/JB.00535-16>.
- Nunes, LM; Zhu, YG; Stigter, TY; Monteiro, JP; Teixeira, MR. (2011). Environmental impacts on soil and groundwater at airports: origin, contaminants of concern and environmental risks [Review]. *J Environ Monit*. 13: 3026-3039. <http://dx.doi.org/10.1039/c1em10458f>.
- Nyman, PJ; Limm, W; Begley, TH; Chirtel, SJ. (2014). Single-laboratory validation of a method for the determination of select volatile organic compounds in foods by using vacuum distillation with gas chromatography/mass spectrometry. *J AOAC Int*. 97: 510-520. <http://dx.doi.org/10.5740/jaoacint.13-294>.
- NYSDEC. (2008). *Project information summary: Solvents, contamination and cleanup at Endicott*. Albany, NY. <http://www.dec.ny.gov/chemical/24887.html>.
- O'Brien, B; Schoenhagen, P; Kapadia, S. R.; Svensson, LG; Rodriguez, L; Griffin, BP; Tuzcu, EM; Desai, MY. (2011). Integration of 3D imaging data in the assessment of aortic stenosis: impact on classification of disease severity. *Circulation: Cardiovascular Imaging*. 4: 566-573. <http://dx.doi.org/10.1161/CIRCIMAGING.111.964916>.
- O'Byrne, ML; Glatz, AC; Goldberg, DJ; Shinohara, R; Dori, Y; Rome, JJ; Gillespie, MJ. (2015). Accuracy of Transthoracic Echocardiography in Assessing Retro-aortic Rim prior to Device Closure of Atrial Septal Defects. *Congenit Heart Dis*. 10: E146-E154. <http://dx.doi.org/10.1111/chd.12226>.
- Oddone, E; Edefonti, V; Scaburri, A; Vai, T; Bai, E; Modonesi, C; Crosignani, P; Imbriani, M. (2014). Female Breast Cancer and Electrical Manufacturing: Results of a Nested Case-control Study. *J Occup Health*. 56: 369-378.
- Odesanmi, OS; Lawal, RA; Ojokuku, SA. (2011). Effects of ethanolic extract of *Tetrapleura tetraptera* fruit on serum lipid profile and kidney function in male Dutch-white rabbits. *Nig Q J Hosp Med*. 21: 299-302.
- Odiete, O; Nagendra, R; Lawson, MA; Okafor, H. (2012). Biventricular noncompaction cardiomyopathy in a patient presenting with new onset seizure: case report. 2012: 924865. <http://dx.doi.org/10.1155/2012/924865>.
- O'Donnell, L; McLachlan, RI; Wreford, NG; Robertson, DM. (1994). Testosterone promotes the conversion of round spermatids between stages VII and VIII of the rat spermatogenic cycle. *Endocrinology*. 135: 2608-2614. <http://dx.doi.org/10.1210/en.135.6.2608>.
- O'Driscoll, JM; Bahia, SS; Gravina, A; Di Fino, S; Thompson, MM; Karthikesalingam, A; Holt, PJ; Sharma, R. (2016). Transthoracic Echocardiography Provides Important Long-Term Prognostic Information in Selected Patients Undergoing Endovascular Abdominal Aortic Repair. *Circulation: Cardiovascular Imaging*. 9: e003557. <http://dx.doi.org/10.1161/CIRCIMAGING.115.003557>.
- Oemuer-Oezbek, P; Gallagher, DL; Dietrich, AM. (2011). Determining Human Exposure and Sensory Detection of Odorous Compounds Released During Showering. *Environ Sci Technol*. 45: 468-473. <http://dx.doi.org/10.1021/es1030068>.

Human Health Hazard Literature Search Results

Off Topic

- Oertel, F; Golczyk, K; Pantele, S; Danov, V; Galiñanes, M; Beyer, M. (2012). Mitral valve restoration using the No-React(R) MitroFix™: a novel concept. *J Cardiothorac Surg.* 7: 82. <http://dx.doi.org/10.1186/1749-8090-7-82>.
- Oeztuerk, Z; Tansel, B; Katsenovich, Y; Sukop, M; Laha, S. (2012). Highly organic natural media as permeable reactive barriers: TCE partitioning and anaerobic degradation profile in eucalyptus mulch and compost. *Chemosphere.* 89: 665-671. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.006>.
- Oh, SH; Chang, SA; Jang, SY; Park, SJ; Choi, JO; Lee, SC; Park, SW; Oh, JK; Kim, DK. (2010). Routine screening for abdominal aortic aneurysm during clinical transthoracic echocardiography in a Korean population. *Echocardiography.* 27: 1182-1187. <http://dx.doi.org/10.1111/j.1540-8175.2010.01223.x>.
- Ohira, H; Beanlands, RS; Davies, RA; Mielniczuk, L. (2015). The role of nuclear imaging in pulmonary hypertension. 22: 141-157. <http://dx.doi.org/10.1007/s12350-014-9960-y>.
- Ohnishi, M; Umeda, Y; Katagiri, T; Kasai, T; Ikawa, N; Nishizawa, T; Fukushima, S. (2013). Inhalation carcinogenicity of 1,1,1-trichloroethane in rats and mice. *Inhal Toxicol.* 25: 298-306. <http://dx.doi.org/10.3109/08958378.2013.780116>.
- Oka, T; Masaoka, Y; Ueda, H; Shiode, N; Hayashi, Y; Kihara, Y. (2013). Primary cardiac lymphoma diagnosed by endomyocardial biopsy using transthoracic echocardiography in the substernal window. *Journal of Medical Ultrasonics.* 40: 483-485. <http://dx.doi.org/10.1007/s10396-013-0432-9>.
- Okada, DR; Rahmouni, HW; Herrmann, HC; Bavaria, JE; Forfia, PR; Han, Y. (2014). Assessment of right ventricular function by transthoracic echocardiography following aortic valve replacement. *Echocardiography.* 31: 552-557. <http://dx.doi.org/10.1111/echo.12421>.
- Olalla, J; Pombo, M; Del Arco, A; de la Torre, J; Urdiales, D; García-Alegria, J. (2013). Left ventricular mass in HIV-infected patients. *Rev Clin Esp.* 213: 271-277. <http://dx.doi.org/10.1016/j.rce.2013.02.001>.
- O'Leary, TJ; Collett, J; Howells, K; Morris, MG. (2017). Endurance capacity and neuromuscular fatigue following high vs moderate-intensity endurance training: a randomised trial. *Scand J Med Sci Sports.* <http://dx.doi.org/10.1111/sms.12854>.
- Olejniczak, I; Lapiński, A; Swietlik, R; Olivier, J; Golhen, S; Ouahab, L. (2011). Experimental and theoretical investigation of vibrational spectra of coordination polymers based on TCE-TTF. *Chemphyschem.* 12: 2124-2130. <http://dx.doi.org/10.1002/cphc.201100197>.
- Olivier, P; Plancke, MO; Marzin, D; Clavey, V; Sauzies, J; Fruchart, JC. (1988). Effects of fenofibrate, gemfibrozil and nicotinic acid on plasma lipoprotein levels in normal and hyperlipidemic mice: A proposed model for drug screening. *Atherosclerosis.* 70: 107-114. [http://dx.doi.org/10.1016/0021-9150\(88\)90104-9](http://dx.doi.org/10.1016/0021-9150(88)90104-9).
- Olson, MR; Sale, TC. (2015). Implications of soil mixing for NAPL source zone remediation: Column studies and modeling of field-scale systems. *J Contam Hydrol.* 177-178: 206-219. <http://dx.doi.org/10.1016/j.jconhyd.2015.04.008>.
- Omer, MA; Laster, SB; Amin, A; Main, ML. (2016). Contrast-Enhanced Echocardiographic Evaluation of a Giant Saphenous Vein Graft Aneurysm. *Echocardiography.* 33: 1092-1094. <http://dx.doi.org/10.1111/echo.13215>.
- Ondarts, M; Hort, C; Sochard, S; Platel, V; Moynault, L; Seby, F. (2012). Evaluation of compost and a mixture of compost and activated carbon as biofilter media for the treatment of indoor air pollution. *Environ Technol.* 33: 273-284. <http://dx.doi.org/10.1080/09593330.2011.570793>.
- Oneta, CM; Lieber, CS; Li, J; Rüttimeann, S; Schmid, B; Lattmann, J; Rosman, AS; Seitz, HK. (2002). Dynamics of cytochrome P4502E1 activity in man: Induction by ethanol and disappearance during withdrawal phase. *J Hepatol.* 36: 47-52. [http://dx.doi.org/10.1016/S0168-8278\(01\)00223-9](http://dx.doi.org/10.1016/S0168-8278(01)00223-9).
- Ono, H; Nagamine, H; Toyoda, A; Shimizu, N; Katori, T; Sugiyama, M. (2015). Right-sided hepatic hernia of normal left lobe resembling cardiac tumor. *Pediatrics International.* 57: 729-731. <http://dx.doi.org/10.1111/ped.12579>.
- Onugoren, O; Gottschalk, E; Dudenhausen, JW; Henrich, W. (2012). Assessment of long-axis ventricular function in the fetal heart with a tissue-tracking algorithm. *J Perinat Med.* 40: 297-305. <http://dx.doi.org/10.1515/jpm.2011.138>.
- Ormsbee, LE. (2014). Research Translation Core - Core C.
- Ormsbee, LE. (2015). Research Translation Core - Core C.
- Orwat, S; Diller, GP; Kaleschke, G; Kerckhoff, G; Kempny, A; Radke, RM; Buerke, B; Burg, M; Schülke, C; Baumgartner, H. (2014). Aortic regurgitation severity after transcatheter aortic valve implantation is underestimated by echocardiography compared with MRI. *Heart.* 100: 1933-1938. <http://dx.doi.org/10.1136/heartjnl-2014-305665>.
- Orwat, S; Kempny, A; Diller, GP; Bauerschmitz, P; Bunck, AC, h; Maintz, D; Radke, RM; Baumgartner, H. (2014). Cardiac magnetic resonance feature tracking: a novel method to assess myocardial strain. Comparison with echocardiographic speckle tracking in healthy volunteers and in patients with left ventricular hypertrophy. *Kardiol Pol.* 72: 363-371. <http://dx.doi.org/10.5603/KP.a2013.0319>.
- Oshiro, WM; Kenyon, EM; Gordon, CJ; Bishop, B; Krantz, QT; Ford, J; Bushnell, PJ. (2011). Extrapolating the Acute Behavioral Effects of Toluene from 1- to 24-h Exposures in Rats: Roles of Dose Metric and Metabolic and Behavioral Tolerance. *Toxicol Sci.* 123: 180-192. <http://dx.doi.org/10.1093/toxsci/kfr162>.
- O'Sullivan, CJ; Praz, F; Stortecky, S; Windecker, S; Wenaweser, P. (2014). Assessment of low-flow, low-gradient, severe aortic stenosis: an invasive evaluation is required for decision making. *10 Suppl U: U61-U68.* <http://dx.doi.org/10.4244/EIJV10SUA9>.
- Oto, A; Aytemir, K; Ozkutlu, S; Kaya, EB; Yorgun, H; Canpolat, U; Ateş, AH; Ozkutlu, H. (2011). Transthoracic echocardiography guidance during percutaneous closure of patent foramen ovale. *Echocardiography.* 28: 1074-1080. <http://dx.doi.org/10.1111/j.1540-8175.2011.01524.x>.
- Oto, MA; Aytemir, K; Ozkutlu, S; Kaya, EB; Kabakçı, G; Ateş, AH; Yorgun, H; Canpolat, U. (2011). [Percutaneous closure of interatrial septal defects: mid-term follow-up results]. *Turk Kardiyol Dern Ars.* 39: 385-395. <http://dx.doi.org/10.5543/tkda.2011.01474>.

Human Health Hazard Literature Search Results

Off Topic

- Ouchi, K; Sakuma, T; Kawai, M; Fukuda, K. (2016). Incidence and appearances of coronary sinus anomalies in adults on cardiac CT. *Japanese Journal of Radiology*. 34: 684-690. <http://dx.doi.org/10.1007/s11604-016-0574-y>.
- Oueslati, F; Boone, J; Ahmaid, S. (2016). Respiratory muscle endurance, oxygen saturation index in vastus lateralis and performance during heavy exercise. *Respir Physiol Neurobiol*. 227: 41-47. <http://dx.doi.org/10.1016/j.resp.2016.02.008>.
- Ouoba, S; Cherblanc, F; Cousin, B; Benet, JC. (2010). A New Experimental Method to Determine the Sorption Isotherm of a Liquid in a Porous Medium. *Environ Sci Technol*. 44: 5914-5919. <http://dx.doi.org/10.1021/es101377v>.
- Ouyang, F; Longnecker, MP; Venners, SA; Johnson, S; Korrick, S; Zhang, J; Xu, X; Christian, P; Wang, MC; Wang, X. (2014). Preconception serum 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane and B-vitamin status: independent and joint effects on women's reproductive outcomes. *Am J Clin Nutr*. 100: 1470-1478. <http://dx.doi.org/10.3945/ajcn.114.088377>.
- Oyedemi, AT; Akintunde, AA; Owojori, OO; Peter, JO. (2014). Spectrum of Echocardiographic Abnormalities among 168 Consecutive Referrals to an Urban Private Hospital in South-Western Nigeria. 8: 35-38. <http://dx.doi.org/10.4137/CMC.S14320>.
- Ozaki, K; Okubo, T; Tanaka, K; Hosaka, Y; Tsuchida, K; Takahashi, K; Oda, H; Minamino, T. (2016). Manifestation of Latent Left Ventricular Outflow Tract Obstruction in the Acute Phase of Takotsubo Cardiomyopathy. *Intern Med*. 55: 3413-3420. <http://dx.doi.org/10.2169/internalmedicine.55.7119>.
- Ozawa, K; Funabashi, N; Kamata, T; Kobayashi, Y. (2017). Inter- and intraobserver consistency in LV myocardial strain measurement using a novel multi-layer technique in patients with severe aortic stenosis and preserved LV ejection fraction. *Int J Cardiol*. 228: 687-693. <http://dx.doi.org/10.1016/j.ijcard.2016.11.190>.
- Ozawa, K; Funabashi, N; Nishi, T; Takahara, M; Fujimoto, Y; Kamata, T; Kobayashi, Y. (2016). Novel three dimensional myocardial strain parameter thresholds on resting transthoracic echocardiography for detection of left ventricular ischemic segments determined by invasive fractional flow reserve. *Int J Cardiol*. 220: 871-875. <http://dx.doi.org/10.1016/j.ijcard.2016.06.073>.
- Ozawa, K; Funabashi, N; Nishi, T; Takahara, M; Fujimoto, Y; Kamata, T; Kobayashi, Y. (2016). Resting multilayer 2D speckle-tracking TTE for detection of ischemic segments confirmed by invasive FFR part-2, using post-systolic-strain-index and time from aortic-valve-closure to regional peak longitudinal-strain. *Int J Cardiol*. 217: 149-155. <http://dx.doi.org/10.1016/j.ijcard.2016.04.153>.
- Ozawa, K; Funabashi, N; Takaoka, H; Kamata, T; Kanaeda, A; Saito, M; Nomura, F; Kobayashi, Y. (2015). Characteristic myocardial strain identified in hypertrophic cardiomyopathy subjects with preserved left ventricular ejection fraction using a novel multi-layer transthoracic echocardiography technique. *Int J Cardiol*. 184: 237-243. <http://dx.doi.org/10.1016/j.ijcard.2015.01.070>.
- Ozawa, K; Funabashi, N; Takaoka, H; Kamata, T; Nomura, F; Kobayashi, Y. (2014). Consistencies of independent estimates of 3D TTE global longitudinal strain of both ventricles between assessors were worse than for 2D, but better than 3D ventricular EF in a population with 80% HCM. *Eur Heart J*. 35: 285-285.
- Ozawa, K; Funabashi, N; Takaoka, H; Kamata, T; Nomura, F; Kobayashi, Y. (2015). Consistencies of 3D TTE global longitudinal strain of both ventricles between assessors were worse for 2D, but better for 3D ventricular EF. *Int J Cardiol*. 198: 140-151. <http://dx.doi.org/10.1016/j.ijcard.2015.06.049>.
- Ozawa, K; Funabashi, N; Takaoka, H; Kobayashi, Y. (2014). 2D Speckle Tracking Myocardial Strain Gradients Have Positive Relationship With the Degree of Hypertrophy in LV Myocardium for Hypertrophic Cardiomyopathy and Severe Aortic Stenosis With Different Mechanism. A Novel Multi-Layer Technique TTE Study. *Circulation*. 130.
- Ozawa, K; Funabashi, N; Takaoka, H; Kobayashi, Y. (2017). Successful MACE risk stratification in hypertrophic cardiomyopathy patients using different 2D speckle-tracking TTE approaches. *Int J Cardiol*. 228: 1015-1021. <http://dx.doi.org/10.1016/j.ijcard.2016.11.141>.
- Özdemir, A; Machida, K; Imataka, H; Catling, AD. (2016). Identification of the T-complex protein as a binding partner for newly synthesized cytoplasmic dynein intermediate chain 2. *Biochem Biophys Res Commun*. 469: 126-131. <http://dx.doi.org/10.1016/j.bbrc.2015.11.082>.
- Özdemir, E; Koçan, H; Yazıcı, M; Altıok, E; Su, FE; Güneş, MN. (2015). Case Report of a Man With Sertoli Cell Only, Transverse Testicular Ectopia, and External Auditory Canal Atresia. 3: 3-5. <http://dx.doi.org/10.1016/j.eucr.2014.09.002>.
- Ozturk, D; Celik, O; Akin, F; Akturk, F; Aslan, S; Ozyılmaz, SO; Birand, A; Yıldırım, A. (2015). Usefulness of the uric acid and CHA₂DS₂-VASc score in prediction of left atrial thrombosis in patients with mitral stenosis and sinus rhythm. *Cardiol J*. 22: 336-342. <http://dx.doi.org/10.5603/CJ.a2014.0059>.
- Pabst, S; Hammerstingl, C; Grau, N; Kreuz, J; Grohe, C; Juergens, UR; Nickenig, G; Skowasch, D. (2013). Pulmonary arterial hypertension in patients with sarcoidosis: the Pulsar single center experience. *Adv Exp Med Biol*. 755: 299-305. http://dx.doi.org/10.1007/978-94-007-4546-9_38.
- Pachirat, O; Prathani, S; Lulitanond, V; Watt, G. (2014). Echocardiographic features in Streptococcus agalactiae endocarditis: four cases report. *J Med Assoc Thai*. 97: 118-122.
- Paciaroni, M; Agnelli, G; Falocci, N; Caso, V; Becattini, C; Marcheselli, S; Rueckert, C; Pezzini, A; Poli, L; Padovani, A; Csiba, L; Szabó, L; Sohn, SI; Tassinari, T; Abdul-Rahim, AH; Michel, P; Cordier, M; Vanacker, P; Remillard, S; Alberti, A; Venti, M; Acciarresi, M; D'Amore, C; Mosconi, MG; Scoditti, U; Denti, L; Orlandi, G; Chiti, A; Gialdini, G; Bovi, P; Carletti, M; Rigatelli, A; Putaala, J; Tatlisumak, T; Masotti, L; Lorenzini, G; Tassi, R; Guideri, F; Martini, G; Tsvigoulis, G; Vadikolias, K; Liantinioti, C; Corea, F; Del Sette, M; Ageno, W; De Lodovici, ML; Bono, G; Baldi, A; D'Anna, S; Sacco, S; Carolei, A; Tiseo, C; Imberti, D; Zabzuni, D; Doronin, B; Volodina, V; Consoli, D; Galati, F; Pieroni, A; Toni, D; Monaco, S; Baronello, MM; Barlino, K; Pallesen, LP; Kepplinger, J; Bodechtel, U; Gerber, J; Deleu, D; Melikyan, G; Ibrahim, F; Akhtar, N; Lees, KR. (2016). Prognostic value of trans-thoracic echocardiography in patients with acute stroke and atrial fibrillation: findings from the RAF study. *J Neurol*. 263: 231-237. <http://dx.doi.org/10.1007/s00415-015-7957-3>.
- Padilla, I. (2010). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padilla, I. (2011). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.

Human Health Hazard Literature Search Results

Off Topic

- Padilla, I. (2012). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padilla, I. (2013). Project 4: Dynamic Transport and Exposure Pathways of Contaminants in Karst.
- Padjas, A; Płazak, W; Celińska-Lowenhoff, M; Mazurek, A; Perricone, C; Podolec, P; Musiał, J. (2016). Myocardial Ischaemia, Coronary Atherosclerosis and Pulmonary Pressure Elevation in Antiphospholipid Syndrome Patients. 25: 1199-1205.
- Paelinck, BP; Van Herck, PL; Rodrigus, I; Claeys, MJ; Laborde, JC; Parizel, PM; Vrints, CJ; Bosmans, JM. (2011). Comparison of magnetic resonance imaging of aortic valve stenosis and aortic root to multimodality imaging for selection of transcatheter aortic valve implantation candidates. *Am J Cardiol.* 108: 92-98. <http://dx.doi.org/10.1016/j.amjcard.2011.02.348>.
- Palau, J; Jamin, P; Badin, A; Vanhecke, N; Haerens, B; Brouyère, S; Hunkeler, D. (2016). Use of dual carbon-chlorine isotope analysis to assess the degradation pathways of 1,1,1-trichloroethane in groundwater. *Water Res.* 92: 235-243. <http://dx.doi.org/10.1016/j.watres.2016.01.057>.
- Palau, J; Marchesi, M; Chambon, JC; Aravena, R; Canals, À; Binning, PJ; Bjerg, PL; Otero, N; Soler, A. (2014). Multi-isotope (carbon and chlorine) analysis for fingerprinting and site characterization at a fractured bedrock aquifer contaminated by chlorinated ethenes. *Sci Total Environ.* 475: 61-70. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.059>.
- Palazzuoli, A; Cademartiri, F; Geleijnse, ML; Meijboom, B; Pugliese, F; Soliman, O; Calabrò, A; Nuti, R; de Feyter, P. (2010). Left ventricular remodelling and systolic function measurement with 64 multi-slice computed tomography versus second harmonic echocardiography in patients with coronary artery disease: a double blind study. *Eur J Radiol.* 73: 82-88. <http://dx.doi.org/10.1016/j.ejrad.2008.09.022>.
- Palmer, CN; Hsu, MH; Griffin, KJ; Raucy, JL; Johnson, EF. (1998). Peroxisome proliferator activated receptor-alpha expression in human liver. *Mol Pharmacol.* 53: 14-22.
- Pan, S; Bing, Z; Wang, B; Wang, K; Huang, G. (2015). Transcatheter intervention of mesh-like ASD under TTE in infants. *J Am Coll Cardiol.* 66: C216-C216.
- Pan, W; Zhou, D; Pan, C; Ge, J. (2012). Aortic valve annulus diameter in Chinese patients with severe calcific aortic valve stenosis: implications for transcatheter aortic valve implantation. 79: 720-725. <http://dx.doi.org/10.1002/ccd.23378>.
- Pan, X; Li, S; Hu, S; Ouyang, W; Zhang, F; Zhang, D; Tian, P; Zhang, Y; Pang, K. (2014). [Feasibility of transcatheter closure of atrial septal defect under the guidance of transthoracic echocardiography]. *Zhonghua Xin Xue Guan Bing Za Zhi.* 42: 744-747.
- Pan, X; Reissman, S; Douglas, NR; Huang, Z; Yuan, DS; Wang, X; Mccaffery, JM; Frydman, J; Boeke, JD. (2010). Trivalent arsenic inhibits the functions of chaperonin complex. *Genetics (Online).* 186: 725-734. <http://dx.doi.org/10.1534/genetics.110.117655>.
- Pan, XB; Ou-Yang, WB; Pang, KJ; Zhang, FW; Wang, SZ; Liu, Y; Zhang, DW; Guo, GL; Tian, PS; Hu, SS. (2015). Percutaneous Closure of Atrial Septal Defects Under Transthoracic Echocardiography Guidance Without Fluoroscopy or Intubation in Children. *J Interv Cardiol.* 28: 390-395. <http://dx.doi.org/10.1111/joic.12214>.
- Panagiotakis, I; Antoniou, K; Mamais, D; Pantazidou, M. (2015). Effects of different electron donor feeding patterns on TCE reductive dechlorination performance. *Bull Environ Contam Toxicol.* 94: 289-294. <http://dx.doi.org/10.1007/s00128-015-1462-3>.
- Pant, P; Pant, S. (2010). A review: Advances in microbial remediation of trichloroethylene (TCE) [Review]. *J Environ Sci.* 22: 116-126. [http://dx.doi.org/10.1016/S1001-0742\(09\)60082-6](http://dx.doi.org/10.1016/S1001-0742(09)60082-6).
- Paratz, ED; Zhao, J; Sherwen, AK; Scarlato, RM; Macisaac, AI. (2016). Is an Abnormal ECG Just the Tip of the ICE-berg? Examining the Utility of Electrocardiography in Detecting Methamphetamine-Induced Cardiac Pathology. *Heart, Lung & Circulation (Online).* <http://dx.doi.org/10.1016/j.hlc.2016.11.005>.
- Parelkar, NK; Silswal, N; Jansen, K; Vaughn, J; Bryan, RM; Andresen, J. (2010). 2,2,2-trichloroethanol activates a nonclassical potassium channel in cerebrovascular smooth muscle and dilates the middle cerebral artery. *J Pharmacol Exp Ther.* 332: 803-810. <http://dx.doi.org/10.1124/jpet.109.162313>.
- Parikh, RV; Ma, Y; Scherzer, R; Heringer, AS; Macgregor, JS; Martin, JN; Deeks, SG; Ganz, P; Hsue, PY. (2016). Endothelin-1 Predicts Hemodynamically Assessed Pulmonary Arterial Hypertension in HIV Infection. *PLoS ONE.* 11: e0146355. <http://dx.doi.org/10.1371/journal.pone.0146355>.
- Parikh, SS; Jons, C; Mcnitt, S; Daubert, JP; Schwarz, KQ; Hall, B. (2010). Predictive capability of left atrial size measured by CT, TEE, and TTE for recurrence of atrial fibrillation following radiofrequency catheter ablation. *Pacing Clin Electrophysiol.* 33: 532-540. <http://dx.doi.org/10.1111/j.1540-8159.2010.02693.x>.
- Park, HC; Park, JK; Choi, SI; Kim, SG; Kim, MK; Choi, BY; Shin, J. (2015). Prevalence of Atrial Fibrillation and Relation to Echocardiographic Parameters in a Healthy Asymptomatic Rural Korean Population. *J Korean Med Sci.* 30: 1078-1084. <http://dx.doi.org/10.3346/jkms.2015.30.8.1078>.
- Park, J; Chang, HJ; Choi, JH; Yang, PS; Lee, SE; Heo, R; Shin, S; Cho, IJ; Kim, YJ; Shim, CY; Hong, GR; Chung, N. (2014). Late gadolinium enhancement in cardiac MRI in patients with severe aortic stenosis and preserved left ventricular systolic function is related to attenuated improvement of left ventricular geometry and filling pressure after aortic valve replacement. *Korean Circulation Journal.* 44: 312-319. <http://dx.doi.org/10.4070/kcj.2014.44.5.312>.
- Park, JH; Joo, HS; Yoo, KY; Shin, BN; Kim, IH; Lee, CH; Choi, JH; Byun, K; Lee, B; Lim, SS; Kim, MJ; Won, MH. (2011). Extract from Terminalia chebula seeds protect against experimental ischemic neuronal damage via maintaining SODs and BDNF levels. *Neurochem Res.* 36: 2043-2050. <http://dx.doi.org/10.1007/s11064-011-0528-9>.
- Park, KM; Kim, J; Na, H; Chun, KJ; Im, SI; Park, SJ; Kim, JS; On, YK. (2015). Cardiomyopathy With Frequent Ventricular Premature Depolarization – Predicting Irreversible Ventricular Dysfunction. *Circ J.* 79: 1816-1822. <http://dx.doi.org/10.1253/circj.CJ-15-0171>.
- Park, R; Vincent, K; Abdelrahman, AA; Krishnan, M; Koppala, J. (2016). An unusual presentation of recurring metastatic melanoma. 2016. <http://dx.doi.org/10.1093/jscr/rjw030>.

Human Health Hazard Literature Search Results

Off Topic

- Park, SB; Osterloh, JD; Vamvakas, S; Hashmi, M; Anders, MW; Cashman, JR. (1992). Flavin-containing monooxygenase-dependent stereoselective S-oxygenation and cytotoxicity of cysteine S-conjugates and mercapturates. *Chem Res Toxicol.* 5: 193-201.
- Park, SJ; Choi, JH; Cho, SJ; Chang, SA; Choi, JO; Lee, SC; Park, SW; Oh, JK; Kim, DK; Jeon, ES. (2011). Comparison of transthoracic echocardiography with N-terminal pro-brain natriuretic Peptide as a tool for risk stratification of patients undergoing major noncardiac surgery. *Korean Circulation Journal.* 41: 505-511. <http://dx.doi.org/10.4070/kcj.2011.41.9.505>.
- Park, SY; Jeong, H; Yu, H; Park, SY; Jang, DJ. (2010). Excited-state intramolecular proton-transfer-induced charge transfer of polyquinoline. *Photochem Photobiol.* 86: 1197-1201. <http://dx.doi.org/10.1111/j.1751-1097.2010.00797.x>.
- Park, YH; Lee, JH; Byon, HJ; Kim, HS; Kim, JT. (2014). Transthoracic echocardiographic guidance for obtaining an optimal insertion length of internal jugular venous catheters in infants. *Pediatric Anesthesia.* 24: 927-932. <http://dx.doi.org/10.1111/pan.12443>.
- Park, YM; Kim, MN; Choi, JI; Lim, HE; Park, SM; Park, SW; Shim, WJ; Kim, YH. (2013). Intra-procedural imaging of the left atrium and pulmonary veins with rotational angiography: a comparison of anatomy obtained by pre-procedural cardiac computed tomography and transthoracic echocardiography. *Int J Cardiovasc Imaging.* 29: 1423-1432. <http://dx.doi.org/10.1007/s10554-013-0230-x>.
- Parker, MJ; Tarlow, MJ; Milne Anderson, J. (1984). Glue sniffing and cerebral infarction. *Arch Dis Child.* 59: 675-677.
- Parkinson, A; Mudra, DR; Johnson, C; Dwyer, A; Carroll, KM. (2004). The effects of gender, age, ethnicity, and liver cirrhosis on cytochrome P450 enzyme activity in human liver microsomes and inducibility in cultured human hepatocytes [Review]. *Toxicol Appl Pharmacol.* 199: 193-209. <http://dx.doi.org/10.1016/j.taap.2004.01.010>.
- Parmaksız, HT; Elönü, O; Duman, U; Seyfeli, E. (2012). [A case of symptomatic right atrial lipoma]. *Turk Kardiyol Dern Ars.* 40: 361-363.
- Parry, EM; Hague, A; Parry, JM. (1990). A study of mitotic division fidelity and numerical chromosome changes in ageing Syrian hamster dermal cells. *Mutat Res.* 237: 83-93. [http://dx.doi.org/10.1016/0921-8734\(90\)90014-l](http://dx.doi.org/10.1016/0921-8734(90)90014-l).
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere.* 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parshetti, GK; Doong, RA. (2011). Synergistic effect of nickel ions on the coupled dechlorination of trichloroethylene and 2,4-dichlorophenol by Fe/TiO₂ nanocomposites in the presence of UV light under anoxic conditions. *Water Res.* 45: 4198-4210. <http://dx.doi.org/10.1016/j.watres.2011.05.019>.
- Pastorelli, F; Di Silvestre, M; Vommaro, F; Maredi, E; Morigi, A; Bacchin, MR; Bonarelli, S; Plasmati, R; Michelucci, R; Greggi, T. (2015). Intraoperative monitoring of somatosensory (SSEPs) and transcranial electric motor-evoked potentials (tce-MEPs) during surgical correction of neuromuscular scoliosis in patients with central or peripheral nervous system diseases. *Eur Spine J.* 24 Suppl 7: 931-936. <http://dx.doi.org/10.1007/s00586-015-4282-6>.
- Paszczynski, AJ; Paidisetti, R; Johnson, AK; Crawford, RL; Colwell, FS; Green, T; Delwiche, M; Lee, H; Newby, D; Brodie, EL; Conrad, M. (2011). Proteomic and targeted qPCR analyses of subsurface microbial communities for presence of methane monooxygenase. *Biodegradation.* 22: 1045-1059. <http://dx.doi.org/10.1007/s10532-011-9462-4>.
- Patel, JK; Glatz, AC; Ghosh, RM; Jones, SM; Ravishankar, C; Mascio, C; Cohen, MS. (2016). Accuracy of transesophageal echocardiography in the identification of postoperative intramural ventricular septal defects. *J Thorac Cardiovasc Surg.* 152: 688-695. <http://dx.doi.org/10.1016/j.jtcvs.2016.04.026>.
- Patel, S; Shah, D; Chintala, K; Karpawich, PP. (2011). Atrial baffle problems following the Mustard operation in children and young adults with dextro-transposition of the great arteries: the need for improved clinical detection in the current era. *Congenit Heart Dis.* 6: 466-474. <http://dx.doi.org/10.1111/j.1747-0803.2011.00532.x>.
- Patel, SV. (2011). Low-Cost Electronic Nose for Groundwater Contaminants.
- Patel, SV. (2012). Low-Cost Electronic Nose for Groundwater Contaminants.
- Patel, SV. (2012). Unattended Vapor Intrusion Monitor.
- Patel, SV; Tolley, WK. (2014). Developments toward a low-cost approach for long-term, unattended vapor intrusion monitoring. *Analyst.* 139: 3770-3780. <http://dx.doi.org/10.1039/c4an00736k>.
- Paterson, I; Mielniczuk, LM; O'Meara, E; So, A; White, JA. (2013). Imaging heart failure: current and future applications [Review]. *Can J Cardiol.* 29: 317-328. <http://dx.doi.org/10.1016/j.cjca.2013.01.006>.
- Patil, D; Gautam, M; Gairola, S; Jadhav, S; Patwardhan, B. (2014). Effect of botanical immunomodulators on human CYP3A4 inhibition: implications for concurrent use as adjuvants in cancer therapy. *Integr Cancer Ther.* 13: 167-175. <http://dx.doi.org/10.1177/1534735413503551>.
- Patil, HR; Coggins, TR; Kusnetzky, LL; Main, ML. (2012). Evaluation of appropriate use of transthoracic echocardiography in 1,820 consecutive patients using the 2011 revised appropriate use criteria for echocardiography. *Am J Cardiol.* 109: 1814-1817. <http://dx.doi.org/10.1016/j.amjcard.2012.02.025>.
- Patrick, SM; Bornman, MS; Joubert, AM; Pitts, N; Naidoo, V; de Jager, C. (2016). Effects of environmental endocrine disruptors, including insecticides used for malaria vector control on reproductive parameters of male rats. *Reprod Toxicol.* 61: 19-27. <http://dx.doi.org/10.1016/j.reprotox.2016.02.015>.
- Patterson, BM; Aravena, R; Davis, GB; Furness, AJ; Bastow, TP; Bouchard, D. (2013). Multiple lines of evidence to demonstrate vinyl chloride aerobic biodegradation in the vadose zone, and factors controlling rates. *J Contam Hydrol.* 153: 69-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.008>.
- Patzelt, J; Zhang, Y; Magunia, H; Jorbenadze, R; Droppa, M; Ulrich, M; Cai, S; Lausberg, H; Walker, T; Wengenmayer, T; Rosenberger, P; Schreieck, J; Seizer, P; Gawaz, M; Langer, HF. (2017). Immediate increase of cardiac output after percutaneous mitral valve repair

Human Health Hazard Literature Search Results

Off Topic

- (PMVR) determined by echocardiographic and invasive parameters: Patzelt: Increase of cardiac output after PMVR. *Int J Cardiol.* <http://dx.doi.org/10.1016/j.ijcard.2016.12.190>.
- Paul, L; Herrmann, S; Koch, CB; Philips, J, o; Smolders, E. (2013). Inhibition of microbial trichloroethylene dechlorination by Fe (III) reduction depends on Fe mineralogy: A batch study using the bioaugmentation culture KB-1. *Water Res.* 47: 2543-2554. <http://dx.doi.org/10.1016/j.watres.2013.02.029>.
- Paul, L; Smolders, E. (2014). Inhibition of iron (III) minerals and acidification on the reductive dechlorination of trichloroethylene. *Chemosphere.* 111: 471-477. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.057>.
- Paul, L; Smolders, E. (2015). Bioenhanced dissolution of dense non-aqueous phase of trichloroethylene as affected by iron reducing conditions: model systems and environmental samples. *Chemosphere.* 119: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.022>.
- Pauling, JD; Mchugh, NJ. (2012). Evaluating factors influencing screening for pulmonary hypertension in systemic sclerosis: does disparity between available guidelines influence clinical practice? *Clin Rheumatol.* 31: 357-361. <http://dx.doi.org/10.1007/s10067-011-1844-9>.
- Pavel, M; Imarisio, S; Menzies, FM; Jimenez-Sanchez, M; Siddiqi, FH; Wu, X; Renna, M; O'Kane, CJ; Crowther, DC; Rubinsztein, DC. (2016). CCT complex restricts neuropathogenic protein aggregation via autophagy. *Nature Communications.* 7: 13821. <http://dx.doi.org/10.1038/ncomms13821>.
- Payne, JR; Pathi, V; Kelly, R; Sonecki, P. (2010). The use of 3D transoesophageal echocardiography in clarifying the mechanism underlying a 'flexing' strut of a mitral valve replacement. *Eur J Echocardiogr.* 11: 192-194. <http://dx.doi.org/10.1093/ejehocardiography/jep179>.
- Peeters, DJ; Brouwer, A; Van den Eynden, GG; Rutten, A; Onstenk, W; Sieuwerts, AM; Van Laere, SJ; Huget, P; Pauwels, P; Peeters, M; Vermeulen, PB; Dirix, LY. (2015). Circulating tumour cells and lung microvascular tumour cell retention in patients with metastatic breast and cervical cancer. *Cancer Lett.* 356: 872-879. <http://dx.doi.org/10.1016/j.canlet.2014.10.039>.
- Peichl, P; Wichterle, D; Čihák, R; Aldhoon, B; Kautzner, J. (2016). Catheter Ablation Of Ventricular Tachycardia in the Presence of an Old Endocavitary Thrombus Guided by Intracardiac Echocardiography. *Pacing Clin Electrophysiol.* 39: 581-587. <http://dx.doi.org/10.1111/pace.12844>.
- Peirone, A; Contreras, A; Ferrero, A; da Costa, RN; Pedra, SF; Pedra, CA. (2014). Immediate and short-term outcomes after percutaneous atrial septal defect closure using the new nit-occlud ASD-R device. *84: 464-470.* <http://dx.doi.org/10.1002/ccd.25434>.
- Pellizzari, ED; Hartwell, TD; Harris, BS, III; Waddell, RD; Whitaker, DA; Erickson, MD. (1982). Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol.* 28: 322-328. <http://dx.doi.org/10.1007/BF01608515>.
- Pelttari, H; Schalin-Jäntti, C; Arola, J; Löyttyniemi, E; Knuutila, S; Välimäki, MJ. (2012). BRAF V600E mutation does not predict recurrence after long-term follow-up in TNM stage I or II papillary thyroid carcinoma patients. *APMIS.* 120: 380-386. <http://dx.doi.org/10.1111/j.1600-0463.2011.02844.x>.
- Peng, L; Yang, Z; Yu, J; Chu, Z; Chen, D; Luo, Y. (2013). [Clinical value of ECG-gated dual-source computed tomography and angiography in assessing coarctation of aorta]. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi.* 30: 89-94.
- Peng, X; Yamamoto, S; Vertès, AA; Keresztes, G; Inatomi, K; Inui, M; Yukawa, H. (2012). Global transcriptome analysis of the tetrachloroethene-dechlorinating bacterium *Desulfotobacterium hafniense* Y51 in the presence of various electron donors and terminal electron acceptors. *J Ind Microbiol Biotechnol.* 39: 255-268. <http://dx.doi.org/10.1007/s10295-011-1023-7>.
- Penk, JS; Webb, CL; Shulman, ST; Anderson, EJ. (2011). Echocardiography in pediatric infective endocarditis. *Pediatr Infect Dis J.* 30: 1109-1111. <http://dx.doi.org/10.1097/INF.0b013e31822d320b>.
- Percy, C; Ries, LG; Van Holten, VD. (1990). The accuracy of liver cancer as the underlying cause of death on death certificates. *Public Health Rep.* 105: 361-367.
- Percy, C; Stanek, E, III; Gloeckler, L. (1981). Accuracy of cancer death certificates and its effect on cancer mortality statistics. *Am J Public Health.* 71: 242-250. <http://dx.doi.org/10.2105/AJPH.71.3.242>.
- Pereira, GA; Lopes, PT; Dos Santos, AM; Pozzobon, A; Duarte, RD; Cima, A; Massignan, Â. (2014). Celiac plexus block: an anatomical study and simulation using computed tomography. *Radiologia Brasileira.* 47: 283-287. <http://dx.doi.org/10.1590/0100-3984.2013.1881>.
- Pereira, M; Wang, W; Kramer, P; Tao, L. (2004). DNA hypomethylation induced by non-genotoxic carcinogens in mouse and rat colon. *Cancer Lett.* 212: 145-151. <http://dx.doi.org/10.1016/j.canlet.2004.03.024>.
- Pérez-De-Mora, A; Zila, A; McMaster, ML; Edwards, EA. (2014). Bioremediation of chlorinated ethenes in fractured bedrock and associated changes in dechlorinating and nondechlorinating microbial populations. *Environ Sci Technol.* 48: 5770-5779. <http://dx.doi.org/10.1021/es404122y>.
- Peric, M; Telarovic, S. (2012). The effect of environmental factors on Parkinson's disease development. *Neurologia Croatica.* 61: 9-19.
- Perkins, ND. (2004). NF- κ B: Tumor promoter or suppressor? [Review]. *Trends Cell Biol.* 14: 64-69. <http://dx.doi.org/10.1016/j.tcb.2003.12.004>.
- Perkins, ND; Gilmore, TD. (2006). Good cop, bad cop: The different faces of NF- κ B [Review]. *Cell Death Differ.* 13: 759-772. <http://dx.doi.org/10.1038/sj.cdd.4401838>.
- Perrot, N; Nalpas, B; Yang, CS; Beaune, PH. (1989). Modulation of cytochrome P450 isozymes in human liver, by ethanol and drug intake. *Eur J Clin Invest.* 19: 549-555. <http://dx.doi.org/10.1111/j.1365-2362.1989.tb00273.x>.
- Perry, SJ; Schofield, MA; MacFarlane, M; Lock, EA; King, LJ; Gibson, GG; Goldfarb, PS. (1993). Isolation and expression of a cDNA coding for rat kidney cytosolic cysteine conjugate beta-lyase. *Mol Pharmacol.* 43: 660-665.
- Pestka, JJ. (2012). Dietary Lipids and Silica-Accelerated Autoimmunity.
- Pestka, JJ. (2013). Dietary Lipids and Silica-Accelerated Autoimmunity.
- Peter, R; Böcker, R; Beaune, PH; Iwasaki, M; Guengerich, FP; Yang, CS. (1990). Hydroxylation of chlorzoxazone as a specific probe for human liver cytochrome P-450IIE1. *Chem Res Toxicol.* 3: 566-573. <http://dx.doi.org/10.1021/tx00018a012>.

Human Health Hazard Literature Search Results

Off Topic

- Peterman, M. (2015). Fast, quantitative analysis of trichloroethylene (TCE) in water.
- Peters, J; Garabrant, D; Wright, W; Bernstein, L; Mack, T. (1985). Uses of a cancer registry in the assessment of occupational cancer risks. *Natl Canc Inst Monogr.* 69: 157-161.
- Peters, JM; Cattley, RC; Gonzalez, FJ. (1997). Role of PPAR alpha in the mechanism of action of the nongenotoxic carcinogen and peroxisome proliferator Wy-14,643. *Carcinogenesis.* 18: 2029-2033. <http://dx.doi.org/10.1093/carcin/18.11.2029>.
- Petersen, EJ; Pinto, RA; Shi, X; Huang, Q. (2012). Impact of size and sorption on degradation of trichloroethylene and polychlorinated biphenyls by nano-scale zerovalent iron. *J Hazard Mater.* 243: 73-79. <http://dx.doi.org/10.1016/j.jhazmat.2012.09.070>.
- Petri, BG; Fučík, R; Illangasekare, TH; Smits, KM; Christ, JA; Sakaki, T; Sauck, CC. (2014). Effect of NAPL Source Morphology on Mass Transfer in the Vadose Zone. *Ground Water.* 53: 685-698. <http://dx.doi.org/10.1111/gwat.12284>.
- Pfister, R; Betton, Y; Freyhaus, HT; Jung, N; Baldus, S; Michels, G. (2016). Three-dimensional compared to two-dimensional transesophageal echocardiography for diagnosis of infective endocarditis. *Infection.* 44: 725-731. <http://dx.doi.org/10.1007/s15010-016-0908-9>.
- Pham, N; Zaitoun, H; Mohammed, TL; Delapena-Almaguer, E; Martinez, F; Novaro, GM; Kirsch, J. (2012). Complications of aortic valve surgery: manifestations at CT and MR imaging. 32: 1873-1892. <http://dx.doi.org/10.1148/rg.327115735>.
- Phatak, P; Khanagavi, J; Aronow, WS; Puri, S; Yusuf, Y; Puccio, C. (2014). Pericardial synovial sarcoma: challenges in diagnosis and management. 3: 15. <http://dx.doi.org/10.12688/f1000research.3-15.v2>.
- Phelps, HM; Kelleman, MS; Mccracken, CE; Benavidez, OJ; Campbell, RM; Douglas, PS; Eidem, BW; Lai, WW; Lopez, L; Stern, KW; Welch, E; Sachdeva, R. (2017). Application of pediatric appropriate use criteria for initial outpatient evaluation of syncope. *Echocardiography.* <http://dx.doi.org/10.1111/echo.13475>.
- Phenrat, T; Kumloet, I. (2016). Electromagnetic induction of nanoscale zerovalent iron particles accelerates the degradation of chlorinated dense non-aqueous phase liquid: Proof of concept. *Water Res.* 107: 19-28. <http://dx.doi.org/10.1016/j.watres.2016.10.035>.
- Phenrat, T; Schoenfelder, D; Kirschling, TL; Tilton, RD; Lowry, GV. (2015). Adsorbed poly(aspartate) coating limits the adverse effects of dissolved groundwater solutes on Fe(0) nanoparticle reactivity with trichloroethylene. *Environ Sci Pollut Res Int.* <http://dx.doi.org/10.1007/s11356-015-5092-4>.
- Phenrat, T; Thongboot, T; Lowry, GV. (2016). Electromagnetic Induction of Zerovalent Iron (ZVI) Powder and Nanoscale Zerovalent Iron (NZVI) Particles Enhances Dechlorination of Trichloroethylene in Contaminated Groundwater and Soil: Proof of Concept. *Environ Sci Technol.* 50: 872-880. <http://dx.doi.org/10.1021/acs.est.5b04485>.
- Philips, J; Haest, PJ; Springael, D; Smolders, E. (2013). Inhibition of Geobacter dechlorinators at elevated trichloroethene concentrations is explained by a reduced activity rather than by an enhanced cell decay. *Environ Sci Technol.* 47: 1510-1517. <http://dx.doi.org/10.1021/es303390q>.
- Philips, J, o; Hamels, F; Smolders, E; Springael, D. (2012). Distribution of a dechlorinating community in relation to the distance from a trichloroethene dense nonaqueous phase liquid in a model aquifer. *FEMS Microbiol Ecol.* 81: 636-647. <http://dx.doi.org/10.1111/j.1574-6941.2012.01395.x>.
- Philips, J; Maes, N; Springael, D; Smolders, E. (2013). Acidification due to microbial dechlorination near a trichloroethene DNAPL is overcome with pH buffer or formate as electron donor: experimental demonstration in diffusion-cells. *J Contam Hydrol.* 147: 25-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.02.002>.
- Philips, J; Miroschnikov, A; Haest, PJ; Springael, D; Smolders, E. (2014). Motile Geobacter dechlorinators migrate into a model source zone of trichloroethene dense non-aqueous phase liquid: experimental evaluation and modeling. *J Contam Hydrol.* 170: 28-38. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.010>.
- Philips, J; Springael, D; Smolders, E. (2011). A three-layer diffusion-cell to examine bio-enhanced dissolution of chloroethene dense non-aqueous phase liquid. *Chemosphere.* 83: 991-996. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.012>.
- Philips, J; Van Muylder, R; Springael, D; Smolders, E. (2013). Electron donor limitations reduce microbial enhanced trichloroethene DNAPL dissolution: a flux-based analysis using diffusion-cells. *Chemosphere.* 91: 7-13. <http://dx.doi.org/10.1016/j.chemosphere.2012.11.016>.
- Phillips, OA; Sharaf, LH; Abdel-Hamid, ME; Varghese, R. (2011). Assessment of the stability of novel antibacterial triazolyl oxazolidinones using a stability-indicating high-performance liquid chromatography method. 20: 51-59. <http://dx.doi.org/10.1159/000319547>.
- Piattoly, T; Parish, TR; Welsch, MA. (2013). L-GLUTAMINE SUPPLEMENTATION: EFFECTS ON ENDURANCE, POWER AND RECOVERY. *Current Topics in Nutraceutical Research.* 11: 55-62.
- Pichler, P; Binder, T; Höfer, P; Bergler-Klein, J; Goliash, G; Lajic, N; Aliabadi, A; Zuckermann, A; Syeda, B. (2012). Two-dimensional speckle tracking echocardiography in heart transplant patients: three-year follow-up of deformation parameters and ejection fraction derived from transthoracic echocardiography. 13: 181-186. <http://dx.doi.org/10.1093/ejehocard/jer239>.
- Piekarz, J; Lelakowski, J; Rydlewska, A; Majewski, J. (2012). Heart perforation in patients with permanent cardiac pacing - pilot personal observations. *Archives of Medical Science.* 8: 70-74. <http://dx.doi.org/10.5114/aoms.2012.27284>.
- Pietschmann, MF; Wagenhäuser, MU; Gülecüyü, MF; Ficklscherer, A; Jansson, V; Müller, PE. (2014). The long head of the biceps tendon is a suitable cell source for tendon tissue regeneration. *Archives of Medical Science.* 10: 587-596. <http://dx.doi.org/10.5114/aoms.2014.43752>.
- Pikarsky, E; Porat, RM; Stein, I; Abramovitch, R; Amit, S; Kasem, S; Gutkovich-Pyest, E; Urieli-Shoval, S; Galun, E; Ben-Neriah, Y. (2004). NF-kappaB functions as a tumour promoter in inflammation-associated cancer. *Nature.* 431: 461-466. <http://dx.doi.org/10.1038/nature02924>.
- Pikula, A; Stefanidou, M; Romero, JR; Kase, CS. (2011). Pure motor upper limb weakness and infarction in the precentral gyrus: mechanisms of stroke. *Journal of Vascular and Interventional Neurology.* 4: 10-13.

Human Health Hazard Literature Search Results

Off Topic

- Pili-Floury, S; Ginet, M; Saunier, L; Besch, G; Bartholin, F; Chopard, R; Boillot, A; Mebazaa, A; Samain, E. (2012). Preoperative plasma B-type natriuretic peptide (BNP) identifies abnormal transthoracic echocardiography in elderly patients with traumatic hip fracture. *Injury*. 43: 811-816. <http://dx.doi.org/10.1016/j.injury.2011.09.016>.
- Pilla Reddy, V; Kozielska, M; Johnson, M; Suleiman, AA; Vermeulen, A; Liu, J; de Greef, R; Groothuis, GM; Danhof, M; Proost, JH. (2012). Modelling and simulation of the Positive and Negative Syndrome Scale (PANSS) time course and dropout hazard in placebo arms of schizophrenia clinical trials. *Clin Pharmacokinet*. 51: 261-275. <http://dx.doi.org/10.2165/11598460-000000000-00000>.
- Ping, S; Wang, F; Zhang, Y; Wu, C; Tang, W; Luo, Y; Yang, S. (2011). Cryopreservation of epididymal sperm in tree shrews (*Tupaia belangeri*). *Theriogenology*. 76: 39-46. <http://dx.doi.org/10.1016/j.theriogenology.2011.01.011>.
- Ping, S, huH; Yue, F; Wang, C, aiYun; Luo, Y; Si, W, ei; Yang, S, hiHua. (2012). Effects of Dimethyl Sulfoxide, Ethylene Glycol, Propylene Glycol and Glycerol on Cryopreservation of Wild Tree Shrew (*Tupaia belangeri* Chinese) Cauda Epididymal Sperm. *Journal of Animal and Veterinary Advances*. 11: 3568-3574.
- Ping, SH; Wang, CY; Tang, WR; Luo, Y; Yang, SH. (2012). [Effects of some extenders and monoamines on sperm cryopreservation in tree shrews (*Tupaia belangeri*)]. 33: 19-28. <http://dx.doi.org/10.3724/SP.J.1141.2012.01019>.
- Pinto, N; Platts, D; Thomson, B; Fraser, J. (2011). Presentation with pulsatile xiphisternal bruise-Survival with a chronic ventricular rupture. *Heart, Lung & Circulation (Online)*. 20: 132-135. <http://dx.doi.org/10.1016/j.hlc.2010.09.002>.
- Piotrowski, G; Szymański, P; Banach, M; Piotrowska, A; Gawor, R; Rysz, J; Gawor, Z. (2010). Left atrial and left atrial appendage systolic function in patients with post-myocardial distal blocks. 6: 892-899. <http://dx.doi.org/10.5114/aoms.2010.19298>.
- Piranfar, MA. (2011). Correlation between anterior mitral leaflet concavity area and ischemic induced mitral regurgitation severity by echocardiography. *Acta Medica Iranica*. 49: 364-367.
- Piriyapong, T; Dharmasaroja, PA; Muengtawepong, S; Piyayotai, D; Hutayanon, P. (2012). Transthoracic echocardiography in Thai patients with acute ischemic stroke. *J Med Assoc Thai*. 95 Suppl 1: S24-S27.
- Pironti, A; Pfeifer, N; Kaiser, R; Walter, H; Lengauer, T. (2014). Improved therapy-success prediction with GSS estimated from clinical HIV-1 sequences. *International AIDS Society Journal*. 17: 19743.
- Pison, L; Proclemer, A; Bongiorno, MG; Marinskis, G; Hernandez-Madrid, A; Blomström-Lundqvist, C; Scientific Initiative Committee, E. (2013). Imaging techniques in electrophysiology and implantable device procedures: results of the European Heart Rhythm Association survey. *Europace*. 15: 1333-1336. <http://dx.doi.org/10.1093/europace/eut259>.
- Pitt, SJ; Park, KH; Nishi, M; Urashima, T; Aoki, S; Yamazaki, D; Ma, J; Takeshima, H; Sitsapesan, R. (2010). Charade of the SR K⁺-channel: two ion-channels, TRIC-A and TRIC-B, masquerade as a single K⁺-channel. *Biophys J*. 99: 417-426. <http://dx.doi.org/10.1016/j.bpj.2010.04.051>.
- Plastiras, SC; Pamboucas, CA; Tektonidou, M; Toumanidis, ST. (2010). Real-time three-dimensional echocardiography in evaluating Libman-Sacks vegetations. *Eur J Echocardiogr*. 11: 184-185. <http://dx.doi.org/10.1093/ejehocardiography/jep172>.
- Platts, DG; Diab, S; Dunster, KR; Shekar, K; Burstow, DJ; Sim, B; Tunbridge, M; McDonald, C; Chemonges, S; Chan, J; Fraser, JF. (2015). Feasibility of perflutren microsphere contrast transthoracic echocardiography in the visualization of ventricular endocardium during venovenous extracorporeal membrane oxygenation in a validated ovine model. *Echocardiography*. 32: 548-556. <http://dx.doi.org/10.1111/echo.12695>.
- Platts, DG; Kelly, NF; Wijesekera, VA; Sengupta, A; Burns, K; Burstow, DJ; Butler, T; Radford, DJ; Nicolae, M. (2015). The Feasibility and Clinical Utility of Microsphere Contrast-enhanced Transthoracic Echocardiography in Adult Congenital Heart Disease. *Congenit Heart Dis*. 10: 428-436. <http://dx.doi.org/10.1111/chd.12254>.
- Platz, E; Hempel, D; Pivetta, E; Rivero, J; Solomon, SD. (2014). Echocardiographic and lung ultrasound characteristics in ambulatory patients with dyspnea or prior heart failure. *Echocardiography*. 31: 133-139. <http://dx.doi.org/10.1111/echo.12346>.
- Plimpton, RL; Cuéllar, J; Lai, CW; Aoba, T; Makaju, A; Franklin, S; Mathis, AD; Prince, JT; Carrascosa, JL; Valpuesta, JM; Willardson, BM. (2015). Structures of the G β -CCT and PhLP1-G β -CCT complexes reveal a mechanism for G-protein β -subunit folding and G $\beta\gamma$ dimer assembly. *Proc Natl Acad Sci USA*. 112: 2413-2418. <http://dx.doi.org/10.1073/pnas.1419595112>.
- Plummer, M; Best, N; Cowles, K; Vines, K. (2006). CODA: Convergence diagnosis and output analysis for MCMC. *R News*. 6: 7-11.
- Plymale, J; Kolinski, K; Frommelt, P; Bartz, P; Tweddell, J; Earing, MG. (2013). Inferior sinus venous defects: anatomic features and echocardiographic correlates. *Pediatric Cardiology*. 34: 322-326. <http://dx.doi.org/10.1007/s00246-012-0449-7>.
- Poantă, L; Fodor, D; Albu, A. (2010). Left ventricular function in patients with uncomplicated well-controlled diabetes mellitus. 12: 184-187.
- Podrouzkova, H; Bedanova, H; Tretina, M; Korinek, J; Stepanova, R; Hruskova, J; Nemeč, P; Konecny, T; Orban, M. (2015). Decrease in longitudinal strain in heart transplant recipients is associated with rejection. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub*. 159: 601-606. <http://dx.doi.org/10.5507/bp.2015.020>.
- Poeritz, M; Schiffmann, CL; Hause, G; Heinemann, U; Seifert, J; Jehmlich, N; von Bergen, M; Nijenhuis, I; Lechner, U, te. (2015). Dehalococoides mccartyi Strain DCMB5 Respires a Broad Spectrum of Chlorinated Aromatic Compounds. *Appl Environ Microbiol*. 81: 587-596. <http://dx.doi.org/10.1128/AEM.02597-14>.
- Poletti, G; Piolanti, S; Cellini, M. (2011). Characteristics of the bicuspid aortic valve in non top-level athletes: a retrospective review of 16 years. *Medicina dello Sport*. 64: 257-268.
- Polimenakos, AC; Bokowski, JW; Ghawi, HS; El-Zein, CF; Ilbawi, MN. (2014). Fate of ventricular and valve performance following early bidirectional Glenn procedure after Norwood operation controlled for hypoplastic left heart syndrome anatomic subtype. *Pediatric Cardiology*. 35: 332-343. <http://dx.doi.org/10.1007/s00246-013-0780-7>.

Human Health Hazard Literature Search Results

Off Topic

- Pollack, GM; Li, RC; Ermer, JC; Shen, DD. (1985). Effects of route of administration and repetitive dosing on the disposition kinetics of di(2-ethylhexyl) phthalate and its mono-de-esterified metabolite in rats. *Toxicol Appl Pharmacol.* 79: 246-256. [http://dx.doi.org/10.1016/0041-008X\(85\)90346-1](http://dx.doi.org/10.1016/0041-008X(85)90346-1).
- Pombo, M; Olalla, J; Del Arco, A; De La Torre, J; Urdiales, D; Aguilar, A; Prada, JL; García-Alegría, J; Ruiz-Mateas, F. (2013). Left ventricular hypertrophy detected by echocardiography in HIV-infected patients. *Eur J Intern Med.* 24: 558-561. <http://dx.doi.org/10.1016/j.ejim.2013.04.007>.
- Pontone, G; Andreini, D; Bartorelli, AL; Bertella, E; Cortinovis, S; Mushtaq, S; Annoni, A; Formenti, A; Baggiano, A; Conte, E; Tamborini, G; Muratori, M; Gripari, P; Bovis, F; Veglia, F; Foti, C; Alamanni, F; Ballerini, G; Fiorentini, C; Pepi, M. (2012). Aortic annulus area assessment by multidetector computed tomography for predicting paravalvular regurgitation in patients undergoing balloon-expandable transcatheter aortic valve implantation: a comparison with transthoracic and transesophageal echocardiography. *Am Heart J.* 164: 576-584. <http://dx.doi.org/10.1016/j.ahj.2012.06.024>.
- Pontone, G; Andreini, D; Bertella, E; Cortinovis, S; Mushtaq, S; Foti, C; Annoni, A; Formenti, A; Baggiano, A; Conte, E; Ballerini, G; Fiorentini, C; Bartorelli, AL; Pepi, M. (2013). Pre-operative CT coronary angiography in patients with mitral valve prolapse referred for surgical repair: comparison of accuracy, radiation dose and cost versus invasive coronary angiography. *Int J Cardiol.* 167: 2889-2894. <http://dx.doi.org/10.1016/j.ijcard.2012.07.022>.
- Pontone, G; Guaricci, AI; Andreini, D; Solbiati, A; Guglielmo, M; Mushtaq, S; Baggiano, A; Beltrama, V; Fusini, L; Rota, C; Segurini, C; Conte, E; Gripari, P; Dello Russo, A; Moltrasio, M; Tundo, F; Lombardi, F; Muscogiuri, G; Lorenzoni, V; Tondo, C; Agostoni, P; Bartorelli, AL; Pepi, M. (2016). Prognostic Benefit of Cardiac Magnetic Resonance Over Transthoracic Echocardiography for the Assessment of Ischemic and Nonischemic Dilated Cardiomyopathy Patients Referred for the Evaluation of Primary Prevention Implantable Cardioverter-Defibrillator Therapy. *Circulation: Cardiovascular Imaging.* 9. <http://dx.doi.org/10.1161/CIRCIMAGING.115.004956>.
- Ponza, S; Parkpian, P; Polprasert, C; Shrestha, RP; Jugsujinda, A. (2010). Removal of trichloroethylene (TCE) contaminated soil using a two-stage anaerobic-aerobic composting technique. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 549-559. <http://dx.doi.org/10.1080/10934521003595233>.
- Poorzand, H; Jafarzadeh Esfehiani, R; Hosseinzadeh, P; Vojdanparast, M. (2015). Acute myocardial infarction in a young male wrestler: A case report. *ARYA Atherosclerosis.* 11: 366-369.
- Popat, SC; Deshusses, MA. (2011). Kinetics and inhibition of reductive dechlorination of trichloroethene, cis-1,2-dichloroethene and vinyl chloride in a continuously fed anaerobic biofilm reactor. *Environ Sci Technol.* 45: 1569-1578. <http://dx.doi.org/10.1021/es102858t>.
- Popper, H. (1986). Aging and the liver [Review]. In H Popper; F Schaffner (Eds.), (pp. 659-683). Orlando, FL: Grune and Stratton.
- Porciello, F; Caivano, D; Giorgi, ME; Knafelz, P; Rishniw, M; Moise, NS; Bufalari, A; Fruganti, A; Biretoni, F. (2014). Transesophageal echocardiography as the sole guidance for occlusion of patent ductus arteriosus using a canine ductal occluder in dogs. *J Vet Intern Med.* 28: 1504-1512. <http://dx.doi.org/10.1111/jvim.12401>.
- Pöritz, M; Goris, T; Wubet, T; Tarkka, MT; Buscot, F; Nijenhuis, I; Lechner, U; Adrian, L. (2013). Genome sequences of two dehalogenation specialists - *Dehalococcoides mccartyi* strains BTF08 and DCMB5 enriched from the highly polluted Bitterfeld region. *FEMS Microbiol Lett.* 343: 101-104. <http://dx.doi.org/10.1111/1574-6968.12160>.
- Portier, CJ; Bailer, AJ. (1989). Testing for increased carcinogenicity using a survival-adjusted quantal response test. *Toxicol Sci.* 12: 731-737.
- Portier, CJ; Hedges, JC; Hoel, DG. (1986). Age-specific models of mortality and tumor onset for historical control animals in the National Toxicology Program's carcinogenicity experiments. *Cancer Res.* 46: 4372-4378.
- Portman, MA; Slee, A; Olson, AK; Cohen, G; Karl, T; Tong, E; Hastings, L; Patel, H; Reinhartz, O; Mott, AR; Mainwaring, R; Linam, J; Danzi, S; Investigators, T. (2010). Triiodothyronine Supplementation in Infants and Children Undergoing Cardiopulmonary Bypass (TRICC): a multicenter placebo-controlled randomized trial: age analysis. *Circulation.* 122: S224-S233. <http://dx.doi.org/10.1161/CIRCULATIONAHA.109.926394>.
- Pösö, T; Kesek, D; Aroch, R; Winsö, O. (2013). Morbid obesity and optimization of preoperative fluid therapy. *Obes Surg.* 23: 1799-1805. <http://dx.doi.org/10.1007/s11695-013-0987-y>.
- Pösö, T; Kesek, D; Aroch, R; Winsö, O. (2013). Rapid weight loss is associated with preoperative hypovolemia in morbidly obese patients. *Obes Surg.* 23: 306-313. <http://dx.doi.org/10.1007/s11695-012-0790-1>.
- Pösö, T; Winsö, O; Aroch, R; Kesek, D. (2014). Perioperative fluid guidance with transthoracic echocardiography and pulse-contour device in morbidly obese patients. *Obes Surg.* 24: 2117-2125. <http://dx.doi.org/10.1007/s11695-014-1329-4>.
- Posokhova, E; Song, H; Belcastro, M; Higgins, L; Bigley, LR; Michaud, NA; Martemyanov, KA; Sokolov, M. (2011). Disruption of the chaperonin containing TCP-1 function affects protein networks essential for rod outer segment morphogenesis and survival. *Mol Cell Proteomics.* 10: M110.000570. <http://dx.doi.org/10.1074/mcp.M110.000570>.
- Poteracki, J; Walsh, KM. (1998). Spontaneous neoplasms in control Wistar rats: A comparison of reviews. *Toxicol Sci.* 45: 1-8. <http://dx.doi.org/10.1006/toxs.1998.2493>.
- Poth, JM; Beck, DR; Bartels, K. (2014). Ultrasonography for haemodynamic monitoring [Review]. 28: 337-351. <http://dx.doi.org/10.1016/j.bpa.2014.08.005>.
- Pour, SM; Woolley, I; Canavan, P; Chuah, J; Russell, DB; Law, M; Petoumenos, K. (2011). Triple class experience after initiation of combination antiretroviral treatment in Australia: survival and projections. *Sex Health.* 8: 295-303. <http://dx.doi.org/10.1071/SH10008>.
- Powell, CL; Goltz, MN; Agrawal, A. (2014). Degradation kinetics of chlorinated aliphatic hydrocarbons by methane oxidizers naturally-associated with wetland plant roots. *J Contam Hydrol.* 170: 68-75. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.001>.

Human Health Hazard Literature Search Results

Off Topic

- Powell, CL; Nogaro, G; Agrawal, A. (2011). Aerobic cometabolic degradation of trichloroethene by methane and ammonia oxidizing microorganisms naturally associated with *Carex comosa* roots. *Biodegradation*. 22: 527-538. <http://dx.doi.org/10.1007/s10532-010-9425-1>.
- Prakash, R; Saw, J. (2016). Imaging for percutaneous left atrial appendage closure. <http://dx.doi.org/10.1002/ccd.26828>.
- Prasanna, HR; Hart, RW; Magee, PN. (1989). Effect of food restriction on the metabolism of dimethylnitrosamine (NDMA) in rats. *Anticancer Res*. 9: 93-96.
- Pratali, L; Allemann, Y; Rimoldi, SF; Faita, F; Hutter, D; Rexhaj, E; Brenner, R; Bailey, DM; Sartori, C; Salmon, CS; Villena, M; Scherrer, U; Picano, E; Sicari, R. (2013). RV contractility and exercise-induced pulmonary hypertension in chronic mountain sickness: a stress echocardiographic and tissue Doppler imaging study. *JACC: Cardiovascular Imaging*. 6: 1287-1297. <http://dx.doi.org/10.1016/j.jcmg.2013.08.007>.
- Prcović, B. (2010). [Significance of transesophageal echocardiography in the evaluation of aortic valve stenosis]. *Vojnosanit Pregl*. 67: 7-12.
- Price, PS; Conolly, RB; Chaisson, CF; Gross, EA; Young, JS; Mathis, ET; Tedder, DR. (2003). Modeling interindividual variation in physiological factors used in PBPK models of humans [Review]. *Crit Rev Toxicol*. 33: 469-503. <http://dx.doi.org/10.1080/10408440390242324>.
- Price, RG; Wedeen, R; Lichtveld, MY; Lybarger, JA; Porter, GA; Fels, L; Stolte, H; Safirstein, RL; Mueller, PW; Manley, S; Whiting, PH; Gomez, RA; Finn, WF. (1999). Urinary biomarkers: Roles in risk assessment to environmental and occupational nephrotoxins: Monitoring of effects and evaluation of mechanisms of toxicity. *Ren Fail*. 21: xiii-xviii. <http://dx.doi.org/10.3109/08860229909085085>.
- Priya, S; Sharma, SK; Sood, V; Mattoo, RU; Finka, A; Azem, A; De Los Rios, P; Goloubinoff, P. (2013). GroEL and CCT are catalytic unfoldases mediating out-of-cage polypeptide refolding without ATP. *Proc Natl Acad Sci USA*. 110: 7199-7204. <http://dx.doi.org/10.1073/pnas.1219867110>.
- Priya, VS; Philip, L. (2013). Biodegradation of Dichloromethane Along with Other VOCs from Pharmaceutical Wastewater. *Appl Biochem Biotechnol*. 169: 1197-1218. <http://dx.doi.org/10.1007/s12010-012-0005-1>.
- Promislow, S; Abunassar, JG; Banihashemi, B; Chow, BJ; Dwivedi, G; Maftoon, K; Burwash, IG. (2016). Impact of a structured referral algorithm on the ability to monitor adherence to appropriate use criteria for transthoracic echocardiography. *Cardiovasc Ultrasound*. 14: 31. <http://dx.doi.org/10.1186/s12947-016-0075-2>.
- Prompona, M; Muehling, O; Naebauer, M; Schoenberg, SO; Reiser, M; Huber, A. (2011). MRI for detection of anomalous pulmonary venous drainage in patients with sinus venosus atrial septal defects. *Int J Cardiovasc Imaging*. 27: 403-412. <http://dx.doi.org/10.1007/s10554-010-9675-3>.
- Prosperi, MC; Rosen-Zvi, M; Altmann, A; Zazzi, M; Di Giambenedetto, S; Kaiser, R; Schülter, E; Struck, D; Sloot, P; van De Vijver, DA; Vandamme, AM; Sönnnerborg, A; group, Es; group, Vs. (2010). Antiretroviral therapy optimisation without genotype resistance testing: a perspective on treatment history based models. *PLoS ONE*. 5: e13753. <http://dx.doi.org/10.1371/journal.pone.0013753>.
- Providência, R; Botelho, A; Trigo, J; Quintal, N; Nascimento, J; Mota, P; Leitão-Marques, A. (2012). Possible refinement of clinical thromboembolism assessment in patients with atrial fibrillation using echocardiographic parameters. *Europace*. 14: 36-45. <http://dx.doi.org/10.1093/europace/eur272>.
- Providência, R; Trigo, J; Paiva, L; Barra, S. (2013). The role of echocardiography in thromboembolic risk assessment of patients with nonvalvular atrial fibrillation [Review]. *J Am Soc Echocardiogr*. 26: 801-812. <http://dx.doi.org/10.1016/j.echo.2013.05.010>.
- Pryor, GT; Dickinson, J; Howd, RA; Rebert, CS. (1983). Transient cognitive deficits and high-frequency hearing loss in weanling rats exposed to toluene. *Neurobehav Toxicol Teratol*. 5: 53-57.
- Pryor, GT; Rebert, CS; Howd, RA. (1987). Hearing loss in rats caused by inhalation of mixed xylenes and styrene. *J Appl Toxicol*. 7: 55-61.
- Pugliatti, P; Piccione, MC; Ascenti, G; Germanò, A; Recupero, A; Oreto, G; Carerj, S. (2013). Images in cardiovascular medicine: caseous calcification of the mitral annulus. *Echocardiography*. 30: E30-E32. <http://dx.doi.org/10.1111/echo.12033>.
- Puntmann, VO; Gebker, R; Duckett, S; Mirelis, J; Schnackenburg, B; Graefe, M; Razavi, R; Fleck, E; Nagel, E. (2013). Left ventricular chamber dimensions and wall thickness by cardiovascular magnetic resonance: comparison with transthoracic echocardiography. 14: 240-246. <http://dx.doi.org/10.1093/ehjci/jes145>.
- Putkhao, K; Chan, AW; Agca, Y; Parnpai, R. (2013). Cryopreservation of transgenic Huntington's disease rhesus macaque sperm-A Case Report. 2. <http://dx.doi.org/10.4172/2168-9849.1000116>.
- Putra, ST; Djer, MM; Idris, NS; Samion, H; Sastroasmoro, S. (2015). Transcatheter Closure of Atrial Septal Defects in a Center With Limited Resources: Outcomes and Short Term Follow-Up. *Iranian Journal of Pediatrics*. 25: e3906. <http://dx.doi.org/10.5812/ijp.3906>.
- Putra, ST; Djer, MM; Idris, NS; Sastroasmoro, S. (2016). Transcatheter Closure of Patent Ductus Arteriosus in Adolescents and Adults: A Case Series. *Folia Medica Indonesiana*. 48: 314-319.
- Qian, EN; Han, SY; Ding, SZ; Lv, X. (2016). Expression and diagnostic value of CCT3 and IQGAP3 in hepatocellular carcinoma. *Canc Cell Int*. 16: 55. <http://dx.doi.org/10.1186/s12935-016-0332-3>.
- Qian, H; Song, H; Li, Y; Jiang, C. (2015). Removal of metallic foreign body in heart by minimally invasive procedure under the guidance of transesophageal echocardiography and transthoracic echocardiogram. *J Thorac Dis*. 7: E560-E563. <http://dx.doi.org/10.3978/j.issn.2072-1439.2015.11.28>.
- Qian, L; Lv, X; Ren, Y; Wang, H; Chen, G; Wang, Y; Shen, J. (2013). Inverse gas chromatography applied in the surface properties evaluation of mesocellular silica foams modified by sized nickel nanoparticles. *J Chromatogr A*. 1322: 81-89. <http://dx.doi.org/10.1016/j.chroma.2013.10.091>.
- Qian, Q; Jiang, C; Chen, Y; Ding, Z; Wu, Y; Zheng, K; Qin, Q; Liu, Z. (2014). A modified total colonic exclusion for elderly patients with severe slow transit constipation. *Tech Coloproctol*. 18: 629-634. <http://dx.doi.org/10.1007/s10151-013-1108-6>.

Human Health Hazard Literature Search Results

Off Topic

- Qian, X; Hamid, FM; El Sahili, A; Darwis, DA; Wong, YH; Bhushan, S; Makeyev, EV; Lescar, J. (2016). Functional Evolution in Orthologous Cell-encoded RNA-dependent RNA Polymerases. *J Biol Chem.* 291: 9295-9309. <http://dx.doi.org/10.1074/jbc.M115.685933>.
- Qiao, Y; An, G; Chen, G; Zheng, S; Ni, L; Wang, W; Ma, L. (2014). Minimally invasive video-assisted double-valve replacement through right anterolateral Minithoracotomy. *Heart, Lung & Circulation (Online)*. 23: 847-851. <http://dx.doi.org/10.1016/j.hlc.2014.03.009>.
- Qin, K; Struckhoff, GC; Agrawal, A; Shelley, ML; Dong, H. (2014). Natural attenuation potential of trichloroethene in wetland plant roots: Role of native ammonium-oxidizing microorganisms. *Chemosphere*. 119C: 971-977. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.040>.
- Qiu, J; Chien, YC; Bruckner, JV; Fisher, JW. (2010). Bayesian analysis of a physiologically based pharmacokinetic model for perchloroethylene in humans. *J Toxicol Environ Health A*. 73: 74-91. <http://dx.doi.org/10.1080/15287390903249099>.
- Qu, J, ie; Xu, Y; Ai, G; Liu, Y; Liu, Z. (2015). Novel *Chryseobacterium* sp PYR2 degrades various organochlorine pesticides (OCPs) and achieves enhancing removal and complete degradation of DDT in highly contaminated soil. *J Environ Manage*. 161: 350-357. <http://dx.doi.org/10.1016/j.jenvman.2015.07.025>.
- Quante, M; Marrache, F; Goldenring, JR; Wang, TC. (2010). TFF2 mRNA transcript expression marks a gland progenitor cell of the gastric oxyntic mucosa. *Gastroenterology*. 139: 2018-2027.e2012. <http://dx.doi.org/10.1053/j.gastro.2010.08.003>.
- Quezada, M; Martin-Carbonero, L; Soriano, V; Vispo, E; Valencia, E; Moreno, V; de Isla, LP; Lennie, V; Almería, C; Zamorano, JL. (2012). Prevalence and risk factors associated with pulmonary hypertension in HIV-infected patients on regular follow-up. *AIDS*. 26: 1387-1392. <http://dx.doi.org/10.1097/QAD.0b013e328354f5a1>.
- Quigley, RL. (2011). A hybrid approach to cardiac resynchronization therapy. 17: 273-276.
- Quinlivan, A; Thakkar, V; Stevens, W; Morrisroe, K; Prior, D; Rabusa, C; Youssef, P; Gabbay, E; Roddy, J; Walker, JG; Zochling, J; Sahhar, J; Nash, P; Lester, S; Rischmueller, M; Proudman, SM; Nikpour, M. (2015). Cost savings with a new screening algorithm for pulmonary arterial hypertension in systemic sclerosis. *Internal Medicine Journal (Online)*. 45: 1134-1140. <http://dx.doi.org/10.1111/imj.12890>.
- Raaschou-Nielsen, O; Hansen, J; Thomsen, BL; Johansen, I; Lipworth, L; McLaughlin, JK; Olsen, JH. (2002). Exposure of Danish workers to trichloroethylene, 1947-1989. *Appl Occup Environ Hyg*. 17: 693-703. <http://dx.doi.org/10.1080/10473220290096186>.
- Rabkin, SW; Janusz, MT. (2013). Aortic wall stress in hypertension and ascending thoracic aortic aneurysms: implications for antihypertensive therapy. 20: 265-271. <http://dx.doi.org/10.1007/s40292-013-0026-z>.
- Rahbar, AS; Azadani, PN; Thatipelli, S; Fleischmann, KE; Nguyen, N; Lee, BK. (2013). Risk factors and prognosis for clot formation on cardiac device leads. *Pacing Clin Electrophysiol*. 36: 1294-1300. <http://dx.doi.org/10.1111/pace.12210>.
- Rai, A; Gupta, TK; Kini, S; Kunwar, A; Suroliya, A; Panda, D. (2013). CXI-benzo-84 reversibly binds to tubulin at colchicine site and induces apoptosis in cancer cells. *Biochem Pharmacol*. 86: 378-391. <http://dx.doi.org/10.1016/j.bcp.2013.05.024>.
- Raijmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod*. 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Raina, A; Seetha Rammohan, HR; Gertz, ZM; Rame, JE; Woo, YJ; Kirkpatrick, JN. (2013). Postoperative right ventricular failure after left ventricular assist device placement is predicted by preoperative echocardiographic structural, hemodynamic, and functional parameters. *J Card Fail*. 19: 16-24. <http://dx.doi.org/10.1016/j.cardfail.2012.11.001>.
- Raison-Peyron, N. (2013). "Cutaneous adverse drug reactions" are not always drug-induced [Review]. *Eur J Dermatol*. 23: 439-442. <http://dx.doi.org/10.1684/ejd.2013.2055>.
- Raj, S; Killinger, JS; Gonzalez, JA; Lopez, L. (2014). Myocardial dysfunction in pediatric septic shock. *J Pediatr*. 164: 72-77.e72. <http://dx.doi.org/10.1016/j.jpeds.2013.09.027>.
- Rajajayavel, SR; Ghoshal, S. (2015). Enhanced reductive dechlorination of trichloroethylene by sulfidated nanoscale zerovalent iron. *Water Res*. 78: 144-153. <http://dx.doi.org/10.1016/j.watres.2015.04.009>.
- Rajic, L; Fallahpour, N; Alshwabkeh, AN. (2015). Impact of electrode sequence on electrochemical removal of trichloroethylene from aqueous solution. *Appl Catal B-Environ*. 174-175: 427-434. <http://dx.doi.org/10.1016/j.apcatb.2015.03.018>.
- Rajic, L; Fallahpour, N; Nazari, R; Alshwabkeh, AN. (2015). Influence of humic substances on electrochemical degradation of trichloroethylene in limestone aquifers. *Electrochim Acta*. 181: 123-129. <http://dx.doi.org/10.1016/j.electacta.2015.03.121>.
- Rajic, L; Fallahpour, N; Podlaha, E; Alshwabkeh, A. (2016). The influence of cathode material on electrochemical degradation of trichloroethylene in aqueous solution. *Chemosphere*. 147: 98-104. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.095>.
- Rajic, L; Fallahpour, N; Yuan, S; Alshwabkeh, AN. (2014). Electrochemical transformation of trichloroethylene in aqueous solution by electrode polarity reversal. *Water Res*. 67: 267-275. <http://dx.doi.org/10.1016/j.watres.2014.09.017>.
- Rajic, L; Nazari, R; Fallahpour, N; Alshwabkeh, AN. (2016). Electrochemical degradation of trichloroethylene in aqueous solution by bipolar graphite electrodes. 4: 197-202. <http://dx.doi.org/10.1016/j.jece.2015.10.030>.
- Rajkumar, CA; Claridge, S; Jackson, T; Behar, J; Johnson, J; Sohal, M; Amraoui, S; Nair, A; Preston, R; Gill, J; Rajani, R; Aldo Rinaldi, C. (2016). Diagnosis and management of iatrogenic cardiac perforation caused by pacemaker and defibrillator leads. *Europace*. <http://dx.doi.org/10.1093/europace/euw074>.
- Raju, P; Sallomi, D; George, B; Patel, H; Patel, N; Lloyd, G. (2012). Aortic valve calcification - a commonly observed but frequently ignored finding during CT scanning of the chest. *Int J Clin Pract*. 66: 552-555. <http://dx.doi.org/10.1111/j.1742-1241.2012.02916.x>.
- Rake, JP; Visser, G; Labrune, P; Leonard, JV; Ullrich, K; Smit, GP. (2002). Glycogen storage disease type I: Diagnosis, management, clinical course and outcome. Results of the European Study on Glycogen Storage Disease Type I (ESGSD I). *Eur J Pediatr*. 161: S20-S34. <http://dx.doi.org/10.1007/s00431-002-0999-4>.
- Rakoff-Nahoum, S; Medzhitov, R. (2007). Regulation of spontaneous intestinal tumorigenesis through the adaptor protein MyD88. *Science*. 317: 124-127. <http://dx.doi.org/10.1126/science.1140488>.

Human Health Hazard Literature Search Results

Off Topic

- Rakyan, VK; Blewitt, ME; Druker, R; Preis, JI; Whitelaw, E. (2002). Metastable epialleles in mammals [Review]. *Trends in Genetics*. 18: 348-351.
- Rakyan, VK; Chong, S; Champ, ME; Cuthbert, PC; Morgan, HD; Luu, KV; Whitelaw, E. (2003). Transgenerational inheritance of epigenetic states at the murine Axin(Fu) allele occurs after maternal and paternal transmission. *Proc Natl Acad Sci USA*. 100: 2538-2543. <http://dx.doi.org/10.1073/pnas.0436776100>.
- Ramanathan, R; Anumandla, AK; Haramati, LB; Spevack, DM; Godelman, A; Jain, VR; Kazam, J; Burton, WB; Levsky, JM. (2014). Evaluation of the cardiac chambers on axial CT: comparison with echocardiography. *J Comput Assist Tomogr*. 38: 53-60. <http://dx.doi.org/10.1097/RCT.0b013e3182a75f5e>.
- Ramsburg, CA; Thornton, CE; Christ, JA. (2010). Degradation product partitioning in source zones containing chlorinated ethene dense non-aqueous-phase liquid. *Environ Sci Technol*. 44: 9105-9111. <http://dx.doi.org/10.1021/es102536f>.
- Ramsdell, A; Markwald, R. (1997). Induction of endocardial cushion tissue in the avian heart is regulated, in part, by TGFbeta-3-mediated autocrine signaling. *Dev Biol*. 188: 64-74. <http://dx.doi.org/10.1006/dbio.1997.8637>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol*. 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Ranjan, R; Lawrence, T. (2015). Cardiac Tamponade following Mitral Valve Replacement for Active Infective Endocarditis with Ring Abscess. 2015: 790213. <http://dx.doi.org/10.1155/2015/790213>.
- Rantala, S; Tuohinen, S. (2014). Two cases of cardiac device-related endocarditis due to *Streptococcus dysgalactiae* subsp. *equisimilis* (group C or G streptococci). *BMC Infect Dis*. 14: 174. <http://dx.doi.org/10.1186/1471-2334-14-174>.
- Rao, G; Sajjani, N; Kusnetzky, LL; Main, ML. (2010). Appropriate use of transthoracic echocardiography. *Am J Cardiol*. 105: 1640-1642. <http://dx.doi.org/10.1016/j.amjcard.2010.01.026>.
- Rao, G; Tauras, J. (2015). Biventricular Noncompaction Cardiomyopathy in an Adult with Unique Facial Dysmorphisms: Case Report and Brief Review. 2015: 831341. <http://dx.doi.org/10.1155/2015/831341>.
- Rao, MS; Tatematsu, M; Subbarao, V; Ito, N; Reddy, JK. (1986). Analysis of peroxisome proliferator-induced preneoplastic and neoplastic lesions of rat liver for placental form of glutathione S-transferase and gamma-glutamyltranspeptidase. *Cancer Res*. 46: 5287-5290.
- Rao, SK; Rao, PS. (2010). Alteration in the radiosensitivity of HeLa cells by dichloromethane extract of guduchi (*Tinospora cordifolia*). *Integr Cancer Ther*. 9: 378-384. <http://dx.doi.org/10.1177/1534735410387598>.
- Rap, MI; Chacko, A. (2015). Optimising the use of transoesophageal echocardiography in diagnosing suspected infective endocarditis. *Acta Cardiol*. 70: 487-491.
- Raunio, H; Hakkola, J; Hukkanen, J; Pelkonen, O; Edwards, R; Boobis, A; Anttila, S. (1998). Expression of xenobiotic metabolising cytochrome P450s in human pulmonary tissue. *Arch Toxicol Suppl*. 20: 465-469.
- Raut, MS; Maheshwari, A; Shivnani, G. (2014). Localized pericardial tamponade: does it always need exploration? *Ann Card Anaesth*. 17: 67-69. <http://dx.doi.org/10.4103/0971-9784.124149>.
- Ravishankaran, P; Krishnamurthy, A. (2014). Prognostic value of metastatic lymph nodal ratio in squamous cell carcinoma of esophagus: A three-step extrapolative study. 3: 213-216. <http://dx.doi.org/10.4103/2278-330X.142976>.
- Ray, WA; Griffin, MR; Schaffner, W. (1987). Psychotropic drug use and the risk of hip fracture. *N Engl J Med*. 316: 363-369. <http://dx.doi.org/10.1056/NEJM198702123160702>.
- Raychoudhury, T; Scheytt, T. (2013). Potential of zerovalent iron nanoparticles for remediation of environmental organic contaminants in water: a review. *Water Sci Technol*. 68: 1425-1439. <http://dx.doi.org/10.2166/wst.2013.358>.
- Reamon-Buettner, SM; Borlak, J. (2007). A new paradigm in toxicology and teratology: Altering gene activity in the absence of DNA sequence variation [Review]. *Reprod Toxicol*. 24: 20-30. <http://dx.doi.org/10.1016/j.reprotox.2007.05.002>.
- Rebel, A; Srour, H; Dilorenzo, A; Nguyen, D; Ferrell, S; Dwarakanatli, S; Haas, E; Schell, RM. (2016). Ultrasound Skill and Application of Knowledge Assessment using an Innovative OSCE Competition-Based Simulation Approach. 18: E404.
- Reddy, S; Ueda, K. (2014). Unexpected refractory intra-operative hypotension during non-cardiac surgery: Diagnosis and management guided by trans-oesophageal echocardiography. *Indian Journal of Anaesthesia*. 58: 51-54. <http://dx.doi.org/10.4103/0019-5049.126796>.
- Reeh, M; Nentwich, MF; Asani, S; Uzunoglu, FG; Bockhorn, M; Sauter, G; Rösch, T; Izbicki, JR; Bogoevski, D. (2015). Locally advanced esophageal carcinoma: is there still a role of surgery alone without neoadjuvant treatment? 19: 587-593. <http://dx.doi.org/10.1007/s11605-015-2762-y>.
- Regeer, MV; Versteegh, MI; Klautz, RJ; Schali, MJ; Bax, JJ; Ajmone Marsan, N; Delgado, V. (2015). Transthoracic echocardiography for selection of tubular graft size in David reimplantation technique. *Interact Cardiovasc Thorac Surg*. 21: 459-464. <http://dx.doi.org/10.1093/icvts/ivv179>.
- Reinsch, BC; Forsberg, B; Penn, RL; Kim, CS; Lowry, GV. (2010). Chemical transformations during aging of zerovalent iron nanoparticles in the presence of common groundwater dissolved constituents. *Environ Sci Technol*. 44: 3455-3461. <http://dx.doi.org/10.1021/es902924h>.
- Reisinger, JH; Burris, DR; Zellers, ET. (2012). Application of Advanced Sensor Technology to DoD Soil Vapor Intrusion Problems. 118.
- Reissmann, S; Joachimiak, LA; Chen, B; Meyer, AS; Nguyen, A; Frydman, J. (2012). A gradient of ATP affinities generates an asymmetric power stroke driving the chaperonin TRiC/CCT folding cycle. 2: 866-877. <http://dx.doi.org/10.1016/j.celrep.2012.08.036>.
- Remfry, A; Abrams, H; Dudzinski, DM; Weiner, RB; Bhatia, RS. (2015). Assessment of inpatient multimodal cardiac imaging appropriateness at large academic medical centers. *Cardiovasc Ultrasound*. 13: 44. <http://dx.doi.org/10.1186/s12947-015-0037-0>.
- Ren, B; de Groot-De Laat, LE; Mcghee, J; Vletter, WB; Ten Cate, FJ; Geleijnse, ML. (2013). Geometric errors of the pulsed-wave Doppler flow method in quantifying degenerative mitral valve regurgitation: a three-dimensional echocardiography study. *J Am Soc Echocardiogr*. 26: 261-269. <http://dx.doi.org/10.1016/j.echo.2012.10.011>.

Human Health Hazard Literature Search Results

Off Topic

- Ren, P; Li, K; Lu, X; Xie, M. (2013). Diagnostic value of transthoracic echocardiography for patent foramen ovale: a meta-analysis. 39: 1743-1750. <http://dx.doi.org/10.1016/j.ultrasmedbio.2013.03.016>.
- Ren, W; Zhou, Z; Irudayaraj, JM. (2015). Trichloroethylene sensing in water based on SERS with multifunctional Au/TiO₂ core-shell nanocomposites. *Analyst*. 140: 6625-6630. <http://dx.doi.org/10.1039/c5an01294e>.
- Renard, S; Habib, G. (2011). [Echocardiography: interest and border for screening and monitoring of pulmonary arterial hypertension] [Review]. *Presse Med*. 40 Suppl 1: 1S14-20. [http://dx.doi.org/10.1016/S0755-4982\(11\)70003-3](http://dx.doi.org/10.1016/S0755-4982(11)70003-3).
- Renpenning, J; Keller, S; Cretnik, S; Shouakar-Stash, O; Elsner, M; Schubert, T; Nijenhuis, I. (2014). Combined C and Cl isotope effects indicate differences between corrinoids and enzyme (Sulfurospirillum multivorans PceA) in reductive dehalogenation of tetrachloroethene, but not trichloroethene. *Environ Sci Technol*. 48: 11837-11845. <http://dx.doi.org/10.1021/es503306g>.
- Renpenning, J; Rapp, I; Nijenhuis, I. (2015). Substrate hydrophobicity and cell composition influence the extent of rate limitation and masking of isotope fractionation during microbial reductive dehalogenation of chlorinated ethenes. *Environ Sci Technol*. 49: 4293-4301. <http://dx.doi.org/10.1021/es506108j>.
- Révész, KM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and ²HH₂O tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol*. 156: 62-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.004>.
- Reznik, G; Ward, JM; Hardisty, JF; Russfield, A. (1979). Renal carcinogenic and nephrotoxic effects of the flame retardant tris(2,3-dibromopropyl) phosphate in F344 rats and (C57BL/6N X C3H/HeN)F1 mice. *J Natl Cancer Inst*. 63: 205-212.
- Rhee, I; Bachman, KE; Park, BH; Jair, KW; Yen, RW; Schuebel, KE; Cui, H; Feinberg, AP; Lengauer, C; Kinzler, KW; Baylin, SB; Vogelstein, B. (2002). DNMT1 and DNMT3b cooperate to silence genes in human cancer cells. *Nature*. 416: 552-556. <http://dx.doi.org/10.1038/416552a>.
- Rhee, SY; Blanco, JL; Liu, TF; Pere, I; Kaiser, R; Zazzi, M; Incardona, F; Towner, W; Gatell, JM; De Luca, A; Fessel, WJ; Shafer, RW. (2012). Standardized representation, visualization and searchable repository of antiretroviral treatment-change episodes. *AIDS Research and Therapy*. 9: 13. <http://dx.doi.org/10.1186/1742-6405-9-13>.
- Ribeiro, HB; Le Ven, F; Larose, E; Dahou, A; Nombela-Franco, L; Urena, M; Allende, R; Amat-Santos, I; Ricapito, M; Thébault, C; Clavel, MA; Delarochelliére, R; Doyle, D; Dumont, E; Dumesnil, JG; Pibarot, P; Rodés-Cabau, J. (2014). Cardiac magnetic resonance versus transthoracic echocardiography for the assessment and quantification of aortic regurgitation in patients undergoing transcatheter aortic valve implantation. *Heart*. 100: 1924-1932. <http://dx.doi.org/10.1136/heartjnl-2014-305615>.
- Richardson, AJ; Gibson, OR. (2015). Simulated hypoxia does not further improve aerobic capacity during sprint interval training. *J Sports Med Phys Fitness*. 55: 1099-1106.
- Richardson, AJ; Relf, RL; Saunders, A; Gibson, OR. (2016). Similar Inflammatory Responses following Sprint Interval Training Performed in Hypoxia and Normoxia. *Front Physiol*. 7: 332. <http://dx.doi.org/10.3389/fphys.2016.00332>.
- Richardson, FC; Boucheron, JA; Dyroff, MC; Popp, JA; Swenberg, JA. (1986). Biochemical and morphologic studies of heterogeneous lobe responses in hepatocarcinogenesis. *Carcinogenesis*. 7: 247-251. <http://dx.doi.org/10.1093/carcin/7.2.247>.
- Richardson, JD; Bertaso, AG; Frost, L; Psaltis, PJ; Carbone, A; Koschade, B; Wong, DT; Nelson, AJ; Paton, S; Williams, K; Azarisman, S; Worthley, MI; Teo, KS; Gronthos, S; Zannettino, AC; Worthley, SG. (2013). Cardiac magnetic resonance, transthoracic and transoesophageal echocardiography: a comparison of in vivo assessment of ventricular function in rats. *Lab Anim*. 47: 291-300. <http://dx.doi.org/10.1177/0023677213494373>.
- Richman, BA. (2013). Rapid Real-Time High-Sensitivity Trichloroethylene Vapor Analyzer.
- Richman, BA. (2015). Rapid Real-Time High-Sensitivity Trichloroethylene Vapor Analyzer.
- Riederer, F; Luborzewski, A; God, R; Bringmann, G; Scholz, J; Feineis, D; Moser, A. (2002). Modification of tyrosine hydroxylase activity by chloral derived beta-carbolines in vitro. *J Neurochem*. 81: 814-819.
- Ries, LAG; Melbert, D; Krapcho, M; Stinchcomb, DG; Howlander, N; Horner, MJ; Mariotto, A; Miller, BA; Feuer, EJ; Altekruse, SF; Lewis, DR; Clegg, L; Eisner, MP; Reichman, M; Edwards, BK. (2008). SEER cancer statistics review, 1975-2005. Bethesda, MD: U.S. National Institutes of Health, National Cancer Institute. http://seer.cancer.gov/csr/1975_2005.
- Rifaie, O; Ismail, M; Helmy, M; El-Bialy, M; Nammias, W. (2011). Redo percutaneous mitral valvuloplasty for mitral restenosis: a comparison with first procedure for de novo mitral stenosis. *Kardiol Pol*. 69: 125-131.
- Rigolin, VH. (2016). Automated Cardiac Volumetric Analysis: One Step Closer to Incorporating 3D TTE Into Routine Daily Workflow [Editorial]. *JACC: Cardiovascular Imaging*. 9: 783-784. <http://dx.doi.org/10.1016/j.jcmg.2016.01.023>.
- Riha, H; Papoušek, F; Neckář, J; Pirk, J; Ošťádal, B. (2012). Effects of isoflurane concentration on basic echocardiographic parameters of the left ventricle in rats. *Physiol Res*. 61: 419-423.
- Rindom, E; Nielsen, MH; Keceli, K; Jensen, ME; Vissing, K; Farup, J. (2016). Effect of protein quality on recovery after intense resistance training. *Eur J Appl Physiol*. 116: 2225-2236. <http://dx.doi.org/10.1007/s00421-016-3477-9>.
- Rinuncini, M; Zuin, M; Scaranello, F; Fejzo, M; Rampin, L; Rubello, D; Faggian, G; Roncon, L. (2016). Differentiation of cardiac thrombus from cardiac tumor combining cardiac MRI and 18F-FDG-PET/CT Imaging. *Int J Cardiol*. 212: 94-96. <http://dx.doi.org/10.1016/j.ijcard.2016.03.059>.
- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Species and sex differences in expression of flavin-containing monooxygenase form 3 in liver and kidney microsomes. *Drug Metab Dispos*. 27: 46-52.
- Ripp, SL; Overby, LH; Philpot, RM; Elfarra, AA. (1997). Oxidation of cysteine S-conjugates by rabbit liver microsomes and cDNA-expressed flavin-containing mono-oxygenases: Studies with S-(1,2-dichlorovinyl)-L-cysteine, S-(1,2,2-trichlorovinyl)-L-cysteine, S-allyl-L-cysteine, and S-benzyl-L-cysteine. *Mol Pharmacol*. 51: 507-515.

Human Health Hazard Literature Search Results

Off Topic

- Ristoff, E; Larsson, A. (2007). Inborn errors in the metabolism of glutathione [Review]. *Orphanet J Rare Dis.* 2: 16. <http://dx.doi.org/10.1186/1750-1172-2-16>.
- Ritz, B. (1999). Radiation exposure and cancer mortality in uranium processing workers. *Epidemiology.* 10: 531-538.
- Ritz, B; Morgenstern, H; Crawford-Brown, D; Young, B. (2000). The effects of internal radiation exposure on cancer mortality in nuclear workers at Rocketdyne/Atomics International. *Environ Health Perspect.* 108: 743-751.
- Ritz, B; Morgenstern, H; Froines, J; Young, BB. (1999). Effects of exposure to external ionizing radiation on cancer mortality in nuclear workers monitored for radiation at Rocketdyne/Atomics International. *Am J Ind Med.* 35: 21-31.
- Rivett, MO; Dearden, RA; Wealthall, GP. (2014). Architecture, persistence and dissolution of a 20 to 45 year old trichloroethene DNAPL source zone. *J Contam Hydrol.* 170: 95-115. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.008>.
- Rivett, MO; Turner, RJ; Glibbery Née Murcott, P; Cuthbert, MO. (2012). The legacy of chlorinated solvents in the Birmingham aquifer, UK: observations spanning three decades and the challenge of future urban groundwater development. *J Contam Hydrol.* 140-141: 107-123. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.006>.
- Rivett, MO; Wealthall, GP; Dearden, RA; Mcalary, TA. (2011). Review of unsaturated-zone transport and attenuation of volatile organic compound (VOC) plumes leached from shallow source zones [Review]. *J Contam Hydrol.* 123: 130-156. <http://dx.doi.org/10.1016/j.jconhyd.2010.12.013>.
- Robins, J. (1987). A graphical approach to the identification and estimation of causal parameters in mortality studies with sustained exposure periods. *J Chronic Dis.* 40: 139S-161S. [http://dx.doi.org/10.1016/S0021-9681\(87\)80018-8](http://dx.doi.org/10.1016/S0021-9681(87)80018-8).
- Robinson, J; Slater, L; Johnson, T; Shapiro, A; Tiedeman, C; Ntarlagiannis, D; Johnson, C; Day-Lewis, F; Lacombe, P; Imbrigiotta, T; Lane, J. (2016). Imaging Pathways in Fractured Rock Using Three-Dimensional Electrical Resistivity Tomography. *Ground Water.* 54: 186-201. <http://dx.doi.org/10.1111/gwat.12356>.
- Rocha, AC; Reis-Henriques, MA; Galhano, V; Ferreira, M; Guimarães, L. (2016). Toxicity of seven priority hazardous and noxious substances (HNSs) to marine organisms: Current status, knowledge gaps and recommendations for future research [Review]. *Sci Total Environ.* 542: 728-749. <http://dx.doi.org/10.1016/j.scitotenv.2015.10.049>.
- Roda, C; Kousignian, I; Ramond, A; Momas, I. (2013). Indoor tetrachloroethylene levels and determinants in Paris dwellings. *Environ Res.* 120: 1-6. <http://dx.doi.org/10.1016/j.envres.2012.09.005>.
- Rodrigues, AC; Picard, MH; Carbone, A; Arruda, AL; Flores, T; Klohn, J; Furtado, M; Lira-Filho, EB; Cerri, GG; Andrade, JL. (2013). Importance of adequately performed Valsalva maneuver to detect patent foramen ovale during transesophageal echocardiography. *J Am Soc Echocardiogr.* 26: 1337-1343. <http://dx.doi.org/10.1016/j.echo.2013.07.016>.
- Rodriguez, Y; Mesa, J; Arguelles, E; Carrillo, RG. (2013). Tricuspid insufficiency after laser lead extraction. *Pacing Clin Electrophysiol.* 36: 939-944. <http://dx.doi.org/10.1111/pace.12160>.
- Rodríguez-Palomares, JF; Teixidó-Tura, G; Galuppo, V; Cuéllar, H; Laynez, A; Gutiérrez, L; González-Alujas, MT; García-Dorado, D; Evangelista, A. (2016). Multimodality Assessment of Ascending Aortic Diameters: Comparison of Different Measurement Methods. *J Am Soc Echocardiogr.* 29: 819-826.e814. <http://dx.doi.org/10.1016/j.echo.2016.04.006>.
- Roh, SH; Kasembeli, M; Bakthavatsalam, D; Chiu, W; Twardy, DJ. (2015). Contribution of the Type II Chaperonin, TRiC/CCT, to Oncogenesis [Review]. *International Journal of Molecular Sciences.* 16: 26706-26720. <http://dx.doi.org/10.3390/ijms161125975>.
- Roh, SH; Kasembeli, M; Galaz-Montoya, JG; Trnka, M; Lau, WC; Burlingame, A; Chiu, W; Twardy, DJ. (2016). Chaperonin TRiC/CCT Modulates the Folding and Activity of Leukemogenic Fusion Oncoprotein AML1-ETO. *J Biol Chem.* 291: 4732-4741. <http://dx.doi.org/10.1074/jbc.M115.684878>.
- Roh, SH; Kasembeli, MM; Galaz-Montoya, JG; Chiu, W; Twardy, DJ. (2016). Chaperonin TRiC/CCT Recognizes Fusion Oncoprotein AML1-ETO through Subunit-Specific Interactions. *Biophys J.* 110: 2377-2385. <http://dx.doi.org/10.1016/j.bpj.2016.04.045>.
- Roifman, I; Connelly, KA; Wright, GA; Wijeyundera, HC. (2015). Echocardiography vs. Cardiac Magnetic Resonance Imaging for the Diagnosis of Left Ventricular Thrombus: A Systematic Review [Review]. *Can J Cardiol.* 31: 785-791. <http://dx.doi.org/10.1016/j.cjca.2015.01.011>.
- Roldan, CA; Sibbitt, WL; Qualls, CR; Jung, RE; Greene, ER; Gasparovic, CM; Hayek, RA; Charlton, GA; Crookston, K. (2013). Libman-Sacks endocarditis and embolic cerebrovascular disease. *JACC: Cardiovascular Imaging.* 6: 973-983. <http://dx.doi.org/10.1016/j.jcmg.2013.04.012>.
- Roleder, T; Smolka, G; Pysz, P; Kozyra, A; Ochała, A. (2015). Non-ST elevation myocardial infarction related to total coronary artery occlusion - prevalence and patient characteristics. *Postępy w Kardiologii Interwencyjnej.* 11: 9-13. <http://dx.doi.org/10.5114/pwki.2015.49178>.
- Rose Christmas, BC; Taylor, L; Siegler, JC; Midgley, AW. (2017). Muscle-damaging exercise 48 h prior to a maximal incremental exercise treadmill test reduces time to exhaustion: is it time to reconsider our pretest procedures? 25: 11-25. <http://dx.doi.org/10.1080/15438627.2016.1258641>.
- Rose-Felker, K; Kelleman, MS; Campbell, RM; Oster, ME; Sachdeva, R. (2016). Appropriate Use and Clinical Impact of Echocardiographic “Evaluation of Murmur” in Pediatric Patients. *Congenit Heart Dis.* 11: 721-726. <http://dx.doi.org/10.1111/chd.12379>.
- Rose-Felker, K; Kelleman, MS; Campbell, RM; Sachdeva, R. (2017). Appropriateness of Outpatient Echocardiograms Ordered by Pediatric Cardiologists or Other Clinicians. *J Pediatr.* <http://dx.doi.org/10.1016/j.jpeds.2017.01.073>.
- Roskams, T; Yang, SQ; Koteish, A; Durnez, A; DeVos, R; Huang, X; Achten, R; Verslype, C; Diehl, AM. (2003). Oxidative stress and oval cell accumulation in mice and humans with alcoholic and nonalcoholic fatty liver disease. *Am J Pathol.* 163: 1301-1311. [http://dx.doi.org/10.1016/S0002-9440\(10\)63489-X](http://dx.doi.org/10.1016/S0002-9440(10)63489-X).
- Roskams, TA; Theise, ND; Balabaud, C; Bhagat, G; Bhathal, PS; Bioulac-Sage, P; Brunt, EM; Crawford, JM; Crosby, HA; Desmet, V; Finegold, MJ; Geller, SA; Gouw, AS; Hytioglou, P; Knisely, AS; Kojiro, ML; efkowitz, J. H. N.; akanuma, Y.; Olynyk, JK; Park, YN; Portmann, B; Saxena,

Human Health Hazard Literature Search Results

Off Topic

- R; Scheuer, PJ; Strain, AJ; Thung, SN; Wanless, IR; West, AB. (2004). Nomenclature of the finer branches of the biliary tree: Canals, ductules, and ductular reactions in human livers. *Hepatology*. 39: 1739-1745. <http://dx.doi.org/10.1002/hep.20130>.
- Rossi, M; Serraino, GF; Jiritano, F; Renzulli, A. (2012). Late de novo aortic regurgitation with the Jarvik 2000 Flowmaker® left ventricular assist device. *Int J Artif Organs*. 35: 1080-1082. <http://dx.doi.org/10.5301/ijao.5000111>.
- Röst, HL; Liu, Y; D'Agostino, G; Zanella, M; Navarro, P; Rosenberger, G; Collins, BC; Gillet, L; Testa, G; Malmström, L; Aebersold, R. (2016). TRIC: an automated alignment strategy for reproducible protein quantification in targeted proteomics. *Nat Methods*. 13: 777-783. <http://dx.doi.org/10.1038/nmeth.3954>.
- Rothman, KJ. (1986). *Modern Epidemiology* (1 ed.). Boston, MA: Little, Brown & Co.
- Rothman, KJ; Greenland, S. (1998). *Modern Epidemiology* (2 ed.). Philadelphia, PA: Lippincott-Raven.
- Ruan, X; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Trichloroethylene degradation by persulphate with magnetite as a heterogeneous activator in aqueous solution. *Environ Technol*. 36: 1-9. <http://dx.doi.org/10.1080/09593330.2014.991353>.
- Rubab, I; Ali, S. (2016). Dried fruit extract of *Terminalia chebula* modulates the immune response in mice. *Food and Agricultural Immunology*. 27: 1-22. <http://dx.doi.org/10.1080/09540105.2015.1055554>.
- Rubinato, E; Morgan, A; D'Eustacchio, A; Pecile, V; Gortani, G; Gasparini, P; Faletta, F. (2014). A novel deletion mutation involving TMEM38B in a patient with autosomal recessive osteogenesis imperfecta. *Gene*. 545: 290-292. <http://dx.doi.org/10.1016/j.gene.2014.05.028>.
- Ruckenstein, MJ. (2004). Autoimmune inner ear disease [Review]. *Curr Opin Otolaryngol Head Neck Surg*. 12: 426-430.
- Rudolf, KL; DePinho, RA. (2001). Telomeres and telomerase in experimental liver cirrhosis. In D Shafritz (Ed.), (pp. 1001-1011). Philadelphia, PA: Lippincott Williams and Wilkins.
- Rufer, ES; Hacker, T; Lough, J; Smith, SM. (2008). Low-dose trichloroethylene exposure during valvuloseptal morphogenesis causes ventricular septal defects in hatched chicks [Abstract]. *Toxicologist*. 102: 314.
- Rupakula, A; Kruse, T; Boeren, S; Holliger, C; Smidt, H; Maillard, J. (2013). The restricted metabolism of the obligate organohalide respiring bacterium *Dehalobacter restrictus*: lessons from tiered functional genomics. *Proc R Soc Lond B*. 368: 20120325. <http://dx.doi.org/10.1098/rstb.2012.0325>.
- Rußmann, F; Stemp, MJ; Mönkemeyer, L; Etchells, SA; Bracher, A; Hartl, FU. (2012). Folding of large multidomain proteins by partial encapsulation in the chaperonin TRiC/CCT. *Proc Natl Acad Sci USA*. 109: 21208-21215. <http://dx.doi.org/10.1073/pnas.1218836109>.
- Russo, A; Johnson, GR; Schnaar, G; Brusseau, ML. (2010). Nonideal transport of contaminants in heterogeneous porous media: 8. Characterizing and modeling asymptotic contaminant-elution tailing for several soils and aquifer sediments. *Chemosphere*. 81: 366-371. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.018>.
- Rustad, PI; Sailer, M; Cumming, KT; Jeppesen, PB; Kolnes, KJ; Sollie, O; Franch, J; Ivy, JL; Daniel, H; Jensen, J. (2016). Intake of Protein Plus Carbohydrate during the First Two Hours after Exhaustive Cycling Improves Performance the following Day. *PLoS ONE*. 11: e0153229. <http://dx.doi.org/10.1371/journal.pone.0153229>.
- Rusyn, I; Bradham, CA; Cohn, L; Schoonhoven, R; Swenberg, JA; Brenner, DA; Thurman, RG. (1999). Corn oil rapidly activates nuclear factor- κ B in hepatic Kupffer cells by oxidant-dependent mechanisms. *Carcinogenesis*. 20: 2095-2100.
- Rusyn, I; Peters, JM; Cunningham, ML. (2006). Modes of action and species-specific effects of di-(2-ethylhexyl)phthalate in the liver [Review]. *Crit Rev Toxicol*. 36: 459-479. <http://dx.doi.org/10.1080/10408440600779065>.
- Ruzsa, Z; Nagy, E; Ungi, I; Forster, T; Pálkás, A; Nemes, A. (2010). Additional help to diagnose functionally significant left main coronary artery stenosis: doppler echocardiography. 51: 540-543.
- Ryan, CE; Paniccia, A; Meguid, RA; McCarter, MD. (2017). Transthoracic Anastomotic Leak After Esophagectomy: Current Trends. *Ann Surg Oncol*. 24: 281-290. <http://dx.doi.org/10.1245/s10434-016-5417-7>.
- Ryan, DJ; O'Connor, TM; Murphy, MM; Brady, AP. (2017). Follow-up interval for small untreated pulmonary arteriovenous malformations in hereditary haemorrhagic telangiectasia. *Clin Radiol*. 72: 236-241. <http://dx.doi.org/10.1016/j.crad.2016.12.002>.
- Ryan, EJ; Kim, CH; Muller, MD; Bellar, DM; Barkley, JE; Bliss, MV; Jankowski-Wilkinson, A; Russell, M; Otterstetter, R; Macander, D; Glickman, EL; Kamimori, GH. (2012). Low-dose caffeine administered in chewing gum does not enhance cycling to exhaustion. *J Strength Cond Res*. 26: 844-850. <http://dx.doi.org/10.1519/JSC.0b013e31822a5cd4>.
- Ryan, TD; Madueme, PC; Jefferies, JL; Michelfelder, EC; Towbin, JA; Woo, JG; Sahay, RD; King, EC; Brown, R; Moore, RA; Grenier, MA; Goldstein, BH. (2016). Utility of Echocardiography in the Assessment of Left Ventricular Diastolic Function and Restrictive Physiology in Children and Young Adults with Restrictive Cardiomyopathy: A Comparative Echocardiography-Catheterization Study. *Pediatric Cardiology*. <http://dx.doi.org/10.1007/s00246-016-1526-0>.
- Ryan, TD; Taylor, MD; Mazur, W; Cripe, LH; Pratt, J; King, EC; Lao, K; Grenier, MA; Jefferies, JL; Benson, DW; Hor, KN. (2013). Abnormal circumferential strain is present in young Duchenne muscular dystrophy patients. *Pediatric Cardiology*. 34: 1159-1165. <http://dx.doi.org/10.1007/s00246-012-0622-z>.
- Rydzyński, K. (2001). Vanadium, niobium, and tantalum. In E Bingham; B Cohnsen; CH Powell (Eds.), (5 ed.). Hoboken, NJ: John Wiley & Sons.
- Rylott, EL; Johnston, EJ; Bruce, NC. (2015). Harnessing microbial gene pools to remediate persistent organic pollutants using genetically modified plants—a viable technology? [Review]. *J Exp Bot*. 66: 6519-6533. <http://dx.doi.org/10.1093/jxb/erv384>.
- Saad, M; Daoud, M; Nasr, P; Syed, R; El-Sayegh, S. (2015). IgA-dominant post-infectious glomerulonephritis presenting as a fatal pulmonary-renal syndrome. *International Journal of Nephrology and Renovascular Disease*. 8: 77-81. <http://dx.doi.org/10.2147/IJNRD.S84061>.
- Saad, MH; Roushdy, AM; Elsayed, MH. (2010). Immediate- and medium-term effects of balloon pulmonary valvuloplasty in infants with critical pulmonary stenoses during the first year of life: A prospective single center study. 22: 195-201. <http://dx.doi.org/10.1016/j.jsha.2010.07.002>.

Human Health Hazard Literature Search Results

Off Topic

- Sabalowsky, AR; Semprini, L. (2010). Trichloroethene and cis-1,2-dichloroethene concentration-dependent toxicity model simulates anaerobic dechlorination at high concentrations. II: continuous flow and attached growth reactors. *Biotechnol Bioeng.* 107: 540-549. <http://dx.doi.org/10.1002/bit.22822>.
- Sabalowsky, AR; Semprini, L. (2010). Trichloroethene and cis-1,2-dichloroethene Concentration-Dependent Toxicity Model Simulates Anaerobic Dechlorination at High Concentrations: I. Batch-Fed Reactors. *Biotechnol Bioeng.* 107: 529-539. <http://dx.doi.org/10.1002/bit.22776>.
- Sabel, GV; Clark, TP. (1984). Volatile organic compounds as indicators of municipal solid waste leachate contamination. *Waste Manag Res.* 2: 119-130. [http://dx.doi.org/10.1016/0734-242X\(84\)90135-6](http://dx.doi.org/10.1016/0734-242X(84)90135-6).
- Sabzi, F; Ghasemi, F; Asadmobini, A. (2016). A Tricuspid Valve Mass Attached to Papillary Muscle. 26: 293-296.
- Sabzi, F; Heidari, A; Faraji, R. (2015). A rare case of aortic sinuses of valsalva fistula to multiple cardiac chambers secondary to periannular aortic abscess formation from underlying Brucella endocarditis. 10: Doc14. <http://dx.doi.org/10.3205/dgkh000257>.
- Sabzi, F; Madani, H; Dabiri, S; Pormotabed, A; Faraji, R. (2015). Thrombotic cardiac apex hydatid cyst. *Indian Heart J.* 67: 577-580. <http://dx.doi.org/10.1016/j.ihj.2015.09.022>.
- Sabzi, F; Madani, H; Khosravi, D; Hosseini, MS; Faraji, R. (2015). Large cardiac hydatidosis bulging as a mass to pericardium-case report. *Iranian Journal of Parasitology.* 10: 128-131.
- Sabzi, F; Mirzaei, S; Faraji, R. (2016). Right Ventricular Thrombus and Cerebral Artery Aneurysm in a Patient with Behçet's Disease. 16: e250-e253. <http://dx.doi.org/10.18295/squmj.2016.16.02.020>.
- Saccani, G; Bernasconi, M; Antonelli, M. (2014). Optimization of low energy sonication treatment for granular activated carbon colonizing biomass assessment. *Environ Technol.* 35: 851-858. <http://dx.doi.org/10.1080/09593330.2013.853698>.
- Sachdeva, R; Allen, J; Benavidez, OJ; Campbell, RM; Douglas, PS; Eidem, BW; Gold, L; Kelleman, MS; Lopez, L; Mccracken, CE; Stern, KW; Weiner, RB; Welch, E; Lai, WW. (2015). Pediatric Appropriate Use Criteria Implementation Project: A Multicenter Outpatient Echocardiography Quality Initiative. *J Am Coll Cardiol.* 66: 1132-1140. <http://dx.doi.org/10.1016/j.jacc.2015.06.1327>.
- Sachdeva, R; Douglas, PS; Kelleman, MS; Mccracken, CE; Lopez, L; Stern, KW; Eidem, BW; Benavidez, OJ; Weiner, RB; Welch, E; Campbell, RM; Lai, WW. (2016). Effect of Release of the First Pediatric Appropriate Use Criteria on Transthoracic Echocardiogram Ordering Practice. *Am J Cardiol.* 118: 1545-1551. <http://dx.doi.org/10.1016/j.amjcard.2016.08.019>.
- Sachdeva, R; Douglas, PS; Kelleman, MS; Mccracken, CE; Lopez, L; Stern, KW; Eidem, BW; Benavidez, OJ; Weiner, RB; Welch, E; Campbell, RM; Lai, WW. (2017). Educational intervention for improving the appropriateness of transthoracic echocardiograms ordered by pediatric cardiologists. *Congenit Heart Dis.* <http://dx.doi.org/10.1111/chd.12455>.
- Sadeghian, H; Hajizainali, A; Eslami, B; Lotfi-Tokaldany, M; Sheikhfathollahi, M; Sahebjam, M; Hakki, E; Zoroufian, A; Kassaian, SE; Alidoosti, M. (2010). Measurement of Atrial Septal Defect Size: A Comparative Study between Transesophageal Echocardiography and Balloon Occlusive Diameter Method. *Journal of Tehran Heart Center.* 5: 74-77.
- Sadeghpour, A; Hassanzadeh, M; Kyavar, M; Bakhshandeh, H; Naderi, N; Ghadrdooost, B; Haghight Talab, A. (2013). Impact of severe tricuspid regurgitation on long term survival. 2: 121-126. <http://dx.doi.org/10.5812/cardiovascmed.10686>.
- Sadiq, N; Ullah, M; Sultan, M; Akhtar, K. (2014). Transthoracic echocardiography as a measuring and guiding tool for transcatheter device closure of secundum atrial septal defect in young children. *J Invasive Cardiol.* 26: 245-248.
- Sadron Blaye-Felice, MA; Séguéla, PE; Arnaudis, B; Dulac, Y; Lepage, B; Acar, P. (2012). Usefulness of three-dimensional transthoracic echocardiography for the classification of congenital bicuspid aortic valve in children. 13: 1047-1052. <http://dx.doi.org/10.1093/ehjci/jes089>.
- Saegusa, K; Sato, M; Sato, K; Nakajima-Shimada, J; Harada, A; Sato, K. (2014). Caenorhabditis elegans chaperonin CCT/TRiC is required for actin and tubulin biogenesis and microvillus formation in intestinal epithelial cells. *Mol Biol Cell.* 25: 3095-3104. <http://dx.doi.org/10.1091/mbc.E13-09-0530>.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2010). 20 kHz sonoelectrochemical degradation of perchloroethylene in sodium sulfate aqueous media: Influence of the operational variables in batch mode. *J Hazard Mater.* 183: 648-654. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.074>.
- Saez, V; Esclapez, MD; Bonete, P; Walton, DJ; Rehorek, A; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonochemical degradation of perchloroethylene: The influence of ultrasonic variables, and the identification of products. *Ultrason Sonochem.* 18: 104-113. <http://dx.doi.org/10.1016/j.ultsonch.2010.03.009>.
- Saguner, AM; Ganahl, S; Kraus, A; Baldinger, SH; Medeiros-Domingo, A; Saguner, AR; Mueller-Burri, SA; Wolber, T; Haegeli, LM; Krasniqi, N; Tanner, FC; Steffel, J; Brunckhorst, C; Duru, F. (2014). Clinical role of atrial arrhythmias in patients with arrhythmogenic right ventricular dysplasia. *Circ J.* 78: 2854-2861.
- Sah, SP; Bartakian, S; El-Said, H; Molkara, DP; Printz, B; Moore, JW. (2016). Preprocedural Transthoracic Echocardiography Can Predict Amplatzer Septal Occluder Device Size for Transcatheter Atrial Septal Defect Closure. *Congenit Heart Dis.* 11: 656-662. <http://dx.doi.org/10.1111/chd.12365>.
- Saha, SA; Beatty, AL; Mishra, RK; Whooley, MA; Schiller, NB. (2015). Usefulness of an Echocardiographic Composite Cardiac Calcium Score to Predict Death in Patients With Stable Coronary Artery Disease (from the Heart and Soul Study). *Am J Cardiol.* 116: 50-58. <http://dx.doi.org/10.1016/j.amjcard.2015.03.041>.
- Şahan, E; Gül, M; Şahan, S; Sokmen, E; Guray, YA; Tufekçioğlu, O. (2015). Pseudoaneurysm of the mitral-aortic intervalvular fibrosa. A new comprehensive review [Review]. *Herz.* 40 Suppl 2: 182-189. <http://dx.doi.org/10.1007/s00059-014-4185-z>.
- Sahin, T; Celikyurt, U; Kilic, T; Kahraman, G; Kozdag, G; Agacdiken, A; Ural, E; Ural, D. (2012). Respiratory changes in the E/A wave pattern can be an early sign of diastolic dysfunction: an echocardiographic long-term follow-up study. *Med Sci Monit.* 18: MT79-MT84.

Human Health Hazard Literature Search Results

Off Topic

- Saitoh, T; Shiota, M; Izumo, M; Gurudevan, SV; Tolstrup, K; Siegel, RJ; Shiota, T. (2012). Comparison of left ventricular outflow geometry and aortic valve area in patients with aortic stenosis by 2-dimensional versus 3-dimensional echocardiography. *Am J Cardiol.* 109: 1626-1631. <http://dx.doi.org/10.1016/j.amjcard.2012.01.391>.
- Sakaki, K; Kawabata, S; Ukegawa, D; Hirai, T; Ishii, S; Tomori, M; Inose, H; Yoshii, T; Tomizawa, S; Kato, T; Shinomiya, K; Okawa, A. (2012). Warning thresholds on the basis of origin of amplitude changes in transcranial electrical motor-evoked potential monitoring for cervical compression myelopathy. *Spine.* 37: E913-E921. <http://dx.doi.org/10.1097/BRS.0b013e31824caab6>.
- Sakanoue, I; Hamakawa, H; Okubo, Y; Minami, K; Miyamoto, E; Shomura, Y; Takahashi, Y. (2016). Efficacy and safety of thoracoscopic pericardial window in patients with pericardial effusions: a single-center case series. *J Cardiothorac Surg.* 11: 92. <http://dx.doi.org/10.1186/s13019-016-0488-x>.
- Sakrana, AA; Nasr, MM; Ashamalla, GA; Abuelatta, RA; Naeim, HA; Tahlawi, ME. (2016). Paravalvular leak after transcatheter aortic valve implantation: is it anatomically predictable or procedurally determined? MDCT study. *Clin Radiol.* 71: 1095-1103. <http://dx.doi.org/10.1016/j.crad.2016.07.016>.
- Sakulchaicharoen, N; O'Carroll, DM; Herrera, JE. (2010). Enhanced stability and dechlorination activity of pre-synthesis stabilized nanoscale FePd particles. *J Contam Hydrol.* 118: 117-127. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.004>.
- Sakurai, T; Maeda, S; Chang, L; Karin, M. (2006). Loss of hepatic NF-kappa B activity enhances chemical hepatocarcinogenesis through sustained c-Jun N-terminal kinase 1 activation. *Proc Natl Acad Sci USA.* 103: 10544-10551. <http://dx.doi.org/10.1073/pnas.0603499103>.
- Salanitro, J. (2012). Development of a High Performance Bioprocess for Eliminating 1,4-Dioxane in Water.
- Salas, LA; Gracia-Lavedan, E; Goni, F; Moreno, V; Villanueva, CM. (2014). Use of urinary trichloroacetic acid as an exposure biomarker of disinfection by-products in cancer studies. *Environ Res.* 135: 276-284. <http://dx.doi.org/10.1016/j.envres.2014.09.018>.
- Salaun, E; Jacquier, A; Theron, A; Giorgi, R; Lambert, M; Jaussaud, N; Hubert, S; Collart, F; Bonnet, JL; Habib, G; Cuisset, T; Grisoli, D. (2016). Value of CMR in quantification of paravalvular aortic regurgitation after TAVI. 17: 41-50. <http://dx.doi.org/10.1093/ehjci/jev177>.
- Sale, C; Saunders, B; Hudson, S; Wise, JA; Harris, RC; Sunderland, CD. (2011). Effect of β -alanine plus sodium bicarbonate on high-intensity cycling capacity. *Med Sci Sports Exerc.* 43: 1972-1978. <http://dx.doi.org/10.1249/MSS.0b013e3182188501>.
- Salem, R; Vallée, F; Dépret, F; Callebert, J; Maurice, JP; Marty, P; Matéo, J; Madadaki, C; Houdart, E; Bresson, D; Froelich, S; Stapf, C; Payen, D; Mebazaa, A. (2014). Subarachnoid hemorrhage induces an early and reversible cardiac injury associated with catecholamine release: one-week follow-up study. *Critical Care (Online).* 18: 558. <http://dx.doi.org/10.1186/s13054-014-0558-1>.
- Salih, HH; Patterson, CL; Sorial, GA; Sinha, R; Krishnan, R. (2011). The fate and transport of the SiO₂ nanoparticles in a granular activated carbon bed and their impact on the removal of VOCs. *J Hazard Mater.* 193: 95-101. <http://dx.doi.org/10.1016/j.jhazmat.2011.07.030>.
- Salmasi, AM; Salmasi, H; Rawlins, S; Baakil, M; Dancy, M. (2010). Atrial septal aneurysm and patent foramen ovale are less prevalent in the Indo-Asian than in the Caucasian or Afro-Caribbean population. *Angiology.* 61: 205-210. <http://dx.doi.org/10.1177/0003319709339590>.
- Salvan, A; Stayner, L; Steenland, K; Smith, R. (1995). Selecting an exposure lag period. *Epidemiology.* 6: 387-390.
- Sam, FL; Dabera, GD; Lai, KT; Mills, CA; Rozanski, LJ; Silva, SR. (2014). Hybrid metal grid-polymer-carbon nanotube electrodes for high luminance organic light emitting diodes. *Nanotechnology.* 25: 345202. <http://dx.doi.org/10.1088/0957-4484/25/34/345202>.
- Samanta, S; Samanta, S; Ghatak, T; Grover, VK. (2014). Chest ultrasonography in emergency Cesarean delivery in multi-valvular heart disease with pulmonary edema during spinal anesthesia. *J Clin Anesth.* 26: 235-237. <http://dx.doi.org/10.1016/j.jclinane.2013.12.009>.
- Samson, R; Kado, H; Chapman, D. (2012). Huffing-induced cardiomyopathy: a case report. *Cardiovasc Toxicol.* 12: 90-92. <http://dx.doi.org/10.1007/s12012-011-9143-x>.
- Sanati, H; Zolfaghari, R; Samiei, N; Rezaei, Y; Chitsazan, M; Zahedmehr, A; Shakerian, F; Kiani, R; Firouzi, A; Rezaei Tabrizi, R. (2017). Mitral valve resistance determines hemodynamic consequences of severe rheumatic mitral stenosis and immediate outcomes of percutaneous valvuloplasty. *Echocardiography.* <http://dx.doi.org/10.1111/echo.13448>.
- Sanchez, AY; Foster, JJ; Plymen, CM; Shergill, S. (2016). Clozapine in a patient with treatment-resistant schizophrenia and hypertrophic cardiomyopathy: a case report. 2: 390-393. <http://dx.doi.org/10.1192/bjpo.bp.116.003723>.
- Sanchez, IM; Bull, RJ. (1990). Early induction of reparative hyperplasia in the liver of B6C3F1 mice treated with dichloroacetate and trichloroacetate. *Toxicology.* 64: 33-46. [http://dx.doi.org/10.1016/0300-483X\(90\)90097-Z](http://dx.doi.org/10.1016/0300-483X(90)90097-Z).
- Sandbakk, Ø; Holmberg, HC; Leirdal, S; Ettema, G. (2010). Metabolic rate and gross efficiency at high work rates in world class and national level sprint skiers. *Eur J Appl Physiol.* 109: 473-481. <http://dx.doi.org/10.1007/s00421-010-1372-3>.
- Sandsund, M; Saurasunet, V; Wiggen, Ø; Renberg, J; Færevik, H; van Beekvelt, MC. (2012). Effect of ambient temperature on endurance performance while wearing cross-country skiing clothing. *Eur J Appl Physiol.* 112: 3939-3947. <http://dx.doi.org/10.1007/s00421-012-2373-1>.
- Sannegowda, KM; Venkatesha, SH; Moudgil, KD. (2015). *Tinospora cordifolia* inhibits autoimmune arthritis by regulating key immune mediators of inflammation and bone damage. *Int J Immunopathol Pharmacol.* 28: 521-531. <http://dx.doi.org/10.1177/0394632015608248>.
- Santos, CM. (2012). New agents promote neuroprotection in Parkinson's disease models [Review]. *CNS Neurol Disord Drug Targets.* 11: 410-418.
- Santos, LN; Gallo, MB; Silva, ES; Figueiredo, CA; Cooper, PJ; Barreto, ML; Loureiro, S; Pontes-De-Carvalho, LC; Alcantara-Neves, NM. (2013). A proteomic approach to identify proteins from *Trichuris trichiura* extract with immunomodulatory effects. *Parasite Immunology.* 35: 188-193. <http://dx.doi.org/10.1111/pim.12025>.
- Santus, P; Radovanovic, D; Di Marco, S; Valenti, V; Raccanelli, R; Blasi, F; Centanni, S; Bussotti, M. (2015). Effect of indacaterol on lung deflation improves cardiac performance in hyperinflated COPD patients: an interventional, randomized, double-blind clinical trial. *The International Journal of Chronic Obstructive Pulmonary Disease (Online).* 10: 1917-1923. <http://dx.doi.org/10.2147/COPD.S91684>.

Human Health Hazard Literature Search Results

Off Topic

- Sanz, N; Díez-Fernández, C; Cascales, M. (1996). Variations of hepatic antioxidant systems and DNA ploidy in rats aged 2 to 8 months. *Biochim Biophys Acta*. 1315: 123-130. [http://dx.doi.org/10.1016/0925-4439\(95\)00113-1](http://dx.doi.org/10.1016/0925-4439(95)00113-1).
- Sapkota, A; Williams, D; Buckley, TJ. (2005). Tollbooth workers and mobile source-related hazardous air pollutants: How protective is the indoor environment? *Environ Sci Technol*. 39: 2936-2943. <http://dx.doi.org/10.1021/es0489644>.
- Sarangapani, R; Gentry, PR; Covington, TR; Teeguarden, JG; Clewell, HJ, III. (2003). Evaluation of the potential impact of age- and gender-specific lung morphology and ventilation rate on the dosimetry of vapors. *Inhal Toxicol*. 15: 987-1016. <http://dx.doi.org/10.1080/08958370390226350>.
- Saranteas, T; Alevizou, A; Tzoufi, M; Panou, F; Kostopanagiotou, G. (2011). Transthoracic echocardiography for the diagnosis of left ventricular thrombosis in the postoperative care unit. *Critical Care (Online)*. 15: R54. <http://dx.doi.org/10.1186/cc10025>.
- Saranteas, T; Manikis, D; Papadimos, T; Mavrogenis, AF; Kostopanagiotou, G; Panou, F. (2016). Intraoperative TTE inferior vena cava monitoring in elderly orthopaedic patients with cardiac disease and spinal-induced hypotension. *J Clin Monit Comput*. <http://dx.doi.org/10.1007/s10877-016-9922-9>.
- Sargent, LM; Zhou, X; Keck, CL; Sanderson, ND; Zimonjic, DB; Popescu, NC; Thorgeirsson, SS. (1999). Nonrandom cytogenetic alterations in hepatocellular carcinoma from transgenic mice overexpressing c-Myc and transforming growth factor-alpha in the liver. *Am J Pathol*. 154: 1047-1055.
- Sarı, C; Aslan, AN; Baştuğ, S; Akçay, M; Akar Bayram, N; Bilen, E; Ayhan, H; Kasapkara, HA; Durmaz, T; Keleş, T; Bozkurt, E. (2016). Immediate recovery of the left atrial and left ventricular diastolic function after transcatheter aortic valve implantation: A transesophageal echocardiography study. *Cardiol J*. 23: 449-455. <http://dx.doi.org/10.5603/CJ.a2016.0030>.
- Sarigiannis, DA; Hansen, U, te. (2012). Considering the cumulative risk of mixtures of chemicals - A challenge for policy makers [Review]. *Environ Health*. 11: S18. <http://dx.doi.org/10.1186/1476-069X-11-S1-S18>.
- Sasai, T; Tokioka, H; Fukushima, T; Mikane, T; Oku, S; Iwasaki, E; Ishii, M; Mieda, H; Ishikawa, T; Minami, E. (2014). Reliability of central venous pressure to assess left ventricular preload for fluid resuscitation in patients with septic shock. 2: 58. <http://dx.doi.org/10.1186/s40560-014-0058-z>.
- Sasaki, S; Watanabe, H; Shibayama, K; Mahara, K; Tabata, M; Fukui, T; Tobaru, T; Takanashi, S; Sumiyoshi, T; Tomoike, H. (2013). Three-dimensional transesophageal echocardiographic evaluation of coronary involvement in patients with acute type A aortic dissection. *J Am Soc Echocardiogr*. 26: 837-845. <http://dx.doi.org/10.1016/j.echo.2013.05.001>.
- Sathananthan, J; Gabriel, R; Kay, P; Van Pelt, N. (2014). Two causes of ventricular tachycardia in a 26 year-old male. *Heart, Lung & Circulation (Online)*. 23: 586-588. <http://dx.doi.org/10.1016/j.hlc.2013.11.011>.
- Sato, A; Nakajima, T. (1979). A vial-equilibration method to evaluate the drug-metabolizing enzyme activity for volatile hydrocarbons. *Toxicol Appl Pharmacol*. 47: 41-46. [http://dx.doi.org/10.1016/0041-008X\(79\)90069-3](http://dx.doi.org/10.1016/0041-008X(79)90069-3).
- Sato, R; Kuriyama, A; Takada, T; Nasu, M; Luthe, SK. (2016). Prevalence and risk factors of sepsis-induced cardiomyopathy: A retrospective cohort study. *Medicine (Baltimore)*. 95: e5031. <http://dx.doi.org/10.1097/MD.0000000000005031>.
- Satola, B; Wübbeler, JH; Steinbüchel, A. (2013). Metabolic characteristics of the species *Variovorax paradoxus* [Review]. *Appl Microbiol Biotechnol*. 97: 541-560. <http://dx.doi.org/10.1007/s00253-012-4585-z>.
- Sauerbeck, A; Pandya, J; Singh, I; Bittman, K; Readnower, R; Bing, G; Sullivan, P. (2011). Analysis of regional brain mitochondrial bioenergetics and susceptibility to mitochondrial inhibition utilizing a microplate based system. *J Neurosci Methods*. 198: 36-43. <http://dx.doi.org/10.1016/j.jneumeth.2011.03.007>.
- Saunders, AB; Achen, SE; Gordon, SG; Miller, MW. (2010). Utility of transesophageal echocardiography for transcatheter occlusion of patent ductus arteriosus in dogs: influence on the decision-making process. *J Vet Intern Med*. 24: 1407-1413. <http://dx.doi.org/10.1111/j.1939-1676.2010.0587.x>.
- Saunders, B; Sale, C; Harris, RC; Morris, JG; Sunderland, C. (2013). Reliability of a high-intensity cycling capacity test. *J Sci Med Sport*. 16: 286-289. <http://dx.doi.org/10.1016/j.jsams.2012.07.004>.
- Saunders, JE; Sanders, C; Chen, H; Loock, HP. (2016). Refractive indices of common solvents and solutions at 1550 nm. *Appl Opt*. 55: 947-953. <http://dx.doi.org/10.1364/AO.55.000947>.
- Saunders, RA. (1967). A new hazard in closed environmental atmospheres. *Arch Environ Health*. 14: 380-384.
- Saura, D; de la Morena, G; Flores-Blanco, PJ; Oliva, MJ; Caballero, L; González-Carrillo, J; Espinosa, MD; López-Ruiz, M; García-Navarro, M; Valdés, M. (2015). Aortic valve stenosis planimetry by means of three-dimensional transesophageal echocardiography in the real clinical setting: feasibility, reliability and systematic deviations. *Echocardiography*. 32: 508-515. <http://dx.doi.org/10.1111/echo.12675>.
- Sausen, PJ; Elfarra, AA. (1990). Cysteine conjugate S-oxidase: Characterization of a novel enzymatic activity in rat hepatic and renal microsomes. *J Biol Chem*. 265: 6139-6145.
- Sausen, PJ; Elfarra, AA. (1991). Reactivity of cysteine S-conjugate sulfoxides: formation of S-[1-chloro-2-(S-glutathionyl)vinyl]-L-cysteine sulfoxide by the reaction of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide with glutathione. *Chem Res Toxicol*. 4: 655-660. <http://dx.doi.org/10.1021/tx00024a010>.
- Sawyer, BJ; Stokes, DG; Womack, CJ; Morton, RH; Weltman, A; Gaesser, GA. (2014). Strength training increases endurance time to exhaustion during high-intensity exercise despite no change in critical power. *J Strength Cond Res*. 28: 601-609. <http://dx.doi.org/10.1519/JSC.0b013e31829e113b>.
- Saxena, DK; Srivastava, RS; Lal, B; Chandra, SV. (1987). The effect of lead exposure on the testis of growing rats. *Exp Pathol*. 31: 249-252.
- Saylan, B; Cevik, A; Kirsaciloglu, CT; Ekici, F; Tosun, O; Ustundag, G. (2012). Subclinical cardiac dysfunction in children with coeliac disease: is the gluten-free diet effective? 2012: 706937. <http://dx.doi.org/10.5402/2012/706937>.

Human Health Hazard Literature Search Results

Off Topic

- Sbrana, I; Di Sibio, A; Lomi, A; Scarcelli, V. (1993). C-mitosis and numerical chromosome aberration analyses in human lymphocytes: 10 known or suspected spindle poisons. *Mutat Res.* 287: 57-70. [http://dx.doi.org/10.1016/0027-5107\(93\)90145-6](http://dx.doi.org/10.1016/0027-5107(93)90145-6).
- Scali, ST; Vlada, A; Chang, CK; Beck, AW. (2013). Transcaval embolization as an alternative technique for the treatment of type II endoleak after endovascular aortic aneurysm repair. *J Vasc Surg.* 57: 869-874. <http://dx.doi.org/10.1016/j.jvs.2012.09.021>.
- Scandura, S; Cammalleri, V; Caggegi, A; Castello, A; Ronsivalle, G; Dipasqua, F; Arcidiacono, AA; Indelicato, A; Mignosa, C; Tamburino, C. (2013). Three-dimensional echocardiographic and surgical findings in mitral mechanical valve dysfunction. *J Cardiovasc Med (Hagerstown).* 14: 317-318. <http://dx.doi.org/10.2459/JCM.0b013e328356a3e0>.
- Schädler, S; Morio, M; Bartke, S; Finkel, M. (2012). Integrated planning and spatial evaluation of megasite remediation and reuse options. *J Contam Hydrol.* 127: 88-100. <http://dx.doi.org/10.1016/j.jconhyd.2011.03.003>.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lazouskaya, V; Fischer, TB; Bishop, ME; Dong, H. (2013). Coupled Diffusion and Abiotic Reaction of Trichlorethene in Minimally Disturbed Rock Matrices. *Environ Sci Technol.* 47: 4291-4298. <http://dx.doi.org/10.1021/es400457s>.
- Schaefer, CE; Towne, RM; Vainberg, S; McCray, JE; Steffan, RJ. (2010). Bioaugmentation for treatment of dense non-aqueous phase liquid in fractured sandstone blocks. *Environ Sci Technol.* 44: 4958-4964. <http://dx.doi.org/10.1021/es1002428>.
- Scharf, JG; Dombrowski, F; Ramadori, G. (2001). The IGF axis and hepatocarcinogenesis. *Molecular Pathology.* 54: 138-144.
- Schatten, H; Chakrabarti, A. (1998). Centrosome structure and function is altered by chloral hydrate and diazepam during the first reproductive cell cycles in sea urchin eggs. *Eur J Cell Biol.* 75: 9-20.
- Scheff, PA; Wadden, RA. (1993). Receptor modeling of volatile organic compounds. I: Emission inventory and validation. *Environ Sci Technol.* 27: 617-625. <http://dx.doi.org/10.1021/es00041a005>.
- Schellenberger, MT; Grova, N; Farinelle, S; Willieme, S; Revets, D; Muller, CP. (2012). Immunogenicity of a Promiscuous T Cell Epitope Peptide Based Conjugate Vaccine against Benzo[a]pyrene: Redirecting Antibodies to the Hapten. *PLoS ONE.* 7: e38329. <http://dx.doi.org/10.1371/journal.pone.0038329>.
- Scheutz, C; Durant, ND; Broholm, MM. (2014). Effects of bioaugmentation on enhanced reductive dechlorination of 1,1,1-trichloroethane in groundwater: a comparison of three sites. *Biodegradation.* 25: 459-478. <http://dx.doi.org/10.1007/s10532-013-9674-x>.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere.* 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schissler, AJ; Rozenshtein, A; Kulon, ME; Pearson, GD; Green, RA; Stetson, PD; Brenner, DJ; D'Souza, B; Tsai, WY; Schluger, NW; Einstein, AJ. (2013). CT pulmonary angiography: increasingly diagnosing less severe pulmonary emboli. *PLoS ONE.* 8: e65669. <http://dx.doi.org/10.1371/journal.pone.0065669>.
- Schlehofer, B; Heuer, C; Blettner, M; Niehoff, D; Wahrendorf, J. (1995). Occupation, smoking and demographic factors, and renal cell carcinoma in Germany. *Int J Epidemiol.* 24: 51-57. <http://dx.doi.org/10.1093/ije/24.1.51>.
- Schlesselman, JJ. (1982). Case control studies: Design, conduct, analysis. In *Mongraphs in epidemiology and biostatistics*. New York, NY: Oxford University Press.
- Schlipköter, HW; Fodor, GG; Winneke, G. (1974). Zum Einfluss neurotoxischer Industriegifte auf unfallgenerierendes Fehlverhalten bei Kontroll- und Steuertätigkeiten. Wilhelmshaven, Dortmund: Wirtschaftsverlag Nordwest.
- Schmidt, KR; Gaza, S; Voropaev, A; Ertl, S; Tiehm, A. (2014). Aerobic biodegradation of trichloroethene without auxiliary substrates. *Water Res.* 59: 112-118. <http://dx.doi.org/10.1016/j.watres.2014.04.008>.
- Schmidt, R; Orwat, S; Kempny, A; Schuler, P; Radke, R; Kahr, PC; Hellige, A; Baumgartner, H; Diller, GP. (2014). Value of speckle-tracking echocardiography and MRI-based feature tracking analysis in adult patients after Fontan-type palliation. *Congenit Heart Dis.* 9: 397-406. <http://dx.doi.org/10.1111/chd.12156>.
- Schmohl, JU; Felices, M; Oh, F; Lenvik, AJ; Lebeau, AM; Panyam, J; Miller, JS; Vallera, DA. (2017). Engineering of Anti-CD133 Tri-Specific Molecule Capable of Inducing NK Expansion and Driving Antibody-Dependent Cell-Mediated Cytotoxicity (ADCC). *Cancer Res Treat.* <http://dx.doi.org/10.4143/crt.2016.491>.
- Schmohl, JU; Felices, M; Taras, E; Miller, JS; Vallera, DA. (2016). Enhanced ADCC and NK Cell Activation of an Anticarcinoma Bispecific Antibody by Genetic Insertion of a Modified IL-15 Cross-linker. *PLoS ONE.* 11: e0164929. <http://dx.doi.org/10.1038/mt.2016.88>.
- Schmucker, DL. (2001). Liver function and phase I drug metabolism in the elderly: A paradox [Review]. *Drugs Aging.* 18: 837-851.
- Schmucker, DL. (2005). Age-related changes in liver structure and function: Implications for disease? [Review]. *Exp Gerontol.* 40: 650-659. <http://dx.doi.org/10.1016/j.exger.2005.06.009>.
- Schmucker, DL; Mooney, JS; Jones, AL. (1978). Stereological analysis of hepatic fine structure in the Fischer 344 rat. Influence of sublobular location and animal age. *J Cell Biol.* 78: 319-337.
- Schneider, U; Vasi, F; Besserer, J. (2016). The Impact of the Geometrical Structure of the DNA on Parameters of the Track-Event Theory for Radiation Induced Cell Kill. *PLoS ONE.* 11: e0164929. <http://dx.doi.org/10.1371/journal.pone.0164929>.
- Schneidewind, U; Haest, PJ; Atashgahi, S; Maphosa, F; Hamonts, K; Maesen, M; Calderer, M; Seuntjens, P; Smidt, H; Springael, D; Dejonghe, W. (2014). Kinetics of dechlorination by *Dehalococcoides mccartyi* using different carbon sources. *J Contam Hydrol.* 157: 25-36. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.006>.
- Schöftner, P; Watzinger, A; Holzknacht, P; Wimmer, B; Reichenauer, TG. (2016). Transpiration and metabolisation of TCE by willow plants - a pot experiment. *Int J Phytoremediation.* 18: 686-692. <http://dx.doi.org/10.1080/15226514.2015.1131228>.
- Schouver, ED; Moceri, P; Chiche, O; Doyen, D; Gibelin, P; Ferrari, E. (2015). The So-Called 'Eclipsed' Mitral Regurgitation. *J Heart Valve Dis.* 24: 468-469.

Human Health Hazard Literature Search Results

Off Topic

- Schulte-Hermann, R; Timmermann-Trosiener, I; Schuppler, J. (1986). Facilitated expression of adaptive responses to phenobarbital in putative pre-stages of liver cancer. *Carcinogenesis*. 7: 1651-1655. <http://dx.doi.org/10.1093/carcin/7.10.1651>.
- Schultz, C; Piazza, N; Weustink, A; Ligthart, J; Otten, A; de Jaegere, P; Serruys, PW. (2011). How should I treat acute valve regurgitation? 7: 151-159. <http://dx.doi.org/10.4244/EIJV7I1A25>.
- Schultz, CJ; Papadopoulou, SL; Moelker, A; Nuis, RJ; Ten Kate, GJ; Mollet, NR; Geleijnse, ML; de Feyter, P; de Jaegere, P; Serruys, PW. (2011). Transaortic flow velocity from dual-source MDCT for the diagnosis of aortic stenosis severity. 78: 127-135. <http://dx.doi.org/10.1002/ccd.22958>.
- Schultz, CJ; Tzikas, A; Moelker, A; Rossi, A; Nuis, RJ; Geleijnse, MM; van Mieghem, N; Krestin, GP; de Feyter, P; Serruys, PW; de Jaegere, PP. (2011). Correlates on MSCT of paravalvular aortic regurgitation after transcatheter aortic valve implantation using the Medtronic CoreValve prosthesis. 78: 446-455. <http://dx.doi.org/10.1002/ccd.22993>.
- Schultz, MG; Sapp, JH; Cusack, CD; Fink, JM. (2010). The National Exposure Registry: history and lessons learned [Review]. *J Environ Health*. 72: 20-25.
- Schumann, R; Hudcova, J; Bonney, I; Cepeda, MS. (2010). Availability of anesthetic effect monitoring: utilization, intraoperative management and time to extubation in liver transplantation. *Transplant Proc*. 42: 4564-4566. <http://dx.doi.org/10.1016/j.transproceed.2010.09.164>.
- Schumucker, DL; Mooney, JS; Jones, AL. (1977). Age-related changes in the hepatic endoplasmic reticulum: A quantitative analysis. *Science*. 197: 1005-1008. <http://dx.doi.org/10.1126/science.887935>.
- Schuuring, MJ; Bolmers, PP; Mulder, BJ; de Bruin-Bon, RA; Koolbergen, DR; Hazekamp, MG; Lagrand, WK; De Hert, SG; de Beaumont, EM; Bouma, BJ. (2012). Right ventricular function declines after cardiac surgery in adult patients with congenital heart disease. *Int J Cardiovasc Imaging*. 28: 755-762. <http://dx.doi.org/10.1007/s10554-011-9892-4>.
- Schwartz-Arad, D; Zajicek, G; Bartfeld, E. (1989). The streaming liver IV: DNA content of the hepatocyte increases with its age. *Liver*. 9: 93-99. <http://dx.doi.org/10.1111/j.1600-0676.1989.tb00385.x>.
- Scollan, KF; Bottorff, B; Stieger-Vanegas, S; Nemanic, S; Sisson, D. (2015). Use of multidetector computed tomography in the assessment of dogs with pericardial effusion. *J Vet Intern Med*. 29: 79-87. <http://dx.doi.org/10.1111/jvim.12479>.
- Scollon, EJ; Carr, JA; Rintoul, DA; McMurry, ST; Cobb, GP. (2012). Metabolism and distribution of p,p'-DDT during flight of the white-crowned sparrow, *Zonotrichia leucophrys*. *Environ Toxicol Chem*. 31: 336-346. <http://dx.doi.org/10.1002/etc.730>.
- Scott, D; Applett, A; Materer, NF. (2011). Follow-up study on the effects on well chemistry from biological and chemical remediation of chlorinated solvents. *J Environ Monit*. 13: 2521-2526. <http://dx.doi.org/10.1039/c1em10360a>.
- Sedgwick, JF; Burstow, DJ. (2012). Update on echocardiography in the management of infective endocarditis. *Current Infectious Disease Reports*. 14: 373-380. <http://dx.doi.org/10.1007/s11908-012-0262-8>.
- See, KA; Wu, HL; Lau, KC; Shin, M; Cheng, L; Balasubramanian, M; Gallagher, KG; Curtiss, LA; Gewirth, AA. (2016). Effect of Hydrofluoroether Cosolvent Addition on Li Solvation in Acetonitrile-Based Solvate Electrolytes and Its Influence on S Reduction in a Li-S Battery. 8: 34360-34371. <http://dx.doi.org/10.1021/acsami.6b11358>.
- Seelbach, A; Fissler, B; Madle, S. (1993). Further evaluation of a modified micronucleus assay with V79 cells for detection of aneugenic effects. *Mutat Res*. 303: 163-169.
- Seethala, S. (2013). Left ventricular myxoma: Missed vs metastatic. *World Journal of Cardiology*. 5: 387-390. <http://dx.doi.org/10.4330/wjc.v5.i10.387>.
- Seitz, CS; Lin, Q; Deng, H; Khavari, PA. (1998). Alterations in NF-kappaB function in transgenic epithelial tissue demonstrate a growth inhibitory role for NF-kappaB. *Proc Natl Acad Sci USA*. 95: 2307-2312.
- Seitz, HK; Stickel, F. (2006). Risk factors and mechanisms of hepatocarcinogenesis with special emphasis on alcohol and oxidative stress [Review]. *Biol Chem*. 387: 349-360. <http://dx.doi.org/10.1515/bc.2006.047>.
- Sekar, R; Taillefert, M; Dichristina, TJ. (2016). Simultaneous Transformation of Commingled Trichloroethylene, Tetrachloroethylene, and 1,4-Dioxane by a Microbially Driven Fenton Reaction in Batch Liquid Cultures. *Appl Environ Microbiol*. 82: 6335-6343. <http://dx.doi.org/10.1128/AEM.02325-16>.
- Sekihara, T; Kimura, M; Hazama, D; Kimura, Y; Hayashi, H; Okano, M; Funasako, M; Sasaki, K; Nakane, E; Miyamoto, S; Izumi, T; Haruna, T; Fukui, M; Inoko, M. (2016). Platypnea-orthodeoxia Syndrome Diagnosed Using Contrast Transesophageal Echocardiography with Simultaneous SpO2 Monitoring. *Intern Med*. 55: 2203-2207. <http://dx.doi.org/10.2169/internalmedicine.55.6385>.
- Sellers, EM; Lang, M; Koch-Weser, J; LeBlanc, E; Kalant, H. (1972). Interaction of chloral hydrate and ethanol in man. I. Metabolism. *Clin Pharmacol Ther*. 13: 37-49.
- Sellers, EM; Lang-Sellers, M; Koch-Weser, J. (1978). Comparative metabolism of chloral hydrate and triclofos. *J Clin Pharmacol*. 18: 457-461.
- Sénéchal, M; Johannsen, NM; Swift, DL; Earnest, CP; Lavie, CJ; Blair, SN; Church, TS. (2015). Association between Changes in Muscle Quality with Exercise Training and Changes in Cardiorespiratory Fitness Measures in Individuals with Type 2 Diabetes Mellitus: Results from the HART-D Study. *PLoS ONE*. 10: e0135057. <http://dx.doi.org/10.1371/journal.pone.0135057>.
- Seneviratne, MG; Grieve, SM; Figtree, GA; Garsia, R; Celermajer, DS; Adelman, S; Puranik, R. (2016). Prevalence, distribution and clinical correlates of myocardial fibrosis in systemic lupus erythematosus: a cardiac magnetic resonance study. *Lupus*. 25: 573-581. <http://dx.doi.org/10.1177/0961203315622275>.
- Seng, JE; Agrawal, N; Horsley, ETM; Leakey, TI; Scherer, EM; Xia, S; Allaben, WT; Leakey, JEA. (2003). Toxicokinetics of chloral hydrate in ad libitum-fed, dietary-controlled, and calorically restricted male B6C3F1 mice following short-term exposure. *Toxicol Appl Pharmacol*. 193: 281-292. <http://dx.doi.org/10.1016/j.taap.2003.07.008>.

Human Health Hazard Literature Search Results

Off Topic

- Seo, HY; Lee, SP; Park, JB; Lee, JM; Park, EA; Chang, SA; Kim, HK; Park, SJ; Lee, W; Kim, YJ; Lee, SC; Park, SW; Sohn, DW; Choe, YH. (2015). Discrepancies in Left Ventricular Mass Calculation Based on Echocardiography and Cardiovascular Magnetic Resonance Measurements in Patients with Left Ventricular Hypertrophy. *J Am Soc Echocardiogr.* 28: 1194-1203, e1192. <http://dx.doi.org/10.1016/j.echo.2015.06.009>.
- Seo, JH; Liu, J; Fan, X; Kurabayashi, K. (2013). Fabry-Pérot cavity sensor-based optofluidic gas chromatography using a microfabricated passive preconcentrator/injector. *Lab Chip.* 13: 851-859. <http://dx.doi.org/10.1039/c2lc41119a>.
- Seo, S; Baye, LM; Schulz, NP; Beck, JS; Zhang, Q; Slusarski, DC; Sheffield, VC. (2010). BBS6, BBS10, and BBS12 form a complex with CCT/TRiC family chaperonins and mediate BBSome assembly. *Proc Natl Acad Sci USA.* 107: 1488-1493. <http://dx.doi.org/10.1073/pnas.0910268107>.
- Sercu, B; Jones, ADG; Wu, CH; Escobar, MH; Serlin, CL; Knapp, TA; Andersen, GL; Holden, PA. (2013). The Influence of In Situ Chemical Oxidation on Microbial Community Composition in Groundwater Contaminated with Chlorinated Solvents. *Microb Ecol.* 65: 39-49. <http://dx.doi.org/10.1007/s00248-012-0092-0>.
- Serfaty, JM; Himbert, D; Esposito-Farese, M; Pasi, N; Tacher, V; Laissy, JP; Tubach, F; Lung, B; Vahanian, A; Messika-Zeitoun, D. (2014). Measurement of the aortic annulus diameter using transesophageal echocardiography and multislice computed tomography--are they truly comparable? *Can J Cardiol.* 30: 1073-1079. <http://dx.doi.org/10.1016/j.cjca.2014.06.012>.
- Sergeeva, OA; Chen, B; Haase-Pettingell, C; Ludtke, SJ; Chiu, W; King, JA. (2013). Human CCT4 and CCT5 chaperonin subunits expressed in *Escherichia coli* form biologically active homo-oligomers. *J Biol Chem.* 288: 17734-17744. <http://dx.doi.org/10.1074/jbc.M112.443929>.
- Sergeeva, OA; Tran, MT; Haase-Pettingell, C; King, JA. (2014). Biochemical characterization of mutants in chaperonin proteins CCT4 and CCT5 associated with hereditary sensory neuropathy. *J Biol Chem.* 289: 27470-27480. <http://dx.doi.org/10.1074/jbc.M114.576033>.
- Sermisri, N; Boonpipattanapong, T; Prechawittayakul, P; Sangkathat, S. (2014). Influence of payer source on treatment and outcomes in colorectal cancer patients in a university hospital in Thailand. *Asian Pac J Cancer Prev.* 15: 9015-9019.
- Serra, W; Crisafulli, E; Sverzellati, N; Ugolotti, PT; Tzani, P; Marangio, E; Ardissino, D; Gherli, T; Chetta, A. (2016). Transthoracic Echocardiography and Chest Computed Tomography Arteriography in Patients with Acute Pulmonary Embolism: A Two-Year Follow-Up Study. *Respiration.* 92: 235-240. <http://dx.doi.org/10.1159/000448687>.
- Serrano, G; Sukaew, T; Zellers, ET. (2013). Hybrid preconcentrator/focuser module for determinations of explosive marker compounds with a micro-scale gas chromatograph. *J Chromatogr A.* 1279: 76-85. <http://dx.doi.org/10.1016/j.chroma.2013.01.009>.
- Seth, R; Tai, LH; Falls, T; de Souza, CT; Bell, JC; Carrier, M; Atkins, H; Boushey, R; Auer, RA. (2013). Surgical stress promotes the development of cancer metastases by a coagulation-dependent mechanism involving natural killer cells in a murine model. *Ann Surg.* 258: 158-168. <http://dx.doi.org/10.1097/SLA.0b013e31826fcbdb>.
- Sexton, K; Adgate, JL; Church, TR; Ashley, DL; Needham, LL; Ramachandran, G; Fredrickson, AL; Ryan, AD. (2005). Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect.* 113: 342-349. <http://dx.doi.org/10.1289/ehp.7412>.
- Sexton, K; Mongin, SJ; Adgate, JL; Pratt, GC; Ramachandran, G; Stock, TH; Morandi, MT. (2007). Estimating volatile organic compound concentrations in selected microenvironments using time-activity and personal exposure data. *J Toxicol Environ Health A.* 70: 465-476. <http://dx.doi.org/10.1080/15287390600870858>.
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol.* 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.
- Shah, B; Sha, D; Xie, D; Mohler, ER, III; Berger, JS. (2011). The Relationship Between Diabetes Mellitus, Metabolic Syndrome and Platelet Activity as Measured by Mean Platelet Volume, Tte National Health and Nutrition Examination Survey, 1999-2004. *Circulation.* 124.
- Shah, JJ; Singh, HB. (1988). Distribution of volatile organic chemicals in outdoor and indoor air: A national VOCs data base. *Environ Sci Technol.* 22: 1381-1388. <http://dx.doi.org/10.1021/es00177a001>.
- Shah, NR; Cevik, C; Hernandez, A; Gregoric, ID; Frazier, OH; Stainback, RF. (2012). Transthoracic echocardiography of the HeartWare left ventricular assist device. *J Card Fail.* 18: 745-748. <http://dx.doi.org/10.1016/j.cardfail.2012.06.529>.
- Shah, TG; Wadia, SK; Kovach, J; Fogg, L; Tandon, R. (2016). Echocardiographic parameters of right ventricular function predict mortality in acute respiratory distress syndrome: a pilot study. *6: 155-160.* <http://dx.doi.org/10.1086/685549>.
- Shah, YM; Morimura, K; Yang, Q; Tanabe, T; Takagi, M; Gonzalez, FJ. (2007). Peroxisome proliferator-activated receptor alpha regulates a microRNA-mediated signaling cascade responsible for hepatocellular proliferation. *Mol Cell Biol.* 27: 4238-4247. <http://dx.doi.org/10.1128/MCB.00317-07>.
- Shahgaldi, K; da Silva, C; Bäck, M; Rück, A; Manouras, A; Sahlén, A. (2013). Transesophageal echocardiography measurements of aortic annulus diameter using biplane mode in patients undergoing transcatheter aortic valve implantation. *Cardiovasc Ultrasound.* 11: 5. <http://dx.doi.org/10.1186/1476-7120-11-5>.
- Shahmoradian, SH; Galaz-Montoya, JG; Schmid, MF; Cong, Y; Ma, B; Spiess, C; Frydman, J; Ludtke, SJ; Chiu, W. (2013). TRiC's tricks inhibit huntingtin aggregation. *Elife.* 2: e00710. <http://dx.doi.org/10.7554/eLife.00710>.
- Shahverdi, A; Rastegarnia, A; Rezaei Topraggaleh, T. (2014). Effect of extender and equilibration time on post thaw motility and chromatin structure of buffalo bull (*bubalus bubalis*) spermatozoa. *16: 279-288.*
- Shaikh, Q; Ahmed, B; Ahmed, M; Mahar, JH; Ahmad, M; Ahmed, A; Majeed, F; Ali, FS; Khan, M; Kamal, AK. (2013). Left atrial volumes and associated stroke subtypes [Review]. *BMC Neurol.* 13: 149. <http://dx.doi.org/10.1186/1471-2377-13-149>.

Human Health Hazard Literature Search Results

Off Topic

- Shalaby, MS; Gibson, A; Granitsiotis, P; Conn, G; Cascio, S. (2015). Assessment of the introduction of an adolescent transition urology clinic using a validated questionnaire. *J Pediatr Urol.* 11: 89.e81-89.e85. <http://dx.doi.org/10.1016/j.jpuro.2014.11.024>.
- Shamsi, MB; Sarrafzadeh, J; Jamshidi, A. (2015). Comparing core stability and traditional trunk exercise on chronic low back pain patients using three functional lumbopelvic stability tests. *Physiother Theory Pract.* 31: 89-98. <http://dx.doi.org/10.3109/09593985.2014.959144>.
- Shankar, K; Vaidya, VS; Corton, JC; Bucci, TJ; Liu, J; Waalkes, MP; Mehendale, HM. (2003). Activation of PPAR-alpha in streptozotocin-induced diabetes is essential for resistance against acetaminophen toxicity. *FASEB J.* 17: 1748-1750. <http://dx.doi.org/10.1096/fj.02-1186fje>.
- Shao, J; Stapleton, PL; Lin, YS; Gallagher, EP. (2007). Cytochrome p450 and glutathione s-transferase mRNA expression in human fetal liver hematopoietic stem cells. *Drug Metab Dispos.* 35: 168-175. <http://dx.doi.org/10.1124/dmd.106.012757>.
- Sharif, D; Sharif-Rasslan, A; Makhoul, N; Shefer, A; Hassan, A; Rosenschein, U. (2014). Sequential evaluation of coronary flow patterns after primary angioplasty in acute anterior ST-elevation myocardial infarction predicts recovery of left ventricular systolic function. *Echocardiography.* 31: 644-653. <http://dx.doi.org/10.1111/echo.12446>.
- Sharma, B; Dabur, R. (2016). Protective Effects of *Tinospora cordifolia* on Hepatic and Gastrointestinal Toxicity Induced by Chronic and Moderate Alcoholism. 51: 1-10. <http://dx.doi.org/10.1093/ajcp/agv130>.
- Sharma, P; Parmar, J; Sharma, P; Verma, P; Goyal, PK. (2011). Radiation-Induced Testicular Injury and Its Amelioration by *Tinospora cordifolia* (An Indian Medicinal Plant) Extract. *eCAM.* 2011: 643847. <http://dx.doi.org/10.1155/2011/643847>.
- Sharpe, CR; Rochon, JE; Adam, JM; Suissa, S. (1989). Case-control study of hydrocarbon exposures in patients with renal cell carcinoma. *CMAJ.* 140: 1309-1318.
- Sheahan, P; O'Duffy, F. (2016). Thyroid thyrothymic extension: An anatomic study in a surgical series. 38: 732-735. <http://dx.doi.org/10.1002/hed.23954>.
- Shearer, BG; Hoekstra, WJ. (2003). Recent advances in peroxisome proliferator-activated receptor science [Review]. *Curr Med Chem.* 10: 267-280. <http://dx.doi.org/10.2174/1567204052930970>.
- Sheffels, P; Schroeder, JL; Altuntas, TG; Liggitt, HD; Kharasch, ED. (2004). Role of cytochrome P4503A in cysteine S-conjugates sulfoxidation and the nephrotoxicity of the sevoflurane degradation product fluoromethyl-2,2-difluoro-1-(trifluoromethyl)vinyl ether (compound A) in rats. *Chem Res Toxicol.* 17: 1177-1189. <http://dx.doi.org/10.1021/tx049899e>.
- Shen, C; Lee, SY; Lam, TH; Schooling, CM. (2016). Is Traditional Chinese Exercise Associated With Lower Mortality Rates in Older People? Evidence From a Prospective Chinese Elderly Cohort Study in Hong Kong. *Am J Epidemiol.* 183: 36-45. <http://dx.doi.org/10.1093/aje/kwv142>.
- Shen, L; Liu, L; Yao, Z; Liu, G; Lucas, M. (2010). Development potentials and policy options of biomass in China. *Environ Manage.* 46: 539-554. <http://dx.doi.org/10.1007/s00267-010-9476-4>.
- Shenouda, J; Silber, D; Subramaniam, M; Alkhatib, B; Schwartz, RK; Goncalves, JA; Naidu, SS. (2016). Evaluation and Management of Concomitant Hypertrophic Obstructive Cardiomyopathy and Valvular Aortic Stenosis. *Current Treatment Options in Cardiovascular Medicine.* 18: 17. <http://dx.doi.org/10.1007/s11936-016-0440-3>.
- Sher, T; Yi, HF; McBride, OW; Gonzalez, FJ. (1993). cDNA cloning, chromosomal mapping, and functional characterization of the human peroxisome proliferator activated receptor. *Biochemistry.* 32: 5598-5604. <http://dx.doi.org/10.1021/bi00072a015>.
- Sherins, RJ; Hodgen, GD. (1976). Testicular gamma glutamyl-transpeptidase: An index of Sertoli cell function in man. *J Reprod Fertil.* 48: 191-193. <http://dx.doi.org/10.1530/jrf.0.0480191>.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere.* 104: 149-154. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.084>.
- Sheu, YT; Chen, SC; Chien, CC; Chen, CC; Kao, CM. (2015). Application of a long-lasting colloidal substrate with pH and hydrogen sulfide control capabilities to remediate TCE-contaminated groundwater. *J Hazard Mater.* 284: 222-232. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.023>.
- Shi, HJ; Wen, JK; Miao, SB; Liu, Y; Zheng, B. (2012). KLF5 and hhlIM cooperatively promote proliferation of vascular smooth muscle cells. *Mol Cell Biochem.* 367: 185-194. <http://dx.doi.org/10.1007/s11010-012-1332-9>.
- Shi, K; Yang, ZG; Chen, J; Zhang, G; Xu, HY; Guo, YK. (2015). Assessment of Double Outlet Right Ventricle Associated with Multiple Malformations in Pediatric Patients Using Retrospective ECG-Gated Dual-Source Computed Tomography. *PLoS ONE.* 10: e0130987. <http://dx.doi.org/10.1371/journal.pone.0130987>.
- Shi, K; Yang, ZG; Xu, HY; Zhao, SX; Liu, X; Guo, YK. (2016). Dual-source computed tomography for evaluating pulmonary artery in pediatric patients with cyanotic congenital heart disease: Comparison with transthoracic echocardiography. *Eur J Radiol.* 85: 187-192. <http://dx.doi.org/10.1016/j.ejrad.2015.11.002>.
- Shiao, Y; Kamata, S; Li, L; Hooth, M; DeAngelo, A; Anderson, L; Wolf, D. (2002). Mutations in the VHL gene from potassium bromate-induced rat clear cell renal tumors. *Cancer Lett.* 187: 207-214.
- Shiao, Y; Rice, J; Anderson, L; Diwan, B; Hard, G. (1998). von Hippel-Lindau gene mutations in N-nitrosodimethylamine-induced rat renal epithelial tumors. *J Natl Cancer Inst.* 90: 1720-1723.
- Shih, LC; Lafaver, K; Lim, C; Papavassiliou, E; Tarsy, D. (2013). Loss of benefit in VIM thalamic deep brain stimulation (DBS) for essential tremor (ET): how prevalent is it? 19: 676-679. <http://dx.doi.org/10.1016/j.parkreldis.2013.03.006>.
- Shillcutt, SK; Markin, NW; Montzingo, CR; Brakke, TR. (2012). Use of rapid "rescue" perioperative echocardiography to improve outcomes after hemodynamic instability in noncardiac surgical patients. *J Cardiothorac Vasc Anesth.* 26: 362-370. <http://dx.doi.org/10.1053/j.jvca.2011.09.029>.

Human Health Hazard Literature Search Results

Off Topic

- Shillcutt, SK; Montzingo, CR; Agrawal, A; Khaleel, MS; Therrien, SL; Thomas, WR; Porter, TR; Brakke, TR. (2014). Echocardiography-based hemodynamic management of left ventricular diastolic dysfunction: a feasibility and safety study. *Echocardiography*. 31: 1189-1198. <http://dx.doi.org/10.1111/echo.12574>.
- Shim, BJ; Lee, DH; Youn, HJ. (2014). Increased soluble vascular adhesion molecule-1 concentration is associated with impaired coronary flow reserve in cardiac syndrome X. *Heart Vessels*. 29: 723-731. <http://dx.doi.org/10.1007/s00380-013-0414-2>.
- Shimada, E; Zhu, M; Kimura, S; Streiff, C; Houle, H; Datta, S; Sahn, DJ; Ashraf, M. (2015). Quantitative assessment of mitral inflow and aortic outflow stroke volumes by 3-dimensional real-time full-volume color flow doppler transthoracic echocardiography: an in vivo study. *J Ultrasound Med*. 34: 95-103. <http://dx.doi.org/10.7863/ultra.34.1.95>.
- Shimada, H; Abe, S; Kohno, T; Satohisa, S; Konno, T; Takahashi, S; Hatakeyama, T; Arimoto, C; Kakuki, T; Kaneko, Y; Takano, KI; Saito, T; Kojima, T. (2017). Loss of tricellular tight junction protein LSR promotes cell invasion and migration via upregulation of TEAD1/AREG in human endometrial cancer. *Sci Rep*. 7: 37049. <http://dx.doi.org/10.1038/srep37049>.
- Shimada, H; Satohisa, S; Kohno, T; Takahashi, S; Hatakeyama, T; Konno, T; Tsujiwaki, M; Saito, T; Kojima, T. (2016). The roles of tricellular tight junction protein lipolysis-stimulated lipoprotein receptor in malignancy of human endometrial cancer cells. *Onct*. 7: 27735-27752. <http://dx.doi.org/10.18632/oncotarget.8408>.
- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther*. 270: 414-423.
- Shin, HJ; Shin, JK; Chee, HK; Kim, JS; Ko, SM. (2015). Characteristics of aortic valve dysfunction and ascending aorta dimensions according to bicuspid aortic valve morphology. *Eur Radiol*. 25: 2103-2114. <http://dx.doi.org/10.1007/s00330-014-3585-z>.
- Shin, KY; Jeon, SW; Cho, KB; Park, KS; Kim, ES; Park, CK; Chung, YJ; Kwon, JG; Jung, JT; Kim, EY; Kim, KO; Jang, BI; Lee, SH; Park, JB; Yang, CH. (2015). Clinical outcomes of the endoscopic submucosal dissection of early gastric cancer are comparable between absolute and new expanded criteria. *Gut and Liver*. 9: 181-187. <http://dx.doi.org/10.5009/gnl13417>.
- Shin, SY; Yong, HS; Na, JO; Choi, CU; Kim, SH; Kim, JW; Kim, Rha, SW; Park, CG; Seo, HS; Oh, DJ; Kim, YH; Lim, HE. (2012). A simplified method to determine left atrial volume and transport function using multi-slice computed tomography in patients with atrial fibrillation: comparison with transthoracic echocardiography. *Int J Cardiovasc Imaging*. 28: 1205-1216. <http://dx.doi.org/10.1007/s10554-011-9920-4>.
- Shiran, H; Zamanian, RT; Mcconnell, MV; Liang, DH; Dash, R; Heidary, S; Sudini, NL; Wu, JC; Haddad, F; Yang, PC. (2014). Relationship between echocardiographic and magnetic resonance derived measures of right ventricular size and function in patients with pulmonary hypertension. *J Am Soc Echocardiogr*. 27: 405-412. <http://dx.doi.org/10.1016/j.echo.2013.12.011>.
- Shirasu, Y; Moriya, M; Kato, K; Furuhashi, A; Kada, T. (1976). Mutagenicity screening of pesticides in the microbial system. *Mutat Res*. 40: 19-30. [http://dx.doi.org/10.1016/0165-1218\(76\)90018-5](http://dx.doi.org/10.1016/0165-1218(76)90018-5).
- Shirazi, F. (2014). Biocatalyst Platform Technology for Enhancing Cometabolic Biodegradation.
- Shoiab, I; Danford, DA; Li, L; Abdullah, I; Hammel, JM; Kutty, S. (2015). Predischarge Transthoracic Echocardiography after Surgery for Congenital Heart Disease: A Routine with a Reason? *J Am Soc Echocardiogr*. 28: 1030-1035. <http://dx.doi.org/10.1016/j.echo.2015.04.009>.
- Sholtz, RI; McLaughlin, KR; Cirillo, PM; Petreas, M; Park, JS; Wolff, MS; Factor-Litvak, P; Eskenazi, B; Krigbaum, N; Cohn, BA. (2011). Assaying organochlorines in archived serum for a large, long-term cohort: implications of combining assay results from multiple laboratories over time. *Environ Int*. 37: 709-714. <http://dx.doi.org/10.1016/j.envint.2011.01.013>.
- Shong, J; Collins, CH. (2014). Quorum sensing-modulated AND-gate promoters control gene expression in response to a combination of endogenous and exogenous signals. 3: 238-246. <http://dx.doi.org/10.1021/sb4000965>.
- Short, BG. (1993). Cell proliferation and renal carcinogenesis [Review]. *Environ Health Perspect*. 101: 115-120.
- Shortell, SM. (2016). Applying Organization Theory to Understanding the Adoption and Implementation of Accountable Care Organizations: Commentary. 73: 694-702. <http://dx.doi.org/10.1177/1077558716643477>.
- Showler, A; Burry, L; Bai, AD; Steinberg, M; Ricciuto, DR; Fernandes, T; Chiu, A; Raybardhan, S; Science, M; Fernando, E; Bell, CM; Morris, AM. (2015). Use of Transthoracic Echocardiography in the Management of Low-Risk Staphylococcus aureus Bacteremia: Results From a Retrospective Multicenter Cohort Study. *JACC: Cardiovascular Imaging*. 8: 924-931. <http://dx.doi.org/10.1016/j.jcmg.2015.02.027>.
- Shrestha, NK; Kohn, H; Imamura, M; Irie, K; Ogihara, H; Saji, T. (2010). Electrophoretic deposition of phthalocyanine in organic solutions containing trifluoroacetic acid. *Langmuir*. 26: 17024-17027. <http://dx.doi.org/10.1021/la102172t>.
- Shroads, AL; Coats, BS; Langae, T; Shuster, JJ; Stacpoole, PW. (2014). Chloral hydrate, through biotransformation to dichloroacetate, inhibits maleylacetoacetate isomerase and tyrosine catabolism in humans. *Drug Metabol Drug Interact*. 30: 49-55. <http://dx.doi.org/10.1515/dmdi-2014-0015>.
- Shroads, AL; Guo, X; Dixit, V; Liu, HP; James, MO; Stacpoole, PW. (2008). Age-dependent kinetics and metabolism of dichloroacetate: Possible relevance to toxicity. *J Pharmacol Exp Ther*. 324: 1163-1171. <http://dx.doi.org/10.1124/jpet.107.134593>.
- Shu, XO; Perentesis, JP; Wen, W; Buckley, JD; Boyle, E; Ross, JA; Robison, LL; Group, CSO. (2004). Parental exposure to medications and hydrocarbons and ras mutations in children with acute lymphoblastic leukemia: A report from the Children's Oncology Group. *Cancer Epidemiol Biomarkers Prev*. 13: 1230-1235.
- Shu, XO; Stewart, P; Wen, WQ; Han, D; Potter, JD; Buckley, JD; Heineman, E; Robison, LL. (1999). Parental occupational exposure to hydrocarbons and risk of acute lymphocytic leukemia in offspring. *Cancer Epidemiol Biomarkers Prev*. 8: 783-791.

Human Health Hazard Literature Search Results

Off Topic

- Shuang, L; Jiang, X; Yong, C; Jinghua, Y; Jianqun, Z; Xu, M; Yinglong, L. (2014). Presenting features and clinical course of 34 patients with septic pulmonary embolism caused by right-sided infective endocarditis. *Chin Med J*. 127: 2735-2739. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.20140161>.
- Shujaat, A; Bajwa, AA; Al-Saffar, F; Bellardini, J; Jones, L; Cury, JD. (2017). Diagnostic accuracy of echocardiography combined with chest CT in pulmonary hypertension. *Clinical Respiratory Journal*. <http://dx.doi.org/10.1111/crj.12610>.
- Shukla, AK; Singh, RS; Upadhyay, SN; Dubey, SK. (2010). Kinetics of bio-filtration of trichloroethylene by methanotrophs in presence of methanol. *Bioresour Technol*. 101: 8119-8126. <http://dx.doi.org/10.1016/j.biortech.2010.06.040>.
- Shukla, AK; Singh, RS; Upadhyay, SN; Dubey, SK. (2011). Substrate inhibition during bio-filtration of TCE using diazotrophic bacterial community. *Bioresour Technol*. 102: 3561-3563. <http://dx.doi.org/10.1016/j.biortech.2010.09.037>.
- Shukla, AK; Upadhyay, SN; Dubey, SK. (2014). Current trends in trichloroethylene biodegradation: a review [Review]. *Crit Rev Biotechnol*. 34: 101-114. <http://dx.doi.org/10.3109/07388551.2012.727080>.
- Shukla, AK; Vishwakarma, P; Singh, RS; Upadhyay, SN; Dubey, SK. (2010). Bio-filtration of trichloroethylene using diazotrophic bacterial community. *Bioresour Technol*. 101: 2126-2133. <http://dx.doi.org/10.1016/j.biortech.2009.10.094>.
- Shultz, J; Weiner, H. (1979). Alteration of the enzymology of chloral hydrate reduction in the presence of ethanol. *Biochem Pharmacol*. 28: 3379-3384. [http://dx.doi.org/10.1016/0006-2952\(79\)90076-5](http://dx.doi.org/10.1016/0006-2952(79)90076-5).
- Si, YB; Fang, GD; Zhou, J; Zhou, DM. (2010). Reductive transformation of 2,4-dichlorophenoxyacetic acid by nanoscale and microscale Fe₃O₄ particles. *J Environ Sci Health B*. 45: 233-241. <http://dx.doi.org/10.1080/10934520903430020>.
- Siam-Tsieu, V; Cueff, C; Messika-Zeitoun, D. (2013). Early mitral valve surgery two days after an ischaemic embolic stroke. *Arch Cardiovasc Dis*. 106: 549-550. <http://dx.doi.org/10.1016/j.acvd.2011.12.007>.
- Siddiqui, AM; Cao, LB; Movahed, A. (2013). Side matters: An intriguing case of persistent left superior vena-cava. 1: 159-161. <http://dx.doi.org/10.12998/wjcc.v1.i5.159>.
- Siegel, JH; Kasmin, FE. (1997). Biliary tract diseases in the elderly: Management and outcomes [Review]. *Gut*. 41: 433-435. <http://dx.doi.org/10.1136/gut.41.4.433>.
- Sielski, J; Janion-Sadowska, A; Siuda, M; Kurzawski, J; Domagała, S; Walek, P; Pruszczyk, P; Janion, M. (2011). [Acute pulmonary embolism in pregnant women]. *Kardiol Pol*. 69: 1302-1303.
- Siemiatycki, J; Dewar, R; Nadon, L; Gérin, M. (1994). Occupational risk factors for bladder cancer: Results from a case-control study in Montreal, Quebec, Canada. *Am J Epidemiol*. 140: 1061-1080.
- Siemiatycki, J; Fritschi, L; Nadon, L; Gérin, M. (1997). Reliability of an expert rating procedure for retrospective assessment of occupational exposures in community-based case-control studies. *Am J Ind Med*. 31: 280-286.
- Siemiatycki, J; Wacholder, S; Richardson, L; Dewar, R; Gérin, M. (1987). Discovering carcinogens in the occupational environment: Methods of data collection and analysis of a large case-referent monitoring system. *Scand J Work Environ Health*. 13: 486-492.
- Sigal, SH; Rajvanshi, P; Gorla, GR; Sokhi, RP; Saxena, R; Gebhard, DR, Jr; Reid, LM; Gupta, S. (1999). Partial hepatectomy-induced polyploidy attenuates hepatocyte replication and activates cell aging events. *Am J Physiol*. 276: G1260-G1272.
- Siggins, A; Enright, AM; Abram, F; Botting, C; O'Flaherty, V. (2012). Impact of Trichloroethylene Exposure on the Microbial Diversity and Protein Expression in Anaerobic Granular Biomass at 37 degrees C and 15 degrees C. *Archaea*. 2012: 940159. <http://dx.doi.org/10.1155/2012/940159>.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Low-temperature (7 degrees C) anaerobic treatment of a trichloroethylene-contaminated wastewater: Microbial community development. *Water Res*. 45: 4035-4046. <http://dx.doi.org/10.1016/j.watres.2011.05.013>.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Methanogenic community development in anaerobic granular bioreactors treating trichloroethylene (TCE)-contaminated wastewater at 37 degrees C and 15 degrees C. *Water Res*. 45: 2452-2462. <http://dx.doi.org/10.1016/j.watres.2011.01.030>.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Temperature dependent (37-15 degrees C) anaerobic digestion of a trichloroethylene-contaminated wastewater. *Bioresour Technol*. 102: 7645-7656. <http://dx.doi.org/10.1016/j.biortech.2011.05.055>.
- Silva, J; Domenech, O; Mavropoulou, A; Oliveira, P; Locatelli, C; Bussadori, C. (2013). Transesophageal echocardiography guided patent ductus arteriosus occlusion with a duct occluder. *J Vet Intern Med*. 27: 1463-1470. <http://dx.doi.org/10.1111/jvim.12201>.
- Silverio, AL; Saier, MH. (2011). Bioinformatic characterization of the trimeric intracellular cation-specific channel protein family. *J Membr Biol*. 241: 77-101. <http://dx.doi.org/10.1007/s00232-011-9364-8>.
- Simpson, E; Stevenson, M; Scope, A; Poku, E; Minton, J; Evans, P. (2013). Echocardiography in newly diagnosed atrial fibrillation patients: a systematic review and economic evaluation [Review]. 17: 1-263, v-vi. <http://dx.doi.org/10.3310/hta17360>.
- Sims, JR; Enriquez-Sarano, M; Michelena, HI. (2016). Postoperative dyspnoea. *Heart*. <http://dx.doi.org/10.1136/heartjnl-2016-310204>.
- Sinfield, JV; Monwuba, C. (2016). Inferential monitoring of chlorinated solvents through Raman spectroscopic observation of the vibrational modes of water. *Talanta*. 148: 7-16. <http://dx.doi.org/10.1016/j.talanta.2015.10.055>.
- Singh, A; Singh, G; Dhaliwal, TS; Singh, M. (2017). Transthoracic echocardiography study of congenitally corrected transposition of the great arteries. <http://dx.doi.org/10.1002/jcu.22450>.
- Singh, J; Borgstrom, M; Abidov, A. (2014). Coronary computed tomography angiography-based tricuspid annular plane systolic excursion: correlation with 2D echocardiography. *Echocardiography*. 31: 773-778. <http://dx.doi.org/10.1111/echo.12461>.
- Singh, K; Neil, CJ; Nguyen, TH; Stansborough, J; Chong, CR; Dawson, D; Frenneaux, MP; Horowitz, JD. (2014). Dissociation of early shock in takotsubo cardiomyopathy from either right or left ventricular systolic dysfunction. *Heart, Lung & Circulation (Online)*. 23: 1141-1148. <http://dx.doi.org/10.1016/j.hlc.2014.06.010>.

Human Health Hazard Literature Search Results

Off Topic

- Singh, K; Parsaik, A; Singh, B. (2014). Recurrent takotsubo cardiomyopathy : variable pattern of ventricular involvement. *Herz*. 39: 963-967. <http://dx.doi.org/10.1007/s00059-013-3896-x>.
- Singh, M; Rana, TR; Kim, S; Kim, K; Yun, JH; Kim, J. (2016). Silver Nanowires Binding with Sputtered ZnO to Fabricate Highly Conductive and Thermally Stable Transparent Electrode for Solar Cell Applications. 8: 12764-12771. <http://dx.doi.org/10.1021/acsami.6b01506>.
- Singh, M; Sinha, U. (1976). Chloral hydrate induced haploidization in *Aspergillus nidulans*. *Experientia*. 32: 1144-1145. <http://dx.doi.org/10.1007/BF01927592>.
- Singh, M; Sinha, U. (1979). Mitotic haploidization and growth of *Aspergillus nidulans* on media containing chloral hydrate. *J Cytol Genet*. 14: 1-4.
- Singh, R; Olson, MS. (2010). KINETICS OF TRICHLOROETHYLENE AND TOLUENE TOXICITY TO *PSEUDOMONAS PUTIDA* F1. *Environ Toxicol Chem*. 29: 56-63. <http://dx.doi.org/10.1002/etc.14>.
- Singh, R; Tharion, J; Murugan, S; Kumar, A. (2016). ITO-Free Solution-Processed Flexible Electrochromic Devices Based on PEDOT:PSS as Transparent Conducting Electrode. <http://dx.doi.org/10.1021/acsami.6b09476>.
- Singh, RK; Kumar, S; Nadig, S; Baronia, AK; Poddar, B; Azim, A; Gurjar, M. (2016). Right heart in septic shock: prospective observational study. 4: 38. <http://dx.doi.org/10.1186/s40560-016-0159-y>.
- Singh, Y; Singh, B; Bhairappa, S; Subramani, KS; Prasad, NM; C Nanjappa, M. (2013). A rare association of left ventricular diverticulum and noncompaction: continuum of common developmental abnormality? *Echocardiography*. 30: E171-E174. <http://dx.doi.org/10.1111/echo.12189>.
- Sinha, SK; Mishra, V; Singh, K; Asif, M; Sachan, M; Kumar, A; Jha, MJ; Khanra, D; Singh, AK; Singh, S; Razi, M; Thakur, R; Pandey, U; Varma, CM. (2016). Bi-Luminal Mitral Valve: Incidence, Clinical Features, Associated Anomaly and Echocardiographic Evaluation. 8: 893-898. <http://dx.doi.org/10.14740/jocmr2790w>.
- Sinha, SK; Thakur, R; Jha, MJ; Goel, A; Kumar, V; Kumar, A; Mishra, V; Varma, CM; Krishna, V; Singh, AK; Sachan, M. (2016). Epicardial Adipose Tissue Thickness and Its Association With the Presence and Severity of Coronary Artery Disease in Clinical Setting: A Cross-Sectional Observational Study. 8: 410-419. <http://dx.doi.org/10.14740/jocmr2468w>.
- Sipola, P; Hedman, M; Onatsu, J; Turpeinen, A; Halinen, M; Jäkälä, P; Vanninen, R. (2013). Computed tomography and echocardiography together reveal more high-risk findings than echocardiography alone in the diagnostics of stroke etiology. *Cerebrovasc Dis*. 35: 521-530. <http://dx.doi.org/10.1159/000350734>.
- Sirin, S; Nassenstein, K; Neudorf, U; Jensen, CJ; Mikat, C; Schlosser, T. (2014). Quantification of congenital aortic valve stenosis in pediatric patients: comparison between cardiac magnetic resonance imaging and transthoracic echocardiography. *Pediatric Cardiology*. 35: 771-777. <http://dx.doi.org/10.1007/s00246-013-0851-9>.
- Sirtori, CR; Labombarda, F; Castelnovo, S; Perry, R. (2017). The use of echocardiography for the non-invasive evaluation of coronary artery disease. *Ann Med*. 49: 134-141. <http://dx.doi.org/10.1080/07853890.2016.1243801>.
- Sisto, R; Moleti, A; Palkovičová Murínová, L; Wimmerová, S; Lancz, K; Tihányi, J; Čonka, K; Šovčíková, E; Hertz-Picciotto, I; Jusko, TA; Trnovec, T. (2015). Environmental exposure to organochlorine pesticides and deficits in cochlear status in children. *Environ Sci Pollut Res Int*. 22: 14570-14578. <http://dx.doi.org/10.1007/s11356-015-4690-5>.
- Sivak, JA; Vora, AN; Navar, AM; Schulte, PJ; Crowley, AL; Kisslo, J; Corey, GR; Liao, L; Wang, A; Velazquez, EJ; Samad, Z. (2016). An Approach to Improve the Negative Predictive Value and Clinical Utility of Transthoracic Echocardiography in Suspected Native Valve Infective Endocarditis. *J Am Soc Echocardiogr*. 29: 315-322. <http://dx.doi.org/10.1016/j.echo.2015.12.009>.
- Skibola, CFS, KIBO. (2010). Toxicogenimics Laboratory Core. (CRISP/2010/ES004705-239009). Skibola, CFSKIBO.
- Skinner, DL; Laing, GL; Rodseth, RN; Ryan, L; Hardcastle, TC; Muckart, DJ. (2015). Blunt cardiac injury in critically ill trauma patients: a single centre experience. *Injury*. 46: 66-70. <http://dx.doi.org/10.1016/j.injury.2014.08.051>.
- Skjærven, L; Cuellar, J; Martinez, A; Valpuesta, JM. (2015). Dynamics, flexibility, and allostery in molecular chaperonins [Review]. *FEBS Lett*. 589: 2522-2532. <http://dx.doi.org/10.1016/j.febslet.2015.06.019>.
- Slater, LH; Hett, EC; Clatworthy, AE; Mark, KG; Hung, DT. (2013). CCT chaperonin complex is required for efficient delivery of anthrax toxin into the cytosol of host cells. *Proc Natl Acad Sci USA*. 110: 9932-9937. <http://dx.doi.org/10.1073/pnas.1302257110>.
- Sliwińska-Kowalska, M; Jedlińska, U; Rządzińska, A; Rajkowska, E. (1999). [Hair cell regeneration in a chicken's inner ear after damage due to exposure to industrial noise]. *Otolaryngol Pol*. 53: 469-477.
- Smíd, M; Ferda, J; Baxa, J; Cech, J; Hájek, T; Kreuzberg, B; Rokyta, R. (2010). Aortic annulus and ascending aorta: comparison of preoperative and perioperative measurement in patients with aortic stenosis. *Eur J Radiol*. 74: 152-155. <http://dx.doi.org/10.1016/j.ejrad.2009.01.028>.
- Smith, AE; Stout, JR; Kendall, KL; Fukuda, DH; Cramer, JT. (2012). Exercise-induced oxidative stress: the effects of β -alanine supplementation in women. *Amino Acids*. 43: 77-90. <http://dx.doi.org/10.1007/s00726-011-1158-x>.
- Smith, LL; Wherry, SJ; Larkey, LK; Ainsworth, BE; Swan, PD. (2015). Energy expenditure and cardiovascular responses to Tai Chi Easy. *Complement Ther Med*. 23: 802-805. <http://dx.doi.org/10.1016/j.ctim.2015.09.004>.
- Smith, MT. (2012). Project 4: Meta-Omics of Microbial Communities Involved in Bioremediation.
- Smith, MT. (2012). Toxic Substances in the Environment.
- Smith, MT. (2013). Project 4: Meta-Omics of Microbial Communities Involved in Bioremediation.
- Smith, MT. (2013). Toxic Substances in the Environment.
- Smith, MT. (2014). Project 4: Meta-Omics of Microbial Communities Involved in Bioremediation.
- Smith, MT. (2014). Toxic Substances in the Environment.
- Smith, MT. (2015). Project 4: Meta-Omics of Microbial Communities Involved in Bioremediation.
- Smith, MT. (2015). Toxic Substances in the Environment.

Human Health Hazard Literature Search Results

Off Topic

- Smith-Ryan, AE; Fukuda, DH; Stout, JR; Kendall, KL. (2012). High-velocity intermittent running: effects of beta-alanine supplementation. *J Strength Cond Res.* 26: 2798-2805. <http://dx.doi.org/10.1519/JSC.0b013e318267922b>.
- Smith-Ryan, AE; Woessner, MN; Melvin, MN; Wingfield, HL; Hackney, AC. (2014). The effects of beta-alanine supplementation on physical working capacity at heart rate threshold. *Clin Physiol Funct Imaging.* 34: 397-404. <http://dx.doi.org/10.1111/cpf.12111>.
- Smuleac, V; Varma, R; Sikdar, S; Bhattacharyya, D. (2011). Green synthesis of Fe and Fe/Pd bimetallic nanoparticles in membranes for reductive degradation of chlorinated organics. *J Memb Sci.* 379: 131-137. <http://dx.doi.org/10.1016/j.memsci.2011.05.054>.
- Snedecor, GW; Cochran, WG. (1980). *Statistical methods* (7th ed.). Ames, IA: Iowa State University Press.
- Snijder, RJ; Suttrop, MJ; Berg, JM; Post, MC. (2015). Percutaneous closure of secundum type atrial septal defects: More than 5-year follow-up. *World Journal of Cardiology.* 7: 150-156. <http://dx.doi.org/10.4330/wjc.v7.i3.150>.
- Soares-Caldeira, LF; Okuno, NM; Magalhães Sales, M; Campbell, CS; Simões, HG; Nakamura, FY. (2012). Similarity in physiological and perceived exertion responses to exercise at continuous and intermittent critical power. *Eur J Appl Physiol.* 112: 1637-1644. <http://dx.doi.org/10.1007/s00421-011-2123-9>.
- Sobczyk, D; Nycz, K. (2015). Feasibility and accuracy of bedside transthoracic echocardiography in diagnosis of acute proximal aortic dissection. *Cardiovasc Ultrasound.* 13: 15. <http://dx.doi.org/10.1186/s12947-015-0008-5>.
- Sobczyk, D; Nycz, K; Andruszkiewicz, P. (2015). Validity of a 5-minute focused echocardiography with A-F mnemonic performed by non-echocardiographers in the management of patients with acute chest pain. *Cardiovasc Ultrasound.* 13: 16. <http://dx.doi.org/10.1186/s12947-015-0010-y>.
- Sobczyk, D; Nycz, K; Źmudka, K. (2014). Usefulness of limited echocardiography with A-F mnemonic in patients with suspected non-ST-segment elevation acute coronary syndrome. *Pol Arch Med Wewn.* 124: 688-694.
- Sogomonian, R; Alkhawam, H; Vyas, N; Jolly, J; Ashraf, A; Haftevani, EAM. (2016). AVOIDING TRANSTHORACIC ECHOCARDIOGRAPHY (TTE) AND TRANSESOPHAGEAL ECHOCARDIOGRAPHY (TEE) FOR PATIENTS WITH VARIABLE BODY MASS INDEXES (BMI) IN INFECTIVE ENDOCARDITIS. *J Investig Med.* 64. <http://dx.doi.org/10.1136/jim-2016-000120.12>.
- Sogomonian, R; Alkhawam, H; Vyas, N; Jolly, J; Nguyen, J; Moradoghli Haftevani, EA; Al-Khazraji, A; Ashraf, A. (2016). Avoiding transthoracic echocardiography and transesophageal echocardiography for patients with variable body mass indexes in infective endocarditis. 6: 30860.
- Sogunuru, G; Murty, DS; Chinta, VR; Vuddanda, K; Moka, N. (2010). Cardiac hydatidosis presenting as an acute coronary syndrome. *B M J Case Reports.* 2010. <http://dx.doi.org/10.1136/bcr.02.2010.2752>.
- Sohrabi, B; Kazemi, B; Mehryar, A; Teimouri-Dereshki, A; Toufan, M; Aslanabadi, N. (2016). Correlation between Pulmonary Artery Pressure Measured by Echocardiography and Right Heart Catheterization in Patients with Rheumatic Mitral Valve Stenosis (A Prospective Study). *Echocardiography.* 33: 7-13. <http://dx.doi.org/10.1111/echo.13000>.
- Sokolovic, S; Mundigler, G; Naser, N. (2010). Stress echocardiography in differentiation of fixed vs. low flow-low gradient and pseudo severe aortic stenosis. *Med Arh.* 64: 300-302.
- Solis-Marcos, I; Castellano-Guerrero, AM; Domínguez-Morales, R; León-Carrión, J. (2014). [Predictors of the recovery of cognitive functions in patients with traumatic brain injury]. *Rev Neurol.* 58: 296-302.
- Son, JW; Chang, HJ; Lee, JK; Chung, HJ; Song, RY; Kim, YJ; Datta, S; Heo, R; Shin, SH; Cho, IJ; Shim, CY; Hong, GR; Chung, N. (2013). Automated quantification of mitral regurgitation by three dimensional real time full volume color Doppler transthoracic echocardiography: a validation with cardiac magnetic resonance imaging and comparison with two dimensional quantitative methods. 21: 81-89. <http://dx.doi.org/10.4250/jcu.2013.21.2.81>.
- Song, BJ; Veech, RL; Saenger, P. (1990). Cytochrome P450IIE1 is elevated in lymphocytes from poorly controlled insulin-dependent diabetics. *J Clin Endocrinol Metab.* 71: 1036-1040.
- Song, G; Zhang, J; Ren, W; Li, Y; Zhou, K. (2016). Pediatric coronary artery fistula: echocardiographic case reports and literature review of treatment strategy. 5: 1583. <http://dx.doi.org/10.1186/s40064-016-3276-0>.
- Song, HJ; Xu, ZY; Jiang, SL; Zhao, SH; Lü, B; Zhang, GJ; Ling, J; Zheng, H; Jin, JL; Li, SG; Wu, WH; Hu, HB; Xu, L. (2011). [Value of cardiac CT examination in middle-aged and elderly patients with atrial septal defect before planned transcatheter closure]. *Zhonghua Xin Xue Guan Bing Za Zhi.* 39: 830-835.
- Song, I; Ko, SM; Yi, JG; Chee, HK; Kim, JS. (2017). Differences in Aortic Valve and Left Ventricular Parameters Related to the Severity of Myocardial Fibrosis in Patients with Severe Aortic Valve Stenosis. *PLoS ONE.* 12: e0170939. <http://dx.doi.org/10.1371/journal.pone.0170939>.
- Song, I; Park, JA; Choi, BH; Ko, SM; Shin, JK; Chee, HK; Kim, JS. (2016). Morphological and Functional Evaluation of Quadricuspid Aortic Valves Using Cardiac Computed Tomography. *Korean J Radiol.* 17: 463-471. <http://dx.doi.org/10.3348/kjr.2016.17.4.463>.
- Song, Y; Song, S. (2015). Preparation, characterization, and kinetics of nanoscale iron in nitrate nitrogen removal from polluted water. *Toxicol Environ Chem.* 97: 379-387. <http://dx.doi.org/10.1080/02772248.2015.1050191>.
- Sonnenfeld, N; Hertz-Picciotto, I; Kaye, WE. (2001). Tetrachloroethylene in drinking water and birth outcomes at the US Marine Corps Base at Camp Lejeune, North Carolina. *Am J Epidemiol.* 154: 902-908. <http://dx.doi.org/10.1093/aje/154.10.902>.
- Sontag, EM; Joachimiak, LA; Tan, Z; Tomlinson, A; Housman, DE; Glabe, CG; Potkin, SG; Frydman, J; Thompson, LM. (2013). Exogenous delivery of chaperonin subunit fragment ApicCT1 modulates mutant Huntingtin cellular phenotypes. *Proc Natl Acad Sci USA.* 110: 3077-3082. <http://dx.doi.org/10.1073/pnas.1222663110>.
- Sopeña, B; Pérez-Rodríguez, MT; Portela, D; Rivera, A; Freire, M; Martínez-Vázquez, C. (2013). High prevalence of pulmonary hypertension in patients with hereditary hemorrhagic telangiectasia. *Eur J Intern Med.* 24: e30-e34. <http://dx.doi.org/10.1016/j.ejim.2012.11.012>.

Human Health Hazard Literature Search Results

Off Topic

- Soresi, M; Giannitrapani, L; D'Antona, F; Florena, AM; La Spada, E; Terranova, A; Cervello, M; D'Alessandro, N; Montalto, G. (2006). Interleukin-6 and its soluble receptor in patients with liver cirrhosis and hepatocellular carcinoma. *World J Gastroenterol*. 12: 2563-2568.
- Soulat, G; Kachenoura, N; Bollache, E; Perdrix, L; Diebold, B; Zhygalina, V; Latremouille, C; Laurent, S; Fabiani, JN; Mousseaux, E. (2016). New estimate of valvuloarterial impedance in aortic valve stenosis: A cardiac magnetic resonance study. *J Magn Reson Imaging*. <http://dx.doi.org/10.1002/jmri.25399>.
- Speiser, U; Abas, A; Henke, C; Sandfort, V; Jellinghaus, S; Sievers, B; Strasser, RH; Schoen, S. (2013). Time-resolved magnetic resonance imaging of contrast kinetics to identify severe tricuspid valve regurgitation. *Acta Cardiol*. 68: 247-253. <http://dx.doi.org/10.2143/AC.68.3.2983418>.
- Speiser, U; Hirschberger, M; Pilz, G; Heer, T; Sievers, B; Strasser, RH; Schoen, S. (2012). Tricuspid annular plane systolic excursion assessed using MRI for semi-quantification of right ventricular ejection fraction. *Br J Radiol*. 85: e716-e721. <http://dx.doi.org/10.1259/bjr/50238360>.
- Speiser, U; Quick, S; Haas, D; Youssef, A; Waessnig, NK; Ibrahim, K; Strasser, RH; Schoen, S. (2014). 3-T magnetic resonance for determination of aortic valve area: a comparison to echocardiography. 48: 176-183. <http://dx.doi.org/10.3109/14017431.2014.906646>.
- Spiegelhalter, D; Thomas, A; Best, N; Lunn, D. (2003). WinBugs version 1.4 user manual. Cambridge, UK: MRC Biostatistics Unit. <http://www.mrc-bsu.cam.ac.uk/bugs/winbugs/manual14.pdf>.
- Spiegelhalter, DJ; Best, NG; Carlin, BP; Van der Linde, A. (2002). Bayesian measures of model complexity and fit. *J R Stat Soc Series B Stat Methodol*. 64: 583-639. <http://dx.doi.org/10.1111/1467-9868.00353>.
- Spielberg, SP. (1996). N-acetyltransferases: pharmacogenetics and clinical consequences of polymorphic drug metabolism. *J Pharmacokinet Biopharm*. 24: 509-519.
- Spillman, NJ; Beck, JR; Ganesan, SM; Niles, JC; Goldberg, DE. (2017). The chaperonin TRiC forms an oligomeric complex in the malaria parasite cytosol. *Cellular Microbiology Online*. <http://dx.doi.org/10.1111/cmi.12719>.
- Squillace, PJ; Moran, MJ; Price, CV. (2004). VOCs in shallow groundwater in new residential/commercial areas of the United States. *Environ Sci Technol*. 38: 5327-5338. <http://dx.doi.org/10.1021/es0349756>.
- SRI International. (1992). 1992 directory of chemical producers: United States of America [Catalog]. Menlo Park, CA: SRI International. <http://www.sriconsulting.com/DCP/>.
- Sridaran, S; Gonzalez-Estrada, A; Aronica, MA. (2014). A case of cough variant asthma undiagnosed for 16 years. 2014: 29-30. <http://dx.doi.org/10.1093/omcr/omu012>.
- Srivastava, M; Abhilash, PC; Singh, N. (2011). Remediation of Lindane Using Engineered Nanoparticles. *Journal of Biomedical Nanotechnology*. 7: 172-174. <http://dx.doi.org/10.1166/jbn.2011.1255>.
- Srivastava, S; Srivastava, S. (1991). Effect of di(2-ethylhexyl)phthalate on 17 β -hydroxysteroid dehydrogenase activity in testis of rat. *Toxicol Lett*. 57: 235-239. [http://dx.doi.org/10.1016/0378-4274\(91\)90150-5](http://dx.doi.org/10.1016/0378-4274(91)90150-5).
- Staab, W; Bergau, L; Schuster, A; Hinojar, R; Dorenkamp, M; Obenauer, S; Lotz, J; Sohns, C. (2014). Detection of intracardiac masses in patients with coronary artery disease using cardiac magnetic resonance imaging: a comparison with transthoracic echocardiography. *Int J Cardiovasc Imaging*. 30: 647-657. <http://dx.doi.org/10.1007/s10554-013-0357-9>.
- Stacpoole, PW. (2011). The Dichloroacetate Dilemma: Environmental Hazard versus Therapeutic Goldmine-Both or Neither? *Environ Health Perspect*. 119: 155-158. <http://dx.doi.org/10.1289/ehp.1002554>.
- Stange, CF; Spott, O; Russow, R. (2013). Analysis of the coexisting pathways for NO and N2O formation in Chernozem using the (15)N-tracer SimKIM-Advanced model. *Isotopes Environ Health Stud*. 49: 503-519. <http://dx.doi.org/10.1080/10256016.2013.863770>.
- Stanley, LA; Blackburn, DR; Devereaux, S; Foley, J; Lord, PG; Maronpot, RR; Orton, TC; Anderson, MW. (1994). Ras mutations in methylclofenapate-induced B6C3F1 and C57BL/10J mouse liver tumours. *Carcinogenesis*. 15: 1125-1131.
- Staples, RE. (1974). Detection of visceral alterations in mammalian fetuses [Abstract]. *Teratology*. 9: A37-A38.
- Stedtfeld, RD; Stedtfeld, TM; Kronlein, M; Seyrig, G; Steffan, RJ; Cupples, AM; Hashsham, SA. (2014). DNA extraction-free quantification of Dehalococcoides spp. in groundwater using a hand-held device. *Environ Sci Technol*. 48: 13855-13863. <http://dx.doi.org/10.1021/es503472h>.
- Stein, LY; Yoon, S; Semrau, JD; Dispirito, AA; Crombie, A; Murrell, JC; Vuilleumier, S; Kalyuzhnaya, MG; Den Camp, H; Bringel, F; Bruce, D; Cheng, JF; Copeland, A; Goodwin, L; Han, S; Hauser, L; Jetten, MSM; Lajus, A; Land, ML; Lapidus, A; Lucas, S; Medigue, C; Pitluck, S; Woyke, T; Zeytun, A; Klotz, MG. (2010). Genome Sequence of the Obligate Methanotroph Methylosinus trichosporium Strain OB3b. *J Bacteriol*. 192: 6497-6498. <http://dx.doi.org/10.1128/JB.01144-10>.
- Steinlechner, B; Zimpfer, D; Schiferer, A; Heinrich, N; Schlöglhofer, T; Rajek, A; Dworschak, M; Hiesmayr, M. (2015). [Intensive care treatment of patients with left ventricular assist devices] [Review]. 110: 421-430. <http://dx.doi.org/10.1007/s00063-015-0063-6>.
- Steinmaus, C; Smith, AH; Jones, RM; Smith, MT. (2008). Meta-analysis of benzene exposure and non-Hodgkin lymphoma: Biases could mask an important association [Review]. *Occup Environ Med*. 65: 371-378. <http://dx.doi.org/10.1136/oem.2007.036913>.
- Stemmer, K; Ellinger-Ziegelbauer, H; Ahr, HJ; Dietrich, DR. (2007). Carcinogen-specific gene expression profiles in short-term treated Eker and wild-type rats indicative of pathways involved in renal tumorigenesis. *Cancer Res*. 67: 4052-4068. <http://dx.doi.org/10.1158/0008-5472.CAN-06-3587>.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics*. 4: 185-192.
- Stephens, EH; Liang, DH; Kvitting, JP; Kari, FA; Fischbein, MP; Mitchell, RS; Miller, DC. (2014). Incidence and progression of mild aortic regurgitation after Tirone David reimplantation valve-sparing aortic root replacement. *J Thorac Cardiovasc Surg*. 147: 169-177, 178.e161-178.e163. <http://dx.doi.org/10.1016/j.jtcvs.2013.09.009>.

Human Health Hazard Literature Search Results

Off Topic

- Stephenson, RP. (1956). A modification of receptor theory. *Br J Pharmacol Chemother.* 11: 379–393.
- Stevens, J; Jakoby, WB. (1983). Cysteine conjugate beta-lyase. *Mol Pharmacol.* 23: 761-765.
- Stevens, JL. (1985). Cysteine conjugate beta-lyase activities in rat kidney cortex: Subcellular localization and relationship to the hepatic enzyme. *Biochem Biophys Res Commun.* 129: 499-504. [http://dx.doi.org/10.1016/0006-291X\(85\)90179-2](http://dx.doi.org/10.1016/0006-291X(85)90179-2).
- Stevens, JL; Ayoubi, N; Robbins, JD. (1988). The role of mitochondrial matrix enzymes in the metabolism and toxicity of cysteine conjugates. *J Biol Chem.* 263: 3395-3401.
- Stevens, JL; Hatzinger, PB; Hayden, PJ. (1989). Quantitation of multiple pathways for the metabolism of nephrotoxic cysteine conjugates using selective inhibitors of L-alpha-hydroxy acid oxidase (L-amino acid oxidase) and cysteine conjugate beta-lyase. *Drug Metab Dispos.* 17: 297-303.
- Stevens, JL; Robbins, JD; Byrd, RA. (1986). A purified cysteine conjugate beta-lyase from rat kidney cytosol. Requirement for an alpha-keto acid or an amino acid oxidase for activity and identity with soluble glutamine transaminase K. *J Biol Chem.* 261: 15529-15537.
- Stewart, P; Dosemeci, M. (2005). Exposure estimation in occupational epidemiology studies [Paper]. Third Meeting on Assessing Human Health Risks of Trichloroethylene.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med.* 48: 531-537.
- Stewart, PA; Lees, PS; Francis, M. (1996). Quantification of historical exposures in occupational cohort studies [Review]. *Scand J Work Environ Health.* 22: 405-414.
- Stewart, WF; Correa-Villaseor, A. (1991). False positive exposure errors and low exposure prevalence in community-based case-control studies. *Appl Occup Environ Hyg.* 6: 534-540. <http://dx.doi.org/10.1080/1047322X.1991.10387924>.
- Strand, SE. (2010). Project 5: Phytoremediation of Pollutants Using Transgenic Plants.
- Strand, SE. (2011). Project 5: Phytoremediation of Pollutants Using Transgenic Plants.
- Strand, SE. (2012). Project 5: Phytoremediation of Pollutants Using Transgenic Plants.
- Strand, SE. (2013). Project 5: Phytoremediation of Pollutants Using Transgenic Plants.
- Strand, SE. (2014). Project 5: Phytoremediation of Pollutants Using Transgenic Plants.
- Strayer, RJ; Shearer, PL; Hermann, LK. (2012). Screening, evaluation, and early management of acute aortic dissection in the ED [Review]. *Current Cardiology Reviews.* 8: 152-157.
- Stroylova, YY; Kiselev, GG; Schmalhausen, EV; Muronetz, VI. (2014). Prions and chaperones: friends or foes? [Review]. *Biochemistry (Mosc).* 79: 761-775. <http://dx.doi.org/10.1134/S0006297914080045>.
- Strupp, C; Banas, DA; Cohen, SM; Gordon, EB; Jaeger, M; Weber, K. (2012). Relationship of metabolism and cell proliferation to the mode of action of fluensulfone-induced mouse lung tumors: Analysis of their human relevance using the IPCS framework. *Toxicol Sci.* 128: 284-294. <http://dx.doi.org/10.1093/toxsci/kfs127>.
- Stuckhardt, JL; Poppe, SM. (1984). Fresh visceral examination of rat and rabbit fetuses used in teratogenicity testing. *Teratog Carcinog Mutagen.* 4: 181-188. <http://dx.doi.org/10.1002/tcm.1770040203>.
- Styles, JA; Kelly, M; Pritchard, NR; Ekcombe, CR. (1988). A species comparison of acute hyperplasia induced by the peroxisome proliferator methylclofenapate: Involvement of the binucleated hepatocyte. *Carcinogenesis.* 9: 1647–1655. <http://dx.doi.org/10.1093/carcin/9.9.1647>.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2012). A two and half-year-performance evaluation of a field test on treatment of source zone tetrachloroethene and its chlorinated daughter products using emulsified zero valent iron nanoparticles. *Water Res.* 46: 5071-5084. <http://dx.doi.org/10.1016/j.watres.2012.06.051>.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Su, P; Zhao, F; Cao, Z; Zhang, J; Aschner, M; Luo, W. (2015). Mir-203-mediated tricellulin mediates lead-induced in vitro loss of blood-cerebrospinal fluid barrier (BCB) function. *Toxicol In Vitro.* 29: 1185-1194. <http://dx.doi.org/10.1016/j.tiv.2015.05.002>.
- Su, Q; Bannasch, P. (2003). Relevance of hepatic preneoplasia for human hepatocarcinogenesis [Review]. *Toxicol Pathol.* 31: 126-133. <http://dx.doi.org/10.1080/01926230390173905>.
- Su, Y; Liang, Y. (2013). The foliar uptake and downward translocation of trichloroethylene and 1,2,3-trichlorobenzene in air-plant-water systems. *J Hazard Mater.* 252: 300-305. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.013>.
- Su, Y, uH; Liu, T; Liang, YC. (2010). Transport via xylem of trichloroethylene in wheat, corn, and tomato seedlings. *J Hazard Mater.* 182: 472-476. <http://dx.doi.org/10.1016/j.jhazmat.2010.06.055>.
- Su, YF; Cheng, YL; Shih, YH. (2013). Removal of trichloroethylene by zerovalent iron/activated carbon derived from agricultural wastes. *J Environ Manage.* 129: 361-366. <http://dx.doi.org/10.1016/j.jenvman.2013.08.003>.
- Suarez, GV; Angerami, MT; Vecchione, MB; Laufer, N; Turk, G; Ruiz, MJ; Mesch, V; Fabre, B; Maidana, P; Ameri, D; Cahn, P; Sued, O; Salomón, H; Bottasso, OA; Quiroga, MF. (2015). HIV-TB coinfection impairs CD8(+) T-cell differentiation and function while dehydroepiandrosterone improves cytotoxic antitubercular immune responses. *Eur J Immunol.* 45: 2529-2541. <http://dx.doi.org/10.1002/eji.201545545>.
- Suchá, D; Chamuleau, SA; Symersky, P; Meijs, MF; van den Brink, RB; de Mol, BA; Mali, WP; Habets, J; van Herwerden, LA; Budde, RP. (2016). Baseline MDCT findings after prosthetic heart valve implantation provide important complementary information to echocardiography for follow-up purposes. *Eur Radiol.* 26: 997-1006. <http://dx.doi.org/10.1007/s00330-015-3918-6>.

Human Health Hazard Literature Search Results

Off Topic

- Suchá, D; Symersky, P; van den Brink, RB; Tanis, W; Laufer, EM; Meijs, MF; Habets, J; de Mol, BA; Mali, WP; Chamuleau, SA; van Herwerden, LA; Budde, RP. (2016). Diagnostic evaluation and treatment strategy in patients with suspected prosthetic heart valve dysfunction: The incremental value of MDCT. *J Cardiovasc Comput Tomogr.* 10: 398-406. <http://dx.doi.org/10.1016/j.jcct.2016.07.008>.
- Sugiura, A; Funabashi, N; Ozawa, K; Kobayashi, Y. (2016). Immunological and inflammatory processes in systemic autoimmune disease may not only cause pericardium inflammation, but may also cause mitral valve deterioration and left ventricular wall thickening. *Int J Cardiol.* 215: 466-471. <http://dx.doi.org/10.1016/j.ijcard.2016.04.126>.
- Sugiura, A; Funabashi, N; Ozawa, K; Kobayashi, Y. (2016). Left ventricular diastolic dysfunction and increased left ventricular mass index related to pulmonary hypertension in patients with systemic autoimmune disease without pericardial effusion. *Int J Cardiol.* 220: 268-272. <http://dx.doi.org/10.1016/j.ijcard.2016.06.005>.
- Suh, YJ; Hong, GR; Han, K; Im, DJ; Chang, S; Hong, YJ; Lee, HJ; Hur, J; Choi, BW; Chang, BC; Shim, CY; Kim, YJ. (2016). Assessment of Mitral Paravalvular Leakage After Mitral Valve Replacement Using Cardiac Computed Tomography: Comparison With Surgical Findings. *Circulation: Cardiovascular Imaging.* 9. <http://dx.doi.org/10.1161/CIRCIMAGING.115.004153>.
- Suh, YJ; Kim, YJ; Lee, S; Hong, YJ; Lee, HJ; Hur, J; Choi, BW; Chang, BC. (2015). Utility of cardiac computed tomography for evaluation of pannus in mechanical aortic valve. *Int J Cardiovasc Imaging.* 31: 1271-1280. <http://dx.doi.org/10.1007/s10554-015-0683-1>.
- Suh, YJ; Lee, S; Im, DJ; Chang, S; Hong, YJ; Lee, HJ; Hur, J; Choi, BW; Chang, BC; Shim, CY; Hong, GR; Kim, YJ. (2016). Added value of cardiac computed tomography for evaluation of mechanical aortic valve: Emphasis on evaluation of pannus with surgical findings as standard reference. *Int J Cardiol.* 214: 454-460. <http://dx.doi.org/10.1016/j.ijcard.2016.04.011>.
- Sukaew, T; Chang, H; Serrano, G; Zellers, ET. (2011). Multi-stage preconcentrator/focuser module designed to enable trace level determinations of trichloroethylene in indoor air with a microfabricated gas chromatograph. *Analyst.* 136: 1664-1674. <http://dx.doi.org/10.1039/c0an00780c>.
- Sultan, A; Lüker, J; Willems, S; Steven, D. (2014). [Ablation of an idiopathic "ventricular rarity"--ventricular tachycardia originating from the crux cordis]. *Dtsch Med Wochenschr.* 139: 1929-1931. <http://dx.doi.org/10.1055/s-0034-1387311>.
- Sun, J; Chen, Z; Yuan, L; Chen, Y; Ning, J; Liu, S; Ma, D; Song, X; Priyadarshi, MK; Bachmatiuk, A; Rummeli, MH; Ma, T; Zhi, L; Huang, L; Zhang, Y; Liu, Z. (2016). Direct Chemical-Vapor-Deposition-Fabricated, Large-Scale Graphene Glass with High Carrier Mobility and Uniformity for Touch Panel Applications. *ACS Nano.* 10: 11136-11144. <http://dx.doi.org/10.1021/acsnano.6b06066>.
- Sun, JQ; Xu, L; Tang, YQ; Chen, FM; Zhao, JJ; Wu, XL. (2014). Bacterial pyridine hydroxylation is ubiquitous in environment. *Appl Microbiol Biotechnol.* 98: 455-464. <http://dx.doi.org/10.1007/s00253-013-4818-9>.
- Sun, T; Fei, HW; Huang, HL; Chen, OD; Zheng, ZC; Zhang, CJ; Hou, YS. (2014). Transesophageal echocardiography for coronary sinus imaging in partially unroofed coronary sinus. *Echocardiography.* 31: 74-82. <http://dx.doi.org/10.1111/echo.12302>.
- Sundaram, A; Geronimo, JC; Willer, BL; Hoshino, M; Torgersen, Z; Juhasz, A; Lee, TH; Mittal, SK. (2012). Survival and quality of life after minimally invasive esophagectomy: a single-surgeon experience. *Surgical Endoscopy.* 26: 168-176. <http://dx.doi.org/10.1007/s00464-011-1850-7>.
- Sunkara, B; Zhan, J; Kolesnichenko, I; Wang, Y; He, J; Holland, JE; Mcpherson, GL; John, VT. (2011). Modifying Metal Nanoparticle Placement on Carbon Supports Using an Aerosol-Based Process, with Application to the Environmental Remediation of Chlorinated Hydrocarbons. *Langmuir.* 27: 7854-7859. <http://dx.doi.org/10.1021/la200657m>.
- Sürder, D; Gisler, V; Corti, R; Moccetti, T; Klersy, C; Zuber, M; Windecker, S; Moschovitis, A; Kozerke, S; Lüscher, TF; Erne, P; Manka, R. (2015). Thrombus formation in the left ventricle after large myocardial infarction – assessment with cardiac magnetic resonance imaging. *Swiss Med Wkly.* 145: w14122. <http://dx.doi.org/10.4414/smw.2015.14122>.
- Suslina, ZA; Foniakin, AV; Glebov, MV; Geraskina, LA; Chechetkin, AO; Kravchenko, MA. (2010). [Comparative clinical and anatomic characteristic of patients with patent foramen ovale in cryptogenic and noncryptogenic stroke]. *Kardiologiya.* 50: 50-54.
- Suttinun, O; Müller, R; Luepromchai, E. (2010). Cometabolic degradation of trichloroethene by *Rhodococcus* sp. strain L4 immobilized on plant materials rich in essential oils. *Appl Environ Microbiol.* 76: 4684-4690. <http://dx.doi.org/10.1128/AEM.03036-09>.
- Sutton, NB; Atashgahi, S; van der Wal, J; Wijn, G; Grotenhuis, T; Smidt, H; Rijnaarts, HH. (2015). Microbial dynamics during and after in situ chemical oxidation of chlorinated solvents. *Ground Water.* 53: 261-270. <http://dx.doi.org/10.1111/gwat.12209>.
- Suwa, K; Satoh, H; Sano, M; Nobuhara, M; Saitoh, T; Saotome, M; Urushida, T; Katoh, H; Tawarahara, K; Ohtani, H; Wakabayashi, Y; Takase, H; Terada, H; Takehara, Y; Sakahara, H; Hayashi, H. (2014). Functional, morphological and electrocardiographical abnormalities in patients with apical hypertrophic cardiomyopathy and apical aneurysm: correlation with cardiac MR. 1: e000124. <http://dx.doi.org/10.1136/openhrt-2014-000124>.
- Sverdrup, B; Kallberg, H; Bengtsson, C; Lundberg, I; Padyukov, L; Alfredsson, L; Klareskog, L; Group, EloRAS. (2005). Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. *Arthritis Res Ther.* 7: R1296-R1303. <http://dx.doi.org/10.1186/ar1824>.
- Swarup, S; Kantamneni, S; Kabir, S; Zeltser, R; Makaryus, AN. (2014). Echocardiographic manifestation of esophagitis mimicking a posterior mediastinal mass. 8: 23-25. <http://dx.doi.org/10.4137/CMC.S18767>.
- Sweeney, LM; Kirman, CR; Gargas, ML; Dugard, PH. (2009). Contribution of trichloroacetic acid to liver tumors observed in perchloroethylene (perc)-exposed mice. *Toxicology.* 260: 77-83. <http://dx.doi.org/10.1016/j.tox.2009.03.008>.
- Sweeney, LM; Macalman, L; Haber, LT; Kuempel, ED; Lang Tran, C. (2015). Bayesian evaluation of a physiologically-based pharmacokinetic (PBPK) model of long-term kinetics of metal nanoparticles in rats. *Regul Toxicol Pharmacol.* 73: 151-163. <http://dx.doi.org/10.1016/j.yrtph.2015.06.019>.

Human Health Hazard Literature Search Results

Off Topic

- Sweeney, LM; Parker, A, nn; Haber, LT; Tran, CL; Kuempel, ED. (2013). Application of Markov chain Monte Carlo analysis to biomathematical modeling of respirable dust in US and UK coal miners. *Regul Toxicol Pharmacol.* 66: 47-58. <http://dx.doi.org/10.1016/j.yrtph.2013.02.003>.
- Sweet, CW; Vermette, SJ. (1992). Toxic volatile organic compounds in urban air in Illinois. *Environ Sci Technol.* 26: 165-173. <http://dx.doi.org/10.1021/es00025a020>.
- Swenberg, JA. (2012). Core C: Chemistry And Analytical Core.
- Swenberg, JA. (2012). Project 1: Biomarkers Of Exposure Versus Effect: Improving The Scientific Basis F.
- Swenberg, JA. (2012). Project 2: Genomic And Genetic Analysis Of Liver And Kidney Toxicity Of Trichloro.
- Swenberg, JA. (2013). Core C: Chemistry And Analytical Core.
- Swenberg, JA. (2014). Core C: Chemistry And Analytical Core.
- Swenberg, JA. (2015). Core C: Chemistry And Analytical Core.
- Swinnen, E; Büttner, S; Outeiro, TF; Galas, MC; Madeo, F; Winderickx, J; Franssens, V. (2011). Aggresome formation and segregation of inclusions influence toxicity of α -synuclein and synphilin-1 in yeast [Review]. *Biochem Soc Trans.* 39: 1476-1481. <http://dx.doi.org/10.1042/BST0391476>.
- Syeda, B; Höfer, P; Pichler, P; Vertesich, M; Bergler-Klein, J; Roedler, S; Mahr, S; Goliasch, G; Zuckermann, A; Binder, T. (2011). Two-dimensional speckle-tracking strain echocardiography in long-term heart transplant patients: a study comparing deformation parameters and ejection fraction derived from echocardiography and multislice computed tomography. *Eur J Echocardiogr.* 12: 490-496. <http://dx.doi.org/10.1093/ejehocardi/jer064>.
- Szychta, W; Cerin, G; Popa, BA; Felice, A; Lanzillo, G; Diena, M; Opolski, G. (2015). Atypical abnormal pulmonary vein drainage with atrial septal defect: surgical treatment. *Echocardiography.* 32: 1040-1043. <http://dx.doi.org/10.1111/echo.12863>.
- Szyf, M. (2007). The dynamic epigenome and its implications in toxicology [Review]. *Toxicol Sci.* 100: 7-23. <http://dx.doi.org/10.1093/toxsci/kfm177>.
- Szymańska, K; Moore, LE; Rothman, N; Chow, WH; Waldman, F; Jaeger, E; Waterboer, T; Foretova, L; Navratilova, M; Janout, V; Kollarova, H; Zaridze, D; Matveev, V; Mates, D; Szeszenia-Dabrowska, N; Holcatova, I; Bencko, V; Le Calvez-Kelm, F; Villar, S; Pawlita, M; Boffetta, P; Hainaut, P; Brennan, P. (2010). TP53, EGFR, and KRAS mutations in relation to VHL inactivation and lifestyle risk factors in renal-cell carcinoma from central and eastern Europe. *Cancer Lett.* 293: 92-98. <http://dx.doi.org/10.1016/j.canlet.2009.11.024>.
- T, M; M, T; T, P. (2015). ing Low-Energy Electrical Resistance Heating with Biotic and Abiotic Reactions for Treatment of Chlorinated Solvent DNAPL Source Areas.
- t Mannelte, A; Steenland, K; Attfield, M; Boffetta, P; Checkoway, H; DeKlerk, N; Koskela, R. (2002). Exposure-response analysis and risk assessment for silica and silicosis mortality in a pooled analysis of six cohorts. *Occup Environ Med.* 59: 723-728.
- T. J, D. (2014). Proof-of-Concept Study: Novel Microbially-Driven Fenton Reaction for In Situ Remediation of Groundwater Contaminated with 1,4-Dioxane, Tetrachloroethene (PCE) and Trichloroethene (TCE). Project ER-2305.
- Tabata, M; Shibayama, K; Watanabe, H; Sato, Y; Fukui, T; Takanashi, S. (2014). Simple interrupted suturing increases valve performance after aortic valve replacement with a small supra-annular bioprosthesis. *J Thorac Cardiovasc Surg.* 147: 321-325. <http://dx.doi.org/10.1016/j.jtcvs.2012.11.020>.
- Tabernacka, A; Zborowska, E, wa. (2012). Trichloroethylene and tetrachloroethylene elimination from the air by means of a hybrid bioreactor with immobilized biomass. *J Biosci Bioeng.* 114: 318-324. <http://dx.doi.org/10.1016/j.jbiosc.2012.04.016>.
- Tabernacka, A; Zborowska, E; Lebkowska, M; Borawski, M. (2014). Air purification from TCE and PCE contamination in a hybrid bioreactors and biofilter integrated system. *J Hazard Mater.* 264: 363-369. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.013>.
- Tabrez, S; Ahmad, M. (2011). Components of antioxidative system in *Allium cepa* as the toxicity monitor of trichloroethylene (TCE). *Toxicol Environ Chem.* 93: 73-84. <http://dx.doi.org/10.1080/02772248.2010.498375>.
- Tabrez, S; Ahmad, M. (2012). Genotoxicity of trichloroethylene in the natural milieu. *Int J Hyg Environ Health.* 215: 333-338. <http://dx.doi.org/10.1016/j.ijheh.2011.08.004>.
- Tagliareni, F; D'Aleo, A; Sanfilippo, A; Tagliareni, A. (2012). Isolated bicuspid pulmonary valve in adult diagnosed by three-dimensional transthoracic echocardiography. *J Cardiovasc Med (Hagerstown).* 13: 395-396. <http://dx.doi.org/10.2459/JCM.0b013e32835166fc>.
- Taguchi, Y; Takashima, S; Hirai, T; Fukuda, N; Ohara, K; Nakagawa, K; Inoue, H; Tanaka, K. (2010). Significant impairment of left atrial function in patients with cardioembolic stroke caused by paroxysmal atrial fibrillation. *Intern Med.* 49: 1727-1732. <http://dx.doi.org/10.2169/internalmedicine.49.3580>.
- Tahir, MM; Tanveer-Ul-Haq, MM. (2012). Role of endovascular treatment in vascular injuries. *J Pak Med Assoc.* 62: 470-473.
- Taina, M; Rissanen, V; Hedman, M; Jäkälä, P; Järvinen, V; Vanninen, R; Sipola, P. (2015). Diagnostic Performance of Left Atrial Diameter Measurement in Computed Tomography to Detect Increased Left Atrial Volume. 29: 487-491.
- Tajiri, M; Okamoto, M; Fujimoto, K; Johkoh, T; Ono, J; Tominaga, M; Azuma, K; Kawayama, T; Ohta, S; Izuhara, K; Hoshino, T. (2015). Serum level of periostin can predict long-term outcome of idiopathic pulmonary fibrosis. *Respir Investig.* 53: 73-81. <http://dx.doi.org/10.1016/j.resinv.2014.12.003>.
- Takahashi, M; Harada, N; Isozaki, Y; Lee, K; Yajima, R; Kataoka, A; Saito, M; Kanaeda, A; Yamaguchi, C; Kamata, T; Ozawa, K; Tani, A; Horie, S; Umazume, T; Kobayashi, Y; Funabashi, N. (2013). Efficiency of quantitative longitudinal peak systolic strain values using automated function imaging on transthoracic echocardiogram for evaluating left ventricular wall motion: new diagnostic criteria and agreement with naked eye evaluation by experienced cardiologist. *Int J Cardiol.* 167: 1625-1631. <http://dx.doi.org/10.1016/j.ijcard.2012.04.128>.

Human Health Hazard Literature Search Results

Off Topic

- Takano, K; Kakuki, T; Obata, K; Nomura, K; Miyata, R; Kondo, A; Kurose, M; Kakiuchi, A; Kaneko, Y; Kohno, T; Himi, T; Kojima, T. (2016). The Behavior and Role of Lipolysis-stimulated Lipoprotein Receptor, a Component of Tricellular Tight Junctions, in Head and Neck Squamous Cell Carcinomas. *Anticancer Res.* 36: 5895-5904. <http://dx.doi.org/10.21873/anticancer.11176>.
- Takano, T; Seto, T; Asaka, S; Terasaki, T; Ohashi, N; Fukui, D; Amano, J. (2014). Structural valve deterioration of porcine bioprosthesis soon after mitral valve repair and replacement. *20 Suppl:* 717-719. <http://dx.doi.org/10.5761/atcs.cr.13.02264>.
- Takaoka, H; Funabashi, N; Ozawa, K; Nakayama, T; Kobayashi, Y. (2015). Comparison of a Novel Four Dimensional CT Myocardial Strain Analyzing Technique With MRI, TTE, and Endomyocardial Biopsy. *Circulation.* 132.
- Takaoka, H; Funabashi, N; Ozawa, K; Uehara, M; Ueda, M; Horikoshi, T; Uno, T; Kobayashi, Y. (2017). Computed tomography is important in appropriately diagnosing patients with third-degree atrioventricular block and second-degree atrioventricular block but not Wenckebach type. *Int J Cardiol.* 228: 700-706. <http://dx.doi.org/10.1016/j.ijcard.2016.11.187>.
- Takashima, K; Ito, Y; Gonzalez, FJ; Nakajima, T. (2008). Different mechanisms of DEHP-induced hepatocellular adenoma tumorigenesis in wild-type and Ppar alpha-null mice. *J Occup Health.* 50: 169-180.
- Takasu, M; Morita, N; Tajima, S; Almunia, J; Maeda, M; Kamiguchi, T. (2016). Cryopreservation of lar gibbon semen collected by manual stimulation. *Primates.* 57: 303-307. <http://dx.doi.org/10.1007/s10329-016-0543-1>.
- Takaya, Y; Taniguchi, M; Sugawara, M; Nobusada, S; Kusano, K; Akagi, T; Ito, H. (2013). Evaluation of exercise capacity using wave intensity in chronic heart failure with normal ejection fraction. *Heart Vessels.* 28: 179-187. <http://dx.doi.org/10.1007/s00380-011-0224-3>.
- Takeda, H; Muro, T; Saito, T; Hyodo, E; Ehara, S; Hanatani, A; Shimada, K; Suehiro, S; Yoshiyama, M. (2013). Diagnostic accuracy of transthoracic and transesophageal echocardiography for the diagnosis of bicuspid aortic valve: comparison with operative findings. *Osaka City Med J.* 59: 69-78.
- Takeda, S; Kondo, M; Kumada, T; Koshikawa, T; Ueda, R; Nishio, M; Osada, H; Suzuki, H; Nagatake, M; Washimi, O; Takagi, K; Takahashi, T; Nakao, A; Takahashi, T. (1996). Allelic-expression imbalance of the insulin-like growth factor 2 gene in hepatocellular carcinoma and underlying disease. *Oncogene.* 12: 1589-1592.
- Takeshima, H; Venturi, E; Sitsapesan, R. (2015). New and notable ion-channels in the sarcoplasmic/endoplasmic reticulum: do they support the process of intracellular Ca(2+) release? [Review]. *J Physiol.* 593: 3241-3251. <http://dx.doi.org/10.1113/jphysiol.2014.281881>.
- Takeuchi, N; Takada, M; Fujita, K; Nishibori, Y; Maruyama, T; Naba, K. (2013). Aortic valve papillary fibroelastoma associated with acute cerebral infarction: a case report. 2013: 485029. <http://dx.doi.org/10.1155/2013/485029>.
- Takubo, K; Kaminishi, M. (2001). [Diseases of the digestive tract and telomere lengths: Significance and problems of telomere measurement]. *Nippon Shokakibyō Gakkai Zasshi.* 98: 144-150.
- Tamborini, G; Fusini, L; Muratori, M; Cefalù, C; Gripari, P; Ali, SG; Pontone, G; Andreini, D; Bartorelli, AL; Alamanni, F; Fiorentini, C; Pepi, M. (2014). Feasibility and accuracy of three-dimensional transthoracic echocardiography vs. multidetector computed tomography in the evaluation of aortic valve annulus in patient candidates to transcatheter aortic valve implantation. *15:* 1316-1323. <http://dx.doi.org/10.1093/ehjci/jeu157>.
- Tamborini, G; Muratori, M; Maltagliati, A; Galli, CA; Naliato, M; Zanobini, M; Alamanni, F; Salvi, L; Sisillo, E; Fiorentini, C; Pepi, M. (2010). Pre-operative transthoracic real-time three-dimensional echocardiography in patients undergoing mitral valve repair: accuracy in cases with simple vs. complex prolapse lesions. *Eur J Echocardiogr.* 11: 778-785. <http://dx.doi.org/10.1093/ejehocard/jeq066>.
- Tamkus, AA; Rice, KS; Kim, HL. (2014). Differential rates of false-positive findings in transcranial electric motor evoked potential monitoring when using inhalational anesthesia versus total intravenous anesthesia during spine surgeries. *14:* 1440-1446. <http://dx.doi.org/10.1016/j.spinee.2013.08.037>.
- Tamura, H; Watanabe, T; Hirono, O; Nishiyama, S; Sasaki, S; Shishido, T; Miyashita, T; Miyamoto, T; Nitobe, J; Kayama, T; Kubota, I. (2010). Low wall velocity of left atrial appendage measured by trans-thoracic echocardiography predicts thrombus formation caused by atrial appendage dysfunction. *J Am Soc Echocardiogr.* 23: 545-552.e541. <http://dx.doi.org/10.1016/j.echo.2010.02.006>.
- Tamura, H; Watanabe, T; Nishiyama, S; Sasaki, S; Wanezaki, M; Arimoto, T; Takahashi, H; Shishido, T; Miyashita, T; Miyamoto, T; Kubota, I. (2012). Prognostic value of low left atrial appendage wall velocity in patients with ischemic stroke and atrial fibrillation. *J Am Soc Echocardiogr.* 25: 576-583. <http://dx.doi.org/10.1016/j.echo.2012.01.012>.
- Tanaka, H. (2015). Action-projection in Japanese conversation: topic particles wa, mo, and tte for triggering categorization activities. *Front Psychol.* 6: 1113. <http://dx.doi.org/10.3389/fpsyg.2015.01113>.
- Tanaka, K; Smith, PF; Stromberg, PC; Eydeloth, RS; Herold, EG; Grossman, SJ; Frank, JD; Hertzog, PR; Soper, KA; Keenan, KP. (1992). Studies of early hepatocellular proliferation and peroxisomal proliferation in Sprague-Dawley rats treated with tumorigenic doses of clofibrate. *Toxicol Appl Pharmacol.* 116: 71-77. [http://dx.doi.org/10.1016/0041-008X\(92\)90146-J](http://dx.doi.org/10.1016/0041-008X(92)90146-J).
- Tanboga, IH; Kurt, M; Gökdeniz, T; Isik, T; Ekinci, M; Kaya, A; Aksakal, E; Sevimli, S. (2012). Is routine echocardiography necessary after catheter ablation of atrioventricular nodal re-entrant tachycardia? *Cardiol J.* 19: 274-277.
- Tang, H, ao; Zhu, D; Li, T; Kong, H; Chen, W, ei. (2011). Reductive Dechlorination of Activated Carbon-Adsorbed Trichloroethylene by Zero-Valent Iron: Carbon as Electron Shuttle. *J Environ Qual.* 40: 1878-1885. <http://dx.doi.org/10.2134/jeq2011.0185>.
- Tang, L; Fang, Z; Hu, X; Tang, J; Shen, X; Lu, X; Zhao, Y; Li, J; Zhou, S. (2015). Non-surgical repair of ventricular septal rupture after acute myocardial infarction. *Int J Cardiol.* 185: 328-332. <http://dx.doi.org/10.1016/j.ijcard.2015.03.144>.
- Tang, Y; Krajmalnik-Brown, R; Rittmann, BE. (2013). Modeling trichloroethene reduction in a hydrogen-based biofilm. *Water Sci Technol.* 68: 1158-1163. <http://dx.doi.org/10.2166/wst.2013.362>.
- Tanguay, RM; Jorquera, R; Poudrier, J; St-Louis, M. (1996). Tyrosine and its catabolites: From disease to cancer [Review]. *Acta Biochim Pol.* 43: 209-216.

Human Health Hazard Literature Search Results

Off Topic

- Tanis, W; Budde, RP; van der Bilt, IA; Delemarre, B; Hoohenkerk, G; van Rooden, JK; Scholtens, AM; Habets, J; Chamuleau, S. (2016). Novel imaging strategies for the detection of prosthetic heart valve obstruction and endocarditis. *Netherlands Heart Journal*. 24: 96-107. <http://dx.doi.org/10.1007/s12471-015-0796-0>.
- Tanzola, RC; Walsh, S; Hopman, WM; Sydor, D; Arellano, R; Allard, RV. (2013). Brief report: Focused transthoracic echocardiography training in a cohort of Canadian anesthesiology residents: a pilot study. *Can J Anaesth*. 60: 32-37. <http://dx.doi.org/10.1007/s12630-012-9811-8>.
- Tao, L; Wang, W; Li, L; Kramer, PM; Pereira, MA. (2004). Effect of dibromoacetic acid on DNA methylation, glycogen accumulation, and peroxisome proliferation in mouse and rat liver. *Toxicol Sci*. 82: 62-69. <http://dx.doi.org/10.1093/toxsci/kfh266>.
- Tao, S; Yamazaki, D; Komazaki, S; Zhao, C; Iida, T; Kakizawa, S; Imaizumi, Y; Takeshima, H. (2013). Facilitated hyperpolarization signaling in vascular smooth muscle-overexpressing TRIC-A channels. *J Biol Chem*. 288: 15581-15589. <http://dx.doi.org/10.1074/jbc.M112.435396>.
- Tarsetti, F; Lenzi, R; Salvi, R; Schuler, E; Rijhsinghani, K; Lenzen, R; Tavoloni, N. (1993). Liver carcinogenesis associated with feeding of ethionine in a choline-free diet: Evidence against a role of oval cells in the emergence of hepatocellular carcinoma. *Hepatology*. 18: 596-603. <http://dx.doi.org/10.1002/hep.1840180319>.
- Tarsia, G; Smaldone, C; Costantino, MF. (2016). Effective percutaneous "edge-to-edge" mitral valve repair with mitraclip in a patient with acute post-MI regurgitation not related to papillary muscle rupture. 88: 1177-1180. <http://dx.doi.org/10.1002/ccd.26416>.
- Tassev, DV; Cheng, M; Cheung, NK. (2012). Retargeting NK92 cells using an HLA-A2-restricted, EBNA3C-specific chimeric antigen receptor. *Cancer Gene Ther*. 19: 84-100. <http://dx.doi.org/10.1038/cgt.2011.66>.
- Tateishi, M; Suzuki, S; Shimizu, H. (1978). Cysteine conjugate beta-lyase in rat liver. A novel enzyme catalyzing formation of thiol-containing metabolites of drugs. *J Biol Chem*. 253: 8854-8859.
- Tateishi, T; Nakura, H; Asoh, M; Watanabe, M; Tanaka, M; Kumai, T; Takashima, S; Imaoka, S; Funae, Y; Yabusaki, Y; Kamataki, T; Kobayashi, S. (1997). A comparison of hepatic cytochrome P450 protein expression between infancy and postinfancy. *Life Sci*. 61: 2567-2574. [http://dx.doi.org/10.1016/S0024-3205\(97\)01011-4](http://dx.doi.org/10.1016/S0024-3205(97)01011-4).
- Tatekoshi, Y; Yuda, S; Ogasawara, M; Muranaka, A; Kokubu, N; Hase, M; Tachibana, K; Tsuchihashi, K; Higami, T; Miura, T. (2016). Successful diagnosis of pericardial rupture caused by blunt chest trauma using contrast ultrasonography. *Journal of Medical Ultrasonics*. 43: 95-98. <http://dx.doi.org/10.1007/s10396-015-0663-z>.
- Tavares, LFD; Silva, PM; Junqueira, M; Mariano, DCO; Nogueira, FCS; Domont, GB; Freire, DMG; Neves, BC. (2013). Characterization of rhamnolipids produced by wild-type and engineered *Burkholderia kururiensis*. *Appl Microbiol Biotechnol*. 97: 1909-1921. <http://dx.doi.org/10.1007/s00253-012-4454-9>.
- Tay, SS; Carol, H; Biro, M. (2016). TriKEs and BiKEs join CARs on the cancer immunotherapy highway. 12: 2790-2796. <http://dx.doi.org/10.1080/21645515.2016.1198455>.
- Taylor, K; Lorenzo, A; Mertens, L; Dragulescu, A. (2016). Pilot study on the feasibility of limited focused real-time echocardiography during pediatric renal transplantation. *Pediatr Transplant*. 20: 778-782. <http://dx.doi.org/10.1111/ptr.12726>.
- Taylor, RA; Oliva, I; Van Tonder, R; Eleftheriades, J; Dziura, J; Moore, CL. (2012). Point-of-care focused cardiac ultrasound for the assessment of thoracic aortic dimensions, dilation, and aneurysmal disease. *Acad Emerg Med*. 19: 244-247. <http://dx.doi.org/10.1111/j.1553-2712.2011.01279.x>.
- Tchorz, KM; Chandra, MS; Markert, RJ; Healy, M; Anderson, H; Ekeh, AP; Saxe, JM; Walusimbi, MS; Woods, RJ; Dominguez, KM; Mccarthy, MC. (2012). Comparison of hemodynamic measurements from invasive and noninvasive monitoring during early resuscitation. 72: 852-860. <http://dx.doi.org/10.1097/TA.0b013e31824b1764>.
- Tedjasaputra, V; Bryan, TL; van Diepen, S; Moore, LE; Bouwsema, MM; Welsh, RC; Petersen, SR; Stickland, MK. (2015). Dopamine receptor blockade improves pulmonary gas exchange but decreases exercise performance in healthy humans. *J Physiol*. 593: 3147-3157. <http://dx.doi.org/10.1113/JP270238>.
- Tedoldi, F; Krisper, M; Köhncke, C; Pieske, B. (2016). Traumatic avulsion of the tricuspid valve after gas bottle explosion. 3: K21-K24. <http://dx.doi.org/10.1530/ERP-16-0014>.
- Teel, AL; Elloy, FC; Watts, RJ. (2016). Persulfate activation during exertion of total oxidant demand. *Chemosphere*. 158: 184-192. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.055>.
- Teerakun, M; Reungsang, A; Lin, CJ; Liao, CH. (2011). Coupling of zero valent iron and biobarriers for remediation of trichloroethylene in groundwater. *J Environ Sci*. 23: 560-567. [http://dx.doi.org/10.1016/S1001-0742\(10\)60448-2](http://dx.doi.org/10.1016/S1001-0742(10)60448-2).
- Telli, O; Gökçe, MI; Hacıyev, P; Soygür, T; Burgu, B. (2014). Transverse testicular ectopia: a rare presentation with persistent Müllerian duct syndrome. *Journal of Clinical Research in Pediatric Endocrinology*. 6: 180-182. <http://dx.doi.org/10.4274/Jcrpe.1479>.
- Temesi, J; Johnson, NA; Raymond, J; Burdon, CA; O'Connor, HT. (2011). Carbohydrate ingestion during endurance exercise improves performance in adults. *J Nutr*. 141: 890-897. <http://dx.doi.org/10.3945/jn.110.137075>.
- Temme, HR; Sande, K; Yan, T; Novak, PJ. (2017). Rapid Enrichment of Dehalococoides-like Bacteria by Partial Hydrophobic Separation. *Appl Environ Microbiol*. <http://dx.doi.org/10.1128/AEM.02946-16>.
- Tenero, D; Miller, A, nn; Green, J; Goyal, N. (2014). Time-to-Event (TTE) Pharmacokinetic/Pharmacodynamic Analysis for Tafenoquine (TQ; SB252263) in Subjects with Malaria. *J Pharmacokinetic Pharmacodyn*. 41: S7-S7.
- Teo, KS; Disney, PJ; Dundon, BK; Worthley, MI; Brown, MA; Sanders, P; Worthley, SG. (2010). Assessment of atrial septal defects in adults comparing cardiovascular magnetic resonance with transoesophageal echocardiography. *J Cardiovasc Magn Reson*. 12: 44. <http://dx.doi.org/10.1186/1532-429X-12-44>.
- Tepeler, A; Ozkuvanci, U; Kezer, C; Muslumanoglu, AY. (2011). A rare anomaly of testicular descend: transverse testicular ectopia and review of the literature [Review]. 21: 987-989. <http://dx.doi.org/10.1089/lap.2011.0044>.

Human Health Hazard Literature Search Results

Off Topic

- Terkawi, AS; Karakitsos, D; Elbarbary, M; Blaivas, M; Durieux, ME. (2013). Ultrasound for the anesthesiologists: present and future [Review]. *ScientificWorldJournal*. 2013: 683685. <http://dx.doi.org/10.1155/2013/683685>.
- Terracini, B; Parker, V. (1965). A pathological study on the toxicity of s-dichlorovinyl-L-cysteine. *Food Cosmet Toxicol*. 3: 67-74.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med*. 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Thakkar, V; Nikpour, M; Stevens, WM; Proudman, SM. (2015). Prospects for improving outcomes in systemic sclerosis-related pulmonary hypertension [Review]. *Internal Medicine Journal (Online)*. 45: 248-254. <http://dx.doi.org/10.1111/imj.12691>.
- Thakkar, V; Stevens, WM; Prior, D; Moore, OA; Byron, J; Liew, D; Patterson, K; Hissaria, P; Roddy, J; Zochling, J; Sahhar, J; Nash, P; Tymms, K; Celermajer, D; Gabbay, E; Youssef, P; Proudman, SM; Nikpour, M. (2012). N-terminal pro-brain natriuretic peptide in a novel screening algorithm for pulmonary arterial hypertension in systemic sclerosis: a case-control study. *Arthritis Res Ther*. 14: R143. <http://dx.doi.org/10.1186/ar3876>.
- Thankavel, PP; Lemler, MS; Ramaciotti, C. (2015). Utility and importance of new echocardiographic screening methods in diagnosis of anomalous coronary origins in the pediatric population: assessment of quality improvement. *Pediatric Cardiology*. 36: 120-125. <http://dx.doi.org/10.1007/s00246-014-0973-8>.
- Tharappel, JC; Cunningham, ML; Spear, BT; Glauert, HP. (2001). Differential activation of hepatic NF-kB in rats and hamsters by the peroxisome proliferators Wy-14,643, gemfibrozil, and dibutyl phthalate. *Toxicol Sci*. 62: 20-27. <http://dx.doi.org/10.1093/toxsci/62.1.20>.
- Thariat, J; Hamoir, M; Garrel, R; Cosmidis, A; Dassonville, O; Janot, O; Righini, CA; Vedrine, PO; Prades, JM; Lacau-Saint-Guilly, J; Jegoux, F; Malard, O; De Mones, E; Benlyazid, A; Bensadoun, RJ; Baujat, B; Merol, JC; Ferron, C; Scavennec, C; Salvan, D; Mallet, Y; Moriniere, S; Vergez, S; Choussy, O; Dollivet, G; Guevara, N; Ceruse, P; De Raucourt, D; Lallemand, B; Lawson, G; Lindas, P; Poupart, M; Duflo, S; Dufour, X. (2012). Management of the neck in the setting of definitive chemoradiation: is there a consensus? A GETTEC study. *Ann Surg Oncol*. 19: 2311-2319. <http://dx.doi.org/10.1245/s10434-012-2275-9>.
- Thavendirathan, P; Liu, S; Datta, S; Walls, M; Nitinunu, A; Van Houten, T; Tomson, NA; Vidmar, L; Georgescu, B; Wang, Y; Srinivasan, S; De Michelis, N; Raman, SV; Ryan, T; Vannan, MA. (2012). Automated quantification of mitral inflow and aortic outflow stroke volumes by three-dimensional real-time volume color-flow Doppler transthoracic echocardiography: comparison with pulsed-wave Doppler and cardiac magnetic resonance imaging. *J Am Soc Echocardiogr*. 25: 56-65. <http://dx.doi.org/10.1016/j.echo.2011.10.004>.
- Theodorou, D; Doulami, G; Memos, N; Kokoroskos, N; Vrakopoulou, GZ, oi; Triantafyllou, S; Kleidi, E; Katsaragakis, S; Zografos, G. (2014). Is there room for improvement in esophageal cancer surgery? Results of a prospective protocol for individualization of surgical treatment. *Esophagus*. 11: 258-266. <http://dx.doi.org/10.1007/s10388-014-0440-x>.
- Theron, A; Pinar, A; Riberi, A; Zaffran, S. (2016). An uncommon cause of tricuspid regurgitation: three-dimensional echocardiographic incremental value, surgical and genetic insights. 50: 180-182. <http://dx.doi.org/10.1093/ejcts/evz423>.
- Thom, CD; Sparks, SE. (2014). Acute pediatric stroke-what's the hurry? A case for emergency physician-performed echocardiography. *Am J Emerg Med*. 32: 1440.e1443-1440.e1445. <http://dx.doi.org/10.1016/j.ajem.2014.04.023>.
- Thompson, DC. (2010). Overview of TCE-HIV Grant Programs. *J Evid Based Soc Work*. 7: 3-4. <http://dx.doi.org/10.1080/15433710903175825>.
- Thomson, IG; Smithers, BM; Gotley, DC; Martin, I; Thomas, JM; O'Rourke, P; Barbour, AP. (2010). Thoracoscopic-assisted esophagectomy for esophageal cancer: analysis of patterns and prognostic factors for recurrence. *Ann Surg*. 252: 281-291. <http://dx.doi.org/10.1097/SLA.0b013e3181e909a2>.
- Thorgeirsson, SS. (2006). Genomic decoding of hepatocellular carcinoma [Editorial]. *Gastroenterology*. 131: 1344-1346. <http://dx.doi.org/10.1053/j.gastro.2006.08.060>.
- Thorolfsson, B; Thordardottir, FR; Gunnarsson, GT; Sigurdsson, AF. (2012). [Screening for risk factors of sudden cardiac death in young athletes]. *Laeknabladid*. 98: 83-88.
- Thus, KA; Ruizendaal, MT; de Hoop, TA; Borst, E; van Deutekom, HW; Te Boome, L; Kuball, J; Spierings, E. (2014). Refinement of the definition of permissible HLA-DPB1 mismatches with predicted indirectly recognizable HLA-DPB1 epitopes. *Biol Blood Marrow Transplant*. 20: 1705-1710. <http://dx.doi.org/10.1016/j.bbmt.2014.06.026>.
- Tian, Z; Liu, YT; Fang, Q; Ni, C; Chen, TB; Fang, LG; Gao, P; Jiang, XC; Li, MT; Zeng, XF. (2011). Hemodynamic parameters obtained by transthoracic echocardiography and right heart catheterization: a comparative study in patients with pulmonary hypertension. *Chin Med J*. 124: 1796-1801.
- Tiedeman, CR; Lacombe, PJ; Goode, DJ. (2010). Multiple well-shutdown tests and site-scale flow simulation in fractured rocks. *Ground Water*. 48: 401-415. <http://dx.doi.org/10.1111/j.1745-6584.2009.00651.x>.
- Tilley, SK; Reif, DM; Fry, RC. (2017). Incorporating ToxCast and Tox21 datasets to rank biological activity of chemicals at Superfund sites in North Carolina. *Environ Int*. 101: 19-26. <http://dx.doi.org/10.1016/j.envint.2016.10.006>.
- Tiwari, M; Sahu, SK; Pandit, GG. (2016). Distribution and ecotoxicological concerns of persistent organic pollutants in sediment from creek ecosystem. *J Environ Sci Health B*. 51: 616-621. <http://dx.doi.org/10.1080/03601234.2016.1181907>.
- Toffetti, L; Pugno, A; Massironi, L; Tresoldi, S; Mantero, AG. (2015). An Unexpected Guest in the Proximal Ascending Aorta. *Echocardiography*. 32: 1327-1328. <http://dx.doi.org/10.1111/echo.12952>.
- Toma, M; Grosser, M; Herr, A; Aust, D; Meye, A; Hoefling, C; Fuessel, S; Wuttig, D; Wirth, M; Baretton, G. (2008). Loss of heterozygosity and copy number abnormality in clear cell renal cell carcinoma discovered by high-density affymetrix 10K single nucleotide polymorphism mapping array. *Neoplasia*. 10: 634-642.
- Tomar, LR; Agarwal, MP; Avasthi, R; Tyagi, V; Mustafa, M; Banerjee, BD. (2013). Serum organochlorine pesticide levels in patients with metabolic syndrome. *Indian J Endocrinol Metab*. 17: S342-S344. <http://dx.doi.org/10.4103/2230-8210.119612>.

Human Health Hazard Literature Search Results

Off Topic

- Tomaszuk-Kazberuk, A; Lewczuk, A; Sobkowicz, B; Gościcka, K; Kozuch, M; Dobrzycki, S; Hirnle, T; Musiał, WJ. (2011). Is contrast echocardiography safe and useful for the assessment of left ventricular function in the perioperative period after cardiac surgery? A pilot study. *Kardiol Pol.* 69: 680-686.
- Tomaszuk-Kazberuk, A; Lisowska, A; Sobkowicz, B; Młodawska, E; Lopatowska, P; Kosacka, U; Musiał, W. (2012). [Is establishing diagnosis of perivalvular abscess still difficult?]. *Kardiol Pol.* 70: 1164-1166, discussion 1167.
- Tomisawa, H; Ichihara, S; Fukazawa, H; Ichimoto, N; Tateishi, M; Yamamoto, I. (1986). Purification and characterization of human hepatic cysteine-conjugate beta-lyase. *Biochem J.* 235: 569-575.
- Tomisawa, H; Suzuki, S; Ichihara, S; Fukazawa, H; Tateishi, M. (1984). Purification and characterization of C-S lyase from *Fusobacterium varium*: A C-S cleavage enzyme of cysteine conjugates and some S-containing amino acids. *J Biol Chem.* 259: 2588-2593.
- Ton, O; Polat, N; Mansuroglu, D; Kabukuoglu, F. (2011). Mesothelial/monocytic incidental cardiac excretion in a patient with antiphospholipid syndrome. *Interact Cardiovasc Thorac Surg.* 13: 657-659. <http://dx.doi.org/10.1510/icvts.2011.277921>.
- Tona, F; Osto, E; Tarantini, G; Gambino, A; Cavallin, F; Feltrin, G; Montisci, R; Caforio, AL; Gerosa, G; Illiceto, S. (2010). Coronary flow reserve by transthoracic echocardiography predicts epicardial intimal thickening in cardiac allograft vasculopathy. *American Journal of Transplantation (Online)*. 10: 1668-1676. <http://dx.doi.org/10.1111/j.1600-6143.2010.03160.x>.
- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta catalyses the oxygenation of the carcinogen dichloroacetic acid to glyoxylic acid. *Biochem J.* 331: 371-374.
- Tongyoo, S; Sangnopakunsri, W; Permpikul, C. (2014). Transthoracic echocardiogram for the diagnosis of right ventricular dysfunction in critically ill patients. *J Med Assoc Thai.* 97 Suppl 1: S84-S92.
- Topaloglu, O; Sayki Arslan, M; Turak, O; Ginis, Z; Sahin, M; Cebeci, M; Ucan, B; Cakir, E; Karbek, B; Ozbek, M; Cakal, E; Delibasi, T. (2014). Three noninvasive methods in the evaluation of subclinical cardiovascular disease in patients with acromegaly: epicardial fat thickness, aortic stiffness and serum cell adhesion molecules. *Clin Endocrinol.* 80: 726-734. <http://dx.doi.org/10.1111/cen.12356>.
- Topilsky, Y; Vaturi, O; Watanabe, N; Bichara, V; Nkomo, VT; Michelena, H; Le Tourneau, T; Mankad, SV; Park, S; Capps, MA; Suri, R; Pislaru, SV; Maalouf, J; Yoshida, K; Enriquez-Sarano, M. (2013). Real-time 3-dimensional dynamics of functional mitral regurgitation: a prospective quantitative and mechanistic study. *J Am Heart Assoc.* 2: e000039. <http://dx.doi.org/10.1161/JAHA.113.000039>.
- Topuz, M; Dogan, A. (2016). Effect of epicardial adipose tissue thickness on left ventricular diastolic functions in patients with normal coronary arteries. *Kardiol Pol.* <http://dx.doi.org/10.5603/KP.a2016.0139>.
- Tori, K; Perler, F. (2017). Sequential formation of two branched intermediates during protein splicing of class three inteins. *Extremophiles.* 21: 41-49. <http://dx.doi.org/10.1007/s00792-016-0876-0>.
- Torres, FS; Windram, JD; Bradley, TJ; Wintersperger, BJ; Menezes, R; Crean, AM; Colman, JM; Silversides, CK; Wald, RM. (2013). Impact of asymmetry on measurements of the aortic root using cardiovascular magnetic resonance imaging in patients with a bicuspid aortic valve. *Int J Cardiovasc Imaging.* 29: 1769-1777. <http://dx.doi.org/10.1007/s10554-013-0268-9>.
- Torres-Dosal, A; Isabel Martinez-Salinas, R; Hernandez-Benavides, D; Javier Perez-Vazquez, F; Ilizaliturri-Hernandez, C; Nelinho Perez-Maldonado, I. (2012). Assessment of the levels of DDT and DDE in soil and blood samples from Tabasco, Mexico. *Environ Monit Assess.* 184: 7551-7559. <http://dx.doi.org/10.1007/s10661-012-2518-z>.
- Torres-Miranda, D; Al-Saffar, F; Ibrahim, S; Font-Diaz, S. (2015). Rapidly Progressive Seeding of a Community Acquired Pathogen in an Immune-competent Host--End Organ Damage from Head to Bone. *Bol Asoc Med P R.* 107: 20-23.
- Toth, B; Hornung, D; Scholz, C; Djalali, S; Friese, K; Jeschke, U. (2007). Peroxisome proliferator-activated receptors: new players in the field of reproduction [Review]. *Am J Reprod Immunol.* 58: 289-310. <http://dx.doi.org/10.1111/j.1600-0897.2007.00514.x>.
- Toufan, M; Pourafkari, L; Boudagh, S; Nader, ND. (2016). Epiaortic fat pad area: A novel index for the dimensions of the ascending aorta. 21: 191-198. <http://dx.doi.org/10.1177/1358863X16639387>.
- Tounsi, A; Abid, L; Akrou, M; Hentati, M; Kammoun, S. (2012). QT Prolongation Complicated with Torsades de Pointes in Prosthetic Mitral Valve Endocarditis: A Case Report. *Case Reports in Medicine.* 2012: 574923. <http://dx.doi.org/10.1155/2012/574923>.
- Tousignant, C; Desmet, M; Bowry, R; Harrington, AM; Cruz, JD; Mazer, CD. (2010). Speckle tracking for the intraoperative assessment of right ventricular function: a feasibility study. *J Cardiothorac Vasc Anesth.* 24: 275-279. <http://dx.doi.org/10.1053/j.jvca.2009.10.022>.
- Tram, K; Stritesky, G; Wadsworth, K; Ng, J; Anasetti, C; Dehn, J. (2017). Identification of DPB1 Permissive Unrelated Donors Is Highly Likely. *Biol Blood Marrow Transplant.* 23: 81-86. <http://dx.doi.org/10.1016/j.bbmt.2016.10.021>.
- Trejo-Acevedo, A; Rivero-Pérez, NE; Flores-Ramírez, R; Orta-García, ST; Varela-Silva, JA; Pérez-Maldonado, IN. (2012). Assessment of the levels of persistent organic pollutants and 1-hydroxypyrene in blood and urine samples from Mexican children living in an endemic malaria area in Mexico. *Bull Environ Contam Toxicol.* 88: 828-832. <http://dx.doi.org/10.1007/s00128-012-0593-z>.
- Treskatsch, S; Habicher, M; Sander, M. (2014). [Echocardiography for hemodynamic monitoring on ICU?] [Review]. 49: 708-717. <http://dx.doi.org/10.1055/s-0040-100124>.
- Trevisan, A; Giraldo, M; Borella, M; Maso, S. (2001). Historical control data on urinary and renal tissue biomarkers in naive male Wistar rats. *J Appl Toxicol.* 21: 409-413.
- Trexler, ET; Smith-Ryan, AE; Melvin, MN; Roelofs, EJ; Wingfield, HL. (2014). Effects of pomegranate extract on blood flow and running time to exhaustion. *Appl Physiol Nutr Metab.* 39: 1038-1042. <http://dx.doi.org/10.1139/apnm-2014-0137>.
- Triebig, G; Bestler, W; Baumeister, P; Valentin, H. (1983). [Neurotoxicity of workplace substances. IV. Determination of motor and sensory nerve conduction velocity in persons exposed to solvent mixtures]. *Int Arch Occup Environ Health.* 52: 139-150. <http://dx.doi.org/10.1007/BF00405417>.

Human Health Hazard Literature Search Results

Off Topic

- Tripathy, S; Mahapatra, S; Chattopadhyay, S; Das, S; Dash, SK; Majumder, S; Pramanik, P; Roy, S. (2013). A novel chitosan based antimalarial drug delivery against Plasmodium berghei infection. *Acta Trop.* 128: 494-503. <http://dx.doi.org/10.1016/j.actatropica.2013.07.011>.
- Truex, MJ; Macbeth, TW; Vermeul, VR; Fritz, BG; Mendoza, DP; Mackley, RD; Wietsma, TW; Sandberg, G; Powell, T; Powers, J; Pitre, E; Michalsen, M; Ballock-Dixon, SJ; Zhong, L; Oostrom, M. (2011). Demonstration of combined zero-valent iron and electrical resistance heating for in situ trichloroethene remediation. *Environ Sci Technol.* 45: 5346-5351. <http://dx.doi.org/10.1021/es104266a>.
- Truhaut, R. (1951). [Contribution to the study of toxicology of trichloroethylene; Establishment of a method of determination applicable to atmosphere and biological media]. *Ann Pharm Fr.* 9: 175-187.
- Tryndyak, VP; Muskhelishvili, L; Kovalchuk, O; Rodriguez-Juarez, R; Montgomery, B; Churchwell, MI; Ross, SA; Beland, FA; Pogribny, IP. (2006). Effect of long-term tamoxifen exposure on genotoxic and epigenetic changes in rat liver: implications for tamoxifen-induced hepatocarcinogenesis. *Carcinogenesis.* 27: 1713-1720. <http://dx.doi.org/10.1093/carcin/bgl050>.
- Tsai, CC; Wu, MN. (2015). Frequent Ischemic Stroke as First Manifestation of Occult Colon Cancer: A Rare Case. *The American Journal of Case Reports.* 16: 723-727.
- Tsai, SF; Trivedi, M; Daniels, CJ. (2012). Comparing imaging modalities for screening aortic complications in patients with bicuspid aortic valve. *Congenit Heart Dis.* 7: 372-377. <http://dx.doi.org/10.1111/j.1747-0803.2012.00683.x>.
- Tsai, SK. (2013). The role of transesophageal echocardiography in clinical use [Review]. 76: 661-672. <http://dx.doi.org/10.1016/j.jcma.2013.08.009>.
- Tsai, TT; Kao, CM; Wang, JY. (2011). Remediation of TCE-contaminated groundwater using acid/BOF slag enhanced chemical oxidation. *Chemosphere.* 83: 687-692. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.023>.
- Tsai, TT; Liu, JK; Chang, YM; Chen, KF; Kao, CM. (2014). Application of polycolloid-releasing substrate to remediate trichloroethylene-contaminated groundwater: A pilot-scale study. *J Hazard Mater.* 268: 92-101. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.004>.
- Tsang, JF; Lytwyn, M; Farag, A; Zeglinski, M; Wallace, K; Dasilva, M; Bohonis, S; Walker, J. R.; Tam, JW; Strzelczyk, J; Jassal, DS. (2012). Multimodality imaging of aortic dimensions: comparison of transthoracic echocardiography with multidetector row computed tomography. *Echocardiography.* 29: 735-741. <http://dx.doi.org/10.1111/j.1540-8175.2012.01666.x>.
- Tsang, W; Salgo, IS; Medvedofsky, D; Takeuchi, M; Prater, D; Weinert, L; Yamat, M; Mor-Avi, V; Patel, AR; Lang, RM. (2016). Transthoracic 3D Echocardiographic Left Heart Chamber Quantification Using an Automated Adaptive Analytics Algorithm. *JACC: Cardiovascular Imaging.* 9: 769-782. <http://dx.doi.org/10.1016/j.jcmg.2015.12.020>.
- Tseng, H; Su, JG; Liang, C. (2011). Synthesis of granular activated carbon/zero valent iron composites for simultaneous adsorption/dechlorination of trichloroethylene. *J Hazard Mater.* 192: 500-506. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.047>.
- Tsigkas, G; Kasimis, G; Theodoropoulos, K; Chouchoulis, K; Baikoussis, NG; Apostolakis, E; Bousoula, E; Moulias, A; Alexopoulos, D. (2011). A successfully thrombolysed acute inferior myocardial infarction due to type A aortic dissection with lethal consequences: the importance of early cardiac echocardiography. *J Cardiothorac Surg.* 6: 101. <http://dx.doi.org/10.1186/1749-8090-6-101>.
- Tsuneyoshi, H; Komiya, T; Shimamoto, T. (2016). Accuracy of Aortic Annulus Diameter Measurement: Comparison of Multi-Detector CT, Two- and Three-Dimensional Echocardiography. *J Card Surg.* 31: 18-22. <http://dx.doi.org/10.1111/jocs.12664>.
- Tugwood, JD; Aldridge, TC; Lambe, KG; Macdonald, N; Woodyatt, NJ. (1996). Peroxisome proliferator-activated receptors: Structures and function. *Ann N Y Acad Sci.* 804: 252-265. <http://dx.doi.org/10.1111/j.1749-6632.1996.tb18620.x>.
- Tuncay, V; Prakken, N; van Ooijen, PM; Budde, RP; Leiner, T; Oudkerk, M. (2015). Semiautomatic, Quantitative Measurement of Aortic Valve Area Using CTA: Validation and Comparison with Transthoracic Echocardiography. *BioMed Res Int.* 2015: 648283. <http://dx.doi.org/10.1155/2015/648283>.
- Turgut, C; Cutright, TJ; Mermer, S; Atatanir, L; Turgut, N; Usluy, M; Erdogan, O. (2013). The source of DDT and its metabolites contamination in Turkish agricultural soils. *Environ Monit Assess.* 185: 1087-1093. <http://dx.doi.org/10.1007/s10661-012-2616-y>.
- Turk, E; Wills, AA; Kwon, T; Sedzinski, J; Wallingford, JB; Stearns, T. (2015). Zeta-Tubulin Is a Member of a Conserved Tubulin Module and Is a Component of the Centriolar Basal Foot in Multiciliated Cells. *Curr Biol.* 25: 2177-2183. <http://dx.doi.org/10.1016/j.cub.2015.06.063>.
- Turner, II; Turek, JW; Jagers, J; Herlong, JR; Lawson, DS; Lodge, AJ. (2011). Anomalous aortic origin of a coronary artery: preoperative diagnosis and surgical planning. 2: 340-345. <http://dx.doi.org/10.1177/2150135111406938>.
- Tzikas, A; Schultz, CJ; Piazza, N; Moelker, A; Van Mieghem, NM; Nuis, RJ; van Geuns, RJ; Geleijnse, ML; Serruys, PW; de Jaegere, PP. (2011). Assessment of the aortic annulus by multislice computed tomography, contrast aortography, and trans-thoracic echocardiography in patients referred for transcatheter aortic valve implantation. 77: 868-875. <http://dx.doi.org/10.1002/ccd.22761>.
- U.S. EPA. (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.
- U.S. EPA. (1986). Guidelines for the health risk assessment of chemical mixtures (pp. 1-38). (EPA/630/R-98/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=22567>.
- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=34855>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=23162>.
- U.S. EPA. (1992). A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg^{3/4}/day [EPA Report] (pp. 24152-24161). Washington, DC.

Human Health Hazard Literature Search Results

Off Topic

- U.S. EPA. (1992). Dermal exposure assessment: Principles and applications (interim report) [EPA Report]. (EPA/600/8-91/011B). Washington, DC: Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=12188>.
- U.S. EPA. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=186068>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recorddisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA. (1995). The national public water system supervision program: Compliance report, FY 1994 [EPA Report]. (EPA 812-R-95-001). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20001TKR.txt>.
- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA. (1997). Exposure factors handbook [EPA Report] (pp. 1216). (EPA/600/P-95/002Fa-c). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=12464>.
- U.S. EPA. (1998). EPA data file: Office of groundwater and drinking water [EPA Report]. Washington, DC.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.
- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727.
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2001). Sources, emission and exposure for trichloroethylene (TCE) and related chemicals [EPA Report]. (EPA/600/R-00/099). Washington, DC. <http://nepis.epa.gov/Exe/ZyNET.exe/30002FKO.TXT?ZyActionD=ZyDocument&Client=EPA&Index=2000+Thru+2005&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5Cindex%20Data%5C00thru05%5CTxt%5C00000002%5C30002FKO.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL#>.
- U.S. EPA. (2002). Health assessment of 1,3-butadiene [EPA Report]. (EPA/600/P-98/001F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=54499>.
- U.S. EPA. (2002). OSWER draft guidance for evaluating the vapor intrusion to indoor air pathway from groundwater and soils (subsurface vapor intrusion guidance) [EPA Report]. (EPA 530-D-02-004). Washington, DC. <http://epa.gov/osw/hazard/correctiveaction/eis/vapor/guidance.pdf>.
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA. (2003). Framework for cumulative risk assessment [EPA Report]. (EPA/630/P-02/001F). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004TJH.txt>.
- U.S. EPA. (2003). Occurrence estimation methodology and occurrence findings report of the six-year review of existing national primary drinking water regulations [EPA Report]. (EPA-815/R-03-006). Washington, DC. http://water.epa.gov/lawsregs/rulesregs/regulatingcontaminants/sixyearreview/first_review/upload/support_6yr_occurrencemethods_final.pdf.
- U.S. EPA. (2003). Toxicological review of dichloroacetic acid (CAS No. 79-43-6) [EPA Report]. (EPA 635/R-03/007). Washington, DC. <http://www.epa.gov/iris/toxreviews/0654tr.pdf>.
- U.S. EPA. (2004). Estimated per capita water ingestion and body weight in the United States: An update [EPA Report]. (EPA-822/R-00-001). Washington, DC: U.S. Environmental Protection Agency, Office of Water. http://water.epa.gov/action/advisories/drinking/upload/2005_05_06_criteria_drinking_percapita_2004.pdf.
- U.S. EPA. (2005). Documentation of environmental indicator determination: RCRA corrective action: Current human exposures under control (IBM-Endicott) [EPA Report]. New York, NY. http://www.epa.gov/Region2/waste/ibm_e725.pdf.
- U.S. EPA. (2005). Guidance on selecting age groups for monitoring and assessing childhood exposures to environmental contaminants (final) [EPA Report]. (EPA/630/P-03/003F). Washington, DC. <http://www.epa.gov/raf/publications/guidance-on-selecting-age-groups.htm>.
- U.S. EPA. (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA. (2005). The HAPeM5 user's guide: Hazardous air pollutant exposure model, version 5 [EPA Report]. Research Triangle Park, NC. <http://www.epa.gov/airtoxics/nata1999/ta/hapem5guide.pdf>.

Human Health Hazard Literature Search Results

Off Topic

- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>.
- U.S. EPA. (2006). Peer review handbook (3rd edition) [EPA Report]. (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. <http://www.epa.gov/peerreview/>.
- U.S. EPA. (2006). Technology transfer network 1999 national-scale air toxics assessment [Website]. Retrieved from <http://www.epa.gov/ttn/atw/nata1999/index.html>
- U.S. EPA. (2008). 1,1,2-Trichloro-1,2,2-trifluoroethane [EPA Report]. Washington, D.C. <http://www.epa.gov/IRIS/subst/0123.htm>.
- U.S. EPA. (2008). Child-specific exposure factors handbook [EPA Report]. (EPA/600/R-06/096F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=199243>.
- U.S. EPA. (2008). Factoids: Drinking water and ground water statistics for 2008 [EPA Report]. (EPA-816/K-08-004). Washington, DC. http://www.epa.gov/ogwdw000/databases/pdfs/data_factoids_2008.pdf.
- U.S. EPA. (2010). AirData: Access to air pollution data [Database]. Research Triangle Park, NC: Office of Air Quality Planning and Standards. Retrieved from <http://www.epa.gov/air/data/index.html>
- U.S. EPA. (2011). Recommended use of body weight 3/4 as the default method in derivation of the oral reference dose (pp. 1-50). (EPA/100/R11/0001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum, Office of the Science Advisor. <https://www.epa.gov/risk/recommended-use-body-weight-34-default-method-derivation-oral-reference-dose>.
- Uçar, O; Vural, M; Cetfin, Z; Gökaslan, S; Gürsoy, T; Paşaoğlu, L; Koparal, S; Aydoğlu, S. (2011). Assessment of planimetric mitral valve area using 16-row multidetector computed tomography in patients with rheumatic mitral stenosis. *J Heart Valve Dis.* 20: 13-17.
- Uchino, Y; Miura, T; Hosoyama, A; Ohji, S; Yamazoe, A; Ito, M; Takahata, Y; Suzuki, K; Fujita, N. (2015). Complete genome sequencing of *Dehalococcoides* sp. strain UCH007 using a differential reads picking method. 10: 102. <http://dx.doi.org/10.1186/s40793-015-0095-9>.
- Ueno, M; Kunisawa, T; Nagashima, M; Suzuki, A; Takahata, O; Iwasaki, H. (2010). [Case in which transesophageal echocardiography after induction of anaesthesia was useful for reevaluation of preoperative diagnosis]. *Masui.* 59: 101-103.
- Ughi, GJ; Gora, MJ; Swager, AF; Soomro, A; Grant, C; Tiernan, A; Rosenberg, M; Sauk, JS; Nishioka, NS; Tearney, GJ. (2016). Automated segmentation and characterization of esophageal wall in vivo by tethered capsule optical coherence tomography endomicroscopy. 7: 409-419. <http://dx.doi.org/10.1364/BOE.7.000409>.
- Ukegawa, D; Kawabata, S; Sakaki, K; Ishii, S; Tomizawa, S; Inose, H; Yoshii, T; Kato, T; Enomoto, M; Okawa, A. (2014). Efficacy of biphasic transcranial electric stimulation in intraoperative motor evoked potential monitoring for cervical compression myelopathy. *Spine.* 39: E159-E165. <http://dx.doi.org/10.1097/BRS.0000000000000082>.
- Ulrich, RG; Rockett, JC; Gibson, GG; Pettit, SD. (2004). Overview of an interlaboratory collaboration on evaluating the effects of model hepatotoxicants on hepatic gene expression. *Environ Health Perspect.* 112: 423-427.
- Uluganyan, M; Karaca, G; Nurkalem, Z. (2013). Successful thrombolytic treatment of a bio-prosthetic mitral valve thrombosis in a pregnant woman. *Acta Cardiol.* 68: 446-448. <http://dx.doi.org/10.2143/AC.68.4.2988903>.
- Unal Aksu, H; Gorgulu, S; Diker, M; Celik, O; Aksu, H; Ozturk, D; Kiris, A; Kalkan, AK; Erturk, M; Bakir, İ. (2016). Cardiac Computed Tomography versus Echocardiography in the Assessment of Stenotic Rheumatic Mitral Valve. *Echocardiography.* 33: 346-352. <http://dx.doi.org/10.1111/echo.13076>.
- Unsworth, B; Casula, RP; Yadav, H; Baruah, R; Hughes, AD; Mayet, J; Francis, DP. (2013). Contrasting effect of different cardiothoracic operations on echocardiographic right ventricular long axis velocities, and implications for interpretation of post-operative values. *Int J Cardiol.* 165: 151-160. <http://dx.doi.org/10.1016/j.ijcard.2011.08.031>.
- Upadhyay, B; Ntim, W; Brandon Stacey, R; Henderson, R; Leedy, D; O'Brien, FX; Knovich, MA. (2013). Prolongation of QTc intervals and risk of death among patients with sickle cell disease. *Eur J Haematol.* 91: 170-178. <http://dx.doi.org/10.1111/ejh.12127>.
- Urabe, Y; Nouse, K; Higashi, T; Nakatsukasa, H; Hino, N; Ashida, K; Kinugasa, N; Yoshida, K; Uematsu, S; Tsuji, T. (1996). Telomere length in human liver diseases. *Liver Int.* 16: 293-297. <http://dx.doi.org/10.1111/j.1600-0676.1996.tb00748.x>.
- Uteros-Olmo, AI; Perianez, JA; Miangolarra-Page, JC. (2015). [Effects of motor activity on cognitive performance of patients with traumatic brain injury during dual tasking]. *Rev Neurol.* 61: 202-210.
- Usman, ARA; Ahmad, M; El-Mahrouky, M; Al-Omran, A; Ok, Y; Sallam, AS, h; El-Naggar, AH; Al-Wabel, MI. (2016). Chemically modified biochar produced from conocarpus waste increases NO3 removal from aqueous solutions. *Environ Geochem Health.* 38: 511-521. <http://dx.doi.org/10.1007/s10653-015-9736-6>.
- Vacca, A; Montisci, R; Garau, P; Siotto, P; Piga, M; Cauli, A; Ruscazio, M; Meloni, L; Iliceto, S; Mathieu, A. (2013). Prognostic impact of coronary microcirculation abnormalities in systemic sclerosis: a prospective study to evaluate the role of non-invasive tests. *Arthritis Res Ther.* 15: R8. <http://dx.doi.org/10.1186/ar4136>.
- Vähänikkilä, H; Miettunen, J; Tjäderhane, L; Larmas, M; Nieminen, P. (2012). The use of time-to-event methods in dental research: a comparison based on five dental journals over a 11-year period. *Community Dent Oral Epidemiol.* 40 Suppl 1: 36-42. <http://dx.doi.org/10.1111/j.1600-0528.2011.00664.x>.
- Vahdat, K; Patel, S; Banchs, J. (2015). The short life of an aortic cusp aneurysm: a case report. *Echocardiography.* 32: 868-871. <http://dx.doi.org/10.1111/echo.12844>.

Human Health Hazard Literature Search Results

Off Topic

- Vaidya, B. (2011). Field Deployable Vapor Intrusion Monitor.
- Vainio, H; Linnainmaa, K; Kähönen, M; Nickels, J; Hietanen, E; Marniemi, J; Peltonen, P. (1983). Hypolipidemia and peroxisome proliferation induced by phenoxyacetic acid herbicides in rats. *Biochem Pharmacol.* 32: 2775-2779.
- Vainio, H; Nickels, J; Linnainmaa, K. (1982). Phenoxy acid herbicides cause peroxisome proliferation in Chinese hamsters. *Scand J Work Environ Health.* 8: 70-73.
- Vallera, DA; Felices, M; Mcelmurry, R; Mccullar, V; Zhou, X; Schmohl, JU; Zhang, B; Lenvik, AJ; Panoskaltis-Mortari, A; Verneris, MR; Tolar, J; Cooley, S; Weisdorf, DJ; Blazar, BR; Miller, JS. (2016). IL15 Trispecific Killer Engagers (TriKE) Make Natural Killer Cells Specific to CD33+ Targets While Also Inducing Persistence, In Vivo Expansion, and Enhanced Function. *Clin Cancer Res.* 22: 3440-3450. <http://dx.doi.org/10.1158/1078-0432.CCR-15-2710>.
- Vallera, DA; Schmohl, JU; Felices, M; Miller, JS. (2016). Improvement of the bispecific antibody ADCC platform by genetic insertion of IL 15 as a cross-linker to create NK cell reactive TriKEs. *Cancer Res.* 76. <http://dx.doi.org/10.1158/1538-7445.AM2016-1493>.
- van Bree, L; Commandeur, J; Lamberts, B; Cornelissen, M; van Roon, M; Laterveer, H; de Vries, J. (1990). Induction of drug metabolism enzymes by dihalogenated biphenyls. *J Biochem Toxicol.* 5: 57-63. <http://dx.doi.org/10.1002/jbt.2570050109>.
- van Der Linde, D; Rossi, A; Yap, SC; Mcghie, JS; van Den Bosch, AE; Kirschbaum, SW; Russo, B; van Dijk, AP; Moelker, A; Krestin, GP; van Geuns, RJ; Roos-Hesselink, JW. (2013). Ascending aortic diameters in congenital aortic stenosis: cardiac magnetic resonance versus transthoracic echocardiography. *Echocardiography.* 30: 497-504. <http://dx.doi.org/10.1111/echo.12086>.
- van der Spoel, AG; Voogel, AJ; Folkers, A; Boer, C; Bouwman, RA. (2012). Comparison of noninvasive continuous arterial waveform analysis (Nexfin) with transthoracic Doppler echocardiography for monitoring of cardiac output. *J Clin Anesth.* 24: 304-309. <http://dx.doi.org/10.1016/j.jclinane.2011.09.008>.
- Van Leer-Greenberg, B; Martinez, CA; Heldman, AW. (2015). Multimodality image guidance with Dyna-CT for transcatheter treatment of paravalvular leak of a stentless valve. 85: 1088-1091. <http://dx.doi.org/10.1002/ccd.25756>.
- Van Linden, A; Kempfert, J; Blumenstein, J; Rastan, A; Holzhey, D; Lehmann, S; Mohr, FW; Walther, T. (2013). Prosthesis-patient mismatch after transcatheter aortic valve implantation using the Edwards SAPIEN™ prosthesis. *Thorac Cardiovasc Surg.* 61: 414-420. <http://dx.doi.org/10.1055/s-0032-1311534>.
- van Neer, PL; Blaak, S; Bosch, JG; Lancée, CT; Prins, C; van der Steen, AF; de Jong, N. (2012). Mode vibrations of a matrix transducer for three-dimensional second harmonic transesophageal echocardiography. 38: 1820-1832. <http://dx.doi.org/10.1016/j.ultrasmedbio.2012.06.007>.
- Van Orman, JR; Connelly, K; Albinmoussa, Z; Tousignant, C. (2016). Early recovery of tricuspid annular isovolumic acceleration after mitral valve surgery - an observational study. *Can J Anaesth.* 63: 920-927. <http://dx.doi.org/10.1007/s12630-016-0651-9>.
- Varga, VS; Molnár, B; Virág, T. (2012). Automated high throughput whole slide imaging using area sensors, flash light illumination and solid state light engine. *Stud Health Technol Inform.* 179: 187-202.
- Vargas, PE; Lopez-Candales, A. (2016). Essential echocardiographic evaluation in patients with suspected pulmonary hypertension: an overview for the practicing physician [Review]. *Postgrad Med.* 128: 208-222. <http://dx.doi.org/10.1080/00325481.2016.1115715>.
- Varho, V; Karjalainen, PP; Ylitalo, A; Airaksinen, JK; Mikkelsen, J; Sia, J; Pietilä, M; Kiviniemi, TO. (2014). Transthoracic echocardiography for non-invasive assessment of coronary vasodilator function after DES implantation. 15: 1029-1034. <http://dx.doi.org/10.1093/ehjci/jeu059>.
- Vatankulu, MA; Erdogan, E; Tasal, A; Sonmez, O; Cinar, A; Aydin, C; Goktekin, O. (2012). The role of real time three-dimensional transesophageal echocardiography in assessing Libman-Sacks endocarditis. *Echocardiography.* 29: E216-E217. <http://dx.doi.org/10.1111/j.1540-8175.2012.01761.x>.
- Vatner, RE; Srivastava, PK. (2010). The tailless complex polypeptide-1 ring complex of the heat shock protein 60 family facilitates cross-priming of CD8 responses specific for chaperoned peptides. *J Immunol.* 185: 6765-6773. <http://dx.doi.org/10.4049/jimmunol.1001720>.
- Vavuranakis, M; Kavouras, C; Vlasseros, I; Aggeli, C; Felekos, I; Vrachatis, DA; Stefanadis, C. (2013). Assessment of left atrial function after percutaneous closure of patent foramen ovale. *Echocardiography.* 30: 765-771. <http://dx.doi.org/10.1111/echo.12123>.
- Vázquez-Tato, MP; Mena-Menéndez, A; Feás, X; Seijas, JA. (2014). Novel microwave-assisted synthesis of the immunomodulator organotellurium compound ammonium trichloro(dioxoethylene-O,O')tellurate (AS101). *International Journal of Molecular Sciences.* 15: 3287-3298. <http://dx.doi.org/10.3390/ijms15023287>.
- Veeramachaneni, DNR; Palmer, JS; Amann, RP. (2001). Long-term effects on male reproduction of early exposure to common chemical contaminants in drinking water. *Hum Reprod.* 16: 979-987. <http://dx.doi.org/10.1093/humrep/16.5.979>.
- Vega, J; Gabrielli, L; Olivares, G; Cordova, S; Mendez, M; Gonzalez, R. (2016). Large mitral annulus myxoma presenting with syncope. Report of one case. *Rev Med Chil.* 144: 1617-1620.
- Vegas, A. (2016). Three-dimensional transesophageal echocardiography: Principles and clinical applications [Review]. *Ann Card Anaesth.* 19: S35-S43. <http://dx.doi.org/10.4103/0971-9784.192622>.
- Velimirovic, M; Carniato, L; Simons, Q; Schoups, G; Seuntjens, P; Bastiaens, L. (2014). Corrosion rate estimations of microscale zerovalent iron particles via direct hydrogen production measurements. *J Hazard Mater.* 270: 18-26. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.034>.
- Velimirovic, M; Simons, Q; Bastiaens, L. (2014). Guar gum coupled microscale ZVI for in situ treatment of CAHs: continuous-flow column study. *J Hazard Mater.* 265: 20-29. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.020>.
- Veljanoska-Sarafiloska, EM; Jordanoski, M; Stafilov, T. (2013). Presence of DDT metabolites in water, sediment and fish muscle tissue from Lake Prespa, Republic of Macedonia. *J Environ Sci Health B.* 48: 548-558. <http://dx.doi.org/10.1080/03601234.2013.774879>.

Human Health Hazard Literature Search Results

Off Topic

- Venkateshvaran, A; Sola, S; Govind, SC; Dash, PK; Barooah, B; Shahgaldi, K; Sahlén, A; Lund, L; Winter, R; Nagy, AI; Manouras, A. (2015). The impact of arterial load on left ventricular performance: an invasive haemodynamic study in severe mitral stenosis. *J Physiol*. 593: 1901-1912. <http://dx.doi.org/10.1113/jphysiol.2014.280404>.
- Venkateswaran, RV; Townend, JN; Wilson, IC; Mascaro, JG; Bonser, RS; Steeds, RP. (2010). Echocardiography in the potential heart donor. *Transplantation*. 89: 894-901. <http://dx.doi.org/10.1097/TP.0b013e3181cfe8e9>.
- Venturi, E; Matyjaszkiewicz, A; Pitt, SJ; Tsaneva-Atanasova, K; Nishi, M; Yamazaki, D; Takeshima, H; Sitsapesan, R. (2013). TRIC-B channels display labile gating: evidence from the TRIC-A knockout mouse model. *Pflugers Arch*. 465: 1135-1148. <http://dx.doi.org/10.1007/s00424-013-1251-y>.
- Venturi, E; Mio, K; Nishi, M; Ogura, T; Moriya, T; Pitt, SJ; Okuda, K; Kakizawa, S; Sitsapesan, R; Sato, C; Takeshima, H. (2011). Mitsugumin 23 forms a massive bowl-shaped assembly and cation-conducting channel. *Biochemistry*. 50: 2623-2632. <http://dx.doi.org/10.1021/bi1019447>.
- Venturi, E; Sitsapesan, R; Yamazaki, D; Takeshima, H. (2013). TRIC channels supporting efficient Ca²⁺ release from intracellular stores [Review]. *Pflugers Arch*. 465: 187-195. <http://dx.doi.org/10.1007/s00424-012-1197-5>.
- Verdini, R; Aulenta, F; de Tora, F; Lai, A; Majone, M. (2015). Relative contribution of set cathode potential and external mass transport on TCE dechlorination in a continuous-flow bioelectrochemical reactor. *Chemosphere*. 136: 72-78. <http://dx.doi.org/10.1016/j.chemosphere.2015.03.092>.
- Vilaplana, M; Belen Garcia, A, na; Caminal, G; Guillen, F; Sarra, M. (2012). Optimisation of the operational conditions of trichloroethylene degradation using *Trametes versicolor* under quinone redox cycling conditions using central composite design methodology. *Biodegradation*. 23: 333-341. <http://dx.doi.org/10.1007/s10532-011-9513-x>.
- Villablanca, PA; Sukhal, S; Maitas, O; Onuegbu, A; Muñoz-Peña, JM; Joseph, A; Requena, C; Mohanane, D. (2014). Aorto-right atrial fistula: Late complication of tricuspid valve infective endocarditis. *World Journal of Cardiology*. 6: 1122-1126. <http://dx.doi.org/10.4330/wjc.v6.i10.1122>.
- Villela, A; Weaver, LK; Ritesh, D. (2015). Coronary gas embolism during a dive: a case report. *Undersea Hyperb Med*. 42: 613-617.
- Villemur, R. (2013). The pentachlorophenol-dehalogenating *Desulfitobacterium hafniense* strain PCP-1 [Review]. *Proc R Soc Lond B*. 368: 20120319. <http://dx.doi.org/10.1098/rstb.2012.0319>.
- Vinayagam, D; Patey, O; Thilaganathan, B; Khalil, A. (2017). Cardiac output assessment in pregnancy: comparison of two automated monitors with echocardiography. *Ultrasound Obstet Gynecol*. 49: 32-38. <http://dx.doi.org/10.1002/uog.15915>.
- Vinayagam, D; Patey, O; Thilaganathan, B; Khalil, A. (2016). B5. A cross comparison study of USCOM[®] and transthoracic echocardiography in pregnancy. *J Matern Fetal Neonatal Med*. 29: 10. <http://dx.doi.org/10.1080/14767058.2016.1234770>.
- Vinayagam, D; Patey, O; Thilaganathan, B; Khalil, A. (2016). H4. A cross comparison study of NICOM[®] and transthoracic echocardiography in pregnancy. *J Matern Fetal Neonatal Med*. 29: 40. <http://dx.doi.org/10.1080/14767058.2016.1234799>.
- Vincelj, J; Biočić, S; Udovičić, M; Sičaja, M; Jakšić Jurinjak, S. (2015). Role of echocardiography in diagnosis and management of complete papillary muscle rupture caused by myocardial infarction. 12: 133-138. <http://dx.doi.org/10.17392/793-15>.
- Vinsonneau, U; Leblanc, A; Buchet, JF; Pangnarind-Heintz, V; Le Gal, G; Rohel, G; Paleiron, N; Piquemal, M; Blanchard, C; Zagnoli, F; Paule, P. (2014). [Systematic implementation of transthoracic echocardiography, transesophageal echocardiography and 24-hour Holter ECG for the detection of cardiac sources of embolism in patients with stroke or transient ischemic attack. A retrospective study of 220 patients]. *Ann Cardiol Angeiol (Paris)*. 63: 217-221. <http://dx.doi.org/10.1016/j.ancard.2014.01.006>.
- Vinsonneau, U; Vermeulen, L; Griffet, V; Delluc, A; Paleiron, N; Le Ven, F; Rohel, G; Jobic, Y; Piquemal, M; Mansourati, J; Paule, P. (2015). [Echographic diagnosis of systolic murmur among 280 young French militaries. Implications for the expertise in military medicine]. *Ann Cardiol Angeiol (Paris)*. 64: 63-67. <http://dx.doi.org/10.1016/j.ancard.2015.01.016>.
- Vivo, RP; Cordero-Reyes, AM; Qamar, U; Garikipati, S; Trevino, AR; Aldeiri, M; Loebe, M; Bruckner, BA; Torre-Amione, G; Bhimaraj, A; Trachtenberg, BH; Estep, JD. (2013). Increased right-to-left ventricle diameter ratio is a strong predictor of right ventricular failure after left ventricular assist device. *J Heart Lung Transplant*. 32: 792-799. <http://dx.doi.org/10.1016/j.healun.2013.05.016>.
- Vlaanderen, J; Straif, K; Ruder, A; Blair, A; Hansen, J; Lyng, E; Charbotel, B; Loomis, D; Kauppinen, T; Kyronen, P; Pukkala, E; Weiderpass, E; Guha, N. (2014). Tetrachloroethylene Exposure and Bladder Cancer Risk: A Meta-Analysis of Dry-Cleaning-Worker Studies [Review]. *Environ Health Perspect*. 122: 661-666. <http://dx.doi.org/10.1289/ehp.1307055>.
- Vlachogeorgos, GS; Daskalopoulos, N; Blatsiotis, P; Kourbeti, IS; Mantas, I; Stathopoulos, GT. (2015). Bosentan for patients with echocardiographic evidence of pulmonary hypertension due to long-standing rheumatic mitral stenosis. 56: 36-43.
- Voga, G. (2010). Hemodynamic changes during weaning: can we assess and predict cardiac-related weaning failure by transthoracic echocardiography? [Comment]. *Critical Care (Online)*. 14: 174. <http://dx.doi.org/10.1186/cc9085>.
- Volman, M; Mojadidi, MK; Gevorgyan, R; Kaing, A; Agrawal, H; Tobis, J. (2013). Incidence of patent foramen ovale and migraine headache in adults with congenital heart disease with no known cardiac shunts. 81: 643-647. <http://dx.doi.org/10.1002/ccd.24635>.
- Volodarsky, M; Markus, B; Cohen, I; Staretz-Chacham, O; Flusser, H; Landau, D; Shelef, I; Langer, Y; Birk, OS. (2013). A deletion mutation in TMEM38B associated with autosomal recessive osteogenesis imperfecta. *Hum Mutat*. 34: 582-586. <http://dx.doi.org/10.1002/humu.22274>.
- von Knobelsdorff-Brenkenhoff, F; Rudolph, A; Wassmuth, R; Abdel-Aty, H; Schulz-Menger, J. (2010). Aortic dilatation in patients with prosthetic aortic valve: comparison of MRI and echocardiography. *J Heart Valve Dis*. 19: 349-356.
- von Knobelsdorff-Brenkenhoff, F; Rudolph, A; Wassmuth, R; Schulz-Menger, J. (2010). Assessment of mitral bioprostheses using cardiovascular magnetic resonance. *J Cardiovasc Magn Reson*. 12: 36. <http://dx.doi.org/10.1186/1532-429X-12-36>.

Human Health Hazard Literature Search Results

Off Topic

- Voss, C; Zerban, H; Bannasch, P; Berger, MR. (2005). Lifelong exposure to di-(2-ethylhexyl)-phthalate induces tumors in liver and testes of Sprague-Dawley rats. *Toxicology*. 206: 359-371. <http://dx.doi.org/10.1016/j.tox.2004.07.016>.
- Voss, KA; Riley, R; Dunn, C; Christopher Corton, JC. (2006). The role of tumor necrosis factor alpha and the peroxisome proliferator-activated receptor alpha in modulating the effects of fumonisin in mouse liver. *Toxicology*. 222: 165-174. <http://dx.doi.org/10.1016/j.tox.2006.02.012>.
- Vrba, R; Aujeský, R; Vomáčková, K; Bohanes, T; Stašek, M; Neoral, Č. (2015). Minimally invasive esophagectomy for esophageal cancer - results of surgical therapy. 10: 189-196. <http://dx.doi.org/10.5114/wiitm.2015.52185>.
- Vriz, O; Aboyans, V; D'Andrea, A; Ferrara, F; Acri, E; Limongelli, G; Della Corte, A; Driussi, C; Bettio, M; Pluchinotta, FR; Citro, R; Russo, MG; Isselbacher, E; Bossone, E. (2014). Normal values of aortic root dimensions in healthy adults. *Am J Cardiol*. 114: 921-927. <http://dx.doi.org/10.1016/j.amjcard.2014.06.028>.
- Vural, M; Ucar, O; Celebi, OO; Cicekcioglu, H; Durmaz, HA; Selvi, NA; Koparal, S; Aydogdu, S. (2010). Evaluation of effective regurgitant orifice area of mitral valvular regurgitation by multislice cardiac computed tomography. *J Cardiol*. 56: 236-239. <http://dx.doi.org/10.1016/j.jcc.2010.06.001>.
- Vural, MG; Çetin, S; Gündüz, H; Özcan Abacıoğlu, Ö; Akdemir, R; Firat, H; Yeter, E. (2016). Assessment of left atrial appendage function during sinus rhythm in patients with obstructive sleep apnea. 16: 34-41. <http://dx.doi.org/10.5152/akd.2015.5751>.
- Vyskocil, A; Truchon, G; Leroux, T; Lemay, F; Gendron, M; Gagnon, F; Majidi, NE; Boudjerida, A; Lim, S; Emond, C; Viau, C. (2012). A weight of evidence approach for the assessment of the ototoxic potential of industrial chemicals [Review]. *Toxicol Ind Health*. 28: 796-819. <http://dx.doi.org/10.1177/0748233711425067>.
- Wachter, M; Katan, M; Muzzarelli, S; Rohner, A; Christ-Crain, M; Fluri, F; Bernheim, AM. (2011). The role of routine echocardiography in unselected patients with cerebrovascular ischaemic events. *Eur J Neurol*. 18: 925-928. <http://dx.doi.org/10.1111/j.1468-1331.2010.03174.x>.
- Wada, N; Marsman, DS; Popp, JA. (1992). Dose-related effects of the hepatocarcinogen, Wy-14,643, on peroxisomes and cell replication. *Fundam Appl Toxicol*. 18: 149-154.
- Wadia, SK; Shah, TG; Hedstrom, G; Kovach, JA; Tandon, R. (2016). Early detection of right ventricular dysfunction using transthoracic echocardiography in ARDS: a more objective approach. *Echocardiography*. 33: 1874-1879. <http://dx.doi.org/10.1111/echo.13350>.
- Wagenhäuser, MU; Pietschmann, MF; Sievers, B; Docheva, D; Schieker, M; Jansson, V; Müller, PE. (2012). Collagen type I and decorin expression in tenocytes depend on the cell isolation method. *BMC Musculoskelet Disord*. 13: 140. <http://dx.doi.org/10.1186/1471-2474-13-140>.
- Wagner, DD; Hug, LA; Hatt, JK; Spitzmiller, MR; Padilla-Crespo, E; Ritalahti, KM; Edwards, EA; Konstantinidis, KT; Löffler, FE. (2012). Genomic determinants of organohalide-respiration in *Geobacter lovleyi*, an unusual member of the *Geobacteraceae*. *BMC Genomics*. 13: 200. <http://dx.doi.org/10.1186/1471-2164-13-200>.
- Wakabayashi, H; Saito, J; Taki, J; Hashimoto, N; Tsuchiya, H; Gabata, T; Kinuya, S. (2016). Triple-phase contrast-enhanced MRI for the prediction of preoperative chemotherapeutic effect in patients with osteosarcoma: comparison with (99m)Tc-MIBI scintigraphy. *Skeletal Radiology*. 45: 87-95. <http://dx.doi.org/10.1007/s00256-015-2250-1>.
- Waldenborg, M; Lidén, M; Kähäri, A; Emilsson, K. (2015). Effect on left ventricular mass and geometry in patients with takotsubo cardiomyopathy. 49: 27-38. <http://dx.doi.org/10.3109/14017431.2015.1010566>.
- Walker, DI; Mallon, CT; Hopke, PK; Uppal, K; Go, YM; Rohrbeck, P; Pennell, KD; Jones, DP. (2016). Deployment-Associated Exposure Surveillance With High-Resolution Metabolomics. *J Occup Environ Med*. 58: S12-S21. <http://dx.doi.org/10.1097/JOM.0000000000000768>.
- Walker, J; Bhullar, N; Fallah-Rad, N; Lytwyn, M; Golian, M; Fang, T; Summers, AR; Singal, PK; Barac, I; Kirkpatrick, ID; Jassal, DS. (2010). Role of three-dimensional echocardiography in breast cancer: comparison with two-dimensional echocardiography, multiple-gated acquisition scans, and cardiac magnetic resonance imaging. *J Clin Oncol*. 28: 3429-3436. <http://dx.doi.org/10.1200/JCO.2009.26.7294>.
- Walker, N; Bhan, A; Desai, J; Monaghan, MJ. (2010). Myocardial abscess: a rare complication of valvular endocarditis demonstrated by 3D contrast echocardiography. *Eur J Echocardiogr*. 11: E37. <http://dx.doi.org/10.1093/ejehocardiography/jeq090>.
- Walker, RE; Swain, DP; Ringleb, SI; Colberg, SR. (2015). Effect of added mass on treadmill performance and pulmonary function. *J Strength Cond Res*. 29: 882-888. <http://dx.doi.org/10.1519/JSC.0000000000000408>.
- Wallace, PJ; Mckinlay, BJ; Coletta, NA; Vlaar, JI; Taber, MJ; Wilson, PM; Cheung, SS. (2017). Effects of Motivational Self-Talk on Endurance and Cognitive Performance in the Heat. *Med Sci Sports Exerc*. 49: 191-199. <http://dx.doi.org/10.1249/MSS.0000000000001087>.
- Walpot, J; Pasteuning, WH; Shivalkar, B. (2012). Apical hypertrophic cardiomyopathy: elegant use of contrast-enhanced echocardiography in the diagnostic work-up. *Acta Cardiol*. 67: 495-497. <http://dx.doi.org/10.2143/AC.67.4.2170697>.
- Walzthoeni, T; Joachimiak, LA; Rosenberger, G; Röst, HL; Malmström, L; Leitner, A; Frydman, J; Aebersold, R. (2015). xTract: software for characterizing conformational changes of protein complexes by quantitative cross-linking mass spectrometry. *Nat Methods*. 12: 1185-1190. <http://dx.doi.org/10.1038/nmeth.3631>.
- Walzthoeni, T; Leitner, A; Stengel, F; Aebersold, R. (2013). Mass spectrometry supported determination of protein complex structure [Review]. *Curr Opin Struct Biol*. 23: 252-260. <http://dx.doi.org/10.1016/j.sbi.2013.02.008>.
- Wang, B; Chu, KH. (2017). Cometabolic biodegradation of 1,2,3-trichloropropane by propane-oxidizing bacteria. *Chemosphere*. 168: 1494-1497. <http://dx.doi.org/10.1016/j.chemosphere.2016.12.007>.
- Wang, C; Ma, X; Walsh, MP. (2011). Competitive uptake and phytomonitoring of chlorinated contaminant mixtures by *Redosier dogwood* (*Cornus sericea*). *Int J Phytoremediation*. 13: 333-344. <http://dx.doi.org/10.1080/15226514.2010.495146>.
- Wang, C; Shen, F; Zhu, Y; Fang, Y; Lu, S. (2016). Telomeric repeat-containing RNA (TERRA) related to polycystic ovary syndrome (PCOS). *Clin Endocrinol*. <http://dx.doi.org/10.1111/cen.13283>.

Human Health Hazard Literature Search Results

Off Topic

- Wang, D; Bolton, J. R.; Hofmann, R, on. (2012). Medium pressure UV combined with chlorine advanced oxidation for trichloroethylene destruction in a model water. *Water Res.* 46: 4677-4686. <http://dx.doi.org/10.1016/j.watres.2012.06.007>.
- Wang, F; Annable, MD; Schaefer, CE; Ault, TD; Cho, J; Jawitz, JW. (2014). Enhanced aqueous dissolution of a DNAPL source to characterize the source strength function. *J Contam Hydrol.* 169: 75-89. <http://dx.doi.org/10.1016/j.jconhyd.2014.07.004>.
- Wang, H; Guan, H; Wang, DW. (2014). Partial anomalous pulmonary venous connection to superior vena cava that overrides across the intact atrial septum and has bi-atrial connection in a 75-year-old female presenting with pulmonary hypertension. *BMC Cardiovasc Disord.* 14: 149. <http://dx.doi.org/10.1186/1471-2261-14-149>.
- Wang, H; Liu, T; Cai, YY; Luo, L; Wang, M; Yang, M; Cai, L. (2015). Pulmonary hypertension in polymyositis. *Clin Rheumatol.* 34: 2105-2112. <http://dx.doi.org/10.1007/s10067-015-3095-7>.
- Wang, HL; Fan, HW; Fang, LG; Zhu, WG; Zhang, H; Liu, ZY; Li, TS; Deng, GH; Sheng, RY; Wang, AX. (2010). [A clinical analysis of 25 cases of prosthetic valve endocarditis]. *Chinese Journal of Internal Medicine.* 49: 758-761.
- Wang, HL; Liu, HT; Yu, KJ. (2011). [Clinical observation of passive leg raising combined with non invasive cardiac output monitoring system in predicting volume responsiveness]. *Zhongguo Wei Zhong Bing Ji Jiu Yi Xue.* 23: 146-149.
- Wang, J; Cheng, Y; Lee, YZ; Wang, Y; Zheng, Y; Dong, R; Lai, Y; Tang, X; Yang, Y; Wang, S; He, N; Jia, Y; Cheng, W; Liu, D; Wang, X; Zhang, C. (2016). Sonography and Transthoracic Echocardiography for Diagnosis of Systemic Cardiovascular Metastatic Tumor Thrombi. *J Ultrasound Med.* 35: 1993-2027. <http://dx.doi.org/10.7863/ultra.15.10038>.
- Wang, J; Patel, M; Xiao, M; Xu, Z; Jiang, S; Sun, X; Xu, L; Wang, H. (2016). Incidence and predictors of asymptomatic pericardial effusion after transcatheter closure of atrial septal defect. 12: e250-e256. <http://dx.doi.org/10.4244/EIJV12I2A39>.
- Wang, J; Song, Y; Cheng, TO; Xie, M; Wang, X; Yuan, L; Yang, Y; Wang, L. (2015). The value of transthoracic echocardiography in the diagnosis of anomalous origin of the right pulmonary artery from the ascending aorta: A single center experience from China. *Int J Cardiol.* 184: 750-754. <http://dx.doi.org/10.1016/j.ijcard.2015.02.085>.
- Wang, J; Yan, D; Dixon, R; Wang, YP. (2016). Deciphering the Principles of Bacterial Nitrogen Dietary Preferences: a Strategy for Nutrient Containment. 7. <http://dx.doi.org/10.1128/mBio.00792-16>.
- Wang, JL; Zhang, JJ; Qiu, SH; Deng, LH. (2012). [Research of xuebijing injection combined with glucocorticoid in treating dermatitis medicamentosa like of trichloroethylene with systemic inflammatory response syndrome]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 30: 66-67.
- Wang, JM; Yang, J; Yang, LF; Zhang, XX; Hu, Y; Liu, JC; Yu, SQ; Yi, DH. (2011). [Initial experience of transcatheter implantation with a new aortic valve in sheep]. *Zhonghua Xin Xue Guan Bing Za Zhi.* 39: 1005-1010.
- Wang, N; Peng, S; Chen, JJ. (2014). [Steam and air co-injection in removing TCE in 2D-sand box]. *Huanjing Kexue.* 35: 2785-2790.
- Wang, Q; Goldsmith, RH; Jiang, Y; Bockenauer, SD; Moerner, WE. (2012). Probing single biomolecules in solution using the anti-Brownian electrokinetic (ABEL) trap. *Acc Chem Res.* 45: 1955-1964. <http://dx.doi.org/10.1021/ar200304t>.
- Wang, Q; Jeong, S; Choi, H. (2012). Removal of trichloroethylene DNAPL trapped in porous media using nanoscale zerovalent iron and bimetallic nanoparticles: Direct observation and quantification. *J Hazard Mater.* 213: 299-310. <http://dx.doi.org/10.1016/j.jhazmat.2012.02.002>.
- Wang, S; He, J. (2013). Dechlorination of commercial PCBs and other multiple halogenated compounds by a sediment-free culture containing Dehalococcoides and Dehalobacter. *Environ Sci Technol.* 47: 10526-10534. <http://dx.doi.org/10.1021/es4017624>.
- Wang, S; Yang, Q, i; Bai, Z; Wang, S; Wang, Y; Nowak, KM. (2015). Acclimation of aerobic-activated sludge degrading benzene derivatives and co-metabolic degradation activities of trichloroethylene by benzene derivative-grown aerobic sludge. *Environ Technol.* 36: 115-123. <http://dx.doi.org/10.1080/09593330.2014.938127>.
- Wang, S; Zhang, W; Yang, KL; He, J. (2014). Isolation and characterization of a novel Dehalobacter species strain TCP1 that reductively dechlorinates 2,4,6-trichlorophenol. *Biodegradation.* 25: 313-323. <http://dx.doi.org/10.1007/s10532-013-9662-1>.
- Wang, SZ; Ou-Yang, WB; Hu, SS; Pang, KJ; Liu, Y; Zhang, FW; Zhang, DW; Pan, XB. (2016). First-in-Human Percutaneous Balloon Pulmonary Valvuloplasty Under Echocardiographic Guidance Only. *Congenit Heart Dis.* 11: 716-720. <http://dx.doi.org/10.1111/chd.12380>.
- Wang, W; Buehler, D; Martland, AM; Feng, XD; Wang, YJ. (2011). Left atrial wall tension directly affects the restoration of sinus rhythm after Maze procedure. 40: 77-82. <http://dx.doi.org/10.1016/j.ejcts.2010.10.022>.
- Wang, W; Guo, LR; Martland, AM; Feng, XD; Ma, J; Feng, XQ. (2010). Batrial reduction plasty with reef imbricate technique as an adjunct to maze procedure for permanent atrial fibrillation associated with giant left atria. *Interact Cardiovasc Thorac Surg.* 10: 577-581. <http://dx.doi.org/10.1510/icvts.2009.220012>.
- Wang, W; Zhou, M; Jin, Z; Li, T. (2010). Reactivity characteristics of poly(methyl methacrylate) coated nanoscale iron particles for trichloroethylene remediation. *J Hazard Mater.* 173: 724-730. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.145>.
- Wang, X; Manos, G; Kroog, G; Roy, A. (2014). Characterization of Dasatinib Exposure-Efficacy Relationship for Patients with Chronic Myeloid Leukemia (CML) Using Interval Censored Time-To-Event (TTE) Analysis. *J Pharmacokinet Pharmacodyn.* 41: S62-S62.
- Wang, X; Pi, Y; Chen, B; Chen, P; Liu, Y; Wang, R; Li, X; Zhu, Y; Yang, Y; Niu, Z. (2015). Effect of traditional Chinese exercise on the quality of life and depression for chronic diseases: a meta-analysis of randomised trials. *Sci Rep.* 5: 15913. <http://dx.doi.org/10.1038/srep15913>.
- Wang, X; Ren, W; Yang, J. (2013). Neovascularized myxoma-causing abnormal blood flow in the left atrium diagnosed by transesophageal echocardiography. *Echocardiography.* 30: E10-E12. <http://dx.doi.org/10.1111/j.1540-8175.2012.01822.x>.
- Wang, X; Ren, W; Yang, J. (2016). Pedunculated Pulmonary Artery Sarcoma Suggested by Transthoracic Echocardiography. *Echocardiography.* 33: 647-651. <http://dx.doi.org/10.1111/echo.13148>.

Human Health Hazard Literature Search Results

Off Topic

- Wang, XQ; Pi, YL; Chen, PJ; Liu, Y; Wang, R; Li, X; Chen, BL; Zhu, Y; Yang, YJ; Niu, ZB. (2016). Traditional Chinese Exercise for Cardiovascular Diseases: Systematic Review and Meta-Analysis of Randomized Controlled Trials [Review]. *J Am Heart Assoc.* 5: e002562. <http://dx.doi.org/10.1161/JAHA.115.002562>.
- Wang, Y, e; Deng, B; Kim, CN. (2012). Transient Characteristics of VOCs Removal by an Air Cleaner in Association with a Humidifier Combined with Different Ventilation Strategies in an Office. *Indoor Built Environ.* 21: 71-78. <http://dx.doi.org/10.1177/1420326X11419928>.
- Wang, Y, i; Fu, YX; Gu, JH; Yuan, Y, an; Liu, X; Bian, JC; Liu, ZP. (2014). Cadmium induces the differentiation of duck embryonic bone marrow cells into osteoclasts in vitro. *Vet J.* 200: 181-185. <http://dx.doi.org/10.1016/j.tvjl.2014.02.004>.
- Wang, Z; Hall, SD; Maya, JF; Li, L; Asghar, A; Gorski, JC. (2003). Diabetes mellitus increases the in vivo activity of cytochrome P450 2E1 in humans. *Br J Clin Pharmacol.* 55: 77-85.
- Wang, Z; Yang, Z; Wan, Z; Yu, T; Jia, L; Du, X; Huang, C. (2014). [Association between echocardiography derived right ventricular function parameters with cardiac magnetic resonance derived right ventricular ejection fraction and 6-minute walk distance in pulmonary hypertension patients]. *Zhonghua Xin Xue Guan Bing Za Zhi.* 42: 748-752.
- Wanson, JC; Bernaert, D; Penasse, W; Mosselmans, R; Bannasch, P. (1980). Separation in distinct subpopulations by elutriation of liver cells following exposure of rats to N-nitrosomorpholine. *Cancer Res.* 40: 459-471.
- Ward, EM; Thun, MJ; Hannan, LM; Jemal, A. (2006). Interpreting cancer trends [Review]. *Ann N Y Acad Sci.* 1076: 29-53. <http://dx.doi.org/10.1196/annals.1371.048>.
- Ward, JM; Peters, JM; Perella, CM; Gonzalez, FJ. (1998). Receptor and nonreceptor-mediated organ-specific toxicity of di(2-ethylhexyl)phthalate (DEHP) in peroxisome proliferator-activated receptor alpha-null mice. *Toxicol Pathol.* 26: 240-246.
- Warr, T; Parry, E; Parry, J. (1993). A comparison of two in vitro mammalian cell cytogenetic assays for the detection of mitotic aneuploidy using 10 known or suspected aneugens. *Mutat Res-Fundam Mol Mech Mutagen.* 287: 29-46. [http://dx.doi.org/10.1016/0027-5107\(93\)90143-4](http://dx.doi.org/10.1016/0027-5107(93)90143-4).
- Watanabe, A; Suzuki, S; Kano, H; Matsuno, S; Takai, H; Kato, Y; Otsuka, T; Uejima, T; Oikawa, Y; Nagashima, K; Kirigaya, H; Kunihara, T; Sagara, K; Yamashita, N; Sawada, H; Aizawa, T; Yajima, J; Yamashita, T. (2016). Left Atrial Remodeling Assessed by Transthoracic Echocardiography Predicts Left Atrial Appendage Flow Velocity in Patients With Paroxysmal Atrial Fibrillation. *Int Heart J.* 57: 177-182. <http://dx.doi.org/10.1536/ihj.15-345>.
- Watanabe, N; Taniguchi, M; Akagi, T; Tanabe, Y; Toh, N; Kusano, K; Ito, H; Koide, N; Sano, S. (2012). Usefulness of the right parasternal approach to evaluate the morphology of atrial septal defect for transcatheter closure using two-dimensional and three-dimensional transthoracic echocardiography. *J Am Soc Echocardiogr.* 25: 376-382. <http://dx.doi.org/10.1016/j.echo.2012.01.002>.
- Watanabe, T; Kawasaki, M; Tanaka, R; Ono, K; Kako, N; Saeki, M; Onishi, N; Nagaya, M; Sato, N; Miwa, H; Arai, M; Noda, T; Watanabe, S; Minatoguchi, S. (2015). Anti-inflammatory and morphologic effects of pitavastatin on carotid arteries and thoracic aorta evaluated by integrated backscatter trans-esophageal ultrasound and PET/CT: a prospective randomized comparative study with pravastatin (EPICENTRE study). *Cardiovasc Ultrasound.* 13: 17. <http://dx.doi.org/10.1186/s12947-015-0012-9>.
- Watanabe, T; Shimada, H; Tanaka, Y. (1978). Human hepatocytes and aging: A cytophotometrical analysis in 35 sudden-death cases. *Virchows Arch B Cell Pathol Incl Mol Pathol.* 27: 307-316.
- Waterhouse, DF; Murphy, TM; Mccarthy, J; O'Neill, J; O'Hanlon, R. (2015). LV Apical Rupture Complicating Acute Myocardial Infarction: The Role of CMR. *Heart, Lung & Circulation (Online).* 24: e93-e96. <http://dx.doi.org/10.1016/j.hlc.2014.12.167>.
- Watson, P; Shirreffs, SM; Maughan, RJ. (2012). Effect of Dilute CHO Beverages on Performance in Cool and Warm Environments. *Med Sci Sports Exerc.* 44: 336-343. <http://dx.doi.org/10.1249/MSS.0b013e31822dc5ed>.
- Watson, RE; Goodman, JI. (2002). Effects of phenobarbital on DNA methylation in GC-rich regions of hepatic DNA from mice that exhibit different levels of susceptibility to liver tumorigenesis. *Toxicol Sci.* 68: 51-58. <http://dx.doi.org/10.1093/toxsci/68.1.51>.
- Waxman, S; Wurmbach, E. (2007). De-regulation of common housekeeping genes in hepatocellular carcinoma. *BMC Genomics.* 8: 243. <http://dx.doi.org/10.1186/1471-2164-8-243>.
- Weatherill, J; Krause, S; Voyce, K; Drijfhout, F; Levy, A; Cassidy, N. (2014). Nested monitoring approaches to delineate groundwater trichloroethene discharge to a UK lowland stream at multiple spatial scales. *J Contam Hydrol.* 158: 38-54. <http://dx.doi.org/10.1016/j.jconhyd.2013.12.001>.
- Weathers, TS; Harding-Marjanovic, K; Higgins, CP; Alvarez-Cohen, L; Sharp, JO. (2016). Perfluoroalkyl Acids Inhibit Reductive Dechlorination of Trichloroethene by Repressing Dehalococcoides. *Environ Sci Technol.* 50: 240-248. <http://dx.doi.org/10.1021/acs.est.5b04854>.
- Webborn, N; Price, MJ; Castle, P; Goosey-Tolfrey, VL. (2010). Cooling strategies improve intermittent sprint performance in the heat of athletes with tetraplegia. *Br J Sports Med.* 44: 455-460. <http://dx.doi.org/10.1136/bjism.2007.043687>.
- Weber, A; Ruhl, A; Amos, RT. (2013). Investigating dominant processes in ZVI permeable reactive barriers using reactive transport modeling. *J Contam Hydrol.* 151: 68-82. <http://dx.doi.org/10.1016/j.jconhyd.2013.05.001>.
- Weber, AE; Delos, D; Oltean, HN; Vadasdi, K; Cavanaugh, J; Potter, HG; Rodeo, SA. (2015). Tibial and Femoral Tunnel Changes After ACL Reconstruction: A Prospective 2-Year Longitudinal MRI Study. *Am J Sports Med.* 43: 1147-1156. <http://dx.doi.org/10.1177/0363546515570461>.
- Webster, T; Connett, P. (1991). ESTIMATING BIOCONCENTRATION FACTORS AND HALF-LIVES IN HUMANS USING PHYSIOLOGICALLY BASED PHARMACOKINETIC MODELING - 2,3,7,8-TCDD. *Chemosphere.* 23: 1763-1768. [http://dx.doi.org/10.1016/0045-6535\(91\)90023-7](http://dx.doi.org/10.1016/0045-6535(91)90023-7).
- Webster, TS; Condee, C; Hatzinger, PB. (2013). Ex situ treatment of N-nitrosodimethylamine (NDMA) in groundwater using a fluidized bed reactor. *Water Res.* 47: 811-820. <http://dx.doi.org/10.1016/j.watres.2012.11.011>.

Human Health Hazard Literature Search Results

Off Topic

- Weed, DL. (2010). Meta-Analysis and Causal Inference: A Case Study of Benzene and Non-Hodgkin Lymphoma. *Ann Epidemiol.* 20: 347-355. <http://dx.doi.org/10.1016/j.annepidem.2010.02.001>.
- Węglarz, P; Konarska Kuszewska, E; Spisak Borowska, K; Machowski, J; Drzewiecka-Gerber, A; Kuszewski, P; Jackson, CL; Opala, G; Trusz Gluza, M. (2012). [Periprocedural and late complications after percutaneous closure of patent foramen ovale: a single centre experience]. *Kardiol Pol.* 70: 478-484.
- Wei, B; D'Amico, T; Samad, Z; Hasan, R; Berry, MF. (2014). The impact of pulmonary hypertension on morbidity and mortality following major lung resection. 45: 1028-1033. <http://dx.doi.org/10.1093/ejcts/ezt495>.
- Wei, J; Qian, Y; Liu, W; Wang, L; Ge, Y; Zhang, J; Yu, J; Ma, X. (2014). Effects of particle composition and environmental parameters on catalytic hydrodechlorination of trichloroethylene by nanoscale bimetallic Ni-Fe. *J Environ Sci.* 26: 1162-1170. [http://dx.doi.org/10.1016/S1001-0742\(13\)60506-9](http://dx.doi.org/10.1016/S1001-0742(13)60506-9).
- Wei, N, a; Finneran, KT. (2011). Influence of Ferric Iron on Complete Dechlorination of Trichloroethylene (TCE) to Ethene: Fe(III) Reduction Does Not Always Inhibit Complete Dechlorination. *Environ Sci Technol.* 45: 7422-7430. <http://dx.doi.org/10.1021/es201501a>.
- Wei, N, a; Finneran, KT. (2013). Low and high acetate amendments are equally as effective at promoting complete dechlorination of trichloroethylene (TCE). *Biodegradation.* 24: 413-425. <http://dx.doi.org/10.1007/s10532-012-9598-x>.
- Wei, W; Dong, T; Zheng, Z; Huang, S. (2015). Effect of a combined anti-thrombotic therapy of thrombosis on prosthetic heart valves. *J Thorac Dis.* 7: 288-294. <http://dx.doi.org/10.3978/j.issn.2072-1439.2015.01.55>.
- Weidman, JR; Dolinoy, DC; Murphy, SK; Jirtle, RL. (2007). Cancer susceptibility: Epigenetic manifestation of environmental exposures [Review]. *Cancer J.* 13: 9-16. <http://dx.doi.org/10.1097/PPO.0b013e31803c71f2>.
- Weil, AG; Le, NM; Jayakar, P; Resnick, T; Miller, I; Fallah, A; Duchowny, M; Bhatia, S. (2016). Medically resistant pediatric insular-opercular/perisylvian epilepsy. Part 2: outcome following resective surgery. *J Neurosurg Pediatrics.* 18: 523-535. <http://dx.doi.org/10.3171/2016.4.PEDS15618>.
- Weinberg, HS; Krasner, SW; Richardson, SD; Thruston, AD, Jr. (2002). The occurrence of disinfection by-products (DBPs) of health concern in drinking water: Results of a nationwide DBP occurrence study. (EPA/600/R-02/068). Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development, National Exposure Research Laboratory. http://epa.gov/athens/publications/reports/EPA_600_R02_068.pdf.
- Weiner, RB; Hutter, AM; Wang, F; Kim, JH; Wood, MJ; Wang, TJ; Picard, MH; Baggish, AL. (2011). Performance of the 2010 European Society of Cardiology criteria for ECG interpretation in athletes. *Heart.* 97: 1573-1577. <http://dx.doi.org/10.1136/hrt.2011.227330>.
- Weiner, RB; Wang, F; Hutter, AM; Wood, MJ; Berkstresser, B; Mcclanahan, C; Neary, J; Marshall, JE; Picard, MH; Baggish, AL. (2012). The feasibility, diagnostic yield, and learning curve of portable echocardiography for out-of-hospital cardiovascular disease screening. *J Am Soc Echocardiogr.* 25: 568-575. <http://dx.doi.org/10.1016/j.echo.2012.01.010>.
- Weippert, M; Divchev, D; Schmidt, P; Gettel, H; Neugebauer, A; Behrens, K; Wolfarth, B; Braumann, KM; Nienaber, CA. (2016). Cardiac troponin T and echocardiographic dimensions after repeated sprint vs. moderate intensity continuous exercise in healthy young males. *Sci Rep.* 6: 24614. <http://dx.doi.org/10.1038/srep24614>.
- Weisel, CP; Jo, WK. (1996). Ingestion, inhalation, and dermal exposures to chloroform and trichloroethene from tap water. *Environ Health Perspect.* 104: 48-51.
- Weisel, CP; Kim, H; Haltmeier, P; Klotz, JB. (1999). Exposure estimates to disinfection by-products of chlorinated drinking water. *Environ Health Perspect.* 107: 103-110.
- Weisenburger, DD. (1992). Pathological classification of non-Hodgkin's lymphoma for epidemiological studies [Review]. *Cancer Res.* 52: 5456s-5462s.
- Weiss, JR; Moysich, KB; Swede, H. (2005). Epidemiology of male breast cancer [Review]. *Cancer Epidemiol Biomarkers Prev.* 14: 20-26.
- Weiss, PA. (1971). A cell is not an island entire of itself. *Perspect Biol Med.* 14: 182-205.
- Weistenhofer, W; Blaszkewicz, M; Bolt, HM; Golka, K. (2008). N-acetyltransferase-2 and medical history in bladder cancer cases with a suspected occupational disease (BK 1301) in Germany. *J Toxicol Environ Health A.* 71: 906-910. <http://dx.doi.org/10.1080/15287390801988681>.
- Wellen, SL; Glatz, AC; Gillespie, MJ; Ravishankar, C; Cohen, MS. (2014). Usefulness of transthoracic echocardiography to accurately diagnose recoarctation of the aorta after the Norwood procedure. *Am J Cardiol.* 114: 117-121. <http://dx.doi.org/10.1016/j.amjcard.2014.04.014>.
- Wen, LL; Yang, Q; Zhang, ZX; Yi, YY; Tang, Y; Zhao, HP. (2016). Interaction of perchlorate and trichloroethene bioreductions in mixed anaerobic culture. *Sci Total Environ.* 571: 11-17. <http://dx.doi.org/10.1016/j.scitotenv.2016.07.122>.
- Wen, LL; Zhang, Y; Pan, YW; Wu, WQ; Meng, SH; Zhou, C; Tang, Y; Zheng, P; Zhao, HP. (2015). The roles of methanogens and acetogens in dechlorination of trichloroethene using different electron donors. *Environ Sci Pollut Res Int.* 22: 19039-19047. <http://dx.doi.org/10.1007/s11356-015-5117-z>.
- Wendling, O; Chambon, P; Mark, M. (1999). Retinoid X receptors are essential for early mouse development and placentogenesis. *Proc Natl Acad Sci USA.* 96: 547-551.
- Werner, H; Le Roith, D. (2000). New concepts in regulation and function of the insulin-like growth factors: Implications for understanding normal growth and neoplasia [Review]. *Cell Mol Life Sci.* 57: 932-942.
- Werner, M; Birner, G; Dekant, W. (1995). The role of cytochrome P4503A1/2 in the sex-specific sulfoxidation of the hexachlorobutadiene metabolite, N-acetyl-S-(pentachlorobutadienyl)-L-cysteine in rats. *Drug Metab Dispos.* 23: 861-868.
- Werner, M; Guo, Z; Birner, G; Dekant, W; Guengerich, FP. (1995). The sulfoxidation of the hexachlorobutadiene metabolite N-acetyl-S-(1,2,3,4,4-pentachlorobutadienyl)-L-cysteine is catalyzed by human cytochrome P450 3A enzymes. *Chem Res Toxicol.* 8: 917-923.

Human Health Hazard Literature Search Results

Off Topic

- West, GB; Woodruff, WH; Brown, JH. (2002). Allometric scaling of metabolic rate from molecules and mitochondria to cells and mammals. *Proc Natl Acad Sci USA*. 99: 2473-2478. <http://dx.doi.org/10.1073/pnas.012579799>.
- West, KA; Lee, PK; Johnson, DR; Zinder, SH; Alvarez-Cohen, L. (2013). Global gene expression of *Dehalococcoides* within a robust dynamic TCE-dechlorinating community under conditions of periodic substrate supply. *Biotechnol Bioeng*. 110: 1333-1341. <http://dx.doi.org/10.1002/bit.24819>.
- Westermann, Y; Geigenmüller, A; Elgeti, T; Wagner, M; Dushe, S; Borges, AC; Dohmen, PM; Hein, PA; Lembcke, A. (2011). Planimetry of the aortic valve orifice area: comparison of multislice spiral computed tomography and magnetic resonance imaging. *Eur J Radiol*. 77: 426-435. <http://dx.doi.org/10.1016/j.ejrad.2009.08.014>.
- Wetterslev, M; Haase, N; Johansen, RR; Perner, A. (2013). Predicting fluid responsiveness with transthoracic echocardiography is not yet evidence based [Review]. *Acta Anaesthesiol Scand*. 57: 692-697. <http://dx.doi.org/10.1111/aas.12045>.
- Weyens, N; Beckers, B; Schellingen, K; Ceulemans, R; van der Lelie, D; Newman, L; Taghavi, S; Carleer, R; Vangronsveld, J. (2015). The Potential of the Ni-Resistant TCE-Degrading *Pseudomonas putida* W619-TCE to Reduce Phytotoxicity and Improve Phytoremediation Efficiency of Poplar Cuttings on A Ni-TCE Co-Contamination. *Int J Phytoremediation*. 17: 40-48. <http://dx.doi.org/10.1080/15226514.2013.828016>.
- Weyens, N; Croes, S; Dupae, J; Newman, L, ee; van Der Lelie, D; Carleer, R; Vangronsveld, J. (2010). Endophytic bacteria improve phytoremediation of Ni and TCE co-contamination. *Environ Pollut*. 158: 2422-2427. <http://dx.doi.org/10.1016/j.envpol.2010.04.004>.
- Weyens, N; Truyens, S; Dupae, J; Newman, L, ee; Taghavi, S; van Der Lelie, D; Carleer, R; Vangronsveld, J. (2010). Potential of the TCE-degrading endophyte *Pseudomonas putida* W619-TCE to improve plant growth and reduce TCE phytotoxicity and evapotranspiration in poplar cuttings. *Environ Pollut*. 158: 2915-2919. <http://dx.doi.org/10.1016/j.envpol.2010.06.004>.
- Weyens, N; Truyens, S; Saenen, E; Boulet, J; Dupae, J; Taghavi, S; van der Lelie, D; Carleer, R; Vangronsveld, J. (2011). Endophytes and their potential to deal with co-contamination of organic contaminants (toluene) and toxic metals (nickel) during phytoremediation. *Int J Phytoremediation*. 13: 244-255. <http://dx.doi.org/10.1080/15226511003753920>.
- Wheeler, CW; Guenther, TM. (1990). Spectroscopic quantitation of cytochrome P-450 in human lung microsomes. *J Biochem Toxicol*. 5: 269-272. <http://dx.doi.org/10.1002/jbt.2570050410>.
- Wheeler, CW; Wrighton, SA; Guenther, TM. (1992). Detection of human lung cytochromes P450 that are immunochemically related to cytochrome P450IIE1 and cytochrome P-450IIIA. *Biochem Pharmacol*. 44: 183-187.
- Wheeler, M; Leipsic, J; Trinh, P; Raju, R; Alaamri, S; Thompson, CR; Moss, R; Munt, B; Kiess, M; Grewal, J. (2015). Right Ventricular Assessment in Adult Congenital Heart Disease Patients with Right Ventricle-to-Pulmonary Artery Conduits. *J Am Soc Echocardiogr*. 28: 522-532. <http://dx.doi.org/10.1016/j.echo.2014.11.016>.
- White, K; David, D; Butterworth, L; Klykken, P. (2000). Assessment of autoimmunity-inducing potential using the brown Norway rat challenge model [Review]. *Toxicol Lett*. 112-113: 443-451.
- Whitener, G; Mckenzie, J; Akushevich, I; White, WD; Dhakal, IB; Nicoara, A; Swaminathan, M. (2016). Discordance in Grading Methods of Aortic Stenosis by Pre-Cardiopulmonary Bypass Transesophageal Echocardiography. *Anesth Analg*. 122: 953-958. <http://dx.doi.org/10.1213/ANE.0000000000001099>.
- Whitener, G; Sivak, J; Akushevich, I; Samad, Z; Swaminathan, M. (2016). Grading Aortic Stenosis With Mean Gradient and Aortic Valve Area: A Comparison Between Preoperative Transthoracic and Precardiopulmonary Bypass Transesophageal Echocardiography. *J Cardiothorac Vasc Anesth*. 30: 1254-1259. <http://dx.doi.org/10.1053/j.jvca.2016.05.012>.
- Whittaker, SG; Taylor, J; Van Hooser, LM. (2015). Characterization of "Hydrocarbon" Dry Cleaning in King County, Washington. *J Environ Health*. 78: 8-13.
- WHO. (1977). Manual of the international statistical classification of diseases, injuries, and causes of death. Geneva, Switzerland.
- Wideroff, L; Gridley, G; Chow, WH; Linet, M; Mellemkjaer, L; Olsen, JH; Keehn, S; Borch-Johnsen, K. (1997). Cancer incidence in a population-based cohort of patients hospitalized with diabetes mellitus in Denmark. *J Natl Cancer Inst*. 89: 1360-1365. <http://dx.doi.org/10.1093/jnci/89.18.1360>.
- Wiegert, C; Aeppli, C; Knowles, T; Holmstrand, H; Evershed, R; Pancost, RD; Macháčková, J; Gustafsson, Ö. (2012). Dual carbon-chlorine stable isotope investigation of sources and fate of chlorinated ethenes in contaminated groundwater. *Environ Sci Technol*. 46: 10918-10925. <http://dx.doi.org/10.1021/es3016843>.
- Wiegert, C; Mandalakis, M; Knowles, T; Polymenakou, PN; Aeppli, C; Macháčková, J; Holmstrand, H; Evershed, RP; Pancost, RD; Gustafsson, O. (2013). Carbon and chlorine isotope fractionation during microbial degradation of tetra- and trichloroethene. *Environ Sci Technol*. 47: 6449-6456. <http://dx.doi.org/10.1021/es305236y>.
- Wierzbowska-Drabik, K; Kasprzak, JD; Mrozowska-Peruga, E; Peruga, JZ. (2016). Circumflex Origin from Right Coronary Artery--The Anomaly That Should Not Be Omitted during Echocardiography--"Crossed Aorta" and "Bleb Sign"; Presentation after Stents Implantation. *Echocardiography*. 33: 659-660. <http://dx.doi.org/10.1111/echo.13141>.
- Wigle, DT; Turner, MC; Gomes, J; Parent, ME. (2008). Role of hormonal and other factors in human prostate cancer [Review]. *J Toxicol Environ Health B Crit Rev*. 11: 242-259. <http://dx.doi.org/10.1080/10937400701873548>.
- Wilcox, JD; Johnson, KM. (2016). Trichloroethylene (TCE) in tree cores to complement a subsurface investigation on residential property near a former electroplating facility. *Environ Monit Assess*. 188: 587. <http://dx.doi.org/10.1007/s10661-016-5603-x>.
- Wilhelm, CM; Sisk, TL; Roble, SL; Chisolm, JL; Janevski, I; Cheatham, JP; Cua, CL. (2016). Accuracy of Imaging Modalities in Detection of Baffle Leaks in Patients Following Atrial Switch Operation. *Echocardiography*. 33: 437-442. <http://dx.doi.org/10.1111/echo.13097>.

Human Health Hazard Literature Search Results

Off Topic

- Wilkens, L; Flemming, P; Gebel, M; Bleck, J; Terkamp, C; Wingen, L; Kreipe, H; Schlegelberger, B. (2004). Induction of aneuploidy by increasing chromosomal instability during dedifferentiation of hepatocellular carcinoma. *Proc Natl Acad Sci USA*. 101: 1309-1314. <http://dx.doi.org/10.1073/pnas.0305817101>.
- Willer, BL; Worrell, SG; Fitzgibbons, RJ; Mittal, SK. (2012). Incidence of diaphragmatic hernias following minimally invasive versus open transthoracic Ivor Lewis McKeown esophagectomy. *Hernia*. 16: 185-190. <http://dx.doi.org/10.1007/s10029-011-0884-z>.
- Williams, AR; Palmer, DG; Williams, IH; Vercoe, PE; Karlsson, LJ. (2010). Faecal dry matter, inflammatory cells and antibodies in parasite-resistant sheep challenged with either *Trichostrongylus colubriformis* or *Teladorsagia circumcincta*. *Vet Parasitol*. 170: 230-237. <http://dx.doi.org/10.1016/j.vetpar.2010.02.033>.
- Williams, F; Meenagh, A; Darke, C; Acosta, A; Daar, AS; Gorodezky, C; Hammond, M; Nascimento, E; Middleton, D. (2001). Analysis of the distribution of HLA-B alleles in populations from five continents. *Hum Immunol*. 62: 645-650.
- Williams, P; Benton, L; Warmerdam, J; Sheehans, P. (2002). Comparative risk analysis of six volatile organic compounds in California drinking water. *Environ Sci Technol*. 36: 4721-4728. <http://dx.doi.org/10.1021/es020725y>.
- Wilson, JG. (1965). Methods for administering agents and detecting malformations in experimental animals. In J Warkany; JG Wilson (Eds.), (pp. 262-267). Chicago, IL: University of Chicago Press.
- Wilson, R; Donahue, M; Gridley, G; Adami, J; El Ghormli, L; Dosemeci, M. (2008). Shared occupational risks for transitional cell cancer of the bladder and renal pelvis among men and women in Sweden. *Am J Ind Med*. 51: 83-99. <http://dx.doi.org/10.1002/ajim.20522>.
- Windram, JD; Dragelescu, A; Benson, L; Forsey, J; Shariat, M; Yoo, SJ; Mertens, L; Wong, D; Grosse-Wortmann, L. (2016). Myocardial Dimensions in Children With Hypertrophic Cardiomyopathy: A Comparison Between Echocardiography and Cardiac Magnetic Resonance Imaging. *Can J Cardiol*. 32: 1507-1512. <http://dx.doi.org/10.1016/j.cjca.2016.06.014>.
- Wink, J; Veering, BT; Aarts, LP; Wouters, PF. (2014). Effect of increasing age on the haemodynamic response to thoracic epidural anaesthesia: an observational study. *Eur J Anaesthesiol*. 31: 597-605. <http://dx.doi.org/10.1097/EJA.000000000000125>.
- Winneke, G; Kramer, U; Kastka, J. (1976). Zur Beeinflussung psychomotor Leistungen Durch Alkohol und durch verschiedene Lösungsmitteldämpfe. In M Horvath (Ed.), (pp. 99-110). Amsterdam, The Netherlands: Elsevier.
- Wita, K; Kinasz, L; Filipceki, A; Lelek, M; Szczogiel, J; Turski, M; Weglarz, P; Elzbieciak, M; Staroń, A; Trusz-Gluza, M. (2010). Risk factors of asymptomatic restenosis in patients with first anterior ST elevation myocardial infarction treated by primary percutaneous coronary intervention. *Kardiol Pol*. 68: 987-993.
- Wojciechowska, A; Mlynarczuk, J; Kotwica, J. (2017). Changes in the mRNA expression of structural proteins, hormone synthesis and secretion from bovine placentome sections after DDT and DDE treatment. *Toxicology*. 375: 1-9. <http://dx.doi.org/10.1016/j.tox.2016.11.016>.
- Wójcik, A; Klisiewicz, A; Szymański, P; Różański, J; Hoffman, P. (2011). Double-orifice mitral valve - echocardiographic findings. *Kardiol Pol*. 69: 139-143.
- Wolf, DC; Goldsworthy, TL; Janszen, DB; Harden, R; Donner, EM; David, CS; Everitt, JI. (2000). Promotion by sodium barbital induces early development but does not increase the multiplicity of hereditary renal tumors in Eker rats. *Carcinogenesis*. 21: 1553-1558.
- Wolfe, AS; Brandt, SA; Krause, I; Mavison, R; Aponte, J; Ferguson-Stegall, LM. (2016). Shorter Duration Time Trial Performance and Recovery Is Not Improved by Inclusion of Protein in a Multiple Carbohydrate Supplement. *J Strength Cond Res*. <http://dx.doi.org/10.1519/JSC.0000000000001733>.
- Wolfgang, G; Gandolfi, A; Stevens, J; Brendel, K. (1989). In vitro and in vivo nephrotoxicity of the L and D isomers of S-(1,2-dichlorovinyl)-cysteine. *Toxicology*. 58: 33-42.
- Wolfgang, GHI; Gandolfi, AJ; Stevens, JL; Brendel, K. (1989). N-acetyl S-(1,2-dichlorovinyl)-L-cysteine produces a similar toxicity to S-(1,2-dichlorovinyl)-L-cysteine in rabbit renal slices: Differential transport and metabolism. *Toxicol Appl Pharmacol*. 101: 205-219. [http://dx.doi.org/10.1016/0041-008X\(89\)90270-6](http://dx.doi.org/10.1016/0041-008X(89)90270-6).
- Wong, D; Keynan, Y; Rubinstein, E. (2014). Comparison between transthoracic and transesophageal echocardiography in screening for infective endocarditis in patients with *Staphylococcus aureus* bacteremia. *European Journal of Clinical Microbiology and Infectious Diseases*. 33: 2053-2059. <http://dx.doi.org/10.1007/s10096-014-2178-8>.
- Wong, S; Spina, R; Toemoe, S; Dhital, K. (2016). Is cardiac magnetic resonance imaging as accurate as echocardiography in the assessment of aortic valve stenosis? [Review]. *Interact Cardiovasc Thorac Surg*. 22: 480-486. <http://dx.doi.org/10.1093/icvts/ivv362>.
- Woo, JJ; Koh, YY; Chang, KS; Hong, SP. (2010). A case of iatrogenic aortic valve leaflet perforation after closure of a ventricular septal defect [Review]. *Int J Cardiovasc Imaging*. 26 Suppl 1: 169-172. <http://dx.doi.org/10.1007/s10554-010-9587-2>.
- Wood, LD; Parsons, DW; Jones, S; Lin, J; Sjoblom, T; Leary, RJ; Shen, D; Boca, SM; Barber, T; Ptak, J; Silliman, N; Szabo, S; Dezso, Z; Ustyanksky, V; Nikolskaya, T; Nikolsky, Y; Karchin, R; Wilson, PA; Kaminker, JS; Zhang, Z; Croshaw, R; Willis, J; Dawson, D; Shipitsin, M; Willson, JKV; Sukumar, S; Polyak, K; Park, BH; Pethiyagoda, CL; Pant, PVK; Ballinger, DG; Sparks, AB; Hartigan, J; Smith, DR; Suh, E; Papadopoulos, N; Buckhaults, P; Markowitz, SD; Parmigiani, G; Kinzler, KW; Velculescu, VE; Vogelstein, B. (2007). The genomic landscapes of human breast and colorectal cancers. *Science*. 318: 1108-1113. <http://dx.doi.org/10.1126/science.1145720>.
- Woodruff, TJ; Axelrad, DA; Caldwell, J; Morello-Frosch, R; Rosenbaum, A. (1998). Public health implications of 1990 air toxics concentrations across the United States. *Environ Health Perspect*. 106: 245-251. <http://dx.doi.org/10.1289/ehp.98106245>.
- Woods, CG; Burns, AM; Bradford, BU; Ross, PK; Kosyk, O; Swenberg, JA; Cunningham, ML; Rusyn, I. (2007). WY-14,643-induced cell proliferation and oxidative stress in mouse liver are independent of NADPH oxidase. *Toxicol Sci*. 98: 366-374. <http://dx.doi.org/10.1093/toxsci/kfm104>.
- Woods, CG; Heuvel, JPV; Rusyn, I. (2007). Genomic profiling in nuclear receptor-mediated toxicity [Review]. *Toxicol Pathol*. 35: 474-494. <http://dx.doi.org/10.1080/01926230701311351>.

Human Health Hazard Literature Search Results

Off Topic

- Woolf, B. (1955). On estimating the relation between blood group and disease. *Ann Hum Genet.* 19: 251-253. <http://dx.doi.org/10.1111/j.1469-1809.1955.tb01348.x>.
- Wu, C; Schaum, J. (2000). Exposure assessment of trichloroethylene. *Environ Health Perspect.* 108: 359-363.
- Wu, CF; Yang, CY; Li, AH; Chuang, WP; Chen, KC; Liu, YH; Hsin, HT; Lai, CL; Weng, CS; Chu, SH. (2012). Detection of asymptomatic paroxysmal atrial fibrillation with the trans-telephonic electrocardiograph system. *Telemedicine and e-Health.* 18: 193-197. <http://dx.doi.org/10.1089/tmj.2011.0121>.
- Wu, J; Zhang, X; Wang, Z; Liu, B; Jiang, X; Lu, W; Jin, X; Wang, X. (2014). [Clinical evaluation of transthoracic echocardiography predicting fluid responsiveness in septic shock]. 26: 36-40. <http://dx.doi.org/10.3760/cma.j.issn.2095-4352.2014.01.008>.
- Wu, Q; Gao, L; Yang, Y; Zhao, T; Wang, X; Yin, N; Xu, X. (2012). [Echo-cardiography-guided occlusion of ventricular septal defect via small chest incision]. *Zhong Nan Da Xue Xue Bao Yi Xue Ban.* 37: 699-705. <http://dx.doi.org/10.3969/j.issn.1672-7347.2012.07.009>.
- Wu, V; Chyou, JY; Chung, S; Bhagavatula, S; Axel, L. (2014). Evaluation of diastolic function by three-dimensional volume tracking of the mitral annulus with cardiovascular magnetic resonance: comparison with tissue Doppler imaging. *J Cardiovasc Magn Reson.* 16: 71. <http://dx.doi.org/10.1186/s12968-014-0071-3>.
- Wu, W; Li, J; Wang, W; Lin, Q. (2013). Transthoracic echocardiography for diagnosis of right pulmonary artery to left atrial fistula. *Echocardiography.* 30: 239-244. <http://dx.doi.org/10.1111/echo.12020>.
- Wu, W; Luo, X; Wang, L; Sun, X; Jiang, Y; Huo, S; Tu, D; Bai, Z; Wang, H. (2011). The accuracy of echocardiography versus surgical and pathological classification of patients with ruptured mitral chordae tendineae: a large study in a Chinese cardiovascular center. *J Cardiothorac Surg.* 6: 94. <http://dx.doi.org/10.1186/1749-8090-6-94>.
- Wu, X; Fan, J; Ouyang, Z; Ning, R; Guo, W; Shen, Y; Wu, X; Sun, Y; Xu, Q. (2014). Tupistra chinensis extract attenuates murine fulminant hepatitis with multiple targets against activated T lymphocytes. *J Pharm Pharmacol.* 66: 453-465. <http://dx.doi.org/10.1111/jphp.12176>.
- Wu, X; Gent, DB; Davis, JL; Alshawabkeh, AN. (2012). Lactate injection by electric currents for bioremediation of tetrachloroethylene in clay. *Electrochim Acta.* 86: 157-163. <http://dx.doi.org/10.1016/j.electacta.2012.06.046>.
- Wu, XZ; Chen, D. (2006). Origin of hepatocellular carcinoma: Role of stem cells [Review]. *J Gastroenterol Hepatol.* 21: 1093-1098. <http://dx.doi.org/10.1111/j.1440-1746.2006.04485.x>.
- Wu, Y; Wu, PC; Yang, L, iX; Ratinac, KR; Thordarson, P; Jahn, KA; Chen, DH; Shieh, D; Braet, F. (2013). The anticancer properties of iron core-gold shell nanoparticles in colorectal cancer cells. *Int J Nanomedicine.* 8: 3321-3331. <http://dx.doi.org/10.2147/IJN.S47742>.
- Wuest, WM; Krahn, D; Kaiser, M; Walsh, CT. (2011). Enzymatic timing and tailoring of macrolactamization in syringolin biosynthesis. *Org Lett.* 13: 4518-4521. <http://dx.doi.org/10.1021/ol2016687>.
- Wunderlich, NC; Beigel, R; Siegel, RJ. (2013). Management of mitral stenosis using 2D and 3D echo-Doppler imaging [Review]. *JACC: Cardiovascular Imaging.* 6: 1191-1205. <http://dx.doi.org/10.1016/j.jcmg.2013.07.008>.
- Wurzer, P; Branski, LK; Jeschke, MG; Ali, A; Kinsky, MP; Bohanon, FJ; Hundeshagen, G; Norbury, WB; Williams, FN; Kamolz, LP; Finnerty, CC; Herndon, DN. (2016). Transpulmonary Thermodilution Versus Transthoracic Echocardiography for Cardiac Output Measurements in Severely Burned Children. *Shock.* 46: 249-253. <http://dx.doi.org/10.1097/SHK.0000000000000627>.
- Xia, H; Gan, L; Jiang, Y; Tang, Q; Zhang, P; Tang, X; Wen, L; Liu, Z; Gao, Y. (2017). Use of transesophageal echocardiography and contrast echocardiography in the evaluation of cardiac masses. *Int J Cardiol.* <http://dx.doi.org/10.1016/j.ijcard.2017.01.073>.
- Xia, YK; Tu, SH; Hu, YH; Wang, Y; Chen, Z; Day, HT; Ross, K. (2013). Pulmonary hypertension in systemic lupus erythematosus: a systematic review and analysis of 642 cases in Chinese population [Review]. *Rheumatol Int.* 33: 1211-1217. <http://dx.doi.org/10.1007/s00296-012-2525-y>.
- Xiao, J; Yin, L; Lin, Y; Zhang, Y; Wu, L; Wang, Z. (2016). A 20-year study on treating childhood infective endocarditis with valve replacement in a single cardiac center in China. *J Thorac Dis.* 8: 1618-1624. <http://dx.doi.org/10.21037/jtd.2016.06.15>.
- Xie, J; Liu, S; Yang, J; Xu, J; Zhu, G. (2014). Inaccuracy of transthoracic echocardiography for the identification of right-sided vegetation in patients with no history of intravenous drug abuse or cardiac device insertion. *J Int Med Res.* 42: 837-848. <http://dx.doi.org/10.1177/0300060513505498>.
- Xie, S; Yuan, S; Liao, P; Jia, M; Wang, Y, in. (2015). Pd-catalytic hydrodechlorination of chlorinated hydrocarbons in groundwater using H-2 produced by a dual-anode system. *Water Res.* 86: 74-81. <http://dx.doi.org/10.1016/j.watres.2015.07.026>.
- Xie, W; Yuan, S; Mao, X; Hu, W, ei; Liao, P; Tong, M, an; Alshaulabkeh, AN. (2013). Electrocatalytic activity of Pd-loaded Ti/TiO2 nanotubes cathode for TCE reduction in groundwater. *Water Res.* 47: 3573-3582. <http://dx.doi.org/10.1016/j.watres.2013.04.004>.
- Xie, ZF; Wang, SS; Zhang, ZW; Zhuang, J; Liu, XD; Chen, XM; Zhang, G; Zhang, D. (2016). A Novel-Design Poly-L-Lactic Acid Biodegradable Device for Closure of Atrial Septal Defect: Long-Term Results in Swine. *Cardiology.* 135: 179-187. <http://dx.doi.org/10.1159/000446313>.
- Xin, J; Han, J; Zheng, X; Shao, H; Kolditz, O. (2015). Mechanism insights into enhanced trichloroethylene removal using xanthan gum-modified microscale zero-valent iron particles. *J Environ Manage.* 150: 420-426. <http://dx.doi.org/10.1016/j.jenvman.2014.12.022>.
- Xiu, ZM; Gregory, KB; Lowry, GV; Alvarez, PJJ. (2010). Effect of Bare and Coated Nanoscale Zerovalent Iron on tceA and vcrA Gene Expression in *Dehalococcoides* spp. *Environ Sci Technol.* 44: 7647-7651. <http://dx.doi.org/10.1021/es101786y>.
- Xiu, ZM; Jin, Z; Li, T; Mahendra, S; Lowry, GV; Alvarez, PJJ. (2010). Effects of nano-scale zero-valent iron particles on a mixed culture dechlorinating trichloroethylene. *Bioresour Technol.* 101: 1141-1146. <http://dx.doi.org/10.1016/j.biortech.2009.09.057>.
- Xu, J; Zhao, H; Wang, X; Bai, Y; Liu, L; Liu, Y; Wei, M; Li, J; Zheng, M. (2014). Accuracy, image quality, and radiation dose of prospectively ECG-triggered high-pitch dual-source CT angiography in infants and children with complex coarctation of the aorta. *Acad Radiol.* 21: 1248-1254. <http://dx.doi.org/10.1016/j.acra.2014.04.019>.

Human Health Hazard Literature Search Results

Off Topic

- Xu, Q; Song, T; Cui, W; Liu, Y; Xu, W; Lee, ST; Sun, B. (2015). Solution-processed highly conductive PEDOT:PSS/AgNW/GO transparent film for efficient organic-Si hybrid solar cells. 7: 3272-3279. <http://dx.doi.org/10.1021/am508006q>.
- Xu, W; Adler, I. (1990). Clastogenic effects of known and suspect spindle poisons studied by chromosome analysis in mouse bone marrow cells. *Mutagenesis*. 5: 371-374.
- Xu, XD; Bai, Y; Chen, XL; Liu, SX; Zhao, XX; Qin, YW. (2014). Simultaneous transcatheter treatment of perimembranous ventricular septal defect and other congenital cardiopathies. *Heart, Lung & Circulation (Online)*. 23: 1169-1174. <http://dx.doi.org/10.1016/j.hlc.2014.05.008>.
- Xu, XD; Ding, XY; Liu, SX; Bai, Y; Zhao, XX; Qin, YW. (2015). Immediate- and medium-term effects of simultaneous percutaneous corrections of secundum type atrial septal defect combined with pulmonary valve stenosis in local anesthesia and without transesophageal echocardiography guidance. *J Cardiol*. 65: 32-36. <http://dx.doi.org/10.1016/j.jcc.2014.03.014>.
- Xu, XD; Liu, SX; Bai, Y; Zhang, M; Zhao, XX; Qin, YW. (2015). Decreased tricuspid regurgitation following percutaneous closure of congenital perimembranous ventricular septal defect: immediate and 6-month echocardiographic assessment. *Heart Vessels*. 30: 611-617. <http://dx.doi.org/10.1007/s00380-014-0531-6>.
- Xu, XD; Liu, SX; Zhao, XX; Qin, YW. (2014). Comparison of medium-term results of transcatheter correction versus surgical treatment for secundum type atrial septal defect combined with pulmonary valve stenosis. *Int Heart J*. 55: 326-330.
- Xu, YQ; Zhang, JX. (2013). [Clinical study on echocardiography combined with end-tidal CO2 monitoring in preventing the venous air embolism during operative hysteroscopy]. *Zhonghua Fu Chan Ke Za Zhi*. 48: 828-832.
- Xu, Z; Yu, J; Li, X; Chen, D; Luo, Y; Peng, L. (2013). [Evaluation of anomalous pulmonary venous connection: comparison between dual-source CT and echocardiography]. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi*. 30: 272-277, 311.
- Yaakup, N, urA; Phuah, HF; Aziz, YFA; Abidin, IZ; Sun, Z; Ng, KH. (2014). Dual-Source Computed Tomography Angiography in Aortic Stenosis: Comparison with Transthoracic Echocardiography. 4: 749-755. <http://dx.doi.org/10.1166/jmihi.2014.1305>.
- Yaari, D; Rubinshtein, R; Sachner, R; Gaspar, T; Adawi, S; Jaffe, R; Asmer, I; Ganaeem, M; Shiran, A. (2016). The effect of aortic area measurement site on the energy loss coefficient: a comparison between echocardiography and cardiac computed tomography angiography in patients with aortic stenosis. *Echocardiography*. 33: 1649-1655. <http://dx.doi.org/10.1111/echo.13331>.
- Yaghoubi, E; Nemati, R; Aghasadeghi, K; Borhani Haghighi, A. (2011). The diagnostic efficiency of transesophageal compared to transthoracic echocardiographic findings from 405 patients with ischemic stroke. 18: 1486-1489. <http://dx.doi.org/10.1016/j.jocn.2011.02.034>.
- Yagoub, H; Srinivas, BP; Mccarthy, J; Kiernan, TJ. (2012). Gigantic unruptured sinus of Valsalva aneurysm presenting as an incidental murmur. *B M J Case Reports*. 2012. <http://dx.doi.org/10.1136/bcr-2012-006824>.
- Yajima, R; Kataoka, A; Takahashi, A; Uehara, M; Saito, M; Yamaguchi, C; Lee, K; Komuro, I; Funabashi, N. (2012). Distinguishing focal fibrotic lesions and non-fibrotic lesions in hypertrophic cardiomyopathy by assessment of regional myocardial strain using two-dimensional speckle tracking echocardiography: comparison with multislice CT. *Int J Cardiol*. 158: 423-432. <http://dx.doi.org/10.1016/j.ijcard.2011.01.096>.
- Yamada, K; Takahata, A; Ichijo, Y; Akazawa, K; Goto, M; Terayama, K; Yamada, K. (2015). A case of testicular seminoma in persistent Mullerian duct syndrome with transverse testicular ectopia. *Abdom Imaging*. 40: 475-479. <http://dx.doi.org/10.1007/s00261-014-0329-0>.
- Yamagishi, T; Babraj, J. (2017). Effects of reduced-volume of sprint interval training and the time course of physiological and performance adaptations. *Scand J Med Sci Sports*. <http://dx.doi.org/10.1111/sms.12831>.
- Yamaguchi, S; Murakami, H; Kudo, T; Otokozaawa, C; Sasaki, S; Yuda, S; Nojima, M. (2017). Usefulness of the echocardiographic paravertebral approach for the diagnosis of descending thoracic aortic dissection. <http://dx.doi.org/10.1007/s12574-017-0331-y>.
- Yamaguchi, T; Takizawa, K; Shibata, K. (2015). Acute Effect of Dynamic Stretching on Endurance Running Performance in Well-Trained Male Runners. *J Strength Cond Res*. 29: 3045-3052. <http://dx.doi.org/10.1519/JSC.0000000000000969>.
- Yamamoto, S; Morita, M; Izumiya, H; Watanabe, H. (2010). Chitin disaccharide (GlcNAc)₂ induces natural competence in *Vibrio cholerae* through transcriptional and translational activation of a positive regulatory gene *tfoXVC*. *Gene*. 457: 42-49. <http://dx.doi.org/10.1016/j.gene.2010.03.003>.
- Yamane, K; Hirose, H; Reeves, GR; Marhefka, GD; Silvestry, SC. (2011). Left ventricular dysfunction mimicking Takotsubo cardiomyopathy following cardiac surgery. *J Heart Valve Dis*. 20: 471-473.
- Yamazaki, D. (2012). [TRIC(trimeric intracellular cation)-A channels contribute to blood pressure maintenance in vascular smooth muscle] [Review]. *Yakugaku Zasshi*. 132: 1037-1043.
- Yamazaki, D; Kita, S; Nishi, M; Imaizumi, Y; Iwamoto, T; Takeshima, H. (2012). TRIC-A channels regulate blood pressure in vascular smooth muscle. *J Pharmacol Sci*. 118: 77P-77P.
- Yamazaki, D; Tabara, Y; Kita, S; Hanada, H; Komazaki, S; Naitou, D; Mishima, A; Nishi, M; Yamamura, H; Yamamoto, S; Kakizawa, S; Miyachi, H; Yamamoto, S; Miyata, T; Kawano, Y; Kamide, K; Ogihara, T; Hata, A; Umemura, S; Soma, M; Takahashi, N; Imaizumi, Y; Miki, T; Iwamoto, T; Takeshima, H. (2011). TRIC-A channels in vascular smooth muscle contribute to blood pressure maintenance. *Cell Metab*. 14: 231-241. <http://dx.doi.org/10.1016/j.cmet.2011.05.011>.
- Yamazaki, D; Tao, S; Takeshima, H. (2013). [TRIC channel and hypertension] [Review]. *Clin Calcium*. 23: 543-550. <http://dx.doi.org/CliCa1304543550>.
- Yamazaki, D; Tao, S; Takeshima, H. (2013). TRIC-A regulate SR Ca²⁺ distribution in vascular smooth muscle cells. *J Pharmacol Sci*. 121: 204P-204P.
- Yamazaki, D; Yamamoto, S; Takeshima, H. (2010). [TRIC (trimeric intracellular cation)-channel functions during Ca(2+) release from the sarco/endoplasmic reticulum] [Review]. *Nippon Yakurigaku Zasshi*. 135: 99-103.

Human Health Hazard Literature Search Results

Off Topic

- Yamazaki, D; Zhao, C; Tao, S; Wang, C; Nishi, M; Takeshima, H. (2014). Isoproterenol-induced cardiac fibrosis in Tric-a-knockout mice. *J Pharmacol Sci.* 124: 107P-107P.
- Yamazaki, S; Ichikawa, K; Saeki, A; Tanimura, T; Adachi, K. (2010). Photocatalytic Degradation of Chlorinated Ethanes in the Gas Phase on the Porous TiO₂ Pellets: Effect of Surface Acidity. *J Phys Chem A.* 114: 5092-5098. <http://dx.doi.org/10.1021/jp911842t>.
- Yan, J; Han, L, u; Gao, W; Xue, S; Chen, M. (2015). Biochar supported nanoscale zerovalent iron composite used as persulfate activator for removing trichloroethylene. *Bioresour Technol.* 175: 269-274. <http://dx.doi.org/10.1016/j.biortech.2014.10.103>.
- Yan, J; Im, J; Yang, Y; Löffler, FE. (2013). Guided cobalamin biosynthesis supports *Dehalococcoides mccartyi* reductive dechlorination activity. *Philos Trans R Soc Lond B Biol Sci.* 368: 20120320. <http://dx.doi.org/10.1098/rstb.2012.0320>.
- Yan, J; Qian, L; Gao, W; Chen, Y; Ouyang, D; Chen, M. (2017). Enhanced Fenton-like Degradation of Trichloroethylene by Hydrogen Peroxide Activated with Nanoscale Zero Valent Iron Loaded on Biochar. *Sci Rep.* 7: 43051. <http://dx.doi.org/10.1038/srep43051>.
- Yan, N, i; Liu, F, ei; Xue, Q; Brusseau, ML; Liu, Y; Wang, J. (2015). Degradation of trichloroethene by siderite-catalyzed hydrogen peroxide and persulfate: Investigation of reaction mechanisms and degradation products. *Chem Eng J.* 274: 61-68. <http://dx.doi.org/10.1016/j.cej.2015.03.056>.
- Yan, W; Herzing, AA; Li, XQ; Kiely, CJ; Zhang, WX. (2010). Structural evolution of Pd-doped nanoscale zero-valent iron (nZVI) in aqueous media and implications for particle aging and reactivity. *Environ Sci Technol.* 44: 4288-4294. <http://dx.doi.org/10.1021/es100051q>.
- Yañez-Rivera, TG; Baños-Gonzalez, MA; Ble-Castillo, JL; Torres-Hernandez, ME; Torres-Lopez, JE; Borrayo-Sanchez, G. (2014). Relationship between epicardial adipose tissue, coronary artery disease and adiponectin in a Mexican population. *Cardiovasc Ultrasound.* 12: 35. <http://dx.doi.org/10.1186/1476-7120-12-35>.
- Yang, B; Yang, GP; Lu, XL; Li, L; He, Z. (2015). Distributions and sources of volatile chlorocarbons and bromocarbons in the Yellow Sea and East China Sea. *Mar Pollut Bull.* 95: 491-502. <http://dx.doi.org/10.1016/j.marpolbul.2015.03.009>.
- Yang, G; Liu, B; Cheng, K; Du, Z. (2015). Modulation of optical transmittance and conductivity by the period, linewidth and height of Au square mesh electrodes. *Optics Express.* 23: A62-A70.
- Yang, H; Hu, M; Guo, J; Ou, X; Cai, T; Liu, Z. (2016). Pore architecture of TRIC channels and insights into their gating mechanism. *Nature.* 538: 537-541. <http://dx.doi.org/10.1038/nature19767>.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts.* 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.
- Yang, Q; Ito, S; Gonzalez, FJ. (2007). Hepatocyte-restricted constitutive activation of PPAR alpha induces hepatoproliferation but not hepatocarcinogenesis. *Carcinogenesis.* 28: 1171-1177. <http://dx.doi.org/10.1093/carcin/bgm046>.
- Yang, S; Oostrom, M; Truex, MJ; Li, G; Zhong, L. (2016). Injectable silica-permanganate gel as a slow-release MnO₄(-) source for groundwater remediation: rheological properties and release dynamics. *Environ Sci Process Impacts.* 18: 256-264. <http://dx.doi.org/10.1039/c5em00559k>.
- Yang, SF; Chen, MK; Hsieh, YS; Yang, JS; Zavras, AI; Hsieh, YH; Su, SC; Kao, TY; Chen, PN; Chu, SC. (2010). Antimetastatic effects of *Terminalia catappa* L. on oral cancer via a down-regulation of metastasis-associated proteases. *Food Chem Toxicol.* 48: 1052-1058. <http://dx.doi.org/10.1016/j.ft.2010.01.019>.
- Yang, WB; Chen, WH; Yuan, CS; Yang, JC; Zhao, QL. (2012). Comparative assessments of VOC emission rates and associated health risks from wastewater treatment processes. *J Environ Monit.* 14: 2464-2474. <http://dx.doi.org/10.1039/c2em30138e>.
- Yang, Y; Fan, B; Tong, X. (2015). [Direct interactions between human mesenchymal stem cells and ovarian cancer cells]. *Chung Hua Hsueh Tsa Chih.* 95: 1849-1853.
- Yang, Y; Gao, L; Xu, X; Zhao, T; Yang, J; Gao, Z; Yin, N; Xiong, L; Xie, L; Huang, C; Jin, W; Wu, Q. (2014). Echocardiographic assessment and guidance in minimally invasive surgical device closure of perimembranous ventricular septal defects. *Heart Surg Forum.* 17: E206-E211. <http://dx.doi.org/10.1532/HSF98.2014340>.
- Yang, Y; Xu, X; Georgopoulos, PG. (2010). A Bayesian population PBPK model for multiroute chloroform exposure. *J Expo Sci Environ Epidemiol.* 20: 326-341. <http://dx.doi.org/10.1038/jes.2009.29>.
- Yanik-Yildirim, KC; Vardar-Schara, G. (2014). Saturation mutagenesis of Bradyrhizobium sp. BTAi1 toluene 4-monoxygenase at alpha-subunit residues proline 101, proline 103, and histidine 214 for regiospecific oxidation of aromatics. *Appl Microbiol Biotechnol.* 98: 8975-8986. <http://dx.doi.org/10.1007/s00253-014-5913-2>.
- Yano, M; Yamamoto, T; Kobayashi, S; Ikeda, Y; Matsuzaki, M. (2008). Defective Ca²⁺ cycling as a key pathogenic mechanism of heart failure [Review]. *Circ J.* 72: A22-A30.
- Yao, Q; Hu, X; Pa, M; Huang, G. (2013). Non-ECG-gated MDCTA of infracardiac total anomalous pulmonary venous connection in neonates and young infants. *Herz.* 38: 539-543. <http://dx.doi.org/10.1007/s00059-012-3728-4>.
- Yap, TL; Rapp, MP; Kennerly, S; Cron, SG; Bergstrom, N. (2015). Comparison Study of Braden Scale and Time-to-Erythema Measures in Long-term Care. *J Wound Ostomy Continence Nurs.* 42: 461-467. <http://dx.doi.org/10.1097/WON.0000000000000164>.
- Yastrebov, K; Kapalli, T. (2013). Malposition of Double Lumen Bicaval Venovenous Extracorporeal Membrane Oxygenation (VV ECMO) cannula resulting in hepatic venous congestion. *Perfusion.* 28: 193-197. <http://dx.doi.org/10.1002/j.2205-0140.2013.tb00247.x>.
- Yastrebov, K; Manganas, C; Kapalli, T; Peeceeyen, S. (2014). Right ventricular loop indicating malposition of J-wire introducer for double lumen bicaval venovenous extracorporeal membrane oxygenation (VV ECMO) cannula. *Heart, Lung & Circulation (Online).* 23: e4-e7. <http://dx.doi.org/10.1016/j.hlc.2013.05.643>.
- Ye, JB; Liu, W; Zhou, GF; Ren, XH; Huang, PW; Hong, WX; Liu, JJ. (2013). [The establishment of diagnosis model on occupational medicamentosa-like dermatitis induced by trichloroethylene]. *Zhonghua Yufang Yixue Zazhi.* 47: 151-154.

Human Health Hazard Literature Search Results

Off Topic

- Ye, L; Schilhabel, A; Bartram, S; Boland, W; Diekert, G. (2010). Reductive dehalogenation of brominated ethenes by *Sulfurospirillum multivorans* and *Desulfitobacterium hafniense* PCE-S. *Environ Microbiol.* 12: 501-509. <http://dx.doi.org/10.1111/j.1462-2920.2009.02093.x>.
- Ye, M; Beach, J; Martin, JW; Senthilselvan, A. (2015). Association between lung function in adults and plasma DDT and DDE levels: results from the Canadian Health Measures Survey. *Environ Health Perspect.* 123: 422-427. <http://dx.doi.org/10.1289/ehp.1408217>.
- Ye, Z; Li, Z; He, S; Chen, B; Xing, X; Ren, C. (2015). Outcomes of Coaxial Micro-incision Phacoemulsification in Nanophthalmic Eyes: Report of Retrospective Case Series. 30: 94-100.
- Yeh, CB; Hsieh, MJ; Hsieh, YS; Chien, MH; Lin, PY; Chiou, HL; Yang, SF. (2012). Terminalia catappa Exerts Antimetastatic Effects on Hepatocellular Carcinoma through Transcriptional Inhibition of Matrix Metalloproteinase-9 by Modulating NF- κ B and AP-1 Activity. *eCAM.* 2012: 595292. <http://dx.doi.org/10.1155/2012/595292>.
- Yeh, CB; Yu, YL; Lin, CW; Chiou, HL; Hsieh, MJ; Yang, SF. (2014). Terminalia catappa attenuates urokinase-type plasminogen activator expression through Erk pathways in Hepatocellular carcinoma. *BMC Complement Altern Med.* 14: 141. <http://dx.doi.org/10.1186/1472-6882-14-141>.
- Yeh, MM; Larson, AM; Campbell, JS; Fausto, N; Rulyak, SJ; Swanson, PE. (2007). The expression of transforming growth factor-alpha in cirrhosis, dysplastic nodules, and hepatocellular carcinoma: An immunohistochemical study of 70 cases. *Am J Surg Pathol.* 31: 681-689. <http://dx.doi.org/10.1097/PAS.0b013e31802ff7aa>.
- Yeldandi, AV; Milano, M; Subbarao, V; Reddy, JK; Rao, MS. (1989). Evaluation of liver cell proliferation during ciprofibrate-induced hepatocarcinogenesis. *Cancer Lett.* 47: 21-27. [http://dx.doi.org/10.1016/0304-3835\(89\)90172-9](http://dx.doi.org/10.1016/0304-3835(89)90172-9).
- Yetkin, U; Yurekli, I; Akyildiz, ZI; Gokalp, O; Tetik, O; Lafci, B; Ergene, O; Gurbuz, A. (2014). Emergency surgical approach to device emboli due to migration of the atrial septal defect occluder. *Archives of Medical Science.* 10: 464-469. <http://dx.doi.org/10.5114/aoms.2014.43741>.
- Yeung, RS; Xiao, GH; Everitt, JI; Jin, F; Walker, CL. (1995). Allelic loss at the tuberous sclerosis 2 locus in spontaneous tumors in the Eker rat. *Mol Carcinog.* 14: 28-36.
- Yi, S; Seth, EC; Men, YJ; Stabler, SP; Allen, RH; Alvarez-Cohen, L; Taga, ME. (2012). Versatility in corrinoid salvaging and remodeling pathways supports corrinoid-dependent metabolism in *Dehalococcoides mccartyi*. *Appl Environ Microbiol.* 78: 7745-7752. <http://dx.doi.org/10.1128/AEM.02150-12>.
- Yilmazer, MM; Devrim, I; Tavli, V. (2011). Cardiac hydatid cyst associated with multiple organ involvement. *Acta Cardiol.* 66: 87-88. <http://dx.doi.org/10.2143/AC.66.1.2064973>.
- Yin, L; Zhang, K; Luo, H; Cheng, G; Ma, X; Xiong, Z; Xiao, X. (2014). Highly efficient graphene-based Cu(In, Ga)Se₂ solar cells with large active area. *Nanoscale.* 6: 10879-10886. <http://dx.doi.org/10.1039/c4nr02988g>.
- Yonezuka, K; Araki, N; Shimodaira, J; Ohji, S; Hosoyama, A; Numata, M; Yamazoe, A; Kasai, D; Masai, E; Fujita, N; Ezaki, T; Fukuda, M. (2016). Isolation and characterization of a bacterial strain that degrades cis-dichloroethene in the absence of aromatic inducers. *J Gen Appl Microbiol.* 62: 118-125. <http://dx.doi.org/10.2323/jgam.2015.12.002>.
- Yoon, DJ; Jones, M; Taani, JA; Buhimschi, C; Dowell, JD. (2016). A Systematic Review of Acquired Uterine Arteriovenous Malformations: Pathophysiology, Diagnosis, and Transcatheter Treatment. 6: e6-e14. <http://dx.doi.org/10.1055/s-0035-1563721>.
- Yoon, HS; Monks, TJ; Walker, CL; Lau, SS. (2001). Transformation of kidney epithelial cells by a quinol thioether via inactivation of the tuberous sclerosis-2 tumor suppressor gene. *Mol Carcinog.* 31: 37-45.
- Yoon, M; Madden, MC; Barton, HA. (2007). Extrahepatic metabolism by CYP2E1 in PBPK modeling of lipophilic volatile organic chemicals: Impacts on metabolic parameter estimation and prediction of dose metrics. *J Toxicol Environ Health A.* 70: 1527-1541. <http://dx.doi.org/10.1080/15287390701384684>.
- Yoon, S; Im, J; Bandow, N; Dispirito, AA; Semrau, JD. (2011). Constitutive expression of pMMO by *Methylocystis* strain SB2 when grown on multi-carbon substrates: implications for biodegradation of chlorinated ethenes. *Environmental Microbiology Reports.* 3: 182-188. <http://dx.doi.org/10.1111/j.1758-2229.2010.00205.x>.
- Yoon, YY; Koh, DC; Lee, KY; Cho, SY; Yang, JH; Lee, KK. (2013). Using ²²²Rn as a naturally occurring tracer to estimate NAPL contamination in an aquifer. 81: 233-237. <http://dx.doi.org/10.1016/j.apradiso.2013.03.061>.
- Yoshida, N; Okamoto, M; Nanba, K; Yoshizumi, M. (2010). Transthoracic tissue Doppler assessment of left atrial appendage contraction and relaxation: their changes with aging. *Echocardiography.* 27: 839-846. <http://dx.doi.org/10.1111/j.1540-8175.2010.01157.x>.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut.* 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.
- Yoshimura, N; Hori, Y; Horii, Y; Suzuki, H; Hasegawa, S; Takahashi, M; Watanabe, H. (2010). Comparison of magnetic resonance imaging with transthoracic echocardiography in the diagnosis of ventricular septal defect-associated coronary cusp prolapse. *J Magn Reson Imaging.* 32: 1099-1103. <http://dx.doi.org/10.1002/jmri.22370>.
- You, SC; Shim, CY; Hong, GR; Kim, D; Cho, IJ; Lee, S; Chang, HJ; Ha, JW; Chang, BC; Chung, N. (2016). Incidence, Predictors, and Clinical Outcomes of Postoperative Cardiac Tamponade in Patients Undergoing Heart Valve Surgery. *PLoS ONE.* 11: e0165754. <http://dx.doi.org/10.1371/journal.pone.0165754>.
- Young, JH; Peyton, M; Seok Kim, H; Mcmillan, E; Minna, JD; White, MA; Marcotte, EM. (2016). Computational discovery of pathway-level genetic vulnerabilities in non-small-cell lung cancer. 32: 1373-1379. <http://dx.doi.org/10.1093/bioinformatics/btw010>.
- Yousef, N; Philips, M; Shetty, I; Cui, VW; Zimmerman, F; Roberson, DA. (2014). Transesophageal echocardiography of intracardiac thrombus in congenital heart disease and atrial flutter: the importance of thorough examination of the Fontan. *Pediatric Cardiology.* 35: 1099-1107. <http://dx.doi.org/10.1007/s00246-014-0902-x>.

Human Health Hazard Literature Search Results

Off Topic

- Yousry, M; Rickenlund, A; Petrini, J; Jenner, J; Liska, J; Eriksson, P; Franco-Cereceda, A; Eriksson, MJ; Caidahl, K. (2015). Aortic valve type and calcification as assessed by transthoracic and transoesophageal echocardiography. *Clin Physiol Funct Imaging*. 35: 306-313. <http://dx.doi.org/10.1111/cpf.12166>.
- Yu, HY; Bao, LJ; Liang, Y; Zeng, EY. (2011). Field validation of anaerobic degradation pathways for dichlorodiphenyltrichloroethane (DDT) and 13 metabolites in marine sediment cores from China. *Environ Sci Technol*. 45: 5245-5252. <http://dx.doi.org/10.1021/es2006397>.
- Yu, HY; Li, FB; Yu, WM; Li, YT; Yang, GY; Zhou, SG; Zhang, TB; Gao, YX; Wan, HF. (2013). Assessment of organochlorine pesticide contamination in relation to soil properties in the Pearl River Delta, China. *Sci Total Environ*. 447: 160-168. <http://dx.doi.org/10.1016/j.scitotenv.2012.12.070>.
- Yu, MC; Garabrant, DH; Peters, JM; Mack, TM. (1988). Tobacco, alcohol, diet, occupation, and carcinoma of the esophagus. *Cancer Res*. 48: 3843-3848.
- Yu, S; Rao, S; Reddy, JK. (2003). Peroxisome proliferator-activated receptors, fatty acid oxidation, steatohepatitis and hepatocarcinogenesis [Review]. *Curr Mol Med*. 3: 561-572.
- Yu, TK; Kim, WS; Kim, W. (2011). Masking of pressure overload in a patient with pulmonary thromboembolism accompanied by atrial septal aneurysm. *Chonnam Med J*. 47: 54-56. <http://dx.doi.org/10.4068/cmj.2011.47.1.54>.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ*. 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Yuan, D; Guo, X; Cao, Y; He, L; Wang, J; Xi, B; Li, J; Ma, W; Zhang, M. (2012). Case study on incentive mechanism of energy efficiency retrofit in coal-fueled power plant in China. *ScientificWorldJournal*. 2012: 841636. <http://dx.doi.org/10.1100/2012/841636>.
- Yuan, J. (1995). Effects of drinking pattern on the peak/trough blood concentrations in drinking water studies. *Food Chem Toxicol*. 33: 565-571. [http://dx.doi.org/10.1016/0278-6915\(95\)00027-Y](http://dx.doi.org/10.1016/0278-6915(95)00027-Y).
- Yuan, JM; Castela, JE; Gago-Dominguez, M; Yu, MC; Ross, RK. (1998). Tobacco use in relation to renal cell carcinoma. *Cancer Epidemiol Biomarkers Prev*. 7: 429-433.
- Yuan, L; Xie, M; Cheng, TO; Wang, X; Zhu, F; Kong, X; Ghoorah, D. (2014). Left ventricular noncompaction associated with hypertrophic cardiomyopathy: echocardiographic diagnosis and genetic analysis of a new pedigree in China. *Int J Cardiol*. 174: 249-259. <http://dx.doi.org/10.1016/j.ijcard.2014.03.006>.
- Yuan, S; Chen, M; Mao, X; Alshawabkeh, AN. (2013). Effects of reduced sulfur compounds on Pd-catalytic hydrodechlorination of trichloroethylene in groundwater by cathodic H₂ under electrochemically induced oxidizing conditions. *Environ Sci Technol*. 47: 10502-10509. <http://dx.doi.org/10.1021/es402169d>.
- Yuan, S; Chen, M; Mao, X; Alshawabkeh, AN. (2013). A three-electrode column for Pd-catalytic oxidation of TCE in groundwater with automatic pH-regulation and resistance to reduced sulfur compound foiling. *Water Res*. 47: 269-278. <http://dx.doi.org/10.1016/j.watres.2012.10.009>.
- Yuan, S; Liao, P; Alshawabkeh, AN. (2014). Electrolytic Manipulation of Persulfate Reactivity by Iron Electrodes for Trichloroethylene Degradation in Groundwater. *Environ Sci Technol*. 48: 656-663. <http://dx.doi.org/10.1021/es404535q>.
- Yuan, S; Mao, X; Alshawabkeh, AN. (2012). Efficient Degradation of TCE in Groundwater Using Pd and Electro-generated H₂ and O₂: A Shift in Pathway from Hydrodechlorination to Oxidation in the Presence of Ferrous Ions. *Environ Sci Technol*. 46: 3398-3405. <http://dx.doi.org/10.1021/es204546u>.
- Yuan, Y; Zeng, X; Hu, Y; Xie, T; Zhao, Y. (2012). Omentoplasty for esophagostomy after esophagectomy [Review]. *Cochrane Database Syst Rev*. 11: CD008446. <http://dx.doi.org/10.1002/14651858.CD008446.pub2>.
- Yuan, Y; Zeng, X; Hu, Y; Xie, T; Zhao, Y. (2014). Omentoplasty for oesophagostomy after oesophagectomy [Review]. *Cochrane Database Syst Rev*. CD008446. <http://dx.doi.org/10.1002/14651858.CD008446.pub3>.
- Yue, L; Guang-yi, W; Zhi-feng, W; Liang, G. (2011). Preliminary experience using transthoracic echocardiography guiding percutaneous closure of ruptured right sinus of Valsalva aneurysm. *Chin Med J*. 124: 1477-1482. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.2011.10.007>.
- Yue, L; Zhai, YN; Wei, LQ. (2014). Which technique is better for detection of right-to-left shunt in patients with patent foramen ovale: comparing contrast transthoracic echocardiography with contrast transesophageal echocardiography. *Echocardiography*. 31: 1050-1055. <http://dx.doi.org/10.1111/echo.12523>.
- Yujing, W; Congxin, H; Shaning, Y; Lijun, J; Xiaojun, H; Gang, W; Qiang, X. (2010). Digitalis does not improve left atrial mechanical dysfunction after successful electrical cardioversion of chronic atrial fibrillation. *Cell Biochem Biophys*. 57: 27-34. <http://dx.doi.org/10.1007/s12013-010-9080-5>.
- Zabetakis, KM; Niño de Guzmán, GT; Torrents, A; Yarwood, S. (2015). Toxicity of zero-valent iron nanoparticles to a trichloroethylene-degrading groundwater microbial community. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 50: 794-805. <http://dx.doi.org/10.1080/10934529.2015.1019796>.
- Zaccarelli-Marino, MA. (2012). Chronic Autoimmune Thyroiditis in Industrial Areas in Brazil: A 15-Year Survey. *J Clin Immunol*. 32: 1012-1018. <http://dx.doi.org/10.1007/s10875-012-9703-2>.
- Zack, M; Cannon, S; Loyd, D; Heath, CW, Jr; Falletta, JM; Jones, B; Housworth, J; Crowley, S. (1980). Cancer in children of parents exposed to hydrocarbon-related industries and occupations. *Am J Epidemiol*. 111: 329-336.
- Zahm, SH. (1992). Computerized occupational referent population system (CORPS): Study documentation. Rockville, MD: National Cancer Institute & National Institute for Occupational Safety and Health.
- Zajicek, G; Arber, N; Schwartz-Arad, D. (1991). Streaming liver VIII: Cell production rates following partial hepatectomy. *Liver*. 11: 347-351. <http://dx.doi.org/10.1111/j.1600-0676.1991.tb00541.x>.

Human Health Hazard Literature Search Results

Off Topic

- Zajicek, G; Schwartz-Arad, D. (1990). Streaming liver VII: DNA turnover in acinus zone-3. *Liver*. 10: 137-140. <http://dx.doi.org/10.1111/j.1600-0676.1990.tb00448.x>.
- Zajicek, G; Schwartz-Arad, D; Bartfeld, E. (1989). The streaming liver V: Time and age-dependent changes of hepatocyte DNA content, following partial hepatectomy. *Liver*. 9: 164-171. <http://dx.doi.org/10.1111/j.1600-0676.1989.tb00394.x>.
- Zandi-Nejad, K; Eddy, A; Glasscock, R; Brenner, B. (2004). Why is proteinuria an ominous biomarker of progressive kidney disease [Review]. *Kidney Int Suppl* S76-S89. <http://dx.doi.org/10.1111/j.1523-1755.2004.09220.x>.
- Zang, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Lin, K; Du, X. (2014). Trichloroethylene oxidation performance in sodium percarbonate (SPC)/Fe²⁺ system. *Environ Technol*. 35: 791-798. <http://dx.doi.org/10.1080/09593330.2013.852592>.
- Zang, Y; Jin, M; Wang, H; Cui, Z; Kong, L; Liu, C; Cong, Y. (2016). Staggered ATP binding mechanism of eukaryotic chaperonin TRiC (CCT) revealed through high-resolution cryo-EM. 23: 1083-1091. <http://dx.doi.org/10.1038/nsmb.3309>.
- Zeb, I; Hamirani, YS; Mao, S; Isma'eel, H; Saeed, A; Karnwal, S; Raina, S; Chung, J; Budoff, MJ. (2010). Detection of aortic regurgitation with 64-slice multidetector computed tomography (MDCT). *Acad Radiol*. 17: 1006-1011. <http://dx.doi.org/10.1016/j.acra.2010.04.007>.
- Zeppa, P; Benincasa, G; Troncone, G; Lucariello, A; Zabatta, A; Cochand-Priollet, B; Fulcinitti, F; Vetrani, A; De Rosa, G; Palombini, L. (1998). Retrospective evaluation of DNA ploidy of hepatocarcinoma on cytologic samples. *Diagn Cytopathol*. 19: 323-329. [http://dx.doi.org/10.1002/\(SICI\)1097-0339\(199811\)19:5<323::AID-DC2>3.0.CO;2-Y](http://dx.doi.org/10.1002/(SICI)1097-0339(199811)19:5<323::AID-DC2>3.0.CO;2-Y).
- Zgoła-Grzeškowiak, A. (2010). Dispersive liquid-liquid microextraction applied to isolation and concentration of alkylphenols and their short-chained ethoxylates in water samples. *J Chromatogr A*. 1217: 1761-1766. <http://dx.doi.org/10.1016/j.chroma.2010.01.054>.
- Zhan, J; Kolesnichenko, I; Sunkara, B; He, J; Mcpherson, GL; Piringer, G; John, VT. (2011). Multifunctional iron-carbon nanocomposites through an aerosol-based process for the in situ remediation of chlorinated hydrocarbons. *Environ Sci Technol*. 45: 1949-1954. <http://dx.doi.org/10.1021/es103493e>.
- Zhang, B; Pan, X; Cobb, GP; Anderson, TA. (2007). MicroRNAs as oncogenes and tumor suppressors [Review]. *Dev Biol*. 302: 1-12. <http://dx.doi.org/10.1016/j.ydbio.2006.08.028>.
- Zhang, CJ; Huang, YG; Huang, XS; Huang, T; Huang, WH; Shen, JJ; Xun, ZR. (2010). Transcatheter closure of patent foramen ovale with the Spider patent foramen ovale occluder: a prospective, single-center trial. *Chin Med J*. 123: 834-837.
- Zhang, G; Stevens, JL. (1989). Transport and activation of S-(1,2-dichlorovinyl)-L-cysteine and N-acetyl-S-(1,2-dichlorovinyl)-L-cysteine in rat kidney proximal tubules. *Toxicol Appl Pharmacol*. 100: 51-61. [http://dx.doi.org/10.1016/0041-008X\(89\)90091-4](http://dx.doi.org/10.1016/0041-008X(89)90091-4).
- Zhang, GC; Chen, Q; Cao, H; Chen, LW; Yang, LP; Chen, DZ. (2013). Minimally invasive periventricular device closure of ventricular septal defect in infants under transthoracic echocardiographic guidance: feasibility and comparison with transesophageal echocardiography. *Cardiovasc Ultrasound*. 11: 8. <http://dx.doi.org/10.1186/1476-7120-11-8>.
- Zhang, GC; Chen, Q; Chen, LW; Cao, H; Yang, LP; Wu, XJ; Dai, XF; Chen, DZ. (2012). Transthoracic echocardiographic guidance of minimally invasive periventricular device closure of perimembranous ventricular septal defect without cardiopulmonary bypass: initial experience. 13: 739-744. <http://dx.doi.org/10.1093/ehjci/jes028>.
- Zhang, H; Ulrich, AC; Liu, Y. (2015). Retention and transport of an anaerobic trichloroethene dechlorinating microbial culture in anaerobic porous media. *Colloids Surf B Biointerfaces*. 130: 110-118. <http://dx.doi.org/10.1016/j.colsurfb.2015.04.020>.
- Zhang, H; Ziv-El, M; Rittmann, BE; Krajmalnik-Brown, R. (2010). Effect of dechlorination and sulfate reduction on the microbial community structure in denitrifying membrane-biofilm reactors. *Environ Sci Technol*. 44: 5159-5164. <http://dx.doi.org/10.1021/es100695n>.
- Zhang, J; Ma, B; Dimaio, F; Douglas, NR; Joachimiak, LA; Baker, D; Frydman, J; Levitt, M; Chiu, W. (2011). Cryo-EM structure of a group II chaperonin in the prehydrolysis ATP-bound state leading to lid closure. 19: 633-639. <http://dx.doi.org/10.1016/j.str.2011.03.005>.
- Zhang, J; Wu, X; Zan, J; Wu, Y; Ye, C; Ruan, X; Zhou, J. (2013). Cellular chaperonin CCT γ contributes to rabies virus replication during infection. *J Virol*. 87: 7608-7621. <http://dx.doi.org/10.1128/JVI.03186-12>.
- Zhang, J; Yang, H; Li, H; Liu, F; Jia, Q; Duan, H; Niu, Y; Bin, P; Zheng, Y; Dai, Y. (2013). Peptide-binding motifs and characteristics for HLA-B*13:01 molecule. *Tissue Antigens*. 81: 442-448. <http://dx.doi.org/10.1111/tan.12114>.
- Zhang, J; Yu, KF. (1998). What's the relative risk? A method of correcting the odds ratio in cohort studies of common outcomes. *JAMA*. 280: 1690-1691.
- Zhang, JY; Shi, BY; Xie, JK; Yuan, HL; Wang, DS. (2011). [Effect of physico-chemical characteristics of activated carbon on the adsorption of organic pollutants in natural water]. *Huanjing Kexue*. 32: 494-500.
- Zhang, L; Harrison, JK; Goldstein, LB. (2012). Echocardiography for the detection of cardiac sources of embolism in patients with stroke or transient ischemic attack. 21: 577-582. <http://dx.doi.org/10.1016/j.jstrokecerebrovasdis.2011.01.005>.
- Zhang, L; Steinmaus, C; Eastmond, DA; Xin, XK; Smith, MT. (2009). Formaldehyde exposure and leukemia: A new meta-analysis and potential mechanisms [Review]. *Mutat Res Rev Mutat Res*. 681: 150-168. <http://dx.doi.org/10.1016/j.mrrev.2008.07.002>.
- Zhang, L; Yang, J; Chen, XQ; Zan, K; Wen, XD; Chen, H; Wang, Q; Lai, MX. (2010). Antidiabetic and antioxidant effects of extracts from *Potentilla discolor* Bunge on diabetic rats induced by high fat diet and streptozotocin. *J Ethnopharmacol*. 132: 518-524. <http://dx.doi.org/10.1016/j.jep.2010.08.053>.
- Zhang, LN; Ai, YH; Liu, ZY; Tian, CH; Zhu, JX. (2012). [Feasibility of focused transthoracic echocardiography in intensive care unit performed by intensivists]. *Zhongguo Wei Zhong Bing Ji Jiu Yi Xue*. 24: 739-741.
- Zhang, M, an; Bacik, DB; Roberts, CB; Zhao, D. (2013). Catalytic hydrodechlorination of trichloroethylene in water with supported CMC-stabilized palladium nanoparticles. *Water Res*. 47: 3706-3715. <http://dx.doi.org/10.1016/j.watres.2013.04.024>.
- Zhang, M; Harrington, P. (2015). Application of chemometrics to resolve overlapping mass spectral peak clusters between trichloroethylene and its deuterated internal standard. *Rapid Commun Mass Spectrom*. 29: 789-794. <http://dx.doi.org/10.1002/rcm.7164>.

Human Health Hazard Literature Search Results

Off Topic

- Zhang, M; He, F; Zhao, D; Hao, X. (2011). Degradation of soil-sorbed trichloroethylene by stabilized zero valent iron nanoparticles: effects of sorption, surfactants, and natural organic matter. *Water Res.* 45: 2401-2414. <http://dx.doi.org/10.1016/j.watres.2011.01.028>.
- Zhang, MY; Liu, M; Gao, Y; Huang, XL; Ding, GC; Wang, JH. (2016). Can TTE Diagnose Right Pulmonary Artery-to-Left Atrial Fistula? A Rare Case Report and Literature Review [Review]. *Echocardiography.* 33: 333-336. <http://dx.doi.org/10.1111/echo.13085>.
- Zhang, Q; Huang, Y; Gong, S; Yang, Z; Sun, X; Schenken, R; Zhong, G. (2015). In Vivo and Ex Vivo Imaging Reveals a Long-Lasting Chlamydial Infection in the Mouse Gastrointestinal Tract following Genital Tract Inoculation. *Infect Immun.* 83: 3568-3577. <http://dx.doi.org/10.1128/IAI.00673-15>.
- Zhang, Q; Ma, J; Qiu, G; Li, L; Geng, S; Hasi, E; Li, C; Wang, G; Li, X. (2012). Potential energy production from algae on marginal land in China. *Bioresour Technol.* 109: 252-260. <http://dx.doi.org/10.1016/j.biortech.2011.08.084>.
- Zhang, Q; Sun, FY; Dong, WY; Zhang, GM; Han, RB. (2015). Micro-polluted surface water treatment and trace-organics removal pathway in a PAC-MBR system. *Process Biochemistry.* 50: 1422-1428. <http://dx.doi.org/10.1016/j.procbio.2015.05.021>.
- Zhang, Q; Yu, D; Seo, S; Stone, EM; Sheffield, VC. (2012). Intrinsic protein-protein interaction-mediated and chaperonin-assisted sequential assembly of stable bardet-biedl syndrome protein complex, the BBSome. *J Biol Chem.* 287: 20625-20635. <http://dx.doi.org/10.1074/jbc.M112.341487>.
- Zhang, R; Song, Y; Zhou, Y; Sun, L. (2013). Comparison of aortic annulus diameter measurement between multi-detector computed tomography and echocardiography: a meta-analysis. *PLoS ONE.* 8: e58729. <http://dx.doi.org/10.1371/journal.pone.0058729>.
- Zhang, S; Gedalanga, PB; Mahendra, S. (2016). Biodegradation Kinetics of 1,4-Dioxane in Chlorinated Solvent Mixtures. *Environ Sci Technol.* 50: 9599-9607. <http://dx.doi.org/10.1021/acs.est.6b02797>.
- Zhang, SL; Zhu, ZL; Yu, XT; Yang, JP. (2013). [Focus on occupational disease monitoring results analysis of Bao'an district, Shenzhen in 2011 to 2012]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 31: 513-514.
- Zhang, SZ; Xu, D; Li, MT; Hou, Y; Wang, Q; Tian, Z; Liu, YT; Guo, XX; Lai, JZ; Zhao, JL; Hu, CJ; Song, N; Sun, QN; Zhang, FC; Zhao, Y; Zeng, XF. (2015). Telangiectasia as a potential clinical marker of microvascular lesions in systemic sclerosis patients from EUSTAR data in China. *Clin Exp Rheumatol.* 33: S106-S110.
- Zhang, T; Ghaemmaghami, S. (2016). Global analysis of cellular protein flux quantifies the selectivity of basal autophagy. *Autophagy.* 12: 1411-1412. <http://dx.doi.org/10.1080/15548627.2016.1190891>.
- Zhang, T; Wang, W; Luo, Z; Wang, D; Bai, J; Han, D; Shen, B. (2012). Initial experience on the application of 320-row CT angiography with low-dose prospective ECG-triggered in children with congenital heart disease. *Int J Cardiovasc Imaging.* 28: 1787-1797. <http://dx.doi.org/10.1007/s10554-011-0005-1>.
- Zhang, W; Jia, N; Han, X; Qiu, Z; Lv, S; Lin, K; Ying, W. (2016). A comparison of the dechlorination mechanisms and Ni release styles of chloroalkane and chloroalkene removal using nickel/iron nanoparticles. *Environ Technol.* 37: 2088-2098. <http://dx.doi.org/10.1080/09593330.2016.1141998>.
- Zhang, W; Yu, T; Han, X; Ying, W. (2016). Removal of 2-CIBP from soil-water system using activated carbon supported nanoscale zerovalent iron. *J Environ Sci.* 47: 143-152. <http://dx.doi.org/10.1016/j.jes.2015.12.032>.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Qiu, Z; Sui, Q. (2015). Degradation of trichloroethylene in aqueous solution by calcium peroxide activated with ferrous ion. *J Hazard Mater.* 284: 253-260. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.030>.
- Zhang, X; Gu, X; Lu, S; Miao, Z; Xu, M; Fu, X; Qiu, Z; Sui, Q. (2016). Application of calcium peroxide activated with Fe(II)-EDDS complex in trichloroethylene degradation. *Chemosphere.* 160: 1-6. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.067>.
- Zhang, XH; Zheng, B; Gu, C; Fu, JR; Wen, JK. (2012). TGF- β 1 downregulates AT1 receptor expression via PKC- δ -mediated Sp1 dissociation from KLF4 and Smad-mediated PPAR- γ association with KLF4. *Arterioscler Thromb Vasc Biol.* 32: 1015-1023. <http://dx.doi.org/10.1161/ATVBAHA.111.244962>.
- Zhang, Y; Cantor, KP; Lynch, CF; Zheng, T. (2004). A population-based case-control study of occupation and renal cell carcinoma risk in Iowa. *J Occup Environ Med.* 46: 235-240. <http://dx.doi.org/10.1097/01.jom.0000116805.62079.d6>.
- Zhang, Y; Chen, H; Gao, Y; Xing, Z; Zhao, T. (2014). [Sequence analysis of 16S rDNA and pmoCAB gene cluster of trichloroethylene-degrading methanotroph]. *Sheng Wu Gong Cheng Xue Bao.* 30: 1912-1923.
- Zhang, Y; Hu, M; Jiang, Z; Liu, Y. (2011). Effect of anthraquinone-2,6-disulfonate on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 192: 1896-1899. <http://dx.doi.org/10.1016/j.jhazmat.2011.06.087>.
- Zhang, Y; Hu, M; Li, P; Wang, X; Meng, Q. (2015). Analysis of trichloroethylene removal and bacterial community function based on pH-adjusted in an upflow anaerobic sludge blanket reactor. *Appl Microbiol Biotechnol.* 99: 9289-9297. <http://dx.doi.org/10.1007/s00253-015-6800-1>.
- Zhang, Y; Hu, M; Li, P; Wang, X; Meng, Q. (2015). Trichloroethylene removal and bacterial variations in the up-flow anaerobic sludge blanket reactor in response to temperature shifts. *Appl Microbiol Biotechnol.* 99: 6091-6102. <http://dx.doi.org/10.1007/s00253-015-6480-x>.
- Zhang, Y; Huang, L; Su, Y; Zhan, Z; Li, Y; Lai, X. (2017). The Effects of Traditional Chinese Exercise in Treating Knee Osteoarthritis: A Systematic Review and Meta-Analysis. *PLoS ONE.* 12: e0170237. <http://dx.doi.org/10.1371/journal.pone.0170237>.
- Zhang, Y; Liu, J. (2011). Transgenic alfalfa plants co-expressing glutathione S-transferase (GST) and human CYP2E1 show enhanced resistance to mixed contaminants of heavy metals and organic pollutants. *J Hazard Mater.* 189: 357-362. <http://dx.doi.org/10.1016/j.jhazmat.2011.02.042>.
- Zhang, Y; Liu, J; Zhou, Y; Gong, T; Wang, J; Ge, Y. (2013). Enhanced phytoremediation of mixed heavy metal (mercury)-organic pollutants (trichloroethylene) with transgenic alfalfa co-expressing glutathione S-transferase and human P450 2E1. *J Hazard Mater.* 260: 1100-1107. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.065>.

Human Health Hazard Literature Search Results

Off Topic

- Zhang, Y; Liu, Y; Hu, M; Jiang, Z. (2014). Acclimation of the trichloroethylene-degrading anaerobic granular sludge and the degradation characteristics in an upflow anaerobic sludge blanket reactor. *Water Sci Technol.* 69: 120-127. <http://dx.doi.org/10.2166/wst.2013.564>.
- Zhang, Y, i; Tay, J. (2012). Co-metabolic degradation activities of trichloroethylene by phenol-grown aerobic granules. *J Biotechnol.* 162: 274-282. <http://dx.doi.org/10.1016/j.jbiotec.2012.09.012>.
- Zhang, Y; Tay, J. (2015). Toxic and inhibitory effects of trichloroethylene aerobic co-metabolism on phenol-grown aerobic granules. *J Hazard Mater.* 286C: 204-210. <http://dx.doi.org/10.1016/j.jhazmat.2015.01.003>.
- Zhang, Y; Tay, JH. (2014). Rate limiting factors in trichloroethylene co-metabolic degradation by phenol-grown aerobic granules. *Biodegradation.* 25: 227-237. <http://dx.doi.org/10.1007/s10532-013-9655-0>.
- Zhang, Y; Tay, JH. (2016). Physiological and functional diversity of phenol degraders isolated from phenol-grown aerobic granules: Phenol degradation kinetics and trichloroethylene co-metabolic activities. *J Environ Manage.* 169: 34-45. <http://dx.doi.org/10.1016/j.jenvman.2015.12.021>.
- Zhang, Y; Wang, X; Hu, M; Li, P. (2014). Effect of hydraulic retention time (HRT) on the biodegradation of trichloroethylene wastewater and anaerobic bacterial community in the UASB reactor. *Appl Microbiol Biotechnol.* 99: 1977-1987. <http://dx.doi.org/10.1007/s00253-014-6096-6>.
- Zhang, Y; Wang, Y; Wei, Y; Wu, J; Zhang, P; Shen, S; Saiyin, H; Wumaier, R; Yang, X; Wang, C; Yu, L. (2016). Molecular chaperone CCT3 supports proper mitotic progression and cell proliferation in hepatocellular carcinoma cells. *Cancer Lett.* 372: 101-109. <http://dx.doi.org/10.1016/j.canlet.2015.12.029>.
- Zhang, YH; Ye, SJ; Wu, JC. (2014). [Models for quantification of fluid saturation in two-phase flow system by light transmission method and its application]. *Huanjing Kexue.* 35: 2120-2128.
- Zhao, B; Shen, H; Liu, F; Liu, S; Niu, J; Guo, F, ei; Sun, X. (2012). Exposure to organochlorine pesticides is an independent risk factor of hepatocellular carcinoma: A case-control study. *J Expo Sci Environ Epidemiol.* 22: 541-548. <http://dx.doi.org/10.1038/jes.2011.29>.
- Zhao, C; Ichimura, A; Qian, N; Iida, T; Yamazaki, D; Noma, N; Asagiri, M; Yamamoto, K; Komazaki, S; Sato, C; Aoyama, F; Sawaguchi, A; Kakizawa, S; Nishi, M; Takeshima, H. (2016). Mice lacking the intracellular cation channel TRIC-B have compromised collagen production and impaired bone mineralization. *Science Signaling.* 9: ra49. <http://dx.doi.org/10.1126/scisignal.aad9055>.
- Zhao, E; Wei, Y; Zhang, Y; Zhai, N; Zhao, P; Liu, B. (2015). A Comparison of Transthoracic Echocardiography and Transcranial Doppler With Contrast Agent for Detection of Patent Foramen Ovale With or Without the Valsalva Maneuver. *Medicine (Baltimore).* 94: e1937. <http://dx.doi.org/10.1097/MD.0000000000001937>.
- Zhao, H, eP; Schmidt, KR; Lohner, S; Tiehm, A. (2011). Robustness of an aerobic metabolically vinyl chloride degrading bacterial enrichment culture. *Water Sci Technol.* 64: 1796-1803. <http://dx.doi.org/10.2166/wst.2011.752>.
- Zhao, HP; Schmidt, KR; Tiehm, A. (2010). Inhibition of aerobic metabolic cis-1,2-di-chloroethene biodegradation by other chloroethenes. *Water Res.* 44: 2276-2282. <http://dx.doi.org/10.1016/j.watres.2009.12.023>.
- Zhao, L; Jiang, W; Zhou, L; Gu, J; Wang, Y; Liu, Y; Zhang, X; Wu, S; Liu, X. (2014). The role of valvular regurgitation in catheter ablation outcomes of patients with long-standing persistent atrial fibrillation. *Europace.* 16: 848-854. <http://dx.doi.org/10.1093/europace/eut252>.
- Zhao, Q; Hu, X. (2013). Postoperative pulmonary hypertensive crisis caused by inverted left atrial appendage after cardiopulmonary bypass surgery for congenital heart disease in a neonate. *Heart, Lung & Circulation (Online).* 22: 781-783. <http://dx.doi.org/10.1016/j.hlc.2013.03.006>.
- Zhao, S; Ding, C; He, J. (2015). Detoxification of 1,1,2-trichloroethane to ethene by desulfitobacterium and identification of its functional reductase gene. *PLoS ONE.* 10: e0119507. <http://dx.doi.org/10.1371/journal.pone.0119507>.
- Zhao, S; Ding, C; He, J. (2016). Genomic characterization of Dehalococcoides mccartyi strain 11a5 reveals a circular extrachromosomal genetic element and a new tetrachloroethene reductive dehalogenase gene. *FEMS Microbiol Ecol.* <http://dx.doi.org/10.1093/femsec/fiw235>.
- Zhao, S; Qiu, J, ie; Wang, Y, an; Ji, X; Liu, X, ju; You, B; Sheng, Y, uP; Li, X; Gao, H. (2013). Profilin-1 promotes the development of hypertension-induced cardiac hypertrophy. *J Hypertens.* 31: 576-586. <http://dx.doi.org/10.1097/HJH.0b013e32835d6a56>.
- Zhao, X; Chen, XQ; Han, E; Hu, Y; Paik, P; Ding, Z; Overman, J; Lau, AL; Shahmoradian, SH; Chiu, W; Thompson, LM; Wu, C; Mobley, WC. (2016). TRiC subunits enhance BDNF axonal transport and rescue striatal atrophy in Huntington's disease. *Proc Natl Acad Sci USA.* 113: E5655-E5664. <http://dx.doi.org/10.1073/pnas.1603020113>.
- Zhao, X; Han, E; Ben Kenan, RF; Mobley, W; Wu, C. (2013). Selective Up-Regulation of TRiC Subunit(s) Ameliorates mHtt Toxicity. *Ann Neurol.* 74: S66-S66.
- Zhao, X; Yamazaki, D; Kakizawa, S; Pan, Z; Takeshima, H; Ma, J. (2011). Molecular architecture of Ca²⁺ signaling control in muscle and heart cells [Review]. 5: 391-396. <http://dx.doi.org/10.4161/chan.5.5.16467>.
- Zhao, X; Yamazaki, D; Park, KH; Komazaki, S; Tjondroesoemo, A; Nishi, M; Lin, P; Hirata, Y; Brotto, M; Takeshima, H; Ma, J. (2010). Ca²⁺ overload and sarcoplasmic reticulum instability in tric-a null skeletal muscle. *J Biol Chem.* 285: 37370-37376. <http://dx.doi.org/10.1074/jbc.M110.170084>.
- Zheng, XZ; Wu, J; Zheng, Q; Zha, WZ. (2016). Coronary Sinus Flow Is Reduced and Recovered With Time in Viral Myocarditis Mimicking Acute Coronary Syndrome: A Transthoracic Doppler Echocardiographic Study. *J Ultrasound Med.* 35: 63-69. <http://dx.doi.org/10.7863/ultra.14.12068>.
- Zheng, XZ; Yang, B; Wu, J. (2013). Sex-specific assessment of reduced coronary sinus flow in non-hypertensive patients with coronary artery disease at rest. *Libyan Journal of Medicine.* 8: 21553. <http://dx.doi.org/10.3402/ljm.v8i0.21553>.

Human Health Hazard Literature Search Results

Off Topic

- Zhong, C; Guo, Y; Huang, H; Tan, L; Wu, Y; Wang, W. (2013). Three-dimensional reconstruction of coronary arteries and its application in localization of coronary artery segments corresponding to myocardial segments identified by transthoracic echocardiography. *Computational and Mathematical Methods in Medicine*. 2013: 783939. <http://dx.doi.org/10.1155/2013/783939>.
- Zhou, H; Cheong, HG; Park, JW. (2016). Charge Carrier Transport Through the Interface Between Hybrid Electrodes and Organic Materials in Flexible Organic Light Emitting Diodes. *J Nanosci Nanotechnol*. 16: 5179-5185. <http://dx.doi.org/10.1166/jnn.2016.12265>.
- Zhou, H; Randers-Pehrson, G; Geard, CR; Brenner, DJ; Hall, EJ; Hei, TK. (2003). Interaction between radiation-induced adaptive response and bystander mutagenesis in mammalian cells. *Radiat Res*. 160: 512-516.
- Zhou, J; Xiao, RB; Sun, X. (2013). [Relationships between settlement morphology transition and residents commuting energy consumption]. *Ying Yong Sheng Tai Xue Bao*. 24: 1977-1984.
- Zhou, WW; Wang, HW; Liu, NN; Li, JJ; Yuan, W; Zhao, R; Xiang, LB; Qi, M. (2015). Diagnosis of malignancy of adult mediastinal tumors by conventional and transesophageal echocardiography. *Chin Med J*. 128: 1047-1051. <http://dx.doi.org/10.4103/0366-6999.155083>.
- Zhou, X; Lin, P; Yamazaki, D; Park, KH; Komazaki, S; Chen, SR; Takeshima, H; Ma, J. (2014). Trimeric intracellular cation channels and sarcoplasmic/endoplasmic reticulum calcium homeostasis [Review]. *Circ Res*. 114: 706-716. <http://dx.doi.org/10.1161/CIRCRESAHA.114.301816>.
- Zhou, Y; Chen, F; Huang, X; Zhao, X; Wu, H; Bai, Y; Qin, Y. (2013). A new coated nitinol occluder for transcatheter closure of ventricular septal defects in a canine model. *BioMed Res Int*. 2013: 507919. <http://dx.doi.org/10.1155/2013/507919>.
- Zhou, ZL; Zuo, C; Cheng, SL; Shao, WW; Liu, LP. (2013). [Application of grading evaluation on facial nerve function of Bell's palsy treated with electroacupuncture]. *Zhongguo Zhen Jiu*. 33: 692-696.
- Zhu, B, o; Peng, R; Xiong, A, iS; Fu, X; Zhao, W, ei; Tian, YS; Jin, X; Xue, Y; Xu, J; Han, HJ; Chen, C; Gao, J; Yao, QH. (2012). Analysis of gene expression profile of Arabidopsis genes under trichloroethylene stresses with the use of a full-length cDNA microarray. *Mol Biol Rep*. 39: 3799-3806. <http://dx.doi.org/10.1007/s11033-011-1157-8>.
- Zhu, J; Newhook, R; Marro, L; Chan, CC. (2005). Selected volatile organic compounds in residential air in the city of Ottawa, Canada. *Environ Sci Technol*. 39: 3964-3971. <http://dx.doi.org/10.1021/es050173u>.
- Zhu, L; Jin, J; Lin, H; Gao, K; Xu, X. (2015). Succession of microbial community and enhanced mechanism of a ZVI-based anaerobic granular sludge process treating chloronitrobenzenes wastewater. *J Hazard Mater*. 285: 157-166. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.029>.
- Zhu, X; He, J; Su, S; Zhang, X; Wang, F. (2016). Concept model of the formation process of humic acid-kaolin complexes deduced by trichloroethylene sorption experiments and various characterizations. *Chemosphere*. 151: 116-123. <http://dx.doi.org/10.1016/j.chemosphere.2016.02.068>.
- Zhu, XJ; He, JT; Su, SH. (2015). [Forming mechanism of humic acid-kaolin complexes and the adsorption of trichloroethylene]. *Huanjing Kexue*. 36: 227-236.
- Zhu, YP; Zhang, SL; Ye, DW; Shi, GH; Xiao, WJ. (2011). Yolk sac tumor in a patient with transverse testicular ectopia. *World Journal of Surgical Oncology*. 9: 91. <http://dx.doi.org/10.1186/1477-7819-9-91>.
- Zhuravleva, A; Radford, SE. (2014). How TriC folds tricky proteins [Comment]. *Cell*. 159: 1251-1252. <http://dx.doi.org/10.1016/j.cell.2014.11.029>.
- Zielinska-Psuja, B; Orłowski, J; Kowalowska, J; Zieba-Proc, B. (1998). Implikacje metaboliczne benzenu i trichloroetyleny. *Cz. 1. Wpływ trichloroetyleny na wydalanie fenolu u szczurów*. *Bromatol Chem Toksykol*. 31: 13-20.
- Ziv-El, M; Delgado, AG; Yao, Y; Kang, D; Nelson, KG; Halden, RU; Krajmalnik-Brown, R. (2011). Development and characterization of DehaloR boolean AND 2, a novel anaerobic microbial consortium performing rapid dechlorination of TCE to ethene. *Appl Microbiol Biotechnol*. 92: 1063-1071. <http://dx.doi.org/10.1007/s00253-011-3388-y>.
- Ziv-El, M; Popat, SC; Cai, K; Halden, RU; Krajmalnik-Brown, R; Rittmann, BE. (2012). Managing methanogens and homoacetogens to promote reductive dechlorination of trichloroethene with direct delivery of H₂ in a membrane biofilm reactor. *Biotechnol Bioeng*. 109: 2200-2210. <http://dx.doi.org/10.1002/bit.24487>.
- Ziv-El, M; Popat, SC; Parameswaran, P; Kang, DW; Polasko, A; Halden, RU; Rittmann, BE; Krajmalnik-Brown, R. (2012). Using electron balances and molecular techniques to assess trichloroethene-induced shifts to a dechlorinating microbial community. *Biotechnol Bioeng*. 109: 2230-2239. <http://dx.doi.org/10.1002/bit.24504>.
- Ziyrek, M; Tayyareci, Y; Yurdakul, S; Sahin, ST; Yildirimturk, O; Aytakin, S. (2013). Association of mitral annular calcification with endothelial dysfunction, carotid intima-media thickness and serum fetuin-A: an observational study. *Anadolu Kardiyol Derg*. 13: 752-758. <http://dx.doi.org/10.5152/akd.2013.235>.
- Zoccolillo, L; Amendola, L; Insogna, S; Pastorini, E. (2010). On-line analysis of volatile chlorinated hydrocarbons in air by gas chromatography-mass spectrometry Improvements in preconcentration and injection steps. *J Chromatogr A*. 1217: 3890-3895. <http://dx.doi.org/10.1016/j.chroma.2010.04.013>.
- Zogorski, JS; Carter, JM; Ivahnenko, T; Lapham, WW; Moran, MJ; Rowe, BL; Squillace, PJ; Toccalino, PL. (2006). Volatile organic compounds in the nation's ground water and drinking-water supply wells. (Circular 1292). Reston, VA: U.S. Department of the Interior, U.S. Geological Survey. <http://pubs.usgs.gov/circ/circ1292/pdf/circular1292.pdf>.
- Zokaei, AH; Sabzi, F; Joreirahmadi, S. (2016). RIGHT ATRIAL THROMBUS, AORTIC REGURGITATION, CORONARY ARTERY STENOSIS, AND CHYLOUS PLURAL EFFUSION IN ANTI PHOSPHOLIPIDSYNDROME: A CASE REPORT OF SYSTEMIC LUPUS ERYTHEMATOSUS. 32: 973-976.
- Zuily, S; Huttin, O; Mohamed, S; Marie, PY; Selton-Suty, C; Wahl, D. (2013). Valvular heart disease in antiphospholipid syndrome [Review]. *Curr Rheumatol Rep*. 15: 320. <http://dx.doi.org/10.1007/s11926-013-0320-8>.
- Zuily, S; Wahl, D. (2015). Pulmonary hypertension in antiphospholipid syndrome [Review]. *Curr Rheumatol Rep*. 17: 478. <http://dx.doi.org/10.1007/s11926-014-0478-8>.

OPPT RISK ASSESSMENT, PROBLEM FORMULATION OR SCOPE DOCUMENT

All documents cited in previous OPPT risk assessments, problem formulations and scope documents are included in the following section and listed as *on topic* without further categorization. The references may have also been captured in the search strategy and therefore presented in the peer reviewed literature search results section as either *on topic* or *off topic* for a given topic area in the sections above.

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- Anon. (1988). TOXICOLOGY AND CARCINOGENESIS STUDIES OF TRICHLOROETHYLENE (CAS NO. 79-01-6) IN FOUR STRAINS OF RATS (ACI, AUGUST, MARSHALL, OSBORNE-MENDEL) (GAVAGE STUDIES) (pp. 299 PP). (EMICBACK/76424). ANONYMOUS.
- Arito, H; Takahashi, M; Ishikawa, T. (1994). Effect of subchronic inhalation exposure to low-level trichloroethylene on heart rate and wakefulness-sleep in freely moving rats. *Sangyo Igaku* 36: 1-8.
- Ash, M; Ash, I. (2009). Handbook of industrial chemical additives 1,1,2-Trichloroethylene: Synapse Information Resources.
- ATSDR (Agency for Toxic Substances and Disease Registry). (1997). Toxicological profile for trichloroethylene (pp. 1-472). <http://www.atsdr.cdc.gov/toxprofiles/tp19.pdf>
- ATSDR (Agency for Toxic Substances and Disease Registry). (1998). Volatile organic compounds in drinking water and adverse pregnancy outcomes. United States Marine Corps Base, Camp Lejeune, NC. (PB98-156540; ATSDRH59897). Atlanta, GA. <http://www.atsdr.cdc.gov/hs/lejeune/>
- ATSDR (Agency for Toxic Substances and Disease Registry). (1999). Update on the status of the Superfund Substance-specific Applied Research Program. *Fed Reg* 64: 2760-2790.
- ATSDR (Agency for Toxic Substances and Disease Registry). (2001). Final Report: Evaluation of priority health conditions in a community with historical contamination by trichloroethylene. Atlanta, GA: U.S. Department of Health and Human Services.
- ATSDR (Agency for Toxic Substances and Disease Registry). (2006). Health consultation: Endicott area investigation: Health statistics review: Cancer and birth outcome analysis, Endicott area, town of Union, Broome County, New York. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/HAC/pha/EndicottAreaInvestigation/EndicottHealthStatsReviewHC052606.pdf>
- ATSDR (Agency for Toxic Substances and Disease Registry). (2008). Health consultation: Health statistics review follow-up: Cancer and birth outcome analysis: Endicott area investigation, Endicott area, Town of Union, Broome County, New York. Atlanta, GA: U.S. Department of Health and Human Services. <http://www.atsdr.cdc.gov/hac/pha//EndicottAreaInvestigationFollowUp/EndicottAreaHC051508.pdf>
- ATSDR (Agency for Toxic Substances and Disease Registry). (2011). The priority list of hazardous substances that will be the subject of toxicological profiles. <http://www.atsdr.cdc.gov/SPL/index.html>
- ATSDR (Agency for Toxic Substances and Disease Registry). (2014). Draft toxicological profile for trichloroethylene. <https://www.atsdr.cdc.gov/toxprofiles/tp19.pdf>
- Baldwin, PE; Maynard, AD. (1998). A Survey of Wind Speed in Indoor Workplaces. *Ann Occup Hyg* 42: 303-313.
- Bernad, PG; Newell, S; Spyker, DA. (1987). Neurotoxicity and behavior abnormalities in a cohort chronically exposed to trichloroethylene [Abstract]. *Vet Hum Toxicol* 29: 475.
- Blossom, SJ; Cooney, CA; Melnyk, SB; Rau, JL; Swearingen, CJ; Wessinger, WD. (2013). Metabolic changes and DNA hypomethylation in cerebellum are associated with behavioral alterations in mice exposed to trichloroethylene postnatally. *Toxicol Appl Pharmacol* 269: 263-269. <http://dx.doi.org/10.1016/j.taap.2013.03.025>
- Blossom, SJ; Melnyk, S; Cooney, CA; Gilbert, KM; James, SJ. (2012). Postnatal exposure to trichloroethylene alters glutathione redox homeostasis, methylation potential, and neurotrophin expression in the mouse hippocampus. *Neurotoxicology* 33: 1518-1527. <http://dx.doi.org/10.1016/j.neuro.2012.02.017>
- Bove, FJ. (1996). Public drinking water contamination and birthweight, prematurity, fetal deaths, and birth defects. *Toxicol Ind Health* 12: 255-266.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol* 141: 850-862.
- Boyer, A; Finch, W; Runyan, R. (2000). Trichloroethylene inhibits development of embryonic heart valve precursors in vitro. *Toxicol Sci* 53: 109-117.
- Bross, G; Difrancesco, D; Desmond, ME. (1983). The effects of low dosages of trichloroethylene on chick development. *Toxicology* 28: 283-294. [http://dx.doi.org/10.1016/0300-483X\(83\)90002-1](http://dx.doi.org/10.1016/0300-483X(83)90002-1)
- Buben, JA; O'Flaherty, EJ. (1985). Delineation of the role of metabolism in the hepatotoxicity of trichloroethylene and perchloroethylene: A dose-effect study. *Toxicol Appl Pharmacol* 78: 105-122.
- Burg, J; Gist, G. (1997). The potential impact on women from environmental exposures. *J Womens Health* 6: 159-161. <http://dx.doi.org/10.1089/jwh.1997.6.159>
- Caldwell, PT; Thorne, PA; Johnson, PD; Boitano, S; Runyan, RB; Selmin, O. (2008). Trichloroethylene disrupts cardiac gene expression and calcium homeostasis in rat myocytes. *Toxicol Sci* 104: 135-143. <http://dx.doi.org/10.1093/toxsci/kfn078>
- Carney, EW; Thorsrud, BA; Dugard, PH; Zabloutny, CL. (2006). Developmental toxicity studies in CrI:CD (SD) rats following inhalation exposure to trichloroethylene and perchloroethylene. *Birth Defects Res B Dev Reprod Toxicol* 77: 405-412. <http://dx.doi.org/10.1002/bdrb.20091>

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- Charbotel, B; Fevotte, J; Hours, M; Martin, JL; Bergeret, A. (2005). Case-control study on renal cell cancer and occupational trichloroethylene exposure, in the Arve Valley (France). Lyon, France: Institut Universitaire de Médecine du Travail, UMRESTTE, Université Claude Bernard. http://hal.archives-ouvertes.fr/docs/00/54/59/80/PDF/charbotel_octobre_05.pdf
- Charbotel, B; Fevotte, J; Hours, M; Martin, JL; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part II: Epidemiological aspects. *Ann Occup Hyg* 50: 777-787. <http://dx.doi.org/10.1093/annhyg/mel039>
- Chia, SE; Ong, CN; Tsakok, MF; Ho, A. (1996). Semen parameters in workers exposed to trichloroethylene. *Reprod Toxicol* 10: 295-299. [http://dx.doi.org/10.1016/0890-6238\(96\)00058-5](http://dx.doi.org/10.1016/0890-6238(96)00058-5)
- Chiu, WA; Micallef, S; Monster, AC; Bois, FY. (2007). Toxicokinetics of inhaled trichloroethylene and tetrachloroethylene in humans at 1 ppm: Empirical results and comparisons with previous studies. *Toxicol Sci* 95: 23-36. <http://dx.doi.org/10.1093/toxsci/kfl129>
- Chiu, WA; Okino, MS; Evans, MV. (2009). Characterizing uncertainty and population variability in the toxicokinetics of trichloroethylene and metabolites in mice, rats, and humans using an updated database, physiologically based pharmacokinetic (PBPK) model, and Bayesian approach. *Toxicol Appl Pharmacol* 241: 36-60. <http://dx.doi.org/10.1016/j.taap.2009.07.032>
- Choudhary, R. (2013). OSHA IMIS TCE exposure data. Washington, DC: Choudhary, R.
- Collier, JM; Selmin, O; Johnson, PD; Runyan, RB. (2003). Trichloroethylene effects on gene expression during cardiac development. *Birth Defects Res A Clin Mol Teratol* 67: 488-495. <http://dx.doi.org/10.1002/bdra.10073>
- Culver, TB; Shoemaker, CA; Lion, LW. (1991). IMPACT OF VAPOR SORPTION ON THE SUBSURFACE TRANSPORT OF VOLATILE ORGANIC-COMPOUNDS - A NUMERICAL-MODEL AND ANALYSIS. *Water Resour Res* 27: 2259-2270.
- Daubert, TE; Danner, RP. (1989). Physical and thermodynamic properties of pure chemicals: Data compilation. Washington, DC: Taylor & Francis.
- Daubert, TE; Danner, RP. (1995). Physical and thermodynamic properties of pure chemicals: Data compilation. Washington DC: Taylor and Francis.
- Dawson, B; Johnson, P; Goldberg, S; Ulreich, J. (1990). Cardiac teratogenesis of trichloroethylene and dichloroethylene in a mammalian model. *J Am Coll Cardiol* 16: 1304-1309.
- Dawson, B; Johnson, P; Goldberg, S; Ulreich, J. (1993). Cardiac teratogenesis of halogenated hydrocarbon-contaminated drinking water. *J Am Coll Cardiol* 21: 1466-1472. [http://dx.doi.org/10.1016/0735-1097\(93\)90325-U](http://dx.doi.org/10.1016/0735-1097(93)90325-U)
- Dekant, W; Metzler, M; Henschler, D. (1984). Novel metabolites of trichloroethylene through dechlorination reactions in rats, mice and humans. *Biochem Pharmacol* 33: 2021-2027.
- Dilling, WL; Tefertiller, NB; Kallos, GJ. (1975). Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in dilute aqueous solutions. *Environ Sci Technol* 9: 833-838. <http://dx.doi.org/10.1021/es60107a008>
- Drake, V; Koprowski, S; Lough, J; Hu, N; Smith, S. (2006). Trichloroethylene exposure during cardiac valvuloseptal morphogenesis alters cushion formation and cardiac hemodynamics in the avian embryo. *Environ Health Perspect* 114: 842-847. <http://dx.doi.org/10.1289/ehp.8781>
- Drake, VJ; Koprowski, SL; Hu, N; Smith, SM; Lough, J. (2006). Cardiogenic effects of trichloroethylene and trichloroacetic acid following exposure during heart specification of avian development. *Toxicol Sci* 94: 153-162. <http://dx.doi.org/10.1093/toxsci/kfl083>
- DTIC DLA (Defense Technical Information Center, Defense Logistics Agency). (1981). A simple method for predicting chemical agent evaporation. Alexandria, VA.
- Durkee, J. (2014). *Cleaning with Solvents: Methods and Machinery*. Oxford, UK: Elsevier Inc.
- Duteaux, SB; Berger, T; Hess, RA; Sartini, BL; Miller, MG. (2004). Male reproductive toxicity of trichloroethylene: Sperm protein oxidation and decreased fertilizing ability. *Biol Reprod* 70: 1518-1526. <http://dx.doi.org/10.1095/biolreprod.103.022210>
- EC (European Commission). (2000). IUCLID Dataset for trichloroethylene. European Chemical Substances Information System (ESIS). European Commission, Joint Research Centre. Institute for Health and Consumer Protection (IHCP), European Chemicals Bureau. http://esis.jrc.ec.europa.eu/doc/IUCLID/data_sheets/79016.pdf
- EC (European Commission). (2004). European Union Risk Assessment Report: Trichloroethylene. Cas No: 79-01-6. EINECS No: 201-167-4. 1st Priority List, Vol. 31 (pp. 1-348). (EUR 21057 EN). European Commission, Joint Research Center. Institute for Health and Consumer Protection, European Chemicals Bureau. <https://echa.europa.eu/documents/10162/83f0c99f-f687-4cdf-a64b-514f1e26fdc0>
- ECB (European Chemicals Bureau). (2004). European Union risk assessment report: Trichloroethylene. (EUR 21057 EN). European Commission. <https://echa.europa.eu/documents/10162/83f0c99f-f687-4cdf-a64b-514f1e26fdc0>
- ECHA (European Chemicals Agency). (2017). Registration dossier trichloroethylene. <https://echa.europa.eu/el/registration-dossier/-/registered-dossier/14485>
- Elovaara, E; Hemminki, K; Vainio, H. (1979). Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. *Toxicology* 12: 111-119. [http://dx.doi.org/10.1016/0300-483X\(79\)90037-4](http://dx.doi.org/10.1016/0300-483X(79)90037-4)
- Elsheikh, MY; Bertelo, CA; Dolbier, WR. (2005). *Kirk-Othmer Encyclopedia of Chemical Technology Hydrofluorocarbons*. Hoboken, NJ: John Wiley & Sons, Inc.
- Epstein, DL; Nolen, GA; Randall, JL; Christ, SA; Read, EJ; Stober, JA; Smith, MK. (1992). Cardiopathic effects of dichloroacetate in the fetal Long-Evans rat. *Teratology* 46: 225-235. <http://dx.doi.org/10.1002/tera.1420460306>
- ERG (Eastern Research Group Inc.). (2001). Draft generic scenario. Use of vapor degreasers. Chantilly, VA: Eastern Research Group.
- Ettema, JH; Zielhuis, RL; Burer, E; Meier, HA; Kleerekoper, L; de Graaf, MA. (1975). Effects of alcohol, carbon monoxide and trichloroethylene exposure on mental capacity. *Int Arch Occup Environ Health* 35: 117-132.

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- Evans, MV; Chiu, WA; Okino, MS; Caldwell, JC. (2009). Development of an updated PBPK model for trichloroethylene and metabolites in mice, and its application to discern the role of oxidative metabolism in TCE-induced hepatomegaly. *Toxicol Appl Pharmacol* 236: 329-340. <http://dx.doi.org/10.1016/j.taap.2009.02.013>
- Ferguson, R; Vernon, R. (1970). Trichloroethylene in combination with CNS drugs. Effects on visual-motor tests. *Arch Environ Health* 20: 462-467.
- Fisher, J; Channel, S; Eggers, J; Johnson, P; Macmahon, K; Goodyear, C; Sudberry, G; Warren, D; Latendresse, J; Graeter, L. (2001). Trichloroethylene, trichloroacetic acid, and dichloroacetic acid: Do they affect fetal rat heart development. *Int J Toxicol* 20: 257-267.
- Fogel, MM; Taddeo, AR; Fogel, S. (1986). Biodegradation of chlorinated ethenes by a methane-utilizing mixed culture. *Appl Environ Microbiol* 51: 720-724.
- Forand, SP; Lewis-Michl, EL; Gomez, MI. (2012). Adverse birth outcomes and maternal exposure to trichloroethylene and tetrachloroethylene through soil vapor intrusion in New York State. *Environ Health Perspect* 120: 616-621. <http://dx.doi.org/10.1289/ehp.1103884>
- Forkert, P; Lash, L; Nadeau, V; Tardif, R; Simmonds, A. (2002). Metabolism and toxicity of trichloroethylene in epididymis and testis. *Toxicol Appl Pharmacol* 182: 244-254.
- Fredriksson, A; Danielsson, BRG; Eriksson, P. (1993). Altered behaviour in adult mice orally exposed to tri- and tetrachloroethylene as neonates. *Toxicol Lett* 66: 13-19. [http://dx.doi.org/10.1016/0378-4274\(93\)90074-8](http://dx.doi.org/10.1016/0378-4274(93)90074-8)
- Gash, D; Rutland, K; Hudson, N; Sullivan, P; Bing, G; Cass, W; Pandya, J; Liu, M; Choi, D; Hunter, R; Gerhard, G; Smith, C; Slevin, J; Prince, T. (2008). Trichloroethylene: Parkinsonism and complex 1 mitochondrial neurotoxicity. *Ann Neurol* 63: 184-192. <http://dx.doi.org/10.1002/ana.21288>
- Gay, BW, Jr; Hanst, PL; Bufalini, JJ; Noonan, RC. (1976). Atmospheric oxidation of chlorinated ethylenes. *Environ Sci Technol* 10: 58-67. <http://dx.doi.org/10.1021/es60112a005>
- George, JD; Reel, J. R.; Myers, CB; Lawton, AD; Lamb, JC. (1986). Trichloroethylene: Reproduction and fertility assessment in F344 rats when administered in the feed (pp. 312 PP). (NTP-86-085). Research Triangle Park, NC: National Institute of Environmental Health Sciences, National Toxicology Program.
- Gilboa, SM; Desrosiers, TA; Lawson, C; Lupo, PJ; Riehle-Colarusso, TJ; Stewart, PA; van Wijngaarden, E; Waters, MA; Correa, A; Stud, NBDP. (2012). Association between maternal occupational exposure to organic solvents and congenital heart defects, National Birth Defects Prevention Study, 1997-2002. *Occup Environ Med* 69: 628-635. <http://dx.doi.org/10.1136/oemed-2011-100536>
- Glauser, J; Funda, C. (2012). Chemical Economics Handbook CEH marketing research report: C2 chlorinated solvents.
- Goldberg, SJ; Lebowitz, MD; Graver, EJ; Hicks, S. (1990). An association of human congenital cardiac malformations and drinking water contaminants. *J Am Coll Cardiol* 16: 155-164.
- Green, T; Prout, MS. (1985). Species differences in response to trichloroethylene: II. Biotransformation in rats and mice. *Toxicol Appl Pharmacol* 79: 401-411. [http://dx.doi.org/10.1016/0041-008X\(85\)90138-3](http://dx.doi.org/10.1016/0041-008X(85)90138-3)
- Hamburger, V; Hamilton, HL. (1951). A series of normal stages in the development of the chick embryo. *J Morphol* 88: 49-92. <http://dx.doi.org/10.1002/jmor.1050880104>
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, Electronic, and Steric Constants. In ACS Professional Reference Book. Washington, DC: American Chemical Society.
- Hardin, BD; Bond, GP; Sikov, MR; Andrew, FD; Beliles, RP; Niemeier, RW. (1981). Testing of selected workplace chemicals for teratogenic potential. *Scand J Work Environ Health* 7: 66-75.
- Hassoun, E; Kariya, C; Williams, F. (2005). Dichloroacetate-induced developmental toxicity and production of reactive oxygen species in zebrafish embryos. *J Biochem Mol Toxicol* 19: 52-58. <http://dx.doi.org/10.1002/jbt.20051>
- Healy, TEJ; Poole, TR; Hopper, A. (1982). Rat fetal development and maternal exposure to trichloroethylene 100 ppm. *Br J Anaesth* 54: 337-341.
- HHS (U.S. Department of Health and Human Services). (2009). Household products database [Database]. Bethesda, MD: National Institutes of Health. Retrieved from <http://householdproducts.nlm.nih.gov/about.htm>
- Hill, AB. (1965). The environment and disease: Association or causation? *Proc R Soc Med* 58: 295-300.
- Horvath, AL; Getzen, FW; Maczynska, Z. (1999). IUPAC-NIST Solubility data series 67: Halogenated ethanes and ethenes with water. *J Phys Chem Ref Data* 28: 395-627. <http://dx.doi.org/10.1063/1.556039>
- Howard, PH; Boethling, RS; Jarvis, WF; Meylan, WM; Michalenko, EM. (1991). Handbook of environmental degradation rates. Boca Raton, FL: Lewis Publishers/CRC Press. <http://www.crcpress.com/product/isbn/9780873713580>
- HSDB (Hazardous Substances Data Bank). (1992). Trichloroethylene. Hazardous Substances Data Bank. National Library of Medicine.
- Hunter, E; Rogers, E; Schmid, J; Richard, A. (1996). Comparative effects of haloacetic acids in whole embryo culture. *Teratology* 54: 57-64. [http://dx.doi.org/10.1002/\(SICI\)1096-9926\(199606\)54:2<57::AID-TERA1>3.0.CO;2-1](http://dx.doi.org/10.1002/(SICI)1096-9926(199606)54:2<57::AID-TERA1>3.0.CO;2-1)
- Hutter, GM; Brenniman, GR; Anderson, RJ. (1992). Measurement of the apparent diffusion coefficient of trichloroethylene in soil. *Water Environ Res* 64: 69-77.
- IARC (International Agency for Research on Cancer). (1995). Dry cleaning, some chlorinated solvents and other industrial chemicals: Summary of data reported and evaluation. In IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon, France.
- IARC (International Agency for Research on Cancer). (2014). Monographs on the evaluation of carcinogenic risks to humans: Cadmium, Trichloroethylene, Tetrachloroethylene, and some chlorinated agents. International Agency for Research on Cancer, World Health Organization.
- Iavicoli, I; Marinaccio, A; Carelli, G. (2005). Effects of occupational trichloroethylene exposure on cytokine levels in workers. *J Occup Environ Med* 47: 453-457. <http://dx.doi.org/10.1097/01.jom.0000161728.23285.66>

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- ICIS. (2010). Inorganics news in brief, October 25, 2010. ICIS Chemical Business Magazine. Reed Business Information Limited. <http://www.icis.com/Articles/2010/10/25/9403851/inorganics-news-in-brief.html>
- ICIS. (2012). Inorganics news in brief, January 23, 2012. ICIS Chemical Business Magazine. Reed Business Information Limited.
- Ikeda, M. (1977). Metabolism of trichloroethylene and tetrachloroethylene in human subjects. *Environ Health Perspect* 21: 239-245. <http://dx.doi.org/10.1289/ehp.7721239>
- Ikeda, M; Imamura, T. (1973). Biological half-life of trichloroethylene and tetrachloroethylene in human subjects [Review]. *Int Arch Occup Environ Health* 31: 209-224. <http://dx.doi.org/10.1007/BF00539241>
- IRTA (Institute for Research and Technical Assistance). (2007). Spotting chemicals: Alternatives to perchloroethylene and trichloroethylene in the textile cleaning industry. Prepared for: Cal/EPA's Department of Toxic Substances Control and U.S. Environmental Protection Agency Region IX. <http://www.irta.us/reports/DTSC%20Spotting%20Chemical%20for%20Web.pdf>
- Isaacson, LG; Spohler, SA; Taylor, DH. (1990). Trichloroethylene affects learning and decreases myelin in the rat hippocampus. *Neurotoxicol Teratol* 12: 375-381. [http://dx.doi.org/10.1016/0892-0362\(90\)90057-J](http://dx.doi.org/10.1016/0892-0362(90)90057-J)
- Jacob, S; Hery, M; Protois, JC; Rossert, J; Stengel, B. (2007). New insight into solvent-related end-stage renal disease: Occupations, products and types of solvents at risk. *Occup Environ Med* 64: 843-848. <http://dx.doi.org/10.1136/oem.2007.032482>
- Jayjock, MA; Armstrong, T; Taylor, M. (2011). The Daubert standard as applied to exposure assessment modeling using the two-zone (NF/FF) model estimation of indoor air breathing zone concentration as an example. *J Occup Environ Hyg* 8: D114-D122. <http://dx.doi.org/10.1080/15459624.2011.624387>
- Johnson, P; Dawson, B; Goldberg, S. (1998). A review: Trichloroethylene metabolites: Potential cardiac teratogens [Review]. *Environ Health Perspect* 106: 995-999.
- Johnson, PD; Dawson, BV; Goldberg, SJ. (1998). Cardiac teratogenicity of trichloroethylene metabolites. *J Am Coll Cardiol* 32: 540-545. [http://dx.doi.org/10.1016/S0735-1097\(98\)00232-0](http://dx.doi.org/10.1016/S0735-1097(98)00232-0)
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2003). Threshold of trichloroethylene contamination in maternal drinking waters affecting fetal heart development in the rat. *Environ Health Perspect* 111: 289-292.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2005). Erratum: Threshold of trichloroethylene contamination in maternal drinking waters affecting fetal heart development in the rat [Erratum]. *Environ Health Perspect* 113: A18.
- Johnson, PD; Goldberg, SJ; Mays, MZ; Dawson, BV. (2014). Erratum: Erratum for Johnson et al. [*Environ Health Perspect* 113:A18 (2005)]. *Environ Health Perspect* 122: A94. <http://dx.doi.org/10.1289/ehp.122-A94>
- Jollow, DJ; Bruckner, JV; Mcmillan, DC; Fisher, JW; Hoel, DG; Mohr, LC. (2009). Trichloroethylene risk assessment: A review and commentary [Review]. *Crit Rev Toxicol* 39: 782-797. <http://dx.doi.org/10.3109/10408440903222177>
- Kan, FW; Forkert, PG; Wade, MG. (2007). Trichloroethylene exposure elicits damage in epididymal epithelium and spermatozoa in mice. *Histol Histopathol* 22: 977-988. <http://dx.doi.org/10.14670/HH-22.977>
- Kanegsberg, B; Kanegsberg, E. (2011). Handbook for critical cleaning, cleaning agents and systems (2nd ed.). Boca Raton, FL: CRC Press.
- Kaneko, T; Saegusa, M; Tasaka, K; Sato, A. (2000). Immunotoxicity of trichloroethylene: A study with MRL-lpr/lpr mice. *J Appl Toxicol* 20: 471-475. [http://dx.doi.org/10.1002/1099-1263\(200011/12\)20:6<471::AID-JAT716>3.0.CO;2-E](http://dx.doi.org/10.1002/1099-1263(200011/12)20:6<471::AID-JAT716>3.0.CO;2-E)
- Kao, AS. (1994). FORMATION AND REMOVAL REACTIONS OF HAZARDOUS AIR-POLLUTANTS. *J Air Waste Manag Assoc* 44: 683-696.
- Kao, CM; Prosser, J. (1999). Intrinsic bioremediation of trichloroethylene and chlorobenzene: field and laboratory studies. *J Hazard Mater* 69: 67-79.
- Keil, CB; Simmons, CE; Anthony, TR. (2009). Mathematical Models for Estimating Occupational Exposure to Chemicals. Fairfax, VA: American Industrial Hygiene Association (AIHA).
- Keil, DE; Peden-Adams, MM; Wallace, S; Ruiz, P; Gilkeson, GS. (2009). Assessment of trichloroethylene (TCE) exposure in murine strains genetically-prone and non-prone to develop autoimmune disease. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 44: 443-453. <http://dx.doi.org/10.1080/10934520902719738>
- Kezic, S; Monster, AC; Krüse, J; Verberk, MM. (2000). Skin absorption of some vaporous solvents in volunteers. *Int Arch Occup Environ Health* 73: 415-422. <http://dx.doi.org/10.1007/s004200000161>
- Kjellstrand, P; Holmquist, B; Alm, P; Kanje, M; Romare, S; Jonsson, I; Månsson, L; Bjerkemo, M. (1983). Trichloroethylene: Further studies of the effects on body and organ weights and plasma butyrylcholinesterase activity in mice. *Acta Pharmacol Toxicol* 53: 375-384. <http://dx.doi.org/10.1111/j.1600-0773.1983.tb03438.x>
- Kjellstrand, P; Kanje, M; Bjerkemo, M. (1987). Regeneration of the sciatic nerve in mice and rats exposed to trichloroethylene. *Toxicol Lett* 38: 187-191. [http://dx.doi.org/10.1016/0378-4274\(87\)90127-5](http://dx.doi.org/10.1016/0378-4274(87)90127-5)
- Kumar, P; Prasad, A; Mani, U; Maji, B; Dutta, K. (2001). Trichloroethylene induced testicular toxicity in rats exposed by inhalation. *Hum Exp Toxicol* 20: 585-589. <http://dx.doi.org/10.1191/096032701718620882>
- Kumar, P; Prasad, AK; Saxena, DK; Manu, U; Maji, BK; Dutta, KK. (2000). Fertility and general reproduction studies in trichloroethylene exposed rats. *Indian Journal of Occupational Health* 43: 117-126.
- Lagakos, SW; Wessen, BJ; Zelen, M. (1986). An analysis of contaminated well water and health effects in Woburn, Massachusetts. *J Am Stat Assoc* 81: 583-596.
- Lehmann, I; Rehwagen, M; Diez, U; Seiffart, A; Rolle-Kampczyk, U; Richter, M; Wetzig, H; Borte, M; Herbarth, O. (2001). Enhanced in vivo IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: Results of the LARS study. *Int J Hyg Environ Health* 204: 211-221. <http://dx.doi.org/10.1078/1438-4639-00100>

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- Lehmann, J; Thoele, A; Rehwagen, M; Rolle-Kampczyk, U; Schlink, U; Schulz, R; Borte, M; Diez, U; Herbarth, O. (2002). The influence of maternal exposure to volatile organic compounds on the cytokine secretion profile of neonatal T cells. *Environ Toxicol* 17: 203-210. <http://dx.doi.org/10.1002/tox.10055>
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data* 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>
- Lide, DR. (2007). CRC handbook of chemistry and physics: A ready-reference book of chemical and physical data. In DR Lide (Ed.), (88th ed.). Boca Raton, FL: CRC Press.
- Lindstrom, AB; Pleil, JD. (1996). A methodological approach for exposure assessment studies in residences using volatile organic compound-contaminated water. *J Air Waste Manag Assoc* 46: 1058-1066.
- Loeber, C; Hendrix, M; Diez De Pinos, S; Goldberg, S. (1988). Trichloroethylene: A cardiac teratogen in developing chick embryos. *Pediatr Res* 24: 740-744. <http://dx.doi.org/10.1203/00006450-198812000-00018>
- Loffredo, C; Ferencz, C; Correa-Villasenor, A. (1991). Organic solvents and cardiovascular malformations in the Baltimore-Washington infant study [Abstract]. *Teratology* 43: 450.
- Luhring, D; Marks, N. (2000). How dry cleaning works. Retrieved from <http://home.howstuffworks.com/dry-cleaning.htm>
- Maltoni, C; Cotti, G. (1986). Results of long-term carcinogenicity bioassays of tetrachloroethylene on Sprague-Dawley rats administered by ingestion. *Acta Oncologica (Italy)* 7: 11-26.
- Mccarty, PL. (1996). Symposium on natural attenuation of chlorinated organics in ground water. EPA/540/R-96/509 Biotic and abiotic transformations of chlorinated solvents in ground water. Washington, DC: US Environmental Protection Agency, Office of Research and Development.
- McKone, TE; Knezovich, JP. (1991). The transfer of trichloroethylene (TCE) from a shower to indoor air: experimental measurements and their implications. *J Air Waste Manag Assoc* 41: 832-837.
- Mishima, N; Hoffman, S; Hill, EG; Krug, EL. (2006). Chick embryos exposed to trichloroethylene in an ex ovo culture model show selective defects in early endocardial cushion tissue formation. *Birth Defects Res A Clin Mol Teratol* 76: 517-527. <http://dx.doi.org/10.1002/bdra.20283>
- Mu, DY; Scow, KM. (1994). Effect of trichloroethylene (TCE) and toluene concentrations of TCE and toluene biodegradation and the population density of TCE and toluene degraders in soil. *Appl Environ Microbiol* 60: 2661-2665.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>
- Narotsky, MG; Weller, EA; Chinchilli, VM; Kavlock, RJ. (1995). Nonadditive developmental toxicity in mixtures of trichloroethylene, di(2-ethylhexyl) phthalate, and heptachlor in a 5 x 5 x 5 design. *Fundam Appl Toxicol* 27: 203-216. <http://dx.doi.org/10.1093/toxsci/27.2.203>
- NCI (National Cancer Institute). (1976). Carcinogenesis bioassay of trichloroethylene. (NCI-CG-TR-2). Bethesda, MD: U.S. Department of Health, Education, and Welfare, Public Health Service, National Institutes of Health. http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr002.pdf
- NEWMOA (Northeast Waste Management Officials' Association). (2001). Pollution prevention technology profile - Closed loop vapor degreasing. Boston, MA. <http://www.newmoa.org/prevention/p2tech/ProfileVaporDegreasing.pdf>
- NICNAS (National Industrial Chemicals Notification and Assessment Scheme). (2000). Trichloroethylene: Priority existing chemical assessment report no. 8. (8). Sydney, Australia. <http://www.nicnas.gov.au/Publications/CAR/PEC/PEC8.asp>
- NIOSH (National Institute for Occupational Safety and Health). (1997). Control of health and safety hazards in commercial drycleaners: chemical exposures, fire hazards, and ergonomic risk factors. (DHHS (NIOSH) Publication Number 97-150). Atlanta, GA. <http://www.cdc.gov/niosh/docs/97-150/>
- NIOSH (National Institute for Occupational Safety and Health). (1997). Control of spotting chemical hazards for commercial drycleaning. (Publication Number 97-158). Atlanta, GA: Centers for Disease Control and Prevention.
- NJ DEP (New Jersey Department of Environmental Protection). (1976). Upper limits on atmospheric ozone reductions following increased application of fixed nitrogen to the soil. *Geophys Res Lett* 3: 169-172. <http://dx.doi.org/10.1029/GL003i002a00169>
- NRC (National Research Council). (1983). Risk Assessment in the Federal Government: Managing the Process. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>
- NRC (National Research Council). (2001). Standing Operating Procedures for Developing Acute Exposure Guideline Levels for Hazardous Chemicals. http://www.nap.edu/catalog.php?record_id=10122
- NRC (National Research Council). (2006). Assessing the human health risks of trichloroethylene: Key scientific issues. Washington, DC: The National Academies Press. http://www.nap.edu/catalog.php?record_id=11707
- NRC (National Research Council). (2007). Assessing the human health risks of trichloroethylene: Key scientific issues: National Academies Press.
- NRC (National Research Council). (2009). Contaminated water supplies at Camp Lejeune: Assessing potential health effects. Washington, DC: National Academies Press. http://www.nap.edu/catalog.php?record_id=12618
- OECD (Organisation for Economic Co-operation and Development). (1996). SIDS Initial Assessment Profile for Trichloroethylene. (SIAM 4, 20-22 May 1996). Paris France. <http://webnet.oecd.org/hpv/ui/handler.axd?id=0bd4d332-9404-4bf6-8c31-3b7aab3910bf>
- OECD (Organisation for Economic Co-operation and Development). (2004). Emission scenario document on lubricants and lubricant additives. (JT00174617). Paris, France.
- OECD (Organisation for Economic Co-operation and Development). (2009). Emission scenario document on adhesive formulation. (JT03263583). Paris, France.

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- OECD (Organisation for Economic Co-operation and Development). (2009). Emission scenario documents on coating industry (paints, lacquers and varnishes). (JT03267833). Paris, France.
- OECD (Organisation for Economic Co-operation and Development). (2011). Emission scenario document on the use of metalworking fluids. (JT03304938). Organization for Economic Cooperation and Development.
- OECD (Organisation for Economic Co-operation and Development). (2013). Emission scenario document on the industrial use of adhesives for substrate bonding. Paris, France.
- O'Neil, MJ; Heckelman, PE; Koch, CB. (2006). The Merck index: An encyclopedia of chemicals, drugs, and biologicals (14th ed.). Whitehouse Station, NJ: Merck & Co.
- O'Neil, MJ; Smith, A; Heckelman, PE. (2001). Merck Index Trichloroethylene. Whitehouse Station, NJ: Merck & Co., Inc.
- Opdam, JJ. (1989). Intra and interindividual variability in the kinetics of a poorly and highly metabolising solvent. *Br J Ind Med* 46: 831-845. <http://dx.doi.org/10.1136/oem.46.12.831>
- Parfitt, K; Sweetman, S; Blake, P; Parsons, A. (1999). Martindale: The complete drug reference: London: Pharmaceutical Press.
- Peden-Adams, MM; Eudaly, JG; Heesemann, LM; Smythe, J; Miller, J; Gilkeson, GS; Keil, DE. (2006). Developmental immunotoxicity of trichloroethylene (TCE): Studies in B6C3F1 mice. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 41: 249-271. <http://dx.doi.org/10.1080/10934520500455289>
- Prout, MS; Provan, WM; Green, T. (1985). Species differences in response to trichloroethylene. I. Pharmacokinetics in rats and mice. *Toxicol Appl Pharmacol* 79: 389-400.
- Radican, L; Wartenberg, D; Rhoads, G; Schneider, D; Wedeen, R; Stewart, P; Blair, A. (2006). A retrospective occupational cohort study of end-stage renal disease in aircraft workers exposed to trichloroethylene and other hydrocarbons. *J Occup Environ Med* 48: 1-12. <http://dx.doi.org/10.1097/01.jom.0000190300.51629.e0>
- Richards, AA; Garg, V. (2010). Genetics of congenital heart disease. *Current Cardiology Reviews* 6: 91-97. <http://dx.doi.org/10.2174/157340310791162703>
- Ruckart, PZ; Bove, FJ; Maslia, M. (2013). Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case-control study. *Environ Health* 12: 104. <http://dx.doi.org/10.1186/1476-069X-12-104>
- Rufer, ES; Hacker, T; Lough, J; Smith, SM. (2008). Low-dose trichloroethylene exposure during valvuloseptal morphogenesis causes ventricular septal defects in hatched chicks [Abstract]. *Toxicologist* 102: 314.
- Rufer, ES; Hacker, TA; Flentke, GR; Drake, VJ; Brody, MJ; Lough, J; Smith, SM. (2010). Altered cardiac function and ventricular septal defect in avian embryos exposed to low-dose trichloroethylene. *Toxicol Sci* 113: 444-452. <http://dx.doi.org/10.1093/toxsci/kfp269>
- Ruijten, MW; Verberk, MM; Sallé, HJ. (1991). Nerve function in workers with long term exposure to trichloroethene. *Br J Ind Med* 48: 87-92.
- SAB (Science Advisory Board). (2011). Review of EPA's draft assessment entitled "Toxicological review of trichloroethylene (October 2009)". (EPA-SAB-11-002). Washington, DC: U.S. Environmental Protection Agency, Science Advisory Board. [http://yosemite.epa.gov/sab/sabproduct.nsf/B73D5D39A8F184BD85257817004A1988/\\$File/EPA-SAB-11-002-unsigned.pdf](http://yosemite.epa.gov/sab/sabproduct.nsf/B73D5D39A8F184BD85257817004A1988/$File/EPA-SAB-11-002-unsigned.pdf)
- Saillenfait, AM; Langonne, I; Sabate, JP. (1995). Developmental toxicity of trichloroethylene, tetrachloroethylene and four of their metabolites in rat whole embryo culture. *Arch Toxicol* 70: 71-82. <http://dx.doi.org/10.1007/BF02733666>
- Sanders, VM; Tucker, AN; White, KL, Jr; Kauffmann, BM; Hallett, P; Carchman, RA; Borzelleca, JF; Munson, AE. (1982). Humoral and cell-mediated immune status in mice exposed to trichloroethylene in the drinking water. *Toxicol Appl Pharmacol* 62: 358-368. [http://dx.doi.org/10.1016/0041-008X\(82\)90138-7](http://dx.doi.org/10.1016/0041-008X(82)90138-7)
- Sato, A; Nakajima, T; Fujiwara, Y; Murayama, N. (1977). A pharmacokinetic model to study the excretion of trichloroethylene and its metabolites after an inhalation exposure. *Br J Ind Med* 34: 56-63.
- SCG (Scientific Consulting Group, Inc.). (2013). Final peer review comments for the OPPT trichloroethylene (TCE) draft risk assessment [Website]. Gaithersburg, MD: Scientific Consulting Group, Inc. Retrieved from <http://www.scgcorp.com/tcl2013/prcomments.asp>
- Schwetz, BA; Leong, BKJ; Gehring, PJ. (1975). The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol* 32: 84-96. [http://dx.doi.org/10.1016/0041-008X\(75\)90197-0](http://dx.doi.org/10.1016/0041-008X(75)90197-0)
- Selmin, OI; Thorne, PA; Caldwell, PT; Taylor, MR. (2008). Trichloroethylene and trichloroacetic acid regulate calcium signaling pathways in murine embryonal carcinoma cells p19. *Cardiovasc Toxicol* 8: 47-56. <http://dx.doi.org/10.1007/s12012-008-9014-2>
- Smith, MK; Randall, JL; Read, EJ; Stober, JA. (1989). Teratogenic activity of trichloroacetic acid in the rat. *Teratology* 40: 445-451. <http://dx.doi.org/10.1002/tera.1420400506>
- Smith, MK; Randall, JL; Read, EJ; Stober, JA. (1992). Developmental toxicity of dichloroacetate in the rat. *Teratology* 46: 217-223. <http://dx.doi.org/10.1002/tera.1420460305>
- Snedecor, G; Hickman, JC; Mertens, JA. (2004). Kirk-Othmer Encyclopedia of Chemical Technology Chloroethylenes. [online]: John Wiley & Sons, Inc.
- Stewart, RD; Dodd, HC; Gay, HH; Erley, DS. (1970). Experimental human exposure to trichloroethylene. *Arch Environ Health* 20: 64-71.
- Taskinen, H; Anttila, A; Lindbohm, ML; Sallmén, M; Hemminki, K. (1989). Spontaneous abortions and congenital malformations among the wives of men occupationally exposed to organic solvents. *Scand J Work Environ Health* 15: 345-352.
- Taskinen, H; Kyronen, P; Hemminki, K. (1994). Laboratory work and pregnancy outcome. *J Occup Med* 36: 311-319. <http://dx.doi.org/10.1097/00043764-199403000-00008>

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- Taylor, DH; Lagory, KE; Zaccaro, DJ; Pfohl, RJ; Laurie, RD. (1985). Effect of trichloroethylene on the exploratory and locomotor activity of rats exposed during development. *Sci Total Environ* 47: 415-420. [http://dx.doi.org/10.1016/0048-9697\(85\)90345-6](http://dx.doi.org/10.1016/0048-9697(85)90345-6)
- Tibaldi, R; ten Berge, W; Drolet, D. (2014). Dermal absorption of chemicals: estimation by IH SkinPerm. *J Occup Environ Hyg* 11: 19-31. <http://dx.doi.org/10.1080/15459624.2013.831983>
- Tikkanen, J; Heinonen, O. (1991). Maternal exposure to chemical and physical factors during pregnancy and cardiovascular malformations in the offspring. *Teratology* 43: 591-600. <http://dx.doi.org/10.1002/tera.1420430614>
- Tikkanen, J; Heinonen, OP. (1988). Cardiovascular malformations and organic solvent exposure during pregnancy in Finland. *Am J Ind Med* 14: 1-8. <http://dx.doi.org/10.1002/ajim.4700140102>
- U.S. Census Bureau. (2008). North American Industry Classification System. Introduction to NAICS. US Census Bureau, U.S. Department of Commerce. <http://www.census.gov/eos/www/naics/>
- U.S. Department of Labor. (2012). Occupational employment statistics: Laundry and dry-cleaning workers.
- U.S. EPA (U.S. Environmental Protection Agency). (1977). Control of volatile organic emissions from solvent metal cleaning [EPA Report]. (EPA-450/2-77-022). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air and Waste Management, Office of Air Quality Planning and Standards.
- U.S. EPA (U.S. Environmental Protection Agency). (1979). Water-related environmental fate of 129 priority pollutants: Volume II: Halogenated aliphatic hydrocarbons, halogenated ethers, monocyclic aromatics, phthalate esters, polycyclic aromatic hydrocarbons, nitrosamines, and miscellaneous compounds [EPA Report]. (EPA-440/4-79-029b). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000K6JL.txt>
- U.S. EPA (U.S. Environmental Protection Agency). (1980). Compilation of air pollutant emission factors. Chapter 4.7: Waste solvent reclamation. Office of Air and Radiation, Office of Air Quality and Planning Standards.
- U.S. EPA (U.S. Environmental Protection Agency). (1980). Fate of toxic and hazardous materials in the air environment (pp. 1-7). (EPA-600/S3-80-084). Research Triangle Park, NC: US Environmental Protection Agency, Office of Research and Development. <https://nepis.epa.gov/Exe/ZyNET.exe/9100PTV9.TXT?ZyActionD=ZyDocument&Client=EPA&Index=1976+Thru+1980&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5Cindex%20Data%5C76thru80%5Ctxt%5C0000018%5C9100PTV9.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=hpfr&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL>
- U.S. EPA (U.S. Environmental Protection Agency). (1982). Steam electric power generating point source category; Effluent limitations guidelines, pretreatment standards and new source performance standards. Final rule. *Fed Reg* 47: 52290-52309.
- U.S. EPA (U.S. Environmental Protection Agency). (1985). Assessment of trichloroethylene as a potentially toxic air pollutant; proposed rule. 50: 52422-52425.
- U.S. EPA (U.S. Environmental Protection Agency). (1985). National primary drinking water regulations; Volatile synthetic organic chemicals. Final rule. *Fed Reg* 50: 46880-46901.
- U.S. EPA (U.S. Environmental Protection Agency). (1986). Clarification and correction of previously published notice on the assessment of trichloroethylene as a potentially toxic air pollutant. *Fed Reg* 51: 7714.
- U.S. EPA (U.S. Environmental Protection Agency). (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>
- U.S. EPA (U.S. Environmental Protection Agency). (1986). Guidelines for the health risk assessment of chemical mixtures (pp. 1-38). (EPA/630/R-98/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=22567>
- U.S. EPA (U.S. Environmental Protection Agency). (1987). National primary drinking water regulations. Synthetic organic chemicals. Monitoring for unregulated contaminants. Final rule. *Fed Reg* 52: 25690-25696.
- U.S. EPA (U.S. Environmental Protection Agency). (1987). Organic chemicals and plastics and synthetic fibers category effluent limitations guidelines, pretreatment standards, and new source performance standards. Final rule. *Fed Reg* 52: 42522-42584.
- U.S. EPA (U.S. Environmental Protection Agency). (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=34855>
- U.S. EPA (U.S. Environmental Protection Agency). (1988). Underground injection control program: hazardous waste disposal injection restrictions; Amendments to technical requirements for Class I hazardous waste injection wells. Additional monitoring requirements applicable to all Class I wells. Final rule. *Fed Reg* 53: 28118-28157.
- U.S. EPA (U.S. Environmental Protection Agency). (1989). Reportable quantity adjustments. Delisting of ammonium thiosulfate. Final rule. *Fed Reg* 54: 33426-33484.
- U.S. EPA (U.S. Environmental Protection Agency). (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=23162>

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- U.S. EPA (U.S. Environmental Protection Agency). (1992). TCE Removal from Contaminated Soil and Groundwater. (EPA/540/S-92-002). Washington, D.C.: U.S. Environmental Protection Agency, Office of Research and Development, Office of Solid Waste and Emergency Response.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=186068>
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>
- U.S. EPA (U.S. Environmental Protection Agency). (1994). National emission standards for hazardous air pollutants for source categories. Organic hazardous air pollutants from the synthetic organic chemical manufacturing industry and other processes subject to the negotiated regulation for equipment leaks. Final rule. Fed Reg 59: 19402.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). National emission standards for hazardous air pollutants: halogenated solvent cleaning. Final rule. Fed Reg 59: 61801.
- U.S. EPA (U.S. Environmental Protection Agency). (1994). Notice of opportunity to initiate negotiations for TSCA-Section 4. Enforceable consent agreements; solicitation of testing proposals for ATSDR chemicals. Fed Reg 59.
- U.S. EPA (U.S. Environmental Protection Agency). (1995). EPA office of compliance sector notebook project. Profile of the dry cleaning industry. (EPA/310-R-95-001). Washington, D.C.
- U.S. EPA (U.S. Environmental Protection Agency). (1995). Estimation of distributions for residential air exchange rates: Final report. (Document No. 600R95180). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. <http://nepis.epa.gov/Exe/ZyNET.exe/910063GS.TXT?ZyActionD=ZyDocument&Client=EPA&Index=1995+Thru+1999&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5Cindex%20Data%5C95thru99%5Ctxt%5C00000025%5C910063GS.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL>
- U.S. EPA (U.S. Environmental Protection Agency). (1995). Final water quality guidance for the Great Lakes System. Final rule. Fed Reg 60: 15366-15425.
- U.S. EPA (U.S. Environmental Protection Agency). (1995). Guidance document for the halogenated solvent cleaner NESHAP. (EPA-453/R-94-081). Research Triangle Park, NC: Office of Air Quality Planning and Standards, Information Transfer and Program Integration Division, Control Technology Center, Federal Small Business Assistance Program.
- U.S. EPA (U.S. Environmental Protection Agency). (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>
- U.S. EPA (U.S. Environmental Protection Agency). (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA (U.S. Environmental Protection Agency). (1997). Exposure factors handbook [EPA Report] (pp. 1216). (EPA/600/P-95/002Fa-c). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=12464>
- U.S. EPA. (1998). Federal Register: August 19, 1998, Part 2. 40 CFR Parts 141 and 142. National Primary Drinking Water Regulation: Consumer Confidence Reports; Final Rule. (816Z98005). <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=200028J1.txt>
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Guidelines for ecological risk assessment [EPA Report]. (EPA/630/R-95/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/raf/publications/guidelines-ecological-risk-assessment.htm>
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Hazardous waste combustors; revised standards; final rule- Part 1: RCRA-comparable fuel exclusion; permit modifications for hazardous waste combustion units; notification of intent to comply; waste minimization and pollution prevention criteria for compliance extensions. Fed Reg 63: 33782-33829.
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Methods for exposure-response analysis for acute inhalation exposure to chemicals: Development of the acute reference exposure [external review draft] [EPA Report]. (EPA/600/R-98/051). Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (1998). National emission standards for hazardous air pollutants: wood furniture manufacturing operations. Final rule. Fed Reg 63: 71376-71385.
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://ofmpub.epa.gov/eims/eimscmm.getfile?p_download_id=4727

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- U.S. EPA (U.S. Environmental Protection Agency). (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Supplementary guidance for conducting health risk assessment of chemical mixtures (pp. 1-209). (EPA/630/R-00/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=20533>
- U.S. EPA (U.S. Environmental Protection Agency). (2001). Guide to industrial assessments for pollution prevention and energy efficiency [EPA Report]. (EPA/625/R-99/003). Cincinnati, OH: Office of Research and Development, National Risk Management Research Laboratory, Center for Environmental Research Information.
- U.S. EPA (U.S. Environmental Protection Agency). (2001). National emission standards for pharmaceuticals production. Final rule and direct final rule; corrections and amendments. Fed Reg 66: 40121-40137.
- U.S. EPA (U.S. Environmental Protection Agency). (2001). Risk assessment guidance for superfund (RAGS: Volume III - part A, Process for conducting probabilistic risk assessment. (EPA 540-R-02-002). Washington, DC: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response. <http://www.epa.gov/oswer/riskassessment/rags3adt/index.htm>
- U.S. EPA (U.S. Environmental Protection Agency). (2001). Sources, emission and exposure for trichloroethylene (TCE) and related chemicals [EPA Report]. (EPA/600/R-00/099). Washington, DC. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=21006>
- U.S. EPA (U.S. Environmental Protection Agency). (2002). National emission standards for hazardous air pollutants for friction materials manufacturing facilities; final rule. Fed Reg 67: 64498-64512.
- U.S. EPA (U.S. Environmental Protection Agency). (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>
- U.S. EPA (U.S. Environmental Protection Agency). (2003). National emission standards for hazardous pollutants; printing, coating, and dyeing of fabrics and other textiles; Final rule. Fed Reg 68: 32172-32229.
- U.S. EPA (U.S. Environmental Protection Agency). (2004). Air toxics risk assessment reference library: Volume 1: Technical resource manual. (EPA-453-K-04-001A). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. <http://www2.epa.gov/fera/risk-assessment-and-modeling-air-toxics-risk-assessment-reference-library>
- U.S. EPA (U.S. Environmental Protection Agency). (2004). National emission standards for hazardous air pollutants: Organic liquids distribution (non-gasoline). Fed Reg 69: 5038-5087.
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens [EPA Report]. (EPA/630/R-03/003F). Washington, DC. <http://www2.epa.gov/osa/supplemental-guidance-assessing-susceptibility-early-life-exposure-carcinogens>
- U.S. EPA (U.S. Environmental Protection Agency). (2006). Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment (Final Report) [EPA Report] (pp. 1-123). (EPA/600/R-05/043F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=157668>
- U.S. EPA (U.S. Environmental Protection Agency). (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>
- U.S. EPA (U.S. Environmental Protection Agency). (2006). Peer review handbook (3rd edition) [EPA Report]. (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. <http://www.epa.gov/peerreview/>
- U.S. EPA (U.S. Environmental Protection Agency). (2007). AirData. Office of Air Quality Planning and Standards. <http://www3.epa.gov/airquality/airdata/>
- U.S. EPA (U.S. Environmental Protection Agency). (2007). Economic impact analysis of the halogenated solvent cleaners residual risk standard (pp. 1-43). (EPA452R07005). Research Triangle Park, NC: US Environmental Protection Agency. https://www3.epa.gov/ttn/ecas/docs/eia_ip/halogenated-solvent_eia_neshap_final_05-2007.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2007). Exposure and fate assessment screening tool (E-FAST): Version 2.0, documentation manual [EPA Report].
- U.S. EPA (U.S. Environmental Protection Agency). (2007). National air emission standards for hazardous air pollutants: Halogenated solvent cleaning. Fed Reg 72: 25138-25159.
- U.S. EPA (U.S. Environmental Protection Agency). (2007). Protection of stratospheric ozone: Listing of substitutes for ozone-depleting substances-n-propyl bromide in solvent cleaning. Fed Reg 72: 30142-30167.
- U.S. EPA (U.S. Environmental Protection Agency). (2008). Trichloroethylene (CAS Reg. No. 70-01-6). Interim acute exposure guideline levels (AEGLS) (pp. i-93). US Environmental Protection Agency. https://www.epa.gov/sites/production/files/2014-08/documents/trichloroethylene_interim_dec_2008_v1.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2009). National emission standards for hazardous air pollutants for chemical manufacturing area sources; Final rule. Fed Reg 74: 56008-56056.

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- U.S. EPA. (2010). Federal Register: March 29 2010 National Primary Drinking Water Regulations Announcement of the Results of EPA's Review of Existing Drinking Water Standards and Request for Public Comment and/or Information on Related Issues Notice. (815Z10001). <http://nepis.epa.gov/exe/ZyPURL.cgi?Dockey=P1007TNX.txt>
- U.S. EPA (U.S. Environmental Protection Agency). (2010). Six-year review 2 contaminant occurrence data (1998-2005). <https://www.epa.gov/dwsixyearreview/six-year-review-2-contaminant-occurrence-data-1998-2005>
- U.S. EPA (U.S. Environmental Protection Agency). (2010). TSCA New Chemicals Program (NCP) chemical categories [EPA Report]. <http://www.epa.gov/oppt/newchemicals/pubs/npcchemicalcategories.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). 2008 National Emissions Inventory data and documentation [Website]. Washington, DC. Retrieved from <http://www.epa.gov/ttn/chief/net/2008inventory.html>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Exposure factors handbook: 2011 edition (final) [EPA Report]. (EPA/600/R-090/052F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=236252>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Exposure factors handbook 2011 Edition (Final Report) (pp. 1-1436). (EPA/600/R-09/052F). Washington, DC: US Environmental Protection Agency. file:///C:/Users/36260/Downloads/EFH-COMPLETE.PDF
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Toxic chemical release inventory reporting forms and instructions. Revised 2011 version (pp. 1-193). (EPA260R10001). US Environmental Protection Agency. https://ofmpub.epa.gov/apex/guideme_ext/guideme_ext/r/files/static/v3321/rfi/RX_2011_RFI.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Toxicological Review of Trichloroethylene (CAS No. 79-01-6) in Support of Summary Information on the Integrated Risk Information System (IRIS) [EPA Report].
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Vocabulary catalog list detail - Integrated Risk Information System (IRIS) glossary [Website]. Washington, DC: U.S. Environmental Protection Agency, Terminology Services. Retrieved from http://ofmpub.epa.gov/sor_internet/registry/termreg/searchandretrieve/glossariesandkeywordlists/search.do?details=&glossaryName=IRIS%20Glossary
- U.S. EPA (U.S. Environmental Protection Agency). (2012). Benchmark dose technical guidance. (EPA/100/R-12/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/benchmark-dose-technical-guidance>
- U.S. EPA (U.S. Environmental Protection Agency). (2012). Estimation Programs Interface (EPI) Suite™ for Microsoft® Windows (Version 4.11). Washington D.C.: Environmental Protection Agency. Retrieved from <http://www.epa.gov/opptintr/exposure/pubs/episuite.htm>
- U.S. EPA (U.S. Environmental Protection Agency). (2012). TSCA work plan chemicals: Methods document (pp. 1-28). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. https://www.epa.gov/sites/production/files/2014-03/documents/work_plan_methods_document_web_final.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2013). 2012 Chemical Data Report (CDR). Washington, D.C. <http://www.epa.gov/tri/index.htm>
- U.S. EPA (U.S. Environmental Protection Agency). (2013). Interpretive assistance document for assessment of discrete organic chemicals. Sustainable futures summary assessment [EPA Report]. Washington, DC. http://www.epa.gov/sites/production/files/2015-05/documents/05-iaad_discretes_june2013.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2014). Degreasing with TCE in commercial facilities: Protecting workers [EPA Report]. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
- U.S. EPA (U.S. Environmental Protection Agency). (2014). Framework for human health risk assessment to inform decision making. Final [EPA Report]. (EPA/100/R-14/001). Washington, DC: U.S. Environmental Protection, Risk Assessment Forum. <http://www2.epa.gov/risk/framework-human-health-risk-assessment-inform-decision-making>
- U.S. EPA (U.S. Environmental Protection Agency). (2014). Toxics release inventory (TRI) program [Website]. Washington, DC: Office of Pollution Prevention and Toxics. Retrieved from <http://www2.epa.gov/toxics-release-inventory-tri-program>
- U.S. EPA (U.S. Environmental Protection Agency). (2014). TSCA work plan chemical risk assessment. Trichloroethylene: Degreasing, spot cleaning and arts & crafts uses. (EPA Document #740-R1-4002). Washington, DC: Office of Chemical Safety and Pollution Prevention. http://www2.epa.gov/sites/production/files/2015-09/documents/tce_opptworkplanchemra_final_062414.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2015). Update of human health ambient water quality criteria: Trichloroethylene (TCE) 79-01-6. (EPA 820-R-15-066). Washington D.C.: Office of Water, Office of Science and Technology. <https://www.regulations.gov/document?D=EPA-HQ-OW-2014-0135-0173>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). CPCat (Chemical and Product Categories) [Database]. Retrieved from <https://www.epa.gov/chemical-research/chemical-and-product-categories-cpcat>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Instructions for reporting 2016 TSCA chemical data reporting. <https://www.epa.gov/chemical-data-reporting/instructions-reporting-2016-tsca-chemical-data-reporting>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Public database 2016 chemical data reporting (May 2017 release). Washington, DC: US Environmental Protection Agency, Office of Pollution Prevention and Toxics. Retrieved from <https://www.epa.gov/chemical-data-reporting>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Supplemental exposure and risk reduction technical report in support of risk management options for trichloroethylene (TCE) use in consumer aerosol degreasing. Washington D.C.: Office of Chemical Safety and Pollution Prevention. <https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0163-0023>

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- U.S. EPA (U.S. Environmental Protection Agency). (2016). Supplemental occupational exposure and risk reduction technical report in support of risk management options for trichloroethylene (TCE) use in aerosol degreasing. (RIN 2070-AK03). Washington D.C.: Office of Chemical Safety and Pollution Prevention. <https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0163-0021>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Supplemental occupational exposure and risk reduction technical report in support of risk management options for trichloroethylene (TCE) use in spot cleaning. (RIN 2070-AK03). Washington D.C.: Office of Chemical Safety and Pollution Prevention. <https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0163-0024>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Supplemental occupational exposure and risk reduction technical report in support of risk management options for trichloroethylene (TCE) use in vapor degreasing. (RIN 2070-AK11). Washington D.C.: Office of Chemical Safety and Pollution Prevention. <https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0387-0126>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Toxics Release Inventory (TRI) basic plus data file, reporting year 2015 v15. Retrieved from <https://www.epa.gov/toxics-release-inventory-tri-program/tri-basic-plus-data-files-calendar-years-1987-2015>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). TSCA work plan chemical risk assessment: Peer review draft 1-bromopropane: (n-Propyl bromide) spray adhesives, dry cleaning, and degreasing uses CASRN: 106-94-5 [EPA Report]. (EPA 740-R1-5001). Washington, DC. https://www.epa.gov/sites/production/files/2016-03/documents/1-bp_report_and_appendices_final.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Weight of evidence in ecological assessment. (EPA100R16001). Washington, DC: Office of the Science Advisor. https://cfpub.epa.gov/si/si_public_record_report.cfm?dirEntryId=335523
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Preliminary information on manufacturing, processing, distribution, use, and disposal: Trichloroethylene. (EPA-HQ-OPPT-2016-0737). Washington, DC: Office of Chemical Safety and Pollution Prevention. <https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0003>
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Toxics Release Inventory (TRI). Retrieved from <https://www.epa.gov/toxics-release-inventory-tri-program/tri-data-and-tools>
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Trichloroethylene market and use report. Washington, DC: Office of Chemical Safety and Pollution Prevention, Chemistry, Economics, and Sustainable Strategies Division.
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Vapor intrusion database. Retrieved from <https://www.epa.gov/vaporintrusion/vapor-intrusion-database>
- USCB (US Census Bureau). (2011). County Business Patterns (CBP): County Business Patterns and Zip Code Business Patterns. Washington, D.C.: United States Census Bureau. <http://www.census.gov/econ/cbp/index.html>
- Vernon, RJ; Ferguson, RK. (1969). Effects of trichloroethylene on visual-motor performance. *Arch Environ Health* 18: 894-900.
- von Grote, J; Hürlimann, C; Scheringer, M; Hungerbühler, K. (2006). Assessing occupational exposure to perchloroethylene in dry cleaning. *J Occup Environ Hyg* 3: 606-619. <http://dx.doi.org/10.1080/15459620600912173>
- Von Grote, J; Hürlimann, JC; Scheringer, M; Hungerbühler, K. (2003). Reduction of Occupational Exposure to Perchloroethylene and Trichloroethylene in Metal Degreasing over the Last 30 years: Influence of Technology Innovation and Legislation. *J Expo Anal Environ Epidemiol* 13: 325-340. <http://dx.doi.org/10.1038/sj.jea.7500288>
- Wackett, LP; Brusseau, GA; Householder, SR; Hanson, RS. (1989). SURVEY OF MICROBIAL OXYGENASES TRICHLOROETHYLENE DEGRADATION BY PROPANE-OXIDIZING BACTERIA. *Appl Environ Microbiol* 55: 2960-2964.
- Wadden, RA; Scheff, PA; Franke, JE. (1989). Emission Factors for Trichloroethylene Vapor Degreasers. *Am Ind Hyg Assoc J* 50: 495-500.
- Wakeham, SG; Davis, AC; Karas, JA. (1983). Mesocosm experiments to determine the fate and persistence of volatile organic compounds in coastal seawater. *Environ Sci Technol* 17: 611-617. <http://dx.doi.org/10.1021/es00116a009>
- Weast, RC; Selby, SM. (1966). CRC handbook of chemistry and physics Ethene, trichloro. Cleaveland, OH: The Chemical Rubber Co.
- Westat. (1987). Household solvent products: A national usage survey. Washington, DC: Battelle Columbus Division, U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB88132881>
- White, RF; Feldman, RG; Eviator, II; Jabre, JF; Niles, CA. (1997). Hazardous waste and neurobehavioral effects: A developmental perspective. *Environ Res* 73: 113-124. <http://dx.doi.org/10.1006/enrs.1997.3699>
- Williams, FE; Sickelbaugh, TJ; Hassoun, E. (2006). Modulation by ellagic acid of DCA-induced developmental toxicity in the zebrafish (*Danio rerio*). *J Biochem Mol Toxicol* 20: 183-190. <http://dx.doi.org/10.1002/jbt.20135>
- Wilson, JT; Wilson, BH. (1985). BIOTRANSFORMATION OF TRICHLOROETHYLENE IN SOIL. *Appl Environ Microbiol* 49: 242-243.
- Woolhiser, MR; Krieger, SM; Thomas, J; Hotchkiss, JA. (2006). Trichloroethylene (TCE): Immunotoxicity potential in CD rats following a 4-week vapor inhalation exposure. (031020). Midland, MI: Dow Chemical Company.
- Xu, H; Tanphaichitr, N; Forkert, PG; Anupriwan, A; Weerachayanukul, W; Vincent, R; Leader, A; Wade, MG. (2004). Exposure to trichloroethylene and its metabolites causes impairment of sperm fertilizing ability in mice. *Toxicol Sci* 82: 590-597. <http://dx.doi.org/10.1093/toxsci/kfh277>
- Xu, JQ; Kochanek, KD; Murphy, SL; Tejada-Vera, B. (2010). Deaths: Final Data for 2007. In *National Vital Statistics Reports* (pp. 1-136). (19). Hyattsville, MD: National Center for Health Statistics. http://www.cdc.gov/nchs/data/nvsr/nvsr58/nvsr58_19.pdf
- Yauck, JS; Malloy, ME; Blair, K; Simpson, PM; Mccarver, DG. (2004). Proximity of residence to trichloroethylene-emitting sites and increased risk of offspring congenital heart defects among older women. *Birth Defects Res A Clin Mol Teratol* 70: 808-814. <http://dx.doi.org/10.1002/bdra.20060>

Gray Literature Search Results

Gray literature is defined as the broad category of studies not found in standard, peer-reviewed literature databases (e.g., PubMed). Gray literature includes studies that are difficult to find in conventional bibliographic databases and includes references such as white papers, conference proceedings, technical reports, reference books, dissertations and information on various stakeholder websites.

The gray literature search results are currently contained in this document and in Excel spreadsheets. EPA is considering whether to manually develop EndNote citations for on topic gray literature results. This section lists abbreviated information for each citation, including a link to the reference. Full gray literature search results are presented in the *Gray Literature Excel Spreadsheet: Trichloroethylene*.

Note: Gray Lit Results provided as a second PDF.

Legend for Gray Literature Bibliography Columns

Source		A brief description of the gray literature source that was searched	
General Information About Result	URL	The web address of the search result URL	
	Annotation	An brief description of the search result	
Subject-Matter Tags	Engineering	On topic	An "x" indicates the reference is on topic for the engineering/occupational exposure topic area
		Off topic	An "x" indicates the reference is off topic for the engineering/occupational exposure topic area
	Fate	On topic	An "x" indicates the reference is on topic for the fate topic area
		Off topic	An "x" indicates the reference is off topic for the fate topic area
	Exposure	On topic	An "x" indicates the reference is on topic for the exposure topic area
		Off topic	An "x" indicates the reference is off topic for the exposure topic area
	Human Health	On topic	An "x" indicates the reference is on topic for the human health topic area
		Off topic	An "x" indicates the reference is off topic for the human health topic area
Notes		Any notes about the search result, including a note about search results that were not tagged to individual topic areas but are considered "on topic" overall	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Office of Water: EPA Clean Water Act Drinking Water Standards and Health Advisories	https://www.epa.gov/ground-water-and-drinking-water/table-regulated-drinking-water-contaminants	TCE along with primary release mechanisms		X		X	X			X	
Office of Air Quality Planning and Standards (OAQPS)	https://www.epa.gov/sites/production/files/2015-09/documents/dwstandards2012.pdf	2012 drinking water standards and health advisories		X		X	X			X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/ctg_act/198908_voc_epa450_3-89-030_halogenated_solvent_cleaners.pdf	Document - Halogenated Solvent Cleaners	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/ctg_act/197711_voc_epa450_2-77-022_solvent_metal_cleaning.pdf	Control of Volatile Organic Emissions from Solvent Metal Cleaning	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/ctg_act/197705_voc_epa450_2-77-008_surface_coatingsv2.pdf	Control of Volatile Organic Emissions from Existing Stationary Sources	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/ctg_act/199404_voc_(nrid)_industrial_wastewater(aci).pdf	Industrial Wastewater Alternative Control Technology	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/ctg_act/197805_voc_epa450_2-78-022_stationary_sources.pdf	Organic Emissions from Stationary Sources	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/ctg_act/199402_voc_epa453_r93-017_batch_processes.pdf	Organic Emissions from Stationary Sources	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/ctg_act/199308_voc_epa450_4-91-031_reactor_distillation_soom.pdf	Emissions from Reactor Processes in the Synthetic Organic Chemical	X			X		X		X	
Office of Air: Air Emission Factors	https://www.epa.gov/air-emissions-factors-and-quantification/ap-42-compilation-air-emission-factors	Pollutant Emission Factors. Chapter 4.7: Waste Solvent Reclamation.	X			X		X		X	
Office of Air: Ambient Water Quality Criteria documents	https://www.epa.gov/wqc/national-recommended-water-quality-criteria-human-health-criteria-table	Quality Criteria - Human Health Criteria Table	X			X		X		X	
Office of Air: Ambient Water Quality Criteria documents	https://www.epa.gov/wqc/national-recommended-water-quality-criteria	List of Water Quality Criteria	X			X		X		X	
Office of Air: NESHAP	www.epa.gov/technical-air-pollution-resources	N/A		X		X		X		X	
Office of Air: Urban Air Toxics	https://www.epa.gov/urban-air-toxics/urban-air-toxic-pollutants	List of EPA urban air toxics		X		X	X			X	
Office of Air: TRI	https://www.epa.gov/nationalanalysis/example-tca-and-tri-information-toxicforotherene-2015-tri-national-analysis	TRI Release for TCE: fact sheet		X		X		X		X	
OPPT: TSCA Analog Identification Methodology (AIM)	http://www.epa.gov/tsc-screening-tools/analog-identification-methodology-aim-tool	List and information about analogs from AIM tool		X		X	X			X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/overview-snap	Overview of SNAP		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Safer Choice	www.epa.gov/saferchoice/	N/A		X		X		X		X	
Pollution Prevention	https://www.epa.gov/p2/case-studies-safer-alternatives-solvent-degreasing-applications	Solvent Degreasing- Overviews and fact sheets		X		X		X		X	
Pollution Prevention	https://www.epa.gov/p2/pollution-prevention-case-studies	Pollution Prevention Case Study		X		X		X		X	
Pollution Prevention	https://www.epa.gov/p2/pollution-prevention-accomplishments-schick-manufacturing-verona-virginia	Case Studies on Safer Alternatives for Solvent Degreasing- fact sheet		X		X		X		X	
Pesticide Ingredients	www.epa.gov/ingredients-used-pesticide-products	N/A		X		X		X		X	
Hazardous Waste	https://www.epa.gov/hw/treatment-standards-hazardous-wastes-subject-land-disposal-restrictions	Treatment Standards for Hazardous Waste		X		X		X		X	
Hazardous Waste	https://www.epa.gov/hw/contained-policy-soil-and-debris-contaminated-hazardous-waste	FR Notice for Contained-In Policy for Soil and Debris		X		X		X		X	
Hazardous Waste	https://www.epa.gov/hw/regulatory-exclusions-and-alternative-standards-recycling-materials-solid-wastes-and-hazardous	Regulatory Exclusions and Alternative Standards		X		X		X		X	
Superfund chemical data matrix	https://www.epa.gov/superfund/superfund-chemical-data-matrix-scdm-query	Superfund matrix section		X	X			X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0303307	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0706143	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0300124	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0405489	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0406819	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0300671	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0606965	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0700316	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0603610	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300894	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0704272	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0203481	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0301849	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0201075	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0306645	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300862	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0402598	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0302402	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0101291	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0902737	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0700020	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0204016	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData2.cfm?id=0201075	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300868	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0302402	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0900684	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=1001131	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0504986	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0502332	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/adminrecord.cfm?id=0700316&doc=Y&colid=61920	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0201877	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300671	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/adminrecord.cfm?id=0700316&doc=Y&colid=61927	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0100750	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0702918	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0510229	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/adminrecord.cfm?id=0700316&doc=Y&colid=61926	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0700694	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0301833	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0702514	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0200803	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0206345	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0302420	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300579	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0301012	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0701494	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0400530	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0302762	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0201858	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0302401	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300773	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0501813	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0504009	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0402598	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0406819	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0510164	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0902923	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0904837	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0505340	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0203481	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0700185	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0301733	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0504820	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0502254	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0502432	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=1000995	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0102282	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0504723	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0300623	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0404404	Superfund Site Profile		X		X		X		X	
CPCat	https://actor.epa.gov/cpcat/faces/search.xhtml	CPCat (Chemical and Product Categories) is a database containing		X		X	X			X	
NCEA IRIS	https://www.epa.gov/iris/supporting-documents-trichloroethylene	Supporting Documents for IRIS TCE		X		X		X		X	
NCEA IRIS	https://cfpub.epa.gov/ncea/iris/search/	IRIS Overview Page		X		X		X		X	
NCEA IRIS	https://cfpub.epa.gov/ncea/iris/search/	IRIS Summary Page		X		X		X		X	
NCEA IRIS	https://cfpub.epa.gov/ncea/iris/search/	IRIS Toxicological Review		X		X	X		X		
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Chemical test rule data		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Substantial risk reports submitted by companies		X		X		X	X		
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Chemical data reporting	X			X		X		X	
ChemView (CDR/IUR)	http://java.epa.gov/chemview	TRI Release and Disposal information	X			X		X		X	
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Pollution prevention information about change in releases	X			X		X		X	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/halogenated-solvent-cleaning-national-emission-standards-hazardous	NESHAP: Halogenated Solvent Cleaning background documents	X			X	X			X	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/printing-coating-and-dyeing-fabrics-and-other-textiles-national	NESHAP: Printing, Coating, and Dyeing of Fabrics and Other Textiles		X		X		X		X	
Asbestos	www.epa.gov/asbestos/	N/A		X		X		X		X	
Economic and cost assessment	www.epa.gov/economic-and-cost-analysis-air-pollution-regulations	N/A		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003P2S.PDF?Dockey=30003P2S.PDF	Report: Photoacoustic Infrared Monitor, Innova AirTech Instruments		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BLXD.PDF?Dockey=P100BLXD.PDF	Verification of the Sorbisense Ground Water Sampler and Sorbisense		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100M30.PDF?Dockey=9100M30.PDF	Syosset Landfill Site (Operable Unit 2), Nassau County, NY (3/28/1996)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=1000418U.txt	Protection Agency), Guide to Industrial Assessments for Pollution Prevention	X			X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000WL7L.txt	Protection Agency), Guidance Document for the Halogenated	X			X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003ZNN.PDF?Dockey=P1003ZNN.PDF	Street Ground Water Contamination Elkhart, Indiana		X	X			X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009PHN.PDF?Dockey=P1009PHN.PDF	Brownfields 2007 Grant Fact Sheet New Bedford, MA		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100AW3R.PDF?Dockey=P100AW3R.PDF	Contaminants of Concern Reilly Tar and Chemical Co St. Louis Park,		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100ADOO.PDF?Dockey=P100ADOO.PDF	Integrity of VOA-VIAL Seals		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002UVK.PDF?Dockey=P1002UVK.PDF	Updating AP42 Section 2.4 for Estimating Emissions from Municipal	X			X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003ZLF.PDF?Dockey=P1003ZLF.PDF	National Priorities List (NPL) Attebury Grain Storage Facility Happy, Texas		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EIXL.PDF?Dockey=P100EIXL.PDF	Optimization Evaluation: North Penn Area 6 Superfund Site		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HDWZ.PDF?Dockey=P100HDWZ.PDF	Brownfields 2011 Cleanup Grant Fact Sheet Cullman, AL		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30006FK6.PDF?Dockey=30006FK6.PDF	performance Of Real-Time Incinerator Emission Monitors		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003OYA.PDF?Dockey=30003OYA.PDF	Report Field-Portable Gas Chromatograph, Electronic Sensor		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009PGV.PDF?Dockey=P1009PGV.PDF	Kansas Department of Health and Environment, Wichita, KS		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000YOH.PDF?Dockey=P1000YOH.PDF	Optimization, Clare Water Supply Superfund Site, StageRight Area,		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DQ34.PDF?Dockey=P100DQ34.PDF	Sheet Portland Development Commission, OR		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000F25.PDF?Dockey=P1000F25.PDF	Attenuation of Chlorinated Solvents: Case Study at the Twin Cities Army	X		X		X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002SZQ.PDF?Dockey=10002SZQ.PDF	Citizen's Guide to Phytoremediation (Sep '96)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VMK.PDF?Dockey=91013VMK.PDF	EPA's 33/50 Program Company Profile: Raytheon Company		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KHW7.PDF?Dockey=P100KHW7.PDF	Brownfields 2010 Cleanup Grant Fact Sheet Broome County, NY		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000BC6O.PDF?Dockey=2000BC6O.PDF	TCE Removal From Contaminated Soil And Groundwater		X	X			X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100NRW9.PDF?Dockey=P100NRW9.PDF	Drinking Water Strategy Contaminant Groups Effort		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100Q8T5.PDF?Dockey=P100Q8T5.PDF	Annual Report (UATMP, NATTS, CSATAM) Appendices		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/90150J00.PDF?Dockey=90150J00.PDF	Interactions of Trichloroethylene, Its Metabolites, and Other Chemical		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100UG65.PDF?Dockey=9100UG65.PDF	Superfund Fact Sheet: Trichloroethylene		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001URT.PDF?Dockey=10001URT.PDF	Methanotrophic Bioreactor System, Biotrol, Inc.		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BJCH.PDF?Dockey=P100BJCH.PDF	Montgomery Mixed Use Properties: Downtown District, Montgomery,		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/600012C8.PDF?Dockey=600012C8.PDF	National Primary Drinking Water Regulations: Trichloroethylene		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003UHC.PDF?Dockey=30003UHC.PDF	Constants Information System Database. Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100875K.PDF?Dockey=P100875K.PDF	(UATMP and NATTS) Volume II: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100A741.PDF?Dockey=P100A741.PDF	the Somersworth Sanitary Landfill Superfund Site, Somersworth, New		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10034FL.PDF?Dockey=P10034FL.PDF	2006 Urban Air Toxics Monitoring Program (UATMP) Final Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20009L9W.PDF?Dockey=20009L9W.PDF	EPA's 33-50 Program Company Profile Aladdin Industries Inc		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100LRQF.PDF?Dockey=P100LRQF.PDF	Annual Report (UATMP, NATTS, CSATAM) Appendices September		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006GU9.PDF?Dockey=P1006GU9.PDF	Washington Tumwater Contamination Event Spurs Public Involvement		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30002FKO.PDF?Dockey=30002FKO.PDF	Trichloroethylene (TCE) and Related Chemicals	X		X		X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91002Z2L.PDF?Dockey=91002Z2L.PDF	Difference for the Record of Decision: Bendix Flight Systems Division South		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002M0U.PDF?Dockey=P1002M0U.PDF	Crossley Farm Hereford Groundwater Hereford Township PA		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100G4W4.PDF?Dockey=9100G4W4.PDF	in Vapor-Diffusion Samplers Placed in Sediments Along and Near the		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000UN6.PDF?Dockey=P1000UN6.PDF	Optimization, Taylor Road Landfill Superfund Site, Seffner, Hillsborough		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002GH2.PDF?Dockey=P1002GH2.PDF	Superfund Record of Decision North Penn Area 6 Lansdale Pennsylvania		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HAPO.PDF?Dockey=P100HAPO.PDF	Annual Report (UATMP, NATTS, CSATAM) Appendix		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001UV6.PDF?Dockey=10001UV6.PDF	Development of a Photothermal Detoxification Unit		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VJ0.PDF?Dockey=30003VJ0.PDF	Pollution Prevention Assessment for a Manufacturer of Locking Devices	X			X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100E39A.PDF?Dockey=P100E39A.PDF	Dosimetry-Based Cumulative Risk Assessment Approach for Mixtures of		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007MOH.PDF?Dockey=P1007MOH.PDF	EPA's Second Review of Existing Drinking Water Standards Fact Sheet		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GIYQ.PDF?Dockey=P100GIYQ.PDF	Assessment: Synthesis and Characterization External Review	X		X		X		X		
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JN5P.PDF?Dockey=P100JN5P.PDF	Entitled Toxicological Review of Trichloroethylene October 2009		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FPNN.PDF?Dockey=P100FPNN.PDF	Annual Report (UATMP, NATTS, CSATAM) Volume 2: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004FUU.PDF?Dockey=P1004FUU.PDF	Development of a Photothermal Detoxification Unit		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009F6R.PDF?Dockey=P1009F6R.PDF	Southeast Local Development Corporation, Chattanooga, TN		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BNS7.PDF?Dockey=P100BNS7.PDF	Trichloroethylene (tce) TEACH Chemical Summary		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100K2NQ.PDF?Dockey=P100K2NQ.PDF	Brownfields 2009 Cleanup Grant Fact Sheet Ypsilanti, MI		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1008JQO.PDF?Dockey=P1008JQO.PDF	Piper Aircraft / Vero Beach Water and Sewer Superfund Site Vero Beach		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DQ4R.PDF?Dockey=P100DQ4R.PDF	Brownfields 2011 Cleanup Grant Fact Sheet Lancaster Port Authority, OH		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DQ4Q.PDF?Dockey=P100DQ4Q.PDF	Brownfields 2011 Cleanup Grant Fact Sheet Lenawee County, MI		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002T9I.PDF?Dockey=10002T9I.PDF	Lasagna Public-Private Partnership Completes Work		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VKM.PDF?Dockey=91013VKM.PDF	Profile: Carpenter Technology Corporation		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001URB.PDF?Dockey=10001URB.PDF	Electron Beam Treatment for Removal of Trichloroethylene and		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EXT8.PDF?Dockey=P100EXT8.PDF	Electron Beam Treatment for Removal of Trichloroethylene and		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DK8L.PDF?Dockey=P100DK8L.PDF	Programs (UATMP, NATTS, and CSATAM) Volume II: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100OK1M.PDF?Dockey=P100OK1M.PDF	of Biotransformation of Chlorinated Organic Compounds in Ground Water		X	X			X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001UVQ.PDF?Dockey=10001UVQ.PDF	Zone PCE Bioremediation System, ABB Environmental Services, Inc.		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100U7W.PDF?Dockey=P100U7W.PDF	Optimization, Clare Water Supply Superfund Site, Permeable Reactive		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001UUW.PDF?Dockey=10001UUW.PDF	Ambersorb 563 Adsorbent, Rohm and Haas Company		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VSI.PDF?Dockey=30003VSI.PDF	Bioremediation of Trichloroethylene Using Burkholderia Cepacia G4PR1:		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KHVR.PDF?Dockey=P100KHVR.PDF	Brownfields 2009 Cleanup Fact Sheet		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10003I05.PDF?Dockey=10003I05.PDF	Station Wastes in Shallow Injection Wells		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GL6W.PDF?Dockey=P100GL6W.PDF	of Volatile organic Compounds in North American Residences (1990-		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002QRB.PDF?Dockey=P1002QRB.PDF	Brownfields 2006 Grant Fact Sheet Oshkosh, WI		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007BBH.PDF?Dockey=P1007BBH.PDF	Feasibility Support Document for Chemical Contaminants for the		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JFEJ.PDF?Dockey=P100JFEJ.PDF	Trichloroethylene (CAS No. 79-01-6) in Support of Summary Information on		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VN5.PDF?Dockey=91013VN5.PDF	33/50 Program Company Profiles: Reduction Highlights		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9TR.PDF?Dockey=2000E9TR.PDF	Corrective Action Facility BFI - Solley Road		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9WQ.PDF?Dockey=2000E9WQ.PDF	Corrective Action Facility Schrader-Bridgeport International Incorporated		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1008SKL.PDF?Dockey=P1008SKL.PDF	and Northeast 15th Streets Delfasco Forge Site		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100DF24.PDF?Dockey=9100DF24.PDF	Volatile Organic Compounds in Water: a Demonstration of the A+RT, Inc.		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JQVW.PDF?Dockey=P100JQVW.PDF	Assessment Trichloroethylene: Degreasing, Spot Cleaning and Arts & Cement Mill to Calamityville, Fairborn, Ohio	X			X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100K82I.PDF?Dockey=P100K82I.PDF	Cement Mill to Calamityville, Fairborn, Ohio		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000XS4.PDF?Dockey=P1000XS4.PDF	Assessment Demonstration Pilot - Chippewa County/Kinross Township,		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100AW1Z.PDF?Dockey=P100AW1Z.PDF	Underground Water Lusher Street Ground Water Contamination Site		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9VK.PDF?Dockey=2000E9VK.PDF	Corrective Action Facility Honeywell-Chesterfield (Formerly Allied Signal)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002THS.PDF?Dockey=10002THS.PDF	Chemical Oxidation fro Remediation of Contaminated Soil and Ground		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10008J9.PDF?Dockey=P10008J9.PDF	Health Risk Assessment: Synthesis And Characterization: An EPA		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100SA2G.PDF?Dockey=9100SA2G.PDF	Difference for the Record of Decision: Bendix Flight Systems Division,		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000F8HU.PDF?Dockey=2000F8HU.PDF	Method Validation At A Coal-fired Boiler		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006GPS.PDF?Dockey=P1006GPS.PDF	Campaign Helps Reduce Septic System Threats		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/300011LM.PDF?Dockey=300011LM.PDF	CRITERIA FOR TRICHLOROETHYLENE		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FEWW.PDF?Dockey=P100FEWW.PDF	the 40 CFR, Part 503 Volume II, November 1992		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007I8D.PDF?Dockey=P1007I8D.PDF	Demonstration Project Kellogg-deering Well Field: Norwalk		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/300011LM.PDF?Dockey=300011LM.PDF	Submissions on the Carcinogenicity of Tetrachloroethylene		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100566V.PDF?Dockey=P100566V.PDF	Brownfields 2005 Grant Fact Sheet Lynwood Redevelopment Agency, CA		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009V6E.PDF?Dockey=P1009V6E.PDF	Industrial Waste Disposal Wells Fact Sheet		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100Q0D5.PDF?Dockey=P100Q0D5.PDF	EPA's Third Six-Year Review of Existing Drinking Water Standards		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/93000NTA.PDF?Dockey=93000NTA.PDF	EPA's 33/50 Program Seventh Progress Report: 33/50 Hits the Mark!		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FL5.PDF?Dockey=20001FL5.PDF	Update: Continuing Progress Toward Ultimate Reduction Goal		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1005N1Q.PDF?Dockey=P1005N1Q.PDF	EPA Brownfields Assessment Demonstration Pilot Salem, MA		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/300011JE.PDF?Dockey=300011JE.PDF	Submissions on the Carcinogenicity of Tetrachloroethylene		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003V0C.PDF?Dockey=30003V0C.PDF	Updated Health Effects Assessment Documents. Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/90150I00.PDF?Dockey=90150I00.PDF	Issues in Trichloroethylene Pharmacokinetics		X		X		X	X		
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002VE1.PDF?Dockey=10002VE1.PDF	Technology Evaluation Real-Time VOC Analysis Using a Field Portable		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100QH72.PDF?Dockey=9100QH72.PDF	Update: 1992 Interim Reduction Goal Exceeded		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HCK9.PDF?Dockey=P100HCK9.PDF	Permeable Reactive Barrier for Ground Water Remediation Fifteen		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006PUI.PDF?Dockey=P1006PUI.PDF	Energy on Contaminated Land Pemaco Superfund Site, Maywood,		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91024CQK.PDF?Dockey=91024CQK.PDF	Compounds in Soils Using Equilibrium Headspace Analysis and Capillary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100M1QB.PDF?Dockey=P100M1QB.PDF	Criteria Document for Trichloroacetic Acid		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/90150K00.PDF?Dockey=90150K00.PDF	of Peroxisome Proliferator-Activated Receptor Agonism and Cell Signaling		X		X		X	X		
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100C9X4.PDF?Dockey=P100C9X4.PDF	Palermo Wellfield Fact Sheet from July 1999		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001LUCK.PDF?Dockey=20001LUCK.PDF	Drinking Water At Risk? Misused Septic Systems Can Cost Millions		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10014O8.PDF?Dockey=P10014O8.PDF	US EPA, 33/50 Program: The Final Record		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/910091A1.PDF?Dockey=910091A1.PDF	Assessment Screening Studies to Support the Urban Area Source		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/90150L00.PDF?Dockey=90150L00.PDF	Issues in Trichloroethylene Cancer Epidemiology		X		X		X	X		
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10004E2L.PDF?Dockey=10004E2L.PDF	Solid Waste And Emergency Response(5102G)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10000LQK.PDF?Dockey=10000LQK.PDF	Releases of Chlorinated Solvents, Ford Motor Company		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006GQT.PDF?Dockey=P1006GQT.PDF	Regional Solutions Protect Large Sole Source Aquifer		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100AW2O.PDF?Dockey=P100AW2O.PDF	Contaminated Well Users Lane Street Investigation Site Elkhart, Indiana		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1008NUO.PDF?Dockey=P1008NUO.PDF	Involvement Lammers Barrel Superfund Site Beaver creek Ohio		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100A5CW.PDF?Dockey=9100A5CW.PDF	Symposium on Intrinsic Bioremediation of Ground Water		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CHYL.PDF?Dockey=9100CHYL.PDF	Products: Laboratory Analyses of Shelf Products and National Survey of		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LAQ.PDF?Dockey=20009LAQ.PDF	EPA's 33-50 Program 4th Progress Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10038FH.PDF?Dockey=P10038FH.PDF	Toxicological Review of Chloral hydrate		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30006JTT.PDF?Dockey=30006JTT.PDF	Management Of Chlorinated Solvents In Soil And Groundwater		X	X			X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002E96.PDF?Dockey=10002E96.PDF	Development of a Photothermal Detoxification Unit		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003P0I.PDF?Dockey=30003P0I.PDF	Chromatograph/Mass Spectrometer Inficon, Inc., HAPSITE		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9VN.PDF?Dockey=2000E9VN.PDF	Corrective Action Facility Cooper Industries		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002SOB.PDF?Dockey=10002SOB.PDF	Bioremediation of Chlorinated Solvents: Fundamentals and Field		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002PLX.PDF?Dockey=P1002PLX.PDF	Brownfields 2005 Grant Fact Sheet Yamhill County, OR		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/200034X5.PDF?Dockey=200034X5.PDF	Comparison of VOA Compositing Procedures		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100NUSV.PDF?Dockey=9100NUSV.PDF	Continental Steel Corp., Kokomo, IN, 9/30/1998		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1001FRJ.PDF?Dockey=P1001FRJ.PDF	Analysis of Tree Cores to Assess the Distribution of Subsurface Volatile		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007CT2.PDF?Dockey=P1007CT2.PDF	Work at Vapor Intrusion Site Behr-Dayton Thermal Systems VOC Plume		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91002ESG.PDF?Dockey=91002ESG.PDF	One-Hour Cleaners Site, Operable Unit 2, Jacksonville, NC 9/6/1994		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/910030Y6.PDF?Dockey=910030Y6.PDF	Superfund Record of Decision: Butz Landfill, PA June 1992	X		X		X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GL6W.PDF?Dockey=P100GL6W.PDF	of Volatile organic Compounds in North American Residences (1990-		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003P4Y.PDF?Dockey=30003P4Y.PDF	Report Field-Portable Gas Chromatograph, Perkin-Elmer		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009ENB.PDF?Dockey=P1009ENB.PDF	ID: NYD002232957 OU 03 Town of Vestal NY		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100NSGY.PDF?Dockey=9100NSGY.PDF	Superfund Record of Decision: Sacramento Army Depot, CA		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100N3DA.PDF?Dockey=P100N3DA.PDF	Mobile Mass Spectrometry		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BR3M.PDF?Dockey=P100BR3M.PDF	Nanotechnology Database Fact Sheet		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004UZD.PDF?Dockey=P1004UZD.PDF	from Groundwater To the Surface/Subslab		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91001NGR.PDF?Dockey=91001NGR.PDF	Superfund Record of Decision: Grand Traverse Overall Supply, MI		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006TGL.PDF?Dockey=P1006TGL.PDF	Assessment for the Ogden Railyard Site Ogden Utah Final		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004FRO.PDF?Dockey=P1004FRO.PDF	Demonstration of Ambersorb 563 Adsorbent Technology		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20012GPW.PDF?Dockey=20012GPW.PDF	Attenuation Of Chlorinated Organics In Groundwater Hyatt Regency Dallas		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100354R.PDF?Dockey=9100354R.PDF	Superfund Record of Decision: Piper Aircraft Corp. Site, Vero Beach, FL		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003P7C.PDF?Dockey=30003P7C.PDF	Report Field-Portable Gas Chromatograph, Sentex Systems, Inc.		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001XSR.PDF?Dockey=10001XSR.PDF	Fracturing of Contaminated Soil, Risk Reduction Engineering Laboratory and		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000G31.PDF?Dockey=P1000G31.PDF	Superfund Record of Decision		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JP20.PDF?Dockey=P100JP20.PDF	groundwater Sampling Technologies Qed Environmental Systems Inc. Well		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GPIX.PDF?Dockey=P100GPIX.PDF	Citizen's Guide to Air Stripping		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F9WA.PDF?Dockey=P100F9WA.PDF	Citizen's Guide to Air Stripping		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006MIW.PDF?Dockey=P1006MIW.PDF	plan for the Chemical Leaman Tank Lines Site		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91001NOE.PDF?Dockey=91001NOE.PDF	Superfund Record of Decision: Clare Water Supply, MI September 1992		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91001YCA.PDF?Dockey=91001YCA.PDF	Superfund Record of Decision: Organic Chemicals, MI		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/910022KA.PDF?Dockey=910022KA.PDF	Coatings, Inc. Site, Cedar Rapids, IA, 9/29/1994		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002A4K.PDF?Dockey=10002A4K.PDF	Attenuation of Chlorinated Organics in Ground Water		X	X			X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9U0.PDF?Dockey=2000E9U0.PDF	Corrective Action Facility SPS Technologies (SPS)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002HAI.PDF?Dockey=P1002HAI.PDF	State University Lot 86 Farm Unit #1 Raleigh NC		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/200036TG.PDF?Dockey=200036TG.PDF	Proposed Pretreatment Standards for Existing and New Sources for the		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001XUD.PDF?Dockey=10001XUD.PDF	Enhanced Abiotic Degradation Technology, Environmental		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes		
	URL	Annotation	Engineering		Fate		Exposure		Human Health				
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic			
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100O2M3.PDF?Dockey=P100O2M3.PDF	Public Water Systems Related to Class V Injection Wells [Draft]		X	X			X			X		
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002E9I.PDF?Dockey=10002E9I.PDF	Fluff and Soil from the M.W. Manufacturing Superfund Site. Project		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/1000544M.PDF?Dockey=1000544M.PDF	Hanford 300 Area (USDOE), 300-FF-1 and 300-FF-5 Operable Units,		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002E8Y.PDF?Dockey=10002E8Y.PDF	Demonstration of Ambersorb 563 Absorbent Technology. Project		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/910011P8.PDF?Dockey=910011P8.PDF	for the Record of Decision: Kohler Company Landfill (Kohler, WI		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100B89X.PDF?Dockey=P100B89X.PDF	Kimberton Superfund Site Community Update December 2010		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F98W.PDF?Dockey=P100F98W.PDF	Replacement of Charcoal Sorbent in the VOST		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003XGC.PDF?Dockey=30003XGC.PDF	Trichloroethene at the St. Joseph, Michigan Superfund Site. Project		X	X				X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002E5O.PDF?Dockey=10002E5O.PDF	Program Demonstration Test, Accutech Pneumatic Fracturing		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EXTP.PDF?Dockey=P100EXTP.PDF	Destruction of Organic Contaminants in Air Using Advanced Ultraviolet		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100348S.PDF?Dockey=9100348S.PDF	Sherwood Medical Industries, FL October 1992		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100B4RM.PDF?Dockey=P100B4RM.PDF	Oxidation Technology to Treatment Chlorinated Organics at the Roosevelt		X		X	X					X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001XRP.PDF?Dockey=10001XRP.PDF	Technology Evaluation, Demonstration Bulletin, Adsorption-		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F9WU.PDF?Dockey=P100F9WU.PDF	Citizen's Guide to In Situ Chemical Reduction		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001XUV.PDF?Dockey=10001XUV.PDF	State Multi-Vendor Bioremediation: ENSR Consulting and		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001XU7.PDF?Dockey=10001XU7.PDF	Technology (UVB) Vacuum Vaporizing Well		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002TQV.PDF?Dockey=10002TQV.PDF	Groundwater Currents Issue Number 27, March 1998		X		X			X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100OCR.V.PDF?Dockey=9100OCR.V.PDF	Mountain Home Air Force Base (O.U.1, 3, 5, 6), ID (9/27/1995)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100MW6M.PDF?Dockey=9100MW6M.PDF	Warren Air Force Base, OU 2, Cheyenne, WY (9/30/1997)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100L8AA.PDF?Dockey=9100L8AA.PDF	Corps Logistics Base, Operable Unit 1, Albany, GA (10/11/1994)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30006AZ6.PDF?Dockey=30006AZ6.PDF	York State Multi-Vendor Bioremediation		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000EPO.PDF?Dockey=P1000EPO.PDF	Case Study: The Role of a Conceptual Site Model Expedited Site		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10011KN.PDF?Dockey=P10011KN.PDF	Evaluation: Attenuated Anaerobic Dechlorination of Groundwater Using		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001XSX.PDF?Dockey=10001XSX.PDF	Fracturing Extraction and Hot Gas Injection, Phase I, Accutec Remedial		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91002Y7M.PDF?Dockey=91002Y7M.PDF	Corps Logistics Base, Operable Unit 1, Albany, GA, 9/24/94		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VB8.PDF?Dockey=30003VB8.PDF	Complex Mixtures and Groundwater Quality		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91002DV4.PDF?Dockey=91002DV4.PDF	Superfund Record of Decision: FCX (Statesville Plant), NC		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100UH7Z.PDF?Dockey=9100UH7Z.PDF	the National Priorities List in February 1992 (Intermittent Bulletin, Volume 2,		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/5000250R.PDF?Dockey=5000250R.PDF	for the National Priorities List in October 1992		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10003GX.PDF?Dockey=P10003GX.PDF	Groundwater Statistics Tool User's Guide		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002TJE.PDF?Dockey=10002TJE.PDF	Ground Water Currents Issue 43, April 2002		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20002LHX.PDF?Dockey=20002LHX.PDF	Final Action Regarding Pretreatment Standards for the Industrial Laundries		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100P6O6.PDF?Dockey=P100P6O6.PDF	GIS Technique for Estimating Natural Attenuation Rates and Mass Balances		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9UI.PDF?Dockey=2000E9UI.PDF	Corrective Action Facility Merck And Company Incorporated		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Office of Air: NATA 2011	https://www.epa.gov/national-air-toxics-assessment/2011-nata-assessment-results#pollutant	2011 NATA Results	X			X	X			X	
Office of Air: AQS	http://aqsdr1.epa.gov/aqsweb/aqstmp/airdata/download_files.html#Annual	Full file of 2016 AQS data; trichloroethylene data included		X		X	X			X	
OPPT Monitoring Database	Monitoring database	Monitoring database data		X		X	X			X	
TSCA Use Dossiers and Public Comments	https://www.epa.gov/assessing-and-managing-chemicals-under-tscas/evaluating-risk-existing-chemicals-under-tscas#table	Posting Memo									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0027	submitted by Christine Ernst, Earthjustice									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0056	submitted by Timothy J. Lafond, P.E., Chair, Environmental Committee,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0053	submitted by Eve Gartner, Staff Attorney, Earthjustice et al.									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0046	submitted by the Environmental Defense Fund (EDF)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0059	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0066	submitted by Stephanie Fox-Rawlings, National Center for Health Research									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0060	submitted by Susan Inglis, Executive Director, Sustainable Furnishings									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0068	submitted by Juleen Lam, PhD, Associate Researcher, University of									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0022	submitted by Christina Franz, Senior Director, Regulatory & Technical									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0020	submitted by Elizabeth Hitchcock, Government Affairs Director and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0023	submitted by Eve Gartner, Staff Attorney, Earthjustice on behalf of									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0025	submitted by Ruthann Rudel, Kathryn Rodgers, Silent Spring Institute									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0026	submitted by Breast Cancer Prevention Partners (BCCP)									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0019	submitted by Adhesive and Sealant Council et al.									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0010	submitted by Stacy Tatman, MS, JD, Director, Environmental Affairs,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0024	submitted by Stephanie Fox-Rawlings, National Center for Health Research									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0016	submitted by Susan Inglis, Executive Director, Sustainable Furnishings									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0003	Manufacturing, Processing, Distribution, Use, and Disposal:									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0030	submitted by Juleen Lam, PhD, Associate Researcher, University of									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0021	submitted by Anthony Schatz, Ph.D, Director Occupational Health and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0007	submitted by Elizabeth Hitchcock, Government Affairs Director, Safer									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0009	submitted by Learning Disabilities Association of America (LDA)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0010	submitted by Barbara Kanegsberg, President and Ed Kanegsberg, Vice									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0027	submitted by Richard Krock, Vice President, Regulatory and Technical									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0019	submitted by Kim Cox, Environmental Policy Manager, City of Portland									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0016	submitted by Kevin Fay, Executive Director, Alliance for Responsible									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0016	submitted by Rebecca J. Bernstein, Senior Director, Product Safety &									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0026	Campaign sponsored by Earthjustice (web)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0018	submitted by Barbara S. Losey, Director, Alkylphenols & Ethoxylates									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0016	submitted by Center for Environmental Health									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0023	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0008	submitted by Leslie Riegle, Director of Environmental Policy, Aerospace									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0032	submitted by Richard Krock, Vice President, Regulatory and Technical									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0020	submitted by Jennifer Sass, Ph.D., Senior Scientist, Natural Resources									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0027	submitted by Faye Graul, Executive Director, Halogenated Solvents									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0030	submitted by James Cooper, Senior Petrochemical Advisor, American Fuel									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0007	the USEPA from Saft America, Inc., regarding Trichloroethylene									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0015	submitted by Raleigh Davis, Assistant Director of Environmental Health and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0029	submitted by John Pacillo, Operations Director, Mexichem Fluor Inc.									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0013	submitted by Timothy A. Brown, Regulatory Counsel and Steven									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0004	Campaign sponsored by Natural Resources Defense Council (NRDC).									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0002	submitted by Eve Gartner, Staff Attorney, Earthjustice, Elizabeth									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0006	submitted by Chris Trahan Cain, Director of Safety and Health, North									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0021	submitted by Lindsay McCormick, Chemicals and Health Project									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0017	submitted by Laurie Holmes, Senior Director, Environmental Policy, Motor									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0014	Campaign sponsored by Earthjustice (web) (Revised)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0040	Assessment for Trichloroethylene: Degreaser and Arts/Crafts Uses									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0028	submitted by Rachel Shaffer, Environmental Defense Fund (EDF)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0018	submitted by Nancy Beck and Christina Franz, Senior Director,									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0020	submitted by Sarah E. Amick, Senior Counsel, Rubber Manufacturers									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0019	submitted by Faye Graul, Executive Director, Halogenated Solvents									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0016	submitted by Alexandra Whittaker, Esp., Counsel, Government Affairs									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/summary-external-peer-review-and-public-comments-and-disposition	Summary of External Peer Review and Public Comments and Disposition									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2015-0084-0002	Assessment: Peer Review Draft, 1 Bromopropane: Spray Adhesives, Dry									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0051	submitted by Jennifer B. Sass, Ph.D., Senior Scientist, Natural Resources									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0034	submitted by Dr. Nancy Beck, American Chemistry Council (ACC)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0029	submitted by Dr. Nancy Beck, American Chemistry Council (ACC)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0031	submitted by Michael P. Walls, Vice President, Regulatory & Technical									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0030	submitted by Michael L. Dourson, Ph.D., President, Toxicology									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0033	submitted by Christina Franz, American Chemistry Council (ACC)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0027	submitted by Faye Graul, Executive Director, Halogenated Solvents									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0723-0032	submitted by Nancy Beck, American Chemistry Council (ACC)									TSCA public comments are not tagged to specific discipline
National Institutes of Health (NIH) ChemIDplus	http://chem.sis.nlm.nih.gov/chemidplus/	searches, govt regulatory documents, consumer product databases, etc.		X	X			X		X	
NIH PubChem Compound Database	https://www.ncbi.nlm.nih.gov/pccompound	pubmed, products, MSDS, human health ROE	X		X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIH HazMap	http://hazmap.nlm.nih.gov/index.html	Contains links to HSDB, ChemID Plus, pubmed	x			x	x			x	
NIH Household Products Database	http://householdproducts.nlm.nih.gov/	containing ingredient, NLM databases HSBD, TOXNET, ChemID Plus,		x		x	x			x	
NIH Hazardous Substance Data Bank (HSDB)	https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm	Contains excerpts from peer reviewed lit in the same manner as pubchem	x		x		x		x		
NIH NLM Drug Information Portal	https://druginfo.nlm.nih.gov/drugportal/	Clinicaltrials.gov, HSDB, Medline/PubMed, Toxline, PubChem,		x		x	x			x	
NTP Report on Carcinogens (RoC)	https://ntp.niehs.nih.gov/pubhealth/roc/index-1.htm#C	Carcinogens; 8 pages in length. This is a summary of the information in the	x		x		x		x		
NTP Report on Carcinogens (RoC) Supplemental Materials	https://ntp.niehs.nih.gov/pubhealth/roc/listings/index.html	names/synonyms, phys/chem properties (only a few related to fate),		x	x			x		x	
NTP Report on Carcinogens (RoC) Supplemental Materials	https://ntp.niehs.nih.gov/pubhealth/roc/listings/index.html	previously released information and analyses should be included in here if	x			x	x		x		
CDC ATSDR Tox Profiles	http://www.atsdr.cdc.gov/toxprofiles/index.asp	The pdf contains the ATSDR profile	x		x		x			x	
CDC ATSDR Minimal Risk Levels (MRLs) for Hazardous Substances	https://www.atsdr.cdc.gov/mrls/mrlist.asp	Add under Regulatory tag, gives minimum risk levels	x			x		x		x	
CDC ATSDR	https://www.atsdr.cdc.gov/csem/tce/docs/tce.pdf	TCE case study	x			x		x	x		
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC National Energy Tech Laboratory, Albany OR		x		x	x			x	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC TMC Cleaners, Olympia WA	x			x	x			x	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA Philip Services Corp, Seattle, WA		x		x	x			x	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA Midessa groundwater plume, Midland County Tx		x	x		x			x	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC Bridger Creek Community, Bozeman MT		x		x	x			x	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA Conrail Rail Yard, Elkhart, IN		x		x	x			x	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC Somerville, MA		x		x	x			x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC Hastings NE		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	Letter HC Oxford NC		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/PHA.asp?docid=445&pg=1	Gopher Ordinance Site, MN		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/PHA.asp?docid=445&pg=1	PHA, Keystone Metal Finishers Incorporated, NJ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/chillumPerc112404HC-MD/chillumPerc112404HC-MD.pdf	HC, Chillum, Prince Gorge's, MD		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/peppermintnursery0110105-nj/peppermintnursery0110105-nj.pdf	HC, Peppermint Tree Nursery School, NJ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/SpringFieldPropert092804-MI/SpringFieldPropert092804-MI.pdf	HC, Springfield property, MI		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/hac/pha/EastTroyContaminatedAquifer/East_Troy%20HC%207-29-2008.pdf	HC, East Troy Contaminated Aquifer Site, OH		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PenninsulaBoulevardGroundwaterPlume/PenninsulaBoulevardGroundwaterPHAC42407.pdf	HC, Peninsula Boulevard Groundwater Plume, NY		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/hac/pha/northindianbendwasharea12/nibwarea12/finalhc032805.pdf	HC, North Indian Bend Wash Area 12 Treatment Facility		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1177&pg=1	PHA, Elite Dry cleaning factory, NH		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/copleysquareplaza/copleysquareplaza%209-28-07.pdf	PHA, Copley Square Plaza Copley Township		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/SpringfieldStreetVOCPlume/Springfield%20St%20HC%20FINAL.pdf	HC, Springfield Street VOC Plume, OH		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/GrandTraverse%20NorrisElem/HCGrandTraverseNorrisElem110805.pdf	HC, Norris Elementary School Indoor Air assessment, MI		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=222&pg=1	PHA, Solitron Microwave, FL		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/SIndianBendWash090104-AZ/SIndianBendWash090104-AZ.pdf	HC, South Indian Bend Wash Landfill, AZ		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/Coffeyville/2009WashPhenSiteMcGuffey_Miss_PHW/Final_06-15-2012_006.pdf	appendix of PHA, West/Hows Corner Sit ME		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/McGafferyandMainGroundwaterPlumeSite/McGaffery_Main_PHA/Final_06-15-2015_508.pdf	HPHA, McGaffery and main ground water Plume, NM		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/NorthIndianBendWash/NorthIndianBendWashHC030807.pdf	HC, North Indian Bend Wash Miller Road treatment Facility, AZ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=222&pg=2	PHA, Solitron Microwave, FL, page 3		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=1204&pg=2	PHA, North Railroad Avenue, NM		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/GrandTraverse/GrandTraverseHC11192012.pdf	Grand Traverse Overall Supply NPL Site, MI		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/JerryProfessionalCleaners/JerryProfessionalCleanersHC0172012.pdf	HC, Jerry's Professional Cleaners Vapor Intrusion Site, OH		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/stantoncleaners113005/stantoncleanerspha113005.pdf	ATSDR		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/DelphiHomeAvenueSite/Delphi_Home_Avenue_Site%20HC%208-19-2008.pdf	HC, Delphi Home Avenue Site, OH		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/BroadwayCleanersSite/BroadwayCleaners2HC092807.pdf	HC, Broadway Cleaners Site, ID		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/WestTroy/WestTroyPHA(final)10232013_508.pdf	PHA, West Troy Contaminated Aquifer, OH		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/EastTroyContaminatedAquifer/EastTroyContaminatedAquiferPHAFinal0422011.pdf	PHA, East Troy Contaminated Aquifer, OH		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/OmegaChemicalCorporation/OmegaChemicalHC032007.pdf	ATSDR	X			X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/ArmenCleaners/ArmenHC030505Rev5-1.pdf	HC, Armen Cleaners Dry Cleaners, MI	X			X	X			X	
ATSDR	http://www.atsdr.cdc.gov/hac/pha/SanGerm%C3%A1nGWSite/SanGerm%C3%A1nGWSiteFINALPHA08032012.pdf	in Municipal Drinking Water System San Germán Ground Water	X			X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Beltsville Agricultural Research Center, MD		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Sandford Dry Cleaners Site, FL		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Lammars Barrel Factory, OH		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Talladega, AL		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Duwamish Valley, WA		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Natick Public Water Supply, MA		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Cooper Commerce Industrial Site, AZ		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Norfolk Naval Base, VA		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Eglin Air Force Base, FL		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Shenandoah Road Groundwater Contamination, NY		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Camp Lejeune Drinking Water, NC		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Fairchild Air Force Base, WA		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Sandstone PCE Site, VA		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Behr Dayton Thermal Systems VOC Plume, OH		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Bandera Road Groundwater Plume, TX		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Lane Street Ground Water Contamination Site, IN		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Sanford Dry Cleaners Site, FL		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Crown Cleaners Site, NY		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Milford Contaminated Aquifer, OH		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Community Laundromat, MO		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Lee's Lane Landfill Site, KY		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Lawrence Aviation - NY		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Valley Pike VOC Site, OH		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Mansfield Trail Dup Superfund Site, NJ		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Navy Yard Mills Site, MA		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Savannah River Site, SC	X			X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Colnie Site, NY		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Former American Beryllium Company, FL		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - SRG Global, GA		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Chicago Heights Boulevard VOC Plume Site, MO		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - New Carlisle Landfill, OH		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Savannah River Site, SC		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Cabo Rojo Ground Water Contamination Site, Puerto Rico		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/navyardmillsite/finalnavyardmillsfactsheet508.pdf	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/milfordcontaminatedaquifer/milfordcontaminatedaquiferfinal02212013.pdf	PHA- Milford Contaminated Aquifer, Milford, OH		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/StKatherineDrexelSchool/StKatherineDrexelSchoolHC062007.pdf	HC-St. Katherine Drexel School, Beaver Dam, WI		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/TCEContaminatedSW_FuelDps2004/FuelDps2004TCEGWPlumeHC01092009.pdf	ATSDR		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=924&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=867&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=867&pg=1	HCL- Albea Americas Inc Facility, Warren County, NJ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=867&pg=1	Lajolla Spring Cave Complex, Stanton, MO		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1012&pg=2	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1012&pg=2	HC- Chicago Heights Boulevard VOC Plume Site, Overland, MO		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1012&pg=2	PHA- American Beryllium Co, Tallevast, FL		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1012&pg=2	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1012&pg=2	HC- Carolina Steel Fabrication Facility, Montgomery, AL		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1305&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=536&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=536&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=115&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=115&pg=1	health consultation somerville, massachusetts		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=836&pg=0	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=377&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=374&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=693&pg=4	ATSDR		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=19&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=293&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1285&pg=5	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=20&pg=2	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=834&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/WestTroy/WestTroyPHA(final)10232013_508.pdf	PHA- West Troy Contaminated Aquifer, Troy, MI		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=10232013_508.pdf	HC- Long Lake TCE Contamination, New Brighton, MN		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/BFGoodrich/BFGoodrichFinalPHA11052012.pdf	PHA- BF Goodrich Site, Rialto, CA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/KoshkonongSchoolWellSite/KoshkonongSchoolWellSite6-25-2009.pdf	HC- Koshkonong School Well Site, Koshkonong, OR		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/CircleCourtGroundwater/CircleCourtGroundwaterPlumePHA_Jan112017_508.pdf	PHA- Circle Court Groundwater Plume, Willow Park, TX		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/blueridgeelem021705-az/blueridgeelem021705-az.pdf	HC- Blue Ridge Elementary School, Lakeside, AZ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/EastTroyContaminatedAquifer/EastTroyContaminatedAquiferPHAFinal04222011.pdf	PHA- East Troy Contaminated Aquifer, Troy, MI		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1305&pg=3	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/MansfieldTrailDumpSuperfundSite/SussexCountyNJ/Mansfield_Trail_Dump_%20HC_Final_508.pdf	HC- Mansfield Trail Dump Superfund Site, Sussex County, NJ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/MillsGapRoad072010/MillGroundRoadAreaHC782010.pdf	HC- Private Well Waters from the Mills Gap Rd Area, Skyland, NC		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/SRSAirContamination/SRSAirContaminationPHAFinal02032014_508.pdf	PHA- Offsite Air Contamination from the Savannah River Site, Aiken, SC		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/ShpackLandfillSuperfundSite/ShpackLandfill_PHA(final)_0401-2014_508.pdf	PHA- Shpack Landfill Superfund Site, Norton and Attleboro, MA		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/SRGGloballnc/SRG_Global_Inc_HC_01-29-2016_508.pdf	HC- SRG Global, Inc., Covington, GA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=955&pg=2	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=53&pg=4	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=975&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/MansfieldTrailDumpSite/MansfieldTrailDumpSitePHAFinal09042013_508.pdf	PHA- Mansfield Trail Dump Superfund Site, Sussex County, NJ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/HCPHA.asp?State=IN	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1012&pg=4	HC- Hart County Landfill, Hartwell, GA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/CopperCommerce121404HC/CopperCommerce121404HC.pdf	health consultation cooper commerce industrial site, gilbert, arizona		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=747&pg=3	PHA- Delavan Municipal Well #4, Delavan, WI		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/ChemFabPostMitigation/ChemFabPostMitigationLHC08302013_508.pdf	HCL- Chem Fab Site, Doylestown, PN		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/wrgracesuperfundsite/wrgracephabluefinal452011.pdf	PHA- W.R. Grace Superfund Site, Acton, MA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=572&pg=1	ATSDR		X		X		X		X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=699&pg=1	ATSDR		X		X		X		X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/PHA.asp?docid=57&pg=1	ATSDR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/OakRidgeReservation/OakRidgeReservationFinal042011_508.pdf	HC- Oak Ridge Reservation, Oak Ridge, TN		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/FormerSiemensStrombergSite/SiemensStrombergSiteHC06102010.pdf	HC for Siemens		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHAWisconsin/2009/2009PHAWisconsinWellImpacts/WisconsinWellImpactsFinal042008.pdf	PHR- Private Well Impacts from Wisconsin's Old Landfills		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/GrandTraverse/GrandTraverseHC11192012.pdf	HC - Grand Traverse Overall Supply NPL Site, MI		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/hac/pha/northindianbendwasharea12/nibwarea12finalhc032805.pdf	HC - North Indian Bend Wash Area 12 Treatment Facility, AZ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=792&pg=7	PHA - Paduca Gaseous Diffusion Plant, KY	X			X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/navyardmillsite/navyardmillsitehc07262012.pdf	HC - Navy Yard Mills Site, MA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/SERockford100604HC-IL/SERockford100604HC-IL.pdf	HC - Soil Gas Infiltration in Area 4 and Area 7, IL		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/TrentTubeIndustrialFacility/TrentTubeIndustrialHC053106.pdf	HC - Trent Tube Industrial Facility, WI		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/hac/pha/EastTroyContaminatedAquifer/ETrContaminatedAquiferPCPH05122010.pdf	PHA - East Troy Contaminated Aquifer, OH		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=910&pg=4	Search result page		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/PohatcongValleyGW/PohatcongValleyGWPHAFina05082013.pdf	PHA - Pohatcong Valley Groundwater Contamination Superfund Site, NJ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=380&pg=2	PHA - Brick Township Investigation, NJ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=869&pg=1	HC - TRW, Sullivan Facility, MO		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=472&pg=2	PHA - Verona Well Field, MI		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/MarineCorpsBaseCampLeune/CampLeune_Water_Factsheet_508.pdf	public health assessment fact sheet		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/Duamish_Valley/Duamish_Valley_%20HC%207-14-2008.pdf	HC - Duwamish Valley, WA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/LawrenceLivermoreNationalLaboratory/LawrenceLivermoreNationalLaboratoryHC02-17-2009.pdf	PHA - Lawrence Livermore National Laboratory, CA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/allianttechnologies/allianttechnologieshc02-17-2009.pdf	HC - Alliant Technologies Facility, CO		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/NavyYardMillsSite/NavyYardMills%20_HC_04-10-2014_508.pdf	HC - Navy Yard Mills Site, MA		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/ChemFabSite/Chem%20Fab%20Site_LHC_02-12-2015.pdf	HC - Chem Fab Site, PA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/ChanuteAirForceBase/ChanuteAFB%20FinalPHA093008.pdf	PHA - Chanute Air Force Base, IL		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/FmGardnerManufacturingSite/FmGardnerManufacturingSiteHCFinal0202013.pdf	HC - Former Gardner Manufacturing Site, WI		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=862&pg=1	PHA - Oak Grove Village Well, MO		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=966&pg=1	Search result page		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/RaytheonWasteSite/RaytheonHazardousWasteSiteLHC092208.pdf	HC - Raytheon Hazardous Waste Site, FL		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=674&pg=1	PHA - Naval Industrial Reserve Ordnance Plant, MN		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=393&pg=1	HC - Former Miro Golf Course, MI		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/ConcordNWS/Concord_Final_PHA.pdf	PHA - Concord Naval Weapons Station, CA		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/ValleyPikeVOCSite/Valley%20Pike%20VOC%20Site_LHC_%2003-24-2014_608.pdf	HC - Valley Pike VOC Site, OH		X		X	X			X	
CDC Biomonitoring Tables	https://www.cdc.gov/exposurereport/index.html	NHANES Tables, Compiled		X		X	X			X	
CDC NIOSH	https://www.cdc.gov/niosh/npg/nengapdxg.html	Update Project - Exposure Limits NOT in Effect	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/npg/nengapdx.html	Appendix C- supplementary exposure limits	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20037312.html	Trichloroethane, trichloroethylene, and perchloroethylene.	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/review/doc/153c/pdfs/eid-tr-sk-trichloroethylene-03232015.pdf	Skin Notation (SK) Profile of TCE	X		X		X		X		
CDC NIOSH	https://www.cdc.gov/niosh/docs/87-104/	Organic Solvent Neurotoxicity; secondary source, no new quantitative	X		X			X	X		
CDC NIOSH	https://www.cdc.gov/niosh/docs/2014-151/pdfs/bud/8322_bud.pdf	is a collection of methods for sampling and analysis of contaminants in		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0082-1971.pdf	Jostens Incorporated, Princeton, Illinois.	X			X		X	X		
CDC NIOSH	https://www.cdc.gov/niosh/pgms/worknotify/pdfs/EndicottOverview.pdf	Microelectronics and Business Machines Manufacturing Workers	X			X		X	X		
CDC NIOSH	https://www.cdc.gov/niosh/docs/2014-151/pdfs/methods/8322.pdf	is a collection of methods for sampling and analysis of contaminants in		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20032159.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20022698.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/20029131.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/topics/trichloroethylene/	resources; documents all covered elsewhere		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00028653.html	biologic standard for the industrial worker by breath analysis.	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/2004-0372-3054.pdf	among workers exposed to Trichloroethylene	X			X		X	X		
CDC NIOSH	https://www.cdc.gov/niosh/pgms/worknotify/pdfs/EndicottQnA.pdf	Former Microelectronics and Business Machines Manufacturing Workers		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00025194.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20032243.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/20000681.html	Use of breath analysis to monitor trichloroethylene exposures.	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00113556.html	workplace contaminants: trichloroethylene, perchloroethylene,		X		X		X	X		
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20037312.html	Duplicate	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-153-A/0153-A-010107-Dugard_At3.pdf	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/1022.pdf	is a collection of methods for sampling and analysis of contaminants in		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00178775.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-153-A/0153-A-010196-Dugard_Att2.pdf	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00118716.html	Effects of trichloroethylene on behavioral performance capabilities.		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00238403.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00055074.html	Trichloroethylene- use, risk of exposure, number of occ. Exposed,	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00195223.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/pel88/79-01.html	1988 OSHA PEL Project Documentation	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00047839.html	Effects of trichloroethylene on behavioral performance capabilities.		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00202735.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0223-2211.pdf	Thomson Consumer Electronics, Marion, Indiana.	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20040408.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/80-49-808.pdf	80-49-808, Superior Tube Company, Collegetown, Pennsylvania.	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20027805.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00195224.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-153-A/0153-A-110107-Dugard_Att1.pdf	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00129477.html	Pertaining To An Occupational Health Standard For 1,1,1-Trichloroethane.	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-153-A/0153-A-061110-DugardP_A-18_sub.pdf	Public comment		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00234139.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/1984-0478-1636.pdf	report: HETA 84-478-1636 Palace Theater, NY	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/face/in-house/full8634.html	Three Dead in Confined Space Incident in New York	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pgms/worknotify/pdfs/Endicott-BD-FINAL.pdf	Results of a NIOSH study of birth defects among children of former	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0380-1957.pdf	York International Corporation, Madisonville, Kentucky.	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-103/0103-082707-evansa_sub.pdf	Public comment		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-153-A/0153-A-060110-PeerReviewer_A-18_sub.pdf	Public comment, review of TCE skin notation		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/80-49-808.pdf	Duplicate		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/76-24-350.pdf	24-350, Dana Corporation, Tipton, Illinois.	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/72-74-51.pdf	Duplicate		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/skin/occderm-slides/occderm18.html	General mention of TCE in relation to skin flush		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pgms/worknotify/pdfs/k25_7-06-09.pdf	Summary of peer reviewed study		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/72-74-51.pdf	HHE report HHE-72-74-51, Western Electric Company, Dublin, California.	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00204741.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0121-1923.pdf	Modern Plating Corporation, Freeport, Illinois.	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20026958.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/95-104.pdf	Methods for detection		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/77-121b.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-103/0103-072907-Privateperson_sub.pdf	Public comment on NIOSH report		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/pgms/worknotify/chloronaph.html	NIOSH Navy Cable Manufacturers study (project summary page)	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/3701.pdf	is a collection of methods for sampling and analysis of contaminants in		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/updates/upd-01-06-14a.html	Announcement of peer reviewed study publication		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/97-150/	in Commercial Drycleaners: Chemical Exposures, Fire Hazards, and	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/78-106c.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/idlh/intrid4.html	List of IDLH values-- covered in manual search		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/77-140g.pdf	Standard: Occupational Exposure to Waste Anesthetic Gases and Vapors		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/86-102-c.pdf	Methods for detection		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/npg/pgintrod.html	chemical hazards, already included in manual		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/docs/2003-154/method-casall.html	List of manuals for analytical methods		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/77-140b.pdf	Standard: Occupational Exposure to Waste Anesthetic Gases and Vapors		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/ocas/pdfs/sec/clarkville/clark202er.pdf	Not chemicals of interest		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/1982-0136-1175.pdf	U.S. Army Research Office, Research Triangle Park, North Carolina.	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/77-140c.pdf	Standard: Occupational Exposure to Waste Anesthetic Gases and Vapors		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/npg/npgdcas.html	Exposure limit	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	hazards- name (including synonyms/trade names),	X		X		X			X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	With Control Recommendations: Trichloroethylene	X		X		X		X		
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	Current Intelligence Bulletin 2: Trichloroethylene (TCE)	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	Standard: Occupational Exposure to Trichloroethylene	X		X			X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/78-38-512.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-65-938.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0298-2499.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2010-0061-3206.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2006-0059-3009.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0223-2211.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/82-75-1545.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1993-0011-2309.pdf	Human Hazard Eval. Report, School exposure (occ, susceptible, general)	X			X	X			X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0344-2159.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0316-2339.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0380-1957.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2013-0117-3247.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/74-28-212.pdf	Human Hazard Eval. Report	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1996-0135-2612.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/82-40-1119.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0226-2281.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2004-0372-3054.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/80-49-808.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/72-74-51.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	http://www.cdc.gov/niosh/hhe/reports/pdfs/74-96-173.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/72-42-76.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/73-151-141.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/79-18-627.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0357-2042.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/76-24-350.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/79-147-702.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/80-48-689.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/77-12-418.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0121-1923.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/80-153-881.pdf	Human Hazard Eval. Report	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2001-0150-2917.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/76-61-337.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0206-1744.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/84-14-1507.pdf	mentioned phased out TCE use for alternative	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0095-1927.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	http://www.cdc.gov/niosh/hhe/reports/pdfs/79-96-729.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/74-61-232.pdf	Human Hazard Eval. Report, DCM not tested	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1997-0214-2689.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/72-49-45.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2002-0184-2888.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	http://www.cdc.gov/niosh/hhe/reports/pdfs/76-101-376.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2003-0029-2923.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1999-0085-2736.pdf	TCE levels not reported		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2003-0203-2952.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0153-2072.pdf	TCE not detected		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0314-2152.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0083-2134.pdf	Human Hazard Eval. Report	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/78-56-511.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2008-0155-3131.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/77-3-420.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/72-84-31.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2007-0261-3122.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2012-0102-3245.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0044-2265.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1999-0185-2787.pdf	TCE amount not reported		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0200-2111.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0183-2101.pdf	school levels of TCE (occ, gen pop, susceptible)	X			X	X			X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0029-2212.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/80-87-708.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Immediately Dangerous to Life or Health	https://www.cdc.gov/niosh/idlh/79016.html	health concentrations of TCE; occupational exposure limits, animal	X			X		X		X	
CDC NIOHS International Chemical Safety Cards (ICSC)	https://www.cdc.gov/niosh/ipcsneng/nengcas.html	properties, routes of exposure, occupational exposure limits	X		X			X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/FoodScienceResearch/TotalDietStudy/ucm184293.htm	Chemicals in foods, results for individual years in zip files	X			X	X			X	
FDA Food and Drug Administration	https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM184304.pdf	results in food from the FDA's Total Diet Study program (1991-3-2003-4)	X			X	X			X	
FDA Food and Drug Administration	https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM291685.pdf	results in food from the FDA's Total Diet Study program (2004-1-2005-4)	X			X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM291686.pdf	results in food from the FDA's Total Diet Study program (2004-1-2005-4)	X			X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/ucm073395.pdf	Guidance for Industry (Q3C)- Tables and List (Revision 2, 2012)	X			X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/FoodAdvisoryCommittees/UCM422003.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Safety/MedWatch/SafetyInformation/ucm271266.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/AboutFDA/WhatWeDo/History/ThisWeek/ucm117882.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Safety/MedWatch/SafetyInformation/ucm258409.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Safety/MedWatch/SafetyInformation/ucm242314.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/oc/groups/fda-gov-public/@fda-gov-afda-crops/documents/document/ucm524203.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/03/dec03/120103/03p-0544-cp00001-08-tab6-vol1.pdf	commercially processed irradiated foods- measured levels of Perc and	X			X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/02/Sep02/091802/80027df0.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/06n0292/06n-0292-c000011-01-vol8.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/DOCKETS/dockets/97s0162/let3664.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm154182.htm	mentions TCE at bottom, not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/01b-0431-gdl0001.pdf	(Q3C)- has guidance levels on levels, classification		X		X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/AdvisoryCommittees/CommitteesMeetingMaterials/FoodAdvisoryCommittees/ucm138743.htm	CV of researcher		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/04/aug04/081804/03p-0029_emc-000027-01.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Drugs/ResourcesForYou/Consumers/QuestionsAnswers/ucm077808.htm	Not chemical of interest		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM184303.pdf	results in food from the FDA's Total Diet Study program (1991-3-2003-4)	X			X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/GRAS/NoticeInventory/ucm456952.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AnimalVeterinary/GuidanceComplianceEnforcement/GuidanceforIndustry/ucm052441.pdf	residual solvents in new veterinary medicinal products, active substances	X			X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/03/Jun03/060903/02p-0447-sup0001-04-Tab-C-vol1.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/NewsEvents/Testimony/ucm170932.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/UCM438685	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/02n0466/02n-0466-c000032-01-vol5.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ForIndustry/FDABasicsforIndustry/ucm238796.htm	FDA summary page about personal care product regs, no specific info		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/ac/02/briefing/Case%20Reports%5C3882C-3118381-8.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/FoodbornIllnessContaminants/Pesticides/ucm126181.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/ac/00/slides/3609s1q.pdf	Public comment, not very relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/80n0208/80n-0208-c000032-08-CDC-vol146.pdf	CV of researcher		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/80n0208/80n-0208-c000032-08-CDC-vol146.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/121599a.txt	Federal Register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/95n0316/95n-0316-p0190-03-Appendices-vol140.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/DOCKET/DOCKETS/95n0316/95n-0316-p0190-03-Appendices-vol140.pdf	measured in product, but not detected		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm154595.htm	production of something else (proc info, use)	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/05v0163/05v-0163-var0001-vol1.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/072508.toc.pdf	Federal Register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/oc/ohrt/Regulatory/Regulatory/Information/Regulatory/GRAS/Labeling/071330.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/03/Nov03/110603/03d-0165-c000040-01-vol3.pdf	Public comment, not very relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/060208toc.pdf	Federal Register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/070799co.pdf	Federal Register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ucm/groups/fda.gov-public/@fda.gov-foods-gen/documents/document/ucm402152.pdf	measured in product, but not detected		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/03/oct03/100103/03c-0461-g00001-03-proposed-labeling-vol1.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/.../Guidances/UCM073401.pdf	Solvents (mentions human health tox study data, PDE for humans)		X		X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/040898a.pdf	Federal Register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/112601co.htm	Links to EPA document		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/oc/ohrt/Regulatory/Regulatory/Information/Regulatory/GRAS/Labeling/071330.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AboutFDA/CentersOffices/ORA/ORA/ElectronicReadingRoom/UCM304324.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/oc/ohrt/Regulatory/Regulatory/Information/Regulatory/GRAS/Labeling/071330.htm	List of FDA publications from FY2009, not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/97n0477/c000002.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm258376.pdf	TCE is used in production of something else, process info	X			X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ForConsumers/ConsumerUpdates/ucm380110.htm	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/03d-0163-qdl0001.doc	exposure of one incident, no values provided		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/ac/98/briefingbook/1998-3454B1_03_WL37.pdf	Federal Register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpt0342-003-vol266.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ICECI/Inspections/InspectionGuides/ucm074909.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/06-1571.pdf	Federal Register		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?fr=173.290	21CFR173.290; levels of TCE permitted in coffee	X			X	X			X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?fr=165.110	Code of Federal Regulations, 21CFR165.110	X			X	X			X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?fr=165.110	Not chemical of interest		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2002/21-1785004_Glucoavance_Medtr.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?fr=73.30	Federal Regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?fr=73.30	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf14/K141029.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf2/K020414.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/applletter/2011/020297s034_s035ltr.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/cdrh_docs/pdf/k013646.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/cms_ia/importalert_88.html	Trichloroethylene (TCE) Residue in Olive Oil	X			X	X			X	
FDA Databases	http://www.accessdata.fda.gov/cdrh_docs/pdf2/K020858.pdf	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf16/K161787.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfCFR/CFRSearch.cfm?CFRPart=173	Federal Regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2000/20-911_QVAR_Admindocs.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf14/K141846.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/plantox/detail.cfm?id=10525	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf12/K123001.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf15/K152469.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctfr/cfsearch.cfm?fr=175.105	Federal Regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/cms_ia/country_99.html	Links to doc already captured		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf12/K121699.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf9/K093662.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/publications/search_result_record.cfm?id=49684	Methods for detection		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf/K982105.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf9/K090276.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf13/K131116.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf4/K042655.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf13/K132466.pdf	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	http://www.accessdata.fda.gov/cdrh_docs/pdf4/P040016c.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf9/K092756.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf14/K142395.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2006/022046s001bl.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf10/K102738.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/018976s012bl.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf15/K150050.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdfrcf_id=441857a	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2001/20-2975007_Correg_pmtbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2006/021471bl.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf/K981834.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?fr=172.560	Code of Federal Regulations, 21CFR172.560	X			X	X			X	
FDA Databases	http://www.accessdata.fda.gov/cdrh_docs/pdf4/k042369.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf12/K122988.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/019982s014bl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/99/20992_admindocs_P3.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/021438s012bl.pdf	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2000/21127_Optivar_medr_P2.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/cms_ia/ialist.html	Links to doc already captured		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2000/75405_Cladribine_Pmtbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2008/021438s011bl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/019507s008bl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/plantox/detail.cfm?id=22105	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf13/K132690.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cms_ia/iapublishdate.html	Links to doc already captured		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/018553s037bl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/019807s001bl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/016418s080_016762s017_017683s008bl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/021742s013bl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/206302Orig1s000Lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020186s026bl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/98/20-387S008_Hyzaar.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/plantox/TextResults.cfm?dis=51&q=sov&pn=10&rcount=196	List of peer reviewed articles		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/drugsatfda_docs/label/2005/020297s013bl.pdf	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2009/022363a000_MedR_P2.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?CFRPart=175&showFR=1	Federal Regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/020297s029lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2006/022012lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?CFRPart=73&showFR=1	Federal Regulation, no quantitative amounts		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf14/K140407.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/022012s010s013lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/cdrh_docs/pdf5/p050028c.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf13/K132654.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/applletter/2011/019507s008ltr.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?fr=177_1960	Federal Regulation, no quantitative amounts		X		X		X		X	
FDA Everything Added to Food in the United States (EAFUS)	http://www.fda.gov/Food/IngredientsPackagingLabeling/FoodAdditives/Ingredients/ucm115326.htm	includes use info and short notations on use limitations for each additive.		X		X	X			X	
FDA List of Indirect Additives Used in Food Contact Substances	http://www.fda.gov/Food/IngredientsPackagingLabeling/Packaging/FC/IndirectAdditives/ucm115333.htm	Code of Federal Regulations Title 21-21CFR175.105		X		X	X			X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/mdt/mdt1001/1001.html	Tetrachloroethylene Trichloroethylene	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/osta/otm/new_noise/appendixd.pdf	OSHA Technical Manual - Noise - Appendix D		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2040/2040.html	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/imis/accidentsearch_accident_detail?id=170702674	NA	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dsg/hazcom/ghd053107.html	Guidance for Hazard Determination for Compliance with the OSHA ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial0-pv2086-01-8305-ch0-pv2086-01-8305-ch.html	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org112/org112.html	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=170184865	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=standards&p_id=9992	1910.1000 TABLE Z-1	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/drycleaning/hazards.html	Safety and Health Topics Dry Cleaning - Hazard Recognition ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_273000.html	Chemical Sampling Information Trichloroethylene Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/etools/respiratory/change_schedule_testing.html	Respiratory Protection eTool Respirator Change Schedules ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/directreadinginstruments/evaluation.html	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/osta/otm/otm_iii/otm_iii_2.html	OSHA Technical Manual (OTM) Section III: Chapter 2 - Indoor Air ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/osta/otm/otm_iii/otm_iii_1.html	OSHA Technical Manual (OTM) Section III: Chapter 1 - Polymer ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=770&p_table=preambles	Discussion and Determination of Final ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=674044	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13194	Occupational Exposure to Methylene Chloride - 56:57036 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/imis/AccidentSearch.search?acc_keyword=%22Trichloroethylene%22&keyword_list=on	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_231730.html	Chemical Sampling Information Diallyl Disulfide		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/3430indoor-air-quality-sm.pdf	Indoor Air Quality in Commercial and Institutional Buildings		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=19101027	Federal Registers Occupational Safety and Health Administration		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dsg/PEL-forum-comments2010.html	Forum for identifying hazardous chemicals	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=14375448	NA		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/nyc-disaster/southwest-organic.html	WTC OSHA Organic Sampling Data	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=STANDARDS&p_id=10286	Air contaminants - 1915.1000 Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13690	Occupational Exposure to Methylene Chloride - 62:1494-1619 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/OSHA3844.pdf	Hazard Classification Guidance for Manufacturers, Importers		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dsg/annotated-pels/tablez-2.html	OSHA Annotated PELs Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=18599	Occupational Exposure to Hexavalent Chromium - 71:10099-10385 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=STANDARDS&p_id=10629	Gases, vapors, fumes, dusts, and mists. - 1926.55 App A ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_id=9993&p_table=STANDARDS	Table Z-2	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=19101027	Documents referencing 1910.1027 Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=24773	Chemical Management and Permissible Exposure Limits (PELs ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/nyc-disaster/southeast-organic.html	WTC OSHA Organic Sampling Data	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=federal_register&p_id=13306	Air Contaminants - 58:35338-35351 Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/archive/oshinfo/priorities/solvents.html	OSHA Priorities - Solvents	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=STANDARDS&p_id=9774	General requirements for dipping and coating operations - 1910.124 ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=standards&p_id=10651	Hazardous waste operations and emergency response. - 1926.65 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/benzene/standards.html	Safety and Health Topics Benzene - OSHA Standards ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=Standards&p_id=10106	Occupational exposure to hazardous chemicals in laboratories ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dsg/safer_chemicals/	Transitioning to Safer Chemicals Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org014/org014.html	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/FedReg_oshapdf/20060228_20.pdf	to view table VI-9		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=29015	06/29/2012 - HAZWOPER standard's requirements for medical ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9991	duplicate		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/brownfields/brnflid_qna.html	Brownfields Brownfields Health & Safety For Sites Evaluated ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_237470.html	Chemical Sampling Information Dipropyl Disulfide		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9991	Air contaminants. - 1910.1000 Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9991	duplicate		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/toc/chmcas_3.html	Chemical Sampling Information Index by CAS Number - 79-00-5 to ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/autobody/standards.html	Safety and Health Topics Autobody Repair and Refinishing - OSHA ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/toc/chmn_T.html	Chemical Sampling Information Index of Chemical Sampling ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=20287	06/05/1991 - Error corrected in response of Sept. 4, 1990 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9991	Federal Registers		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10042	Benzene. - 1910.1028 Occupational Safety and Health Administration		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/flavoringlung/preventativecontrolmeasures_regionvii.html	Safety and Health Topics Flavorings-Related Lung Disease ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=766&p_table=PREAMBLES	Section 2 - II. Index to Preamble Discussion of Individual Substances ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/oshaweb/wasrchr.search_form?p_doc_type=FEDERAL_REGISTER&p_level=2&p_level=50	duplicate		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/oshaweb/wasrchr.search_form?p_doc_type=FEDERAL_REGISTER&p_level=2&p_level=50	1910.120 - Hazardous waste operations and emergency response.		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_233600.html	Chemical Sampling Information 1,2-Dichloroethylene		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/etools/respiratory/bibliography.html	eTools Respiratory Protection eTool - Bibliography Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_217900.html	Chemical Sampling Information Allyl propyl disulfide Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/osta/otm/otm_ii/pdfs/otmii_chpt2_appb.pdf	EXPOSURE GUIDELINES (ACGIH BEI ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	http://www.osha.gov/pls/imis/accidentsearch_accident_detail?id=200962231	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/imis/accidentsearch_accident_detail?id=14464309	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/imis/accidentsearch_accident_detail?id=14312169	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/home_healthcare/	Safety and Health Topics Home Healthcare Occupational Safety ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	#VALUE!	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/imis/AccidentSearch.search?acc_keywords=%22Spray%20Booth%22&keyword_list=on	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/etools/shipyard/ship_breaking/ppe/operations/ppe_cleaning.html	Shipyard Employment eTool > Shipbreaking: PPE Selection ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/etools/respiratory/change_schedule_mathmodel.html	duplicate	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=14644	Region 7		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=10673&p_table=STANDARDS	Flammable liquids. - 1926.152 Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=federal_register&p_id=13359	Occupational Exposure to Methylene Chloride - 59:11567-11569 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/FedReg_oshafed/FED20041201.pdf	PDF File		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/chemicaldata/	OSHA Occupational Chemical Database Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/grnt_materials/fy09/sh-19495-09/health_hazards_field_guide.pdf	Purpose The purpose of this field guide is to serve as documentation ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10021	Vinyl chloride. - 1910.1017 Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/etools/respiratory/woodmodel_predicted.html	duplicate	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/osh3151.pdf	Personal Protective Equipment	X			X		X		X	
OSHA Chemical Exposure Health Data	https://www.osha.gov/openqov/healthsamples.html	OSHA PELs and general information	X			X		X		X	
NIST	https://www.nist.gov/node/584581	link to peer reviewed citation		X		X		X		X	
NIST	https://www.nist.gov/node/606716	Peer reviewed		X		X		X		X	
NIST	https://www.nist.gov/document-4557	Powerpoint		X		X		X		X	
NIST	https://www.nist.gov/tpo/fy2016	List of 2016 funding awards		X		X		X		X	
NIST	https://www.nist.gov/document-371	solar cell ppt		X		X		X		X	
NIST	https://www.nist.gov/people/elijah-petersen	Personal bio		X		X		X		X	
NIST	https://www.nist.gov/document-9259	Peer reviewed		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIST	https://www.nist.gov/document-7024	ppt		X		X		X		X	
NIST	https://www.nist.gov/programs-projects/wind-engineering-and-coastal-inundation-project	Wind Engineering and Coastal Inundation Project NIST		X		X		X		X	
NIST	https://www.nist.gov/document-14647	A Gage Block Measurement Process Using Single Wavelength ...		X		X		X		X	
NIST	https://www.nist.gov/document-11045	Vinegar, A., and Jepson, G.		X		X		X		X	
NIST	https://www.nist.gov/document-1806	435. Laser-Induced Kerr Constants for Pure Liquids, N. J Harrison ...		X		X		X		X	
NIST	https://www.nist.gov/document-10543	NA		X		X		X		X	
NIST	https://www.nist.gov/people/ben-neely	Benjamin Neely NIST		X		X		X		X	
NIST	https://www.nist.gov/node/737976	Peer reviewed		X		X		X		X	
NIST	https://www.nist.gov/document-14761	Peer reviewed		X		X		X		X	
NIST	https://www.nist.gov/node/735571	Peer reviewed		X		X		X		X	
NIST	https://www.nist.gov/node/738691	Peer reviewed		X		X		X		X	
NIST	https://www.nist.gov/document-4940	Meeting agenda		X		X		X		X	
NIST	https://www.nist.gov/node/735731	Peer reviewed		X		X		X		X	
NIST	https://www.nist.gov/document-6907	Hygrometer calibration services		X		X		X		X	
NOAA CAMEO database	https://cameochemicals.noaa.gov/	SDS - Response and break through times on PPE	X		X			X		X	
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table1.pdf	Associated Chemical Information. PACs Rev. 29, May 2016		X	X			X	X		
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table2.pdf	(PAC) Rev. 29 based on applicable 60-minute AEGs, RPGs, or TEELs. The		X		X		X	X		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table4.pdf	(PAC) Rev. 29 based on applicable 60-minute AEGLs, ERPGs, or TEELs.		X		X		X	X		
US Geological Survey	https://www.usgs.gov/science/regions/northeast/new-jersey	New Jersey		X		X		X		X	
US Geological Survey	https://www.usgs.gov/science/mission-areas/ecosystems/cooperative-research-units	Cooperative Research Units		X		X		X		X	
US Geological Survey	https://www.usgs.gov/science/mission-areas/environmental-health/toxic-substances-hydrology-program	Environmental Health	X		X		X			X	
US Geological Survey	https://www.usgs.gov/science/mission-areas/environmental-health/toxic-substances-hydrology-program	Toxic Substances Hydrology Program		X		X		X		X	
US Geological Survey	https://www.usgs.gov/staff-profiles/saeid-tadayon	Saeid Tadayon		X		X		X		X	
US Geological Survey	https://www.usgs.gov/staff-profiles/jeffrey-fischer	Jeffrey Fischer		X		X		X		X	
US Geological Survey	https://www.usgs.gov/staff-profiles/thomas-edwards	Thomas Edwards, Ph.D.		X		X		X		X	
US Geological Survey	https://www.usgs.gov/science/mission-areas/environmental-health/toxic-substances-hydrology-program	Environmental Health		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/06/f23/RS564_Att_%20G_26.pdf	AREA 55 OUTDOOR STORAGE PAD CLOSURE PLAN		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/06/f23/20Part%20General%20Facility%20Conditions.pdf	PART 2 - GENERAL FACILITY CONDITIONS		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/09/f26/S13312_DOE_LM_ASER_CY2014.pdf	Summary of Annual Site Reports		X		X	X			X	
Department of Energy	http://energy.gov/em/articles/savannah-river-site-cmp-pits	Savannah River Site - CMP Pits		X		X	X			X	
Department of Energy	https://energy.gov/em/articles/hanford-site-200-1	Hanford Site - 200-UP-1		X		X	X			X	
Department of Energy	https://energy.gov/em/articles/savannah-river-site-sanitary-landfill	Savannah River Site - Sanitary Landfill		X		X	X			X	
Department of Energy	https://energy.gov/em/articles/savannah-river-site-am-area-groundwater	Savannah River Site - A/M Area Groundwater		X		X	X			X	
Department of Energy	https://energy.gov/sites/prod/files/em/2001_Agreements/Order2005-0022CleanupSLAC.pdf	QUALITY CONTROL BOARD SAN FRANCISCO BAY REGION		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://www.energy.gov/em/articles/paducah-site-undergoing-steady-groundwater-cleanup-various-methods	Paducah Site Undergoing Steady Groundwater Cleanup with ...		X		X		X		X	
Department of Energy	https://www.energy.gov/em/articles/senior-doe-officials-visit-paducah-gaseous-diffusion-plant-site	Senior DOE Officials Visit Paducah Gaseous Diffusion Plant Site ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/12/f19/2012%20Paducah%20ASER.pdf	Paducah Site Annual Site Environmental		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/01/f6/ORAU_SC.pdf	ORAU South Campus Facility		X		X		X		X	
Department of Energy	https://energy.gov/pppo/portsmouth-remediation-scope	Portsmouth Remediation Scope Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/04/10/Paducah%20Site%20By%20The%20Numbers%20August%202015.pdf	Paducah Site Cleanup By the Numbers		X		X		X		X	
Department of Energy	https://www.energy.gov/em/articles/paducah-site-improves-groundwater-treatment	Paducah Site Improves Groundwater Treatment Department of ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/ground-heating-removes-groundwater-contamination-em-s-paducah-site	Groundwater Contamination at EM's ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/paducah-gaseous-diffusion-plant-gw-ou-northeast-plume	Paducah Gaseous Diffusion Plant - GW OU Northeast Plume ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/09/f2/DOEPlumeMaps2008.pdf	Treatment at Department of Energy Sites (2008)	X			X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/CX-009017.pdf	CX-009017.pdf		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/groundwater-cleanup-progresses-paducah-site	Groundwater Cleanup Progresses at Paducah Site Department of ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/paducah-gaseous-diffusion-plant-gw-ou-northwest-plume	Paducah Gaseous Diffusion Plant - GW OU Northwest Plume ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/workers-will-clean-groundwater-contamination-source-deep-soil-mixing	Workers Will Clean Up Groundwater Contamination Source With ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/paducah-site-modernizes-equipment-treat-site-groundwater-contamination	Paducah Site Modernizes Equipment to Treat Off-Site Groundwater ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/southwest-plume-cleanup-paducah-site-start-summer-2013	Paducah Site to Start by Summer 2013 ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/portsmouth-site-feeds-bacteria-render-hazardous-groundwater-waste	Portsmouth Site Feeds Bacteria to Render Hazardous Groundwater ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://energy.gov/sites/prod/files/2013/09/f2/Groundwater_Booklet-2009-v5.pdf	Treatment at Department of Energy Sites (2009)	X		X			X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/12/f6/2013CleanupProgress_0.pdf	2013 Cleanup Progress Report		X		X		X		X	
Department of Energy	https://energy.gov/im/articles/progress-toward-operable-unit-1-groundwater-cleanup-mound-ohio-site	Progress Toward Operable Unit 1 Groundwater Cleanup at the ...		X		X		X		X	
Department of Energy	https://energy.gov/ere/articles/energy-department-announces-new-projects-between-us-and-china-cut-emissions	Energy Department Announces New Projects between U.S. and ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/f3/Portsmouth_Paducah_Construction_Workers_NeedsAssessment.pdf	Construction Workers Needs Assessment for Medical Surveillance	X			X		X		X	
Department of Energy	https://energy.gov/em/articles/los-amos-national-laboratory-rdx	Los Alamos National Laboratory - RDX Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/dnapl_heron05_04.pdf	FOR DNAPL REMEDIATION: FULL-SCALE SITE RESTORATION AT		X	X			X		X	
Department of Energy	https://energy.gov/em/articles/community-college-highlights-paducah-site-groundwater-model	Community College Highlights Paducah Site Groundwater Model ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/04/f30/31112_Rand_040516-1105.pdf	PresentationITO-Free White OLEDs on ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/02/27/Track%20%20Alternoon%20EEF%20Financing%20Ccompilation.pdf	THANK YOU!		X		X		X		X	
Department of Energy	https://energy.gov/pppo/portsmouth-cleanup-progress	Portsmouth Cleanup Progress Department of Energy		X		X		X		X	
Department of Energy	https://www.energy.gov/sites/prod/files/2013/10/f3/Y-12_ORNL_ProductionWorkers_NeedsAssessment.pdf	Surveillance Program Needs Assessment	X			X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/2015/08/f25/rand_bioenergy_2015.pdf	rand_bioenergy_2015.pdf (874.76 KB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/em/ProjectFiles/Paducah.pdf	Paducah		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/03/f18/Managing%20America%20Defense%20Nuclear%20Waste.pdf	Managing America's Defense Nuclear Waste		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/03/f8/FromCleanupToStewardship.pdf	From Cleanup to Stewardship	X		X			X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/08/f13/DOE%20Paducah%20Site%20Tour%20Industry%20Workshop%20by%20-%202012-07-31.pdf	DOE Paducah Site Tour - Industry Workshop, July 31, 2012		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://energy.gov/sites/prod/files/2015/06/f22/DOE-IG-0937.pdf	Audit Report: DOE/IG-0937		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/09/f33/2015-Paducah-ASER.pdf	2015 Paducah Annual Site Environmental Report		X		X		X		X	
Department of Energy	https://www.energy.gov/fe/services/petroleum-reserves	Petroleum Reserves Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/CX-007809.pdf	CX-007809.pdf		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/02/f7/Track%20%20Morning%20Energy%20Intensive%20Compilation.pdf	Track 2 Morning Energy Intensive Compliation.pdf		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/09/f33/Chairs%20Round%20Robin.pdf	Chairs Round Robin (977.98 KB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/em/12_08X-701BGroundwaterRemedyPortsmouthOhio.pdf	X-701B Groundwater Remedy Portsmouth Ohio (5.55 MB)		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/2013/10/f3/SRS_Construction_Workers_NeedsAssessment.pdf	Assessment for Medical Surveillance Program	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/01/f6/2013_Q4_0.pdf	Program Update, OctoberDecember 2013		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/napl_juhlin05_04.pdf	Thermal NAPL Remediation at the Young-Rainey Star Center		X	X			X		X	
Department of Energy	https://energy.gov/sites/prod/files/CX-015448.pdf	CX-015448.pdf		X		X		X		X	
Department of Energy	http://www.energy.gov/sites/prod/files/piprod/documents/Liang_Zhipeng.pdf	Strategy and Policies for Renewable Energy in China		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/06/f17/Tributary%20Valley%20VOCs.pdf	Tributary Valley VOCs		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/paducah-gaseous-diffusion-plant-ow-ou-southwest-plume	Paducah Gaseous Diffusion Plant - GW OU Southwest Plume ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/em/ProjectFiles/Portsmouth.pdf	Portsmouth Gaseous Diffusion Plant		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/06/f17/Tritium.pdf	Miamisburg Environmental Management Project - Tritium		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/2014/07/f17/vss114_markel_2014_o.pdf	vss114_markel_2014_o.pdf (2.13 MB)		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://energy.gov/sites/prod/files/EIS-0283-FEIS_Vol3a-1999.pdf	EIS-0283-FEIS_Vol3a-1999.pdf		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/idaho-site-enlists-whey-eating-microbes-groundwater-cleanup-0	Idaho Site Enlists Whey-Eating Microbes in Groundwater Cleanup ...		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/pjprod/documents/Jim_Quinn.pdf	NA		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/oeprod/DocumentsandMedia/EA-358_Twin_Cities.pdf	Application to Export Electric Energy OE Docket No, EA-358 Twin ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/05/f32/Final%20SAR%20for%20Period%20Ending%203-31-16.pdf	semiannual report to congress: october 1, 2015- march 31, 2016		X		X		X		X	
Department of Energy	https://www.energy.gov/sites/prod/files/2014/11/19/2014_SNL_-_Targeted_Review_of_WPC_at_SNL_-_November_2014.pdf	NA		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/em-s-paducah-site-completes-building-removals	EM's Paducah Site Completes Building Removals Department of ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/05/f31/gasification_taylor_7736.pdf	gasification_taylor_7736.pdf (1.24 MB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/02/17/stqwr%207th%20generation%20pub_0.pdf	Closure for the Seventh Generation		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/EIS-0387-FEIS-02-2011.pdf	EIS-0387-FEIS-02-2011.pdf		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/09_07/BullC-400ThermalTreatmentofRemedialDesignReportStewardship.pdf	Building C-400 Thermal Treatment 90% Remedial Design Report ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2017/01/f34/EA-1856_Draft_EA_2017.pdf	EA-1856_Draft_EA_2017.pdf		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/06/f23/RS1738_Attachment%20N.pdf	Attachment N - Figures		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/LMPU_qtr2_2012.pdf	Office of Legacy Management (LM) Program Update, AprilJune ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/em/DOELongTermStewardshipStudy_VolJumel-FinalOctober2001.pdf	Long-Term Stewardship Study (881.13 KB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/10/f33/2016_Q3_ProgramUpdate.pdf	(LM) Program Update, July-September 2016		X		X		X		X	
PNNL Pacific Northwest National Laboratory	https://www.pnnl.gov/about/environmental_reports/2014_SiteAnnualEnvironmentalReport.pdf	2014 PNNL Annual Site Environmental Report	X		X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23523.pdf	Office of Science Pacific Northwest National Laboratory Annual Site ...		X	X		X			X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23679.pdf	Characterization of Biofilm in 200W Fluidized Bed Reactors	X		X		X			X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23730.pdf	Source Water from an experiment		X	X		X			X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21843_SVEET_1.0.0.xls	sweet		X	X		X			X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-24696.pdf	Performance Assessment for Pump-and-Treat Closure or Transition	X		X		X			X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/about/staffawards/awarddetails.asp?awardid=606	PNNL:About PNNL:SEER Awards		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/news/release.aspx?id=752	PNNL: News - Researchers pour on the heat to test waste cleanup ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/news/release.aspx?id=629	PNNL: News - Groundwater injection process filters out contaminants		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/biology/staff/staff_info.asp?staff_num=5998	PNNL: Biological Sciences - Karl Weitz		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/biology/staff/staff_info.asp?staff_num=7027	PNNL: Biological Sciences - Rick Corley		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/science/staff/staff_info.asp?staff_num=5774	Science at PNNL - Margaret Romine		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-22829.pdf	Report on the Implementation of Homogeneous Nucleation Scheme		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-22956.pdf	Guiding Principles for Sustainable Existing Buildings ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-19370.pdf	China's R&D for Energy Efficient Buildings: Insights for U.S. ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-22499.pdf	Perched-Water Evaluation for the Deep Vadose Zone Beneath the B ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/news/release.aspx?id=523	PNNL: News - PNNL gathers most complete protein map of "world's ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23921.pdf	Simulations of Lithium-Based Neutron Coincidence Counter for Gd		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-22228.pdf	Modeling and Simulation Optimization and Feasibility Studies for the ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/science/highlights/highlight.asp?id=549	Metabolism of Key Environmental and ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70037875	transformation rates due to naturally occurring biodegradation in a		X		X		X		X	
US Geological Survey publications	http://pubs.er.usgs.gov/publication/70017676	Displacement of soil pore water by trichloroethylene		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20095051	Processes in the Zone of Contribution to a Public-Supply Well in Woodbury,		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70181784	imaging at the Hemphill Road TCE NPL Superfund site near Gastonia,		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri984167	levels, and trichloroethylene contamination, Naval Air Warfare		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70015437	movement in groundwater at castle Air Force Base, California: not available		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/fs20043087	phytoremediation processes associated with trichloroethene (TCE)		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70021850	trichloroethene uptake and loss in baldcypress growing in shallow		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20055035	contamination in the sea-level aquifer beneath the Logistics Center, Fort		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70025642	dechlorination of TCE at a phytoremediation site		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70033755	Questioning the origins of a trichloroethene plume: Peer reviewed		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70015963	of trichloroethene vapor to vadose-zone soil at picatinny arsenal, New		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20161066	groundwater flow and trichloroethene transport in the Surficial Aquifer		X	X			X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri864313	trichloroethylene in ground water in the Tucson area, Arizona		X	X			X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri994125	Geologic Controls on Contaminant Pathways near the Royal River, McKin		X	X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri964286	Malvern TCE Superfund Site, Chester County, Pennsylvania		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70029982	hydrogeochemical controls on natural attenuation of trichloroethene in an		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70022785	dechlorination in a shallow aquifer contaminated with trichloroethene		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70029330	trichloroethylene in a borehole in fractured sandstone		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70023088	characterization of a trichloroethene-contaminated fractured dolomite		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri864188	contamination at Wurtsmith Air Force Base, Michigan, 1982-85		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sim2864	testing to determine depth of trichloroethene (TCE) contamination		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20055176	source areas of chlorinated ethenes identified using concentrations and	X		X		X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70023320	and its anaerobic daughter products in freshwater wetland sediments: Peer		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr80557	supply of Pease Air Force Base, Portsmouth, New Hampshire: not		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri004275	biodegradation of chlorinated ethenes in a fractured dolomite aquifer near		X	X		X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/96558	of TCE and PCE on wild rodent and reptile populations, Edwards Air Force		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20115003	compounds removed by Pump-and-Treat, Naval Air Warfare Center, West		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70021837	Chlorinated ethenes from groundwater in tree trunks: peer reviewed literature		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri024274	tissue analysis and passive-diffusion samplers to evaluate trichloroethene		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70021643	the potential for natural attenuation of trichloroethylene at a fire-training-		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr00255	selected chlorinated organic compounds at Operable Unit 3, U.S.		X	X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes		
	URL	Annotation	Engineering		Fate		Exposure		Human Health				
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic			
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri034089	Selected Chlorinated Organic Compounds at Hangar 1000, U.S.		x	x			x			x		
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70073490	trichloroethylene in microcosms: not available online		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri964091	vicinity and water quality of the Paluxy Aquifer, Fort Worth, Texas		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70026609	tree trunks: Case studies, influence of recharge, and potential degradation		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr90580	volatile and semivolatile organic compounds in the Memphis Aquifer at		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri984010	volatile organic compounds in ground water in the Casey Village area, Bucks		x		x		x				x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri834002	Ground-water contamination at Wurtsmith Air Force Base, Michigan		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20041428	Potential, ADOT/PF Peger Road Maintenance Facility, Fairbanks,		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70019501	attenuation of chlorinated ethenes by naturally occurring microorganisms in		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr0160	characterization of the OU-1 area at the former George Air Force Base,		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70045370	Summary and findings: Chapter A		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70132466	chlorinated volatile organic compounds in a dipping, fractured		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70026812	perchloroethylene on wild rodents at Edwards Air Force Base, California,		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20045050	chlorinated ethenes under oxidation-reduction conditions and		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20105054	Volatile Organic Compound Concentrations at the Fischer and		x	x			x				x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70033163	the United States: Peer reviewed literature		x		x			x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70058014	microbial community, dissolved hydrogen gas, and 2HH2O tracer data		x		x			x			x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20075212	Tree and Shrub Cores as Indicators of Subsurface Volatile Organic		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70020985	volatile organic compounds in a freshwater tidal wetland: Field		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70034388	solvents using rapid in vitro SPME sampling: Application to urban plume		X		X		X		X	
US Geological Survey publications	http://pubs.er.usgs.gov/publication/ofr95425	conditions at a site of ground-water contamination by volatile organic		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri014177	dichloroethylene concentrations in ground water after temporary		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20115148	area, contamination pathway, and probable release history of chlorinated-	X		X		X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr9974	in vapor-diffusion samplers placed in sediments along and near the		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri024119	volatile organic compounds in ground water at Operable Unit 1, Naval		X	X		X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20041203	monitoring data, Operable Unit 1, Naval Undersea Warfare Center,		X	X		X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri964125	program at Wright-Patterson Air Force Base, Ohio, 1993-1994		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70021745	biodegradation under methanogenic conditions		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70030983	model in consideration of volatile organic compounds in an urban		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr00276	compounds determined with water-to-vapor diffusion samplers at the		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/fs20083025	supply wells to contamination—High Plains Aquifer near York, Nebraska		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri024166	contaminant plume beneath Red Brook Harbor, Cape Cod,		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70020978	(TCE) using cottonwood trees: not available online		X		X		X		X	
US Geological Survey publications	http://pubs.er.usgs.gov/publication/wri024121?currow=971	organic compounds in the surficial aquifer at sites FT03, LF13, and		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20045040	Simulation in the Former Airfield Area of Naval Support Activity Mid-South,		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr03355	three karst springs in middle Tennessee, February 2000 to May		x		x	x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/97008	133, and corresponding reference sites. Biological impact of TCE and		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20045107	on tree growth and mortality and on the biogeochemical system at the		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr86315	Valley, Kern, Inyo, and San Bernardino Counties, California, 1977-		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70026560	ground vs. surface water by Populus deltoides during phytoremediation:		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20075109	Recovery Wells at the Naval Industrial Reserve Ordnance Plant, Fridley,		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70181010	dechlorination by defined Dehalococcoides/Pelobacter c		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70004062	sedimentary rock, Newark Basin, New Jersey		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri944034	Interaction of ground water with the Rock River near Byron, Illinois		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20135045	and simulation of regional groundwater flow for North Penn Area		x	x			x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70118892	and transport of selected volatile organic compounds in the vicinities of		x	x			x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri964182	test cell, Arnold Air Force Base, Tennessee		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri864142	water quality in the upper glacial aquifer in Nassau and Suffolk		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri994081	Nutmeg Valley area, Wolcott and Waterbury, Connecticut		x		x	x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri004246	samplers for volatile organic compound concentrations in ground		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20075165	Microcosm and Column Experiments for Enhanced Bioremediation of		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70020367	trichloroethene-contaminated aquifer. 2. Transport of TCE: peer reviewed		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri034210	New England Coastal Basins in Maine, Massachusetts, New		x		x	x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20125048	Coastal Los Angeles Basin, 2006: California GAMA Priority Basin Project		x		x	x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20125052	Upper Santa Ana Watershed, November 2006--March 2007--		x		x	x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20075035	Ground Water and Finished Water of Community Water Systems near		x		x	x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri944109	quality of northern Bucks County, Pennsylvania		x		x	x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20095200	Source Water of Selected Community Water Systems that Use		x		x	x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20161083	near the Idaho Nuclear Technology and Engineering Center, Idaho		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri934194	DOWNSTREAM FROM A TREATED-WASTEWATER DISCHARGE NEAR		x	x		x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70161862	using three-dimensional electrical resistivity tomography		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20121082	at three former fuel-dispensing sites, Fort Gordon, Georgia, 2010—2011		x		x	x			x	
European Commission	http://ec.europa.eu/social/BlobServlet?docId=6405&langId=en	HH review, brief paragraph on use in the EU. Limited occupational	x			x		x	x		
European Commission	http://ec.europa.eu/environment/water/water-framework/groundwater/pdf/com_swd_annex_iii.pdf	Groundwater threshold value		x		x	x			x	
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/14373/attachments/1/translations/en/renditions/native	Exposure and risk characterization for professional worker use	x			x	x			x	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/12341/attachments/1/translations/en/renditions/native	Exposure scenario	x			x		x		x	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/12342/attachments/1/translations/en/renditions/native	Exposure scenario	x			x		x		x	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/12343/attachments/1/translations/en/renditions/native	Exposure scenario	x			x		x		x	information contained in REACH registration dossiers

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/12344/attachments/1/translations/en/renditions/native	Exposure scenario	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/12345/attachments/1/translations/en/renditions/native	Exposure scenario	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/14367/attachments/1/translations/en/renditions/native	Exposure scenario	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/14368/attachments/1/translations/en/renditions/native	Exposure scenario	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/14372/attachments/1/translations/en/renditions/native	Exposure scenario	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/14370/attachments/1/translations/en/renditions/native	Exposure scenario	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/14368/attachments/1/translations/en/renditions/pdf	Exposure scenario	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/14371/attachments/1/translations/en/renditions/native	Exposure scenario	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/substance-information/-/substanceinfo/100.001.062	profile	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/documents/10162/d30e53cc-89e7-4d1c-89c0-7ec216f84d48	summary of risk assessment-very relevant	X		X		X			X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/documents/10162/83f0c99f-f687-4cdf-a64b-514f1e26fcd0	risk assessment	X		X		X		X		information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/4/7#	vap pressure		X	X			X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/3/1/4#	industrial uses	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/3/1/5#	uses	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/4/8#	partition coefficient		X	X			X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/4/9#	solubility		X	X			X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/5/2/2	transformation in air		X	X			X		X	information contained in REACH registration dossiers

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/5/2/4#	transformation in water		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/14369/attachments/1/translations/en/renditions/native	Exposure scenario	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/5/3/2#	biodegradation in water		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/5/3/4	biodegradation in soil		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/5/4/2#	bioaccumulation		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/5/5/2#	sorption		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/5/5/3#	that could be used for exposure calculation		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14485/9#	safe use		X		X	X				X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/documents/10162/1f0ca75-6f0d-4eb9-b6bd-79b44c6df217	uses and alternatives	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/documents/10162/9a728963-e571-48de-b977-7d05462c43e9	uses and alternatives	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/documents/10162/2174240/annex_to_news_alert_RAC_and_SEAC_final.pdf	uses	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/documents/10162/d30e53cc-89e7-4d1c-89c0-7ec216f84d48	Summary EU RAR	X		X			X			X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/10788/attachments/1/translations/en/renditions/native	Exposure scenario	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/brief-profile/-/briefprofile/100.001.062	brief profile of chemical	X		X			X		X		information contained in REACH registration dossiers
ECHA Documents	links in excel file	Links to registration dossiers	X		X			X		X		information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/10790/attachments/1/translations/en/renditions/native	Exposure scenario	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/10791/attachments/1/translations/en/renditions/native	Exposure scenario	X			X			X		X	information contained in REACH registration dossiers

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/10792/attachments/1/translations/en/renditions/native	Exposure scenario	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/10925/attachments/1/translations/en/renditions/native	Exposure scenario	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	http://ec.europa.eu/DocsRoom/documents/10926/attachments/1/translations/en/renditions/native	Exposure scenario	X			X		X		X	information contained in REACH registration dossiers
IARC Monograph	http://monographs.iarc.fr/ENG/Monographs/PDFs/index.php	Volume 106	X			X	X		X		
OECD Emission Scenario Documents	http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/im/monod/2004/21&doclang=en	on Lubricants and Lubricant Additives. 2004, Organisation for Economic Co-	X		X		X			X	
OECD Emission Scenario Documents	http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/im/monod/2009/24&doclang=en	operation and Development), Emission Scenario Document on	X		X		X			X	
OECD Emission Scenario Documents	http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/im/monod/2009/24&doclang=en	Documents on Coating Industry (Paints, Lacquers and Varnishes).	X		X		X			X	
OECD Emission Scenario Documents	http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/im/monod/2009/24&doclang=en	on the Use of Metalworking Fluids, in Series on Emission Scenario	X		X		X			X	
OECD Emission Scenario Documents	http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/im/monod/2009/24&doclang=en	operation and Development), Emission Scenario Document on Use	X		X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/43186/1/9241546689_eng.pdf	Protecting Groundwater for Health		X	X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/39702?locale=zh&null	WHO IRIS: Trichloroethylene: electronic version not available		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42125/1/9241530111.pdf	1,1,1,2-Tetrafluoroethane		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/159539/1/EB69_SR-2_eng.pdf	Meeting record		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/59832/1/MNH_DAT_85.2.pdf	Meeting record		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/121310/1/em_rc40_3_ar.pdf	NA		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/158901/1/EB69_3_eng.pdf	Expert committee meetings: report by the Director-General		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/39925/1/9241540427_eng.pdf	manual on radiation protection in hospitals and general practice		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/152895/1/WHO_BS_2011_2181_eng.pdf	Evaluation of two International Reference Standards for antibodies ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/131012/1/final%20report.Pdf	Session Report		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/63476/1/WHO_EOS_97.7.pdf	1997 Rolling Revisions to WHO Guidelines for Drinking-Water Quality		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/124449/1/em_rc20_7_en.pdf	Programme of Work		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/123765/1/em_rc9_a_min_2_fr.pdf	Minutes of meeting		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/182761/1/EB97_NGO-4_fre.pdf	World Health Organization Organisation mondiale de la Sant ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/131350/1/rc1_sea_10%20rev.1.Pdf	World Health Organization Regiona Committee		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/207819/1/RS_92_GE_22_PHL_eng.pdf	Report of the Fourteenth Meeting		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/52189/1/bulletin_1994_72(3)_495-509.pdf	The global burden of disease in 1990: summary results, sensitivity ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/252073/1/9241541695-eng.pdf	Volume 2: Health criteria and other supporting information		X		X	X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/43186/1/9241546689_eng.pdf	Protecting Groundwater for Health		X	X			X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/173265/1/Analisis%20comparado%20marco%20juridico.pdf	Anlisis comparado del marco juridico sobre Calidad de la Atencin ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/136592/1/6GM_Report_EN.pdf	Global Meeting		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/168526/1/PAHO_60_Years_2003.pdf	60 Years PAHO		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/131134/1/sea_rc5_4.Pdf	World Health Organization Regiona Committee		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/40527/2/9241541253_eng.pdf	International Classification of Procedures in Medicine		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/121550/1/em_rc11_a_prog_min_3_fr.pdf	J.		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/124294/1/em_rc18_tech_disc_2_fr.pdf	Voir/Ouvrir		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/135084/1/WHA14_PB-3_eng.pdf	UN Decisions affecting WHO		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/130867/2/sea_rc8_5%20rev.1.pdf	Regional Office Report		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/66537/18/WHO_SDE_OEH_00.02-eng.pdf	guidelines for air quality		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/43542/1/9241572353_eng.pdf	Dermal Absorption		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42263/1/9242542288_fr.pdf	L'ANESTHESIE A L'HOPITAL DE DISTRICT		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/106050/1/Official_record232_rus.pdf	ROM hIEI		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/159220/1/EB69_1982-REC-2_eng.pdf	EXECUTIVE BOARD		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/107130/1/9789241548731_eng.pdf	Guidelines for the identification and management of substance use ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/130175/1/sea_rc24_16%20rev.1.pdf	Report on Technical Discussions		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/130829/1/sea_rc9_13.Pdf	worldhealth ional office for organization south east asia		X		X		X		X	
World Health Organization- Regional Office for Europe	www.euro.who.int/en/home	N/A		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/news-and-events/chemical-gazettes/numbers/2018/02-august/List-of-priority-existing-chemicals	List of priority existing chemicals - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0020/34814/PEC7-1.4-Dioxane.docx	1,4-Dioxane - PEC7 [WORD 2.3 MB]		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/pdf_file/0017/34613/NICNAS_Annual_Report_2012-13.pdf	ANNUAL REPORT 201213		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0003/34806/PEC1s-TGIC-secondary-notification.docx	Priority Existing Chemical Secondary		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/factsheets/chemical-name/trichloroethylene	Chemical profile	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/imap-assessments/imap-assessments/for-ii-environment-assessments/1-11-environmental	Inventory Multi-tiered Assessment and Prioritization (IMAP) - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/imap-assessments/imap-assessments/for-ii-environmental-assessments/inv-ii-2016	Inventory Multi-tiered Assessment and Prioritization (IMAP) - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0015/17061/LTD1840-FR_Final_DOCX	LTD/1840		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0011/22997/LTD-1895-FR-Final.docx	LTD/1895		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0004/34834/PEC29-lead-compounds-in-industrial-surface-coatings-and-inks.docx	Lead compounds used in industrial surface coatings and inks - PEC29		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/factsheets/chemical-names/short-chain-chlorinated-paraffins-in-metal-working-fluids	Short chain chlorinated paraffins in metal working fluids - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0007/34828/PEC22-limonene.docx	Limonene - PEC22 [WORD 1.2 MB]		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0006/34827/PEC21-benzene.docx	Benzene - PEC21 [WORD 760 KB]		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/factsheets/chemical-names/formaldehyde-in-pressed-wood-products	Formaldehyde in pressed wood products - NICNAS		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/CAREX_Canada_Environmental_Priorities_Report.pdf	Canada priority carcinogens-environmental	X			X	X			X	
CAREX Canada	http://www.carexcanada.ca/CAREX_Canada_Occupational_Priorities_Report.pdf	Canada priority carcinogens-occupational	X			X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/announcements/	Announcements		X		X		X		X	
GESTIS Database	http://limitvalue.ifa.dguv.de/	List of international regulatory limits	X			X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1994/eae230000000050.html	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/press/2005/1220b-02.pdf	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/air/aq/air/air14.html	Regulatory measures against air pollutants	X			X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1994/eae230000000045.html	White paper	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/laws/water/sccact.pdf	Soil Contamination Countermeasures Act - env.go.jp		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae240000000055.html	White paper	X			X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/press/2003/1114a.html	Air quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/recycle/manage/sv.html	Haz waste standards		X	X			X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/water/soil/contami_cm.pdf	Soil contamination standards		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/air/aq/aq.html	Environmental quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/water/soil/result/2004_summary.pdf	Soil contamination survey		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/press/2005/0930a-01.pdf	Environmental quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/press/2004/0910a-01.pdf	Environmental quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/air/aq/air.html	Air pollutant regulation		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae240000000060.html	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae240000000035.html	Environmental quality standards	X			X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/press/2004/1216c-01.pdf	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/water/wq/nes.html	National effluent standards	X			X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/earth/ecoasia/workshop/bluebook/chapter1-2.html	1.2 Current status of environmental problems		X		X		X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/statistics/data/e11ex433.xls	Air pollutant monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/230.html	Enforcement Status of the Soil Contamination Countermeasures ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/water/gw/gwp.html	Environmental quality standards for groundwater		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/earth/cc/2nd_iwserp/09_tuc.pdf	Presentation (Tsinghua University, China)		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/press/2005/1220b.html	Groundwater quality monitoring		X	X		X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-10.pdf	Emission factors	X		X			X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/press/2003/1127b-01.pdf	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/earth/ap-net/documents/seminar/14th/hutao.pdf	Policy Implications of Co-benefit on China: Linking Air Pollution and ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/earth/ozone/gl199903.pdf	Treatment manual		X	X			X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1996/eae250000000015.html	Effluent standards	X		X		X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/water/wq/wemi/soil.html	Environmental standards for soil		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat02-4.pdf	NA		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1994/eae230000000040.html	Quality of the Environment in Japan 1994 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1993/eae220000000000.html	Water quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1994/eae230000000055.html	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1994/eae230000000030.html	Environmental quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1990/eae190000000030.html	Environmental quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1989/eae180000000030.html	Effluent standards	X		X		X			X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/water/wq/wemi/water2.html	Environmental quality standards/survey		X	X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-8.pdf	Industrial uses	X			X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1989/eae18000000020.html	Polluted well survey		X		X	X			X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/earth/ap-net/documents/seminar/16thvkainuma_session1.pdf	Developing the Asia-Pacific with Climate Change Consideration ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-3.pdf	Manual	X		X			X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/focus/docs/files/20120801-51.pdf	Water quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1993/eae22000000045.html	Water quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/recycle/manage/waste.html	Hazardous waste standards		X	X			X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae24000000050.html	Atmospheric environmental survey	X			X	X			X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/water/wq/wemi/water1.html	National effluent standards	X		X		X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/jeq/v004-02.pdf	PDF(112KB)		X		X		X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/water/wq/wemj/water.html	Environmental quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/recycle/asian_net/Country_Information/NationalRepo/thailand.doc	Import		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/water/soil/sp.html	Environmental quality standards for soil		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/2011/pdf/26_Pert2-2.pdf	2. Conservation of the Atmospheric Environment, the Water ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/laws/recycle/02.pdf	Waste mgmt		X	X			X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/laws/recycle/03.pdf	Waste mgmt regulations		X	X			X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1989/eae18000000010.html	White paper		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/earth/ozone/cfc.pdf	CFC Management Strategy of Japan (July 2001)		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/focus/docs/files/20141113-49.pdf	Shipment trends	x			x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1996/eae25000000020.html	Quality of the Environment in Japan 1996 [MOE]		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1996/eae25000000010.html	Environmental monitoring survey		x		x	x			x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae24000000010.html	Quality of the Environment in Japan 1995 [MOE]		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1990/eae19000000020.html	Environmental persistence monitoring		x	x			x		x	
Substances in Preparations in Nordic Countries (SPIN) Database	http://www.spin2000.net/spinmyphp/	Summary by chemical	x			x	x			x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/SSABooklet.pdf	White paper Environmental and Occupations causes of cancer	x			x		x	x		
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/DEHP%20Full%20Text.pdf	LCSP Press: Press Releases: UMass Lowell Report Links ...		x		x		x		x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/proj.alt.activities.conducting.php	LCSP Our Work: Choosing Safer Alternatives: How We Advance ...		x		x		x		x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/DEHP%20Full%20Text.pdf	Whitepaper on DEPH		x		x		x		x	
Lowell Center for Sustainable Production	http://sustainableproduction.org/downloads/Child%20Canc%20Exec%20Summary.pdf	Toxic chemicals and childhood cancer: A review of the evidence		x		x	x		x		
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/SSABooklet.pdf	Tier 2 - TCE reduction in Mass	x			x	x			x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/StateoftheScienceFinalDownloadable_000.pdf	Download PDF	x			x		x		x	
Lowell Center for Sustainable Production	http://sustainableproduction.org/downloads/EnvandOccCausesofCancer-2007Update-DownloadVersion.pdf	White paper Environmental and Occupations causes of cancer	x			x		x	x		
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/LessonsLearned-CaseStudy5.pdf	Download PDF		x		x		x		x	
eChemPortal	http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en	EU Commission DB	x		x			x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
eChemPortal	http://www.echemportal.org/echemportal/index?pagerD=0&request_locale=en	Results from Canadian Domestic Substance List		X	X			X		X	
eChemPortal	http://www.echemportal.org/echemportal/index?pagerD=0&request_locale=en	Environment Canada Screening Assessment	X		X		X			X	
Toxicology Excellence for Risk Assessment	http://www.tera.org	TCE Dose Response Assessment Comments		X		X	X			X	
Toxicology Excellence for Risk Assessment	http://www.tera.org	TCE EPA -USAF PBPK Model		X		X	X		X		
Toxicology Excellence for Risk Assessment	http://www.tera.org	TCE EPA -USAF PBPK Model MCMC analysis		X		X	X		X		
Consumer Products Information Database (CPID)	https://www.whatsinproducts.com/chemicals/index/1	Products containing chemical		X		X	X			X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36912.pdf	Full-Scale In SITU Bioremediation Of Trichloroethylene In ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/03/02493.pdf	Trichloroethylene and Methylene Chloride		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/10/09666.pdf	weapons cleaning pollution prevention guide		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/39/38447.pdf	Implications of Hidden Costs: Comparison of Bitumen Testing ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/22/21196.pdf	SOLVENT REDUCTIONS AT ANAD		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/18/17447.pdf	Controlling As A Hazardous Waste		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/04/03773/casestudy/sweet.htm	Toxics Use Reduction Case Study		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14685.pdf	A Model of In-Situ Bioremediation that includes the Effect of Rate ...		X	X			X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36893.pdf	Two-Phase Ozonation Of Chlorinated Organics		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/16/15760.htm	VINCENT BACH Elkhart, Indiana April 1997 FINAL POLLUTION ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/05/04136.pdf	Why Replace TCE & Chlorinated Solvents		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/01802.htm	Identifying a Suitable Alternative Cleaner for Mechanical Piece Part ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/03/02652.pdf	Vincent Bach		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19217.htm	An Aircraft Engine Rebuilder		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/01508.pdf	A Bioremediation Technology to Clean Up Trichloroethylene (TCE ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/0108716.pdf	Everyready Battery Company, Inc.		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/17/16077.pdf	Industrial Cleaning - #9 - Hydrocarbon Based Cleaners		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/10/09110.htm	Cleaner Production for Reducing Water Consumption at a Metal ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19152.htm	NBEN - Pollution Prevention: X-L Corporation/Spray Tek		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36780.pdf	Bioenhanced In-Well Vapor Stripping (BEHIVS) to Treat ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14689.pdf	Sorption of Trichloroethylene (TCE) and Other Halogenated ...		X	X		X			X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14538.pdf	Solvent Substitution For Electronic Assembly Cleaning		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00163.htm	Case Study: Galileo Electro-Optics Corporation		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/16/15757.htm	The Pierce Company		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/30/29517.pdf	Reuse/Recycle Of Waste Organic Solutions		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/25/24706.pdf	Alternatives to Chlorinated Solvent Degreasing - Testing, Evaluation ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36771.pdf	Bioremediation Research and Demonstration		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/01330.htm	ALUMINUM PROCESSING COMPANY		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/22/21273.pdf	Non-Aqueous Cleaning Solvent Substitution		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/25/24750.pdf	Case Study		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/18/17756/report_html/tables/table61.html	Table 6-1 - Water in the Tucson Area: Seeking Sustainability		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/13693.pdf	Process Change to Eliminate the Use of Trichloroethylene		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/23/22298.pdf	Compatibility of Non-halogenated Cleaners with Organic Materials ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/04/03144.htm	SW-240 Parker Pens		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/18/17756/report_html/chap6_01.html	Chapter 6. Ensuring Safe Drinking Water - Water in the Tucson Area ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/22/21891.pdf	Standard Aero Limited		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/09/08154.htm	NYS Governor's Awards for Pollution Prevention - Success Story		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/41/40601.pdf	DNAPL Remediation at Camp Lejeune Using ZVI-Clay Soil Mixing		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18606.pdf	Emerging Technology Bulletin		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/0_initiatives/init/winter98/success.htm	Successful bioremediation recognized in Nebraska Microorganisms ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/01686.htm	Switch to Aqueous Technology Gives Gillette Edge in Blade ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00914/	Aqueous Degreasing of Aluminum and Steel Tubing Satisfies ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/22/21100.pdf	Trichloroethylene and Stoddard Solvent Reduction Alternatives in a ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/0112201.pdf	Reducing Emissions through Pollution Prevention		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/11/10109.htm	Fact Sheet: Hydrocarbon Based Cleaners for Industrial Cleaning		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14757.pdf	Population Dynamics in a Multispecies biofilm for the Creation of a ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/05/04978.htm	Lockheed Martin Tactical Aircraft Systems - Ft. Worth, TX		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00449.pdf	Four Star Tool, Inc. - Rosemont, Illinois		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/13958.htm	Going natural with passive soil vapor extraction		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/47/46329.ppt	Chlorinated Solvent Elimination in Cleaning: Motivators and Barriers		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19155.htm	NBEN - OTA Case Study: V.H. Blackinton & Co., Inc.		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/12/11993.pdf	An Alternative to Chlorinated Solvents for Cleaning Metal Parts		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36921.pdf	Thermophilic, Mesophilic, And Alkaline ...		X	X			X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/33/32283.pdf	Waste Reduction in the Hewlett-Packard, Colorado Springs Division ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00713.htm	Manufacturer Cuts Solvent Consumption		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27180.pdf	Case Study - Winner of the 1988 Tennessee Governor's Award for ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36878.pdf	Unterdruck-Verdampfer-Brunnen (UVB): An In Situ System For ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36915.pdf	Biofiltration For Control Of Volatile Organic Compounds (VOCS)		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/18/17385.pdf	Near Zero Emission Cleaning System		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00400.pdf	Source Reduction of Chlorinated Solvents in Electronics Industry		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/21/20266.pdf	Phase I Source Reduction Activities Southeast Jewelry Platers Project		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00133.pdf	Fact Sheet - Trichloroethylene Solvent Substitution for Vapor ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/13983.htm	Gaining Ground on pump and treat		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/22/21123.pdf	RESEARCH TRIANGLE INSTITUTE		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14588.pdf	Solvent Recycling		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36876.pdf	Adsorbent Technology For Treatment ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/13822.pdf	Lox Compatibility of Residues		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/05/04351.htm	Parts Cleaning Web - Archives		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/0_initiatives/init/feb95/lasagne.html	Lasagna Mixes Technologies		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/27/26021.pdf	Field Testing Solar Photocatalytic Detoxification on TCE ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/29/28009.pdf	Nearfield Ultrasonic Strip Cleaning		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/0_initiatives/init/winter99/ceramic.htm	Creating a better membrane with ceramic-polymer composites		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/25/24486.pdf	Case Study: Parker Pen's Total Quality Management Strategy to ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14276.pdf	Management of Hazardous Wastes containing Halogenated Organics		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/01683.htm	Technology Transition: Vapor Degreasers Modified for Aqueous ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/33/32003.pdf	An Examination of Paybacks For an Aqueous Cleaner Recovery Unit		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/07/06476.pdf	Determination of Capillary Pressure-Saturation Curves Involving ...		X	X			X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25942.pdf	Environmental Products		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/13/12697.pdf	Fenton's Reagent		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/30/29015.pdf	Aqueous Alkaline Degreasing of Aircraft Tubing		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/39/38161.htm	Gas Phase Combustion Suppression of Various Fuels by CF3I		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/27/26568.pdf	The UV/Oxidation Handbook		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36757.pdf	Removal of VOCs from Contaminated Groundwater and Soils by ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00216.pdf	Fact Sheet - Pollution Prevention Tips Solvent Loss Control ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00777/surface.htm	Surface Preparation		X		X		X		X	
Kirk Othemer Encyclopedia	Book			X	X		X			X	
Kirk Othemer Encyclopedia	Book	manufacturing process diagram	X			X		X		X	
Kirk Othemer Encyclopedia	Book	production info, consumption,	X			X		X		X	
Kirk Othemer Encyclopedia	Book	manufacture, shipping and storage, economic aspects, health factors,	X		X		X			X	
Kirk Othemer Encyclopedia	Book	TCE and Perc- soil and ground water treatment		X	X		X			X	
Kirk Othemer Encyclopedia	Book	Fluorinated Aliphatic Compounds, in Kirk-Othmer Encyclopedia of	X			X		X		X	
Kirk Othemer Encyclopedia	Book	Fluorinated Aliphatic Compounds, in Kirk-Othmer Encyclopedia of	X			X		X		X	
Ashford's Dictionary of Industrial Chemicals, 2001	Book		X			X		X		X	
Hawley's Chemical Dictionary, 2016	Book		X		X			X		X	
State sites	http://www.dep.state.fl.us/waste/quick_topics/publications/wc/sites/summary/131.pdf	Summary of groundwater/soil contamination from site	X		X		X			X	
State sites	http://www.dep.state.fl.us/waste/quick_topics/publications/wc/sites/summary/052.pdf	14D, TCE, DCM in groundwater/soil near spill	X		X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.floridhealth.gov/environmental-health/hazardous-waste-sites/documents/77aythetoneairquality072809.pdf	report, near site, groundwater contamination	X			X	X			X	
State sites	http://www.dep.state.fl.us/waste/quick_topics/publications/wc/sites/summary/021.pdf	Summary of groundwater/soil contamination from site	X		X		X			X	
State sites	http://www.floridhealth.gov/environmental-health/hazardous-waste-sites/health-assessments.html	assessments, health consultations and public health assessments	X		X		X			X	
State sites	http://www.azdeq.gov/environ/waste/sps/Tucson_Airport_Remediation_Project.html	Remediation Project- remediation of 14D +TCE from groundwater, AOP	X		X		X			X	
State sites	http://des.nh.gov/organization/divisions/waste/hwrp/documents/rcmp.pdf	dose response info, absorption factors, F&T data (partition coefficient, area, groundwater/soil contamination from site		X	X		X			X	
State sites	http://legacy.azdeq.gov/environ/waste/sps/Airport_Property_Project_Area.html	area, groundwater/soil contamination from site	X		X		X			X	
State sites	http://www.mass.gov/eea/agencies/masdep/water/dinking/standards/standards-and-guidelines-for-drinking-water-contaminants.html	MA drinking water standards		X		X	X			X	
State sites	http://www.floridhealth.gov/environmental-health/hazardous-waste-sites/documents/technicalnotices102114.pdf	groundwater/soil contamination from site	X		X		X			X	
State sites	https://oehha.ca.gov/media/downloads/risk-assessment/california-human-health-screening-levels-table-ohhahh01.pdf	CA Human Health Screening levels, Soil screening numbers		X		X	X			X	
State sites	http://www.cdph.ca.gov/programs/hesis/Documents/riskreport.pdf	Occupational Health Hazard Risk Assessment Project for California	X			X		X	X		
State sites	https://oehha.ca.gov/chemicals/trichloroethylene	screening, cancer risk, air, prop 65, water		X		X	X			X	
State sites	https://oehha.ca.gov/proposition-65/chemicals/trichloroethylene	Summary page for 1BP, prop 65 (reg limits)		X		X	X			X	
State sites	http://www.dem.ri.gov/pubs/regs/regs/air/air22_08.pdf	REGULATION NO. 22, Acceptable Ambient levels		X		X	X			X	
State sites	http://www.health.state.mn.us/divs/eh/risk/guidance/air/table.html	Health Risk Value for different exposure levels, ambient air		X		X	X		X		
State sites	https://oehha.ca.gov/proposition-65/proposition-65-list	List of chemicals in Prop 65, California		X		X	X			X	
State sites	http://www.health.state.mn.us/divs/eh/hazardous/topics/tce.html	but gives general outline of toxicity and product use. Is the home portal to		X		X		X		X	
State sites	http://www.ct.gov/dph/lib/dph/environmental_health/eha/pdf/012616_tce_health_alert.pdf	Health Alert to TCE and Reproductive health	X			X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.health.state.mn.us/divs/eh/risk/guidance/gw/cjs12dceinfo.pdf	this being a degradation product captured elsewhere		X		X		X		X	
State sites	http://www.dtsc.ca.gov/AssessingRisk/upload/HERD_Postor_Iris-Trich.pdf	Contamination in sites, risk of people living near them and IRIS values	X			X	X				X
State sites	https://oehha.ca.gov/proposition-65/cmr/request-relevant-information-trichloroethylene-tce	OEHHA should consider TCE a reproductive toxin based on a report		X		X		X			X
State sites	https://www.dshs.texas.gov/epitox/Consults/elcampo_final.pdf	contamination with range of concentration with SIR values		X		X	X			X	
State sites	https://oehha.ca.gov/proposition-65/cmr/notice-intent-list-trichloroethylene	gave TCE the classification of developmental and male reproductive		X		X		X			X
State sites	http://www.health.state.mn.us/divs/eh/risk/guidance/gw/tcesummary.pdf	Calculations for relative risk values for different health endpoints		X		X		X			X
State sites	http://www.health.state.mn.us/divs/eh/hazardous/topics/vapintrustce.pdf	Safety Number for air concentrations	X			X	X				X
State sites	http://www.dtsc.ca.gov/AssessingRisk/upload/HHRA_Note5.pdf	Health-based Indoor Air Screening Criteria for Trichloroethylene (TCE).		X		X		X			X
State sites	http://www.health.state.mn.us/divs/eh/risk/guidance/gw/tcetchguide.pdf	in 6000-TCE-15 were done and what they aim to protect		X		X	X				X
State sites	http://www.health.state.mn.us/divs/eh/hazardous/topics/tcevaluesmea.pdf	air exposure to based on sub slab levels		X		X	X				X
State sites	http://www.health.state.mn.us/divs/eh/risk/guidance/air/tce.html	Minnesota Department of Health breathing safety levels		X		X	X				X
State sites	https://oehha.ca.gov/water/public-health-goal/public-health-goal-trichloroethylene-drinking-water	drinking water goal. Information is provided in fuller detail in the child		X		X		X			X
State sites	https://oehha.ca.gov/media/downloads/water/chemicals/phg/tcephg070909_0.pdf	summarizes studies on a suite of health endpoints	X		X		X				X
State sites	http://www.doh.wa.gov/Portals/1/Documents/Pubs/334-202.pdf	ground water and springs to a shallow TCE plume		X		X	X				X
State sites	http://www.health.state.mn.us/divs/eh/hazardous/topics/tcegarden.pdf	for gardening. Reports that at set levels there are no noticeable uptake		X	X		X				X
State sites	http://dhss.delaware.gov/dhss/dph/files/trichlethfaq.pdf	health problems, permissible exposure levels. Info covered	X			X	X				X
State sites	http://www.mass.gov/eea/agencies/massdep/toxics/sources/trichloroethylene-tce.html	links to other docs already covered		X		X		X			X

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	https://www.pca.state.mn.us/waste/baytown-township-groundwater-contamination-site	overview of groundwater contamination site	X		X		X			X	
State sites	http://www.ct.gov/dph/cwp/view.asp?a=3140&Q=567574	home portal to different links about TCE and relevant health effects		X		X		X		X	
State sites	http://www.ct.gov/dph/lib/dph/environmental_health/veoha/pdf/032415_tce_mcl_december_2014a.pdf	standard with simulations for children and adult exposure	X			X	X			X	
State sites	http://www.health.state.mn.us/divs/eh/hazardous/sites/ramsey/longlakeinfo1208.pdf	Contamination at a lake of TCE		X		X	X			X	
State sites	https://oehha.ca.gov/media/downloads/air/document/trichloroethylene.pdf	request to have TCE labeled as a n air toxic in California	X		X		X			X	
State sites	http://www.doh.wa.gov/portals/1/Documents/Pubs/334-189.pdf	investigated for high exposure to TCE through contaminated ground water		X		X	X			X	
State sites	https://www.env.nm.gov/wp-content/uploads/2016/07/TCE-contamination-of-groundwater.pdf	regulatory values, info found elsewhere		X	X			X		X	
State sites	http://www.michigan.gov/deq/0,4561,7-135-3311_4109_9846_30022-385691--00.html	Home portal to links about the polluted sites		X		X		X		X	
State sites	http://www.michigan.gov/documents/06v06p01.WICKES_WorkshopManufacturingTCE_PlumeFact_Sheets112_020506_7.pdf	case study of a plume of TCE pollution		X	X		X			X	
State sites	http://www.idph.state.il.us/about/epi/DuPageReport.pdf	Examining Potential Relationships between Cancer		X		X	X		X		
State sites	http://www.floridabehh.gov/environmental-health/hazardous-waste/sites/_documents/1lakehighland093097.pdf	case study of a plume of TCE pollution		X		X	X			X	
State sites	https://oehha.ca.gov/proposition-65/cmrr/chemical-listed-effective-january-31-2014-known-state-california-cause	OEHHA lists TCE as a reproductive toxic, info found elsewhere		X		X		X		X	
State sites	http://www.azdeq.gov/environ/waste/sps/Miracle_Mile.html	groundwater/soil contamination from site	X		X		X			X	
State sites	https://www.pca.state.mn.us/waste/general-millshenkell-corp-five-year-review-tce-soil-vapor	site, links to important updates but little info on this page		X		X		X		X	
State sites	https://www.pca.state.mn.us/sites/default/files/c-s3-15x.pdf	report 2014. Gives concentration levels and remediation technology;	X			X	X			X	
State sites	http://www.ct.gov/dph/lib/dph/environmental_health/veoha/pdf/tce_mcl_december_2014a.pdf	standard with simulations for children and adult exposure	X			X	X		X		
State sites	https://www.dtsc.ca.gov/AssessingRisk/Upload/tce.pdf	FINAL DRAFT REPORT TRICHLOROETHYLENE (TCE)		X	X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.des.nh.gov/organization/commissioner/pip/factsheets/ard/documents/ard-ehp-29.pdf	about this being a degradation product captured elsewhere but no other		X		X		X		X	
State sites	http://www.ct.gov/dph/lib/dph/drinking_water/pdf/TCE_ATCAVE_Feb_2015_LM_GG_Final.pdf	proposed concentration change for MCE for CT		X		X		X		X	
State sites	https://oehha.ca.gov/media/downloads/cmr/fsortce062012.pdf	proposed concentration change for NSRL for California		X		X		X		X	
State sites	http://dnr.mo.gov/env/hwp/sfund/docs/100525rogersvillepresentation.pdf	example of TCE contamination in ground water not near industrial site		X		X	X			X	
Trade Associations	acmanet.org			X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/AIA-1975-ANNUAL-REPORT.pdf	1975 document about possible TCE toxicity		X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1930-AIRCRAFT-YEAR-BOOK.pdf	no mention of TCE		X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1927-AIRCRAFT-YEAR-BOOK.pdf	no mention of TCE		X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1934-AIRCRAFT-YEAR-BOOK.pdf	no mention of TCE		X		X		X		X	
Trade Associations	www.americanchemistry.com	emissions from cradle to gate life cycle assessment		X	X			X		X	
Trade Associations	http://www.americanchemistry.com/Policy/Chemical-Safety/TSCA/ACC-Comments-on-EPA-Work-Plan-Chemical-Assessments.pdf	comment letter for chemical risk assessments	X		X		X			X	
Trade Associations	http://www.americanchemistry.com/Policy/Chemical-Safety/TSCA/ACC-Comments-on-EPA-Work-Plan-Chemical-Assessments.pdf	no TCE related data		X		X		X		X	
Trade Associations	http://www.americanchemistry.com/Sustainability/Recycling/Policy/Primary/Environmental-and-Economic-Analysis-of-Resolving-Plastics-Circulation-Technology.pdf	environmental/economic analysis		X		X		X		X	
Trade Associations	https://lri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_127.pdf	summary of assessing human exposure to air pollutants		X		X	X			X	
Trade Associations	http://www.americanchemistry.com/Products/Technology/Ethylene-Oxide/EO-Product-Safety-Manual-for-Substituted-Product-Responsible-Party-Proprietary-IP-EO-PP	ethylene oxide review - TCE in one table		X		X		X		X	
Trade Associations	https://lri.americanchemistry.com/Communications/LRI-Perspectives/PDF-Advancing-Risk-Assessment.pdf	brochure on biomonitoring data		X		X		X		X	
Trade Associations	https://chlorine.americanchemistry.com/Chlorine-Benefits/Economic-Benefits/Fluorocarbon-based-Products.pdf	review of economic benefits of chlorine	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_40.pdf	abstract		X		X		X		X	
Trade Associations	https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_133.pdf	abstract		X		X		X		X	
Trade Associations	https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_110.pdf	abstract for long range research project -no TCE data		X		X		X		X	
Trade Associations	https://araap.americanchemistry.com/Risk-Assessment-Basics/Mode-of-Action/Useful-Links.html	list of studies of MOA methods - no TCE related data		X		X		X		X	
Trade Associations	http://www.americanchemistry.com/Policy/Rail-Transportation/Positive-Train-Control-PTC/Full-Report-of-PTC-Impact-Analysis.pdf	assessment of rail network	X			X		X		X	
Trade Associations	https://araap.americanchemistry.com/White-Paper-Early-Scientific-Peer-Consultation-and-Regulatory-Engagement-in-EPA-IRIS-Assessment.pdf	no TCE related data		X		X		X		X	
Trade Associations	https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_157.pdf	TCE only mentioned in references		X		X		X		X	
Trade Associations	https://iri.americanchemistry.com/LRI-Workshops/Workshop-Reports/2010-ICCA-LRI-Workshop-Report.pdf	workshop summary report		X		X		X		X	
Trade Associations	http://www.americanchemistry.com/Media/Press/Release/Transcripts/Press/09/American-Chemistry-Council-Announces-Four-New-Members-3.txt	news release, no TCE related data		X		X		X		X	
Trade Associations	http://www.americanchemistry.com/Policy/Chemical-Safety/Chemical-Safety-Regulation/CCCL-Letter-to-EPA-Requesting-Peer-Review-of-Work-Plan-Chemicals.pdf	comment letter of EPA peer review process		X		X		X		X	
Trade Associations	http://www.americanchemistry.com/Media/Press/Release/Transcripts/Press/09/Chemistry-Council-Announces-Four-New-Members-3.txt	news release, no TCE related data		X		X		X		X	
Trade Associations	http://www.americanchemistry.com/IRIS/Cycle-Inventory-of-Polystyrene-Foam-Recycled-and-Composed-Plastic-Board-Food-Service-Products	life cycle inventory of polystyrene foam and other food service products	X			X	X			X	
Trade Associations	https://araap.americanchemistry.com/Media-Center/ARASP-Written-Comments-on-IRIS-Handbook-June-2013.pdf	comments on EPA IRIS assessment - no TCE related data		X		X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/ARMA_WHMIS_presentation.ppt	explains how to read an MSDS with TCE being an example	X			X		X		X	
Trade Associations	http://www.canadianchemistry.ca/library/uploads/CIAC_RE20_Print_web2.pdf	replacement of TCE with another product	X			X		X		X	
Trade Associations	http://www.canadianchemistry.ca/library/uploads/CIAC_RE20_Print_web2.pdf	reduction in use volume	X			X		X		X	
Trade Associations	https://www.canadianchemistry.ca/responsible_care/uploads/2010_Olin.pdf	responsible care report in french	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	sips.org			X		X		X		X	
Trade Associations	http://www.socma.com/Article/ID/5097/EPA-Proposes-Ban-of-Trichloroethylene-in-Vapor-degreasing-Applications	EPA banning the use of TCE in vapor degreasing	X			X		X		X	
Trade Associations	https://www.socma.com/Article/ID/4722/An-Updated-ChemStewards-Web-Portal	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/Article/ID/4975/save-the-date-for-2017-national-safety-symposium-hosted-by-chemstewards	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	http://www.socma.com/Article/ID/5098/Final-Rule-on-Beryllium-Lowers-Exposure-Levels-Will-Protect-62-000-Workers	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/Article/ID/4232/OSHA-Public-Meeting-Set-on-Hazard-Communication-Issues	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/Article/ID/3494/Judging-Panel-to-Review-Process-for-the-2016-Performance-Improvement-Awards	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	http://www.socma.com/Article/ID/3686/ChemStewards-for-Labs-Now-Offered-to-Members-as-a-Free-Tool	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/Article/ID/3190/OSHA-kicks-off-Hear-and-Now-Noise-Safety-Challenge	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	http://www.socma.com/Article/ID/4674/OSHA-Begins-Allowance-with-National-STPS-Inspection-and-MPSH-to-Protect-Workers-in-Chemical-Plant-Operations	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/Article/ID/3016/ue-august-14-applications-for-socmas-performance-improvement-awards	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/Article/ID/3189/time-for-our-chemstewards-mid-year-review	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/Article/ID/3318/judging-committee-to-begin-review-of-pi-awards-applications	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	http://www.socma.com/Article/ID/2670/time-for-chemstewards-mid-year-review	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/Article/ID/2672/whats-new-with-chemstewards-management-portal	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	http://www.socma.com/Article/ID/2962/whats-new-with-chemstewards-management-portal	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/Article/ID/2959/new-updates-now-available-for-chemical-operator-training-manual	does not mention TCE, links to 7210-TCE-1		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.socma.com/article/id/2455/chemstewards-mid-year-reviews-about-to-get-under-way	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/2790/oil-and-gas-safety-and-health-conference-to-be-held-in-houston-nov-29-30	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/2629/ohsa-delays-date-for-enforcing-anti-retaliation-section-of-injury-tracking-rule	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	http://www.socma.com/article/id/4309/Performance-Improvement-Award-Winners-Will-Be-Recognized-At-SOCMA-S-95th-Annual-Dinner	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/5098/final-rule-on-beryllium-lowers-exposure-levels-will-protect-62000-workers	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/3188/textile-line-extended-to-submit-performance-improvement-awards-applications	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/4304/epa-marks-first-year-of-safer-choice-milestones	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/2065/socma-staff-visiting-a-host-of-member-companies	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/4273/chemstewards-management-portal-featured-in-specialty-chemicals-magazine	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/3787/socmas-95th-annual-dinner-is-approaching	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/2669/Deadline-for-2016-performance-improvement-award-applications-is-august-14	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	http://www.socma.com/article/id/2467/new-resource-for-sub-professionals-belps-advance-worker-safety-and-health-through-sustainability	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/2303/submit-period-for-annual-chemstewards-performance-metrics-now-open	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	http://www.socma.com/article/id/2064/socma-members-share-best-practices-at-chemstewards-ohio/delphia-roundtable	does not mention TCE		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/3811/23-socma-member-facilities-earned-chemstewards-ehss-benchmarks	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/2114/final-chemstewards-regional-roundtable-set-for-june-22-in-houston	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/id/2115/applications-for-2016-performance-improvement-awards-now-being-accepted	does not mention TCE, links to 7210-TCE-1		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.socma.com/article/4296/socma-members-share-best-practices-on-ehs-operational-excellence-at-greensville-roundtable	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/article/412112/mcgean-hosts-2016-chemstewards-regional-roundtable	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	http://www.socma.com/Article/ID/5099/Final-Rule-Clearifies-Record-keeping-Obligations	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	http://www.socma.com/Article/ID/5096/Final-Amendments-to-the-Risk-Management-Program-RMP-Rule	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/Article/ID/4725/ChemStewards-Honors-2016-Performance-Improvement-Award-Winners	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	https://www.socma.com/Article/ID/4723/ChemStewards-Issues-3rd-Company-Newsletter-Template	does not mention TCE, links to 7210-TCE-1		X		X		X		X	
Trade Associations	www.acmanet.org			X		X		X		X	
Trade Associations	www.afma.org			X		X		X		X	
Trade Associations	http://www.afsinc.org/files/na/20311%20Emission%20Measurement%20Procedure%202enc.pdf	emission report		X	X			X		X	
Trade Associations	http://www.afsinc.org/files/1412-125%20public_1383851659784_2.pdf	waste characterization from sand binder systems		X	X			X		X	
Trade Associations	http://www.afsinc.org/files/Economic%20Impact%20Analysis_1334608722915_3.pdf	economic analysis of steel foundries		X		X		X		X	
Trade Associations	www.aga.org			X		X		X		X	
Trade Associations	http://www.ahrinet.org/App_Content/ahrifiles/MEMBER-CONTENT/ADVOCACY/REGULATORY/Notice_26_(11pp_200K).pdf	federal register		X		X		X		X	
Trade Associations	http://www.ahrinet.org/App_Content/ahrifiles/NEWSLETTER/08%20-%202012/AppdV-A.pdf	control measures report		X		X		X		X	
Trade Associations	http://www.ahrinet.org/App_Content/ahrifiles/RESEARCH/Technical%20Results/ARTI-Rpt-20120-01.pdf	report on heat transfer measurements		X		X		X		X	
Trade Associations	www.aluminum.org			X		X		X		X	
Trade Associations	www.ame.org			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.americanchemistry.com/Policy/Rail-Transportation/Positive-Train-Control-PTC-Full-Report-of-PTC-Impact-Analysis.pdf	assessment of rail network	X			X		X		X	
Trade Associations	http://www.americanchemistry.com/policy/regulatory/permits/and/agency-comments-to-epa-regarding-iris-progress-report.pdf	letter to EPA regarding submission to IRIS committee		X		X		X		X	
Trade Associations	www.ansi.org			X		X		X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/Bulletins/16_Bull.pdf	report on soil gas vapors to indoor air		X	X			X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/Other/PCI_risk_pathway_PowerPoint_with_notes.pdf	PCI risk pathway PowerPoint with notes		X		X		X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/Other/PCI_risk_pathway_PowerPoint_with_notes.pdf	vapor intrusion pathway PowerPoint with notes		X		X		X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/Bulletins/08_Bull.pdf	fact sheet of petroleum hydrocarbon plumes		X		X		X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/Other/bio_vapor_models.pdf	biovapor models		X		X		X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/Other/diversity_of_aerobic_MTBE_biodegradation_processes.pdf	diversity of aerobic MTBE biodegradation processes		X		X		X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/Other/assessment_of_soil_gas_vertical_profile_data.pdf	assessment of soil gas vertical profile data		X		X		X		X	
Trade Associations	http://www.api.org/~media/Files/Policy/Hydraulic_Fracturing/Battelle-Studies/Dunn-NDR-report-13-Feb-22.pdf	PA country retrospective case study characterization report		X		X	X			X	
Trade Associations	http://www.api.org/~media/Files/Policy/Hydraulic_Fracturing/Battelle-Studies/Dunn-NDR-report-13-Feb-22.pdf	retrospective case study site characterization		X		X	X			X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/GW_other/AerobicBiodegradationRateConsistentRpt1998.pdf	report on anaerobic biodegradation of chemicals in groundwater		X	X			X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/Other/PowerPoint_vapor_intrusion_pathway_presentation.pdf	PowerPoint vapor intrusion pathway presentation		X		X		X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/Other/PCI_risk_pathway_PowerPoint.pdf	PCI risk pathway PowerPoint		X		X		X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/Bulletins/09_Bull.pdf	soil and groundwater research bulletin		X	X			X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/Bulletins/17_Bull.pdf	identification of vapor intrusion model reports		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
Trade Associations	www.gasketfab.com			X			X		X		X	
Trade Associations	www.globalautomakers.org				X		X		X		X	
Trade Associations	www.gmaonline.org				X		X		X		X	
Trade Associations	http://www.hsia.org/backgrounders/tri%20wp.pdf	background on tce	X				X	X			X	
Trade Associations	http://www.hsia.org/news/Solvent%20PD%20Twin%20Study%20Press%20Release%20111611.pdf				X		X		X		X	
Trade Associations	http://www.hsia.org/news/HSIA%20Comments%20on%20EPA's%20Work%20Plan.pdf	Industry Comment on OPPT & IRIS Assessments	X				X	X			X	
Trade Associations	http://www.hsia.org/news/TCE%20Workplan%20Comments.pdf	TSCA Comments from HSIA	X				X	X			X	
Trade Associations	http://www.hsia.org/news/CalOSHA%20Comment%20on%20PEL%20of%20%204ppm.pdf	Industry comment	X				X		X		X	
Trade Associations	http://www.hsia.org/news/TCE%20Twin%20Profile%20Update%20HSIA%20Comments%20031615.pdf	Industry Comment on ATSDR	X				X		X		X	
Trade Associations	http://www.hsia.org/news/CALOSHATCEPEL.pdf				X		X		X		X	
Trade Associations	http://www.hsia.org/news/by%20P%20Dugard.pdf	Industry Comment on IRIS	X				X		X		X	
Trade Associations	http://www.hsia.org/news/HSIA%20Solvent%20News%20You%20Can%20Use%20%20May%20%20June%20%2014.pdf				X		X		X		X	
Trade Associations	http://www.hsia.org/applications/vd%20brochure.pdf	Solvents used in surface cleaning brochure	X			X			X		X	
Trade Associations	http://www.hsia.org/applications/QDS%20report.pdf		X				X		X		X	
Trade Associations	http://www.hsia.org/news/TCE%20Press%20Release.pdf				X		X		X		X	
Trade Associations	http://www.hsia.org/news/LTR%20to%20EPA's%20Anastas%20and%20Yu%20re%20TCE%20Review.pdf	Industry comments to IRIS Tox Review	X				X		X		X	
Trade Associations	http://www.ipc.org/3.0_Industry/3.4_EHS/2010/CERCLA-FA-Reg-Comments.pdf	comments to superfund docket	X				X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.ipc.org/3.0_Industry/3.4_EHS/2005/TRI_Feb2005.ppt			X		X		X		X	
Trade Associations	http://www.ipc.org/toc/j-std-012.pdf			X		X		X		X	
Trade Associations	https://www.ipc.org/ContentPage.aspx?pageid=Industry-Acronyms			X		X		X		X	
Trade Associations	http://www.ipc.org/TOC/IPC-HDBK-610-w-Amend-1.pdf			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/isri-sec/best-practices-in-hearing-conservation.pdf?sfvrsn=2			X		X		X		X	
Trade Associations	https://www.issa.com/vocsum	List of banned uses	X			X		X		X	
Trade Associations	http://www.issa.com/regulatory/regulatory-publications/legislative--regulatory-update/october-november-2016.html			X		X		X		X	
Trade Associations	www.jpma.org			X		X		X		X	
Trade Associations	https://www.mema.org/epa-issues-several-rules-affecting-suppliers	Mentions TCE ban in vapor degreasing		X		X		X		X	
Trade Associations	https://www.mema.org/state-issue-update-22			X		X		X		X	
Trade Associations	http://www.nasf.org/tag/tce/			X		X		X		X	
Trade Associations	http://www.nasf.org/category/law-regulation/page/4/			X		X		X		X	
Trade Associations	http://www.nasf.org/pdfs/regulation/nasf-osh-sa-safe-work-practices.pdf			X		X		X		X	
Trade Associations	http://www.nasf.org/tag/oeaha/			X		X		X		X	
Trade Associations	http://www.nasf.org/pdfs/news/0212nasf-report.pdf			X		X		X		X	
Trade Associations	http://www.nasf.org/2015/09/			X		X		X		X	
Trade Associations	http://www.nasf.org/tag/nickel/			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.nasf.org/news/page/5/			X		X		X		X	
Trade Associations	www.nema.org			X		X		X		X	
Trade Associations	www.ngsa.org			X		X		X		X	
Trade Associations	www.nmpgroup.com			X		X		X		X	
Trade Associations	www.pei.org			X		X		X		X	
Trade Associations	http://www.personalcarecouncil.org/sites/default/files/WitorschBio.pdf			X		X		X		X	
Trade Associations	http://www.pmpa.org/knowledge-tools/reference-view/2016/07/13/trichloroethylene-smg-business-advocacy-review-panel-comments-from-pmpa	login required to view comments		X		X		X		X	
Trade Associations	http://www.pmpa.org/docs/default-source/reference/pmpa-tce-comments-6-16-2016-submitted.pdf?sfvrsn=0	Industry response to assessment	X			X		X		X	
Trade Associations	http://www.pmpa.org/docs/default-source/reference/crisheet-19.pdf?sfvrsn=0			X		X		X		X	
Trade Associations	http://www.pmpa.org/knowledge-tools/reference-view			X		X		X		X	
Trade Associations	http://www.pmpa.org/knowledge-tools/environmental-resources			X		X		X		X	
Trade Associations	www.powertoolinstitute.com			X		X		X		X	
Trade Associations	www.printing.org			X		X		X		X	
Trade Associations	www.pstc.org			X		X		X		X	
Trade Associations	https://www.sema.org/sema-news/2016/51/epa-seeks-to-limit-new-uses-of-trichloroethylene			X		X		X		X	
Trade Associations	https://www.sema.org/media-channels/sema-enews?page=378			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.sema.org/news/2012/07/01/getting-to-know-the-mrc			X		X		X		X	
Trade Associations	https://www.sema.org/events/2011/08/25/measuring-session-2012-mazda3-4dr-and-5dr			X		X		X		X	
Trade Associations	https://www.sema.org/events/2016/11/01/a-new-approach-to-dealership-profit-centers-powered-by-prg			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/sema-government-affairs?page=4			X		X		X		X	
Trade Associations	https://www.sema.org/small-business-issues			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/03/08/sema-appoints-new-congressional-legislation-to-protect-modified-motor-vehicles			X		X		X		X	
Trade Associations	https://www.sema.org/sema-enews/2017/03/epa-moves-to-ban-trichloroethylene-in-vapor-degreasing			X		X		X		X	
Trade Associations	https://www.sema.org/black-book			X		X		X		X	
Trade Associations	https://www.sema.org/events/2012/11/01/technical-skills-training-conference-hrc-professional-res/tera-organization			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/02/22/sema-announces-new-online-career-center			X		X		X		X	
Trade Associations	https://www.sema.org/john-stewart-vice-president-editorial-director			X		X		X		X	
Trade Associations	https://www.sema.org/news/2012/01/01/armo-at-the-sema-show			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/south-africa			X		X		X		X	
Trade Associations	https://www.sema.org/china/exhibitor-list			X		X		X		X	
Trade Associations	https://www.sema.org/mpmc-motorsports-awareness-month			X		X		X		X	
Trade Associations	https://www.sema.org/armo-information			X		X		X		X	
Trade Associations	https://www.sema.org/sema-enews/2015/33/epa-seeks-to-limit-new-uses-of-trichloroethylene			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.sema.org/pro-sales-training-manual			X		X		X		X	
Trade Associations	https://www.sema.org/yen-information			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/india			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/united-arab-emirates			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/08/22/amo-select-committee-election-results-announced			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/08/08/lamy-the-cable-suv-confirmed-as-sema-industry-awards-banquet-entertainer			X		X		X		X	
Trade Associations	https://www.sema.org/wtc-ride-guide			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/exhibitor			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/04/15/sema-president-chris-bernting-responds-to-epa-decision-on-racecar-regulation			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/11/01/sema-announces-hottest-coupe-sedan-truck-4x4-suv-and-hatch-at-the-2016-sema-show			X		X		X		X	
Trade Associations	https://www.sema.org/news/2017/01/20/sema-data-co-op-upgrades-product-standards			X		X		X		X	
Trade Associations	https://www.sema.org/events/2016/11/04/rep-match-gives-you-leads			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/john-stewart			X		X		X		X	
Trade Associations	https://www.sema.org/townhall/kansas-city			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/nigeria			X		X		X		X	
Trade Associations	https://www.sema.org/news/2013/07/01/mpmc-education-day-at-pri			X		X		X		X	
Trade Associations	https://www.sema.org/news/2013/11/01/launch-pad-is-here			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.sema.org/categories/keywords/brian-reese			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/sema-installer-certification-program			X		X		X		X	
Trade Associations	https://www.sema.org/bod10/john-hotchkis			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/hot-rod-industry-alliance-hria			X		X		X		X	
Trade Associations	https://www.sema.org/events/2016/11/01/armo-hria-booth-23395			X		X		X		X	
Trade Associations	https://www.sema.org/events/2010/08/06/showcase-your-products-at-the-all-truck-nationals			X		X		X		X	
Trade Associations	https://www.sema.org/news/2012/11/01/garage-groundbreakers-the-women-pioneers			X		X		X		X	
Trade Associations	https://www.sema.org/news/2013/05/09/new-sema-facility-offers-manufacturers-emissions-testing-dyno-services			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/03/2016-sema-motocross-scholarship-and-loan-forgiveness-award-winners-announced			X		X		X		X	
Trade Associations	https://www.sema.org/bod11/joel-ayres			X		X		X		X	
Trade Associations	https://www.sema.org/ion-wyly-chief-executive-officer-sema-data-co-op			X		X		X		X	
Trade Associations	https://www.sema.org/sema-eneews/2016/51			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/08/22/hria-congratulates-new-select-committee-members			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/08/22/three-new-select-committee-members-join-ita			X		X		X		X	
Trade Associations	https://www.sema.org/bod11/j-r-moore			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/08/22/sema-introduces-quick-talks-experts-talk-vehicle-technology-powered-by-ai			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/global-tire-expo			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.sema.org/categories/keywords/joe-dysart			X		X		X		X	
Trade Associations	https://www.sema.org/news/2012/06/04/eric-schumacher-yan-member-insights-june-2012			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/powersports-show			X		X		X		X	
Trade Associations	https://www.sema.org/sema-enews/2016/51/full			X		X		X		X	
Trade Associations	https://www.sema.org/bod11/raymond-king			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/japan			X		X		X		X	
Trade Associations	https://www.sema.org/bod11/nate-shelton			X		X		X		X	
Trade Associations	https://www.sema.org/bod11/famous-rhodes			X		X		X		X	
Trade Associations	https://www.sema.org/news/2012/11/01/mpmc-hall-of-fame-class-of-2012			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/malaysia			X		X		X		X	
Trade Associations	https://www.sema.org/rapid-prototyping			X		X		X		X	
Trade Associations	https://www.sema.org/bod11/john-brueggeman			X		X		X		X	
Trade Associations	https://www.sema.org/sema-award/scion-tc			X		X		X		X	
Trade Associations	https://www.sema.org/bod15/susan-carpenter			X		X		X		X	
Trade Associations	https://www.sema.org/bod10/ed-orzetti			X		X		X		X	
Trade Associations	https://www.sema.org/taxonomy/term/38/all			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/10/31/sunq-kang%E2%80%99s-project-undergo-read-for-the-sema-show			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.sema.org/bod11/brock-weld			X		X		X		X	
Trade Associations	https://www.sema.org/news/2011/02/01/mrc-inducts-jim-connolly-into-the-hall-of-fame-and-presents-star-award			X		X		X		X	
Trade Associations	https://www.sema.org/news/2015/01/01/pro-announces-awards			X		X		X		X	
Trade Associations	https://www.sema.org/news/2013/07/01/taa-new-product-showcase-returns-to-carliste			X		X		X		X	
Trade Associations	https://www.sema.org/news/2011/02/01/mpmc-readies-for-media-trade-conference			X		X		X		X	
Trade Associations	https://www.sema.org/events/2013/03/26/measuring-session-re-designed-2014-tundra-edition-led-crew-cab-max			X		X		X		X	
Trade Associations	https://www.sema.org/news/2016/08/17/sema-data-co-ops-releases-new-streamlined-data-management-tools			X		X		X		X	
Trade Associations	https://www.sema.org/news/2011/05/01/origins-of-the-wtc			X		X		X		X	
Trade Associations	https://www.sema.org/news/2014/07/01/becoming-an-effective-leader			X		X		X		X	
Trade Associations	https://www.sema.org/sema-eneews-categories/law-order			X		X		X		X	
Trade Associations	https://www.sema.org/sema-eneews/2015/33/full			X		X		X		X	
Trade Associations	https://www.sema.org/news/2014/09/01/new-select-committee-members-installed-on-july-1			X		X		X		X	
Trade Associations	https://www.sema.org/news/2009/09/01/new-leaders-new-ideas-new-opportunities			X		X		X		X	
Trade Associations	https://www.sema.org/news/2009/09/10/nathan-kunzman-ven-member-of-the-month-september-2009			X		X		X		X	
Trade Associations	https://www.sema.org/news/2014/01/16/what-are-escrow-serv/ces-and-how-can-it-help-my-business			X		X		X		X	
Trade Associations	https://www.sema.org/categories/keywords/mustang-gt			X		X		X		X	
Trade Associations	https://www.sema.org/news/2009/07/01/taa-kelly-kneifl			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.sema.org/news/2016/07/11/nominations-for-sema-industry-awards-open-now			X		X		X		X	
Trade Associations	https://www.sema.org/intellectual-property-rights-guide/trademark			X		X		X		X	
Trade Associations	https://www.sema.org/enthusiast-faq			X		X		X		X	
Trade Associations	www.sme.org			X		X		X		X	
Trade Associations	https://www.socma.com/article/id/4672/recognize-your-facility-for-a-job-well-done			X		X		X		X	
Trade Associations	https://www.socma.com/article/id/4577/epa-selects-first-10-chemicals-for-risk-evaluation-under-new-tscq			X		X		X		X	
Trade Associations	https://www.steel.org/~media/Files/AISI/Public%20Policy/AMM_letter_EPA_Analysis_dec2009.pdf			X		X		X		X	
Trade Associations	http://www.steel.org/~media/Files/SMIV/Construction/CPSD%20-%20Page%20-%20What%20New%20in%20the%202007%20Sec.pdf			X		X		X		X	
Trade Associations	http://www.tcata.org/i4a/pages/index.cfm?pageid=3750			X		X		X		X	
Trade Associations	http://www.tcata.org/i4a/calendar/index.cfm?theyear=2017&themonth=03			X		X		X		X	
Trade Associations	http://www.tcata.org/i4a/pages/index.cfm?pageID=3797			X		X		X		X	
Trade Associations	http://www.tcata.org/i4a/pages/index.cfm?pageid=3819			X		X		X		X	
Trade Associations	http://www.tcata.org/i4a/pages/index.cfm?pageid=3306			X		X		X		X	
Trade Associations	http://www.trsa.org/trweekly/062810.htm			X		X		X		X	
Trade Associations	https://www.trsa.org/news/feds-downplay-risk-ma-superfund-site			X		X		X		X	
Trade Associations	https://www.trsa.org/prmedia/shop-towels-webinar-highlights-new-rule			X		X		X		X	
Trade Associations	www.vinylsiding.org			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.xpsa.com			X		X		X		X	
Other items from ERG search to support lifecycle diagrams	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2014-0327-0006	Commercial Facilities: Protecting Workers [EPA Report]. 2014, U.S.	X			X		X		X	
Other items from ERG search to support lifecycle diagrams	Book	Methods and Machinery. 2014, Oxford, UK: Elsevier.	X			X		X		X	
Other items from ERG search to support lifecycle diagrams	Book	Handbook for Critical Cleaning, Cleaning Agents and Systems.	X			X		X		X	
Other items from ERG search to support lifecycle diagrams	Book	Technology Profile: Closed Loop Vapor Degreasing. 2001, Northeast	X			X		X		X	
Other items from ERG search to support lifecycle diagrams	https://www.epa.gov/destprod/production/files/2016-05/documents/instructions_for_reporting_2016_tca_cf_13may2016.pdf	2016 TSCA Chemical Data Reporting. 2016.	X			X		X		X	
Other items from ERG search to support lifecycle diagrams	https://www.epa.gov/destprod/production/files/2016-05/documents/instructions_for_reporting_2016_tca_cf_13may2016.pdf	and Use Report. 2017, U.S. Environmental Protection Agency:	X			X		X		X	
OPPT Hazard Characterizations	https://ofmpub.epa.gov/oppt/hpv_hc_characterization_get_report_by_cas?doctype=2	OPPT Hazard Characterizations		X		X		X		X	
EHPV Program Submissions - Supporting Information	https://www.regulations.gov/docket?D=EPA-HQ-OPPT-2006-1020	EHPV Program Submissions - Supporting Information		X		X		X		X	
OPPT Risk-Based Prioritizations	https://iaspub.epa.gov/oppt/hpv/existchem_hpv_prioritizations.report	OPPT Risk-Based Prioritizations		X		X		X		X	
NIH LACTMED	https://toxnet.nlm.nih.gov/newtoxnet/lactmed.htm	NIH LACTMED		X		X		X		X	