



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 CHICAGO REGIONAL LABORATORY

536 SOUTH CLARK STREET

CHICAGO, ILLINOIS 60605

Date: 5/22/2018

Subject: Review of Region 5 Data for Central Sands

To: Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago, IL 60604

From: Anna Knoebel, Chemist
US EPA Region 5 Chicago Regional Laboratory

The data transmitted under this cover memo successfully passed CRL's data review procedures as documented in the current Quality Management Plan and applicable Standard Operating Procedures. In accordance with the EPA QA/G-8 *Guidance on Environmental Data Verification and Data Validation* and the U.S. EPA Region 5 RMD QMP, CRL performs data verification on all the data generated internally. CRL does not perform data validation or quality assessment procedures.

This report was reviewed and the information provided herein accurately represents the analysis performed.

A handwritten signature in black ink that reads "Anna Knoebel".

Please contact the analyst with any technical report issues, Robert Thompson at (312)-353-9078 for sample project concerns, and Sylvia Griffin at (312)-353-9073 with data transmittal questions. Thank you.

Attached are Results for: Central Sands

Analyses included in this report:

Nitrate-Nitrite N DA, Enzymatic reduction



Environmental Protection Agency Region 5

Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Accredited Analyses included in this Report



Method: ASTM D7781-14 in Water

Analysis: Nitrate-Nitrite N DA, Enzymatic reduction

Analyte

Certifications

Nitrate-Nitrite N	ISO/IEC 17025:2005
-------------------	--------------------

Analytes not listed above are not accredited by ANAB.



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

ANALYSIS CASE NARRATIVE – Nitrate-Nitrite Nitrogen in Water

Work Order: 1805005, 1805007

Analyst: Anna Knoebel
Phone #: (312) 353-9467

General Information

Ninety-eight water samples for Nitrate-Nitrite Nitrogen were received on May 2, 2018 and May 4, 2018. All holding times were met.

Sample Analysis and Results

The samples were analyzed for Nitrate-Nitrite Nitrogen in water on May 10, 2018 using CRL SOP AIG031B, Version # 4 (SOP based on NECi Method N070003). The samples were stored in the refrigerator at all times except when in use.

The data reported herein meets any laboratory specifications referenced in the sampling QAPP “FINAL_2018 GW Sampling Plan4_27_2018.pdf” and the requirements referenced in CRL SOP AIG031B, Version # 4 (based on NECi Method N070003) except for those listed in the quality control section below.

Quality Control

Matrix Spike (MS)

All five matrix spike recoveries were outside the acceptance limit (90 – 110 %). The source samples were not affected by these recoveries and are not qualified because the samples were either non-detect or the spikes were diluted out.

Blank Spike (BS)

Four of the eighteen BS sample recoveries were slightly higher than the acceptance limit (90 – 110 %). The samples affected by these spikes were qualified “K” (The identification of the analyte is acceptable; the reported value may be biased high. The actual value is expected to be less than the reported value).

All other quality control audits were within CRL limits or did not result in qualification of the data.



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005

US EPA Region 5 Chicago Regional Laboratory

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Report To:

Cheryl Burdett
Water Division, WECA Region 5 77 West Jackson Boulevard
Chicago, IL 60604 Phone: (312) 886-1463
Fax: (312) 886-2001

Date Due: Jun-04-18 15:00 (32 day TAT)

Received By: Colin Breslin

Logged In By: Robert Snyder

Date Received: May-02-18 09:55

Date Logged In: May-03-18 09:30

Samples Received at:

Sample tags/labels

Yes

Seals Intact

Yes

Received on ice

Yes

Paperwork Included

Yes

Work Order Comments:

Anions: Chloride and nitrate as NO₃

Full List metals

Sample ID: 1805005-01

Sampled: Apr-30-18 07:19 Matrix: Water

Sample Name: A1a

Sample Location/Comments: 1st Street

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 07:19	pH = 2
Anions by IC	28	May-28-18 07:19	pH = 7
Metals ICP-AES (w)	180	Oct-27-18 07:19	pH = 3
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 07:19	pH = 2
Solids, TDS	7	May-07-18 07:19	pH = 7
TKN DA	28	May-28-18 07:19	pH = 2
TOC	28	May-28-18 07:19	pH = 2
Total Phosphorus DA	28	May-28-18 07:19	pH = 2

Sample ID: 1805005-02

Sampled: Apr-30-18 07:32 Matrix: Water

Sample Name: A1b

Sample Location/Comments: 1st Street

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 07:32	pH = 2
Anions by IC	28	May-28-18 07:32	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 07:32	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 07:32	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-02](#) **Sampled:** [Apr-30-18 07:32](#) **Matrix:** [Water](#)

Sample Name: [A1b](#)

Sample Location/Comments: [1st Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Solids, TDS	7	May-07-18 07:32	pH = 5
TKN DA	28	May-28-18 07:32	pH = 2
TOC	28	May-28-18 07:32	pH = 2
Total Phosphorus DA	28	May-28-18 07:32	pH = 2

Sample ID: [1805005-03](#) **Sampled:** [Apr-30-18 08:15](#) **Matrix:** [Water](#)

Sample Name: [A2a](#)

Sample Location/Comments: [22nd Avenue North](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 08:15	pH = 2
Anions by IC	28	May-28-18 08:15	pH = 6
Metals ICP-AES (w)	180	Oct-27-18 08:15	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 08:15	pH = 2
Solids, TDS	7	May-07-18 08:15	pH = 6
TKN DA	28	May-28-18 08:15	pH = 2
TOC	28	May-28-18 08:15	pH = 2
Total Phosphorus DA	28	May-28-18 08:15	pH = 2

Sample ID: [1805005-04](#) **Sampled:** [Apr-30-18 08:24](#) **Matrix:** [Water](#)

Sample Name: [A2b](#)

Sample Location/Comments: [22nd Avenue North](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 08:24	pH = 2
Anions by IC	28	May-28-18 08:24	pH = 6
Metals ICP-AES (w)	180	Oct-27-18 08:24	pH = 5
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 08:24	pH = 2
Solids, TDS	7	May-07-18 08:24	pH = 6
TKN DA	28	May-28-18 08:24	pH = 2
TOC	28	May-28-18 08:24	pH = 2
Total Phosphorus DA	28	May-28-18 08:24	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-05](#) **Sampled:** [Apr-30-18 09:06](#) **Matrix:** [Water](#) [OC Source Sample MS/MSD](#)

Sample Name: [A3a](#) **Sample Location/Comments:** [2nd Street](#)

Sample Comments: [MS/MSD](#)

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 09:06	pH = 2
Anions by IC	28	May-28-18 09:06	pH = 6
Metals ICP-AES (w)	180	Oct-27-18 09:06	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 09:06	pH = 2
Solids, TDS	7	May-07-18 09:06	pH = 6
TKN DA	28	May-28-18 09:06	pH = 2
TOC	28	May-28-18 09:06	pH = 2
Total Phosphorus DA	28	May-28-18 09:06	pH = 2

Sample ID: [1805005-06](#) **Sampled:** [Apr-30-18 09:14](#) **Matrix:** [Water](#)

Sample Name: [A3b](#) **Sample Location/Comments:** [2nd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 09:14	pH = 2
Anions by IC	28	May-28-18 09:14	pH = 6
Metals ICP-AES (w)	180	Oct-27-18 09:14	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 09:14	pH = 2
Solids, TDS	7	May-07-18 09:14	pH = 6
TKN DA	28	May-28-18 09:14	pH = 2
TOC	28	May-28-18 09:14	pH = 2
Total Phosphorus DA	28	May-28-18 09:14	pH = 2

Sample ID: [1805005-07](#) **Sampled:** [Apr-30-18 09:38](#) **Matrix:** [Water](#)

Sample Name: [A4 Equip](#) **Sample Location/Comments:** [Cranberry Rock Road](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 09:38	pH = 2
Anions by IC	28	May-28-18 09:38	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 09:38	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 09:38	pH = 2
Solids, TDS	7	May-07-18 09:38	pH = 5
TKN DA	28	May-28-18 09:38	pH = 2
TOC	28	May-28-18 09:38	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory****Client:** Water Division, WECA Region 5
Project: Central Sands**Project Manager:** Angela Ockrassa Davis
Project Number: [none]**Sample ID:** [1805005-07](#) **Sampled:** [Apr-30-18 09:38](#) **Matrix:** [Water](#)**Sample Name:** [A4 Equip](#)**Sample Location/Comments:** [Cranberry Rock Road](#)**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Total Phosphorus DA	28	May-28-18 09:38	pH = 2

Sample ID: [1805005-08](#) **Sampled:** [Apr-30-18 09:06](#) **Matrix:** [Water](#)**Sample Name:** [A3a \(Dup\)](#)**Sample Location/Comments:** [2nd Street](#)**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 09:06	pH = 2
Anions by IC	28	May-28-18 09:06	pH = 6
Metals ICP-AES (w)	180	Oct-27-18 09:06	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 09:06	pH = 2
Solids, TDS	7	May-07-18 09:06	pH = 6
TKN DA	28	May-28-18 09:06	pH = 2
TOC	28	May-28-18 09:06	pH = 2
Total Phosphorus DA	28	May-28-18 09:06	pH = 2

Sample ID: [1805005-09](#) **Sampled:** [Apr-30-18 09:49](#) **Matrix:** [Water](#)**Sample Name:** [FB1](#)**Sample Location/Comments:** [Cranberry Rock Road](#)**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 09:49	pH = 2
Anions by IC	28	May-28-18 09:49	pH = 4
Metals ICP-AES (w)	180	Oct-27-18 09:49	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 09:49	pH = 2
Solids, TDS	7	May-07-18 09:49	pH = 4
TKN DA	28	May-28-18 09:49	pH = 2
TOC	28	May-28-18 09:49	pH = 2
Total Phosphorus DA	28	May-28-18 09:49	pH = 2

Sample ID: [1805005-10](#) **Sampled:** [Apr-30-18 09:58](#) **Matrix:** [Water](#)**Sample Name:** [A4a](#)**Sample Location/Comments:** [Cranberry Rock Road](#)**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 09:58	pH = 2
Anions by IC	28	May-28-18 09:58	pH = 6

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-10](#) **Sampled:** [Apr-30-18 09:58](#) **Matrix:** [Water](#)

Sample Name: [A4a](#)

Sample Location/Comments: [Cranberry Rock Road](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Metals ICP-AES (w)	180	Oct-27-18 09:58	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 09:58	pH = 2
Solids, TDS	7	May-07-18 09:58	pH = 6
TKN DA	28	May-28-18 09:58	pH = 2
TOC	28	May-28-18 09:58	pH = 2
Total Phosphorus DA	28	May-28-18 09:58	pH = 2

Sample ID: [1805005-11](#) **Sampled:** [Apr-30-18 10:09](#) **Matrix:** [Water](#)

Sample Name: [A4b](#)

Sample Location/Comments: [Cranberry Rock Road](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 10:09	pH = 2
Anions by IC	28	May-28-18 10:09	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 10:09	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 10:09	pH = 2
Solids, TDS	7	May-07-18 10:09	pH = 5
TKN DA	28	May-28-18 10:09	pH = 2
TOC	28	May-28-18 10:09	pH = 2
Total Phosphorus DA	28	May-28-18 10:09	pH = 2

Sample ID: [1805005-12](#) **Sampled:** [Apr-30-18 10:51](#) **Matrix:** [Water](#)

Sample Name: [B1a](#)

Sample Location/Comments: [20th Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 10:51	pH = 3
Anions by IC	28	May-28-18 10:51	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 10:51	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 10:51	pH = 3
Solids, TDS	7	May-07-18 10:51	pH = 5
TKN DA	28	May-28-18 10:51	pH = 3
TOC	28	May-28-18 10:51	pH = 3
Total Phosphorus DA	28	May-28-18 10:51	pH = 3

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-13](#) **Sampled:** [Apr-30-18 10:58](#) **Matrix:** [Water](#)

Sample Name: [B1b](#)

Sample Location/Comments: [20th Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 10:58	pH = 2
Anions by IC	28	May-28-18 10:58	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 10:58	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 10:58	pH = 2
Solids, TDS	7	May-07-18 10:58	pH = 5
TKN DA	28	May-28-18 10:58	pH = 2
TOC	28	May-28-18 10:58	pH = 2
Total Phosphorus DA	28	May-28-18 10:58	pH = 2

Sample ID: [1805005-14](#) **Sampled:** [Apr-30-18 11:40](#) **Matrix:** [Water](#)

Sample Name: [B2a](#)

Sample Location/Comments: [3rd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 11:40	pH = 2
Anions by IC	28	May-28-18 11:40	pH = 7
Metals ICP-AES (w)	180	Oct-27-18 11:40	pH = 4
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 11:40	pH = 2
Solids, TDS	7	May-07-18 11:40	pH = 7
TKN DA	28	May-28-18 11:40	pH = 2
TOC	28	May-28-18 11:40	pH = 2
Total Phosphorus DA	28	May-28-18 11:40	pH = 2

Sample ID: [1805005-15](#) **Sampled:** [Apr-30-18 11:48](#) **Matrix:** [Water](#)

Sample Name: [B2b](#)

Sample Location/Comments: [3rd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 11:48	pH = 2
Anions by IC	28	May-28-18 11:48	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 11:48	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 11:48	pH = 2
Solids, TDS	7	May-07-18 11:48	pH = 5
TKN DA	28	May-28-18 11:48	pH = 2
TOC	28	May-28-18 11:48	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-15](#) **Sampled:** [Apr-30-18 11:48](#) **Matrix:** [Water](#)

Sample Name: [B2b](#)

Sample Location/Comments: [3rd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Total Phosphorus DA	28	May-28-18 11:48	pH = 2

Sample ID: [1805005-16](#) **Sampled:** [Apr-30-18 12:29](#) **Matrix:** [Water](#)

Sample Name: [B3a](#)

Sample Location/Comments: [3rd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 12:29	pH = 2
Anions by IC	28	May-28-18 12:29	pH = 6
Metals ICP-AES (w)	180	Oct-27-18 12:29	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 12:29	pH = 2
Solids, TDS	7	May-07-18 12:29	pH = 6
TKN DA	28	May-28-18 12:29	pH = 2
TOC	28	May-28-18 12:29	pH = 2
Total Phosphorus DA	28	May-28-18 12:29	pH = 2

Sample ID: [1805005-17](#) **Sampled:** [Apr-30-18 12:36](#) **Matrix:** [Water](#)

Sample Name: [B3b](#)

Sample Location/Comments: [3rd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 12:36	pH = 2
Anions by IC	28	May-28-18 12:36	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 12:36	pH = 3
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 12:36	pH = 2
Solids, TDS	7	May-07-18 12:36	pH = 5
TKN DA	28	May-28-18 12:36	pH = 2
TOC	28	May-28-18 12:36	pH = 2
Total Phosphorus DA	28	May-28-18 12:36	pH = 2

Sample ID: [1805005-18](#) **Sampled:** [Apr-30-18 13:10](#) **Matrix:** [Water](#)

Sample Name: [B4a](#)

Sample Location/Comments: [3rd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 13:10	pH = 2
Anions by IC	28	May-28-18 13:10	pH = 5

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-18](#) **Sampled:** [Apr-30-18 13:10](#) **Matrix:** [Water](#)

Sample Name: [B4a](#)

Sample Location/Comments: [3rd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Metals ICP-AES (w)	180	Oct-27-18 13:10	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 13:10	pH = 2
Solids, TDS	7	May-07-18 13:10	pH = 5
TKN DA	28	May-28-18 13:10	pH = 2
TOC	28	May-28-18 13:10	pH = 2
Total Phosphorus DA	28	May-28-18 13:10	pH = 2

Sample ID: [1805005-19](#) **Sampled:** [Apr-30-18 13:41](#) **Matrix:** [Water](#)

Sample Name: [B4b](#)

Sample Location/Comments: [3rd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 13:41	pH = 2
Anions by IC	28	May-28-18 13:41	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 13:41	pH = 4
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 13:41	pH = 2
Solids, TDS	7	May-07-18 13:41	pH = 5
TKN DA	28	May-28-18 13:41	pH = 2
TOC	28	May-28-18 13:41	pH = 2
Total Phosphorus DA	28	May-28-18 13:41	pH = 2

Sample ID: [1805005-20](#) **Sampled:** [Apr-30-18 15:02](#) **Matrix:** [Water](#)

Sample Name: [C1a](#)

Sample Location/Comments: [2nd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 15:02	pH = 2
Anions by IC	28	May-28-18 15:02	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 15:02	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 15:02	pH = 2
Solids, TDS	7	May-07-18 15:02	pH = 5
TKN DA	28	May-28-18 15:02	pH = 2
TOC	28	May-28-18 15:02	pH = 2
Total Phosphorus DA	28	May-28-18 15:02	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-21](#) **Sampled:** [Apr-30-18 15:27](#) **Matrix:** [Water](#)

Sample Name: [C1b](#)

Sample Location/Comments: [2nd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 15:27	pH = 2
Anions by IC	28	May-28-18 15:27	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 15:27	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 15:27	pH = 2
Solids, TDS	7	May-07-18 15:27	pH = 5
TKN DA	28	May-28-18 15:27	pH = 2
TOC	28	May-28-18 15:27	pH = 2
Total Phosphorus DA	28	May-28-18 15:27	pH = 2

Sample ID: [1805005-22](#) **Sampled:** [Apr-30-18 16:06](#) **Matrix:** [Water](#)

Sample Name: [C2a](#)

Sample Location/Comments: [Nelson Road](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 16:06	pH = 2
Anions by IC	28	May-28-18 16:06	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 16:06	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 16:06	pH = 2
Solids, TDS	7	May-07-18 16:06	pH = 5
TKN DA	28	May-28-18 16:06	pH = 2
TOC	28	May-28-18 16:06	pH = 2
Total Phosphorus DA	28	May-28-18 16:06	pH = 2

Sample ID: [1805005-23](#) **Sampled:** [Apr-30-18 16:14](#) **Matrix:** [Water](#)

Sample Name: [C2b](#)

Sample Location/Comments: [Nelson Road](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 16:14	pH = 2
Anions by IC	28	May-28-18 16:14	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 16:14	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 16:14	pH = 2
Solids, TDS	7	May-07-18 16:14	pH = 5
TKN DA	28	May-28-18 16:14	pH = 2
TOC	28	May-28-18 16:14	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-23](#) **Sampled:** [Apr-30-18 16:14](#) **Matrix:** [Water](#)

Sample Name: [C2b](#)

Sample Location/Comments: [Nelson Road](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Total Phosphorus DA	28	May-28-18 16:14	pH = 2

Sample ID: [1805005-24](#) **Sampled:** [Apr-30-18 14:16](#) **Matrix:** [Water](#)

Sample Name: [C3a](#)

Sample Location/Comments: [3rd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 14:16	pH = 2
Anions by IC	28	May-28-18 14:16	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 14:16	pH = 3
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 14:16	pH = 2
Solids, TDS	7	May-07-18 14:16	pH = 5
TKN DA	28	May-28-18 14:16	pH = 2
TOC	28	May-28-18 14:16	pH = 2
Total Phosphorus DA	28	May-28-18 14:16	pH = 2

Sample ID: [1805005-25](#) **Sampled:** [Apr-30-18 14:26](#) **Matrix:** [Water](#)

Sample Name: [C3b](#)

Sample Location/Comments: [3rd Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-28-18 14:26	pH = 2
Anions by IC	28	May-28-18 14:26	pH = 5
Metals ICP-AES (w)	180	Oct-27-18 14:26	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-28-18 14:26	pH = 2
Solids, TDS	7	May-07-18 14:26	pH = 5
TKN DA	28	May-28-18 14:26	pH = 2
TOC	28	May-28-18 14:26	pH = 2
Total Phosphorus DA	28	May-28-18 14:26	pH = 2

Sample ID: [1805005-26](#) **Sampled:** [May-01-18 06:29](#) **Matrix:** [Water](#)

Sample Name: [C5Aa](#)

Sample Location/Comments: [CR G \(Nelson Road\)](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 06:29	pH = 2
Anions by IC	28	May-29-18 06:29	pH = 5

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-26](#) **Sampled:** [May-01-18 06:29](#) **Matrix:** [Water](#)

Sample Name: [C5Aa](#)

Sample Location/Comments: [CR G \(Nelson Road\)](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Metals ICP-AES (w)	180	Oct-28-18 06:29	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 06:29	pH = 2
Solids, TDS	7	May-08-18 06:29	pH = 5
TKN DA	28	May-29-18 06:29	pH = 2
TOC	28	May-29-18 06:29	pH = 2
Total Phosphorus DA	28	May-29-18 06:29	pH = 2

Sample ID: [1805005-27](#) **Sampled:** [May-01-18 06:43](#) **Matrix:** [Water](#)

Sample Name: [C5Ab](#)

Sample Location/Comments: [CR G \(Nelson Road\)](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 06:43	pH = 2
Anions by IC	28	May-29-18 06:43	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 06:43	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 06:43	pH = 2
Solids, TDS	7	May-08-18 06:43	pH = 5
TKN DA	28	May-29-18 06:43	pH = 2
TOC	28	May-29-18 06:43	pH = 2
Total Phosphorus DA	28	May-29-18 06:43	pH = 2

Sample ID: [1805005-28](#) **Sampled:** [May-01-18 07:06](#) **Matrix:** [Water](#)

Sample Name: [C6a](#)

Sample Location/Comments: [CR G \(Nelson Road\)](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 07:06	pH = 2
Anions by IC	28	May-29-18 07:06	pH = 6
Metals ICP-AES (w)	180	Oct-28-18 07:06	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 07:06	pH = 2
Solids, TDS	7	May-08-18 07:06	pH = 6
TKN DA	28	May-29-18 07:06	pH = 2
TOC	28	May-29-18 07:06	pH = 2
Total Phosphorus DA	28	May-29-18 07:06	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-29](#) **Sampled:** [May-01-18 07:15](#) **Matrix:** [Water](#)

Sample Name: [C6b](#)

Sample Location/Comments: [CR G \(Nelson Road\)](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 07:15	pH = 3
Anions by IC	28	May-29-18 07:15	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 07:15	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 07:15	pH = 3
Solids, TDS	7	May-08-18 07:15	pH = 5
TKN DA	28	May-29-18 07:15	pH = 3
TOC	28	May-29-18 07:15	pH = 3
Total Phosphorus DA	28	May-29-18 07:15	pH = 3

Sample ID: [1805005-30](#) **Sampled:** [May-01-18 07:48](#) **Matrix:** [Water](#)

Sample Name: [C7a](#)

Sample Location/Comments: [4th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 07:48	pH = 2
Anions by IC	28	May-29-18 07:48	pH = 6
Metals ICP-AES (w)	180	Oct-28-18 07:48	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 07:48	pH = 2
Solids, TDS	7	May-08-18 07:48	pH = 6
TKN DA	28	May-29-18 07:48	pH = 2
TOC	28	May-29-18 07:48	pH = 2
Total Phosphorus DA	28	May-29-18 07:48	pH = 2

Sample ID: [1805005-31](#) **Sampled:** [May-01-18 08:02](#) **Matrix:** [Water](#)

Sample Name: [C7b](#)

Sample Location/Comments: [4th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 08:02	pH = 2
Anions by IC	28	May-29-18 08:02	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 08:02	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 08:02	pH = 2
Solids, TDS	7	May-08-18 08:02	pH = 5
TKN DA	28	May-29-18 08:02	pH = 2
TOC	28	May-29-18 08:02	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-31](#) **Sampled:** [May-01-18 08:02](#) **Matrix:** [Water](#)

Sample Name: [C7b](#)

Sample Location/Comments: [4th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Total Phosphorus DA	28	May-29-18 08:02	pH = 2

Sample ID: [1805005-32](#) **Sampled:** [May-01-18 07:39](#) **Matrix:** [Water](#)

Sample Name: [FB2](#)

Sample Location/Comments: [4th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 07:39	pH = 2
Anions by IC	28	May-29-18 07:39	pH = 4
Metals ICP-AES (w)	180	Oct-28-18 07:39	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 07:39	pH = 2
Solids, TDS	7	May-08-18 07:39	pH = 4
TKN DA	28	May-29-18 07:39	pH = 2
TOC	28	May-29-18 07:39	pH = 2
Total Phosphorus DA	28	May-29-18 07:39	pH = 2

Sample ID: [1805005-33](#) **Sampled:** [May-01-18 07:38](#) **Matrix:** [Water](#)

Sample Name: [C7 equip](#)

Sample Location/Comments: [4th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 07:38	pH = 2
Anions by IC	28	May-29-18 07:38	pH = 4
Metals ICP-AES (w)	180	Oct-28-18 07:38	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 07:38	pH = 2
Solids, TDS	7	May-08-18 07:38	pH = 4
TKN DA	28	May-29-18 07:38	pH = 2
TOC	28	May-29-18 07:38	pH = 2
Total Phosphorus DA	28	May-29-18 07:38	pH = 2

Sample ID: [1805005-34](#) **Sampled:** [May-01-18 08:02](#) **Matrix:** [Water](#)

Sample Name: [C7 Dup](#)

Sample Location/Comments: [4th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 08:02	pH = 2
Anions by IC	28	May-29-18 08:02	pH = 5

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory****Client:** Water Division, WECA Region 5
Project: Central Sands**Project Manager:** Angela Ockrassa Davis
Project Number: [none]**Sample ID:** 1805005-34 **Sampled:** May-01-18 08:02 **Matrix:** Water**Sample Name:** C7 Dup**Sample Location/Comments:** 4th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Metals ICP-AES (w)	180	Oct-28-18 08:02	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 08:02	pH = 2
Solids, TDS	7	May-08-18 08:02	pH = 5
TKN DA	28	May-29-18 08:02	pH = 2
TOC	28	May-29-18 08:02	pH = 2
Total Phosphorus DA	28	May-29-18 08:02	pH = 2

Sample ID: 1805005-35 **Sampled:** May-01-18 08:35 **Matrix:** Water**Sample Name:** C8a**Sample Location/Comments:** 4th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 08:35	pH = 2
Anions by IC	28	May-29-18 08:35	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 08:35	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 08:35	pH = 2
Solids, TDS	7	May-08-18 08:35	pH = 5
TKN DA	28	May-29-18 08:35	pH = 2
TOC	28	May-29-18 08:35	pH = 2
Total Phosphorus DA	28	May-29-18 08:35	pH = 2

Sample ID: 1805005-36 **Sampled:** May-01-18 08:42 **Matrix:** Water**Sample Name:** C8b**Sample Location/Comments:** 4th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 08:42	pH = 2
Anions by IC	28	May-29-18 08:42	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 08:42	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 08:42	pH = 2
Solids, TDS	7	May-08-18 08:42	pH = 5
TKN DA	28	May-29-18 08:42	pH = 2
TOC	28	May-29-18 08:42	pH = 2
Total Phosphorus DA	28	May-29-18 08:42	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory****Client:** Water Division, WECA Region 5
Project: Central Sands**Project Manager:** Angela Ockrassa Davis
Project Number: [none]**Sample ID:** 1805005-37 **Sampled:** May-01-18 10:00 **Matrix:** Water**Sample Name:** C9a**Sample Location/Comments:** 4th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 10:00	pH = 2
Anions by IC	28	May-29-18 10:00	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 10:00	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 10:00	pH = 2
Solids, TDS	7	May-08-18 10:00	pH = 5
TKN DA	28	May-29-18 10:00	pH = 2
TOC	28	May-29-18 10:00	pH = 2
Total Phosphorus DA	28	May-29-18 10:00	pH = 2

Sample ID: 1805005-38 **Sampled:** May-01-18 10:21 **Matrix:** Water**Sample Name:** C9b**Sample Location/Comments:** 4th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 10:21	pH = 2
Anions by IC	28	May-29-18 10:21	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 10:21	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 10:21	pH = 2
Solids, TDS	7	May-08-18 10:21	pH = 5
TKN DA	28	May-29-18 10:21	pH = 2
TOC	28	May-29-18 10:21	pH = 2
Total Phosphorus DA	28	May-29-18 10:21	pH = 2

Sample ID: 1805005-39 **Sampled:** May-01-18 11:05 **Matrix:** Water**Sample Name:** C10a**Sample Location/Comments:** 4th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 11:05	pH = 2
Anions by IC	28	May-29-18 11:05	pH = 6
Metals ICP-AES (w)	180	Oct-28-18 11:05	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 11:05	pH = 2
Solids, TDS	7	May-08-18 11:05	pH = 6
TKN DA	28	May-29-18 11:05	pH = 2
TOC	28	May-29-18 11:05	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-39](#) **Sampled:** [May-01-18 11:05](#) **Matrix:** [Water](#)

Sample Name: [C10a](#)

Sample Location/Comments: [4th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Total Phosphorus DA	28	May-29-18 11:05	pH = 2

Sample ID: [1805005-40](#) **Sampled:** [May-01-18 11:12](#) **Matrix:** [Water](#)

Sample Name: [C10b](#)

Sample Location/Comments: [4th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 11:12	pH = 2
Anions by IC	28	May-29-18 11:12	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 11:12	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 11:12	pH = 2
Solids, TDS	7	May-08-18 11:12	pH = 5
TKN DA	28	May-29-18 11:12	pH = 2
TOC	28	May-29-18 11:12	pH = 2
Total Phosphorus DA	28	May-29-18 11:12	pH = 2

Sample ID: [1805005-41](#) **Sampled:** [May-01-18 11:46](#) **Matrix:** [Water](#)

Sample Name: [C11a](#)

Sample Location/Comments: [20th Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 11:46	pH = 3
Anions by IC	28	May-29-18 11:46	pH = 6
Metals ICP-AES (w)	180	Oct-28-18 11:46	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 11:46	pH = 3
Solids, TDS	7	May-08-18 11:46	pH = 6
TKN DA	28	May-29-18 11:46	pH = 3
TOC	28	May-29-18 11:46	pH = 3
Total Phosphorus DA	28	May-29-18 11:46	pH = 3

Sample ID: [1805005-42](#) **Sampled:** [May-01-18 11:52](#) **Matrix:** [Water](#)

Sample Name: [C11b](#)

Sample Location/Comments: [20th Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 11:52	pH = 2
Anions by IC	28	May-29-18 11:52	pH = 5

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-42](#) **Sampled:** [May-01-18 11:52](#) **Matrix:** [Water](#)

Sample Name: [C11b](#)

Sample Location/Comments: [20th Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Metals ICP-AES (w)	180	Oct-28-18 11:52	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 11:52	pH = 2
Solids, TDS	7	May-08-18 11:52	pH = 5
TKN DA	28	May-29-18 11:52	pH = 2
TOC	28	May-29-18 11:52	pH = 2
Total Phosphorus DA	28	May-29-18 11:52	pH = 2

Sample ID: [1805005-43](#) **Sampled:** [May-01-18 12:41](#) **Matrix:** [Water](#)

Sample Name: [C12a](#)

Sample Location/Comments: [19th Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 12:41	pH = 2
Anions by IC	28	May-29-18 12:41	pH = 7
Metals ICP-AES (w)	180	Oct-28-18 12:41	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 12:41	pH = 2
Solids, TDS	7	May-08-18 12:41	pH = 7
TKN DA	28	May-29-18 12:41	pH = 2
TOC	28	May-29-18 12:41	pH = 2
Total Phosphorus DA	28	May-29-18 12:41	pH = 2

Sample ID: [1805005-44](#) **Sampled:** [May-01-18 12:47](#) **Matrix:** [Water](#)

Sample Name: [C12b](#)

Sample Location/Comments: [19th Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 12:47	pH = 2
Anions by IC	28	May-29-18 12:47	pH = 7
Metals ICP-AES (w)	180	Oct-28-18 12:47	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 12:47	pH = 2
Solids, TDS	7	May-08-18 12:47	pH = 7
TKN DA	28	May-29-18 12:47	pH = 2
TOC	28	May-29-18 12:47	pH = 2
Total Phosphorus DA	28	May-29-18 12:47	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-45](#) **Sampled:** [May-01-18 13:30](#) **Matrix:** [Water](#)

Sample Name: [C13a](#)

Sample Location/Comments: [4th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 13:30	pH = 3
Anions by IC	28	May-29-18 13:30	pH = 6
Metals ICP-AES (w)	180	Oct-28-18 13:30	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 13:30	pH = 3
Solids, TDS	7	May-08-18 13:30	pH = 6
TKN DA	28	May-29-18 13:30	pH = 3
TOC	28	May-29-18 13:30	pH = 3
Total Phosphorus DA	28	May-29-18 13:30	pH = 3

Sample ID: [1805005-46](#) **Sampled:** [May-01-18 13:39](#) **Matrix:** [Water](#)

Sample Name: [C13b](#)

Sample Location/Comments: [4th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 13:39	pH = 2
Anions by IC	28	May-29-18 13:39	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 13:39	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 13:39	pH = 2
Solids, TDS	7	May-08-18 13:39	pH = 5
TKN DA	28	May-29-18 13:39	pH = 2
TOC	28	May-29-18 13:39	pH = 2
Total Phosphorus DA	28	May-29-18 13:39	pH = 2

Sample ID: [1805005-47](#) **Sampled:** [May-01-18 14:19](#) **Matrix:** [Water](#)

Sample Name: [D1a](#)

Sample Location/Comments: [5th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 14:19	pH = 2
Anions by IC	28	May-29-18 14:19	pH = 6
Metals ICP-AES (w)	180	Oct-28-18 14:19	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 14:19	pH = 2
Solids, TDS	7	May-08-18 14:19	pH = 6
TKN DA	28	May-29-18 14:19	pH = 2
TOC	28	May-29-18 14:19	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-47](#) **Sampled:** [May-01-18 14:19](#) **Matrix:** [Water](#)

Sample Name: [D1a](#)

Sample Location/Comments: [5th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Total Phosphorus DA	28	May-29-18 14:19	pH = 2

Sample ID: [1805005-48](#) **Sampled:** [May-01-18 14:26](#) **Matrix:** [Water](#)

Sample Name: [D1b](#)

Sample Location/Comments: [5th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 14:26	pH = 3
Anions by IC	28	May-29-18 14:26	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 14:26	pH = 3
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 14:26	pH = 3
Solids, TDS	7	May-08-18 14:26	pH = 5
TKN DA	28	May-29-18 14:26	pH = 3
TOC	28	May-29-18 14:26	pH = 3
Total Phosphorus DA	28	May-29-18 14:26	pH = 3

Sample ID: [1805005-49](#) **Sampled:** [May-01-18 15:00](#) **Matrix:** [Water](#)

Sample Name: [D2a](#)

Sample Location/Comments: [5th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 15:00	pH = 3
Anions by IC	28	May-29-18 15:00	pH = 6
Metals ICP-AES (w)	180	Oct-28-18 15:00	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 15:00	pH = 3
Solids, TDS	7	May-08-18 15:00	pH = 6
TKN DA	28	May-29-18 15:00	pH = 3
TOC	28	May-29-18 15:00	pH = 3
Total Phosphorus DA	28	May-29-18 15:00	pH = 3

Sample ID: [1805005-50](#) **Sampled:** [May-01-18 15:06](#) **Matrix:** [Water](#)

Sample Name: [D2b](#)

Sample Location/Comments: [5th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 15:06	pH = 2
Anions by IC	28	May-29-18 15:06	pH = 6

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-50](#) **Sampled:** [May-01-18 15:06](#) **Matrix:** [Water](#)

Sample Name: [D2b](#)

Sample Location/Comments: [5th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Metals ICP-AES (w)	180	Oct-28-18 15:06	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 15:06	pH = 2
Solids, TDS	7	May-08-18 15:06	pH = 6
TKN DA	28	May-29-18 15:06	pH = 2
TOC	28	May-29-18 15:06	pH = 2
Total Phosphorus DA	28	May-29-18 15:06	pH = 2

Sample ID: [1805005-51](#) **Sampled:** [May-01-18 15:41](#) **Matrix:** [Water](#)

Sample Name: [D3a](#)

Sample Location/Comments: [5th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 15:41	pH = 2
Anions by IC	28	May-29-18 15:41	pH = 6
Metals ICP-AES (w)	180	Oct-28-18 15:41	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 15:41	pH = 2
Solids, TDS	7	May-08-18 15:41	pH = 6
TKN DA	28	May-29-18 15:41	pH = 2
TOC	28	May-29-18 15:41	pH = 2
Total Phosphorus DA	28	May-29-18 15:41	pH = 2

Sample ID: [1805005-52](#) **Sampled:** [May-01-18 15:48](#) **Matrix:** [Water](#)

Sample Name: [D3b](#)

Sample Location/Comments: [5th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 15:48	pH = 2
Anions by IC	28	May-29-18 15:48	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 15:48	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 15:48	pH = 2
Solids, TDS	7	May-08-18 15:48	pH = 5
TKN DA	28	May-29-18 15:48	pH = 2
TOC	28	May-29-18 15:48	pH = 2
Total Phosphorus DA	28	May-29-18 15:48	pH = 2

WORK ORDER

Printed: 5/3/2018 3:33:25PM

1805005**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: [none]

Sample ID: [1805005-53](#) **Sampled:** [May-01-18 16:19](#) **Matrix:** [Water](#)

Sample Name: [D4a](#)

Sample Location/Comments: [5th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 16:19	pH = 2
Anions by IC	28	May-29-18 16:19	pH = 6
Metals ICP-AES (w)	180	Oct-28-18 16:19	pH = 2
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 16:19	pH = 2
Solids, TDS	7	May-08-18 16:19	pH = 6
TKN DA	28	May-29-18 16:19	pH = 2
TOC	28	May-29-18 16:19	pH = 2
Total Phosphorus DA	28	May-29-18 16:19	pH = 2

Sample ID: [1805005-54](#) **Sampled:** [May-01-18 16:26](#) **Matrix:** [Water](#)

Sample Name: [D4b](#)

Sample Location/Comments: [5th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-29-18 16:26	pH = 2
Anions by IC	28	May-29-18 16:26	pH = 5
Metals ICP-AES (w)	180	Oct-28-18 16:26	pH = 3
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-29-18 16:26	pH = 2
Solids, TDS	7	May-08-18 16:26	pH = 5
TKN DA	28	May-29-18 16:26	pH = 2
TOC	28	May-29-18 16:26	pH = 2
Total Phosphorus DA	28	May-29-18 16:26	pH = 2

WORK ORDER MEMO: NCR 14118

PROJECT COMMENTS: Anions: Chloride, fluoride, bromide, sulfide.

Full List metals

REVIEWED

By Amanda Wroble at 3:35 pm, May 03, 2018

Reviewed By

Date

Page 21 of 21

Page 24 of 56



Environmental Protection Agency Region 5
Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007

US EPA Region 5 Chicago Regional Laboratory

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Report To:

Cheryl Burdett
Water Division, WECA Region 5 77 West Jackson Boulevard
Chicago, IL 60604 Phone: (312) 886-1463
Fax: (312) 886-2001

Date Due: Jun-04-18 15:00 (30 day TAT)

Received By: Robert Snyder

Logged In By: Robert Snyder

Date Received: May-04-18 10:00

Date Logged In: May-07-18 07:38

Samples Received at:

Sample tags/labels

Yes

Seals Intact

Yes

Received on ice

Yes

Paperwork Included

Yes

Work Order Comments:

Copy/Relog from 1805005. Anions: Chloride and nitrate as NO₃

Full List metals

pH paper used in SC 16H2601

Sample ID: 1805007-01

Sampled: May-02-18 06:38

Matrix: Water

Sample Name: D5a

Sample Location/Comments: 5th Street

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 06:38	pH = 1
Anions by IC	28	May-30-18 06:38	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 06:38	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 06:38	pH = 1
Solids, TDS	7	May-09-18 06:38	pH = 6
TKN DA	28	May-30-18 06:38	pH = 1
TOC	28	May-30-18 06:38	pH = 1
Total Phosphorus DA	28	May-30-18 06:38	pH = 1

Sample ID: 1805007-02

Sampled: May-02-18 06:46

Matrix: Water

Sample Name: D5b

Sample Location/Comments: 5th Street

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 06:46	pH = 1
Anions by IC	28	May-30-18 06:46	pH = 5
Metals ICP-AES (w)	180	Oct-29-18 06:46	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 06:46	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory****Client:** Water Division, WECA Region 5
Project: Central Sands**Project Manager:** Angela Ockrassa Davis
Project Number: CB022018**Sample ID:** 1805007-02 **Sampled:** May-02-18 06:46 **Matrix:** Water**Sample Name:** D5b **Sample Location/Comments:** 5th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Solids, TDS	7	May-09-18 06:46	pH = 5
TKN DA	28	May-30-18 06:46	pH = 1
TOC	28	May-30-18 06:46	pH = 1
Total Phosphorus DA	28	May-30-18 06:46	pH = 1

Sample ID: 1805007-03 **Sampled:** May-02-18 07:17 **Matrix:** Water**Sample Name:** D6a **Sample Location/Comments:** 5th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 07:17	pH = 1
Anions by IC	28	May-30-18 07:17	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 07:17	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 07:17	pH = 1
Solids, TDS	7	May-09-18 07:17	pH = 6
TKN DA	28	May-30-18 07:17	pH = 1
TOC	28	May-30-18 07:17	pH = 1
Total Phosphorus DA	28	May-30-18 07:17	pH = 1

Sample ID: 1805007-04 **Sampled:** May-02-18 07:29 **Matrix:** Water**Sample Name:** D6b **Sample Location/Comments:** 5th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 07:29	pH = 1
Anions by IC	28	May-30-18 07:29	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 07:29	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 07:29	pH = 1
Solids, TDS	7	May-09-18 07:29	pH = 6
TKN DA	28	May-30-18 07:29	pH = 1
TOC	28	May-30-18 07:29	pH = 1
Total Phosphorus DA	28	May-30-18 07:29	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: [1805007-05](#) **Sampled:** [May-02-18 08:01](#) **Matrix:** [Water](#)

Sample Name: [D7 equip](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 08:01	pH = 1
Anions by IC	28	May-30-18 08:01	pH = 5
Metals ICP-AES (w)	180	Oct-29-18 08:01	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 08:01	pH = 1
Solids, TDS	7	May-09-18 08:01	pH = 5
TKN DA	28	May-30-18 08:01	pH = 1
TOC	28	May-30-18 08:01	pH = 1
Total Phosphorus DA	28	May-30-18 08:01	pH = 1

Sample ID: [1805007-06](#) **Sampled:** [May-02-18 08:03](#) **Matrix:** [Water](#)

Sample Name: [FB3](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 08:03	pH = 1
Anions by IC	28	May-30-18 08:03	pH = 4
Metals ICP-AES (w)	180	Oct-29-18 08:03	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 08:03	pH = 1
Solids, TDS	7	May-09-18 08:03	pH = 4
TKN DA	28	May-30-18 08:03	pH = 1
TOC	28	May-30-18 08:03	pH = 1
Total Phosphorus DA	28	May-30-18 08:03	pH = 1

Sample ID: [1805007-07](#) **Sampled:** [May-02-18 08:12](#) **Matrix:** [Water](#)

Sample Name: [D7a Dup](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 08:12	pH = 1
Anions by IC	28	May-30-18 08:12	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 08:12	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 08:12	pH = 1
Solids, TDS	7	May-09-18 08:12	pH = 6
TKN DA	28	May-30-18 08:12	pH = 1
TOC	28	May-30-18 08:12	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007

US EPA Region 5 Chicago Regional Laboratory

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: [1805007-07](#) **Sampled:** [May-02-18 08:12](#) **Matrix:** [Water](#)

Sample Name: [D7a Dup](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Total Phosphorus DA	28	May-30-18 08:12	pH = 1

Sample ID: [1805007-08](#) **Sampled:** [May-02-18 08:12](#) **Matrix:** [Water](#) [QC Source Sample MS/MSD](#)

Sample Name: [D7a](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments: [MS/MSD](#)

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 08:12	pH = 1
Anions by IC	28	May-30-18 08:12	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 08:12	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 08:12	pH = 1
Solids, TDS	7	May-09-18 08:12	pH = 6
TKN DA	28	May-30-18 08:12	pH = 1
TOC	28	May-30-18 08:12	pH = 1
Total Phosphorus DA	28	May-30-18 08:12	pH = 1

Sample ID: [1805007-09](#) **Sampled:** [May-02-18 08:19](#) **Matrix:** [Water](#)

Sample Name: [D7b](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 08:19	pH = 1
Anions by IC	28	May-30-18 08:19	pH = 5
Metals ICP-AES (w)	180	Oct-29-18 08:19	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 08:19	pH = 1
Solids, TDS	7	May-09-18 08:19	pH = 5
TKN DA	28	May-30-18 08:19	pH = 1
TOC	28	May-30-18 08:19	pH = 1
Total Phosphorus DA	28	May-30-18 08:19	pH = 1

Sample ID: [1805007-10](#) **Sampled:** [May-02-18 08:55](#) **Matrix:** [Water](#)

Sample Name: [D8a](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 08:55	pH = 1
Anions by IC	28	May-30-18 08:55	pH = 6

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: [1805007-10](#) **Sampled:** [May-02-18 08:55](#) **Matrix:** [Water](#)

Sample Name: [D8a](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Metals ICP-AES (w)	180	Oct-29-18 08:55	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 08:55	pH = 1
Solids, TDS	7	May-09-18 08:55	pH = 6
TKN DA	28	May-30-18 08:55	pH = 1
TOC	28	May-30-18 08:55	pH = 1
Total Phosphorus DA	28	May-30-18 08:55	pH = 1

Sample ID: [1805007-11](#) **Sampled:** [May-02-18 09:11](#) **Matrix:** [Water](#)

Sample Name: [D8b](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 09:11	pH = 1
Anions by IC	28	May-30-18 09:11	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 09:11	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 09:11	pH = 1
Solids, TDS	7	May-09-18 09:11	pH = 6
TKN DA	28	May-30-18 09:11	pH = 1
TOC	28	May-30-18 09:11	pH = 1
Total Phosphorus DA	28	May-30-18 09:11	pH = 1

Sample ID: [1805007-12](#) **Sampled:** [May-02-18 09:45](#) **Matrix:** [Water](#)

Sample Name: [D9a](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 09:45	pH = 1
Anions by IC	28	May-30-18 09:45	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 09:45	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 09:45	pH = 1
Solids, TDS	7	May-09-18 09:45	pH = 6
TKN DA	28	May-30-18 09:45	pH = 1
TOC	28	May-30-18 09:45	pH = 1
Total Phosphorus DA	28	May-30-18 09:45	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: [1805007-13](#) **Sampled:** [May-02-18 09:54](#) **Matrix:** [Water](#)

Sample Name: [D9b](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 09:54	pH = 1
Anions by IC	28	May-30-18 09:54	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 09:54	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 09:54	pH = 1
Solids, TDS	7	May-09-18 09:54	pH = 6
TKN DA	28	May-30-18 09:54	pH = 1
TOC	28	May-30-18 09:54	pH = 1
Total Phosphorus DA	28	May-30-18 09:54	pH = 1

Sample ID: [1805007-14](#) **Sampled:** [May-02-18 10:29](#) **Matrix:** [Water](#)

Sample Name: [D10a](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 10:29	pH = 1
Anions by IC	28	May-30-18 10:29	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 10:29	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 10:29	pH = 1
Solids, TDS	7	May-09-18 10:29	pH = 6
TKN DA	28	May-30-18 10:29	pH = 1
TOC	28	May-30-18 10:29	pH = 1
Total Phosphorus DA	28	May-30-18 10:29	pH = 1

Sample ID: [1805007-15](#) **Sampled:** [May-02-18 10:29](#) **Matrix:** [Water](#)

Sample Name: [D10a Dup](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 10:29	pH = 1
Anions by IC	28	May-30-18 10:29	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 10:29	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 10:29	pH = 1
Solids, TDS	7	May-09-18 10:29	pH = 6
TKN DA	28	May-30-18 10:29	pH = 1
TOC	28	May-30-18 10:29	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory****Client:** Water Division, WECA Region 5
Project: Central Sands**Project Manager:** Angela Ockrassa Davis
Project Number: CB022018**Sample ID:** [1805007-15](#) **Sampled:** [May-02-18 10:29](#) **Matrix:** [Water](#)**Sample Name:** [D10a Dup](#) **Sample Location/Comments:** [23rd Avenue](#)**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Total Phosphorus DA	28	May-30-18 10:29	pH = 1

Sample ID: [1805007-16](#) **Sampled:** [May-02-18 10:41](#) **Matrix:** [Water](#)**Sample Name:** [D10b](#) **Sample Location/Comments:** [23rd Avenue](#)**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 10:41	pH = 1
Anions by IC	28	May-30-18 10:41	pH = 5
Metals ICP-AES (w)	180	Oct-29-18 10:41	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 10:41	pH = 1
Solids, TDS	7	May-09-18 10:41	pH = 5
TKN DA	28	May-30-18 10:41	pH = 1
TOC	28	May-30-18 10:41	pH = 1
Total Phosphorus DA	28	May-30-18 10:41	pH = 1

Sample ID: [1805007-17](#) **Sampled:** [May-02-18 10:41](#) **Matrix:** [Water](#)**Sample Name:** [D10b Dup](#) **Sample Location/Comments:** [23rd Avenue](#)**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 10:41	pH = 1
Anions by IC	28	May-30-18 10:41	pH = 5
Metals ICP-AES (w)	180	Oct-29-18 10:41	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 10:41	pH = 1
Solids, TDS	7	May-09-18 10:41	pH = 5
TKN DA	28	May-30-18 10:41	pH = 1
TOC	28	May-30-18 10:41	pH = 1
Total Phosphorus DA	28	May-30-18 10:41	pH = 1

Sample ID: [1805007-18](#) **Sampled:** [May-02-18 11:19](#) **Matrix:** [Water](#)**Sample Name:** [D11a](#) **Sample Location/Comments:** [23rd Avenue](#)**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 11:19	pH = 1
Anions by IC	28	May-30-18 11:19	pH = 6

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: [1805007-18](#) **Sampled:** [May-02-18 11:19](#) **Matrix:** [Water](#)

Sample Name: [D11a](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Metals ICP-AES (w)	180	Oct-29-18 11:19	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 11:19	pH = 1
Solids, TDS	7	May-09-18 11:19	pH = 6
TKN DA	28	May-30-18 11:19	pH = 1
TOC	28	May-30-18 11:19	pH = 1
Total Phosphorus DA	28	May-30-18 11:19	pH = 1

Sample ID: [1805007-19](#) **Sampled:** [May-02-18 11:42](#) **Matrix:** [Water](#)

Sample Name: [D11b](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 11:42	pH = 1
Anions by IC	28	May-30-18 11:42	pH = 5
Metals ICP-AES (w)	180	Oct-29-18 11:42	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 11:42	pH = 1
Solids, TDS	7	May-09-18 11:42	pH = 5
TKN DA	28	May-30-18 11:42	pH = 1
TOC	28	May-30-18 11:42	pH = 1
Total Phosphorus DA	28	May-30-18 11:42	pH = 1

Sample ID: [1805007-20](#) **Sampled:** [May-02-18 12:41](#) **Matrix:** [Water](#)

Sample Name: [E1a](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 12:41	pH = 1
Anions by IC	28	May-30-18 12:41	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 12:41	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 12:41	pH = 1
Solids, TDS	7	May-09-18 12:41	pH = 6
TKN DA	28	May-30-18 12:41	pH = 1
TOC	28	May-30-18 12:41	pH = 1
Total Phosphorus DA	28	May-30-18 12:41	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: [1805007-21](#) **Sampled:** [May-02-18 12:58](#) **Matrix:** [Water](#)

Sample Name: [E1b](#) **Sample Location/Comments:** [23rd Avenue](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 12:58	pH = 1
Anions by IC	28	May-30-18 12:58	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 12:58	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 12:58	pH = 1
Solids, TDS	7	May-09-18 12:58	pH = 6
TKN DA	28	May-30-18 12:58	pH = 1
TOC	28	May-30-18 12:58	pH = 1
Total Phosphorus DA	28	May-30-18 12:58	pH = 1

Sample ID: [1805007-22](#) **Sampled:** [May-02-18 13:28](#) **Matrix:** [Water](#)

Sample Name: [E2a](#) **Sample Location/Comments:** [Porter Road](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 13:28	pH = 1
Anions by IC	28	May-30-18 13:28	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 13:28	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 13:28	pH = 1
Solids, TDS	7	May-09-18 13:28	pH = 6
TKN DA	28	May-30-18 13:28	pH = 1
TOC	28	May-30-18 13:28	pH = 1
Total Phosphorus DA	28	May-30-18 13:28	pH = 1

Sample ID: [1805007-23](#) **Sampled:** [May-02-18 13:37](#) **Matrix:** [Water](#)

Sample Name: [E2b](#) **Sample Location/Comments:** [Porter Road](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 13:37	pH = 1
Anions by IC	28	May-30-18 13:37	pH = 5
Metals ICP-AES (w)	180	Oct-29-18 13:37	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 13:37	pH = 1
Solids, TDS	7	May-09-18 13:37	pH = 5
TKN DA	28	May-30-18 13:37	pH = 1
TOC	28	May-30-18 13:37	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007

US EPA Region 5 Chicago Regional Laboratory

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: [1805007-23](#) **Sampled:** [May-02-18 13:37](#) **Matrix:** [Water](#)

Sample Name: [E2b](#) **Sample Location/Comments:** [Porter Road](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Total Phosphorus DA	28	May-30-18 13:37	pH = 1

Sample ID: [1805007-24](#) **Sampled:** [May-02-18 13:28](#) **Matrix:** [Water](#)

Sample Name: [E2a Dup](#) **Sample Location/Comments:** [Porter Road](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 13:28	pH = 1
Anions by IC	28	May-30-18 13:28	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 13:28	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 13:28	pH = 1
Solids, TDS	7	May-09-18 13:28	pH = 6
TKN DA	28	May-30-18 13:28	pH = 1
TOC	28	May-30-18 13:28	pH = 1
Total Phosphorus DA	28	May-30-18 13:28	pH = 1

Sample ID: [1805007-25](#) **Sampled:** [May-02-18 13:37](#) **Matrix:** [Water](#)

Sample Name: [E2b Dup](#) **Sample Location/Comments:** [Porter Road](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 13:37	pH = 1
Anions by IC	28	May-30-18 13:37	pH = 5
Metals ICP-AES (w)	180	Oct-29-18 13:37	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 13:37	pH = 1
Solids, TDS	7	May-09-18 13:37	pH = 5
TKN DA	28	May-30-18 13:37	pH = 1
TOC	28	May-30-18 13:37	pH = 1
Total Phosphorus DA	28	May-30-18 13:37	pH = 1

Sample ID: [1805007-26](#) **Sampled:** [May-02-18 14:03](#) **Matrix:** [Water](#)

Sample Name: [E3a](#) **Sample Location/Comments:** [7th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 14:03	pH = 1
Anions by IC	28	May-30-18 14:03	pH = 6

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007

US EPA Region 5 Chicago Regional Laboratory

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: [1805007-26](#) **Sampled:** [May-02-18 14:03](#) **Matrix:** [Water](#)

Sample Name: [E3a](#) **Sample Location/Comments:** [7th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Metals ICP-AES (w)	180	Oct-29-18 14:03	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 14:03	pH = 1
Solids, TDS	7	May-09-18 14:03	pH = 6
TKN DA	28	May-30-18 14:03	pH = 1
TOC	28	May-30-18 14:03	pH = 1
Total Phosphorus DA	28	May-30-18 14:03	pH = 1

Sample ID: [1805007-27](#) **Sampled:** [May-02-18 14:09](#) **Matrix:** [Water](#)

Sample Name: [E3b](#) **Sample Location/Comments:** [7th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 14:09	pH = 1
Anions by IC	28	May-30-18 14:09	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 14:09	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 14:09	pH = 1
Solids, TDS	7	May-09-18 14:09	pH = 6
TKN DA	28	May-30-18 14:09	pH = 1
TOC	28	May-30-18 14:09	pH = 1
Total Phosphorus DA	28	May-30-18 14:09	pH = 1

Sample ID: [1805007-28](#) **Sampled:** [May-02-18 14:37](#) **Matrix:** [Water](#)

Sample Name: [E4a](#) **Sample Location/Comments:** [7th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 14:37	pH = 1
Anions by IC	28	May-30-18 14:37	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 14:37	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 14:37	pH = 1
Solids, TDS	7	May-09-18 14:37	pH = 6
TKN DA	28	May-30-18 14:37	pH = 1
TOC	28	May-30-18 14:37	pH = 1
Total Phosphorus DA	28	May-30-18 14:37	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007

US EPA Region 5 Chicago Regional Laboratory

Client: Water Division, WECA Region 5
Project: Central Sands**Project Manager:** Angela Ockrassa Davis
Project Number: CB022018**Sample ID:** [1805007-29](#) **Sampled:** [May-02-18 14:43](#) **Matrix:** [Water](#)**Sample Name:** [E4b](#) **Sample Location/Comments:** [7th Street](#)**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 14:43	pH = 1
Anions by IC	28	May-30-18 14:43	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 14:43	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 14:43	pH = 1
Solids, TDS	7	May-09-18 14:43	pH = 6
TKN DA	28	May-30-18 14:43	pH = 1
TOC	28	May-30-18 14:43	pH = 1
Total Phosphorus DA	28	May-30-18 14:43	pH = 1

Sample ID: [1805007-30](#) **Sampled:** [May-02-18 15:08](#) **Matrix:** [Water](#)**Sample Name:** [E5a](#) **Sample Location/Comments:** [7th Street](#)**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 15:08	pH = 1
Anions by IC	28	May-30-18 15:08	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 15:08	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 15:08	pH = 1
Solids, TDS	7	May-09-18 15:08	pH = 6
TKN DA	28	May-30-18 15:08	pH = 1
TOC	28	May-30-18 15:08	pH = 1
Total Phosphorus DA	28	May-30-18 15:08	pH = 1

Sample ID: [1805007-31](#) **Sampled:** [May-02-18 15:13](#) **Matrix:** [Water](#)**Sample Name:** [E5b](#) **Sample Location/Comments:** [7th Street](#)**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 15:13	pH = 1
Anions by IC	28	May-30-18 15:13	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 15:13	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 15:13	pH = 1
Solids, TDS	7	May-09-18 15:13	pH = 6
TKN DA	28	May-30-18 15:13	pH = 1
TOC	28	May-30-18 15:13	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: 1805007-31 **Sampled:** May-02-18 15:13 **Matrix:** Water

Sample Name: E5b **Sample Location/Comments:** 7th Street

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Total Phosphorus DA	28	May-30-18 15:13	pH = 1

Sample ID: 1805007-32 **Sampled:** May-02-18 15:38 **Matrix:** Water

Sample Name: E6a **Sample Location/Comments:** 20th Avenue

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 15:38	pH = 1
Anions by IC	28	May-30-18 15:38	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 15:38	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 15:38	pH = 1
Solids, TDS	7	May-09-18 15:38	pH = 6
TKN DA	28	May-30-18 15:38	pH = 1
TOC	28	May-30-18 15:38	pH = 1
Total Phosphorus DA	28	May-30-18 15:38	pH = 1

Sample ID: 1805007-33 **Sampled:** May-02-18 15:44 **Matrix:** Water

Sample Name: E6b **Sample Location/Comments:** 20th Avenue

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 15:44	pH = 1
Anions by IC	28	May-30-18 15:44	pH = 6
Metals ICP-AES (w)	180	Oct-29-18 15:44	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 15:44	pH = 1
Solids, TDS	7	May-09-18 15:44	pH = 6
TKN DA	28	May-30-18 15:44	pH = 1
TOC	28	May-30-18 15:44	pH = 1
Total Phosphorus DA	28	May-30-18 15:44	pH = 1

Sample ID: 1805007-34 **Sampled:** May-02-18 16:09 **Matrix:** Water

Sample Name: E7a **Sample Location/Comments:** 7th Street

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 16:09	pH = 1
Anions by IC	28	May-30-18 16:09	pH = 5

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory****Client:** Water Division, WECA Region 5
Project: Central Sands**Project Manager:** Angela Ockrassa Davis
Project Number: CB022018**Sample ID:** 1805007-34 **Sampled:** May-02-18 16:09 **Matrix:** Water**Sample Name:** E7a **Sample Location/Comments:** 7th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Metals ICP-AES (w)	180	Oct-29-18 16:09	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 16:09	pH = 1
Solids, TDS	7	May-09-18 16:09	pH = 5
TKN DA	28	May-30-18 16:09	pH = 1
TOC	28	May-30-18 16:09	pH = 1
Total Phosphorus DA	28	May-30-18 16:09	pH = 1

Sample ID: 1805007-35 **Sampled:** May-02-18 16:35 **Matrix:** Water**Sample Name:** E7b **Sample Location/Comments:** 7th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-30-18 16:35	pH = 1
Anions by IC	28	May-30-18 16:35	pH = 5
Metals ICP-AES (w)	180	Oct-29-18 16:35	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-30-18 16:35	pH = 1
Solids, TDS	7	May-09-18 16:35	pH = 5
TKN DA	28	May-30-18 16:35	pH = 1
TOC	28	May-30-18 16:35	pH = 1
Total Phosphorus DA	28	May-30-18 16:35	pH = 1

Sample ID: 1805007-36 **Sampled:** May-03-18 08:40 **Matrix:** Water**Sample Name:** E8a **Sample Location/Comments:** 7th Street**Sample Comments:**

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-31-18 08:40	pH = 1
Anions by IC	28	May-31-18 08:40	pH = 5
Metals ICP-AES (w)	180	Oct-30-18 08:40	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-31-18 08:40	pH = 1
Solids, TDS	7	May-10-18 08:40	pH = 5
TKN DA	28	May-31-18 08:40	pH = 1
TOC	28	May-31-18 08:40	pH = 1
Total Phosphorus DA	28	May-31-18 08:40	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: [1805007-37](#) **Sampled:** [May-03-18 08:48](#) **Matrix:** [Water](#)

Sample Name: [E8b](#) **Sample Location/Comments:** [7th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-31-18 08:48	pH = 1
Anions by IC	28	May-31-18 08:48	pH = 6
Metals ICP-AES (w)	180	Oct-30-18 08:48	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-31-18 08:48	pH = 1
Solids, TDS	7	May-10-18 08:48	pH = 6
TKN DA	28	May-31-18 08:48	pH = 1
TOC	28	May-31-18 08:48	pH = 1
Total Phosphorus DA	28	May-31-18 08:48	pH = 1

Sample ID: [1805007-38](#) **Sampled:** [May-03-18 07:15](#) **Matrix:** [Water](#)

Sample Name: [E10a](#) **Sample Location/Comments:** [8th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-31-18 07:15	pH = 1
Anions by IC	28	May-31-18 07:15	pH = 6
Metals ICP-AES (w)	180	Oct-30-18 07:15	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-31-18 07:15	pH = 1
Solids, TDS	7	May-10-18 07:15	pH = 6
TKN DA	28	May-31-18 07:15	pH = 1
TOC	28	May-31-18 07:15	pH = 1
Total Phosphorus DA	28	May-31-18 07:15	pH = 1

Sample ID: [1805007-39](#) **Sampled:** [May-03-18 07:15](#) **Matrix:** [Water](#)

Sample Name: [E10a Dup](#) **Sample Location/Comments:** [8th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-31-18 07:15	pH = 1
Anions by IC	28	May-31-18 07:15	pH = 6
Metals ICP-AES (w)	180	Oct-30-18 07:15	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-31-18 07:15	pH = 1
Solids, TDS	7	May-10-18 07:15	pH = 6
TKN DA	28	May-31-18 07:15	pH = 1
TOC	28	May-31-18 07:15	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: [1805007-39](#) **Sampled:** [May-03-18 07:15](#) **Matrix:** [Water](#)

Sample Name: [E10a Dup](#) **Sample Location/Comments:** [8th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Total Phosphorus DA	28	May-31-18 07:15	pH = 1

Sample ID: [1805007-40](#) **Sampled:** [May-03-18 07:27](#) **Matrix:** [Water](#)

Sample Name: [E10b](#) **Sample Location/Comments:** [8th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-31-18 07:27	pH = 1
Anions by IC	28	May-31-18 07:27	pH = 6
Metals ICP-AES (w)	180	Oct-30-18 07:27	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-31-18 07:27	pH = 1
Solids, TDS	7	May-10-18 07:27	pH = 6
TKN DA	28	May-31-18 07:27	pH = 1
TOC	28	May-31-18 07:27	pH = 1
Total Phosphorus DA	28	May-31-18 07:27	pH = 1

Sample ID: [1805007-41](#) **Sampled:** [May-03-18 07:36](#) **Matrix:** [Water](#)

Sample Name: [FB4](#) **Sample Location/Comments:** [8th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-31-18 07:36	pH = 1
Anions by IC	28	May-31-18 07:36	pH = 4
Metals ICP-AES (w)	180	Oct-30-18 07:36	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-31-18 07:36	pH = 1
Solids, TDS	7	May-10-18 07:36	pH = 4
TKN DA	28	May-31-18 07:36	pH = 1
TOC	28	May-31-18 07:36	pH = 1
Total Phosphorus DA	28	May-31-18 07:36	pH = 1

Sample ID: [1805007-42](#) **Sampled:** [May-03-18 07:13](#) **Matrix:** [Water](#)

Sample Name: [E10 Equip](#) **Sample Location/Comments:** [8th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-31-18 07:13	pH = 1
Anions by IC	28	May-31-18 07:13	pH = 4

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory**

Client: Water Division, WECA Region 5
Project: Central Sands

Project Manager: Angela Ockrassa Davis
Project Number: CB022018

Sample ID: [1805007-42](#) **Sampled:** [May-03-18 07:13](#) **Matrix:** [Water](#)

Sample Name: [E10 Equip](#) **Sample Location/Comments:** [8th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Metals ICP-AES (w)	180	Oct-30-18 07:13	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-31-18 07:13	pH = 1
Solids, TDS	7	May-10-18 07:13	pH = 4
TKN DA	28	May-31-18 07:13	pH = 1
TOC	28	May-31-18 07:13	pH = 1
Total Phosphorus DA	28	May-31-18 07:13	pH = 1

Sample ID: [1805007-43](#) **Sampled:** [May-03-18 09:53](#) **Matrix:** [Water](#)

Sample Name: [E9a](#) **Sample Location/Comments:** [7th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-31-18 09:53	pH = 1
Anions by IC	28	May-31-18 09:53	pH = 5
Metals ICP-AES (w)	180	Oct-30-18 09:53	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-31-18 09:53	pH = 1
Solids, TDS	7	May-10-18 09:53	pH = 5
TKN DA	28	May-31-18 09:53	pH = 1
TOC	28	May-31-18 09:53	pH = 1
Total Phosphorus DA	28	May-31-18 09:53	pH = 1

Sample ID: [1805007-44](#) **Sampled:** [May-03-18 10:02](#) **Matrix:** [Water](#)

Sample Name: [E9b](#) **Sample Location/Comments:** [7th Street](#)

Sample Comments:

Analysis	Hold time (days)	Expires	Comments
Ammonia N DA, Distilled	28	May-31-18 10:02	pH = 1
Anions by IC	28	May-31-18 10:02	pH = 5
Metals ICP-AES (w)	180	Oct-30-18 10:02	pH = 1
Nitrate-Nitrite N DA, Enzymatic reduction	28	May-31-18 10:02	pH = 1
Solids, TDS	7	May-10-18 10:02	pH = 5
TKN DA	28	May-31-18 10:02	pH = 1
TOC	28	May-31-18 10:02	pH = 1
Total Phosphorus DA	28	May-31-18 10:02	pH = 1

WORK ORDER

Printed: 5/7/2018 9:53:28AM

1805007**US EPA Region 5 Chicago Regional Laboratory****Client:** Water Division, WECA Region 5
Project: Central Sands**Project Manager:** Angela Ockrassa Davis
Project Number: CB022018

PROJECT COMMENTS: Anions: Chloride, fluoride, bromide, sulfide.

Full List metals

REVIEWED

By Robert Thompson at 9:54 am, May 07, 2018



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

A1a (1805005-01)

Matrix: Water Sampled: Apr-30-18 07:19 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

A1b (1805005-02)

Matrix: Water Sampled: Apr-30-18 07:32 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	1.79		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

A2a (1805005-03)

Matrix: Water Sampled: Apr-30-18 08:15 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	36.9		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

A2b (1805005-04)

Matrix: Water Sampled: Apr-30-18 08:24 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

A3a (1805005-05)

Matrix: Water Sampled: Apr-30-18 09:06 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

A3b (1805005-06)

Matrix: Water Sampled: Apr-30-18 09:14 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	0.12		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

A4 Equip (1805005-07)

Matrix: Water Sampled: Apr-30-18 09:38 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

A3a (Dup) (1805005-08)

Matrix: Water Sampled: Apr-30-18 09:06 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

FB1 (1805005-09)

Matrix: Water Sampled: Apr-30-18 09:49 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

A4a (1805005-10)

Matrix: Water Sampled: Apr-30-18 09:58 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	1.25		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

A4b (1805005-11)

Matrix: Water Sampled: Apr-30-18 10:09 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	4.61		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

B1a (1805005-12)

Matrix: Water Sampled: Apr-30-18 10:51 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

B1b (1805005-13)

Matrix: Water Sampled: Apr-30-18 10:58 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

B2a (1805005-14)

Matrix: Water Sampled: Apr-30-18 11:40 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

B2b (1805005-15)

Matrix: Water Sampled: Apr-30-18 11:48 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	0.23	K	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

B3a (1805005-16)

Matrix: Water Sampled: Apr-30-18 12:29 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	4.53	K	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

B3b (1805005-17)

Matrix: Water Sampled: Apr-30-18 12:36 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	0.96	K	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

B4a (1805005-18)

Matrix: Water Sampled: Apr-30-18 13:10 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	33.3	K	0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

B4b (1805005-19)

Matrix: Water Sampled: Apr-30-18 13:41 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	28.0	K	0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

C1a (1805005-20)

Matrix: Water Sampled: Apr-30-18 15:02 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	0.12	K	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C1b (1805005-21)

Matrix: Water Sampled: Apr-30-18 15:27 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C2a (1805005-22)

Matrix: Water Sampled: Apr-30-18 16:06 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	42.1	K	0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

C2b (1805005-23)

Matrix: Water Sampled: Apr-30-18 16:14 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	3.39	K	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C3a (1805005-24)

Matrix: Water Sampled: Apr-30-18 14:16 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	27.7	K	0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

C3b (1805005-25)

Matrix: Water Sampled: Apr-30-18 14:26 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	2.62	K	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C5Aa (1805005-26)

Matrix: Water Sampled: May-01-18 06:29 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	44.3	K	0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

C5Ab (1805005-27)

Matrix: Water Sampled: May-01-18 06:43 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	59.2	K	1.00	2.00	mg/L	20	B18E022	May-09-18	May-10-18

C6a (1805005-28)

Matrix: Water Sampled: May-01-18 07:06 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	36.8	K	0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

C6b (1805005-29)

Matrix: Water Sampled: May-01-18 07:15 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	25.3	K	0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

C7a (1805005-30)

Matrix: Water Sampled: May-01-18 07:48 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	31.7	K	0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

C7b (1805005-31)

Matrix: Water Sampled: May-01-18 08:02 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	37.3	K	0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

FB2 (1805005-32)

Matrix: Water Sampled: May-01-18 07:39 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

C7 equip (1805005-33)

Matrix: Water Sampled: May-01-18 07:38 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C7b Dup (1805005-34)

Matrix: Water Sampled: May-01-18 08:02 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	36.5	K	0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

C8a (1805005-35)

Matrix: Water Sampled: May-01-18 08:35 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	17.1	K	0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

C8b (1805005-36)

Matrix: Water Sampled: May-01-18 08:42 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	2.95	K	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C9a (1805005-37)

Matrix: Water Sampled: May-01-18 10:00 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	2.48	K	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C9b (1805005-38)

Matrix: Water Sampled: May-01-18 10:21 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	0.69	K	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C10a (1805005-39)

Matrix: Water Sampled: May-01-18 11:05 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	8.33		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

C10b (1805005-40)

Matrix: Water Sampled: May-01-18 11:12 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	16.7		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

C11a (1805005-41)

Matrix: Water

Sampled: May-01-18 11:46

Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C11b (1805005-42)

Matrix: Water

Sampled: May-01-18 11:52

Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	0.57	K	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C12a (1805005-43)

Matrix: Water

Sampled: May-01-18 12:41

Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C12b (1805005-44)

Matrix: Water

Sampled: May-01-18 12:47

Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C13a (1805005-45)

Matrix: Water

Sampled: May-01-18 13:30

Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

C13b (1805005-46)

Matrix: Water

Sampled: May-01-18 13:39

Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D1a (1805005-47)

Matrix: Water

Sampled: May-01-18 14:19

Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D1b (1805005-48)

Matrix: Water

Sampled: May-01-18 14:26

Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

D2a (1805005-49)

Matrix: Water Sampled: May-01-18 15:00 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	2.86		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D2b (1805005-50)

Matrix: Water Sampled: May-01-18 15:06 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	32.7		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

D3a (1805005-51)

Matrix: Water Sampled: May-01-18 15:41 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	21.1		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

D3b (1805005-52)

Matrix: Water Sampled: May-01-18 15:48 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	23.4		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

D4a (1805005-53)

Matrix: Water Sampled: May-01-18 16:19 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	20.5		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

D4b (1805005-54)

Matrix: Water Sampled: May-01-18 16:26 Received: May-02-18 09:55

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	50.6		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

D5a (1805007-01)

Matrix: Water Sampled: May-02-18 06:38 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	0.29		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D5b (1805007-02)

Matrix: Water Sampled: May-02-18 06:46 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	1.36		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

D6a (1805007-03)

Matrix: Water Sampled: May-02-18 07:17 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D6b (1805007-04)

Matrix: Water Sampled: May-02-18 07:29 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D7 equip (1805007-05)

Matrix: Water Sampled: May-02-18 08:01 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

FB3 (1805007-06)

Matrix: Water Sampled: May-02-18 08:03 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D7a Dup (1805007-07)

Matrix: Water Sampled: May-02-18 08:12 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	33.7		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

D7a (1805007-08)

Matrix: Water Sampled: May-02-18 08:12 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D7b (1805007-09)

Matrix: Water Sampled: May-02-18 08:19 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	36.8		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

D8a (1805007-10)

Matrix: Water Sampled: May-02-18 08:55 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	42.3		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

D8b (1805007-11)

Matrix: Water Sampled: May-02-18 09:11 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D9a (1805007-12)

Matrix: Water Sampled: May-02-18 09:45 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D9b (1805007-13)

Matrix: Water Sampled: May-02-18 09:54 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	2.29		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D10a (1805007-14)

Matrix: Water Sampled: May-02-18 10:29 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	14.3		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

D10a Dup (1805007-15)

Matrix: Water Sampled: May-02-18 10:29 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D10b (1805007-16)

Matrix: Water Sampled: May-02-18 10:41 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

D10b Dup (1805007-17)

Matrix: Water Sampled: May-02-18 10:41 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	16.2		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

D11a (1805007-18)

Matrix: Water Sampled: May-02-18 11:19 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	32.2		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

D11b (1805007-19)

Matrix: Water

Sampled: May-02-18 11:42

Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	23.9		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

E1a (1805007-20)

Matrix: Water

Sampled: May-02-18 12:41

Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	27.2		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

E1b (1805007-21)

Matrix: Water

Sampled: May-02-18 12:58

Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	25.7		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

E2a (1805007-22)

Matrix: Water

Sampled: May-02-18 13:28

Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	1.52		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E2b (1805007-23)

Matrix: Water

Sampled: May-02-18 13:37

Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	3.15		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E2a Dup (1805007-24)

Matrix: Water

Sampled: May-02-18 13:28

Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	1.58		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E2b Dup (1805007-25)

Matrix: Water

Sampled: May-02-18 13:37

Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	3.16		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E3a (1805007-26)

Matrix: Water

Sampled: May-02-18 14:03

Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	6.58		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

E3b (1805007-27)

Matrix: Water Sampled: May-02-18 14:09 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	7.40		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

E4a (1805007-28)

Matrix: Water Sampled: May-02-18 14:37 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	23.3		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

E4b (1805007-29)

Matrix: Water Sampled: May-02-18 14:43 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	26.8		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

E5a (1805007-30)

Matrix: Water Sampled: May-02-18 15:08 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	38.7		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

E5b (1805007-31)

Matrix: Water Sampled: May-02-18 15:13 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	26.9		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18

E6a (1805007-32)

Matrix: Water Sampled: May-02-18 15:38 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	0.15		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E6b (1805007-33)

Matrix: Water Sampled: May-02-18 15:44 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	0.15		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E7a (1805007-34)

Matrix: Water Sampled: May-02-18 16:09 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

E7b (1805007-35)

Matrix: Water Sampled: May-02-18 16:35 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E8a (1805007-36)

Matrix: Water Sampled: May-03-18 08:40 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E8b (1805007-37)

Matrix: Water Sampled: May-03-18 08:48 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E10a (1805007-38)

Matrix: Water Sampled: May-03-18 07:15 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	1.13		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E10a Dup (1805007-39)

Matrix: Water Sampled: May-03-18 07:15 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	1.22		0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E10b (1805007-40)

Matrix: Water Sampled: May-03-18 07:27 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

FB4 (1805007-41)

Matrix: Water Sampled: May-03-18 07:36 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E10 Equip (1805007-42)

Matrix: Water Sampled: May-03-18 07:13 Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5 Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Nitrate-Nitrite Nitrogen, Nitrate Reductase, ASTM D7781 - 14 (modified) US EPA Region 5 Chicago Regional Laboratory

E9a (1805007-43)

Matrix: Water

Sampled: May-03-18 09:53

Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	U	U	0.05	0.10	mg/L	1	B18E022	May-09-18	May-10-18

E9b (1805007-44)

Matrix: Water

Sampled: May-03-18 10:02

Received: May-04-18 10:00

Analyte	Result	Flags / Qualifiers	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed
Nitrate-Nitrite N	20.2		0.50	1.00	mg/L	10	B18E022	May-09-18	May-10-18



Environmental Protection Agency Region 5

Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
Phone:(312)353-8370 Fax:(312)886-2591

Water Division, WECA Region 5
77 West Jackson Boulevard
Chicago IL, 60604

Project: Central Sands
Project Number: CB022018
Project Manager: Cheryl Burdett

Reported:
May-22-18 14:54

Notes and Definitions

K The identification of the analyte is acceptable; the reported value may be biased high. The actual value is expected to be less than the reported value.

* This Quality Control measure meets the requirements of the CRL SOP for this analyte.

U Not Detected

NR Not Reported

Q QC limit Exceeded