



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

REPLY TO THE ATTENTION OF

LU-16J

Via E-mail and Certified Mail 7009 1680 0000 7671 1708
RETURN RECEIPT REQUESTED

October 19, 2018

Mr. Joseph M. Bianchi
Group EHS Manager
Amphenol Corporation
40-60 Delaware Avenue
Sidney, NY 13838

Subject: Conditional Approval *Sewer Gas Vapor Intrusion Investigation Work Plan Addendum, Franklin Power Products, Inc./Amphenol Corporation*
Administrative Order on Consent, Docket # R8H-5-99-00
EPA ID# IND 044 587 848

Dear Mr. Bianchi:

EPA approves the *Sewer Gas Vapor Intrusion Investigation Work Plan Addendum, Franklin Power Products, Inc./Amphenol Corporation*, dated October 17, 2018 ("Work Plan"). The Work Plan is a component of a broader vapor intrusion (VI) investigation in the residential area near the former Franklin Power Products, Inc./Amphenol Corporation facility ("facility" or "site"). EPA discussed the Work Plan with Mr. Brad Gentry of IWM Consulting Group on October 18, 2018.

If you have any questions, please contact me at (312) 886-3020.

Sincerely,

A handwritten signature in cursive script that reads "Carolyn Bury".

Carolyn Bury
Project Manager
Corrective Action Section 2
Remediation and Re-use Branch

cc: Matt Kupcak, BorgWarner, Inc.
Certified Mail 7009 1680 0000 2330

ecc: Brad Gentry, IWM Consulting Group, LLC.
Bhooma Sundar, RRB CAS2
Motria Caudill, ATSDR
Conor Neal, RRB CAS2