




Final Risk Evaluation for n-Methylpyrrolidone

Systematic Review Supplemental File:

Data Quality Evaluation of Environmental Fate and Transport Studies

CASRN: 872-50-4



December 2020

Table of Contents

Matsui, S; Murakami, T; Sasaki, T; Hirose, Y; Iguma, Y. (1975). Activated sludge degradability of organic substances in the wastewater of the Kashima petroleum and petrochemical industrial complex in Japan. Prog Water Technol 7: 645-659. HERO ID: 18852.....	4
Cai, S; Cai, T; Liu, S; Yang, Q; He, J; Chen, L; Hu, J. (2014). Biodegradation of N- methylpyrrolidone by Paracoccus sp. NMD-4 and its degradation pathway. Int Biodeterior Biodegradation 93: 70-77. http://dx.doi.org/10.1016/j.ibiod.2014.04.022 HERO ID: 3576998	6
Chow, ST; Ng, TL. (1983). The biodegradation of N-methyl-2-pyrrolidone in water by sewage bacteria. Water Res 17: 117-118. http://dx.doi.org/10.1016/0043-1354(83)90292-0 HERO ID: 3577230	9
Chow, ST; Ng, TL. (1983). The biodegradation of N-methyl-2-pyrrolidone in water by sewage bacteria. Water Res 17: 117-118. http://dx.doi.org/10.1016/0043-1354(83)90292-0 HERO ID: 3577230	12
Gomolka, B; Gomolka, E. (1981). The effect of n-methylpyrrolidone (NMP) on the action of activated-sludge. Acta Hydrochim Hydrobiol 9: 555-572. http://dx.doi.org/10.1002/aheh.19810090509 HERO ID: 3577684.....	15
Toxicology and Regulatory Affairs. (2003). 2-Pyrrolidone. (201-14664B). Freeburg, IL. https://java.epa.gov/oppt_chemical_search/ HERO ID: 3970220	18
Aschmann, SM; Atkinson, R. (1999). Atmospheric chemistry of 1-methyl-2- pyrrolidinone. Atmos Environ 33: 591-599. http://dx.doi.org/10.1016/S1352-2310(98)00269-6 HERO ID: 1721939.....	20
Aliabadi, M; Ghahremani, H; Izadkhan, F; Sagharigar, T. (2012). PHOTOCATALYTIC DEGRADATION OF N-METHYL-2-PYRROLIDONE IN AQUEOUS SOLUTIONS USING LIGHT SOURCES OF UVA, UVC AND UVLED. Fresen Environ Bull 21: 2120-2125. HERO ID: 1583365	22
Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." Ecotoxicology and Environmental Safety 3(2): 159-173. HERO ID: 6952963.....	25
Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." Ecotoxicology and Environmental Safety 3(2): 159-173. HERO ID: 6952963.....	28
Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." Ecotoxicology and Environmental Safety 3(2): 159-173. HERO ID: 6952963.....	31
Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." Ecotoxicology and Environmental Safety 3(2): 159-173. HERO ID: 6952963.....	34
Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." Ecotoxicology and Environmental Safety 3(2): 159-173. HERO ID: 6952963.....	37

Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." *Ecotoxicology and Environmental Safety* 3(2): 159-173. HERO ID: 6952963.....40

Křížek, K; Růžička, J; Julinová, M; Husárová, L; Houser, J; Dvořáčková, M; Jančová, P. (2015). N-methyl-2-pyrrolidone-degrading bacteria from activated sludge. *Water Science and Technology*. 71:5. 776-782. HERO ID: 3539863.....43

U.S. EPA (U.S. Environmental Protection Agency). (2012). Estimation Programs Interface Suite™ for Microsoft® Windows, v 4.11 [Computer Program]. Washington, DC. Retrieved from <https://www.epa.gov/tsca-screening-tools/epi-suitetm-estimation-program-interface> HERO ID: 2347246.....46

EPA’s Office of Pollution Prevention and Toxics (OPPT) developed data quality criteria for environmental fate and transport studies. The criteria are documented in the *Application of Systematic Review in TSCA Risk Evaluations* document (EPA Document #740-P1-8001).

This systematic review supplemental document presents the data quality evaluation results for environmental fate and transport studies evaluated for the NMP Risk Evaluation.

Study Reference:	Matsui, S; Murakami, T; Sasaki, T; Hirose, Y; Iguma, Y. (1975). Activated sludge degradability of organic substances in the wastewater of the Kashima petroleum and petrochemical industrial complex in Japan. Prog Water Technol 7: 645-659. HERO ID: 18852					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	Medium	The source and purity of the test substance were not reported; however, the test substance was identified by analytical means.	2	1	2
Test Design	3. Study Controls	Medium	The use of controls was not reported but likely did not impact the study results.	2	2	4
	4. Test Substance Stability	Medium	Test substance stability was not included but does not limit the interpretation of the results.	2	1	2
Test Conditions	5. Test Method Suitability	High	The method is suitable for test material.	1	1	1
	6. Testing Conditions	High	Conditions were adequately monitored and reported.	1	2	2
	7. Testing Consistency	High	Every substrate was tested under the same conditions.	1	1	1
	8. System Type and Design	High	Testing conditions were monitored, reported, and appropriate for the method.	1	1	1
Test Organisms	9. Test Organism Degradation	High	The inoculum source was reported.	1	2	2
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR

Outcome Assessment	11. Outcome Assessment Methodology	High	The method reported is suitable for biodegradation assessment.	1	1	1
	12. Sampling Methods	High	The timing and frequency of the sampling methods were clearly reported and adequate for the outcomes of interest.	1	1	1
Confounding/ Variable Control	13. Confounding Variables	High	Absorption and volatilization were discussed.	1	1	1
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	16. Statistical Methods and Kinetic Calculations	Medium	No information regarding statistics and kinetics were provided; however, results from multiple times points was reported.	2	1	2
Other	17. Verification or Plausibility of Results	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	19	20	25
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.25	Overall Score (Rounded):	1.3
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	High

Study Reference:	Cai, S; Cai, T; Liu, S; Yang, Q; He, J; Chen, L; Hu, J. (2014). Biodegradation of N-methylpyrrolidone by Paracoccus sp. NMD-4 and its degradation pathway. Int Biodeterior Biodegradation 93: 70-77. http://dx.doi.org/10.1016/j.ibiod.2014.04.022 HERO ID: 3576998					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	High	The test substance source was reported.	1	1	1
Test Design	3. Study Controls	Medium	Appropriate controls were included but results were not reported; additional information may be in the Supporting Information.	2	2	4
	4. Test Substance Stability	Medium	Limited details regarding this metric; however, this was not likely to have influenced the results.	2	1	2
Test Conditions	5. Test Method Suitability	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	6. Testing Conditions	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	7. Testing Consistency	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	8. System Type and Design	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1

Test Organisms	9. Test Organism Degradation	Medium	Well characterized enrichment pure culture from pesticide factory activated sludge. Relevant for study of potential degradation pathways; however, not representative of natural environmental conditions and rates were not relevant.	2	2	4
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	High	Appropriate for identification of potential degradation pathways; however, there may be others. Degradation rates were not relevant to environmental rates.	1	1	1
	12. Sampling Methods	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
Confounding/ Variable Control	13. Confounding Variables	High	No confounding variables were noted.	1	1	1
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	16. Statistical Methods and Kinetic Calculations	High	The analysis of data was clearly described.	1	1	1
Other	17. Verification or Plausibility of Results	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	18	20	25

High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.25	Overall Score (Rounded):	1.3
≥ 1 and < 1.7	≥ 1.7 and < 2.3	≥ 2.3 and ≤ 3			Overall Quality Level:	High

Study Reference:	Chow, ST; Ng, TL. (1983). The biodegradation of N-methyl-2-pyrrolidone in water by sewage bacteria. Water Res 17: 117-118. http://dx.doi.org/10.1016/0043-1354(83)90292-0 HERO ID: 3577230					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	Medium	The test substance source was reported; however, company and purity details were omitted.	2	1	2
Test Design	3. Study Controls	Medium	Some details regarding the results of the controls were omitted such as the result of readily and poorly biodegradable reference substances; however, this was not likely to have influenced the interpretation of the study results.	2	2	4
	4. Test Substance Stability	Medium	Details regarding this metric were not included; however, this was not likely to have influenced the interpretation of the study results.	2	1	2
Test Conditions	5. Test Method Suitability	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	6. Testing Conditions	High	Details regarding this metric were limited but both tests were standard biodegradability tests. This omission was not likely to have influenced the interpretation of the study results.	1	2	2

	7. Testing Consistency	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	8. System Type and Design	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
Test Organisms	9. Test Organism Degradation	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	12. Sampling Methods	Medium	Details regarding this metric were limited; however, this was not likely to have influenced the interpretation of the study results.	2	1	2
Confounding/ Variable Control	13. Confounding Variables	High	Disappearance of the test material was examined, and further assessment of loss was employed.	1	1	1
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	16. Statistical Methods and Kinetic Calculations	High	The analysis of data was clearly described.	1	1	1
Other	17. Verification or Plausibility of Results	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1

	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	19	20	25
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.25	Overall Score (Rounded):	1.3
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	High

Study Reference:	Chow, ST; Ng, TL. (1983). The biodegradation of N-methyl-2-pyrrolidone in water by sewage bacteria. Water Res 17: 117-118. http://dx.doi.org/10.1016/0043-1354(83)90292-0 HERO ID: 3577230					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	Medium	The test substance source was reported; however, company and purity details were omitted.	2	1	2
Test Design	3. Study Controls	Medium	Some details regarding the results of the controls were omitted such as the result of readily and poorly biodegradable reference substances; however, this was not likely to have influenced the interpretation of the study results.	2	2	4
	4. Test Substance Stability	Medium	Details regarding this metric were not included; however, this was not likely to have influenced the interpretation of the study results.	2	1	2
Test Conditions	5. Test Method Suitability	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	6. Testing Conditions	High	Details regarding this metric were limited but both tests were standard biodegradability tests. This omission was not likely to have influenced the interpretation of the study results.	1	2	2

	7. Testing Consistency	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	8. System Type and Design	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
Test Organisms	9. Test Organism Degradation	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	12. Sampling Methods	Medium	Details regarding this metric were limited; however, this was not likely to have influenced the interpretation of the study results.	2	1	2
Confounding/ Variable Control	13. Confounding Variables	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	16. Statistical Methods and Kinetic Calculations	High	The analysis of data was clearly described.	1	1	1
Other	17. Verification or Plausibility of Results	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1

	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	19	20	25
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.25	Overall Score (Rounded):	1.3
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	High

Study Reference:	Gomolka, B; Gomolka, E. (1981). The effect of n-methylpyrrolidone (NMP) on the action of activated-sludge. Acta Hydrochim Hydrobiol 9: 555-572. http://dx.doi.org/10.1002/aheh.19810090509 HERO ID: 3577684					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	Low	The test substance source and purity were not reported nor verified by analytical means.	3	1	3
Test Design	3. Study Controls	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	4. Test Substance Stability	Medium	Details regarding this metric were omitted; however, this was not likely to have influenced the interpretation of the results.	2	1	2
Test Conditions	5. Test Method Suitability	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	6. Testing Conditions	Medium	Some details regarding this metric were omitted; however, this was not likely to have influenced the interpretation of the results.	2	2	4
	7. Testing Consistency	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	8. System Type and Design	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1

Test Organisms	9. Test Organism Degradation	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	Low	Some details regarding this metric were omitted, analytical details were not included; this limited precise interpretation of the results presented. Major focus was on concentration that would have affected disturbance of activated sludge treatment. High concentrations were required by the analytical method. These results may not be applicable to lower concentrations likely to be found in activated sludge treatment plants.	3	1	3
	12. Sampling Methods	Medium	Some details regarding this metric were omitted; however, this was not likely to have influenced the interpretation of the results.	2	1	2
Confounding/ Variable Control	13. Confounding Variables	Not rated	No confounding variables were noted.	NR	NR	NR
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	Medium	Some data were not reported but were unlikely to substantially impact the results.	2	2	4

	16. Statistical Methods and Kinetic Calculations	Medium	Some details were omitted; however, these omissions were not likely to have had a substantial impact on the study results.	2	1	2
Other	17. Verification or Plausibility of Results	Medium	The study results were reasonable; however, due to limited information evaluation of the reasonableness of the study results was not possible.	2	1	2
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	24	19	31
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.63	Overall Score (Rounded):	1.7
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	Medium ¹
¹ This study's overall quality rating was downgraded: Analytical methods were unclear which limits interpretation of the study results.						

Study Reference: Toxicology and Regulatory Affairs. (2003). 2-Pyrrolidone. (201-14664B). Freeburg, IL. https://java.epa.gov/oppt_chemical_search/ HERO ID: 3970220						
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name and CASRN.	1	2	2
	2. Test Substance Purity	Medium	The test substance purity was not reported.	2	1	2
Test Design	3. Study Controls	Medium	Control group details were omitted.	2	2	4
	4. Test Substance Stability	Medium	The test substance stability was not reported.	2	1	2
Test Conditions	5. Test Method Suitability	High	The MITI test was suitable for ready biodegradation determination. Zahn-Wellens test simulated activated sludge treatment. BIOWIN QSAR results were suitable for amides.	1	1	1
	6. Testing Conditions	Medium	There were omissions in testing conditions; however, the omissions were not likely to have had a substantial impact on the study results.	2	2	4
	7. Testing Consistency	Not rated	Multiple study groups were not reported.	NR	NR	NR
	8. System Type and Design	Medium	Details regarding the system type and design were not reported; however, the omission was not likely to have had a substantial impact on the study results.	2	1	2
Test Organisms	9. Test Organism Degradation	Medium	Adaption was not specified.	2	2	4

	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	High	The methods were suitable for various estimates of biodegradability.	1	1	1
	12. Sampling Methods	Not rated	Sampling methods were not reported.	NR	NR	NR
Confounding/ Variable Control	13. Confounding Variables	Not rated	No confounding variables were noted.	NR	NR	NR
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	Medium	The target chemical and transformation product(s) concentrations, extraction efficiency, percent recovery, and mass balance were not reported.	2	2	4
	16. Statistical Methods and Kinetic Calculations	Low	Statistical methods or kinetic calculations were not reported.	3	1	3
Other	17. Verification or Plausibility of Results	Not rated	This metric met the criteria for high confidence as expected for this type of study.	NR	NR	NR
	18. QSAR Models	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
			Sum of scores:	21	17	30
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.76	Overall Score (Rounded):	1.8
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	Medium

Study Reference:	Aschmann, SM; Atkinson, R. (1999). Atmospheric chemistry of 1-methyl-2-pyrrolidinone. Atmos Environ 33: 591-599. http://dx.doi.org/10.1016/S1352-2310(98)00269-6 HERO ID: 1721939					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	High	Test substance purity and source were reported.	1	1	1
Test Design	3. Study Controls	Medium	Some reference compound information was reported.	2	2	4
	4. Test Substance Stability	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
Test Conditions	5. Test Method Suitability	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	6. Testing Conditions	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	7. Testing Consistency	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	8. System Type and Design	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
Test Organisms	9. Test Organism Degradation	Not rated	The metric is not applicable to this study type.	NR	NR	NR
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR

Outcome Assessment	11. Outcome Assessment Methodology	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	12. Sampling Methods	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
Confounding/ Variable Control	13. Confounding Variables	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	16. Statistical Methods and Kinetic Calculations	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
Other	17. Verification or Plausibility of Results	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	15	18	20
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.11	Overall Score (Rounded):	1.1
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	High

Study Reference:	Aliabadi, M; Ghahremani, H; Izadkhah, F; Sagharigar, T. (2012). PHOTOCATALYTIC DEGRADATION OF N-METHYL-2-PYRROLIDONE IN AQUEOUS SOLUTIONS USING LIGHT SOURCES OF UVA, UVC AND UVLED. Fresen Environ Bull 21: 2120-2125. HERO ID: 1583365					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	High	The test substance purity was reported.	1	1	1
Test Design	3. Study Controls	Medium	Controls were not required to interpret the study results. Only one result was reported without catalyst but used 254 nm light, which is not environmentally relevant.	2	2	4
	4. Test Substance Stability	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
Test Conditions	5. Test Method Suitability	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	6. Testing Conditions	High	This metric met the criteria for high confidence as expected for this type of study.	1	2	2
	7. Testing Consistency	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	8. System Type and Design	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1

Test Organisms	9. Test Organism Degradation	Not rated	The metric is not applicable to this study type.	NR	NR	NR
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	Unacceptable	Study was performed in the presence of catalyst or at wavelengths not relevant to environmental conditions.	4	1	4
	12. Sampling Methods	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
Confounding/ Variable Control	13. Confounding Variables	High	This metric met the criteria for high confidence as expected for this type of study. Multiple parameters were discussed.	1	1	1
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	High	Photocatalytic decomposition; appropriate information was identified.	1	2	2
	16. Statistical Methods and Kinetic Calculations	High	Equations and results were presented.	1	1	1
Other	17. Verification or Plausibility of Results	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	18	18	23
High	Medium	Low	Overall Score = Sum of Weighted	1.28	Overall Score (Rounded):	4

≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3	Scores/Sum of Metric Weighting Factors:		Overall Quality Level:	Unacceptable ¹
<p>¹Study performed in the presence of catalyst or at wavelengths not relevant to environmental conditions. Consistent with our Application of Systematic Review in TSCA Risk Evaluations document, if a metric for a data source receives a score of Unacceptable (score = 4), EPA will determine the study to be unacceptable. In this case, one of the metrics was rated as unacceptable. As such, the study is considered unacceptable and the score is presented solely to increase transparency.</p>						

Study Reference:	Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." Ecotoxicology and Environmental Safety 3(2): 159-173. HERO ID: 6952963					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	Medium	The test substance source and purity were not reported.	2	1	2
Test Design	3. Study Controls	Medium	Some concurrent control group details were not included; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4
	4. Test Substance Stability	High	The test method was suitable for the test substance.	1	1	1
Test Conditions	5. Test Method Suitability	High	The test method was suitable for the test substance with minor omissions; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	1	1	1
	6. Testing Conditions	Medium	There were reported deviations or omissions in testing conditions; however, sufficient data were reported to determine that the deviations and omissions were not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4

	7. Testing Consistency	Medium	Some test conditions across samples or study groups were not reported, but these discrepancies were not likely to have a substantial impact on study results.	2	1	2
	8. System Type and Design	Medium	Limited details regarding test system type and design were provided but guideline methods were reported.	2	1	2
Test Organisms	9. Test Organism Degradation	High	The test organism information or inoculum source were reported.	1	2	2
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	12. Sampling Methods	Medium	Sampling method information was provided but guideline methods were reported.	2	1	2
Confounding/ Variable Control	13. Confounding Variables	Medium	Details regarding this metric were omitted; however, this source is a summary and a routine guideline was cited.	2	1	2
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	Medium	Details regarding this metric were omitted; however, a routine guideline was cited.	2	2	4
	16. Statistical Methods and Kinetic Calculations	Medium	Statistical and kinetic details were omitted; however, these omissions were not likely to have had a substantial impact on the study results.	2	1	2

Other	17. Verification or Plausibility of Results	High	The study results were reasonable.	1	1	1
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	24	20	32
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.6	Overall Score (Rounded):	1.6
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	High

Study Reference:	Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." Ecotoxicology and Environmental Safety 3(2): 159-173. HERO ID: 6952963					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	Medium	The test substance source and purity were not reported.	2	1	2
Test Design	3. Study Controls	Medium	Some concurrent control group details were not included; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4
	4. Test Substance Stability	High	The test method was suitable for the test substance.	1	1	1
Test Conditions	5. Test Method Suitability	High	The test method was suitable for the test substance with minor omissions; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	1	1	1
	6. Testing Conditions	Medium	There were reported deviations or omissions in testing conditions; however, sufficient data were reported to determine that the deviations and omissions were not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4

	7. Testing Consistency	Medium	Some test conditions across samples or study groups were not reported, but these discrepancies were not likely to have a substantial impact on study results.	2	1	2
	8. System Type and Design	Medium	Limited details regarding test system type and design were provided but guideline methods were reported.	2	1	2
Test Organisms	9. Test Organism Degradation	High	The test organism information or inoculum source were reported.	1	2	2
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	12. Sampling Methods	Medium	Sampling method information was provided but guideline methods were reported.	2	1	2
Confounding/ Variable Control	13. Confounding Variables	Medium	Details regarding this metric were omitted; however, this source is a summary and a routine guideline was cited.	2	1	2
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	Medium	Details regarding this metric were omitted; however, a routine guideline was cited.	2	2	4
	16. Statistical Methods and Kinetic Calculations	Medium	Statistical and kinetic details were omitted; however, these omissions were not likely to have had a substantial impact on the study results.	2	1	2

Other	17. Verification or Plausibility of Results	High	The study results were reasonable.	1	1	1
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	24	20	32
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.6	Overall Score (Rounded):	1.6
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	High

Study Reference:	Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." Ecotoxicology and Environmental Safety 3(2): 159-173. HERO ID: 6952963					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	Medium	The test substance source and purity were not reported.	2	1	2
Test Design	3. Study Controls	Medium	Some concurrent control group details were not included; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4
	4. Test Substance Stability	High	The test method was suitable for the test substance.	1	1	1
Test Conditions	5. Test Method Suitability	High	The test method was suitable for the test substance with minor omissions; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	1	1	1
	6. Testing Conditions	Medium	There were reported deviations or omissions in testing conditions; however, sufficient data were reported to determine that the deviations and omissions were not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4

	7. Testing Consistency	Medium	Some test conditions across samples or study groups were not reported, but these discrepancies were not likely to have a substantial impact on study results.	2	1	2
	8. System Type and Design	Medium	Limited details regarding test system type and design were provided but guideline methods were reported.	2	1	2
Test Organisms	9. Test Organism Degradation	High	The test organism information or inoculum source were reported.	1	2	2
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	12. Sampling Methods	Medium	Sampling method information was provided but guideline methods were reported.	2	1	2
Confounding/ Variable Control	13. Confounding Variables	Medium	Details regarding this metric were omitted; however, this source is a summary and a routine guideline was cited.	2	1	2
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	Medium	Details regarding this metric were omitted; however, a routine guideline was cited.	2	2	4
	16. Statistical Methods and Kinetic Calculations	Medium	Statistical and kinetic details were omitted; however, these omissions were not likely to have had a substantial impact on the study results.	2	1	2

Other	17. Verification or Plausibility of Results	High	The study results were reasonable.	1	1	1
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	24	20	32
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.6	Overall Score (Rounded):	1.6
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	High

Study Reference:	Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." Ecotoxicology and Environmental Safety 3(2): 159-173. HERO ID: 6952963					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	Medium	The test substance source and purity were not reported.	2	1	2
Test Design	3. Study Controls	Medium	Some concurrent control group details were not included; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4
	4. Test Substance Stability	High	The test method was suitable for the test substance.	1	1	1
Test Conditions	5. Test Method Suitability	High	The test method was suitable for the test substance with minor omissions; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	1	1	1
	6. Testing Conditions	Medium	There were reported deviations or omissions in testing conditions; however, sufficient data were reported to determine that the deviations and omissions were not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4

	7. Testing Consistency	Medium	Some test conditions across samples or study groups were not reported, but these discrepancies were not likely to have a substantial impact on study results.	2	1	2
	8. System Type and Design	Medium	Limited details regarding test system type and design were provided but guideline methods were reported.	2	1	2
Test Organisms	9. Test Organism Degradation	High	The test organism information or inoculum source were reported.	1	2	2
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	12. Sampling Methods	Medium	Sampling method information was provided but guideline methods were reported.	2	1	2
Confounding/ Variable Control	13. Confounding Variables	Medium	Details regarding this metric were omitted; however, this source is a summary and a routine guideline was cited.	2	1	2
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	Medium	Details regarding this metric were omitted; however, a routine guideline was cited.	2	2	4
	16. Statistical Methods and Kinetic Calculations	Medium	Statistical and kinetic details were omitted; however, these omissions were not likely to have had a substantial impact on the study results.	2	1	2

Other	17. Verification or Plausibility of Results	High	The study results were reasonable.	1	1	1
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	24	20	32
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.6	Overall Score (Rounded):	1.6
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	High

Study Reference:	Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." Ecotoxicology and Environmental Safety 3(2): 159-173. HERO ID: 6952963					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	Medium	The test substance source and purity were not reported.	2	1	2
Test Design	3. Study Controls	Medium	Some concurrent control group details were not included; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4
	4. Test Substance Stability	High	The test method was suitable for the test substance.	1	1	1
Test Conditions	5. Test Method Suitability	High	The test method was suitable for the test substance with minor omissions; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	1	1	1
	6. Testing Conditions	Medium	There were reported deviations or omissions in testing conditions; however, sufficient data were reported to determine that the deviations and omissions were not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4

	7. Testing Consistency	Medium	Some test conditions across samples or study groups were not reported, but these discrepancies were not likely to have a substantial impact on study results.	2	1	2
	8. System Type and Design	Medium	Limited details regarding test system type and design were provided but guideline methods were reported.	2	1	2
Test Organisms	9. Test Organism Degradation	High	The test organism information or inoculum source were reported.	1	2	2
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	12. Sampling Methods	Medium	Sampling method information was provided but guideline methods were reported.	2	1	2
Confounding/ Variable Control	13. Confounding Variables	Medium	Details regarding this metric were omitted; however, this source is a summary and a routine guideline was cited.	2	1	2
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	Medium	Details regarding this metric were omitted; however, a routine guideline was cited.	2	2	4
	16. Statistical Methods and Kinetic Calculations	Medium	Statistical and kinetic details were omitted; however, these omissions were not likely to have had a substantial impact on the study results.	2	1	2

Other	17. Verification or Plausibility of Results	High	The study results were reasonable.	1	1	1
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	24	20	32
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.6	Overall Score (Rounded):	1.6
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	High

Study Reference:	Gerike, P. and W. K. Fischer (1979). "A correlation study of biodegradability determinations with various chemicals in various tests." Ecotoxicology and Environmental Safety 3(2): 159-173. HERO ID: 6952963					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	Medium	The test substance source and purity were not reported.	2	1	2
Test Design	3. Study Controls	Medium	Some concurrent control group details were not included; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4
	4. Test Substance Stability	High	The test method was suitable for the test substance.	1	1	1
Test Conditions	5. Test Method Suitability	High	The test method was suitable for the test substance with minor omissions; however, the lack of data was not likely to have a substantial impact on study results and guideline methods were reported.	1	1	1
	6. Testing Conditions	Medium	There were reported deviations or omissions in testing conditions; however, sufficient data were reported to determine that the deviations and omissions were not likely to have a substantial impact on study results and guideline methods were reported.	2	2	4

	7. Testing Consistency	Medium	Some test conditions across samples or study groups were not reported, but these discrepancies were not likely to have a substantial impact on study results.	2	1	2
	8. System Type and Design	Medium	Limited details regarding test system type and design were provided but guideline methods were reported.	2	1	2
Test Organisms	9. Test Organism Degradation	High	The test organism information or inoculum source were reported.	1	2	2
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	High	This metric met the criteria for high confidence as expected for this type of study.	1	1	1
	12. Sampling Methods	Medium	Sampling method information was provided but guideline methods were reported.	2	1	2
Confounding/ Variable Control	13. Confounding Variables	Medium	Details regarding this metric were omitted; however, this source is a summary and a routine guideline was cited.	2	1	2
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	Medium	Details regarding this metric were omitted; however, a routine guideline was cited.	2	2	4
	16. Statistical Methods and Kinetic Calculations	Medium	Statistical and kinetic details were omitted; however, these omissions were not likely to have had a substantial impact on the study results.	2	1	2

Other	17. Verification or Plausibility of Results	High	The study results were reasonable.	1	1	1
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	24	20	32
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.6	Overall Score (Rounded):	1.6
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	High

Study Reference:	Křížek, K; Růžička, J; Julinová, M; Husárová, L; Houser, J; Dvořáčková, M; Jančová, P. (2015). N-methyl-2-pyrrolidone-degrading bacteria from activated sludge. <i>Water Science and Technology</i> . 71:5. 776-782. HERO ID: 3539863					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified definitively.	1	2	2
	2. Test Substance Purity	High	The source or purity of the test substance was reported.	1	1	1
Test Design	3. Study Controls	High	A concurrent negative control and positive control were included.	1	2	2
	4. Test Substance Stability	Medium	The test substance stability, homogeneity, preparation or storage conditions were not reported; however, these factors were not likely to influence the test substance or were not likely to have a substantial impact on study results.	2	1	2
Test Conditions	5. Test Method Suitability	High	The test method was suitable for the test substance.	1	1	1
	6. Testing Conditions	Medium	There were omissions in testing conditions; however, sufficient data were reported to determine that the deviations and omissions were not likely to have a substantial impact on study results.	2	2	4
	7. Testing Consistency	High	Test conditions were consistent across samples or study groups.	1	1	1
	8. System Type and	Medium	There were omissions in system	2	1	2

	Design		type and design; however, sufficient data were reported to determine that the deviations and omissions were not likely to have a substantial impact on study results.			
Test Organisms	9. Test Organism Degradation	Not rated	The metric is not applicable to this study type.	NR	NR	NR
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	High	The outcome assessment methodology addressed or reported the intended outcome of interest.	1	1	1
	12. Sampling Methods	Medium	There were omissions in sampling methods; however, sufficient data were reported to determine that the deviations and omissions were not likely to have a substantial impact on study results.	2	1	2
Confounding/ Variable Control	13. Confounding Variables	High	All reported variability or uncertainty was not likely to influence the outcome assessment.	1	1	1
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Data Presentation and Analysis	15. Data Reporting	Medium	There were omissions in data reporting; however, sufficient data were reported to determine that the deviations and omissions were not likely to have a substantial impact on study results.	2	1	2
	16. Statistical Methods and	Medium	No statistical analyses were	1	1	1

	Kinetic Calculations		conducted; however, sufficient data were reported to determine that the deviations and omissions were not likely to have a substantial impact on study results.			
Other	17. Verification or Plausibility of Results	High	The study results were reasonable.	1	1	1
	18. QSAR Models	Not rated	The metric is not applicable to this study type.	NR	NR	NR
			Sum of scores:	20	18	26
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1.44	Overall Score (Rounded):	1.4
≥1 and <1.7	≥1.7 and <2.3	≥2.3 and ≤3			Overall Quality Level:	High

Study Reference:	U.S. EPA (U.S. Environmental Protection Agency). (2012). Estimation Programs Interface Suite™ for Microsoft® Windows, v 4.11 [Computer Program]. Washington, DC. Retrieved from https://www.epa.gov/tsca-screening-tools/epi-suitetm-estimation-program-interface HERO ID: 2347246					
Domain	Metric	Qualitative Determination [i.e., High, Medium, Low, Unacceptable, or Not rated]	Comments	Metric Score	Metric Weighting Factor	Weighted Score
Test Substance	1. Test Substance Identity	High	The test substance was identified by chemical name.	1	2	2
	2. Test Substance Purity	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
Test Design	3. Study Controls	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
	4. Test Substance Stability	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
Test Conditions	5. Test Method Suitability	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
	6. Testing Conditions	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
	7. Testing Consistency	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
	8. System Type and Design	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
Test Organisms	9. Test Organism Degradation	Not rated	The metric is not applicable to this study type.	NR	NR	NR
	10. Test Organism Partitioning	Not rated	The metric is not applicable to this study type.	NR	NR	NR
Outcome Assessment	11. Outcome Assessment Methodology	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
	12. Sampling Methods	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
Confounding/ Variable Control	13. Confounding Variables	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
	14. Outcomes Unrelated to Exposure	Not rated	The metric is not applicable to this study type.	NR	NR	NR

Data Presentation and Analysis	15. Data Reporting	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
	16. Statistical Methods and Kinetic Calculations	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
Other	17. Verification or Plausibility of Results	Not rated	The metric is not applicable to this study type (SAR).	NR	NR	NR
	18. QSAR Models	High	The models in EPI Suite™ have defined endpoints. Chemical domain and performance statistics for each model are known, and unambiguous algorithms are available in the EPI Suite™ Documentation and/or cited references to establish their scientific validity. Many EPI Suite™ models have correlation coefficients >0.7, cross-validated correlation coefficients >0.5, and standard error values <0.3; however, correlation coefficients (r ² , q ²) for the regressions of some environmental fate models (i.e. BIOWIN) are lower, as expected, compared to regressions which have specific experimental values such as water solubility or log Kow (octanol-water partition coefficient).	1	1	1

			Sum of scores:	2	3	1
High	Medium	Low	Overall Score = Sum of Weighted Scores/Sum of Metric Weighting Factors:	1	Overall Score (Rounded):	1
≥ 1 and < 1.7	≥ 1.7 and < 2.3	≥ 2.3 and ≤ 3			Overall Quality Level:	High