

LCRPopulation.pas

```

unit LCRPopulation;

interface

uses Classes, LCRGlobals, DB;

type

TSafeWaterPopulation = class(TObject)
private
    // Fields
    fBaseYear: Integer;
    fPopData: Array of Array of TPopulationData;
    // Helper fields
    fFilterMinYear: Integer;
    fFilterMaxYear: Integer;
    fFilterRegionIndex: Integer;
    // Methods
    procedure LoadStatsByYearAndRegion(DataSet: TDataSet; Year, RegionIndex: Integer; var PopData: TPopulationData);
    function LoadStatsByRegion(DataSet: TDataSet; BaseYear, RegionIndex: Integer; var NoData : boolean): Integer;
    function GetPopulationPct(Year,Region: Integer; Gender: TGender; Age: Integer): Double;
    function GetPopulationInflator(Year,Region: Integer): Double;
    function GetPopulationInflatorAll(Year,Region: Integer; Age: Integer): Double;
    function GetBaseYear: Integer;
    procedure Filter(DataSet: TDataSet; var Accept: Boolean);
protected
public
    DebugOn : boolean;

    // Constructors, Destructors
    constructor Create(BaseYear: Integer);

    //data populating methods
    procedure LoadFromDS(DataSet: TDataSet);

    procedure LoadFromFile(aFile : string);
    procedure SaveToFile(aFile : string);
    procedure SaveCSV(aFile : string);
    procedure LoadFromStream(aStream : Tstream);
    procedure SaveToStream(aStream : Tstream);

    // Properties
    property PopulationPct[Year,Region: Integer; Gender: TGender; Age: Integer]:
```

```

LCRPopulation.pas

Double read GetPopulationPct;
    property PopulationInflator[Year,Region: Integer]: Double read
GetPopulationInflator;
    property PopulationInflatorAll[Year,Region: Integer; Age: Integer]: Double
read GetPopulationInflatorAll;
    property BaseYear: Integer read GetBaseYear;
end;

implementation

uses Math, SysUtils;

// NOTE: Might want to convert from Year as actual Year to Year as Offset. That is,
//        SafeWaterPop.PopulationPct[2001,0,gMale,a0to4] vs.
//        SafeWaterPop.PopulationPct[0,0,gMale,a0to4]
function TSafeWaterPopulation.GetPopulationPct(Year,Region: Integer; Gender:
TGender; Age: Integer): Double;
var eAge: TAge;
    YearOffset: Integer;
    UseRegion : integer;
begin
  if DebugOn then begin
    Result:=0.00581395;
    exit;
  end;

  UseRegion:=Region;
  YearOffset := Year - fBaseYear;
  eAge      := IntToTAge(Age);
  if ( (YearOffset < 0) or (YearOffset > 49) ) then
    raise Exception.Create('FATAL ERROR: Invalid Year (' + IntToStr(Year) +
').');
  if ( (Region < 0) or (Region > 79) ) then
    raise Exception.Create('FATAL ERROR: Invalid Region (' + IntToStr(Region) +
').');

  //if no pop data exists, use national avg
  if fPopData[UseRegion,YearOffset].TotalPopulation=0 then
    UseRegion:=0;

  if ( eAge <> a85U ) then
    Result := (fPopData[UseRegion,YearOffset].Statistics[Gender,eAge]/5) /
fPopData[UseRegion,YearOffset].TotalPopulation
  else
    Result := fPopData[UseRegion,YearOffset].Statistics[Gender,eAge] /
fPopData[UseRegion,YearOffset].TotalPopulation;
end;

```

LCRPopulation.pas

```
function TSafeWaterPopulation.GetPopulationInflator(Year,Region: Integer): Double;
var YearOffset: Integer;
    UseRegion : integer;
begin
    if DebugOn then begin
        Result:=1;
        exit;
    end;

    YearOffset := Year - fBaseYear;
    UseRegion:=Region;
    if ( (YearOffset < 0) or (YearOffset > 49) ) then
        raise Exception.Create('FATAL ERROR: Invalid Year (' + IntToStr(Year) +
'').');
    if ( (Region < 0) or (Region > 79) ) then
        raise Exception.Create('FATAL ERROR: Invalid Region (' + IntToStr(Region) +
'').');

    if fPopData[Region,YearOffset].TotalPopulation=0 then
        UseRegion:=0;

    Result := fPopData[UseRegion,YearOffset].TotalPopulation /
fPopData[UseRegion,0].TotalPopulation;
end;

function TSafeWaterPopulation.GetPopulationInflatorAll(Year,Region: Integer; Age:
Integer): Double;
var YearOffset: Integer;
    UseRegion : integer;
    v1,v2 : double;
begin
    if DebugOn then begin
        Result:=1;
        exit;
    end;

    YearOffset := Year - fBaseYear;
    UseRegion:=Region;
    if ( (YearOffset < 0) or (YearOffset > 49) ) then
        raise Exception.Create('FATAL ERROR: Invalid Year (' + IntToStr(Year) +
'').');
    if ( (Region < 0) or (Region > 79) ) then
        raise Exception.Create('FATAL ERROR: Invalid Region (' + IntToStr(Region) +
'').');

    if fPopData[Region,YearOffset].TotalPopulation=0 then
        UseRegion:=0;
```

LCRPopulation.pas

```
v1 :=  
fPopData[UseRegion,YearOffset].Statistics[gMale,Tage(Age)]+fPopData[UseRegion,YearOf  
fset].Statistics[gFemale,Tage(Age)];  
v2 :=  
fPopData[UseRegion,0].Statistics[gMale,Tage(Age)]+fPopData[UseRegion,0].Statistics[g  
Female,Tage(Age)];  
  
Result := v1 / v2;  
end;  
  
  
constructor TSafeWaterPopulation.Create(BaseYear: Integer);  
var i,j: Integer;  
begin  
    // Initialize members.  stfips becomes index  
    SetLength(fPopData, 80);  
    for i := 0 to High(fPopData) do  
    begin  
        SetLength(fPopData[i], 50);  
        for j:=0 to 49 do  
            fillchar(fPopData[i,j],sizeof(fPopData[i,j]),0);  
    end;  
    fBaseYear := BaseYear;  
end;  
  
  
procedure TSafeWaterPopulation.LoadFromFile(aFile : string);  
var InStrm : TFileStream;  
begin  
    InStrm := TFileStream.Create(aFile, fmOpenRead);  
    LoadFromStream(InStrm);  
    InStrm.Free;  
end;  
  
  
procedure TSafeWaterPopulation.SaveCSV(aFile : string);  
var T : TextFile;  
    CurYear,i,g,a : integer;  
begin  
    assignfile(T,aFile);  
    rewrite(T);  
    for i := 0 to 79 do begin  
        write(T,inttostr(i),',');  
        for CurYear:=0 to 49 do begin  
            write(T,floattostr(fPopdata[i,CurYear].Statistics[gMale,a10to14]),',');  
        end;  
        writeln(t);  
    end;
```

```

LCRPopulation.pas

end;
closefile(T);
end;

procedure TSafeWaterPopulation.SaveToFile(aFile : string);
var OutStrm : TFileStream;
begin
  OutStrm := TFileStream.Create(aFile, fmCreate);
  SaveToStream(OutStrm);
  OutStrm.Free;
end;

procedure TSafeWaterPopulation.SaveToStream(aStream : TStream);
var CurYear,i : Integer;
begin
  for CurYear:=0 to 49 do begin
    for i := 0 to 79 do begin
      aStream.Write(fPopData[i,CurYear],SizeOf(fPopData[i,CurYear]));
    end;
  end;
end;

procedure TSafeWaterPopulation.LoadFromStream(aStream : TStream);
var CurYear,i : Integer;
begin
  for CurYear:=0 to 49 do begin
    for i := 0 to 79 do begin
      aStream.Read(fPopData[i,CurYear],SizeOf(fPopData[i,CurYear]));
    end;
  end;
end;

procedure TSafeWaterPopulation.LoadFromDS(DataSet: TDataSet);
var MaxYear,CurYear,i: Integer;
  MaxYearStats,PenultimateYearStats: TPopulationData;
  g: TGender;
  a: TAge;
  NoData : boolean;
  SubPop,Adj : double;
begin
  if DebugOn then exit;

  for i := 1 to High(fPopData) do
begin

```

```

LCRPopulation.pas
// Load all years for which Woods and Poole data is available.
MaxYear := LoadStatsByRegion(DataSet, BaseYear, i, NoData);
if NoData then continue;

// Load MaxYearStats, PenultimateYearStats
LoadStatsByYearAndRegion(DataSet, MaxYear, i, MaxYearStats);
LoadStatsByYearAndRegion(DataSet, MaxYear-1, i, PenultimateYearStats);

// Interpolate statistics for years where Woods and Poole data is not available.
if ( MaxYear < BaseYear+49 ) then
begin
  for CurYear := MaxYear+1 to BaseYear+49 do
  begin
    SubPop:=0;
    for g := gMale to gFemale do
    begin
      for a := a0to4 to a85U do
      begin

        if ( PenultimateYearStats.Statistics[g,a] <> 0 ) then
          fPopData[i][CurYear-BaseYear].Statistics[g,a] :=
Trunc(MaxYearStats.Statistics[g,a] *
                  IntPower(MaxYearStats.Statistics[g,a]/
PenultimateYearStats.Statistics[g,a],
CurYear-MaxYear))

        else
          fPopData[i][CurYear-BaseYear].Statistics[g,a] := 0;

        SubPop:=SubPop+fPopData[i][CurYear-BaseYear].Statistics[g,a];
      end;
    end;

    if ( PenultimateYearStats.TotalPopulation <> 0 ) then
      fPopData[i][CurYear-BaseYear].TotalPopulation :=
Trunc(MaxYearStats.TotalPopulation *
                  IntPower(MaxYearStats.TotalPopulation/
PenultimateYearStats.TotalPopulation,
CurYear-MaxYear))

    else
      fPopData[i][CurYear-BaseYear].TotalPopulation := 0;

    if fPopData[i][CurYear-BaseYear].TotalPopulation<>SubPop then begin
      //renormalize pops;
      Adj:=fPopData[i][CurYear-BaseYear].TotalPopulation / SubPop ;
      for g := gMale to gFemale do
      begin
        for a := a0to4 to a85U do
        begin

```

```

LCRPopulation.pas
fPopData[i][CurYear-BaseYear].Statistics[g,a] :=
  fPopData[i][CurYear-BaseYear].Statistics[g,a] * Adj;
end;
end;
end;
end;
end;

//add to total overall population
for CurYear:=0 to 49 do begin

fPopData[0,CurYear].TotalPopulation:=fPopData[0,CurYear].TotalPopulation+fPopData[i,
CurYear].TotalPopulation;
  for g := gMale to gFemale do begin
    for a := a0to4 to a85U do begin
      fPopData[0,CurYear].Statistics[g,a]:=-
        fPopData[0,CurYear].Statistics[g,a]+
        fPopData[i,CurYear].Statistics[g,a]
    end;
  end;
end;

end; {end region loop}
end;

function TSafeWaterPopulation.LoadStatsByRegion(DataSet: TDataSet; BaseYear,
RegionIndex: Integer; var NoData : boolean): Integer;
var
  FieldName: string;
  CurYear: Integer;
  g: TGender;
  a: TAge;
begin
  Result := BaseYear;
  DataSet.Active := false;
  DataSet.Filtered := false;
  fFilterMinYear := BaseYear;
  fFilterMaxYear := MaxInt;
  fFilterRegionIndex := RegionIndex;
  DataSet.OnFilterRecord := Filter;
  DataSet.Filtered := true;
  DataSet.Active := true;

  DataSet.First;
  Nodata:=True;
  while (not DataSet.Eof) do
  begin
    NoData:=False;

```

```

LCRPopulation.pas
CurYear := DataSet.FieldByName('Year').AsInteger;
Result  := Max(Result, CurYear);
CurYear := CurYear - BaseYear;

for g := gMale to gFemale do
begin
  for a := a0to4 to a85U do
  begin
    FieldName := TGenderToStr(g) + TAgeToStr(a);
    fPopData[RegionIndex,CurYear].Statistics[g,a] :=
fPopData[RegionIndex,CurYear].Statistics[g,a] +

DataSet.FieldByName(FieldName).AsInteger;
      fPopData[RegionIndex,CurYear].TotalPopulation :=
fPopData[RegionIndex,CurYear].TotalPopulation +

DataSet.FieldByName(FieldName).AsInteger;
      end;
    end;
    DataSet.Next;
  end;
end;

procedure TSafeWaterPopulation.LoadStatsByYearAndRegion(DataSet: TDataSet; Year,
RegionIndex: Integer; var PopData: TPopulationData);
var FieldName: string;
  g: TGender;
  a: TAge;
begin
  FillChar(PopData, sizeof(PopData), 0);

  DataSet.Active    := false;
  DataSet.Filtered := false;
  fFilterMinYear := Year;
  fFilterMaxYear := Year;
  fFilterRegionIndex := RegionIndex;
  DataSet.OnFilterRecord := Filter;
  DataSet.Filtered := true;
  DataSet.Active    := true;

  DataSet.First;
  while (not DataSet.Eof) do
  begin
    for g := gMale to gFemale do
    begin
      for a := a0to4 to a85U do
      begin
        FieldName := TGenderToStr(g) + TAgeToStr(a);

```

```

LCRPopulation.pas
PopData.Statistics[g][a] := PopData.Statistics[g][a] +
DataSet.FieldName(Fieldname).AsInteger;
PopData.TotalPopulation := PopData.TotalPopulation +
DataSet.FieldName(Fieldname).AsInteger;
end;
DataSet.Next;
end;
end;

function TSafeWaterPopulation.GetBaseYear: Integer;
begin
Result := fBaseYear;
end;

procedure TSafeWaterPopulation.Filter(DataSet: TDataSet; var Accept: Boolean);
var Year: Integer;
State: Integer;
begin
Year := DataSet.FieldName('Year').AsInteger;
State := DataSet.FieldName('State').AsInteger;
Accept := (fFilterMinYear <= Year) and (Year <= fFilterMaxYear) and
(State=fFilterRegionIndex);
end;
end;

```